


UNCLASSIFIED

AD NUMBER
AD242973
NEW LIMITATION CHANGE
TO Approved for public release, distribution unlimited
FROM Distribution authorized to U.S. Gov't. agencies and their contractors; Administrative/Operational Use; JUN 1960. Other requests shall be referred to Air Force Cambridge Research Laboratories, Hanscom AFB, MA.
AUTHORITY
AFCRL ltr, 3 Nov 1971

THIS PAGE IS UNCLASSIFIED

B4
AF-4561/8



Division of Engineering
BROWN UNIVERSITY
PROVIDENCE, R. I.

A7CRC-7N-60-597

PULSE DIFFRACTION BY AN IMPERFECTLY
REFLECTING WEDGE

BY

V. M. PAPADOPOULOS

AD242973

TECHNICAL LIBRARY
U. S. ARMY GEDTANCE
ARMEDEN TROOP HQ GROED, MD.
OPEDTEL

Air Force Cambridge Research Center

Air Research and Development Command

Contract A7 19(604)-4561

Scientific Report A7 4561/8

June 1960

B4
AF-4561/8

AFCRC-TN-60-597

PULSE DIFFRACTION BY AN IMPERFECTLY REFLECTING WEDGE

By

V. M. Papadopoulos

Scientific Report AF 4561/8

DIVISION OF ENGINEERING

BROWN UNIVERSITY

PROVIDENCE, RHODE ISLAND

June 1960

Contract Monitor

Dr. Werner W. Gerbes

Dr. Werner W. Gerbes

"The research reported in this document has been sponsored in part by the Electronics Research Directorate of the Air Force Cambridge Research Center, Air Research and Development Command, and by the Office of Naval Research under contract Nonr 562(24). The publication of this report does not necessarily constitute approval by the Air Force of the findings or conclusions contained herein."

Contract title: Research Directed toward the study of Radiation of Electromagnetic Waves

Contract number: AF 19(604)-4561

Best Available Copy

20060223389

TECHNICAL LIBRARY
U S ARMY ORDNANCE
ABERDEEN PROVING GROUND, MD.
ORDBQ-TL

ABSTRACT

A similarity method is used to develop a solution of the wave equation within a sector with mixed boundary conditions. In this manner the field which results from the diffraction of an incident pulse of step function time dependence is found.

PULSE DIFFRACTION BY AN IMPERFECTLY REFLECTING WEDGE.

Introduction:

There have been two methods described recently by which the two dimensional problem of the diffraction of steady sinusoidal acoustic waves by an imperfectly reflecting infinite wedge may be examined. These methods, which were derived in the solution of problems involving waves in a shallow fluid, are those of Stoker (1947) and Peters (1952).

For the wave diffraction problem the precise nature of the disturbance within the imperfectly reflecting wedge has been ignored, and its effect replaced by the imposition of an impedance type of boundary condition at the surface. Stoker's method has been applied by Karp and others (1958, 1959 a, b), and Peter's method by Senior (1959) to the idealized problem which may be summarized as follows. A quantity $\varphi(r, \theta)$ is to be calculated which satisfies, in the region $\theta_0 < \theta < \theta_1$, the reduced wave equation

$$(\nabla^2 + k^2) \varphi(r, \theta) = 0,$$

under boundary conditions

$$\begin{aligned} &= ik \eta_0 \varphi \text{ for } \theta = \theta_0, \\ &\frac{\partial \varphi}{\partial \theta} \\ &= ik \eta_1 \varphi \text{ for } \theta = \theta_1, \end{aligned}$$

for various incident fields. The quantities η which represent the reciprocal of the complex refractive index at the surface of the wedge are taken to be constant on the surface. The problem as stated is a little more general than that solved either by Senior, who specified that $\eta_0 = \eta_1$, or by Karp who restricted his calculation to right-angled wedges.

The present paper, which follows a number of others which utilize the same method, is intended to show that formal closed solutions which demonstrate the most important features of the diffracted field may be found more simply if the usual assumption of steady harmonic time dependence is not made. Rather we can consider an incident plane wave of step function time dependence and we can use the method of dynamic similarity to derive the solution for an incident pulse. This solution may then be converted, if necessary, to the steady solution.

The method of dynamic similarity is very closely related to the method of conical flows which has been described in detail by Goldstein and Ward (1950). Its application to certain transient two dimensional problems of supersonic flow was made by Craggs (1956, 1957). It has also been applied to a series of problems of wave diffraction and refraction by the author (1959 a, b, c). Pulse diffraction by a perfectly conducting wedge was also examined by a similarity method by Keller and Blank (1951).

The essence of the method of dynamic similarity is to consider in a two dimensional problem a function $\varphi(r, \theta, t)$ which satisfies the wave equation,

$$\left(\nabla^2 - \frac{1}{c^2} \frac{\partial^2}{\partial t^2}\right) \varphi(r, \theta, t) = 0, \quad (1)$$

and for which it is possible to assume that after a particular instant $t=0$, the solution is of the specific form $\varphi(r/t, \theta)$. Following this assumption it is easily shown that for $r > ct$, under the transformation $r = ct \sec u$, φ satisfies the hyperbolic equation

$$-\frac{\partial^2 \varphi}{\partial u^2} + \frac{\partial^2 \varphi}{\partial \theta^2} = 0, \quad (2)$$

for which the general solution is

$$\varphi = f(u - \theta) + g(u + \theta), \quad (3)$$

where f and g are arbitrary functions which are constant on the characteristic lines $u+\theta = \text{const}$ and $u-\theta = \text{const}$ respectively.

If $r < ct$, under the transformation $r=ct \operatorname{sech}(-v)$, ϕ satisfies the elliptic equation

$$\frac{\partial^2 \phi}{\partial v^2} + \frac{\partial^2 \phi}{\partial \theta^2} = 0, \quad (4)$$

in a strip $\theta_0 < \theta < \theta_1$, $v < 0$, in the (v, θ) plane.

The method is therefore seen to be one of reducing the diffraction problem to a problem in harmonic function. This was also the aim of Peter's method which was applied to the steady state problem. And this harmonic function problem has received further attention in an interesting series of papers by VanDantzig (1958) and Lauwerier (1959).

The problem is first set up as a problem in acoustics. In the linearized theory we may set up a velocity potential ϕ such that the velocity $\underline{v}$ ($= -\nabla\phi$) and the infinitesimal pressure change p ($=\rho\partial\phi/\partial t$) satisfy the momentum equation to the first order, where ρ is the density of the medium at rest. Then if c is the velocity of sound in the medium at rest, ϕ satisfies the wave equation 1.

We consider the walls of the wedge to be soft in the sense that the pressure is proportional to the normal velocity. If we take the boundaries to be the planes $\theta=0$, and $\theta=\psi$, the appropriate conditions have the form

$$\frac{\partial\phi}{\partial t}(r,0,t) = \frac{\alpha}{r} \frac{\partial\phi}{\partial\theta} \quad \text{for } \theta=0,$$

and

(5)

$$\frac{\partial\phi}{\partial t}(r,\psi,t) = \frac{-\beta}{r} \frac{\partial\phi}{\partial\theta} \quad \text{for } \theta=\psi,$$

where α and β are constants which give a measure of the softness of the boundaries. For the purpose of generality we do not take α and β to be equal.

We now consider the case of a plane pulse of potential ϕ which is travelling towards the vertex of the wedge within a region of angle ψ . We take the pulse to have a step function profile so that it corresponds to a plane pressure impulse. Depending on the angle of incidence γ of the pulse and the angle ψ of the wedge there will be a number of reflected pulses which accompany the incident pulse. The determination of the complete incident field which satisfies the correct boundary conditions is not a difficult matter since the situation is a steady one with no diffraction effects present.

For simplicity, however, we will examine only the case as depicted in Fig. 1 where the incident pulse does not meet the walls of the wedge until after it arrives at the vertex at time $t=0$. We can now assert that the subsequent

disturbance has a potential which depends only on the variables r/t and θ and for this disturbance we can use the transformation described in the introduction. The hyperbolic region $r > ct$ is one in which the solution takes the form given in equation 3, and since the initial field at $t=0$ determines the field as $r/t \rightarrow \infty$ we are able to determine the field in the whole region $r > ct$. The field structure is shown in figure 2. The arc $r=ct$ is a characteristic line which separates the hyperbolic region from the elliptic region, and the lines AB, BC DE and EF are the characteristic lines which separate distinct regions of constant potential. To the right of the lines BC and EF the potential is zero, and to the left it is one, except within the regions ABG' where it is $1+R_0$ and within DEH where it is $1+R_\psi$. These constants R_0 and R_ψ are the reflexion coefficients to be expected when a pulse of unit amplitude is reflected under the boundary condition 5 on an infinite plane surface.

In particular near the surface $\theta=0$ we have the result

$$\phi = U(\theta+\gamma-u) + R_0 U(\gamma-\theta-u)$$

where $U(z)$ is the unit step function, and from 5 the boundary condition to be satisfied is that

$$\frac{c}{\sin u} \frac{\partial \phi}{\partial u} + \frac{\partial \phi}{\partial \theta} = 0$$

It follows that $R_0 = \frac{c \sin \gamma - c}{c \sin \gamma + c}$ (6)

Similarly near the surface $\theta = \psi$

$$\phi = U(-\gamma+2\pi-u-\theta) + R_\psi U(\theta+2\pi-u-2\psi-\gamma) ;$$

since the boundary conditions on $\theta = \psi$ is

$$\frac{c}{\sin u} \frac{\partial \phi}{\partial u} - \beta \frac{\partial \phi}{\partial \theta} = 0 ,$$

it follows that

$$R_{\psi} = \frac{\beta \sin (2\pi - \psi - \gamma) - c}{\beta \sin (2\pi - \psi - \gamma) + c} \quad (7)$$

We may note in passing that when the angle of incidence at the surface $\theta = \theta_0$ is $\sin^{-1} c/a$, the reflexion coefficient R_0 vanishes, and if this the angle of incidence at the other surface is $\sin^{-1} c/\beta$, R_{ψ} vanishes; this is a situation when an incident pulse is completely absorbed at one surface or the other.

The principal result, however, is that just outside the circle $r=ct$ the potential is piecewise constant, and therefore in particular that the tangential derivative $\partial\phi/\partial\theta$ vanishes on this circle except at the singular points $\theta = \gamma$ and $\theta = 2\psi + \gamma - 2\pi$.

Section 3.

THE SOLUTION IN THE ELLIPTIC REGIONS $r < ct$

The calculations so far have been of a rather trivial nature which have served to separate the main reflection effects of the surfaces of the wedge from the diffraction effects of the vertex.

Within the sonic circle, we have seen that the potential is an harmonic function in v and θ . Because this circle, being the envelope of the characteristics in the hyperbolic region, is also a characteristic, the only link which can subsist between the elliptic and the hyperbolic region is that the tangential derivative of φ must be continuous. If by introducing a conjugate harmonic we are led to consider a complex potential W with $\text{Re}(W) = \varphi$; then conditions to be satisfied by W which are relevant to the solution may be derived as follows:

The situation as already depicted leads us to expect singularities on the sonic circle at the points, G and H , and in addition we can expect singularities only at the vertex of the wedge and possibly at the points A and B . Within the strip $0 < \theta < \psi$, $v < 0$ of the complex $(v+i\theta)$ -plane, W and its complex derivatives must be regular functions, since all the possible singularities are on the boundary. The Cauchy Riemann conditions enable us to make the identity

$$\frac{dW}{dv} = \frac{\partial \varphi}{\partial v} - i \frac{\partial \varphi}{\partial \theta},$$

and it follows that on the boundary with $v=0$, $0 < \theta < \psi$, dW/dv is real, with simple poles at $\theta=\gamma$, $\theta=2\pi + 2\psi-\gamma$, where φ has a step discontinuity.

The boundary conditions on the absorbing wedge likewise take the form

$$\frac{c}{\sinh v} \frac{\partial \varphi}{\partial v} = \begin{array}{ll} + \alpha \frac{\partial \varphi}{\partial \theta} & \text{on } \theta=0 \\ - \beta \frac{\partial \varphi}{\partial \theta} & \text{on } \theta=\psi \end{array} \quad (8)$$

Hence on

$$\operatorname{Re} \frac{dW}{dv} \left[\frac{c}{\sinh v} - i\alpha \right] = 0, \quad (9)$$

or

$$\arg \frac{dW}{dv} = -\arctan c/\alpha \sinh v,$$

while on

$$\operatorname{Re} \frac{\partial W}{\partial v} \left[\frac{c}{\sinh v} + i\beta \right] = 0, \quad (10)$$

or

$$\arg \frac{dW}{dv} = +\arctan c/\beta \sinh v.$$

It is convenient in writing down the solution to map the strip in the complex $(v+i\theta)$ -plane into the upper half $\zeta(=\xi+i\eta)$ -plane by the transformation $\zeta = \operatorname{sech} -\pi(v+i\theta)/\psi$ or $(v+i\theta)\pi/\psi = \ln [1-\zeta^2]^{1/2} 1/\zeta$. The conditions to be satisfied on the ξ -axis by the derivative $dW/d\zeta$ is that

1. $dW/d\zeta$ is imaginary on the segments $\xi < -1$, $\xi > 1$ except at simple poles at the points $\xi = \sec \alpha\pi/\psi$ and $\sec(\alpha-2\pi)\pi/\psi$. These conditions follow from the vanishing of $\partial\phi/\partial\theta$ on the sonic circle.

2. On the segment $0 < \xi < 1$, which corresponds to the boundary $\theta=0$, $r < ct$, it follows from equation 9 that

$$\arg \frac{dW}{d\zeta} = -\arctan \frac{2c}{\alpha} \zeta^{\psi/\pi} [1-(1-\zeta^2)^{1/2}]^{\psi/\pi} + [1+(1-\zeta^2)^{1/2}]^{\psi/\pi} = -L(\zeta, \alpha).$$

3. On the segment $-1 < \xi < 0$ which corresponds to the boundary $\theta=\psi$, $r < ct$ it follows from equation 10 that

$$\arg \frac{dW}{d\zeta} = +L(\zeta, \beta).$$

4. The point at infinity in the ζ -plane which corresponds to the point $\theta = \psi/2$ on the sonic circle can only be an ordinary point both for W

and $dW/d\zeta$. This restricts the solution to the class of those for which as $|\zeta| \rightarrow \infty$, $dW/d\zeta = O(\zeta^{-1-\delta})$ with δ a positive constant.

5. The singularity at the origin is one which cannot be regarded as a source of energy. It follows that as $\zeta \rightarrow 0$, $dW/d\zeta$ is $O(\zeta^{-1+\epsilon})$ with ϵ positive.

It is the conditions 2 and 3 to which we must turn first. We may examine the subsidiary potential problem of finding an expression for $dW/d\zeta$ which has the required argument on the two segments $-1 < \xi < 0$ and $0 < \xi < 1$ and which is real on the remainder of the real ξ -axis. If we write $\ln dW/d\zeta$ in the form of a Cauchy integral.

$$\ln \frac{dW}{d\zeta} = \ln \left| \frac{dW}{d\zeta} \right| + i \arg \frac{dW}{d\zeta} = \frac{1}{\pi} \int_{-1}^{+1} \frac{f(z)}{z-\zeta} dz$$

then it is easily seen that when ζ approaches the real axis on the segment from above with $f(z)$ a real function, the imaginary part of the integral is $f(\xi)$, and if ζ approaches real values outside the segment $-1 < \xi < 1$ the imaginary part is zero. Accordingly we can identify the function $f(z)$ with the argument defined in conditions 2 and 3, so that we may write

$$\frac{dW}{d\zeta} = A(\zeta) \exp \left[-\frac{1}{\pi} \int_0^1 \frac{L(t, \alpha)}{t-\zeta} dt + \frac{1}{\pi} \int_{-1}^0 \frac{L(t, \beta)}{t-\zeta} dt \right] = A(\zeta) \exp T(\zeta) \quad (11)$$

where we may choose $A(\zeta)$ in order to satisfy the remaining conditions. The exponential factors are bounded both at $\zeta = 0$ and as $|\zeta| \rightarrow \infty$. The presence of these factors enables us to take $A(\zeta)$ to be real on the segment $-1 < \xi < 1$. We may combine the remaining conditions under the assertion that if

$$A(\zeta) = \frac{B(\zeta)}{(1-\zeta^2)^{1/2}} \left[\frac{L}{\zeta - \sec \gamma \pi / \psi} + \frac{M}{\zeta - \sec(\gamma - 2\pi) \pi / \psi} \right],$$

L and M being constants, then $B(\zeta)$ is a function which is real and bounded on the whole of the real axis with no singularities on the axis, as well as being regular in the upper half ζ -plane. Accordingly by an extension of Liouville's

theorem, $B(\zeta)$ must be a constant which, since we already have available the constant which, since we already have available the constants L and M , may now be found since the residue of $dW/d\zeta$ at the poles $\zeta = \sec\pi\gamma/\psi$ and $\sec(2\pi-\gamma)\pi/\psi$ must be proportional to the discontinuity in potential. It follows that L and M are defined by the identities

$$R_o = \pi L \cot\gamma\pi/\psi \exp T[\sec(\gamma\pi/\psi)] ,$$

and

$$R_\psi = -\pi M \cot(\gamma-2\pi)\pi/\psi \exp T[\sec(\gamma-2\pi)\pi/\psi] .$$

Thus the complete solution for the complex derivative is that

$$\pi \frac{dW}{d\zeta} = \frac{\exp T(\zeta)}{(1-\zeta^2)^{1/2}} \frac{R_o \tan\gamma\pi/\psi \exp -T(\sec\gamma\pi/\psi)}{\gamma - \sec\gamma\pi/\psi} - \frac{R_\psi \tan(\gamma-2\pi)\pi/\psi \exp -T(\sec(\gamma-2\pi)\pi/\psi)}{\zeta - \sec(\gamma-2\pi)\pi/\psi} , \quad (12)$$

with R_o and R_ψ defined in Equations 6 and 7.

This result is sufficient to determine the pressure and the velocity components everywhere within the sonic circle since we have the identities

$$\rho = -\rho s^2 \partial\phi/\partial s, \quad rV_r = -s \partial\phi/\partial s \quad \text{and} \quad rV_\theta = -\partial\phi/\partial\theta ,$$

where $s=r/t$ and V_r, V_θ are the velocity components. The derivatives $\partial\phi/\partial s$ and $\partial\phi/\partial\theta$ are given by the equations

$$\frac{\partial\phi}{\partial s} = \frac{\pi}{\psi s (1 - \frac{s^2}{c^2})^{1/2}} \operatorname{Re} \left[\frac{dW}{d\zeta} (1-\zeta^2)^{1/2} \right] ,$$

and

$$\frac{\partial\phi}{\partial\theta} = \frac{\pi}{\psi} \operatorname{Re} \left[i \frac{dW}{d\zeta} \zeta (1-\zeta^2)^{1/2} \right] ,$$

ζ being given explicitly by the relation $\frac{\pi}{\psi}$

$$\zeta = \frac{2(\frac{r}{ct})^{\frac{\pi}{\psi}}}{\exp(i\theta\pi/\psi) [1-r^2/ct^2]^{1/2}]^{\pi/\psi} + \exp-i\theta\pi/\psi [1+(1-r^2/ct^2)^{1/2}]^{\pi/\psi}}$$

Section 4. THE RESULTS FOR INCIDENT PLANE WAVES OF STEADY SINUSOIDAL TIME

DEPENDENCE

The results given in the previous sections are associated with plane waves of potential which have a step function profile. What is more to the point, since we have more explicit information about the pressure, the incident field is a plane impulse of pressure of delta function profile. Since the diffraction problem is a linear one the superposition principle may be used to set up an incident plane wave of arbitrary form, but since there is considerable interest in the case of steady sinusoidal waves we shall only consider this case. The means of deriving the scattered field which corresponds to the incident field

$$\rho = \rho_0 \delta[ct - r \cos(\theta + \gamma)]$$

is the Laplace transform. Given the corresponding scattered field ρ_{sc} as derived from equation 12, and its Laplace transform $\int_0^\infty \rho_{sc} \exp(-\sigma t) dt$ it follows that the scattered field which corresponds to an incident field of form $\exp i\omega[ct - r \cos(\theta + \gamma)]/c$ is

$$\frac{\exp i\omega t}{\rho c} \int_0^\infty \rho_{sc} \exp(-i\omega t) dt,$$

and this may be transformed, on putting $s=r/t$ in the integrand, into the formulae

$$- \frac{\exp i\omega t}{\rho c} \int_0^\infty \frac{\partial \phi}{\partial s} \exp(-i\omega r/s) ds$$

And since this integral is essentially an integral over the range of t^{-1} , keeping r and θ fixed, the integral will still be correct if we regard the constants α and β to be complex with a non-negative real part, this being a case of interest in electromagnetic theory. Indeed we may also take the quantity c to be a complex constant without altering the fact that we have a solution of the reduced wave equation. Thus we have a formal solution which holds for a medium with finite conductivity in the presence of a complex impedance boundary conditions.

Section 5.

ELECTROMAGNETIC THEORY

Although the solution has been given for a problem in acoustics, it is exceedingly simple to make the change to electromagnetic theory. For the two dimensional problem of diffraction by a wedge we have the usual separation into E and H polarizations with independent fields linearly dependent on the electric and magnetic field components parallel to the edge of the wedge.

Thus if we take a vector potential with on the z-component non-zero and equal to ϕ we can construct either the electrical polarization with

$$\underline{k} \cdot \underline{E} = E_z = \partial\phi/\partial t, \quad \underline{B} = -\nabla \times \underline{k} \phi,$$

or the magnetic polarization with

$$c^2 \underline{k} \cdot \underline{B} = c^2 B_z = \partial\phi/\partial t, \quad \underline{E} = \nabla \times \underline{k} \phi.$$

The corresponding boundary conditions in the two cases depend on the surface resistance R and the magnetic permeability μ of the region $0 < \theta < \psi$; they have the form

$$\begin{aligned} B_r &= -\mu E_z / R_1 \\ B_z &= \mu E_r / R_1 \end{aligned} \quad \text{on } \theta=0,$$

and

$$\begin{aligned} B_r &= \mu E_z / R_2 \\ B_z &= -\mu E_r / R_2 \end{aligned} \quad \text{on } \theta=0.$$

For the electric polarization then we have the conditions that $\alpha = R_1/\mu$, $\beta = R_2/\mu$ and for the magnetic polarization the conditions are that $\alpha = \mu c^2/R_1$, $\beta = \mu c^2/R_2$; the results follow directly from the solution of the acoustic problem.

REFERENCES

- Craggs, J. W. The oblique reflexion of sound pulses.
Proc. Roy. Soc. A. 237 373-382. (1956)
- The supersonic motion of an aerofoil through a temperature
front. J. Fluid. Mech. 3, 176-184. (1957)
- Dantzig, D. van Solutions of the equation of Helmholtz in an angle with
vanishing directional derivatives along each side.
Kon. Ned. Ak. v. Wet. Proc. A. 61, No. 4 384-398. (1958)
- Goldstein, S. The linearized theory of conical fields in supersonic flow,
and Ward, G. N. with applications to plane aerofoils.
Aero. Quart. 2, 39. (1950)
- Karp, S. N. Diffraction of a skew plane electromagnetic wave by an
and Karal, F. S. absorbing right angled wedge.
New York University Inst. Math. Sci. Research Report EM 111
(1958)
- Vertex-excited surface waves on one face of a right angled-
wedge. New York University Inst. Math. Sci. Research report
EM 116 (1959)
- Karp, S. N. Two dimensional Green's function for a right angled wedge
under an impedance boundary condition.
New York University Inst. Math. Sci. Research Report EM 129
(1959)
- Keller, J. B. Diffraction and reflexion of pulses by wedges and corners.
and Blank, A. Comm. Pure App. Math. 4, 75-94. (1951)
- Lauwerier, H. A. Solution of the equation of Helmholtz in an angle.
Kon. Ned. Ak. v. Wet. Proc. A. 62, No. 5, 475-488. (1959)
- Papadopoulos, V. M. a) The diffraction and refraction of pulses.
Proc. Roy. Soc. A. 252 (520-537). (1959)
- b) A line source on an interface between two media.
In the press. J. Fluid. Mech.
- c) The diffraction of an acoustic or electromagnetic pulse
by a resistive half-plane.
In the press. Proc. Roy. Soc. A.
- Peters, A. S. Water waves over sloping beaches and the solution of a mixed
boundary condition for $(\nabla^2 - k^2) = 0$ in a sector.
Comm. Pure App. Math. 5, (87-108). (1952)
- Senior, T. B. A. Diffraction by an imperfectly conducting wedge.
Comm. Pure App. Math. 12, (337-372). (1959)
- Stoker, J. J. Surface waves in water of variable depth.
Q. App. Math. 5, 1. (1947)




Fig. 1

Initial state with pulse FC moving steadily to the right.




Fig. 2

Subsequent state showing the field structure.

LIST S-S

<u>Code</u>	<u>Organization</u>	<u>No. of Copies</u>
AF 15	ARDC (RDSPE-3) Andrews AFB Washington 25, D. C.	1
AF 29	APGC (PGTRI, Tech Lib) Eglin AFB Florida	1
AF 18	AUL Maxwell AFB Alabama	1
AF 5	AF Missile Test Center Patrick AFB, Florida ATTN: AFMTC, Tech Library, MU-135	1
AF 227	USAF Security Service (CLR) San Antonio, Texas	1
AF 28	Hq. USAF (Major R. L. Stell) Tactical Air Group Washington 25, D. C.	1
AF 242	Dr. Robert V. Hess NASA Langley Research Center Langley AFB Hampton, Virginia	1
AF 91	AFOSR (SRY, Mr. Otting) 14th Street and Constitution Avenue Washington, D. C.	1
AF 166	Hq. USAF (AFOAC-S/E) Communications-Electronics Directorate Washington 25, D. C.	1
AF 63	WADD (WCLRSA) ATTN: Mr. Portune Wright-Patterson AFB Ohio	1
AF 4561		

List S-S - Page 2

<u>Code</u>	<u>Organization</u>	<u>No. of Copies</u>
AF 43	WADD (WCLJA-2) ATTN: Aeronautical Research Lab. Res. Div. Wright-Patterson AFB Ohio	1
AF 65	WADD (WCLNI-A) ATTN: N. Dragnajac Wright-Patterson AFB Ohio	1
AF 68	WADD (WCLRE-5) ATTN: Mr. Paul Springer Wright-Patterson AFB Ohio	1
AF 231	Director, Electronics Division Air Technical Intelligence Center ATTN: AFCIN-4E1, Colonel H. K. Gilbert Wright-Patterson AFB Ohio	1
AF 141	WADD (WCLJH) ATTN: Dr. C. A. Traenkle Wright-Patterson AFB Ohio	1
AF 142	WADD (WCRTR-4) ATTN: D. H. Cartellano Wright-Patterson AFB Ohio	1
AF 124	RADC (RCOIL-2) Griffiss AFB New York	1
AF 120	RADC (RCUE) ATTN: Mr. Donald Dakan Griffiss AFB New York	1
AF 139	AF Missile Dev. Cen. (MDGRT) ATTN: Technical Library Holloman AFB New Mexico	1
AF 4561		

<u>Code</u>	<u>Organization</u>	<u>No. of Copies</u>
Ar 42	Director U.S. Army Ordnance Ballistic Research Laboratories Aberdeen Proving Ground, Maryland ATTN: Ballistic Measurements Laboratory	1
Ar 47	Ballistic Research Laboratories Aberdeen Proving Ground, Maryland ATTN: Technical Information Branch	1
Ar 3	Director Evans Signal Laboratory Belmar, New Jersey ATTN: Mr. O. C. Woodyard	1
Ar 5	U.S. Army Signal Engineering Laboratories Evans Signal Laboratory Belmar, New Jersey ATTN: Technical Document Center	1
Ar 78	Commanding General, SIGFM/EL-PC U.S. Army Signal Engineering Labs. Fort Monmouth, New Jersey ATTN: Dr. Horst H. Kedesdy Deputy Chief, Chem-Physics Branch	1
Ar 67	Commander Army Rocket & Guided Missile Agency Redstone Arsenal, Alabama ATTN: Technical Library, ORDXR-OTL	4
Ar 49	Commanding General U.S. Army Signal Engineering Laboratories Fort Monmouth, New Jersey ATTN: SIGFM/EL-AT	1
Ar 39	Commander U.S. Army Signal Engineering Labs Fort Monmouth, New Jersey ATTN: Mr. F. J. Triola	1
Ar 9	Department of the Army Office of the Chief Signal Officer Washington 25, D. C. ATTN: Research & Development Division, OCSigO	1

AF 4561

<u>Code</u>	<u>Organization</u>	<u>No. of Copies</u>
Ar 41	Office of Chief Signal Officer Engineering & Technical Division Washington 25, D. C. ATTN: SIGNET-5	1
G 59	Advisory Group on Electronic Parts Room 103, Moore School Building 200 South 33rd Street Philadelphia 4, Pennsylvania	1
G 2	ASTIA Arlington Hall Station Arlington 12, Virginia	10
G 8	Library Boulder Laboratories National Bureau of Standards Boulder, Colorado	2
G 13	National Bureau of Standards U.S. Department of Commerce Washington 25, D. C. ATTN: Mr. A. G. McNish	1
G 27	National Bureau of Standards U.S. Department of Commerce Washington 25, D. C. ATTN: Gustave Shaprio, Chief Engineering Electronics Section Electricity and Electronics Division	1
G 49	Director National Security Agency Washington 25, D. C. ATTN: R/D (331)	1
G 83	National Bureau of Standards Washington, D. C. ATTN: Dr. A. Ghaffari	1
G 6	Office of Technical Services Department of Commerce Washington 25, D. C. ATTN: Technical Reports Section	2

<u>Code</u>	<u>Organization</u>	<u>No. of Copies</u>
M 6	Hq. DET #2 AFRD (CRRPS-2) Laurence G. Hanscom Field Bedford, Massachusetts	10
M 17	Hq. DET #2 AFRD (CRRD) ATTN: Carlyle J. Sletten Laurence G. Hanscom Field Bedford, Massachusetts	3
	Hq. DET #2 AFRD (CRRD) ATTN: Contract Files Laurence G. Hanscom Field Bedford, Massachusetts	2
N 1	Director, Avionics Division (AV) Bureau of Aeronautics Department of the Navy Washington 25, D. C.	1
N 16	Commander U.S. Naval Air Missile Test Center Point Mugu, California ATTN: Code 366	1
N 27	Librarian U.S. Naval Postgraduate School Monterey, California	1
N 29	Director U.S. Naval Research Laboratory ATTN: Code 2027	2
N 30	Dr. J. I. Bohnert, Code 5210 U.S. Naval Research Laboratory Washington 25, D. C.	1
N 37	Chief of Naval Research Department of the Navy Washington 25, D. C. ATTN: Code 427	1
N 139	Commanding Officer and Director U.S. Navy Electronics Laboratory San Diego 52, California ATTN: Code 2420 ATTN: Code 2744	1 1 1

<u>Code</u>	<u>Organization</u>	<u>No. of Copies</u>
N 86	Chief, Bureau of Ordnance Department of the Navy Surface Guided Missile Branch Washington 25, D. C. ATTN: Code ReSl-e	1
N 88	Department of the Navy Bureau of Aeronautics Technical Data Division, Code 4106 Washington 25, D. C.	1
N 48	Commanding Officer U.S. Naval Air Development Center Johnsville, Pennsylvania ATTN: NADC Library	1
N 91	Commander U.S. Naval Air Test Center Patuxent River, Maryland ATTN: ET-315, Antenna Branch	1
N 141	ARDC Regional Office c/o Department of the Navy Room 4549, Munitions Building Washington 25, D. C.	1
I 1	Airborne Instruments Laboratory, Inc. Division of Cutler Hammer Walt Whitman Road Melville, Long Island, New York ATTN: Dr. E. G. Fubini Director, Res. and Eng. Division	1
I 388	Aircom, Inc. 354 Main Street Winthrop, Massachusetts	1
I 374	ACF Industries, Inc. Southeast Corner, 52nd Avenue and Jackson Street Bladensburg, Prince George's County, Maryland ATTN: Librarian	1
I 205	Battelle Memorial Institute 505 King Avenue Columbus 1, Ohio ATTN: Wayne E. Rife, Project Leader Electrical Engineering Division	1
AF 4561		

<u>Code</u>	<u>Organization</u>	<u>No. of Copies</u>
I 8	Bell Aircraft Corporation Post Office Box One Buffalo 5, New York ATTN: Eunice P. Hazelton, Librarian	1
I 13	Bell Telephone Laboratories, Inc. Whippany Laboratory Whippany, New Jersey ATTN: Technical Information Library	1
I 469	Bell Telephone Laboratories Murray Hill New Jersey	1
I 247	Bendix Radio Division Bendix Aviation Corporation E. Joppa Road Towson 4, Maryland ATTN: Dr. D. M. Allison, Jr. Director Engineering & Research	1
I 248	Bjorksten Research Laboratories, Inc. P. O. Box 265 Madison, Wisconsin ATTN: Librarian	1
I 249	Boeing Airplane Company Pilotless Aircraft Division P. O. Box 3707 Seattle 24, Washington ATTN: R. R. Barber, Library Supervisor	2
I 253	Chance Vought Aircraft, Inc. 9314 West Jefferson Street Dallas, Texas ATTN: A. D. Pattullo, Librarian	1
I 470	Chu Associates P. O. Box 387 Whitcomb Avenue Littleton, Massachusetts	1
I 126	Convair, A Division of General Dynamics Corp. Fort Worth, Texas ATTN: K. G. Brown, Division Research Librarian	1

AF 4561

<u>Code</u>	<u>Organization</u>	<u>No. of Copies</u>
I 254	Convair, A Division of General Dynamics Corp. 3165 Pacific Highway San Diego 12, California ATTN: Mrs. Dora B. Burke, Engineering Librarian	1
I 737	Cook Electric Company 6401 Oakton Street Morton Grove, Illinois ATTN: Mr. Henry Hodara	1
I 25	Cornell Aeronautical Laboratory, Inc. 4455 Genesee Street Buffalo 21, New York ATTN: Librarian	1
I 255	Dalmo Victor Company A Division of Textron, Inc. 1515 Industrial Way Belmont, California ATTN: Mary Ellen Addems, Technical Librarian	1
I 28	Dorne and Margolin, Inc. 29 New York Avenue Westbury, Long Island, New York	1
I 257	Douglas Aircraft Co., Inc. 827 Lapham Street El Segundo, California ATTN: Engineering Library	1
I 258	Douglas Aircraft Company, Inc. 2000 North Memorial Drive Tulsa, Oklahoma ATTN: Engineering Librarian, D-250	1
I 187	Electromagnetic Research Corporation 711-14th Street, N. W. Washington 5, D. C.	1
I 415	Electronics Communication 1830 York Road Timonium, Maryland	1
I 262	Emerson Electric Mfg. Co. 8100 West Florissant Avenue St. Louis 21, Missouri ATTN: Mr. E. R. Breslin, Librarian	1

<u>Code</u>	<u>Organization</u>	<u>No. of Copies</u>
I 147	Emerson Radio-Phonograph Corp. Emerson Research Laboratories 701 Lamont Street, N. W. Washington 10, D. C. ATTN: Mrs. R. Corbin, Librarian	1
I 264	Fairchild Aircraft-Missiles Division Fairchild Eng. and Airplane Corp. Hagerstown, Maryland ATTN: Library	1
I 266	Federal Telecommunication Laboratories 500 Washington Avenue Nutley 10, New Jersey ATTN: Technical Library	1
I 269	General Electric Company Electronics Park Syracuse, New York ATTN: Documents Library B. Fletcher, Building 3-143A	1
I 270	General Precision Laboratory, Inc. 63 Bedford Road Pleasantville, New York ATTN: Librarian	1
I 48	Goodyear Aircraft Corp. 1210 Massillon Road Akron 15, Ohio ATTN: Library, Plant G	1
I 448	Granger Associates Electronic Systems 966 Commercial Street Palo Alto, California ATTN: John V. N. Granger, President	1
I 793	General Electric Company Missile and Space Vehicle Department 3198 Chestnut Street Philadelphia, Pennsylvania ATTN: Documents Librarian	1

AF 4561

<u>Code</u>	<u>Organization</u>	<u>No. of Copies</u>
I 207	Hughes Aircraft Company Antenna Department Building 12, Mail Station 2617 Culver City, California ATTN: Dr. W. H. Kummer	1
I 56	Hughes Aircraft Company Florence and Teale Streets Culver City, California ATTN: Dr. L. C. Van Atta, Associate Director Research Laboratories	1
I 265	Technical Library Pt. #1 I. T. & T. Laboratories 3700 East Pontiac Street Fort Wayne 1, Indiana	1
I 230	Jansky and Bailey, Inc. 1339 Wisconsin Avenue, N. W. Washington 7, D. C. ATTN: Mr. Delmer C. Ports	1
I 241	Dr. Henry Jasik, Consulting Engineer 298 Shames Drive Brush Hollow Industrial Park Westbury, New York	1
I 279	Lockheed Aircraft Corporation 2555 N. Hollywood Way California Division Engineering Library Department 72-25, Plant A-1, Building 63-1 Burbank, California ATTN: N. C. Harnois	1
I 468	Lockheed Aircraft Corporation Missile Systems Division Research Library Box 504, Sunnyvale, California ATTN: Miss Eva Lou Robertson, Chief Librarian	1
I 136	The Martin Company P. O. Box 179 Denver 1, Colorado ATTN: Mr. Jack McCormick	1
I 280	The Martin Company Baltimore 3, Maryland ATTN: Engineering Library Antenna Design Group	1
AF 4561		

<u>Code</u>	<u>Organization</u>	<u>No. of Copies</u>
I 282	McDonnell Aircraft Corporation Lambert Saint-Louis Minicipal Airport Box 516, St. Louis 3, Missouri ATTN: R. D. Detrich, Engineering Library	1
I 116	Melpar, Inc. 3000 Arlington Boulevard Falls Church, Virginia ATTN: Engineering Technical Library	1
I 641	National Research Council Radio & Electrical Engineering Division Ottawa, Ontario, Canada ATTN: Dr. G. A. Miller, Head Microwave Section	1
I 284	North American Aviation, Inc. 12214 Lakewood Boulevard Downey, California ATTN: Engineering Library 495-115	1
I 285	North American Aviation, Inc. Los Angeles International Airport Los Angeles 45, California ATTN: Engineering Technical File	1
I 82	Northrop Corporation Norair Division 1001 E. Broadway Hawthorne, California ATTN: Mr. E. A. Freitas, Library Dept. 3145	1
I 286	Page Communications Engineers, Inc. 710 Fourteenth Street, Northwest Washington 5, D. C. ATTN: Librarian	1
I 287	Philco Corporation C and Tioga Streets Philadelphia 34, Pennsylvania ATTN: Mrs. Dorothy B. Collins Research Librarian	1

<u>Code</u>	<u>Organization</u>	<u>No. of Copies</u>
I 225	Pickard and Burns, Inc. 240 Highland Avenue Needham 94, Massachusetts ATTN: Dr. Richard H. Woodward	1
I 288	Polytechnic Research & Development Co. Inc. 202 Tillary Street Brooklyn 1, New York ATTN: Technical Library	1
I 232	Radiation Engineering Laboratory Main Street Maynard, Massachusetts ATTN: Dr. John Ruze	1
I 289	Radiation, Inc. P. O. Drawer 37 Melbourne, Florida ATTN: Technical Library, Mr. M. L. Cox	1
I 233	Radio Corporation of America RCA Laboratories Rocky Point, New York ATTN: P. S. Carter, Lab. Library	1
I 290	RCA Laboratories David Sarnoff Research Center Princeton, New Jersey ATTN: Miss Fern Cloak, Librarian	1
I 291	Radio Corporation of America Defense Electronic Products Building 10, Floor 7 Camden 2, New Jersey ATTN: Mr. Harold J. Schrader, Staff Engineer Organization of Chief Technical Administrator	1
I 757	Radio Corporation of America Surface Communications Systems Laboratory 75 Varick Street New York 13, New York ATTN: Mr. S. Krevsky	1
I 789	Radio Corporation of America West Coast Missile and Surface Radar Division Engineering Library, Building 306/2 ATTN: L. R. Hund, Librarian 8500 Balboa Boulevard Van Nuys, California	1

<u>Code</u>	<u>Organization</u>	<u>No. of Copies</u>
I 292	Director, USAF Project RAND via: AF Liaison Office The Rand Corporation 1700 Main Street Santa Monica, California	1
I 547	The Rand Corporation 1700 Main Street Santa Monica, California ATTN: Technical Library	1
I 373	Rantec Corporation 23999 Ventura Boulevard Calabasas, California ATTN: Grace Keener, Office Manager	1
I 149	Raytheon Company Missile Systems Division Bedford, Massachusetts ATTN: Mr. Irving Goldstein	1
I 294	Raytheon Company Wayland Laboratory Wayland, Massachusetts ATTN: Miss Alice G. Anderson, Librarian	1
I 472	Raytheon Company Missile Systems Division Hartwell Road Bedford, Massachusetts ATTN: George D. M. Peeler	1
I 295	Republic Aviation Corporation Farmingdale, Long Island, New York ATTN: Engineering Library	1
I 142	Sanders Associates, Inc. 95 Canal Street Nashua, New Hampshire ATTN: Mr. Normal R. Wild	1
I 96	Sandia Corporation, Sandia Base P. O. Box 5800 Albuquerque, New Mexico ATTN: Classified Document Division	1
I 546	Sandia Corporation ATTN: Organization 1423 Sandia Base, Albuquerque, New Mexico	1
AF 4561		

<u>Code</u>	<u>Organization</u>	<u>No. of Copies</u>
I 682	Scanwell Laboratories, Inc. 6601 Scanwell Lane Springfield, Virginia	1
I 312	Space Technology Laboratories, Inc. P. O. Box 95001 Los Angeles 45, California ATTN: Mrs. Margaret C. Whitnah Chief, Information Services	2
I 297	Sperry Gyroscope Company Great Neck, Long Island, New York ATTN: Florence W. Turnbull Engineering Librarian	1
I 367	Stanford Research Institute Documents Center Menlo Park, California ATTN: Acquisitions	1
I 104	Sylvania Electric Products, Inc. Box 188 Mountain View, California ATTN: Marvin D. Waldman	1
I 299	Systems Laboratories Corporation 14852 Ventura Boulevard Sherman Oaks, California ATTN: Donald L. Margerum	1
I 240	TRG, Inc. 2 Aerial Way Syosset, New York ATTN: M. L. Henderson, Librarian	1
I 338	A. S. Thomas, Inc. 355 Providence Highway Westwood, Massachusetts ATTN: A. S. Thomas, President	1
I 708	Texas Instruments, Inc. 6000 Lemmon Avenue Dallas 9, Texas ATTN: John B. Travis Systems Planning Branch	1

<u>Code</u>	<u>Organization</u>	<u>No. of Copies</u>
I 139	Westinghouse Electric Corp. Electronics Division Friendship International Airport Box 1897 Baltimore 3, Maryland ATTN: Engineering Library	1
U 61	Brown University Department of Electrical Engineering Providence, Rhode Island ATTN: Dr. C. M. Angulo	1
U 157	California Institute of Technology Jet Propulsion Laboratory 4800 Oak Grove Drive Pasadena, California ATTN: Mr. I. E. Newlan	1
U 99	California Institute of Technology 1201 E. California Street Pasadena, California ATTN: Dr. C. Papas	1
U 3	Space Sciences Laboratory Leuschner Observatory University of California Berkeley 4, California ATTN: Dr. Samuel Silver, Professor of Engineering Sciences and Director, Space Sciences Laboratory	1
U 100	University of California Electronics Research Lab. 332 Cory Hall Berkeley 4, California ATTN: J. R. Whinnery	1
U 289	University of Southern California University Park Los Angeles, California ATTN: Dr. Raymond L. Chuan Director, Engineering Center	1
U 182	Case Institute of Technology 10900 Euclid Avenue Cleveland, Ohio ATTN: Professor S. Seeley	1

AF 4561

<u>Code</u>	<u>Organization</u>	<u>No. of Copies</u>
U 183	Columbia University Department of Electrical Engineering Morningside Heights, New York, New York ATTN: Dr. Schlesinger	1
U 238	University of Southern California University Park Los Angeles 7, California ATTN: Z. A. Kaprielian Associate Professor of Electrical Engineering	1
U 10	Cornell University School of Electrical Engineering Ithaca, New York ATTN: Professor G. C. Dalman	1
U 86	University of Florida Department of Electrical Engineering Gainesville, Florida ATTN: Professor M. H. Latour, Library	1
U 59	Library Georgia Technology Research Institute Engineering Experiment Station 722 Cherry Street, N. W. Atlanta, Georgia ATTN: Mrs. J. H. Crosland, Librarian	1
U 102	Harvard University Technical Reports Collection Gordon McKay Library 303 Pierce Hall Oxford Street Cambridge 38, Massachusetts ATTN: Librarian	1
U 103	University of Illinois Documents Division Library Urbana, Illinois	1
U 104	University of Illinois College of Engineering Urbana, Illinois ATTN: Dr. P. E. Mayes, Department of Electrical Engineering	1

<u>Code</u>	<u>Organization</u>	<u>No. of Copies</u>
U 169	Illinois Institute of Technology 3300 S. Federal Street Chicago 16, Illinois ATTN: Dr. George I. Cohn Electronics Research Laboratory	1
U 240	Illinois Institute of Technology Technology Center Department of Electrical Engineering Chicago 16, Illinois ATTN: Paul C. Yuen Electronics Research Laboratory	1
U 22	The Johns Hopkins University Homewood Campus Baltimore 18, Maryland ATTN: Dr. Donald E. Kerr, Department of Physics	1
U 105	The Johns Hopkins University Applied Physics Laboratory 8621 Georgia Avenue Silver Spring, Maryland ATTN: Mr. George L. Seielstad	1
U 228	University of Kansas Electrical Engineering Department Lawrence, Kansas ATTN: Dr. H. Unz	1
U 68	Lowell Technological Institute Research Foundation P.O. Box 709 Lowell, Massachusetts ATTN: Dr. Charles R. Mingins	1
U 32	Massachusetts Institute of Technology Research Laboratory of Electronics Room 20B-221 Cambridge 39, Massachusetts ATTN: John H. Hewitt	1
U 26	Massachusetts Institute of Technology Lincoln Laboratory P.O. Box 73 Lexington 73, Massachusetts ATTN: Mary A. Granese, Librarian	1

<u>Code</u>	<u>Organization</u>	<u>No. of Copies</u>
U 34	McGill University Montreal, Canada ATTN: Professor G. A. Woonton Director, The Eaton Electronics	1
U 107	University of Michigan Electronic Defense Group Engineering Research Institute Ann Arbor, Michigan ATTN: J. A. Boyd, Supervisor	1
U 37	University of Michigan Engineering Research Institute Willow Run Laboratories Willow Run Airport Ypsilanti, Michigan ATTN: Librarian	1
U 108	University of Minnesota Minneapolis 14, Minnesota ATTN: Mr. Robert H. Stumm, Library	1
U 194	Physical Science Laboratory New Mexico College of Agriculture and Mechanic Arts State College, New Mexico ATTN: Mr. H. W. Haas	1
U 39	New York University Institute of Mathematical Sciences Room 802, 25 Waverly Place New York 3, New York ATTN: Professor Morris Kline	1
U 96	Northwestern University Microwave Laboratories Evanston, Illinois ATTN: R. E. Beam	1
U 78	Ohio State University Research Foundation 1314 Kinnear Road Columbus 8, Ohio ATTN: Dr. T. E. Tice Department of Electrical Engineering	1
U 45	The Pennsylvania State University Department of Electrical Engineering University Park, Pennsylvania	1

<u>Code</u>	<u>Organization</u>	<u>No. of Copies</u>
U 185	University of Pennsylvania Institute of Cooperative Research 3400 Walnut Street Philadelphia, Pennsylvania ATTN: Department of Electrical Engineering	1
U 48	Polytechnic Institute of Brooklyn Microwave Research Institute 55 Johnson Street Brooklyn, New York ATTN: Dr. Arthur A. Oliner	1
U 97	Polytechnic Institute of Brooklyn Microwave Research Institute 55 Johnson Street Brooklyn, New York ATTN: Mr. A. E. Laemmel	1
U 184	Purdue University Department of Electrical Engineering Lafayette, Indiana ATTN: Dr. Schultz	1
U 176	Stanford University W. W. Hansen Laboratory of Physics Stanford, California ATTN: Microwave Library	1
U 190	Librarian Microwave Library W. W. Hansen Labs. of Physics Stanford University Stanford, California	1
U 110	Syracuse University Research Institute Collendale Campus Syracuse 10, New York ATTN: Dr. C. S. Grove, Jr. Director of Engineering Research	1
U 309	Technical University Oestervoldgade 10 G Copenhagen, Denmark ATTN: Professor Hans Lottrup Knudsen	1
U 186	University of Tennessee Ferris Hall W. Cumberland Avenue Knoxville 16, Tennessee	1
AF 4561		

<u>Code</u>	<u>Organization</u>	<u>No. of Copies</u>
U 111	The University of Texas Electrical Engineering Research Lab. P. O. Box 8026 University Station Austin 12, Texas ATTN: Mr. John R. Gerhardt Assistant Director	1
U 51	The University of Texas Defense Research Laboratory Austin, Texas ATTN: Claude W. Horton, Physics Library	1
U 132	University of Toronto Department of Electrical Engineering Toronto, Canada ATTN: Professor G. Sinclair	1
U 133	University of Washington Department of Electrical Engineering Seattle 5, Washington ATTN: G. Held, Associate Professor	1
U 187	University of Wisconsin Department of Electrical Engineering Madison, Wisconsin ATTN: Dr. Scheibe	1
I 818	Sylvania Reconnaissance Systems Lab. Box 188 Mountain View, California ATTN: Marvin D. Waldman	1
U 109	The University of Oklahoma Research Institute Norman, Oklahoma ATTN: Professor C. L. Farrar, Chairman Electrical Engineering	1