



AD

Reports Control Symbol
OSD-1366

RESEARCH AND DEVELOPMENT TECHNICAL REPORT
ECOM-5565

12

AD A013367

AN IMPROVEMENT TO A METHOD FOR MEASURING THE ABSORPTION COEFFICIENT OF ATMOSPHERIC DUST AND OTHER STRONGLY ABSORBING POWDERS

By
James D. Lindberg

Atmospheric Sciences Laboratory
US Army Electronics Command
White Sands Missile Range, New Mexico 88002

July 1975

DDC
RECEIVED
AUG 15 1975
REGISTRY
B

ECOM

UNITED STATES ARMY ELECTRONICS COMMAND - FORT MONMOUTH, NEW JERSEY 07703

NOTICES

Disclaimers

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

The citation of trade names and names of manufacturers in this report is not to be construed as official Government indorsement or approval of commercial products or services referenced herein.

Disposition

Destroy this report when it is no longer needed. Do not return it to the originator.

ACCESSION for	
NTIS	WHITE SECTION
DDU	POLY SECTION
EXAMINED	
ALSO FOR	
BY	
DATE	
A	

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ⑭ ECOM-5565	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) ⑥ AN IMPROVEMENT TO A METHOD FOR MEASURING THE ABSORPTION COEFFICIENT OF ATMOSPHERIC DUST AND OTHER STRONGLY ABSORBING POWDERS.		5. TYPE OF REPORT & PERIOD COVERED
7. AUTHOR(s) ⑩ James D. Lindberg		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS Atmospheric Sciences Laboratory White Sands Missile Range, New Mexico 88002		8. CONTRACT OR GRANT NUMBER(s) ⑬ 12p.
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Electronics Command Fort Monmouth, New Jersey 07703		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS DA Task No. 1T061102B53A-19
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE ⑪ Jul 1975
		13. NUMBER OF PAGES 7
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
16. DISTRIBUTION STATEMENT (of this Report) ⑫ DA-1-T-061102-B-53-A Approved for public release; distribution unlimited.		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20; if different from Report) ⑯ Research and Development technical report		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) 1. Absorption Coefficient 2. Atmospheric Dust 3. Diffuse Reflectance		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) A method, described in a previous publication, permits the measurement of the optical absorption coefficient of strongly absorbing particulate matter such as atmospheric dust. This is done by mixing the sample with a powder, and measuring the resulting degradation of the diffuse reflectance of the powder. This report shows how the spectral range, over which the method is applicable, may be extended by accounting for absorption of light in the weakly absorbing powder used a diluent. An example of the application of the method to an atmospheric dust sample is presented, showing that satisfactory measurements can be made		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

037 620

NGXT
234

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

from 0.3 to about 1.6 micrometers, using BaSO_4 as a diluent.

BaSO_4

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

INTRODUCTION

The absorption coefficient of atmospheric dust is a quantity of considerable importance in current efforts to understand the behavior of light propagating in the earth's atmosphere. Methods for measuring this quantity are not straightforward, because of the difficulties involved in separating the light attenuated by a sample into scattered and absorbed components and then relating the absorbed energy to the optical absorption coefficient. Diffuse reflectance spectroscopy, and in particular the Kubelka-Munk (K-M) theory, can provide such information. A convenient method for using a laboratory spectrophotometer to measure the K-M absorption coefficient of atmospheric dust has been described in an earlier publication [1]. The wavelength range over which the method is applicable is restricted by the optical properties of available powdered materials which are needed to dilute the sample. The purpose of this report is to show how this limitation can be alleviated by accounting for absorption of light in the diluent, thus extending the useful spectral range of the dilution method.

THEORY

In the procedure described earlier [1] a sample of dust is mixed with a finely powdered diluent, placed in a sample dish, and the diffuse reflectance is measured. The absorption coefficient is determined from the expression (Eq. 5 of Ref. 1)

$$k = s^* \frac{W}{W^*} F(R_{\infty}^*) \quad (1)$$

where

$$F(R_{\infty}^*) \equiv \frac{(1-R_{\infty}^*)^2}{2 R_{\infty}^*} \quad (2)$$

is the K-M function. The details are described in the original report and the notation used here is consistent with that described in the earlier work.

Eqs. (1) and (2) are based on the assumption that the dust sample is the only absorber present, that is, the absorption coefficient of the diluent is zero. Since, in practice, no material is completely free of absorption, a diluent whose absorption coefficient is negligible compared to that of the dust must be chosen. Thus, the wavelength interval over which the method is useful depends on the availability of materials with sufficiently small absorption coefficient to be used as diluents. A highly refined form of BaSO_4 has been found to be satisfactory for measurements on atmospheric dust samples in the 0.35 to 1.1 micrometer spectral interval. At longer or shorter wavelengths the intrinsic absorption in the BaSO_4 cannot be considered negligible.

In order to account for the effect of diluent absorption, one assumption about the physics of the optical situation must be made. We shall assume that when we are dealing with a mixture of powdered materials each component contributes linearly to the absorption coefficient of the mixture, in proportion to its molar concentration and individual absorption coefficient. This is analogous to the assumption (Bouguer-Lambert-Beers Law) that the effective absorption coefficient of a substance in liquid solution is directly proportional to its concentration in the solvent. In the case of solutions the linear relationship between concentration and absorption coefficient is strictly valid only for weak solutions; deviations from linearity can occur if the absorber concentration is too high.

For powdered samples, diluted with a non-absorbing (white) powder, similar effects might be expected. However, this is not a problem here. In this work the concentration of sample in the diluting powder is deliberately made small, on the order of one part in 10^2 to 10^4 by volume. In the dilution method for measuring the absorption coefficient of a strongly absorbing sample the requirement for weak concentration of sample is also dictated by the assumption that the scattering properties of the diluent are not significantly altered by the presence of the absorbing sample [1,2]. Suppose we consider a mixture of n absorbing powders, each with its own K-M absorption coefficient, k_n . The coefficient k_n represents the value that would be exhibited by the n th component if it were possible (which of course, it is not) to measure it in its pure form, undiluted by any other powder, or by voids between particles. If we assume that each component contributes to light absorption in the mixture in proportion to its concentration, then the coefficient k_n must be multiplied by the ratio of C_n^* , the molar concentration in the mixture, to C_n , the molar concentration of the n th component in its pure, undiluted state. Then k^* , the K-M absorption coefficient of the mixture of n component powders, can be described by an expression of the form

$$k^* = \sum_n (C_n^*/C_n) k_n = \sum_n (W_n^*/W_n) k_n, \quad (3)$$

where W_n^*/W_n is the weight of n th component in the mixture divided by the weight of undiluted n th component required to fill the sample volume during the measurement, as described earlier [1].

In order to measure k for a sample of atmospheric dust we mix a small weight W^* of sample with a much larger weight W_d of diluent. The two thoroughly mixed powders are then placed in a sample dish for diffuse reflectance measurement. The weights W and W_d of pure sample and pure diluent that would be sufficient to fill the sample dish can be calculated from the volume of the dish and appropriate specific gravities. The diffuse reflectance of the mixture, R_∞^* , is then measured, and its absorption coefficient k^* is calculated from the K-M equation

$$k^* = s^* F(R_\infty^*) \quad (4)$$

where $F(R_\infty^*)$ is defined by Eq. (2). Using Eq. (3) above to describe k^* in terms of its two individual components, we can write Eq. (4) in the form

$$k^* = s^* F(R_\infty^*) = (W^*/W)k + (W_d^*/W_d)k_d \quad (5)$$

The last term in Eq. (5) can be determined from a separate measurement. One can put pure BaSO_4 powder in the sample dish and measure $R_{\infty d}$, the reflectance of the diluent. The scattering coefficient s' of the pure diluent is presumed known, measured by methods described elsewhere [1,3]. Then we can use the K-M equation

$$k_d' = s' F(R_{\infty d}) \quad (6)$$

to calculate k_d' , the absorption coefficient for the diluent in the dish. The quantity k_d' in Eq. (6) is not the same as k_d in Eq. (5). The absorption coefficient for the solid material is k_d whereas k_d' represents that of the pure material in its powdered state diluted with air spaces. Regarding the diluent powder as a "one component" mixture in the sense of Eq. (3), then we can write Eq. (6) in the form

$$k_d' = (W_d^*/W_d)k_d = s^* F(R_{\infty d}) \quad (7)$$

In the above expression we have made the usual assumption [2] that $s' = s^*$, that is the scattering coefficient of the diluent is not significantly changed by the presence of a small amount of sample mixed with it.

By combining Eqs. (5) and (7), and solving for k , we have

$$k = s^*(W/W^*) [F(R_\infty^*) - F(R_{\infty d})], \quad (8)$$

where

$$F(R_\infty^*) \equiv (1 - R_\infty^*)^2 / 2R_\infty^* \quad (9)$$

and

$$F(R_{\infty d}) \equiv (1 - R_{\infty d})^2 / 2R_{\infty d} \quad (10)$$

In Eq. (8) k is the absorption coefficient of the atmospheric dust material itself, the value it should exhibit if it were not diluted by any other material or by the air spaces inherent in its powdered nature. The Eqs. (8), (9) and (10) provide a means of obtaining k from a weight measurement W^* , a predetermined value of W calculated from knowledge of the sample specific gravity and the volume of the sample dish, and a

diffuse reflectance measurement, R_{∞}^* . The reflectance $R_{\infty d}$ of the diluent and scattering coefficient s^* are determined in advance by other methods. For one form of high purity BaSO_4 , these data have been published previously [3,4].

The dilution method is a convenient technique for determining the K-M absorption coefficients of various strongly absorbing powdered materials, including atmospheric dust. This coefficient can then be used to estimate the imaginary refractive index of the material in question. However, considerable care is required in using the technique, because the choice of diluent, and the properties of the sample itself limit the spectral region in which the method is applicable. Eq. (8) is useful in clarifying this and estimating the reliability of the method for a particular combination of sample and diluent.

The right member of Eq. (8) consists of two terms, one due to absorbance of light in the sample, and a second which expresses the effect of the presumably small absorption in the material chosen as a diluent. If the absorption coefficient k_d of the diluent is negligibly small, then the reflectance $R_{\infty d}$ will be nearly unity, and from Eq. (2) the quantity $F(R_{\infty d})$ is small. In the limiting case, as k_d approaches zero, Eq. (8) reduces to Eq. (1). Thus, the second term in Eq. (8) can be thought of as a correction term, and is only useful when the uncertainty in predetermined knowledge of $F(R_{\infty d})$ is negligible compared to the magnitude of $F(R_{\infty}^*)$.

The value of $F(R_{\infty d})$, at a given wavelength, is fixed once a diluent has been chosen, so the experimenter has no further control over it. The quantity $F(R_{\infty}^*)$ however, can be modified by measurement conditions, since R_{∞}^* depends on how concentrated the sample is. The sample concentration, or in practice the ratio W/W^* , can be varied over a considerable range, but the assumptions made in the theory limit the choices somewhat. Examination of Eq. (8) shows that it is clearly desirable to cause $F(R_{\infty}^*)$ to be as large as possible, which means R_{∞}^* should be small. This is accomplished by making the sample as concentrated as possible. Earlier, however, we assumed that the absorption process was linearly dependent on concentration, and also that the scattering coefficient of the diluent was not appreciably changed by the presence of the sample. These assumptions limit the concentration of the sample, and therefore establish a minimum value for the choice of W/W^* . In practice, for the BaSO_4 used in this work with atmospheric dust, W/W^* should not be much less than 10^3 . Because of this, the dilution method is useful only for strongly absorbing samples. If a sample has a low absorption coefficient, then unacceptably high concentrations are required to make the first term in Eq. (8) dominate the second term.

The above considerations suggest that the method should work best for extremely strong absorbers, because then $F(R_{\infty}^*)$ can be very large, even

without making W/W^* unusually small. This is indeed the case, but one must keep in mind the limitations of diffuse reflectance measuring techniques. Most integrating sphere type measurements are less accurate when the measured reflectance is exceptionally low. So the characteristics of the instrumentation must be considered, and a choice of W/W^* on the order of 10^4 or more may be appropriate for an extremely strongly absorbing sample - such as carbon soot - in order to avoid an unreasonably low value of the reflectance R_{∞}^* . This point is discussed further by Kortum [5].

Atmospheric Dust: An Illustrative Example

Figure (1) shows the result obtained by applying the methods described above to an atmospheric dust sample [6]. A quantity of 17.5 mg of dust was mixed with 15.8 gm of $BaSO_4$ diluent, and with the help of a clean glass plate about 4.5 gm of the mixture were pressed into a sample dish 3mm deep with a volume of 2.2 cm^3 . Assuming the specific gravity of the dust to be 2.4, this results in a value of W/W^* of 1095. The packing density should be about 2 gm/cm^3 for this choice of diluent. The reflectance R_{∞}^* was measured by usual methods. The same $BaSO_4$ diluent is also a good diffuse reflectance standard and was used as the reference material for all the reflectance measurements. The absolute reflectance of this standard has been published by Grum and Lucky [4], and these data were also used for the reflectance $R_{\infty d}$ of the pure diluent. The scattering number, s^* , for the $BaSO_4$ was taken from the work of Gillespie, et al. [3]. The solid curve in Fig. (1) is the absorptive coefficient k , calculated from the first term only of Eq. (8), the result obtained without considering the intrinsic absorption of light in the $BaSO_4$. Note that the effect of diluent absorption in the visible spectrum is trivial, but that at wavelengths longer than about $1.2 \mu\text{m}$ the effect of the $BaSO_4$ is important.

The error bars in Fig. (1) on the plot of k , calculated from Eq. (8) represent the result of an uncertainty in the input photometric data of 0.5% in the visible increasing to 1.0% in the infrared. It is clear from the figure that Eq. (8) can produce meaningful results even at wavelengths where the diluent absorbs some light, thus making possible measurements over a wider spectral interval than was possible with the previously published equation [1]. The exact spectral interval depends on the nature of the sample itself, as discussed above.




Figure 1. Absorption coefficient of atmospheric dust sample (solid curve) calculated from Eq. (8). The dotted curve represents the first term only of Eq. (8), the result obtained without accounting for the absorption of light in the diluting agent. The solid curve has been smoothed to eliminate spectrophotometric noise.

REFERENCES

1. J. D. Lindberg and L. S. Laude, 1973, "A Measurement of the Absorption Coefficient of Atmospheric Dust," ECOM-5525, Atmospheric Sciences Laboratory, US Electronics Command, White Sands Missile Range, New Mexico.
2. G. Kortum and D. Oelkrug, 1964, "Uber Den Streukoeffizienten Der Kubelka-Munk-Theorie," Z. Naturforsch, 19a, 28.
3. J. B. Gillespie, J. D. Lindberg and L. S. Laude, 1975 "Kubelka-Munk Optical Coefficients for a Barium Sulfate White Reflectance Standard," Appl. Opt. 14, 807.
4. F. Grum and G. W. Lucky, 1968, "Optical Sphere Paint and a Working Standard of Reflectance," Appl. Opt. 7, 2289.
5. G. Kortum, 1969, Reflectance Spectroscopy, Springer-Verlag, New York.
6. The dust sample was collected on the surface of a 1 μ m pore size membrane filter located two meters above ground at White Sands Missile Range, New Mexico, during the first week of January 1975.

ATMOSPHERIC SCIENCES RESEARCH PAPERS

1. Randhawa, J.S., "Partial Solar Eclipse Effects on Temperature and Wind in a Equatorial Atmosphere," ECOM-5544, June 1974.
2. Duncan, Louis, D., "Approximations in Inverting the Radiative Transfer Equation," ECOM-5545, July 1974.
3. Pries, Thomas H., and Erick T. Young, "Evaluation of a Laser Crosswind System," ECOM-5546, July 1974.
4. Shinn, Joseph H., and Harry W. Maynard, "On the Sensitivity of Selected Typical Tactical Army Operations to Weather Effects," ECOM-5546, July 1974.
5. Miller, Walter, and Bernard Engebos, "On Determining Cost-Effectiveness of an Army Automatic Meteorological System," ECOM-5548, November 1974.
6. Conover, Walter, "Operational Techniques for Radar Set AN/TPS-41," ECOM-5549, November 1974.
7. Barber, T.L., and J.B. Mason, "A Transit-Time Lidar Wind Measurement A Feasibility Study," ECOM-5550, December 1974.
8. Olsen, R.O., and B.W. Kennedy, "The Utilization of Starute Decelerators for Improved Upper Atmosphere Measurements," ECOM-5551, Dec. 1974.
9. Bruce Rufus E., and Louis D. Duncan, "The Effect of Atmospheric CO₂ Variations on Satellite-Sounded Temperatures," ECOM-5552, December 1974.
10. Thomas, J.E., M.D. Kays, J.D. Horn, and R.L. Moore, "Visual Observation of Propagating Gravity Waves on ATS III Satellite Film Loops," ECOM-5553, January 1975.
11. Ballard, Harold N., "Stratospheric Composition Balloon-Borne Experiment - 18 September 1972," ECOM-5554, January 1975.
12. D'Arcy, Edward M., "Some Behavior Characteristics of the Rawinsonde and AN/FPS-16 Radar When Used As Balloon Tracking Devices," ECOM-5555, January 1975.
13. Alexander, George D., "Determining Geostrophic Winds Using a Satellite-Borne Infrared Radiometer," ECOM-5556, February 1975.
14. Miers, B.T., and H.S. Oey, "An Evaluation of the Hydrometeorological Ground Truth Facility at White Sands Missile Range, New Mexico," ECOM-5557, February 1975.
15. Gomez, R.B., Carmine Petracca, Charles Querfeld, and Glenn B. Hoidale, "Atmospheric Effects for Target Signature Modeling. III; Discussion and Application of the ASL Scattering Model," ECOM-5558, April 1975.
16. Pierluissi, J.H., Richard B. Gomez, "A Study of Transmittance Models for the 15-Micron CO₂ Band," ECOM-5559, April 1975.
- 17.. Balser, M., C.A. McNary, A.E. Nagy, R. Loveland, and D. Dickson, "Remote Wind Sensing by Acoustic Radars," ECOM-5560, April 1975.
18. Buck, N., "A Logarithmic Response Resistor-Capacity Telemetry Modular," ECOM-5561, April 1975.
19. Stuebing, E.W., James J. Pinto and Richard B. Gomez, "PGAUSS-LT: A Program for Computing Optical Properties of Single Scattering Aerosol Clouds of Homogeneous Particles," ECOM-5562, May 1975.
20. White, K.O., and W.R. Watkins, "Absorption of DF Laser Radiation by Propane and Butane," ECOM-5563, June 1975.
21. Fowler, J.W. Lentz, R. Loveland, and G. Fernandez, "Multispectral Laser Transmittance Through Simulated Natural Particulates. Part I: Instrumentation and Particulate Generation," ECOM-5564, June 1975.

E&R Center, Bureau of Reclamation
ATTN: D-751, Bldg 67
Denver, Colorado 80225

Natl Oceanographic Data Center - D722
Natl Oceanic & Atmos Admin
US Dept of Commerce
Rockville, MD 20852

Institute of Sci & Technology
The University of Michigan
Box 618; (IRIA Library)
Ann Arbor, Mich 48107

NASA Scientific & Tech Info Fac
ATTN: Acquisitions Br (S-AK/DL)
P. O. Box 33
College Park, MD 20740
2

Battelle Memorial Institute
Strategic Technology Office
Information Analysis Center
505 King Avenue
Columbus, Ohio 43201

Infrared Info & Analysis Center
University of Michigan
Institute of Science & Technology
Box 618
Ann Arbor, Mich 48107

VELA Seismic Info Center
University of Michigan
Box 618
Ann Arbor, Mich 48107

Commanding General
US Army Elect Command
ATTN: AMSEL-RD-LNF
Ft Monmouth, NJ 07703

Commanding Officer
US Army Engineer Topographic Labs
Ft Belvoir, VA 22060

CO, USA Foreign Sci & Tech Center
ATTN: AMXST-ISI
220 7th Street, NE
Charlottesville, VA 22901

Commanding General
US Army Elect Command
ATTN: AMSEL-BL
Ft Monmouth, NJ 07703
3

Commanding General
US Army Elect Command
ATTN: AMSEL-BL-AP
Ft Monmouth, NJ 07703

Commanding General
US Army Elect Command
ATTN: AMSEL-BL-TE
Ft Monmouth, NJ 07703

Commanding General
US Army Elect Command
ATTN: AMSEL-BL-FM-A
Ft Monmouth, NJ 07703

Environmental Protection Agency
Division of Meteorology
Research Triangle Park, North Carolina 27711

Commandant
US Army Field Artillery School
ATTN: Dept of Target Acquisition
Ft Sill, OK 73503

Commandant
US Army Field Artillery School
ATTN: Met. Division
Ft Sill, OK 73503

Armament Dev & Test Center
ADTC(DLOSL)
Eglin AFB, FL 32542

Gary D. Atkinson, LtC USAF
Chief, Technical Services Div
DCS/Aerospace Sciences
ATTN: AWS/DNTI
Scott AFB, IL 62225

Director
National Security Agcy
ATTN: TDL
Ft George G Meade, MD 20755

Commander, Naval Ship Sys Command
Tech Library, RM 3 S-08
Washington, D. C. 20360

Commander
Naval Weather Ser Command
Washington Navy Yard (Bldg 200)
Washington, D. C. 20390

Commanding Officer
Harry Diamond Laboratory
ATTN: Library
Washington, D. C. 20438

Rome Air Devel Center
ATTN: Documents Library (TDLD)
Griffiss AFB, NY 13440

Air Force Cambridge Resch Labs
ATTN: LC(1124)
L. G. Hanscom Field
Bedford, Massachusetts 01730

Air Force Avionics Laboratory
ATTN: AFAL/DOT, STINFO
Wright-Patterson AFB, Ohio 45433
2

HQ, AFCS(EICRW)
Richards-Gebaur AFB, MO 64030

Ofc of Asst Ch of Staff for Intelligence
Dept of the Army
ATTN: ACSI-DD
Washington, D. C. 20310
2

Commanding General
US Army Materiel Command
ATTN: AMCRD-H
Washington, D. C. 20315

DISTRIBUTION LIST

Commanding Officer Picatinny Arsenal ATTN: SMUPA-VA6, Bldg 59 Dover, NJ 07801 2 Chief, Analytical Sci Off Biological Def Rsch Lab ATTN: AMXBL-AS Dugway, Utah 84022 Commanding Officer Fort Detrick ATTN: Tech Library SMUFD-AE-T Frederick, MD 21701 Commanding Officer Edgewood Arsenal ATTN: SMUEA-TSTY-TL Edgewood Arsenal, MD 21010 Commanding Officer US Army Nuclear Def Lab ATTN: Library Edgewood Arsenal, MD 21010 2 Commanding Officer Aberdeen Proving Ground ATTN: Tech Lib, Bldg 313 Aberdeen Proving Ground, MD 21005 2 Commanding Officer US Army Ballistics Rsch Lab ATTN: Tech Info Div Aberdeen Proving Ground, MD 21005 Dir of Meteorological Sys Office of Applications (FM) Natl Aero & Space Admin Washington, D. C. 20546 Director US Weather Bureau ATTN: Librarian Washington, D. C. 20235 Dr. A. D. Belmont Research Div Control Data Corp Minneapolis, Minn 55440 Director Development Center Ground Operations Division ATTN: Target Acquisition Officer MCD Quantico, Virginia 22134 Commandant US Army Field Artillery School ATTN: ATSFA-G-RA-RK Ft. Sill, OK 73503 Technical Library WSMR, New Mexico 88002 3	Commander US Army Missile Command ATTN: AMSMI-RFGA Redstone Arsenal, Alabama 35809 Dr. F. de Percin Chief, Atmospheric Sci Branch Environmental Sciences Division US Army Research Office 3045 Columbia Pike Arlington, VA 22204 Geophysics Officer Code 3250 Pacific Missile Range Point Mugu, CA 93042 US Army Liaison Office MIT, Bldg 25, Rm 131 77 Massachusetts Avenue Cambridge, Mass 02139 The Library of Congress ATTN: Exchange & Gift Div Washington, D. C. 20540 2 Head, Atmospheric Sci Section National Science Foundation 1800 G Street, N.W. Washington, D. C. 20550 Director, Systems R&D Service Federal Aviation Admin 800 Independence Avenue S.W. Washington, D. C. 20550 Technical Processes Br - D823 Room 806, Libraries Div - NOAA 8060 13th Street Silver Spring, MD 20910 William A. Main USDA Forest Service 215 Natural Resources Building Michigan State University East Lansing, Mich 48823 NASA Headquarters Meteorology & Sounding Branch (CODE SAM) Space Applications Programs Washington, D. C. 20546 Chief, Fallout Studies Branch Division of Biology & Medicine Atomic Energy Commission Washington, D. C. 20545 Director Atmospheric Physics & Chem Lab Room 31 NOAA Dept of Commerce Boulder, Colorado 80302 Natl Center for Atmos Research NCAR Library, Acquisitions-Rept Boulder, Colorado 80302
---	---

E&R Center, Bureau of Reclamation
ATTN: D-751, Bldg 67
Denver, Colorado 80225

Natl Oceanographic Data Center - D722
Natl Oceanic & Atmos Admin
US Dept of Commerce
Rockville, MD 20852

Institute of Sci & Technology
The University of Michigan
Box 618; (IRIA Library)
Ann Arbor, Mich 48107

NASA Scientific & Tech Info Fac
ATTN: Acquisitions Br (S-AK/DL)
P. O. Box 33
College Park, MD 20740
2

Battelle Memorial Institute
Strategic Technology Office
Information Analysis Center
505 King Avenue
Columbus, Ohio 43201

Infrared Info & Analysis Center
University of Michigan
Institute of Science & Technology
Box 618
Ann Arbor, Mich 48107

VELA Seismic Info Center
University of Michigan
Box 618
Ann Arbor, Mich 48107

Commanding General
US Army Elect Command
ATTN: AMSEL-RD-LNF
Ft Monmouth, NJ 07703

Commanding Officer
US Army Engineer Topographic Labs
Ft Belvoir, VA 22060

CO, USA Foreign Sci & Tech Center
ATTN: AMXST-ISI
220 7th Street, NE
Charlottesville, VA 22901

Commanding General
US Army Elect Command
ATTN: AMSEL-BL
Ft Monmouth, NJ 07703
3

Commanding General
US Army Elect Command
ATTN: AMSEL-BL-AP
Ft Monmouth, NJ 07703

Commanding General
US Army Elect Command
ATTN: AMSEL-BL-TE
Ft Monmouth, NJ 07703

Commanding General
US Army Elect Command
ATTN: AMSEL-BL-FM-A
Ft Monmouth, NJ 07703

Environmental Protection Agency
Division of Meteorology
Research Triangle Park, North Carolina 27711

Commandant
US Army Field Artillery School
ATTN: Dept of Target Acquisition
Ft Sill, OK 73503

Commandant
US Army Field Artillery School
ATTN: Met. Division
Ft Sill, OK 73503

Armament Dev & Test Center
ADTC(DLOSL)
Eglin AFB, FL 32542

Gary D. Atkinson, LtC USAF
Chief, Technical Services Div
DCS/Aerospace Sciences
ATTN: AWS/DNTI
Scott AFB, IL 62225

Director
National Security Agcy
ATTN: TDL
Ft George G Meade, MD 20755

Commander, Naval Ship Sys Command
Tech Library, RM 3 S-08
Washington, D. C. 20360

Commander
Naval Weather Ser Command
Washington Navy Yard (Bldg 200)
Washington, D. C. 20390

Commanding Officer
Harry Diamond Laboratory
ATTN: Library
Washington, D. C. 20438

Rome Air Devel Center
ATTN: Documents Library (TDLD)
Griffiss AFB, NY 13440

Air Force Cambridge Rsch Labs
ATTN: LC(1124)
L. G. Hanscom Field
Bedford, Massachusetts 01730

Air Force Avionics Laboratory
ATTN: AFAL/DOT, STINFO
Wright-Patterson AFB, Ohio 45433
2

HQ, AFCS(EICRW)
Richards-Gebaur AFB, MO 64030

Ofc of Asst Ch of Staff for Intelligence
Dept of the Army
ATTN: ACSI-DD
Washington, D. C. 20310
2

Commanding General
US Army Materiel Command
ATTN: AMCRD-H
Washington, D. C. 20315

Commanding General
US Army Missile Command
ATTN: AMSMI-RR, Dr. J. P. Hallowes
Redstone Arsenal, Alabama 35809

CG, US Army Missile Cmd
Redstone Scientific Info Center
ATTN: Chief, Document Section
Redstone Arsenal, Alabama 35809
2

Commanding General
US Army Test & Eval Cmd
ATTN: NBC Directorate
Aberdeen Proving Ground, MD 21005

Commanding Officer
USACDC FAA
Ft Sill, OK 73503

Commanding Officer
Frankford Arsenal
ATTN: Library, H1300, Bl. 51-2
Philadelphia, PA 19137

Commanding Officer
Frankford Arsenal
ATTN: W1000-65-1 (Mr. Helfrich)
Philadelphia, PA 19137

Commanding Officer
USASA Test & Eval Cen
Ft Huachuca, Arizona 85613

Commanding Officer & Dir
US Navy Ele Lab
ATTN: Library
San Diego, CA 92152

Commander
US Naval Ordnance Lab
ATTN: Tech Library
White Oak, Silver Spring, MD 20910

Commander
Naval Elect Sys Cmd HQ
ATTN: CODE 05611
Washington, D. C. 20360

Commandant, Marine Corps
HQ, US Marine Corps
ATTN: CODE A04C
Washington, D. C. 20380

Marine Corps Dev & Educ Cmd
Development Center
ATTN: C-E Div
Quantico, VA 22134

Commander
US Naval Weapons Lab
ATTN: KEB-2F(FENN)
Dahlgren, VA 22448

Commander, Naval Air Sys Command
Meteorological Div (AIR-540)
Washington, D. C. 20360

Air Force Cambridge Rsch Labs
ATTN: LKI
L. G. Hanscom Field
Bedford, Mass. 01730
2

AFCRL (LYV)
L. G. Hanscom Field
Bedford, Mass. 01730

HQ, Elect Sys Div (TRI)
L. G. Hanscom Field
Bedford, Mass. 01730

Recon Central/RSA
AF Avionics Lab
Wright-Patterson AFB, Ohio 45433

HQ, Air Weather Service
ATTN: AWWAS/TF (R. G. Stone)
Scott AFB, IL 62225

US Air Force Security Ser
ATTN: TSG
San Antonio, TX 78241

HQ, Air Force Sys Command
ATTN: DLTE
Andrews AFB, MD 20331

Air Force Weapons Lab
ATTN: WLIL
Kirtland AFB, NM 87117

Ofc of Asst Ch of Staff for DS-SSS
Dept of the Army
Rm 3C466, The Pentagon
Washington, D. C. 20315

Ofc Asst Sec of the Army (R&D)
ATTN: Asst for Research
Rm 3-E-379, The Pentagon
Washington, D. C. 20310

Chief of Rsch & Development
ATTN: CRDES
Washington, D. C. 20315
2

Commanding General
US Army Materiel Command
ATTN: AMCMA-EE
Washington, D. C. 20315

Commanding General
US Army Materiel Command
ATTN: AMCRD-TV
Washington, D. C. 20315
2

Commanding General
US Army Missile Command
ATTN: AMSMI-RRA, Bldg 7770
Redstone Arsenal, AL 35809

CG, US Army Missile Command
Redstone Scientific Info Cen
ATTN: Chief, Document Section
Redstone Arsenal, AL 35809
3

Commanding General
US Army Combat Devel Command
Intelligence & Control Sys Gr.
ATTN: INCSCSD-C
Ft Belvoir, VA 22060
2

Commanding Officer
US Army Limited War. Lab
ATTN: CRDLWL-7C
Aberdeen Proving Ground, MD 21005

Director
US Army Ballistic Lab
ATTN: AMXRD-BSP (Dr. Reuyl)
Aberdeen Proving Ground, MD 21005

Commanding General
US Army Test & Eval Command
ATTN: AMSTE-EL
Aberdeen Proving Ground, MD 21005

Commanding General
US Army Test & Eval Command
ATTN: AMSTE-FA
Aberdeen Proving Ground, MD 21005

Commanding General
US Army Test & Eval Command
ATTN: AMSTE-NBC
Aberdeen Proving Ground, MD 21005

Commanding General
US Army Munitions Cmd
ATTN: AMSMU-RE-R
Dover, NJ 07801

Director
US Army Munitions Command
Operations Research Group
Aberdeen Proving Ground, MD 21010

Commanding General
US Army Munitions Command
ATTN: AMSMU-RE-P
Dover, NJ 07801

Commanding Officer
Picatinny Arsenal
ATTN: SMUPA-TVI
Dover, NJ 07801

Commanding Officer
USA Garrison
ATTN: Tech Ref. Div.
Fort Huachuca, Arizona 85613

Chief, A.M. & EW Division
ATTN: USAEPG-STEEP-TD
Fort Huachuca, Arizona 85613

US Army Rsch. Off. - Durham
Box CM, DUKE Station
ATTN: CRDARD-IP
Durham, N. Carolina 27706

USA Security Agcy Combat Dev Actv
ATTN: IACDA-P(T) & IACDA-P(L)
Arlington Hall Station, Bldg 420
Arlington, Virginia 22212
2

Technical Support Directorate
ATTN: Technical Library
Bldg 3330
Edgewood Arsenal, MD 26010

Commandant
US Army Chemical Cen & School
Micromet. Section (Chem. Br.)
Ft McClellan, Ala 36201

Director
USA Engr Waterways Exper Sta
ATTN: Rsch Center Library
Vicksburg, Mississippi 39180
2

CG, Deseret Test Center
ATTN: STEPD-TT-ME(S) MET DIV
Bldg 103, Soldiers Circle
Fort Douglas, Utah 84113

Commanding General
USA CDC Combat Arms Group
Ft. Leavenworth, Kansas 66027

Commanding Officer
Eustis Directorate
US Army Air Mobility R&D Lab
ATTN: Technical Library
Fort Eustis, VA 23604

Director, US Army Advanced Matl Concepts
Agcy
ATTN: AMXAM
Washington, D. C. 20315

Commanding Officer
USACDC CBR Agcy
Ft. McClellan, Ala 36201

Commanding General
US Army Materiel Command
ATTN: AMCRD R. (H. Cohen)
Washington, D. C. 20315

Commanding Officer
US Army Combat Dev Cmd
Communications-Elect Agcy
Ft Monmouth, NJ 07703

US Army Liaison Office
MIT-Lincoln Lab, Rm. A-210
P. O. Box 73
Lexington, Mass. 02173

HQ, US Army Combat Dev Cmd
ATTN: CDCLN-EL
Ft Belvoir, VA 22060

Commanding General
US Army Tank-Automotive Cmd
ATTN: AMSTA-Z, Mr. R. McGregor
Warren, Michigan 48090

Commanding General
US Army Elect Command
ATTN: AMSEL-GG-TD
Ft Monmouth, NJ 07703
2

Commanding General
US Army Elect Command
ATTN: AMSEL-EW
Ft Monmouth, NJ 07703

Commanding General
US Army Elect Command
ATTN: AMSEL-ME-NMP-PS
Ft Monmouth, NJ 07703

Commanding General
US Army Elect Command
ATTN: AMSEL-MS-TI
Ft Monmouth, NJ 07703

Commanding General
US Army Elect Command
ATTN: AMSEL-XL-D
Ft Monmouth, NJ 07703

Commanding General
US Army Elect Command
ATTN: AMSEL-WL-D
Ft Monmouth, NJ 07703

Commanding General
US Army Elect Command
ATTN: AMSEL-NL-D
Ft Monmouth, NJ 07703

Commanding General
US Army Elect Command
ATTN: AMSEL-KL-D
Ft Monmouth, NJ 07703

Commanding General
US Army Elect Command
ATTN: AMSEL-VL-D
Ft Monmouth, NJ 07703

Commanding General
US Army Elect Command
ATTN: AMSEL-CT-D
Ft Monmouth, NJ 07703
3

Commanding General
US Army Elect Command
ATTN: AMSEL-SC
Ft Monmouth, NJ 07703

Commanding General
US Army Elect Command
ATTN: AMSEL-RD-D
Ft Monmouth, NJ 07703

Commanding General
US Army Combat Dev Cmd
ATTN: CDCMR-E
Ft Belvoir, VA 22060

President
US Army Artillery Board
Ft Sill, OK 73503

Dir of Defense Rsch & Engin
ATTN: Tech Library
RM 3E-1039, The Pentagon
Washington, D. C. 20301

Defense Intelligence Agcy
ATTN: DIAAP-10A2
Washington, D. C. 20301

Director, Defense Nuclear Agency
ATTN: Tech Library
Washington, D. C. 20305

Naval Ships Systems Command
ATTN: CODE 20526 (Tech Lib)
Main Navy Bldg, Rm 1528
Washington, D. C. 20325

Director
US Naval Rsch Laboratory
ATTN: CODE 2627
Washington, D. C. 20390
2

CO, Edgewood Arsenal
Defense Devel & Engineering Lab
ATTN: SMUEA-DDW-2, Mr. H. Tannenbaum
Edgewood Arsenal, MD 21010

Commanding Officer
Aberdeen Proving Ground
ATTN: STEAP-TL
Aberdeen Proving Ground, MD 21002

Director, Ballistic Rsch Labs
US Army Aberdeen Rsch & Dev Cen
ATTN: AMXRD-BTL, Mr. F. J. Allen
Aberdeen Proving Ground, MD 21005

Commanding Officer
US Army Ballistic Rsch Labs
ATTN: AMXBR-B & AMXBR-1A
Aberdeen Proving Ground, MD 21005
2

Commanding Officer
US Army Land Warfare Lab
ATTN: CRDLWL-4A
Aberdeen Proving Ground, MD 21005

Commanding Officer
US Army Elect Proving Ground
ATTN: STEEP-MT-EA
Ft Huachuca, Arizona 85613

Commanding Officer
US Army Dugway Proving Ground Library
ATTN: STEDP-TL, Tech Library
Dugway, Utah 84022

Commanding Officer
US Army Cold Regions R&E Lab
ATTN: CRREL-RP (Dr. Yin Chao Yen)
Hanover, New Hampshire 03755

Commanding Officer
Yuma Proving Ground
ATTN: STEYF-AD (TECH LIBRARY)
Yuma, Arizona 85364

Commanding Officer
US Army Arctic Test Center
APO Seattle 98733
2

CO, US Army Tropic Test Center
ATTN: STETC-AD-TL
APO New York 09827
2

Commanding Officer
USACDC Inst of Nuclear Studies
Ft Bliss, TX 79916

Commanding Officer
USADDC Inst of Systems Analysis
ATTN: CDISA-SSCI & CDISA-STANO
Ft Belvoir, VA 22060

Commanding General
US Army Missile Command
ATTN: AMSMI-RFG, Mr. N. Bell
Redstone Arsenal, AL 35809

Commanding Officer
Frankford Arsenal
ATTN: SMUFA-N-5300, Mr. M. Schoenfield
Bldg 201
Philadelphia, PA 19137

Commanding Officer
US Army Satellite Comm Agcy
ATTN: AMCPM-SC-3
Ft Monmouth, NJ 07703

Director
Night Vision Lab (USAECOM)
ATTN: ASMEL-NV-OR, Mr. S. Segal
Ft Belvoir, VA 22060

Sylvania Elect Sys-Western Div
ATTN: Technical Reports Lib
P. O. Box 205
Mountain View, CA 94040

NASA HEADQUARTERS
Prg. Ch, MET & Soundings (SRM)
Earth Observations Programs
Washington, D. C. 20546

Library-R51-Tech Reports
Environmental Research Labs
NOAA
Boulder, Colorado, 80302

Commandant
US Army Air Defense School
ATTN: C&S Dept, MSL SCI DIV
Ft Bliss, TX 79916

Defense Documentation Center
ATTN: DDC-TCA
Cameron Station (Bldg 5)
Alexandria, VA 22314
12

Director, USN Research Lab.
ATTN: Code 6530, H. Shenker
Washington, D. C. 20390

Mr. E. F. Corwin
Head, Met Research Branch
Meteorological Division
Naval Air Sys Cmd (AIR-5401)
Washington, D. C. 20360

Commanding Officer
US Army Combat Dev Cmd
Intelligence Agency
ATTN: CDCINT-P, Cpt Thoresen
Ft. Huachuca, Arizona

Director
US Army Advanced Materiel Concepts Agency
2461 Eisenhower Avenue
Alexandria, VA 22314

University of Oklahoma
Research Institute
Field Artillery Research Off.
P. O. Box 3124
Ft. Sill, OK 73503

Dir US Naval Research Lab
ATTN: CODE 6530, H. Shenker
Washington, D. C. 20390

Commander
Office of Naval Research
ATTN: Code 460-M
Arlington, Virginia 22217

Commander
Air Force Weapons Laboratory
ATTN: AFWL/WE
Kirtland AFB, NM 87117

Commander
US Army Electronics Command
ATTN: AMSEL-GS-H
Fort Monmouth, New Jersey 07703

Chief, Aerospace Environ. Div.

Code: ES41

NASA

Marshall Space Flight Center, Alabama 35802

Natl Aeronautics & Space Admin

George C. Marshall Space Flight Center

Code: ES43, D. Camp

Marshall Space Flight Center, Alabama 35812

Commander
US Army Electronics Command
ATTN: AMSEL-CT-S
Fort Monmouth, NJ 07703

Department of the Air Force
16WS/DO
Fort Monroe, VA 23651

Department of the Air Force
5WW/DOX
Langley AFB, VA 23665

Commandant
U.S.A.F.A.S.
ATTN: ATSF-TA-R
Ft. Sill, Oklahoma 73503

USAFETAC/CB (Stop 825)
Scott AFB, Illinois 62225

Commandant
US Army Signal School
ATTN: ATSN-CTD-MS
Ft. Gordon, GA 30905