

AD-A103 128

FOREIGN TECHNOLOGY DIV WRIGHT-PATTERSON AFB OH F/G 9/5  
PROBLEMS OF THE OPTIMAL CONSTRUCTION OF FERRITE PHASE SHIFTERS --ETC(U)  
JUL 81 A K STOLYAROV; I A NAUMOV  
FTD-ID(RS)T-0642-81 NL

UNCLASSIFIED

1 of 1  
42  
2103-28




END  
DATE  
FILMED  
9-81  
DTIC

P 107

FTD-ID(RS)T-0642-81

AD A103128

# FOREIGN TECHNOLOGY DIVISION




PROBLEMS OF THE OPTIMAL CONSTRUCTION OF FERRITE PHASE SHIFTERS WITH RECTANGULAR HYSTERESIS LOOP

by

A. K. Stolyarov, I. A. Naumov

DTIC  
SELECTED  
AUG 20 1981



H

DTIC FILE COPY

Approved for public release;  
distribution unlimited.



81 8 20 154

# EDITED TRANSLATION

14

FTD-ID(RS)T-0642-81

22 Jul 81

MICROFICHE NR: FTD-81-C-000709

PROBLEMS OF THE OPTIMAL CONSTRUCTION OF FERRITE PHASE SHIFTERS WITH RECTANGULAR HYSTERESIS LOOP

By A. K./Stolyarov, I. A./Naumov

21

English pages: 8

*Edited trans. of Antenny No. 8, 1970, pp. 65-72*

*(USSR) no. 065-72 1970, by*

Country of origin: USSR

Translated by: Robert D. Hill

Requester: FTD/TQFE

Approved for public release; distribution unlimited.

12 | 12

Accession For	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	<input type="checkbox"/>
By	
Distribution/	
Availability Codes	
Avail and/or	
Special	

**A**

<p>THIS TRANSLATION IS A RENDITION OF THE ORIGINAL FOREIGN TEXT WITHOUT ANY ANALYTICAL OR EDITORIAL COMMENT. STATEMENTS OR THEORIES ADVOCATED OR IMPLIED ARE THOSE OF THE SOURCE AND DO NOT NECESSARILY REFLECT THE POSITION OR OPINION OF THE FOREIGN TECHNOLOGY DIVISION.</p>	<p>PREPARED BY: TRANSLATION DIVISION FOREIGN TECHNOLOGY DIVISION WP-AFB, OHIO.</p>
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------

FTD-ID(RS)T-0642-81

Date 22 Jul 19 81

141600

*Plu*

U. S. BOARD ON GEOGRAPHIC NAMES TRANSLITERATION SYSTEM

Block	Italic	Transliteration	Block	Italic	Transliteration
А а	<i>А а</i>	A, a	Р р	<i>Р р</i>	R, r
Б б	<i>Б б</i>	B, b	С с	<i>С с</i>	S, s
В в	<i>В в</i>	V, v	Т т	<i>Т т</i>	T, t
Г г	<i>Г г</i>	G, g	У у	<i>У у</i>	U, u
Д д	<i>Д д</i>	D, d	Ф ф	<i>Ф ф</i>	F, f
Е е	<i>Е е</i>	Ye, ye; E, e*	Х х	<i>Х х</i>	Kh, kh
Ж ж	<i>Ж ж</i>	Zh, zh	Ц ц	<i>Ц ц</i>	Ts, ts
З з	<i>З з</i>	Z, z	Ч ч	<i>Ч ч</i>	Ch, ch
И и	<i>И и</i>	I, i	Ш ш	<i>Ш ш</i>	Sh, sh
Й й	<i>Й й</i>	Y, y	Щ щ	<i>Щ щ</i>	Shch, shch
К к	<i>К к</i>	K, k	Ъ ъ	<i>Ъ ъ</i>	"
Л л	<i>Л л</i>	L, l	Ы ы	<i>Ы ы</i>	Y, y
М м	<i>М м</i>	M, m	Ь ь	<i>Ь ь</i>	'
Н н	<i>Н н</i>	N, n	Э э	<i>Э э</i>	E, e
О о	<i>О о</i>	O, o	Ю ю	<i>Ю ю</i>	Yu, yu
П п	<i>П п</i>	P, p	Я я	<i>Я я</i>	Ya, ya

\*ye initially, after vowels, and after ъ, ь; e elsewhere.  
When written as ё in Russian, transliterate as yë or ë.

RUSSIAN AND ENGLISH TRIGONOMETRIC FUNCTIONS

Russian	English	Russian	English	Russian	English
sin	sin	sh	sinh	arc sh	sinh
cos	cos	ch	cosh	arc ch	cosh
tg	tan	th	tanh	arc th	tanh
ctg	cot	cth	coth	arc cth	coth
sec	sec	sch	sech	arc sch	sech
cossec	csc	csch	csch	arc csch	csch

Russian English

rot curl  
lg log

PROBLEMS OF THE OPTIMAL CONSTRUCTION OF FERRITE PHASE SHIFTERS  
WITH RECTANGULAR HYSTERESIS LOOP

A.K. Stolyarov, I.A. Naumov

The article gives results of the calculation of a unidirectional waveguide phase shifter, which is presented in the form of ferrite dielectric waveguide magnetized by a ring magnetic field, the ferrite having an arbitrary thickness. The problem of the propagation of the electromagnetic wave along a two-layer dielectric rod is strictly solved, and the unidirectional effect is found by the perturbation method.

A calculation of the waveguide phase shifters with ferrite having a rectangular hysteresis loop (PPG) was carried out in work [1]. The phase shifter was presented in the form of a dielectric waveguide covered by a thin layer of ferrite.

For practical purposes it is important to examine the more complex system in which the ferrite can have an arbitrary thickness. Examined for this purpose is the propagation of a wave along the two-layer dielectric waveguide (Fig. 1), and then calculated by the perturbation method is the unidirectional phase shift under the assumption that the external dielectric cylinder (region II) possesses gyromagnetic properties.

The selected method allowed avoiding complex expressions in the form of series for the constant propagation and quite simply analyzing the effect on the magnitude of the phase shift of dimensions and parameters of the dielectric and ferrite cylinders.




Fig. 1. Key: 1) Region I; 2) Region II; 3) Region III.

For waves of the  $HE_{1n}$  type, the initial fields are recorded in the form:

region III ( $r \gg r_2$ )

$$\left. \begin{aligned} E_{z_0}^0 &= -p^2 C_1 K_1(pr) \sin \varphi \\ E_{r_0}^0 &= i \left[ \gamma_0 C_1 p K_1'(pr) - \frac{\kappa_0}{r} C_2 K_1(pr) \right] \sin \varphi \\ E_{\varphi_0}^0 &= i \left[ \frac{\gamma_0}{r} C_1 K_1(pr) - \kappa_0 p C_2 K_1'(pr) \right] \cos \varphi \end{aligned} \right\}; \quad (1a)$$

$$\left. \begin{aligned} H_{z_0}^0 &= -p^2 C_2 K_1(pr) \cos \varphi \\ H_{r_0}^0 &= i \left[ \gamma_0 p C_2 K_1(pr) - \frac{\kappa_0}{r} C_1 K_1(pr) \right] \cos \varphi \\ H_{\varphi_0}^0 &= i \left[ \kappa_0 p C_1 K_1'(pr) - \frac{\gamma_0}{r} C_2 K_1(pr) \right] \sin \varphi \end{aligned} \right\}, \quad (1b)$$

where  $\gamma_0$  is the constant of propagation;

$K_1'(pr)$  - the McDonald function and its derivative;  $\kappa_0 = \frac{\omega}{c}$ ;  $p^2 = \gamma_0^2 - \kappa_0^2$ ;  $K_1(pr)$ .

region II ( $r_1 \leq r \leq r_2$ )

$$\left. \begin{aligned} E_{z_0}^0 &= g_2^2 [B_1 J_1(g_2 r) + B_2 N_1(g_2 r)] \sin \varphi \\ E_{r_0}^0 &= i \left\{ \gamma_0^2 g_2 [B_1 J_1'(g_2 r) + B_2 N_1'(g_2 r)] - \frac{\kappa_0}{r} [B_2 J_1(g_2 r) + \right. \\ &\quad \left. + B_1 N_1(g_2 r)] \right\} \sin \varphi \\ E_{\varphi_0}^0 &= i \left\{ \frac{\gamma_0}{r} [B_1 J_1(g_2 r) + B_2 N_1(g_2 r)] - \kappa_0 g_2 [B_2 J_1'(g_2 r) + \right. \\ &\quad \left. + B_1 N_1'(g_2 r)] \right\} \cos \varphi \end{aligned} \right\}; \quad (2a)$$

$$\left. \begin{aligned}
 H_{z_2}^0 &= g_2^2 [B_3 J_1(g_2 r) + B_4 N_1(g_2 r)] \cos \varphi \\
 H_{r_1}^0 &= i \left\{ \gamma_0 g_2 [B_3 J_1'(g_2 r) + B_4 N_1'(g_2 r)] - \frac{\kappa_0}{r} \epsilon_2 [B_3 J_1(g_2 r) + \right. \\
 &\quad \left. + B_4 N_1(g_2 r)] \right\} \cos \varphi \\
 H_{r_1}^0 &= i \left\{ \kappa_0 \epsilon_2 g_2 [B_1 J_1'(g_2 r) + B_2 N_1'(g_2 r)] - \frac{\gamma_0}{r} [B_3 J_1(g_2 r) + \right. \\
 &\quad \left. + B_4 N_1(g_2 r)] \right\} \sin \varphi
 \end{aligned} \right\} \quad (2b)$$

where  $g_2^2 = \kappa_2^2 - \gamma_0^2$ ;  $\kappa_2^2 = \kappa_0^2 \epsilon_2$ ;  $J_1(g r)$ ,  $J_1'(g r)$ ,  $N_1(g r)$ ,  $N_1'(g r)$  are Bessel functions of the first and second kind and their derivatives;  
 region I ( $r \leq r_1$ )

$$\left. \begin{aligned}
 E_{z_1}^0 &= g_1^2 A_1 J_1(g_1 r) \sin \varphi \\
 E_{r_1}^0 &= i \left[ \frac{\gamma_0}{r} A_1 J_1(g_1 r) - \kappa_0 g_1 A_2 J_1'(g_1 r) \right] \cos \varphi \\
 E_{r_1}^0 &= i \left[ \gamma_0 g_1 A_1 J_1'(g_1 r) - \frac{\kappa_0}{r} A_2 J_1(g_1 r) \right] \sin \varphi
 \end{aligned} \right\} \quad (3a)$$

$$\left. \begin{aligned}
 H_{z_1}^0 &= g_1^2 A_2 J_1(g_1 r) \cos \varphi \\
 H_{r_1}^0 &= i \left[ \kappa_0 \epsilon_1 g_1 A_1 J_1'(g_1 r) - \frac{\gamma_0}{r} A_2 J_1(g_1 r) \right] \sin \varphi \\
 H_{r_1}^0 &= i \left[ \gamma_0 g_1 A_2 J_1'(g_1 r) - \frac{\kappa_0}{r} \epsilon_1 A_1 J_1(g_1 r) \right] \cos \varphi
 \end{aligned} \right\} \quad (3b)$$

From boundary conditions when  $r=r_1$  and  $r=r_2$ , we obtain eight homogeneous equations, from which the relative values of coefficients A, B and C and the propagation constant  $\gamma_0$  can be determined. The determinant of the indicated system of equations has the form:

$i \frac{\eta}{r_1}$	$i \kappa_0 g_1 \alpha$	$-i \frac{\eta}{r_1} \beta$	$-i \frac{\eta}{r_1} \gamma$	$i \kappa_0 g_2 \xi$	$i \kappa_0 g_2 \gamma_l$	0	0
$g_1^2$	0	$-g_2^2 \beta$	$-g_2^2 \gamma$	0	0	0	0
$i \kappa_0 g_1 \epsilon_1 \alpha$	$-i \frac{\eta}{r_1}$	$-i \kappa_0 \epsilon_2 g_2 \xi$	$-i \kappa_0 \epsilon_2 g_2 \gamma_l$	$i \frac{\eta}{r_1} \beta$	$i \frac{\eta}{r_1} \gamma$	0	0
0	$g_1^2$	0	0	$-g_2^2 \beta$	$-g_2^2 \gamma$	0	0
0	0	$i \frac{\eta}{r_2}$	$i \frac{\eta}{r_2} \Theta$	$i \kappa_0 g_2 \Delta$	$-i \kappa_0 g_2 \nu$	$-i \frac{\eta}{r_2} \rho$	$i \kappa_0 \rho x$
0	0	$g_2^2$	$g_2^2 \Theta$	0	0	$\rho^2 \rho$	0
0	0	$i \kappa_0 \epsilon_2 g_2 \Delta$	$i \kappa_0 \epsilon_2 g_2 \Theta$	$-i \frac{\eta}{r_2}$	$-i \frac{\eta}{r_2} \Theta$	$i \kappa_0 \rho x$	$i \frac{\eta}{r_2} \rho$
0	0	0	0	$g_2^2$	$g_2^2 \Theta$	0	$\rho^2 \rho$

where

$$\begin{aligned} \alpha &= \frac{J_1'(k_1 r_1)}{J_1(k_1 r_1)}; \quad \beta = \frac{J_1(k_2 r_1)}{J_1(k_1 r_1)}; \quad \gamma = \frac{N_1(k_2 r_1)}{J_1(k_1 r_1)}; \\ \eta &= \frac{K_1'(g_2 r_1)}{J_1(g_2 r_1)}; \quad \xi = \frac{J_1'(g_2 r_1)}{J_1(g_2 r_1)}; \quad \theta = \frac{N_1(g_2 r_2)}{J_1(g_2 r_2)}; \quad \Lambda = \frac{J_1'(g_2 r_2)}{J_1(g_2 r_2)}; \\ \rho &= \frac{K_1'(g_2 r_2)}{J_1(g_2 r_2)}; \quad \nu = \frac{N_1'(g_2 r_2)}{J_1(g_2 r_2)}; \quad \nu' = \frac{K_1'(g_2 r_2)}{J_1(g_2 r_2)}. \end{aligned}$$

The tensor of the magnetic permeability of the ferrite is given in [2].

The magnitude of the nonreciprocal increase in  $\Delta\gamma$  of the propagation constant is determined by the perturbation method:

$$\Delta\gamma = \frac{k \int_{S_2} (H_r H_z^{0*} - H_z H_r^{0*}) dS}{\frac{2}{\kappa_0} \int_S [E_r^0 H_\varphi^{0*} - E_\varphi^0 H_r^{0*}] dS}, \quad (5)$$

where  $S$  is the total area of the cross section through which the electromagnetic wave passes;

$S_2$  - the area of cross section of the ferrite.

Having substituted into equation (5) expressions for fields from (1), (2) and (3), and assuming for ferrites with PPG that  $\mu = 1$ , we obtain the final formula for  $\Delta\gamma$ .

Part of the integrals entering into the final formula for  $\Delta\gamma$  are tabular, and the remaining ones are computed according to the Simpson method.

Let us examine the case when the dielectric constants of the ferrite and dielectric are considerably different. Let us assume that  $\epsilon_1 \gg \epsilon_2$ ; then at a definite value of  $r_1$  the wave propagation constant  $\gamma_0$  will be greater than  $K_0 \sqrt{\epsilon_2}$ , and the transverse wave number  $g_2$  will become imaginary. In this case functions  $J_1(g_2 r)$  and  $N_1(g_2 r)$  should be replaced in all formulas by functions  $I_1(g_2 r)$  and  $K_1(g_2 r)$ , and in the determinant (4) they should be changed to the opposite signs near terms containing the factor  $g_2^2$ . A similar change in the formulas in the calculation process should be made in those cases when  $\epsilon_2 \gg \epsilon_1$ , and the transverse wave number  $g_1$  becomes imaginary.

Let us examine the effect of the thickness of the ferrite on the quantity  $\Delta\gamma$ . First of all, let us discuss the simplest case when the dielectric constant of the ferrite and the dielectric are identical ( $\epsilon_1 = \epsilon_2$ ). The corresponding calculation curves are given on Fig. 2. From them it is clear that the maximal nonreciprocal effect is reached when  $r_1=0$ , i.e., in a solid ferrite cylinder. The replacement of part of the ferrite by the dielectric [ $r_1=0.03$ ;  $0.05$ ;  $0.1 \lambda_0$ ] changes the nature of the relation  $\Delta\gamma=f(r_1)$ ; however, the absolute magnitude of the unidirectional [nonreciprocal] phase shift is decreased with an increase in  $r_1$ . Therefore, the use of the dielectric with the same permeability as the ferrite can be useful only for control of the shape of the frequency characteristic of the phase shifter.




Fig. 2.

A comparison of curve  $r_1=0$  on Fig. 2 with results of the precise calculation [4] shows that the maximal unidirectional phase shift takes place in both cases at practically identical diameters (an error of not more than 10%) of the ferrite cylinder; although, from the viewpoint of the approximation theory this case is most unprofitable, since the entire volume of the dielectric undergoes a disturbance. This confirms the expediency for using the perturbation method for solving similar problems.

Let us now examine the effect of the dielectric on the operation of the phase shifter for which a discussion of curves 3, 4 and 5 is given. At small values of  $r_1$  ( $r_1=0.01 \lambda_0$ ) the value of  $\Delta\gamma$  is close to that value which corresponds to the solid ferrite cylinder (Fig. 2). With an increase in the diameter of the central dielectric ( $r_1=0.03; 0.04 \lambda_0$ , etc.), the magnitude of the differential phase shift is increased and at a certain  $r_1$  reaches the maximal value. Consequently, for each value there are such dimensions of the dielectric and ferrite at which the greatest activity of the phase shifters is reached. Figure 5 gives the generalized curves according to which the maximally possible magnitude of the phase shift ( $\Delta\gamma_{\text{max}}$ ) for dielectrics with different  $\epsilon$  can be determined. Just as in the case of a thin ferrite [1],  $\Delta\gamma$  increases with an increase in  $\epsilon$  of the dielectric.




Fig. 3.




Fig. 4.

An important difference consists in the fact that the unidirectional phase shift reaches a maximum value at the smaller diameter of the ferrite. Thus when  $\epsilon_1=10$ ,  $\Delta\gamma$  reaches a maximum at a diameter of the ferrite of  $d_2=0.4 \lambda_0$ , and in a thin ferrite tube the

maximum is observed when  $d_2 = 0.24 \lambda_0$ . This denotes that by using the ferrite cylinders of optimal diameter, it is possible to lower considerably the magnitude of the control current. The use of a dielectric with high  $\epsilon$  makes it possible to reduce significantly the length of the phase shifter and, consequently, decrease the energy of commutation, the magnitude of which is proportional to the volume of the ferrite. Let us note that owing to an increase in  $\epsilon$  of the dielectric, it is not possible to lower the control current substantially, since the optimal diameter of the ferrite (Fig. 6) is insignificantly decreased with an increase in  $\epsilon$  of the dielectric.




Fig. 5.




Fig. 6.

The curve which determines the wave propagation constant along the dielectric waveguide is plotted on Fig. 6. It indirectly characterizes the correctness of the selected model. As we see, the slowing down of the wave in the optimally fulfilled designs is significant, and, therefore, the metallic walls of the waveguide introduce insignificant corrections into the obtained results.

#### Bibliography

1. Stolyarov, A.K., Naunov, I.A. Radiotekhnika i elektronika [Radio Engineering and Electronics], XII, 5, 1967, p. 939.
2. Mikaelyan, A.L. Primeneniye ferritov na sverkhvysokikh chastotakh [The Use of Ferrites at Superhigh Frequencies]. GEI [State Power

Engineering Press], 1963.

3. Nikol'skiy, V.V. Radiotekhnika i elektronika, 1957, No. 2, p. 157.

4. Yurgenson, R.R., Teytel'baum, I.G. Collection: Antenny [Antennas],  
edited by A.A. Pistol'kors, 1966, No. 1, p. 120.



END

DATE  
FILMED

9-81

DTIC