

AD-A126 884

ELECTROGENERATED CHEMILUMINESCENCE 42 THE
ELECTROCHEMISTRY AND ELECTROGEN. (U) TEXAS UNIV AT
AUSTIN DEPT OF CHEMISTRY J GONZALES-VELASCO ET AL.
31 MAR 83 TR-29 N00014-78-C-0502


1/1

UNCLASSIFIED

F/G.7/4

NL

END
DATA
FILMED
583
DT



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

AD A 126894

DTIC FILE COPY

(12)

OFFICE OF NAVAL RESEARCH

Contract N00014-78-C-0592

Task No. NR 051-693

TECHNICAL REPORT No. 29

ELECTROGENERATED CHEMILUMINESCENCE. 42.

The Electrochemistry and Electrogenerated Chemiluminescence of
the Tris(2,2'-bipyrazine)ruthenium(II) System.

by


Jaime Gonzales-Velasco,* Israel Rubinstein,* R. J. Crutchley,#

A. B. P. Lever,# and Allen J. Bard*

#Department of Chemistry
York University
Downsview, Ontario
Canada M3J 1P3

*The University of Texas at Austin
Department of Chemistry
Austin, Texas 78712

March 31, 1983



Reproduction in whole or in part is permitted for
any purpose of the United States Government.

This document has been approved for public release
and sale; its distribution is unlimited.

83 04 14 125

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER 29	2. GOVT ACCESSION NO. AD-A126894	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) ELECTROGENERATED CHEMILUMINESCENCE. 42. The Electrochemistry and Electrogenerated Chemiluminescence of the Tris(2,2'-bipyrazine)ruthenium(II) System.		5. TYPE OF REPORT & PERIOD COVERED 1 Sept. 1982 to 31 Aug. '83
7. AUTHOR(s) Jaime Gonzales-Velasco, Israel Rubinstein, R. J. Crutchley, A. B. P. Lever, and A. J. Bard		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS Department of Chemistry University of Texas at Austin Austin, TX 78712		8. CONTRACT OR GRANT NUMBER(s) N00014-78-C-0592
11. CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research 800 N. Quincy Arlington, VA 22217		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE March 31, 1983
		13. NUMBER OF PAGES 21
		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) This document has been approved for public release and sale; its distribution is unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Prepared for publication in the Journal of INORGANIC CHEMISTRY.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) (2x) (2x)		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The electrochemical behavior and electrogenerated chemiluminescence (ecl) of $\text{Ru}(\text{bpz})_3^{2+}$ (as the PF_6^- salt) in acetonitrile solutions was investigated. Oxidation to the +3 form and reduction to the +1, 0, -1 and -2 forms occur at potentials about 0.5V more positive than the corresponding bipyridine complex. Emission characteristic of $\text{Ru}(\text{bpz})_3^{2+}$ is produced upon the electron transfer reaction between the +3 and +1 species. Weak emission also results from reaction of the +3 species with solvent or impurities.		

DD FORM 1473
1 JAN 73

EDITION OF 1 NOV 68 IS OBSOLETE
S/N 0102-014-6601

Unclassified
SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

ELECTROGENERATED CHEMILUMINESCENCE. 42.

The Electrochemistry and Electrogenerated Chemiluminescence of
the Tris(2,2'-bipyrazine)ruthenium(II) System.

Jaime Gonzales-Velasco,^{1a,c} Israel Rubinstein,^{1a} R. J. Crutchley,^{1b}
A. B. P. Lever,^{1b} and Allen J. Bard*^{1a}

Department of Chemistry
The University of Texas
Austin, TX 78712

Department of Chemistry
York University
Downsview, Ontario
Canada M3J 1P3

Abstract

The electrochemical behavior and electrogenerated chemiluminescence (ecl) of $\text{Ru}(\text{bpz})_3^{2+}$ (as the PF_6^- salt) in acetonitrile solutions was investigated. Oxidation to the +3 form and reduction to the +1, 0, -1 and -2 forms occur at potentials about 0.5V more positive than the corresponding bipyridine complex. Emission characteristic of $\text{Ru}(\text{bpz})_3^{2+}$ is produced upon the electron transfer reaction between the +3 and +1 species. Weak emission also results from reaction of the +3 species with solvent or impurities.

(end of abstract)

Revised Manuscript-IC820313T

Submitted 9-22-82


Inorg. Chem.



Index for		Availability Codes	
1. AB	2. B	3. C	4. D
Distribution/		Avail and/or	
Special		Dist	
A			

Introduction.

Of the numerous compounds that produce chemiluminescence upon the electron transfer reactions of electrogenerated species (ecl), that observed with the $\text{Ru}(\text{bpy})_3^{2+}$ (bpy = 2,2'-bipyridine) system is among the most intense and best characterized.²⁻⁴ A recent report⁵ of a new, related compound, $\text{Ru}(\text{bpz})_3^{2+}$ (bpz = 2,2'-bipyrazine) and its spectroscopic and photocatalytic properties suggested a study of the electrochemical and ecl behavior of this compound.



Previous studies of $\text{Ru}(\text{bpy})_3^{2+}$ showed that ecl is produced by the redox reaction between the +1 and +3 species as well as by reaction of the +3 species with a number of reductants (e.g., especially oxalate).^{2d} We were particularly interested in $\text{Ru}(\text{bpz})_3^{2+}$ because the redox processes are shifted by $\sim 0.5\text{V}$ towards more positive potentials, compared with $\text{Ru}(\text{bpy})_3^{2+}$. This could prove valuable in ecl in aqueous media where proton reduction interferes at negative potentials. A comparison of the ecl efficiency between the bpz and bpy complexes is also of interest.

In this paper we describe the electrochemical behavior of the $\text{Ru}(\text{bpz})_3^{2+}$ system in acetonitrile (MeCN) solutions and demonstrate the production of ecl and its characteristics.

Experimental.

Chemicals. The $\text{Ru}(\text{bpz})_3^{2+}$ was obtained in the form of PF_6^- salt.⁵ It was recrystallized from MeCN and dried for 25 hr under vacuum at room temperature. The tetra-n-butylammonium hexafluorophosphate (TBAFP) used as supporting electrolyte was prepared by reaction of NH_4PF_6 (Ozark-Mahoning) and tetra-n-butylammonium perchlorate (Aldrich). The precipitate of TBAFP obtained was filtered and repeatedly washed with distilled water. The precipitate was dissolved in boiling EtOH; upon cooling, TBAFP was obtained in the form of small crystals. This procedure was repeated three times. Finally the crystals were recrystallized from a mixture of acetone and ether and dried under a vacuum.

Spectroquality grade acetonitrile (MCB) was degassed by freeze-pump-thaw cycles ($< 10^{-5}$ torr). A MeCN/0.1 M TBAFP solution did not show appreciable faradaic currents at a Pt electrode between -2.6 and +2.5 V vs the Ag wire quasireference electrode (AgRE).

Apparatus. A Princeton Applied Research (PAR) Model 173 Potentiostat and a PAR Model 175 Universal Programmer were used for voltammetric experiments. The output of the PAR Model 176 current follower was recorded directly using a Houston Instruments Model 2000 x-y recorder. The coulometric experiments employed a PAR 179 digital coulometer.

Procedure. The test solutions were prepared under He in a Vacuum Atmospheres Glove Box equipped with a Model MO 40-1 Dri-Train. Electrochemical and ecl experiments were carried out in a three compartment working cell with a volume of 3 cm^3 . The working electrode compartment was provided with an optically flat Pyrex glass window of approximately 2 cm^2 and the working electrode, a polished platinum disk, area = 0.06 cm^2 , was

aligned parallel to the window. The distance between the working electrode and the window was around 3 mm. The counterelectrode was a platinum foil, area = 3 cm². A silver wire immersed in the MeCN/TBAFP solution and separated from the working electrode chamber by a medium porosity frit was used as a quasireference electrode (AgRE). The potential of this Ag wire electrode was measured against an aqueous saturated calomel electrode (SCE) and checked vs the ferrocene/ferrocenium couple in MeCN and was found to have a potential of +0.055 V vs SCE.

The ecl measurements were carried out after transferring the sealed working cell to a light-tight box whose interior was painted with black nonreflective paint. The emitted light was measured with a Hamamatsu TV Corp. R928 photomultiplier tube. The ecl spectrum was taken by using an Oriel Co. monochromator. Emission and absorption spectra were obtained with an Aminco-Bowman spectrophotofluorometer (SPF) without slits for ecl studies and a Cary Model 14 UV and visible spectrophotometer, respectively.

Results and Discussion.

Electrochemical results. A typical cyclic voltammogram (CV) for 1 mM Ru(bpz)₃²⁺ in MeCN, 0.1 M TBAFP is shown in Figure 1. The peak potentials for the oxidation (E_{pa}) and reduction (E_{pc}) waves and ΔE_p values for each wave are given in Table 1. The general electrochemical behavior of the Ru(bpz)₃²⁺ system is very similar to that of Ru(bpy)₃²⁺ in MeCN, but there are significant differences. The reductions to the +1, 0, and -1 species and the oxidation to the +3 species occur with all peaks shifted 0.5 V towards more positive potentials as compared to the bpy complex. Thus the Ru(bpz)₃³⁺ species is a significantly stronger oxidant than is Ru(bpy)₃³⁺, and its production from the +2 form occurs much nearer to the anodic limit of the MeCN,TBAFP solution. Because of this, the Ru(bpz)₃³⁺ is less stable

than the bpy complex in this medium, which leads to differences in the characteristics of the +3/+2 wave and the ecl. On the other hand the fourth reduction wave (marked V in Figure 1) shows a well-defined reversal peak at a scan rate, v , of 100 mV/s at room temperature, indicating some stability of the -2 species. No such stability is observed with the corresponding bpy form that is produced at a potential about 0.5 V more negative. Only at $v > 20$ V/s or at temperatures of -30°C was any reversal anodic peak seen for the corresponding bpy wave.² However, repeated scanning over wave V to produce the reduced -2 form led to the formation of a deep brown solution caused by decomposition of this species. Moreover the rest potential of this solution after this cycling was -0.2 V vs AgRE as compared to the initial value of about +0.54 V, indicating irreversible production of a reduced species. The resulting brown solution could not be electrochemically oxidized back to the original orange $\text{Ru}(\text{bpz})_3^{2+}$ solution. Similar, but slower decomposition occurred upon scanning or holding the potential at values corresponding to peaks III and IV (Figure 1).

The one electron nature of the waves was confirmed by controlled potential coulometry (CPC) measurements. Reduction at -0.8 V vs AgRE near the peak of the first reduction wave (wave II, Figure 1) gave n_{app} (corresponding to number of Faradays per mole) of 0.98. Oxidation of the reduced solution back to the +2 form showed $Q_b/Q_f \approx 0.9$ (where Q_f and Q_b are the number of coulombs consumed during the forward reduction and reverse oxidation, respectively)^{6a} for an experimental duration of ~ 1 hr. This demonstrates the relatively high stability of the +1 species.

Cyclic voltammetric data for the reduction waves (II, III and IV) shown in Figure 1 are contained in Table 2. Because of the close spacing of the reduction waves it was difficult to determine precise values for peak

currents (i_{pc} and i_{pa}) and potentials. However, the current functions ($i_{pc}/v^{1/2}$) for all three waves are about the same, demonstrating that all three are one-electron transfers. Moreover, the values of $i_{pa}/i_{pc} \approx 1$ for these waves demonstrate that the +1, 0 and -1 forms are stable on the CV time scale.

For wave II the value of i_{pa}/i_{pc} is significantly larger than 1; this suggests that some deposition or adsorption of the +1 species occurs on the electrode. Although the CV data shows stability of the 0 and -1 forms on the short time scale, repeated cycling through these waves causes some color change in the solution as well as the formation of a deposit on the electrode surface.

As for wave I, corresponding to the +3/+2 oxidation-reduction process, the potential for this wave is close to the anodic stability limit of Pt in MeCN and the $\text{Ru}(\text{bpz})_3^{3+}$ species reacts with a component in the MeCN, TBAFP medium to regenerate the +2 species, giving rise to a catalytic wave.^{6b} The CV parameters for wave I confirm the catalytic nature of this wave. For example, as shown in Figure 2, the ratio of peak heights i_{pa}/i_{pc} , or peak areas Q_a/Q_c increases sharply with decreasing v . At low scan rates, the ratio Q_a/Q_c is very high since the +2 species is continuously regenerated during the scan. At higher scan rates the ratio approaches unity because no appreciable reaction of the +3 form occurs at short times.




A voltammogram taken after repeated application of pulses between -0.8 and +1.9 V vs AgRE (the range for e1, as described below), as shown in Figure 3, suggests decomposition of the $\text{Ru}(\text{bpz})_3^{2+}$ complex since new peaks at +1.5 V vs AgRE near wave I and at -0.4 V vs. AgRE before Wave II appear. The new anodic peak at +1.5 V appears after a cathodic scan to -1.2 V and the new cathodic one at -0.4 V appears after a scan to +2.2 V. The species

giving rise to these waves is not known.

After these repeated pulsing experiments, the electrode surface was covered with a yellowish-brown precipitate. Although the nature of this precipitate was not elucidated, it probably can be attributed to the formation of reduced Ru-species. The decomposition process is enhanced when the cathodic scan limit is more negative.

Emission spectrum of $\text{Ru}(\text{bpz})_3^{2+}$. The emission spectrum of a 10^{-5} M solution of $\text{Ru}(\text{bpz})_3^{2+}$ in MeCN at room temperature is shown in Figure 4. An excitation wavelength for maximum absorption (435 nm) leads to the emission maximum at 585 nm for the luminescence of the sample. This wavelength is 25 nm shorter than the emission maximum of $\text{Ru}(\text{bpy})_3^{2+}$.

Ecl spectrum of $\text{Ru}(\text{bpz})_3^{2+}$ in acetonitrile. By pulsing the potential applied to the platinum electrode between 1.95 V and -0.85 V vs AgRE an orange ecl emission was observed. The light intensity obtained was lower than that for $\text{Ru}(\text{bpy})_3^{2+}$ under equivalent conditions, and decayed more rapidly. The ecl spectrum of the $\text{Ru}(\text{bpz})_3^{2+}$ (Figure 5) shows an emission maximum at 585 nm, identical to the emission spectrum obtained on photoexcitation. These results are similar to those obtained with $\text{Ru}(\text{bpy})_3^{2+}$. The mechanism for emission is probably the same in both cases, namely, reaction of the +3 and +1 forms to yield the +2 excited state:



This homogeneous redox reaction has a free energy of -2.7 eV (as calculated from the E_p values of the +3/+2 and +2/+1 waves and assuming an entropic contribution of 0.1 eV).⁷ This is greater than the energy of the emitting charge transfer state, 2.12 eV. The singlet excited state for the

$\text{Ru}(\text{bpz})_3^{2+}$ occurs at 2.85 eV⁸ so that direct population of this state does not appear possible, and direct formation of the emitting triplet is proposed. This is analogous to the results in the $\text{Ru}(\text{bpy})_3^{2+}$ system.²⁻⁴

Characteristics of the ecl. Recent studies^{2e,3} of the ecl intensity $(t_r/t_f)^{-1/2}$ behavior (where t_f is forward pulse time and t_r the reverse pulse time) for the $\text{Ru}(\text{bpy})_3^{2+}$ system at short times $[(t_r/t_f)^{-1/2}$ of 1 to 10] showed that these Feldberg-Faulkner plots^{9,10} corresponded closely to that expected of an "S-route" system, where direct population of the emitting state on electron transfer occurs. Similar plots for the $\text{Ru}(\text{bpz})_3^{2+}$ system are shown in Figure 6. When either the +1 (Figure 6a) or +3 (Figure 6b) form is generated first, the behavior is very different from that of the theoretical model, which predicts a slope of -1.42. The cause for this deviation is probably the instability of the +3 form and perhaps quenching by decomposition products. This non-ideal behavior is also apparent from the ecl intensity-time transient itself (Figure 7). The anodic transient (following production of the +1 species) shows a peak which decays to an almost steady value. This attainment of a steady value is also apparent from the change in slope in the plot of Figure 6a. The following cathodic transient is very sharp and decays rapidly to background. The steady level of emission during the anodic pulse represents a reaction of the +3 species with solvent, electrolyte, or impurities to produce emission. That this is clearly the case can be seen from the anodic transient in Figure 8, where the potential was maintained at +1.90 V and a constant weak emission was observed. Recent studies have shown that the reaction of $\text{Ru}(\text{bpy})_3^{3+}$ with oxalate, organic acids or other reductants results in emission,^{2d,11,12} so a similar reaction by the stronger oxidant $\text{Ru}(\text{bpz})_3^{3+}$ appears reasonable. Thus the anodic step involves the +1/+3 electron

transfer reaction as well as the +3/background emission. During the subsequent cathodic step the +3 species has been depleted by this background reaction and less is available to react with the generated +1 species, producing the rapid decay of intensity.

Conclusions.

The electrochemical behavior of the $\text{Ru}(\text{bpz})_3^{2+}$ system generally parallels that of the corresponding bpy system, but shifted by about 0.5 V towards more positive potentials. Since the +2/+3 wave is best represented by electron transfers involving metal centers, the shift must be ascribed to greater stabilization of the +2 vs the +3 form by the bpz. The reduction waves, e.g., the +2/+1, are better represented as reduction of the ligands and the shift here represents easier reduction of bpz to the Ru^{2+} stabilized bpz^- species compared to bpy. The positive potential shift results in the +2/bpz species being less stable in MeCN than the corresponding bpy species. Ecl reactions involving the +3/+1 electron transfer annihilation reaction and a reaction of +3 with solvent or impurity to produce the $\text{Ru}(\text{bpz})_3^{2+}$ excited states occur. There is precedence for both of these in the bpy system.

Acknowledgement.

The support of this research by the Office of Naval Research (N00014-78-C-0592) and the Army Research Office (DAAG 29-82-K-0006) is gratefully acknowledged. One of us (JGV) is grateful to the Comité Hispano-Norteamericano de Cooperación Científica y Técnica for a grant.

Notes and References.

1. (a) University of Texas; (b) York University; (c) permanent address: Faculty de Ciencias, Universite Autonoma de Madrid, Ciudad Universite de Canto Blanco, Madrid 34, Spain.
2. (a) Tokel, N. E., Bard, A. J. J. Am. Chem. Soc., 1972, 94, 2862; (b) Tokel-Takvoryan, N. E.; Hemingway, R. E.; Bard, A. J. J. Am. Chem. Soc. 1973, 95, 6582; (c) Wallace, W. L.; Bard, A. J. J. Phys. Chem. 1979, 83, 1350; (d) Rubinstein, I.; Bard, A. J. J. Am. Chem. Soc. 1981, 103, 512-516; (e) Luttmmer, J. D.; Bard, A. J., J. Phys. Chem. 1981, 85, 1155-1159.
3. Glass, R. S.; Faulkner, L. R. J. Phys. Chem. 1981, 85, 1159.
4. Itoh, K.; Honda, K. Chem. Lett. 1979, 99.
5. (a) Crutchley, R. J.; Lever, A. B. P. J. Am. Chem. Soc. 1980, 102, 7128; (b) Crutchley, R. J. and Lever, A. B. P. Inorg. Chem., 1982, 21, 0000.
6. (a) Bard, A. J.; Faulkner, L. R., "Electrochemical Methods", John Wiley and Sons, New York: 1980. pp. 479; (b) Ibid., pp. 455.
7. Faulkner, L. R.; Tachikawa, H.; Bard, A. J. J. Am. Chem. Soc. 1972, 94, 691.
8. Klassen, D. M.; Crosby, G. A., J. Phys. Chem. 1968, 48, 1853.
9. Feldberg, S.W. J. Phys. Chem. 1966, 70, 3928.
10. (a) Faulkner, L. R. J. Electrochem. Soc. 1977, 124, 1724; (b) Ibid., 1975, 122, 1190.
11. Chang, M. M.; Saji, T.; Bard, A. J. J. Am. Chem Soc. 1977, 99, 5399-5403.
12. (a) Lytle, F. H., Hercules, D. M., Photochem. Photobio. 1971, 13, 123; (b) Monidez, W. K., Leyden, D. E., Anal. Chim. Acta 1978, 96, 401.

Figure Captions.

- Figure 1: Cyclic voltammogram of 1 mM $\text{Ru}(\text{bpz})_3^{2+}(\text{PF}_6^-)_2/\text{MeCN}/0.1 \text{ M}$ TBAFP at a Pt electrode. Scan rate, 100 mV/s^{-1} . $T = 25^\circ \text{ C}$. Reference electrode, Ag wire.
- Figure 2: Ratio between the anodic and cathodic charges in wave I as a function of the scan rate. $T = 25^\circ \text{ C}$. Solution same as Figure 1.
- Figure 3: Cyclic voltammogram of 1 mM $\text{Ru}(\text{bpz})_3(\text{PF}_6)_2/\text{MeCN}/0.1 \text{ M}$ TBAFP after repeated pulsing between -0.8 and $+1.9 \text{ V}$ vs AgRE.
- Figure 4: Luminescence spectrum of a 10^{-5} M solution of $\text{Ru}(\text{bpz})_3^{2+}$ in MeCN at room temperature.
- Figure 5: ECL spectrum of a 1 mM $\text{Ru}(\text{bpz})_3(\text{PF}_6)_2/\text{MeCN}/0.1 \text{ M}$ TBAFP solution. Pulsing limits: -0.8 V and $+1.85 \text{ V}$ vs AgRE. at 0.5 Hz .
- Figure 6: Feldberg-Faulkner plots for the solution in Figure 1. (a) precursor, $\text{Ru}(\text{bpz})_3^+$; (b) precursor, $\text{Ru}(\text{bpz})_3^{3+}$.
- Figure 7: Typical ecl intensity-time transient (I_{ecl} in arbitrary units). $T = 25^\circ \text{ C}$. Same solution as Figure 1.
- Figure 8: Ecl intensity-time transient obtained by pulsing between -0.85 V and $+1.9 \text{ V}$ vs AgRE for 3 sec and holding the potential at $+1.9 \text{ V}$. Same solution as in Figure 1.

TABLE 1

Cyclic Voltammetric Peak Potentials (E_p) for $\text{Ru}(\text{bpz})_3^{2+}$ in
 0.1 M TBAPF-acetonitrile Solutions at a Platinum Electrode, $T = 25^\circ \text{C}$. ^a

	<u>Peaks in Fig. 1</u>				
	I	II	III	IV	V
E_{pc} (reduction) (V vs Agre)	+1.85	-0.800	-0.980	-1.250	-2.075
E_{pa} (oxidation)	+1.94	-0.730	-0.910	-1.180	-1.975
Number of electrons	1	1	1	1	1
ΔE_p (25°C , 100 mV/s)	90	70	70	70	100
Redox states	3+/2+	2+/1+	1+/0	0/-1	-1/-2

^a Potential values were measured against an Ag wire quasireference electrode in the same solution. The Ag wire showed a potential of +55 mV measured against a SCE in the same solution.

Table 2
Cyclic Voltammetric Results for the Three Reductions of $\text{Ru}(\text{bpz})_3^{2+}$ ^a

Peak II				Peak III			Peak IV		
v (mV/s)	ΔE_p (mV)	$\frac{i_{pa}}{i_{pc}}$	$\frac{i_{pc}}{v^{1/2}C}$	ΔE_p (mV)	$\frac{i_{pa}}{i_{pc}}$	$\frac{i_{pc}}{v^{1/2}C}$	ΔE_p (mV)	$\frac{i_{pa}}{i_{pc}}$	$\frac{i_{pc}}{v^{1/2}C}$
10	30	1.00	1.2	60	1.00	1.4	70	0.88	1.2
20	60	1.40	1.0	60	0.97	1.6	60	0.88	1.3
50	60	1.00	1.0	60	1.28	1.2	70	0.90	1.4
100	60	1.11	0.9	80	1.00	1.7	70	0.83	1.7
200	70	1.45	0.6	80	1.03	1.2	90	0.75	1.6
500	90	1.28	0.6	80	0.95	1.3	80	0.70	1.4
1000	100	1.45	0.7	100	1.12	1.5	110	0.68	1.9

^a The solution was 1.0 mM $\text{Ru}(\text{bpz})_3^{2+}(\text{PF}_6^-)_2$ and 0.1 M TBAFP in $\text{CH}_3\text{-CN}$ at 25⁰ C. $\Delta E_p = E_{pc} - E_{pa}$; C = concentration of complex. Peak currents for waves III and IV were measured from extrapolated decreasing current of preceding wave. The units for the current function evaluation were $i = \text{A}\cdot\text{cm}^{-2}$; $v^{1/2} = (\text{V}\cdot\text{sec}^{-1})^{1/2}$; C = M.




Fig. - 1




Figure 2




Figure 3




Figure 4






Figure 5

Figure 6






Figure 7




Figure 8

4-4-83

472:GAN:716-4
94/GEN

102 copies

TECHNICAL REPORT DISTRIBUTION LIST, GEN

	<u>No. Copies</u>		<u>No. Copies</u>
Office of Naval Research Attn: Code 413 800 North Quincy Street Arlington, Virginia 22217	2	Naval Ocean Systems Center Attn: Mr. Joe McCartney San Diego, California 92152	1
ONR Pasadena Detachment Attn: Dr. R. J. Marcus 1030 East Green Street Pasadena, California 91106	1	Naval Weapons Center Attn: Dr. A. B. Amster, Chemistry Division China Lake, California 93555	1
Commander, Naval Air Systems Command Attn: Code 310C (H. Rosenwasser) Department of the Navy Washington, D.C. 20360	1	Naval Civil Engineering Laboratory Attn: Dr. R. W. Drisko Port Hueneme, California 93401	1
Defense Technical Information Center Building 5, Cameron Station Alexandria, Virginia 22314	12	Dean William Tolles Naval Postgraduate School Monterey, California 93940	1
Dr. Fred Saalfeld Chemistry Division, Code 6100 Naval Research Laboratory Washington, D.C. 20375	1	Scientific Advisor Commandant of the Marine Corps (Code RD-1) Washington, D.C. 20380	1
U.S. Army Research Office Attn: CRD-AA-IP P. O. Box 12211 Research Triangle Park, N.C. 27709	1	Naval Ship Research and Development Center Attn: Dr. G. Bosmajian, Applied Chemistry Division Annapolis, Maryland 21401	1
Mr. Vincent Schaper DTNSRDC Code 2803 Annapolis, Maryland 21402	1	Mr. John Boyle Materials Branch Naval Ship Engineering Center Philadelphia, Pennsylvania 19112	1
Naval Ocean Systems Center Attn: Dr. S. Yamamoto Marine Sciences Division San Diego, California 91232	1	Mr. A. M. Anzalone Administrative Librarian PLASTEC/ARRADCOM Bldg 3401 Dover, New Jersey 07801	1

4-4-83

472:GAN:716-4
94/359TECHNICAL REPORT DISTRIBUTION LIST, 359

	<u>No. Copies</u>		<u>No. Copies</u>
Dr. Paul Delahay Department of Chemistry New York University New York, New York 10003	1	Dr. P. J. Hendra Department of Chemistry University of Southampton Southampton SO0 5NH United Kingdom	1
Dr. E. Yeager Department of Chemistry Case Western Reserve University Cleveland, Ohio 41106	1	Dr. Sam Perone Chemistry & Materials Science Department Lawrence Livermore National Lab. Livermore, California 94550	1
Dr. D. N. Bennion Department of Chemical Engineering Brigham Young University Provo, Utah 84602	1	Dr. Royce W. Murray Department of Chemistry University of North Carolina Chapel Hill, North Carolina 27514	1
Dr. R. A. Marcus Department of Chemistry California Institute of Technology Pasadena, California 91125	1	Naval Ocean Systems Center Attn: Technical Library San Diego, California 92152	1
Dr. J. J. Auburn Bell Laboratories Murray Hill, New Jersey 07974	1	Dr. C. E. Mueller The Electrochemistry Branch Materials Division, Research and Technology Department Naval Surface Weapons Center White Oak Laboratory Silver Spring, Maryland 20910	1
Dr. Adam Heller Bell Laboratories Murray Hill, New Jersey 07974	1	Dr. G. Goodman Johnson Controls 5757 North Green Bay Avenue Milwaukee, Wisconsin 53201	1
Dr. T. Katan Lockheed Missiles and Space Co., Inc. P. O. Box 504 Sunnyvale, California 94088	1	Dr. J. Boechler Electrochimica Corporation Attn: Technical Library 2485 Charleston Road Mountain View, California 94040	1
Dr. Joseph Sincay NASA-Lewis 21000 Brookpark Road Cleveland, Ohio 44135	1	Dr. P. P. Schmidt Department of Chemistry Oakland University Rochester, Michigan 48063	1
Dr. B. Brummer EIC Incorporated 55 Chapel Street Newton, Massachusetts 02158	1		
Library P. R. Mallory and Company, Inc. Northwest Industrial Park Burlington, Massachusetts 01803	1		

4-4-83

472:GAN:716-4
94/359TECHNICAL REPORT DISTRIBUTION LIST, 359

	<u>No.</u> <u>Copies</u>		<u>No.</u> <u>Copies</u>
Dr. H. Richtol Chemistry Department Rensselaer Polytechnic Institute Troy, New York 12181	1	Dr. R. P. Van Duyne Department of Chemistry Northwestern University Evanston, Illinois 60201	1
Dr. A. B. Ellis Chemistry Department University of Wisconsin Madison, Wisconsin 53706	1	Dr. B. Stanley Pons Department of Chemistry University of Alberta Edmonton, Alberta CANADA T6G 2G2	1
Dr. M. Wrighton Chemistry Department Massachusetts Institute of Technology Cambridge, Massachusetts 02139		Dr. Michael J. Weaver Department of Chemistry Michigan State University East Lansing, Michigan 48824	1
Larry E. Plew Naval Weapons Support Center Code 30736, Building 2906 Crane, Indiana 47522	1	Dr. R. David Rauh EIC Corporation 55 Chapel Street Newton, Massachusetts 02158	1
S. Ruby DOE (STOR) 600 E Street Providence, Rhode Island 02192	1	Dr. J. David Margerum Research Laboratories Division Hughes Aircraft Company 3011 Malibu Canyon Road Malibu, California 90265	1
Dr. Aaron Wold Brown University Department of Chemistry Providence, Rhode Island 02192	1	Dr. Martin Fleischmann Department of Chemistry University of Southampton Southampton 509 5NH England	1
Dr. R. C. Chudacek McGraw-Edison Company Edison Battery Division Post Office Box 28 Bloomfield, New Jersey 07003	1	Dr. Janet Osteryoung Department of Chemistry State University of New York at Buffalo Buffalo, New York 14214	1
Dr. A. J. Bass University of Texas Department of Chemistry Austin, Texas 78712	1	Dr. R. A. Osteryoung Department of Chemistry State University of New York at Buffalo Buffalo, New York 14214	1
Dr. M. M. Nicholson Electronics Research Center Rockwell International 3370 Miraloma Avenue Anaheim, California	1		

4-4-83

472:GAN:716-4
94/359TECHNICAL REPORT DISTRIBUTION LIST, 359

	<u>No. Copies</u>		<u>No. Copies</u>
Dr. Donald W. Ernst Naval Surface Weapons Center Code R-33 White Oak Laboratory Silver Spring, Maryland 20910	1	Mr. James R. Moden Naval Underwater Systems Center Code 3632 Newport, Rhode Island 02840	1
Dr. R. Nowak Naval Research Laboratory Code 6130 Washington, D.C. 20375	1	Dr. Bernard Spielvogel U. S. Army Research Office P. O. Box 12211 Research Triangle Park, NC 27709	1
Dr. John F. Houlihan Shenango Valley Campus Pennsylvania State University Sharon, Pennsylvania 16146	1	Dr. Denton Elliott Air Force Office of Scientific Research Bolling AFB Washington, D.C. 20332	1
Dr. D. F. Shriver Department of Chemistry Northwestern University Evanston, Illinois 60201	1	Dr. David Aikens Chemistry Department Rensselaer Polytechnic Institute Troy, New York 12181	1
Dr. D. H. Whitmore Department of Materials Science Northwestern University Evanston, Illinois 60201	1	Dr. A. P. B. Lever Chemistry Department York University Downsview, Ontario M3J1P3 Canada	1
Dr. Alan Bewick Department of Chemistry The University Southampton, SO9 5NH England		Dr. Stanislaw Szpak Naval Ocean Systems Center Code 6343 San Diego, California 95152	1
Dr. A. Himy NAVSEA-5433 NC #4 2541 Jefferson Davis Highway Arlington, Virginia 20362		Dr. Gregory Farrington Department of Materials Science and Engineering University of Pennsylvania Philadelphia, Pennsylvania 19104	
Dr. John Kincaid Department of the Navy Strategic Systems Project Office Room 901 Washington, D.C. 20376		Dr. Bruce Dunn Department of Engineering & Applied Science University of California Los Angeles, California 90024	

4-4-83

472:GAN:716-4
94/359TECHNICAL REPORT DISTRIBUTION LIST, 359

	<u>No. Copies</u>		<u>No. Copies</u>
M. L. Robertson Manager, Electrochemical and Power Sonics Division Naval Weapons Support Center Crane, Indiana 47522	1	Dr. T. Marks Department of Chemistry Northwestern University Evanston, Illinois 60201	1
Dr. Elton Cairns Energy & Environment Division Lawrence Berkeley Laboratory University of California Berkeley, California 94720	1	Dr. D. Cipris Allied Corporation P. O. Box 3000R Morristown, New Jersey 07960	1
Dr. Micha Tomkiewicz Department of Physics Brooklyn College Brooklyn, New York 11210	1	Dr. M. Philpot IBM Corporation 5600 Cottle Road San Jose, California 95193	1
Dr. Lesser Blum Department of Physics University of Puerto Rico Rio Piedras, Puerto Rico 00931	1	Dr. Donald Sandstrom Washington State University Department of Physics Pullman, Washington 99164	1
Dr. Joseph Gordon, II IBM Corporation K33/281 5600 Cottle Road San Jose, California 95193	1	Dr. Carl Kannewurf Northwestern University Department of Electrical Engineering and Computer Science Evanston, Illinois 60201	1
Dr. Robert Somoano Jet Propulsion Laboratory California Institute of Technology Pasadena, California 91103	1	Dr. Edward Fletcher University of Minnesota Department of Mechanical Engineering Minneapolis, Minnesota 55455	1
Dr. Johann A. Joebstl USA Mobility Equipment R&D Command DRDME-EC Fort Belvoir, Virginia 22060	1	Dr. John Fontanella U.S. Naval Academy Department of Physics Annapolis, Maryland 21402	1
Dr. Judith H. Ambrus NASA Headquarters M.S. RTS-6 Washington, D.C. 20546	1	Dr. Martha Greenblatt Rutgers University Department of Chemistry New Brunswick, New Jersey 08903	1
Dr. Albert R. Landgrebe U.S. Department of Energy M.S. 6B025 Forrestal Building Washington, D.C. 20595	1	Dr. John Wassib Kings Mountain Specialties P. O. Box 1173 Kings Mountain, North Carolina 28086	1

4-483

472:GAN:716-4
94/359TECHNICAL REPORT DISTRIBUTION LIST, 359

	<u>No. Copies</u>	<u>No. Copies</u>
Dr. J. J. Brophy University of Utah Department of Physics Salt Lake City, Utah 84112	1	
Dr. Walter Roth Department of Physics State University of New York Albany, New York 12222	1	
Dr. Thomas Davis National Bureau of Standards Polymer Science and Standards Division Washington, D.C. 20234	1	
Dr. Charles Martin Department of Chemistry Texas A&M University	1	
Dr. Anthony Sammells Institute of Gas Technology 3424 South State Street Chicago, Illinois 60616	1	
Dr. H. Tachikawa Department of Chemistry Jackson State University Jackson, Mississippi 39217	1	
Dr. W. M. Risen Department of Chemistry Brown University Providence, Rhode Island	1	

DATE
LME
8