

AD-A201 310 DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

(U)		1b. RESTRICTIVE MARKINGS NA	
2a. SECURITY CLASSIFICATION AUTHORITY NA		3. DISTRIBUTION / AVAILABILITY OF REPORT Distribution unlimited	
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE NA		5. MONITORING ORGANIZATION REPORT NUMBER(S) NA	
4. PERFORMING ORGANIZATION REPORT NUMBER(S) 36 - 6008480		7a. NAME OF MONITORING ORGANIZATION Office of Naval Research	
6a. NAME OF PERFORMING ORGANIZATION Northern Illinois University	6b. OFFICE SYMBOL (If applicable) NA	7b. ADDRESS (City, State, and ZIP Code) 800 N. Quincy Street Arlington, VA 22217-5000	
6c. ADDRESS (City, State, and ZIP Code) Department of Chemistry DeKalb, Illinois 60115		9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER N00014-88-K0075	
8a. NAME OF FUNDING / SPONSORING ORGANIZATION Office of Naval Research	8b. OFFICE SYMBOL (If applicable) ONR	10. SOURCE OF FUNDING NUMBERS	
8c. ADDRESS (City, State, and ZIP Code) 800 N. Quincy Street Arlington, VA 22217-5000		PROGRAM ELEMENT NO. 61153N	TASK NO. RR04108
		WORK UNIT ACCESSION NO. 441K	
11. TITLE (Include Security Classification) Investigation of the interface between two immiscible electrolytes applied to membrane electrochemistry (U)			
12. PERSONAL AUTHOR(S) Vanysek, Petr			
13a. TYPE OF REPORT Annual	13b. TIME COVERED FROM 87-10-15 TO 88-10-14	14. DATE OF REPORT (Year, Month, Day) 88-10-13	15. PAGE COUNT 10
16. SUPPLEMENTARY NOTATION			
17. COSATI CODES		18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)	
FIELD	GROUP	Liquid/liquid interface, frozen electrolytes, fluorescent dyes, microinterfaces, protein adsorption.	
19. ABSTRACT (Continue on reverse if necessary and identify by block number)			
<p>Four experimental studies were performed in the previous period: Effect of protein adsorption on capacitance of water/nitrobenzene interface, Potentiometric study of fluorescent oxacyanine cation partitioning, frozen interfaces and microinterfaces. The most valuable experimental technique in use is impedance spectroscopy in the frequency range from 1 Hz to 65 kHz. Currently a new nonlinear least square software for data evaluation is being utilized.</p> <p>In the study of oxacyanine dyes, both experimental and computational potentiometry were used. The results provided more insight in interfacial potential behavior. The contribution was particularly significant in providing large set of data previously unpublished.</p> <p>Liquid/liquid microinterface is in its initial stage of investigation. The phenomenon similar to "microelectrodes" is clearly present, current work is aimed at reproducibility. — Similarly, the concept of frozen interface is nearing first publishable stage.</p>			
20. DISTRIBUTION / AVAILABILITY OF ABSTRACT <input type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT. <input type="checkbox"/> DTIC USERS		21. ABSTRACT SECURITY CLASSIFICATION	
22a. NAME OF RESPONSIBLE INDIVIDUAL		22b. TELEPHONE (Include Area Code)	22c. OFFICE SYMBOL

Petr Vanýsek
ANNUAL REPORT
N00014-88-K0075
12 October 1988

INTRODUCTION

Interface arising at the contact between two immiscible electrolytes is of fundamental interest to electrochemistry in basic research as well as to scientists in applied fields, namely to analytical chemists developing new sensors. The interface also has, however, a significant potential in relation to the studies on membrane models.

Primarily, an interface between immiscible oil/water phase, can be visualized as one "layer" of the "double-layer" biological membrane. (Figure 1). A sophisticated, well conceived experiment can thus be designed to further knowledge about processes on biological membranes.




Figure 1

RESEARCH OBJECTIVES

Various electrochemical methods, including hybrid electrochemical optical techniques allow us to study kinetics on the interface, adsorption processes, transfer across the interface and the structure of the interfacial double layer.

The results are then in turn extrapolated and applied to the behavior on more complicated structures such as membranes. In this project, the following problems are especially investigated:

- ▶ The effects of biologically active materials on simple ion transfer kinetics
- ▶ Potential sensitive fluorescence dyes in liquid/liquid electrochemistry
- ▶ Properties of a microinterface formed between two immiscible electrolytes.

PROGRESS DURING LAST YEAR

1. Effect of protein adsorption on impedance of water/nitrobenzene interface.

A solvent system used in our experiment was water/nitrobenzene, with LiCl as a supporting electrolyte for aqueous phase and tetrabutylammonium tetrphenylborate (TBATPB) as a supporting electrolyte for the nonaqueous phase. The concentrations used were between 0.02 and 0.1 mol/l, same in both solvents. An impedance of the system was measured between 1 Hz and 65 kHz, with 12 data points per frequency decade.

A water soluble protein bovine serum albumin (BSA) has been added to aqueous phase to study its adsorption effect on the liquid/liquid interface. The impedance measurements were performed at the analytical concentration of the protein in the aqueous phase (discounting adsorption) between 0.5 to 100 ppm, with particular emphasis on lower concentrations. The reason for that is, that the results at the low concentrations show nonmonotonous impedance as a function of protein concentration.

In particular, a local minimum in impedance (corresponding to maximum capacitance) is observed around 5 ppm of protein. This concentration corresponds to a monolayer formation at the interface. Bias DC potential of different values was applied on the interface while measuring impedance properties of the system to obtain information on potential of zero charge. The results are qualitatively similar to the findings of Wandlowski et al. (T. Wandlowski, S. Račinský, V. Mareček and Z. Samec, J. Electroanal. Chem. 227, 281 (1987); T. Wandlowski, V. Mareček and Z. Samec, J. Electroanal. Chem. 242, 277 (1988)), who performed similar types of measurements on phosphatidylcholine adsorption. Their interpretation of data seems to be, however, incorrect (a frequency dependent capacitance), thus we are currently working on an impedance model that will enable rigorous interpretation of our impedance data as well as the data reported by Wandlowski et al. An effort to determine appropriate equivalent circuit wiring using a newly acquired software is under way.

2. Potentiometric investigation of fluorescent dye partitioning between two immiscible liquids.

The study has provided a complete information on potential response of a liquid/liquid interface with base electrolytes in the presence of oxacyanine dye cation over several orders of magnitude in the dye concentration and water/solvent volume ratio. The work which originally started as a study of the dye applicability in fluorescence indication of potential differences yielded results (both theoretical and experimental) applicable to any potentiometric study on liquid/liquid interface. In particular, the computer simulation explains super-nerstian response of the system, which is sometimes observed experimentally; a phenomenon not entirely obvious to a

casual observer. From the partition coefficient measurements thermodynamic data (Gibbs energies of transfer) were obtained for a series of the dyes.

In potentiometric measurements on liquid/liquid interface it is quite usual to assume just a simple relationship between potential and activity of electroactive species i which partitions between the two phases.

$$E = E^* + \frac{RT}{nF} \ln a_i \quad (1)$$

It is often assumed that the prerequisites for other ions not to participate in the potential determining equilibrium are fulfilled. It seems, however, that in reality this is not always the case. We have shown both experimentally and through a numerical model that other factors such as base electrolyte concentrations, volumes of the two phases and impurities influence the potential.

The effects are best depicted in three-dimensional plots. Figure 2 shows calculated effect of the water/nonaqueous solvent ratio on potential of an interface containing an oxocyanine cation. All calculations were based on a system containing 0.01 mol/l LiCl in water and tetrabutylammonium tetraphenylborate in nitrobenzene.




Figure 2

Theoretical effect of the water/nitrobenzene volume ratio on the potential - dye concentration relationship. The axes are x: logarithm of DiOC₁(3) concentration; y: logarithm of ratio of water volume to nitrobenzene volume; z: calculated interfacial potential.

In the range of the dye ion concentrations from 10^{-3} to 10^{-5} mol/l and roughly 1:1 volume ratio (a typical experimental situation), the slope of potential vs.

logarithm of concentration is 55 mV/decade. This linear value is different from the intuitively expected and by equation (1) predicted 59 mV. This difference is easy to understand, though. An increase in concentration in one phase will be followed by a subsequent repartitioning of all the ions present. Since repartitioning is aiding the interfacial potential to maintain the interfacial equilibriums, less than the 59 mV change is needed.

Figure 3 shows the effect of an impurity in the system on the potential of a system described previously (Figure 2). Impurity of the chosen properties (potential of transfer -100 mV for cation, $+100$ mV for anion) has little effect except at dye concentrations below 10^{-5} mol/l and water/nitrobenzene ratio between 0.1 and 100.




Figure 3

Influence of an electroactive impurity on the slope of the potential - dye concentration curve. z: difference between interfacial potential with and without an impurity.

Repeated calculations with other parameters make it possible to calculate effects of other known or assumed impurities and also known to be present, but quite often neglected, ions such as H^+ from water. Calculations and experiments show that pH will not affect the potential measurement if the pH is between 4-7. This is an important finding as the use of any buffer is usually undesirable since it complicates the partition on the interface.

3. Frozen Interface

A new system consisting of a cooled system in which one of the phases becomes solid has been tested. The goal of the experiment is to compare the response

of a liquid/liquid system and a liquid/ice system and from the difference in the data (impedance, cyclic voltammetry) separate the interfacial property of the two adjacent double-layers. Frozen electrolytes retain enough conductivity to allow impedance measurements, although cyclic voltammetry on the system is difficult to perform. The problem is in the low compliance voltage of the potentiostat, which often reaches saturation. Thus, the impedance spectroscopy studies are very suitable for our purpose. The newly acquired impedance analysis software is currently being applied for this study as well.

4. Microinterface

Experiment aimed towards utilization of a small interface (as in the tip of a capillary) are currently under way. The findings show that a small size liquid/liquid interface can be formed and subsequently studied by the techniques applicable to "ultra-micro-electrodes" ($\leq 25 \mu\text{m}$ diameter). The main obstacle in the present work is a lack of reproducibility. It is clearly traceable to a position of the interface within the capillary but the position, being potential dependent, is difficult to maintain. The ultimate goal of this work will be to develop a technique for the modeling of membrane channels.

In addition to a single micro-interface, an ensemble of such interfaces is studied on a Nuclepore membrane. One advantage is to be able to deal with relatively short pores, given by a thickness of the film, which is much smaller than the channel afforded through pulling of a capillary in flame. Two measuring techniques are being used for the system evaluation – impedance measurements and cyclic voltammetry of the membrane or microinterface.

PUBLICATIONS

- D. H. Wiegand and P. Vanýsek:
Spectroscopic and fluorometric characterization of oxacyanine dyes in water and nitrobenzene. *Applied Spectroscopy*, **42**, 958, (1988)
- D. H. Wiegand and P. Vanýsek:
Potentiometric studies of oxacyanine dyes on L/L interfaces, *J. Electroanal. Chem.*, Submitted
- D. H. Wiegand and P. Vanýsek:
Determination of potentials of transfer across water/nitrobenzene interface, *Electrochim. Acta*, Submitted
- P. Vanýsek:
Uncertainty in potential of the reference interface in liquid/liquid interface, *Electrochim. Acta*, Submitted.
- I. C. Hernandez and P. Vanýsek:
Supporting electrolyte for liquid/liquid interface: Crystal violet Tetrphenylborate, *Electrochim. Acta*, Submitted.

ABSTRACTS:

- P. Vanýsek:
Impedance studies on a (frozen electrolyte)/(liquid electrolyte) interface. Atlanta Electrochemical Society Meeting May 1988
- D. H. Wiegand and P. Vanýsek:
Electrochemistry of oxacyanine dyes: Potentiometry on liquid/liquid interface. Atlanta Electrochemical Society Meeting May 1988.

TRAINING:

Two graduate students were supported during the year.



Abstract For	
1988-08-01	<input checked="" type="checkbox"/>
1988-08-02	<input type="checkbox"/>
1988-08-03	<input type="checkbox"/>
1988-08-04	<input type="checkbox"/>
1988-08-05	<input type="checkbox"/>
1988-08-06	<input type="checkbox"/>
1988-08-07	<input type="checkbox"/>
1988-08-08	<input type="checkbox"/>
1988-08-09	<input type="checkbox"/>
1988-08-10	<input type="checkbox"/>
1988-08-11	<input type="checkbox"/>
1988-08-12	<input type="checkbox"/>
1988-08-13	<input type="checkbox"/>
1988-08-14	<input type="checkbox"/>
1988-08-15	<input type="checkbox"/>
1988-08-16	<input type="checkbox"/>
1988-08-17	<input type="checkbox"/>
1988-08-18	<input type="checkbox"/>
1988-08-19	<input type="checkbox"/>
1988-08-20	<input type="checkbox"/>
1988-08-21	<input type="checkbox"/>
1988-08-22	<input type="checkbox"/>
1988-08-23	<input type="checkbox"/>
1988-08-24	<input type="checkbox"/>
1988-08-25	<input type="checkbox"/>
1988-08-26	<input type="checkbox"/>
1988-08-27	<input type="checkbox"/>
1988-08-28	<input type="checkbox"/>
1988-08-29	<input type="checkbox"/>
1988-08-30	<input type="checkbox"/>

A-1

DISTRIBUTION LIST FOR REPORTS

ONR MEMBRANE ELECTROCHEMISTRY PROGRAM

Dr. Martin Blank
Department of Physiology
Columbia University College
of Physicians and Surgeons
630 W. 168th Street
New York, NY 10032

Dr. William E. Brownell
Department of Otolaryngology-HNS
Johns Hopkins University
School of Medicine
720 Rutland Avenue
Baltimore, MD 21205

Dr. Marco Colombini
Department of Zoology
University of Maryland
College Park, MD 20742

Dr. Michael A. Cusanovich
Department of Biochemistry
University of Arizona
Tuscon, AZ 85721

Dr. D. W. Deamer
Department of Zoology
University of California
Davis, CA 95616

Dr. Edward A. Dratz
Department of Chemistry
Montana State University
Bozeman, MT 59717

Dr. Harvey M. Fishman
Department of Physiology and
Biophysics
University of Texas Medical Branch
Galveston, TX 77550

Dr. Sol M. Gruner
Department of Physics
Jadwin Hall
Princeton University
P. O. Box 708
Princeton, NJ 08544

Dr. Felix T. Hong
Department of Physiology
Wayne State University
540 E. Canfield Avenue
Detroit, MI 48201

Dr. Huey W. Huang
Department of Physics
Rice University
Houston, TX 77251

Dr. Israel R. Miller
Department of Membrane Research
The Weizmann Institute of Science
Rehovot 76100
ISRAEL

Dr. V. Adrian Parsegian
Laboratory of Chemical Biology,
NIADDK
Room 9N-307
Building 10
Bethesda, MD 20892

Dr. Davis S. Perlin
Department of Biochemistry
Public Health Research Institute
455 First Avenue
New York, NY 10016

Dr. H. Gilbert Smith
EG & G Mason Research Institute
57 Union Street
Worcester, MA 01608

Dr. Michael E. Starzak
Department of Chemistry
State University of New York
Binghamton, NY 13901

Dr. H. Ti Tien
Department of Physiology
Membrane Biophysics Laboratory
Michigan State University
East Lansing, MI 48824

Dr. Tian Y. Tsong
Department of Biological Chemistry
Johns Hopkins University
School of Medicine
725 N. Wolfe Street
Baltimore, MD 21205

Dr. Peter Vanysek
Department of Chemistry
Northern Illinois University
De Kalb, IL 60115

ONR MEMBRANE ELECTROCHEMISTRY PROGRAM

Dr. Howard Wachtel
Dept. of Electrical & Computer Eng.
University of Colorado
Campus Box 425
Boulder, CO 80309

Dr. James C. Weaver
Div. Health Sciences & Technology
Room 20A-128
Massachusetts Institute of Tech.
Cambridge, MA 20742

Dr. George S. Wilson
Department of Chemistry
University of Kansas
Lawrence, KS 66045

Annual Final and Technical Reports

ADMINISTRATORS

Dr. Igor Vodyanoy, Code 1141SB (2 copies)
Scientific Officer, Biophysics
Office of Naval Research
800 N. Quincy Street
Arlington, VA 22217-5000

Dr. Robert J. Nowak, Code 1113ES
Scientific Officer, Electrochemical
Office of Naval Research
800 N. Quincy Street
Arlington, VA 22217-5000

Administrator (2 copies) (Enclose DTIC Form 50)
Defense Technical Information Center
Building 5, Cameron Station
Alexandria, VA 22314

Program Manager
Biological/Human Factors Division
Code 125
Office of Naval Research
800 N. Quincy Street
Arlington, VA 22217-5000

Administrative Contracting Officer
ONR Resident Representative
(address varies - obtain from contract or
your business office)

Program Manager Defense Technical
Support Technology Directorate
Office of Naval Technology, Code 223
800 N. Quincy Street
Arlington, VA 22217-5000

Annual and Final Reports Only (one copy each)

DoD ACTIVITIES

Commander
Chemical and Biological Sciences Division
Research Army Research Office, P. O. Box 1221
Research Triangle Park, NC 27709

Directorate of Life Sciences
Air Force Office of Scientific
Bolling Air Force Base Research
Washington, DC 20332

Head
Biomolecular Engineering Branch
Code 6190
Naval Research Laboratory
Washington, DC 20375