

AD-A209 989

DTIC FILE COPY

2

AFOSR-TR. 89-0800

**FINAL REPORT ON ELECTRONICS RESEARCH
AT THE UNIVERSITY OF TEXAS AT AUSTIN**


NO. 39

For the period April 1, 1986 through March 31, 1989

JOINT SERVICES ELECTRONICS PROGRAM

Research Contract AFOSR F49620-86-C-0045

May 31, 1989



DTIC
ELECTE
JUN 30 1989
S E Q D

ELECTRONICS RESEARCH CENTER

Bureau of Engineering Research
The University of Texas at Austin
Austin, Texas 78712-1084

This report has been approved
for release and sale in
unlimited quantities.

89 6 29 096

**FINAL REPORT ON ELECTRONICS RESEARCH
AT THE UNIVERSITY OF TEXAS AT AUSTIN**

For the period April 1, 1986 through March 31, 1989

JOINT SERVICES ELECTRONICS PROGRAM


Research Contract AFOSR F49620-86-C-0045

**Submitted by Edward J. Powers
on behalf of the Faculty and Staff
of the Electronics Research Center**

May 31, 1989

ELECTRONICS RESEARCH CENTER

**Bureau of Engineering Research
The University of Texas at Austin
Austin, Texas 78712-1084**



REPORT DOCUMENTATION PAGE

Form Approved
OMB No 0704-0188
Exp Date Jun 30 1986

1a REPORT SECURITY CLASSIFICATION UNCLASSIFIED			1b RESTRICTIVE MARKINGS		
2a SECURITY CLASSIFICATION AUTHORITY			3 DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release; distribution unlimited.		
2b DECLASSIFICATION/DOWNGRADING SCHEDULE			4 PERFORMING ORGANIZATION REPORT NUMBER(S) No. 39		
5 MONITORING ORGANIZATION REPORT NUMBER(S) AFOSR-TR- 89-0800			6a NAME OF PERFORMING ORGANIZATION The University of Texas at Austin		
6b OFFICE SYMBOL (If applicable) NE			7a NAME OF MONITORING ORGANIZATION Air Force Office of Scientific Research NE		
7b ADDRESS (City, State, and ZIP Code) Building No. 410 Bolling AFB, D.C. 20332			8a NAME OF FUNDING/SPONSORING ORGANIZATION Air Force Office of Scientific Research		
8b OFFICE SYMBOL (If applicable) NE			9 PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER Contract F49620-86-C-0045		
8c ADDRESS (City, State, and ZIP Code) Building No. 410 Bolling AFB, D.C. 20332			10. SOURCE OF FUNDING NUMBERS		
PROGRAM ELEMENT NO. 61102F		PROJECT NO. 2305	TASK NO. A9	WORK UNIT ACCESSION NO.	
11 TITLE (Include Security Classification) Final Report on Electronics Research at The University of Texas at Austin (Unclassified)					
12 PERSONAL AUTHOR(S) Edward J. Powers and other faculty associated with the Electronics Research Center					
13a TYPE OF REPORT Final Report		13b TIME COVERED FROM 4/1/86 TO 3/31/89		14. DATE OF REPORT (Year, Month, Day) 89/5/31	
15. PAGE COUNT 33					
16. SUPPLEMENTARY NOTATION					
17 COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD	GROUP	SUB-GROUP	Information electronics, electromagnetics, solid-state electronics, quantum electronics		
19. ABSTRACT (Continue on reverse if necessary and identify by block number)					
This final report covers the period from April 1, 1986 through March 31, 1989. The progress reported concerns research conducted by ten faculty members and approximately thirty graduate students from the Department of Electrical and Computer Engineering and the Department of Physics. The University of Texas DoD JSEP program is a broad-based program with four research units in Solid State Electronics, two in Electromagnetics, two in Quantum Electronics, and two in Information Electronics. Solid State Electronics includes work on implantation and annealing of InP and related compounds; molecular beam epitaxy with high-speed device applications; epitaxial growth, structure and electronic properties of silicides on silicon surfaces; and femtosecond processes in condensed matter. In Quantum Electronics, nonlinear optical interactions and nonlinear Raman scattering from molecular ions have been investigated. Work in Electromagnetics includes millimeter-wave monolithic array components and nonlinear wave phenomena, while electronic signal processing and nonlinear estimation and detection have been studied in Information Electronics.					
20 DISTRIBUTION/AVAILABILITY OF ABSTRACT ☒ UNCLASSIFIED/UNLIMITED ☐ SAME AS RPT ☐ DTIC USERS			21 ABSTRACT SECURITY CLASSIFICATION Unclassified		
22a NAME OF RESPONSIBLE INDIVIDUAL Edward J. Powers			22b TELEPHONE (Include Area Code) (512) 471-3954		
WITT			22c OFFICE SYMBOL 167-4931 NE		

TABLE OF CONTENTS

	Page
Overview	1
Principal Investigators	9
Degrees Awarded	13
Publications	18

Accession For	
NTIS GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By _____	
Distribution/	
Availability Codes	
Dist	Avail. and/or Special
A-1	



OVERVIEW

I. OVERVIEW

This Final Report covers the thirty-six month period ranging from April 1, 1986 through March 31, 1989. Ten faculty members and approximately twenty graduate students from the Department of Electrical and Computer Engineering and the Department of Physics conducted the research described in this report. The University of Texas DoD JSEP program is a broad-based program with four research units in Solid State Electronics, two in Electromagnetics, two in Quantum Electronics, and two in Information Electronics.

CURRENT STATUS

Solid State Electronics: We have developed extensive laboratory facilities for MBE growth and analysis of semiconductor materials, along with appropriate device fabrication capabilities. Using an extremely versatile computer-enhanced image processing system for reflection high energy electron diffraction (RHEED) on our Varian Gen II MBE machine, we are able to study the details of MBE growth at the submonolayer scale. We have also developed extensive analytical capabilities including temperature dependent Hall effect, low temperature photoluminescence, photoluminescence excitation spectroscopy, deep level transient spectroscopy, and other techniques for examination of MBE grown layers and structures. These capabilities allow us to not only examine details of MBE growth at the monolayer and submonolayer scale, but also to use the resulting controlled growth for device development and studies of transport properties in semiconductor multilayers.

We have applied the imaging RHEED system described above to study the effect of growth interruptions on interface quality, and also to accurately control the dimensions of resonant tunneling structures. This system is also used routinely as an in-situ measure of alloy composition. We have shown that significant changes in the principal RHEED streak intensity and shape are produced by very small changes in adatom coverage and that the profile is noticeably different for Ga and As stabilized surfaces.

In pursuing this work we have also studied MBE growth techniques and have made improvements in the system. We have shown that carbon compounds are produced by the substrate rotation mechanism, and the rate of evolution is proportional to the rotation speed. We have developed and installed a refractory, two-zone, large capacity arsenic cracking source for providing As_2 for MBE growth. This system provides As_2/As_4 flux ratios of 6-8 over a wide range of cracking furnace temperature.

In device development, we have grown high quality normal and inverted $\text{AlGaAs}/\text{InGaAs}$ High Electron Mobility Transistor (HEMT) structures on GaAs substrates by MBE, and studied the influence of rapid thermal annealing (RTA) on electrical conduction in the two-dimensional electron gas (2-DEG).

We have invented a new transit-time device in which electrons are injected into the drift region through a resonant tunneling structure rather than by avalanche injection as in a conventional IMPATT. This device, called the Quantum Well Injection Transit-Time (QWITT) diode, is an extremely promising extension of resonant tunneling structures for high-speed device applications. Simulations clearly indicate that significant improvements in output power over conventional quantum well oscillators will be achieved. We have grown high quality quantum well devices of this type by MBE, and are at present performing dc testing on prototype devices. In addition, pseudomorphic growth such as that described above should allow us to fabricate new types of quantum well structures, providing improvements in QWITT diode performance.

In addition, femtosecond optical techniques have been developed and it is anticipated that this capability will be exploited to measure and understand the basic electron scattering and transport phenomena which underlie the electronic characteristics of III-V materials and devices.

Information Electronics: Our information electronics program rests upon recent progress in extracting information from signals that would otherwise not be obtainable if conventional algorithms were employed. We have made important contributions in the development of novel methods of information extraction and processing. Our recent research in the analysis and processing of signals from different sensors has demonstrated that multisensor fusion is a powerful approach for signal processing and interpretation. We have recently developed a system for hierarchical integration of information extracted from thermal and visual sensors, which provides new information not available by processing either kind of image alone.

We have also developed and analyzed new adaptive nonlinear estimation algorithms for the extraction of information concerning the state of a nonlinear stochastic system with unknown parameters in the system model. The convergence and optimality of the algorithms has been analyzed completely; this is the first such analysis of an adaptive nonlinear estimation algorithm. As a first step toward the analysis and control of "hybrid" dynamical systems containing both discrete and continuous variables, we have made important contributions in the modeling and control of discrete event dynamical systems. These and our other efforts have considerably advanced the state-of-the-art in the development of innovative techniques for information extraction and have enabled us to develop the expertise to make significant contributions in the future.

Electromagnetics: The current work in electromagnetics involves, in a general sense, wave interactions. For example, we note that most of the circuit configurations presently used in monolithic and millimeter-wave integrated circuits are not designed with the interaction of the electromagnetic wave and the devices (both active and passive) in mind. A number of new integrated circuit configurations for mixers and receivers for quasi-optical applications have been conceived, designed, and tested.

Three different quasi-optical planar circuits have been successfully developed for millimeter-wave receiver applications. They are: a balanced mixer with an integrated Gunn local oscillator, a balanced mixer with an integrated MESFET local oscillator and a self-

oscillating HEMT receiver front end. All of them make use of the inherent electromagnetic isolation of the even and odd modes of a coupled slot antenna which is simultaneously used as a portion of the local oscillator circuits. They were designed based on the careful electromagnetic analysis and the solid state device characterizations of the constituent elements. This is the first time that all essential elements of millimeter-wave receiver front end are integrated coherently in a quasi-optical manner.

With regard to the nonlinear wave research, we have succeeded, during the current triennium, in demonstrating an approach to measure complex three-wave coupling coefficients, and to the best of our knowledge, this is the first time that such measurements have been made for turbulent-like "incoherent" fluctuation data. Our approach to estimating the complex three-wave coupling coefficients is based upon measurement of a quadratic transfer function, given two channels of raw time series data representing the fluctuation field observed at two spatial points. Most work in nonlinear systems modeling assumes the "input" is Gaussian, an assumption that is clearly unacceptable here, since the fluctuation waveform is nonGaussian due to its past nonlinear history. Thus an important part of the current research program is to develop an approach valid for nonGaussian "inputs". The success of this later objective not only made it possible to make the first measurements of three-wave coupling coefficients and associated energy cascading but appears to have great "technology transfer" potential to other areas of science and engineering.

Quantum Electronics: In our research dealing with dynamical instabilities in optical systems extensive quantitative characterizations of time-dependent steady states have been made for a passive bistable system composed of fundamental elements (two-level atoms in an optical cavity). Our investigations have demonstrated the complete inadequacy of theoretical analysis based upon models that neglect the transverse structure of the electromagnetic field in the cavity. The findings are significant in that broad regions of stable operation are demonstrated in domains that were previously thought to lead exclusively to dynamic instability. Further, these measurements in optical bistability represent one of only a few examples in optical physics for which absolute comparisons with theory for dynamical instabilities have been made. We have also made and reported on significant progress on innovative nonlinear Raman scattering techniques which offer improved capabilities to study the formation and dynamics of molecular ions in discharges.

Edward J. Powers
Director

**PRINCIPAL
INVESTIGATORS**

PRINCIPAL INVESTIGATORS

Edward J. Powers, Professor of Electrical and Computer Engineering

J. K. Aggarwal, Professor of Electrical and Computer Engineering

M. C. Downer, Assistant Professor of Physics

J. L. Erskine, Professor of Physics

T. Itoh, Professor of Electrical and Computer Engineering

J. W. Keto, Professor of Physics

H. T. Kimble, Professor of Physics

S. I. Marcus, Professor of Electrical and Computer Engineering

D. P. Neikirk, Associate Professor of Electrical and Computer Engineering

B. S. Streetman, Professor of Electrical and Computer Engineering

DEGREES AWARDED

DEGREES AWARDED

Ph.D.

Yuan-Fang Wang, May 1987, "Integration of Active and Passive Sensing Techniques for Representing Three-Dimensional Objects."

Nagaraj Nandhakumar, August 1987, "Multisensor Fusion for Scene Perception - Integrating Thermal and Visual Imagery."

Jose Araya-Pochet, December 1988, "Magneto-optical Studies of Fe, Ni, and V Epitaxial Ultra Thin Films on Ag(100) and Ag(111) Substrates."

Nag Un Song, May 1986, "A Study of GaAs MESFET Modeling by Numerical Simulation."

Samir M. El-Ghazaly, May 1988, "Analysis and Improvement of MM-Wave GaAs MESFET."

Vincent Hwang, May 1988, "Planar Integrated Quasi-Optical Receivers."

Roger H. Taylor, December 1988, "The Development of the Raman-Induced Kerr Effect as a Sensitive Spectroscopic Probe."

Jacek Borysow, June 1986, "Coherent Raman Spectroscopy."

Min Xiao, May 1988, "Quantum Fluctuations in Nonlinear Optics."

Hong-Gi Lee, August 1986, "Linearization of Nonlinear Discrete Time Control Systems."

Hangju Cho, August 1988, "Supremal and Maximal Sublanguages Arising in Supervisor Synthesis Problems with Partial Observations."

K. I. Kim, May 1986, "Frequency Domain Modeling of Quadratic Systems with Random Inputs."

C.W. Farley, December 1986, "The Influence of Stoichiometric Variations on the Site Selection and Electrical Activity of Amphoteric Dopants in Gallium Arsenide and Indium Phosphide."

T.S. Kim, December 1987, "Photoluminescence Studies of Processing-Induced Defects in InP and GaAs."

S.D. Lester, December 1987, "Photoluminescence Studies of Indium Phosphide."

DEGREES AWARDED

M.S.

Harish Asar, December 1988, "Pyramid Based Image Segmentation Using Multisensory Data."

Cameron McCaa, December 1986, "Cryomicroscopic Determination of the Transient Permeability Parameters of Monocyte Cells at Sub-zero Temperatures."

Yu-De Lin, May 1987, "Metal-Insulator-Semiconductor and Optically-Controlled Slow-Wave Structures."

Amir S. Mortazawi, December 1988, "Nonlinear analysis of monolithic QWITT Oscillator."

Vijay Kesan, December 1986, "Quantum Well Devices "

T.R. Block, May 1986, "Rapid Thermal Annealing System for the Processing of III-V Compound Semiconductors."

S.A. Chalmers, May 1986, "An In-Depth Analysis of the Kelvin Resistor Structure."

G.E. Crook, May 1986, "Rapid Thermal Annealing of Silicon Ion-Implanted Semi-Insulating Indium Phosphide."

A. Dodabalapur, May 1987, "Phosphorus Overpressure Rapid Thermal Annealing of Indium Phosphide."

K. Sadra, December 1988, "Monte-Carlo Studies of Electron-Hole Scattering and Minority-Electron Transport in Gallium Arsenide."

S. W. Nam, May 1987, "Estimation of the Transfer Functions of a Quadratic Nonlinear System."

PUBLICATIONS

PUBLICATIONS SPONSORED ENTIRELY OR IN PART BY JSEP

Journal Articles (supported entirely or in part by JSEP, or JSEP acknowledged for various contributions).

N.C. Huang, T.Y. Leou and J.K. Aggarwal, "Controls, Time-Varying Signal Processing," Encyclopedia of Physical Science and Technology, Academic Press, vol. 3, pp. 656-667 (1987).

Y.C. Kim and J.K. Aggarwal, "Determining Object Motion in a Sequence of Stereo Images," IEEE Journal of Robotics and Automation, RA-3, No. 6, pp. 599-614 (Dec. 1987).

T. Leou and J.K. Aggarwal, "A Structure-Independent Approach to the Analysis and Synthesis of Recursive Linear Time-Variant Digital Filters," IEEE Transactions on Circuits and Systems, CAS-33, no. 7, pp. 687-696 (July 1986).

Glenn Focht and M. C. Downer, "Generation of Synchronized Ultraviolet and Red Femtosecond Pulses by Intracavity Frequency Doubling," IEEE J. Quant. El., 24, 431 (1988).

T. R. Zhang, Glenn Focht, P. E. Williams, and M. C. Downer, "Theory of Intracavity Frequency Doubling in Passively Mode-Locked Femtosecond Lasers," IEEE J. Quant. El., 24, 1877 (1988).

W. M. Wood, Glenn Focht, and M. C. Downer, "Tight Focusing and Blue Shifting of Millijoule Femtosecond Pulses from a Conical Axicon Amplifier," Opt. Lett., 13, 984 (1988).

D. H. Reitze, T. R. Zhang, and M. C. Downer, "Semiconductor Absorption Nonlinearity and Optical Damage in the Femtosecond Regime," J. Electrochem. Soc., in press.

B. P. Tonner, H. Li, M. J. Robrecht, M. F. Onellion, and J. L. Erskine, "Photoemission Study of the Valence Band of Pb Monolayers on Ge(111)," Phys. Rev., B36, 989 (1987).

J. L. Erskine, J. P. Woods, A. D. Kulkarni, and F. W. DeWette, "Surface Vibrations on Clean and Hydrogen Saturated W(100)," J. of Electron Spectroscopy and Related Phenomena, 44, 27-36 (1987).

Bo-Shung Fang, C. A. Ballentine, and J. L. Erskine, "Electronic Properties of Nb and H Treated Nb Surfaces," Phys. Rev., B36, 7360 (1987) (Rapid Communication).

J. Araya-Pochet, C. A. Ballentine, T.-Y. Hsieh, and J. L. Erskine, "Magneto-optic Kerr Effect Studies of Two-dimensional Magnetism," Proc. Solvay Conf. on Surface Science (1988).

B.-S. Fang, C. A. Ballentine, and J. L. Erskine, "Bulk Plasmon Enhanced Photoemission from Nb(100)," Phys. Rev., **B38**, 4299 (1988).

J. Araya-Pochet, C. A. Ballentine, and J. L. Erskine, "Thickness and Temperature Dependent Spin Anisotropy of Ultra-thin Epitaxial Fe Films on Ag(100)," Phys. Rev., **B38**, 7846 (1988) (Rapid Communication).

B.-S. Fang, C. A. Ballentine, and J. L. Erskine, "Hydrogen Absorption at Nb(100): Photoemission Evidence of Two-state Exchange Involving Subsurface States," Surface Science Letters, **204**, L713-L720 (1988).

N. U. Song, D. P. Neikirk and T. Itoh, "Modeling of ion-implanted GaAs MESFETs by the finite element method," IEEE Trans. Microwave Theory and Techniques, **EDL-7**, pp.208-210, No.4, (April 1986).

T. Itoh, "An overview on numerical techniques for modeling miniaturized passive components," Annales des Telecommunications, **41**, No.9-10, pp.449-462 (Sept.-Oct. 1986).

V. D. Hwang, T. Uwano and T. Itoh, "Quasi-optical integrated antenna and receiver front end," IEEE Trans. Microwave Theory and Techniques, **MTT-36**, No.1, pp.80-85, (January 1988).

V. P. Kesan, A. Mortazawi, D. P. Neikirk and T. Itoh, "Monolithic millimetre-wave oscillator using a transmission line periodically loaded by QWITT Diodes," Electronics Letters, **24**, No.11, pp.6666-6667, (26 May 1988).

V. P. Kesan, A. Mortazawi, D. R. Miller, T. Itoh, B. G. Streetman and D. P. Neikirk, "Microwave frequency operation of quantum-well injection transit time (QWITT) diode," Electronics Letters, **24**, No.24, pp.1473-1474, (24 November 1988).

V. D. Hwang and T. Itoh, "Quasi-optical HEMT and MESFET self-oscillating mixers," IEEE Trans. Microwave Theory and Techniques, **36**, No.12, pp.1701-1705, (December 1988).

T. Itoh, "Overview of quasi-planar transmission lines," (Invited) IEEE Trans. Microwave Theory and Techniques, **37**, No.2, pp.275-280 (February 1989).

Jacek Borysow, Roger H. Taylor and J. W. Keto, "Raman-Induced Kerr Effect Spectroscopy Using Pulsed Lasers," Optics Commun., **68**, 80 (1988).

Jacek Borysow, Lothar Frommhold and J. W. Keto, "Third-Order Raman Spectrum of Argon Pairs," Mol. Phys., **66**, 221-234 (1989).

Jacek Borysow, Roger D. Taylor, and J. W. Keto, "Raman Induced Kerr Gain Spectroscopy of Solutions," J. Raman Spectroscopy, 20, 203-208 (1989).

A. T. Rosenberger, L. A. Orozco, and H. J. Kimble, "Experimental Investigation of the Single-Mode Instability in Optical Bistability", in Instabilities and Chaos in Quantum Optics II, eds. N. B. Abraham, F. T. Arecchi, and L. A. Lugiato 257 (Plenum, 1988).

L. A. Orozco, H. J. Kimble, A. T. Rosenberger, L. A. Lugiato, M. L. Asquini, M. Brambilla, and L. M. Narducci, "Single-mode Instability in Optical Bistability," Phys. Rev. A, 39, 1235 (1989).

L. A. Orozco, A. T. Rosenberger and H. J. Kimble, "Intrinsic Dynamical Instability in Optical Bistability with Two-Level Atoms," Phys. Rev. Lett., 53, 2547 (1987).

H.G. Lee and S.I. Marcus, "Approximate and Local Linearizability of Nonlinear Discrete Time Systems," International Journal of Control, 44, pp. 1103-1124 (1986).

H.G. Lee and S.I. Marcus, "On Input-Output Linearization of Discrete Time Nonlinear Systems," Systems and Control Letters, 8, pp. 249-259 (1987).

O. Hernández-Lerma and S.I. Marcus, "Adaptive Control of Markov Processes with Incomplete State Information and Unknown Parameters," Journal of Optimization Theory and Applications, 52, pp. 227-241 (February 1987).

H.G. Lee, A. Arapostathis and S.I. Marcus, "On the Linearization of Discrete Time Systems," International Journal of Control, 45, pp. 1803-1822 (1987).

H. Cho and S.I. Marcus, "On Adaptive Control of Stochastic Bilinear Systems," IEEE Transactions on Automatic Control, AC-32, pp. 1103-1106 (December 1987).

O. Hernández-Lerma and S. I. Marcus, "Adaptive Policies for Discrete-Time Stochastic Systems with Unknown Disturbance Distribution," Systems and Control Letters, 9, pp. 307-315 (October 1987).

H.G. Lee and S.I. Marcus, "Immersion and Immersion by Nonsingular Feedback of a Discrete Time Nonlinear System into a Linear System," IEEE Transactions on Automatic Control, AC-33, pp. 479-483 (May 1988).

H. Cho and S.I. Marcus, "On Supremal Languages of Classes of Sublanguages that Arise in Supervisor Synthesis Problems with Partial Observation," Mathematics of Control, Signals, and Systems, 2, pp. 47-69 (1989).

O. Hernández-Lerma and S. I. Marcus, "Nonparametric Adaptive Control of Discrete Time Partially Observable Stochastic Systems," Journal of Mathematical Analysis and Applications, 137, pp. 312-334 (February 1989).

O. Hernández-Lerma and S.I. Marcus, "Discretization Procedures for Adaptive Markov Control Processes," Journal of Mathematical Analysis and Applications, **137**, pp. 485-514 (February 1989).

A.C. Campbell, V.P. Kesan, G.E. Crook, C.M. Maziar, D.P. Neikirk, and B.G. Streetman, "Capacitive Hysteresis Effects in 5.0nm Single and Double Barrier AlAs Tunneling Structures Grown by MBE," J. Vac. Science Tech., **B 6**, pp. 651-656 (Mar/Apr 1988).

T.J. Mattord, V.P. Kesan, G.E. Crook, T.R. Block, A.C. Campbell, D.P. Neikirk, and B.G. Streetman, "Baffle-free Refractory Dimer Source for Molecular Beam Epitaxy," J. Vac. Sci. Technol., **B 6**, pp. 1667-1670 (Nov./Dec. 1988).

V.P. Kesan, A. Dodabalapur, D.P. Neikirk, and B.G. Streetman, "Growth and Rapid Thermal Annealing of AlGaAs/InGaAs Pseudomorphic Modulation-doped Structures," Appl. Phys. Lett., **53**, 22 pp. 681-683 (Aug. 1988).

T.J. Mattord, V.P. Kesan, D.P. Neikirk, and B.G. Streetman, "A Single-filament Effusion Cell with Reduced Thermal Gradient for Molecular Beam Epitaxy," to be published J. Vac. Sci. Technol., **B** (1988).

V.P. Kesan, A. Mortazawi, D.R. Miller, T. Itoh, B.G. Streetman, and D.P. Neikirk, "Microwave Frequency Operation of the Quantum Well Injection Transit Time (QWITT) Diode," Electronics Letters, **24**, pp. 1473-1474 (Nov. 1988).

R. L. Rogers and D. P. Neikirk, "Use of Broadside Twin Element Antennas to Increase Efficiency on Electrically Thick Dielectric Substrates," Int. J. Infrared and Millimeter Waves, **9**, pp. 949-969 (Nov. 1988).

R. L. Rogers and D. P. Neikirk, "Radiation Properties of Slot and Dipole Elements on Layered Substrates," Int. J. Infrared and Millimeter Waves, **10**, No. 4, (April 1989).

V.P. Kesan, A. Mortazawi, D.R. Miller, V.K. Reddy, D.P. Neikirk, and T. Itoh, "Microwave and Millimeter Wave QWITT Diode Oscillators," submitted to IEEE Trans. Microwave Theory Tech., **MTT-** (March 1989).

S.D. Lester, C.W. Farley, T.S. Kim, B.G. Streetman, and J.M. Anthony, "Pulse Diffusion of Ge into GaAs," Applied Physics Letters, **48**, 1063-1065 (April 21, 1986).

S.D. Lester, T.S. Kim, and B.G. Streetman, "Factors Influencing the Photoluminescence Intensity of InP," J. Electrochem. Society, **133**, 2208-2209 (October, 1986).

S.D. Lester, T.S. Kim, and B.G. Streetman, "Ambient-induced Surface Effects on InP and GaAs," J. Applied Physics, **60**, 4209-4214 (15 December, 1986).

C.W. Farley, T.S. Kim, B.G. Streetman, R.T. Lareau, and P. Williams, "Encapsulation and Annealing Studies of Semi-Insulating InP," Thin Solid Films, **146**, 221-231 (January, 1987).

C.W. Farley, T.S. Kim, and B.G. Streetman, "Co-implantation and Autocompensation in Close Contact Rapid Thermal Annealing of Si-implanted GaAs:Cr," J. Electronic Materials, **16**, 79-85 (January, 1987).

C.W. Farley and B.G. Streetman, "Simulation of Anomalous Acceptor Diffusion in Compound Semiconductors," J. Electrochem. Society, **134**, 453-458 (February, 1987).

C.W. Farley and B.G. Streetman, "Type Conversion in Close Contact Rapid Thermal Annealing of Si-implanted InP," J. Electrochemical Society, **134**, 498-499 (February, 1987).

T.S. Kim, S.D. Lester, and B.G. Streetman, "Observation of Radiative Surface States on InP," J. Applied Physics, **61**, 2072-2074 (1 March, 1987).

V.P. Kesan, D.P. Neikirk, B.G. Streetman, and P.A. Blakey, "A New Transit Time Device Using Quantum Well Injection," IEEE Electron Device Letters, **EDL-8**, 129-131 (April, 1987).

T.S. Kim, S.D. Lester, and B.G. Streetman, "Photoluminescence Study of Heat-treated InP," J. Applied Physics, **61**, 4598-4602 (1 May, 1987).

A. Dodabalapur, C.W. Farley, S.D. Lester, T.S. Kim, and B.G. Streetman, "Phosphorus-Overpressure Rapid Thermal Annealing of Indium Phosphide," J. Electronic Materials, **16**, 283-288 (July, 1987).

C.W. Farley and B.G. Streetman, "The Schottky Gated Hall Effect Transistor and its Application to Carrier Concentration and Mobility Profiling in GaAs MESFETs," IEEE Transactions on Electron Devices, **ED-34**, 1781-1787 (August, 1987).

T.S. Kim, S.D. Lester, and B.G. Streetman, "Studies of the 1.35 eV Photoluminescence Band in InP," J. Applied Physics, **62**, 1363-1367 (15 August, 1987).

A.C. Campbell, V.P. Kesan, G.E. Crook, C.M. Maziar, D.P. Neikirk, and B.G. Streetman, "Impedance Switching Effects in GaAs/AlAs Barrier Structures," Electronics Letters, **23**, 926-927 (27 August, 1987).

C.W. Farley, G.E. Crook, V.P. Kesan, T.R. Block, H.A. Stevens, T.J. Mattord, D.P. Neikirk, and B.G. Streetman, "Substrate Rotation and Carbon Generation in a Molecular Beam Epitaxy System," J. Vacuum Science and Technology, **B5**, 1374-1376 (September, 1987).

S.D. Lester, T.S. Kim, and B.G. Streetman, "A Proposed Mechanism for Radiative Recombination Through Surface States on InP," J. Applied Physics, **62**, 2950-2954 (1 October, 1987).

C.W. Farley, T.S. Kim, S.D. Lester, B.G. Streetman, and J.M. Anthony, "Complex Compensation of Ge Pulse Diffused into GaAs," J. Electrochemical Society, **134**, 2888-2892 (November, 1987).

S.D. Lester, T.S. Kim, and B.G. Streetman, "Distortion of Band Edge Luminescence in InP Due to Self-absorption," J. Applied Physics, **63**, 853-857 (1 February, 1988).

S.D. Lester, T.S. Kim, and B.G. Streetman, "Evidence for Photon Recycling in InP," Applied Physics Letters, **52**, 474-476 (8 February, 1988).

V.P. Kesan, D.P. Neikirk, P.A. Blakey, B.G. Streetman, and T.D. Linton, "The Influence of Transit-Time Effects on the Optimum Design and Maximum Oscillation Frequency of Quantum Well Oscillators," IEEE Transactions on Electron Devices, **35**, 405-413 (April, 1988).

V.P. Kesan, A. Dodabalapur, D.P. Neikirk, and B.G. Streetman, "Growth and Rapid Thermal Annealing of AlGaAs/InGaAs Pseudomorphic Modulation-Doped Structures," Applied Physics Letters, **53**, 681-683 (August, 1988).

K. Sadra, C.M. Maziar, and B.G. Streetman, "Choice of the Scattering Carrier in Monte-Carlo Treatments of Carrier-Carrier Scattering," IEEE Proc. I: Solid State and Electron Devices, **135**, 119-124 (October, 1988).

T.J. Mattord, V.P. Kesan, G.E. Crook, T.R. Block, A.C. Campbell, D.P. Neikirk, and B.G. Streetman, "Baffle-Free Refractory Dimer Arsenic Source for Molecular Beam Epitaxy," J. Vac. Science and Techn., **B6**, 1667-1670 (November, 1988).

K. Sadra, C.M. Maziar, B.G. Streetman, and D.S. Tang, "A Monte-Carlo Study of Electron-Hole Scattering and Steady-State Minority Electron Transport in GaAs," Applied Physics Letters, **53**, 2205-2207 (November, 1988).

A. Dodabalapur and B.G. Streetman, "Rapid Thermal Annealing of Dual Si and P Implants in InP," J. Electronic Materials, **18**, 65-68 (January, 1989).

A.C. Campbell and B.G. Streetman, "Application of the Williams-Watts Decay Law to DX Center Capture and Emission Kinetics," Applied Physics Letters, **54**, 445-447 (January, 1989).

C.S. Kyono, V.P. Kesan, D.P. Neikirk, C.M. Maziar, and B.G. Streetman, "Dependence of Apparent Barrier Height in Barrier Thickness for Perpendicular Transport in

AlAs/GaAs Single Barrier Structures Grown by MBE," Applied Physics Letters, **54**, 549-551 (February, 1989).

A.C. Campbell, A. Dodabalapur, G.E. Crook, and B.G. Streetman, "Study of the DX Center Fine Structure in Ion-Implanted $\text{Al}_{0.27}\text{Ga}_{0.73}\text{As}$ Processed by Rapid Thermal Annealing," Applied Physics Letters, **54**, 727-729 (February, 1989).

T.J. Mattord, V.P. Kesan, D.P. Neikirk, and B.G. Streetman, "A Single-Filament Effusion Cell With Reduced Thermal Gradient for Molecular Beam Epitaxy," J. Vac. Science and Tech., B, 214-216 (March, 1989).

A. Dodabalapur, V.P. Kesan, T.R. Block, D.P. Neikirk, and B. G. Streetman, "Optical and Electrical Characterization of Pseudomorphic AlGaAs/InGaAs/GaAs Modulation-Doped Structures Processed by RTA," J. Vac. Science and Tech., B, 380-383 (March, 1989).

T. Koh and E.J. Powers, "Second-Order Volterra Filtering and Its Application to Nonlinear System Identification," IEEE Trans. on Acoustics, Speech and Signal Processing, **ASSP-33**, 1445-1455 (1985).

D.L. Brower, N.C. Luhmann, Jr., W.A. Peebles, Ch.P. Ritz and E.J. Powers, "The Applications of Homodyne Spectroscopy to the Study of Low-Frequency Microturbulence in the TEXT Tokamak," International Journal of Infrared and Millimeter Waves, **7**, 447-457 (1986).

Ch. P. Ritz and E.J. Powers, "Estimation of Nonlinear Transfer Functions for Fully Developed Turbulence," Physica 20D, 'Nonlinear Phenomena', 320-324 (1986).

K.I. Kim, J.Y. Hong and E.J. Powers, "Identification of Nonlinear Systems in the Walsh Sequency Domain," IEEE Trans. on Electromagnetic Compatibility, **EMC-28**, 162-163 (1986).

D.W. Choi, E.J. Powers, Roger D. Bengtson, G. Joyce, D.L. Brower, N.C. Luhmann, Jr. and W.A. Peebles, "Digital Complex Demodulation Applied to Interferometry," Review of Scientific Instruments, **57**, 1989-1991 (1986).

D.L. Brower, W.A. Peebles, N.C. Luhmann, Jr., Ch.P. Ritz and E.J. Powers, "Resolving the Propagation Direction of Tokamak Microturbulence via Homodyne Spectroscopy," Review of Scientific Instruments, **57**, 1977-1979 (1986).

K.I. Kim, E.J. Powers, Ch.P. Ritz, R.W. Miksad and F.J. Fischer, "Modeling of the Nonlinear Drift Oscillations of Moored Vessels Subject to Non-Gaussian Random Sea-Wave Excitation," IEEE J. of Oceanic Engineering, **OE-12 (4)** 568-575 (1987).

K.I. Kim and E.J. Powers, "A Digital Method of Modeling Quadratically Nonlinear Systems with a General Random Input," IEEE Transactions on Acoustics, Speech and Signal Processing, 36, 1758-1769 (November 1988).

E.J. Powers, H.S. Don, J.Y. Hong, Y.C. Kim, G.A. Hallock and R.L. Hickok, "Spectral Analysis of Nonstationary Plasma Fluctuation Data via Digital Complex Demodulation," Review of Scientific Instruments, 59, 1757-1759 (August 1988).

F.L. Jones, Ch.P. Ritz, R.W. Miksad, E.J. Powers and R.S. Solis, "Measurements of the Local Wavenumber and Frequency Spectrum in a Plane Wake," Experiments in Fluids, 6, 365-372 (June 1988).

R.W. Miksad, F.L. Jones, Ch.P. Ritz and E.J. Powers, "The Role of Nonlinear Wave-Wave Interactions in Laminar-Turbulent Transition," Archives of Mechanics, 39, no. 3, 177-205 (1987).

S.J. Levinson, S.B. Kim, T. Koh and E.J. Powers, "Plasma Fluctuation Diagnostics via Maximum Entropy Spectral Estimation," Review of Scientific Instruments, 59, 1754-1756 (August 1988).

Ch.P. Ritz, E.J. Powers, R.W. Miksad and R.S. Solis, "Nonlinear Spectral Dynamics of a Transitioning Flow", Physics of Fluids, 31, 3577-3588 (December 1988).

Ch. P. Ritz, E.J. Powers and R.D. Bengtson, "Experimental Measurement of Three-Wave Coupling and Energy Cascading," Physics of Fluids, 31, 153-163 (January 1989).

Conference Proceedings (supported entirely or in part by JSEP, or JSEP acknowledged for various contributions)

This list does not include numerous publications such as one-page APS or IEEE abstracts of talks given at professional society meetings.

N. Nandhakumar and J.K. Aggarwal, "Synergistic Integration of Thermal and Visual Images for Computer Vision," Proc. of SPIE Conference on Infrared Sensors and Sensor Fusion, vol. 782, Orlando, Florida, pp. 28-36 (May 19-21, 1987).

N. Nandhakumar and J. K. Aggarwal, "Multisensor Integration - Experiments in Integrating Thermal and Visual Sensors," Proceedings of the First International Conference on Computer Vision, London, England, pp. 83-92 (June 8-11, 1987).

C. H. Chien and J. K. Aggarwal, "Shape Recognition from Single Silhouettes," Proceedings of the First International Conference on Computer Vision, London, England, pp. 481-490 (June 8-11, 1987).

N. Nandhakumar and J.K. Aggarwal, "Integrating Information from Thermal and Visual Images for Scene Analysis," Proceedings of SPIE Conference: Applications of Artificial Intelligence III, Orlando, Florida, vol. 635, pp. 132-142 (1986).

O. R. Wood II, W. T. Silfvast, H. W. K. Tom, W. H. Knox, R. L. Fork, C. H. Brito-Cruz, M. C. Downer, and P. J. Maloney, "Effects of Laser Pulse Duration on XUV Emission from Femtosecond and Picosecond Laser-Produced Tantalum Plasmas," Appl. Phys. Lett., **53**, 654 (1988).

M. C. Downer, "The Puzzle of Two-Photon Rare Earth Spectra in Solids," Laser Spectroscopy of Solids II, ed. W. M. Yen (Springer Verlag 1988), in press (September 1988).

M. C. Downer, G. W. Burdick, and D. K. Sardar, "A New Contribution to Spin-Forbidden Rare Earth Optical Transition Intensities: Gd^{3+} and Eu^{3+} ," J. Chem. Phys., **89**, 1787 (1988).

D. H. Reitze, T. R. Zhang, and M. C. Downer, "Longitudinally Localized Optical Carrier Injection for Femtosecond Transport Studies," Picosecond Electronics and Optoelectronics II, eds. C. H. Lee and F. J. Leonberger (Springer Verlag, Heidelberg 1987), p. 86.

C. K. Tzuang, D. Miller, T. H. Wang, T. Itoh, D. P. Neikirk, P. E. Williams, and M. C. Downer, "Picosecond Response of an Optically Controlled Millimeter Wave Phase Shifter," Picosecond Electronics and Optoelectronics II, eds. C. H. Lee and F. J. Leonberger (Springer Verlag, Heidelberg 1987), p. 276.

W. M. Wood, Glenn Focht, D. H. Reitze, G. W. Burdick, and M. C. Downer, "New Development in Ultraviolet and High Intensity Femtosecond Sources," Ultrafast Phenomena VI (Springer Verlag, Heidelberg 1988), p. 128.

M. C. Downer, Glenn Focht, D. H. Reitze, W. M. Wood, and T. R. Zhang, "Blue Shifting of Intense Femtosecond Pulses in Gas Breakdown and Solid State Plasmas," Ultrafast Phenomena VI (Springer Verlag, Heidelberg 1988), p. 101.

J. L. Erskine, C. A. Ballentine, Jose Araya-Pochet, and R. L. Fink, "Synchrotron Radiation Studies of Magnetic Materials," Proc. Mat. Res. Soc., **143**, 45 (1989).

T. Itoh, "An overview of numerical techniques for microwave and millimeter-wave passive components," URSI International Symposium on Electromagnetic Theory, pp.174-175, Budapest, Hungary, (August 25-29, 1986).

- N. Song, D. P. Neikirk and T. Itoh, "Device modeling and characterization of ion-implanted GaAs MESFETs by finite element method," 8th Colloquium on Microwave Communication, pp.377-378, Budapest, Hungary, (August 26-29, 1986).
- C.-K. C. Tzuang and T. Itoh, "Finite element analysis of slow wave coplanar waveguide with localized depletion regions," 16th European Microwave Conference, pp.471-476, Dublin, Ireland, (Sept.8-12, 1986).
- V. D. Hwang, T. Uwano and T. Itoh, "A planar integrated antenna and receiver front end," 1987 IEEE MTT-S International Microwave Symposium Digest, pp.391-394, Las Vegas, NV, (June 9-1, 1987).
- T. Itoh, "Overview of numerical methods for characterization of millimeter-wave passive integrated structures," (Invited) 1987 International Symposium /Brazil, pp.387-392, Rio de Janeiro, Brazil, (July 27-30, 1987).
- V. D. Hwang and T. Itoh, "An integrated antenna-mixer and MESFET local oscillator circuit," 17th European Microwave Conference, pp.853-858, Rome, Italy, (Sept. 7-11, 1987).
- T. Itoh, "Integrated millimeter-wave components using a quasi-optical design combined with planar structures," MIOP (Microwave and Optoelectronics), pp.4A-1, Wiesbaden, W. Germany, (March 2-4, 1988).
- V. D. Hwang and T. Itoh, "A quasi-optical HEMT self-oscillating mixer," 1988 IEEE MTT-S International Microwave Symposium Digest, pp.1093-1096, New York, NY, (May 25-27, 1988).
- A. Mortazawi, V. P. Kesan, D. P. Neikirk and T. Itoh, "Periodic monolithic millimeter-wave quantum well oscillator," 13th International Conf. Infrared and Millimeter Waves, pp.47-48, Honolulu, Hawaii, (December 5-9, 1988).
- R. L. Rogers, D. P. Neikirk, H. Ling and T. Itoh, "Antennas on electrically thick multilayered substrate," 13th International Conf. Infrared and Millimeter Waves, pp.33-34, (December 12-14, 1988).
- T. Itoh, "Applications of coplanar transmission line structures for microwave-optical interaction circuits," MIOP 89, pp.5B-1, Sindelfingen, W. Germany, (Feb.28-March 2, 1989).
- Roger D. Taylor, Jacek Borysow and J. W. Keto, "Raman-Induced Kerr Effect Spectroscopy of Rare Gas Dimers and Molecular Ions," Proceedings of the 4th International Laser Science Conf., Atlanta, Ga., AIP Physics Conf. Proceedings No. 146, Advances in Laser Science-4, Eds: W. C. Stwalley and Marshall Lapp, New York, 1989, to be published.

A. T. Rosenberger, L. A. Orozco and H. J. Kimble, Proceedings of the NATO Advanced Studies Institute, II Ciocco, Italy (1988).

A. T. Rosenberger, L. A. Orozco and H. J. Kimble, in Optical Instabilities, R. W. Boyd, M. G. Raymer and L. M. Narducci (Cambridge University Press, Cambridge, 1985).

M. G. Raizen, L. A. Orozco, A. T. Rosenberger and H. J. Kimble, SPIE Vol. 700, IOCC-1986, 104 (1986).

H.G. Lee and S.I. Marcus, "On the Linearization of Nonlinear Discrete-Time Systems," 1986 American Control Conference, June 11-13, 1986, Seattle, WA.

H.G. Lee, A. Arapostathis and S.I. Marcus, "Linearization of Nonlinear Discrete-Time Control Systems," 1987 American Control Conference, June 10-12, 1987, Minneapolis, MN.

A. Arapostathis and S.I. Marcus, "Adaptive Estimation of Partially Observed Finite State Markov Processes," 1987 International Symposium on Mathematics of Networks and Systems, June 15-19, 1987, Phoenix, AZ.

H. Cho and S.I. Marcus, "Adaptive Control of Stochastic Bilinear Systems," 26th IEEE Conference on Decision and Control, December 9-11, 1987, Los Angeles, CA.

H.G. Lee and S.I. Marcus, "On the Immersion of a Discrete Time Nonlinear System Into a Linear System," 26th IEEE Conference on Decision and Control, December 9-11, 1987, Los Angeles, CA.

H.G. Lee, A. Arapostathis and S.I. Marcus, "Remarks on Discretization and Linear Equivalence of Continuous Time Nonlinear Systems," 26th IEEE Conference on Decision and Control, December 9-11, 1987, Los Angeles, CA.

H. Cho and S.I. Marcus, "Supremal and Maximal Sublanguages Arising in Supervisor Synthesis Problems with Partial Observation," 22nd Conference on Information Sciences and Systems, March 16-18, 1988, Princeton, NJ.

H.G. Lee, A. Arapostathis and S.I. Marcus, "Linearization of Discrete and Discretized Nonlinear Systems," International Colloquium on Nonlinear Control, June 13-17, 1988, Nantes, France.

E. Fernández-Gaucherand, A. Arapostathis and S.I. Marcus, "On the Adaptive Control of a Partially Observable Binary Markov Decision Process," 1988 International Conference on Advances in Communication & Control Systems, October 19-21, 1988, Baton Rouge, LA.

H.G. Lee, A. Arapostathis and S.I. Marcus, "Digital Control of Linearizable Systems," 1988 International Conference on Advances in Communication & Control Systems, October 19-21, 1988, Baton Rouge, LA.

E. Fernández-Gaucherand, A. Arapostathis and S.I. Marcus, "On the Adaptive Control of a Partially Observable Markov Decision Process," 27th IEEE Conference on Decision and Control, December 7-9, 1988, Austin, TX.

H.C. Lee, A. Arapostathis and S.I. Marcus, "On the Digital Control of Nonlinear Systems," Proc. 27th IEEE Conference on Decision and Control, December 7-9, 1988, Austin, TX.

V. Kesan, D. P. Neikirk, and B.G. Streetman, "A Proposed Quantum Well Injection Transit Time Device (QWITT)," Second Topical Meeting on Picosecond Electronics and Optoelectronics, Jan., 1987, pp. 66-68.

R.L. Rogers, D.P. Neikirk, and H. Ling, "Planar Matching of Antennas on Electrically Thick Dielectric Substrates," 12th International Conference on Infrared and Millimeter Waves, Dec. 14-18, 1987, pp. 288-289.

V.P. Kesan, T.D. Linton, C.M. Maziar, D.P. Neikirk, P.A. Blakey, and B.G. Streetman, "Power-optimized design of quantum well oscillators," 1987 IEEE International Electron Devices Meeting, Dec. 6-9, 1987, pp. 62-65.

D.R. Miller, V.P. Kesan, R.L. Rogers, C.M. Maziar, and D.P. Neikirk, "Time Dependent Simulation of the Quantum Well Injection Transit Time Diode," 13th International Conference on Infrared and Millimeter Waves, R.J. Temkin, Editor, SPIE Vol. 1039, Dec. 5-9, 1988, pp. 5-6.

R.L. Rogers, D.P. Neikirk, H. Ling, and T. Itoh, "Antennas on Electrically Thick Multilayered Substrates," 13th International Conference on Infrared and Millimeter Waves, R.J. Temkin, Editor, SPIE Vol. 1039, Dec. 5-9, 1988, pp. 33-34.

A. Mortazawi, V.P. Kesan, D.P. Neikirk, and T. Itoh, "Periodic Monolithic Millimeter-Wave Quantum Well Oscillator," 13th International Conference on Infrared and Millimeter Waves, R.J. Temkin, Editor, SPIE Vol. 1039, Dec. 5-9, 1988, pp. 47-48.

T.R. Block, C.W. Farley, T.S. Kim, S.D. Lester, and B.G. Streetman, "Heating of GaAs and InP by Incoherent Radiation," pp. 157-162 in Advanced Processing and Characterization of Semiconductors III, D. K. Sadana and M. I. Current, eds. Proc. SPIE vol. 623 (January, 1986).

V.P. Kesan, D.R. Miller, T.D. Linton, C.M. Maziar, D.P. Neikirk, P.A. Blakey, and B.G. Streetman, "Power-Optimized Design of Quantum Well Oscillators," 1987 IEDM Technical Digest 62-65 (December, 1987).

V.P. Kesan, T.D. Linton, P.A. Blakey, D.P. Neikirk, and B.G. Streetman, "Analysis of Transit Time Effects Due to Spacer Layers in Quantum Well Oscillators," pp.116-120 in Picosecond Electronics and Optoelectronics, Springer Series in Electronics and Photonics 24, F. J. Leonberger, C.H. Lee, F.Capasso, and H. Morkoc, editors. Springer-Verlag (1987).

V.P. Kesan, D.P. Neikirk, T.D. Linton, P.A. Blakey, and B.G. Streetman, "Influence of Transit Time Effects on the Optimum Design and Maximum Oscillation Frequency of Quantum Well Oscillators," pp. 12-13 in Proc. 12th Intern. Conf. on Infrared and Millimeter Waves, R.J. Temkin, editor. IEEE-MTT Society (14-18 December, 1987).

B.G. Streetman and A. Dodabalapur, "Ion Implantation and Annealing in III-V Materials," invited paper to appear in Advanced Surface Processes for Optoelectronics, edited by T. Venkatesan, S. Bernasek, G. Stillman, and H. Temkin. Materials Research Society Symposium Proceedings (1988).

E.J. Powers, R.W. Miksad, Ch.P. Ritz and R.S. Solis, "Application of Digital Signal Processing Techniques to Measure Nonlinear Dynamics of Transition to Turbulence," Paper AIAA-86-1962, American Institute of Aeronautics and Astronautics 10th Aeroacoustics Conference, Seattle, Washington, July 9-11, 1986, 5 pp.

K.I. Kim, E.J. Powers, Ch.P. Ritz, R.W. Miksad and F.J. Fischer, "Modeling of Nonlinear Systems in Offshore Engineering for Non-Gaussian Inputs," in Offshore Engineering, vol. 5, F.L.L. B. Carneiro, R.C. Batista, and A.J. Ferrante, Editors, Pentech Press, London, 1986, pp. 405-419.

R.D. Bengtson, R.V. Bravenec, D.L. Brower, P.H. Diamond, K.W. Gentle, C.C. Klepper, N.C. Luhmann, Jr., W.A. Peebles, P.E. Phillips, E.J. Powers, T.L. Rhodes, B. Richards, Ch.P. Ritz, W.L. Rowan and A.J. Wootton, "Fluctuations and Transport Measurements in the TEXT Tokamak," in Turbulence and Anomalous Transport in Magnetized Plasmas, D. Gresillon and M.A. Dubois, Editors, Editions de Physique, Orsay, France, 1987, pp. 121-135.

E.J. Powers and R.W. Miksad, "Polyspectral Measurement and Analysis of Nonlinear Wave Interactions," Nonlinear Wave Interactions in Fluids; R.W. Miksad T.R. Akylas, and T. Herbert, Editors; American Society of Mechanical Engineers, New York, 1987, Book No. G00380, pp. 9-16.

K.I. Kim and E.J. Powers, "Digital Estimation of Linear/Quadratic Transfer Functions with a General Random Input," Proceedings of the 1986 International Conference on Acoustics, Speech and Signal Processing, vol. 4, pp. 2727-2730, Tokyo, Japan, April 7-11, 1986 (IEEE Catalog No. 86CH2243-4).

Ch.P. Ritz, R.W. Miksad, E.J. Powers, F.L. Jones and R.S. Solis, "Measurement of Nonlinear Transfer Functions for Transitioning Flows," Proceedings of the IUTAM Symposium on Turbulence Management and Relaminarization, Bangalore, India, January 19-23, 1987, 10 pp. (to be published by Springer-Verlag).

E.J. Powers, Ch.P. Ritz, R.W. Miksad, R.S. Solis and F.L. Jones, "Utilization of Novel Digital Signal Processing Techniques to Analyze Transition to Turbulence Data," in Proceedings of the International Conference on Fluid Mechanics, Shen Yuan, Editor, Peking University Press, Beijing, China, 1987, pp. 145-150.

Ch.P. Ritz, E.J. Powers and C.-K. An, "Application of Digital Bispectral Analysis to Nonlinear Wave Phenomena," Proceedings of the 1987 IASTED International Symposium on Signal Processing and Its Applications, Institution of Engineers, Boualem Boashash, editor, Brisbane, Australia, August 24-28, 1987, pp. 352-356.

J.Y. Hong, E.J. Powers, and W. Sefcik, "Three-Wave Scattering from Cubically Nonlinear Targets," Proceedings of the International Conference RADAR '87, London, October 19-21, 1987, pp. 553-557.

C.K. An, S.B. Kim and E.J. Powers, "Optimized Parametric Bispectrum Estimation," Proceedings of the 1988 International Conference on Acoustics, Speech and Signal Processing, New York, April 11-14, 1988, vol. IV, pp. 2392-2395.

C.K. An, E.J. Powers and Ch.P. Ritz, "Frequency Domain Modeling of Dual-Input/Multiple-Output Quadratic Systems with General Random Inputs," Proceedings of the 1988 IEEE International Symposium on Circuits and Systems, Espoo, Finland, June 6-9, 1988, vol. 3, 2209-2212.

S.B. Kim, E.J. Powers, R.W. Miksad, F.J. Fischer and J.Y. Hong, "Nonlinear System Coherence Analysis of the Surge Response of Tension Leg Platforms Subject to NonGaussian Seas," Proceedings of the Eight International Conference on Offshore Mechanics and Arctic Engineering, The Hague, The Netherlands, March 19-23, 1989, vol. I, pp. 167-173.

K.H. Kim, S.B. Kim, E.J. Powers, R.W. Miksad and F.J. Fischer, "Application of Second Order Volterra Digital Filters to Low Frequency Drift Oscillation Phenomenon," Proceedings of the Eight International Conference on Offshore Mechanics and Arctic Engineering, The Hague, The Netherlands, March 19-23, 1989, vol. II, pp. 533-537.