

OTS: 60-41,022

JPRS: 5118

26 July 1960

INVESTIGATION OF THE POSSIBILITY OF USING
A NONHOMOGENEOUS MAGNETIC FIELD FOR THE
FORMATION OF HIGH-DENSITY ELECTRON BEAMS

- USSR -

by Yu. V. Troitskiy

DTIC QUALITY INSPECTED 2

RETURN TO MAIN FILE

19990114 138

Distributed by:

OFFICE OF TECHNICAL SERVICES
U. S. DEPARTMENT OF COMMERCE
WASHINGTON 25, D. C.

MAAA/10.75

U. S. JOINT PUBLICATIONS RESEARCH SERVICE
205 EAST 42nd STREET, SUITE 300
NEW YORK 17, N. Y.

JPRS: 5118
CSO : 4392 -N/b

7

INVESTIGATION OF THE POSSIBILITY OF USING
A NONHOMOGENEOUS MAGNETIC FIELD FOR THE
FORMATION OF HIGH-DENSITY ELECTRON BEAMS .

[The following is the translation of an article
by Yu.V.Troitskiy in "Zhurnal Tekhnicheskoy
Fiziki" (Journal of Technical Physics), Vol. XXX,
No 5, 1960, pages 512- 521.]

Given are experimental data on the influence of the magnetic field on the characteristics of the Pierce type axially symmetrical electron gun with a convergent beam. The gun is enclosed between magnetic screens of such a configuration, that the magnetic force lines follow the calculated electron trajectories. This system permits the formation of electron beams with a high compression and sharply outlined boundaries, since at some magnitudes of the magnetic field the influence of the thermal velocities of electrons at the cathode is eliminated. The results of experiments are compared with the previously proposed theory.

1

Introduction .

In the previous article /1/ a system was investigated for the formation of high-density electron beams , consisting of an electron gun, located in a magnetic field, the force lines of which along the whole gun length are directed along the trajectories of the electrons leaving the cathode with zero initial velocity. In this case the magnetic field acts upon the movement of those electrons of the beam only, which leave the cathode with some thermal velocities. In the usual electrostatic electron guns these thermal electrons, together with the aberrations are one of the basic factors worsening the parameters of the beam and impeding the formation of electron beams with a high compression of its area and a high conductance /2,3/. Location of the whole gun in a correspondingly selected magnetic field gives the possibility to decrease considerably the spreading of the beam, caused by the thermal velocities, and in some places along the path of the beam to exclude it completely. The location of these focusing points , where the thermal electrons shape in a certain scale a picture of the cathode, can be determined according to formula (14) of article /1/ by the following equality

$$\gamma B_m \int_0^t \left(\frac{r_k}{r_c} \right)^2 dt = 2\pi n, \quad n = 1, 2, 3, \dots \quad (1)$$

Here $\eta = \frac{e}{m}$ -ratio of the electron charge to its mass; r_k - radius of beam at the cathode; r_e - variable distance of the electron, leaving the edge of the cathode with an initial velocity zero, to the beam axis; t - transit time of this electron from the cathode to the point of the beam being examined ; B_{zk} - magnetic induction on the cathode. Formula (1) was derived for a paraxial electron flow with axial symmetry, basically laminar, with a constant current density in the crosssection. For the derivation of formula (1) it was assumed that the magnetic force lines go along the trajectories of the electrons leaving the cathode with a zero initial velocity, and therefore the axial component of magnetic induction B_z varies along the axis of the beam z per

$$B_z = B_{zk} \left(\frac{r_k}{r_e} \right)^2 \quad (2)$$

where r_e is a function of z .

In connection with the multiplicity and seriousness of the assumptions made for the development of the thermal electron trajectory equation, and the determination of the current density distribution in the article /1/, an experimental examination of the derived formulas is desirable. In the work /4/ the beam diameter on the anode of a Pierce gun with parallel flow (special case $r_e \equiv r_k$ in condition (1)), located in a uniform magnetic field,

was measured. It seems that from the practical point of view analogous measurements for a gun with convergent electron beam are more interesting, since this forming system enables us to achieve a higher current density.

The methods and results of an investigation of a Pierce gun with convergent beam, located in a magnetic field, are described below. In this type of electron guns between the cathode and anode /5/ is created the same type electrical field as in the spherical diode, and as a result of this the electrons after leaving the cathode, move along convergent straight lines. After entering through the opening in the anode into the space free from external fields, the beam, originally convergent, reaches its minimum radius r_m , and then due to its own space charge - starts diverging.

The integral $\int \left(\frac{r_k}{r_a}\right)^2 dt$, contained in the expression of the thermal electron trajectory and the condition of focusing(1), is calculated for the Pierce gun in the work of Cutler and Hines /2/. Substituting its value into (1) we obtain

$$r_k B_{kr} \sqrt{\frac{1}{2U_a}} \left\{ (-a)^{3/2} \int_1^{\left(\frac{r_k}{r_a}\right)} \frac{d\left(\frac{r_k}{r_a}\right)}{\left(-a\right)^{3/2}} + 3 \frac{r_k}{r_m} \sqrt{\frac{\pi}{2} (-a)^2} \left[\Phi \left(\sqrt{\ln \left(\frac{r_a}{r_m} \right)} \right) \pm \Phi \left(\sqrt{\ln \left(\frac{r_a}{r_m} \right)} \right) \right] \right\} = 2\pi n, \quad n = 1, 2, 3, \dots \quad (3)$$

Here \bar{r}_k and \bar{r}_a - curvature radii of cathode and anode

in the equivalent spherical diode; r_a - beam radius at the anode; U_a - accelerating voltage at the gun anode; $(-\infty)^2$ - Langmuir - Blogett function for spherical diode, dependent on the ratio of radii \bar{r}_k / \bar{r}_a /5/ .

Function Φ - integral of probability of errors

$$\Phi(x) = \frac{2}{\sqrt{\pi}} \int_0^x e^{-t^2} dt. \quad (4)$$

The plus sign is taken in formula (3), when examining a point beyond the minimum ($z > 0$), the minus sign - for points between the minimum and anode ($z < 0$).

1. Creation of a Nonhomogeneous Magnetic Field , the Force Lines of which Are Directed Along the Electron Trajectories.

For the type of electron gun being investigated , the beam profile $r_e(z)$ can be easily calculated in case of absence of thermal velocities, and therefore using formula (2) we can determine the required course of the magnetic field along the electron beam axis $B_z(z)$. The corresponding arrangement of magnetic materials and sources of the magnetic field can be determined by the known methods of modeling and approximated calculations.

Evidently the realization of a field described by formula (2) may be impossible in a number of cases, e.g. where sharp bends of electron trajectories occur, as at the anode of the Pierce gun.

We can, however, assume that small deviations of magnetic force lines from the exact course do not exert a considerable influence on the investigated phenomenon.




Fig. 1.

Taking the above in consideration a simple form of magnetic screens, as shown on Fig. 1, was used for creating a magnetic field in the Pierce gun. The screens, shown on Fig. 1a, are two cylinders with a diameter D ,

made of a material of high magnetic permeability μ and separated by a narrow gap.

If a magnetic field is produced in the gap by an outside coil or permanent magnet, the magnitude of this field in direction of axis z can be expressed with satisfactory exactness for $\mu = \infty$ by the formula [6]

$$B_z = B_{zm} \frac{1}{\text{ch}^2(2.63 \frac{z}{D})} \quad (5)$$

Here B_{zm} - maximum magnetic field, at the gap ($z = 0$).

The Pierce gun was located between the screens in such a manner that the minimum beam cross-section was exactly at the gap, but the screen diameter D was selected so that

$$\text{ch}(2.63 \frac{z_k}{D}) = \frac{r_k}{r_m} \quad (6)$$

where $|z_k|$ is equal the distance from the cathode to the minimum cross-section of the beam, as determined by the gun computations. The force lines of the magnetic field, selected this way, cross the respective calculated trajectories of the nonthermal electrons in two points: at the cathode plane and at the minimum. Although a deviation of the force lines from the trajectories takes place along the beam at other points, it is not great (for a gun with $\bar{r}_k / \bar{r}_a = 2.25$ and $\theta = 15^\circ$ it does not exceed 10% of the radius).

For screens per Fig. 1a the plane $z = 0$ may be substituted by a plane magnetic screen, having infinite permeability, and the field structure will be maintained. Therefore the required field distribution for $z \leq 0$ can be obtained with screens shaped per Fig. 1b. Such screens can be used in the case when it is required to "stabilize" the electron beam to one side of the minimum only, for example in case of a gun combined with a magnetic focusing system.

The diameter D of the magnetic screen must be made smaller with the increase of compression, and with shortening the distance between the cathode and the minimum. The last two quantities for the Pierce gun are given by the ratio \bar{r}_k / \bar{r}_a and perveance of the beam $P = I/U_a^{3/2}$. For a high compression and high perveance the calculated

diameter D of the screen may become smaller than the gun electrodes (in particular the cathode diameter $2r_k$), which proves the impossibility of using screens of this shape. Fig. 2 shows the relationship of the perveance P and compression r_k^2/r_m^2 for different diameter ratios of




Fig. 2.

screen and cathode - $D/2r_k$.

The curves of Fig. 2 are derived on the basis of formulas (5) and (6), where z_k was expressed through perveance P with the aid of graphs used for computing the Pierce gun, given in /5/. The curve corresponding to $D/2r_k = 1$ is the limit case, which is practically unattainable. The other curves may be easily achieved. Fig. 2 proves that the requirement of a high beam perveance impedes the achievement of a high compression.

It should be mentioned that curves of Fig. 2 are constructed for cylindrical screens only, with $\mu = \infty$. For stabilization of beams with parameters higher than those shown on Fig. 2, screens of another shape must obviously be used.


In conducting the experimental part of the work

basically cylindrical screens ,with slight deviations, which sometimes were of advantage from the construction point of view,were used. Screens were manufactured of Armco iron . The magnetic measurements on the screen axis were made by the ballistic method,using measuring coils of 4-4.5 diameter and 1 mm length,with 0.02 - 0.03 mm windings.

The ballistic coils had two windings,one over the other; the inner,less sensitive coil was used for measuring the magnetic field in the region of the gap,but both coils connected in series,-for measurings at the cathode.

2. Experimental Check of the Magnetic Field Influence on the Performance of the Pierce Gun .

Fig. 3 shows the principal scheme of one of the constructed apparatuses. The beam 1 ,leaving the Pierce gun 2 ,moves along the whole path from the cathode in the magnetic field inside screens 3 ,made of Armco iron. The magnetic screens 3 are located between the poles of electromagnet 5,and therefore in the gap 4 a magnetic field is produced,the force lines of which go along the nominal electron trajectories in the gun. The configuration of



produced,the force lines of which go along the nominal electron trajectories in the gun. The configuration of

7
 screens in general corresponds to Fig. 1 b .The gap between them is located opposite that point of the beam where the minimum crosssection should be ,if there were no thermal velocities.

On the beam path,also at the place of minimum radius, is located a tantalum target 6 ,in the shape of a disc with a very small (0.07 - 0.08 mm) opening 7 in the center. The current passing through the opening and caught by collector 8 ,is proportional to the current density at the location of the opening.With variations of current in the electromagnet the current density at the target must vary too, reaching its maximum for such magnitudes of the magnetic field in the gun, which satisfy the focusing condition (3).

The gun investigated in this apparatus had the following parameters: $\bar{r}_k/\bar{r}_a = 2.25$, $\theta = 15^\circ$, $|z_k| = 14.7$ mm, $r_m = 0.38$ mm, $r_k = 2.25$ mm, perveance $P = 0.4 \cdot 10^{-6}$ a/v^{3/2}. The calculated compression, ignoring the thermal velocities, is 34. The gun computation was made according to Pierce /5/, with a correction of the focusing length of the anode lens per /7/. The configuration of gun electrodes was found with the aid of an inclined electrolytic tub /5/. All parts of the gun, with exception of the oxide coated cathode core (nickel), were made of nonmagnetic materials. Each]

Electrode was fastened with three traverses to the common ceramic base of the gun.

The complete apparatus, except the electromagnet poles, was enclosed in a glass bulb and tested under vacuum and fused; the high vacuum was maintained by barium gas absorbers.

The measured ratio of the field at the minimum (B_{zm}) to the field at the cathode fluctuates between 26 to 32 for variations of the field at the cathode from 0 to 85 gauss, reaching the maximum for a field of $B_{zk} = 40$ gauss.




Fig. 4.

Fig. 4 illustrates the relationship of the collector current I_c to the magnetic field at the cathode B_{zk} for different accelerating voltages: 1- 100, 2-200, 3- 300, 4- 400 v. The curves show, as should be anticipated, that the current density at the measurement point of the beam has several, periodically repeating maxima.

The distance between the maxima increases with increase of the voltage. The current density at the maxima is several times higher than during absence of the magnetic field ($B_{zk} = 0$). This confirms the fact

of thermal electron focusing at some magnitudes of the magnetic field.

The quantitative examination of the focusing condition (3) is of great interest. Substituting the gun parameters into formula (3) we obtain the condition of focusing of thermal electrons in the plane of the minimum beam cross-section: $B_{zk}/\sqrt{U_a} = 1.06n$, where B_{zk} is expressed in gauss, U_a - in volts, n - an integer, $n = 1, 2, 3, \dots$ corresponding to the "order" of focusing. On Fig. 5 the horizontal




Fig. 5.

dotted lines give the calculated relationship $B_{zk}/\sqrt{U_a}$ to U_a , but the points correspond to the maxima of curves $I_c(B_{zk})$. The experimental points are located somewhat above the calculated straight

lines, that is the focusing requires a somewhat stronger magnetic field than calculated. But this difference can be regarded as small, considering the multiplicity of assumptions made when deriving formula (3), and the inexactness of beam parameter calculations. It should be pointed out, that for higher anode voltages the shape of the curves, analogous to those of Fig. 4, becomes somewhat complicated: e.g. the maxima vertices double slightly.

Therefore a more detailed investigation of the beam, than the one described above, appeared necessary. For this purpose a number of instruments were constructed, permitting determination of current density distribution in different crosssections along the beam. Fig. 6 shows the




Fig. 6.

section of one such instrument. The beam 1 is generated by an electron gun of the same type as before (see Fig. 3). The gun is located in a magnetic field, produced by cylindrical screens 3 (analogous to Fig. 1 a), and the minimum beam cross-section is located at the

gap. The screens are located between the poles of an electromagnet, which is outside of the vacuum bulb. The beam, leaving the gun, hits the tantalum target (6), which can rotate around axis OO' , located at some distance off the common axis of the gun and screens. The target has 4 openings 7 of a very small diameter (0.06 - 0.08 mm). Each opening is located at a different distance from the axis of rotation.

During rotation of the target the openings pass

through the beam one after the other, and even if the target and gun are not exactly centered, one of the openings will pass close to the center of the beam—necessary condition for a correct measurement of the distribution of current density in the beam. The current passing through opening and captured by collector 8, gives the distribution of current density on the radius. This method permits the examination of very small diameter axially-symmetrical beams, where an impossible high exactness of mechanical assembly would be needed, if the moving target had only one opening.

The mechanism of the instrument moves the target simultaneously with rotation (1 mm for each turn), thus making possible the examination of different beam sections on a 50 mm length. The movement is transferred into the bulb by means of an iron armature and an electromagnet, rotated by an electromotor. All measurements were made automatically, and the collector current I_c was registered on a film by a loop-oscillograph. More detailed data on this method of measuring current density are given in /8/.

Fig. 7 gives the characteristics of magnetic screens, used in the described apparatus. The curve 3 gives $B_z(z)$ for the current $I_m = 0.8$ in the electromagnet, but curve 4— the respective "ideal" field, calculated




Fig. 7.

per formula (2); curve 1— $B_z(I_m)$ for $z = z_k$; curve 2— B_{zm}/B_{zk} with relation to I_m . As may be seen, the field ratio B_{zm}/B_{zk} is somewhat larger than needed (calculated beam compression is 34)

Fig. 8 shows a number of oscillograms of current density distribution in the same place -at the minimum crosssection of the beam ($z=0$). These curves differ




Fig. 8.

only through the currents of the electromagnet, the magnitude of which is given at each curve. Measurements were made at an anode voltage of 200 v and 1.1 ma current. The scale of the curves per r is shown above curves 1.

The oscillograms of Fig. 8 illustrate very clearly the influence of the magnetic field on the quality of the formed beam. The first curve shows the density distribution of current in absence of a magnetic field. The beam has indistinct boundaries and a low current density, due to the initial thermal velocities. With the increase of the magnetic field the current density increases, but the beam diameter decreases. The beam boundaries become distinct, and the current density distribution approaches the II-type (for $I_m = 0.7-0.8$ a). With further increase of the magnetic field the focusing disappears and the beam again loses the distinct borderlines (curve $I_m = 1.1$ a), although the current density in the middle of the beam decreases only insignificantly. With a further increase of the magnetic field the focusing appears again (for $I_m = 1.7$ a) etc.

Some peculiarities of the shown curves should be mentioned. With approach to the focusing point the current density distribution acquires an uneven, nicked shape with peaks at the edges (for instance, $I_m = 0.7$ a), but with further increase of I_m the current density in the center of the beam becomes higher than at the periphery (curves $I_m = 0.75 - 0.85$ a). This can be explained by the difference of thermal electron trajectories, leaving the ca-

thode at the edges, and the central electrons, which is not considered in the theory. One can assume that first the peripheral electrons are focused, and after this the central electrons. This dependence of current density distribution on I_m , regularly repeated itself in the vicinity of all focusing points, independent of the anode voltage (measurements were made also for $U_a = 100v$ and $U_a = 400 v$).

It should be noted that between the focusing points the maximum current density drops little, takes place only a more shallow drop of it towards the edges. The deep depressions in the collector current curves on Fig. 4 are obviously caused by a slight misalignment of the opening in the target with respect to the axis of the beam, otherwise the collector current would change only very slightly after the first maximum.


It should be remembered that since at the focusing point an image of the cathode is obtained, the shape of the current density distribution curve at this spot is determined by the current density distribution over the cathode surface. This seems to explain the slight asymmetry and uneven shape of some curves and also the doubling of the maxima on Fig. 5.

Besides the described ones a great number of curves were drawn

of current density at different distances from the gun , and accelerating voltages from 50 to 800 v at different magnitudes of the magnetic field. With increase of the distance from the gun anode the current density curves become sharper, and the picture described above repeats itself: the outer electrons are being focused first (the curves are similar to $I_H = 0.7$ a of Fig. 8) , and afterwards the inner electrons (as for $I_H = 0.75 - 0.85$ a. With decrease of voltage and increase of the field the intervals on axis z between the focusing points become shorter.

Based on the obtained oscillograms (approx. 1500 curves) the condition (1) was examined, as far as the dependence on the regime and the axial distance z is concerned. The focusing points calculated per (3) are shown on Fig. 9 in full lines, but the experimentally determined - by differently shaped points.

Fig. 9.



1 - $U_a = 50$ v; 2 - $U_a = 100$ v; 3 - $U_a = 200$ v; 4 - $U_a = 400$ v; 5 - $U_a = 600$ v; 6 - $U_a = 800$ v.

The comparison shows that condition (1) agrees satisfactorily with experimental data. The points shown on Fig. 9 correspond to the assumed focusing of the outer electrons (curves are analogous to $I_m = 0.7$ a Fig. 8), but for the inner electrons the points would be a little to the right.

An apparatus constructed per Fig. 6 with another Pierce gun ($\bar{r}_k / \bar{r}_a = 2.5$) permitted to obtain a beam with sharp boundaries at a compression of 125 ($U_a = 600v$, $I = 5.9$ ma)

Conclusions.

The data given above prove that the characteristics of an electrostatic forming system can be considerably improved if it is located in a magnetic field with force lines directed along the electron trajectories. It is possible to increase considerably the current density in the beam and to obtain distinct boundaries of it, which is desirable, especially in super-high-frequency equipment. Such an electron beam, stabilized by the magnetic field, can be used for example in combination with a magnetic focusing system in traveling-wave tubes, backward-wave tubes, etc. But as shown by calculations, a considerable increase of the focusing field, as compared with a gun without a magnetic field, is required, - by approx. 2.5 to

4 times, if a good outline of the beam at the entrance to the focusing field is required. It seems that the application of this system in equipment with short interaction space - klystrons, retarding field oscillators, etc. In this case it is obviously possible to improve the parameters of the equipment, as compared with the used electrostatic forming systems. For producing the stabilizing field only a small number of ampere-turns is required, and the configuration of the magnetic system permits the use of permanent magnets of satisfactory light weight.

BIBLIOGRAPHY .

- /1/ Yu.V.Troitskiy, Zh T F, XXX, 25, 1960.- /2/ C.C.Cutler, M.E.Hines, Proc. IRE, 43, 307, 1955.- /3/ W.E.Danielson, J.L.Rosenfeld, J.A.Saloom, Bell Syst. Techn. J., 35, 375, 1956.- /4/ A.Szabo, Trans. IRE, ED-5, 183, 1958.- /5/ J.R.Pierce, Teoriya i raschet elektronnykh puchkov (Theory and Calculation of Electron Beams), pg 179-190, Sov. Radio, 1956.- /6/ A.Rustergolts, Elektronnaya optika (Electron Optics), pg 52-61, I L, 1952.- /7/ K.Pöschl, W.Veith, Arch. Elektr. Uebertr., 12, 45, 1958.- /8/ Yu.V.Troitskiy, V.I.Vazhenin, Izv.Sib.Otdel.AN SSSR, No 8, 17, 1959.

Institut Radiofiziki i Elektroniki Sibirskogo Otdeleniya
[A N SSSR, Novosibirsk (Institute of Radiophysics and]

Electronics of the Siberia Division of the AS USSR)

Submitted to editor 14 July 1959.

END

1695

FOR REASONS OF SPEED AND ECONOMY
THIS REPORT HAS BEEN REPRODUCED
ELECTRONICALLY DIRECTLY FROM OUR
CONTRACTOR'S TYPESCRIPT

THIS PUBLICATION WAS PREPARED UNDER CONTRACT TO THE
UNITED STATES JOINT PUBLICATIONS RESEARCH SERVICE
A FEDERAL GOVERNMENT ORGANIZATION ESTABLISHED
TO SERVICE THE TRANSLATION AND RESEARCH NEEDS
OF THE VARIOUS GOVERNMENT DEPARTMENTS