



BANDSLIP R1.2 Theory and User's Guide

by Michael A. Minnicino

ARL-TR-3598

September 2005

NOTICES

Disclaimers

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

Citation of manufacturer's or trade names does not constitute an official endorsement or approval of the use thereof.

DESTRUCTION NOTICE—When this document is no longer needed, destroy it by any method that will prevent disclosure of its contents or reconstruction of the document.

Army Research Laboratory

Aberdeen Proving Ground, MD 21005-5069

ARL-TR-3598**September 2005**

BANDSLIP R1.2 Theory and User's Guide

Michael A. Minnicino

Weapons and Materials Research Directorate, ARL

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.				
1. REPORT DATE (DD-MM-YYYY) September 2005		2. REPORT TYPE Final		3. DATES COVERED (From - To) July 2005
4. TITLE AND SUBTITLE BANDSLIP R1.2 Theory and User's Guide			5a. CONTRACT NUMBER	
			5b. GRANT NUMBER	
			5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Michael A. Minnicino (ARL)			5d. PROJECT NUMBER 622618.H80	
			5e. TASK NUMBER	
			5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Army Research Laboratory Weapons and Materials Research Directorate Aberdeen Proving Ground, MD 21005-5069			8. PERFORMING ORGANIZATION REPORT NUMBER ARL-TR-3598	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)			10. SPONSOR/MONITOR'S ACRONYM(S)	
			11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution is unlimited.				
13. SUPPLEMENTARY NOTES				
14. ABSTRACT A code was produced by Sandia National Laboratories, Albuquerque, New Mexico, in the late 1980s to predict sub-projectile spin rates for slip-banded munitions. In a slip-banded munition, the projectile rotates at a spin rate less than that of the rifling because of slip between the obturator and the projectile body while obturation of the propellant gases is maintained. The code, called "BANDSLIP ¹ ," was written in FORTRAN (Formula Translator) and used software and libraries that were consistent with the programming methods at SNL generally used at the time. With the passage of time and changes in hardware and software, it became desirable to rewrite the code to be more compatible with modern computing techniques. The original BANDSLIP algorithm, referenced as BANDSLIP R1.0, has been incrementally modified, augmented, and validated. The end product of the rewriting process is referenced as BANDSLIP R1.2. The purpose of this report is to provide a guide for using BANDSLIP R1.2, while providing documentation of the theory behind the original and new versions of the code. ¹ BANDSLIP is not an acronym.				
15. SUBJECT TERMS bandslip; desppun; dode; munition				
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES
a. REPORT Unclassified	b. ABSTRACT Unclassified	c. THIS PAGE Unclassified	SAR	35
			19a. NAME OF RESPONSIBLE PERSON Michael A. Minnicino	
			19b. TELEPHONE NUMBER (Include area code) 410-306-1919	

Contents

List of Figures	iv
1. Background	1
2. Theory	1
3. User's Guide	5
4. Summary	6
5. References	8
Appendix A. Development of Equation 5 – Temperature at Slip-Band-Band-Seat Interface	9
Appendix B. Sample BANDSLIP R1.2 Analysis Input File (<i>testband.in</i>)	11
Appendix C. Sample BANDSLIP R1.2 Pressure Input File (<i>testband.press</i>)	13
Appendix D. Sample SWEEP Analysis Output File Generated From <i>testband.in</i> and <i>testband.press</i>	15
Appendix E. Sample HISTORY Analysis Output Files <i>bandslip.out1</i> and <i>bandslip.out2</i> Generated From <i>testband.in</i> and <i>testband.press</i>	17
Appendix F. BANDSLIP R1.2 Variable Table	19
Distribution List	20

List of Figures

Figure 1. Typical de-spun munition geometry cross section illustrating the areas where the base pressure acts upon the tube pressure and the axial and radial surfaces that transfer torque to the sub-projectile.	2
Figure 2. Program logic for calculating the transmitted torque $T(t)$ to the band seat, thus sub-projectile, from the slip band.	4
Figure 3. Thermal 1-D model used to predict the onset of melting at the slip-band-band-seat interface.....	5

1. Background

The original BANDSLIP R1.0 was developed by Nielan and Benedetti of Sandia National Laboratories, Albuquerque, New Mexico, as a computational tool used to predict the dynamic behavior of “de-spun” munitions (1). BANDSLIP R1.0 was distributed to the U.S. Army Ballistics Research Laboratory¹ in 1989 and was later successfully used to qualitatively predict the dynamic behavior of a 105-mm de-spun munition with the use of different slip-band designs (2).

A munition is said to be de-spun when the munition’s angular velocity is significantly less than its band’s angular velocity; thus, the band slips on the munition, thus the name “slip band.” With the emergence of smart munitions that possess advanced guidance for dynamic targeting capabilities, de-spun munitions are seen as the best approach for survivability of these fin-stabilized, canard-guided munitions because of the reduced aerodynamic loads on the fins and canards.

2. Theory

The cross section of a typical slip-band design is shown in figure 1. From this figure, it is seen that the slip band rides on a section of material denoted as the band seat, which is outlined in the figure by dashed lines. From experience, it is recommended that the slip band ride on a polymer band seat for performance and reliability reasons (2). The polymer band seat is permanently fixed to the sub-projectile and therefore, the band seat dynamic measurements (angular rotation, angular velocity, etc.) are equivalent to the attached sub-projectile. A design using a distinct band seat material relative to the slip band and the sub-projectile is referred to as a two-piece slip-band design. Conversely, if the band seat is provided by the sub-projectile material, it is referred to as a one-piece slip-band design. The base pressure is the pressure acting normal to the munition’s surfaces rear of the band because of the propellant deflagration. The tube pressure is realized after the slip band is radially compressed when it passes through the gun’s forcing cone and subsequently remains radially confined by the gun barrel inner wall. The effect of the tube pressure is to provide a compressive radial stress between the slip band and the band seat. The magnitude of the induced radial stress is difficult to determine and is not constant along its length (x-direction). However, since the code uses rigid body equations of motion (EoM), the mean radial-induced stress is prescribed as the input to BANDSLIP.

¹Now the U.S. Army Research Laboratory




Figure 1. Typical de-spun munition geometry cross section illustrating the areas where the base pressure acts upon the tube pressure and the axial and radial surfaces that transfer torque to the sub-projectile.

The dynamic behavior of a de-spun munition is predicted via rigid body EoM coupled with a kinematic constraint equation. The slip band is kinematically constrained to rotate in accordance with the gun barrel rifling. With the subscripts “b” to denote band seat and “s” to denote slip band, the kinematic constraint is defined by equation 1, in which $\ddot{\theta}_s$ is the slip band’s angular velocity, P_{base} is the base pressure, A_{base} is the munition’s base area, R_{gun} is the gun’s bore radius, η is the lead of the rifling measured in calibers per revolution, and m is the total munition’s mass. As previously noted, the base pressure acts on the munition’s surfaces rear of the slip band; however, the net area over which the base pressure acts is the base area that is defined as the total projected area of the munition base onto a plane whose normal is coincidental with the centerline axis. The band seat, thus sub-projectile, moves according to the EoM condition specified by equation 2, in which $\ddot{\theta}_b$ is the sub-projectile’s angular velocity, T is the applied torque, and I_{proj} is the moment of inertia with respect to the sub-projectile’s axis of symmetry, i.e., its centerline axis.

$$\ddot{\theta}_s(t) = \frac{\pi A_{base} P_{base}(t)}{R_{gun} \eta m} \quad (1)$$

$$\ddot{\theta}_b(t) = \frac{T(t)}{I_{proj}} \quad (2)$$

The transmitted torque $T(t)$ of equation 2 is calculated as shown in figure 2. As shown by this figure, BANDSLIP compares the radial compressive contact pressure induced by gun barrel to the base pressure. When the base pressure magnitude is larger than the radial contact pressure, the slip band is unseated or “lifted,” and the torque transmitted by the radial surface is lost. When the torque required to rotate the munition with the band cannot be maintained by the axial and radial surfaces, slip occurs. The relative velocity between these surfaces generates heat. The heat generation enables the melting of the slip band and/or the band seat materials at their interface. The low viscosity melted liquid interface cannot support torsion loads, thereby

allowing slip. The munition's angular velocity is therefore limited to its angular velocity when both axial and radial surfaces have melted or the radial surface has lifted and the axial surface has melted. The one-dimensional (1-D) thermal model used to predict the onset of melting at the slip-band-band-seat interface is shown in figure 3. The 1-D heat transfer problem is governed by equation 3 with the interface boundary condition given in equation 4. Using the subscripts "b" to denote band seat and "s" to denote slip band, U is temperature, α is the material's thermal diffusivity, k is the material's thermal conductivity. The heat flux, q'' , is the product of the friction coefficient, μ , the contact pressure, P (which differs between the axial and radial interfaces), and the relative linear velocity, v_{rel} , between the slip band and band seat. The dummy spatial variable ξ is used since this model is valid for both the axial (1D in x coordinate) and radial (1-D in $r = y$ coordinate) interfaces.

$$\frac{\partial^2 U(\xi, t)}{\partial \xi^2} = \frac{1}{\alpha} \frac{\partial U(\xi, t)}{\partial t} \quad (3)$$

$$-k_s \frac{\partial U_s(0, t)}{\partial \xi} + k_b \frac{\partial U_b(0, t)}{\partial \xi} = q'' = \mu P v_{rel}(t) \quad (4)$$

Observation of equations 3 and 4 reveals that

- slip band and band seat are assumed to have sufficient thickness in order to be treated as semi-infinite materials;
- all work at the slip-band-to-band-seat interface generates heat;
- slip band and band seat are assumed to be homogeneous and isotropic;
- perfect contact is assumed in the heat generation term.

Solving the 1-D heat equation explicitly for the temperature at the interface ($\xi = 0$) yields

$$U(\xi = 0, t) = U(\xi = 0, t - \Delta t) + q'' \sqrt{\frac{\Delta t}{\pi(k_s \rho_s c_s + k_b \rho_b c_b)}} \quad (5)$$

in which $U(0, t)$ is the current temperature at the interface, and $U(0, t - \Delta t)$ is the previous temperature interface. The development of equation 5 using the Laplace transform method is presented in appendix A (3).

With equations 1 through 5, the torque transmitted from the slip band to the band seat, thus the sub-projectile, can be calculated according to the program logic shown in figure 2. Note that the model depicted in figure 1 shows that the axial and radial traction surfaces are normal and therefore independent of each other. This implicit assumption is brought to the foreground in view of the expression for the effective torque transmitted shown in figure 2. Therefore a slip-band design featuring non-constant coordinate surfaces, e.g., a radially tapered interface, cannot be accounted for because of the formulation in which the transmitted torque is calculated. Given the effective transmitted torque, the band seat's angular acceleration is calculated by equation 2.

The angular acceleration's anti-derivatives, i.e., angular velocity and angular rotation, are subsequently found via the method of first differences. For example, the angular velocity is found by

$$\dot{\theta}(t) = \dot{\theta}(t - \Delta t) + \ddot{\theta}(t)\Delta t \quad (6)$$

Similarly, the angular rotation is calculated by

$$\theta(t) = \theta(t - \Delta t) + \dot{\theta}(t)\Delta t \quad (7)$$

Depending on the type of analysis, BANDSLIP R1.2 outputs certain dynamic parameters to ASCII (American standard code for information exchange) files for post-processing.




Figure 2. Program logic for calculating the transmitted torque T(t) to the band seat, thus sub-projectile, from the slip band.




Figure 3. Thermal 1-D model used to predict the onset of melting at the slip-band-band-seat interface.

3. User's Guide

Operating BANDSLIP R1.2 is straightforward. To run BANDSLIP R1.2, the source file **bandslipR12.f** must be successfully compiled (creating **bandslipR12.obj**), then simply linked against itself to create **bandslipR12.exe** (as opposed to the original version of the code, BANDSLIP R1.2 does not require linking against external libraries). The file **bandslipR12.exe** can be executed on a personal computer running a Microsoft (MS) operating system by the following procedure:

1. Find and execute **bandslipR12.exe**:

a. Open an MS command window. From the command window, change directories to where **bandslipR12.exe**, the analysis input file (AI file), and the base pressure input file (PI file) are located. Enter **bandslipR12.exe** at the command prompt.

OR

b. Locate **bandslipR12.exe** on the PC and double click the file to begin execution.

2. Upon doing this, the user will be prompted to enter the name of the AI file. A sample AI file is given in appendix B. Enter the name of this AI file, e.g., **testband.in**, at the prompt. The user will then be prompted to enter the name of the PI file.

3. The PI file is a two-column delimited ASCII file containing time versus base pressure data. A sample PI file is presented in appendix C. Enter the name of the PI file, e.g., **testband.press**, at the prompt. BANDSLIP R1.2 will then run to completion if no errors exist in the input.

The analysis input file is divided into four main sections. The first section is referred to as the analysis header section. The input in this section determines the type of analysis and the

controlling parameters for each of these analyses. There are two types of BANDSLIP R1.2 analyses: SWEEP and HISTORY. A SWEEP analysis sweeps through the defined limits of the radial band pressure and slip-band-to-band-seat friction coefficients, or simply the friction coefficients, and reports the slip band design's initial slip time, lift time, axial and radial melt time, required base pressure needed to induce slip, sub-projectile rotation at exit, and sub-projectile angular velocity at exit. The SWEEP analysis produces a family of solutions, from which the user with empirical knowledge of achievable tube pressure and friction coefficients can select the appropriate conditions to study in further detail. An example of a SWEEP analysis output is given in appendix D.

A HISTORY analysis outputs the time-dependent dynamic behavior of the band seat, thus the affixed sub-projectile based on a uniquely specified radial band pressure and friction coefficient. During a HISTORY analysis, BANDSLIP R1.2 reports the pressure, slip band angular acceleration and velocity, sub-projectile angular acceleration and velocity, axial interface temperature, radial interface temperature, and the distance traveled for each time step to the bandslip.out1 file. BANDSLIP R1.2 reports pressure, the transmitted torque, the maximum available torque, the required torque, the torque transmitted across the axial interface, the torque transmitted by the radial interface, and the projectile axial velocity for each step to the bandslip.out2 file. An example of each HISTORY analysis output file is shown in appendix E.

A new feature in BANDSLIP R1.2 is that ability to explicitly define the slip band and band seat materials in the analysis header section by a material identification number that is uniquely associated with a material defined in the material database section. This feature allows multiple materials to be defined in an AI file, allowing the user to easily switch materials for a given geometry.

The second section is the analysis parameters section where unit conversion factors are located. The third section is the analysis geometry section where the slip-band geometry is defined as well as the munition's moment of inertia with respect to the centerline axis. Note that this assumes that the location where the moment of inertia is taken resides on the centerline axis, i.e., the munition is axisymmetric. The last section is the material database. This section defines the relevant material properties needed for the analysis: density, thermal conductivity, specific heat, and melt temperature. A table defining the AI file input, units, and descriptions is presented in appendix F.

4. Summary

BANDSLIP R1.2 has successfully been revised and is now able to be run independent of external libraries or subroutines. The theory and program logic of BANDSLIP R1.0 and R1.2 have been documented. A basic user's guide has been presented for BANDSLIP R1.2.

Additionally, validated example analysis input and pressure input files with their corresponding SWEEP and HISTORY output files are included in the appendices for reference. Finally, a variable table given in appendix F details each of the input variables and units and provides a short description.

5. References

1. Nielan, P.E.; Benedetti, G.A. *Spin Rate Prediction for Projectiles with Slipping Obturators*; Presentation Handout; Ballistic Research Laboratory: Aberdeen Proving Ground, MD, 7 September 1988.
2. Kaste, R.P. *Development of a Design Methodology for Slip band Obturators*; BRL-TR-3297; Ballistic Research Laboratory: Aberdeen Proving Ground, MD, 22 November 1991.
3. Research & Education Association. *Handbook of Mathematical, Scientific, and Engineering Formulas, Tables, Functions, Graphs, Transforms*. Piscataway, NJ, 1992.

Appendix A. Development of Equation 5 – Temperature at Slip-Band-Band-Seat Interface

Equation 5 gives the temperature at the slip-band-band-seat interface as

$$U(\xi = 0, t) = U(t - \Delta t) + q'' \sqrt{\frac{\Delta t}{\pi(k_s \rho_s c_s + k_b \rho_b c_b)}} \quad (\text{A-1})$$

Beginning with the governing partial differential equation and boundary condition given in equations 3 and 4 and taking the Laplace transform yields

$$\frac{\partial^2 U(\xi, t)}{\partial \xi^2} = \frac{1}{\alpha} \frac{\partial U(\xi, t)}{\partial t} \Leftrightarrow \frac{\partial^2 \bar{U}(\xi, s)}{\partial \xi^2} = \frac{1}{\alpha} (s \bar{U}(\xi, s) - U_\infty) \quad (\text{A-2})$$

and

$$k_s \frac{\partial U_s(0, t)}{\partial \xi} - k_b \frac{\partial U_b(0, t)}{\partial \xi} = q'' \Leftrightarrow k_s \frac{\partial \bar{U}_s(0, s)}{\partial \xi} - k_b \frac{\partial \bar{U}_b(0, s)}{\partial \xi} = \frac{q''}{s} \quad (\text{A-3})$$

Rearranging equation A-2 in Laplace space results in the ordinary differential equation

$$\frac{d^2 \bar{U}(\xi, s)}{d\xi^2} - \frac{1}{\alpha} s \bar{U}(\xi, s) = -\frac{1}{\alpha} U_\infty \quad (\text{A-4})$$

which has the solution

$$\bar{U}_s(\xi, s) = \frac{1}{\alpha} U_\infty + A e^{\frac{\sqrt{s}}{\alpha_s} \xi} + B e^{\frac{-\sqrt{s}}{\alpha_s} \xi}, \text{ for } \xi \geq 0 \quad (\text{A-5a})$$

$$\bar{U}_b(\xi, s) = \frac{1}{\alpha} U_\infty + C e^{\frac{\sqrt{s}}{\alpha_b} \xi} + D e^{\frac{-\sqrt{s}}{\alpha_b} \xi}, \text{ for } \xi \leq 0 \quad (\text{A-5b})$$

The condition as $\xi \rightarrow \infty$, namely, $U(\xi \rightarrow \infty, t) \rightarrow U_\infty$, implies that $\bar{U}(\xi \rightarrow \infty, s) \rightarrow U_\infty$; therefore, the coefficients $A=D=0$ of equations A-5a and A-5b, respectively. Also, imposing the condition that the slip band and band seat have identical temperatures at the interface, i.e., $U_s(\xi=0, t)$ and $U_b(\xi=0, t)$, prescribes $B = C$. The remaining unknown coefficient B , thus C , is chosen so that it satisfies the boundary condition at $\xi=0$ defined by equation A-2.

$$\begin{aligned} k_s \frac{\partial}{\partial y} \left[\frac{1}{\alpha} U_\infty + B e^{\frac{-\sqrt{s}}{\alpha_s} y} \right] - k_b \frac{\partial}{\partial y} \left[\frac{1}{\alpha} U_\infty + B e^{\frac{\sqrt{s}}{\alpha_b} y} \right] = \\ k_s \sqrt{\frac{s}{\alpha_s}} B e^{\frac{-\sqrt{s}}{\alpha_s} \xi} + k_b \sqrt{\frac{s}{\alpha_b}} B e^{\frac{\sqrt{s}}{\alpha_b} \xi} = B \sqrt{s} \left[\frac{k_s}{\alpha_s} + \frac{k_b}{\alpha_b} \right] = \frac{q''}{s} \end{aligned} \quad (\text{A-6})$$

Solving for B yields

$$B = C = \frac{q''}{s^{3/2}} \left[\frac{k_s}{\alpha_s} + \frac{k_b}{\alpha_b} \right] = \frac{q''}{s^{3/2}} \left[\frac{1}{\sqrt{k_s \rho_s c_s + k_b \rho_b c_b}} \right] \quad (\text{A-7})$$

Substituting the expression for B and $C = B$ into equations A-5a and A-5b, respectively, and taking the inverse Laplace transform using the transform tables found in (3) yields

$$U_s(x, t) = U_\infty + \frac{2q''}{\sqrt{\pi(k_s \rho_s c_s + k_b \rho_b c_b)}} \left[\sqrt{t} e^{-\xi^2/(4\alpha_s t)} - \frac{\xi}{\sqrt{\alpha_s}} \operatorname{erfc} \left(\frac{\xi}{2\sqrt{\alpha_s t}} \right) \right] \quad (\text{A-8a})$$

$$U_b(x, t) = U_\infty + \frac{2q''}{\sqrt{\pi(k_s \rho_s c_s + k_b \rho_b c_b)}} \left[\sqrt{t} e^{-\xi^2/(4\alpha_b t)} - \frac{\xi}{\sqrt{\alpha_b}} \operatorname{erfc} \left(\frac{\xi}{2\sqrt{\alpha_b t}} \right) \right] \quad (\text{A-8b})$$

At $\xi=0$

$$U_s(\xi=0, t) = U_b(\xi=0, t) = U_\infty + \frac{2q'' \sqrt{t}}{\sqrt{\pi(k_s \rho_s c_s + k_b \rho_b c_b)}} \quad (\text{A-9})$$

For the numerical analysis, as we step through time

$$U(\xi=0, \Delta t) = U_\infty + \frac{2q'' \sqrt{\Delta t}}{\sqrt{\pi(k_s \rho_s c_s + k_b \rho_b c_b)}}, \quad t_1 = \Delta t \quad (\text{A-10a})$$

$$U(\xi=0, 2\Delta t) = U_\infty + \frac{2q'' \sqrt{2\Delta t}}{\sqrt{\pi(k_s \rho_s c_s + k_b \rho_b c_b)}}, \quad t_2 = 2\Delta t \quad (\text{A-10b})$$

The difference between t_2 and t_1 is

$$U(\xi=0, 2\Delta t) - U(\xi=0, \Delta t) = \frac{2q'' \sqrt{2\Delta t} - \Delta t}{\sqrt{\pi(k_s \rho_s c_s + k_b \rho_b c_b)}} \quad (\text{A-11})$$

Finally, rearranging and recasting the equation in a more general form yields the expression for the interface temperature at time t as

$$U(\xi=0, t) = U(\xi=0, t - \Delta t) + \frac{2q'' \sqrt{\Delta t}}{\sqrt{\pi(k_s \rho_s c_s + k_b \rho_b c_b)}} \quad (\text{A-12})$$

Appendix B. Sample BANDSLIP R1.2 Analysis Input File (*testband.in*)

```

sweep                                !  analtype = sweep or history
0.0333    0.2664    0.0333          !    mu_min    mu_max    mu_step
0.0 3.448e+08 3.448e+07            !  p_rad_min p_rad_max p_radstep
1.034e+08    0.1    0.1            !    p_rad    mu_a    mu_r
7.45e2 1.5355e-2 6.829e-3          !  xdot_exit textit_est    tpeak
1          3                                !  bandMatID seatMatID    <->
=====
!-----Analysis Parameters-----
6.3e+1    2.50e-4          !  narray    step    !
2.82e+2          !  u_init    <->    !
1.45e-4    0.737          !  psi_fact  torq_fact    !
1000.0          !  time_fact  <->    !
1.8    -459.0          !  Tfactmult  Tfactadd    !
3.278    1.59e-1          !  len_fact  ang_fact    !
!-----Geometry-----
1.66e-1          !  Is    <->    !
2.595e-3 1.917e-2          !  A_rear  A_base    !
2.5027e-3 7.4676e-2          !  area_a  rad_a    !
1.7238e-2 7.2009e-2          !  area_r  rad_r    !
5.2070          !  barrel len    <->    !
2.0e1    7.812e-2          !  twist    rs    !
5.442e+1          !  total mass    <->    !
!-----MAT DB -----
1          !  mat_ID          !  NYLON
1.1e+3    1.1e+3          !  rho_a    rho_r    !
2.3e-1    2.3e-1          !  k_a    k_r    !
1.9e+3    1.9e+3          !  c_a    c_r    !
5.3e+2    5.3e+2          !  umelt_a  umelt_r    !
!-----
2          !  mat_ID          !  PP
1.1e+3    1.1e+3          !  rho_a    rho_r    !
2.3e-1    2.3e-1          !  k_a    k_r    !
1.9e+3    1.9e+3          !  c_a    c_r    !
4.3e+2    4.3e+2          !  umelt_a  umelt_r    !
!-----
3          !  mat_ID          !  ALUMINUM
9.0e+2    9.0e+2          !  rho_a    rho_r    !
1.2e+2    1.2e+2          !  k_a    k_r    !
9.6e+2    9.6e+2          !  c_a    c_r    !
9.2e+2    9.2e+2          !  umelt_a  umelt_r    !
!-----

```

INTENTIONALLY LEFT BLANK

Appendix C. Sample BANDSLIP R1.2 Pressure Input File (*testband.press*)

.000e-3	.000e+6		
.250e-3	1.154e+6	12.250e-3	116.907e+6
.500e-3	1.809e+6	12.500e-3	109.829e+6
.750e-3	2.686e+6	12.750e-3	103.405e+6
1.000e-3	3.916e+6	13.000e-3	97.558e+6
1.250e-3	5.604e+6	13.250e-3	92.222e+6
1.500e-3	7.883e+6	13.500e-3	87.339e+6
1.750e-3	10.910e+6	13.750e-3	82.859e+6
2.000e-3	14.875e+6	14.000e-3	78.739e+6
2.250e-3	20.000e+6	14.250e-3	74.941e+6
2.500e-3	26.545e+6	14.500e-3	71.432e+6
2.750e-3	34.813e+6	14.750e-3	68.184e+6
3.000e-3	45.145e+6	15.000e-3	65.525e+6
3.250e-3	57.924e+6	15.250e-3	62.000e+6
3.500e-3	73.349e+6	15.500e-3	59.000e+6
3.750e-3	91.921e+6		
4.000e-3	114.098e+6		
4.250e-3	139.598e+6		
4.500e-3	169.049e+6		
4.750e-3	202.469e+6		
5.000e-3	230.608e+6		
5.250e-3	255.084e+6		
5.500e-3	277.800e+6		
5.750e-3	297.676e+6		
6.000e-3	313.748e+6		
6.250e-3	325.397e+6		
6.500e-3	332.373e+6		
6.750e-3	334.766e+6		
7.000e-3	332.969e+6		
7.250e-3	327.700e+6		
7.500e-3	319.752e+6		
7.750e-3	309.786e+6		
8.000e-3	298.463e+6		
8.250e-3	286.341e+6		
8.500e-3	273.866e+6		
8.750e-3	261.375e+6		
9.000e-3	249.112e+6		
9.250e-3	237.245e+6		
9.500e-3	225.881e+6		
9.750e-3	215.082e+6		
10.000e-3	204.877e+6		
10.250e-3	195.272e+6		
10.500e-3	186.256e+6		
10.750e-3	177.809e+6		
11.000e-3	165.844e+6		
11.250e-3	153.802e+6		
11.500e-3	143.044e+6		
11.750e-3	133.401e+6		
12.000e-3	124.729e+6		
.	.		
.	.		

INTENTIONALLY LEFT BLANK

**Appendix D. Sample SWEEP Analysis Output File Generated From
testband.in and *testband.press***

prad	mu	tslip	tlift	tmelt_a	tmelt_r	pslip	ths	thsdot
0.00	0.03	0.25	0.00	4.75	999000.00	167.33	0.01	1.27
4999.60	0.03	2.00	2.75	5.00	999000.00	2156.88	0.04	3.51
9999.20	0.03	2.75	3.50	5.00	999000.00	5047.89	0.07	6.14
14998.80	0.03	3.00	4.00	5.00	999000.00	6546.03	0.11	9.14
19998.40	0.03	3.25	4.25	5.25	999000.00	8398.98	0.14	12.06
24998.00	0.03	3.50	4.75	5.25	999000.00	10635.61	0.19	16.68
29997.60	0.03	3.75	5.00	5.50	999000.00	13328.55	0.23	20.73
34997.20	0.03	4.00	5.25	5.50	999000.00	16544.21	0.27	24.83
39996.80	0.03	4.00	5.50	5.75	999000.00	16544.21	0.32	29.75
44996.40	0.03	4.25	6.00	5.75	5.75	20241.71	0.37	34.83
49996.00	0.03	4.25	999000.00	6.00	5.75	20241.71	0.39	37.34
prad	mu	tslip	tlift	tmelt_a	tmelt_r	pslip	ths	thsdot
0.00	0.07	0.25	0.00	4.50	999000.00	167.33	0.02	2.02
4999.60	0.07	2.75	2.75	4.50	999000.00	5047.89	0.05	4.41
9999.20	0.07	3.25	3.50	4.75	999000.00	8398.98	0.10	8.30
14998.80	0.07	3.75	4.00	5.00	999000.00	13328.55	0.15	12.90
19998.40	0.07	4.25	4.25	5.25	999000.00	20241.71	0.19	16.60
24998.00	0.07	4.5	4.75	5.50	999000.00	24512.11	0.27	24.34
29997.60	0.07	4.75	5.00	5.50	999000.00	29358.01	0.32	29.20
34997.20	0.07	4.75	5.25	5.75	999000.00	29358.01	0.38	35.66
39996.80	0.07	5.25	5.50	6.00	999000.00	36987.19	0.45	43.02
44996.40	0.07	5.5	6.00	6.50	999000.00	40281.00	0.59	58.29
49996.00	0.07	5.75	999000.00	7.00	7.00	43163.02	0.85	89.27
prad	mu	tslip	tlift	tmelt_a	tmelt_r	pslip	ths	thsdot
0.00	0.23	0.25	0.00	4.00	999000.00	167.33	0.05	4.31
4999.60	0.23	2.75	2.75	4.25	999000.00	5047.89	0.08	7.20
9999.20	0.23	3.50	3.50	4.50	999000.00	10635.61	0.13	11.10
14998.80	0.23	4.00	4.00	4.75	999000.00	16544.21	0.18	15.79
19998.40	0.23	4.25	4.25	5.00	999000.00	20241.71	0.22	19.96
24998.00	0.23	4.75	4.75	5.25	999000.00	29358.01	0.30	27.81
29997.60	0.23	5.00	5.00	5.50	999000.00	33438.17	0.36	34.08
34997.20	0.23	5.25	5.25	5.75	999000.00	36987.19	0.43	41.08
39996.80	0.23	5.50	5.50	6.00	999000.00	40281.00	0.50	48.72
44996.40	0.23	6.00	6.00	6.50	999000.00	45493.46	0.65	65.61
49996	0.23	999000.00	999000.00	999000.00	999000.00	0.14	1.71	257.03
prad	mu	tslip	tlift	tmelt_a	tmelt_r	pslip	ths	thsdot
0.00	0.27	0.25	0.00	4.00	999000.00	167.33	0.06	4.93
4999.60	0.27	2.75	2.75	4.25	999000.00	5047.89	0.09	7.84
9999.20	0.27	3.50	3.50	4.50	999000.00	10635.61	0.14	11.75
14998.80	0.27	4.00	4.00	4.75	999000.00	16544.21	0.19	16.45
19998.40	0.27	4.25	4.25	5.00	999000.00	20241.71	0.23	20.75
24998.00	0.27	4.75	4.75	5.25	999000.00	29358.01	0.31	28.48
29997.60	0.27	5.00	5.00	5.50	999000.00	33438.17	0.37	34.83
34997.20	0.27	5.25	5.25	5.75	999000.00	36987.19	0.44	41.90
39996.80	0.27	5.50	5.50	6.00	999000.00	40281.00	0.51	49.61
44996.40	0.27	6.00	6.00	6.50	999000.00	45493.46	0.66	66.60
49996	0.27	999000.00	999000.00	999000.00	999000.00	0.14	1.71	257.03

! the following are the same for all runs

! exit time	14.49999
! band exit spin speed	257.0304
! band exit rotation	1.710064
! exit velocity	2635.095

Appendix E. Sample HISTORY Analysis Output Files bandslip.out1 and bandslip.out2 Generated From *testband.in* and *testband.press*

bandslip.out1 Output File

```

!
! radial pressure = 0.14993E+05
! friction coefficient = 0.10000
!
!      t      p      thbddot      thsddot      thbdot      thsdot      temp_a      temp_r      w
0.000E+00  0.000E+00  0.000E+00  0.000E+00  0.000E+00  0.000E+00  0.486E+02  0.486E+02  0.000E+00
0.250E+00  0.167E+03  0.130E+03  0.130E+03  0.325E-01  0.325E-01  0.486E+02  0.486E+02  0.833E-04
0.500E+00  0.262E+03  0.204E+03  0.204E+03  0.834E-01  0.834E-01  0.486E+02  0.486E+02  0.297E-03
0.750E+00  0.389E+03  0.302E+03  0.302E+03  0.159E+00  0.159E+00  0.486E+02  0.486E+02  0.705E-03
0.100E+01  0.568E+03  0.441E+03  0.441E+03  0.269E+00  0.269E+00  0.486E+02  0.486E+02  0.139E-02
0.125E+01  0.813E+03  0.631E+03  0.631E+03  0.427E+00  0.427E+00  0.486E+02  0.486E+02  0.249E-02
0.150E+01  0.114E+04  0.888E+03  0.888E+03  0.649E+00  0.649E+00  0.486E+02  0.486E+02  0.415E-02
0.175E+01  0.158E+04  0.123E+04  0.123E+04  0.956E+00  0.956E+00  0.486E+02  0.486E+02  0.660E-02
0.200E+01  0.216E+04  0.168E+04  0.168E+04  0.138E+01  0.138E+01  0.486E+02  0.486E+02  0.101E-01
0.225E+01  0.290E+04  0.225E+04  0.225E+04  0.194E+01  0.194E+01  0.486E+02  0.486E+02  0.151E-01
0.250E+01  0.385E+04  0.299E+04  0.299E+04  0.269E+01  0.269E+01  0.486E+02  0.486E+02  0.220E-01
0.275E+01  0.505E+04  0.392E+04  0.392E+04  0.367E+01  0.367E+01  0.486E+02  0.486E+02  0.314E-01
0.300E+01  0.655E+04  0.508E+04  0.508E+04  0.494E+01  0.494E+01  0.486E+02  0.486E+02  0.440E-01
0.325E+01  0.840E+04  0.652E+04  0.652E+04  0.657E+01  0.657E+01  0.486E+02  0.486E+02  0.609E-01
0.350E+01  0.106E+05  0.826E+04  0.826E+04  0.863E+01  0.863E+01  0.486E+02  0.486E+02  0.830E-01
0.375E+01  0.133E+05  0.104E+05  0.104E+05  0.112E+02  0.112E+02  0.486E+02  0.486E+02  0.112E+00
0.400E+01  0.165E+05  0.128E+05  0.128E+05  0.144E+02  0.118E+02  0.486E+02  0.486E+02  0.149E+00
0.425E+01  0.202E+05  0.157E+05  0.259E+04  0.184E+02  0.124E+02  0.176E+03  0.486E+02  0.196E+00
0.450E+01  0.245E+05  0.190E+05  0.314E+04  0.231E+02  0.132E+02  0.434E+03  0.486E+02  0.255E+00
0.475E+01  0.294E+05  0.228E+05  0.376E+04  0.288E+02  0.141E+02  0.890E+03  0.486E+02  0.329E+00
0.500E+01  0.334E+05  0.260E+05  0.000E+00  0.353E+02  0.141E+02  0.890E+03  0.486E+02  0.419E+00
0.525E+01  0.370E+05  0.287E+05  0.000E+00  0.425E+02  0.141E+02  0.890E+03  0.486E+02  0.528E+00
0.550E+01  0.403E+05  0.313E+05  0.000E+00  0.503E+02  0.141E+02  0.890E+03  0.486E+02  0.657E+00
0.575E+01  0.432E+05  0.335E+05  0.000E+00  0.587E+02  0.141E+02  0.890E+03  0.486E+02  0.808E+00
0.600E+01  0.455E+05  0.353E+05  0.000E+00  0.675E+02  0.141E+02  0.890E+03  0.486E+02  0.981E+00
0.625E+01  0.472E+05  0.366E+05  0.000E+00  0.767E+02  0.141E+02  0.890E+03  0.486E+02  0.118E+01
.
.
.

```

bandslip.out2 Output File

```

!
! radial pressure = 0.14993E+05
! friction coefficient = 0.10000
!
!      t      p      tor_tot      tor_max      tor_req      tor_a      tor_r      wdot
0.000E+00  0.000E+00  0.000E+00  0.946E+04  0.000E+00  0.000E+00  0.946E+04  0.000E+00
0.250E+00  0.167E+03  0.100E+03  0.948E+04  0.100E+03  0.165E+02  0.946E+04  0.333E+00
0.500E+00  0.262E+03  0.157E+03  0.949E+04  0.157E+03  0.258E+02  0.946E+04  0.855E+00
0.750E+00  0.389E+03  0.233E+03  0.950E+04  0.233E+03  0.384E+02  0.946E+04  0.163E+01
0.100E+01  0.568E+03  0.339E+03  0.952E+04  0.339E+03  0.559E+02  0.946E+04  0.276E+01
0.125E+01  0.813E+03  0.486E+03  0.954E+04  0.486E+03  0.800E+02  0.946E+04  0.438E+01
0.150E+01  0.114E+04  0.683E+03  0.957E+04  0.683E+03  0.113E+03  0.946E+04  0.665E+01
0.175E+01  0.158E+04  0.945E+03  0.962E+04  0.945E+03  0.156E+03  0.946E+04  0.980E+01
0.200E+01  0.216E+04  0.129E+04  0.967E+04  0.129E+04  0.212E+03  0.946E+04  0.141E+02
0.225E+01  0.290E+04  0.173E+04  0.974E+04  0.173E+04  0.286E+03  0.946E+04  0.199E+02
0.250E+01  0.385E+04  0.230E+04  0.984E+04  0.230E+04  0.379E+03  0.946E+04  0.275E+02
0.275E+01  0.505E+04  0.302E+04  0.996E+04  0.302E+04  0.497E+03  0.946E+04  0.376E+02
0.300E+01  0.655E+04  0.391E+04  0.101E+05  0.391E+04  0.645E+03  0.946E+04  0.506E+02
0.325E+01  0.840E+04  0.502E+04  0.103E+05  0.502E+04  0.827E+03  0.946E+04  0.673E+02
0.350E+01  0.106E+05  0.636E+04  0.105E+05  0.636E+04  0.105E+04  0.946E+04  0.885E+02
0.375E+01  0.133E+05  0.797E+04  0.108E+05  0.797E+04  0.131E+04  0.946E+04  0.115E+03
0.400E+01  0.165E+05  0.163E+04  0.163E+04  0.989E+04  0.163E+04  0.000E+00  0.148E+03
0.425E+01  0.202E+05  0.199E+04  0.199E+04  0.121E+05  0.199E+04  0.000E+00  0.188E+03
0.450E+01  0.245E+05  0.241E+04  0.241E+04  0.146E+05  0.241E+04  0.000E+00  0.237E+03
0.475E+01  0.294E+05  0.289E+04  0.289E+04  0.175E+05  0.289E+04  0.000E+00  0.296E+03
0.500E+01  0.334E+05  0.000E+00  0.000E+00  0.200E+05  0.000E+00  0.000E+00  0.362E+03
0.525E+01  0.370E+05  0.000E+00  0.000E+00  0.221E+05  0.000E+00  0.000E+00  0.436E+03
0.550E+01  0.403E+05  0.000E+00  0.000E+00  0.241E+05  0.000E+00  0.000E+00  0.516E+03
0.575E+01  0.432E+05  0.000E+00  0.000E+00  0.258E+05  0.000E+00  0.000E+00  0.602E+03
0.600E+01  0.455E+05  0.000E+00  0.000E+00  0.272E+05  0.000E+00  0.000E+00  0.692E+03
0.625E+01  0.472E+05  0.000E+00  0.000E+00  0.282E+05  0.000E+00  0.000E+00  0.786E+03
0.650E+01  0.482E+05  0.000E+00  0.000E+00  0.288E+05  0.000E+00  0.000E+00  0.882E+03
.
.
.

```


Appendix F. BANDSLIP R1.2 Variable Table

Parameter	Units	Description
Analysis Header Section		
anatype	sweep history	Selection dictates type of BANDSLIP R1.2 analysis
mu_min	-	Lower bound for coefficient of friction for Sweep Analysis (SA)
mu_max	-	Upper bound for coefficient of friction for SA
mu_step	-	Incremental step size for coefficient of friction for SA
p_rad_min	Pa	Lower bound for radial contact pressure for SA
p_rad_max	Pa	Upper bound radial contact pressure for SA
p_rad_step	Pa	Incremental radial contact pressure for SA
p_rad	Pa	Radial contact pressure for History Analysis (HA)
mu_a	-	Axial coefficient of friction for HA
mu_r	-	Radial coefficient of friction for HA
xdot_exit	m/sec	Subprojectile muzzle velocity
textit_est	sec	Munition estimated exit time
tpeak	sec	Pressure pulse peak time
Analysis Parameters Section		
nparray	-	Number of points in supplied pressure-vs.-time curve
step	-	Time step size (should be close to temporal space of pressure-time curve)
u_init	K	Initial temperature
psi_fact		Scale Factor (SF) used to convert Pascal to [PSI] or other unit for output only
torq_fact		SF used to convert Nm to [ft-lbf] or other unit for output only
time_fact		SF used to convert seconds to [msec] or other unit for output only
Tfactmult		Multiplied part of temperature conversion equation, K to [°F] for output only
Tfactadd		Additive part of temperature conversion equation, K to [°F] for output only
len_fact		SF used to convert meters to [inch] or other unit for output only
ang_fact	rev/rad	SF used to convert radians to revolutions
Analysis Geometry Section		
Is	kg-m ²	Moment of Inertia with respect to projectile and cannon centerline axis
A_rear	m ²	Rear area of projectile
A_base	m ²	Base area of projectile
area_a	m ²	Axial traction surface area
rad_a	m	Effective radius (moment arm) of axial traction
area_r	m ²	Radial traction surface area
rad_r	m	Effective radius (moment arm) of radial traction
barrel_len	m	Cannon barrel length
rs	m	Cannon barrel radius
twist	calibers/rev	Rifling pitch measured in calibers per revolution
total_mass	kg	Mass of band and subprojectile
Material Database Section		
mat_ID	-	Material database ID number
rho_a	kg/m ³	Density of slipband in axial direction
rho_r	kg/m ³	Density of slipband in radial direction
k_a	W/m - K	Material thermal conductivity in axial direction
k_r	W/m - K	Material thermal conductivity in radial direction
c_a	J/kg-K	Material specific heat in axial direction
c_r	J/kg-K	Material specific heat in radial direction
umelt_a	K	Material Melt Temperature in the axial direction
umelt_r	K	Material melt temperature in the radial direction

NO. OF
COPIES ORGANIZATION

* ADMINISTRATOR
DEFENSE TECHNICAL INFO CTR
ATTN DTIC OCA
8725 JOHN J KINGMAN RD STE 0944
FT BELVOIR VA 22060-6218
*pdf file only

1 DIRECTOR
US ARMY RSCH LABORATORY
ATTN IMNE ALC IMS MAIL & REC MGMT
2800 POWDER MILL RD
ADELPHI MD 20783-1197

1 DIRECTOR
US ARMY RSCH LABORATORY
ATTN AMSRD ARL CI OK TL TECH LIB
2800 POWDER MILL RD
ADELPHI MD 20783-1197

1 DIRECTOR
US ARMY RESEARCH LAB
ATTN AMSRD ARL SE DE R ATKINSON
2800 POWDER MILL RD
ADELPHI MD 20783-1197

6 DIR US ARMY RESEARCH LAB
ATTN AMSRD ARL WM MB T LI
A ABRAHAMIAN M BERMAN
M CHOWDHURY A FRYDMAN
E SZYMANSKI
2800 POWDER MILL RD
ADELPHI MD 20783-1197

1 US ARMY RSRCH DEV & ENG CMD
SYSTEMS OF SYSTEMS INTEGRATION
ATTN AMSRD SS T
6000 6TH ST STE 100
FORT BELVOIR VA 22060-5608

1 INST FOR ADVNCD TCHNLGY
THE UNIV OF TEXAS AT AUSTIN
4030-2 W BRAKER LN
AUSTIN TX 78759-5329

1 COMMANDER
US ARMY MATERIEL CMD
ATTN AMXMI INT
5001 EISENHOWER AVE
ALEXANDRIA VA 22333-0001

3 PM MAS
ATTN SFAE AMO MAS
SFAE AMO MAS MC
CHIEF ENGINEER
PICATINNY ARSENAL NJ 07806-5000

NO. OF
COPIES ORGANIZATION

2 PM MAS
ATTN SFAE AMO MAS PS
SFAE AMO MAS LC
PICATINNY ARSENAL NJ 07806-5000

1 CDR US ARMY ARDEC
ATTN AMSTA AR CC COL JENKER
PICATINNY ARSENAL NJ 07806-5000

1 CDR US ARMY ARDEC
ATTN AMSTA AR FSE
PICATINNY ARSENAL NJ 07806-5000

1 CDR US ARMY ARDEC
ATTN AMSTA AR TD
PICATINNY ARSENAL NJ 07806-5000

7 CDR US ARMY ARDEC
ATTN AMSTA AR CCH A D VO
F ALTAMURA M NICOLICH
M PALATHINGUL R HOWELL
A VELLA M YOUNG
PICATINNY ARSENAL NJ 07806-5000

6 CDR US ARMY ARDEC
ATTN AMSTA AR CCH A L MANOLE
S MUSALLI R CARR M LUCIANO
E LOGSDEN T LOUZEIRO
PICATINNY ARSENAL NJ 07806-5000

1 CDR US ARMY ARDEC
ATTN AMSTA AR CCH P J LUTZ
PICATINNY ARSENAL NJ 07806-5000

1 CDR US ARMY ARDEC
ATTN AMSTA AR FSF T C LIVECCHIA
PICATINNY ARSENAL NJ 07806-5000

1 CDR US ARMY ARDEC
ATTN AMSTA ASF
PICATINNY ARSENAL NJ 07806-5000

1 CDR US ARMY ARDEC
ATTN AMSTA AR QAC T C J PAGE
PICATINNY ARSENAL NJ 07806-5000

1 CDR US ARMY ARDEC
ATTN AMSTA AR M D DEMELLA
PICATINNY ARSENAL NJ 07806-5000

3 CDR US ARMY ARDEC
ATTN AMSTA AR FSA A WARNASH
B MACHAK M CHIEFA
PICATINNY ARSENAL NJ 07806-5000

NO. OF
COPIES ORGANIZATION

2 CDR US ARMY ARDEC
ATTN AMSTA AR FSP G M SCHIKSNIS
D CARLUCCI
PICATINNY ARSENAL NJ 07806-5000

2 CDR US ARMY ARDEC
ATTN AMSTA AR CCH C H CHANIN
S CHICO
PICATINNY ARSENAL NJ 07806-5000

1 CDR US ARMY ARDEC
ATTN AMSTA AR QAC T D RIGOGLIOSO
PICATINNY ARSENAL NJ 07806-5000

1 CDR US ARMY ARDEC
ATTN AMSTA AR WEL F M GUERRIERE
PICATINNY ARSENAL NJ 07806-5000

9 CDR US ARMY ARDEC
ATTN AMSTA AR CCH B P DONADIA
F DONLON P VALENTI
C KNUTSON G EUSTICE
K HENRY J MCNABOC
R SAYER F CHANG
PICATINNY ARSENAL NJ 07806-5000

1 PM ARMS
ATTN SFAE GCSS ARMS
BLDG 171
PICATINNY ARSENAL NJ 07806-5000

1 CDR US ARMY ARDEC
ATTN AMSTA AR WEA J BRESCIA
PICATINNY ARSENAL NJ 07806-5000

1 CDR US ARMY TACOM
PM COMBAT SYSTEMS
ATTN SFAE GCS CS
6501 ELEVEN MILE RD
WARREN MI 48397-5000

1 CDR US ARMY TACOM
PM SURVIVABLE SYSTEMS
ATTN SFAE GCSS W GSI H M RYZYI
6501 ELEVEN MILE RD
WARREN MI 48397-5000

1 CDR US ARMY TACOM
CHIEF ABRAMS TESTING
ATTN SFAE GCSS W AB QT
T KRASKIEWICZ
6501 ELEVEN MILE RD
WARREN MI 48397-5000

NO. OF
COPIES ORGANIZATION

1 COMMANDER
US ARMY TACOM
ATTN AMSTA SF
WARREN MI 48397-5000

1 DIR AIR FORCE RSCH LAB
ATTN MLLMD D MIRACLE
2230 TENTH ST
WRIGHT PATTERSON AFB OH 45433-7817

1 OFC OF NAVAL RESEARCH
ATTN J CHRISTODOULOU
ONR CODE 332
800 N QUINCY ST
ARLINGTON VA 22217-5600

1 CDR WATERVLIET ARSENAL
ATTN SMCWV QAE Q B VANINA
BLDG 44
WATERVLIET NY 12189-4050

2 HQ IOC TANK
AMMUNITION TEAM
ATTN AMSIO SMT R CRAWFORD
W HARRIS
ROCK ISLAND IL 61299-6000

2 COMMANDER
US ARMY AMCOM
AVIATION APPLIED TECH DIR
ATTN J SCHUCK
FORT EUSTIS VA 23604-5577

1 NSWC
DAHLGREN DIV CODE G06
DAHLGREN VA 22448

2 US ARMY CORPS OF ENGINEERS
ATTN CERD C T LIU
CEW ET T TAN
20 MASSACHUSETTS AVE NW
WASHINGTON DC 20314

1 US ARMY COLD REGIONS
RSCH & ENGRNG LAB
ATTN P DUTTA
72 LYME RD
HANOVER NH 03755

4 CDR US ARMY TACOM
ATTN AMSTA TR R R MCCLELLAND
D THOMAS J BENNETT
D HANSEN
WARREN MI 48397-5000

NO. OF
COPIES ORGANIZATION

- 4 CDR US ARMY TACOM
ATTN AMSTA JSK S GOODMAN
J FLORENCE D TEMPLETON
A SCHUMACHER
WARREN MI 48397-5000
- 5 CDR US ARMY TACOM
ATTN AMSTA TR D D OSTBERG
L HINOJOSA B RAJU
AMSTA CS SF H HUTCHINSON
F SCHWARZ
WARREN MI 48397-5000
- 6 BENET LABS
ATTN AMSTA AR CCB R FISCELLA
M SOJA E KATHE G FRIAR
M SCAVULO G SPENCER
WATERVLIET NY 12189-4050
- 4 BENET LABS
ATTN AMSTA AR CCB P WHEELER
S KRUPSKI J VASILAKIS
R HASENBEIN
WATERVLIET NY 12189-4050
- 4 BENET LABS
ATTN AMSTA CCB R S SOPOK
E HYLAND D CRAYON
R DILLON
WATERVLIET NY 12189-4050
- 1 USA SBCCOM PM SOLDIER SPT
ATTN AMSSB PM RSS A J CONNORS
KANSAS ST
NATICK MA 01760-5057
- 1 NSWC
TECH LIBRARY CODE B60
17320 DAHLGREN RD
DAHLGREN VA 22448
- 2 USA SBCCOM
MATERIAL SCIENCE TEAM
ATTN AMSSB RSS J HERBERT
M SENNETT
KANSAS ST
NATICK MA 01760-5057
- 2 OFC OF NAVAL RESEARCH
ATTN D SIEGEL CODE 351 J KELLY
800 N QUINCY ST
ARLINGTON VA 22217-5660

NO. OF
COPIES ORGANIZATION

- 1 NSWC
CRANE DIVISION
M JOHNSON CODE 20H4
LOUISVILLE KY 40214-5245
- 2 NSWC
ATTN U SORATHIA
C WILLIAMS CODE 6551
9500 MACARTHUR BLVD
WEST BETHESDA MD 20817
- 2 CDR NSWC
CARDEROCK DIVISION
ATTN R PETERSON CODE 2020
M CRITCHFIELD CODE 1730
BETHESDA MD 20084
- 4 DIR US ARMY NGIC
ATTN D LEITER MS 404
J GASTON MS 301
M HOLTUS MS 301
M WOLFE MS 307
2055 BOULDERS RD
CHARLOTTESVILLE VA 22911-8318
- 4 DIR US ARMY NGIC
ATTN S MINGLEDORF MS 504
W GSTATTENBAUER MS 304
R WARNER MS 305
J CRIDER MS 306
2055 BOULDERS RD
CHARLOTTESVILLE VA 22911-8318
- 1 NAVAL SEA SYSTEMS CMD
ATTN D LIESE
1333 ISAAC HULL AVE SE 1100
WASHINGTON DC 20376-1100
- 4 US ARMY SBCCOM
SOLDIER SYSTEMS CTR
BALLISTICS TEAM
ATTN J WARD W ZUKAS
P CUNNIFF J SONG
KANSAS ST
NATICK MA 01760-5019
- 3 US ARMY SBCCOM
SOLDIER SYSTEMS CTR
MARINE CORPS TEAM J MACKIEWICZ
ATTN AMSSB RCP SS W NYKVIST
S BEAUDOIN
KANSAS ST
NATICK MA 01760-5019

NO. OF
COPIES ORGANIZATION

7 US ARMY RESEARCH OFC
ATTN A CROWSON H EVERITT
 J PRATER G ANDERSON
 D STEPP D KISEROW J CHANG
PO BOX 12211
RSCH TRIANGLE PARK NC 27709-2211

1 AFRL MLBC
2941 P ST RM 136
WRIGHT PATTERSON AFB OH 45433-7750

1 DIRECTOR
LOS ALAMOS NATL LAB
ATTN F L ADDESSIO T 3 MS 5000
PO BOX 1633
LOS ALAMOS NM 87545

4 NSWC
ATTN J FRANCIS CODE G30
 D WILSON CODE G32
 R D COOPER CODE G32
 J FRAYSSE CODE G33
DAHLGREN VA 22448

4 NSWC
ATTN T DURAN CODE G33
 L DE SIMONE CODE G33
 R HUBBARD CODE G33
DAHLGREN VA 22448

1 NSWC
CARDEROCK DIVISION
R CRANE CODE 6553
9500 MACARTHUR BLVD
WEST BETHESDA MD 20817-5700

1 AFRL MLSS
ATTN R THOMSON
2179 12TH ST RM 122
WRIGHT PATTERSON AFB OH 45433-7718

2 AFRL
ATTN F ABRAMS J BROWN
BLDG 653
2977 P ST STE 6
WRIGHT PATTERSON AFB OH 45433-7739

5 DIR LAWRENCE LIVERMORE NATL LAB
ATTN R CHRISTENSEN
 S DETERESA F MAGNESS
 M FINGER MS 313
 M MURPHY L 282
PO BOX 808
LIVERMORE CA 94550

NO. OF
COPIES ORGANIZATION

1 AFRL MLS OL
ATTN L COULTER
5851 F AVE
BLDG 849 RM AD1A
HILL AFB UT 84056-5713

1 OSD
JOINT CCD TEST FORCE
ATTN OSD JCCD R WILLIAMS
3909 HALLS FERRY RD
VICKSBURG MS 29180-6199

3 DARPA
ATTN M VANFOSSEN S WAX
 L CHRISTODOULOU
3701 N FAIRFAX DR
ARLINGTON VA 22203-1714

3 OAK RIDGE NATL LAB
ATTN R M DAVIS
 C EBERLE MS 8048
 C D WARREN MS 8039
PO BOX 2008
OAK RIDGE TN 37831-6195

3 DIR SANDIA NATL LABS
APPLIED MECHS DEPT
ATTN MS 9042 J HANDROCK
 Y R KAN J LAUFFER
PO BOX 969
LIVERMORE CA 94551-0969

4 NIST
ATTN M VANLANDINGHAM MS 8621
 J CHIN MS 8621
 J MARTIN MS 8621
 D DUTHINH MS 8611
100 BUREAU DR
GAITHERSBURG MD 20899

1 HYDROGEOLOGIC INC
ATTN SERDP ESTCP SPT OFC S WALSH
1155 HERNDON PKWY STE 900
HERNDON VA 20170

3 NASA LANGLEY RSCH CAR
ATTN AMSRD ARL VT
 W ELBER MS 266
 F BARTLETT JR MS 266
 G FARLEY MS 266
HAMPTON VA 23681-0001

NO. OF
COPIES ORGANIZATION

1	FHWA ATTN E MUNLEY 6300 GEORGETOWN PIKE MCLEAN VA 22101
1	USDOT FEDERAL RAILROAD ATTN M FATEH RDV 31 WASHINGTON DC 20590
3	CYTEC FIBERITE ATTN R DUNNE D KOHLI R MAYHEW 1300 REVOLUTION ST HAVRE DE GRACE MD 21078
1	DIR NGIC ATTN IANG TMT 2055 BOULDERS RD CHARLOTTESVILLE VA 22911-8318
2	3TEX CORP ATTN A BOGDANOVICH J SINGLETARY 109 MACKENAN DR CARY NC 27511
1	DIR DEFENSE INTLGNC AGENCY TA 5 ATTN K CRELLING WASHINGTON DC 20310
1	COMPOSITE MATERIALS INC ATTN D SHORTT 19105 63 AVE NE PO BOX 25 ARLINGTON WA 98223
1	JPS GLASS ATTN L CARTER PO BOX 260 SLATER RD SLATER SC 29683
1	COMPOSITE MATERIALS INC ATTN R HOLLAND 11 JEWEL CT ORINDA CA 94563
1	COMPOSITE MATERIALS INC ATTN C RILEY 14530 S ANSON AVE SANTA FE SPRINGS CA 90670

NO. OF
COPIES ORGANIZATION

1	SIMULA ATTN R HUYETT 10016 S 51ST ST PHOENIX AZ 85044
2	PROTECTION MATERIALS INC ATTN M MILLER F CRILLEY 14000 NW 58 CT MIAMI LAKES FL 33014
2	FOSTER MILLER ATTN M ROYLANCE W ZUKAS 195 BEAR HILL RD WALTHAM MA 02354-1196
1	ROM DEVELOPMENT CORP ATTN R O MEARA 136 SWINEBURNE ROW BRICK MARKET PLACE NEWPORT RI 02840
2	TEXTRON SYSTEMS ATTN M TREASURE T FOLTZ 1449 MIDDLESEX ST LOWELL MA 01851
1	O GARA HESS & EISENHARDT ATTN M GILLESPIE 9113 LESAINTE DR FAIRFIELD OH 45014
1	MILLIKEN RESEARCH CORP ATTN M MACLEOD PO BOX 1926 SPARTANBURG SC 29303
1	CONNEAUGHT INDUSTRIES INC ATTN J SANTOS PO BOX 1425 COVENTRY RI 02816
1	ARMTEC DEFENSE PRODUCTS ATTN S DYER 85 901 AVE 53 PO BOX 848 COACHELLA CA 92236
3	PACIFIC NORTHWEST LAB ATTN M SMITH G VAN ARSDALE R SHIPPELL PO BOX 999 RICHLAND WA 99352

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	ALLIANT TECHSYSTEMS INC 4700 NATHAN LN N PLYMOUTH MN 55442-2512
1	APPLIED COMPOSITES ATTN W GRISCH 333 NORTH SIXTH ST ST CHARLES IL 60174
1	CUSTOM ANALYTICAL ENG SYS INC ATTN A ALEXANDER 13000 TENSOR LANE NE FLINTSTONE MD 21530
1	AAI CORP ATTN DR N B MCNELLIS PO BOX 126 HUNT VALLEY MD 21030-0126
1	OFC DEPUTY UNDER SEC DEFNS ATTN J THOMPSON 1745 JEFFERSON DAVIS HWY CRYSTAL SQ 4 STE 501 ARLINGTON VA 22202
3	ALLIANT TECHSYSTEMS INC ATTN J CONDON E LYNAM J GERHARD WV01 16 STATE RT 956 PO BOX 210 ROCKET CENTER WV 26726-0210
1	PROJECTILE TECHNOLOGY INC 515 GILES ST HAVRE DE GRACE MD 21078
1	PRATT & WHITNEY ATTN C WATSON 400 MAIN ST MS 114 37 EAST HARTFORD CT 06108
5	NORTHROP GRUMMAN ATTN B IRWIN K EVANS D EWART J MCGLYNN A SHREKENHAMER BLDG 160 DEPT 3700 1100 W HOLLYVALE ST AZUSA CA 91701
1	BRIGS COMPANY ATTN J BACKOFEN 2668 PETERBOROUGH ST HERNDON VA 22071-2443

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	ZERNOW TECHNICAL SERVICES ATTN L ZERNOW 425 W BONITA AVE STE 208 SAN DIMAS CA 91773
2	GENERAL DYNAMICS OTS FLINCHBAUGH DIV ATTN K LINDE T LYNCH PO BOX 127 RED LION PA 17356
1	GKN WESTLAND AEROSPACE ATTN D OLDS 450 MURDOCK AVE MERIDEN CT 06450-8324
1	BOEING ROTORCRAFT ATTN P HANDEL 800 B PUTNAM BLVD WALLINGFORD PA 19086
5	SIKORSKY AIRCRAFT ATTN G JACARUSO J ADELMANN T CARSTENSAN B KAY S GARBO MS S330A 6900 MAIN ST PO BOX 9729 STRATFORD CT 06497-9729
1	AEROSPACE CORP ATTN G HAWKINS M4 945 2350 E EL SEGUNDO BLVD EL SEGUNDO CA 90245
2	CYTEC FIBERITE ATTN M LIN W WEB 1440 N KRAEMER BLVD ANAHEIM CA 92806
2	UDLP ATTN G THOMAS M MACLEAN PO BOX 58123 SANTA CLARA CA 95052
2	UDLP ATTN R BRYNSVOLD P JANKE MS 170 4800 E RIVER RD MINNEAPOLIS MN 55421-1498
1	LOCKHEED MARTIN SKUNK WORKS ATTN D FORTNEY 1011 LOCKHEED WAY PALMDALE CA 93599-2502

NO. OF
COPIES ORGANIZATION

1 NORTHROP GRUMMAN CORP
ELECTRONIC SENSORS & SYSTEMS DIV
ATTN E SCHOCH MS V 16
1745A W NURSERY RD
LINTHICUM MD 21090

1 GDLS DIVISION
ATTN D BARTLE
PO BOX 1901
WARREN MI 48090

2 GDLS
ATTN D REES M PASIK
PO BOX 2074
WARREN MI 48090-2074

1 GDLS
MUSKEGON OPER
ATTN M SOIMAR
76 GETTY ST
MUSKEGON MI 49442

1 GENERAL DYNAMICS
AMPHIBIOUS SYS
SURVIVABILITY LEAD
ATTN G WALKER
991 ANNAPOLIS WAY
WOODBIDGE VA 22191

6 INST FOR ADVANCED TECH
ATTN H FAIR I MCNAB
P SULLIVAN S BLESS
W REINECKE C PERSAD
3925 W BRAKER LN STE 400
AUSTIN TX 78759-5316

1 ARROW TECH ASSOC
1233 SHELBURNE RD STE D8
SOUTH BURLINGTON VT 05403-7700

1 R EICHELBERGER
CONSULTANT
409 W CATHERINE ST
BEL AIR MD 21014-3613

1 SAIC
ATTN G CHRYSSOMALLIS
8500 NORMANDE LAKE BLVD
SUITE 1610
BLOOMINGTON MN 55437-3828

1 UCLA MANE DEPT ENGR IV
ATTN H T HAHN
LOS ANGELES CA 90024-1597

NO. OF
COPIES ORGANIZATION

1 UMASS LOWELL
PLASTICS DEPT
ATTN N SCHOTT
1 UNIVERSITY AVE
LOWELL MA 01854

1 IIT RESEARCH CAR
ATTN D ROSE
201 MILL ST
ROME NY 13440-6916

1 GA TECH RESEARCH INST
GA INST OF TCHNLGY
ATTN P FRIEDERICH
ATLANTA GA 30392

1 MICHIGAN ST UNIV
MSM DEPT
ATTN R AVERILL
3515 EB
EAST LANSING MI 48824-1226

1 PENN STATE UNIV
ATTN R S ENGEL
245 HAMMOND BLDG
UNIVERSITY PARK PA 16801

1 PENN STATE UNIV
ATTN C BAKIS
212 EARTH ENGR
SCIENCES BLDG
UNIVERSITY PARK PA 16802

1 PURDUE UNIV
SCHOOL OF AERO & ASTRO
ATTN C T SUN
W LAFAYETTE IN 47907-1282

1 UNIV OF MAINE
ADV STR & COMP LAB
ATTN R LOPEZ ANIDO
5793 AEWC BLDG
ORONO ME 04469-5793

1 JOHNS HOPKINS UNIV
APPLIED PHYSICS LAB
ATTN P WIENHOLD
11100 JOHNS HOPKINS RD
LAUREL MD 20723-6099

1 UNIV OF DAYTON
ATTN J M WHITNEY
COLLEGE PARK AVE
DAYTON OH 45469-0240

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>	<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
5	UNIV OF DELAWARE CTR FOR COMPOSITE MTRLs ATTN J GILLESPIE M SANTARE S YARLAGADDA S ADVANI D HEIDER 201 SPENCER LAB NEWARK DE 19716	1	DIR USARL ATTN AMSRD ARL O AP EG M ADAMSON BLDG
1	DEPT OF MTRLs SCIENCE & ENGRG UNIV OF IL AT URBANA-CHAMPAIGN ATTN J ECONOMY 1304 W GREEN ST 115B URBANA IL 61801	1	DIR USARL ATTN AMSRD ARL SL BB D BELY BLDG 328
1	MISSISSIPPI STATE UNIV DEPT OF AEROSPACE ENGRG ATTN A J VIZZINI MISSISSIPPI STATE MS 39762	2	DIR USARL ATTN AMSRD ARL WM J SMITH D LYON BLDG 4600
1	DREXEL UNIV ATTN A S D WANG 3141 CHESTNUT ST PHILADELPHIA PA 19104	2	DIR USARL ATTN AMSRD ARL WM B CHIEF T KOGLER BLDG 4600
3	UNIV OF TEXAS AT AUSTIN CAR FOR ELECTROMECHANICS ATTN J PRICE A WALLS J KITZMILLER 10100 BURNET RD AUSTIN TX 78758-4497	2	DIR USARL ATTN AMSRD ARL WM BC P PLOSTINS J NEWILL BLDG 390
1	SOUTHWEST RESEARCH INST ENGR & MATL SCIENCES DIV ATTN J RIEGEL 6220 CULEBRA RD PO DRAWER 28510 SAN ANTONIO TX 78228-0510	3	DIR USARL ATTN AMSRD ARL WM BD B FORCH R PESCE-RODRIGUEZ B RICE BLDG 4600
	<u>ABERDEEN PROVING GROUND</u>	3	DIR USARL ATTN AMSRD ARL WM BD P CONROY C LEVERITT A ZIELINSKI BLDG 390
1	DIRECTOR US ARMY RSCH LABORATORY ATTN AMSRD ARL CI OK TECH LIB BLDG 4600	2	DIR USARL ATTN AMSRD ARL WM BE R LIEB M LEADORE BLDG 4600
1	US ARMY ATC ATTN CSTE DTC AT AC I W C FRAZER BLDG 400	1	DIR USARL ATTN AMSRD ARL WM BF S WILKERSON BLDG 390
1	DIR USARL ATTN AMSRD ARL CI BLDG	2	DIR USARL ATTN AMSRD ARL WM M J MCCAULEY S MCKNIGHT BLDG 4600
		2	DIR USARL ATTN AMSRD ARL WM MA L GHORSE E WETZEL BLDG 4600

NO. OF
COPIES ORGANIZATION

- 22 DIR USARL
 ATTN AMSRD ARL WM MB
 J BENDER T BOGETTI
 J BROWN L BURTON
 R CARTER K CHO W DE ROSSET
 G DEWING R DOWDING
 W DRYSDALE R EMERSON
 D GRAY D HOPKINS R KASTE
 L KECSKES M MINNICINO
 B POWERS D SNOHA
 J SOUTH M STAKER
 J SWAB J TZENG
 BLDG 4600
- 11 DIR USARL
 ATTN AMSRD ARL WM MC J BEATTY
 R BOSSOLI E CHIN
 S CORNELISON D GRANVILLE
 B HART J LASALVIA
 J MONTGOMERY F PIERCE
 E RIGAS W SPURGEON
 BLDG 4600
- 11 DIR USARL
 ATTN AMSRD ARL WM MD P DEHMER
 B CHEESEMAN R DOOLEY
 G GAZONAS S GHORSE
 M KLUSEWITZ W ROY J SANDS
 S WALSH D SPAGNUOLO S WOLF
 BLDG 4600
- 2 DIR USARL
 ATTN AMSRD ARL WM RP J BORNSTEIN
 C SHOEMAKER
 BLDG 1121
- 1 DIR USARL
 ATTN AMSRD ARL WM T B BURNS
 BLDG 309
- 1 DIR USARL
 ATTN AMSRD ARL WM TA W GILLICH
 BLDG 309
- 7 DIR USARL
 ATTN AMSRD ARL WM TA M BURKINS
 B GOOCH T HAVEL C HOPPEL
 E HORWATH J RUNYEON
 M ZOLTOSKI
 BLDG 393
- 1 DIR USARL
 ATTN AMSRD ARL WM TB P BAKER
 BLDG 309

NO. OF
COPIES ORGANIZATION

- 1 DIR USARL
 ATTN AMSRD ARL WM TC R COATES
 BLDG 309
- 4 DIR USARL
 ATTN AMSRD ARL WM TD D DANDEKAR
 M RAFTENBERG S SCHOENFELD
 T WEERASOORIYA
 BLDG 4600
- 2 DIR USARL
 ATTN AMSRD ARL WM TE CHIEF
 J POWELL
 BLDG 1116A

NO. OF
COPIES ORGANIZATION

1 LTD
R MARTIN
MERL
TAMWORTH RD
HERTFORD SG13 7DG
UK

1 CIVIL AVIATION
ADMINSTRATION
T GOTTESMAN
PO BOX 8
BEN GURION INTRNL AIRPORT
LOD 70150
ISRAEL

1 AEROSPATIALE
S ANDRE
A BTE CC RTE MD132
316 ROUTE DE BAYONNE
TOULOUSE 31060
FRANCE

1 DRA FORT HALSTEAD
P N JONES
SEVEN OAKS KENT TN 147BP
UK

1 SWISS FEDERAL ARMAMENTS
WKS
W LANZ
ALLMENDSTRASSE 86
3602 THUN
SWITZERLAND

1 DYNAMEC RESEARCH LAB
AKE PERSSON
BOX 201
SE 151 23 SODERTALJE
SWEDEN

1 ISRAEL INST OF TECHLGY
S BODNER
FACULTY OF MECHANICAL
ENGR
HAIFA 3200
ISRAEL

1 DSTO
WEAPONS SYSTEMS DIVISION
N BURMAN RLLWS
SALISBURY
SOUTH AUSTRALIA 5108
AUSTRALIA

NO. OF
COPIES ORGANIZATION

1 DEF RES ESTABLISHMENT
VALCARTIER
A DUPUIS
2459 BLVD PIE XI NORTH
VALCARTIER QUEBEC
CANADA
PO BOX 8800 COURCELETTE
GOA IRO QUEBEC
CANADA

1 ECOLE POLYTECH
J MANSON
DMX LTC
CH 1015 LAUSANNE
SWITZERLAND

1 TNO DEFENSE RESEARCH
R IJSSELSTEIN
ACCOUNT DIRECTOR
R&D ARMEE
PO BOX 6006
2600 JA DELFT
THE NETHERLANDS

2 FOA NATL DEFENSE RESEARCH
ESTAB
DIR DEPT OF WEAPONS &
PROTECTION
B JANZON
R HOLMLIN
S 172 90 STOCKHOLM
SWEDEN

2 DEFENSE TECH & PROC
AGENCY GROUND
I CREWTER
GENERAL HERZOG HAUS
3602 THUN
SWITZERLAND

1 MINISTRY OF DEFENCE
RAFAEL
ARMAMENT DEVELOPMENT
AUTH
M MAYSELESS
PO BOX 2250
HAIFA 31021
ISRAEL

1 B HIRSCH
TACHKEMONY ST 6
NETAMUA 42611
ISRAEL

NO. OF
COPIES ORGANIZATION

1 DEUTSCHE AEROSPACE AG
DYNAMICS SYSTEMS
M HELD
PO BOX 1340
D 86523 SCHROBENHAUSEN
GERMANY