


Serial No. 417,543
Filing Date 6 April 1995
Inventor Jan F. Lindberg

NOTICE



The above identified patent application is available for licensing. Requests for information should be addressed to:

OFFICE OF NAVAL RESEARCH
DEPARTMENT OF THE NAVY
CODE OCCC3
ARLINGTON VA 22217-5660

Accession For	
NTIS CRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution /	
Availability Codes	
Dist	Avail and/or Special
A-1	

DISTRIBUTION STATEMENT A
Approved for public release;
Distribution Unlimited

2
3 STEERABLE ACOUSTIC TRANSDUCER

4
5 STATEMENT OF GOVERNMENT INTEREST

6 The invention described herein may be manufactured and used
7 by or for the Government of the United States of America for
8 Governmental purposes without the payment of any royalties
9 thereon or therefor.

10
11 CROSS-REFERENCE TO RELATED PATENT APPLICATIONS

12 This patent application is co-pending with one related
13 patent application entitled Multiple Frequency Steerable Acoustic
14 Transducer (Navy Case No. 75008) by the same inventor as this
15 patent application.

16
17 BACKGROUND OF THE INVENTION

18 (1) Field of the Invention

19 The present invention relates generally to acoustic
20 transducers, and more particularly to a steerable underwater
21 acoustic transducer that can generate/detect high-frequency
22 acoustic energy.

23 (2) Description of the Prior Art

24 Acoustic transducers are devices which generate acoustic
25 energy when excited in a known fashion and/or generate an
26 electrical signal representative of the acoustic energy incident

19951018 182

1 upon the transducer. For example, one prior art single array
2 piezoelectric ceramic transducer 10 is shown in the frontal plan
3 view of FIG. 1 and cross-sectional view of FIG. 2. Transducer 10
4 includes piezoelectric ceramic material 12 disposed between
5 metallic layers 16a,16b which are deposited on top and bottom
6 surfaces 12a,12b of material 12. Notches, represented by lines
7 18, are cut in a hatched pattern through metallic layers 16a,16b
8 and into a portion of piezoelectric ceramic material 12 to define
9 an array of pillars 20a,20b capped with metal electrodes 22a,22b
10 formed on surfaces 12a,12b. The surfaces presented by the arrays
11 of electrodes 22a or 22b can serve as the front face plane of
12 transducer 10. Each metal electrode 22a,22b is electrically
13 isolated from adjacent electrodes. The pattern of notches 18 is
14 optimally sized so that the width of each pillar 20a,20b is
15 approximately 0.5λ where λ is the wavelength in the transmission
16 medium of the acoustic energy being generated or received. Metal
17 electrodes 22a are electrically interconnected to one another
18 (not shown for ease of illustration) and connected to electrical
19 lead 24a. In a similar fashion, metal electrodes 22b are
20 electrically interconnected to one another and then connected to
21 electrical lead 24b.

22 The acoustic energy generated by such a transducer is a
23 narrow beam normal to the front face plane of the transducer and
24 is sometimes referred to as a boresight beam. The shape and size
25 of the beam is dependent upon several factors which include
26 overall size of the transducer, the frequency of excitation or

1 reception, and the existence of shading induced by selectively
2 suppressing the level of excitation or reception along the
3 peripheral area of the transducer.

4 To generate/detect acoustic energy over a variety of azimuth
5 and elevation angle combinations relative to the front face plane
6 of a transducer, it is necessary to "steer" the boresight beam.
7 In other words, the acoustically active portion of the front face
8 plane must be controlled. To accomplish boresight beam steering,
9 the entire transducer can be moved mechanically or the electrodes
10 can be electronically steered by energizing the electrodes in
11 accordance with a specific sequencing technique known in the art
12 as phasing. Mechanical movement of the transducer involves slow,
13 complex mechanisms. Electronic steering of transducer 10
14 requires each metal electrode 22a,22b to have an individual
15 electric lead attached thereto so that the outgoing beam can be
16 steered along particular angles of azimuth and elevation relative
17 to the front face plane or so that an incoming beam's angular
18 resolution can be detected relative to the front face plane.
19 However, implementing such individual connection is especially
20 difficult and impractical when the transducer is designed for
21 high-frequency operation. For example, a conventional high-
22 frequency acoustic array of 400 electrodes (e.g., a 20x20 planar
23 array) requires an electrical connection to each of the 400
24 electrodes of the array in order to have a steerable and
25 controllable array. Thus, the front face plane of the array,
26 i.e., the part that is emitting/receiving acoustic energy

1 into/from the transmission medium, is a maze of 400 wires - one
2 for each of the 400 individual electrodes. The conducting
3 portion of each wire must be affixed to an individual electrode
4 while the insulated portion of the wire must be routed to a
5 connector or junction box. The wires can disrupt the acoustic
6 beam being generated/received by the array and create an
7 anisotropic volume above the array. Further, if such an array
8 were built for a 250 kHz signal, the entire array would only
9 measure about one inch across.

10 Another prior art approach to beam steering is disclosed in
11 U.S. Patent No. 4,202,050 where four sets of spirally stacked,
12 linear arrays of individual piezoelectric crystals are used in
13 conjunction with an electronic phasing signal generator/detector.
14 However, operation of the device at high-frequency requires the
15 use of arrays that are several feet in length. Such sizing is
16 not practical for many devices requiring small acoustic
17 transducers.

18 19 SUMMARY OF THE INVENTION

20 Accordingly, it is an object of the present invention to
21 provide an acoustic transducer capable of directionally
22 generating and detecting acoustic energy.

23 Another object of the present invention is to provide an
24 acoustic transducer capable of operation in accordance with well
25 known electronic beam steering and beamforming techniques.

1 Still another object of the present invention is to provide
2 an easily produced acoustic transducer capable of generating and
3 detecting high-frequency acoustic energy over a range of azimuth
4 and elevation angles.

5 Yet another object of the present invention is to provide a
6 small acoustic transducer for generating and detecting acoustic
7 energy that lends itself to thin-film fabrication.

8 Other objects and advantages of the present invention will
9 become more obvious hereinafter in the specification and
10 drawings.

11 In accordance with the present invention, an acoustic
12 transducer is constructed as a stacked configuration of multi-
13 layer transducer elements separated from one another by an
14 electrical insulating material. Each multi-layer transducer
15 element has a layer of acoustically transparent electro-acoustic
16 transducer material of selected thickness determined as a
17 function of the speed of sound in the layer of acoustically
18 transparent electro-acoustic transducer material and a desired
19 frequency of operation. Each multi-layer transducer element has
20 opposing planar surfaces with electrically conductive material
21 deposited thereon. For each multi-layer transducer element, the
22 electrically conductive material is formed into parallel strips
23 electrically isolated from one another on at least one of each
24 element's opposing planar surfaces. The parallel strips
25 associated with each multi-layer transducer element have a unique
26 angular orientation.

BRIEF DESCRIPTION OF THE DRAWING(S)

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25

Other objects, features and advantages of the present invention will become apparent upon reference to the following description of the preferred embodiments and to the drawings, wherein:

FIG. 1 is a frontal plan view of a prior art piezoelectric ceramic transducer array;

FIG. 2 is a cross-sectional view of the prior art piezoelectric ceramic transducer array taken along line 2-2 of FIG. 1;

FIG. 3 is in part a frontal plan view of an embodiment of a multiple layer steerable acoustic transducer and in part a block diagram of a generator/detector beamforming system according to the present invention;

FIG. 4 is a somewhat diagrammatic (with the thickness of the layers exaggerated), cross-sectional view of the multiple layer steerable acoustic transducer taken along line 4-4 of FIG. 3;

FIG. 4A is a view like FIG. 4 of a portion of an alternative embodiment of such transducer;

FIG. 5A is a somewhat diagrammatic, cross-sectional view of a single transducer element of the present invention shown with its beam pattern when all electrode strips are excited/sensitized simultaneously;

FIG. 5B is a somewhat diagrammatic, cross-sectional view of a single transducer element of the present invention shown with

1 its beam pattern when the electrode strips are excited/sensitized
2 in accordance with a known phasing technique; and

3 FIG. 6 is a frontal plan view of one transducer element's
4 parallel strip arrangement useful in controlling the side lobe
5 structure of the transducer's radiated beam.

6
7 DESCRIPTION OF THE PREFERRED EMBODIMENT(S)

8 Referring now to the drawings, and more particularly to
9 FIGS. 3 and 4, an illustrative example of the steerable acoustic
10 transducer according to the present invention will be described.
11 In the illustrative example, transducer 100 has three transducer
12 elements 110, 120 and 130 for generating/detecting acoustic
13 energy at any or all of the angles of elevation along each of
14 three uniquely oriented hemispherical planes of sensitivity.
15 Each hemispherical plane of sensitivity is normal to the
16 transducer's surface but is uniquely oriented in terms of
17 azimuthal angle as will be described below.

18 The aforesaid term "hemispherical plane" is common
19 vernacular of persons skilled in the art of acoustically
20 detecting or tracking undersea targets. It's meaning is defined
21 as a plane perpendicular to the frontal plane of the transducer
22 apparatus passing through a reference origin point which is the
23 origin of a hypothetical hemisphere superposed over the frontal
24 plane. The angular positions of the plane about the reference
25 origin point is referred to as the azimuthal angle. Two-
26 dimensional acoustic beam patterns are then depicted as polar

1 coordinate type curves in such hemispherical planes. It will be
2 understood by one skilled in the art that the present invention
3 can include additional transducer elements to provide a larger
4 number of such hemispherical planes of sensitivity. In general,
5 the transducer of the present invention can generate/detect
6 acoustic energy at any or all of the angles of elevation for a
7 number of azimuthal angles equal to the number of transducer
8 elements.

9 More specifically, transducer 100 is shown in a plan view in
10 FIG. 3 and in cross-section in FIG. 4 which has been taken along
11 line 4-4 of FIG. 3. Like reference numerals refer to common
12 elements between the two views. In one embodiment, transducer
13 100 is formed as a stacked structure. Thin-film transducer
14 elements 110, 120 and 130 bonded into a unitary structure. In
15 the embodiment shown, transducer elements 110 and 120 are
16 separated by electrical insulating film 140, and transducer
17 elements 120 and 130 are separated by electrical insulating film
18 150. The active component in each of transducer elements 110,
19 120 and 130 is layer 111, 121 and 131, respectively. Each of
20 layers 111, 121 and 131 is an active polymer which (i) has
21 polarized piezoelectric characteristics in its thickness
22 dimension, and (ii) is acoustically transparent within the
23 desired range of operating frequencies. Examples of materials
24 having these characteristics include, but are not limited to: (i)
25 polyvinylidene fluoride (also known in the art as PVF₂ or PVDF)
26 which is a commercially available homopolymer; and (ii)

1 polyvinylidene trifluoroethylene which is a copolymer available
2 from Amp, Inc., Valley Forge, PA. Other suitable materials
3 include acoustically transparent electrostrictive materials such
4 as urethane or nylon, or any other acoustically transparent
5 material having characteristics exploitable to provide
6 transducing action between acoustic and electrical signals. Any
7 one of the afore-mentioned suitable materials for layers 111, 121
8 and 131 may be referred to hereinafter in the specification and
9 appended claims by the general collective term "acoustically
10 transparent electro-acoustic transducer material".

11 On the one and the other of the planar faces of each of
12 layers 111, 121 and 131, electrically conductive electrode
13 materials (e.g., gold, silver, copper, or other conducting metal)
14 112 and 113, 122 and 123 and 132 and 133, respectively, are
15 sputtered or otherwise deposited thereby forming respective
16 sandwich-type transducer elements 110, 120 and 130. The
17 thickness of the electrode material deposited on each planar face
18 of layers 111, 121 and 131 need only be sufficient to conduct
19 electricity (e.g., on the order of a few Angstroms), but can be
20 made thicker to also act as a heat conductor or improve the
21 transducer's mechanical stiffness.

22 Transducer 100 is composed of a multiplicity of transducer
23 elements (e.g., transducer elements 110, 120 and 130) with
24 electrical insulating film (e.g., film 140 and 150) between
25 transducer elements such that each transducer element's electrode
26 material is electrically isolated from the next transducer

1 element's electrode material. Depending on the material selected
2 for films 140 and 150, film 140 can also serve to bond transducer
3 elements 110 and 120 to one another while film 150 can also serve
4 to bond transducer elements 120 and 130 to one another. The bond
5 between the insulating film and transducer elements can be
6 implemented with either an adhesive or thermoplastic.

7 Transducer 100 is typically a cylindrical structure based on
8 cylindrical transducer elements 110, 120 and 130 because this
9 simplifies resonance mode analysis as will be recognized by one
10 skilled in the art. However, transducer 100 can be constructed
11 in accordance with other geometric shapes without departing from
12 the scope of the present invention.

13 If transducer 100 is cylindrical as shown in FIG. 3, the
14 electrode material sputtered, or otherwise deposited, on each
15 planar face of layers 111, 121 and 131 is in the form of a
16 circular piece. Generally, if transducer 100 is to be used for
17 both generating and receiving acoustic energy, the electrode
18 material on opposing faces of each layer 111, 121 and 131 is
19 etched or cut so as to make a series or set of parallel strips
20 which are electrically isolated from each other and whose
21 orientation is the same on opposing planar faces of layers 111,
22 121 and 131.

23 The strips can extend over the totality of the electrode
24 material on each planar face, however, for sake of simplicity,
25 only three such strips are shown associated with each planar face
26 of layers 111, 121 and 131. More specifically, strips 114, 116

1 and 118 on one planar face of layer 111 are respectively aligned
2 over strips 115 (not visible in drawing), 117 and 119 (not
3 visible in drawing) on the opposing planar face of layer 111.
4 Similarly, strips 124, 126 and 128 on one planar face of layer
5 121 are respectively aligned over strips 125, 127 and 129 on the
6 opposing planar face of layer 121, and strips 134, 136 and 138 on
7 one planar face of layer 131 are respectively aligned over strips
8 135, 137 and 139 on the opposing planar face of layer 131.

9 It is to be appreciated that if transducer 100 is only to be
10 used as a transmitter, it may be configured with the set of
11 parallel electrically isolated strips formed on only one face of
12 the layers of transducer materials. This alternate embodiment is
13 shown in FIG. 4A where transducer element 130' of a transducer
14 unit has one of its electrical material layers 132' formed as a
15 set of parallel electrically isolated strips 134', 136' and 138'.
16 The other electrode layer 133' is formed as a continuous piece
17 providing a solid common ground in connection with operation of
18 the transducer as a transmitter.

19 The center-to-center measurement W between adjacent
20 electrode strips is determined by the desired frequency of
21 operation and the resolution of the acoustic beam to be produced
22 and potentially steered. In one embodiment of the invention, a
23 useful degree of resolution of acoustic transducer directivity
24 for beam steering applications at high acoustic frequencies (the
25 meaning of which will be discussed in greater detail below) is
26 achieved with an approximate center-to-center measurement on the

1 order of 0.4λ , where λ is the wavelength of the desired frequency
2 in the medium of the acoustic transmission. (Note that grating
3 lobes develop as this measurement exceeds 0.5λ .) The underlying
4 formula from which this approximation rule is implied will be
5 discussed below.

6 All parallel electrode strips associated with a transducer
7 element have the same angular orientation. Each transducer
8 element is positioned such that the parallel electrode strips
9 associated therewith define a unique angular orientation within
10 transducer 100. By way of example, for the embodiment shown in
11 FIG. 3, each of strips 114-119 is azimuthally oriented at a
12 reference angle, i.e., 0° about reference pivot point A located
13 where the central axis of cylindrical transducer 100 intersects
14 the plane of the electrode strips. Each of strips 124-129 is
15 oriented at an angle of 45° with respect to strips 114-119; and
16 each of strips 134-139 is oriented at an angle of 90° with
17 respect to strips 114-119. The center-to-center measurement W
18 for adjacent strips in transducer 100 is defined generally

$$W = \frac{C_{TRANSMISSION}}{2f} \quad (1)$$

19 where f is the frequency of operation for transducer 100, and
20 $C_{TRANSMISSION}$ is the speed of sound in the acoustic
21 transmission medium.

22 When each layer is excited, for example layer 111, acoustic
23 pressure is emitted from both sides, i.e., the top and bottom
24 opposing planar faces, of the layer. Since the layers below

1 layer 111 (e.g., layers 121 and 131) are acoustically
2 transparent, the pressure is effectively emitted from the bottom
3 of layer 131 and from the top of layer 111. This mode of
4 transmission is called bi-directional. In what is known as the
5 uni-directional mode, transmission is limited to emission from
6 only one radiating surface, e.g., the top of layer 111 but not
7 the bottom of layer 131. The uni-directional mode is shown in
8 the embodiment of FIG. 4 where transducer 100 is mounted on
9 baffle 160 thereby limiting transmission emission (in this case)
10 to the top of layer 111.

11 When layer 131 is excited in the uni-directional mode,
12 acoustic energy emits successively up through transducer elements
13 120 and 110, and then on into the medium. Baffle 160 prevents
14 acoustic emission from propagating downward from transducer
15 element 130. When layer 111 is excited, the upward acoustic
16 emission is as expected. However, since baffle 160 is a finite
17 distance away from layer 111, i.e., the distance through
18 transducer elements 120 and 130, there will be a partial
19 reflection off baffle 160 which propagates through transducer
20 element 110 and into the medium. Naturally, the reflected
21 acoustic energy enters the medium with a slight delay relative to
22 the original emission. This tends to obscure or smear (as it is
23 known in the art) the signal being emitted from the top of
24 transducer element 110. One approach used in the art for

1 alleviating acoustic smear is to connect an energy absorption
2 device to transducer 100. One such device is described in U.S.
3 Patent No. 5,371,801.

4 If baffle 160 is acoustically "soft", the product ρc of
5 density ρ of the layer and acoustic sound speed c in the layer is
6 much less than that of the transmission medium. For an
7 acoustically "soft" baffle (e.g., a ρc product approaching that
8 of air), the natural resonance of each layer of transducer 100 is
9 the "half-wave resonance" and is related to its thickness t by
10 the relationship

$$t = \frac{C_{LAYER}}{2f} \quad (2)$$

11 where C_{LAYER} is the speed of sound in the layer (e.g., layers 111,
12 121 and 131) of acoustically transparent electro-acoustic
13 transducer material. If baffle 160 is acoustically "stiff"
14 (e.g., a ρc product approaching that of a stiff metal such as
15 tungsten), the resonance of each layer of transducer 100 is the
16 "quarter-wave resonance" and is related to its thickness t by the
17 relationship

$$t = \frac{C_{LAYER}}{4f} \quad (3)$$

18 In general, acoustically "soft" is defined by a ρc product of
19 baffle 160 that is much less (e.g., 10-100 times less) than the
20 ρc product of the transmission medium. Conversely, acoustically
21 "stiff" is defined as by a ρc product of baffle 160 that is much

1 greater (e.g., 10-100 times greater) than the ρc product of the
2 transmission medium.

3 Each front face of a transducer element of the present
4 invention is capable of directing/sensing acoustic energy along
5 all elevations from 0-180° defined along a hemispherical plane of
6 sensitivity that is normal to the front face plane of the
7 transducer element and perpendicular to the particular angular
8 orientation of the transducer element's electrode strips. For
9 example, if all electrode strips of transducer element 130 are
10 excited/sensitized simultaneously, an acoustic beam pattern is
11 generated/received over elevations along the transducer element's
12 entire hemispherical plane of sensitivity. Maximum sensitivity
13 is along the boresight axis which, in this case, lies at the
14 elevation angle of 90° with respect to the front face plane of
15 transducer element 130. This situation results in an acoustic
16 beam pattern as shown in FIG. 5A where transducer element 130 is
17 shown in isolation with its beam pattern. Maximum sensitivity is
18 along a "normal-to-frontal-plane-boresight-axis" 101.

19 The sensitivity of transducer element 130 can be steered if
20 the electrode strips associated therewith are excited/sensitized
21 in accordance with some predefined sequence, i.e., phased. By
22 phasing the electrode strips, it is possible for transducer
23 element 130 to generate/receive an acoustic beam at specific
24 angles of elevation along the transducer element's hemispherical
25 plane of sensitivity. Maximum sensitivity is along a "steered-
26 boresight-axis" 101' which has been pointed by beamforming system

1 500 (FIG. 3 described below) to an angle of elevation other than
2 90° along the hemispherical plane of sensitivity. This situation
3 results in an acoustic beam pattern as shown in FIG. 5B where
4 transducer element 130 is shown in isolation with its steered
5 beam pattern.

6 To operate transducer 100, each strip electrode 114-119,
7 124-129 and 134-139 is electrically connected to electronic
8 signal generator/detector beamforming system 500 as shown in FIG.
9 3. As is well known and will be appreciated by one skilled in
10 the art, transducer 100 is a reciprocal device that is capable of
11 reception of acoustic waves in a manner reciprocal to its use as
12 a projector of acoustic waves. Thus, for transmission and
13 reception operation, system 500 is typically of a type employing
14 time delay coordinated or phase coordinated networks so that the
15 beam patterns for each transducer element can be steered as
16 described above and shown in FIGS. 5A and 5B. Such systems are
17 conventional and well known and may be of any suitable type, as
18 for example from among those described by J.L. Brown, Jr. and
19 R.O. Rowlands in "Design of Directional Arrays", Journal of the
20 Acoustical Society of America, Vol. 31, No. 12, December 1959,
21 pages 1638-1643, or by R.J. Urick in "Principles of Underwater
22 Sound", McGraw-Hill, New York, 1983, pages 54-70, which article
23 and portion of a publication are incorporated herein in their
24 entirety.

25 When transducer 100 is employed as an acoustic projector, it
26 would be theoretically ideal for the sets of electrode strips

1 associated with a transducer element to be totally isolated, in
2 terms of acoustic interaction, from one another when receiving
3 excitation from generator/detector system 500. However, in the
4 case of the embodiment of transducer 100 (FIG. 1), which is a
5 unitary construction of a number of transducer elements including
6 transducer elements 110, 120 and 130, there are fringing effects
7 transferred from the directly excited set of strips to the set of
8 strips associated with the adjacent transducer element. The
9 fringing effects may produce a spurious strain of the adjacent
10 transducer element. This level of strain is acceptable for most
11 applications of high-frequency steerable beam transducers. Also,
12 judicious engineering can minimize the undesired effects of this
13 spurious straining. One example of such minimization of
14 undesired effects would be to design the transducer in accordance
15 with the present invention, and further maximize the isolation of
16 those parts with which fringing causes the most serious undesired
17 effects. Another example of such minimization would be to design
18 the transducer to exploit the second order effects produced by
19 spurious strains to produce beneficial effects related to the
20 desired beam directivity characteristics.

21 If it is important to control the side lobe structure of the
22 transducer's radiated beam, each parallel strip associated with a
23 transducer element can be shaped in a symmetric fashion near each
24 strip's outermost ends. This effectively reduces the amount of
25 acoustic energy emitted near the ends of each strip. One example
26 of such strip shaping is shown in FIG. 6 where the frontal plan

1 view of transducer element 110 now depicts strips 114a, 116a, and
2 118a tapered symmetrically at each end thereof. This technique
3 is known in the art as shading the array.

4 The advantages of the present invention are numerous. The
5 simple stacked configuration provides a steerable acoustic
6 transducer for acoustic signal generation and/or detection that
7 avoids the problems associated with current steerable acoustic
8 transducers. For example, the above-described prior art 20x20
9 array could be replaced by a stacked set of 20 transducer
10 elements in accordance with the present invention. Each
11 transducer element could have its layer of acoustically
12 transparent electro-acoustic transducer material with 20 parallel
13 electrode strips on each layer. The 20 transducer elements would
14 be stacked such that their azimuthal orientations are uniformly
15 spaced through 360° (i.e., each transducer element's strips are
16 offset from an adjacent transducer element's strips by 18°). The
17 total number of wires required for connection to the electrode
18 strips is still 400, however, because the connections are made on
19 the end of the strips, there are no wires interfering with the
20 front face plane of the transducer. If more precision is needed
21 in terms of steering direction, additional transducer elements at
22 different orientations can be added to the stack.

23 While a transducer in accordance with the present invention
24 is useful for operation at all frequencies, its construction has
25 special utility for operation at high frequencies where it has
26 heretofore been difficult to provide the desired compactness and

1 miniaturization of design. By way of example, high-frequency
2 operation for underwater sound applications is defined by the
3 range 20-80 kHz while high-frequency operation in the fields of
4 medical ultrasonic testing and examinations is defined as greater
5 than 250 kHz. The structure of the present invention is well
6 suited for both such "high-frequency" situations where size
7 constraints for optimum performance are paramount. Towards the
8 end of minimizing size of the transducer, the present invention
9 is well-suited to thin-film techniques for the manufacture of a
10 unitary structure from a plurality of thin-film layers. For
11 example, the layers of acoustically transparent electro-acoustic
12 transducer material may be fabricated using conventional
13 techniques of casting thin sheets in shallow molds. The thin
14 films of conductive metal can (i) be sputtered or otherwise
15 deposited on the planar faces of the layers of acoustically
16 transparent electro-acoustic transducer material, and (ii) etched
17 or scored to form the electrode strips. The resultant sandwich-
18 type transducer elements are stacked and bonded together by
19 either an adhesive or thermoplastic bonding agent.

20 It will be understood that many additional changes in the
21 details, materials, steps and arrangement of parts, which have
22 been herein described and illustrated in order to explain the
23 nature of the invention, may be made by those skilled in the art
24 within the principle and scope of the invention

25

STEERABLE ACOUSTIC TRANSDUCER

ABSTRACT OF THE DISCLOSURE

1
2
3
4 An acoustic transducer is constructed as a stacked
5 configuration of multi-layer transducer elements separated from
6 one another by an electrical insulating material. Each multi-
7 layer transducer element has a layer of acoustically transparent
8 electro-acoustic transducer material having opposing planar
9 surfaces with electrically conductive material deposited thereon.
10 For each multi-layer transducer element, the electrically
11 conductive material is formed into parallel strips electrically
12 isolated from one another on at least one of each element's
13 opposing planar surfaces. The parallel strips associated with
14 each multi-layer transducer element have a unique angular
15 orientation.

FIG. 1
(PRIOR ART)




FIG. 2
(PRIOR ART)




FIG. 3




FIG. 4




FIG. 5A




FIG. 5B




FIG. 6

