

UNCLASSIFIED

AD NUMBER	
AD016427	
CLASSIFICATION CHANGES	
TO:	unclassified
FROM:	confidential
LIMITATION CHANGES	
TO: Approved for public release; distribution is unlimited.	
FROM: Distribution authorized to U.S. Gov't. agencies and their contractors; Administrative/Operational Use; SEP 1952. Other requests shall be referred to Naval Proving Ground, Dahlgren, VA.	
AUTHORITY	
30 Sep 1974, DoDD 5200.10; USNSWC ltr, 18 Nov 1975	

THIS PAGE IS UNCLASSIFIED

CONFIDENTIAL

NPG REPORT NO. 1023

Functioning Test of P.D. Rocket Fuze T-2025

PART A

SYNOPSIS

1. a. The Magnavox Company, Fort Wayne, Indiana, is currently working on the development of the T-2025 nose fuze for use with the 2"75 High Explosive, Folding Fin Aircraft Rocket.

b. Previous tests conducted on this fuze at other activities reported that this fuze has functioned on 0"032 and 0"500 thick aluminum targets at striking velocities of approximately 980 ft. per sec. The fuze functioning times obtained were approximately 500 to 600 microseconds.

2. The object of this test was to determine the impact sensitivity and functioning delay of the T-2025 fuze, rocket fired at higher velocities against thin aluminum targets.

3. The following conclusions are based upon the limited number of rounds fired during this test.

a. The T-2025 fuzes tested were not sensitive enough to function on less than 1/4" thick 24ST aluminum targets set at 0° obliquity at velocities of 2000 ft/sec.

b. One of three rounds fired at 0"250 thick 24ST aluminum targets set at 0° obliquity detonated high order. The delay was less than 6 inches. Average rocket striking velocities were 1800 ft/sec.

c. Two of 4 rounds fired at 0"500 thick 24ST aluminum plate set 0° obliquity detonated high order; one with a delay of less than 6 inches and the other less than 2 ft. Average rocket striking velocities were 1800 ft/sec.

CONFIDENTIAL
SECURITY INFORMATION

CONFIDENTIAL

NPG REPORT NO. 1023

Functioning Test of P.D. Rocket Fuze T-2025

TABLE OF CONTENTS

	<u>Page</u>
SYNOPSIS	1
TABLE OF CONTENTS.	2
AUTHORITY.	3
REFERENCES	3
BACKGROUND	3
OBJECT OF TEST	3
PERIOD OF TEST	3
REPRESENTATIVES PRESENT.	3
DESCRIPTION OF ITEM UNDER TEST	4
DESCRIPTION OF TEST EQUIPMENT.	4
PROCEDURE.	5
RESULTS AND DISCUSSIONS.	5
CONCLUSIONS.	7
APPENDIX A - TEST RESULTS.	TABLE I 1 (Only)
APPENDIX B - NPG PHOTOGRAPHS	FIGURES 1-15 (Incl)
APPENDIX C - DISTRIBUTION.	1-2 (Incl)

CONFIDENTIAL

NPG REPORT NO. 1023

Functioning Test of P.D. Rocket Fuze T-2025

PART B

INTRODUCTION

1. AUTHORITY:

This test was conducted in accordance with enclosure (1) of reference (b) as authorized by reference (a).

2. REFERENCES:

- a. NAVPROV Telcon OPG:RLH:ach L1-2 of 9 April 1952
- b. OCO ltr: ORDTA O.O 471.82/1027 (c) 26 March 1952

3. BACKGROUND:

a. The Magnavox Company, Fort Wayne, Indiana, is currently working on the development of the T-2025 nose fuze for use with the 2.75 High Explosive, Folding Fin Aircraft Rocket.

b. Previous tests conducted on this fuze at other activities reported that this fuze has functioned on 0.032 and 0.500 thick aluminum targets at striking velocities of approximately 980 ft. per sec. The fuze functioning times obtained at one activity were approximately 500 to 600 microseconds.

4. OBJECT OF TEST:

The object of this test was to determine the sensitivity and functioning delay of the T-2025 Fuze, rocket fired at high velocities, after impact with light aluminum armor.

5. PERIOD OF TEST:

- | | |
|-------------------------------------|-------------|
| a. Date Project Letter | 15 Apr 1952 |
| b. Date Necessary Material Received | 5 Apr 1952 |
| c. Date Commenced Test | 16 Apr 1952 |
| d. Test Completed | 18 Apr 1952 |

6. REPRESENTATIVES PRESENT:

Mr. A. Nunes-Vais	Picatinny Arsenal
Mr. Chester Piper	Magnavox Corp.
Mr. J. C. Koonz	Magnavox Corp.
Mr. James Kistle	Office of Chief of Ordnance

CONFIDENTIAL
SECURITY INFORMATION

CONFIDENTIAL

NPG REPORT NO. 1023

Functioning Test of P.D. Rocket Fuze T-2025

PART C

DETAILS OF TEST

7. DESCRIPTION OF ITEM UNDER TEST:

a. The T-2025 is a point detonating rocket fuze being developed for use with the 2475 High Explosive, Folding Fin Aircraft Rocket. It is an electric type fuze having its electric power supplied by a small built-in generator. Figure 1 is a drawing of the fuze. The generator consists of a coil and a permanent magnet plunger held under spring tension at the entrance of the coil. The spring loaded plunger is triggered on target impact by a steel ball, which breaks the plunger at its restricted section allowing the plunger to be driven into the coil. When the magnetic plunger is driven into the coil an electromotive force of short duration is induced. This electromotive force reaches a peak of 100 volts which fires the electric primer connected in series with it.

b. The fuze safety features and arming mechanism were modified from that shown in Figure 1 to that shown in Figure 2 for these tests. This modification allowed the fuze to be armed prior to firing by withdrawing the arming wire. This eliminated the possibility of fuze arming failures occurring due to vibrations developed during passage of the rocket through the launcher rails.

c. Figure 3 is a photograph of the experimental rocket before and after assembly, as used in this test.

8. DESCRIPTION OF TEST EQUIPMENT:

- | | |
|-----------------------------------|---|
| a. Rocket Motors | 5"0 Rocket Motor Mk 2 Mod 3
5"0 Rocket Motor Model 38
(White Whizzor) |
| b. Rocket Adapters | 5"0 to 2475 head-to-motor
adapter (steel) PX-8-539A |
| c. Launcher | NPG 1050 ft. |
| d. Cameras | One Bowen
One 16mm High Speed Eastman |
| e. Velocity Recording Instruments | Oscillograph and Counter-
Chronograph |

CONFIDENTIAL
SECURITY INFORMATION

CONFIDENTIAL

NPG REPORT NO. 1023

Functioning Test of P.D. Rocket Fuze T-2025

9. PROCEDURE:

Three rounds with a black powder, smoke puff indicator were fired prior to the firing of full explosive loaded rounds. These were to determine whether launcher vibrations would cause the fuze to function while being projected down the track. They were fired as a precautionary measure, taken for the prevention of damage to the launcher.

The first two rounds fired had one 5" HVAR motor as a booster and a 5"O "White Whizzer" Model 38 as the head motor. The head motor was ignited after 200 ft. of travel. Maximum striking velocity obtained by this test procedure was 2075 ft./sec. A study of the film record indicated that the head motors were not completely burnt out at the target. Therefore the booster motors on the following rounds were eliminated.

The Bowon Camera covered the target and approximately 500 ft. of rocket flight. The 16mm Eastman Camera also recorded the target area.

10. RESULTS AND DISCUSSION:

a. Details of test results are found in Table I.

b. Summarized test results are as follows:

No. of Rds.	Target-24ST Aluminum	Obliquity	Striking Velocity (ft/sec.)	Functioning High Order	Dud
1	0°032	0°	2075	--	1
1	0°064	0°	2169	--	1
1	0°064	45°	1976	--	1
1	0°125	0°	Est. 2200	--	1
3	0°250	0°	Approx. Av. 1800	1	2
4	0°50	0°	Approx. Av. 1800	2*	2

* One round token loaded
One round High Explosive Loaded

c. Delays in explosive functioning of the High Explosive Loaded rounds were estimated to be less than 6 inches. Figures 7 and 11 show target penetration and High Order explosive action of rounds 5 and 9 respectively. Figure 12 shows the results of the impact of round 9 on 1/2" 24ST aluminum. Fragmentation marks of High Order detonation can be seen on the face of the target substantiating

CONFIDENTIAL
SECURITY INFORMATION

Functioning Test of P.D. Rocket Fuze T-2025

the estimated delay of this round to be less than 6 inches. Figures 5, 6, 8, 9, 10, 13, and 14 are photographic records of target impacts for rounds 2, 3, 6, 7, 8, 10, and 11 which were all duds. The explosive actions seen in these records were not caused by rocket head detonation but includes a plate flash and burning of aluminum dust resulting from the heat generated during penetration.

d. One High Order detonation occurred during the firing of the three token loaded rounds. Figure 4 shows target impact and detonation action of this round. The delay of this round could not be accurately measured but was estimated to be not greater than 24 inches.

e. The following analysis of the above results are based entirely on the assumption that a sufficient electric charge is consistently generated by the T-2025 fuze during normal operating procedure.

(1) Four rounds were fired at 24ST aluminum targets less than 1/4" thick and were all duds. This may indicate that the energy imparted to the steel ball on target impact was not sufficient to rupture the steel plunger at its restricted section.

(2) Four of the seven rounds fired at 24ST aluminum targets 1/4" thick and 1/2" thick were duds. These duds may be attributed to the disarrangement of fuze components limiting the freedom of plunger motion, resulting from the added severeness of target impact.

(3) Figure 15 shows the recovered, unexploded 2.75 rocket head, with the T-2025 fuze fired as round 10. It had penetrated one-half inch thick 24ST aluminum plate set at 0° obliquity at a striking velocity estimated as 1900 ft/sec. It appeared that the flat steel nose section of the fuze housing had been driven back into the cylindrical void in which the steel ball bearing and plunger head are located. Army representatives present advised that drop tests of other T-2025 fuzes had produced similar damage. Fuzes subjected to the drop tests had the sleeve assembly and coil bushing assembly (shown in Figure 1) deformed and disarranged, limiting the motion of the magnetic plunger. This prevented the generator from functioning. No facilities were available for breaking down the recovered dud at this activity. Therefore no examination of the internal damage could be made. However, since the external damage was similar to that on the fuzes subjected to drop tests it may be assumed that the internal damage was also similar.

CONFIDENTIAL

NPG REPORT NO. 1023

Functioning Test of P.D. Rocket Fuze T-2025

PART D

CONCLUSIONS

11. The following conclusions are based upon the limited number of rounds fired during this test.

a. The T-2025 fuzes tested were not sensitive enough to function on less than 1/4" thick 24ST aluminum targets set at 0° obliquity, at striking velocities of 2000 ft/sec.

b. One of 3 rounds, fired at 0° 250 inch thick 24ST aluminum targets set at 0° obliquity, detonated high order. The delay was less than 6 inches. Average rocket striking velocities were 1800 ft/sec.

c. Two of 4 rounds fired at 0° 5 thick 24ST aluminum plate set at 0° obliquity detonated high order. One with a delay of less than 6 inches and the other less than 2 ft. Average rocket striking velocities were 1800 ft/sec.

CONFIDENTIAL
SECURITY INFORMATION

CONFIDENTIAL

NPG REPORT NO. 1023


Functioning Test of P.D. Rocket Fuzo T-2025

The tests upon which this report is based were conducted by:
R. T. CROWELL, Firing Director, Rocket Battery
Terminal Ballistics Department

This report was prepared by:
R. T. CROWELL, Firing Director, Rocket Battery
Terminal Ballistics Department

This report was reviewed by:
F. W. KASDORF, Head of Rocket Battery Division
Terminal Ballistics Department
E. LEVSTIK, Lieutenant Commander, USNR
Terminal Ballistics Batteries Officer
Terminal Ballistics Department
W. B. ROBERTSON, Lieutenant Commander, USN
Terminal Ballistics Officer
Terminal Ballistics Department
C. C. BRAMBLE, Director of Research
Ordnance Group

APPROVED: J. F. BYRNE
Captain, USN
Commander, Naval Proving Ground


E. A. RUCKNER
Captain, USN
Ordnance Officer
By direction

CONFIDENTIAL
SECURITY INFORMATION

CONFIDENTIAL

NPG REPORT NO. 1023

**U. S. NAVAL PROVING GROUND
DAHLGREN, VIRGINIA**

First Partial Report

on

Army R&D Aircraft Rocket Fuzes

Final Report

on

Functioning Test of P.D. Rocket Fuze T-2025

Project No.: Chief of Ordnance TAl-2704
Copy No.: 35
No. of Pages: 8

Date:

**CONFIDENTIAL
SECURITY INFORMATION**

CONFIDENTIAL

Functioning Test of P.D. Rocket Fuze T-2025

NPG REPORT NO. 1023

TABLE I

FUNCTIONING TEST OF POINT DETONATING FUZE T-2025TABLE OF TEST RESULTS

Rd. No.	Fuze No.	Obliquity	Target Thickness	Target Material	Velocities		Propelled by		Head Loading	Time of Flight	Functioning	Explosive Delay
					Desired	Obtained	(a) 5" Head Motor	(b) 5" Pusher "				
1	13	0°	08500	24ST Alum.	2000	1862	(b) HVAR	(b) HVAR	(Black)	-	HD	Not greater than 24 inches
2	18	0°	08032	" "	"	2075	(a) Model 38	(a) Model 38	(Powder)	-	HD	-
3	16	0°	08064	" "	"	2169	(b) HVAR	(b) HVAR	"	1.3	Dud	-
4	12	0°	08125	" "	"	est. 2200	(a) Model 38	(a) Model 38	"	0.99	Dud	-
5	7	0°	08250	" "	"	est. 1800	(a) Model 38	(a) Model 38	HE	0.95	Dud	-
6	9	0°	08250	" "	"	1487	(a) HVAR	(a) HVAR	HE	1.2	High Order	Less than 6 inches
7	3	0°	08250	" "	"	1801	(a) HVAR	(a) HVAR	HE	1.5	Dud	-
8	11	0°	0850	" "	"	1822	(a) HVAR	(a) HVAR	HE	1.12	Dud	-
9	6	0°	0850	" "	"	1738	(a) HVAR	(a) HVAR	HE	-	Dud	-
10	10	0°	0850	" "	"	est. 1900	(a) HVAR	(a) HVAR	HE	1.14	High Order	Less than 6 inches
11	19	45°	08064	" "	"	1976	(a) HVAR	(a) HVAR	HE	1.3	Dud	-
									HE	.99	Dud	-

CONFIDENTIAL
SECURITY INFORMATION

APPENDIX A

JP9-49332

16 April 1952

Functioning Test of Point Detonating Fuze T-2025 Photograph of Magnavox Drawing No. 197695.
Figure 1

CONFIDENTIAL
SECURITY INFORMATION



IMPORTANT!

THIS PRINT FOR ESTIMATE
(ONLY) NOT FOR USE

CONFIDENTIAL

CONFIDENTIAL

FUZE, ROCKET, A-100, 17008

1. General Name
2. Drawing No.
3. Drawing No.
4. Drawing No.
5. Drawing No.
6. Drawing No.
7. Drawing No.
8. Drawing No.
9. Drawing No.
10. Drawing No.
11. Drawing No.
12. Drawing No.
13. Drawing No.
14. Drawing No.
15. Drawing No.
16. Drawing No.
17. Drawing No.
18. Drawing No.
19. Drawing No.
20. Drawing No.
21. Drawing No.
22. Drawing No.
23. Drawing No.
24. Drawing No.
25. Drawing No.
26. Drawing No.
27. Drawing No.
28. Drawing No.
29. Drawing No.
30. Drawing No.
31. Drawing No.
32. Drawing No.
33. Drawing No.
34. Drawing No.
35. Drawing No.
36. Drawing No.
37. Drawing No.
38. Drawing No.
39. Drawing No.
40. Drawing No.
41. Drawing No.
42. Drawing No.
43. Drawing No.
44. Drawing No.
45. Drawing No.
46. Drawing No.
47. Drawing No.
48. Drawing No.
49. Drawing No.
50. Drawing No.
51. Drawing No.
52. Drawing No.
53. Drawing No.
54. Drawing No.
55. Drawing No.
56. Drawing No.
57. Drawing No.
58. Drawing No.
59. Drawing No.
60. Drawing No.
61. Drawing No.
62. Drawing No.
63. Drawing No.
64. Drawing No.
65. Drawing No.
66. Drawing No.
67. Drawing No.
68. Drawing No.
69. Drawing No.
70. Drawing No.
71. Drawing No.
72. Drawing No.
73. Drawing No.
74. Drawing No.
75. Drawing No.
76. Drawing No.
77. Drawing No.
78. Drawing No.
79. Drawing No.
80. Drawing No.
81. Drawing No.
82. Drawing No.
83. Drawing No.
84. Drawing No.
85. Drawing No.
86. Drawing No.
87. Drawing No.
88. Drawing No.
89. Drawing No.
90. Drawing No.
91. Drawing No.
92. Drawing No.
93. Drawing No.
94. Drawing No.
95. Drawing No.
96. Drawing No.
97. Drawing No.
98. Drawing No.
99. Drawing No.
100. Drawing No.

MP9-49333

16 April 1952

Functioning Test of Joint Detonating Fuze T2025 Photograph of Magnavox Company Drawing
No. 19Y797.

CONFIDENTIAL
SECURITY INFORMATION

CONFIDENTIAL

ARMED ARMING
SPRING
POTENTIAL
CEMENT
FROM
PUMP
CAUTION

CONFIDENTIAL

ARMING ARRANGEMENT

SECRET



1952		1953		1954		1955		1956		1957		1958		1959		1960		1961		1962		1963		1964		1965		1966		1967		1968		1969		1970		1971		1972		1973		1974		1975		1976		1977		1978		1979		1980		1981		1982		1983		1984		1985		1986		1987		1988		1989		1990		1991		1992		1993		1994		1995		1996		1997		1998		1999		2000		2001		2002		2003		2004		2005		2006		2007		2008		2009		2010		2011		2012		2013		2014		2015		2016		2017		2018		2019		2020		2021		2022		2023		2024		2025		2026		2027		2028		2029		2030		2031		2032		2033		2034		2035		2036		2037		2038		2039		2040		2041		2042		2043		2044		2045		2046		2047		2048		2049		2050		2051		2052		2053		2054		2055		2056		2057		2058		2059		2060		2061		2062		2063		2064		2065		2066		2067		2068		2069		2070		2071		2072		2073		2074		2075		2076		2077		2078		2079		2080		2081		2082		2083		2084		2085		2086		2087		2088		2089		2090		2091		2092		2093		2094		2095		2096		2097		2098		2099		2100		2101		2102		2103		2104		2105		2106		2107		2108		2109		2110		2111		2112		2113		2114		2115		2116		2117		2118		2119		2120		2121		2122		2123		2124		2125		2126		2127		2128		2129		2130		2131		2132		2133		2134		2135		2136		2137		2138		2139		2140		2141		2142		2143		2144		2145		2146		2147		2148		2149		2150		2151		2152		2153		2154		2155		2156		2157		2158		2159		2160		2161		2162		2163		2164		2165		2166		2167		2168		2169		2170		2171		2172		2173		2174		2175		2176		2177		2178		2179		2180		2181		2182		2183		2184		2185		2186		2187		2188		2189		2190		2191		2192		2193		2194		2195		2196		2197		2198		2199		2200		2201		2202		2203		2204		2205		2206		2207		2208		2209		2210		2211		2212		2213		2214		2215		2216		2217		2218		2219		2220		2221		2222		2223		2224		2225		2226		2227		2228		2229		2230		2231		2232		2233		2234		2235		2236		2237		2238		2239		2240		2241		2242		2243		2244		2245		2246		2247		2248		2249		2250		2251		2252		2253		2254		2255		2256		2257		2258		2259		2260		2261		2262		2263		2264		2265		2266		2267		2268		2269		2270		2271		2272		2273		2274		2275		2276		2277		2278		2279		2280		2281		2282		2283		2284		2285		2286		2287		2288		2289		2290		2291		2292		2293		2294		2295		2296		2297		2298		2299		2300		2301		2302		2303		2304		2305		2306		2307		2308		2309		2310		2311		2312		2313		2314		2315		2316		2317		2318		2319		2320		2321		2322		2323		2324		2325		2326		2327		2328		2329		2330		2331		2332		2333		2334		2335		2336		2337		2338		2339		2340		2341		2342		2343		2344		2345		2346		2347		2348		2349		2350		2351		2352		2353		2354		2355		2356		2357		2358		2359		2360		2361		2362		2363		2364		2365		2366		2367		2368		2369		2370		2371		2372		2373		2374		2375		2376		2377		2378		2379		2380		2381		2382		2383		2384		2385		2386		2387		2388		2389		2390		2391		2392		2393		2394		2395		2396		2397		2398		2399		2400		2401		2402		2403		2404		2405		2406		2407		2408		2409		2410		2411		2412		2413		2414		2415		2416		2417		2418		2419		2420		2421		2422		2423		2424		2425		2426		2427		2428		2429		2430		2431		2432		2433		2434		2435		2436		2437		2438		2439		2440		2441		2442		2443		2444		2445		2446		2447		2448		2449		2450		2451		2452		2453		2454		2455		2456		2457		2458		2459		2460		2461		2462		2463		2464		2465		2466		2467		2468		2469		2470		2471		2472		2473		2474		2475		2476		2477		2478		2479		2480		2481		2482		2483		2484		2485		2486		2487		2488		2489		2490		2491		2492		2493		2494		2495		2496		2497		2498		2499		2500		2501		2502		2503		2504		2505		2506		2507		2508		2509		2510		2511		2512		2513		2514		2515		2516		2517		2518		2519		2520		2521		2522		2523		2524		2525		2526		2527		2528		2529		2530		2531		2532		2533		2534		2535		2536		2537		2538		2539		2540		2541		2542		2543		2544		2545		2546		2547		2548		2549		2550		2551		2552		2553		2554		2555		2556		2557		2558		2559		2560		2561		2562		2563		2564		2565		2566		2567		2568		2569		2570		2571		2572		2573		2574		2575		2576		2577		2578		2579		2580		2581		2582		2583		2584		2585		2586		2587		2588		2589		2590		2591		2592		2593		2594		2595		2596		2597		2598		2599		2600		2601		2602		2603		2604		2605		2606		2607		2608		2609		2610		2611		2612		2613		2614		2615		2616		2617		2618		2619		2620		2621		2622		2623		2624		2625		2626		2627		2628		2629		2630		2631		2632		2633		2634		2635		2636		2637		2638		2639		2640		2641		2642		2643		2644		2645		2646		2647		2648		2649		2650		2651		2652		2653		2654		2655		2656		2657		2658		2659		2660		2661		2662		2663		2664		2665		2666		2667		2668		2669		2670		2671		2672		2673		2674		2675		2676		2677		2678		2679		2680		2681		2682		2683		2684		2685		2686		2687		2688		2689		2690		2691		2692		2693		2694		2695		2696		2697		2698		2699		2700		2701		2702		2703		2704		2705		2706		2707		2708		2709		2710		2711		2712		2713		2714		2715		2716		2717		2718		2719		2720		2721		2722		2723		2724		2725		2726		2727		2728		2729		2730		2731		2732		2733		2734		2735		2736		2737		2738		2739		2740		2741		2742		2743		2744		2745		2746		2747		2748		2749		2750		2751		2752		2753		2754		2755		2756		2757		2758		2759		2760		2761		2762		2763		2764		2765		2766		2767		2768		2769		2770		2771		2772		2773		2774		2775		2776		2777		2778		2779		2780		2781		2782		2783		2784		2785		2786		2787		2788		2789		2790		2791		2792		2793		2794		2795		2796		2797		2798		2799		2800		2801		2802		2803		2804		2805		2806		2807		2808		2809		2810		2811		2812		2813		2814		2815		2816		2817		2818		2819		2820		2821		2822		2823		2824		2825		2826		2827		2828		2829		2830		2831		2832		2833		2834		2835		2836		2837		2838		2839		2840		2841		2842		2843		2844		2845		2846		2847		2848		2849		2850		2851		2852		2853		2854		2855		2856		2857		2858		2859		2860		2861		2862		2863		2864		2865		2866		2867		2868		2869		2870		2871		2872		2873		2874		2875		2876		2877		2878		2879		2880		2881		2882		2883		2884		2885		2886		2887		2888		2889		2890		2891		2892		2893		2894		2895		2896		2897		2898		2899		2900		2901		2902		2903		2904		2905		2906		2907		2908		2909		2910		2911		2912		2913		2914		2915		2916		2917		2918		2919		2920		2921		2922		2923		2924		2925		2926		2927		2928		2929		2930		2931		2932		2933		2934		2935		2936		2937		2938		2939		2940		2941		2942		2943		2944		2945		2946		2947			
------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	--	--

NP9-49334

CONFIDENTIAL
SECURITY INFORMATION
Functioning Test of Point Detonating Fuze T2025 Photograph of Experimental round before
and after assembly.

18 April 1952

Figure 3



35

Functioning Test of Point Detonating Fuze T-2025. View of target during rocket penetra-
tion. Camera 16mm Eastman - frame rate est 3000 fps. Fired from 1050 ft. launcher.
2:75 Rocket Head (Smoke Puff Loaded).

Fig.	Rd.	Target		Striking		Remarks
No.	No.	0"500	245"	Alum.	Velocity	Explosive delay less than 2 ft.
1	1	0°	0°	"	1862 ft/sec	Note: (1) Plate flash
2	2	0°032	"	"	2075 "	(2) Intact condition of head after penetration.

Figure 4

Figure 5




NP9-49336

CONFIDENTIAL & SECURITY INFORMATION
 Functioning Test of Point Detonating Fuze T-2025. View of target during rocket penetra-
 tion. Camera 16mm Eastman - frame rate est 3000 fps. Fired from 1050 ft. launcher in
 2"75 Rocket Head. Rd. 3 Smoke Puff Loaded. Rd. 5 High Explosive Loaded.

No.	Rd.	Target	Obt.	Velocity	Func.	Remarks
6	3	0"064 24ST Alum.	0°	2169 ft/sec	Dud	Plate flash, no head detonation.
7	5	0"25 24ST Alum.	0°	1800 ft/sec	H0	Delay in functioning less than 6".

Figure 6






Figure 8




Figure 9

NP9-49337 12 April 1952 CONFIDENTIAL - SECURITY INFORMATION
 Functioning Test of Point Detonating Fuze T-2025. View of target during
 rocket penetration. Camera Bowen - frame rate 90 fps.
 Fig. Rd. Target Striking
 No. No. Thickness Obl. Velocity Func. Remarks
 6 2 0.25 24ST Alum. C° 1487 Dud Plate flash is seen
 and not head
 detonation

AF-47330

CONFIDENTIAL - SECURITY INFORMATION
 Functioning Test of Point Detonating Fuze T-2025. View of target during rocket penetration.

Fig. Rd.

No. 10

Target

0:50 24ST Alum.

Obl.

C

Striking

Velocity

1320 ft/sec

Func.

Dud


1738 ft/sec

H0

Remarks

Plate flash is seen and not head detonation.
 Note: (1) Explosive delay estimated at less than 6". (2) Note plate fragments.

Figure 10




CONFIDENTIAL
SECURITY INFORMATION

NP9-49339
Functioning Test of Point Detonating Fuze T-2025 on face of 1/2" 24ST Aluminum Plate. Photograph of 1/2" (24ST Aluminum Target) showing Impact of round 9 with High Order detonation marks on the face of the target. Striking Velocity 1738 ft/sec. Target was set normal to the line of fire.





76



NP9-49341

Functioning Test of Point Detonating Fuze T-2025. Photograph of recovered dud.

Rd.	Fuze	Date	Fired	Striking	Target	Function
No.	No.			Velocity		Dud
10	10	4-18-52		est 1900	1/2" (24ST Alum.)	

Note: (1) Base torn off.

(2) Point of fuze punctured.

Figure 15



CONFIDENTIAL

NPG REPORT NO. 1023

Functioning Test of P.D. Rocket Fuze T-2025

DISTRIBUTION

Bureau of Ordnance

Ad3	1
Re2	1
Re2b	1
Chief of Ordnance, Department of the Army Attn: CRDTX-AR	2
ORDESB-TE2	1
ORDTA	1
Commanding General, Aberdeen Proving Ground, Aberdeen, Maryland Attn: Technical Information Section, Development and Proof Services	1
Commander, Operational Development Force U. S. Atlantic Fleet, U. S. Naval Base, Norfolk 11, Virginia	1
Navy Research Section, Library of Congress, Washington 25, D. C., (via Re2b)	2
Chief of Ordnance, Department of the Army, Attn: ORDTQ	1
BUAER Attn: Armament Section	2
Air Material Command Liaison Officer, Wing 3 Headquarters, Aberdeen Proving Ground, Aberdeen, Maryland	2
Naval Liaison Officer, USAFPGC, Eglin Field, Florida	1

CONFIDENTIAL
SECURITY INFORMATION

CONFIDENTIAL

NPC REPORT NO. 1023

Functioning Test of P.D. Rocket Fuze T-2025

DISTRIBUTION (Continued)

U. S. Air Force, AMC Engineering Field Office, Room 1833, Main Navy Building, Navy Department, Washington, D. C.	2
Commander, Naval Ordnance Laboratory, White Oak, Silver Spring, Maryland Attn: Library (DP Section)	2 3
Commanding Officer, Picatinny Arsenal, Dover, New Jersey Attn: ORDES-T	2
Commanding General Air Material Armament Test Center Eglin Air Force Base, Florida	1
Local:	
OT	1
CV	1
File	1