

AD No. 21 / 47

ASTIA FILE COPY

Report No. 1

on

CONTRACT NO. Nmr-495(04)
NF 055 398

Shalom, David, and Melvin S. Newman
October 1, 1953

THE OHIO STATE UNIVERSITY
RESEARCH FOUNDATION

BEST AVAILABLE COPY

RF Project 497

Report No. 1

TECHNICAL

R E P O R T

by

THE OHIO STATE UNIVERSITY
RESEARCH FOUNDATION

Columbus 10, Ohio

To

OFFICE OF NAVAL RESEARCH
Contract No. Nonr-495(04)
NR 055 298

On

STERIC FACTORS IN ORGANIC CHEMISTRY

Submitted by

Shalom Sarel and Melvin S. Newman
Department of Chemistry

Date October 1, 1953

SUMMARY

The synthesis of a number of acids, alcohols derived by reduction, and the acetates of these alcohols is described. Physical properties and yields are tabulated.

The rates of alkaline hydrolysis of these acetates at 20° and 30° in aqueous dioxane have been measured and calculations of rate constants and thermodynamic properties have been made.

ALKALINE HYDROLYSIS OF ACETATES OF HIGHLY BRANCHED ALCOHOLS

INTRODUCTION


The over-all objective of the work herein reported is to accumulate quantitative data on the saponification of a large number of primary, secondary, and tertiary acetates. These data will be used in a study of steric effects of various alkyl groups in alkaline hydrolysis. It is hoped that eventually these data will be useful in predicting the alkyl ester to be used in many different reactions where bifunctional compounds, one function of which is the ester function, are involved.

EXPERIMENTAL


A. SYNTHESIS OF ACIDS

Five different methods were used for the preparation of the carboxylic acids or their esters. These methods are outlined below.


1. Carboxylation of the Grignard reagent:




2. Alkylation of Malonic or Cyanoacetic Esters:



3. Alkylation of Nitriles (Ziegler Method):



4. Alkaline Rearrangement of α -Haloketones (Favorski Reaction):



5.



B. REDUCTION OF ACIDS AND ESTERS

The use of LiAlH_4 as a reducing reagent for converting carboxylic acids and esters into the corresponding primary alcohols has been found highly satisfactory.

C. FORMATION OF ACETATES

The primary alcohols were easily acetylated either by (1) acetyl chloride or (2) acetic anhydride in presence of dry pyridine, affording very good yields, depending on effectiveness of isolation methods of the product used. The data are summarized in Table I. The physical properties are listed in Table II.

The secondary and tertiary alcohols were acetylated by acetyl chloride and magnesium metal in dry ether as follows: (See Table III).



D. RATES OF SAPONIFICATION

The rate of hydrolysis of the acetates with 0.01 N sodium hydroxide, using water or 70% aqueous dioxane as solvents, was followed titrimetrically at 20°C and 30°C. The rate constants are given in Table IV. The thermodynamic data in Table IV were calculated using the equations listed below.

E. CALCULATION OF ARRHENIUS PARAMETERS

$$(1) \Delta E^* = 2.303 \times R \times \frac{T_1 \cdot T_2}{T_2 - T_1} \cdot \log \frac{k_2}{k_1} \quad (\text{Energy of activation})$$

$$(2) \log PZ = \log k + \frac{\Delta E^*}{2.303 \cdot RT} = B$$

$$(3) \Delta S^* = 2.303 \times R \left(B - \log \frac{RT}{Nh} \right) \quad (\text{entropy of activation for all degrees of freedom})$$

which are derived from the transition state theory of reaction velocity:

$$k = \frac{RT}{Nh} \cdot e^{-\Delta S^*/R} \cdot e^{-\Delta E^*/RT}$$

$$\text{or} \quad \log k = \log \frac{RT}{Nh} + \frac{\Delta S^*}{2.303 R} - \frac{\Delta E^*}{2.303 RT}$$

where R/N and h are the Boltzman and Planck constants, respectively, and ΔS^* is the entropy of activation for all degrees of freedom.

Equation (2) is used for calculating $B (= \log PZ)$ at each temperature; average B is used in equation (3). In equation (3) the average temperature is used as $T = 298$.

F. INFRARED SPECTRA

Spectra were recorded between 5000 and 625 cm^{-1} with a Baird Infrared Recording Spectrophotometer, Model B. All liquids were

measured in a sandwich-type sodium chloride cell. See data in Table II.

DISCUSSION OF RESULTS

As stated before, one of the prime purposes of this study is to obtain a quantitative measure of steric hindrance towards the alkaline hydrolysis of alkyl acetates. In order to rule out polar effects as much as possible, comparisons of relative rates will be made only within the members of the same class of esters. That is, the rates of primary alkyl esters will form one class, the rates of secondary esters another, and the rates of tertiary esters still another. It is hoped that a knowledge of the magnitude of the steric factors involved will prove useful in determining that ester of an acid to be used in certain reactions involving bi-functional compounds one function of which is the ester function.

There are certain cases described in the literature in which the use of t-butyl esters is preferable to that of ethyl esters. However, the preparation of t-butyl esters is often quite tedious. It would be helpful to know what primary and secondary alcohols might be expected to show the same degree of hindrance. The completion of our work on the alkaline saponification of primary alkyl acetates allows this to be done, as will be shown below.

The rates for alkaline hydrolysis of methyl, ethyl, isopropyl, and t-butyl acetates are 7.84, 4.57, 1.26, and 0.081 respectively,

using the same units as those indicated in Table IV. Thus we see that compounds 3 and 9 saponify slightly more slowly than t-butylacetate even though primary alkyl groups are involved. All of the other primary alcohol esters listed in Table IV saponify more slowly than methyl and ethyl acetate and hence one has a nice selection of primary alkyl groups having larger steric requirements than ethyl. It remains for much future work to show how valuable this information may prove to be in the selection of the proper ester groups in various cases.


TABLE I. ACETATES OF PRIMARY ALCOHOLS OF FORMULA $\text{R}^{\text{I}} - \text{C}(\text{R}^{\text{II}})(\text{R}^{\text{III}})\text{COOCH}_3$

No.	Alcohol	R ^I	R ^{II}	R ^{III}	R ^{II}	Acid yield	Ref.	Alcohol yield	Acetate
1.	Isobutyl	CH ₃	CH ₃	H	H	-		-	-
2.	Neopentyl	CH ₃	CH ₃	CH ₃	CH ₃			91%	80%
3.	2,2-Dimethylbutyl	CH ₃	CH ₃	CH ₃	C ₂ H ₅	40%	A-1	90%	92%
4.	2,2-Diethylbutyl	C ₂ H ₅	C ₂ H ₅	C ₂ H ₅	C ₂ H ₅	60%	A-3	65%	93%
5.	2-Methylbutyl	CH ₃	C ₂ H ₅	H	H				77%
6.	2-Ethylbutyl	C ₂ H ₅	C ₂ H ₅	H	H				70%
7.	3-Methyl-2-ethylbutyl	C ₂ H ₅	(CH ₃) ₂ CH	H	H	78.5%	A-2	83%	90%
8.	3,3-Dimethyl-2-ethylbutyl	C ₂ H ₅	(CH ₃) ₃ C	H	H			96%	97%
9.	2-2-Diisopropylethyl	(CH ₃) ₂ CH	(CH ₃) ₂ CH	H	H	50%	A-2	67%	75%
10.	2,3-Dimethylbutyl	(CH ₃) ₂ CH	CH ₃	H	H	60%	A-2 A-4	90%	92%
11.	Cyclopropanemethyl		Cyclopropane	H	H	94.8%	A-5	70%	88.9%
12.	Cyclobutanemethyl		Cyclobutane ring	H	H	-	-	80%	92%
13.	Cyclopentanemethyl		Cyclopentane ring	H	H	65%	A-4	80%	90%
14.	Cyclohexanemethyl		Cyclohexane ring	H	H	-	-	-	77%
15.	2-Ethylhexyl-1	C ₂ H ₅	n-C ₄ H ₉	H	H	-	-	-	93%

TABLE II. PHYSICAL PROPERTIES AND C-O ABSORPTION BAND IN THE INFRARED
SPECTRA OF ACETATES OF PRIMARY ALCOHOLS

No.	Compound Acetate of	B.P. °C	Pressure in mm.	n _D ²⁵	C-O Absorption	
					cm ⁻¹	μ
1	2-Methylpropanol	117	741	1.3885	1046	9.56
2	2,2-Dimethylpropanol	127-127.5	741	1.3927	1031 (1050)	9.67 (9.55)
3.	2,2-Dimethylbutanol	152-153	740	1.4188	1038	9.64
4.	2,2-Diethylbutanol	103-104	40	1.4269	1034 (1055)	9.69 (9.50)
5.	2-Methylbutanol	138-139	741	1.4004	1042	9.58
6.	2-Ethylbutanol	160	740	1.4090	1038-1041	9.62-9.65
7.	3-Methyl-2-ethylbutanol	88-89	30	1.4156	1036	9.66
8.	3,3-Dimethyl-2-ethylbutanol	100	40	1.4220	1038	9.65
9.	2,3-Dimethylbutanol	147	740	1.4068	1038	9.65
10.	Cyclopropanemethanol	133.5	740	1.4156	1034	9.67
11.	Cyclobutanemethanol	150	741	1.4245	1033	9.70
12.	Cyclopentanemethanol	172.5	741	1.4340	1038	9.65
13.	Cyclohexanemethanol	108	40	1.4421	1040	9.63
14.	2,2-Dimethylpropylethanol	185-186	740	1.4214	1045	9.62
15.	2-Ethylhexanol-1	140	40	1.4182	1041	9.62

TABLE III. ACETATES OF SECONDARY AND TERTIARY ALCOHOLS



No.	Compound	R'	R''	R'''	Car- binol yield	Acce- tate yield	Ref.
16.	Triethyl carbinyl	C ₂ H ₅	C ₂ H ₅	C ₂ H ₅	75%*	70%	Spassow
17.	Di-isopropyl carbinyl	(CH ₃) ₂ CH	H	(CH ₃) ₂ CH		90%	Spassow
18.	tert. Butyl methyl carbinyl	(CH ₃) ₃ C	H	CH ₃	87%**	63%	AcCl+Py

*Prepared by Grignard method

**Reduction of ketone with LiAlH

Rates of saponification of above acetates in 70% aqueous dioxane were too slow at 20°C, so that the error in the measurement is too great. Further studies on these compounds will be made.

TABLE IV. KINETICS OF ALKALINE HYDROLYSIS
OF ACETATES OF PRIMARY ALCOHOLS

No.	Compound	k $\frac{\text{g. mole/l.} \cdot \text{min}^{-1}}{20^\circ\text{C}}$	$\frac{\text{g. mole/l.} \cdot \text{min}^{-1}}{30^\circ\text{C}}$	$\Delta E^\ddagger$ Cal./mole	log. PZ	$\Delta S^\ddagger$ Cal./deg./mole
1	$\text{CH}_3-\overset{\text{CH}_3}{\underset{\text{CH}_3}{\text{C}}}-\text{CH}_2\text{OCOCH}_3$	0.280	0.498	9925	7.3079 ± 0.130	+ 1.64
2	$\text{C}_2\text{H}_5-\overset{\text{CH}_3}{\underset{\text{CH}_3}{\text{C}}}-\text{CH}_2\text{OCOCH}_3$	0.210	0.339	8258	6.0955 ± 0.111	- 3.91
3	$\text{C}_2\text{H}_5-\overset{\text{C}_2\text{H}_5}{\underset{\text{C}_2\text{H}_5}{\text{C}}}-\text{CH}_2\text{OCOCH}_3$	0.050	0.108	13280	9.7773 ± 0.107	+12.94
4	$\text{C}_2\text{H}_5-\overset{\text{CH}_2}{\underset{\text{CH}_2}{\text{C}}}-\text{CH}_2\text{OCOCH}_3$	0.470	0.777	8670	6.3766 ± 0.110	- 2.62
5	$\text{C}_2\text{H}_5-\overset{\text{C}_2\text{H}_5}{\underset{\text{C}_2\text{H}_5}{\text{C}}}-\text{CH}_2\text{OCOCH}_3$	0.240	0.493	12420	9.1412 ± 0.163	+10.03
6	$\text{C}_4\text{H}_9-\overset{\text{C}_2\text{H}_5}{\underset{\text{C}_2\text{H}_5}{\text{C}}}-\text{CH}_2\text{OCOCH}_3$	0.156	0.359	14300	10.4189 ± 0.311	+15.88
7	$\text{CH}_3\text{CH}(\text{CH}_3)-\text{CH}-\text{CH}_2\text{OCOCH}_3$	0.350	0.718	12400	9.1063 ± 0.149	+ 9.87

Table IV (continued)

No.	Compound	k		$\Delta E^\ddagger$ Cal./mole	$\Delta S^\ddagger$ Cal./deg./mole
		g. mole/l. min ⁻¹ 20°C	30°C		
8	$\text{CH}_3\text{CH}(\text{CH}_3)\text{CH}_2\text{OCOCH}_3$	0.227	0.411	10240	+ 2.73
9	$\text{CH}_3\text{C}(\text{CH}_3)(\text{CH}_2\text{CH}_2\text{OCOCH}_3)\text{CH}_2\text{CH}_3$	0.060	0.109	10700	+ 4.51
10	$\triangle - \text{CH}_2\text{OCOCH}_3$	1.080	2.280	12900	+12.40
11	$\diamond - \text{CH}_2\text{OCOCH}_3$	0.742	1.473	11820	+ 8.29
12	$\square - \text{CH}_2\text{OCOCH}_3$	0.537	1.078	12020	+ 8.66
13	$\square - \text{CH}_2\text{OCOCH}_3$	0.330	0.705	13100	+12.28
14	$\begin{array}{c} \text{CH}_3 \\ \diagup \\ \text{CH} \\ \diagdown \\ \text{CH}_3 \end{array} - \text{CH} - \text{CH}_2\text{OCOCH}_3$	0.120 ^x			

^xThis result is being checked

Signature Page to Technical Report 2
Contract No. Nonr-495(04) NR 055 298

STERIC FACTORS IN ORGANIC CHEMISTRY

Investigator Shalom Garel Date 11-9-53

Supervisor Melvin S. Newman Date 11-9-53

FOR THE OHIO STATE UNIVERSITY RESEARCH FOUNDATION

Executive Director Oscar C. Woolpert Date 9 Nov. 1953
W.Z.H.

Distribution List for Technical Reports
Contract Nonr-495(00) - NR 055-298
ROLE OF STERIC FACTORS IN ORGANIC CHEMISTRY

31 July 53
RF 497

Copies

- 1 Director, ONR Branch Office
150 Causeway Street
Boston, Mass.
- 2 Director, ONR Branch Office
The John Crerar Library Bldg.
10th Floor, 86 E. Randolph St.
Chicago 1, Illinois
- 1 Director, ONR Branch Office
346 Broadway
New York 13, N.Y.
- 1 Director, ONR Branch Office
1000 Geary Street
San Francisco 9, Calif.
- 1 Director, ONR Branch Office
1030 N. Green Street
Pasadena 1, Calif.
- 2 Officer in Charge
ONR, Navy No. 100
Fleet Post Office
New York, New York
- 6 Director, Naval Research Lab.
Washington 25, D.C.
Attn: Technical Information
Officer
- 2 Chief of Naval Research
Washington 25, D.C.
Attn: Chemistry Branch
- 1 Dr. Ralph G.H. Sie, Research
Director
General Laboratories, QM Depot
2800 S. 20th Street
Philadelphia 45, Pennsylvania
- 1 Dr. Warren Stubblebine
Research Director
Chemical and Plastics Section RDB-MPD
Quartermaster General's Office
Washington 25, D.C.

Copies

- 1 Dr. A. Stuart Hunter,
Technical Director
Research and Development Branch
Quartermaster General's Office
Washington 25, D.C. MPD
- 1 Dr. A. Weissler
Department of The Army
Office of the Chief of Ordnance
Washington 25, D.C.
Attn: ORDTB-PS
- 1 Research and Development Group
Logistics Division, General Staff
Department of The Army
Washington 25, D.C.
Attn: Dr. W. T. Read
Scientific Adviser
- 2 Director, Naval Research Lab.
Washington 25, D.C.
Attn: Chemistry Division
- 2 Chief of the Bureau of Ships
Navy Department
Washington 25, D.C.
Attn: Code 340
- 2 Chief of Bureau of Aeronautics
Navy Department
Washington 25, D.C.
Attn: Code TD-4
- 2 Chief of the Bureau of Ordnance
Navy Department
Washington 25, D.C.
Attn: Code Rexd
- 1 Dr. H. A. Zahl, Tech. Director
Signal Corps Engineering Labs.
Fort Monmouth, New Jersey

31 July 53
497

Contract Nonr-495(00) - NR 055-298

Copies

- 1 U.S. Naval Radiological
Defense Lab.
San Francisco 24, Calif.
Attn: Technical Library
- 2 Naval Ordnance Test Station
Inyokern
CHINA LAKE, California
Attn: Head, Chemistry Div.
- 1 Office of Ordnance Research
2127 Myrtle Drive
Durham, North Carolina
- 1 Technical Command
Chemical Corps
Chemical Center, Maryland
- 1 U.S. Atomic Energy Commission
Research Division
Washington 25, D.C.
- 1 U.S. Atomic Energy Commission
Chemistry Division
Brookhaven National Laboratory
Upton, New York
- 1 U.S. Atomic Energy Commission
Library Branch, Tech.Info., ORE
P.O. Box E
Oak Ridge, Tennessee
- 1 University of California
Department of Chemistry
Los Angeles 24, California
Attn: Dr. S. Winstein
- 1 Columbia University
Department of Chemistry
New York 27, N.Y.
Attn: Dr. L. P. Hammett
- 1 University of Colorado
Department of Chemistry
Boulder, Colorado
Attn: Dr. S. J. Cristol

Copies

- 1 Harvard University
Department of Chemistry
Cambridge 38, Massachusetts
Attn: Dr. P. D. Bartlett
- 1 Purdue University
Department of Chemistry
Lafayette, Indiana
Attn: Dr. Herbert C. Brown
- 1 Massachusetts Institute of Tech.
Department of Chemistry
Cambridge, Massachusetts
Attn: Dr. C. G. Swain
- 1 Pennsylvania State College
Department of Chemistry
State College, Pennsylvania
Attn: Dr. R. W. Taft, Jr.
- 1 University of Southern California
Department of Chemistry
Los Angeles 7, California
Attn: Dr. R. F. Brown
- 5 ASTIA Document Service Center
Knott Building
Dayton 2, Ohio
- 1 Office of Technical Services
Department of Commerce
Washington 25, D.C.
- 1 Office of Secretary of Defense
Pentagon, Room 3D1041
Washington 25, D.C.
Attn: Library Branch (R and D)
- 1 Dr. A. G. Horney
Office Scientific Research
R and D Command, USAF
Box 1395
Baltimore, Maryland