

AD No. 22818

ASTIA FILE COPY



**THE CHESAPEAKE BAY INSTITUTE
of The Johns Hopkins University**



TECHNICAL REPORT VI

**THE REDUCTION AND ANALYSIS
DATA FROM THE JAMES RIVER
OPERATION OYSTER SPAT**

by

D.W. Pritchard and Richard E. Kent

**Reference 53-12
September 1953**

CHESAPEAKE BAY INSTITUTE
THE JOHNS HOPKINS UNIVERSITY

TECHNICAL REPORT VI

THE REDUCTION AND ANALYSIS OF DATA FROM THE
JAMES RIVER OPERATION OYSTER SPAT

by

D. W. Pritchard and Richard E. Kent

This report contains results of work carried out for:
the Office of Naval Research of the Navy Department
under research project NR 083-016, Contract Nonr
248(20), and research project NR 083-070, Contract
Nonr 248(30); the State of Maryland (Department of
Research and Education); and the Commonwealth of
Virginia (Virginia Fisheries Laboratory).

Reference 53-12
September 1953

D. W. Pritchard
Director

I. INTRODUCTION

The physical and chemical data collected during the summer of 1950 in the James River oyster seed bed area are tabulated in Chesapeake Bay Institute Data Report No. 7. Some of the conclusions obtained from the analysis of the data have been presented in Chesapeake Bay Institute Technical Reports III and IV (Pritchard 1952).

The purpose of this report is to present in some detail the techniques practiced in the reduction and analysis of the data. All reduced data including those used in the text may be found in the appendix.

Whereas Technical Reports III and IV employed the English Measure-System this report will present its calculations using the Metric System. In addition, some terms in the salt balance which had been neglected previously have been included here.

II. THE SALT BALANCE EQUATION

Consider a left-handed coordinate system with its x_1 axis directed horizontally downstream, with its x_2 axis directed vertically downward, and with its x_3 axis directed laterally across stream.

The salt balance equation as presented in Technical Report III is

$$(1) \quad \frac{\partial \bar{S}}{\partial t} = -\bar{U}_1 \frac{\partial \bar{S}}{\partial x_1} - \bar{U}_2 \frac{\partial \bar{S}}{\partial x_2} - \frac{\partial \langle U_1' S' \rangle}{\partial x_1} - \frac{\partial \langle U_2' S' \rangle}{\partial x_2} - \frac{1}{W} \langle U_2' S' \rangle \frac{\partial W}{\partial x_2}$$

where W is the width of the estuary and is considered to be a function of x_2 only.

For mean steady state (1) becomes

$$(2) \quad \bar{U}_1 \frac{\partial \bar{S}}{\partial x_1} + \bar{U}_2 \frac{\partial \bar{S}}{\partial x_2} + \frac{\partial \langle U_1' S' \rangle}{\partial x_1} + \frac{\partial \langle U_2' S' \rangle}{\partial x_2} + \frac{1}{W} \frac{\partial W \langle U_2' S' \rangle}{\partial x_2} = 0$$

The values and relative importance of the several terms in equation (2) may be seen in Table I of Technical Report III for a typical James River station.

The equation to be used in this paper differs from equation (2) by the inclusion of two additional terms, the first representing the local time change of mean salinity, $\frac{\partial \bar{S}}{\partial t}$, and the second the longitudinal width-change effect, $\frac{\partial w}{\partial x_1}$. The inclusion of these terms does not alter appreciably the previous conclusions but makes for completeness of solution.

Including these terms the salt balance equation is

$$(3) \quad \frac{\partial \bar{S}}{\partial t} = - \left(\bar{v}_1 \frac{\partial \bar{S}}{\partial x_1} + \bar{v}_2 \frac{\partial \bar{S}}{\partial x_2} + \frac{1}{w} \frac{\partial w \langle \bar{v}_1 \bar{S} \rangle}{\partial x_1} + \frac{1}{w} \frac{\partial w \langle \bar{v}_2 \bar{S} \rangle}{\partial x_2} \right) .$$

The following pages will present the procedures followed in the evaluation of the terms in (3).

The symbol \bar{S} designates the mean concentration of salt and has units of grams per cubic meter. Hereafter the term "salinity" will be used to designate this volume-concentration, though strictly speaking this is not a correct designation since "salinity" normally refers to a concentration measure in grams per kilogram.

Data for three stations for three time periods were analysed. The Stations J-11, J-17, and J-24 and their respective positions are shown in Figure 1. The time periods were 18-23 June, 26 June - 7 July, and 17-21 July of 1950.

III. REDUCTION OF RAW DATA

A. Current Velocity Data

Current velocity observations were obtained by the confined drag method (Fritchard and Burt 1951).

Individual current velocity observations for each station when plotted on a polar diagram indicated that the currents were oscillatory in character, changing direction from ebb to flood, and vice versa, through 180° quite abruptly. The choice of the particular range of directions which were designated as "flood" directions or "ebb" directions was made on the basis of an examination of a polar-diagram-overlay upon the plotted position of the particular station on the chart. The few observations with directions outside of the relatively narrow bands designated, (i. e., having more or less a cross-channel direction) were included in the slack water observations as being indicative of the period of change of current direction from ebb to flood or vice versa.

Designating the ebb velocities and flood velocities as positive and negative, respectively, a time plot of the horizontal current v_1 was made at each station for each period. The mean flood, mean ebb, and net non-tidal current \bar{v}_1 were then determined by planimetering the areas above and below the zero velocity line.

Only at Station J-17 were observations taken at sufficiently close time intervals to permit use of the direct procedure outlined above. For each of the other stations the curve from J-17 was fitted to the individual velocity measurements by obtaining a phase lag and flood and ebb velocity factors. In addition the duration of the flood and ebb currents at each station was compared with that at J-17. This permitted velocity-time curves for Stations J-11 and J-24 to be constructed with more confidence than could have been obtained from use of the limited data at each station independently of the excellent time series at J-17.




FIGURE 1

The vertical variations of the mean ebb, mean flood, and the net non-tidal velocities at Station J-17 for each time period are shown in Figures 2 and 3.

B. Salinity Data

The first half of the salinity data was obtained through chlorinity titrations of serial samples. The second half of the salinity data was obtained using an in situ temperature and conductivity indicator.

The principal task in the reduction of the salinity data was to obtain a characteristic mean salinity versus depth curve for each period of measurement.

The typical vertical variation in salinity showed at middepth a region of relatively rapid change separating an upper layer of low salinity and slight gradient from a lower layer of high salinity and slight gradient. The depth of this halocline varied somewhat with time, and, consequently, a simple average of the salinity data by depth tended to smooth the actual curve, yielding a mean curve showing a more nearly linear increase in salinity with depth than was characteristic of any of the individual curves. Since the essential feature to be maintained was the average vertical gradient, the following procedure was employed for each period.

Individual salinity versus depth curves were plotted for serial observation. The depth of maximum vertical salinity gradient was selected visually for each curve and the salinity values were read off of each curve at one foot intervals above and below this inflection point. Then the average depth and salinity of the inflection point together with the average of the salinities at the one foot intervals were obtained. The mean curve for each station and for each time period with the characteristic shape of the salinity-depth curve was the result of this procedure.

The mean salinity-depth curves at Station J-17 for three periods are illustrated in Figure 4.

IV. RESOLUTION AND EVALUATION OF THE TERMS IN THE SALT BALANCE EQUATION

A. The Local Time Change of Mean Salinity $\frac{\partial \bar{S}}{\partial t}$

Values of the mean salinity for each time period were plotted against time, and values of the gradient $\frac{\partial \bar{S}}{\partial t}$ were determined graphically at half-meter intervals of depth. Values of \bar{S} and $\frac{\partial \bar{S}}{\partial t}$ for all periods at Station J-17 are presented in Table I.

Table I

Depth (m)	18-23 June		26 June-7 July		17-21 July	
	\bar{S} (gm ⁻³)x10 ⁻³	$\frac{\partial \bar{S}}{\partial t}$ (gm ⁻³ s ⁻¹)x10 ³	\bar{S} (gm ⁻³)x10 ⁻³	$\frac{\partial \bar{S}}{\partial t}$ (gm ⁻³ s ⁻¹)x10 ³	\bar{S} (gm ⁻³)x10 ⁻³	$\frac{\partial \bar{S}}{\partial t}$ (gm ⁻³ s ⁻¹)x10 ³
0.0	10.86	-0.42	11.47	-0.18	10.72	-0.02
0.5	11.00	-0.36	11.67	-0.12	10.96	-0.05
1.0	11.06	-0.13	11.74	-0.11	11.04	-0.16
1.5	11.08	0.0	11.75	0.0	11.06	-0.19
2.0	11.12	-0.01	11.81	0.0	11.10	-0.11
2.5	11.16	0.01	12.04	0.1	11.25	-0.12
3.0	11.42	0.08	12.35	0.4	11.47	-0.19
3.5	12.52	0.25	12.74	0.4	12.49	-0.35
4.0	13.20	0.48	13.34	0.4	13.13	-0.49
4.5	13.52	1.55	13.62	0.53	13.46	-1.13
5.0	13.67	1.45	13.69	0.49	13.59	-1.09
5.5	13.76	1.00	13.73	0.38	13.63	-0.96
6.0	13.90	1.05	13.88	0.37	13.72	-0.87
6.5	14.14	1.19	14.08	0.37	13.88	-0.89
7.0	14.42	1.20	14.27	0.37	14.10	-0.94
7.5	14.72	1.20	14.48	0.37	14.33	-0.95

B. The Longitudinal Terms

There are two longitudinal terms in equation (3). One is an advective term $\bar{U}_1 \frac{\partial \bar{S}}{\partial x_1}$ and the other is a non-advective term $\frac{1}{\omega} \frac{\partial \omega \langle U_1 S \rangle}{\partial x_1}$.




FIGURE 2





FIGURE 3



1. Advective term $\bar{U}_1 \frac{\partial \bar{S}}{\partial x_1}$

This term consists of two components, the mean horizontal velocity \bar{v}_1 , and the mean longitudinal salinity gradient $\frac{\partial \bar{S}}{\partial x_1}$. The method used in procuring \bar{v}_1 has been discussed in part III A of this paper. Values of $\frac{\partial \bar{S}}{\partial x_1}$ were obtained by plotting the observed mean salinity at half-meter intervals of depth against horizontal distance and determining the requisite gradients graphically.

Values of \bar{U}_1 , $\frac{\partial \bar{S}}{\partial x_1}$, and their product $\bar{U}_1 \frac{\partial \bar{S}}{\partial x_1}$ are given for Station J-17 in Table II. Negative values of $\bar{U}_1 \frac{\partial \bar{S}}{\partial x_1}$ represent a downstream flux of salt.

Table II

Values of \bar{U}_1 , $\frac{\partial \bar{S}}{\partial x_1}$, and $\bar{U}_1 \frac{\partial \bar{S}}{\partial x_1}$ at J-17 (18-23 June)

Depth (m)	\bar{U}_1 (ms ⁻¹)	$\frac{\partial \bar{S}}{\partial x_1}$ (gm ⁻⁴)x10	$\bar{U}_1 \frac{\partial \bar{S}}{\partial x_1}$ (gm ⁻³ s ⁻¹)x10
0.0	0.126	3.84	0.484
1.0	0.085	3.84	0.326
2.0	0.041	3.87	0.159
3.0	-0.002	4.20	-0.008
4.0	-0.053	4.13	-0.219
5.0	-0.072	4.00	-0.288
6.0	-0.070	3.97	-0.278
7.0	-0.080	3.97	-0.318

2. The Non-Advective Term $\frac{1}{\bar{w}} \frac{\partial w \langle U'S' \rangle}{\partial x_1}$

It is seen that essentially the longitudinal non-advective term is composed of two variables, the width w and the deviation product $\langle U'S' \rangle$.

Observations of velocity and salinity for this study were obtained at stations located in the main channel and at the edge of the main channel. The water over the shallow flats inshore from the channel probably does not participate in the net flow to the same degree as the water over the deeper areas, but the extent of this departure was unknown. These inshore areas could most conveniently be treated by adjusting the width of the section at shallow depths so as to effectively eliminate that portion of the estuary which was not participating in the mean motion. This was done by adjusting the values of w above 1.5 meters^{*} so that the observed river flow as obtained from the data supplied by the Maryland Geological Survey was equal to our calculated net river flow. For instance, at Station J-17 for the period 18-23 June 1950 the Survey data give a value for river flow of 0.124×10^3 cubic meters per second; corresponding to this in Table III w has been adjusted to give a value for $\sum_{x_2} \bar{U}_1 w \Delta x_2$ of 0.124×10^3 cubic meters per second. Figure 5 is a typical plot of the adjusted river widths versus depth as compared with the actual widths taken from the James River chart.

In Technical Report III it was stated that the deviation product $\langle U_1' S' \rangle$ could be determined by use of the expression

$$(4) \quad \iint_{\sigma} \bar{U}_1 \bar{S} d\sigma_1 + \iint_{\sigma} \langle U_1' S' \rangle d\sigma_1 = \frac{\partial \bar{S}}{\partial t} = 0$$

Neglecting the lateral variation in the variables for purposes of numerical integration, it is practicable to designate $d\sigma_1$ as $w \Delta x_2$, whence equation

* For Stations J-11 and J-17 the adjusted depths were 1.5 meters. For Station J-24 the corresponding depth was 1.0 meter.




FIGURE 5 Comparison of actual cross-section with effective cross-section used in salt balance calculations. Cross-hatched portion is excluded from effective area.

(4) becomes

$$(5) \quad - \sum_{x_2}^{\circ} (\bar{v}_1 \bar{s} \omega) \Delta x_2 = \sum_{x_2}^{\circ} (\langle v_1' s' \rangle \omega) \Delta x_2 \quad .$$

Assuming that the vertical variation in $\langle v_1' s' \rangle$ is negligible and solving equation (5) for the required deviation product we obtain

$$(6) \quad \langle v_1' s' \rangle = - \frac{1}{\sum_{x_2}^{\circ} \omega \Delta x_2} \left[\sum_{x_2}^{\circ} (\bar{v}_1 \bar{s} \omega) \Delta x_2 \right] \quad .$$

A negative value of $\langle v_1' s' \rangle$ and hence $\omega \langle v_1' s' \rangle$ indicates an upstream diffusion of salt and a positive value, a downstream diffusion of salt.

In order to obtain the longitudinal gradient of $\langle v_1' s' \rangle$ plots of $\omega \langle v_1' s' \rangle$ versus x_1 were made and values of $\frac{\partial \omega \langle v_1' s' \rangle}{\partial x_1}$ then were read off of the graphs at the appropriate values of x_1 . Subsequent division of this term by the value of the width at the prescribed depth then gave the desired horizontal non-advective term, $\frac{1}{\omega} \frac{\partial \omega \langle v_1' s' \rangle}{\partial x_1}$. Table III gives in some detail the procedure followed in this series of calculations at Station J-17 for period 18-23 June, 1950. (See page 10.)

B. The Vertical Terms

There are two vertical terms in equation (4). One is an advective term $\bar{v}_2 \frac{\partial \bar{s}}{\partial x_2}$ and the other is a non-advective term $\frac{1}{\omega} \frac{\partial \omega \langle v_2' s' \rangle}{\partial x_2}$.

1. Advective Term $\bar{v}_2 \frac{\partial \bar{s}}{\partial x_2}$

This term involves two components, the mean vertical velocity \bar{v}_2 , and the mean vertical salinity gradient $\frac{\partial \bar{s}}{\partial x_2}$.

The method used to obtain $\frac{\partial \bar{s}}{\partial x_2}$ from the raw data has been discussed in part II-B of this report.

Table III

Evaluation of $\frac{1}{\omega} \frac{\partial \omega \langle u_i u_j \rangle}{\partial x_k}$ at J-17 (18-23 June)

Depth (m)	\bar{S} ($g\ m^{-3}$) $\times 10^3$	\bar{U}_i ($m\ s^{-1}$)	ω (m) $\times 10^{-3}$	$\bar{U}_i \omega$ ($m^2\ s^{-1}$) $\times 10^3$	$\bar{S} \bar{U}_i \omega$ ($g\ m^2\ s^{-1}$) $\times 10^{-6}$	$\langle U_i S \rangle$ ($g\ m^2\ s^{-1}$) $\times 10^3$	$\frac{\partial \omega \langle u_i u_j \rangle}{\partial x_k} \times 10$ ($g\ m^2\ s^{-1}$) $\times 10^6$	$\frac{1}{\omega} \frac{\partial \omega \langle u_i u_j \rangle}{\partial x_k}$ ($g\ m^2\ s^{-1}$) $\times 10^6$
0.0						-0.11	3.92	1.29
0.5	10.93	0.116	3.03	0.351	3.84	-0.11	3.92	1.29
1.0	11.03	0.095	3.03	0.288	3.18	-0.11	3.92	1.29
1.5	11.07	0.074	3.03	0.224	2.48	-0.11	1.86	0.61
2.0	11.10	0.051	3.03	0.155	1.72	-0.11	0.51	0.17
2.5	11.13	0.032	3.01	0.096	1.07	-0.11	-2.70	-1.00
3.0	11.27	0.010	2.48	0.025	0.28	-0.11	-1.78	-0.76
3.5	11.90	-0.015	2.24	-0.034	-0.41	-0.11	-1.38	-0.64
4.0	12.28	-0.040	2.10	-0.084	-1.03	-0.11	-1.17	-0.58
4.5	13.36	-0.061	1.91	-0.117	-1.56	-0.11	-1.12	-0.62
5.0	13.60	-0.071	1.71	-0.121	-1.65	-0.11	-0.71	-0.44
5.5	13.72	-0.071	1.59	-0.113	-1.55	-0.11	-1.07	-0.68
6.0	13.83	-0.070	1.56	-0.109	-1.51	-0.11	-1.79	-1.17
6.5	14.02	-0.071	1.49	-0.106	-1.49	-0.11	-0.87	-0.60
7.0	14.28	-0.076	1.39	-0.106	-1.51	-0.11	-1.38	-1.03
7.5	14.57	-0.083	1.23	-0.102	-1.49	-0.11	-0.10	-0.09

The mean vertical velocity \bar{v}_2 was obtained by taking its average value as found from two methods, each of which is based on continuity concepts and use of the mean horizontal velocities.

The first method utilized to obtain \bar{v}_2 is based on equation (9) of Technical Report III. It is

$$(7) \quad \iint_{\sigma} \bar{u}_i d\sigma_i = 0$$

Let us consider a segment of an estuary extending from the surface to some depth x_2 and being bounded at each end by a known cross section where mean horizontal velocities are available. Since the volume of water flowing into this segment must be equal to that volume flowing out (neglecting changes in density within the segment), a knowledge of the parameters \bar{v}_1 , w , and x_2 will combine to yield a value for the mean vertical velocity in this segment. In our case, since data were available from three stations, it is obvious that we have three segments, namely, 11-17, 17-24 and 11-24.

From equation (7) we have

$$(8) \quad \iint_{\sigma_1} \bar{u}_1 d\sigma_1 + \iint_{\sigma_2} \bar{u}_2 d\sigma_2 = 0 \quad \text{where } \bar{u}_3 = 0$$

By taking the mean values of the parameters at the cross-sectional boundaries of each section and integrating numerically it is possible to solve for \bar{v}_2 and rewrite (8) as

$$(9) \quad \bar{v}_2 = \frac{\left(\sum_{x_2} \bar{u}_1 w \Delta x_2\right)_A - \left(\sum_{x_2} \bar{u}_1 w \Delta x_2\right)_B}{\bar{w} L}$$

where $\bar{w} = \frac{w_A + w_B}{2}$ and $L = (x_1)_A - (x_1)_B$.

The procedure adopted for solution of (9) is presented in Table IV for segment 11-24.

Table IV
Evaluation of \bar{v}_2 from Equation (9) at J-17

Depth (m)	\bar{w} (m) $\times 10^{-3}$	$[\sum \bar{U}_1 w \Delta x_2]_{24}$ (m ³ s ⁻¹) $\times 10^{-3}$	$[\sum \bar{U}_1 w \Delta x_2]_{11}$ (m ³ s ⁻¹) $\times 10^{-3}$	$[\Delta \sum \bar{U}_1 w \Delta x_2]_{11}^{24}$ (m ³ s ⁻¹) $\times 10^{-3}$	\bar{U}_2 (ms ⁻¹) $\times 10^5$
0.0	3.88	0.0	0.0	0.0	0.00
0.5	3.88	0.600	0.602	-0.092	-0.05
1.0	3.88	0.861	1.195	-0.334	-0.18
1.5	3.51	0.930	1.539	-0.609	-0.37
2.0	2.91	0.000	1.745	-0.845	-0.62
2.5	2.42	0.839	1.805	-0.966	-0.85
3.0	2.21	0.764	1.764	-1.000	-0.97
3.5	2.04	0.683	1.630	-0.947	-0.99
4.0	1.88	0.598	1.417	-0.819	-0.93
4.5	1.73	0.517	1.157	-0.640	-0.79
5.0	1.62	0.443	0.897	-0.454	-0.60
5.5	1.45	0.376	0.668	-0.292	-0.43
6.0	1.27	0.327	0.488	-0.161	-0.27
6.5	1.10	0.285	0.353	-0.068	-0.13
7.0	0.82	0.248	0.249	-0.001	-0.02
7.5	0.50	0.219	0.170	+0.049	+0.11

The value of \bar{v}_2 obtained is the mean for each segment and in this treatment is taken to be that value at the midpoint of the section. Since it was desirable that \bar{v}_2 be obtained at each station, a plot of \bar{v}_2 versus x_1 was made.

These curves were then extrapolated to the desired station and the corresponding

value of \bar{v}_2 read off.

The second method utilized in obtaining the mean vertical velocity again follows from equation (7).

Since the segment is taken such that the lateral boundaries are the sides of the estuary, the lateral velocity does not enter into the equation. Neglecting the lateral variations in the component velocity \bar{v}_1 , and taking the partial derivative with respect to x_1 , equation (7) becomes

$$(10) \quad \frac{\partial}{\partial x_1} \int_{x_2}^0 \bar{v}_1 w dx_2 + \frac{\partial}{\partial x_1} \int_{(x_1)_B}^{(x_1)_A} \bar{v}_2 w dx_1 = 0$$

where $(x_1)_A$ and $(x_1)_B$ represent the position of the two cross sections.

Solving equation (10) for \bar{v}_2 , we have

$$(11) \quad \bar{v}_2 = - \frac{1}{\bar{w}} \sum_{x_2}^0 \frac{\partial \bar{v}_1 w}{\partial x_1} \Delta x_2$$

In order to evaluate (11) it is necessary to have $\frac{\partial \bar{v}_1 w}{\partial x_1}$. This was obtained by plotting the product $\bar{v}_1 w$ versus x_1 and reading the gradient graphically. The calculations obtained and the procedure followed are presented in Table V for Station J-17 for the period 18-23 June. (See page 14.)

The value of the mean vertical velocity used in the salt balance equation was the average value of \bar{v}_2 as obtained from the above two methods. These values are presented for Station J-17 in Table VI. Plots of the respective \bar{v}_2 components and their averages may be found in Figure 6.

Finally, in order to obtain the completed vertical advective term, the products of \bar{v}_2 and $\frac{\partial \bar{S}}{\partial x_2}$ were formed. The values of $\bar{v}_2 \frac{\partial \bar{S}}{\partial x_2}$ for Station J-17 are given in Table VI. (See page 14.)

Table V

Evaluation of \bar{v}_2 from equation (11) at J-17 (18-23 June)

Depth (m)	$\frac{\partial \bar{u}_1 \omega}{\partial x_1}$ (ms^{-1}) $\times 10$	$\sum \frac{\partial \bar{u}_1 \omega}{\partial x_1} \Delta x_2$ ($\text{m}^2 \text{s}^{-1}$) $\times 10^3$	\bar{U}_2 (ms^{-1}) $\times 10^5$	Depth (m)	$\frac{\partial \bar{u}_1 \omega}{\partial x_1}$ (ms^{-1}) $\times 10$	$\sum \frac{\partial \bar{u}_1 \omega}{\partial x_1} \Delta x_2$ ($\text{m}^2 \text{s}^{-1}$) $\times 10^3$	\bar{U}_2 (ms^{-1}) $\times 10^5$
0.0		0.00	0.00	4.0		0.281	-0.69
	0.027				-0.044		
0.5		0.027	-0.04	4.5		0.238	-0.66
	0.071				-0.062		
1.0		0.098	-0.16	5.0		0.175	-0.54
	0.071				-0.093		
1.5		0.169	-0.28	5.5		0.083	-0.37
	0.086				-0.040		
2.0		0.255	-0.42	6.0		0.043	-0.21
	0.065				-0.041		
2.5		0.320	-0.60	6.5		0.002	-0.06
	0.036				-0.040		
3.0		0.356	-0.76	7.0		0.037	0.14
	-0.035				-0.036		
3.5		0.321	-0.74	7.5		-0.043	0.20
	-0.039						

Table VI

Values of \bar{U}_2 , $\frac{\partial \bar{S}}{\partial x_2}$ and $\bar{U}_2 \frac{\partial \bar{S}}{\partial x_2}$ at J-17 (18-23 June)

Depth (m)	\bar{U}_2 (ms^{-1}) $\times 10^5$	$\frac{\partial \bar{S}}{\partial x_2}$ (gm^{-4}) $\times 10^{-3}$	$\bar{U}_2 \frac{\partial \bar{S}}{\partial x_2}$ ($\text{gm}^3 \text{s}^{-1}$) $\times 10^2$
0.0	0.00	0.40	0.00
1.0	-0.17	0.38	-0.014
2.0	-0.52	0.08	-0.042
3.0	-0.86	1.36	-0.170
4.0	-0.81	1.00	-0.810
5.0	-0.57	0.24	-0.137
6.0	-0.24	0.28	-0.067
7.0	0.06	0.58	0.035




FIGURE 6

2. The Vertical Non-Advective Term $\frac{1}{\bar{w}} \frac{\partial \omega \langle u_2' s' \rangle}{\partial x_2}$

The evaluation of the vertical non-advective term is a direct procedure.

Upon solving equation (3) for $\frac{1}{\bar{w}} \frac{\partial \omega \langle u_2' s' \rangle}{\partial x_2}$ we have

$$(12) \quad -\frac{1}{\bar{w}} \frac{\partial \omega \langle u_2' s' \rangle}{\partial x_2} = \frac{\partial \bar{s}}{\partial t} + \bar{u}_1 \frac{\partial \bar{s}}{\partial x_1} + \bar{u}_2 \frac{\partial \bar{s}}{\partial x_2} + \frac{1}{\bar{w}} \frac{\partial \omega \langle u_1' s' \rangle}{\partial x_1}$$

Since the terms on the right-hand side of equation (12) have been numerically evaluated, it is possible to find the vertical non-advective term by algebraically summing these various terms. Typical values of this term at Station J-17 are presented in the last column of Table VIII.

It is seen that the vertical non-advective term is composed of two parameters, the width \bar{w} and the vertical deviation product $\langle u_2' s' \rangle$. Because a knowledge of the vertical variation of $\langle u_2' s' \rangle$ can be made to provide a verification of the technique adopted and because this term is identified with the classical diffusion term, its solution is carried out.

Integrating partially with respect to x_2 , equation (12) gives for $\langle u_2' s' \rangle$

$$(13) \quad -\langle u_2' s' \rangle = \frac{1}{\bar{w}} \left[\int \omega \left(\bar{u}_1 \frac{\partial \bar{s}}{\partial x_1} + \bar{u}_2 \frac{\partial \bar{s}}{\partial x_2} + \frac{1}{\bar{w}} \frac{\partial \omega \langle u_1' s' \rangle}{\partial x_1} + \frac{\partial \bar{s}}{\partial t} \right) dx_2 + C \right]$$

Solution of equation (13) requires an evaluation of the constant of integration C (which may be a function of x_1). Boundary conditions for this equation are that $\langle u_2' s' \rangle$ be zero at the surface (neglecting evaporation and precipitation) and the bottom. Only one of these conditions is required in the evaluation of C.

Setting $\langle u_2' s' \rangle$ equal to zero at the bottom permits the numerical evaluation of equation (13) to be carried out where, for convenience, the direction of integration is from bottom to surface. The results of such calculations for Station J-17 are given in Table VII for all periods.

Table VII

Values of $\langle U_2' S' \rangle$ for all periods at J-17

Depth (m)	18-23 June	26 June-7 July	17-21 July
	$\langle U_2' S' \rangle$ ($g m^{-2} s^{-1}$) $\times 10^4$	$\langle U_2' S' \rangle$ ($g m^{-2} s^{-1}$) $\times 10^4$	$\langle U_2' S' \rangle$ ($g m^{-2} s^{-1}$) $\times 10^4$
0.0	1.8	53.6	9.8
0.5	223.3	265.1	268.0
1.0	409.7	443.5	480.6
1.5	551.3	585.0	639.6
2.0	651.0	747.0	746.7
2.5	795.2	898.5	900.2
3.0	912.6	1024.4	1021.1
3.5	873.7	1030.9	994.0
4.0	789.9	987.9	919.3
4.5	726.7	973.9	883.6
5.0	647.9	927.9	823.0
5.5	527.7	779.9	688.2
6.0	398.7	583.0	520.9
6.5	280.2	384.4	351.7
7.0	150.0	183.9	174.3
7.5	0.0	0.0	0.0

The success of this integration in satisfying the surface boundary condition that $\langle U_2' S' \rangle$ be zero is a test of the validity of the method employed in this analysis. A plot of $\langle U_2' S' \rangle$ versus depth at Station J-17 for all periods is presented in Figure (7). It is seen that the boundary condition at the surface




FIGURE 7

is very nearly satisfied in all three cases, thus providing a measure of confidence in the procedure followed.

V. RESULTS

Table VIII lists values of the various components of equation (3) for Station J-17 during the period 18-23 June 1950.

Table VIII

Tabulation of Terms in Equation (3) at J-17 (18-23 June)

Depth (m)	$\frac{\partial \bar{S}}{\partial t}$ (gm^3s^{-1}) $\times 10^4$	$\bar{U}_1 \frac{\partial \bar{S}}{\partial x_1}$ (gm^3s^{-1}) $\times 10^4$	$\bar{U}_2 \frac{\partial \bar{S}}{\partial x_2}$ (gm^3s^{-1}) $\times 10^4$	$\frac{1}{\bar{\omega}} \frac{\partial \omega \langle U_1' S' \rangle}{\partial x_1}$ (gm^3s^{-1}) $\times 10^4$	$\frac{1}{\bar{\omega}} \frac{\partial \omega \langle U_2' S' \rangle}{\partial x_2}$ (gm^3s^{-1}) $\times 10^4$
0.0	-4.2	484.0	0.0	1.29	-481.1
0.5	-3.6	407.0	-1.0	1.29	-403.7
1.0	-1.3	326.0	-1.4	1.29	-324.6
1.5	0.0	238.0	-1.9	0.61	-236.7
2.0	-0.1	159.0	-4.2	0.17	-154.9
2.5	0.1	88.0	-21.9	-1.00	-65.2
3.0	0.8	-8.0	-117.0	-0.76	+25.0
3.5	2.5	-118.0	-154.8	-0.64	+270.9
4.0	4.8	-219.0	-81.0	-0.58	+295.8
4.5	15.5	-279.0	-33.8	-0.62	+297.9
5.0	14.5	-288.0	-13.7	-0.44	+287.6
5.5	10.0	-278.0	-9.2	-0.68	+277.9
6.0	10.5	-278.0	-6.7	-1.17	+275.4
6.5	11.9	-286.0	-5.2	-0.60	+279.9
7.0	12.0	-318.0	3.5	-1.03	+312.8
7.5	12.0	-345.0	0.0	-0.09	+345.9

In terms of magnitude the results of the calculations show that the vertical non-advective term $\frac{1}{\bar{w}} \frac{\partial w \langle u_2' s' \rangle}{\partial x_2}$ and the horizontal advective term $\bar{u}_1 \frac{\partial \bar{s}}{\partial x_1}$ are of major importance in the salt balance equation. The vertical advective term $\bar{u}_2 \frac{\partial \bar{s}}{\partial x_2}$ is of considerable magnitude at middepths only, reaching a magnitude there comparable to that of $\bar{u}_1 \frac{\partial \bar{s}}{\partial x_1}$. The local time change of mean salinity $\frac{\partial \bar{s}}{\partial t}$ and the horizontal non-advective term $\frac{1}{\bar{w}} \frac{\partial w \langle u_1' s' \rangle}{\partial x_1}$ in all cases were one or more orders of magnitude less than the significant terms.

VI. THE RELATIONSHIP BETWEEN THE TIDE AND THE VERTICAL MIXING TERM

Since the tide is considered to be the most important factor governing mixing processes, it is worth while to investigate any possible establishment of a functional relationship between tidal velocities and the mean vertical deviation product $\overline{\langle u_2' s' \rangle}$.

The tidal velocities for each period of observation were available from the USC&GS current tables. The velocities are given at a reference station near the mouth of the James River. The velocity pattern at each of the stations investigation can be shown to be very similar to that given at the nearby reference station.

The vertical deviation product $\langle u_2' s' \rangle$ as obtained by the method described in this report was used in this analysis.

Since it was expedient to plot the data for all three stations on a single graph for convenience of observation, denominators of similar magnitude were obtained for the mean deviation products at each station by multiplying $\overline{\langle u_2' s' \rangle}$ by the mean value of \bar{w} at that station. The procedure adopted in obtaining $\bar{w} \overline{\langle u_2' s' \rangle}$ is given in Table IX for all three stations.




FIGURE 8

Table IX

Evaluation of $\bar{\omega} \langle \overline{U_2^2 S'} \rangle$ for all stations and periods

Period	J-11			J-17			J-24		
	$\bar{\omega}$ (m) x 10 ³	$\langle \overline{U_2^2 S'} \rangle$ (gm ² s ⁻¹) x 10 ⁴	$\bar{\omega} \langle \overline{U_2^2 S'} \rangle$ (gms ⁻¹) x 10 ⁷	$\bar{\omega}$ (m) x 10 ³	$\langle \overline{U_2^2 S'} \rangle$ (gm ² s ⁻¹) x 10 ⁴	$\bar{\omega} \langle \overline{U_2^2 S'} \rangle$ (gms ⁻¹) x 10 ⁷	$\bar{\omega}$ (m) x 10 ³	$\langle \overline{U_2^2 S'} \rangle$ (gm ² s ⁻¹) x 10 ⁴	$\bar{\omega} \langle \overline{U_2^2 S'} \rangle$ (gms ⁻¹) x 10 ⁷
18-23 June	3.10	418	1298	2.24	529	1186	1.72	786	1352
26 June- 7 July	3.10	415	1287	2.24	666	1492	1.72	847	1457
17-21 July	3.10	487	1510	2.24	642	1439	1.72	839	1443

AMPLITUDE

The plot of $\bar{\omega} \langle \overline{U_2^2 S'} \rangle$ versus tidal current velocity is presented in Figure 8 for all stations. That a relationship between the two parameters exists is apparent. Of the three sets of points obtained, one set for each station, it is seen that only one point belonging to the J-11 set is divergent from the general trend exhibited.

This result is significant since it not only confirms the hypothesis that the mixing processes are related to tidal action, but also offers a means of predicting the random terms.

References

Chesapeake Bay Institute

- 1951 Data Report, Operation Oyster Spat I and II.
 Data Report No. 7 (Reference 51-13).

Pritchard, D. W., and Wayne V. Burt

- 1951 An inexpensive and rapid technique for obtaining
 current profiles in estuarine waters.
 J. Marine Research 10(2): 180-189.

Pritchard, D. W.

- 1952 The physical structure, circulation, and mixing
 in a coastal plain estuary.
 Technical Report III of the Chesapeake Bay Institute
 of The Johns Hopkins University (Reference 52-2).

Pritchard, D. W.

- 1952 A review of our present knowledge of the dynamics
 and flushing of estuaries.
 Technical Report IV of the Chesapeake Bay Institute
 of The Johns Hopkins University (Reference 52-7).

APPENDIX

All reduced data and their evaluations are presented in eleven tables for all periods at Stations J-11, J-17, and J-24.

Table I:	$\bar{S}, \frac{\partial \bar{S}}{\partial t}$	Page 22
Table II:	$\bar{U}_1 \omega, \bar{S} \bar{U}_1 \omega$	Page 25
Table III:	$\langle U_1' S' \rangle$	Page 34
Table IV:	$\frac{1}{\omega} \frac{\partial \omega \langle U_1' S' \rangle}{\partial x_1}$	Page 35
Table V:	$\bar{U}_2]_A$	Page 44
Table VI:	$\bar{U}_2]_B$	Page 53
Table VII:	$\bar{U}_2 = \left(\frac{[\bar{U}_2]_A + [\bar{U}_2]_B}{2} \right)$	Page 62
Table VIII:	$\bar{U}_1, \bar{U}_2, \bar{U}_1 \frac{\partial \bar{S}}{\partial x_1}, \bar{U}_2 \frac{\partial \bar{S}}{\partial x_2}$	Page 65
Table IX:	$\frac{1}{\omega} \frac{\partial \omega \langle U_2' S' \rangle}{\partial x_2}$	Page 74
Table X:	$\langle U_2' S' \rangle$	Page 83
Table XI:	$\bar{\omega} \langle \bar{U}_2' S' \rangle$	Page 92

Table I(a) - J-11

Depth (m)	18-23 June		26 June-7 July		17-21 July	
	\bar{S} (gm^{-3}) $\times 10^{-3}$	$\frac{\partial \bar{S}}{\partial t}$ ($gm^{-3}s^{-1}$) $\times 10^3$	\bar{S} (gm^{-3}) $\times 10^{-3}$	$\frac{\partial \bar{S}}{\partial t}$ ($gm^{-3}s^{-1}$) $\times 10^3$	\bar{S} (gm^{-3}) $\times 10^{-3}$	$\frac{\partial \bar{S}}{\partial t}$ ($gm^{-3}s^{-1}$) $\times 10^3$
0.0	15.26	-0.23	15.80	-0.12	14.45	0.02
0.5	15.34	00.23	15.90	-0.11	15.52	0.0
1.0	15.39	-0.24	16.07	-0.12	15.59	0.0
1.5	15.51	-0.14	16.14	-0.05	15.65	-0.02
2.0	15.71	-0.11	16.18	-0.10	15.75	0.01
2.5	16.04	-0.19	16.29	-0.13	16.03	-0.02
3.0	16.61	-0.13	16.57	-0.10	16.52	0.00
3.5	17.28	-0.23	17.16	-0.01	17.22	0.07
4.0	17.64	-0.24	17.50	-0.08	17.50	0.04
4.5	17.83	0.36	17.74	0.13	17.64	-0.29
5.0	17.76	0.44	17.82	0.13	17.74	-0.36
5.5	18.04	0.72	17.93	0.14	17.82	-0.55
6.0	18.12	1.00	18.02	0.26	12.87	-0.67
6.5	18.21	1.08	18.08	0.31	17.04	-0.65
7.0	18.29	0.96	18.18	0.24	18.10	-0.49
7.5	18.38	0.90	18.26	0.24	18.20	-0.49

Table I(b) - J-17

Depth (m)	18-23 June		26 June-7 July		17-21 July	
	\bar{S} (gm^{-3}) $\times 10^{-3}$	$\frac{\partial \bar{S}}{\partial t}$ ($gm^{-3}s^{-1}$) $\times 10^3$	\bar{S} (gm^{-3}) $\times 10^{-3}$	$\frac{\partial \bar{S}}{\partial t}$ ($gm^{-3}s^{-1}$) $\times 10^3$	\bar{S} (gm^{-3}) $\times 10^{-3}$	$\frac{\partial \bar{S}}{\partial t}$ ($gm^{-3}s^{-1}$) $\times 10^3$
0.0	10.86	-0.42	11.47	-0.18	10.72	-0.02
0.5	11.0	-0.36	11.67	-0.12	10.96	-0.05
1.0	11.06	-0.13	11.74	-0.11	11.04	-0.16
1.5	11.08	0.0	11.75	0.0	11.06	-0.19
2.0	11.12	-0.01	11.81	0.0	11.10	-0.11
2.5	11.16	0.01	12.04	0.1	11.25	-0.12
3.0	11.42	0.08	12.35	0.4	11.47	-0.19
3.5	12.52	0.25	12.74	0.4	12.49	-0.35
4.0	13.20	0.48	13.34	0.4	13.13	-0.49
4.5	13.52	1.55	13.62	0.53	13.46	-1.13
5.0	13.67	1.45	13.69	0.49	13.59	-1.09
5.5	13.76	1.00	13.73	0.38	13.63	-0.96
6.0	13.90	1.05	13.88	0.37	13.72	-0.87
6.5	14.14	1.19	14.08	0.37	13.88	-0.89
7.0	14.42	1.20	14.27	0.37	14.10	-0.94
7.5	14.72	1.20	14.45	0.37	14.33	-0.95

Table I(c) - J-24

Depth (m)	18-23 June		26 June-7 July		17-21 July	
	\bar{S} (gm^{-3}) $\times 10^{-3}$	$\frac{\partial \bar{S}}{\partial t}$ ($gm^{-3}s^{-1}$) $\times 10^3$	\bar{S} (gm^{-3}) $\times 10^{-3}$	$\frac{\partial \bar{S}}{\partial t}$ ($gm^{-3}s^{-1}$) $\times 10^3$	\bar{S} (gm^{-3}) $\times 10^{-3}$	$\frac{\partial \bar{S}}{\partial t}$ ($gm^{-3}s^{-1}$) $\times 10^3$
0.0	4.14	-0.071	4.34	-0.071	4.08	-0.071
0.5	4.16	0.005	4.36	-0.080	4.13	-0.12
1.0	4.17	0.009	4.37	-0.094	4.14	-0.15
1.5	4.18	0.000	4.38	-0.075	4.15	-0.17
2.0	4.19	0.000	4.39	-0.13	4.17	-0.11
2.5	4.28	-0.042	4.41	-0.12	4.19	-0.11
3.0	4.45	0.000	4.53	-0.16	4.28	-0.061
3.5	4.98	-0.099	4.88	-0.11	4.65	-0.16
4.0	5.58	-0.052	5.48	-0.16	8.26	-0.075
4.5	5.78	0.130	5.70	-0.009	5.51	-0.056
5.0	5.88	0.16	5.81	0.014	5.61	-0.080
5.5	5.94	0.26	5.88	0.11	5.67	-0.094
6.0	6.01	0.26	5.96	0.11	5.77	-0.12
6.5	6.12	0.26	6.08	0.11	5.88	-0.12
7.0	6.18	0.29	6.14	0.11	5.94	-0.12
7.5	6.26	0.30	6.22	0.10	6.04	-0.23

Table II
J-11 (18-23 June)

Depth (m)	\bar{S} ($g\cdot m^{-3}$) $\times 10^{-3}$	\bar{U}_1 ($m\cdot s^{-1}$)	ω (m) $\times 10^{-3}$	$\bar{U}_1\omega$ ($m^2\cdot s^{-1}$) $\times 10^3$	$\bar{S}\bar{U}_1\omega$ ($g\cdot m^{-1}\cdot s^{-1}$) $\times 10^6$
0.0	15.30	0.161	4.30	0.692	10.59
0.5	15.36	0.117	4.30	0.503	7.73
1.0	15.45	0.080	4.30	0.344	5.31
1.5	15.61	0.048	4.30	0.206	3.26
2.0	15.88	0.018	3.32	0.060	0.95
2.5	16.33	-0.013	3.14	-0.041	-0.67
3.0	16.95	-0.045	2.98	-0.134	-2.27
3.5	17.47	-0.077	2.76	-0.213	-3.72
4.0	17.74	-0.102	2.55	-0.260	-4.61
4.5	17.80	-0.108	2.41	-0.260	-4.63
5.0	18.00	-0.101	2.27	-0.229	-4.12
5.5	18.08	-0.086	2.09	-0.180	-3.25
6.0	18.17	-0.074	1.83	-0.135	-2.45
6.5	18.25	-0.070	1.48	-0.104	-1.90
7.0					

Table II
J-11 (June 26 - July 7)

Depth (m)	\bar{S} (gm^{-3}) $\times 10^{-3}$	\bar{U}_1 (ms^{-1})	ω (m) $\times 10^{-3}$	$\bar{U}_1\omega$ (m^2s^{-1}) $\times 10^{-3}$	$\bar{S}\bar{U}_1\omega$ (gm^3s^{-1}) $\times 10^{-6}$
0.0	15.85	0.165	4.16	0.686	10.87
0.5	15.98	0.132	4.16	0.549	8.77
1.0	16.11	0.099	4.16	0.412	6.64
1.5	16.16	0.063	4.16	0.262	4.23
2.0	16.23	0.019	3.32	0.063	1.02
2.5	16.43	-0.025	3.14	-0.079	-1.30
3.0	16.87	-0.055	2.98	-0.164	-2.77
3.5	17.33	-0.074	2.76	-0.204	-3.54
4.0	17.62	-0.087	2.55	-0.222	-3.91
4.5	17.78	-0.098	2.41	-0.236	-4.20
5.0	17.88	-0.105	2.27	-0.238	-4.26
5.5	17.98	-0.112	2.09	-0.234	-4.21
6.0	18.05	-0.116	1.83	-0.212	-3.83
6.5	18.13	-0.119	1.48	-0.176	-3.19
7.0					

Table II
J-11 (17-21 July)

Depth (m)	\bar{S} ($g\ m^{-3}$) $\times 10^{-3}$	\bar{U} ($m\ s^{-1}$)	ω (m) $\times 10^{-3}$	$\bar{U}\omega$ ($m^2\ s^{-1}$) $\times 10^{-3}$	$\bar{S}\bar{U}\omega$ ($g\ m^{-1}\ s^{-1}$) $\times 10^{-6}$
0.0	15.49	0.173	4.43	0.766	11.87
0.5	15.56	0.137	4.43	0.607	9.44
1.0	15.62	0.095	4.43	0.422	6.58
1.5	15.70	0.055	4.43	0.244	3.83
2.0	15.89	0.021	3.32	0.070	1.11
2.5	16.28	-0.011	3.14	-0.035	-0.58
3.0	16.87	-0.046	2.98	-0.137	-2.31
3.5	17.36	-0.074	2.76	-0.204	-3.54
4.0	17.57	-0.116	2.55	-0.296	-5.20
4.5	17.69	-0.127	2.41	-0.306	-5.41
5.0	17.78	-0.120	2.27	-0.272	-4.84
5.5	17.85	-0.113	2.09	-0.236	-4.21
6.0	17.90	-0.110	1.83	-0.201	-3.60
6.5	18.02	-0.110	1.48	-0.163	-2.94
7.0					

Table II
J-17 (18-23 June)

Depth (m)	\bar{S} ($g\ m^{-3}$) $\times 10^{-3}$	\bar{U}_i ($m\ s^{-1}$)	ω (m) $\times 10^{-3}$	$\bar{U}_i \omega$ ($m^2\ s^{-1}$) $\times 10^{-3}$	$\bar{S} \bar{U}_i \omega$ ($g\ m^{-1}\ s^{-1}$) $\times 10^4$
0.0	10.93	0.116	3.03	0.351	3.84
0.5	11.03	0.095	3.03	0.288	3.18
1.0	11.07	0.074	3.03	0.224	2.48
1.5	11.10	0.051	3.03	0.155	1.72
2.0	11.13	0.032	3.01	0.096	1.07
2.5	11.27	0.010	2.48	0.025	0.28
3.0	11.96	-0.015	2.24	-0.034	-0.41
3.5	12.28	-0.040	2.10	-0.084	-1.03
4.0	13.36	-0.061	1.91	-0.117	-1.56
4.5	13.60	-0.071	1.71	-0.121	-1.65
5.0	13.72	-0.071	1.59	-0.113	-1.55
5.5	13.83	-0.070	1.56	-0.109	-1.51
6.0	14.02	-0.071	1.49	-0.106	-1.49
6.5	14.28	-0.076	1.39	-0.106	-1.51
7.0	14.57	-0.083	1.23	-0.102	-1.49
7.5					

Table II
J-17 (26 June - 7 July)

Depth (m)	\bar{S} ($g \cdot m^{-3}$) $\times 10^{-3}$	\bar{U}_1 ($m \cdot s^{-1}$)	ω (m) $\times 10^{-3}$	$\bar{U}_1 \omega$ ($m^2 \cdot s^{-1}$) $\times 10^{-3}$	$\bar{S} \bar{U}_1 \omega$ ($g \cdot m^{-1} \cdot s^{-1}$) $\times 10^6$
0.0	11.58	0.121	3.31	0.401	4.64
0.5	11.71	0.101	3.31	0.334	3.91
1.0	11.74	0.080	3.31	0.265	3.11
1.5	11.78	0.057	3.31	0.189	2.23
2.0	11.93	0.035	3.01	0.105	1.25
2.5	12.19	0.009	2.48	0.022	0.27
3.0	12.55	-0.015	2.24	-0.034	-0.43
3.5	13.04	-0.035	2.10	-0.074	-0.96
4.0	13.48	-0.051	1.91	-0.097	-1.31
4.5	13.65	-0.070	1.71	-0.120	-1.64
5.0	13.71	-0.092	1.59	-0.146	-2.00
5.5	13.80	-0.109	1.59	-0.170	-2.35
6.0	13.98	-0.117	1.49	-0.174	-2.43
6.5	14.17	-0.115	1.39	-0.160	-2.27
7.0	14.36	-0.107	1.23	-0.132	-1.90
7.5					

Table II
J-17 (17-21 July)

Depth (m)	\bar{S} ($g\ m^{-3}$) $\times 10^{-3}$	\bar{U}_1 ($m\ s^{-1}$)	ω (m) $\times 10^{-3}$	$\bar{U}_1\omega$ ($m^2\ s^{-1}$) $\times 10^3$	$\bar{S}\bar{U}_1\omega$ ($g\ m^3\ s^{-1}$) $\times 10^{-6}$
0.0	10.84	0.131	3.06	0.401	4.35
0.5	11.00	0.107	3.06	0.327	3.60
1.0	11.05	0.079	3.06	0.242	2.67
1.5	11.08	0.052	3.06	0.159	1.76
2.0	11.18	0.031	3.01	0.093	1.04
2.5	11.36	0.011	2.48	0.027	0.31
3.0	11.91	-0.014	2.24	-0.031	-0.37
3.5	12.81	-0.036	2.10	-0.076	-0.97
4.0	13.30	-0.051	1.91	-0.097	-1.29
4.5	13.52	-0.066	1.71	-0.113	-1.53
5.0	13.61	-0.079	1.59	-0.126	-1.71
5.5	13.68	-0.090	1.56	-0.140	-1.92
6.0	13.80	-0.097	1.49	-0.145	-2.00
6.5	13.99	-0.099	1.39	-0.138	-1.93
7.0	14.22	-0.100	1.23	-0.123	-1.75

Table II
J-24-A (18-23 June)

Depth (m)	\bar{S} (gm^{-3}) $\times 10^{-3}$	\bar{U}_1 (ms^{-1})	ω (m) $\times 10^{-3}$	$\bar{U}_1\omega$ (m^2s^{-1}) $\times 10^{-3}$	$\bar{S}\bar{U}_1\omega$ ($gm^{-1}s^{-1}$) $\times 10^{-6}$
0.0	4.15	0.173	3.47	0.600	2.49
0.5	4.16	0.075	3.47	0.261	1.08
1.0	4.18	0.020	3.47	0.069	0.29
1.5	4.19	-0.012	2.42	-0.030	-0.13
2.0	4.23	-0.033	1.84	-0.061	-0.26
2.5	4.38	-0.052	1.44	-0.075	-0.33
3.0	4.71	-0.065	1.24	-0.081	-0.38
3.5	5.36	-0.073	1.17	-0.085	-0.46
4.0	5.70	-0.078	1.04	-0.081	-0.46
4.5	5.83	-0.080	0.93	-0.074	-0.43
5.0	5.91	-0.080	0.84	-0.067	-0.40
5.5	5.97	-0.080	0.61	-0.049	-0.29
6.0	6.08	-0.080	0.53	-0.042	-0.26
6.5	6.15	-0.080	0.48	-0.037	-0.23
7.0					

Table II
J-24-A (26 June - 7 July)

Depth (m)	\bar{S} (gm^{-3}) $\times 10^{-3}$	\bar{U}_1 (ms^{-1})	\bar{w} (m) $\times 10^{-3}$	$\bar{U}_1 \bar{w}$ ($\text{m}^2 \text{s}^{-1}$) $\times 10^{-3}$	$\bar{S} \bar{U}_1 \bar{w}$ ($\text{gm}^{-1} \text{s}^{-1}$) $\times 10^6$
0.0	4.35	0.173	3.11	0.538	2.34
0.5	4.36	0.094	3.11	0.292	1.27
1.0	4.37	0.027	3.11	0.084	0.37
1.5	4.38	-0.016	2.42	-0.039	-0.039
2.0	4.40	-0.043	1.84	-0.079	-0.35
2.5	4.46	-0.055	1.44	-0.079	-0.35
3.0	4.71	-0.058	1.24	-0.072	-0.34
3.5	5.18	-0.059	1.17	-0.069	-0.36
4.0	5.60	-0.060	1.04	-0.062	-0.35
4.5	5.76	-0.066	0.93	-0.061	-0.35
5.0	5.84	-0.084	0.84	-0.071	-0.42
5.5	5.92	-0.102	0.61	-0.062	-0.37
6.0	6.02	-0.110	0.53	-0.058	-0.35
6.5	6.11	-0.110	0.48	-0.053	-0.32
7.0					

Table II
 J-24-A (17-21 July)

Depth (m)	\bar{S} ($g\ m^{-3}$) $\times 10^{-3}$	\bar{U}_1 ($m\ s^{-1}$)	ω (m) $\times 10^{-3}$	$\bar{U}_1\omega$ ($m^2\ s^{-1}$) $\times 10^3$	$\bar{S}\bar{U}_1\omega$ ($g\ m^{-1}\ s^{-1}$) $\times 10^6$
0.0	4.11	0.185	3.59	0.664	2.73
0.5	4.13	0.101	3.59	0.363	1.50
1.0	4.14	0.029	3.59	0.104	0.43
1.5	4.16	-0.016	2.42	-0.039	-0.16
2.0	4.18	-0.045	1.84	-0.083	-0.35
2.5	4.25	-0.064	1.44	-0.092	-0.39
3.0	4.48	-0.077	1.24	-0.095	-0.43
3.5	4.97	-0.088	1.17	-0.103	-0.51
4.0	5.39	-0.095	1.04	-0.099	-0.53
4.5	5.56	-0.102	0.93	-0.095	-0.53
5.0	5.64	-0.106	0.84	-0.089	-0.50
5.5	5.72	-0.108	0.67	-0.066	-0.38
6.0	5.82	-0.109	0.53	-0.058	-0.34
6.5	5.91	-0.109	0.48	0.052	-0.31
7.0					

Table III

Sta.	Period	$\sum \omega \Delta x_2$ (m ²) x 10 ⁻³	$\sum \bar{U}_1 \omega \Delta x_2$ (m ³ s ⁻¹) x 10 ⁻³	$\sum \bar{S} \bar{U}_1 \omega \Delta x_2$ (g s ⁻¹) x 10 ⁻⁶	$\langle U_1' S' \rangle$ (g m ⁻² s ⁻¹) x 10 ⁻³
J-11	18-23 June	21.01	0.124	0.110	-0.005
	26 June-7 July	20.73	0.104	0.160	-0.007
	17-21 July	21.27	0.130	0.100	-0.004
J-17	18-23 June	16.41	0.124	0.185	-0.011
	26 June-7 July	16.97	0.104	0.065	-0.003
	17-21 July	16.47	0.130	0.130	-0.007
J-24	18-23 June	11.47	0.124	0.120	-0.010
	26 June-7 July	10.93	0.104	0.130	-0.011
	17-21 July	11.65	0.130	0.120	-0.010

Table IV
J-11 (18-23 June)

Depth (m)	ω (m) $\times 10^{-3}$	$\langle u's' \rangle$ (gm ⁻² s ⁻¹) $\times 10^{-3}$	$\omega \langle u's' \rangle$ (gm ⁻¹ s ⁻¹) $\times 10^3$	$\frac{\partial \omega \langle u's' \rangle}{\partial x_1}$ (gm ⁻² s ⁻¹) $\times 10^4$	$\frac{1}{\omega} \frac{\partial \omega \langle u's' \rangle}{\partial x_1}$ (gm ⁻² s ⁻¹) $\times 10^4$
0.0	4.30	-0.005	-22.0	11.8	2.74
0.5	4.30	-0.005	-22.0	11.8	2.74
1.0	4.30	-0.005	-22.0	11.8	2.74
1.5	4.30	-0.005	-22.0	11.9	2.75
2.0	3.71	-0.005	-18.0	17.1	4.61
2.5	3.21	-0.005	-16.0	19.9	6.20
3.0	3.06	-0.005	-15.0	16.1	5.26
3.5	2.88	-0.005	-14.0	13.7	4.76
4.0	2.64	-0.005	-13.0	11.8	4.47
4.5	2.49	-0.005	-12.0	9.50	3.82
5.0	2.35	-0.005	-12.0	7.65	3.25
5.5	2.19	-0.005	-10.0	9.28	4.24
6.0	1.98	-0.005	-10.0	9.28	4.69
6.5	1.69	-0.005	- 8.5	9.94	5.88
7.0	1.19	-0.005	- 5.9	12.5	10.50
7.5	0.59	-0.005	- 2.9	12.3	20.85

Table IV
J-11 (26 June-7 July)

Depth (m)	W (m) $\times 10^{-3}$	$\langle u_i' s_i' \rangle$ ($g m^{-2} s^{-1}$) $\times 10^{-3}$	$W \langle u_i' s_i' \rangle$ ($g m^{-1} s^{-1}$) $\times 10^{-3}$	$\frac{\partial W \langle u_i' s_i' \rangle}{\partial x_i}$ ($g m^{-2} s^{-1}$) $\times 10$	$\frac{1}{W} \frac{\partial W \langle u_i' s_i' \rangle}{\partial x_i}$ ($g m^{-2} s^{-1}$) $\times 10^4$
0.0	4.16	-0.007	-29.0	-36.2	-8.42
0.5	4.16	-0.007	-29.0	-36.2	-8.42
1.0	4.16	-0.007	-29.0	-36.2	-8.42
1.5	4.16	-0.007	-29.0	-36.2	-8.42
2.0	3.71	-0.007	-26.0	-24.2	-6.52
2.5	3.21	-0.007	-23.0	-18.9	-5.89
3.0	3.06	-0.007	-21.0	-16.0	-5.23
3.5	2.88	-0.007	-20.0	-15.1	-5.24
4.0	2.64	-0.007	-18.0	-12.7	-4.89
4.5	2.49	-0.007	-17.0	-12.2	-4.90
5.0	2.35	-0.007	-16.0	-11.7	-4.98
5.5	2.19	-0.007	-15.0	-10.9	-4.98
6.0	1.98	-0.007	-14.0	-10.0	-5.05
6.5	1.69	-0.007	-12.0	- 8.61	-5.09
7.0	1.19	-0.007	-8.3	- 6.10	-5.13
7.5	0.59	-0.007	-4.1	- 1.32	-2.24

Table IV
J-11 (17-21 July)

Depth (m)	ω (m) $\times 10^{-3}$	$\langle \sigma'_{11} \rangle$ ($g \cdot m^{-2} \cdot s^{-1}$) $\times 10^{-3}$	$\omega \langle \sigma'_{11} \rangle$ ($g \cdot m^{-1} \cdot s^{-1}$) $\times 10^3$	$\frac{\partial \omega \langle \sigma'_{11} \rangle}{\partial x_1}$ ($g \cdot m^{-2} \cdot s^{-1}$) $\times 10^4$	$\frac{\partial \omega \langle \sigma'_{11} \rangle}{\partial x_1}$ ($g \cdot m^{-3} \cdot s^{-1}$) $\times 10^4$
0.0	4.43	-0.004	-18.0	-2.21	-0.51
0.5	4.43	-0.004	-18.0	-2.21	-0.51
1.0	4.43	-0.004	-18.0	-2.21	-0.51
1.5	4.43	-0.004	-18.0	-1.48	-0.34
2.0	3.71	-0.004	-15.0	3.62	0.98
2.5	3.21	-0.004	-13.0	5.60	1.75
3.0	3.06	-0.004	-12.0	5.35	1.75
3.5	2.88	-0.004	-12.0	4.55	1.58
4.0	2.64	-0.004	-11.0	5.05	1.91
4.5	2.49	-0.004	-10.0	5.40	2.17
5.0	2.35	-0.004	- 9.3	4.29	1.83
5.5	2.19	-0.004	- 8.7	4.65	2.12
6.0	1.98	-0.004	- 7.9	3.98	2.01
6.5	1.69	-0.004	- 6.8	5.10	3.02
7.0	1.19	-0.004	- 4.7	6.10	5.13
7.5	0.59	-0.004	- 2.4	6.10	10.34

Table IV
J-17 (18-23 June)

Depth (m)	w (m) $\times 10^{-3}$	$\langle u, s' \rangle$ ($g\text{m}^{-2}\text{s}^{-1}$) $\times 10^{-3}$	$w\langle u, s' \rangle$ ($g\text{m}^{-1}\text{s}^{-1}$) $\times 10^3$	$\frac{\partial w\langle u, s' \rangle}{\partial z}$ ($g\text{m}^{-2}\text{s}^{-1}$) $\times 10^4$	$\frac{1}{w} \frac{\partial w\langle u, s' \rangle}{\partial z}$ ($g\text{m}^{-3}\text{s}^{-1}$) $\times 10^4$
0.0	3.03	+0.011	-33.0	3.92	1.29
0.5	3.03	-0.11	-33.0	3.92	1.29
1.0	3.03	-0.11	-33.0	3.92	1.29
1.5	3.03	-0.11	-33.0	1.86	0.61
2.0	3.02	-0.011	-33.0	0.51	0.17
2.5	2.69	-0.011	-29.0	-27.0	-1.00
3.0	2.34	-0.011	-26.0	-1.78	-0.76
3.5	2.17	-0.011	-24.0	-1.38	-0.64
4.0	2.02	-0.011	-22.0	-1.17	-0.58
4.5	1.80	-0.011	-19.0	-1.12	-0.62
5.0	1.63	-0.011	-18.0	-0.71	-0.44
5.5	1.57	-0.011	-17.0	-1.07	-0.68
6.0	1.53	-0.011	-17.0	-1.79	-1.17
6.5	1.44	-0.011	-16.0	-0.87	-0.60
7.0	1.34	-0.011	-15.0	-1.38	-1.03
7.5	1.06	-0.011	-11.0	-0.10	-0.09

Table IV
J-17 (26 June-7 July)

Depth (m)	ω (m) $\times 10^3$	$\langle u, s' \rangle$ ($g \cdot m^{-2} \cdot s^{-1}$) $\times 10^{-3}$	$\omega \langle u, s' \rangle$ ($g \cdot m^{-1} \cdot s^{-1}$) $\times 10^3$	$\frac{\partial \omega \langle u, s' \rangle}{\partial x_1}$ ($g \cdot m^{-2} \cdot s^{-1}$) $\times 10^4$	$\frac{1}{\omega} \frac{\partial \omega \langle u, s' \rangle}{\partial x_1}$ ($g \cdot m^{-2} \cdot s^{-1}$) $\times 10^4$
0.0	3.31	-0.003	-10.1	-1.83	-0.60
0.5	3.31	-0.003	-10.1	-1.83	-0.60
1.0	3.31	-0.003	-10.1	-1.83	-0.60
1.5	3.31	-0.003	-10.1	-1.83	-0.60
2.0	3.02	-0.003	- 9.0	-1.17	-0.39
2.5	2.69	-0.003	- 8.1	-1.63	-0.61
3.0	2.34	-0.003	- 7.0	-1.27	-0.54
3.5	2.17	-0.003	- 6.5	-1.89	-0.87
4.0	2.02	-00.03	- 6.1	-2.30	-1.14
4.5	1.80	-0.003	- 5.4	-2.30	-1.28
5.0	1.63	-0.003	- 4.9	-2.34	-1.44
5.5	1.57	-0.003	- 4.7	-2.34	-1.49
6.0	1.53	-0.003	- 4.6	-2.34	-1.53
6.5	1.44	-0.003	- 4.3	-2.34	-1.63
7.0	1.34	-0.003	- 4.0	-0.46	-0.34
7.5	1.06	-0.003	- 3.2	-0.08	-0.08

Table IV
J-17 (17-21 July)

Depth (m)	ω (m) $\times 10^{-3}$	$\langle \sigma_i' s_i' \rangle$ ($gm^{-2}s^{-1}$) $\times 10^{-3}$	$\omega \langle \sigma_i' s_i' \rangle$ ($gm^{-1}s^{-1}$) $\times 10^{-3}$	$\frac{\partial \omega \langle \sigma_i' s_i' \rangle}{\partial x_i}$ ($gm^{-2}s^{-1}$) $\times 10$	$\frac{1}{\omega} \frac{\partial \omega \langle \sigma_i' s_i' \rangle}{\partial x_i}$ (gm^2s^{-1}) $\times 10^4$
0.0	3.06	-0.007	-21.0	15.3	5.05
0.5	3.06	-0.007	-21.0	15.3	5.05
1.0	3.06	-0.007	-21.0	15.3	5.05
1.5	3.06	-0.007	-21.0	5.95	1.96
2.0	3.02	-0.007	-21.0	4.69	1.55
2.5	2.69	-0.007	-19.0	2.30	0.86
3.0	2.34	-0.007	-16.0	0.0	0.0
3.5	2.17	-0.007	-15.0	0.0	0.0
4.0	2.02	-0.007	-14.0	-0.51	0.25
4.5	1.80	-0.007	-13.0	-0.56	-0.31
5.0	1.63	-0.007	-11.0	-1.03	-0.63
5.5	1.57	-0.007	-11.0	-1.32	-0.84
6.0	1.53	-0.007	-10.0	-1.43	-0.93
6.5	1.44	-0.007	-10.0	-1.73	-1.20
7.0	1.34	-0.007	-9.2	-0.51	-0.38
7.5	1.06	-0.007	-7.4	0.51	-0.48

Table IV
J-24 (18-23 June)

Depth (m)	w (m) $\times 10^{-3}$	$\langle u's' \rangle$ ($g\ m^{-2}\ s^{-1}$) $\times 10^3$	$w\langle u's' \rangle$ ($g\ m^{-1}\ s^{-1}$) $\times 10^3$	$\frac{\partial w\langle u's' \rangle}{\partial x_1}$ ($g\ m^{-2}\ s^{-1}$) $\times 10^4$	$\frac{1}{w} \frac{\partial w\langle u's' \rangle}{\partial x_1}$ ($g\ m^{-3}\ s^{-1}$) $\times 10^4$
0.0	3.47	-0.010	-35.0	0.56	0.16
0.5	3.47	-0.010	-35.0	0.56	0.16
1.0	3.47	-0.010	-35.0	0.56	0.16
1.5	2.71	-0.010	-27.0	-13.2	-4.87
2.0	2.12	-0.010	-21.0	-24.9	-11.74
2.5	1.62	-0.010	-16.0	-21.8	-13.16
3.0	1.32	-0.010	-13.0	-20.8	-15.76
3.5	1.20	-0.010	-12.0	-18.1	-15.08
4.0	1.13	-0.010	-11.0	-16.7	-14.78
4.5	0.96	-0.010	-10.0	-13.6	-14.17
5.0	0.90	+0.010	- 9.0	-14.2	-15.78
5.5	0.71	-0.010	- 7.1	-16.1	-22.68
6.0	0.55	-0.010	- 5.5	-16.8	-30.55
6.5	0.51	-0.010	- 5.1	-19.5	-38.23
7.0	0.46	-0.010	- 4.6	-15.3	-33.26
7.5	0.41	-0.010	- 4.1	-11.5	-28.05

Table IV
J-24 (26 June-7 July)

Depth (m)	ω (m) $\times 10^{-3}$	$\langle \sigma, s' \rangle$ ($g m^{-2} s^{-1}$) $\times 10^{-3}$	$\omega \langle \sigma, s' \rangle$ ($g m^{-1} s^{-1}$) $\times 10^{-3}$	$\frac{\partial \omega \langle \sigma, s' \rangle}{\partial x}$ ($g m^{-2} s^{-1}$) $\times 10^4$	$\frac{1}{\omega} \frac{\partial \omega \langle \sigma, s' \rangle}{\partial x}$ ($g m^{-3} s^{-1}$) $\times 10^4$
0.0	3.11	-0.011	-34.0	54.6	15.74
0.5	3.11	-0.011	-34.0	54.6	15.74
1.0	3.11	-0.011	-34.0	54.6	15.74
1.5	2.71	-0.011	-30.0	36.6	13.50
2.0	2.12	-0.011	-23.0	25.1	11.84
2.5	1.62	-0.011	-18.0	25.0	15.43
3.0	1.32	-0.011	-15.0	15.4	11.67
3.5	1.20	-0.011	-13.0	12.2	10.17
4.0	1.13	-0.011	-12.0	12.1	10.71
4.5	0.96	-0.011	-11.0	11.2	11.67
5.0	0.90	-0.011	-10.0	10.3	11.44
5.5	0.71	-0.011	- 7.8	6.32	8.90
6.0	0.55	-0.011	- 6.1	3.16	5.74
6.5	0.51	-0.011	- 5.6	1.63	3.20
7.0	0.46	-0.011	- 5.1	0.46	1.00
7.5	0.41	-0.011	- 4.5	0.46	1.00

Table IV
J-24 (17-21 July)

Depth (m)	ω (m) $\times 10^{-3}$	$\langle u's' \rangle$ ($g\ m^{-2}\ s^{-1}$) $\times 10^{-3}$	$\omega \langle u's' \rangle$ ($g\ m^{-1}\ s^{-1}$) $\times 10^{-3}$	$\frac{\partial \omega \langle u's' \rangle}{\partial x}$ ($g\ m^{-2}\ s^{-1}$) $\times 10^4$	$\frac{1}{\omega} \frac{\partial \omega \langle u's' \rangle}{\partial x}$ ($g\ m^{-3}\ s^{-1}$) $\times 10^4$
0.0	3.59	-0.010	-35.0	13.4	3.86
0.5	3.59	-0.010	-35.0	13.4	3.86
1.0	3.59	-0.010	-35.0	13.4	3.86
1.5	2.71	-0.010	-27.0	4.44	1.64
2.0	2.12	-0.010	-21.0	-3.22	-1.52
2.5	1.62	-0.010	-16.0	-56.1	-3.46
3.0	1.32	-0.010	-13.0	-4.49	-3.40
3.5	1.20	-0.010	-12.0	-4.38	-3.65
4.0	1.13	-0.010	-11.0	-4.44	-3.93
4.5	0.96	-0.010	-10.0	-4.44	-4.62
5.0	0.90	-0.010	- 9.0	-2.34	-2.60
5.5	0.71	-0.010	- 7.1	-5.20	-7.32
6.0	0.55	-0.010	- 5.5	-6.34	-11.53
6.5	0.51	-0.010	- 5.1	-6.58	-12.90
7.0	0.46	-0.010	- 4.6	-7.00	-15.22
7.5	0.41	-0.010	- 4.1	-5.91	-14.41

Table V
Segment 17-11 (18-23 June)

Depth (m)	\bar{U}_1 ($m^2 s^{-1}$) $\times 10^3$	$\Sigma \bar{U}_1 \Delta x_1$ ($m^3 s^{-1}$) $\times 10^{-3}$	$\bar{U}_1 \omega$ ($m^2 s^{-1}$) $\times 10^{-3}$	$\Sigma \bar{U}_1 \omega \Delta x_1$ ($m^3 s^{-1}$) $\times 10^{-3}$	$\Delta \Sigma \bar{U}_1 \omega \Delta x_1$ ($m^3 s^{-1}$) $\times 10^{-3}$	\bar{U} (m) $\times 10^{-3}$	$\bar{\omega}_L$ (m^2) $\times 10^7$	\bar{U}_2 ($m s^{-1}$) $\times 10^5$	\bar{U}_2^* ($m s^{-1}$) $\times 10^5$
0.0		0.00		0.00	0.00	3.66	4.81	0.00	0.00
0.5	0.351	0.351	0.692	0.692	-0.341	3.66	4.81	-0.36	-0.42
1.0	0.288	0.639	0.503	1.195	-0.556	3.66	4.81	-0.58	-0.64
1.5	0.224	0.863	0.344	1.539	-0.676	3.66	4.81	-0.70	-0.75
2.0	0.155	0.018	0.206	1.745	-0.727	3.37	4.43	-0.82	-0.81
2.5	0.096	1.114	0.060	1.805	-0.691	2.95	3.88	-0.89	-0.86
3.0	0.025	1.139	-0.041	1.764	-0.625	2.70	3.55	-0.88	-0.80
3.5	-0.034	1.105	-0.134	1.630	-0.525	2.52	3.31	-0.79	-0.74
4.0	-0.084	1.021	-0.213	1.417	-0.396	2.33	3.06	-0.65	-0.57
4.5	-0.117	0.904	-0.260	1.157	-0.253	2.15	2.83	-0.45	-0.35
5.0	-0.121	0.783	-0.260	0.897	-0.114	1.99	2.62	-0.22	-0.10
5.5	-0.113	0.670	-0.229	0.668	0.002	1.88	2.47	0.00	0.10
6.0	-0.109	0.561	-0.180	0.488	0.073	1.75	2.30	0.16	0.27
6.5	-0.106	0.455	-0.135	0.353	0.102	1.57	2.06	0.25	0.34
7.0	-0.106	0.349	-0.104	0.249	0.100	1.27	1.67	0.30	0.39
7.5	-0.102	0.247	-0.079	0.170	0.034	0.83	1.09	0.04	0.02

* \bar{U}_2 - extrapolated to J-11

Table V
Segment 17-11 (26 June-7 July)

Depth (m)	$\bar{U}_1 \omega$ ($m^2 s^{-1}$) $\times 10^{-3}$	$\Sigma \bar{U}_1 \omega \Delta x_2 \Delta y$ ($m^3 s^{-1}$) $\times 10^{-3}$	$\bar{U}_1 \omega$ ($m^2 s^{-1}$) $\times 10^{-3}$	$\Sigma \bar{U}_1 \omega \Delta x_2$ ($m^3 s^{-1}$) $\times 10^{-3}$	$\Delta \Sigma \bar{U}_1 \omega \Delta x_2$ ($m^3 s^{-1}$) $\times 10^{-3}$	$\bar{\omega}$ (m) $\times 10^{-3}$	$\bar{\omega} L$ (m^2) $\times 10^7$	\bar{U}_2 ($m s^{-1}$) $\times 10^5$	$\bar{U}_2 \omega$ ($m s^{-1}$) $\times 10^5$
0.0		0		0		3.73	4.88	0.00	0.00
0.5	0.401	0.401	0.686	0.686	-0.285	3.73	4.88	-0.30	-0.36
1.0	0.334	0.735	0.549	1.235	-0.500	3.73	4.88	-0.51	-0.56
1.5	0.265	1.000	0.412	1.647	-0.647	3.73	4.88	-0.68	-0.69
2.0	0.189	1.189	0.262	1.909	-0.720	3.37	4.43	-0.81	-0.82
2.5	0.105	1.294	0.063	1.830	-0.536	2.95	3.88	-0.69	-0.62
3.0	0.022	1.316	-0.079	1.666	-0.350	2.70	3.55	-0.49	-0.39
3.5	-0.034	1.282	-0.164	1.502	-0.220	2.52	3.31	-0.33	-0.21
4.0	-0.074	1.208	-0.204	1.298	-0.090	2.33	3.06	-0.15	-0.02
4.5	-0.097	1.111	-0.222	1.076	0.035	2.15	2.83	-0.06	0.18
5.0	-0.120	0.991	-0.236	0.840	0.151	1.99	2.62	0.29	0.45
5.5	-0.146	0.845	-0.238	0.602	0.240	1.88	2.47	0.49	0.69
6.0	-0.170	0.675	-0.234	0.368	0.307	1.75	2.30	0.67	0.88
6.5	-0.174	0.501	-0.212	0.156	0.345	1.57	2.06	0.84	1.00
7.0	-0.160	0.341	-0.176	-0.020	0.361	1.27	1.67	1.08	1.17
7.5	-0.132	0.209	-0.152	-0.172	0.096	0.83	1.09	0.87	0.97

Table V
Segment 17-11 (17-21 July)

Depth (m)	$\bar{U} \cdot W$ ($m^2 \cdot s^{-1}$) $\times 10^3$	$\Sigma \bar{U}_i W_i \Delta x_i$ ($m^3 \cdot s^{-1}$) $\times 10^3$	$\bar{U} \cdot W$ ($m^2 \cdot s^{-1}$) $\times 10^{-3}$	$\Sigma \bar{U}_i W_i \Delta x_i$ ($m^3 \cdot s^{-1}$) $\times 10^3$	$\Delta \Sigma \bar{U}_i W_i \Delta x_i$ ($m^3 \cdot s^{-1}$) $\times 10^{-3}$	\bar{U} (m) $\times 10^{-3}$	$\bar{U} \cdot L$ (m^2) $\times 10^7$	\bar{U}_z ($m \cdot s^{-1}$) $\times 10^5$	$\bar{U}_z \cdot H$ ($m \cdot s^{-1}$) $\times 10^5$
3.0		0.00		0.00	0.00	3.74	4.89	0.00	0.00
0.5	0.401	0.401	0.766	0.766	-0.365	3.74	4.89	-0.38	-0.48
1.0	0.327	0.728	0.607	1.373	-0.645	3.74	4.89	-0.66	-0.80
1.5	0.242	0.970	0.422	1.795	-0.825	3.74	4.89	-0.85	-0.93
2.0	0.159	1.129	0.244	2.039	-0.910	3.37	4.43	-1.03	-0.10
2.5	0.093	1.222	0.070	2.004	-0.782	2.95	3.88	-1.01	-1.01
3.0	0.027	1.249	-0.035	1.969	-0.720	2.70	3.55	-1.01	-0.97
3.5	-0.031	1.218	-0.137	1.832	-0.614	2.52	3.31	-0.93	-0.86
4.0	-0.076	1.142	-0.204	1.628	-0.486	2.33	3.06	-0.79	-0.69
4.5	-0.097	1.045	-0.296	1.332	-0.287	2.15	2.83	-0.51	-0.39
5.0	-0.113	0.932	-0.306	1.026	-0.094	1.99	2.62	-0.18	-0.03
5.5	-0.126	0.806	-0.272	0.754	0.052	1.88	2.47	0.11	0.33
6.0	-0.140	0.666	-0.236	0.518	0.148	1.75	2.30	0.32	0.52
6.5	-0.145	0.521	-0.201	0.317	0.204	1.57	2.06	0.50	0.68
7.0	-0.138	0.383	-0.163	0.154	0.229	1.27	1.67	0.69	0.81
7.5	-0.123	0.260	-0.118	-0.036	0.150	0.83	1.09	0.57	0.75

Table V
Segment 24-11 (18-23 June)

Depth (m)	$\bar{u} \omega$ ($m^3 s^{-1}$) $\times 10^3$	$\Sigma \bar{u} \omega x_2$ ($m^3 s^{-1}$) $\times 10^3$	$\bar{v} \omega$ ($m^3 s^{-1}$) $\times 10^3$	$\Sigma \bar{v} \omega x_2$ ($m^3 s^{-1}$) $\times 10^3$	$\bar{w} \omega$ ($m^3 s^{-1}$) $\times 10^3$	$\Sigma \bar{w} \omega x_2$ ($m^3 s^{-1}$) $\times 10^3$	$\Delta \Sigma \bar{w} \omega x_2$ ($m^3 s^{-1}$) $\times 10^3$	\bar{u} (m) $\times 10^3$	$\bar{w} L$ (m^2) $\times 10^7$	\bar{v}_2 ($m s^{-1}$) $\times 10^5$
0.0		0.00		0.00		0.00	0.00	3.88	9.05	0.00
0.5	0.600	0.600	0.692	0.692		0.692	-0.092	3.88	9.05	-0.05
1.0	0.261	0.861	0.503	1.195		1.195	-0.334	3.88	9.05	-0.18
1.5	0.069	0.930	0.344	1.539		1.539	-0.609	3.51	8.19	-0.37
2.0	-0.030	0.000	0.206	1.745		1.745	-0.845	2.91	6.79	-0.62
2.5	-0.061	0.839	0.060	1.805		1.805	-0.966	2.42	5.65	-0.85
3.0	-0.075	0.764	-0.041	1.764		1.764	-1.000	2.21	5.16	-0.97
3.5	-0.081	0.683	-0.134	1.630		1.630	-0.947	2.04	4.76	-0.99
4.0	-0.085	0.598	-0.213	1.417		1.417	-0.819	1.88	4.39	-0.93
4.5	-0.091	0.517	-0.260	1.157		1.157	-0.640	1.73	4.04	-0.79
5.0	-0.074	0.443	-0.260	0.897		0.897	-0.454	1.62	3.78	-0.60
5.5	-0.067	0.376	-0.229	0.668		0.668	-0.292	1.45	3.38	-0.43
6.0	-0.049	0.327	-0.180	0.488		0.488	-0.161	1.27	2.96	-0.27
6.5	-0.042	0.285	-0.135	0.353		0.353	-0.068	1.10	2.57	-0.13
7.0	-0.037	0.248	-0.104	0.249		0.249	-0.001	0.82	1.91	-0.02
7.5	-0.029	0.219	-0.079	0.170		0.170	0.013	0.50	1.16	0.11

Table V
Segment 24-11 (26 June-7 July)

Depth (m)	\bar{U}, u ($m^2 s^{-1}$) $\times 10^3$	$\Sigma \bar{U}, u \times \Delta z$ ($m^3 s^{-1}$) $\times 10^3$	\bar{U}, u ($m^2 s^{-1}$) $\times 10^3$	$\Sigma \bar{U}, u \times \Delta z$ ($m^3 s^{-1}$) $\times 10^3$	$\Delta \Sigma \bar{U}, u \times \Delta z$ ($m^3 s^{-1}$) $\times 10^8$	\bar{w} (m) $\times 10^3$	$\bar{w} L$ (m^2) $\times 10^7$	\bar{U}_2 (ms^{-1}) $\times 10^5$
0.0		0.00		0.00	0.00	3.63	8.36	0.00
0.5	0.538	0.538	0.686	0.686	-0.148	3.63	8.36	-0.009
1.0	0.292	0.830	0.549	1.235	-0.405	3.63	8.36	-0.024
1.5	0.084	0.914	0.412	1.647	-0.733	3.44	8.01	-0.44
2.0	-0.039	0.875	0.262	1.909	-1.034	2.91	6.79	-0.76
2.5	-0.079	0.796	0.063	1.830	-1.034	2.42	5.65	-0.92
3.0	-0.079	0.717	-0.079	1.666	-0.949	2.21	5.16	-0.92
3.5	-0.072	0.645	-0.164	1.502	-0.857	2.04	4.76	-0.90
4.0	-0.069	0.576	-0.204	1.298	-0.722	1.88	4.39	-0.82
4.5	-0.062	0.514	-0.222	1.076	-0.562	1.73	4.04	-0.70
5.0	-0.061	0.453	-0.236	0.840	-0.387	1.62	3.78	-0.51
5.5	-0.071	0.382	-0.238	0.602	-0.220	1.45	3.38	-0.33
6.0	-0.062	0.320	-0.234	0.363	-0.048	1.27	2.96	-0.08
6.5	-0.058	0.262	-0.212	0.156	0.106	1.10	2.57	0.21
7.0	-0.053	0.209	-0.176	-0.020	0.189	0.82	1.91	0.50
7.5	-0.043	0.166	-0.152	-0.172	0.169	0.50	1.16	0.73

Table V
Segment 24-11 (17-21 July)

Depth (m)	\bar{U}_1 (m ² s ⁻¹) x 10 ⁻³	$\Sigma \bar{U}_1 \omega \Delta x_2$ (m ³ s ⁻¹) x 10 ⁻³	$\bar{U}_1 \omega$ (m ² s ⁻¹) x 10 ⁻³	$\Sigma \bar{U}_1 \omega \Delta x_2$ (m ³ s ⁻¹) x 10 ⁻³	$\Delta \Sigma \bar{U}_1 \omega \Delta x_2$ (m ³ s ⁻¹) x 10 ⁻³	\bar{U} (m) x 10 ⁻³	$\bar{\omega}$ (m ²) x 10 ⁻⁷	$\bar{U} \bar{\omega}$ (m ³ s ⁻¹) x 10 ⁻⁵
0.0		0.00		0.00	0.00	4.01	9.34	0.00
0.5	0.664	0.664	0.766	0.766	-0.102	4.01	9.34	-0.05
1.0	0.363	1.027	0.607	1.373	-0.346	4.01	9.34	-0.18
1.5	0.104	1.131	0.422	1.795	-0.664	3.57	8.32	-0.40
2.0	-0.059	1.092	0.244	2.039	-0.947	2.91	6.79	-0.70
2.5	-0.083	1.009	0.070	2.004	-0.995	2.42	5.65	-0.88
3.0	-0.092	0.917	-0.035	1.969	-1.052	2.21	5.16	-1.02
3.5	-0.095	0.822	-0.037	1.832	-1.010	2.04	4.76	-0.16
4.0	-0.103	0.719	-0.204	1.628	-0.909	1.88	4.39	-1.04
4.5	-0.099	0.620	-0.296	1.332	-0.712	1.73	4.04	-0.88
5.0	-0.095	0.525	-0.306	1.026	-0.501	1.62	3.78	-0.66
5.5	-0.089	0.436	-0.272	0.754	-0.318	1.45	3.38	-0.47
6.0	-0.066	0.370	-0.236	0.518	-0.148	1.27	2.96	-0.25
6.5	-0.058	0.312	-0.201	0.317	-0.005	1.10	2.57	-0.01
7.0	-0.052	0.260	-0.163	0.154	0.106	0.82	1.91	0.22
7.5	-0.033	0.227	-0.118	-0.036	0.132	0.50	1.16	0.61

Segment 24-17 (18-23 June)

Depth (m)	\bar{u}, w ($m^2 s^{-1}$) $\times 10^{-3}$	$\sum \bar{u}, w \times \Delta z$ ($m^3 s^{-1}$) $\times 10^{-3}$	\bar{u}, w ($m^2 s^{-1}$) $\times 10^{-3}$	$\sum \bar{u}, w \times \Delta z$ ($m^3 s^{-1}$) $\times 10^{-3}$	$\Delta \sum \bar{u}, w \times \Delta z$ ($m^3 s^{-1}$) $\times 10^{-3}$	\bar{u} (m) $\times 10^{-3}$	\bar{w}_L (m^2) $\times 10^{-7}$	\bar{u}_2 ($m s^{-1}$) $\times 10^5$	\bar{u}_2^* ($m s^{-1}$) $\times 10^5$
0.0		0.00		0.00	0.00	3.25	3.31	0.00	0.00
0.5	0.600	0.600	0.351	0.351	0.249	3.25	3.31	0.38	0.56
1.0	0.261	0.861	0.288	0.639	0.222	3.25	3.31	0.34	0.53
1.5	0.069	0.930	0.224	0.863	0.067	2.87	2.92	0.11	0.36
2.0	-0.030	0.900	0.155	1.018	-0.118	2.57	2.62	-0.23	-0.09
2.5	-0.061	0.839	0.096	1.114	-0.275	2.16	2.20	-0.63	-0.49
3.0	-0.075	0.764	0.025	1.139	-0.375	1.83	1.86	-0.01	-1.02
3.5	-0.081	0.683	-0.034	1.105	-0.422	1.68	1.71	-1.23	-1.39
4.0	-0.085	0.598	-0.084	1.021	-0.423	1.58	1.64	-1.29	-1.50
4.5	-0.081	0.517	-0.117	0.904	-0.387	1.38	1.40	-1.38	-1.73
5.0	-0.074	0.443	-0.121	0.783	-0.340	1.26	1.30	-1.31	-1.67
5.5	-0.067	0.376	-0.113	0.670	-0.294	1.14	1.16	-1.27	-1.62
6.0	-0.049	0.327	-0.109	0.561	-0.234	1.04	1.06	-1.10	-1.44
6.5	-0.042	0.285	-0.105	0.455	-0.174	0.98	1.00	-0.87	-1.19
7.0	-0.037	0.249	-0.106	0.349	-0.101	0.90	0.92	-0.54	-0.80
7.5	-0.029	0.219	-0.102	0.247	-0.014	0.74	0.75	-0.09	-0.29

* \bar{u}_2 -- extrapolated to U-24

Table V
Segment 24-17 (26 June-7 July)

Depth (m)	$\bar{u}_1 \omega$ ($m^2 s^{-1}$) $\times 10^{-3}$	$\Sigma \bar{u}_1 \omega \times 2 \Delta z$ ($m^3 s^{-1}$) $\times 10^{-3}$	$\bar{u}_1 \omega$ ($m^2 s^{-1}$) $\times 10^{-3}$	$\Sigma \bar{u}_1 \omega \times 2 \Delta z$ ($m^3 s^{-1}$) $\times 10^{-3}$	$\Delta \Sigma \bar{u}_1 \omega \times 2 \Delta z$ ($m^3 s^{-1}$) $\times 10^{-3}$	\bar{u} (m) $\times 10^{-3}$	$\bar{u} L$ (m^2) $\times 10^{-7}$	\bar{u}^2 ($m^2 s^{-1}$) $\times 10^3$	$\bar{u}^2 *$ ($m^2 s^{-1}$) $\times 10^5$
0.0		0.00		0.00	0.00	3.21	3.27	0.00	0.00
0.5	0.538	0.538	0.401	0.401	0.137	3.21	3.27	0.21	0.44
1.0	0.292	0.830	0.334	0.735	0.095	3.21	3.27	0.14	0.33
1.5	0.084	0.914	0.265	1.000	-0.086	2.96	3.01	0.14	-0.01
2.0	0.039	0.875	0.187	1.189	-0.314	2.57	2.62	-0.60	-0.47
2.5	-0.079	0.796	0.105	1.294	-0.498	2.16	2.20	-1.13	-1.22
3.0	-0.079	0.717	0.022	1.316	-0.599	1.83	1.86	-1.61	-1.88
3.5	-0.072	0.645	-0.034	1.282	-0.637	1.68	1.71	-1.86	-2.14
4.0	-0.069	0.576	-0.074	1.208	-0.632	1.58	1.64	-1.93	-2.22
4.5	-0.062	0.514	-0.097	1.111	-0.597	1.38	1.40	-2.13	-2.49
5.0	-0.061	0.453	-0.120	0.991	-0.538	1.26	1.30	-2.07	-2.46
5.5	-0.071	0.382	-0.146	0.845	-0.463	1.14	1.16	-1.99	-2.40
6.0	-0.062	0.320	-0.170	0.675	-0.355	1.04	1.06	-1.68	-2.09
6.5	-0.058	0.263	-0.174	0.501	-0.239	0.93	1.00	-1.20	-1.49
7.0	-0.053	0.209	-0.160	0.341	-0.132	0.90	0.92	-0.72	-1.07
7.5	-0.043	0.166	-0.132	0.209	-0.011	0.74	0.75	-0.14	-0.39

Table V
Segment 24-17 (17-21 July)

Depth (m)	\bar{u}_w (m ² s ⁻¹) × 10 ⁻³	$\sum \bar{u}_w \Delta x_2$ (m ³ s ⁻¹) × 10 ⁻³	\bar{u}_w (m ³ s ⁻¹) × 10 ⁻³	$\sum \bar{u}_w \Delta x_2$ (m ³ s ⁻¹) × 10 ⁻³	$\Delta \sum \bar{u}_w \Delta x_2$ (m ³ s ⁻¹) × 10 ⁻³	\bar{w} (m) × 10 ⁻³	$\bar{w}L$ (m ²) × 10 ⁻⁷	\bar{u}_2 (m ² s ⁻¹) × 10 ⁵	$\bar{u}_2 \#$ (m ² s ⁻¹) × 10 ⁵
0.0		0.00	0.00	0.00	0.00	3.32	3.38	0.00	0.00
0.5	0.664	0.664	0.401	0.401	0.263	3.32	3.38	0.40	0.67
1.0	0.363	1.027	0.327	0.728	0.299	3.32	3.38	0.45	0.73
1.5	0.104	1.131	0.242	0.970	0.161	2.88	2.93	0.28	0.58
2.0	-0.039	1.092	0.159	1.129	-0.037	2.57	2.62	-0.07	0.22
2.5	-0.083	1.009	0.093	1.222	-0.213	2.16	2.20	-0.49	-0.28
3.0	-0.092	0.917	0.027	1.249	-0.332	1.83	1.86	-0.89	-0.72
3.5	-0.095	0.822	-0.031	1.218	-0.396	1.68	1.71	-1.16	-1.23
4.0	-0.103	0.719	-0.076	1.142	-0.423	1.58	1.64	-1.29	-1.41
4.5	-0.099	0.620	-0.097	1.045	-0.425	1.38	1.40	-1.52	-1.83
5.0	-0.095	0.525	-0.113	0.932	-0.407	1.26	1.30	-1.56	-1.89
5.5	-0.089	0.436	-0.126	0.806	-0.370	1.14	1.16	-1.59	-1.96
6.0	-0.066	0.370	-0.140	0.666	-0.296	1.04	1.06	-1.40	-1.73
6.5	-0.058	0.312	-0.145	0.521	-0.209	0.98	1.00	-1.05	-1.37
7.0	-0.052	0.260	-0.138	0.383	-0.123	0.90	0.92	-0.66	-1.03
7.5	-0.033	0.227	-0.123	0.260	-0.008	0.74	0.75	-0.12	-0.38

Table VI
J-11 (18-23 June)

Depth (m)	Width (m) $\times 10^{-3}$	$\partial \bar{v}_1 / \partial x_1$ (ms^{-1}) $\times 10$	$\Sigma \partial \bar{v}_1 / \partial x_1 \Delta x_2$ ($\text{m}^2 \text{s}^{-1}$) $\times 10^{-3}$	\bar{v}_2^2 (ms^{-1}) $\times 10^4$
0.0	4.30		0.00	0.00
0.5	4.30	0.489	0.489	-0.057
1.0	4.30	0.268	0.757	-0.088
1.5	4.30	0.155	0.912	-0.106
2.0	3.71	-0.027	0.884	-0.120
2.5	3.21	-0.142	0.742	-0.116
3.0	3.06	-0.122	0.571	-0.093
3.5	2.88	-0.171	0.399	-0.069
4.0	2.64	-0.180	0.173	-0.033
4.5	2.49	-0.266	0.002	-0.004
5.0	2.35	-0.171	-0.128	0.027
5.5	2.19	-0.140	-0.223	0.051
6.0	1.98	-0.094	-0.231	0.058
6.5	1.69	-0.009	-0.212	0.059
7.0	1.19	0.019	-0.176	0.072
7.5	0.59	0.037	-0.154	0.085

1 In Table VI \bar{v}_2 is given in meters per second times 10^4 . All other tables give it in meters per second times 10^5 .

Table VI
J-11 (26 June-7 July)

Depth (m)	Width (m) $\times 10^{-3}$	$\partial \bar{v}_1 \omega / \partial x_1$ ($m s^{-1}$) $\times 10$	$\sum \frac{\partial \bar{v}_1 \omega}{\partial x_1} \Delta x_2$ ($m^2 s^{-1}$) $\times 10^{-3}$	\bar{v}_2 ($m s^{-1}$) $\times 10^4$
0.0	4.16		0.00	0.00
0.5	4.16	0.368	0.368	-0.044
1.0	4.16	0.222	0.590	-0.071
1.5	4.16	0.091	0.681	-0.081
2.0	3.71	0.004	0.677	-0.091
2.5	3.21	-0.079	0.566	-0.088
3.0	3.06	-0.111	0.438	-0.072
3.5	2.88	-0.128	0.305	-0.053
4.0	2.64	-0.133	0.172	-0.032
4.5	2.49	-0.027	0.045	-0.009
5.0	2.35	-0.113	-0.068	0.014
5.5	2.19	-0.092	-0.160	0.037
6.0	1.98	-0.061	-0.221	0.056
6.5	1.69	-0.009	-0.214	0.063
7.0	1.19	0.007	-0.207	0.087
7.5	0.59	-0.004	-0.211	0.178

Table VI
J-11 (17-21 July)

Depth (m)	Width (m) $\times 10^{-3}$	$\partial \bar{u}_1 w / \partial x_1$ ($m s^{-1}$) $\times 10$	$\sum \frac{\partial \bar{u}_1 w}{\partial x_1} \Delta x_2$ ($m^2 s^{-1}$) $\times 10^{-3}$	\bar{u}_2 ($m s^{-1}$) $\times 10^4$
0.0	4.43		0.00	0.00
		0.389		
0.5	4.43	0.260	0.389	-0.046
1.0	4.43	0.152	0.649	-0.066
1.5	4.43	0.031	0.781	-0.093
2.0	3.71	-0.037	0.812	-0.109
2.5	3.21	-0.084	0.775	-0.121
3.0	3.06	-0.123	0.691	-0.114
3.5	2.88	-0.156	0.568	-0.099
4.0	2.64	-0.172	0.412	-0.077
4.5	2.49	-0.159	0.240	-0.048
5.0	2.35	-0.119	0.081	-0.017
5.5	2.19	-0.070	-0.038	0.009
6.0	1.98	-0.015	-0.108	0.027
6.5	1.69	0.006	-0.123	0.036
7.0	1.19	0.030	-0.117	0.049
7.5	0.59		-0.087	0.074

Table VI
J-17 (18-23 June)

Depth (m)	Width (m) $\times 10^{-3}$	$\partial \bar{U}_1 / \partial x_1$ ($m s^{-1}$) $\times 10^4$	$\sum \frac{\partial \bar{U}_1}{\partial x_1} \Delta x_2$ ($m^2 s^{-1}$) $\times 10^{-3}$	\bar{U}_2 ($m s^{-1}$) $\times 10^4$
0.0	3.03		0.00	0.00
0.5	3.03	0.027	0.027	-0.004
1.0	3.03	0.071	0.098	-0.016
1.5	3.03	0.071	0.169	-0.028
2.0	3.02	0.086	0.255	-0.042
2.5	2.69	0.065	0.320	-0.060
3.0	2.34	0.036	0.356	-0.076
3.5	2.17	-0.035	0.321	-0.074
4.0	2.02	-0.039	0.281	-0.069
4.5	1.80	-0.044	0.238	-0.066
5.0	1.63	-0.062	0.175	-0.054
5.5	1.57	-0.093	0.083	-0.037
6.0	1.53	-0.040	0.043	-0.021
6.5	1.44	-0.041	0.002	-0.006
7.0	1.34	-0.040	-0.037	0.014
7.5	1.06	-0.036	-0.043	0.020

Table VI
J-17 (26 June-7 July)

Depth (m)	Width (m) $\times 10^{-3}$	$\frac{\partial \bar{u}_1}{\partial x_1}$ (ms^{-1}) $\times 10$	$\sum \frac{\partial \bar{u}_1}{\partial x_1} \Delta x_2$ ($\text{m}^2 \text{s}^{-1}$) $\times 10^{-3}$	\bar{u}_2 (ms^{-1}) $\times 10^4$
0.0	3.31		0.00	0.00
0.5	3.31	0.009	0.009	-0.001
1.0	3.31	0.075	0.084	-0.013
1.5	3.31	0.168	0.252	-0.040
2.0	3.02	0.160	0.412	-0.068
2.5	2.69	0.066	0.478	-0.089
3.0	2.34	0.009	0.487	-0.092
3.5	2.17	-0.016	0.471	-0.109
4.0	2.02	-0.035	0.436	-0.108
4.5	1.80	-0.052	0.384	-0.107
5.0	1.63	-0.065	0.319	-0.098
5.5	1.57	-0.074	0.245	-0.078
6.0	1.53	-0.078	0.167	-0.055
6.5	1.44	-0.073	0.094	-0.033
7.0	1.34	-0.056	0.038	-0.014
7.5	1.06	-0.047	-0.009	0.004

Table VI
J-17 (17-21 July)

Depth (m)	Width (m) $\times 10^{-3}$	$\partial \bar{u}_1 \omega / \partial x_2$ (ms^{-1}) $\times 10$	$\Sigma \frac{\partial \bar{u}_1 \omega}{\partial x_2} \Delta x_2$ ($\text{m}^2 \text{s}^{-1}$) $\times 10^{-3}$	\bar{u}_2 (ms^{-1}) $\times 10^4$
0.0	3.06	0.007	0.00	0.00
0.5	3.06	0.059	0.007	-0.001
1.0	3.06	0.102	0.066	-0.011
1.5	3.06	0.114	0.168	-0.028
2.0	3.02	0.079	0.282	-0.047
2.5	2.69	0.037	0.361	-0.067
3.0	2.34	-0.002	0.398	-0.085
3.5	2.17	-0.037	0.396	-0.091
4.0	2.02	-0.066	0.359	-0.089
4.5	1.80	-0.088	0.293	-0.081
5.0	1.63	-0.090	0.205	-0.063
5.5	1.57	-0.078	0.115	-0.037
6.0	1.53	-0.077	0.037	-0.012
6.5	1.44	-0.067	-0.040	0.014
7.0	1.34	-0.065	-0.107	0.040
7.5	1.06		-0.172	0.081

Table VI
J-24 (18-23 June)

Depth (m)	Width (m) $\times 10^{-3}$	$\frac{\partial \bar{w}}{\partial x_1}$ ($m s^{-1}$) $\times 10$	$\sum \frac{\partial \bar{w}}{\partial x_1} \Delta x_1$ ($m^2 s^{-1}$) $\times 10^{-3}$	\bar{v}_2 ($m s^{-1}$) $\times 10^4$
0.0	3.47	-0.437	0.00	0.00
0.5	3.47	0.025	-0.437	0.063
1.0	3.47	0.251	-0.412	0.059
1.5	2.71	0.272	-0.161	0.029
2.0	2.12	0.195	0.111	-0.026
2.5	1.62	0.132	0.306	-0.095
3.0	1.32	0.072	0.438	-0.166
3.5	1.20	0.007	0.510	-0.212
4.0	1.13	-0.057	0.517	-0.229
4.5	0.96	-0.012	0.460	-0.240
5.0	0.90	-0.098	0.448	-0.249
5.5	0.71	-0.109	0.350	-0.246
6.0	0.55	-0.045	0.241	-0.220
6.5	0.51	-0.026	0.196	-0.192
7.0	0.46	-0.11	0.170	-0.155
7.5	0.41		0.152	-0.115

Table VI
J-24 (26 June-7 July)

Depth (m)	Width (m) $\times 10^{-3}$	$\frac{\partial \bar{u}_1 \omega}{\partial x_2}$ ($m s^{-1}$) $\times 10$	$\sum \frac{\partial \bar{u}_1 \omega}{\partial x_1} \Delta x_2$ ($m^2 s^{-1}$) $\times 10^{-3}$	\bar{u}_2 ($m s^{-1}$) $\times 10^4$
0.0	3.11		0.00	0.00
		-0.231		
0.5	3.11		-0.23	0.037
		0.001		
1.0	3.11		-0.230	0.037
		0.124		
1.5	2.71		-0.106	0.022
		0.210		
2.0	2.12		0.105	0.019
		0.192		
2.5	1.62		0.298	-0.092
		0.162		
3.0	1.32		0.470	-0.178
		0.055		
3.5	1.20		0.525	-0.219
		-0.014		
4.0	1.13		0.511	-0.226
		-0.074		
4.5	0.96		0.437	-0.228
		-0.028		
5.0	0.90		0.409	-0.227
		-0.087		
5.5	0.71		0.322	-0.227
		-0.084		
6.0	0.55		0.238	-0.216
		-0.075		
6.5	0.51		0.163	-0.158
		-0.058		
7.0	0.41		0.105	-0.114
		-0.059		
7.5	0.41		0.046	-0.056

Table VI
J-24 (17-21 July)

Depth (m)	Width (m) $\times 10^{-3}$	$\frac{\partial \bar{u}_1}{\partial x_1}$ (ms ⁻¹) $\times 10$	$\sum \frac{\partial \bar{u}_1}{\partial x_1} \alpha x_2$ (m ² s ⁻¹) $\times 10^{-2}$	\bar{U}_2 (ms ⁻¹) $\times 10^4$
0.0	3.59		0.00	0.00
0.5	3.59	-0.423	-0.423	0.060
1.0	3.59	-0.103	-0.526	0.077
1.5	2.71	0.140	-0.386	0.054
2.0	2.12	0.222	-0.164	0.039
2.5	1.62	0.224	0.060	-0.019
3.0	1.32	0.162	0.222	-0.084
3.5	1.20	0.097	0.319	-0.133
4.0	1.13	0.061	0.356	-0.157
4.5	0.96	0.010	0.364	-0.190
5.0	0.90	0.000	0.364	-0.202
5.5	0.71	0.059	0.305	-0.214
6.0	0.55	0.091	0.214	-0.194
6.5	0.51	0.089	0.125	-0.123
7.0	0.41	0.061	0.064	-0.070
7.5	0.41	0.061	0.043	-0.026

Table VII
Station J-11

Depth (m)	18-23 June		26 June-7 July			17-21 July		
	\bar{u}_2 (ms ⁻¹)x10 ⁵	\bar{v}_2 (ms ⁻¹)x10 ⁵	\bar{u}_2 (ms ⁻¹)x10 ⁵	\bar{v}_2 (ms ⁻¹)x10 ⁵	\bar{u}_2 (ms ⁻¹)x10 ⁵	\bar{v}_2 (ms ⁻¹)x10 ⁵	\bar{u}_2 (ms ⁻¹)x10 ⁵	\bar{v}_2 (ms ⁻¹)x10 ⁵
0.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.5	-0.42	-0.57	-0.36	-0.44	-0.39	-0.48	-0.45	-0.46
1.0	-0.64	-0.88	-0.56	-0.71	-0.63	-0.80	-0.66	-0.73
1.5	-0.75	-1.06	-0.69	-0.81	-0.74	-0.93	-0.93	-0.93
2.0	-0.81	-1.20	-0.82	-0.91	-0.86	-1.10	-1.09	-1.09
2.5	-0.86	-1.16	-0.62	-0.88	-0.74	-1.01	-1.21	-1.11
3.0	-0.80	-0.93	-0.39	-0.72	0.55	-0.97	-1.14	-1.06
3.5	-0.74	-0.69	-0.21	-0.53	-0.37	-0.86	-0.99	-0.92
4.0	-0.57	0.33	-0.02	-0.32	-0.17	-0.69	-0.77	-0.73
4.5	-0.35	-0.04	+0.18	-0.09	+0.04	-0.39	-0.48	-0.44
5.0	-0.10	+0.27	0.45	+0.14	0.29	-0.03	-0.17	-0.10
5.5	+0.10	0.51	0.69	0.37	0.53	+0.33	+0.09	+0.21
6.0	0.27	0.58	0.88	0.56	0.72	0.52	0.27	0.39
6.5	0.34	0.59	1.00	0.63	0.82	0.68	0.36	0.52
7.0	0.39	0.72	1.17	0.87	1.02	0.81	0.49	0.65

Table VII
Station J-17

Depth (m)	18-23 June			26 June-7 July			17-21 July		
	$\bar{U}_z]_A$ ($m s^{-1}$) $\times 10^5$	$\bar{U}_z]_B$ ($m s^{-1}$) $\times 10^5$	\bar{U}_z ($m s^{-1}$) $\times 10^5$	$\bar{U}_z]_A$ ($m s^{-1}$) $\times 10^5$	$\bar{U}_z]_B$ ($m s^{-1}$) $\times 10^5$	\bar{U}_z ($m s^{-1}$) $\times 10^5$	$\bar{U}_z]_A$ ($m s^{-1}$) $\times 10^5$	$\bar{U}_z]_B$ ($m s^{-1}$) $\times 10^5$	\bar{U}_z ($m s^{-1}$) $\times 10^5$
0.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.5	-0.05	-0.04	-0.05	-0.09	-0.01	-0.04	-0.05	-0.01	-0.03
1.0	-0.13	-0.16	-0.17	-0.24	-0.13	-0.18	-0.18	-0.11	-0.15
1.5	-0.37	-0.23	-0.32	-0.44	-0.40	-0.42	-0.40	-0.28	-0.34
2.0	-0.62	-0.42	-0.52	-0.76	-0.68	-0.72	-0.70	-0.47	-0.52
2.5	-0.85	-0.60	-0.73	-0.92	-0.89	-0.90	-0.88	-0.67	-0.78
3.0	-0.97	-0.76	-0.86	-0.92	-0.92	-0.92	-1.02	-0.85	-0.92
3.5	-0.99	-0.74	-0.87	-0.90	-1.09	-1.00	-1.06	-0.91	-0.99
4.0	-0.93	-0.69	-0.81	-0.82	-1.08	-0.95	-1.04	-0.89	-0.96
4.5	-0.79	-0.66	-0.72	-0.70	-1.07	-0.89	-0.88	-0.81	-0.85
5.0	-0.60	-0.54	-0.57	-0.51	-0.98	-0.74	-0.66	-0.63	-0.64
5.5	-0.43	-0.37	-0.40	-0.33	-0.78	-0.56	-0.47	-0.37	-0.42
6.0	-0.27	-0.21	-0.24	-0.08	-0.55	-0.32	-0.25	-0.12	-0.19
6.5	-0.13	-0.06	-0.10	+0.21	-0.33	-0.06	-0.01	+0.14	+0.06
7.0	-0.02	+0.14	+0.06	0.50	-0.14	0.18	+0.22	0.40	0.31
7.5	+0.11	0.020	0.15	0.73	+0.04	0.43	0.61	0.81	0.71

Table VII
Station J-24

Depth (m)	18-23 June		26 June-7 July		17-21 July		\bar{u}_z (ms ⁻¹)x10 ⁵
	\bar{u}_z (ms ⁻¹)x10 ⁵	\bar{u}_z (ms ⁻¹)x10 ⁵	\bar{u}_z (ms ⁻¹)x10 ⁵	\bar{u}_z (ms ⁻¹)x10 ⁵	\bar{u}_z (ms ⁻¹)x10 ⁵	\bar{u}_z (ms ⁻¹)x10 ⁵	
0.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.5	0.56	0.63	0.44	0.37	0.67	0.60	0.64
1.0	0.53	0.59	0.33	0.36	0.73	0.77	0.75
1.5	0.36	0.29	-0.01	0.22	0.58	0.54	0.56
2.0	-0.09	-0.26	-0.47	-0.19	0.22	0.39	0.31
2.5	-0.49	-0.95	-1.22	-0.92	-0.28	-0.19	-0.23
3.0	-1.02	-1.66	-1.88	-1.78	-0.72	-0.84	-0.78
3.5	-1.39	-2.12	-2.14	-2.19	-1.23	-1.33	-1.28
4.0	-1.50	-2.29	-2.22	-2.26	-1.41	-1.57	-1.49
4.5	-1.73	-2.40	-2.49	-2.28	-1.83	-1.90	-1.87
5.0	-1.67	-2.49	-2.46	-2.27	-1.89	-2.02	-1.95
5.5	-1.62	-2.46	-2.40	-2.27	-1.96	-2.14	-2.05
6.0	-1.44	-2.20	-2.09	-2.16	-1.73	-1.94	-1.84
6.5	-1.19	-1.92	-1.49	-1.58	-1.37	-1.23	-1.30
7.0	-0.80	-1.55	-1.07	-1.14	-1.03	-0.70	-0.86

Table VIII
J-1.1 (18-23 June)

Depth (m)	\bar{U}_1 (ms ⁻¹)	$\partial\bar{S}/\partial x_1$ (gm ⁻⁴)x10 ³	$\bar{U}_1 \partial\bar{S}/\partial x_1$ (gm ⁻³ s ⁻¹)x10 ³	\bar{U}_2 (ms ⁻¹)x10 ⁵	$\partial\bar{S}/\partial x_2$ (gm ⁻⁴)x10 ⁻³	$\bar{U}_2 \partial\bar{S}/\partial x_2$ (gm ⁻³ s ⁻¹)x10 ⁻²
0.0	0.180	2.99	0.538	0.00	0.24	0.00
0.5	0.137	2.99	0.410	-0.50	0.13	-0.065
1.0	0.098	3.01	0.295	-0.71	0.17	-0.121
1.5	0.062	3.05	0.189	-0.90	0.32	-0.288
2.0	0.033	3.15	0.104	-1.00	0.53	-0.530
2.5	0.003	3.29	0.010	-0.01	0.90	-0.909
3.0	-0.028	3.39	-0.095	-0.87	1.24	-1.079
3.5	-0.061	3.24	-0.198	-0.71	1.03	-0.731
4.0	-0.093	2.97	-0.276	-0.45	0.55	-0.247
4.5	-0.110	2.78	-0.306	-0.20	0.32	-0.064
5.0	-0.107	2.68	-0.287	0.08	0.21	0.017
5.5	-0.095	2.61	-0.248	0.31	0.16	0.050
6.0	-0.078	2.54	-0.198	0.42	0.17	0.071
6.5	-0.071	2.49	-0.177	0.47	0.17	0.080
7.0	-0.070	2.45	-0.171	0.55	0.17	0.093

Table VIII
J-11 (26 June-7 July)

Depth (m)	\bar{U}_1 (ms ⁻¹)	$\partial \bar{S} / \partial x_1$ (g m ⁻⁴) x 10	$\bar{U}_1 \partial \bar{S} / \partial x_1$ (g m ⁻³ s ⁻¹) x 10	\bar{U}_2 (ms ⁻¹) x 10 ⁵	$\partial \bar{S} / \partial x_2$ (g m ⁻⁴) x 10 ³	$\bar{U}_2 \partial \bar{S} / \partial x_2$ (g m ⁻³ s ⁻¹) x 10 ²
0.0	0.160	2.71	0.488	0.00	0.15	0.00
0.5	0.149	2.79	0.416	-0.39	0.27	-0.105
1.0	0.116	2.88	0.334	-0.63	0.24	-0.151
1.5	0.882	2.97	0.244	-0.74	0.11	-0.081
2.0	0.043	3.10	0.133	-0.86	0.15	-0.129
2.5	-0.006	3.10	0.019	-0.74	0.35	-0.259
3.0	-0.044	2.92	-0.128	-0.55	0.87	-0.478
3.5	-0.066	2.74	-0.181	-0.37	0.93	-0.344
4.0	-0.082	2.62	-0.21.5	-0.17	0.58	-0.099
4.5	-0.093	2.54	-0.236	0.04	0.32	0.013
5.0	-0.102	2.51	-0.256	0.29	0.19	0.055
5.5	-0.109	2.50	-0.272	0.53	0.20	0.106
6.0	-0.114	2.49	-0.284	0.72	0.15	0.108
6.5	-0.118	2.49	-0.294	0.82	0.16	0.131
7.0	-0.120	2.49	-0.299	1.02	0.23	0.235

Table VIII
J-11 (17-21 July)

Depth (m)	\bar{U}_1 (ms^{-1})	$\partial\bar{s}/\partial x_1$ (gm^{-4}) $\times 10$	$\bar{U}_1 \partial\bar{s}/\partial x_1$ ($\text{gm}^{-3}\text{s}^{-1}$) $\times 10$	\bar{U}_2 (ms^{-1}) $\times 10^5$	$\partial\bar{s}/\partial x_2$ (gm^{-4}) $\times 10^3$	$\bar{U}_2 \partial\bar{s}/\partial x_2$ ($\text{gm}^{-3}\text{s}^{-1}$) $\times 10^2$
0.0	0.190	3.25	0.617	0.00	0.15	0.00
0.5	0.156	3.21	0.501	-0.46	0.14	-0.064
1.0	0.117	3.16	3.70	-0.73	0.13	-0.095
1.5	0.073	3.15	0.230	-0.93	0.16	-0.147
2.0	0.036	3.19	0.115	-1.09	0.38	-0.414
2.5	0.006	3.24	0.019	-1.11	0.77	-0.855
3.0	-0.027	3.25	-0.088	-1.06	1.19	-1.261
3.5	-0.065	3.13	-0.203	-0.92	0.98	-0.902
4.0	-0.103	2.63	-0.271	-0.73	0.42	-0.307
4.5	-0.129	2.54	-0.328	-0.44	0.24	-0.106
5.0	-0.125	2.51	-0.314	-0.10	0.18	-0.018
5.5	-0.115	2.50	-0.287	0.21	0.13	0.027
6.0	-0.110	2.49	-0.274	0.39	0.12	0.047
6.5	-0.110	2.49	-0.274	0.52	0.23	0.120
7.0	-0.110	2.49	-0.274	0.65	0.37	0.241

Table VIII
J-17 (18-23 June)

Depth (m)	\bar{U}_1 (ms ⁻¹)	$\partial \bar{\epsilon} / \partial x_1$ (gm ⁻⁴) x 10	$\bar{U}_1 \partial \bar{\epsilon} / \partial x_1$ (gm ⁻³ s ⁻¹) x 10	\bar{U}_2 (ms ⁻¹) x 10 ⁵	$\partial \bar{\epsilon} / \partial x_2$ (gm ⁻⁴) x 10 ⁻³	$\bar{U}_2 \partial \bar{\epsilon} / \partial x_2$ (gm ⁻³ s ⁻¹) x 10 ²
0.0	0.126	3.84	0.484	0.00	0.40	0.00
0.5	0.106	3.84	0.407	-0.05	0.20	-0.010
1.0	0.085	3.84	0.326	-0.17	0.08	-0.014
1.5	0.062	3.84	0.238	-0.32	0.06	-0.019
2.0	0.041	3.87	0.159	-0.52	0.08	-0.042
2.5	0.022	4.00	0.088	-0.73	0.30	-0.219
3.0	-0.002	4.20	-0.008	-0.86	1.36	-1.170
3.5	-0.028	4.20	-0.118	-0.87	1.78	-1.548
4.0	-0.053	4.13	-0.219	-0.81	1.00	-0.810
4.5	-0.069	4.04	-0.279	-0.72	0.47	-0.338
5.0	-0.072	4.00	-0.288	-0.57	0.24	-0.137
5.5	-0.070	3.97	-0.278	-0.40	0.23	-0.092
6.0	-0.070	3.97	-0.278	-0.24	0.28	-0.67
6.5	-0.072	3.97	-0.286	-0.10	0.52	-0.052
7.0	-0.080	3.97	-0.318	0.06	0.58	0.035
7.5	-0.087	3.97	0.345	0.02	0.63	0.013

Table VIII
J-17 (26 June-7 July)

Depth (m)	\bar{U}_1 (ms ⁻¹)	$\partial \bar{S} / \partial x_1$ (gm ⁻⁴)x10	$\bar{U}_1 \partial \bar{S} / \partial x_1$ (gm ⁻³ s ⁻¹)x10	\bar{U}_2 (ms ⁻¹)x10 ⁵	$\partial \bar{S} / \partial x_2$ (gm ⁻⁴)x10 ³	$\bar{U}_2 \partial \bar{S} / \partial x_2$ (gm ⁻³ s ⁻¹)x10 ³
0.0	0.131	3.84	0.503	0.00	0.41	0.00
0.5	0.111	3.84	0.426	-0.04	0.26	-0.010
1.0	0.092	3.90	0.360	-0.18	0.08	-0.014
1.5	0.068	3.94	0.268	-0.43	0.07	-0.031
2.0	0.047	4.00	0.188	-0.72	0.29	-0.209
2.5	0.022	4.10	0.090	-0.90	0.54	-0.486
3.0	-0.004	4.13	-0.017	-0.92	0.70	-0.644
3.5	-0.026	4.07	-0.106	-1.00	0.99	-0.990
4.0	-0.044	3.97	-0.175	-0.95	0.88	-0.836
4.5	-0.058	3.90	-0.226	-0.89	0.35	-0.312
5.0	-0.082	3.87	-0.317	-0.74	0.11	-0.081
5.5	-0.102	3.87	-0.395	-0.56	0.19	-0.106
6.0	-0.116	3.84	-0.445	-0.32	0.35	-0.112
6.5	-0.118	3.84	-0.453	-0.06	0.39	-0.23
7.0	-0.112	3.84	-0.430	0.18	0.37	0.67
7.5	-0.102	3.84	-3.92	0.43	0.38	0.163

Table VIII
J-17 (17-21 July)

Depth (m)	\bar{U}_1 (ms ⁻¹)	$\partial \bar{S} / \partial x_1$ (gm ⁻⁴)x10	$\bar{U}_1 \partial \bar{S} / \partial x_1$ (gm ⁻³ s ⁻¹)x10	\bar{U}_2 (ms ⁻¹)x10 ⁵	$\partial \bar{S} / \partial x_2$ (gm ⁻⁴)x10 ³	$\bar{U}_2 \partial \bar{S} / \partial x_2$ (gm ⁻³ s ⁻¹)x10 ⁸
0.0	0.141	3.94	0.555	0.00	0.60	0.00
0.5	0.120	3.94	0.473	-0.03	0.32	-0.010
1.0	0.094	3.94	0.370	-0.15	0.10	-0.015
1.5	0.064	3.97	0.254	-0.35	0.06	-0.021
2.0	0.040	4.03	0.161	-0.58	0.19	-0.110
2.5	0.022	4.20	0.092	-0.78	0.37	-0.289
3.0	-0.001	4.30	-0.004	-0.92	1.24	-1.141
3.5	.027	4.23	-0.110	0.99	1.66	-1.643
4.0	-0.045	4.07	-0.183	-0.96	0.97	-0.931
4.5	0.058	3.94	-0.229	-0.85	0.46	-0.391
5.0	0.073	3.94	-0.288	-0.64	0.17	-0.109
5.5	-0.085	3.90	-0.331	-0.42	0.13	-0.55
6.0	-0.094	3.90	-0.367	-0.19	0.25	-0.048
6.5	-0.099	3.90	-0.386	+0.06	0.38	0.023
7.0	-0.100	3.90	-0.390	0.31	0.45	0.140
7.5	-0.100	3.70	-0.390	0.71	0.49	0.348

Table VIII
J-24 (18-23 June)

Depth (m)	\bar{U}_1 (m s ⁻¹)	$\partial\bar{S}/\partial x_1$ (g m ⁻⁴) x 10	$\bar{U}_1 \partial\bar{S}/\partial x_1$ (g m ⁻³ s ⁻¹) x 10	\bar{U}_2 (m s ⁻¹) x 10 ⁵	$\partial\bar{S}/\partial x_2$ (g m ⁻⁴) x 10 ³	$\bar{U}_2 \partial\bar{S}/\partial x_2$ (g m ⁻³ s ⁻¹) x 10 ²
0.0	0.220	4.59	0.010	0.00	0.07	0.00
0.5	0.120	4.59	0.551	0.60	0.03	0.018
1.0	0.042	4.59	0.193	0.57	0.02	0.011
1.5	0.002	4.63	0.009	0.33	0.02	0.007
2.0	-0.024	4.69	-0.113	-0.17	0.10	-0.017
2.5	-0.043	4.86	-0.209	-0.72	0.26	-0.187
3.0	-0.058	5.05	-0.293	-1.34	0.70	-0.938
3.5	-0.070	5.41	-0.379	-1.75	1.13	-1.978
4.0	-0.076	5.51	-0.419	-1.90	0.80	-1.520
4.5	-0.080	5.68	-0.454	-2.06	0.30	-0.618
5.0	-0.080	5.81	-0.465	-2.08	0.16	-0.333
5.5	-0.080	5.87	-0.470	-2.04	0.13	-0.265
6.0	-0.080	5.97	-0.478	-1.81	0.18	-0.326
6.5	-0.080	6.04	-0.483	-1.56	0.17	-0.265
7.0	-0.080	6.07	-0.486	-1.17	0.11	-0.129

Table VIII
J-24 (26 June-7 July)

Depth (m)	\bar{U}_1 (ms ⁻¹)	$\partial \bar{S} / \partial x_1$ (gm ⁻²)x10	$\bar{U}_1 \partial \bar{S} / \partial x_1$ (gm ⁻² s ⁻¹)x10	\bar{U}_2 (ms ⁻¹)x10 ⁵	$\partial \bar{S} / \partial x_2$ (gm ⁻²)x10 ³	$\bar{U}_2 \partial \bar{S} / \partial x_2$ (gm ⁻² s ⁻¹)x10 ²
0.0	0.211	4.89	1.032	0.00	0.04	0.00
0.5	0.134	4.89	0.656	0.40	0.03	0.012
1.0	0.054	4.92	0.266	0.34	0.02	0.007
1.5	0.001	4.95	0.005	0.10	0.02	0.002
2.0	-0.033	5.05	-0.167	-0.33	0.03	-0.010
2.5	-0.052	5.22	-0.271	-1.07	0.14	-0.150
3.0	-0.058	5.38	-0.312	-1.83	0.47	-0.860
3.5	-0.059	5.61	-0.331	-2.16	0.95	-2.052
4.0	-0.060	5.81	-0.349	-2.24	0.82	-1.837
4.5	-0.061	6.04	-0.368	-2.38	0.33	-0.785
5.0	-0.072	6.14	-0.442	-2.37	0.18	-0.427
5.5	-0.095	6.20	-0.589	-2.33	0.15	-0.349
6.0	-0.110	6.23	-0.685	-2.12	0.20	-0.424
6.5	-0.110	6.27	-0.690	-1.54	0.18	-0.277
7.0	-0.110	6.27	-0.690	-1.10	0.10	-0.110

Table VIII
J-24 (17-21 July)

Depth (m)	\bar{U}_1 (m s ⁻¹)	$\partial \bar{s} / \partial x_1$ (g m ⁻³) x 10	$\bar{U}_1 \partial \bar{s} / \partial x_1$ (g m ⁻³ s ⁻¹) x 10	\bar{U}_2 (m s ⁻¹) x 10 ³	$\partial \bar{s} / \partial x_2$ (g m ⁻³) x 10 ⁻³	$\bar{U}_2 \partial \bar{s} / \partial x_2$ (g m ⁻³ s ⁻¹) x 10 ²
0.0	0.235	4.40	1.034	0.00	0.11	0.00
0.5	0.145	4.40	0.638	0.64	0.06	0.038
1.0	0.057	4.43	0.253	0.75	0.02	0.015
1.5	0.001	4.46	0.005	0.56	0.03	0.017
2.0	-0.034	4.49	-0.153	0.31	0.04	0.012
2.5	-0.056	4.59	-0.257	-0.23	0.11	-0.025
3.0	-0.072	4.69	-0.338	-0.78	0.46	-0.359
3.5	-0.083	4.82	-0.400	-1.28	0.98	-1.254
4.0	-0.092	4.99	-0.459	-1.49	0.86	-1.281
4.5	-0.098	5.12	-0.502	-1.87	0.35	-0.654
5.0	-0.105	5.18	-0.544	-1.95	0.16	-0.312
5.5	-0.107	5.22	-0.558	-2.05	0.16	-0.328
6.0	-0.109	5.22	-0.569	-1.84	0.21	-0.386
6.5	-0.109	5.22	-0.569	-1.30	0.17	-0.221
7.0	-0.109	5.22	-0.569	-0.86	0.08	-0.069

Table IX
J-11 (18-23 June)

Depth (m)	$\frac{\partial S}{\partial t}$ ($g\ m^{-3}\ s^{-1}$) $\times 10^4$	$\bar{U}_1 \frac{\partial S}{\partial x_1}$ ($g\ m^{-3}\ s^{-1}$) $\times 10^4$	$\bar{U}_2 \frac{\partial S}{\partial x_2}$ ($g\ m^{-3}\ s^{-1}$) $\times 10^4$	$\frac{1}{\omega} \frac{\partial \omega \langle U_1 S \rangle}{\partial x_1}$ ($g\ m^{-3}\ s^{-1}$) $\times 10^4$	$\frac{1}{\omega} \frac{\partial \omega \langle U_2 S \rangle}{\partial x_2}$ ($g\ m^{-3}\ s^{-1}$) $\times 10^4$
0.0	-2.3	-538.0	-0.0	-2.74	-538.4
0.5	-2.3	410.0	-6.5	2.74	-403.9
1.0	-2.4	295.0	-12.1	2.74	-283.2
1.5	-1.4	189.0	-28.8	2.75	-161.5
2.0	-1.1	104.0	-53.0	4.61	-54.5
2.5	-1.9	10.0	-90.9	6.20	76.6
3.0	-1.3	-95.0	-107.9	5.26	198.9
3.5	-2.3	-198.0	-73.1	4.76	268.6
4.0	-2.4	-276.0	-24.7	4.47	298.6
4.5	3.6	-306.0	6.4	3.82	305.0
5.0	4.4	-287.0	1.7	3.25	277.6
5.5	7.2	-248.0	5.0	4.24	231.6
6.0	10.0	-198.0	7.1	4.69	176.2
6.5	10.8	-177.0	8.0	5.88	152.3
7.0	9.6	-171.0	9.3	10.50	141.6

Table IX
J-11 (26 June-7 July)

Depth (m)	$\delta S/\delta t$ ($gm^{-3}s^{-1}$) $\times 10^4$	$\bar{J}_1 \delta S/\delta x_1$ ($gm^{-3}s^{-1}$) $\times 10^4$	$\bar{J}_2 \delta S/\delta x_2$ ($gm^{-3}s^{-1}$) $\times 10^4$	$\frac{1}{w} \frac{\partial w \langle u_1 s \rangle}{\partial x_1}$ ($gm^{-3}s^{-1}$) $\times 10^4$	$\frac{1}{w} \frac{\partial w \langle u_2 s \rangle}{\partial x_2}$ ($gm^{-3}s^{-1}$) $\times 10^4$
0.0	-1.2	488.0	0.0	-8.42	-478.4
0.5	-1.1	416.0	-10.5	-8.42	-396.0
1.0	-1.2	334.0	-15.1	-8.42	-309.3
1.5	-0.5	244.0	- 8.1	-8.42	-227.0
2.0	-1.0	133.0	-12.9	-6.52	-112.6
2.5	-1.3	19.0	-25.9	-5.89	14.1
3.0	-1.0	-128.0	-47.8	-5.23	182.0
3.5	-0.1	-181.0	-34.4	-5.24	220.7
4.0	-0.8	-215.0	-9.9	-4.89	230.6
4.5	1.3	-236.0	1.3	-4.90	238.3
5.0	1.3	-256.0	5.5	-4.98	254.2
5.5	1.4	-272.0	10.6	-4.98	265.0
6.0	2.6	-284.0	10.8	-5.05	276.1
6.5	3.1	-294.0	13.1	-5.09	282.9
7.0	2.4	-299.0	23.5	-5.13	278.2

Table IX
J-11 (17-21 July)

Depth (m)	$\frac{\partial \bar{S}}{\partial t}$ ($g \cdot m^{-3} \cdot s^{-1}$) $\times 10^4$	$\bar{U}_1 \frac{\partial \bar{S}}{\partial x_1}$ ($g \cdot m^{-3} \cdot s^{-1}$) $\times 10^4$	$\bar{U}_2 \frac{\partial \bar{S}}{\partial x_2}$ ($g \cdot m^{-3} \cdot s^{-1}$) $\times 10^4$	$\frac{1}{\bar{w}} \frac{\partial \omega \langle U_1' S' \rangle}{\partial x_1}$ ($g \cdot m^{-3} \cdot s^{-1}$) $\times 10^4$	$\frac{1}{\bar{w}} \frac{\partial \omega \langle U_2' S' \rangle}{\partial x_2}$ ($g \cdot m^{-3} \cdot s^{-1}$) $\times 10^4$
0.0	0.2	517.0	0.0	-0.51	-616.7
0.5	0.0	501.0	-6.4	-0.51	-494.1
1.0	0.0	370.0	-9.5	-0.51	-360.0
1.5	-2.2	230.0	-14.7	-0.34	-212.8
2.0	-0.1	115.0	-41.4	0.98	-74.5
2.5	-0.2	19.0	-85.5	1.75	65.0
3.0	0.0	-88.0	-126.1	1.75	212.3
3.5	0.7	-203.0	-90.2	1.58	290.9
4.0	0.4	-271.0	-30.7	1.91	299.4
4.5	-2.9	-328.0	-10.6	2.17	339.3
5.0	-3.6	-314.0	-1.8	1.83	317.6
5.5	-5.5	-287.0	2.7	2.12	287.7
6.0	-6.7	-274.0	4.7	2.01	274.0
6.5	-6.5	-274.0	12.0	3.02	265.5
7.0	-4.9	-274.0	24.1	5.13	249.7

Table IX
J-17 (18-23 June)

Depth (m)	$\frac{\partial \bar{S}}{\partial t}$ ($gm^{-3}s^{-1}$) $\times 10^4$	$\bar{U}_1 \frac{\partial \bar{S}}{\partial x_1}$ ($gm^{-3}s^{-1}$) $\times 10^4$	$\bar{U}_2 \frac{\partial \bar{S}}{\partial x_2}$ ($gm^{-3}s^{-1}$) $\times 10^4$	$\frac{1}{\bar{w}} \frac{\partial w \langle U_1' S' \rangle}{\partial x_1}$ ($gm^{-3}s^{-1}$) $\times 10^4$	$\frac{1}{\bar{w}} \frac{\partial w \langle U_2' S' \rangle}{\partial x_2}$ ($gm^{-3}s^{-1}$) $\times 10^4$
0.0	-4.2	484.0	0.0	1.29	-481.1
0.5	-3.6	407.0	-1.0	1.29	-403.7
1.0	-1.3	326.0	-1.4	1.29	-324.6
1.5	0.0	238.0	-1.9	0.61	-236.7
2.0	-0.1	159.0	-4.2	0.17	-154.9
2.5	0.1	88.0	-21.9	-1.00	- 55.2
3.0	0.8	-8.0	-117.0	-0.76	125.0
3.5	2.5	-118.0	-154.8	-0.64	270.9
4.0	4.8	-219.0	-81.0	-0.58	295.8
4.5	15.5	-279.0	-33.8	-0.62	297.9
5.0	14.5	-288.0	-13.7	-0.44	287.6
5.5	10.0	-278.0	-9.2	-0.68	277.9
6.0	10.5	-278.0	-6.7	-1.17	275.4
6.5	11.9	-286.0	-5.2	-0.60	279.9
7.0	12.0	-318.0	3.5	-1.03	303.5
7.5	12.0	-345.0	1.3	-0.09	332.6

Table IX
J-17 (26 June-7 July)

Depth (m)	$\frac{\partial S}{\partial t}$ ($gm^{-3}s^{-1}$) $\times 10^4$	$\bar{U}_1 \frac{\partial \bar{S}}{\partial x_1}$ ($gm^{-3}s^{-1}$) $\times 10^4$	$\bar{U}_2 \frac{\partial \bar{S}}{\partial x_2}$ ($gm^{-3}s^{-1}$) $\times 10^4$	$\frac{1}{\bar{w}} \frac{\partial w \langle u_1' s' \rangle}{\partial x_1}$ ($gm^{-3}s^{-1}$) $\times 10^4$	$\frac{1}{\bar{w}} \frac{\partial w \langle u_2' s' \rangle}{\partial x_2}$ ($gm^{-3}s^{-1}$) $\times 10^4$
0.0	-1.8	503.0	0.0	-0.60	-500.6
0.5	-1.2	426.0	-1.0	-0.60	-423.2
1.0	-1.1	360.0	-1.4	-0.60	-356.9
1.5	0.0	268.0	-3.1	-0.60	-264.3
2.0	0.0	188.0	-20.9	-0.39	-16.7
2.5	1.0	90.0	-48.6	-0.61	-1.8
3.0	4.0	-17.0	-64.4	-0.54	81.5
3.5	4.0	-106.0	-99.0	-0.87	201.9
4.0	4.0	-175.0	-83.6	-1.14	255.7
4.5	5.3	-226.0	-31.2	-1.28	253.2
5.0	4.9	-317.0	-8.1	-1.44	321.6
5.5	3.8	-395.0	-10.6	-1.49	403.3
6.0	3.7	-445.0	-11.2	-1.53	454.0
6.5	3.7	-453.0	-2.3	-1.63	453.2
7.0	3.7	-430.0	6.7	-0.34	419.9
7.5	3.7	-392.0	16.3	-0.08	372.1

Table IX
J-17 (17-21 July)

Depth (m)	$\frac{\partial S}{\partial t}$ ($gm^{-3}s^{-1}$) $\times 10^4$	$\bar{U}_1 \frac{\partial S}{\partial x_1}$ ($gm^{-3}s^{-1}$) $\times 10^4$	$\bar{U}_2 \frac{\partial S}{\partial x_2}$ ($gm^{-3}s^{-1}$) $\times 10^4$	$\frac{1}{\bar{w}} \frac{\partial w \langle U_1 S \rangle}{\partial x_1}$ ($gm^{-3}s^{-1}$) $\times 10^4$	$\frac{1}{\bar{w}} \frac{\partial w \langle U_2 S \rangle}{\partial x_2}$ ($gm^{-3}s^{-1}$) $\times 10^4$
0.0	-0.2	555.0	0.0	5.05	-559.8
0.5	-0.5	473.0	-1.0	5.05	-476.6
1.0	-1.6	370.0	-1.5	5.05	-372.1
1.5	-1.9	254.0	-2.1	1.96	-252.0
2.0	-1.1	161.0	-11.0	1.55	-150.5
2.5	-1.2	92.0	-28.9	0.86	- 62.8
3.0	-1.9	4.0	-114.1	0.0	116.0
3.5	-3.5	-114.0	-164.3	0.0	-281.8
4.0	-4.9	-183.0	-93.1	0.25	281.3
4.5	-11.3	-229.0	-39.1	-0.31	279.7
5.0	-10.9	-288.0	-10.9	-0.63	310.4
5.5	-9.6	-331.0	-5.5	-0.84	346.9
6.0	-8.7	-367.0	-4.8	-0.93	381.4
6.5	-8.9	-386.0	2.3	-1.20	393.8
7.0	-9.4	-390.0	14.0	-0.38	335.8
7.5	-9.5	-390.0	34.8	-0.48	355.2

Table IX
J-24 (18-23 June)

Depth (m)	$\frac{\partial S}{\partial t}$ (gm-3s ⁻¹)x10 ⁴	$\bar{U}_1 \frac{\partial S}{\partial x_1}$ (gm-3s ⁻¹)x10 ⁴	$\bar{U}_2 \frac{\partial S}{\partial x_2}$ (gm-3s ⁻¹)x10 ⁴	$\frac{1}{\omega} \frac{\partial \omega \langle U_1 S \rangle}{\partial x_1}$ (gm-3s ⁻¹)x10 ⁴	$\frac{1}{\omega} \frac{\partial \omega \langle U_2 S \rangle}{\partial x_2}$ (gm-3s ⁻¹)x10 ⁴
0.0	-0.71	1010.0	0.00	0.16	-1009.5
0.5	0.05	551.0	1.8	0.16	-553.0
1.0	0.09	193.0	1.1	0.16	-194.4
1.5	0.0	9.0	0.7	-4.87	-4.8
2.0	0.0	-113.0	-1.7	-11.74	126.4
2.5	-0.42	-209.0	-18.7	-13.46	241.6
3.0	0.0	-293.0	-93.8	-15.76	402.6
3.5	-0.99	-379.0	-197.8	-15.08	592.9
4.0	-0.52	-419.0	-152.0	-14.78	586.3
4.5	1.30	-454.0	-61.8	-14.17	528.7
5.0	1.60	-465.0	-33.3	-15.78	512.5
5.5	2.60	-470.0	-26.5	-22.68	516.6
6.0	2.60	-478.0	-32.6	-30.55	538.6
6.5	2.60	-483.0	-26.5	-38.23	545.1
7.0	2.90	-486.0	-12.9	-33.26	529.3

Table IX
J-24 (26 June-7 July)

Depth (m)	$\frac{\partial \bar{s}}{\partial t}$ ($gm^{-3}s^{-1}$) $\times 10^4$	$\bar{U}_1 \frac{\partial \bar{s}}{\partial x_1}$ ($gm^{-3}s^{-1}$) $\times 10^4$	$\bar{U}_2 \frac{\partial \bar{s}}{\partial x_2}$ ($gm^{-3}s^{-1}$) $\times 10^4$	$\frac{1}{\omega} \frac{\partial \omega \langle U_1' s' \rangle}{\partial x_1}$ ($gm^{-3}s^{-1}$) $\times 10^4$	$\frac{1}{\omega} \frac{\partial \omega \langle U_2' s' \rangle}{\partial x_2}$ ($gm^{-3}s^{-1}$) $\times 10^4$
0.0	-0.71	1032.0	0.0	15.74	-1047.0
0.5	-0.80	656.0	1.1	15.74	-672.0
1.0	-0.94	266.0	0.7	15.74	-281.5
1.5	-0.75	5.0	0.2	13.50	-18.0
2.0	-1.30	-167.0	-1.0	11.84	167.5
2.5	-1.20	-271.0	-15.0	15.43	271.8
3.0	-1.60	-312.0	-86.0	11.67	387.9
3.5	-1.10	-331.0	-205.2	10.17	527.1
4.0	-1.60	-349.0	-183.7	10.71	523.6
4.5	-0.09	-368.0	-78.5	11.67	434.9
5.0	0.14	-442.0	-42.7	11.44	473.1
5.5	1.10	-589.0	-34.9	8.90	613.9
6.0	1.10	-685.0	-42.4	5.74	720.6
6.5	1.10	-690.0	-27.7	3.20	713.4
7.0	1.10	-690.0	-11.0	1.00	698.9

Table IX
J-24 (17-21 July)

Depth (m)	$\frac{\partial \sigma}{\partial t}$ ($gm^{-3}s^{-1}$) $\times 10^4$	$\bar{U}_1 \frac{\partial \sigma}{\partial x_1}$ ($gm^{-3}s^{-1}$) $\times 10^4$	$\bar{U}_2 \frac{\partial \sigma}{\partial x_2}$ ($gm^{-3}s^{-1}$) $\times 10^4$	$\frac{1}{\omega} \frac{\partial \omega \langle U_1^2 \rangle}{\partial x_1}$ ($gm^{-3}s^{-1}$) $\times 10^4$	$\frac{1}{\omega} \frac{\partial \omega \langle U_2^2 \rangle}{\partial x_2}$ ($gm^{-3}s^{-1}$) $\times 10^4$
0.0	-0.71	1034.0	0.0	3.86	-1037.2
0.5	-1.20	638.0	3.8	3.86	-644.5
1.0	-1.50	253.0	1.5	3.86	-256.9
1.5	-1.70	5.0	1.9	1.64	-6.8
2.0	-1.10	-153.0	1.2	-1.52	154.4
2.5	-1.10	-257.0	-2.5	-3.46	264.1
3.0	-0.61	-338.0	-35.9	-3.40	377.9
3.5	-1.60	-400.0	-125.4	-3.65	530.6
4.0	-0.75	-459.0	-128.1	-3.93	591.7
4.5	-0.56	-502.0	-65.4	-4.62	572.6
5.0	-0.80	-544.0	-31.2	-2.60	578.6
5.5	-0.94	-558.0	-32.8	-7.32	599.0
6.0	-1.20	-569.0	-38.6	-11.53	620.3
6.5	-1.20	-569.0	-22.1	-12.90	605.2
7.0	-1.20	-569.0	-6.9	-15.22	592.3

Table X
J-11 (18-23 June)

Depth (m)	ω (m) $\times 10^{-3}$	A^* (gm ⁻³ s ⁻¹) $\times 10^4$	$\sum \omega A \Delta x_2$ (gm ⁻³ s ⁻¹) $\times 10$	$\langle \omega z' \rangle$ (gm ⁻² s ⁻¹) $\times 10^4$
0.0	4.30	538.4	-324.6	37.7
0.5	4.30	403.9	1717.4	-199.7
1.0	4.30	283.2	3209.4	-373.2
1.5	4.30	161.5	4159.4	-483.7
2.0	3.71	54.5	4632.4	-624.3
2.5	3.21	-76.6	4934.4	-768.6
3.0	3.06	-198.9	4498.4	-735.0
3.5	2.88	-268.6	3795.4	-658.9
4.0	2.64	-298.6	3014.3	-570.9
4.5	2.49	-305.0	2239.1	-449.6
5.0	2.35	-277.6	1525.7	-324.6
5.5	2.19	-231.6	924.3	-215.1
6.0	1.98	-176.2	515.9	-130.3
6.5	1.69	-152.3	217.6	-64.4
7.0	1.19	-141.6	0.0	0.0

$$* A = \left(\frac{\partial \bar{\epsilon}}{\partial t} + \bar{u}_1 \frac{\partial \bar{\epsilon}}{\partial x_1} + \bar{u}_2 \frac{\partial \bar{\epsilon}}{\partial x_2} + \frac{1}{\omega} \frac{\partial \omega \langle \omega z' \rangle}{\partial x_1} \right)$$

Table X
J-11 (26 June-7 July)

Depth (m)	ω (m) $\times 10^{-3}$	A ($g\ m^{-3}\ s^{-1}$) $\times 10^4$	$\Sigma \omega A \Delta x_z$ ($g\ m^{-1}\ s^{-1}$) $\times 10$	$\langle U_z^2 \rangle$ ($g\ m^{-2}\ s^{-1}$) $\times 10^4$
0.0	4.16	478.4	-015.0	109.8
0.5	4.16	396.0	964.0	-115.9
1.0	4.16	309.3	2473.0	-297.2
1.5	4.16	227.0	3047.0	-429.5
2.0	3.71	112.6	4412.0	-594.6
2.5	3.21	-14.1	4903.0	-763.7
3.0	3.06	-182.0	4523.0	-739.1
3.5	2.88	-220.7	3903.0	-677.6
4.0	2.64	-230.6	3277.0	-620.6
4.5	2.49	-238.3	2580.0	-538.2
5.0	2.35	-254.2	2104.0	-447.7
5.5	2.19	-265.0	1509.0	-344.5
6.0	1.98	-276.1	938.0	-236.9
6.5	1.69	-282.9	420.0	-124.3
7.0	1.19	-278.2	0.0	0.0

Table X
J-11(17-21 July)

Depth (m)	w (m) $\times 10^3$	A ($g\ m^{-3}\ s^{-1}$) $\times 10^4$	$\Sigma wA\Delta x_2$ ($g\ m^{-1}\ s^{-1}$) $\times 10$	$\langle v_z' s' \rangle$ ($g\ m^{-2}\ s^{-1}$) $\times 10^4$
0.0	4.43	616.7	-685.0	77.4
0.5	4.43	494.1	1736.0	-196.1
1.0	4.43	360.0	3576.0	-407.2
1.5	4.43	212.8	4776.0	-539.0
2.0	3.71	74.5	5421.0	-730.6
2.5	3.21	-65.0	5806.0	-904.4
3.0	3.06	-212.3	5363.0	-876.3
3.5	2.88	-290.9	4588.0	-796.5
4.0	2.64	-299.4	3760.0	-712.1
4.5	2.49	-339.3	2959.0	-594.1
5.0	2.35	-317.6	2156.0	-485.7
5.5	2.19	-287.7	1466.0	-334.7
6.0	1.98	-274.0	879.0	-222.0
6.5	1.69	-265.5	383.0	-113.3
7.0	1.19	-249.7	0.0	0.0

Table X
J-17(18-23 June)

Depth (m)	ω (m) $\times 10^3$	A ($g m^{-3} s^{-1}$) $\times 10^4$	$\sum \omega A \Delta x_2$ ($g m^{-1} s^{-1}$) $\times 10$	$\langle U_2' S' \rangle$ ($g m^{-2} s^{-1}$) $\times 10^4$
0.0	3.03	481.1	11.0	-1.8
0.5	3.03	403.7	1353.0	-223.3
1.0	3.03	324.6	2483.0	-409.7
1.5	3.03	236.7	3341.0	-551.3
2.0	3.02	154.9	3932.0	-651.0
2.5	2.69	65.2	4278.0	-795.2
3.0	2.34	-125.0	4271.0	-912.6
3.5	2.17	-270.9	3792.0	-873.7
4.0	2.02	-295.8	3191.0	-789.9
4.5	1.80	-297.9	2616.0	-726.7
5.0	1.63	-287.6	2112.0	-647.9
5.5	1.57	-277.9	1657.0	-527.7
6.0	1.53	-275.4	1220.0	-398.7
6.5	1.44	-279.9	807.0	-280.2
7.0	1.34	-312.8	402.0	-150.0
7.5	1.06	-345.9	0.0	0.0

Table X
J-17 (26 June-7 July)

Depth (m)	ω (m) $\times 10^{-3}$	A ($g m^{-3} s^{-1}$) $\times 10^4$	$\Sigma \omega A \Delta x_2$ ($g m^{-1} s^{-1}$) $\times 10$	$\langle v_z' s' \rangle$ ($g m^{-2} s^{-1}$) $\times 10^4$
0.0	3.31	500.6	355.0	-53.6
0.5	3.31	423.2	1755.0	-265.1
1.0	3.31	356.9	2937.0	-443.5
1.5	3.31	264.3	3873.0	-585.0
2.0	3.02	166.7	4512.0	-747.0
2.5	2.69	41.8	4834.0	-898.5
3.0	2.34	-81.5	4794.0	-1024.4
3.5	2.17	-201.9	4474.0	-1030.9
4.0	2.02	-255.7	3991.0	-987.9
4.5	1.80	-253.2	3506.0	-973.9
5.0	1.63	-321.6	3025.0	-927.9
5.5	1.57	-403.3	2449.0	-779.9
6.0	1.53	-454.0	1784.0	-583.0
6.5	1.44	-453.2	1107.0	-384.4
7.0	1.34	-419.9	493.0	-183.9
7.5	1.06	-372.1	0.0	0.0

Table X
J-17 (17-21 July)

Depth (m)	ω (m) $\times 10^3$	A ($\text{gm}^{-3}\text{s}^{-1}$) $\times 10^4$	$\Sigma \omega A \Delta x^2$ ($\text{gm}^{-1}\text{s}^{-1}$) $\times 10$	$\langle \omega'_2 s' \rangle$ ($\text{gm}^{-2}\text{s}^{-1}$) $\times 10^4$
0.0	3.06	559.8	60.0	-9.8
0.5	3.06	476.6	1639.0	-268.0
1.0	3.06	372.1	2943.0	-480.6
1.5	3.06	252.0	3914.0	-639.6
2.0	3.02	150.5	4510.0	-746.7
2.5	2.69	62.8	4843.0	-900.2
3.0	2.34	-116.0	4779.0	-1021.1
3.5	2.17	-281.8	4314.0	-994.0
4.0	2.02	-281.3	3714.0	-919.3
4.5	1.80	-279.7	3181.0	-883.6
5.0	1.63	-310.4	2683.0	-823.0
5.5	1.57	-346.9	2161.0	-688.2
6.0	1.53	-381.4	1594.0	-520.9
6.5	1.44	-393.8	1013.0	-351.7
7.0	1.34	-385.8	467.0	-174.3
7.5	1.06	-365.2	0.0	0.0

Table X
J-24 (13-23 June)

Depth (m)	w (m) $\times 10^{-3}$	A ($g m^{-3} s^{-1}$) $\times 10^4$	$\sum w A \Delta x^2$ ($g m^{-1} s^{-1}$) $\times 10$	$\langle v_z' s' \rangle$ ($g m^{-2} s^{-1}$) $\times 10^4$
0.0	3.47	1009.5	480.0	-69.2
0.5	3.47	553.0	3080.0	-443.8
1.0	3.47	194.4	4284.0	-617.3
1.5	2.71	4.8	4624.0	-853.1
2.0	2.12	-126.4	4489.0	-1058.7
2.5	1.62	-241.6	4163.0	-1284.9
3.0	1.32	-402.6	3701.0	-1401.9
3.5	1.20	-592.9	3064.0	-1276.7
4.0	1.13	-586.3	2364.0	-1046.0
4.5	0.96	-528.7	1784.0	-929.2
5.0	0.90	-512.5	1302.0	-723.3
5.5	0.71	-516.6	870.0	-612.7
6.0	0.55	-538.6	549.0	-499.1
6.5	0.51	-545.1	260.0	-254.9
7.0	0.46	-529.3	0.0	0.0

Table X
J-24 (26 June-7 July)

Depth (m)	ω (m) $\times 10^{-3}$	A ($g m^{-3} s^{-1}$) $\times 10^4$	$\sum \omega A \Delta x_z$ ($g m^{-1} s^{-1}$) $\times 10$	$\langle v_z' s' \rangle$ ($g m^{-2} s^{-1}$) $\times 10^4$
0.0	3.11	1047.0	377.0	60.6
0.5	3.11	672.0	2652.0	-426.6
1.0	3.11	281.5	4286.0	-689.1
1.5	2.71	18.0	4755.0	-877.3
2.0	2.12	-167.5	4559.0	-1075.2
2.5	1.62	-271.8	4147.0	-1279.9
3.0	1.32	-387.9	3679.0	-1393.6
3.5	1.70	-527.1	3114.0	-1297.5
4.0	1.13	-523.6	2494.0	-1103.5
4.5	0.96	-434.9	1996.0	-1039.6
5.0	0.90	-473.1	1589.0	-882.8
5.5	0.71	-613.9	1136.0	-800.0
6.0	0.55	-720.6	722.0	-656.4
6.5	0.51	-713.4	339.0	-332.3
7.0	0.45	-698.9	0.0	0.0

Table X
J-24 (17-21 July)

Depth (m)	ω (m) $\times 10^{-3}$	A ($g\ m^{-3}\ s^{-1}$) $\times 10^4$	$\sum \omega A \Delta x_z$ ($g\ m^{-1}\ s^{-1}$) $\times 10$	$\langle v_z' s' \rangle$ ($g\ m^{-2}\ s^{-1}$) $\times 10^4$
0.0	3.59	1037.2	125.0	-17.4
0.5	3.59	644.5	2985.0	-415.7
1.0	3.59	256.9	4446.0	-619.2
1.5	2.71	6.8	4866.0	-897.8
2.0	2.12	-154.4	4684.0	-1104.7
2.5	1.62	-264.1	4301.0	-1327.5
3.0	1.32	-377.9	3842.0	-1455.3
3.5	1.20	-530.6	3282.0	-1367.5
4.0	1.13	-591.7	2613.0	-1156.2
4.5	0.96	-572.6	2007.0	-1045.3
5.0	0.90	-578.6	1476.0	-820.0
5.5	0.71	-599.0	987.0	-605.1
6.0	0.55	-620.3	615.0	-553.1
6.5	0.51	-605.2	288.0	-282.4
7.0	0.46	-592.3	-0.0	-0.0

Table XI

PERIOD	J-11		J-17		J-24		
	$\overline{\langle v_1^2 \rangle}$ (m^2/s^2) $\times 10^4$	$\bar{\omega}$ (m) $\times 10^{-3}$	$\overline{\langle v_1^2 \rangle}$ (m^2/s^2) $\times 10^4$	$\bar{\omega}$ (m) $\times 10^{-3}$	$\overline{\langle v_1^2 \rangle}$ (m^2/s^2) $\times 10^4$	$\bar{\omega}$ (m) $\times 10^{-3}$	$\overline{\langle v_1^2 \rangle}$ (m^2/s^2) $\times 10^4$
18-23 June	418	3.10	529	2.24	786	1.72	1352
26 June- 7 July	415	3.10	666	2.24	847	1.72	1457
17-21 July	487	3.10	642	2.24	839	1.72	1443

DISTRIBUTION LIST

<u>Copies</u>	<u>Addressee</u>	<u>Copies</u>	<u>Addressee</u>
1	Chief of Naval Operations Navy Department Washington 25, D.C. Attn: Op-533D	6	Director Naval Research Laboratory Washington 25, D.C. Attn: Technical Information Officer
1	Chief of Naval Research Navy Department Washington 25, D.C. Attn: Code 466	8	U.S. Navy Hydrographic Office Washington 25, D.C. Attn: Division of Oceanography
2	Geophysics Branch Code 416 Office of Naval Research Washington 25, D.C.	2	Assistant Naval Attache for Research American Embassy Navy 100 Fleet Post Office, New York
1	Office of Naval Research Contract Administrator Southeastern Area c/o George Washington University 2110 G Street, N.W. Washington 7, D.C.	1	British Joint Services Mission Main Navy Building Washington 25, D.C.
1	Mr. W. B. Girkin ONR Resident Representative Institute for Cooperative Research 1315 St. Paul Street Baltimore 2, Maryland	2	Chief, Bureau of Ships Navy Department Washington 25, D.C. Attn: Code 847
2	Officer-in-Charge Office of Naval Research London Branch Office Navy Number 100 Fleet Post Office New York, N.Y.	1	Chief, Bureau of Yards and Docks Navy Department Washington 25, D.C.
1	Office of Naval Research Branch Office 346 Broadway New York 13, N.Y.	2	Director, U.S. Navy Electronics Laboratory San Diego 52, California Attn: Codes 550, 552
1	Office of Naval Research Branch Office Tenth Floor, The John Crerar Library Building 86 East Randolph Street Chicago, Illinois	1	Commander, Naval Ordnance Laboratory White Oak Silver Spring 19, Maryland
1	Office of Naval Research Branch Office 1030 East Green Street Pasadena 1, California	1	Amphibious Training Command Naval Amphibious Base Little Creek, Virginia
1	Office of Naval Research Branch Office 1000 Geary Street San Francisco, California	1	Project Arova U.S. Naval Air Station Building R-48 Norfolk, Virginia
1	Office of Naval Research Branch Office 1000 Geary Street San Francisco, California	1	Department of Aerology U.S. Naval Postgraduate School Monterey, California

Distribution List (cont'd)

<u>Copies</u>	<u>Addressee</u>	<u>Copies</u>	<u>Addressee</u>
1	U.S. Naval Underwater Sound Laboratory New London, Connecticut	1	Commanding Officer Cambridge Field Station 230 Albany Street Cambridge 39, Massachusetts Attn: CRHSL
1	U.S. Navy Mine Counter Measure Station Panama City, Florida	1	Director, U.S. Coast and Geodetic Survey Department of Commerce Washington 25, D.C.
5	Armed Services Technical Information Center Documents Service Center Knott Building Dayton 2, Ohio	1	Commandant (OAO) U.S. Coast Guard Washington 25, D.C.
1	Assistant Secretary of Defense for Research and Development Pentagon Building Washington 25, D.C. Attn: Committee on Geophysics and Geography	2	U.S. Fish and Wildlife Service Department of the Interior Washington 25, D.C. Attn: Dr. L.A. Walford
1	Commanding General Research and Development Division Department of the Air Force Washington 25, D.C.	1	U.S. Fish and Wildlife Service 450 B Jordan Hall Stanford University Stanford, California
1	Commanding General Research and Development Division Department of the Army Washington 25, D.C.	1	U.S. Fish and Wildlife Service South Atlantic Fishery Investigations P.O. Box 283 Brunswick, Georgia
1	U.S. Army Beach Erosion Board 5201 Little Falls Road, N.W. Washington 16, D.C.	1	U.S. Fish and Wildlife Service P.O. Box 3830 Honolulu, T.H.
1	District Engineer Baltimore District Corps of Engineers, U.S. Army P.O. Box 1715 Baltimore 3, Maryland	1	U.S. Fish and Wildlife Service Chesapeake Shellfish Investigations P.O. Box 151 Annapolis, Maryland Attn: Mr. J. B. Engle
1	Waterways Experiment Station U.S. Army Engineers Vicksburg, Mississippi Attn: Mr. Alan G. Skelton, Head Research Center Library	1	U.S. Fish and Wildlife Service Woods Hole Massachusetts
1	District Engineers Office U.S. Army Engineers Norfolk, Virginia	1	U.S. Fish and Wildlife Service Fort Crockett Galveston, Texas

Distribution List (cont'd)

<u>Copies</u>	<u>Addressee</u>	<u>Copies</u>	<u>Addressee</u>
1	U.S. Fishery Laboratory Beaufort, North Carolina	1	Mr. Edwin M. Barry Chief, Inland Fish Management State Game and Inland Fish Commission 515 Munsey Building Baltimore 2, Maryland
1	Librarian U.S. Geological Survey Room 1053 General Services Adm. Building Washington 25, D.C.	1	Water Pollution Control Commission State of Maryland 2203 North Charles Street Baltimore 18, Maryland
1	National Research Council 2101 Constitution Avenue Washington 25, D.C. Attn: Committee on Undersea Warfare	1	Department of Information State Office Building Annapolis, Maryland
1	Dr. Garbis H. Keulegan Hydraulics Division National Bureau of Standards Washington 25, D.C.	2	Director Virginia Fisheries Laboratory Gloucester Point, Virginia
1	Division of Water Pollution Control U.S. Public Health Service Federal Security Agency Washington 25, D.C. Attn: Mr. A. F. Bortsch	1	Director Division of Statutory Research and Drafting State Capitol Richmond 19, Virginia
1	Office of Technical Services Department of Commerce Washington 25, D.C.	1	Municipal Reference Library 2230 Municipal Building New York 7, N.Y. Attn: Miss Amelia H. Munson
1	Weather Bureau Library 24th and M Streets, N.W. Washington 25, D.C.	1	Baltimore County Health Department Townson 4, Maryland Attn: Mr. V. R. Sullivan
5	Department of Research and Education State of Maryland Solomons, Maryland Attn: Dr. R. V. Truitt, Director	1	Talbot County Free Library Easton, Maryland Attn: Miss Sarah F. Cockey Librarian
1	Director Maryland Department of Geology, Mines and Water Resources c/o The Johns Hopkins University Baltimore 18, Maryland	1	Bingham Oceanographic Foundation Yale University New Haven, Connecticut
2	Board of Natural Resources Dept. of Tidewater Fisheries State Office Building Annapolis, Maryland Attn: Mr. Arthur H. Brice, Chairman	1	Dr. R. B. Montgomery Professor of Oceanography Brown University Providence, R.I.

Distribution list (cont'd)

<u>Copies</u>	<u>Addressee</u>	<u>Copies</u>	<u>Addressee</u>
1	Department of Conservation Cornell University Ithaca, New York Attn: Dr. J. Ayers	1	Bears Bluff Laboratories Wadmalaw Island, S.C. Attn: Mr. G. Robert Lunz, Director
1	The Oceanographic Institute Florida State University Tallahassee, Florida	1	Director, Hawaii Marine Laboratory University of Hawaii Honolulu, T.H.
1	Director Narragansett Marine Laboratory Kingston, Rhode Island	1	Institute of Fisheries Research University of North Carolina Morehead City, North Carolina
2	Department of Meteorology and Oceanography New York University New York, N.Y.	1	Director Institute of Marine Science Port Aransas, Texas
1	Marine Physical Laboratory Scripps Institution of Oceanography Point Loma, California	1	Wm. G. Kerckhoff Laboratories of the Biological Sciences California Institute of Technology Corona del Mar, California
2	Director Scripps Institution of Oceanography La Jolla, California	1	Marine Biological Laboratory Woods Hole, Massachusetts Attn: Librarian
1	Head, Department of Oceanography Texas A and M College College Station, Texas	1	Marine Laboratory Duke University Beaufort, North Carolina
1	Director Marine Laboratory University of Miami Coral Gables, Florida	1	Library Museum of Comparative Zoology Harvard University Cambridge, Massachusetts
1	Allen Hancock Foundation University of Southern California Los Angeles 7, California	1	Stone Biological Laboratory Put-in-Bay Ohio
2	Department of Oceanography University of Washington Seattle 5, Washington Attn: Dr. Richard H. Fleming " Librarian	1	Department of Zoology Rutgers University New Brunswick, New Jersey Attn: Dr. H. E. Haslin
2	Director Woods Hole Oceanographic Institution Woods Hole, Massachusetts	1	Brown University Providence, Rhode Island Attn: Dr. George W. Morgan Applied Math. Dept.

Distribution list (cont'd)

<u>Copies</u>	<u>Addressee</u>	<u>Copies</u>	<u>Addressee</u>
1	Institute for Cooperative Research The Johns Hopkins University 1315 St. Paul Street Baltimore 2, Maryland Attn: Librarian	1	Department of Zoology Oklahoma A and M College Stillwater, Oklahoma Attn: Dr. I. Eugene Wallen
1	The Johns Hopkins University Baltimore 18, Maryland Attn: Librarian (Acquisitions Dept.)	1	Limnology Library Biology Building University of Wisconsin Madison 5, Wisconsin
2	Department of Sanitary Engineering The Johns Hopkins University Baltimore 18, Maryland Attn: Dr. Abel Wolman (1) Dept. Library (1)	1	Enoch Pratt Free Library 400 Cathedral Street Baltimore 1, Maryland Attn: Miss Elizabeth C. Litsinger Head, Maryland Department
1	Department of Civil Engineering The Johns Hopkins University Baltimore 18, Maryland Attn: Dr. George S. Benton	1	The Oyster Institute of North America 6 Mayo Avenue, Bay Ridge Annapolis, Maryland Attn: Mr. David H. Wallace, Director
1	The Isaiah Bowman School of Geography The Johns Hopkins University Baltimore 18, Maryland Attn: Dr. George Carter	1	Atlantic States Marine Fisheries 22 West First Street Mount Vernon, New York Attn: Mr. Wayne D. Heydecker
4	University of Maryland College Park, Maryland Attn: Miss Virginia Phillips Ass't Reference Librarian " Librarian, Maryland Division " Department of Biology " Bureau of Public Administration Christian L. Larsen, Director	1	California Academy of Sciences Golden Gate Park San Francisco, California Attn: Dr. R. C. Miller
1	Department of Engineering University of California Berkeley, California	2	Department of Zoology University of Cape Town Rondebosch SOUTH AFRICA Attn: Dr. N. A. Millard (1) Dr. J.H. Day (1)
1	University of California Department of Meteorology 405 Hilgard Los Angeles 24, California	1	Fisheries Division, C.S.I.R.O. P.O. Box 21 Cromulla, N.S.W. AUSTRALIA Attn: Dr. D. J. Rochford
1	Director Lamont Geological Observatory Columbia University Torrey Cliff Palisades, New York		

Distribution list (cont'd)

<u>Copies</u>	<u>Addressee</u>	<u>Copies</u>	<u>Addressee</u>
1	Atlantic Biological Station Fisheries Research Board of Canada St. Andrews New Brunswick, Canada	1	Marine Biological Association of the United Kingdom The Plymouth Laboratory Citadel Hill Plymouth, England
1	Dr. John P. Tully Pacific Oceanographic Group c/o Pacific Biological Station Nanaimo British Columbia, CANADA	1	Dr. J. R. Lumby, Editor "Journal du Conseil" Fisheries Laboratory Lowestoft Suffolk, England
1	Pacific Biological Station Fisheries Research Board of Canada Nanaimo British Columbia, CANADA	1	Librarian National Institute of Oceanography Wormley, near Godalming Surrey ENGLAND
1	Naval Research Establishment HMCS "Stadacona" Halifax Nova Scotia, CANADA	1	Dr. J. Proudman Professor of Oceanography University of Liverpool Liverpool, England
1	Fisheries Research Board of Canada Zoological Building University of Toronto Toronto, Ontario CANADA	1	L'Ingenieur Hydrographe en Chef Gougenheim Comite Central d'Oceanographie et d'Etude des Cotes 13 Rue de l'Universite Paris VII FRANCE
2	Institute of Oceanography University of British Columbia Vancouver, Canada Attn: Dr. W. M. Cameron (1) Librarian (1)	1	Deutsches Hydrographisches Institut Seewartenstrasse 9 Hamburg 11 GERMANY Attn: Dr. G. Bohnecke, President
1	Tidal and Current Survey Canadian Hydrographic Service Dept. of Mines and Technical Surveys Ottawa, CANADA	1	Dr. S. Jones Central Fisheries Barrackpore P.O. via: Calcutta INDIA
1	Conseil International pour l'Exploration de la Mer Bibliothek Postbox 20 Charlottenlund, Denmark Attn: Librarian		
1	Liverpool Observatory and Tidal Institute Bidston, Birkenhead, England Attn: Librarian		
1	Dr. M. S. Longuet-Higgins Cambridge University Cambridge, England		

Distribution list (cont'd)

<u>Copies</u>	<u>Addressee</u>	<u>Copies</u>	<u>Addressee</u>
1	Food and Agriculture Organization of the United Nations Viale delle Terme di Caracalla Rome ITALY Attn: Miss Kristine Lomsdal, Librarian	1	Dr. P. Groen Kon. Ned. Meteorologisch Instituut Oceanografische Afdeling, de Bilt THE NETHERLANDS
1	Dr. Koji Hidaka Geophysical Institute Tokyo University Tokyo, Japan	1	Universitetet Oslo Blindern, Oslo Norway Attn: Librarian
1	Masao Kametaka Librarian Faculty of Agriculture Tohoku University Sendai, Japan	1	Geofysisk Institutt Allegaten 70 Bergen NORWAY
1	Dr. Kanji Suda Chief Hydrographer Hydrographic Office 5 - Tsukiji, Chuo-Ku Tokyo JAPAN	1	Professor H. U. Sverdrup, Director Norsk Polarinstitutt Observatoreight 1 Oslo NORWAY
1	International Hydrographic Bureau Monte Carlo MONACO	1	Norwegian Embassy 3401 Massachusetts Ave., N.W. Washington, D.C. Attn: Fisheries Attache
1	Musee Oceanographique de Monaco Monaco-Ville MONACO	1	Marine Station Millport Isle of Cumbrae SCOTLAND Attn: Dr. H. Barnes
1	Institut Francais d'Oceanie Boite Postale No. 4 Noumea NEW CALEDONIA	1	Dr. Hans Pettersson Oceanografiska Institutet Box 1038 Goteborg 4 SWEDEN
1	Dr. E. I. Robertson Department of Geophysics D.S.I.K. Wellington NEW ZEALAND	1	Library Kungl. Fiskeristyrelsen med Statens Fiskeriforsok Hydrographic Dept. Box 1038 Goteborg 4 SWEDEN
1	Geologisch Instituut Rijks-University Meikweg 1 Groningen, THE NETHERLANDS		