

UNCLASSIFIED

AD NUMBER	
AD024430	
CLASSIFICATION CHANGES	
TO:	unclassified
FROM:	confidential
LIMITATION CHANGES	
TO: Approved for public release; distribution is unlimited.	
FROM: Distribution authorized to U.S. Gov't. agencies and their contractors; Administrative/Operational Use; 22 SEP 1953. Other requests shall be referred to Naval Ordnance Lab., White Oak, MD.	
AUTHORITY	
30 Sep 1965, DoDD 5200.10; NOL ltr, 29 Aug 1974	

THIS PAGE IS UNCLASSIFIED

AD No. ~~24480~~
ASTIA FILE COPY

NAVORD REPORT, 54A-6017

PRIMARY EXPLOSIVE EVALUATION, PROGRESS REPORT

22 SEPTEMBER 1953



U. S. NAVAL ORDNANCE LABORATORY
WHITE OAK, MARYLAND

SECURITY INFORMATION

54AA-6017

PRIMARY EXPLOSIVE EVALUATION, PROGRESS REPORT

Prepared by:

L. D. Hampton

Approved by:

Russell McGill

Russell McGill, Chief
Explosives Properties Division

ABSTRACT: New explosive materials which have a good vacuum stability and which show sensitivities on the drop test machine in the range of primary explosives have been tested to determine their possibilities as primary explosives. Colloidal lead styphnate and colloidal lead azide, which are made by a process resulting in a small particle size, are similar in performance to regular azide or styphnate which has been ground in a ball mill for twenty-four hours. Of the new materials, methyl 5-nitrotetrazole, silver 5-nitrotetrazole, and potassium dinitrobenzofuroxan appear to have possibilities.

Explosives Research Department
U. S. NAVAL ORDNANCE LABORATORY
White Oak, Maryland

CONFIDENTIAL

NAVED Report 2974

22 September 1953

This report gives the results of work done recently in the evaluation program for new primary explosives. It was done under Task Assignments NOL-B2c-18-1-54 and NOL-B2b-41-1-54. The experimental work on the firing time, dent, and stab sensitivity tests was done by Jacob Savitt, Warren Slie, and Theodore Bly respectively. These tests are preliminary in character and the results are presented for information only.

EDWARD L. WOODYARD
Captain, USN
Commander

James E. Ablard
JAMES E. ABLARD
By direction

CONFIDENTIAL
NAVORD Report 2974

CONTENTS

	<u>Page</u>
Introduction	1
Short Description of Tests	1
Results	2
Conclusions	2
References	6

ILLUSTRATIONS

Table 1	3-4
Table 2	5

PRIMARY EXPLOSIVE EVALUATION, PROGRESS REPORT

INTRODUCTION

1. A considerable number of new explosive substances have shown a sensitivity when tested on the impact machine which suggest that they might be considered as primary explosives. These materials have been subjected to the tests described in detail in reference (a).

SHORT DESCRIPTION OF TESTS

2. There are four of these tests. The first test to which a new material is subjected is a firing time test. This test is a measurement of the functioning time of a special electric detonator when subjected to an electrical pulse of considerably greater magnitude than that required to vaporize the bridge wire. The results obtained from this test appear to give a good indication of the length of column required for the explosive to build up to detonation. Five shots were attempted with each material. For a considerable number of the materials several failures were obtained. In general these materials were not tested further since failure to fire under these conditions indicates that the material is too insensitive to be considered as a primary explosive.

3. The dent test is a measure of the output of the explosive. Some previous work, reference (b), indicates that there is good correlation between the dent produced by a detonator and the ability of the detonator to initiate a tetryl booster. The explosive to be tested is loaded into a column 0.150 in diameter along the axis of a metal cylinder one inch long and one inch in diameter. This explosive is detonated in contact with a steel block. The depth of the dent produced is divided by the radius of the explosive column. This ratio is the value reported for the explosive.

4. The test of stab sensitivity was made with a modified detonator test set Mk 136. This test measures the sensitivity of the material when used in a percussion primer.

5. In the hot wire sensitivity test the explosive is press loaded into the charge holder of an initiator plug having a tungsten bridge wire

CONFIDENTIAL
NAVORD Report 2974

thirty mils long. The diameters of bridge wire used were about 0.27 mil and 0.1 mil respectively. Two groups of these initiators, one with each size of bridge wire, were loaded with the explosive being tested. These initiators were subjected to the discharge of a variable condenser which had been charged to a potential of twenty volts. The capacitance was varied so as to find the energy necessary to fire fifty percent of the initiators. All explosives were ground in a ball mill for twenty-four hours before loading except the colloidal lead azide and colloidal lead styphnate. These materials already have a small particle size and were therefore tested without being ground.

RESULTS

6. The results obtained are given in tabular form. Values are also given for several well known explosives for reference purposes. A typical value for the firing time is given when this was less than about fifty microseconds. For those materials which gave failures the number of fires in five trials is also given. In the stab sensitivity test the results given are obtained by multiplying the weight in grams of the ball used by the distance in inches through which the ball must be dropped to give fifty percent initiation.

CONCLUSIONS

7. The colloidal lead azide gives results which are comparable to those of the ground polyvinyl alcohol lead azide and are better than those obtained with dextrinated lead azide which has been ground for only twenty-four hours in the ball mill used. The sensitivity of the dextrinated lead azide can be improved by further grinding. The results obtained with unground colloidal lead styphnate are very similar to the values for regular lead styphnate which has been ground for twenty-four hours. Among the new materials silver 5-nitrotetrazole has a short build-up time, a fair output, and a good hot wire sensitivity. Potassium dinitrobenzofuroxan shows results somewhat similar to those of tetracene or lead styphnate. Silver azidodinitrophenolate had a low energy requirement in the stab sensitivity test but did not show up well in other tests. It should be kept in mind that these tests are only intended to be preliminary screening tests. Further extensive tests would be necessary before these materials could be recommended for replacement of those primary explosives now in use.

CONFIDENTIAL
NAVED Report 2974

TABLE 1

Explosive	Firing Time		Dent	Stab Sensitivity (gram-in)
	No. of Fires (5 Attempts)	Time Microseconds		
Copper-5-Nitro- tetrazole	3	long	none	failed
N-Nitro-N(3,3,3-Trinitro- propyl)Trinitroethyl carbamate	2	35		
2,2,2-Trinitroethyl- 3,3,3-Trinitropropyl- nitramine	1			
Cupric-5-Nitramino- tetrazole	4	45	none	
Mercurous-5-Nitramino- tetrazole	5	30	dead pressed at 8,000 psi	
Silver Azidodinitro- phenolate	3	32	none	550
Mercurous 4,4,4-Trinitro- butyrate	0			
Lead 4,4,4-Trinitro- butyrate	0			
Potassium Cupric Styphnate Cupric-Hypophosphite	4	long	none	2000
Guanidine Nitroformate	0			
Silver Salt of Dinitro- triazole	4	long		
1-3-5 Tris(Trinitro- ethylnitramino)cetyl) Perhydro-5-Triazine	3	long		

CONFIDENTIAL
NAVORD Report 2974

TABLE 1 (CON'T)

Explosive	Firing Time		Dent	Stab Sensitivity (gram-in)
	No. of Fires (5 Attempts)	Time Microseconds		
Lead Salt of Haleite*	3	long		
Mercuric Salt of Haleite*	4	long	none	1800
Silver Salt of Haleite*	3	long		

***Ethylenedinitramine also known as EDNA**

CONFIDENTIAL
SECURITY INFORMATION

CONFIDENTIAL
NAVORD Report 2974

TABLE 2

Explosive	Firing Time (Microsec.)	Dent d/r	Stab (gram-in)	Sensitivity Hot Wire	
				Diam. 0.027 mils (ergs)	0.1 mils (ergs)
Methyl-5-Nitrotetrazole	15	0.05	1850		
Mercurous-5-Nitro- tetrazole	5	-	-	over 4000	
1,1,1,6,6,6-Hexanitro- 3-hexyne	15	-	3100		
Colloidal Lead Styphnate	30	none	1525	890	105
Colloidal Lead Azide	4	0.20-0.35	1750	1270	290
Potassium Dinitrobenzo- furoxan	30	none	1200	860	135
Silver-5-Nitrotetrazole	6	0.08-0.28	-	1600	300
Lead Styphnate	20	0-0.15	2100	1140	125
Polyvinyl Alcohol Lead Azide	-	0.20-0.37	-	1325	290
Dextrinated Lead Azide	5	0.21-0.41	2100	2740	-
Mercury Fulminate	15	0.23-0.44	500	1140	285
Tetracene	13-47	none	915	900	310

CONFIDENTIAL
NAVORD Report 2974

REFERENCES

- (a) NavOrd Report 2824 - Primary Explosives Evaluation Tests,
L. D. Hampton, J. Savitt, W. M. Slie,
R. H. Stresau.
- (b) NavOrd Report 2815 - Direct Initiation of Boosters by Electric
Detonators, R. H. Stresau, W. M. Slie,
L. D. Hampton.

CONFIDENTIAL
NAVORD Report 2974

DISTRIBUTION

	<u>Copies</u>
Chief, Bureau of Ordnance (Re2c), Wash., D.C.	5
Chief, Bureau of Ordnance (Re2b), Wash., D.C.	2
Bureau of Ordnance (Re3a), Wash., D.C. Attention: Mr. H. Freeman	1
University of Arkansas, Institute of Science and Technology, Fayetteville, Ark., Attention: Dr. Zaborj V. Harvalik, via InsMat Chicago 11, Illinois	1
Solid Propellant Information Agency, Applied Physics Lab. Johns Hopkins University, Silver Spring, Maryland, via InsOrd Silver Spring, Maryland	1
Director, Applied Physics Laboratory, Johns Hopkins University Silver Spring, Maryland, via InsOrd Silver Spring, Md.	1
Chief of Naval Research, Navy Department, Wash., D.C. Attention: (Code 466)	1
Director, Naval Research Laboratory, Wash., D.C., Attention: Dr. W. A. Zisman	1
Commander, Naval Proving Ground, Dahlgren, Va.	2
A&P Laboratories, Attention: Dr. H. E. Romine	1
Commander, Naval Ordnance Test Station, Inyokern, Calif., Attention: C. E. Weinland, Dr. R. W. Van Dolah, B. A. Breslow	3
Franklin Institute, Phila., Pa., Attention: Mr. W. H. Schilling, via InsMat Phila., Pa.	1
Commanding General, Air Material Test Center, Eglin Air Force Base, Fla.	1
Officer in Charge, Naval Ordnance Laboratory Test Facility, P.O. Drawer 6, Ft. Monroe, Va.	1
Commanding General, Aberdeen Proving Ground, Aberdeen, Md.	1
Director, Ballistic Research Laboratories, Aberdeen, Md.	2
Director, Woods Hole Oceanographic Institute, via InsMat Boston 10, Mass.	2
U. S. Bureau of Mines, 4800 Forbes St., Pittsburgh 13, Pa., Attention: Dr. Glenn H. Damon	2
Chief of Ordnance, Department of the Army, Research and Development Division, Wash., D.C., Attention: ORDTQ	2
Attention: ORDTA - Mr. S. S. Podnos	1
Attention: ORDTA - Dr. L. R. Littleton	1
Commanding Officer, Engineer Research & Development Laboratories, Ft. Belvoir, Va.	2
National Fireworks Ordnance Corp., West Hanover, Mass., Attention: Mr. S. J. Porter, via InsMat Springfield, Mass.	1

CONFIDENTIAL
SECURITY INFORMATION

NAVORD Report 2974

DISTRIBUTION (CON'T)

	<u>Copies</u>
Commanding Officer, Picatinny Arsenal, Dover, N. J.	3
Attention: AMM Dev. Br. A. Fuze Section	1
Attention: AMM Dev. Br. B. Bomb, Mine & Grenade Section	1
Attention: AMM Dev. Br. B. Physical Res. Section	1
Attention: AMM Dev. Br. B. Pyrotechnic Section	1
Attention: AMM Dev. Br. B. Chemical Res. Section	1
Attention: Library	1
Los Alamos Scientific Laboratory, Los Alamos, N. M.	
Attention: Dr. D. P. MacDougall	1
Attention: Dr. L. C. Smith, via InsMat Los Angeles 15, California	1
Princeton University, Princeton, N. J., Attention: Director, Project Squid, via InsMat Phila., Pa.	1
Harvard University, Department of Chemistry, Cambridge, Mass., Attention: Prof. G. B. Kistiakowski	1
Commanding Officer, Naval Mine Depot, Yorktown, Virginia	1
Chief, Bureau of Ships, Wash., D.C., for distribution to Branches	6
Chief, Bureau of Yards and Docks, Wash., D.C.	2
Chief, Bureau of Aeronautics, Wash., D.C.	2
Commanding Officer, Naval Powder Factory, Indian Head, Md.	4
Commanding Officer, Naval Shipyard, Norfolk, Va., Code 205	1
Chief, Armed Forces Special Weapons Program, Pentagon, Wash., D.C.	5
Chief, Naval Operations, Wash., D.C.	3
Director, National Bureau of Standards, Wash., D.C.	
Attention: Mr. Apstein	2
Commanding General, Ordnance Ammunition Center, U. S. Army, Attention: ORDLY-R, Joliet, Illinois	1
Superintendent of Naval Post Graduate School, Monterey, Calif.	1
Bureau of Ordnance, Ad8, for distribution as follows:	
British Joint Services Mission	5
Defense Research Member Canadian Joint Staff, Wash., D.C.	2
U. S. Naval Attache, London, England	3
Commanding Officer, Wright Air Development Center, Wright-Patterson Air Force Base, Dayton, Ohio, Attention: W.C.E.G.H.-3	5
Attention: Dr. L. A. Wood	1
University of Washington, Seattle 5, Wash., Attention: Prof. Paul C. Cross, Department of Chemistry & Chemical Engineering, via InsMat Seattle 4, Wash.	1

SECURITY INFORMATION

NAVED Report 2974

DISTRIBUTION (CON'T)

	<u>Copies</u>
Yale University, Department of Chemistry, New Haven, Conn. Attention: Prof. John G. Kirkwood, via InsMat Bridgeport 8, Connecticut	1
A. D. Little Inc., Cambridge 42, Mass., Attention Dr. W.C. Lothrop, via InsMat Boston 10, Mass.	1
Evans Research and Development Corp., New York, N.Y. Attention: Dr. Eric J. Hewitt, via InsMat Brooklyn, N.Y.	1
Director, New Mexico School of Mines, Research & Development Div., P.O. Box 6000, Station A, Albuquerque, N.M. via InsMat Los Angeles, Calif.	2
Hercules Powder Company, Wilmington 99, Del., Attention: Dr. Julius Roth, via InsMat Phila., Pa.	1
Attention: Mr. G. H. Scherrer, via InsMat Kingston, N.Y.	1
Armour Research Foundation, Research Center, Chicago, Ill. Attention: W. C. Troy, via InsMat Chicago, Ill.	1
Attention: Dr. W. C. McCrone	1
Beckman Instruments Inc., Pasadena, California, via InsMat Los Angeles, Calif., Attention: Dr. D. C. Taylor, Jr.	1
University of Maryland, College Park, Md., via InsOrd Silver Spring, Maryland	1
Rohm and Haas Co., Phila., Pa., Attention: Dr. Ralph Connor, via InsMat Phila., Pa.	1
Rohm and Haas Co., Redstone Arsenal, Research Division, Huntsville, Ala., via InsMat Atlanta, Ga.	1
Attention: Dr. R. M. Ross Attention: Mr. R. L. Rudolph	1
U. S. Rubber Co., General Laboratories, Passaic, N.J., Attention: Dr. P. O. Tawney, via InsMat Port Newark, Newark 5, N.J.	1
Naugatuck Chemical Co., U. S. Rubber Co., Naugatuck, Conn., Attention: Mr. F. J. Foster, via InsMat Bridgeport 8, Conn.	1
Western Cartridge Company, Division of Olin Industries, East Alton, Ill., Attention: Mr. R. L. Womer, Associate Director of Research, via InsMat Chicago, Ill.	1
Aerojet Engineering Corp., Azusa, Calif., Attention: Dr. M. H. Gold, via InsMat Los Angeles 15, California	1
University of Utah, Salt Lake City, Utah, Attention: Dr. Melvin Cook, via OUR Branch Office, 1000 Geary St., via InsMat San Francisco, California	1

SECURITY INFORMATION