

UNCLASSIFIED

AD NUMBER

AD032143

LIMITATION CHANGES

TO:

Approved for public release; distribution is unlimited.

FROM:

Distribution authorized to DoD only; Foreign Government Information; JAN 1954. Other requests shall be referred to Controlling Organization: British Embassy, 3100 Massachusetts Avenue, NW, Washinton, DC 20008.

AUTHORITY

DSTL ltr dtd 13 Feb 2007.

THIS PAGE IS UNCLASSIFIED

UNCLASSIFIED

AD NUMBER

AD032143

CLASSIFICATION CHANGES

TO: unclassified

FROM: restricted

LIMITATION CHANGES

TO:

Distribution authorized to DoD only; Foreign Government Information; JAN 1954. Other requests shall be referred to Controlling Organization: British Embassy, 3100 Massachusetts Avenue, NW, Washinton, DC 20008.

FROM:

Distribution authorized to DoD only. Other requests shall be referred to .

AUTHORITY

DSTL ltr dtd 13 Feb 2007; DSTL ltr dtd 13 Feb 2007

THIS PAGE IS UNCLASSIFIED



Dept OADR

MINISTRY OF SUPPLY

REVIEWED ON:

11/21/85 mli
Date Signature

ARMAMENT RESEARCH ESTABLISHMENT

REPORT 7/54

May 84
REVIEW ON

WEAPONS RESEARCH DIVISION

EXCLUDED FROM GENERAL DECLASSIFICATION SCHEDULE
EXECUTIVE ORDER 11652

Velocity of Detonation, VIII.

Variation of Velocity with Proportions of RDX/TNT

M. J. W. Billings

Safety in Mines Research Establishment, Buxton

FOR OFFICIAL USE
BY THE GOVERNMENT OF THE UNITED KINGDOM
OR BY THE GOVERNMENT OF IRELAND OR IN
ANY OTHER WAY WOULD BE A BREACH OF THIS
CONDITION.

PICATINNY ARSENAL LIBRARY

*Incl #1
OK-204*

INT 90
P.A. C5069
(37)

467

Fort Halstead,
Kent.

Ref 24742

20090127 202

May
1954

This Document was graded
RESTRICTED
at the 63rd meeting of the A.R.E.
Security Classification Committee.

**THIS DOCUMENT IS THE PROPERTY OF H.B.M. GOVERNMENT
AND ATTENTION IS CALLED TO THE PENALTIES ATTACHING
TO ANY INFRINGEMENT OF THE OFFICIAL SECRETS ACTS**

It is intended for the use of the recipient only, and for communication to such officers under him as may require to be acquainted with its contents in the course of their duties. The officers exercising this power of communication are responsible that such information is imparted with due caution and reserve. Any person other than the authorised holder, upon obtaining possession of this document, by finding or otherwise, should forward it together with his name and address in a closed envelope to:-

THE SECRETARY, MINISTRY OF SUPPLY, ADELPHI, LONDON, W.C. 2.

Letter postage need not be prepaid, other postage will be refunded. All persons are hereby warned that the unauthorised retention or destruction of this document is an offence against the Official Secrets Acts.

A.R.E.
Publishing Section

~~RESTRICTED~~

U.S. CONFIDENTIAL

MINISTRY OF SUPPLY

Extra-mural research contract

with

SAFETY IN MINES RESEARCH ESTABLISHMENT, BUXTON

A.R.E. REPORT 7/54

Velocity of Detonation, VIII. Variation of velocity with
proportions of RDX/TNT

by

M.J.W. Billings

Approved

..... *H. Titman* for Director, S.M.R.E.

..... *D. Blackmore* Senior Superintendent, A.R.E.

Buxton Report E.204

January 1954.

~~RESTRICTED~~

U.S. CONFIDENTIAL

AD-032143

IMPORTANT

This DOCUMENT should be returned to the Chief Information Officer, Armament Research Establishment, Fort Halstead, Sevenoaks, Kent, if retention becomes no longer necessary.

INITIAL DISTRIBUTION

Internal

No. 1	CSAR
2	SEMP
3	SEMP - (Att. Mr. M. J. W. Billings)
4	- Mr. G. T. Laing (Shoeburyness)

United Kingdom

5-6	CS/ERDE
7	DWR(D)
8-17	Director, SMRE
18	AWRE - DD
19-20	- SFR
21	CEAD
22	DGFV
23	DRAE(GW)
24-25	MC of S
26-27	Royal School of Tank Technology
28-29	Sec. A.A. Lethality Committee (OB)
30	Sec. OB
31	- Att. Mr. Bishop
32	Prof. Pearson, University College, London

Overseas (through TPA3/TIB)

33-50	US - Joint Reading Panel
51	- Assist. Sec. of Def. for Res. and Dev.
52	- Applied Physics Laboratory, Johns Hopkins University (Att. Dr. C. F. Meyer)
53	- Ballistics Res. Lab. Aberdeen (Att. Dr. T. E. Sterne)
54	- Naval Ordnance Lab. Exp. Div. (Att. Dr. Paule Fye)
55-56	BJSM - P.O. Box 680, Benjamin Franklin Station, Washington, D.C. (Att. Mr. J. W. Gibson, Dr. C. G. Lawson)
57	Canada - Dept. Nat. Def.
58-61	- Def. Res. Liaison
62	- Nat. Res. Council
63-67	Australia - Sen. Rep.
68	- RAAF
69-70	TPA3/TIB - Retention

Stock

71-80

RESTRICTED

SUMMARY

The velocities of detonation of unconfined charges of three RDX/TNT mixtures viz. 60/40, 50/50, 40/60 have been measured.

It is found that the limiting velocity of detonation increases linearly with increasing percentage of RDX over this range of mixtures. The effect on velocity of detonation of reducing the diameter of the bare charge is least with the 50/50 mixture.

INTRODUCTION

Knowledge was required of the variation in limiting velocity of detonation with changing composition of mixtures of RDX and TNT. Three mixtures were chosen, viz. 60/40, 50/50 and 40/60 RDX/TNT, and charges were cast in long cylinders of various diameters. The velocities of detonation of the bare charges were then measured by means of a rotating-mirror camera.

Preliminary experiments showed that a charge of RDX/TNT 50/50 31.7 mm. in diameter was not initiated by a commercial No. 6 copper detonator touching one end of the cylinder, but was initiated when the detonator was inset in the charge. To ensure full detonation the charges for the determination of the velocity of detonation were initiated by a CE pellet 6.35 mm. long and having the same diameter as the charge.

RESULTS

The results for RDX/TNT 60/40, 50/50 and 40/60 are given in Tables 1, 2 and 3 respectively, and are shown graphically in Fig. 1. It was difficult to cast cylindrical charges 11.5 mm. in diameter and it was impossible to obtain charges of smaller diameter owing to their extreme brittleness.

TABLE 1 - Velocity of detonation of RDX/TNT 60/40

Charge diameter, mm.	44.20	32.00	25.45	20.00
Density, g./cm. ³	1.647	1.643	1.634	1.653
V.O.D., m./sec.	7869 7852 7847 7839 7782 7764	7782 7764 7756 7739 7722 7715	7727 7715 7715 7705 7688 7688	7717 7700 7695 7695 7690 7671
Mean V.O.D.	7825	7746	7706	7695
Range	105	67	39	46
Standard deviation	42	26	16	15
Coefficient of variation, %	0.54	0.33	0.21	0.19

RESTRICTED

- 2 -

TABLE 2 - Velocity of detonation of RDX/TNT 50/50

Charge diameter, mm.	32.00	25.45	22.00	19.00	16.65	14.55	11.50
Density, g./cm. ³	1.664	1.658	1.676	1.671	1.664	1.686	1.627
V.O.D., m./sec.	7773 7759 7709 7658 7656 7615	7778 7736 7695 7678 7649 7649 7646 7632 7624 7600	7773 7768 7705 7705 7659 7658	7688 7663 7653 7639 7627 7593	7695 7685 7663 7658 7581 7550	7671 7671 7632 7562 7539 7532	7649 7610 7501 7496 7480 7463
Mean V.O.D.	7695	7669	7655	7644	7639	7601	7533
Range	158	178	218	95	145	139	186
Standard deviation	63	54	70	33	59	65	77
Coefficient of variation, %	0.82	0.71	0.91	0.43	0.77	0.85	1.02

TABLE 3 - Velocity of detonation of RDX/TNT 40/60

Charge diameter, mm.	44.20	30.00	25.45	20.00
Density, g./cm. ³	1.629	1.632	1.640	1.634
V.O.D., m./sec.	7612 7596 7538 7520 7501 7448	7517 7462 7452 7418 7400 7394	7553 7502 7454 7450 7444 7410	7385 7380 7377 7354 7351 7337
Mean V.O.D.	7536	7441	7469	7364
Range	164	123	143	48
Standard deviation	61	49	51	19
Coefficient of variation, %	0.81	0.66	0.68	0.26

DISCUSSION

During an examination of the effect of impurities on the velocity of detonation of T.N.T. (Titman & Billings, 1952) it was found that the relationship between the squares of the reciprocals of velocity of detonation and radius of charge was linear. The limiting velocity of detonation could be accurately deduced from this line by making $1/R^2 = 0$, i.e. by assuming a charge of infinite radius. A similar relationship holds for the three mixtures of RDX/TNT and from the best straight lines the limiting velocities of detonation have been deduced. The values, together with the mean observed velocities of detonation at the various diameters are shown in Table 4.

TABLE 4 - Mean velocities of detonation at different diameters and calculated limiting velocity


Mixture RDX/TNT	Limiting V.O.D.	Diameter of charge, mm.									
		44.2	32.0	30.0	25.45	22.0	20.0	19.0	16.65	14.55	11.50
60/40	7830	7825	7746		7706		7695				
50/50	7704		7695		7669	7655		7644	7639	7601	7554
40/60	7566	7536		7441	7469		7364				

Over this rather restricted range of mixtures the limiting velocity increases by about 130 m./sec. for each increment of 10 per cent of RDX. The limiting velocity of grade I T.N.T. was found to be 7010 m./sec. (Titman & Billings, 1952), and this suggests that the increase might be linear over the whole range of mixtures.

The effect on velocity of detonation of reducing the diameter of the charge appears to be least marked with the 50/50 mixture. It also appears in these experiments that in this mixture the limiting velocity was attained in a bare charge of smaller diameter than in either of the other mixtures.

REFERENCE

Titman, H. and Billings, M.J., (1952) A.R.E. Report No. 17/52



RESTRICTED

VARIATION OF V.O.D. WITH DIAMETER OF CHARGE

FIG. 1

RESTRICTED

541.126.2:
662.238.1

Velocity of detonation. VIII.
Variation of velocity with
proportions of RDX/TNT.

A.R.E. Report 7/54

M.J.W. Billings January 1954

The velocities of detonation of unconfined charges of three RDX/TNT mixtures viz. 60/40, 50/50, 40/60 have been measured.

It is found that the limiting velocity of detonation increases linearly with increasing percentage of RDX over this range of mixtures. The effect on velocity of detonation of reducing the diameter of the bare charge is least with the 50/50 mixture.

3 pp. 1 fig. 4 tabs.

RESTRICTED

RESTRICTED

541.126.2:
662.238.1

Velocity of detonation. VIII.
Variation of velocity with
proportions of RDX/TNT.

A.R.E. Report 7/54

M.J.W. Billings January 1954

The velocities of detonation of unconfined charges of three RDX/TNT mixtures viz. 60/40, 50/50, 40/60 have been measured.

It is found that the limiting velocity of detonation increases linearly with increasing percentage of RDX over this range of mixtures. The effect of velocity of detonation of reducing the diameter of the bare charge is least with the 50/50 mixture.

3 pp. 1 fig. 4 tabs.

RESTRICTED

RESTRICTED

541.126.2:
662.238.1

Velocity of detonation. VIII.
Variation of velocity with
proportions of RDX/TNT.

A.F.E. Report 7/54

M.J.W. Billings January 1954

The velocities of detonation of unconfined charges of three RDX/TNT mixtures viz. 60/40, 50/50, 40/60 have been measured.

It is found that the limiting velocity of detonation increases linearly with increasing percentage of RDX over this range of mixtures. The effect on velocity of detonation of reducing the diameter of the bare charge is least with the 50/50 mixture.

3 pp. 1 fig. 4 tabs.

RESTRICTED

RESTRICTED

541.126.2:
662.238.1

Velocity of detonation. VIII.
Variation of velocity with
proportions of RDX/TNT.

A.R.E. Report 7/54

M.J.W. Billings January 1954

The velocities of detonation of unconfined charges of three RDX/TNT mixtures viz. 60/40, 50/50, 40/60 have been measured.

It is found that the limiting velocity of detonation increases linearly with increasing percentage of RDX over this range of mixtures. The effect on velocity of detonation of reducing the diameter of the bare charge is least with the 50/50 mixture.

3 pp. 1 fig. 4 tabs.

RESTRICTED

RESTRICTED

541.126.2:
662.238.1

Velocity of detonation. VIII.
Variation of velocity with
proportions of RDX/TNT.

A.R.E. Report 7/54

M.J.W. Billings January 1954

The velocities of detonation of unconfined charges of three RDX/TNT mixtures viz. 60/40, 50/50, 40/60 have been measured.

It is found that the limiting velocity of detonation increases linearly with increasing percentage of RDX over this range of mixtures. The effect on velocity of detonation of reducing the diameter of the bare charge is least with the 50/50 mixture.

3 pp. 1 fig. 4 tabs.

RESTRICTED

RESTRICTED

541.126.2:
662.238.1

Velocity of detonation. VIII.
Variation of velocity with
proportions of RDX/TNT.

A.R.E. Report 7/54


M.J.W. Billings January 1954

The velocities of detonation of unconfined charges of three RDX/TNT mixtures viz. 60/40, 50/50, 40/60 have been measured.

It is found that the limiting velocity of detonation increases linearly with increasing percentage of RDX over this range of mixtures. The effect on velocity of detonation of reducing the diameter of the bare charge is least with the 50/50 mixture.

3 pp. 1 fig. 4 tabs.

RESTRICTED



RESTRICTED

CONFIDENTIAL

U.S. CONFIDENTIAL

THIS DOCUMENT IS THE PROPERTY OF H.B.M. GOVERNMENT
AND ATTENTION IS CALLED TO THE PENALTIES ATTACHING
TO ANY INFRINGEMENT OF THE OFFICIAL SECRETS ACTS

It is intended for the use of the recipient only, and for communication to such officers under him as may require to be acquainted with its contents in the course of their duties. The officers exercising this power of communication are responsible that such information is imparted with due caution and reserve. Any person other than the authorised holder, upon obtaining possession of this document, by finding or otherwise, should forward it together with his name and address in a closed envelope to :-

THE SECRETARY, MINISTRY OF SUPPLY, ADELPHI, LONDON, W.C. 2.

Letter postage need not be prepaid, other postage will be refunded. All persons are hereby warned that the unauthorised retention or destruction of this document is an offence against the Official Secrets Acts.

U.S. CONFIDENTIAL

RESTRICTED



*Information Centre
Knowledge Services*
[dstl] Porton Down,
Salisbury
Wiltshire
SP4 0JQ
Tel: 01980-613753
Fax 01980-613970

Defense Technical Information Center (DTIC)
8725 John J. Kingman Road, Suit 0944
Fort Belvoir, VA 22060-6218
U.S.A.

AD#:
Date of Search: 13 February 2007

Record Summary:

Title: Velocity of detonation, VIII: variation of velocity with proportions of RDX/TNT
Covering dates 1954 May 01 - 1954 May 31
Availability Open Document, Open Description, Normal Closure before FOI Act: 30 years
Former reference (Department) ARE Report 7/54
Held by The National Archives, Kew

This document is now available at the National Archives, Kew, Surrey, United Kingdom.

DTIC has checked the National Archives Catalogue website (<http://www.nationalarchives.gov.uk>) and found the document is available and releasable to the public.

Access to UK public records is governed by statute, namely the Public Records Act, 1958, and the Public Records Act, 1967. The document has been released under the 30 year rule. (The vast majority of records selected for permanent preservation are made available to the public when they are 30 years old. This is commonly referred to as the 30 year rule and was established by the Public Records Act of 1967).

This document may be treated as UNLIMITED.