

UNCLASSIFIED

AD NUMBER	
AD043950	
CLASSIFICATION CHANGES	
TO:	unclassified
FROM:	confidential
LIMITATION CHANGES	
TO: Approved for public release; distribution is unlimited.	
FROM: Distribution authorized to U.S. Gov't. agencies and their contractors; Administrative/Operational Use; AUG 1954. Other requests shall be referred to Defense Atomic Support Agency, Washington, DC.	
AUTHORITY	
31 aug 1966, DoDD 5200.10; dna ltr 15 mar 1977	

THIS PAGE IS UNCLASSIFIED

UNCLASSIFIED

43950

Armed Services Technical Information Agency

**ARLINGTON HALL STATION
ARLINGTON 12 VIRGINIA**

**FOR
MICRO-CARD
CONTROL ONLY**

OF

NOTICE: WHEN GOVERNMENT OR OTHER DRAWINGS, SPECIFICATIONS OR OTHER DATA ARE USED FOR ANY PURPOSE OTHER THAN IN CONNECTION WITH A DEFINITELY RELATED GOVERNMENT PROCUREMENT OPERATION, THE U. S. GOVERNMENT THEREBY INCURS NO RESPONSIBILITY, NOR ANY OBLIGATION WHATSOEVER; AND THE FACT THAT THE GOVERNMENT MAY HAVE FORMULATED, FURNISHED, OR IN ANY WAY SUPPLIED THE SAID DRAWINGS, SPECIFICATIONS, OR OTHER DATA IS NOT TO BE REGARDED BY ANY PERSON OR CORPORATION, OR CONVEYING ANY RIGHTS OR PERMISSION TO MANUFACTURE, USE OR SELL ANY PATENTED INVENTION THAT MAY IN ANY WAY BE RELATED THERETO.

CLASSIFICATION CHANGED TO UNCLASSIFIED

BY AUTHORITY OF ASTIA RECLASS. BULLETIN

Date

Signed

Richard E. Reedy
OFFICE SECURITY ADVISOR

AF 100

AD No. 43930

FILE COPY

Lab. Project 5046-3, Part 62
Final Report
NS 081-001

AW-7



MATERIAL LABORATORY
NEW YORK NAVAL SHIPYARD
BROOKLYN 1, N. Y.

TECHNICAL REPORT

PROPERTY OF
DASD (R&D)
TECHNICAL LIBRARY

3ND-MYNS-900-P-18



3ND-P&PO-2490

54AA

66156

THIS REPORT HAS BEEN DELIMITED
AND CLEARED FOR PUBLIC RELEASE
UNDER DOD DIRECTIVE 5200.20 AND
NO RESTRICTIONS ARE IMPOSED UPON
ITS USE AND DISCLOSURE,

DISTRIBUTION STATEMENT A

APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION UNLIMITED.

**NOTICE: THIS DOCUMENT CONTAINS INFORMATION AFFECTING THE
NATIONAL DEFENSE OF THE UNITED STATES WITHIN THE MEANING
OF THE ESPIONAGE LAWS, TITLE 18, U.S.C., SECTIONS 793 and 794.
THE TRANSMISSION OR THE REVELATION OF ITS CONTENTS IN
ANY MANNER TO AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW.**

RESEARCH AND DEVELOPMENT REPORT
on
CRITICAL THERMAL ENERGIES
of
CURTAIN MATERIALS

Submitted by
THE WRIGHT AIR DEVELOPMENT CENTER
Department of the Air Force
Lab. Project 5046-3, Part 62

Final Report

NS 061-001

27 August 1954
Technical Objective AW-7
AFSWP-400
L. Banet, J. Bracciaventi

Optics and Nucleonics Branch
J.M. McGREEVY, Head

Superintending Engineer
GEO. J. DASHEFSKY

The Director
CAPTAIN A. B. JONES, Jr., USN

NAVAL MATERIAL LABORATORY
New York Naval Shipyard
Brooklyn 1, New York

54AA 66156

CONFIDENTIAL

Lab. Project 5046-3, Part 62
Final Report

ABSTRACT

For the purpose of evaluating the resistance of materials to the thermal radiation of atomic explosions, the critical thermal energies of several curtain materials, selected, prepared and submitted by the Wright Air Development Center, were determined. Several parameters of importance to the immediate problem were studied, including changes in irradiance, the effect of soiling and the fabric before exposure, the effect of cleaning following soiling, and the effect of previous exposure to approximately 75 per cent of the exposures required to obtain initial radiation effects, and the influence of the degree of bleaching of the fabrics. It was found that the critical thermal energies were greater for exposures at a rate of application of energy of $20 \text{ cal/cm}^2\text{sec}$ than at a rate of application of $85 \text{ cal/cm}^2\text{sec}$. In general, soiling caused a decrease in resistance to thermal radiation, although the silicone rubber on glass cloth showed the opposite trend. The effects of pre-exposure were only moderate. The 10 per cent bleaching process was most effective in increasing resistance to thermal radiation and the greatest resistance was found on the 14.7 oz. cotton duck with this bleaching.

CONFIDENTIAL

Lab. Project 5046-3, Part 62
Final Report

TABLE OF CONTENTS

	Page
ADMINISTRATIVE INFORMATION	4
INTRODUCTION	4
EQUIPMENT AND METHODS	4
RESULTS	5
INFLUENCE OF IRRADIANCE	5
EFFECTS OF SOILING	5
EFFECTS OF SOILING AND CLEANING	6
EFFECT OF PREVIOUS EXPOSURE TO RADIATION	6
EFFECT OF DIFFERENT DEGREES OF BLEACHING	7
CONCLUSIONS	7
BIBLIOGRAPHY	8
TABLE I Critical Thermal Energies of Aircraft Curtain Materials	4 pp

CONFIDENTIAL

Lab. Project 5046-3, Part 62
Final Report

ADMINISTRATIVE INFORMATION

1. This investigation was requested by Wright Air Development Center letter WCRTT-1 of 1 March 1954 and constitutes part of the program initially proposed by Commander, New York Naval Shipyard, Confidential letter S99/L5, Ser 960-92 of 14 March 1950 and formally approved by Bureau of Ships speedletter S99(O)(348), Ser 348-75, of 6 April 1950. The general Thermal Radiation program at the Naval Material Laboratory is under the supervision of the Armed Forces Special Weapons Project.

2. The studies reported herein were planned and executed under the supervision of T.I. Monahan, Head of the Optics Section.

INTRODUCTION

3. As part of its general program on the effects of the thermal radiation of atomic explosions, the Naval Material Laboratory is evaluating the characteristics, under exposure to intense thermal radiation, of the various materials of particular interest to the several agencies of the Department of Defense. As data become available, these findings are published. Reported below are the critical thermal energies of curtain materials which were submitted by the Wright Air Development Center. These curtains are intended to be drawn across cockpit windows in order to shield aircraft personnel against the intense thermal radiation attending nuclear detonations.

EQUIPMENT AND METHODS

4. The critical thermal energies of the fabrics were determined, employing the Naval Material Laboratory carbon-arc source of thermal radiation. The source consists of an 11-mm carbon arc, mounted at the focus of a reflector which collimates the emitted energy. A second mirror, which is mounted coaxially at a distance of twelve feet from the collimator, condenses the radiation to the mirror's focus. Gradations of thermal damage are obtained by varying the effective exposure time by accelerating a 1x8 inch specimen transversely through the focus. The carbon arc furnishes an irradiance of 85 cal/cm²sec. over a central area 2 mm in width. In the first phase of the investigation, designated as "Test Code A" by WADC, the five fabrics were also exposed at 20 and 42 cal/cm²sec, which were achieved through the use of attenuating screens. In the second and third phases of the research, "Test Codes B and C", four fabrics were exposed, after having been soiled artificially and after having been soiled and then cleaned. The soiling and cleaning experiments

CONFIDENTIAL

Lab. Project 5046-3, Part 62
Final Report

were conducted at Wright Air Development Center. In the fourth phase, "Test Code D", four fabrics were exposed after having been irradiated by a total energy approximately 75 per cent of that required for initial destruction effects. In the last phase, "Test Code E," one of the fabrics, the 14.7 oz cotton duck, was evaluated with six separate stages of bleaching (0, 25, 50, 75, 100, 125 per cent) and at a rate of application of energy of 20, 42, and 85 cal/cm²sec.

RESULTS

INFLUENCE OF IRRADIANCE

5. The data of Table 1 indicate that for a rate of application of energy (irradiance) of 20 cal/cm²sec, greater exposures are required in general to cause destructive effects on the materials than for a rate of delivery of energy of 85 cal/cm²sec. It may be concluded that a given curtain material, with the exception of the vinyl-coated cotton, aluminized, will give adequate protection against high-yield nuclear weapons if it gives satisfactory protection against low-yield weapons, such as the "nominal" bomb.

6. During the exposures it was noted that the initial destructive effects are not similar for all irradiances. After charring, all the fabrics ignite, and with the exception of the cotton duck, flameproofed with Pyrosat, support combustion after irradiation. The glass cloth emits dense smoke and large sooty particles during exposure. This material and the asbestos cloths are the most resistant to the initial effects of radiation.

EFFECTS OF SOILING

7. The experimental data on the effects of soiling are only qualitative, since it is impossible to control the degree of soiling, the amount and thickness of the soiling materials. In addition, it is impossible to obtain a homogeneous coating, even over the area of an individual specimen. Initial destructive effects under irradiation were not readily discernible because of the soiling.

8. In 3 of the 4 cases, the critical thermal energies were lowered significantly by the soiling. The resistance of the fourth material, the silicone-rubber-on-glass cloth, was increased, but it was noted that the soil coating applied to these samples was heavier than that applied to the other specimens. That soiling may increase in some cases and in others decrease the thermal resistance of a material is not contradictory since the size of soil particles is critical and the effective color and absorptance of the material may be either increased or decreased.

CONFIDENTIAL

Lab. Project 5046-3, Part 62
Final Report

EFFECTS OF SOILING AND CLEANING

9. The initial destructive effects on the materials, first soiled and then cleaned prior to irradiation, with the exception of the vinyl-coated cotton, occurred at radiant exposures considerably lower than those for the corresponding new cloths. The destruction under irradiation of the asbestos and cotton duck materials, soiled and cleaned, occurred at lower radiant exposures than for the corresponding new cloths, but at higher radiant exposures in the case of the silicone-rubber-on-glass-cloth specimens.

EFFECTS OF PREVIOUS EXPOSURE TO RADIATION

10. Twenty-four hours prior to the final exposures, the fabric specimens were conditioned at the Naval Material Laboratory by exposing them to the carbon-arc source of radiation at an irradiance of $85 \text{ cal/cm}^2\text{sec}$. It has been recommended that the materials be exposed to a total flux approximately 75 per cent of the flux required to cause initial destructive effects on new materials. Because this procedure would involve complex and time-consuming instrumentation, the initial exposures were made at total flux values which could be obtained conveniently. The radiant exposures for the initial exposures and the critical radiant exposure values for the final exposures are given in Table 1.

11. The critical thermal energy for initial destructive effects on Asbestos previously irradiated by 8.0 cal/cm^2 , is 8.8 cal/cm^2 , in contrast with the critical radiant exposure of 18 cal/cm^2 for new Asbestos cloth. Following an initial radiant exposure of 10.0 cal/cm^2 , it required 18 cal/cm^2 to char the Asbestos, the same total energy required to char new Asbestos.

12. The silicone-rubber-on-glass cloth required 18 cal/cm^2 to produce initial destructive effects, even after a previous exposure of 9.0 cal/cm^2 . The first exposures of the vinyl-coated cotton and the bleached cotton duck had negligible effect on the critical thermal energies of these materials.

CONFIDENTIAL

Lab. Project 5046-3, Part 62
Final Report

EFFECT OF DIFFERENT DEGREES OF BLEACHING


13. The unbleached fabric was considerably less resistant than any of the bleached specimens. The several degrees of bleaching gave substantially the same amount of protection.

CONCLUSION

14. The results of this investigation are briefly summarized as follows:

- a. The critical energy required to produce a specific damage on a curtain material increases if the irradiance decreases from 85 to 20 cal/cm²sec.
- b. In general, soiling of curtain materials will cause a decrease of their resistance to thermal radiation. This is also true, although to a smaller extent, after cleaning of these materials. However, the silicone rubber fabric on glass cloth showed the opposite trend and emitted dense smoke and sooty particles during exposure.
- c. Of the investigated fabrics the greatest resistance to thermal radiation was shown by the untreated, 14.7 oz., bleached cotton duck.
- d. In most cases the effects of pre-exposure were only moderate.

Approved:


A.B. JONES, Jr., CAPTAIN, USN
The Director

bas

CONFIDENTIAL

CONFIDENTIAL

Lab. Project 5046-3, Part 62
Final Report

BIBLIOGRAPHY

1. Naval Material Laboratory, Critical Thermal Energies of Clothing Materials, Submitted by the U.S. Marine Corps. Report No. 5046-3, Part 3, (July 1951).
2. Naval Material Laboratory, Critical Thermal Energies of Special Awning Materials, Submitted by the Bureau of Ships, Department of the Navy. Report No. 5046-3, Part 27 (Jan. 1953).
3. Naval Material Laboratory, Critical Thermal Energies of Canopy Materials, Submitted by the Wright Air Development Center, Department of the Air Force. Lab. Project Report 5046-3, Part 55 (Apr 1954).
4. Naval Material Laboratory, Determination of Energy Distribution at the Focus of a Parabolic Mirror and the Energy Density on a Moving Surface, Using a Tungsten Lamp Source. Report No. 5046, Part 5, (July 1949).
5. Naval Material Laboratory, A Method of Measuring High Intensities at the Focus of a Parabolic Reflector with Large Relative Aperture, Report No. 5046, Part 3 (November 1948).

Table I
Critical Thermal Energies of Curtain Materials

Test Code	WADC Mat'l Designation	Material	Description of Effect	Critical Energies (cal/cm ²)		
				At H= 85 cal/cm ² /sec	At H= 42.5 cal/cm ² /sec	At H= 20 cal/cm ² /sec
A	I	Asbestos, MIL-C-8240 Type I	Initial Effect	18.0	--	--
			Charring	19.0	42.0	60.0
			Burned through, destroyed	43.0	66.0	80.0
A	II	Silicone Rubber on Glass Cloth No. 126 (Chemical Rubber Co. Style 7007)	Initial Effect	21.0	22.0	31.0
			Rubber coating destroyed	49.0	69.0	75.0
A	III	Vinyl Coated Cotton, Aluminized, MIL-C-7642, Type I	Initial Effect	3.0	3.6	4.7
			Charring	31.0	23.0	30.0
			Burned through, destroyed	42.0	42.0	41.0
A	IV	Bleached Cotton Duck, Preshrunk, CCC-D-771, Type III, 14.7oz. Pyreset DO Treatment	Initial Effect	--	--	41.0
			Sporadic Charring	6.8	13.0	56.0
			Regular Charring	21.0	44.0	80.0
A	a	XPO White Vinyl on 1.32oz. sateen (Landers Corp.)	Charred through, destroyed	42.0	44.0	80.0
			Initial Effect	7.4	9.0	18.0
			Sporadic Charring	7.5	17.0	37.0
			Regular Charring	20.0	31.0	64.0
A	b	White Vinyl Coated on Nylon Fiberthin (Landers Corp.)	Charred through, destroyed	46.0	48.0	80.0
			Initial Effect	7.0	7.0	11.0
			Charring	21.0	22.0	47.0
A			Melted through	36.0	37.0	47.0

CONFIDENTIAL

Critical Thermal Energies of Curtain Materials

Test Code	WADC Mat'l Designation	Material	Description of Effect	Critical Energies (cal/cm ²)		
				At H= 85 cal/cm ² /sec	At H= 42.5 cal/cm ² /sec	At H= 20 cal/cm ² /sec
B	I	Asbestos, MIL-C-8240, Type I (Soiled)	Charring	6.9		
			Burned through, destroyed	23.0		
B	II	Silicone Rubber on Glass Cloth No. 126 (Chemical Rubber Co. Style 7007)(Soiled)	Rubber coating destroyed	54.0		
B	III	Vinyl Coated Cotton Aluminized, MIL-C-7642, Type I (Soiled)	Charring	27.0		
			Burned through, destroyed	39.0		
B	IV	Bleached Cotton Duck, Preshrunk, CCC-D-771, Type III, 14.7 oz., Pyreset DO Treatment (Soiled)	Sporadic Charring	1.4		
			Regular Charring	6.8		
			Charred through destroyed	28.0		
C	I	Asbestos, MIL-C-8240, Type I (Soiled and Cleaned)	Initial Effect	1.4		
			Charring	12.0		
			Burned through, destroyed	32.0		
C	II	Silicone Rubber on Glass Cloth No. 126 (Chemical Rubber Co. Style 7007)(Soiled and Cleaned)	Initial Effect	14.0		
			Rubber Coating, destroyed	77.0		
C	III	Vinyl Coated Cotton, Aluminized, MIL-C-7642, Type I, (Soiled and Cleaned)	Initial Effect	3.0		
			Charring	21.0		
			Burned through, destroyed	42.0		

CONFIDENTIAL

Critical Thermal Energies of Curtain Materials

Test Code	WADC Mat'l Designation	Material	Description of Effect	Critical Energies (cal/cm ²)		
				At H= 0.5 cal/cm ² /sec	At H= 12.5 cal/cm ² /sec	At H= 20 cal/cm ² /sec
	IV	Bleached Cotton Duck, Freshrunk, CCC-D-771, Type III, 14.7 oz., Pyroset DO Treatment (Soiled and Cleaned)	Sporadic Charring Regular Charring Charred through, destroyed	1.5 6.8 24.0		
Test Code	WADC Mat'l Designation	Material	Description of Effect	Pre-Exposure (cal/cm ²)	C.E. cal/cm ²	
D	I	Asbeston, MIL-C-8240, Type I	Initial Effect Charring	8.8 10.0	3.8 18.0	
D	II	Silicone Rubber on Glass Cloth No. 126 (Chemical Rubber Co. Style 7007)	Initial Effect	9.0	18.0	
D	III	Vinyl coated cotton, aluminized, MIL-C-7642, Type I	Initial Effect	1.9	3.8	
D	IV	Bleached Cotton Duck, Freshrunk, CCC-D-771, Type III, 14.7 oz. Pyroset DO Treatment	Sporadic Charring Regular Charring	7.0 - 7.8 9.0 - 10.0	7.5 19.0	

Critical Thermal Energies of Certain Materials

Test Code	WADC Mat'l Designation	Material	% Bleach	Description of Effect	Critical Energies (cal/cm ²)		
					At H = 85 cal/cm ² /sec	At H = 42.5 cal/cm ² /sec	At H = 20 cal/cm ² /sec
E	V	Cotton Duck, Preshrunk, CCG-D-771, Type III, 14.7 oz.	0	Charring	11.0	42.0	48.0
				Burned through, destroyed	45.0	66.0	75.0
			25	Charring	34.0	62.0	66.0
				Burned through, destroyed	61.0	74.0	110.0
			50	Charring	39.0	62.0	69.0
				Burned through, destroyed	58.0	74.0	119.0
			75	Charring	27.0	55.0	63.0
				Burned through, destroyed	47.0	75.0	82.0
			100	Charring	31.0	64.0	72.0
				Burned through, destroyed	58.0	81.0	118.0
			125	Charring	31.0	55.0	58.0
				Burned through, destroyed	55.0	74.0	79.0

CONFIDENTIAL

DISTRIBUTION LIST
No. 100
Thermal Radiation Reports
(Research)

8 December 1953
No. of Cys

<u>ADDRESSEE</u>	<u>ARMY</u>	
Asst Chief of Staff, G-3, D/A, Washington 25, D.C. ATTN: DCS/G-3 (RR&SW)		1
Asst Chief of Staff, G-4, D/A, Washington 25, D.C.		1
Chief of Ordnance, D/A, Washington 25, D.C., ATTN: ORDTX-AR		1
Chief Signal Officer, D/A, P&O Div, Washington 25, D.C. ATTN: SIGOP		3
The Surgeon General, D/A, Washington 25, D.C., ATTN: Chairman, Med R&D Board		1
Chief Chemical Officer, D/A, Washington 25, D.C.		2
Office of the Chief of Engineers, Washington 25, D.C. ATTN: ENGNE		3
The Quartermaster General, CBR, Liaison Office, R&D Div, D/A, Washington 25, D.C.		2
Chief of Transportation, Military Planning & Intelligence Div, Washington 25, D.C.		1
Chief, Army Field Forces, Ft Monroe, Va.		4
President, Board #1, OCAFF, Ft Bragg, NC		1
President, Board #4, OCAFF, Ft Bliss, Texas		1
Commander-in-Chief, FECOM, APO 500, c/o PM San Francisco, Calif. ATTN: ACOFS J-3		2
Commandant, Command & General Staff College, Ft Leavenworth, Kansas ATTN: ALLIS (AS)		1
Commanding General, Medical Field Service School, Brooke Army Medical Center, Ft. San Houston, Texas		1
Director, Special Weapons Development Office, OCAFF, Ft Bliss, Tex		1
Commandant, Army Medical Service Graduate School, Walter Reed Army Medical Center, Washington 25, D.C., ATTN: Dept of Biophysics		1
Commandant, Chemical Corps School, Chemical Corps Training Command, Ft McClellan, Ala.		1

DISTRIBUTION LIST NO. 100 (CONT)

<u>ADDRESSEE</u>	<u>ARMY</u>	<u>No. of Cys</u>
Commanding General, Research & Engineering Command, Army Chemical Center, Md., ATTN: Special Projects Officer		2
RD Control Officer, Aberdeen Proving Grounds, Md., ATTN: Director Ballistics Research Laboratory		2
Commanding General, The Engineer Center, Ft Belvoir, Va., ATTN: Asst. Commandant, Eng School		3
Commanding Officer, Engineer Research & Development Laboratory, Ft. Belvoir, Va., ATTN: Chief, Tech Intelligence Branch		1
Commanding Officer, Picatinny Arsenal, Dover, New Jersey, ATTN: ORDBB-TK		1
Commanding Officer, Frankford Arsenal, Philadelphia 37, Pa., ATTN: RD Control Officer		1
Commanding Officer, Army Medical Research Laboratory, Ft Knox, Ky.		1
Commanding Officer, Chemical Corps Chemical & Radiological Lab., Army Chemical Center, Md., ATTN: Tech Library		2
Commanding Officer, Transportation R&D Station, Ft Eustis, Va.		1
Director, Technical Documents Center, Evans Signal Laboratory, Belmar, N.J.		1
Director, Waterways Experiment Station, PO Box 631, Vicksburg, Miss. ATTN: Library		1
Director, Operations Research Office, Johns Hopkins University, 6410 Connecticut Ave., Chevy Chase, Md., ATTN: Library		1
Chief, QM R&D Lab., Philadelphia QM Depot, 2800 S. 20th St., Philadelphia 45, Pa., ATTN: Mr. John Davies		1
<u>NAVY</u>		
Chief of Naval Operations, D/N, Washington 25, D.C., ATTN: OP-36		1
Chief of Naval Operations, D/N, Washington 25, D.C., ATTN: OP-374(OEG)		1
Chief, Bureau of Medicine and Surgery, D/N, Washington 25, D.C., ATTN: Special Weapons Defense Division		1
Chief, Bureau of Ordnance, D/N, Washington 25, D.C.		1
Chief of Naval Personnel, D/N, Washington 25, D.C. ATTN: Pers C		1
Chief, Bureau of Ships, D/N, Washington 25, D.C. ATTN: Code 348		2

DISTRIBUTION LIST NO. 100 (CONT)

<u>ADDRESSEE</u>	<u>NAVY</u>	<u>No. of Cys</u>
Chief, Bureau of Supplies & Accounts, D/N, Washington 25, D.C.		1
Chief, Bureau of Yards & Docks, D/N, Washington 25, D.C. ATTN: P-312		1
Chief, Bureau of Aeronautics, D/N, Washington 25, D.C.		2
Chief of Naval Research, Code 219, Rm 1807, Bldg T-3, Washington 25, D.C., ATTN: RD Control Officer		1
Commander-in-Chief, US Pacific Fleet, Fleet Post Office, San Francisco, California		1
Commander-in-Chief, US Atlantic Fleet, US Naval Base, Norfolk 11, Va		1
Commandant, United States Marine Corps, Washington 25, D.C. ATTN: Code A03H		4
President, US Naval War College, Newport, Rhode Island		1
Superintendent, US Naval Postgraduate School, Monterey, Calif		1
Commanding Officer, US Naval Schools Command, US Naval Station Treasure Island, San Francisco, Calif		2
Commanding Officer, US Fleet Training Center, Naval Base, Norfolk 11, Va. ATTN: Special Weapons School		2
Commanding Officer, US Fleet Training Center, Naval Station, San Diego 36, Calif, ATTN: (SPWP School)		2
Commanding Officer, Air Development Squadron 5, VX-5, US Naval Air Station, Moffett Field, Calif		1
Commanding Officer, US Naval Damage Control Training Center, Naval Base, Philadelphia 12, Pa., ATTN: ABC Defense Course		1
Commanding Officer, US Naval Unit, Chemical Corps School, Army Chemical Training Center, Ft McClellan, Ala		1
Commander, US Naval Ordnance Laboratory, White Oak, Md, Silver Spring 19, Md., ATTN: EE R		1 1
Commander, US Naval Ordnance Test Station, Inyokern, China Lake, Calif		1
Commanding Officer, US Naval Medical Research Institute, National Naval Medical Center, Bethesda 14, Md.		1
Director, US Naval Research Laboratory, Washington 25, D.C.		1

DISTRIBUTION LIST NO. 100 (CONT)

<u>ADDRESSEE</u>	<u>NAVY</u>	<u>No. of Cys</u>
Director, The Material Laboratory, New York Naval Shipyard, Brooklyn, New York		1
Commanding Officer, & Director, US Naval Electronics Lab., San Diego, Calif, ATTN: Code 4223		1
Commanding Officer, US Naval Radiological Defense Laboratory, San Francisco 24, Calif., ATTN: Tech. Info Div		3
Commander, US Naval Air Development Center, Johnsville, Pa		1
Director, Office of Naval Research Branch Office, 1000 Geary St., San Francisco, California		2
Officer-in-Charge, US Naval Clothing Factory, US Naval Supply Activities New York, 3rd Ave., & 29th St., Brooklyn 32, N.Y. ATTN: R&D Div		1
Commanding Officer, Naval Medical Field Research Laboratory, Camp Lejeune, NC		1
<u>AIR FORCE</u>		
Asst for Atomic Energy, Hqs, USAF, Washington 25, D.C. ATTN: DCS/O		1
Director of Operations, Hqs, USAF, Washington 25, D.C. ATTN: Operations Analysis		1
Director of Plans, Hqs, USAF, Washington 25, D.C. ATTN: War Plans		1
Directorate of Requirements, Hqs, USAF, Washington 25, D.C. ATTN: AFDRQ-SA/M		1
Directorate of Research & Development, Armament Division, DCS/D, Hqs, USAF, Washington 25, D.C.		1
Directorate of Intelligence, Hqs, USAF, Washington 25, D.C. ATTN: AFOIN-1B2		2
The Surgeon General, Hqs, USAF, Washington 25, D.C. ATTN: Bio. Def. Br., Pre. Med. Div.		1
Commander, Strategic Air Command, Offutt AFB, Omaha Neb, ATTN: Chief Operations Analysis		1
Commander, Tactical Air Command, Langley AFB, Va., ATTN: Doc Sec Br		1
Commander, Air Defense Command, Ent AFB, Colorado		1
Commander, Air Materiel Command, Wright-Patterson AFB, Dayton, Ohio, ATTNP MCAIDS		2

DISTRIBUTION LIST NO. 100 (CONT)

<u>ADDRESSEE</u>	<u>AIR FORCE</u>	<u>No. of Cys.</u>
Commander, Air Training Command, Scott AFB, Belleville, Ill. ATTN: DCS/O GTP		1
Commander, Air Research & Development Command, PO Box 1395, Baltimore, Md., ATTN: RDDN		3
Commander, Air Proving Ground Command, Eglin AFB, Fla., ATTN: AG/TRB		1
Commander, Air University, Maxwell AFB, Alabama		2
Commander, Flying Training Air Force, Waco, Texas, ATTN: Dir of Observer Training		2
Commander, Crew Training Air Force, Randolph AFB, Randolph Field, Texas, ATTN: 2CTS, DCS/O		1
Commander, Headquarters Technical Training Air Force, Gulfport, Miss. ATTN: TA & D		1
Commander, Air Force School of Aviation Medicine, Randolph AFB, Tex		2
Commander, Wright Air Development Center, Wright-Patterson AFB, Dayton, Ohio, ATTN: WCOESP		1
Commander, AF Cambridge Research Center, 230 Albany Street, Cambridge 39, Mass., ATTN: Atomic Warfare Directorate		1
CRHX, Geophysics Research Directorate		1
Commander, AF Special Weapons Center, Kirtland AFB, N.M. ATTN: Tech Library		3
Commander, USAF Institute of Technology, Wright-Patterson AFB, Dayton, Ohio ATTN: Resident College		1
Commander, Lowry AFB, Denver, Colo. ATTN: Dept of Armament Eng.		1

OTHER DOD ACTIVITIES

Director, Weapons Systems Evaluation Group, OSD, Rm 2E1006, Pentagon, Washington 25, D.C.	1
United States National Military Representative, Headquarters, SHAPE, APO 55, c/o PM New York, N.Y. ATTN: Col. J.P. Healy	1
Asst. Secretary of Defense for Research and Development, DOD, Washington 25, D.C. ATTN: Tech Library	1
Commandant, Armed Forces Staff College, Norfolk 11, Va. ATTN: Secy	1
Commanding General, Field Command, AFSWP, PO Box 5100, Albuquerque, N.M.	6

DISTRIBUTION LIST NO. 100 (CONT)

<u>ADDRESSEE</u>	<u>OTHER DOD ACTIVITIES</u>	<u>No. of Cys.</u>
Chief, AFSWT, PO Box 2610, Washington 13, D.C.		15
<u>PANEL ON THERMAL RADIATION</u>		
Dr. H. C. Hottel, Mass. Institute of Technology, Cambridge, Mass.		1
Dr. E. O. Hulburt, Director Naval Research Laboratory, Washington 25, DC		1
Dr. H. E. Pearce, Strong Memorial Hospital, 260 Crittenden Blvd., University of Rochester 7, N.Y.		1
Dr. J. D. Hardy, Aviation Medical Acceleration Laboratory, Naval Air Development Center, Johnsville, Pa.		1
<u>OTHERS</u>		
Dr. E. F. Cox, Applied Physics Div, Sandia Corp, Albuquerque, N.M.		1
Dr. Alvin C. Graves, Los Alamos Scientific Lab. Box 1663, Los Alamos, N.M.		1
Director, Los Alamos Scientific Lab., PO Box 1663, Los Alamos, N.M. ATTN: Reports Library		1
Engineering Research, University of California, PO Box 4063, Westwood Village Station, Los Angeles 24, Calif,		1
Dr. William T. Ham Jr., Medical College of Virginia, Richmond, Va.		1
California Forest and Range Experimental Station, US Forest Service, PO Box 245, Berkeley, Calif. ATTN: W.L. Fons, Div Forest Fire Research		1
Prof. G.C. Williams, Dept. of Cml. Eng., Mass. Institute of Technology, Cambridge, Mass.		1
Mr. H. D. Bruce, Forest Products Lab., No. Walnut St., Madison 5, Wisc.		1
Mr. A.A. Brown, Chief, Fire Research Div., Forest Service, USDA, Washington 25, D.C.		1
Technical Operations Inc., 6 Schouler Court, Arlington 74, Mass., ATTN: Dr. Frederick C. Henriques.		1

Naval Material Laboratory. New York Naval Shipyard. 5046-3, Part 62 RESEARCH AND DEVELOPMENT ON CRITICAL THERMAL EFFECTS OF CERTAIN MATERIALS by L. Benet and J. Bracciaventi. Final Report. 2 Sept. 1954 8 p. Tables CONFIDENTIAL Critical thermal energy values of curtain materials for airplanes, submitted by the Wright Air Development Center were evaluated by exposing them to the carbon arc source. The influence of changes in irradiance and degrees of bleaching of a cotton fabric were determined. Measurements were performed on both, artificially soiled and soiled and cleaned fabrics. In addition, the influence of previous radiation exposures upon critical energy values was determined.	1. Textiles - effects of radiation I. Benet, L. II. Bracciaventi, J. III. NS 081-001 IV. AFSEP-400 CONFIDENTIAL
Naval Material Laboratory. New York Naval Shipyard. 5046-3, Part 62 RESEARCH AND DEVELOPMENT ON CRITICAL THERMAL EFFECTS OF CERTAIN MATERIALS by L. Benet and J. Bracciaventi. Final Report. 2 Sept. 1954 8 p. Tables CONFIDENTIAL Critical thermal energy values of curtain materials for airplanes, submitted by the Wright Air Development Center were evaluated by exposing them to the carbon arc source. The influence of changes in irradiance and degrees of bleaching of a cotton fabric were determined. Measurements were performed on both, artificially soiled and soiled and cleaned fabrics. In addition, the influence of previous radiation exposures upon critical energy values was determined.	1. Textiles - effects of radiation I. Benet, L. II. Bracciaventi, J. III. NS 081-001 IV. AFSEP-400 CONFIDENTIAL
Naval Material Laboratory. New York Naval Shipyard. 5046-3, Part 62 RESEARCH AND DEVELOPMENT ON CRITICAL THERMAL EFFECTS OF CERTAIN MATERIALS by L. Benet and J. Bracciaventi. Final Report. 2 Sept. 1954 8 p. Tables CONFIDENTIAL Critical thermal energy values of curtain materials for airplanes, submitted by the Wright Air Development Center were evaluated by exposing them to the carbon arc source. The influence of changes in irradiance and degrees of bleaching of a cotton fabric were determined. Measurements were performed on both, artificially soiled and soiled and cleaned fabrics. In addition, the influence of previous radiation exposures upon critical energy values was determined.	1. Textiles - effects of radiation I. Benet, L. II. Bracciaventi, J. III. NS 081-001 IV. AFSEP-400 CONFIDENTIAL
Naval Material Laboratory. New York Naval Shipyard. 5046-3, Part 62 RESEARCH AND DEVELOPMENT ON CRITICAL THERMAL EFFECTS OF CERTAIN MATERIALS by L. Benet and J. Bracciaventi. Final Report. 2 Sept. 1954 8 p. Tables CONFIDENTIAL Critical thermal energy values of curtain materials for airplanes, submitted by the Wright Air Development Center were evaluated by exposing them to the carbon arc source. The influence of changes in irradiance and degrees of bleaching of a cotton fabric were determined. Measurements were performed on both, artificially soiled and soiled and cleaned fabrics. In addition, the influence of previous radiation exposures upon critical energy values was determined.	1. Textiles - effects of radiation I. Benet, L. II. Bracciaventi, J. III. NS 081-001 IV. AFSEP-400 CONFIDENTIAL

Naval Materiel Laboratory. New York Naval
Shipyard. 5044-3, Part 62

RESEARCH AND DEVELOPMENT ON CRITICAL THERMAL
ENERGIES OF CERTAIN MATERIALS by L. Benet and
J. Brecciaventi. Final Report. 2 Sept. 1954
8 p. Tables

CONFIDENTIAL

Critical thermal energy values of curtain materials for airplanes, submitted by the Wright Air Development Center were evaluated by exposing them to the carbon arc source. The influence of changes in irradiance and degrees of bleaching of a cotton fabric were determined. Measurements were performed on both, artificially soiled and soiled and cleaned fabrics. In addition, the influence of previous radiation exposures upon critical energy values was determined.

- I. Textiles - effects of radiation
- I. Benet, L.
- II. Brecciaventi, J.
- III. NS 081-001
- IV. AFSEP-400

CONFIDENTIAL

Naval Materiel Laboratory. New York Naval
Shipyard. 5046-3, Part 62

RESEARCH AND DEVELOPMENT ON CRITICAL THERMAL
ENERGIES OF CERTAIN MATERIALS by L. Benet and
J. Brecciaventi. Final Report. 2 Sept. 1954
8 p. Tables

CONFIDENTIAL

Critical thermal energy values of curtain materials for airplanes, submitted by the Wright Air Development Center were evaluated by exposing them to the carbon arc source. The influence of changes in irradiance and degrees of bleaching of a cotton fabric were determined. Measurements were performed on both, artificially soiled and soiled and cleaned fabrics. In addition, the influence of previous radiation exposures upon critical energy values was determined.

- I. Textiles - effects of radiation
- I. Benet, L.
- II. Brecciaventi, J.
- III. NS 081-001
- IV. AFSEP-400

CONFIDENTIAL

Naval Materiel Laboratory. New York Naval
Shipyard. 5046-3, Part 62

RESEARCH AND DEVELOPMENT ON CRITICAL THERMAL
ENERGIES OF CERTAIN MATERIALS by L. Benet and
J. Brecciaventi. Final Report. 2 Sept. 1954
8 p. Tables

CONFIDENTIAL

Critical thermal energy values of curtain materials for airplanes, submitted by the Wright Air Development Center were evaluated by exposing them to the carbon arc source. The influence of changes in irradiance and degrees of bleaching of a cotton fabric were determined. Measurements were performed on both, artificially soiled and soiled and cleaned fabrics. In addition, the influence of previous radiation exposures upon critical energy values was determined.

- I. Textiles - effects of radiation
- I. Benet, L.
- II. Brecciaventi, J.
- III. NS 081-001
- IV. AFSEP-400

CONFIDENTIAL