QC 801
U54
no.58
v.3

TR-58-228(III)
Document No. AD-152571

AD-152571

GEOPHYSICAL RESEARCH PAPERS

No. 58

THEORY OF LARGE-SCALE ATMOSPHERIC DIFFUSION AND ITS APPLICATION TO AIR TRAJECTORIES

VOLUME III.

THE DOWNSTREAM PROBABILITY DENSITY FUNCTION FOR NORTH AMERICA AND EURASIA

SAMUEL B SOLOT
AND
EUGENE M DARLING, JR

JUNE 1958

GRD



GEOPHYSICS RESEARCH DIRECTORATE
AIR FORCE CAMBRIDGE RESEARCH CENTER
AIR RESEARCH AND DEVELOPMENT COMMAND
UNITED STATES AIR FORCE
BEDFORD, MASSACHUSETTS

Requests for additional copies by Agencies of the Department of Defense, their contractors, and other government agencies should be directed to the:

Armed Services Technical Information Agency
Arlington Hall Station
Arlington 12, Virginia

Department of Defense contractors must be established for ASTIA services, or have their 'need-to-know' certified by the cognizant military agency of their project or contract.

All other persons and organizations should apply to the:

U. S. DEPARTMENT OF COMMERCE
OFFICE OF TECHNICAL SERVICES,
WASHINGTON 25, D. C.

DISCLAIMER NOTICE

THIS DOCUMENT IS BEST QUALITY PRACTICABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

U. S. WEATHER BUREAU
NWRC LIBRARY

AFCRC-TR-58-228(III)
ASTIA Document No. AD 152571

GEOPHYSICAL RESEARCH PAPERS
No. 58

Theory of Large-Scale Atmospheric Diffusion and
Its Application to Air Trajectories

THE DOWNSTREAM PROBABILITY DENSITY FUNCTION FOR NORTH AMERICA AND EURASIA.

VOLUME III

SAMUEL B. SOLOT
and
EUGENE M. DARLING, JR.

June 1958

PROJECT 7616

Atmospheric Analysis Laboratory
GEOPHYSICS RESEARCH DIRECTORATE
AIR FORCE CAMBRIDGE RESEARCH CENTER
AIR RESEARCH AND DEVELOPMENT COMMAND
UNITED STATES AIR FORCE
BEDFORD, MASS.

CONTENTS

	Page
Foreword	iii
Introduction to Table I, North America, and Table II, Eurasia	1

TABLE I. NORTH AMERICA

Height: 40,000 to 80,000 ft. Season: January, April, July, October

Time 1 Day -	Initial Latitude 30°	4 - 9
	Initial Latitude 35°	10 - 14
	Initial Latitude 40°	15 - 19
	Initial Latitude 45°	20 - 24
	Initial Latitude 50°	25 - 29
	Initial Latitude 55°	30 - 34
	Initial Latitude 60°	35 - 39
	Initial Latitude 65°	40 - 44
	Initial Latitude 70°	45 - 50
Time 3 Days -	Initial Latitude 30°	51 - 56
	Initial Latitude 35°	57 - 61
	Initial Latitude 40°	62 - 66
	Initial Latitude 45°	67 - 71
	Initial Latitude 50°	72 - 76
	Initial Latitude 55°	77 - 81
	Initial Latitude 60°	82 - 86
	Initial Latitude 65°	87 - 91
	Initial Latitude 70°	92 - 97
Time 6 Days -	Initial Latitude 30°	98 - 103
	Initial Latitude 35°	104 - 108
	Initial Latitude 40°	109 - 113
	Initial Latitude 45°	114 - 118
	Initial Latitude 50°	119 - 123
	Initial Latitude 55°	124 - 128
	Initial Latitude 60°	129 - 133
	Initial Latitude 65°	134 - 138
	Initial Latitude 70°	139 - 144
Time 12 Days -	Initial Latitude 30°	145 - 150
	Initial Latitude 35°	151 - 155
	Initial Latitude 40°	156 - 160
	Initial Latitude 45°	161 - 165
	Initial Latitude 50°	166 - 170
	Initial Latitude 55°	171 - 175
	Initial Latitude 60°	176 - 180
	Initial Latitude 65°	181 - 185
	Initial Latitude 70°	186 - 191

CONTENTS (cont)

Page

TABLE II. EURASIA

Height: 40,000 to 80,000 ft. Season: January, April, July, October

Time 1 Day -	Initial Latitude 30°	192 - 196
	Initial Latitude 35°	197 - 201
	Initial Latitude 40°	202 - 206
	Initial Latitude 45°	207 - 211
	Initial Latitude 50°	212 - 216
	Initial Latitude 55°	217 - 221
	Initial Latitude 60°	222 - 226
	Initial Latitude 65°	227 - 231
	Initial Latitude 70°	232 - 236
Time 3 Days -	Initial Latitude 30°	237 - 241
	Initial Latitude 35°	242 - 246
	Initial Latitude 40°	247 - 251
	Initial Latitude 45°	252 - 256
	Initial Latitude 50°	257 - 261
	Initial Latitude 55°	262 - 266
	Initial Latitude 60°	267 - 271
	Initial Latitude 65°	272 - 276
	Initial Latitude 70°	277 - 281
Time 6 Days -	Initial Latitude 30°	282 - 286
	Initial Latitude 35°	287 - 291
	Initial Latitude 40°	292 - 296
	Initial Latitude 45°	297 - 301
	Initial Latitude 50°	302 - 306
	Initial Latitude 55°	307 - 311
	Initial Latitude 60°	312 - 316
	Initial Latitude 65°	317 - 321
	Initial Latitude 70°	322 - 326
Time 12 Days -	Initial Latitude 30°	327 - 331
	Initial Latitude 35°	332 - 336
	Initial Latitude 40°	337 - 341
	Initial Latitude 45°	342 - 346
	Initial Latitude 50°	347 - 351
	Initial Latitude 55°	352 - 356
	Initial Latitude 60°	357 - 361
	Initial Latitude 65°	362 - 366
	Initial Latitude 70°	367 - 371

Time	Initial Latitude	Height	Month
1	30	80,000	October
1	70	60,000	July
3	30	80,000	October
3	70	60,000	July
6	30	80,000	October
6	70	60,000	July
12	30	80,000	October
12	70	60,000	July

TABLE I. NORTH AMERICA

1 - 30 - 40,000

LAT BAND	LONGITUDE 0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0
60 - 55	9	9	6	6	4	2	1	0	0	0	0	0	0	0	0
55 - 50	27	26	24	18	12	6	3	1	0	0	0	0	0	0	0
50 - 45	58	57	38	42	29	15	6	2	0	0	0	0	0	0	0
45 - 40	90	83	82	72	52	30	13	5	1	0	0	0	0	0	0
40 - 35	126	123	113	94	62	34	15	5	1	0	0	0	0	0	0
35 - 30	156	154	119	92	54	23	7	1	0	0	0	0	0	0	0
30 - 25	179	164	123	65	28	9	1	0	0	0	0	0	0	0	0
APRIL															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	2	2	2	1	0	0	0	0	0	0	0	0	0	0	0
55 - 50	13	12	9	5	3	1	0	0	0	0	0	0	0	0	0
50 - 45	42	33	30	17	7	1	0	0	0	0	0	0	0	0	0
45 - 40	90	66	63	37	16	4	1	0	0	0	0	0	0	0	0
40 - 35	140	134	107	64	23	6	1	0	0	0	0	0	0	0	0
35 - 30	179	164	134	82	32	9	1	0	0	0	0	0	0	0	0
30 - 25	172	166	129	99	46	6	1	0	0	0	0	0	0	0	0
JULY															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55 - 50	3	4	2	0	0	0	0	0	0	0	0	0	0	0	0
50 - 45	15	11	5	1	0	0	0	0	0	0	0	0	0	0	0
45 - 40	47	34	14	2	0	0	0	0	0	0	0	0	0	0	0
40 - 35	117	53	6	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	178	44	4	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	144	6	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	3	3	1	1	1	0	0	0	0	0	0	0	0	0	0
55 - 50	12	11	6	4	2	1	0	0	0	0	0	0	0	0	0
50 - 45	30	26	14	10	4	1	0	0	0	0	0	0	0	0	0
45 - 40	84	70	42	27	9	1	0	0	0	0	0	0	0	0	0
40 - 35	151	113	70	40	9	1	0	0	0	0	0	0	0	0	0
35 - 30	200	100	69	44	8	1	0	0	0	0	0	0	0	0	0
30 - 25	138	107	57	8	0	0	0	0	0	0	0	0	0	0	0

VOLUME III

THE DOWNSTREAM PROBABILITY DENSITY FUNCTION FOR NORTH AMERICA AND EURASIA

Table I. North America and Table II. Eurasia were computed from the data in Table I. Constant Wind, Volume II, by introducing the actual wind profiles for these two regions for various heights and seasons. The appropriate wind profiles were then integrated between the initial latitude and each successive latitude band in order to obtain the value of $\hat{U}$ (see page 15, Volume I) appropriate to each band. The corresponding relative frequencies were determined by linear interpolation.

For example, if, for a specified region, height, and season, the value of $\hat{U}$ corresponding to the latitude band 40°N to 35°N is WEST 43 kts for an initial latitude of 50°N, then the appropriate relative frequencies are obtained from the page in Table I, Volume II, headed T - 50 - 40 to 35, where T = 1, 3, 6, or 12 days, by interpolating 3/10ths of the way between the values in the WEST 40-kt and WEST 50-kt columns.

The parameters in Tables I and II are:

Region: Table I. North America.
Table II. Eurasia.

Season: January, April, July, and October.

Height: 40,000, 50,000, 60,000, 70,000, and 80,000 feet.

ϕ_o - initial latitude (degrees).

λ - longitude (degrees).

ϕ - 5-degree latitude bands.

Solutions are given for time periods of 1, 3, 6, and 12 days.

At the top of each page appears the table number and region; either Table I. North America or Table II. Eurasia. Immediately below the table designation is a group of numbers which gives the time, initial latitude, and height. For example, the number group 3 - 35 - 40,000 is decoded as follows:

3 - time in days.

35 - initial latitude in degrees.

40,000 - the 40,000-foot level

At the extreme left are the names of the four mid-season months: January, April, July, and October. To the right of these is a column headed LAT BAND which designates the 10 latitude bands. These bands are repeated for each month. The word LONGITUDE beneath the number group pertains to the row immediately below which gives the distance in degrees longitude from the origin.

The numbers in the body of the tables are relative frequency (that is, percent of total balloons launched to the nearest 1/10th of 1 percent of balloon location. The following illustrates the use of these tables:

EXAMPLE. If balloons launched at 45°N in North America in October were to float at a constant level of 80,000 feet, what would be the relative frequency of balloons between 55°N and 50°N at a distance of 80° longitude from the origin after 12 days?

SOLUTION. (a) Turn to the page in Table I. North America headed by the designator group 12 - 45 - 80,000. (b) Consult the bottom block of data next to the word October. At the intersection between the row labelled 55 - 50 and the column headed 80, read off 2.8 percent.

The pages of Tables I and II are arranged in the following order with respect to the various parameters:

Time: 1, 3, 6, and 12 days.

Initial latitude: 30°N through 70°N at 5° latitude intervals.

Height: 40,000 through 80,000 feet at 10,000-foot intervals.

For those cases where the mean zonal wind for a given season changes sign at some latitude, we have prepared two separate tables, one for eastward displacements and one for westward displacements. This situation occurs in Volume III, Table I. North America, as follows:

FOREWORD

This Geophysics Research Paper is published in three separate volumes.

In Volume I the theory of large-scale atmospheric diffusion is developed. The application of this theory to air trajectories is presented in Volumes II and III.

Volume II contains probability tables for various constant values of mean zonal wind.

Volume III consists of probability tables for North America and Eurasia.

TABLE 1. NORTH AMERICA (CONT.)

1 - 30 - 50,000

LAT BAND		MONTH	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
75 - 70		JANUARY															
70 - 65																	
65 - 60																	
60 - 55																	
55 - 50																	
50 - 45																	
45 - 40																	
40 - 35																	
35 - 30																	
30 - 25																	
75 - 70		APRIL															
70 - 65																	
65 - 60																	
60 - 55																	
55 - 50																	
50 - 45																	
45 - 40																	
40 - 35																	
35 - 30																	
30 - 25																	
75 - 70		JULY															
70 - 65																	
65 - 60																	
60 - 55																	
55 - 50																	
50 - 45																	
45 - 40																	
40 - 35																	
35 - 30																	
30 - 25																	
75 - 70		OCTOBER															
70 - 65																	
65 - 60																	
60 - 55																	
55 - 50																	
50 - 45																	
45 - 40																	
40 - 35																	
35 - 30																	
30 - 25																	

TABLE I. NORTH AMERICA (CONT.)

1 - 30 - 60,000

LAT. BAND		LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	8	7	2	2	1	0	0	0	0	0	0	0	0	0	0
	50 - 45	30	26	17	7	2	0	0	0	0	0	0	0	0	0	0
	45 - 40	80	70	42	20	5	0	0	0	0	0	0	0	0	0	0
	40 - 35	181	132	67	30	8	1	0	0	0	0	0	0	0	0	0
	35 - 30	226	180	109	41	8	1	0	0	0	0	0	0	0	0	0
	30 - 25	267	147	30	2	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	7	6	6	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	43	29	9	2	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	147	98	34	5	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	250	174	54	8	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	269	134	14	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	17	7	1	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	71	45	4	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	278	44	3	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	222	2	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

1 - 30 - 70,000

	LAT. BAND	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	4	6	4	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	17	13	7	2	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	64	48	4	5	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	135	116	54	11	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	442	177	52	2	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	513	58	4	0	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	66	43	6	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	210	76	4	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	442	6	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	14	3	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	458	102	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	470	26	7	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	34	4	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	442	4	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

1 - 30 - 80,000



TABLE I. NORTH AMERICA (CONT.)

1 - 30 - 80,000

LATITUDE BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	29	1	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	414	46	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	474	201	3	0	0	0	0	0	0	0	0	0	0	0	0

OCTOBER

TABLE I. NORTH AMERICA (CONT.)

1 - 35 - 40,000

		LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	70 - 75	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	1	3	2	1	0	0	0	0	0	0	0	0
	55 - 50	24	23	21	17	12	6	3	1	0	0	0	0	0	0	0
	50 - 45	50	50	50	41	29	16	7	2	1	0	0	0	0	0	0
	45 - 40	80	83	86	73	55	34	15	6	2	0	0	0	0	0	0
	40 - 35	119	116	112	93	70	51	30	13	5	2	0	0	0	0	0
	35 - 30	145	142	138	109	84	58	34	17	7	2	0	0	0	0	0
	30 - 25	162	154	132	99	64	43	21	7	2	0	0	0	0	0	0
	25 - 20	150	130	110	73	37	14	5	1	0	0	0	0	0	0	0
APRIL	70 - 75	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	1	2	1	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	3	5	6	4	1	0	0	0	0	0	0	0	0	0	0
	50 - 45	30	33	26	15	6	2	1	0	0	0	0	0	0	0	0
	45 - 40	07	01	01	36	10	3	1	0	0	0	0	0	0	0	0
	40 - 35	140	135	107	59	20	6	1	0	0	0	0	0	0	0	0
	35 - 30	106	100	134	60	30	11	2	0	0	0	0	0	0	0	0
	30 - 25	170	104	131	80	36	9	1	0	0	0	0	0	0	0	0
	25 - 20	14	13	16	5	2	0	0	0	0	0	0	0	0	0	0
JULY	70 - 75	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	3	3	3	2	1	0	0	0	0	0	0	0	0	0	0
	50 - 45	24	21	14	6	1	0	0	0	0	0	0	0	0	0	0
	45 - 40	72	61	33	14	3	1	0	0	0	0	0	0	0	0	0
	40 - 35	153	119	65	18	3	0	0	0	0	0	0	0	0	0	0
	35 - 30	267	165	46	6	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	270	94	21	3	0	0	0	0	0	0	0	0	0	0	0
	25 - 20	39	13	3	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	70 - 75	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	2	2	1	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	12	11	5	3	1	1	0	0	0	0	0	0	0	0	0
	50 - 45	37	34	17	7	2	1	0	0	0	0	0	0	0	0	0
	45 - 40	79	72	52	24	7	2	1	0	0	0	0	0	0	0	0
	40 - 35	149	139	100	44	14	4	1	0	0	0	0	0	0	0	0
	35 - 30	193	170	130	67	22	5	1	0	0	0	0	0	0	0	0
	30 - 25	200	100	109	44	10	1	0	0	0	0	0	0	0	0	0
	25 - 20	155	121	90	46	16	4	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

1 - 35 - 50,000

LAT (EAST)	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0
65 - 60	4	4	3	2	1	1	0	0	0	0	0	0	0	0	0
60 - 55	16	15	13	8	5	2	0	0	0	0	0	0	0	0	0
55 - 50	47	44	30	27	15	7	2	1	0	0	0	0	0	0	0
50 - 45	94	90	70	57	34	15	4	1	0	0	0	0	0	0	0
45 - 40	137	131	110	90	57	26	9	2	0	0	0	0	0	0	0
40 - 35	151	146	135	108	76	41	17	5	1	0	0	0	0	0	0
35 - 30	168	159	131	92	63	16	3	1	0	0	0	0	0	0	0
30 - 25	140	132	101	52	19	4	1	0	0	0	0	0	0	0	0
APRIL															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	4	3	2	1	0	0	0	0	0	0	0	0	0	0	0
55 - 50	24	21	14	6	1	0	0	0	0	0	0	0	0	0	0
50 - 45	70	67	42	19	5	1	0	0	0	0	0	0	0	0	0
45 - 40	155	131	89	35	10	1	0	0	0	0	0	0	0	0	0
40 - 35	202	178	122	56	19	3	1	0	0	0	0	0	0	0	0
35 - 30	193	175	123	60	19	2	0	0	0	0	0	0	0	0	0
30 - 25	150	131	96	37	10	1	0	0	0	0	0	0	0	0	0
JULY															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55 - 50	8	5	3	1	0	0	0	0	0	0	0	0	0	0	0
50 - 45	37	25	9	1	0	0	0	0	0	0	0	0	0	0	0
45 - 40	136	69	15	1	0	0	0	0	0	0	0	0	0	0	0
40 - 35	310	87	6	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	224	4	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	21	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	5	4	3	1	0	0	0	0	0	0	0	0	0	0	0
55 - 50	21	16	11	4	1	0	0	0	0	0	0	0	0	0	0
50 - 45	60	57	31	14	3	0	0	0	0	0	0	0	0	0	0
45 - 40	153	119	65	16	3	0	0	0	0	0	0	0	0	0	0
40 - 35	233	179	79	16	2	0	0	0	0	0	0	0	0	0	0
35 - 30	267	165	37	5	0	0	0	0	0	0	0	0	0	0	0
30 - 25	136	60	9	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

I - 35 - 60,000

	LAT. BAND	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	7	6	4	2	1	0	0	0	0	0	0	0	0	0	0
	55 - 50	23	16	10	4	2	0	0	0	0	0	0	0	0	0	0
	50 - 45	50	72	48	24	7	2	0	0	0	0	0	0	0	0	0
	45 - 40	151	112	55	43	14	3	0	0	0	0	0	0	0	0	0
	40 - 35	197	177	96	61	23	4	1	0	0	0	0	0	0	0	0
	35 - 30	200	106	55	44	9	1	0	0	0	0	0	0	0	0	0
	30 - 25	153	114	49	9	1	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	3	2	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	40	28	9	2	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	143	91	33	5	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	254	174	60	9	1	0	0	0	0	0	0	0	0	0	0
	35 - 30	250	174	54	8	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	143	91	24	2	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	40	28	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	224	4	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	40	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	3	3	2	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	31	12	4	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	167	84	14	1	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	287	122	16	1	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	270	44	1	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	39	5	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

1 - 35 - 70,000

	LAT BAND	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	4	3	2	1	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	20	17	10	4	1	0	0	0	0	0	0	0	0	0	0
	50 - 45	68	57	31	12	3	0	0	0	0	0	0	0	0	0	0
	45 - 40	155	120	80	28	4	0	0	0	0	0	0	0	0	0	0
	40 - 35	245	181	97	29	5	1	0	0	0	0	0	0	0	0	0
	35 - 30	243	177	89	29	5	0	0	0	0	0	0	0	0	0	0
	30 - 25	134	60	28	9	2	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	68	13	1	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	297	57	1	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	316	70	1	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	57	7	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	34	4	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	420	67	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	458	102	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	9	4	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	80	17	1	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	310	70	1	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	22	4	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

I - 35 - 80,000

LAT BAND		LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	2	2	1	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	12	10	5	1	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	50	43	16	3	1	0	0	0	0	0	0	0	0	0	0
	40 - 35	151	110	36	10	1	0	0	0	0	0	0	0	0	0	0
	35 - 30	241	179	70	13	1	0	0	0	0	0	0	0	0	0	0
	30 - 25	278	161	40	5	0	0	0	0	0	0	0	0	0	0	0
	25 - 20	91	35	7	1	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	30	2	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	222	4	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	222	4	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	27	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	9	2	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	477	239	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	474	274	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	32	16	2	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	33	6	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	83	37	1	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	40	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

1 - 40 - 40,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	3	3	2	2	1	1	0	0	0	0	0	0	0	0	0
65 - 60	10	13	13	10	7	4	2	0	0	0	0	0	0	0	0
60 - 55	48	47	42	33	22	12	5	2	0	0	0	0	0	0	0
55 - 50	93	91	84	68	40	25	12	4	1	0	0	0	0	0	0
50 - 45	136	129	120	101	70	46	23	9	3	1	0	0	0	0	0
45 - 40	133	131	123	110	82	61	36	20	8	3	1	0	0	0	0
40 - 35	120	123	116	102	84	58	34	17	7	2	0	0	0	0	0
35 - 30	120	123	113	94	62	34	15	5	1	0	0	0	0	0	0
30 - 25	93	93	84	63	40	19	6	2	0	0	0	0	0	0	0
APRIL															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	3	4	3	2	1	0	0	0	0	0	0	0	0	0	0
60 - 55	22	22	16	9	3	1	0	0	0	0	0	0	0	0	0
55 - 50	60	72	59	30	11	2	0	0	0	0	0	0	0	0	0
50 - 45	151	138	102	57	22	6	1	0	0	0	0	0	0	0	0
45 - 40	202	165	132	71	27	6	1	0	0	0	0	0	0	0	0
40 - 35	182	162	134	80	30	11	2	0	0	0	0	0	0	0	0
35 - 30	145	134	107	64	23	6	1	0	0	0	0	0	0	0	0
30 - 25	91	86	67	41	17	4	1	0	0	0	0	0	0	0	0
JULY															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	8	5	4	2	1	1	0	0	0	0	0	0	0	0	0
60 - 55	28	25	18	10	4	1	0	0	0	0	0	0	0	0	0
55 - 50	60	72	59	34	11	2	0	0	0	0	0	0	0	0	0
50 - 45	151	136	100	64	20	5	1	0	0	0	0	0	0	0	0
45 - 40	203	185	122	66	23	4	0	0	0	0	0	0	0	0	0
40 - 35	167	165	46	6	0	0	0	0	0	0	0	0	0	0	0
35 - 30	117	53	8	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	7	1	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0
65 - 60	9	8	6	4	2	1	0	0	0	0	0	0	0	0	0
60 - 55	35	33	26	17	9	4	1	0	0	0	0	0	0	0	0
55 - 50	84	77	62	37	16	5	1	0	0	0	0	0	0	0	0
50 - 45	150	137	106	66	26	8	1	0	0	0	0	0	0	0	0
45 - 40	197	181	134	77	31	7	1	0	0	0	0	0	0	0	0
40 - 35	193	175	130	67	26	5	1	0	0	0	0	0	0	0	0
35 - 30	151	133	90	40	9	1	0	0	0	0	0	0	0	0	0
30 - 25	76	67	37	12	2	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA CONT.)

1 - 40 - 50,000

	LATITUDE	LONGITUDE													
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	10	9	7	5	3	2	0	0	0	0	0	0	0	0	0
	60 - 55	37	35	26	19	10	5	1	0	0	0	0	0	0	0	0
	55 - 50	69	63	69	47	24	8	3	0	0	0	0	0	0	0	0
	50 - 45	145	137	115	81	43	17	5	1	0	0	0	0	0	0	0
	45 - 40	170	163	144	106	63	27	10	2	0	0	0	0	0	0	0
	40 - 35	151	146	130	106	76	41	17	5	1	0	0	0	0	0	0
	35 - 30	137	131	116	86	64	38	18	5	1	0	0	0	0	0	0
	30 - 25	94	88	70	44	19	5	1	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	2	1	2	1	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	14	11	7	2	1	0	0	0	0	0	0	0	0	0	0
	55 - 50	69	53	34	14	2	0	0	0	0	0	0	0	0	0	0
	50 - 45	153	128	78	31	8	1	0	0	0	0	0	0	0	0	0
	45 - 40	223	196	112	44	11	1	0	0	0	0	0	0	0	0	0
	40 - 35	202	170	122	56	13	3	1	0	0	0	0	0	0	0	0
	35 - 30	150	134	94	45	11	1	0	0	0	0	0	0	0	0	0
	30 - 25	84	75	60	21	6	1	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	11	9	5	2	1	0	0	0	0	0	0	0	0	0	0
	55 - 50	53	40	22	7	1	0	0	0	0	0	0	0	0	0	0
	50 - 45	150	115	56	15	2	0	0	0	0	0	0	0	0	0	0
	45 - 40	254	187	72	16	2	0	0	0	0	0	0	0	0	0	0
	40 - 35	310	97	26	6	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	80	14	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	4	3	3	1	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	29	20	14	7	3	1	0	0	0	0	0	0	0	0	0
	55 - 50	72	61	43	19	5	1	0	0	0	0	0	0	0	0	0
	50 - 45	153	129	81	34	9	1	0	0	0	0	0	0	0	0	0
	45 - 40	229	190	108	41	10	1	0	0	0	0	0	0	0	0	0
	40 - 35	238	172	72	16	2	0	0	0	0	0	0	0	0	0	0
	35 - 30	140	102	30	6	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	49	25	6	1	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

1 - 40 - 60,000

		LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	1	1	*	1	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	5	*	2	1	1	0	0	0	0	0	0	0	0	0
	60 - 55	24	21	10	0	3	1	0	0	0	0	0	0	0	0	0
	55 - 50	73	68	47	23	7	1	0	0	0	0	0	0	0	0	0
	50 - 45	153	134	93	44	13	2	0	0	0	0	0	0	0	0	0
	45 - 40	211	187	123	64	19	3	0	0	0	0	0	0	0	0	0
	40 - 35	197	177	126	61	23	4	1	0	0	0	0	0	0	0	0
	35 - 30	151	132	87	36	8	1	0	0	0	0	0	0	0	0	0
	30 - 25	74	59	29	9	1	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	1	2	1	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	29	17	6	1	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	139	89	27	4	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	181	178	41	4	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	254	176	80	9	1	0	0	0	0	0	0	0	0	0	0
	35 - 30	147	95	34	5	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	43	29	6	1	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	60	24	4	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	283	76	1	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	224	41	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	27	11	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	1	1	*	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	9	7	3	1	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	45	31	16	4	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	140	92	34	5	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	265	177	36	2	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	297	122	16	1	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	91	25	1	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

I - 40 - 70,000

		LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	4	5	3	1	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	17	14	9	4	1	0	0	0	0	0	0	0	0	0	0
	55 - 50	65	53	34	14	2	0	0	0	0	0	0	0	0	0	0
	50 - 45	153	126	73	26	5	1	0	0	0	0	0	0	0	0	0
	45 - 40	231	194	104	35	6	1	0	0	0	0	0	0	0	0	0
	40 - 35	223	181	97	29	6	1	0	0	0	0	0	0	0	0	0
	35 - 30	153	116	54	11	2	0	0	0	0	0	0	0	0	0	0
	30 - 25	40	26	6	1	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	5	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	56	35	9	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	97	57	11	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	69	14	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	31	4	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	370	64	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	420	67	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	112	13	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	2	2	1	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	19	11	4	1	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	101	56	18	3	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	310	116	29	6	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	318	76	11	1	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	39	5	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

1 - 40 - 80,000

LAT. LAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0
65 - 60	3	2	2	1	0	0	0	0	0	0	0	0	0	0	0
60 - 55	12	10	6	2	1	0	0	0	0	0	0	0	0	0	0
55 - 50	50	37	20	6	1	0	0	0	0	0	0	0	0	0	0
50 - 45	149	111	54	13	1	0	0	0	0	0	0	0	0	0	0
45 - 40	250	186	76	16	2	0	0	0	0	0	0	0	0	0	0
40 - 35	241	179	75	17	1	0	0	0	0	0	0	0	0	0	0
35 - 30	143	95	34	5	0	0	0	0	0	0	0	0	0	0	0
30 - 25	21	11	4	0	0	0	0	0	0	0	0	0	0	0	0
APRIL															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55 - 50	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0
50 - 45	27	1	0	0	0	0	0	0	0	0	0	0	0	0	0
45 - 40	226	9	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	226	4	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	27	1	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
50 - 45	24	5	0	0	0	0	0	0	0	0	0	0	0	0	0
45 - 40	464	273	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	477	239	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	9	3	1	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55 - 50	6	2	0	0	0	0	0	0	0	0	0	0	0	0	0
50 - 45	57	16	1	0	0	0	0	0	0	0	0	0	0	0	0
45 - 40	241	26	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	269	37	1	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	27	1	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

1 - 45 - 40,000

	LAT BAND	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	7	6	5	3	2	1	0	0	0	0	0	0	0	0	0
	65 - 60	34	30	26	20	10	4	2	0	0	0	0	0	0	0	0
	60 - 55	87	82	69	50	29	13	5	1	0	0	0	0	0	0	0
	55 - 50	146	133	119	90	57	25	10	3	1	0	0	0	0	0	0
	50 - 45	171	164	145	117	74	38	17	5	1	0	0	0	0	0	0
	45 - 40	133	131	122	110	90	61	36	20	8	3	1	0	0	0	0
	40 - 35	111	116	110	95	76	51	30	13	5	2	0	0	0	0	0
	35 - 30	90	93	85	72	52	30	13	5	1	0	0	0	0	0	0
	30 - 25	60	58	53	42	20	14	5	2	1	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	2	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	15	12	8	4	1	0	0	0	0	0	0	0	0	0	0
	60 - 55	68	54	42	22	7	2	0	0	0	0	0	0	0	0	0
	55 - 50	153	139	104	57	24	5	1	0	0	0	0	0	0	0	0
	50 - 45	208	196	135	80	30	7	2	0	0	0	0	0	0	0	0
	45 - 40	202	183	131	71	27	6	1	0	0	0	0	0	0	0	0
	40 - 35	146	135	107	59	25	6	1	0	0	0	0	0	0	0	0
	35 - 30	90	82	63	39	16	4	1	0	0	0	0	0	0	0	0
	30 - 25	49	44	34	20	9	3	1	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	3	2	2	1	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	24	21	17	10	5	1	1	0	0	0	0	0	0	0	0
	60 - 55	76	71	55	33	14	4	1	0	0	0	0	0	0	0	0
	55 - 50	151	139	107	67	33	10	3	0	0	0	0	0	0	0	0
	50 - 45	197	181	142	94	42	13	3	1	0	0	0	0	0	0	0
	45 - 40	209	185	140	66	23	4	0	0	0	0	0	0	0	0	0
	40 - 35	153	119	65	10	-3	0	0	0	0	0	0	0	0	0	0
	35 - 30	47	32	12	2	-0	0	0	0	0	0	0	0	0	0	0
	30 - 25	4	2	0	0	-0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	-0	0	0	0	0	0	0	0	0	0	0
	70 - 65	6	5	4	3	-2	1	0	0	0	0	0	0	0	0	0
	65 - 60	28	25	21	13	6	2	1	0	0	0	0	0	0	0	0
	60 - 55	84	76	61	41	21	8	3	0	0	0	0	0	0	0	0
	55 - 50	151	140	110	72	37	12	3	1	0	0	0	0	0	0	0
	50 - 45	200	182	140	91	40	12	3	1	0	0	0	0	0	0	0
	45 - 40	197	181	134	77	31	7	1	0	0	0	0	0	0	0	0
	40 - 35	147	135	104	55	22	5	1	0	0	0	0	0	0	0	0
	35 - 30	84	75	56	27	-6	1	0	0	0	0	0	0	0	0	0
	30 - 25	31	27	18	7	-2	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

1 - 50 - 40,000

		LONGITUDE													
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	10	13	9	6	3	1	0	0	0	0	0	0	0	0	0
	65 - 60	63	62	42	22	13	4	1	0	0	0	0	0	0	0	0
	60 - 55	133	108	77	60	34	12	3	0	0	0	0	0	0	0	0
	55 - 50	208	191	125	98	47	17	4	1	0	0	0	0	0	0	0
	50 - 45	171	204	141	117	74	36	17	5	1	0	0	0	0	0	0
	45 - 40	136	129	120	101	70	40	23	9	3	1	0	0	0	0	0
	40 - 35	90	93	86	73	50	34	15	6	2	0	0	0	0	0	0
	35 - 30	56	57	52	43	29	15	6	2	0	0	0	0	0	0	0
	30 - 25	29	28	25	20	12	6	2	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	5	3	2	1	0	0	0	0	0	0	0	0	0	0
	65 - 60	10	8	6	3	4	1	0	0	0	0	0	0	0	0	0
	60 - 55	15	12	9	6	3	3	0	0	0	0	0	0	0	0	0
	55 - 50	20	19	16	13	10	2	0	0	0	0	0	0	0	0	0
	50 - 45	20	18	13	10	7	2	0	0	0	0	0	0	0	0	0
	45 - 40	15	13	10	7	6	1	0	0	0	0	0	0	0	0	0
	40 - 35	8	8	8	6	5	1	0	0	0	0	0	0	0	0	0
	35 - 30	4	3	3	1	1	0	0	0	0	0	0	0	0	0	0
	30 - 25	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	10	9	6	4	2	1	0	0	0	0	0	0	0	0	0
	65 - 60	22	16	10	6	3	2	1	0	0	0	0	0	0	0	0
	60 - 55	53	35	20	9	4	2	0	0	0	0	0	0	0	0	0
	55 - 50	112	75	36	15	6	2	0	0	0	0	0	0	0	0	0
	50 - 45	197	101	42	14	4	1	0	0	0	0	0	0	0	0	0
	45 - 40	151	136	100	54	20	5	1	0	0	0	0	0	0	0	0
	40 - 35	74	61	35	14	3	1	0	0	0	0	0	0	0	0	0
	35 - 30	25	11	5	1	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	2	2	2	1	1	0	0	0	0	0	0	0	0	0	0
	70 - 65	19	17	13	9	3	2	0	0	0	0	0	0	0	0	0
	65 - 60	73	67	51	34	18	6	2	1	0	0	0	0	0	0	0
	60 - 55	154	139	117	78	40	18	6	1	0	0	0	0	0	0	0
	55 - 50	200	190	156	100	50	19	4	1	0	0	0	0	0	0	0
	50 - 45	190	186	149	91	40	12	3	1	0	0	0	0	0	0	0
	45 - 40	150	137	106	62	26	8	1	0	0	0	0	0	0	0	0
	40 - 35	86	79	59	34	14	4	1	0	0	0	0	0	0	0	0
	35 - 30	30	32	24	14	4	1	0	0	0	0	0	0	0	0	0
	30 - 25	10	9	6	3	1	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

1 - 50 - 50,000

	LATITUDE	LONGITUDE 0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	2	2	2	1	1	0	0	0	0	0	0	0	0	0	0
	70 - 65	17	15	12	8	4	1	0	0	0	0	0	0	0	0	0
	65 - 60	64	62	45	28	13	4	1	0	0	0	0	0	0	0	0
	60 - 55	153	134	102	56	22	8	2	0	0	0	0	0	0	0	0
	55 - 50	260	196	140	83	34	10	2	0	0	0	0	0	0	0	0
	50 - 45	202	163	139	88	37	11	3	1	0	0	0	0	0	0	0
	45 - 40	140	117	115	81	43	17	5	1	0	0	0	0	0	0	0
	40 - 35	94	90	78	57	34	15	4	1	0	0	0	0	0	0	0
	35 - 30	46	46	44	35	23	11	3	1	0	0	0	0	0	0	0
	30 - 25	19	17	14	9	4	1	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	2	2	1	1	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	20	20	9	2	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	140	116	56	19	3	0	0	0	0	0	0	0	0	0	0
	55 - 50	220	200	117	49	11	2	0	0	0	0	0	0	0	0	0
	50 - 45	230	191	106	43	9	1	0	0	0	0	0	0	0	0	0
	45 - 40	150	115	56	15	2	0	0	0	0	0	0	0	0	0	0
	40 - 35	37	25	9	1	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	2	2	1	1	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	17	15	10	6	1	0	0	0	0	0	0	0	0	0	0
	60 - 55	140	112	60	20	6	1	0	0	0	0	0	0	0	0	0
	55 - 50	256	216	117	49	11	2	0	0	0	0	0	0	0	0	0
	50 - 45	230	191	106	43	9	1	0	0	0	0	0	0	0	0	0
	45 - 40	150	115	56	15	2	0	0	0	0	0	0	0	0	0	0
	40 - 35	37	25	9	1	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	11	10	6	5	2	1	0	0	0	0	0	0	0	0	0
	65 - 60	62	54	36	19	7	1	0	0	0	0	0	0	0	0	0
	60 - 55	153	134	102	56	22	8	2	0	0	0	0	0	0	0	0
	55 - 50	220	197	141	76	29	8	1	0	0	0	0	0	0	0	0
	50 - 45	220	185	162	65	19	3	1	0	0	0	0	0	0	0	0
	45 - 40	153	129	91	34	9	1	0	0	0	0	0	0	0	0	0
	40 - 35	60	57	31	13	3	0	0	0	0	0	0	0	0	0	0
	35 - 30	17	13	7	2	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	2	2	1	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

1 - 45 - 50,000

	LAT \ LONG	C	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	6	5	4	3	2	1	0	0	0	0	0	0	0	0	0
	65 - 60	20	23	19	14	6	2	1	0	0	0	0	0	0	0	0
	60 - 55	78	71	50	33	14	4	1	0	0	0	0	0	0	0	0
	55 - 50	152	133	106	65	31	9	2	0	0	0	0	0	0	0	0
	50 - 45	202	183	139	88	37	11	3	1	0	0	0	0	0	0	0
	45 - 40	170	163	141	106	66	27	10	2	0	0	0	0	0	0	0
	40 - 35	137	131	110	90	57	26	9	2	0	0	0	0	0	0	0
	35 - 30	99	90	70	56	32	13	4	1	0	0	0	0	0	0	0
	30 - 25	48	45	36	24	11	4	1	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	5	4	2	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	47	37	21	8	2	1	0	0	0	0	0	0	0	0	0
	55 - 50	151	125	60	26	5	1	0	0	0	0	0	0	0	0	0
	50 - 45	230	191	106	43	9	1	0	0	0	0	0	0	0	0	0
	45 - 40	223	190	116	44	11	1	0	0	0	0	0	0	0	0	0
	40 - 35	153	131	89	35	10	1	0	0	0	0	0	0	0	0	0
	35 - 30	82	72	40	24	7	1	0	0	0	0	0	0	0	0	0
	30 - 25	34	30	20	9	3	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	9	7	4	2	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	55	42	26	10	2	1	0	0	0	0	0	0	0	0	0
	55 - 50	151	125	69	26	5	1	0	0	0	0	0	0	0	0	0
	50 - 45	230	191	106	43	9	1	0	0	0	0	0	0	0	0	0
	45 - 40	252	185	67	14	2	0	0	0	0	0	0	0	0	0	0
	40 - 35	132	69	19	1	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	14	6	1	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	2	2	2	1	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	19	16	12	6	2	0	0	0	0	0	0	0	0	0	0
	60 - 55	72	63	46	25	10	3	1	0	0	0	0	0	0	0	0
	55 - 50	153	136	92	48	19	4	1	0	0	0	0	0	0	0	0
	50 - 45	220	180	125	65	19	3	1	0	0	0	0	0	0	0	0
	45 - 40	220	190	108	41	10	1	0	0	0	0	0	0	0	0	0
	40 - 35	153	119	65	18	3	0	0	0	0	0	0	0	0	0	0
	35 - 30	62	46	19	4	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	11	8	3	1	0	0	0	0	0	0	0	0	0	0	0

TABLE 1. NORTH AMERICA (CONT.)

I - 45 - 60,000

LATITUDE	LONGITUDE 0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	8	5	4	3	2	1	0	0	0	0	0	0	0	0	0
65 - 60	20	17	13	7	3	1	0	0	0	0	0	0	0	0	0
60 - 55	68	59	42	22	7	2	0	0	0	0	0	0	0	0	0
55 - 50	153	134	87	43	15	3	1	0	0	0	0	0	0	0	0
50 - 45	223	190	122	61	17	3	1	0	0	0	0	0	0	0	0
45 - 40	211	157	100	60	19	3	0	0	0	0	0	0	0	0	0
40 - 35	151	132	95	43	14	3	0	0	0	0	0	0	0	0	0
35 - 30	80	70	45	20	5	0	0	0	0	0	0	0	0	0	0
30 - 25	24	20	11	3	1	0	0	0	0	0	0	0	0	0	0
APRIL															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	19	12	4	1	0	0	0	0	0	0	0	0	0	0	0
55 - 50	127	83	24	4	0	0	0	0	0	0	0	0	0	0	0
50 - 45	265	177	47	6	0	0	0	0	0	0	0	0	0	0	0
45 - 40	281	178	41	4	0	0	0	0	0	0	0	0	0	0	0
40 - 35	143	91	33	5	0	0	0	0	0	0	0	0	0	0	0
35 - 30	43	29	9	2	0	0	0	0	0	0	0	0	0	0	0
30 - 25	8	5	2	0	0	0	0	0	0	0	0	0	0	0	0
JULY															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	9	4	1	0	0	0	0	0	0	0	0	0	0	0	0
55 - 50	20	16	7	1	0	0	0	0	0	0	0	0	0	0	0
50 - 45	310	112	15	1	0	0	0	0	0	0	0	0	0	0	0
45 - 40	273	68	1	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	41	6	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	9	7	4	2	0	0	0	0	0	0	0	0	0	0	0
60 - 55	47	37	21	8	2	1	0	0	0	0	0	0	0	0	0
55 - 50	145	112	51	17	3	1	0	0	0	0	0	0	0	0	0
50 - 45	267	193	69	18	2	0	0	0	0	0	0	0	0	0	0
45 - 40	285	177	36	2	0	0	0	0	0	0	0	0	0	0	0
40 - 35	127	64	14	1	0	0	0	0	0	0	0	0	0	0	0
35 - 30	17	7	1	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

1 - 45 - 70,000

	LAT. BAND	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	7	6	5	3	2	1	0	0	0	0	0	0	0	0	0
	65 - 60	19	16	12	6	2	0	0	0	0	0	0	0	0	0	0
	60 - 55	62	51	33	14	3	1	0	0	0	0	0	0	0	0	0
	55 - 50	153	129	75	31	8	1	0	0	0	0	0	0	0	0	0
	50 - 45	236	191	106	43	9	1	0	0	0	0	0	0	0	0	0
	45 - 40	231	190	102	35	8	1	0	0	0	0	0	0	0	0	0
	40 - 35	153	120	60	20	4	0	0	0	0	0	0	0	0	0	0
	35 - 30	64	48	21	5	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	10	7	3	1	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	6	2	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	74	28	6	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	187	78	3	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	115	32	1	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	67	13	1	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	28	3	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	220	19	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	350	65	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	34	4	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	24	16	6	1	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	112	65	16	3	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	310	112	13	1	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	310	112	9	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	80	17	1	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

I - 45 - 80,000

LAT BAND		LONGITUDE															
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	3	3	2	2	1	1	1	0	0	0	0	0	0	0	0
	70 - 65	8	7	6	4	3	1	0	0	0	0	0	0	0	0	0
	65 - 60	16	13	9	4	1	0	0	0	0	0	0	0	0	0	0
	60 - 55	53	42	26	10	2	1	0	0	0	0	0	0	0	0	0
	55 - 50	140	112	51	17	3	1	0	0	0	0	0	0	0	0	0
	50 - 45	263	184	74	21	3	0	0	0	0	0	0	0	0	0	0
	45 - 40	250	188	70	18	2	0	0	0	0	0	0	0	0	0	0
	40 - 35	151	110	52	10	1	0	0	0	0	0	0	0	0	0	0
	35 - 30	47	32	11	2	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	43	12	1	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	215	32	1	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	172	4	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	28	2	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	33	8	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	416	80	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	464	273	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	4	2	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	7	2	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	68	24	1	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	201	22	1	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	201	22	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	28	2	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

I - 50 - 60,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	0	4	4	2	2	1	0	0	0	0	0	0	0	0	0
70 - 65	21	19	15	11	6	3	1	0	0	0	0	0	0	0	0
65 - 60	60	58	40	23	10	2	1	0	0	0	0	0	0	0	0
60 - 55	153	130	95	46	18	4	1	0	0	0	0	0	0	0	0
55 - 50	231	199	136	68	23	6	1	0	0	0	0	0	0	0	0
50 - 45	223	190	126	61	17	3	1	0	0	0	0	0	0	0	0
45 - 40	153	134	93	44	13	2	0	0	0	0	0	0	0	0	0
40 - 35	80	76	48	24	7	2	0	0	0	0	0	0	0	0	0
35 - 30	30	26	17	8	2	0	0	0	0	0	0	0	0	0	0
30 - 25	8	8	5	1	0	0	0	0	0	0	0	0	0	0	0
APRIL															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	14	9	5	1	0	0	0	0	0	0	0	0	0	0	0
60 - 55	106	85	55	24	6	1	0	0	0	0	0	0	0	0	0
55 - 50	294	175	80	30	10	2	0	0	0	0	0	0	0	0	0
50 - 45	283	177	87	36	10	2	0	0	0	0	0	0	0	0	0
45 - 40	139	89	47	17	4	0	0	0	0	0	0	0	0	0	0
40 - 35	40	28	15	6	2	0	0	0	0	0	0	0	0	0	0
35 - 30	9	6	4	2	0	0	0	0	0	0	0	0	0	0	0
30 - 25	2	2	1	0	0	0	0	0	0	0	0	0	0	0	0
JULY															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	70	46	14	4	0	0	0	0	0	0	0	0	0	0	0
55 - 50	244	164	39	6	0	0	0	0	0	0	0	0	0	0	0
50 - 45	340	116	13	1	0	0	0	0	0	0	0	0	0	0	0
45 - 40	80	24	1	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	5	3	2	1	0	0	0	0	0	0	0	0	0	0
65 - 60	43	36	20	9	3	0	0	0	0	0	0	0	0	0	0
60 - 55	147	113	74	43	17	4	1	0	0	0	0	0	0	0	0
55 - 50	259	199	107	37	8	1	0	0	0	0	0	0	0	0	0
50 - 45	267	203	98	28	6	0	0	0	0	0	0	0	0	0	0
45 - 40	140	96	31	5	0	0	0	0	0	0	0	0	0	0	0
40 - 35	31	19	4	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	6	1	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

I - 50 - 70,000

LATITUDE	LONGITUDE 0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 – 70	8	7	7	5	4	2	1	0	0	0	0	0	0	0	0
70 – 65	<6	<4	<0	16	9	4	2	1	0	0	0	0	0	0	0
65 – 60	65	56	40	23	10	2	1	0	0	0	0	0	0	0	0
60 – 55	151	125	86	37	10	2	0	0	0	0	0	0	0	0	0
55 – 50	<41	<01	<27	53	13	2	0	0	0	0	0	0	0	0	0
50 – 45	<36	191	106	43	9	1	0	0	0	0	0	0	0	0	0
45 – 40	153	126	73	26	5	1	0	0	0	0	0	0	0	0	0
40 – 35	68	57	31	12	3	0	0	0	0	0	0	0	0	0	0
35 – 30	17	13	7	<2	0	0	0	0	0	0	0	0	0	0	0
30 – 25	<2	1	1	0	0	0	0	0	0	0	0	0	0	0	0
APRIL															
75 – 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 – 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 – 60	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0
60 – 55	73	27	9	0	0	0	0	0	0	0	0	0	0	0	0
55 – 50	302	113	12	0	0	0	0	0	0	0	0	0	0	0	0
50 – 45	<87	78	3	0	0	0	0	0	0	0	0	0	0	0	0
45 – 40	54	14	1	0	0	0	0	0	0	0	0	0	0	0	0
40 – 35	6	2	0	0	0	0	0	0	0	0	0	0	0	0	0
35 – 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 – 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY															
75 – 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 – 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 – 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60 – 55	21	1	0	0	0	0	0	0	0	0	0	0	0	0	0
55 – 50	172	7	0	0	0	0	0	0	0	0	0	0	0	0	0
50 – 45	<20	19	0	0	0	0	0	0	0	0	0	0	0	0	0
45 – 40	28	4	0	0	0	0	0	0	0	0	0	0	0	0	0
40 – 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 – 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 – 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 – 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 – 65	3	2	1	1	0	0	0	0	0	0	0	0	0	0	0
65 – 60	29	22	9	3	0	0	0	0	0	0	0	0	0	0	0
60 – 55	137	95	46	9	1	0	0	0	0	0	0	0	0	0	0
55 – 50	<91	103	64	11	1	0	0	0	0	0	0	0	0	0	0
50 – 45	310	116	13	1	0	0	0	0	0	0	0	0	0	0	0
45 – 40	101	44	8	1	0	0	0	0	0	0	0	0	0	0	0
40 – 35	9	4	0	0	0	0	0	0	0	0	0	0	0	0	0
35 – 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 – 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

1 - 50 - 80,000

LAT BAND		LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	13	16	11	10	8	5	3	2	1	0	0	0	0	0	0
	70 - 65	30	28	24	19	13	6	3	1	0	0	0	0	0	0	0
	65 - 60	60	58	40	23	10	2	1	0	0	0	0	0	0	0	0
	60 - 55	143	116	77	31	8	1	0	0	0	0	0	0	0	0	0
	55 - 50	263	199	102	34	7	1	0	0	0	0	0	0	0	0	0
	50 - 45	263	184	74	21	3	0	0	0	0	0	0	0	0	0	0
	45 - 40	145	111	52	13	1	0	0	0	0	0	0	0	0	0	0
	40 - 35	50	43	18	5	1	0	0	0	0	0	0	0	0	0	0
	35 - 30	16	7	3	1	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	34	8	2	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	23	14	4	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	20	12	2	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	31	7	1	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	317	77	2	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	414	80	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	22	5	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	2	2	1	1	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	21	16	6	2	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	112	65	26	5	1	0	0	0	0	0	0	0	0	0	0
	55 - 50	304	154	39	6	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	201	22	1	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	54	14	1	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE L NORTH AMERICA (CONT.)

1 - 55 - 40,000

LATITUDE	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	4	3	2	1	0	0	0	0	0	0	0	0	0	0	0
70 - 65	45	36	26	15	6	2	0	0	0	0	0	0	0	0	0
65 - 60	153	134	96	56	23	6	1	0	0	0	0	0	0	0	0
60 - 55	243	208	153	93	38	14	4	1	0	0	0	0	0	0	0
55 - 50	308	241	165	93	47	17	4	1	0	0	0	0	0	0	0
50 - 45	340	253	159	90	47	15	3	1	0	0	0	0	0	0	0
45 - 40	342	241	144	80	40	12	3	1	0	0	0	0	0	0	0
40 - 35	311	208	116	59	27	7	1	0	0	0	0	0	0	0	0
35 - 30	247	157	80	36	15	4	1	0	0	0	0	0	0	0	0
30 - 25	167	100	47	19	7	2	0	0	0	0	0	0	0	0	0
APRIL															
75 - 70	2	2	1	1	0	0	0	0	0	0	0	0	0	0	0
70 - 65	24	19	12	6	2	0	0	0	0	0	0	0	0	0	0
65 - 60	137	104	55	17	3	0	0	0	0	0	0	0	0	0	0
60 - 55	253	216	126	54	14	3	0	0	0	0	0	0	0	0	0
55 - 50	344	290	180	83	34	10	2	0	0	0	0	0	0	0	0
50 - 45	393	333	209	97	41	12	3	1	0	0	0	0	0	0	0
45 - 40	380	324	205	96	41	12	3	1	0	0	0	0	0	0	0
40 - 35	306	262	166	78	33	10	2	0	0	0	0	0	0	0	0
35 - 30	208	178	113	53	22	6	1	0	0	0	0	0	0	0	0
30 - 25	124	106	67	31	13	3	1	0	0	0	0	0	0	0	0
25 - 20	64	54	34	16	6	2	0	0	0	0	0	0	0	0	0
JULY															
75 - 70	2	1	1	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	31	26	19	5	1	0	0	0	0	0	0	0	0	0	0
65 - 60	123	120	89	48	19	5	1	0	0	0	0	0	0	0	0
60 - 55	230	200	140	64	26	9	2	0	0	0	0	0	0	0	0
55 - 50	311	265	165	71	31	12	2	0	0	0	0	0	0	0	0
50 - 45	351	297	187	87	33	10	3	0	0	0	0	0	0	0	0
45 - 40	330	272	155	70	27	8	2	0	0	0	0	0	0	0	0
40 - 35	244	192	109	46	17	5	1	0	0	0	0	0	0	0	0
35 - 30	150	118	64	26	9	2	0	0	0	0	0	0	0	0	0
30 - 25	76	58	30	11	3	1	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	9	8	6	4	2	1	0	0	0	0	0	0	0	0	0
70 - 65	50	50	37	22	11	3	1	0	0	0	0	0	0	0	0
65 - 60	153	137	107	68	34	13	4	1	0	0	0	0	0	0	0
60 - 55	211	197	150	115	60	27	10	2	0	0	0	0	0	0	0
55 - 50	230	197	156	100	50	19	4	1	0	0	0	0	0	0	0
50 - 45	191	146	111	72	37	12	3	1	0	0	0	0	0	0	0
45 - 40	84	77	62	37	16	5	1	0	0	0	0	0	0	0	0
40 - 35	37	34	27	16	7	2	1	0	0	0	0	0	0	0	0
35 - 30	12	11	8	4	2	1	0	0	0	0	0	0	0	0	0
30 - 25	4	4	2	1	0	0	0	0	0	0	0	0	0	0	0

TABLE 1. NORTH AMERICA (CONT.)

1 - 55 - 50,000

MONTH	LATITUDE	LONGITUDE													
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	70 - 75	1	10	8	6	3	1	1	0	0	0	0	0	0	0	0
	65 - 70	59	53	40	24	13	4	1	0	0	0	0	0	0	0	0
	60 - 65	151	136	102	62	23	10	2	0	0	0	0	0	0	0	0
	55 - 60	230	209	145	62	26	9	2	0	0	0	0	0	0	0	0
	50 - 55	226	196	145	83	34	10	2	0	0	0	0	0	0	0	0
	45 - 50	158	109	106	65	31	9	2	0	0	0	0	0	0	0	0
	40 - 45	89	83	69	47	24	8	3	0	0	0	0	0	0	0	0
	35 - 40	47	44	30	27	15	7	2	1	0	0	0	0	0	0	0
	30 - 35	9	16	13	10	5	2	1	0	0	0	0	0	0	0	0
	25 - 30	5	5	4	3	1	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	2	0	1	1	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	109	67	27	7	1	0	0	0	0	0	0	0	0	0	0
	60 - 55	21	26	6	2	1	0	0	0	0	0	0	0	0	0	0
	55 - 50	250	200	117	43	11	2	0	0	0	0	0	0	0	0	0
	50 - 45	151	125	66	26	5	1	0	0	0	0	0	0	0	0	0
	45 - 40	63	53	34	12	2	0	0	0	0	0	0	0	0	0	0
	40 - 35	24	21	14	6	1	0	0	0	0	0	0	0	0	0	0
	35 - 30	7	6	4	2	1	0	0	0	0	0	0	0	0	0	0
	30 - 25	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	9	6	2	1	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	127	92	46	14	2	0	0	0	0	0	0	0	0	0	0
	60 - 55	210	215	103	36	9	1	0	0	0	0	0	0	0	0	0
	55 - 50	255	255	117	42	11	2	0	0	0	0	0	0	0	0	0
	50 - 45	151	145	66	26	5	1	0	0	0	0	0	0	0	0	0
	45 - 40	53	40	22	7	1	0	0	0	0	0	0	0	0	0	0
	40 - 35	9	5	3	1	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	4	3	2	1	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	43	30	16	13	6	2	0	0	0	0	0	0	0	0	0
	65 - 60	150	126	69	40	19	5	1	0	0	0	0	0	0	0	0
	60 - 55	231	206	149	89	35	12	3	0	0	0	0	0	0	0	0
	55 - 50	223	197	141	76	29	8	1	0	0	0	0	0	0	0	0
	50 - 45	151	136	92	49	17	4	1	0	0	0	0	0	0	0	0
	45 - 40	74	61	43	19	5	1	0	0	0	0	0	0	0	0	0
	40 - 35	21	18	11	4	1	0	0	0	0	0	0	0	0	0	0
	35 - 30	4	3	2	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

1 - 55 - 60,000

LONGITUDE

		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY																
		0	1	2	4	5	4	2	1	0	0	0	0	0	0	0
		0	1	2	3	4	3	2	1	0	0	0	0	0	0	0
		0	0	1	2	3	2	1	0	0	0	0	0	0	0	0
		0	0	0	1	2	1	0	0	0	0	0	0	0	0	0
		0	0	0	1	1	1	0	0	0	0	0	0	0	0	0
		0	0	0	0	1	1	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL																
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY																
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER																
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		1	0	0	0	1	2	0	0	0	0	0	0	0	0	0
		1	0	0	0	1	4	1	0	0	0	0	0	0	0	0
		1	0	0	0	0	1	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

1 - 55 - 70,000

LAT. - LONG.		CONDITICE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	30	29	26	21	10	11	6	3	1	0	0	0	0	0	0
	70 - 65	78	74	64	48	33	17	6	3	1	0	0	0	0	0	0
	65 - 60	154	136	102	62	29	10	2	0	0	0	0	0	0	0	0
	60 - 55	250	211	136	68	18	5	1	0	0	0	0	0	0	0	0
	55 - 50	241	201	127	63	13	2	0	0	0	0	0	0	0	0	0
	50 - 45	153	129	78	31	6	1	0	0	0	0	0	0	0	0	0
	45 - 40	63	53	34	12	2	0	0	0	0	0	0	0	0	0	0
	40 - 35	20	17	10	4	1	0	0	0	0	0	0	0	0	0	0
	35 - 30	4	3	2	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	5	4	2	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	13	10	7	1	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	34	27	17	5	1	0	0	0	0	0	0	0	0	0	0
	55 - 50	64	51	32	11	3	0	0	0	0	0	0	0	0	0	0
	50 - 45	93	74	47	16	4	0	0	0	0	0	0	0	0	0	0
	45 - 40	54	43	27	9	2	0	0	0	0	0	0	0	0	0	0
	40 - 35	28	22	14	5	1	0	0	0	0	0	0	0	0	0	0
	35 - 30	8	6	4	1	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	4	3	2	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	17	13	7	2	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	44	34	19	6	1	0	0	0	0	0	0	0	0	0	0
	50 - 45	66	51	29	9	2	0	0	0	0	0	0	0	0	0	0
	45 - 40	46	36	20	6	1	0	0	0	0	0	0	0	0	0	0
	40 - 35	20	15	8	2	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	5	4	2	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	6	6	4	1	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	49	42	24	8	1	0	0	0	0	0	0	0	0	0	0
	65 - 60	137	104	55	17	3	0	0	0	0	0	0	0	0	0	0
	60 - 55	276	215	109	36	6	1	0	0	0	0	0	0	0	0	0
	55 - 50	311	243	124	41	7	1	0	0	0	0	0	0	0	0	0
	50 - 45	226	176	90	30	5	1	0	0	0	0	0	0	0	0	0
	45 - 40	119	93	48	16	3	0	0	0	0	0	0	0	0	0	0
	40 - 35	51	40	21	7	1	0	0	0	0	0	0	0	0	0	0
	35 - 30	17	13	7	2	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

1 - 55 - 80,000

LONGITUDE

		0	10			30	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	43	42	39	35	30	23	16	11	6	3	2	0	0	0	0
	70 - 65	84	81	72	59	44	27	16	7	3	1	0	0	0	0	0
	65 - 60	153	137	107	63	34	13	4	1	0	0	0	0	0	0	0
	60 - 55	250	211	132	65	18	5	1	0	0	0	0	0	0	0	0
	55 - 50	263	199	104	34	7	1	0	0	0	0	0	0	0	0	0
	50 - 45	140	112	51	17	3	1	0	0	0	0	0	0	0	0	0
	45 - 40	50	37	20	6	1	0	0	0	0	0	0	0	0	0	0
	40 - 35	12	10	5	1	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	2	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	6	2	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	34	10	2	0	0	0	0	0	0	0	0	0	0	0	
	60 - 55	61	46	4	0	0	0	0	0	0	0	0	0	0	0	
	55 - 50	21	44	4	0	0	0	0	0	0	0	0	0	0	0	
	50 - 45	4	1	1	0	0	0	0	0	0	0	0	0	0	0	
	45 - 40	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	65 - 60	32	15	1	0	0	0	0	0	0	0	0	0	0	0	
	60 - 55	360	144	5	0	0	0	0	0	0	0	0	0	0	0	
	55 - 50	117	77	2	0	0	0	0	0	0	0	0	0	0	0	
	50 - 45	34	8	0	0	0	0	0	0	0	0	0	0	0	0	
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	2	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	21	17	9	3	1	0	0	0	0	0	0	0	0	0	0
	65 - 60	126	86	41	12	2	0	0	0	0	0	0	0	0	0	0
	60 - 55	291	204	90	21	2	0	0	0	0	0	0	0	0	0	0
	55 - 50	304	154	39	6	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	67	34	4	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	8	2	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

1. NORTH AMERICA (CONT.

1 - 60 - 40,000

LAT. BAND — LONGITUDE

		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1	0	0	0	0	0	0	0	0	0
	70 - 65	137	[illegible]	70	29	[illegible]	2	0	0	0	0	0	0	0	0	0
	65 - 60	[illegible]	[illegible]	[illegible]	[illegible]	36	12	2	1	0	0	0	0	0	0	0
	60 - 55	[illegible]	[illegible]	[illegible]	93	30	14	4	1	0	0	0	0	0	0	0
	55 - 50	[illegible]	[illegible]	[illegible]	68	31	[illegible]	3	0	0	0	0	0	0	0	0
	50 - 45	87	82	69	50	29	13	5	1	0	0	0	0	0	0	0
	45 - 40	48	47	44	33	22	12	5	1	0	0	0	0	0	0	0
	40 - 35	23	23	21	17	12	6	3	1	0	0	0	0	0	0	0
	35 - 30	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2	1	0	0	0	0	0	0	0	0
	30 - 25	2	2	2	1	1	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	[illegible]	6	[illegible]	1	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	[illegible]	65	32	7	2	0	0	0	0	0	0	0	0	0	0
	65 - 60	304	101	63	21	4	1	0	0	0	0	0	0	0	0	0
	60 - 55	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	4	1	0	0	0	0	0	0	0	0
	55 - 50	153	142	[illegible]	43	13	3	0	0	0	0	0	0	0	0	0
	50 - 45	68	59	[illegible]	22	7	2	0	0	0	0	0	0	0	0	0
	45 - 40	29	22	16	9	3	1	0	0	0	0	0	0	0	0	0
	40 - 35	[illegible]	8	6	3	1	0	0	0	0	0	0	0	0	0	0
	35 - 30	2	2	2	1	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	5	3	2	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	130	77	41	13	4	1	0	0	0	0	0	0	0	0	0
	65 - 60	[illegible]	[illegible]	147	63	23	8	2	0	0	0	0	0	0	0	0
	60 - 55	[illegible]	[illegible]	143	82	26	[illegible]	2	0	0	0	0	0	0	0	0
	55 - 50	153	135	104	59	24	7	2	0	0	0	0	0	0	0	0
	50 - 45	76	71	53	33	14	4	1	0	0	0	0	0	0	0	0
	45 - 40	28	25	16	10	4	1	0	0	0	0	0	0	0	0	0
	40 - 35	8	5	3	2	1	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	[illegible]	[illegible]	17	9	4	1	0	0	0	0	0	0	0	0	0
	70 - 65	142	121	87	42	18	7	2	1	0	0	0	0	0	0	0
	65 - 60	[illegible]	[illegible]	166	100	44	18	4	1	0	0	0	0	0	0	0
	60 - 55	[illegible]	197	160	115	60	[illegible]	10	[illegible]	0	0	0	0	0	0	0
	55 - 50	154	139	117	78	40	15	6	1	0	0	0	0	0	0	0
	50 - 45	[illegible]	76	[illegible]	41	21	8	3	0	0	0	0	0	0	0	0
	45 - 40	30	23	[illegible]	17	9	4	1	0	0	0	0	0	0	0	0
	40 - 35	14	11	9	5	3	1	0	0	0	0	0	0	0	0	0
	35 - 30	3	3	[illegible]	1	1	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

I - 60 - 50,000

	LATITUDE	LONGITUDE														
		0 - 10	10 - 20	20 - 30	30 - 40	40 - 50	50 - 60	60 - 70	70 - 80	80 - 90	90 - 100	100 - 110	110 - 120	120 - 130	130 - 140	140 - 150
JANUARY	75 - 70	43	53	31	20	11	6	2	1	0	0	0	0	0	0	0
	70 - 65	148	131	106	59	31	13	4	1	0	0	0	0	0	0	0
	65 - 60	241	210	166	100	44	18	4	1	0	0	0	0	0	0	0
	60 - 55	239	208	145	84	38	9	2	0	0	0	0	0	0	0	0
	55 - 50	153	134	102	56	22	6	2	0	0	0	0	0	0	0	0
	50 - 45	76	71	55	33	14	4	1	0	0	0	0	0	0	0	0
	45 - 40	37	35	26	19	10	5	1	0	0	0	0	0	0	0	0
	40 - 35	16	15	13	8	5	2	0	0	0	0	0	0	0	0	0
	35 - 30	6	6	4	3	1	0	0	0	0	0	0	0	0	0	0
	30 - 25	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	5	3	1	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	73	43	15	6	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	318	188	49	4	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	241	204	81	21	2	0	0	0	0	0	0	0	0	0	0
	55 - 50	140	102	55	15	3	0	0	0	0	0	0	0	0	0	0
	50 - 45	47	37	24	8	2	1	0	0	0	0	0	0	0	0	0
	45 - 40	14	11	7	2	1	0	0	0	0	0	0	0	0	0	0
	40 - 35	4	3	2	1	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	60	33	11	1	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	201	127	52	16	3	1	0	0	0	0	0	0	0	0	0
	60 - 55	270	215	104	36	6	1	0	0	0	0	0	0	0	0	0
	55 - 50	160	111	60	25	6	1	0	0	0	0	0	0	0	0	0
	50 - 45	53	42	26	10	2	1	0	0	0	0	0	0	0	0	0
	45 - 40	11	9	5	2	1	0	0	0	0	0	0	0	0	0	0
	40 - 35	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	19	15	11	5	2	1	0	0	0	0	0	0	0	0	0
	70 - 65	137	113	72	29	9	2	0	0	0	0	0	0	0	0	0
	65 - 60	263	213	150	74	27	10	2	1	0	0	0	0	0	0	0
	60 - 55	231	196	149	89	35	12	3	0	0	0	0	0	0	0	0
	55 - 50	153	134	102	56	22	6	2	0	0	0	0	0	0	0	0
	50 - 45	74	63	46	25	10	3	1	0	0	0	0	0	0	0	0
	45 - 40	25	20	14	7	3	1	0	0	0	0	0	0	0	0	0
	40 - 35	5	4	3	1	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

1 - 60 - 60,000

LAT. BAND	LONGITUDE	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	67	61	55	43	29	20	10	4	2	1	0	0	0	0	0
	70 - 65	153	141	120	84	52	28	13	5	2	0	0	0	0	0	0
	65 - 60	238	220	197	103	66	21	5	1	0	0	0	0	0	0	0
	60 - 55	241	210	141	75	22	6	1	0	0	0	0	0	0	0	0
	55 - 50	153	130	90	46	10	4	1	0	0	0	0	0	0	0	0
	50 - 45	65	59	42	22	7	2	0	0	0	0	0	0	0	0	0
	45 - 40	24	21	15	8	3	1	0	0	0	0	0	0	0	0	0
	40 - 35	7	6	4	2	1	0	0	0	0	0	0	0	0	0	0
	35 - 30	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	4	2	1	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	80	48	17	2	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	187	130	39	3	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	211	164	62	4	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	108	58	22	4	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	19	12	4	1	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	21	4	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	130	74	20	2	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	310	158	41	1	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	96	46	14	2	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	9	4	1	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	17	13	9	4	2	0	0	0	0	0	0	0	0	0	0
	70 - 65	127	101	64	24	7	2	0	0	0	0	0	0	0	0	0
	65 - 60	270	215	140	58	16	5	1	0	0	0	0	0	0	0	0
	60 - 55	254	212	143	55	14	4	1	0	0	0	0	0	0	0	0
	55 - 50	147	115	72	28	7	1	0	0	0	0	0	0	0	0	0
	50 - 45	47	37	23	8	2	1	0	0	0	0	0	0	0	0	0
	45 - 40	9	7	4	1	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

1 - 60 - 70,000

LAT. BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	8	7	7	6	5	4	2	1	0	0	0	0	0	0	0
70 - 65	15	14	13	10	7	5	3	1	0	0	0	0	0	0	0
65 - 60	23	20	16	10	5	2	0	0	0	0	0	0	0	0	0
60 - 55	30	21	13	6	1	0	0	0	0	0	0	0	0	0	0
55 - 50	15	12	8	3	1	0	0	0	0	0	0	0	0	0	0
50 - 45	6	5	3	1	0	0	0	0	0	0	0	0	0	0	0
45 - 40	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	8	5	3	1	0	0	0	0	0	0	0	0	0	0	0
60 - 55	8	7	3	1	0	0	0	0	0	0	0	0	0	0	0
55 - 50	7	4	2	0	0	0	0	0	0	0	0	0	0	0	0
50 - 45	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0
45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	6	3	1	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	17	12	8	3	1	0	0	0	0	0	0	0	0	0	0
55 - 50	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0
50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	17	13	9	4	2	0	0	0	0	0	0	0	0	0	0
70 - 65	12	9	5	2	1	0	0	0	0	0	0	0	0	0	0
65 - 60	20	15	10	4	2	0	0	0	0	0	0	0	0	0	0
60 - 55	30	15	10	4	1	0	0	0	0	0	0	0	0	0	0
55 - 50	15	9	6	2	1	0	0	0	0	0	0	0	0	0	0
50 - 45	4	2	1	0	0	0	0	0	0	0	0	0	0	0	0
45 - 40	2	1	1	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

I - 60 - 80,000

	LAT BAND	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	93	91	86	83	75	66	52	39	30	18	10	7	3	1	1
	70 - 65	148	143	130	117	97	74	50	31	17	7	3	1	0	0	0
	65 - 60	220	202	174	125	74	40	15	4	2	0	0	0	0	0	0
	60 - 55	250	211	136	65	16	5	1	0	0	0	0	0	0	0	0
	55 - 50	148	118	77	31	8	1	0	0	0	0	0	0	0	0	0
	50 - 45	53	42	26	10	2	1	0	0	0	0	0	0	0	0	0
	45 - 40	16	10	6	2	1	0	0	0	0	0	0	0	0	0	0
	40 - 35	2	2	1	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	1	2	1	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	54	29	10	1	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	101	46	14	1	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	101	46	4	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	34	8	1	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	10	7	2	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	427	227	53	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	560	144	5	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	31	7	1	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	17	13	9	4	2	0	0	0	0	0	0	0	0	0	0
	70 - 65	116	83	47	16	5	1	0	0	0	0	0	0	0	0	0
	65 - 60	194	199	109	34	6	1	0	0	0	0	0	0	0	0	0
	60 - 55	191	204	80	21	2	0	0	0	0	0	0	0	0	0	0
	55 - 50	112	65	26	5	1	0	0	0	0	0	0	0	0	0	0
	50 - 45	7	2	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

I - 65 - 40,000

LAT. BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	60	57	24	8	2	0	0	0	0	0	0	0	0	0	0
70 - 65	304	209	104	51	16	4	1	0	0	0	0	0	0	0	0
65 - 60	459	215	153	79	30	12	2	1	0	0	0	0	0	0	0
60 - 55	155	134	90	56	23	6	1	0	0	0	0	0	0	0	0
55 - 50	60	62	40	20	13	4	1	0	0	0	0	0	0	0	0
50 - 45	35	30	26	18	10	4	2	0	0	0	0	0	0	0	0
45 - 40	16	15	13	10	7	4	2	0	0	0	0	0	0	0	0
40 - 35	6	6	5	4	3	2	1	0	0	0	0	0	0	0	0
35 - 30	2	2	2	1	1	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL															
75 - 70	80	57	24	8	2	0	0	0	0	0	0	0	0	0	0
70 - 65	302	177	85	19	2	0	0	0	0	0	0	0	0	0	0
65 - 60	504	101	65	21	4	1	0	0	0	0	0	0	0	0	0
60 - 55	137	104	50	17	3	0	0	0	0	0	0	0	0	0	0
55 - 50	50	42	26	13	4	1	0	0	0	0	0	0	0	0	0
50 - 45	15	12	9	4	1	0	0	0	0	0	0	0	0	0	0
45 - 40	5	4	3	2	1	0	0	0	0	0	0	0	0	0	0
40 - 35	2	1	1	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY															
75 - 70	28	13	4	1	0	0	0	0	0	0	0	0	0	0	0
70 - 65	267	161	56	17	2	0	0	0	0	0	0	0	0	0	0
65 - 60	467	214	147	68	23	8	2	0	0	0	0	0	0	0	0
60 - 55	150	128	89	48	19	5	1	0	0	0	0	0	0	0	0
55 - 50	66	58	40	23	10	2	1	0	0	0	0	0	0	0	0
50 - 45	24	21	17	10	5	1	1	0	0	0	0	0	0	0	0
45 - 40	6	5	4	2	1	1	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	90	74	38	18	7	2	1	0	0	0	0	0	0	0	0
70 - 65	301	214	113	58	19	5	1	0	0	0	0	0	0	0	0
65 - 60	241	210	166	100	44	18	4	1	0	0	0	0	0	0	0
60 - 55	153	137	107	68	34	13	4	1	0	0	0	0	0	0	0
55 - 50	75	67	51	34	18	6	2	1	0	0	0	0	0	0	0
50 - 45	29	25	21	13	6	2	1	0	0	0	0	0	0	0	0
45 - 40	9	8	6	4	2	1	0	0	0	0	0	0	0	0	0
40 - 35	2	2	1	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.

1 - 65 - 50,000

LAT. BAND		LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	13	123	89	29	33	12	5	1	0	0	0	0	0	0	0
	70 - 65	259	244	170	123	67	30	12	4	1	0	0	0	0	0	0
	65 - 60	241	210	166	100	44	18	4	1	0	0	0	0	0	0	0
	60 - 55	153	136	102	62	29	10	2	0	0	0	0	0	0	0	0
	55 - 50	68	62	45	28	13	4	1	0	0	0	0	0	0	0	0
	50 - 45	29	23	19	12	6	2	1	0	0	0	0	0	0	0	0
	45 - 40	10	9	7	5	3	2	0	0	0	0	0	0	0	0	0
	40 - 35	4	4	3	2	1	1	0	0	0	0	0	0	0	0	0
	35 - 30	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	54	35	14	5	1	0	0	0	0	0	0	0	0	0	0
	70 - 65	258	129	43	13	1	0	0	0	0	0	0	0	0	0	0
	65 - 60	316	158	49	4	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	109	67	27	7	1	0	0	0	0	0	0	0	0	0	0
	55 - 50	29	20	8	2	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	9	4	2	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	2	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	172	32	8	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	301	167	92	26	9	1	0	0	0	0	0	0	0	0	0
	60 - 55	167	92	46	14	2	0	0	0	0	0	0	0	0	0	0
	55 - 50	37	30	12	6	1	0	0	0	0	0	0	0	0	0	0
	50 - 45	9	7	4	2	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	80	57	24	8	2	0	0	0	0	0	0	0	0	0	0
	70 - 65	304	209	104	51	16	4	1	0	0	0	0	0	0	0	2
	65 - 60	263	213	150	74	27	10	2	1	0	0	0	0	0	0	0
	60 - 55	150	128	89	48	19	5	1	0	0	0	0	0	0	0	0
	55 - 50	62	54	36	19	7	1	0	0	0	0	0	0	0	0	0
	50 - 45	17	16	12	6	2	0	0	0	0	0	0	0	0	0	0
	45 - 40	4	3	3	1	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

1 - 65 - 60,000

LAT (FROM)	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	153	146	127	107	84	52	34	17	9	4	1	0	0	0	0
70 - 65	225	210	181	152	100	66	35	10	6	2	1	0	0	0	0
65 - 60	241	216	156	104	44	13	4	1	0	0	0	0	0	0	0
60 - 55	153	135	100	59	20	8	2	0	0	0	0	0	0	0	0
55 - 50	69	58	40	23	10	2	1	0	0	0	0	0	0	0	0
50 - 45	20	17	13	7	3	1	0	0	0	0	0	0	0	0	0
45 - 40	6	5	4	2	1	1	0	0	0	0	0	0	0	0	0
40 - 35	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL															
75 - 70	50	40	16	5	1	0	0	0	0	0	0	0	0	0	0
70 - 65	304	177	63	19	2	0	0	0	0	0	0	0	0	0	0
65 - 60	287	130	39	3	0	0	0	0	0	0	0	0	0	0	0
60 - 55	60	43	9	1	0	0	0	0	0	0	0	0	0	0	0
55 - 50	14	9	3	1	0	0	0	0	0	0	0	0	0	0	0
50 - 45	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0
45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY															
75 - 70	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	46	6	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	230	74	20	2	0	0	0	0	0	0	0	0	0	0	0
60 - 55	87	31	6	1	0	0	0	0	0	0	0	0	0	0	0
55 - 50	9	3	0	0	0	0	0	0	0	0	0	0	0	0	0
50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	86	62	26	9	2	0	0	0	0	0	0	0	0	0	0
70 - 65	304	209	104	51	16	4	1	0	0	0	0	0	0	0	0
65 - 60	276	215	140	58	16	5	1	0	0	0	0	0	0	0	0
60 - 55	143	116	74	33	11	2	0	0	0	0	0	0	0	0	0
55 - 50	43	36	20	9	3	0	0	0	0	0	0	0	0	0	0
50 - 45	9	7	4	2	0	0	0	0	0	0	0	0	0	0	0
45 - 40	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE L NC 4AMERICA (CONT.

1 - 65 - 70,000

LAT BAND	LONGITUDE														
	C	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	14x	146	130	122	112	93	74	50	34	22	11	6	3	1	0
70 - 65	191	185	174	156	137	107	76	49	28	17	8	3	1	0	0
65 - 60	233	217	183	109	55	26	8	2	1	0	0	0	0	0	0
60 - 55	153	136	102	62	29	10	2	0	0	0	0	0	0	0	0
55 - 50	60	58	40	23	10	2	1	0	0	0	0	0	0	0	0
50 - 45	19	16	12	6	2	0	0	0	0	0	0	0	0	0	0
45 - 40	4	3	3	1	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL															
75 - 70	67	46	19	6	1	0	0	0	0	0	0	0	0	0	0
70 - 65	113	107	79	29	5	1	0	0	0	0	0	0	0	0	0
65 - 60	187	130	39	3	0	0	0	0	0	0	0	0	0	0	0
60 - 55	71	35	7	1	0	0	0	0	0	0	0	0	0	0	0
55 - 50	9	3	0	0	0	0	0	0	0	0	0	0	0	0	0
50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY															
75 - 70	2	4	2	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	439	322	164	21	0	0	0	0	0	0	0	0	0	0	0
65 - 60	269	81	14	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	24	5	0	0	0	0	0	0	0	0	0	0	0	0	0
55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	96	74	36	18	7	2	1	0	0	0	0	0	0	0	0
70 - 65	304	209	104	51	16	4	1	0	0	0	0	0	0	0	0
65 - 60	285	216	134	47	9	2	0	0	0	0	0	0	0	0	0
60 - 55	137	104	55	17	3	0	0	0	0	0	0	0	0	0	0
55 - 50	29	22	9	3	0	0	0	0	0	0	0	0	0	0	0
50 - 45	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0
45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

I - 65 - 80,000

LAT. BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	137	136	133	128	123	111	101	84	70	56	39	28	19	11	7
70 - 65	173	169	162	156	141	121	98	73	50	36	20	11	5	2	1
65 - 60	200	200	174	125	74	40	15	4	2	0	0	0	0	0	0
60 - 55	153	137	107	69	34	13	4	1	0	0	0	0	0	0	0
55 - 50	60	56	40	23	10	2	1	0	0	0	0	0	0	0	0
50 - 45	19	13	9	4	1	0	0	0	0	0	0	0	0	0	0
45 - 40	5	2	2	1	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL															
75 - 70	47	29	12	4	1	0	0	0	0	0	0	0	0	0	0
70 - 65	88	123	43	13	1	0	0	0	0	0	0	0	0	0	0
65 - 60	201	46	12	1	0	0	0	0	0	0	0	0	0	0	0
60 - 55	34	10	2	0	0	0	0	0	0	0	0	0	0	0	0
55 - 50	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0
50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY															
75 - 70	21	21	19	15	8	1	0	0	0	0	0	0	0	0	0
70 - 65	471	436	220	39	0	0	0	0	0	0	0	0	0	0	0
65 - 60	427	227	51	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	35	15	1	0	0	0	0	0	0	0	0	0	0	0	0
55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	96	74	30	18	7	2	1	0	0	0	0	0	0	0	0
70 - 65	304	209	104	51	16	4	1	0	0	0	0	0	0	0	0
65 - 60	294	139	109	34	6	1	0	0	0	0	0	0	0	0	0
60 - 55	146	86	42	16	2	0	0	0	0	0	0	0	0	0	0
55 - 50	21	16	6	2	0	0	0	0	0	0	0	0	0	0	0
50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

1 - 70 - 40,000

LAT. BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	230	124	67	20	9	1	0	0	0	0	0	0	0	0	0
70 - 65	304	209	104	51	10	4	1	0	0	0	0	0	0	0	0
65 - 60	132	113	70	29	9	2	0	0	0	0	0	0	0	0	0
60 - 55	45	36	26	13	6	2	0	0	0	0	0	0	0	0	0
55 - 50	15	13	9	5	3	1	0	0	0	0	0	0	0	0	0
50 - 45	7	6	5	3	1	1	0	0	0	0	0	0	0	0	0
45 - 40	3	3	2	2	1	1	0	0	0	0	0	0	0	0	0
40 - 35	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL															
75 - 70	302	211	139	44	12	2	0	0	0	0	0	0	0	0	0
70 - 65	362	177	93	19	2	0	0	0	0	0	0	0	0	0	0
65 - 60	90	65	30	7	2	0	0	0	0	0	0	0	0	0	0
60 - 55	24	15	11	4	1	0	0	0	0	0	0	0	0	0	0
55 - 50	6	5	3	1	1	0	0	0	0	0	0	0	0	0	0
50 - 45	2	1	1	1	0	0	0	0	0	0	0	0	0	0	0
45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY															
75 - 70	40	6	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	287	161	56	17	2	0	0	0	0	0	0	0	0	0	0
65 - 60	100	77	41	13	4	1	0	0	0	0	0	0	0	0	0
60 - 55	32	24	15	5	1	0	0	0	0	0	0	0	0	0	0
55 - 50	10	8	6	3	2	1	0	0	0	0	0	0	0	0	0
50 - 45	3	2	2	1	0	0	0	0	0	0	0	0	0	0	0
45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	302	211	139	44	12	2	0	0	0	0	0	0	0	0	0
70 - 65	361	214	113	50	19	5	1	0	0	0	0	0	0	0	0
65 - 60	142	121	67	42	18	7	2	1	0	0	0	0	0	0	0
60 - 55	50	43	37	22	11	3	1	0	0	0	0	0	0	0	0
55 - 50	19	17	13	8	5	2	0	0	0	0	0	0	0	0	0
50 - 45	8	5	4	3	1	1	0	0	0	0	0	0	0	0	0
45 - 40	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

1 - 70 - 50,000

	LAT. (DEG.)	LONGITUDE															
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	244	243	104	109	30	26	10	3	1	0	0	0	0	0	0
	70 - 65	259	224	170	123	07	30	12	4	1	0	0	0	0	0	0
	65 - 60	148	101	40	33	31	13	6	1	0	0	0	0	0	0	0
	60 - 55	59	51	40	24	13	4	1	0	0	0	0	0	0	0	0
	55 - 50	17	15	12	7	4	1	0	0	0	0	0	0	0	0	0
	50 - 45	8	5	5	3	1	1	0	0	0	0	0	0	0	0	0
	45 - 40	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	230	124	67	20	5	1	0	0	0	0	0	0	0	0	0
	70 - 65	258	128	43	13	1	0	0	0	0	0	0	0	0	0	0
	65 - 60	73	43	13	4	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	14	7	3	1	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	4	4	1	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	48	6	1	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	176	32	6	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	60	33	11	4	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	9	5	2	1	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	2	2	1	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	244	142	61	25	7	1	0	0	0	0	0	0	0	0	0
	70 - 65	304	209	104	31	16	4	1	0	0	0	0	0	0	0	0
	65 - 60	137	113	75	29	9	2	0	0	0	0	0	0	0	0	0
	60 - 55	43	36	16	13	6	2	0	0	0	0	0	0	0	0	0
	55 - 50	11	10	6	4	2	1	0	0	0	0	0	0	0	0	0
	50 - 45	6	6	6	1	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 1. NORTH AMERICA (CONT

- 70 - 60,000

JANUARY																	
APRIL																	
JULY																	
OCTOBER																	

TABLE I. NORTH AMERICA (CONT.)

1 - 70 - 60,000

LAT SAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
75 - 70	477	471	339	136	18	0	0	0	0	0	0	0	0	0	0
70 - 65	360	191	39	5	0	0	0	0	0	0	0	0	0	0	0
65 - 60	23	3	1	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

JULY

TABLE I. NORTH AMERICA (CONT.)

1 - 70 - 70,000

LONGITUDE

		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	70 - 75	188	182	176	158	108	139	126	98	76	50	39	25	16	9	5
	65 - 70	191	185	174	164	137	107	76	49	28	17	6	3	1	0	0
	60 - 65	156	144	126	106	76	54	31	15	7	2	1	0	0	0	0
	55 - 60	78	73	64	48	33	17	6	3	1	0	0	0	0	0	0
	50 - 55	24	24	24	14	9	4	2	1	0	0	0	0	0	0	0
	45 - 50	7	6	5	3	2	1	0	0	0	0	0	0	0	0	0
	40 - 45	2	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	35 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	458	159	95	30	6	1	0	0	0	0	0	0	0	0	0
	70 - 65	343	197	72	23	2	1	0	0	0	0	0	0	0	0	0
	65 - 60	82	53	19	4	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	471	447	411	246	143	32	6	0	0	0	0	0	0	0	0
	70 - 65	439	326	164	41	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	33	20	4	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	342	266	153	49	13	2	0	0	0	0	0	0	0	0	0
	70 - 65	324	209	104	51	16	4	1	0	0	0	0	0	0	0	0
	65 - 60	126	95	50	21	6	1	0	0	0	0	0	0	0	0	0
	60 - 55	40	20	14	4	1	0	0	0	0	0	0	0	0	0	0
	55 - 50	6	4	2	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

1 - 70 - 80,000

LAT BAND		LONGITUDE															
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	
JANUARY	75 - 70	148	147	145	143	139	134	127	119	109	97	83	70	57	44	33	
	70 - 65	173	169	162	156	141	121	98	73	50	36	20	11	5	2	1	
	65 - 60	148	143	135	117	97	74	50	31	17	7	3	1	0	0	0	
	60 - 55	84	80	72	59	44	27	16	7	3	1	0	0	0	0	0	
	55 - 50	30	25	20	17	12	6	3	1	0	0	0	0	0	0	0	
	50 - 45	8	7	6	4	2	1	0	0	0	0	0	0	0	0	0	
	45 - 40	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
APRIL	75 - 70	230	124	67	29	9	1	0	0	0	0	0	0	0	0	0	
	70 - 65	200	129	63	23	4	0	0	0	0	0	0	0	0	0	0	
	65 - 60	84	29	10	2	0	0	0	0	0	0	0	0	0	0	0	
	60 - 55	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
JULY	75 - 70	466	461	448	366	231	80	14	1	0	0	0	0	0	0	0	
	70 - 65	471	435	426	259	110	0	0	0	0	0	0	0	0	0	0	
	65 - 60	135	93	62	0	0	0	0	0	0	0	0	0	0	0	0	
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
OCTOBER	75 - 70	310	268	153	49	13	2	0	0	0	0	0	0	0	0	0	
	70 - 65	304	209	104	51	16	4	1	0	0	0	0	0	0	0	0	
	65 - 60	114	83	47	16	5	1	0	0	0	0	0	0	0	0	0	
	60 - 55	21	16	9	3	1	0	0	0	0	0	0	0	0	0	0	
	55 - 50	4	4	1	0	0	0	0	0	0	0	0	0	0	0	0	
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

TABLE I. NORTH AMERICA

3 - 30 - 40,000

LAT AND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 – 70	0	0	1	2	4	5	6	7	7	7	7	6	5	4	3
70 – 65	0	1	2	5	8	11	13	14	13	13	12	10	8	7	5
65 – 60	2	3	6	10	15	20	22	23	22	21	19	16	14	10	8
60 – 55	9	10	15	19	25	31	34	34	32	30	26	22	17	14	10
55 – 50	27	29	34	39	45	46	46	45	42	38	32	28	22	17	13
50 – 45	54	54	60	66	71	69	58	55	51	46	40	33	26	21	16
45 – 40	80	83	88	89	83	75	66	62	57	52	45	39	33	26	21
40 – 35	120	125	121	113	99	86	75	67	60	53	46	39	31	25	19
35 – 30	150	157	140	131	116	90	76	67	56	47	38	30	21	15	10
30 – 25	180	172	155	123	99	81	66	52	39	27	19	11	6	3	2
APRIL															
75 – 70	0	0	1	1	2	3	3	3	3	3	2	2	1	1	0
70 – 65	0	1	2	4	5	6	6	6	6	5	3	3	2	1	1
65 – 60	0	2	5	9	12	13	13	12	10	8	6	4	2	1	1
60 – 55	3	5	11	17	23	25	24	21	18	14	10	7	4	3	1
55 – 50	13	16	23	32	38	40	37	33	26	20	14	10	6	3	2
50 – 45	43	45	48	54	57	54	50	41	34	25	18	12	8	5	2
45 – 40	71	70	67	85	77	69	59	48	40	29	21	13	8	5	2
40 – 35	140	141	130	113	93	79	67	55	43	32	23	15	9	5	3
35 – 30	170	170	154	130	103	85	73	59	47	35	25	17	10	6	3
30 – 25	170	162	152	124	100	82	68	55	43	30	21	13	7	4	2
JULY															
75 – 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 – 65	0	1	1	2	2	3	3	2	2	1	1	1	0	0	0
65 – 60	0	1	3	5	7	7	6	5	4	2	1	1	0	0	0
60 – 55	1	3	7	11	13	13	11	8	5	3	1	1	0	0	0
55 – 50	4	8	17	23	24	20	15	10	5	3	1	0	0	0	0
50 – 45	17	25	36	41	36	27	16	11	5	3	1	0	0	0	0
45 – 40	50	54	66	58	42	27	15	7	3	2	1	0	0	0	0
40 – 35	125	115	84	49	22	8	3	1	0	0	0	0	0	0	0
35 – 30	60	130	66	13	2	0	0	0	0	0	0	0	0	0	0
30 – 25	22	36	4	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 – 70	0	0	1	2	2	3	4	4	4	4	3	2	1	1	1
70 – 65	0	1	2	4	5	7	7	7	7	6	4	3	2	2	1
65 – 60	0	2	5	9	13	15	15	14	12	10	7	5	3	2	2
60 – 55	3	6	11	18	24	26	25	22	19	15	11	8	5	3	2
55 – 50	12	15	22	32	38	38	35	31	24	18	12	8	5	3	1
50 – 45	37	40	46	53	55	51	44	35	27	19	13	8	5	3	1
45 – 40	83	83	84	80	74	63	52	39	30	20	13	7	4	2	1
40 – 35	153	146	129	108	86	70	55	40	27	17	10	6	3	1	1
35 – 30	208	195	159	121	91	72	54	37	24	14	8	4	2	1	0
30 – 25	242	220	175	124	84	62	42	27	16	10	6	3	2	1	0

TABLE I. NORTH AMERICA (CONT.)

3 - 30 - 50,000

LAT. - LAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	0	0	1	2	3	5	6	6	6	6	5	4	3	3	2
70 - 65	0	1	2	5	7	10	10	11	10	10	9	7	5	4	3
65 - 60	1	0	6	10	14	19	15	16	17	15	12	10	7	5	4
60 - 55	5	7	11	18	25	29	30	27	25	22	17	13	9	6	4
55 - 50	17	21	29	34	40	43	42	39	33	26	22	17	12	8	5
50 - 45	50	51	52	50	50	50	50	49	43	35	26	21	15	10	6
45 - 40	90	95	92	83	81	74	67	59	52	43	34	26	19	13	9
40 - 35	137	135	120	116	99	85	75	65	56	47	36	29	21	14	9
35 - 30	169	164	136	131	100	88	76	64	53	42	32	24	15	10	6
30 - 25	216	194	155	112	87	85	44	28	16	8	4	2	0	0	0
APRIL															
75 - 70	0	0	1	1	1	1	1	1	1	1	1	1	0	0	0
70 - 65	0	1	1	3	3	3	3	3	2	2	1	1	0	0	0
65 - 60	0	1	3	5	8	8	8	6	5	3	2	1	0	0	0
60 - 55	1	4	9	13	17	17	15	12	9	6	3	2	1	0	0
55 - 50	0	12	20	30	34	31	27	21	15	9	6	3	2	1	0
50 - 45	31	36	44	52	53	47	38	28	20	12	8	4	2	1	0
45 - 40	84	83	82	80	72	61	49	36	26	17	10	6	3	1	0
40 - 35	152	146	130	109	90	72	56	43	30	20	12	7	3	1	1
35 - 30	194	183	159	126	96	79	63	47	34	21	13	8	4	2	1
30 - 25	201	187	154	116	91	71	53	37	24	14	8	4	1	1	0
JULY															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	1	1	2	2	1	1	1	0	0	0	0	0	0	0
60 - 55	0	2	4	5	5	3	2	1	0	0	0	0	0	0	0
55 - 50	1	5	10	11	9	6	2	1	0	0	0	0	0	0	0
50 - 45	5	16	23	21	14	7	3	1	0	0	0	0	0	0	0
45 - 40	10	37	36	23	11	5	2	0	0	0	0	0	0	0	0
40 - 35	14	24	39	15	3	0	0	0	0	0	0	0	0	0	0
35 - 30	22	47	5	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	48	1	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	0	0	1	1	1	1	1	1	1	1	1	1	0	0	0
70 - 65	0	1	1	3	3	3	3	3	2	2	1	1	0	0	0
65 - 60	0	1	3	5	7	7	7	5	4	2	1	1	0	0	0
60 - 55	1	3	6	12	15	15	13	10	7	4	2	2	0	0	0
55 - 50	3	9	20	29	26	23	19	13	7	5	2	1	0	0	0
50 - 45	13	27	30	43	39	31	22	14	7	4	2	0	0	0	0
45 - 40	64	63	70	69	56	39	24	13	6	3	1	0	0	0	0
40 - 35	150	141	117	89	60	35	15	9	4	1	1	0	0	0	0
35 - 30	273	223	144	95	51	27	13	5	2	0	0	0	0	0	0
30 - 25	310	192	90	42	20	6	2	1	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.

3 - 30 - 60, 000

LAT. BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	0	0	1	2	2	3	4	4	4	4	3	2	1	1	1
70 - 65	0	1	2	4	5	7	7	7	7	6	4	3	2	2	1
65 - 60	0	2	4	8	11	12	12	11	9	7	5	3	1	1	1
60 - 55	2	5	10	16	20	21	19	16	12	9	6	3	2	1	0
55 - 50	7	13	21	26	30	34	30	24	17	11	7	4	2	1	0
50 - 45	31	36	44	50	53	47	36	20	20	12	8	4	2	1	0
45 - 40	62	62	62	79	71	59	47	33	23	15	9	4	2	1	0
40 - 35	103	146	129	107	90	66	53	30	25	16	9	5	2	1	0
35 - 30	203	195	229	121	91	72	54	37	24	14	8	4	2	1	0
30 - 25	273	214	137	65	40	23	10	4	1	0	0	0	0	0	0
APRIL															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	1	1	1	1	1	0	0	0	0	0	0	0	0
65 - 60	0	1	2	3	3	2	1	1	0	0	0	0	0	0	0
60 - 55	0	2	3	6	6	4	2	1	0	0	0	0	0	0	0
55 - 50	2	6	12	15	14	10	5	3	1	1	0	0	0	0	0
50 - 45	11	21	32	33	27	18	10	5	2	1	0	0	0	0	0
45 - 40	47	57	84	56	39	24	13	6	2	1	0	0	0	0	0
40 - 35	153	153	215	86	54	32	17	8	3	1	1	0	0	0	0
35 - 30	254	210	153	106	80	40	22	9	4	1	0	0	0	0	0
30 - 25	226	216	120	69	33	11	3	1	0	0	0	0	0	0	0
JULY															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0
55 - 50	0	1	2	1	0	0	0	0	0	0	0	0	0	0	0
50 - 45	0	4	3	1	0	0	0	0	0	0	0	0	0	0	0
45 - 40	1	3	2	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	10	13	2	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	3	5	1	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	1	1	1	1	1	0	0	0	0	0	0	0	0
65 - 60	0	1	2	3	3	2	1	1	0	0	0	0	0	0	0
60 - 55	0	2	5	6	5	4	2	1	0	0	0	0	0	0	0
55 - 50	1	5	10	11	9	6	2	1	0	0	0	0	0	0	0
50 - 45	4	15	22	19	12	6	2	1	0	0	0	0	0	0	0
45 - 40	20	39	39	27	13	6	2	0	0	0	0	0	0	0	0
40 - 35	99	96	53	24	7	1	1	0	0	0	0	0	0	0	0
35 - 30	200	130	44	13	2	0	0	0	0	0	0	0	0	0	0
30 - 25	226	50	4	0	0	0	0	0	0	0	0	0	0	0	0

TABLE L NORTH AMERICA (CONT.)

3 - 30 - 70,000

	LATITUDE	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	0	1	2	2	3	4	4	4	4	3	2	1	1	1
	70 - 65	0	1	2	4	5	6	6	6	6	5	3	3	2	1	1
	65 - 60	0	1	3	5	8	8	8	8	8	5	3	2	1	0	0
	60 - 55	1	3	7	11	13	13	11	10	8	5	3	1	1	0	0
	55 - 50	3	7	17	24	25	21	17	11	8	6	4	2	0	0	0
	50 - 45	7	17	30	43	39	31	22	14	10	7	4	2	0	0	0
	45 - 40	10	19	37	47	57	41	26	15	10	7	4	2	0	0	0
	40 - 35	25	43	63	79	69	46	27	14	8	6	3	1	0	0	0
	35 - 30	55	67	85	110	70	43	24	10	5	1	0	0	0	0	0
	30 - 25	54	78	96	90	20	1	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	1	2	3	2	1	0	0	0	0	0	0	0	0	0	0
	50 - 45	1	3	5	4	1	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	2	7	0	2	1	0	0	0	0	0	0	0	0	0
	40 - 35	2	7	3	2	3	0	0	0	0	0	0	0	0	0	0
	35 - 30	3	10	7	2	3	0	0	0	0	0	0	0	0	0	0
	30 - 25	2	3	4	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	2	2	7	7	1	0	0	0	0	0	0	0	0	0	0
	40 - 35	22	70	76	33	4	0	0	0	0	0	0	0	0	0	0
	35 - 30	62	376	252	103	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	470	432	310	107	73	19	2	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	1	1	2	1	0	0	0	0	0	0	0	0	0	0
	55 - 50	1	3	4	3	1	0	0	0	0	0	0	0	0	0	0
	50 - 45	1	7	6	4	1	0	0	0	0	0	0	0	0	0	0
	45 - 40	3	13	12	5	1	0	0	0	0	0	0	0	0	0	0
	40 - 35	40	33	14	4	1	0	0	0	0	0	0	0	0	0	0
	35 - 30	222	47	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	43	1	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.

3 - 30 - 80,000

	LAT LONG		10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	0	1	2	3	4	5	5	5	5	4	3	2	2	1
	70 - 65	0	1	1	3	4	6	6	6	5	4	3	2	1	1	0
	65 - 60	0	1	3	5	8	6	6	4	3	2	1	1	0	0	0
	60 - 55	1	5	6	9	10	9	7	5	3	2	1	1	0	0	0
	55 - 50	3	7	14	13	10	14	9	6	3	2	1	0	0	0	0
	50 - 45	12	22	33	33	29	20	12	7	3	2	1	0	0	0	0
	45 - 40	30	52	66	50	42	47	15	7	3	2	1	0	0	0	0
	40 - 35	103	103	114	63	51	29	15	7	3	1	1	0	0	0	0
	35 - 30	183	226	140	67	44	20	5	3	1	0	0	0	0	0	0
	30 - 25	233	151	70	2	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	1	3	2	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	2	4	1	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	4	4	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	2	1	1	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	2	13	14	3	0	0	0	0	0	0	0	0	0	0
	40 - 35	2	40	110	64	20	8	1	0	0	0	0	0	0	0	0
	35 - 30	74	44	36	166	39	11	2	0	0	0	0	0	0	0	0
	30 - 25	45	41	36	233	100	72	25	7	1	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	2	1	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	1	3	2	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	2	2	1	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

3 - 30 - 80,000

OCTOBER	LONGITUDE															
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
	70 - 75	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 45	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 40	0	10	0	1	0	0	0	0	0	0	0	0	0	0	0
	30 - 35	34	30	17	3	0	0	0	0	0	0	0	0	0	0	0
	25 - 30	461	466	99	11	0	0	0	0	0	0	0	0	0	0	0
	20 - 25	497	430	311	124	33	7	1	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

3 - 35 - 40,000

LAT RANGE	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	0	1	2	4	6	8	10	10	11	11	10	9	8	7	5
70 - 65	1	2	4	8	13	16	19	20	20	19	17	15	12	10	8
65 - 60	0	5	11	16	23	28	31	32	31	29	26	22	18	14	12
60 - 55	24	25	26	33	37	43	45	45	43	39	35	29	25	20	15
55 - 50	51	51	53	59	60	60	59	57	53	49	43	37	31	25	19
50 - 45	70	70	70	80	84	78	71	65	60	54	48	42	35	29	23
45 - 40	100	112	116	107	106	96	80	71	64	59	52	47	41	35	29
40 - 35	125	124	122	115	106	94	82	72	64	58	52	46	41	36	30
35 - 30	136	127	120	131	106	90	78	67	58	47	38	30	21	15	10
30 - 25	130	126	120	112	96	82	72	61	51	41	30	22	15	10	6
APRIL															
75 - 70	0	1	1	2	3	4	4	4	4	4	3	2	1	1	0
70 - 65	0	1	3	6	8	9	9	9	7	6	5	3	2	1	1
65 - 60	2	3	8	14	19	20	20	17	14	11	8	5	3	1	1
60 - 55	10	13	20	30	35	37	34	28	23	17	12	8	5	3	1
55 - 50	37	40	45	52	55	55	46	40	32	25	18	12	8	5	3
50 - 45	60	67	65	63	77	70	60	50	40	29	21	14	8	5	3
45 - 40	149	144	130	113	97	81	69	58	42	32	22	14	9	5	3
40 - 35	163	176	159	136	106	89	74	61	48	36	26	18	11	7	4
35 - 30	170	170	154	130	103	85	73	59	47	35	25	17	10	6	3
30 - 25	143	139	129	110	93	76	66	55	44	33	22	15	9	5	2
JULY															
75 - 70	0	0	0	1	2	2	2	2	2	1	1	0	0	0	0
70 - 65	0	1	3	5	5	6	6	6	4	3	2	1	1	0	0
65 - 60	1	3	7	12	15	16	15	13	10	6	5	3	2	1	0
60 - 55	7	11	16	26	30	29	26	20	16	11	7	4	2	1	1
55 - 50	25	30	39	47	46	43	34	26	18	12	7	4	2	1	1
50 - 45	74	75	77	75	67	56	41	29	20	11	6	3	1	1	0
45 - 40	150	146	127	106	81	57	40	24	13	7	3	1	1	0	0
40 - 35	175	163	150	99	64	35	17	8	3	1	0	0	0	0	0
35 - 30	150	130	44	13	2	0	0	0	0	0	0	0	0	0	0
30 - 25	40	25	12	3	1	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	0	1	2	3	4	6	6	6	6	6	5	4	3	3	2
70 - 65	0	2	4	7	11	13	13	13	11	10	8	6	4	2	2
65 - 60	2	4	9	15	21	24	24	22	19	16	12	9	6	5	2
60 - 55	12	19	21	30	36	39	30	33	29	23	18	12	9	6	3
55 - 50	30	41	46	52	52	54	49	41	33	26	19	13	9	5	3
50 - 45	67	66	65	82	76	69	59	46	36	27	19	13	8	4	2
45 - 40	151	145	135	116	95	79	67	53	39	29	20	12	7	4	2
40 - 35	194	165	105	130	105	85	69	54	40	28	18	11	6	3	1
35 - 30	200	179	159	121	91	72	54	37	24	14	8	4	2	1	0
30 - 25	155	145	125	97	70	55	39	26	13	6	2	1	0	0	0

TABLE I. NORTH AMERICA (CONT.)

3 - 35 - 50,000

	LAT BAND	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	1	2	3	5	7	9	9	9	9	8	7	6	5	4
	70 - 65	1	2	4	8	13	15	17	18	17	15	13	11	9	7	5
	65 - 60	2	6	10	16	23	27	28	27	25	22	19	15	11	7	6
	60 - 55	10	18	25	30	37	41	42	38	35	29	24	18	14	10	6
	55 - 50	48	49	51	54	57	56	56	50	44	38	31	24	18	13	8
	50 - 45	95	94	92	88	82	76	69	62	54	45	37	29	21	15	11
	45 - 40	137	133	129	116	105	90	80	70	61	53	44	36	28	20	14
	40 - 35	151	149	143	130	114	97	82	72	64	56	48	39	33	26	19
	35 - 30	166	164	158	131	100	86	76	64	53	42	32	24	15	10	6
	30 - 25	147	142	129	100	91	75	63	49	36	27	17	11	6	3	1
APRIL	75 - 70	0	0	0	1	2	2	2	2	1	1	1	0	0	0	0
	70 - 65	0	1	3	4	5	5	5	4	3	2	2	1	1	0	0
	65 - 60	1	2	6	9	12	11	10	8	6	4	2	1	1	0	0
	60 - 55	3	9	16	24	26	25	21	18	10	12	7	5	2	1	0
	55 - 50	20	30	39	47	48	43	34	28	18	12	7	4	2	1	1
	50 - 45	78	79	79	77	71	61	47	35	24	15	8	5	2	1	0
	45 - 40	150	147	130	108	90	71	56	41	27	17	9	5	3	1	0
	40 - 35	163	151	136	127	102	81	63	47	33	22	13	8	4	2	1
	35 - 30	174	165	159	126	90	79	65	47	34	21	13	8	4	2	1
	30 - 25	151	144	128	105	88	69	55	40	26	17	9	5	2	1	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	1	2	2	2	2	1	1	1	0	0	0	0	0	0
	65 - 60	0	2	4	6	6	5	3	2	1	0	0	0	0	0	0
	60 - 55	2	6	12	15	14	12	8	4	3	1	1	0	0	0	0
	55 - 50	10	18	29	32	27	19	11	6	3	2	1	0	0	0	0
	50 - 45	41	51	62	55	30	23	11	6	3	1	0	0	0	0	0
	45 - 40	130	126	103	69	40	10	7	2	0	0	0	0	0	0	0
	40 - 35	161	134	92	37	12	5	1	0	0	0	0	0	0	0	0
	35 - 30	22	47	5	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	27	22	5	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	1	1	2	2	3	3	3	2	2	1	1	1	1	0
	70 - 65	0	1	3	5	6	7	7	6	5	4	3	1	1	0	0
	65 - 60	1	2	7	11	12	12	14	12	9	7	4	2	2	0	0
	60 - 55	6	10	17	25	20	18	24	19	14	9	6	3	2	1	0
	55 - 50	23	20	30	46	42	39	31	22	15	10	5	3	1	0	0
	50 - 45	70	72	76	73	65	52	37	26	16	9	5	3	1	0	0
	45 - 40	130	146	127	106	81	57	40	24	13	7	3	1	1	0	0
	40 - 35	24	21	10	5	1	9	7	5	6	3	4	2	0	0	0
	35 - 30	73	23	3	4	9	5	1	2	7	3	5	2	0	0	0
	30 - 25	13	13	3	9	5	2	1	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

3 - 35 - 70,000

LAT. BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	0	1	2	3	4	6	7	7	7	7	6	5	4	3	2
70 - 65	0	2	4	7	10	12	14	14	11	9	7	5	4	2	1
65 - 60	1	3	7	14	15	16	15	13	10	8	5	3	2	1	0
60 - 55	5	9	16	24	20	23	21	16	12	7	5	2	1	0	0
55 - 50	22	27	37	45	44	30	29	21	14	9	4	3	1	0	0
50 - 45	70	72	76	73	65	52	37	20	16	9	5	3	1	0	0
45 - 40	129	146	122	103	86	59	42	20	15	8	4	2	1	0	0
40 - 35	220	207	184	141	93	67	46	29	17	9	4	2	1	0	0
35 - 30	256	217	182	140	70	43	24	10	5	1	0	0	0	0	0
30 - 25	130	123	95	55	20	10	3	1	0	0	0	0	0	0	0
APRIL															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	1	1	1	1	0	0	0	0	0	0	0	0	0	0
60 - 55	1	2	3	2	2	0	0	0	0	0	0	0	0	0	0
55 - 50	1	0	10	6	2	1	0	0	0	0	0	0	0	0	0
50 - 45	0	26	24	16	4	1	0	0	0	0	0	0	0	0	0
45 - 40	74	72	43	16	5	1	0	0	0	0	0	0	0	0	0
40 - 35	207	157	85	20	6	1	0	0	0	0	0	0	0	0	0
35 - 30	220	185	70	22	3	0	0	0	0	0	0	0	0	0	0
30 - 25	61	56	26	7	2	0	0	0	0	0	0	0	0	0	0
JULY															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55 - 50	1	4	4	1	0	0	0	0	0	0	0	0	0	0	0
50 - 45	2	21	10	5	1	0	0	0	0	0	0	0	0	0	0
45 - 40	42	68	30	11	2	0	0	0	0	0	0	0	0	0	0
40 - 35	436	244	107	30	5	0	0	0	0	0	0	0	0	0	0
35 - 30	466	370	252	103	8	0	0	0	0	0	0	0	0	0	0
30 - 25	8	60	109	59	14	3	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	1	1	1	1	0	0	0	0	0	0	0	0	0
65 - 60	0	2	3	4	4	3	2	1	1	0	0	0	0	0	0
60 - 55	1	5	6	8	7	5	3	1	1	0	0	0	0	0	0
55 - 50	5	11	17	14	9	5	2	1	0	0	0	0	0	0	0
50 - 45	13	32	32	10	0	3	1	0	0	0	0	0	0	0	0
45 - 40	87	85	54	21	6	1	0	0	0	0	0	0	0	0	0
40 - 35	220	105	79	25	7	1	0	0	0	0	0	0	0	0	0
35 - 30	22	47	5	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

3 - 35 - 60,000

	LAT RANGE	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	1	2	3	4	6	7	7	7	7	6	5	4	3	2
	70 - 65	0	2	4	7	11	13	13	13	11	10	8	6	4	2	2
	65 - 60	2	3	6	14	19	20	20	17	14	11	8	5	3	1	1
	60 - 55	8	12	19	28	33	33	30	24	19	14	9	6	3	2	1
	55 - 50	30	24	42	51	53	47	41	32	24	17	10	6	3	1	1
	50 - 45	82	82	81	79	73	65	51	40	29	19	12	7	3	2	1
	45 - 40	152	146	133	126	96	74	60	45	31	21	13	8	4	2	1
	40 - 35	199	183	163	129	103	83	66	51	37	25	16	9	5	2	1
	35 - 30	229	193	153	121	91	72	54	37	24	14	8	4	2	1	0
	30 - 25	250	184	122	93	69	45	28	13	7	3	1	0	0	0	0
APRIL	75 - 70	0	0	0	1	1	1	1	1	0	0	0	0	0	0	0
	70 - 65	0	1	2	2	2	2	1	1	1	0	0	0	0	0	0
	65 - 60	0	2	3	5	5	4	2	2	1	0	0	0	0	0	0
	60 - 55	1	6	10	12	11	8	5	2	1	0	0	0	0	0	0
	55 - 50	7	17	28	29	24	15	8	3	2	1	0	0	0	0	0
	50 - 45	44	53	63	55	41	26	14	8	4	1	1	0	0	0	0
	45 - 40	149	136	113	84	57	33	16	8	3	2	0	0	0	0	0
	40 - 35	229	220	179	108	70	46	25	13	5	2	1	0	0	0	0
	35 - 30	254	218	153	106	66	40	22	9	4	1	0	0	0	0	0
	30 - 25	149	133	100	72	44	22	10	4	2	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	1	1	1	1	0	0	0	0	0	0	0	0	0	0
	60 - 55	1	2	3	2	2	0	0	0	0	0	0	0	0	0	0
	55 - 50	1	7	9	6	2	1	0	0	0	0	0	0	0	0	0
	50 - 45	0	22	19	9	3	1	0	0	0	0	0	0	0	0	0
	45 - 40	41	43	22	7	2	0	0	0	0	0	0	0	0	0	0
	40 - 35	222	47	7	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	40	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	1	1	1	1	1	0	0	0	0	0	0	0
	70 - 65	0	1	2	3	3	3	2	1	1	0	0	0	0	0	0
	65 - 60	0	2	4	7	7	7	5	4	2	1	1	0	0	0	0
	60 - 55	2	6	12	15	14	12	8	4	3	1	1	0	0	0	0
	55 - 50	7	17	28	29	24	15	8	3	2	1	0	0	0	0	0
	50 - 45	35	47	39	49	33	18	7	3	1	0	0	0	0	0	0
	45 - 40	133	122	90	64	37	16	6	2	0	0	0	0	0	0	0
	40 - 35	306	211	119	62	32	13	4	1	0	0	0	0	0	0	0
	35 - 30	280	130	44	13	2	0	0	0	0	0	0	0	0	0	0
	30 - 25	40	35	12	3	1	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

3 - 35 - 80,000

LATITUDE	LONGITUDE																		
												60	70	80	90	100	110	120	130	140
JANUARY	75 - 70							7	6	6	3	3	6	7	6	5	3		
	70 - 65										10	8	7	5	3	2	1		
	65 - 60										7	5	2	1	1	0	0		
	60 - 55										7	4	2	1	0	0	0		
	55 - 50										7	4	1	1	0	0	0		
	50 - 45										8	3	2	1	0	0	0		
	45 - 40										7	4	1	0	0	0	0		
	40 - 35										7	3	1	0	0	0	0		
	35 - 30										1	0	0	0	0	0	0		
	30 - 25										0	0	0	0	0	0	0		
APRIL	75 - 70										0	0	0	0	0	0	0		
	70 - 65										0	0	0	0	0	0	0		
	65 - 60										0	0	0	0	0	0	0		
	60 - 55										0	0	0	0	0	0	0		
	55 - 50										0	0	0	0	0	0	0		
	50 - 45										0	0	0	0	0	0	0		
	45 - 40										0	0	0	0	0	0	0		
	40 - 35										0	0	0	0	0	0	0		
	35 - 30										0	0	0	0	0	0	0		
	30 - 25										0	0	0	0	0	0	0		
JULY	75 - 70										0	0	0	0	0	0	0		
	70 - 65										0	0	0	0	0	0	0		
	65 - 60										0	0	0	0	0	0	0		
	60 - 55										0	0	0	0	0	0	0		
	55 - 50										0	0	0	0	0	0	0		
	50 - 45										0	0	0	0	0	0	0		
	45 - 40										0	0	0	0	0	0	0		
	40 - 35										0	0	0	0	0	0	0		
	35 - 30										0	0	0	0	0	0	0		
	30 - 25										0	0	0	0	0	0	0		
OCTOBER	75 - 70										0	0	0	0	0	0	0		
	70 - 65										0	0	0	0	0	0	0		
	65 - 60										0	0	0	0	0	0	0		
	60 - 55										0	0	0	0	0	0	0		
	55 - 50										0	0	0	0	0	0	0		
	50 - 45										0	0	0	0	0	0	0		
	45 - 40										0	0	0	0	0	0	0		
	40 - 35										0	0	0	0	0	0	0		
	35 - 30										0	0	0	0	0	0	0		
	30 - 25										0	0	0	0	0	0	0		

TABLE I. NORTH AMERICA (CONT.)

3 - 40 - 40,000

LAT BAND		LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	1	4	7	10	12	14	14	14	13	12	10	8	6	5
	70 - 65	5	5	9	15	20	24	26	26	25	22	20	17	13	11	8
	65 - 60	13	13	22	28	34	37	42	42	39	34	31	26	21	16	12
	60 - 55	49	49	52	54	57	58	58	55	51	45	39	33	27	22	16
	55 - 50	90	92	92	94	92	79	73	67	61	54	47	39	32	26	19
	50 - 45	132	131	127	120	109	90	85	75	66	61	54	47	40	33	26
	45 - 40	163	156	149	142	133	99	87	77	68	62	56	50	44	38	32
	40 - 35	169	164	161	110	100	94	82	72	64	58	52	46	41	36	30
	35 - 30	160	163	162	113	92	86	72	67	60	53	46	39	31	25	19
	30 - 25	90	90	96	83	81	73	66	60	53	45	38	30	23	18	12
APRIL	75 - 70	0	1	2	3	5	6	6	6	5	5	3	2	1	1	1
	70 - 65	1	2	5	9	11	12	12	11	9	6	5	3	2	1	0
	65 - 60	0	9	15	23	27	26	25	21	16	12	9	6	3	2	1
	60 - 55	20	30	39	47	50	40	41	34	26	18	13	8	5	3	1
	55 - 50	62	60	61	60	75	67	58	47	35	26	18	11	7	5	2
	50 - 45	153	147	134	116	97	82	66	55	42	30	21	14	9	5	3
	45 - 40	200	194	180	136	100	85	70	50	40	29	18	12	6	4	2
	40 - 35	153	176	159	132	109	89	74	61	48	36	26	18	11	7	4
	35 - 30	140	141	130	113	93	79	67	55	43	32	23	15	9	5	3
	30 - 25	94	92	89	84	77	69	60	51	39	30	22	13	9	5	3
JULY	75 - 70	0	1	2	3	5	5	5	5	4	4	2	2	1	1	1
	70 - 65	1	2	5	9	12	13	13	12	10	7	5	3	2	1	0
	65 - 60	7	10	16	25	29	31	29	25	20	16	12	8	5	3	2
	60 - 55	29	32	40	48	52	51	44	37	29	21	15	9	6	4	2
	55 - 50	62	62	61	60	75	67	56	47	35	26	18	11	7	3	2
	50 - 45	153	147	134	115	90	81	67	53	40	28	19	12	6	4	2
	45 - 40	200	197	186	135	107	84	67	54	37	25	16	9	5	3	1
	40 - 35	275	223	155	99	64	35	17	8	3	1	0	0	0	0	0
	35 - 30	163	115	64	49	22	8	3	1	0	0	0	0	0	0	0
	30 - 25	10	5	2	1	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	1	3	5	7	9	9	9	9	8	6	5	4	3	2
	70 - 65	2	3	7	11	16	18	19	18	16	13	10	8	6	4	2
	65 - 60	10	12	18	27	33	36	36	34	27	22	18	13	9	6	4
	60 - 55	30	30	44	50	54	55	50	45	38	29	23	17	12	8	5
	55 - 50	80	85	84	82	77	70	62	54	41	32	23	16	10	6	4
	50 - 45	152	147	134	117	99	83	70	58	45	33	24	16	10	6	3
	45 - 40	199	196	167	130	110	87	72	59	44	32	21	14	9	5	2
	40 - 35	194	165	163	130	105	85	69	54	40	26	16	11	6	3	1
	35 - 30	153	146	129	100	86	70	55	40	27	17	10	6	3	1	1
	30 - 25	80	86	86	76	67	52	38	26	15	8	4	1	0	0	0

TABLE I. NORTH AMERICA (CONT.)

3 - 40 - 50,000

		LATITUDE	LONGITUDE												
			0°	10°	20°	30°	40°	50°	60°	70°	80°	90°	100°	110°	120°	130°	140°
JANUARY	70 - 70		0	1	3	6	9	12	12	14	12	11	10	8	6	5	4
	70 - 60		6	3	0	13	19	26	26	23	21	18	15	12	9	7	5
	60 - 50		11	14	19	27	33	37	37	35	30	26	21	16	12	8	6
	50 - 40		30	40	45	50	54	50	52	47	40	32	25	19	14	10	6
	40 - 30		46	54	58	64	72	72	67	60	48	39	30	22	15	10	7
	30 - 25	140	144	136	120	104	89	76	67	57	46	36	28	20	14	9	
	25 - 20	172	160	127	104	89	79	71	64	53	42	32	24	18	13		
	20 - 15	151	149	140	130	112	97	86	74	64	56	46	39	33	26	19	
	15 - 10	127	125	116	96	92	85	75	65	56	47	38	29	21	14	9	
	10 - 5	95	93	90	85	76	70	64	53	42	32	24	15	10	6	3	
APRIL	70 - 70		0	1	2	2	3	3	3	2	1	1	0	0	0	0	0
	70 - 60		0	2	2	6	7	7	7	5	4	2	1	1	0	0	0
	60 - 50		3	6	12	17	19	16	14	11	7	5	3	2	1	1	0
	50 - 40		10	21	32	39	37	33	26	18	12	7	4	2	1	0	0
	40 - 30	67	70	74	73	65	52	41	27	16	10	6	3	2	0	0	
	30 - 25	150	140	134	110	89	70	52	36	24	15	8	4	2	1	1	
	25 - 20	203	202	178	151	100	75	55	39	24	15	8	4	1	1	0	
	20 - 15	203	193	180	147	106	81	63	47	33	22	13	8	4	2	1	
	15 - 10	156	146	130	109	86	72	56	43	30	20	12	7	3	1	1	
	10 - 5	89	85	83	72	71	59	47	35	23	15	9	5	2	1	1	
JULY	70 - 70		0	0	1	1	1	1	1	1	0	0	0	0	0	0	0
	70 - 60		0	2	3	4	5	4	2	1	0	0	0	0	0	0	0
	60 - 50		2	5	14	15	15	11	5	3	2	1	0	0	0	0	0
	50 - 40	13	19	32	56	50	49	41	15	10	5	3	1	1	0	0	
	40 - 30	59	61	66	66	50	41	30	10	10	5	3	1	1	0	0	
	30 - 25	154	144	126	102	78	55	35	21	11	6	2	1	0	0	0	
	25 - 20	259	227	207	149	103	83	52	31	18	9	4	1	1	0	0	
	20 - 15	241	194	96	57	42	25	5	1	0	0	0	0	0	0	0	0
	15 - 10	74	76	39	13	3	0	0	0	0	0	0	0	0	0	0	0
	10 - 5	5	14	7	2	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	70 - 70		0	1	2	3	5	5	5	5	5	4	2	2	1	1	1
	70 - 60		1	2	5	9	11	12	12	11	9	6	5	3	2	1	0
	60 - 50		5	8	15	22	26	26	26	24	20	15	11	7	5	2	1
	50 - 40		24	28	38	45	46	45	30	30	23	19	11	6	4	2	1
	40 - 30		74	78	77	76	76	59	46	36	25	17	11	6	3	1	1
	30 - 25		100	96	93	110	89	71	54	36	25	16	9	5	2	1	1
	25 - 20	220	211	172	130	99	72	53	37	22	13	7	3	1	1	0	
	20 - 15	224	215	169	129	97	67	50	34	19	9	4	2	0	0	0	
	15 - 10	153	141	97	69	50	35	25	19	9	4	1	1	0	0	0	0
	10 - 5	44	35	20	10	5	3	1	0	4	1	0	0	0	0	0	0

TABLE L NORTH AMERICA (CONT.)

3 - 40 - 70,000

LATITUDE	LONGITUDE														
		5	10	15	20	25	30	35	40	45	50	55	60	65	70
JANUARY	75 - 70	6	3	2	6	9	11	13	13	13	12	10	9	7	4
	70 - 65	6	5	7	12	17	19	20	19	17	14	11	9	6	3
	65 - 60	5	8	12	16	20	20	24	20	15	11	7	5	2	1
	60 - 55	19	24	35	42	43	39	31	23	17	9	6	3	2	0
	55 - 50	67	76	74	73	60	52	41	28	18	10	6	3	2	0
	50 - 45	156	147	130	109	87	67	47	32	20	12	6	3	1	0
	45 - 40	236	213	174	130	96	70	45	33	19	11	5	3	1	0
	40 - 35	220	207	160	121	93	67	40	29	17	9	4	2	1	0
	35 - 30	157	143	120	98	92	46	27	14	8	3	1	0	0	0
	30 - 25	44	35	65	50	32	16	8	4	1	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	1	2	1	2	0	0	0	0	0	0	0	0	0
	65 - 60	1	1	0	0	2	1	0	0	0	0	0	0	0	0
	60 - 55	1	7	6	5	3	1	0	0	0	0	0	0	0	0
	55 - 50	0	22	21	12	4	1	0	0	0	0	0	0	0	0
	50 - 45	61	62	30	16	5	1	0	0	0	0	0	0	0	0
	45 - 40	254	106	50	21	3	1	0	0	0	0	0	0	0	0
	40 - 35	307	157	90	25	6	1	0	0	0	0	0	0	0	0
	35 - 30	74	72	39	13	3	0	0	0	0	0	0	0	0	0
	30 - 25	9	10	11	4	1	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	3	3	1	0	0	0	0	0	0	0	0	0	0
	55 - 50	1	15	10	4	1	0	0	0	0	0	0	0	0	0
	50 - 45	30	61	30	10	2	0	0	0	0	0	0	0	0	0
	45 - 40	160	210	77	19	2	0	0	0	0	0	0	0	0	0
	40 - 35	432	244	107	30	5	0	0	0	0	0	0	0	0	0
	35 - 30	22	76	76	39	4	0	0	0	0	0	0	0	0	0
	30 - 25	0	7	15	9	1	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	1	1	1	2	2	2	1	1	1	0	0	0	0
	70 - 65	0	2	3	3	4	4	3	2	1	1	0	0	0	0
	65 - 60	1	4	8	10	10	8	5	3	1	1	0	0	0	0
	60 - 55	4	12	20	21	17	12	6	3	1	1	0	0	0	0
	55 - 50	23	39	45	36	23	12	6	3	1	0	0	0	0	0
	50 - 45	107	105	79	46	23	10	4	2	0	0	0	0	0	0
	45 - 40	321	210	104	40	20	7	2	1	0	0	0	0	0	0
	40 - 35	328	103	79	25	7	1	0	0	0	0	0	0	0	0
	35 - 30	40	30	14	4	1	0	0	0	0	0	0	0	0	0
	30 - 25	1	9	2	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

3 - 40 - 60,000

LATITUDE	LONGITUDE														
JANUARY	75 - 70	0	1	3	6	8	10	12	11	11	10	8	7	5	4	3
	70 - 65	2	3	7	11	14	16	15	16	16	13	10	8	6	4	2
	65 - 60	4	6	16	24	27	30	26	24	19	15	11	8	5	3	2
	60 - 55	20	29	36	46	49	46	36	34	25	16	12	7	5	2	1
	55 - 50	77	77	74	76	72	62	52	46	28	20	16	13	7	4	2	1
	50 - 45	155	140	133	114	93	77	54	47	33	22	13	7	4	2	1
	45 - 40	226	229	208	133	106	86	62	49	30	22	13	7	3	2	1
	40 - 35	199	208	203	169	103	83	60	51	37	20	16	9	5	2	1
	35 - 30	154	145	127	107	72	58	33	30	25	16	9	5	2	1	0
	30 - 25	74	75	77	72	51	44	30	20	11	9	2	1	0	0	0
APRIL	75 - 70	0	0	1	1	1	1	1	0	0	0	0	0	0	0	0
	70 - 65	0	2	3	3	4	3	3	2	1	1	0	0	0	0	0
	65 - 60	1	4	8	9	9	7	4	2	1	1	0	0	0	0	0
	60 - 55	3	13	22	22	17	13	7	4	1	1	0	0	0	0	0
	55 - 50	33	45	50	50	35	20	11	5	2	0	0	0	0	0	0
	50 - 45	144	134	112	85	52	31	16	7	2	1	0	0	0	0	0
	45 - 40	207	207	150	100	62	31	14	6	2	1	0	0	0	0	0
	40 - 35	232	226	152	103	78	46	22	13	5	2	1	0	0	0	0
	35 - 30	151	139	112	86	54	32	17	8	3	1	1	0	0	0	0
	30 - 25	47	57	60	33	30	17	9	5	2	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	1	1	1	1	0	0	0	0	0	0	0	0	0	0
	65 - 60	1	2	3	3	2	1	0	0	0	0	0	0	0	0	0
	60 - 55	1	9	14	9	5	2	0	0	0	0	0	0	0	0	0
	55 - 50	20	30	34	19	7	2	0	0	0	0	0	0	0	0	0
	50 - 45	67	80	59	27	9	2	0	0	0	0	0	0	0	0	0
	45 - 40	90	100	80	25	7	1	0	0	0	0	0	0	0	0	
	40 - 35	22	47	7	0	0	0	0	0	0	0	0	0	0	0	
	35 - 30	2	3	0	0	0	0	0	0	0	0	0	0	0	0	
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	1	2	2	3	3	3	2	1	1	0	0	0	0	0
	70 - 65	0	2	4	5	7	7	6	4	3	2	1	0	0	0	0
	65 - 60	2	6	12	15	16	15	11	8	5	3	2	1	0	0	0
	60 - 55	4	10	20	34	32	26	16	11	7	4	2	1	0	0	0
	55 - 50	47	55	64	61	46	35	22	13	7	3	2	0	0	0	0
	50 - 45	146	135	115	87	56	35	19	9	4	1	1	0	0	0	0
	45 - 40	229	203	154	99	58	27	11	4	1	0	0	0	0	0	0
	40 - 35	208	211	119	64	32	13	4	1	0	0	0	0	0	0	0
	35 - 30	99	90	59	24	7	1	1	0	0	0	0	0	0	0	0
	30 - 25	0	23	16	6	1	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

3 - 40 - 80,000

LAT BAND	LONGITUDE														
	0 - 10	10 - 20	20 - 30	30 - 40	40 - 50	50 - 60	60 - 70	70 - 80	80 - 90	90 - 100	100 - 110	110 - 120	120 - 130	130 - 140	
JANUARY															
75 - 70	0	1	4	7	10	13	15	10	16	15	14	12	10	8	7
70 - 65	2	3	7	12	17	19	20	19	17	14	11	9	6	5	3
65 - 60	4	7	13	21	24	24	21	17	12	8	5	3	1	1	0
60 - 55	14	20	32	27	37	31	23	10	11	6	4	1	1	0	0
55 - 50	52	59	96	84	53	36	17	10	9	4	2	1	1	0	0
50 - 45	155	143	124	100	74	52	33	19	10	5	2	1	0	0	0
45 - 40	239	226	206	126	87	50	34	20	9	4	2	1	0	0	0
40 - 35	243	218	201	110	80	56	32	17	7	3	1	0	0	0	0
35 - 30	150	93	41	69	51	29	15	7	3	1	1	0	0	0	0
30 - 25	25	42	15	30	12	5	2	1	0	0	0	0	0	0	0
APRIL															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	0	4	2	1	1	0	0	0	0	0	0	0	0	0	0
55 - 50	2	12	7	3	1	0	0	0	0	0	0	0	0	0	0
50 - 45	17	24	7	1	0	0	0	0	0	0	0	0	0	0	0
45 - 40	222	50	9	1	0	0	0	0	0	0	0	0	0	0	0
40 - 35	666	41	7	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	27	25	4	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	1	2	1	0	0	0	0	0	0	0	0	0	0	0
60 - 55	1	4	5	3	1	0	0	0	0	0	0	0	0	0	0
55 - 50	2	20	22	11	3	0	0	0	0	0	0	0	0	0	0
50 - 45	20	65	76	49	15	1	0	0	0	0	0	0	0	0	0
45 - 40	467	413	309	180	49	2	0	0	0	0	0	0	0	0	0
40 - 35	477	442	349	168	32	1	0	0	0	0	0	0	0	0	0
35 - 30	9	46	110	64	26	8	1	0	0	0	0	0	0	0	0
30 - 25	0	3	26	33	26	9	1	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	1	1	1	2	1	1	0	0	0	0	0	0	0	0
65 - 60	1	2	5	5	3	2	1	0	0	0	0	0	0	0	0
60 - 55	1	9	14	9	5	2	0	0	0	0	0	0	0	0	0
55 - 50	0	26	26	15	0	2	0	0	0	0	0	0	0	0	0
50 - 45	61	62	36	16	5	1	0	0	0	0	0	0	0	0	0
45 - 40	243	97	25	8	2	0	0	0	0	0	0	0	0	0	0
40 - 35	275	116	43	13	4	1	0	0	0	0	0	0	0	0	0
35 - 30	27	25	4	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

3 - 45 - 40,000

	LATITUDE	LONGITUDE 0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70															
	70 - 65															
	65 - 60															
	60 - 55															
	55 - 50															
	50 - 45															
	45 - 40															
	40 - 35															
	35 - 30															
	30 - 25															
APRIL	75 - 70															
	70 - 65															
	65 - 60															
	60 - 55															
	55 - 50															
	50 - 45															
	45 - 40															
	40 - 35															
	35 - 30															
	30 - 25															
JULY	75 - 70															
	70 - 65															
	65 - 60															
	60 - 55															
	55 - 50															
	50 - 45															
	45 - 40															
	40 - 35															
	35 - 30															
	30 - 25															
OCTOBER	75 - 70															
	70 - 65															
	65 - 60															
	60 - 55															
	55 - 50															
	50 - 45															
	45 - 40															
	40 - 35															
	35 - 30															
	30 - 25															

TABLE I. NORTH AMERICA (CONT.)

3 - 45 -50,000

	LAT. BAND	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	1	2	2	6	12	14	15	15	14	13	11	8	7	5	3
	70 - 65	7	9	14	21	26	30	30	27	24	20	16	12	9	6	4
	65 - 60	20	21	36	42	47	47	47	44	34	26	21	15	10	7	4
	60 - 55	30	30	50	60	77	71	63	54	42	32	23	16	10	6	3
	55 - 50	150	142	136	140	103	88	73	61	46	30	25	16	12	7	4
	50 - 45	200	194	172	148	113	93	79	63	49	37	26	18	12	7	4
	45 - 40	178	160	151	140	119	97	84	73	62	53	42	33	25	18	13
	40 - 35	137	135	122	120	100	90	80	70	61	53	44	36	28	21	14
	35 - 30	92	93	92	88	81	70	67	59	52	43	34	26	19	13	9
	30 - 25	49	50	50	56	59	50	52	46	36	30	22	15	9	6	4
APRIL	75 - 70	6	2	2	3	4	4	4	3	2	1	1	1	0	0	0
	70 - 65	4	4	8	11	16	11	9	6	4	2	1	0	0	0	0
	65 - 60	7	15	24	30	29	24	16	11	6	3	2	1	0	0	0
	60 - 55	36	36	38	42	37	45	36	31	15	8	4	2	1	1	0
	55 - 50	150	140	130	111	94	88	69	53	19	11	5	3	1	0	0
	50 - 45	239	211	177	140	104	77	57	37	22	12	6	4	2	1	0
	45 - 40	250	247	173	131	100	75	55	39	24	15	8	4	2	1	0
	40 - 35	203	197	136	108	94	71	56	41	27	17	9	5	3	1	0
	35 - 30	84	83	82	80	72	61	49	36	26	17	10	6	3	1	0
	30 - 25	32	29	27	24	24	20	16	13	7	4	2	1	0		
JULY	75 - 70	0	1	2	2	3	3	2	2	1	1	0	0	0	0	0
	70 - 65	1	4	7	10	11	10	8	8	5	2	1	0	0	0	0
	65 - 60	11	10	26	33	33	29	22	17	10	7	4	2	1	0	0
	60 - 55	55	55	67	68	61	50	37	26	17	10	5	3	1	1	0
	55 - 50	150	140	130	121	96	86	69	53	19	11	5	3	1	0	0
	50 - 45	239	215	177	140	104	77	57	37	22	12	6	4	2	1	0
	45 - 40	264	229	200	116	80	49	29	20	7	3	1	1	0	0	0
	40 - 35	130	126	103	69	40	19	7	2	0	0	0	0	0	0	0
	35 - 30	20	17	16	12	11	5	2	0	0	0	0	0	0	0	0
	30 - 25	1	0	2	3	1	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	2	3	6	8	8	9	8	7	6	4	3	2	1	1
	70 - 65	3	6	14	17	20	22	20	17	14	11	7	5	3	2	1
	65 - 60	20	25	38	40	44	43	37	31	23	18	12	7	5	2	2
	60 - 55	78	75	76	77	73	66	56	44	34	25	17	11	7	4	2
	55 - 50	150	150	130	117	99	80	65	51	36	25	16	10	6	3	1
	50 - 45	223	208	176	142	107	85	66	50	35	23	14	8	4	2	1
	45 - 40	220	211	171	130	99	73	53	37	22	13	7	3	2	1	0
	40 - 35	150	146	107	106	81	61	40	24	13	7	3	1	1	0	0
	35 - 30	64	60	73	69	50	39	24	13	6	3	1	0	0	0	0
	30 - 25	23	23	32	36	20	12	7	3	2	1	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

3 - 45 -60,000

LAT BAND	LONGITUDE														
	60	70	80	90	100	110	120	130	140	150	160	170	180		
JANUARY															
75 - 70	1	2	5	9	12	15	17	17	16	12	13	10	9	6	5
70 - 65	7	9	14	21	28	30	30	27	24	20	16	12	9	6	4
65 - 60	22	25	32	41	49	54	55	53	45	40	14	9	6	3	2
60 - 55	70	72	75	76	72	65	52	41	30	21	13	9	5	3	1
55 - 50	150	153	153	136	96	72	61	47	32	22	13	8	5	2	1
50 - 45	220	209	170	142	100	84	68	48	33	21	14	8	4	2	1
45 - 40	242	241	209	173	122	92	62	49	33	22	13	7	4	2	1
40 - 35	193	180	134	109	76	74	60	45	31	21	13	8	4	2	1
35 - 30	86	86	81	72	71	59	47	33	23	15	8	4	2	1	0
30 - 25	40	31	42	49	40	37	27	18	11	8	2	1	1	0	0
APRIL															
75 - 70	0	1	2	1	2	2	1	1	0	0	0	0	0	0	0
70 - 65	1	3	5	6	6	5	4	2	1	1	0	0	0	0	0
65 - 60	5	11	16	19	23	11	8	4	2	1	0	0	0	0	0
60 - 55	21	40	52	49	46	19	12	5	2	1	0	0	0	0	0
55 - 50	135	126	107	81	55	30	16	8	2	1	0	0	0	0	0
50 - 45	229	213	163	143	89	36	16	7	2	1	0	0	0	0	0
45 - 40	267	253	196	162	84	31	14	6	2	1	0	0	0	0	0
40 - 35	149	136	115	84	57	35	16	8	3	2	0	0	0	0	0
35 - 30	47	57	64	56	39	24	13	6	2	1	0	0	0	0	0
30 - 25	10	20	36	31	23	14	7	3	1	1	0	0	0	0	0
JULY															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	1	1	2	2	2	1	1	0	0	0	0	0	0	0	0
65 - 60	1	6	11	10	6	3	1	0	0	0	0	0	0	0	0
60 - 55	13	32	35	26	14	7	3	1	0	0	0	0	0	0	0
55 - 50	104	103	80	50	27	11	5	2	1	0	0	0	0	0	0
50 - 45	321	210	112	60	26	10	4	1	0	0	0	0	0	0	0
45 - 40	209	160	65	25	7	1	0	0	0	0	0	0	0	0	0
40 - 35	47	45	22	7	2	0	0	0	0	0	0	0	0	0	0
35 - 30	1	3	2	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	2	1	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	0	2	3	5	6	6	5	5	3	2	1	1	0	0	0
70 - 65	2	5	9	12	13	14	13	10	7	4	3	1	1	0	0
65 - 60	11	18	26	33	33	29	22	17	10	7	4	2	1	0	0
60 - 55	50	56	64	65	57	45	32	21	13	6	4	2	1	1	0
55 - 50	120	144	164	163	130	94	56	33	17	7	3	2	1	0	0
50 - 45	275	252	269	243	163	103	52	25	11	4	2	1	0	0	0
45 - 40	296	253	154	99	50	27	11	4	1	0	0	0	0	0	0
40 - 35	133	122	76	64	37	19	6	2	0	0	0	0	0	0	0
35 - 30	20	39	39	27	13	6	2	0	0	0	0	0	0	0	0
30 - 25	4	10	14	6	3	0	0	0	0	0	0	0	0	0	0

TABLE L NORTH AMERICA (CONT.)

3 - 45 - 70,000

LATITUDE	LONGITUDE															
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	2	3	6	9	14	18	21	21	21	19	17	14	12	9	6
	70 - 65	8	11	15	22	28	32	32	30	27	23	19	14	10	6	3
	65 - 60	24	27	32	39	46	49	47	41	33	26	18	12	7	3	2
	60 - 55	64	67	74	78	80	80	75	63	48	32	19	10	4	2	0
	55 - 50	134	142	146	145	136	126	104	83	59	36	19	8	3	1	0
	50 - 45	239	248	247	240	220	194	157	117	77	43	19	7	2	0	0
	45 - 40	423	428	417	400	365	320	255	183	113	57	22	7	2	0	0
	40 - 35	688	686	665	630	574	500	392	274	161	75	26	7	2	0	0
	35 - 30	992	979	940	882	797	685	532	362	205	90	29	7	2	0	0
	30 - 25	1284	1260	1205	1125	1012	864	667	447	245	101	30	7	2	0	0
APRIL	75 - 70	0	1	2	3	4	5	5	5	5	5	5	5	5	5	5
	70 - 65	1	2	4	6	8	9	9	9	9	9	9	9	9	9	9
	65 - 60	2	5	10	15	19	21	21	21	21	21	21	21	21	21	21
	60 - 55	5	8	17	27	34	36	36	36	36	36	36	36	36	36	36
	55 - 50	11	15	29	42	52	56	56	56	56	56	56	56	56	56	56
	50 - 45	21	27	44	60	72	76	76	76	76	76	76	76	76	76	76
	45 - 40	36	44	62	79	91	95	95	95	95	95	95	95	95	95	95
	40 - 35	54	63	80	96	107	111	111	111	111	111	111	111	111	111	111
	35 - 30	73	82	97	111	120	123	123	123	123	123	123	123	123	123	123
	30 - 25	92	100	113	124	131	133	133	133	133	133	133	133	133	133	133
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1
	65 - 60	0	0	2	3	3	3	3	3	3	3	3	3	3	3	3
	60 - 55	1	1	4	6	7	7	7	7	7	7	7	7	7	7	7
	55 - 50	2	3	8	12	14	14	14	14	14	14	14	14	14	14	14
	50 - 45	4	6	16	23	27	28	28	28	28	28	28	28	28	28	28
	45 - 40	8	10	27	38	45	47	47	47	47	47	47	47	47	47	47
	40 - 35	13	16	41	56	66	69	69	69	69	69	69	69	69	69	69
	35 - 30	19	23	56	75	88	92	92	92	92	92	92	92	92	92	92
	30 - 25	26	31	71	94	110	115	115	115	115	115	115	115	115	115	115
OCTOBER	75 - 70	0	1	2	3	4	4	3	3	2	1	1	1	0	0	0
	70 - 65	1	3	6	9	9	9	6	4	2	1	1	0	0	0	0
	65 - 60	3	13	20	24	21	16	10	6	3	1	1	0	0	0	0
	60 - 55	8	41	50	46	30	23	13	6	3	1	0	0	0	0	0
	55 - 50	19	75	94	86	41	21	11	5	2	1	0	0	0	0	0
	50 - 45	32	110	116	80	20	10	4	1	0	0	0	0	0	0	0
	45 - 40	32	110	116	40	20	7	2	1	0	0	0	0	0	0	0
	40 - 35	8	35	54	24	6	1	0	0	0	0	0	0	0	0	0
	35 - 30	2	10	14	3	1	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	2	4	0	0	0	0	0	0	0	0	0	0	0	0

ABLE I. NORTH AMERICA (CONT.)

3 - 45 - 80,000

	LAT. CAN	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	1	5	7	11	16	21	25	29	26	23	23	21	19	16	14
	70 - 65	9	11	16	23	29	34	35	33	30	26	22	17	12	9	6
	65 - 60	16	23	32	37	42	40	34	29	20	15	9	5	3	1	1
	60 - 55	55	80	67	63	61	50	37	20	17	10	5	3	1	1	0
	55 - 50	130	146	99	109	80	54	36	23	12	7	3	2	1	0	0
	50 - 45	209	231	171	126	80	55	36	20	10	5	2	1	1	0	0
	45 - 40	259	266	198	144	87	50	34	20	9	4	2	1	0	0	0
	40 - 35	190	144	104	97	74	49	31	16	7	4	1	0	0	0	0
	35 - 30	52	27	82	20	42	27	15	7	3	2	1	0	0	0	0
	30 - 25	5	10	25	22	14	8	2	1	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	1	2	2	1	1	0	0	0	0	0	0	0	0	0
	65 - 60	0	3	5	3	2	1	0	0	0	0	0	0	0	0	0
	60 - 55	3	15	14	5	2	1	0	0	0	0	0	0	0	0	0
	55 - 50	47	12	20	13	5	1	0	0	0	0	0	0	0	0	0
	50 - 45	234	96	36	15	5	1	0	0	0	0	0	0	0	0	0
	45 - 40	222	58	9	1	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	34	9	1	2	1	0	0	0	0	0	0	0	0	0	0
	35 - 30	1	1	2	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	2	1	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0
	65 - 60	1	4	6	4	2	0	0	0	0	0	0	0	0	0	0
	60 - 55	2	21	24	13	4	1	0	0	0	0	0	0	0	0	0
	55 - 50	32	72	57	24	6	1	0	0	0	0	0	0	0	0	0
	50 - 45	427	245	106	38	6	0	0	0	0	0	0	0	0	0	0
	45 - 40	467	415	309	106	42	2	0	0	0	0	0	0	0	0	0
	40 - 35	10	55	91	65	10	1	0	0	0	0	0	0	0	0	0
	35 - 30	0	2	13	14	3	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	3	5	2	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	1	1	1	2	2	1	1	0	0	0	0	0	0	0
	70 - 65	1	2	4	5	4	3	2	1	0	0	0	0	0	0	0
	65 - 60	2	10	13	13	7	5	2	1	0	0	0	0	0	0	0
	60 - 55	0	1	3	2	1	4	1	0	0	0	0	0	0	0	0
	55 - 50	7	7	5	2	1	3	1	0	0	0	0	0	0	0	0
	50 - 45	24	7	2	1	3	1	0	0	0	0	0	0	0	0	0
	45 - 40	24	7	2	0	2	0	0	0	0	0	0	0	0	0	0
	40 - 35	3	5	2	1	1	0	0	0	0	0	0	0	0	0	0
	35 - 30	1	1	2	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

3 - 50 - 40,000

LAT. AND	LONGITUDE														
	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75
JANUARY															
75 - 70	6	4	6	13	20	17	17	15	14	10	8	6	4	2	2
70 - 65	17	21	26	34	40	40	37	32	26	19	16	11	6	5	3
65 - 60	70	71	72	76	74	67	59	50	41	30	23	16	10	7	4
60 - 55	155	150	146	124	105	92	78	64	51	41	29	21	14	9	6
55 - 50	220	209	196	154	123	102	83	68	55	42	31	23	15	10	6
50 - 45	178	169	159	145	125	105	91	79	68	58	49	41	32	24	18
45 - 40	144	133	127	109	96	85	75	68	61	54	47	40	33	26	
40 - 35	99	99	93	90	84	78	71	65	60	54	48	44	35	29	23
35 - 30	92	92	80	60	61	60	56	55	51	46	40	33	28	21	16
30 - 25	69	50	35	36	42	46	47	44	41	36	31	25	20	15	11
APRIL															
75 - 70	1	3	7	11	13	13	12	10	8	5	3	2	1	0	0
70 - 65	8	14	23	29	31	29	24	18	13	8	6	3	2	1	1
65 - 60	56	57	0	67	63	53	42	33	23	15	10	6	3	2	1
60 - 55	157	142	130	120	102	85	66	49	33	23	14	9	5	3	2
55 - 50	223	211	200	155	122	90	77	60	46	33	23	15	9	5	3
50 - 45	178	179	174	144	113	90	73	59	44	31	21	14	8	5	3
45 - 40	153	147	134	116	97	82	66	55	42	30	21	14	9	5	3
40 - 35	80	97	82	82	77	70	60	50	40	29	21	14	8	5	3
35 - 30	43	45	40	53	57	54	50	41	34	25	18	12	8	5	2
30 - 25	16	19	26	34	41	42	39	33	28	21	15	10	6	4	2
JULY															
75 - 70	1	3	7	10	12	12	11	9	7	5	3	2	1	0	0
70 - 65	16	17	25	31	35	34	30	24	19	13	10	7	4	3	2
65 - 60	67	69	72	74	73	65	56	47	37	26	19	13	8	5	3
60 - 55	150	150	139	122	104	89	73	58	44	34	23	16	11	7	4
55 - 50	217	207	204	155	123	100	80	64	50	37	26	18	11	6	4
50 - 45	199	190	172	146	117	94	81	60	53	40	29	21	14	9	5
45 - 40	155	147	134	115	90	81	67	53	40	28	19	12	8	4	2
40 - 35	74	75	77	75	67	56	41	29	20	11	6	3	1	1	0
35 - 30	17	25	36	41	30	27	18	11	5	3	1	0	0	0	0
30 - 25	6	8	15	16	14	9	5	3	1	0	0	0	0	0	0
OCTOBER															
75 - 70	5	5	9	14	19	21	22	20	19	15	13	10	7	5	3
70 - 65	20	24	31	36	43	44	42	37	31	25	20	15	10	7	5
65 - 60	75	75	77	78	77	71	64	56	46	36	26	21	14	10	7
60 - 55	154	149	140	126	109	95	82	69	57	48	36	27	20	14	9
55 - 50	200	200	181	154	120	103	84	69	56	44	33	24	17	11	7
50 - 45	201	192	178	146	116	94	80	65	51	39	27	20	13	8	5
45 - 40	156	147	134	117	99	80	70	56	45	33	24	16	10	6	3
40 - 35	87	89	85	86	78	69	59	46	36	27	19	13	8	4	2
35 - 30	37	40	46	52	55	51	44	35	27	19	13	8	5	3	1
30 - 25	11	14	23	33	30	35	29	23	17	11	6	4	2	1	0

TABLE I. NORTH AMERICA (CONT.)

3 - 50 - 50,000

MONTH	LONGITUDE																			
JANUARY	70 - 75																			
	75 - 80																			
	80 - 85																			
	85 - 90																			
	90 - 95																			
	95 - 100																			
	100 - 105																			
	105 - 110																			
	110 - 115																			
	115 - 120																			
	120 - 125																			
	125 - 130																			
	130 - 135																			
	135 - 140																			
APRIL	70 - 75																			
	75 - 80																			
	80 - 85																			
	85 - 90																			
	90 - 95																			
	95 - 100																			
	100 - 105																			
	105 - 110																			
	110 - 115																			
	115 - 120																			
	120 - 125																			
	125 - 130																			
	130 - 135																			
	135 - 140																			
JULY	70 - 75																			
	75 - 80																			
	80 - 85																			
	85 - 90																			
	90 - 95																			
	95 - 100																			
	100 - 105																			
	105 - 110																			
	110 - 115																			
	115 - 120																			
	120 - 125																			
	125 - 130																			
	130 - 135																			
	135 - 140																			
OCTOBER	70 - 75																			
	75 - 80																			
	80 - 85																			
	85 - 90																			
	90 - 95																			
	95 - 100																			
	100 - 105																			
	105 - 110																			
	110 - 115																			
	115 - 120																			
	120 - 125																			
	125 - 130																			
	130 - 135																			
	135 - 140																			

TABLE I. NORTH AMERICA (CONT.)

3 - 50 - 60,000

LATITUDE	LONGITUDE														
JANUARY	75 - 70														
	70 - 65														
	65 - 60														
	60 - 55														
	55 - 50														
	50 - 45														
	45 - 40														
	40 - 35														
	35 - 30														
	30 - 25														
APRIL	75 - 70														
	70 - 65														
	65 - 60														
	60 - 55														
	55 - 50														
	50 - 45														
	45 - 40														
	40 - 35														
	35 - 30														
	30 - 25														
JULY	75 - 70														
	70 - 65														
	65 - 60														
	60 - 55														
	55 - 50														
	50 - 45														
	45 - 40														
	40 - 35														
	35 - 30														
	30 - 25														
OCTOBER	75 - 70														
	70 - 65														
	65 - 60														
	60 - 55														
	55 - 50														
	50 - 45														
	45 - 40														
	40 - 35														
	35 - 30														
	30 - 25														

TABLE 1. NORTH AMERICA (CONT)

3 - 56 - 70,000

TABLE I. NORTH AMERICA (CONT.)

.3 - 50 - 80,000

		LONGITUDE															
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	
JANUARY	75 - 70	25	14	16	22	26	31	37	39	40	39	37	35	34	26	24	
	70 - 65	31	30	30	43	49	53	53	51	46	40	35	28	22	17	12	
	65 - 60	67	62	76	74	73	65	56	47	37	26	19	13	6	5	3	
	60 - 55	155	122	133	114	92	74	54	30	24	18	9	5	3	1	1	
	55 - 50	269	253	200	140	102	72	42	20	17	12	5	3	1	1	0	
	50 - 45	269	201	171	126	80	55	33	20	10	5	2	1	1	0	0	
	45 - 40	155	143	126	100	74	54	33	19	10	5	2	1	0	0	0	
	40 - 35	50	53	70	56	50	40	20	15	8	3	2	1	0	0	0	
	35 - 30	26	26	30	30	29	20	12	7	5	2	1	0	0	0	0	
	30 - 25	4	7	12	12	9	5	2	1	0	0	0	0	0	0	0	
APRIL	75 - 70	0	1	1	1	1	1	1	0	0	0	0	0	0	0	0	
	70 - 65	6	5	6	5	4	2	1	0	0	0	0	0	0	0	0	
	65 - 60	4	15	14	10	5	2	1	0	0	0	0	0	0	0	0	
	60 - 55	46	42	26	16	9	4	1	0	0	0	0	0	0	0	0	
	55 - 50	264	116	50	21	8	3	1	0	0	0	0	0	0	0	0	
	50 - 45	254	102	30	16	5	1	0	0	0	0	0	0	0	0	0	
	45 - 40	27	29	7	1	0	0	0	0	0	0	0	0	0	0	0	
	40 - 35	5	14	8	3	1	0	0	0	0	0	0	0	0	0	0	
	35 - 30	0	2	1	0	0	0	0	0	0	0	0	0	0	0	0	
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	70 - 65	1	3	5	5	3	1	0	0	0	0	0	0	0	0	0	
	65 - 60	2	10	22	16	7	2	0	0	0	0	0	0	0	0	0	
	60 - 55	36	72	63	30	8	2	0	0	0	0	0	0	0	0	0	
	55 - 50	244	174	92	35	9	1	0	0	0	0	0	0	0	0	0	
	50 - 45	427	240	100	36	9	0	0	0	0	0	0	0	0	0	0	
	45 - 40	20	50	70	49	15	1	0	0	0	0	0	0	0	0	0	
	40 - 35	1	14	16	11	3	0	0	0	0	0	0	0	0	0	0	
	35 - 30	0	2	2	1	0	0	0	0	0	0	0	0	0	0	0	
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
OCTOBER	75 - 70	1	2	5	7	9	7	6	5	3	2	1	1	0	0	0	
	70 - 65	4	10	17	20	19	16	12	9	5	3	2	1	1	0	0	
	65 - 60	20	30	46	46	37	26	17	11	5	2	1	1	0	0	0	
	60 - 55	114	110	104	74	49	31	17	9	4	2	1	0	0	0	0	
	55 - 50	314	226	147	93	49	27	12	5	2	1	0	0	0	0	0	
	50 - 45	243	97	29	11	3	1	0	0	0	0	0	0	0	0	0	
	45 - 40	61	62	36	16	5	1	0	0	0	0	0	0	0	0	0	
	40 - 35	5	10	13	6	2	0	0	0	0	0	0	0	0	0	0	
	35 - 30	0	2	1	0	0	0	0	0	0	0	0	0	0	0	0	
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

TABLE 1. NORTH AMERICA (CONT.)

3 - 55 - 40,000

		LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	10	17	24	27	26	24	20	15	11	7	5	3	2	1
	70 - 65	47	50	50	04	03	00	40	37	29	21	14	9	7	4	2
	65 - 60	151	121	114	106	116	94	77	66	47	34	23	15	8	5	3
	60 - 55	201	206	194	100	130	107	86	60	54	39	29	21	13	9	5
	55 - 50	249	209	204	154	120	102	83	68	55	42	31	23	15	10	6
	50 - 45	147	144	136	120	110	90	85	74	63	54	44	35	27	19	14
	45 - 40	92	93	93	92	82	78	73	67	61	54	47	39	32	26	19
	40 - 35	57	57	50	9	00	00	59	57	53	49	43	37	31	25	19
	35 - 30	27	20	32	40	40	45	42	45	42	38	32	26	22	17	13
	30 - 25	11	12	10	20	22	33	32	35	33	29	25	21	17	13	9
APRIL	75 - 70	4	8	15	20	22	20	18	14	11	8	5	3	2	1	1
	70 - 65	20	33	46	30	40	37	29	19	13	8	4	2	1	1	0
	65 - 60	143	136	120	108	07	05	44	28	16	8	4	2	1	0	0
	60 - 55	254	241	197	157	140	99	97	45	31	19	12	7	4	2	1
	55 - 50	220	211	180	155	122	90	77	60	46	33	23	15	9	5	3
	50 - 45	155	150	135	118	101	84	70	57	43	31	20	13	7	4	2
	45 - 40	82	82	81	80	70	67	58	47	35	26	18	11	7	3	2
	40 - 35	37	40	40	32	30	33	40	40	32	20	15	12	8	5	3
	35 - 30	13	16	23	32	30	40	37	33	26	20	14	10	6	3	2
	30 - 25	4	6	12	20	27	29	28	25	21	16	12	8	5	3	1
JULY	75 - 70	3	3	13	17	10	17	14	11	7	5	3	2	1	1	0
	70 - 65	30	40	51	50	50	47	30	26	18	11	6	3	2	1	0
	65 - 60	134	143	130	122	103	88	70	55	41	29	19	12	7	4	2
	60 - 55	239	226	196	165	129	104	84	63	47	32	22	15	9	5	3
	55 - 50	217	207	204	153	123	100	80	64	50	37	26	18	11	6	4
	50 - 45	155	149	136	120	104	87	74	62	49	38	27	19	12	8	5
	45 - 40	82	82	81	80	70	67	58	47	35	26	18	11	7	3	2
	40 - 35	29	30	39	47	40	43	34	26	18	12	7	4	2	1	0
	35 - 30	4	8	17	23	24	20	15	10	5	3	1	0	0	0	0
	30 - 25	1	3	7	9	9	8	6	3	2	1	1	0	0	0	0
OCTOBER	75 - 70	11	14	21	23	33	34	32	29	25	20	16	11	9	6	4
	70 - 65	50	61	62	69	70	65	56	46	40	30	23	16	12	7	4
	65 - 60	156	151	142	120	112	97	82	60	55	42	31	23	15	11	7
	60 - 55	216	203	167	164	133	116	95	79	66	53	42	33	23	17	11
	55 - 50	200	201	161	154	120	103	84	69	56	44	33	24	17	11	7
	50 - 45	156	140	136	122	109	89	76	65	52	41	30	22	15	9	6
	45 - 40	85	85	84	86	77	70	62	54	41	32	23	16	10	6	4
	40 - 35	50	41	46	52	52	54	49	41	33	26	19	13	9	5	3
	35 - 30	12	15	22	32	30	30	35	31	24	18	12	9	5	3	1
	30 - 25	3	3	12	19	24	25	22	19	14	10	6	4	2	1	0



TABLE I. NORTH AMERICA (CONT.)

3 - 55 - 50,000

LAT. BAND	LONGITUDE														
	0°	10°	20°	30°	40°	50°	60°	70°	80°	90°	100°	110°	120°	130°	140°
JANUARY															
75 – 70	43	47	53	59	34	30	36	33	28	24	19	15	11	8	6
70 – 65	61	65	97	71	71	97	81	50	42	33	25	17	13	9	5
65 – 60	157	151	141	127	111	95	79	65	51	38	27	19	14	8	5
60 – 55	139	126	116	109	109	104	94	83	71	57	42	29	19	12	7
55 – 50	123	111	105	103	122	99	77	60	46	33	23	15	9	5	3
50 – 45	154	149	136	120	103	96	73	61	46	35	25	18	9	5	3
45 – 40	90	89	99	84	79	75	67	56	42	39	30	23	15	7	4
40 – 35	48	49	51	94	97	58	56	50	44	36	31	24	17	13	8
35 – 30	19	21	29	33	40	43	46	39	33	28	22	17	12	6	3
30 – 25	5	7	12	20	27	30	30	27	23	18	14	10	7	5	2
APRIL															
75 – 70	1	6	10	12	11	9	6	3	1	1	0	0	0	0	0
70 – 65	12	26	37	36	30	20	13	8	4	2	1	1	0	0	0
65 – 60	114	111	101	79	59	36	22	12	7	3	2	1	0	0	0
60 – 55	229	253	189	136	99	58	36	19	10	4	2	1	0	0	0
55 – 50	254	250	190	146	112	83	56	37	23	14	7	4	2	1	0
50 – 45	150	148	130	111	91	68	49	33	19	11	5	3	1	0	0
45 – 40	67	70	74	73	60	52	41	20	16	10	6	3	2	0	0
40 – 35	25	30	39	47	46	43	34	20	18	12	7	4	2	1	1
35 – 30	8	12	20	30	34	31	27	21	15	9	6	3	2	1	0
30 – 25	2	5	12	18	22	22	19	15	10	6	4	2	1	0	0
JULY															
75 – 70	1	4	6	7	6	5	3	2	1	1	0	0	0	0	0
70 – 65	13	24	30	33	26	16	10	5	3	1	1	0	0	0	0
65 – 60	133	120	117	98	76	55	37	23	13	6	3	2	1	0	0
60 – 55	283	256	196	149	109	76	52	31	19	10	5	3	1	1	0
55 – 50	254	230	190	146	116	83	56	37	23	14	7	4	2	1	0
50 – 45	150	140	130	111	91	66	49	33	19	11	5	3	1	0	0
45 – 40	52	61	60	66	56	41	30	18	10	5	3	1	1	0	0
40 – 35	10	18	29	32	27	19	11	6	3	2	1	0	0	0	0
35 – 30	1	5	10	11	9	6	2	1	0	0	0	0	0	0	0
30 – 25	0	1	3	3	2	1	1	0	0	0	0	0	0	0	0
OCTOBER															
75 – 70	6	10	17	24	27	26	24	20	15	11	7	5	3	2	1
70 – 65	47	50	50	64	63	56	48	37	29	21	14	9	7	4	2
65 – 60	154	140	130	122	100	88	70	55	41	29	19	12	7	4	2
60 – 55	234	222	194	165	130	106	86	66	51	37	26	19	12	7	4
55 – 50	228	215	207	152	121	96	73	56	41	29	19	13	7	4	2
50 – 45	150	150	134	117	99	80	65	51	36	25	16	10	5	3	1
45 – 40	74	75	77	76	70	59	40	30	25	17	11	6	3	1	1
40 – 35	23	26	30	46	45	39	31	22	15	10	5	3	1	0	0
35 – 30	5	9	10	20	20	23	18	13	7	5	2	1	0	0	0
30 – 25	1	3	0	11	12	11	8	5	3	1	1	0	0	0	0

TABLE I.- NORTH AMERICA (CONT.)

3 - 55 - 60,000

	LAT. BAND	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	22	24	29	34	40	44	45	44	41	37	32	26	22	17	14
	70 - 65	69	70	72	74	75	72	66	58	50	41	33	25	19	14	9
	65 - 60	157	151	141	126	111	95	78	64	49	36	25	17	10	6	4
	60 - 55	245	230	190	160	120	103	82	59	43	28	18	11	6	3	1
	55 - 50	234	210	166	126	120	94	70	51	37	23	16	10	6	3	2
	50 - 45	150	150	134	116	90	78	61	47	32	22	13	8	4	2	1
	45 - 40	77	77	70	70	72	63	52	40	28	20	13	7	4	2	1
	40 - 35	30	34	42	51	53	49	41	32	24	17	10	6	3	1	1
	35 - 30	9	13	21	32	36	34	30	24	17	11	7	4	2	1	1
	30 - 25	2	4	10	16	19	19	16	12	8	5	3	1	1	0	0
APRIL	75 - 70	1	5	8	10	9	7	5	2	1	1	0	0	0	0	0
	70 - 65	10	22	33	30	23	13	7	3	1	0	0	0	0	0	0
	65 - 60	94	95	85	59	34	17	7	2	1	0	0	0	0	0	0
	60 - 55	324	243	143	86	41	20	10	3	1	1	0	0	0	0	0
	55 - 50	303	240	166	108	60	40	20	9	4	1	1	0	0	0	0
	50 - 45	133	126	107	81	55	30	16	8	2	1	0	0	0	0	0
	45 - 40	33	45	55	50	35	20	11	5	2	0	0	0	0	0	0
	40 - 35	7	17	26	29	24	15	8	3	2	1	0	0	0	0	0
	35 - 30	2	6	12	15	14	10	5	3	1	1	0	0	0	0	0
	30 - 25	0	2	5	7	6	4	3	1	0	0	0	0	0	0	0
JULY	75 - 70	0	2	2	1	1	0	0	0	0	0	0	0	0	0	0
	70 - 65	2	11	14	6	3	1	1	0	0	0	0	0	0	0	0
	65 - 60	74	77	65	43	24	12	5	1	1	0	0	0	0	0	0
	60 - 55	320	241	137	79	35	15	6	1	0	0	0	0	0	0	0
	55 - 50	314	232	147	86	49	27	12	5	2	1	0	0	0	0	0
	50 - 45	104	103	80	50	27	11	5	2	1	0	0	0	0	0	0
	45 - 40	10	20	32	19	7	2	0	0	0	0	0	0	0	0	0
	40 - 35	1	7	9	6	2	1	0	0	0	0	0	0	0	0	0
	35 - 30	0	1	2	1	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	4	8	15	20	22	20	16	14	11	8	5	3	2	1	1
	70 - 65	35	40	54	56	56	47	36	26	18	11	6	3	2	1	0
	65 - 60	149	142	134	115	96	77	57	42	28	18	12	7	4	2	1
	60 - 55	264	241	197	157	116	89	67	45	31	19	12	7	4	2	1
	55 - 50	264	235	190	142	105	75	49	31	19	11	6	3	1	1	0
	50 - 45	150	142	124	103	80	54	36	23	12	7	3	2	1	0	0
	45 - 40	47	55	64	61	48	33	22	13	7	3	2	0	0	0	0
	40 - 35	7	17	26	29	24	15	8	3	2	1	0	0	0	0	0
	35 - 30	1	5	10	11	9	6	2	1	0	0	0	0	0	0	0
	30 - 25	0	1	3	3	2	1	1	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

3 - 55 - 70,000

	LAT BAND	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	31	33	36	40	42	47	53	53	53	49	45	40	35	30	25
	70 - 65	80	90	80	80	90	78	74	60	63	54	47	30	32	24	18
	65 - 60	157	151	146	147	141	95	79	65	51	38	27	19	12	8	3
	60 - 55	254	230	197	161	122	96	74	52	37	23	15	9	5	2	1
	55 - 50	242	226	191	151	112	90	63	43	28	17	9	5	2	1	0
	50 - 45	157	149	136	114	90	72	54	36	23	14	7	4	2	0	0
	45 - 40	67	70	74	73	60	52	41	28	18	10	6	3	2	0	0
	40 - 35	22	27	37	45	44	38	29	21	14	9	4	3	1	0	0
	35 - 30	5	9	17	24	25	21	17	11	6	4	2	0	0	0	0
	30 - 25	1	3	7	10	10	8	6	4	2	1	1	0	0	0	0
APRIL	75 - 70	1	5	5	9	8	6	4	2	1	1	0	0	0	0	0
	70 - 65	9	21	31	27	21	12	6	3	1	0	0	0	0	0	0
	65 - 60	61	63	72	48	27	14	6	2	1	0	0	0	0	0	0
	60 - 55	307	210	114	65	22	12	5	1	0	0	0	0	0	0	0
	55 - 50	317	207	113	56	23	8	2	0	0	0	0	0	0	0	0
	50 - 45	81	63	59	32	14	5	1	0	0	0	0	0	0	0	0
	45 - 40	0	22	21	12	4	1	0	0	0	0	0	0	0	0	0
	40 - 35	1	8	10	6	2	1	0	0	0	0	0	0	0	0	0
	35 - 30	1	2	3	2	1	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	1	3	5	5	5	3	1	0	0	0	0	0	0	0	0
	70 - 65	2	14	21	16	10	4	1	0	0	0	0	0	0	0	0
	65 - 60	30	45	32	16	6	1	0	0	0	0	0	0	0	0	0
	60 - 55	222	08	24	7	1	0	0	0	0	0	0	0	0	0	0
	55 - 50	226	71	19	4	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	29	39	15	5	1	0	0	0	0	0	0	0	0	0	0
	45 - 40	1	15	10	4	1	0	0	0	0	0	0	0	0	0	0
	40 - 35	1	4	4	1	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	4	8	15	20	22	20	18	14	11	8	5	3	2	1	1
	70 - 65	30	36	47	52	49	40	32	21	15	9	5	2	2	1	0
	65 - 60	145	136	120	108	87	65	44	28	16	8	4	2	1	0	0
	60 - 55	263	256	196	149	105	76	52	31	19	10	5	3	1	1	0
	55 - 50	299	243	178	115	74	44	22	10	4	2	1	0	0	0	0
	50 - 45	119	115	94	66	41	21	11	5	2	1	0	0	0	0	0
	45 - 40	23	39	45	36	23	12	6	3	1	0	0	0	0	0	0
	40 - 35	5	11	17	14	9	5	2	1	0	0	0	0	0	0	0
	35 - 30	1	3	4	3	1	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

3 - 55 - 80,000

LAT. BAND		LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	44	44	49	47	50	52	55	59	57	56	54	51	47	44	39
	70 - 65	80	85	90	84	77	80	77	72	68	61	55	47	41	34	27
	65 - 60	150	151	144	129	114	97	84	68	55	42	31	23	15	11	7
	60 - 55	254	236	197	161	122	96	74	52	37	23	15	9	5	2	1
	55 - 50	209	237	186	140	102	72	45	29	17	10	5	3	1	1	0
	50 - 45	150	142	124	103	80	54	36	23	12	7	3	2	1	0	0
	45 - 40	52	52	66	64	53	36	27	19	9	4	2	1	1	0	0
	40 - 35	14	22	33	30	30	27	19	14	7	4	1	1	0	0	0
	35 - 30	3	7	14	10	10	14	9	6	3	2	1	0	0	0	0
	30 - 25	0	2	5	6	5	5	2	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	3	4	4	4	3	2	1	0	0	0	0	0	0	0
	70 - 65	2	15	10	14	10	5	3	1	0	0	0	0	0	0	0
	65 - 60	40	48	31	17	8	3	1	0	0	0	0	0	0	0	0
	60 - 55	43	119	47	21	8	3	1	0	0	0	0	0	0	0	0
	55 - 50	254	116	50	21	8	3	1	0	0	0	0	0	0	0	0
	50 - 45	47	52	20	13	5	1	0	0	0	0	0	0	0	0	0
	45 - 40	2	12	7	3	1	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	3	3	2	1	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	1	1	1	2	1	1	0	0	0	0	0	0	0	0
	70 - 65	1	11	20	18	10	8	4	1	0	0	0	0	0	0	0
	65 - 60	42	82	89	55	24	7	2	0	0	0	0	0	0	0	0
	60 - 55	380	262	136	65	19	5	1	0	0	0	0	0	0	0	0
	55 - 50	342	194	92	35	9	1	0	0	0	0	0	0	0	0	0
	50 - 45	39	78	57	24	6	1	0	0	0	0	0	0	0	0	0
	45 - 40	2	20	21	11	3	0	0	0	0	0	0	0	0	0	0
	40 - 35	1	4	5	2	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	5	8	13	17	18	17	14	11	7	5	3	2	1	1	0
	70 - 65	29	33	44	47	43	33	26	17	11	7	4	2	1	1	0
	65 - 60	126	124	113	93	71	51	33	20	12	6	3	1	1	0	0
	60 - 55	249	250	183	136	86	58	36	19	10	4	2	1	0	0	0
	55 - 50	314	236	147	83	49	27	12	5	2	1	0	0	0	0	0
	50 - 45	74	76	56	29	12	3	1	0	0	0	0	0	0	0	0
	45 - 40	8	26	26	15	6	2	0	0	0	0	0	0	0	0	0
	40 - 35	1	6	3	5	2	1	0	0	0	0	0	0	0	0	0
	35 - 30	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

3 - 60 - 40,000

LAT. BAND	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	29	31	39	44	44	40	32	24	19	13	9	6	4	2	2
	70 - 65	145	136	130	116	100	82	65	49	34	20	13	7	4	2	1
	65 - 60	264	244	214	178	139	111	85	63	49	33	24	16	10	6	4
	60 - 55	231	220	194	165	130	107	86	66	54	39	29	21	13	9	5
	55 - 50	152	150	140	124	100	90	70	64	51	41	29	21	13	9	6
	50 - 45	80	86	86	86	81	76	70	63	54	46	37	29	22	16	10
	45 - 40	49	49	56	54	57	56	56	55	51	45	39	33	27	21	16
	40 - 35	24	23	20	33	37	43	45	45	43	39	35	29	25	20	15
	35 - 30	9	10	13	18	20	31	34	34	32	30	26	22	17	14	10
	30 - 25	2	3	6	11	17	22	24	25	23	21	18	15	12	9	7
APRIL	75 - 70	15	24	32	35	32	26	16	11	6	4	3	1	1	0	0
	70 - 65	104	104	100	90	80	40	27	16	10	5	3	1	1	0	0
	65 - 60	214	248	207	129	81	55	33	18	12	6	3	2	1	0	0
	60 - 55	264	241	197	107	110	89	57	45	31	19	12	7	4	2	1
	55 - 50	157	149	130	120	101	51	60	49	33	23	14	9	4	3	2
	50 - 45	70	72	75	76	72	63	52	41	30	21	13	9	5	3	1
	45 - 40	20	30	39	47	50	48	41	34	26	18	13	8	5	2	1
	40 - 35	10	13	20	30	30	37	34	28	23	17	12	8	5	3	1
	35 - 30	3	5	11	17	23	25	24	21	18	14	10	7	4	3	1
	30 - 25	1	3	6	11	19	17	17	10	13	11	8	6	3	2	1
JULY	75 - 70	8	20	26	28	24	19	12	8	4	2	1	0	0	0	0
	70 - 65	114	116	107	89	69	51	36	24	16	9	5	3	2	1	0
	65 - 60	273	27	214	168	131	105	76	55	41	27	19	12	7	4	2
	60 - 55	239	226	196	165	129	104	84	63	47	32	22	15	9	5	3
	55 - 50	150	150	139	122	104	87	73	56	44	34	23	16	10	7	4
	50 - 45	80	80	80	80	77	71	63	52	42	32	23	16	10	6	3
	45 - 40	29	32	40	48	52	51	44	37	29	21	15	9	6	3	2
	40 - 35	7	11	10	26	30	29	26	20	10	11	7	4	2	1	1
	35 - 30	1	3	7	11	13	13	11	0	5	3	1	1	0	0	0
	30 - 25	0	1	3	5	3	5	4	2	2	1	1	0	0	0	0
OCTOBER	75 - 70	35	38	40	33	36	53	46	37	30	22	15	11	6	4	3
	70 - 65	147	143	135	121	106	90	74	50	44	30	21	14	10	6	4
	65 - 60	240	230	210	170	142	125	99	78	63	40	35	24	15	9	6
	60 - 55	212	205	207	164	133	112	95	79	66	53	42	33	23	17	11
	55 - 50	154	149	140	126	109	93	82	69	57	48	36	27	19	14	9
	[illegible] - 45	84	84	83	82	79	73	66	57	47	36	29	22	15	10	6
	45 - 40	30	36	44	50	54	55	50	45	36	29	23	17	12	8	5
	40 - 35	22	15	21	30	36	39	36	33	29	23	18	12	9	6	3
	35 - 30	5	6	11	16	24	26	25	22	19	15	11	8	5	3	2
	30 - 25	0	2	6	11	14	15	15	13	10	8	5	3	2	1	0

TABLE I. NORTH AMERICA (CONT.)

3 - 60 - 50,000

LAT AND		LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	47	50	55	61	65	63	57	50	44	36	27	21	16	11	9
	70 - 65	155	149	141	127	114	100	85	70	56	42	33	24	17	12	7
	65 - 60	245	230	219	178	149	126	95	76	63	46	35	24	15	9	6
	60 - 55	237	226	196	103	127	104	84	63	47	32	22	15	9	5	3
	55 - 50	150	150	139	122	104	86	72	57	42	32	22	15	9	6	4
	50 - 45	80	80	80	80	77	71	63	54	42	32	23	16	10	6	3
	45 - 40	30	40	42	50	24	50	52	47	40	32	25	19	14	9	6
	40 - 35	10	10	23	30	37	41	42	30	35	29	24	20	14	10	6
	35 - 30	5	7	10	16	22	27	30	27	25	22	17	13	9	6	4
	30 - 25	1	3	6	11	16	19	19	18	16	14	11	8	5	3	2
APRIL	75 - 70	7	18	24	25	21	16	11	6	4	1	1	0	0	0	0
	70 - 65	81	83	78	59	34	24	14	9	5	1	0	0	0	0	0
	65 - 60	326	241	107	99	54	30	13	4	2	0	0	0	0	0	0
	60 - 55	229	255	203	136	96	50	3	19	10	4	2	1	0	0	0
	55 - 50	140	137	120	104	79	54	36	22	12	7	3	1	1	0	0
	50 - 45	50	56	64	65	57	45	32	21	13	8	4	2	1	1	0
	45 - 40	18	21	32	39	34	33	25	18	12	7	4	2	1	0	0
	40 - 35	9	9	16	24	29	25	21	16	12	7	5	2	1	0	0
	35 - 30	1	4	9	13	17	17	15	12	9	6	3	2	1	0	0
	30 - 25	0	2	5	9	11	11	11	9	7	4	3	1	1	1	0
JULY	75 - 70	1	10	10	6	3	1	0	0	0	0	0	0	0	0	0
	70 - 65	67	76	60	46	30	18	10	5	2	1	0	0	0	0	0
	65 - 60	210	250	196	131	86	62	39	22	15	7	4	2	1	1	0
	60 - 55	203	225	190	149	109	76	52	31	19	10	5	3	1	1	0
	55 - 50	150	142	130	110	87	64	46	32	19	12	7	4	2	1	1
	50 - 45	50	60	67	66	61	50	37	26	17	10	5	3	1	1	0
	45 - 40	15	19	31	36	35	29	21	15	10	5	3	1	1	0	0
	40 - 35	2	6	12	15	14	12	8	4	3	1	1	0	0	0	0
	35 - 30	0	2	4	5	5	3	2	1	0	0	0	0	0	0	0
	30 - 25	0	1	1	2	2	1	1	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	23	31	39	44	44	40	32	24	19	13	9	6	4	2	2
	70 - 65	145	136	130	116	100	82	65	46	34	20	13	7	4	2	1
	65 - 60	269	244	215	171	133	108	82	59	45	30	22	14	9	5	3
	60 - 55	234	222	194	165	130	106	86	66	51	37	26	19	12	7	4
	55 - 50	150	150	139	122	104	86	72	57	42	32	22	15	9	6	4
	50 - 45	74	75	76	77	73	66	56	44	34	25	17	11	7	4	2
	45 - 40	24	28	30	45	40	45	36	30	23	19	11	6	4	2	1
	40 - 35	8	10	17	23	20	20	24	19	14	9	6	3	2	1	0
	35 - 30	1	3	8	12	15	15	13	10	7	4	2	2	0	0	0
	30 - 25	0	1	4	6	7	7	6	4	3	2	1	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

3 - 60 -60,000

LATITUDE	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
70 - 75	69	76	74	73	72	72	74	80	84	87	46	45	35	26	24
65 - 70	150	150	146	133	122	109	97	84	74	59	49	40	31	24	17
60 - 65	244	240	229	179	145	121	100	79	65	46	37	26	17	11	7
55 - 60	249	250	209	109	80	63	62	59	43	22	10	11	6	3	1
50 - 55	157	149	96	61	44	34	29	27	21	16	10	5	4	2	
45 - 50	76	72	75	76	72	60	52	41	30	21	13	9	5	3	1
40 - 45	29	29	30	46	49	46	35	26	25	16	12	7	5	2	1
35 - 40	8	12	19	28	33	33	30	24	19	14	9	6	3	2	1
30 - 35	2	5	10	16	20	21	19	16	12	9	6	3	2	1	0
25 - 30	0	2	5	9	11	11	10	8	6	4	3	1	1	1	0
APRIL															
70 - 75	8	17	22	22	23	14	9	5	3	1	1	0	0	0	0
65 - 70	51	39	60	65	44	27	15	7	4	1	0	0	0	0	0
60 - 65	307	210	142	82	44	24	10	3	2	0	0	0	0	0	0
55 - 60	364	243	143	86	41	20	10	3	1	1	0	0	0	0	0
50 - 55	114	111	97	69	43	24	14	7	3	1	0	0	0	0	0
45 - 50	23	36	42	43	20	10	5	2	1	0	0	0	0	0	0
40 - 45	8	13	22	23	19	13	7	4	1	1	0	0	0	0	0
35 - 40	1	6	12	12	11	8	5	2	1	0	0	0	0	0	0
30 - 35	0	2	5	6	0	4	2	1	0	0	0	0	0	0	0
25 - 30	0	1	2	3	3	2	1	0	0	0	0	0	0	0	0
JULY															
70 - 75	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 70	27	17	20	9	3	1	0	0	0	0	0	0	0	0	0
60 - 65	264	149	90	47	23	13	5	2	1	0	0	0	0	0	0
55 - 60	340	241	137	79	35	15	6	1	0	0	0	0	0	0	0
50 - 55	104	103	60	30	33	16	9	4	1	1	0	0	0	0	0
45 - 50	35	32	35	26	14	7	3	1	0	0	0	0	0	0	0
40 - 45	11	9	14	9	5	2	0	0	0	0	0	0	0	0	0
35 - 40	2	2	5	2	2	0	0	0	0	0	0	0	0	0	0
30 - 35	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0
25 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
70 - 75	60	42	37	42	41	36	29	21	16	11	7	5	3	2	1
65 - 70	133	142	112	107	90	72	55	40	28	16	10	6	3	2	1
60 - 65	263	252	215	166	120	79	47	28	20	10	13	8	5	3	1
55 - 60	264	241	197	157	116	80	57	37	25	19	12	7	4	2	1
50 - 55	151	143	132	112	90	67	51	35	21	14	8	4	2	1	1
45 - 50	50	50	64	63	57	45	32	21	13	8	4	2	1	1	0
40 - 45	21	19	29	34	32	26	18	11	7	4	2	1	0	0	0
35 - 40	8	6	12	15	14	12	8	4	3	1	1	0	0	0	0
30 - 35	2	2	3	6	5	4	2	1	0	0	0	0	0	0	0
25 - 30	0	1	1	2	2	1	1	0	0	0	0	0	0	0	0

TABLE L NORTH AMERICA (CONT.)

3 - 60 - 70,000

LATITUDE	LONGITUDE	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	84	64	83	83	64	84	80	77	74	70	64	60	54	47	45
	70 - 65	154	121	140	136	120	114	103	93	84	73	66	57	49	44	33
	65 - 60	241	244	204	177	140	124	101	82	68	52	46	31	21	15	10
	60 - 55	204	136	197	107	122	96	74	54	37	23	15	9	5	2	1
	55 - 50	130	142	136	118	97	77	61	44	29	19	11	6	3	2	1
	50 - 45	64	67	71	73	60	53	45	33	22	14	7	4	2	1	0
	45 - 40	27	24	32	44	43	37	31	23	17	9	6	3	2	0	0
	40 - 35	9	9	16	24	20	20	21	10	12	7	5	2	1	0	0
	35 - 30	1	3	7	12	13	13	11	6	5	3	2	1	0	0	0
	30 - 25	0	1	3	5	5	6	5	3	2	1	1	0	0	0	0
APRIL	75 - 70	7	10	24	20	21	10	11	6	4	1	1	0	0	0	0
	70 - 65	29	29	29	71	40	30	17	6	4	1	0	0	0	0	0
	65 - 60	101	210	142	62	44	24	10	3	2	0	0	0	0	0	0
	60 - 55	101	210	143	85	20	12	5	1	0	0	0	0	0	0	0
	55 - 50	21	93	87	59	10	6	2	1	0	0	0	0	0	0	0
	50 - 45	9	26	27	19	9	3	1	0	0	0	0	0	0	0	0
	45 - 40	1	7	8	5	3	1	0	0	0	0	0	0	0	0	0
	40 - 35	1	4	3	2	2	1	0	0	0	0	0	0	0	0	0
	35 - 30	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	1	9	16	19	17	15	10	5	3	0	0	0	0	0	0
	70 - 65	46	73	90	69	41	19	7	2	0	0	0	0	0	0	0
	65 - 60	304	179	102	32	20	8	2	0	0	0	0	0	0	0	0
	60 - 55	224	83	24	7	2	0	0	0	0	0	0	0	0	0	0
	55 - 50	41	32	12	3	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	1	14	7	2	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	3	3	1	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	23	29	37	46	41	36	29	21	10	11	7	5	3	2	1
	70 - 65	143	145	119	103	84	66	51	30	25	14	9	5	3	1	1
	65 - 60	249	253	216	163	121	93	64	40	27	14	8	4	2	1	0
	60 - 55	203	215	196	149	109	76	52	31	19	10	5	3	1	1	0
	55 - 50	143	114	102	100	74	48	31	18	7	3	1	0	0	0	0
	50 - 45	49	41	50	46	30	23	13	6	3	1	0	0	0	0	0
	45 - 40	11	12	20	21	17	12	6	3	1	1	0	0	0	0	0
	40 - 35	1	5	9	8	7	5	3	1	1	0	0	0	0	0	0
	35 - 30	0	1	1	2	2	1	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

3 - 60 - 80,000

LAT BAND		LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	94	94	93	92	91	89	87	84	81	78	74	71	67	63	60
	70 - 65	149	147	144	137	129	119	109	99	91	84	75	68	62	55	47
	65 - 60	203	193	179	156	147	126	102	88	77	63	53	42	31	24	17
	60 - 55	254	236	197	161	122	96	74	54	37	23	15	9	5	2	1
	55 - 50	259	218	132	114	92	70	54	36	20	16	9	5	2	1	1
	50 - 45	55	60	07	08	01	00	37	20	17	10	5	3	1	1	0
	45 - 40	14	10	06	37	37	32	23	10	11	6	4	1	1	0	0
	40 - 35	3	8	14	20	22	19	15	12	7	4	2	1	0	0	0
	35 - 30	1	3	6	9	10	9	7	5	3	2	1	1	0	0	0
	30 - 25	0	1	2	3	3	3	2	0	0	0	0	0	0	0	0
APRIL	75 - 70	5	15	10	17	13	10	6	3	2	1	0	0	0	0	0
	70 - 65	61	06	39	40	20	10	9	4	2	1	0	0	0	0	0
	65 - 60	243	119	64	29	13	7	3	1	0	0	0	0	0	0	0
	60 - 55	243	129	47	21	8	3	1	0	0	0	0	0	0	0	0
	55 - 50	40	45	20	12	5	2	1	0	0	0	0	0	0	0	0
	50 - 45	5	15	12	5	2	1	0	0	0	0	0	0	0	0	0
	45 - 40	0	4	2	1	1	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	2	7	14	18	18	13	10	5	3	2	1	0	0
	70 - 65	18	12	05	04	79	64	35	18	8	4	1	0	0	0	0
	65 - 60	437	329	240	162	90	54	19	4	1	0	0	0	0	0	0
	60 - 55	360	260	132	05	19	5	1	0	0	0	0	0	0	0	0
	55 - 50	30	72	03	30	6	1	0	0	0	0	0	0	0	0	0
	50 - 45	2	21	24	13	4	1	0	0	0	0	0	0	0	0	0
	45 - 40	1	4	9	3	1	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	20	29	37	42	41	36	29	21	16	11	7	5	3	2	1
	70 - 65	119	117	111	94	74	56	41	28	19	11	7	4	2	1	1
	65 - 60	303	253	203	144	101	74	49	29	20	10	6	3	1	1	0
	60 - 55	299	253	203	137	80	56	36	19	10	4	2	1	0	0	0
	55 - 50	119	113	101	74	49	29	17	9	4	2	1	0	0	0	0
	50 - 45	10	30	33	23	11	4	2	0	0	0	0	0	0	0	0
	45 - 40	1	9	12	9	5	2	0	0	0	0	0	0	0	0	0
	40 - 35	1	2	3	2	2	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

3 - 65 - 40,000

JANUARY	70	70		01		02		03		04		05		06		07		08	
	70	00		02		004		100		04		05		06		07		08	
		00		04		016		170		43		14		05		03		04	
		00		01		04		12		10		94		77		06		07	
		00		01		04		76		74		01		56		50		09	
		00		03		02		07		05		04		02		04		04	
		00		02		02		04		34		04		04		04		05	
		00		00		01		06		03		03		01		04		03	
		00		00		01		01		04		04		04		03		02	
		00		00		00		01		01		01		01		01		01	
APRIL	70	70		01		00		70		05		04		01		07		01	
	70	00		01		04		07		06		04		07		14		06	
		00		02		04		07		02		02		03		10		03	
		00		01		02		07		02		04		04		06		04	
		00		02		07		03		03		04		03		02		01	
		00		01		04		03		03		04		04		10		06	
		00		00		01		02		03		03		04		07		04	
		00		00		00		01		01		01		01		01		01	
		00		00		00		00		00		00		00		00		00	
JULY	70	70		01		00		00		00		00		00		00		00	
	70	00		01		00		00		00		00		00		00		00	
		00		01		00		00		00		00		00		00		00	
		00		01		00		00		00		00		00		00		00	
		00		01		00		00		00		00		00		00		00	
		00		00		00		00		00		00		00		00		00	
		00		00		00		00		00		00		00		00		00	
		00		00		00		00		00		00		00		00		00	
		00		00		00		00		00		00		00		00		00	
OCTOBER	70	70		01		00		00		00		00		00		00		00	
	70	00		01		00		00		00		00		00		00		00	
		00		01		00		00		00		00		00		00		00	
		00		01		00		00		00		00		00		00		00	
		00		01		00		00		00		00		00		00		00	
		00		00		00		00		00		00		00		00		00	
		00		00		00		00		00		00		00		00		00	
		00		00		00		00		00		00		00		00		00	
		00		00		00		00		00		00		00		00		00	

TABLE I. NORTH AMERICA (CONT.)

3 - 65 - 50,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	144	44	44	147	140	102	65	76	59	47	34	26	19	13	8
70 - 65	254	67	224	197	165	135	111	89	71	59	45	33	24	18	13
65 - 60	343	232	178	142	118	98	79	62	46	35	24	15	9	6	
60 - 55	157	125	104	86	71	58	46	36	30	27	19	12	8	5	
55 - 50	79	74	70	74	67	55	50	39	30	23	15	10	7	4	
50 - 45	60	51	36	45	49	50	47	42	34	27	21	15	10	7	4
45 - 40	44	36	32	27	33	37	37	35	30	23	21	16	12	8	6
40 - 35	4	0	10	26	23	27	28	27	25	22	19	15	11	7	6
35 - 30	1	2	6	12	14	18	19	18	17	15	12	10	7	5	4
30 - 25	0	1	3	6	9	10	11	12	11	10	8	6	4	3	2
APRIL															
75 - 70	61	60	56	52	46	40	30	20	10	4	2	1	1	0	0
70 - 65	200	140	102	72	57	34	18	8	4	2	1	0	0	0	0
65 - 60	260	141	107	79	54	30	13	4	2	0	0	0	0	0	0
60 - 55	145	111	80	72	52	36	22	12	7	3	2	1	0	0	0
55 - 50	90	59	52	52	44	32	21	14	8	3	2	1	0	0	0
50 - 45	71	45	32	32	33	24	16	11	6	3	2	1	0	0	0
45 - 40	38	30	16	17	19	16	14	11	7	5	3	2	1	1	0
40 - 35	21	16	9	9	11	11	10	8	6	4	2	1	1	0	0
35 - 30	10	11	5	5	6	6	6	6	5	3	2	1	0	0	0
30 - 25	6	7	6	5	5	5	5	4	3	2	2	0	0	0	0
JULY															
75 - 70	4	2	1	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	22	10	7	4	3	2	1	0	0	0	0	0	0	0	0
65 - 60	110	65	44	30	20	14	9	6	4	2	1	0	0	0	0
60 - 55	100	70	50	37	27	20	15	11	8	5	3	2	1	0	0
55 - 50	81	61	46	34	25	19	14	10	7	5	3	2	1	1	0
50 - 45	63	48	36	27	20	15	11	8	6	4	2	1	1	0	0
45 - 40	49	37	28	21	16	12	9	7	5	3	2	1	0	0	0
40 - 35	38	29	22	17	13	10	7	5	4	2	2	1	0	0	0
35 - 30	29	22	17	13	10	8	6	4	3	2	1	1	0	0	0
30 - 25	22	17	13	10	8	6	5	3	2	1	1	0	0	0	0
OCTOBER															
75 - 70	87	69	60	76	60	44	31	17	11	6	3	1	1	0	0
70 - 65	214	163	140	160	122	91	59	37	24	16	10	6	3	2	1
65 - 60	269	244	171	133	100	66	42	26	16	10	6	4	2	1	0
60 - 55	154	140	130	122	100	80	56	36	22	13	8	5	3	2	1
55 - 50	64	60	70	75	72	63	47	30	18	10	6	3	2	1	0
50 - 45	60	53	52	49	44	43	37	31	23	16	12	7	5	3	2
45 - 40	50	50	45	44	40	40	34	28	20	15	11	7	5	3	2
40 - 35	41	42	37	34	32	32	28	23	17	13	9	6	4	2	1
35 - 30	33	34	30	28	26	26	23	19	14	10	7	5	3	2	1
30 - 25	27	27	24	23	21	21	19	15	11	8	6	4	2	1	1

TABLE I. NORTH AMERICA (CONT.)

3 - 65 - 60,000



TABLE I. NORTH AMERICA (CONT)

3 - 65 - 70,000

		LONGITUDE														
		-5	-10	-15	-20	-25	-30	-35	-40	-45	-50	-55	-60	-65	-70	-75
JANUARY	75 - 70	124	119	116	114	137	129	120	110	106	93	67	61	76	69	64
	70 - 65	124	120	120	170	165	151	134	120	106	97	66	66	74	64	59
	65 - 60	41	46	64	171	145	140	121	86	68	56	46	31	21	15	10
	60 - 55	107	101	94	141	111	95	76	69	51	36	27	19	14	8	5
	55 - 50	61	69	76	74	73	65	56	47	35	26	19	14	8	5	3
	50 - 45	40	40	34	40	44	43	37	31	23	16	12	7	5	4	4
	45 - 40	8	8	10	14	10	11	14	20	15	11	7	5	4	4	1
	40 - 35	1	3	7	14	13	16	15	13	10	8	5	3	4	1	0
	35 - 30	0	1	3	3	6	8	8	6	6	5	3	2	1	0	0
	30 - 25	0	1	4	3	3	3	3	4	2	1	1	0	0	0	0
APRIL	75 - 70	14	17	12	20	32	35	44	13	8	3	2	1	1	0	0
	70 - 65	244	202	139	143	90	81	30	20	11	8	3	1	1	1	0
	65 - 60	307	211	146	82	44	24	10	5	4	0	0	0	0	0	0
	60 - 55	82	83	74	48	27	14	6	4	1	0	0	0	0	0	0
	55 - 50	9	24	30	23	13	8	3	1	0	0	0	0	0	0	0
	50 - 45	1	8	10	9	5	2	1	0	0	0	0	0	0	0	0
	45 - 40	1	1	3	3	1	1	0	0	0	0	0	0	0	0	0
	40 - 35	0	1	2	2	1	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	2	9	36	75	96	99	92	63	36	17	5	1	0	0
	70 - 65	447	391	310	253	200	144	89	44	14	4	1	0	0	0	0
	65 - 60	304	170	106	50	29	8	2	0	0	0	0	0	0	0	0
	60 - 55	30	45	34	16	6	1	0	0	0	0	0	0	0	0	0
	55 - 50	4	13	10	5	2	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	3	3	1	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	104	104	102	93	80	58	45	29	21	14	9	5	4	2	1
	70 - 65	344	263	202	166	115	81	50	37	24	16	10	6	3	2	1
	65 - 60	252	218	162	103	141	93	64	40	27	14	8	4	2	1	0
	60 - 55	143	136	122	100	87	85	44	20	16	8	4	2	1	0	0
	55 - 50	53	41	55	55	46	35	24	15	7	4	2	1	0	0	0
	50 - 45	9	13	20	24	21	16	10	6	3	1	1	0	0	0	0
	45 - 40	1	4	8	10	10	8	5	3	1	1	0	0	0	0	0
	40 - 35	0	2	3	4	4	3	2	1	1	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

3 - 65 - 80,000



TABLE I. NORTH AMERICA (CONT.)

3 - 70 - 40,000



TABLE I. NORTH AMERICA (CONT.)

3 - 70 - 50,000

| | | |

TABLE I. NORTH AMERICA (CONT.)

3 - 70 - 60,000



TABLE I. NORTH AMERICA (CONT.)

3 - 70 - 60,000

LONGITUDE

| | | |

TABLE I. NORTH AMERICA (CONT.)

3 - 70 - 70,000



TABLE I. NORTH AMERICA (CONT.)

3 - 70 - 80,000



TABLE I. . NORTH AMERICA

6 - 30 - 40,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	0	1	2	3	5	8	10	11	13	15	16	17	18	18	19
70 - 65	0	1	3	6	10	13	15	18	21	22	24	25	25	26	25
65 - 60	2	3	6	10	15	22	25	29	31	32	33	33	33	32	31
60 - 55	5	10	14	18	27	33	38	40	41	41	41	40	40	39	38
55 - 50	27	28	30	36	41	47	50	51	51	50	49	48	46	44	42
50 - 45	59	59	60	61	61	63	62	61	59	57	55	52	50	48	46
45 - 40	95	95	93	89	84	77	71	67	64	61	58	55	52	50	48
40 - 35	127	125	121	114	100	88	79	74	68	64	60	57	54	51	48
35 - 30	150	147	140	132	110	94	84	76	71	66	62	58	54	50	46
30 - 25	160	157	150	142	120	90	81	74	67	61	56	51	46	41	35
APRIL															
75 - 70	0	1	2	3	4	6	8	10	11	12	12	13	13	12	11
70 - 65	1	1	3	5	9	12	14	16	18	19	20	19	18	17	15
65 - 60	1	2	7	14	17	21	24	26	27	27	27	26	25	22	20
60 - 55	3	6	15	21	29	33	36	38	38	38	37	34	32	30	26
55 - 50	14	16	24	35	44	48	50	50	48	46	45	42	39	35	32
50 - 45	43	46	49	57	62	64	62	60	57	54	51	47	44	40	36
45 - 40	92	91	89	86	82	76	73	68	65	60	55	51	46	41	37
40 - 35	140	144	136	116	96	88	80	75	68	63	58	53	48	43	38
35 - 30	176	171	155	132	107	92	84	78	70	64	60	55	50	46	41
30 - 25	178	170	155	126	102	90	81	74	68	62	57	52	48	43	37
JULY															
75 - 70	0	1	1	2	3	4	5	5	6	6	5	4	4	3	2
70 - 65	0	1	3	6	8	10	11	12	12	12	11	10	8	7	6
65 - 60	1	2	6	10	14	18	20	21	21	20	19	16	14	11	8
60 - 55	2	4	14	17	24	28	31	31	30	27	24	20	16	13	9
55 - 50	4	10	21	33	38	41	42	40	36	31	26	21	16	12	8
50 - 45	17	28	46	59	56	56	51	46	39	33	26	19	15	10	6
45 - 40	51	54	79	80	74	64	53	43	34	25	18	12	8	6	3
40 - 35	126	124	111	88	63	45	31	20	12	7	4	2	1	0	0
35 - 30	290	192	77	45	23	11	4	1	1	0	0	0	0	0	0
30 - 25	222	56	15	3	1	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	0	1	2	3	5	7	9	10	12	13	13	14	14	13	13
70 - 65	1	1	3	6	10	13	15	17	18	20	21	21	19	18	17
65 - 60	1	2	7	14	17	21	24	26	28	29	29	28	27	24	23
60 - 55	4	6	15	21	29	34	36	36	38	38	37	35	33	31	27
55 - 50	13	16	24	35	44	48	49	49	46	45	44	40	37	33	29
50 - 45	30	41	48	57	62	64	61	59	55	52	48	43	39	34	30
45 - 40	86	86	86	82	82	78	72	67	62	57	51	46	40	34	29
40 - 35	154	147	136	114	97	88	79	74	65	59	52	45	38	32	26
35 - 30	209	198	164	129	104	92	82	73	65	57	50	43	35	29	22
30 - 25	243	213	164	125	100	83	68	55	43	34	24	16	10	6	3

TABLE I. NORTH AMERICA (CONT.)

6 - 30 - 50,000

LAT.	LONG.	70	80	90	100	110	120	130	140
JANUARY		9	11	13	14	16	17	17	17
		18	19	20	22	23	24	23	22
		29	30	31	31	31	31	29	28
		37	38	39	40	39	38	37	33
		51	50	48	47	45	43	40	37
		61	60	56	53	50	48	45	42
		74	69	66	62	59	55	51	48
		81	75	70	66	62	58	54	51
		77	71	65	61	57	52	48	44
		70	63	60	52	44	36	28	15
APRIL		7	7	8	9	8	8	7	6
		14	14	14	14	14	13	11	8
		23	23	23	22	21	18	13	10
		33	33	33	31	28	25	21	16
		47	46	46	41	37	33	28	19
		57	56	53	49	45	39	34	28
		70	70	61	53	49	43	37	27
		79	73	66	60	53	47	40	29
		83	75	68	61	55	50	43	31
		79	71	63	55	50	44	36	23
JULY		1	1	1	1	0	0	0	0
		4	4	4	4	3	2	1	0
		10	11	10	8	6	5	4	2
		15	15	12	9	6	5	2	1
		20	20	14	10	6	5	2	1
		25	21	14	8	5	5	1	0
		19	11	7	4	2	1	0	0
		5	2	1	0	0	0	0	0
		2	1	0	0	0	0	0	0
		2	2	2	2	2	2	2	2
OCTOBER		14	14	14	14	13	11	10	8
		22	22	21	20	17	15	14	9
		32	32	31	29	26	23	19	12
		43	42	32	33	29	24	19	15
		49	42	36	30	25	18	13	9
		64	46	37	29	21	12	10	6
		60	59	50	41	25	9	6	4
		41	32	20	14	7	4	2	1

TABLE I. NORTH AMERICA (CONT.)

6 - 30 - 60,000

LAT.	LONGITUDE															
								70	80	90	100	110	120	130	140	
JANUARY								5	10	12	13	14	15	15	14	14
								15	17	18	20	21	21	19	18	17
								23	25	26	26	24	23	20	17	
								34	33	30	34	33	30	26	23	19
								46	46	46	43	40	36	32	27	22
								69	67	55	49	45	39	34	28	23
								72	69	60	54	46	41	35	29	24
								75	74	64	58	51	44	36	30	24
								74	73	65	57	50	43	35	29	22
								27	25	16	11	6	3	2	1	
APRIL								3	3	3	2	2	2	1	1	
								7	7	6	5	3	2	2	1	
								14	10	6	6	5	3	2	1	
								12	15	11	7	4	3	1	1	
								27	21	16	11	7	5	3	2	
								45	30	26	21	15	11	8	5	3
								52	41	31	23	16	10	7	5	2
								72	50	47	35	27	19	13	8	3
								82	57	54	41	30	22	15	9	3
								81	44	22	14	7	3	1	0	0
JULY								0	0	0	0	0	0	0	0	0
								0	0	0	0	0	0	0	0	0
								1	1	0	0	0	0	0	0	0
								2	1	0	0	0	0	0	0	0
								4	2	1	0	0	0	0	0	0
								3	1	1	0	0	0	0	0	0
								0	0	0	0	0	0	0	0	0
								0	0	0	0	0	0	0	0	0
								0	0	0	0	0	0	0	0	0
								0	0	0	0	0	0	0	0	0
								0	0	0	0	0	0	0	0	0
OCTOBER								3	3	3	2	2	2	1	1	
								7	7	7	6	5	3	2	1	
								13	14	10	8	6	5	3	1	
								19	14	10	6	4	3	1	1	
								24	20	14	10	6	3	2	1	0
								32	18	12	7	4	2	1	1	0
								44	14	9	5	3	1	0	0	0
								17	6	3	1	1	0	0	0	0
								4	1	1	0	0	0	0	0	0
								0	0	0	0	0	0	0	0	0

6 - 30 - 70,000

LONGITUDE

LATITUDE	50	60	70	80	90	100	110	120	130	140
JANUARY	9	10	12	13	13	13	14	14	14	13
	14	14	16	16	15	15	15	17	16	15
	18	21	24	25	24	21	16	16	13	10
	23	27	29	29	27	24	20	18	13	9
	42	43	41	37	32	27	23	18	14	9
	54	52	48	42	36	30	25	18	13	8
	72	63	55	47	39	31	25	17	12	6
	96	78	58	42	34	26	21	15	10	6
	114	90	71	49	33	24	16	10	6	4
APRIL	2	2	1	0	0	0	0	0	0	0
	4	4	3	1	0	0	0	0	0	0
	6	6	4	2	0	0	0	0	0	0
	8	7	5	2	0	0	0	0	0	0
	12	10	7	3	0	0	0	0	0	0
	16	13	8	3	0	0	0	0	0	0
	21	16	10	4	0	0	0	0	0	0
	27	20	12	4	0	0	0	0	0	0
	34	24	14	5	0	0	0	0	0	0
JULY	1	1	0	0	0	0	0	0	0	0
	2	2	1	0	0	0	0	0	0	0
	3	3	2	1	0	0	0	0	0	0
	5	4	3	1	0	0	0	0	0	0
	7	6	4	2	0	0	0	0	0	0
	10	8	5	2	0	0	0	0	0	0
	13	10	7	3	0	0	0	0	0	0
	17	13	9	3	0	0	0	0	0	0
	21	16	11	4	0	0	0	0	0	0
OCTOBER	1	1	1	0	0	0	0	0	0	0
	2	2	2	1	0	0	0	0	0	0
	3	3	3	1	0	0	0	0	0	0
	4	4	3	1	0	0	0	0	0	0
	6	5	4	1	0	0	0	0	0	0
	8	6	4	1	0	0	0	0	0	0
	10	8	5	1	0	0	0	0	0	0
	13	10	6	1	0	0	0	0	0	0
	16	12	7	1	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

6 - 30 - 80,000

LAT BAND		LONGITUDE															
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	1	2	3	5	7	9	11	13	14	15	16	16	15	15
	70 - 65	0	1	3	5	9	12	14	16	17	18	18	18	16	15	14
	65 - 60	1	2	6	10	14	17	20	20	20	19	17	15	13	10	7
	60 - 55	1	4	9	17	23	26	27	26	24	21	17	14	11	8	6
	55 - 50	3	10	21	32	36	37	36	32	27	22	17	13	9	7	4
	50 - 45	10	26	42	53	54	51	45	38	31	24	18	13	9	6	4
	45 - 40	51	64	79	80	74	64	53	43	34	26	19	12	8	6	3
	40 - 35	101	144	149	109	86	72	58	45	34	26	17	12	7	4	3
	35 - 30	264	204	181	142	91	70	52	36	24	15	9	5	3	1	1
	30 - 25	63	74	62	4	4	2	1	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	1	2	2	1	1	0	0	0	0		0	0	0	0
	55 - 50	0	4	5	2	2	1	1	0	0	0	0	0	0	0	0
	50 - 45	0	3	6	2	1	0	0	0	0	0	0	0	0	0	0
	45 - 40	1	13	10	4	1	0	0	0	0	0	0	0	0	0	0
	40 - 35	27	40	16	5	1	0	0	0	0	0	0	0	0	0	0
	35 - 30	44	25	10	3	1	0	0	0	0	0	0	0	0	0	0
	30 - 25	43	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0
	60 - 55	0	1	2	2	2	2	1	0	0	0	0	0	0	0	0
	55 - 50	1	2	0	6	5	4	3	1	1	0	0	0	0	0	0
	50 - 45	1	5	8	11	13	14	11	5	1	0	0	0	0	0	0
	45 - 40	0	3	17	37	55	68	41	16	4	0	0	0	0	0	0
	40 - 35	8	46	119	149	134	133	86	44	23	13	6	2	0	0	0
	35 - 30	474	443	350	293	244	166	111	48	25	12	5	2	0	1	0
	30 - 25	434	416	304	250	217	191	166	140	105	69	44	25	15	8	2
OCTOBER	75 - 70	0	0	1	1	1	1	1	1	0	0	0	0	0	0	0
	70 - 65	0	1	1	1	1	1	1	1	1	0	0	0	0	0	0
	65 - 60	1	1	2	2	2	2	2	1	1	0	0	0	0	0	0
	60 - 55	0	3	4	4	4	2	2	1	0	0	0	0	0	0	0
	55 - 50	1	4	6	4	3	2	1	1	0	0	0	0	0	0	0
	50 - 45	0	6	6	2	1	0	0	0	0	0	0	0	0	0	0
	45 - 40	1	13	10	4	1	0	0	0	0	0	0	0	0	0	0
	40 - 35	27	40	16	5	1	0	0	0	0	0	0	0	0	0	0
	35 - 30	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

6 - 30 - 80,000



TABLE I. NORTH AMERICA (CONT

6 - 35 - 40,000

LAT BAND		LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	70 - 75	-	1	4	4	7	10	13	16	18	20	21	22	23	24	25
	65 - 70	4	2	5	9	15	19	23	26	28	30	31	31	31	31	31
	60 - 65	7	-	11	16	24	31	36	39	40	41	41	41	40	39	38
	55 - 60	-	-	-	-	33	40	45	51	50	50	49	48	47	45	43
	50 - 55	37	37	36	35	34	32	33	34	34	33	32	31	30	29	28
	45 - 50	42	40	39	38	37	36	37	38	38	37	36	35	34	33	32
	40 - 45	144	133	116	100	84	71	74	68	64	61	58	55	52	50	48
	35 - 40	146	134	116	111	97	85	83	74	68	63	60	57	54	51	49
	30 - 35	140	117	103	104	90	84	84	78	71	66	64	60	54	50	46
	25 - 30	130	115	103	111	98	86	86	78	73	68	65	65	61	57	53
APRIL	70 - 75	6	1	4	4	6	9	11	13	15	16	16	17	16	15	14
	65 - 70	1	2	5	9	13	17	20	22	23	24	24	22	21	19	17
	60 - 65	4	6	10	17	26	30	33	35	35	36	33	32	28	26	23
	55 - 60	10	14	22	34	42	47	46	48	47	45	43	41	37	33	29
	50 - 55	19	16	27	38	51	64	62	60	57	54	52	47	43	39	34
	45 - 50	29	22	33	46	56	79	75	70	66	61	56	52	47	43	38
	40 - 45	150	142	132	127	124	91	84	77	70	65	60	55	50	45	40
	35 - 40	134	127	121	118	114	97	86	79	72	67	61	56	52	47	42
	30 - 35	127	121	115	122	117	99	84	78	70	64	60	55	50	46	41
	25 - 30	140	129	120	116	97	90	79	72	67	62	57	53	48	44	39
JULY	70 - 75	2	1	2	4	5	8	9	11	11	11	11	10	9	8	7
	65 - 70	1	2	5	8	12	15	18	20	20	20	17	15	14	13	12
	60 - 65	1	4	9	16	24	28	31	33	33	32	30	27	24	21	18
	55 - 60	7	12	21	32	39	44	45	45	43	40	37	33	29	25	21
	50 - 55	20	31	43	55	60	61	59	56	51	47	42	37	31	26	21
	45 - 50	70	77	82	88	82	72	70	64	58	50	44	38	30	25	20
	40 - 45	157	149	134	119	101	87	77	69	66	48	39	32	24	17	13
	35 - 40	174	130	109	122	103	81	63	48	35	25	17	12	6	5	3
	30 - 35	210	154	77	43	23	11	4	1	1	0	0	0	0	0	0
	25 - 25	42	52	29	14	7	3	1	0	0	0	0	0	0	0	0
OCTOBER	70 - 75	1	1	3	5	7	10	12	14	16	18	18	19	19	18	17
	65 - 70	1	2	5	10	14	18	21	24	25	27	27	26	25	24	23
	60 - 65	2	5	10	18	27	31	34	36	37	38	37	36	33	31	29
	55 - 60	10	16	26	33	41	47	49	49	49	47	45	44	41	37	34
	50 - 55	34	41	48	55	61	63	62	60	58	55	52	48	44	40	35
	45 - 50	80	85	87	86	83	79	75	70	65	60	56	51	46	42	36
	40 - 45	126	146	132	117	102	91	84	77	70	64	59	54	48	43	38
	35 - 40	120	136	140	134	116	96	86	78	71	65	59	53	48	43	37
	30 - 35	129	120	136	149	134	92	82	73	65	57	50	43	35	29	22
	25 - 25	155	146	129	108	95	84	74	64	56	47	38	31	24	18	12

TABLE I. NORTH AMERICA (CONT.)

6 - 35 - 50,000

LAT	LONG															
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	71 - 70	1	1	3	5	7	10	13	15	17	19	20	21	22	23	22
	69 - 66	2	3	5	9	13	17	21	26	27	29	30	30	29	29	29
	65 - 61	1	4	10	17	26	32	36	38	39	40	40	39	37	36	34
	60 - 56	3	8	16	26	40	47	49	50	50	49	47	46	44	42	39
	55 - 51	4	9	21	35	50	62	63	64	60	57	55	52	49	47	43
	50 - 46	5	14	26	43	64	80	72	74	68	64	60	57	53	50	47
	45 - 41	11	20	30	49	72	93	84	78	73	69	64	61	57	54	51
	40 - 36	15	24	34	53	77	99	88	78	72	67	63	60	57	54	51
	35 - 30	19	28	38	57	82	103	93	84	77	71	65	61	57	52	48	44
	29 - 25	22	32	41	61	87	106	96	86	79	72	66	61	55	50	45	40	34
APRIL	75 - 70	0	2	4	7	12	0	15	16	11	10	10	9	8	7	6
	70 - 65	1	3	6	9	14	15	17	16	16	17	16	14	12	10	8
	65 - 60	1	5	9	15	22	25	25	24	26	27	24	21	17	14	12
	60 - 55	2	11	20	31	37	41	43	44	41	37	33	29	25	20	16
	55 - 50	4	11	21	33	45	51	55	50	51	47	42	37	31	26	21
	50 - 45	7	15	30	39	55	74	74	67	62	55	46	43	36	30	24
	45 - 40	10	22	33	49	70	96	82	74	66	60	53	46	39	31	26
	40 - 35	14	23	36	53	77	96	86	77	69	63	56	49	43	37	31
	35 - 30	17	26	39	57	82	92	83	73	68	61	55	50	43	37	31
	29 - 25	19	29	44	62	87	96	78	70	64	57	51	45	39	32	26
JULY	75 - 70	0	1	2	3	3	4	4	4	3	3	2	2	2	1	1
	70 - 65	2	3	4	6	8	9	10	9	9	7	6	4	3	2	1
	65 - 60	3	4	7	10	14	22	22	20	18	14	11	8	5	3	2
	60 - 55	4	10	19	28	34	35	34	30	25	20	16	11	8	5	3
	55 - 50	10	23	40	50	53	50	40	30	30	25	19	13	9	5	4
	50 - 45	16	37	56	72	72	64	52	41	32	22	15	10	6	4	3
	45 - 40	24	47	76	104	94	64	51	36	24	15	8	5	2	1	0
	40 - 35	32	71	115	116	86	57	34	20	11	5	3	2	1	0	0
	35 - 30	44	80	108	95	71	0	0	0	0	0	0	0	0	0	0
	30 - 25	47	97	114	93	71	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	1	2	4	6	8	10	11	13	13	12	12	11	10	9
	70 - 65	1	2	5	8	12	16	19	20	21	21	21	19	17	15	13
	65 - 60	1	4	9	16	23	27	31	34	32	31	29	26	22	20	17
	60 - 55	3	12	21	34	36	43	44	44	42	39	36	32	28	23	19
	55 - 50	23	35	41	54	59	58	57	54	49	45	40	33	28	23	17
	50 - 45	7	75	82	89	91	76	69	63	56	46	40	34	27	21	16
	45 - 40	157	147	134	115	101	87	77	66	56	48	39	34	24	17	13
	40 - 35	240	215	170	130	113	93	78	65	54	43	33	25	18	13	9
	35 - 30	274	236	190	144	92	74	57	41	30	20	13	8	5	3	2
	30 - 25	140	136	119	90	74	54	35	25	15	8	3	2	1	0	0

TABLE I. NORTH AMERICA (CONT.)

6 - 35 - 60,000

LAT. BAND	LONGITUDE															
		10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY		1	3	5	7	10	12	14	15	18	19	20	20	20	19
		1	6	9	14	18	21	23	25	27	27	26	25	24	23
		4	9	17	26	35	33	31	35	35	33	32	28	26	23
		8	16	31	41	46	47	47	45	43	41	37	33	29	25
		21	29	41	52	60	61	59	55	52	48	43	38	33	27
		38	43	54	60	63	70	71	66	57	51	47	40	34	29
		55	58	67	71	72	73	70	66	61	55	49	42	36	30
		69	72	78	81	81	80	78	76	64	57	51	46	40	34
		78	80	84	86	86	84	82	78	73	65	57	50	43	35
		84	86	88	89	89	87	85	82	77	70	62	53	45	37
APRIL		1	2	4	6	8	9	9	8	5	3	4	3	3	2
		1	3	6	9	12	14	15	16	13	10	8	7	5	4	3	1
		2	4	8	13	19	21	19	17	15	11	9	6	4	2
		3	6	11	17	24	30	30	29	26	21	16	11	6	5	3	1
		5	8	14	21	29	36	40	40	36	29	22	14	9	6	3	2
		7	11	17	25	33	41	46	46	44	38	29	20	12	8	4	2
		10	14	20	28	36	44	50	52	50	44	34	25	17	12	6	3
		13	17	23	31	39	47	54	56	55	49	39	29	19	13	8	5
		16	20	26	34	42	50	57	60	59	53	44	33	22	15	9	6
		19	23	29	37	45	53	60	63	63	57	48	37	26	18	11	7
JULY		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0
		1	3	5	8	8	8	3	4	1	1	0	0	0	0	0	0
		2	5	10	15	18	10	8	3	2	1	0	0	0	0	0	0
		4	8	16	23	26	12	6	4	1	1	0	0	0	0	0	0
		7	13	23	32	32	13	7	3	1	1	0	0	0	0	0	0
		12	20	32	42	44	14	7	2	0	0	0	0	0	0	0	0
		22	32	42	51	46	6	1	0	0	0	0	0	0	0	0	0
		33	43	51	58	50	0	0	0	0	0	0	0	0	0	0	0
		43	52	59	64	54	0	0	0	0	0	0	0	0	0	0	0
OCTOBER		0	1	2	4	4	6	7	8	7	7	6	5	4	3	2
		1	3	5	8	11	13	14	14	13	11	10	7	5	4	2
		1	4	9	15	20	23	24	22	21	17	14	11	8	6	4
		2	10	19	26	34	35	34	30	25	20	16	11	8	6	3
		8	16	30	41	46	43	42	35	26	20	14	9	6	3	2
		30	54	75	77	70	61	48	37	27	17	10	6	3	1	1
		132	134	126	99	79	60	46	36	21	14	7	4	2	1	0
		210	226	190	105	77	53	37	24	15	8	5	2	1	1	0
		80	156	77	40	23	11	4	1	1	0	0	0	0	0	0
		42	52	29	14	7	3	1	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

6 - 35 - 70,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	1	1	3	5	7	10	12	14	16	18	19	20	20	20	19
70 - 65	2	4	6	9	14	18	21	24	25	26	26	26	24	23	22
65 - 60	1	4	9	16	24	28	31	33	33	32	30	27	24	21	18
60 - 55	3	11	22	31	37	41	43	44	41	37	33	29	25	20	16
55 - 50	23	29	46	54	59	59	57	53	48	44	38	32	26	21	16
50 - 45	71	75	85	84	81	76	69	63	56	48	40	34	27	21	16
45 - 40	157	149	134	115	101	88	78	67	58	49	41	34	26	19	14
40 - 35	229	210	176	138	111	95	82	71	61	52	43	35	28	21	16
35 - 30	251	222	186	139	103	84	70	55	43	33	24	16	10	6	4
30 - 25	140	126	98	70	54	36	25	15	9	6	3	2	1	0	0
APRIL															
75 - 70	0	1	1	2	2	2	2	2	1	1	0	0	0	0	0
70 - 65	1	2	2	3	3	3	2	2	2	1	0	0	0	0	0
65 - 60	1	3	6	7	7	6	4	2	2	1	0	0	0	0	0
60 - 55	2	9	13	15	13	10	6	3	2	1	0	0	0	0	0
55 - 50	4	15	27	26	20	14	7	4	2	1	0	0	0	0	0
50 - 45	14	41	49	41	29	18	9	4	2	1	0	0	0	0	0
45 - 40	72	92	74	49	31	16	6	4	1	0	0	0	0	0	0
40 - 35	216	161	103	60	38	19	9	3	1	0	0	0	0	0	0
35 - 30	330	210	117	71	37	16	7	2	1	0	0	0	0	0	0
30 - 25	64	72	52	30	17	8	3	1	0	0	0	0	0	0	0
JULY															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	1	1	1	1	1	0	0	0	0	0	0	0	0
65 - 60	0	1	2	2	2	1	1	1	0	0	0	0	0	0	0
60 - 55	0	2	5	5	4	2	1	0	0	0	0	0	0	0	0
55 - 50	1	11	20	14	10	5	2	1	0	0	0	0	0	0	0
50 - 45	9	34	46	37	22	11	4	1	0	0	0	0	0	0	0
45 - 40	49	117	107	72	40	17	5	1	0	0	0	0	0	0	0
40 - 35	437	280	184	116	72	37	17	6	1	0	0	0	0	0	0
35 - 30	464	366	297	235	183	131	66	15	2	0	0	0	0	0	0
30 - 25	9	60	144	154	152	140	69	23	10	5	2	1	0	0	0
OCTOBER															
75 - 70	0	1	1	3	3	4	4	5	4	4	3	2	2	2	1
70 - 65	1	2	4	6	7	8	7	7	6	5	4	3	2	2	1
65 - 60	1	4	8	14	15	15	14	12	10	8	6	4	3	2	1
60 - 55	3	10	16	23	25	23	20	16	12	9	6	4	3	2	1
55 - 50	6	20	34	37	33	26	19	13	9	6	4	2	1	1	0
50 - 45	17	47	60	53	39	26	15	9	5	3	1	1	0	0	0
45 - 40	43	107	90	61	40	21	11	5	1	0	0	0	0	0	0
40 - 35	330	210	124	76	47	24	11	4	1	0	0	0	0	0	0
35 - 30	22	55	18	5	1	0	0	0	0	0	0	0	0	0	0
30 - 25	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

6 - 35 - 80,000

LAT BAND		LONGITUDE															
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	1	1	3	5	7	10	13	15	17	19	20	21	22	22	21
	70 - 65	1	2	5	9	14	18	21	23	24	26	26	25	23	22	21
	65 - 60	1	4	9	15	22	26	30	31	31	30	27	24	20	17	14
	60 - 55	2	7	16	26	36	42	46	46	44	41	37	32	26	19	14	11
	55 - 50	5	15	29	44	59	69	74	73	69	61	52	41	31	23	16	12	8
	50 - 45	9	27	47	68	88	101	105	101	93	80	66	52	39	29	21	16	11	8
	45 - 40	18	46	76	106	134	150	150	141	126	106	85	65	48	35	25	18	13	9
	40 - 35	34	76	118	159	195	214	211	193	167	136	104	77	55	39	28	20	14	10
	35 - 30	58	114	169	220	260	278	269	241	204	161	120	85	59	41	29	21	15	11
	30 - 25	89	164	230	290	331	345	329	291	242	187	135	93	63	43	30	22	16	12
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	1	1	1	1	1	1	1	1	0	0	0	0	0	0	0
	65 - 60	1	2	2	3	2	2	1	1	0	0	0	0	0	0	0	0
	60 - 55	1	4	6	5	4	2	2	1	0	0	0	0	0	0	0	0
	55 - 50	3	7	11	9	6	3	2	1	0	0	0	0	0	0	0	0
	50 - 45	4	24	20	14	8	4	2	1	0	0	0	0	0	0	0	0
	45 - 40	24	47	26	12	5	2	1	1	0	0	0	0	0	0	0	0
	40 - 35	44	65	41	16	6	1	0	0	0	0	0	0	0	0	0	0
	35 - 30	64	68	18	5	1	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	67	37	14	5	1	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	1	1	1	1	1	0	0	0	0	0	0	0	0	0
	65 - 60	0	1	2	2	2	1	1	1	0	0	0	0	0	0	0	0
	60 - 55	1	3	6	8	7	5	3	1	0	0	0	0	0	0	0	0
	55 - 50	1	9	17	19	16	12	6	4	2	0	0	0	0	0	0	0
	50 - 45	3	22	37	46	41	37	27	14	5	1	0	0	0	0	0	0
	45 - 40	11	61	110	133	132	117	83	36	8	1	0	0	0	0	0	0
	40 - 35	47	44	30	30	20	21	12	4	9	1	0	0	0	0	0	0
	35 - 30	47	44	35	29	24	10	11	48	25	12	5	2	0	0	0	0
	30 - 25	32	52	13	15	12	14	14	9	7	3	1	4	1	0	0	0
OCTOBER	75 - 70	0	1	1	2	2	2	2	2	1	1	0	0	0	0	0	0
	70 - 65	1	2	3	4	4	4	3	2	2	1	0	0	0	0	0	0
	65 - 60	1	4	6	8	8	7	5	3	2	1	0	0	0	0	0	0
	60 - 55	2	9	13	15	13	10	6	3	2	1	0	0	0	0	0	0
	55 - 50	3	15	22	20	12	10	5	3	1	1	0	0	0	0	0	0
	50 - 45	7	30	30	23	15	9	4	2	1	0	0	0	0	0	0	0
	45 - 40	34	47	26	14	5	2	1	1	0	0	0	0	0	0	0	0
	40 - 35	29	130	75	41	24	12	6	2	1	0	0	0	0	0	0	0
	35 - 30	46	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

6 - 40 - 40,000

LAT BAND	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	70 - 70	1	2	3	0	13	16	20	24	24	26	27	28	26	28	27
	60 - 60	4	5	10	15	22	28	33	36	37	38	38	39	37	37	36
	50 - 50	17	19	23	30	37	43	48	50	50	50	49	48	47	45	43
	40 - 40	43	50	54	59	58	61	63	63	61	59	57	55	53	51	49
	30 - 30	66	70	74	81	80	82	77	73	70	67	64	60	57	54	51
	20 - 20	134	131	126	126	120	98	87	80	75	70	66	63	60	57	54
	10 - 10	133	136	129	126	114	100	89	79	72	67	63	60	57	54	52
	0 - 0	140	144	142	110	107	95	83	74	68	63	60	57	54	51	49
	10 - 10	137	140	144	114	100	88	79	72	68	64	60	57	54	51	48
	20 - 20	96	95	91	80	72	75	71	67	63	59	56	53	50	48	46
APRIL	70 - 70	1	2	4	7	10	13	15	18	19	20	19	18	17	16	14
	60 - 60	1	3	7	13	19	24	27	29	30	30	29	26	23	21	18
	50 - 50	6	10	19	28	38	40	43	44	43	41	39	35	32	28	24
	40 - 40	27	31	42	52	59	62	61	59	56	52	47	44	39	34	29
	30 - 30	63	67	72	84	84	80	76	71	67	62	56	51	46	41	35
	20 - 20	134	144	137	121	100	95	87	79	73	67	61	55	49	44	38
	10 - 10	164	165	170	141	110	99	90	81	75	67	60	54	48	42	36
	0 - 0	166	177	180	156	114	97	86	79	72	67	61	56	52	47	42
	10 - 10	148	142	136	116	90	80	80	75	68	63	58	53	48	43	38
	20 - 20	94	93	90	86	82	76	72	68	63	58	54	50	46	41	37
JULY	70 - 70	1	2	4	7	10	13	15	17	18	18	17	16	15	14	12
	60 - 60	1	3	8	13	19	24	27	30	31	31	30	28	25	23	19
	50 - 50	7	11	19	29	38	42	45	46	45	43	42	39	36	32	28
	40 - 40	33	38	48	58	66	63	62	60	57	54	50	47	42	37	32
	30 - 30	68	73	84	84	84	80	76	71	67	62	56	51	46	41	35
	20 - 20	154	144	136	122	106	94	85	79	72	66	60	54	48	42	36
	10 - 10	174	170	171	140	116	99	89	81	73	66	59	53	45	39	34
	0 - 0	174	180	169	129	103	81	63	48	35	25	17	12	8	5	3
	10 - 10	160	169	140	88	63	45	31	20	12	7	4	2	1	0	0
	20 - 20	75	50	37	44	27	13	5	2	0	0	0	0	0	0	0
OCTOBER	70 - 70		2	4	7	11	14	17	20	22	23	24	24	23	22	21
	60 - 60	6	4	9	15	21	27	30	33	34	35	34	33	31	30	27
	50 - 50	20	13	20	31	38	44	47	48	48	47	46	44	42	39	35
	40 - 40	37	39	46	53	60	63	64	62	60	57	54	51	48	44	39
	30 - 30	60	66	66	85	84	80	77	74	68	63	59	54	49	45	40
	20 - 20	150	140	137	121	100	95	87	79	73	68	62	57	51	46	40
	10 - 10	172	172	152	141	117	99	90	82	74	68	62	56	50	44	39
	0 - 0	190	180	160	134	112	96	86	76	71	65	59	53	48	43	37
	10 - 10	154	147	132	114	97	88	79	74	65	59	52	45	38	32	26
	20 - 20	81	84	84	84	81	75	69	63	55	49	42	34	28	21	15

TABLE I. NORTH AMERICA (CONT.)

6 - 40 - 50,000

LAT. BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
70 - 75	1	2	3	3	12	18	19	21	23	25	26	26	26	26	24
65 - 70	2	4	9	18	23	29	32	35	36	37	37	37	35	35	33
60 - 65	11	15	20	30	38	44	47	49	49	48	47	45	43	40	37
55 - 60	34	41	47	53	59	63	64	66	66	57	55	52	49	45	41
50 - 55	91	90	88	86	84	80	77	73	69	65	61	57	53	49	45
45 - 50	142	142	132	120	107	96	87	80	75	70	65	61	56	52	48
40 - 45	171	165	157	141	122	102	90	83	76	71	66	62	58	54	51
35 - 40	185	180	169	151	129	99	85	78	72	67	63	60	57	54	51
30 - 35	187	185	169	147	121	89	81	75	70	66	62	58	54	51	47
25 - 30	176	174	161	138	111	82	76	72	68	63	59	55	51	47	43
APRIL															
70 - 75	1	2	4	7	9	11	13	13	13	13	11	9	7	6	5
65 - 70	1	4	8	15	18	22	23	24	22	21	18	15	12	9	7
60 - 65	5	9	15	23	33	36	37	37	34	30	27	23	19	15	11
55 - 60	11	24	29	42	49	50	50	51	46	41	35	30	24	19	14
50 - 55	22	40	48	62	72	77	71	65	57	51	44	36	30	24	19
45 - 50	39	58	70	86	100	93	83	74	65	57	49	42	35	28	22
40 - 45	62	81	98	114	128	98	87	77	67	59	50	43	35	28	23
35 - 40	89	107	123	140	154	98	90	77	69	63	56	49	43	37	31
30 - 35	120	137	152	167	179	98	86	79	73	66	60	53	47	40	29
25 - 30	153	169	182	193	201	98	86	76	70	63	59	53	47	41	36
JULY															
70 - 75	1	1	3	5	8	7	9	7	7	7	5	5	3	3	2
65 - 70	1	4	8	12	18	19	19	18	17	15	12	10	7	5	3
60 - 65	3	8	17	26	32	35	35	34	31	26	23	19	15	11	8
55 - 60	19	28	38	49	54	55	52	48	42	36	30	25	20	16	11
50 - 55	50	65	76	91	94	92	86	79	68	61	54	46	40	33	26
45 - 50	105	126	138	148	143	124	113	101	89	80	71	63	56	49	42
40 - 45	180	201	217	226	214	182	165	147	130	116	103	91	80	70	60
35 - 40	260	281	295	303	285	240	217	194	172	153	135	119	104	91	78
30 - 35	347	368	382	388	365	305	275	246	218	193	170	149	130	113	97
25 - 30	438	459	473	478	450	375	338	302	267	236	207	181	157	136	116
OCTOBER															
70 - 75	1	2	4	7	10	13	15	17	18	19	18	17	16	15	13
65 - 70	1	3	6	13	19	24	27	29	30	30	29	26	23	21	18
60 - 65	2	10	16	23	29	34	42	43	42	40	38	34	31	26	22
55 - 60	29	36	41	46	48	61	60	58	54	50	45	41	36	31	27
50 - 55	70	77	81	84	83	78	74	68	62	56	49	43	37	31	25
45 - 50	157	150	136	119	104	93	84	74	66	58	51	44	36	30	24
40 - 45	264	248	218	179	141	118	98	86	76	68	60	53	46	41	33
35 - 40	423	418	375	305	230	173	133	103	93	76	65	54	43	33	25
30 - 35	614	614	574	494	377	274	196	140	96	76	62	50	39	30	21
25 - 30	810	810	774	697	577	439	317	224	154	104	76	54	34	24	16
	45	61	79	77	69	54	45	34	24	16	10	6	4	2	1

TABLE I. NORTH AMERICA (CONT.)

6 - 40 - 60,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	1	2	5	8	12	15	18	21	23	24	25	25	25	24	23
70 - 65	2	4	9	15	21	27	30	33	34	35	34	33	31	30	27
65 - 60	7	11	19	29	36	41	44	45	45	43	41	38	35	31	27
60 - 55	20	30	41	52	56	61	61	58	55	51	46	42	38	33	27
55 - 50	70	80	82	84	84	79	75	69	64	58	52	47	40	35	29
50 - 45	135	150	136	119	104	94	86	76	71	64	57	51	44	38	31
45 - 40	213	202	176	140	115	99	89	80	72	65	57	51	43	37	31
40 - 35	200	189	166	133	112	96	86	78	70	64	57	51	46	40	34
35 - 30	154	147	136	115	97	87	79	72	64	58	51	44	36	30	24
30 - 25	79	76	69	64	59	52	62	58	49	42	35	27	21	15	11
APRIL															
75 - 70	1	1	2	3	6	6	7	6	6	6	4	4	2	2	2
70 - 65	1	4	8	11	14	15	15	14	12	10	8	7	5	3	2
65 - 60	2	8	16	25	29	26	24	21	17	13	11	8	5	4	2
60 - 55	8	19	28	43	44	42	35	29	23	17	12	8	5	4	1
55 - 50	34	53	72	75	65	60	51	40	29	22	14	9	5	3	1
50 - 45	145	141	130	113	95	78	63	46	36	26	17	11	7	4	2
45 - 40	288	245	178	134	109	81	63	46	33	23	14	8	5	2	2
40 - 35	260	225	178	132	106	87	70	56	44	33	24	17	12	8	5
35 - 30	156	145	129	109	89	74	60	47	36	27	19	13	8	5	3
30 - 25	48	63	79	78	70	58	47	37	26	18	12	8	5	3	2
JULY															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	1	3	4	5	5	5	4	3	2	1	1	1	0	0	0
65 - 60	2	7	13	15	15	12	9	6	3	2	1	0	0	0	0
60 - 55	5	16	31	33	29	22	13	8	4	2	1	0	0	0	0
55 - 50	15	46	59	53	40	26	16	8	3	1	0	0	0	0	0
50 - 45	93	107	93	68	45	27	14	7	3	1	0	0	0	0	0
45 - 40	301	181	109	63	36	20	11	5	1	1	0	0	0	0	0
40 - 35	222	65	22	6	1	0	0	0	0	0	0	0	0	0	0
35 - 30	27	40	16	5	1	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	1	2	4	7	9	11	13	13	13	13	11	9	7	6	5
70 - 65	1	4	8	13	18	21	23	23	21	19	17	14	11	8	6
65 - 60	3	8	17	26	32	35	35	34	31	26	23	19	15	11	8
60 - 55	11	21	36	48	53	53	50	44	39	32	26	21	15	12	8
55 - 50	48	80	74	79	70	64	61	51	41	34	26	19	13	10	7
50 - 45	147	142	130	114	97	79	65	51	38	28	19	14	9	5	3
45 - 40	244	247	174	133	104	79	61	45	30	20	11	6	3	1	1
40 - 35	310	226	156	105	77	53	37	24	15	8	5	2	1	1	0
35 - 30	104	117	97	68	40	23	12	6	3	1	1	0	0	0	0
30 - 25	9	36	36	28	17	8	3	1	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

6 - 40 - 70,000

| LAT BAND | LONGITUDE | | |

TABLE I. NORTH AMERICA (CONT.)

6 - 40 - 80,000

LAT. LAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	1	2	3	8	13	16	20	22	25	27	28	29	29	29	28
70 - 65	2	4	9	15	22	28	31	34	35	35	35	34	32	31	28
65 - 60	4	9	16	27	34	38	41	42	41	38	36	32	28	23	19
60 - 55	15	23	38	48	50	56	53	49	44	38	32	27	22	18	13
55 - 50	53	64	75	81	78	71	64	55	46	38	31	24	18	13	9
50 - 45	134	147	134	118	102	87	74	64	51	42	33	26	19	13	9
45 - 40	250	249	179	141	122	93	78	65	52	42	32	24	17	12	8
40 - 35	241	220	173	135	113	93	77	64	52	41	31	23	16	11	7
35 - 30	151	144	109	109	90	72	58	45	34	25	17	12	7	4	3
30 - 25	28	24	21	21	22	16	23	17	10	5	2	1	1	0	0
APRIL															
75 - 70	0	0	0	1	1	1	1	1	0	0	0	0	0	0	0
70 - 65	1	2	2	3	3	2	1	1	1	0	0	0	0	0	0
65 - 60	0	3	4	4	3	2	1	1	0	0	0	0	0	0	0
60 - 55	1	3	5	7	5	3	1	1	0	0	0	0	0	0	0
55 - 50	2	4	10	11	6	3	2	1	0	0	0	0	0	0	0
50 - 45	27	43	21	8	2	1	0	0	0	0	0	0	0	0	0
45 - 40	122	73	24	8	2	0	0	0	0	0	0	0	0	0	0
40 - 35	122	63	21	6	1	0	0	0	0	0	0	0	0	0	0
35 - 30	47	40	16	5	1	0	0	0	0	0	0	0	0	0	0
30 - 25	1	1	3	3	1	0	0	0	0	0	0	0	0	0	0
JULY															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	1	1	2	2	2	1	1	1	0	0	0	0	0	0
65 - 60	1	2	6	0	0	6	4	2	1	0	0	0	0	0	0
60 - 55	2	10	21	24	21	14	8	4	2	0	0	0	0	0	0
55 - 50	0	33	40	49	39	27	19	11	4	1	0	0	0	0	0
50 - 45	27	84	111	109	94	75	55	31	12	2	0	0	0	0	0
45 - 40	465	426	336	276	233	166	130	68	18	3	0	0	0	0	0
40 - 35	477	442	306	324	265	211	148	48	9	1	0	0	0	0	0
35 - 30	9	46	119	149	154	133	86	44	23	13	6	2	0	0	0
30 - 25	0	3	26	30	67	73	55	53	38	23	10	3	1	0	0
OCTOBER															
75 - 70	1	1	2	4	5	5	5	4	3	3	2	2	1	1	1
70 - 65	1	4	7	9	10	10	9	7	5	4	2	2	1	1	0
65 - 60	3	8	15	19	19	17	13	9	6	4	3	1	1	1	0
60 - 55	9	18	31	33	29	22	13	8	4	2	1	0	0	0	0
55 - 50	12	41	50	44	32	21	13	6	2	1	0	0	0	0	0
50 - 45	64	79	61	42	28	16	8	4	2	1	0	0	0	0	0
45 - 40	243	195	96	64	42	26	13	6	3	1	0	0	0	0	0
40 - 35	279	138	73	41	24	12	6	2	1	0	0	0	0	0	0
35 - 30	27	40	16	5	1	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

6 - 45 - 40,000

LAT	LAND	LONGITUDE																		
JANUARY																				
APRIL																				
JULY																				
OCTOBER																				

TABLE I. NORTH AMERICA (CONT.)

6 - 45 - 50,000

LONGITUDE

LAT.	50	60	70	80	90	100	110	120	130	140
JANUARY										
	61	65	60	51	32	32	32	31	29	28
	63	63	64	45	40	43	42	39	36	33
	64	62	61	59	56	53	50	46	42	38
	63	75	75	70	66	61	56	51	46	41
	90	90	84	77	71	65	59	54	48	43
	95	88	78	71	71	65	60	54	49	43
	90	83	76	71	66	64	58	54	54	51
	93	84	78	73	69	64	61	57	54	51
	78	74	69	66	62	59	55	51	48	45
	63	62	60	57	54	51	48	44	41	37
APRIL										
	14	16	16	15	14	13	10	9	7	5
	31	34	31	29	25	21	17	13	9	6
	52	49	45	39	33	26	20	15	11	7
	74	66	60	54	44	36	30	23	18	14
	92	84	76	64	52	42	36	26	24	18
	101	92	79	67	57	48	41	33	26	20
	98	87	77	67	59	50	43	36	28	23
	90	82	74	66	60	53	46	39	34	26
	77	72	68	61	55	49	43	37	31	27
	62	60	57	53	48	43	38	32	27	22
JULY										
	14	14	14	10	9	8	6	5	3	3
	30	30	28	26	22	19	15	11	8	6
	53	52	49	43	39	32	27	22	17	13
	78	70	63	56	48	41	35	28	22	17
	96	84	74	64	55	45	38	32	24	18
	105	92	79	67	57	48	41	33	26	20
	94	74	60	47	37	27	20	14	9	6
	64	51	38	24	15	8	5	2	1	0
	29	19	11	7	4	2	1	0	0	0
	9	6	4	1	0	0	0	0	0	0
OCTOBER										
	19	22	24	25	28	24	22	20	17	16
	35	36	39	40	38	36	33	29	26	22
	58	58	57	54	52	47	42	39	33	28
	81	77	72	67	62	56	50	45	39	34
	98	89	82	73	66	59	52	47	39	33
104	94	83	75	66	59	52	45	38	31
	84	76	68	58	48	41	34	26	21
	87	77	66	56	48	39	32	24	18	13
	71	63	54	46	37	29	21	15	10	6
	51	43	37	29	22	16	11	7	4	2

TABLE I. NORTH AMERICA (CONT.)

6 - 45 - 60,000

LAT SAM-		LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	1	3	6	12	16	22	26	29	32	33	33	33	33	31	30
	70 - 65	7	10	16	24	32	38	43	44	45	45	43	42	39	36	33
	65 - 60	22	28	36	48	55	59	59	58	55	52	48	44	40	35	30
	60 - 55	71	74	79	83	83	81	76	71	65	59	53	48	41	36	30
	55 - 50	157	156	139	120	111	98	88	80	71	64	56	49	43	36	30
	50 - 45	220	211	186	159	142	104	94	83	73	65	57	50	43	36	29
	45 - 40	213	202	176	140	110	99	89	80	72	65	57	51	44	37	31
	40 - 35	154	147	134	115	101	90	83	75	68	61	55	49	42	36	30
	35 - 30	85	83	85	84	82	77	71	66	60	54	48	41	35	29	24
	30 - 25	22	33	47	57	61	60	56	51	46	40	33	27	21	16	11
APRIL	75 - 70	1	4	6	8	10	10	9	9	7	6	5	3	2	1	1
	70 - 65	5	7	15	19	21	21	19	17	14	11	8	6	5	3	2
	65 - 60	8	18	30	38	39	35	30	25	19	15	11	8	5	4	2
	60 - 55	26	46	64	67	61	51	42	32	25	18	13	9	6	4	2
	55 - 50	136	136	126	110	94	74	60	47	35	26	17	11	7	4	2
	50 - 45	293	247	202	143	112	88	71	54	39	27	17	11	6	3	2
	45 - 40	288	245	175	134	105	81	63	48	33	23	14	8	5	2	2
	40 - 35	150	143	130	111	93	76	63	49	36	27	19	13	8	6	3
	35 - 30	40	63	78	79	72	62	51	40	31	23	16	10	7	5	2
	30 - 25	10	25	44	56	52	47	39	30	23	16	10	7	4	2	1
JULY	75 - 70	0	1	2	2	2	1	1	1	1	0	0	0	0	0	0
	70 - 65	2	5	6	10	10	9	7	5	4	2	1	1	1	0	0
	65 - 60	9	17	26	30	29	23	16	11	6	4	2	1	0	0	0
	60 - 55	17	42	53	56	43	37	26	17	11	6	3	3	1	1	0
	55 - 50	109	121	110	89	68	47	32	22	13	9	5	3	2	1	1
	50 - 45	227	230	169	106	72	47	32	20	11	7	3	2	1	1	0
	45 - 40	301	101	100	63	38	20	11	5	1	1	0	0	0	0	0
	40 - 35	49	22	42	24	14	7	4	2	0	0	0	0	0	0	0
	35 - 30	1	19	10	4	1	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	8	5	2	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	1	6	7	11	14	17	20	21	20	19	17	15	13	10	8
	70 - 65	2	7	14	24	28	34	35	35	33	30	26	23	18	14	11
	65 - 60	11	21	33	46	51	53	52	49	43	39	32	27	22	17	13
	60 - 55	51	60	73	80	79	74	69	60	52	44	36	30	23	18	14
	55 - 50	151	147	133	121	107	90	76	66	54	45	35	28	22	16	12
	50 - 45	274	233	203	147	117	95	79	63	49	38	28	21	15	11	8
	45 - 40	295	247	176	123	104	79	61	45	30	20	11	6	3	1	1
	40 - 35	130	104	72	59	79	60	46	32	21	14	7	4	2	1	0
	35 - 30	43	23	25	22	40	33	22	14	9	5	3	1	0	0	0
	30 - 25	5	22	33	30	20	11	5	2	1	0	0	0	0	0	0

TABLE L NORTH AMERICA (CONT.)

6 - 45 - 70,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	2	4	7	13	17	24	28	31	33	34	36	36	36	35	34
70 - 65	8	11	16	24	33	40	44	45	46	46	45	43	41	38	36
65 - 60	21	27	35	43	50	58	58	57	54	52	47	42	39	33	28
60 - 55	37	44	54	62	67	74	74	69	62	55	46	42	35	29	23
55 - 50	148	156	139	145	111	97	86	77	67	58	50	43	36	28	22
50 - 45	240	226	204	151	124	105	92	79	67	57	48	41	33	26	20
45 - 40	233	217	177	141	117	98	85	74	63	54	45	37	30	23	17
40 - 35	157	143	134	112	101	88	76	67	58	49	41	34	26	20	14
35 - 30	67	76	84	83	79	72	64	55	47	39	31	23	17	12	8
30 - 25	33	46	44	53	54	50	43	35	27	20	14	10	6	4	2
APRIL															
75 - 70	1	3	5	7	7	7	6	6	4	3	2	1	1	0	0
70 - 65	3	7	12	16	16	15	12	9	6	4	2	1	1	0	0
65 - 60	4	15	24	27	26	20	14	10	6	3	2	1	0	0	0
60 - 55	12	37	49	46	37	27	16	10	6	2	1	1	0	0	0
55 - 50	8	16	21	69	42	21	14	10	5	2	1	0	0	0	0
50 - 45	324	195	118	60	50	30	18	9	3	2	0	0	0	0	0
45 - 40	255	126	56	31	16	8	3	2	1	0	0	0	0	0	0
40 - 35	78	52	74	49	31	16	6	4	1	0	0	0	0	0	0
35 - 30	9	30	39	30	19	10	5	2	1	0	0	0	0	0	0
30 - 25	2	14	16	13	8	4	2	1	0	0	0	0	0	0	0
JULY															
75 - 70	0	1	2	3	3	3	3	2	1	1	0	0	0	0	0
70 - 65	1	3	5	6	6	5	3	2	1	1	0	0	0	0	0
65 - 60	0	8	10	9	7	4	2	1	0	0	0	0	0	0	0
60 - 55	2	21	19	13	7	4	2	1	0	0	0	0	0	0	0
55 - 50	49	54	34	20	10	5	2	1	0	0	0	0	0	0	0
50 - 45	264	116	59	34	17	8	3	1	0	0	0	0	0	0	0
45 - 40	391	241	143	90	49	19	6	2	0	0	0	0	0	0	0
40 - 35	42	117	107	74	40	17	5	1	0	0	0	0	0	0	0
35 - 30	0	37	81	45	32	20	11	3	1	0	0	0	0	0	0
30 - 25	1	0	14	15	14	11	7	3	1	0	0	0	0	0	0
OCTOBER															
75 - 70	1	4	7	10	12	14	15	15	14	13	11	9	8	6	5
70 - 65	2	7	14	20	24	26	26	24	21	18	15	12	9	6	4
65 - 60	0	13	31	41	44	43	39	34	28	23	17	13	9	6	4
60 - 55	30	45	66	71	66	58	49	40	32	23	17	12	8	5	3
55 - 50	126	129	115	109	81	61	46	35	24	18	11	7	5	3	2
50 - 45	367	230	149	106	72	47	32	20	11	7	3	2	1	1	0
45 - 40	367	220	142	95	66	38	24	15	8	5	2	1	1	0	0
40 - 35	93	107	90	61	40	21	11	5	1	0	0	0	0	0	0
35 - 30	7	21	29	22	13	7	3	1	0	0	0	0	0	0	0
30 - 25	0	2	5	2	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

6 - 45 - 80,000

LAT BAND		LONGITUDE															
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	4	5	6	13	20	25	29	33	35	36	38	38	39	39	38
	70 - 65	9	12	17	25	34	41	45	46	47	47	46	45	43	41	39
	65 - 60	18	25	34	47	54	57	57	56	53	50	45	40	36	30	25
	60 - 55	36	54	74	91	91	76	70	63	56	48	41	35	28	22	17
	55 - 50	151	147	135	121	107	90	78	68	54	45	35	28	22	16	12
	50 - 45	270	236	184	146	99	87	81	68	52	41	31	24	18	13	9
	45 - 40	299	262	178	141	100	93	78	65	52	42	32	24	18	12	8
	40 - 35	257	148	133	113	100	84	73	61	49	40	32	24	16	12	7
	35 - 30	51	54	79	80	74	64	53	43	34	25	18	12	8	6	3
	30 - 25	7	24	41	45	43	37	28	20	13	7	4	2	1	0	0
APRIL	75 - 70	2	2	3	3	3	3	2	2	2	1	1	0	0	0	0
	70 - 65	1	4	7	8	8	7	5	4	3	2	1	0	0	0	0
	65 - 60	2	10	13	13	12	8	5	4	2	1	1	0	0	0	0
	60 - 55	4	8	14	15	12	7	4	3	1	1	0	0	0	0	0
	55 - 50	10	16	40	42	21	12	7	4	2	1	0	0	0	0	0
	50 - 45	150	120	62	37	21	12	7	3	1	1	0	0	0	0	0
	45 - 40	222	75	24	8	2	0	0	0	0	0	0	0	0	0	0
	40 - 35	34	47	26	14	5	2	1	1	0	0	0	0	0	0	0
	35 - 30	1	2	10	4	1	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	1	1	1	1	1	1	1	1	0	0	0	0
	70 - 65	1	2	5	7	6	5	5	4	2	1	0	0	0	0	0
	65 - 60	2	11	20	26	24	18	11	6	2	1	0	0	0	0	0
	60 - 55	6	34	53	52	41	26	14	5	2	1	0	0	0	0	0
	55 - 50	43	98	104	81	55	29	15	6	2	0	0	0	0	0	0
	50 - 45	131	282	203	126	74	35	16	5	1	0	0	0	0	0	0
	45 - 40	469	420	336	276	233	166	130	68	18	3	0	0	0	0	0
	40 - 35	11	61	110	133	132	117	83	36	8	1	0	0	0	0	0
	35 - 30	0	3	17	37	55	58	41	16	4	0	0	0	0	0	0
	30 - 25	0	0	1	9	18	24	24	21	17	11	5	2	0	0	0
OCTOBER	75 - 70	1	4	6	8	10	10	9	9	7	6	5	3	2	1	1
	70 - 65	3	7	13	18	19	18	15	12	9	6	4	3	2	1	1
	65 - 60	5	18	26	34	34	28	21	15	10	7	4	3	1	1	1
	60 - 55	10	41	58	56	46	33	22	13	7	3	1	1	0	0	0
	55 - 50	78	95	81	61	43	27	16	9	4	2	1	0	0	0	0
	50 - 45	245	105	51	26	15	8	4	2	1	0	0	0	0	0	0
	45 - 40	245	105	46	24	12	6	3	1	0	0	0	0	0	0	0
	40 - 35	34	47	26	12	5	2	1	1	0	0	0	0	0	0	0
	35 - 30	1	1	1	4	1	0	0	0	0	0	0	0	0	0	0
	30 - 25	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

6 - 50 - 40,000

CAT	BAND	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	3	6	11	19	28	30	34	36	37	36	34	32	29	26	23
	70 - 65	17	22	32	41	50	55	56	56	55	52	50	46	42	37	33
	65 - 60	71	73	78	84	84	83	79	75	71	65	60	56	50	44	40
	60 - 55	136	134	134	144	144	134	125	111	96	80	73	69	63	57	52
	55 - 50	211	208	204	198	132	113	99	90	83	77	70	65	59	53	48
	50 - 45	174	169	160	147	127	108	96	88	80	75	70	66	62	56	55
	45 - 40	133	131	122	120	110	93	87	80	75	70	66	63	60	57	54
	40 - 35	98	93	93	90	88	80	73	69	66	63	60	57	54	52	50
	35 - 30	59	59	60	61	61	63	62	61	59	57	55	52	50	48	46
	30 - 25	23	26	32	36	43	48	51	51	50	49	48	46	44	43	41
APRIL	75 - 70	6	6	12	19	25	29	33	34	34	32	29	26	23	19	16
	70 - 65	9	17	30	39	46	51	52	50	46	41	36	32	26	21	17
	65 - 60	53	60	72	79	81	78	74	66	61	54	47	41	34	28	24
	60 - 55	150	156	143	139	116	105	94	84	74	67	58	51	45	38	31
	55 - 50	206	211	204	198	132	113	99	89	81	74	66	60	53	47	41
	50 - 45	211	201	176	149	122	104	90	85	78	70	64	58	52	45	39
	45 - 40	154	149	137	121	100	95	87	79	73	67	61	55	49	44	38
	40 - 35	89	85	81	66	83	79	75	70	66	61	56	52	47	43	38
	35 - 30	43	46	49	56	62	64	62	60	57	54	51	47	44	40	36
	30 - 25	17	20	27	37	45	49	50	49	48	47	45	42	39	35	32
JULY	75 - 70	2	5	12	19	24	28	31	32	32	30	27	24	21	17	15
	70 - 65	33	40	52	60	67	53	54	53	50	46	43	38	33	28	24
	65 - 60	58	71	76	82	83	82	79	74	69	64	58	53	47	41	36
	60 - 55	107	101	143	129	110	104	95	86	78	72	65	58	53	47	40
	55 - 50	113	107	107	106	131	113	99	90	83	76	69	63	57	51	45
	50 - 45	70	102	117	134	123	105	95	88	79	72	66	62	56	51	45
	45 - 40	154	149	136	120	103	94	86	79	72	66	60	54	48	42	36
	40 - 35	73	77	82	84	82	77	70	64	58	50	44	38	30	25	20
	35 - 30	17	20	43	54	60	56	51	46	39	33	26	19	15	10	6
	30 - 25	3	11	23	32	36	35	31	25	20	15	10	6	4	2	2
OCTOBER	75 - 70	4	7	12	20	26	31	35	38	40	40	39	38	36	33	30
	70 - 65	21	25	35	42	51	56	58	58	57	55	53	50	46	41	38
	65 - 60	76	77	80	83	84	83	80	77	73	68	63	59	54	49	45
	60 - 55	155	150	143	130	119	105	95	86	82	77	71	66	61	56	51
	55 - 50	207	201	193	158	132	113	99	90	83	77	71	65	60	54	49
	50 - 45	206	192	175	150	123	105	95	86	78	72	66	61	55	50	44
	45 - 40	153	146	137	121	105	95	87	79	73	68	62	57	51	46	40
	40 - 35	88	85	87	86	83	79	75	70	65	60	56	51	46	42	36
	35 - 30	36	41	46	56	62	64	61	59	55	52	48	43	39	34	30
	30 - 25	11	16	27	38	46	48	49	47	45	43	38	35	29	25	21

TABLE I. NORTH AMERICA (CONT'D)

6 - 50 - 50,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	4	7	11	20	26	31	35	38	40	40	39	38	36	33	30
70 - 65	14	24	33	41	50	55	58	58	57	55	53	49	45	40	36
65 - 60	71	73	76	84	84	83	79	75	71	65	60	56	50	44	40
60 - 55	157	156	143	129	115	105	95	86	77	71	64	57	51	45	39
55 - 50	244	216	209	159	132	113	99	89	81	74	66	60	53	47	41
50 - 45	204	195	174	154	123	105	95	86	78	71	65	60	54	49	43
45 - 40	140	143	135	123	107	95	87	80	75	70	65	61	56	52	48
40 - 35	99	94	96	83	84	80	75	72	68	64	60	57	53	50	47
35 - 30	50	51	53	57	61	63	62	61	58	56	53	50	48	45	42
30 - 25	19	26	26	36	46	49	51	50	49	47	45	43	40	37	34
APRIL															
75 - 70	3	6	11	17	21	22	23	22	20	18	15	13	10	8	7
70 - 65	8	16	26	36	41	42	40	36	31	26	22	18	14	11	7
65 - 60	36	46	64	74	76	66	59	54	43	35	28	22	15	11	8
60 - 55	147	143	137	123	109	96	82	69	56	47	37	28	22	16	11
55 - 50	252	234	196	160	133	116	96	81	68	59	49	41	33	26	21
50 - 45	240	220	204	181	154	105	92	79	67	57	48	41	33	26	20
45 - 40	157	150	136	120	103	93	83	74	65	57	49	42	35	28	22
40 - 35	79	81	85	85	83	79	72	67	62	55	48	43	36	30	24
35 - 30	36	37	46	57	63	63	60	57	53	49	45	39	34	28	23
30 - 25	10	16	27	38	46	48	48	47	45	42	38	34	28	23	20
JULY															
75 - 70	3	6	10	15	16	16	15	13	10	7	5	4	2	1	1
70 - 65	8	16	26	36	40	40	36	33	28	23	20	16	12	9	6
65 - 60	42	51	60	77	78	74	69	63	54	46	38	32	24	19	15
60 - 55	150	147	139	126	112	100	87	74	63	54	45	37	30	24	18
55 - 50	255	234	196	160	133	112	93	81	68	59	49	41	33	26	21
50 - 45	240	220	184	151	124	105	92	79	67	57	48	41	33	26	20
45 - 40	158	143	135	115	103	89	76	64	54	45	36	28	21	15	11
40 - 35	42	57	76	78	72	64	52	41	32	22	15	10	6	4	3
35 - 30	6	23	36	44	42	35	28	21	14	8	5	3	1	1	0
30 - 25	3	11	18	21	17	13	8	5	4	2	1	0	0	0	0
OCTOBER															
75 - 70	6	6	11	19	25	29	34	35	35	34	32	29	26	23	20
70 - 65	14	20	31	40	49	53	55	53	51	48	45	40	35	30	26
65 - 60	62	66	75	81	83	82	78	73	68	62	56	51	44	38	33
60 - 55	157	156	143	129	115	105	95	86	77	71	64	57	51	45	39
55 - 50	229	216	191	160	133	114	98	88	79	71	63	56	49	43	37
50 - 45	224	210	179	150	122	104	94	83	75	66	59	52	45	38	31
45 - 40	157	150	136	119	104	93	84	74	66	58	51	44	36	30	24
40 - 35	71	75	91	84	81	76	69	63	56	48	40	34	27	21	16
35 - 30	19	29	43	54	56	56	54	49	42	36	30	23	18	13	9
30 - 25	4	12	24	33	38	40	38	34	29	24	19	13	9	6	

TABLE I. NORTH AMERICA (CONT.)

6 - 50 - 60,000

LAT. AND	LONGITUDE															
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	0	8	13	21	27	33	38	41	43	44	44	43	41	40	37
70 - 65	23	27	30	43	51	57	59	59	58	57	55	52	48	44	40
65 - 60	58	71	76	82	83	82	79	74	69	64	58	53	47	41	36
60 - 55	156	152	143	129	116	105	94	84	75	68	60	53	46	40	33
55 - 50	230	221	194	160	133	114	98	87	77	69	60	53	46	39	33
50 - 45	220	211	180	150	122	104	94	83	73	65	57	50	43	36	29
45 - 40	150	150	136	119	104	94	86	78	71	64	57	51	44	38	31
40 - 35	83	83	84	85	83	79	73	68	64	57	51	47	40	34	29
35 - 30	32	37	46	57	63	63	60	57	53	49	45	39	34	28	23
30 - 25	7	14	26	36	43	46	45	42	40	36	30	26	20	16	12
APRIL															
75 - 70	3	6	11	16	18	18	16	14	11	8	6	4	2	1	1
70 - 65	9	15	27	33	36	34	29	24	18	14	11	8	5	4	2
65 - 60	21	40	60	63	60	50	40	32	24	18	13	10	6	4	3
60 - 55	110	126	120	103	83	68	51	37	27	20	15	10	7	4	3
55 - 50	206	256	187	141	110	86	64	49	37	27	20	14	8	6	3
50 - 45	263	247	185	143	112	88	71	54	39	27	17	11	6	3	2
45 - 40	140	141	130	113	95	78	63	48	36	26	17	11	7	4	2
40 - 35	49	69	77	79	73	65	53	44	34	25	17	12	8	5	4
35 - 30	11	26	42	51	53	50	43	36	28	21	15	11	8	5	3
30 - 25	2	11	23	32	35	34	29	23	18	13	8	5	3	2	1
JULY															
75 - 70	0	2	3	3	2	1	1	0	0	0	0	0	0	0	0
70 - 65	2	10	15	16	16	13	10	7	5	3	2	1	0	0	0
65 - 60	14	35	53	63	47	36	26	16	12	6	4	2	1	0	0
60 - 55	109	121	115	96	76	59	42	28	19	13	9	5	3	2	1
55 - 50	218	248	176	128	95	70	49	35	25	17	12	8	5	3	2
50 - 45	247	210	149	106	72	47	32	20	11	7	3	2	1	1	0
45 - 40	93	107	93	68	45	27	14	7	3	1	0	0	0	0	0
40 - 35	9	35	39	32	22	13	7	3	1	1	0	0	0	0	0
35 - 30	1	11	11	9	5	3	1	1	0	0	0	0	0	0	0
30 - 25	0	3	2	1	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	2	6	11	18	24	27	30	30	29	27	24	22	19	15	13
70 - 65	9	17	30	39	46	51	52	50	46	41	36	32	26	21	17
65 - 60	48	55	70	78	79	76	71	65	58	50	43	37	29	24	19
60 - 55	156	140	140	126	112	101	86	76	65	56	47	39	33	26	20
55 - 50	262	240	198	159	131	109	90	76	64	53	43	35	28	22	17
50 - 45	274	236	183	147	117	95	79	63	49	38	28	21	15	11	8
45 - 40	147	142	130	114	96	79	65	51	38	28	19	14	9	5	3
40 - 35	30	54	75	77	70	61	48	37	27	17	10	6	3	1	1
35 - 30	9	23	37	42	39	32	25	18	12	7	4	2	1	1	0
30 - 25	3	11	16	21	17	13	8	5	4	2	1	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

6 - 50 - 70,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 – 70	9	11	15	22	29	36	41	44	46	47	47	47	46	45	44
70 – 65	30	51	30	44	52	58	62	66	61	60	56	55	52	49	45
65 – 60	63	71	76	82	83	82	79	74	69	64	58	53	47	41	36
60 – 55	157	151	146	129	113	104	93	81	71	64	55	47	40	34	27
55 – 50	240	229	190	162	135	115	97	85	73	64	54	46	36	31	25
50 – 45	240	222	184	151	124	105	92	79	67	57	46	41	33	26	20
45 – 40	187	180	136	120	105	93	82	72	63	54	46	38	31	24	18
40 – 35	71	75	81	84	81	76	69	63	56	48	40	34	27	21	16
35 – 30	19	29	43	54	56	58	54	49	42	36	30	23	16	13	9
30 – 25	3	12	24	33	37	38	35	30	25	20	15	10	7	5	3
APRIL															
75 – 70	4	5	9	13	16	15	13	11	9	6	5	3	2	1	1
70 – 65	5	14	24	29	30	27	22	16	11	7	5	3	1	1	0
65 – 60	14	35	53	53	47	36	26	18	12	6	4	2	1	0	0
60 – 55	80	102	94	75	55	40	27	15	9	5	2	1	0	0	0
55 – 50	134	127	140	101	69	45	26	14	7	4	2	1	0	0	0
50 – 45	316	196	118	80	50	30	18	9	3	2	0	0	0	0	0
45 – 40	64	79	61	42	26	16	8	4	2	1	0	0	0	0	0
40 – 35	12	41	49	41	29	18	9	4	2	1	0	0	0	0	0
35 – 30	4	16	24	23	16	9	5	2	1	0	0	0	0	0	0
30 – 25	2	7	10	10	7	4	2	1	1	0	0	0	0	0	0
JULY															
75 – 70	1	2	5	8	9	9	8	6	5	3	2	1	0	0	0
70 – 65	1	6	14	15	15	13	9	6	3	2	1	0	0	0	0
65 – 60	2	20	24	20	14	9	6	3	1	0	0	0	0	0	0
60 – 55	27	45	30	14	6	2	1	0	0	0	0	0	0	0	0
55 – 50	224	87	37	15	6	2	0	0	0	0	0	0	0	0	0
50 – 45	264	116	59	34	17	8	3	1	0	0	0	0	0	0	0
45 – 40	37	82	71	49	26	14	5	2	1	0	0	0	0	0	0
40 – 35	9	34	49	37	22	11	4	1	0	0	0	0	0	0	0
35 – 30	2	15	25	24	15	7	2	0	0	0	0	0	0	0	0
30 – 25	1	4	6	7	5	3	2	0	0	0	0	0	0	0	0
OCTOBER															
75 – 70	2	6	11	16	22	25	26	26	25	22	20	17	15	12	10
70 – 65	7	16	26	36	44	46	46	42	38	32	28	23	18	14	10
65 – 60	34	46	65	74	75	69	63	56	47	39	31	25	17	13	9
60 – 55	144	141	130	122	107	94	79	65	52	42	32	23	17	11	7
55 – 50	301	253	191	145	114	91	69	54	42	30	22	15	10	6	3
50 – 45	327	230	149	106	72	47	32	20	11	7	3	2	1	1	0
45 – 40	113	122	109	86	63	44	30	19	12	8	4	3	2	1	0
40 – 35	7	47	60	53	39	26	15	8	5	3	1	1	0	0	0
35 – 30	1	16	22	20	14	8	4	2	1	0	0	0	0	0	0
30 – 25	1	5	7	6	4	2	1	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

6 - 50 - 80,000

LAT. BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	14	15	17	23	26	34	40	45	48	49	50	50	49	48	48
70 - 65	32	34	40	45	53	59	63	63	62	61	59	57	54	52	49
65 - 60	68	71	76	82	83	82	79	74	69	64	58	53	47	41	36
60 - 55	106	114	141	167	113	102	90	76	67	59	50	45	35	29	22
55 - 50	170	243	199	156	130	105	86	74	62	51	41	33	25	20	15
50 - 45	170	145	134	140	114	97	81	66	52	41	31	24	18	13	9
45 - 40	134	117	134	118	102	87	74	62	51	42	33	26	19	13	9
40 - 35	89	87	79	82	78	71	62	55	46	37	29	23	16	11	8
35 - 30	19	20	46	56	54	51	45	38	31	24	18	13	9	6	4
30 - 25	2	11	22	9	32	30	24	19	13	8	5	2	1	0	0
APRIL															
75 - 70	1	3	5	7	7	6	6	4	3	2	2	1	1	0	0
70 - 65	8	10	13	16	16	13	10	7	5	3	2	1	0	0	0
65 - 60	20	24	23	24	19	13	9	6	4	2	1	1	0	0	0
60 - 55	42	29	46	29	16	12	7	4	2	1	1	0	0	0	0
55 - 50	65	134	74	44	27	16	9	5	2	1	1	0	0	0	0
50 - 45	65	120	64	37	21	12	7	3	1	1	0	0	0	0	0
45 - 40	27	35	21	8	2	1	0	0	0	0	0	0	0	0	0
40 - 35	4	24	20	14	8	4	2	1	0	0	0	0	0	0	0
35 - 30	0	6	6	3	1	0	0	0	0	0	0	0	0	0	0
30 - 25	0	3	6	1	0	0	0	0	0	0	0	0	0	0	0
JULY															
75 - 70	0	1	6	3	4	4	4	4	4	3	3	2	1	1	1
70 - 65	6	7	15	19	21	20	16	12	8	6	3	1	1	0	0
65 - 60	0	29	51	54	47	34	22	14	5	2	1	0	0	0	0
60 - 55	41	91	99	81	57	38	21	9	4	1	0	0	0	0	0
55 - 50	349	217	130	92	59	34	14	6	2	1	0	0	0	0	0
50 - 45	433	252	183	126	74	35	16	5	1	0	0	0	0	0	0
45 - 40	29	54	113	109	94	75	50	31	12	2	0	0	0	0	0
40 - 35	0	22	37	46	41	37	27	14	5	1	0	0	0	0	0
35 - 30	1	5	0	11	13	14	11	5	1	0	0	0	0	0	0
30 - 25	0	0	0	1	2	4	4	3	2	2	1	0	0	0	0
OCTOBER															
75 - 70	1	6	11	17	21	22	23	22	20	18	15	13	10	8	7
70 - 65	0	16	26	36	40	40	36	33	28	23	20	16	12	9	6
65 - 60	28	43	62	69	67	59	52	44	36	28	22	17	12	8	6
60 - 55	122	129	163	106	87	72	56	46	32	24	18	12	9	6	4
55 - 50	316	245	176	122	95	70	49	35	25	17	12	8	5	3	2
50 - 45	240	103	51	26	15	8	4	2	1	0	0	0	0	0	0
45 - 40	64	72	81	46	26	15	8	4	2	1	0	0	0	0	0
40 - 35	7	30	30	23	15	9	4	2	1	0	0	0	0	0	0
35 - 30	0	2	6	3	1	0	0	0	0	0	0	0	0	0	0
30 - 25	0	3	2	1	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

6 - 55 - 40,000

LAT BAND		LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	7	13	24	34	42	47	48	48	46	44	40	35	31	26	22
	70 - 65	40	45	55	75	79	74	76	71	66	59	54	47	41	35	29
	65 - 60	155	150	140	134	122	111	101	92	83	75	67	60	53	47	41
	60 - 55	196	186	173	159	146	136	128	119	110	101	92	84	76	69	62
	55 - 50	211	205	194	180	164	153	144	135	126	117	108	99	90	82	74
	50 - 45	214	214	207	196	184	174	165	156	147	138	129	120	111	102	93
	45 - 40	99	93	84	91	86	82	77	73	70	67	64	60	57	54	51
	40 - 35	64	57	50	53	61	62	63	64	60	59	57	55	52	50	48
	35 - 30	27	25	30	36	41	47	50	51	51	50	49	48	46	44	42
	30 - 25	11	16	25	25	29	36	38	41	42	42	41	40	39	38	37
APRIL	75 - 70	0	0	20	33	39	42	44	41	37	35	30	26	22	19	15
	70 - 65	30	40	50	69	71	65	52	56	49	41	36	28	23	18	14
	65 - 60	144	142	136	167	146	102	80	76	65	55	44	35	27	20	14
	60 - 55	169	168	166	171	139	120	104	87	76	64	55	47	36	31	25
	55 - 50	166	161	159	139	132	113	99	89	81	74	66	60	53	47	41
	50 - 45	130	121	130	124	110	95	90	84	75	70	63	57	51	45	39
	45 - 40	99	99	96	94	84	80	76	71	67	62	56	51	46	41	36
	40 - 35	68	70	67	65	61	63	62	60	57	54	52	47	43	39	34
	35 - 30	46	46	46	52	44	43	50	50	48	46	45	42	39	35	32
	30 - 25	6	7	12	24	31	36	38	39	40	39	36	36	34	32	25
JULY	75 - 70	0	0	26	31	37	39	36	35	32	28	24	20	17	13	11
	70 - 65	56	54	90	79	77	75	72	67	61	53	47	38	32	25	19
	65 - 60	196	191	146	133	121	109	98	89	79	71	62	55	46	42	36
	60 - 55	202	201	202	174	142	124	110	96	86	75	67	61	52	46	39
	55 - 50	205	205	197	166	131	113	99	90	83	76	69	63	57	51	45
	50 - 45	164	154	156	125	111	98	90	84	77	72	65	60	54	49	44
	45 - 40	85	83	84	84	84	80	76	71	67	62	56	51	46	41	35
	40 - 35	42	31	42	50	60	61	59	56	51	47	42	37	31	26	21
	35 - 30	4	10	21	33	38	41	42	40	36	31	26	21	16	12	8
	30 - 25	1	5	12	19	24	26	26	23	20	16	13	10	7	5	3
OCTOBER	75 - 70	11	17	26	36	44	50	52	53	53	51	48	44	41	37	32
	70 - 65	52	54	76	78	81	84	80	76	71	66	61	56	50	45	39
	65 - 60	157	153	145	134	122	111	101	93	85	78	71	65	59	53	47
	60 - 55	215	207	190	167	140	142	108	98	90	83	77	72	66	61	55
	55 - 50	209	201	183	158	132	113	99	90	83	77	71	65	60	54	49
	50 - 45	153	149	139	125	112	99	91	85	78	72	66	61	56	51	46
	45 - 40	88	86	85	85	84	80	77	72	68	63	59	54	49	45	40
	40 - 35	39	41	41	55	61	63	62	60	58	55	52	48	44	40	35
	35 - 30				36	44	47	49	49	48	45	44	40	37	33	29
	30 - 25	3	6	14	23	31	35	37	38	38	36	34	31	28	25	20

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 – 70	14	18	26	36	44	50	53	55	54	53	51	46	45	41	37
70 – 65	62	68	71	78	82	82	81	77	73	67	63	58	53	48	42
65 – 60	118	113	105	134	122	111	101	92	84	76	69	62	56	50	44
60 – 55	140	136	126	170	142	124	110	98	86	75	67	61	52	46	39
55 – 50	144	142	139	139	132	113	99	89	81	74	66	60	53	47	41
50 – 45	138	136	132	125	111	98	90	84	77	71	65	59	53	48	43
45 – 40	91	91	88	86	84	80	77	73	69	65	61	57	53	49	45
40 – 35	48	49	52	56	60	62	63	62	60	57	55	52	49	47	43
35 – 30	19	21	26	35	43	48	50	51	50	48	47	45	43	40	37
30 – 25	6	8	14	24	31	36	38	39	40	40	39	37	35	34	30
APRIL															
70 – 65	3	6	14	29	33	33	30	25	20	16	11	6	5	3	2
65 – 60	7	14	34	68	80	74	66	57	50	42	37	32	29	27	25
60 – 55	120	125	142	119	93	77	62	48	37	29	22	16	12	9	6
55 – 50	301	202	201	156	124	102	84	60	54	42	32	24	17	12	8
50 – 45	157	151	130	124	110	96	84	74	64	55	45	38	31	24	18
45 – 40	68	72	79	83	82	77	71	65	57	51	44	36	30	24	19
40 – 35	45	51	63	66	60	61	59	56	51	47	42	37	31	26	21
35 – 30	8	13	23	36	43	46	47	46	44	41	37	33	29	24	19
30 – 25	2	5	14	25	31	34	36	36	36	34	31	28	25	21	16
JULY															
75 – 70	3	10	15	18	19	18	16	13	10	8	6	4	3	2	1
70 – 65	17	33	54	60	58	51	43	33	26	18	14	8	6	4	3
65 – 60	109	96	81	121	108	94	79	67	56	46	37	29	22	16	11
60 – 55	184	165	207	168	135	115	97	80	67	55	44	36	27	20	15
55 – 50	232	234	196	160	133	112	93	81	68	59	49	41	33	26	21
50 – 45	157	151	130	124	110	96	84	74	64	55	45	36	31	24	18
45 – 40	56	65	76	81	79	72	66	57	48	41	34	26	20	15	11
40 – 35	10	24	40	50	53	50	45	38	30	25	19	13	9	6	4
35 – 30	2	10	20	28	30	28	24	20	14	10	6	3	2	1	0
30 – 25	1	5	10	13	14	12	10	7	5	3	2	1	0	0	0
OCTOBER															
75 – 70	7	17	44	34	42	47	48	48	46	44	40	35	31	26	22
70 – 65	48	57	65	75	79	79	76	71	66	59	54	47	41	35	29
65 – 60	150	151	143	133	121	109	98	89	79	71	62	55	48	42	36
60 – 55	230	224	199	171	141	123	109	96	87	77	70	63	55	49	43
55 – 50	229	216	191	160	133	114	98	88	79	71	63	56	49	43	37
50 – 45	157	151	130	104	110	98	89	82	75	66	59	52	46	39	33
45 – 40	72	77	81	84	83	73	74	68	62	56	49	43	37	31	26
40 – 35	43	50	45	54	59	59	57	54	49	45	40	33	26	23	17
35 – 30	8	11	16	34	39	42	43	44	38	33	29	24	19	15	11
30 – 25	1	4	12	19	20	29	30	29	26	22	19	15	11	8	5

TABLE I. NORTH AMERICA (CONT.)

6 - 55 - 60,000

LAT BAND	LONGITUDE														
	C	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	22	25	30	39	46	53	56	59	60	59	58	56	54	51	48
70 - 65	70	71	75	80	83	83	83	79	76	71	67	63	58	54	48
65 - 60	155	153	149	134	122	111	101	94	84	76	68	61	54	49	43
60 - 55	240	233	204	173	143	125	110	95	85	73	65	58	49	42	35
55 - 50	330	321	294	160	133	114	98	87	77	69	60	53	46	39	33
50 - 45	357	35	133	120	111	98	86	80	71	64	56	49	42	36	30
45 - 40	70	0C	82	64	64	79	75	69	64	58	52	47	40	35	29
40 - 35	31	35	40	56	62	63	61	59	55	52	48	43	36	33	27
35 - 30	9	14	24	37	44	47	46	46	46	43	40	36	32	27	22
30 - 25	2	5	13	21	29	32	34	34	33	31	27	24	20	17	13
APRIL															
75 - 70	4	12	19	25	27	27	24	20	16	13	9	6	4	2	2
70 - 65	10	36	50	59	50	43	40	29	22	14	10	5	3	2	1
65 - 60	100	111	116	98	70	60	44	30	19	12	7	3	2	1	0
60 - 55	231	260	175	120	91	67	48	31	21	12	8	5	3	2	1
55 - 50	300	255	207	141	110	86	64	49	37	27	20	14	8	6	3
50 - 45	135	136	126	110	94	74	50	47	35	26	17	11	7	4	2
45 - 40	34	53	70	75	69	60	51	40	29	22	14	9	5	3	1
40 - 35	6	22	39	49	52	48	42	35	20	20	14	9	6	3	2
35 - 30	2	10	24	31	38	35	32	27	21	16	11	7	5	3	2
30 - 25	1	5	12	18	22	23	21	17	14	10	7	4	2	2	1
JULY															
75 - 70	0	6	3	7	5	3	2	1	0	0	0	0	0	0	0
70 - 65	2	14	22	18	13	8	6	4	2	1	1	1	0	0	0
65 - 60	70	94	80	74	57	43	31	21	13	8	5	2	1	1	0
60 - 55	330	259	171	124	95	72	49	36	25	16	8	4	2	1	0
55 - 50	316	243	176	142	93	70	49	35	25	17	12	8	5	3	2
50 - 45	104	141	110	89	66	47	32	22	13	9	5	3	2	1	1
45 - 40	19	45	59	53	40	26	16	8	3	1	0	0	0	0	0
40 - 35	4	16	24	23	16	12	6	4	1	1	0	0	0	0	0
35 - 30	1	6	9	8	6	4	2	1	0	0	0	0	0	0	0
30 - 25	0	1	2	2	1	1	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	6	13	23	33	33	42	42	41	37	35	30	26	22	19	15
70 - 65	30	44	60	73	77	76	72	67	61	53	47	38	32	25	19
65 - 60	150	142	142	130	110	106	93	82	72	63	53	45	37	31	25
60 - 55	265	245	206	171	139	120	104	87	76	64	55	47	38	31	25
55 - 50	265	240	198	159	131	109	90	78	64	53	43	35	28	22	17
50 - 45	151	147	135	121	107	90	78	68	54	43	35	28	21	16	12
45 - 40	42	60	74	79	76	69	61	51	41	34	26	19	13	10	7
40 - 35	8	23	39	49	52	45	42	35	28	20	14	9	6	3	2
35 - 30	2	10	20	29	30	28	24	20	14	10	6	3	2	1	0
30 - 25	1	5	10	13	14	12	10	7	5	3	2	1	0	0	0

TABLE I. NORTH AMERICA (CONT.)

6 - 55 - 70,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	32	34	37	43	46	54	59	64	65	63	62	61	59	57	55
70 - 65	81	81	86	85	84	84	84	81	79	76	73	69	66	62	58
65 - 60	188	183	145	134	122	111	101	94	84	76	69	62	56	50	44
60 - 55	282	230	201	176	141	122	107	91	81	68	60	52	43	37	30
55 - 50	440	429	290	160	135	115	97	85	75	64	54	46	36	31	25
50 - 45	188	182	139	125	111	97	86	77	67	56	50	43	35	28	22
45 - 40	68	72	79	83	82	77	71	65	57	51	44	36	30	24	19
40 - 35	26	29	42	54	59	59	57	53	46	44	36	32	26	21	16
35 - 30	5	10	21	33	39	42	43	41	37	32	27	23	18	14	9
30 - 25	1	4	12	19	24	27	27	26	22	18	14	11	8	6	4
APRIL															
75 - 70	4	11	16	22	25	24	22	19	14	11	8	6	4	2	1
70 - 65	14	31	50	54	51	44	36	29	20	13	9	5	3	2	1
65 - 60	80	95	96	82	64	49	32	24	15	10	6	2	2	1	0
60 - 55	316	227	145	103	70	50	35	21	13	6	3	2	1	0	0
55 - 50	326	227	142	101	69	45	26	14	7	4	2	1	0	0	0
50 - 45	80	102	89	68	49	31	19	10	5	2	1	0	0	0	0
45 - 40	34	55	41	34	25	16	10	5	2	1	0	0	0	0	0
40 - 35	4	18	27	26	20	14	7	4	2	1	0	0	0	0	0
35 - 30	2	8	12	13	11	7	4	2	1	0	0	0	0	0	0
30 - 25	1	3	5	6	5	3	2	1	1	0	0	0	0	0	0
JULY															
75 - 70	2	6	14	20	23	23	21	17	13	9	6	4	2	2	1
70 - 65	5	22	40	45	42	34	27	17	11	6	3	1	1	0	0
65 - 60	31	58	52	38	26	17	10	6	3	1	0	0	0	0	0
60 - 55	222	101	43	21	8	3	1	0	0	0	0	0	0	0	0
55 - 50	222	87	37	15	6	2	0	0	0	0	0	0	0	0	0
50 - 45	29	52	34	20	10	5	2	1	0	0	0	0	0	0	0
45 - 40	3	26	27	20	13	6	3	1	0	0	0	0	0	0	0
40 - 35	1	11	15	14	10	5	2	1	0	0	0	0	0	0	0
35 - 30	1	4	6	8	6	3	2	0	0	0	0	0	0	0	0
30 - 25	79	1	3	3	3	1	1	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	6	13	23	33	39	42	42	41	37	35	30	26	22	19	15
70 - 65	32	42	59	70	73	70	66	59	53	45	40	31	26	20	15
65 - 60	144	142	136	127	115	102	88	76	65	55	44	35	27	20	14
60 - 55	284	258	207	166	135	115	97	80	67	55	44	36	27	20	15
55 - 50	301	253	191	145	114	91	69	54	42	30	22	15	10	6	3
50 - 45	122	129	110	100	81	61	46	35	24	18	11	7	5	3	2
45 - 40	28	50	65	65	56	45	36	26	18	13	8	5	3	2	1
40 - 35	8	20	34	37	33	26	19	13	9	6	4	2	1	1	0
35 - 30	3	9	15	16	14	9	5	3	1	0	0	0	0	0	0
30 - 25	1	3	5	5	4	3	2	1	1	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

6 - 55 - 80,000

LAT BAND		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	44	44	46	48	51	54	56	61	63	64	63	63	61	60	59
	70 - 65	86	86	86	86	86	85	84	81	79	76	74	70	66	64	61
	65 - 60	157	153	145	134	122	111	101	93	85	76	71	65	59	53	47
	60 - 55	252	248	230	176	161	142	127	91	81	66	60	52	43	37	30
	55 - 50	270	243	199	155	130	106	90	74	62	51	41	33	25	20	15
	50 - 45	151	147	130	121	107	90	78	66	54	45	35	28	21	16	12
	45 - 40	93	84	78	81	76	71	64	55	46	38	31	24	16	13	9
	40 - 35	40	45	48	54	54	54	51	46	39	33	27	21	16	12	8
	35 - 30	9	10	21	36	36	37	36	36	27	22	17	13	9	7	4
	30 - 25	1	5	12	18	22	22	20	16	12	8	5	3	1	1	0
APRIL	75 - 70	2	3	12	16	13	12	10	8	6	5	3	2	2	1	1
	70 - 65	7	23	36	31	27	22	17	12	9	6	4	2	1	1	0
	65 - 60	42	64	49	36	23	15	10	7	4	2	1	1	0	0	0
	60 - 55	245	133	69	42	24	15	9	5	3	2	1	0	0	0	0
	55 - 50	250	114	76	44	27	16	9	5	2	1	1	0	0	0	0
	50 - 45	49	60	43	32	21	12	7	4	2	1	0	0	0	0	0
	45 - 40	22	22	19	11	6	3	2	1	0	0	0	0	0	0	0
	40 - 35	1	10	11	9	6	3	2	1	0	0	0	0	0	0	0
	35 - 30	0	4	4	3	2	1	1	0	0	0	0	0	0	0	0
	30 - 25	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	1	3	4	7	8	10	12	14	14	15	13	10	7	4
	70 - 65	4	17	36	45	47	44	40	34	28	22	17	10	6	2	1
	65 - 60	47	100	130	117	94	68	44	28	13	6	2	1	0	0	0
	60 - 55	141	201	186	135	86	60	36	18	8	2	1	0	0	0	0
	55 - 50	149	217	130	92	59	34	14	0	2	1	0	0	0	0	0
	50 - 45	43	78	104	81	53	29	13	8	2	0	0	0	0	0	0
	45 - 40	9	33	48	49	39	27	19	11	4	1	0	0	0	0	0
	40 - 35	1	9	17	19	16	12	8	4	2	0	0	0	0	0	0
	35 - 30	1	2	5	6	5	4	3	1	1	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	6	13	21	31	37	39	36	35	32	28	24	20	17	13	11
	70 - 65	60	89	87	67	69	65	59	52	45	37	32	25	20	16	12
	65 - 60	131	133	102	110	104	89	75	62	51	42	33	25	20	14	10
	60 - 55	201	163	101	100	104	102	84	66	54	42	32	24	17	12	8
	55 - 50	113	64	76	100	92	70	49	33	25	17	12	8	5	3	2
	50 - 45	73	95	81	61	43	27	16	9	4	2	1	0	1	0	0
	45 - 40	26	41	59	44	32	21	13	8	2	1	0	0	0	0	0
	40 - 35	9	15	22	20	20	10	8	3	1	1	0	0	0	0	0
	35 - 30	1	4	6	4	3	2	1	1	0	0	0	0	0	0	0
	30 - 25	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

6 - 60 - 40,000

LAT. LONG.	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
70 - 75	41	31	50	62	67	67	54	50	53	46	40	36	30	26	21
65 - 70	144	134	125	122	122	112	96	72	61	58	51	24	44	37	25
60 - 65	113	114	114	104	103	105	110	101	90	78	70	60	56	45	30
55 - 60	84	84	84	84	71	66	103	96	87	86	76	71	65	57	43
50 - 55	101	91	90	89	84	83	80	79	80	75	69	63	56	56	46
45 - 50	69	69	68	67	65	62	79	78	72	69	65	61	57	53	50
40 - 45	49	50	54	55	56	61	63	61	59	57	55	53	51	49	
35 - 40	44	45	49	53	59	46	51	56	50	49	46	47	45	43	
30 - 35	9	11	14	15	47	33	36	40	41	41	40	40	39	36	
25 - 30	2	4	7	12	25	26	30	32	33	33	33	33	32	32	
APRIL															
70 - 75	27	33	47	53	60	58	53	42	29	31	24	20	15	11	8
65 - 70	109	119	119	114	99	76	66	56	44	32	25	19	14	11	7
60 - 65	140	201	206	157	142	106	78	60	49	37	30	24	16	13	9
55 - 60	190	244	240	171	139	120	104	87	76	66	54	47	39	31	25
50 - 55	100	101	141	144	116	103	98	86	76	67	56	51	44	36	31
45 - 50	71	74	79	69	65	81	76	71	65	59	53	46	41	36	30
40 - 45	27	41	44	52	52	51	55	50	51	47	44	39	34	29	23
35 - 40	7	14	44	34	44	47	46	48	47	43	41	37	33	29	25
30 - 35	1	5	13	21	29	33	36	38	38	36	37	34	32	30	26
25 - 30	2	3	7	13	19	24	26	26	30	29	29	27	25	22	
JULY															
70 - 75	46	47	41	49	46	46	41	36	29	22	16	11	9	6	4
65 - 70	118	124	124	120	103	88	77	65	53	43	34	28	22	17	14
60 - 65	97	111	122	116	112	104	97	80	70	62	55	50	46	39	32
55 - 60	144	142	142	134	124	110	96	86	76	70	67	61	52	46	39
50 - 55	137	151	143	126	113	103	90	80	76	72	65	60	56	47	40
45 - 50	81	81	80	77	74	73	79	75	76	69	61	56	51	46	41
40 - 45	50	53	53	55	60	65	60	57	54	50	47	44	37	32	
35 - 40	17	24	34	39	46	43	45	43	43	40	37	33	29	25	21
30 - 35	4	11	17	24	28	31	31	30	27	24	20	16	13	9	
25 - 30	1	3	7	11	15	17	18	17	16	14	11	9	7	5	3
OCTOBER															
75 - 80	34	40	51	65	73	75	76	71	67	61	56	51	44	39	34
70 - 75	143	146	146	133	126	114	100	95	85	74	67	60	51	45	36
65 - 70	161	164	164	135	137	119	121	107	92	80	79	70	64	50	49
60 - 65	143	140	150	167	143	122	100	90	80	73	77	71	66	61	50
55 - 60	133	110	141	134	112	104	92	80	72	77	71	66	60	50	21
50 - 55	89	84	85	85	84	81	79	75	71	67	63	60	54	49	40
45 - 50	37	42	45	51	60	63	65	66	66	57	54	51	49	43	22
40 - 45	15	16	23	32	42	47	47	49	49	47	45	44	41	37	30
35 - 40	3	6	12	22	34	36	36	36	36	37	33	28	23	31	47
30 - 35	1	3	5	14	19	23	27	29	29	26	26	24	22	19	

TABLE I. NORTH AMERICA (CONT.)

6 - 60 - 50,000

LAT BAND		LONGITUDE														
		C	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	48	53	60	70	77	79	79	77	74	70	65	61	55	50	46
	70 - 65	154	150	146	137	127	116	106	99	91	84	78	74	70	66	62
	65 - 60	240	232	214	198	187	179	171	163	156	149	143	137	131	125	119
	60 - 55	246	238	230	217	206	198	190	183	176	170	164	158	152	146	140
	55 - 50	157	152	145	129	118	103	95	88	77	71	64	57	50	45	39
	50 - 45	61	61	60	64	64	63	75	73	70	66	61	56	51	46	41
	45 - 40	39	41	47	55	59	65	64	62	60	57	55	52	49	45	41
	40 - 35	10	10	24	36	40	47	45	50	50	48	47	46	44	42	39
	35 - 30	0	7	16	20	26	34	37	39	39	40	39	38	37	36	35
	30 - 25	2	3	7	13	19	24	27	29	31	31	31	31	30	28	26
APRIL	75 - 70	11	20	30	45	54	42	37	30	20	19	14	11	8	5	4
	70 - 65	80	96	99	89	70	62	49	38	20	16	13	9	6	3	2
	65 - 60	135	129	120	141	104	91	50	40	29	16	12	7	3	2	1
	60 - 55	201	203	201	150	124	102	84	60	54	42	32	24	17	12	8
	55 - 50	147	163	137	127	107	93	82	69	56	47	37	28	21	16	11
	50 - 45	81	80	73	80	79	74	60	60	52	44	36	30	23	18	14
	45 - 40	19	24	34	49	52	26	25	51	40	41	35	30	24	18	14
	40 - 35	0	11	20	31	37	41	43	42	41	37	33	29	25	20	16
	35 - 30	1	4	12	19	26	30	33	33	33	31	28	26	21	16	14
	30 - 25	1	3	7	13	18	21	24	25	26	25	23	21	19	16	13
JULY	75 - 70	1	17	19	16	11	8	5	2	1	1	0	0	0	0	0
	70 - 65	71	84	84	73	60	48	30	29	21	14	10	7	4	2	1
	65 - 60	214	262	211	162	126	105	83	60	54	42	34	26	20	16	11
	60 - 55	264	255	207	168	135	115	97	80	67	55	44	36	27	20	15
	55 - 50	151	147	138	126	112	97	87	74	65	54	45	37	29	24	18
	50 - 45	56	64	76	81	81	76	70	63	56	46	41	35	28	22	17
	45 - 40	14	25	30	49	54	55	52	46	42	36	30	25	20	15	11
	40 - 35	2	10	19	28	34	35	34	30	25	20	16	11	8	6	3
	35 - 30	1	5	10	15	19	19	19	16	15	12	9	6	3	2	1
	30 - 25	1	3	5	7	9	9	8	7	5	4	3	2	1	1	0
OCTOBER	75 - 70	26	36	50	62	67	67	64	58	53	46	40	36	30	25	21
	70 - 65	144	142	139	131	122	112	102	91	81	69	61	52	44	37	28
	65 - 60	276	244	264	204	123	134	112	99	88	76	68	58	49	42	35
	60 - 55	235	224	199	171	141	123	109	90	67	77	70	63	55	49	43
	55 - 50	137	132	143	129	112	103	92	80	77	71	64	57	50	45	39
	50 - 45	70	76	80	83	84	81	77	72	67	62	56	50	45	39	34
	45 - 40	22	36	41	52	56	61	60	60	54	50	45	41	36	31	26
	40 - 35	0	12	21	32	38	43	44	44	42	39	36	32	28	23	19
	35 - 30	1	4	11	18	20	24	32	34	31	29	26	24	19	16	14
	30 - 25	1	3	6	11	16	19	21	21	21	19	16	14	11	8	5

TABLE I. NORTH AMERICA (CONT.)

6 - 60 - 60,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	70	71	74	77	81	83	84	83	81	78	75	72	68	64	62
70 - 65	157	154	149	144	142	140	111	103	96	88	82	76	71	66	60
65 - 60	243	236	218	184	157	139	121	107	97	87	80	71	63	57	51
60 - 55	248	242	208	173	143	125	110	95	85	73	65	58	49	42	35
55 - 50	158	152	140	124	110	103	94	84	76	68	60	53	45	40	33
50 - 45	71	74	75	81	83	81	76	71	65	59	53	48	41	36	30
45 - 40	40	39	42	52	60	61	61	58	55	51	46	42	36	32	27
40 - 35	8	13	22	33	41	46	47	47	46	43	43	37	33	29	21
35 - 30	2	5	13	20	28	32	34	30	30	34	33	30	26	23	19
30 - 25	1	3	7	13	18	21	24	20	25	24	22	20	19	18	14
APRIL															
75 - 70	9	26	36	41	39	37	36	28	22	17	14	12	7	4	3
70 - 65	93	103	107	97	82	68	54	43	32	21	14	10	6	4	2
65 - 60	214	227	207	170	130	86	47	26	14	10	6	4	2	2	1
60 - 55	331	270	228	168	91	67	40	21	12	8	5	3	2	1	1
55 - 50	210	216	200	163	93	65	51	37	27	20	15	10	8	5	3
50 - 45	26	40	64	87	81	51	42	34	28	18	13	9	6	4	2
45 - 40	6	14	35	48	44	42	35	28	23	17	12	8	5	3	1
40 - 35	2	10	19	27	31	32	30	25	20	15	11	8	5	3	1
35 - 30	1	5	11	16	21	22	21	18	15	11	7	4	3	1	1
30 - 25	1	3	7	10	13	14	14	12	10	7	5	3	2	1	0
JULY															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	27	46	40	24	14	8	4	2	1	0	0	0	0	0	0
65 - 60	267	164	112	73	49	37	25	17	12	7	5	3	1	1	0
60 - 55	335	259	171	124	86	62	43	26	18	8	4	2	1	0	0
55 - 50	109	121	113	96	73	56	42	30	19	13	9	5	3	2	1
50 - 45	17	42	59	58	46	37	26	17	11	6	3	2	1	1	0
45 - 40	5	15	31	33	29	22	13	8	4	2	1	0	0	0	0
40 - 35	2	5	10	15	13	10	6	3	2	1	0	0	0	0	0
35 - 30	1	3	5	5	5	3	2	1	1	0	0	0	0	0	0
30 - 25	0	0	1	1	1	1	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	23	37	49	61	60	64	61	55	50	42	36	34	26	21	13
70 - 65	135	138	134	126	116	105	94	84	72	60	52	44	37	30	23
65 - 60	204	202	166	128	100	80	111	94	80	70	61	50	41	34	27
60 - 55	265	243	206	171	139	120	104	87	76	64	55	47	38	31	25
55 - 50	156	146	140	126	114	98	86	76	65	56	47	39	32	26	20
50 - 45	51	60	73	80	79	74	66	60	52	44	36	30	23	18	14
45 - 40	11	21	36	48	53	53	50	44	39	32	26	21	15	11	8
40 - 35	4	10	19	28	34	35	34	30	25	20	16	11	8	6	3
35 - 30	1	5	11	15	20	20	19	16	14	10	8	4	3	1	1
30 - 25	1	3	5	8	9	10	9	8	6	4	3	2	1	1	0

TABLE I. NORTH AMERICA (CONT.)

6 - 60 - 70,000

LAT BAND		LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	85	84	85	85	85	85	85	84	83	81	78	76	74	71	69
	70 - 65	150	142	142	136	131	126	121	116	97	90	86	82	78	74	69
	65 - 60	230	225	210	183	159	139	120	107	96	88	81	73	66	60	54
	60 - 55	250	245	208	176	161	142	117	91	81	68	60	52	45	37	30
	55 - 50	187	151	144	128	115	102	93	81	71	64	55	47	39	34	27
	50 - 45	82	69	76	66	53	74	74	60	52	55	46	42	35	29	23
	45 - 40	19	26	39	50	56	59	56	55	51	46	40	33	30	24	19
	40 - 35	5	11	20	31	37	41	43	42	41	37	33	29	25	20	16
	35 - 30	1	4	12	17	24	28	31	31	30	27	24	20	16	13	9
	30 - 25	1	3	6	11	16	18	20	19	18	16	13	11	8	7	4
APRIL	75 - 70	11	20	30	45	44	42	37	30	26	19	14	11	8	5	4
	70 - 65	100	109	114	100	90	75	60	47	35	23	16	11	7	4	2
	65 - 60	114	127	107	110	86	86	47	36	25	14	10	6	2	2	1
	60 - 55	114	127	105	103	76	50	35	21	13	6	3	2	1	0	0
	55 - 50	80	106	86	75	50	34	27	15	9	5	2	1	0	0	0
	50 - 45	16	37	49	46	37	27	18	10	6	2	1	1	0	0	0
	45 - 40	3	14	21	23	18	14	8	5	2	1	1	0	0	0	0
	40 - 35	2	9	13	15	13	10	6	3	2	1	0	0	0	0	0
	35 - 30	1	4	6	7	6	4	3	1	1	0	0	0	0	0	0
	30 - 25	1	1	2	2	2	2	1	1	0	0	0	0	0	0	0
JULY	75 - 70	4	14	25	38	41	43	44	41	39	35	31	26	23	16	11
	70 - 65	47	87	146	124	109	89	66	49	32	19	10	5	2	1	0
	65 - 60	206	192	132	90	62	45	29	17	10	4	2	1	0	0	0
	60 - 55	122	101	43	21	8	3	1	0	0	0	0	0	0	0	0
	55 - 50	27	45	30	14	6	2	1	0	0	0	0	0	0	0	0
	50 - 45	12	21	19	13	7	4	2	1	0	0	0	0	0	0	0
	45 - 40	1	8	12	11	8	5	2	1	0	0	0	0	0	0	0
	40 - 35	0	3	5	5	4	2	1	0	0	0	0	0	0	0	0
	35 - 30	0	1	2	2	2	1	1	0	0	0	0	0	0	0	0
	30 - 25	0	0	1	1	1	1	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	42	37	49	61	60	64	61	55	50	42	36	32	26	21	18
	70 - 65	131	132	132	123	112	101	89	78	67	55	48	40	33	27	20
	65 - 60	193	264	207	156	140	128	100	91	79	66	56	45	36	29	21
	60 - 55	284	250	207	168	135	115	97	80	67	55	44	36	27	20	15
	55 - 50	146	141	135	122	107	91	79	65	52	42	32	23	16	11	7
	50 - 45	30	48	66	71	66	58	49	40	32	23	17	12	8	5	3
	45 - 40	6	19	35	41	41	34	32	26	20	15	11	7	4	2	1
	40 - 35	3	10	16	23	25	23	20	16	12	9	6	4	3	2	1
	35 - 30	1	5	8	10	10	8	6	4	2	1	1	0	0	0	0
	30 - 25	1	1	2	3	3	2	1	1	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

6 - 60 - 80,000

LAT BAND		LONGITUDE														
		C	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	92	94	94	93	92	90	88	86	84	82	79	76	75	73	72
	70 - 65	149	148	145	138	131	122	113	104	97	91	87	83	79	76	72
	65 - 60	224	218	204	179	154	136	119	100	99	91	85	78	72	67	62
	60 - 55	258	236	202	172	141	122	107	91	81	68	60	52	43	37	32
	55 - 50	154	149	141	127	113	99	90	78	67	59	50	42	34	29	22
	50 - 45	90	84	74	61	51	76	70	63	56	48	41	35	28	22	17
	45 - 40	49	43	36	49	55	56	53	49	44	38	32	27	22	17	13
	40 - 35	4	10	20	30	35	39	40	38	36	31	27	24	19	14	11
	35 - 30	1	4	11	17	23	26	27	26	24	21	17	14	11	8	6
	30 - 25	1	3	7	10	13	15	15	13	11	8	6	4	3	2	1
APRIL	75 - 70	7	23	30	32	30	27	23	18	15	11	8	6	4	3	2
	70 - 65	64	78	77	65	52	42	32	25	18	12	8	6	4	2	1
	65 - 60	245	133	84	51	31	22	14	9	6	4	2	1	1	0	0
	60 - 55	240	133	69	42	24	15	9	5	3	2	1	0	0	0	0
	55 - 50	42	59	46	29	18	11	7	4	2	1	1	0	0	0	0
	50 - 45	4	23	24	18	12	7	4	3	1	1	0	0	0	0	0
	45 - 40	1	8	9	7	5	3	1	1	0	0	0	0	0	0	0
	40 - 35	1	4	6	5	4	2	2	1	0	0	0	0	0	0	0
	35 - 30	0	1	2	2	1	1	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	2	7	16	24	35	45	53	59	61	60	53	46	33
	70 - 65	20	32	77	108	116	120	117	112	105	92	77	59	40	23	10
	65 - 60	442	357	282	223	177	144	110	83	65	49	33	18	9	4	1
	60 - 55	391	283	182	135	90	60	36	18	8	2	1	0	0	0	0
	55 - 50	41	91	99	81	57	35	21	9	4	1	0	0	0	0	0
	50 - 45	6	34	53	52	41	26	14	5	2	1	0	0	0	0	0
	45 - 40	2	10	21	24	21	14	8	4	2	0	0	0	0	0	0
	40 - 35	1	3	6	8	7	5	3	1	0	0	0	0	0	0	0
	35 - 30	0	1	2	2	2	2	1	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	23	37	49	61	65	64	61	55	50	42	36	32	26	21	18
	70 - 65	122	126	127	118	106	94	81	69	58	46	39	32	26	21	15
	65 - 60	305	263	217	170	135	114	93	76	64	52	43	34	26	21	15
	60 - 55	301	263	201	158	124	102	84	66	54	42	32	24	17	12	8
	55 - 50	122	129	143	106	87	69	56	42	32	24	18	12	8	6	4
	50 - 45	15	41	58	56	46	33	22	13	7	3	1	1	0	0	0
	45 - 40	5	18	31	33	29	22	13	8	4	2	1	0	0	0	0
	40 - 35	2	9	13	15	13	10	6	3	2	1	0	0	0	0	0
	35 - 30	0	3	4	4	4	2	2	1	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

6 - 65 - 40,000

	LAT BAND	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	93	100	107	104	97	82	71	58	48	40	30	23	17	12	9
	70 - 65	318	274	221	186	149	122	100	82	67	57	46	37	30	23	20
	65 - 60	265	245	219	184	153	135	116	101	90	78	70	60	52	45	38
	60 - 55	158	153	142	134	122	111	101	92	83	75	67	60	53	47	41
	55 - 50	71	73	70	62	54	63	79	75	70	65	60	55	50	44	40
	50 - 45	34	37	42	50	57	62	63	63	61	59	56	53	51	47	43
	45 - 40	17	19	23	30	37	43	46	50	50	50	49	48	47	45	43
	40 - 35	7	8	11	16	24	31	36	39	40	41	41	41	40	39	35
	35 - 30	2	3	6	10	16	22	26	29	31	32	33	33	33	32	31
	30 - 25	0	1	3	7	11	16	19	21	23	25	26	26	27	27	27
APRIL	75 - 70	93	100	107	104	97	82	71	58	48	40	30	23	17	12	9
	70 - 65	324	260	196	158	121	95	74	56	42	33	23	16	11	6	5
	65 - 60	318	261	208	157	122	100	78	60	49	37	30	22	16	13	9
	60 - 55	144	142	136	127	115	102	88	76	65	55	44	35	27	20	14
	55 - 50	53	60	71	78	81	78	74	68	60	54	47	40	34	28	24
	50 - 45	17	24	34	47	54	56	56	55	51	48	43	38	34	28	23
	45 - 40	6	10	19	28	35	40	43	44	43	41	39	35	32	28	24
	40 - 35	2	5	10	17	26	30	33	35	35	35	33	32	28	26	23
	35 - 30	1	2	7	12	17	21	24	26	27	27	27	26	25	22	20
	30 - 25	1	2	4	7	11	14	17	19	21	22	23	22	21	19	17
JULY	75 - 70	34	50	50	41	32	22	16	11	8	5	4	3	2	1.	1
	70 - 65	312	215	181	145	110	86	66	50	38	30	21	14	10	6	4
	65 - 60	274	251	222	183	152	132	113	97	86	74	65	55	46	39	32
	60 - 55	155	151	143	133	121	109	98	89	79	71	62	55	48	42	36
	55 - 50	68	71	76	82	83	82	79	74	68	64	58	52	47	41	36
	50 - 45	26	30	38	49	56	60	61	60	57	55	51	47	44	39	33
	45 - 40	7	11	19	29	36	42	45	46	45	43	42	39	36	32	28
	40 - 35	1	4	9	16	24	28	31	33	33	32	30	27	24	21	18
	35 - 30	1	2	6	10	14	18	20	21	21	20	19	16	14	11	8
	30 - 25	0	2	3	6	8	10	12	14	12	11	9	8	7	5	4
OCTOBER	75 - 70	109	113	119	117	110	96	85	78	62	53	42	35	28	22	18
	70 - 65	314	274	224	190	153	126	105	87	72	63	51	42	34	27	24
	65 - 60	240	232	214	185	157	139	121	107	97	86	79	70	62	55	49
	60 - 55	157	153	145	134	122	111	101	93	85	78	71	65	59	53	47
	55 - 50	76	77	80	83	84	83	80	77	72	68	63	58	54	49	45
	50 - 45	30	33	39	50	57	62	62	61	59	57	54	51	48	44	39
	45 - 40	10	13	20	31	38	44	47	48	48	47	46	44	42	39	35
	40 - 35	3	5	10	18	27	31	34	36	37	38	37	36	33	31	29
	35 - 30	1	2	7	12	17	21	24	26	28	29	29	28	27	24	23
	30 - 25	1	2	4	7	11	14	17	19	21	22	22	21	20	18	16

TABLE I. NORTH AMERICA (CONT.)

6 - 65 - 50,000

	LAT BAND	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	145	144	141	137	132	126	116	105	97	89	81	74	67	58	52
	70 - 65	260	250	247	206	178	153	135	120	107	96	87	78	70	62	57
	65 - 60	240	232	214	185	157	139	121	107	97	86	79	70	62	55	49
	60 - 55	196	183	145	134	122	111	101	92	84	76	69	62	56	50	44
	55 - 50	71	73	70	82	84	83	79	75	70	65	60	55	50	44	40
	50 - 45	28	32	39	49	56	61	62	61	59	56	53	50	46	42	38
	45 - 40	11	15	20	30	38	44	47	49	49	48	47	45	43	40	37
	40 - 35	5	6	10	17	26	32	36	38	39	40	40	39	37	36	34
	35 - 30	2	3	6	11	17	22	25	28	30	31	31	31	31	29	28
	30 - 25	0	1	4	7	11	15	18	20	22	24	24	24	24	23	23
APRIL	75 - 70	64	75	79	73	60	52	44	35	26	23	17	13	10	7	5
	70 - 65	290	214	156	120	89	68	51	38	29	23	16	11	7	4	3
	65 - 60	330	259	190	141	104	81	56	40	29	18	12	7	3	2	1
	60 - 55	118	123	122	110	93	77	62	48	37	29	22	16	12	9	6
	55 - 50	32	45	64	76	72	66	55	52	42	33	26	20	15	11	8
	50 - 45	0	20	36	45	50	52	49	45	39	32	26	20	15	11	7
	45 - 40	3	9	18	27	33	36	37	37	34	30	27	23	19	15	11
	40 - 35	1	4	9	15	22	25	28	29	28	27	24	21	17	14	12
	35 - 30	1	2	6	10	14	18	21	22	23	22	21	18	16	13	10
	30 - 25	0	2	3	6	9	12	15	17	17	17	16	15	13	11	9
JULY	75 - 70	4	2	1	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	222	120	65	43	24	13	7	3	1	1	0	0	0	0	0
	65 - 60	314	262	211	162	126	105	83	66	54	42	34	26	20	16	11
	60 - 55	135	136	131	121	108	94	79	67	56	46	37	29	22	16	11
	55 - 50	42	51	60	77	78	74	69	63	53	46	38	30	24	19	15
	50 - 45	11	21	35	46	51	53	52	49	43	38	32	27	22	17	13
	45 - 40	3	8	17	26	32	35	35	34	31	26	23	19	15	11	8
	40 - 35	1	4	9	15	20	22	22	20	18	14	11	8	5	3	2
	35 - 30	1	3	5	8	10	11	11	10	8	6	5	4	2	1	1
	30 - 25	0	1	2	3	4	4	4	4	3	2	2	1	1	0	0
OCTOBER	75 - 70	93	100	107	104	97	82	71	58	48	40	30	23	17	12	9
	70 - 65	318	274	241	186	149	122	100	82	67	57	46	37	30	23	20
	65 - 60	270	243	241	184	153	134	115	99	86	76	68	58	49	42	36
	60 - 55	155	151	143	133	121	109	98	89	79	71	62	55	48	42	36
	55 - 50	65	68	75	81	83	82	78	73	67	62	56	50	44	38	33
	50 - 45	21	27	35	48	55	58	58	57	54	52	47	42	39	33	28
	45 - 40	5	10	18	28	39	39	42	43	42	40	38	34	31	26	22
	40 - 35	1	4	9	16	23	27	31	34	32	31	29	26	22	20	17
	35 - 30	1	2	6	10	14	18	21	22	22	21	20	17	15	12	9
	30 - 25	0	2	3	6	9	11	13	14	14	14	12	11	9	7	6

TABLE I. NORTH AMERICA (CONT.)

6 - 65 - 60,000

LAT BAND		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	157	155	150	145	139	129	122	113	107	101	94	90	85	79	75
	70 - 65	122	122	118	117	116	115	113	111	110	104	97	90	83	78	74
	65 - 60	140	132	114	105	107	109	121	107	97	86	79	70	62	55	49
	60 - 55	153	153	140	134	122	111	101	96	84	76	66	61	54	48	43
	55 - 50	68	71	76	62	63	62	79	74	66	64	56	54	47	41	36
	50 - 45	32	40	36	40	50	59	59	56	55	52	46	44	40	36	32
	45 - 40	7	11	19	29	30	41	44	40	45	43	41	30	35	31	27
	40 - 35	4	5	10	17	20	30	33	35	35	36	33	32	28	25	22
	35 - 30	1	2	7	11	16	20	23	25	26	26	26	24	23	20	17
	30 - 25	1	2	4	7	10	13	16	18	19	19	18	17	16	14	12
APRIL	75 - 70	71	61	50	60	73	50	50	40	33	27	20	16	11	8	6
	70 - 65	324	260	196	156	121	95	74	56	42	33	23	18	11	6	3
	65 - 60	216	227	207	116	86	66	47	32	23	14	10	6	2	2	1
	60 - 55	100	111	116	96	76	60	44	30	19	12	7	3	2	1	0
	55 - 50	31	40	60	63	60	50	40	32	23	18	13	9	6	4	3
	50 - 45	8	18	30	38	39	35	30	25	19	14	11	8	5	4	2
	45 - 40	2	8	16	23	25	26	24	21	17	13	11	8	5	4	2
	40 - 35	1	4	9	14	18	19	19	17	15	11	9	6	4	2	2
	35 - 30	1	3	6	9	11	13	13	12	10	8	6	5	3	2	1
	30 - 25	0	2	3	4	6	7	7	7	6	5	3	2	2	1	1
JULY	75 - 70	4	2	1	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	267	164	112	73	49	37	25	17	12	7	5	3	1	1	0
	60 - 55	78	92	80	74	57	43	31	21	13	8	5	2	1	1	0
	55 - 50	14	35	53	53	47	36	26	18	11	6	4	2	1	0	0
	50 - 45	5	17	26	30	29	23	16	11	6	4	2	1	0	0	0
	45 - 40	2	7	13	15	15	12	9	6	3	2	1	0	0	0	0
	40 - 35	1	3	5	6	5	5	3	2	1	1	0	0	0	0	0
	35 - 30	0	1	1	2	2	2	1	1	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	100	106	114	112	100	90	78	64	53	44	35	28	19	13	10
	70 - 65	314	274	241	186	149	122	100	82	67	57	46	37	30	23	18
	65 - 60	284	258	244	183	150	130	111	94	83	70	61	50	41	34	27
	60 - 55	180	146	140	130	116	106	93	82	72	63	53	43	35	28	23
	55 - 50	40	35	70	78	79	76	71	65	57	50	43	35	29	24	19
	50 - 45	12	21	33	46	51	53	52	49	43	38	32	27	22	17	13
	45 - 40	3	8	17	26	32	35	35	34	31	26	23	19	15	12	9
	40 - 35	1	4	9	15	20	23	24	22	21	17	14	11	9	6	4
	35 - 30	1	3	6	9	11	13	13	12	10	8	6	5	3	2	1
	30 - 25	0	2	2	4	5	6	6	5	4	4	2	2	1	1	1

LONGITUDE

TABLE L NORTH AMERICA (CONT.)

6 - 65 - 70,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 – 70	154	150	147	143	139	131	124	115	106	102	90	76	69	66	64
70 – 65	143	139	133	129	107	154	150	142	116	110	97	84	77	71	67
65 – 60	63	62	61	189	100	130	120	107	96	88	81	73	66	60	54
60 – 55	133	123	145	136	122	111	101	92	84	78	69	62	56	50	44
55 – 50	69	71	76	64	63	62	79	74	66	64	60	56	47	41	36
50 – 45	41	47	38	40	32	30	50	47	54	52	47	44	39	33	28
45 – 40	9	10	19	29	39	59	42	43	42	40	36	34	31	26	24
40 – 35	1	4	9	16	24	29	31	33	33	32	30	27	24	21	19
35 – 30	1	2	6	10	14	19	21	24	23	22	21	19	19	18	16
30 – 25	0	2	3	6	9	11	13	14	14	14	12	11	9	7	6
APRIL															
75 – 70	78	87	99	86	81	67	57	49	39	31	23	18	13	9	7
70 – 65	231	276	213	175	130	106	80	67	52	42	31	23	16	11	9
65 – 60	114	247	167	118	85	86	47	34	23	14	10	6	4	2	1
60 – 55	60	90	96	82	64	49	35	24	15	10	6	4	2	1	0
55 – 50	14	25	53	53	47	36	26	18	11	6	4	2	1	0	0
50 – 45	4	16	24	27	26	20	14	10	6	3	2	1	0	0	0
45 – 40	2	6	11	13	13	11	8	5	3	1	1	0	0	0	0
40 – 35	1	3	6	7	7	6	4	2	2	1	0	0	0	0	0
35 – 30	1	2	3	3	3	3	2	2	1	0	0	0	0	0	0
30 – 25	0	1	1	1	1	1	1	1	0	0	0	0	0	0	0
JULY															
75 – 70	7	16	39	80	100	119	134	141	143	143	139	134	126	99	80
70 – 65	451	402	334	293	252	218	185	159	136	120	101	90	69	38	26
65 – 60	300	192	132	90	62	45	29	17	10	4	2	1	0	0	0
60 – 55	31	53	52	38	26	17	10	6	3	1	0	0	0	0	0
55 – 50	6	20	24	20	14	9	6	3	1	0	0	0	0	0	0
50 – 45	0	5	10	9	7	4	2	1	0	0	0	0	0	0	0
45 – 40	0	2	5	5	5	3	2	1	0	0	0	0	0	0	0
40 – 35	0	1	2	2	2	1	1	1	0	0	0	0	0	0	0
35 – 30	0	0	1	1	1	1	0	0	0	0	0	0	0	0	0
30 – 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 – 70	123	113	113	117	110	96	85	76	66	55	42	30	20	14	10
70 – 65	318	274	241	186	149	122	100	82	67	57	46	37	30	23	20
65 – 60	231	264	247	164	140	120	106	91	79	66	56	45	36	29	21
60 – 55	144	142	136	127	113	102	86	76	65	55	44	35	27	20	14
55 – 50	34	46	65	74	72	69	63	56	46	39	31	23	17	13	9
50 – 45	6	19	31	41	44	43	39	34	28	22	17	13	9	6	4
45 – 40	2	8	16	24	27	28	26	24	19	15	12	9	6	4	2
40 – 35	1	4	8	14	19	15	14	12	10	8	6	4	3	2	1
35 – 30	1	2	3	5	5	5	4	3	2	1	1	1	0	0	0
30 – 25	0	1	1	2	2	2	1	1	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

6 - 65 - 80,000

LAT AND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	137	137	136	134	132	128	124	117	112	106	99	94	90	86	82
70 - 65	173	172	169	160	148	134	120	110	100	91	85	78	72	67	62
65 - 60	224	218	202	179	154	136	119	100	89	81	76	71	66	62	57
60 - 55	187	180	160	134	112	101	91	83	78	74	71	68	64	60	57
55 - 50	66	71	76	82	83	82	79	74	68	64	58	52	47	41	36
50 - 45	18	26	34	47	54	57	57	50	53	49	45	40	36	32	28
45 - 40	4	9	19	27	34	38	41	42	41	38	36	34	30	26	19
40 - 35	1	4	9	13	22	28	30	31	31	30	27	24	20	17	14
35 - 30	1	2	6	10	14	17	20	20	20	19	17	15	13	10	7
30 - 25	0	2	3	5	8	10	11	11	11	10	8	7	6	4	3
APRIL															
75 - 70	50	69	71	90	90	64	37	29	23	18	14	10	8	6	4
70 - 65	293	214	156	120	99	83	61	50	39	23	16	11	7	4	3
65 - 60	432	333	84	61	31	22	14	9	6	4	2	1	1	0	0
60 - 55	46	60	49	34	23	15	10	7	4	2	1	1	0	0	0
55 - 50	3	24	28	21	17	13	9	6	4	2	1	1	0	0	0
50 - 45	2	10	13	13	12	8	5	4	2	1	1	0	0	0	0
45 - 40	0	3	4	4	3	2	1	1	0	0	0	0	0	0	0
40 - 35	0	2	2	3	2	2	1	1	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY															
75 - 70	21	21	30	71	102	132	143	151	154	156	154	150	143	130	110
70 - 65	473	426	404	329	307	260	269	260	244	220	189	160	127	94	60
65 - 60	446	307	206	229	177	144	110	83	65	45	33	19	9	4	1
60 - 55	47	100	39	117	94	68	44	29	13	6	2	1	0	0	0
55 - 50	8	29	51	54	47	34	22	14	5	2	1	0	0	0	0
50 - 45	2	11	20	26	24	18	11	8	2	1	0	0	0	0	0
45 - 40	1	4	6	8	8	6	4	4	1	0	0	0	0	0	0
40 - 35	0	1	1	2	2	1	1	1	0	0	0	0	0	0	0
35 - 30	0	0	1	1	1	1	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	109	113	119	117	110	96	85	76	68	63	48	35	20	10	3
70 - 65	316	274	241	186	149	122	100	86	67	57	46	37	30	23	20
65 - 60	302	263	217	170	139	114	93	76	64	52	43	34	26	21	16
60 - 55	131	133	129	118	104	89	75	66	51	42	33	25	20	14	10
55 - 50	29	43	62	69	67	59	52	44	35	28	22	16	12	9	6
50 - 45	5	18	28	34	34	28	21	15	10	7	4	3	1	1	1
45 - 40	3	8	12	19	19	17	13	9	6	4	3	1	1	1	0
40 - 35	1	4	6	8	8	7	5	3	2	1	0	0	0	0	0
35 - 30	1	1	2	2	2	2	2	1	1	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

6 - 70 - 60,000

JULY LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
75 - 70	471	476	404	429	400	377	349	324	304	287	270	253	234	211	101
70 - 65	341	307	223	106	143	111	83	60	46	26	16	9	5	2	1
65 - 60	33	58	06	54	43	32	23	10	10	6	3	2	1	0	0
60 - 55	1	15	10	13	8	4	2	1	0	0	0	0	0	0	0
55 - 50	0	7	0	6	4	2	1	0	0	0	0	0	0	0	0
50 - 45	0	2	3	2	1	1	0	0	0	0	0	0	0	0	0
45 - 40	0	1	1	1	1	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA (CONT.)

6 - 70-40,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 – 70	267	202	136	114	00	07	53	43	34	27	21	17	12	10	7
70 – 65	318	274	226	186	149	122	100	82	67	57	46	37	30	23	20
65 – 60	144	142	139	131	122	112	102	91	81	69	61	52	44	37	29
60 – 55	48	56	66	76	73	74	76	71	66	59	54	47	41	35	29
55 – 50	17	26	36	45	50	55	56	56	55	52	50	46	42	37	33
50 – 45	6	11	16	24	30	40	44	49	49	46	45	43	41	36	36
45 – 40	4	5	10	15	22	28	33	36	37	36	36	39	37	37	36
40 – 35	2	3	5	9	12	19	23	26	29	30	31	31	31	31	31
35 – 30	0	1	3	6	10	13	16	18	21	22	24	25	25	26	26
30 – 25	0	1	2	4	7	9	11	13	15	17	18	19	20	20	20
APRIL															
75 – 70	324	270	234	201	168	141	121	104	89	76	65	56	45	36	28	22	16
70 – 65	324	280	236	198	158	121	95	74	56	42	33	23	18	11	6	5
65 – 60	109	116	119	110	96	82	68	56	44	32	25	19	14	11	7
60 – 55	30	44	56	69	71	69	62	50	49	41	36	28	23	18	14
55 – 50	9	17	30	41	49	51	54	50	46	41	36	32	26	21	17
50 – 45	3	8	15	23	30	35	37	38	38	35	33	30	25	22	18
45 – 40	1	3	6	13	19	24	27	29	30	30	29	26	23	21	18
40 – 35	1	2	5	9	13	17	20	22	23	24	24	22	21	19	17
35 – 30	1	1	3	6	9	12	14	16	18	19	20	19	18	17	16
30 – 25	0	1	2	4	6	9	11	12	13	14	15	15	15	14	14
JULY															
75 – 70	48	11	3	0	0	0	0	0	0	0	0	0	0	0	0
70 – 65	214	145	101	145	140	96	66	50	38	30	21	14	10	6	4
65 – 60	116	122	124	115	103	90	77	65	53	41	34	27	22	17	12
60 – 55	38	47	60	75	77	76	72	67	61	53	47	38	32	25	19
55 – 50	13	20	31	42	49	53	54	53	50	46	43	36	33	26	22
50 – 45	4	8	15	23	31	36	39	40	41	40	37	35	31	26	24
45 – 40	1	3	6	13	19	24	27	30	31	31	30	28	25	23	19
40 – 35	1	2	5	9	12	15	18	20	20	20	20	17	15	14	12
35 – 30	0	1	3	6	8	10	11	12	12	12	11	10	8	7	6
30 – 25	0	1	1	2	4	5	6	6	6	5	5	4	3	2	2
OCTOBER															
75 – 70	226	270	234	181	140	121	101	84	69	56	45	36	29	22	16
70 – 65	214	274	244	190	153	126	105	87	72	63	51	42	34	27	24
65 – 60	114	146	144	133	124	114	105	95	85	74	67	56	51	45	36
60 – 55	59	64	70	78	81	82	80	78	71	66	61	56	50	45	39
55 – 50	21	25	33	44	51	56	58	58	57	55	53	50	49	41	38
50 – 45	7	10	16	24	34	39	43	44	45	46	43	42	39	36	33
45 – 40	2	4	9	15	21	27	30	33	34	36	34	33	31	30	27
40 – 35	1	2	5	10	14	18	21	24	25	27	27	26	25	24	23
35 – 30	1	1	3	6	10	13	15	17	18	20	21	21	19	18	17
30 – 25	0	1	2	4	6	8	10	12	13	14	15	14	14	13	12

TABLE I. NORTH AMERICA (CONT.)

6 - 70 - 50,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	300	263	254	217	187	181	141	124	110	97	86	78	67	56	52
70 - 65	253	250	247	208	178	153	135	120	107	90	87	78	70	64	57
65 - 60	154	150	146	137	127	118	100	99	91	81	74	67	60	53	47
60 - 55	64	66	72	73	66	62	81	77	73	67	63	58	53	48	44
55 - 50	19	24	33	43	50	55	56	56	57	55	53	49	45	40	36
50 - 45	7	10	16	24	34	39	43	44	45	46	43	42	39	36	34
45 - 40	2	4	9	16	23	29	32	35	36	37	37	37	35	33	33
40 - 35	2	3	5	9	15	19	23	26	27	29	30	30	29	29	28
35 - 30	0	1	3	6	10	13	16	18	20	22	23	24	23	23	23
30 - 25	0	1	2	4	7	9	11	13	15	16	17	18	18	18	17
APRIL															
75 - 70	267	230	196	116	88	87	73	63	54	47	41	37	36	34	32
70 - 65	290	214	156	100	69	66	51	38	29	23	16	11	7	4	3
65 - 60	85	46	38	29	23	18	15	12	10	8	6	5	3	2	2
60 - 55	19	39	54	62	60	54	46	37	30	24	17	14	9	7	5
55 - 50	5	16	26	37	41	42	40	38	31	26	22	19	14	11	7
50 - 45	2	7	14	22	28	31	32	31	29	26	21	17	13	9	6
45 - 40	1	4	8	13	18	22	23	24	22	21	18	15	12	9	7
40 - 35	1	3	5	8	12	15	17	18	18	17	16	14	12	10	9
35 - 30	0	1	3	6	8	10	12	14	14	14	14	13	11	10	8
30 - 25	0	1	2	3	5	7	9	10	11	11	11	10	9	8	8
JULY															
75 - 70	48	11	3	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	222	120	60	41	24	13	7	3	1	1	0	0	0	0	0
65 - 60	71	64	64	73	60	48	30	20	14	10	7	4	2	1	1
60 - 55	17	36	56	66	66	51	43	33	25	18	14	11	8	4	3
55 - 50	5	16	26	37	40	40	36	33	26	23	20	16	12	9	6
50 - 45	2	7	14	21	27	30	30	28	26	22	19	15	11	8	6
45 - 40	1	4	8	12	16	19	19	19	17	15	12	10	7	5	3
40 - 35	1	3	4	6	8	9	10	9	9	7	6	4	3	2	1
35 - 30	0	1	2	3	4	4	5	4	4	3	2	2	1	1	0
30 - 25	0	0	1	1	2	2	2	1	1	1	1	0	0	0	0
OCTOBER															
75 - 70	297	217	169	126	99	78	63	51	41	33	26	21	18	16	13
70 - 65	318	274	221	166	149	122	100	82	67	57	46	37	30	23	20
65 - 60	144	142	139	131	126	112	102	91	81	69	61	54	44	37	29
60 - 55	48	55	65	75	79	79	76	71	66	59	54	47	41	35	30
55 - 50	14	20	31	42	49	53	55	53	51	48	45	40	35	30	26
50 - 45	4	8	15	23	31	35	36	39	40	38	36	33	29	26	24
45 - 40	1	3	6	13	19	24	27	29	30	30	29	26	23	21	19
40 - 35	1	2	5	8	12	16	19	20	21	21	21	19	17	15	13
35 - 30	0	1	3	6	8	10	12	14	14	14	14	13	11	10	8
30 - 25	0	1	2	3	5	6	7	8	9	8	8	7	6	5	4

TABLE I. NORTH AMERICA (CONT.)

6 - 70 - 60,000

LAT BAND		LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	236	227	219	207	193	177	160	140	133	123	114	107	101	95	89
	70 - 65	229	222	210	197	176	155	137	123	111	104	97	90	83	78	74
	65 - 60	157	154	149	139	129	120	111	103	96	88	82	76	71	66	60
	60 - 55	70	72	73	69	63	53	53	79	76	71	67	63	58	54	48
	55 - 50	23	27	33	44	51	57	59	59	58	57	55	52	48	44	40
	50 - 45	7	10	16	24	34	39	43	44	45	46	43	42	39	36	33
	45 - 40	2	4	7	15	21	27	30	33	34	35	34	33	31	30	27
	40 - 35	1	2	3	10	14	18	21	24	25	27	27	26	25	24	23
	35 - 30	1	1	3	6	10	13	15	17	18	20	21	21	19	18	17
	30 - 25	0	1	2	4	6	8	10	12	13	13	14	15	13	12	11
APRIL	75 - 70	267	260	252	112	80	67	53	43	34	27	21	17	14	10	7
	70 - 65	324	220	196	158	121	95	74	60	42	33	23	16	11	8	5
	65 - 60	93	103	107	92	82	66	56	43	32	21	14	10	6	4	2
	60 - 55	10	37	53	59	50	48	40	29	22	14	10	5	3	2	1
	55 - 50	2	15	27	34	30	34	29	24	18	14	11	8	5	3	2
	50 - 45	3	7	13	19	21	21	19	17	14	11	8	6	5	3	2
	45 - 40	1	4	8	11	14	15	15	14	12	10	8	7	5	3	2
	40 - 35	1	3	4	7	9	10	11	10	10	8	7	5	4	3	1
	35 - 30	0	1	3	4	6	7	8	7	7	6	5	5	4	2	1
	30 - 25	0	1	1	2	3	3	4	4	4	3	2	1	1	1	1
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	4	2	1	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	27	46	40	24	14	8	4	2	1	0	0	0	0	0	0
	60 - 55	4	20	22	18	13	8	6	4	2	1	1	1	0	0	0
	55 - 50	2	10	15	16	16	13	10	7	5	3	2	1	0	0	0
	50 - 45	2	5	8	10	10	9	7	5	4	2	1	1	1	1	0
	45 - 40	1	3	4	5	5	5	4	3	2	1	1	1	0	0	0
	40 - 35	0	1	1	2	2	2	1	1	1	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	292	283	268	139	111	89	72	59	48	38	31	24	19	14	11
	70 - 65	319	274	241	186	149	122	100	82	67	57	46	37	30	23	20
	65 - 60	135	135	134	126	116	105	94	82	72	60	52	44	37	30	23
	60 - 55	39	47	60	73	77	76	72	67	61	53	47	38	32	25	19
	55 - 50	9	17	30	41	48	51	52	50	46	41	36	30	26	21	17
	50 - 45	2	7	14	22	29	34	35	35	33	30	26	23	19	14	11
	45 - 40	1	4	8	13	16	21	23	23	21	19	17	14	11	8	6
	40 - 35	1	3	5	8	11	13	14	14	13	11	10	8	6	4	2
	35 - 30	0	1	3	4	6	7	8	7	7	6	5	3	2	2	1
	30 - 25	0	1	1	2	3	3	3	3	3	2	2	1	1	1	1

TABLE I. NORTH AMERICA (CONT.)

6 - 70 - 70,000

LAT BAND		LONGITUDE															
	°	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	
JANUARY	75 - 70	137	132	133	176	173	161	151	140	134	120	115	106	102	96	92	
	70 - 65	133	139	135	172	167	156	135	124	112	103	97	92	87	83	80	
	65 - 60	133	134	147	156	130	120	111	103	97	92	86	80	76	74	69	
	60 - 55	91	94	104	114	104	94	86	81	77	73	69	66	64	62	58	
	55 - 50	43	51	58	43	58	56	54	51	50	48	46	43	41	39	36	
	50 - 45	8	11	18	24	34	43	48	49	49	48	46	43	41	38	36	
	45 - 40	4	4	7	15	24	31	34	35	35	34	32	31	29	27	26	
	40 - 35	2	2	5	9	14	19	21	23	24	23	22	21	20	19	18	
	35 - 30	1	1	3	6	9	12	14	16	17	19	19	19	17	16	15	
	30 - 25	0	1	2	3	5	7	9	11	12	14	14	14	13	12	11	
APRIL	75 - 70	44	42	43	42	41	39	37	34	31	28	24	19	14	11	8	
	70 - 65	33	47	41	47	43	38	33	29	25	21	20	16	11	9	7	
	65 - 60	20	20	21	20	20	20	19	17	15	13	10	7	5	4	3	
	60 - 55	10	10	10	10	9	9	8	8	7	6	5	4	3	2	1	
	55 - 50	5	7	14	10	6	5	4	3	4	4	2	1	1	0	0	
	50 - 45	3	5	8	7	7	7	6	5	4	4	3	3	2	1	1	
	45 - 40	2	4	4	3	3	3	2	2	2	1	0	0	0	0	0	
	40 - 35	0	1	1	2	2	2	2	1	1	0	0	0	0	0	0	
	35 - 30	0	0	1	1	1	1	1	0	0	0	0	0	0	0	0	
JULY	75 - 70	471	470	456	434	393	301	233	214	194	177	161	145	140	210	196	
	70 - 65	431	422	314	291	223	210	165	154	148	120	101	80	60	50	40	
	65 - 60	87	87	146	144	109	89	58	49	32	19	10	5	2	1	0	
	60 - 55	25	26	40	45	42	34	27	17	11	6	3	1	1	0	0	
	55 - 50	1	3	14	16	12	13	5	0	3	2	1	0	0	0	0	
	50 - 45	1	3	5	6	5	5	3	2	1	1	0	0	0	0	0	
	45 - 40	0	1	2	2	2	2	1	1	1	0	0	0	0	0	0	
	40 - 35	0	0	1	1	1	1	1	0	0	0	0	0	0	0	0	
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
OCTOBER	75 - 70	233	243	258	272	289	312	346	376	396	376	360	340	331	264	210	
	70 - 65	213	174	221	255	249	242	230	207	197	167	146	137	130	123	120	
	65 - 60	143	134	134	162	146	142	132	118	107	97	86	80	73	67	60	
	60 - 55	82	85	89	70	73	70	66	59	53	49	46	41	36	31	26	20
	55 - 50	37	35	40	31	34	42	46	46	46	36	32	26	23	19	16	10
	50 - 45	22	17	24	20	20	26	26	24	21	19	15	14	9	6	5	4
	45 - 40	11	14	16	11	14	16	16	15	13	12	9	8	5	4	4	
	40 - 35	4	6	4	6	7	8	7	7	6	5	4	3	2	2	1	
	35 - 30	2	2	4	2	3	4	3	3	2	2	1	1	0	0	0	
	30 - 25	0	0	1	1	1	1	1	0	0	0	0	0	0	0	0	

TABLE I. NORTH AMERICA (CONT.)

6 - 70 - 80,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	148	148	147	146	144	142	139	135	130	124	118	111	105	99	93
70 - 65	173	172	169	165	159	149	139	129	118	108	100	92	86	84	81
65 - 60	149	148	145	138	131	122	113	104	97	91	87	83	79	76	72
60 - 55	80	86	86	86	86	85	84	81	79	76	74	70	66	64	61
55 - 50	32	34	40	46	53	59	63	63	62	61	59	57	54	52	49
50 - 45	9	12	17	25	36	41	45	46	47	47	46	45	43	41	39
45 - 40	7	4	9	15	22	28	31	34	35	35	35	34	32	31	28
40 - 35	1	2	5	9	14	18	21	23	24	26	26	25	23	22	21
35 - 30	0	1	3	6	9	12	14	16	17	18	18	18	16	15	14
30 - 25	0	1	2	3	5	7	9	10	10	10	10	9	8	7	6
APRIL															
75 - 70	62	62	15	11	06	07	03	43	34	27	21	17	12	10	7
70 - 65	29	14	15	12	09	08	51	38	29	23	16	11	7	4	3
65 - 60	4	7	7	6	5	4	3	2	1	1	0	0	0	0	0
60 - 55	1	2	3	3	2	2	1	1	0	0	0	0	0	0	0
55 - 50	0	1	1	1	1	1	1	1	0	0	0	0	0	0	0
50 - 45	1	4	7	8	8	7	5	4	3	2	1	0	0	0	0
45 - 40	0	2	2	3	3	2	1	1	1	0	0	0	0	0	0
40 - 35	0	1	1	1	1	1	1	1	1	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY															
75 - 70	462	462	450	436	300	338	310	295	279	202	247	234	224	214	206
70 - 65	475	466	464	369	307	300	289	260	244	226	199	106	167	64	56
65 - 60	20	30	77	108	115	120	117	112	105	92	77	59	40	23	10
60 - 55	4	21	36	43	47	44	40	34	28	22	17	10	6	2	1
55 - 50	2	7	13	20	21	20	16	12	8	6	3	1	1	0	0
50 - 45	1	2	5	7	6	7	5	4	2	1	0	0	0	0	0
45 - 40	0	1	1	2	2	2	1	1	1	0	0	0	0	0	0
40 - 35	0	0	1	1	1	1	1	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	233	223	230	195	160	132	110	92	76	62	50	40	31	24	18
70 - 65	310	274	241	166	149	142	100	86	07	57	46	37	30	23	20
65 - 60	122	120	127	110	106	94	81	69	58	46	39	32	26	21	15
60 - 55	28	43	57	67	69	65	59	52	45	37	32	25	20	16	12
55 - 50	6	16	26	37	40	40	36	33	28	23	20	16	12	9	6
50 - 45	3	7	13	18	19	18	15	12	9	6	4	3	2	1	1
45 - 40	1	4	7	9	10	10	9	7	5	4	2	2	1	1	0
40 - 35	1	2	3	4	4	4	3	2	2	1	0	0	0	0	0
35 - 30	0	1	1	1	1	1	1	1	1	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE I. NORTH AMERICA

12 - 30 - 40,000

JANUARY																	
APRIL																	
JULY																	
OCTOBER																	

TABLE I. NORTH AMERICA (CONT.)

12 - 30 - 50,000

LONGITUDE

JANUARY

APRIL

JULY

OCTOBER

TABLE I. NORTH AMERICA (CONT.)

12 - 30 - 60,000

LONGITUDE

JANUARY

APRIL

JULY

OCTOBER

TABLE I. NORTH AMERICA (CONT.

12 - 30 - 70,000

JANUARY																	
APRIL																	
JULY																	
OCTOBER																	

TABLE I. NORTH AMERICA (CONT.)

12 - 30 - 80,000

JANUARY

APRIL

JULY

OCTOBER

TABLE I. NORTH AMERICA (CONT.)

12 - 30 - 80,000

LAT LONG — LONGITUDE

OCTOBER

LAT	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
70 - 75	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 70	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0
60 - 65	0	1	2	2	1	1	1	0	0	0	0	0	0	0	0
55 - 60	1	3	5	5	5	3	1	0	0	0	0	0	0	0	0
50 - 55	1	3	7	9	9	5	1	0	0	0	0	0	0	0	0
45 - 50	2	5	12	15	17	7	3	3	6	4	1	0	0	0	0
40 - 45	3	13	26	40	34	27	15	13	8	4	2	1	0	0	0
35 - 40	5	16	34	42	33	26	17	14	8	3	1	0	0	0	0
30 - 35	11	30	70	102	144	109	34	30	34	17	7	3	1	0	0
25 - 30	15	44	122	203	238	226	164	114	102	176	124	46	22	21	6

TABLE I. NORTH AMERICA (CONT.)

12 - 35 - 40,000

JANUARY

APRIL

JULY

OCTOBER

TABLE I. NORTH AMERICA (CONT.)

12 - 35 - 50,000

JANUARY

APRIL

JULY

OCTOBER

TABLE I. NORTH AMERICA (CONT.)

12 - 35 - 60,000

LONGITUDE

JANUARY

APRIL

JULY

OCTOBER

TABLE L NORTH AMERICA (CONT.)

12 - 35 - 70,000

JANUARY

APRIL

JULY

OCTOBER

TABLE I. NORTH AMERICA (CONT.)

12 - 35 - 80,000

JANUARY

APRIL

JULY

OCTOBER

TABLE I. NORTH AMERICA (CONT.)

L2 - 40 - 60, 080

JANUARY

APRIL

JULY

OCTOBER

TABLE I. NORTH AMERICA (CONT.)

12 - 40 - 50,000

JANUARY

APRIL

JULY

OCTOBER

TABLE I. NORTH AMERICA (CONT.)

12 - 40 - 60,000

JANUARY

APRIL

JULY

OCTOBER



TABLE L NORTH AMERICA (CONT.)

12 - 40 - 70,000

JANUARY

APRIL

JULY

OCTOBER

TABLE I. NORTH AMERICA (CONT.)

12 - 40 - 80,000

JANUARY

APRIL

JULY

OCTOBER

TABLE I. NORTH AMERICA (CONT.)

12 - 45 - 40,000

JANUARY

APRIL

JULY

OCTOBER

TABLE I. NORTH AMERICA (CONT.)

12 - 45 - 50,000

JANUARY

APRIL

JULY

OCTOBER

TABLE I. NORTH AMERICA (CONT.)

12 - 45 - 60,000

LONGITUDE

JANUARY

APRIL

JULY

OCTOBER

TABLE L. NORTH AMERICA (CONT.)

12 - 45 - 79,000



TABLE I. NORTH AMERICA (CONT.)

12 - 45 - 80,000



TABLE I. NORTH AMERICA (CONT.)

12 - 50 -40,000

JANUARY

APRIL

JULY

OCTOBER

TABLE I. NORTH AMERICA (CONT.)

12 - 50 -50,000

JANUARY

APRIL

JULY

OCTOBER

TABLE I. NORTH AMERICA (CONT.)

12 - 50 -60,000

JANUARY

APRIL

JULY

OCTOBER

TABLE I. NORTH AMERICA (CONT.)

12 - 50 -70,000

JANUARY

APRIL

JULY

OCTOBER

TABLE L. NORTH AMERICA (CONT.)

12 - 50 -80,000

JANUARY

APRIL

JULY

OCTOBER

TABLE I. NORTH AMERICA (CONT.)

12 - 55 - 40,000



TABLE 1. NORTH AMERICA (CONT.

12 - 55 - 50,000

	LAT.	LONGITUDE													
JANUARY															
APRIL															
JULY															
OCTOBER															

TABLE I. NORTH AMERICA (CONT.)

12 - 55 - 60,000



TABLE I. NORTH AMERICA (CONT.)

12 - 55 - 70,000

JANUARY															
APRIL															
JULY															
OCTOBER															

TABLE I. NORTH AMERICA (CONT.)

12 - 55 - 80,000

TABLE I. NORTH AMERICA (CONT.)

12 - 60 - 40,000



TABLE I. NORTH AMERICA (CONT.)

12 - 60 - 50,000

JANUARY

APRIL

JULY

OCTOBER

TABLE I. NORTH AMERICA (CONT.)

12 - 60 - 60,000



TABLE I. NORTH AMERICA (CONT.)

12 - 60 - 70,000

JANUARY

APRIL

JULY

OCTOBER

TABLE I. NORTH AMERICA (CONT.)

12 - 60 - 80,000



TABLE I. NORTH AMERICA (CONT.)

12 - 65 - 60,000

LONGITUDE

JANUARY														
APRIL														
JULY														
OCTOBER														

TABLE I. NORTH AMERICA (CONT.)

12 -65 - 50,000

JANUARY

APRIL

JULY

OCTOBER

TABLE I. NORTH AMERICA (CONT.)

12 - 65 - 68,000

JANUARY

APRIL

JULY

OCTOBER

TABLE L NORTH AMERICA (CONT.)

12 - 65 - 70,000

JANUARY

APRIL

TABLE L NORTH AMERICA (CONT.)

12 - 65 - 60,000

JANUARY

APRIL

JULY

OCTOBER

TABLE I. NORTH AMERICA (CONT.)

12 - 70 - 40,000

LONGITUDE

JANUARY

APRIL

OCTOBER

TABLE 1. [illegible] (CONT.)

12 - 70 - 90,000

LONGITUDE

JANUARY													
APRIL													

TABLE I. NORTH AMERICA (CONT.)

12 - 70 - 60,000

| | | |

TABLE I. NORTH AMERICA (CONT.)

12 - 70 - 60,000

JULY

TABLE L NORTH AMERICA (CONT.)

12 - 70 - 70,000



TABLE I. NORTH AMERICA (CONT.)

12 - 70 - 80,000



TABLE II. EURASIA

1 - 30 - 40,000

	LATITUDE BAND	LONGITUDE 0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	8	7	3	2	1	0	0	0	0	0	0	0	0	0	0
	50 - 45	29	25	16	6	2	0	0	0	0	0	0	0	0	0	0
	45 - 40	79	68	43	19	4	0	0	0	0	0	0	0	0	0	0
	40 - 35	152	151	85	35	8	0	0	0	0	0	0	0	0	0	0
	35 - 30	211	178	116	42	11	1	0	0	0	0	0	0	0	0	0
	30 - 25	204	174	103	35	8	1	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	3	3	2	1	1	0	0	0	0	0	0	0	0	0	0
	55 - 50	14	11	8	4	2	1	0	0	0	0	0	0	0	0	0
	50 - 45	33	31	23	11	4	1	0	0	0	0	0	0	0	0	0
	45 - 40	63	74	50	26	8	1	0	0	0	0	0	0	0	0	0
	40 - 35	151	133	94	46	10	1	0	0	0	0	0	0	0	0	0
	35 - 30	199	176	144	57	14	2	0	0	0	0	0	0	0	0	0
	30 - 25	192	174	116	45	11	1	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	3	5	4	1	1	0	0	0	0	0	0	0	0	0	0
	50 - 45	29	21	15	5	1	0	0	0	0	0	0	0	0	0	0
	45 - 40	75	63	37	14	2	0	0	0	0	0	0	0	0	0	0
	40 - 35	151	130	79	28	4	0	0	0	0	0	0	0	0	0	0
	35 - 30	208	181	107	41	7	1	0	0	0	0	0	0	0	0	0
	30 - 25	208	175	90	30	6	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	8	7	5	2	1	0	0	0	0	0	0	0	0	0	0
	50 - 45	29	25	16	6	2	0	0	0	0	0	0	0	0	0	0
	45 - 40	78	67	41	17	3	0	0	0	0	0	0	0	0	0	0
	40 - 35	152	131	83	33	6	0	0	0	0	0	0	0	0	0	0
	35 - 30	206	180	109	44	8	1	0	0	0	0	0	0	0	0	0
	30 - 25	204	174	103	35	6	1	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

1 - 30 - 50,000

	LAT.	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	4	2	1	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	19	15	0	2	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	67	52	26	8	1	0	0	0	0	0	0	0	0	0	0
	40 - 35	153	122	64	19	2	0	0	0	0	0	0	0	0	0	0
	35 - 30	220	102	43	20	3	0	0	0	0	0	0	0	0	0	0
	30 - 25	220	174	83	19	2	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	15	11	5	1	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	62	46	19	4	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	153	116	52	11	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	231	101	73	19	2	0	0	0	0	0	0	0	0	0	0
	30 - 25	231	174	80	16	1	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	4	2	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	37	23	8	1	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	143	91	47	4	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	250	174	54	8	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	250	160	45	5	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	15	11	5	1	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	62	46	19	4	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	153	116	52	11	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	231	101	78	19	2	0	0	0	0	0	0	0	0	0	0
	30 - 25	231	170	88	16	1	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

1 - 30 - 60,000

LATITUDE																
			10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	3	17	5	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	13	7	17	1	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	7	6	0	1	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	7	14	2	1	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	2	7	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	4	4	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	4	4	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	2	2	1	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

1 - 30 - 70,000

LAT BAND		LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	21	11	2	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	106	41	5	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	304	104	8	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	310	66	5	0	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	33	3	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	370	39	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	376	22	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	28	25	3	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	466	344	16	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	471	246	6	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	33	3	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	370	39	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	370	22	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

1 - 30 - 80,000

	LATITUDE	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	4	2	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	49	14	2	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	127	15	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	241	26	1	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	301	26	7	0	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	34	4	1	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	170	34	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	170	26	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	4	4	2	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	63	60	6	1	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	441	404	67	2	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	455	362	65	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	34	4	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	170	34	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	170	26	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

I - 35 - 40,000

		DISTANCE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	7	5	3	1	0	0	0	0	0	0	0	0	0	0
	55 - 50	28	25	12	7	2	0	0	0	0	0	0	0	0	0	0
	50 - 45	73	65	40	17	4	1	0	0	0	0	0	0	0	0	0
	45 - 40	163	108	44	21	7	2	0	0	0	0	0	0	0	0	0
	40 - 35	211	103	21	3	1	0	0	0	0	0	0	0	0	0	0
	35 - 30	151	44	9	3	0	1	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	3	3	2	1	1	1	0	0	0	0	0	0	0	0	0
	60 - 55	33	14	10	4	2	1	0	0	0	0	0	0	0	0	0
	55 - 50	84	34	12	4	1	0	0	0	0	0	0	0	0	0	0
	50 - 45	152	52	15	4	1	0	0	0	0	0	0	0	0	0	0
	45 - 40	183	76	17	3	1	0	0	0	0	0	0	0	0	0	0
	40 - 35	178	76	22	4	1	0	0	0	0	0	0	0	0	0	0
	35 - 30	142	57	14	3	1	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	5	4	3	1	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	16	9	5	3	1	0	0	0	0	0	0	0	0	0	0
	50 - 45	53	24	7	3	1	0	0	0	0	0	0	0	0	0	0
	45 - 40	155	74	25	6	1	0	0	0	0	0	0	0	0	0	0
	40 - 35	220	115	34	7	1	0	0	0	0	0	0	0	0	0	0
	35 - 30	205	101	27	4	1	0	0	0	0	0	0	0	0	0	0
	30 - 25	156	77	20	6	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	7	6	4	2	1	0	0	0	0	0	0	0	0	0	0
	55 - 50	28	13	6	2	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	93	47	17	4	1	0	0	0	0	0	0	0	0	0	0
	45 - 40	193	107	34	7	1	0	0	0	0	0	0	0	0	0	0
	40 - 35	223	130	44	9	1	0	0	0	0	0	0	0	0	0	0
	35 - 30	200	120	44	9	1	0	0	0	0	0	0	0	0	0	0
	30 - 25	131	82	32	7	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

1 - 35 - 50,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
60 - 55	4	3	2	1	0	0	0	0	0	0	0	0	0	0	0
55 - 50	14	16	9	3	0	0	0	0	0	0	0	0	0	0	0
50 - 45	64	51	24	7	1	0	0	0	0	0	0	0	0	0	0
45 - 40	153	116	59	13	2	0	0	0	0	0	0	0	0	0	0
40 - 35	230	166	82	18	3	0	0	0	0	0	0	0	0	0	0
35 - 30	220	162	93	24	3	0	0	0	0	0	0	0	0	0	0
30 - 25	153	119	62	15	2	0	0	0	0	0	0	0	0	0	0
APRIL															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0
55 - 50	14	11	6	2	0	0	0	0	0	0	0	0	0	0	0
50 - 45	56	43	19	5	1	0	0	0	0	0	0	0	0	0	0
45 - 40	150	106	48	9	1	0	0	0	0	0	0	0	0	0	0
40 - 35	243	177	70	14	1	0	0	0	0	0	0	0	0	0	0
35 - 30	231	181	78	19	2	0	0	0	0	0	0	0	0	0	0
30 - 25	153	112	49	9	1	0	0	0	0	0	0	0	0	0	0
JULY															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55 - 50	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
50 - 45	20	16	8	3	0	0	0	0	0	0	0	0	0	0	0
45 - 40	134	69	32	8	1	0	0	0	0	0	0	0	0	0	0
40 - 35	276	161	76	18	3	0	0	0	0	0	0	0	0	0	0
35 - 30	250	174	84	21	3	0	0	0	0	0	0	0	0	0	0
30 - 25	148	94	42	9	1	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0
55 - 50	14	11	6	2	0	0	0	0	0	0	0	0	0	0	0
50 - 45	56	43	19	5	1	0	0	0	0	0	0	0	0	0	0
45 - 40	150	106	48	9	1	0	0	0	0	0	0	0	0	0	0
40 - 35	243	177	70	14	1	0	0	0	0	0	0	0	0	0	0
35 - 30	231	181	78	19	2	0	0	0	0	0	0	0	0	0	0
30 - 25	153	112	49	9	1	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

1 - 35 - 60,000

	LATITUDE	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	5	3	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	31	14	4	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	136	64	10	1	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	269	156	26	1	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	270	101	20	1	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	140	73	15	1	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	74	15	1	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	207	63	4	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	210	67	5	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	91	15	1	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	30	2	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	160	13	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	222	4	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	87	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	74	15	1	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	207	63	4	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	210	67	5	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	91	15	1	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

1 - 35 - 70,000

	LATITUDE	LONGITUDE 0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	4	2	1	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	20	10	3	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	117	53	11	1	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	301	113	14	1	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	304	104	8	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	101	29	3	0	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	32	6	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	337	30	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	376	39	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	33	2	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	35	32	6	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	469	379	36	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	468	344	16	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	21	17	1	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	32	6	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	337	30	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	376	39	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	33	2	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

1 - 35 - 80,000

	LAT-BAND	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	5	3	2	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	31	19	4	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	127	64	14	1	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	294	130	19	1	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	297	122	12	1	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	112	39	5	0	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	34	4	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	190	44	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	370	59	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	33	2	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	4	4	2	1	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	76	72	30	3	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	428	396	163	6	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	441	404	87	2	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	51	45	10	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	34	4	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	329	44	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	370	59	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	33	6	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

1 - 40 - 40,000

LATITUDE		LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	7	6	4	3	2	1	0	0	0	0	0	0	0	0	0
	60 - 55	20	23	17	9	3	1	0	0	0	0	0	0	0	0	0
	55 - 50	73	63	49	21	6	1	0	0	0	0	0	0	0	0	0
	50 - 45	153	129	81	34	9	1	0	0	0	0	0	0	0	0	0
	45 - 40	222	190	108	41	10	1	0	0	0	0	0	0	0	0	0
	40 - 35	213	163	111	39	9	1	0	0	0	0	0	0	0	0	0
	35 - 30	152	111	63	33	6	0	0	0	0	0	0	0	0	0	0
	30 - 25	81	71	43	17	4	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	2	2	2	2	1	0	0	0	0	0	0	0	0	0	0
	65 - 60	12	11	9	6	4	2	1	0	0	0	0	0	0	0	0
	60 - 55	30	34	27	18	9	4	1	0	0	0	0	0	0	0	0
	55 - 50	82	74	58	34	14	3	1	0	0	0	0	0	0	0	0
	50 - 45	152	135	98	52	16	4	1	0	0	0	0	0	0	0	0
	45 - 40	213	186	124	57	17	3	0	0	0	0	0	0	0	0	0
	40 - 35	208	180	119	50	16	3	0	0	0	0	0	0	0	0	0
	35 - 30	151	133	92	42	10	1	0	0	0	0	0	0	0	0	0
	30 - 25	85	76	50	23	6	1	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	4	3	3	1	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	20	17	11	5	2	0	0	0	0	0	0	0	0	0	0
	55 - 50	67	55	36	14	3	0	0	0	0	0	0	0	0	0	0
	50 - 45	153	126	73	26	5	1	0	0	0	0	0	0	0	0	0
	45 - 40	233	190	98	32	7	1	0	0	0	0	0	0	0	0	0
	40 - 35	220	166	104	34	7	1	0	0	0	0	0	0	0	0	0
	35 - 30	153	130	79	28	4	0	0	0	0	0	0	0	0	0	0
	30 - 25	78	67	37	12	2	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	6	5	4	2	1	1	0	0	0	0	0	0	0	0	0
	60 - 55	24	21	15	8	3	1	0	0	0	0	0	0	0	0	0
	55 - 50	72	61	43	19	5	1	0	0	0	0	0	0	0	0	0
	50 - 45	153	128	81	34	9	1	0	0	0	0	0	0	0	0	0
	45 - 40	222	190	108	41	10	1	0	0	0	0	0	0	0	0	0
	40 - 35	213	163	111	39	9	1	0	0	0	0	0	0	0	0	0
	35 - 30	152	131	83	33	6	0	0	0	0	0	0	0	0	0	0
	30 - 25	80	70	41	15	3	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

1 - 40 - 50,000

LAT. AND	LONGITUDE															
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	
JANUARY																
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
65 - 60	4	3	3	1	0	0	0	0	0	0	0	0	0	0	0	
60 - 55	19	16	10	5	2	0	0	0	0	0	0	0	0	0	0	
55 - 50	64	49	29	9	1	0	0	0	0	0	0	0	0	0	0	
50 - 45	151	118	80	16	2	0	0	0	0	0	0	0	0	0	0	
45 - 40	250	168	70	18	2	0	0	0	0	0	0	0	0	0	0	
40 - 35	230	100	34	10	3	0	0	0	0	0	0	0	0	0	0	
35 - 30	133	126	64	19	4	0	0	0	0	0	0	0	0	0	0	
30 - 25	70	57	27	8	1	0	0	0	0	0	0	0	0	0	0	
APRIL																
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
65 - 60	4	4	4	1	0	0	0	0	0	0	0	0	0	0	0	
60 - 55	24	11	7	4	1	0	0	0	0	0	0	0	0	0	0	
55 - 50	50	43	25	7	1	0	0	0	0	0	0	0	0	0	0	
50 - 45	143	111	54	13	1	0	0	0	0	0	0	0	0	0	0	
45 - 40	259	165	97	14	2	0	0	0	0	0	0	0	0	0	0	
40 - 35	245	177	70	14	1	0	0	0	0	0	0	0	0	0	0	
35 - 30	153	116	54	11	0	0	0	0	0	0	0	0	0	0	0	
30 - 25	64	43	19	4	0	0	0	0	0	0	0	0	0	0	0	
JULY																
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
60 - 55	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
55 - 50	7	4	3	0	0	0	0	0	0	0	0	0	0	0	0	
50 - 45	116	56	16	1	0	0	0	0	0	0	0	0	0	0	0	
45 - 40	237	145	44	1	0	0	0	0	0	0	0	0	0	0	0	
40 - 35	276	161	36	3	0	0	0	0	0	0	0	0	0	0	0	
35 - 30	143	91	47	4	0	0	0	0	0	0	0	0	0	0	0	
30 - 25	47	36	9	2	0	0	0	0	0	0	0	0	0	0	0	
OCTOBER																
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
65 - 60	4	4	4	1	0	0	0	0	0	0	0	0	0	0	0	
60 - 55	14	11	7	4	1	0	0	0	0	0	0	0	0	0	0	
55 - 50	50	43	25	7	1	0	0	0	0	0	0	0	0	0	0	
50 - 45	146	111	54	13	1	0	0	0	0	0	0	0	0	0	0	
45 - 40	259	165	97	14	2	0	0	0	0	0	0	0	0	0	0	
40 - 35	245	177	70	14	1	0	0	0	0	0	0	0	0	0	0	
35 - 30	153	116	54	11	0	0	0	0	0	0	0	0	0	0	0	
30 - 25	64	40	19	4	0	0	0	0	0	0	0	0	0	0	0	

TABLE II. EURASIA (CONT.)

1 - 40 - 60,000

LAT. BAND		LONGITUDE															
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	
JANUARY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	60 - 55	0	5	4	1	0	0	0	0	0	0	0	0	0	0	0	
	55 - 50	11	24	7	1	0	0	0	0	0	0	0	0	0	0	0	
	50 - 45	132	74	24	4	0	0	0	0	0	0	0	0	0	0	0	
	45 - 40	694	161	49	4	0	0	0	0	0	0	0	0	0	0	0	
	40 - 35	485	106	46	1	0	0	0	0	0	0	0	0	0	0	0	
	35 - 30	134	74	17	1	0	0	0	0	0	0	0	0	0	0	0	
	30 - 25	34	20	3	0	0	0	0	0	0	0	0	0	0	0	0	
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	55 - 50	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
	50 - 45	62	16	4	0	0	0	0	0	0	0	0	0	0	0	0	
	45 - 40	478	61	1	0	0	0	0	0	0	0	0	0	0	0	0	
	40 - 35	307	63	1	0	0	0	0	0	0	0	0	0	0	0	0	
	35 - 30	80	14	0	0	0	0	0	0	0	0	0	0	0	0	0	
	30 - 25	7	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	50 - 45	36	5	0	0	0	0	0	0	0	0	0	0	0	0	0	
	45 - 40	337	54	0	0	0	0	0	0	0	0	0	0	0	0	0	
	40 - 35	660	13	0	0	0	0	0	0	0	0	0	0	0	0	0	
	35 - 30	80	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
	30 - 25	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	55 - 50	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
	50 - 45	62	14	1	0	0	0	0	0	0	0	0	0	0	0	0	
	45 - 40	278	21	1	0	0	0	0	0	0	0	0	0	0	0	0	
	40 - 35	307	23	1	0	0	0	0	0	0	0	0	0	0	0	0	
	35 - 30	80	14	0	0	0	0	0	0	0	0	0	0	0	0	0	
	30 - 25	7	1	0	0	0	0	0	0	0	0	0	0	0	0	0	

TABLE II. EURASIA (CONT.)

1 - 40 - 70,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	5	4	2	0	0	0	0	0	0	0	0	0	0	0	0
55 - 50	31	19	7	1	0	0	0	0	0	0	0	0	0	0	0
50 - 45	132	79	21	2	0	0	0	0	0	0	0	0	0	0	0
45 - 40	281	161	29	2	0	0	0	0	0	0	0	0	0	0	0
40 - 35	301	113	14	1	0	0	0	0	0	0	0	0	0	0	0
35 - 30	160	41	5	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	17	7	1	0	0	0	0	0	0	0	0	0	0	0	0
APRIL															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55 - 50	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
50 - 45	31	4	0	0	0	0	0	0	0	0	0	0	0	0	0
45 - 40	337	52	6	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	337	30	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	33	3	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
50 - 45	39	37	10	0	0	0	0	0	0	0	0	0	0	0	0
45 - 40	466	425	80	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	465	379	36	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	26	25	3	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55 - 50	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
50 - 45	31	4	0	0	0	0	0	0	0	0	0	0	0	0	0
45 - 40	337	52	6	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	337	30	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	33	3	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

1 - 40 - 80,000

LAT BAND		LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	0	0	0	0	0		0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	4	7	4	1	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	40	28	14	3	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	134	84	27	4	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	285	177	36	2	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	294	130	19	1	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	117	53	6	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	21	11	1	0	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	33	6	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	376	66	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	395	44	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	34	4	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	5	5	4	1	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	82	60	51	8	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	421	406	171	19	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	428	378	143	6	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	63	60	22	1	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	2	2	1	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	35	6	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	376	66	0		0	0	0	0	0	0	0	0	0	0	0
	40 - 35	395	44	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	34	4	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

1 - 45 - 40,000

	LAT BAND	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	7	5	5	3	2	1	0	0	0	0	0	0	0	0	0
	65 - 60	25	25	21	13	6	2	1	0	0	0	0	0	0	0	0
	60 - 55	76	69	53	31	13	4	1	0	0	0	0	0	0	0	0
	55 - 50	153	137	93	51	20	4	1	0	0	0	0	0	0	0	0
	50 - 45	225	190	119	58	26	2	1	0	0	0	0	0	0	0	0
	45 - 40	225	190	100	41	16	1	0	0	0	0	0	0	0	0	0
	40 - 35	153	120	64	31	7	1	0	0	0	0	0	0	0	0	0
	35 - 30	74	68	41	19	4	0	0	0	0	0	0	0	0	0	0
	30 - 25	30	26	16	6	1	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	10	8	6	3	2	1	0	0	0	0	0	0	0	0	0
	65 - 60	37	35	30	22	10	3	2	1	0	0	0	0	0	0	0
	60 - 55	82	72	55	46	26	11	4	1	0	0	0	0	0	0	0
	55 - 50	151	140	110	74	37	14	3	1	0	0	0	0	0	0	0
	50 - 45	208	183	136	83	38	8	2	0	0	0	0	0	0	0	0
	45 - 40	211	187	120	60	19	3	0	0	0	0	0	0	0	0	0
	40 - 35	151	134	85	43	14	3	0	0	0	0	0	0	0	0	0
	35 - 30	83	74	50	26	8	1	0	0	0	0	0	0	0	0	0
	30 - 25	30	26	21	14	3	1	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	5	4	2	1	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	19	16	12	6	2	0	0	0	0	0	0	0	0	0	0
	60 - 55	65	55	37	18	5	2	0	0	0	0	0	0	0	0	0
	55 - 50	133	130	78	34	10	2	0	0	0	0	0	0	0	0	0
	50 - 45	230	191	106	43	9	1	0	0	0	0	0	0	0	0	0
	45 - 40	234	196	98	32	7	1	0	0	0	0	0	0	0	0	0
	40 - 35	153	124	75	24	5	1	0	0	0	0	0	0	0	0	0
	35 - 30	72	63	37	14	2	0	0	0	0	0	0	0	0	0	0
	30 - 25	28	24	14	5	1	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	5	4	3	2	1	0	0	0	0	0	0	0	0	0	0
	65 - 60	23	20	16	9	4	1	1	0	0	0	0	0	0	0	0
	60 - 55	76	63	46	25	10	3	1	0	0	0	0	0	0	0	0
	55 - 50	153	133	89	45	17	3	1	0	0	0	0	0	0	0	0
	50 - 45	222	190	119	55	19	2	1	0	0	0	0	0	0	0	0
	45 - 40	225	190	100	41	10	1	0	0	0	0	0	0	0	0	0
	40 - 35	153	127	71	28	7	1	0	0	0	0	0	0	0	0	0
	35 - 30	70	67	41	17	3	0	0	0	0	0	0	0	0	0	0
	30 - 25	30	26	16	6	1	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

1 - 45 - 50,000

	LATITUDE	LONGITUDE												
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	4	3	3	2	1	0	0	0	0	0	0	0	0	0	0
	65 - 60	14	11	12	6	2	0	0	0	0	0	0	0	0	0	0
	60 - 55	60	55	37	18	5	2	0	0	0	0	0	0	0	0	0
	55 - 50	153	129	75	31	8	1	0	0	0	0	0	0	0	0	0
	50 - 45	245	190	95	33	5	0	0	0	0	0	0	0	0	0	0
	45 - 40	250	186	70	18	2	0	0	0	0	0	0	0	0	0	0
	40 - 35	153	116	59	15	2	0	0	0	0	0	0	0	0	0	0
	35 - 30	57	52	26	8	1	0	0	0	0	0	0	0	0	0	0
	30 - 25	21	17	9	3	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	2	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	14	11	7	3	1	0	0	0	0	0	0	0	0	0	0
	60 - 55	56	45	26	11	2	1	0	0	0	0	0	0	0	0	0
	55 - 50	150	121	63	23	5	1	0	0	0	0	0	0	0	0	0
	50 - 45	254	187	84	27	4	0	0	0	0	0	0	0	0	0	0
	45 - 40	259	185	67	14	2	0	0	0	0	0	0	0	0	0	0
	40 - 35	150	106	40	9	1	0	0	0	0	0	0	0	0	0	0
	35 - 30	62	46	19	4	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	16	12	5	1	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	14	8	2	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	121	52	14	2	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	304	126	21	2	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	297	145	22	1	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	132	69	15	1	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	37	23	6	1	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	8	5	2	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	2	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	14	11	7	3	1	0	0	0	0	0	0	0	0	0	0
	60 - 55	56	45	26	11	2	1	0	0	0	0	0	0	0	0	0
	55 - 50	150	121	63	23	5	1	0	0	0	0	0	0	0	0	0
	50 - 45	254	187	84	27	4	0	0	0	0	0	0	0	0	0	0
	45 - 40	259	185	67	14	2	0	0	0	0	0	0	0	0	0	0
	40 - 35	150	106	40	9	1	0	0	0	0	0	0	0	0	0	0
	35 - 30	62	46	19	4	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	16	12	5	1	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

1 - 45 - 60,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	3	6	3	1	0	0	0	0	0	0	0	0	0	0	0
60 - 55	37	28	13	4	1	0	0	0	0	0	0	0	0	0	0
55 - 50	134	96	35	7	1	0	0	0	0	0	0	0	0	0	0
50 - 45	280	177	47	6	0	0	0	0	0	0	0	0	0	0	0
45 - 40	291	161	29	2	0	0	0	0	0	0	0	0	0	0	0
40 - 35	132	69	15	1	0	0	0	0	0	0	0	0	0	0	0
35 - 30	31	17	3	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	4	2	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
55 - 50	68	24	1	0	0	0	0	0	0	0	0	0	0	0	0
50 - 45	258	59	2	0	0	0	0	0	0	0	0	0	0	0	0
45 - 40	258	59	1	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	73	15	1	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	6	1	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55 - 50	13	8	0	0	0	0	0	0	0	0	0	0	0	0	0
50 - 45	366	65	0	0	0	0	0	0	0	0	0	0	0	0	0
45 - 40	317	50	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	27	2	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0
55 - 50	68	24	1	0	0	0	0	0	0	0	0	0	0	0	0
50 - 45	258	59	6	0	0	0	0	0	0	0	0	0	0	0	0
45 - 40	256	59	1	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	73	15	1	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	6	1	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

1 - 45 - 70,000

LAT BAND		LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	6	4	1	1	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	37	26	13	4	1	0	0	0	0	0	0	0	0	0	0
	55 - 50	140	106	36	10	1	0	0	0	0	0	0	0	0	0	0
	50 - 45	280	177	47	6	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	291	161	29	4	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	127	53	14	1	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	21	7	2	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	30	5	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	89	34	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	117	50	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	27	4	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	34	34	12	1	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	466	435	144	3	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	466	435	60	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	55	52	6	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	30	5	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	84	36	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	317	200	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	43	6	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

1 - 45 - 80,000



TABLE II. EURASIA (CONT.)

- 50 - 40,000

LAT BAND		LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	3	4	5	2	1	0	0	0	0	0	0	0	0	0
	70 - 65	20	23	19	15	9	4	1	1	0	0	0	0	0	0	0
	65 - 60	70	71	56	33	21	7	3	1	0	0	0	0	0	0	0
	60 - 55	103	103	114	71	33	13	3	0	0	0	0	0	0	0	0
	55 - 50	120	113	140	65	34	10	2	0	0	0	0	0	0	0	0
	50 - 45	120	110	119	53	20	2	1	0	0	0	0	0	0	0	0
	45 - 40	103	102	91	34	9	1	0	0	0	0	0	0	0	0	0
	40 - 35	70	65	40	17	4	1	0	0	0	0	0	0	0	0	0
	35 - 30	29	25	16	7	2	0	0	0	0	0	0	0	0	0	0
	30 - 25	7	8	5	2	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	5	7	7	5	4	2	1	0	0	0	0	0	0	0	0
	70 - 65	34	35	40	23	16	8	4	2	0	0	0	0	0	0	0
	65 - 60	52	62	72	55	27	14	9	3	1	0	0	0	0	0	0
	60 - 55	84	90	104	93	53	24	11	3	1	0	0	0	0	0	0
	55 - 50	107	103	130	109	61	26	7	2	0	0	0	0	0	0	0
	50 - 45	80	85	86	56	32	8	2	0	0	0	0	0	0	0	0
	45 - 40	106	96	88	50	20	4	1	0	0	0	0	0	0	0	0
	40 - 35	66	74	56	27	7	2	0	0	0	0	0	0	0	0	0
	35 - 30	31	41	23	13	4	1	0	0	0	0	0	0	0	0	0
	30 - 25	6	11	7	4	1	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	4	2	4	1	1	0	0	0	0	0	0	0	0	0	0
	70 - 65	10	14	10	7	3	1	0	0	0	0	0	0	0	0	0
	65 - 60	62	58	40	21	10	2	1	0	0	0	0	0	0	0	0
	60 - 55	155	131	97	49	18	5	1	0	0	0	0	0	0	0	0
	55 - 50	230	200	136	61	18	4	0	0	0	0	0	0	0	0	0
	50 - 45	230	191	106	43	9	1	0	0	0	0	0	0	0	0	0
	45 - 40	155	126	75	26	5	1	0	0	0	0	0	0	0	0	0
	40 - 35	70	59	35	13	3	1	0	0	0	0	0	0	0	0	0
	35 - 30	20	21	13	5	1	0	0	0	0	0	0	0	0	0	0
	30 - 25	7	6	5	2	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	5	5	4	1	1	0	0	0	0	0	0	0	0	0	0
	70 - 65	19	17	13	9	5	2	0	0	0	0	0	0	0	0	0
	65 - 60	66	62	45	28	13	4	1	0	0	0	0	0	0	0	0
	60 - 55	153	135	104	59	24	7	2	0	0	0	0	0	0	0	0
	55 - 50	220	197	141	76	29	8	1	0	0	0	0	0	0	0	0
	50 - 45	223	190	119	58	19	2	1	0	0	0	0	0	0	0	0
	45 - 40	153	129	81	34	9	1	0	0	0	0	0	0	0	0	0
	40 - 35	79	65	41	17	4	1	0	0	0	0	0	0	0	0	0
	35 - 30	29	25	15	7	2	0	0	0	0	0	0	0	0	0	0
	30 - 25	9	7	5	2	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

1 - 50 - 50,000

		LONGITUDE															
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	
JANUARY	75 - 70	4	3	3	1	1	0	0	0	0	0	0	0	0	0	0	
	70 - 65	29	17	13	9	3	2	0	0	0	0	0	0	0	0	0	
	65 - 60	60	42	23	23	13	4	1	0	0	0	0	0	0	0	0	
	60 - 55	153	132	100	52	20	6	1	0	0	0	0	0	0	0	0	
	55 - 50	230	200	136	61	28	8	2	0	0	0	0	0	0	0	0	
	50 - 45	243	190	98	33	9	0	0	0	0	0	0	0	0	0	0	
	45 - 40	201	116	60	26	2	0	0	0	0	0	0	0	0	0	0	
	40 - 35	64	51	24	7	1	0	0	0	0	0	0	0	0	0	0	
	35 - 30	8	18	8	2	0	0	0	0	0	0	0	0	0	0	0	
	30 - 25	5	4	2	1	0	0	0	0	0	0	0	0	0	0	0	
APRIL	75 - 70	2	2	1	1	1	0	0	0	0	0	0	0	0	0	0	
	70 - 65	14	11	7	5	2	1	0	0	0	0	0	0	0	0	0	
	65 - 60	59	51	33	17	6	1	0	0	0	0	0	0	0	0	0	
	60 - 55	151	103	66	37	10	2	0	0	0	0	0	0	0	0	0	
	55 - 50	243	201	122	49	12	2	0	0	0	0	0	0	0	0	0	
	50 - 45	254	107	63	27	4	0	0	0	0	0	0	0	0	0	0	
	45 - 40	143	111	56	13	1	0	0	0	0	0	0	0	0	0	0	
	40 - 35	56	43	18	5	1	0	0	0	0	0	0	0	0	0	0	
	35 - 30	19	11	5	1	0	0	0	0	0	0	0	0	0	0	0	
	30 - 25	4	2	1	0	0	0	0	0	0	0	0	0	0	0	0	
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	70 - 65	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
	65 - 60	4	2	1	0	0	0	0	0	0	0	0	0	0	0	0	
	60 - 55	101	52	18	3	0	0	0	0	0	0	0	0	0	0	0	
	55 - 50	147	147	36	4	0	0	0	0	0	0	0	0	0	0	0	
	50 - 45	304	160	21	2	0	0	0	0	0	0	0	0	0	0	0	
	45 - 40	126	55	16	1	0	0	0	0	0	0	0	0	0	0	0	
	40 - 35	39	16	3	0	0	0	0	0	0	0	0	0	0	0	0	
	35 - 30	4	2	0	0	0	0	0	0	0	0	0	0	0	0	0	
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
OCTOBER	75 - 70	2	2	1	1	1	0	0	0	0	0	0	0	0	0	0	
	70 - 65	14	11	7	5	2	1	0	0	0	0	0	0	0	0	0	
	65 - 60	59	51	33	17	6	1	0	0	0	0	0	0	0	0	0	
	60 - 55	151	103	66	37	10	2	0	0	0	0	0	0	0	0	0	
	55 - 50	243	201	122	49	12	2	0	0	0	0	0	0	0	0	0	
	50 - 45	254	107	63	27	4	0	0	0	0	0	0	0	0	0	0	
	45 - 40	143	111	56	13	1	0	0	0	0	0	0	0	0	0	0	
	40 - 35	56	43	18	5	1	0	0	0	0	0	0	0	0	0	0	
	35 - 30	19	11	5	1	0	0	0	0	0	0	0	0	0	0	0	
	30 - 25	4	2	1	0	0	0	0	0	0	0	0	0	0	0	0	

TABLE II. EURASIA (CONT.)

1 - 50 - 60,000

	LAND	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	9	7	5	3	1	0	0	0	0	0	0	0	0	0	0
	65 - 60	43	15	6	3	1	0	0	0	0	0	0	0	0	0	0
	60 - 55	149	100	64	21	3	1	0	0	0	0	0	0	0	0	0
	55 - 50	276	133	92	26	3	1	0	0	0	0	0	0	0	0	0
	50 - 45	280	177	47	6	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	132	79	21	2	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	31	19	4	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	6	2	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	5	2	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	71	27	5	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	273	90	9	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	253	59	6	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	60	16	1	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	8	2	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	34	8	1	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	360	97	6	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	360	65	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	29	5	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	73	27	5	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	273	90	9	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	253	59	6	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	60	16	1	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	8	2	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

1 - 50 - 70,000

LATITUDE	LONGITUDE 0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	7	7	5	3	1	0	0	0	0	0	0	0	0	0	0
65 - 60	43	36	20	7	3	0	0	0	0	0	0	0	0	0	0
60 - 55	143	108	64	21	5	1	0	0	0	0	0	0	0	0	0
55 - 50	272	198	92	26	5	1	0	0	0	0	0	0	0	0	0
50 - 45	250	177	47	6	0	0	0	0	0	0	0	0	0	0	0
45 - 40	136	74	21	2	0	0	0	0	0	0	0	0	0	0	0
40 - 35	20	16	3	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	2	4	0	0	0	0	0	0	0	0	0	0	0	0	0
55 - 50	26	14	1	0	0	0	0	0	0	0	0	0	0	0	0
50 - 45	26	14	0	0	0	0	0	0	0	0	0	0	0	0	0
45 - 40	8	4	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	39	36	24	6	0	0	0	0	0	0	0	0	0	0	0
55 - 50	46	44	31	14	0	0	0	0	0	0	0	0	0	0	0
50 - 45	46	45	22	5	0	0	0	0	0	0	0	0	0	0	0
45 - 40	32	17	10	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	2	4	0	0	0	0	0	0	0	0	0	0	0	0	0
55 - 50	26	14	1	0	0	0	0	0	0	0	0	0	0	0	0
50 - 45	26	14	0	0	0	0	0	0	0	0	0	0	0	0	0
45 - 40	8	4	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

1 - 50 - 80,000

	LATITUDE BAND	LONGITUDE 0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	2	2	1	1	1	0	0	0	0	0	0	0	0	0	0
	70 - 65	11	10	6	5	2	1	0	0	0	0	0	0	0	0	0
	65 - 60	51	45	20	14	3	1	0	0	0	0	0	0	0	0	0
	60 - 55	148	118	77	31	8	1	0	0	0	0	0	0	0	0	0
	55 - 50	259	199	107	37	8	1	0	0	0	0	0	0	0	0	0
	50 - 45	272	181	63	15	2	0	0	0	0	0	0	0	0	0	0
	45 - 40	139	69	27	4	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	31	19	4	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	4	2	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	23	6	1	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	93	66	2	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	341	57	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	32	6	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	4	4	4	2	1	0	0	0	0	0	0	0	0	0	0
	60 - 55	82	81	69	29	4	0	0	0	0	0	0	0	0	0	0
	55 - 50	414	407	296	92	8	0	0	0	0	0	0	0	0	0	0
	50 - 45	414	401	224	49	1	0	0	0	0	0	0	0	0	0	0
	45 - 40	82	80	51	8	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	4	4	2	1	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	23	6	1	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	93	66	2	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	341	57	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	32	6	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

1 - 55 - 40,000

	LAT BAND	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75-70	20	19	16	12	8	4	2	1	0	0	0	0	0	0	0
	70-65	72	67	56	39	23	12	5	2	1	0	0	0	0	0	0
	65-60	153	142	120	87	51	24	8	2	0	0	0	0	0	0	0
	60-55	213	199	160	113	67	25	9	2	0	0	0	0	0	0	0
	55-50	220	196	145	83	34	10	2	0	0	0	0	0	0	0	0
	50-45	155	137	99	51	20	4	1	0	0	0	0	0	0	0	0
	45-40	73	63	43	21	8	1	0	0	0	0	0	0	0	0	0
	40-35	28	25	17	7	2	0	0	0	0	0	0	0	0	0	0
	35-30	8	7	5	2	1	0	0	0	0	0	0	0	0	0	0
	30-25	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
APRIL	75-70	28	27	24	19	14	9	5	2	1	0	0	0	0	0	0
	70-65	82	78	70	55	41	24	14	6	3	0	0	0	0	0	0
	65-60	149	142	120	104	74	44	22	9	3	1	0	0	0	0	0
	60-55	133	105	76	130	83	47	22	7	2	0	0	0	0	0	0
	55-50	197	185	152	109	61	26	7	2	0	0	0	0	0	0	0
	50-45	151	140	110	72	37	12	3	1	0	0	0	0	0	0	0
	45-40	86	74	56	34	14	3	1	0	0	0	0	0	0	0	0
	40-35	33	32	23	14	6	2	1	0	0	0	0	0	0	0	0
	35-30	12	11	8	4	2	1	0	0	0	0	0	0	0	0	0
	30-25	3	3	2	1	1	0	0	0	0	0	0	0	0	0	0
JULY	75-70	12	11	9	7	4	1	1	0	0	0	0	0	0	0	0
	70-65	59	53	40	24	13	4	1	0	0	0	0	0	0	0	0
	65-60	153	135	100	59	26	8	2	0	0	0	0	0	0	0	0
	60-55	233	207	147	86	32	11	3	0	0	0	0	0	0	0	0
	55-50	230	200	136	61	18	4	0	0	0	0	0	0	0	0	0
	50-45	153	130	78	34	10	2	0	0	0	0	0	0	0	0	0
	45-40	67	55	36	14	3	0	0	0	0	0	0	0	0	0	0
	40-35	23	20	13	5	1	0	0	0	0	0	0	0	0	0	0
	35-30	6	5	3	1	1	0	0	0	0	0	0	0	0	0	0
	30-25	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75-70	14	13	10	7	4	2	1	0	0	0	0	0	0	0	0
	70-65	66	56	43	26	14	4	1	0	0	0	0	0	0	0	0
	65-60	153	137	107	68	34	13	4	1	0	0	0	0	0	0	0
	60-55	220	204	155	97	41	16	5	1	0	0	0	0	0	0	0
	55-50	220	197	142	76	29	8	1	0	0	0	0	0	0	0	0
	50-45	153	135	99	45	17	3	1	0	0	0	0	0	0	0	0
	45-40	72	61	43	19	5	1	0	0	0	0	0	0	0	0	0
	40-35	26	23	16	7	2	0	0	0	0	0	0	0	0	0	0
	35-30	8	7	5	2	1	0	0	0	0	0	0	0	0	0	0
	30-25	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

1 - 55 - 50,000

LAT. AND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	17	16	13	10	6	3	1	0	0	0	0	0	0	0	0
70 - 65	67	61	49	33	20	8	3	1	0	0	0	0	0	0	0
65 - 60	153	138	109	72	37	15	5	1	0	0	0	0	0	0	0
60 - 55	220	204	152	97	41	16	5	1	0	0	0	0	0	0	0
55 - 50	230	200	132	61	18	4	0	0	0	0	0	0	0	0	0
50 - 45	153	129	75	31	8	1	0	0	0	0	0	0	0	0	0
45 - 40	62	43	29	9	1	0	0	0	0	0	0	0	0	0	0
40 - 35	19	16	9	3	0	0	0	0	0	0	0	0	0	0	0
35 - 30	5	4	2	1	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL															
75 - 70	9	8	6	4	2	1	0	0	0	0	0	0	0	0	0
70 - 65	53	47	35	20	10	3	1	0	0	0	0	0	0	0	0
65 - 60	151	131	94	52	21	5	1	0	0	0	0	0	0	0	0
60 - 55	241	210	141	75	22	6	1	0	0	0	0	0	0	0	0
55 - 50	245	201	122	49	12	2	0	0	0	0	0	0	0	0	0
50 - 45	150	121	63	23	5	1	0	0	0	0	0	0	0	0	0
45 - 40	56	43	25	7	1	0	0	0	0	0	0	0	0	0	0
40 - 35	14	11	6	2	0	0	0	0	0	0	0	0	0	0	0
35 - 30	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY															
75 - 70	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	14	11	5	2	0	0	0	0	0	0	0	0	0	0	0
65 - 60	101	61	23	6	1	0	0	0	0	0	0	0	0	0	0
60 - 55	307	175	43	9	1	0	0	0	0	0	0	0	0	0	0
55 - 50	307	147	32	4	0	0	0	0	0	0	0	0	0	0	0
50 - 45	101	52	10	2	0	0	0	0	0	0	0	0	0	0	0
45 - 40	17	9	3	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	3	1	1	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	9	8	6	4	2	1	0	0	0	0	0	0	0	0	0
70 - 65	53	47	35	20	10	3	1	0	0	0	0	0	0	0	0
65 - 60	151	131	94	52	21	5	1	0	0	0	0	0	0	0	0
60 - 55	241	210	141	75	22	6	1	0	0	0	0	0	0	0	0
55 - 50	245	201	122	49	12	2	0	0	0	0	0	0	0	0	0
50 - 45	150	121	63	23	5	1	0	0	0	0	0	0	0	0	0
45 - 40	56	43	25	7	1	0	0	0	0	0	0	0	0	0	0
40 - 35	14	11	6	2	0	0	0	0	0	0	0	0	0	0	0
35 - 30	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

I - 55 - 60,000

	LATITUDE	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	7	5	3	2	1	0	0	0	0	0	0	0	0	0
	70 - 65	43	38	26	13	0	2	0	0	0	0	0	0	0	0	0
	65 - 60	143	119	72	37	13	3	1	0	0	0	0	0	0	0	0
	60 - 55	253	218	143	59	14	4	1	0	0	0	0	0	0	0	0
	55 - 50	278	193	96	26	6	1	0	0	0	0	0	0	0	0	0
	50 - 45	139	93	35	7	1	0	0	0	0	0	0	0	0	0	0
	45 - 40	31	19	7	1	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	5	3	2	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	4	1	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	80	39	8	1	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	267	130	27	1	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	273	90	9	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	67	24	4	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	9	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	31	11	1	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	360	144	5	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	360	94	6	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	32	8	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	5	4	1	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	60	39	8	1	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	267	136	17	1	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	273	90	9	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	67	24	4	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	9	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

1 - 55 - 70,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	8	7	5	3	2	1	0	0	0	0	0	0	0	0	0
70 - 65	43	38	<6	13	6	2	0	0	0	0	0	0	0	0	0
65 - 60	143	116	7<	33	11	2	0	0	0	0	0	0	0	0	0
60 - 55	<67	214	113	46	10	2	0	0	0	0	0	0	0	0	0
55 - 50	<72	198	92	<6	5	1	0	0	0	0	0	0	0	0	0
50 - 45	140	102	36	10	1	0	0	0	0	0	0	0	0	0	0
45 - 40	31	19	7	1	0	0	0	0	0	0	0	0	0	0	0
40 - 35	4	2	1	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	25	6	0	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	<43	65	<	0	0	0	0	0	0	0	0	0	0	0	0
55 - 50	<69	54	1	0	0	0	0	0	0	0	0	0	0	0	0
50 - 45	27	5	0	0	0	0	0	0	0	0	0	0	0	0	0
45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	35	34	<6	6	0	0	0	0	0	0	0	0	0	0	0
60 - 55	46<	456	<87	48	0	0	0	0	0	0	0	0	0	0	0
55 - 50	462	448	<31	14	0	0	0	0	0	0	0	0	0	0	0
50 - 45	39	38	15	1	0	0	0	0	0	0	0	0	0	0	0
45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	25	6	0	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	<45	65	<	0	0	0	0	0	0	0	0	0	0	0	0
55 - 50	<69	54	1	0	0	0	0	0	0	0	0	0	0	0	0
50 - 45	27	5	0	0	0	0	0	0	0	0	0	0	0	0	0
45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

1 - 55 - 80,000

	LAT BAND	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	10	9	7	5	3	1	1	0	0	0	0	0	0	0	0
	70 - 65	50	44	32	18	9	2	1	0	0	0	0	0	0	0	0
	65 - 60	148	125	85	44	17	4	1	0	0	0	0	0	0	0	0
	60 - 55	250	211	136	65	18	5	1	0	0	0	0	0	0	0	0
	55 - 50	259	199	107	37	8	1	0	0	0	0	0	0	0	0	0
	50 - 45	143	108	46	14	2	0	0	0	0	0	0	0	0	0	0
	45 - 40	40	28	14	3	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	5	3	1	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	27	7	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	269	61	1	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	133	66	1	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	29	6	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	4	4	4	3	1	0	0	0	0	0	0	0	0	0	0
	65 - 60	76	75	67	36	11	1	0	0	0	0	0	0	0	0	0
	60 - 55	421	417	326	137	19	1	0	0	0	0	0	0	0	0	0
	55 - 50	414	407	296	96	8	0	0	0	0	0	0	0	0	0	0
	50 - 45	82	61	50	17	1	0	0	0	0	0	0	0	0	0	0
	45 - 40	5	5	4	1	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	27	7	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	269	61	1	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	133	66	1	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	29	6	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

1 - 60 - 40,000

	LAT. AND	LONGITUDE															
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	
JANUARY	75 - 70	63	60	52	40	26	18	9	4	2	0	0	0	0	0	0	
	70 - 65	153	142	122	87	50	31	15	6	2	1	0	0	0	0	0	
	65 - 60	213	200	176	131	81	46	18	5	2	0	0	0	0	0	0	
	60 - 55	243	199	160	113	57	25	9	2	0	0	0	0	0	0	0	
	55 - 50	153	139	114	71	33	10	3	0	0	0	0	0	0	0	0	
	50 - 45	78	69	53	31	13	4	1	0	0	0	0	0	0	0	0	
	45 - 40	28	23	17	9	3	1	0	0	0	0	0	0	0	0	0	
	40 - 35	8	7	5	3	1	0	0	0	0	0	0	0	0	0	0	
	35 - 30	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
APRIL	75 - 70	74	67	61	49	35	25	14	7	3	1	1	0	0	0	0	
	70 - 65	154	145	131	104	76	49	28	13	6	2	0	0	0	0	0	
	65 - 60	197	186	172	141	101	63	36	15	7	2	1	0	0	0	0	
	60 - 55	193	185	166	130	83	47	22	7	2	0	0	0	0	0	0	
	55 - 50	149	140	124	93	55	25	11	3	1	0	0	0	0	0	0	
	50 - 45	80	74	66	46	25	11	4	1	0	0	0	0	0	0	0	
	45 - 40	38	34	27	16	9	4	1	0	0	0	0	0	0	0	0	
	40 - 35	12	11	9	5	3	1	0	0	0	0	0	0	0	0	0	
	35 - 30	3	3	2	1	1	0	0	0	0	0	0	0	0	0	0	
	30 - 25	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	
JULY	75 - 70	47	41	34	23	13	8	3	1	1	0	0	0	0	0	0	
	70 - 65	150	134	106	63	34	15	5	2	0	0	0	0	0	0	0	
	65 - 60	241	210	166	100	44	18	4	1	0	0	0	0	0	0	0	
	60 - 55	235	207	147	86	32	11	3	0	0	0	0	0	0	0	0	
	55 - 50	151	131	97	49	16	4	1	0	0	0	0	0	0	0	0	
	50 - 45	69	55	37	18	5	2	0	0	0	0	0	0	0	0	0	
	45 - 40	20	17	11	5	2	0	0	0	0	0	0	0	0	0	0	
	40 - 35	5	4	3	1	0	0	0	0	0	0	0	0	0	0	0	
	35 - 30	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
OCTOBER	75 - 70	50	44	37	26	15	9	4	1	1	0	0	0	0	0	0	
	70 - 65	151	136	110	68	37	16	5	2	0	0	0	0	0	0	0	
	65 - 60	230	203	160	106	51	24	7	2	0	0	0	0	0	0	0	
	60 - 55	220	204	156	97	41	16	5	1	0	0	0	0	0	0	0	
	55 - 50	153	135	104	59	24	7	2	0	0	0	0	0	0	0	0	
	50 - 45	74	63	46	25	10	3	1	0	0	0	0	0	0	0	0	
	45 - 40	24	21	15	8	3	1	0	0	0	0	0	0	0	0	0	
	40 - 35	7	6	4	2	1	0	0	0	0	0	0	0	0	0	0	
	35 - 30	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

TABLE II. EURASIA (CONT.)

1 - 60 - 50,000

	LAT BAND	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	70 - 75	64	50	49	36	22	14	6	2	1	0	0	0	0	0	0
	65 - 70	153	140	117	78	40	23	10	4	1	0	0	0	0	0	0
	60 - 65	231	206	170	116	63	30	13	5	1	0	0	0	0	0	0
	55 - 60	220	204	156	97	41	16	5	1	0	0	0	0	0	0	0
	50 - 55	153	136	100	52	20	5	1	0	0	0	0	0	0	0	0
	45 - 50	69	55	37	18	5	2	0	0	0	0	0	0	0	0	0
	40 - 45	19	16	10	5	2	0	0	0	0	0	0	0	0	0	0
	35 - 40	4	3	2	1	0	0	0	0	0	0	0	0	0	0	0
	30 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	25 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	40	35	26	13	9	5	2	1	0	0	0	0	0	0	0
	70 - 65	147	128	93	55	26	12	4	1	0	0	0	0	0	0	0
	65 - 60	250	211	160	89	37	15	3	1	0	0	0	0	0	0	0
	60 - 55	241	210	145	75	26	6	1	0	0	0	0	0	0	0	0
	55 - 50	151	126	86	37	10	2	0	0	0	0	0	0	0	0	0
	50 - 45	59	45	26	11	2	1	0	0	0	0	0	0	0	0	0
	45 - 40	14	11	7	2	1	0	0	0	0	0	0	0	0	0	0
	40 - 35	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	14	11	7	3	1	0	0	0	0	0	0	0	0	0	0
	70 - 65	101	71	36	15	3	1	0	0	0	0	0	0	0	0	0
	65 - 60	207	173	72	17	3	1	0	0	0	0	0	0	0	0	0
	60 - 55	207	175	45	9	1	0	0	0	0	0	0	0	0	0	0
	55 - 50	10	5	1	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	40	35	26	13	9	5	2	1	0	0	0	0	0	0	0
	70 - 65	147	128	93	55	26	12	4	1	0	0	0	0	0	0	0
	65 - 60	250	211	160	89	37	15	3	1	0	0	0	0	0	0	0
	60 - 55	241	210	145	75	26	6	1	0	0	0	0	0	0	0	0
	55 - 50	151	126	86	37	10	2	0	0	0	0	0	0	0	0	0
	50 - 45	59	45	26	11	2	1	0	0	0	0	0	0	0	0	0
	45 - 40	14	11	7	2	1	0	0	0	0	0	0	0	0	0	0
	40 - 35	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

1 - 60 - 60,000

LAT	LAND	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70															
	70 - 65															
	65 - 60															
	60 - 55															
	55 - 50															
	50 - 45															
	45 - 40															
	40 - 35															
	35 - 30															
APRIL	75 - 70															
	70 - 65															
	65 - 60															
	60 - 55															
	55 - 50															
	50 - 45															
	45 - 40															
	40 - 35															
	35 - 30															
JULY	75 - 70															
	70 - 65															
	65 - 60															
	60 - 55															
	55 - 50															
	50 - 45															
	45 - 40															
	40 - 35															
	35 - 30															
OCTOBER	75 - 70															
	70 - 65															
	65 - 60															
	60 - 55															
	55 - 50															
	50 - 45															
	45 - 40															
	40 - 35															
	35 - 30															

TABLE II. EURASIA (CONT.)

1 - 60 - 70,000

LAT BAND		LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	40	33	26	12	4	3	2	1	0	0	0	0	0	0	0
	70 - 65	143	143	94	44	21	8	2	1	0	0	0	0	0	0	0
	65 - 60	267	214	147	68	23	6	2	0	0	0	0	0	0	0	0
	60 - 55	261	214	149	46	14	2	0	0	0	0	0	0	0	0	0
	55 - 50	143	109	62	21	5	1	0	0	0	0	0	0	0	0	0
	50 - 45	37	28	13	4	1	0	0	0	0	0	0	0	0	0	0
	45 - 40	5	4	2	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	24	7	2	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	220	49	6	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	245	65	8	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	23	4	1	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	20	20	10	1	1	0	0	0	0	0	0	0	0	0	0
	65 - 60	454	454	354	112	30	0	0	0	0	0	0	0	0	0	0
	60 - 55	466	450	207	43	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	32	30	4	2	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	24	7	2	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	220	49	6	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	243	65	8	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	23	4	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

1 - 60 - 80,000

LAT-BAND		LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	47	41	34	23	13	8	3	1	1	0	0	0	0	0	0
	70 - 65	147	129	90	55	26	12	4	1	0	0	0	0	0	0	0
	65 - 60	250	211	160	89	37	15	3	1	0	0	0	0	0	0	0
	60 - 55	250	211	136	65	16	5	1	0	0	0	0	0	0	0	0
	55 - 50	148	113	77	31	8	1	0	0	0	0	0	0	0	0	0
	50 - 45	47	37	21	8	2	1	0	0	0	0	0	0	0	0	0
	45 - 40	9	7	4	1	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	27	10	2	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	269	81	14	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	269	81	2	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	28	6	1	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	3	3	3	2	2	1	0	0	0	0	0	0	0	0	0
	70 - 65	70	70	06	46	22	6	1	0	0	0	0	0	0	0	0
	65 - 60	421	417	377	210	59	12	1	0	0	0	0	0	0	0	0
	60 - 55	421	417	362	137	29	1	0	0	0	0	0	0	0	0	0
	55 - 50	86	81	69	29	4	0	0	0	0	0	0	0	0	0	0
	50 - 45	5	5	4	1	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	27	10	2	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	269	81	14	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	269	81	2	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	28	6	1	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

1 - 65 - 40,000

	LAT BAND	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	150	139	113	89	63	34	19	7	3	1	0	0	0	0	0
	70 - 65	236	215	169	145	95	51	24	9	3	1	0	0	0	0	0
	65 - 60	315	290	226	181	121	66	28	9	2	0	0	0	0	0	0
	60 - 55	153	142	100	67	41	24	8	2	0	0	0	0	0	0	0
	55 - 50	76	71	56	39	21	7	3	1	0	0	0	0	0	0	0
	50 - 45	28	25	21	13	6	2	1	0	0	0	0	0	0	0	0
	45 - 40	7	6	4	3	2	1	0	0	0	0	0	0	0	0	0
	40 - 35	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	153	145	124	102	78	46	29	13	6	2	1	0	0	0	0
	70 - 65	223	208	162	134	112	70	36	17	7	3	1	0	0	0	0
	65 - 60	197	186	147	121	101	68	36	15	7	2	1	0	0	0	0
	60 - 55	144	136	108	84	74	44	22	9	3	1	0	0	0	0	0
	55 - 50	80	72	71	55	37	19	9	3	1	0	0	0	0	0	0
	50 - 45	37	35	30	22	15	7	2	1	0	0	0	0	0	0	0
	45 - 40	12	11	9	6	4	2	1	0	0	0	0	0	0	0	0
	40 - 35	3	3	2	1	1	1	0	0	0	0	0	0	0	0	0
	35 - 30	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	142	128	96	68	42	18	9	3	1	0	0	0	0	0	0
	70 - 65	263	226	169	118	62	27	10	3	1	0	0	0	0	0	0
	65 - 60	241	210	166	109	44	18	4	1	0	0	0	0	0	0	0
	60 - 55	153	135	100	59	26	8	2	0	0	0	0	0	0	0	0
	55 - 50	65	58	40	23	10	2	1	0	0	0	0	0	0	0	0
	50 - 45	19	16	12	6	2	0	0	0	0	0	0	0	0	0	0
	45 - 40	4	3	3	1	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	140	126	94	64	38	15	7	2	1	0	0	0	0	0	0
	70 - 65	259	224	170	123	67	30	12	4	1	0	0	0	0	0	0
	65 - 60	236	208	160	106	51	24	7	2	0	0	0	0	0	0	0
	60 - 55	159	137	107	66	34	13	4	1	0	0	0	0	0	0	0
	55 - 50	66	62	45	20	13	4	1	0	0	0	0	0	0	0	0
	50 - 45	23	20	16	9	4	1	1	0	0	0	0	0	0	0	0
	45 - 40	6	5	4	2	1	1	0	0	0	0	0	0	0	0	0
	40 - 35	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

1 - 65 - 60,000

	LAT-LONG	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	140	126	92	64	36	15	7	2	1	0	0	0	0	0	0
	70 - 65	267	225	165	113	57	23	6	2	0	0	0	0	0	0	0
	65 - 60	269	216	153	78	30	12	2	1	0	0	0	0	0	0	0
	60 - 55	149	119	77	37	13	3	1	0	0	0	0	0	0	0	0
	55 - 50	43	36	20	9	3	0	0	0	0	0	0	0	0	0	0
	50 - 45	8	6	3	1	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	80	57	24	8	2	0	0	0	0	0	0	0	0	0	0
	70 - 65	302	177	63	19	2	0	0	0	0	0	0	0	0	0	0
	65 - 60	302	144	44	4	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	80	34	8	1	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	6	2	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	25	12	3	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	269	112	20	2	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	241	148	19	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	31	11	1	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	80	57	24	8	2	0	0	0	0	0	0	0	0	0	0
	70 - 65	302	177	63	19	2	0	0	0	0	0	0	0	0	0	0
	65 - 60	302	144	44	4	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	80	34	8	1	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	6	2	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

I - 65 - 50,000

	LATITUDE	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	148	137	111	85	59	31	17	8	3	1	0	0	0	0	0
	70 - 65	241	215	179	141	98	44	18	6	1	0	0	0	0	0	0
	65 - 60	231	206	170	112	59	24	10	3	1	0	0	0	0	0	0
	60 - 55	153	138	109	72	37	15	5	1	0	0	0	0	0	0	0
	55 - 50	68	62	45	28	13	4	1	0	0	0	0	0	0	0	0
	50 - 45	19	16	12	6	2	0	0	0	0	0	0	0	0	0	0
	45 - 40	4	3	3	1	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	139	123	89	59	33	12	5	1	0	0	0	0	0	0	0
	70 - 65	267	228	180	113	57	23	8	2	0	0	0	0	0	0	0
	65 - 60	250	211	160	89	37	15	3	1	0	0	0	0	0	0	0
	60 - 55	151	131	94	52	21	5	1	0	0	0	0	0	0	0	0
	55 - 50	59	51	35	17	6	1	0	0	0	0	0	0	0	0	0
	50 - 45	14	11	7	3	1	0	0	0	0	0	0	0	0	0	0
	45 - 40	2	2	2	1	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	101	90	44	23	10	3	1	0	0	0	0	0	0	0	0
	70 - 65	207	205	96	43	12	3	1	0	0	0	0	0	0	0	0
	65 - 60	207	175	75	17	3	1	0	0	0	0	0	0	0	0	0
	60 - 55	101	81	23	6	1	0	0	0	0	0	0	0	0	0	0
	55 - 50	14	9	3	1	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	139	123	89	59	33	12	5	1	0	0	0	0	0	0	0
	70 - 65	267	228	180	113	57	23	8	2	0	0	0	0	0	0	0
	65 - 60	250	211	160	89	37	15	3	1	0	0	0	0	0	0	0
	60 - 55	151	131	94	52	21	5	1	0	0	0	0	0	0	0	0
	55 - 50	59	51	35	17	6	1	0	0	0	0	0	0	0	0	0
	50 - 45	14	11	7	3	1	0	0	0	0	0	0	0	0	0	0
	45 - 40	2	2	2	1	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

I - 65 - 70,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	151	142	110	94	68	37	21	8	4	1	0	0	0	0	0
70 - 65	131	121	181	149	102	59	29	12	4	2	0	0	0	0	0
65 - 60	167	214	147	68	23	8	2	0	0	0	0	0	0	0	0
60 - 55	143	116	72	33	11	2	0	0	0	0	0	0	0	0	0
55 - 50	43	36	20	9	3	0	0	0	0	0	0	0	0	0	0
50 - 45	8	6	3	1	0	0	0	0	0	0	0	0	0	0	0
45 - 40	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL															
75 - 70	2	9	2	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	20	72	11	1	0	0	0	0	0	0	0	0	0	0	0
65 - 60	20	49	6	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	2	6	0	0	0	0	0	0	0	0	0	0	0	0	0
55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY															
75 - 70	17	17	15	12	6	1	0	0	0	0	0	0	0	0	0
70 - 65	460	459	344	189	48	4	0	0	0	0	0	0	0	0	0
65 - 60	464	454	359	110	5	0	0	0	0	0	0	0	0	0	0
60 - 55	30	34	16	6	0	0	0	0	0	0	0	0	0	0	0
55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	2	9	2	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	20	72	11	1	0	0	0	0	0	0	0	0	0	0	0
65 - 60	20	49	6	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	2	6	0	0	0	0	0	0	0	0	0	0	0	0	0
55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

1 - 65 - 80,000

LAT BAND		LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	143	130	100	74	46	21	11	4	2	0	0	0	0	0	0
	70 - 65	253	224	170	123	67	30	12	4	1	0	0	0	0	0	0
	65 - 60	250	211	160	89	37	15	3	1	0	0	0	0	0	0	0
	60 - 55	148	125	83	44	17	4	1	0	0	0	0	0	0	0	0
	55 - 50	53	45	20	14	5	1	0	0	0	0	0	0	0	0	0
	50 - 45	11	9	6	2	1	0	0	0	0	0	0	0	0	0	0
	45 - 40	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	26	16	4	1	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	69	112	70	24	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	69	61	11	2	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	27	7	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	57	57	50	48	33	14	5	1	0	0	0	0	0	0	0
	70 - 65	434	432	402	310	141	42	8	1	0	0	0	0	0	0	0
	65 - 60	421	417	377	210	59	12	1	0	0	0	0	0	0	0	0
	60 - 55	76	75	67	38	11	1	0	0	0	0	0	0	0	0	0
	55 - 50	4	4	4	2	1	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	23	16	4	1	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	69	112	70	24	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	69	61	11	2	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	27	7	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

1 - 70 - 40,000

LAT BAND	LONGITUDE															
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	
JANUARY																
75-70	<67	240	199	147	97	57	30	14	6	2	1	0	0	0	0	
70-65	<30	<15	180	145	95	51	24	9	3	1	0	0	0	0	0	
65-60	153	14<	16<	87	50	31	15	6	2	1	0	0	0	0	0	
60-55	7<	<5	56	39	25	12	5	2	1	0	0	0	0	0	0	
55-50	25	23	19	13	9	4	1	1	0	0	0	0	0	0	0	
50-45	7	6	5	3	1	1	0	0	0	0	0	0	0	0	0	
45-40	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	
40-35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
35-30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
30-25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
APRIL																
75-70	267	240	199	147	97	57	30	14	6	2	1	0	0	0	0	
70-65	<23	208	16<	154	112	70	38	17	7	3	1	0	0	0	0	
65-60	152	145	131	104	76	49	28	13	6	2	0	0	0	0	0	
60-55	82	77	70	55	41	<4	14	6	3	0	0	0	0	0	0	
55-50	34	32	<8	21	16	9	4	<	0	0	0	0	0	0	0	
50-45	10	9	8	6	4	2	1	0	0	0	0	0	0	0	0	
45-40	<	2	<	<	1	0	0	0	0	0	0	0	0	0	0	
40-35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
35-30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
30-25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
JULY																
75-70	285	250	197	134	77	36	14	4	1	0	0	0	0	0	0	
70-65	<63	226	160	118	62	<7	10	3	1	0	0	0	0	0	0	
65-60	150	134	106	63	34	15	5	<	0	0	0	0	0	0	0	
60-55	59	51	40	24	13	4	1	0	0	0	0	0	0	0	0	
55-50	16	14	10	6	3	1	0	0	0	0	0	0	0	0	0	
50-45	3	2	2	1	0	0	0	0	0	0	0	0	0	0	0	
45-40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
40-35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
35-30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
30-25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
OCTOBER																
75-70	<91	246	180	117	64	<9	11	3	1	0	0	0	0	0	0	
70-65	<59	224	170	123	67	30	12	4	1	0	0	0	0	0	0	
65-60	151	136	110	68	37	16	5	<	0	0	0	0	0	0	0	
60-55	6<	54	43	<6	14	4	1	0	0	0	0	0	0	0	0	
55-50	19	17	13	8	5	2	0	0	0	0	0	0	0	0	0	
50-45	5	4	3	<	1	0	0	0	0	0	0	0	0	0	0	
45-40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
40-35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
35-30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
30-25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

TABLE II. EURASIA (CONT.)

1 - 70 - 50,000

LATITUDE	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	267	240	199	147	97	57	30	14	6	2	1	0	0	0	0
70 - 65	241	210	179	141	88	44	18	6	1	0	0	0	0	0	0
65 - 60	153	146	117	78	40	23	10	4	1	0	0	0	0	0	0
60 - 55	67	60	49	33	20	8	3	1	0	0	0	0	0	0	0
55 - 50	19	17	13	8	5	2	0	0	0	0	0	0	0	0	0
50 - 45	4	3	3	2	0	0	0	0	0	0	0	0	0	0	0
45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL															
75 - 70	291	246	180	117	64	29	11	3	1	0	0	0	0	0	0
70 - 65	267	228	165	113	57	23	6	2	0	0	0	0	0	0	0
65 - 60	147	129	98	55	28	12	4	1	0	0	0	0	0	0	0
60 - 55	63	45	35	20	10	3	1	0	0	0	0	0	0	0	0
55 - 50	12	11	7	4	2	1	0	0	0	0	0	0	0	0	0
50 - 45	2	1	1	1	0	0	0	0	0	0	0	0	0	0	0
45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY															
75 - 70	307	235	166	75	32	12	4	1	0	0	0	0	0	0	0
70 - 65	307	205	96	43	12	3	1	0	0	0	0	0	0	0	0
65 - 60	101	71	36	10	3	1	0	0	0	0	0	0	0	0	0
60 - 55	14	9	5	2	0	0	0	0	0	0	0	0	0	0	0
55 - 50	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	291	246	180	117	64	29	11	3	1	0	0	0	0	0	0
70 - 65	267	228	165	113	57	23	6	2	0	0	0	0	0	0	0
65 - 60	147	129	98	55	28	12	4	1	0	0	0	0	0	0	0
60 - 55	63	45	35	20	10	3	1	0	0	0	0	0	0	0	0
55 - 50	12	11	7	4	2	1	0	0	0	0	0	0	0	0	0
50 - 45	2	1	1	1	0	0	0	0	0	0	0	0	0	0	0
45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

1 - 70 - 60,000

LAT BAND		LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	<60	256	97	134	77	36	14	4	1	0	0	0	0	0	0
	70 - 65	<67	<<8	90	113	57	<3	6	<	0	0	0	0	0	0	0
	65 - 60	143	123	32	46	<1	0	2	1	0	0	0	0	0	0	0
	60 - 55	45	36	<6	13	6	2	0	0	0	0	0	0	0	0	0
	55 - 50	9	7	0	<	1	0	0	0	0	0	0	0	0	0	0
	50 - 45	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	<87	193	14	39	10	2	0	0	0	0	0	0	0	0	0
	70 - 65	30<	177	63	19	2	0	0	0	0	0	0	0	0	0	0
	65 - 60	80	45	17	<	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	9	3	1	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	<<0	101	3<	6	1	0	0	0	0	0	0	0	0	0	0
	70 - 65	<6>	112	<0	<	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	2>	14	<	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	<87	193	14	39	10	2	0	0	0	0	0	0	0	0	0
	70 - 65	30<	177	63	19	2	0	0	0	0	0	0	0	0	0	0
	65 - 60	80	46	17	<	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	9	3	1	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

I - 70 - 70,000

	LAT - LONG	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	276	245	190	140	87	46	22	9	3	1	0	0	0	0	0
	70 - 65	267	228	165	113	57	23	8	2	0	0	0	0	0	0	0
	65 - 60	143	123	91	46	21	8	2	1	0	0	0	0	0	0	0
	60 - 55	43	36	26	13	6	2	0	0	0	0	0	0	0	0	0
	55 - 50	9	7	5	2	1	0	0	0	0	0	0	0	0	0	0
	50 - 45	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	172	55	9	1	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	220	72	11	1	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	24	7	1	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	474	462	401	201	61	16	3	0	0	0	0	0	0	0	0
	70 - 65	468	459	344	189	46	4	0	0	0	0	0	0	0	0	0
	65 - 60	83	28	22	11	1	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	172	55	9	1	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	220	72	11	1	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	24	7	1	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

1 - 70 - 80,000

LAT. BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	<70	<45	30	140	87	46	22	9	3	1	0	0	0	0	0
70 - 65	<59	24	70	103	57	30	12	4	1	0	0	0	0	0	0
65 - 60	142	12	30	55	26	12	4	1	0	0	0	0	0	0	0
60 - 55	50	4<	3<	13	9	2	1	0	0	0	0	0	0	0	0
55 - 50	11	10	6	4	<	1	0	0	0	0	0	0	0	0	0
50 - 45	<	1	<	1	0	0	0	0	0	0	0	0	0	0	0
45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL															
75 - 70	317	194	77	17	2	0	0	0	0	0	0	0	0	0	0
70 - 65	<69	112	<0	<	0	0	0	0	0	0	0	0	0	0	0
65 - 60	<7	10	<	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY															
75 - 70	448	447	436	360	200	110	36	10	2	0	0	0	0	0	0
70 - 65	434	43<	401	310	141	42	8	1	0	0	0	0	0	0	0
65 - 60	70	70	66	46	22	6	1	0	0	0	0	0	0	0	0
60 - 55	4	4	4	3	1	0	0	0	0	0	0	0	0	0	0
55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	317	194	77	17	2	0	0	0	0	0	0	0	0	0	0
70 - 65	<69	112	<0	<	0	0	0	0	0	0	0	0	0	0	0
65 - 60	27	10	<	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55 - 50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA

3 - 30 - 40,000

												LONGITUDE					
												90	100	110	120	130	140
JANUARY																	
												4	3	2	1	1	1
												7	6	4	3	2	1
												13	11	9	6	4	2	1	1
												21	14	10	7	4	2	1	0
												24	17	12	7	4	2	1	0
												27	19	14	7	5	1	1	0
												34	22	13	7	4	2	0	0
												40	28	16	9	6	3	1	1
												34	21	12	7	3	1	1	0
APRIL																	
												6	6	5	4	3	3	2	
												11	10	8	7	5	4	3	
												17	14	11	9	6	4	3	
												31	24	18	11	8	5	3	1
												34	26	18	12	7	4	3	1
												51	30	20	19	12	7	4	2	1
												41	29	16	11	6	3	1	1
												45	32	20	12	7	4	2	1
												27	16	9	5	2	1	0	
JULY																	
												3	5	3	2	1	0	0	0
												5	5	4	2	2	1	1	0
												9	9	6	4	3	1	1	1
												14	16	7	5	3	1	1	0
												10	12	8	5	2	1	1	0
												23	15	9	5	2	1	1	0
												27	17	10	5	2	1	0	0
												35	25	13	7	4	2	1	0
												30	16	9	5	2	1	0	0
OCTOBER																	
												3	3	3	2	2	1	1	0
												6	6	5	3	3	2	1	1
												11	9	7	5	3	1	1	1
												19	12	9	6	3	2	1	0
												23	10	10	6	4	2	1	0
												37	19	11	7	3	1	1	0
												30	20	12	6	3	1	0	0
												34	22	13	7	3	2	0	0
												37	24	14	8	4	2	1	0
												34	21	12	7	3	1	1	0

TABLE II. EURASIA (CONT.)

3 - 30 - 50,000

LONGITUDE

| | | |

TABLE II. EURASIA (CONT.)

3 - 30 - 60,000

| | | |

TABLE II. EURASIA (CONT.)

3 - 30 - 70,000

	LAT BAND	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	1	1	1	1	1	0	0	0	0	0	0	0	0
	65 - 60	0	1	2	3	3	2	1	1	0	0	0	0	0	0	0
	60 - 55	0	2	5	6	5	4	2	1	0	0	0	0	0	0	0
	55 - 50	1	5	10	11	9	6	2	1	0	0	0	0	0	0	0
	50 - 45	5	10	20	21	14	7	3	1	0	0	0	0	0	0	0
	45 - 40	25	46	46	33	16	9	3	1	0	0	0	0	0	0	0
	40 - 35	114	107	74	39	16	5	2	0	0	0	0	0	0	0	0
	35 - 30	314	202	96	40	10	6	2	0	0	0	0	0	0	0	0
	30 - 25	561	177	75	26	9	2	1	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	1	4	5	1	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	6	20	16	5	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	50	74	35	6	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	260	107	35	9	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	260	167	40	5	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0
	55 - 50	0	0	0	1	3	2	1	0	0	0	0	0	0	0	0
	50 - 45	0	0	0	0	10	6	2	0	0	0	0	0	0	0	0
	45 - 40	0	3	27	39	39	19	4	0	0	0	0	0	0	0	0
	40 - 35	26	49	127	124	75	29	5	0	0	0	0	0	0	0	0
	35 - 30	420	495	266	214	95	34	5	0	0	0	0	0	0	0	0
	30 - 25	471	401	310	154	59	15	1	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	1	4	3	1	0	0	0	0	0	0	0	0	0	0	0
	45 - 40	6	20	12	3	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	50	74	35	6	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	260	107	35	9	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	260	167	46	5	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

3 - 30 - 80,000



TABLE II. EURASIA (CONT.)

3 - 35 - 40,000

		LONGITUDE															
						40	50	60	70	80	90	100	110	120	130	140	
JANUARY	75 – 70	0	1	4	2	4	6	6	0	0	6	5	4	3	3	2	
	70 – 65	0	2	5	7	11	13	13	13	11	10	8	6	4	2	2	
	65 – 60	2	4	7	12	20	22	22	19	16	13	9	6	4	2	1	
	60 – 55	5	8	20	29	34	35	32	26	21	15	10	6	4	2	1	
	55 – 50	29	36	44	52	56	47	35	30	25	16	9	6	3	1	1	
	50 – 45	77	77	79	76	70	59	45	33	23	14	8	4	2	1	0	
	45 – 40	125	147	130	106	88	88	59	37	23	14	7	4	2	1	0	
	40 – 35	217	201	204	120	97	74	55	37	23	13	6	3	1	0	0	
	35 – 30	200	194	182	142	93	74	57	40	20	16	9	6	3	1	1	
	30 – 25	155	140	127	105	84	66	51	35	23	14	7	4	2	1	0	
APRIL	75 – 70	0	1	2	3	5	7	9	9	9	9	8	7	6	5	3	
	70 – 65	0	2	5	8	12	15	16	16	15	14	12	10	7	5	4	
	65 – 60	3	5	10	16	22	25	27	25	22	19	16	12	9	6	4	
	60 – 55	12	12	22	30	38	38	37	36	33	29	23	16	12	9	6	3
	55 – 50	38	39	45	54	55	53	47	39	31	24	17	11	7	4	3	
	50 – 45	82	86	96	96	74	66	54	43	32	22	14	9	5	3	1	
	45 – 40	155	146	134	109	92	74	60	45	31	21	13	8	4	2	1	
	40 – 35	220	192	170	146	100	78	61	44	30	19	11	6	3	1	0	
	35 – 30	199	187	171	129	95	78	64	45	34	20	12	7	4	2	1	
	30 – 25	181	164	142	109	87	71	57	41	29	19	10	6	3	1	0	
JULY	75 – 70	0	1	1	2	3	4	4	4	4	3	2	1	1	1	0	
	70 – 65	0	1	3	6	7	9	9	9	7	5	4	2	2	1	0	
	65 – 60	1	3	7	12	16	16	15	13	10	8	5	3	2	1	0	
	60 – 55	8	10	17	23	23	23	21	19	14	9	6	3	2	1	0	
	55 – 50	24	29	34	47	47	41	33	24	17	11	6	4	2	1	1	
	50 – 45	74	74	77	74	66	54	39	26	18	10	6	3	1	1	0	
	45 – 40	150	146	126	104	84	63	47	31	18	11	5	2	1	1	0	
	40 – 35	223	204	184	142	99	70	50	33	20	11	5	2	1	0	0	
	35 – 30	240	216	189	140	98	71	53	35	23	13	7	4	2	1	0	
	30 – 25	154	145	126	101	82	63	46	31	20	11	5	3	1	0	0	
OCTOBER	75 – 70	0	1	1	2	3	5	5	5	5	4	3	2	2	2	1	
	70 – 65	0	1	3	6	9	10	10	10	8	7	5	3	3	1	1	
	65 – 60	2	3	6	13	18	19	19	18	13	10	7	5	3	1	1	
	60 – 55	8	12	19	28	36	36	35	23	18	13	9	5	3	1	1	
	55 – 50	29	34	41	49	50	46	30	29	21	15	8	5	2	1	1	
	50 – 45	77	77	79	76	70	59	45	33	23	14	8	4	2	1	0	
	45 – 40	129	147	129	106	87	86	61	35	22	13	7	3	2	1	0	
	40 – 35	172	161	140	113	97	74	55	37	23	13	6	3	1	0	0	
	35 – 30	200	193	169	141	91	72	54	37	24	14	8	4	2	1	0	
	30 – 25	153	145	126	106	83	64	45	33	21	12	6	3	1	0	0	

TABLE II. EURASIA (CONT.)

3 - 35 - 50,000

LONGITUDE

JANUARY						3	4	4	4	4	4	3	2	1	1	0
					6	7	6	6	6	7	5	4	2	2	1	0
								14	14	9	7	4	2	2	0	0
				26	44	42	36	27	19	12	7	5	2	1	0	0
				76	74	62	47	31	20	12	5	3	1	0	0	0
				46	76	54	34	36	20	10	5	2	0	0	0	0
				40	74	50	30	37	21	10	5	2	1	0	0	0
				37	72	52	30	44	20	15	7	3	2	1	0	0
				46	76	56	36	36	21	12	5	2	1	0	0	0
APRIL						2	3	3	3	2	2	1	1	1	1	0
						3	6	6	5	4	3	2	1	1	0	0
					9	12	11	10	8	6	4	2	1	1	0	0
				24	43	43	34	27	16	8	5	3	1	0	0	0
			26	39	59	59	49	40	20	13	7	4	2	1	0	0
			30	56	90	90	70	40	25	15	6	3	2	1	0	0
			26	46	76	70	46	29	15	8	3	1	0	0	0	0
			26	46	74	70	46	30	15	8	3	1	0	0	0	0
			26	46	76	70	46	30	15	8	3	1	0	0	0	0
JULY						1	1	1	1	0	0	0	0	0	0	0
						2	2	1	1	0	0	0	0	0	0	0
						4	3	2	1	1	0	0	0	0	0	0
						6	5	3	1	1	0	0	0	0	0	0
						7	4	1	1	0	0	0	0	0	0	0
						7	5	2	1	0	0	0	0	0	0	0
						8	6	3	1	0	0	0	0	0	0	0
						7	4	2	1	0	0	0	0	0	0	0
						6	4	2	1	0	0	0	0	0	0	0
OCTOBER						2	3	3	3	2	2	1	1	1	1	0
					4	5	6	6	5	4	3	2	1	1	0	0
					9	12	11	10	8	6	4	2	1	1	0	0
				24	43	43	31	17	14	8	5	3	1	0	0	0
			26	39	59	59	49	40	20	13	7	4	2	1	0	0
			30	56	90	90	70	40	25	15	6	3	2	1	0	0
			26	46	76	70	46	29	15	8	3	1	0	0	0	0
			26	46	74	70	46	30	15	8	3	1	0	0	0	0
			26	46	76	70	46	30	15	8	3	1	0	0	0	0

TABLE II. EURASIA (CONT.)

3 - 35 - 60,000

	LATITUDE	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	0	0	1	1	2	2	2	1	1	0	0	0	0	0
	70 - 65	0	1	2	3	4	4	3	2	2	1	1	0	0	0	0
	65 - 60	0	2	5	7	7	7	5	4	2	1	1	0	0	0	0
	60 - 55	2	5	12	13	14	12	8	4	3	1	1	0	0	0	0
	55 - 50	7	17	26	29	24	15	9	3	2	1	0	0	0	0	0
	50 - 45	30	47	59	49	33	19	7	3	1	0	0	0	0	0	0
	45 - 40	139	140	103	69	40	19	7	2	0	0	0	0	0	0	0
	40 - 35	262	226	145	86	49	21	7	2	0	0	0	0	0	0	0
	35 - 30	203	226	140	87	44	20	9	3	1	0	0	0	0	0	0
	30 - 25	143	130	104	66	30	17	7	2	1	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	1	1	1	1	0	0	0	0	0	0	0	0	0	0
	60 - 55	1	2	3	2	2	0	0	0	0	0	0	0	0	0	0
	55 - 50	1	6	10	6	2	1	0	0	0	0	0	0	0	0	0
	50 - 45	9	26	24	12	4	1	0	0	0	0	0	0	0	0	0
	45 - 40	31	79	40	18	8	1	0	0	0	0	0	0	0	0	0
	40 - 35	24	71	72	23	8	1	0	0	0	0	0	0	0	0	0
	35 - 30	36	194	83	34	13	3	1	0	0	0	0	0	0	0	0
	30 - 25	99	99	53	19	8	1	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	1	4	4	1	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	2	10	12	4	1	0	0	0	0	0	0	0	0	0	0
	45 - 40	33	53	26	5	1	0	0	0	0	0	0	0	0	0	0
	40 - 35	63	02	22	3	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	22	47	9	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	07	22	3	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	1	1	1	1	0	0	0	0	0	0	0	0	0	0
	60 - 55	1	2	3	2	2	0	0	0	0	0	0	0	0	0	0
	55 - 50	1	5	10	6	2	1	0	0	0	0	0	0	0	0	0
	50 - 45	9	26	24	12	4	1	0	0	0	0	0	0	0	0	0
	45 - 40	31	79	40	18	8	1	0	0	0	0	0	0	0	0	0
	40 - 35	24	71	72	23	8	1	0	0	0	0	0	0	0	0	0
	35 - 30	36	194	83	34	13	3	1	0	0	0	0	0	0	0	0
	30 - 25	99	99	53	19	8	1	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

3 - 35 - 70,000

	LAT BAND	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	0	0	1	1	1	1	1	0	0	0	0	0	0	0
	70 - 65	0	1	2	3	3	3	3	2	1	0	0	0	0	0	0
	65 - 60	0	2	4	6	7	6	4	3	2	1	0	0	0	0	0
	60 - 55	1	6	12	13	12	9	5	2	1	0	0	0	0	0	0
	55 - 50	0	19	26	26	20	12	5	2	1	0	0	0	0	0	0
	50 - 45	30	44	53	42	27	15	6	2	1	0	0	0	0	0	0
	45 - 40	120	115	66	54	29	12	5	1	0	0	0	0	0	0	0
	40 - 35	310	207	112	56	20	11	4	1	0	0	0	0	0	0	0
	35 - 30	312	202	96	45	16	6	2	0	0	0	0	0	0	0	0
	30 - 25	109	100	69	20	11	3	1	0	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	1	4	4	1	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	2	12	13	4	1	0	0	0	0	0	0	0	0	0	0
	45 - 40	30	67	35	7	1	0	0	0	0	0	0	0	0	0	0
	40 - 35	340	156	52	9	1	0	0	0	0	0	0	0	0	0	0
	35 - 30	380	107	55	9	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	32	72	33	4	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
	60 - 55	0	0	0	1	2	2	1	0	0	0	0	0	0	0	0
	55 - 50	0	0	2	7	12	10	4	1	0	0	0	0	0	0	0
	50 - 45	0	2	26	40	46	31	9	2	0	0	0	0	0	0	0
	45 - 40	30	50	126	139	114	58	17	4	0	0	0	0	0	0	0
	40 - 35	460	440	330	247	100	69	15	4	0	0	0	0	0	0	0
	35 - 30	468	440	326	216	90	32	5	0	0	0	0	0	0	0	0
	30 - 25	21	59	124	96	51	15	2	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	1	2	1	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	1	4	4	1	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	2	12	13	4	1	0	0	0	0	0	0	0	0	0	0
	45 - 40	30	67	35	7	1	0	0	0	0	0	0	0	0	0	0
	40 - 35	345	156	52	9	1	0	0	0	0	0	0	0	0	0	0
	35 - 30	380	107	55	9	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	32	72	33	4	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

3 - 35 - 80,000

	LAT BAND	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	0	0	1	2	2	2	2	1	1	1	0	0	0	0
	70 - 65	0	1	4	4	4	4	4	3	2	1	1	0	0	0	0
	65 - 60	0	2	5	7	8	7	6	4	3	2	1	0	0	0	0
	60 - 55	2	7	14	16	16	13	9	5	3	2	1	0	0	0	0
	55 - 50	7	17	28	29	24	15	8	3	2	1	0	0	0	0	0
	50 - 45	22	47	59	49	33	18	7	3	1	0	0	0	0	0	0
	45 - 40	133	226	190	84	37	10	6	2	0	0	0	0	0	0	0
	40 - 35	309	413	422	85	30	15	5	1	0	0	0	0	0	0	0
	35 - 30	306	211	210	57	23	8	3	1	0	0	0	0	0	0	0
	30 - 25	122	209	78	37	17	6	2	1	0	0	0	0	0	0	0
APRIL	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	1	4	5	1	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	2	2	17	6	1	0	0	0	0	0	0	0	0	0	0
	45 - 40	41	80	30	11	2	0	0	0	0	0	0	0	0	0	0
	40 - 35	407	205	73	14	2	0	0	0	0	0	0	0	0	0	0
	35 - 30	380	107	53	9	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	39	79	33	4	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0
	65 - 60	0	0	0	1	1	2	2	2	2	1	1	0	0	0	0
	60 - 55	0	0	1	3	5	7	8	6	4	2	1	0	0	0	0
	55 - 50	0	0	6	15	21	24	20	13	6	2	1	0	0	0	0
	50 - 45	1	6	31	57	84	58	39	22	10	2	1	0	0	0	0
	45 - 40	73	81	167	151	140	101	62	29	10	2	0	0	0	0	0
	40 - 35	463	413	362	234	200	124	61	25	7	2	0	0	0	0	0
	35 - 30	441	429	312	201	104	60	30	8	2	0	0	0	0	0	0
	30 - 25	21	87	141	144	106	44	15	4	1	0	0	0	0	0	0
OCTOBER	75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	60 - 55	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	55 - 50	1	4	5	1	0	0	0	0	0	0	0	0	0	0	0
	50 - 45	2	2	17	6	1	0	0	0	0	0	0	0	0	0	0
	45 - 40	41	80	30	11	2	0	0	0	0	0	0	0	0	0	0
	40 - 35	407	205	73	14	2	0	0	0	0	0	0	0	0	0	0
	35 - 30	380	107	53	9	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	39	79	33	4	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

3 - 40 - 40,000

LATITUDE BAND	LONGITUDE 0°	10°	20°	30°	40°	50°	60°	70°	80°	90°	100°	110°	120°	130°	140°
JANUARY															
70 – 70	0	1	3	5	8	9	10	10	10	9	7	6	4	3	3
70 – 60	2	3	7	11	14	16	15	16	16	13	10	8	6	4	2
60 – 50	8	11	17	26	34	34	32	28	23	18	15	10	7	4	2
50 – 40	29	31	40	47	51	49	43	35	28	19	14	8	6	3	2
40 – 30	75	76	76	77	71	61	50	38	27	18	12	7	4	1	1
30 – 20	100	98	93	102	89	74	54	38	25	16	9	5	2	1	1
20 – 10	123	121	117	130	99	73	53	37	22	13	7	3	1	1	0
10 – 0	141	137	130	163	97	74	52	37	23	13	6	3	1	0	0
0 – 10	155	147	140	205	84	60	50	34	22	13	7	3	2	0	0
10 – 20	163	154	146	246	78	56	45	31	19	12	6	3	1	1	0
APRIL															
70 – 60	6	7	9	12	14	12	14	14	14	13	12	10	8	6	5
60 – 50	13	14	16	19	23	23	23	24	22	20	17	14	11	8	6
50 – 40	24	24	27	34	36	39	36	33	26	24	19	14	10	7	
40 – 30	37	36	40	50	53	55	51	40	33	30	24	18	13	9	6
30 – 20	52	51	54	70	69	69	60	49	38	29	21	14	9	5	3
20 – 10	69	68	73	95	80	66	54	42	32	23	16	11	7	4	2
10 – 0	87	86	93	126	100	76	61	44	30	19	11	6	3	2	0
0 – 10	104	103	111	163	107	71	56	41	29	18	11	6	3	1	1
10 – 20	119	118	127	202	72	60	49	37	25	16	10	5	2	1	1
JULY															
70 – 60	0	1	2	4	0	7	7	7	6	6	4	3	2	1	1
60 – 50	1	2	5	9	13	14	14	13	11	8	6	4	3	2	0
50 – 40	3	5	10	22	20	26	24	20	15	11	7	5	2	2	1
40 – 30	22	22	26	43	40	34	26	20	12	8	4	3	2	1	1
30 – 20	39	39	41	74	60	43	30	19	12	7	3	2	1	0	
20 – 10	55	57	57	109	67	67	47	32	20	12	6	3	1	1	0
10 – 0	67	67	72	129	57	60	47	31	17	9	4	2	1	0	0
0 – 10	77	77	84	142	93	70	50	33	20	11	5	2	1	0	0
10 – 20	84	84	93	156	82	64	47	31	19	10	5	2	1	0	0
OCTOBER															
70 – 60	1	1	2	4	0	0	0	0	0	7	5	4	3	2	1
60 – 50	2	2	5	10	14	16	18	15	13	10	8	6	4	3	1
50 – 40	7	10	16	24	29	30	28	24	19	15	11	8	5	3	2
40 – 30	20	29	30	48	49	40	35	30	25	16	12	7	5	2	1
30 – 20	37	50	53	77	76	70	54	40	30	25	17	11	6	3	1
20 – 10	55	68	73	110	89	74	54	36	25	16	9	5	2	1	1
10 – 0	69	82	91	139	99	73	53	37	22	13	7	3	1	1	0
0 – 10	80	93	105	163	97	74	55	37	25	13	6	3	1	0	0
10 – 20	87	101	114	185	94	66	50	34	22	13	7	3	2	0	0
	92	106	122	211	90	64	47	32	20	12	6	2	1	0	0

TABLE II. EURASIA (CONT.)

3 - 40 - 50,000

	LONGITUDE														
		10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	70 – 75	0	1	2	4	8	7	7	7	6	4	3	2	1	1
	75 – 80	1	2	3	9	13	14	14	13	11	8	6	4	3	0
	80 – 85	2	3	10	22	26	26	24	20	15	11	7	5	2	1
	85 – 90	20	22	40	45	44	40	34	25	16	11	7	4	2	0
	90 – 95	64	67	74	74	65	49	37	24	14	7	4	1	0	0
	95 – 100	152	150	147	105	84	59	36	23	13	6	3	1	0	0
	100 – 105	220	222	206	166	97	64	34	20	9	4	2	1	0	0
	105 – 110	243	243	209	119	90	60	37	21	10	5	2	1	0	0
	110 – 115	150	140	140	101	70	54	36	22	12	6	3	1	1	0	0
	115 – 120	76	74	77	76	60	43	29	18	10	5	2	1	0	0	0
APRIL	75 – 80	0	1	2	3	9	8	5	5	4	4	2	2	1	1	1
	80 – 85	1	2	5	8	12	11	11	9	8	5	4	2	1	1	0
	85 – 90	3	7	13	19	22	21	16	14	10	7	4	2	1	1	0
	90 – 95	10	21	32	39	39	33	25	18	12	7	4	2	1	0	0
	95 – 100	19	29	49	63	58	44	32	20	12	6	3	1	1	0	0
	100 – 105	153	143	142	100	74	52	33	19	10	5	2	1	0	0	0
	105 – 110	224	226	206	146	90	49	26	10	7	3	1	1	0	0	0
	110 – 115	251	217	203	140	86	53	30	16	6	3	1	0	0	0	0
	115 – 120	157	143	123	93	60	46	27	14	6	3	1	0	0	0	0
	120 – 125	61	69	72	60	34	35	21	12	5	2	0	0	0	0	0
JULY	70 – 75	0	0	1	1	1	1	1	1	0	0	0	0	0	0	0
	75 – 80	0	1	2	3	3	2	2	1	1	0	0	0	0	0	0
	80 – 85	1	3	6	8	5	5	3	2	1	0	0	0	0	0	0
	85 – 90	2	4	10	17	13	8	4	2	1	0	0	0	0	0	0
	90 – 95	6	17	34	33	25	10	5	2	1	0	0	0	0	0	0
	95 – 100	14	37	69	53	34	15	7	3	1	0	0	0	0	0	0
	100 – 105	29	65	115	73	37	17	7	2	1	0	0	0	0	0	0
	105 – 110	53	95	146	79	40	18	5	1	1	0	0	0	0	0	0
	110 – 115	89	129	146	80	40	16	5	2	1	0	0	0	0	0	0
	115 – 120	129	146	126	68	30	11	3	1	0	0	0	0	0	0	0
	120 – 125	136	126	86	36	14	5	1	0	0	0	0	0	0	0	0
OCTOBER	70 – 75	2	1	2	3	9	5	5	5	4	4	2	2	1	1	1
	75 – 80	1	2	5	8	10	11	11	9	8	5	4	2	1	1	0
	80 – 85	3	7	13	19	22	21	18	14	10	7	4	2	1	1	0
	85 – 90	11	21	32	39	39	33	25	18	12	7	4	2	1	0	0
	90 – 95	26	43	59	60	50	44	32	20	12	6	3	1	1	0	0
	95 – 100	58	85	106	74	52	33	19	10	5	2	1	0	0	0	0
	100 – 105	116	146	146	96	60	49	26	10	7	3	1	1	0	0	0
	105 – 110	210	226	206	146	90	53	30	16	6	3	1	0	0	0	0
	110 – 115	251	217	203	140	86	46	27	14	6	3	1	0	0	0	0
	115 – 120	157	143	123	93	60	35	21	12	5	2	0	0	0	0	0

TABLE II. EURASIA (CONT.)

3 - 40 - 60,000

		LONGITUDE															
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	
JANUARY					2	4	4	4	3	2	2	1	1	0	0	0	
					6	7	7	7	5	4	2	1	1	0	0	0	
				1	3	10	14	10	7	4	2	1	1	0	0	0	
			1	4	8	11	20	14	8	5	2	1	0	0	0	0	
		2	4	7	10	13	30	22	12	5	2	0	0	0	0	0	
		3	3	4	7	17	40	25	12	5	1	0	0	0	0	0	
		4	5	6	4	26	40	22	9	3	1	0	0	0	0	0	
		4	4	5	4	26	49	21	7	2	0	0	0	0	0	0	
		2	3	4	6	37	17	7	2	1	0	0	0	0	0	0	
		1	2	2	0	45	27	11	5	2	0	0	0	0	0	0	
APRIL																	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	1	1	1	1	0	0	0	0	0	0	0	0	0	0	
		1	2	3	3	2	1	0	0	0	0	0	0	0	0	0	
		1	3	7	9	6	4	1	0	0	0	0	0	0	0	0	
		1	2	4	4	4	2	1	0	0	0	0	0	0	0	0	
		2	1	2	4	8	6	1	0	0	0	0	0	0	0	0	
		1	1	1	2	3	6	1	0	0	0	0	0	0	0	0	
		1	1	2	4	4	4	0	0	0	0	0	0	0	0	0	
		1	1	2	1	2	0	0	0	0	0	0	0	0	0	0	
JULY																	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	
		1	1	2	2	1	0	0	0	0	0	0	0	0	0	0	
		2	2	1	2	7	1	0	0	0	0	0	0	0	0	0	
		2	2	3	7	14	2	0	0	0	0	0	0	0	0	0	
		3	4	5	7	15	2	0	0	0	0	0	0	0	0	0	
		4	5	6	6	5	0	0	0	0	0	0	0	0	0	0	
		4	5	6	6	1	0	0	0	0	0	0	0	0	0	0	
		2	3	4	5	0	0	0	0	0	0	0	0	0	0	0	
OCTOBER																	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	
		1	2	3	3	2	1	0	0	0	0	0	0	0	0	0	
		1	3	7	9	6	4	1	0	0	0	0	0	0	0	0	
		2	4	4	4	4	3	1	0	0	0	0	0	0	0	0	
		3	4	5	6	10	8	1	0	0	0	0	0	0	0	0	
		3	4	5	6	7	8	1	0	0	0	0	0	0	0	0	
		3	3	4	5	7	6	1	0	0	0	0	0	0	0	0	
		2	3	4	5	13	4	0	0	0	0	0	0	0	0	0	
		1	2	2	3	10	2	0	0	0	0	0	0	0	0	0	

TABLE II. EURASIA (CONT.)

3 - 40 - 70,000

LAT. LAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	0	1	2	2	4	4	4	3	2	2	1	1	0	0	0
70 - 65	0	2	4	6	7	7	7	5	4	2	1	1	0	0	0
65 - 60	2	5	11	15	15	14	10	7	4	2	1	1	0	0	0
60 - 55	7	12	27	30	27	20	12	7	3	2	1	0	0	0	0
55 - 50	35	47	50	53	30	22	12	5	2	0	0	0	0	0	0
50 - 45	138	162	107	77	46	25	12	5	1	0	0	0	0	0	0
45 - 40	299	236	144	66	40	22	9	3	1	0	0	0	0	0	0
40 - 35	340	207	112	56	20	11	4	1	0	0	0	0	0	0	0
35 - 30	144	107	74	39	10	6	2	0	0	0	0	0	0	0	0
30 - 25	26	29	30	23	11	4	1	0	0	0	0	0	0	0	0
APRIL															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	0	3	3	1	0	0	0	0	0	0	0	0	0	0	0
55 - 50	1	16	12	5	1	0	0	0	0	0	0	0	0	0	0
50 - 45	33	81	35	20	4	0	0	0	0	0	0	0	0	0	0
45 - 40	149	176	80	43	8	0	0	0	0	0	0	0	0	0	0
40 - 35	245	155	92	39	7	1	0	0	0	0	0	0	0	0	0
35 - 30	30	74	35	6	0	0	0	0	0	0	0	0	0	0	0
30 - 25	2	23	13	2	0	0	0	0	0	0	0	0	0	0	0
JULY															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0
65 - 60	0	0	0	1	2	3	2	1	0	0	0	0	0	0	0
60 - 55	0	0	0	7	14	13	6	3	1	0	0	0	0	0	0
55 - 50	0	2	22	40	50	41	21	5	1	0	0	0	0	0	0
50 - 45	29	43	119	140	134	89	35	7	1	0	0	0	0	0	0
45 - 40	104	414	337	203	213	111	37	6	0	0	0	0	0	0	0
40 - 35	46	446	330	247	130	89	15	2	0	0	0	0	0	0	0
35 - 30	28	49	127	122	75	29	5	0	0	0	0	0	0	0	0
30 - 25	0	3	26	33	20	9	1	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60 - 55	0	3	3	1	0	0	0	0	0	0	0	0	0	0	0
55 - 50	2	16	12	5	1	0	0	0	0	0	0	0	0	0	0
50 - 45	33	81	35	10	2	0	0	0	0	0	0	0	0	0	0
45 - 40	142	172	80	15	2	0	0	0	0	0	0	0	0	0	0
40 - 35	142	132	51	9	1	0	0	0	0	0	0	0	0	0	0
35 - 30	36	74	35	6	0	0	0	0	0	0	0	0	0	0	0
30 - 25	2	23	13	2	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

3 - 40 - 80,000

		LONGITUDE															
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	
JANUARY	70 - 75	0	1	2	3	4	5	5	4	3	3	2	1	1	0	0	
	65 - 70	1	2	4	7	9	12	9	7	5	3	2	1	1	0	0	
	60 - 65	2	6	12	16	17	16	13	9	6	4	2	1	0	0	0	
	55 - 60	4	10	19	24	32	30	18	11	7	4	2	1	0	0	0	
	50 - 55	7	13	25	33	40	39	30	20	11	6	2	1	0	0	0	
	45 - 50	11	18	28	38	44	44	34	26	16	7	2	1	0	0	0	
	40 - 45	15	22	30	39	46	46	37	27	17	8	3	1	0	0	0	
	35 - 40	18	25	32	40	47	47	38	28	18	9	3	1	0	0	0	
	30 - 35	20	27	34	41	48	48	39	29	19	9	3	1	0	0	0	
APRIL	70 - 75	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	65 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	60 - 65	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	
	55 - 60	1	2	3	4	1	0	0	0	0	0	0	0	0	0	0	
	50 - 55	3	4	10	7	1	0	0	0	0	0	0	0	0	0	0	
	45 - 50	5	9	9	10	2	0	0	0	0	0	0	0	0	0	0	
	40 - 45	8	12	7	13	2	0	0	0	0	0	0	0	0	0	0	
	35 - 40	10	14	11	14	2	0	0	0	0	0	0	0	0	0	0	
	30 - 35	11	15	12	15	2	0	0	0	0	0	0	0	0	0	0	
JULY	70 - 75	0	1	0	0	0	0	0	1	1	1	0	0	0	0	0	
	65 - 70	1	2	0	1	2	2	2	2	2	2	1	1	0	0	0	
	60 - 65	2	3	1	2	4	7	9	8	8	4	2	1	0	0	0	
	55 - 60	3	5	2	5	10	15	20	21	14	6	3	1	0	0	0	
	50 - 55	5	8	6	12	22	35	45	47	29	12	5	2	0	0	0	
	45 - 50	8	13	12	25	46	70	90	93	59	25	9	3	1	0	0	
	40 - 45	12	20	21	45	84	130	164	167	107	46	16	5	1	0	0	
	35 - 40	17	29	34	74	140	210	260	261	167	72	25	7	2	0	0	
	30 - 35	24	41	52	114	214	320	394	394	252	108	38	11	3	0	0	
OCTOBER	70 - 75	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	65 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	60 - 65	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	
	55 - 60	1	2	2	3	1	0	0	0	0	0	0	0	0	0	0	
	50 - 55	3	4	5	7	2	0	0	0	0	0	0	0	0	0	0	
	45 - 50	5	8	9	13	3	0	0	0	0	0	0	0	0	0	0	
	40 - 45	8	12	14	20	4	0	0	0	0	0	0	0	0	0	0	
	35 - 40	11	16	19	27	5	0	0	0	0	0	0	0	0	0	0	
	30 - 35	14	20	24	33	6	0	0	0	0	0	0	0	0	0	0	

TABLE II. EURASIA (CONT.)

3 - 45 - 40,000

LAT	LAND	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	70 - 75	4	2	5	9	14	18	17	17	16	15	13	10	9	6	5
	65 - 70	8	10	19	22	26	32	32	30	27	23	19	14	10	8	5
	60 - 65	29	32	37	43	50	52	48	43	35	29	23	16	11	7	5
	55 - 60	73	72	72	79	78	70	61	50	40	30	21	15	9	6	3
	50 - 55	155	135	103	117	100	81	66	53	39	27	17	11	7	3	2
	45 - 50	263	211	156	142	107	82	64	46	31	19	11	7	3	2	1
	40 - 45	260	211	172	130	93	73	53	37	22	13	7	3	2	1	0
	35 - 40	205	171	133	106	80	68	53	37	23	14	7	4	2	1	0
	30 - 35	81	81	81	70	71	58	45	34	22	13	7	4	2	0	0
	25 - 30	31	31	42	23	23	45	32	25	16	9	5	3	1	0	0
APRIL	75 - 80	2	3	6	11	22	20	23	23	23	21	19	16	14	11	9
	70 - 75	11	15	17	23	30	30	36	37	35	31	27	23	18	14	11
	65 - 70	30	40	43	48	52	55	54	51	45	40	33	26	21	16	11
	60 - 65	60	60	60	60	64	60	65	60	51	43	34	26	19	14	9
	55 - 60	122	94	86	126	100	82	76	65	52	41	30	22	16	9	6
	50 - 55	203	147	123	145	114	91	76	61	46	33	22	16	9	6	3
	45 - 50	206	161	109	135	102	86	66	49	33	22	13	7	4	2	1
	40 - 45	155	146	122	109	92	74	60	45	31	21	13	8	4	2	1
	35 - 40	103	94	82	80	73	66	51	38	28	19	12	7	4	2	1
	30 - 35	37	40	47	54	55	49	41	34	23	15	9	5	3	1	1
JULY	75 - 80	1	2	4	7	9	11	12	11	10	9	7	5	3	2	2
	70 - 75	5	7	12	18	26	24	23	20	17	13	9	6	4	2	1
	65 - 70	20	25	32	40	44	43	37	31	25	18	12	7	5	2	2
	60 - 65	61	76	72	74	70	61	49	37	26	18	10	6	4	2	1
	55 - 60	151	149	133	114	90	74	56	40	25	16	9	5	2	1	0
	50 - 55	223	215	177	140	104	77	57	37	22	12	6	4	2	1	0
	45 - 50	231	211	172	129	93	67	47	31	17	9	4	2	1	0	0
	40 - 45	174	148	122	100	74	54	37	24	14	7	3	1	1	0	0
	35 - 40	77	78	78	76	61	50	40	27	17	9	5	2	1	0	0
	30 - 35	42	34	43	36	36	34	26	23	14	7	4	2	1	0	0
OCTOBER	75 - 80	2	2	4	7	10	12	13	13	12	11	9	6	5	3	2
	70 - 75	6	8	13	20	24	27	27	24	21	17	13	10	7	4	3
	65 - 70	24	28	34	43	47	47	42	37	29	23	17	11	6	5	3
	60 - 65	74	78	76	77	73	66	56	44	34	25	17	11	7	4	2
	55 - 60	153	152	134	116	90	78	63	49	34	23	14	9	5	2	1
	50 - 55	228	211	176	141	107	82	64	40	31	19	11	7	3	2	1
	45 - 50	228	211	172	130	93	73	53	37	22	13	7	3	2	1	0
	40 - 45	155	147	129	106	87	66	51	35	22	13	7	3	2	1	0
	35 - 40	80	80	80	78	70	57	44	30	20	12	6	3	1	0	0
	30 - 35	32	33	40	33	33	45	35	25	16	9	5	3	1	0	0

TABLE II. EURASIA (CONT.)

3 - 45 - 50,000

LONGITUDE

		0°	10°	20°	30°	40°	50°	60°	70°	80°	90°	100°	110°	120°	130°	140°
JANUARY	75 – 70				7	10	12	13	13	12	11	9	6	5	3	2
	70 – 60			13	17	24	25	26	23	20	16	12	6	6	4	2
	60 – 50		20	30	40	44	43	37	31	23	16	12	7	5	2	2
	50 – 40	21	27	27	27	27	21	45	37	26	18	10	6	4	2	1
	40 – 30	15	19	25	23	19	9	7	5	3	0	23	14	7	4	2	0	0
	30 – 20		26	27	21	12	7	12	5	2	0	16	9	4	2	1	0	0
	20 – 10	2	4	6	10	12	7	5	4	2	0	9	4	2	1	0	0	0
	10 – 0	2	7	10	7	6	4	3	0	0	0	5	2	0	0	0	0	0
	0 – 10	2	4	6	7	4	4	2	2	0	0	4	2	1	0	0	0	0
APRIL	75 – 70				8	9	7	6	7	9	7	5	4	3	2	1
	70 – 60		3	4	14	19	20	19	16	13	10	7	4	3	1	1
	60 – 50			4	31	32	30	24	17	12	7	4	2	1	1	
	50 – 40	3	5	7	7	9	8	8	6	4	2	1	0	0	0	0
	40 – 30	4	6	7	7	9	8	8	6	4	2	1	0	0	0	0
	30 – 20	4	6	7	7	9	8	8	6	4	2	1	0	0	0	0
	20 – 10	4	6	7	7	9	8	8	6	4	2	1	0	0	0	0
	10 – 0	4	6	7	7	9	8	8	6	4	2	1	0	0	0	0
	0 – 10	4	6	7	7	9	8	8	6	4	2	1	0	0	0	0
JULY	75 – 70				3	3	2	2	1	1	0	0	0	0	0	0
	70 – 60			2	5	6	4	4	2	1	1	0	0	0	0	0
	60 – 50		2	4	10	13	9	5	3	1	1	0	0	0	0	0
	50 – 40	2	4	7	15	21	14	7	3	1	0	0	0	0	0	0
	40 – 30	3	5	8	23	37	26	8	3	1	0	0	0	0	0	0
	30 – 20	3	6	9	23	39	27	7	2	0	0	0	0	0	0	0
	20 – 10	3	6	9	23	40	28	7	2	0	0	0	0	0	0	0
	10 – 0	3	6	9	24	34	19	5	3	1	1	0	0	0	0	0
	0 – 10	3	6	9	21	23	14	7	3	1	1	0	0	0	0	0
OCTOBER	75 – 70			2	6	8	9	10	9	8	7	5	4	3	2	1
	70 – 60		3	6	14	19	20	19	16	13	10	7	4	3	1	1
	60 – 50	2	4	6	17	32	30	24	17	12	7	4	2	1	1	
	50 – 40	3	5	6	7	9	8	8	6	4	2	1	0	0	0	0
	40 – 30	4	6	7	10	13	9	8	6	4	2	1	0	0	0	0
	30 – 20	4	6	7	14	23	13	8	6	4	2	1	0	0	0	0
	20 – 10	4	6	7	14	23	13	8	6	4	2	1	0	0	0	0
	10 – 0	4	6	7	14	23	13	8	6	4	2	1	0	0	0	0
	0 – 10	4	6	7	14	23	13	8	6	4	2	1	0	0	0	0

TABLE II. EURASIA (CONT.)

3 - 45 - 60,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	0	0	3	5	7	7	7	7	5	4	3	2	1	1	0
70 - 65	2	5	9	14	15	16	14	11	8	5	3	2	1	1	0
65 - 60	10	17	20	32	32	27	20	15	9	6	3	2	1	0	0
60 - 55	41	47	00	29	30	36	23	14	8	4	1	1	0	0	0
55 - 50	144	136	110	94	66	40	23	13	5	2	1	0	0	0	0
50 - 45	222	203	169	143	09	36	10	7	2	1	0	0	0	0	0
45 - 40	277	235	141	06	40	22	9	3	1	0	0	0	0	0	0
40 - 35	130	126	103	69	40	16	7	2	0	0	0	0	0	0	0
35 - 30	30	49	50	47	26	14	5	1	0	0	0	0	0	0	0
30 - 25	0	10	29	26	17	8	3	1	0	0	0	0	0	0	0
APRIL															
75 - 70	0	1	1	1	1	1	0	0	0	0	0	0	0	0	0
70 - 65	1	2	3	3	2	2	1	0	0	0	0	0	0	0	0
65 - 60	1	0	10	9	6	2	1	0	0	0	0	0	0	0	0
60 - 55	7	24	20	16	0	3	1	0	0	0	0	0	0	0	0
55 - 50	74	76	52	23	12	3	1	0	0	0	0	0	0	0	0
50 - 45	220	145	64	29	9	2	1	0	0	0	0	0	0	0	0
45 - 40	253	155	57	21	6	1	0	0	0	0	0	0	0	0	0
40 - 35	81	79	40	10	0	1	0	0	0	0	0	0	0	0	0
35 - 30	9	30	20	12	3	1	0	0	0	0	0	0	0	0	0
30 - 25	1	9	10	5	1	0	0	0	0	0	0	0	0	0	0
JULY															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0
65 - 60	1	4	5	3	1	0	0	0	0	0	0	0	0	0	0
60 - 55	6	20	22	11	3	1	0	0	0	0	0	0	0	0	0
55 - 50	39	73	57	24	6	1	0	0	0	0	0	0	0	0	0
50 - 45	322	216	92	31	9	0	0	0	0	0	0	0	0	0	0
45 - 40	340	176	80	15	2	0	0	0	0	0	0	0	0	0	0
40 - 35	32	53	26	5	1	0	0	0	0	0	0	0	0	0	0
35 - 30	2	13	5	1	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	3	2	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	0	1	1	1	1	1	0	0	0	0	0	0	0	0	0
70 - 65	1	2	3	3	2	2	1	0	0	0	0	0	0	0	0
65 - 60	1	0	10	9	6	2	1	0	0	0	0	0	0	0	0
60 - 55	7	24	20	16	0	3	1	0	0	0	0	0	0	0	0
55 - 50	74	76	52	23	12	3	1	0	0	0	0	0	0	0	0
50 - 45	220	145	64	29	9	2	1	0	0	0	0	0	0	0	0
45 - 40	253	155	57	21	6	1	0	0	0	0	0	0	0	0	0
40 - 35	81	79	40	10	0	1	0	0	0	0	0	0	0	0	0
35 - 30	9	30	20	12	3	1	0	0	0	0	0	0	0	0	0
30 - 25	1	9	10	5	1	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

3 - 45 - 70,000



TABLE II. EURASIA (CONT)

3 - 45 - 80,000

LAT	LAND	LONGITUDE															
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	
JANUARY																	
70 - 75		-	<	-	6	0	>	10	9	6	7	5	4	3	<	1	
65 - 70		3	1	1	15	10	12	17	14	11	8	5	3	<	1	1	
60 - 65		13	17	27	33	30	33	26	20	14	10	6	3	2	1	1	
55 - 60		35	32	37	62	57	45	34	21	13	6	4	<	1	1	0	
50 - 55		149	110	122	100	77	51	33	20	10	5	2	1	0	0	0	
45 - 50		218	173	139	141	79	47	29	15	7	3	1	1	0	0	0	
40 - 45		236	213	139	99	50	27	11	4	1	0	0	0	0	0	0	
35 - 40		233	188	98	70	37	16	6	2	0	0	0	0	0	0	0	
30 - 35		130	82	52	40	23	11	4	1	0	0	0	0	0	0	0	
25 - 30		29	19	20	20	12	6	2	1	0	0	0	0	0	0	0	
APRIL																	
70 - 75		-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
65 - 70		0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	
60 - 65		-	-	-	2	1	0	0	0	0	0	0	0	0	0	0	
55 - 60		2	10	10	9	2	1	0	0	0	0	0	0	0	0	0	
50 - 55		20	27	20	10	4	1	0	0	0	0	0	0	0	0	0	
45 - 50		103	91	79	27	4	0	0	0	0	0	0	0	0	0	0	
40 - 45		228	168	77	22	2	0	0	0	0	0	0	0	0	0	0	
35 - 40		82	38	20	12	2	0	0	0	0	0	0	0	0	0	0	
30 - 35		2	23	12	4	0	0	0	0	0	0	0	0	0	0	0	
25 - 30		1	5	3	1	0	0	0	0	0	0	0	0	0	0	0	
JULY																	
70 - 75		0	0	0	0	1	1	2	2		2	2	1	1	1	0	
65 - 70		5	5	3	1	3	5	7	8	6	6	4	2	1	1	0	
60 - 65		1	0	3	9	20	24	24	23	16	12	6	2	1	0	0	
55 - 60		2	2	16	46	83	97	92	50	33	19	8	3	1	0	0	
50 - 55		52	83	71	146	201	135	107	75	41	20	8	2	0	0	0	
45 - 50		4	22	32	276	230	132	30	77	37	14	4	1	0	0	0	
40 - 45		28	415	334	204	217	149	85	40	16	5	1	0	0	0	0	
35 - 40		3	81	47	101	161	101	35	29	10	2	0	0	0	0	0	
30 - 35		-	0	31	57	90	40	22	12	4	1	0	0	0	0	0	
25 - 30		2	0	7	16	20	17	10	4	1	0	0	0	0	0	0	
OCTOBER																	
70 - 75		0	0	-	1	0	0	0	0	0	0	0	0	0	0	0	
65 - 70		0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	
60 - 65		2	4	-	1	1	0	0	0	0	0	0	0	0	0	0	
55 - 60		2	10	10	9	2	1	0	0	0	0	0	0	0	0	0	
50 - 55		10	27	20	9	4	1	0	0	0	0	0	0	0	0	0	
45 - 50		103	91	79	27	4	0	0	0	0	0	0	0	0	0	0	
40 - 45		228	168	77	19	2	0	0	0	0	0	0	0	0	0	0	
35 - 40		82	38	20	12	2	0	0	0	0	0	0	0	0	0	0	
30 - 35		2	23	12	4	0	0	0	0	0	0	0	0	0	0	0	
25 - 30		1	5	3	1	0	0	0	0	0	0	0	0	0	0	0	

TABLE II. EURASIA (CONT.)

3 - 50 - 40,000

	LONGITUDE														
	0	-0	-0	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
	3	3	-4	-7	22	20	20	20	27	24	21	18	15	11	8
	4	-6	-6	-9	17	25	45	45	40	34	29	25	17	13	9
	3	7	7	7	10	75	67	59	50	40	32	24	17	12	8
	12	-5	-7	-9	-7	55	75	60	53	43	31	22	15	10	6
	22	-1	-3	13	22	30	77	60	40	33	23	16	9	5	3
	16	-2	-7	2	-7	26	24	40	31	19	11	7	3	2	1
	10	-3	-5	-4	9	11	34	30	25	16	9	5	2	1	1
	7	7	7	7	7	9	40	33	23	14	8	4	2	1	0
	3	3	4	5	5	4	37	27	19	11	7	3	1	1	0
	2	1	2	3	3	3	24	17	12	9	5	3	1	0	0
APRIL															
	2	1	1	2	2	3	31	30	30	35	33	30	26	23	18	15
	3	3	3	4	5	5	54	53	52	49	43	39	33	27	21	16
	4	2	2	2	3	7	74	67	62	52	45	30	30	23	19
	5	-2	-4	-7	14	11	10	87	70	66	57	46	36	29	22	15
	5	-2	-3	-7	13	12	12	97	74	60	51	40	31	22	16	10
	4	0	-2	-7	13	14	14	91	76	61	46	33	22	16	9	6
	4	-4	-4	-7	-3	9	7	65	55	45	36	27	18	11	7	4
	3	3	3	2	5	7	56	54	43	32	22	14	9	5	3	1
	3	4	4	4	5	6	50	43	34	26	18	12	7	4	3	1
	2	2	3	4	6	7	38	33	26	20	14	9	5	3	1	1
JULY															
	2	2	2	3	14	19	24	24	20	19	15	13	10	7	5	3
	4	4	4	5	6	8	42	34	29	24	20	17	14	7	5	3
	6	7	9	7	7	7	73	65	56	47	37	26	19	13	8	5	3
	5	5	4	5	7	12	14	87	69	53	36	28	18	14	7	4	2
	6	6	6	6	9	10	22	92	66	47	32	21	12	8	4	2	
	5	5	6	7	7	14	14	77	57	37	22	12	6	4	2	1	
	4	5	4	7	8	10	9	67	47	32	20	12	6	3	1	1	0
	3	3	4	5	6	7	7	54	39	26	20	10	6	3	1	1	0
	2	2	3	4	4	6	6	41	32	23	15	9	5	2	1	1	0
	2	3	4	5	5	5	33	30	23	17	11	7	3	2	1	0	0
OCTOBER															
	4	4	5	7	10	14	29	22	23	22	21	17	14	11	8	5	4
	6	6	6	7	8	11	44	43	44	44	37	31	25	20	15	10	7	5
	10	10	9	9	10	12	76	74	67	59	50	41	30	23	16	10	7	4
	13	13	13	13	14	16	22	104	89	73	56	44	34	23	16	11	7	4
	15	15	15	15	16	18	26	124	96	73	50	41	29	19	13	7	4	2
	16	16	16	16	17	19	27	107	82	64	40	31	19	11	7	3	2	1
	15	15	15	15	16	18	25	97	71	54	30	25	16	9	5	2	1	1
	11	11	11	11	12	14	20	76	59	45	33	23	14	8	4	2	1	0
	8	8	8	8	9	11	16	62	46	37	27	19	11	7	3	1	1	0
	5	5	5	6	7	9	13	50	36	30	22	15	8	4	2	1	0	0

TABLE II. EURASIA (CONT.)

3 - 50 - 50,000

LONGITUDE

		30	40	50	60	70	80	90	100	110	120	130	140
JANUARY		36	43	44	47	37	31	25	20	15	10	7	5
		76	74	67	59	50	41	30	23	16	10	7	4
		96	93	85	76	65	46	36	20	13	8	5	3
		126	123	96	86	67	52	21	12	6	4	2	1
		100	100	70	30	30	16	8	4	2	1	0	0
		52	59	36	23	15	6	3	1	0	0	0	0
		70	80	47	31	20	12	5	3	1	0	0	0
		42	41	32	23	15	9	5	2	1	0	0	0
		27	27	23	16	11	7	3	1	1	0	0	0
APRIL		27	27	20	20	17	15	12	9	7	5	3	2
		57	57	53	46	33	22	16	13	9	5	4	2
		76	80	61	50	40	31	20	14	9	5	3	1
		136	97	81	61	44	29	19	11	6	4	2	1
		142	105	85	59	40	26	16	8	5	2	1	0
		121	93	83	63	43	25	13	7	3	1	1	0
		76	74	52	33	19	10	5	2	1	0	0	0
		55	50	40	20	10	8	3	2	1	0	0	0
		32	30	27	18	11	5	3	1	0	0	0	0
		17	17	10	12	7	4	1	0	0	0	0	0
JULY		7	7	6	5	4	2	2	1	1	0	0	0
		17	15	12	6	5	3	2	1	0	0	0	0
		20	17	10	10	6	3	2	1	0	0	0	0
		36	30	23	11	6	2	1	0	0	0	0	0
		26	23	21	10	4	2	1	0	0	0	0	0
		35	31	12	6	3	1	0	0	0	0	0	0
		26	21	15	7	3	1	0	0	0	0	0	0
		46	47	15	6	2	1	0	0	0	0	0	0
		7	19	10	4	1	0	0	0	0	0	0	0
		8	11	6	3	2	0	0	0	0	0	0	0
OCTOBER		35	37	37	33	20	22	16	13	9	5	4	2
		76	80	61	50	40	31	20	14	9	5	3	1
		136	97	81	61	44	29	19	11	6	4	2	1
		142	105	85	59	40	26	16	8	5	2	1	0
		121	93	83	63	43	25	13	7	3	1	1	0
		100	74	52	33	19	10	5	2	1	0	0	0
		66	55	40	20	15	8	3	2	1	0	0	0
		36	41	30	27	10	11	5	3	1	0	0	0
		25	25	10	12	7	4	1	0	0	0	0	0

TABLE II. EURASIA (CONT.)

3 - 50 - 60,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
70 - 75	2	4	0	12	12	10	10	14	12	9	7	5	3	2	1
65 - 70	11	16	21	29	34	34	29	22	17	11	9	5	3	2	1
60 - 65	47	52	61	64	59	48	37	27	19	11	7	5	2	1	0
55 - 60	144	150	142	102	84	65	46	28	17	10	5	3	2	1	0
50 - 55	218	241	186	133	90	64	38	22	12	7	3	2	1	0	0
45 - 50	226	203	122	102	62	36	19	7	2	1	0	0	0	0	0
40 - 45	135	123	87	77	48	25	12	5	1	0	0	0	0	0	0
35 - 40	30	47	52	49	33	16	7	3	1	0	0	0	0	0	0
30 - 35	5	18	28	27	19	10	4	1	0	0	0	0	0	0	0
25 - 30	1	7	13	13	10	5	2	1	0	0	0	0	0	0	0
APRIL															
70 - 75	1	2	2	3	3	2	2	1	0	0	0	0	0	0	0
65 - 70	1	0	0	10	7	5	2	1	0	0	0	0	0	0	0
60 - 65	3	24	26	22	14	6	2	1	0	0	0	0	0	0	0
55 - 60	21	63	67	39	18	8	2	1	0	0	0	0	0	0	0
50 - 55	72	171	92	45	18	6	1	0	0	0	0	0	0	0	0
45 - 50	200	145	53	29	9	2	1	0	0	0	0	0	0	0	0
40 - 45	67	62	22	10	3	1	0	0	0	0	0	0	0	0	0
35 - 40	0	20	12	12	4	1	0	0	0	0	0	0	0	0	0
30 - 35	3	8	10	6	2	0	0	0	0	0	0	0	0	0	0
25 - 30	1	3	4	2	1	0	0	0	0	0	0	0	0	0	0
JULY															
70 - 75	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0
65 - 70	1	4	5	5	2	1	0	0	0	0	0	0	0	0	0
60 - 65	2	17	23	15	8	2	0	0	0	0	0	0	0	0	0
55 - 60	32	78	69	33	10	2	0	0	0	0	0	0	0	0	0
50 - 55	160	235	217	46	12	2	0	0	0	0	0	0	0	0	0
45 - 50	200	210	69	31	5	0	0	0	0	0	0	0	0	0	0
40 - 45	50	67	40	12	2	0	0	0	0	0	0	0	0	0	0
35 - 40	2	10	12	4	1	0	0	0	0	0	0	0	0	0	0
30 - 35	0	4	3	1	0	0	0	0	0	0	0	0	0	0	0
25 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
70 - 75	1	2	2	3	3	2	2	1	0	0	0	0	0	0	0
65 - 70	1	6	10	10	7	5	2	1	0	0	0	0	0	0	0
60 - 65	0	22	22	22	14	6	2	1	0	0	0	0	0	0	0
55 - 60	21	63	67	39	18	8	2	1	0	0	0	0	0	0	0
50 - 55	72	171	92	45	18	6	1	0	0	0	0	0	0	0	0
45 - 50	200	145	53	29	9	2	1	0	0	0	0	0	0	0	0
40 - 45	67	62	42	16	5	1	0	0	0	0	0	0	0	0	0
35 - 40	0	26	22	12	4	1	0	0	0	0	0	0	0	0	0
30 - 35	1	0	10	6	2	0	0	0	0	0	0	0	0	0	0
25 - 30	1	3	4	2	1	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

3 - 50 - 70,000

	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
	4	6	8	12	15	16	16	14	12	9	7	5	3	2	1
	5	8	11	14	18	22	23	22	17	13	9	5	3	2	1
	7	11	15	20	25	30	33	29	22	16	10	6	3	1	0
	10	15	21	28	35	42	45	40	30	21	12	6	3	1	0
	14	21	29	38	48	57	60	53	40	27	15	7	2	0	0
	19	28	38	49	61	72	76	67	50	33	18	8	2	0	0
	24	35	47	60	74	87	91	80	59	38	20	8	2	0	0
	29	41	55	69	84	97	100	87	63	40	20	8	2	0	0
	32	45	59	73	87	98	100	85	60	37	18	7	2	0	0
	33	45	58	70	82	91	92	77	53	32	15	6	1	0	0
APRIL															
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0
	0	0	0	1	2	3	3	2	1	0	0	0	0	0	0
	0	0	1	2	4	6	7	5	3	1	0	0	0	0	0
	0	0	1	3	6	9	11	9	5	2	0	0	0	0	0
	0	0	2	4	8	12	15	12	7	3	0	0	0	0	0
	0	0	2	5	10	15	18	15	9	4	0	0	0	0	0
	0	0	2	5	10	15	19	15	9	4	0	0	0	0	0
	0	0	2	5	10	15	18	15	9	4	0	0	0	0	0
	0	0	1	4	8	12	15	12	7	3	0	0	0	0	0
JULY															
	0	0	0	0	0	1	1	2	1	1	1	0	0	0	0
	0	0	0	1	3	6	10	9	6	2	1	0	0	0	0
	0	0	1	2	4	6	9	10	7	3	1	0	0	0	0
	0	0	1	3	6	9	13	14	10	4	1	0	0	0	0
	0	0	2	4	8	13	18	19	14	6	1	0	0	0	0
	0	0	2	5	10	16	23	24	18	8	2	0	0	0	0
	0	0	2	5	11	18	25	27	20	9	2	0	0	0	0
	0	0	2	5	11	18	26	28	21	9	2	0	0	0	0
	0	0	2	5	10	17	24	26	19	8	2	0	0	0	0
OCTOBER															
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0
	0	0	0	1	2	3	3	2	1	0	0	0	0	0	0
	0	0	1	2	4	6	7	5	3	1	0	0	0	0	0
	0	0	1	3	6	9	11	9	5	2	0	0	0	0	0
	0	0	2	4	8	12	15	12	7	3	0	0	0	0	0
	0	0	2	5	10	15	18	15	9	4	0	0	0	0	0
	0	0	2	5	10	15	19	15	9	4	0	0	0	0	0
	0	0	2	5	10	15	18	15	9	4	0	0	0	0	0
	0	0	1	4	8	12	15	12	7	3	0	0	0	0	0

TABLE II. EURASIA (CONT.)

3 - 50 - 80,000

LAT BAND	LONGITUDE															
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	
JANUARY																
70 - 70	0	0	0	13	17	18	16	17	15	12	9	7	5	3	2	
70 - 60	2	10	26	34	39	46	31	26	20	15	11	6	5	3	2	
60 - 50	50	49	56	69	69	56	43	35	26	17	11	7	4	2	1	
50 - 40	103	98	99	114	96	74	54	30	24	16	9	5	3	1	1	
40 - 30	142	135	128	142	100	75	49	31	19	11	6	3	1	1	0	
30 - 20	73	68	58	62	72	47	25	15	7	3	1	1	0	0	0	
20 - 10	14	13	11	8	5	1	6	7	2	1	0	0	0	0	0	
10 - 0	5	4	2	4	3	3	1	1	0	0	0	0	0	0	0	
0 - 10	0	1	2	2	1	1	0	0	0	0	0	0	0	0	0	
10 - 20	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0	
APRIL																
70 - 70	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	
70 - 60	1	1	1	1	2	1	0	0	0	0	0	0	0	0	0	
60 - 50	4	14	14	8	3	1	0	0	0	0	0	0	0	0	0	
50 - 40	33	61	49	44	8	2	0	0	0	0	0	0	0	0	0	
40 - 30	136	174	80	30	6	1	0	0	0	0	0	0	0	0	0	
30 - 20	136	121	79	27	4	0	0	0	0	0	0	0	0	0	0	
20 - 10	32	80	20	12	2	0	0	0	0	0	0	0	0	0	0	
10 - 0	4	22	17	6	1	0	0	0	0	0	0	0	0	0	0	
0 - 10	1	2	2	2	0	0	0	0	0	0	0	0	0	0	0	
10 - 20	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	
JULY																
70 - 70	0	0	0	1	2	3	5	8	7	7	7	5	4	2	1	
70 - 60	0	0	2	6	12	18	22	24	23	19	14	9	5	2	1	
60 - 50	4	4	14	35	55	84	83	58	45	29	16	10	4	1	1	
50 - 40	82	63	99	130	104	147	127	97	65	41	20	6	3	1	0	
40 - 30	411	417	375	296	240	211	156	106	84	34	14	4	1	0	0	
30 - 20	411	429	346	276	230	100	130	77	37	14	4	1	0	0	0	
20 - 10	82	84	119	151	147	143	86	50	23	8	2	0	0	0	0	
10 - 0	8	8	34	57	84	58	39	22	10	2	1	0	0	0	0	
0 - 10	0	1	1	5	1	1	1	0	3	1	0	0	0	0	0	
10 - 20	0	0	1	3	0	6	4	2	1	0	0	0	0	0	0	
OCTOBER																
70 - 70	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	
70 - 60	1	4	4	4	2	1	0	0	0	0	0	0	0	0	0	
60 - 50	2	14	14	3	3	1	0	0	0	0	0	0	0	0	0	
50 - 40	33	61	49	22	0	2	0	0	0	0	0	0	0	0	0	
40 - 30	136	174	80	30	0	1	0	0	0	0	0	0	0	0	0	
30 - 20	136	121	79	27	4	0	0	0	0	0	0	0	0	0	0	
20 - 10	39	80	21	15	2	0	0	0	0	0	0	0	0	0	0	
10 - 0	4	22	17	6	1	0	0	0	0	0	0	0	0	0	0	
0 - 10	1	3	2	2	0	0	0	0	0	0	0	0	0	0	0	
10 - 20	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	

TABLE II. EURASIA (CONT.)

3 - 55 - 40,000

LAT.	LONG.	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	70 - 75	22	22	23	24	40	44	43	44	41	37	32	26	22	17	14
	65 - 70	71	74	76	77	77	74	70	66	60	49	39	30	25	18	13
	60 - 65	100	100	100	100	100	100	95	77	66	55	44	35	26	19	13
	55 - 60	100	100	100	100	100	100	94	76	65	52	41	32	22	16	10
	50 - 55	100	100	100	100	100	100	95	77	60	40	33	23	15	9	5
	45 - 50	100	100	100	100	100	100	84	66	53	39	27	17	11	6	3
	40 - 45	100	100	100	100	100	100	81	60	50	27	15	12	7	4	1
	35 - 40	100	100	100	100	100	100	67	35	30	23	16	9	6	3	1
	30 - 35	100	100	100	100	100	100	34	30	24	17	11	7	4	2	1
	25 - 30	100	100	100	100	100	100	43	24	21	17	12	8	5	3	1
APRIL	70 - 75	44	44	43	42	44	40	36	36	36	46	42	37	32	27	23
	65 - 70	64	64	63	62	62	60	76	71	66	66	52	44	36	30	24
	60 - 65	100	100	100	100	100	100	92	82	76	67	56	49	41	33	27
	55 - 60	100	100	100	100	100	100	96	87	76	76	66	56	47	37	29
	50 - 55	100	100	100	100	100	100	97	87	74	62	52	40	31	22	16
	45 - 50	100	100	100	100	100	100	89	76	65	52	41	30	22	15	9
	40 - 45	100	100	100	100	100	100	89	60	54	39	30	29	21	14	9
	35 - 40	100	100	100	100	100	100	83	47	39	31	24	17	11	7	4
	30 - 35	100	100	100	100	100	100	82	55	41	24	18	12	8	5	3
	25 - 30	100	100	100	100	100	100	87	61	41	24	18	12	9	6	3
JULY	70 - 75	100	100	100	100	100	100	100	100	100	37	35	30	26	21	16
	65 - 70	100	100	100	100	100	100	100	100	100	67	61	50	42	33	25
	60 - 65	100	100	100	100	100	100	100	100	100	100	76	64	49	36	25
	55 - 60	100	100	100	100	100	100	100	100	100	100	83	64	49	35	24
	50 - 55	100	100	100	100	100	100	100	100	100	100	90	70	47	32	21
	45 - 50	100	100	100	100	100	100	100	100	100	100	100	80	60	40	25
	40 - 45	100	100	100	100	100	100	100	100	100	100	100	100	80	54	30
	35 - 40	100	100	100	100	100	100	100	100	100	100	100	100	100	64	37
	30 - 35	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
	25 - 30	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
OCTOBER	70 - 75	100	100	100	100	100	100	100	100	100	39	34	32	26	23	18
	65 - 70	100	100	100	100	100	100	100	100	100	53	53	45	35	27	19
	60 - 65	100	100	100	100	100	100	100	100	100	97	86	70	55	42	31
	55 - 60	100	100	100	100	100	100	100	100	100	100	89	70	56	41	31
	50 - 55	100	100	100	100	100	100	100	100	100	100	96	73	50	41	29
	45 - 50	100	100	100	100	100	100	100	100	100	100	100	79	63	49	34
	40 - 45	100	100	100	100	100	100	100	100	100	100	100	100	80	58	30
	35 - 40	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
	30 - 35	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
	25 - 30	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100

TABLE II. EURASIA (CONT.)

3 - 55 - 50,000

| | | |

TABLE II. EURASIA (CONT.)

3 - 55 - 60,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	10	15	20	27	32	32	31	27	23	16	14	10	7	5	3
70 - 65	47	50	50	04	03	06	40	37	29	21	14	9	7	4	2
65 - 60	100	144	135	117	97	80	61	45	32	21	14	9	5	3	2
60 - 55	204	241	217	127	109	89	67	45	31	19	12	7	4	2	1
55 - 50	173	241	200	133	90	64	36	22	12	7	3	2	1	0	0
50 - 45	144	120	110	74	60	40	23	13	5	2	1	0	0	0	0
45 - 40	55	87	56	35	30	22	12	5	2	0	0	0	0	0	0
40 - 35	7	17	20	23	14	15	6	3	2	1	0	0	0	0	0
35 - 30	1	6	14	14	12	6	4	2	1	0	0	0	0	0	0
30 - 25	0	2	2	7	0	4	3	1	0	0	0	0	0	0	0
APRIL															
75 - 70	1	5	9	11	10	6	5	3	1	1	0	0	0	0	0
70 - 65	9	21	34	27	21	12	6	3	1	0	0	0	0	0	0
65 - 60	67	92	75	54	31	15	6	2	1	0	0	0	0	0	0
60 - 55	207	210	112	65	20	12	5	1	0	0	0	0	0	0	0
55 - 50	229	177	96	45	10	6	1	0	0	0	0	0	0	0	0
50 - 45	74	75	54	23	12	3	1	0	0	0	0	0	0	0	0
45 - 40	7	14	14	4	2	1	0	0	0	0	0	0	0	0	0
40 - 35	1	5	10	6	2	1	0	0	0	0	0	0	0	0	0
35 - 30	1	2	3	2	1	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0
JULY															
75 - 70	1	3	4	4	3	2	1	0	0	0	0	0	0	0	0
70 - 65	2	13	19	14	9	3	1	0	0	0	0	0	0	0	0
65 - 60	36	60	60	40	17	5	1	0	0	0	0	0	0	0	0
60 - 55	262	266	163	65	19	5	1	0	0	0	0	0	0	0	0
55 - 50	385	235	117	46	12	3	0	0	0	0	0	0	0	0	0
50 - 45	92	75	57	24	8	2	0	0	0	0	0	0	0	0	0
45 - 40	2	21	10	7	1	0	0	0	0	0	0	0	0	0	0
40 - 35	1	3	3	1	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	1	5	9	11	10	6	5	3	1	1	0	0	0	0	0
70 - 65	9	21	34	27	21	12	6	3	1	0	0	0	0	0	0
65 - 60	67	92	76	54	31	15	6	2	1	0	0	0	0	0	0
60 - 55	207	210	114	65	20	12	5	1	0	0	0	0	0	0	0
55 - 50	229	177	96	45	10	6	1	0	0	0	0	0	0	0	0
50 - 45	74	76	54	20	12	3	1	0	0	0	0	0	0	0	0
45 - 40	7	24	24	14	9	1	0	0	0	0	0	0	0	0	0
40 - 35	1	3	10	6	2	1	0	0	0	0	0	0	0	0	0
35 - 30	1	2	3	2	1	0	0	0	0	0	0	0	0	0	0
30 - 25	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

3 - 55 - 70,000



TABLE II. EURASIA (CONT.)

3 - 55 - 80,000

LAT BAND		LONGITUDE															
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	
JANUARY	75 - 70	2	16	22	29	34	35	34	31	27	22	18	13	10	7	5	
	70 - 65	24	55	04	06	00	00	53	42	34	25	19	13	9	6	3	
	65 - 60	155	147	136	121	103	85	67	52	38	26	17	11	6	4	2	
	60 - 55	259	236	197	151	126	90	74	56	37	23	15	9	5	2	1	
	55 - 50	434	355	280	214	155	115	75	49	31	19	11	6	3	1	1	0
	50 - 45	542	440	346	266	200	147	97	51	33	20	10	5	2	1	0	0
	45 - 40	49	33	06	04	40	31	20	11	6	2	1	0	0	0	0	0
	40 - 35	7	17	09	04	04	15	0	3	2	1	0	0	0	0	0	0
	35 - 30	1	6	11	13	1	7	3	1	0	0	0	0	0	0	0	0
	30 - 25	0	2	5	6	5	3	2	0	0	0	0	0	0	0	0	0
APRIL	75 - 70	1	3	5	4	3	2	1	0	0	0	0	0	0	0	0	0
	70 - 65	1	14	10	11	6	2	1	0	0	0	0	0	0	0	0	0
	65 - 60	35	54	46	26	10	3	1	0	0	0	0	0	0	0	0	0
	60 - 55	304	175	76	36	10	2	0	0	0	0	0	0	0	0	0	0
	55 - 50	242	174	69	30	6	1	0	0	0	0	0	0	0	0	0	0
	50 - 45	30	67	45	10	4	1	0	0	0	0	0	0	0	0	0	0
	45 - 40	2	21	10	7	1	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	1	4	5	2	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	3	7	11	16	19	20	19	17	13	10	6	4	
	70 - 65	4	4	8	20	43	57	62	61	54	43	32	21	14	7	3	
	65 - 60	71	78	99	147	140	130	140	118	90	62	40	23	11	5	2	
	60 - 55	441	411	307	364	264	231	193	140	97	56	32	16	6	2	1	
	55 - 50	411	416	317	276	246	211	156	106	64	34	14	4	1	0	0	
	50 - 45	156	93	112	146	121	132	97	75	41	20	6	2	0	0	0	
	45 - 40	3	6	22	53	60	65	55	37	19	8	2	1	0	0	0	
	40 - 35	6	2	6	15	21	24	20	13	6	2	1	0	0	0	0	
	35 - 30	0	0	1	3	7	8	6	5	2	1	0	0	0	0	0	
	30 - 25	0	0	0	1	2	2	2	1	1	0	0	0	0	0	0	
OCTOBER	75 - 70	1	3	4	5	3	2	1	0	0	0	0	0	0	0	0	
	70 - 65	1	13	16	11	6	2	1	0	0	0	0	0	0	0	0	
	65 - 60	35	54	46	26	10	3	1	0	0	0	0	0	0	0	0	
	60 - 55	304	175	76	36	10	2	0	0	0	0	0	0	0	0	0	
	55 - 50	242	174	69	30	6	1	0	0	0	0	0	0	0	0	0	
	50 - 45	30	67	45	10	4	1	0	0	0	0	0	0	0	0	0	
	45 - 40	2	21	10	7	1	0	0	0	0	0	0	0	0	0	0	
	40 - 35	1	4	5	2	0	0	0	0	0	0	0	0	0	0	0	
	35 - 30	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0	
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

TABLE II. EURASIA (CONT.)

3 - 60 - 40.000

	LAT BAND	LONGITUDE 0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	61	69	70	72	73	74	72	67	62	55	47	41	33	26	22
	70 - 65	139	153	146	139	126	110	96	80	75	61	52	42	34	27	19
	65 - 60	147	169	197	175	146	127	107	91	80	67	57	46	35	26	20
	60 - 55	148	167	180	160	133	111	96	76	65	52	41	32	22	16	10
	55 - 50	150	156	140	124	107	91	79	60	53	43	31	22	14	10	6
	50 - 45	72	72	72	72	70	61	50	40	30	21	15	9	6	3	
	45 - 40	43	51	40	47	32	29	43	33	26	19	14	10	6	4	2
	40 - 35	9	13	20	29	34	35	32	20	21	15	10	6	4	2	1
	35 - 30	4	5	12	17	22	23	21	16	14	10	7	4	2	1	0
	30 - 25	2	4	6	11	14	15	12	13	10	7	5	3	1	1	0
APRIL	75 - 70	74	74	72	70	77	77	75	71	67	61	54	46	41	34	29
	70 - 65	114	121	127	135	126	123	106	94	84	72	64	56	47	40	31
	65 - 60	122	124	126	127	120	113	113	93	87	77	68	59	49	42	34
	60 - 55	129	129	127	105	139	119	104	87	76	66	50	47	37	29	21
	55 - 50	125	127	124	122	106	97	87	79	70	60	57	46	36	20	12
	50 - 45	63	69	75	80	84	75	69	60	51	43	34	26	19	14	9
	45 - 40	51	57	73	80	84	85	81	60	59	30	24	16	13	6	6
	40 - 35	24	25	24	30	30	33	30	33	29	23	18	12	9	6	3
	35 - 30	3	5	14	19	24	27	27	24	21	17	13	9	6	4	2
	30 - 25	2	3	6	11	15	19	20	16	14	12	9	6	4	2	1
JULY	75 - 70	50	53	57	63	60	65	60	53	47	38	30	25	18	13	11
	70 - 65	132	134	146	142	142	140	98	74	61	46	35	26	19	13	8
	65 - 60	145	143	140	178	145	142	95	76	63	46	35	24	15	9	6
	60 - 55	147	164	164	193	162	108	83	64	49	35	24	17	10	6	3
	55 - 50	130	149	139	142	100	93	69	53	36	26	18	12	6	4	3
	50 - 45	67	76	73	74	70	61	49	37	26	18	10	10	6	4	2
	45 - 40	42	42	36	43	43	42	34	26	20	12	6	4	3	1	1
	40 - 35	9	14	17	23	23	23	19	14	14	9	6	3	2	1	0
	35 - 30	4	4	7	15	16	19	17	14	10	7	5	3	1	1	0
	30 - 25	3	4	5	9	11	11	11	9	7	4	3	1	1	1	0
OCTOBER	75 - 70	54	56	59	64	67	66	62	55	49	41	33	27	20	15	12
	70 - 65	150	152	144	130	120	105	91	77	65	49	38	29	21	15	9
	65 - 60	139	142	147	177	140	124	101	81	66	50	39	28	19	13	9
	60 - 55	143	147	139	126	130	107	85	70	56	41	31	22	14	10	6
	55 - 50	130	136	139	122	104	87	73	58	44	34	23	16	10	7	4
	50 - 45	74	75	76	77	73	66	58	44	34	25	17	11	7	4	2
	45 - 40	43	42	39	46	49	46	35	34	25	16	12	7	5	2	1
	40 - 35	8	12	19	23	32	32	29	23	20	13	9	5	3	1	1
	35 - 30	4	5	10	16	20	21	19	16	12	9	6	3	2	1	0
	30 - 25	3	4	6	11	13	13	13	11	8	6	4	2	1	1	0

TABLE II. EURASIA (CONT.)

3 - 60 - 50,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
70 - 70	64	66	67	70	73	75	70	65	60	52	43	37	29	22	18
65 - 65	157	153	142	133	121	108	95	82	71	56	45	35	27	20	14
60 - 60	134	122	105	177	140	125	102	83	70	54	44	33	23	17	12
55 - 55	123	121	119	164	130	107	85	70	56	41	31	22	14	10	6
50 - 50	150	149	139	122	103	84	70	55	40	30	20	13	7	5	3
45 - 45	87	75	76	74	70	61	49	37	26	18	10	6	4	2	1
40 - 40	20	20	35	45	44	40	32	25	18	11	7	4	2	1	0
35 - 35	2	2	13	24	20	25	21	16	12	7	5	2	1	0	0
30 - 30	1	4	9	13	10	16	14	11	8	5	3	2	1	0	0
25 - 25	0	1	2	3	10	10	9	7	5	3	2	1	0	0	0
APRIL															
75 - 70	44	43	55	60	63	61	55	46	41	32	25	20	14	9	8
70 - 65	151	147	139	126	111	97	82	67	54	39	30	21	15	10	6
65 - 60	154	150	141	175	140	117	92	70	56	40	30	20	12	7	5
60 - 55	140	130	129	165	120	103	82	59	43	28	18	11	6	3	1
55 - 50	126	140	136	110	97	77	61	44	29	19	11	6	3	2	1
50 - 45	90	83	65	70	63	53	40	28	18	12	6	3	2	1	0
45 - 40	29	21	36	39	33	33	25	18	12	7	4	2	1	0	0
40 - 35	4	5	10	21	23	21	17	12	8	5	3	1	0	0	0
35 - 30	1	3	7	11	13	13	11	8	5	3	1	1	0	0	0
30 - 25	0	1	4	6	7	7	6	4	3	1	1	0	0	0	0
JULY															
75 - 70	19	27	35	40	30	33	25	19	13	9	6	4	2	1	1
70 - 65	109	103	103	85	64	46	31	20	13	7	4	2	1	1	0
65 - 60	147	140	104	110	74	49	29	15	10	4	2	1	1	0	0
60 - 55	147	143	134	99	54	31	17	9	4	2	1	0	0	0	0
55 - 50	109	107	95	64	30	20	11	6	2	1	0	0	0	0	0
50 - 45	49	35	40	33	21	12	6	3	1	1	0	0	0	0	0
45 - 40	9	11	16	17	13	8	4	2	1	0	0	0	0	0	0
40 - 35	1	5	0	9	0	5	3	1	1	0	0	0	0	0	0
35 - 30	0	2	4	5	5	5	2	1	0	0	0	0	0	0	0
30 - 25	0	1	2	3	3	2	1	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	44	40	55	60	63	61	55	46	41	32	25	20	14	9	8
70 - 65	151	147	139	126	111	97	82	67	54	39	30	21	15	10	6
65 - 60	154	150	141	175	140	117	92	70	56	40	30	20	12	7	5
60 - 55	140	130	136	165	120	103	82	59	43	28	18	11	6	3	1
55 - 50	126	140	136	110	97	77	61	44	29	19	11	6	3	2	1
50 - 45	90	83	66	70	63	53	40	28	18	12	6	3	2	1	0
45 - 40	29	21	36	39	33	33	25	18	12	7	4	2	1	0	0
40 - 35	4	6	10	21	23	21	17	12	8	5	3	1	0	0	0
35 - 30	1	3	7	11	13	13	11	8	5	3	1	1	0	0	0
30 - 25	0	1	4	6	7	7	6	4	3	1	1	0	0	0	0

TABLE II. EURASIA (CONT.)

3 - 60 - 60,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
70 - 75	4	40	55	00	03	01	55	48	41	32	25	20	14	9	6
65 - 70	142	144	136	126	100	92	77	61	48	33	24	17	12	8	5
60 - 65	203	201	216	178	133	111	85	63	49	33	24	16	10	6	4
55 - 60	264	261	227	157	110	89	67	45	31	19	12	7	4	2	1
50 - 55	149	140	120	100	04	01	44	26	17	10	5	3	1	1	0
45 - 50	51	51	80	39	20	36	23	14	0	4	1	1	0	0	0
40 - 45	0	10	20	31	20	22	14	0	5	2	1	0	0	0	0
35 - 40	2	0	16	15	14	12	0	4	3	1	1	0	0	0	0
30 - 35	0	2	5	7	7	6	4	2	1	1	0	0	0	0	0
25 - 30	0	1	2	4	4	3	2	1	1	0	0	0	0	0	0
APRIL															
70 - 75	0	20	26	23	24	19	12	6	4	2	1	0	0	0	0
65 - 70	61	59	55	50	44	27	15	7	4	1	0	0	0	0	0
60 - 65	147	126	129	90	49	27	12	4	2	0	0	0	0	0	0
55 - 60	207	210	114	60	20	12	5	1	0	0	0	0	0	0	0
50 - 55	21	20	67	39	10	6	2	1	0	0	0	0	0	0	0
45 - 50	7	24	25	16	0	3	1	0	0	0	0	0	0	0	0
40 - 45	2	7	9	6	4	1	0	0	0	0	0	0	0	0	0
35 - 40	2	2	5	2	2	0	0	0	0	0	0	0	0	0	0
30 - 35	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0
25 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY															
70 - 75	1	12	16	14	10	0	3	1	0	0	0	0	0	0	0
65 - 70	29	27	37	45	20	12	4	1	0	0	0	0	0	0	0
60 - 65	203	241	201	79	33	14	4	1	0	0	0	0	0	0	0
55 - 60	320	206	136	60	19	5	1	0	0	0	0	0	0	0	0
50 - 55	39	70	69	33	10	2	0	0	0	0	0	0	0	0	0
45 - 50	2	20	22	11	3	1	0	0	0	0	0	0	0	0	0
40 - 45	1	4	5	2	1	0	0	0	0	0	0	0	0	0	0
35 - 40	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0
30 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
25 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
70 - 75	0	20	26	23	24	19	12	6	4	2	1	0	0	0	0
65 - 70	61	59	55	50	44	27	15	7	4	1	0	0	0	0	0
60 - 65	147	126	129	90	49	27	12	4	2	0	0	0	0	0	0
55 - 60	207	210	114	60	20	12	5	1	0	0	0	0	0	0	0
50 - 55	21	20	67	39	10	6	2	1	0	0	0	0	0	0	0
45 - 50	7	24	25	16	0	3	1	0	0	0	0	0	0	0	0
40 - 45	2	7	9	6	4	1	0	0	0	0	0	0	0	0	0
35 - 40	2	2	5	2	2	0	0	0	0	0	0	0	0	0	0
30 - 35	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0
25 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

3 - 60 - 70,000

	LAT BAND	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	44	50	55	60	03	01	55	40	41	32	25	20	14	9	8
	70 - 65	142	144	136	126	109	92	77	61	48	33	24	17	12	8	5
	65 - 60	273	247	234	169	131	105	78	55	41	27	19	12	7	4	2
	60 - 55	273	247	226	153	111	83	59	38	25	14	8	5	2	1	0
	55 - 50	141	146	120	105	04	01	44	26	17	10	5	3	1	1	0
	50 - 45	41	47	00	09	00	06	03	14	8	4	1	1	0	0	0
	45 - 40	7	15	07	30	07	00	12	7	3	2	1	0	0	0	0
	40 - 35	1	5	11	13	12	09	5	3	1	0	0	0	0	0	0
	35 - 30	0	2	5	6	5	4	2	1	0	0	0	0	0	0	0
	30 - 25	0	1	2	2	2	2	1	0	0	0	0	0	0	0	0
APRIL	72 - 70	1	11	12	5	5	2	1	0	0	0	0	0	0	0	0
	70 - 65	50	44	39	21	11	5	1	0	0	0	0	0	0	0	0
	65 - 60	203	102	70	31	12	5	1	0	0	0	0	0	0	0	0
	60 - 55	264	103	80	29	0	2	0	0	0	0	0	0	0	0	0
	55 - 50	32	50	50	14	4	1	0	0	0	0	0	0	0	0	0
	50 - 45	1	10	10	6	2	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	3	3	1	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	2	10	22	28	32	53	32	26	19	13	6	2	1
	70 - 65	20	30	49	103	131	132	110	90	75	45	25	11	4	1	0
	65 - 60	464	401	435	304	301	207	212	149	100	49	22	5	1	0	0
	60 - 55	462	400	406	329	203	137	177	90	45	11	2	0	0	0	0
	55 - 50	39	42	00	142	140	129	97	49	16	4	0	0	0	0	0
	50 - 45	0	1	17	36	47	49	24	15	4	1	0	0	0	0	0
	45 - 40	0	0	3	7	12	13	6	3	1	0	0	0	0	0	0
	40 - 35	0	0	0	1	2	2	1	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	1	11	12	5	5	2	1	0	0	0	0	0	0	0	0
	70 - 65	30	44	39	21	11	5	1	0	0	0	0	0	0	0	0
	65 - 60	203	102	70	31	12	5	1	0	0	0	0	0	0	0	0
	60 - 55	264	153	65	29	0	2	0	0	0	0	0	0	0	0	0
	55 - 50	32	50	30	14	4	1	0	0	0	0	0	0	0	0	0
	50 - 45	1	15	13	6	2	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	3	3	1	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

3 - 60 - 80,000

LAT BANDS	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	70 - 75	10	53	37	03	06	65	60	53	47	38	30	25	18	13	11
	65 - 60	121	147	139	116	112	97	82	67	54	39	30	21	15	10	6
	55 - 50	284	256	211	170	140	117	94	70	56	40	30	20	12	7	5
	45 - 40	254	236	197	161	132	98	74	54	37	23	16	9	5	2	1
	35 - 30	185	145	130	114	92	70	54	30	24	16	9	5	2	1	1
	25 - 20	93	56	39	29	27	45	36	21	13	6	4	2	1	1	0
	15 - 10	11	10	29	34	32	26	18	11	7	4	2	1	0	0	0
	5 - 0	2	0	16	15	14	16	0	4	3	1	1	0	0	0	0
	0 - 5	0	2	0	7	7	5	3	2	1	0	0	0	0	0	0
	5 - 10	0	1	2	3	3	3	2	0	0	0	0	0	0	0	0
APRIL	70 - 75	2	13	10	17	12	8	4	1	1	0	0	0	0	0	0
	60 - 65	33	21	33	33	10	8	3	1	0	0	0	0	0	0	0
	50 - 55	304	175	102	50	20	8	2	0	0	0	0	0	0	0	0
	40 - 45	304	175	70	36	10	2	0	0	0	0	0	0	0	0	0
	30 - 35	33	21	49	22	0	1	0	0	0	0	0	0	0	0	0
	20 - 25	2	10	10	9	2	1	0	0	0	0	0	0	0	0	0
	10 - 15	1	4	4	2	1	0	0	0	0	0	0	0	0	0	0
	0 - 5	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	5 - 10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	15 - 20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	70 - 75	3	3	4	10	30	42	52	50	00	50	48	40	30	21	10
	60 - 65	70	76	76	114	139	109	145	140	124	93	72	51	34	22	11
	50 - 55	142	119	107	340	200	157	122	103	149	106	75	46	25	14	8
	40 - 45	142	119	107	341	204	131	123	140	97	50	32	16	8	2	1
	30 - 35	02	03	99	130	152	144	127	97	65	41	20	8	2	1	0
	20 - 25	1	6	10	46	03	07	02	50	33	19	8	3	1	0	0
	10 - 15	0	0	4	13	20	25	26	21	14	8	3	1	0	0	0
	0 - 5	0	0	2	3	0	7	0	0	4	2	1	0	0	0	0
	5 - 10	0	0	0	1	0	2	2	2	1	1	0	0	0	0	0
	15 - 20	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0
OCTOBER	70 - 75	2	13	10	17	12	8	4	1	1	0	0	0	0	0	0
	60 - 65	33	21	33	33	10	8	3	1	0	0	0	0	0	0	0
	50 - 55	304	175	102	50	20	8	2	0	0	0	0	0	0	0	0
	40 - 45	304	175	70	36	10	2	0	0	0	0	0	0	0	0	0
	30 - 35	33	21	49	22	0	1	0	0	0	0	0	0	0	0	0
	20 - 25	2	10	10	9	2	1	0	0	0	0	0	0	0	0	0
	10 - 15	1	4	4	2	1	0	0	0	0	0	0	0	0	0	0
	0 - 5	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	5 - 10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	15 - 20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

3 - 65 - 40,000

LAT BAND	LONGITUDE													
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
70 - 75	184	151	147	135	129	116	105	91	81	70	57	49	41	31	24
65 - 70	232	230	213	196	172	140	124	104	88	77	63	50	39	30	24
60 - 65	217	209	197	175	146	127	107	91	80	67	57	46	35	28	20
55 - 60	182	161	140	130	112	101	89	77	66	55	44	35	26	19	13
50 - 55	79	79	79	79	76	73	67	59	49	40	32	25	17	12	8
45 - 50	42	36	37	42	35	36	46	43	35	28	23	16	11	7	5
40 - 45	5	11	17	26	31	34	32	28	23	18	15	10	7	4	2
35 - 40	2	4	9	15	20	22	22	19	16	13	9	6	4	2	1
30 - 35	0	2	5	9	13	14	14	13	11	9	6	4	2	1	1
25 - 30	0	1	3	5	7	8	8	8	7	5	4	2	1	1	0
APRIL															
75 - 80	157	154	147	141	133	121	111	96	89	79	67	59	51	40	33
70 - 75	220	219	206	192	171	147	126	106	94	84	72	61	50	41	35
65 - 70	227	224	206	179	150	123	103	87	77	66	59	49	42	34	
60 - 65	181	148	142	133	120	107	95	85	76	67	58	49	41	33	27
55 - 60	87	87	86	85	82	78	74	67	60	52	45	37	30	23	19
50 - 55	56	54	53	53	52	55	54	51	45	39	33	28	21	16	11
45 - 50	26	24	29	37	34	36	39	36	33	28	24	19	14	10	7
40 - 45	5	8	16	26	26	28	27	25	22	19	16	12	9	6	4
35 - 40	2	6	10	14	17	18	17	16	14	11	9	6	4	3	
30 - 35	0	1	3	6	9	10	11	12	11	9	6	4	2	1	
JULY															
75 - 80	147	144	137	130	121	106	94	77	65	54	41	33	25	18	13
70 - 75	269	250	222	197	163	135	106	80	68	55	42	30	22	16	12
65 - 70	245	230	210	178	140	113	95	70	63	46	35	24	15	9	6
60 - 65	187	151	142	126	111	93	78	64	49	36	25	17	10	6	4
55 - 60	67	69	72	74	73	61	56	47	35	26	19	14	8	5	3
50 - 55	40	35	36	40	44	43	37	31	25	16	12	7	5	2	2
45 - 50	20	20	19	22	20	20	24	20	15	11	7	5	2	2	1
40 - 45	7	13	7	12	10	16	10	13	10	8	5	3	2	1	0
35 - 40	2	3	4	7	10	11	11	9	8	6	4	3	1	1	1
30 - 35	0	1	3	4	6	7	8	7	6	5	3	3	1	1	0
OCTOBER															
75 - 80	140	142	139	129	119	104	92	75	62	51	38	29	22	15	11
70 - 75	264	247	221	197	165	135	111	89	71	59	45	33	24	18	13
65 - 70	239	220	207	177	140	124	101	81	66	50	39	28	19	13	9
60 - 65	150	151	142	120	112	97	82	69	55	42	31	23	15	11	7
55 - 60	70	72	74	76	74	67	59	50	39	30	23	15	10	7	4
50 - 55	44	42	34	43	47	47	42	37	29	22	17	11	8	5	3
45 - 50	7	10	16	24	29	30	28	24	19	15	11	8	5	3	2
40 - 45	2	3	0	13	18	19	19	16	13	10	7	5	3	1	1
35 - 40	0	2	4	8	11	12	12	11	9	7	5	3	1	1	1
30 - 35	0	1	3	5	6	7	7	7	6	4	3	2	1	1	0

TABLE II. EURASIA (CONT.)

3 - 65 - 50,000

LAT. BAND	LONGITUDE	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	70 - 75	103	100	93	136	127	114	103	89	78	67	54	45	30	20	22
	65 - 70	93	94	116	132	122	113	103	86	74	59	46	35	26	20	
	60 - 65	84	82	80	117	110	105	102	83	70	54	44	33	23	17	12
	55 - 60	100	101	92	103	103	93	83	70	57	49	34	25	17	12	8
	50 - 55	70	72	74	76	74	67	59	50	39	30	23	15	10	7	4
	45 - 50	56	53	52	50	44	43	37	31	23	16	12	7	5	3	2
	40 - 45	3	3	10	22	20	20	24	20	15	11	7	5	2	2	1
	35 - 40	2	2	7	11	10	10	14	12	9	7	4	2	2	0	0
	30 - 35	0	1	4	6	9	9	9	7	6	4	3	2	1	0	0
	25 - 30	0	1	2	4	5	5	6	5	4	3	2	1	0	0	0
APRIL	75 - 70	124	121	103	127	120	102	89	76	59	47	34	26	19	13	8
	70 - 65	127	103	123	126	101	101	103	83	64	51	38	27	19	13	10
	65 - 60	123	120	121	120	110	117	99	76	56	40	30	20	14	7	5
	60 - 55	100	100	100	104	100	91	74	59	44	31	21	14	7	5	3
	55 - 50	81	84	89	72	89	81	60	40	29	20	14	8	5	3	1
	50 - 45	40	41	49	37	39	36	30	24	17	11	7	4	2	1	1
	45 - 40	5	7	10	19	22	21	20	14	10	7	4	2	1	1	0
	40 - 35	1	2	6	9	12	12	10	8	6	4	2	1	1	0	0
	35 - 30	0	1	3	5	7	7	6	5	4	2	1	1	0	0	0
	30 - 25	0	1	2	3	4	4	4	3	2	1	1	0	0	0	0
JULY	75 -	109	100	90	97	90	84	60	34	25	16	11	8	6	3	2
	70 -	87	80	79	103	102	74	49	31	20	13	8	4	2	2	1
	65 - 60	87	86	102	120	74	49	20	15	10	4	2	1	1	0	0
	60 - 55	109	107	97	74	50	31	10	10	6	2	1	1	0	0	0
	55 - 50	80	90	40	36	27	16	10	9	2	1	1	0	0	0	0
	50 - 45	50	11	20	16	13	9	5	3	1	1	0	0	0	0	0
	45 - 40	3	5	8	9	5	3	2	1	0	0	0	0	0	0	0
	40 - 35	2	2	5	4	4	3	2	1	1	0	0	0	0	0	0
	35 - 30	0	1	1	2	2	1	1	1	0	0	0	0	0	0	0
	30 - 25	0	0	1	1	1	1	1	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	124	121	134	127	120	102	85	72	59	47	34	26	19	13	8
	70 - 65	127	103	123	126	101	101	103	83	64	51	38	27	19	13	10
	65 - 60	123	120	121	120	110	117	99	76	56	40	30	20	14	7	5
	60 - 55	100	100	100	104	100	91	74	59	44	31	21	14	7	5	3
	55 - 50	81	84	89	72	89	81	60	40	29	20	14	8	5	3	1
	50 - 45	40	41	49	37	39	36	30	24	17	11	7	4	2	1	1
	45 - 40	5	7	10	19	22	21	20	14	10	7	4	2	1	1	0
	40 - 35	2	2	6	9	12	11	10	0	0	4	2	1	1	0	0
	35 - 30	0	1	3	5	7	7	0	5	4	2	1	1	0	0	0
	30 - 25	0	1	2	3	4	4	4	3	2	1	1	0	0	0	0

TABLE II. EURASIA (CONT.)

3 - 65 - 60,000

	LAT BAND	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	140	142	135	120	119	104	92	75	62	51	36	29	22	15	11
	70 - 65	175	153	143	126	101	131	105	83	64	51	36	27	19	13	10
	65 - 60	164	141	121	117	130	111	90	63	49	33	24	16	10	6	4
	60 - 55	150	144	133	117	99	80	61	45	32	21	14	9	5	3	2
	55 - 50	47	32	01	64	09	48	37	27	17	11	7	4	2	1	0
	50 - 45	10	17	02	32	32	27	20	15	9	5	3	2	1	0	0
	45 - 40	2	5	11	15	10	14	10	7	4	2	1	1	0	0	0
	40 - 35	0	2	4	7	7	7	5	4	2	1	1	0	0	0	0
	35 - 30	0	1	2	3	4	3	2	2	1	0	0	0	0	0	0
	30 - 25	0	0	1	1	2	2	2	1	0	0	0	0	0	0	0
APRIL	75 - 70	87	09	00	70	62	44	31	17	11	6	3	1	1	0	0
	70 - 65	317	246	171	126	01	49	27	14	6	3	1	0	0	0	0
	65 - 60	317	226	154	90	49	27	12	4	2	0	0	0	0	0	0
	60 - 55	87	09	70	54	31	15	6	2	1	0	0	0	0	0	0
	55 - 50	8	22	20	22	14	6	2	1	0	0	0	0	0	0	0
	50 - 45	1	0	10	9	0	2	1	0	0	0	0	0	0	0	0
	45 - 40	1	2	0	3	2	1	0	0	0	0	0	0	0	0	0
	40 - 35	0	1	1	1	1	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	32	44	40	39	27	14	8	3	1	1	0	0	0	0	0
	70 - 65	304	199	117	70	43	20	8	2	1	0	0	0	0	0	0
	65 - 60	360	241	101	79	33	14	4	1	0	0	0	0	0	0	0
	60 - 55	30	05	00	40	17	5	1	0	0	0	0	0	0	0	0
	55 - 50	2	17	23	15	8	2	0	0	0	0	0	0	0	0	0
	50 - 45	1	4	3	3	1	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	87	09	00	78	62	44	31	17	11	6	3	1	1	0	0
	70 - 65	317	246	171	126	01	49	27	14	6	3	1	0	0	0	0
	65 - 60	317	226	154	90	49	27	12	4	2	0	0	0	0	0	0
	60 - 55	87	09	70	54	31	15	6	2	1	0	0	0	0	0	0
	55 - 50	8	22	20	22	14	6	2	1	0	0	0	0	0	0	0
	50 - 45	1	8	10	9	6	2	1	0	0	0	0	0	0	0	0
	45 - 40	1	2	3	3	2	1	0	0	0	0	0	0	0	0	0
	40 - 35	0	1	1	1	1	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

3 - 65 - 70,000

	LAT BAND	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	155	153	146	139	130	110	100	94	84	74	61	52	44	33	27
	70 - 65	4	245	240	194	171	140	125	100	90	80	66	54	44	35	28
	65 - 60	243	247	214	169	131	105	76	55	41	27	19	12	7	4	2
	60 - 55	149	142	132	115	90	77	57	42	28	18	12	7	4	2	1
	55 - 50	47	52	61	64	59	48	37	27	17	11	7	4	2	1	0
	50 - 45	16	17	29	36	36	27	20	15	9	5	3	2	1	0	0
	45 - 40	2	5	11	15	15	14	10	7	4	2	1	1	0	0	0
	40 - 35	0	2	4	6	7	6	4	3	2	1	0	0	0	0	0
	35 - 30	0	1	2	3	3	2	1	1	0	0	0	0	0	0	0
	30 - 25	0	0	1	1	1	1	1	0	0	0	0	0	0	0	0
APRIL	75 - 70	29	39	33	25	10	7	3	1	0	0	0	0	0	0	0
	70 - 65	253	154	82	51	20	12	5	1	0	0	0	0	0	0	0
	65 - 60	263	136	70	31	12	5	1	0	0	0	0	0	0	0	0
	60 - 55	32	50	39	21	8	2	1	0	0	0	0	0	0	0	0
	55 - 50	1	13	12	7	2	1	0	0	0	0	0	0	0	0	0
	50 - 45	0	3	3	1	1	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	17	17	36	71	99	120	115	99	79	61	42	29	20	10	5
	70 - 65	468	406	445	406	347	299	244	181	127	93	60	32	14	5	2
	65 - 60	464	401	435	354	301	207	212	149	100	49	22	5	1	0	0
	60 - 55	35	30	89	146	142	135	114	66	44	17	5	1	0	0	0
	55 - 50	0	0	12	31	42	30	46	31	13	4	1	0	0	0	0
	50 - 45	0	0	2	5	9	13	11	7	2	1	0	0	0	0	0
	45 - 40	0	0	0	1	2	3	2	1	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25		0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	29	39	36	25	10	7	3	1	0	0	0	0	0	0	0
	70 - 65	253	154	82	51	20	12	5	1	0	0	0	0	0	0	0
	65 - 60	263	136	70	31	12	5	1	0	0	0	0	0	0	0	0
	60 - 55	32	50	39	21	8	2	1	0	0	0	0	0	0	0	0
	55 - 50	1	13	12	7	2	1	0	0	0	0	0	0	0	0	0
	50 - 45	0	3	3	1	1	0	0	0	0	0	0	0	0	0	0
	45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

3 - 65 - 80,000

LONGITUDE

LAT BAND		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	70 - 75	149	149	150	151	146	100	90	80	60	57	44	36	28	20	15
	65 - 70	147	147	141	137	130	135	121	89	71	59	45	33	24	18	13
	60 - 65	134	136	121	115	114	117	94	70	56	40	30	20	14	7	5
	55 - 60	124	127	136	121	103	85	67	54	36	26	17	11	6	4	2
	50 - 55	59	59	66	69	60	56	45	35	24	17	11	7	4	2	1
	45 - 50	28	27	27	25	30	30	26	20	14	9	6	3	2	1	1
	40 - 45	8	8	12	10	7	10	13	9	6	4	2	1	0	0	0
	35 - 40	2	6	5	7	0	7	6	4	3	2	1	0	0	0	0
	30 - 35	0	1	2	3	4	3	2	2	1	0	0	0	0	0	0
	25 - 30	0	0	1	1	1	1	1	0	0	0	0	0	0	0	0
APRIL	70 - 75	22	22	20	20	32	22	13	5	2	1	0	0	0	0	0
	65 - 70	44	44	41	70	43	20	8	2	1	0	0	0	0	0	0
	60 - 65	84	87	84	84	62	28	8	2	0	0	0	0	0	0	0
	55 - 60	52	54	46	46	26	10	3	1	0	0	0	0	0	0	0
	50 - 55	14	14	14	16	3	1	1	0	0	0	0	0	0	0	0
	45 - 50	4	4	4	4	1	0	0	0	0	0	0	0	0	0	0
	40 - 45	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	35 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	70 - 75	57	57	62	79	109	140	140	140	142	132	110	89	69	6	34
	65 - 70	94	94	94	89	83	62	62	53	38	26	16	8	8	37	25
	60 - 65	148	149	140	134	120	87	62	50	29	16	8	5	2	1	0
	55 - 60	79	76	72	62	47	30	19	10	6	2	1	0	0	0	0
	50 - 55	35	35	35	33	26	21	14	8	4	2	1	0	0	0	0
	45 - 50	14	14	14	14	11	8	6	4	2	1	0	0	0	0	0
	40 - 45	5	5	5	5	4	3	2	1	1	0	0	0	0	0	0
	35 - 40	2	2	2	2	1	1	1	0	0	0	0	0	0	0	0
	30 - 35	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0
OCTOBER	70 - 75	33	33	34	33	32	22	13	5	2	1	0	0	0	0	0
	65 - 70	64	64	67	70	43	20	8	2	1	0	0	0	0	0	0
	60 - 65	94	94	94	84	62	28	8	2	0	0	0	0	0	0	0
	55 - 60	52	54	46	46	26	10	3	1	0	0	0	0	0	0	0
	50 - 55	14	14	14	16	3	1	1	0	0	0	0	0	0	0	0
	45 - 50	4	4	4	4	1	0	0	0	0	0	0	0	0	0	0
	40 - 45	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0
	35 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

3 - 70 - 40,000

LONGITUDE

JANUARY																			
APRIL																			
JULY																			
OCTOBER																			

TABLE II. EURASIA (CONT.)

3 - 70 - 50,000

LONGITUDE

JANUARY																		
APRIL																		
JULY																		
OCTOBER																		

TABLE II. EURASIA (CONT.)

3 - 70 - 60,000



TABLE II. EURASIA (CONT.)

3 - 70 - 70,000



TABLE II. EURASIA (CONT.)

3 - 70 - 80,000

LAT BAND	LONGITUDE															
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	
JANUARY																
75 - 70	493	467	443	423	403	390	333	311	272	76	60	48	37	28	20	
70 - 65	464	447	414	391	401	395	341	291	271	59	45	33	24	18	13	
65 - 60	151	147	139	126	142	97	82	67	54	39	30	21	15	10	6	
60 - 55	26	17	06	06	06	06	53	44	34	20	19	13	9	6	3	
55 - 50	13	23	46	13	36	06	06	31	20	20	15	11	6	5	3	2
50 - 45	2	2	2	2	2	1	1	1	1	1	1	1	1	1	1	1
45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
APRIL																
75 - 70	543	471	443	423	403	390	333	311	272	76	60	48	37	28	20	
70 - 65	464	447	414	391	401	395	341	291	271	59	45	33	24	18	13	
65 - 60	151	147	139	126	142	97	82	67	54	39	30	21	15	10	6	
60 - 55	26	17	06	06	06	06	53	44	34	20	19	13	9	6	3	
55 - 50	13	23	46	13	36	06	06	31	20	20	15	11	6	5	3	2
50 - 45	2	2	2	2	2	1	1	1	1	1	1	1	1	1	1	1
45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY																
75 - 70	448	443	443	422	384	336	303	263	223	235	205	171	135	101	71	
70 - 65	343	343	333	325	312	276	263	213	190	166	126	88	56	37	22	
65 - 60	76	76	76	12	129	100	49	40	124	95	72	51	34	22	11	
60 - 55	11	14	10	14	43	27	06	01	04	43	32	21	14	7	3	
55 - 50	2	0	4	7	14	10	02	04	03	19	14	9	5	2	1	
50 - 45	0	0	0	1	3	2	2	2	2	1	1	0	0	0	0	
45 - 40	0	0	0	0	1	1	1	1	1	0	0	0	0	0	0	
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
OCTOBER																
75 - 70	493	467	443	423	403	390	333	311	272	76	60	48	37	28	20	
70 - 65	464	447	414	391	401	395	341	291	271	59	45	33	24	18	13	
65 - 60	151	147	139	126	142	97	82	67	54	39	30	21	15	10	6	
60 - 55	26	17	06	06	06	06	53	44	34	20	19	13	9	6	3	
55 - 50	13	23	46	13	36	06	06	31	20	20	15	11	6	5	3	2
50 - 45	2	2	2	2	2	1	1	1	1	1	1	1	1	1	1	1
45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA

6 - 30 - 40,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
70 - 76	0	1	4	3	5	7	9	10	12	13	14	15	15	14	14
66 - 70	1	1	3	6	10	13	15	17	18	20	21	21	19	18	17
60 - 66	3	4	7	14	17	21	24	26	28	28	28	27	26	23	21
50 - 60	4	5	11	21	29	33	35	37	37	36	35	32	29	26	22
40 - 50	9	14	24	37	44	47	48	48	46	43	40	36	32	27	22
30 - 40	11	16	26	38	43	43	60	57	53	48	44	38	33	27	22
20 - 30	14	18	28	38	42	47	71	65	60	54	47	40	34	27	22
10 - 20	15	19	28	36	37	37	70	1	63	56	49	41	34	27	21
0 - 10	15	19	26	32	29	32	63	73	66	58	51	45	37	31	25
10 - 0	14	17	23	28	23	20	79	70	62	54	48	40	33	26	20
APRIL															
70 - 76	0	1	4	9	5	7	9	11	13	14	15	16	17	17	17
66 - 70	1	1	3	6	10	13	16	18	20	22	23	24	23	23	22
60 - 66	2	3	5	11	17	22	25	27	29	30	30	30	30	28	27
50 - 60	4	6	12	20	28	34	36	36	36	39	36	36	34	32	29
40 - 50	7	11	20	32	44	43	49	49	46	43	44	40	37	33	29
30 - 40	9	14	24	36	43	43	61	59	55	51	46	43	38	33	29
20 - 30	11	15	25	36	43	43	79	76	67	62	56	50	45	39	33	28
10 - 20	12	15	25	35	43	43	79	76	65	59	52	46	39	33	27
0 - 10	12	15	24	33	41	43	76	73	66	60	54	49	42	36	30
10 - 0	12	15	23	31	40	43	90	80	74	64	57	52	45	39	32	26
JULY															
70 - 76	0	1	4	5	4	6	8	9	11	12	12	12	12	11	10
66 - 70	0	1	3	6	9	12	14	16	17	18	18	17	15	14	13
60 - 66	1	2	7	11	16	20	23	24	25	25	24	22	21	18	15
50 - 60	2	5	12	19	27	31	33	35	34	32	31	27	24	21	17
40 - 50	4	7	14	23	32	45	46	45	42	38	34	30	26	21	16
30 - 40	6	9	16	27	37	51	56	54	49	44	39	33	28	22	18
20 - 30	7	10	17	29	39	51	76	69	63	56	50	43	35	29	23	18
10 - 20	8	11	18	30	40	51	76	76	70	62	55	47	39	31	24	18
0 - 10	8	11	18	30	40	51	82	82	72	65	56	49	42	33	27	21
10 - 0	8	11	18	30	40	51	90	79	69	61	52	45	37	30	23	17
OCTOBER															
70 - 76	0	1	4	3	4	6	8	10	11	12	13	13	13	12	12
66 - 70	1	1	3	6	9	12	14	16	18	19	20	19	18	17	15
60 - 66	2	4	7	11	16	20	23	25	26	26	26	24	20	20	17
50 - 60	4	5	13	20	28	32	34	36	36	34	33	30	26	23	19
40 - 50	9	14	24	37	43	46	47	47	45	42	39	35	30	26	21
30 - 40	12	16	26	36	43	43	60	57	53	48	44	38	33	27	22
20 - 30	14	18	28	38	42	47	71	65	59	53	46	39	33	26	21
10 - 20	15	19	28	36	37	37	70	71	63	56	49	41	34	27	21
0 - 10	15	19	26	32	29	32	73	73	65	57	50	43	35	29	22
10 - 0	14	17	23	28	23	20	79	70	62	54	46	40	33	26	20

TABLE II. EURASIA (CONT.)

6 - 30 - 50,000

	LAT BAND	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	1	2	3	4	6	8	9	11	12	12	12	12	11	10
	70 - 65	4	1	3	6	9	12	14	16	17	18	16	17	15	14	13
	65 - 60	1	2	6	11	15	19	22	23	24	23	22	20	18	15	13
	60 - 55	1	4	16	20	26	30	32	33	32	30	27	24	20	17	13
	55 - 50	8	21	22	34	40	43	44	42	39	35	30	26	21	17	12
	50 - 45	21	36	44	56	58	58	54	50	43	38	31	24	19	14	10
	45 - 40	79	74	82	83	80	75	65	57	50	42	34	26	20	15	11
	40 - 35	157	149	132	113	98	84	74	64	55	46	38	30	22	16	12
	35 - 30	224	208	204	188	104	91	80	68	60	50	42	34	25	20	14
	30 - 25	268	276	232	166	162	89	76	65	55	46	36	29	22	15	10
APRIL	75 - 70	0	1	2	3	4	5	7	8	9	9	9	9	9	8	7
	70 - 65	0	1	3	6	8	10	12	14	14	14	14	13	11	10	8
	65 - 60	1	2	5	10	14	18	20	21	21	20	19	16	14	11	8
	60 - 55	1	4	11	17	24	28	31	31	30	27	24	20	16	13	9
	55 - 50	4	10	21	33	38	41	42	40	36	31	26	21	16	12	8
	50 - 45	17	28	43	55	56	56	51	46	39	33	26	19	15	10	6
	45 - 40	61	71	81	82	79	71	63	54	46	37	29	21	15	10	6
	40 - 35	155	149	136	113	95	82	70	60	49	39	30	22	15	10	6
	35 - 30	222	211	186	169	102	88	76	63	53	43	34	26	18	13	9
	30 - 25	235	208	180	123	102	85	71	59	48	38	30	22	15	10	6
JULY	75 - 70	0	1	2	2	2	3	3	3	3	3	2	2	2	1	1
	70 - 65	1	1	2	4	6	6	7	7	6	5	4	3	2	1	1
	65 - 60	1	3	5	8	10	11	11	10	8	6	5	4	2	1	1
	60 - 55	1	5	10	15	19	19	18	15	12	9	6	3	2	1	1
	55 - 50	2	10	21	29	32	31	27	22	15	11	6	4	2	1	0
	50 - 45	7	24	41	52	50	45	37	26	20	12	7	4	2	1	0
	45 - 40	44	60	77	77	70	59	47	36	26	18	11	7	4	3	1
	40 - 35	156	141	122	102	87	70	55	42	31	22	15	10	6	3	2
	35 - 30	230	223	206	169	102	82	67	52	41	30	22	15	9	6	3
	30 - 25	232	217	200	166	99	78	62	48	36	25	18	11	6	4	2
OCTOBER	75 - 70	0	1	2	3	4	5	7	8	9	9	9	9	9	8	7
	70 - 65	0	1	3	6	8	10	12	14	14	14	14	13	11	10	8
	65 - 60	1	2	6	10	14	18	20	21	21	20	19	16	14	11	8
	60 - 55	1	4	11	17	24	28	31	31	30	27	24	20	16	13	9
	55 - 50	4	10	21	33	38	41	42	40	36	31	26	21	16	12	8
	50 - 45	17	29	43	55	56	56	51	46	39	33	26	19	15	10	6
	45 - 40	61	71	81	83	79	71	63	54	46	37	29	21	15	10	6
	40 - 35	155	149	136	113	95	82	70	60	49	39	30	22	15	10	6
	35 - 30	223	213	186	169	102	88	76	63	53	43	34	26	18	13	9
	30 - 25	235	208	180	123	102	85	71	59	48	38	30	22	15	10	6

TABLE II. EURASIA (CONT.)

6 - 30 - 60,000


LAT BAND
LONGITUDE
JANUARY
APRIL
JULY
OCTOBER
0 10 20 30 40 50 70 80 90 100 110 120 130 140
75 - 70
6 5 5 5 4 3
9 6 5 4 3
11 10 7 5 4 3
14 10 7 6 3 3
14 9 6 3 2 1
12 7 4 2 1 0
13 7 3 1 1 0
15 8 5 2 1 1
15 9 5 3 1 1
12 7 4 2 1 0
0 0 0 0 0 0
0 0 0 0 0 0
0 0 0 0 0

TABLE II. EURASIA (CONT.)

6 - 30 - 70,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 – 70	0	1	4	4	3	4	5	5	5	5	4	3	3	2	1
70 – 65	0	2	3	5	7	8	9	9	8	7	6	4	3	2	1
65 – 60	1	3	6	9	12	14	14	13	11	9	7	5	3	2	1
60 – 55	1	3	5	8	10	10	15	15	14	10	6	4	3	1	1
55 – 50	2	5	9	12	20	20	19	19	14	10	6	3	2	1	0
50 – 45	2	6	10	14	30	20	24	20	14	10	6	3	2	1	0
45 – 40	3	8	15	20	44	46	35	26	21	14	8	5	3	1	0
40 – 35	3	8	14	20	46	53	40	29	20	13	8	4	2	1	0
35 – 30	4	10	14	20	46	53	46	33	15	9	5	2	1	0	0
30 – 25	4	10	14	20	46	51	57	37	13	8	4	2	1	0	0
25 – 20	5	10	14	19	34	51	57	24	12	6	3	1	0	0	0
20 – 15	5	10	14	17	26	34	34	14	6	3	1	1	0	0	0
APRIL															
75 – 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 – 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 – 60	0	0	1	1	1	2	0	0	0	0	0	0	0	0	0
60 – 55	0	1	2	2	2	2	1	0	0	0	0	0	0	0	0
55 – 50	0	2	4	7	6	4	2	0	0	0	0	0	0	0	0
50 – 45	1	4	7	12	10	7	4	1	0	0	0	0	0	0	0
45 – 40	2	6	12	17	20	10	6	2	0	0	0	0	0	0	0
40 – 35	4	12	17	22	20	13	8	2	0	0	0	0	0	0	0
35 – 30	4	12	17	22	20	13	8	2	0	0	0	0	0	0	0
30 – 25	4	12	17	22	20	13	8	2	0	0	0	0	0	0	0
25 – 20	4	12	17	22	20	13	8	2	0	0	0	0	0	0	0
20 – 15	4	12	17	22	20	13	8	2	0	0	0	0	0	0	0
JULY															
75 – 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 – 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 – 60	0	0	0	0	0	0	1	1	2	2	2	2	1	1	0
60 – 55	0	0	0	0	1	2	4	5	6	6	5	4	2	1	0
55 – 50	0	0	0	2	5	8	13	16	18	16	12	7	3	1	0
50 – 45	0	0	0	4	11	20	29	33	37	35	27	18	8	3	1
45 – 40	0	0	2	9	47	67	77	79	74	62	43	24	10	2	1
40 – 35	0	1	4	9	34	104	146	146	97	72	46	22	8	1	0
35 – 30	0	2	5	14	53	148	197	146	99	69	37	16	5	1	0
30 – 25	1	3	8	23	83	237	197	146	99	69	37	16	5	1	0
25 – 20	1	3	8	23	83	232	177	106	66	36	17	6	1	0	0
20 – 15	1	3	8	23	77	232	177	106	66	36	17	6	1	0	0
OCTOBER															
75 – 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 – 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 – 60	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0
60 – 55	0	1	2	4	4	4	2	1	0	0	0	0	0	0	0
55 – 50	0	2	4	7	6	4	2	1	0	0	0	0	0	0	0
50 – 45	1	4	7	12	10	7	4	1	0	0	0	0	0	0	0
45 – 40	2	6	12	17	20	10	6	2	0	0	0	0	0	0	0
40 – 35	4	12	17	22	20	13	8	2	0	0	0	0	0	0	0
35 – 30	4	12	17	22	20	13	8	2	0	0	0	0	0	0	0
30 – 25	4	12	17	22	20	13	8	2	0	0	0	0	0	0	0
25 – 20	4	12	17	22	20	13	8	2	0	0	0	0	0	0	0
20 – 15	4	12	17	22	20	13	8	2	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

6 - 30 - 80,000

LONGITUDE

		30	40	50	60	70	80	90	100	110	120	130	140
JANUARY		4	3	4	5	6	8	6	5	5	5	4	3
		7	7	9	10	10	10	9	8	6	5	4	3
		11	11	12	13	15	13	11	10	7	5	4	3
		14	14	16	17	17	17	13	9	6	4	2	2
		17	17	19	21	24	17	12	7	4	2	1	0
		21	21	24	27	34	20	16	11	6	4	2	1	0
		24	25	28	31	36	25	17	10	6	2	1	1	0
		27	28	31	34	41	29	17	12	7	4	2	1	0	0
		30	31	34	37	44	31	19	12	6	3	1	1	0	0
		33	34	37	40	47	34	19	7	4	2	1	0	0	0
APRIL		0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	1	0	0	0	0	0	0	0	0	0
		0	0	0	0	1	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY		0	0	0	0	0	0	1	1	1	1	1	1	1	1
		0	0	0	0	1	1	1	2	2	3	3	3	3	3
		0	0	0	2	2	4	5	6	7	7	7	7	6	6
		0	0	0	4	6	7	11	13	14	14	13	11	9	9
		0	0	1	5	9	14	20	23	26	25	21	16	11	11
		0	0	2	7	13	21	30	36	40	41	34	24	16	10
		0	0	3	9	17	30	45	56	64	60	47	27	17	10
		0	0	4	11	22	40	63	83	97	87	71	41	14	6
		0	0	5	13	27	49	76	100	122	106	86	56	15	3
		0	0	6	15	32	59	92	121	146	127	103	68	22	1
OCTOBER		0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

6 - 35 - 40,000

DAY LAND		LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	1	1	3	5	7	10	12	14	16	18	18	19	19	19	18
	70 - 65	1	4	8	12	14	18	21	24	25	27	27	26	25	24	23
	65 - 60	4	8	15	21	25	31	34	34	36	36	36	35	34	31	29	26
	60 - 55	6	14	24	34	41	46	47	47	46	44	42	39	35	31	27
	55 - 50	12	26	40	50	56	60	60	60	58	54	51	47	41	36	31	25
	50 - 45	20	40	56	66	72	76	74	69	64	61	53	47	41	34	28	23
	45 - 40	32	56	72	82	87	89	81	73	65	57	50	43	36	28	22
	40 - 35	46	68	84	92	96	96	85	76	67	59	51	43	36	28	22
	35 - 30	60	80	94	100	102	100	88	78	68	60	51	45	37	31	25
	30 - 25	72	90	102	108	108	104	90	79	69	61	52	46	41	33	28	22
APRIL	75 - 70	1	1	3	5	7	10	13	15	17	19	20	21	22	22	21
	70 - 65	1	4	8	12	16	19	22	25	27	29	29	29	29	28	27
	65 - 60	4	8	16	24	29	34	35	37	38	39	38	37	36	34	32
	60 - 55	10	18	28	38	44	47	48	49	49	47	45	44	41	37	34
	55 - 50	18	32	44	54	60	62	62	60	57	54	51	47	43	38	33
	50 - 45	28	48	62	72	77	77	74	69	64	58	53	48	42	37	31
	45 - 40	40	62	76	84	87	86	82	75	68	61	55	49	42	36	30
	40 - 35	52	74	88	94	96	94	88	77	69	61	54	47	41	34	28
	35 - 30	64	84	96	102	102	98	90	78	70	60	54	49	42	36	30
	30 - 25	74	92	102	106	104	98	88	75	71	64	58	52	46	40	34	28
JULY	75 - 70	0	1	4	8	9	9	11	13	15	16	16	16	15	14	13
	70 - 65	1	4	9	16	17	17	20	22	23	23	23	22	20	18	16
	65 - 60	3	8	16	24	28	28	31	33	33	32	30	27	24	21	18
	60 - 55	6	14	24	34	38	38	40	44	44	42	39	36	32	28	23	19
	55 - 50	10	22	34	44	50	50	50	52	52	50	46	41	35	30	25	19
	50 - 45	16	32	46	56	62	62	62	60	58	54	49	42	36	29	23	18
	45 - 40	24	44	60	70	76	76	74	70	66	60	53	45	37	30	23	18
	40 - 35	34	56	74	84	90	90	86	80	74	67	60	52	44	32	25	19
	35 - 30	46	70	88	98	102	102	98	90	84	76	68	60	49	42	33	27	21
	30 - 25	60	86	102	112	114	112	108	100	94	86	77	68	59	49	39	31	25	19
OCTOBER	75 - 70	0	1	4	8	9	9	11	13	15	17	17	17	16	16	15
	70 - 65	1	4	9	13	17	17	20	23	24	24	24	23	22	20	18
	65 - 60	3	8	16	24	28	29	32	34	35	34	32	31	27	25	22
	60 - 55	6	13	24	34	40	42	44	46	46	45	42	39	36	32	28	24
	55 - 50	10	22	34	46	52	54	56	57	57	55	50	45	40	35	30	24
	50 - 45	16	32	46	58	66	68	70	72	70	68	61	53	47	41	34	28	23
	45 - 40	24	44	60	72	80	82	82	81	78	74	66	56	46	41	34	26	21
	40 - 35	34	56	74	86	94	96	94	90	86	80	70	59	51	43	36	28	22
	35 - 30	46	70	88	100	108	110	108	102	96	88	77	66	57	50	43	35	29	22
	30 - 25	60	86	102	114	120	120	118	112	106	96	84	73	65	57	50	43	35	27	20

TABLE II. EURASIA (CONT.)

6 - 35 - 50,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	0	1	2	4	6	9	11	13	15	16	16	17	16	15	14
70 - 65	1	2	5	8	13	17	20	22	23	23	23	22	20	18	16
65 - 60	1	4	9	16	23	27	31	34	32	31	29	26	22	20	17
60 - 55	3	11	20	31	37	41	45	46	41	37	33	29	25	20	16
55 - 50	22	28	42	54	58	58	56	53	47	42	37	30	24	19	14
50 - 45	27	71	80	83	80	72	67	60	52	43	36	29	21	16	12
45 - 40	150	149	139	116	101	86	76	64	53	45	36	28	20	14	10
40 - 35	141	127	72	134	122	96	79	68	55	45	35	27	20	14	10
35 - 30	124	106	64	120	104	91	80	68	60	50	42	34	25	20	14
30 - 25	157	146	49	108	90	83	73	63	56	46	36	29	22	17	11
APRIL															
75 - 70	0	1	2	4	6	8	10	11	13	13	12	12	11	10	9
70 - 65	1	2	5	8	12	15	18	19	19	19	16	16	14	12	10
65 - 60	1	4	9	15	22	25	26	29	28	27	24	21	17	14	12
60 - 55	4	10	20	30	35	39	41	40	37	33	29	24	20	16	12
55 - 50	8	23	36	46	52	55	52	47	41	36	30	23	18	13	9
50 - 45	59	67	79	82	78	71	62	55	46	37	29	23	16	11	8
45 - 40	135	147	132	114	96	85	71	56	47	38	29	22	15	10	6
40 - 35	151	144	127	134	111	91	75	61	49	38	29	21	15	10	6
35 - 30	139	113	102	129	102	88	76	63	53	43	34	26	18	13	9
30 - 25	157	147	129	109	94	80	69	57	46	38	29	22	15	11	6
JULY															
75 - 70	0	1	2	3	4	5	5	6	5	5	4	3	3	2	2
70 - 65	1	3	4	6	8	9	9	8	8	6	5	4	3	2	1
65 - 60	1	4	8	12	16	16	15	13	12	9	7	5	3	2	1
60 - 55	2	10	18	24	25	25	22	18	14	10	7	4	3	2	1
55 - 50	8	21	37	44	43	38	31	25	17	13	8	5	3	1	1
50 - 45	36	56	76	74	63	53	41	31	22	14	8	5	2	1	1
45 - 40	140	137	124	103	84	64	51	36	24	15	8	5	2	1	0
40 - 35	136	134	95	126	100	77	59	46	30	19	13	8	5	3	1
35 - 30	133	123	62	129	102	82	67	52	41	30	22	15	9	6	3
30 - 25	124	114	47	106	90	72	59	45	35	26	17	12	7	4	2
OCTOBER															
75 - 70	0	1	2	4	6	8	10	11	13	13	12	12	11	10	9
70 - 65	1	2	5	8	12	15	18	19	19	19	18	16	14	12	10
65 - 60	1	4	9	12	22	22	20	25	28	27	24	21	17	14	12
60 - 55	4	10	20	30	36	39	41	40	37	33	29	24	20	16	12
55 - 50	18	25	41	54	58	56	52	47	41	36	30	23	18	13	9
50 - 45	59	67	79	82	78	71	62	55	46	37	29	23	16	11	8
45 - 40	135	147	132	114	96	83	71	56	47	38	29	22	15	10	6
40 - 35	151	144	127	134	111	91	75	61	49	38	29	21	15	10	6
35 - 30	139	113	105	129	102	88	76	63	53	43	34	26	18	13	9
30 - 25	157	147	129	109	94	80	69	57	46	38	29	22	15	11	6

TABLE II. EURASIA (CONT.)

6 - 35 - 60,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	0	1	2	4	5	7	9	10	10	10	9	8	7	6	5
70 - 65	1	3	5	8	11	14	15	15	15	13	12	10	8	6	4
65 - 60	1	4	9	15	20	23	24	22	21	17	14	11	8	6	4
60 - 55	2	10	19	28	34	35	34	30	25	20	16	11	8	6	3
55 - 50	9	24	39	49	52	48	44	35	26	20	14	9	6	3	2
50 - 45	36	64	75	77	70	61	48	37	27	17	10	6	3	1	1
45 - 40	100	137	144	130	94	84	71	56	24	15	8	5	2	1	0
40 - 35	193	237	207	164	97	75	54	37	24	14	8	4	2	1	0
35 - 30	284	234	190	144	91	70	52	36	24	15	9	5	3	1	1
30 - 25	244	146	103	101	82	66	47	32	22	14	7	5	3	1	1
APRIL															
75 - 70	0	1	1	2	2	2	2	2	1	1	0	0	0	0	0
70 - 65	1	2	2	3	3	3	2	2	2	1	0	0	0	0	0
65 - 60	1	3	6	7	7	6	4	2	2	1	0	0	0	0	0
60 - 55	2	7	13	15	13	10	6	3	2	1	0	0	0	0	0
55 - 50	4	16	27	26	20	14	7	4	2	1	0	0	0	0	0
50 - 45	16	41	49	41	29	18	9	4	2	1	0	0	0	0	0
45 - 40	60	93	84	52	35	18	10	4	1	0	0	0	0	0	0
40 - 35	144	179	114	59	42	22	10	4	1	0	0	0	0	0	0
35 - 30	242	176	86	51	47	26	13	6	5	2	1	0	0	0	0
30 - 25	194	116	73	51	36	19	10	5	2	1	0	0	0	0	0
JULY															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	1	1	1	1	0	0	0	0	0	0	0	0
65 - 60	0	1	2	2	2	1	1	1	0	0	0	0	0	0	0
60 - 55	1	4	6	7	6	3	2	1	0	0	0	0	0	0	0
55 - 50	1	11	15	14	10	5	2	1	0	0	0	0	0	0	0
50 - 45	4	25	32	26	18	8	3	1	0	0	0	0	0	0	0
45 - 40	35	74	56	35	18	8	3	2	0	0	0	0	0	0	0
40 - 35	104	106	49	24	11	4	1	0	0	0	0	0	0	0	0
35 - 30	44	65	18	5	1	0	0	0	0	0	0	0	0	0	0
30 - 25	27	37	14	3	1	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	0	1	2	2	2	2	2	2	1	1	0	0	0	0	0
70 - 65	1	2	2	3	3	3	2	2	2	1	0	0	0	0	0
65 - 60	1	3	6	7	7	6	4	2	2	1	0	0	0	0	0
60 - 55	2	7	13	15	13	10	6	3	2	1	0	0	0	0	0
55 - 50	4	16	27	26	20	14	7	4	2	1	0	0	0	0	0
50 - 45	16	41	49	41	29	18	9	4	2	1	0	0	0	0	0
45 - 40	60	93	84	52	35	18	10	4	1	0	0	0	0	0	0
40 - 35	144	179	114	59	42	22	10	4	1	0	0	0	0	0	0
35 - 30	242	176	86	51	47	26	13	6	5	2	1	0	0	0	0
30 - 25	194	116	73	51	36	19	10	5	2	1	0	0	0	0	0

TABLE II. EURASIA (CONT.)

6 - 35 - 70,000

LAT. LAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	0	1	2	4	5	7	8	9	10	9	8	7	6	5	4
70 - 65	1	3	5	8	11	13	15	15	14	12	11	8	6	5	3
65 - 60	1	4	9	15	20	22	23	21	19	16	13	10	7	4	3
60 - 55	2	6	15	25	33	34	32	27	22	16	12	7	5	3	1
55 - 50	4	12	27	37	42	44	36	30	22	16	11	6	4	2	1
50 - 45	7	21	37	47	52	53	41	31	22	14	8	5	2	1	1
45 - 40	12	31	47	57	61	61	47	34	23	14	8	4	2	1	0
40 - 35	18	41	57	66	69	68	52	37	24	14	7	4	1	1	0
35 - 30	25	50	66	74	76	74	56	39	24	13	6	3	1	0	0
30 - 25	32	58	73	80	81	78	59	40	24	12	5	2	0	0	0
APRIL															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	1	2	2	1	1	0	0	0	0	0	0	0	0	0
60 - 55	0	1	4	6	5	3	2	1	0	0	0	0	0	0	0
55 - 50	1	3	8	11	11	8	5	2	1	0	0	0	0	0	0
50 - 45	2	6	14	19	20	16	9	4	1	0	0	0	0	0	0
45 - 40	4	11	23	30	31	25	14	6	1	0	0	0	0	0	0
40 - 35	6	17	33	41	42	34	19	8	1	0	0	0	0	0	0
35 - 30	9	23	41	50	50	40	23	9	2	0	0	0	0	0	0
30 - 25	12	28	48	56	56	44	25	10	2	0	0	0	0	0	0
JULY															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	1	1	2	2	2	2	1	0
65 - 60	0	0	0	0	1	2	3	4	5	6	6	5	5	3	1
60 - 55	0	0	0	1	3	7	10	15	17	18	16	12	8	4	1
55 - 50	0	0	0	2	10	27	35	40	41	38	30	19	9	4	1
50 - 45	0	0	1	6	23	57	72	72	75	60	41	22	8	3	1
45 - 40	0	1	3	15	47	104	144	126	105	79	46	23	7	2	0
40 - 35	0	1	5	23	67	147	176	142	108	71	37	14	5	1	0
35 - 30	0	1	6	28	77	167	146	99	69	37	16	5	1	0	0
30 - 25	0	1	7	29	74	134	100	66	45	24	9	3	1	0	0
OCTOBER															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65 - 60	0	0	1	2	1	1	0	0	0	0	0	0	0	0	0
60 - 55	0	0	2	4	3	3	2	1	0	0	0	0	0	0	0
55 - 50	0	1	5	10	14	10	6	2	1	0	0	0	0	0	0
50 - 45	0	2	8	16	22	19	14	7	3	1	0	0	0	0	0
45 - 40	1	4	13	24	32	29	22	12	6	2	1	0	0	0	0
40 - 35	2	7	19	33	42	39	30	18	9	4	1	0	0	0	0
35 - 30	3	10	26	41	50	47	37	23	12	5	2	0	0	0	0
30 - 25	4	13	32	48	56	53	42	27	14	6	2	0	0	0	0

TABLE II. EURASIA (CONT.)

6 - 35 - 80,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	1	1	4	4	5	8	5	10	11	10	10	9	6	7	6
70 - 65	-	-	3	3	- 1	1 -	- 6	15	16	14	14	11	9	8	6
65 - 60	-	-	4	7	- 1	4 1	4 3	4 4	23	22	19	16	13	10	7	6
60 - 55	-	-	-	-	- 2	7 -	10	13	21	24	22	18	13	10	7	5
55 - 50	-	-	1	6	4	9	13	43	42	35	26	20	14	9	6	3	2
50 - 45	-	-	-	2	-	1	17	17	10	46	37	27	17	10	6	3	1	1
45 - 40	1	1	6	-	-	1	19	19	30	46	34	21	14	7	4	2	1	0
40 - 35	-	-	3	-	-	3	11	22	33	41	27	17	10	6	3	1	1	0
35 - 30	-	-	2	-	-	3	1	8	28	47	31	19	12	6	3	1	1	0	0
30 - 25	-	-	4	-	-	4	7	10	37	24	15	9	5	2	1	1	0	0
APRIL															
75 - 70	0	0	0	0	-	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	1	1	1	1	0	0	0	0	0	0	0	0
65 - 60	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0
60 - 55	0	0	0	1	0	4	2	1	0	0	0	0	0	0	0
55 - 50	0	0	1	0	3	2	2	1	0	0	0	0	0	0	0
50 - 45	0	0	1	2	4	4	4	1	0	0	0	0	0	0	0
45 - 40	0	0	2	4	4	7	5	1	0	0	0	0	0	0	0
40 - 35	0	0	2	4	6	8	5	1	0	0	0	0	0	0	0
35 - 30	0	0	1	4	7	8	4	0	0	0	0	0	0	0	0
30 - 25	0	0	1	2	4	6	4	0	0	0	0	0	0	0	0
JULY															
75 - 70	1	0	-	0	0	0	0	0	1	1	1	1	2	2	3
70 - 65	0	0	0	2	0	-	1	2	2	4	5	6	7	7	7
65 - 60	0	1	-	1	2	3	5	7	10	12	13	14	15	14	12
60 - 55	-	-	-	1	3	7	11	16	21	25	28	29	26	21	17
55 - 50	-	-	1	-	4	10	15	44	50	53	53	50	44	36	28	20
50 - 45	-	-	1	4	16	44	55	44	55	122	105	83	65	45	30	18
45 - 40	-	-	2	6	51	105	154	144	155	122	105	83	65	45	30	18
40 - 35	-	-	4	4	34	126	200	201	161	136	119	79	54	37	23	12
35 - 30	-	-	4	7	31	92	144	179	150	120	78	48	28	15	8	3
30 - 25	-	-	2	6	17	46	72	94	121	94	58	30	16	6	4	2
OCTOBER															
75 - 70	-	-	-	0	-	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	0	0	1	1	1	1	1	0	0	0	0	0	0	0	0
65 - 60	0	0	1	2	2	2	1	1	1	0	0	0	0	0	0	0
60 - 55	0	0	1	4	7	8	7	4	2	1	0	0	0	0	0	0
55 - 50	0	0	1	4	7	10	7	3	2	1	0	0	0	0	0	0
50 - 45	0	0	1	3	7	11	12	4	2	1	0	0	0	0	0	0
45 - 40	0	0	1	3	7	11	12	4	2	1	0	0	0	0	0	0
40 - 35	0	0	1	3	7	11	12	4	2	1	0	0	0	0	0	0
35 - 30	0	0	1	3	7	11	12	4	2	1	0	0	0	0	0	0
30 - 25	0	0	1	3	7	11	12	4	2	1	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

6 - 40 - 40,000

LONGITUDE

	10	20	40	50	60	70	80	90	100	110	120	130	140
JANUARY				14	10	20	22	24	24	24	24	23	22
				21	21	23	24	35	34	32	31	30	27
				27	41	47	47	40	44	41	36	35	31
				26	26	26	26	33	49	45	41	36	31
				33	78	69	63	57	51	45	39	33	28
				34	24	74	60	58	51	44	36	30	24
				36	36	70	60	56	46	41	33	26	21
				36	21	10	67	59	51	43	30	26	22
				37	71	76	73	69	49	41	34	27	21
				42	72	74	67	65	45	36	32	25	19
APRIL				31	20	20	24	26	27	26	26	26	27
				37	26	32	37	36	30	30	30	30	34
				44	40	39	49	49	46	46	44	42	39
				51	64	64	60	57	54	52	48	44	40
				64	76	76	67	65	57	53	48	43	37
				74	80	79	74	66	59	55	47	41	35
				77	82	77	71	65	57	52	46	35	29
				80	77	69	61	54	47	41	34	28	22
				80	75	70	65	59	52	46	39	33	27
				78	78	70	65	54	46	42	37	31	25
MAY				15	16	19	20	22	21	21	20	19	17
				22	28	32	36	32	31	29	26	24	20
				33	42	43	42	40	36	34	31	26	22
				44	55	56	48	43	38	36	33	28	22
				57	76	68	62	54	45	36	31	26	20
				64	74	74	64	54	46	36	31	24	18
				67	73	64	53	43	35	27	21	19	15
				67	74	74	64	52	47	39	31	24	18
				72	65	63	55	49	42	34	26	21	15
JUNE				11	16	19	21	22	23	23	22	21	19
				22	25	32	33	33	32	31	28	26	23
				44	44	45	45	43	41	36	35	31	27
				61	61	56	55	51	46	42	38	33	27
				73	74	66	62	56	49	43	37	31	26
				83	84	74	66	60	51	44	36	30	24
				81	82	76	66	58	48	41	33	26	21
				86	82	70	67	59	51	43	36	28	22
				87	78	72	63	56	49	41	34	27	21
				91	85	74	66	56	44	36	31	24	18

TABLE II. EURASIA (CONT.)

6 - 40 - 50,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	1	2	4	7	10	13	16	19	21	22	22	21	21	20	18
70 - 65	1	3	6	11	17	25	29	31	32	32	31	29	26	24	20
65 - 60	2	5	9	15	23	32	39	43	44	43	38	34	31	26	22
60 - 55	3	7	13	21	31	40	47	51	52	50	44	41	37	31	26
55 - 50	5	11	19	29	40	49	56	60	60	57	51	46	41	35	29
50 - 45	8	16	26	37	48	57	63	66	65	62	56	48	41	35	26
45 - 40	11	21	32	44	55	63	68	70	67	64	57	47	38	31	23
40 - 35	14	26	38	50	61	68	72	73	70	65	57	46	36	27	20
35 - 30	17	30	43	55	65	72	75	75	72	66	57	45	35	27	20
30 - 25	19	33	47	59	69	75	78	77	73	66	57	46	36	30	22
25 - 20	21	36	50	62	72	78	80	78	74	67	57	46	36	28	22
20 - 15	22	38	52	64	74	80	82	80	75	68	58	46	36	28	22
APRIL															
75 - 70	1	2	4	7	10	13	16	17	18	18	17	16	15	14	12
70 - 65	1	3	6	11	17	23	26	28	28	27	25	23	20	18	15
65 - 60	2	4	8	15	23	31	36	38	38	36	33	32	26	24	20
60 - 55	3	6	11	19	27	36	43	46	46	44	41	35	30	24	19
55 - 50	4	8	14	23	33	43	50	53	53	51	48	43	36	28	22
50 - 45	5	10	17	27	38	48	56	59	59	57	53	48	42	33	26
45 - 40	6	12	20	31	42	52	60	63	63	61	57	51	42	33	26
40 - 35	7	14	23	34	46	56	64	67	67	65	60	54	47	37	27
35 - 30	8	16	25	37	49	59	67	70	70	68	63	56	49	39	30
30 - 25	9	17	27	39	51	61	69	72	72	70	65	58	50	40	30
25 - 20	10	18	28	40	52	62	70	73	73	71	66	59	51	41	31
20 - 15	10	19	29	41	53	63	71	74	74	72	67	60	52	42	32
JULY															
75 - 70	1	1	3	5	6	7	8	7	7	7	5	5	3	3	2
70 - 65	1	4	7	11	13	14	13	12	10	8	7	5	4	2	2
65 - 60	2	7	11	17	21	23	23	20	17	13	10	7	5	4	2	1
60 - 55	3	10	16	24	31	35	36	33	26	20	15	10	7	5	3	1
55 - 50	4	13	21	31	40	46	48	44	35	27	20	15	10	6	4	2	1	0
50 - 45	5	16	26	37	48	56	59	54	44	35	27	20	14	9	5	3	1	1
45 - 40	6	19	30	43	55	64	68	63	52	42	33	25	18	12	7	4	2	1	1
40 - 35	7	22	34	48	61	71	75	70	58	47	37	28	21	15	10	6	3	1	1
35 - 30	8	24	37	52	65	76	80	75	62	50	40	31	23	17	12	8	4	2	1
30 - 25	9	25	39	54	68	79	83	78	65	53	42	33	25	19	13	9	6	4	2
25 - 20	9	26	40	55	69	80	84	79	66	54	43	34	26	20	14	9	6	4	2
20 - 15	9	26	40	55	69	80	84	79	66	54	43	34	26	20	14	9	6	4	2
OCTOBER															
75 - 70	1	2	4	7	10	13	15	17	18	18	17	16	15	14	12
70 - 65	1	3	6	11	15	19	23	25	26	26	25	23	20	18	15
65 - 60	2	4	8	15	23	27	33	35	36	35	33	32	26	24	20	16
60 - 55	3	6	11	19	27	36	43	46	46	44	41	35	30	24	19	14
55 - 50	4	8	14	23	33	43	50	53	53	51	48	43	36	28	22	17	12
50 - 45	5	10	17	27	38	48	56	59	59	57	53	48	42	33	26	19	13	9
45 - 40	6	12	20	31	42	52	60	63	63	61	57	51	42	33	26	19	13	9
40 - 35	7	14	23	34	46	56	64	67	67	65	60	54	47	37	27	20	14	9	6
35 - 30	8	16	25	37	49	59	67	70	70	68	63	56	49	39	30	22	15	10	6
30 - 25	9	17	27	39	51	61	69	72	72	70	65	58	50	40	30	22	15	10	6
25 - 20	10	18	28	40	52	62	70	73	73	71	66	59	51	41	31	23	16	10	6
20 - 15	10	19	29	41	53	63	71	74	74	72	67	60	52	42	32	24	16	10	6

TABLE II. EURASIA (CONT.)

6 - 40 - 60,000

LAT BAND		LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	1	2	4	7	10	12	14	15	15	16	14	12	11	10	8
	70 - 65	1	4	8	13	18	22	23	24	22	21	18	15	12	9	7
	65 - 60	2	8	17	26	34	35	35	33	29	24	21	17	13	9	6
	60 - 55	3	20	37	49	52	52	47	41	35	27	21	16	11	8	5
	55 - 50	30	54	71	77	72	64	55	43	32	24	16	10	5	3	1
	50 - 45	100	137	122	103	90	71	57	42	30	21	13	8	5	2	1
	45 - 40	201	243	206	164	94	69	52	37	24	16	9	5	2	1	1
	40 - 35	230	237	207	164	97	73	54	37	24	14	8	4	2	1	0
	35 - 30	140	140	126	103	62	65	46	35	23	15	8	5	2	1	1
	30 - 25	39	50	72	76	60	53	40	29	19	11	6	3	2	1	0
APRIL	75 - 70	1	2	4	3	3	3	3	2	2	2	1	1	0	0	0
	70 - 65	1	3	6	7	7	7	6	4	2	2	1	1	0	0	0
	65 - 60	2	7	13	15	15	12	9	6	3	2	1	0	0	0	0
	60 - 55	4	15	24	24	21	16	9	6	3	1	1	0	0	0	0
	55 - 50	11	32	46	39	29	18	11	6	2	1	0	0	0	0	0
	50 - 45	71	85	89	48	31	18	10	5	2	1	0	0	0	0	0
	45 - 40	230	166	89	55	33	17	9	4	1	1	0	0	0	0	0
	40 - 35	244	192	114	69	42	22	10	4	1	0	0	0	0	0	0
	35 - 30	100	114	94	64	30	18	8	3	1	0	0	0	0	0	0
	30 - 25	13	30	57	44	27	13	5	2	0	0	0	0	0	0	0
JULY	75 - 70	0	0	1	1	1	1	1	1	0	0	0	0	0	0	0
	70 - 65	0	1	2	2	2	2	1	1	1	0	0	0	0	0	0
	65 - 60	1	3	6	8	7	5	3	1	1	0	0	0	0	0	0
	60 - 55	1	10	22	19	16	10	5	2	1	0	0	0	0	0	0
	55 - 50	3	34	43	40	27	13	6	2	1	0	0	0	0	0	0
	50 - 45	12	82	82	52	37	16	6	2	1	0	0	0	0	0	0
	45 - 40	244	199	103	70	37	14	5	1	0	0	0	0	0	0	0
	40 - 35	264	104	49	24	11	4	1	0	0	0	0	0	0	0	0
	35 - 30	29	49	26	12	4	1	0	0	0	0	0	0	0	0	0
	30 - 25	2	22	14	7	3	1	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	1	1	2	3	3	3	3	2	2	2	1	1	0	0	0
	70 - 65	1	3	6	7	7	7	6	4	2	2	1	1	0	0	0
	65 - 60	2	7	13	15	15	12	9	6	3	2	1	0	0	0	0
	60 - 55	4	15	24	24	21	16	9	6	3	1	1	0	0	0	0
	55 - 50	11	25	46	39	29	18	11	6	2	1	0	0	0	0	0
	50 - 45	71	85	89	48	31	18	10	5	2	1	0	0	0	0	0
	45 - 40	230	166	89	55	33	17	9	4	1	1	0	0	0	0	0
	40 - 35	244	192	114	69	42	22	10	4	1	0	0	0	0	0	0
	35 - 30	100	114	94	64	30	18	8	3	1	0	0	0	0	0	0
	30 - 25	13	30	57	44	27	13	5	2	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

6 - 40 - 70,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	1	2	4	7	10	12	14	15	15	16	14	12	11	10	8
70 - 65	1	4	8	13	18	22	23	24	22	21	18	15	12	9	7
65 - 60	2	8	17	26	32	35	35	33	29	24	21	17	13	9	6
60 - 55	6	20	37	47	52	51	46	40	33	25	19	14	9	7	4
55 - 50	30	54	71	77	76	64	55	43	32	24	16	10	5	3	1
50 - 45	140	137	126	108	90	71	57	42	30	21	13	8	5	2	1
45 - 40	301	243	195	144	94	69	52	37	24	16	9	5	2	1	1
40 - 35	314	224	146	100	72	49	33	21	13	7	4	2	1	1	0
35 - 30	119	124	106	80	53	36	23	15	9	5	2	1	0	0	0
30 - 25	23	28	23	26	22	18	10	6	4	2	1	0	0	0	0
APRIL															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	1	1	2	2	1	1	0	0	0	0	0	0	0	0
65 - 60	0	2	5	5	3	3	2	1	0	0	0	0	0	0	0
60 - 55	1	9	15	13	10	6	3	1	0	0	0	0	0	0	0
55 - 50	4	26	36	25	16	8	4	1	0	0	0	0	0	0	0
50 - 45	37	84	74	49	26	14	5	2	1	0	0	0	0	0	0
45 - 40	344	239	211	74	37	14	5	1	0	0	0	0	0	0	0
40 - 35	349	103	106	69	30	11	3	1	0	0	0	0	0	0	0
35 - 30	41	10	34	53	23	8	2	0	0	0	0	0	0	0	0
30 - 25	3	1	46	24	17	5	1	0	0	0	0	0	0	0	0
JULY															
75 - 70	0	0	0	0	0	0	0	0	1	1	2	2	2	2	2
70 - 65	0	0	0	0	0	1	2	3	4	5	6	6	6	5	4
65 - 60	0	0	0	1	2	5	8	12	16	19	20	18	15	10	6
60 - 55	0	0	0	7	15	23	32	39	44	45	41	33	22	13	5
55 - 50	0	2	21	41	61	76	83	86	87	79	63	41	22	10	3
50 - 45	14	43	92	136	157	157	154	144	131	109	72	47	22	8	2
45 - 40	456	424	336	290	202	161	200	179	151	118	72	37	13	4	1
40 - 35	461	446	334	204	247	213	178	142	106	71	37	14	5	1	0
35 - 30	82	49	132	106	106	146	142	97	72	46	22	8	1	0	0
30 - 25	0	3	20	54	97	73	65	53	38	23	10	3	1	0	0
OCTOBER															
75 - 70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70 - 65	0	1	1	2	2	1	1	0	0	0	0	0	0	0	0
65 - 60	0	2	5	5	5	3	2	1	0	0	0	0	0	0	0
60 - 55	3	9	15	13	10	6	3	1	0	0	0	0	0	0	0
55 - 50	3	20	36	25	16	8	4	1	0	0	0	0	0	0	0
50 - 45	37	84	72	49	26	14	5	2	1	0	0	0	0	0	0
45 - 40	344	239	211	74	37	14	5	1	0	0	0	0	0	0	0
40 - 35	349	103	106	69	30	11	3	1	0	0	0	0	0	0	0
35 - 30	41	10	34	53	23	8	2	0	0	0	0	0	0	0	0
30 - 25	3	1	46	24	17	5	1	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

6 - 40 - 80,000

	LAT BAND	LONGITUDE															
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	1	2	4	7	10	12	15	16	17	17	16	15	13	12	10
	70 - 65	1	4	8	13	18	22	24	25	24	23	21	18	15	13	10
	65 - 60	5	8	17	26	32	36	36	35	32	28	25	21	17	13	9
	60 - 55	11	21	30	48	53	53	50	44	39	32	26	21	15	12	8
	55 - 50	40	59	73	79	70	68	60	49	39	31	24	17	11	8	5
	50 - 45	140	141	130	113	90	78	63	48	36	26	17	11	7	4	2
	45 - 40	293	247	174	133	104	79	61	45	30	20	11	6	3	1	1
	40 - 35	305	229	154	110	82	58	41	27	17	10	6	3	1	1	0
	35 - 30	125	129	113	88	63	45	31	20	12	7	4	2	1	0	0
	30 - 25	28	54	69	63	50	36	25	17	10	5	2	1	1	0	0
APRIL	75 - 70	0	0	1	1	1	1	1	1	0	0	0	0	0	0	0
	70 - 65	0	1	2	2	2	2	1	1	1	0	0	0	0	0	0
	65 - 60	1	3	5	7	6	4	2	1	1	0	0	0	0	0	0
	60 - 55	1	9	17	17	14	9	4	2	1	0	0	0	0	0	0
	55 - 50	5	34	45	40	27	13	6	2	1	0	0	0	0	0	0
	50 - 45	43	105	102	73	44	21	8	2	1	0	0	0	0	0	0
	45 - 40	211	241	143	90	49	19	6	2	0	0	0	0	0	0	0
	40 - 35	412	242	149	86	45	16	5	1	0	0	0	0	0	0	0
	35 - 30	45	117	103	66	29	10	3	0	0	0	0	0	0	0	0
	30 - 25	5	41	40	34	17	5	1	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	0	0	1	1	2	2	3	4	5	6	6
	70 - 65	0	0	0	1	1	2	3	5	7	10	11	13	14	14	14
	65 - 60	0	0	1	2	4	6	12	17	22	26	28	29	28	26	23
	60 - 55	0	0	4	13	22	30	40	47	52	56	55	53	49	42	34
	55 - 50	5	6	22	54	71	82	86	92	92	90	83	73	61	49	37
	50 - 45	82	84	119	152	156	153	146	140	131	119	104	86	68	51	36
	45 - 40	421	415	334	267	230	206	186	169	150	130	103	79	56	39	25
	40 - 35	428	418	342	260	236	202	181	161	138	109	79	54	37	23	12
	35 - 30	63	71	135	155	155	150	142	129	109	83	57	37	21	12	6
	30 - 25	2	5	37	60	76	87	90	86	71	52	34	20	12	6	3
OCTOBER	75 - 70	0	0	1	1	1	1	1	1	0	0	0	0	0	0	0
	70 - 65	0	1	2	2	2	2	1	1	1	0	0	0	0	0	0
	65 - 60	1	3	5	7	6	4	2	1	1	0	0	0	0	0	0
	60 - 55	1	9	17	17	14	9	4	2	1	0	0	0	0	0	0
	55 - 50	5	34	45	40	27	13	6	2	1	0	0	0	0	0	0
	50 - 45	43	105	101	73	44	21	8	2	1	0	0	0	0	0	0
	45 - 40	211	241	143	90	49	19	6	2	0	0	0	0	0	0	0
	40 - 35	412	242	149	86	45	16	5	1	0	0	0	0	0	0	0
	35 - 30	45	117	103	66	29	10	3	0	0	0	0	0	0	0	0
	30 - 25	5	41	40	34	17	5	1	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

6 - 45 - 40,000

LAT BAND		LONGITUDE														
		0		-0	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	70 - 70	1	3	6	12	16	22	26	29	32	33	33	33	33	31	30
	70 - 65	0	11	16	24	33	40	44	45	46	46	45	43	41	38	36
	65 - 60	30	33	39	50	57	62	62	61	59	57	54	51	48	44	39
	60 - 55	47	50	56	64	64	63	75	74	69	65	60	55	48	44	39
	55 - 50	150	151	150	144	110	90	09	82	74	67	60	54	48	41	35
	50 - 45	229	213	191	150	123	104	93	82	72	63	55	48	41	34	27
	45 - 40	229	213	176	141	110	90	86	76	66	58	48	41	34	26	21
	40 - 35	150	143	134	114	101	90	81	73	65	57	50	43	36	29	22
	35 - 30	84	83	84	84	82	77	71	65	60	54	47	40	34	27	22
	30 - 25	36	37	46	54	63	62	56	55	52	47	40	35	28	23	17
APRIL	70 - 70	4	4	7	11	16	25	29	32	34	35	37	37	37	37	36
	70 - 65	11	14	18	25	33	41	46	47	49	49	48	47	46	44	42
	65 - 60	33	41	44	51	56	61	63	63	61	60	58	55	53	50	47
	60 - 55	87	87	87	86	83	82	79	76	71	66	64	60	56	52	48
	55 - 50	150	149	134	126	116	99	91	85	78	72	66	63	57	51	46
	50 - 45	209	199	170	149	122	104	95	85	78	71	64	59	53	46	40
	45 - 40	213	202	176	140	115	99	89	80	72	65	57	51	44	37	31
	40 - 35	150	147	134	115	101	90	83	75	68	61	55	49	42	36	30
	35 - 30	86	84	86	85	82	76	72	67	62	56	50	45	39	33	28
	30 - 25	36	41	49	56	63	63	60	57	54	50	44	40	34	30	24
JULY	70 - 70	1	3	6	11	15	20	23	26	28	29	29	28	27	24	23
	70 - 65	4	8	15	23	30	36	39	41	42	41	39	37	33	30	26
	65 - 60	21	27	35	43	50	56	56	57	54	52	47	42	39	33	28
	60 - 55	63	71	77	82	83	80	75	69	64	57	51	45	38	32	27
	55 - 50	109	106	89	120	111	97	87	78	68	60	51	44	38	30	24
	50 - 45	141	126	98	131	104	105	92	79	67	57	48	41	33	26	20
	45 - 40	130	121	96	142	117	98	84	73	62	53	43	35	28	21	15
	40 - 35	151	140	134	115	101	88	79	70	60	53	45	37	30	24	18
	35 - 30	78	80	80	84	81	76	69	63	56	50	43	35	29	23	18
	30 - 25	20	30	40	59	63	61	56	54	50	45	37	32	25	21	15
OCTOBER	70 - 70	1	3	6	11	15	20	24	27	30	31	31	31	30	27	26
	70 - 65	9	9	16	24	31	36	41	43	44	43	41	40	36	34	30
	65 - 60	22	26	37	49	56	60	60	59	57	54	50	46	43	38	33
	60 - 55	75	78	80	80	84	81	77	74	67	62	56	50	45	39	34
	55 - 50	157	151	136	144	110	98	88	81	72	65	57	51	45	37	31
	50 - 45	229	213	181	150	123	104	93	82	72	63	55	48	41	34	27
	45 - 40	229	213	176	141	110	90	86	76	66	58	48	41	34	26	21
	40 - 35	150	143	134	114	101	89	81	74	63	56	48	41	34	27	21
	35 - 30	84	84	84	84	82	77	71	65	59	53	46	39	33	26	21
	30 - 25	36	37	40	59	63	62	59	55	52	47	40	35	28	23	17

TABLE II. EURASIA (CONT.)

6 - 45 - 50,000

LAT BAND		LONGITUDE															
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	1	3	6	11	15	20	24	27	30	31	31	31	30	27	26
	70 - 65	3	7	13	22	31	37	40	44	43	42	41	39	35	32	29
	65 - 60	21	27	35	48	55	58	58	57	54	52	47	42	39	33	28
	60 - 55	58	71	77	82	83	80	75	69	64	57	51	45	36	32	27
	55 - 50	155	124	109	126	111	97	86	77	67	58	50	43	36	28	22
	50 - 45	221	226	205	151	124	103	89	75	62	51	42	34	27	20	15
	45 - 40	255	249	179	141	115	93	78	65	52	42	32	24	18	12	8
	40 - 35	155	149	134	116	101	86	76	64	53	45	36	28	20	15	10
	35 - 30	70	74	82	83	80	73	65	57	50	42	34	26	20	15	11
	30 - 25	23	31	44	57	60	58	55	49	43	37	29	24	17	13	9
APRIL	75 - 70	1	4	7	11	15	19	23	25	26	26	25	24	22	19	18
	70 - 65	3	8	15	23	29	35	36	39	39	37	34	32	27	24	20
	65 - 60	15	24	34	47	53	56	55	54	50	46	41	36	31	26	21
	60 - 55	39	55	70	81	81	77	71	65	58	50	43	37	30	25	19
	55 - 50	105	85	57	124	106	94	83	72	61	52	43	36	29	22	17
	50 - 45	201	231	204	149	121	100	85	70	57	46	37	29	22	16	12
	45 - 40	265	211	172	139	112	90	74	60	47	37	27	20	14	9	6
	40 - 35	155	147	130	114	96	83	71	58	47	38	29	24	15	11	6
	35 - 30	69	71	81	83	79	71	63	54	46	37	29	21	15	10	6
	30 - 25	19	25	45	59	58	56	52	45	38	31	23	17	11	7	4
JULY	75 - 70	1	4	6	9	11	12	12	12	10	9	8	6	5	3	3
	70 - 65	3	7	15	19	21	21	19	17	14	11	8	6	5	3	2
	65 - 60	9	18	29	37	37	33	27	22	16	12	9	6	4	3	2
	60 - 55	21	44	61	62	53	44	34	24	18	12	8	6	3	2	1
	55 - 50	113	124	113	93	73	58	37	26	17	12	7	4	3	2	1
	50 - 45	113	114	107	115	82	62	42	26	18	12	7	4	2	1	1
	45 - 40	210	209	157	114	84	59	43	30	19	12	7	4	2	1	1
	40 - 35	140	137	124	103	84	64	51	36	24	15	8	5	2	1	0
	35 - 30	46	60	77	77	70	59	47	36	26	18	11	7	4	3	1
	30 - 25	20	29	44	52	52	47	35	30	23	16	10	7	4	2	1
OCTOBER	75 - 70	1	4	7	11	15	19	23	25	26	26	25	24	22	19	18
	70 - 65	3	8	15	23	29	35	36	39	39	37	34	32	27	24	20
	65 - 60	15	24	34	47	53	56	55	54	50	46	41	36	31	26	21
	60 - 55	39	55	70	81	81	77	71	65	58	50	43	37	30	25	19
	55 - 50	155	150	137	122	102	94	83	72	61	52	43	36	29	22	17
	50 - 45	260	231	204	149	121	100	85	70	57	46	37	29	22	16	12
	45 - 40	265	233	178	139	112	90	74	60	47	37	27	20	14	9	6
	40 - 35	155	147	130	114	96	83	71	58	47	38	29	22	15	11	6
	35 - 30	69	71	81	83	79	71	63	54	46	37	29	21	15	10	6
	30 - 25	19	25	45	59	58	56	52	45	38	31	23	17	11	7	4

TABLE II. EURASIA (CONT.)

6 - 45 - 60,000

LAT BAND		LONGITUDE													
		10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	1	4	7	11	15	18	22	23	24	23	21	19	17	14	12
	70 - 65	3	7	14	22	29	34	36	35	34	31	28	24	20	16	13
	65 - 60	10	21	35	46	51	53	51	46	42	37	30	25	20	15	11
	60 - 55	40	85	70	76	77	71	64	54	46	37	29	22	16	11	8
	55 - 50	140	142	132	110	103	84	71	56	44	35	24	17	12	7	5
	50 - 45	247	258	143	122	98	71	54	39	27	17	11	6	3	2	1
	45 - 40	301	243	166	124	94	69	52	37	24	16	9	5	2	1	1
	40 - 35	140	137	124	103	84	64	51	36	24	15	8	5	2	1	0
	35 - 30	30	57	76	76	66	56	43	31	21	13	7	3	1	1	0
	30 - 25	7	24	46	54	49	43	34	24	16	9	5	2	1	0	0
APRIL	75 - 70	1	3	5	7	7	7	6	6	4	3	2	1	1	0	0
	70 - 65	2	6	11	14	15	13	10	8	6	3	2	1	1	0	0
	65 - 60	4	16	24	27	26	20	14	10	6	3	2	1	0	0	0
	60 - 55	11	34	48	42	33	23	15	9	5	2	1	1	0	0	0
	55 - 50	73	95	81	61	43	27	16	9	4	2	1	0	0	0	0
	50 - 45	290	186	96	63	38	23	13	7	2	1	0	0	0	0	0
	45 - 40	242	106	89	55	33	17	9	4	1	1	0	0	0	0	0
	40 - 35	80	99	86	55	30	18	10	4	1	0	0	0	0	0	0
	35 - 30	22	47	83	44	26	15	7	3	1	0	0	0	0	0	0
	30 - 25	3	21	30	27	16	10	5	2	1	0	0	0	0	0	0
JULY	75 - 70	0	1	2	2	2	2	2	1	1	1	0	0	0	0	0
	70 - 65	1	3	3	7	6	7	5	3	1	1	0	0	0	0	0
	65 - 60	1	10	16	20	18	13	9	4	1	1	0	0	0	0	0
	60 - 55	5	23	45	47	37	23	13	5	2	1	0	0	0	0	0
	55 - 50	40	90	104	81	55	29	13	6	2	0	0	0	0	0	0
	50 - 45	141	231	156	103	60	26	13	4	1	0	0	0	0	0	0
	45 - 40	344	299	213	70	37	14	5	1	0	0	0	0	0	0	0
	40 - 35	80	174	83	35	16	8	2	0	0	0	0	0	0	0	0
	35 - 30	6	24	20	13	6	2	1	0	0	0	0	0	0	0	0
	30 - 25	0	9	9	6	3	1	0	0	0	0	0	0	0	0	0
OCTOBER	75 - 70	1	3	5	7	7	7	6	6	4	3	2	1	0	0	0
	70 - 65	2	6	11	14	15	13	10	8	6	3	2	1	1	0	0
	65 - 60	4	16	24	27	26	20	14	10	6	3	2	1	0	0	0
	60 - 55	11	34	45	42	33	23	15	9	5	2	1	1	0	0	0
	55 - 50	70	93	81	61	43	27	16	9	4	2	1	0	0	0	0
	50 - 45	290	186	96	63	38	23	13	7	2	1	0	0	0	0	0
	45 - 40	242	146	89	55	33	17	9	4	1	1	0	0	0	0	0
	40 - 35	80	99	86	55	30	18	10	4	1	0	0	0	0	0	0
	35 - 30	22	47	83	44	26	15	7	3	1	0	0	0	0	0	0
	30 - 25	3	21	30	27	16	10	5	2	1	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

6 - 45 - 70,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	4	4	7	11	19	26	22	23	24	23	21	19	17	14	12
70 - 65	3	7	14	22	29	34	36	35	34	31	28	24	20	16	13
65 - 60	10	21	33	45	51	53	51	49	42	37	30	25	20	15	11
60 - 55	42	62	78	77	77	74	64	54	46	37	29	22	16	11	8
55 - 50	147	153	133	119	104	86	76	60	47	37	26	19	14	9	6
50 - 45	293	247	184	143	114	96	71	54	39	27	17	11	6	3	2
45 - 40	301	243	186	124	94	69	52	37	24	16	9	5	2	1	1
40 - 35	122	129	115	91	70	51	36	25	16	10	5	3	1	1	0
35 - 30	20	24	69	65	53	40	29	20	13	8	4	2	1	1	0
30 - 25	2	6	32	46	32	27	20	13	9	5	3	1	1	0	0
APRIL															
75 - 70	0	1	1	1	1	1	1	0	0	0	0	0	0	0	0
70 - 65	0	2	4	4	4	3	2	1	1	0	0	0	0	0	0
65 - 60	1	8	12	11	9	6	3	2	1	0	0	0	0	0	0
60 - 55	3	26	36	20	20	12	6	2	1	0	0	0	0	0	0
55 - 50	15	71	64	46	30	15	8	3	1	0	0	0	0	0	0
50 - 45	300	155	90	57	31	15	6	2	0	0	0	0	0	0	0
45 - 40	349	229	122	70	37	14	5	1	0	0	0	0	0	0	0
40 - 35	329	226	77	50	27	11	4	1	0	0	0	0	0	0	0
35 - 30	4	25	39	32	16	8	2	0	0	0	0	0	0	0	0
30 - 25	1	13	19	17	9	4	1	0	0	0	0	0	0	0	0
JULY															
75 - 70	0	0	0	0	0	1	1	1	2	3	4	4	5	5	5
70 - 65	0	0	0	0	1	3	6	8	11	13	16	18	17	15	14
65 - 60	0	0	2	6	10	19	27	33	40	44	45	42	36	26	16
60 - 55	0	1	17	37	54	68	79	85	88	87	79	66	48	30	15
55 - 50	39	42	107	149	155	150	155	150	141	128	105	79	51	25	11
50 - 45	466	454	356	306	206	211	216	161	170	142	107	72	37	15	5
45 - 40	466	454	356	290	205	220	200	179	151	118	72	37	15	4	1
40 - 35	55	51	110	154	107	104	44	28	15	9	6	3	1	0	
35 - 30	0	3	29	47	07	77	79	72	62	43	24	10	2	1	0
30 - 25	0	0	4	11	21	29	33	33	28	20	9	4	1	0	0
OCTOBER															
75 - 70	0	1	1	1	1	1	1	1	0	0	0	0	0	0	0
70 - 65	0	2	4	4	4	3	2	1	1	0	0	0	0	0	0
65 - 60	1	8	14	11	9	6	3	2	1	0	0	0	0	0	0
60 - 55	5	26	36	20	20	12	6	2	1	0	0	0	0	0	0
55 - 50	39	71	64	46	30	15	8	3	1	0	0	0	0	0	0
50 - 45	300	155	90	57	31	15	6	2	0	0	0	0	0	0	0
45 - 40	349	229	122	70	37	14	5	1	0	0	0	0	0	0	0
40 - 35	329	226	77	50	27	11	4	1	0	0	0	0	0	0	0
35 - 30	4	25	39	32	16	8	2	0	0	0	0	0	0	0	0
30 - 25	1	13	19	17	9	4	1	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

6 - 45 - 80,000

	LAT BAND	LONGITUDE															
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	1	4	7	11	15	19	23	25	26	26	25	24	22	19	18
	70 - 65	3	8	15	23	29	35	37	37	37	34	31	28	24	20	17
	65 - 60	14	23	33	46	52	55	53	51	47	42	37	31	27	22	17
	60 - 55	51	67	79	87	78	74	68	60	52	44	36	30	23	18	14
	55 - 50	150	140	134	120	106	89	76	64	52	42	32	25	19	13	10
	50 - 45	273	246	183	146	116	93	77	61	47	35	25	19	13	9	6
	45 - 40	293	247	174	133	104	79	61	45	30	20	11	6	3	1	1
	40 - 35	136	134	121	93	79	60	46	32	21	14	7	4	2	1	0
	35 - 30	32	50	72	70	61	48	36	25	17	10	6	2	1	1	0
	30 - 25	0	23	44	44	40	33	25	17	12	6	4	1	1	0	0
APRIL	75 - 70	0	1	2	2	2	2	2	1	1	1	0	0	0	0	0
	70 - 65	1	3	5	6	6	5	3	2	1	1	0	0	0	0	0
	65 - 60	1	5	14	16	14	10	6	3	1	1	0	0	0	0	0
	60 - 55	4	29	40	37	28	18	9	4	1	1	0	0	0	0	0
	55 - 50	37	85	64	64	42	22	11	4	1	0	0	0	0	0	0
	50 - 45	370	220	137	92	53	25	11	4	1	0	0	0	0	0	0
	45 - 40	321	241	143	94	49	19	6	2	0	0	0	0	0	0	0
	40 - 35	45	117	107	72	40	17	5	1	0	0	0	0	0	0	0
	35 - 30	5	41	49	30	21	8	2	0	0	0	0	0	0	0	0
	30 - 25	2	14	21	19	10	4	1	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	0	1	2	2	3	5	6	8	10	11	12	13
	70 - 65	0	0	0	1	3	5	9	13	17	21	24	27	29	29	28
	65 - 60	0	0	3	10	17	24	34	40	47	51	53	53	52	46	41
	60 - 55	3	6	16	46	69	76	84	89	92	92	90	84	74	66	54
	55 - 50	62	83	113	147	156	155	150	144	138	129	117	104	89	71	57
	50 - 45	216	422	366	278	244	214	195	177	162	145	126	108	86	65	47
	45 - 40	421	415	334	267	230	206	186	169	150	130	103	79	56	39	25
	40 - 35	72	81	127	125	128	131	144	135	122	105	83	65	45	31	18
	35 - 30	4	6	35	59	75	86	91	90	85	72	56	40	27	17	10
	30 - 25	0	0	7	17	28	39	47	51	49	41	30	21	14	8	4
OCTOBER	75 - 70	0	1	2	2	2	2	2	1	1	1	0	0	0	0	0
	70 - 65	1	3	5	6	6	5	3	2	1	1	0	0	0	0	0
	65 - 60	1	5	14	16	14	10	6	3	1	1	0	0	0	0	0
	60 - 55	4	29	40	37	28	18	9	4	1	1	0	0	0	0	0
	55 - 50	37	85	64	64	42	22	11	4	1	0	0	0	0	0	0
	50 - 45	370	220	137	92	53	25	11	4	1	0	0	0	0	0	0
	45 - 40	321	241	145	90	49	19	6	2	0	0	0	0	0	0	0
	40 - 35	45	117	107	72	40	17	5	1	0	0	0	0	0	0	0
	35 - 30	5	41	49	30	21	8	2	0	0	0	0	0	0	0	0
	30 - 25	2	14	21	19	10	4	1	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

6 - 50 - 40,000

LAT BAND	LONGITUDE	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	6	9	13	21	27	33	38	41	43	44	44	44	42	41	38
	70 - 65	27	30	37	44	52	58	61	61	60	59	57	54	51	47	44
	65 - 60	79	80	81	84	85	84	81	78	74	69	65	62	57	52	48
	60 - 55	156	151	143	129	114	104	95	88	81	76	70	64	59	54	48
	55 - 50	224	212	189	159	132	113	99	89	81	74	66	60	53	47	41
	50 - 45	229	213	181	150	123	104	93	86	78	72	63	55	48	41	34
	45 - 40	157	150	136	119	104	93	84	74	66	58	51	44	36	30	24
	40 - 35	78	80	86	85	82	78	72	66	61	53	47	41	34	28	23
	35 - 30	31	36	46	57	63	63	60	57	53	48	44	38	33	27	22
	30 - 25	10	15	27	38	46	48	48	46	44	42	37	33	27	22	18
APRIL	75 - 70	9	11	18	26	29	36	42	45	47	48	48	48	47	46	45
	70 - 65	35	37	42	47	53	59	63	63	63	62	60	58	56	53	50
	65 - 60	86	87	86	87	86	84	81	79	76	72	68	65	62	59	56
	60 - 55	156	147	142	131	117	106	96	89	83	79	74	69	64	60	56
	55 - 50	200	194	179	157	133	114	99	91	84	78	72	67	63	57	53
	50 - 45	209	199	170	149	122	104	95	85	78	71	64	59	53	46	40
	45 - 40	155	149	136	120	105	94	86	79	72	66	59	53	47	41	35
	40 - 35	85	85	85	85	83	79	74	69	64	58	53	48	42	37	31
	35 - 30	37	41	49	57	63	64	61	59	55	51	46	43	38	33	29
	30 - 25	13	17	26	37	46	49	49	48	46	44	41	37	33	28	25
JULY	75 - 70	4	7	12	20	26	31	35	38	40	40	39	38	36	33	30
	70 - 65	18	23	32	41	50	55	57	57	56	54	52	48	44	39	35
	65 - 60	68	71	76	84	83	82	79	74	69	64	58	53	47	41	36
	60 - 55	157	152	143	129	112	105	94	85	75	69	61	54	46	41	35
	55 - 50	240	225	196	161	134	115	97	86	75	66	57	49	42	35	29
	50 - 45	240	226	184	151	124	105	92	79	67	57	48	41	33	26	20
	45 - 40	157	150	136	120	105	93	82	72	63	54	46	38	31	24	18
	40 - 35	73	76	82	84	8	77	70	64	57	49	42	36	29	23	18
	35 - 30	27	34	45	56	6	61	56	54	49	44	39	33	28	22	18
	30 - 25	8	14	26	37	4	47	47	44	42	38	33	29	23	18	15
OCTOBER	75 - 70	4	7	16	20	26	31	36	39	40	41	41	40	37	35	32
	70 - 65	21	25	33	42	51	56	58	58	57	55	53	50	46	41	38
	65 - 60	71	73	78	86	84	83	79	75	71	65	60	56	50	44	40
	60 - 55	157	151	143	129	115	104	95	86	78	72	65	58	53	47	40
	55 - 50	229	216	191	160	133	114	96	88	79	71	63	56	49	43	37
	50 - 45	229	213	181	150	123	104	93	82	72	63	55	48	41	34	27
	45 - 40	157	156	136	119	104	93	84	74	66	58	51	44	36	30	24
	40 - 35	78	80	86	85	82	78	72	66	61	53	47	41	34	28	23
	35 - 30	31	36	46	57	63	63	60	57	53	48	44	38	33	27	22
	30 - 25	9	15	27	38	46	48	48	46	44	41	36	32	26	21	17

TABLE II. EURASIA (CONT.)

6 - 50 - 50,000

LAT BAND		LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	3	7	12	20	26	32	37	40	42	43	43	42	40	38	35
	70 - 65	21	25	33	42	51	56	58	57	55	53	50	46	41	38	
	65 - 60	71	75	78	82	84	83	79	75	71	65	60	56	50	44	40
	60 - 55	101	112	121	129	113	105	96	85	76	70	62	56	49	43	37
	55 - 50	124	126	136	134	118	97	80	75	66	57	49	42	35	29	
	50 - 45	120	122	108	131	124	103	89	75	62	51	42	34	27	20	15
	45 - 40	157	149	135	119	104	90	78	67	56	47	38	31	23	16	12
	40 - 35	67	71	80	83	80	75	67	60	52	43	36	29	21	16	12
	35 - 30	21	30	44	55	58	58	54	50	43	38	31	24	19	14	10
	30 - 25	6	13	25	35	41	44	43	40	36	32	26	21	16	12	9
APRIL	75 - 70	3	7	12	20	26	30	35	37	38	37	36	34	31	28	25
	70 - 65	15	21	31	40	49	54	55	54	52	49	47	42	37	32	28
	65 - 60	62	66	72	81	82	81	77	72	66	60	54	49	42	36	31
	60 - 55	157	151	142	126	115	104	93	81	71	64	55	47	40	34	27
	55 - 50	141	143	138	136	134	114	95	83	71	64	51	43	35	29	23
	50 - 45	120	121	130	149	121	100	85	70	57	46	37	29	22	16	12
	45 - 40	155	147	134	115	102	87	74	62	51	42	33	26	19	13	9
	40 - 35	79	87	79	82	78	71	62	55	46	37	29	23	16	11	8
	35 - 30	17	28	43	54	56	56	51	46	39	33	26	19	15	10	6
	30 - 25	4	12	24	34	39	42	41	37	33	28	22	16	11	8	5
JULY	75 - 70	3	6	11	17	20	21	21	20	18	15	13	11	8	6	6
	70 - 65	9	15	27	34	37	36	32	27	22	17	14	11	7	6	4
	65 - 60	41	40	60	63	60	50	40	32	24	18	13	10	6	4	3
	60 - 55	113	124	111	100	79	63	47	33	23	17	12	8	5	3	2
	55 - 50	322	246	172	143	90	65	44	30	21	14	10	6	4	2	1
	50 - 45	210	234	207	115	82	57	42	28	18	12	7	4	2	1	1
	45 - 40	142	127	115	94	72	53	39	27	18	12	7	5	3	1	1
	40 - 35	32	25	72	72	63	53	41	31	22	14	8	5	2	1	1
	35 - 30	7	24	42	49	50	45	37	28	20	12	7	4	2	1	0
	30 - 25	2	11	23	31	35	33	28	22	16	11	7	3	2	1	1
OCTOBER	75 - 70	3	7	12	20	26	30	35	37	38	37	36	34	31	28	25
	70 - 65	15	21	31	40	49	54	55	54	52	49	47	42	37	32	28
	65 - 60	53	62	74	82	82	81	77	72	66	60	54	49	42	36	31
	60 - 55	107	111	146	128	115	104	93	81	71	64	55	47	40	34	27
	55 - 50	121	134	138	161	134	114	95	83	71	61	51	43	35	29	23
	50 - 45	85	131	108	149	121	100	85	70	57	46	37	29	22	16	12
	45 - 40	155	147	134	115	102	87	74	62	51	42	33	26	19	13	9
	40 - 35	79	87	79	82	78	71	62	55	46	37	29	23	16	11	8
	35 - 30	17	28	43	54	56	56	51	46	39	33	26	19	15	10	6
	30 - 25	4	12	24	34	39	42	41	37	33	28	22	16	11	8	5

TABLE II. EURASIA (CONT.)

6 - 50 - 60,000

LAT BAND	LONGITUDE															
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	
JANUARY																
75 - 70	3	5	11	19	25	30	34	36	36	35	33	31	28	24	21	
70 - 65	11	19	30	40	46	52	53	52	49	44	41	36	31	26	21	
65 - 60	48	55	70	78	79	76	71	65	58	50	43	37	29	24	19	
60 - 55	150	146	130	120	111	98	85	72	60	52	42	34	27	21	16	
55 - 50	279	246	199	156	127	105	84	70	57	45	35	27	20	15	10	
50 - 45	293	267	182	143	112	88	71	54	39	27	17	11	6	3	2	
45 - 40	140	107	146	103	90	71	57	42	30	21	13	8	5	2	1	
40 - 35	30	34	75	77	70	61	48	37	27	17	10	6	3	1	1	
35 - 30	7	24	41	49	50	45	37	26	20	12	7	4	2	1	0	
30 - 25	2	11	23	31	34	32	26	20	14	9	5	2	1	0	0	
APRIL																
75 - 70	2	5	9	15	20	25	23	11	9	6	5	3	2	1	1	
70 - 65	4	13	24	27	27	24	19	14	10	6	4	2	1	1	0	
65 - 60	14	33	49	46	41	32	23	16	10	6	3	2	1	0	0	
60 - 55	55	102	94	75	55	40	27	15	9	5	2	1	0	0	0	
55 - 50	101	146	124	99	70	46	30	20	11	6	3	1	1	0	0	
50 - 45	240	206	165	93	53	30	23	13	7	2	1	0	0	0	0	
45 - 40	71	50	63	46	31	18	10	5	2	1	0	0	0	0	0	
40 - 35	14	41	49	41	29	19	9	4	2	1	0	0	0	0	0	
35 - 30	4	14	27	26	19	10	6	2	1	0	0	0	0	0	0	
30 - 25	3	10	17	16	12	7	4	1	1	0	0	0	0	0	0	
JULY																
75 - 70	1	2	5	7	7	6	6	4	3	2	1	1	0	0	0	
70 - 65	1	6	16	19	19	17	12	8	4	2	1	0	0	0	0	
65 - 60	5	21	47	49	43	30	19	10	5	2	1	0	0	0	0	
60 - 55	41	73	94	74	54	34	23	13	4	2	0	0	0	0	0	
55 - 50	341	281	171	112	77	44	19	8	2	1	0	0	0	0	0	
50 - 45	341	201	124	83	50	23	13	4	1	0	0	0	0	0	0	
45 - 40	39	39	34	27	33	16	8	2	1	0	0	0	0	0	0	
40 - 35	4	14	32	28	18	8	3	1	0	0	0	0	0	0	0	
35 - 30	1	4	14	11	7	3	1	0	0	0	0	0	0	0	0	
30 - 25	0	2	4	4	2	1	0	0	0	0	0	0	0	0	0	
OCTOBER																
75 - 70	2	5	9	13	19	25	23	13	11	9	6	5	3	2	1	1
70 - 65	4	13	24	27	27	24	19	14	10	6	4	2	1	1	0	
65 - 60	14	33	49	46	43	32	23	16	10	6	3	2	1	0	0	
60 - 55	81	102	94	75	55	40	27	15	9	5	2	1	0	0	0	
55 - 50	301	146	124	84	54	34	20	11	6	3	1	1	0	0	0	
50 - 45	293	106	96	63	38	23	13	7	2	1	0	0	0	0	0	
45 - 40	71	56	54	43	31	18	10	5	2	1	0	0	0	0	0	
40 - 35	14	41	49	41	29	19	9	4	2	1	0	0	0	0	0	
35 - 30	4	14	27	26	19	10	6	2	1	0	0	0	0	0	0	
30 - 25	3	10	17	16	12	7	4	1	1	0	0	0	0	0	0	

TABLE II. EURASIA (CONT.)

6 - 50 - 70,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	0	6	12	19	25	30	34	36	36	35	33	31	28	24	21
70 - 65	11	19	30	40	46	52	53	52	49	44	41	36	31	26	21
65 - 60	45	55	70	79	79	76	71	65	58	50	43	37	29	24	19
60 - 55	79	94	109	115	111	106	98	90	80	68	52	42	34	27	21	16
55 - 50	179	248	299	306	267	205	134	70	57	45	35	27	20	15	10
50 - 45	249	247	208	143	116	66	71	54	39	27	17	11	6	3	2
45 - 40	141	137	120	100	90	71	57	46	30	21	13	8	5	2	1
40 - 35	56	56	76	74	63	53	41	31	22	14	8	5	2	1	1
35 - 30	0	43	30	44	46	35	26	21	14	8	5	3	1	1	0
30 - 25	0	0	0	26	26	22	17	12	8	5	3	1	1	0	0
APRIL															
75 - 70	0	2	3	4	4	3	3	1	1	1	0	0	0	0	0
70 - 65	1	8	14	11	11	8	6	3	2	1	0	0	0	0	0
65 - 60	3	26	26	25	19	13	8	4	2	1	0	0	0	0	0
60 - 55	33	65	60	43	26	16	9	4	2	1	0	0	0	0	0
55 - 50	96	96	76	64	42	23	10	4	1	0	0	0	0	0	0
50 - 45	155	155	90	57	31	15	6	2	0	0	0	0	0	0	0
45 - 40	57	86	72	45	26	14	5	2	1	0	0	0	0	0	0
40 - 35	4	32	40	32	19	9	3	1	0	0	0	0	0	0	0
35 - 30	1	12	17	15	9	4	1	0	0	0	0	0	0	0	0
30 - 25	2	4	7	7	4	2	1	0	0	0	0	0	0	0	0
JULY															
75 - 70	0	0	0	0	1	1	2	4	7	9	11	12	13	14	14
70 - 65	1	0	0	3	6	12	18	25	30	34	36	37	36	33	27
65 - 60	9	9	13	32	44	61	72	80	85	88	87	82	71	57	41
60 - 55	52	82	90	143	163	157	137	124	118	111	108	109	86	60	35
55 - 50	426	456	388	310	279	247	221	203	165	106	142	113	78	46	23
50 - 45	406	414	356	300	266	231	192	161	170	142	107	72	37	15	5
45 - 40	57	41	126	102	197	157	125	144	131	109	79	47	22	8	2
40 - 35	5	12	20	62	85	73	52	52	75	60	41	22	8	3	1
35 - 30	0	0	3	9	20	29	35	37	35	27	18	8	3	1	0
30 - 25	0	0	0	2	5	9	12	14	13	11	6	2	1	0	0
OCTOBER															
75 - 70	0	2	4	4	4	3	3	1	1	1	0	0	0	0	0
70 - 65	1	8	14	11	11	8	6	3	2	1	0	0	0	0	0
65 - 60	3	26	48	25	25	13	8	4	2	1	0	0	0	0	0
60 - 55	33	65	60	43	26	16	9	4	2	1	0	0	0	0	0
55 - 50	209	174	104	67	42	23	10	4	1	0	0	0	0	0	0
50 - 45	305	155	90	57	31	15	6	2	0	0	0	0	0	0	0
45 - 40	37	82	71	49	26	14	5	2	1	0	0	0	0	0	0
40 - 35	4	32	40	32	19	9	3	1	0	0	0	0	0	0	0
35 - 30	1	12	17	15	9	4	1	0	0	0	0	0	0	0	0
30 - 25	2	4	7	7	4	2	1	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

6 - 50 - 80,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	3	7	14	20	26	30	35	37	36	37	36	34	31	28	25
70 - 65	24	26	32	40	49	51	55	53	51	46	45	40	35	30	26
65 - 60	51	54	57	61	64	67	71	69	63	56	49	44	37	31	26
60 - 55	76	79	82	86	89	90	93	90	82	73	64	56	47	39	32
55 - 50	97	100	103	107	110	111	112	107	98	87	77	67	57	48	39
50 - 45	114	117	120	124	127	128	127	121	111	99	87	76	64	53	43
45 - 40	127	130	133	137	140	140	139	132	121	107	94	82	69	57	46
40 - 35	136	139	142	146	149	149	147	140	128	113	99	86	72	59	47
35 - 30	141	144	147	151	154	154	152	145	132	117	102	88	74	60	48
30 - 25	143	146	149	153	156	156	154	147	134	118	103	89	74	61	48
APRIL															
75 - 70	1	1	2	3	4	5	5	4	3	2	1	1	0	0	0
70 - 65	3	3	6	9	12	13	9	6	3	2	1	0	0	0	0
65 - 60	8	9	14	20	24	26	20	13	5	2	1	0	0	0	0
60 - 55	17	19	30	40	43	40	29	18	7	3	1	0	0	0	0
55 - 50	31	34	50	64	67	61	44	27	12	5	2	1	0	0	0
50 - 45	49	53	73	90	93	85	61	38	17	7	3	1	0	0	0
45 - 40	69	74	97	118	120	110	79	49	22	9	4	1	0	0	0
40 - 35	89	95	120	144	145	133	96	60	27	11	4	1	0	0	0
35 - 30	107	113	140	165	165	151	109	68	31	12	4	1	0	0	0
30 - 25	120	126	154	179	178	163	117	73	33	13	4	1	0	0	0
JULY															
75 - 70	1	2	3	4	6	8	8	8	12	15	18	21	23	26	27
70 - 65	3	4	6	8	12	20	26	34	40	46	49	52	54	53	51
65 - 60	8	11	14	36	55	69	77	84	89	92	91	89	84	77	68
60 - 55	24	43	93	135	155	155	154	148	142	136	129	119	106	94	78
55 - 50	414	414	373	427	224	227	204	180	172	159	145	129	111	92	74
50 - 45	92	94	149	154	156	153	140	140	131	119	104	88	70	54	39
45 - 40	8	8	32	53	73	83	90	94	89	82	70	56	42	30	20
40 - 35	3	1	7	12	17	38	46	51	52	46	41	32	24	16	10
35 - 30	1	0	2	4	8	14	20	24	25	24	20	15	11	7	4
30 - 25	1	2	4	6	6	6	6	5	4	3	2	1	1	0	0
OCTOBER															
75 - 70	1	3	14	15	15	13	9	6	3	2	1	1	0	0	0
70 - 65	5	23	32	39	64	18	20	5	2	1	0	0	0	0	0
65 - 60	37	78	80	84	43	28	10	7	3	1	0	0	0	0	0
60 - 55	248	196	144	60	51	47	28	5	2	1	0	0	0	0	0
55 - 45	370	220	157	92	53	29	11	4	1	0	0	0	0	0	0
45 - 40	43	145	19	73	44	21	8	2	1	0	0	0	0	0	0
40 - 35	5	37	49	41	23	12	4	1	0	0	0	0	0	0	0
35 - 30	2	14	21	20	12	5	2	0	0	0	0	0	0	0	0
30 - 25	1	5	8	8	5	2	1	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

6 - 55 - 40,000

	AND	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY		44	42	39	39	46	53	56	59	60	59	58	56	54	51	48
		70	72	78	81	83	84	83	80	77	73	70	65	62	57	52
		121	115	141	134	121	110	101	94	88	82	77	72	67	62	57
		104	112	122	133	142	144	140	130	118	103	87	77	71	66	61	55
		104	116	137	159	139	136	115	99	89	81	74	68	60	53	47	41
		155	151	138	124	110	98	85	82	74	67	60	54	47	41	35
		72	73	82	84	83	79	74	69	63	57	51	45	39	33	28
		38	54	65	86	82	82	80	58	54	51	47	41	36	31	25
		9	14	44	37	44	47	46	46	46	43	40	36	32	27	22
		4	5	10	21	31	34	36	37	37	35	33	30	27	23	18
APRIL		38	42	38	42	46	54	55	64	63	62	61	60	58	56	54
		83	84	81	85	85	84	84	81	79	76	73	70	67	64	60
		136	143	143	135	124	113	102	95	85	84	79	75	71	67	63
		129	121	108	108	114	114	105	97	91	84	79	75	70	66	61
		104	104	110	107	103	104	99	91	84	78	72	67	63	57	53
		155	147	139	129	112	99	91	85	78	72	66	61	56	51	46
		60	68	85	85	84	80	76	76	67	63	57	53	48	43	37
		37	46	67	86	82	83	82	80	77	74	71	67	63	58	53
		23	16	24	36	44	46	45	45	46	43	44	40	37	33	29
		4	6	14	22	31	35	37	36	39	37	36	33	31	28	24
JULY		22	19	27	36	44	51	54	55	55	54	52	49	47	43	39
		62	63	74	78	82	82	81	77	73	67	63	58	53	48	42
		150	153	145	134	122	111	101	94	84	76	68	61	54	49	43
		123	126	120	117	112	104	95	90	87	78	69	62	54	47	41
		94	92	96	102	104	104	97	87	80	75	66	57	49	42	35	29
		43	42	51	60	71	77	77	78	72	70	60	51	44	37	30	24
		78	74	80	83	83	77	72	65	56	52	45	38	31	26	20
		63	61	63	55	60	60	56	55	50	46	41	35	30	25	19
		7	16	23	35	42	45	46	45	42	38	34	30	26	21	16
		2	5	14	22	30	33	35	35	34	32	28	25	22	18	14
OCTOBER		46	46	47	37	45	51	54	56	56	55	53	51	48	45	41
		69	67	72	79	84	83	82	78	74	69	65	60	55	50	44
		152	143	145	134	122	112	101	93	85	78	71	65	59	53	47
		122	119	117	120	114	103	95	87	80	79	72	66	59	53	46
		104	112	124	130	133	114	98	88	78	71	63	56	49	43	37
		157	151	130	124	110	98	88	80	71	65	57	51	44	37	31
		77	77	82	84	83	78	74	69	62	56	49	43	37	31	26
		48	53	44	55	61	62	60	57	53	50	45	40	35	30	24
		9	14	24	32	43	46	47	47	45	42	39	35	30	26	21
		4	5	14	23	31	34	36	37	37	35	32	29	26	22	17

TABLE II. EURASIA (CONT.)

6 - 55 - 50.000

LAT BAND		LONGITUDE															
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	29	28	29	30	40	52	55	58	59	58	57	55	53	50	46
	70 - 65	70	71	70	80	93	83	83	79	76	71	67	63	58	54	48
	65 - 60	107	105	100	134	122	111	101	93	86	79	72	66	60	55	49
	60 - 55	129	127	120	170	141	126	109	97	86	79	72	66	59	53	46
	55 - 50	140	138	126	161	134	115	97	80	75	66	57	49	42	35	29
	50 - 45	138	134	122	142	111	97	86	77	67	58	50	43	35	28	22
	45 - 40	80	78	76	83	96	76	70	63	55	48	41	33	26	20	15
	40 - 35	42	42	42	54	70	68	56	53	47	42	37	30	24	19	14
	35 - 30	9	11	22	34	40	43	44	42	39	35	30	26	21	17	12
	30 - 25	1	4	13	24	29	31	33	32	31	27	24	20	16	13	9
APRIL	75 - 70	1	17	26	36	44	50	52	53	53	51	48	44	41	37	32
	70 - 65	55	55	55	77	91	81	79	75	70	64	60	53	48	43	37
	65 - 60	107	105	94	133	121	110	100	90	81	73	65	58	50	44	38
	60 - 55	140	135	124	173	143	125	110	95	85	73	65	58	49	42	35
	55 - 50	125	121	120	161	134	114	95	83	71	61	51	43	35	29	23
	50 - 45	105	95	87	123	109	94	83	72	61	52	43	36	28	22	17
	45 - 40	59	57	77	84	90	74	67	59	50	43	36	28	22	17	12
	40 - 35	30	26	44	56	70	55	52	47	41	36	30	23	18	13	9
	35 - 30	4	10	21	33	38	41	42	40	36	31	26	21	16	12	8
	30 - 25	1	4	12	19	26	30	31	30	28	24	20	16	12	9	6
JULY	75 - 70	0	19	25	31	36	38	36	33	29	25	21	17	14	11	9
	70 - 65	21	26	35	63	62	56	50	40	34	26	21	15	12	9	6
	65 - 60	122	120	119	107	89	73	57	44	33	25	18	13	10	7	4
	60 - 55	144	141	124	137	100	77	56	41	30	21	15	10	7	5	3
	55 - 50	146	140	128	103	90	65	44	30	21	14	10	6	4	2	1
	50 - 45	113	94	93	93	73	50	37	26	17	12	7	4	3	2	1
	45 - 40	62	49	64	63	53	41	32	24	15	10	6	4	2	1	0
	40 - 35	8	21	37	44	43	38	31	25	17	13	8	5	3	1	1
	35 - 30	6	10	21	29	32	31	27	22	15	11	6	4	2	1	0
	30 - 25	1	3	1	10	22	22	20	16	12	8	5	3	1	1	0
OCTOBER	75 - 70	1	17	26	36	44	50	52	53	53	51	48	44	41	37	32
	70 - 65	55	55	55	77	91	81	79	75	70	64	60	53	48	43	37
	65 - 60	107	105	94	133	121	110	100	90	81	73	65	58	50	44	38
	60 - 55	140	135	124	173	143	125	110	95	85	73	65	58	49	42	35
	55 - 50	125	121	120	161	134	114	95	83	71	61	51	43	35	29	23
	50 - 45	105	95	87	123	109	94	83	72	61	52	43	36	28	22	17
	45 - 40	59	57	77	84	90	74	67	59	50	43	36	28	22	17	12
	40 - 35	30	26	44	56	70	55	52	47	41	36	30	23	18	13	9
	35 - 30	4	10	21	33	38	41	42	40	36	31	26	21	16	12	8
	30 - 25	1	4	12	19	26	30	31	30	28	24	20	16	12	9	6

TABLE II. EURASIA (CONT.)

6 - 55 - 60,000

LAT BAND		LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 – 70	10	10	20	36	44	49	52	53	52	50	47	43	39	35	30
	70 – 65	40	53	65	75	79	79	76	71	66	59	54	47	41	35	29
	65 – 60	151	149	144	131	119	107	95	84	74	65	56	48	40	34	28
	60 – 55	196	194	176	153	134	120	104	87	76	64	55	47	38	31	25
	55 – 50	279	244	199	156	127	105	84	70	57	45	35	27	20	15	10
	50 – 45	143	114	134	110	103	84	71	58	44	35	24	17	11	7	5
	45 – 40	35	54	74	77	76	64	55	43	32	24	16	10	5	3	1
	40 – 35	8	22	39	49	52	48	46	35	26	20	14	9	6	3	2
	35 – 30	2	10	21	30	34	34	30	26	19	14	9	6	3	2	1
	30 – 25	1	5	10	16	23	23	21	17	14	10	7	4	2	2	1
APRIL	75 – 70	2	12	21	27	30	30	27	23	18	14	10	7	5	3	2
	70 – 65	14	31	50	64	71	64	56	46	36	28	20	13	9	5	3
	65 – 60	43	105	126	124	111	94	80	64	50	40	27	17	11	6	3
	60 – 55	314	227	145	103	70	50	35	21	13	6	3	2	1	0	0
	55 – 50	3	14	35	56	66	55	36	20	11	6	3	1	1	0	0
	50 – 45	78	55	30	61	43	27	16	9	4	2	1	0	0	0	0
	45 – 40	11	30	46	38	29	18	11	6	2	1	0	0	0	0	0
	40 – 35	2	13	27	26	20	14	7	4	2	1	0	0	0	0	0
	35 – 30	2	7	13	15	12	8	5	2	1	0	0	0	0	0	0
	30 – 25	1	5	7	8	7	5	3	1	1	0	0	0	0	0	0
JULY	75 – 70	1	7	14	19	19	14	13	10	7	4	3	2	1	1	0
	70 – 65	4	21	37	41	37	30	23	15	9	5	2	1	1	0	0
	65 – 60	41	84	101	87	69	49	31	19	9	4	1	1	0	0	0
	60 – 55	191	203	162	131	90	60	36	19	8	2	1	0	0	0	0
	55 – 50	321	261	171	110	77	44	19	8	2	1	0	0	0	0	0
	50 – 45	61	76	74	61	53	29	15	6	2	0	0	0	0	0	0
	45 – 40	5	24	42	40	27	13	6	2	1	0	0	0	0	0	0
	40 – 35	1	11	19	14	10	5	2	1	0	0	0	0	0	0	0
	35 – 30	0	3	5	5	3	2	1	0	0	0	0	0	0	0	0
	30 – 25	0	1	2	2	1	0	0	0	0	0	0	0	0	0	0
OCTOBER	75 – 70	2	12	21	27	30	30	27	23	18	14	10	7	5	3	2
	70 – 65	14	31	50	64	71	64	56	46	36	28	20	13	9	5	3
	65 – 60	43	105	126	124	111	94	80	64	50	40	27	17	11	6	3
	60 – 55	314	227	145	103	70	50	35	21	13	6	3	2	1	0	0
	55 – 50	30	55	66	55	44	35	36	20	11	6	3	1	1	0	0
	50 – 45	78	55	30	61	43	27	16	9	4	2	1	0	0	0	0
	45 – 40	11	32	46	38	29	18	11	6	2	1	0	0	0	0	0
	40 – 35	2	13	27	26	20	14	7	4	2	1	0	0	0	0	0
	35 – 30	2	7	13	15	12	8	5	2	1	0	0	0	0	0	0
	30 – 25	1	5	7	8	7	5	3	1	1	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

6 - 55 - 70,000

		LONGITUDE													
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY																
			16	43	36	44	49	52	53	52	50	47	43	39	35	30
			23	33	31	43	74	76	71	68	59	54	47	41	35	29
					130	110	100	93	86	72	63	53	45	37	31	25
					104	92	87	100	84	72	59	49	41	32	26	20
				133	122	104	88	74	70	57	45	35	27	20	15	10
			14	74	77	74	64	55	43	32	24	16	10	5	3	1
			21	55	47	46	44	36	30	22	16	11	6	4	2	1
APRIL																
JULY																
OCTOBER																

TABLE II. EURASIA (CONT.)

6 - 55 - 80,000

LAT BAND		LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	19	18	16	36	44	50	53	54	54	52	50	46	43	39	35
	70 - 65	53	56	67	77	80	80	76	74	69	63	56	51	46	40	34
	65 - 60	154	150	142	136	120	108	97	87	76	69	60	53	45	39	33
	60 - 55	220	220	205	176	141	122	107	91	81	68	60	52	43	37	30
	55 - 50	260	240	190	159	131	109	90	76	64	53	43	35	28	22	17
	50 - 45	190	145	134	120	106	89	76	64	52	42	32	25	19	13	10
	45 - 40	42	59	73	75	75	68	60	49	39	31	24	17	11	8	5
	40 - 35	8	26	39	49	52	48	42	35	26	20	14	9	6	3	2
	35 - 30	2	10	21	30	34	33	25	24	17	12	7	4	2	1	0
	30 - 25	2	5	10	18	22	22	20	16	12	8	5	3	1	1	0
APRIL	75 - 70	1	7	16	15	15	14	13	10	7	4	3	2	1	1	0
	70 - 65	3	20	30	31	28	21	16	10	6	3	2	0	0	0	0
	65 - 60	30	60	76	56	43	30	18	11	5	2	1	0	0	0	0
	60 - 55	100	152	110	78	49	31	19	9	4	1	0	0	0	0	0
	55 - 50	140	180	141	90	61	39	24	12	5	2	1	0	0	0	0
	50 - 45	89	85	64	64	42	22	11	4	1	0	0	0	0	0	0
	45 - 40	50	54	42	44	27	13	6	2	1	0	0	0	0	0	0
	40 - 35	21	26	29	18	13	7	3	1	0	0	0	0	0	0	0
	35 - 30	7	4	7	7	5	3	1	0	0	0	0	0	0	0	0
	30 - 25	0	1	2	2	2	1	1	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	0	3	7	12	17	23	28	34	39	44	47	50	51
	70 - 65	4	4	8	26	44	59	66	77	83	88	90	91	91	88	82
	65 - 60	70	78	99	127	149	156	156	153	149	144	139	132	124	113	101
	60 - 55	422	429	357	321	257	243	224	203	189	174	163	150	133	117	96
	55 - 50	412	412	373	297	232	229	204	186	172	159	145	129	111	92	74
	50 - 45	83	83	113	147	150	155	150	144	138	129	117	104	86	71	57
	45 - 40	8	8	26	54	71	82	88	94	92	90	83	73	61	49	37
	40 - 35	2	2	6	16	24	35	44	50	53	53	50	44	36	28	20
	35 - 30	0	0	2	4	8	13	19	24	28	29	28	25	21	16	11
	30 - 25	0	0	0	1	2	5	7	10	12	13	13	11	10	7	5
OCTOBER	75 - 70		7	16	15	15	14	13	10	7	4	3	2	1	1	0
	70 - 65	3	20	30	31	26	21	16	10	6	3	2	0	0	0	0
	65 - 60	32	62	76	58	43	30	18	11	5	2	1	0	0	0	0
	60 - 55	309	192	110	78	49	31	19	9	4	1	0	0	0	0	0
	55 - 50	242	190	146	90	61	39	24	12	5	2	1	0	0	0	0
	50 - 45	39	60	54	64	42	22	11	4	1	0	0	0	0	0	0
	45 - 40	2	34	42	49	27	13	6	2	1	0	0	0	0	0	0
	40 - 35	1	14	19	18	13	7	3	1	0	0	0	0	0	0	0
	35 - 30	1	4	7	7	5	3	1	0	0	0	0	0	0	0	0
	30 - 25	0	1	2	2	2	1	1	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

6 - 60 - 40,000

LAT BAND		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
		LONGITUDE														
JANUARY	70 - 75	65	70	74	76	81	82	83	82	81	78	74	71	67	64	61
	65 - 70	107	104	99	139	129	120	111	103	96	88	83	77	72	68	62
	60 - 65	110	111	109	173	153	135	118	106	99	92	86	80	75	70	65
	55 - 60	112	113	113	165	139	121	106	96	90	83	77	71	66	61	55
	50 - 55	150	121	105	149	114	103	95	88	81	76	70	64	58	54	48
	45 - 50	79	86	84	84	84	85	79	74	69	65	60	55	49	44	39
	40 - 45	88	95	96	82	69	62	62	60	56	53	49	45	41	36	31
	35 - 40	9	14	22	34	41	46	47	47	46	44	42	39	35	31	27
	30 - 35	2	8	15	21	29	33	35	37	37	36	35	32	29	26	22
	25 - 30	1	3	6	14	19	23	25	27	28	28	27	26	24	21	18
APRIL	70 - 75	72	75	77	79	82	83	84	83	82	79	76	74	70	67	64
	65 - 70	105	104	140	138	129	120	111	103	97	90	86	81	77	74	69
	60 - 65	100	99	107	174	134	137	120	107	99	92	87	82	77	73	69
	55 - 60	129	121	120	165	142	124	109	97	91	84	79	75	70	66	61
	50 - 55	155	127	126	131	117	106	96	89	83	79	74	69	64	60	56
	45 - 50	87	87	87	86	85	82	79	76	71	68	64	60	56	52	48
	40 - 45	60	76	86	93	89	83	64	66	60	57	54	52	46	44	40
	35 - 40	45	46	63	35	41	47	49	49	49	47	45	44	41	37	34
	30 - 35	4	6	12	20	26	34	36	38	38	39	38	36	34	32	29
	25 - 30	2	3	7	13	19	24	26	28	30	30	30	29	28	26	23
JULY	70 - 75	61	66	64	71	76	80	80	78	75	71	67	63	57	52	48
	65 - 70	105	96	147	137	126	116	109	101	92	83	76	69	62	57	50
	60 - 65	144	132	124	168	157	139	121	107	97	86	79	70	62	55	49
	55 - 60	128	122	120	174	142	124	109	96	87	76	69	62	54	47	41
	50 - 55	124	126	123	129	110	103	94	85	75	69	61	54	47	41	35
	45 - 50	71	77	77	83	80	75	69	64	57	51	45	38	32	27	
	40 - 45	82	88	80	91	87	80	59	56	52	48	43	38	33	27	22
	35 - 40	16	16	41	32	38	43	44	44	42	39	36	32	28	23	19
	30 - 35	4	5	12	19	27	31	33	35	34	32	31	27	24	21	17
	25 - 30	1	3	7	13	18	21	24	25	26	25	23	21	19	16	13
OCTOBER	70 - 75	76	76	76	74	78	80	81	79	76	72	68	64	59	54	50
	65 - 70	107	102	140	138	120	119	110	104	94	84	78	71	65	60	52
	60 - 65	146	122	121	164	126	138	120	107	97	87	80	72	65	58	52
	55 - 60	122	119	197	170	141	123	109	97	88	79	72	66	59	53	46
	50 - 55	107	101	140	144	120	103	95	86	78	72	65	58	52	47	40
	45 - 50	75	75	80	85	84	81	77	74	67	62	56	50	45	39	34
	40 - 45	48	50	56	63	63	61	61	58	55	51	46	42	38	32	27
	35 - 40	28	29	32	33	40	45	46	46	45	42	39	36	32	28	24
	30 - 35	13	13	20	22	28	32	34	36	36	34	33	30	26	23	19
	25 - 30	5	6	9	14	19	23	25	27	27	27	26	24	22	19	16

TABLE II. EURASIA (CONT.)

6 - 60 - 50,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
		67	70	70	80	82	83	84	80	77	73	70	66	62	59
APRIL															
JULY															
OCTOBER															

TABLE II. EURASIA (CONT.)

6 - 60 - 60,000

LAT BAND	LONGITUDE															
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	
JANUARY																
	50	51	59	69	77	79	79	76	73	69	64	60	53	48	44	
	130	147	140	126	120	115	106	96	87	76	69	60	53	47	39	
	220	245	219	184	153	135	110	101	90	78	70	60	52	45	38	
	310	341	316	271	239	200	164	127	90	74	64	55	47	38	31	25
	390	423	390	335	285	241	196	152	110	80	52	42	34	26	21	16
	440	483	450	390	333	277	224	174	126	91	64	46	37	29	22	16	11	8
	470	520	487	424	362	302	244	189	137	99	70	51	41	32	24	18	13	9
	480	530	500	435	372	310	251	195	141	102	72	53	42	33	25	19	14	10
	470	520	487	424	362	302	244	189	137	99	70	51	41	32	24	18	13	9
	440	483	450	390	333	277	224	174	126	91	64	46	37	29	22	16	11	8
	390	423	390	335	285	241	196	152	110	80	52	42	34	26	21	16
	310	341	316	271	239	200	164	127	90	74	64	55	47	38	31	25
	220	245	219	184	153	135	110	101	90	78	70	60	52	45	38	
	130	147	140	126	120	115	106	96	87	76	69	60	53	47	39	
	50	51	59	69	77	79	79	76	73	69	64	60	53	48	44	
APRIL																
	40	41	49	49	46	41	34	29	22	16	13	9	6	4		
	93	103	107	97	82	68	54	43	32	21	14	10	6	4	2	
	224	244	201	130	95	74	53	36	26	16	11	6	3	2	1	
	216	227	149	103	70	50	35	21	13	6	3	2	1	0	0	
	96	96	96	76	53	38	27	15	9	5	2	1	0	0	0	
	41	54	49	44	33	23	15	9	5	2	1	1	0	0	0	
	24	16	24	24	21	16	9	6	3	1	1	0	0	0	0	
	2	9	13	15	13	10	6	3	2	1	0	0	0	0	0	
	1	4	7	7	7	5	3	2	1	0	0	0	0	0	0	
	1	2	3	4	4	3	2	1	0	0	0	0	0	0	0	
JULY																
	5	20	20	32	30	28	23	17	13	9	5	4	2	1	0	
	54	72	62	54	71	57	42	30	20	11	6	3	1	1	0	
	170	201	165	137	99	74	48	28	17	8	4	1	1	0	0	
	99	83	132	90	60	38	18	8	2	1	0	0	0	0	0	
	43	58	109	90	64	40	23	10	4	2	0	0	0	0	0	
	9	23	77	47	37	23	12	5	2	1	0	0	0	0	0	
	1	10	10	19	16	10	5	2	1	0	0	0	0	0	0	
	1	4	6	7	6	3	2	1	0	0	0	0	0	0	0	
	0	1	2	2	2	1	1	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
OCTOBER																
	40	41	49	49	46	41	34	29	22	16	13	9	6	4		
	93	103	107	97	82	68	54	43	32	21	14	10	6	4	2	
	224	244	201	130	95	74	53	36	26	16	11	6	3	2	1	
	216	227	145	103	70	50	35	21	13	6	3	2	1	0	0	
	86	102	94	75	55	38	27	15	9	5	2	1	0	0	0	
	41	54	49	42	33	23	15	9	5	2	1	1	0	0	0	
	24	16	24	24	21	16	9	6	3	1	1	0	0	0	0	
	2	9	13	15	13	10	6	3	2	1	0	0	0	0	0	
	1	4	7	7	7	5	3	2	1	0	0	0	0	0	0	
	1	2	3	4	4	3	2	1	0	0	0	0	0	0	0	

TABLE II. EURASIA (CONT.)

6 - 60 - 70,000

LAT BAND		LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	40	51	59	69	77	79	79	76	73	69	64	60	53	48	44
	70 - 65	150	142	140	136	120	116	106	96	87	76	69	60	53	47	39
	65 - 60	174	201	222	183	152	132	113	97	86	74	65	55	46	39	32
	60 - 55	176	201	206	169	137	117	100	84	72	59	49	41	32	26	20
	55 - 50	150	145	130	120	111	96	85	72	60	52	42	34	26	21	16
	50 - 45	46	53	72	73	77	71	64	54	46	37	29	22	16	11	8
	45 - 40	9	20	37	47	52	51	46	40	33	25	19	14	9	6	4
	40 - 35	2	10	19	28	33	34	32	27	22	16	12	7	5	3	1
	35 - 30	1	5	11	15	20	20	19	16	14	10	6	4	3	1	1
	30 - 25	1	3	6	9	11	12	12	10	8	6	4	2	2	1	0
APRIL	75 - 70	2	15	21	20	16	13	10	6	4	3	1	1	1	0	0
	70 - 65	31	54	57	44	33	24	17	11	7	4	2	1	0	0	0
	65 - 60	104	147	94	59	38	26	16	9	5	2	1	0	0	0	0
	60 - 55	180	169	95	64	39	24	14	7	3	1	0	0	0	0	0
	55 - 50	90	65	50	43	26	16	9	4	2	1	0	0	0	0	0
	50 - 45	3	26	32	28	20	12	6	2	1	0	0	0	0	0	0
	45 - 40	1	7	13	13	10	6	3	1	0	0	0	0	0	0	0
	40 - 35	1	4	6	6	5	3	2	1	0	0	0	0	0	0	0
	35 - 30	0	1	2	2	2	1	1	0	0	0	0	0	0	0	0
	30 - 25	0	0	1	1	1	1	0	0	0	0	0	0	0	0	0
JULY	75 - 70	0	0	2	10	23	31	41	52	60	67	72	73	71	68	64
	70 - 65	23	30	73	104	136	148	154	156	156	151	143	132	120	106	91
	65 - 60	464	401	436	355	309	288	259	236	222	204	189	170	151	134	111
	60 - 55	462	445	406	326	290	262	238	210	203	185	170	151	123	96	61
	55 - 50	39	42	80	143	153	157	157	154	148	141	128	109	84	60	35
	50 - 45	0	1	17	37	52	68	78	85	88	87	79	66	48	30	15
	45 - 40	0	0	3	7	15	23	32	39	44	45	41	33	22	12	5
	40 - 35	0	0	0	1	3	7	10	15	17	18	16	12	8	4	1
	35 - 30	0	0	0	0	1	2	4	5	6	6	5	4	2	1	0
	30 - 25	0	0	0	0	0	1	1	2	2	2	2	1	1	0	0
OCTOBER	75 - 70	2	13	21	20	16	13	10	6	4	3	1	1	1	0	0
	70 - 65	31	54	57	44	33	24	17	11	7	4	2	1	0	0	0
	65 - 60	104	147	94	59	38	26	16	9	5	2	1	0	0	0	0
	60 - 55	180	169	95	64	39	24	14	7	3	1	0	0	0	0	0
	55 - 50	94	65	60	43	26	16	9	4	2	1	0	0	0	0	0
	50 - 45	3	26	32	28	20	12	6	2	1	0	0	0	0	0	0
	45 - 40	1	7	13	13	10	6	3	1	0	0	0	0	0	0	0
	40 - 35	1	4	6	6	5	3	2	1	0	0	0	0	0	0	0
	35 - 30	0	1	2	2	2	1	1	0	0	0	0	0	0	0	0
	30 - 25	0	0	1	1	1	1	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

6 - 60 - 80,000

LAT BAND	LONGITUDE 0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	21	26	62	71	78	80	80	78	75	71	67	63	57	52	48
70 - 65	156	143	142	136	120	117	107	96	89	79	72	6	58	52	44
65 - 60	250	230	217	184	155	137	113	104	93	82	74	6	57	50	43
60 - 55	255	236	206	174	144	122	107	91	81	68	60	52	43	37	30
55 - 50	154	149	141	127	113	99	90	78	67	59	50	42	34	29	22
50 - 45	91	86	78	80	75	74	66	60	52	44	36	30	23	18	14
45 - 40	41	41	36	43	53	53	50	44	39	32	26	21	15	11	8
40 - 35	6	10	19	26	34	35	34	30	25	20	16	11	8	6	3
35 - 30	1	3	12	16	21	23	22	19	17	13	9	6	4	2	2
30 - 25	1	3	7	10	13	15	15	13	11	8	6	4	3	2	1
APRIL															
75 - 70	4	21	30	36	36	35	26	21	16	11	7	5	3	1	1
70 - 65	35	62	74	64	52	40	30	21	13	8	4	2	1	0	0
65 - 60	306	192	132	90	62	45	29	17	10	4	2	1	0	0	0
60 - 55	306	192	113	78	49	31	19	9	4	1	0	0	0	0	0
55 - 50	37	78	80	62	43	26	15	7	3	1	0	0	0	0	0
50 - 45	4	29	40	37	20	18	9	4	1	1	0	0	0	0	0
45 - 40	1	9	17	17	14	9	4	2	1	0	0	0	0	0	0
40 - 35	1	4	7	8	7	4	2	1	0	0	0	0	0	0	0
35 - 30	0	1	2	2	2	1	1	0	0	0	0	0	0	0	0
30 - 25	0	0	1	1	1	1	0	0	0	0	0	0	0	0	0
JULY															
75 - 70	3	3	4	14	31	42	54	64	70	77	83	86	88	90	90
70 - 65	70	70	76	111	140	152	156	157	155	152	148	144	140	134	126
65 - 60	421	419	400	340	209	202	239	220	206	192	161	109	156	148	133
60 - 55	421	419	307	321	207	243	224	203	189	174	163	150	133	117	96
55 - 50	64	63	95	130	155	156	154	146	142	136	129	119	106	94	78
50 - 45	9	6	16	46	65	76	84	89	92	92	90	84	75	66	54
45 - 40	0	0	4	13	22	30	40	47	52	56	55	53	49	41	34
40 - 35	0	0	1	3	9	11	16	21	25	26	29	28	26	21	17
35 - 30	0	0	0	1	2	4	6	9	11	13	14	14	13	11	9
30 - 25	0	0	0	0	0	1	2	3	5	6	6	6	6	5	4
OCTOBER															
75 - 70	4	21	30	36	36	33	26	21	16	11	7	5	3	1	1
70 - 65	35	62	74	64	52	40	30	21	13	8	4	2	1	0	0
65 - 60	306	192	132	90	62	45	29	17	10	4	2	1	0	0	0
60 - 55	306	192	113	78	49	31	19	9	4	1	0	0	0	0	0
55 - 50	37	78	80	62	43	26	15	7	3	1	0	0	0	0	0
50 - 45	4	29	40	37	20	18	9	4	1	1	0	0	0	0	0
45 - 40	1	9	17	17	14	9	4	2	1	0	0	0	0	0	0
40 - 35	1	4	7	8	7	4	2	1	0	0	0	0	0	0	0
35 - 30	0	1	2	2	2	1	1	0	0	0	0	0	0	0	0
30 - 25	0	0	1	1	1	1	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

6 - 65 - 40,000

LAT BAND		LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 – 70	155	153	145	143	137	128	121	111	105	98	91	85	79	72	68
	70 – 65	240	231	217	202	179	156	138	124	112	105	96	87	80	74	69
	65 – 60	213	211	199	178	153	135	116	106	99	92	86	80	75	70	65
	60 – 55	180	186	170	134	121	110	101	94	88	82	77	72	67	62	57
	55 – 50	79	86	82	64	66	64	61	76	73	69	65	61	57	52	48
	50 – 45	36	43	39	34	37	62	62	61	59	57	54	51	46	44	39
	45 – 40	9	16	20	30	37	43	46	47	47	45	44	41	36	35	31
	40 – 35	2	8	14	18	27	31	34	36	36	36	35	34	31	29	26
	35 – 30	1	2	7	12	17	21	24	26	28	28	28	27	26	23	21
	30 – 25	1	2	4	7	11	14	17	19	21	22	22	21	20	18	16
APRIL	75 – 70	155	155	150	145	139	134	122	113	107	101	94	89	84	78	74
	70 – 65	220	220	205	196	170	154	136	126	111	104	97	90	84	79	75
	65 – 60	205	193	187	172	154	137	120	107	99	92	87	82	77	73	69
	60 – 55	156	142	140	135	124	113	102	95	89	84	79	75	71	67	63
	55 – 50	93	87	80	67	66	64	81	79	75	72	68	65	62	59	56
	50 – 45	59	71	64	51	56	61	63	63	61	59	58	55	53	50	47
	45 – 40	24	28	24	30	37	44	46	49	49	49	48	46	44	42	39
	40 – 35	4	8	10	17	20	32	35	37	38	39	38	37	36	34	32
	35 – 30	2	3	6	11	17	22	25	27	29	30	30	30	30	28	27
	30 – 25	0	1	4	7	11	15	16	20	22	23	24	24	24	22	21
JULY	75 – 70	145	147	143	139	133	124	117	107	99	92	84	77	70	62	57
	70 – 65	270	254	226	206	177	153	134	119	105	97	86	76	68	60	55
	65 – 60	240	238	214	165	157	139	121	107	97	86	79	70	62	55	49
	60 – 55	155	153	142	134	122	111	101	92	84	76	68	61	54	49	43
	55 – 50	78	71	76	62	63	62	79	74	68	64	58	52	47	41	36
	50 – 45	41	47	36	46	50	58	58	57	54	52	47	42	39	33	28
	45 – 40	9	16	16	22	35	39	42	43	42	40	36	34	31	26	22
	40 – 35	3	4	6	16	24	28	31	33	33	32	30	27	24	21	18
	35 – 30	1	2	7	11	16	20	23	24	25	25	24	22	21	18	15
	30 – 25	1	2	4	7	10	13	16	18	19	20	19	18	16	14	12
OCTOBER	75 – 70	167	165	162	136	133	123	116	106	98	91	82	75	69	60	54
	70 – 65	225	220	207	206	170	153	135	120	107	98	87	78	70	62	57
	65 – 60	248	228	212	166	150	130	120	107	97	87	80	72	65	58	52
	60 – 55	157	153	140	134	122	111	101	93	85	78	71	65	59	53	47
	55 – 50	72	72	72	66	64	63	79	75	70	65	60	55	50	44	40
	50 – 45	45	50	37	49	56	60	60	59	57	54	50	46	43	38	33
	45 – 40	17	21	19	29	36	41	44	45	45	43	41	38	35	31	27
	40 – 35	6	8	10	17	23	29	32	34	35	34	32	31	27	25	22
	35 – 30	2	4	7	11	10	20	23	25	26	26	26	24	23	20	17
	30 – 25	1	2	4	7	11	14	16	18	20	21	20	19	18	16	14

TABLE II. EURASIA (CONT.)

6 - 65 - 50,000

LONGITUDE

		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY																
APRIL																
JULY																
OCTOBER																

TABLE II. EURASIA (CONT.)

6 - 65 - 60,000

LAT BAND	LONGITUDE															
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	
JANUARY																
75 - 70	147	145	142	138	133	127	116	100	88	91	82	75	69	60	54	
70 - 65	134	131	130	126	120	114	104	92	80	74	68	62	57	52	47	
65 - 60	123	121	118	114	108	103	93	83	74	65	56	48	40	34	28	
60 - 55	110	108	105	101	96	90	82	74	65	56	48	40	33	27	22	
55 - 50	98	96	93	89	84	78	71	63	55	47	40	33	27	22	17	
50 - 45	86	84	81	77	72	67	60	53	46	39	33	27	22	17	13	
45 - 40	75	73	70	66	62	57	51	45	39	33	28	23	18	14	11	
40 - 35	65	63	60	57	53	49	44	38	33	28	23	19	15	12	9	
35 - 30	56	54	52	49	45	42	37	32	28	24	20	16	13	10	8	
30 - 25	48	46	44	42	39	36	32	28	24	20	17	14	11	9	7	
25 - 20	41	40	38	36	33	31	28	24	21	18	15	12	10	8	6	
20 - 15	35	34	33	31	29	27	24	21	18	16	13	11	9	7	5	
15 - 10	30	29	28	27	25	23	21	19	16	14	12	10	8	6	5	
10 - 5	26	25	24	23	22	20	19	17	15	13	11	9	8	6	5	
5 - 0	23	22	21	20	19	18	17	15	14	12	10	9	7	6	5	
APRIL																
75 - 70	93	132	167	198	227	252	271	286	296	300	300	296	286	271	252	
70 - 65	86	125	162	195	224	249	268	283	293	297	297	293	283	268	249	
65 - 60	82	120	157	190	219	244	263	278	288	292	292	288	278	263	244	
60 - 55	78	115	152	185	214	239	258	273	283	287	287	283	273	258	239	
55 - 50	74	110	147	180	209	234	253	268	278	282	282	278	268	253	234	
50 - 45	70	105	142	175	204	229	248	263	273	277	277	273	263	248	229	
45 - 40	66	100	137	170	199	224	243	258	268	272	272	268	258	243	224	
40 - 35	62	95	132	165	194	219	238	253	263	267	267	263	253	238	219	
35 - 30	58	90	127	160	189	214	233	248	258	262	262	258	248	233	214	
30 - 25	54	85	122	155	184	209	228	243	253	257	257	253	243	228	209	
25 - 20	50	80	117	150	179	204	223	238	248	252	252	248	238	223	204	
20 - 15	46	75	112	145	174	199	218	233	243	247	247	243	233	218	199	
15 - 10	42	70	107	140	169	194	213	228	238	242	242	238	228	213	194	
10 - 5	38	65	102	135	164	189	208	223	233	237	237	233	223	208	189	
5 - 0	34	60	97	130	159	184	203	218	228	232	232	228	218	203	184	
JULY																
75 - 70	33	52	68	82	94	103	109	112	112	109	103	94	82	68	52	
70 - 65	30	48	63	77	89	98	104	107	107	104	98	89	77	63	48	
65 - 60	27	44	59	73	85	94	100	103	103	100	94	85	73	59	44	
60 - 55	24	41	56	70	82	91	97	100	100	97	91	82	70	56	41	
55 - 50	22	38	53	67	79	88	94	97	97	94	88	79	67	53	38	
50 - 45	19	35	50	64	76	85	91	94	94	91	85	76	64	50	35	
45 - 40	17	32	47	61	73	82	88	91	91	88	82	73	61	47	32	
40 - 35	15	29	44	58	70	79	85	88	88	85	79	70	58	44	29	
35 - 30	13	26	41	55	67	76	82	85	85	82	76	67	55	41	26	
30 - 25	11	23	38	52	64	73	79	82	82	79	73	64	52	38	23	
25 - 20	9	20	35	49	61	70	76	79	79	76	70	61	49	35	20	
20 - 15	7	17	32	46	58	67	73	76	76	73	67	58	46	32	17	
15 - 10	5	14	29	43	55	64	70	73	73	70	64	55	43	29	14	
10 - 5	3	11	26	40	52	61	67	70	70	67	61	52	40	26	11	
5 - 0	1	8	23	37	49	58	64	67	67	64	58	49	37	23	8	
OCTOBER																
75 - 70	33	52	68	82	94	103	109	112	112	109	103	94	82	68	52	
70 - 65	30	48	63	77	89	98	104	107	107	104	98	89	77	63	48	
65 - 60	27	44	59	73	85	94	100	103	103	100	94	85	73	59	44	
60 - 55	24	41	56	70	82	91	97	100	100	97	91	82	70	56	41	
55 - 50	22	38	53	67	79	88	94	97	97	94	88	79	67	53	38	
50 - 45	19	35	50	64	76	85	91	94	94	91	85	76	64	50	35	
45 - 40	17	32	47	61	73	82	88	91	91	88	82	73	61	47	32	
40 - 35	15	29	44	58	70	79	85	88	88	85	79	70	58	44	29	
35 - 30	13	26	41	55	67	76	82	85	85	82	76	67	55	41	26	
30 - 25	11	23	38	52	64	73	79	82	82	79	73	64	52	38	23	
25 - 20	9	20	35	49	61	70	76	79	79	76	70	61	49	35	20	
20 - 15	7	17	32	46	58	67	73	76	76	73	67	58	46	32	17	
15 - 10	5	14	29	43	55	64	70	73	73	70	64	55	43	29	14	
10 - 5	3	11	26	40	52	61	67	70	70	67	61	52	40	26	11	
5 - 0	1	8	23	37	49	58	64	67	67	64	58	49	37	23	8	

TABLE II. EURASIA (CONT.)

6 - 6 - 70,000

LAT BAND	LONGITUDE															
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	107	15	49	14	13	12	12	11	10	100	93	86	81	74	70
70 - 65	43	27	21	17	17	15	13	12	11	10	96	88	82	76	71
65 - 60	74	41	24	19	15	14	13	9	8	7	65	55	46	39	32
60 - 55	25	17	11	11	10	10	9	8	7	6	53	45	37	31	25
55 - 50	12	8	6	7	6	6	5	5	4	4	43	35	29	24	19
50 - 45	6	4	3	4	3	3	3	4	3	3	30	25	20	15	11
45 - 40	3	2	2	2	2	2	2	2	2	2	21	17	13	9	6
40 - 35	1	1	1	1	1	1	1	1	1	1	13	10	7	4	3
35 - 30	1	0	0	0	0	0	0	0	0	0	7	6	4	3	2	1	1
APRIL															
75 - 70	64	27	14	7	4	3	2	1	1	0	0	0	0	0	0
70 - 65	64	27	14	7	4	3	2	1	1	0	0	0	0	0	0
65 - 60	30	15	8	4	3	2	1	1	0	0	0	0	0	0	0
60 - 55	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0
55 - 50	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY															
75 - 70	27	17	32	72	102	142	174	150	154	153	153	149	141	125	112
70 - 65	443	426	406	403	354	314	274	242	237	210	197	176	146	129	
65 - 60	424	403	435	355	309	293	259	230	224	204	189	170	151	134	111
60 - 55	32	20	34	142	142	155	127	155	152	144	135	125	109	91	71
55 - 50	9	6	13	52	44	61	74	60	60	66	87	81	71	57	41
50 - 45	2	2	3	12	11	14	17	33	40	41	45	42	36	26	16
45 - 40	1	1	1	5	4	5	6	14	16	19	20	16	15	10	6
40 - 35	0	0	0	2	2	3	4	5	6	6	5	5	3	1	
35 - 30	0	0	0	0	0	0	1	1	2	2	2	2	1	1	0
OCTOBER															
75 - 70	44	27	15	41	24	14	8	16	9	5	4	2	1	1	0
70 - 65	64	27	14	7	4	3	2	1	1	0	0	0	0	0	0
65 - 60	64	27	14	7	4	3	2	1	1	0	0	0	0	0	0
60 - 55	33	20	12	6	4	3	2	1	1	0	0	0	0	0	0
55 - 50	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0
50 - 45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
45 - 40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

6 - 65 - 80,000

	LATITUDE	LONGITUDE																
													100	110	120	130	140	
JANUARY													93	85	76	72	64	59
													98	87	78	70	62	57
													84	74	65	57	50	43
													73	60	53	45	39	33
													56	49	43	37	31	26
													42	37	31	27	22	17
													26	25	21	17	13	9
													19	16	13	10	7	6
													11	10	7	5	4	3
													7	5	4	3	2	2
APRIL													23	15	10	7	4	2
													15	9	4	2	1	0
													4	2	1	0	0	0
													2	1	0	0	0	0
														0	0	0	0	0
													1	0	0	0	0	0
													0	0	0	0	0	0
													0	0	0	0	0	0
													0	0	0	0	0	0
													0	0	0	0	0	0
JULY													193	156	134	152	148	145
													202	178	160	170	168	
													192	161	109	130	140	133
													144	139	132	124	113	101
													92	91	89	84	77	68
													67	53	55	52	46	41
													22	26	29	28	26	23
													12	13	14	15	14	12
													4	5	6	7	7	6
													2	2	2	3	3	2
OCTOBER													23	15	10	7	4	2
													21	15	9	4	2	1	0
													17	10	4	2	1	0	0
													11	5	2	1	0	0	0
													5	2	1	0	0	0	0
													3	1	1	0	0	0	0
													2	0	0	0	0	0	0
													1	0	0	0	0	0	0
													0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

6 - 70 - 40,000

LONGITUDE

LATITUDE	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	27	22	24	22	19	17	15	14	12	11	10	9	8	7
	24	23	21	20	17	15	13	11	10	9	8	7	6	6
	19	18	17	13	12	11	10	9	8	8	7	6	6	5
	14	13	12	9	8	8	7	7	7	7	6	6	5	5
	9	10	11	10	9	9	8	8	8	7	7	6	5	4
	5	6	7	8	8	8	8	8	8	8	7	7	6	5
	1	2	3	5	6	7	7	8	8	8	8	8	7	6
	-2	-1	0	2	3	4	5	6	7	8	8	8	8	7
	-5	-4	-3	-1	0	1	3	4	5	6	7	8	8	8
APRIL	27	25	24	22	19	17	15	14	12	11	10	9	8	7
	24	23	21	19	17	15	13	12	11	10	9	8	7	7
	19	18	17	15	14	12	11	10	9	9	8	8	7	6
	14	13	12	10	9	8	8	8	8	7	7	7	6	6
	9	9	9	8	7	7	7	7	7	7	6	6	5	5
	4	4	5	5	5	5	5	6	6	6	6	5	5	4
	-1	0	1	2	3	4	4	5	5	5	5	5	4	4
	-5	-4	-3	-2	-1	0	1	2	3	4	4	4	4	3
	-9	-8	-7	-6	-5	-4	-3	-2	-1	0	1	2	2	2
JULY	27	26	25	24	22	20	18	16	14	12	11	10	9	8
	25	24	23	22	21	19	17	15	13	12	11	10	9	8
	22	21	20	19	18	17	15	14	12	11	10	9	8	8
	18	17	16	15	14	13	12	11	10	10	9	8	8	7
	13	13	12	11	10	10	9	9	9	8	8	8	7	7
	9	8	8	7	7	7	7	7	7	7	7	7	6	6
	4	4	4	4	4	4	4	5	5	5	5	5	5	5
	-1	0	0	1	1	2	2	3	3	3	4	4	4	4
	-6	-5	-4	-3	-2	-1	0	1	1	2	2	3	3	3
	-10	-9	-8	-7	-6	-5	-4	-3	-2	-1	0	1	2	2
OCTOBER	26	25	24	23	21	19	17	15	13	12	11	10	9	8
	24	23	22	21	20	18	16	14	13	12	11	10	9	8
	21	20	19	18	17	16	15	14	13	12	11	10	9	8
	17	16	15	14	13	13	12	12	11	11	10	9	9	8
	12	12	11	11	10	10	10	10	10	10	9	9	8	8
	8	7	7	7	7	7	8	8	8	8	8	8	8	8
	3	3	3	3	4	4	5	5	6	6	6	7	7	7
	-2	-1	0	1	2	3	3	4	4	4	5	5	6	6
	-7	-6	-5	-4	-3	-2	-1	0	1	2	2	3	4	4
	-11	-10	-9	-8	-7	-6	-5	-4	-3	-2	-1	0	1	2

TABLE II. EURASIA (CONT.)

6 - 70 - 50,000

LAT BAND	LONGITUDE															
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	
JANUARY																
	274	262	249	234	199	176	157	142	128	117	107	97	89	81	74	
	244	242	239	234	227	217	205	192	178	165	153	142	132	123	115	
	192	191	189	184	177	169	161	151	141	130	120	111	103	95	88	
	127	127	125	122	118	113	107	101	94	87	81	75	69	64	59	
	74	73	72	70	68	65	62	58	54	50	46	43	39	36	33	
	42	42	41	40	39	37	35	33	31	29	27	25	23	21	19	
	24	24	23	23	22	21	20	19	18	17	16	15	14	13	12	
	14	14	13	13	12	12	11	10	10	9	9	8	8	7	7	
APRIL																
	274	262	249	234	217	199	180	162	145	130	117	105	94	84	75	
	244	242	239	234	227	217	205	192	178	165	153	142	132	123	115	
	192	191	189	184	177	169	161	151	141	130	120	111	103	95	88	
	127	127	125	122	118	113	107	101	94	87	81	75	69	64	59	
	74	73	72	70	68	65	62	58	54	50	46	43	39	36	33	
	42	42	41	40	39	37	35	33	31	29	27	25	23	21	19	
	24	24	23	23	22	21	20	19	18	17	16	15	14	13	12	
	14	14	13	13	12	12	11	10	10	9	9	8	8	7	7	
JULY																
	274	262	249	234	217	199	180	162	145	130	117	105	94	84	75	
	244	242	239	234	227	217	205	192	178	165	153	142	132	123	115	
	192	191	189	184	177	169	161	151	141	130	120	111	103	95	88	
	127	127	125	122	118	113	107	101	94	87	81	75	69	64	59	
	74	73	72	70	68	65	62	58	54	50	46	43	39	36	33	
	42	42	41	40	39	37	35	33	31	29	27	25	23	21	19	
	24	24	23	23	22	21	20	19	18	17	16	15	14	13	12	
	14	14	13	13	12	12	11	10	10	9	9	8	8	7	7	
OCTOBER																
	274	262	249	234	217	199	180	162	145	130	117	105	94	84	75	
	244	242	239	234	227	217	205	192	178	165	153	142	132	123	115	
	192	191	189	184	177	169	161	151	141	130	120	111	103	95	88	
	127	127	125	122	118	113	107	101	94	87	81	75	69	64	59	
	74	73	72	70	68	65	62	58	54	50	46	43	39	36	33	
	42	42	41	40	39	37	35	33	31	29	27	25	23	21	19	
	24	24	23	23	22	21	20	19	18	17	16	15	14	13	12	
	14	14	13	13	12	12	11	10	10	9	9	8	8	7	7	

TABLE II. EURASIA (CONT.)

6 - 70 - 60,000

LAT BAND	LONGITUDE															
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	
JANUARY																
75 - 70	253	278	256	227	199	174	154	136	124	112	101	91	82	73	66	
70 - 65	274	257	230	226	176	152	132	117	103	95	84	74	65	57	52	
65 - 60	250	247	243	234	225	215	206	90	87	76	69	60	53	47	39	
60 - 55	4	3	3	86	7	7	7	76	71	66	59	54	47	41	35	29
55 - 50	1	1	30	42	48	54	53	54	49	44	41	36	31	26	21	
50 - 45	3	7	14	22	30	34	36	35	34	31	28	24	20	16	13	
45 - 40	1	4	8	15	18	22	23	24	22	21	18	15	12	9	7	
40 - 35	1	2	5	8	11	14	15	15	15	13	12	10	8	6	4	
35 - 30	0	1	3	5	7	9	10	10	10	9	8	6	5	4	3	
30 - 25	0	1	1	2	4	5	6	6	6	5	5	4	3	2	2	
APRIL																
75 - 70	214	182	217	187	135	110	91	76	62	50	40	32	25	19	14	
70 - 65	264	260	196	155	121	95	74	56	42	33	23	16	11	6	5	
65 - 60	84	103	107	97	82	68	54	43	32	21	14	10	6	4	2	
60 - 55	24	38	50	54	51	44	36	26	20	13	9	5	3	2	1	
55 - 50	6	13	22	27	27	24	19	14	10	6	4	2	1	1	0	
50 - 45	2	6	11	14	15	13	10	8	6	3	2	1	1	0	0	
45 - 40	1	3	6	7	7	7	6	4	2	2	1	1	0	0	0	
40 - 35	1	2	4	3	3	3	2	2	2	1	0	0	0	0	0	
35 - 30	0	1	1	2	2	2	2	1	1	0	0	0	0	0	0	
30 - 25	0	0	1	1	1	1	1	1	0	0	0	0	0	0	0	
JULY																
75 - 70	225	209	230	194	141	94	71	54	41	32	24	17	13	9	5	4	2
70 - 65	244	244	215	164	115	84	62	45	31	21	15	9	4	2	1	0
65 - 60	139	71	96	84	71	57	42	30	20	11	6	3	1	1	0	
60 - 55	4	25	37	41	37	30	23	15	9	5	2	1	1	0	0	
55 - 50	1	8	16	19	19	17	12	8	4	2	1	0	0	0	0	
50 - 45	1	3	5	7	7	7	4	3	1	1	0	0	0	0	0	
45 - 40	0	1	2	2	2	2	1	1	1	0	0	0	0	0	0	
40 - 35	0	0	1	1	1	1	1	0	0	0	0	0	0	0	0	
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
OCTOBER																
75 - 70	214	243	217	167	135	110	91	76	62	50	40	32	25	19	14	
70 - 65	264	260	196	158	121	95	74	56	42	33	23	16	11	6	5	
65 - 60	103	103	107	97	82	68	54	43	32	21	14	10	6	4	2	
60 - 55	24	38	50	54	51	44	36	26	20	13	9	5	3	2	1	
55 - 50	6	13	22	27	27	24	19	14	10	6	4	2	1	1	0	
50 - 45	2	6	11	14	15	13	10	8	6	3	2	1	1	0	0	
45 - 40	1	3	6	7	7	7	6	4	2	2	1	1	0	0	0	
40 - 35	1	2	4	3	3	3	2	2	2	1	0	0	0	0	0	
35 - 30	0	1	1	2	2	2	2	1	1	0	0	0	0	0	0	
30 - 25	0	0	1	1	1	1	1	0	0	0	0	0	0	0	0	

TABLE II. EURASIA (CONT.)

6 - 70 - 70,000

LAT BAND	LONGITUDE														
	C	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
75 - 70	204	270	251	224	199	175	156	140	126	115	104	94	86	77	70
70 - 65	274	217	230	206	176	152	132	117	103	95	84	74	65	57	52
65 - 60	150	147	143	134	120	115	106	96	87	76	69	60	53	47	39
60 - 55	63	85	93	78	79	79	76	71	66	59	54	47	41	35	29
55 - 50	11	19	30	42	48	52	53	52	49	44	41	36	31	26	21
50 - 45	3	7	14	22	30	34	36	35	34	30	28	24	20	16	13
45 - 40	1	4	9	13	18	22	23	24	22	21	18	15	12	9	7
40 - 35	1	3	5	8	11	13	15	15	14	12	11	8	6	5	3
35 - 30	0	1	0	5	7	8	9	9	8	7	6	4	3	2	1
30 - 25	0	1	1	2	4	4	5	5	5	4	3	2	1	1	1
APRIL															
75 - 70	222	141	87	56	37	24	15	10	6	3	2	1	0	0	0
70 - 65	264	167	104	73	54	38	26	17	11	8	4	2	1	0	0
65 - 60	31	54	57	44	33	24	17	11	7	4	2	1	0	0	0
60 - 55	2	20	24	22	18	13	9	6	3	2	1	0	0	0	0
55 - 50	1	8	12	14	11	8	6	3	2	1	0	0	0	0	0
50 - 45	0	2	4	4	4	3	2	1	1	0	0	0	0	0	0
45 - 40	0	1	1	2	2	1	1	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY															
75 - 70	474	473	405	430	390	369	341	310	279	262	265	249	232	212	188
70 - 65	488	466	442	407	354	319	279	275	252	237	216	197	172	146	129
65 - 60	268	230	249	194	136	148	154	156	156	151	143	132	120	106	91
60 - 55	60	60	86	62	34	47	56	69	75	78	79	77	73	66	57
55 - 50	0	0	1	3	6	12	18	25	30	34	36	37	36	33	27
50 - 45	0	0	0	0	1	3	6	8	11	15	16	18	17	15	12
45 - 40	0	0	0	0	0	1	2	3	4	5	6	6	6	5	4
40 - 35	0	0	0	0	0	0	0	1	1	2	2	2	2	2	1
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OCTOBER															
75 - 70	222	141	87	56	37	24	15	10	6	3	2	1	0	0	0
70 - 65	264	167	104	73	54	38	26	17	11	8	4	2	1	0	0
65 - 60	31	54	57	44	33	24	17	11	7	4	2	1	0	0	0
60 - 55	2	20	24	22	18	13	9	6	3	2	1	0	0	0	0
55 - 50	1	8	11	14	11	8	6	3	2	1	0	0	0	0	0
50 - 45	0	2	4	4	4	3	2	1	1	0	0	0	0	0	0
45 - 40	0	1	1	2	2	1	1	0	0	0	0	0	0	0	0
40 - 35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA (CONT.)

6 - 70 - 80,000

LAT BAND		LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	234	270	251	224	199	175	156	140	126	115	104	94	86	77	70
	70 - 65	265	250	227	206	170	153	130	120	107	98	87	78	70	62	57
	65 - 60	152	149	140	136	120	117	107	90	89	79	72	65	56	52	44
	60 - 55	84	84	87	77	80	80	76	74	69	63	58	51	46	40	34
	55 - 50	14	20	31	46	49	53	55	53	51	48	45	40	35	30	26
	50 - 45	3	8	18	23	30	35	37	37	37	34	31	28	24	20	17
	45 - 40	1	4	8	13	18	22	24	25	24	23	21	18	15	13	10
	40 - 35	1	3	6	8	11	14	16	16	16	14	14	11	9	8	6
	35 - 30	0	1	5	5	7	9	10	10	10	9	8	6	5	4	3
	30 - 25	0	1	1	2	4	5	6	6	6	5	5	4	3	2	2
APRIL	75 - 70	349	264	217	169	136	113	92	75	59	46	34	24	16	11	7
	70 - 65	208	214	144	113	84	62	45	31	21	15	9	4	2	1	0
	65 - 60	85	86	74	64	52	40	30	21	13	8	4	2	1	0	0
	60 - 55	35	23	30	31	26	21	16	10	6	3	2	0	0	0	0
	55 - 50	11	8	16	16	15	13	9	6	3	2	1	0	0	0	0
	50 - 45	4	5	5	6	6	5	3	2	1	1	0	0	0	0	0
	45 - 40	0	1	2	2	2	2	1	1	1	0	0	0	0	0	0
	40 - 35	0	0	1	1	1	1	1	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JULY	75 - 70	448	448	445	426	304	337	306	288	271	256	242	229	219	209	201
	70 - 65	434	424	423	354	336	295	269	250	233	221	208	196	186	175	168
	65 - 60	0	70	76	111	140	152	156	157	155	152	148	144	140	134	126
	60 - 55	4	4	6	26	44	59	68	77	83	88	90	91	91	88	82
	55 - 50	0	0	2	7	12	20	26	34	40	46	49	52	54	53	51
	50 - 45	0	0	0	1	3	5	9	13	17	21	24	27	29	29	28
	45 - 40	0	0	0	1	1	2	3	5	7	10	11	13	14	14	14
	40 - 35	0	0	0	0	0	0	1	2	2	4	5	6	7	7	7
	35 - 30	0	0	0	0	0	0	0	1	1	1	2	2	3	3	3
	30 - 25	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1
OCTOBER	75 - 70	349	264	217	169	136	113	92	75	59	46	34	24	16	11	7
	70 - 65	208	214	144	113	84	62	45	31	21	15	9	4	2	1	0
	65 - 60	85	86	74	64	52	40	30	21	13	8	4	2	1	0	0
	60 - 55	35	23	30	31	26	21	16	10	6	3	2	0	0	0	0
	55 - 50	11	8	16	16	15	13	9	6	3	2	1	0	0	0	0
	50 - 45	4	5	5	6	6	5	3	2	1	1	0	0	0	0	0
	45 - 40	0	1	2	2	2	2	1	1	1	0	0	0	0	0	0
	40 - 35	0	0	1	1	1	1	1	0	0	0	0	0	0	0	0
	35 - 30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	30 - 25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE II. EURASIA

12 - 30 - 40,000

JANUARY

APRIL

JULY

OCTOBER

TABLE II. EURASIA (CONT.)

12 - 30 - 50,000

LAT	LONG	LONGITUDE													
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	0	1	2	3	5	7	10	12	14	16	18	19	20	21	22
	70 - 65	1	2	4	6	10	13	17	19	21	24	25	26	27	20	20
	65 - 60	1	3	7	11	10	21	25	20	30	32	33	33	34	34	34
	60 - 55	1	5	9	20	21	33	35	46	42	43	42	40	39	39	39
	55 - 50	1	10	20	33	42	47	45	50	51	49	48	47	45	45	42
	50 - 45	21	26	41	57	62	62	62	60	57	52	50	49	47	46	45
	45 - 40	70	70	55	66	53	70	75	69	65	56	56	55	52	40	40
	40 - 35	107	119	126	134	129	109	101	90	81	70	64	57	54	50	46
	35 - 30	124	120	126	129	107	94	82	77	74	66	64	59	55	54	51
	30 - 25	127	120	125	126	105	96	83	73	69	64	60	57	54	48	46
APRIL	75 - 70	0	1	2	3	5	7	10	12	14	15	17	18	19	20	20
	70 - 65	1	2	4	6	10	13	17	19	21	23	24	25	26	26	26
	65 - 60	1	3	7	11	10	21	25	20	30	32	33	32	32	32	32
	60 - 55	1	5	9	14	20	32	33	39	41	41	40	39	38	37	37
	55 - 50	2	11	22	33	44	46	45	45	48	47	47	46	44	44	43
	50 - 45	23	27	42	54	57	61	62	60	57	55	52	49	47	47	45
	45 - 40	55	70	66	66	63	76	73	69	65	62	57	54	50	49	48
	40 - 35	100	114	110	120	107	89	80	74	70	64	60	59	55	54	47
	35 - 30	123	124	120	126	109	99	84	76	71	66	62	61	58	56	53
	30 - 25	125	129	126	129	110	96	84	74	69	65	62	59	56	51	49
JULY	75 - 70	0	1	2	3	5	7	9	10	11	12	13	14	14	15	16
	70 - 65	1	2	3	7	9	14	18	17	17	17	17	16	15	15	15
	65 - 60	1	4	8	14	15	20	22	23	24	23	22	21	19	17	17
	60 - 55	2	7	13	20	20	29	26	33	33	34	29	27	24	24	23
	55 - 50	6	11	20	28	42	42	42	42	42	40	38	34	30	29	28
	50 - 45	7	20	32	37	41	36	37	37	33	40	44	38	33	31	31
	45 - 40	43	52	50	60	60	72	71	69	66	55	48	46	40	39	37
	40 - 35	103	104	101	112	90	87	76	71	64	58	56	49	44	43	40
	35 - 30	120	120	103	107	107	94	83	74	66	62	58	52	46	41	41
	30 - 25	120	120	103	107	107	92	80	76	68	59	54	48	43	38	36
OCTOBER	75 - 70	0	1	2	3	5	7	10	12	14	15	17	16	15	14	13
	70 - 65	1	2	4	6	10	13	17	19	21	23	24	25	26	26	26
	65 - 60	1	3	7	11	10	21	25	20	30	32	33	32	32	32	32
	60 - 55	1	5	12	19	20	32	30	39	40	41	41	40	39	38	37
	55 - 50	2	11	22	34	41	45	45	46	49	49	47	46	44	44	44
	50 - 45	10	29	44	57	61	62	62	60	57	55	52	49	47	45	44
	45 - 40	50	76	66	65	63	72	72	69	65	61	57	54	50	50	50
	40 - 35	100	104	103	116	100	89	80	74	69	64	59	55	52	47	45
	35 - 30	120	120	107	126	110	95	84	76	71	69	64	57	54	49	47
	30 - 25	120	120	105	120	100	92	80	74	66	63	59	54	50	46	44

TABLE II. EURASIA (CONT.)

12 - 30 - 60,000

LAT BAND	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
70 - 75	0	1	2	3	3	7	5	11	13	14	16	17	17	17	17
75 - 80	-	2	4	7	10	13	16	19	20	22	22	22	22	22	21
80 - 85	1	4	6	12	17	22	24	27	29	29	28	25	20	17	13
85 - 90	-	-	3	20	21	33	36	37	33	37	35	34	31	20	13
90 - 95	2	-	2	30	43	47	46	47	42	44	40	30	30	29	24
95 - 40	1	2	3	27	31	32	30	27	33	42	43	30	33	27	22
40 - 45	31	39	60	64	61	70	70	74	59	53	40	39	33	20	21
45 - 50	-	14	30	113	97	80	77	70	60	53	40	41	33	27	21
50 - 55	224	230	100	131	100	92	81	71	62	53	40	41	33	22	22
55 - 60	62	227	0	164	104	89	70	60	60	52	44	37	30	23	12
APRIL															
70 - 75	1	2	2	3	3	5	5	6	5	3	4	4	3	2	2
75 - 80	1	2	4	6	7	9	9	9	8	7	6	5	4	3	2
80 - 85	2	3	7	7	14	13	13	12	10	9	6	5	3	2	2
85 - 90	2	3	13	17	19	19	18	15	13	10	7	5	3	2	1
90 - 95	2	3	22	23	23	23	22	19	14	10	7	5	2	2	1
95 - 40	2	3	27	40	45	41	35	27	17	11	7	4	2	1	1
40 - 45	1	3	20	31	41	40	30	27	17	13	7	4	2	-	-
45 - 50	100	124	110	93	74	50	44	31	21	13	8	4	2	1	0
50 - 55	13	62	139	102	83	82	52	30	20	18	14	10	7	3	3
55 - 60	131	212	139	102	81	62	47	34	24	17	12	8	4	3	2
JULY															
70 - 75	0	0	0	1	0	0	1	1	1	1	1	0	0	0	0
75 - 80	0	1	1	2	2	2	2	2	2	2	2	1	1	1	1
80 - 85	0	1	2	4	4	3	3	4	4	3	2	1	1	1	0
85 - 90	1	2	4	7	7	7	7	7	6	4	2	1	0	0	0
90 - 95	1	0	11	10	14	13	11	8	8	3	2	1	0	0	0
95 - 40	1	10	22	23	23	20	18	10	10	7	4	2	1	0	0
40 - 45	2	3	10	20	19	14	10	6	4	2	1	0	0	0	0
45 - 50	22	27	21	24	14	7	6	3	2	1	0	0	0	0	0
50 - 55	22	7	3	2	1	0	2	1	0	0	0	0	0	0	0
55 - 60	22	5	7	11	4	1	0	0	0	0	0	0	0	0	0
OCTOBER															
70 - 75	1	1	2	3	3	5	5	6	5	3	4	4	3	2	2
75 - 80	1	2	4	6	7	9	9	9	8	7	6	5	4	3	2
80 - 85	2	3	7	9	11	13	13	12	10	9	6	5	3	2	2
85 - 90	2	3	13	17	19	19	18	15	13	10	7	5	3	2	1
90 - 95	4	13	22	23	23	23	22	19	14	10	7	5	2	2	1
95 - 40	0	27	39	43	41	35	23	22	17	11	7	4	2	1	1
40 - 45	1	16	29	31	30	40	31	27	20	13	8	5	2	1	1
45 - 50	105	124	113	93	74	50	44	31	21	13	8	4	2	1	0
50 - 55	31	62	144	102	83	82	52	30	20	19	14	10	7	5	3
55 - 60	131	212	139	102	81	62	47	34	24	17	12	8	4	3	2

TABLE II. EURASIA (CONT.)

12 - 30 - 70,000

LAT - LAND	LONGITUDE														
	0 - 10	10 - 20	20 - 30	30 - 40	40 - 50	50 - 60	60 - 70	70 - 80	80 - 90	90 - 100	100 - 110	110 - 120	120 - 130	130 - 140	140 -
JANUARY															
70 - 75	0	1	4	5	6	7	9	11	13	14	15	16	16	16	16
65 - 70	2	4	7	10	13	15	16	18	20	21	21	21	21	20	19
60 - 65	4	6	10	14	17	22	24	27	28	26	26	27	25	23	21
55 - 60	8	12	15	20	27	31	34	35	35	34	32	29	27	24	20
50 - 55	9	14	19	26	34	44	44	44	46	37	33	29	25	22	18
45 - 50	11	17	21	28	33	38	38	40	43	38	33	26	24	19	16
40 - 45	10	15	19	26	34	37	36	40	44	37	31	25	21	16	13
35 - 40	22	28	32	33	33	34	37	40	37	29	24	16	14	11	8
30 - 35	36	42	44	43	39	37	36	36	34	28	17	12	10	7	5
25 - 30	43	45	45	42	36	31	27	24	24	17	12	8	4	3	2
APRIL															
70 - 75	0	0	0	1	0	0	1	1	1	1	1	0	0	0	0
65 - 70	0	1	1	1	2	2	2	2	2	1	1	1	0	0	0
60 - 65	0	1	3	4	4	5	5	4	4	3	2	1	1	1	0
55 - 60	1	3	6	7	7	7	6	7	6	4	2	1	1	0	0
50 - 55	1	7	12	17	19	19	17	13	8	5	3	1	1	0	0
45 - 50	2	11	21	30	32	29	23	16	11	5	3	1	1	0	0
40 - 45	3	14	22	34	40	39	29	19	12	6	2	1	1	0	0
35 - 40	22	27	32	39	50	54	37	24	15	6	3	1	1	0	0
30 - 35	33	38	40	50	60	60	45	26	14	6	2	1	0	0	0
25 - 30	42	47	47	55	66	66	52	36	21	8	2	0	0	0	0
JULY															
70 - 75	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
65 - 70	0	0	0	0	0	0	0	0	0	0	1	1	2	3	3
60 - 65	0	0	0	0	0	0	1	2	2	3	4	6	7	9	11
55 - 60	0	0	0	0	1	2	4	6	8	11	12	13	13	12	11
50 - 55	0	0	0	0	2	3	7	13	20	24	26	31	33	37	39
45 - 50	0	0	0	11	20	30	36	46	56	60	59	61	60	58	56
40 - 45	0	0	3	22	47	67	80	87	92	94	94	91	86	80	74
35 - 40	20	19	29	101	103	120	130	130	130	145	140	134	120	110	100
30 - 35	60	67	70	99	160	141	140	127	120	109	100	140	121	99	82
25 - 30	71	45	56	55	70	65	75	65	80	100	149	122	97	70	56
OCTOBER															
70 - 75	0	0	0	1	0	0	1	1	1	1	1	0	0	0	0
65 - 70	0	1	1	1	2	2	2	2	2	1	1	1	0	0	0
60 - 65	0	1	3	4	4	5	5	4	4	3	2	1	1	1	0
55 - 60	1	3	6	7	7	7	6	7	6	4	2	1	1	0	0
50 - 55	1	7	12	17	19	19	17	13	8	5	3	1	1	0	0
45 - 50	2	11	21	30	32	29	23	16	11	5	3	1	1	0	0
40 - 45	3	14	22	34	40	39	29	19	12	6	2	1	1	0	0
35 - 40	22	27	32	39	50	54	37	24	15	6	3	1	1	0	0
30 - 35	33	38	40	50	60	60	45	26	14	6	2	1	0	0	0
25 - 30	42	47	47	55	66	66	52	36	21	8	2	0	0	0	0

TABLE II. EURASIA (CONT.)

12 - 30 - 80,000



TABLE II. EURASIA (CONT.)

12 - 35 - 40,000

JANUARY

APRIL

JULY

OCTOBER

TABLE II. EURASIA (CONT.)

12 - 35 - 50,000



TABLE II. EURASIA (CONT.)

12 - 35 - 60,000

TABLE II. EURASIA (CONT.)

12 - 35 - 70,000

JANUARY

APRIL

JULY

OCTOBER

TABLE II. EURASIA (CONT.)

12 - 35 - 80,000

JANUARY

APRIL

JULY

OCTOBER

TABLE II. EURASIA (CONT.)

12 - 40 - 40,000

JANUARY

APRIL

JULY

OCTOBER

TABLE II. EURASIA (CONT.)

12 - 40 - 50,000

LAT. BAND — LONGITUDE

		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	70 - 70	1	2	3	3	12	15	19	22	23	26	30	31	32	33	33
	[illegible]	[illegible]	4	9	14	21	26	30	33	37	39	40	41	41	41	40
	[illegible]	8	11	13	29	30	42	40	40	49	50	49	49	40	47	46
	[illegible]	2	6	9	32	39	39	36	36	36	31	29	27	33	32	30
	60 - 50	33	70	19	28	33	31	77	73	69	63	62	59	56	53	50
	[illegible]	31	35	30	42	42	39	37	36	36	34	33	32	31	27	26
	[illegible]	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28
	[illegible]	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28
	[illegible]	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28
	40 - 30	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28
APRIL	[illegible]	[illegible]	3	6	9	13	20	26	29	29	29	29	30	30	31	30
	70 - 60	1	4	7	10	22	30	33	33	33	30	39	40	39	39	37
	[illegible]	3	12	17	27	32	41	40	40	47	49	46	40	40	40	40
	[illegible]	7	24	30	36	39	39	36	36	36	30	30	31	41	49	46
	[illegible]	22	27	40	43	43	41	37	37	40	44	43	37	33	34	47
	[illegible]	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28
	[illegible]	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28
	[illegible]	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28
	30 - 20	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28
JULY	[illegible]	2	5	8	9	12	15	17	19	20	20	19	18	17	16	15
	[illegible]	3	8	10	11	22	25	27	27	20	20	24	22	20	16	16
	[illegible]	4	12	22	31	35	39	39	30	33	32	29	26	22	19	17
	[illegible]	8	22	34	37	39	34	31	46	42	30	31	27	23	19	16
	[illegible]	23	23	15	70	10	00	01	23	45	39	32	20	21	16	14
	[illegible]	29	29	26	26	20	00	71	21	22	44	37	30	25	20	17
	[illegible]	22	24	20	21	21	00	75	25	24	46	32	32	20	21	17
	[illegible]	25	25	27	29	25	26	00	75	27	60	32	40	40	33	27
	[illegible]	30	24	21	24	20	01	70	71	24	56	52	40	39	33	25
	[illegible]	29	25	22	22	21	72	70	25	23	49	43	30	30	25	20
OCTOBER	70 - 70	2	3	6	9	13	10	20	23	25	20	29	30	30	31	30
	70 - 60	1	4	9	10	22	20	30	33	37	30	39	40	39	39	37
	[illegible]	4	10	13	29	32	41	40	40	49	49	40	40	40	42	42
	[illegible]	7	24	30	32	39	01	02	22	00	56	56	33	31	49	46
	[illegible]	32	27	28	25	00	01	77	72	60	04	61	37	33	30	47
	[illegible]	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28
	[illegible]	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28
	[illegible]	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28
	30 - 20	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28

TABLE II. EURASIA (CONT.)

12 - 40 -60,000

JANUARY

APRIL

JULY

OCTOBER

TABLE II. EURASIA (CONT.)

12 - 40 -70,000

LAT BAND	LONGITUDE														
	1	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	70 - 75	1	3	6	9	13	16	20	23	25	27	28	29	29	29	29
	65 - 70	6	9	12	16	23	27	31	34	36	37	38	37	36	35	33
	60 - 65	3	10	20	30	37	43	46	46	46	46	46	44	42	39	36
	55 - 60	3	21	32	38	42	41	42	42	40	39	38	36	34	32	29
	50 - 55	37	50	70	83	85	79	75	70	65	61	55	49	43	38	33
	45 - 50	71	79	86	117	103	92	86	74	68	60	55	46	40	34	28
	40 - 45	103	96	78	130	112	93	82	76	62	56	47	40	33	26	23
	35 - 40	87	83	82	162	92	81	67	55	45	37	30	24	20	15	16
	30 - 35	122	131	120	102	83	89	57	40	37	29	24	18	14	11	8
	25 - 30	6	51	71	78	82	59	49	41	32	23	20	15	12	9	6
APRIL	75 - 80	0	1	2	2	3	3	3	3	3	3	2	2	2	1	1
	70 - 75	0	2	4	5	8	8	6	8	5	4	3	2	2	1	1
	65 - 70	1	5	9	12	13	14	13	12	9	7	6	4	2	1	1
	60 - 65	1	13	21	24	24	23	20	18	12	8	6	3	2	1	0
	55 - 60	3	24	32	42	37	31	26	19	14	9	5	3	1	0	0
	50 - 55	33	69	86	75	80	49	36	27	18	11	6	3	1	1	0
	45 - 50	100	107	134	102	80	81	42	33	19	11	5	2	1	0	0
	40 - 45	220	192	160	90	70	50	39	25	14	7	3	1	1	0	0
	35 - 40	66	102	102	69	70	24	37	24	15	8	3	1	0	0	0
	30 - 35	0	47	87	87	80	47	33	21	10	5	2	1	0	0	0
JULY	75 - 80	0	0	0	0	0	0	0	0	1	1	2	3	3	4	4
	70 - 75	0	0	0	0	0	1	2	3	4	6	8	10	12	13	12
	65 - 70	0	0	0	1	2	5	8	13	17	21	25	28	31	34	37
	60 - 65	0	0	0	3	7	13	23	36	40	40	41	38	40	40	40
	55 - 60	0	2	21	41	81	70	83	89	95	95	95	95	95	95	94
	50 - 55	32	45	125	136	137	127	153	142	145	130	133	129	126	121	117
	45 - 50	166	124	102	89	82	81	81	85	103	112	106	145	136	136	126
	40 - 45	150	146	114	104	146	126	129	143	176	109	146	127	126	116	100
	35 - 40	23	49	131	103	100	100	100	140	141	134	120	115	100	87	77
	30 - 35	6	3	60	32	92	81	86	56	24	93	69	86	76	86	56
OCTOBER	75 - 80	0	1	2	2	3	3	3	3	3	3	2	2	2	1	1
	70 - 75	0	2	4	5	0	6	0	0	5	4	3	2	2	1	1
	65 - 70	1	5	9	12	13	14	13	12	9	7	6	4	2	1	1
	60 - 65	1	13	21	24	24	23	20	18	12	6	6	3	2	1	0
	55 - 60	3	24	42	42	37	31	26	19	14	9	5	3	1	0	0
	50 - 55	33	69	86	75	80	49	30	27	18	11	6	3	1	1	0
	45 - 50	100	107	134	102	80	81	42	33	19	11	5	2	1	0	0
	40 - 45	220	192	160	90	70	50	39	25	14	7	3	1	1	0	0
	35 - 40	66	102	102	69	70	24	37	24	15	8	3	1	0	0	0
	30 - 35	0	47	87	87	80	47	33	21	10	5	2	1	0	0	0

TABLE II. EURASIA (CONT.)

12 - 40 -80,000



TABLE II. EURASIA (CONT.)

12 - 45 -40,000



TABLE II. EURASIA (CONT.)

12 - 45 -50,000

LAT LAND — LONGITUDE

JANUARY

APRIL

JULY

OCTOBER

TABLE II. EURASIA (CONT.)

12 - 45 - 60,000

LONGITUDE

JANUARY

APRIL

JULY

OCTOBER

TABLE II. EURASIA (CONT.)

12 - 45-70,000

LAT	LAND	LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	70 - 75	2	3	6	13	16	24	20	31	34	33	30	30	30	37	36
	65 - 70	3	5	15	28	33	43	44	47	46	46	46	47	46	44	41
	60 - 65	11	22	33	49	50	50	52	61	61	59	56	54	51	46	44
	55 - 60	24	41	74	88	84	81	76	74	76	66	64	57	53	48	44
	50 - 55	42	49	80	120	116	99	91	83	78	78	64	59	53	46	42
	45 - 50	62	69	82	130	163	105	94	84	78	66	61	52	48	41	39
	40 - 45	50	63	114	136	116	93	82	76	66	55	47	40	34	26	23
	35 - 40	62	83	102	107	93	80	69	59	47	43	33	30	23	12	10
	30 - 35	50	59	70	60	74	61	50	50	44	37	31	25	21	16	13
	25 - 30	3	11	21	22	20	26	40	44	34	26	23	15	15	16	9
APRIL	70 - 75	5	6	3	3	3	5	5	5	4	4	3	2	2	2	1
	65 - 70	1	4	5	10	11	11	11	10	9	7	6	5	3	2	2
	60 - 65	1	11	20	20	20	19	17	15	12	9	7	5	3	2	1
	55 - 60	3	31	41	48	39	33	29	24	19	14	9	6	3	2	1
	50 - 55	34	61	76	82	64	44	36	27	24	14	6	3	2	1	0
	45 - 50	100	121	106	80	81	47	37	27	16	11	6	4	2	1	0
	40 - 45	82	101	124	106	84	61	43	33	17	11	5	2	1	0	0
	35 - 40	40	60	75	60	60	33	36	20	15	8	4	2	1	0	0
	30 - 35	2	16	32	24	40	32	25	19	12	6	2	1	1	0	0
	25 - 30	2	11	31	37	30	31	24	10	9	4	1	1	0	0	0
JULY	70 - 75	0	0	0	0	0	1	1	2	2	3	4	6	7	9	10
	65 - 70	0	0	0	0	1	3	0	9	12	13	19	22	26	29	31
	60 - 65	0	0	2	0	10	19	27	33	41	46	51	53	57	60	63
	55 - 60	0	1	11	37	52	80	75	83	93	93	93	92	90	93	93
	50 - 55	33	42	101	149	155	130	130	125	140	142	137	133	130	122	122
	45 - 50	102	134	133	300	202	231	215	194	179	109	100	102	145	139	133
	40 - 45	102	104	133	299	202	221	201	155	171	102	102	143	139	132	122
	35 - 40	33	50	120	102	101	106	102	140	140	130	130	124	110	111	104
	30 - 35	0	3	29	41	01	00	07	52	54	54	54	51	50	50	74
	25 - 30	0	0	9	11	21	31	40	47	53	57	59	50	55	51	47
OCTOBER	70 - 75	2	6	3	3	3	5	5	5	4	4	3	2	2	2	1
	65 - 70	1	4	6	10	11	11	11	10	9	7	5	5	3	2	2
	60 - 65	3	16	10	23	27	17	17	15	12	9	7	5	3	2	1
	55 - 60	5	21	41	42	39	33	29	24	19	14	9	6	3	2	1
	50 - 55	33	70	70	83	71	44	36	27	24	14	6	3	2	1	0
	45 - 50	103	120	106	80	81	47	37	27	16	11	6	4	2	1	0
	40 - 45	102	104	133	299	202	221	201	155	171	102	102	143	139	132	122
	35 - 40	40	60	76	60	60	33	36	20	15	8	4	2	1	0	0
	30 - 35	3	16	31	34	40	32	25	19	12	6	2	1	1	0	0
	25 - 30	2	11	31	37	30	31	24	10	9	4	1	1	0	0	0

TABLE II. EURASIA (CONT.)

12 - 45 - 80,000



TABLE II. EURASIA (CONT.)

12 - 60 -40,000

LAT BAND	LONGITUDE														
JANUARY															
APRIL															
JULY															
OCTOBER															

TABLE II. EURASIA (CONT.)

12 - 50 - 50,000

LONGITUDE

JANUARY

APRIL

JULY

OCTOBER

TABLE II. EURASIA (CONT.)

12 - 50 -60,000

JANUARY

APRIL

JULY

OCTOBER

TABLE II. · EURASIA (CONT.)

12 - 50 -70,000

LONGITUDE

JANUARY

APRIL

JULY

OCTOBER

TABLE II. EURASIA (CONT.)

12 - 50 - 80,000

JANUARY

APRIL

JULY

OCTOBER

TABLE II. EURASIA (CONT.)

12 - 55 -40,000

LAT BAND		LONGITUDE														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	63	62	59	59	47	54	59	61	63	63	63	62	61	60	59
	70 - 65	72	72	72	66	62	62	62	63	61	77	75	72	70	67	62
	65 - 60	150	152	145	134	122	111	102	95	90	83	81	77	74	71	68
	60 - 55	143	142	138	132	126	121	116	112	109	106	104	102	100	98	97
	55 - 50	124	123	120	116	113	110	108	106	103	101	98	96	93	90	87
	50 - 45	102	101	99	96	93	90	87	84	81	78	76	73	71	68	64
	45 - 40	78	78	76	73	69	66	64	62	60	58	56	54	52	50	48
	40 - 35	58	57	54	52	49	47	45	44	43	42	41	40	39	38	37
	35 - 30	39	38	36	34	32	31	30	29	28	28	27	27	26	26	25
	30 - 25	24	23	22	21	20	20	19	19	19	18	18	18	18	18	18
APRIL	75 - 70	58	56	53	49	46	43	41	40	39	38	38	38	38	38	38
	70 - 65	83	84	85	86	86	85	85	85	85	85	85	85	85	85	85
	65 - 60	126	128	129	130	129	128	127	126	125	124	123	122	121	120	119
	60 - 55	173	173	172	170	168	166	164	162	160	158	156	154	152	150	148
	55 - 50	209	209	208	207	205	203	201	199	197	195	193	191	189	187	185
	50 - 45	232	232	231	229	227	225	223	221	219	217	215	213	211	209	207
	45 - 40	242	242	241	239	237	235	233	231	229	227	225	223	221	219	217
	40 - 35	237	236	234	232	230	228	226	224	222	220	218	216	214	212	210
	35 - 30	219	217	215	213	211	209	207	205	203	201	199	197	195	193	191
	30 - 25	189	187	185	183	181	179	177	175	173	171	169	167	165	163	161
JULY	75 - 70	70	68	66	64	62	60	58	56	54	52	50	48	46	44	42
	70 - 65	96	94	92	90	88	86	84	82	80	78	76	74	72	70	68
	65 - 60	150	148	146	144	142	140	138	136	134	132	130	128	126	124	122
	60 - 55	202	200	198	196	194	192	190	188	186	184	182	180	178	176	174
	55 - 50	243	241	239	237	235	233	231	229	227	225	223	221	219	217	215
	50 - 45	268	266	264	262	260	258	256	254	252	250	248	246	244	242	240
	45 - 40	276	274	272	270	268	266	264	262	260	258	256	254	252	250	248
	40 - 35	266	264	262	260	258	256	254	252	250	248	246	244	242	240	238
	35 - 30	240	238	236	234	232	230	228	226	224	222	220	218	216	214	212
	30 - 25	202	200	198	196	194	192	190	188	186	184	182	180	178	176	174
OCTOBER	75 - 70	71	69	67	65	63	61	59	57	55	53	51	49	47	45	43
	70 - 65	93	91	89	87	85	83	81	79	77	75	73	71	69	67	65
	65 - 60	142	140	138	136	134	132	130	128	126	124	122	120	118	116	114
	60 - 55	189	187	185	183	181	179	177	175	173	171	169	167	165	163	161
	55 - 50	228	226	224	222	220	218	216	214	212	210	208	206	204	202	200
	50 - 45	254	252	250	248	246	244	242	240	238	236	234	232	230	228	226
	45 - 40	264	262	260	258	256	254	252	250	248	246	244	242	240	238	236
	40 - 35	254	252	250	248	246	244	242	240	238	236	234	232	230	228	226
	35 - 30	228	226	224	222	220	218	216	214	212	210	208	206	204	202	200
	30 - 25	190	188	186	184	182	180	178	176	174	172	170	168	166	164	162

TABLE II. EURASIA (CONT.)

12 - 55-50,000

LAT	LONGITUDE														
	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY															
APRIL															
JULY															
OCTOBER															

TABLE II. EURASIA (CONT.)

12 - 55 - 60,000

CAT BAND		LONGITUDE													
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	75 - 70	11	17	27	37	47	55	56	60	62	64	61	61	60	56	56
	70 - 65	49	54	67	76	83	85	84	81	79	75	73	69	67	65	60
	65 - 60	106	109	109	113	103	113	104	90	89	83	76	73	69	65	64
	60 - 55	100	109	109	117	103	100	106	90	81	73	76	73	70	64	60
	55 - 50	90	104	108	104	104	101	90	82	70	70	64	60	59	54	49
	50 - 45	87	90	75	83	83	79	78	75	70	64	56	51	46	46	41
	45 - 40	72	73	72	69	69	74	70	69	61	55	49	43	39	38	33
	40 - 35	58	61	63	58	63	61	60	55	53	48	44	39	33	33	30
	35 - 30	46	50	52	49	47	49	47	45	44	40	36	32	29	24	24
	30 - 25	36	40	42	42	44	39	37	37	33	33	30	28	24	24	20
APRIL	75 - 70	1	17	28	37	44	47	48	48	44	41	38	33	30	28	23
	70 - 65	21	30	39	49	70	87	90	87	86	48	40	33	29	23	19
	65 - 60	91	111	111	107	99	89	79	63	54	49	39	31	24	19	14
	60 - 55	109	109	109	106	99	90	90	80	67	47	37	24	16	13	9
	55 - 50	102	104	97	102	97	94	84	73	63	53	37	23	19	14	10
	50 - 45	86	101	99	89	87	87	80	69	62	49	33	19	14	10	6
	45 - 40	73	83	81	87	84	80	77	69	62	49	33	19	14	10	6
	40 - 35	63	64	74	74	74	76	70	66	57	47	33	19	11	7	5
	35 - 30	53	54	56	64	63	67	63	57	51	42	30	17	9	5	3
	30 - 25	43	44	46	49	51	53	51	47	43	37	27	16	8	4	2
JULY	75 - 70	6	9	11	22	28	28	25	20	27	23	23	20	17	14	12
	70 - 65	20	25	42	52	52	54	52	47	43	37	32	25	20	15	10
	65 - 60	44	70	122	107	97	87	76	60	56	45	36	27	19	13	9
	60 - 55	222	220	227	200	230	222	222	70	64	47	36	26	16	10	6
	55 - 50	223	220	200	149	121	101	90	64	47	34	22	14	8	4	2
	50 - 45	83	102	122	120	93	82	84	54	39	27	16	10	5	2	1
	45 - 40	39	49	57	64	59	57	54	53	24	18	9	5	2	1	1
	40 - 35	24	29	34	38	38	36	36	30	17	8	4	2	1	1	0
	35 - 30	14	17	20	23	24	23	21	18	10	6	3	2	1	0	0
	30 - 25	8	10	12	14	15	15	14	12	6	3	2	1	0	0	0
OCTOBER	75 - 70	1	17	28	37	44	47	48	48	44	41	38	33	30	28	23
	70 - 65	21	30	39	49	70	87	90	87	86	48	40	33	29	23	19
	65 - 60	91	111	111	107	99	89	79	63	54	49	39	31	24	19	14
	60 - 55	109	109	109	106	99	90	90	80	67	47	37	24	16	13	9
	55 - 50	102	104	97	102	97	94	84	73	63	53	37	23	19	14	10
	50 - 45	86	101	99	89	87	87	80	69	62	49	33	19	14	10	6
	45 - 40	73	83	81	87	84	80	77	69	62	49	33	19	14	10	6
	40 - 35	63	64	74	74	74	76	70	66	57	47	33	19	11	7	5
	35 - 30	53	54	56	64	63	67	63	57	51	42	30	17	9	5	3
	30 - 25	43	44	46	49	51	53	51	47	43	37	27	16	8	4	2

TABLE B. EURASIA (CONT.)

12 - 55 - 70,000

JANUARY

APRIL

JULY

OCTOBER

TABLE II. EURASIA (CONT.)

12 - 55 - 80,000

JANUARY

APRIL

JULY

OCTOBER

TABLE II. EURASIA (CONT.)

12 - 60 -40,000



TABLE II. EURASIA (CONT.)

12 - 60 - 50,000

L-T BAND — LONGITUDE

		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	70 - 75	05	07	10	70	01	04	00	00	04	01	79	77	75	72	70
	65 - 70	12	12	17	10	26	21	13	08	00	93	80	02	79	78	76
	60 - 65	23	24	09	03	07	17	13	11	10	93	89	03	79	75	72
	55 - 60	27	27	21	13	26	24	21	17	14	93	89	81	77	76	67
	50 - 55	31	31	33	30	31	30	26	26	05	79	75	71	67	64	61
	45 - 50	38	36	36	27	33	33	33	29	26	85	85	81	80	56	53
	40 - 45	42	41	40	32	39	39	39	36	36	89	87	83	83	82	80
	35 - 40	46	46	44	36	43	43	43	43	43	49	49	47	46	42	44
	30 - 35	49	50	48	40	47	47	47	46	46	49	49	47	46	43	43
	25 - 30	53	53	52	44	51	51	51	50	50	53	53	51	51	49	48
	20 - 25	56	56	56	48	55	55	55	54	54	56	56	55	54	53	53
APRIL	70 - 75	02	05	09	72	09	03	05	04	05	09	76	76	73	71	69
	65 - 70	05	05	11	03	03	03	03	03	03	03	07	06	76	74	70
	60 - 65	09	09	08	01	02	02	02	02	02	04	04	06	77	73	70
	55 - 60	13	13	09	01	03	03	03	03	03	03	03	07	71	08	04
	50 - 55	17	17	13	05	07	07	07	07	07	07	76	74	69	66	57
	45 - 50	21	21	17	09	11	11	11	11	11	11	08	06	06	05	01
	40 - 45	25	25	21	13	15	15	15	15	15	15	12	10	05	04	46
	35 - 40	29	29	25	17	19	19	19	19	19	19	16	14	09	08	05
	30 - 35	33	33	29	21	23	23	23	23	23	23	20	18	13	12	09
	25 - 30	37	37	33	25	27	27	27	27	27	27	24	22	17	16	13
	20 - 25	41	41	37	29	31	31	31	31	31	31	28	26	21	20	17
JULY	70 - 75	04	10	05	09	10	10	11	11	11	07	02	00	04	49	43
	65 - 70	08	08	09	01	02	02	02	02	02	02	07	02	00	46	43
	60 - 65	12	12	13	05	06	06	06	06	06	06	03	02	00	04	03
	55 - 60	16	16	17	09	10	10	10	10	10	10	07	06	04	03	00
	50 - 55	20	20	21	13	14	14	14	14	14	14	11	10	08	07	04
	45 - 50	24	24	25	17	18	18	18	18	18	18	15	14	12	11	08
	40 - 45	28	28	29	21	22	22	22	22	22	22	19	18	16	15	12
	35 - 40	32	32	33	25	26	26	26	26	26	26	23	22	20	19	16
	30 - 35	36	36	37	29	30	30	30	30	30	30	27	26	24	23	20
	25 - 30	40	40	41	33	34	34	34	34	34	34	31	30	28	27	24
	20 - 25	44	44	45	37	38	38	38	38	38	38	35	34	32	31	28
OCTOBER	70 - 75	02	05	09	72	09	03	05	04	05	09	76	76	73	71	69
	65 - 70	05	05	11	03	03	03	03	03	03	03	07	06	76	74	70
	60 - 65	09	09	08	01	02	02	02	02	02	04	04	06	77	73	70
	55 - 60	13	13	09	01	03	03	03	03	03	03	03	07	71	08	04
	50 - 55	17	17	13	05	07	07	07	07	07	07	76	74	69	66	57
	45 - 50	21	21	17	09	11	11	11	11	11	11	08	06	06	05	01
	40 - 45	25	25	21	13	15	15	15	15	15	15	12	10	05	04	46
	35 - 40	29	29	25	17	19	19	19	19	19	19	16	14	09	08	05
	30 - 35	33	33	29	21	23	23	23	23	23	23	20	18	13	12	09
	25 - 30	37	37	33	25	27	27	27	27	27	27	24	22	17	16	13
	20 - 25	41	41	37	29	31	31	31	31	31	31	28	26	21	20	17

TABLE II. EURASIA (CONT.)

12 - 60 -60,000



TABLE II. EURASIA (CONT.)

12 - 60 - 70,000

JANUARY

APRIL

JULY

OCTOBER

TABLE II. EURASIA (CONT.)

12 - 60 - 80,000



TABLE II. EURASIA (CONT.)

12 - 65 - 40,000

JANUARY

APRIL

JULY

OCTOBER

TABLE II. EURASIA (CONT.)

12 - 65 - 50,000



TABLE II. EURASIA (CONT.)

12 - 65 - 60,000

JANUARY

APRIL

JULY

OCTOBER

TABLE II. EURASIA (CONT.)

12 - 65 - 70,000

	LAT MEAN	CONTOUR														
		0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
JANUARY	70 - 75	197	193	190	149	140	131	124	119	111	109	99	94	90	80	82
	65 - 70	230	227	213	200	170	157	135	125	115	108	101	95	89	84	82
	60 - 65	272	256	244	196	127	133	106	99	91	83	87	81	73	71	67
	55 - 60	190	147	146	135	126	112	103	95	80	82	77	75	68	64	60
	50 - 55	49	37	76	61	64	64	61	79	74	71	67	63	60	50	53
	45 - 50	21	26	35	49	30	60	62	62	61	59	56	54	51	46	44
	40 - 45	3	10	26	30	37	43	45	49	46	46	49	44	46	37	36
	35 - 40	2	0	11	10	20	30	34	30	37	37	37	35	33	31	28
	30 - 35	1	0	0	15	17	26	24	27	26	26	25	27	26	23	21
	25 - 30	1	2	5	0	11	15	18	18	20	20	19	19	18	16	15
APRIL	70 - 75	29	30	30	34	40	35	30	24	20	17	14	11	10	8	7
	65 - 70	269	171	213	89	82	56	43	39	36	26	20	26	19	15	16
	60 - 65	269	153	103	72	54	43	34	27	22	18	15	14	0	8	4
	55 - 60	34	20	76	86	23	64	37	31	25	24	16	16	8	6	4
	50 - 55	5	26	37	36	34	30	26	22	18	15	11	8	5	5	2
	45 - 50	1	12	10	20	20	17	17	19	18	9	7	5	3	2	1
	40 - 45	1	5	9	12	13	14	13	12	9	7	6	4	2	1	1
	35 - 40	0	2	2	6	7	8	7	8	5	4	3	2	1	0	0
	30 - 35	0	1	3	4	4	5	5	4	4	3	2	1	1	1	0
	25 - 30	0	1	1	2	2	2	2	2	2	2	1	1	1	0	0
JULY	70 - 75	17	17	36	76	126	169	142	121	133	127	130	130	137	136	134
	65 - 70	460	400	443	407	354	319	279	276	253	241	222	216	200	197	191
	60 - 65	404	401	433	333	304	299	290	237	264	209	190	207	170	176	166
	55 - 60	33	30	69	160	149	135	127	107	135	136	140	144	141	130	134
	50 - 55	0	0	19	36	66	81	76	66	60	50	53	54	55	55	52
	45 - 50	0	0	2	6	10	19	27	33	41	47	51	55	57	60	63
	40 - 45	0	0	0	1	2	3	0	13	17	21	25	30	31	34	37
	35 - 40	0	0	0	0	1	2	3	4	8	8	11	14	15	17	20
	30 - 35	0	0	0	0	0	0	1	2	2	3	4	6	7	8	10
	25 - 30	0	0	0	0	0	0	0	0	0	1	1	2	3	3	4
OCTOBER	70 - 75	29	30	30	34	40	35	30	24	20	17	14	11	10	8	7
	65 - 70	269	171	213	89	82	56	43	39	36	26	20	26	19	15	16
	60 - 65	269	153	103	72	54	43	34	27	22	18	15	14	0	8	4
	55 - 60	34	20	76	86	23	64	37	31	25	24	16	16	8	6	4
	50 - 55	5	26	37	36	34	30	26	22	18	15	11	8	5	5	2
	45 - 50	1	12	10	20	20	17	17	19	18	9	7	5	3	2	1
	40 - 45	1	5	9	12	13	14	13	12	9	7	6	4	2	1	1
	35 - 40	0	2	2	6	7	8	7	8	5	4	3	2	1	0	0
	30 - 35	0	1	3	4	4	5	5	4	4	3	2	1	1	1	0
	25 - 30	0	1	1	2	2	2	2	2	2	2	1	1	1	0	0

TABLE II. EURASIA (CONT.)

12 - 65 - 80,000



TABLE II. EURASIA (CONT.)

12 - 70 - 40,000

LAT. BAND		0°	10°	20°	30°	40°	50°	60°	70°	80°	90°	100°	110°	120°	130°	140°
JANUARY	70 – 75	47	46	46	44	41	100	102	104	105	103	101	98	103	97	93
	65 – 70	49	51	47	45	43	102	102	104	107	110	109	103	101	94	91
	60 – 65	107	104	104	104	103	101	101	100	99	93	86	80	77	73	
	55 – 60	72	76	79	86	89	87	85	83	81	77	73	76	76	69	
	50 – 55	47	51	57	65	73	79	84	84	83	83	82	81	80	76	72
	45 – 50	49	51	56	62	72	78	86	86	86	87	90	91	90	87	82
	40 – 45	46	49	49	53	63	68	76	80	80	84	86	91	94	94	91
	35 – 40	51	53	52	57	62	67	73	78	80	82	86	89	93	93	93
	30 – 35	51	54	54	57	61	65	70	74	79	82	84	87	89	91	92
	25 – 30	50	53	54	57	60	64	68	72	76	79	82	84	86	87	88
APRIL	70 – 75	47	46	46	44	41	100	102	104	107	105	101	98	103	97	93
	65 – 70	46	46	46	46	47	100	103	104	103	113	107	100	94	90	86
	60 – 65	100	102	104	103	104	104	104	104	104	90	92	86	84	81	74
	55 – 60	00	04	00	00	00	00	00	03	01	78	75	74	74	00	00
	50 – 55	00	00	46	48	03	02	02	02	04	03	06	01	00	00	07
	45 – 50	11	14	10	05	00	46	47	49	00	01	01	01	00	00	45
	40 – 45	00	00	02	06	03	02	00	00	00	40	41	46	46	46	46
	35 – 40	01	00	00	10	10	00	00	00	00	01	02	00	00	00	00
	30 – 35	01	02	04	07	11	10	10	12	01	04	01	07	02	02	02
	25 – 30	00	01	02	04	07	09	10	12	14	14	16	20	21	03	04
JULY	70 – 75	44	47	00	03	00	17	10	10	05	03	03	14	07	01	00
	65 – 70	70	00	03	02	02	02	02	02	02	02	06	06	00	07	02
	60 – 65	00	05	07	09	10	10	10	10	10	02	07	01	00	00	07
	55 – 60	06	00	07	04	04	00	01	02	02	02	01	00	00	00	00
	50 – 55	04	04	03	04	06	00	01	02	02	02	01	00	00	00	00
	45 – 50	01	04	09	04	01	02	00	30	35	37	39	40	41	41	41
	40 – 45	01	03	02	09	04	10	02	02	02	30	32	33	03	03	03
	35 – 40	01	02	04	06	10	13	17	19	22	24	25	26	27	00	00
	30 – 35	00	01	02	04	07	09	12	14	16	18	20	21	02	02	03
OCTOBER	70 – 75	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
	65 – 70	60	61	60	00	00	07	39	00	15	00	00	05	07	00	00
	60 – 65	51	52	40	42	31	02	04	47	00	03	00	03	05	06	06
	55 – 60	60	00	05	00	04	06	05	02	00	06	04	01	00	00	04
	50 – 55	01	00	34	45	02	30	01	03	02	02	01	00	05	07	05
	45 – 50	00	03	16	04	34	40	44	47	49	00	50	00	49	49	48
	40 – 45	01	04	03	13	02	07	31	32	37	38	40	41	41	41	41
	35 – 40	01	03	00	03	10	19	02	20	20	30	32	33	33	34	34
	30 – 35	01	02	04	07	10	13	17	19	22	24	25	27	02	09	02
	25 – 30	00	01	02	04	07	09	12	14	16	18	20	21	02	03	03

TABLE II. EURASIA (CONT.)

12 - 70 - 50,000

LAND — LONGITUDE

JANUARY

	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
70 – 70	240	200	240	224	201	100	102	147	135	120	110	109	103	97	93
70 – 60	240	230	220	203	101	109	141	120	117	110	102	95	89	84	81
60 – 50	133	130	149	140	131	121	113	100	100	93	86	83	79	76	74
50 – 40	76	72	70	61	54	50	65	66	66	77	74	71	69	67	64
40 – 30	41	40	34	40	32	30	31	63	62	62	61	60	59	57	56
30 – 20	3	9	15	24	34	40	44	47	46	49	50	50	49	48	47
20 – 10	1	4	9	14	21	26	30	35	37	39	40	41	41	41	40
10 – 0		3	5	7	14	19	22	22	26	30	32	33	33	33	33
0 – 10	1	2	4	6	10	13	17	19	22	24	25	26	27	28	28
10 – 20	0	1	2	4	7	9	12	14	16	18	19	21	22	22	23

APRIL

	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
70 – 70	230	230	230	229	191	174	155	140	120	110	109	106	95	89	83
70 – 60	270	253	236	209	180	157	135	120	114	107	99	93	87	82	79
60 – 50	205	191	176	159	139	121	110	105	99	92	87	84	78	76	74
50 – 40	91	86	76	73	65	55	54	61	73	76	73	70	69	68	67
40 – 30	44	46	44	49	52	50	50	51	66	66	61	66	62	60	58
30 – 20	6	8	12	17	23	33	39	43	46	46	49	49	49	46	45
20 – 10	1	3	5	10	14	18	22	20	22	29	31	34	31	31	30
10 – 0	1	2	4	6	9	13	17	17	22	23	24	25	26	25	25
0 – 10	0	1	2	4	7	9	12	14	16	16	19	21	21	21	21

JULY

	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
70 – 70	230	234	230	217	200	200	142	127	115	100	90	89	81	78	69
70 – 60	260	241	227	209	190	175	155	134	114	99	90	77	69	66	64
60 – 50	211	204	189	170	150	130	107	97	80	72	60	56	52	49	47
50 – 40	94	90	83	79	70	61	63	73	69	63	56	56	46	46	50
40 – 30	39	40	34	40	32	31	35	55	56	44	44	41	37	36	40
30 – 20	9	11	17	27	33	41	50	50	50	54	51	50	44	41	36
20 – 10	3	6	12	17	22	28	27	27	22	26	24	24	20	19	17
10 – 0	2	4	7	12	14	17	20	21	21	20	19	17	16	14	14
0 – 10	1	2	4	7	9	12	14	16	17	17	17	16	15	14	13
10 – 20	0	1	2	4	6	9	10	12	12	13	14	15	13	12	11

OCTOBER

	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140
70 – 70	230	230	230	229	191	174	155	140	120	110	109	106	95	89	83
70 – 60	270	253	236	209	180	157	135	120	114	107	99	93	87	82	79
60 – 50	205	191	176	159	139	121	110	105	99	92	87	84	78	76	74
50 – 40	91	86	76	73	65	55	54	61	73	76	73	70	69	68	67
40 – 30	44	46	44	49	52	50	50	51	66	66	61	66	62	60	58
30 – 20	6	8	12	17	23	33	39	43	46	46	49	49	49	46	45
20 – 10	3	6	12	17	22	28	27	27	22	26	24	24	20	19	17
10 – 0	2	4	7	12	14	17	20	21	21	20	19	17	16	14	14
0 – 10	1	2	4	7	9	12	14	16	17	17	17	16	15	14	13
10 – 20	0	1	2	4	6	9	10	12	12	13	14	15	13	12	11

TABLE II. EURASIA (CONT.)

12 - 70 - 60,000



TABLE II. EURASIA (CONT.)

12 - 70 - 70,000

JANUARY

APRIL

JULY

OCTOBER

TABLE II. EURASIA (CONT.)

12 - 70 - 80,000

JANUARY

APRIL

JULY

OCTOBER

GEOPHYSICAL RESEARCH PAPERS

No. 1. Isotropic and Non-Isotropic Turbulence in the Atmospheric Surface Layer, Heinz Lettau, Geophysics Research Directorate, December 1949.

No. 2. Effective Radiation Temperatures of the Ozonosphere over New Mexico, Adel, Geophysics R-D, December 1949.

No. 3. Diffraction Effects in the Propagation of Compressional Waves in the Atmosphere, Norman A. Haskell, Geophysics Research Directorate, March 1950.

No. 4. Evaluation of Results of Joint Air Force-Weather Bureau Cloud Seeding Trials Conducted During Winter and Spring 1949, Charles E. Anderson, Geophysics Research Directorate, May 1950.

No. 5. Investigation of Stratosphere Winds and Temperatures From Acoustical Propagation Studies, Albert P. Crary, Geophysics Research Directorate, June 1950.

No. 6. Air-Coupled Flexural Waves in Floating Ice, F. Press, M. Ewing, A. P. Crary, S. Katz, and J. Oliver, Geophysics Research Directorate, November 1950.

No. 7. Proceedings of the Conference on Ionospheric Research (June 1949), edited by Bradford B. Underhill and Ralph J. Donaldson, Jr., Geophysics Research Directorate, December 1950.

No. 8. Proceedings of the Colloquium on Mesospheric Physics, edited by N. C. Gerson, Geophysics Research Directorate, July 1951.

No. 9. The Dispersion of Surface Waves on Multi-Layered Media, Norman A. Haskell, Geophysics Research Directorate, August 1951.

No. 10. The Measurement of Stratospheric Density Distribution with the Searchlight Technique, L. Elterman, Geophysics Research Directorate, December 1951.

No. 11. Proceedings of the Conference on Ionospheric Physics (July 1950) Part A, edited by N. C. Gerson and Ralph J. Donaldson, Jr., Geophysics Research Directorate, April 1952.

No. 12. Proceedings of the Conference on Ionospheric Physics (July 1950) Part B, edited by Ludwig Katz and N. C. Gerson, Geophysics Research Directorate, April 1952.

No. 13. Proceedings of the Colloquium on Microwave Meteorology, Aerosols and Cloud Physics, edited by Ralph J. Donaldson, Jr., Geophysics Research Directorate, May 1952.

No. 14. Atmospheric Flow Patterns and Their Representation by Spherical-Surface Harmonics, B. Haurwitz and Richard A. Craig, Geophysics Research Directorate, July 1952.

No. 15. Back-Scattering of Electromagnetic Waves From Spheres and Spherical Shells, A. L. Aden, Geophysics Research Directorate, July 1952.

No. 16. Notes on the Theory of Large-Scale Disturbances in Atmospheric Flow With Applications to Numerical Weather Prediction, Philip Duncan Thompson, Major, U. S. Air Force, Geophysics Research Directorate, July 1952.

No. 17. The Observed Mean Field of Motion of the Atmosphere, Yale Mintz and Gordon Dean, Geophysics Research Directorate, August 1952.

No. 18. The Distribution of Radiational Temperature Change in the Northern Hemisphere During March, Julius London, Geophysics Research Directorate, December 1952.

No. 19. International Symposium on Atmospheric Turbulence in the Boundary Layer, Massachusetts Institute of Technology, 4-8 June 1951, edited by E. W. Hewson, Geophysics Research Directorate, December 1952.

No. 20. On the Phenomenon of the Colored Sun, Especially the "Blue" Sun of September 1950, Rudolf Penndorf, Geophysics Research Directorate, April 1953.

No. 21. Absorption Coefficients of Several Atmospheric Gases, K. Watanabe, Murray Zelikoff and Edward C. Y. Inn, Geophysics Research Directorate, June 1953.

No. 22. Asymptotic Approximatior for the Elastic Normal Modes in a Stratified Solid Medium, Norman A. Haskell, Geophysics Research Directorate, August 1953.

No. 23. Forecasting Relationships Between Upper Level Flow and Surface Meteorological Processes, J. J. George, R. O. Roche, H. B. Visscher, R. J. Shafer, P. W. Funke, W. R. Biggers and R. M. Whiting, Geophysics Research Directorate, August 1953.

No. 24. Contributions to the Study of Planetary Atmospheric Circulations, edited by Robert M. White, Geophysics Research Directorate, November 1953.

No. 25. The Vertical Distribution of Mie Particles in the Troposphere, R. Penndorf, Geophysics Research Directorate, March 1954.

No. 26. Study of Atmospheric Ions in a Nonequilibrium System, C. G. Stergis, Geophysics Research Directorate, April 1954.

No. 27. Investigation of Microbarometric Oscillations in Eastern Massachusetts, E. A. Flauraud, A. H. Mears, F. A. Crowley, Jr., and A. P. Crary, Geophysics Research Directorate, May 1954.

No. 28. The Rotation-Vibration Spectra of Ammonia in the 6- and 10-Micron Regions, R. G. Breene, Jr., Capt., USAF, Geophysics Research Directorate, June 1954.

No. 29. Seasonal Trends of Temperature, Density, and Pressure in the Stratosphere Obtained With the Searchlight Probing Technique, Louis Elterman, July 1954.

No. 30. Proceedings of the Conference on Auroral Physics, edited by N. C. Gerson, Geophysics Research Directorate, July 1954.

No. 31. Fog Modification by Cold-Water Seeding, Vernon G. Plank, Geophysics Research Directorate, August 1954.

No. 32. Adsorptio Studies of Heterogeneous Phase Transitions, S. J. Birstein, Geophysics Research Directorate, December 1954.

No. 33. The Latitudin and Seasonal Variations of the Absorption of Solar Radiation by Ozone, J. Prossman, Geophysics Research Directorate, December 1954.

No. 34. Synoptic Analysis of Convection in a Rotating Cylinder, Fultz and J. Corn, Geophysics Research Directorate January 1955.

No. 35. Balance Requirements of the General Circulation, V. P. Starr and R. M. White, Geophysics Research Directorate, December 1954.

No. 36. The Mean Molecular Weight of the Upper Atmosphere, Warren E. Thompson, Geophysics Research Directorate, May 1955.

No. 37. Proceedings on the Conference on Interfacial Phenomena and Nucleation.
I. Conference on Nucleation.
II. Conference on Nucleation and Surface Tension.
III. Conference on Adsorption.
Edited by H. Reiss, Geophysics Research Directorate, July 1955.

No. 38. The Stability of a Simple Baroclinic Flow With Horizontal Shear, Leon S. Pocinki, Geophysics Research Directorate, July 1955.

No. 39. The Chemistry and Vertical Distribution of the Oxides of Nitrogen in the Atmosphere, L. Miller, Geophysics Research Directorate, April 1955.

No. 40. Near Infrared Transmission Through Synthetic Atmospheres, J. N. Howard, Geophysics Research Directorate, November 1955.

No. 41. The Shift and Shape of Spectral Lines, R. G. Breene, Geophysics Research Directorate, October 1955.

No. 42. Proceedings on the Conference on Atmospheric Electricity, R. Holzer, W. Smith, Geophysics Research Directorate, December 1955.

No. 43. Methods and Results of Upper Atmospheric Research, J. Kaplan, G. Schilling, H. Kallman, Geophysics Research Directorate, November 1955.

No. 44. Luminous and Spectral Reflectance as Well as Colors of Natural Objects, R. Penndorf, Geophysics Research Directorate, February 1956.

No. 45. New Tables of Mie Scattering Functions for Spherical Particles, R. Penndorf, B. Goldberg, Geophysics Research Directorate, March 1956.

No. 46. Results of Numerical Forecasting With the Barotropic and Thermotropic Models, W. Gates, L. S. Pocinki, C. F. Jenkins, Geophysics Research Directorate, April 1956.

GEOPHYSICAL RESEARCH PAPERS (Continued)

No. 47. A Meteorological Analysis of Clear Air Turbulence (A Report on the U. S. Synoptic High-Altitude Gust Program), H. Lake, Geophysics Research Directorate, February 1956.

No. 48. A Review of Charge Transfer Processes in Gases, S. N. Ghosh, W. F. Sheridan, J. A. Dillon, Jr., and H. D. Edwards, Geophysics Research Directorate, July 1955.

No. 49. Theory of Motion of a Thin Metallic Cylinder Carrying a High Current, C. W. Dubs, Geophysics Research Directorate, October 1955.

No. 50. Hurricane Edna, 1954: Analysis of Radar, Aircraft, and Synoptic Data, E. Kessler, III and D. Atlas, Geophysics Research Directorate, July 1956.

No. 51. Cloud Refractive Index Studies, R. M. Cunningham, V. G. Plank, and C. F. Campen, Jr. Geophysics Research Directorate, October 1956.

No. 52. A Meteorological Study of Radar Angels, V. G. Plank, Geophysics Research Directorate, August 1956.

No. 53. The Construction and Use of Forecast Rejisters, I. Gringorten, I. Lund, M. Miller, Geophysics Research Directorate, June, 1956.

No. 54. Solar Geomagnetic Ionospheric Parameters as Indices of Solar Activity, F. Ward Jr., Geophysics Research Directorate, November, 1956.

No. 55. Preparation of Mutually Consistent Magnetic Charts, Paul Fougere, J. McClay, Geophysics Research Directorate, June 1957.

No. 56. Radar Synoptic Analysis of an Intense Winter Storm, Edwin Kessler III, Geophysics Research Directorate, October 1957.

No. 57. Mean Monthly 300 mb and 200 mb Contours and 500 mb, 300 mb, 200 mb Temperatures for the Northern Hemisphere, E. W. Wahl, April 1958.

No. 58. Theory of Large-Scale Atmospheric Diffusion and its Application to Air Trajectories, S. B. Solot and E. M. Darling, Jr., June 1958.

AD 152571

Air Force Cambridge Research Center
Geophysics Research Directorate
Bedford, Mass.

THE DOWNSTREAM PROBABILITY DENSITY FUNCTION FOR NORTH AMERICA AND EURASIA, Vol III of "Theory of Large-Scale Atmospheric Diffusion and its Application to Air Trajectories" by S. B. Solot and E. M. Darling, Jr., June 1958. 371p. tables (Geophysical Research Papers No. 58; AFCRC-TR-58-228III) Unclassified Report

This publication contains probability tables for North America and Eurasia, computed from constant wind data in Volume II (AD 152570), by introducing the actual wind profiles for these two regions for various heights and seasons. Parameters, in addition to regions, include season (January, April, July, October), height (40,000 to 80,000 ft), initial latitude, longitude, and 5-degree latitude bands. Solutions are given for time periods

(over)

UNCLASSIFIED
1. Balloon Trajectory
2. Atmosphere - Motion
3. Atmosphere - Diffusion
I. Solot, S. B.
II. Darling, E. M., Jr.

UNCLASSIFIED

AD 152571

Air Force Cambridge Research Center
Geophysics Research Directorate
Bedford, Mass.

THE DOWNSTREAM PROBABILITY DENSITY FUNCTION FOR NORTH AMERICA AND EURASIA, Vol III of "Theory of Large-Scale Atmospheric Diffusion and its Application to Air Trajectories: by S. B. Solot and E. M. Darling, Jr., June 1958. 371p. tables (Geophysical Research Papers No. 58; AFCRC-TR-58-228III) Unclassified Report

This publication contains probability tables for North America and Eurasia, computed from constant wind data in Volume II (AD 152570), by introducing the actual wind profiles for these two regions for various heights and seasons. Parameters, in addition to regions, include season (January, April, July, October), height (40,000 to 80,000 ft), initial latitude, longitude, and 5-degree latitude bands. Solutions are given for time periods

(over)

UNCLASSIFIED
1. Balloon Trajectory
2. Atmosphere - Motion
3. Atmosphere - Diffusion
I. Solot, S. B.
II. Darling, E. M., Jr.

JNCLASSIFIED

AD 152571

Air Force Cambridge Research Center
Geophysics Research Directorate
Bedford, Mass.

THE DOWNSTREAM PROBABILITY DENSITY FUNCTION FOR NORTH AMERICA AND EURASIA, Vol III of "Theory of Large-Scale Atmospheric Diffusion and its Application to Air Trajectories" by S. B. Solot and E. M. Darling, Jr., June 1958. 371p. tables (Geophysical Research Papers No. 58; AFCRC-TR-58-228III) Unclassified Report

This publication contains probability tables for North America and Eurasia, computed from constant wind data in Volume II (AD 152570), by introducing the actual wind profiles for these two regions for various heights and seasons. Parameters, in addition to regions, include season (January, April, July, October), height (40,000 to 80,000 ft), initial latitude, longitude, and 5-degree latitude bands. Solutions are given for time periods

(over)

UNCLASSIFIED
1. Balloon Trajectory
2. Atmosphere-Motion
3. Atmosphere-Diffusion
I. Solot, S. B.
II. Darling, E. M., Jr.

UNCLASSIFIED

AD 152571

Air Force Cambridge Research Center
Geophysics Research Directorate
Bedford, Mass.

THE DOWNSTREAM PROBABILITY DENSITY FUNCTION FOR NORTH AMERICA AND EURASIA, Vol III of "Theory of Large-Scale Atmospheric Diffusion and its Application to Air Trajectories" by S. B. Solot and E. M. Darling, Jr., June 1958. 371p. tables (Geophysical Research Papers No. 58; AFCRC-TR-58-228III) Unclassified Report

This publication contains probability tables for North America and Eurasia, computed from constant wind data in Volume II (AD 152570), by introducing the actual wind profiles for these two regions for various heights and seasons. Parameters, in addition to regions, include season (January, April, July, October), height (40,000 to 80,000 ft), initial latitude, longitude, and 5-degree latitude bands. Solutions are given for time periods

(over)

UNCLASSIFIED
1. Balloon Trajectory
2. Atmosphere - Motion
3. Atmosphere-Diffusion
I. Solot, S. B.
II. Darling, E. M., Jr.

UNCLASSIFIED

AD 152571 of 1, 3, 6, and 12 and its application to air trajectories is published in Volume I (AD 152509).	UNCLASSIFIED	AD 152571 of 1, 3, 6, and 12 and its application to air trajectories is published in Volume I (AD 152509).	UNCLASSIFIED
UNCLASSIFIED			UNCLASSIFIED
AD 152571 of 1, 3, 6, and 12 and its application to air trajectories is published in Volume I (AD 152509).	UNCLASSIFIED	AD 152571 of 1, 3, 6, and 12 and its application to air trajectories is published in Volume I (AD 152509).	UNCLASSIFIED
UNCLASSIFIED			UNCLASSIFIED