

UNCLASSIFIED

AD NUMBER
AD271071
NEW LIMITATION CHANGE
TO Approved for public release, distribution unlimited
FROM Distribution authorized to U.S. Gov't. agencies and their contractors; Administrative/Operational use; 22 Dec 1961. Other requests shall be referred to Army Medical Research Lab, Fort Knox KY
AUTHORITY
USAMRL ltr, 26 Feb 1970

THIS PAGE IS UNCLASSIFIED

Best Available Copy.

107

1271071

US ARMY MEDICAL RESEARCH LABORATORY

FORT KNOX, KENTUCKY

REPORT NO. 527

ACOUSTIC REFLEX RESPONSE TO HIGH INTENSITIES OF
IMPULSE NOISE AND TO NOISE AND CLICK STIMULI

Capt J. L. Fletcher, MSC

20030620000

AD No. —
FILE COPY

IA
FEB 1 1961
FOR

FILE COPY
Return to
ASTIA
ARLINGTON HALL STATION
ARLINGTON 12, VIRGINIA
Attn: TIRS



UNITED STATES ARMY

MEDICAL RESEARCH AND DEVELOPMENT COMMAND 22 December 1961

NO OTS



Report Submitted 12 December 1961

Author

Capt J. L. Fletcher, MSC
(Ph. D.)

Audition Branch
Psychology Division

Technical Assistant

Sp 4 E. Allyn Schmidt
(B. A.)

Audition Branch
Psychology Division

Qualified requestors may obtain copies of this report from ASTIA.

Foreign announcement and dissemination of this report by ASTIA
is limited.

REPORT NO. 527

ACOUSTIC REFLEX RESPONSE TO HIGH INTENSITIES OF
IMPULSE NOISE AND TO NOISE AND CLICK STIMULI

Capt J. L. Fletcher, MSC

Psychology Division
US ARMY MEDICAL RESEARCH LABORATORY
Fort Knox, Kentucky

22 December 1961

Audition and Auditory Perception in Relation to Performance
Task 02

Psychophysiological Studies
USAMRL Project No. 6X95-25-001

ABSTRACT

ACOUSTIC REFLEX RESPONSE TO HIGH INTENSITIES OF IMPULSE NOISE AND TO NOISE AND CLICK STIMULI

OBJECT

To evaluate acoustic reflex (AR) response to high intensity impulse noise and to determine the relative effectiveness of clicks and noise AR eliciting stimuli at two different sensation levels (SL).

RESULTS

The AR was found to operate at high intensity levels in a manner similar to that observed previously at lower levels. No difference in effectiveness was noted between clicks and noise as AR eliciting stimuli, nor was any difference found between the two SLs of the stimuli that were studied. The only significance in main effects was that between the AR and no AR conditions.

CONCLUSIONS

The AR operates in essentially the same manner at high as at low SPLs. For the exposure used, there is apparently no difference in the click and noise AR eliciting stimuli nor in different SLs of stimuli. It is believed that more exposure might have enabled better discrimination of the relative effectiveness of such stimuli.

APPROVED: George S. Harker
GEORGE S. HARKER, Ph. D.
Director, Psychology Division

APPROVED: Floyd A. Odell
FLOYD A. ODELL, Ph. D.
Technical Director of Research

APPROVED: Sven A. Bach
SVEN A. BACH
Colonel, MC
Commanding

ACOUSTIC REFLEX RESPONSE TO HIGH INTENSITIES OF IMPULSE NOISE AND TO NOISE AND CLICK STIMULI

I. INTRODUCTION

Previous research regarding the protective aspects of acoustic reflex (AR) action has been primarily concerned with moderate levels of impulse stimuli (1, 2). It is possible that AR action could be different at levels higher than the moderate levels used in previous experiments. It is suggested by Békésy (3, pg. 97) and Møller (4) that the ossicular chain vibrational mode changes with intensity, at least for low frequency stimuli. Therefore, the higher sound pressure levels might rotate the ossicular chain out of its usual mode of operation, thereby changing the effect of the tensor tympani and stapedius contractions upon the transmission of sound to the inner ear. Similarly, at higher levels of stimulation the AR might possibly respond differently to reflex eliciting stimuli than it does at lower levels.

II. METHOD

In order to test the above possibilities, the following experiment was designed; each subject was exposed five times to 160 and 170 db sound pressure level (SPL) impulse noise. In one session at each intensity there was no AR protection, in a second there was a train of clicks at 105 db sensation level (SL) or 120 db SL switched on 150 msec prior to each impulse to elicit the AR and in the third a noise stimulus at 105 or 120 db SL was similarly presented before the impulse to arouse the AR.

The high intensity impulse signal was generated by a device called the photoformer (5). This experimentally developed device permits the precise generation and replication, at almost any desired rate, of impulse sounds that can be precisely controlled for rise time, duration, intensity, and spectrum. A block diagram of the equipment used in this experiment is presented in Figure 1.

The click stimuli were generated by a Tektronix Pulse Generator, Model 16. Pre- and post-exposure audiograms were obtained using a Grason-Stadler Model E-800 Audiometer. In addition, the masking output of the audiometer was used as the noise stimulus. The impulse stimuli were programmed by a Gerbrands Tape Programmer and presented at a rate of 40 impulses per minute. The transducer used was the same one used by Ball (5).




Fig. 1. Block diagram of the apparatus.

Thresholds for the noise and click were determined for each subject and a reference voltage across the earphone noted, then 105 or 120 db attenuation was removed from the system to reflect the proper SL.

Each subject was given sufficient training in the use of the Békésy technique of audiometry to assure reliable thresholds prior to collection of any data. Upon completion of training in the use of the Békésy, the subjects were exposed (no more than once per day) for increasingly longer periods of time to 170 db, then 160 db SPL impulses until a measurable temporary threshold shift (TTS) had been induced. Thus, a control (no AR) condition duration was arrived at slowly in order to avoid inducing any permanent threshold shifts.

Once the exposure time for a given level of stimulation was determined, the subject was exposed to the other four experimental conditions at two different SPLs in a counterbalanced order.

All testing was conducted in a sound treated room with an ambient sound level of about 45 db. In a typical experimental session a sweep frequency pre-exposure Békésy audiogram (3000 - 8000 cps) was taken. The headset was then removed and the special transducer used for the high intensity impulse signals was placed on the subject's head. The proper SPL was set for the reflex eliciting sound, the appropriate duration of exposure was set on the timer, and the exposure was begun. As soon as the timer terminated the exposure, the impulse noise transducer was removed, the Békésy headset put on, and the post-exposure threshold taken. Elapsed time from termination of exposure to beginning of threshold testing averaged about 10 sec. The pre- and post-exposure thresholds were then compared to determine the effects of exposure to the given experimental condition.

Of the 15 subjects used in this experiment, 13 were Tufts University students or staff, two were USAMRL staff members. There were nine females and six males, with ages from 17 to 36. There was no screening for hearing deficit. No subject was exposed more than once per day.

Duration of exposure varied from subject to subject, i. e., some subjects required longer unprotected exposure to the impulse noise to induce a measurable TTS than did others. Additional exposure was not given if the subject had a TTS of 5 db or more. The actual exposure times ranged from 18 - 35 min.

III. RESULTS

The raw data (TTS differences between the various experimental conditions) were submitted to a complex analysis of variance. This was for two intensities (170 and 160 db SPL), five experimental conditions (no AR, and 105 and 120 db SPL reflex eliciting click and noise stimuli), five test frequencies (3000, 4000, 5000, 6000, and 8000 cps), and 15 subjects.

Results of the analysis are shown in Table 1. Of the main effects, Conditions and Subjects were the only ones to achieve statistical significance, and of those two we are really concerned only with Conditions.

TABLE 1

Analysis of Variance of the Intensities by
Conditions x Frequencies x Subjects' Data (2 x 5 x 5 x 15)

Intensities (I)	1	745.87	NS
Conditions (C)	4	3502.09	14.95**
Frequencies (F)	4	24.80	NS
Subjects (S)	14	1135.27	8.78
I x C	4	185.87	NS
I x F	4	35.80	NS
I x S	14	209.26	NS
C x F	16	44.67	NS
C x S	56	196.94	NS
F x S	56	129.32	2.48**
I x C x F	16	43.87	NS
I x C x S	56	234.22	8.41**
I x F x S	56	52.18	1.87*
C x F x S	224	32.22	NS
I x C x F x S	224	27.84	

* Significant at the 5% level of confidence.

** Significant at the 1% level of confidence.

All other significant terms were interactions involving subjects. The means for the five different experimental conditions are presented in Table 2. The effects of Conditions were further broken down to their individual means and the difference between the means of the five conditions were tested for significance. Only the difference between the

TABLE 2

Means (in db TTS) for the Five Experimental Conditions

Control (no AR)	105 db SL Click	120 db SL Click	105 db SL Noise	120 db SL Noise
13.47	4.41	1.37	4.20	2.25

control and each of the experimental conditions were significant ($P < .01$). The differences observed were all in the expected direction, i. e., there was more TTS in the control condition where no AR protection was present than in any of the other four conditions where either click or noise stimuli at 105 or 120 db SL were presented. This also suggests that the click and noise AR stimuli did not differ significantly in the protection afforded in this experiment. Another possibility is that both stimuli are effective enough to give almost complete protection and that possibly the only way to differentiate between the two would be to pose a more challenging problem, i. e., present much more stimulation. A third possibility is that the trends (which were not significant) for the 120 db SL stimulus to result in smaller TTS than the 105 db SL stimulus, and for the clicks is to give more protection (result in smaller TTS) than noise, would have been significant with a few more subjects. It is also possible that the earlier differences obtained are due to differential adaptation for noise and clicks and that in a brief interval after reflex activation the effects of the two are the same. However, the question cannot now be resolved. The other significant terms in the analysis are perhaps of interest but not of any real import.

IV. DISCUSSION

These results have shown that, even if high intensity impulse noise changes the mode of operation of the ossicular chain (and it is by no means certain that it does), the acoustic reflex contraction still displays its usual protective effect.

Results also indicate that, even though past research (6) has shown that click stimuli are more effective in arousing AR action, they do not necessarily protect persons exposed to impulse noise significantly better than noise stimuli. However, it is possible that the extreme care taken to avoid incurring permanent threshold shifts in

the subjects used in this experiment could have resulted in the situation failing to provide an adequate test of the difference in protective effects of noise and click AR eliciting stimuli.

V. REFERENCES

1. Fletcher, John L. and A. J. Riopelle. Protective effect of acoustic reflex for impulsive noise. J. Acoust. Soc. Amer. 32: 401, 1960.
2. Ward, W. Dixon, W. Selters and A. Glorig. Exploratory studies on temporary threshold shift from impulses. J. Acoust. Soc. Amer. 33: 781, 1961.
3. von Békésy, Georg. Experiments in Hearing. McGraw-Hill, New York, 1960, 745 pp.
4. Möller, Aage. Bilateral contraction of the tympanic muscles in man. Report No. 18, The Speech Transmission Lab, The Royal Institute of Technology, Stockholm, Sweden, 20 Feb 1961.
5. Ball, Jay. Instrumentation for a study of temporary threshold shifts caused by high-intensity acoustic transients. Report No. 785, Bolt, Beranek and Newman, Inc., Jan 1961.
6. Fletcher, John L. and M. Loeb. Contralateral threshold shift and reduction in temporary threshold shift as indices of acoustic reflex action. USAMRL Report No. 490, Ft. Knox, Ky., Aug 1961.

DISTRIBUTION LIST OF SAMRL REPORTS

Project No. 6X95-25-001 Psychophysiological Studies

No. of
Copies

AGENCY - DEFENSE

10 Armed Services Technical Information Agency, Arlington Hall Sta, Arlington 12, Virginia

AGENCY - US ARMY

- 1 Aberdeen Proving Ground, U. S. Army Ordnance, Human Engineering Laboratory, Aberdeen Proving Ground, Maryland. Attn: Dr. J. D. Weiss, Director
- 1 Adjutant General, Department of the Army, Washington 25, D. C., Attn: AGTL
- 6 Army Attache, Box 79, Fleet Post Office, New York, N. Y., Attn: Col. John C. Cressler, Asst Army Attache (Medical)
- 1 Brooke Army Medical Center, US Army Surgical Research Unit, Library, Building 2653, Fort Sam Houston, Texas
- 1 Brooke Army Medical Center, Headquarters, Army Medical Service School, Physical Medicine Branch, Fort Sam Houston, Texas, Attn: Captain Rachel Adams
- 1 Brooke Army Medical Service School, Publication Branch, Fort Sam Houston, Texas, Attn: Publication Branch
- 1 Brooke General Hospital, Medical Library, Box 151, Fort Sam Houston, Texas, Attn: Medical Librarian
- 1 Brooke General Hospital, Brooke Army Medical Center, Radioisotope Clinic, Fort Sam Houston, Texas
- 1 Chief Chemical Officer, Department of the Army, Washington 25, D. C., Attn: DCCM10/SA
- 1 Chief of Ordnance, ORDTB Washington 25, D. C., Attn: Res and Spec Proj Section
- 1 Chief of Research and Development, Chief Human Factors Research Division, Army Research Office, Room 3D-442, The Pentagon, Department of the Army, Washington 25, D. C.
- 1 Chief of Research and Development, Chief, Life Sciences Division, Room 3D-442, The Pentagon, Washington 25, D. C.
- 1 Chief of Research and Development, Army Research Office, Washington 25, D. C., Attn: Scientific Information Branch
- 1 Commanding General, US Army Alaska, APO 949, Seattle, Washington, Attn: Surgeon
- 1 Commanding General, US Army Europe, Medical Laboratory, Department of Microbiology, APO 180, US Forces, New York, N. Y.
- 1 Commanding General, US Army Europe, Medical Division, Plans and Operations Branch, APO 403, New York, N. Y., Attn: Chief Surgeon
- 1 Commanding General, US Army Hawaii, APO 957, San Francisco, California, Attn: Surgeon
- 1 Commanding General, US Army Japan, APO 343, San Francisco, California, Attn: Surgeon
- 1 Commanding General, US Army Ryukyu, Islands IX Corps, APO 331, San Francisco, California, Attn: Surgeon
- 1 Commanding General, Eighth US Army, APO 301, San Francisco, California, Attn: Surgeon
- 1 Commanding General, 7th Logistical Command, APO 612, San Francisco, California, Attn: Surgeon
- 1 Commanding General, I Corps Group, APO 358, San Francisco, California, Attn: Surgeon
- 1 Commander in Chief, US Army Pacific, APO 958, San Francisco, California, Attn: Surgeon
- 1 Fitzsimons General Hospital, Medical Technical Library, Denver 30, Colorado
- 1 Fitzsimons General Hospital, US Army Medical Research and Nutrition Laboratory, Denver, 30, Colorado
- 1 Picatinny Arsenal, Dover, New Jersey, Attn: ORDEB-VS3
- 2 Quartermaster Research and Engineering, Commanding General, Natick, Massachusetts, Attn: Technical Library
- 1 Quartermaster Research and Engineering Field Evaluation Agency, Fort Lee, Virginia, Attn: Technical Library
- 1 Redstone Arsenal, Commander, Redstone Arsenal, Alabama, Attn: ORDDW-III

No. of
Copies

US ARMY - CONTINUED

- 1 Surgeon General, Department of the Army, Professional Division, Washington 25, D. C.
Attn: Psychiatry and Neurology Consultant
- 1 Valley Forge Army Hospital, Pheonixville, Pennsylvania, Attn: Medical Library
- 1 William Beaumont General Hospital, Medical Library, El Paso, Texas, Attn: Med. Librarian
- 1 US Army Air Defense, Human Research Unit, Fort Bliss, Texas, Attn: Library
- 1 US Army Armor Human Research Unit, Director, Fort Knox, Ky., Attn: Librarian
- 1 US Army Armored Infantry Human Research Unit, Director of Research, Post Office Box 2086,
Fort Benning, Georgia, Attn: Library
- 1 US Army Chemical Research and Development Laboratories, Technical Library, Building 330,
Army Chemical Center, Maryland, Attn: Librarian
- 2 US Army Medical Center, Director of Medical Research ORDC, Army Chemical Center, Maryland
- 1 US Army Chemical Corps, Biological Laboratories, Fort Detrick, Maryland, Attn:
Documents Librarian
- 1 US Army Dispensary, Springfield Armory, Springfield, Massachusetts
- 1 US Army Engineer Research and Development Laboratories, Fort Belvoir, Virginia, Attn:
Technical Documents Center
- 1 US Army Environmental Hygiene Agency, Commanding Officer, Army Chemical Center, Maryland
- 1 US Army Hospital, Fort Lee, Virginia, Attn: Medical Library
- 1 US Army Liaison Group, Project Michigan, Willow Run Laboratories, Ypsilanti, Michigan,
Attn: Lt. Col. R. S. Johnston, Executive Officer
- 1 US Army Medical Command Japan, Medical General Laboratory (406) APO 343, San Francisco,
California, Attn: Colonel Carl F. Tessmer, MC, Commanding
- 1 US Army Leadership, Human Research Unit, Library, Post Office Box 787, Presidio of
Monterey, California
- 2 US Army Medical Liaison Branch, Office of the Chief Surgeon, Gorgas Hospital, Balboa
Heights, Canal Zone
- 3 US Army Medical Research and Development Command, Commanding General, Main Navy Bldg.,
Washington 25, D. C.
- 1 US Army Medical Research Unit, Commanding Officer, Panama Field, Fort Clayton, Canal Zone
- 1 US Army Medical Unit, Commanding Officer, Fort Detrick, Maryland
- 1 US Army Medical Research Unit, Institute for Medical Research, Kuala Lumpur, Malaya
- 1 US Army Ordnance Arsenal, Frankford, Philadelphia 37, Pennsylvania, Attn: CRDBA-1734/65-1
Mr. A. Charles Karr
- 2 US Army Ordnance Tank-Automotive Command, Detroit Arsenal, Center Line, Michigan
- 1 US Army Medical Research and Development Command, Office of The Surgeon General, Attn:
MEDDH-HR
- 1 US Army Standardization Senior Representative, US Army Standardization Group, Canada
c/o US Army Attache, US Embassy, Ottawa, Ontario, Canada, Attn: Col Joseph R. Blair
- 1 US Army Tropical Research Medical Laboratory, APO 851, New York, N. Y.
- 1 US Army Research Office, OCRD, Department of the Army, Washington 25, D. C., Attn:
Scientific Info. Branch
- 1 US Atomic Energy Commission, Division of Biology and Medicine, Washington 25, D. C.
Attn: Robert L. Corshie
- 3 Walter Reed Army Institute of Research, Walter Reed Army Medical Center, Director,
Washington 12, D. C.
- 1 Walter Reed Army Institute of Research, Division of Neuropsychiatry, Office of the Dir.,
Washington 12, D. C.
- 1 Walter Reed Army Hospital, Army Audiology and Speech Center, Forest Glen Section,
Washington 12, D. C.
- 1 Walter Reed Army Medical Center, Commanding Officer, US Army Prosthetics Research
Laboratory, Washington 12, D. C.
- 1 Walter Reed Army Medical Center, US Army Medical Service, Historical Unit, Washington 12,
D. C., Attn: Mrs. Esther E. Rohlander, Asst Chief, General Reference and Research Br

AGENCY - US NAVY

No. of
Copies

- 2 Bureau of Medicine and Surgery, Director, Research Division, Department of the Navy, Washington 25, D. C.
- 2 Bureau of Naval Weapons (DLI- 31) Department of the Navy, Washington 25, D. C.
- 1 Bureau of Naval Weapons (RAAE-13), Department of the Navy, Washington 25, D. C., Attn: Capt. Walton L. Jones, (MC) USN
- 2 Bureau of Yards and Docks, Department of the Navy, Washington 25, D. C., Attn: Code D-440
- 1 Chief of Naval Air Technical Training, US Naval Air Station, Memphis 75, Tennessee, Attn: Staff Medical Officer
- 1 Naval Air Crew Equipment Laboratory, Naval Air Material Center, Philadelphia 12, Pa.
- 1 Naval Air Reserve Training, Staff Medical Officer, US Naval Air Station, Glenview, Ill.
- 1 Naval Medical Research Institute, Technical Reference Library, National Naval Medical Center, Bethesda 14, Maryland
- 1 Naval Medical Research Laboratory, Box 100, Naval Submarine Base, New London, Conn.
- 1 Office of Naval Research, (Code 454) Department of the Navy, Washington 25, D. C.
- 1 Office of Naval Research (Code 408) Department of Navy, Special Assistant for Medical and Allied Sciences, Washington 25, D. C.
- 10 Office of Naval Research Branch Office, Navy 100, Box 39, Fleet Post Office, New York, New York, Attn: Victoria S. Greswold, Head, Administrative and Tech Service Branch
- 1 US Naval Air Development Center, Aeronautical Instrument Laboratory, Johnsville, Pa. Attn: Simulation Branch
- 1 US Naval Air Development Center, Aviation Medical Acceleration Laboratory, Johnsville, Pennsylvania, Attn: Library
- 1 US Naval Civil Engineering Laboratory, Port Hueneme, California, Attn: Code 313
- 1 US Naval Medical Neuropsychiatric Research Unit, San Diego 52, California
- 2 US Naval Missile Center, Point Mugu, California, Attn: Technical Library
- 1 US Naval Medical School, National Naval Medical Center, Commanding Officer, Bethesda 14, Maryland
- 1 US Naval Ordnance Test Station, The Medical Officer (Code 88), Station Hospital, China Lake, California
- 1 US Naval Radiological Defense Laboratory, Commanding Officer and Director (222), San Francisco 24, California
- 1 US Naval Research Laboratory, Code 2027, Washington 25, D. C.
- 1 US Naval School of Aviation Medicine, Aviation Psychology Laboratory, US Naval Aviation Medical Center-54, Pensacola, Florida
- 2 US Naval School of Aviation Medicine, Director of Research, US Naval Aviation Center 54, Pensacola, Florida
- 2 US Naval Training Device Center, Human Engineering Department, Code 34, Port Washington, New York
- 1 US Naval Weapons Plant, Experimental Diving Unit, Washington 25 D. C.

AGENCY - AIR FORCE

- 1 Air Force Flight Test Center, Human Factors Branch (FTFEH) Edwards Air Force Base, California, Attn: Chief, of Human Factors
- AIR RESEARCH AND DEVELOPMENT COMMAND
- 1 Air Research and Development Command, US Air Force, (RDGEL) Andrews Air Force Base, Washington 25, D. C.
 - 1 Air Research and Development Command, Office of Scientific Research, Behavioral Sciences Division, Washington 25, D. C.
 - 5 Air Research and Development Command, Operations Office, Laurence G. Hanscom Field, Bedford, Massachusetts, Attn: CCRHA
 - 3 Air Research and Development Command, Operational Applications Office, (CCRH), Laurence G. Hanscom Field, Bedford, Massachusetts
 - 1 Air Research and Development Command, Wright Air Development Center, US Air Force, Wright-Patterson Air Force Base, Ohio, Attn: D. G. Pitts, Vision

No. of
Copies

AIR FORCE - CONTINUED

AIR RESEARCH AND DEVELOPMENT COMMAND CONTINUED

- 1 Wright Air Research and Development Command, (WWRDAS Aerospace Medical Library) WADD
Wright-Patterson Air Force Base, Ohio
- 1 Wright Air Development Division, US Air Force, Aerospace Medical Division, Wright-
Patterson Air Force Base, Ohio, Attn: WWRDAS, Lt Col. Stanley L. Plecha
- 1 Wright Air Development Division, Wright-Patterson Air Force Base Ohio, Attn: WWRDMA
- 2 Air Training Command, Office of The Surgeon General-P. Randolph Air Force Base, Texas
- 1 Arctic Aeromedical Laboratory, APO 731, Seattle, Washington, Attn: Library
- 1 Assistant for Ground Safety, DCS/P, US Air Force, Washington 25, D. C.
- 1 Ent Air Force Base, Command Surgeon, US Army Air Defense Command, Colorado, Springs,
Colorado, Attn: Colonel S. J. Newsom, MC
- 1 Ent Air Force Base, Commander Air Development Center, OAO, Human Factors, Box 15,
Colorado Springs, Colorado
- 1 Human Factors Division, Director of Research and Technology, US Air Force, Washington
25, D. C., Attn: Chief, Human Factors Division
- 3 Langley Research Center, National Aeronautics and Space Administration, Langley Field,
Virginia, Attn: Librarian
- 1 Rome Air Development Center, Air Research and Development Command, US Air Force, Griffiss,
Air Force Base, New York
- 2 US Air Force Aerospace Medical Center, SAM, (SAMRSCH-P) Brooks Air Force Base, Texas
- 1 US Air Force Hospital, US Air Force Aerospace Medical Center (ATC), Lackland Air Force
Base, Texas, Attn: Medical Librarian
- 1 US Air Force, Strategic Air Command, (SUP3), Offutt Air Force Base, Nebraska

GOVERNMENTAL - AGENCIES

- 1 Argonne National Laboratory, 9700 South Cass Avenue, Argonne, Illinois, Attn: Hoylande
D. Young
- 1 Central Intelligence Agency, 2430 E. Street, N.W., Washington, D. C., Attn: 1331, R&S Bldg.
- 1 Civil Aeromedical Research Institute, Federal Aviation Agency, Post Office Box 1082,
Oklahoma City, Oklahoma
- 1 Library of Congress, Science and Technology Division, Washington 25, D. C., Attn: Dr.
A. J. Jacobius
- 1 National Institute of Health, Library, Building 10, Room 3N118, Bethesda 14, Maryland,
Attn: Acquisitions Section
- 1 National Library of Medicine, 7th Street & Independence Ave, S.W., Washington 25, D. C.
- 1 National Institutes of Health, Division of Research Grants, Information Office, Bethesda
14, Maryland
- 1 Prosthetic and Sensory Aids Service, Chief, Research and Development Division, Veterans
Administration, 252 7th Ave., New York 1, New York, Attn: Eugene F. Murphy, Ph.D.

OTHER AGENCIES

- 1 Arctic Health Research Center, Library, Post Office Box 960, Anchorage, Alaska
- 1 Bell Telephone Laboratories, Murray Hill, New Jersey, Attn: Max S. Schoeffler
- 1 Boeing Airplane Company, Central Medical Library, Box 11-40, Post Office Box 3707,
Seattle, Washington
- 1 Boeing Airplane Company, Chief, Space Medicine Section, Aero-Space Division, Seattle 24,
Washington, Attn: Dr. Romney H. Lowry, (Box 19-29)
- 1 Boeing Airplane Company, Library, Wichita Division, Wichita 1, Kansas
- 1 Chrysler Corporation, Box 1118, Engineering Research Department 921, Detroit 31, Michigan,
Attn: John Versace, Engr. Psychologist
- 1 Electric Boat Division, General Dynamics Corp., Human Factors Section, Groton, Conn
- 1 Ford Motor Company, Technical Information Section, Scientific Laboratory, Post Office
Box 2053, Dearborn, Michigan
- 1 General Electric Company, Technical Military Planning Operation, Library, 735 State
Street, Santa Barbara, California

No. of
Copies

OTHER AGENCIES - CONTINUED

- 1 General Electric Company, Advanced Electronics Center, at Cornell University, Ithaca, New York
- 1 IBM Research Center, Biophysics Group, Box 218, Yorktown Heights, New York, Attn: Dr. W. R. Uttal
- 1 ITT Laboratories, Human Factors Division, 390 Washington Avenue, Nutley 10, New Jersey, Attn: Richard G. Lazar, Human Factors Analyst
- 1 John Crerar Library, 86 East Randolph Street, Chicago 1, Illinois
- 1 Mayo Clinic, Section of Biophysics, Rochester, Minnesota, Attn: Dr. Kenneth N. Ogle
- 1 Mercy Hospital, Anesthesia Research Laboratory, Locust and Pride Streets, Pittsburgh 19, Pennsylvania
- 1 Motorola Incorporated, Systems Research Laboratory, 9330 Indiana Avenue, Riverside, California, Attn: R. E. Freese, Tech Info Supervisor
- 7 National Aeronautics and Space Administration, 1520 H Street, N. W., Washington 25, D. C., Attn: Portman A. Mulcahy, Asst Director for Technical Information
- 2 Rheem Califorme Corporation, 1020 North La Brea, Los Angeles 38, California, Attn: Mr. W. R. Deutsch, Head, Research and Development
- 1 Space Technology Laboratory, Subcommittee on Noise, 327 South Alvarado Street, Los Angeles 57, California
- 1 Systems Research Center, Lockheed Electronics Company, Bedminster, New Jersey, Attn: R. E. Weber, Box 37
- 1 Yerkes Laboratories of Primate Biology, Incorporated, Orange Park, Florida

MEDICAL COLLEGE/SCHOOL LIBRARIES AND DEPARTMENTS

- 1 Albany Medical College Library, New Scotland Avenue, Albany 8, New York
- 1 Antioch College, Engineering Psychology Research Project, Yellow Springs, Ohio
- 1 Bowman Gray School of Medicine Library, Winston-Salem, North Carolina
- 1 Brown University, Department of Psychology, Providence 12, Rhode Island, Attn: Prof. L. A. Riggs
- 1 Brown University, Department of Psychology, Providence 12, Rhode Island, Attn: Prof. Harold Schlosberg, Consultant
- 1 College of Medical Evangelists, White Memorial Medical Library, 1720 Brooklyn Avenue, Los Angeles 33, California
- 1 College of Medical Evangelists, Vernier Radcliffe Memorial Library, Loma Linda, California
- 1 College of Physicians of Philadelphia, Library, 19 South 22nd Street, Philadelphia, 3, Pennsylvania
- 1 Columbia University, Department of Psychology, New York 27, New York, Attn: Dr. C. H. Graham
- 1 Columbia University Medical Library, 630 West 168th Street, New York 32, New York
- 1 Cornell University Medical College Library, 1300 York Avenue, New York 21, New York
- 1 Creighton University, Medical-Pharmacy Library, 1401 Davenport, Omaha 2, Nebraska
- 1 Emory University, Department of Psychology, Atlanta 22, Georgia, Attn: Dr. E. A. Alluisi
- 1 Florida State University, Department of Psychology, Tallahassee, Florida, Attn: Dr. W. W. Dawson
- 1 Fordham University, Fordham Road, New York 58, New York, Attn: R. T. Zegers, Sr.
- 2 George Washington University, Human Resources Research Office, P. O. Box 3596, Washington 7, D. C., Attn: Library
- 1 Harvard School of Public Health, 1 Shattuck Street, Boston 15, Massachusetts, Attn: Dr. Albert Damon
- 1 Harvard Medical Library, 25 Shattuck Street, Boston 15, Massachusetts, Attn: Library
- 1 Indiana University, Department of Psychology, Bloomington, Indiana, Attn: Prof. R. C. Davis
- 1 Indiana University Medical Center, School of Medicine Library, 1100 West Michigan Street, Indianapolis 7, Indiana
- 1 Indiana University Medical Center, 1199 West Michigan Street, Indianapolis 7, Indiana, Attn: Dr. Harris B. Shumacker Jr., Prof. of Surgery

No. of
Copies

MEDICAL COLLEGE/SCHOOL LIBRARIES AND DEPARTMENTS

- 1 Indiana University, Anatomy-Physiology Department, Bloomington, Indiana, Attn: Dr. Sid Robinson
- 1 Jefferson Medical College Library, 1025 Walnut Street, Philadelphia 7, Pennsylvania
- 1 John Hopkins University, Welch Medical Library, 1900 E. Monument Street, Baltimore 5, Maryland
- 1 Kansas State University, Psychology Division, Manhattan, Kansas, Attn: Dr. William Bevan
- 1 Marquette University, Medical-Dental Library, 560 North 16th Street, Milwaukee, Wisconsin
- 1 Medical College of Virginia, Tompkins-McCaw Library, Richmond 19, Virginia
- 1 New York University, College of Engineering Research Division, 252 7th Avenue, New York New York
- 1 New York Academy of Medicine Library, 2 East 103rd Street, New York 29, New York
- 1 New York University Medical Center, Medical Library, 550 First Avenue, New York 16, N. Y.
- 1 Northwestern University, Department of Psychology, Evanston, Illinois, Attn: William A. Hunt
- 1 Northwestern University Medical School, Archibald Church Library, 303 E Chicago Avenue, Chicago 11, Illinois
- 1 Ohio State University Research Center, Director, Aviation Psychology Laboratory, 1314 Kennebar Road, Columbus 12, Ohio
- 1 Ohio State University Research Center, Psycholinguistics Laboratory, 1314 Kennebar Road, Columbus 12, Ohio
- 1 Ohio State University, Topaz Library, School of Optometry, 338 West 10th Avenue, Columbus 10, Ohio
- 1 Ohio State University, School of Optometry, Columbus 10, Ohio, Attn: Glenn A. Fry, Dir.
- 1 Rush Medical College Library, 1758 West Harrison Street, Chicago 12, Illinois, Attn: Librarian
- 1 Stanford University, Lane Medical Library, 300 Pasteur Road, Palo Alto, California
- 1 Stanford University, Department of Physiology, Stanford, California, Attn: J. M. Crissol, M.D.
- 1 State University of Iowa, College of Medicine Library, Medical Laboratories Building, Iowa City, Iowa
- 1 State University of New York, Downstate Medical Center, Department of Anesthesiology, 450 Clarkson Avenue, Brooklyn 3, New York
- 1 State University of New York, Downstate Medical Center, Medical Library, 450 Clarkson Avenue, Brooklyn 3, New York
- 1 Texas Medical Center Library, Jesse H Jones Library Building, Houston 25, Texas
- 2 Tufts University Institute for Applied Experimental Psychology, Medford, Massachusetts
- 1 Tulane University, School of Medicine, 1430 Tulane Avenue, New Orleans 12, Louisiana, Attn: G. E. Burch, M.D., Professor of Medicine
- 1 West Virginia University, Medical Center Library, Morgantown, West Virginia
- 1 University of Alabama, Medical Center Library, 1919 Seventh Avenue South, Birmingham 3, Alabama
- 1 University of Arkansas, Medical Center Library, 4301 West Markham, Little Rock, Arkansas
- 1 University of Buffalo, Department of Psychology, Buffalo 14, New York
- 1 University of Buffalo, Health Sciences Library, Copen Hall 141, Buffalo 14, New York, Attn: Librarian
- 1 University of California, Medical Center, Biomedical Library, Los Angeles 24, California
- 1 University of Chicago, Laboratory of Physiological Psychology, Faculty Exchange Box 184, Chicago 37, Illinois, Attn: W. D. Neff
- 1 University of Illinois Airport, Aviation Psychology Laboratory, Savoy, Illinois
- 1 University of Illinois, Department of Psychology, Urbana, Illinois, Attn: W. E. Kappauf
- 1 University of Illinois, Department of Psychology, Training Research Laboratory, 45 Lincoln Hall, Urbana, Illinois, Attn: Professor Lawrence M. Stolurow, Ph.D.
- 1 University of Illinois, Documents Division, Urbana, Illinois
- 1 University of Illinois, Speech Hearing Clinics, 601 E. John Street, Champaign, Illinois, Attn: John J. O'Neill
- 1 University of Kansas, Medical Center, Clendening Medical Library, Kansas City, Kansas
- 3 University of Louisville, School of Medicine Library, 101 W. Chestnut St. Louisville, Ky.

No. of
Copies

MEDICAL COLLEGE/SCHOOL LIBRARIES AND DEPARTMENTS

- 1 University of Miami, School of Medicine, Department of Ophthalmology, Miami 36, Florida
- 1 University of Michigan, 4506 Kresge Medical Research Building, Ann Arbor, Michigan, Attn: Dr. Merle Lawrence
- 1 University of Michigan, Serials and Documents Section, General Library, Ann Arbor, Michigan
- 1 University of Minnesota Library, Serials Division, Minneapolis 14, Minnesota
- 1 University of Nebraska, College of Medicine Library, 42nd and Dewey Avenue, Omaha, Nebraska, Attn: Librarian
- 1 University of North Carolina, Division of Health Affairs Library, North Carolina Memorial Hospital, Chapel Hill, North Carolina
- 1 University of North Carolina, Department of Medicine, Chapel Hill, North Carolina, Attn: Dr. Richard L. Dobson
- 1 University of North Carolina, School of Medicine, Department of Physiology, Chapel Hill, North Carolina
- 1 University of Oklahoma, Medical Center Library, 801 N. E. 13th Street, Oklahoma City 4, Oklahoma
- 1 University of Oregon, Medical School Library, Portland 1, Oregon, Attn: Librarian
- 1 University of Pittsburgh, Falk Library of the Health Professions, Pittsburgh 13, Pa
- 1 University of Pittsburgh, Graduate School of Public Health, Pittsburgh 13, Pa
- 1 University of Rochester, Department of Psychology, Rochester 20, New York, Attn: Dr. S. D. S. Spragg
- 2 University of Tennessee, College of Medicine, Clinical Physiology - Institute of Clinical Investigations, 62 South Dunlap, Memphis 3, Tennessee
- 1 University of Tennessee, Medical Units, Mooney Memorial Library, 62 South Dunlap, Memphis 3, Tennessee
- 1 University of Utah, Medical Library, Salt Lake City, 12, Utah
- 1 University of Vermont, College of Medicine Library, Burlington, Vermont
- 1 University of Virginia, Division of Educational Research, Old Cabell Hall, Charlottesville, Virginia
- 1 University of Virginia, Medical Library, University Hospital, Charlottesville, Virginia
- 1 University of Virginia, Psychological Laboratory, Peabody Hall, Charlottesville, Virginia
- 1 University of Washington, Health Sciences Library, Seattle 5, Washington
- 1 University of Wisconsin, Psychological Abstracts, 600 N. Park St., Madison 6, Wisconsin
- 1 University of Wisconsin, Medical School Library, S.M.I. Building, N. Charter Street, Madison 6 Wisconsin
- 1 University of Wisconsin, Physiology Studies Division, 600 N. Park Street, Madison 6, Wisconsin, Attn: Janice Gans, Administrative Assistant

FOREIGN

- 1 American Embassy, Office of the United States Army Attache, Foreign Service of the United States of America, London, England, Army Attache, (Medical)
- 1 British Army Medical Liaison Officer, British Army Staff, British Embassy, Washington 8, D. C.
- 1 British Navy Staff Office, Benjamin Franklin Station, Post Office Box 165, Washington, D. C., Attn: Surgeon, Captain F. P. Ellis
- 10 Canadian Liaison Office, US Army, Office of The Surgeon General, Room 1709A, Main Navy Building, Washington 25, D. C.
- 2 Defence Research Member, Canadian Joint Staff, 1450 Massachusetts Avenue, N. W., Washington 8, D. C.
- 1 J. J. Thomson Physical Laboratory, Reading University, Whiteknights Park, Reading, England Attn: Professor R. W. Ditchburn
- 1 Karolinska Institute, Department of Histology, Stockholm 60, Sweden, Attn: Dr. Jan Wersall
- 1 Royal Society of Medicine, Library, 1 Wimpole Street, London W.1, England
- 1 Università Di Pisa, Istituto De Fisiologia, Pisa, Italy, Attn: Professor Giuseppe Moruzzi

No. of
Copies

FOREIGN

- 1 Institute of Occupational Health, Haartmaninkatu 1, Helsinki, Finland, Attn: Dr. Martti J. Karvonen, Director of the Physiological Department
- 2 University of Western Ontario, Medical School, Department of Biophysics, South Street, London, Ontario, Canada, Attn: Dr. Allen C. Burton
- 1 University of Western Ontario, Department of Physiology, London, Ontario, Canada, Attn: Professor J. A. F. Stevenson

AD Accession No.

US Army Medical Research Lab., Ft. Knox, Ky.
ACOUSTIC REFLEX RESPONSE TO HIGH INTENSITIES OF
IMPULSE NOISE AND TO NOISE AND CLICK STIMULI

J. L. Fletcher w/tech asst of E. A. Schmidt.
Report No. 527, 22 Dec 61, 6 pp & ii - 1 illus.
2 tables - Project No. 6X95-25-001, Unclassified

Report

Temporary threshold shifts (TTS) in 15 subjects were measured following exposure to 170 or 160 db sound pressure level (SPL) impulse noise under three conditions of acoustic reflex (AR). In one the AR was not aroused prior to exposure, in another the impulse noise was preceded by 150 msec by clicks at either 105 or 120 db sensation level (SL), in a third the impulse was preceded by noise at 105 or 120 db SL. The only significance in main variables was found between TTS with AR protection and TTS without AR protection. Some of the interactions involving subjects were significant but were considered of little import.

UNCLASSIFIED

1. Audition
2. Acoustic Reflex
3. Psychology

AD

Accession No.

US Army Medical Research Lab., Ft. Knox, Ky.
ACOUSTIC REFLEX RESPONSE TO HIGH INTENSITIES OF
IMPULSE NOISE AND TO NOISE AND CLICK STIMULI

J. L. Fletcher w/tech asst of E. A. Schmidt.
Report No. 527, 22 Dec 61, 6 pp & ii - 1 illus.
2 tables - Project No. 6X95-25-001, Unclassified

Report

Temporary threshold shifts (TTS) in 15 subjects were measured following exposure to 170 or 160 db sound pressure level (SPL) impulse noise under three conditions of acoustic reflex (AR). In one the AR was not aroused prior to exposure, in another the impulse noise was preceded by 150 msec by clicks at either 105 or 120 db sensation level (SL), in a third the impulse was preceded by noise at 105 or 120 db SL. The only significance in main variables was found between TTS with AR protection and TTS without AR protection. Some of the interactions involving subjects were significant but were considered of little import.

UNCLASSIFIED

1. Audition
2. Acoustic Reflex
3. Psychology

AD Accession No.

US Army Medical Research Lab., Ft. Knox, Ky.
ACOUSTIC REFLEX RESPONSE TO HIGH INTENSITIES OF
IMPULSE NOISE AND TO NOISE AND CLICK STIMULI

J. L. Fletcher w/tech asst of E. A. Schmidt.
Report No. 527, 22 Dec 61, 6 pp & ii - 1 illus.
2 tables - Project No. 6X95-25-001, Unclassified

Report

Temporary threshold shifts (TTS) in 15 subjects were measured following exposure to 170 or 160 db sound pressure level (SPL) impulse noise under three conditions of acoustic reflex (AR). In one the AR was not aroused prior to exposure, in another the impulse noise was preceded by 150 msec by clicks at either 105 or 120 db sensation level (SL), in a third the impulse was preceded by noise at 105 or 120 db SL. The only significance in main variables was found between TTS with AR protection and TTS without AR protection. Some of the interactions involving subjects were significant but were considered of little import.

UNCLASSIFIED

1. Audition
2. Acoustic Reflex
3. Psychology

AD

Accession No.

US Army Medical Research Lab., Ft. Knox, Ky.
ACOUSTIC REFLEX RESPONSE TO HIGH INTENSITIES OF
IMPULSE NOISE AND TO NOISE AND CLICK STIMULI

J. L. Fletcher w/tech asst of E. A. Schmidt.
Report No. 527, 22 Dec 61, 6 pp & ii - 1 illus.
2 tables - Project No. 6X95-25-001, Unclassified

Report

Temporary threshold shifts (TTS) in 15 subjects were measured following exposure to 170 or 160 db sound pressure level (SPL) impulse noise under three conditions of acoustic reflex (AR). In one the AR was not aroused prior to exposure, in another the impulse noise was preceded by 150 msec by clicks at either 105 or 120 db sensation level (SL), in a third the impulse was preceded by noise at 105 or 120 db SL. The only significance in main variables was found between TTS with AR protection and TTS without AR protection. Some of the interactions involving subjects were significant but were considered of little import.

UNCLASSIFIED

1. Audition
2. Acoustic Reflex
3. Psychology