

UNCLASSIFIED

AD 273 826

*Reproduced
by the*

**ARMED SERVICES TECHNICAL INFORMATION AGENCY
ARLINGTON HALL STATION
ARLINGTON 12, VIRGINIA**



UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

273 826

Lyon Inc. -- Detroit, Mich.
Development
of
Deep Drawn - One Piece
High Performance
Rocket Motor Case
Army Cont. DA-20-018-ORD-23004
General Report #15

Copy No. 29

LYON INCORPORATED
DETROIT, MICHIGAN

General Report No. 15
for the period
December 10, 1961, through January 10, 1962
on

DEVELOPMENT
OF
DEEP DRAWN - ONE PIECE
HIGH PERFORMANCE
ROCKET MOTOR CASE

Submitted to:

U. S. Army Ordnance
Frankford Arsenal
Technical Supervisor - Mr. C. J. Porembski



INCORPORATED

ORDNANCE PRODUCTS DIVISION

MANUFACTURERS
OF

CARTRIDGE CASES • BOMBS • ROCKET MOTOR CHAMBERS
AND MISSILE COMPONENTS

13881 WEST CHICAGO BOULEVARD

DETROIT 28, MICHIGAN

January 10, 1962

U. S. Army Ordnance
Frankford Arsenal
Philadelphia 37, Pennsylvania

Attention: Mr. C. J. Porembski, Technical Supervisor

Subject: General Report No. 15 on the development of
a deep drawn, one-piece high performance
rocket motor case

Reference: Contract No. DA-20-018-ORD-23004,
Article II -- Reports and Other Data

Gentlemen:

Copies of this General Report are being distributed in
accordance with the attached Distribution List submitted with the above
reference contract and in accordance with the following legend specified
therein.

"Delivered by Lyon Incorporated pursuant
to Contract No. DA-20-018-ORD-23004.
Government's use controlled by General
Provision 39 of the contract which is
ASPR 9-203.1 and 9-203.4."

- 2 -

This report summarizes the progress made during the period of December 10, 1961, to January 10, 1962, to develop improved monolithic rocket motor cases for 40" (and over) diameter solid propellant rockets.

The specific goals are the development of reliable motor cases with hoop-stress limits substantially in excess of 200,000 psi steel equivalent. The motor cases must be capable of being produced with reasonable ease on an industrial scale and their reproducibility proven by reliability tests at final full scale. The general objective is to be accomplished utilizing the Pershing 2nd stage motor case configuration.

I. Special Tooling - Material and Fabrication

(A) 40" Diameter Pershing 2nd Stage Motor Case -- Dwg. A1 and A2

1. Completed Die Assemblies

Fabrication of the hot cup, first draw, and second draw die assemblies was completed in the last report period. A description of their tryout is presented later in this report.

2. Third Draw Die -- No. E-20003

Fabrication of this die assembly was completed during this report period. The dimensional inspection of the component parts has been finished and the die is ready for tryout.

3. Fourth Draw Die -- No. E-20004

Delivery of the rough machined punch, the only remaining unfinished component of this assembly, was made during this report period. Final grinding and microfinishing are well underway and will be completed in time for the scheduled tryout date.

- 3 -

4. Fifth Draw Die -- No. E-20005

The rough machined punch has been delivered and submitted for final grinding and microfinishing. The finishing operations will be finished in time for the scheduled February tryout.

5. Sixth Draw Die -- No. E-20006

The rough machined punch has been delivered and submitted for final grinding and microfinishing. The finishing operations will be completed in time for a late February tryout.

6. Heading Die -- No. E-20007

Orders for the material and fabrication of this die assembly have been placed. The scheduled delivery will allow tryout during the early part of March.

II. Special Tooling - Tryout and Development - Phase I(A) 40" Diameter Pershing 2nd Stage Motor Case - Dwg. A1 and A21. Hot Cup -- No. E-20000

Late in the last report period, tryout of the hot cup operation was started. A description of the operation and the methods used was presented in our last report (General Report No. 14). This development continued through the first days of this report period. By December 13, 1961, all of the 300-M blanks had been processed through the hot cup operation. Inspection of the cups revealed satisfactory conformance to the dimensional requirements of this stage of the processing.

- 4 -


2. Heat Treatment

Following the hot cup operation, the cups were given the following normalizing heat treatment:

- 1) Heated at 1725° F. for a period of 3 hours.
- 2) Discharged from high heat furnace and immediately transferred to a furnace at 625° F.
- 3) Cups were equalized at 625° F. and then held at 625° F. for 1 hour.
- 4) The temperature of the furnace and cups was then increased to 1000° F. and the cups were soaked at 1000° F. for 30 minutes.
- 5) The cups were then discharged from the furnace and allowed to air cool to room temperature.

As previously reported, test samples were processed with each cup in order to evaluate microstructure after heat treatment. The appearance of the structure after the hot cup operation is shown in negative numbers A-313 and A-314. This structure is that of an upper bainite. After the normalizing operation, the structure was that of a relatively coarse, acicular lower bainite and is illustrated in negative numbers A-315 and A-317. The total depth of complete and partial decarburization of the surface was found to be about 0.005". See negative numbers A-318 and A-319. This amount of surface decarburization is not detrimental since subsequent ironing operations will reduce this layer to a negligible value.

LYON INCORPORATED
ORDNANCE PRODUCTS DIVISION
DETROIT, MICHIGAN



Mag: X100 Etchant: Nital
Neg. No. A-313


Material: 300-M
Operation: Test Sample from Hot Cup Operation

Remarks: Shows Microstructure of Upper Bainite



Mag: X500 Etchant: Nital
Neg. No. A-314

LYON INCORPORATED
ORDNANCE PRODUCTS DIVISION
DETROIT, MICHIGAN



Mag: X100


Etchant: Nital

Neg. No. A-315

Material: 300-M

Operation: Test Sample after Normalizing

Remarks: Shows Microstructure of Lower Bainite



Mag: X1000

Etchant: Nital

Neg. No. A-317

LYON INCORPORATED
ORDNANCE PRODUCTS DIVISION
DETROIT, MICHIGAN



Mag: X100 Etchant: Nital
Neg. No. A-318

Material: 300-M
Operation: After Hot Cup and Normalize

Remarks: Shows extent of surface decarburization



Mag: X500 Etchant: Nital
Neg. No. A-319


- 8 -

The normalized cups were then subjected to the following isothermal treatment:

- (1) Preheated in salt bath furnace at 1225° F. for 5 hours.
- (2) Transferred to salt bath furnace at 1430° F. and held at temperature for 20 minutes.
- (3) Transferred to salt bath furnace at 1225° F. and held at heat for a period of 24 hours, discharged from furnace, buried in insulator, and slow cooled to room temperature.

As can be seen in negative numbers A-354 and A-355, this treatment resulted in the completely spheroidized structure which is the optimum structure for cold forming ultra high strength low alloy steels. After completion of the isothermal treatment, cup AT-1 was selected for metallurgical analysis. This cup will be sectioned and a complete metallurgical analysis made. The results of this study will be presented in a future report.

LYON INCORPORATED
ORDNANCE PRODUCTS DIVISION
DETROIT, MICHIGAN



Mag: X100


Etchant: Nital

Neg. No. A-354

Material: 300-M

Operation: Test Sample after Spheroidization

Remarks: Shows completely spheroidized structure



Mag: X1000

Etchant: Nital

Neg. No. A-355

- 10 -

3. First Draw Die -- No. E-20001

During the period that the cups were being isothermal treated, the first draw die assembly was installed in the press and carefully aligned. After a thorough checkout of the installation, the assembly was ready for tryout. As soon as the first cup had been isothermal annealed, it was cleaned and coated for the first draw. In this operation, the overall diameter of the case is slightly reduced and the sidewall thickness is reduced by approximately 30%. The decrease in wall thickness results in an increase in overall length.

The die assembly performed smoothly and as expected. The ironed sidewall possessed a very smooth finish and was free of scoring or die marks. Following the cold reduction, the case was process annealed at 1250° F. for 1 hour. Subsequent dimensional inspection revealed that the 1st draw conformed to the dimensional requirements of this stage of the processing.

4. Second Draw Die -- No. E-20002

After the first few pieces had been processed through the first cold draw, the second draw die assembly was installed in the press and carefully aligned. During this operation, the overall diameter is reduced and the sidewall receives a partial iron in the region adjacent to the forward dome.

After cleaning and coating, the first chamber to receive this operation was placed on the punch and formed. Subsequent inspection revealed that the part conformed satisfactorily to the dimensional requirements of this stage of processing.


- 11 -

III. Alloy Investigation**(A) Strain Hardening Tests**

1. The results of tests to determine the strain hardening characteristics of the 6 % Al-4%V titanium alloy, the 6% Al-6%V-2% Sn titanium alloy, and the 18% Ni-7% Co-5% Mo alloy were presented in General Report No. 14. During this report period, metallographic examinations have been made of each specimen used in establishing the strain hardening curve. Photomicrographs were taken of only a few of the reduction stages to illustrate the effects of deformation.

2. 6% Al-4%V Titanium Alloy
As reported previously, only limited reduction was possible with this alloy at room temperature. At a temperature of 1000° F., however, the alloy possessed much greater ductility and could be reduced with considerably less tonnage. The following photomicrographs, negative numbers A-212, A-213, A-220, A-221, A-278, A-279, A-274, and A-275, illustrate the effect of the designated amounts of deformation on the microstructure of the alloy.

LYON INCORPORATED
ORDNANCE PRODUCTS DIVISION
DETROIT, MICHIGAN



Mag: X250

Etchant: Kroll's Reagent

Neg. No. A-212

Material: 6Al - 4V Titanium Alloy

Condition: As annealed - no deformation

Hardness: Rockwell "C" Scale 35.0



Mag: X500

Etchant: Kroll's Reagent

Neg. No. A-213

LYON INCORPORATED
ORDNANCE PRODUCTS DIVISION
DETROIT, MICHIGAN



Mag: X250

Etchant: Kroll's Reagent

Neg. No. A-220

Material: 6Al - 4V Titanium Alloy

Condition: Cold compressed 21.3% in single reduction

Hardness: Rockwell "C" Scale 36.0



Mag: X500

Etchant: Kroll's Reagent

Neg. No. A-221

LYON INCORPORATED
ORDNANCE PRODUCTS DIVISION
DETROIT, MICHIGAN



Mag: X250

Etchant: Kroll's Reagent

Neg. No. A-278

Material: 6Al - 4V Titanium Alloy

Condition: Compressed 17.1% at 1000° F. in single operation

Hardness: Rockwell "C" Scale 36.0




Mag: X500

Etchant: Kroll's Reagent

Neg. No. A-279

LYON INCORPORATED
ORDNANCE PRODUCTS DIVISION
DETROIT, MICHIGAN



Mag: X250

Etchant: Kroll's Reagent

Neg. No. A-274

Material: 6Al - 4V Titanium Alloy

Condition: Compressed 48.2% at 1000° F. in single reduction

Hardness: Rockwell "C" Scale 37.0



Mag: X500

Etchant: Kroll's Reagent

Neg. No. A-275

- 16 -

3. 6% Al-6% V-2% Sn Titanium Alloy

Again only limited reductions were possible at room temperature. No tests were performed at elevated temperatures with this material. The following photomicrographs illustrate the effect of deformation on the microstructure of the alloy. See negative numbers A-222, A-223, A-232, and A-233.

LYON INCORPORATED
ORDNANCE PRODUCTS DIVISION
DETROIT, MICHIGAN



Mag: X250


Etchant: Kroll's Reagent

Neg. No. A-222

Material: 6Al-6V-2Sn Titanium Alloy

Condition: As annealed - No Deformation

Hardness: Rockwell "C" Scale 36.0




Mag: X500

Etchant: Kroll's Reagent


Neg. No. A-223

LYON INCORPORATED
ORDNANCE PRODUCTS DIVISION
DETROIT, MICHIGAN



Mag: X250 Etchant: Kroll's Reagent
Neg. No. A-232

Material: 6Al-6V-2Sn Titanium Alloy
Condition: Cold reduced 28.0% in single reduction
Hardness: Rockwell "C" Scale 38.5




Mag: X500 Etchant: Kroll's Reagent
Neg. No. A-233

- 19 -

4. 18% Ni-7% Co-5% Mo Alloy

The following photomicrographs, negative numbers A-320, A-321, A-324, A-325, A-326, A-327, A-328, and A-329, illustrate the effect of deformation upon the microstructure of this material.

LYON INCORPORATED
ORDNANCE PRODUCTS DIVISION
DETROIT, MICHIGAN



Mag: X100


Etchant: Ferric Chloride

Neg. No. A-320

Material: 18Ni-7Co-5Mo Marage Alloy

Condition: As annealed - No deformation

Hardness: Rockwell "C" 32.0




Mag: X500

Etchant: Ferric Chloride

Neg. No. A-321

LYON INCORPORATED
ORDNANCE PRODUCTS DIVISION
DETROIT, MICHIGAN



Mag: X100

Etchant: Ferric Chloride

Neg. No. A-324

Material: 18Ni-7Co-5Mo Marage Alloy

Condition: Cold reduced 14.0% in single reduction

Hardness: Rockwell "C" 33.5




Mag: X500

Etchant: Ferric Chloride

Neg. No. A-325

LYON INCORPORATED
ORDNANCE PRODUCTS DIVISION
DETROIT, MICHIGAN



Mag: X100


Etchant: Ferric Chloride

Neg. No. A-326

Material: 18Ni-7Co-5Mo Marage Alloy

Condition: Cold reduced 44.0% in single reduction

Hardness: Rockwell "C" Scale 36.5




Mag: X500

Etchant: Ferric Chloride

Neg. No. A-327

LYON INCORPORATED
ORDNANCE PRODUCTS DIVISION
DETROIT, MICHIGAN



Mag: X100

Etchant: Ferric Chloride

Neg. No. A-328

Material: 18Ni-7Co-5Mo Marage Alloy

Condition: Cold reduced 62.0% in single reduction

Hardness: Rockwell "C" 38.5



Mag: X500

Etchant: Ferric Chloride

Neg. No. A-329

- 24 -

5. The results obtained indicate that the 18% nickel alloy should behave similarly to the 20% nickel alloy when cold deep drawn. Both of the alpha-beta titanium alloys are capable of only limited reduction at room temperature.

(B) Reduction and Anneal Tests

Simulated reduction and anneal tests have been made on the all beta titanium and the 18% nickel alloys. During these tests, small cylinders were given the same reductions and annealing cycles as would be received with the 40 inch tooling. At the completion of testing, a sample representative of each of the six reductions, before and after annealing, was available. In all cases, the surface appearance of the samples was satisfactory and free of cracks. The results of hardness and metallographic tests upon these samples will be presented in a future report.

(C) Sub-Scale Drawing Tests -- All Beta Titanium Alloy

During this report period, the seven sub-scale machined pancakes of all beta titanium alloy were subjected to the hot cup operation. These pieces possessed the following forging history prior to hot cupping:

- (1) Small billets, 3" dia. x 3" high, were upset forged at 1750° F. into flat round pancakes approximately 7" dia. x 1/2" thick.
- (2) The rough pancakes were then solution treated at 1450° F. for 30 minutes followed by air cooling.

- 25 -

- (3) The rough pancakes were machined to 6.575" dia. x 0.325" thick.

The seven blanks were then cupped at temperatures ranging from 1600° F. to 1400° F. in order to evaluate the effect of temperature upon the cupping operation. Heating was done in the carbonate salt described in General Report No. 14. Although the material could be cupped satisfactorily at all of the temperatures investigated, better surface finish conditions were obtained near the low end of the temperature range. A more complete report of the hot cupping of this material will be presented in a future report.

The sub-scale cups are now being prepared for subsequent first and second cold draws. These operations should be completed within the next report period. Following the second draw, the sub-scale cases will be sectioned for metallurgical analysis.

Sincerely yours,

LYON INCORPORATED



Wayne A. Martin, Director
Lyon Ord. Res. and Mfg.

DISTRIBUTION LIST

No. of Copies

Office of the Director of Defense Research and Engineering Room 3D-1067, The Pentagon Washington 25, D. C. ATTN: Mr. J. C. Barrett	1
Advanced Research Project Agency The Pentagon Washington 25, D. C. ATTN: Dr. G. Mock	1
Commander Army Research Office Arlington Hall Station Arlington 12, Virginia	1
Office Chief of Ordnance Department of the Army Washington 25, D. C. ATTN: ORDTB-Materials	1
Commanding General Aberdeen Proving Ground Aberdeen Proving Ground, Maryland ATTN: Dr. C. Pickett, C&CL	1
Commanding General U. S. Army Ballistic Missile Agency Redstone Arsenal, Alabama ATTN: Dr. G. H. Reisig Mr. P. B. Wallace, ORDAB-RPEM Documentation & Technical Information Branch ORDAB-IEE	1 1 2 1
Commanding General U. S. Army Rocket & Guided Missile Agency Redstone Arsenal, Alabama ATTN: Mr. Kenneth E. Parr, ORDXR-RGA	1
Commanding Officer Ordnance Materials Research Office Watertown Arsenal Watertown 72, Mass. ATTN: RPD	1
Commanding Officer Picatinny Arsenal Dover, N. J. ATTN: Mr. J. J. Scavuzzo, Plastics & Packaging Laboratory Mr. D. Stein, ORDEB-DE3	3 1

NA-20-018-ORD-23004

DISTRIBUTION LIST

No. of Copies

Commanding Officer Rock Island Arsenal Rock Island, Illinois ATTN: Materials Section, Laboratory	1
Commanding Officer Watertown Arsenal Watertown 72, Mass. ATTN: ORDBE-LX	3
Commander Armed Services Technical Information Agency Arlington Hall Station Arlington 12, Virginia ATTN: TIPDR	10
Chief, Bureau of Naval Weapons Department of the Navy Room 2225, Munitions Building Washington 25, D. C. ATTN: RMMP	1
Commander U. S. Naval Ordnance Laboratory White Oak, Silver Spring, Maryland ATTN: Code WM	1
Commander U. S. Naval Ordnance Test Station China Lake, California ATTN: Technical Library Branch	1
Department of the Navy Office of Naval Research Washington 25, D. C. ATTN: Code 423	1
Allison Division General Motors Corporation Indianapolis 6, Indiana ATTN: Mr. D. K. Hanink	1

NA-28-018-ORD-23004

DISTRIBUTION LIST

No. of Copies

Department of the Navy Special Projects Office Washington 25, D. C. ATTN: SP-271	1
U. S. Air Force Directorate of Research & Development Room 4D-313, The Pentagon Washington 25, D. C. ATTN: Lt. Col. J. B. Shipp, Jr.	1
Wright Air Development Division Wright-Patterson Air Force Base Ohio ATTN: ASRCEE (WWRCEE)	2
Air Force Flight Test Center Edwards Air Force Base California ATTN: Solid Systems Division, FTRSC	5
AMC Aeronautical Systems Center Wright-Patterson Air Force Base Ohio ATTN: Manufacturing & Materials Technology Division (LMBMO)	2
National Aeronautics and Space Administration Washington, D. C. ATTN: Mr. R. V. Rhode	1
Mr. G. C. Deutsch	1
Dr. W. R. Lucas George C. Marshall Space Flight Center National Aeronautics and Space Administration Huntsville, Ala. ATTN: M-S&M-M	1
Defense Metals Information Center Battelle Memorial Institute Columbus, Ohio	1
Solid Propellant Information Agency Applied Physics Laboratory The Johns Hopkins University Silver Spring, Maryland	3
Aerojet-General Corporation Post Office Box 1168 Sacramento, California ATTN: Librarian	1

DISTRIBUTION LIST

No. of Copies

Dr. L. Jaffe Jet Propulsion Laboratory California Institute of Technology 4800 Oak Grove Drive Pasadena, California	1
Aerojet-General Corporation Post Office Box 296 Azusa, California ATTN: Librarian	1
Mr. C. A. Fournier	1
ARDE-Portland, Inc. 100 Century Road Paramus, New Jersey ATTN: Mr. R. Alper	1
Atlantic Research Corporation Shirley Highway and Edsall Road Alexandria, Virginia ATTN: Mr. E. A. Olcott	1
Hercules Powder Company Alleghany Ballistics Laboratory Post Office Box 210 Cumberland, Maryland ATTN: Dr. R. Steinberger	1
Alloyd Research Corporation 35 Cambridge Parkway Cambridge, Mass. ATTN: Dr. S. S. White	1
Battelle Memorial Institute 505 King Avenue Columbus 1, Ohio ATTN: Mr. R. Monroe	1
Mr. G. Faulkner	1
Borg-Warner Corporation Ingersoll Kalamazoo Division 1810 N. Pitcher Street Kalamazoo, Michigan ATTN: Mr. L. E. Hershey	1

BA-20-618-ORD-23004

DISTRIBUTION LISTNo. of Copies

The Budd Company Defense Division Philadelphia 32, Pa. ATTN: Mr. R. C. Dethloff Mr. Ohman	1 1
Manufacturing Laboratories 21-35 Erie Street Cambridge 42, Mass. ATTN: Dr. P. Fopiano Dr. V. Radcliffe	1 1
Massachusetts Institute of Technology Cambridge, Massachusetts ATTN: Prof. W. A. Backofen Prof. M. C. Flemings	1 1
Mellon Institute 4400 Fifth Avenue Pittsburgh 13, Pa. ATTN: Dr. H. L. Anthony Mr. C. J. Owen	1 1
Ohio State University Research Foundation Columbus, Ohio ATTN: Dr. R. McMaster	1
The Perkin-Elmer Corp. Main Avenue Norwalk, Connecticut ATTN: Mr. H. L. Sachs	1
Pratt & Whitney Aircraft East Hartford, Connecticut ATTN: Mr. F. A. Crosby	1
Norris Thermidor Corp. 5215 South Boyle Avenue Los Angeles 58, California ATTN: Mr. L. Shiller	1
Commanding General Ordnance Tank-Automotive Command Detroit 9, Michigan ATTN: Mr. S. Sobak, ORDMC-IF-2	1

NA-20-018-ORD-23004

DISTRIBUTION LIST

No. of Copies

Commanding General Ordnance Weapons Command Rock Island, Illinois ATTN: Mr. B. Gerke, ORDOW-IA	1
Commanding General U. S. Army Rocket & Guided Missile Agency Redstone Arsenal, Alabama ATTN: Mr. Robert Fink, ORDXR-RGS	1
Mr. W. H. Thomas, ORDXR-IQI	1
Commanding Officer Frankford Arsenal Philadelphia 37, Pa. ATTN: Dr. H. Gisser, ORDEA-1330	1
Mr. H. Markus, ORDEA-1320	1
Commanding Officer PLASTEC Picatinny Arsenal Dover, N. J.	1
Commanding Officer Springfield Armory Springfield 1, Mass. ATTN: Mr. R. Korytoski, Research Materials Lab.	1
Commanding Officer Watervliet Arsenal Watervliet, New York ATTN: Mr. F. Dashnaw, ORDEF-RR	1
Commander U. S. Naval Research Laboratory Anacostia Station Washington 25, D. C. ATTN: Mr. J. E. Srawley	1
Mr. William A. Wilson George C. Marshall Space Flight Center Huntsville, Alabama ATTN: M-F&AE-M	1
Curtiss-Wright Corporation Wright Aeronautical Division Wood-Ridge, N. J. ATTN: Mr. R. S. Shuris	1
A. M. Kettle, Technical Library	1

DA-20-018-ORD-23004

DISTRIBUTION LIST**No. of Copies**

Hughes Aircraft Company Culver City California ATTN: Librarian	1
Tapco Group 23555 Euclid Avenue Cleveland 17, Ohio ATTN: W. J. Piper	1
Chief of Research and Development U. S. Army Research and Development Liaison Group APO 757, New York, N. Y. ATTN: Dr. B. Stein	1
Headquarters U. S. Army Signal R & D Laboratory Fort Monmouth, N. J. ATTN: Mr. H. H. Kedesky, SIGRA/SL-XE	1
Chief, Bureau of Naval Weapons Department of the Navy Washington 25, D. C. ATTN: Mr. P. Goodwin	1
Wright Air Development Division Wright-Patterson Air Force Base Ohio ATTN: Mr. G. Peterson, ASRCNC-1	1
Allegheny Ludlum Steel Corporation Research Center Brackenridge, Pennsylvania ATTN: Mr. R. A. Lula	1
Armco Steel Corporation General Offices Middletown, Ohio ATTN: Mr. J. Barnett	1
The Boeing Company Aero Space Division P. O. Box 3707 Seattle 24, Washington	1
Climax Molybdenum Company 1270 Avenue of the Americas New York 20, New York ATTN: Mr. R. R. Freeman	1

DISTRIBUTION LIST

	<u>No. of Copies</u>
Douglas Aircraft Company, Inc. Santa Monica Division Santa Monica, California ATTN: Mr. J. L. Waisman	1
General Electric Company Rocket Engine Section Flight Propulsion Laboratory Cincinnati 15, Ohio	1
Jones and Laughlin Steel Corporation 45 South Montgomery Avenue Youngstown 1, Ohio ATTN: Mr. H. Steinbrenner	1
Arthur D. Little, Inc. Acorn Park Cambridge 40, Mass. ATTN: Dr. R. Davis	1
Minneapolis-Honeywell Regulator Company Ordnance Division 600 Second Street North Hopkins, Minnesota ATTN: Ordnance Library (841)	1
Reactive Metals Corporation Niles, Ohio ATTN: Mr. H. Lundstrem	1
Republic Steel Corporation Research Center Independence, Ohio ATTN: Mr. H. P. Manger	1
Rohm & Haas Company Redstone Arsenal Research Division Huntsville, Alabama ATTN: Library	1
Space Technology Laboratories, Inc. P. O. Box 95001 Los Angeles 45, California ATTN: Technical Information Center Document Procurement	1
Thiokol Chemical Corporation Utah Division Brigham City, Utah	1

DA-20-018-ORD-23004

DISTRIBUTION LIST

	<u>No. of Copies</u>
Titanium Metals Corporation 233 Broadway New York, New York ATTN: Mr. G. Erbin	1
Universal-Cyclops Steel Corporation Stewart Street Bridgeville, Pennsylvania	1
U. S. Borax Research Corporation 412 Crecent Way Anaheim, California ATTN: Mr. R. J. Brotherton	1
United States Rubber Company Research Center Wayne, New Jersey ATTN: Dr. E. J. Joss	1
Michigan State University Department of Chemistry East Lansing, Michigan ATTN: Mr. R. N. Hammer	1
Headquarters Aeronautical Systems Division Wright-Patterson Air Force Base, Ohio ATTN: ASRCRM-1, Mr. Klinger	2
National Aeronautics and Space Administration Washington 25, D. C. ATTN: Mr. B. G. Achhammer	1
H. I. Thompson Fiber Glass Company 1600 West 135th Street Gardena, California	1

DA-20-018-ORD-23004