

UNCLASSIFIED

AD 293 872

*Reproduced
by the*

ARMED SERVICES TECHNICAL INFORMATION AGENCY
ARLINGTON HALL STATION
ARLINGTON 12, VIRGINIA




UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

DASA 1334

293 872
CATALOGED BY ASTIA
AS AD NO. 293872

TECHNICAL PROGRESS REPORT



DEFENSE ATOMIC SUPPORT AGENCY

WASHINGTON 25, D.C.

THE TOLERANCE OF GUINEA PIGS TO
AIR BLAST WHEN MOUNTED IN SHALLOW,
DEEP, AND DEEP-WITH-OFFSET
CHAMBERS ON A SHOCK TUBE

Donald R. Richmond, Victor R. Clare,
and Clayton S. White

Technical Progress Report
on
Contract No. DA-49-146-XZ-055

This work, an aspect of investigations dealing with
the Biological Effects of Blast from Bombs, was
supported by the Defense Atomic Support Agency of
the Department of Defense.

(Reproduction in whole or in part is permitted for
any purpose of the United States Government,)

Lovelace Foundation for Medical Education and Research
Albuquerque, New Mexico
October 27, 1962

FOREWORD

This report, in the field of Blast and Shock Biology, is the second in a series describing experiments to determine the tolerance of animals to air blast in relation to their geometry of exposure. Guinea pigs were exposed to air blast while in shallow, deep, and deep-with-offset chambers on a shock tube, and the lethality was correlated with the pressure "dose" measured inside and outside the chambers.

The results apply only to the primary blast effect, to guinea pigs, and to conditions of these experiments, and might not apply to the full-scale situation.

This work is part of a broad research program aimed at a better understanding of human response to air blast and methods of protecting against it.

ABSTRACT

One hundred and eighteen guinea pigs were exposed to air blast in shallow, deep, and deep-with-offset chambers mounted on a shock tube. The LD₅₀-24 hours, in terms of the incident shock pressures measured adjacent to the chambers, was calculated by probit analysis to be 34.9 psi, 19.5 psi, and 26.8 psi for animals in the shallow, deep, and deep-with-offset chambers, respectively. According to the LD₅₀ incident pressures, the shallow chambers offered the most protection against air blast; the deep chambers, the least.

Comparing the LD₅₀-pressure "dose" at the animals' location revealed little difference in their tolerance to overpressure, per se; i. e., LD₅₀ reflected pressures measured by gauges within the deep and deep-with-offset chambers were 34.6 psi and 35.9 psi, respectively. The LD₅₀ incident shock pressure of 34.9 psi in the shallow chambers was considered to be the "dose" at the animal's location in that instance.

The protection against blast provided by the three chambers and the response of animals to the particular pressure-time patterns encountered are discussed.

ACKNOWLEDGMENTS

The authors appreciate the able technical assistance of Mr. Charles S. Gaylord, Mr. Donald E. Pratt, Mr. William Hicks, and Mr. Raymond T. Sanchez. They also wish to thank Mr. Robert A. Smith for preparing the illustrative materials; Mr. R. W. Albright for programming the probit analysis for a Bendix G-15 computer; Mrs. Mary E. Franklin for editorial review; Mrs. Maxine U. Thibert for editorial and secretarial work; and Mrs. Maureen K. Gilmore and Mrs. Ruth P. Lloyd for editorial aid and reproducing and assembling the manuscript.

TABLE OF CONTENTS

	<u>Page</u>
Foreword	i
Abstract	ii
Acknowledgments	iii
Introduction	1
Methods	2
Shock Tube	2
Test Section	2
Animals	2
Pressure Gauges	2
Results	6
Pressure-Time Recordings	6
Lethality Data	6
Discussion	15
Protection Against the Air Blast	15
Tolerance to Overpressure	15
Summary	17

LIST OF TABLES

No. 1	The Relation Between Mortality and Overpressure for Guinea Pigs in the Various Chambers	10
No. 2	Results of the Probit Analysis Relating Lethality to Overpressure	12

LIST OF FIGURES

No. 1	Shock-tube diagram	3
No. 2	Cross section of the test section at the chambers	4
No. 3	Pressure-time records associated with the shallow chamber	7
No. 4	Pressure-time records associated with the deep chamber	8
No. 5	Pressure-time records associated with the deep-with-offset chamber	9
No. 6	Probit mortality curves for guinea pigs mounted in chambers on a shock tube	11
No. 7	Probit mortality curves for guinea pigs mounted in chambers on a shock tube	14

This research was conducted according to the principles of Laboratory Animal Care as promulgated by the National Facility for Medical Research.

INTRODUCTION

Past studies indicate that biological response to air blast depends a great deal upon the shape of the pressure-time curve, or wave form.¹⁻⁷ For convenience and classification, wave forms may be termed "ideal" and "non-ideal" according to the nature of the initial portion of the pulse and the character of the pressure decay. Ideal wave forms are characterized by a near-instantaneous rise to maximal pressure followed by a decrease in pressure which falls exponentially with time. Non-ideal pressure pulses rise in a smooth manner, in steps, or in combinations of these; peak pressures do not occur at their leading edges and the character of the pressure fall may or may not be exponential with time.

Ideal blast waves are recorded in the open (free field) at appropriate ranges from high-explosive or nuclear detonations, and they can be produced in shock tubes.

In many instances, non-ideal wave forms arise as modifications of ideal blast waves when the latter enter structures or meet obstacles. Non-ideal wave forms also may occur from a nuclear detonation in the free field as a result of the interaction of a blast wave with a heat-absorbing surface.⁸ They also can be generated in appropriately modified shock tubes.

Considerable information indicates that biological response to ideal blast waves depends upon the magnitude (peak) of the pressure and the duration of the positive pulse.⁸⁻¹⁵ On the other hand, relatively few data exist relating biological tolerance to non-ideal blast waves.¹⁻⁷ All other factors being equal, animals apparently can tolerate higher pressures applied in a smooth manner or in two steps with a short time between the steps better than they can tolerate pressures applied in a single, near-instantaneous rise.

The form that the blast wave takes after entering a structure is related, among other things, to the volume of the structure, to the area and shape of the opening, and to the orientation of the entrance to the incident wave.¹⁶ Thus, "geometric" scaling is needed to evaluate the pressure-time pattern characteristics of structures of a given geometry as a function of the incident shock wave in order that biological response may be related accurately to the proper variations in environmental pressure.

Preliminary experiments are reported here in which animals were exposed to air blast while in shallow, deep, and deep-with-offset chambers attached to the side wall of a shock tube. The biological response (death) is related to the incident shock pressures as well as to the pressure-time pulse recorded within the chambers.

METHODS

Shock Tube

An air-driven shock tube generated the air blast (Figure 1). The overall length of the tube was 76 ft 2 in., the diameter of its circular cross section was 23.5 in., and its walls were approximately 0.5-in. thick. A 5-ft section of the tube constituted the compression chamber (driver section) which was separated by Du Pont Mylar diaphragms from the 71-ft-2-in. expansion chamber (driven section). A 3-ft-6-in. test section was 47 ft 8 in. downstream from the diaphragm. There were 20 ft of tubing distal from the test section. In these experiments, the end of the expansion chamber was always open.

Test Section

The test section, with its four chamber-mounts, has been previously described.⁵ In the current experiments, as noted in Figure 2, the chambers were arranged in three different geometries by using extensions and wooden blocks: (1) shallow chambers — 3 x 8 x 2.5 in. (approximately one animal-diameter deep); (2) deep chambers — 3 x 8 x 8 in. (approximately three animal-diameters deep); (3) deep chambers with offsets — 3 x 8 x 8 in. with a 3 x 8 x 2.5-in. "offset" oriented parallel to the long axis of the chamber. Each chamber was always placed end-on with respect to the incident shock front.

The shallow chambers were in positions "a" and "c"; the deep chambers in "a," "b," "c," or "d"; and the deep chambers with offsets in "b" and "d."


Animals

A total of 118 guinea pigs of both sexes (average body weight, 528 gm) were used in these experiments. Forty animals were exposed in the shallow chambers, 38 in the deep chambers, and 40 in the deep-with-offset chambers. Four animals, each in a single test chamber, were exposed tail-on to the incident shock during each test. Animals that survived were sacrificed with Nembutal and autopsied at 24 hours; therefore, the data reported herein represent 24-hour lethality.

Pressure Gauges

Piezo-electric gauges (Model S-2*) containing Lead Metaniobate sensing elements were used to measure pressure-time variation. The frequency response of the gauges was greater than 200 kcps. Signals from the gauges were fed through cathode followers* into Tektronix oscilloscopes (Model 535A) having Type L or Type 53/54C preamplifier plug-in units. Permanent pressure-time records were taken by photographing the sweep on the face of the cathode tube of the oscilloscope with a Polaroid Land camera. Gauges were calibrated with a piezo-electric gauge calibrator.¹⁷

*Susquehanna Instruments, Bel Air, Md.



Shock Tube
Diagram

Figure 1

CROSS SECTION OF THE TEST SECTION
AT THE CHAMBERS




Figure 2

On every test, gauges were placed in the main body of the tube. Additional gauges were located in the lateral wall of the deep chamber and in the bottom of the deep-with-offset chamber when animals were exposed there. During many of the trials, gauges were also mounted at various points in the upstream and downstream walls of the chambers.

RESULTS

Pressure-Time Recordings

Figures 3, 4, and 5 contain pressure-time records associated with the shallow, deep, and deep-with-offset chambers. All illustrated records were taken with animals in the chambers and with driver pressures of 120 psi.

Figure 3 shows that the incident shock wave was "flat-topped" — typical of many waves produced in shock tubes. The duration of the "flat top" (the time the pressure remained near the incident shock level) was about 4 msec. The duration of the overpressure was about 40 - 42 msec (lower record, Figure 3). Throughout these experiments, the pressure durations ranged from approximately 40 msec to about 54 msec for low and high driver pressures, respectively.

As noted in Figures 4 and 5, the reflected pressures were higher in the deep and deep-with-offset chambers than in the incident shock wave. Moreover, the leading edge of the pressure curves in these chambers was altered from the single step associated with the incident wave. The pressure-wave forms varied at the downstream, lateral, and upstream walls of the same chambers, and the times to peak pressure were the longest at the upstream walls of the deep and deep-with-offset chambers.


Lethality Data

In Table 1, the 24-hour mortality is related to the incident shock pressures for each of the chambers and to the reflected pressures as measured within the deep and deep-with-offset chambers. Probit analysis was the method used to calculate the LD50's, regression line equations, and fiducial limits.¹⁸ The incident shock pressures were first related to the percent mortality. The results of the probit analysis appearing in Figure 6 and Table 2 show that the LD50 incident shock pressures and 95-percent confidence limits computed for animals in shallow, deep, and deep-with-offset chambers were 34.9 psi (33.4 - 47.8 psi), 19.5 psi (17.4 - 21.0 psi), and 26.8 psi (24.2 - 29.6 psi), respectively. Each LD50 value was statistically different from the other two at the 95-percent confidence level.


The wide 95-percent confidence limit associated with the LD50 for animals in the shallow chambers was probably due to a number of factors. Three will be mentioned; namely, (1) the lack of data for the higher pressures, which in this present study, was because of the difficulty in generating pressures above 30 - 35 psi using an open, air-driven shock tube, (2) the small number of animals in each group, and (3) variability in the time of death which often encompasses a lethality time greater than 24 hours, particularly for exposures to the lower overpressures. Though these factors help explain why the data at hand "say" that the 95-percent confidence limits for the LD50 range from 33.4 to 47.8 psi, it needs to be pointed out that the figures represent an "artificial" situation. This is so because shock overpressures of between 45 and 50 psi will lethally injure 90 to 100 per cent of the guinea pigs with methodical regularity.

It has been pointed out previously that records from pressure gauges

PRESSURE-TIME RECORDS ASSOCIATED WITH THE SHALLOW CHAMBER



a 0.5 msec/div



a 10.0 msec/div




Figure 3

PRESSURE-TIME RECORDS ASSOCIATED WITH THE DEEP CHAMBER





Figure 4

PRESSURE-TIME RECORDS ASSOCIATED WITH THE DEEP-WITH-OFFSET CHAMBER





Figure 5

TABLE 1

THE RELATION BETWEEN MORTALITY AND OVERPRESSURE
FOR GUINEA PIGS IN THE VARIOUS CHAMBERS

Group	Pressure, psi		Mortality	
	Incident	Reflected	Number Dead	Percent
	Shock	Maximum	Total	
<u>Shallow Chamber:</u>				
I	29.6 ¹	-	1/10	10.0
II	32.2	-	1/10	10.0
III	33.4	-	3/10	30.0
IV	35.0	-	6/10	60.0
<u>Deep Chamber:</u>				
I	16.6 ¹	30.2 ²	2/12	16.7
II	21.4	36.9	8/12	66.7
III	23.6	42.4	13/14	92.8
<u>Deep Chamber with Offset:</u>				
I	21.8 ¹	29.8 ³	1/10	10.0
II	23.6	33.0	3/10	30.0
III	31.0	41.5	8/10	80.0
IV	35.0	42.8	9/10	90.0

¹ Measured in the wall of the tube adjacent to the chambers (Fig. 3).

² Measured in the side wall of the chamber (see Fig. 4, Record c).

³ Measured in the floor of the chamber (see Fig. 5, Record c).




Figure 6

TABLE 2

RESULTS OF THE PROBIT ANALYSIS RELATING
LETHALITY TO OVERPRESSURE

Chamber Geometry	Number of Animals	LD50, psi	Probit Equation Constants intercept, a slope, b	
<u>Incident Shock:</u>				
Shallow	40	34.9 (33.4 - 47.8) ¹	-30.856	23.247±10.121 ²
Deep	38	19.5 (17.4 - 21.0)	-14.276	14.950± 3.961
Deep-with-Offset	40	26.8 (24.2 - 29.6)	-12.247	12.080± 3.008
<u>Reflected Maximum:</u>				
Deep	38	34.6 (31.5 - 37.2)	-20.303	16.435± 4.379
Deep-with-Offset	40	35.9 (33.0 - 38.8)	-18.799	15.299± 3.760

¹ 95-percent confidence limits.² Standard error of the slope constant.

mounted as close to the animal's lung as possible best define the air-blast "dose" received.^{3, 5, 6} In particular, for animals exposed in a geometry in which reflections occur, the gauge apparently should be at the downstream margin of the animal's lung.^{3, 5} Consequently, the probit analysis was applied to the mortality data in Table 1, and it related reflected shock pressure to lethality for animals in the deep and deep-with-offset chambers. Since the guinea pigs all but filled the shallow chambers, significant reflections did not occur; so the incident shock pressure was considered to be the "dose" at the animal's location.

Figure 7 compares the probit regression lines relating lethality to the maximal reflected pressures in the deep and deep-with-offset and to the maximal incident pressures at the shallow chambers. The LD₅₀'s, in terms of reflected pressure, were 34.6 psi (31.5 - 37.2 psi) and 35.9 psi (33.0 - 38.8 psi) for animals in the deep and deep-with-offset chambers, respectively. These LD₅₀ values were not significantly different from each other nor were they different from the LD₅₀ incident pressure of 34.9 psi (33.4 - 47.8 psi) calculated for animals in the shallow chambers (Figure 7, Table 2).




Figure 7

DISCUSSION

The results of this study can be discussed in relation to the protection against air blast provided by the three chambers and the response of animals to overpressure.

Protection Against Air Blast

The amount of protection against the shock wave afforded by the three types of chambers can be evaluated by comparing the incident shock pressures required to produce 50-percent lethality; by increasing order, they were 19.5 psi for the deep, 26.8 psi for the deep-with-offset, and 34.9 psi for the shallow chambers. The shallow chambers offered the most protection; the deep chambers, the least.

The protection gained by animals in the three structures may be illustrated in another way: According to the probit mortality curves in Figure 6, with an incident shock of 25 psi, one could expect less than 5-percent survival for animals in the deep chambers, about 65-percent survival in the deep chambers with an offset, and nearly 100-percent survival in the shallow chambers.

Analysis of the pressure-time recordings, as illustrated in Figures 4 and 5, revealed that the magnitude of the pressure in the incident shock nearly doubled after entering the deep chambers because of reflection from the downstream walls and the bottoms of those structures. Others have reported that reflected pressures of about twice the incident shock can occur in simple trenches.¹⁹ The reader is referred to other studies for a more detailed account of air-blast filling of open structures and tunnels.^{16, 19-23}

Tolerance to Overpressure

Comparing the LD50's, in terms of the pressure "dose" at the animals' lungs, revealed little difference in tolerance to overpressure, per se. The LD50 values were 34.6-psi reflected pressure, 34.9-psi incident pressure, and 35.9-psi reflected pressure for animals in the deep, shallow, and deep-with-offset chambers, respectively.

It should be emphasized here, however, that even though the pressure rose in a stepwise manner in the deep and deep-with-offset chambers, with respective times to maximal pressures of near 0.20 and 0.18 msec (Table 1), the LD50 values were not importantly different from those for guinea pigs exposed to a near-instantaneous-rising pressure pulse in the shallow chamber. The LD50's were also in agreement with those obtained for guinea pigs subjected to sharp-rising pressures of 6 to 8-sec duration (LD50, 36.6 psi)⁴, 400-msec duration (LD50, 34.5 psi)²⁴, and 3 to 4-msec duration (LD50, 35.2 psi)²⁵ when the animals were exposed in cages mounted against the end-plates of shock tubes. Apparently, time intervals of 0.20 msec or less for the rise-times of the leading edges of the pressure pulses did not significantly alter the guinea pigs' tolerance to overpressure from what it would be for near-instantaneously rising pressures.

As mentioned earlier, a longer time to maximal pressure was recorded

by gauges in the upstream wall than by those near the downstream wall of the deep chambers. It should follow then that if the animals were rotated from the tail-on to the head-on position (thereby subjecting their lungs to a slower-rising pressure pulse), there would be fewer deaths. Results from initial trials indicated that was indeed true. For instance, the LD50 reflected pressure for guinea pigs head-on in the deep chambers was calculated to be 47.4 psi compared with 34.6 psi for the animals oriented tail-on. The pressure "dose" was taken from recordings made by gauges located in the lateral wall about four inches from the downstream end of the chamber. The time to peak pressure at that point was near 0.40 msec. An incident shock of 25.5 psi was associated with the LD50 reflected pressure of 47.4 psi noted above.

These studies are being continued to determine the effect of varying chamber as well as animal orientation and to establish the protection provided by chambers of other designs.

The important question raised by this study was whether or not the results could be applied to large animals exposed to air blast in full-scale models of the chambers employed here. The question cannot be answered at the present time because of the uncertainties in predicting the magnitude of the pressures in the full-scale models as a function of the incident shock. And, more important, the tolerance of larger animals to overpressures that rise in a stepwise manner as a function of the time to maximal pressure is not known. Obviously, there is need for further laboratory work along with appropriate field tests.

SUMMARY

1. A total of 118 guinea pigs were exposed to air blast while mounted in chambers on a shock tube.
2. Three types of chambers were employed: shallow chambers that measured 3 x 8 x 2.5 in. -- approximately one animal-diameter deep; deep chambers that were 3 x 8 x 8 in. -- about three animal-diameters deep; and deep chambers with an offset that were similar to the "deep" except for a 3 x 8 x 2.5-in. "offset" parallel to the long axis of the chamber.
3. The chambers were always oriented end-on to the incident shock wave; the animals, tail-on.
4. Pressure-time measurements were taken with piezo-electric transducers mounted in the main body of the shock tube and in the walls and bottoms of the deep and deep-with-offset chambers.
5. The incident shock pressures required to produce 50-percent lethality in the three chambers were calculated by probit analysis. For animals in the chambers, the LD50-24 hours and 95-percent confidence limits were as follows: shallow chambers, 34.9 psi (33.4 - 47.8 psi); deep chambers, 19.5 psi (17.4 - 21.0 psi); and deep-with-offset chambers, 26.8 psi (24.2 - 29.6 psi). Each LD50 value was statistically different from the other two at the 95-percent confidence level.
6. Judging from the LD50 incident shock pressures, the shallow chambers provided the most protection against air blast; the deep chambers, the least.
7. The reflected pressures measured on the lateral walls and bottoms of the deep and deep-with-offset chambers were about double the incident shock pressures.
8. The LD50 reflected pressures for animals in the deep and deep-with-offset chambers were calculated to be 34.6 psi (33.4 - 37.2 psi), and 35.9 psi (33.0 - 38.8 psi), respectively. These LD50 values were not significantly different from one another nor from the LD50 of 34.9-psi incident shock pressure considered to be the "dose" at the animal's location in the shallow chambers.
9. The protection provided against the air blast for animals in the different chambers was discussed along with the biological response in terms of the pressure-time pattern at the animal's location.

REFERENCES

1. White, C. S., T. L. Chiffelle, D. R. Richmond, W. H. Lockyear, I. G. Bowen, V. C. Goldizen, H. W. Merideth, D. E. Kilgore, B. B. Longwell, J. T. Parker, F. Sherping, and M. E. Cribb: The biological effects of pressure phenomena occurring inside protective shelters following nuclear detonation. Operation Teapot Report WT-1179, AEC Civil Effects Test Group, Office of Technical Services, Department of Commerce, Washington 25, D. C., October 28, 1957.
2. Richmond, D. R., M. B. Wetherbe, R. V. Taborelli, T. L. Chiffelle, and C. S. White: The biologic response to overpressure. I. Effects on dogs of five to ten-second duration overpressures having various times of pressure rise. J. Aviat. Med., 28: 447-460, 1957.
3. Schardin, H. and O. Wünsche: Versuche an kleintieren zur bestimmung der druckstosstodlichkeitsgrenze. Bericht V 17, Deutsche Versuchsanstalt für Luftfahrt e. V., January 1958.
4. Richmond, D. R., R. V. Taborelli, F. Sherping, M. B. Wetherbe, R. T. Sanchez, V. C. Goldizen, and C. S. White: Shock tube studies of the effects of sharp-rising, long-duration overpressures on biological systems. AF Document SWR-TM-59-2, pp. 171-194, Proceedings of Third Shock Tube Symposium, March 10-12, 1959, Hq., Air Force Special Weapons Center, ARDC, Kirtland Air Force Base, New Mexico. Also published as USAEC Report TID-6056, Office of Technical Services, Department of Commerce, Washington 25, D. C., March 10, 1959.
5. Clare, V. R., D. R. Richmond, V. C. Goldizen, C. C. Fischer, D. E. Pratt, C. S. Gaylord, and C. S. White: The effects of shock tube generated step-rising overpressures on guinea pigs located in shallow chambers oriented side-on and end-on to the incident shock. Submitted as a Technical Progress Report, dated May 31, 1962, to the Defense Atomic Support Agency of the Department of Defense on Contract No. DA-49-146-XZ-055.
6. Froboese, M. and O. Wünsche: Todlichkeitsgrenzen für albino-ratten bei luftstossbelastung in abhängigkeit von der stossrichtung und druckverlaufsform. Rapport Bericht, Band I: Text, 2/59, French-German Research Institute of St. Louis, France, June 30, 1959.
7. Richmond, D. R., D. E. Pratt, and C. S. White: Orbital "blow-out" fractures in dogs produced by air blast. Submitted as a Technical Progress Report, dated April 10, 1962, to the Defense Atomic Support Agency of the Department of Defense on Contract No. DA-49-146-XZ-055.
8. Glasstone, Samuel: The Effects of Nuclear Weapons, revised edition. Prepared by the U. S. Department of Defense and published by the U. S. Atomic Energy Commission. U. S. Government Printing Office, Washington 25, D. C., April 1962.

9. Hooker, D. R.: Physiological effects of air concussion. Amer. J. Physiol., 67: 219-274, 1924.
10. Fisher, R. B., P. L. Krohn, and S. Zuckerman: The relationship between body size and the lethal effects of blast. Report R. C. 284, Ministry of Home Security, Oxford, England, December 10, 1941.
11. Clemedson, Carl-Johann: An experimental study on air blast injuries. Acta Physiol. Scand., 18, Supplement 61: 1-200, 1949.
12. Desaga, H.: Blast injuries. Chap. XIV-D, German Aviation Medicine, World War II, Vol. II, pp. 1274-1293, U. S. Government Printing Office, Washington 25, D. C., 1950.
13. Benzinger, T.: Physiological effects of blast in air and water. Chap. XIV-B, German Aviation Medicine, World War II, Vol. II, pp. 1225-1259, U. S. Government Printing Office, Washington 25, D. C., 1950.
14. Celander, H., Carl-Johan Clemedson, U. A. Ericsson, and H. Hultman: A study of the relation between the duration of a shock wave and the severity of the blast injury produced by it. Acta Physiol. Scand., 33: 14-18, 1955.
15. Richmond, D. R., V. C. Goldizen, V. R. Clare, and C. S. White: The overpressure-duration relationship and lethality in small animals. Submitted as a Technical Progress Report, dated September 10, 1962, to the Defense Atomic Support Agency of the Department of Defense on Contract No. DA-49-146-XZ-055.
16. Clark, R. O.: Pressure-time history in a chamber subjected to shock wave filling through an orifice. AF Document SWR-TM-58-3, pp. 101-118, Proceedings of Second Shock Tube Symposium, March 5-6, 1958, Hq., Air Force Special Weapons Center, ARDC, Kirtland Air Force Base, New Mexico.
17. Coulter, G. A.: Problems in the use of piezo-gages for shock tube instrumentation. AF Document SWR-TM-58-3, pp. 191-203, Proceedings of Second Shock Tube Symposium, March 5-6, 1958, Hq., Air Force Special Weapons Center, ARDC, Kirtland Air Force Base, New Mexico.
18. Finney, D. J.: Probit Analysis. A Statistical Treatment of the Sigmoid Response Curve (2nd edition). Cambridge University Press, Cambridge, England, 1952.
19. Jones, G. H. S. and W. J. Slater: Model studies of blast effects. Part I. A study of the entry into trench type shelters of shock waves in a shock tube and from 8 lb HE charges (U). Suffield Technical Paper No. 154, May 5, 1959, Suffield Experimental Station, Ralston, Alberta, Canada.
20. Muirhead, J. C. and F. L. McCallum: Model studies of blast effects. Part II. Shock tube observations on the air movement associated with

entry of shock waves into trench type shelters (U). Suffield Technical Paper No. 159, April 24, 1959, Suffield Experimental Station, Ralston, Alberta, Canada.

21. Jones, G. H. S. and J. C. Muirhead: Model studies of blast effects. Part III. The geometrical scaling of certain effects in the simple trench at various model scales (U). Suffield Technical Paper No. 163, May 14, 1959, Suffield Experimental Station, Ralston, Alberta, Canada.
22. Celander, H.: The pressure inside open shelters from entering shock waves. BRL Report No. 1160, pp. 317-338, Proceedings of Fourth Shock Tube Symposium, April 18-20, 1961, Ballistic Research Laboratories, Aberdeen Proving Ground, Md.
23. Information summary of blast patterns in tunnels and chambers, 2nd edition. BRL Memorandum Report No. 1390. DASA Report No. 1273, March 1962. Ballistic Research Laboratories, Aberdeen Proving Ground, Md.
24. Richmond, D. R., V. R. Clare, V. C. Goldizen, D. E. Pratt, R. T. Sanchez, and C. S. White: Biological effects of overpressure. II. A shock tube utilized to produce sharp-rising overpressures of 400 milliseconds duration and its employment in biomedical experiments. Aerospace Med., 32: 997-1008, 1961. Also DASA 1246, Defense Atomic Support Agency of the Department of Defense, Washington 25, D. C.
25. Richmond, D. R., V. C. Goldizen, V. R. Clare, D. E. Pratt, F. Sherping, R. T. Sanchez, C. C. Fischer, and C. S. White: The biologic response to overpressure. III. Mortality in small animals exposed in a shock tube to sharp-rising overpressures of 3 to 4 msec duration. Aerospace Med., 33: 1-27, 1962. Also DASA 1242, Defense Atomic Support Agency of the Department of Defense, Washington 25, D. C.

DISTRIBUTION

ARMY AGENCIES

Dep Chief of Staff for Mil Ops., DA, Washington 25, DC Attn: Dir of SW&R	1
Chief of Research & Develop, DA, Washington 25, DC Attn: Atomic Division	1
Assistant Chief of Staff, Intelligence, DA, Washington 25, DC	1
Chief Chemical Officer DA, Washington 25, DC	2
Chief of Engineers DA, Washington 25, DC ATTN: ENGNB	1
Chief of Engineers DA, Washington 25, DC Attn: ENGEB	1
Chief of Engineers DA, Washington 25, DC Attn: ENGTB	1
Chief of Ordnance, DA, Washington 25, DC Attn: ORDTN	2
Chief Signal Officer, DA, Comb Dev & Ops Div Washington 25, DC Attn: SIGCO-4	1
Chief of Transportation, DA, Office of Planning & Intel. Washington 25, DC	1
The Surgeon General, DA, Washington 25, DC Attn: MEDNE	2
Commander-in-Chief, U.S. Army Europe, APO 403, New York, N.Y. Attn: OPOT Div, Weapons Branch	1

Commanding General U.S. Continental Army Command Ft. Monroe, Va.	3
Director of Special Weapons Development Office, HQ CONARC, Ft. Bliss, Texas Attn: Capt Chester I. Peterson	1
President U.S. Army Artillery Board Ft. Sill, Okla	1
President U.S. Army Aviation Board Ft. Rucker, Alabama Attn: ATBG-DG	1
Commandant U.S. Army C&GS College Ft. Leavenworth, Kansas Attn: Archives	1
Commandant U.S. Army Air Defense School Ft. Bliss, Texas Attn: Command & Staff Dept	1
Commandant U.S. Army Armored School Ft. Knox, Kentucky	1
Commandant U.S. Army Arty & Missile Sch Ft. Sill, Oklahoma Attn: Combat Dev Dept	1
Commandant U.S. Army Infantry School Ft. Benning, Ga. Attn: C.D.S.	1
Commandant Quartermaster School, US Army Ft. Lee, Va. Attn: Ch, QM Library	1
Commanding General Chemical Corps Training Comd Ft. McClellan, Ala.	1

Commandant US Army Chemical Corps CBR Weapons School Dugway Proving Ground Dugway, Utah	1
Commandant US Army Signal School Ft. Monmouth, N. J.	1
Commandant US Army Transport School Ft. Eustis, Va. Attn: Security & Info Off.	1
Commanding General The Engineer Center Ft. Belvoir, Va. Attn: Asst. Cmdt Engr School	1
Commanding General Army Medical Service School Brooke Army Medical Center Ft. Sam Houston, Texas	1
Commanding Officer 9th Hospital Center APO 180, New York, N.Y. Attn: CO, US Army Nuclear Medicine Research Det, Europe	1
Director Armed Forces Institute of Path. Walter Reed Army Med. Center 625 16th St. NW Washington 25, D.C.	1
Commanding Officer Army Medical Research Lab. Ft. Knox, Ky	1
Commandant, Walter Reed Army Inst of Res. Walter Reed Army Med Center Washington 25, D.C.	1
Commanding General QM R&D Comd, QM R&D Center Natick, Mass. Attn: CBR Liaison Officer	2

Commanding General QM Research & Engr. Comd, USA Natick, Mass (For reports from Opn HARDTACK only)	1
Commanding General US Army Chemical Corps Research & Development Comd. Washington 25, DC	2
Commanding Officer Chemical Warfare Lab Army Chemical Center, Md. Attn: Tech Library	2
Commanding General Engineer Research & Dev Lab Ft. Belvoir, Va. Attn: Ch, Tech Support Branch	1
Director Waterways Experiment Station PO Box 631 Vicksburg, Miss. Attn: Library	1
Commanding General Aberdeen Proving Ground Aberdeen Proving Ground, Md. Attn: Ballistic Research Lab, Dir. BRL	2
Commander Army Ballistic Missile Agency Redstone Arsenal, Alabama Attn: ORDAB-HT	1
Commanding General US Army Electronic Proving Ground Ft. Huachuca, Arizona Attn: Tech Library	1
Director Operations Research Office Johns Hopkins University 6935 Arlington Road Bethesda 14, Md.	1

DISTRIBUTION

NAVY AGENCIES

Chief of Naval Operations D/N, Washington 25, D.C. ATTN: OPO3EG	1
Chief of Naval Operation D/N, Washington 25, D.C. ATTN: OP-75	1
Chief of Naval Operations D/N, Washington 25, D.C. ATTN: OP-922G2	1
Chief of Naval Operations D/N, Washington 25, D.C. ATTN: OP-91	1
Chief of Naval Personnel D/n, Washington 25, D.C.	1
Chief of Naval Research D/N, Washington 25, D.C. ATTN: Code 811	2
Chief Bureau of Medicine & Surgery D/N, Washington 25, D.C. ATTN: Special Wpns Def Div	1
Chief, Bureau of Ships D/N, Washington 25, D.C. ATTN: Code 423	1
Chief Bureau of Yards & Docks D/N, Washington 25, D.C. ATTN: D-440	1
Director U.S. Naval Research Laboratory Washington 25, D.C. ATTN: -Mrs. Katherine H. Cass	1
Commander U.S. Naval Ordnance Lab White Oak, Silver Spring, Maryland	2
Director Material Laboratory (Code 900) New York Naval Shipyard Brooklyn 1, N.Y.	1

Commanding Officer U.S. Naval Mine Defense Lab Panama City, Fla	1
Commanding Officer U.S. Naval Radiological Defense Laboratory, San Francisco California, ATTN: Tech Info Div	4
Commanding Officer & Director U.S. Naval Civil Engineering Lab., Port Hueneme, California ATTN: Code L31	1
Commanding Officer, U.S. Naval Schools Command, U.S. Naval Station, Treasure Island, San Francisco, California	1
Superintendent U.S. Naval Postgraduate School Monterey, California	1
Commanding Officer, Nuclear Weapons Training Center, Atlantic, U.S. Naval Base, Norfolk 11, Va., ATTN: Nuclear Warfare Dept	1
Commanding Officer, Nuclear Weapons Training Center, Pacific, Naval Station, San Diego, California	1
Commanding Officer, U.S. Naval Damage Control Tng Center, Naval Base, Philadelphia 12, Pa ATTN: ABC Defense Course	1
Commanding Officer U.S. Naval Air Development Center, Johnsville, Pa ATTN: NAS, Librarian	1
Commanding Officer, U.S. Naval Medical Research Institute, National Naval Medical Center, Bethesda, Maryland	1

Officer in Charge, U.S. Naval
Supply Research & Development
Facility, Naval Supply Center,
Bayonne, New Jersey 1

Commandant
U.S. Marine Corps
Washington 25, D.C.
ATTN: Code AO3H 1

DISTRIBUTION

AIR FORCE AGENCIES

Air Force Technical Application
Center, Hq USAF,
Washington 25, D.C. 1

Hq USAF, ATTN: Operations
Analysis Office, Vice
Chief of Staff,
Washington 25, D.C. 1

Air Force Intelligence Center
Hq USAF, ACS/1 (AFOIN-3VI)
Washington 25, D.C. 2

Assistant Chief of Staff
Intelligence, HQ USAFE, APO
633, New York, N.Y. ATTN:
Directorate of Air Targets 1

Director of Research &
Development, DCS/D, Hq USAF,
Washington 25, D.C.
ATTN: Guidance & Weapons
Division 1

Commander
Tactical Air Command
Langley AFB, Virginia
ATTN: Doc Security Branch 1

The Surgeon General
Hq USAF, Washington 25, D.C.
ATTN: Bio-Def Pre Med Div 1

Commander Tactical Air Command Langley AFB, Virginia ATTN: Doc Security Branch	1
Commander Air Defense Command Ent AFB, Colorado, ATTN: Assistant for Atomic Energy, ADLDC-A	1
Commander, HQ Air Research & Development Command, Andrews AFB, Washington 25, D.C. ATTN: RDRWA	1
Commander, Air Force Ballistic Missile Division Hq ARDC, Air Force Unit Post Office, Los Angeles 45, California ATTN: WDSOT	1
Commander-in-Chief, Pacific Air Forces, APO 953, San Francisco, California, ATTN: PFCIE-MB, Base Recovery	1
Commander, AF Cambridge Research Center, L.G. Hanscom Field, Bedford, Massachusetts, ATTN: CRQST-2	2
Commander, Air Force Special Weapons Center, Kirtland AFB, Albuquerque, New Mexico, ATTN: Tech Info & Intel Div	5
Directory Air University Library Maxwell AFB, Alabama	2
Commander Lowry AFB, Denver, Colorado Attn: Dept of Sp Wpns Tng	1
Commandant, School of Aviation Medicine, USAF Aerospace Med- ical Center (ATC) Brooks AFB Tex ATTN: Col Gerrit L. Hekhuis	2

Commander
1009th Sp Wpns Squadron
Hq USAF, Washington 25, D.C. 1

Commander
Wright Air Development Center
Wright-Patterson AFB, Ohio
ATTN: WCOSI 2

Director, USAF Project Rand,
VIA:US Air Force Liaison Office
The Rand Corporation, 1700
Main Street, Santa Monica,
California 2

Commander, Air Defense Systems
Integration Division, L.G.
Hanscom Field, Bedford, Mass
ATTN: SIDE-S 1

Commander, Air Technical Intell-
igence Center, USAF, Wright-
Patterson Air Force Base, Ohio
ATTN: AFCIN-4Bla, Library 1

DISTRIBUTION

OTHER AGENCIES

Director of Defense Research
and Engineering,
Washington 25, D.C.
ATTN: Tech Library 1

Director, Weapons Systems
Evaluation Group, Room IE880
The Pentagon
Washington 25, D.C. 1

U.S. Documents Officer
Office of the United States
National Military Representa-
tive-SHAPE APO 55, NY., N.Y. 1

Chief
Defense Atomic Support Agency
Washington 25, D.C.
ATTN: Document Library
Reduce to 3 cys for all FWE reports 4

Commander, Field Command DASA, Sandia Base, Albuquerque, New Mexico	1
Commander, Field Command DASA, Sandia Base Albuquerque, New Mexico ATTN: FCTG	1
Commander, Field Command DASA, Sandia Base Albuquerque, New Mexico ATTN: FCWT	2
Administrator, National Aeronautics & Space Adminis- tration, 1520 "H" Street N.W. Washington 25, D.C., ATTN: Mr. R.V. Rhode	1
Commander-in-Chief Strategic Air Command Offutt AFB, Nebraska ATTN: OAWS	1
Commandant U.S. Coast Guard 1300 E. Street, NW Washington 25, D.C. ATTN: (OIN)	1
 SPECIAL DISTRIBUTION	
U.S. Atomic Energy Commission Washington 25, D.C. ATTN: Chief, Civil Effects Branch Division of Biology and Medicine	450
Aberdeen Proving Ground, Md. Ballistic Research Laboratories Terminal Ballistics Attn: Mr. Robert O. Clark, Physicist Mr. William J. Taylor, Physicist	2

Airborne Instruments Laboratory Department of Medicine and Biological Physics Deer Park, Long Island, New York Attn: Mr. W. J. Carberry	1
Air Force Special Weapons Center Kirtland Air Force Base Albuquerque, N.M Attn: Mr. R. R. Birukoff, Research Engineer	1
Air Research & Development Command Hqs. Andrews Air Force Base Washington 25, D.C. Attn: Brig. Gen. Benjamin Strickland Deputy Director of Life Sciences	1
AiResearch Manufacturing Company 9851-9951 Sepulveda Blvd. Los Angeles 25, California Attn: Mr. Frederick H. Green, Assistant Chief, Preliminary Design Dr. James N. Waggoner, Medical Director	2
AeResearch Manufacturing Company Sky Harbor Airport 402 South 36th Street Phoenix, Arizona Attn: Delano Debaryshe Leighton S. King	2
American Airlines, Inc. Medical Services Division La Guardia Airport Station Flushing 71, N.Y. Attn: Dr. Kenneth L. Stratton, Medical Director	1
Brooks Air Force Base United States Air Force Aerospace Medical Center (ATC) School of Aviation Medicine Brooks Air Force Base, Texas Attn: Brig. Gen. Theodore C. Bedwell, Jr., Commandant Col. Paul A. Campbell, Chief, Space Medicine Dr. Hubertus Strughold, Advisor for Research & Professor of Space Medicine	3

The Boeing Company 3
P. O. Box 3707
Seattle 24, Washington
Attn: Dr. Thrift G. Hanks, Director of Health & Safety
Dr. Romney H. Lowry, Manager, Space Medicine Branch

Dr. F. Werner, Jr., Space Medicine Section
P.O. Box 3915

Chance Vought Astronautics 5
P. O. Box 5907
Dallas 22, Texas
Attn: Dr. Charles F. Gell, chief Life Sciences
Dr. Lathan
Mr. Ramon McKinney, Life Sciences Section
Mr. C. O. Miller
Mr. A. I. Sibila, Manager Space Sciences

Chemical Corps Research & Development Command 2
Chemical Research & Development Laboratories
Army Chemical Center, Md.
Attn: Dr. Fred W. Stemler
Dr. R. S. Anderson

Civil Aeromedical Research Insitiute 1
Oklahoma City, Oklahoma
Attn: Director of Research

Convair Division, General Dynamics Corpn. 2
Fort Worth, Texas
Attn: Mr. H. A. Bodely
Mr. Schreiber

Convair - General Dynamics Corporation 8
Mail Zone 1-713
P. O. Box 1950
San Diego 12, California
Attn: Dr. R. C. Armstrong, Chief Physician
Dr. J. C. Clark, Assistant To Vice-President Engineering
Mr. James Dempsey
Dr. L. L. Lowry, Chief Staff Systems Evaluation Group
Mr. M. H. Thiel, Design Specialist

Dr. R. A. Nau (Mail Zone 6-104)

Mr. W. F. Rector, III (Mail Zone 580-40), P.O. Box 1128

Mr. R. C. Sebold, Vice-President Engineering
Convair General Offices

Defense Atomic Suppor Agency 1
Department of Defense
Field Command
Sandia Base, New Mexico
Attn: Col. S. W. Cavender, Surgeon

The Dikewood Corporation 1
4805 Menaul Blvd., N.E.
Albuquerque, New Mexico

Douglas Aircraft Company, Inc. 2
El Segundo Division
El Segundo, California
Attn: Mr. Harvey Glassner
Dr. E. B. Konecci

Federal Aviation Agency 1
Washington 25, D.C.
Attn: Dr. James L. Goddard, Civil Air Surgeon

Goodyear Aircraft Corporation 1
Department 475, Plant H
1210 Massillon Road
Akron 15, Ohio
Attn: Dr. A. J. Cacioppo

Harvard School of Public Health 1
Harvard University
695 Huntington Avenue
Boston 15, Mass.
Attn: Dr. Ross A. McFarland, Associate Professor
of Industrial Hygiene

Mr. Kenneth Kaplan 1
Physicist
Broadview Research Corporation
1811 Trousdale Drive
Burlingame, Calif.

Lockheed Aircraft Company 1
Suite 302, First National Bank Bldg.
Burbank, California
Attn: Dr. Charles Barron

Lockheed Aircraft Corporation Lockheed Missile and Space Division Space Physics Department (53-23) Sunnyvale, California Attn: Dr. W. Kellogg, Scientific Assistant to Director of Research Dr. Heinrich Rose	3
Lockheed Aircraft Corporation 1122 Jagels Road Palo Alto, California Attn: Dr. L. Eugene Root, Missile Systems Director	
Lovelace Foundation for Medical Education and Research 4800 Gibson Blvd., SE Albuquerque, N.M. Attn: Dr. Clayton S. White, Director of Research	50
The Martin Company Denver, Colorado Attn: Dr. James G. Gaume, Chief, Space Medicine	1
McDonnell Aircraft Company Lambert Field St. Louis, Missouri Attn: Mr. Henry F. Creel, Chief Airborne Equipment Systems Engineer Mr. Bert North	
National Aeronautics and Space Administration 1520 "H" Street, N.W. Washington 25, D.C. Attn: Brig. Gen. Charles H. Roadman, Acting Director, Life Sciences Program	1
Naval Medical Research Institute Bethesda, Md. Attn: Dr. David E. Goldman, MSC, Commander	1
Department of the Navy Bureau of Medicine & Surgery Washington 25, D.C. Attn: Capt. G. J. Duffner, Director, Submarine Medical Division	1

North American Aviation International Airport Los Angeles 45, Calif. Attn: Scott Crossfield Dr. Toby Freedman, Flight Surgeon Mr. Fred A. Payne, Manager Space Planning, Development Planning Mr. Harrison A. Storms	4
Office of the Director of Defense Research & Engineering Pentagon Washington 25, D.C. Attn: Col. John M. Talbot, Chief, Medical Services Division, Room 3D1050 Office of Science	1
The Ohio State University 410 West 10th Avenue Columbus 10, Ohio Attn: Dr. William F. Ashe, Chairman, Department of Preventive Medicine Dean Richard L. Meiling	2
The RAND Corporation 1700 Main Street Santa Monica, Calif. Attn: Dr. H. H. Mitchell, Physics Division Dr. Harold L. Brode	2
Republic Aviation Corporation Applied Research & Development Farmingdale, Long Island, N.Y. Attn: Dr. Alden R. Crawford, Vice-President Life Sciences Division Dr. William H. Helvey, Chief, Life Sciences Division Dr. William J. O'Donnell, Life Sciences Division	3
Sandia Corporation P. O. Box 5800 Albuquerque, New Mexico Attn: Dr. C. F. Quate, Director of Research Dr. S. P. Bliss, Medical Director Dr. T. B. Cook, Manager, Department 5110 Dr. M. L. Merritt, Manager, Department 5130 Mr. L. J. Vortman, 5112	5
System Development Corporation Santa Monica, California Attn: Dr. C. J. Roach	1

United Aircraft Company Denver, Colorado Attn: Dr. George J. Kidera, Medical Director	1
Laboratory of Nuclear Medicine & Radiation Biology School of Medicine University of California, Los Angeles 900 Veteran Avenue Los Angeles 24, California Attn: Dr. G. M. McDonnel, Associate Professor Dr. Benedict Cassen	2
University of Illinois Chicago Professional Colleges 840 Wood Street Chicago 12, Illinois Attn: Dr. John P. Marbarger, Director, Aeromedical Laboratory	1
University of Kentucky School of Medicine Lexington, Kentucky Attn: Dr. Loren D. Carlson, Professor of Physiology & Biophysics	1
University of New Mexico Albuquerque, New Mexico Attn: Library	1
U. S. Naval Ordnance Laboratory White Oak, Maryland Attn: Capt. Richard H. Lee, MSC Mr. James F. Moulton	2
U. S. Naval School of Aviation Medicine U. S. Naval Aviation Medical Center Pensacola, Florida Attn: Capt. Ashton Graybiel, Director of Research	1
Dr. Shields Warren Cancer Research Institute New England Deaconess Hospital 194 Pilgrim Road Boston 15, Mass.	1
Wright Air Development Center Aeromedical Laboratory Wright-Patterson Air Force Base, Ohio Attn: Commanding Officer Dr. Henning E. vonGierke, Chief, Bioacoustics Laboratory	2

Dr. Eugene Zwoyer	1
Director, Shock Tube Laboratory	
P. O. Box 188	
University Station	
Albuquerque, New Mexico	
Armed Services Technical Information Agency	20
Arlington Hall Station	
Arlington 12, Virginia	
Commanding Officer	1
U. S. Naval Weapons Laboratory	
Dahlgren, Virginia	