

UNCLASSIFIED

AD 295 492

*Reproduced
by the*

**ARMED SERVICES TECHNICAL INFORMATION AGENCY
ARLINGTON HALL STATION
ARLINGTON 12, VIRGINIA**



UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

CATALOGED BY ASIIA
AS AD NO. _____

895493

296-492

OFFICE OF NAVAL RESEARCH

Contract Nonr 3471(00)

Task No. 356-433

TECHNICAL REPORT NO. 8

Calculation of Basic Parameters Necessary for
Quantum Chemical Calculations on Boron-Containing Molecules.

II. $(pp|pp)_B$ - and Valence State Electron Affinities of B^- .

by

Odilon Chalvet
Centre de Mécanique Ondulatoire Appliquée
23 rue du Maroc
Paris 19^e, France

and

Joyce J. Kaufman
RIAS
7212 Bellona Avenue
Baltimore 12, Maryland

December, 1962

RIAS
7212 Bellona Avenue
Baltimore 12, Maryland

Reproduction in whole or in part is permitted for any
purpose of the United States Government.

FEB 1 1963

Calculation of Basic Parameters Necessary for
Quantum Chemical Calculations on Boron-Containing Molecules.

II. $(pp|pp)_{B^-}$ and Valence State Electron Affinities of B^- .

by

Odilon Chalvet and Joyce J. Kaufman

ABSTRACT

A modified one-center electron repulsion integral $(pp|pp)$ for B^- which takes into account correlation effects has been calculated. For these calculations it was necessary to evaluate the electron affinities of B^- to form $B^{=}$ in various valence states. This was done by adapting an existing rigorous extrapolation procedure to valence state calculations.

The electron repulsion integrals were calculated by expansion of the energies of B , B^- and $B^{=}$ as a function of spectroscopic term values. The value for $(pp|pp)_{B^-}$ calculated in this manner, 4.737 ev, and the value calculated using the Pariser-Parr approximation, $(pp|pp) = I-A = 4.015$ ev, are quite close. This is especially gratifying in view of the fact that the two calculations are independent and that each calculation depends on extrapolated values for the electron affinities of B^- in completely different valence states.

Calculation of Basic Parameters Necessary for
Quantum Chemical Calculations on Boron-Containing Molecules.

II. $(pp|pp)_B^-$ and Valence State Electron Affinities of B^- .

by

Odilon Chalvet and Joyce J. Kaufman

Introduction

As part of a general program on quantum chemical calculations on boron-containing molecules, it has been necessary to calculate modified values of electron repulsion integrals for boron atoms. In part I¹, the modified value for the one-center $(pp|pp)_B$ was calculated following the method of Julg² by expansion of the energies of the various valence states in terms of spectroscopic term values.

In this paper we describe the calculations of the one-center $(pp|pp)_B^-$ and also the calculations of the various valence state electron affinities of B^- necessary for the calculation of $(pp|pp)_B^-$.

Calculations

Method I Estimation by Pariser-Parr Approximation

The simplest method to evaluate $(pp|pp)_B^-$ in the valence state $sp^2\pi$ is to use the expression derived by Pariser and Parr³ for evaluating $(pp|pp)_C$ in the same valence state $sp^2\pi$:

$$(pp|pp)_C = I_C - A_C$$

where I_C = ionization potential of
the $2p\pi$ e on carbon in
the state $sp^2\pi$
 A_C = electron affinity of carbon
in the state $sp^2\pi$ to form
 $C^- sp^2\pi^2$

$$(pp|pp)_{B^-} = I_{B^-} - A_{B^-}$$

where I_{B^-} = ionization potential
of the $2p\pi$ e on B^-
in the state $sp^2\pi$

A_{B^-} = electron affinity of
 B^- in the state $sp^2\pi$
to form $B^= sp^2\pi^2$

$I_{B^-} \quad sp^2\pi \rightarrow sp^2$ has been calculated both by Jaffe ⁴ and Pilcher and Skinner ⁵. The two values are very close 1.061 ev ⁴ or 0.96 ev. ⁵

However, the electron affinity for B^- in its ground state or in its valence states had never been previously calculated. We have calculated the valence state electron affinities of B^- following a suggestion by Rohrllich ⁶ that we use the extrapolation procedure of Edlén ⁷ and extrapolate from the ionization potentials of the next three isoelectronic atoms in the same valence states as the B^- .


Calculation of electron affinity of $B^- (sp^2\pi)$ to form $B^= (sp^2\pi^2)$

We used the formulas derived by Edlén ⁷

$$T_0 = 3T_1 - 3T_2 + T_3 + Q$$

$$Q = \frac{3(T_1 - 2T_2 + T_3 - 2R/n^2) (-T_1 + 2T_2 - T_3 + 6R/n^2)}{T_1 - 4T_2 + 3T_3 - 12R/n^2}$$

where T_0 is the electron affinity in terms of the ionization energies T_1, T_2, T_3 of the first three members of the isoelectronic series, and n is the principal quantum number.



$$R/2^2 = 3.408 \text{ ev}$$

For T_1, T_2 and T_3 we have used

$$\begin{array}{ll} T_1 & C^- \quad sp^2\pi^2 = 0.03 \text{ ev} \\ T_2 & N \quad sp^2\pi^2 = 11.957 \text{ ev} \\ T_3 & O \quad sp^2\pi^2 = 30.891 \text{ ev} \end{array}$$

T_1 , T_2 and T_3 for all the electron affinity calculations in this paper have either been taken directly from the papers of Jaffe and of Skinner or have been estimated by us from the tables of valence state promotion energies contained in these papers.

$$A_{B^-} = -2.954 \text{ ev}$$

$$B^- (sp^2\pi) \rightarrow B^= (sp^2\pi^2)$$

$$\begin{aligned} \therefore (pp|pp)_{B^-} &= I_{B^-} - A_{B^-} \\ &= 1.061 \text{ ev} - (-2.954 \text{ ev}) \\ &= 4.015 \text{ ev.} \end{aligned}$$

Method II $(pp|pp)_{B^-}$ Calculation by the More Exact Method of Julg

To calculate $(pp|pp)_{B^-}$ by this method, it is necessary to expand the energies for various valence states of B, B^- and $B^=$ or those of B^+ , B, B^- as a function of the various spectroscopic term values as indicated in the paper of Moffitt ⁸.

The expressions for $B^=$, B^- , and B are obtained from the following expansions

$$B^= \quad sx^2yz \quad = (E_i + 2\alpha + J_{xx})(1-\epsilon)$$

$$B^- \quad sxyz \quad = E_i + \alpha$$

$$B \quad syz \quad = E_i(1+\epsilon)$$

$$\begin{aligned} B^= \quad sx^2yz &= I_s + 2I_x + I_y + I_z + 2J_{sx} + J_{sy} + J_{sz} \\ &\quad + 2J_{xy} + 2J_{xz} + J_{xx} + J_{yz} \\ &\quad - K_{sx} - \frac{1}{2}K_{sy} - \frac{1}{2}K_{sz} - K_{xy} - K_{xz} - \frac{1}{2}K_{yz} \end{aligned}$$

$$B^- \quad sxyz = I_s + I_x + I_y + I_z + J_{sx} + J_{sy} + J_{sz} + J_{xy} + J_{xz} + J_{yz} \\ - \frac{1}{2} K_{sx} - \frac{1}{2} K_{sy} - \frac{1}{2} K_{sz} - \frac{1}{2} K_{xy} - \frac{1}{2} K_{xz} - \frac{1}{2} K_{yz}$$

$$B \quad syz = I_s + I_y + I_z + J_{sy} + J_{sz} + J_{yz} \\ - \frac{1}{2} K_{sy} - \frac{1}{2} K_{sz} - \frac{1}{2} K_{yz}$$

$$E_i = I_s + I_y + I_z + J_{sy} + J_{sz} + J_{yz} - \frac{1}{2} K_{sy} - \frac{1}{2} K_{sz} - \frac{1}{2} K_{yz}$$

$$\alpha = I_x + J_{sx} + J_{xy} + J_{xz} - \frac{1}{2} K_{sx} - \frac{1}{2} K_{xy} - \frac{1}{2} K_{xz}$$

$$\text{where } J_{xx} = (pp|pp)_{B^-}$$

$$(B^+ - B^-) + (B - B^-) = J_{xx} - \epsilon (2\alpha + J_{xx})$$

$$-A_{B^-} + I_{B^-} = J_{xx} - \epsilon (2\alpha + J_{xx})$$

$$(B^- - B^+) + (B - B^-) = -(2\alpha + J_{xx}) + \epsilon (E_i - 2\alpha + J_{xx})$$

DROP

$$A_{B^-} + I_{B^-} = -(2\alpha + J_{xx})$$

$$\therefore J_{xx} = (I_{B^-} - A_{B^-}) - \epsilon (I_{B^-} + A_{B^-})$$

To calculate the necessary $B^- \rightarrow B^+$

$$sxyz \quad sx^2yz$$

we used

$$T_1 \quad C^- \quad 0.345 \text{ ev}$$

$$T_2 \quad N \quad 12.373 \text{ ev}$$

$$T_3 \quad O^+ \quad 31.239 \text{ ev}$$

$$A_{B^-} = -4.0065 \text{ ev}$$

$$B^- (sxyz) \rightarrow B^+ (sx^2yz)$$

This gives

$$\begin{aligned}
 (pp|pp)_{B^-} &= (I_{B^-} - A_{B^-}) - \epsilon (I_{B^-} + A_{B^-}) \\
 &= [0.892 - (-4.6005)] - \epsilon [0.892 + (-4.6005)] \\
 &= 5.4925 + 3.7085\epsilon
 \end{aligned}$$

It is necessary to have one more equation for ϵ and $(pp|pp)_{B^-}$ as a function of different valence states of boron in order to evaluate ϵ . There are two alternant methods which can be used to obtain the second relationship.

$$\begin{array}{ll}
 1) \ B^= & \text{sx}^2\text{yz} \\
 B^- & \text{sx}^2\text{z} \\
 B & \text{sxz}
 \end{array}$$

We have expanded this relation as we did the first one and the result is

$$(pp|pp)_{B^-} - 5 (p\bar{p}|p\bar{p})_{B^-} = (I_{B^-}' - A_{B^-}') - \epsilon (I_{B^-}' + A_{B^-}')$$

where $(p\bar{p}|p\bar{p})$ is an exchange integral and

$$\begin{array}{ll}
 B^- \rightarrow B^= & A_{B^-}' \\
 \text{sx}^2\text{z} & \text{sx}^2\text{yz} \\
 \\
 B^- \rightarrow B & I_{B^-}' \\
 \text{sx}^2\text{z} & \text{sxz}
 \end{array}$$

However, this relation could not be used because we lack the necessary valence state promotion energy for O^+ to this valence state $3x^2z$ from which to extrapolate $A_{B^-}^+$

2) There is an alternate method by which one can obtain a second relation between $(pp|pp)_{B^-}$ and ϵ .

$$\begin{aligned} B^- \quad 3x^2y &= (E_i + 2\alpha) + J_{xx} \\ I_1^+ \\ B \quad sxy &= (E_i + \alpha) (1 + \epsilon) \\ I_2^+ \\ B^+ \quad sy &= E_i (1 + 2\epsilon) \end{aligned}$$

$$\begin{aligned} B^- \quad 3x^2y &= I_s + 2I_x + I_y + 2J_{sx} + J_{sy} + 2J_{xy} + J_{xx} \\ &\quad - \frac{1}{2}K_{sy} - K_{sx} - K_{xy} \end{aligned}$$

$$\begin{aligned} B \quad sxy &= I_s + I_x + I_y + J_{sx} + J_{sy} + J_{xy} \\ &\quad - \frac{1}{2}K_{sx} - \frac{1}{2}K_{sy} - \frac{1}{2}K_{xy} \end{aligned}$$

$$B^+ \quad sy = I_s + I_y + J_{sy} - \frac{1}{2}K_{sy}$$

$$E_i = I_s + I_y + J_{sy} - \frac{1}{2}K_{sy}$$

$$\alpha = I_x + J_{sx} + J_{xy} - \frac{1}{2}K_{sx} - \frac{1}{2}K_{xy}$$

$$\begin{aligned} I_2 &= B^+ - B = E_i + 2\epsilon E_i - E_i - \alpha - \epsilon E_i - \epsilon \alpha \\ &= \epsilon E_i - \alpha - \epsilon \alpha \end{aligned}$$

$$\begin{aligned} I_1 &= B - B^- = E_i + \alpha + \epsilon E_i + \epsilon \alpha - E_i - 2\alpha - J_{xx} \\ &= \epsilon E_i - \alpha + \epsilon \alpha - J_{xx} \end{aligned}$$

$$\epsilon \alpha \approx -\epsilon I_2$$

$$I_2 - I_1 = -\alpha - \epsilon \alpha + \alpha - \epsilon \alpha + J_{xx} = -2\epsilon \alpha + J_{xx}$$

$$J_{xx} = I_2 - I_1 - 2\epsilon I_2$$

$$(pp|pp)_{B-} = 8.33 - 0.20 - 2\epsilon(8.33)$$

$$= 8.13 - 16.66 \epsilon$$

$$\text{Equating } (pp|pp)_{B-} = 5.4925 - 3.7085 \epsilon$$

$$(pp|pp)_{B-} = 8.13 - 16.66 \epsilon$$

$$8.13 - 16.66\epsilon = 5.4925 - 3.7085 \epsilon$$

$$\epsilon = 0.203644$$

$$(pp|pp)_{B-} = 8.13 - 16.66 (.203644)$$

$$= 4.737 \text{ ev}$$

Results

The values of $(pp|pp)_{B-}$ by the two different methods

$$1^\circ \text{ Pariser-Parr} \quad (pp|pp)_{B-} = 4.015 \text{ ev}$$

$$2^\circ \text{ Julg} \quad (pp|pp)_{B-} = 4.737 \text{ ev}$$

are quite close. This is especially gratifying in view of the fact that the two calculations are independent and, that each calculation depends on extra-

polated values for the electron affinities of B^- in completely different valence states.

Appendix

The ground state electron affinity of B^- was also calculated to compare the magnitudes of the electron affinities in various valence states.

For this calculation the values of T_1 for C^- , T_2 for N and T_3 for O^+ were taken directly from the article of Elden ⁷.

The ground state electron affinity of B^- to form B^- is -2.19 ev.

References

1. Joyce J. Kaufman and Gaston Berthier, RIAS TR 62-20.
2. A. Julg, J. Chem. Phys., 55, 29 (1958).
3. R. Pariser and R. G. Parr, J. Chem. Phys., 21, 767 (1953).
4. J. Hinze and H. H. Jaffe', J. Am. Chem. Soc., 84, 540 (1962).
5. G. Pilcher and H. A. Skinner, Paper in press, J. Inorg. and Nuc. Chem.
6. F. Rohrllich. Private communication.
7. B. Edlén, J. Chem. Phys., 33, 98 (1960).
8. W. Moffitt, Proc. Roy. Soc., A210, 224 (1951).

Acknowledgements

We should like to thank Prof. Rohrllich for his suggestion for the calculation of valence state electron affinities and for his most helpful discussions on electron affinities.

This work was supported in part by the Chemistry Branch of the Office of Naval Research and in part by the Ordnance Materials Research Office.

One of us (J.J.K.) should also like to thank the Soroptimist Federation for a Study Grant for the trip to Paris.

TECHNICAL REPORT DISTRIBUTION LIST

Contract - Nonr 3471(00)

NR # 356-433

No. of Copies

Commanding Officer
Office of Naval Research Branch Office
The John Crerar Library Building
86 East Randolph Street
Chicago 1, Illinois

1

Commanding Officer
Office of Naval Research Branch Office
346 Broadway
New York 13, New York

1

Commanding Officer
Office of Naval Research Branch Office
1030 East Green Street
Pasadena 1, California

1

Commanding Officer
Office of Naval Research Branch Office
Box 39 Navy # 100 Fleet Post Office
New York, New York

7

Director, Naval Research Laboratory
Washington 25, D. C.

Attn: Technical Information Officer
Chemistry Division

6

2

Chief of Naval Research
Department of the Navy
Washington 25, D. C.

Attn: Code 425

2

DDR&E
Technical Library
Room 3C-128, The Pentagon
Washington 25, D. C.

1

Technical Director
Research & Engineering Division
Office of the Quartermaster General
Department of the Army
Washington 25, D. C.

1

Technical Report Distribution List ... cont.Contract Nonr 3471(00)

	<u>No. of Copies</u>
Research Director Clothing & Organic Materials Division Quartermaster Research & Engineering Command U. S. Army Natick, Massachusetts	1
Air Force Office of Scientific Research (SRC-E) Washington 25, D. C.	1
Commanding Officer Diamond Ordnance Fuze Laboratories Washington 25, D. C.	
Attn: Technical Information Office Branch 012	1
Office, Chief of Research & Development Department of the Army Washington 25, D. C.	
Attn: Physical Sciences Division	1
Chief, Bureau of Ships Department of the Navy Washington 25, D. C.	
Attn: Code 342C	2
Chief, Bureau of Naval Weapons Department of the Navy Washington 25, D. C.	
Attn: Technical Library	3
Code RRMA-3	1
ASTIA Document Service Center Arlington Hall Station Arlington 12, Virginia	10
Director of Research U.S. Army Signal Research & Development Laboratory Fort Monmouth, New Jersey	1
Naval Radiological Defense Laboratory San Francisco 24, California	
Attn: Technical Library	1

Technical Report Distribution List ... cont.Contract Nonr 3471(00)No. of Copies

Naval Ordnance Test Station	
China Lake, California	
Attn: Head, Chemistry Division	1
Code 40	1
Code 50	1
 Commanding Officer	
Army Research Office	
Box CM, Duke Station	
Durham, North Carolina	
Attn: Scientific Synthesis Office	1
 Brookhaven National Laboratory	
Chemistry Department	
Upton, New York	1
 Atomic Energy Commission	
Division of Research	
Chemistry Programs	
Washington 25, D. C.	1
 Atomic Energy Commission	
Division of Technical Information Extension	
Post Office Box 62	
Oak Ridge, Tennessee	1
 U.S. Army Chemical Research and Development Labs.	
Technical Library	
Army Chemical Center, Maryland	1
 Office of Technical Services	
Department of Commerce	
Washington 25, D. C.	1
 Bureau of Naval Weapons Representative	
Westinghouse Electric Corporation	
P. O. Box 746	
Baltimore 3, Maryland	1
 Commanding Officer	
Office of Naval Research Branch Office	
1000 Geary Street	
San Francisco 9, California	
Attn: Dr. P. A. Miller	1

Technical Report Distribution List ... cont.Contract Nonr 3471(00)No. of Copies

Commanding Officer
Office of Naval Research Branch Office
495 Summer Street
Boston 10, Massachusetts
Attn: Dr. A. L. Powell

1

Dr. H. S. Gutowsky
Department of Chemistry
University of Illinois
Urbana, Illinois

1

Dr. D. A. Brown
Department of Chemistry
University College
Upper Merrion Street
Dublin, Ireland

1

Dr. J. T. Vanderslice
Institute of Molecular Physics
University of Maryland
College Park, Maryland

1

Dr. Anton B. Burg
Department of Chemistry
University of Southern California
University Park
Los Angeles 7, California

1

Dr. E. G. Rochow
Department of Chemistry
Harvard University
Cambridge 38, Massachusetts

1

Dr. T. D. Parsons
Department of Chemistry
Oregon State College
Corvallis, Oregon

1

Dr. T. P. Onak
Department of Chemistry
Los Angeles State College
Los Angeles, California

1

Technical Report Distribution List ... cont.Contract Nonr 3471(00)No. of Copies

Dr. Robert W. Taft, Jr. Department of Chemistry Pennsylvania State University University Park, Pennsylvania	1
Dr. J. D. Roberts Department of Chemistry California Institute of Technology Pasadena, California	1
Dr. J. E. Leffler Department of Chemistry Florida State University Tallahassee, Florida	1
Dr. M. J. S. Dewar Department of Chemistry University of Chicago Chicago, Illinois	1
Dr. T. L. Heying Olin Mathieson Chemical Corporation 275 Winchester Avenue New Haven, Connecticut	1
Dr. G. Barth-Wehrenalp, Director Inorganic Research Department Pennsalt Chemicals Corporation Box 4388 Philadelphia 18, Pennsylvania	2
Mr. K. Warren Easley Monsanto Research Corporation Everett Station Boston 49, Massachusetts	1
Dr. Hans H. Jaffe Department of Chemistry University of Cincinnati Cincinnati, Ohio	1
Dr. Murray S. Cohen Chief, Propellant Synthesis Section Reaction Motors Division Thiokol Chemical Corporation Denville, New Jersey	1

Technical Report Distribution List ... cont.Contract Nonr 3471(00)No. of Copies

Professor W S. Koski
Chemistry Department
The Johns Hopkins University
Baltimore, Maryland

1

Dr. Vernon H. Dibeler, Chief
Mass Spectrometry Section
National Bureau of Standards
Washington 25, D. C.

1

Dr. E. J. Prosen, Chief
Thermochemistry Section
National Bureau of Standards
Washington 25, D. C.

1

Dr. L. J. Edwards
Manager of Programs
Callery Chemical Company
Callery, Pennsylvania

1

Dr. Edgar W. Fajans
Assoc. Director of Chemical Research
U.S. Borax Research Corporation
412 Crescent Way
Anaheim, California

1

Dr. R. W. Parry
Department of Chemistry
University of Michigan
Ann Arbor, Michigan

1

Commanding Officer
Frankford Arsenal
Philadelphia 37, Pennsylvania

Attn: ORDBA-LCO

1

Dr. Riley Schaeffer
Department of Chemistry
Indiana University
Bloomington, Indiana

1

Dr. S. Golden
Department of Chemistry
Brandeis University
Waltham 54, Massachusetts

1