

UNCLASSIFIED



AD NUMBER

AD-324 968

CLASSIFICATION CHANGES

TO UNCLASSIFIED

FROM CONFIDENTIAL

AUTHORITY

OCA; August 31, 1973.

19990302151

THIS PAGE IS UNCLASSIFIED

UNCLASSIFIED



AD NUMBER

AD-324 968

NEW LIMITATION CHANGE

TO

DISTRIBUTION STATEMENT - A

Approved for Public Release;
Distribution Unlimited.

LIMITATION CODE: 1

FROM

No Prior DoD Dist'r Scty Statement Assigned.

AUTHORITY

ONR Ltr., dtd May 4, 1977

THIS PAGE IS UNCLASSIFIED

~~CONFIDENTIAL~~

AD 324 968

*Reproduced
by the*

ARMED SERVICES TECHNICAL INFORMATION AGENCY
ARLINGTON HALL STATION
ARLINGTON 12, VIRGINIA



~~CONFIDENTIAL~~

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S.

Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

CONFIDENTIAL

6741

**THE DOMAIN OF THE
GROUND EFFECT MACHINE**

APPENDICES

Volume II

**Prepared for
Office of Naval Research
Contract Number Nonr 3375 (00)**

**DOWNGRADED AT 3 YEAR INTER-
VALS; DECLASSIFIED AFTER
12 YEARS
DOD DIR 5200.10**


August 1961

BAARINC Log No. 1933

This document

contains 99 pages

Copy No. 24 of 100 Copies

 **BOOZ-ALLEN APPLIED RESEARCH, INC.**

**CHICAGO
WASHINGTON**

CONFIDENTIAL

Best Available Copy

This material contains information affecting the national defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C. Sections 793 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law.

TABLE OF CONTENTS

INTRODUCTION

APPENDIX A CLIMATIC AND OCEANOGRAPHIC DATA

Table A-1	Climatic Characteristics of Asia-Europe
Table A-2	Climatic Characteristics of Africa
Table A-3	Climatic Characteristics of South America
Table A-4	Climatic Characteristics of North America
Table A-5	Climatic Characteristics of Australia, New Zealand and Southwest Pacific Islands (Oceania)
Table A-6	Climatic Characteristics of Antarctica

APPENDIX B NATURAL ENVIRONMENT OF CONTINENTAL AREAS

Table B-1	Natural Environment of Europe (without USSR)
Table B-2	Natural Environment of USSR
Table B-3	Natural Environment of Asia (without USSR)
Table B-4	Natural Environment of Africa
Table B-5	Natural Environment of South America
Table B-6	Natural Environment of North America
Table B-7	Natural Environment of Australia, New Zealand and Pacific Islands (Oceania) and Antarctica

APPENDIX C NATURAL ENVIRONMENT OF COASTAL AREAS

Table C-1	Atlantic Coasts of Europe
Table C-2	Baltic Coasts of Europe
Table C-3	Arctic Coasts of Europe - Asia
Table C-4	Pacific Coasts of Asia
Table C-5	Southwest Pacific Coasts of Asia
Table C-6	Indian and Arabian Coasts of Asia
Table C-7	Eastern Mediterranean and Black Sea Coasts of Europe - Asia

Table C-8	Mediterranean Coasts of Europe -
Table C-9	Mediterranean Coasts of Africa
Table C-10	Red Sea and Indian Ocean Coasts of Africa
Table C-11	Atlantic Coasts of Africa
Table C-12	Atlantic Coasts of South America
Table C-13	Pacific Coasts of South America
Table C-14	Pacific Coasts of North America
Table C-15	Arctic Coasts of North America
Table C-16	Atlantic Coasts of North America
Table C-17	Coasts of Australia, New Zealand, Hawaii (Oceania) and Antarctica

BIBLIOGRAPHY (Natural Environment References)

INTRODUCTION

These appendices contain the background environmental data used in the report, "The Domain of the Ground Effect Machine--The Determination of Physical and Operating Characteristics of Military Overland, Amphibious, and Marine GEMs from World-wide Environmental Criteria." (Volume I)

The tables in these appendices summarize, on a world-wide basis, the features of the natural environment considered most important in the design and operation of Ground Effect Machines (GEMs).

Appendix A contains Climatic and Oceanographic Data; Appendix B contains Natural Environment of Continental Areas; and Appendix C contains Natural Environment of Coastal Areas. Introductory notes in each appendix discuss the sources of data and explain the make-up of the tables. The natural environmental references have been extracted from the Bibliography (Volume I), and repeated in this volume.

Much of the data in Appendices B and C is from classified sources. Therefore, Appendices B and C are classified **CONFIDENTIAL**.

APPENDIX A
CLIMATIC AND OCEANOGRAPHIC DATA

APPENDIX A

CLIMATIC AND OCEANOGRAPHIC DATA

This appendix contains world-wide climatic data and references to the source materials for world-wide oceanographic data. These data are summarized and discussed in Chapter I of the report (Volume I).

CLIMATIC CLASSIFICATIONS

The first three column headings of Tables A-1 through A-6 list zone numbers and climatic classifications. Zone numbers, starting with 1, have been assigned arbitrarily to all zones on each continent. Letter suffixes have been assigned to the coastal portion of zones with large interior areas but not to primarily coastal zones. The Bailey Climatic Classification refers to the coastal climatic zones. The Critchfield Classification refers to all continental zones, including the incidental coastal regions.

In his work on the climates of coastal regions, Bailey⁽²⁰⁾ has recognized fourteen types with the character of the vegetation as his basic indicator. He found that while the correspondence between climatic zone and vegetation distribution is not always perfect, the vegetative

cover is the best indicator, yet devised, of the synthesis of all those factors that go to produce climate. Bailey's classifications, criteria, and corresponding vegetative types are contained in Table 1 of the report (Volume I). The statistical bases for the climatic definitions used by Bailey are the monthly and annual means of temperature and precipitation indicated in Table 1.

Seven-hundred climatic stations were used to establish the zone boundaries according to detailed criteria which are too voluminous to repeat in this appendix. Of these stations, 256 spaced approximately five-hundred miles apart were used for determination of the zone characteristics. Each characteristic was determined by arraying in ascending numerical order, the data for that element from the stations in a given climatic type. From the distributions thus obtained, the 25th and 75th percentile points were determined and are given in the table. Thus, these values describe climatic conditions over approximately 50 per cent of the aggregate length of coast line affected by the given types. These figures are useful for general purposes; however, as Bailey cautions, there are limitations to their application to specific problems.

Critchfield^(3, p. 174) states that his system of describing world climates is essentially a geographic one. He defines his principal

climatic types in terms of general characteristics of temperature and precipitation, their seasonal distribution, and the related natural vegetation. Although not as detailed as other systems, this system agrees well with those of Koeppen, Thornthwaite, Trewartha, and Bailey^(3, 4, 20) primarily because, as Critchfield points out, a well-ordered system of climates does exist on earth. The characteristics assigned by Critchfield to his various classifications, given in Table 2, (Volume I), are not nearly as detailed as those given by Bailey. The correspondence between the two systems is readily ascertained by a reference to columns 2 and 3 in the tables of this appendix.

SOURCES OF DATA

The ultimate sources of all climatic data are the weather observations made many times daily at thousands of points over the world and transmitted over regional and world-wide communications networks for all to use. Statistically summarized over an extended period, these observations become the data which describe the climatic characteristics of each observation point. By summarizing the climatic data over a region, the climate of the region is described. Most countries publish climatic data for representative points within their boundaries.

The tremendous volume of climatic data and the large number of original sources in which they are contained has made it desirable to

summarize or tabulate them in one set of tables. This task has been accomplished by the Climatological Section, Air Weather Service, ~~U.S.~~ Air Force, the U.S. Weather Bureau, the ~~Naval~~ Weather Service, and the Hydrographic Office. The data presented here are summarized from these tables with supplemental help from a few additional sources. (See Bibliography.)

METHODS OF SUMMARIZING THE DATA

Time did not permit, and the probable small improvement in accuracy attainable did not justify, the use of all the data from each zone for determination of its climatic characteristics. Instead, a sampling procedure was used in which a few equally spaced stations were chosen, and the characteristic zone values of the selected parameters were determined from their data. In the cases of a few very short coastal zones or very small interior zones, only one station was available as the sample. Five to fifteen stations were used in most zones, while twenty or more stations were used for the largest zones. The numbers given in the following tables represent the range of values observed at the sample stations within each zone.

(1) Temperature

The mean daily maximum temperature for the warmest month includes the range of values observed among the sample

stations in the warmest month of the year, regardless of which month it was. Similarly, the numbers under mean daily minimum temperature include the range of values observed for the coldest month. The probable absolute maximum and minimum temperatures are the extremes observed anywhere within the zone during the period of record. Since the periods of record vary from a year or two up to fifty years, these extreme values are indicative only of what might possibly be encountered.

(2) Precipitation

The values given for mean monthly precipitation in the wettest and driest months are the ranges (in inches) of the mean precipitation amount measured at the sample stations within the zones. Extreme values are not given; however, they usually approximate one-half and double the mean values. The wettest month is not necessarily the same month at all stations within the zone. Similarly, the driest month may vary among stations. The range of values given for each zone, when considered in relation to zone size, is an indication of the degree of homogeneity of the climate within that zone. The range may also reflect differences in elevation or exposure of the observing points. Data available on the mean number of days with precipitation do not all refer to 0.01 inches; therefore, it was

necessary to adjust the number on the basis of other information. Although the mean number of days usually refers to the same months as does the mean precipitation amounts, they do differ at some stations. The figure given for maximum probable twenty-four hour precipitation usually refers to the maximum observed at any of the sample stations within the zone during the period of record. Accordingly, it is an indication of rainfall intensity over short periods. In a very few cases it was necessary to estimate the probable values on the basis of information from adjacent zones. In other cases, where the reported twenty-four hour maximum obviously referred to rainfall from hurricanes, the figure for the next highest month was used. No value is given where none was reported by any station in the zone and no basis existed for making a reasonable estimate.

(3) Wind Speeds

The four columns in this division present estimated ranges of the probable percentages of time that speeds exceed ten knots and thirty-three knots during the windiest and calmest months. Many complicating factors affect the accuracy of these estimates. Measured wind speed is influenced strongly by terrain features, vegetation cover, exposure of the measuring instrument, and

many other factors. Data on wind speeds are extremely sparse in many parts of the world. Methods of summarizing and presenting the data vary from country to country and, in many cases among the services within the country; hence it has been necessary to adjust their data to the break points we have used, i.e., ten knots and thirty-three knots. All of these factors make it difficult to arrive at reliable estimates for these columns. These data provide rough estimates of ranges of speeds over entire zones and may not include extreme values occurring in small localities.

(4) Relative Humidity

Treatment of the range of mean relative humidities is somewhat different than that of the other parameters. For example, in the data under dampest month, one figure refers to the lowest mean value, usually for midday, reported by any station within the zone, and the other figure refers to the highest value, usually early morning, reported by any station, usually not the same one. In some zones, the month may not even be the same for all stations. The value of the figures in these columns lies in their indication of the dryness or dampness of the climate and of their seasonal variations.

(5) Fog on Coast

This column refers to Bailey's Coastal Climates of the World, ⁽²⁰⁾ in which he designates those coastal regions that are frequently foggy. The "x" designates those coastal zones in which dense fog occurs either 20 per cent of the time during at least one month, 15 per cent of the time during a season of three months, or 10 per cent of the time on an annual basis. He defines dense fog as restricting visibility to less than 1, 100 yards. Few figures were available on the frequency of occurrence of fog restricting visibility to the more significant figure of one hundred yards or less, and it was not possible to classify zones on such a basis. No similar classification of continental zones was available. However, areas experiencing substantial amounts of fog are generally of much smaller extent than the zones used in this study.

(6) Thunderstorms

The range of the mean annual number of days on which thunderstorms were reported at/or in the vicinity of the sample stations is given in this column. The wide range reported for some zones reflects the range of strong local influences and the degree of homogeneity of the zone.

(7) Sand and Dust Storms

Very few data are available on frequency of sand and dust storms. All cases reported occurred in the arid or semi-arid regions from which few data are available. Hence these figures serve only as a rough approximation of the real conditions. It is entirely possible that sand or dust storms occur in regions not indicated in this table. The fact that such storms occurred at all within the zone serves as an indication of the unbonded dusty or sandy nature of the surface.

OCEANOGRAPHIC DATA

The only known comprehensive presentation of climate over the oceans is that contained in the Marine Climatic Atlas of the World⁽¹¹⁻¹⁵⁾ and related documents,^(10,18) prepared by the U.S. Navy Hydrographic Office and the U.S. Weather Bureau. Because these documents are available to readers of this report, and because of the nature and volume of this material, no attempt is made to reproduce it here. Data on sea conditions are also contained within these documents, as well as in references 26, 28 and 29.

All these data are summarized in Chapter I of the report (Volume I).

TABLE A-1

Climatic Characteristics of Asia - Europe

APPENDIX A(10)

Zone	Climatic Classification	Temperature (°F)				Precipitation				Wind Speeds				Probable Mean Relative Humidity Range (per cent)		Fog on Coast (Bailey)	Mean Annual No. Days With Thunderstorms	Mean Annual No. Days With Dust or Sandstorms	
		Daily Mean		Probable Absolute		Mean Monthly (inches)		Mean No. Days With 0.01 inches or More		Probable Average per cent of Time Speeds Exceed		Maximum Probable 24-hour Precip. (inches)	Lowest Month	Highest Month	Lowest Month				Highest Month
		Maximum, Warmest Month	Minimum, Coolest Month	Max.	Min.	Wettest Month	Driest Month	Wettest Month	Driest Month	10 knots	32 knots								
1	14	14	40-70	-5-40	80	-65	0.5-2.0	0-0.4	12-18	3-9	1.5	40-80	50-80	5-15	2.0-5	85-95	40-80	0	
2	-	13	61-78	0-45	100	-80	2.0-4.0	0.1-1.0	12-19	4-11	2.0	25-80	5-40	2-8	1.0-5	75-90	45-70	0-5	
2A	14	13	55-58	-15-20	75	-50	1.5-2.0	0.1-0.5	11-14	5-8	2.0	00-00	45-50	40-45	5.0-10	85-90	75-85	0	
2B	13	13	55-65	-20-10	82	-56	1.7-4.0	0.3-1.5	11-17	4-7	2.0	70-90	35-40	5-12	0.5-5	80-90	60-80	0	
2C	13	13	58-68	-15-20	88	-51	10-20.0	0.1-0.5	10-12	2-6	3.6	40-10	30-60	1-3	Tr-1	80-92	55-83	0	
2D	13	13	66-70	2-14	98	-40	2.0-3.5	1.0-1.5	15-18	9-12	2.1	20-30	15-25	0-3-2	0-1	88-91	55-77	0	
2E	14	13	51-66	0-17	90	-45	2.0-3.0	1.0-2.0	15-18	8-10	1.5	60-90	30-60	5-15	1.0-5	85-90	70-82	0	
2F	13	13	62-65	0-5	94	-40	2.0-3.0	0.5-1.0	15-18	8-10	2.5	40-60	25-50	3-6	1.0-2	87-92	62-80	0	
3	13	13/12	65-72	-17-10	92	-40	2.0-5.0	0.1-1.0	10-24	7-14	5.4	35-90	20-60	2-5	Tr-2	85-95	65-85	0	
4	13	14	55-62	-15-35	82	-50	1.0-2.0	0.1-0.5	10-16	2-7	2.0	5-70	2-35	Tr-3	0-1	80-90	55-80	0	
5	-	12	75-85	-12-30	105	-58	3.0-6.0	0.1-0.2	14-18	3-6	5.8	30-40	15-35	2-8	0-3	60-90	40-75	0	
5A	13	12	72-74	0-2	96	-22	5.0-6.0	0.5-1.0	14-16	3-4	5.2	60-90	40-70	4-10	1-3	75-92	50-70	2-25	
6	-	11	78-88	-20-20	103	-43	5.0-9.0	0.1-1.0	12-18	1-8	5.6	20-40	10-20	0-2	0-Tr	60-95	40-70	0-5	
6A	10	11	80-86	10-30	103	-20	6.0-12.0	0.3-1.5	10-18	3-8	10.0	20-40	15-30	Tr-5	0-0.5	75-95	40-80	0-25	
7	-	10	70-95	-25-15	111	-48	1.0-3.0	Tr-0.3	8-12	<1-7	3.0	30-80	5-40	1-10	0-1	75-95	40-70	0-25	
7A	10	10	83-88	13-16	104	-8	7.0-8.0	0-0.2	11-13	1-3	7.2	25-40	5-15	3-10	0-Tr	75-95	55-70	5-10	
7B	-	10	75-80	20-25	95	-14	1.0-2.0	0.5-1.0	12-14	4-6	3.0	35-65	15-25	8-12	0-3	80-95	40-80	0-5	
7C	-	6	78-80	25-30	100	-4	1.0-2.0	0.5-1.0	12-15	6-8	2.0	40-60	20-25	8-12	Tr-3	85-95	45-80	0	
8	-	11	90-95	19-22	113	-1	4.0-8.0	Tr-1.0	7-13	1-3	5.0	20-50	5-20	Tr-5	0-Tr	70-85	40-70	0	
8A	10	11	82-85	22-25	104	4	6.0-8.0	0.2-0.5	9-14	2-3	10.0	50-80	20-40	5-10	Tr-3	80-95	50-70	0	
9	10	7/11/12	74-87	10-35	102	-21	6.0-10.0	2.0-4.0	10-28	11-14	7.0	20-85	5-50	2-10	0-3	75-95	60-80	0	
10	10	11/12	70-85	8-30	101	-19	6.0-10.0	1.0-2.0	15-18	7-11	10.0	20-60	10-25	Tr-10	0-3	80-95	60-80	0	
11	6	7	85-90	30-35	104	13	8.0-14.0	2.0-3.0	14-18	8-10	10.0	20-50	10-30	Tr-2	0-Tr	70-80	50-75	0	
12	-	7	80-95	30-50	112	4	6.0-10.0	0.1-1.5	7-21	2-7	8.5	5-50	0-40	Tr-5	0-1	70-90	50-80	0	

98 Days Reported at Kalgan

Part of Zone

* Part of Zone

* 98 Days Reported at Kalgan

TABLE A-1 (Cont.)
Climatic Characteristics of Asia - Europe

Zone	Climate Classification	Temperature (°F)				Precipitation				Wind Speeds				Probable Mean Relative Humidity Range (per cent)		Fog on Coast (Bailey)	Mean Annual No. Days With Thunderstorms	Mean Annual No. Days With Dust- or Sandstorms
		Daily Mean		Probable Absolute		Mean Monthly (inches)		Mean No. Days With 0.01 inches or more		Probable Average per cent of Time Speeds Exceed		Probable Mean Relative Humidity Range (per cent)						
		Maximum, Warmest Month	Minimum, Coolest Month	Max.	Min.	Wettest Month	Driest Month	Wettest Month	Driest Month	Highest Month	Lowest Month	Highest Month	Lowest Month	Damppest Month	Driest Month			
12A	6	87-92	32-60	107	25	7-16	1.0-2.0	13-22	4-8	12.0	10-60	5-50	Tr-2	0-Tr	80-95	60-80	x	0
13	2	86-90	54-58	100	45	9-11	0.5-1.0	8-12	4-6	8.0	40-50	20-30	2-4	Tr-1	80-95	70-85	-	0
14	1	87-93	69-73	101	58	6-23	0.2-5.0	13-23	1-15	10.0	15-75	5-25	Tr-1	0-Tr	70-95	53-96	-	0
15	-	85	70-75	101	67	15-30	3.0-14.0	20-26	9-15	15.0	10-30	5-10	0-Tr	0-Tr	80-95	75-90	-	0
16	1	88-90	70-73	98	63	10-13	0.5-2.0	15-19	3-9	12.0	50-65	15-25	0-Tr	0	80-95	75-90	-	0
17	1	88-92	72-76	100	62	11-17	3.0-10.0	15-22	7-17	12.0	20-60	5-20	0-Tr	0	70-97	60-95	-	0
18	-	90-95	70-75	100	68	15-25	5.0-15.0	20-26	9-15	15.0	15-30	2-5	0-Tr	0	80-95	75-90	-	0
19	1	87-90	69-73	97	58	13-28	3.0-10.0	20-25	8-15	12.0	15-55	5-10	0-Tr	0	65-95	52-94	-	0
20	1	92-94	59-69	108	30	15-26	1.0-2.0	14-20	4-7	10.0	45-60	15-25	0-Tr	0	80-95	70-85	-	0
21	-	90-92	50-67	114	31	6-15	Tr-0.5	9-20	1-1	8.0	5-25	1-10	0-Tr	0	60-95	40-50	-	0
21A	2	86-88	70-71	97	55	6-7	0.1-0.2	12-13	1-2	6.0	70-80	20-25	0-Tr	0	75-95	60-85	-	0
21B	3	89-91	66-68	100	54	8-9	0	16-18	0-1	7.0	70-80	20-25	0-Tr	0	75-95	60-80	-	0
21C	2	89-95	70-72	104	57	8-13	0	21-23	0-1	7.0	60-75	15-20	0-Tr	0	75-95	65-90	-	0
21D	1	88-93	70-72	99	60	10-13	0.1-0.5	16-19	0-1	9.0	30-70	15-20	0-Tr	0	75-95	65-90	-	0
21E	2	94-97	67-70	106	52	11-17	0.4-2.0	13-16	1-2	12.0	40-45	10-15	0-Tr	0	54-97	50-90	-	0
22	1	89-95	60-75	102	49	10-19	1.0-6.0	9-26	1-14	14.8	10-40	5-10	0-Tr	0	70-98	60-97	-	0
23	1	88-90	71-74	96	60	10-20	2.0-10.0	16-21	4-12	12.0	10-65	5-30	0-Tr	0	62-96	53-85	-	0
23A	2	90-92	70-71	101	58	8-15	Tr-0.5	15-18	1	12.0	25-40	5-20	0-Tr	0	60-94	40-85	-	0
24	-	85-90	55-55	108	44	11-21	Tr-0.2	25-23	0-1	8.3	5-10	Tr-5	0-Tr	0	70-97	33-87	-	0
24A	1	89-98	55-68	107	43	22-55	0.1-0.8	19-26	0-1	15.0	40-65	5-15	0-Tr	0	82-98	47-85	-	0
25	-	101-107	48-52	120	31	6-11	0.1-0.2	9-13	1	10.0	10-25	5-15	0-Tr	0	65-87	14-32	-	0
25A	2	92-99	56-68	116	44	9-15	0.2-0.7	9-18	1	10.0	55-80	15-25	0-1	0	75-90	61-80	-	0
25B	2	91-100	57-68	111	40	17-24	Tr	16-22	1	12.0	85-90	10-15	0-1	0	78-86	30-70	-	0
25C	1	91-92	66-72	108	44	17-38	Tr-0.8	22-27	0-1	14.2	40-85	5-20	0-Tr	0	85-94	30-70	-	0
25D	2	87-90	71-73	100	61	13-14	0.5-0.7	16-18	1-2	8.5	40-60	10-15	0-1	0	80-90	60-75	-	0
26	-	92-103	57-69	112	46	6-8	0.1-0.2	9-11	1	0.4	10-25	5-15	0-Tr	0	63-87	24-62	-	0
26A	3	89-100	65-69	105	62	7-8	0.3-0.5	10-11	1	6.0	50-70	12-15	0-1	0	65-80	35-70	-	0
27	2	89-93	67-74	104	50	7-15	0.5-2.5	16-23	1-6	10.0	55-70	2-25	0-1	0	75-94	60-92	-	0

† Part of Zone

† Part of Zone

TABLE A-1 (Cont.)

Climatic Characteristics of Asia - Europe

Zone	Climatic Classification	Temperature (°F)				Precipitation						Wind Speeds						Fog on Coast (Bailey)	Mean Annual No. Days With Thunderstorms	Mean Annual No. Days With Dust- or Sand-storms
		Daily Mean		Probable Absolute		Mean Monthly (inches)		Mean No. Days With 0.01 inches or More		Maximum Probable 24-hour Precip. (inches)		Probable Average per cent of Time Speeds Exceed								
												10 knots								
		Maximum, Warmest Month	Minimum, Coolest Month	Max.	Min.	Wettest Month	Driest Month	Wettest Month	Driest Month	Wettest Month	Driest Month	Highest Month	Lowest Month	Highest Month	Lowest Month	Probable Mean Relative Humidity Range (per cent)				
																Dampest Month	Driest Month			
28	-	7	67-91	35-50	116	20	13.0-31.0	0.2-0.7	12-28	1	15.0	15-30	5-15	0-2	0	80-95	50-75	25-45	0	
29	-	16	66-86	-2-+35	102	-33	0.5-5.0	Tr-0.5	2-20	4-5	10.0	10-30	3-15	0-3	0-Tr	40-85	25-50	5-70	0-50	
30	-	9	80-105	-3-+12	115	-16	0.5-1.3	0-0.1	2-7	0-1	1.0	15-50	5-20	3-10	0-3	50-90	18-50	0-3	up to 183	
31	-	5	107-108	43-50	121	29	2.0-5.0	0-0.1	2-6	4	7.0	2-15	0-10	0-Tr	0	47-78	12-36	25-35	0	
31A	3	5	89-95	60-65	105	40	6.0-8.0	0-Tr	6-10	4	10.0	90-95	15-20	0-1	0	61-90	30-60	10-15	0	
32	-	4	100-114	31-44	127	12	0.7-2.0	0-0.1	2-5	0-4	3.0	10-80	5-40	1-10	0-Tr	33-84	13-44	8-14	up to 35	
32A	4	4	93-113	44-58	123	24	1.0-3.0	0-Tr	2-7	0-4	7.0	15-90	5-25	0-5	0-Tr	40-80	30-70	4-14	up to 32	
32B	5	4	98-110	50-56	119	35	0.5-1.0	0	2-5	0	2.8	50-55	5-20	0-5	0-Tr	77-80	60-70	0-6	20-135	
32C	4	4	98-102	52-66	116	37	1.0-1.5	0	2	0	4.3	15-60	10-25	0-2	0-Tr	55-85	50-60	4-10	7-30	
32D	5	4	92-95	66-73	115	55	0.2-1.7	0	3-4	0	3.0	15-90	10-60	1-10	0-Tr	60-91	45-70	2-4	up to 115	
33	-	5	80-110	18-40	122	-22	1.0-4.0	0-0.2	1-12	0-2	3.0	10-70	5-40	1-5	0-1	50-85	12-65	1-30	up to 30	
33A	7	5	88-94	39-51	112	17	3.0-10.0	0-0.2	9-15	0-1	11.0	40-60	15-30	1-12	0-Tr	50-80	35-70	8-50	up to 5	
34	-	4	101-103	30-35	116	0	0.5-1.5	0	2-5	0	2.3	10-80	5-30	3-50	0-3	35-80	12-37	2-4	up to 22	
35	-	9	86-93	7-32	110	-24	0.5-1.0	Tr-0.4	5-8	4-3	2.0	25-65	15-45	1-12	Tr-3	65-80	25-65	5-10	0-5	
36	-	16	62-88	12-25	104	-16	2.0-6.0	0.2-1.5	9-18	2-7	4.3	10-40	5-25	2-5	0-Tr	63-91	35-65	5-40	0	
37	-	7	78-80	38-40	100	19	4.0-5.0	1.0-2.0	12-14	7-8	3.7	35-45	15-20	5-10	0-Tr	80-85	65-70	10-15	0	
38	-	6	77-81	36-37	105	18	3.0-7.0	1.0-2.0	15-17	5-6	8.6	40-45	15-20	5-10	0-Tr	75-90	60-75	7-15	0	
39	-	7	83-85	27-30	106	-3	2.5-3.5	1.0-1.5	10-11	4-9	4.0	40-60	15-20	5-10	0-Tr	75-90	55-80	18-22	0	
40	9	6	86-88	35-36	109	-14	3.5-4.5	0.3-1.0	13-16	1-3	8.0	30-55	5-20	4-10	0-Tr	60-85	40-70	15-20	0	
41	-	6	85-95	34-48	114	-2	4.0-7.0	Tr-1	9-18	4-4	7.6	15-80	5-50	1-12	0-Tr	60-85	40-70	8-15	0	
41A	7	6	78-91	30-47	109	15	2.0-8.0	Tr-2	9-17	1-6	8.0	40-55	15-25	4-12	0-Tr	60-85	35-75	3-44	0	
42	-	11	72-87	17-34	107	-24	2.0-5.0	1.0-2.0	3-16	4-11	5.4	15-45	10-25	2-8	0-Tr	65-82	40-80	15-40	0	
42A	-	11	80-82	23-25	100	-7	1.5-2.5	0.5-1.0	11-13	2-4	3.0	40-65	15-25	5-10	0-Tr	75-90	50-80	17-20	0	
42B	10	11	82-84	32-36	100	9	3.0-6.0	1.0-3.0	10-11	6-7	5.4	40-50	15-25	8-12	0-Tr	75-80	60-70	17-23	0	
43	-	6	78-86	32-40	107	13	3.0-5.0	0.5-2.0	12-14	1-5	2.5	20-40	5-20	Tr-2	0-Tr	70-85	40-70	8-14	0	
43A	7	6	83-89	38-47	107	17	2.0-6.0	0.1-1.5	8-16	1-5	7.0	25-55	2-25	3-10	0-Tr	60-80	40-65	5-25	0	
44	-	16	68-83	0-30	102	-30	3.0-7.0	1.0-4.0	12-17	5-13	4.9	10-30	2-15	Tr-5	0-Tr	50-80	30-70	18-52	0	
45	7	6	80-87	35-47	108	9	3.0-7.0	0.1-2.0	6-13	4-5-6	8.7	10-60	5-25	1-30	0-5	60-80	45-75	9-22	0	

TABLE A-1 (Cont.)

Climatic Characteristics of Asia - Europe

Zone	Climatic Classification	Temperature (°F)				Precipitation				Wind Speeds				Probable Mean Relative Humidity Range (per cent)		Fog on Coast (Bailey)	Mean Annual No. Days With Thunderstorms	Mean Annual No. Days With Dust-storms	
		Daily Mean		Probable Absolute		Mean Monthly (inches)		Mean No. Days With 0.01 inches or More		Probable Average per cent of Time Speeds Exceed		32 knots	Range						
		Maximum, Minimum, Coolest		Max.	Min.	Wettest Month	Driest Month	Wettest Month	Driest Month	Highest Month	Lowest Month		Highest Month	Lowest Month	Dampest Month				Driest Month
		Warmest Month	Month																
45	-	10	86-96	21-42	117	10	1.5-5	0.0-0.5	9-11	1-2	20-60	10-30	3-10	0-1	60-88	40-75	-	11-20	
47	-	6	85-88	35-42	107	19	3.0-5	0.1-0.2	11-12	1-2	20-30	10-15	Tr-1	0-Tr	70-83	30-55	-	12-14	
47A	7	6	76-85	41-47	107	26	3.0-7	Tr-1	12-18	1-3	35-50	15-40	1-5	0-Tr	70-88	48-78	-	7-22	
48	-	8	71-88	29-35	105	-14	2.0-4	1.0-2.0	11-17	8-13	25-55	10-55	1-5	0-1	78-93	50-83	-	11-36	
48A	9	8	72-80	38-42	104	20	4.0-8	1.0-2.0	17-18	8-9	25-65	20-40	8-11	0-Tr	75-95	60-77	x	10-12	
48B	10	6	67-82	24-43	111	-10	3.0-5	1.0-2.0	12-24	8-12	20-75	10-50	1-12	0-3	80-95	55-90	x partial	2-23	
49	10	8	63-71	34-40	94	5	2.0-7	1.0-3.0	16-26	12-17	35-80	20-55	1-15	0-Tr	80-90	60-85	-	5-15	
50	-	12	70-85	-14-28	104	-56	2.0-6	0.3-1.5	11-17	6-14	25-50	20-35	1-3	0-1	75-87	40-73	-	10-40	
50A	10	12	68-73	12-25	97	-39	3.0-3.5	1.0-1.5	15-17	12-14	25-65	10-45	1-10	0-1	80-95	50-75	x partial	14-21	
51	-	12	68-72	10-15	97	-29	2.0-3	1.0-1.5	15-16	9-11	20-40	5-20	Tr-2	0-Tr	85-90	50-60	-	8-10	
51A	10	12	69-71	20-26	95	-26	2.0-4	1.0-2.0	14-17	9-11	30-70	20-45	1-12	0-1	85-90	50-65	x partial	8-10	
52	10	8	62-66	27-31	89	-6	0.0-10	2.0-4.0	11-19	6-12	30-70	20-40	3-15	0-1	80-90	60-80	x	4-5	
53	13	13	60-70	20-25	95	-15	3.0-7	1.0-3.0	17-23	9-13	30-70	25-35	4-15	Tr-3	74-88	55-70	x	1-5	
54	-	14	40-60	-5-+3	85	-59	2.0-3	0.5-1.0	12-16	4-8	20-50	10-25	2-6	Tr-1	85-90	55-75	-	0-3	
54A	14	14	57-58	20-24	85	-4	4.0-5	1.0-2.0	16-17	10-11	30-70	15-35	6-10	Tr-2	74-85	65-75	-	0-1	
55	14	8	57-58	26-30	83	2	3.0-10	2.0-5.0	21-22	14-15	65-75	35-45	10-25	0-3	75-85	65-75	x	2-5	
56	-	14	56-58	16-22	83	-36	2.0-3	0.4-1.0	14-17	5-11	50-70	20-35	5-15	0-2	75-85	65-75	-	0-3	
56A	14	14	53-58	22-28	83	-21	2.0-4	0.6-1.1	15-19	7-11	65-75	25-40	10-25	0-5	75-85	65-75	x	0-1	

TABLE A-2
Climatic Characteristics of Africa

Zone	Climatic Classification		Temperature (°F)			Precipitation						Wind Speeds						Probable Mean. Relative Humidity Range (per cent)		Fog on Coast (Bailey)	Mean Annual No. Days With Thunderstorms	Mean Annual No. Days With Dust- or Sandstorms					
			Daily Mean		Probable Absolute	Mean Monthly (inches)		Mean No. Days With 0.01 inches or More		Maximum Probable 24-hour Precip. (inches)	Probable Average per cent of Time Speeds Exceed																
											10 knots						32 knots										
											Maximum, Warmest Month	Minimum, Coolest Month	Wettest Month	Driest Month	Wettest Month	Driest Month	Highest Month						Lowest Month	Highest Month	Lowest Month		
	Bailey	Critchfield	Max.	Min.	Wettest Month	Driest Month	Wettest Month	Driest Month	Wettest Month	Driest Month	Highest Month	Lowest Month	Highest Month	Lowest Month	Dampest Month	Driest Month											
1	6	91-97	37-39	117	19	2.0-4.0	Tr-0.2	8-12	1-2	0	25-50	5-20	Tr-1	0-Tr	60-85	25-55	-	10-22	0								
1A	7	81-91	44-49	118	30	2.0-6.0	Tr-0.2	8-15	41-2	0	30-60	20-30	2-5	0-Tr	65-90	40-85	-	10-25	0								
2	5	85-106	32-43	122	15	0.5-2.0	Tr-0.2	3-7	1-3	0	30-50	5-30	1-5	0-Tr	40-90	20-70	-	3-13	6-30								
2A	12	75-80	50-52	119	35	1.0-2.0	Tr-0.1	3-4	<1	0	40-70	20-35	1-3	0-Tr	80-85	50-80	-	1-4	0								
2B	5	86-91	43-47	122	25	1.0-5.0	0-Tr	4-11	0-1	0	45-60	25-35	3-7	0-Tr	55-90	50-75	-	14-17	0								
3	7	85-91	42-52	114	36	2.0-5.0	0-Tr	13-18	0-Tr	0	50-60	20-30	3-6	0-Tr	65-90	40-75	-	5-15	0								
4	4	85-117	34-56	133	20	0.0-1.5	0	0-5	0	2.4	25-50	5-30	1-3	0-Tr	20-70	10-50	-	0-1	3-55								
4A	5	85-91	50-54	113	45	0.5-1.0	0	3-7	0	3.3	65-75	15-40	0-1	0-Tr	55-90	25-85	-	5-10	0								
4B	4	91-93	57-61	117	41	5.0-6.0	0	6-12	0	0.8	40-65	25-45	0-1	0-Tr	60-90	20-85	-	10-25	0								
4C	12	85-87	46-48	109	38	1.0-2.0	0	6-7	0	0	50-70	20-30	2-6	0-Tr	60-90	45-75	-	0-1	6-9								
4D	12	82-89	47-51	115	32	0.5-2.0	0	4-9	0	3.0	30-50	15-30	1-3	0-Tr	60-90	45-80	-	0-5	6-8								
4E	5	53-102	48-63	118	39	0.1-0.5	0	Tr-2	0	1.5	30-80	25-50	Tr-1	0-Tr	50-75	45-65	-	0-1	0-5								
4F	4	104-110	66-72	118	50	1.0-3.0	0-Tr	4-7	0-Tr	5.2	35-70	5-30	1-5	0-Tr	60-80	30-60	-	0-1	0-50								
5	5	88-114	50-72	120	33	4.0-10.0	0-Tr	7-20	0-Tr	8.4	10-40	5-20	0-2	0-Tr	40-95	8-50	-	15-90	20-35								
5A	3	88-90	60-64	100	59	10.0-20.0	0	17-21	0	8.4	40-50	15-20	0-1	0-Tr	65-91	34-85	-	6-25	0								
5B	4	91-105	67-72	117	52	0.5-1.5	0-Tr	1-9	0-Tr	6.4	30-95	15-40	2-15	0-1	65-94	35-85	-	2-10	20-60								
6	16	70-95	40-55	93	27	6.0-17.0	0-0.5	16-30	0-2	3.9	10-40	5-25	0-5	0-1	70-95	10-70	-	90-135	0								
7	3	88-105	54-65	115	43	7.0-15.0	0-0.6	11-27	0-2	6.7	10-30	5-15	0-1	0-Tr	62-100	8-86	-	30-195	0								
7A	2	86-88	63-64	106	52	18.0-25.0	0	17-26	0	7.9	30-55	5-15	0-1	0-Tr	74-98	33-90	-	25-80	0								
7B	1	89-91	72-74	97	64	28.0-51.0	0-0.3	27-30	0-1	14.2	40-45	5-10	0-1	0-Tr	79-98	52-91	-	80-115	0								
7C	1	89-91	71-72	97	63	36.0-37.0	0.1-0.3	26-28	1	12.3	35-45	5-10	0-1	0-Tr	82-95	70-86	-	50-160	0								
7D	1	80-90	71-72	95	61	14.0-20.0	1.0-2.0	10-19	2-3	10.8	20-35	5-10	0-1	0-Tr	75-98	65-90	x	50-110	0								
7E	2	88-90	71-72	100	54	8.0-12.0	0.5-1.0	11-16	1-2	5.5	25-30	5-10	0-1	0-Tr	75-98	60-85	x	40-80	0								
7F	3	88-90	71-72	100	59	7.0-8.0	0.4-0.6	10-12	1	11.9	20-25	5-10	0-2	0-Tr	75-95	60-92	-	10-40	0								
7G	2	88-92	71-73	109	50	10.0-15.0	0.5-1.0	13-17	1-2	9.0	25-30	3-10	0-2	0-Tr	78-95	69-92	?	48-70	0								
7H	1	80-92	71-73	109	50	12.0-20.0	0.6-1.0	17-20	2	8.9	30-40	5-10	0-2	0-Tr	80-95	64-91	-	40-70	0								
8	1	89-100	62-87	109	43	6.0-18.0	0.1-3.0	14-27	1-8	8.8	10-15	5-10	0-1	0-Tr	70-98	60-96	-	90-150	0								
8A	1	87-89	69-71	105	49	16.0-17.0	0.2-2.0	22-24	1-3	8.4	20-45	5-10	0-2	0-Tr	80-95	70-93	-	135-200	0								

TABLE A-2 (Cont.)

APPENDIX A(15)

Climatic Characteristics of Africa

Zone	Climatic Classification	Temperature (°F)				Precipitation						Wind Speeds				Probable Mean Relative Humidity Range (per cent)		Fog on Coast (Bailey)	Mean Annual No. Days With Dust- or Sand-storms	
		Daily Mean		Probable Absolute		Mean Monthly (inches)		Mean No. Days With 0.01 inches or more		Probable Average per cent of Time Speeds Exceed		Relative Humidity								
		Maximum, Warmest Month	Minimum, Coolest Month	Max.	Min.	Wettest Month	Driest Month	Wettest Month	Driest Month	Highest Month	Lowest Month	Highest Month	Lowest Month	Darpest Month	Driest Month					
9	-	16	75-86	47-60	94	37	5.0-9.0	Tr-1.0	13-19	1-4	4.5	15-25	5-10	Tr-1	0-Tr	65-98	40-93	-	100-125	6
10	-	16	81-85	48-53	93	36	5.0-8.0	Tr-2.0	10-21	3-5	3.9	15-25	10-15	0-Tr	0-Tr	53-80	35-75	-	5-70	0
11	-	3	83-106	36-65	115	23	4.0-14.0	0-0.4	10-25	0-2	8.0	10-40	5-20	0-Tr	0	50-95	25-85	-	5-125	0
11A	3	3	92-97	70-75	100	62	3.0-4.0	0-Tr	10-13	0-Tr	2.0	60-80	15-20	1-3	0-Tr	75-95	70-90	-	2-10	
11B	2	3	87-91	60-70	109	45	3.0-14.0	0.1-1.0	14-19	1-5	13.6	25-75	15-40	0-2	0-Tr	70-95	35-90	-	25-70	0
11C	2	3	87-90	64-67	99	55	7.0-18.0	0-0.1	11-21	0-1	8.9	20-30	5-10	0-1	0-Tr	73-95	35-90	-	100-130	0
12	-	5	83-95	30-45	111	15	2.0-7.0	0-0.2	2-18	0-1	8.1	10-15	5-10	0-1	0-Tr	34-85	11-18	-	40-60	0
12A	3	5	86-91	64-65	99	57	5.0-3.0	0-Tr	8-10	0-1	8.8	15-20	5-10	0-1	0-Tr	78-88	73-65	-	30-50	0
12B	12	5	93-94	40-60	112	28	1.0-2.0	0.1-0.2	6-7	0-1	2.0	55-60	35-40	2-3	Tr-1	55-90	50-35	x	1-5	0
12C	6	5	68-78	45-49	107	36	2.0-4.0	1.0-3.0	8-9	5-6	6.4	50-75	45-50	8-10	Tr-4	67-92	57-84	-	3-25	0
13	-	4	91-103	37-39	115	27	1.0-2.0	0-0.1	3-4	0-1	1.4	10-25	5-20	0-2	0-Tr	28-58	13-45	-	20-25	up to 10
13A	4	4	64-87	56-62	102	44	1.0-3.0	0	3-9	0	5.4	15-50	5-20	0-1	0-Tr	76-90	70-82	x	9-13	0
13B	5	4	68-79	44-52	115	31	0.2-0.4	0-0.1	1-3	0-1	1.7	40-60	25-35	1-3	0-1	50-90	30-80	x	3-5	0
14	-	7	86-90	32-33	109	17	3.0-6.0	0.3-0.6	12-13	1-3	12.0	40-60	30-40	2-5	Tr-1	46-92	30-75	-	50-60	0
14A	6	7	76-82	48-56	106	36	3.0-6.0	1.0-2.0	12-14	3-4	12.7	50-60	40-50	3-8	Tr-3	73-90	54-75	-	20-30	0
15	7	6	80-86	40-59	107	25	2.0-4.0	0.4-2.0	6-12	1-4	3.9	55-60	35-40	5-8	1-2	65-91	55-84	x partial	5-10	0
16	-	1	85-90	50-56	100	45	11.0-15.0	0.1-0.2	15	1	8.5	20-60	5-30	Tr-5	0-Tr	68-92	44-78	-	25-30	0
16A	1	1	88-93	80-70	103	34	2.0-18.0	0.1-4.0	14-21	1-11	15.1	35-80	10-50	1-20	0-1	73-96	40-90	-	35-80	0
17	-	3	81-91	48-49	104	34	9.0-13.0	0.1-0.2	10-16	1-1	5.9	25-35	20-30	0-1	0-Tr	54-93	31-85	-	75-100	0
17A	2	3	80-84	31-68	101	48	9.0-15.0	Tr-0.1	14-16	0-1	11.2	30-40	10-15	0-1	0-Tr	70-93	40-85	-	75-80	0
17B	2	3	86-88	60-62	97	50	9.0-11.0	2.0-3.0	10-12	5-6	8.4	40-70	30-55	1-5	0-Tr	81-91	73-86	-	50-55	0
18	-	3	95-98	60-63	108	39	4.0-8.0	0.1-0.3	8-11	1-2	6.6	35-60	15-50	1-4	0-Tr	60-92	40-83	-	45-50	0
18A	3	3	90-92	58-60	108	43	5.0-7.0	Tr-0.2	8-7	0-1	6.1	40-65	20-55	2-4	0-Tr	76-87	56-80	-	65-70	0

TABLE A-3

APPENDIX A(16)

Climatic Characteristics of South America

Zone	Climatic Classification	Temperature (°F)				Precipitation						Wind Speeds				Probable Mean Relative Humidity Range (per cent)	Fog on Coast No. Days (Bailey)	Mean Annual No. Days With Thunderstorms	Mean Annual No. Days With Drought or Severe storms	
		Daily Mean		Probable Absolute		Mean Monthly (Inches)		Mean No. Days With 0.01 inches or More		Maximum Probable 24-hour Precip. (Inches)		Probable Average per cent of Time Speeds Exceed								
		Maximum Warmest Month	Minimum Coolest Month	Max.	Min.	Wettest Month	Driest Month	Wettest Month	Driest Month	Wettest Month	Driest Month	Highest Month	Lowest Month							
														Highest Month	Lowest Month					
																				Highest Month
1	3	5	92-99	64-74	107	50	4.0-8.0	Trace	7-12	0-1	50-85	20-50	0	45-68	50-90	-	30-70	0		
2	-	3	92-96	70-73	104	63	11.0-15.0	Tr	1.5	15-24	0-3	6	10-20	5-10	0	55-68	50-90	-	45-70	0
2A	2	3	90-97	65-70	104	55	8.0-9.0	0.5-1.0	16-18	1-4	4	45-65	20-35	0	55-68	50-90	-	10-25	0	
3A	2	2	90-97	65-70	101	56	6.0-10.0	0.5-2.0	16-21	4-9	6	50-60	15-30	0	55-68	50-90	-	20-30	0	
3B	1	2	87-91	70-74	99	63	12.0-22.0	1.0-4.0	22-27	6-11	7	50-70	15-20	0	75-88	66-82	-	10-60	0	
4	-	1	85-95	65-72	101	41-57	12.0-18.0	0.5-6.0	15-26	2-16	8	10-20	2-5	0	65-88	47-80	-	20-60	0	
4A	1	1	87-92	70-74	95	65	18.0-20.0	1.0-4.0	25-28	2-13	5	40-75	20-40	0	70-98	65-80	-	30-70	0	
5	-	3	34-97	49-68	103	30-60	9.0-15.0	0.2-1.0	12-20	0-3	7	20-50	5-10	0	60-88	45-80	-	8-55	0	
5A	2	3	90-93	73-75	100	69	11.0-12.0	0.1-	22-26	1	5	70-90	20-40	0	60-88	50-90	-	25-30	0	
5B	2	3	90-93	73-75	100	69	11.0-12.0	0.1-	22-26	1	5	70-75	30-35	0	60-88	50-90	-	6-8	0	
5C	1	3	87-90	68-70	95	61	9.0-14.0	0.7-	18-26	5-8	7	60-75	35-35	0-Tr	60-98	55-80	-	3-0	0	
5D	2	3	96-98	69-71	100	55	11.0-12.0	1.0-2.0	22-24	6-8	7	50-60	15-25	0-Tr	60-98	55-80	-	3-10	0	
5E	2	3	84-88	54-64	102	45	5.0-8.0	1.0-2.0	13-16	6-8	9	35-45	20-30	0-1	65-98	55-85	-	6-35	0	
6	3	5	88-96	59-70	102	60	0.0-14.0	0.5-	16-19	1-3	10	70-75	25-30	0	60-98	45-75	-	7-85	0	
7	1	1	86-88	62-60	95	60	8.0-12.0	2.0-3.0	19-20	5-12	5	35-45	15-25	0-Tr	67-98	65-88	-	15-30	0	
8	1	1	79-85	59-62	95	32-45	10.0-17.0	2.5-7.0	17-20	2-8	5	35-40	15-20	1-4	68-88	56-96	-	5-10	0	
9	-	7	78-92	52-50	111	18-31	2.0-8.0	1.3-3.0	7-11	2-6	10	20-50	10-20	1-3	60-93	49-85	-	20-60	0	
9A	6	7	83-87	49-57	105	25-35	5.0-8.0	2.0-4.0	12-14	7-9	8	35-60	20-50	3-8	60-93	48-85	-	25-45	0	
10	-	10	82-98	34-48	113	12-20	4.0-5.0	1.0-2.0	7-8	2-4	5	20-50	10-20	1-5	63-98	35-90	-	18-20	0	
10A	11	10	86-88	37-39	108	18-23	1.5-3.0	0.5-1.0	5-7	2-3	4	55-65	30-35	7-8	55-85	30-85	-	10-20	0	
11	-	8	75-103	30-46	120	0-23	1.0-7.0	0.2-0.5	6-9	0-2	6	20-70	10-35	4-8	55-85	30-80	-	20-55	0	
11A	12	9	72-86	30-36	108	1-15	0.4-1.5	0.2-0.7	6-8	0-2	2	55-70	30-40	8-17	1-4	50-85	30-70	-	5-15	0
12	-	10	68-90	26-30	106	5-10	0.5-1.0	0.0-0.2	3-6	0-2	2	30-65	15-30	4-12	0-2	44-85	25-65	-	3-30	0
12A	11	10	60-70	28-33	80-93	5-20	0.8-1.2	0.2-0.4	5-8	2-4	2	65-70	35-40	15-20	4-5	45-98	30-85	-	1-4	0
13	-	14	52-64	25-32	81	7-16	1.5-4.0	0.5-2.0	11-19	1-15	3	70-85	20-50	18-22	6-8	80-95	55-85	x partial	0-1	0
14	8	8	57-74	36-39	95	19-27	12.0-20.0	2.5-12.0	19-26	7-21	6	55-80	20-55	7-22	1-8	80-95	50-88	x	0-7	0
15	9	8	68-70	41-45	96	24-36	6.0-11.0	0.5-1.5	17-22	2-7	5	50-55	35-40	4-7	1-2	78-95	60-85	x	2-5	0-5
16	-	6	76-85	37-42	99	24-28	3.0-10.0	0.0-0.3	7-14	0-1	7	50-55	30-35	2-3	0	69-95	35-85	x	1-3	0-5

TABLE A-3 (Cont.)

APPENDIX A(17)

Climatic Characteristics of South America

Zone	Climatic Classification		Temperature (°F)				Precipitation				Wind Speeds				Probable Mean Relative Humidity Range (per cent)		Fog on Coast (Bailey)	Mean Annual No. Days With Thunderstorms	Mean Annual No. Days With Dust or Sandstorms	
			Daily Mean		Probable Absolute		Mean Monthly (Inches)		Mean No. Days With 0.01 inches or More		Maximum Probable 24-hour Precip. (Inches)		Probable Average per cent of Time Speeds Exceed		Probable Mean Relative Humidity Range (per cent)					
	Bailey	Critchfield	Maximum Warmest Month	Minimum Coolest Month	Max.	Min.	Wettest Month	Driest Month	Wettest Month	Driest Month	Highest Month	Lowest Month	Highest Month	Lowest Month	Dampent Month	Driest Month				
17	12	4	72-80	43-47	81	36-37	1.5-4.0	0.0-0.1	3-7	0-1	4	40-55	20-35	0-1	0	75-90	65-88	x	0-2	0-5
18	5	4	75-84	47-56	86	34-50	0.0-0.4	0	3-17	0	1	15-50	5-25	0-Tr	0	67-95	55-87	x partial	0-5	0-30
19	4	4	85-90	57-61	98	47-51	0.2-0.6	0	4-5	0	1	25-30	5-10	0-Tr	0	60-95	50-80		2-4	
20	3	4	87-95	58-62	103	52	2.0-3.0	0	6-2	0	3	40-45	5-10	0	0	55-90	20-70		0-1	
21	2	3	87-89	66-69	98	56	6.0-12.0	0.0-0.5	15-21	1-6	4	35-45	5-10	0	0	65-98	50-90		1-14	
22	1	3	84-91	61-75	90-107	52-67	8.0-43.0	1.0-21.0	18-28	4-17	5	25-45	5-25	0	0	75-98	65-90		10-60	
23	-	13	65-85	0-65	70-105	25-60	4.0-7.0	0.2-2.0	3-22	0-7	3	20-40	10-20	4-30	0-5	59-98	20-90		1-60	
24	2	3	88-92	70-72	103	63-68	8.0-18.0	Tr-0.5	8-10	1-6	4	80-85	20-35	1	0	70-98	50-80		20-60	

TABLE A-4

Climatic Characteristics of North America

Zone	Climatic Classification	Temperature (°F)				Precipitation				Wind Speeds						Fog on Coast (Bailey)	Mean Annual No. Days With Thunderstorms	Mean Annual No. Days With Dust-storms		
		Daily Mean		Probable Absolute		Mean Monthly (Inches)		Mean No. Days With 0.01 Inches or More		Maximum Probable 24-hour Precip. (Inches)		Probable Average per cent of Time Speeds Exceed			Probable Mean Relative Humidity Range (per cent)					
		Maximum, Warmest Month	Minimum, Coolest Month	Max.	Min.	Wettest Month	Driest Month	Wettest Month	Driest Month	Precip. Month	Precip. Month	10 knots		32 knots					Dampnest Month	Driest Month
												Highest Month	Lowest Month	Highest Month	Lowest Month					
1	14	58-63	-31-40	88	-63	0.5-3	Tr-0.1	8-28	2-8	1.0	15-45	15-30	1-5	0-2	80-100	70-90	-	0-1		
1A	14	48-58	-4-46	86	-63	0.5-3	0-0.6	8-17	2-7	2.3	30-75	6-45	1-15	0-3	83-100	63-90	x	0-1		
1B	13	62-67	-1-6	96	-38	3.0-5	1-3.0	15-18	8-13	3.5	70-90	25-40	10-15	1-3	80-95	70-85	x	0-1		
2	14	46-57	-20-+16	86	-44	0.5-7	Tr-3.0	0-15	1-10	6.6	10-55	5-35	2-30	0-7	70-95	65-85	x	0-1		
3	15	15-25	-45-51	36	-87	Tr-0.1	0-Tr	8-25*	1-13*	-	40-60	30-50	2-10	0-2	85-100	75-90	-	0		
4	13	62-74	-1-33	103	-81	2.0-5	Tr-1.0	11-27	4-9	3.8	5-45	1-20	0-5	0-1	60-100	40-85	-	3-10		
4A	14	52-61	0-28	85	-37	2.0-8	0.1-4.0	17-24	3-13	4.5	35-85	25-90	5-25	0-10	85-100	60-90	x	0-2		
4B	13	60-67	-1-+5	92	-30	3.0-5	1.0-3.0	16-22	10-14	3.0	55-85	25-40	12-15	1-3	90-95	75-90	x	3-6		
4C	13	61-71	-3-+4	96	-50	5.0-6	2.0-3.0	15-17	11-12	3.1	55-95	25-40	10-15	1-3	90-95	75-90	x	5-15		
4D	14	60-64	-15-20	93	-51	3.0-4	0.5-1.0	18-22	7-11	2.1	50-60	25-40	1-2	0-1	85-100	70-85	-	5-10		
4E	13	65-74	-13-20	98	-61	2.0-4	0.5-2.0	11-18	4-7	2.1	50-60	25-40	1-2	0-1	85-100	40-70	-	5-10		
4F	14	65-74	-13-27	96	-57	2.0-3	0.4-1.0	11-13	4-5	2.1	50-60	25-40	1-2	0-1	88-100	50-70	-	5-10		
5	16	61-95	-5-+30	110	-58	1.0-4	Tr-1.0	9-25	3-14	2.6	5-45	3-15	Tr-4	0-1	65-95	25-85	-	15-55		
6A	13	59-65	5-25	92	-36	2.0-18	0.4-5.0	15-21	4-15	7.9	15-55	5-30	1-7	0-1	85-95	50-85	-	0-2		
6B	9	62-75	24-36	100	-15	6.0-14	0.5-6.0	19-25	3-16	8.1	15-60	5-35	1-10	0-1	66-96	45-88	x	1-9		
7	12	72-85	-15-+20	108	-70	2.0-4	0.5-3.0	11-19	6-9	5.3	20-60	10-40	1-4	0-1	55-95	45-85	-	15-40		
7A	13	56-63	22-24	95	-30	5.0-7	3.0-4.0	14-18	9-12	7.0	80-90	25-40	3-12	Tr-3	60-95	65-90	x	5-10		
7B	10	65-80	10-25	104	-39	3.0-5	2.0-3.0	12-15	8-9	8.4	80-90	10-30	Tr-2	0-1	55-85	52-75	x	5-25		
8	11	85-89	4-25	114	-27	3.0-5	0.5-3.0	11-16	5-9	5.1	35-65	5-25	1-4	0-1	50-90	45-88	-	25-60		
8A	10	79-84	25-30	104	-9	4.0-5	2.0-3.0	12-13	8-9	8.2	50-65	25-30	2-4	0-1	50-85	45-88	-	20-30		
9	7	86-96	27-51	111	-11	4.0-8	1.0-3.0	9-19	4-8	8.2	25-65	5-40	Tr-7	0-1	50-95	40-85	-	35-90		
9A	10	85-88	32-35	105	-2	5.0-7	2.0-3.0	12-14	7-8	7.0	50-65	25-40	1-5	0-1	60-85	50-75	-	55-90		
9B	6	89-91	37-50	105	5	6.0-8	1.0-3.0	14-16	6-7	7.7	20-60	5-45	Tr-5	0-1	60-95	45-90	-	45-85		
9C	6	87-93	43-48	105	10	5.0-20	2.0-4.0	10-17	5-6	8.1	20-60	2-35	Tr-1	0-1	55-93	50-85	-	55-90		
10	10	76-92	-2-+24	112	-54	1.0-3	0.2-0.6	10-17	2-7	3.8	25-60	10-45	Tr-1	0-1	35-90	15-70	-	2-50		
11	6	88-92	9-18	104	-27	1.0-2	0.2-0.5	6-9	2-4	2.4	10-40	2-20	Tr-4	0-1	50-85	12-75	-	13-30		
12	6	90-100	35-40	112	18	1.0-4	0.0-Tr	9-11	0-Tr	3.5	15-40	2-20	Tr-2	0	65-95	18-75	-	4-5		

* Trace or more

TABLE A-4 (Cont.)

Climatic Characteristics of North America

Zone	Climatic Classification	Temperature (°F)				Precipitation				Wind Speeds				Probable Mean Relative Humidity Range (per cent)		Fog on Coast No. Days (Bailey)	Mean Annual No. Days With Thunderstorms	Mean Annual No. Days With Dust- or Sandstorms				
		Daily Mean		Probable Absolute		Mean Monthly (Inches)		Mean No. Days With 0.01 Inches or More		Maximum Probable 24-hour Precip. (Inches)		Probable Average per cent of Time Speeds Exceed:										
												10 knots							32 knots			
		Bailey	Crittchfield	Maximum Warmest Month	Minimum Coldest Month	Max.	Min.	Wettest Month	Driest Month	Wettest Month	Driest Month	Wettest Month	Driest Month	Highest Month	Lowest Month				Highest Month	Lowest Month	Dampnest Month	Driest Month
12A	9	70-75	37-42	102	23	3.0-4	0.0-Tr	10-14	0-Tr	3.2	35-60	10-35	T-3	0	70-90	60-85	1-2	0				
12B	7	70-85	40-45	110	25	3.0-4	0.0-Tr	7-8	0-Tr	6.1	10-60	5-20	T-1	0	50-95	30-75	1-6	0				
13	7	74-85	40-47	110	25	2.0-3	0.0-0.1	7-8	0-Tr	3.6	5-40	2-25	T-1	0	60-88	30-75	1-3	0				
14	-	84-106	31-42	122	-6	0.5-3	Tr-0.3	3-8	Tr-2	4.0	10-45	2-20	T-4	0-T	30-75	10-40	5-40	0-50				
14A	4	78-95	50-56	117	35	1.0-3	0.0-Tr	5-7	0-Tr	6.6	30-45	15-30	1-5	0-1	50-85	30-75	6-7	0				
15	-	80-99	22-50	119	-14	3.0-5	0.1-0.7	7-13	1-4	11.5	25-60	10-40	1-3	0-T	40-80	20-70	3-40	0				
15A	3	85-95	53-62	106	38	6.0-9	0.0-Tr	15-16	0-Tr	10.6	20-35	15-20	1-2	0-Tr	70-85	40-30	18-30	0				
15B	3	93-94	47-52	104	12	4.0-6	1.0-2.0	8-10	4-5	8.2	50-65	15-30	1-2	0-Tr	65-85	50-84	30-35	0				
16	-	78-93	22-44	112	2	3.0-6	0.1-0.3	12-25	Tr-2	2.5	5-30	2-10	Tr-1	0-Tr	55-85	30-60	18-60	0				
17	-	78-92	47-60	104	34	7.0-11	Tr-2.0	16-23	Tr-7	5.3	10-50	2-10	1-6	0-1	70-95	45-75	12-48	0				
17A	2	81-95	58-78	104	45	8.0-17	0.0-0.4	12-26	0-1	11.3	10-60	0-20	Tr-1.2	0	70-99	40-85	10-120	0				
17B	1	80-91	71-72	86	64	10.0-12	Tr-1.0	23-24	1-2	4.7	15-55	5-10	0-Tr	0	73-85	50-87	80-100	0				
17C	3	90-92	58-60	104	34	10.0-12	0.5-1.0	16-18	2-3	7.6	45-55	20-25	0-2	0-Tr	70-90	65-85	15-20	0				
17D	2	85-90	62-65	86	48	13.0-15	0.3-1.0	18-20	2-3	7.7	45-50	20-25	1-4	0	73-93	67-87	18-24	0				
18	-	69-85	40-72	101	49	6.0-20	0.1-7.0	14-25	1-9	0.0	10-40	5-20	2-5	0	70-90	45-75	10-70	0				
19	-	84-86	68-72	106	52	10.0-14	1.0-2.0	18-25	3-14	-	15-30	5-10	0-Tr	0	80-98	70-85	15-30	0				
19A	1	88-90	65-67	106	50	18.0-20	1.0-2.0	18-24	2-10	7.7	45-55	25-35	0-1	0	82-96	70-90	20-30	0				
19B	1	87-91	63-73	89	54	17.0-22	2.0-5.0	19-25	3-12	11.2	15-80	5-25	0-Tr	0	80-98	69-88	17-100	0				
20	-	80-92	63-65	104	45	7.0-8	1.0-2.0	13-16	2-3	3.5	35-50	5-20	0-1	0	78-94	60-75	15-25	0				
20A	2	86-88	66-68	89	54	6.0-9	0.1-1.0	16-19	1-3	2.6	45-55	30-35	0-1	0	80-95	65-90	30-55	0				
20B	2	88-90	66-68	89	49	7.0-8	0.5-1.0	12-15	2-3	0.0	50-60	20-30	0-1	0	78-94	70-85	20-25	0				
21	3	86-92	66-68	106	51	3.0-7	0.5-1.0	8-15	1-2	4.1	45-55	20-30	1-2	0	70-95	53-85	6-10	0				
22	2	88-90	57-70	95	28	4.0-12	1.0-2.0	14-17	4-6	5.0	30-55	10-45	Tr-1	0	70-85	60-75	25-75	0				
23	1	84-86	60-65	98	48	8.0-9	1.0-2.0	13-16	3-4	5.0	25-35	10-30	Tr-1	0	80-95	70-80	50-70	0				
24	2	84-91	61-65	102	45	6.0-10	0.5-2.0	12-16	2-7	7.0	30-45	5-30	Tr-1	0	60-92	45-80	5-100	0				
25	1/2	90-92	67-69	98	55	7.0-10	0.5-1.5	11-15	1-4	7.0	20-40	10-20	Tr-1	0	70-85	55-75	50-65	0				
26	1/2	85-87	68-70	94	60	5.0-7	2.0-3.0	15-21	8-14	7.0	30-45	15-25	0-Tr	0	74-90	68-85	12-20	0				

TABLE A-5

Climatic Characteristics of Australia, New Zealand and Southwest Pacific Islands (Oceania)

Zone	Climatic Classification	Temperature (°F)				Precipitation						Wind Speeds						Fog on Coast (Bailey)	Mean Annual No. Days With Thunderstorms	Mean Annual No. Days With Dust-storms or Sandstorms	
		Daily Mean		Probable Absolute		Mean Monthly (Inches)		Mean No. Days With 0.01 inches or More		Maximum Probable 24-hour Precip. (Inches)	Probable Average per cent of Time Speeds Exceed										
											10 knots				32 knots						
											Highest Month		Lowest Month		Highest Month		Lowest Month				
											Maximum, Warmest Month	Minimum, Coolest Month	Max.	Min.	Wettest Month	Driest Month	Wettest Month				Driest Month
1	3	98-102	52-56	112	36	8-10	Tr-0.1	12-15	0-1	8.0	20-50	5-10	0-1	0	55-85	35-75	-	70-100	0		
1A	2	95-97	52-55	108	36	13-15	Tr-0.1	13-16	0-1	7.8	25-40	5-15	Tr-2	0	60-80	40-50	-	90-100	0		
1B	3	96-99	62-66	112	50	6-8	Tr-0.1	13-16	0-1	5.9	25-30	5-10	0-Tr	0	55-75	35-40	-	70-80	0		
1C	2	92-96	63-70	105	56	10-16	Tr-0.1	16-20	0-1	9.2	25-65	5-15	0-1	0	75-90	45-80	-	70-80	0		
2	3	92-100	60-65	105	35	9-11	Tr-0.2	15-20	0-1	12.0	30-45	5-10	0-Tr	0	70-90	35-70	-	20-40	0		
2A	2	89-92	57-60	103	44	10-12	Tr-0.2	15-20	0-1	10.4	45-55	10-20	0-Tr	0	70-90	40-70	-	20-40	0		
2B	1	89-92	58-61	110	43	16-18	1.0-2.0	18-20	4-7	8.0	35-50	5-10	0-Tr	0	65-90	55-80	-	7-12	0		
3	5	90-102	38-54	128	24	2-7	0.1-0.3	6-12	Tr-4	8.0	25-60	10-30	0-Tr	0	30-85	20-50	-	10-40	0		
3A	3	83-85	55-60	111	40	7-8	0.1-0.2	9-11	0-1	13.8	35-50	10-20	Tr-2	0	65-90	30-75	-	20-40	0		
3B	3	90-93	60-65	105	45	8-9	0-Tr	10-12	0-Tr	9.0	40-45	10-15	0-Tr	0	65-90	40-75	-	20-25	0		
3C	12	78-82	43-45	123	25	1-2	0.3-0.5	10-11	2-4	4.5	60-65	35-40	3-4	Tr-1	55-90	50-75	-	3-10	0		
3D	4	85-88	52-53	116	33	2-5	Tr-0.2	6-14	Tr-1	4.5	70-75	35-45	1-5	0-Tr	55-85	40-90	-	5-10	0		
4	7	90-95	34-38	117	20	2-5	1.0-2.0	7-12	4-5	5.0	30-45	10-35	1-4	0-Tr	60-90	35-75	-	15-30	0		
4A	2	86-88	60-62	110	45	9-11	0.5-1.0	12-14	1-2	10.3	35-40	10-20	Tr-1	0	70-95	50-85	-	15-20	0		
4B	6	78-80	45-52	114	33	5-8	1.0-3.0	12-14	5-10	8.0	40-50	20-45	1-5	0-Tr	60-95	45-90	-	20-40	0		
5	8	77-91	34-38	117	18	2-3	1.0-2.0	7-20	4-7	3.9	30-55	10-40	1-7	0-1	70-95	35-85	-	10-15	0		
5A	6	71-79	43-47	114	27	2-4	2.0-3.0	10-17	8-9	4.6	45-65	40-50	4-8	Tr-2	70-90	50-85	-	10-15	0		
6	6	86-90	41-44	124	24	1-3	0.4-1.0	8-10	2-4	4.6	40-55	10-40	2-5	0-1	55-80	35-65	-	10-15	0		
6A	7	78-80	43-46	119	31	1-3	0.4-1.0	9-17	3-5	5.6	55-65	35-45	3-7	Tr-1	55-85	35-65	-	10-16	0		
7	6	88-94	40-45	116	26	2-4	0.3-1.0	12-15	2-4	4.0	40-65	25-40	3-9	0-1	65-90	30-60	-	10-15	0		
7A	7	74-85	45-52	117	31	4-8	0.3-1.0	16-25	3-7	5.0	55-75	45-55	4-12	Tr-2	65-90	45-80	-	13-16	0		
8	4	90-102	38-46	119	19	0.5-2	0.1-0.6	2-7	1-3	5.0	20-50	5-30	0-1	0	30-90	20-60	-	5-15	0.5		
8A	4	88-95	52-55	116	37	2-3	Tr-0.2	5-7	Tr-1	4.8	45-75	20-40	Tr-3	0	50-85	45-75	-	15-25	0		
9	8	66-69	44-45	93	28	4-6	1.0-3.0	22-23	10-12	4.2	60-70	30-45	3-10	Tr-1	78-90	64-85	-	5-8	0		
10	10	71-74	35-41	105	19	2-3	1.0-2.0	17-18	8-10	5.0	55-70	30-45	1-8	Tr-1	70-92	50-88	-	3-6	0		
11	8	64-67	34-39	85	23	8-25	6.0-10.0	18-27	10-20	6.3	55-80	45-55	2-11	Tr-5	80-95	70-80	-	10-25	0		
12	10	66-79	34-42	97	17	3-11	1.0-3.0	14-21	5-16	3.5	45-75	35-45	3-12	Tr-4	70-95	55-85	-	3-20	0		
13	6	73-77	40-46	90	27	6-7	2.0-3.0	18-21	7-11	2.2	45-65	35-40	1-7	0	70-90	60-80	-	4-20	0		
14	1	86-88	55-61	99	52	5-20	1.0-6.0	9-18	3-13	-	50-65	25-40	2-5	0	70-90	60-80	-	1-4	0		
15	1	84-89	65-72	94	54	10-27	3.0-18.0	22-26	9-21	-	40-55	20-30	Tr-1	0	70-95	65-80	-	10-30	0		
16	1	86-90	65-70	99	40	10-15	1.0-7.0	18-21	3-5	-	50-55	25-30	0-Tr	0	70-95	55-88	-	20-30	0		
17	1	80-88	57-68	98	40	15-27	3.0-6.0	20-25	7-18	-	50-55	25-35	0-Tr	0	75-95	68-80	-	25-35	0		

TABLE A-6

Climatic Characteristics of Antarctica

Zone	Climatic Classification		Temperature (°F)				Precipitation				Wind Speeds				Probable Mean Relative Humidity Range (per cent)		Fog on Coast (Bailey)	Mean Annual No. Days With Thunderstorms	Mean Annual No. Days With Blowing Snow				
			Daily Mean		Probable Absolute		Mean Monthly (inches)		Mean No. Days With 0.01 Inches or More		Maximum Probable 24-hour Precip. (inches)		Probable Average per cent of Time Speeds Exceed										
													10 knots							32 knots			
													32 knots										
	Bailey	Critchfield	Maximum Warmest Month	Minimum, Coolest Month	Max.	Min.	Wettest Month	Driest Month	Wettest Month	Driest Month	Highest Month	Lowest Month	Highest Month	Lowest Month	Dampest Month	Driest Month							
1	14	15	25-35	-25--40	42	-58	0.5-3.0	0.1-1.0	13-15	6-8	-	-	50-80	40-65	8-12	0-6	0	0	128				
2	14	14	30-37	-20--30	45	-50	0.5-3.0	0.1-1.0	-	-	-	-	75-85	50-65	10-12	1-7	0	0	0				
3	14	14	30-37	-10--20	-	-	0.5-3.0	0.1-1.0	15-31	12-16	-	-	55-80	35-65	7-12	3-5	0	0	0				
4	14	15	25-35	-10--30	-	-	0.5-3.0	0.1-1.0	-	-	-	-	65-75	50-60	5-15	3-7	0	0	0				
5	14	15	25-35	-25--35	-	-	0.5-3.0	0.1-1.0	-	-	-	-	60-65	20-55	5-12	3-7	0	0	0				
6	14	14	30-36	-4--26	-	-	3.0-4.0	0.5-1.0	14-21	5-17	-	-	50-70	40-50	6-10	3-5	80-88	53-64	0				
7	14	14-15	25-35	-15--35	-	-	0.5-3.0	0.1-1.0	-	-	-	-	60-75	50-60	5-8	3-5	0	0	0				
8	-	15	0+10	-40--60	10	-100	0.5-2.0	Tr-0.5	-	-	-	-	80-95	40-60	15-30	0-10	0	0	0				
9	-	15	-10--20	-40--70	-5	-125	0.1-0.5	0.0-0.2	-	-	-	-	50-80	15-30	2-10	0-2	0	0	0				

APPENDIX B

NATURAL ENVIRONMENT OF CONTINENTAL AREAS

CONFIDENTIAL

APPENDIX B

NATURAL ENVIRONMENT OF CONTINENTAL AREAS

This appendix contains the background data for overland operations of Ground Effect Machines. These data represent some of the essential parameters of military geography, with particular emphasis on the elements affecting GEMs. The elements tabulated in Tables B-1 through B-7, and their classifications have been discussed in Chapter I (Volume I), together with summaries of the data.

Assembly and classification of military geography data for overland operations on a world-wide basis is a task of major proportions. Some areas, such as Western Europe and the United States, are covered by a multitude of geographic data. Other areas, such as central Asia and Eastern Africa, have been mapped and studied only on a very general basis. Even for the areas with complete coverage, geographic elements have commonly been discussed in descriptive terms unsuited for numerical classification or determination of vehicle (system) design and performance requirements.

The published sections of the National Intelligence Survey series have provided, for the first time, coordinated material on military

CONFIDENTIAL

CONFIDENTIAL

APPENDIX B(2)

geographic elements. In particular, the Sections 21 and 24 of the NIS series covering Military Geographic Regions and Military Topography have provided largely comparable data, with some numerical factors, on the primary military geographic elements for large areas of the world.

These NIS data have been used for the published areas. In some of these areas, the data are not as complete as desired, but considered to be the best available. Areas of the world not covered by NIS have been analyzed in terms of many other data sources. These sources have included the Department of Engineer Intelligence of the Army Map Service; the Military Geology Branch of the Department of the Interior; the facilities of the National Geographic Society; and numerous commercial atlases and geography texts. A few special study reports on specific areas were obtained through the Armed Services Technical Information Agency.

Data from all these sources were assembled on a consistent basis within the framework discussed earlier in this section. In a few areas data are missing, and the further intensive research required to fill in these blanks was not considered economical within the objectives of the study. The following notes will assist in understanding the form of data presentation.

CONFIDENTIAL

CONFIDENTIAL

APPENDIX B(3)

- (1) The geographic data are tabulated in terms of political units. Occasionally, several political units situated in a single geographic area are considered together, as for example, Norway and Sweden. In a very few cases, large political units, e.g., U.S.S.R., are divided into several subareas for convenience of presentation. Political units are arranged by continents, with the further breakdown of Eurasia into Europe without U.S.S.R.; U.S.S.R.; and Asia without U.S.S.R., as discussed in Chapter I.
- (2) Political units are divided into climate zones on the basis discussed in Chapter I, Section 2, (Volume I), to facilitate coordination of all the climatic and environmental data for a given area. Since the climate zones tend to have some degree of homogeneity, this breakdown provides a better indication of the predominant characteristics in a given area. Where a numerical or descriptive data element applies to the combination of two or more climate zones within a political unit, it is indicated by brackets or a vertical arrow ($\downarrow$).
- (3) The complete data for each area are contained on two successive pages. The climatic correlation is given on the first page, with the zone number and zone area repeated on the second page for identification.
- (4) Altitude distribution, slope distribution, and vegetation and surface cover distribution are given as percentages of the total area of the data unit. The asterisk in the altitude distribution tabulation indicates land below sea level. All slopes are given in percentage gradient, which should not be confused with angles given in degrees. For example, 10 per cent slope $\sim 6^\circ$, 30 per cent slope $\sim 17^\circ$, 100 per cent slope = 45° .
- (5) The data on stream valleys indicate typical spacing between streams, the mean water width, and the percentage of stream mileage having steep banks (defined approximately, as vertical and over 10 feet high, or 100 per cent slope and greater than 15 feet high--this is not a precise number).

CONFIDENTIAL

CONFIDENTIAL

APPENDIX B(4)

- (6) Superscripts in the tabulation of vegetation and surface cover distribution indicate the height in feet of the pertinent feature. For cultivated crops, this is usually the maximum height during the growing season.
- (7) The cross-country index, as given, is only a convenient number for indicating the most significant obstacles to cross-country operation. It is given in terms of the cross-country capability of conventional tracked vehicles with ground pressures of 12-15 psi. In each case the percentage of unsuitable area is given, and the primary cause or causes are listed.
- (8) Special features re GEMs include other geographic features, natural or man-made. An effort has been made to include pertinent numbers on size and distribution of these features. Where not otherwise identified, drainage ditches, canals, etc., are listed by height and width in that order, e.g., 2 x 5 feet means 2 feet deep, 5 feet wide at surface. The discussion of Chapters I and II (Volume I) includes most of the features listed in the tabulation.
- (9) Missing data, or data whose values are not known well enough to be usable, are indicated by question marks.
- (10) Even though the data units represent specific areas of world land masses, the data for each data unit represent only the most common ranges of parameters throughout the unit. Any individual location may fall outside of some of the ranges. Therefore these data cannot be used to support or reject an operation at any particular location. Further study of the area in question would be required to obtain sufficient detailed data.

CONFIDENTIAL

TABLE D-1

Natural Environment of Europe (without USSR)

Confidential

Data Division	Area (1000 mi ²)	Climatic Correlation			General Terrain	Altitude Distribution (1000 feet)					Slope Distribution			Drainage-Stream Valleys		
		Climate Zone	Zone Area ² (1000 mi ²)	Per Cent		0-1	1-3	3-5	5-10	> 10	0-10%	10-30%	> 30%	freq. (mi.)	width, (feet)	steep banks ¹
U. K.	93.0	49	93.0	100	Lowlands and undulating hills, minus N	78	20	2			70	15	15	10-15	50-200	Few
Ireland	27.1	49	27.1	100	Rolling hills, scattered mtns	80	10	neg			75	15	10	15	2/3 < 75	In mtns
Iceland	38.8	55 56	6.6 53.1	15 85	Rugged volcanic terrain with glaciers	70 46	25 40	5 12			35 25	35 40	10 35	10-30 10-30	Broad and shallow	At edge of plateau
Norway, Sweden	322.7	1 2 51 52 53 54	22.6 122.8 96.8 16.2 16.2 48.4	7 38 39 5 5 15	Rugged glaciated mtns, with forested lowlands S and E, numerous lakes E, floods W	40 45 70 10 15 25	50 50 25 50 50 65	10 5 5 40 30 10	neg neg neg neg		20 30 45 5 2 5	50 40 35 10 8 15	30 30 20 65 90 80	Numerous small streams ↑	Major rivers > 100	Mostly
Finland	130.1	2	130.1	100	Forested lowlands many lakes and streams	80	10				80	10		10		Few
Denmark	16.6	48	16.6	100	Numerous islands flat to rolling hills	100					85	5		5-15	< 50	Few
					Below sea level											

Confidential

TABLE B-1 (Cont.)

Natural Environment of Europe (without USSR)

Confidential

Data Division	Climate Zone	Zone Area 2, (1000 mi ²)	Special Drainage Features	Vegetation and Surface Cover Distribution					Cross-Country Index *		Special Features re GEM'e
				Dense Forest	Brush Woods	Grass-lands	Culti-vation	Marsh, Lake, Swamp	Other Vegetation	% unsuit-able	
U. K.	40	93.9	Some coastal marshes	5	30	15	50 ³			25	Rugged and marsh Stone and turf walls, 2-6 ft hedges 4-15 ft, dense urban areas
Ireland	49	27.1	Many marshes inland	2	33	35 ³	15 ³	15		25	Hills and marsh Walls 5 ft, hedges 12 ft
Iceland	55 56	6.0 33.8	Glaciers and icecap, falls and rapids on streams	neg neg	1/3 brush 1/3 brush	3-4 and heather	neg neg		2/3 icecap and rock 2/3 icecap and rock	80 80	Boulders, rough lava flows Rugged, icecap
Norway, Sweden	1 2 51 52 53 54	22.6 122.8 96.8 16.2 16.2 48.4	Long narrow lakes east of min ridge, falls on rivers, many fiords	neg 65 70 40 60 50		50	neg 5 20 10	25 10 5	50 ice field and 5 ice field/rock 50 ice field rock 40 ice field rock 45 ice field rock	75 75 75 75 75	Fiords to 125 miles inland, icecap, steep walled valleys in west, islands are rugged Rugged and forested ↓
Finland	2	130.1	Falls and rapids on all major rivers in north, lakes and swamps frequent	57			10	20	4 tundra	70	Forested and swamp Eskers slopes 50-70 per cent, Δ 3-4 miles in south
Denmark	48	16.6	Many coastal streams canalized, 30 ft wide	8		10 ³	75 ⁴	2	5 dunes	50	Dunes, marsh, soft ground Walls flank most roads, earthen banks 6-10 feet, ditches 2-5 feet deep, 30-30 feet wide
											* Suitability for movement of tracked vehicles, 12-15 psi ground pressure

Confidential

Natural Environment of Europe (without USSR)

Data Division	Area (1000 mi ²)	Climatic Correlation			General Terrain	Altitude Distribution (1000 feet)					Slope Distribution			Drainage-Stream Valleys		
		Climate Zone	Zone Area ² (1000 mi ²)	Per Cent		0-1	1-3	3-5	5-10	> 10	0-10%	10-30%	> 30%	freq. (mi.)	width (feet)	steep banks?
Belgium, Netherlands, Luxembourg	25.3	48	25.3	100	Flat N and W, partly reclaimed land, hills E and S	80 *12	8				75	> 20	5	10-25	Mostly > 60	Few
France (including Corsica)	212.7	43	8.5	4	Broad lowland with central plateau and rugged mtns S and SE border	40	30	30	neg		10	30	60	10-30	30-250	In mtns
		44	21.3	10		10	40	35	13	2	20	10	70	10-30		
		45	12.8	6		40	40	15	5		40	20	40	10-30		
		48	170.3	80		65	30	5	neg		70	20	10	10-30		
Portugal, Andorra, Spain	230.6	45	46.1	20	High plateau, narrow coastal plain, mtns N and scattered throughout	40	35	20	5	neg	50	20	30	15-40	2/3 < 50	2/3
		46	92.3	40		5	55	35	5		40	40	20	15-40	5 rivers	
		47	34.6	15		60	35	5	5		30	45	25	15-40		
		48	57.6	25		15	45	35	5	neg	40	25	35	15-40		
Germany (W and E)	137.5	44	16.5	12	Broad plains, scattered forested hills, mtns on S border	5	75	20	neg		35	30	35	20-40	> 30	In high lands
		48	82.5	60		70	30	neg			45	45	10	20-40	5 major rivers	and 10 fine tributaries
		50	36.5	28		50	49	1			50	35	15	20-40		
Poland	120.4	50	120.4	100	Mostly level plain, rugged mtns S and SW border	*neg										
						90	9	1	neg		80	15	5	25-40	Mostly > 40	50 per cent in S

Confidential

Natural Environment of Europe (without USSR)

Data Division	Climate Zone	Zone Area, 2 (1000 mi ²)	Special Drainage Features	Vegetation and Surface Cover Distribution						Crown-Country Index *		Special Features re GEMF
				Dense Forest	Brush Woods	Grass-lands	Cultivation	Marsh, Lake, Swamp	Other Vegetation	% unutilizable	Cause	
Belgium, Netherlands, Luxembourg	48	25.3	Numerous canals and ditches, canals 40 ft wide, steep banks	20 Scattered			80 ⁴	All Drained		50	Irrigation features: forested slopes	Drainage ditches: 3-4 ft deep by 4-8 ft wide, others 5 ft deep, 15 ft wide, or 6 ft deep, 30 ft wide. Larger canals Δ 2-5 miles many dikes 3-5 ft high. coastal dikes 15-20 ft high dense urban areas
France including Corsica	43 44 45 48	9.5 21.3 12.8 176.3	Canals 20 to 200 ft wide earthen banks 30-50 per cent slope	10 30 20 20	70 ¹⁰ 30 20 10		20 ⁵ 40 60 70			15 15 15 15	Mtn and rugged	Hedges on 3-5 ft earth banks line roads and fields, dense urban areas
Portugal, Andorra, Spain	45 46 47 48	48.1 82.3 34.6 57.6	Escarpments border some inland rivers slopes 30-100 per cent	20 25 30 25	15 ⁴ 15 30 30	30 ² 10 5	35 ⁴⁻⁵ 50 40 40			40 40 40 40	[20 steep 5 wet 15 dissected hills	Ditches in irrigated areas 2-5 ft deep, 2-5 wide artificial terraces for hill cultivation
Germany (excl. 12)	41 42 43	16.5 82.3 38.5	Broad and deep rivers Ice 15 days NW to 45 days E	50 20 25	10 5 10	15 5 5	25 65 60	5 sparse heath		30 30 30	[10 ditches and bog 5 mtn 15 forest	Ditches and dikes to 10 ft. in N, hedgerows and rail embankments, extensive built-up areas
Poland	50	120.4	Frozen part-time December - March	25			50 ⁵	15 Lake and Stream		5	Mtn and scattered forest	

* Suitability for movement of tracked vehicles, 12-15 psi ground pressure

TABLE B-1 (Cont.)

APPENDIX B-1

Natural Environment of Europe (without USSR)

Confidential

Data Division	Area (1000 mi ²)	Climatic Correlation			General Terrain	Altitude Distribution (1000 feet)					Slope Distribution			Drainage-Stream Valley		
		Climate Zone	Zone area (1000 mi ²)	Per Cent		0-1	1-3	3-5	5-10	> 10	0-10%	10-30%	> 30%	freq. (mi.)	width (feet)	steep banks?
Czechoslovakia	49.4	42 50	12.4 37.0	25 75	Rolling and hilly, western basin rimmed by mtns	50 50	30 45	10 5	2		50 60	40 30	10 10	30-40 30-40	2/3 > 75 ↓	Alternating steep and gentle
Switzerland, Austria, Liechtenstein	46.4	42 44 50	9.7 26.6 12.1	20 55 25	Rugged Alps, scattered lowlands, many lakes	10 30	50 45 50	30 20 15	10 25 5	10	15 10 20	50 20 45	35 70 55	15-25 15-25 15-25	25-175 ↑	Mostly, slope 35 - 100 per cent
Italy (including Sicily and Sardinia)	110.3	42 43 44	17.5 81.4 17.5	15 70 15	Central mtn core, Po Valley, Alps N	+ neg 75 25 10	15 50 40	5 20 30	5 5 15	5	65 60 15	15 20 15	20 20 70	10-40 10-40 10-40	60-250 N only (others small)	In mtns
Hungary, Albania, Yugoslavia, VLA	145.8	41 42	51.0 94.7	35 65	Rugged karst topography W, broad plain NE	30 75	20 15	45 10	5 neg	5	15 55	25 25	60 20	30-60 Hungarian plain	100 300	1-3
Greece (including Islands)	51.2	41	51.2	100	Rugged hills and mtns, many islands	50	35	10	5		20	40	40	10-30	2/3 > 25	Mostly, 25-ft banks common
Romania, Bulgaria	134.5	38 42	13.4 121.1	10 90	Mtns W, Danube plain E	70 55	30 20	neg 11	4		65 70	15 10	20 20	15-30 15-30	50-200 ↑	In mtns
*Below sea level																

Confidential

TABLE B-1 (Cont.)
Natural Environment of Europe (without USSR)

Confidential

Data Division	Climate Zone	Zone Area 2 (1000 mi ²)	Special Drainage Features	Vegetation and Surface Cover Distribution					Cross-Country Index *		Special Features re GEM's
				Dense Forest	Brush Woods	Grasslands	Cultivation	Marsh, Lake, Swamp	Other Vegetation	% Unsuitable	
Czechoslovakia	42 50	12.4 37.0	Marshes in S	35 30		10 15	50 ⁵ 45	5 10		35 35	Ditches in lowlands 3-10 ft. deep, may be dry
Switzerland, Austria, Liechtenstein	42 44 50	8.7 26.6 12.1	Large lake areas, some glaciers	35 35 25		35 40 30	30 15 40	10 5	Some rock and ice	70 70 70	Rugged Alps pierced by rail tunnels, roads in mins 13-22 ft wide
Italy (including Sicily and Sardinia)	42 43 44	17.5 81.4 17.5	Falls and rapids in Alps, streams in S sometimes dry	5 15 60		25 30 20	70 55 20		Some rock	50 50 50	Ditches and canals, 2 x 2 ft to 3 x 30 ft, banks 100 per cent Po Valley wide and densely populated, stone walls 5-6 ft
Hungary, Albania, Yugoslavia	41 42	51.0 94.7	No rivers in karst area - 1/2 zone 41	40 15	30 5	20 5	10 ³⁻⁷ 75			50 50	Rail embankments in lowlands, ditches 1.4 x 1-6 ft
Greece (including islands)	41	51.2	Numerous inlets, mtr. rivers in gorges	15	3-20 30		25	5	5 per cent barren	70	Cultivated terraces 2-4 ft walls, steps 10-100 ft wide
Romania, Bulgaria	39 42	13.4 121.1	Danube has high bluffs, alternating with wide flood plain	30 25	20 5	5 10	45 50	10		35 ↓	Embankments for roads and rail along rivers
* Suitability for movement of tracked vehicles, 12-15 psi ground pressure											

Confidential

TABLE B-2
Natural Environment of USSR

Confidential

Data Division	Area (1000 mi ²)	Climatic Correlation			General Terrain	Altitude Distribution (1000 feet)					Slope Distribution			Drainage-Stream Valleys		
		Climate Zone	Zone Area (1000 mi ²)	Per Cent		0-1	1-3	3-5	5-10	>10	0-10%	10-30%	>30%	frec. (mi.)	width (feet)	steep banks?
USSR (A)	1,684	1	84.7	5	90 per cent east European plain, highland and mtn fringes S and E	70	30				65	5	10	40-200	Marshy	-----
		2	583.0	35		85	4				95	4	1	80-200	>250	Few
		7	169.4	10		87	2	1			70	25	5	100	>250	Few
		50	847.0	50		87	3				80	10	neg	100-250	>250	Few
USSR (B)	159	7	58.8	37	Caucasus Mtns	65	30				85	5		20-50	<150	In Mtns
		33	47.7	30		30	20	20	27		55	30	15	20-50	Mostly	In Mtns
		36	52.5	33		10	25	30	30	5		10	80	30-50	Mostly	In Mtns
USSR (C)	1,246	7	311.5	25	Mostly dry, rolling lowlands	5	50	45			50	40	10	>100	Mostly	Most
		28	186.0	15	mtns in SE, and NE and SW borders	-	6	60	30	4	18	20	62	20-100	Narrow	Most
		33	249.2	20		81	4	2	neg		80	10	10	>100		Most
		35	498.0	40		84	10				80	10		>100		Most
USSR (D)	1,890	2	1101.0	63	Colc plains, mtns W and SE	80	4	5	1	neg	80	7	3	30-60	1/2 >200	In mtns only
		7	228.7	12		40	30	25	5		83	15	5	30-60	1/2 >200	In mtns only
		50	472.5	25		85	4	1			86	3	1	30-60	1/2 >200	In mtns only
USSR (E)	3,681	(1 incl. in 2)														
		1	548.0	15	3/4 hills and mtns	86	4	neg			80	15	5	Small streams	50 percent	Mostly
		2	2830.0	80	1/4 frozen plain	65	28	5	2		30	40	30	5-23	<250	Mostly
		5	183.1	5		80	15	4	1		30	30	40	Large rivers	>250	Mostly

* Below sea level

*NOTE: The USSR is divided into five geographic regions for data organization. Regions A and B make up "European" USSR, and regions C, D, and E make up "Asiatic" USSR, although these terms are no longer in general use. The breakdown is approximately as follows:

REGION C - The Central Asian Arid Lands South of 50° North Latitude.

REGION D - The Ural Mtns and West Siberian Lowland East to the Yenisey River.

REGION E - The Central and Eastern Siberian Uplands from the Yenisey to the Pacific Ocean.

REGION A - Eastern European Russia, Baltic States, Ukraine.

REGION B - The Caucasus.

Confidential

TABLE B-2 (Cont.)
Natural Environment of USSR

Confidential

Data Division	Climate Zone	Zone Area 2 (1000 mi ²)	Special Drainage Features	Vegetation and Surface Cover Distribution					Cross-Country Index *		Special Features re GLMs
				Dense Forest	Brush Woods	Grasslands	Cultivation	Marsh, Lake, Swamp	Other Vegetation	% unsuitable	
USSR (A)	1	84.7	Frozen Nov-May, N	80				10	00 Tundra	80	Some steep gullies in plains, permafrost NE and islands
	2	593.0	Dec-Feb, S				5	5	10 Tundra	80	
	7	169.4	large marshes in W and central	40		15	75	5	10 Semi-desert	10	
USSR (B)	50	847.0				5	50			20	
	7	58.8	Marshes NE, also irrigation ditches, N frozen Dec-March	5		20	60	15		15	Irrigation canals and levees 10 feet high
	33	47.7		20	30	35	40	5	10 Alpine	40	
USSR (C)	36	52.5		40		20				80	
	7	311.5	Many streams dissipate in desert, rivers and lakes freeze Nov-March, several large lakes	1	2 ¹⁵	27 ³	5 ⁴		70 barren	15	Irrigation ditches on rivers in dry areas lined with trees, sandstorms in desert
	23	186.9		3	7			35	50 barren	15	
USSR (D)	33	249.2			1	80	4	7	15 barren	15	
	35	498.0			3	85			5 barren	15	
USSR (E)	2	1101.0	Ob and Yenisey systems drain entire area, falls and rapids in mtns, frozen Nov-May with rough surface	50	5	6 ³	5	20	15 Tundra	60	Permafrost N 1/3
	7	226.7		10	10	30	45		5 Semi-desert	35	
	50	472.5		20	15	20	20	25		50	
USSR (F)	(1 incl in 2)										
	1	549.0	Numerous bogs and marsh N of 60° frozen Nov-May ice jams in spring	75	45	20 ³	5	5	75 Tundra	15	Ice jams through frozen ground--ridges 3-30 feet high, 40-250 feet across, permafrost continuous N of 64° Tundra passable in winter only
	2	2930.0				30	5	5	15 Bure	75	
	5	183.1					10	10	15 Bure	75	
USSR (G)	(3, 4, 7 incl, in 2)										

* See note on preceding page

* Suitability for movement of tracked vehicles, 12-15 psi ground pressure

Confidential

TABLE B-3
Natural Environment of Asia (without USSR)

Data Division	Area (1000 mi ²)	Climatic Correlation			General Terrain	Altitude Distribution (1000 feet)						Slope Distribution			Drainage-Stream Valleys		
		Climatic Zone	Zone Area (1000 mi ²)	Per Cent		0-1	1-3	3-5	5-10	> 10	0-10%	10-30%	> 30%	freq. (mi.)	width (feet)	steep banks?	
China (A)	2,583	7 12 29 30 (2 and 6 incl in 7) (8 incl in 28)	1063.0 101.6 833.5 369.0	45 4 36 15	High mtns, bordering broad basins, mostly barren desert and grass-lands	neg 1	15 55	55 10 40	25 70 4	5 20 96 neg	45 30 40	30 5 15 45	25 95 55 15	Intermittent Small streams only Few	Braided	Few Few > 1/2	
China (B)	558	5 6 (2 and 7 incl in 5)	306.9 251.0	55 45	Central lowland bordered by hills and mtns, except S	40 70	56 22	4 8	neg neg		70 65	30 30	neg 5	30 - 100 40 - 100 2/3 > 250 2/3 > 150	In mtns In mtns	In mtns In mtns	
China (C)	329	7 8	118.7 220.3	35 65	Rugged mtns W, flat low plains E	30 40	10 20	45 20	15 16	4	30 40	20 20	50 40	40 - 80 15 - 80	> 60 > 60	1/2 1/2	
China (D)	1,035	12 21 (13 incl in 12) (29 incl in 21)	880.0 155.0	56 15	3/4 hills and mtns, very rugged in W, plain NE, karst area W central	50	35 5	12 5	3 30	neg 60	30	25 10	45 90	25 - 100 ?	? Several major rivers	Most, except in plains	

* Note: The following regional breakdown is used:
China (A) - western China, Sinkiang, Mongolia, Tibet
China (B) - northern China, including Manchuria
China (C) - east China, N of 33°
China (D) - south China, including Taiwan, Hainan, Hong Kong

*Below sea level

* Note: The following regional breakdown is used:

China (A) - western China, Sinkiang, Mongolia, Tibet
China (B) - northern China, including Manchuria
China (C) - east China, N of 33°
China (D) - south China, including Taiwan, Hainan, Hong Kong

*Below sea level

TABLE B-3 (Cont.)
Natural Environment of Asia (without USSR)

Confidential

Data Division	Climate Zone	Zone Area, (1000 mi. ²)	Special Drainage Features	Vegetation and Surface Cover Distribution						Cross-Country Index		Special Features re GERM's
				Dense Forest	Brush Woods	Grass-lands	Cultivation	Marsh, Lake, Swamp	Other Vegetation	% unsuitable	Cause	
China (A)	7	1066.0	Many summer marshes in Mongolian Basin, stream & frozen Nov-March	3	4 ¹⁵	40	3		50 sparse and desert	60	Mins and min basins ↓	Frequent dust storms on plains, dune lee slopes to 60 per cent, intermittent wall E third of S border
	12	103.6		25	20	40	15		85 sparse	60		
	29	933.5		3	10	12			90 sparse	60		
	30	369.0								60		
	(2 and 6 incl 15; 7) (8 incl in 29)											
China (B)	5	306.9	Rivers frozen Dec-March, extensive marshes E	60	5	15 ³	15 ³	10 ¹⁰		25	23 miles, 5 marsh ↓	Rivers have even surface when frozen, wall SW border 250 mi
	6	251.0		15		30				25		
China (C)	7	118.7	Yellow R. drainage, large flood plain E 1/3, several prominent canals 60 ft wide	5	10	65 ³	35			65	Steep, loss-lands, flooded paddies	Canals and ditches in ricefields 1-2 x 10, roads and roads on embankments 3-6 ft, ricefield dikes 1-3 x 2-4, flood dikes 15-40 ft high in E third, wall N boundary 12-16 ft 1000 mi
	8	220.3				25	60			65		
China (D)	13	880.0	Yangtze drainage flood plain NE, canals narrow to 30 ft at bridges	5	80 ⁵					65	Steep and rugged ↓	Ricefields NE and on it traced hills, many ditches to 50 ft, wide, dikes 1-2 x 2-4, dikes 10-40 ft on rivers, circular grave mounds in rural areas 6-15 ft high, Taiwan: 50 per cent slope greater than 30 per cent, 25 per cent forest, 25 per cent cultivated, Rivers steep and fast
	21	155.0		40	60		15			65		
	(13 incl in 12) (23 incl in 21)											
* See note preceding page.												
* Suitability for movement of tracked vehicles, 12-15 psi ground pressure												

Confidential

TABLE B-3 (Cont.)

Natural Environment of Asia (without USSR)

Confidential

Data Division	Area (1000 mi ²)	Climate Correlation			General Terrain	Altitude Distribution (1000 feet)					Slope Distribution			Drainage-Stream Valleys		
		Climate Zone	Zone Area ² (1000 mi ²)	Per Cent		0-1	1-3	3-5	5-10	> 10	0-10%	10-30%	> 30%	freq. (mi.)	width (feet)	steep banks?
Korea - N	49.1	6	49.1	100	85 per cent highlands, coastal plain W	30	40	20	10		20	20		5 - 15	2/3 > 40	Most
Korea - S	37.5	6	37.5	100	70 per cent highlands, coastal plain W	60	38	2			20	20		5 - 25	> 40	Most
Japan	142.8	9	49.9	35	Rugged islands, few low-lands, densely cultivated wherever possible	30	60	8	2	neg	20	30	50	20 - 50	2/3 > 100	Most
		10	49.9	35		35	60	4	1		40	20	40	20 - 50	2/3 > 100	Most
		11	42.8	30		25	65	5	4	1	20	20	40	20 - 50	2/3 > 100	Most
Indochina (incl N and S Vietnam, Cambodia, Laos)	287.5	12	63.3	22	Mtns and hills, N and S central, major escarpment on Thailand border 1-3000 ft high (240 mi)	50	30	10	10		20	30	50	15 - 40	< 250	Most
		20	23.0	8		50	30	15	5		16	30	50	15 - 50	< 250	Most
		21	201.2	70		60	30	6	4		50	15	35	20 - 80	< 250	Most
Thailand	198.3	21	119.1	60	Rugged mtns NW and W half peninsula, rolling plateau E, central plain	90	8	1	1		70	20	10	20 - 50	30 - 400	Few
		22	39.7	20		95	5	neg			50	30	20	20 - 50	Small	All
		24	39.7	20		60	30	10	neg		20	20	60	30 - 60	> 30	Most
						*Below sea level										

Confidential

TABLE B-3 (Cont.)
Natural Environment of Asia (without USSR)

Confidential

Data Division	Climate Zone	Zone Area 2 (1000 mi ²)	Special Drainage Features	Vegetation and Surface Cover Distribution					Cross-Country Index *		Special Features re GPM's
				Dense Forest	Brush Woods	Grass-lands	Cultivation	Marsh, Lake, Swamp	Other Vegetation	% unsuitable	
Korea - N	6	49.1	Frozen 3-4 months numerous small streams	30	50		20			80	Dikes on cultivated paddies 1-3 ft, river levees to 20 ft, roads and railroads on embankments in lowlands
Korea - S	6	37.5	Numerous small streams, diked in lowlands	25	50		25			70	See: Korea - N
Japan	9 10 11	49.8 49.9 42.8	Dams on many rivers 30-40 mi inland, levees along lower courses	65 60 70	15 ¹⁰ 5 10		10 20 10		10 urban and roads 15 urban and roads 10 urban and roads	75 75 75	Dense urban areas in plains, irrigated ditches 2 ft deep, also 3-8 x 4-12, wide dikes 1-3 ft high, terraced hills; 5-10 ft walls
Indochina (incl N and S Vietnam, Cambodia, Laos)	12 20 21	63.3 23.0 201.2	Mekong R. drainage, extensive flood plain and marsh S, many rapids on Mekong and tributaries	40 65 60	40 30 20	5 ⁵	20 ⁴ 5 10	5		75 75 75	Dikes in rice paddies 2 ft high, 3 ft wide, levees in river deltas to 12 ft, irrigation ditches 4 x 5 ft, 90 per cent of forests in mtns
Thailand	21 22 24	119.1 39.7 39.7	Large flooded and paddy area, many canals in central plain, 10-15 x 120 ft, 3-6000 ft, 8-10 x 60 ft, 1.5-2000 ft, locks at canal junctions with rivers	50 75 70	5 ¹⁶ 10	5	40 25 20 (85 per cent rice)			50 80 80	Ricefield dikes 2 x 2, drained in fall and winter, mtns and walls around cities to 15 ft high, rail and road embankments in low areas.
* Suitability for movement of tracked vehicles, 12-15 psi ground pressure											

Confidential

TABLE B-3 (Cont.)
Natural Environment of Asia (without USSR)

Confidential

Data Division	Area (1000 mi ²)	Climatic Correlation			General Terrain	Altitude Distribution (1000 feet)					Slope Distribution			Drainage-Stream Valleys			
		Climate Zone	Zone Area ² (1000 mi ²)	Per Cent		0-1	1-3	3-5	5-10	> 10	0-10%	10-30%	> 30%	freq. (mi.)	width (feet)	steep banks?	
Burma	261.3	21 24 25 (29 incl in 24)	91.6 117.1 52.4	35 45 20	Forested mtns on W, N, and E borders, large wet plain center.	70 30 50	20 30 30	5 30 10	5 10 5	5	40 20 30	20 20 20	40 60 50	40 ? ?	2/3 > 175 Narrow Narrow	Some Most Most	
Northern India and Pakistan (incl Nepal and Bhutan)	1200	25 28 29 31 32 33 (24 and 26 incl in 23) (34 incl in 33)	240.0 240.0 240.0 160.0 160.0 120.0	20 20 20 15 15 10	Rugged mtns N, desert west, central E-W plain, plateau S.	50 80 95 60 5	45 6 10 5 20 30	5 3 5 neg 15 25	1 20 neg 5 40	65	40 80 65 40 15	40 15 5 30 50 70	20 5 95 5 10 15	25 - 60 10 - 10 Min streams 30 to mtr sq. 20 - 70 50 - 100	1/3 > 750 1/2 > 750 All (> 10 ft) All (> 10 ft) All < 150 < 750 < 750 Most, > 20 ft		
Southern India (S of 22°)	503	25 26	330.0 174.0	65 35	Triangular upland with raised rims, E and W coastal plain	64 25	35 70	1 5	neg		65 70	20 25	15 5	50 - 60 50 - 60	2/3 > 750 1/2 > 750	1/2 1/2	
Ceylon	25.3	27	25.3	100	Mtns S central, surrounded by hills and coastal plain	80	12	6	2		75	10	15	15 - 20 60 100	1/2 > 60	Mostly	
																	*Below sea level

*Below sea level

Confidential

TABLE B-3 (Cont.)

Natural Environment of Asia (without USSR)

Confidential

Data Division	Climate Zone	Zone Area ² (1000 mi ²)	Special Drainage Features	Vegetation and Surface Cover Distribution						Cross-Country Index *		Special Features re GEM's
				Dense Forest	Brush Woods	Grass-lands	Cultivation	Marsh, Lake, Swamp	Other Vegetation	% unsuitable	Caure	
Burma	21	91.6	Monsoon drainage, 30 per cent rain June-Nov. Irrawaddy River access N-S, large delta area, 3 major river valleys	60	8 ⁸		35 ⁷			70	Mtns, forest	Canals in irrigation area 3-5 x 9, 3 x 10 lowland forests include bamboo to 40 ft
	24	117.8		55	30		15			85	Mtns, forest	
	28 (28 incl in 28)	52.4		90	8		2			90	Mtns, forest	
Northern India and Pakistan (incl Nepal and Bhutan)	25	240.0	Monsoon drainage (June-Oct) by Ganges - central, Indus W, Brahmaputra E, zone 28, 1 1/2 zone 32 subject to floods, canals in these areas 5-12 x 100-300 and 1-5 x 50, steep banks to 20 ft, marsh on coast zones 25 and 31	25	10 ³⁰		65 ³			15	Mtns, marsh	All forests on steep slopes, no access across land borders, large dune and sand hill areas in zones 31 32, 33 to 100 ft, see slopes 1. 65 per cent
	28	240.0		15	5		75		5 desert	80	Marsh, canals	
	29	240.0		20	20				60 desert	100	Mtns	
	31	180.0			30		10		60 desert	5	Swamp	
	32	180.0			20		10		70 desert	35	Mtns	
	33	120.0			35		5		60 desert (mostly bare)	40	Mtns	
	24 and 28 incl in 25) (34 incl in 33)											
Southern India (S of 25°)	25	330.0	Western slope rivers all steep and rocky, coastal canal E	65	5		30 ⁶			15	Steep, forested	Rice fields have ditches 2 ft deep, continuous escarpment 30-50 miles inland from W coast
	26	178.0		10	15		75					
Ceylon	27	25.3	W coast waterway as narrow as 25 ft, numerous small reservoirs	75	10	5	10			25	Mtns, forest	Plantations coconut and rubber trees 15-20 ft, rice fields 2 ft embankments
* Suitability for movement of tracked vehicles, 12-15 psi ground pressure												

Confidential

TABLE-B-3 (Cont.)

Natural Environment of Asia (without USSR)

Confidential

Data Division	Area (1000 mi ²)	Climatic Correlation			General Terrain	Altitude Distribution (1000 feet)					Slope Distribution			Drainage-Stream Valleys		
		Climatic Zone	Zone Area 2 (1000 mi ²)	Per Cent		0-1	1-3	3-5	5-10	> 10	0-10%	10-30%	> 30%	freq. (mi.)	width (feet)	steep banks?
Afghanistan	251.0	29	25.1	10	65 per cent rugged highlands, lowlands in SW and N central, many glaciers in mtns E	neg	5	5	30	60	5	10	25	?		
		33	175.7	70			15	15	40	30	20	25	55	20 - 75	Wide channels	Most
		34	50.2	20			70	30			75	15	10	20 - 150		Most
Iran	636.3	32	31.0	5	Rugged mtn rim, extensive central lowlands, mostly dry except coastal plains on Caspian Sea and Persian Gulf	80	20				40	40	20	Coastal	streams only	
		33	341.0	55		5	30	20	40	5	60	20	20	30 - 100	> 50	1/2
		34	63.0	10			60	25	15		40	10	20	Very few	intermittent	
Arabian Peninsula (incl Acen, Yemen, Oman, Kuwait)	933.2	32	655.3	70	Large rolling desert, highlands W and S	55	40	5	neg	neg	85	10	5	Very few perennial streams		
		33	281.0	30		5	30	40	25		50	20	30	Numerous intermittent wadis		

*Below sea level

Confidential

TABLE B-3 (Cont.)

APPENDIX B(20)

Natural Environment of Asia (without USSR)

Confidential

Data Division	Climate Zone	Zone Area 2 (1500 mi ²)	Special Drainage Features	Vegetation and Surface Cover Distribution						Cross-Country Index *		Special Features re GEM's
				Dense Forest	Brush Woods	Grasslands	Cultivation	Marsh, Lake, Swamp	Other Vegetation	% unsuitable	Cause	
Afghanistan	29 33 34	25.1 173.7 50.2	Most streams dissipate in dry areas, rocky and steep banks in mtns, entrenched in lowlands	10	10 ⁶ 60 15 (sparse)	10 ³ 15	5 5		70 barren 20 barren 80 barren	95 70 10	Rugged Rugged Salt flats and marshes	Dune slopes to 100 per cent on lee side, dunes cover 10 per cent total area, cultivated stream valleys have numerous ditches and canals 6-7 x 10, many canals concrete and brick, zone 34 and S portion zone 33 subject to sandstorms from N and W winds, many open shafts to underground aqueducts 100-200 ft
Iran	32 33 34	31.8 541.0 63.6	Many intermittent streams and lakes, most streams dissipate in desert	5	15	90 ² 65 90	10		15 salt flats 10 salt flats	40 70 50	Mtns, loose sand Mtns, salt flats Mtns	Interior salt plains often have soft ground under crust, dune areas up to 4000 square mi, lee slopes 60 per cent, underground water tunnels (qanats) in desert alluvial fans, vertical shafts 50-600 ft, some dust storms in intermontane basins
Arabian Peninsula (incl Aden, Yemen, Oman, Kuwait)	32 33	655.3 281.0	Almost all streams intermittent, very meager water resources, mangrove swamps in Red Sea coastal area		215 25		3 5 (cases)		95 desert 70 desert	15 70	Dissected plains, mtns, lava flows	Escarpments 4-800 mi long in dune ridge and western uplands, irrigation ditches and canals in oases, some pipelines above ground 3 ft, numerous steep sand dunes and soft sand, also salt basins
											Suitability for movement of tracked vehicles, 12-15 psi ground pressure	

Confidential

TABLE B-3 (Cont.)

Natural Environment of Asia (without USSR)

Confidential

Data Division	Area (1000 mi ²)	Climatic Correlation			General Terrain	Altitude Distribution (1000 feet)					Slope Distribution			Drainage-Stream Valleys		
		Climate Zone	Zone Area (1000 mi ²)	Per Cent		0-1	1-3	3-5	5-10	> 10	0-10%	10-30%	> 30%	freq. (mi.)	width (feet)	steep banks?
Iraq, Syria, Jordan, Lebanon, Israel	292.1	32 33	58.4 233.1	20 80	Mediterranean plain, Jordan rift and mtns, sloping plateau and desert mtns, NE rugged	50 35 43	50 50	neg 10	2		60 60	20 20	20	Very few Tigris-Euphrates		Most
Turkey	303.1	33 40	287.9 15.2	95 5	2/3 mtns, 1/3 plateau and plains	10 70	40 30	25	22	3	30 65	35 30	35 5	40 ?	> 50	3/4
Cyprus	3.6	33	3.6	100	Rugged island, E-W low-land belt	70	25	5	neg		40	40	20	Numerous	Small	Most
Malaya and Singapore	51.0	22	51.0	100	Mtn core with coastal plain	75	19	5	1		45	10	45	10 - 20	1/3-250	Most
Philippines	115.7	14	115.7	100	7000 islands, 4000 > 1 sq. mi. hills and mtns 4/5	50	20	28	2		50	25	25	25 - 40 On large islands	< 150	Most
						Below sea level										

Confidential

TABLE B-3 (Cont.)

Natural Environment of Asia (without USSR)

APPENDIX B(2)

Confidential

Data Division	Climate Zone	Zone Area 2 (1000 mi ²)	Special Drainage Features	Vegetation and Surface Cover Distribution					Cross-Country Index *		Special Features re GEM's
				Dense Forest	Brush Woods	Grasslands	Cultivation	Marsh, Lake, Swamp	Other Vegetation	% unutilizable	
Iraq, Syria, Jordan, Lebanon, Israel	32	58.4	Tigris-Euphrates River; some canals in delta area, extensive levees on lower courses, large interior drainage area	5	5 ³	20	15		100 desert 55 desert	10 25	Escarpments and cliffs on zone border 32-33, also along Jordan rift from Lebanon to Arabia, much of desert area is bare rock
	33	233.8									
Turkey	33	287.9		15	25 ¹⁰	45 ²	10 ⁶		5 ² semi desert	60	Mtns, dissected Mtns, plain
	40	15.2		10	30	20	40			60	
Cyprus	33	3.6	Irrigation ditches in central lowland	30	30		40			50	Terraced hillsides and small irrigation works
Malaya and Singapore	22	51.0	Mtn streams swift, narrow, and rocky, mangrove swamps along coast with wide waterways	75	5 ²⁰		10	10		80	1-1m and rubber plantations, trees 50-75 ft high, 45-30 ft, ditches 2-3 x 3-4 between trees, levees on rivers in lowlands, drainage and irrigation ditches in western lowlands; 7-9 x 30 with embankments, also 4 x 18 with 3 ft banks
Philippines	14	115.7	Tidal swamps near coast, 15 per cent Luzon subject to periodic flooding	60		10 ⁵	30			70	With and rice paddies, dikes 1-2 x 1-2, 1-2 acre, rice terraces with walls 2-5 ft
											* Suitability for movement of tracked vehicles, 12-15 psi ground pressure

Confidential

TABLE B-3 (Cont.)
Natural Environment of Asia (without USSR)

Confidential

Data Division	Area (1000 mi ²)	Climatic Correlation			General Terrain	Altitude Distribution (1000 feet)					Slope Distribution			Drainage-Stream Valleys		
		Climate Zone	Zone Area 2 (1000 mi ²)	Per Cent		0-1	1-3	3-5	5-10	> 10	0-13%	10-30%	> 30%	frec. (mi.)	width (feet)	steep banks?
<u>Indonesia</u>																
British Borneo	76.5	18 19	10.6 43.5	40 50	2-3 mtns and hills with coastal plain	45 35	45 35	3 3	2 2	neg	5 30	35 30	40 40	20-30 20-30	1-250 < 250	Most Most
Sumatra	177.5	23	177.5	100	Hills, forested plain, swamp forests	45	5	5	2	neg	70	30	10	20-30	> 30	Most ex- posed NE
Java, Bali, Madura	53.0	23	53.0	100	Intensively cultivated plains, some hills	40	10	7	3	neg	40	12	5	30-50	> 30	Most
Indonesian Borneo	209.5 (13 incl to 19)	19	209.5	100	Rugged forests, swampy coastal plain	45	5	4	1	neg	50	20	5	20-30	> 250	Most
Celebes, Moluccas, Sundaes, Timor	135.0	19 23 (A)	108.0 27.0	30 20	Densely forested mtns	50 40	25 20	5	1	neg neg	30 30	30 55	20 5	20-30 Infrequent	40-130 < 50	Most Most
New Guinea	343.1	15 16 17	61.9 43.5 237.8	18 12 70	Densely forested high mtns, with forested and swampy plains	10 100 50	10 15 15	10 15	10 15	25 5	5 100 15	5 15	15	10-30 10-30 10-30	10-30 > 250 > 250	Few Most Most
S.W. Pacific	111.5	17	111.5	100	Steep hills dominate larger islands, many coral reefs	65	30	2	neg		15	45	15	Numerous small	< 50	Most
*Below sea level																

Confidential

TABLE B-3 (Cont.)
Natural Environment of Asia (without USSR)

Confidential

Data Division	Climate Zone	Zone Area, (1000 mi. ²)	Special Drainage Features	Vegetation and Surface Cover Distribution					Cross-Country Index		Special Features re GEN's	
				Dense Forest	Brush Woods	Grass-lands	Culti- vation	Marsh, Lake, Swamp	Other Vegetation	% unutil- able		Cause
Indonesia												
British Borneo	18 19	30.6 45.9	Extensive mangrove and freshwater swamps near coast	90 60	10		20	20		100 90	Forests Forests, swamps	Coastal swamps impassable except by waterways
Sumatra	23	177.5	Extensive swamp forest NE	70		10	20			75	Forests, slopes, swamps	Only access to swamp areas by winding stream
Java, Bali, Madura	23	53.0	Artificial and natural levees on lower courses of rivers, many ditches	24		1	75			30	Slopes, soft ground	Rubber plantations, 30 ft high trees 15 ft, terraced rice fields and tea plantations, dense cultural features dikes 1-2 x 1-2 100 ft
Indonesian Borneo	19 (18 incl in 19)	209.5	Extensive coastal swamps	85		5	10			95	Forests, slopes, swamps	
Celebes, Moluccas, Sundaes, Timor	19 23 (A)	106.0 27.0		85 35		5 25	10 40			95 85	Forests, slopes, swamps	
New Guinea	15 16 17	61.9 43.5 237.8	Extensive coastal swamps, tidal flooding	70 50 85	10	20 45 10	5 5			100 50 80	Rugged Swamp Rugged, forest	Mangrove and nipa swamp forests near coasts plantation trees 25 ft
S.W. Pacific	17	11.5	Radial drainage in high islands, swift and rocky streams	60	10	10	20			80	Rugged, forests	
											Suitability for movement of tracked vehicles, 12-15 psi ground pressure	

Confidential

TABLE B-4

Natural Environment of Africa

Data Division	Area (1000 mi ²)	Climatic Correlation			General Terrain	Altitude Distribution (1000 feet)					Slope Distribution			Drainage-Stream Valleys		
		Climate Zone	Zone Area (1000 mi ²)	Per Cent		0-1	1-3	3-5	5-10	>10	0-10%	10-30%	>30%	freq. (mi.)	width (feet)	steep banks?
Egypt	385.1	4	385.1	100	Desert plateau with Nile Valley and delta escarpments almost continuous along Nile Valley	45 + 3 *	40	2	neg		65	25	10	Nile Intermittent wadies	1000 + Wide	At edge of valley, flanked by canals and levees
Libya	678.4	4 (3 incl. in it)	678.4	100	Desert plateau	50	47	2	1		60	25 including dissected plains	15	Infrequent wadies	?	Some
Tunisia, Algeria, Morocco	1143.0	1 2 4	171.5 228.7 742.8	15 20 65	Coastal mtn. range with intermingled plain, large desert plateau	40 30 + 25 neg	40 30 55	20 35 15	4 5	1	35 45 60	30 35 25	35 20 15	50 - 80 Infrequent Intermittent	?	Most Most Most
French West Africa*, Togo, Spain, Sahara, Guinea, Gambia	1073.0	4 5 7	1086.0 385.0 483.0	55 20 25	75 per cent upland plains, dry north, wet south	83 83 75	15 7 23	2 neg 2	neg		85 80 70	10 7 25	5 3 6	Intermittent wadies Only Approx 150 - 250 50 - 100 60 - 100		Mostly
Liberia, Sierra Leone	79.9	7	70.9	100	3/4 plain, 1/4 hills and mountains	65	35	neg			70	25	5	10 - 40	1/2 > 60	Mostly
Ghana	91.8	7	91.8	100	90 per cent plains, rest hills, densely forested in south	90	10				80	20	neg	20 - 40	1/2 > 60	Mostly
*Now Senegal, Mali, Mauritania, Guinea, Ivory Coast, Niger, Dahomey, Upper Volta																
*Below sea level																

*Below sea level

Confidential

TABLE B-4 (Cont.)

Natural Environment of Africa

Confidential

Data Division	Climate Zone	Zone Area ² (1000 mi ²)	Special Drainage Features	Vegetation and Surface Cover Distribution						Cross-Country Index [*]		Special Features re GDM's
				Dense Forest	Brush Woods	Grasslands	Cultivation	Marsh, Lake, Swamp	Other Vegetation	% unsuitable	Cause	
Egypt	4	386.1	Lower Nile controlled by dams and levees, with canals				3 grains & cotton		97% desert	12	mnts & slopes 2% marsh	Sand dunes steep on lee side Suez Canal, difficult x-c, Nile Valley canals, some low bridges, 6 ft deep, 8-65 ft wide, steep banks, others 365 feet wide with sloping embankments, 5-16 ft high, some above land level
Libya	3 incl in 4	679.4	No permanent streams, most wadies sloping banks, some steep				3 ¹⁵ orchards grains & grass		60% bare desert 37% sparse desert	10	mnts and escarpments	Escarpments bordering parts of coastal plains and area SW and between dunes, dunes cover 15%, difficult to cross
Tunisia, Algeria, Morocco	1 2 4	171.5 228.7 742.8	Seasonal high water, Nov-April, interior drainage region (80%) has intermittent streams mostly	15		45 ⁶ 30	40 20 1 date palms		50% desert 98% desert	40 30 30	mnts & boulder mnts & boulder	Olive orchards, 30 ft trees, 6-40 ft, leeward slopes of dunes 30-60%, some dunes to 80 ft high, dunes cover 20%
French West Africa*, Togo, Spain, Sahara, Port, Guinea, Gambia	4 5 7	1086.0 395.0 493.0	80% is desert drainage area, some coastal marshes in S.W.	30	5 10	5 85 ⁴ 40	5 5 20	5 ⁸	95% desert	10 10 30	steep slopes marshes & steep forests & steep	Natural stone dikes in some areas of Spanish Sahara, sand dunes, steep leeward slopes, some escarpments around hills in dry areas of 201634-5
Liberia, Sierra Leone	7	70.9	Some mangrove coastal swamp, numerous lagoons	80	15 ¹²	5 ⁵			small mangrove swamps	70	forested plain, hills & mntns	
Ghana	7	81.8	Extensive marsh and swamp in coastal plains area	35		60 ⁶		5	scattered trees and brush in grasslands	35	forested dissected plain, wet coastal areas, steep hills	Some escarpments
*Now Senegal, Mali, Mauritania, Guinea, Ivory Coast, Niger, Dahomey, Upper Volta												
											*Suitability for movement of tracked vehicles, 12-15 psi ground pressure	

Confidential

TABLE B-4 (Cont.)

Natural Environment of Africa

APPENDIX B27

Confidential

Data Division	Area (1000 mi ²)	Climatic Correlation			General Terrain	Altitude Distribution (1000 feet)					Slope Distribution			Drainage-Stream Valleys		
		Climate Zone	Zone Area ² (1000 mi ²)	Per Cent		0-1	1-3	3-5	5-10	> 10	0-10%	10-30%	> 30%	freq. (mi.)	width (feet)	steep banks?
Nigeria, British Cameroons	373.3	7 8	242.6 130.7	65 35	Flat to rolling plains, hills and mtns eastern	45 55	50 35	5 7	neg 3	neg	85 60	12 30	2 10	30 - 100 30 70	> 250 > 250	Few 1/2
French Equatorial Africa ¹ , French Cameroun, Spanish Guinea	1145.7	4 5 6 8 11	137.7 172.0 286.7 459.6 91.7	12 15 25 40 8	Lowlands and plateaus	10 45 15 15 40	50 50 70 60 60	30 5 15 20	10 5	neg	60 80 80 60 50	25 15 15 30 35	11 2 2 10 15	Intermittent 20 - 50 20 - 50 20 - 50	Wide Wide ? ? ?	Dry in season Dry in season Some Some Some
Republic of the Congo, (including Ruanda (T'undi))	925.9	7 8 9 11	46.3 416.7 46.3 416.7	5 45 5 45	Large rolling plains, west hills and high mtns, east boundary, 1/5 area wide rivers, extensive forests	5 30 15	80 65 50	5 5 30	55 5	5	65 85 13 65	30 15 45 30	5 10 4 5	20 - 100 20 - 50 20 - 50 20 - 80	> 250 > 500 > 250 > 500	1/2 Fast Few Most Few
Sudan	567.5	4 5 6 7	290.2 338.6 338.6	30 35 35	Northern sandy and rocky deserts, red soil hills and plains, southern highlands	28 10 5	70 80 90	3 10 5	neg neg		70 65 60	20 25 25	10 10 11	Desert Nilic Scattered West	Wadies Wide Prob wide	Some Some Few
Ethiopia, Eritrea, Somali Rep, French Somaliland	709.5	5 6 11	212.8 248.3 248.3	30 35 35	Low and high plains, many deeply dissected, scattered hills and mtns	55 2 50	35 15 35	8 25 15	1 50 neg		65 55 75	20 25 15	15 20 10	50 - 100 30 - 100 Approx 100	60 - 250 60 - 500 60 - 250	Mostly Mostly Mostly
Uganda	94.0	7 9	84.6 9.4	90 10	Central plains basin fringed by highlands and scattered high mtns		10 10	82 65	7 22	1 3	85 50	12 35	3 15	30 - 50 20 - 80	60 - 500 60 - 500	2-3 Most
*Below sea level																

New Central African Republic, Chad, Gabon, Congo

Confidential

TABLE B-4 (Cont.)

Natural Environment of Africa

Confidential

Data Division	Climate Zone	Zone Area ² (1000 mi ²)	Special Drainage Features	Vegetation and Surface Cover Distribution					Cross-Country Index *		Special Features by Climate
				Dense Forest	Brush Woods	Grasslands	Cultivation	Marsh, Lake, Swamp	Other Vegetation	Unsuitable	Causes
Nigeria, Benue, Cameroons	7 8	242.6 130.7	High water May - Sept in arid in Niger Delta and along much of coast	15 65	10 40 35	40 ⁴	5			5 30	marshes, mtns marshes, mtns
French Equatorial Africa, Nigeria, French Cameroons, Senegal, Guinea	4 5 7 8 11	137.7 172.0 231.7 439.9 91.7	Desert north to rain forest south, rapids on many rivers	10 60 50	10 40 20 30	50 ¹⁵ 20 ¹⁵ 20			100% desert 90% desert	20 mostly ok mostly ok 40	rough, dissected forest forest
Republic of Congo, Gabon, Ivory Coast, (Ghana)	7 8 9 11	46.3 416.7 46.3 416.7	Large swamp area Congo & tributaries, 10% zone 8, 2% zone 11 Lake Tanganyika	10 85 20 18	20 20	90 ¹⁵ 5 60 60		10 ¹⁵ 2 ¹⁵	scattered trees in grasslands elephant grass in grasslands	16 90 50 20	rough forest, marsh rough forest
Sudan	4 5 7	290.2 338.6 338.6	Nile drainage basin, several dams and rapids large swamp area in Sudd, always wet (40% of zone 7)	20	10 ⁵ 50 ¹⁵ 10 ¹⁵	30 ⁶ 60 scattered trees		10 ²⁰ floating reeds	50% bare 40% sparse 20% sparse	Mostly ok except swampy areas, steep banks of wadis, eroding Nile, and rough highlands	Scattered escarpments on Red Sea Hills and in desert areas, many scattered steep hills, vegetation more abundant along streams
Ethiopia, Eritrea, Somalia, French Somaliland	3 5 11	212.8 248.3 248.3	Coastal stream valleys almost dry at low water Oct - April	20 5	10 ¹⁵ 20 20	10 ³ 15 20	30 ³ 5		80% semi desert 15% " 50% "	8 15 mostly ok	Dune belts along 3/4 coasts, irrigation works along few rivers in zone 11, canals 2-3x15, some hill areas eroded, 5 ft earth walls
Uganda	7 9	14.6 9.4	Large lake area Victoria et al (~17,000 miles), floating papyrus marshes 3 - 5 ft floating masses	15 20	15 20 30	55 ³ 35		10 ¹⁰ 10		30 15	Tall grass, savannahs have scattered trees, some places close together, marsh areas have papyrus & rushes to 10 - 15 feet

* New Central African Republic, Chad, Gabon, Congo.

* Suitability for movement of tracked vehicles, 12-15 psi ground pressure

Confidential

TABLE B-4 (Cont.)

Natural Environment of Africa

Confidential

Data Division	Area (1000 mi ²)	Climate Correlation			General Terrain	Altitude Distribution (1000 feet)					Slope Distribution			Drainage-Stream Valleys		
		Climate Zone	Zone Area (1000 mi ²)	Per Cent		0-1	1-3	3-5	5-10	> 10	0-10%	10-30%	> 30%	freq. (mi.)	width (feet)	steep banks?
Kenya	223.5	10 11	44.7 178.8	20 80	Desert plain sloping up to rugged volcanic highlands in SW.	30	25	35 30	60 15	5 neg	30 45	40 30	30 25	10-20 10-30 Desert East	Prob. Narrow	Most Some
Tanganyika (including Zanzibar)	363.7	10 11	18.2 345.5	5 95	Rough plateau with rugged mtns North.	10	20	50 55	50 15	neg	60 40	30 35	10 25	20-30	?	?
Mozambique	287.8	11	297.8	100	Wide coastal plain with hills south and west, mtns north.	60	25	12	3		50	50	30	20-40	?	Most
Federation of Rhodesia and Nyasaland	487.0	11	487.0	100	High plains, scattered hills and mtns.	3	30	60	7		70	25	5	15-100	High water 250 Low water 60-250	Few - West 1/2 East
Angola	481.4	11 12	361.0 120.4	75 25	Upland plain with hills and mtns dropping abruptly to narrow coastal plain.	10 25	20 20	50 40	20 15		55 40	30 35	15 25	20-60 20-60	?	Most Most
South Africa, SW Africa, Bechuanaland, Basutoland, Swaziland	1083.2	11 12 13 14 15	210.5 541.6 162.5 108.3 54.2	20 50 15 10 5	High rough plateau with extremely rugged borders, very narrow coastal sand plains.	5 30 30 15 50	30 15 30 15 40	55 75 55 40 10	10 5 5 28		55 55 60 20 10	20 20 20 25 15	25 25 20 15 75	?	Probably wide expanse in gorges	Most Most Most Most ?
Madagascar (Malagasy Republic)	230.2	16 17 18	103.0 96.8 20.8	45 42 13	Rough upland with steep eastern slopes, several sharp areas west	50 40 60	30 30 30	20 20 10	neg 10		20 20 40	30 30 25	50 50 35	20-50 20-40 40-60	?	Most Most Most

*Below sea level

Confidential

TABLE B-4 (Cont.)

Natural Environment of Africa

Confidential

Data Division	Climate Zone	Zone Area 2 (1000 mi ²)	Special Drainage Features	Vegetation and Surface Cover Distribution						Cross-Country Index *		Special Features re GENIE	
				Dense Forest	Brush Woods	Grass-lands	Culti-vation	Marsh, Lake, Swamp	Other Vegetation	% unsuit-able	Causes		
Kenya	10 11	44.7 178.8		25	5 5	70-5 85			semi desert 25%	60 35	rough & dense brush rough	Some intrenched streams in western basin, banks 15-20 feet, trees in forests separated 3 - 20 feet:	
Tanganyika (including Zanzibar)	10 11	18.2 345.5		5 45	25 17	70 40	8			30 30	dense brush & rough forested & rough		
Mozambique	11	297.8	Some swamps along coast	10	10 12	30-5				15	rough		
Federation of Rhodesia and Nyasaland	11	487.0	Numerous swamps in western basin 4% Victoria Falls, Lake Nyasa	65	13 10 + 15 ⁴	6 ²		4 15		20	soft ground & marshes, steep hills & mtns		
Angola	11 12	361.0 120.4		65 40	30 12	53-5 45-3-5			desert, semi desert 15%	40 35	forested, rough forested, steep		
South Africa, SW Africa, Bechuanaland, Basutoland, Swaziland	11 12 13 14 15	216.5 531.6 162.5 138.3 54.2	Many rivers in deep gorges, falls at edge of central plateau	10	70 75	20 100			15 ² 60% sparse 40% barren	30 ↓	rough, & dissected plain		
Madagascar (Malagasy Republic)	16 17 18	103.6 96.8 29.9	Coast along east coast with lagoons	20 5 5	40 25 70	35 70 25	5			50 50 30	rough rough rough		
													* Suitability for movement of tracked vehicles, 12-15 psi ground pressure

* Suitability for movement of tracked vehicles, 12-15 psi ground pressure

Confidential

TABLE B-5

Natural Environment of South America

Confidential

Data Division	Area (1000 mi. ²)	Climatic Correlation			General Terrain	Altitude Distribution (1000 feet)						Slope Distribution			Drainage-Stream Valleys		
		Climate Zone	Zone Area (1000 mi. ²)	Per Cent		0-1	1-3	3-5	5-10	> 10	0-10%	10-30%	> 30%	freq. (mi.)	width (feet)	steep banks?	
Brazil (NW)	~1060	2 4 5	42.0 1030.0 980.0	2 50 48	Vast Amazon forested plain, highlands SE	65 85 30	30 5 65	5 5	neg		65 85 80	20 5 15	15 neg 5	40-80 20-100 40-60	60-250 > 250 60-500 +	Most Most Most	
Brazil (SE)	~1227	4 5 6 8	24.5 981.0 24.5 106.0	2 80 2 16	2/3 flat to rolling, hilly NE and E central, great escarpment SE coast 856 miles from Sao Tomé to Porto Alegre	100 25 65 55	60 15 5	14 10	1		100 60 85 80	25 15 10	15	30-50 40-60 50-100 50-100	60-250 60-250 60-250 60-250	Some Some Most Most	
Uruguay	68.4	6 (17 and 8 incl. in 5)	68.4	100	Rolling plains	85	5				55	35	10	~ 50	Unknown	< 1/2	
Paraguay	157.0	5 9 (16 incl. in 5)	86.3 70.7	55 45	Plains west, Plateau east	85 85	15 15				80 65	10 20	10 15	30-50 30-50	Unknown Unknown	1/2 1/2	
Argentina	1084.4	9 10 11 12 13 23	217.0 141.0 378.2 108.4 21.7 217.0	20 13 35 10 2 20	2/3 low and high rolling plain, 1/3 rugged Andes mtns	85 85 48 20 50 --	5 5 40 40 45 10	neg 10 35 5 25	neg 2 5 neg 30		80 90 65 20 20 5	15 5 20 50 40 20	5 5 15 5 40 75	20-60 40-70 60-250 60-250 20-100 Narrow St. canals	Few Some Most Most Most Most		
*West of an arc extending from the Atlantic near Belem, through Brasilia, and the Paraná gorge to Paraguay																	

* West of an arc extending from the Atlantic near Heliópolis, through Brasília, and the Paraná gorge to Paraguay

* Below sea level

Confidential

TABLE B-5 (Cont.)

Natural Environment of South America

Confidential

Data Division	Climate Zone	Zone Area (1000 mi ²)	Special Drainage Features	Vegetation and Surface Cover Distribution						Cross-Country Index *		Special Features re GEM's	
				Dense Forest	Brush Woods	Grasslands	Cultivation	Marsh, Lake, Swamp	Other Vegetation	%unusable	Cause		
Brazil (NW) *	2	42.0	Wide, deep rivers in Amazon Basin, marshes in SW and Delta areas, also along major tributaries	75		25 ⁰		12		75	Forest and steep	Many rivers have rapids in middle and upper courses, and forested banks, high precipitation	
	4	1030.0		90		5 ³		5		95	Forest and marsh		
	5	988.0		40		55 ³		5		55	Forest and marsh		
Brazil (SE)	4	24.5	Numerous marshes and lagoons on narrow coastal plain, steep banks in high plain W	40	40 ²⁰	15 ⁴	10 ¹⁵	10 ²⁰		50	Forest	Some dunes N coast and (a) S, high humidity and precipitation	
	5	981.0		10	60 ²⁰	20 ⁴	20 ³			45	Rugged and forest Mostly O.K.		
	6	24.5			60 ²⁰		25	5		--			
	9	195.0		5	5	60				20	Forest and rough		
Uruguay	(7 and 8 incl in 5)												
	9	68.4	Some marshes and lagoons on eastern coastal plain	10	3	80	7			10	Forest and rough	Many fences on ranches	
Paraguay	5	86.3	Rio Paraná in deep gorge, Rio Paraguay extensive seasonal flooding	30	35	30	5			20	Forest and rough		
	9 (10 incl in 9)	70.7		45	30	15	10			30	Forest and rough		
Argentina	9	217.0	Most stream valleys deeply incised in plateau area, large swamp areas in zones 8 and 10	10	20 ³⁰	35 ³	20 ³	15 ⁶		25	Marsh and rugged	In NE numerous railroads fenced barbed wire to 5 feet	
	10	141.0			35	40	25			10	Marsh		
	11	378.2		5	20	70	5			15	Rugged		
	12	108.4		5	5	90				20	Rugged		
	13	21.7		10	5	85	5			50	Rugged		
	23	217.0		15		80				75	Rugged		
* West of an arc extending from the Atlantic near Belém, through Brasília, and the Paraná gorge to Paraguay											* Suitability for movement of tracked vehicles, 12-15 psi ground pressure		

Confidential

TABLE B-5 (Cont.)
Natural Environment of South America

Confidential

Data Division	Area (1000 mi ²)	Climatic Correlation			General Terrain	Altitude Distribution (1000 feet) *					Slope Distribution			Drainage-Stream Valleys		
		Climate Zone	Zone Area (1000 mi ²)	Per Cent		0-1	1-3	3-5	5-10	> 10	0-10%	10-30%	> 30%	freq. (mi.)	width (feet)	steep banks?
Chile	286.4	13	42.8	15	Coastal plains and trough, with Andes ridge cut, frigid uplands at southern tip	30	35	30	5		30	30	40	Florida	Wide	Most
		14	42.8	15		15	15	45	20	5	10	30	60	Florida	Wide	Most
		15	42.8	15		60	20	20			30	30	40	30-50	Unknown	Some
		18	28.6	10		15	40	40	5		30	30	40	Intermittent	Unknown	Most
		23 (6 incl. in 15)	128.4	45		5	15	15	25	40	10	15	75	Small	Unknown	Most
Bolivia	424.2	(17 incl. in 18)			Andes rugged chain and high plateau W, low plains east											
		4	50.9	12		65	30	5			70	20	10	20-100	Unknown	Some
		5	190.8	45		40	55	5		50	60	20	20	30-100	Unknown	Some
		23	182.5	43		5	5	10	30		15	20	65	50-100	Unknown	Most
Peru	496.2	4	193.4	40	Narrow coastal plain, Andes ridge, eastern forested lowland	60	35	5			60	20	20	30-60	Unknown	Some
		18	24.8	5		40	40	20			30	30	40	20-40	Unknown	Most
		19	24.8	5		55	30	15			50	30	20	20-40	Unknown	Most
		23	248.0	50		5	15	20	25	35	10	15	75	Numerous small	Unknown	Most
		(20 incl. in 19)														
Ecuador	102.4	4	35.8	35	Coastal plain, Andes chain, eastern rain forest	55	40	5			80	10	10	?	?	?
		21	10.2	10		60	40	neg			50	40	10	15-20	< 60	Most
		22	25.6	25		65	35	neg			70	20	10	15-20	60-120	Most
		23	30.7	30		5	15	20	35	25	10	20	70	Mtn. Streams		

*Below sea level

Confidential

TABLE B-5 (Cont.)

Natural Environment of South America

Confidential

Data Division	Climate Zone	Zone Area, 2 (1000 mi ²)	Special Drainage Features	Vegetation and Surface Cover Distribution					Cross-Country Index *		Special Features re GEM's
				Dense Forest	Brush Woods	Grass-lands	Culti-vation	Marsh, Lake, Swamp	Other Vegetation	% unutilizable	
Chile	13	42.8	Southern coast zones, 13 and 14 cut by many fjords, interior trough irrigated	60	20	20				60	GEM's confined to coastal area and interior trough
	14	42.8		75	20	15	5			70	
	15	42.8		20	25	20	40			40	
	18	28.6		20	20	20				40	
Bolivia	23	121.4	Amazon drainage E, very few drainage features in SE	20	40	10				80	High western plateau (12,000 ft.) limited GEM ops, but no access
	(16 incl. in 15)										
	(17 incl. in 18)										
	4	50.9		70	30	15	5			70	
Peru	5	190.8	Western slopes dry except at stream cutlets, which are oases	25	60	20				20	Coastal plain and hills, < 10 miles wide
	23	132.5		15	20	20				80	
	4	168.4		80	10	10	5			100	
	18	24.8		20		15				50	
Ecuador	19	24.8	Marshes on N portion coast, eastern area drains to Amazon		25	45	5			30	Suitability for movement of tracked vehicles, 12-15 psi ground pressure
	23	248.0		20						85	
	(20 incl. in 19)										
	4	35.8		100	35	40	5			100	
	21	10.2		20	10	20				25	
	22	25.6		85	40					75	
	23	30.7		30						80	

Confidential

TABLE B-5 (Cont.)

Natural Environment of South America

Confidential

Data Division	Area (1000 mi ²)	Climatic Correlation			General Terrain	Altitude Distribution (1000 feet)					Slope Distribution			Drainage-Stream Valleys		
		Climate Zone	Zone Area (1000 mi ²)	Per Cent		0-1	1-3	3-5	5-10	> 10	0-10%	10-30%	> 30%	freq. (mi.)	width (feet)	steep banks?
Colombia	439.3	2	131.8	30	Coastal and central forested lowlands divided by rugged Andes	80	15	3	2	1	80	10	10	10-60	> 250	Most
		4	153.7	35		85	14	1	neg		80	5	5	20-50	> 250	Most
		22	21.8	5		85	15	neg			80	10	10	~ 50	> 150	Some
		23	131.8	30		5	20	30	30	15	10	15	75	Numerous small	--	Most
Venezuela	352.1	(1 and 24 incl. in 2)														
		2	310.0	88	2/3 plain, 1/3 hills and mtns N and SE	55	25	15	5	neg	40	45	15	25-150	> 250	Some
		3	17.6	5		80	8	2			80	5	5	N.A. mainly area		-----
		4	24.6	7		35	60	5			80	5	5	40-100	> 250	Some
Br. Guiana Dutch Guiana Fr. Guiana	173.2	2	85.7	50	Coastal plain, forested hills and low mtns inland	50	40	10			40	40	20	15-50	Unknown	Some
		3	34.7	20		95	5				80	20	20	15-50	Unknown	Some
		4	52.0	30		45	55				40	30	30	15-50	Unknown	Few

*Below sea level

Confidential

TABLE B-5 (Cont.)

Natural Environment of South America

Confidential

Data Division	Climate Zone	Zone Area 2 (1000 mi ²)	Special Drainage Features	Vegetation and Surface Cover Distribution					Cross-Country Index *		Special Features re CLIMAT
				Dense Forest	Brush Woods	Grass-lands	Cultivation	Marsh, Lake, Swamp	Other Vegetation	% unsuitable	
Columbia	2	131.8	Marshes along coast and in north central	30		65 J-5		5		30	Some irrigation canals in inland valleys
	4	153.7		85		5				100	
	22	21.8		85				15		95	
	23	131.8		20	30 S-10	50				85	
	(1 and 24 incl. in 2)										
Venezuela	2	310.0	Extensive marsh area NE, and on Lake Maracaibo	55		40	1			50	Stream beds in zone 4 have large rocks
	3	17.6		5		5		90		40	
	4	24.6		100						100	
Br. Guiana Dutch Guiana Fr. Guiana	2	86.7	Lagoons near coast	60	10	30				70	Coastal plain irrigated for cultivation
	3	34.7		45	10	35	10			50	
	4	52.0		100						100	
											* Suitability for movement of tracked vehicles, 12-15 psi ground pressure

Confidential

TABLE B-6
Natural Environment of North America

Confidential

Date Division	Area (1000 mi ²)	Climatic Correlation			General Terrain	Altitude Distribution (1000 feet)					Slope Distribution			Drainage-Stream Valleys		
		Climate Zone	Zone Area 2 (1000 mi ²)	Per Cent		0-1	1-3	3-5	5-10	> 10	0-10%	10-30%	> 30%	fren. (mi.)	width (feet)	steep banks?
Alaska	586.4	4 5 6	£7.9 £12.0 £7.9 ££.6	15 60 15 10	Interior plateaus, hills, and plains, surrounded by mtns N, E, S.	65 65 26 40	30 20 30 30	5 10 30 20	neg 5 18 10		30 40 10 10	20 30 30 20	10 30 30 70	10-30 10-30 Wide Mtn streams Coastal forests only	Braided Some Most	
Greenland	840.0	2 3	~135 ~103	16 84	High icecap island (zone 3) surrounded by rugged coastal zone (2)	40	30	25 7	5 30	3	5 20	5 10	90	Florida only Rocky streams in narrows only		

•Below sea level

Confidential

Confidential

Data Division	Climate Zone	Zone Area, ² (1000 mi)	Special Drainage Features	Vegetation and Surface Cover Distribution						Cross-Country Index *		Special Features re GEM's
				Dense Forest	Brush Woods	Grasslands	Cultivation	Marsh, Lake, Swamp	Other Vegetation	% unsuitable	Cause	
Alaska	1	87.0	Numerous small lakes in flat areas, low steep banks 5-10 ft. Frozen - zone 1 Sept-June, zone 4 Oct-May, zone 6 Dec-May, floods zone 6, Yukon and tributaries natural route.	40	35				100 tundra 25 tundra 10 ice and snow 15 ice and snow	20 50 90 95	Steep, streams Steep Steep Steep	Zone 1 permanent permafrost all areas poor x-c conventional vehicles when thawed, steep banks 5 ft. common in North tundra, forests easily clearable by dozer except zone 6
	4	352.0		50	40							
	5	87.0		70	15							
Greenland	2	~135	Glaciers-20 mile intervals extend from icepack to floods, summer lakes on icecap margin.		scattered 55	15			30 barren 100 icecap	95 95	Icecap and rugged borders	Permafrost area and icings from: 64°N on west coast 68°N on east coast Margins of icecap rough and crevassed, GEM could be used on icecap, central area (50 per cent of icecap), but access very difficult.
	3	~705										
												* Suitability for movement of tracked vehicles, 12-15 psi ground pressure

Natural Environment of North America

Data Division	Area (1000 mi ²)	Climatic Correlation		General Terrain	Altitude Distribution (1000 feet)						Slope Distribution			Drainage-Stream Valleys		
		Climate Zone	Zone Area (1000 mi ²) Per Cent		2-1	1-3	3-5	5-10	>10	0-10%	10-30%	>30%	freq. (mi.)	width (feet)	steep banks?	
Canada	3845.2	1 4 5 6 7 10	846.3 1325.0 307.3 36.5 534.0 75.5	22 53 3 1 17 1	Rugged mtns west, rugged mtns E coast, vast central plains and plateau area, tundra and polar climate area N, Hudson Bay 150 and 75 per cent muskeg	89 15 5 19 50	3 53 20 36 50	3 8 40 30 35	2 10 30 3		23 35 5 13 32 5	42 25 25 3 25 11	35 20 10 91 40 15	Variable widths, many small streams, some large rivers only, some lakes, St. Lawrence River, Great Lakes, Hudson Bay		
U.S.A. (49 states)	3022.4	6 5 7 8 9 10 11 12 13 14 15 (13 incl. in 14) (22 incl. in 9)	362.5 90.7 272.0 483.5 726.0 483.5 90.7 90.7 241.8 181.5	12 3 9 16 24 16 3 3 8 6	Atlantic and Gulf coastal plains, separated from central lowlands by Appalachian mtns and hills, west rugged mtns incl. rounding rough plateau, area, desert SW, Pacific Coast rugged	5 40 5 30 85 neg neg 10 10 20 20	16 25 24 19 15 20 neg 10 23 25 40	35 20 1 2 neg 30 5 5 33 20	40 15 neg neg 45 37 37 neg 39 39 20	10 neg neg 5 neg neg neg neg 20	12 20 35 35 20 20 20 20 20 20	35 13 25 12 23 42 40 40 42 42 42	52 45 13 13 35 12 11 11 35 35 35 35 35	Variable widths, many small streams, some large rivers only, some lakes, St. Lawrence River, Great Lakes, Hudson Bay		

Below sea level

Confidential

TABLE B-8 (Cont.)

Natural Environment of North America

Confidential

Data Division	Area 2 (1000 mi ²)	Climatic Correlation			General Terrain	Altitude Distribution (1000 feet)						Slope Distribution			Drainage Stream Valleys		
		Climatic Zone	Zone Area 2 (1000 mi ²)	Per Cent		0-1	1-3	3-5	5-10	> 10	0-10%	10-30%	> 30%	freq. (mi.)	width (feet)	steep banks?	
Mexico	753.3	14 15 16 17 18 19 20 (21 incl in 20)	151.8 189.6 189.6 151.8 22.7 22.7 30.3	20 25 25 20 3 3 4	60 per cent hills and mtns with coastal lowlands extending full width at isthmus, two prominent peninsulas	30 30 40 10 5 100	25 20 10 30 50 5	35 20 25 20 neg	10 30 60 10 20	5	50 40 30 30 20 80 95	35 30 40 30 50 15 5	15 30 30 40 50 5	Very few 50 Very few 20-50 20-40 20-40 none	60-250 60-250 60-250 60-250 60-250 > 250	----- Most Most Most Most Most -----	
Guatemala	42.0	17 18 19	8.3 16.8 16.8	20 40 40	Central mtns, large lowlands N and on coasts	50 5 65	20 20 30	20 30 5	10 40	5	50 10 65	30 30 20	20 60 15	10-30 10-30 Very few 10-30	60-250 60-250 60-250	Most Most Some	
Br. Honduras	3.9	19	8.9	100	Forested hills and plains	70	30	neg			60	20	20	10-30		Some	
El Salvador	8.3	17	8.3	100	Hills and mountains, coastal plain	40	40	15	5		25	40	35	5-20	< 60	Most	
Honduras	43.3	18 19	26.0 17.3	60 40	Central highlands, coastal lowlands	20 45	35 30	35 25	10 neg		15 40	15 30	70 30	10-20 10-30	< 60 < 60	Most Most	
*Below sea level																	

Confidential

TABLE B-8 (Cont.)
Natural Environment of North America

Confidential

Data Division	Climate Zone	Zone Area 2 (1000 mi ²)	Special Drainage Features	Vegetation and Surface Cover Distribution						Cross-Country Index *		Special Features or GEM's
				Dense Forest	Brush Woods	Grasslands	Cultivation	Marsh, Lake, Swamp	Other Vegetation	% unsuitable	Cause	
Mexico	14	151.8	Swamps common on coast of Yucatan Peninsula and Isthmus, Colorado and Rio Grande rivers largely controlled	25	10 ¹⁰				00 semi-desert	30	Mtn, rough	Irrigated areas in Colorado delta, and on upper Rio Grande 2-5 x 3-10 ft, up to 5 ft deep 10-20 ft wide. Dust in dry areas, high humidity and precipitation SE, karst topography on Yucatan Peninsula
	15	189.6		40	60		5 ⁸	5	10 semi-desert	40	Mtn, rough	
	16	189.6		85	55		10		5 semi-desert	30	Mtn, rough	
	17	151.8		80			20			55	Mtn, forest	
	18	22.7		60			30 ⁸	40		80	Mtn, forest	
	20	22.7		55				15		00	Swamp, forest	
	(21 incl in 20)	30.3								15	Forest	
Guatemala	17	8.4	Swamp and lagoons along coast, karst drainage N third	65	20 ¹⁰	10 ⁴				40	Rough, wet	Small farms surrounded by hedges to 5 ft
	18	16.8		50	40	10		5		90	Steep, forest	
	19	15.8		80	15	5				70	Steep, forest	
British Honduras	19	8.9		90		5	5			65	Forest	
El Salvador	17	8.3	Swamp and marsh along coast	10	60 ²⁰	5	20	5		70	Steep and rough	Coffee plantations to 10 ft included under "brush"
Honduras	18	26.0	Swamps on coasts extend 10-30 miles inland	60	10 ¹⁰		5 ¹⁰	5 ²⁰		90	Steep, marsh	Access through swamps via rivers > 200 ft wide at coast, some ditches 3 ft deep 4 ft wide, 5 ft wide spaced 400 yards
	19 (17 incl in 18)	17.3		70	15		5	10		70	Steep, marsh	
* Suitability for movement of tracked vehicles, 12-15 psi ground pressure												

Confidential

TABLE B-6 (Cont.)

APPENDIX B(13)

Natural Environment of North America

Confidential

Data Division	Area (1000 mi ²)	Climatic Correlation			General Terrain	Altitude Distribution (1000 feet)					Slope Distribution			Drainage-Stream Valleys		
		Climate Zone	Zone Area (1000 mi ²)	Per Cent		0-1	1-3	3-5	5-13	> 10	0-10%	10-30%	> 30%	frec. (rel.)	width (feet)	steep banks?
Nicaragua	51.1	17 18 19	17.1 14.3 25.5	30 23 45	Mtns N central, hills W and S	70 30 70	25 40 25	5 30 5	neg		35 10 75	30 45 20	35 45 5	5-20 10-30 15-25	< 60 3.4-60 60-120	1/2 Most 1/2
Costa Rica	11.7	17 19	11.8 7.0	60 40	Volcanic chains with central plateau	55 70	20 15	15 10	8 5	2	30 40	30 30	40 30	10-30 10-30	? ?	Most Most
Panama (incl Canal Zone)	29.1	17 19	17.5 11.6	60 40	Central mtns, lowlands N and S	75 50	15 30	10 15	5	neg	25 20	40 40	35 40	5-20 5-20	< 60 < 60	All All
Cuba	44.2	24 25 (23 incl in 24)	37.5 6.7	85 15	Rolling plain, steep N coast mtns E and NW	85 70	5 25	neg 5	neg		60 40	25 20	15 40	Numerous small Numerous small	60-120 < 60	Most Most
Haiti - Dominican Republic	23.4	24 25 26	14.7 7.5 7.5	50 25 25	Rugged mtns, divided by valleys	50 50 65	20 20 30	25 25 5	5 5		20 20 30	20 20 20	60 60 50	Numerous small Numerous small	< 60 < 60 < 60	Most Most Most
Jamaica	4.4	25	4.4	100	Mostly rugged, cultivated plains	45	40	13	2		20	30	50	Numerous small	Small	Most
Puerto Rico	3.4	24 (26 incl in 24)	3.4	100	Rugged E-W mtns, N and S coastal plains	60	30	10			20	35	45	Numerous small	Small	Most
-----	22	No Data	-----													

*Below sea level

Confidential

TABEL B-6 (Cont.)
Natural Environment of North America

APPENDIX B-10

Confidential

Data Division	Climate Zone	Zone Area ² (1000 m.)	Special Drainage Features	Vegetation and Surface Cover Distribution					Cross-Country Index *		Special Features or Comments
				Dense Forest	Brush Woods	Grasslands	Cultivation	Marsh, Lake, Swamp	Other Vegetation	Unsuitable	
Nicaragua	17 18 19	17.1 14.3 23.5	E coastal lagoons, lakes Nicaragua and Managua	20 60 15	30 30	20	5 10 5	25		50 70 95	Forest, lakes Forest, rugged Forest
Costa Rica	17 19	11.8 1.9	Caribbean coast marshy	60 15	20	15	5 10	5		60 80	Rugged, forest
Panama (see Canal Zone)	17 19	17.5 11.6	Swamps on coast, particularly south	60 15	10 5	10 ⁵	10 ¹⁰ 5	10 ¹⁰ 5		15 25	Steep, dissected Panama Canal 300 ft wide, locks 10 ft wide
Cuba	21 23 (22 in 21)	31.5 9.7	Marsh S central, many short N-S streams	20 40	15 20	20 20	40 20	5		25 50	Rough, marsh, Mtn. and rough
Haiti-Dominican Republic	21 23 26	14.7 7.3 7.3	Some coastal marsh, some canals, irrigated areas	50 50 40	30 20 40		20 25 20	5		70 80 90	Rough steep ground and severely dissected plain, karst area S central and east 1/2
Jamaica	25	4.4		40	20	20	20			60	Rugged, forest
Puerto Rico	24 (26 in 21)	3.4	Swamps, N coast	30	10	20	40			55	Rugged, forest
-----	22	No Data	-----								Suitability for movement of tracked vehicles, 12-15 psi ground pressure

Confidential

TABLE B-7
Natural Environment of Australia, New Zealand, and Pacific Islands (Oceania)
and Antarctica

Confidential

Data Division	Area (1000 mi ²)	Climatic Correlation			General Terrain	Altitude Distribution (1000 feet)					Slope Distribution			Drainage-Stream Valley		
		Climatic Zone	Zone Area (1000 mi ²)	Per Cent		0-1	1-3	3-5	5-10	> 10	0-10%	10-30%	> 30%	freq. (mi.)	width (feet)	steep banks?
Australia (including Tasmania)	2974.6	1	148.7	5	Mostly arid plateau with central lowland and eastern rim highlands	60	40				50	40	0	20-50	Unknown	Few
		2	89.2	3		70	28	2			60	30	0	20-50	Unknown	Few
		3	1041.0	35		60	40				75	20	5	1/2, 30-100	Unknown	Few
		4	148.7	5		55	42	3			30	45	15	20-40	Unknown	Few
		5	89.2	3		30	50	18	2		10	40	30	20-40	Unknown	Few
		6	148.7	5		80	20				70	20	10	1/2, 30-100	Unknown	Few
		7	89.2	3		50	50				65	25	10	Unknown	Unknown	Few
		8	1190.0	40		60	40				75	20	5	3/4, None	Unknown	Few
		9	14.0	0.5		30	50	20	neg		20	40	40	10-40	Unknown	Some
		10	14.0	0.5		40	50	10	neg		30	40	30	10-40	Unknown	Some
New Zealand	103.7	11	55.5	15	Rugged mtn backbone, with hills surrounding, few plains	40	35	20	5		5	15	80	5-20	50-250	Most
		12	32.6	80		50	20	25	5	neg	10	45	45	5-20	50-250 +	Most
		13	5.2	5		95	5				10	75	15	5-20	50-250	Some
S. W. Pacific Islands (incl. Fiji, New Hebrides, New Caledonia, Gilbert's)	21.0	14-17	21.0	100	High and low islands	65	30	5	neg		30	35	35	Numerous small	< 60	Most
Hawaiian Islands	6.4	Climatic data not included	6.4	100	Volcanic islands	40	30	15	15	neg	30	30	40	Numerous small	Unknown (Narrow?)	Most
Antarctica	~ 5500	1-9	~ 5500	100	Vast continental glacier with scattered coastal and inland mtns	(Approx. 40 per cent)					Unreliable			Unreliable		
											~70	~20	~10	Very Few	-----	-----

Confidential

TABLE B-7 (Cont.)
Natural Environment of Australia, New Zealand, and Pacific Islands (Oceania)
and Antarctica

Confidential

Data Division	Climate Zone	Zone Area 2 (1000 mi ²)	Special Drainage Features	Vegetation and Surface Cover Distribution						Cross-Country Index *		Special Features of GEM's
				Dense Forest	Brush Woods	Grasslands	Cultivation	Marsh, Lake, Swamp	Other Vegetation	% unsuitable	Source	
Australia (Including Tasmania)	1	148.7	Large unco-ordinated drainage area in western plateau and desert, streams mostly intermittent except in zones 4, 5, 8, and 10	30	55	10		5		10	Rough	Forests mostly open except in zones 4, 5, 7, and 9 sand dune area 50 per cent of zone 8
	2	89.2		40	40	20				10	Rough	
	3	1041.0		5	30	65				10	Rough	
	4	148.7		28	50	20	2			40	Forested and rough	
	5	89.2		40	30	14	15		1 per cent barren	40	Forested and rough	
	6	146.7		5	35	35	25			10	Rough	
	7	89.2		20	25	35	20			10	Rough	
	8	1180.0		60	10	30			60 per cent desert	10	Rough	
	9	14.9		70	20	15	5		5 per cent barren	60	Forested hills	
	10	14.9							5 per cent barren	60	Forested hills	
New Zealand	11	15.5	Numerous small streams on volcanic slopes, flood-prone west coast South Island	75	10	10			5 per cent bare and glacier	80	Mtms and forested hills	Streams rocky, not suitable for GEM's
	12	82.9		35	8	45	10		2 per cent bare and glacier	60	Mtms and forested hills	
	13	5.2		40	10	45			5 per cent dunes	30	Mtms and forested hills	
S.W. Pacific Islands (Incl. Fiji, New Hebrides, New Caledonia, Gilbert's)	14-17	21.0	Low islands have few permanent streams, radial drainage in high islands	60	10	10	20			80	Rugged and forest	Streams rocky, not suitable for GEM's
Hawaiian Islands	Climatic data not included	6.4	Irrigated lowlands for agriculture	25		50	9 Sugar and pineapple		16 per cent barren and waste-land	60	Steep and dissected hills	
Antarctica	1-9	5500	Glacial drainage	None	----	----	----	----	98 per cent ice 2 per cent rock		* Suitability for movement of tracked vehicles, 12-15 psi ground pressure Limited capability on ice-crevasses up to several hundred feet wide, mostly at edge of continental glacier	

Confidential

APPENDIX C

NATURAL ENVIRONMENT OF COASTAL AREAS

CONFIDENTIAL

APPENDIX C

NATURAL ENVIRONMENT OF COASTAL AREAS

This appendix contains the background data for amphibious operations of Ground Effect Machines. These data represent the primary geographical parameters of the coastal regions of the world, with particular emphasis on the elements affecting GEMs.

In one important respect Appendix C differs from Appendices A and B, covering climatic, oceanographic, and continental environment data--the data used are much more of a qualitative nature. Quantitative geographic data on coastal areas have heretofore been restricted almost entirely to those data needed for planning conventional amphibious operations. Where these studies have not been made, coastal data are limited to generalized landform and vegetation distributions, and brief data on coastal stream valleys.

Every effort has been made to provide complete data coverage for all the elements of this appendix, but in some categories, especially the characteristics of beaches, full coverage would necessitate extensive field survey. Accordingly, the data forms are filled in to the greatest extent

CONFIDENTIAL

CONFIDENTIAL

APPENDIX C(2)

available from all the data sources used, and missing data are indicated by a question mark or the word "unknown." The qualitative evaluation of suitability for GEM amphibious operations included at the bottom of the data sheets represents an appraisal of the data available for the area, including all background material elements. This appraisal has also been portrayed in Figure 14 of the report (Volume I).

Data sources used for assembling the data of this appendix are the same as those used for Appendix B. Characteristics of beaches and landing areas are given in Section 22 of the appropriate National Intelligence Survey series.

The following notes will assist in understanding the form of data presentation:

- (1) The data are tabulated in terms of coasts of continents fronting on the oceans and major seas. The world's mainland coasts and major islands are included in these data, with the exception of the North American Arctic Islands above 77° latitude. The breakdown by continents and oceans is on the basis of convenience and continuity rather than the strictest geographic identity; for example, the Black Sea coasts of Romania and Bulgaria are grouped with those of the U.S.S.R. and Turkey and the Mediterranean Coasts of Western Asia.

Each data column represents the coastal area of a political unit or other convenient geographic unit within the data group. For a few political units with extensive coastlines on a given ocean, e.g., the Arctic Coast of the U.S.S.R., varying characteristics within the entire area are indicated by a breakdown into two or more columns.

CONFIDENTIAL

CONFIDENTIAL

APPENDIX C(3)

- (2) The coastal climate zones taken from Figures 1 to 7 in Chapter 1 (Volume I) represent the Bailey classification referred to in Section 2 and are included for better correlation of these data with those of Appendices A and B.
- (3) The total coast length includes offshore islands. The mainland coast length, where available, includes major gulfs and bays, but not the minor indentations. These numbers, and the others listed in this appendix, are given in statute miles.
- (4) The coastal terrain represents a brief description of the coastal landforms, and the terrain backing most of the beaches along the coast.
- (5) The data on coastal stream valleys are similar to those included in Appendix B, except that the qualitative notation of steep banks has been broken down into the near coast and inland areas, divided at about 15 to 20 miles from the coast. Again, the definition of steep banks is not rigorous, but generally includes banks over 10 feet and near vertical, or over 15 feet with slopes of 50 to 100 per cent or greater.
- (6) The characteristics of beaches, where these data are available, include number of beaches, percentage over two miles long, percentage with widths over 50 feet and over 100 feet at high water, the maximum gradient in the high water zone (the portion of the beach above normal high tide) the most common beach materials, and approach obstructions, if any.
- (7) Maximum surf heights and tidal ranges are given in feet. Storm conditions are not included.
- (8) Coastal vegetation includes the vegetation near the coast or backing the beaches if applicable.
- (9) The special features of coastal areas include notation of ice-bound coasts and other particular features.
- (10) The GEM feasibility evaluation represents a qualitative appraisal of suitability for GEM coastal operations. (See also Figure 14 (Chapter I), Volume I.) The percentages

CONFIDENTIAL

CONFIDENTIAL

APPENDIX C(4)

given represent the percentages of mainland coast length if it is given. The following definition of the zone breakdown has been used:

- Zone 1. Coasts suitable for GEM access inland over the beach, or through stream valleys.
- Zone 2. Coasts suitable for GEM landings on beaches, but not providing easy GEM access inland.
- Zone 3. Coasts which are unsuitable for GEM amphibious operations.

- (11) A word of caution is again appropriate. The data represent area coverage rather than point locations. Any individual location may have characteristics differing from those of the general area. Therefore these data do not represent sufficient source material to support or reject a specific operation at any particular point.

CONFIDENTIAL

TABLE C-1
Atlantic Coasts of Europe

CONFIDENTIAL

Country	Spain (part), 45, 47A, 48A, 48B	France (part) 48B	Belgium Netherlands 48B	Germany (part) 48B	Denmark (part) 48B	Acrotiry 51A, 52, 53, 54A
Coastal Climate Zones						
Total Coast Length (mi)	1505	1330	840	450	230	3370
Mainland Coast Length (mi)	1505	1330	640	270	230	2370
Coastal Terrain	dunes & banks, or cliffs	low cliffs, sea- walls	steep dunes to 100 ft., seawalls & dikes	mud flats & dunes, dikes	grassy dunes	rocky & forested hills
Coastal Stream Valleys - freq. (mi)	15-75	100	10-15	20	5-15	10-30
--water width (ft)	50-500	1 1/2 > 250 for 5 mi.	60-250	> 175	< 60	fjords & 25 mi. wide (> 500 ft.)
--length (at above width) (mi)	mostly ~50	20-600	interconnected	interconnected	15	75
--steep banks near coast <15-20 mi	1/3	few	diked 15-20 ft.	few	few	most
--steep banks inland >15-20 mi	2/3	few	diked 3-6 ft.	few	few	most
Characteristics of beaches - no.	213	240	29	12	9	75
--length, % > 2 mi.	25	avg. 2.2 mi.	avg. 6 mi.	80	all (avg. 15)	none
--width, % > 50 ft. at H. W.	95	80	85	100	100	75
--width, % > 100 ft. at H. W.	85	40	70	100	100	30
--max. slope, H. W. zone (%)	6-15	6-20	6-10	3-7	3-5	3-10
--material	sand	sand (?) soft when dry	sand	sand	sand	sand, some boul- der channels by reefs
--approach obstructions	scattered exposed & submerged rock	bars & mud flats at low tide	wrecks & shoals in parts	sand & mud flats	scattered bars	small islands
Surf - max. height (ft.)	8-12	5-12+	30% > 4	5-8	3-5	3-8+
Tidal Range (ft.)	9-13	11-40	5-17	6-13	1-5	neg - 8
Coastal Vegetation	cultivation & brush	cultivation	irrigation, features	cultivation	cultivation	forest, some cultivation & grass
Special Features of Coastal Area	breakers 4 mi. out in N. portion	seawalls 3-20 ft.	10% breakers > 8 ft., steep ramp	20% breakers	many coastal seams canalized 30 ft. width	indentations & fjords not tied in coast length, many small islands, some common, some not
GEM Feasibility - see Figure 14						
--% Zone 1	45	55	100	100	100	75
--% Zone 2	35	45	-	-	-	25
--% Zone 3	20	-	-	-	-	-

CONFIDENTIAL

TABLE C-1 (Cont.)

APPENDIX C

Atlantic Coasts of Europe

CONFIDENTIAL

Country	United Kingdom incl channel Isl. 49	United Kingdom Outlying Islands* 49	North Atlantic 49	Iceland 55, 56A	Notes
Coastal Climate Zones					
Total Coast Length (mi)	5700	1500	320	100	300
Mainland Coast Length (mi)	5580	N.A.	320	100	N.A.
Coastal Terrain	mostly rocky, except beaches & stream valleys	rocky, with cliffs, dunes behind beaches	mostly rocky	steep slopes, lava, tephra plains, many fields	wounded slopes
Coastal Stream Valleys - freq. (mi)	10-30	unknown	10-30	6-20	unknown
--water width (ft)	mostly > 250		mostly > 250	mostly 20-40	
--length (at above width) (mi)	?		?	mostly 30-70	
--steep banks near coast <15-20 mi	few		?	?	
--steep banks inland >15-20 mi	?		?	?	
Characteristics of beaches - no.	331	123	25	54	23
--length, % > 2 mi.	30	15	20	40	none
--width, % > 50 ft. at H.W.	~70	55	60	65	65
--width, % > 100 ft. at H.W.	~50	30	15	30	30
--max. slope, H.W. zone (%)	3-10	3-10	6-10	20	6-20
--material	sand, gravel, cobble	sand	sand	clay, cobble	sand, pebbles
--approach obstructions	scattered rocks & shoals	1/2 partly obstructed by rocks & shoals	scattered rocks in 1/2 area	none	none
Surf - max. height (ft.)	to 45% > 4ft. winter	to 47% > 4 ft. winter	19% > 4 ft. winter	12	5-12
Tidal Range (ft.)	6-40	3-13	3-13	14	5-5
Coastal Vegetation	grass & cultl - vation	grass, cultivation	grass, cultivation	grass (?)	sparse
Special Features of Coastal Area	seawalls back many beaches	* Shetlands, Orkneys, Hebrides		climate mild for latitude	
GEM Feasibility - see Figure 14					
--% Zone 1	55	Not	100	0	Not
--% Zone 2	45	Tabulated	-	0	Tabulated
--% Zone 3	-		-	0	

CONFIDENTIAL

TABLE C-2

Baltic Coasts of Europe

APPENDIX C-5

CONFIDENTIAL

Country	Denmark (part) 48B	Germany (part) 48B	Poland 50A	USSR (part) 2D, 50A	Finland 2D	Sweden 2D, 51A
Coastal Climate Zones						
Total Coast Length (mi)	1360	665	266	1480	1325	1895
Mainland Coast Length (mi)	360	265	266	940	1125	1430
Coastal Terrain	low cliffs & low flat shores	steep banks & wooded dunes	sandy dunes & low hills	sand dunes, swamps & marshes	low cliffs, rock & gravel, backed by plains	rocky forested coast, with fjords & many islands
Coastal Stream Valleys - freq. (mi)	5-15	20	25	40-200	20	10-50
--water width (ft)	< 60	> 175	up to 1000	> 500	> 50	?
--length (at above width) (mi)	15-30	interconnected	X-C	> 300	< 120	up to 40
--steep banks near coast <15-20 mi	few	few	none	none	few	most
--steep banks inland >15-20 mi	few	few	few	few	few	most
Characteristics of beaches - no.	45	40	27	63	20	25
--length, % > 2 mi.	85	60	90	45	29	65
--width, % > 50 ft. at H. W.	35	100	100	100	85	100
--width, % > 100 ft. at H. W.	none	20	60	60	65	10
--max. slope, H. W. zone (%)	3-10	2-6	3-6	3-6	2-6	1-6
--material	sand, pebble	sand, cobbles, shoals	sand	sand	sand	sand
--approach obstructions	none	none	none	scattered rocks & shoals	none	mostly clean
Surf - max. height (ft.)	3-8	3-8	3-8	3-6	3-8	3-4
Tidal Range (ft.)	neg	neg	neg	neg	neg	neg
Coastal Vegetation	cultivation	cultivated & marshes	wooded, some cultivation	sparse woods & grasses	scattered trees, grass	grass, woods
Special Features of Coastal Area	irrigation ditches common, coastal streams often canalized to 30 ft. wide	10% breakers > 4 ft. winter, fog common winter	wind changes water levels up to 6 ft.	frozen 3 months ice hummocks, fog common	wind changes water levels, frozen Dec. - May N, Jan. - Apr. S	wind-raised water changes 6 ft., frozen 5 months N
GEM Feasibility - see Figure 14						
--% Zone 1	100	100	100	100	100	55
--% Zone 2	-	-	-	-	-	45
--% Zone 3	-	-	-	-	-	-

CONFIDENTIAL

TABLE C-3

Arctic Coasts of Europe - Asia

CONFIDENTIAL

Country	Stalbarbs & Jan Mayen Isl. 1	USSR (part) Northern Europe Area 1, 2E, 2F	USSR (part) Arctic Islands 1	USSR (part) Siberian Arctic 1, 2A		
Coastal Climate Zones						
Total Coast Length (mi)	1500	3460	2050	14,300		
Mainland Coast Length (mi)	N. A.	3460	N. A.	12,000		
Coastal Terrain	steep banked floods with glaciers & ice cliffs	moss-covered hills & tundra	barren terrain low cliffs	hilly tundra some steep cliffs		
Coastal Stream Valleys - freq. (mi)	unknown	40-100	unknown	40-100		
--water width (ft)						
--length (at above width) (mi)		> 250		> 250		
--steep banks near coast <15-20 mi		100-300		100-500		
--steep banks inland >15-20 mi		none		few		
		few		few		
Characteristics of beaches - no.						
--length, % > 2 mi.	11	80	22	116		
--width, % > 50 ft. at H. W.	50	60	none	73		
--width, % > 100 ft. at H. W.	50	50	40	90		
--max. slope, H. W. zone (%)	none	10	none	55		
--material	6-20	6-20	6-20	2-6		
--approach obstructions	sand, driftwood sea ice	sand, pebbles shoals & banks	sand, pebbles, frozen cobbles 10-12 months	sand, pebbles shoals, scattered rocks		
Surf - max. height (ft.)	5-12	3-8	?	2-8		
Tidal Range (ft.)	3-5	1-8	1-2	1-8		
Coastal Vegetation	none	tundra	moss & lichens	grass & moss		
Special Features of Coastal Area	edge of polar ice pack, fog summer		*Novaya Zemlya, Franz Josef Land	frozen Oct-July		
GEM Feasibility - see Figure 14						
--% Zone 1	-	100	-	85		
--% Zone 2	-	-	50	10		
--% Zone 3	100	-	50	5		

CONFIDENTIAL

CONFIDENTIAL

TABLE C-4

Pacific Coasts of Asia

APPENDIX C-4

Country	U.S.S.R. (part)	Korea	Japan	China (mainland) 6A, 7A, 8A, 12A	China (Taiwan) 12A	China (Hainan) 13
Coastal Climate Zones	2B, 2C, 3, 4, 5A	6A	9, 10, 11			
Total Coast Length (mi)	9300	2300	~10,000	5170	587	553
Mainland Coast Length (mi)	9300	2300	9480	5170	NA	NA
Coastal Terrain	rugged cliffs with rolling hills flanked by mtns.	narrow coastal lowland alternate with cliffs & rocky uplands	Mtns. rise from cliffs	bluffs, hilly except for river valleys	sand hills & steep grassy hills	hills & mtns. except on N shore
Coastal Stream Valleys - freq. (mi)	60-200	10-60	15-100	30-100	?	?
--water width (ft)	>250 ?	>40	>100	>150, many >250	?	?
--length (at above width) (mi)	40-100	<75	>500	>100	steep & fast	<60
--steep banks near coast <15-20 mi	few	1/2	levees	few	most	few
--steep banks inland >15-20 mi	?	most	most	few, some diked	most	most
Characteristics of beaches - no.	187	481	659	345	67	26
--length, % > 2 mi.	55	55	35	55	40	60
--width, % > 50 ft. at H. W.	100	50	45	95	70	?
--width, % > 100 ft. at H. W.	20	none	10	50	40	?
--max. slope, H. W. zone (%)	2-6	3-10	3-20	3-10	1-10	2-10
--material	sand, pebbles	sand, muc	sand, mud, gravel	sand, mud, pebbles	sand mud, rocks	sand
--approach obstructions	scattered shoals & rocks	scattered rocks, reefs, islets	reefs, shoals, bars	mudflats, shoals reefs	reefs & shoals	bars, rocks
Surf - max. height (ft.)	2-8	1-8	2-12+	2-12	5-12	3-5
Tidal Range (ft.)	neg - 24	1	1-16	3-24	2-9	3-11
Coastal Vegetation	grass & scrub trees	cultivation, sparse trees	cultivation, trees, irrigation features	cultivation, mostly irrigated	cultivation	cultivation, scattered trees
Special Features of Coastal Area	numerous fringing islands	coastal plain intensely cultivated	coastal plain densely settled & intensively cultivated	numerous villages in all plains area	---	---
GEM Feasibility - see Figure 14						
--% Zone 1	5	--	--	40	--	Not
--% Zone 2	95	40	80	60	100	Tabulated
--% Zone 3	--	60	20	--	--	

CONFIDENTIAL

TABLE C-5

Southwest Pacific Coasts of Asia

APPENDIX C-5

CONFIDENTIAL

Country	Indochina *	Thailand	Malaya	Indonesia (major islands) *	New Guinea (E & W)	Philippines
Coastal Climate Zones	12A, 20, 21A 21B, 21C, 21D, 21E	21E, 22	22	19, 23	16, 17	14
Total Coast Length (mi)	1700	1370	1250	13,365	7915	14,000
Mainland Coast Length (mi)	1700	1370	1250	N.A.	N.A.	N.A.
Coastal Terrain	featureless deltas & swamps, some Mtns. in N	narrow plain interrupted by hills and ridges	jungle plains, Mtns. rise near coast	forested & swampy plain	swamps & forested hills	forested plains, interrupted by Mtns
Coastal Stream Valleys - freq. (mi)	15-50	20-50	10-20	40-100	20-100	30-80
--water width (ft)	2/3 >250	?	>250	>500	>250	1/2 >150
--length (at above width) (mi)	50-300	100-300	30-100	60-200	30-100	<50
--steep banks near coast <15-20 mi	few	few	few	few	few	few
--steep banks inland >15-20 mi	?	few	few	most	most	few
Characteristics of beaches - no.						
--length, % > 2 mi.	119	114	110	665	235	328
--width, % > 50 ft. at H. W.	70	50	50	30	~60	30
--width, % > 100 ft. at H. W.	70	50	50	50	50	50
--max. slope, H. W. zone (%)	40	none	none	15	none	none
--material	3-10	3-10	3-10	3-10	2-10	3-10
--approach obstructions	sand, mud, pebbles sand & mud flats	sand, mud sand bars & islands	sand, mud mud flats	sand, mud coral reefs, shoals	sand, mud coral reefs, scattered rocks	sand, pebbles scattered reefs, rocks, shoals
Surf - max. height (ft.)	2-12	3-8	3-8	3-8+	3-8	3-5
Tidal Range (ft.)	1-11	2-11	4-12	1-11	2-16	3-6
Coastal Vegetation	mangrove & forests	mangrove, forest, grass, cultivation	mangrove, forest	mangrove, forests, tree plantations	swamp forests	forests, mangrove
Special Features of Coastal Area	*Viet Nam, Cambodia	--	--	*Sumatra, Borneo, Celebes	coral pinnacles on & off shore	movement difficult because of vege- tation
GEM Feasibility - see Figure 14						
--% Zone 1	10	50	--	25	15	--
--% Zone 2	90	20	100	25	10	50
--% Zone 3	--	30	--	50	75	50

CONFIDENTIAL

TABLE C-6

Indian and Arabian Coasts of Asia

APPENDIX C(11)

CONFIDENTIAL

Country	Burma	India Pakistan	Ceylon	Iran, Iraq	Arabian Peninsula (E)	Arabian Peninsula (S, W)
Coastal Climate Zones	24A	24A, 25A, 25B, 25C, 25D, 31A, 32A	27	32A	32A, 32B, 32C	32D
Total Coast Length (mi)	1200	4330	840	1620	1500	3000
Mainland Coast Length (mi)	1200	4330	N. A.	1520	1500	3000
Coastal Terrain	swamps & forested hills	coastal flats & undulating plain	coastal plain backed by mtns.	dunes & sand hills, backed by mtns in E	stoney desert, scattered coastal swamp	narrow coastal plain backed by mtns.
Coastal Stream Valleys - freq.(mi)	20-40	30-100	15-30	15-80	numerous inter- mittent	numerous inter- mittent
--water width (ft)	> 175	most > 750	> 250	> 100	probably wide	probably wide
--length (at above width) (mi)	? (mostly short)	100-400	50-80	100-200	?	?
--steep banks near coast <15-20 mi	few	few	few	few	few	few
--steep banks inland >15-20 mi	most	few	few	?	some entrenched	some entrenched
Characteristics of beaches - no.	147	239	60	114	54	36
--length, % > 2 mi.	20	80	80	60	50	60
--width, % > 50 ft. at H.W.	70	90	70	50	40	100
--width, % > 100 ft. at H.W.	30	30	30	none	none	70
--max. slope, H.W. zone (%)	1-10	2-10	2-10	2-10	1-10	1-3
--material	sand, mud	sand	sand	sand, shell, mud	sand, mud, shell	sand, shell
--approach obstructions	mud flats & shoals	scattered shoals & rocks	shoals & rocks	shoals, some coral	scattered shoals & rocks	mostly clear
Surf - max. height (ft.)	3-12	3-8+	2-8	3-8	2-8	2-8
Tidal Range (ft.)	11-19	2-12	2	2-8	4-8	4-7
Coastal Vegetation	mangrove, forests	forests, cultiva- tion	forests	cultivation, some mangrove	sparse	sparse brush, scattered man- grove swamp
Special Features of Coastal Area	many fringing islands	densely settled along coasts except in swampy deltas	lagoon & marsh belt between beaches & mtns.	intermittent sea cliffs in W	*Persian Gulf, Gulf of Oman	*Arabian Sea, Red Sea
GEM Feasibility - see Figure 14						
--% Zone 1	-	50	20	10	60	-
--% Zone 2	10	20	35	40	-	30
--% Zone 3	90	30	45	50	40	70

CONFIDENTIAL

TABLE C-7

Eastern Mediterranean and Black Sea Coasts of Europe - Asia

APPENDIX C(1)

CONFIDENTIAL

Country	Israel, Lebanon Syria 33A	Turkey (part) Mediterranean Coast 33A	Turkey (part) Black Sea Coast 33, 37, 38, 40	USSR (part) Black Sea Coast 7B, 7C, 36, 42A	Romania Bulgaria 39, 42A	Cyprus 33A
Coastal Climate Zones						
Total Coast Length (mi)	389	1885	1525	2230	307	403
Mainland Coast Length (mi)	389	1885	1525	2230	307	N.A.
Coastal Terrain	scarps, cliffs, bluffs, backed by steep slopes	rugged hills & rains, many bays	cliffs & hills	cliffy headlands backed by tree- less steppe, mts.	bluffs & cliffs S, marsh N	terraces, narrow plain, backed by mtns
Coastal Stream Valleys - freq. (mi)	?	20-50	20-50	E 40-100	25-100	3-20
--water width (ft)	?	> 100	> 100	> 250	> 100	?
--length (at above width) (mi)	short, steep	50-300	50-300	> 100	100	< 25
--steep banks near coast <15-20 mi	most	1/2	1/2	none	few	most
--steep banks inland >15-20 mi	most	3/4	3/4	few	few	most
Characteristics of beaches - no.	74	186	133	185	78	76
--length, % > 2 mi.	45	45	50	40	25	35
--width, % > 50 ft. at H. W.	70	55	50	85	70	100
--width, % > 100 ft. at H. W.	45	10	none	5	35	?
--max. slope, H. W. zone (%)	3-10	3-10	3-10	3-15	3-30	3-20
--material	sand, gravel, cobble	sand, pebble	sand, pebble	sand	sand, pebble, silt	sand, gravel
--approach obstructions	scattered reefs, rocks, islets	none	scattered rocks & shoals	scattered rocks & shoals	scattered bars	rocky borders
Surf - max. height (ft.)	2-8	5-8	5-8	5-8	5-6	8-12
Tidal Range (ft.)	1-2	neg	neg	neg	neg	1
Coastal Vegetation	cultivation	sparse brush	cultivation, brush	cultivation, marshes	cultivation	some cultivation
Special Features of Coastal Area			includes straits area	ice in winter 1-5 months	occasional ice	
GEM Feasibility - see Figure 14						
--% Zone 1	-	20	20	75	75	-
--% Zone 2	100	80	80	25	25	100
--% Zone 3	-	-	-	-	-	-

CONFIDENTIAL

TABLE C-8.

APPENDIX C(13)

Mediterranean Coasts of Europe

CONFIDENTIAL

Country	Spain (part)	France (part)	Italy	Yugoslavia, Albania	Greece	Major Islands
Coastal Climate Zones	45	45	42B, 43A, 45	41A, 42B	41A	41A, 43A
Total Coast Length (mi)	1325	800	3250	2165	4410	230 (incl. by
Mainland Coast Length (mi)	845	400	2025	1165	2650	N.A. country)
Coastal Terrain	rugged hills	low bluffs & dunes	narrow coastal plain	mostly rocky cliffs	mtns. with scattered coast plain	bluff & dune, narrow plain scattered
Coastal Stream Valleys - freq. (mi)	15-75	10-60	Po Valley 10-20	none in karst area, a few in Albania	20-40	20-100
--water width (ft)						
--length (at above width) (mi)	mostly < 50	1 1/2 > 250 for 5 mi.	> 500		25-175	60-250
--steep banks near coast <15-20 mi	50	20-200	100-300		30-75	<50, into mtns.
--steep banks inland >15-20 mi	1/3	few	levers	most	1	few
	2/3	?	few	all	all	most
Characteristics of beaches - no.						
--length, % > 2 mi.	80	89	334	114	24	502
--width, % > 50 ft. at H.W.	60	60	avg. 4 mi.	very few	avg. 5 mi.	avg. 2 mi.
--width, % > 100 ft. at H.W.	100	90	100	70	85	85
--max. slope, H.W. zone (%)	70	20	50	30	30	20
--material	6-20 sand	6-15 sand	6-20 sand (?) - firm	6-20 sand & pebbles	6-10 sand & gravel	6-10 sand & gravel
--approach obstructions	scattered rocks	neg.	neg	neg	scattered rocks	scattered rocks 1/2 area
Surf - max. height (ft.)						
Tidal Range (ft.)	5-8	< 5	> 4	> 4	> 4	> 4
Coastal Vegetation	neg. - 3 cultivation	neg. scattered cultivation	neg cultivation	< 2 mostly rock	< 2 scattered cultivation	neg scattered brush, grass, cultivation
Special Features of Coastal Area						* Crete, Corsica, Sardinia, Sicily
GEM Feasibility - see Figure 14						
--% Zone 1	60	70	60	70	80	80
--% Zone 2	40	30	40	-	20	20
--% Zone 3		-	-	-		

CONFIDENTIAL

TABLE C-9
Mediterranean Coasts of Africa

Country	Egypt (part)	Libya	Tunisia	Algeria Morocco (part)	
Coastal Climate Zones	4D	2B, 3, 4C, 4D	1A, 2B	1A	
Total Coast Length (mi)	650	1100	400	1400	
Mainland Coast Length (mi)	650	1100	400	1400	
Coastal Terrain	low dunes	scarped and terraced, with dune belt	alternating sandy and rocky with indentations	cliffs backed by alternating Mts. and plains	
Coastal Stream Valleys - freq. (mi)	Nile Delta	intermittent wadies only	60-100	60-100	
--water width (ft)	>400	>100	>60	>60	
--length (at above width) (mi)	>100	short	?	>100	
--steep banks near coast <15-20 mi	none	few	some	some	
--steep banks inland >15-20 mi	few	some	most	most	
Characteristics of beaches - no.	dikes and levees				
--length, % > 2 mi.	6 (?)	72	31	138	
--width, % > 50 ft. at H.W.	?	40	90	10	
--width, % > 100 ft. at H.W.	50	50	90	100	
--max. slope, H.W. zone (%)	none	none	none	100	
--material	2-10	3-6	2-10	3-10	
--approach obstructions	sand, rocks	sand and cobbles seaward rocks and bars	sand, pebbles mud banks	sand, gravel rocks, shoals	
Surf - max. height (ft.)	?				
Tidal Range (ft.)	2-8	3-8	2-8	2-8	
Coastal Vegetation	1-5	4	1-6	1-3	
	mostly barren with dunes	scrub	mostly barren	?	
Special Features of Coastal Area	Nile Delta	--	mud flats up to 35 mi. offshore in South	fishing stakes and nets off beaches	
GEM Feasibility - see Figure 14					
--% Zone 1	90	70	-	-	
--% Zone 2	10	10	100	10	
--% Zone 3	-	20	-	90	

TABLE C-10
Red Sea and Indian Ocean Coasts of Africa

APPENDIX C-10

CONFIDENTIAL

Country	Egypt (part) 4E	Sudan 4E, 4F	Eritrea, Somaliland's (part)* 4F, 5E	Somaliland's (part)* 5B, 11A	Kenya, Tanganyika 11B	Mozambique 11B
Coastal Climate Zones						
Total Coast Length (mi) Mainland Coast Length (mi) Coastal Terrain	1030 1030 low sandy dunes backed by Mts.	420 420 sandy coastal plain rising to barren mountains	1300 1200 rocky cliffs backed by rugged mountains	1200 1200 low steep cliffs backed by high dunes	975 800 coastal plain backed by steep plateau	1430 1430 wide coastal plain
Coastal Stream Valleys - fig. (mi)						
--water width (ft)	Intermittent wadies	Intermittent wadies	>50	Infrequent, intermittent	30-50	20-400
--length (at above width) (mi)	wide near coast	probably wide	>250	?	?	probably wide
--steep banks near coast <15-20 mi	<30	<70	<50	?	>80	100+
--steep banks inland >15-20 mi	1/2	few	none	none	few	few
	all	most	some	few	?	few
Characteristics of beaches - no.						
--length, % > 2 mi.	37 ?	none	38	16	unknown	14 ?
--width, % > 50 ft. at H. W.	30	(12 landing places)	50	45	unknown	unknown
--width, % > 100 ft. at H. W.	50		100	50	unknown	unknown
--max. slope, H. W. zone (%)	none		50	none	unknown	unknown
--material	2-10		2-10	2-10	unknown	3-6
--approach obstructions	sand, rocks, coral reefs & coral up to 5 Mi. out		sand, pebble scattered islets, rocks & reefs	sand, hard mud reefs & shoals	unknown	sand, mud bars & shoals
Surf - max. height (ft.)	1-8	1-5	1-8	3-8	?	3-5
Tidal Range (ft.)	1-5	1-3	3-6	5-9	10-12	11-14
Coastal Vegetation	mostly barren	sparse	sparse, area of lava beds	sparse brush	mangrove, brush	brush
Special Features of Coastal Area	Suez Canal N	occasional steep banks to 20 Ft.	*Fr. Somaliland, and former Br. Somaliland	*former Italian Somaliland	Zanzibar Island	coastal-inland waterway, many lagoons
GEM Feasibility - see Figure 14						
--% Zone 1	-	-	-	80	15	100
--% Zone 2	-	-	90	20	85	-
--% Zone 3	100	100	10	-	-	-

CONFIDENTIAL

TABLE C-10 (Cont.)

Red Sea and Indian Ocean Coasts of Africa

APPENDIX C-10

CONFIDENTIAL

Country	South Africa (part)* 12C, 14A, 15	Madagascar 16A, 17A, 17B, 18A			
Coastal Climate Zones					
Total Coast Length (mi)	1140	2400			
Mainland Coast Length (mi)	1140	2350			
Coastal Terrain	narrow coastal plain, backed by terraces	narrow plain, backed by hills			
Coastal Stream Valleys - freq. (mi)	-50	20-40			
--water width (ft)	?	?			
--length (at above width) (mi)	<100	50-100			
--steep banks near coast <15-20 mi	few	few			
--steep banks inland >15-20 mi	most	some			
Characteristics of beaches - no.	unknown	unknown			
--length, % > 2 mi.	unknown	unknown			
--width, % > 50 ft. at H. W.	unknown	unknown			
--width, % > 100 ft. at H. W.	unknown	unknown			
--max. slope, H. W. zone (%)	unknown	unknown			
--material	unknown	unknown			
--approach obstructions	unknown	unknown			
Surf - max. height (ft.)	?	?			
Tidal Range (ft.)	6	?			
Coastal Vegetation	grass, forest	grass, brush			
Special Features of Coastal Area	*East of Cape Town				
GEM Feasibility - see Figure 14					
--% Zone 1	-	85			
--% Zone 2	50	15			
--% Zone 3	50	-			

CONFIDENTIAL

TABLE C-11

APPENDIX C (7)

Atlantic Coasts of Africa

CONFIDENTIAL

Country	Morocco	Spanish Sahara, Fr. W. Africa (part)*	Liberia	Fr. W. Africa (part)*	Ghana	Nigeria
Coastal Climate Zones	1A, 2A	4A, 4B, 5A, 7A, 7B, 7C	7C	7C, 7D, 7G	7E, 7F	7H, 8A
Total Coast Length (m.)	600	2020	360	450	335	630
Mainland Coast Length (mi)	600	1970	360	450	335	630
Coastal Terrain	narrow plain, backed by Mtns.	narrow coastal plain	undulating hills, scattered swamps	coastal plain	undulating, with swamps	mostly swamp, intersected by many rivers
Coastal Stream Valleys - freq. (mi)	60-100	Intermittent-N 50-100 in S	10-20	30-100	20-80	20-60
--water width (ft)	>100	>100	>250	250-500	60-500	>300
--length (at above width) (mi)	<100	>200	40-80	100-300	50	>200
--steep banks near coast <15-20 mi	some	few	few	few	few	none
--steep banks inland >15-20 mi	Most	some	most	few	some	few
Characteristics of beaches - no.	79	unknown	63	unknown	50	9
--length, % > 2 mi.	45	unknown	85	unknown	65	40
--width, % > 50 ft. at H. W.	100	unknown	50	unknown	70	100
--width, % > 100 ft. at H. W.	90	unknown	none	unknown	30	50
--max. slope. H. W. zone (%)	3-10	unknown	2-10	unknown	2-10	6-10
--material	sand	unknown	sand	unknown	sand, mud	sand, mud
--approach obstructions	bars, reefs, rocks, fishnets	unknown	rocks, reefs, shoals	unknown	rocks, reefs, shoals	scattered shoals and bars
Surf - max. height (ft.)	8-12	?	2-8	?	2-8	2-8
Tidal Range (ft.)	6-9	?	3	?	4	3-4
Coastal vegetation	dunes with sparse brush	barren-N grass-S	forest, brush, grass	forest, marsh	forest	forest
Special Features of Coastal Area	--	*Now Mauritania, Senegal, Gambia, Port Guinea, Guinea, Sierra Leone	--	*Now Ivory Coast, Togo, Dahomey	--	--
GEM Feasibility - see Figure 14						
--% Zone 1	20	40	-	90	100	90
--% Zone 2	-	25	100	10	-	-
--% Zone 3	80	35	-	-	-	10

CONFIDENTIAL

TABLE C-11 (Cont.)

APPENDIX C (1)

Atlantic Coasts of Africa

CONFIDENTIAL

Country	Fr. Equatorial Africa Area* 8A, 11C	Republic of Congo 11C	Angola 12A, 13A, 13B	S. W. Africa 13B	South Africa (part)* 12B, 13B, 15	
Coastal Climate Zones						
Total Coast Length (mi)	820	24	830	825	400	
Mainland Coast Length (mi)	720	24	830	825	400	
Coastal Terrain	swampy plain	swamp, dissected plain	narrow coastal plain, backed by mountains	sand dunes	mostly rocky, with escarpments	
Coastal Stream Valleys - freq. (mi)	20-50	Congo Delta	20-40	infrequent, intermittent	intermittent-N	
--water width (ft)	wide	>500	?	?	? -50 in S	
--length (at above width) (mi)	>100	>500	50-100	?	short (<100)	
--steep banks near coast <15-20 mi	few	none	few	few	?	
--steep banks inland >15-20 mi	few	river in gorge	some	?	most	
Characteristics of beaches - no.	unknown	~100 mi. inland	unknown	unknown	unknown	
--length, % > 2 mi.	unknown	4	unknown	unknown	unknown	
--width, % > 50 ft. at H. W.	unknown	75	unknown	unknown	unknown	
--width, % > 100 ft. at H. W.	unknown	75	unknown	unknown	unknown	
--max. slope, H. W. zone (%)	unknown	25	unknown	unknown	unknown	
--material	unknown	6-10 sand	unknown	unknown	unknown	
--approach obstructions	unknown	?	unknown	mud flats & bars	unknown	
Surf - max. height (ft.)	?	2-8	?	?	?	
Tidal Range (ft.)	?	2-5	?	?	6	
Coastal Vegetation	forest, swamp	mangrove, forest	forest, brush	none	grass, brush	
Special Features of Coastal Area	*Now Cameroon, Rio Muni, Gabon, Congo	--	--	coastal desert	*North of Cape Town	
GEM Feasibility - see Figure 14						
--% Zone 1	-	100	100	30	40	
--% Zone 2	70	-	-	70	50	
--% Zone 3	30	-	-	-	10	

CONFIDENTIAL

TABLE C-12
Atlantic Coasts of South America

CONFIDENTIAL

Country	Colombia (part) 1, 24	Venezuela 1, 2A, 3A	Gulfana's* 3B	Brazil 4A, 5A, 5B, 5C, 5D 5E, 6A, 7, 8, 9A	Uruguay 9A	Argentina 9A, 10A 11A, 12A, 13
Coastal Climate Zones						
Total Coast Length (mi)	680	1550	680	4630	360	3000
Mainland Coast Length (mi)	680	1500	680	4430	360	3000
Coastal Terrain	Swampy lowland	lowlands, with swamps E and around Lake Maracaibo	swampy lowland	swampy lowland, backed by forested hills E, rocky S	grassy lowland, scattered swamps and lagoons	swampy-N, bluffs-S
Coastal Stream Valleys - freq. (mi)	30-50	10-150	30-60	40-100	50	30-100
--water width (ft)	60-250+	60-500	wide	>500	?	50-250+
--length (at above width) (mi)	>50	<100	70-150	>200	50-100	100-200
--steep banks near coast <15-20 mi	none	few	few	few	few	some
--steep banks inland >15-20 mi	few	1/2	few	few	?	most
Characteristics of beaches - no.						
--length, % > 2 mi.	~70	unknown	unknown	342	unknown	3 long beaches
--width, % > 50 ft. at H.W.	50	unknown	unknown	60	unknown	many short beaches
--width, % > 100 ft. at H.W.	60	unknown	unknown	75	unknown	--
--max. slope, H.W. zone (%)	30	unknown	unknown	40	unknown	--
--material	2-10	unknown	6-20	3-10	unknown	--
--approach obstructions	sand scattered rocks and reefs	unknown	mud, sand and shell ridges	sand scattered reefs and shoals	unknown	cloud, sand, rock seaweed-S
Surf - max. height (ft.)	2-8	?	?	2-12	?	Mostly <5
Tidal Range (ft.)	1-7	1-7	7-9	2-17	?	1-31
Coastal Vegetation	forest, marsh	forest, swamp	forest, swamp, cultivation	forest, swamp brush	grass	swamp, grass
Special Features of Coastal Area	--	Lake Maracaibo oil fields	* British, Dutch, French	Amazon Delta, breakers to 50% >8 Ft. in N-winter	--	large swamps NE
GEM Feasibility - see Figure 14						
--% Zone 1	90	90	10	20	100	30
--% Zone 2	10	10	90	75	--	65
--% Zone 3	--	--	--	5	--	5

CONFIDENTIAL

TABLE C-13
Pacific Coasts of South America

CONFIDENTIAL

Country	Colombia (part) 22	Ecuador 21, 22	Peru 18, 19, 20	Chile 13, 14, 15, 16, 17, 18	
Coastal Climate Zones					
Total Coast Length (mi)	540	570	1400	~6700	
Mainland Coast Length (mi)	540	520	1400	320	
Coastal Terrain	swampy lowland	narrow plain backed by mountains	arid coastal plain backed by mountains	N-arid plain S-narrow plain or rugged hills	
Coastal Stream Valleys - (freq.)(mi)	50	15-30	20-40	30-100 N flooded S ?	
--water width (ft)	>600	60-120	narrow	?	
--length (at above width) (mi)	<80	<100	<40	40-100	
--steep banks near coast <15-20 mi	none	some	some	most	
--steep banks inland >15-20 mi	few	most	most	most	
Characteristics of beaches - no.					
--length, % > 2 mi.	~70	unknown	unknown	unknown	
--width, % > 50 ft. at H. W.	50	(few beaches)	(most of coastal area is barren desert)	unknown	
--width, % > 100 ft. at H. W.	60			unknown	
--max. slope, H. W. zone (%)	30			unknown	
--material	2-10 sand			unknown	
--approach obstructions	scattered rocks and reefs	scattered bars and reefs		unknown	
Surf - max. height (ft.)	2-8	3-12	3-12+	? (prob. to 12+)	
Tidal Range (ft.)	2-13	5-12	2-8	2-6	
Coastal Vegetation	forest, marsh	grass, forest	barren, except at stream mouths	barren-N grass & brush-S	
Special Features of Coastal Area	--	--	--	southern area extensively flooded, many islands	
GEM Feasibility - see Figure 14					
--% Zone 1	--	--	--	--	
--% Zone 2	40	100	20	25	
--% Zone 3	60	--	80	75	

CONFIDENTIAL

TABLE C-14.

Pacific Coasts of North America

CONFIDENTIAL

Country	Alaska (part) (Aleutians)	Alaska (part) (Gulf of Alaska)	Canada (part)	U.S.A. (part)	Mexico (part)	Remarks (part)
Coastal Climate Zones	4A	6A, 6B	6B	6B, 12A, 12B, 13	14A	14A, 15A, 17A
Total Coast Length (mi) Mainland Coast Length (mi) Coastal Terrain	1050 -600 rocky shores, backed by alt. valleys & Mtns.	1440 -800 Mtns. rising from sea, scattered lowlands	-1950 -650 rocky coast, backed by wooded or bare Mtns.	-3200 -1900 rocky and sandy cliffs, breched by hills	1930 1880 mostly rugged, with ridges & scarps	2275 2175 narrow lowland backed by Mtns.
Coastal Stream Valleys - freq. (mi)	10-40	mostly fiorded	fiords only	10-40	infrequent, intermittent	30-100
--water width (ft)	>250 braided	>250	(wide)	50-250	?	>250
--length (at above width) (mi)	60-200	short		mostly short	?	<100
--steep banks near coast <15-20 mi	some	?		some	some	some
--steep banks inland >15-20 mi	most	?		most	most	most
Characteristics of beaches - no.	203	35	-250	not tabulated	181	207
--length, % > 2 mi.	25	20	25	not tabulated	60	70
--width, % > 50 ft. at H.W.	50	100	90% no beach at high water,	not tabulated	100	70
--width, % > 100 ft. at H.W.	none	none	wide at L.W	not tabulated	50	30
--max. slope, H.W. zone (%)	3-10	2-10	sand, muc.	not tabulated	2-10	3-10
--material	sand, pebbles	sand, pebble, cobble		sand, clay	sand	sand
--approach obstructions	scattered islets and rocks	rocks & islands	mostly clear	scattered islands	clear-W islets, reefs-E	rocks, reefs, shoals
Surf - max. height (ft.)	2-8	3-8	mostly 3-5	mostly 3-8	1-8	2-8
Tidal Range (ft.)	2-12	9-14	8-23	3-15	2-19	2-17
Coastal Vegetation	forest, brush	forest, brush	forest	forest, grass, cultivation	brush	brush, cultivation
Special Features of Coastal Area	Including Alaska Peninsula	Incl. Alexander Archipelago	Incl. Vancouver & Queen Charlotte Islands	Puget Sound and San Francisco Bay are major indentations	*Baja California Peninsula	--
GEM Feasibility - see Figure 14						
--% Zone 1	10	-	-	10	-	60
--% Zone 2	90	80	20	90	80	40
--% Zone 3	-	20	80	-	20	-

CONFIDENTIAL

TABLE C-14 (Cont.)
Pacific Coasts of North America

CONFIDENTIAL

Country	Guatemala (part) El Salvador Nicaragua (part) 17A	Costa Rica (part) Panama (part) 17A, 17B			
Coastal Climate Zones					
Total Coast Length (mi)	600	1200			
Mainland Coast Length (mi)	600	1150			
Coastal Terrain	coastal plain, backed by hills, with swamps	low cliffs & dunes backed by forested hills, with swamps			
Coastal Stream Valleys - freq. (mi)	5-20	10-40			
--water width (ft)	60-250	60-150			
--length (at above width) (mi)	<50	<50			
--steep banks near coast <15-20 mi	few	few			
--steep banks inland >15-20 mi	most	most			
Characteristics of beaches - no.					
--length, % > 2 mi.	67	193			
--width, % > 50 ft. at H. W.	60	10			
--width, % > 100 ft. at H. W.	100	60			
--max. slope, H. W. zone (%)	50	30			
--material	2-6	2-10			
--approach obstructions	sand, silt mostly clear	sand, mud scattered rocks & bars			
Surf - max. height (ft.)	5-8	5-8			
Tidal Range (ft.)	6-10	9-16			
Coastal Vegetation	forest, swamp	forest, mangrove			
Special Features of Coastal Area	--	--			
GEM Feasibility - see Figure 14					
--% Zone 1	--	--			
--% Zone 2	100	90			
--% Zone 3	--	10			

CONFIDENTIAL

TABLE G-15

Arctic Coasts of North America

CONFIDENTIAL

Country	Alaska (part) 1A, 4A	Canada (part) (Archipelago)* 1A	Canada (part) 1A, 1B, 4D, 4E, 4F	Greenland	
Coastal Climate Zones				2	
Total Coast Length (mi) Mainland Coast Length (mi) Coastal Terrain	2250 2200 low bluffs, rolling tundra, scattered marsh	~7800 N.A. low plain sloping up to ragged E coasts	~5300 ~5200 marshy or frozen lowlands	~27,000 ~26,000 ragged, fiorded coast with lowlands	
Coastal Stream Valleys - freq. (mi)	10-30	W-meandering streams E-fiorded	30-100 fiords in E	fiords only	
--water width (ft)	>250 bridged	?	?	up to 200 m.	
--length (at above width) (mi)	100-200	?	?	long, with	
--steep banks near coast <15-20 mi	most 1-15 all feet	?	some	steep shores	
--steep banks inland >15-20 mi	vertical	mos'	most		
Characteristics of beaches - no.				none	
--length, % > 2 mi.	33	unknown (probably few)	unknown	(lat) landing places	
--width, % > 50 ft. at H. W.	65		unknown		
--width, % > 100 ft. at H. W.	40		unknown		
--max. slope, H. W. zone (%)	none		unknown		
--material	3-10		unknown		
--approach obstructions	sand, shingle shoals scattered rocks		unknown		
Surf - max. height (ft.)	5-8	?	?	?	
Tidal Range (ft.)	1-14	1-8	?	6-20 feet sparse	
Coastal Vegetation	tundra	tundra or barren	tundra		
Special Features of Coastal Area	ice up to 9 mo. in N; 6 mo. in W	frozen 9 mo. + *Baffin Isl., Banks Isl., Victoria Isl., Ellesmere Isl., & many others	incl. Hudson Bay area, frozen 5-9 months	frozen most of year	
GEM Feasibility - see Figure 14					
--% Zone 1	50	25	70	-	
--% Zone 2	50	45	20	5	
--% Zone 3	-	30	10	95	
		Incomplete data			

CONFIDENTIAL

TABLE C-15

APPENDIX C(24)

Atlantic Coasts of North America

CONFIDENTIAL

Country	Canada (part)	U.S.A. (part)	Mexico (part)	Br. Honduras, Guatemala (part) Honduras (part)	Nicaragua (part) Costa Rica (part) Panama (part)	C.I.B.
Coastal Climate Zones	4B, 4C, 7A, 7B	7B, 8A, 9A, 9B, 9C	15B, 17C, 17D 19A, 20A, 20B, 21	19B	19B	23, 24, 25
Total Coast Length (mi)	~4150	~5400	1610	650	875	2500
Mainland Coast Length (mi)	~2280	4470	1500	650	375	2400
Coastal Terrain	steep rocky shores, backed by hills	ranging from rocky cliffs to swampy lowlands	broad lowland with swamps & lagoons	swampy plain, backed by forested Mts.	narrow coastal lowland, backed by forested hills with swamps	lowlands with marsh & forest, scattered hills
Coastal Stream Valleys - freq. (mi)	30-60	10-40	30-100	10-30	15-40	15-40
--water width (ft)	?	>250	mostly >250	>250	60-250	60-120
--length (at above width) (mi)	>150	mostly >100	~100	30-60	40-100	<40
--steep banks near coast <15-20 mi	1/2	few	some	few	few	?
--steep banks inland >15-20 mi	most	few	most	1/2	most	?
Characteristics of beaches - no.	unknown	not tabulated	74	51	129	unknown
--length, % > 2 mi.	unknown	not tabulated	65	80	40	unknown
--width, % > 50 ft. at H. W.	unknown	not tabulated	100	50	70	unknown
--width, % > 100 ft. at H. W.	unknown	not tabulated	50	none	30	unknown
--max. slope, H. W. zone (%)	unknown	not tabulated	3-10	1-6	2-10	unknown
--material	unknown	not tabulated	sand	sand	sand	unknown
--approach obstructions	unknown	not tabulated	scattered reefs & shell ridges	barrier reefs & shoals	reefs & shoals obstruct 1/2	unknown
Surf - max. height (ft.)	?	3-8 mostly	5-8	5-12	5-8	?
Tidal Range (ft.)	3-30	2-23	1-3	1-2	1-2	1-2
Coastal Vegetation	forest, grass	cultivation, grass, swamp	forest, marsh	forest, mangrove	forest, mangrove, grass	forest, swamp, cultivation
Special Features of Coastal Area	--	Incl. Gulf of Mexico	no streams on Yucatan Peninsula	--	--	--
GEM Feasibility - see Figure 14						
--% Zone 1	10	80	50	25	15	-
--% Zone 2	55	15	50	75	80	100
--% Zone 3	35	5	-	-	5	-

CONFIDENTIAL

B I B L I O G R A P H Y

Natural Environment References (repeated from Volume I)

1. Berry, F. A. Jr., Bollay, E., Beers, Norman R., Handbook of Meteorology, pp. 994-995, New York, McGraw-Hill, 1945.
2. Cosmopolitan World Atlas, New York, Rand McNally & Company, 1958.
3. Critchfield, Howard J., General Climatology, pp. 165-244, Edgeworth Cliffs, N. J., Prentice-Hall, Inc., 1960.
4. Trewartha, Glenn T., An Introduction to Climate, 3rd ed., pp. 223-395, New York, McGraw-Hill, 1954.
5. Van Rooy, M. P., (ed.), Meteorology of the Antarctic, Weather Bureau, Pretoria, South Africa, 1957.
6. Visher, Stephen S., Climatic Atlas of the United States, Cambridge, Massachusetts, Harvard University Press, 1954.
7. World Atlas, Encyclopedia Britannica, Inc., Chicago, 1959.
8. Central Intelligence Agency, Military Geography, Chapter II, National Intelligence Survey (for country of interest). (Confidential).
9. U.S. Department of the Army, Field Manual 30-10, Terrain Intelligence, Washington, D. C., October 28, 1959.
10. U.S. Navy Hydrograph Office, Oceanographic Atlas of the Polar Seas, H. O. Pub. No. 705, Part I, Antarctic; Washington, D. C., 1957, and Part II, Arctic; Washington, D. C., 1958.
11. U.S. Navy, Marine Climatic Atlas of the World, Volume I, North Atlantic Ocean, NAVAER 50-1c-528, Washington, D. C., 1956.

12. U.S. Navy, Marine Climatic Atlas of the World, Volume II, North Pacific Ocean, NAVAER 50-1c-529, Washington, D. C., 1956.
13. U.S. Navy, Marine Climatic Atlas of the World, Volume III, Indian Ocean, NAVAER 50-1c-530, Washington, D. C., 1957.
14. U.S. Navy, Marine Climatic Atlas of the World, Volume IV, South Atlantic Ocean, NAVAER 50-1c-531, Washington, D. C., 1958.
15. U.S. Navy, Marine Climatic Atlas of the World, Volume V, South Pacific Ocean, NAVAER 50-1c-532, Washington, D. C., 1959.
16. U.S. Weather Bureau, Local Climatological Data (for Various Cities of the United States), Washington, D. C., 1960.
17. U.S. Weather Bureau, Summary of Hourly Observations, Climatography of the United States, Nos. 30-1 through 30-52, Washington, D. C., 1956.
18. U.S. Weather Bureau, and U.S. Navy Hydrographic Office, Climatological and Oceanographic Atlas for Mariners, Volume I, North Atlantic Ocean, Washington, D. C., August 1959.
19. Ljungstrom, Olle, GEM Design Philosophy for an Over-water, Over-ice Vehicle, IAS Paper 61-47, New York, N. Y., Institute of Aerospace Sciences, January 1961.
20. Bailey, H. P., "Climate of Coastal Regions," Natural Coastal Environments of the World. Prepared for Geography Branch, Office of Naval Research by the University of California at Los Angeles, 1960.
21. Cornell Aeronautical Laboratory, Inc., Some Factors of Military Geography Affecting Mobile Army Combat Zone Transport Operations, Mobile Army Air Transport Study Phase II, Buffalo, N. Y., May 1959. (Confidential).

22. Logan, Richard E., The Central Namib Desert, South West Africa, Publication 758 of National Academy of Sciences, National Research Council. Prepared for Office of Naval Research by the University of California at Los Angeles, 1960.
23. Mirabito, LCdr. John A., Notes on Antarctic Weather Analysis and Forecasting, NWRP 16-1260-038, Norfolk, Virginia, U.S. Navy Weather Research Facility, December 1960.
24. Planning Research Corporation, A Classification System for Unprepared Landing Areas, Los Angeles, California, January 1957.
25. Rayner, J. N., Temperature and Wind Frequency Tables for Eurasia, Meteorology Publications 18 and 20. Prepared for Headquarters, Quartermaster Research and Engineering Command by Arctic Meteorology Research Group, McGill University, Montreal, 1960.
26. Burkehart, M.D., Kipper, J.K., and Joseph E.J., Sea Conditions--North Pacific Ocean and North Indian Ocean. Unpublished manuscript, 2-61, U.S. Hydrographic Office, Division of Oceanography, Washington, D.C., November 1960.
27. Ploetz, LCdr. John D., USN, et al, Forecaster's Handbook for Naval Air Facility, McMurdo, U.S. Navy Weather Central McMurdo Sound, Antarctica (Mimeographed Internal Document).
28. U.S. Navy Hydrographic Office, Division of Oceanography, Sea Conditions--North Atlantic Ocean. Unpublished Manuscript 11-60, Washington, D.C., April 1960.
29. U.S. Navy Hydrographic Office, Division of Oceanography. Unpublished sea-condition charts of the South Pacific, South Indian, and South Atlantic Oceans.
30. U.S. Navy Weather Research Facility, Climatological Planning Summary for Antarctic Operations During Operating Period, Norfolk, Virginia, 1960 (mimeographed Internal Document).

CONFIDENTIAL

31. U.S. Navy Weather Research Facility, First Interim Report on the Meteorology of the Antarctic, Norfolk, Virginia, August 1960 (Mimeographed Internal Document).
32. Chief of Engineers, U.S. Army, Army Map Service, Cross-Country Movement, (Map), April 1958.

Discussions were held with personnel of the following agencies: Office of Naval Intelligence, U.S. Navy Hydrographic Office, U.S. Navy Weather Research Facility, U.S. Weather Bureau, Army Map Service, and Military Geology Branch of the U.S. Geological Survey.

CONFIDENTIAL