

**UNCLASSIFIED**

---

---

**AD 400 528**

*Reproduced  
by the*

**ARMED SERVICES TECHNICAL INFORMATION AGENCY  
ARLINGTON HALL STATION  
ARLINGTON 12, VIRGINIA**



---

---

**UNCLASSIFIED**

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

63-3-1

FTD-TT. 63-15

CATALOGED BY ASTIA  
AS AD NO 400528

# TRANSLATION

A TURBOCLUTCH WITH AN OVERRUNNING DEVICE

By


B. A. Gavrilenko, V. A. Minin, et al

## FOREIGN TECHNOLOGY DIVISION

AIR FORCE SYSTEMS COMMAND

WRIGHT-PATTERSON AIR FORCE BASE

OHIO



# UNEDITED ROUGH DRAFT TRANSLATION

A TURBOCLUTCH WITH AN OVERRUNNING DEVICE

BY: B. A. Gavrilenko, V. A. Minin, et. al.

English Pages: 4

SOURCE: Soviet Patent Nr. 142847 (678567/25), 12 Sep 60

(Ref) S/19-61-0-22-50/59

THIS TRANSLATION IS A RENDITION OF THE ORIGINAL FOREIGN TEXT WITHOUT ANY ANALYTICAL OR EDITORIAL COMMENT. STATEMENTS OR THEORIES ADVOCATED OR IMPLIED ARE THOSE OF THE SOURCE AND DO NOT NECESSARILY REFLECT THE POSITION OR OPINION OF THE FOREIGN TECHNOLOGY DIVISION.

PREPARED BY:

TRANSLATION SERVICES BRANCH  
FOREIGN TECHNOLOGY DIVISION  
WP-AFB, OHIO.

## A TURBOCLUTCH WITH AN OVERRUNNING DEVICE

B. A. Gavrilenko, et al.

The overrunning clutches used in transmissions to automatically disengage turboclutches when maximum speed is attained increase the axial dimensions and weight of the transmissions.

The proposed device eliminates these disadvantages. For the purpose of decreasing the weight and axial dimensions of the clutch, the vanes of its pump wheel are hinged to the hub on trunnions which interact with springs. The vanes are sickle-shaped for the purpose of arranging them around the hub when the clutch is disengaged.

A diagram of the turboclutch with the overrunning device built into it appears in the drawing.

This device allows us to match the characteristics of the starting motor with the requirements of the rotating gas turbine.

Hydroclutch casing 1 consists of two rigidly connected cup-shaped halves 2 and 3. Cup-shaped half 2 carries flat radial vanes 4 and is enclosed by a cup-shaped half on the pump-wheel side. Vanes 5 of pump wheel 6 are sickle-shaped and hinged to the hub of the pump wheel with the aid of two trunnions 7.

Fastened to one of the trunnions 7 of pump wheel 6 are springs 8 which tend to turn vanes 4 of pump wheel 6 in a direction opposite to that of the fluid flow.

When wheel 6 is stationary, pump vanes 4, which are sickle-shaped, are folded around the hub of the pump wheel under the action of springs 8.


When the pump wheel is in rotation, vanes 5 overcome the attraction of the springs and open out under the action of the fluid-flow forces and centrifugal forces. With the vanes in this position the hydroclutch transmits a torque from pump wheel B to casing 1.

When the speed of turbine cup-shaped half 2 exceeds the speed of revolution of the pump wheel the fluid torque changes direction, and the fluid flow closes the vanes. In this case the clutch is disengaged.

#### Object of Invention

1. A turboclutch with an overrunning device differing in that, for the purpose of decreasing the weight and axial dimensions of the clutch, the vanes of its pump wheel are hinged to the hub on trunnions which interact with springs which tend to turn the vanes in a direction opposite to that of the flow.

2. The turboclutch in paragraph 1 differing in that, for the purpose of arranging the vanes around the hub when the clutch is disengaged, the vanes are sickle-shaped.



DISTRIBUTION LIST

DEPARTMENT OF DEFENSE	Nr. Copies	MAJOR AIR COMMANDS	Nr. Copies
		AFSC	
		SCFDD	1
		ASTIA	25
HEADQUARTERS USAF		TDBTL	5
		TDBDP	5
AFCIN-3D2	1	AEDC (AEY)	1
ARL (ARB)	1	SSD (SSF)	2
		BSD (BSF)	1
		AFFTC (FTY)	1
OTHER AGENCIES		AFSWC (SWF)	1
CIA	1		
NSA	6		
DIA	9		
AID	2		
OTS	2		
AEC	2		
PWS	1		
NASA	1		
ARMY	3		
NAVY	3		
RAND	1		
PGE	12		
NAFEC	1		