

UNCLASSIFIED

AD 400 755

DEFENSE DOCUMENTATION CENTER

FOR

SCIENTIFIC AND TECHNICAL INFORMATION

CAMERON STATION, ALEXANDRIA, VIRGINIA



UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

400755

S/837/61/049/000/009/011
B102/B104

STEP

AUTHORS: Kas'yan, V. A., and Utusikova, N. G.

TITLE: Determination of the work function of indium antimonide films

SOURCE: Kishinev. Universitet. Uchenyye zapiski. v. 49, 1961, 112-113

TEXT: The work function of n-type InSb with a donor concentration of 10^{15} cm^{-3} is $\phi = 4.57 \text{ ev}$ as determined by D. Haneman (J. Phys. Chem. Solids, 11, 205, 1959). The work function of n-type InSb films, produced by a method described at p. 69 in this volume, was now determined by measuring the contact potential difference between gold and the film. Anderson's method (Phys. Rev. 47, 958, 1935) was applied. The films investigated had a conductivity of $1 - 15 (\text{ohm} \cdot \text{cm})^{-1}$, $R_{\text{Hall}} \approx -50 \text{ cm}^3/\text{coul.}$, $R_{\text{Hall}} = -200 - 500 \text{ cm}^3/\text{v} \cdot \text{sec}$ and $n \approx 10^{17} \text{ cm}^{-3}$. The samples were degasified at

300°C and the measurements were made at 10^{-7} mm Hg . The Au-InSb contact potential difference was proved to be independent of the film thickness in the range $0.2 - 0.9 \mu$. For such films ϕ was found to be $4.42 \pm 0.5 \text{ ev}$.
Card 1/2

Determination of the work function ...

S/837/61/049/000/009/011
B102/B104

There are 2 figures.