

UNCLASSIFIED

AD NUMBER
AD400761
NEW LIMITATION CHANGE
TO Approved for public release, distribution unlimited
FROM Distribution authorized to U.S. Gov't. agencies and their contractors; Foreign Government Information; 27 MAR 1962. Other requests shall be referred to US Library of Congress, Attn: Aerospace Technology Division, Washington, DC.
AUTHORITY
ATD ltr, 2 Dec 1965

THIS PAGE IS UNCLASSIFIED

UNCLASSIFIED

AD **400 761**

DEFENSE DOCUMENTATION CENTER

FOR

SCIENTIFIC AND TECHNICAL INFORMATION

CAMERON STATION, ALEXANDRIA, VIRGINIA



UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

400761

S/188/62/000/006/008/016
B191/B102

STEP

AUTHOR: Myunkhov, L.

TITLE: The giant resonance in heavy strongly deformed nuclei

PERIODICAL: Moscow. Universitet. Vestnik. Seriya III. Fizika,
astronomiya, no. 6, 1962, 37-44

TEXT: The position and width of dipole peaks in photonuclear reactions of strongly deformed nuclei of the rare earths are calculated in second-quantization approximation. Considering the residual interaction between the nucleons, the energy of the dipole peaks can be determined from a system of equations, of which one approximate solution is given. (Interaction terms between various particles are considered only). Strongly deformed axisymmetric nuclei are calculated from the solutions, assuming the values for the last oscillator shell of the protons and neutrons were assumed to be respectively $N = 4$ and $N = 5$. The case of a nonaxisymmetric nucleus is dealt with also. The possibility of a splitting of the second peak in consequence of deviation from the axial symmetry is considered. Calculations with real nucleon configurations are in preparation.

Card 1/2

ASTIA FILE COPY

The giant resonance in heavy...

ASSOCIATION: NIIYaF

SUBMITTED: March 27, 1962

S/188/62/000/006/008/016
B191/B102

Card 2/2