

UNCLASSIFIED

AD NUMBER
AD401580
NEW LIMITATION CHANGE
TO Approved for public release, distribution unlimited
FROM Distribution authorized to U.S. Gov't. agencies and their contractors; Administrative/Operational Use; DEC 1961. Other requests shall be referred to US Library of Congress, Attn: Aerospace Technolgoy Division, Washington, DC.
AUTHORITY
ATD ltr, 2 Dec 1965

THIS PAGE IS UNCLASSIFIED

401 580

5 17511

u

S/783/61/000/000/006/006
I003/I203

ASIA
COPY

STEP

AUTHOR: (8) Vagramyan, A.T.

TITLE: (6) Codeposition of chromium and other metals

SOURCE: (15) Elektroliticheskoye osazhdeniye splavov, Mosk. dom nauchno-tekhn. propagandy, ~~Moscow, Mashgiz~~, 1961, 198-215, ~~Moscow, Mashgiz~~.

TEXT: The electrodeposition of chromium alloys is relatively new. In the present work the operating conditions are discussed for the deposition of chromium-manganese, chromium-selenium, chromium-molybdenum, chromium-tungsten, chromium-rhenium, chromium-iron, tungsten-cobalt, tungsten-nickel, tungsten-iron, molybdenum-cobalt, molybdenum-nickel and molybdenum-iron alloys, as well as their influence on the properties of these alloys. It is believed that during the electrodeposition of chromium from chromic acid solutions a cathodic film is formed, with the result that no metals can be deposited on the cathode except those that form anions capable of existing in this film (such as MnO_4^- , SeO_4^- , ReO_4^- and MoO_4^-). The possibility of depositing ternary alloys of Cr-Ni-Mo, Fe-W-Mo, Ni-W-Mo, Co-Ni-W, Fe-Co-W, Fe-Ni-W, Co-Ni-Mo, Fe-Co-Mo and Fe-Ni-Mo is indicated. There are 9 figures.

Card 1/1