

UNCLASSIFIED

402 295

AD

*Reproduced
by the*

DEFENSE DOCUMENTATION CENTER

FOR

SCIENTIFIC AND TECHNICAL INFORMATION

CAMERON STATION, ALEXANDRIA, VIRGINIA



UNCLASSIFIED

This Document
Reproduced From
Best Available Copy

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

63-3-8

USNRDL-TR-627
8 March 1963

CATALOGED BY ASTIA

402295

THE RELATIVE EFFECT OF
PULSED RADIATION EXPOSURE IN
PRODUCTION OF ACUTE MORTALITY IN MICE

by
E. J. Ainsworth
G. F. Leong
E. L. Alpen
K. Kendall

402 295

APR 25 1963

U.S. NAVAL RADIOLOGICAL
DEFENSE LABORATORY
SAN FRANCISCO 24, CALIFORNIA

12ND. 27463

This Document
Reproduced From
Best Available Copy

CELLULAR RADIOBIOLOGY BRANCH

G. F. Leong, Head

BIOLOGICAL AND MEDICAL SCIENCES DIVISION

E. L. Alpen, Head

ADMINISTRATIVE INFORMATION

This work was accomplished under the Bureau of Medicine and Surgery Task MR005.08-5201, Subtask 1, Technical Objective AW-6, as described in the U. S. Naval Radiological Defense Laboratory Annual Report to the Bureau of Medicine and Surgery (OPNAV FORM 3910-1) of 31 December 1962, and is listed in the U.S. Naval Radiological Defense Laboratory Technical Program Summary for Fiscal Years 1963-1965 of 1 November 1962 under Program A3, Problem 3, entitled "Studies Related to Radiological Casualty Evaluation." This study was supported through funds provided by the Bureau of Medicine and Surgery, and the Defense Atomic Support Agency under NWER Program A4c, Subtask 03.035.

ACKNOWLEDGMENT

The authors gratefully acknowledge the technical assistance of Josef R. PeBenito, HM3, U.S.N., and James H. Sills, HM1, U.S.N.

Eugene P. Cooper
Eugene P. Cooper
Scientific Director

E. B. Roth
E. B. Roth, CAPT USN
Commanding Officer and Director

ABSTRACT

10 to the 6th

LD(50/30)

* minute

↓
Mice have been subjected to pulsed exposures of either fission spectrum neutrons or gamma radiation produced by a Triga Mark F reactor. The acute mortality response of animals given pulsed radiation of the order of 10^6 rads/min* has been compared with mortality responses obtained by neutron irradiation at 40 rads/min* and gamma irradiation at 100 rads/min*. No significant differences in LD_{50/30}* were observed as a function of dose rate with either gamma or neutron irradiation.
↑

SUMMARY

The Problem:

To determine the lethal effect of gamma and neutron radiation in mice at dose rates differing by several orders of magnitude. A comparison has been made between the radiation dose-response curves for CF#1 mice given pulsed radiation exposures of the order of 10^6 rads/min and animals exposed at rates of 100 rads/min or less. (The radiation source was a Triga Mark F reactor.)

The Findings:

No significant differences in $LD_{50/30}$ have been detected in neutron or gamma irradiated mice subjected to either burst exposure or exposure at more moderate radiation dose rates. In the neutron irradiation studies the comparison was made between pulsed (PP) dose rates of $0.4-1.0 \times 10^6$ rads/min and a rate of 40 rads/min achieved with sustained (SS) reactor operation (first collision doses); the $LD_{50/30}$ in both groups approximated 300 rads (midline tissue dose). Likewise, no difference in $LD_{50/30}$ was found in gamma irradiated animals exposed to PP dose rates of $0.9-4.0 \times 10^6$ rads/min and SS animals irradiated at 100 rads/min; in both groups the $LD_{50/30}$ approximated 790 rads.

INTRODUCTION

The relationship between radiation intensity and biological effect has been studied using various exposure techniques. These exposures range in time from chronic exposure over nearly the lifetime of animals to essentially instantaneous exposure lasting a few milliseconds (1-4). Very little is known, especially in mammalian systems, about the comparative biological consequences of short exposures, which involve intensities of the order of $0.4 - 4.0 \times 10^6$ rads/min. Biological experiments conducted in conjunction with detonations of nuclear weapons yield valuable information pertaining to high intensity irradiation, but these experiments are perturbed by the existence of various mixtures of radiations as well as by other factors which render the evaluation of such data difficult.

The purpose of the present experiment is to evaluate, under well controlled conditions, the relative potencies of pulsed radiation exposure as compared to radiation exposures of several minutes duration. Previous mouse-lethality experiments have been conducted with a pulsing reactor (5) but no comparative studies were undertaken; consequently, the desired comparative information is not available. The present report deals with the acute mortality responses of neutron and gamma irradiated mice.

MATERIAL AND METHODS

The radiation source in these experiments was a Triga Mark F reactor, the characteristics of which have been published in detail (6). In brief, extensive dosimetric studies using film, threshold detectors, and tissue equivalent ionization chambers have been conducted to characterize the neutron flux, tissue dose of gamma and neutron radiations as well as distribution of dose in a one inch mouse phantom. Each exposure was monitored by the use of either sulfur threshold detectors in the case of the neutron exposures, or phosphate glass dosimeters in the case of gamma exposures. These values were related to the tissue dose in each case. Dose rate estimates are based on first collision dose (in rads), and LD₅₀ estimates are expressed as midline tissue dose (in rads). Details of the animal exposure facility, and a complete description of the radiation characteristics and dosimetry of the system have been reported (7). At the front surface of the phantom, the neutron/gamma ratio during neutron exposure was 6:1, and the gamma/neutron ratio during gamma exposure was 99:1. For neutron irradiation, mice were placed in 12 lusteroid tubes and were affixed to a specially designed mouse board to assure isodose exposure. This board was placed within a lucite cannister which was lowered 25 ft. inside an aluminum tube into the neutron beam. The exposure time for neutron irradiated animals varied as follows: with sustained reactor operation (SS) at a first collision dose rate of 40 rad/min, the exposure times were 7.5-11.4 minutes; in the pulsing operations (PP) the dose rates were $0.4-1.0 \times 10^6$ rad/min, with exposure times of 24-40 milliseconds.

In the pulsing situation, an inverse relationship exists between dose and exposure time; consequently, the dose rate increases as the dose is increased.

For gamma irradiation, mice were exposed in groups of 10 using the same devices as were used for neutron exposure. In SS operation the animals were exposed at a first collision dose rate of 100 rad/min with exposure times of 8.0-12.0 minutes; in PP operation the dose rates were $0.93 - 4.2 \times 10^6$ rad/min over a duration of 17-44 milliseconds.

The mice used in these experiments were CF#1 females, 3-4 months old, weighing 22-28 g. These experimental animals were selected on the basis of their freedom from pigment-producing pseudomonads as determined by standard bacteriological procedures performed on samples of drinking water. That this screening was effective is indicated by negligible mortality during the first post-irradiation week in the gamma irradiated mice.

RESULTS

Acute mortality response was the endpoint used for comparison of the effectiveness of pulsed (PP) and steady-state (SS) exposure to either neutron or gamma radiation. Median lethal doses and fiducial limits were calculated with an IBM 704 computer using a USNRDL program based on computations of Aitchison and Brown (8) and Finney (9).

The neutron radiation dose-response curves presented in Figure 1 indicate no significant difference in $LD_{50/30}$ between the SS and PP exposed animals. Also, no significant differences were detected in




Fig. 1 Radiation dose response of neutron irradiated mice.

either mean survival times (M.S.T.) or slopes (b) of probit regression lines; these values are: SS, M.S.T. 8.91 ± 0.38 days and b, 7.39 ± 0.66 ; PP, M.S.T. 9.04 ± 0.28 days and b, 5.86 ± 0.56 .

Likewise, gamma radiation dose-response curves shown in Figure 2 reveal no significant differences between PP and SS in $LD_{50/30}$, M.S.T., or b. For SS mice, the M.S.T. is 12.60 ± 0.31 days and b is 8.31 ± 1.03 ; in the PP group the M.S.T. is 12.79 ± 0.34 and b is 6.63 ± 0.99 . The cumulative mortality curves for pooled (PP and SS) data (Fig. 3) show the well known difference in survival patterns between neutron and gamma irradiated mice; by 10 days, mortality was 73% and 29% respectively.

DISCUSSION

The effect of radiation dose rate on acute mortality responses in mammals has been extensively explored over an intensity range of less than one to several hundred roentgens per minute (2, 10), but heretofore, no comparative studies have been conducted involving intensities approximating $10^5 - 10^6$ rad/min. A decreased effectiveness of high intensity radiation bursts has been reported in radiochemical (11) and some biological systems (3, 4, 12). However, over the dose ranges employed in the present study, no dose rate dependency of the acute mortality response has been detected for neutron or gamma irradiated mice.

Although previous data on exposure of mice to neutrons produced by cyclotron beams have required exposure times of several minutes (13), it is significant that these results are also in agreement with mortality data on mice exposed to reactor neutron beams. Since the cyclotron




Fig. 2 Radiation dose response of gamma irradiated mice.




Fig. 3. Cumulative mortality of neutron and gamma irradiated mice.

is also a pulsed beam with pulse durations of only 10^{-8} - 10^{-9} seconds, instantaneous dose rates must have exceeded these reported by us here by at least several orders of magnitude. This suggests that radiation given in even much shorter time periods than the 10^{-2} seconds reported here is equally effective insofar as mortality is concerned.

These results imply that reversal or repair processes which may significantly alter the effectiveness of radiation and which are operative at much lower dose rates (2, 14) play no significant role during the exposure periods used in the present experiments. Also indicated is that recombination of free radicals, partial anaerobiosis, or other mechanisms advanced to account for decreased effectiveness of burst exposures (11, 12, 14) are likewise inoperative in terms of the acute mortality response for the dose rates used here.

Furthermore, in terms of the acute mortality response in mice, the present data indicate that results of experiments conducted at radiation dose rates in excess of 7-10 rad/min. are probably applicable to the prompt ionizing radiation situation encountered in a nuclear detonation.

REFERENCES

1. G. A. Sacher, Survival of Mice Under Duration of Life Exposure to X-rays at various rates, in Biological Effects of External X- and Gamma Radiation, Part 2 ed. by R. E. Zirkle. Washington, D. C.: Office of Technical Services, Department of Commerce, 1956 (pp. 435-463).
2. J. F. Thomson and W. W. Tourtellotte, The Effect of Dose Rate on the LD⁵⁰ of Mice Exposed to Gamma Radiation From Cobalt-60 Sources. Am. J. Roentgenol. Radium Therapy Nuclear Med. 69, 826-829 (1953)
3. J. S. Kirby-Smith and G. W. Dolphin, Chromosome Breakage at High Radiation Dose Rates. Nature 182, 270-271 (1958)
4. D. L. Dewey and J. W. Boag, Modification of the Oxygen Effect When Bacteria are Given Large Pulses of Radiation. Nature 183, 1450-1451 (1959)
5. J. B. Storer, P. S. Harris, J. E. Furchner, and W. H. Langham. The Relative Biological Effectiveness of Various Ionizing Radiations in Mammalian Systems. Radiation Research 6, 188-288 (1957)
6. R. S. Stone, H. P. Sleeper, Jr., R. H. Stahl, and G. West. Transient Behavior of TRIGA, a Zirconium-Hydride, Water-Moderated Reactor. Nuclear Science and Engineering 6, 255-259 (1959)
7. R. E. Simpson, E. Tochilin and N. Goldstein. Neutron and Gamma-Ray Dosimetry in an Animal Exposure Volume at a Pulsed Triga Reactor. USNRDL-TR-583 (1962)

8. J. Aitchison and J. A. C. Brown, The Lognormal Distribution, Cambridge University Press, London, 1957
9. D. J. Finney, Probit Analysis, 1st ed., Cambridge University Press, London, 1947
10. L. C. Logie, M. D. Harris, R. E. Tatsch, and E. N. Van Hooser. An Analysis of the $LD_{50(30)}$ as Related to Radiation Intensity. Radiation Research 12, 349-356 (1960)
11. F. Hutchinson, Reduced Yield in Dilute Solutions Irradiated at Very High Dose Rates. Radiation Research 9, 13-23 (1958)
12. A. T. Krebs, Pulsed Irradiation Technique (Single Pulsed, Multi-pulsed, Ultra-Pulsed) As a New Approach to Radiobiological Problems. U. S. Army Research Laboratory Rept. 502 (1961)
13. R. E. Carter, V. P. Bond, and P. H. Seymour, The Relative Biological Effectiveness of Fast Neutrons in Mice. U. S. Naval Radiological Defense Laboratory Report - TR-20 (1954)
14. S. P. Stearner and S. A. Tyler, An Analysis of the Role of Dose and Dosage Rate in the Early Radiation Mortality of the Chick. Radiation Research 7, 253-266 (1957)

INITIAL DISTRIBUTION

Copies

NAVY

3	Chief, Bureau of Ships (Code 335)
1	Chief, Bureau of Ships (Code 320)
2	Chief, Bureau of Medicine and Surgery
1	Chief of Naval Operations (Op-07T)
1	Chief of Naval Research (Code 104)
3	Director, Naval Research Laboratory (Code 2021)
1	Office of Naval Research (Code 422)
1	Office of Naval Research (Code 441)
10	Office of Naval Research, FPO, New York
3	Naval Medical Research Institute
1	OIC, Radiation Exposure Evaluation Laboratory
1	Director, Aviation Medical Acceleration Laboratory
1	U. S. Naval Postgraduate School, Monterey
1	Commander, Naval Ordnance Laboratory, Silver Spring
1	Naval Missile Center (Code 5700)
1	U. S. Naval Hospital, San Diego
1	CO, Naval Medical Research Unit No. 2
1	CO, Naval Medical Field Research Laboratory, Camp Lejeune

ARMY

1	Chief of Research and Development (Atomic Division)
1	Chief of Research and Development (Life Science Division)
1	Deputy Chief of Staff for Military Operations (CBR)
1	Chief of Engineers (ENGMC-DE)
1	Chief of Engineers (ENG CW)
1	CG, Army Materiel Command (AMCRD-DE-NE)
1	CG, USA CBR Agency
3	CO, BW Laboratories
1	CO, Fort McClellan Alabama
1	Commandant, Chemical Corps Schools (Library)
1	CG, CBR Combat Developments Agency
1	CO, Chemical Research and Development Laboratories
1	Commander, Chemical Corps Nuclear Defense Laboratory
1	Hq., Army Environmental Hygiene Agency
1	CG., Aberdeen Proving Ground

1 CO, Army Medical Research Laboratory
 1 Army Medical Research and Nutrition Laboratory (MEDEN-AD)
 1 CO, Army Medical Service Combat Developments Agency
 2 Medical Field Service School, Fort Sam Houston (Stimson Lib.)
 1 Brooke Army Medical Center (Dept. Prev. Med.)
 1 Director, Surgical Research Unit, Fort Sam Houston
 1 Director, Walter Reed Army Medical Center
 1 Hq., Army Nuclear Medicine Research Detach., Europe
 1 CG, Combat Developments Command (CDCMR-V)
 1 CG, Quartermaster Res. and Eng. Command
 1 Hq., Dugway Proving Ground
 3 The Surgeon General (MEDNE)
 1 Office of the Surgeon General (Combat Dev.)
 1 CG, Engineer Res. and Dev. Laboratory
 1 Director, Office of Special Weapons Development
 1 CG, Munitions Command
 1 CO, Frankford Arsenal
 1 CG, Army Missile Command

AIR FORCE

1 Assistant Chief of Staff, Intelligence (AFCIN-3B)
 6 CG, Aeronautical Systems Division (ASAPRD-NS)
 1 CO, Radiological Health Laboratory Division
 1 Director, USAF Project RAND
 1 Commandant, School of Aerospace Medicine, Brooks AFB
 1 CO, School of Aviation Medicine, Gunter AFB
 1 6571st Aeromedical Research Lab., Holloman AFB
 1 Radiobiological Laboratory
 1 Office of the Surgeon (SUP3.1), Strategic Air Command
 1 Office of the Surgeon General
 1 CG, Special Weapons Center, Kirtland AFB
 1 Director, Air University Library, Maxwell AFB
 2 Commander, Technical Training Wing. 3415th TTG
 1 Hq., Second Air Force, Barksdale AFB
 1 Commander, Electronic Systems Division (CRZT)

OTHER DOD ACTIVITIES

3 Chief, Defense Atomic Support Agency (Library)
 1 Commander, FC/DASA, Sandia Base (FCDV)
 1 Commander, FC/DASA, Sandia Base (FCTG5, Library)
 1 Commander, FC/DASA, Sandia Base (FCWT)
 2 Office of Civil Defense, Washington
 2 Civil Defense Unit, Army Library
 1 Armed Forces Institute of Pathology
 20 Armed Services Technical Information Agency
 1 Director, Armed Forces Radiobiology Research Institute

AEC ACTIVITIES AND OTHERS

1 Research Analysis Corporation
1 Life Science Officer, AEC, Washington
1 Director, Division of Biology and Medicine
1 NASA, Ames Research Center, Moffett Field
1 Naval Attache, Stockholm (for Commodore Troell)
1 Aerojet General, Azusa
5 Argonne Cancer Research Hospital
10 Argonne National Laboratory
2 Atomic Bomb Casualty Commission
1 AEC Scientific Representative, France
1 AEC Scientific Representative, Japan
3 Atomic Energy Commission, Washington
2 Atomic Energy of Canada, Limited
3 Atomics International
2 Battelle Memorial Institute
1 Borden Chemical Company
3 Brookhaven National Laboratory
1 Chicago Patent Group
1 Colorado State University
1 Columbia University (Rossi)
1 Committee on the Effects of Atomic Radiation
3 Defence Research Member
2 duPont Company, Aiken
1 duFont Company, Wilmington
1 Edgerton, Germeshausen and Grier, Inc., Goleta
1 Edgerton, Germeshausen and Grier, Inc., Las Vegas
2 General Dynamics, Fort Worth
2 General Electric Company, Cincinnati
8 General Electric Company, Richland
1 General Electric Company, St. Petersburg
1 General Scientific Corporation
1 Hughes Aircraft Company, Culver City
1 Iowa State University
1 Journal of Nuclear Medicine
1 Knolls Atomic Power Laboratory
2 Los Alamos Scientific Laboratory (Library)
1 Lovelace Foundation
1 Martin-Marietta Corporation
1 Massachusetts Institute of Technology
1 Mound Laboratory
1 National Academy of Sciences
2 NASA, Scientific and Technical Information Facility
1 National Bureau of Standards (Taylor)
1 National Cancer Institute
1 National Lead Company of Ohio
1 National Library of Medicine
1 New Jersey State Department of Health

1 New York Operations Office
 1 New York University (Eisenbud)
 1 Office of Assistant General Counsel for Patents
 2 Phillips Petroleum Company
 4 Pratt and Whitney Aircraft Division
 2 Public Health Service, Washington
 1 Public Health Service, Las Vegas
 1 Public Health Service, Montgomery
 1 Sandia Corporation, Albuquerque
 1 Union Carbide Nuclear Company (ORGDP)
 5 Union Carbide Nuclear Company (ORNL)
 1 Union Carbide Nuclear Company (Paducah Plant)
 1 United Nuclear Corporation (NDA)
 1 U. S. Geological Survey, Denver
 1 U. S. Geological Survey, Menlo Park
 1 U. S. Geological Survey, Naval Gun Factory
 1 U. S. Geological Survey, Washington
 1 U. S. Weather Bureau, Washington
 1 University of California, Davis
 3 University of California Lawrence Radiation Lab., Berkeley
 2 University of California Lawrence Radiation Lab., Livermore
 1 University of California, Los Angeles
 1 University of California, San Francisco
 1 University of Chicago Radiation Laboratory
 1 University of Hawaii
 1 University of Puerto Rico
 1 University of Rochester (Atomic Energy Project)
 1 University of Tennessee (UTA)
 1 University of Utah
 1 University of Washington (Donaldson)
 1 Wayne State University
 1 Westinghouse Electric Corporation (Rahilly)
 1 Westinghouse Electric Corporation (NASA)
 1 Western Reserve University (Friedell)
 25 Technical Information Extension, Oak Ridge

USNRDL

41 USNRDL, Technical Information Division

DISTRIBUTION DATE: 12 April 1963

Naval Radiological Defense Laboratory USNRDL-TR-627 THE RELATIVE EFFECT OF PULSED RADIATION EXPOSURE IN PRODUCTION OF ACUTE MORTALITY IN MICE by E. J. Ainsworth, G. F. Leong, E. L. Alpen and K. Kendall 8 March 1963 17 p. illus. 14 refs. UNCLASSIFIED Mice have been subjected to pulsed exposures of either fission spectrum neutrons or gamma radiation produced by a Triga Mark F reactor. The acute mortality response of animals given (over)	1. Gamma rays. 2. Fission neutrons. 3. Dose rate. 4. Radiation hazards. 5. Radiological Dosage. I. Ainsworth, E. J. II. Leong, G. F. III. Alpen, E. L. IV. Kendall, K. V. Title. VI. MR005.08-5201- UNCLASSIFIED
Naval Radiological Defense Laboratory USNRDL-TR-627 THE RELATIVE EFFECT OF PULSED RADIATION EXPOSURE IN PRODUCTION OF ACUTE MORTALITY IN MICE by E. J. Ainsworth, G. F. Leong, E. L. Alpen and K. Kendall 8 March 1963 17 p. illus. 14 refs. UNCLASSIFIED Mice have been subjected to pulsed exposures of either fission spectrum neutrons or gamma radiation produced by a Triga Mark F reactor. The acute mortality response of animals given (over)	1. Gamma rays. 2. Fission neutrons. 3. Dose rate. 4. Radiation hazards. 5. Radiological Dosage. I. Ainsworth, E. J. II. Leong, G. F. III. Alpen, E. L. IV. Kendall, K. V. Title. VI. MR005.08-5201- UNCLASSIFIED
Naval Radiological Defense Laboratory USNRDL-TR-627 THE RELATIVE EFFECT OF PULSED RADIATION EXPOSURE IN PRODUCTION OF ACUTE MORTALITY IN MICE by E. J. Ainsworth, G. F. Leong, E. L. Alpen and K. Kendall 8 March 1963 17 p. illus. 14 refs. UNCLASSIFIED Mice have been subjected to pulsed exposures of either fission spectrum neutrons or gamma radiation produced by a Triga Mark F reactor. The acute mortality response of animals given (over)	1. Gamma rays. 2. Fission neutrons. 3. Dose rate. 4. Radiation hazards. 5. Radiological Dosage. I. Ainsworth, E. J. II. Leong, G. F. III. Alpen, E. L. IV. Kendall, K. V. Title. VI. MR005.08-5201- UNCLASSIFIED
Naval Radiological Defense Laboratory USNRDL-TR-627 THE RELATIVE EFFECT OF PULSED RADIATION EXPOSURE IN PRODUCTION OF ACUTE MORTALITY IN MICE by E. J. Ainsworth, G. F. Leong, E. L. Alpen and K. Kendall 8 March 1963 17 p. illus. 14 refs. UNCLASSIFIED Mice have been subjected to pulsed exposures of either fission spectrum neutrons or gamma radiation produced by a Triga Mark F reactor. The acute mortality response of animals given (over)	1. Gamma rays. 2. Fission neutrons. 3. Dose rate. 4. Radiation hazards. 5. Radiological Dosage. I. Ainsworth, E. J. II. Leong, G. F. III. Alpen, E. L. IV. Kendall, K. V. Title. VI. MR005.08-5201- UNCLASSIFIED

UNCLASSIFIED

UNCLASSIFIED