

CATALOGED BY DDC
AS AD No. 409614

CALIFORNIA INSTITUTE OF TECHNOLOGY

RESONANCE OSCILLATIONS IN A HOT
NON-UNIFORM PLASMA

by


Jerald V. Parker

409 614

Technical Report No. 20

Nonr 220(13)

May 1963



A REPORT ON RESEARCH CONDUCTED UNDER
CONTRACT WITH THE OFFICE OF NAVAL RESEARCH

RESONANCE OSCILLATIONS
IN A HOT NON-UNIFORM PLASMA

by

Jerald V. Parker

Technical Report No. 20
CALIFORNIA INSTITUTE OF TECHNOLOGY
Pasadena, California

A Technical Report to the Office of Naval Research

Contract Nonr 220(13)

May 1963

RESONANCE OSCILLATIONS IN A HOT NON-UNIFORM PLASMA

J. V. Parker

California Institute of Technology

ABSTRACT

The hydrodynamic equations of a hot non-uniform plasma are solved numerically in slab geometry to obtain the resonant frequencies and associated wave functions. The splitting of the various resonances is shown to depend on the parameter: (slab thickness $\div$ Debye length).

Resonance Oscillations
in a Hot Non-Uniform Plasma

Jerald V. Parker

Until recently the large splittings of the Dattner resonances have remained unexplained, although a small splitting can be shown to result from non-zero temperatures¹.

In a recent letter Weissglas² has shown that results in qualitative agreement with observations can be obtained by assuming a non-uniform electron density. In order to facilitate comparison of the theory with experiment it is necessary to calculate the frequencies of the resonances for some approximately correct electron density distributions.

The equations used below to describe the behavior of a non-uniform plasma in the collisionless approximation are the linearized hydrodynamic equations and Maxwell's equations. Since experiments have generally been conducted in plasmas for which one free space wavelength is large compared to the dimensions of the plasma, one can make a quasi-static analysis.

The equations are then

$$\frac{\partial n_1}{\partial t} + \nabla \cdot n_0 f(\underline{r}) \underline{V}_1 = 0 \quad (1)$$

$$\frac{\partial \underline{V}_1}{\partial t} = \frac{1}{m n_0 f} \left[-n_1 e \underline{\mathcal{E}}_0 - n_0 f e \underline{\mathcal{E}}_1 - \nabla P_1 \right] \quad (2)$$

$$\nabla \cdot \underline{\mathcal{E}}_1 = -\frac{e}{\epsilon_0} n_1 \quad (3)$$

where $n_0 f(\underline{r})$ is the steady state electron density and where it has been

assumed that

$$n = n_0 f(r) + n_1 \quad f(0) = 1$$

$$V = V_1$$

$$\underline{\mathcal{E}} = \underline{\mathcal{E}}_0 + \underline{\mathcal{E}}_1$$

$$P = p_0 f + P_1$$

Since these waves will propagate adiabatically we can relate p_1 and n_1 as follows:

$$p_1 = r k T n_1 \quad (4)$$

Combining equations (1) through (4), assuming an $e^{-i\omega t}$ dependence, and letting $\underline{\mathcal{E}}_1 = -\nabla\phi_1$

$$\nabla^4 \phi_1 - \frac{f'(r)}{r f(r)} \nabla^2 \phi_1 + \frac{1}{r} \left[\left(\frac{\omega^2}{\omega_{p0}^2} - f(r) \right) \frac{1}{\lambda_D^2} - \frac{f''}{f} + \left(\frac{f'}{f} \right)^2 \right] \nabla^2 \phi_1 - \frac{f'}{r \lambda_D^2} \nabla \phi_1 = 0 \quad (5)$$

where

$$\omega_{p0}^2 = \frac{n_0 e^2}{m \epsilon_0} \quad \lambda_D^2 = \frac{\epsilon_0 k T}{n_0 e^2}$$

are the plasma frequency and the Debye length at the point $r = 0$.

Despite the complexity of this equation the calculations progress quite easily if one chooses to work in plane geometry.

If one considers the one-dimensional problem illustrated in Figure 1, the following simplifications can be made. First only $\underline{\mathcal{E}}_z$ exists which




Figure 1.

reduces the order of the equation by one; second, the resulting equation can be integrated once to yield

$$\frac{d^2 E_1}{dz^2} - \frac{1}{r} \frac{f'(z)}{f(z)} \frac{dE_1}{dz} + \frac{1}{r\lambda_D^2} \left[\frac{\omega^2}{\omega_{p0}^2} - f(z) \right] E_1 = K \quad (6)$$

Using the boundary condition that V_1 normal vanishes at the edge of the plasma, one can evaluate the constant K .

$$K = - \frac{\omega^2}{\omega_{p0}^2} \frac{1}{r\lambda_D^2} E_1(d) \quad (7)$$

The final simplification results if one changes to the dimensionless variable $s = z/d$ and recognizes that a resonance in this plane geometry is characterized by the vanishing of the external field so that one need solve only the homogeneous equation

$$\frac{d^2 E_1}{ds^2} - \frac{f'}{rf} \frac{dE_1}{ds} - A(B - f)E_1 = 0$$

$$A = \frac{1}{\gamma} \left(\frac{d}{\lambda_D} \right)^2, \quad B = \left(\frac{\omega^2}{\omega_{p0}^2} \right).$$

The density functions $f(z)$ used in these calculations are taken from the work of S. Self³ and represent theoretical curves for a low density plasma. They are shown in Figure 2. The small slope discontinuities are due to the approximation used in the calculations.

The results of numerical solution of this equation for several values of the parameter $\left(\frac{d}{\lambda_D} \right)^2$ are shown in Figure 3. The circle points are the results of numerical solution of the differential equation. The triangle points were found using the WKB method since the differential equation is difficult to solve for very short wavelengths. The dotted lines connecting the points are included to show which points belong to the same mode and to indicate the general trend of the frequencies but do not represent actual data. The solid line shows the ratio of mean density to the square of the frequency of the lowest mode $\bar{n}_0 / \omega_0^2$.

In general it may be seen that the splitting of the resonant frequencies is dependent on the parameter (d/λ_D) and the splitting is largest for small values of this parameter.

Figures 4 and 5 show how this strong splitting is induced by the non-uniform plasma density. Both figures show the electric field at resonance for various different modes. Figure 4 shows the modes $\omega_0, \omega_1, \omega_2, \omega_3$ for a fixed value of $(d/\lambda_D)^2$. At a given frequency ω that portion of the plasma for which $\omega^2 > \frac{n(z)e^2}{m\epsilon_0}$ ($z > z_c$) can propagate plasma waves, while the remainder cannot. As ω is increased the propagating region becomes longer and successively more half

wavelengths of the wave can be fit into it.

In Figure 5 the mode ω_o is shown for various values of $(\frac{d}{\lambda_D})^2$. One can see that as $(\frac{d}{\lambda_D})^2$ increases the wavelength of the oscillation decreases. Since the thickness of the sheath and the wavelength are proportional to λ_D the resonant frequency of the mode ω_o , which can propagate primarily in the sheath region, tends to remain constant.

It is conceivable that this effect might cause one or more resonances to remain at frequencies below the lowest plasma frequency $\frac{n_o f(d) e^2}{m e_o}$ (see Fig. 2 for $(d/\lambda_D)^2 = \alpha$) in the limit $\lambda_D \rightarrow 0$. This would mean that the resonances would remain split even in the limit of zero temperature and that the curves in Figure 3 would tend to a limit > 1 as $(\frac{d}{\lambda_D}) \rightarrow \infty$. This does not, however, seem to be the case although one cannot be certain of extrapolations based on such limited data.

I wish to express my appreciation to R. W. Gould and to the Office of Naval Research and the National Science Foundation for supporting this research.

References

1. R. W. Gould, Proc. of the Linde Conference on Plasma Oscillations, 1959 (unpublished).
2. P. Weissglas, Phys. Rev. Letters, 10, 206 (1963).
3. S. Self, Physics of Fluids (To be published).




Fig. 2. Electron Density Profiles. The points where the local plasma frequency equals one of the resonant frequencies, i.e.,

$$\frac{n_e}{n_0} f(s) = \omega_1^2 \quad (i = 0, 1, \dots) \quad \text{are indicated.}$$




Fig. 3. Resonant Frequencies and Average Density







Fig. 4. E_z versus z $(d/\lambda_D)^2 = 4.740$




Fig. 5. E_z versus z for the Resonance ω_0

DISTRIBUTION LIST

Chief of Naval Research	2	Committee on Electronics	1	General Electric Company	1
Navy Department - CODE 427		Research and Development Board		Electronic Components Div.	
Washington 25, D. C.		Department of Defense		Power Tube Department	
Director, Naval Research Lab.		Washington 25, D. C.		Microwave Lab at Stanford	
Washington 25, D. C.		Director, Natl. Bureau of Stds.	1	Palo Alto, California	
Attn: CODE 5240	1	Washington 25, D. C.		Dr. E. D. McArthur	1
CODE 7130	1	Attn: Div. 14.0 CRPL, Librarian		Electron Tube Laboratory	
CODE 2000	6			General Electric Company	
CODE 5430	1	Commanding Officer	1	Schenectady, New York	
Commanding Officer	1	Engineering Res. and Dev. Lab		University of Michigan	1
ONR Branch Office		Fort Belvoir, Virginia		Electron Tube Laboratory	
1000 Geary Street		Commanding Officer	1	Ann Arbor, Michigan	
San Francisco, California		Frankford Arsenal		Attn: J. Rowe	
Scientific Liaison Officer	25	Bridensburg, Philadelphia, Pa.		Johns Hopkins University	1
ONR, London		Etal-McCullough, Inc.	1	Radiation Laboratory	
c/o Navy 100, Box 39, FPO		301 Industrial Way		1315 St. Paul Street	
New York, New York		San Carlos, California		Baltimore 2, Maryland	
Commanding Officer	1	ATTN: Research Library		Attn: M. Poole, Librarian	
ONR Branch Office		Commanding General WCLC	1	Research Lab. of Electronics	1
1030 E. Green Street		Wright Air Devel. Center WCLRC	1	Massachusetts Inst. of Tech.	
Pasadena, California		Wright-Patterson AF Base, Ohio		Cambridge 39, Massachusetts	
Commanding Officer	1	Commanding General, CRCE	1	Sloane Physics Laboratory	1
ONR Branch Office		A.F. Cambridge Research Center		Yale University	
The John Crerar Library Bldg.		230 Albany Street		New Haven, Connecticut	
86 E. Randolph Street		Cambridge 39, Massachusetts		Attn: R. Beringer	
Chicago 1, Illinois		Commanding General RCRW	1	Mr. H. J. Reich	1
Commanding Officer	1	Rome Air Development Center		Department of Electrical Eng.	
ONR Branch Office		Griffiss Air Force Base		Yale University	
346 Broadway		Rome, New York		New Haven, Connecticut	
New York 13, New York		Chief, West Coast Office	1	Laboratory for Insulation Res.	1
Officer-in-Charge	3	Signal Corps Eng. Labs		Massachusetts Inst. of Tech.	
Office of Naval Research		75 So. Grand Avenue		Cambridge 39, Massachusetts	
Navy 100, FPO		Pasadena 2, California		Attn: A. von Hippel	
New York, New York		Signal Corps Resident Engineer	1	Lincoln Laboratory	1
Chief, Bureau Aeronautics EL4	1	Electronic Defense Laboratory		Massachusetts Inst. of Tech.	
Navy Department EL43	1	P.O. Box 205		Cambridge 39, Massachusetts	
Washington 25, D. C. EL45	1	Mountain View, California		Dr. J. M. Lafferty, Manager	1
Chief, Bureau of Ordnance		Chief, Bureau of Ships	816	Physical Studies	
Navy Department Re 4	1	Department of the Navy	820	General Electric Company	
Washington 25, D. C. Re 9	1	Washington, D. C.	840	P.O. Box 1088	
Chief of Naval Operations Op20X	1	Material Lab. Library	912B	Schenectady, New York	
Navy Department Op421	1	New York Naval Shipyard		General Electric Company	1
Washington 25, D. C. Op 55	1	Brooklyn 1, New York		One River Road	
Director, Naval Ordnance Lab.	1	Office of Technical Services	1	Schenectady 5, New York	
White Oak, Maryland		Department of Commerce		Attn: Miss W. Crain, Librarian	
Director, Naval Electronics Lab	1	Washington 25, D. C.		Technical Report Collection	1
San Diego 52, California		Director CR4582	1	303A Pierce Hall	
Dept. of Electronics-Physics	1	Air University Library		Harvard University	
U.S. Naval Post Grad. School		Maxwell A.F. Base, Alabama		Cambridge 38, Massachusetts	
Monterey, California		Chief, Western Division	1	Electron Tube Section	1
Commander CODE 366	1	Office of Aerospace Research		Electrical Engineering Dept.	
Naval Air Missile Test Center		Office of Scientific Research		University of Illinois	
Point Mugu, California		P.O. Box 2035, Pasadena, Calif.		Champaign, Illinois	
U.S. Naval Proving Ground	1	Technical Library	1	Chairman, Div. of Elec. Eng.	1
Attn: W. H. Benson		Research and Development Board		University of California	
Dahlgren, Virginia		Pentagon Building		Berkeley 4, California	
Commander	1	Washington 25, D. C.		Radiation Laboratory	1
U.S. Naval Air Development Center		Advisory Group on Electron Tubes	1	Tech. Information Division	
Johnsville, Pennsylvania		346 Broadway (8th Floor)		University of California	
Thermionics Branch	5	New York 13, New York		Berkeley 4, California	
Signal Corps Eng. Labs.		Dr. G. E. Barlow	1	Dr. A. W. Trivelpiece	1
Evans Signal Lab, Bldg. 42		Australian Joint Service Staff		Department of Elec. Eng.	
Belmar, New Jersey		Box 4837		University of California	
Commander	10	Washington 8, D. C.		Berkeley 4, California	
Armed Services Tech. Inform.		Microwave Library	1	Periodicals Librarian	1
ATTN: TIPDR		W. W. Hansen Labs. of Physics		General Library	
Arlington Hall Station		Stanford University		California Inst. of Technology	
Arlington 12, Virginia		Stanford, California		Pasadena, California	
Ballistics Research Labs	2	Engineering Library	1	Dr. Z. Kaprielian	1
Aberdeen Proving Ground		Stanford University		Electrical Engineering Dept.	
Maryland		Stanford, California		University of Southern Calif.	
Attn: D.W.H. Delsasso		Electronics Lab. Library	1	Los Angeles 7, California	
Chief, Ordnance Develop. Div.	2	Stanford University		Supervisor of Research Lab.	1
Natl. Bureau of Standards		Stanford, California		Electrical Engineering Bldg.	
Connecticut Av. Van Ness St. NW		Technical Library	1	Purdue University	
Washington 25, D. C.		General Electric Microwave Lab.		Lafayette, Indiana	
Naval Research Laboratory	6	601 California Avenue		Georgia Institute of Techn.	1
Washington 25, D. C.		Palo Alto, California		Atlanta, Georgia	
				ATTN: Librarian	

W. E. Lear 1	Countermeasures Laboratory 1	Applied Research, RCA 1
University of Florida	Gilfillan Brothers, Inc.	Camden 2, New Jersey
Department of Electrical Eng.	1815 Venice Boulevard	ATTN: R. E. Skinner
Gainesville, Florida	Los Angeles, California	Bldg. 10-8, Sect. 421
Director Electronics Defense 1	The Rand Corporation 1	Bosac Laboratories, Inc. 1
Engineering Research Inst.	1700 Main Street	Salem Road
University of Michigan	Santa Monica, California	Beverly, Massachusetts
Ann Arbor, Michigan	ATTN: Librarian	ATTN: Arthur McCoubrey
Cornell Aeronautical Lab 1	Motorola Riverside Res. Lab. 1	Aerospace Corporation 1
Cornell Research Foundation	8330 Indiana Avenue	Post Office Box 95085
Buffalo 21, New York	Riverside, California	Los Angeles 45, California
Director, Microwave Res. Inst. 1	ATTN: Mr. John Byrne	Attn: F. L. Vernon, Jr.
Polytechnic Inst. of Brooklyn	Ramo-Woolridge Corporation 1	Space-General Corp. 1
55 Johnson Street	Control Systems Division	9200 E. Flair Drive
Brooklyn 1, New York	P.O. Box 9008	El Monte, California
University of Washington	Hawthorne, California	ATTN: Bruce Ferrell, Lib.
Department of Elec. Eng.	ATTN: Librarian	Northern Electric Co. Ltd. 1
Seattle, Washington	Dr. James E. Shepherd 1	Research and Devel. Labs.
ATTN: E. A. Harrison	General Manager	Library, Dept. 8421
A. V. Eastman 1	Sperry Rand Research Center	P.O. Box 3511, Station C
University of Colorado 1	P.O. Box 400	Ottawa, Ontario, Canada
Department of Elec. Eng.	Sudbury, Massachusetts	Dalco Victor Company 1
Boulder, Colorado	W. L. Maxson Corporation 1	Division of Textron, Inc.
University of Colorado 1	480 West 34th Street	Belmont, California
Engineering Experiment Sta.	New York 1, New York	ATTN: Librarian
Boulder, Colorado	ATTN: M. Simpson	Dr. W. E. Drummond 1
ATTN: W. G. Worcester	Bertram G. Ryland, Manager 1	General Atomic
Electrical Engineering Dept. 1	Spencer Laboratory	P. O. Box 608
Princeton University	Raytheon Manufacturing Co.	San Diego 12, California
Princeton, New Jersey	Burlington, Massachusetts	Dr. M. Gottlieb 1
Professor W. P. Dyke 1	Westinghouse Electric Corp. 1	Princeton University
Linfield College	Electronic Tube Division	Plasma Physics Laboratory
McMinnville, Oregon	Elmira, New York	Princeton, New Jersey
Research Lab. of Electronics 1	ATTN: Mr. S.S. King, Librarian	Dr. R. F. Post 1
Chalmers Institute of Tech.	Mr. Gilbert Kelton 1	Radiation Laboratory
Gothenburg, Sweden	Security Officer	Livermore, California
ATTN: Librarian	Philips Laboratories	Dr. W. Kunzel 1
Columbia Radiation Lab. 1	Irvington-on-Hudson, New York	U.C. Radiation Laboratory
538 W. 120th Street	R. E. McGuire, Librarian 1	Berkeley, California
New York 27, New York	Boeing Airplane Company	Dr. R. J. Mackin 1
Cascade Research 1	P.O. Box 3707	Jet Propulsion Laboratory
5245 San Fernando Road	Seattle 24, Washington	Pasadena, California
Los Angeles 39, California	A. Simon 1	Dr. M. Allen 1
Fred D. Wilimek 1	General Atomic	Microwave Associates
Varian Associates	P. O. Box 608	Burlington, Massachusetts
611 Hansen Way	San Diego, California	Dr. Irving Kaufman 1
Palo Alto, California	Image Instruments, Inc. 1	Space Technology Laboratories
John Dyer 1	2300 Washington Street	1 Space Park
Airborne Instrument Lab	Newton Lower Falls 62, Mass.	Redondo Beach, Calif.
Mineola, New York	Sylvania Electric Prod. Inc. 1	
Bell Telephone Laboratories 1	Waltham, Massachusetts	
Murray Hill, New Jersey	ATTN: Charles A. Thornhill	
ATTN: J. R. Pierce	Research Division Library 1	
Hughes Aircraft Company 1	Raytheon Company	
Culver City, California	28 Seyon Street	
ATTN: Mr. Milek, Librarian	Waltham 54, Massachusetts	
Hughes Aircraft Company 1	ITT Laboratories 1	
Microwave Laboratory	15151 Bledsoe Street	
Culver City, California	San Fernando, California	
ATTN: Dr. A. D. Berk	Technical Research Group Inc. 1	
Bell Telephone Laboratories 1	2 Aerial Way	
Technical Information Library	Syosset, New York	
463 W. Street	Advanced Techniques Branch 1	
New York 14, New York	Electronics Technology Lab.	
RCA Laboratories 1	Aeronautical Systems Division	
Princeton, New Jersey	Wright-Patterson AFB, Ohio	
ATTN: Dr. W. M. Webster	Microwave Physics Laboratory 1	
Federal Telecommunic. Labs 1	Sylvania Electric Products	
500 Washington Avenue	P.O. Box 1296	
Nutley, New Jersey	Mountain View, California	
ATTN: W. Derrick	U. S. Atomic Energy Commission 1	
K. Wing 1	Tech. Information Service Ext.	
	P.O. Box 62	
	Oak Ridge, Tennessee	