

UNCLASSIFIED

AD 4 2 0 5 4 0

DEFENSE DOCUMENTATION CENTER

FOR

SCIENTIFIC AND TECHNICAL INFORMATION


CAMERON STATION, ALEXANDRIA, VIRGINIA




UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

AD No. 420540
DDC FILE COPY



10/



BORG-WARNER CORPORATION
INGERSOLL KALAMAZOO DIVISION
1810 North Pitcher Street, Kalamazoo, Michigan

STRESS CORROSION TEST RESULTS

Supplement #1 to Project Report SPDIR-26

Contract NOrd 15719

July 15, 1963

Copy No. 52

Prepared by:

Approved:

Dennis P. Thomason
Dennis P. Thomason

L. E. Hershey
L. E. Hershey, Manager
Special Projects Department

INGERSOLL KALAMAZOO DIVISION
Borg-Warner Corporation
Kalamazoo, Michigan

Table of Contents

	Page
Introduction	1
Stress Corrosion Testing	2
Results	9
Conclusions	9
Distribution List	11

List of Illustrations

Figure		Page
1	Mounting Fixture used for Bent Beam Specimens	4
2	Bent Beam Specimen being given a Desired Deflection	5
3	A Loaded Fixture showing Three Stressed Specimens	6
4	Schematic of Bent Beam Specimens Tested	7
5	Specimens Mounted and Placed on the Roof at Ingersoll Kalamazoo Division	8

List of Tables

Table		
I	Stress Corrosion Test Results	10

→ Stress corrosion test results are given for 1

INTRODUCTION

On April 18, 1962, ~~seventy-two (72)~~ bent beam specimens of two high strength, high carbon steels ~~were~~ exposed to an industrial atmosphere. Half of these specimens ^{were} ~~had been~~ given surface decarburization whereas the other half remained in the base metal condition. Partial results of these tests were reported in Project Report SPDIR-26, "The Effect of Surface Decarburization on the Notch Sensitivity of MBMC #1, Super Tricent and AISI 9262 Steels", dated July 15, 1962 under Contract NOrd 15719. On June 18, 1963 the stress corrosion tests were terminated. The complete results of these tests are presented herewith as Supplement #1 to the aforementioned report.

→ also see AD 281215 ←

STRESS CORROSION TESTING

A total of seventy-two (72) bent beam specimens were obtained by power spinning cylinders from forgings to the desired thicknesses of 0.050" and 0.100", longitudinally parting and unrolling the cylinder and shearing out the specimens. Half of the specimens were of MBMC #1 steel and the other half of Super Tricent steel. The specimens were heat treated in a laboratory furnace with facilities for controlling the furnace atmosphere. The furnace was controlled to produce two groups of specimens, those having no surface decarburization - base condition, and those having a nominal depth of surface decarburization - of 0.005" on the 0.050" thick specimens and 0.010" on the 0.100" thick specimens.

The specimens were tested in the as heat treated condition to simulate the actual surface condition of missile casings.

The method of testing was based upon the fixturing and stressing technique developed by Dr. E. H. Phelps and Mr. A. W. Longinow of the Applied Research Laboratory, U. S. Steel Corporation, Monroeville, Pennsylvania. The specimens were placed flat in the holder and then the length between supports was reduced thereby causing a deflection and corresponding stress in the specimen. Three specimens were placed in each holder and bent to specific radii calculated to exert surface fiber stresses of 150,000, 175,000 and 200,000 psi on the base specimens. Since the mechanical properties of steel surface were lowered by decarburizing the exact determination of

stress in this layer was quite involved and beyond the scope of these relatively simple and low level of effort tests. To serve as an approximation of stress, the decarburized specimens were bent to the same deflection as were the base specimens for each of the three stress levels.

All specimens were exposed to an industrial atmosphere on April 18, 1962. The test was terminated fourteen (14) months later on June 18, 1963.

Figures 1, 2 and 3 illustrate the equipment used and procedure. Figure 4 shows the classification breakdown of the specimens tested and Figure 5 shows all specimens mounted and placed on the roof at Ingersoll Kalamazoo Division.




Figure 1. Mounting Fixture used for Bent Beam Specimens




Figure 2. Bent Beam Specimen being given a Desired Deflection




Figure 3. A Loaded Fixture showing Three Stressed Specimens




Figure 4. Schematic of Bent Beam Specimens Tested




Figure 5. Specimens Mounted and Placed on the Roof at Ingersoll Kalamazoo Division

RESULTS

The average days to failure for the three specimens within each group are shown in Table I. In instances where one, two or all three specimens within a group did not fail during the 14-month period the life of these specimens was taken as at least 14 months or 426 days.

CONCLUSIONS

1. Surface decarburization is effective in significantly reducing stress corrosion failures for the two high carbon notch sensitive steels tested.
2. Decarburized MBMC #1 steel exhibited higher resistance to stress corrosion failure than did decarburized Super Tricent steel.

Table I. Stress Corrosion Test Results

Steel	Base or Decarb	Size	Stress Level ksi	Number of Specimens	Failure Time Range - Days	Average Days to Failure
		Length x Thickness - Inches				
MBMC #1	Base	6 x 0.050	150	3	3-5	4
			175	3	3-10	5
			200	3	3-4	4
	Decarb	6 x 0.050	150	3	No failures	426+
			175	3	No failures	426+
			200	3	63-125	94
	Base	10 x 0.100	150	3	13-86	46
			175	3	5-28	19
			200	3	5-21	13
	Decarb	10 x 0.100	150	3	289-426	380+
			175	3	264-426	372+
			200	3	276-426	345+
Super Tricent	Base	6 x 0.050	150	3	37-43	39
			175	3	11-16	13
			200	3	3-11	8
	Decarb	6 x 0.050	150	3	152-426	335+
			175	3	62-199	124
			200	3	113-138	123
	Base	10 x 0.100	150	3	13-36	23
			175	3	12-32	22
			200	3	4-21	13
	Decarb	10 x 0.100	150	3	141-153	147
			175	3	23-175	74
			200	3	21-30	25

Chemical Propulsion Mailing List for the Distribution of Chemical Propulsion Technical Information

United Technology Center P. O. Box 358 Sunnyvale, California 3 Attn: Librarian	Army Material Command Detachment 1 Washington 25, D. C. 4 Attn: AMCOR-TB
Commanding Officer Ordnance Office Duke Station 5 Durham, North Carolina	Commanding General Ordnance Ammunition Command Joliet, Illinois 6 Attn: ORDLY-AREL, Engr. Library
Bureau of Naval Weapons Department of the Navy Washington 25, D. C. Attn: RMMP-2 7-8	Bureau of Naval Weapons Department of the Navy Washington 25, D. C. Attn: RMMP-32 9
Commander U. S. Naval Ordnance Lab. White Oak Silver Spring, Maryland Attn: Library 10	Nat'l Aeronautics & Space Adm. Manned Spacecraft Center P. O. Box 1537 Houston 1, Texas Attn: Library 11
Director, Special Projects Office Department of the Navy Washington 25, D. C. 12 Attn: SP-271	Aerojet-General Corporation P. O. Box 296 Azusa, California 13 Attn: Librarian
Armour Research Foundation of Ill. Inst. of Technology Chicago, Illinois 14 Attn: Fluid Dynamics & Prop. Res., Dept. D	Jet Propulsion Laboratory 4800 Oak Grove Drive Pasadena, California 15 Attn: I. E. Newland Chief, Reports Group
Aerospace Corporation P. O. Box 95085 Los Angeles, Cal. 16-17 Attn: Library - Documents	Nat'l Aeronautics & Space Adm. Geo. C. Marshall Space Flight Ctr. Huntsville, Alabama 18 Attn: Library
Reaction Motors Division Thiokol Chemical Corporation Denville, New Jersey 19 Attn: Librarian	Rocketdyne, Div. of North American Aviation, Solid Prop. Operations P. O. Box 548, Attn: Library 20 McGregor, Texas

American Machine & Foundry Co.
7501 North Natchez Avenue
Niles, Illinois 21
Attn: P. Rosenberg

The Martin Company
Baltimore 3, Maryland
Attn: T. W. Woodward 24

Commanding Officer
Aberdeen Proving Ground, Md.
Attn: Ballistic Res. Lab.
ORDBG-BLI 26-27

Bureau of Naval Weapons
Department of the Navy
Washington, D. C.
Attn: DLI-3 30-31

Commanding Officer
U. S. Naval Propellant Plant
Indian Head, Maryland 33-34
Attn: Technical Library

Hercules Powder Company
Allegany Ballistics Laboratory
P. O. Box 210, Attn: Library
Cumberland, Maryland 38-39

Thiokol Chemical Corporation
Redstone Division
Huntsville, Ala. 42-43
Attn: Technical Director

Chemical Propulsion Info. Agency
Applied Physics Laboratory
The Johns Hopkins Univ. 45-47
Silver Spring, Maryland

Air Force Rocket Propulsion Lab.
Edwards, California
Attn: DGS 51

Defense Metals Information Center
Battelle Memorial Institute
505 King Avenue
Columbus, Ohio 62

Aerojet-General Corporation
P. O. Box 1947
Sacramento, California 22-23
Attn: Tech. Information Center

Hercules Powder Company
Bacchus Works - Attn: Librarian
Magna, Utah 25

Commanding Officer
Picatinny Arsenal
Dover, New Jersey
Attn: Library 28-29

Commander
U. S. Naval Air Missile Center
Point Mugu, California
Attn: Technical Library 32

Commander
U. S. Naval Ordnance Test Station
China Lake, California 35-36
Attn: Technical Library Branch,
Attn: Code 45 37

Atlantic Research Corporation
Shirley Highway & Edsall Road
Alexandria, Virginia 40-41

Rocketdyne
6633 Canoga Avenue
Canoga Park, Cal. 44
Attn: Library, Dept. 596-306

Commanding General
U. S. Army Missile Command
Redstone Arsenal, Ala. 48-50
Attn: Tech. Library

Defense Documentation Center
Arlington Hall Station
Arlington 12, Virginia 52-61
via: BuWeps, Code DLI-302

Nat'l Aeronautics & Space Adm.
Washington 25, D. C.
Attn: Office of Tech. Info. & Educational
Programs, Code ETL 63

Nat'l Aeronautics & Space Adm.
Lewis Research Center
21000 Brookpark Road
Cleveland 35, Ohio 64
Attn: Library

Nat'l Aeronautics & Space Adm.
Goddard Space Flight Center
Greenbelt, Maryland 66
Attn: Library

Lockheed Propulsion Co.
P. O. Box 111
Redlands, California 68
Attn: Miss B. Berlad, Librarian

Allison Div. - General Motors
P. O. Box 894
Indianapolis 6, Ind. 77
Attn: Plant 8, Tech. Library

General Electric Company
Flight Propulsion Division
Cincinnati 15, Ohio 79
Attn: Tech. Info. Center

United Aircraft Corp. - Library
400 Main Street
East Hartford, Conn. 81

Thiokol Chemical Corp.
Wasatch Division
P. O. Box 524
Brigham City, Utah 83
Attn: Library Section

Scientific & Tech. Info. Facility
P. O. Box 5700
Bethesda, Maryland 85-86
Attn: NASA Representative

Nat'l Aeronautics & Space Adm.
Langley Research Center
Langley Air Force Base
Virginia 65
Attn: Library

Space Technology Lab., Inc.
1 Space Park
Redondo Beach, California 67
Attn: STL Tech. Lib. Doc. Acquisitions

Chief, Bureau of Naval Weapons
Department of the Navy (for F-1, F-2)
Washington 25, D. C. 69-76
Attn: DSC-3

Bendix Aviation Corporation
South Bend
Indiana 78
Attn: Technical Library

Hughes Tool Company
Culver City
California 80
Attn: Materials Dept.

Commander
U. S. Naval Weapons Laboratory
Dahlgren, Virginia 82
Attn: Technical Library

Thiokol Chemical Corporation
Elkton Division
Elkton, Maryland 84
Attn: Librarian

R. F. Schutz, IKD 87
A. A. Olson, IKD 88
A. S. Mrozek, IKD 89
C. von Linsowe, IKD 90

In accordance with the terms of Information Exchange Project B-29 this report has been forwarded to the Defence Research Staff, British Embassy, 3100 Massachusetts Ave., NW, Washington 8, D. C. for transmittal to Imperial Chemical Industries, Ltd. (2) 91-92