

UNCLASSIFIED
AD 427 150

DEFENSE DOCUMENTATION CENTER
FOR
SCIENTIFIC AND TECHNICAL INFORMATION
CAMERON STATION, ALEXANDRIA, VIRGINIA



UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

CATALOGED BY DDC
AS AD No. _____

427150

427150

64-7

FINAL REPORT

DETECTION OF HUMANS

IN

CONCEALED PREPARED POSITIONS

Prepared for
Limited War Laboratory
Aberdeen Proving Ground

THE BIOSEARCH COMPANY
BOSTON, MASSACHUSETTS

JULY, 1963

DDC
JAN 17 1964
TISIA B

OUTLINE OF CONTENTS

- A. PREFACE
- B. INTRODUCTION
- C. HUMAN ATTRIBUTES AND CONTRASTS
 - I. Chemical Attributes
 - a. List of chemical substances produced by man.
 - b. Additional data on specific body products.
 - c. Other supporting information; ethnic, etc.
 - II. Physical Attributes
 - a. Electromagnetic radiation.
 - b. Sound and vibration.
 - c. Electrical
 - d. Magnetic
 - e. Radioactivity
 - f. Body configuration and cross sections
- D. ENVIRONMENTAL MODIFICATION OF SIGNALS FROM MAN
 - I. Systematic descriptions of bioenvironment
 - II. Chemical Substances in Environment and Substance Transmission
 - a. Measurements in air.
 - b. Substances from animals; excretions, scents.
 - c. Plant substances
 - d. Chemical substance transmission in air.
 - III. Physical signals in environment and their transmission
 - a. Electromagnetic radiation
 - b. Sound and vibration
 - c. Electrical and magnetic fields
- E. SENSING AND DETECTION OF HUMAN ATTRIBUTES
 - I. Introduction
 - II. Biosensing (Living tissue as detector).
 - a. General comments
 - b. Specific chemoreceptor studies
 - c. Chemosensing by isolated non-chemoreceptor tissue
 - d. Receptors for mechanical, radiant, electrical energy, etc.
 - III. Chemical Products Sensing by Chemical and Physical Means
 - a. General comments
 - b. Chemical Procedures.
 - c. Physical Methods.
 - IV. Physical Signal Sensing
 - a. General comments
 - b. Electromagnetic radiation
 - c. Sound and vibration
 - d. Other: radioactive, electrical, magnetic, etc.
 - e. Physical systems considerations
- F. OTHER RELATED INFORMATION
 - I. Stress and induction of behavioral responses
 - II. Other Types of Studies on Human Spotting and Data Transmission
 - III. BW and CW Detection problem similarities
 - IV. Other background sources in several areas.
- G. SUGGESTED FURTHER WORK
- H. BIBLIOGRAPHY

A. PREFACE

This report was prepared in accordance with the requirements of United States Army Contract DA-019-AMC-0122-R, and with the approval of the U. S. Army Limited War Laboratories, Aberdeen. Md.

Dr. Max Krauss, Chief of Biological Research at the Limited War Laboratories, has been the Technical Project Monitor for this work. Mr. Stephan Fedak, Deputy Chief, R&D Branch, Boston Army Procurement District, was the Contracting Officer's Representative and also provided liaison with the Army Procurement Office at Aberdeen, Md.

The technical analyses were done by an interdisciplinary group, with participants in physics, chemistry, biology, medicine, biophysics, and various engineering disciplines. This report was written by Dr. Alfred T. Kornfield.

Grateful acknowledgment is expressed for the special assistance provided by Mr. Fedak and the Boston Procurement District staff, for the technical counsel and aid of Dr. Krauss and personnel at the Limited War Laboratories, and to all of the Biosearch Co. professional and technical personnel who contributed so ably to this report.

THE BIOSEARCH CO. BOSTON.

Dr. A. T. Kornfield, President.

B. INTRODUCTION

To examine the capabilities of biosensing techniques for the detection of humans in concealed positions, this study concerned itself with a review of the diverse attributes of man yielding signals, the signal modifications in environment, and various sensing concepts.

About 2000 references are cited, selected from an aggregate of about 8000 with the balance rejected as irrelevant or of no value. Resources used included over 30 document and book collections; the Harvard Libraries (the medical and Cambridge complexes); MIT group; Boston Medical; Boston Public; Boston Univ; Tufts Medical; New York Public; ASTIA (DDC) reprints and their NY regional center film collection; QMR&E Library, Natick; Army Chemical Lab Library, Edgewood; Air Force Cambridge Res Lab. Library.

In considering human signal sources and attributes, emphasis was placed on assembly of a catalog of chemical substances excreted through all body portals; for comparative analysis, other human physical attributes and signals were set down (emission, reflection, proximity properties), resulting in an inventory of most of the major signals produced by man.

Environmental modification of chemical signals from man, by substances from plants and animals, weather effects, etc; was augmented also by comparative data on effects of environment on physical signal transmission.

Sensing techniques examined highlight biosensing (defined as the use of living material as transducer or pickup, in isolated form, for chemical or physical signals, analogous with physical sensor devices. A large aggregate of possibilities is presented for consideration, emphasizing chemosensing, which offers the most potential of all of the biosensors for the major problem solution. The plausibility of the biosensing concept must rest on evidence presented, of ability to maintain material alive, to conveniently gather reproducible input/output data from it, and to find performance properties superior to physical or chemical sensing. Comparative data on chemical and physical sensing of chemical substances and physical phenomena is presented.

From the short effort completed, three things have resulted. One is this report, serving as a source book, aiding the reader in going further in exploring in depth any concept cited, and in further analysis of complete detection systems of biological, chemical, or physical nature, as grounded in known human properties. The second result is the series of recommendations for further work, based on the findings in the study, suggesting experiments on promising techniques, particularly on biosensing, also reviews and analyses to make up for data deficiencies uncovered in the literature. The third result is the provision of an "idea" book here, with a variety of speculative possibilities presented, for detection, but set off clearly from those documented concepts stated.

Pursuit of a more thorough analysis across the span of all of the areas presented would be desirable, highlighting the promising areas set forth in the recommendations; this could aid in bringing the Limited War Laboratory effort more rapidly towards the goal of a suitable field detection instrument for concealed humans.

C. HUMAN ATTRIBUTES AND CONTRASTS

I. Chemical Products.

On the following pages will be found a list of major chemical substances excreted in urine, in feces, and from the skin. These are readily traceable to sources of quantitative data for each substance, permitting the reader to go further in analysis of detection of concealed humans by chemical products emitted.

In addition to the list, supplementary data and comments follow, on skin products(sweat, sebum, etc.), their alteration by skin bacterial action, the attraction of animals by their odors; also provided are additional data on urine products, g.i. tract excretions, and expired air.

Ethnic and regional comparisons of these products are presented, and regional diet and nutritional data source information is cited. Notes on related closed-cabin-ecology studies and on human tissue chemical composition are given.

a. List of Major Chemical Substances Produced by Man..

The tables which follow have the following features: the first section lists over 400 specific chemical substances of low molecular weight, produced as indicated from one or several of the three body channels as feces, urine, or skin products(from eccrine, apocrine, sebaceous glands, etc.). The short second section contains a mixed collection of hormones, enzymes, other high molecular weight substances, etc. The third section lists the references from which can be obtained quantitative data on each substance measured, from the body channel indicated.

To Use the Tables:

Note that each specific chemical name is accompanied by symbols indicating the body excretory channel, and reference codes to be looked up in the reference list in the third section.

Example: Alanine, total. S-AG, U-12HBU.(taken from Table).

S-AG= Sweat or Skin, (in reference AG).

U-12HBU=Urine, (in references 1, 2, H, B, U).

Turn to third section of table, note that code AG cites page 223 of (Kuno-56)listed in biblio at end of report; #1 cites page 363 of (Altman-61), etc.

CHEMICAL SUBSTANCES EXCRETED BY MAN

Section 1. Specific Substances of Low Molecular Weight

ACETIC ACID	S-AC,
ACETOACETIC ACID	U-12
ACETONE FREE	U-12E
ACONITIC ACID	U-2
ADENINE	U-12
ADIPIC ACID	U-2
ADIPIC ACID, ALPHA AMINO	U-2
ADRENALIN	U-2B
ALANINE CONJUGATED	U-2
ALANINE TOTAL	S-AG, U-12HBU
ALANINE BETA	U-2U
ALDOSTERONE	U-1
ALLANTOIN	U-12BHJ,AA,AC
ALUMINUM	F-5Y U-12FH,AC
AMINES PRIMARY	U-2
AMINES AROMATIC FRACTION	U-2
AMINO ACIDS FREE	U-AA,AC
AMINO ACIDS TOTAL	S-6BKLSTV,AG U-1BHJ,AA
AMINOLEVULIC ACID	U-H
AMINO SUGARS	U-H
AMMONIA	S-67BLTV,AG F-5BFZ U-12BFH,AA,AC
ANDROGENS MALE	U-1
ANDROGENS FEMALE	U-1
ANDROSTERONE	U-1
ANSERINE	U-2
ANTHRANILIC ACID	U-2
ARABINOSE	U-2
ARGININE FREE	U-BH
ARGININE COMBINED	U-2B
ARGININE TOTAL	S-6BL,AG F-5BR U-12BHU,AB,AC
ARSENIC	S-F F-5AF U-1F
ASCORBIC ACID	S-6DLV,AE,AG F-5D U-12D,AC
ASCORBIC ACID DEHYDRO	S-3,AG U-2
ASPARAGINE	U-2U
ASPARTIC ACID FREE	U-1BH
ASPARTIC ACID COMBINED	U-2B
ASPARTIC ACID TOTAL	S-AG U-12BHU,AB
BENZOIC ACID, PARA-AMINO	S-3LD,AG F-59D U-125D
BENZOIC ACID, META-HYDROXY	U-2
BENZOIC ACID, PARA-HYDROXY	U-2
BENZOIC ACID THREE-METHOXY-FOUR-HYDROXY	U-2
BERYLLIUM	U-2
BICARBONATE	U-2
BILIRUBIN	S-E U-15EH
BIOTIN	S-6DL F-9DS U-12D,AC
BISMUTH	S-V
BROMINE	S-V,AG U-12F
BUTYRIC ACID, ALPHA-AMINO	U-2
BUTYRIC ACID, AMINO	U-U
BUTYRIC ACID, AMINO-ISO	U-2
CALCIUM	S-67FLTSV,AG F-5AGXZ U-125FHJX,AC
CAPROIC ACID	S-AE,
CAPROIC ACID, ALPHA-KETO-ISO	U-2

CAPRYLIC ACID	S-AE,
CARBONIC ACID	F-NW U-1
CARBOXAMIDE, N-METHYL-TWO-PYRIDONE-FIVE-	U-2
CARNATINE	U2
CARNOSINE	U-2
CAROTENES	F-5D U-5
CATECHOLAMINES	U-2
CATHEPSIN	U-2
CHLORIDE	S-67FLS, AG F-5AFGXZ U-12FHJX, AC
CHOLESTEROL TOTAL	S-4CKMST, AG F-5C U-12CH, AC
CHOLESTEROL DEHYDRO	S-4
CHOLESTEROL ESTERS	S-4, AG
CHOLINE	S-6DLTV U-12DH, AC
CINNAMIC ACID, PARA-HYDROXY-	U-2
CINNAMIC ACID THREE-METHOXY-FOUR-HYDROXY	U-2
CINNAMOYL-GLYCINE, PARA-HYDROXY-	U-2
CITRIC ACID	S-AE, U-12EH, AC
CITRULLINE FREE	U-5B
CITRULLINE COMBINED	U-B
CITRULLINE TOTAL	U-125BV
COBALAMIN	U-1D
COBALT	F-5F U-2FS
COPPER	S-37TV, AG F-5AFY U-125FH, AC
COPROPORPHYRINS	U-1EH
CORTICIDS	S-3
CREATINE	S-L, AG U-12BH, AC
CREATININE	S-37BKLSTV, AG U-12BHJ, AA, AC
CRESOL, PARA	F-R U-2
CYSTEINE	U-U
CYSTINE FREE	U-18H
CYSTINE COMBINED	U-2B
CYSTINE TOTAL	S-AG, U-12BHU, AB, AC
DIKETOGLUCONIC ACID	U-12
ERGOTHIONINE	U-2
ERGOTHIONINE, CONJUGATED	U-2
ESTRADIOL	U-12
ESTRIOL	U-1
ESTRONE	U-12
ETHANOLAMINE	U-2H
FAT NEUTRAL	F-5CZ
FAT UNSAPONIFIABLE	F-5C
FAT TOTAL	S-AG, F-5ACGZ
FATTY ACIDS FREE	S-48CS F-5CGZ, AF U-H
FATTY ACIDS HYDROXY	S-8
FATTY ACIDS UNSATURATED	S-C
FATTY ACID ESTERS	S-TK
FATTY ACIDS COMBINED TOTAL	S-M F-G, AF
FATTY ACIDS TOTAL	S-8T F-5C
FERULIC ACID	U-2
FERULIC ACID, DIHYDRO	U-2
FLAVINES	U-2
FRUCTOSE	U-2
FOLIC ACID GROUP	S-3DLTV F-59D U-12D, AC
FORMIC ACID	U-12E
FLUORINE	S-V U-12F, AC

GALACTOSE	U-2
GLUCOSE	S-37EKSTV,AG U-25EH
GLUCURONIC ACID	U-2H
GLUTAMINE	S-AG, U-2HJ
GLUTAMINE, PHENYLACETYL-	U-2
GLUTAMIC ACID, FREE	U-1BH
GLUTAMIC ACID COMBINED	U-2B
GLUTAMIC ACID TOTAL	S-AG, U-12BH,AB
GLUTARIC ACID	U-2
GLUTARIC ACID, ALPHA-OXO-	U-2
GLYCERIC ACID	U-2
GLYCERIMIDES	U-AD,
GLYCINE FREE	U-125BHU
GLYCINE TOTAL	S-AG, U-15BH
GLYCOCYAMINE	U-2,AA
GLYCOLLIC ACID	U-2
GLYOXYLIC ACID	U-2
GUANIDINE	U-H
GUANIDINOACETIF ACID	U-1H
GUANINE	U-12
GUANINE, N-METHYL-	U-12
GUANINE, ONE-METHYL-	U-2
GUANINE, SEVEN-METHYL-	U-12
GUANINE, EIGHT-OH-SEVEN-METHYL	U-12
HIPPURIC ACID	U-12BHJ,AA,AC
HIPPURIC ACID, ORTHO-AMINO-	U-2
HIPPURIC ACID, ORTHO-HYDROXY-	U-2
HIPPURIC ACID, META-HYDROXY-	U-2
HIPPURIC ACID, PARA-HYDROXY-	U-2
HISTAMINE	S-T,AG F-Z U-12
HISTAMINE, N-ACETYL-	U-2
HISTAMINE, THREE-METHYL-	U-2
HISTAMINE, ONE,THREE-DIMETHYL-	U-2
HISTAMINE, ONE-METHYL-	U-2
HISTIDINE FREE	U-1BH
HISTIDINE COMBINED	U-2B
HISTIDINE TOTAL	S-3BLV,AG F-5BR U-12BHU,AB
HISTIDINE, ONE-METHYL-	U-2U
HISTIDINE, THREE-METHYL-	U-2
HISTIDINE, METHYL-, CONJUGATED	U-2
HOMOGENSIC ACID	U-H
HYDROCORTISONE, TETRA	U-1
HYDROGEN	F-NW
HYDROGEN SULFIDE	F-NR
HYDROXYPROLINE FREE	U-BH
HYDROXYPROLINE COMBINED	U-B
HYDROXYPROLINE TOTAL	U-BH
HYDROXYTYRAMINE	U-5
HYPOXANTHINE	U-1
HYPOXANTHINE, ONE-METHYL-	U-1
IMIDAZOLE DERIVATIVES	F-5B U-1BH,AA,AC
IMIDAZOLE-FOUR-ACETIC ACID	U-2
IMIDAZOLE-ACETIC ACID	U-2
IMIDAZOLE ACETIC ACID, ONE-METHYL-	U-2
IMIDAZOLE-ACETIC ACID, THREE-METHYL	U-2
IMIDAZOLECARBOXAMIDE, FIVE-AMINO-FOUR-	U-2

INDICAN	U-125BHJ,AA,AC
INDIGOTIN	U-H
INDOLE	F-R
INDOLE-ACETAMIDE	U-2
INDOLE ACETIC ACID	U-E
INDOLE ACETIC ACID, METHYL ESTER	U-2
INDOLE-ACETIC ACID, THREE-HYDROXY-	U-2
INDOLE ACETIC ACID, FIVE-HYDROXY-	U-2
INDOLE-ACETYLGLUTAMIC ACID	U-2
INDOLE-ACETYLGLUTAMINE	U-2
INDOLE-ACRYLIC ACID	U-2
INDOLE-THREE-CARBOXYLIC ACID	U-2
INDOLE LACTIC ACID	U-2
INOSITOL	S-6DLV,AG U-125DH
IODINE	S-37FLV,AG U-12FH,AC
IRON	S-37LTV,AG F-5AF U-125FH,AC
KETOSTEROIDS	U-AC,
KYNURENIC ACID	U-2
KYNURENINE	U-2H
KYNURENINE, N-ACETYL-	U-2
KYNURENINE, THREE-HYDROXY-	U-2
LACTIC ACID	S-6EKLSTV,AE,AG U-12EH
LACTOSE	U-2
LEVULIC ACID, DELTA-AMINO	U-2
LEAD	F-5AFGXYZ U-125FX,AC
LEUCINE FREE	U-1BH
LEUCINE COMBINED	U-2B
LEUCINE TOTAL	S-6BL,AG F-5BR U-12BHU,AB
LEUCINE, ISO, FREE	S-6 U-1BH
LEUCINE, ISO, COMBINED	U-2B
LEUCINE, ISO, TOTAL	S-L,AG F-5BR U-12BHU,AB
LIPIDS	U-H
LYSINE FREE	U-1BH
LYSINE COMBINED	U-2B
LYSINE TOTAL	S-6BL,AG F-5BR U-12BHU,AB
LYSINE, HYDROXY	U-2
MAGNESIUM	S-67FLSTV,AG F-5AFGXZ U-12FHJX,AC
MALIC ACID	U-2
MALONIC ACID	U-2
MANDELIC ACID, THREE-METHOXY-FOUR-HYDROXY	U-2
MANDELIC ACID, PARA-HYDROXY-	U-2
MANGANESE	S-367FLTV,AG F-5AFY U-125FH,AC
MERCURY	S-AG, F-5F U-25F
METHANE	F-NRW
METHIONINE FREE	U-1BH
METHIONINE COMBINED	U-B
METHIONINE TOTAL	S-AG, F-2 U-12BHU,AB
METHYL ETHYL KETONE	U-2
METHYL MERCAPTAN	F-R
MYINOSITOL	U-H
NIACIN	U-1,AC
NICKEL	F-5AF U-125F,AC
NICOTINAMIDE	U-12
NICOTINAMIDE, N-METHYL	U-12D
NICOTINAMIDE, SIX-PYRIDONE	U-2
NICOTINE	S-V

NICOTINIC ACID	S-3DLTV,AG F-59D U-D,AD
NICOTINURIC ACID	U-2
NITRATES	U-S,AC
NITROGEN	S-TV F-ANWZ U-AC,
NITROGEN, AMIDE	U-2
NITROGEN, NON PROTEIN TOTAL	S-6B,AG U-B
NITROGEN TOTAL	S-67BL,AG F-5B U-12BH,AA,AC
ORNITHINE	U-12U
ORNITHINE FREE	U-B
OXALIC ACID	U-125HEJ,AC
PANTOTHENIC ACID	S-3DM,AG F-59D U-12D,AC
PHENOL	S-ETV F-5E U-12EJH,AA,AC,AD
PHENOL ETHEREAL SULFATES	S-KT
PHENOLS VOLATILE	U-2,AD
PHENYLACETIC ACID, ORTHO-HYDROXY-	U-2
PHENYLACETIC ACID, META-HYDROXY-	U-2
PHENYLACETIC ACID, PARA-HYDROXY-	U-2
PHENYLHYDRACRYLIC ACID, PARA-HYDROXY	U-2
PHENYLALANINE FREE	U-1BH
PHENYLALANINE COMBINED	U-12B
PHENYLALANINE TOTAL	S-6BL,AG U-12BHU,AB
PHENYLACTIC ACID, PARA-HYDROXY-	U-2
PHENYLPROPIONIC ACID, META-HYDROXY-	U-2
PHENYLPROPIONIC ACID, PARA-HYDROXY	U-2
PHOSPHORUS	S-67FLV,AG F-56AFXZ U-2FHX,AC
PHOSPHORUS, INORGANIC	U-1
PHOSPHORUS, ORGANIC	U-1
PORPHOBILINOGEN	U-H
PORPHYRINS	U-EH,AC
POTASSIUM	S-37FLST,AG F-5AFGXZ U-12KFHJX,AC
PREGNANEDIOL	U-1
PROLINE FREE	U-1BH
PROLINE, COMBINED	U-2B
PROLINE	S-AG, U-12BH
PROLINE, HYDROXY-, CONJUGATED	U-2
PROLINE, HYDROXY-, TOTAL	U-12
PROPIONIC ACID	S-AE,
PROPIONIC ACID, PARA-OXYPHENYL	F-R
PURINE BASES	F-5B U-15BHJ,AA,AC
PURINE, SIX-SUCCINO-	U-1
PUTRESCINE	F-R
PYRIDOXAL	S-6DL U-1D
PYRIDOXAMINE	U-1KD
PYRIDOXIC ACID, FOUR-	U-12D
PYRIDOXINE	S-3DLTV,AG F-9D U-12D,AC
PYRIMIDINE	U-AD,
PYRUVIC ACID	S-AG, U-2HV
QUINALDIC ACID	U-2
QUINOLONE, FOUR-	U-2
QUINOLONE, N-METHYL-FOUR-	U-2
RESORCYLIC ACID, ALPHA	U-2
RIBOFLAVIN	S-3DLV,AG F-59D U-125D,AC
RIBOSE	U-2
RIBULOSE	U-2H
SALICYLIC ACID	U-2
SALICYLURIC ACID	U-2

SARCOSINE .	U-2
SCYLLITOL	U-H
SELENIUM	U-1F
SERINE FREE	U-1BH
SERINE COMBINED	U-2B
SERINE TOTAL	S-AG, U-12BHU
SILICON	U-15F
SILVER	S-AG, F-5FY U-5H,AD
SKATOLE	S-K F-R
SKATOL, ETHEREAL SULFATES OF	S-KT
SODIUM	S-37FLST,AE,AG F-5AFGXZ U-125FHJX,AC
SQUALENE	S-4CMS
STEARIN	U-AD,
STERIODS, ADRENAL	S-AG,
STERIODS, ALPHA-KETO-	U-1
STERIODS, SEVENTEEN-HYDROXY-	U-1
STERIODS, SEVENTEEN-KETO-	U-1
SUCCINIC ACID	U-2H
SUCROSE	S-KT U-2H
SULFATES, INORGANIC	U-2
SULFUR, INORGANIC	U-1FH,AC
SULFUR ORGANIC	U-H
SULFATES, ETHEREAL	S-K U-12CF,AD
SULFATES INDOXYL	U-AC,
SULFATES TOTAL	S-TV,AG U-2
SULFUR TOTAL	S-3FL,AG F-56AFXZ U-1FHJX,AC
SYRINGIC ACID	U-2
TARTARIC ACID	U-2
TAURINE	U-12BHU
TAURINE, CONJUGATED	U-2
TETRAHYDROCORTISOL	U-1
THEOPHYLLINE	U-1
THIAMINE	S-3DLV,AG F-59D U-125D,AC
THIAMINE, DI-PHOSPHO-	S-AG,
THIOCTIC ACID	U-2
THREONINE FREE	U-1BH
THREONINE COMBINED	U-2B
THREONINE TOTAL	S-6BL,AG F-5BR U-12BHU,AB
TIN	F-5FY U-12FH,AC
TOCOPHEROL	S-M
TRIGLYCERIDES	S-4CMS U-2
TRIGONELLINE	U-1D
TRIMETHYLAMINE OXIDE	U-2
TRYPTAMINE	U-2
TRYPTAMINE, FIVE-HYDROXY-	U-2
TRYPTOPHAN FREE	U-1BH
TRYPTOPHAN COMBINED	U-8
TRYPTOPHAN TOTAL	S-6BL,AG U-12BHU,AB
TRYPTOPHAN, N-ACETYL-	U-2
TRYPTOPHAN, N-METHYL-FIVE-HYDROXY	U-2
TYRAMINE, THREE-HYDROXY-	U-2
TYROSINE FREE	U-1BH
TYROSINE COMBINED	U-2B
TYROSINE TOTAL	S-6BL,AB U-12BHU,AB
URATES	U-H
UREA	S-37KLSTUV,AE,AG U-12BHJ,AA,AC

URIC ACID	S-37BKLSTU,AE,AG U-12BHJ,AA,AC
URIC ACID, ONE-METHYL-	U-2
URIC ACID, SEVEN-METHYL-	U-2
URIC ACID, ONE-THREE-DIMETHYL-	U-1
UROBILIN	U-1KE,AC
UROBILINOGEN	F-2KEGZ U-125EH,AC
UROCANIC ACID	U-2
UROERYTHRIN	U-2
UROPORPHYRINS	U-2H
VALINE FREE	U-1BH
VALINE COMBINED	U-2B
VALINE TOTAL	S-6BL,AG F-5BR U-12BHJ,AB
VANILLIC ACID	U-2
XANTHINE	U-12
XANTHINE, HYPO-	U-2
XANTHINE, ONE-METHYL	U-2
XANTHINE, ONE-METHYLHYPO-	U-2
XANTHINE, SEVEN-METHYL-	U-2
XANTHINE, ONE,SEVEN-DIMETHYL-	U-2
XANTHURENIC ACID	U-2
XYLOSE	U-2
XYLULOSE	U-2H
ZINC	F-5AF U-12FH

Section 2. Other Diverse Excreted Substances

ACETOPHENONE O-SULFATE, TWO-AMINO-THREE-OH	U-2
ACIDS VOLATILE TOTAL	S-L F-5
ACTH	U-2
ALBUMIN	S-KT UAC
ALCOHOLS BRANCHED CHAIN	S-4M
ALCOHOLS STRAIGHT CHAIN	S-4M
AMYLASE	U-2H, AC
BACTERIA	U-H
BACTERIAL SUBSTANCES	F-G
BILE PIGMENTS	F-A
CADAVERINASE	U-2
CARBONIC ANHYDRASE	U-2
CATALASE	U-2
CITROVORUM FACTOR	U-12
ENZYMES	F-Z U-H
FERULOYL-GLYCINE-	U-2
FIBRINOLYSIN	U-2
GLUCURONIDASE	U-2
GLYCOPROTEINS	U-H
GONADOTROPHINS	U-2
HEMOGLOBIN	U-H
HISTAMINASE	U-2
HYDROCARBONS AROMATIC	U-AD,
INSULIN	U-2
LIPASE	U-2
LIPOPROTEINS	U-2
MALTASE	U-2
MELANOCYTE STIMULATING HORMONE	U-2
MENOTOXIN	S-AG,
METHEMOGLOBIN	U-H
MUCOPROTEINS	U-H
MYOHEMOGLOBIN	U-H
NORADRENALIN	U-2B
PARAFFINS	S-CS
PARATHYROID	U-2
PHOSPHATASE, ACID	U-2
PLASMALOGENS	U-2
PROTEIN	F-AZ U-1BH, AC
RIBONUCLEASE	U-2
SOAPS	F-CS
UROCHROME	U-2
UROKINASE	U-2
UROPEPSIN	U-H
UROPEPSINOGEN	U-2
WAXES	S-4CS

Section 3. References for Combined Products Tables

<u>Code Symbol From Table</u>	<u>Excretion Product</u>	<u>Page Number In Reference</u>	<u>Reference In Biblio</u>
1	U	363	(Altman-61)
2	U	919	(Long-61)
3, 4	S	467	(Altman-61)
5, 6	U, F, S.	5	(Wallman-60)
7	S	469	(Altman-61)
8	S	56	(Spector-56)
9, A	F	3, 26	(Goldblith-61)
B, C, D, E, F	U, F, S	209-213	(Albritton-53)
G, H	U, F	526-534	(Diem-62)
J, K	U, S	4-5	(Ingram-58C)
L, M, N, P, Q	F, S	8-19	(Mattoni-62)
R	F	21	(Ingram-62)
S	S	53	(Breeze-61)
T	S	1	(Ingram-57)
U	U	579	(Thompson-57)
V	S	210	(Robinson-54A)
X, Y, Z, AA, AB, AC, AD, AE	U, F	258-260, 352- 368, 488	(Sunderman-49)
AF	F	333	(James-61)
AG	S	223	(Kuno-56)

Notes on the Use of the Chemical Substance Tables

Data were sought which would include "normal values"(eg. Spector-Handbook of Biological Data-1956; Sunderman-Normal Values in Clinical Medicine-49). These are supposed to take into account these factors: measurements are made within the North Atlantic(American and European)community, on healthy adults, on normal mixed diets, with environment, rest, workload, intake, and adaptation conditions standardized to common conditions at the time of measurement, and so described.

In general, each reference(eg. Spector-56) provides such information as: mean value and dimensional units, statistical dispersion of values, analytic technique, conditions of experiment, and further reference to original method source paper. For some references, the author has simply assembled values from a number of good sources cited. The reader may gain added confidence in a mean value of amount of a given substance produced, by combining values from several sources cited in the table.

Caution must be exercised, in extrapolating from the values obtainable from these sources, under temperate conditions, to those circumstances involving high temperature, workload, water or food pattern alterations, or other stresses, which can greatly change the amounts of released substances. Additional help on this may be obtained from references cited in this report on changes in body products under heat stress conditions.

For supplementary data on other urine, feces, skin products not in table, see discussion pages on these substances which follow.

Utilization of the data in various studies suggested in this report would be aided by arranging the substances in the table into categories based on major chemical structural groups and arrangements. This can help in study of separation processes(eg based on solubility, mobility, diffusion, reaction specificity, etc), on analysis of spectral properties, on matchup with specific biosensor chemosensitivities, etc. Another useful grouping would rank the substances in order of absolute amount from all channels, released into environment, on a daily basis(eg. total chlorides from feces, urine, skin/day). The top group might be selected for preliminary analyses of system sensitivities, etc. The same grouping can be used to aid in selection of substances which would show high contrast ratios with other materials in environment, or are uniquely identifiable as produced by humans or higher animal organisms. These could include, for example, low molecular weight hormones liberated in trace quantities such as steroids, adrenalin and catecholamines; it should also consider substances poorly defined chemically(and not on the table), of high molecular weight, including proteins & polypeptides, lipopolysaccharides, which even in minute traces can be identified as unique to the individual and species by serological methods.

b. Additional Data on Specific Body Products.

1. Skin Products

(a). Sweat .

Supplementary data on sweat composition includes the following: Iron(Consolazio-63B), (Mitchell-49), vs diet(Johnston-50); Calcium(Consolazio-52)(Johnston-50)(Mitchell-62A); Sodium(Bulmer-54), (Consolazio-63-B); Potassium (Bulmer-54)(Consolazio-63B); Chloride (Ladell-48). For Nitrogen compounds(Mitchell-62A)(Consolazio-63A, 63C), vs. diet protein and salt(Cuthbertson-34). On other composition factors: for salt composition(Werner-52)(Gibbs-62A); composition and colligative properties(Foster-61); solute excretion rate, physiological factors(Barrueto-59), (Bass-59).

Source data on sweat composition and volume also exists in papers on thermoregulation. See: evaporation studies(McCutcheon-55), (Taylor-53A, 53B); rate and discharge pattern(Albert-51)(Peiss-51); for responses to high temperatures, see(Lloyd-61), salt and water endocrine control(Collins-63); high temperature responses as function of humidity(Lyburn-56), and of acclimation(Dill-38)(Von Heyningen-49). For studies of desert responses, see (Adolph-47), for other temperature effects(Lloyd-61).

For other related references on sweating: for measurement, see (Robinson-54B), drugs altering sweat mechanisms(Randall-55), skin evaporation with inactivated sweat glands(Pinson-42), sweat glands as extra-renal regulators of chemical substances(Schwartz-60), comparative physiology(Schuman-62), sweating in illness(Lobitz-61), lack of ethnic differences claimed in basic sweating pattern(Hansen-61), and recent general reference(Schuman-62).

(b). Sebum.

Supplementary data on this special glandular secretion includes the following: Sterols: cholesterol(Boughton-57), others(Brooks-56)(Spector-56), (Ramanathan-58)(Boughton-59)(Horacek-59). For fatty acids: straight chain saturated and unsaturated, with under 20 carbon atoms, see(Boughton-59)(Javes-56)(Spector-56); including caproic and caprylic(Eller-41); capric(Decanoic)(Jones-56). No branched chain or hydroxy fatty acids are seen in Spector's listing. Some fatty acids on skin are believed to be derived from sebaceous gland lipids, split on skin by lipase in normal bacterial flora(Strauss-59). Other Lipids: triglycerides(Horacek-59), di and tri glycerides, waxes(Hahti-61A), phospholipids(Wheatley-53), choline lipids and plasmalogens(Horacek-59), other unsaponifiable fractions(Boughton-59A, 59B). Alcohols: straight and branched chain(Spector-56), others (Boughton-59). Squalene: (Mackenna-50)(Wheatley-53)(Spector-56)(Ramanathan-58), (Haahti-61A). Other hydrocarbons: (Spector-56).

For other sources of information on composition, for that from individual glands, see (Suskind-51), for composition independent of dietary factors (Ramanathan-58) but altered in disease(Schmidt-Nielson-51)(Wheatley-56), and for survey(Mackenna-52).

For homeostatic control of sebum production, and its alteration by endocrines, see (Hershey-59)(Horacek-59); for relation to sex hormone activity (Strauss-56), alteration in output in females by drug Enovid(Strauss-63), and in males vs. male and female sex hormone administration and castration. These latter

responses give rise to the interesting speculation that sebum and its gland are remnants of a scent communications organ(Schaffer-37)(Wheatley-56), of the type described for various animals and discussed in this report, and that the gland product as released (or unmasked by bacterial action on skin) matches active and existing chemoreception processes in man, with perhaps a subconscious perception of the event, and consequent action in human relationships. (Note that the perfumer's blends include animal scent substances; Norbert Wiener calls perfumes 'exterior hormones'). Human sebum products are believed by various tracking dog handlers to be the principal class of substances produced by man and smelled by the dog in tracking. (See Biosensing, Dogs). One class of important experiments with sebum which must be carried out is to prepare quantities of whole sebum, or its fractions(chromatographed, etc) for use in controlled dog tracking experiments.

For other information on the sebaceous gland; for its biology, see (Rothman-54)(Kuno-56)(Kilgman-58)(Shelmire-59). For analytic methods, for early quantitative determination(Emanuel-36, 38), for collection techniques, see(Van Heyningen-52)(Strauss-51); for modern gas chromatographic micro-analysis of many sebum products, see(Hahti-62), who also uses Infrared detection with one chromatograph(Hahti-61A).

(c). Skin Product Alteration by Bacterial Action..

The normal skin bacterial flora, described by(Levans-50), is one agent responsible for the transformation of known groups of substances released from the several glands, into a time-dependent uncertain mix of chemical substances, requiring further identification by chromatography, etc. Bacterial lipases are claimed to split fats into fatty acids, and contribute to odor(Strauss-59). See also (Strauss-56). Other non-bacterial enzyme degradation, autolysis, probably contributes other fragments to this brew.

(d). Skin Products Attracting and Repelling Animals..

For many mosquito studies on skin products, see(Brown-51, 56), (Rahm-57A, 57B), for mechanisms of attraction: see(Rahm-58A, 58B), for individual human differences sensed(Brouwer-59, 60), for identification of the specific palpa and tarsal chemoreceptors involved(Rahm-58A), for skin amino acids as major attractants(Brown-61A), including lysine(Brown-61B). For other mechanisms of attraction of mosquitoes to humans, see(Mer-47), (A Parker-48), (Willis-47, 48), (Thompson-55).

For a study of human skin products, particularly serine, repelling fish (salmon), see (Idler-55).

(e). Human Odor from Skin.

For body odor in man, its reception, significance, control, see (Neuhaus-61), for human individuality in odor(Laird-35)(Lohner-24). For individual and ethnic difference studies, see(Eller-41)(Adachi-03)(Laloy-04A, 04B).

(f). Other Sources of Data on Skin Properties and Products.

For reviews on skin, see(Markowitz-42)(Rothman-54)(Kuno-56)(Shelley-58). For eccrine gland studies, see(Lobitz-61) and apocrine glands(Shelley-60); for factors affecting secretion process(Kerslake-54)(Kawahata-53), for neural regulation and emotional stimuli(Kennard-63); and for other skin physiological data (Lemaire-56). For apocrine secretion correlates with sex hormones, see(Strauss-56), and for induction of asthma by skin products, see(Jamieson-47).

2. Urine Products

For supplementary data on urine components: for basic amines, see (Scriber-59); amino acids (Stein-53) (Evered-54, 56) (Soupart-59) and their seasonal changes (Hale-59), polypeptides (eg. aspartyl, glutamyl) (Buchanan-63). For protein trace concentrations quantitatively determined in normals, see (Tidstrom-63). For 17-OH-corticosteroids (including pregnandiol), see (Garlock-63).

For other papers of utility in this study: for Ca and Mg vs. galactose input, see (Heggeness-60); for aldosterone vs. heat acclimation (Fletcher-61), electrolytes vs. cold diuresis (Bass-54); for other dietary influences (Sargent-56). For a good sequence of papers identifying urine components in closed cabin wastes, see (Ingram-57, 58A, 58B, 58C, 61, 62).

3. Fecal Products.

For additional data on composition; for sterols, see (Aylward-62); for other common lipids (Watson-37) (Gordon-57), also measured in S. African whites and Bantus (Antonis-62). For bile acids vs. diet fat (Gordon-57) (Haust-58). For Ca & P in Africans (Holemans-62). For several references identifying fecal solids and liquids in closed recycling systems, see (Ingram-58A, 58B, 58C, 62).

For g.i. gases, composition and quantity, see (Kirk-49) (USAF Handbook of Bioastronautics). For colonic amounts, see (Fries-06), alteration with diet in rats (Hedin-62) (Whitehair-62); for formation vs. diet in humans, Japanese (Kodama-49); for volume in the whole g.i. tract (Blair-43, 47B) and in colon (Fries-06), for alterations with altitude (Steggerda-47, 55).

4. Respiratory Products.

For normal persons breathing atmospheric air of standard composition, the only products archived in the literature are the usual O_2 , N_2 , H_2O , CO_2 , for expired air, even in the literature of closed system studies; and no information on other substances enters the combined chemical substances tables. Information available turns out not to be directly applicable, on expired products under other circumstances; in disease states (eg. acetone in diabetics) (Steward-61); g.i. and respiratory products expired deriving from unusual foods (eg. garlic) (Haggard), and substances expired after the detoxification and excretion of drugs and poisons, as described in the several handbooks of toxicology.

c. Other Supporting Information on Body Products

η. Ethnic and Regional Differences in Human Products

Some data providing ethnic comparisons and geographic regional measurements (other than North Atlantic values), on urine, feces, skin products and certain physical properties, are set down on the following pages. Such data were found to be sparsely scattered through the literature, and should be considered illustrative but not complete. They were obtained in an intensive search for "normal values" tables and lists from other regions, using a variety of Boston and East Coast reference collections. To go further, the reader might seek regionally published medical teaching texts on biochemistry and physiology, clinical pathology, civil hospital center and military medical service manuals on clinical lab technique, normal values, experience data.

Except for data obtained by authors carrying out comparative ethnic studies, it is hard to determine whether values are related basically to ethnic considerations, and if experiments balanced out factors of climate, workload, health vs disease, body size and weight, diet, various adaptations, and considered other experimental standard conditions. Only if the true controlled-experiment ethnic base data can be extracted from these papers and others by the same productive authors, a table of values could be built for each group for comparison with "North Atlantic normals" in attempt to unearth significant differences in individual components concentration, or mixture concentration profiles.

Urine Components: Ethnic comparisons were made, for amino acids: in Europeans, Malaysians, Chinese (who showed high taurine (McEvoye-Bowe-61), in Chinese vs. caucasoids with diet ruled out (Chinese show higher alanine, lysine, tyrosine, histidine, B-amino isobutyric acid) (Sutton-55). Comparisons were made, for 17-Ketosteroids and creatinine in Indians, Chinese, Malaysians, Negrito, Senoi (Lugg-57), for 17-Ketosteroids in North and South Indians, Europeans and African negroes (Barnicott-62). To compare nitrogen products and vitamins for several groups, Interdepartmental Committee on National Nutrition for National Defense Surveys of : Thailand, Ethiopia, Lebanon, etc. For various minerals, (traces of (Mn, Cu, Pb, Al, etc) in French Americans, various Mexican groups including Indians see (Kehoe-40) who relates these values to the mineral distribution in the soil where these individuals spent their early life. This can be an important "tracing tag".

For specific regional measurements: for India, for nitrogen fractions, for urea, creatinine, ammonia, as function of diet, see (Ramamurti-55) for amino acid, urea and ammonia values (Phansaekar-54) for other nitrogen (Gokhale-63). For 17-Ketosteroids, in normal and under-nourished (Ramachandran-56); North vs. South Indians (Barnicott-52); for relation to estrogens, pregnandiol (Patwardhan-57) and (Friedman-51), (Bharadwaj-57) and other studies related to serum Na and K (DasGupta-56). For adrenalin and other catecholamines, see (Subrahmanyam-60)(Sheth-62). For creatinine see (Lugg-57), sulfur (Pathak-61); chlorides (Ramanathan-60)..

For Japanese, for amino acids see (Muratar-59) and related genetic studies (Iwata-59); 17-Ketosteroids (Jap. Nat. Inst. Nut.-60); Ca (Ishizawa-62); Na and K (Fujioka-60); various bases (Yamamoto-59); and general urinalysis (Saito-60) (Fuji-56).

For Chinese, for amino acids (lycine, alanine, taurine, glutamine, cystine, B-amino isobutyric acid) see (McEvoye-Bowe-62) and (Sutton-55) whose measurements are cited under ethnic comparisons. For alpha-keto acids (pyruvic, alpha-keto glutaric acid (Liu-62)); creatine (Bowress-58); 17-Ketosteroids (Bowress-58) (Lugg-57), thiamine (Liu-62); Coproporphyrin (Dept. of Indust. Health, Szechuan, China-60).

For Malaysians, for amino acids (McEvoye-Bowe-61), 17-Ketosteroids (Lugg-54, 57).

For Africans 17-Ketosteroids (Barnicott-52) and in West Africans, 5-hydroxy-indole-acetic acid (Foy-62).

Fecal Components: For ethnic comparisons, for minerals in French, Americans, various Mexican groups, see (Kehoe-40) discussed under Urine.

For specific regional measurements: for Africans; K and P (Holemans-62); South Africans, bile acids (Lewis-57), lipids vs. diet in whites vs. Bantus (Antonis-62); Japanese: intestinal gases, related to diet (Kodama-49); for Ethiopia, Lebanon, Thailand proteins, other nitrogen, vitamins (see (Interdept'l Ctee. Nut. Nat. Def.) papers cited earlier.

Skin Products: For regional measurements: India; sebum composition (Ramanathan-58), iron (Hussain-59, 60; NaCl with heat and exercise (Ramanathan-56). For Africans; nitrogens, as ammonia, urea (Darke-60).

For ethnic comparisons, of sweat gland distribution differences in Eskimos; Negroes, Caucasians see (Kawahata-61) and see material under biosensing, human smell for papers discussing ethnic odor differences.

Physical Properties

Skin spectral reflectance ethnic comparisons were made, for white vs. negro in the visible region (Buttner) (Kuppenheim-52), (Pfleiderer-62), in the infra red (Wright-34) (J Hardy-56) (Buttner) (Kuppenheim-52) (Pfleiderer-62) and in the ultraviolet (Jacquez-55A) (Pfleiderer-62). For similar measurements, in Japanese: for visible and IR, see (Jacquez-55D), for UV see (Jacquez-55A); For Mexicans, see (Lasker-54). For other spectrophotometry for skin color see (Weiner-52) skin color used to study inheritance (Harrison-56); for spectral reflectance differences with age, sex, race, see (Edward-39).

Other Ethnic Comparisons in Biological Data:

For heat acclimation comparisons vs. anthropological difference (Newman-55), Europeans vs. Asians (Adam-53) white vs. American negro (Baker-58A) and white settlers in tropics (Price-39), for others, see (Baker-58B) (Strydom-63). For various diseases, ethnic, sex, race, vs. host factors (Damon-62), disease ecology (May-58, 61A), psychiatric ecology (Meerloo-59). For Far East malnutrition ecology (May-61B).

2. Regional Diet and Nutrition Data Sources.

Data set down in the combined substance table and supplementary lists derives chiefly from people under normalized conditions, including mixed diets of North Atlantic countries (European and American). In looking for excretory products data and diet data from other world regions, extensive review of the past and present world literature in many document collections, and in at least fifty periodical titles in nutrition, metabolism, dietetics, etc. has not revealed much information presenting human excretory products in orderly array, directly related to diet or diet modifications, except in malnutrition states.

To explore further available information on dietary influences on body product, the reference sources set down in this section may prove of value, beyond their first review for this report. To go further with the problem, the reader must seek data going beyond generalized nitrogen balance studies which represent most of what is set down about body products in these papers. Ethnic and Regional Difference data referred to in the adjoining section probably are contaminated with a major factor relating to diet composition, which a discerning reader may be able to separate out for significant diet and body product correlations. Additional references from the same productive authors listed should be consulted, and the pursuit of indigenous texts, manuals and other publications, in the manner described in the Ethnic section, is recommended.

For Far East data on diet and nutrition: for Indonesia, see (Postmus-55); Thailand (US-ICNND-61); Malaya (Leong-52); India (Wittfogel-57); (Hussain-51); China (Wittfogel-57) (Worth-63); Formosa (Jolliffe-56) & Chinese Nationalist Army (Pollock-56); Pollack's is an especially good series of several papers in a symposium on Far East nutrition, with metabolic, anthropological, and clinical approaches, including limited balance and excretion studies.

For other regional data, for studies of the Interdepartmental Committee on Nutrition for National Defense, consult Dr. Arnold Schaeffer at National Institute for Arthritis & Metabolic Diseases. For tropical nutrition, see (Nicholls), (NY Acad of Med. -60). For regional protein malnutrition studies, see long series of papers by Dr. Nevin Scrimshaw, of MIT Dept. of Nutrition. For other malnutrition data, on starvation, see (Keys-50) (Gilman-50); and for Far East malnutrition (May-61).

For other general references on nutrition and its correlates: see the food encyclopedia (Ward-41), biblio (Baker-58), general text (Jolliffe-62), and comparison of world's food (Bennett-54); for food habit research, see (Bottlieb-61), & habit origins (Renner-44), unusual foods (Black-53), meat taboos (Simmons-61), other strange food customs (Harris-62), balance in strict vegetarian diet (Guggenheim-62); for environment effects on food habits and intake, see (Peryam-60), for nutrition and climatic stress (Spector-54A) (Buskirk-57) and high temperature nutrition (Salganik-59).

For food chemistry, see (Jacobs-51); chemical composition tables (Chatfield), and comparative data (Harris-48); for trace elements in foods (Underwood-56). For nutritional biochemistry and status studies, see (Lowry-52), (Bourne-53), (McCance). For protein needs and excretory products, see (UN-WHO), (Spector-54-B0) (Allison-60). For survival ration needs, see (Roth-43) (Davies-55).

3. Closed Cabin Ecology Studies..

Data have been sought for additional definition of human body products, from those studies of closed environment systems where such information is of great significance in the design of life support controls and recycling and recovery systems for certain substances. For general studies: for extraterrestrial bases, see (Holbrook-58) (Bates-61), on aerospace cabins (Konecni-59), (Clamann-58), on Soviet space systems (Gazenko).

For environment (gas and vapor) composition, including human products: for space cabin contaminants measured by gas chromatography revealing much organic detail, see (McKee-63). For submarine environment, contaminant measurement, data and techniques, see the many papers of (Nestler-58, 59), (Piatt-60A, 60-B) (Ramskill-60); others on organic contaminant identification (Johnson-56, 62), (Thomas-60) (Umstead-60), and (Miller-60). Of special value is the chemical analysis and description of non-human sources of contamination in submarine environments (foods, tobacco smoke, lubricants, plastics, etc) by (Arnest-61).

For design information relating to closed environment human products and atmosphere composition, see (Chasen) (Palevsky-57) (Bursak-60) (McCandles-60), (London-62) (Dryden-56) (US-ASTIA-Bib-62). For waste disposal, for recycling of identifiable components, for feces (Goldblith), comprehensive studies of (Ingram-56, 58A, 58B, 62), also (Golueke-59) (DesJardins-60). For closed system water purification and other recovery, see (Fair-54) (Konikoff-60, 61) (Bennett-58), (Ingram-58C) (Zeff-59) (Olson-61) (Rich-61) (Mancinelli-63), extensive review (Pipes-NRC); and other papers on urine recycling (McNeil-54) (Moir-59) (Sendroy-59) (Hawkins-58) (Ingram-61).

For contributions which these measurements procedures used by some here can make to the human products sensing problem, see (Chemical Products Sensing, Physical Methods), in this report.

4. Human Chemical Composition.

Information on this attribute of human tissue can aid in study of remote sensing systems involving physical links related to atomic and molecular composition, described elsewhere herein (eg. x-ray fluorescence, radioactivation analysis, reflectance spectroscopy in all regions).

For general chemical composition, see Handbook of Biological Data (Spector-56), & (Piron-Reatequi-61).

It would be desirable to look beyond the studies of (Kehoe-40) who investigated variations in human excretory products (trace minerals) related to soil composition of environment where subjects had grown up; into review of body composition for the same minerals correlated with environment of origin.

II. Physical Attributes.

a. Electromagnetic Radiation Contrasts

1. Infrared

For skin spectral reflectance measured to 1 micron (U), see (Jacquez-54, 55B) (Kuppenheim-52) who shows White max. 0.7-0.8U, Negro max. 0.9U. Further out to 2.5U, (Jacquez-55D) claims 55% total reflectance to 1U, 5% beyond to 2.5U, with all Negro-Japanese-White differences under 1.2U, and (Hardy-56) describes angular variations, in isolated skin. For data to 10. U and 3.5U Negro peak versus White skin, see (Buttner) and for earlier data to 14. U for Negroes and Whites see (Hardy-34A). For other diffuse data see (Clark-53).

For transmission and absorption data (from which reflectance may be inferred), to 2U, see (Hardy-34); to 2.5U (Pfleiderer-62); for skin reaction from 1R (Hardy-54) including heating (Hendler-57).

For skin spectral emission, 1-14U, showing emissivity over 0.99 for White and Negro skin above visible, see (Hardy-34A) (Wright and Telkes-34), and 1-15U in isolated skin, White and Negro (Hardy-56). For "1R" radiometry of whole body for clothing design, see (Veghte-61) discussed as "thermography" (Barnes-63).

For nervous system emission speculation, see (U.S.A.F. Procurement Office, Aerospace Med. Lab., Dayton) invitation for study on possible emission of "non-thermal" 1R from CNS.

2. Visible

For skin spectral reflectance, see (Buettner-37) (Goldzieher-51) (Derkson-52), (Kuppenheim-52), (J. Weiner-52B) (Jacquez-54, 55A, B), (Hardy-56) (Harrison-56), good work of (Buckley-61), A.F. Special Weapons studies (Derkson-54); for diffuse reflectance (Krolak-55) and changes after sunlight exposure (Edwards-39).

For skin spectral transmission data, see (Hansen-48), annual report lists of Naval Materials Lab, Brooklyn Navy Yard on Simulated Weapon Thermal Pulse Studies.

For clothing and personal equipment data, see (Krolak), also QM Laboratories clothing and textiles reports in their annual lists of publications.

3. Ultraviolet

For skin reflectance from 200 MU to edge of visible, 8% total reflectance stated by (Goldzieher-51), describing in detail bands seen due to amino acids (e.g. tyrosine) at 290 MU, also proteins, nucleic acids, hemoglobin, melanin, and carotene, UV excitation adds 20% to reflectance in non UV regions (Jacquez-54) who from 200 MU up finds no Japanese, White or Negro reflectance differences, but hemoglobin bands common to all at 420 and 600 MU, (Jacquez-55A). For other reflectance spectrophotometry of different skin layers after UV erythema, see (Jansen-53).

For skin transmission data 220-360 MU, see (Runge-62) and UV transmission through various skin layers (Bachem-29) (Hansen-48A, B), and UV skin spectrometry (E. Edwards-51).

For interesting property, after 250 MU excitation of skin (isolated), free radical production, measured by Electron Spin Resonance (ESR) (Norins-62)

techniques. This contrast factor could give rise to possible new class of non-contact detection methods (see Physical Methods for Chemical Analysis, in this report).

4. Microwave and RF

For skin reflectance (data quite hard to isolate from the wealth of diathermy absorption and action data), 70% reflectance, at 1.27, 3 and 10 cm. (like water) claimed (England-49, 50). From 3-300 cm. reflectance 60%-100% stated (Maskaleno-58). For other 3-300 cm. measurements (Nieset-61). 50%, from 3-75 cm. inferred from absorption cross section data (Anne-61).

For body absorption data (for inference of other reflection properties) see (Rajewsky-38), (Saito-60), (Anne-62). For mechanisms (Schwan-56A, B) including coupling and interactions in diathermy Schwan has published much on dielectric constant and conductivity by differences in various isolated tissues (Schwan-54), and 3-75 cm. measurements in human "phantom" replicas (Anne-61).

For clothed person reflectance in cm. and mm. regions (radar cross-sections) and properties of anti radar detection clothing, see (U.S. Army QMR and E Procurement Office) for recent invitations for proposals to study these, and for background reports which preceded these IFP's.

For body emission, the normal heat emission from man with maximum radiation in the near infrared, has a continuous "tail" into the microwave region, disc. ible from background with a sensitive microwave radiometer (see Physical Sensing).

For speculative information of RF excitation of man producing "heterodyned" radio signal emitted from brain see (Cazzamalli-25). A book reprinting several years of his work, published in Italian in 1960 is reported to exist by ERDL personnel (M. Gale, Mine Detection Branch).

Note that microwave and tissue interactions are involved when ESR (electron spin resonance) techniques are used to view free radicals produced in skin by UV excitation (see UV above).

Also speculative is the suggestion that CNS produces very low frequency (under 1KC) low intensity radiated signals. No observations were seen published on checking this hypothesis with currently available nanovolt sensitivity very low frequency receiving equipment and amplifiers, such as are used for atmospheric whistlers, geophysical seismic electric and magnetic field data, solid state phenomena, etc.

5. X-ray Contrast

No specific data on reflection or back-scattering can be reported here, but a potential contrast factor lies in the human body elemental composition, abundances of certain elements (e. g. calcium and phosphorus) in certain special configurations (skeleton) perhaps atomically distinguishable by x-rays from other organic and mineral background.

Encouragement derives from ERDL study reports (Porges-58) (Gravitt-62) on x-rays for mine detection (e. g. for mercury, etc. in the explosive accessories). Signal return possibilities from tissue include x-ray fluorescence techniques (x-ray return signals in back-scatter at longer wavelengths than exciting beam of 220 KV energy, and characteristic of certain

elements, requiring very stable high intensity X-ray source, energy-sensitive detector, etc.); and elastic (Rayleigh) back scattering, again using sources over 100 Kv. It may be worthwhile in a short study to examine intrinsic factors of X-ray contrast in humans; parameters which govern their excitation and their detectability in background; and the available possibilities for obtaining the required new sources (of high intensity, narrow beam, pulsed, narrow band, highly stable-perhaps all in a fashion describing a hypothetical coherent x-ray laser source); also suitable detectors.

b Sound and Vibration Contrasts

For human body surface sound reflection data, given as 1-2% for 1-20 Kc/s, see (Ackerman-62). Further inferences on reflection may be made from papers on: mechanical impedance of body surface (Franke-48, 49, 51A, 51B), (Von Gierke-50, 52, 59), (Ostreicher-50), (Ludwig-50), and other reports listed in those report summaries from (USAF Bioacoustics Lab-WADD-60), and CHABA (Committee on Hearing and Bioacoustics) report list (Whitcomb-63). For other data on ultrasonic interactions, see (Lehman-53), (Kelly-57), (Heuter-58).

On sound emission: human movement creates sound; not only walking, etc., but activity "at rest" (to change weight and contact pressure distribution, circulation return-a series of obligatory movements, without which discomfort and actual lesion develop, as in bedridden paralytic decubitis ulcers). While measurements of such noises would seem to be easy, no good systematic data on this could be found, even in search on exaggerated movement, among disturbed persons, as might be recorded in the psychiatry journals. Possible sources include Human Engineering data (e.g. Franklin Institute and Case Institute of Technology various studies on body-seat contact pressures and measurements), information from rehabilitation and physical therapy sources.

Normal respiration contributes a very minor sound background, except after very intense exercise. There was sought without success data on normal respiratory external airborne sound measurements; none appear in major respiratory normal or pathological physiology sources. Perhaps sound spectrogram data are to be found in back files of acoustical journals (eg. JASA) and speech communication periodicals (eg. Bell Lab Tech Jnl.).

Ejection of blood from the heart produces a body recoil pattern externally measured clinically as the BCG (ballistocardiograph). See (von Wittern-53), many papers of Isaac Starr. This signal level is much too low to excite micro seisms which would be detectable even in the ground immediately around the man.

No characteristic data have been found on noises of daily tasks, food preparation, weapons handling, except the few on shipboard crewspace noise listed under Environmental Modifications. For other data on sound and vibration contrasts, see section on Interaction of Sound with Humans, under "Behavioral Responses".

c. Electrical Properties.

Internal sources of systematic biopotential pattern observed include the heart, various muscles, brain, etc. with signals manifest in skin surface measurement of repetitive signals in some cases, at millivolt levels (electrocardiogram), microvolt levels (muscle electromyogram, eye electroretinogram, eeg). No non-contact or remote observation techniques for these phenomena have been found explicitly reported in the literature to date.

No other human electric field emission or pattern is reported, although

it is claimed(Burr-49) that electric fields are produced around nerve tissue (isolated nerve, 150 microvolts measured at 1 cm), and that persistent electrical field configurations found around organisms and within them, are associated with growth patterns, etc(Burr-34).

No published data were found on human disturbance of natural earth electrical fields(described under Environmental Modifications. .), or remotely measurable interactions with strong fields applied to surroundings. Such information might reasonably be obtained experimentally by placing humans in the environments of sensitive terrestrial electric field observatory instruments, as maintained as several Federal Geophysical research stations.

For other data on human and animal electrical interactions, see Electro-sensing(under Biosensing) and Electric Signals Inducing Sensation(under Induction of Behavioral Responses).

d. Magnetic Properties.

Search of the literature reveals no data reported on human production of magnetic fields, although (Morrow-60) describes measurements of magnetic fields around neurons, in isolated nerve. Contact should be made with the Proceedings of the Annual Biomagnetics Conferences(Barnothy-62), the continuing reviews on biomagnetism(Alexander-61), (Jacobius at Library of Congress).

No data are available on human disturbances of the natural geomagnetic field or its rapid minor fluctuations, or detectable interactions with strong applied magnetic fields, as measured remotely. Simple field experiments, on such possibilities and on the detection of the human inhomogeneity in the surround, might be carried out, for example, in the vicinity of the subgamma-sensitivity magnetometer array at Boston College, where observatory for geomagnetic fluctuations is maintained for Air Force; one should look into experiments possible with aid of Naval personnel involved in sea surveillance magnetometer instrument development(Naval Research Lab; Naval Air Devel. Center, Johnsville)

For other data on living organism behavioral responses to magnetic fields (without identification of discrete sensors), see Magnetic Field Sensing, under Biosensing; for magnetic fields inducing human sensation, see Induction of Behavioral Responses in this report.

e. Radioactivity.

Natural radioactive isotopes in human tissue emit signal(K^{40} , also C^{14} , Cs^{137} , Ca^{45}), described by many(Hirsch-55) and measured on large groups for control data on fallout(Onstead-60). Though the low signal is normally measured in the laboratory in low level systems compensated for background, and with long time integration, improvement in detection theory and instruments may bring observation of human self-emission into the realm of possibility for close ranges, for elements of higher abundance in tissue than in environment, and those with certain emission peculiarities.

Radioactivation of specific chemical elements in body to yield radiation and particle emissions with characteristic energy and decay patterns, has its counterpart in chemical analysis techniques(described under Physical Methods of Chemical Analysis). This has been a sensitive technique for body products brought to the measuring apparatus(Tobias-49).

Phosphorus, Potassium, Sodium are thus observed(Reiffel-57); Strontium, Barium, and many trace elements(Harrison-55). Also see radioactivation analysis biblio(Gibbons-57); nuclear radiation interactions with optical, thermal, electrical and other physical properties of solids(Gex-61), and neutron radiography techniques(Schultz-61).

One may speculatively consider exploitation of these concepts, by remote illumination of subject, with bright collimated beam of suitable high energy radiation or particles, penetrating air for useful ranges, for which relatively large absorption cross sections exist in elements characteristically abundant in man(relative to environment), with back-scattering and re-emission of usable levels of some different characteristic emission, efficiently sensed by detector with appropriate background discrimination properties and response time. Encouragement in part(for the detection aspect can derive from analyses made over several years, of practical radioactive all-weather glide-path landing aids for aircraft(Haefner-62). These provide, for ground-to-plane path lengths to several hundred feet, sharply defined spatial patterns and beams, allowing adequate glide angle resolution, with measurement response times short enough for useful attitude and glide path control, without aircrew hazard from received radiation. In their case, they used ^{60}Co pellet sources, in small lead boxes with collimation apertures, planted on ground. In the case here, human stimulated emission return will be extremely low level, unless the analysis considers delivery of very large radiation of particle fluxes to the target(and these may in themselves be incapacitating).

f. Body Profile and Geometry

A variety of active and passive observational techniques require knowledge of body configuration and its projected area presented at various positions of rest and work. For these Human Engineering data, consult(Hertzberg-56), (Hansen-58). For effective human radiating area (applied to IR studies) see (Bohnenkamp-36), (Gruber-51). Similar data are obtainable on effective physical cross-sections, from sources cited herein on "Electromagnetic Radiation Contrasts".

D. ENVIRONMENTAL MODIFICATION OF SIGNALS FROM MAN

Analysis of remote detection of some human signal or property must consider distortion of this signal in environment due to background "noise", and transmission loss factors. To get at this problem source data are available and cited below, on bioenvironment (animal and plant) systematic description; chemical environment background (from animals and plants) and chemical transmission factors; physical environment: background and transmission, for electromagnetic, acoustic and seismic, and electric and magnetic field properties of earth. Radioactivity background is not discussed because of the common availability of source information.

I. Systematic Descriptions of Bioenvironment.

Systematic data are available for various regions of the world on gross and fine structure of the flora, fauna, mineral, topographic, other geological, climatological nature of the environment. Where additional structural detail was needed, specific classification systems were set up for vegetation and for land forms (Dansereau-58) (Wood-61) (Carr-62D). These were reviewed and tested at the Waterways Experiment Station (U.S. Army Waterw. Exp. Stat. -61), (Maxwell-62). Such structural detail may include dimensions (height, crown, stem, diameter, shape) distribution (spacing, canopy cover, arrangement) leaf nature and seasonal change. These give the analyst here some idea of background environment structure to examine more closely for detection contrast. Bio-ecology sources can also provide data on indigenous animal types, density, movements; biological handbooks (e.g. Spector-56) yield info on excretory products composition.

Bioenvironment regional studies include: Ceylon vegetation (by air) (Chapman-47), Indochina plants (Amer. Inst. Crop Ecol. -57A), S. E. Asian, Chinese and Formosan plants and agricultural practice (Amer. Inst. Crop Ecol. -57B), comparison of S. E. Asia with Hawaii (Chambers-61) and other S. E. Asia data (Meigs-QM-53).

II. Chemical Substances in Environment and Chemical Substance Transmission.

Substances in environment which may obscure the chemical signal from the concealed man include animal excreta and scent substances, plant materials, chemical products from equipment (e.g. weapons, foods, clothing).

a. Measurements in Air

~~Air observation~~ for chemical particulates and vapors are made routinely; for pollutants (McCabe-52) (Mollette-55) (Taber-58); for organics in city air (Jacobs-57); and biologicals (Amdur-61); and in extensive measurements in various locales by Army personnel from Dugway Proving Ground, Edgewood and Detrick, Maryland (e.g. sampling of airborne particles) (U.S. Army Biological Labs-53, 56); by A. E. C. for effluent analysis (U.S. A. E. C. Div. Reactor Devel Air Cleaning Conf. -60); P. H. S. Taft Sanitary Engineering Center.

From such sources at least two kinds of data can be obtained: archives of materials in air, and capabilities of air background measurement techniques. For information on instruments and standards and Air Pollution Handbook, see (Amer. Conf. Indust. Hygiene-62).

b. Substances from Animals

1. Excretory products

Metabolic excretory product composition and quantity for specific animals in large part is set down in Handbook of Biological Data (Spector-56) (e.g. pp. 247). One must turn to the regional ecology and animal geography studies to determine in a given locale what animals, their density and movements exist, in order to assess this total chemical pool of excreted products. Such data will allow assessing chemical interference levels of substances similar to human wastes (deposited on ground or in air), their "contrast ratios" (amount of a substance from in air in environment/total amount from all other sources), and determination of chemical products really unique to man.

2. Scent products

Animal "scent" substances are produced by many species (see description under Biosensing); in most cases, released from a specific gland into environment, onto ground, trees or into air. These substances are sensed by the chemoreceptors, sometimes in phenomenally low concentrations, and influence the behavior of a member of the same or other species, for food finding, warning, navigation, territorial marking, mating. This is a widespread communications system in nature, and has been poorly studied to date, perhaps awaiting the analytical biophysicist's approach. Such "scent" substances (many are well described chemically) may present background interference in environment, or can yield clues for selected biosensors to sensitivities to selected substances found in human chemical output.

c. Plant Substances

Plant chemical substance backgrounds in environments of interest are not so easy to find and describe. It is possible that those investigating utility of higher plants in closed ecological systems (U. S. A. F., N. A. S. A., Boeing, Martin-Marietta, Electric Boat, etc.) would have collected such products, though no descriptions of plant excretions into air have been found.

Subjective observations of flower fragrances, wood and leaf mold scents, not to speak of crushed grass and broken stems, may have their counterparts in perfumer's chemical description of floral fragrances, and the soil microbiologist and plant physiologist descriptions of processes and products of soil decomposition.

d. Chemical Substance Transmission in Air

Transmission properties of air environment. Once particles, droplets

aerosol, or vapors of human products enter air, their movements in air are subject to considerable uncertainty, with mechanisms only partly understood. For analyses, see (Lettau) and other Ft. Huachuca work; (U. S. Army Chem. Corp Symposium-54) and other Edgewood, Detrick, and Dugway indexes of reports relating to dissemination and detection of chemical and biological agents, aspects of movement of substances through hungle canopy (Bendix-63); general references on micrometeorology (Sutton-53) (Geiger-57) and chapter on micrometeorology in Handbook of Meteorology. Further references on air, weather and climate include (Napier) (Gerson-55) (Stephens-52) (U. S. Smithsonian Institution Tables) (U. S. A. F. Air Weather Service Tech. Reports List-1963).

Illustrative of data on chemical substances produced from equipment, etc. are those of (Arnest-61) on submarine atmosphere contaminants. Similar observations could be made, but do not seem to be repeated for chemical products of personal equipment - from weapon lubricants, power source fuels and exhaust, clothing, garbage.

III. Physical Signals in Environment, and Their Transmission.

Detection of physical attributes and signals of man, discussed in Sections C and E, require knowledge of corresponding environmental properties. For analysis, sources are cited below on electromagnetic properties of bioenvironment, air and terrain; sound, vibration and electrical and magnetic fields of earth.

a. Electromagnetic Radiation

Many sources of data are available on space based (image pattern) and time based (movement pattern) electromagnetic properties of environment, over the spectrum from RF to gamma, for self emission, reflection and scattering, and transmission.

1. Bioenvironment properties

Faunal populations have been photographed and studied from the air (Buckley-57); and animals and plants photographically compared in visible and infrared for fall versus winter color. (Maniffen-53), maps of color regions of the world (Chambers-56), visibility in U.S. forests (Drummond-56), conditions in tropical rain forests (Richards-52), and military geography data (Mason-57), and alteration of foliage environment by chemical means (Coates-63) represent other information sources.

Spectral reflectance data are available - visible and infrared measurements include 400-650 millimicrons (MU) with some 710-900 MU, at low altitudes, for wide varieties of terrain, identified in 300 categories, set up in 11 basic types (Krinov-47) (Penndorf-56); 500-3000 MU aerial spectra for trees and groves (Martz-56); 400-1000 MU leaf and soil sample measurements (Keegan-56) and Canadian conifer spectra (Hindley-57). In extension into ultra-violet, 250-2000 MU data are at hand on rocks and vegetation and changes after root damage (Dwornik-E. R. D. L. -62).

Other animal color studies by biologists include (Pycroft-25) (Stephenson-46) (Fox-63); camouflage (Thayer-18), compare this with combat soldier camouflage study (Humphreys-62); adornment (Hingston-33), and adaptive coloration (Cott-57).

2. Radiation transmission by air.

Observation remotely (e. g. paths up to 1 Km.) of some electromagnetic radiation contrast property of humans, from radio to gamma spectral regions, requires knowledge of air transmission obtainable from the special sources of data set down by spectral region below. Other general sources include U. S. A. F. Handbook of Geophysics for Air Force Designers, Survey of Radiation in the Air (Shaw-58), and of absorption of sun radiation (Dickson-53).

In the Microwave regions air does not uniformly transmit; for absorption at 8 millimeters see (Nicoll-51); and for 8.6 mm. transmission in 3-12 mile air paths see (Tollbert-53). Other marked absorption bands exist at 1.0 and 1.64 mm., with better transmission at 1.3mm., 2.1 mm., 3.0 mm. and 1 centimeter. Chief absorption is due to oxygen (Meeks-63) and water vapor. See (Rogers-51), for solar millimeter radiation ~~attention~~ see (Theissing-56). These are only illustrative examples.

Infrared transmission in air is good in a few "window" regions (e. g. 1.05, 1.25, 1.7, 2.3, 3.75-4.25, 10 microns (U)). For the good water absorption data 1-10 U see (Wyatt-62); and 0.8-1.3 U (Schotland-62A), 0.4-2.3U for long air paths (Knestrick-61) and in near IR (Howard-50); and far IR (Elasser-38) (Cowling-43). For CO₂ in near IR see (Howard-50). For other IR data, to 1U see (Bayley-62); to 3U (Curcio-61); and others (Howard-G. R. D.) (Elder-53); (Hilsum-48); (Dunkelman-52) (Larmore-56).

In the visible region air is a good transmitter. See the atlas of air absorption, 5400-8520A (Curcio-55); scatter data of 0.4-3 microns (Curcio-61); long path data 0.4-2.3U, (Knestrick-61); the good study of 30-10,000 Angstroms (A) absorption coefficients (Bayley-62), also others on air attenuation (Deirmenjan-52) (Stewart-52); slant visibility (Goldberg-52); and contrast reduction (Duntley-48); visibility biblio (Weiner-52A).

In the ultraviolet air transmits moderately well to 3000 A., below which ozone if present will absorb (2200-3000 A.). Transmission is poor below 2200 A. due to water, O₂, CO₂, N₂ absorptions. Data from 100-3000A. are given for these substances in good studies (Holland-62); and from 30-10,000 A. (Bayley-62). See data on scatter in the middle UV (Ban); extreme UV properties of oxygen (Aboud-55); water vapor (Watanabe-53A); (Johannin-Giles-54), and other data on specific gases (Watanabe-53B) and air (Hilsum-46), (Dunkelman-52).

In x-ray and gamma regions, air is essentially opaque, unless extreme energies are involved, as at 10⁻⁴A. (for 100 MEV gamma). See x-ray mass absorption coefficients information (Allen-52), and the various special weapons effects handbooks for much more comprehensive data in this region.

3. Radiation properties of terrain

For low frequencies see radar reflection data on natural surfaces by (Cosgriff-Ohio State U.) and (Newbry-60), (Kinsman-62) illustrative of vast number of available reports. For terrain responses to 8 Kmc., see (Morrow-62).

For infrared properties, see 1-6 micron spectral emissivity (Fredrickson-57), showing radiation below 3U chiefly reflected sunlight, and that from 3-6U thermal emission. His observations of rapid minor fluctuations in surface temperature can offer a possible factor of contrast relative to man. For contrast "washout" by IR background, see (Fredrickson-59). For other IR data, see the infrared symposia (IRIS) periodicals sponsored by Navy; also specs on proposed IR spectrograph devices for lunar and planetary soil composition analysis (Lyon-63).

For other ~~spectral background data~~, see (Vanderhei-56); desert spectral reflectance (Ashburn-56); Nevada test soil reflectance (Hillendahl-58), the Project Michigan literature, and Project SATAN data (Sensors for airborne terrain analysis).

4. Other sources of data

Other environment radiation is described including sky background radiation measurement (Graboski-61); infrared (Bell-56); radio noise from chemical explosions (Cook) (Kosky-54) (Takakura-55); jungle radio communications (Ambera-62).

Properties of materials versus radiation will be helpful in assessing environment or human artefact emissivities etc. Some sources include: materials emissivity and reflection (Pratt and Whitney-60) (Weber-59) McDonough-60) (Hosmer-53) (Beltran-61) (Blau-58) (Holladay-60) (McMahon-50) (Gordon-56) (Bell); (Crowley-59). Additionally, on IR properties (Maki-60); 4-13U (Wood-60, 62), 2-15U (Reid-59); on microwaves and water (Posener-53); on UV and x-ray (100-1500A.) (Fivens-63); visible region (Barber-63) (Pyrne-54).

Other data on measurement techniques include: reflectance (Dunkelman-60) emissivity (Cairns-60) (Harrison-60) (Bell-55); source (field black body) (Larocca-58); other (Schotland-62A, B).

b. Sound and Vibration, Background and Transmission

For earth surface natural background acoustic noise see (Wescott-63); for other human-generated environment noises see (Bolt-52); also close quarter ship board noises (Bishop-53), and weapon noises (Doelling-59). For animal sounds see (Lanyon-60); and especially for insect sounds (Pierce-48). Air absorption in low audio ranges is discussed by (Nyborg-55) and by (Horiuchi-57) who also considers humidity effects, ultrasonic absorption (over 15 Kc/S) by (Herzfeld-59); for other air and components data such as oxygen, see (Kneser-33), for effects of temperature and water vapor on N₂, O₂ air absorption, see (Knudsen-53). For Audio Sound transmission and reception under combat conditions see (Waring-46).

For earth seismic background environment and geography see (Griffin-63). More general data are available in a vibration and shock environments biblio (Hercules-62); in the Shock and Vibration Symposia reports from the Naval Research Lab, The University of Michigan's Project Michigan work on combat surveillance (especially on seismic signatures of human devices). For other related data on acoustic sources see biblio of (Thurston-59); data on underwater sound background study techniques (Marsh-61) (Barber-62) and work of Melpar on personnel sensing.

c. Electrical and Magnetic Field Background Phenomena

If any electrical and magnetic attributes of man are to be sensed remotely by non-radiative methods, the sources below will provide some data on natural earth background conditions. Also worth looking into are possibilities that detection might be accomplished by man's distorting these electric and magnetic patterns of natural origin or others deliberately induced in ground and air.

1. Earth currents

Signals measurable vary from 10 MV./Km. at low latitudes to 400 MV./Km. at high latitudes and are measured over a bandwidth from d. c. to radio frequencies; average values on which various pulsations are superimposed (Ward-O. N. R. -62) affecting magnitude, direction and sense, with low frequency variations (under 1 C/Sec.) highly correlated with geomagnetic disturbances (Ungstrup-62) (Hessler-59) (Linehan-61) (Fleming-39), also changing with season, temperature, humidity, lightning, etc., and in presence of industrial devices, underground water.

Earth currents are typically measured with electrodes placed in ground, in North-South or East-West pairs, in one measurement 1000 feet apart (Fleming) (Hopkins-60). Proper electrodes must be chosen to avoid contact potential, polarization (Law-59) local effects.

2. Electrical Resistivity of Earth

This is separately measurable and contributes negligibly to earth current measurements. Typical resistivity measurements can be made with a known current applied to outer pair (100 feet apart), and EMF measured on inner pair, with electrode commutation to compensate for polarization, etc. A nominal value of 5 million ohm-centimeters (Fleming) may vary widely with moisture and other surface conditions.

3. Air-to-Earth Current

This is measured along a vertical line, between plate on ground and plate on horizontal wire above (Kasemir-51) or pair of horizontal plates in air. It is about 3×10^{-16} amperes/ CM^2 close to ground, requiring sensitive electrometer equipment (commercially available.) This current varies with height (Chalmers, p. 142) (Schonland-53).

4. Other Air Properties

Air ionization (Israel-51) about 1.8 ion pairs/cc/Sec. close to ground, chiefly derives from ground radioactivity (K^{40} , radon gas) (Schonland-53), with contribution by cosmic rays (Chalmers-57). This varies rapidly with altitude. Charge separation in air can be found after rainstorms and various atmospheric disturbances (L. Smith-59) (Friberger-61). Also as of this date, intense air ionization may be induced remotely, in a small volume of air, briefly, by a pulsed laser beam (see popular account in July, 1963 Scientific American).

5. Geomagnetism

Classical data on steady pattern (Fleming-39) (Rooney-49) are augmented by new studies of origins, fluctuations (Law-59) (Miles-62). For details of rapid changes of a few gamma (10^{-5} gauss) occurring with periods of 0.1 sec. to 10 minutes, see (Provazek-61), and the elegant work of (Linehan-61) with proton precession and other magnetometers, getting background data for Air Force, in very sensitive fixed field measurement arrays which could lend themselves nicely to experiments on disturbances induced by presence and movements of man near the sensing elements.

E. SENSING AND DETECTION OF HUMAN ATTRIBUTES

I. Introduction

This survey of specific techniques for sensing the concealed man by means other than the unaided senses, is based on consideration of those human signal properties previously discussed (emission, reflection or its transformations, influence or proximity effects). To be observed, such signals must cross the intervening space to the observer, and not remain confined or in the vicinity of the body of the target.

First emphasis here considers the specific physical or chemical variables to be sensed, and the description of various principles of physical, chemical, or biological nature for doing this. Both passive sensing and active means (after illumination of the target) are considered. Special attention is paid to the problem of measurement of very low levels of signal, and trace quantities of material from humans.

Source data given here (and also available from many commercial and military surveillance study sources), must be further examined in a systems analysis for each phenomenon which could provide a data link, to adjudge: whether a physical possibility for use of the sensing effect exists; and what prediction can be made at present or for near future conditions about sensitivity, response time, specificity, other acceptance or discrimination properties comprising figures of merit. Further analysis of signal separation from noise (chemical, physical, or biological) and of recognition techniques, can consider methods of using intrinsic properties of the primary sensor or auxiliary devices to allow: pattern recognition, in space (radiation image), in time (eg seismic signature), for concentration (multi-substance concentration profiles), in relation to reference patterns stored within the instrument; and to allow synchronous detection (as with active systems), autocorrelation analysis, etc. Even in exploratory analysis of principles, the reader must keep in mind the ultimate problem of the use in the field action environment, and related factors of use burden (power, size, weight, mobility reduction, attention diverted from other tasks, etc.).

The material which follows will cover Biosensing (use of living material as transducer for various variables), Physical sensing, and chemical analysis methods.

II. Biosensing(Living Tissue as Detector).

a. General Comments.

The serious consideration by anyone of the use of living material as a sensing transducer requires demonstration: that specific variables can be sensed, that reproducible and stable input/output relations exist, that output signal can be conveniently collected, that the material can be kept alive and functional without inordinate effort. Only then can biosensing techniques be considered seriously for comparison with other chemical and physical instrumentation. using measurement engineering criteria of range, bandwidth, sensitivity, bandwidth, resolution, etc.

Demonstration of plausibility and utility has been carried out by many. At this point in time much is known about the living sensing process. A great deal of physical and engineering insight is being applied to describe quantitatively the transfer characteristics, internal mechanisms of the biological communication process and of sensors; and to apply knowledge obtained from observation of the living sensor process to physical design.

For general and good references on this, see: record of First Bionics Conference, Dayton, 1960, in Report # USAF-WADD-TR-60-600; also Second Bionics Conference (Bernard-62); a Third Bionics Conference held also in Dayton 1963 will be in print shortly from WPAFB. See also: Abstracts, 7th Annual Meeting, Biophysical Society, 1963;

Studies have been made on a wide variety of living receptors, sensing mechanical quantities (sound, vibration, acceleration, strain, force), radiant energy (UV, visible, IR), thermal and electrical variables, etc. They show that living receptors have many unique attributes; for some: extreme sensitivity (to quantum limits for photoreceptors) (to a few molecules of chemical substance for some chemoreceptors); they are "microminiature", are self-generating (requiring no applied power, just metabolic fuel); and have a pulse-like output, pulse-rep-rate modulation, with pulses which can be counted and stored.

Use of living material for reproducible sensing of environment is not limited to special sensory receptors; as will be described later, many types of isolated tissue may serve as transducers; and these may be employed at diverse levels of biological organization (cell batches, tissue, isolated organs, etc.).

For quite specific data usable for biophysical analysis on sensing processes, consult the following analytic studies: comprehensive book (Rosenblith-62) on sensory communications; sensory energetics (J. Gray-52), comparative survey (Bullock-53) (Granit-55), internal mechanisms (Katsuki-61) (Kennedy-62), other biophysical reviews by (Davis-53, 61) (W. Loewenstein-59, 60), (Makarov-61); also biological signal and noise study (Molyneux-63), signal detection (Hack-63). All of this work was done as basic biological research, not applied to instrumentation. For bibliography on various living sensors applicable to physical design, see (Kornfield-61) and for analyses of application to BW detection, see Kornfield-62A, 62B, 63).

For information on the ease with which sensor tissue output data signals can be collected, for specific data on the related electrophysiological measurement methods, see(Ford-57), (Bures-60)(Cameron-60)(Davis-59), and for electrodes, see(Sosnow-61). See also the description of methods in papers cited on isolated receptor preparations in the pages which follow. For the detailed physico-chemical analysis of the production of bioelectric energy and its extraction from various living sources, also see(VanWinkle-62).

For a discussion of tissue culture and living material maintenance techniques, see(Cameron-60)(Merchant-60)(Parker-61)(White-61)and the large biblio of(Murray-53);for insect tissue culture, see (Loeb-57)(Martignoni-60),

For other good biological information sources relating to sensors, for comparative physiology, including senses(Prosser-50, 61), sensory physiology(Von Buddenbrock-52); comparative physiology of the nervous system (Koshtoiants-60);insect nervous system(Roeder-58), and his insect physiology(Roeder-53);reptile sensors(Kahlman-32)chicken skin sensors(Winkelmann-61)mamalian skin nerve endings(Waddell-55), other skin nerve endings(HinChingLiu-62);bee communications(Haldane-54)animal navigation (J. Carthy);for drug use elucidating sensory process, see(Habgood-52), (Buchthal-54).

b. Specific Chemoreceptor Studies

1. Comments

The field of chemoreception is sampled in detail over the next several pages. There is included information on many specific studies on whole animal behavioral and electrophysiological measurement, and in isolated preparation electrical output studies. About 25 species of insects, and about 50 other animal species are included, where specific information was published, describing a receptor structure, and/or its sensitivities have been published. Other detailed sources are listed for data on dog smell sense and tracking, human smell and taste sense, and smell and odor information.

Chemoreceptors have been highlighted because of their phenomenal sensitivities and specificities, and multi-substance analysis capability, without counterpart in any physical apparatus today. We have set down the specific chemical substances used as stimuli for most of the experiments listed. From these, the reader may select those preparations for further experiment; which come from animals available and indigenous to the region of interest, with specific desired chemosensitivities, and yielding convenient experimental preparations.

For a few individual chemoreceptor electrical output measurement studies, not listed in the tables, see (Hodgson-55B), (VonBuddenbrock-55B), and for administration of trace chemical stimuli by microelectrophoretic techniques to individual chemosensing cells(Baumgarten-63).

Animal scent production and its sensing deserves some comment. This is a "scent communications system"; a large number of species produce specific materials (in many cases chemically identified; eg. for beaver, over 100 substances--see Hardy-48), which are synthesized, stored, and released from a specific gland structure, so liberated into air environment, or deposited

ited in environment, there to be sensed generally by the same species, with attendant behavioral response, related to food finding, warning, territorial mapping, navigation, sex, etc. The scent mechanism has been best studied in insects, where phenomenal sensitivities to known substances have been found (eg. 30 molecule threshold to specific substance in cockroach sensing). The airborne substance has been identified, and chemically synthesized, the chemoreceptor properties related to it studied and the whole effort exploited in the development of insect attractant insecticides, discussed elsewhere in this report. The products of animal scent glands have also been studied by the perfume chemist and industry, to obtain components for their blends, from such animals as beaver, civet cat, muskrat & shrew, although in their case without knowledge of the animal sensors. Except for these classes of studies, the literature of ecology is devoid of accurate description of the scent communication process.

In the chemoreceptor lists which follow, of insects and other species, we have included additional data on the existence and description of scent production for many species, for several reasons: it represents a chemical substance acting as "noise" or unwanted signal in the environment to which the animal is indigenous; also from the presence of a scent organ in a species one may confidently predict that a specific chemoreceptor responsive to that substance exists in that species, even though no explicit information has been set down on chemoreceptors for that species; finally in many cases the scent substance chemical components from a given animal may have their counterparts in some product of man (sebum or apocrine gland component product--which have been claimed to be types of "scent communication" substances--See Schaffer-37, Wheatley-51). Experiments with the chemoreceptors of that matchup species may be most profitable in quest for a human detection element.

2. Insect Chemoreception

Many good quantitative studies on a diversity of species, sampled herein, show the unique eligibility of insect chemoreceptors as controlled isolates for biosensing, because of experimental convenience (of hardy preparation, ease of individual receptor isolation, exposure to stimulus and single nerve response signal collection). The readers' selection of one or more insect tissues as experimental candidates for human substance sensing can derive from consideration of regional habitats of specific insects, their attraction to human hosts, and the match-up between the diverse sensitivities studied and human products. Specific receptor studies also including notes on scent substance emission are set down below.

The most promising of these for further work from the standpoint of knowledge of stimuli, isolation and measurement procedures are preparations of the silkworm moth, blowfly, butterfly and bee.

Chemoreception in Specific Insects

Ants: For direct study of olfaction, see (Marcus-46). Other studies in response to scent substances are cited below.

Scent production by various glands (Wilson-59, 62), with chemical factors catalogued (Wilson-58); produces alarm and digging behavior in various species (Wilson-58).

Bees: For early study on chemosensing by antenna and tarsus see (Marshall-35); for taste perception (VonFrisch-34), chemosensing in general (VonFrisch-50); behavior in distinguishing companions (Kalmus-52), smell sensing (Gubin-57) (Schwarz-55) (Ribbands-55); and a definitive paper on isolated antenna electrophysiological chemoreceptor measurement see (Boistel-56).

For scent glands, see (Frings-44) (Gary-62). For specific known products of queen, serving as attractants see (Gary-62). For attractant test methods see (Woodrow-58); for Bumblebee scent trail description see (Wynne-Edwards-62), and for good recent data on scent substances from bees see (Jacobson-63A).

Beetle: For early beetle olfaction, see (Richmond-27), also olfaction affecting host selection and oviposition (Crombie-41). In other behavioral studies quite early the very high sensitivity ($1:10^7$) to skatole demonstrated by (Abbott-27). For carrion beetle orientation to odors see (Dethier-47C).

Butterflies: For specific receptor studies; leg, sugar sensitivity see (Anderson-32), tarsi receptor to sucrose sensitivity by neural fiber electrical measurement, and in same (Takeda-61) receptors stimulation by electrical current to examine receptor internal mechanisms (Morita-59).

For scent emission and sex attractants isolated by (Inhoffen-51), see (Butenandt-55) (Gotz-57).

Cockroach: For early taste threshold studies on electrolytes and sucrose and the related receptor locations, see (Frings-46A). For diverse studies on cockroach chemoreception see Q. M. R. and E. C. Natick list of publications.

For scent substance sex attractant sources, see (Wharton-57), working over several years; for composition, see (Wharton-61), and effects of radiation and other noxious stresses, identification of one substance as 2-hexenal (Roth-56) and from a tracheal gland, paraquinone (Roth-58). Phenomenal 30 molecule threshold sensitivity (10^{-20} gm) of roaches to their own chemically identified scent substance is discussed by (Jacobson-63A).

Flea: Sensor physiology (Dethier-57B).

Flies:

Blowflies: Much exact work on input/output relation, specific sensitivities, internal mechanisms has been done on these, chiefly because of their experimental convenience of access. For early chemotropic behavior studies, see (Hobson-32) (Abbott-38) (Craff-45). For other response to specific substances, for alcohol series, see (Dethier-47B), aliphatic aldehydes and ketones (Chadwick-49), (Dethier-54), various carbohydrates (Hassett-50) (Hodgson-56, 57),

organic sulfur (Cragg-50B). For properties of specific receptor sites, for tarsal receptor sensitivities see (Chadwick-47); for various contact chemoreceptors, see (Dethier-55), and olfactory receptor types and responses (Dethier-52). For recent precise sensor observations including electrical output signal measurement, on labellar receptor responses, see (L. Brown-62), for water taste (Wolbarsht-57) (DeForest-61); protein (Wallis-61), NaCl (Wallis-62), and for temperature effects on receptor mechanisms (Dethier-58).

It is seen that even where extensive studies have been made on a given species, systematic exposure to all major chemical groups for threshold study has not been done. Along with such experiments can be tested thresholds to fractions of sweat, sebum, urine or feces of humans in isolated preparation studies.

Flesh fly: For smell sense see (Steiner-32); for taste, sucrose threshold see (Frings-54).

Fruit Flies: for chemoreception see (Begg-46), response to animal excrement (Harrison-54); and to fermenting banana products (Reddle-63). For scent output (male sex attractants see (Ripley).

Horsefly: for contact chemoreceptors (female) see (Frings-46B).

Sawfly: For scent substance production and chemosensitivity, see (Coppell-60) and (Casida-63), and especially rapid response of pine sawfly to nanogram sex attractant levels (Jacobson-63A).

Screw worm fly: For early chemosensitivities, including urea, see (Abbott-28). For an account of scent production and sex attractant studies, see (Jacobson-63A, B).

Walnut husk fly: For scent substances and their properties see (Barnes-58).

General comments on many other fly studies: For olfactometers, see (Eagleson-30), for responses of flies to cattle dung and urine, see (Chorley-48).

Grasshoppers: For antenna and flagellum receptors see (Slifer-55, 56).

Locust: For specific recording in nerves from in antenna chemoreceptors, see (Uchiyama-56).

Louse: For early chemoreception studies see (Pick-26), later (Dethier-57B).

Milkweed Bug: For recent antenna and flagellum receptor data see (Slifer-63).

Mite: For chemoreceptor electrophysiological studies, see (Elizarov-62), for clover mite humidity sensor, see (Winston-62), other studies (Dethier-57B).

Mosquitoes: For chemoreceptors in yellow fever mosquitoes, see (Frings-50) (Owen-61, 63), for their antenna and flagella organs (Slifer-62), for mosquito

antenna sense organ survey, see (Stewart-63). For other chemosensitivities in general (Willis-47), amino acids (Schaeffenburg-59), odors attracting for oviposition (Crumb-24) and attraction by odors of Anopheles to animals (Podomodvinov-42). Chemosensing attraction to humans has been studied by many (Rahm-57A, B, 58A, B) (Laarmans-55, 56); with specific chemical factors considered by (A. Brown-56), those components of sweat (A. Brown-51, 61B) (Thompson-55) (Owen-63), including lysine at low concentrations (Brown-61B) and other amino acids (Brown-61A). Attraction by human CO₂, etc. is considered by (Willis-48) (Reeves-53), and temperature and humidity influences by (Smart-56).

Moths:

Gypsy moth: Best chemosensor studies done in relation to its scent substance (female sex-attractant), "gyptol" isolation (Acree-53), composition analysis by chromatography (Acree-54), subsequent synthesis of fractions, and use in "attractant" insecticides such as the Department of Agriculture's "gyp lure". Male chemosensing thresholds of 10⁻¹³ gm. stated by (Jacobson-63B).

Silkworm moth: Receptors of larvae intensively studied, measurements of specific chemical stimulus by (Morita-59B), and electrical "generator potentials" measured by (Morita-59A) (continuous E.M.F. produced intracellularly in response to the chemical stimulus, and giving rise to the spike impulse output signal train seen on the receptor nerve). For carbohydrate sensitivity, see (Ishikawa-63), and for citral, linalyl, terpin compounds see (Hamamura-61). Good isolated antenna preparation studies with various chemicals and with electrical output measurement, but (Schneider-57), including exposure to one kind of scent substance emitted by this organism (Schneider-56).

For other scent substance description see (Seguin-54), and series of papers by (Butenandt-47, 62) who has defined its sex attractant function, its chemical nature.

Other Moths: For comparison of olfactory specificity of emitted-scent; sex-attractants in different species, see (Schneider-62), with further isolation by (Kecker-58) and bioassay of synthetic scents by (Block-60). For giant saturnid moth sex attractants, see (Rau-29) (Dethier-47A), early references in insect scent.

Tick: For smell and attraction to animals see (Philip-53), on chemoreceptor function see (Dethier-57B).

Tropical Water Bug: For male scent substance composition, see (Butenandt-57). Since this is used by some in S. E. Asia as a food spice this scent, if carried by a native of the area, may be detectable remotely in extremely low concentrations, its analogue of isolated chemosensing preparation from this insect.

Other Data Sources on Insects: For excellent annotated biblio on smell in insects, see (Hocking-60); for comparative physiology (Frings-48); receptor ultrastructure (Dethier-68B). For chemoreceptive behavior studies see (Brown-28) (Ingle-43), (Dethier-57A) also in parasitic insects (Thorpe-37, 38, 39). For electrophysiological measurements, see (Chapman-53) (Roys-54), (Takeda-59), for internal signal conversion (from chemical input to electrical output) see (Hiromichi-59) (Morita-59A), and for other mechanisms (Dethier-48, 51, 56A).

On insect scent and attractants, see excellent recent reviews (Jacobson-63B) (Karlson-50), and older material (Cattreau-05) (Kettlewell-46). For specific receptor loci and sensitivities (Schwink-55); for certain specific attractant classes (e.g. amines, fatty acids, sulfides, NH_3) see (Green-60B).

3. Chemoreception in Various Other Animals

To the sample of specific studies cited below on chemosensing, scent production and communications, apply the same criteria cited under "Insect Chemoreception" to select hardy tested preparations for further experiment in sensing human chemical products.

Promising animal chemoreceptor preparations considering only the superior knowledge of tissue isolation, measurement, and understanding of some stimulus properties will be seen under Cat, Cray fish, Hamster, Rat, and especially Frog and Rabbit.

Alligator: For olfaction, see (Gestland-61). Scent glands "musk" secretions see (Foster-34), (Hardy-49A).

Anteater: For taste receptors see (Kubota-62).

Arthropods: For chemoreceptors terrestrial and fresh water forms, see (Hodgson-58B).

Badger: For scent glands close to anus, in some, in a pouch under tail, see (Hardy-49A) (Neil-48).

Beaver: For scent glands between anus and genitals see (Schweisheimer). For composition of products of this "perfumery animal" see (Walbaum-27) (Rosenthal-28) (Lederer-43) (Naves-34, 47) (Givaudan-49) (Arctander-60), for 100 constituents identified see (E. Hardy-48).

Birds:

Condor: Smell (Gill-04).

Duck: smell (Nolte-30) and scent production (Bang-60).

Gray Goose: smell (Best-13).

Ostrich: taste and smell (Gillespie-22).

Quail, Bob White: chemosense discrimination (Frings-52).

Turkey, Wild: smell (Caton-70).

Vultures: chemosenses (Bang-60) (Leighton-28) (Lewis-28). Scent gland and "musk" production musk glands (Bang-60).

For other general data on taste and smell see (Portman-61) (Soudek-29); smell (Zahn-33) (Taverner-42) (Miller-42) (Bartsch-43) (Bang-60); for conditioned reflex studies see (Walter-43).

Boar: For scent glands and products see (Pocock).

Cat: Taste fibre response spectra (Cohen-55). For scent substance composition from civet cats see (Bennett-29) (Hardy-47A) (Naves-47) (Treatt-12) (Vandenput-37) (Arctander-60) (Bedoukian-51) (Dubois-59). For relation between scent production and sex behavior see (Stoller-61).

Chimpanzee: Smell (Blackman-47).

Crabs: Smell and taste receptors in mouth in one species (Cheesman-22); in horseshoe crab chemoreceptors (Barber-56).

Crayfish: Chemosensory responses to NaCl, glycine, glutamic acid (Hodgson-58B).

Crustacea (various): For chemoreceptors (Laverock-63); for scent substance and sex attractants (Forester-51).

Deer: For common deer smell sense see (Caton-70). Musk deer furnish an important source of perfume components. For scent glands, in musk deer, between naval and penis see (Naves-47). For those near eyes, hocks, toes, see (Stoller-62); for secretion see (Durvell-23) (Perry-25) (Sagarin-45) (Naves-47) (Bedoukian-51) (Schweisheimer-56) (Wynn-Edwards-62) and (Owen).

Fish:

Carp: For taste see (Konishi-61).

Salmon: For smell and taste sense, see (Hassler-57); and for repulsion by human skin serine see (Idler-55).

Other fish: For discrimination of stream odors see (Hassler-51).

Fox: For scent glands on feet, pads, near anus, and products, see (Mivart).

Frogs: Experimental convenience, including sensory access, has spurred much receptor work; on taste receptors, single unit studies (Kusano-60) (Casella-61), including response to NaCl and sucrose (Kusano-60). Acetic acid (Kimura-61B). On smell receptors: olfactory nerve signal collection (Kimura-61B), receptor system microanatomy (Altner-62) response to cations versus anions (Yamashita-63).

Goat: (Alpine) For scent gland and products see (Bedoukian-51).

Hamsters: These provide convenient preparations allowing good receptor studies for taste receptor, microelectrode measurement, see (Kimura-61A).

Invertebrates: for chemoreceptors in general see (Hodgson-55A).

Jackass (Laughing): For taste and smell receptors see (Pocock-12).

Lion: For smell see (Oliver-30).

Martin: For scent glands (anal) and dispensing of secretion on twigs, see (Portman-61).

Mouse: For olfaction detailed behavioral and physiological studies, e.g. smell induction of neurohumoral changes affecting estrus, etc. see (Parker-61).

Nereis: For chemoreceptor responses to alcohols, see (Case-62).

Newt: (Spotted) For smell sense see (Copeland-13).

Opossum: For study of isolated olfactory epithelium, recordings on isolated nerve and essential-oil stimuli, see (Beidler & Tucker).

Rabbit: Many good olfactory studies for "electro-olfactogram" (recording in olfactory nerve tracts), see (Moncrieff-61); for study of sensor smell and taste enzymes, see (Varadi-51), for anal scent glands see (Owen) and for relation of scent production to sex activity, see (Cougard-47).

Rat: For taste receptor microelectrode studies, see (Kimura-61A).

Scorpion: for chemoreceptors, see (Alexander-57).

Sheep: For scent gland location and output, see (Hardy-49B) (Bedoukian-51).

Shrew: For lateral scent glands and territorial mapping behavior, see (Pearson-46).

Skunk: For scent glands and substances, in U.S. and European polecats, see (Hardy-49A, B).

Snake: For "olfactory" cells on tongue, see (Smith-51); for anal scent glands also see (Smith-51).

Spiders: For chemosensors, see (Abbott-27).

Toad: For direct electrical measurements on olfactory epithelium, see (Takagi-60, 61).

Tortoise (American): For scent glands see (Hardy-49A).

Turtle: For mud turtle chemosensors, see (Carr-51) (Poliakoff-U. S. S. R. -30); for musk turtle ventral scent glands, see (Risley-33).

Viper: For smell sense, see (Bauman-27, 28).

Weasel: For scent gland substances produced and "musking" scent deposition behavior, see (Neal-48).

Whales: For smell sense, see (Kellogg-28).

Wireworm: For chemosensors, specific stimulus studies, see (Crombie-47).

4. Dog Chemoreception

Dogs have proven invaluable in intrusion detection, tracking, and other observation of humans, are currently under laboratory and field study, and use for special operations, by various Defense agencies. Since our primary concern was with basic sensing processes, we have assembled here a small fraction of published material on dog tracking of humans and related subjects as a source for further analysis by the reader in our context of discussing biosensing by whole animals and isolated preparations. Most of the published work, though emerging from the pen of dog handlers of proven capability, is inexact and only generally descriptive, where factors of specific human attributes, environmental modifications of these and precise conditions of dog response are concerned. Most of the references were available and seen in the New York and Boston Public Libraries, and are probably in the Library of Congress.

For specific comments on human tracking (Budgett-37) discusses ranges, loss of track with time, masking by vegetation (e. g. by mint, willows), and enhancement by vegetation, in grass. Tracking on crushed vegetation trails is also discussed for bloodhounds by (Whitney-47, 55). (Dr. Whitney, an outstanding authority on dogs, is in Orange, Connecticut.)

For detailed discussion of skilled tracking (including New York State Police work) on new and old trails (100 hours) and long distances, see (H. Davis-56). He expresses conviction that dogs pursue traces of skin products, reaching the ground diffusing through shoes, etc., and speculates on specific chemical substances involved including such fatty acids as caproic and propionic. He describes tracking experiments using traces of known substances deposited on ground including acetic acid and salt. For similar experiments with deposited chemicals, (e. g. iso-valeronic acid) and tracking responses similar to those for humans, see (Budgett-37).

Major L. Davis of K-9 Training Agency, at Hyde, Maryland (near Baltimore), who has trained dogs for many diverse tasks, and did work on CW detection by dogs, suggests in conversation that the skin product sebum is the key factor in the tracking of man.

Simple, but definitive experiments could be conducted by any of these good dog tracker trainer groups cognizant of the chemical factors problem, using sebum of man deposited on ground or dispersed in air in various concentrations. Sebum used could be freshly obtained, from various people, or allowed to undergo normal skin bacterial decomposition, and could be used whole or in fractions obtained by chromatography (mentioned elsewhere in this report) to define exactly which chemical factors, if any, from sebum are the key ones in human tracking.

For other studies on human tracking, see (Schmid-35), for human individual differences (Kalmus-55), and for dog breed capability differences, see (Schnitzer-62).

For other smell sense descriptive writings, see (Grassi-89) (Romanes-87, 90) (Binet-96) (Johnson-14) (Henning-19) (Bozelli-21) (Buytendijk-21) (Rudolph-23) (Warden-28) (Cramer-41), and for hounds (Rudolph-23) (Whitney-47, 55). For conditioned reflex studies on smell and taste, see (Allen-37) and for direct electrophysiological measurement of chemoreceptor (taste), see (Anderson-50).

For other general discussion of military uses of dogs, see (Meguien-20) (Going-44) (Behan-46) (Gorman-54) (Downey-55) (Waller-58) (Derringer-58) (Clapper-61), including study for certain CW agent detection (Davis-62). General narratives on police uses include (Diäderich-09) (Gross-12) (Craig-24); utility of hounds (Knoche-57) (Chapman-60), and smell sense (Lohner-26) (Schmid-35).

For descriptions of dogs, by type, for hounds, see (Sigling-28) (U.S. Lib. of Cong., Div. of Biblio. -26) (A. Smith-32) (Chapman-33) (Stancko-54) (Watts-55); and bloodhounds by (Oliphant) and (Whitney-47, 55) (Appleton-60); beagles (Denlinger-56); Doberman Pinschers (Denlinger-53).

For other general related discussions of dogs, see (Menzel-29, 30) (Mason) (L. Whitney-33) (Lyon-50); also dog encyclopedia (H. Davis-56); and animal behavior descriptions (J. Scott-58) (Dorn-57).

5. Human Chemoreceptors

Human smell and taste sense data likely will provide very little direct contribution to solution of the human detection problem. But the reader may find the few sources cited here of value, in considering human thresholds compared with animals having special sensitivities, factors modifying smell sensitivity (and possibilities of enhancement of human olfaction), and what little data there are on human smell perception of other humans.

Olfaction: For nose structure and function, see (Holmes-49) and Proetz's "The Nose", about 1954. For many threshold values see (Spector, p. 327-56), (Hessel-61), (VonSkramlik-48), for mixed organic chemicals (Rosen-62); absolute intensity judgment (Engen-59), threshold theory (Davies-55), olfaction information processing (Wright-63), and other odor evaluation (Merritt-59, 60, 61); (Crocker-52), (Amer. Soc. Perfumers-61). For "chemical analysis" by olfaction, see (Alekseevki-41). For multiple factor smell analysis, see (Hsu-46) and especially (Schutz-61). Using many human subjects and odorants the latter's multiple factor studies isolated 18 physico chemical variables associated with human olfaction most classically suggested, including radiation spectra, surface activity, vapor pressure, boiling point, heats of combustion, refractive index, etc. For odor versus composition see (Timmermans-54). For devices for presenting odor experimentally, see (Wenzel-48, 50), (Battison-62).

For factors altering olfaction sensitivity and capability, drugs (e.g. menthol, strychnine, acetylcholine), see (Skouby-54), for industrial substances, (Eolian-60). For suggestive relationships to various sexual factors, to sexual activity (Podolsky-46), olfaction changes in conditioning with androgens and estrogens (LeMagnen-49) and relation to female secondary sex characteristics (LeMagnen-48), smell sensitivity to sex hormones and their metabolites (Klock-61). For defects in smell sense after injury, see (Leigh-43), changes with temperature of the odorous substance (Kerka-56), changes with altered physiological state (LeMagnen-50).

For human smell sensing of other humans; for geographic regional odors, for Europeans, see (Adachi-03) (Laloy-04A, B), for several groups, including Japanese, French, Balkan, see (Eller-41), for human odor individuality, see (Laird-35); (Lohner-24). For other human odor sensitivities, significance, and control, see (Haggard-41) (Neuhaus-61); for human "scent-producing organs" see (Schaffer-37); and for the production of odorants on skin in normal bacterial flora there, see (Strauss-56). On other odor problems related to man, on odors and shelter habitability see (Muraoka-61) (Traffalis-55); sanitary significance of odors (Earp-23); their detection in water (Fair-34); odor control (McCord-49); especially in (casualty) evacuation aircraft (Gee-51); various others including breath garlic odor (Haggard-35); fish odor (Mangan-59), and asthma induction by urine, feces, sweat (Vamis-47).

Taste Sense: : For basic concepts see (Johnston-55); chapter in Handbook of Neurophysiology (Magoun-61), Handbook of Experimental Psychology edited by S. Stevens in 1951; for compound evaluation techniques and flavor research, see (Krum-55) (Peryam-58); (Merritt-58, 59, 61), and for flavor physical chemistry see (Laymans-59). Information on human taste sense will probably contribute very little to selection and trial of other animal isolated smell and taste receptors, with human chemical products.

6. Other Specific Studies

For excellent biblio. on smell and odor, see (Airkem-52); for theories of smell, see (Jones-O. N. R. -53) (Foster-50) (Kluever-58) (Beidler-57, 60, 61A); for enzyme theories (Kistiakowsky-50); other analyses (Middleton-56) (Mateson-44) (Bedichek-60) (Bronstein-U. S. S. R. -50) (Beets-61) (Dravnieks-62) and new identification of physical variables (Tucker-63). For studies of smell epithelia (Baradi-57) including electrical activity of isolates (Ottoson-56); and of smell adaptation (Adrian-50). For regeneration of olfactory cells; see (Schultz-41), and old papers, on scent (Shepherd-Walwyn-26) (Bawden-01) (Hopkins-26).

Taste Sensors: For analytical papers on contact chemoreception, see (Beidler-54, 57, 60, 61A, 61C) (Bronstein-50) (Roshupkina-54); for comparative description (Johnston-55); electrophysiological studies (Beidler-55A), on single fiber signal output (Zotterman-59) (Sato-60) (Kimura-61C), other measurement techniques (Hodgson-61). For physical chemistry (Ruben-62) including enzyme basis of taste (Koshtoiants-58) (Mateson-54); for CNS efferent control of sensor (Esakov-61); taste and smell enzymes in rabbit (Barack-5).

Interchemoreceptors: Within higher organisms, neural receptors have been identified, for osmotic pressure sensing in the head, for O₂, CO₂, PH sensing in carotid and aortic bodies, for glucose in liver (Russek-63). Others are suspected to exist, in the intestine (Baraz-61) and elsewhere, sensing at least those several dozen chemical variables of blood plasma known to be regulated at steady levels by homeostatic systems, responsive to stress of loading or deprivation of substances. If discrete receptors are found for high molecular weight substances (proteins, polysaccharides, etc.), amino acids, urea, these may be studied as isolated biosensing elements, to match human product output.

Other Work: For comparative physiology, see (Jahn-50) and for invertebrates (Keefe-62) and other "common chemical" senses, see (Crozier-16). For calcium relation to function (Lenhoff-59), reception in aqueous versus gas phase (Hodgson-53), for carboxylic acid cycle role in reception (Teng-61). For anatomy, (Clark-57) physical chemical factors in stimulation effectiveness of compounds (Ottoson-63), and chemoreceptive regulation of animal feeding (LeMagnen-59). For a review of chemobiosensing in application to BW detection, see (Kornfield-62A, B, C, 63). For Air Force interest in enemy troop detection by physical analogs of olfactory techniques, see (U. S. A. F. Aerospace Med. Lab Procurement Office).

c. Chemosensing by Isolated Tissue Other than Receptors

In principle, all regions of a living organism have potential and actual responsiveness to chemical stimuli. In practice, tissue isolates have been prepared from most every organ, in many species, at levels of cell, tissue, organ, then exposed to chemical stimuli. For all tissue culture and life support means have been identified for easy maintenance of extended integrity. (Also some tissues can be kept in low temperature or chemical stored state for long periods.)

On various types of isolates, so supported, continuous observation of overt response (readout) appears most practical by mechanical and electrical means, with straight-forward extensions of instrument engineering techniques. Observations on typical preparations illustrated show rapid responses and high sensitivities to wide range of known chemical substances.

Sensitivity augmentation is possible by proper conditioning of the animal from which the tissue was taken, as will be discussed. Some types of isolates include:

Living Skin: A few square centimeters, most easily obtained from frogs, can be set up as a membrane barrier in a simple hardy apparatus which keeps it alive and yields a large electrical signal change rapidly upon exposure to traces of a variety of known chemical substances. For experimental apparatus see (Scheer-60), (Ussing-60); for effects of specific trace substances, for example, for low molecular weight materials (steroids), see (McAfee-61); for response to high molecular weight substances (e. g. toxins from cholera organisms), see (Huber-60). Many other known trace chemicals also act to alter specific metabolic processes in this living skin, changing its permeability and ability to "pump" sodium and other substances across itself and against a concentration gradient, so altering observable voltages and "short circuit" currents always present and measurable.

Living Gut Strips and Segments:

Contraction events: A strip a few cm. long, from rabbit, or guinea pig ileal region of the intestine, easily set up in life supporting medium, contracts automatically, rhythmically, and will show big changes in length and force-time patterns (using simple strain gage transducers) on exposure to trace chemical substances. For instrumentation, preparation and other technique, see (Cook-61) and any current texts on drug bioassay. For

responses to specific low molecular weight substances, for histamine and histidine degradation products. see (Mosebach-61), for acetylcholine, see (Cook-61). Greatly exaggerated sensitivities to specific substances approaching a few molecules of very specific stimulus, may be obtained by "pre-sensitizing" the animal from which the tissue is taken with substances of interest using standard immunological procedure. This is classic for bacterial products studies (Schultz-10), more recently (Buckland-60).

In some simple definitive experiments, the antigenic enhancement properties of whole human sebum, or feces and urine extracts, could be examined by attempts to sensitize guinea pigs with these, then measurement of specific and high sensitivities of isolated ileal strips from these animals to such products. This enhancement procedure really could be applied to any of the living tissue biosensing studies discussed in this report.

Electrical events: For bigger flattened pieces of gut kept alive used as membrane barriers, the same rapid electrical signal changes and measurements described for frog skin above, result from applying trace chemical substances. For technique, apparatus, and measurements with specific substances, see (Vaughan-61 63).

Living Blood Vessel and Heart Strips: Strips of a few cm. cut spirally from aorta (a main vessel) of rabbit, supported in simple apparatus, change length rapidly (measurable by strain gage) on exposure to low levels of various chemicals. For technique and responses to adrenalin and related substances, see (Furchgott-53) (Helmer-57) (Briggs-61).

Cylindrical pieces of artery or aorta, stoppered at both ends, show changes in pressure-volume relations rapidly (by simple electrical manometer measurement) many chemicals (Remington-62).

Whole hearts, removed from frogs and toads in simple support and measurement systems, beat for long periods, show large changes in beat force, size (mechanically measured), when various steroid substances, etc. are applied. For toads, see (Naylor-57); for frogs, (Ware-57, 60).

Living Bladder: Isolated urinary bladder from toad is easily kept alive and set up for pressure-volume change measurement as a function of many different chemically identified trace substances. See (Bentley-58) (Leaf-62).

Living Nerve Tissue: From a few c. c. of brain tissue kept alive from various regions and species, but hard to maintain, self-generated rhythmic electrical signals easily measured change on exposure to chemicals. For human adult cerebellum tissue, see (Cunningham-61).

Handier neural tissue includes nerve and urinary bladder strip isolates from rabbit (Ursillo-61) changing response to electrical nerve stimulation as function of applied chemical substances, and similar preparations of frog sciatic nerve and skeletal muscle. Isolated segments of nerve may be used with down stream propagated electrical signal integrity altered by trace chemicals.

d Bioreceptors Sensitive to Mechanical, Radiant, Electrical Energy, etc.

While chemoreceptors have dominated our consideration of biosensing phenomena plausibly usable for detection of human products in comparison with other methods, the reader should consider the capabilities of several other classes of biosensors, illustrated below, for detection of physical signals and attributes of man, in comparison, again with existing and developmental physical apparatus. These biosensors offer phenomenal sensitivities, signal variable specificities, and in microminiature form can handle some very complex signal signatures (e. g. the few moth acoustic receptors handling the wide range ultrasonic FM bat signal pattern (Roeder-61). These receptors also are self-generating, requiring no electrical power, are extremely small, have output in pulse form (which can be counted, stored and used in real time computation). The examples only superficially touch on the literature available.

Mechanical Energy Receptors:

Sound: For moth single receptor electrical measurements, and bat signature signals, see (Roeder-61); for bat sensors, see (Griffin-59); for other insect sensors, for isolated spider leg response (VanderKloot-58); and insect ear ultrastructure (Gray-58). For other hair sensilla and tympanic organs, see Prosser, "Comparative Physiology," 1951). For single sensory unit response, cat, see (Rupert-63).

Pressure: For single receptor (Pacinian corpuscle) electrical output data, see (Diamond-58) (Cauna-58), for internal conversion mechanism in these from mechanical to electrical signal, see (Loewenstein-58); for hydraulic pressure receptors (deformation receptors of carotid sinus) see (Landgren-52).

Vibration, touch: cat hind limb vibration receptors (Hunt-61), touch receptor stimulus sensitivities (Catton-62); for touch, skin space-time pattern similarities with hearing cochlear stimulation (VonBekesy-59).

Deformation, strain: Stretch receptor structure and properties compared in seven insect orders (Osborne-62); for isolates from frog muscle, see (Katz-50).

Other: Water flow reception, lobster hair peg organs (Laverack-62).

Radiant Energy Receptors:

Ultraviolet: honeybee ocellus receptors (Goldsmith-58A), their spectral sensitivity (Goldsmith-58B), and electrical output (Goldsmith-60), cockroach ocelli (Goldsmith-58A).

Visible light: From huge volumes of literature, a few illustrations: species comparisons of simple single unit receptors (Wolken-59, 60), other single unit studies (Herman-63). For specific types: squid (Hagiwara-62); crayfish and lobster isolates (Kennedy-61); planaria receptors and electrical responses (Behreus-62); mollusc "neural tissue" photosensitivity (Kennedy-60).

Infrared: chiefly described for viper (Snake) facial pit organ (Block-50); as in rattlesnake (Bullock 52, 56, 57) citing threshold IR energy fluxes at 3×10^{-4} cal. / cm.² / sec. For most recent work, see (Beichmar-62).

Thermal (Contact Temperature) Receptors:

See analytic studies and reviews of (Hensel-60, 61), major biblio. of (Shambaugh-60).

Electrical Energy Receptors: Not listed with the classical special senses, electroreception was examined early in marine forms, in behavior of catfish to metallic rods in water (Parker-17), and other response studies (Regnait-31). More recently, studies of special electrosensing organs, by (Lissman-50, 51) on *Gymnarchus*, relations of sensor to low level coded electrical signal emitting organs (Lissman-58A) and to object location (Lissman-58B), to interactions with other animals (Lissman-61). Electroreceptor thresholds stated by (Machin-60) as 30 nanovolts/cm. and 3 nanoamperes current differences, for received electrical pulses of 1 millisecond duration and repetition rates to 300/sec. For more recent reviews, see (Bullock-62) (Lissman-63), for direct recording of electrical output signals from this electroreceptor (amplifier, as it were), see (Hagiwara-62A). Distinguish this communications and obstacle location transmitter-receptor system from high power electric organ action systems-see (Fessard), and many papers of Nachmanson, Grundfest on electric eel in the physiological literature for 20 years. One might expect that structural and functional analogues and potentialities, for electroreception by land forms can be unearthed in the biological literature, but cursory review has turned up only these behavioral responses to electric fields: snail movement patterns changed (Webb-60); planaria responses (Brown-62); activity pattern and oviposition rate changes in flies and other insects (Maw-61); various plant responses (Andres-60). Also studied has been human sensitivity to electrical signals applied to body surfaces in coded space, time and spectral patterns, for communication (discussed elsewhere here). If significant alterations by presence of movements of man were shown to occur in natural electric field patterns of earth and air (described elsewhere here), then pursuit of terrestrial bioelectrosensing, use of marine electro-sensing isolates in experiment, would be worth doing.

Magnetic Field Sensitivities:

Mentioned for completeness, a biosensitivity to natural fields, and applied artificial fields, has been claimed based on behavioral observation in lower forms (snails, planaria, protozoa) in a series of studies over many years (Brown-59, 60A, 60B, 62A, B) (Barnwell-61). No discrete sensors have been shown to exist. Again, creation of contrast in environment by concealed human alteration of earth or induced magnetic fields could spur review of known biomagnetic field sensitivities, for comparison with physical methods. For other magnetic field sensitivities, for threshold alteration in frog nerve (Liberman-59); developmental anomalies induced in fruit fly (Mulay-62); for other methods of detecting possible effects, see (Foreman-61), for plant magnetotropisms, (Krylov-60). For other biological effects, see (L. Davis-62B), biomagnetic reviews (Alexander-61, 62).

III Chemical Products Sensing by Chemical and Physical Means

a: General Comments

We seek to observe the individual and collective products of man (see Human Attributes) after passage through environment (see Environmental Modification of Signals) by continuous measurement methods with adequate sensitivity, and specificity, if they are to be useful for detection

Any system must include collecting means for obtaining within a reasonable time a representative sample of air (or water or soil) which might contain human products. Much effort has gone into the consideration of the micrometeorology, sampling statistics, mechanisms by those in the fields of air pollution and public health, nuclear energy, BW and CW (whose techniques are cited elsewhere in this report). (e.g. For methods of airborne material sampling, see U.S. Army Biological Labs-53); Such collection may be done with devices on the ground or in the air (for aerial sampling by helicopter see Gartrell-55, 56A, 56B).

From the large volume of air which generally has to be displaced must be totally extracted its contents of chemical product in vapor, aerosol, particle form, which may then be concentrated into a suitably small volume of liquid or gas for further separation and analysis. Extraction means, may include filtering, impingement, electrostatic precipitation, adhesion, sonic aggregation, sedimentation, thermal precipitation, condensation, etc.

Systems analyses to establish the possibility then feasibility of one or more chemical detection approaches, (considering all variables of source, background, and detection) may be patterned after the methods used by analysts such as the Chemical Operations Research Group at Army Edgewood Arsenal, Md; or with the use of a theoretical model common for both physical and chemical human attributes sensing, along lines suggested under "Physical Signal Sensing", and also carried out by many groups in the physical surveillance field.

The emphasis below will be on physical techniques for chemical analysis, which show the greatest potential for fulfilling these conditions.

Separation Techniques: Whether chemical physical or biological techniques are used for the final analysis of the human product sample, separation of chemical components will probably be required. While the reader should seek data on the various chemical unit operations for separation including ion exchange, dialysis (and other membrane processes), distillation, filtration, etc. illustrative sources are provided below on the techniques of chromatography emerging as important for separation of multicomponent mixtures of macro and micro concentrations of biochemicals, and adaptable for human product separation. Some analysts may go no further in quest for a human products analyzer than a gas or gas-liquid or paper chromatographic system with the various common detector and readout adjuncts available; others would first

consider chromatography as a supporting technique, to be used with the best of other methods described in this report.

Gas chromatography sources include (Pecock-59), (Keulemans-59), (Johns-60), (Janek-60), (Giddings-62), (Symansky-62), (Purnell-62), (Varadi-63). For urine volatiles, see (Bonnichsen-62), urine aromatic acids (Williams-61), biological amines (Fales-62), for volatile toxics in blood (Curry-62). For special techniques, for dissolved gases in sea water (Swinerton-61, 62), microanalysis of dihydroxy aromatic acids (Williams-63), micro-system with capillary column and flame ion detector (Halasz-61) and sample pyrolysis as "front end" for gas chromatography (Hayden-63).

For other gas-liquid chromatography, for hydroxy-fatty acid micro-determination, see (Kishimoto-63); fecal neutral sterols (Wells-63) high-speed techniques (Purnell-60) and use with IR spectrometer for fraction analysis (Anderson-61).

For paper chromatography, see review of (Block-58) and for automatic readout devices, see (Parke-52), for other sources, see general reference (R. Scott), amino acid autorecording (Spackman-58) organic acid microgram determination in small samples (Reddlb-63),

b. Chemical Procedures

With limited time available, the review of possibilities for field identification and measurement of human chemical products did not consider at length "wet" chemical analysis. In looking further, the reader should examine the unique features of organic chemical micro-analysis techniques related to human chemical products (Edstrom-58), (Morrison-61), (Goldzieher-62), (Henry-63) (Bawden-63) some of which are not yet convertible to physical technique. Also see data on the emerging automatic analysis systems (cited elsewhere in this paper, also see the literature on autoanalyzer of the Technicon Co., papers of Dr. Raymond Jannard of Prudential Life Insurance Co).

c. Physical Methods

The methods surveyed here have the potential of high speed, sensitivity, substance specificity, wide concentration range, multi-substance handling, adaptation to reliable automatic unattended calibration and analysis. Each data source cited deals with capability for analysis of one or more specific chemical substances known to be excreted by man. Methods vary in degree of separation and purification required for substances in mixtures; as discussed in the papers listed under each method. Chromatography as a separation and preparation technique is the only one discussed herein, but the reader should consult papers of other separation unit operations (e.g. ion exchange, dialysis, filtration, absorption, distillation). One practical solution to multi-component substance analysis is the composite analyzer, embodying several physical techniques each best in a different class of substances.

This is illustrated by submarine atmosphere and contaminant analysis (Nestler-58), (Piatt-60B) and various people at Naval Research Lab.

1. Radiation Spectroscopy

This offers presently most versatility, and libraries of data on substances properties are available. For organics see (Lang's "Absorption Spectra in UV and Visible Region" Acad. Press. NY 61), electronic spectral data (Ungrade), also see spectroscopy handbook (Clark-60B0, biological materials analysis (Mitteldorf-51) (Penner-59); reflectance spectrometry of opaque materials (Shibuti); and trace analysis by ultramicrospectro - photometry (Craig-53).

Infrared Absorption Spectroscopy: Illustrations are given of available data on substances found in human products. For amino acids, for cystine, asparagine, glutamine to 5 mg. sensitivities, see (Davies-53), also for cystine (Wright-37), and others (Scheidt-52). For purines and pyrimidines, for cytosine to 60 mg. sensitivities, see (Stimson-52), uracil and thymine at low levels (Locker-49). For carbohydrates, see Methods of Biochemical Analysis, Vol. 3. For steroids and other derived lipids, see (Blout-50, 53), (Freeman-53). For high sensitivity to carboxylic acids, see (Mitchell-56) (Pobiner-63).

For measurements of extremely small amounts, for 30×10^{-12} gms. of hemoglobin, see (Clark-60A), and for microspectrophotometry through reflecting microscope, see (Barer-59); for review on trace measurement, see (Stewart-59). For other specialized techniques, for compact IR spectrophotometer designed for automatic composition analysis of lunar and planet soils, see (Lyon-63), for IR photometry of CO_2 obtained by pyrolysis of unknown organic compounds, see (VanHall-63).

For IR spectra data collections on substances of interest here, see excellent work of (Sadtler), others of (U.S. Nat. Bur. of Standards), biblio. of IR spectra (Clark-57), gas data (Pierson-56) lipoprotein atlas (Freeman-53). For other discussion on biological materials, see (Andrasina-61); and on complex molecules (Bellamy-58).

Ultraviolet Absorption Spectroscopy: For specific classes of substances of interest such as nitrogen compounds, for amino acids, indoles, uric acids, purines and pyrimidines, see the massive spectral graphs of (Sadtler), and data of (Stimson-52). Also for purines, pyrimidines, and ribonucleic acids, see (Cheng-63). For various other organics, acetone, hippuric acid, also see (Sadtler), (Spector-56). For vitamins and such steroid hormones as estrone, androsterone, see (Loofbourow-43).

Currently, sensitivities in commercial spectrometers are claimed to 10⁻⁸ gm. for organics. For microspectrophotometry allowing very low level measurements, for pioneer work, especially on nitrogenous biochemicals (as intracellular constituents in situ) see writings over 20 years of Caspersson at Karolinska Institute in Stockholm, and more recent adaptations, the rapid scanning "cytoanalyzer" UV microspectrophotometer also good for trace substances, made for U.S. Government by Airborne Instruments Laboratory.

Colorimetry: Visible absorption measurements in selected fixed spectral bands are made on compounds of interest to which substances must be added to produce or evoke color. Simple instruments and technique for urine, feces, etc. and extensive tables on procedures and sensitivities for specific substances are prepared by commercial instrument vendors. For automatic colorimetric analysis, see (Skeggs-57); literature on the autoanalyzer by the Technicon Co., and papers of Raymond Jonnard (Prudential Life Insurance Co. in New Jersey). For other procedures data, see (Halvorson-50), (Kruse-53); (Meites-63).

For illustrative data on specific, relevant substances, data for such amino acids as glycine to 0.4 parts per million, isoleucine 3 p.p.m., and a good general discussion, see (Meites-63). See Meites also for such sugars as xylose to 30 p.p. billion, fructose to 5 p.p.m.; also for high sensitivities for arginine (Salake-58), adenine (Davis-63); lactic acid (Tfao-52), ammonia (Kruse-53).

Emission Spectroscopy:

Flame Photometry: Measurements may be made with very high sensitivity, for specific elements from biological products, to parts per billion for some elements (Robinson-61) (Gibson-63). To the frequently measured substances sodium, potassium, also calcium and magnesium handled with simple instruments, are added others observable including Aluminum, Tin, in very low concentrations. For useful data, see Methods of Biochemical Analysis, Vol. 3.

Electrical Discharge: Long used for metallurgical study, technique has special utility for biological measurement. In this, it has very high ultimate sensitivity; nanograms per liter for Aluminum, Tin, Silver, Copper, Manganese, Lead (Cholak-38), and better than part per billion sensitivity for other substances. (Author unknown, for "5 P.P.B. Sensitivity, Anal. Chem. 32: 51A, 1960), also (Methods of Biochemical Analysis, Vol. 3).

Measurements of trace minerals in urine by this technique (Lead, Manganese, Copper, Aluminum, etc.) on comparative ethnic basis (French, Mexicans, Americans, certain Mexican Indians) show significant concentration profile differences directly associated with the soil mineral distribution in the area in which the individual has spent most of his life (Kehoe-40). This could be an important ethnic separation technique ("Man ist was er isst!"). While chief measurements are on mineral elements, for organic vapor emission data, see (McGrath-61B).

Fluorescence Spectroscopy: Excitation of substances of interest by UV yields reemitted radiation for analysis of longer wave length. Substances may fluoresce directly or require chemical treatment to produce this.

Illustrating specific fluorescences of interest and extreme sensitivities, uric acid at 0.7 p.p.m. (Duggan-57), guanine at 0.1 p.p.m. (Long-61), aromatic aldehydes and acetals (Crowell-63), arginine (Conn-59). For more data on specific compounds, see (Long - Biochemist's Handbook-61), for method, see (Udenfriend-62), (Meites-63). Claims of ultimate sensitivities to 10^{-13} gm. have been made.

X-ray Spectroscopy: Ammonia and various nitrogen-containing biochemicals can be determined in submicrogram quantities (Mathies-62) who has extensively surveyed use of this technique in biology.

Raman Spectroscopy: Certain samples excited with bright narrow-band visible light re-emit weak bands on slightly different wavelengths. Effect is based on special vibration-rotation properties similar to those involved in IR molecular absorption, except that one can use visible spectral observation. Previous

limited use (because its source brightness, spectral purification, detector sensitivities were not good enough), now will change with availability of very bright narrow band laser sources, ultrasensitive and synchronous detectors, etc. (see July, 1963 Scientific American for illustration of very new laser Raman spectroscopy).

For measurements on specific substances of interest on human detection, for amino acids, cystine, alanine, histidine at low levels, see (Edsall-50); for others (Nicholson-60), (Ewing-60). For related new instruments and methods, see (Mangini and others in "Advances in Molecular Spectroscopy").

Mass Spectroscopy: This technique of analysis and identification of elements and compounds by their mass offers great sensitivity and selectivity. For some, early stationary magnetic instruments can be replaced with miniaturized RF-electric field mass analyzers good enough for satellite work. Early use for element analysis, is now extended into observation of certain organic compounds, but limited to study of structure and bonding in these compounds, since each substance put in for analysis generates a very complex "fingerprint spectrum" empirically identified with the substance, with the specific instrument and its conditions of use. A mixture of organic unknowns is almost impossible to resolve and identify at the present time, but if pre-separation and purification as by gas chromatography is applied, phenomenal sensitivities are possible.

For specific substances of interest studied: for element lines catalog (Owens-62); a variety of organics (McLafferty-63); steroids (Fitches-63). For food volatiles directly analyzed (Bazinet-60) or measured after gas chromatographic separation, see (Merritt-58, 59, 61).

For other uses: for complex ions, see (Heath-62); dissolved sea substances (Benson-61); rapid reaction studies (Goldfinger-63). Good general recent references include (Ellicott-63), (Udenfriend-62), (Masica-60), (Ewald-53).

Magnetic Resonance Spectroscopy:

Electron Spin Resonance (ESR): Some interesting possibilities for detection assert themselves here. Free radicals and reaction intermediates, paramagnetic substances such as oxygen, other substances with unpaired orbital electron spin properties can be observed to phenomenally low levels, e. g. to 10^{13} free radicals (Commoner-58), (Crouthamel-61A) with hope of extension to 10^9 free radicals.

Amino acids, polypeptides and proteins, exhibit free radical content measurable by this technique, after their irradiation with ultraviolet (Gill-62). In other experiments of (Norins-62) a dermatologist, human skin, irradiated with 250 MU UV, shows free radical production measured by ESR apparatus (with sample in a magnetic field, and illuminated with 9500 mc. electromagnetic radiation). The work was limited to isolated material, and extended observations made by low temperature thermostating. Both Gill and Norins' work should be extended to experiments in UV irradiation of intact skin on a man (arm, hand, etc.), at normal skin temperatures, then observing free radical production in suitably designed ESR apparatus.

Further, it would be reasonable to carry out a short theoretical study, of remote ESR observations of free radical production at skin surface, of man (at various assumed and arbitrary free radical production levels) assessing levels of excitation UV needed, and analytic illumination prospects (required magnetic and RF fields).

Other activated intermediates are observed by ESR in enzyme controlled reactions (Chance-59). Observations of such intermediates in nerve (Blois-61) have encouraged preliminary work of (Kelly-63) (at Brooklyn Polytech. Inst. for Air Force office of Scientific Research) to attempt to observe remotely by ESR (without contact electrodes on tissue) neural activity, including signal traffic. His theoretical construct revolves around assumptions derived from work of Nachmansohn, etc. an acetylcholine free-to-bound form changes associated with nerve fiber membrane alterations with signal traffic. At the time of his last available report, apparatus had not yet been completed for remote observation or experimental validations been obtained, even on isolated peripheral nerve segments. If observations of this type show significant signals due to neural activity, these should be extended to near proximity whole animal and human measurements, and tied to the theoretical analysis of far remote ESR viewing suggested above for skin.

Nuclear Magnetic Resonance: This technique revolves around nuclear (rather than orbital electron) interactions with applied magnetic and electromagnetic radiation fields.

For direct observation and data on specific substances of interest; for quantitative organic measurement, see (Williams-58), saturated and unsaturated fatty acids and protons in any materials (Jardetsky-62), phosphorus (Callis-50). For specific hydrocarbon (petroleum fraction) analyses, see (Williams-59B). For general references, see (Muller-56), on biological applications, see (Jardetsky-62).

Electrochemical Techniques.

For continuous measurement of certain substances produced by humans, various electrode probe sensors can offer high sensitivity, specificity, and good response time. For Na and K (glass) electrodes, see (Friedman-59, 61); and descriptions of good commercial instruments (illustrated by Beckman Co. data, also available from them for O_2 , CO_2 and pH electrodes). For Ca electrode, see (Ishizawa-62). For other polarographic electrodes usable for various gases, see (Dehn-62). For discussions on polarographic measurement at very low concentrations of a wide variety of substances in solution, see recent editions of definitive review books by Heyrovsky, Lingane.

Anodic stripping techniques offer nanogram sensitivities for certain substances (Birks-60), for use with the trace components of Dead Sea brine, as example, see (Ariel-63).

Other electrodeposition techniques have extreme sensitivity and specificity for certain elements of interest (Weissenberger-60), down to micromicrograms in some measurements (Stolyarov-54).

Other Techniques.

Trace measurements of multiple components in biological material by radioactivity activation analysis is described by (Tobias-62), for heavier elements (Harrison-55) and in various places by (Udenfriend). Sensitivities of better than 10^{-15} gm. are attainable with adequate scintillation detectors. See (Crouthamel-61B) and other references in sections on Radioactivity in this report.

For extremely high sensitivity measurements, below 10^{-12} gm. which may be necessary for some human emitted components of interest, while no documentation is provided here, the reader should look for recent papers on nucleation techniques (eg. using halide photoemulsions, Nieset films studied by Army Chemical Corps, evaporated thin film semiconductor detectors); also the phenomenon of "fluorescence quenching".

IV. Physical Signal Sensing.

a. General Comments.

Discussion in the next few pages of specific sensing techniques and sources of information, should be related to the information in sections elsewhere on physical signal properties of man, and their environmental modification. A brief discussion follows those techniques, on systems considerations in sensing. Adequate source material is believed to be available to the reader here, to carry out system analyses of several alternate systems embodying different physical phenomena, and to construct a common model describing their behavior.

b. Radiation Sensing.

Radio and Microwave Sensing.

Heat production by man results in radiant energy emission chiefly in infrared, but also in a "tail" at low levels well into the microwave. Sensitive radiometers can observe this emission relative to surround. (See Hooper). "Calculation of target temperatures in Microwave Radiometry" Naval Ord. Lab, Corona, Cal., and microwave radiometer surveys for terrain mapping (Porter-60). For radiometers see (Copeland-61), X-band phototube (Douglas Air-63) millimeter masers (Walling-62). Other microwave (thermal radiation) measurements (Dicke-46), and general sensing biblio. (Harvest-56). For auxiliary techniques, for millimeter spectroscopy on various substances (Gallagher-62), microwave spectroscopy (Strandberg), microwave absorption measurements (Salaty-59), and "active" observations are to be considered if target is to be illuminated, see (e.g. work on coherent generation of radiation in the millimeter and submillimeter range (Hakki-61) and 100 KW 3 mm. radiation sources (Sedin-62).

Infrared Sensing.

For detector data, see (Gelinas-59), passive techniques (Barnes Eng.-59), survey of (Kennedy-60) (Levinstein-62), (Kruse-63), (Wrobel-63), for uncooled 10U detectors (Drennan-63). For recent unclassified reviews of IR-visible image converters, see (Woodhead-62) also one able to view man at 150 yards on moonless night with 45 lines/mm. resolution (Franks-62).

For supporting information on IR spectrophotometers, on accuracy (Stewart-60), 2-16U calibration substances (Plyler-60), or air borne units, see (Brumfield-60); for far IR units (Bohn-53); for filter separation up to 16U see (Billian-63). Other data, on mineral identification and measurement, see (Tuddenheim-60); IR instruments measurement, and environment problems on Atlantic missile range (Marquis-61), pulsed modulation IR systems (Wilson-60), extremely high power coherent sources, if human subjects will require illumination (Baird-62).

For basic IR references, see (Hackforth-60), (Kruse-62), review of analytic techniques (Bentley-57); military applications (Ballard-56), see also infrared Symposia (IRIS) classified reports in ASTIA.

Visible Light Sensing.

Much data are available in the current commercial literature on a wide range of photosensors (emissive, conductive, em.f. producing), image forming pickup tubes, spectrophotometers adaptable for field measurements of properties covered in this report.

If active illumination techniques are to be considered, for reflectance analysis, movement detection, behavior disturbance induction, range finding, the following open literature sources on lasers may be of value: laser range finders (Karr-63), detection of movement by Doppler means (Emerling-61), several physical property reviews (Birnbaum-62) (Blattner-63) and (Siron-62) who provides a thorough systems analysis for sources, transmission medium, receiver target, etc.

Ultraviolet Sensing.

For detectors, 50-1500A review, see (Weissler-62), for good survey of "solar blind" detectors sensitive under 3000A, see Dunkelmann's papers in 1963 NASA Report Series.

For supporting concepts, on UV-transmitting fluids for ultra-rapid shutters (Kerr electro-optic) see (Harris-62); interference filters (Klementyevs-60); 2000-3000A solar spectrum simulation (Norman-63), new UV laser (continuous wave, with piezo electric interference modulator) (Sylvania) perhaps usable in stimulation of free radical production in man (discussed elsewhere in this report).

For other data: military considerations on detector reflectance, scattering, calibration, see (LeBlanc-62); other middle UV applications (Green-62).

X-ray Sensing.

If unique human contrast properties are to be observed, at useful ranges with respect to air transmission, source data here may be helpful in analysis and detector selection: for image forming devices, x-ray camera tube (Rutherford-62), x-ray to visible light converter (Tunge-59). See also commercial descriptions of the range of fluoroscopic image intensifiers available.

Energy sensitive detectors, will be needed to separate sharp signals deriving from human bone Ca-P or other human characteristic return from noise background. See those used by (Porges-58) and (Gravitt-62) at ERDL.

Other Radiation Sensing Information.

For specific sensing studies for terrestrial (Drummond-61) radiometry for unenclosed object temperature (Emslie-60); photodetection parameters study (Merriam-62); spectroradiometry (Marchgrabers-59); remote sensing of environment, symposium (Institute Sci. Tech., U. Mich.). See, of course, also the annual lists of publications from Project Michigan on radiation surveillance detectors.

For good systems surveys over broad spectral ranges, of spectral suitability for communications, surveillance, (and discussion of all component measurements) for 30-10,000A see (Bayley-62) for UV to submillimeter, see (Chapman-61).

For other related data: reflectance spectrometry of opaque biological materials for chemical (composition) analysis (Shibati); from electromagnetic pulse sources and detection biblio. (Blank-63), electromagnetic hazards

(Triggering) of ordnance (Gallios-62), electro-optic and magneto-optic phenomena (Rung-59).

c. Sound and Vibration.

Airborne Sound.

In considering active illumination and sensing analysis, see "Human Attributes and Contrasts, Physical" for reflectance and other factors.

For sensing in active or passive systems (of human activity, etc.) in ultrasonic regions, see (Kamm-62), ultrasonic physics (Richardson-62), also L. Bergmann "Ultrasonics" in English translation. For measurements in various regions, see (Beranek), and related physical acoustics data (LuKasik-55), (Bolt-52) and Olsen at R. C. A. on "Acoustical Engineering".

For observation of behavioral changes induced by sound (not observable by sonic techniques), see "Stress and Induction of Behavioral Responses. "

Seismic:

For passive observation, see seismic measurement data of (Bartunek-55), (U. S. A. F. Technical Applications Center and VELA-61), for seismic data processing (Phinney-62) and Soviet seismometry review (U. S. Lib. Congr. -61). In active observation, excitation of earth may be done by the explosive techniques of geophysical exploration, or, specific surface patterns induced by continuous excitation of vibration generator (aircraft "shaker" dynamic structural analyzer) and return anomalies due to human presence sought.

d. Other Physical Sensing.

Radioactivity:

See discussion under Human Physical attributes, Radioactivity, for active illumination sensing and passive sensing techniques, including those of special capability used for aircraft landing glide path aids.

For other references in this field copiously represented in the military measurement literature for sensors, see new nuclear radiation guide (U. S. A. F. Aerospace Med. Lab. -62) dosimetry field review (Taimuty-62), methods for assaying human radioactivity (Onstead-60) neutron radiography (Schultz-61) and neutron spectrometer (Friedland-62); reactor effluent analysis (Melgard-62).

Electric and Magnetic Field Sensing.

See discussion under Environmental Modifications, "Physical Signals" concerning measurement techniques.

"Non-Destructive Testing"

A variety of laboratory methods involve non-contact or remote observation and inferences about specific physical properties of materials (e. g. optical, mechanical, thermal electrical). These are chiefly extensions of techniques discussed elsewhere in this report, but can tell much about surface, internal structure, composition, loading, etc. Detailed analysis of some of these successful methods could suggest other physical and chemical attributes and properties of humans to be viewed remotely and perhaps other remote information-conveying methods. For general references, see handbook (McMaster-59), biblio (Briggs-62) surface motion measurement by proximal

instrumentation (Pierce-62B). For optical methods, see (Heavens-61) and photography for surface motion (Hefferman-62). For electrostatic observation of mechanical changes (movement and acceleration, pressure), see (Brookes-Smith-39). For radiography, see (Schultz). Microwave reflectance can yield quantitative evaluation of dielectric constant and conductivity of surfaces (Hochschild-63).

By sonic methods, some in ultrasonic ranges from 0.2-100 mc/s., spectroscopic techniques and return pulse contour analysis (Gericke-60, 62) and co-workers at Watertown Arsenal look for internal discontinuities and flaws in objects "illuminated;" residual stress is measured by sonic scattering (Rollins-62), and surface hardness, ultimate strength other properties may be examined. See (Morgan-63) for ultrasonic testing techniques for diverse materials. For precise analysis many methods require that transmitter-receiver be coupled to object through liquid medium, but limited analytic measurements for materials properties can be made through an air (atmospheric) link.

e. Physical Systems Considerations.

No attempt has been made to construct a human detection analytic model in this preliminary study. Further analysis will require identification and inventory of operating parameters for each of the major components of the system. A few are illustrated below:

Human target variables to be further defined can include geometric projected area, active emission and/or scattering (and reflection) coefficients and cross sections, emissivities; their spectral, geometric (e.g. angular), time dependence; polarization, energy transformation functions (fluorescence, radioactivation, etc.); for skin and also for selected clothing, metallic and conducting objects, other companion artefacts.

Environment parameters include: background-source variables (emissions, reflections of animals, plants, terrain, atmosphere) with the same factors and dependencies for human target. Other environment signal transmission parameters describe air transfer function and spectral dependence (highlighting bandpass regions), and ground transmission for seismic, electrical, magnetic signals; variations with weather (RH, temperature), time. Transmission factors must be considered for 2 way path if active illumination of subject is used; return signal transmission may be different (due to fluorescence, radioactivation, non-linearities of air for high intensity sound, etc.).

For receiver variables, consider aggregate "black box" of sensor, amplifier, signal conditioner (calibrator, wave shape, correlator, etc.) indicator device. Variables include sensitivity, amplitude range time-based band width, radiation spectral band width, spectral resolution and spectral scan pattern, optical acceptance angle, image resolution environment scan and track variables.

If observer uses active illuminant source, variables can include: total intensity, spectral distribution, degree of coherence, modulation wave form, beam angular dispersion, ratio of target to background illumination.

System variables to be derived include contrast ratios (selected human signal variables versus corresponding environment background level); energy product-integral (integrated for selected bandpass regions) taking into account (source spectral emission, target and background spectral emission and reflection, air, etc. spectral transmission receiver spectral sensitivity). Of interest are total sensitivity, working range, human contrast ratios for positive identification, angular resolution.

These are all but a preliminary and primitive point of departure for construction of a theoretical model for predicting the comparable effectiveness of various physical phenomena in human detection, and could be made broad enough to permit study of chemical variables and chemical detection systems. Military and civilian surveillance system analysts have a great number of satisfactory systems models for such analyses; they await only good information on new aspects of human emissions and contrasts.

F. OTHER RELATED INFORMATION

I. Stress and induction of Behavioral Response

In concealed enemy, "illumination" by physical, chemical, biological or psychological means, may induce additional behavioral and neural responses useful for detection. Such responses may be obligatory, unavoidable, physiological, or related to the induction in enemy mind of real or fancied threat to mission and life.

Return signals from such behavioral and neural response may take the form of various direct emissions (ex: EEG changes), body movement and activity responses, or indirectly contribute by placing the enemy into a more exposed position for detection, or by alteration of his course of action, or temporary or permanent neutralization of rational behavior, remove him as a threat.

In brief form we consider specific stresses and performance changes, light, sound, movement restriction, sleep deprivation, CW alteration, other physical and chemical stimuli having psychological impact. Many initial physiological degradations discussed are but way-stops towards reduced psychological performance capability.

Light Stress. Flickering light was investigated by many as a means for degradation induction; for broad coverage of human responses, see the ERDL Flicker Symposium (Bach-57). For detail on various central nervous effects, see (Walter -49) more recently (Brazier-2 refs) including EEG changes and generation of illusion and hallucination. For other mechanisms, topographic mapping of regional brain responses see (Ulett-58). Repetitive light, also called "photic" stimulation, is used diagnostically at low light pulse repetition rates (under 15/sec) to evoke seizure activity or EEG changes in latent epileptics or those with CNS lesions. EEG response events in normals have a certain synchrony with the repetitive light stimulus, and if human neural activity could become observable by non-contact methods, remotely (discussed elsewhere in this report), a photo-stimulation-synchronous detection system might be considered for man.

In normal people at low repetition rate of pulsed light stimulation sensation is of separate light pulses up to a point of continuous light sensation (CFF at critical flicker fusion frequency). For extensive data on this, see bibliography of (Landis-53), studies of (Bartley- 37, 39, 51) prolonged stimulation effects (Alexander-59); alteration of CFF with simultaneous patterned sound stimulation (Kravkov-35A, 35B) (Knox-45A, B) (Maier-61) (Ogilvie-56). If paired flickering sources operating at different frequencies are used simultaneously, an additional sensation of visual beats (at difference frequency) is produced. (Attneave-50). These various effects described by authors above can be produced even when eyelids are closed, if source is bright enough, and for certain desired effects (behavioral alteration, neural signal return) repetitive pulsed laser beams may be considered for this purpose, with exploration yet needed of effects of stimulus pattern and waveform, other than simple repeated pulses.

Personal protectors, goggles, mask, countering this would have to be applied in advance, would obscure the use of vision for other tasks at the time, and would be an extra equipment burden not likely to be carried by enemy forces, except under total threat conditions.

Direct electrical stimulation of the head and of the eye can induce visual sensation (Bogoslowsky-37, 47A, 47B) (Bowman-35-51). No documentation has been seen of such induction by remote electromagnetic radiative or electric field action.

Another light stress involves use of a bright unexpected flash source, producing temporary incapacitation, perhaps during important viewing periods, or persisting to destroy night vision or permanent blindness.

Related Visual Capabilities Information:

Degradation must be considered in relation to standards of performance, for a given operational task. The following will provide useful sources on operational needs for vision in reconnaissance, search and detection recognition. For detectability in visual search, target factors, see (Kulp-59); and contrast as a function of illuminant spectrum, see (Nagel-56); for dark adaptation responses bibliography (Crook-53); for continuous search problems, (Delse-53) (Ericksen-54). For form discrimination (Fox-57) and its determinants (Bitterman-53) for other pattern recognition concepts see (Weisz-58), and in relation to target geometry (Steedman-60). For other visual capability in the action environment, see (Blackwell-57A, 57B), and in special problems of military aviation (Wulfeck-58). Visual presentation of information (Baker-54) and visual interpretation of photographs and fixed electronic images, see (Waldron-61) (Gwier-56) (Shenkle-56).

Sound and Noise Stress

Noise is observed to have many effects on human behavior. (Corso-50-52), (Anthony-57) (Azrin-58), for animals (Ades-53) (Ackerman-53). (Hale-53); for biological changes. Sensory changes include altered visual performance (Broadbent-54) (Loeb-54); including altered visual signal detection (Watkins-63). Noise also can produce body movement changes (Krauskopf-55), and muscle tremor (Loeb-54).

Intermittent noise has special effects, somewhat similar to flickering light. At low interruption rates it is perceived as separate pulses (flutter), fusing into continuous sound sensation at higher rates (Allen-24) (Ogilvie-56) (Gebhard-59). Interrupted sound degrades a variety of mental capabilities (Ogilvie-56) (Gebhard-59), also inducing confusion, inattention (Mowbray-56). For other CNS effects see (Smith-50), and for EEG responses and changes, see (Mimura-62).

Speech communication (production and reception) can be systematically altered. For speech jamming, see bibliography (Moyer-55), (Christman-57B) (Licklider-57), and (Stewart-58). Stewart also discusses anti-jamming procedures.

Sound and noise sensation, and disturbances due to them, can be induced in man with RF energy directly beamed at the head. See (Frey- 61A, 61B, 62),

using fairly low energies, a variety of frequencies and modulation patterns. (This might be classified as Radiation Stress, RF Reception, etc).

High intensity audio or ultrasonic airborne sound has distinctive effects on living material, close to the sound source, unfortunately not observable afar (more than a few feet) because of the limited properties of air to conduct this energy (non linearities at higher amplitudes).

High intensity vibration. Special effects on man, surveyed by (Edwards-50) (Coermann-60) (Goldman-52, 61).

Related Hearing Capability Information

For normal performance capability data, for noise detection, see (Green-60A) sound localization (Snow-54) (United Research-62); accuracy in gun fire localization (U. S. Army ORO-58); and localization capability with conflicting hearing and visual cues (Witkin-52). For hearing vs. vision, for communications see (Cheatham-50), (Day-50), (Henneman-54).

Other Stressors

For temperature effects, for low temperature, see (Carlson-54)(Rodahl-57A) human temperature limits, (Wing-63), (Fenning-54). Heat regulatory responses (Newburgh-59).

For sleep deprivation effects (100 hrs.), see (Edwards-41), psychological changes (Murray-58), other impaired performance (Williams -59). For work-rest schedule change effects (Ray-60), (Chiles-61). For altered daily patterns and performance effects (Brindley-54).

For restriction of movement and confinement, effects on exploratory behavior (Montgomery-53), perceptual function changes, see (Ormiston-61), and responses of captives (Biderman-61A, 61B). For sensory deprivation and behavior see (Wheaton-59), (Leiderman-61) and effect in visual processes (Heron-56) for sensory isolation and confinement biblio. see (Weybrew-60).

Many drug agents offer possibilities of incapacitating potential (see any good recent pharmacology compendium such as Goodman and Gilman). With these and newer psychopharmacological materials (see "Psychopharmacology" published by U. S. National Research Council) there are manifold possibilities for promoting detection by physiological alteration and CNS sharp edged "chemical dissection" for behavior distortion, not to be catalogued here. Documentation of specific potential agents, and supporting techniques and possible modes of use having tactical worth related to the detection problem are kinds of information best sought from such sources as the restricted accessions lists and card catalog of holdings of the Army Chemical Laboratory at Edgewood, Md., Army Biological Laboratory at Detrick Md., etc.

For other drugs affecting performance see one biblio. (Trumbull-58).

For thirst data see (Wolf-58).

Microwave Stressor Effects: Functional disablement and death without pathology is reported, for Rhesus monkeys, by Dr. P. Bailey of NIH - National Institute for Neurological Diseases and Blindness; with similar results reported, using 300 mc. carrier, 500-1000 cycle sine modulation (see Bach, p. 82 U.S.A.F. 3rd Annual Triservice Conf. on Microwave Hazards). For sleep induction by pulsed RF see (Burhan-59). Visual system damage includes lens opacity and tissue degeneration, for 3 cm. data, see (Buchanan-61) (Susskind-51); at 10 cm. (Carpenter 59, 62). For other CNS degradations see conditioned response experiments of (Jaski-61)

For induction of hearing sensation see (Frey-61A, B, 62). For skin damage see (Novaro-50). For other hazards see reviews (Turner-62) (Schwan-56A, 59) (Hines-52) (Jaski-61); for pathological and physiological changes (Herrick); for effects on isolated tissues (Schwan-57B) and on specific organs (Myrtenko-62A) other local effects (Myrtenko-62B).

Responses to Applied Electric Fields: Electric signals can induce visual sensation (with electrodes applied to head). Fairly low power is involved see (Schwarz-38) for quantitative data re stimulus quality, adaptation (Schwarz-40A, 40B, 47) (Motokawa-49, 50A), certain resonance effects (Motokawa-50B), selective color stimulation (Motokawa-52),. For the specific eye and CNS structure responsible for electrosensitivity, see (Brindley-55) and for sensation induced in dioptrically blind (retina intact but cornea, lens opaque) see (Barnard-47).

Electrostimulation techniques for hearing are being investigated by (Intelectron-63). Electrical sensitivities of skin presently are only exploited in communications studies with all variables of voltage, current, waveforms and spatial patterns available from this. See (Anderson-51), (Hawkes-59A, 59B), (Foulke-62). No direct attempts have been made to use remote electrical methods for inducing some of the bizarre sensations or hallucinatory responses relative to the common special senses described above. Direct or remote electrostimulation as a stressor has the potential of inducing a variety of degradation responses. (See wide range of papers and monographs on Electro Shock in the psychiatric literature). But some of the effects set down are interesting enough to explore the parameters and mechanisms for remote induction of behavioral response by electrical means.

Other Comments on Psychological Stressors: A good starting point for review of disabling techniques can consider the inverse of those factors found to promote survival and stable behavior in disaster situations, as those below, modified from (Smith and Cox-57) studying reduction of human stress after irradiation, and (Torrance-53) on survival psychology: many specific physical or chemical stressors can be used to induce one or more of these actions: impose new situations, unfamiliar to enemy, and designed to make certain of his training worthless; keep him as ignorant of his true situation inducing his disorientation if possible; (see Withey-56 - reaction to uncertain threat). Induce fear, panic, anxiety, insecurity as to his future situation. For source references: on anxiety,

initiation , its communication and interpersonal management (Ruesch-49), anxiety induction and intellectual function (Beier-51); fear-arousing communications (Janis-53), anxiety and hysteria dynamics (Eysenk-57); deception detection (Ellson); seek to reduce his belief in his own effectiveness and his resolve and determination, induce personal conflict, reduce confidence in his leadership; seek to modify his action, either immobilizing him, or forcing hasty action.

Magnetic Field Stressor Actions: No definitive data on human degradations in exposure to strong magnetic fields was seen in the literature although preliminary explorations by (Beischer 62A,B) in such exposures have begun.

For induced visual sensation see (Swinton-11) for quantitative analysis strength-duration data, typically at 900 gauss, 60 cycles (Barlow-47).

For other speculations on human responses to magnetic field stresses see (Hansen-48A), who postulates the autonomic nervous system as the mediator of such effects (Hansen-49), other vague physiological effects statements (Thompson-10) (Fleishman-22).

Other Behavioral Responses to Stress: Vigilance can be defined as attention to a task involving important infrequent events. (e. g. for anti-submarine warfare biblio. - see McGrath-61A). For vigilance reduction, see (Frazer-52) (Wade-61) and for general neglect of attention to changes in surroundings, see (Berlyne-51).

For fatigue sensation and performance impairment, behavioral and physiological changes, see biblio. (Bevan-57) for measurement (Motakawa-48) and induction, see (Bowen-52), for skilled performance degradation, see (Bartlett-41), and biblio. (U. S. Joint Service Steering Committee for Human Eng'g.), for other effects, see (Univ. of Md. Psychol. Dept-52),

Various odd behavioral responses, biblios. of military psychiatry (Roos-59, 63); ecology of psychiatry (Meerlo-59).

Other Changes in Response to Stress: For general reviews see (Grinker -45) (Lazarus-52) (Harris-56) symposia (Tyhurst-50) and others (Klier-60) (Renbourn-61), biblio. (USASTIA-Bib. -62) (U. S. Army Med. Service Grad. School-53) physiological and behavioral measures (Notterman-55), biblio. on development of stress-sensitive tests (Iller-53) decrement in aircraft stress (Finan-49) c basic performance capacity study (Spector-61), desert survival responses (Howard-53).

Heart rate in anxiety (Dean-58) and CV changes related to religious practice (King-57); conditioned heart rate response, control (Bers-57).

Skin secretory changes under emotional stress have been classically studied (C. Darrow-34) also by (Conklin-51) (Johnson-59) by measurements of skin resistance and other electrical changes (e. g. GSR or galvanic skin response). Such changes will affect the pattern of released chemical substances, also in changes of surface conductivity, skin blood distribution etc. may be observable as electromagnetic radiation emission or reflection changes.

II Some Other Human Spotting or Remote Data Transmission Problems

Casualty Location:

Even when individuals are equipped with small beacon transmitters, and are deployed around the terrain in stationary semi-concealed positions, simulating casualties, it is difficult to find them: (See records of survival location experiments conducted by Stanford Research Institute at Army Combat Development Experiment Center in Calif., with average locating time 1/2 hour (U.S. -CDEC-61). Urgent desire of Army Surgeon General's Office to locate personnel (casualties) quickly because of hemorrhage etc. despite difficulties of security, enemy decoys, radio propagation, has promoted studies chiefly of manually and autotriggered active emitters (radios) carried by all, (eg. 265 mc., a few milliwatts, 500 yard range). While we cannot hope to put active emitters on enemy ("bell the cat"), broader surveys of various active and passive information links for casualty location have been undertaken; this information and the experimental procedures used in deploying concealed casualties under realistic tactical conditions, can be of value in conducting concealed personnel detection experiments or studying alternate locating techniques. See also (Jackson-62) and from Air Force Study on survivor locating devices, see (Matrix Corp-61).

Physiological Performance Telemetering:

To assess human biological and psychological changes at tasks in remote or enclosed environments (aircraft, satellite, undersea, land vehicle, chamber), varieties of transducers applied to the body measure biopotentials (EKG, EEG, ERG), blood pressure, respiration, temperature newer variables; electrical signals produced modulated RF or inductive transmitters mounted on the person or wired within the environment, and remote decoding of signal is done in "real time." Only little encouragement is available for remote sensing of any of these variables, of characteristic patterns denoting human life without the transduction of each variable into a modulated RF signal. Exception would be skin temperature (and associated IR emission), perhaps other passive (reflectance and scattering) responses to electromagnetic radiation, particles cited elsewhere in this report. But the basic internal human signals, (e.g. of EKG, respiration, heat production) exist in roughly invariant pattern as long as life persists in the man and represent an interesting but presently elusive "handle" to get at for remote detection.

Animal Tracking:

Similar data on physiological conditions, and on movements are collected in recent animal studies; for radios on grizzly bears, see (Craighead) other wild animals (Lord), woodchucks (Merriam). There are similar studies on birds especially related to navigation, for fish homing (Hasler and Henderson), on monitoring of locomotor and electrophysiological activity, see (Dutky and Schechter of Dept. of Agriculture). In future human detection experiments, ~~transmitters~~ placed on some of the large members of the animal population in the selected area, will provide location correlates for other physical and chemical interferences with the human location principle under study.

III. BW-CW Detection Problem Similarities.

Aid in analysis and solution of the human detection problem can certainly be derived from the past and present efforts on BW and CW detection with which many points of correspondence exist. Air sampling, collection and concentrating its contents into a convenient volume for chemical, physical or biological analytic instrument, must take into account the same kinds of micrometeorological (e. g. temperature and movement gradients, turbulence) mechanical (devices) statistical (space and time sampling) and chemical problems, whether for remote observation of human chemical product, or trace amount of chemical toxic or biological pathogen. Additional similarities exist in distinguishing the agent (or human product) from background substances from animals, plants, industrial wastes, etc., and in the selection of specific and known compounds in the tissue or products of microorganisms unique to those organisms (e. g. amino sugars, D-amino acids, diamino pimelic acid, etc.) (see Wolochow-59).

For good speculative early surveys of a wide variety of techniques for BW detection, see (Bateman-51) and more definitive reviews of many possible physical and chemical principles for BW detection by a National Research Council Advisory Committee, see (Bolduan),

For a few examples of some common instrumental approaches, see particulate viable-particle stain and size distribution analyses (Nyman-62); protein analysis in air, at 10^{-9} g/l (Buban-62); determination of microorganism IR spectra (O'Connor-Dept. of Agriculture-55); determination in atmospheric paths of IR absorption by certain CW agents (LOPAIR technique); for a variety of early protein and bacterial methods (fluorescence, serologic, dyes, see (Armour Research Foundation-54); for more recent biochemical detection methods, using bacterial enzymes and fluorescent techniques. See (Mitz-62) and for exploration of chemical concentration profile procedures, see (Melpar-61). For general review of use of living materials as transducers for BW detection, see (Kornfield-62A, B, C, 63).

To get current information, consult the work in progress on new techniques by two major BW Detection System Study Contractors (Melpar-Falls Church, and Aerojet General, in California), in behalf of Ft. Detrick, Physical Defense Division; the corresponding CW Detection efforts monitored at the Army Chemical Laboratory and CBR Agency at Edgewood, the reports disseminated through DDC (formerly ASTIA) "Field of Interest Sections 3 and 3A", and the Technical Document Library resources at Army Chemical Lab and Army Biological Lab.

IV. Other Useful Information Sources.

In the course of our review, the following sources were examined, and may be useful to a reader going further in study of areas described in the report. These are not cited elsewhere in the report.

Biology: For distribution and abundance of animals, and ecology, see (Andrewartha-54), (Clarke-54), (Clements-39) (Kendeigh-61) (Alee-49) (Odum-59), including a glossary (Carpenter-56) and animal geography (Hesse-51), (Darlington-57) (Hubbs-58) (U.S.A.F. Arctic Aeromedical Lab Publications-1962). For wild animal studies under controlled conditions see (Calhoun-56), for animal attractions and repulsions (Coleridge-20), animal orientation (Fraenkel-40); for ecology of parasites, see (Baer-51) and for host specificity (Becker-35). For insect physiology, see (Wigglesworth-53), on bumblebees (Free-59), yellow fever mosquito (Christopher-60), and other mosquitoes (Bates-49), spiders (Bristowe-58), ticks (Arthur-62), and insect control biblio (Horrigan-51). For mammals, see field guide (Burt-47), also (Anthony-28) (Hamilton-59), mammal bioclimatology (Pruitt-56), and tropical and arctic mammal and bird heat (Scholander-50). For falcons studies as pets and hunting animals, see (Russell-40) (Momin-45) (Wood-55).

Chemical Analysis: For amino acid separation, see (Hamilton-59); for amino acid automatic analysis (Piez-60); and for amino acid handbook (Block-56). For ammonia determination, see (Connerty-57) (Henry-58) and for on detection and differentiation of glucose and amines, see (Williamson-63). For lipid biochemistry see (Devel-55), and for all the properties of water in early work, see (Dorsey-40). For general biochemical reference, see (Merck Index-60), normal clinical lab data (Mattice), big compendium on methods (Gradwohl), other standard methods (Welcher-63), industrial toxicological chemistry (Elkins-59), drug detoxication mechanisms (Williams-59A); for insect biochemistry, see (Gilmour-60).

Perfume Chemistry: related to identification by scent producing animals, chemical composition of scents, chemoreceptors and biosensing (discussed elsewhere). General references (Askinson-24) (Hoffman-48) (Pounder) (Jellinek-54) good work of (Givaudan-49); (Moncrieff-49); (Verrill-40), others on animal perfumes (Sagarin-44), (Lederer-46), musk odorant composition (Pogert-20) (Ruzicka-26), natural and synthetic musks (Dyson-31); mercaptans in cosmetics (McDonough-47); also on cosmetic materials (Keith-56) (Sagarin-57), handbooks (Greenberg-54) (Denavarre-57); and for flavors and essences (Gazan-36).

Physiology and Psychology: For some useful items consulted, see neurophysiology handbook (Magoun-60); cardiorespiratory functions, handbooks (Altman-58, 59); (Dittmer-58) (Gordon-60); gastro intestinal function (Alvarez). For environmental physiology (Glascick-60). For Physiological and Biological Data for Bioastronautics Handbook, see (U.S.A.F. School of Aerospace Medicine, Brooks A.F.B., Texas, and 19 year cumulative biblio. of research reports issued by Naval School of Aviation (aerospace) Medicine (Daniel-61).

Other Scientific References: See periodic publications as biblios. of following: for electronics (U.S. Army Electronics R & D Lab, Ft. Monmouth), Radiation Effects Info. Center (Battelle-63) 1962 OakRidge National Lab (Johnson-62); (U.S.A.F. European Office of Aerospace Research-62) and basic Research resumés from U.S.A.F. O.A.R. (U.S.A.F. Res. Div.-59), U.S.A.F. Flight Test Center 10 year publications list (Lemmon-63). See also Proc. 5th Ann.

Naval Science Symposium (U. S. O. N. R.): biblios from Aero Establishment (Nat'l Res. Council of Canada-62); translation lists of (Royal Aircraft Establishment, UK-61), science and technol. reports from (Indian Council for Science and Industrial Research).

Selected Military Information Sources: For Limited War problems review by DoD task group, see (U. S. DoD. Director of Defense Research and Eng'g-61A). For limited war biblio (Halperin-61).

For Guerilla Warfare, see (U. S. C. I. A. -50, 62) (Virgil-60, 61), Fort Sill biblio (Holloway-62), Marines biblio (Johnstone-61), Air Force biblio (U. S. A. F. Acad. Lib. -61) and (U. S. Army Field Manual F. M. 31-21). For others on counter-insurgency, biblio (Vigneras-62), Marine biblio (U. S. M. C. -62) (Condit-63), DoD. biblio. (U. S. J. C. S. Spcl. Ass't for Ctr.-Insurg. -62); training biblio (Osanka-62A) (Hosmer-63). Others on special warfare, biblio (U. S. Army Spcl. Warfare School-62) and Fort Sill Biblio (Holloway-61), operation against irregular forces (F. M. 31-15), Ranger training (F. M. 21-50), evasion and survival (Green-57), theory of search for conscious evader (Norris-62).

For other sources; jungle operations (F. M. 31-30); mountain operations (F. M. 31-72); psychological operations biblio (U. S. Army Spec. Ops. Res. Ofce. -60). Unconventional war concepts (Condit-56) and biblio (Miller-61). For counter-guerilla action by air, see (Osanka-62B), and for visual target acquisition from armored helicopter (Thomas-62). For military small group performance in isolation and stress, see (Sells-61), factors relating to successful and unsuccessful unit action (McKay-59), and for military leadership biblio. (Ruch-53).

For related Asian regional data, see Asian Guerilla movements (Hanrahan-53) and biblio. from (Army) operations Research Office (U. S. O. R. O. -54), anti-guerilla action in S. E. Asia (U. S. Navy-62). For earlier military actions in three Asian theaters, see (Barchan-O. R. O. -53), S. E. Asia (Human Relations Area Files, at Yale). For Laos communist strategy, see (Halperin-RAND) and Indonesian communist tactics (Parker-RAND-60); for S. E. Asia Combat Team Studies, see (Clark-58).

G. SUGGESTED FURTHER WORK

A useful extension of this survey, its sources and findings, can include the areas of study highlighted below. We have starred(*) those which appear most promising. These specific recommendations made do not rule out the further analysis in depth of all of the major areas touched on, and the continuing contact with the literature and active workers in each field. That further broad scale analysis is the major way to obtain all of the information needed to complete a proper comparative evaluation of the possibilities presented.

Recommendations include review efforts, analyses, or experiments, either in support of a primary concept (sebum analysis data), or in test of the primary concept itself (EG. controlled experiments on biosensing of sebum, or of dog tracking of sebum trails). The work suggested here may be intended to make up for data deficiencies in the literature, or to present a positive outlook towards the testing of a good prospective detection concept. Where experiments are suggested, it is assumed that they will not take an inordinate amount of experimenter time and skill, that apparatus can be assembled or designed fairly easily.

On Human Attributes:

1. Assemble a collection of foreign medical teaching texts, hospital manuals, lab data books, published locally in principal geographic regions of interest, and containing indigenous "normal value" data, on urine, feces, sweat. These would be books in biochemistry, clinical lab analysis, pathological physiology, etc.

2. Carry out gas chromatographic analytic separation of whole sebum from skin of various ethnic groups, fresh and after bacterial decomposition; for use in identifying sebum components, maintaining a sebum "fingerprint" library, and making available sebum materials for sensing experiments and tracking studies.

3. Conduct simple experiments on the remote observation of disturbance by man of natural magnetic and electric field patterns, as indicated within report.

*4. Conduct experiment on the observation by ESR (Electron Spin Resonance) techniques of the free radicals which may be produced by intact human skin, after excitation with UV radiation, in suitably designed equipment, and after the manner of the successful isolated skin experiments herein.

5. Make simple spectral reflectance measurements on skin of a much broader variety of ethnic groups of interest, than now found in the literature (as sampled in this report), using wide-band (Middle-UV to middle-IR) spectrophotometer, compact recording type of commercial design.

6. Assemble data on spectral reflectance, UV through IR of current clothing and special force's combat equipment, or representative samples of enemy equipment (where such measurements are not available from QMRE, ERDL, Naval Materials Lab, supplement with measurements made as in 5 above.

7. Assemble tables of "normal values", urine, feces, sweat, from the special information sources set down in 1.

8. Carry out comparative analyses of the "normal values" data from 7 above, and "North Atlantic Normal" data as found in sources contributing to the table in this report; to unearth significant differences in specific fractions, or in concentration profiles.

9. Assemble data on human reflectance and scattering of x-rays, over a wide energy band, as available from diagnostic and therapeutic radiology and health physics reference sources.

10. Review suitable literature to establish validity of hypothesis that human tissue trace mineral composition is a function of soil mineral content in the region where the human spent his years to maturity.

Environmental Background

* 11. Assemble data on plant contributions to the chemical background in air, from measurements of Dugway Proving Ground, other sources cited within report.

12. Arrange to receive airborne material chemical and biological samples, from regional environments of interest, either through any systematic collection and surveillance measurements made by CBR Agency, PHS, or Army Surgeon General; etc; or by providing collection equipment as extra job for assigned special forces personnel.

13. Carry out comparison of human product components and concentrations, with those from animal and plant sources (listed in report) and with plant and general environment substances in 11 and 12 above; to unearth human products which are entirely unique or have high concentration ratios (human products/other products).

Sensing

* 14. Conduct simple experimental series, with isolated tissue materials set up as biosensors, and exposed to selected human products. Series can include: frog skin and electrical measurement; guinea pig intestine, heart, aorta strip with mechanical contraction measurement; exposure to whole sebum or its fractions, etc. See description in report of these biosensors.

* 15. Carry out simple similar experiments using selected chemoreceptor isolated preparations, arranged for electrical measurement; using for example: antenna of silkworm moth, parts of blowfly, etc. Stimuli can be as in 14 above.

* 16. Carry out experiments in attempt to sensitize guinea pigs to human sebum and some of its fractions (from individuals and pooled sebum). If serological methods show this to be successful, prepare isolated intestine strips from some of these sensitized animals, for experiments as in 14 above, but seeking enhanced response to sebum.

17. Carry out comparative analysis to match up list of known human excreted products, with their counterparts in proven specific chemosensitivities of good chemoreceptor preparations, to obtain more suitable preparations for experiments as in 15 above.

* 18. Carry out short analysis of the several possibilities for ESR (Electron Spin Resonance) observation by remote means. Maintain surveillance over the work cited in report being attempted on non-contact ESR studies for signals from nerve.

19. Carry out analysis of possibilities for detection of characteristic X-ray signal return from humans, in conjunction with search for very high intensity developmental X-ray sources (perhaps x-ray lasers).

* 20. Prepare a good theoretical systems model, using the concepts outlined in the report, which would be useful in common for systems detecting either physical or chemical attributes, and employing physical, chemical, or biological sensing; and test out this model for predictive capability for sensitivities needed of detectors for various effects, etc.

H. BIBLIOGRAPHY

ABBOTT C THE TARSAL CHEMICAL SENSE OF THE SCREWORM FLY /TO UREA/ PSYCHE, CAMBRIDGE MASS 35 201	28
ABBOTT C OLFACTORY SENSE OF COLEOPTERA /NECROPHORI TO SKATOL ONE PART IN TEN MILLION/ ANN ENTOM SOC AMER 20 207	27
ABBOTT C THE CHEMICAL SENSES OF SPIDERS BULL BROOKLYN ENT SOC 31 212	36
ABBOTT C THE EFFECTS OF TEMPERATURE AND HUMIDITY ON THE PROBOSCIS RESPONSE OF THE BLOWFLY LUCILIA SERICATA MEIG TO ODOROUS SUBSTANCES ABSTR DOCT DISSERT NO 25 OHIO STATE U	38
ABOUD A OXYGEN GAS CONTINUOUS ABSORPTION IN THE EXTREME ULTRAVIOLET J OPT SOC AMER 45 767	55
ACKERMAN E ANTHONY A BERGER R SOUND ABSORPTION AT THE SURFACE OF SMALL LABORATORY ANIMALS ZZWRIGHT AIR DEV CENT, OHIO WADC TECH REP 57-461 JUNE	57
ACKERMAN E BIOLOGICAL EFFECTS OF HIGH-INTENSITY SOUND WAVES WADC TR 53-82 JAN	53
ACKERMAN E FARWELL R ODA F ACOUSTIC ABSORPTION COEFFICIENTS OF THE SURFACE OF LABORATORY ANIMALS J ACOUST SOC AM 30 1105	58
ACKERMAN E ODA F ACOUSTIC ABSORPTION COEFFICIENTS OF HUMAN BODY SURFACES ZZPENN STATE UNIV, UNIVERSITY PARK, PENNA ZZBIOMED LAB AEROSPACE MED DIV AF SYST COMMAND WP-AFB, OHIO ZZZ AD283387 MRL-TDR-62-36 APRIL	62
ACREE F THE ISOLATION OF GYPTOL, THE ATTRACTANT OF THE GYPSY MOTH J ECON ENTOM 46 313	53
ACREE F THE CHROMATOGRAPHY OF GYPTOL AND GYPTYL ESTER J ECON ENT 47 321	54
ADACHI B SMELL OF EUROPEANS GLOBUS 83 14	03
ADAM J DAILY VARIATIONS IN PHYSIOLOGICAL VALUES FOR EUROPEAN AND ASIAN MEN WORKING AT HIGH TEMPERATURES IN THE TROPICS ZZMED RES COUNCIL, LOND	

RNP REP NO 53/749	53
ADAMS J A CHAMBERS R W RESPONSE TO SIMULTANEOUS STIMULATION OF TWO SENSE MODALITIES J EXP PSYCHOL 63 198	62
ADAMS T RENNIE D THE COMPARATIVE TOLERANCE OF NEGROES AND CAUCASIANS TO A STANDARDIZED COLD STRESS AS INDICATED BY BODY TEMPERATURE AND METABOLIC RATE ZZARCTIC AEROMED LAB TR 57-20 SEPT	57
ADES H DAVIS H AN EXPLORATORY STUDY OF THE BIOLOGICAL EFFECTS OF NOISE ZZTHE U OF CHICAGO, CHICAGO, ILL ZZZ AD24685 BENOX REPORT DECEMBER 1	53
ZZADMIRALTY RES LAB AND TELECOMMUNICATIONS RES ESTAB ATMOSPHERIC TRANSMISSION IN THE 1-14 MICRON REGION ARL/R4/E600 DEC	50
ADOLPH E PHYSIOLOGY OF MAN IN THE DESERT INTERSCIENCE, NY	47
ADRIAN E OLFACTORY ADAPTATION J PHYSIOL LOND 112 38	50
AIRKEM, INC, NY ODORS AND SENSE OF SMELL, A BIBLIOGRAPHY	52
ALBERT R E PALMES ED EVAPORATIVE RATE PATTERNS FROM SMALL SKIN AREAS AS MEASURED BY AN INFRARED GAS ANALYZER J APPL PHYSIOL 4 208	51
ALBRITTON E ED STANDARD VALUES IN NUTRITION AND METABOLISM HANDBOOK OF BIOLOGICAL DATA PART TWO, PREP FOR AIBS-NRC HANDBOOK CMTEE, PUBLISHER USAF ZZZ AD36384 WADC REP WADC TR 52-301 DEC	53
ALDRICH T A CHEMICAL STUDY OF THE SECRETION OF THE ANAL GLANDS OF MEPHITIS MEPHITICA J EXP MED 2	96
ALEKSEEVSKII E ANALYTICAL CHEMISTRY BY SMELL TRUDY LENINGRAD KHIM. TEKH INST USSR 10 116	41
ALEXANDER A EWER D A CHEMORECEPTOR IN THE SCORPION S AFRICAN J SCI 53 421	57
ALEXANDER H CHILES W	

AN EXPLORATORY STUDY OF PROLONGED INTERMITTENT PHOTIC STIMULATION ZZAEROSPACE MED LAB, WRIGHT AIR DEV CENT, WPAFB, OHIO ZZZ AD233854 WADC TR-59-715 NOVEMBER	59
ALEXANDER H BIOMAGNETICS ZZNO AMER AVIA, SPACE INFO SYS DIV, L.A., CAL	61
ALEXANDER H BIOMAGNETICS - THE BIOLOGICAL EFFECTS OF MAGNETIC FIELDS AMER J MED ELECT 1 181	62
ALLEE W PRINCIPLES OF ANIMAL ECOLOGY SAUNDERS, PHILA	49
ALLEN F ON THE CRITICAL FREQUENCY OF PULSATION OF TONES PHIL MAG 47 941	24
ALLEN S TABLE OF MASS ABSORPTION COEFFICIENTS FOR X-RAYS AND GAMMA RAYS PG 2183 IN HODGMAN, C - HANDBOOK OF CHEMISTRY AND PHYSICS CHEMICAL RUBBER PUB	52
ALLEN W OLFACTORY AND TRIGEMINAL CONDITIONED REFLEXES IN DOGS AM J PHYSIOL 118 532	37
ALLISON J DIETARY PROTEINS IN HEALTH AND DISEASE	60
ANNOTATIONS OF SMALL GROUP RESEARCH STUDIES ALTMAN I PENDLETON C TERAUDS A ZZHUMAN SCIENCES RESEARCH, ARLINGTON VIRGINIA ZZAF OFFICE OF SCI RES, AIR RES AND DEV COMMAND WASH DC ZZZ AD248440 AFOSR-TN-60-1208 HSR-RR-60/5-GN OCTOBER	60
ALTMAN P, ED HANDBOOK OF RESPIRATION ZZCMTEE ON THE HANDBOOK OF BIOL DATA, NAT RES COUNCIL ZZAERO MED LAB, WRIGHT AIR DEV CENT, OHIO ZZZ AD155823 WADC TECH REP 58-352 AUGUST	58
ALTMAN P, ED HANDBOOK OF CIRCULATION - VOLUME OF HANDBOOK OF BIOLOGICAL DATA ZZNRC AND USAF, WASH WADC TR 59-593	59
ALTMAN P, ED BLOOD AND OTHER BODY FLUIDS IN BIOL HANDBOOK SERIES FOR CMTEE ON BIOL HANDBOOKS, FED AM SOC EXP BIOL, WASH DC	

ZZZ AD265150 REPORT USAF-ASD-TR 61-199 JUNE	61
ALTNER H OLFACTORY ABILITY AND THE STRUCTURE OF THE NOSE OF THE SOUTH AFRICAN FROG XENOPUS LAEVIS Z VERGL PHYSIOL 45, 272	62
ALVAREZ W INTRODUCTION TO GASTROENTEROLOGY HOEBER, NY	XX
AMDUR M PHYSIOLOGICAL RESPONSE TO ATMOSPHERIC POLLUTANTS AM INDUST HYG ASSN J 22 1	61
AMER COMM FOR INTERNATIONAL WILDLIFE PROTECTION THE PRESENT STATUS OF THE MUSK OX IN ARCTIC NORTH AMERICA AND GREENLAND	39
AMER CONF OF INDUST HYGIENE AIR SAMPLING INSTRUMENTS	62
AMERICAN GEOGRAPHICAL SOCIETY WHITE SETTLERS IN THE TROPICS	XX
AMER INST OF BIOL SCI, WASH ANIMAL SOUNDS AND COMMUNICATION	XX
AMER INST OF CROP ECOLOGY, WASH DISEASES AND PESTS OF ECONOMIC PLANTS OF INDOCHINA ZZARMY CHEM CORPS ZZZ AD150823 DEC	57A
ZZAMER INST OF CROP ECOLOGY, WASH THE PHYSICAL ENVIRONMENT, LAND USE, FARM CROPS, AND AGRICULTURAL PRACTICES OF CENTRAL AND SOUTH CHINA, HONG KONG AND TAIWAN-FORMOSA- WITH SOME CLIMATICALLY ANALOGOUS AREAS IN SOUTHEAST ASIA ZZDEPT OF THE ARMY ZZZ AD149946 DEC	57B
AMER SOC OF PERFUMERS EXPERIMENTAL FINDINGS ON ODOR AND OLFACTION AMER PERFUM AND COSMET 76 39	61
ANDERSON A THE SENSITIVITY OF THE LEGS OF COMMON BUTTERFLIES TO SUGARS J EXP ZOOL 63 235	32
ANDERSON A MUNSON W ELECTRICAL EXCITATION OF NERVES IN THE SKIN AT AUDIO- FREQUENCIES J ACOUST SOC AMER 23 155	51

ANDERSON D M
APPLICATIONS OF INFARED SPECTROSCOPY VI RECENT DEVELOPMENTS
IN TECHNIQUES OF INCREASED SENSITIVITY FOR THE ANALYSIS OF
GAS LIQUID CHROMATOGRAPHY FRACTIONS AND OTHER SMALL SCALE
SAMPLES
TALANTA 8 832 61

ANDERSSON B LANDGREN S OLSSON L
THE SWEET TASTE FIBRES OF THE DOG
ACTA PHYSIOL SCAND 21 105 50

ANDRASINA J KRUPA C
A FILM PROCESS FOR THE INFARED SPECTROPHOTOMETRIC
MEASUREMENT IN BIOLOGICAL MATERIAL
BIOCHEM Z 335 212 61

ANDRES L
MAGNETOTROPISM IN PLANTS
NATURE 185 132 60

ANDREWARTHA H
THE DISTRIBUTION AND ABUNDANCE OF ANIMALS
U OF CHICAGO PRESS 54

ANIKINA N
ON THE ADAPTATION OF CHEMORECEPTORS
BULL EKSP BIOL MED, USSR 50 24 60

ANNE A SAITO M SALATI O
RELATIVE MICROWAVE ABSORPTION CROSS SECTIONS OF BIOLOGICAL
SIGNIFICANCE
PROC FOURTH ANNUAL TRI-SERVICE CONF BIOL EFFECTS
MICROWAVE RADIATION 1 153 60

ANNE A SAITO M SALATI O
PENETRATION AND THERMAL DISSIPATION OF MICROWAVES IN TISSUES
ZZELECTROMED LAB UNIV OF PENNSYLVANIA
ZZROME AIR DEV CENT, GRIFFISS AFB, NY
ZZZ AD284981
RADC-TDR-62-244 JUNE 14 62

ANTHONY A ACKERMAN E
BIOLOGICAL EFFECTS OF NOISE IN VERTEBRATE ANIMALS
ZZPENN STATE UNIV
ZZWRIGHT AIR DEV CENT, OHIO
ZZZ AD142078
WADC TECH REP 57-647 NOV 57

ANTHONY H
FIELD BOOK OF NORTH AMERICAN MAMMALS
PUTNAM, NY 28

ANTONIS A BERSOHN I
THE INFLUENCE OF DIET ON FECAL LIPIDS IN SOUTH AFRICAN
WHITE AND BANTU PRISONERS
AM J CLIN NUTRIT 11 142 62

APPLETON D
THE BLOODHOUND HANDBOOK
NICHOLSON AND WATSON, LOND 60

APPLEZWEIG M PSYCHOLOGICAL STRESS AND RELATED CONCEPTS, A BIBLIOGRAPHY ZZDEPT OF PSYCHOL, CONN COLLEGE, NEW LONDON ZZGROUP PSYCHOL BRANCH, OFF NAVAL RES ZZZ AD158085 TR 7 DEC	57
APTE S VENKATACHALAM P FACTORS INFLUENCING DERMAL LOSS OF IRON IN HUMAN VOLUNTEERS IND J MED RES 50 817	62
ARAB Y BEHAVIORAL RESPONSE TO ELECTRICAL STIMULATION OF CHEMORECEPTORS IN THE BLOWFLY J INSECT PHYSIOL 2 324	58
ARCTANDER S PERFUME AND FLAVOR MATERIALS OF NATURAL ORIGIN PUB BY AUTHOR, ELIZABETH, NJ	60
ARIEL M EISHER U TRACE ANALYSIS BY ANODIC STRIPPING VOLTAMMETRY 1 TRACE METALS IN DEAD SEA BRINE J ELECTROANAL CHEM 5 362	63
ARMOUR RES FOUNDATION, CHICAGO METHODS FOR FIELD DETECTION OF PROTEINS AND BACTERIA ZZCHEM CORPS BIOL LABS, FT DETRICK, MD ZZZ AD38690 LITERATURE SURVEY REP NO 2 MARCH 19	54
ZZARMOUR RES FOUNDATION, CHICAGO CREATURE COMMUNICATION ZZAF AVIONICS DIV, COMMUN LAB ASD WADD ZZZ AD270802 REPORT ON AF 33/616/7724 OCT	61
ARNEST R ATMOSPHERE CONTROL IN CLOSED SPACE ENVIRONMENT /SUBMARINE/ ZZNAVAL MED RES LAB, NEW LONDON ZZBUR OF MED AND SURGERY, NAVY DEPT ZZZ AD270896 REP NO 367 VOL XX NO 21 DEC 14	61
ARTHUR D TICKS AND DISEASE PERGAMON, NY	62
ASATON A KERR D AMINES IN BLOOD AND URINE IN RELATION TO LIVER DISEASE CLIN CHEM 6 149	61A
ASATON A KERR D DIURNAL VARIATIONS IN RENAL EXCRETION OF ELECTROLYTES URIC ACID AND TOTAL AMINO N IN VARIOUS RENAL DISEASE AND IN ESSENTIAL HYPERTENSION CLIN CHEM 6 637	61B
ASHBURN E WELDON R SPECTRAL DIFFUSE REFLECTANCE OF DESERT SURFACES	

J OPT SOC AM 46 583	56
ASHTON E EAYRS J MOULTON D OLFACTORY ACUITY IN THE DOG NATURE, LOND 179 1069	57
ASKINSON G PERFUMES AND COSMETICS- THEIR PREPARATION AND MANUFACTURE HENLEY PUB	24
ATTNEAVE F MCREYNOLDS P A VISUAL BEAT PHENOMENON AMER J PSYCHOL 63 107	50
AUTHOR UNKNOWN CALCIUM IN SWEAT NUTR REVIEWS 21 1	63
AUTHOR UNKNOWN DOGS IN THE JUNGLE INFANTRY J 56 33	45
AUTHOR UNKNOWN FIVE PART PER BILLION EMISSION SPECTROSCOPY SENSITIVITY ANAL CHEM 32 51A	60
AUTHOR UNKNOWN PROCEEDINGS TRISERVICE CONFERENCE ON MICROWAVE HAZARDS OF RADIATION PLENUM PRESS NY	60
AUTHOR UNKNOWN SKIN DISEASES IN THE AFRICANS LEWIS, LOND	XX
AUTHOR UNKNOWN /10 TO MINUS 14TH GMS/SEC DETERMINATION BY FLAME DETECTORS FOR ARGON/ ANAL CHEM 32 56A	60
AYLWARD WILLIS LIPID EXCRETION 1. STEROLS AND STEROL ESTERS BRIT J NUTRIT 16 339 AYLWARD F LIPID EXCRETION, PART TWO, FRACTIONATION OF HUMAN FAECAL LIPIDS BRIT J NUTRIT 16 345	62
AZRIN N SOME EFFECTS OF NOISE ON HUMAN BEHAVIOR ZZHUMAN ENG LAB, ABERDEEN PROVING GROUND, MARYLAND ZZZ AD200847 TECH MEMO 6-58 JUNE	58

BACH L ERDL-TULANE SYMPOSIUM ON FLICKER ZZDEPT PHYSIOL TULANE U AND US ARMY ENG RES AND DEV LABS ZZZ AD255440 APRIL 6	57
BACHEM A THE ULTRAVIOLET TRANSPARENCY OF THE VARIOUS LAYERS OF THE HUMAN SKIN AM J PHYSIOL 91 581	29
BAER J ECOLOGY OF ANIMAL PARASITES U OF ILL PRESS	51
BAIRD J HEEREN R KUNZ W MEGAVOLT ELECTRONICS, SUB-MILLIMETER WAVE RESEARCH ZZELECTRICAL ENGNG RES LAB, U OF ILLINOIS, URBANA, ILL ZZELECTRONIC TECH LAB, AF SYST COMMAND, WP-AFB, OHIO ZZZ AD293827 ANNUAL REPORT NO 3 ASD-TDR-62-1032 DECEMBER 1	62
BAKER C GRETHER W VISUAL PRESENTATION OF INFORMATION ZZAERO MED LAB, WADC, WPAFB, OHIO ZZZ AD43064 WADC TR 54-160 AUG	54
BAKER E FOSKETT D A BIBLIOGRAPHY OF FOOD 1936-1956 BUTTERWORTHS, LOND	58B
BAKER P AMERICAN NEGRO-WHITE DIFFERENCES IN HEAT TOLERANCE ZZENVIRON PROT RES DIV, QM RES AND ENG CENT, NATIC MASS TECH REP EP-75 JUNE	58A
BAKER P /HEAT STRESS AND ETHNIC DIFFERENCES IN RESPONSE/ AMER J PHYS ANTHROPOL 16 287	58B
BALLARD S LARMORE L PASSMAN S FUNDAMENTALS OF INFRARED FOR MILITARY APPLICATIONS ZZRAND CORP R-297	56
BAN G SCATTERED RADIATION IN THE MIDDLE ULTRAVIOLET REGION - APPENDIX 7 ZZU CHICAGO LABS LAS-TR-E174-19	XX
BANG B G ANATOMICAL EVIDENCE FOR OLFACTORY FUNCTION IN SOME SPECIES OF BIRDS NATURE LOND 188 547	60
BARADI A BOURNE G LOCALIZATION OF GUSTATORY AND OLFACTORY ENZYMES IN THE RABBIT AND THE PROBLEMS OF TASTE AND SMELL NATURE 168 977	51

BARADI A BOURNE
GUSTATORY AND OLFACTORY EPITHELIA
PERFUM AND ESSENTIAL OIL RECORD 48 434 57

BARAZ L KHAYUTIN V
DIFFERENTIATION OF THE EFFECT OF CHEMICAL STIMULI ON THE
RECEPTORS AND SENSORY FIBERS OF THE SMALL INTESTINE
SECHENOV PHYSIOLOGICAL J USSR 47 59 61

BARBER G GALE R
INSTRUMENTATION FOR RESEARCH INTO UNDERWATER ACOUSTIC
PROPAGATION AND REVERBERATION
ZZADMIRALTY UNDERWATER WEAPONS ESTABLISHMENT, PORTLAND ENG
ZZZ AD294028
AUWE TECH NOTE 81/62 JUNE 62

BARBER S
CHEMORECEPTION AND PROPRIOCEPTION IN LIMULUS
Z EXP ZOOL 131 51 56

BARBER S HOLMBERG G BESSER S
MEASUREMENTS OF REFLECTING PROPERTIES OF VARIOUS AIRCRAFT
COATINGS WHEN ILLUMINATED BY A LASER
ZZAVIATION ORD DEPT US NAVY ORD TEST STATION CHINA LAKE CAL
ZZBUREAU OF NAVAL WEAPONS
ZZZ AD297746
NOTS TP 3114 JANUARY 63

BARER R
ASPECTS OF ULTRAVIOLET AND INFRARED MICROSCOPY
WITH THE BURCH REFLECTING MICROSCOPE
DISCUS FARADAY SOC 9 369 50

BARKER W BARKER S
EXPERIMENTAL PRODUCTION OF HUMAN CONVULSIVE BRAIN
POTENTIALS BY STRESS-INDUCED EFFECTS UPON NEURAL
INTEGRATIVE FUNCTION - DYNAMICS OF THE CONVULSIVE REACTION
TO STRESS
RES PUBL ASS NERV MENT DIS 29 90 50

BARLETT F C
FATIGUE FOLLOWING HIGHLY SKILLED WORK
NATURE 47 717 41

BARLOW H B KOHN H I WALSH E G
VISUAL SENSATIONS AROUSED BY MAGNETIC FIELDS
AMER J PHYSIOL 148 372 47A

BARLOW H B KOHN H I WALSH E G
THE EFFECT OF DARK ADAPTATION AND OF LIGHT UPON THE
ELECTRICAL THRESHOLD OF THE HUMAN EYE
AMER J PHYSIOL 148 376 47B

BARNARD R D
ON THE POSSIBILITY OF PRODUCING AN INTERPRETABLE VISUAL
IMAGE ON THE RETINA OF THE DIOPTRICALLY BLIND BY MEANS OF
ELECTRIC PHOSPHENES
OHIO J SCI 48 132 47

BARNES ENG CO

STUDY AND INVESTIGATION OF PASSIVE INFRARED RANGING TECHNIQUES QTLY REP 5 AF33/616/-5094 REPT SECRET AUGUST	59
BARNES H THERMOGRAPHY OF THE HUMAN BODY SCIENCE 140 870	63
BARNES M OSBORN H ATTRACTANTS FOR THE WALNUT HUSK FLY J ECON ENTOM 51 686	58
BARNICOT N DAILY URINARY 17-KETOSTEROID OUTPUT OF AFRICAN NEGROES LANCET 1 893	52
BARNOTHY M FIRST BIOMAGNETIC SYMPOSIUM, REPORT NATURE 193 1243	62
BARNWELL F WEBB H RESPONSES OF THE MUD SNAIL NASSARIUS TO EXPERIMENTAL REVERSALS IN THE DIRECTION OF VERY WEAK MAGNETIC FIELDS BIOL BULL 121 381	61
BARRUETO R B MEASUREMENT OF RATES OF EXCRETION OF SWEAT SOLUTES UNDER PHYSIOLOGICAL CONDITIONS J APPL PHYSIOL 14 435	59
BARTLEY S H THE RELATION OF RETINAL ILLUMINATION TO THE EXPERIENCE OF MOVEMENT J EXP PSYCHOL 19 475	36
BARTLEY S H THE NEURAL DETERMINATION OF CRITICAL FLICKER FREQUENCY J EXP PSYCHOL 21 678	37
BARTLEY S H SOME EFFECTS OF INTERMITTENT PHOTIC STIMULATION J EXP PSYCHOL 25 462	39
BARTLEY S CHUTE E FATIGUE AND IMPAIRMENT IN MAN MCGRAW-HILL, NY	47
BARTLEY S H INTERMITTENT PHOTIC STIMULATION AT MARGINAL INTENSITY LEVELS J PSYCHOL 32 217	51
BARTLEY S PRINCIPLES OF PERCEPTION HARPER, NY	58
BARTON F SALIENT OPERATIONAL ASPECTS OF PARAMILITARY WARFARE IN THREE ASIAN AREAS -U ZZARMY, OPERATIONS RES OFF ORO-T-288 REP SECRET APRIL	53

BARTSCH P BIRDS AND SMELL AUK 60 271	43
BARTUNEK P PRELIMINARY REPORT ON THE PROBLEM OF SEISMIC SENSING ZZCOLORADO SCHOOL OF MINES RES FOUNDATION, GOLDEN COLO ZZROME AIR DEV CENT, USAF, ROME NY ZZZ AD92620 RADC TN-56-30 SEPT 30	55
BASS D E ELECTROLYTE EXCRETION DURING COLD DIURESIS FED PROC 13 8	54
BASS D MAGER M BARRUETO R EFFECT OF A VAPOR BARRIER ON RATES OF EXCRETION OF SWEAT SOLUTES ZZQM RES AND ENG CENT, NATICK TR EP-103 MARCH	59
BATEMAN J A SPECULATIVE SURVEY OF THE PROBLEM OF DETECTION IN BIOLOGICAL WARFARE WITH SPECIAL REFERENCE TO THE BIOPHYSICAL APPROACH ZZCHEM CORPS, BIO LABS, CAMP DETRICK, FREDERICK, MD ZZZ AD264219 SPECIAL REP NO 154 APRIL 10	51
BATES F H RECENT ASPECTS IN THE DEVELOPMENT OF A CLOSED ECOLOGICAL SYSTEM AEROSPACE MED 32 12	61
BATES M THE NATURAL HISTORY OF MOSQUITOES MACMILLAN, NY	49
BATTELLE MEMOR INST, RADIATION EFFECTS INFO CENT, COLUMBUS ZZU.S. AIR FORCE ZZZ AD296769 REIC ACCESSION LIST 60 FEBRUARY 15	63
BATTISON M SETTING OF AN OLFACTOMETER PHYS MED BIOL 7 93	62
BAUMANN F /EXPERIMENTS ON SENSE OF SMELL IN THE VIPER/ REV SUISSE ZOOL 34 173	27
BAUMANN F /THE IMPORTANCE OF STINGS AND SENSE OF SMELL IN FOOD PROCUREMENT OF THE VIPER REV SUISSE ZOOL 35 233	28
BAUMGARTEN R BLOOM F OLIVER A RESPONSE OF INDIVIDUAL OLFACTORY NERVE CELLS TO MICROELECTROPHORETICALLY ADMINISTERED CHEMICAL SUBSTANCES ARCH GES PHYSIOL 277 125	63

BAWDEN D THE ESTIMATION OF B AMINOISOBUTYRIC ACID IN HUMAN URINE J CLIN PATH 16 284	63
BAWDEN H BIBLIOGRAPHY OF THE LITERATURE ON THE ORGAN AND SENSE OF SMELL J COMP NEUROL 11 2	01
BAYLEY D CAMPBELL J P SPECTRAL SUITABILITY MODULATION AND DETECTION TECHNIQUES IN COMMUNICATION WITH WAVELENGTHS BETWEEN 30 AND 10000 ANGSTROM ZZGENERAL PRECISION INC, PLEASANTVILLE NY ZZROME AIR DEV CENT, GRIFFISS AFB, NY ZZZ AD282726 FINAL REP PART 1 RADC TDR-62-244 VOL 1	62
BAZINET M MERRITT C DETERMINATION OF VOLATILE COMPONENTS OF FOODSTUFFS 2. DIRECT FRACTIONATION OF A SAMPLE ON THE MASS SPECTROMETER AND THE USE OF LOW IONIZATION VOLTAGE SPECTRA ZZQM RES AND ENG CENT, NATICK RES REP 11, ANALYT CHEM SERIES JUNE	59
BECKER E HOST SPECIFICITY AND SPECIFICITY OF ANIMAL PARASITES AM J TROP MED 13 505	35
BEDDARD F ANIMAL COLORATION MACMILLAN, NY	1892
BEDICHEK R THE SENSE OF SMELL DOUBLEDAY, NY	60
BEDOUKIAN P PERFUMERY AND SYNTHETICS AND ISOLATES VAN NOSTRAND, NY	51
BEDOUKIAN P PROGRESS IN PERFUMERY MATERIALS AMER PERFUM AND COSMET 78 24	63
BEEBE-CENTER J ROGERS M OCONNELL D TRANSMISSION OF INFORMATION ABOUT SUCROSE AND SALINE SOLUTIONS THROUGH THE SENSE OF TASTE J PSYCHOL 39 157	55
BEER B UEBER DAS AUFTRETEN SUBJECTIVER LICHTEMPFINDUNGEN IN MAGNETISCHEN FELDE WEIN KLIN WSCHR 15 108	02
BEETS M /OLFACTION/ AM PERFUMER AROMAT 76 54	61
BEGG M HOGBEN L CHEMORECEPTIVITY OF DROSOPHILA MELANOGASTER PROC ROY SOC B 133 1	46

BEHAN J DOGS OF WAR SCRIBNERS, NY	46
BEHRENS M THE ELECTRICAL RESPONSE OF THE PLANARIAN PHOTORECEPTOR COMP BIOCHEM PHYSIOL 5 129	62
BEIDLER L A THEORY OF TASTE STIMULATION J GEN PHYSIOL 38 133	54
BEIDLER L FISHMAN I HARDIMAN C SPECIES DIFFERENCES IN TASTE RESPONSES AM J PHYSIOL 181 235	55A
BEIDLER L TUCKER D RESPONSE OF /ISOLATED/ NASAL EPITHELIUM /OF OPOSSUM/ TO ODOR STIMULATION SCIENCE 122 76	55B
BEIDLER L FACTS AND THEORY ON THE MECHANISM OF TASTE AND ODOR PERCEPTION IN /CHEMISTRY OF NATURAL FOOD FLAVORS/ J MITCHELL, ED QM FOOD AND CONT INST CHICAGO	57
BEIDLER L PHYSIOLOGY OF OLFACTION AND GUSTATION ANN OTOL RHINOL LARYNGOL 69 398	60
BEIDLER L MECHANISM OF GUSTATORY AND OLFACTORY RECEPTOR STIMULATION IN SENSORY COMMUNICATIONS /ROSENBLITH W, ED/ WILEY, NY	61A
BEIDLER L THE CHEMICAL SENSES ANN REV PSYCHOL 12 363	61B
BEIDLER L BIOPHYSICAL APPROACHES TO TASTE AM SCIENTIST 49 421	61C
BEIER E THE EFFECT OF INDUCED ANXIETY ON THE FLEXIBILITY OF INTELLECTUAL FUNCTIONING PSYCHOL MONOGR 65 326	51
BEISCHER D RESEARCH ON THE EFFECTS OF VERY STRONG AND OF MAGNETIC FIELD-FREE ENVIRONMENTS ON MAN AND ANIMALS ZZUS NAVAL SCHOOL OF AVIATION MEDICINE, PENSACOLA, FLORIDA ZZOFF RES GRANTS AND CONTRACTS, NATIONAL AERO AND SPACE ADM R-39 JAN 29	62A
BEISCHER D SURVIVAL OF ANIMALS IN MAGNETIC FIELDS OF 120000 GAUSS ZZNAVAL AV MED CENT, PENSACOLA, FLA ZZZ AD284064	

RES REP NO 6 JULY 25	62B
BELL E LABORATORY MEASUREMENTS OF REFLECTIVITY AND EMISSIVITY ZZOHIO STATE U, COLUMBUS ZZAF, WADC, WPAFB, OHIO AUG	55
BELL E THE SPECTRAL RADIANCE OF THE SKY IN THE COLORADO SPRINGS AREA - BACKGROUND MEASUREMENTS DURING THE INFRARED MEASURING PROGRAM 1956 - IRMP56 ZZGEOPHYS RES DIRECT GRD NOTE NO 46	56
BELL E AN ATLAS OF REFLECTIVITIES OF SOME COMMON TYPES OF MATERIALS ZZDEPT OF PHYSICS AND ASTRON, OHIO STATE U, COLUMBUS ZZWADC, WPAFB, OHIO ZZZ AD141795 REP 659-6 JULY 18	57
BELL E E RADIOMETRIC QUANTITIES SYMBOL OF UNITS PROC IRE 47 1432 SEPT	59
BELLAMY L THE INFRARED SPECTRA OF COMPLEX MOLECULES WILEY, NY ED 2	58
BELTRAN A EMISSIVITY, AN ANNOTATED BIBLIOGRAPHY ZZLOCKHEED MISSILES AND SPACE DIVISION, CALIF ZZZ AD263182 SPECIAL BIBLIOGRAPHY SB-61-38 JULY	61
ZZBENDIX SYS DIV, BENDIX CORP JUNGLE CANOPY PENETRATION VOLUME 2- VEGETATION AND METEOROLOGICAL STUDIES ZZDEPT OF THE ARMY ZZZ AD296572 BSC 36175 JAN	63
BENEDICT F ZZCARNEGIE INST, WASH A STUDY OF PROLONGED FASTING	15
BENNET C SEABER W CHEMICAL COMPOSITION OF SCENT SUBSTANCES FROM CIVET PERFUM AND ESSENT OIL REC 19 14	29
BENNETT F RECLAMATION OF WASTE WATER ZZDOUGLAS AIRCRAFT, TULSA REP 1058 7-58-108 JULY	58
BENNETT L STALDER J DEVELOPMENT OF A PRECIPITATION PARTICLE SENSOR ZZRESEARCH DIV COLLEGE ENGN, N.Y. UNIV	

ZZARMY SIGNAL R AND D LAB, FT. MONMOUTH NJ FINAL REPORT 783 JUNE	62
BENNETT M THE WORLDS FOOD HARPER, NY	54
BENSON B PARKER P /MASS SPECTROMETER FOR ANALYSIS OF DISSOLVED SUBSTANCES/ DEEP-SEA RES 7 237	61
BENTLEY F ANALYTICAL APPLICATIONS OF FAR INFRARED SPECTRA, PART ONE, HISTORICAL REVIEW, APPARATUS AND TECHNIQUES ZZMATERIALS LAB, WPAFB, OHIO ZZZ AD142010 WADC-TR-57-359	57
BENTLEY P EFFECTS OF NEUROHYPOPHYSEAL EXTRACTS ON H2O TRANSFER ACROSS WALL OF ISOLATED URINARY BLADDER OF TOAD BUFO MARINUS J ENDOCRIN 17 201	58
BERGER C REESE H FEDER C A PSYCHOLOGICAL OPERATIONS BIBLIOGRAPHY ZZSPECIAL OPERATIONS RES OFF, AMERICAN U, WASH ZZDEPT OF THE ARMY ZZZ AD241434 MAY	60
BERL W PHYSICAL METHODS IN CHEMICAL ANALYSIS ACAD PRESS, NY	50
BERLYNE D E ATTENTION TO CHANGE BRIT J PSYCHOL 42 269	51
BERNARD E KARE M EDS BIOLOGICAL PROTOTYPES AND SYNTHETIC SYSTEMS VOL ONE PROC SECOND BIONICS CONF ITHACA NY PLENUM PRESS NY	62
BERRY, ED HANDBOOK OF METEOROLOGY MCGRAW-HILL, NY	51
BERSH P NOTTERMAN J SCHOENFELD W THE DISCRIMINATIVE CONTROL OF A CONDITIONED HEART RATE RESPONSE ZZDEPT OF PSYCHOLOGY, COLUMBIA UNIV, NEW YORK ZZUSAF SCHOOL OF AVIAT MED, RANDOLPH AFB TEX ZZZ AD140466 REPORT 57-29 APRIL	57
BEST M HAVILAND M SENSE OF SMELL IN THE GRAY GOOSE BRIT BIRDS 7 34	13
BETTS M A MOLECULAR APPROACH TO OLFACTION- IN MOLECULAR PHARMACOLOGY E ARIENS, ED	

ACAD PRESS	62
BEVAN W PATTON R SELECTED BIBLIOGRAPHY - FATIGUE, STRESS, BODILY CHANGE AND BEHAVIOR ZZHUMAN ENG DEPT, LOCKHEED AIRCRAFT, MARIETTA, GEORGIA ZZWRIGHT AIR DEV CEN, AIR RES AND DEV COMM, WPAFB, OHIO ZZZ AD118091 WADC TECH REP 57-125 APRIL	57
BHARADWAJ T URINARY AND PLASMA 17-HYDROSTEROIDS IN NORMAL ADULTS IND J MED RES 47 178	57
BIDERMAN A HELLER B EPSTEIN P A SELECTED BIBLIOGRAPHY ON CAPTIVITY BEHAVIOR ZZBUREAU OF SOCIAL SCI RES, WASH ZZBEHAVIORAL SCI DIV, AF OFF OF SCI RES, WASH ZZZ AD253964 AFOSR-295 FEB	61A
BIDERMAN A CULTURAL MODELS OF CAPTIVITY RELATIONSHIPS ZZBUREAU OF SOCIAL SCI RES, WASH ZZBEHAV SCI DIV, AF OFF OF SCI RES, WASH ZZZ AD257325 AFOSR 452 FEB	61B
BIDERMAN A ZIMMER H THE MANIPULATION OF HUMAN BEHAVIOR WILEY, NY	61C
BILLIAN C INVESTIGATION OF LONG WAVELENGTH INFRARED GLASSES ZZSERVO CORP OF AMERICA, HICKSVILLE, NY ZZRECONNAISSANCE LAB, AERONAUTICAL SYSTEMS DIV, USAF ZZZ AD295669 INTERIM ENGNG REP NO 3 JANUARY 15	63
BINET A PASSY J CONTRIBUTION A L-ETUDE DE L-OLFACTION CHEN LE CHIEN COMPT REND 2 659	96
ZZBIOPHYSICAL SOC, NY ABSTRACTS BIOPHYSICAL SOCIETY SEVENTH ANNUAL MEETING FEB 18	63
BIRKS L /TEN NANOGRAM SENSITIVITY BY ANODIC STRIPPING ANALYSIS FOR NICKEL/ ANAL CHEM 32 19A	60
BIRNBAUM M ELECTRONICS PROGRAM, OPTICAL MASER STUDIES ZZAEROSPACE CORP ZZAEROSPACE SYSTEMS DIVISIONS, AFSC, INGLEWOOD, CALIF ZZZ AD293197 DCAS-TDR-62-203 NOV 15	62
BISHOP D CALLAWAY D OCTAVE BAND ANALYSIS OF NOISE MEASUREMENTS OF SHIPBOARD	

LIVING QUARTERS, A STUDY OF THE VENTILATION NOISE PROBLEMS
IN NAVAL VESSELS
ZZARMOUR RESEARCH FOUNDATION, CHICAGO ILL
ZZU.S. NAVY
ZZZ AD11432
TECH REP NO 3 MARCH 25 53

BITTERMAN M KRAUSKOPF J
SOME DETERMINANTS OF THE THRESHOLD FOR VISUAL FORM
ZZUNIVERSITY OF TEXAS, AUSTIN TEXAS
ZZAERO MED LAB, WADC OHIO
ZZZ AD23337
WADC TECH REP 53-331 SEPT 53

BLACK, W
UNUSUAL FOODS FOR HUMAN CONSUMPTION
PROC NUTR SOC 12 32 53

BLACKMAN T
OBSERVATIONS ON SENSE OF SMELL IN CHIMPANZEES
AM J PHYS ANTHROP 5 283 47

BLACKWELL H
REPORT OF PROJECT MICHIGAN, OPTICS AND VISION
ZZU OF MICH ENGG RES INST, VISION RES LABS, ANN ARBOR
ZZDEPT OF THE ARMY
ZZZ AD138887
2144-85-P JUNE 57A

BLACKWELL H
OPTICS AND VISION
ZZUNIV OF MICHIGAN ENGG RES INST, VISION RES LABS ANN ARBOR
ZZZ AD149866
REPORT OF PROJ MICHIGAN 2144-184-P NOV 57B

BLAIR H DERN R FENN W
ABDOMINAL GAS
ZZNAT RES COUN, COMM ON AVIA MED
CAM REP 193 43

BLAIR H DERN R SMITH V
INTESTINAL GAS IN SIMULATED FLIGHTS TO HIGH ALTITUDES
J AVIA MED 18 352 47A

BLAIR H DERN R BATES P
THE MEASUREMENT OF VOLUME OF GAS IN THE DIGESTIVE TRACT
AM J PHYSIOL 149 688 47B

BLAKESLEE A SALMON T
GENETICS OF SENSORY THRESHOLDS- INDIVIDUAL TASTE REACTIONS
FOR DIFFERENT SUBSTANCES
PROC US NAT ACAD SCI 21 84 35

BLANK C
ELECTROMAGNETIC PULSE BIBLIOGRAPHY
ZZDEFENSE ATOMIC SUPPORT AGENCY, WASH DC
ZZZ AD296777
DASA NO 618 JANUARY 63

BLATTNER D GOLDSMITH G KISS Z
A RESEARCH PROGRAM ON THE UTILIZATION OF COHERENT LIGHT

ZZRCA LABS, PRINCETON N J ZZELECTRONIC TECH LAB, WRIGHT AIR DEV DIV, WP-AFB OHIO ZZZ AD296145 INTERIM REP NO 6 JANUARY 20	63
BLAU H MILES J ASHMAN L THE THERMAL RADIATION CHARACTERISTICS OF SOLID MATERIALS, A REVIEW ZZAF CAMB RESEARCH CENT, ELECTRONICS RESEARCH DIRECTORATE ZZZ AD146833 AFCRC-TR-58-132 MARCH 31	58
BLEICHMAR H DEROBERTIS E SUBMICROSCOPIC MORPHOLOGY OF THE INFRARED RECEPTOR OF PIT VIPERS Z ZELLFORSCH 56 748	62
BLISS E MIGEON C BRANCH C REACTION OF ADRENAL CORTEX TO EMOTIONAL STRESS PSYCHOMAT MED 18 57	56
BLOCK B BIOASSAY OF SYNTHESIZED GYPSY MOTH /P DISPAR/ SEX ATTRACTANT J ECON ENTOMOL 53 172	60
BLOCK M FUNCTION AND OPERATION OF THE FACIAL PIT OF THE PIT VIPERS NATURE, LOND 165 284	50
BLOCK R AMINO ACID HANDBOOK C THOMAS, SPRINGFIELD	56
BLOCK PAPER CHROMATOGRAPHY ACAD PRESS	58
BLOIS M FREE RADICALS IN BIOLOGICAL SYSTEMS ACAD PRESS, NY	61
BLOUT E THE INFRARED SPECTRA OF SOME PURINES AND PYRIMIDINES J AM CHEM SOC 72 479	50
BLOUT E LENORMANT H INFRARED SPECTROSCOPY OF BIOLOGIC MATERIALS IN AQUEOUS SOLUTIONS J OPT SOC AMER 43 1093	53
BOARD F PERSKY H HAMBURG D PSYCHOLOGICAL STRESS AND ENDOCRINE FUNCTIONS - BLOOD LEVELS OF ADRENOCORTICAL AND THYROID HORMONES IN ACUTELY DISTURBED CASES PSYCHOMAT MED 18 324	56
BOATMAN J HYPEROSMOTIC EFFECTS ON THE CAT THYROID PERFUSED IN VITRO AM J PHYSIOL 202 1035	59

BOBROVA N V	KRAYUKHIN B V	
MECHANISM OF THE EFFECT OF AN ELECTRIC CURRENT ON FISH		
FIZIOL ZHUR SSSR	47 94	61
BOGAN R	CHAPMAN D	ERICSSON L
AEROBIC BIOLOGICAL DEGRADATION OF HUMAN WASTE IN CLOSED		
SYSTEMS		
ZZUNIV OF WASHINGTON AND BOEING AIRPLANE CO, SEATTLE WASH		
PRESENTED AT SIXTH AN MTG AM ASTRO SOC NY PAPER-60-27 JAN 60		
BOGERT M		
CHEMICAL CONSTITUTION AND THE MUSK ODOR, MOLECULAR		
STRUCTURE AND SYNTHESIS OF ODOROUS COMPONENTS TO WHICH		
NATURAL SUBSTANCES OWE MUSK AROMA, CONNECTION BETWEEN		
CHEMICAL CONSTITUTION AND ODOR IN THE CASE OF THE		
HIGHER CYCLANONES		
AM PERFUM ESSEN OIL REV	24 15,235,357	29
BOGOSLOVSKI A I		
FUSION OF FLICKERS OF LIGHT INDUCED BY ELECTRICAL		
STIMULATION OF THE EYE		
BULL BIOL MED EXP USSR	3 303	37
BOGOSLOWSKI A I	SEGAL J	
LA PHENOMENOLOGIE DU PHOSPHENE ELECTRIQUE		
J PHYSIOL, PARIS	39 87	47A
BOGOSLOWSKI A I	SEGAL J	
ANALYSE DES FACTEURS PHYSIQUES ET PHYSIOLOGIQUES DAN		
L,EXCITABILITE ELECTRIQUE DE L,ORGANE VISUEL		
J PHYSIOL, PARIS	39 101	47B
BOHN C		
A SPECTROMETER FOR THE FAR INFRARED		
J CHEM PHYSICS	21 720	53
BOHNENKAMP H	ERNST H	
/RADIATING SURFACE AREA OF A PERSON/		
PFLUGERS ARCHIV	228 40	31
BOISTEL J		
QUELQUES ASPECTS DE L-ETUDE ELECTROPHYSIOLOGIQUE DES		
RECEPTEURS SENSORIELS DES ANTENNES D-HYMENOPTERES /ISOLATED/		
INSECTES SOCIAUX	3 325	56
BOLDUAN O		
REPORT ON THE MEETING OF THE NATIONAL RESEARCH COUNCIL		
COMMITTEE ADVISORY TO THE U. S. ARMY CHEMICAL CORPS ON		
NEW PRINCIPLES FOR BIOLOGICAL WARFARE AEROSOL ALARMS		
ZZNAT ACAD SCI- NAT RES COUN, DIV CHEM AND CHEM TECH, WASH		
MAY 23-24		58
BOLT R	BERANEK L	NEWMAN R
HANDBOOK OF ACOUSTIC NOISE CONTROL, VOL 1 PHYSICAL		
ACOUSTICS		
ZZBOLT, BERANEK, AND NEWMAN		
ZZAERO MED LAB, WADC, WPAFB, OHIO		
ZZZ AD12015		
WADC TR 52-204	DEC	52
BONNER R		

THE EFFECTS OF STRESS ON UROPEPSIN EXCRETION ZZAERO MED LAB, AIR RES AND DEV COMM, WPAFB, OHIO ZZZ AD142256 WADC TECH NOTE 57-427 DECEMBER	57
BONNICHSEN R LINTURI M GAS CHROMATOGRAPHIC DETERMINATION OF SOME VOLATILE COMPOUNDS IN URINE ACTA CHEMICA SCAND 16 1289	62
BOUGHTON B WHEATLEY V STUDIES OF SEBUM. FURTHER STUDIES OF THE COMPOSITION OF THE UNSAPONIFIABLE MATTER OF HUMAN FOREARM SEBUM BIOCHEM J 73 144	59A
BOUGHTON B WHEATLEY V THE FATTY ACID COMPOSITION OF THE SKIN SURFACE FAT -SEBUM- OF NORMAL HUMAN SUBJECTS J INVEST DERM 33 49	59B
BOUGHTON B MACKENNA R /SEBUM CHOLESTEROL CONTENT/ BIOCHEM J 66 320	57
BOUMAN H D EXPERIMENTS ON THE ELECTRICAL EXCITABILITY OF THE EYE ARCH NEERL PHYSIOL 20 430	35
BOUMAN M A TENDOESSCHATE J VAN DER VELDEN H A ELECTRICAL STIMULATION OF THE HUMAN EYE BY MEANS OF PERIODICAL RECTANGULAR STIMULI DOCUMENTA OPTHAL 5-6 151	51
BOURNE G BIOCHEMISTRY AND PHYSIOLOGY OF NUTRITION VOLS. 1AND 2 ACAD PRESS, NY	53
BOURNE G WORLD REVIEW OF NUTRITION AND DIETETICS - VOL 3 HAFNER, NY	59
BOWEN J HUSSMAN T LYBRAND W A REVIEW OF THE LITERATURE ON INDUCED SYSTEMIC FATIGUE ZZDEPT OF PSYCHOL, U OF MARYLAND, COLLEGE PARK ZZARMY MED RES AND DEV BOARD, DEPT OF THE ARMY ZZZ AD31307 TR 7 MARCH 18	52
BOWROSS J CHING G LUGG J THE SIMILARITY OF A RELATIONSHIP BETWEEN BODY WEIGHT AND URINARY 17-KETOSTEROID EXCRETION IN ADULT MALE AND FEMALE HUMAN SUBJECTS AUST J EXP MED BIOL 36 457	58
BOZZELLI /RESEARCH ON THE SMELL SENSE IN DOG FROM A PHYSIOLOGICAL AND PSYCHOLOGICAL POINT OF VIEW/ CLIN VET, MILAN 44 380	21
BRAY B NITROGEN METABOLISM IN WEST AFRICAN CHILDREN	

BRIT J NUTRIT 7 3	53
BRAZIER M A REVIEW OF PHYSIOLOGICAL MECHANISMS OF THE VISUAL SYSTEM IN RELATION TO ACTIVATING TECHNIQUES IN ELECTROENCEPHALOGRAPHY THIRD INT CONG EEG CLIN NEUROL	XX
BRAZIER M THE ELECTRICAL ACTIVITY OF THE NERVOUS SYSTEM MACMILLAN, NY	60
BREEZE R SPACE VEHICLE ENVIRONMENT CONTROL REQUIREMENTS BASED ON EQUIPMENT AND PHYSIOLOGICAL CRITERIA ZZNORTH AMER AVIATION, LOS ANGELES ZZFLIGHT ACCES LAB, AERO SYST DIV, AF SYST COMMAND, WP-AFB ZZZ AD272018 ASD-TECH REP-61-161	61
BRENNAN W UNCOOLED IR DETECTOR FOR THE TEN MICRON REGION ZZARMOUR RES FDTN, CHICAGO, ILL ZZBUREAU OF NAVAL WEAPONS, DEPT OF THE NAVY, WASH, DC ZZZ AD296517 REP NO ARF-1208-12 FEBRUARY 12	63
BRIGGS A ION MOVEMENTS IN ISOLATED RABBIT AORTA STRIPS AM J PHYSIOL 201 365	61
BRIGGS C NONDESTRUCTIVE TESTING, A BIBLIO OF ARTICLES AND REPORTS ZZMARTIN COMPANY, DENVER ZZZ AD293818 LIT SEARCH 15 JULY	62
BRINDLEY G INTRINSIC TWENTY-FOUR HOUR RHYTHMS IN HUMAN PHYSIOLOGY, AND THEIR RELEVANCE TO THE PLANNING OF WORKING PROGRAMS ZZRAF INST AVIAT MED, FLYING PERSONNEL RES COMM FPRC REP 871	54
BRINDLEY G W THE SITE OF ELECTRICAL EXCITATION OF THE HUMAN EYE J PHYSIOL 127 189	55
BRISOTTO P STUDY OF ORIENTATION PHENOMENON OF CARRIER PIGEONS WITH SPECIAL REFERENCE TO THE PROBABLE ROLE OF ACTION OF MAGNETIC CURRENTS ON AUDITORY AND NASAL CANALS BOLL D MAL D ERECCHIO, D GOLA, D NASO 55 41	37
BRISTOWE W THE WORLD OF SPIDERS LONDON	58
BROADBENT D NEGLECT OF THE SURROUNDINGS IN RELATION TO FATIGUE DECREMENTS IN OUTPUT P 173 IN FLOYD SYMPOSIUM ON FATIGUE, LEWIS, LOND	53A

BROADBENT D E NOISE, PACED PERFORMANCE AND VIGILANCE TASKS BRIT J PSYCHOL 44 295	53B
BROADBENT D E SOME EFFECTS OF NOISE ON VISUAL PERFORMANCE QUART J EXP PSYCHOL 6 1	54
BROADBENT D PERCEPTION AND COMMUNICATION PERGAMON, NY	58
BROCK J RECENT ADVANCES IN HUMAN NUTRITION	61
BRODA E RADIOACTIVE ISOTOPES IN BIOCHEMISTRY ELSEVIER	60
BRONSHTEIN A TASTE AND ODOR PUBL HOUSE ACAD SCI, MOSCOW, USSR	50
BROOKS S LALICH J BAUMANN C SKIN STEROLS - A DIRECT DEMONSTRATION OF FAST ACTING STEROLS IN THE SERACEOUS GLAND AM J PATH 32 1205	56
BROOKES-SMITH C COLLS J MEASUREMENT OF PRESSURE MOVEMENT, ACCELERATION AND OTHER MECHANICAL QUANTITIES BY ELECTROSTATIC SYSTEMS J SCI INSTR 16 361	39
BROUWER R DIFFERENCES BETWEEN HUMAN INDIVIDUALS IN THE ATTRACTION OF MALARIA MOSQUITOS OWING TO A DIFFERENCE IN SMELL ACTA LEIDENSIA 29 123	59
BROUWER R VARIATIONS IN HUMAN BODY ODOUR AS A CAUSE OF INDIVIDUAL DIFFERENCES OF ATTRACTION FOR MALARIA MOSQUITOES TROP GEOGRAPH MED 12 186	60
BROWN A STUDIES OF THE RESPONSES OF THE FEMALE AEDES MOSQUITO PART FOUR, FIELD EXPERIMENTS ON CANADIAN SPECIES /SWEAT ATTRACTANTS/ BULL ENT RES 42 575	51
BROWN A FACTORS WHICH ATTRACT AEDES MOSQUITOS TO HUMANS PROC 10TH INT CONG ENT 3 757	56
BROWN A CARMICHAEL A /AMINO ACIDS AS MOSQUITO ATTRACTANTS/ ECON ENTOM 54 317	61A
BROWN A LYSINE AS A MOSQUITO ATTRACTANT	

NATURE 189 508	61B
BROWN F ODORS AND INSECTS AM MUSEUM NOVITATES 299 1	28
BROWN F WEBB H BENNETT M A DIURNAL RHYTHM IN RESPONSE OF THE SNAIL ILYANASSA TO IMPOSED MAGNETIC FIELDS BIOL BULL 117 405	59
BROWN F A BRETT W BENNETT M MAGNETIC RESPONSE OF AN ORGANISM AND ITS SOLAR RELATIONSHIP BIOL BULL 118 367	60A
BROWN F A WEBB BRETT W MAGNETIC RESPONSE OF AN ORGANISM AND ITS LUNAR RELATIONSHIP BIOL BULL 118 382	60B
BROWN F A BENNETT M F WEBB A MAGNETIC COMPASS RESPONSE OF AN ORGANISM BIOL BULL 119 65	60C
BROWN F A BARNWELL F H ORGANISM ORIENTATION TO MAGNETIC AXES IN RESPONSE TO WEAK MAGNETIC FIELDS BIOL BULL 121 384	62A
BROWN F RESPONSES OF THE PLANARIAN, DUGESIA, AND THE PROTOZOAN, PARAMECIUM, TO VERY WEAK HORIZONTAL MAGNETIC FIELDS BIOL BULL 123 264	62B
BROWN F RESPONSE OF THE PLANARIAN, DUGESIA, TO VERY WEAK HORIZONTAL ELECTROSTATIC FIELDS BIOL BULL 123 282	62C
BROWNE L HODGSON E ELECTROPHYSIOLOGICAL STUDIES OF ARTHROPOD CHEMORECEPTION IV. LATENCY, INTERDEPENDENCE AND SPECIFICITY OF LABELLAR CHEMORECEPTION OF THE BLOWFLY, LUCILLA J CELL COMP PHYSIOL 59 187	62
BROZEK J SIMONSON E FRANKLIN J C A NOTE ON METHODOLOGICAL EVALUATION OF SELECTED VISUAL TESTS AMER J OPHTHAL 31 979	48
BRUMFIELD E GROUND TEST PROGRAM AND INFRARED ACQUISITION PROGRAM FOR AIRBORNE INFRARED SPECTROMETER SYSTEM ZZLOCKHEED CALIFORNIA CO, BURBANK, CALIF ZZAERIAL RECON LAB, AERONAUT SYST DIV, AF SYST COMMAND ZZZ AD296295 LR 16604 JANUARY 20	63
BRUSLOW S MUNGER B COMPARATIVE PHYSIOLOGY OF SWEAT PROC SOC EXP BIOL MED 110 317	62

BUBAN E DEVELOPMENT OF A CONTINUOUS PROTEIN DETECTOR ZMINE SAFETY APPLIANCES CO, PITTSBURGH, PA ZZARMY CHEM CORPS ZZZ AD295572 SIXTH PROGRESS REP OCT	62
BUCHANAN A HEIM H KRAUSHAAR J BIOMEDICAL EFFECTS OF EXPOSURE TO ELECTROMAGNETIC RADIATION PART2- BIOMEDICAL EFFECTS ON THE EYE FROM EXPOSURE TO MICROWAVES AND IONIZING RADIATIONS ZZPHYS, ENG, CHEM CORP, BOULDER COLO ZZLIFE SUPP SYS LAB, AEROSPACE MED LAB, WPAFB, OHIO ZZZ AD265279 ASD TR-61-195 JUNE	61
BUCHANAN D HALEY E OCCURRENCE OF ASPARTYL AND GLUTAMYL OLIGOPEPTIDES IN HUMAN URINE BIOCHEM J 1 612	63
BUCHTHAL F THE EFFECTS OF ACETYLCHOLINE LIKE SUBSTANCES ON SENSORY RECEPTORS PHARMACOL REVS 6 97	54
BUCKLAND F DETECTION OF BACTERIAL ANTIGENS BY MEANS OF SENSITIZED GUINEA PIG ILEUM J HYGIENE 58 291	60
BUCKLEY J LIBPY W RESEARCH AND REPORTS ON AERIAL INTERPRETATION OF TERRESTRIAL BIOENVIRONMENTS AND FAUNAL POPULATIONS ZZCOOP WILDLIFE RES UNIT, U OF ALASKA, COLLEGE, ALASKA ZZARCTIC AEROMED LAB, LADD AFB, ALASKA ZZZ AD294050 TECH REP 57-32 DECEMBER	57
BUCKLEY W GRUM F REFLECTION SPECTROPHOTOMETRY ARCH DERMATOL 83 249	61
BUDGETT H HUNTING BY SCENT EYRE AND SPOTTIS WOODS, LOND SECOND ED	37
BUDD A DETERMINATION OF SILVER ION IN SOLUTION WITH A GLASS ELECTRODE J ELECTRO ANAL CHEM 5 35	63
BUETTNER K /REFLECTANCE OF LIVING AND DEAD SKIN/ STRAHLENTHERAPIE 58 23	37
BUETTNER K TRANSFER FUNCTION OF HUMAN SKIN ZZU WASH DEPT OF METEOROL, SEATTLE ZZUS ARMY CHEM CORPS ZZZ AD257181	

ANNUAL REP	60
BULLOCK T COWLES R PHYSIOLOGY OF AN INFRARED RECEPTOR - THE FACIAL PIT OF PIT VIPERS SCIENCE 115 541	52
BULLOCK T COMPARATIVE ASPECTS OF SOME BIOLOGICAL TRANSDUCERS FED PROC 12 666	53
BULLOCK T DIECHE F PROPERTIES OF AN INFRARED RECEPTOR J PHYSIOL, LOND 134 47	56
BULLOCK T FOX W THE ANATOMY OF THE INFRARED SENSE ORGANS IN THE FACIAL PIT OF PIT VIPERS QUART J MICROSCOPY 98 219	57
BULLOCK T ELECTRICAL SENSING IN FISH - IN MACROMOLECULAR SPECIFICITY AND BIOLOGICAL MEMORY, SCHMITT, F, ED MIT PRESS, CAMB	62
BULMER M THE CONCENTRATION OF URFA IN THERMAL SWEAT J PHYSIOL LOND 137 261	57
BULMER M FORWELL G SODIUM AND POTASSIUM IN THERMAL SWEAT ZZRAF INST OF AVIA MED, FLYING PERSONNEL RES COMM ZZZ AD59072 FPRC 895 NOV	54
BURES J PETRAN M ZACHAR J ELECTROPHYSIOLOGICAL METHODS IN BIOLOGICAL RESEARCH CZECH ACAD SCI ACAD PRESS, NY	60
BURGER A ANIMAL ODORS IN NATURE RIECHSTOFF IND U KOSMETIC 7 125	32A
BURGER A /ANIMAL ODORS IN NATURE/ RIECHSTOFF IND U KOSMETIK 7 152	32B
BURHAN A /PULSED RF INDUCING SLEEP/ PROC THIRD AM TRI SERVICE CONF ON BIO EFFECTS OF MICROWAVE RADIATION, P 124 AUG	59
BURR H NORTHROP F EVIDENCE FOR EXISTENCE OF ELECTRO-DYNAMIC FIELDS IN LIVING ORGANISMS PROC US NAT ACAD SCI 25 284	34
BURR H MAURO A /ELECTROSTATIC FIELD ABOUT NEURONS/ YALE J BIOL AND MED 21 455	49

BURSAK W METABOLIC AND RESPIRATORY RELATIONSHIPS IN THE CLOSED RESPIRATORY SYSTEM ZZAEROMED LAB, WADD, WPAFB, OHIO WADD-TR-60-574 AUG	60
BURT W A FIELD GUIDE TO THE MAMMALS HOUGHTON MIFFLIN, BOSTON	47
BUSKIRK E CALORIC INTAKE AND ENERGY EXPENDITURE OF EIGHT MEN IN A TEMPERATE ENVIRONMENT ZZENVIRON PROT DIV, QM RES AND DEV COMM, NATICK ZZZ AD128925 TR EP-52 MARCH	57
BUTCHER E SEBACEOUS SECRETION OF THE HUMAN HEAD J INVEST DERM 9 67	47
BUTENANDT A UNTERSUCHUNGEN UBER WIRKSTOFFE AUS DEM INSEKTENREICH ANGEW CHEM 54 89	41
BUTENANDT A /SEXUAL ATTRACTANTS OF BUTTERFLIES AND MOTHS/ NOVA ACTA LEOP CAROL, N.F. 17 445	55
BUTENANDT A TAM N TROPICAL WATERBUG /L INDICAS/ MALE SEX SCENT SUBSTANCES OF KNOWN CHEMICAL NATURE, USED AS SOUTHEAST ASIAN FOOD SPICES Z PHYSIOL CHEM 308 277	57
BUTENANDT A SYNTHESIS OF FEMALE SILKWORM MOTH SEX ATTRACTANT ANNAL CHEM 658 39	62
BUTLER C THE IMPORTANCE OF PERFUME IN THE DISCOVERY OF FOOD BY THE WORKER HONEY BEE APIS MELLIFERA PROC ROY SOC 138 403	51
BUTTNER K REFLECTING POWER OF WHITE AND NEGRO SKIN STRAHLENTHERAPIE VOL 58	XX
BUYTENDIJK F SENSE OF SMELL IN THE DOG ARCH NEERLAND PHYSIOL 5 434	21
BYRNE R MANCINELLI L INVESTIGATION OF OPTICAL TRANSMITTANCE, REFLECTANCE, AND ABSORPTANCE OF MATERIALS ZZMATERIAL LAB, NY NAVAL SHIPYARD, BROOKLYN ZZZ AD36976 LAB PROJ 5046-3, PART 36 FINAL REP MARCH 12	54

CAIRNS J H APPARATUS FOR INVESTIGATING TOTAL HEMISPHERICAL EMISSIVITY JOURNAL OF SCIENTIFIC INSTRUMENTS 37 84 MARCH	60
CALHOUN J THE STUDY OF WILD ANIMALS UNDER CONTROLLED CONDITIONS ANN NY ACAD SCI 51 1113	56
CALLIS C VANWAYER J SHOOLERY J ANALYSIS OF PHOSPHORUS COMPOUNDS BY NUCLEAR MAGNETIC RESONANCE ANALYT CHEM 28 269	56
CALLOWAY D NUTRITIONAL ASPECTS OF THE ALL-PURPOSE SURVIVAL RATION - A CRITICAL APPRAISAL ZZARMED FORCES FOOD AND CONTAINER INST, NATICK REP 25-59 JULY	59
CAMERON G TISSUE CULTURE TECHNIQUE ACAD PRESS, NY	60
CAMPEN, ED USAF GEOPHYS RES DIR, CAMBRIDGE RES LAB HANDBOOK OF GEOPHYSICS FOR AIR FORCE DESIGNERS	57
CANADA NAT RES COUNC, OTTAWA QUARTERLY BULLETIN OF THE DIVISION OF MECHANICAL ENGINEERING AND THE NATIONAL AERONAUTICAL ESTABLISHMENT ZZZ AD297553 DME/NAE 1962/4/ DECEMBER	62
CARLSON L MAN IN COLD ENVIRONMENT - A STUDY IN PHYSIOLOGY ZZARCTIC AEROMED LAB ZZU OF WASH ZZZ AD67874 AUG	54
CARPENTER J AN ECOLOGICAL GLOSSARY HAFNER, NY	56
CARPENTER R STUDIES ON THE EFFECTS OF 2450 MEGACYCLES RADIATION ON THE EYE OF THE RABBIT PROC THIRD ANNUAL TRI-SERVICE CONF ON BIO EFFECTS OF MICROWAVE RADIATING EQUIP 279	59
CARPENTER R AN EXPERIMENTAL STUDY OF THE BIOLOGICAL EFFECTS OF MICROWAVE RADIATION IN RELATION TO THE EYE ZZTUFTS U, MEDFORD, MASS ZZROME AIR DEV CENT, AIR RES AND DEV COMM, GRIFFISS AFB, NY ZZZ AD275840 TECH NOTE RADC-TDR-62-131 FEBRUARY	62
CARR A	

HANDBOOK OF TURTLES ITHACA, NY	51
CARR D TERRAIN QUANTIFICATION PHASE 1- SURFACE GEOMETRY MEASUREMENTS ZZTEXAS INST INC, SCI SERVICES DIV, DALLAS ZZGEOPHYS RES DIRECTORATE, CAMBRIDGE RES LABS, BEDFORD MASS ZZZ AD297492 AFCRL-63-208 FINAL REP DEC 31	62
CARREL I, ED HOUNDS AND HUNTING DECATUR, ILL	33
CARROLL K CHARACTER RECOGNITION DEVICES FOR ELECTRONIC COMPUTERS, AN ANNOTATED BIBLIOGRAPHY ZZLOCKHEED MISSILES AND SPACE DIV, SUNNYVALE CALIF ZZZ AD251661 SPECIAL RES BIBLIO SRB-60-11 NOVEMBER	60
CARTHY J ANIMAL NAVIGATION SCRIBNERS, NY	56
CASE J G WILLIAM G AMINO ACID SENSITIVITY OF THE DACTYL CHEMORECEPTORS OF CARCINIDES MAENAS BIOL BULL 121 449	61
CASE J RESPONSE OF NEREIS TO ALCOHOLS COMP BIOCHEM PHYSIOL 6 47	62
CASELLA C RAPUZZI G TACCARDI B RELATION BETWEEN THE TACTILE AND CHEMICAL SENSITIVITY OF SINGLE FUNGIFORM PAPILLAE OF THE FROG TONGUE BOLL SOC ITAL BIOL SPER 37 1403	61
CASIDA J COPPEL H WATANABE T /SEX ATTRACTANT FROM PINE SAWFLY FEMALE ACTIVE AT NANOGRAM LEVELS/ J ECON ENTOMOL 56 18	63
CATON J SENSES OF SIGHT AND SMELL OF THE WILD TURKEY AND THE COMMON DEER AM NATURALIST 3 28	70
CATTON W T THE EFFECTS OF SUBLIMINAL STIMULATION ON THE EXCITABILITY OF FROG SKIN TACTILE RECEPTORS J PHYSIOL 164 90	62
CAUNA N MAUVER G STRUCTURE OF HUMAN DIGITAL PACINIAN CORPUSCLES AND THEIR FUNCTIONAL SIGNIFICANCE J ANAT, LOND 92 1	58
CAZZAMALLI F	

HETERODYNED RADIATION RETURN FROM HUMAN BRAINS IN RESPONSE TO RF ENERGY NEUROLOGICA 6 193	25
CHADWICK L DETHIER V THE RELATIONSHIP BETWEEN CHEMICAL STRUCTURE AND THE RESPONSE OF BLOWFLIES TO TARSAL STIMULATION J GEN PHYSIOL 30 255	47
CHADWICK L DETHIER V STIMULATION OF TARSAL RECEPTORS OF THE BLOWFLY BY ALIPHATIC ALDEHYDES AND KETONES J GEN PHYSIOL 32 445	49
CHALMERS ATMOSPHERIC ELECTRICITY BOOK	57
CHAMBERS J DALRYMPLE P COLOR REGIONS OF THE WORLD ZZQM RES AND DEV CENT, NATICK, ENVIR PROT RES DIV ZZZ AD117336 TECH REP EP-37 NOV	56
CHAMBERS J AN ENVIRONMENTAL COMPARISON OF SOUTHEAST ASIA AND THE ISLAND OF HAWAII ZZQM RES AND ENG CENT, NATICK RES REP RER-38 JAN	61
CHANCE B LEGALLIS V CONTINUOUS FLOW ELECTRON PARAMAGNETIC MEASUREMENT REV SCI INST 30 732	59
CHAPANIS A ROUSE R O SCHACHTER S THE EFFECT OF INTER-SENSORY STIMULATION ON DARK ADAPTATION AND NIGHT VISION J EXP PSYCHOL 39 425	49
CHAPMAN J CRAIG R AN ELECTROPHYSIOLOGICAL APPROACH TO THE STUDY OF CHEMICAL SENSORY RECEPTION IN CERTAIN INSECTS CANAD ENTOM 85 182	53
CHAPMAN R SURVEY AND EVALUATION OF PHENOMENA AND TECHNIQUES IN ULTRAVIOLET, VISIBLE, AND SUBMILLIMETER REGIONS FOR APPLICATION TO DETECTION AND AIDS TO SURVEILLANCE ZZGEOPHYS CORP OF AMER, BEDFORD ZZUS AIR FORCE ZZZ AD261585 REP GCA-61-35A JULY 1	61
CHAPMAN S DOGS IN POLICE WORK, A SUMMARY OF EXPERIENCE IN GREAT BRITAIN AND THE UNITED STATES PUBLIC ADMIN SERVICE, CHICAGO	60
CHAPMAN V THE APPLICATION OF AERIAL PHOTOGRAPHY TO ECOLOGY AS EXEMPLIFIED BY THE NATURAL VEGETATION OF CEYLON	

INDIAN FORESTER 73 287	47
CHARNOCK J SMITH C SCHWARTZ C SERUM MAGNESIUM - CHOLESTEROL RELATIONSHIPS IN THE CENTRAL AUSTRALIAN ABORIGINES AND IN EUROPEANS WITH AND WITHOUT ISCHAEMIC HEART DISEASE AUST J EXP BIOL MED 37 509	59
CHASEN L COLABRESE E HIMMELSTEIN D SEALED ATMOSPHERES AND PSYCHOPHYSIOLOGICAL FACTORS - A BIBLIOABSTRACT ZZMISSILES AND SPACE VEHICLE DEPT, GEN ELEC CO, PHILA, PA ZZZ AD238478 TIS REP R60DS344	
CHATFIELD C ZZFOOD AND AGRICULTURE ORGANZN, UNITED NATIONS FOOD COMPOSITION TABLES FOR INTERNATIONAL USE	49
CHEATHAM P A COMPARISON OF THE VISUAL AND AUDITORY SENSES AS POSSIBLE CHANNELS FOR COMMUNICATION ZZWADC, WPAFB, OHIO ZZZ AT17687 TR 5919 MAY	50
CHEESMAN L OBSERVATIONS ON THE LAND CRAB, CARDISOMA ARMATUM, WITH ESPECIAL REGARD TO THE SENSE ORGANS ZOOLOG SOC PROCEED, LOND P 361	22
CHENG-PIN L PING-CHENG H HUI W STUDIES ON THE ANALYSIS OF PURINE AND PYRIMIDINE BASES OF NUCLEIC ACID, PART TWO, A DIRECT SPECTROPHOTOMETER METHOD FOR THE ANALYSIS OF THE PURINE AND PYRIMIDINE BASES IN RIBONUCLEIC ACID SCIENTIA SINICA 12 673	63
CHERONIS N FLUORESCENCE MEASUREMENTS TO TEN TO THE MINUS 13 GRAMS PAGE TEN IN SUBMICROGRAM EXPERIMENTATION INTERSCIENCE	61
CHILES W EXPERIMENTAL STUDIES OF PROLONGED WAKEFULNESS ZZAERO MED LAB, WADC, WPAFB, OHIO ZZZ AD100698 WADC TR 55-395 DEC	55
CHILES W FOX R A STUDY OF THE EFFECTS OF THE IONIZED AIR ON BEHAVIOR ZZBEHAV SCI LAB, WADD AND PHYS CHEM AND ENG CO, BOULDER ZZWRIGHT AIR DEV DIV, WPAFB, OHIO ZZZ AD252099 WADD TR-60-598 NOVEMBER	60
CHILES W ADAMS O HUMAN PERFORMANCE AND THE WORK-REST SCHEDULE ZZLOCKHEED AIRCRAFT, MARIETTA, GA ZZAEROSPACE MED LAB, AERONAUTICAL SYS DIV, WPAFB, OHIO	

ZZZ AD266033 ASD TR 61-270 JULY	61
CHOLAK J THE QUANTITATIVE SPECTROGRAPHIC DETERMINATION OF BIOLOGICAL MATERIAL INDUST AND ENG CHEM /ANAL E 10 619	38
CHOLAK J THE QUARTZ SPECTROGRAPHIC DETERMINATION OF LEAD IN URINE J AM CHEM SOC 57 104	XX
CHORLEY T DIPTERA ATTRACTED BY THE SCENT OF CATTLE-DUNG AND URINE PROC ROY ENT SOC LOND 23 9	48
CHRISTOPHERS S THE YELLOW FEVER MOSQUITO, AEDES AEGYPTI CAMBRIDGE U PRESS	60
CLAMANN H PROBLEMS OF METABOLISM IN SEALED CABINS PRESENTED AT SECOND SYMPOS, PHYSICS AND MED OF ATMOSPHERE AND SPACE, SAN ANTONIO TEX NOV	58
CLAPPER P HOUND THE ENEMY MARINE CORPS GAZETTE FEB	61
CLARK C VINEGAR R HARDY J D GONIOMETRIC SPECTROMETER FOR THE MEASUREMENT OF DIFFUSE REFLECTANCE AND TRANSMITTANCE OF SKIN IN THE INFARED SPECTRAL REGION J OPT SOC AMER 43 993	53
CLARK C BIBLIOGRAPHY OF INFRARED SPECTRA OF BIOCHEMICALS ANN NY ACAD SCI 69 205	57
CLARK D AN ARMY COMBAT TEAM FOR SOUTHEAST ASIA ZZARMY OPNS RES OFFICE ZZZ AD316647 ORO-SP-73 OCT	58
CLARKE G ELEMENTS OF ECOLOGY WILEY, NY	54
CLARK G HEMOGLOBIN ANALYSIS TO 30 MICROMICROGRAMS BY INFRARED SPECTROSCOPY IN ENCYCL OF MICROSCOPY, REINHOLD, NY	60A
CLARK G HANDBOOK OF SPECTROSCOPY REINHOLD	60B
CLARK H SANITARY WASTE DISPOSAL FOR NAVY CAMPS IN POLAR REGIONS ZZCLARK AND GROFF ENGINEERS, SALEM OREGON	

ZZNAVY CIVIL ENNG LAB, PORT HUENEME CALIF ZZZ AD282520 PART 3, FINAL REP MAY	62
CLARK L INQUIRES INTO THE ANATOMICAL BASIS OF OLFACTORY DISCRIMINATION PROC ROY SOC 146 299	57
CLAUSEN J VANDERBILT C VISUAL BEATS CAUSED BY SIMULTANEOUS ELECTRICAL AND PHOTIC STIMULATION AMER J PSYCHOL 70 577	57
CLEARY M HARVARD J NATURAL ENVIRONMENTAL DATA AND SUPPORT REQUIREMENTS ZZOFCE OF STAFF METEOROL, HQAFSC, WASH ZZZ AD296108 TECH DOC REP NO AFSC-TDR-63-2 JANUARY	63
CLEMENTS F SHELFORD BIO-ECOLOGY WILEY, NY	39
COATES J SHARPE L CHEMICALS FOR CONTROL OF VEGETATION ZZINST FOR DEFENSE ANALY, RES AND ENNG SUPPORT DIV, WASH ZZZ AD297146 TN NO 62-68 JAN	63
COERMANN R THE PASSIVE DYNAMIC MECHANICAL PROPERTIES OF THE HUMAN THORAX-ABDOMEN SYSTEM AND THE WHOLE BODY SYSTEM AEROSPACE MED 31 443	60
COHEN M HAGIWARA S ZOTTERMAN THE RESPONSE SPECTRUM OF TASTE FIBRES IN A CAT A SINGLE FIBRE ANALYSIS ACTA PHYSIOL SCAND 33 316	55
COLERIDGE G ANIMAL ATTRACTIONS AND REPULSIONS CONTEMP REV 117 539 COLLINS K ENDOCRINE CONTROL OF SALT AND WATER IN HOT CONDITIONS FED PROC 22 717	20 63
COMMONER B ELECTRON SPIN RESONANCE FOR FREE RADICALS IN LIVING MATERIAL/ PROC US NAT ACAD SCI 44 1110	58
CONDIT D REASON B MUGHISUDDIN M A COUNTERINSURGENCY BIBLIOGRAPHY ZZSPCL OPNS RES OFF, AMERICAN U, WASH ZZDEPT OF THE ARMY ZZZ AD294857 JAN	63
CONDIT D A SYSTEM FOR HANDLING DATA ON UNCONVENTIONAL WARFARE	

INCLUDING A BIBLIOGRAPHY OF OPEN SOURCES
 ZZARMY OPNS RES OFFICE
 ZZZ AD105860
 ORO-T-339 MAY 56

CONDON E ODISHAW H
 HANDBOOK OF PHYSICS
 MCGRAW-HILL, NY 58

CONKLIN J
 THREE FACTORS AFFECTING THE GENERAL LEVEL OF ELECTRICAL
 SKIN RESISTANCE
 AMER J PHYSIOL 64 78 51

CONN DAVIS
 /SPECTROFLUORIMETRY, ARGININE/
 NATURE 183 1053 59

CONN H
 A REPORT BIBLIOGRAPHY ON PHOTOGRAPHY AND PHOTO EQUIPMENT
 ZZASTIA REF CENTER, LIBRARY OF CONGRESS
 ZZZ AD117631
 ARC-1649U JAN 55

CONNERTY H BRIGGS A EATON E
 DETERMINATION OF PREFORMED URINARY AMMONIA BY MEANS OF
 DIRECT NESSLERIZATION
 AM J CLIN PATHOL 58 634 57

COOK M KEYES R POUND E
 ELECTRIC FIELDS AND ELECTROMAGNETIC RADIATION FROM CHEMICAL
 EXPLOSIONS
 ZZARMY OFFICE SPCL WPN DEVEL FT BLISS
 AFOSR TN-K9-551

CONSOLAZIO C MATOUSH L NELSON R
 CALCIUM IN SWEAT AND ITS POSSIBLE RELATION TO CALCIUM
 REQUIREMENTS
 J NUTRIT 78 78 62

CONSOLAZIO C NELSON R MATOUSH L
 NITROGEN EXCRETION IN SWEAT AND ITS RELATION TO NITROGEN
 BALANCE REQUIREMENTS
 J NUTRIT 79 400 63A

CONSOLAZIO C MATOUSH L NELSON R
 EXCRETION OF SODIUM, POTASSIUM, MAGNESIUM AND IRON IN
 HUMAN SWEAT AND THE RELATION OF EACH TO BALANCE AND
 REQUIREMENTS
 J NUTRIT 79 408 63B

CONSOLAZIO C
 ZZARMY MED RES AND NUTRIT LAB, DENVER
 THE NITROGEN EXCRETION IN SWEAT AND ITS RELATION TO
 NITROGEN BALANCE AND REQUIREMENTS
 REP 270 63C

COOK E
 THE INFLUENCE OF INSTRUMENTATION, TISSUE PREPARATION, AND
 PERIOD OF DRUG ACTION ON THE RESPONSE OF ISOLATED RABBIT
 ILEAL SEGMENTS TO ACETYLCHOLINE

ZZNAV MED RES LAB CAMP LEJEUNE NC REP OF FEB	61
COPELAND J TYLER W MILLIMETER WAVELENGTH RADIOMETRY ZZARMY ORD MISSILE CMD, REDSTONE ARS, ALA ZZZ AD294542 P 23 IN RES LAB QTLY RES REV, RR-TR-62-4 DEC 31	61
COPELAND M OLFACTORY REACTIONS OF THE SPOTTED NEWT, DIEMYCTYLUS VIRIDISCENS J ANIM BEHAV 3 260	13
COPPEL H CASIDA J DAUTERMAN W /SEX ATTRACTANT EXTRACT FROM PINE SAWFLY FEMALE ACTIVE AT NANOGRAM LEVELS/ ANN ENTOMOL SOC AMER 53 510	60
CORSO J THE EFFECTS OF NOISE ON HUMAN BEHAVIOR ZZPENN STATE COLLEGE ZZAERO MED LAB, WADC, WPAFB, OHIO ZZZ AD18259 WADC TR 53-81 DEC	52
COSGRIFF R PEAKE W TAYLOR R ELECTROMAGNETIC DEFLECTION PROPERTIES OF NATURAL SURFACES WITH APPLICATIONS TO DESIGN OF RADARS AND OTHER SENSORS ZZANTENNA LAB, OHIO STATE U ZZAIR FORCE TR 33/616/-3649 WADC	XX
COTT H ADAPTIVE COLORATION IN ANIMALS METHUEN, LOND	57
COTTREAU J L-ODORAT CHEZ LES INSECTS NATURE, LOND 34-2 39	05
COUJARD R ETUDE DES GLANDES ODORANTES DE LAPIN ET DE LEUR INFLUENCE MENT PAR LES HORMONES SEXUELLES REV CANAD BIOL 6 3	47
COWLING T THE ABSORPTION OF WATER VAPOR IN THE FAR INFRARED REP PROG PHYS 9 29	43
CRAGG J REACTIONS OF LUCILIA SERICATA TO VARIOUS SUBSTANCES PLACED ON SHEEP PARASITOL 40 179	50A
CRAGG J THURSTON R REACTIONS OF BLOWFLIES TO ORGANIC SULFUR COMPOUNDS AND OTHER MATERIALS USED IN TRAPS PARASITOL 40 187	50B
CRAGG J RAMOGE G	

CHEMOTROPIC STUDIES ON BLOWFLIES PARASITOL 36 168	45
CRAIGHEAD F RADIO TRACKING OF GRIZZLY BEARS ZZMONTANA STATE U ABSTRACT FOR NATL GEOGRAPHIC SOCIETY	XX
CRAIG R BARTEL A KIRK P PHOTOMETER AND ABSORPTION CELL ATTACHMENT FOR ULTRAMICRO-SPECTROPHOTOMETRY REV SCI INSTR 24 49	53
CRAIG W THE DOG AS DETECTIVE SCIENTIFIC MONTHLY 18 38	24
CRAMER M ODORS, OLFACTION AND TRAINED ODOR DETECTORS PROTAR 7 127	41
CRISLER R FENTON A THE INFRARED SPECTRA OF FATTY ACIDS, SOAPS AND TRIGLYCERIDES FROM 15-30 MICRONS PROCTOR AND GAMBLE, CINCINNATI	XX XX
CRISP D MEADOWS P CHEMICAL BASIS OF GREGARIOUSNESS IN CIRRIPEDES PROC ROY SOC 156 500	62
CRISTMAN R DOHERTY W HUMAN FACTORS, ANNOTATED BIBLIOGRAPHY ON SPEECH COMMUNICATIONS JAMMING ZZROME AIR DEV CENT, GRIFFISS AFB, N Y ZZZ AD114273 RADC-TR-57-25 FEBRUARY	57
CROCKER E COMPREHENSIVE METHOD FOR THE CLASSIFICATION OF ODORS PROC SCI SECT, TOILET GOODS ASSOC 6 24	46
CROCKER E THE NATURE OF ODOR TECH PAP PULP PAP IND NY 35 169	52
CROMBIE A ON OVIPOSITION OLFACTORY CONDITIONING AND HOST SELECTION IN RHIZOPERTHA DOMINICA FAB INSECTA COLEOPTERA J EXP BIOL 18 62	41
CROMBIE A DARRAH J THE CHEMORECETORS OF THE WIREWORM AGRIOTES SPP AND THE RELATION OF ACTIVITY TO CHEMICAL CONSTITUTION J EXP BIOL 24 95	47
CROOK D A BIBLIOGRAPHY ON DARK ADAPTATION ZZTUFTS COLL, MEDFORD ZZNRC VISION COMM ZZZ AD19588	

JULY	53
CROUTHAMEL C SENSITIVITIES OF 10 TO THE THIRTEENTH ELECTRON SPINS BY ELECTRON SPIN RESONANCE TECHNIQUES P 152 IN PROGRESS IN NUCLEAR ENERGY, V 2, SERIES 9, PERGAMON, NY	61A
CROUTHAMEL C SENSITIVITIES TO 10 TO THE MINUS FIFTEEN GRAM FOR HEAVY ELEMENTS BY LIQUID SCINTILLATION TECHNIQUES P 184 IN PROGRESS IN NUCLEAR ENERGY, VOL 2, SERIES 9	61B
CROWELL E P VASSEL C J SPECTROPHOTOFLUORIMETRIC STUDIES OF SOME AROMATIC ALDEHYDES AND THEIR ACETALS ANAL CHEM 35 189	63
CROWLEY D EMITTANCE AND REFLECTANCE IN THE INFRARED, AN ANNOTATED BIBLIOGRAPHY ZZWILLOW RUN LABS, UNIV OF MICHIGAN ZZOFFICE OF NAVAL RESEARCH, WASH DC ZZZ AD215008 REP 2389-15-S APRIL	59
CROZIER W REGARDING THE EXISTENCE OF THE COMMON CHEMICAL SENSE IN VERTEBRATES J COMP NEUROL 26 1	16
CRUMB S ODORS ATTRACTIVE TO OVIPOSITING MOSQUITOES ENTOMOL NEWS 35 242	24
CUNNINGHAM A QUANTITATIVE HEART TISSUE CULTURE 1. ELECTRICAL BEHAVIOR OF THE WHOLE CHICK EMBRYO HEART LAB INVEST 9 655	60
CUNNINGHAM A SPONTANEOUS POTENTIALS FROM EXPLANTS OF HUMAN ADULT CEREBELLUM IN CULTURE NATURE 190 918	61
CURCIO J KNESTRICK G ATLAS OF THE ABSORPTION OF THE ATMOSPHERE FROM 5400 TO ZZNAV RES LAB, WASH 8520A NRL REP 4601 AUG	55
CURCIO J KNESTRICK G COSDEN T ATMOSPHERIC SCATTERING IN THE VISIBLE AND INFRARED ZZNAVAL RES LAB, WASH ZZZ AD250945 NRL REP 5567 JAN 24	61
CURRY A HURST G KENT N RAPID SCREENING OF BLOOD SAMPLES FOR VOLATILE POISONS BY GAS CHROMATOGRAPHY NATURE 195 603	62

CURTIS H
BIOELECTRIC MEASUREMENTS
IN BIOPHYSICAL RESEARCH METHODS VOL 8
INTERSCIENCE NY

59

CUTHBERTSON D GUTHRIE W
EFFECT OF VARIATION OF PROTEIN AND SALT INTAKE ON THE
NITROGEN AND CHLORIDE CONTENTS OF SWEAT
BIOCHEM J 28 1444

34

DAMON A SOME HOST FACTORS IN DISEASE, SEX RACE ETHNIC GROUP J NAT MED ASS 54 424	62
DANIEL G KASPAREK F COMPREHENSIVE BIBLIOGRAPHY OF RESEARCH REPORTS ISSUED OVER A NINETEEN-YEAR PERIOD BY THE NAVAL SCHOOL OF AVIATION MEDICINE ZNAVAL SCHOOL OF AVIATION MED, PENSACOLA FLA ZZZ AD258940 RESEARCH REPORT MAY 1	61
DANSEREAU A UNIVERSAL SYSTEM FOR RECORDING VEGETATION CONTRIB DE LINSTITUTE UNIV-MONTREAL 72	58
DANZER A SMELL ORIENTATION OF GEOTRUPES SILVATICUS IN NATURAL SURROUNDINGS Z VERGLEICH PHYSIOL 39 76	56
DARKE S THE CUTANEOUS LOSS OF NITROGEN COMPOUNDS IN AFRICAN ADULTS BRIT J NUTRIT 14 115	60
DARLINGTON P ZOOGEOGRAPHY - THE GEOGRAPHICAL DISTRIBUTION OF ANIMALS WILEY, NY	57
DARROW C QUANTITATIVE RECORDS OF CUTANEOUS SECRETORY REACTIONS J GEN PSYCHOL 11 445	34
DAS GUPTA S MONMOHAN S STUDIES ON THE SERUM SODIUM AND POTASSIUM LEVELS AND ON THE 24 HOURS URINARY EXCRETION OF 17-KETOSTEROIDS IN HEALTHY ADULTS IND J MED RES 44 31	56
DAVIDSON F WYCKOFF R X-RAY FLUORESCENT YIELDS FROM SEVERAL LIGHT ELEMENTS ZZDEPT OF PHYSICS, UNIV OF ARIZONA, TUCSON J APPL PHYSICS VOL 33 NO 12 3528 DECEMBER	62
DAVIDSON S HUMAN NUTRITION AND DIETETICS BOOK	59
DAVIES G REPORTS DEALING WITH NUTRITION IN RELATION TO SURVIVAL FEEDING ZZDEFENCE RESEARCH BOARD, BIBLIO SERIES, CANADA ZZZ AD89656 DRB 55/5827 JUNE	55
DAVIES J TAYLOR F OLFACTORY THRESHOLD - A TEST OF A NEW THEORY PERFUM AND ESSEN OIL REC 46 15	55
DAVIES M	/ 20

THE INFRARED ABSORPTION OF ASPARAGINE AND GLUTAMINE J CHEM SOC XXX 480	53
DAVIS H BIOLOGIC TRANSDUCERS FED PROC 12 661	53
DAVIS H DOG ENCYCLOPEDIA STACKPOLE, HARRISBURG	56
DAVIS J SOME PRINCIPLES OF SENSORY RECEPTOR ACTION PHYSIOL REV 41 391	61
DAVIS J MANUAL OF SURFACE ELECTROMYOGRAPHY MCGILL U REPRINT FROM 1952 AS WADC TR-59-184	59
DAVIS J MORRIS R RAPID COLORIMETRIC DETERMINATION OF ADENINE COMPOUNDS ANAL BIOCHEM 5 64	63
DAVIS L JOSSELYN P HOW FATIGUE EFFECTS PRODUCTIVITY - A STUDY OF MANUAL WORK PATTERNS PERSONNEL 30 54	53
DAVIS L TRAINING AND USE OF DOGS FOR CW DETECTION Z K-9 TRAINING AGENCY HYDE MD ZZARMY CHEM CORPS EDGEWOOD ZZZ AD284514 AUG	62A
DAVIS L PAPPAJOHN K BIBLIC OF THE BIOLOGICAL EFFECTS OF MAGNETIC FIELDS FED PROC 21 PT 2, PG 1	62B
DAY W BEACH B A SURVEY OF THE RESEARCH LITERATURE COMPARING THE VISUAL AND AUDITORY PRESENTATION OF INFORMATION ZZZ ATY93012 WADC TECH REP 5921 NOV	50
DEAN R NITROGENOUS CONSTITUENTS OF URINE IN KWASHIORKOR FED PROC 20 202	61
DEANE G E ZEAMAN D HUMAN HEART RATE DURING ANXIETY PERCEPT MOTOR SKILL 8 103	58
DECHARMS R WILKINS E STUDIES IN THE PSYCHOLOGY OF AGGRESSION ZZWASH UNIV, ST LOUIS MO ZZZ AD241140 TECH REP 5, JULY	60
DEESE J ORMOND E STUDIES OF DETECTABILITY DURING CONTINUOUS VISUAL SEARCH	

ZZJOHNS HOPKINS U, CHEVY CHASE, MD ZZAERO MED LAB, WADC, WPAFB, OHIO ZZZ AD24214 WADC TR 53-8 SEPT	53
DEFOREST M EVANS D ELECTROPHYSIOLOGICAL EVIDENCE THAT WATER STIMULATES A FOURTH SENSORY CELL IN BLOWFLY TASTE RECEPTOR AM ZOOL 1 377	61
DEHN H GUTMANN V POLAROGRAPHY OF GASES MONATSCHR 93 1348	62
DEHN W HARTMAN F THE VOLATILE SUBSTANCES OF URINE J AM CHEM SOC 36 2118	14A
DEHN W HARTMAN F URINOD, THE CAUSE OF THE CHARACTERISTIC ODOR OF URINE J AM CHEM SOC 36 2136	14B
DEIRMENDJIAN D ATTENUATION OF LIGHT IN THE EARTHS ATMOSPHERE AND RELATED PROBLEMS ZZDEPT OF METEOROLOGY, U OF CAL AT LOS ANGELES ZZGEOPHYS RES DIV, AF CAMB RES CENT ZZZ AD165924 SCI REP NO 1 JULY	52
DENAVARRE M INTERNATIONAL ENCYCLOPEDIA OF COSMETIC MATERIAL TRADE NAMES MOORE	57
DENLINGER, M THE COMPLETE DOBERMAN PINSCHER DENLINGER, RICHMOND	53
DENLINGER W THE COMPLETE BEAGLE DENLINGER, RICHMOND	56
DEPT OF INDUST HEALTH, SZECHUAN MED COLL, CHENG TU CHINA NORMAL VALUES FOR URINARY EXCRETION OF LEAD AND COPROPORPHYRIN TOGETHER WITH BASOPHILIC RED BLOOD CELL COUNT IN CHINESE CHINESE MED J 80 538	60
DERINGER C THE INFANTRY GOES TO THE DOGS INFANTRY OCT-DEC	58
DERKSON W MONAHAN T /REFLECTANCE OF LIVING AND DEAD SKIN/ J OPT SOC AMER 42 263	52
DERKSON W DELPERY G MONOHAN T RESEARCH REPORT ON REFLECTANCE AND ABSORPTION ZZARMED FORCES SPCL WEAPONS PROJ OF HUMAN SKIN REPT AFSWP 840	55

DESJARDINS J	ZEFF J	BAMBENEK R	
WASTE COLLECTION FOR A SPACE VEHICLE MR 1092			
ZZAMER MACH AND FOUNDRY CO, ALEXANDRIA, VIRGINIA			
ZZAEROSPACE MED DIV, WRIGHT AIR DEV DIV, WPAFB, OHIO			
ZZZ AD243608			
WADD TECH REP 60-290 MAY			60
DETHIER V			
CHEMICAL INSECT ATTRACTANTS AND REPELLENTS			
BLAKISTON			47A
DETHIER V			
REJECTION THRESHOLDS OF THE BLOWFLY FOR A SERIES OF			
ALIPHATIC ALCOHOLS			
J GEN PHYSIOL 30 247			47B
DETHIER V			
THE ROLE OF ANTENNAE IN THE ORIENTATION OF CARRION			
BEETLES TO ODOR			
J NY ENTOMOL SOC 55 285			47C
DETHIER V			
CHEMORECEPTION IN INSECTS			
PHYSIOL REV 28 220			48
DETHIER V			
THE LIMITING MECHANISM IN TARSAL CHEMORECEPTION			
J GEN PHYSIOL 35 55			51
DETHIER V			
THE RELATION BETWEEN OLFACTORY RESPONSE AND RECEPTOR			
POPULATION IN THE BLOWFLY			
BIOL BULL, WOODS HOLE 102 11			52
DETHIER V			
OLFACTORY RESPONSES OF BLOWFLIES TO ALIPHATIC ALDEHYDES			
J GEN PHYSIOL 37 743			54
DETHIER V			
THE PHYSIOLOGY AND HISTOLOGY OF THE CONTACT CHEMORECEPTORS			
OF THE BLOWFLY			
QUART REV BIOL 30 348			55
DETHIER V			
CHEMORECEPTOR MECHANISMS			
MOLECULAR STRUCTURE AND FUNCTIONAL ACTIVITY OF NERVE			
CELLS /GRENNELL R MULLINS L, EDS/			
ZZAM INST BIOL SCI, WASH			56A
DETHIER V			
WOLBARSH M			
THE ELECTRON MICROSCOPY OF CHEMOSENSORY HAIRS			
EXPERIENTIA 12 335			56B
DETHIER V			
CHEMORECEPTION AND THE BEHAVIOR OF INSECTS			
IN SURVEY OF BIOL PROG VOL 3 B. GLASS ED ACAD PRESS NY			57A
DETHIER V			
THE SENSORY PHYSIOLOGY OF BLOOD SUCKING ARTHROPODS /MITES,			
TICKS, LICE, FLEAS, FLIES/			

EXP PARASITOL 6 68	57B
DETHIER V ARAB Y EFFECT OF TEMPERATURE ON THE CONTACT CHEMORECEPTORS OF THE BLOWFLY J INSECT PHYSIOL 2 153	58
DEVEL H LIPIDS, CHEMISTRY AND BIOCHEMISTRY INTERSCIENCE	55
DIAMOND J THE DEPRESSION OF THE RECEPTOR POTENTIAL IN PACINIAN CORPUSCLES J PHYSIOL, LOND 141 117	58
DICKE R THE MEASUREMENT OF THERMAL RADIATION AT MICROWAVE FREQUENCIES REV SCI INST 17 268	46
DICKSON D RADIATION ABSORBED BY WATER VAPOR IN THE ATMOSPHERE ZZUTAH UNIV MET DEPT ZZAIR FORCE AN APPROXIMATE METHOD FOR DETERMINING THE AMOUNT OF SOLAR REP NO 5	53
DIEDERICH H POLICE AND WORK DOGS IN EUROPE US DEPT COMMERCE AND LABOR, BUREAU OF MANUF, WASH	09
DIEM K GEIGY SCIENTIFIC TABLES, SIXTH ED GEIGY PHARMACEUTICALS, ARDSLEY NY CONTAINS TABLES G AND H	62
DILL D B COMPOSITION OF SWEAT DURING ACCLIMATIZATION TO HEAT AM J PHYSIOL 123 412	38
DITTMER D GREBE R HANDBOOK OF RESPIRATION ZZNRC WASH AND USAF DAYTON WADC TR-58-352 AUGUST	58
DIXEY F SCENTS OF BUTTERFLIES NATURE 87 164	11
DOBSON R ABELE D HALE D THE EFFECT OF HIGH AND LOW SALT INTAKE AND REPEATED EPISODES OF SWEATING ON THE HUMAN ECCRINE SWEAT GLAND J INVEST DERM 36 327	61
DOBSON R FURTHER STUDIES ON THE HUMAN ECCRINE SWEAT GLAND ZZU OF OREGON MED SCHOOL, PORTLAND ZZARMY SURG GENL ANN REP FEB 15	63
DOELLING N KRYTER K	

CHARACTERISTICS OF NOISE PRODUCED BY SEVERAL CONTEMPORARY
ARMY WEAPONS
ZZBOLT BERANEK AND NEWMAN, CAMBRIDGE, MASS
RES AND DEV DIV, DEPT OF THE ARMY
ZZZ AD212420
REP NO 630 MARCH 6 59

DOLL R BERKSHIRE J
BIBLIOGRAPHY, PSYCHOLOGICAL RESEARCH IN THE U. S. NAVAL
SCHOOL OF AVIATION MEDICINE
ZZNAVAL SCHOOL OF AVIATION MED, PENSACOLA FLORIDA
ZZZ AD258939
RESEARCH REPORT FEBRUARY 6 61

DORN F
HUND UND UMWELT, EIN BUCH UBER ALLE FRAGEN DER ZUCHTUNG,
HALTUNG AND ERZIEHUNG DES RASSEHUNDES UNTER BESONDERER
BERUCKSICHTIGUNG DES GEBRACHSHUNDEWESENS AUFGEZEIGT AM
DOBERMANN
DEUTSCHER BAVERNVERLAG, BERLIN 57

DORSEY N
PROPERTIES OF ORDINARY WATER-SUBSTANCE IN ALL ITS PHASES
WATER VAPOR, WATER AND ALL THE ICES
REINHOLD PUBLISHING CORP, NEW YORK 40

ZZDOUGLAS AIRCRAFT CO, SANTA MONICA, CALIF
THE DOUGLAS X-BAND MICROWAVE PHOTOTUBE
PAMPHLET NO 2040 MAY 63

DOWNEY F
DOGS FOR DEFENSE, AMERICAN DOGS IN WORLD WAR TWO
MCDONALD NY 55

DRAVNIKS A
POSSIBLE MECHANISMS OF OLFACTION
NATURE 194 4825 245 62

DRUMMOND A
A NEW APPROACH TO THE MEASUREMENT OF TERRESTRIAL RADIATION
ZZEPPELEY LAB INC., NEWPORT RI
ZZGEOPHYSICS RES DIRECTORATE, AFCRL, BEDFORD, MASS
ZZZ AD265139
FINAL REPORT JULY 61

DRUMMOND R LACKEY E
VISIBILITY OF SOME FOREST STANDS OF THE U.S.
QMR AND EC TECH REP EP-36 MAY 56

DRYDEN C HANS L HITCHCOCK F
ARTIFICIAL CABIN ATMOSPHERES FOR HIGH ALTITUDE AIRCRAFT
ZZFOR USAF AERO MED LAB, WADC
WADC TECH REP 55-353 56

DUBOIS GAUTIER
THE AFRICAN CIVET AND OTHER VIVIRREDAE
LA FRANCE ET SES PARFUMES 2 3 59

DUGGAN
/SPECTROFLUORIMETRY, URIC ACID/
ARCH BIOCHEM BIOPHYS 68 1 57

125

DUNKLE R SPECTRAL REFLECTANCE MEASUREMENTS, SYMPOSIUM, SURFACE EFFECTS ON SPACECRAFT MATERIALS PAGE 117 IN REP OF FIRST SYMP, WILEY NY	60
DUNKELMAN L HORIZONTAL ATTENUATION OF ULTRAVIOLET AND VISIBLE LIGHT BY THE LOWER ATMOSPHERE ZZNAVAL RES LAB, WASH NRL 4031 SEPT	52
DUNN F DESTRUCTIVE EFFECT OF SOUND J ACOUS SOC AMER 29 395	57
DUNTLEY S THE REDUCTION OF APPARENT CONTRAST BY THE ATMOSPHERE J OPT SOC AMER 38 179	48
DURVELLE J THE PREPARATION OF PERFUMES AND COSMETICS SCOTT, GREENWOOD, LOND	23
DUTKY S SCHECHTER M ZZUS DEPT AGRICULTURE ENTOMOL RES DIV MONITORING ELECTROPHYSIOLOGICAL AND LOCOMOTION ACTIVITY	XX
DWIGGINS R FACTORS AFFECTING SIGNALING BY VISUAL METHODS ZZCHEM RES DEPT, US NAVAL ORDNANCE LAB, WHITE OAK, MD ZZZ AD162931 NAVORD REP 6034 DEC 19	57
DWORNIK S ORR D ZZMINE DETECT, ARMY ENG RES AND DEV, FT BELVOIR, VA ZZZ AD292994 ZZZ 2381 VARIATION IN REFLECTANCE OF VEGETATION AND SOILS CAUSED BY AN UNDERGROUND NUCLEAR EXPLOSION FINAL TECHNICAL REP NOVEMBER 1	62
DYSON G SURVEY OF THE CHEMISTRY OF NATURAL AND SYNTHETIC MUSK SUBSTANCES CHEM AGE, LOND 24 489	31

EAGLESON C INSECT OLFACTORY RESPONSES, CONSTRUCTION AND USE OF AN OLFACTOMETER FOR FLIES SOAP SANIT CHEM 15 123	39
EARLEY W SUPPRESSION OF SCENT IN RABBITS NATURE 8 78	73
EARP /SANITARY SIGNIFICANCE OF ODORS/ AMER J PUBL HLTH 13 283	23
EDOZIEN J PHILLIPS E PARTITION OF URINE NITROGEN IN KWASHIORKOR NATURE LOND 191 47	61
EDSALL RAMAN SPECTRA OF AMINO ACIDS AND RELATED COMPOUNDS J AM CHEM SOC 72 474	50
EDSTROM J QUANTITATIVE DETERMINATION OF RIBONUCLEIC ACID IN THE MICROMICROGRAM RANGE J NEUROCHEM 3 100	58
EDWARDS A S EFFECTS OF THE LOSS OF 100 HOURS SLEEP AMER J PSYCHOL 54 80	41
EDWARDS D SOME OBSERVATIONS ON THE EFFECTS ON HUMAN SUBJECTS OF AIR AND STRUCTURE BORNE VIBRATIONS OF VARIOUS FREQUENCIES ZZFLYING PERSON RES CENT, GT BRITAIN ZZZ AD115863 SEPT	50
EDWARDS D EFFECTS OF ARTIFICIALLY PRODUCED ATMOSPHERIC ELECTRICAL FIELDS ON ACTIVITY OF SOME ADULT DIPTERA CANAD J ZOOL 38 899	60
EDWARDS E A DUNTLEY S Q PIGMENTS AND COLOR OF LIVING SKIN, REFLECTANCE CHANGE WITH AGE, SEX, RACE AMER J ANAT 65 1	39A
EDWARDS E A DUNTLEY S Q /SPECTROPHOTOMETRIC REFLECTANCE MEASUREMENTS TO DETERMINE PIGMENT CHANGES AFTER EXPOSURE TO SUNLIGHT/ SCIENCE 90 235	39B
EDWARDS E /SPECTROPHOTOMETRY OF LIVING HUMAN SKIN IN UV RANGE/ J INVEST DERM 16 311	51
ELDER T STRONG J THE INFRARED TRANSMISSION OF ATMOSPHERIC WINDOWS J FRANKLIN INST 255 189 MARCH	53
ELIZAROV Y U	

STUDY OF CHEMORECEPTION IN MITES, AN ELECTROPHYSIOLOGICAL STUDY OF CHEMORECEPTION IN THE GRYLLUS DOMESTICUS ZHUR BIOL, USSR NO 14 286	62
ELKINS H THE CHEMISTRY OF INDUSTRIAL TOXICOLOGY WILEY, NY 2ND ED	59
ELLER J BODY ODOR MED RECORD 154 167	41
ELLICOTT A, ED ADVANCES IN MASS SPECTROMETRY MACMILLAN	63
ELLSON D A REPORT ON DETECTION OF DECEPTION ZZINDIANA U ZZOFF NAVAL RES RES REP	52
ELSASSER W FAR INFRARED ABSORPTION OF ATMOSPHERIC WATER VAPOR ASTROPHYS J 87 497	38
EMANUEL S QUANTITATIVE DETERMINATION OF THE SEBACEOUS GLANDS AND FUNCTION WITH PARTICULAR MENTION OF TWO METHODS EMPLOYED ACTA DERMAT VENEREOL 77 144	36
EMANUEL S MECHANISM OF SEBUM SECRETION ACTA DERMATOL VENEREOL 19 1	38
EMERLING R VELOCITY MEASURING SYSTEM EMPLOYING MODULATED LIGHT DOPPLER TECHNIQUES ZZELECTRO-OPTICAL SYSTEMS, PASADENA, CAL ZZZ AD266448 ZZAIR FORCE REP NO AFMDC-TR-61-16 JUNE	61
EMSLIE A G BLAU H H JR MEASUREMENT OF TEMPERATURES OF UNENCLOSED OBJECTS BY RADIATION METHODS J ELECTRO CHEM SOC 107 579	60
ENGEN T PFAFFMANN C ABSOLUTE JUDGMENTS OF ODOR INTENSITY J EXP PSYCHOL 58 23	59
ENGLAND J SHARPLES N SOME MEASUREMENTS AT 3.18 CM WAVELENGTHS OF HUMAN TISSUE NATURE 163 487	49
ENGLAND J DIELECTRIC PROPERTIES OF THE HUMAN BODY FOR WAVELENGTHS IN THE 1 - 10 CM RANGE NATURE 166 4220 SEPT 16	50

EOLIAN S	ERAMIAN S	
ON CHANGES IN THE EXCITABILITY OF THE OLFACTORY ANALYZER		
DURING THE ACTION OF VARIOUS INDUSTRIAL SUBSTANCES		
VESTZ OTORINOLARING	22 40	60
ERIKSEN C		
PARTITIONING AND SATURATION OF THE PERCEPTION FIELD AND		
EFFICIENCY OF VISUAL SEARCH		
ZZZ AD40730		
WADC TR 54-161	APRIL	54
ESAKOV A		
EFFERENT CONTROL OF RECEPTORS /CHEMORECEPTORS OF THE		
TONGUE/		
BULL EXP BIOL MED, USSR	51 237	61
EVANS C L		
SWEATING IN RELATION TO SYMPATHETIC INNERVATION		
BRIT MED BULL	13 197	57
EVANS D	MELLON D	
ELECTROPHYSIOLOGICAL STUDIES OF A WATER RECEPTOR		
ASSOCIATED WITH THE TASTE SENSILLA OF THE BLOWFLY		
J GEN PHYSIOL	45 487	62A
EVANS G		
RADAR CONFUSION REFLECTORS- AN ANNOTATED BIBLIOGRAPHY		
ZZLOCKHEED MISSILES AND SPACE CO, SUNNYVALE CALIFORNIA		
ZZZ AD296383		
SPECIAL BIBLIO	SB-62-38 OCT	62B
EVANS L		
BACTERIAL FLORA OF NORMAL HUMAN SKIN		
J INVEST DERMATOL	15 305	50
EVANS R	KRANER H	SCHROEDER G
ON SITE RADON STUDIES IN SURFACE SOILS PROJECT VELA		
ZZEDGERTON, GERMESHAUSEN AND GRIER, BOSTON		
ZZU.S. AIR FORCE		
ZZZ AD294019		
REP NO B-2516	DEC	62C
EVERED D		
/FREE AMINO ACIDS IN URINE/		
LONDON U, PHD THESIS		54
EVERED D F		
THE EXCRETION OF AMINO ACIDS IN THE HUMAN		
BIOCHEM J	62 416	56
EWALD H	HINTENBERGER H	
METHODS AND USES OF MASS SPECTROSCOPY		
ZZMAX-PLANCK INST FOR CHEMISTRY, MAINZ		
ZZUS AEC, DIV OF TECHNICAL INFORMATION		
TRANSLATION AEC-TR-5080		53
EWING G		
INSTRUMENTAL METHODS OF ANALYSIS		
MCGRAW HILL		60

EYSENCK H
THE DYNAMICS OF ANXIETY AND HYSTERIA
ROUTLEDGE, LOND

57

FAIR	WELLS	
/ DETERMINATION OF ODOR IN WATER/ WATER WORKS ENG 87 1051		34
FAIR G	GEYER J	
WATER SUPPLY AND WASTE-WATER DISPOSAL WILEY NY		54
FALES H	PISANO J	
GAS CHROMATOGRAPHY OF BIOLOGICALLY IMPORTANT AMINES ANALYTICAL BIOCHEM 3 337		62
FENNING W		
REFERENCE SOURCES IN THE PHYSIOLOGY OF EXTREME ENVIRONMENTAL TEMPERATURES ZZENG RES INST, U MICH ZZARMY ORDNANCE PROJ 2167		54
FESSARD A		
LES ORGANS ELECTRIQUES TRAIT DE ZOOL 13 1143 MASSON, PARIS		XX
FESTER G	BERTUZZI F	
GLAND SECRETION OF THE ALLIGATOR /YACAROL/ BERICHTE 67 365		34
FESTER G		
/ODOROUS SUBSTANCES OF THE ANIMAL KINGDOM/ CIENCIA INVEST /BUENOS AIRES/ 1 111		45
FINAN J	FINAN S	HARTSON L
A REVIEW OF REPRESENTATIVE TESTS USED FOR THE QUANTITATIVE MEASUREMENTS OF BEHAVIOR-DECREMENT UNDER CONDITIONS RELATED TO AIRCRAFT FLIGHT USAF TECH REP NO 5830 JULY		49
FISCHER R		
TASTE BLINDNESS AND VARIATIONS IN TASTE THRESHOLD IN RELATION TO THYROID METABOLISM RECENT ADVANCES BIOL PSYCHIAT 3 198		61
FITCHES H		
MASS SPECTRA OF SOME STEROIDS ADVAN IN MASS SPECTROM 2 428		63
FLEISCHMANN L		
GESUNDHEITSSCHADLICHKEIT DER MAGNET WECHSELFELDER NATURWISSEN 10 434		22
FLEROV K		
FAUNA OF USSR MAMMALS - MUSK DEER AND DEER ACAD SCI USSR, MOSCOW		52
FLEMING I		
TERRESTRIAL MAGNETISM AND ELECTRICITY MCGRAW HILL, NY		39
FLETCHER K	LEITHEAD A	
ALDOSTERONE EXCRETION IN ACCLIMATIZATION TO HEAT ANN TROP MED AND PARASITOL 55 498		61

FLOCK A	WERSALL J	
A STUDY OF THE ORIENTATION OF THE SENSORY HAIRS OF THE RECEPTOR CELLS IN THE LATERAL LINE ORGAN OF FISH, WITH SPECIAL REFERENCE TO THE FUNCTION OF THE RECEPTORS		
J CELL BIOL	15 19	62
FLUGGE C		
GERUCHLICHE RAUMORIENTIERUNG VON DROSOPHILA MELANOGASTER Z VERGLEICH PHYSIOL 20 463		34
FORD A		
FOUNDATION OF BIOELECTRONICS FOR HUMAN ENGINEERING ZNAV ELECTRONICS LAB SAN DIEGO		57
FOREMAN H	BROOKS M	
STUDIES ON DETECTION OF BIOLOGICAL EFFECTS OF MAGNETIC FIELDS		
LOS ALAMOS SCI LAB REPORTS	2627 94	61
FORRESTER A T	GUDMUNSEN R A	JOHNSON P O
PHOTOELECTRIC MIXING OF INCOHERENT LIGHT		
PHYS REV	99 1691	55
FORRESTER A T		
PHOTOELECTRIC MIXING AS A SPECTROSCOPIC TOOL		
J OPT SOC AMER	51 253	61
FORSTER G		
/SEXUAL ATTRACTANTS OF CRUSTACEA/ J MAR BIOL ASSOC U.K. 30 333		51
FOSTER D		
FUTURE PATHWAYS OF OLFACTORY RESEARCH PROC SCI SECT TOILET GOODS ASS 14 14		50
FOSTER H		
/MAGNETIC RESONANCE SPECTROMETRY/ ANAL CHEM 34 255R		62
FOSTER K G		
RELATION BETWEEN THE COLLIGATIVE PROPERTIES AND CHEMICAL COMPOSITION OF SWEAT		
J PHYSIOL /LONDON/	155 490	61
FOULKE E		
COMMUNICATION BY ELECTRICAL STIMULATION OF THE SKIN ZZU OF LOUISVILLE, LOUISVILLE, KY ZZUS ARMY MED RES AND DEV CMD, WASH ZZZ AD294648		
ANNUAL PROG REP	NOV	62
FOX D		
ANIMAL BIOCHROMES AND STRUCTURAL COLOURS UNIV PRESS, CAMBRIDGE		63
FOX W		
VISUAL DISCRIMINATION AS A FUNCTION OF STIMULUS SIZE, SHAPE, AND EDGE GRADIENT		
ZZBOSTON U, PHYSICAL RES LABS,	BOSTON MASS	

ZZAERIAL RECON LAB, WADC OHIO TECH NOTE NO 132 AUGUST	57
FOY J URINARY EXCRETION OF FIVE-HYDROXYINDOLEACETIC ACID IN WEST AFRICANS LANCET 1 942	62
FRAENKEL G THE ORIENTATION OF ANIMALS DOVER, NY	40
FRANKE E MEASUREMENT OF THE MECHANICAL IMPEDANCE OF THE BODY SURFACE ZZUSAF AIR MATERIAL COMMAND AIR MATERIEL COMM MEMO REP NO MCREXD-695-71C	48
FRANKE E MEASUREMENT OF THE MECHANICAL IMPEDANCE OF THE BODY SURFACE J ACOUSTICAL SOC AMER 21 55	49
FRANKE E VON GIERKE H OESTREICHER H PHYSICS OF VIBRATIONS OF LIVING TISSUES ZZWRIGHT AIR DEV CENT, OHIO AF TECH REP 6367 FEB	51A
FRANKE E MECHANICAL IMPEDANCE OF THE SURFACE OF THE HUMAN BODY J APPLIED PHYSIOL 3 582	51B
FRANKEN A INSTINKT UND INTELLIGENZ EINES HUNDES Z ANGEWAN PSYCHOL, LEIPZIG	10
FRANKS J HOBBS R KEATING P DC ELECTROLUMINESCENT IMAGE CONVERTER AND/OR INTENSIFIER ZZRESEARCH LAB, ADMIRALTY, WOOLWICH ZZZ AD294899 ANNUAL REPORT RESEARCH REPORT NO H-725 DEC 31	62
FRASER D VIGILANCE STRESS MED RES COUNCIL, APPLIED PSYCHOL UNIT, GT BRITAIN REP NO 174	52
FREDRICKSON W GINSBURG N INFRARED SPECTRAL EMISSIVITY OF TERRAIN ZZPHYSICS DEPARTMENT SYRACUSE UNIV, SYRACUSE RES INST , NY ZZWRIGHT AIR DEV CENT, WRIGHT-PATTERSON AFB, OHIO ZZZ AD132839 INTERIM DEVELOPMENT REP NO 1 MAY 1	57
FREDRICKSON W GINSBURG N PAULSON R WASHOUT EFFECT IN INFRARED BACKGROUND STUDIES ZZDEPT OF PHYSICS SYRACUSE UNIV, SYRACUSE NY ZZGEOPHYS RES DIRECTORATE, AFCRC, BEDFORD MASS ZZZ AD220724 AFCRC TN-59-445 SCIENTIFIC REP NO 1 JUNE	59

FREE J BUMBLEBEES LONDON	BUTLER G	59
FREE L INFRARED BACKGROUND NOISE MEASURING PROGRAM ZZNAVAL UNDERWATER SOUND LAB, NEW LONDON AUG 10		61
FREEMAN G INSENSIBLE PERSPIRATION AND THE GALVANIC SKIN REFLEX AM J PHYSIOL 111 55	DARROW C	35
FREEMAN N INFRARED SPECTRA OF SOME LIPOPROTEINS AND RELATED LIPIDS /STERIODS/ J BIOL CHEM 203 293		53
FREY A AUDITORY SYSTEM RESPONSE TO MODULATED RADIO FREQUENCY ENERGY ZZGEN ELEC ADVAN ELECTRON CENTER, CORNELL U, ITHACA, NY JULY 20		61A
FREY A AUDITORY SYSTEM RESPONSE TO RADIO FREQUENCY ENERGY J AEROSPACE MED ASSOC AUG		61B
FREY A H HUMAN AUDITORY SYSTEM RESPONSE TO MODULATED ELECTROMAGNETIC ENERGY J APPL PHYSIOL 17 689		62
FRIEDLAND S A PROTON RECOIL NEUTRON SPECTROMETER UTILIZING A SEMICONDUCTOR RADIATION DETECTOR ZZSOLID STATE RADIATIONS INC, LOS ANGELES CALIF ZZDIAMOND ORD FUZE LABS, ORDNANCE CORPS, WASH DC ZZZ AD294324 FINAL REPORT NP-12226 NOVEMBER 16	ZIEMBA F ZIMMERMAN	62
FRIEDMAN H 17-KETOSTEROID EXCRETION IN INDIANS LANCET 2 262		51
FRIEDMAN M ARTIFICIAL INTELLIGENCE-SOVIET BLOC, BIBLIOGRAPHY ZZLINCOLN LAB OF MIT, LEXINGTON MASS ZZU.S. AIR FORCE ZZZ AD271667 EIGHTH REFERENCE BIBLIO DECEMBER 27		61
FRIEDMAN S SODIUM AND POTASSIUM SENSITIVE GLASS ELECTRODES FOR BIOLOGICAL USE SCIENCE 130 1252	JAMIESON J NAKASHIMA M	59
FRIEDMAN S SINGLE SAMPLE ANALYSIS WITH THE SODIUM ELECTRODE ANALYT BIOCHEM 2 568	NAKASHIMA M	61

FRIES J A /COLONIC GASES AND DIET/ AM J PHYSIOL 16 468	06
FRINGS H LOCI OF OLFACTORY END-ORGANS IN THE HONEYBEE J EXP ZOOL 97 123	44
FRINGS H GUSTATORY THRESHOLDS FOR SUCROSE AND ELECTROLYTES FOR THE COCKROACH PERIPLANETA AMERICANA J EXP ZOOL 102 23	46A
FRINGS H ONEAL B THE LOCI AND THRESHOLDS OF CONTACT CHEMORECEPTORS IN FEMALES OF THE HORSEFLY TADANUS SULCIFRONS MACQ J EXP ZOOL 103 61	46B
FRINGS H A CONTRIBUTION TO THE COMPARATIVE PHYSIOLOGY OF CONTACT CHEMORECEPTION J COMP PHYSIOL PSYCHOL 41 25	48
FRINGS H FRINGS M THE LOCI OF CONTACT CHEMORECEPTORS IN INSECTS AM MIDLAND NAT 41 602	49
FRINGS H HAMRUM C THE CONTACT CHEMORECEPTORS OF ADULT YELLOW FEVER MOSQUITOES J NY ENT SOC 58 133	50
FRINGS H BOYD W EVIDENCE FOR OLFACTORY DISCRIMINATION BY THE BOBWHITE QUAIL AM MIDLAND NAT 48 181	52
FRINGS H COX B THE EFFECTS OF TEMPERATURE AND THE SUCROSE THRESHOLDS OF THE TARSAL CHEMORECEPTORS OF THE FLESH FLY SARCOPHAGA BULLATA BIOL BULL 107 360	54
FRY W MECHANISM OF ACOUSTIC ABSORPTION IN TISSUE J ACOUST SOC AMER 24 412	52
FRY W ZZAVAIL FROM COMM ON HEARING AND BIO-ACOUSTICS, NRC WASH,DC MECHANISM OF ACOUSTIC ABSORPTION IN TISSUE	52
FRYBERGER D STUDY OF ATMOSPHERIC ELECTRICITY ZZARMOUR RES FDTN, CHICAGO ZZUSAF CAMB RES LABS ZZZ AD267264 SEPT	61
FUJII N THE BIOCHEMICAL EXAMINATION OF URINE SOGO IGAKU 13 478	56

FUJIOKA H
• URINARY CHANGE FOLLOWING EXERCISE 1 CHANGES IN URINARY
VOLUME WITH REFERENCE TO SOME OTHER COMPONENTS, 2 CHANGES
IN NA AND K IN REFERENCE TO SOME OTHER COMPONENTS
MIE-IGAKU 4 567 60

FURCHGOTT
/EFFECTS ON ISOLATED AORTA STRIP LENGTH OF TRACES OF
BIOCHEMICAL SUBSTANCES
J PHARM EXP THER 108 129 53

GAITO J
 ENVIRONMENTAL REQUIREMENTS OF SEALED CABINS FOR SPACE AND
 ORBITAL FLIGHTS, 3 PERFORMANCE AND HABITABILITY ASPECTS
 OF EXTENDED CONFINEMENT
 ZZNAV AIR MATER CENT, PHILA
 ZZZ AD205381
 REPT NAMC-ACEL-385

GALLAGHER J DEES J STRAUCH R
 EXCITATION AND DETECTION TECHNIQUES FOR MILLIMETER WAVE
 TRANSITIONS
 ZDMARTIN COMPANY, ORLANDO FLORIDA
 ZZARMY SIGNAL SUPPLY AGENCY, FT MONMOUTH N J
 ZZZ AD295715
 FIRST QUARTERLY PROGRESS REPORT OCTOBER 24 62

GALLIOS G
 SUMMARY REPORT ON ELECTROMAGNETIC HAZARDS STUDIES ON
 ORDNANCE
 ZZMAXSON ELECTRONICS CORP, NY, NY
 ZZTECH SERVICES LAB, AMMUNITION GROUP PICATINNY ARSENAL NJ
 ZZZ AD287979
 REP NO 4112-1 AUGUST 62

GANDY H W GINTHER R J
 STIMULATED EMISSION OF ULTRA-VIOLET RADIATION FROM
 GADOLINIUM ACTIVATED GLASS
 APPL PHYS LETTERS 1 25 62

GARBELL M
 SOVIET RESEARCH ON GRAVITATION, AN ANALYSIS OF PUBLISHED
 LITERATURE
 ZZGARBELL RESEARCH FOUNDATION, SAN FRANCISCO
 ZZSCI AND TECHNOLOGY SECTION AIR INFORMATION DIVISION
 ZZZ AD246700
 AID REPORT 60-61 OCTOBER 60

GARDON R
 EMISSIVITY OF TRANSPARENT MATERIALS
 J AMER CERAMIC SOC 39 278 56

GARLOCK E HURLEY M
 MEASUREMENT OF 17-HYDROXYCORTICOSTEROIDS IN URINE -
 DEVELOPMENT OF A METHOD FOR THE MEASUREMENT OF
 PREGNANEDIOL IN URINE
 ZZHAZLETON LABS, WASH, DC
 ZZUS ARMY RES AND DEV COMM, WASH, DC
 ZZZ AD294974
 ANNUAL PROGRESS REP JAN 63

GARTRELL F CARPENTER S
 AERIAL SAMPLING BY HELICOPTER - A METHOD FOR STUDY OF
 DIFFUSION PATTERNS
 J METEOROL 12 215 55

GARTRELL F CARPENTER S
 AERIAL SAMPLING BY HELICOPTER - A METHOD FOR STUDY OF
 DIFFUSION PATTERNS
 IND HYG DIGEST 20 27 56A

GARTRELL F CARPENTER S

AERIAL SAMPLING BY HELICOPTER - A METHOD FOR STUDY OF DIFFUSION PATTERNS PUBL HEALTH ENGR ABSTR 36 6	56B
GARY N /HONEYBEE SEX ATTRACTANT IN QUEEN MANDIBULAR GLANDS IDENTIFIED AS DECANOIC ACID DERIVATIVE/ SCIENCE 135 773	62
GAZAN M FLAVOURS AND ESSENCES /A HANDBOOK OF FORMULAE/ CHAPMAN LTD, LOND	36
GAZENKO O BAYEVSKIY R SOVIET LITERATURE ON LIFE SUPPORT SYSTEMS AND BIOSCIENCES ZZAEROSPACE INFO DIV, LIBRARY OF CONGRESS ZZZ AD283005 AID REP 62-91	62
GEBHARD J W MOWBRAY G H ON DISCRIMINATING THE RATE OF VISUAL FLICKER AND AUDITORY FLUTTER AMER J PHYSIOL 72 521	59
GEE A CONTROL OF ODORS IN EVACUATION AIRCRAFT ZZF D SNELL, NY ZZZ AT1159415 AFTR 6565 PT 1 AND 2	51
GEIGER THE CLIMATE NEAR THE GROUND HARVARD U PRESS, CAMBRIDGE	57
GELDARD F THE HUMAN SENSES WILEY, NY	53
GELINAS R GENOUD R A BROAD LOOK AT THE PERFORMANCE OF INFRARED DETECTORS ZZRAND CORP, ENG DIV, SANTA MONICA, CAL ZZZ AD295044 P-1697 MAY 11	59
GERICKE O SPECTRUM AND CONTOUR ANALYSIS OF ULTRASONIC PULSES FOR IMPROVED NONDESTRUCTIVE TESTING ZZWATERTOWN ARSENAL LABS, MASS ZZZ AD249903 WAL TR 830.5/1 DEC	60
GERICKE O GEOMETRY OF HIDDEN DEFECTS DETERMINED BY ULTRASONIC PULSE ANALYSIS AND SPECTROSCOPY ZZWATERTOWN ARSENAL LABS, WATERTOWN MASS ZZZ AD296033 TECH REP WAL TR 830.5/5 DECEMBER	62
GERISCHER H ELECTRODE PROCESSES ANN REV PHYS AND CHEM 12 XX	61

GERSON N
THE ATMOSPHERE
ZZGEOPHYS RES DIR, AFCRC AIR RES AND DEV COMMAND, CAMBRIDGE
ZZZ AD78465
AF SURVEYS IN GEOPHYSICS NO 73 AFCRC TN-55-216 SEPTEMBER 55

GESTELAND R
ACTION POTENTIALS RECORDED FROM OLFACTORY RECEPTOR
NEURONS
MIT PHD THESIS 61A

GESTELAND R PITTS W
ALLIGATOR OLFACTION
MIT RLE QUART PROG REP 60 226 JAN 15 61B

GEX R
EFFECTS OF NUCLEAR RADIATION ON THE OPTICAL, ELECTRICAL
AND THERMOPHYSICAL PROPERTIES OF SOLIDS, AN ANNOTATED
BIBLIOGRAPHY
ADDENDUM TO THE SPACE MATERIALS HANDBOOK
ZZLOCKHEED MISSILES AND SPACE DIVISION, CALIFORNIA
ZZZ AD266557
SPECIAL BIBLIOGRAPHY SR-61-42 AUGUST 61

GEX R
SPACE TRAVEL AND HUMAN THERMAL LIMITS - A SELECTED
BIBLIOGRAPHY
ZZLOCKHEED MISSILES AND SPACE DIV, SUNNYVALE, CAL
ZZUS AIR FORCE
ZZZ AD296343
SPEC BIBLIO SB-61-33 FEB 62

GIBBONS D LOVERIDGE B MILLETT R
RADIOACTIVATION ANALYSIS - A BIBLIOGRAPHY
ZZU.K. ATOMIC ENERGY AUTHORITY RES, HARWELL
ZZATOMIC ENERGY RES ESTABLISHMENT
ZZZ AD151722
AERE I/R 2208 AUGUST 57

GIBBS G
SALT IN SWEAT
ZZAEROSPACE MED RES LABS, WP-AFB OHIO
ZZZ AD283442
MRL TDR/62-50 MAY 62A

GIBBS K HALL E
BIBLIOGRAPHY OF BIBLIOGRAPHIES
ZZASTIA, ARLINGTON VA
ZZZ AD281900
AUGUST 62B

GIBSON H GROSSMAN W COOKE W D
/FLAME SPECTROMETRY/
ANAL CHEM 35 266 63

GIDDINGS J
THEORY OF MINIMUM TIME SEPARATION IN GAS CHROMATOGRAPHY
ANAL CHEM 34 314 62

GIER J T DUNKLE R V BEVANS J T

MEASUREMENT OF ABSOLUTE SPECTRAL REFLECTIVITY FROM 1 TO 15 MICRONS J OPT SOC AMER 44 558 JULY	54
GILL E CONDORS SENSE OF SMELL TRANSACT NAT HIST SOC NORTHUMBERL 1 40	04
GILL J WEISSBLUTH M THERMOLUMINESCENCE AND ELECTRON PARAMAGNETIC RESONANCE OF AMINO ACIDS, POLYPEPTIDES AND PROTEINS IRRADIATED WITH ULTRAVIOLET LIGHT ZZBIOPHYSICS LAB, STANFORD UNIV, STANFORD CALIF ZZOFFICE OF NAVAL RESEARCH ZZZ AD294395 TECH REP NO 2 B.L. REP NO 77 OCTOBER	62
GILLESPIE T TASTE OR SCENT IN THE OSTRICH SCOT NATURALIST XX 168	22
GILMAN J PERSPECTIVES IN HUMAN MALNUTRITION GRUNE AND STRATTON NY	51
GILMOUR D THE BIOCHEMISTRY OF INSECTS ACAD PRESS, NY	60
GINI B SPACE FEEDING, CLOSED ECOLOGICAL SYSTEM FOR EXTENDED TRAVEL A REVIEW OF PERTINENT LITERATURE QM FOOD AND CONTAIN INST LIBRARY BULL 2 JUNE	60
GIONIS N AUTOCORRELATION OF PULSE POSITION MODULATED SIGNALS ZZSCHOOL OF ENGNQ AF INST OF TECHNOLOGY WP AFB, OHIO ZZZ AD294922 GE/EE/62-7 DECEMBER	62
GIVAUDAN, DELAWANNA INC THE GIVAUDAN INDEX, SPECIFICATIONS OF SYNTHETICS AND ISOLATES FOR PERFUMERY GIVAUDAN-DELAWANNA INC	49
GIVENS M A STUDY OF THE OPTICAL PROPPRTIES OF SOLIDS IN THE EXTREME VACUUM ULTRAVIOLET AND THE SOFT X-RAY REGION 100-1500 A ZZUNIV OF ROCHESTER INSTITUTE OF OPTICS, ROCHESTER NY ZZARMY ORDNANCE ZZZ AD296816 FINAL REPORT JANUARY 8	63
GLASCOCK H ED JOINT US-CANADIAN CONFERENCE ON ENVIRONMENTAL PHYSIOLOGY ZZARMY MED RES LAB, FT KNOX, KY ZZZ AD264971 REPORT NO 474 NOVEMBER	60
GLASER E M LEE T S ACTIVITY OF HUMAN SWEAT GLANDS DURING EXPOSURE TO COLD	

J PHYSIOL 122 59	53
GOING C DOGS AT WAR MACMILLAN NY	44
GOKHALE S NITROGEN PARTITION IN URINE, A STUDY BASED ON THE EXAMINATION OF URINES OF 251 HEALTHY INDIAN MALES IND J MED RES 51 92	63
GOLDBERG B LUFKIN D PENNDORF R SLANT VISIBILITY ZZGEOPHYS RES DIRECTORATE, AF CAMB RES CENT ZZZ AD3276 AF SURVEYS IN GEOPHYSICS NO 21 DEC	52
GOLDBLITH S WICK E ANALYSIS OF HUMAN FECAL COMPONENTS AND STUDY OF METHODS FOR THEIR RECOVERY IN SPACE SYSTEMS ZZMIT DEPT OF NUTRIT ZZAEROSPACE MED LAB, WP-AFB ZZZ AD266882 REPORT ASD-TR-61-419	61
GOLDBY F HICKS C OCONNOR W A COMPARISON OF THE SKIN TEMPERATURE AND SKIN CIRCULATION OF NAKED WHITES AND ABORIGINES EXPOSED TO SIMILAR ENVIRONMENTAL CHANGES AUSTRAL J EXP BIOL AND MED SCI 6 29	38
GOLDFINGER P HUYBRECHTS G VERBEKE G MASS SPECTROMETRIC STUDY OF FAST REACTIONS AT ATMOSPHERIC PRESSURE ADV IN MASS SPECTROM 2 360	63
GOLDMAN D MECHANICAL VIBRATION AND ITS EFFECTS ON MAN ZZNAVAL MED RES INST, BETHESDA, MD ZZZ AD6179 LECTURE AND REVIEW SERIES NO 52-1 FEB 6	52
GOLDMAN D THE BIOLOGICAL EFFECTS OF VIBRATION ZZARMED FORCES-NRC COMMITTEE ON HEARING AND BIO-ACOUSTICS ZZZ AD256926 MARCH	61
GOLDSMITH T THE VISUAL SYSTEM OF THE HONEYBEE PROC NAT ACAD SCI 44 123	58A
GOLDSMITH T RUCK P THE SPECTRAL SENSITIVITIES OF THE DORSAL OCELLI OF COCKROACHES AND HONEYBEES J GEN PHYSIOL 41 1171	58B
GOLDSMITH THE NATURE OF THE RETINAL ACTION POTENTIAL, AND THE SPECTRAL SENSITIVITY OF UV AND GREEN RECEPTOR SYSTEMS OF THE COMPOUND EYE OF THE WORKER HONEYBEE	

J GEN PHYSIOL 43 775	60
GOLDZIEHER J CHEMICAL ANALYSIS OF THE INTACT SKIN BY REFLECTANCE SPECTROPHOTOMETRY AMA ARCH DERMAT AND SYPHILOL 64 533	51
GOLDZIEHER J AXELROD L A STUDY OF METHODS FOR THE DETERMINATION OF TOTAL, GROUPED AND INDIVIDUAL URINARY SEVENTEEN-KETOSTEROIDS J CLIN ENDOC AND METAB 22 1234	62
GOLUEKE C OSWALD W MCGAUHEY P THE BIOLOGICAL CONTROL OF ENCLOSED ENVIRONMENTS SEW AND IND WASTES 31 1125	59
GORDON B, ED CLINICAL CARDIOPULMONARY PHYSIOLOGY GRUNE AND STRATTON, NY 2ND EDITION	60
GORDON G D MEASUREMENT OF THE RATIO OF ABSORPTIVITY OF SUNLIGHT TO THERMAL EMISSIVITY REV OF SCI INSTRUMENTS 31 1204 NOV	60
GORDON H EALES B BROCK J DIETARY FAT AND CHOLESTEROL METABOLISM - FECAL ELIMINATION OF BILE ACIDS AND OTHER LIPIDS LANCET 2 1299	57
GORMAN P SCOUT DOGS ON PATROL INFANTRY SCHOOL QUARTERLY JULY	54
GOTTLIEB D ROSSI P A BIBLIOGRAPHIC REVIEW OF FOODS AND FOOD HABIT RESEARCH ZZQM FOOD AND CONTAIN INST FOR ARMED FORCES BIBLIO NO 4 JAN	61
GOTZ B DIE SEXUALDUFTSTOFFE AN LEPIDOPTEREN EXPERIENTIA 7 406	57
GRABOSKE H PROSTAK A THE APPLICATION OF THE SKYSCRAPER AIRBORNE RADIATION MEASURING SYSTEM TO THE MEASUREMENT OF SKY BACKGROUNDS ZZBENDIX SYSTEMS DIV, ANN ARBOR, MICH ZZAF GEOPHYS RES DIRECT, CAMBRIDGE RES LABS AFCRL-1078 DEC 29	61
GRADWOHL R FECES CLIN LAB METHODS AND DIAGNOSIS MOSBY, ST LOUIS	56
GRAF W TERRITORIALISM IN DEER J MAMMOL 37 165	56
GRANIT R RECEPTORS AND SENSORY PERCEPTION	

YALE PRESS, NEW HAVEN	55
GRASSI BATTISTA CASTRONOVO A /CONTRIBUTION ON THE OLFACTORY ORGANS OF DOGS/ ARCH MIKROSKOP ANAT 34 385	89
GRAVITT D X-RAY METHODS OF MINE DETECTION ZZMINE DET BR ARMY ENG R AND D LAB, FT BELVOIR ZZZ AD294144 TECH REPT 1723-TR SEPTEMBER 28	62
GRAY D, ED AMERICAN INSTITUTE OF PHYSICS HANDBOOK MCGRAW HILL	57
GRAY E PUMPHREY R ULTRASTRUCTURE OF THE INSECT EAR NATURE LOND 181 618	58
GRAY J ENERGETICS OF SENSORY EFFECTS NATURE, LOND 170 823	52
GRAYBIEL A GUEDRY F JOHNSON W ADAPTATION TO BIZARRE STIMULATION OF THE SEMI-CIRCULAR CANALS AS INDICATED BY THE OCULOGYRAL ILLUSION AEROSPACE MED 32 321	61
GREEN A, ED THE MIDDLE ULTRAVIOLET AND ITS APPLICATIONS ZZGENL DYNAMICS CORP ASTRO DIV REP ERR-AN-185	62
GREEN D AUDITORY DETECTION OF A NOISE SIGNAL ZZAVAIL FROM COMM ON HEARING AND BIO-ACOUSTICS, NRC WASH,DC	60A
GREEN N /SPECIAL ATTRACTIVENESS OF AMINES, SULFIDES, FATTY ACIDS AND AMMONIA TO INSECTS INDUCING BEHAVIOR RESPONSES/ ADVANCES IN PEST CONTROL 3 129	60B
GREENBERG L HANDBOOK OF COSMETIC MATERIAL INTERSCIENCE, NY	54
GREER R PEARSON W HAVRON M EVASION AND SURVIVAL PROBLEMS AND THE PREDICTION OF CREW PERFORMANCE, CREWSCAT PROBLEM FORM AND MANUAL ZZAF PERSONNEL AND TRAINING RES CENT, LACKLAND AFB, TEX ZZZ AD146428 SUPPLEMENT 2 TECH REP AFPTRC-TR-57-14 DEC	57
GRIFFIN D ECHOES OF BATS AND MEN DOUBLEDAY-ANCHOR	59
GRIFFIN J FIELD STUDY OF VARIATION IN CHARACTERISTICS OF SEISMIC	

NOISE AND SIGNALS WITH GEOLOGIC AND GEOGRAPHIC ENVIRONMENT ZZUNITED EARTH SCIENCES, DIV OF UNITED ELECTRODYNAMICS ZZAF TECHNICAL APPLICATIONS CENTER, WASH DC ZZZ AD296938 REP NO VT/078-28 JAN 15 VOLS 1 AND 2	63
GRINKER R MEN UNDER STRESS BLAKISTON, PHILA	45
GRITLER R PRODUCTION AND DETECTION OF FREE RADICALS BY CHEMICAL AND SPECTROSCOPIC METHODS ZZUNIV OF CONN ZZZ AD299008 OCTOBER	62
GRITTER R THE PRODUCTION AND DETECTION OF FREE RADICALS BY CHEMICAL AND SPECTROGRAPHIC METHODS UNIV OF CONN CHEM DEPT FOR QMR AND EC OCT	62
GROSS H DIE ISERLOHNER DRESSURANSTALT FUR POLIZEIHUNDE ARCHIV FUR KRIMINAL ANTHROPOL UND KRIMINALSTIK, LEIPZIG	12
GUBIN V SENSITIVITY OF SMELL IN BEES PCHELOVODSTVO USSR 34 17	57
GUGGENHEIM K WEISS Y FOSTICK M COMPOSITION AND NUTRITIVE VALUE OF DIETS CONSUMED BY STRICT VEGETARIANS BRIT J NUTR 16 475	62
GUIBERT A TAYLOR C THE RADIATION AREA OF THE HUMAN BODY ZZWADC, WPAFB, OHIO AF TR-6706 DEC	51
GWYER J WALDRON V PHOTO INTERPRETATION TECHNIQUES, A BIBLIOGRAPHY ZZTECHNICAL INFO DIV, LIBRARY OF CONGRESS ZZZ AD91699	56

HAAHTI E MAJOR LIPID CONSTITUENTS OF HUMAN SKIN SURFACE SCAND J CLIN AND LAB INVEST 13 1	61A
HAAHTI E FALES H CONTINUOUS INFRARED FUNCTIONAL GROUP DETECTION OF GAS CHROMATOGRAPHY ELUATES CHEM AND INDUST XX 507	61B
HAAHTI E HORNUNG E CASTREN O MICROANALYSIS OF SEBUM AND SEBUM-LIKE MATERIALS BY TEMPERATURE PROGRAMMED GAS CHROMATOGRAPHY SCAND J CLIN LAB INVEST 14 368	62
HABGOOD J SENSITIZATION OF SENSORY RECEPTORS IN THE FROGS SKIN J PHYSIOL, LOND 111 195	50
HACK M H SIGNAL DETECTION IN THE RAT SCIENCE 139 758	63
HACKFORTH H INFRARED RADIATION MCGRAW-HILL NY	60
HAEFNER K MILLER R COOPER J RADIOISOTOPES FOR LOW ALTITUDE MEASUREMENT ZZGENERAL ELECTRIC CO, SCHENECTADY NY ZZFLIGHT CONTROL LAB, AERONAUT SYST DIV WP-AFB, OHIO ZZZ AD295480 TECH DOC REP NO ASD-TDR-62-648 NOVEMBER	62
HAGGARD A GREENBERG C /GASES AND VAPORS MEASURED IN EXPIRED AIR TOXICOLOGY/ J PHARM EXP THER 66 479	39
HAGGARD H W BREATH ODORS FROM ALLIACEOUS SUBSTANCES J AMER MED ASSOC 104 2160	35
HAGGARD H WHY OTHER PEOPLE SMELL HYGEIA 19 12	41
HAGINS W ZONANA H ADAMS R LOCAL MEMBRANE CURRENT IN THE OUTER SEGMENTS OF SQUID PHOTORECEPTORS NATURE 194/4831/ 844	62
HAGIWARA S KUSANO K NEGISHI K PHYSIOLOGICAL PROPERTIES OF ELECTRORECEPTORS OF SOME GYMNOTIDS J NEUROPHYSIOL 25 430	62A
HAGIWARA S KUSANO K NEGISHI K PHYSIOLOGICAL PROPERTIES OF ELECTRORECEPTORS IN SOME GYMNOTIDS J GEN PHYSIOL 45 600A	62B

HAINER R	EMSLIE A	JACOBSON A	
AN INFORMATION THEORY OF OLFACTION			
ANN NY ACAD SCI 58 158			54
HAKKI B			
GENERATION OF COHERENT ELECTROMAGNETIC SIGNAL IN THE LOW AND SUBMILLIMETER RANGE			
ZZELECTRICAL ENGNG RES LAB, U OF ILL, URBANA, ILL			
ZZELECTRONIC TECH LAB, WPAFB, OHIO			
ZZZ AD273415			
ASD-TDR-62-39 DEC			61
HALASZ I	SCHNEIDER W		
QUANTITATIVE GAS CHROMATOGRAPHIC ANALYSIS OF HYDROCARBONS WITH CAPILLARY COLUMN AND FLAME IONIZATION DETECTOR			
ANAL CHEM 33 978			61
HALDANE J	SPURWAY H		
A STATISTICAL ANALYSIS OF COMMUNICATION IN APIS MELLIFERA AND A COMPARISON WITH COMMUNICATION IN OTHER ANIMALS			
INSECTS SOC 1 247			54
HALE E			
BEHAVIORAL AND STRESS EFFECTS OF SOUND ON ANIMALS			
ZZPENN STATE COLLEGE			
ZZAERO MED LAB, WADC, WPAFB, OHIO			
ZZZ AD25577			
WADC TR 53-282 JUNE			53
HALE H			
SEASONAL VARIATION IN HUMAN AMINO ACID EXCRETION			
ZZDEPT PHYSIOL, AF SCHOOL OF AVIAT MED			
REP 7758-82 JUNE			59
HALPERIN M			
LIMITED WAR, AN ANNOTATED BIBLIOGRAPHY			
HARVARD U, CAMBRIDGE			61
HALPERN A	FREDMAN H		
ZZTHE RAND CORP, SANTA MONICA, CALIF			
ZZU.S. AIR FORCE			
ZZZ AD277107			
ZZZ 2944			
COMMUNIST STRATEGY IN LAOS			
RM-2561			XX
HALVORSON	SCHULTZE		
/ORGANIC COLORIMETRY/			
J BIOL CHEM 186 471			50
HAMAMURA Y	NAITO K		
FOOD SELECTION BY SILKWORM LARVAE BOMBYX MORI CITRAL			
LENALYL CETATE LENATOL AND TERPIN ACETATE AS ATTRACTANTS OF LARVAE			
NATURE 190 279			61
HAMILTON G			
EXPERIMENTAL STUDY OF AN UNUSUAL TYPE OF REACTION IN A DOG			
J COMP NEUROL 17 329			07
HAMILTON P			

AMINO ACID SEPARATION ANAL CHEM 31 1504	59
HAMILTON W AMERICAN MAMMALS, THEIR LIVES, HABITS AND ECONOMIC RELATIONS MCGRAW HILL NY	39
HANNA T ENVIRONMENTAL REQUIREMENTS OF SEALED CABINS, 5 SOME RHYIOLOGICAL MEASURES ON CONFINED SUBJECTS BREATHING RECYCLED GASES ZZNAV AIR MATER CENT, AIR CREW EQUIP LAB, PHILA NAMC-ACEL-417	60
HANNON J VIERECK E PROCEEDINGS - SYMPOSIA ON ARCTIC BIOLOGY AND MEDICINE 1. NEURAL ASPECTS OF TEMPERATURE REGULATION ZZGEOPHYS INST, U OF ALASKA ZZARCTIC AEROMED LAB, FORT WAINWRIGHT, ALASKA ZZZ AD293130	61
HANRAHAN G SALTZMAN A ASIAN GUERRILLA MOVEMENTS, AN ANNOTATED BIBLIOGRAPHY ZZOPERATIONS RES OFFICE, JOHNS HOPKINS U, MD ZZZZU.S. ARMY ZZZ AD22149 TECH MEM ORO-T-244 JULY 22	53
HANS J KRAL J ZENISEK A /CHROMATOGRAPHY OF AMINO ACID CONTENT OF HUMAN PERSPIRATION WITH WORK/ CHEKHOSL FIZIOLOGIIA 1 238	52
HANSEN K SOME OBSERVATIONS WITH A VIEW TO THE POSSIBLE INFLUENCE OF MAGNETISM UPON THE HUMAN ORGANISM ACTA MED SCAND 97 339	48A
HANSEN K ON TRANSMISSION THROUGH THE SKIN OF VISIBLE AND ULTRAVIOLET RADIATION ACTA RADIOL SUPPL 71	48B
HANSEN K STUDIES MADE TO FIND OBJECTIVE EXPRESSION OF INFLUENCE OF MAGNETISM ON MAN AND TO ASCERTAIN WHETHER THIS INFLUENCE IS CARRIED BY WAY OF AUTONOMIC NERVOUS SYSTEM ACTA MED SCANDINAV 135 448	49
HANSEN R CORNOG D ANNOTATED BIBLIOGRAPHY OF APPLIED PHYSICAL ANTHROPOLOGY IN HUMAN ENGINEERING ZZH YOH CO, PHILA ZZAERO MED LAB, WP-AFB ZZZ AD155622 WADC TR 56-30 MAY	58
HANSON H PHYSIOLOGICAL RESPONSE CHANGES OF MEN ATTRIBUTABLE TO BODY	

ARMOR, SUN, AND WORK IN A NATURAL DESERT ENVIRONMENT /INCLUDING NEGRO-WHITE DIFFERENCES/ ZZQUARTERMASTER RES AND ENG COMMAND, NATIC MASS ZZZ AD262076 TECH REP EP-148 JUNE	61
HARDING F A SURVEY OF INCENTIVES FOR HAZARDOUS OR UNPLEASANT WORKING CONDITIONS ZZPERSONNEL LAB, PERSON AND TRAIN RES CENT, LACKLAND AFB ZZZ AD134240 DEV REP AFPTRC-TN-57-115 AUGUST	57
HARDY E ANIMALS IN PERFUMERY, ONE, THE CIVET PERFUM ESSEN OIL REC 38 276	47A
HARDY E SCENTS FROM INSECTS PERFUM ESSEN OIL REC 38 403	47B
HARDY E THE BEAVER AND CASTOREUM PERFUM ESSENT OIL REC 39 315	48
HARDY E LESSER KNOWN SOURCES OF MUSK PERFUM ESSEN OIL REC 40 93	49A
HARDY E THE DAMAN AND HYRACEUM PERFUM ESSEN OIL REC 40 367	49B
HARDY E LOW MOLECULAR WEIGHT FATTY ALCOHOLS FROM WORMS PERFUM ESSENT OIL REC 47 29	56
HARDY J RADIATION OF HEAT FROM THE HUMAN BODY PART THREE, HUMAN SKIN AS A BLACK BODY RADIATOR J CLIN INVEST 13 615	34A
HARDY J D MUSCHENHEIM C THE RADIATION OF HEAT FROM THE HUMAN BODY, IV EMISSION, REFLECTION AND TRANSMITTANCE OF INFRARED RADIATION ON THE HUMAN SKIN /1-15 MICRONS/ J CLIN INVEST 13 817	34B
HARDY J MUSCHENHEIM C RADIATION OF HEAT FROM THE HUMAN BODY, V TRANSMISSION OF INFRARED RADIATION OF 0.8-2 MICRONS THROUGH SKIN J CLIN INVEST 13 825	34C
HARDY J D RICHARDS C H A NEW INSTRUMENT FOR MEASURING THE THERMAL RADIATION OF THE ENVIRONMENT SCIENCE 107 461	48
HARDY J SUMMARY REVIEW OF THE INFLUENCE OF THERMAL RADIATION ON HUMAN SKIN	

ZZNAV AVIAT MED ACCEL LAB ZZZ AD49309 NADC-MA-5415 NOV	54
HARDY J HAMMEL H MURGATROYD D SPECTRAL TRANSMITTANCE AND REFLECTANCE OF EXCISED HUMAN SKIN J APPL PHYSIOL 9 257	56
HARDY J ZZFOR ONR, FROM NAV AVIAT MED ACCEL LAB, JOHNSVILLE THERMAL RADIATION OF SKIN PROG REP	60A
HARDY J THE PHYSIOLOGY OF TEMPERATURE REGULATION ZZNAV AVIA MED ACCEL LAB, JOHNSVILLE ZZZ AD242363 REP NO 22 JUNE 9	60B
HARRIS H AN INTRODUCTION TO HUMAN BIOCHEMICAL GENETICS CAMBRIDGE U PRESS	53
HARRIS R FOOD COMPOSITION AND NUTRITION PROGRAMS NUTRIT REV 6 33	48
HARRIS R S INFLUENCE OF CULTURE ON MANS DIET ARCH ENV HEALTH 5 58	62
HARRIS S MCMURTRY B SIEGMAN A MODULATION AND DIRECT DEMODULATION OF COHERENT AND INCOHERENT LIGHT AT A MICROWAVE FREQUENCY ZZSTANFORD ELECTRONICS LABS, STANFORD UNIV, CALIF ZZELECTROMAG WAR AND COMMUN LAB, AERO SYST DIV, WPAFB ZZZ AD296920 SEL-62-119 TECH REP NO 176-3 SEPTEMBER	62
HARRIS W MACKIE R WILSON C PERFORMANCE UNDER STRESS, A REVIEW AND CRITIQUE OF RECENT STUDIES ZZHUMAN FACTORS RES, LOS ANGELES TR 6 JULY	56
HARRISON F DITMAN L HABITS OF DROSOPHILA WITH REFERENCE TO ANIMAL EXCREMENT J ECON ENT 47 935	54
HARRISON G RAYMOND W THE ESTIMATION OF TRACE AMOUNTS OF BARIUM OR STRONTIUM IN BIOLOGICAL MATERIALS BY ACTIVATION ANALYSIS J NUCLEAR ENERGY 1 290	55
HARRISON G A THE APPLICATIONS OF SPECTROPHOTOMETRY TO THE STUDY OF SKIN COLOR INHERITANCE ACTA GENETICA STAT MED 6 481	56
HARRISON W	

STANDARDIZATION OF THERMAL EMITTANCE MEASUREMENTS WADC TR-59-510 PTS 1 AND 2	60
HARVEY A A BIBLIOGRAPHY ON MICROWAVES ZZRADAR RES ESTAB MINISTRY OF SUPPLY , MALVERN, WORCS ZZZ AD104307 RRE TECH NOTE NO 592 APRIL	56
HASLER A WISBY W DISCRIMINATION OF STREAM ODORS BY FISH AND ITS RELATION TO PARENT STREAM BEHAVIOR AMER NATUR 85 223	51
HASLER A THE SENSE ORGANS OLFATORY AND GUSTATORY SENSES OF FISHES IN THE PHYSIOLOGY OF FISHES /BROWN M, ED/ ACAD PRESS	57
HASLER A HENDERSON H INSTRUMENTATION FOR FISH HOMING UNIV WISCONSIN	XX
HASSETT C DETHIER V GANS J A COMPARISON OF NUTRITIVE VALUES AND TASTE THRESHOLDS OF CARBOHYDRATES FOR THE BLOWFLY BIOL BULL 99 446	50
HATT R A NEW DORSAL GLAND IN THE GROUND SQUIRREL CALLOSPERMOPHILUS WITH A NOTE ON ITS ANAL GLAND J MORPH PHYSIOL 42 441	26
HAUSER S MARSHALL F INVESTIGATION OF NEAR ULTRAVIOLET TRANSMITTING LIQUIDS FOR USE AS KERR CELL FLUIDS IN TRANSIENT SPECTROGRAPHIC SHUTTERS ZZZ AD254695 JAN 1	61
HAUST H BEVERIDGE J EFFECT OF VARYING TYPE AND QUANTITY OF DIETARY FAT ON THE FECAL EXCRETION OF BILE ACIDS IN HUMANS SUBSISTING ON FORMULA DIETS ARCH BIOCHEM 78 367	58
HAWK P OSER B SUMMERSON W PRACTICAL PHYSIOLOGICAL CHEMISTRY 13TH ED, LEA AND FEBIGER, PHILA	56
HAWKES G COMMUNICATION BY ELECTRICAL STIMULATION OF THE SKIN 1. ABSOLUTE IDENTIFICATION OF STIMULUS INTENSITY LEVEL ZZARMY MED RES LAB, FT KNOX REP NO 400	59A
HAWKES G WARM J COMMUNICATION BY ELECTRICAL STIMULATION OF THE SKIN 2. THE STIMULUS INTENSITY RANGE ZZUS ARMY MED RES LAB, FT KNOX ZZZ AD226915	

REP NO 401	59B
HAWKINS W R	
THE FEASABILITY OF RECYCLING HUMAN URINE FOR UTILIZATION IN A CLOSED ECOLOGICAL SYSTEM	
J AVIAT MED 29 525	58
HAYDEN S	
PYROLYSIS -- GAS CHROMATOGRAPHY	
ANAL CHEM 35 113	63
HEATH G HOBSON R	
THE STUDY OF COMPLEX IONS IN A MODIFIED MASS SPECTROMETER	
ZZROCKET PROPULSION EST, WESTCOTT	
ZZZ AD297305	
TECH MEMO 260 OCT	62
HEAVENS O	
OPTICAL METHODS IN NON-DESTRUCTIVE TESTING	
PROG IN NON-DESTRUC TEST, VOL 3, STANFORD AND FEARSON ED	
MACMILLAN NY	61
HECKER E	
ISOLATION AND CHARACTERIZATION OF THE SEX ATTRACTANTS OF THE SILKWORM MOTH	
PROC TENTH INT CONGR ENTOM 2 293	58
HEDIN P ADACHI R	
THE EFFECT OF DIET AND TIME OF FEEDING ON GASTROINTESTINAL GAS PRODUCTION IN RATS	
J NUTR 77 229	62
HEFFERNAN J BARNES D	
TECHNICAL PHOTOGRAPHY OF SURFACE MOTION	
ZZEDGERTON, GERMESHAUSEN AND GRIER, BOSTON	
ZZZ AD273760	
REP VUP-2202 PROJECT GNOME JAN	62
HEGGENESS F	
GALACTOSE INGESTION AND URINARY EXCRETION OF CALCIUM AND MAGNESIUM	
NUTRIT REVS 18 147	60
HEGSTED D M	
THE COMPOSITION OF HUMAN ADIPOSE TISSUE FROM SEVERAL PARTS OF THE WORLD	
AM J CLIN NUTRIT 10 11	62
HELMER O	
ESTIMATION OF URINARY CATECHOLAMINES BY MEANS OF STRIP OF RABBIT AORTA	
J LAB CLIN MED 50 737	57
HENDLER E CROSBIE R HARDY J	
MEASUREMENT OF SKIN HEATING DURING EXPOSURE TO INFRARED RADIATION	
ZZAIR CREW EQUIP LAB, NAV AIR MAT CENT, PHILA	
ZZZ AD125843	
REP NAMC-ACEL-332 MARCH 19	57
HENNEMAN R LONG E	

A COMPARISON OF THE VISUAL AND AUDITORY SENSES AS CHANNELS FOR DATA PRESENTATION ZZUS AIR FORCE, DAYTON ZZZ AD61558 WADC TECH REP 54-363 AUGUST	54
HENNING H SMELL EXPERIMENTS WITH THE DOG Z BIOL 70 1	19
HENRY W DEVELOPMENT OF ANALYTICAL TECHNIQUES FOR THE DETERMINATION OF MINUTE QUANTITIES OF SELECTED ELEMENTS IN BERYLLIUM ZZBATTLE MEM INST, COLUMBUS O ZZBUREAU OF NAVAL WEAPONS ZZZ AD294406 INTERIM REP NO 3 JAN 11	63
HENRY CHIAMORI NESSLERIZATION OF AMMONIA FORMED BY UREASE TREATMENT AM J CLIN PATHOL 59 277	58
HENSEL H IGGO A WITT I A QUANTITATIVE STUDY OF SENSITIVE CUTANEOUS THERMORECEPTORS WITH C AFFERENT FIBERS J PHYSIOL 153 113	60
HENSEL H RECENT ADVANCES IN THERMORECEPTOR PHYSIOLOGY IN NEURAL ASPECTS OF TEMPERATURE REGULATION, HANNON AND ZZARCTIC AEROMED LAB ZZZ AD293130 VIERECK EDS	61
HERCULES W SHOCK AND VIBRATION ENVIRONMENT BIBLIOGRAPHY ZZHQ ARMED SERVICES TECH INFO AGENCY, ARLINGTON, VA ZZZ AD277392 AUGUST	62
HERMAN H T STARK L SINGLE UNIT RESPONSES IN A PRIMITIVE PHOTORECEPTOR ORGAN J NEUROPHYSIOL 26 215	63
HERON W DOANE B K SCOTT T H VISUAL DISTURBANCES AFTER PROLONGED PERCEPTUAL ISOLATION CANAD J PSYCHOL 10 13	56
HERRICK C NEUROLOGICAL FOUNDATIONS OF ANIMAL BEHAVIOR HAFNER NY	62
HERRICK J F KRUSEN F H PHYSIOLOGICAL AND PATHOLOGICAL EFFECTS OF MICROWAVES ELECT ENGNG 72 238	53
HERSHEY F HORMONE AND ENZYME MECHANISMS IN SEBACEOUS GLAND EXCRETION J INVEST DERMATOL 32 1	59
HERTZBERG H EMANUEL I ALEXANDER M	

THE ANTHROPOMETRY OF WORKING POSITIONS 1 A PRELIMINARY STUDY ZZANTHROPOL SECTION, AERO MED LAB AND ANTIOCH COLLEGE ZZWADC, WPAFB, OHIO ZZZ AD110573 WADC TR 54-520 AUG	56
HERZFELD K LITOVITZ T ABSORPTION AND DISPERSION OF ULTRASONIC WAVES ACADEMIC PRESS, NY	59
HESS V BETA RAY IONIZATION FROM THE GROUND ZZAF CAMB RES CENT FORDHAM UNIV REP NO 4	53
HESSE R ECOLOGICAL ANIMAL GEOGRAPHY WILEY NY	51
HESEL STUVIER M THE ABSOLUTE THRESHOLD OF THE HUMAN SENSE OF SMELL P 159 IN SENSORY COMMUNICATIONS /ROSENBLITH W, ED/ WILEY	61
HESSLER V WESCOTT E CORRELATION BETWEEN EARTH CURRENT AND GEOMAGNETIC DISTURBANCE NATURE 184 627	59
HEUTER T VISCO-ELASTIC LOSSES IN TISSUES IN THE ULTRA-SONIC RANGE ZZAVAIL FROM COMM ON HEARING AND BIO-ACOUSTICS, NRC WASH	58
HICKS C MATTERS R THE STANDARD METABOLISM OF THE AUSTRALIAN ABORIGINES AUSTRAL J EXP BIOL MED SCI 11 177	33
HICKS C MOORE H ELDRIDGE E THE RESPIRATORY EXCHANGE OF THE AUSTRALIAN ABORIGINE AUSTRAL J EXP BIOL MED SCI 12 79	34
HILLEND AHL R REFLECTANCE CHARACTERISTICS OF NEVADA TEST SITE SOILS ZZUS NAVAL RADIOLOGICAL DEFENSE LAB, SAN FRANCISCO, CAL ZZZ AD213434 TR USNRDL-265 MAY 6	58
HILSUM C ATMOSPHERIC ATTENUATION OF INFRARED AND VISIBLE RADIATION ZZADMIRALTY RES, ENGLAND REP ARL/R3/E600	48
HIN-CHING-LIU MANEELY R B SOME CUTANEOUS NERVE ENDINGS IN THE SOFT SHELLED TURTLE OF SOUTH CHINA J COMP NEUROL 119 381	62
HINDLEY E SMITH J SPECTROPHOTOMETRIC ANALYSIS OF FOLIAGE OF SOME BRITISH COLUMBIA CONIFERS	

PHOTOGRAMMETRIC ENGNG 23 894 DEC	57
HINES H M RANDALL J E MICROWAVE INDUSTRIAL HAZARDS ELECT ENGNG 71 879	52
HINGSTON R THE MEANING OF ANIMAL COLOR AND ADORNMENT ARNOLD, LOND	33
HIROMICHI MORITA SATORU GENERATOR POTENTIAL OF INSECT CHEMORECEPTOR SCIENCE 130 922	59
HOBSON R SHEEP BLOW-FLY INVESTIGATIONS, PART THREE, OBSERVATIONS ON THE CHEMOTROPISM OF LUCILIA SERICATA ANN APPL BIOL 23 845	36
HOCHSCHILD R DIELECTRIC CONSTANT AND CONDUCTIVITY -- BY MICROWAVES NON-DEST TESTING 21 115	63
HOCKING B SMELL IN INSECTS ZZDEPT OF ENTOMOL, U OF ALBERTA ZZDEFENSE RESEARCH BOARD, OTTAWA CANADA, DIR BIOSCI RES ZZZ AD241984 REP EP-TR-8 JUNE	60
HODGSON E A STUDY OF CHEMORECEPTION IN AQUEOUS AND GAS PHASES BIOL BULL 105 115	53
HODGSON E PROBLEMS IN INVERTEBRATE CHEMORECEPTION QUART REV BIOL 30 331	55A
HODGSON E LETTVIN J ROEDER K PHYSIOLOGY OF A PRIMARY CHEMORECEPTOR UNIT SCIENCE 122 419	55B
HODGSON E ROEDER K ELECTROPHYSIOLOGICAL STUDIES OF ARTHROPOD CHEMORECEPTION GENERAL PROPERTIES OF THE LABELLAR CHEMORECEPTORS OF DIPTERA J CELL COMP PHYSIOL 48 5	56
HODGSON E ELECTROPHYSIOLOGICAL STUDIES OF ARTHROPOD CHEMORECEPTION RESPONSES OF LABELLAR CHEMORECEPTORS OF THE BLOWFLY TO STIMULATION BY CARBOHYDRATES J INSECT PHYSIOL 1 240	57
HODGSON E CHEMORECEPTION IN ARTHROPODS ANN REV ENTOMOL 3 19	58A
HODGSON E ELECTROPHYSIOLOGICAL STUDIES OF ARTHROPOD CHEMORECEPTION ILL CHEMORECEPTORS OF TERRESTIAL AND FRESH WATER	

ARTHROPODS BIOL BULL 115 114	58B
HODGSON E TASTE RECEPTORS SCI AMER 204 135	61
HOFMANN T DIE MODERNE PARFUMERIE J SPRINGER, BERLIN 32 TRANSL EDWARDS, ANN ARBOR	48
HOLBROOK R OUTLINE OF A STUDY OF EXTRATERRESTRIAL BASE DESIGN RAND CORP, SANTA MONICA RM-2161 APR 22	58
HOLEMANS K FAECAL EXCRETION OF CALCIUM AND PHOSPHORUS IN AFRICANS S AFRIC J LAB CLIN MED 8 145	62
HOLLADAY J REFERENCES TO RESEARCH ON HIGH-EMISSIVITY SURFACES ZZBATTELLE MEM INST, COLUMBUS OHIO ZZZ AD239991 DMIC MEM 57 JUNE 27	60
HOLLAND A SCHULTZ E MARMO F SPECTRAL REFLECTIVITY OF THE EARTH'S ATMOSPHERE II, A CONGREGIES OF ABSORPTION CROSS SECTIONS FOR WAVELENGTHS LESS THAN 3000 ANGSTROMS ZZGEOPHYS CORP OF AMER, BEDFORD MASS ZZAERONAUT SYST DIV, USAF AND NASA, WASH ZZZ AD297884 GCA TECH REP NO 62-27-A DEC	62
HOLLOWAY O JUNGLE WARFARE, AN ANNOTATED BIBLIOGRAPHY ZZARMY ARTILLERY AND MISSILE SCHOOL LIBRARY, FT SILL OKLA ZZZ AD263549 USAAMS LIB SPECIAL BIBLIO NO 28 SEPT	61
HOLLOWAY O GUERRILLA WARFARE, AN ANNOTATED BIBLIOGRAPHY ZZARMY ARTILLERY AND MISSILE SCHOOL LIBRARY, FT SILL OKLA ZZZ AD273166 USAAMS LIB SPECIAL BIBLIO NO 27	62
HOLMES T THE NOSE THOMAS, ILL	49
HOOVER R PROCEEDINGS OF BIO-ASSAY AND ANALYTICAL CHEMISTRY MEETING ZZNATIONAL LEAD COMPANY, CINCINNATI, OHIO ZZATOMIC ENERGY COMMISSION AEC REP NLCO-595 HEALTH AND BIOLOGY OCTOBER 6	55
HOPKINS A OLFACTORY RECEPTORS IN VERTEBRATES J COMP NEUROL 41 253	26
HOPKINS G	

ZZU TEXAS ELECT ENG RES LAB A SURVEY OF PAST AND PRESENT INVESTIGATIONS OF THE NATURAL EARTH CURRENTS REP 113	60
HORACEK K CERNIKOSA EXAMINATION OF LIPIDS IN HUMAN SEBUM BY DISK CHROMATOGRAPHY BIOCHEM J 71 417	59
HORIGAN F CONTROL OF INSECTS AFFECTING MAN AND HIS HABITATIONS ZZTECH LIBRARY, QM RES AND DEV LABS, PHILA, PA BIBLIO SERIES NO 20 NOV	51
HORIUCHI I THE ABSORPTION OF SOUND IN HUMID AIR AT LOW AUDIO FREQUENCIES ZZCOLUMBIA UNIV, NEW YORK ZZZ AD140786 PROJECT MICHIGAN, TECH REP TR-6	57
HOSHISHIMA K YOKOYAMA S SETO K TASTE SENSITIVITY IN VARIOUS STRAINS OF MICE AMER J PHYSIOL 202 1200	62
HOSMER S CRANE COUNTERINSURGENCY SYMPOSIUM, APRIL 1962 ZZRAND CORP, SANTA MONICA ZZUSAF-ARPA ZZZ AD299506 REP R-412-ARPA JAN	63
HOSOI T IDENTIFICATION OF BLOOD COMPONENTS WHICH INDUCE GORGING OF THE MOSQUITO J INSECT PHYSIOL 3 191	59
HOWARD J ABSORPTION OF NEAR INFRARED BLACKBODY RADIATION BY ATMOSPHERIC CARBON DIOXIDE AND WATER VAPOR ZZOHIO STATE UNIV RES FOUND REP 1 FOR DA-407	50
HOWARD J WILLIAMS D BURCH D NEAR-INFRARED TRANSMISSION THROUGH SYNTHETIC ATMOSPHERES ZZGEOPHYS RES DIRECTORATE RES PAPER 40	XX
HOWARD R SUN-SAND AND SURVIVAL, AN ANALYSIS OF SURVIVAL EXPERIENCES IN DESERT AREAS ZZARCTIC, DESERT, TROPIC INFO CENT, MAXWELL AFB, ALA ZZZ AD30335 ADTIC PUB D-102 JAN	53
HOXIE W SENSE OF SMELL IN AMERICAN VULTURES, SENSE OF SMELL IN BLACK VULTURES ORNITHOL 12 61 AND 12 132	87

HOYT F METHOD OF MEASURING RELATIVE INTENSITIES IN THE X-RAY SPECTRUM /FOR X-RAY SPECTROSCOPY/ CASE INST, PHYSICS THESIS	
HSU E A FACTORIAL ANALYSIS OF /HUMAN/ OLFACTION PSYCHOMETRIKA 11 31	46
HUBBS C ZOOGEOGRAPHY 1959 AAAS STANFORD PAPER, AAAS, WASH	58
HUBER G CHOLERA AND THE SODIUM PUMP/MEASURED ELECTRICALLY IN ISOLATED FROG SKIN/ ZNAV MED RES UNIT 2 TAIWAN ZZZ AD257467 REPORT OF NOV	60
HUEBNER D RAPID VIEWING AND IMMEDIATE VERBAL REPORT IN RECOGNITION OF OBJECTS IN NATURAL ENVIRONMENTS ZZARMY ELECTRONICS RES AND DEV LAB, FT MONMOUTH NJ ZZZ AD295630 USAEIRD L TECH REP 2309 AUGUST	62
HUMAN RELATIONS AREA FILES, INC /ANNUAL TECHNICAL REPORT ON SOUTHEAST ASIA/ ZZNEW HAVEN, CONN ZZDEPT OF THE NAVY ZZZ AD5377 FEB 10	53
HUMAN RESOURCES RESEARCH OFFICE BIBLIOGRAPHY OF REPORTS AS OF JUNE 30 1961 ZZGEORGE WASHINGTON U ZZDEPT OF THE ARMY ZZZ AD261471 JULY	61
HUMPHREYS A GEE D EXPERIMENTAL DESIGN FOR USER REVIEW OF CAMOUFLAGE FOR THE INDIVIDUAL COMBAT SOLDIER ZZARMY INFANTRY CENT, ARMY INFANTRY SCHOOL, FT BENNING GA ZZZ AD294897 EIGHT ANNUAL ARMY HUMAN FACTORS ENGNG CONF, OCT 16-19	62
HUMPHRY A E GADEN E L JR AIR STERILIZATION BY FIBROUS MEDIA INDUST ENG CHEM 47 924	55
HUNT C ON THE NATURE OF VIBRATION RECEPTORS IN THE HIND LIMB OF THE CAT J PHYSIOL LOND 155 175	61
HURSH J THE NATURAL RADIOACTIVITY OF MAN ZZNATIONAL LEAD CO ZZATOMIC ENERGY COMM	

IN PROC OF MEETING BIO ASSAY AND ANAL CHEM, AEC NLCO 5-95,55

HUSAIN A
THE NUTRITION PROBLEM OF THE VILLAGER, INDIA, STUDIES IN
VILLAGE PROBLEMS. BOMBAY, CALCUTTA, MADRAS
LONGMANS 51

HUSSAIN R PATWARDHAN V
IRON CONTENT OF THERMAL SWEAT AND IRON DEFICIENCY ANEMIA
LANCET 276 1073 59

HUSSAIN R
DERMAL IRON LOSS IN HEALTHY INDIAN MEN
IND J MED RES 48 235 60

IAMPIETRO P
VOLUNTARY DEHYDRATION DURING PROLONGED DESERT OPERATIONS
ZZQM RES AND ENG CENT, NATICK
ZZARMY PANEL MEETING ON ENVIRONMENTAL PHYSIOLOGY
OCT 6 59

IDLER D FAGERLUND U MAYOH H
OLFACTORY PERCEPTION IN MIGRATING SALMON I L SERINE
A SALMON REPELLENT IN MAMMALIAN SKIN
J GEN PHYSIOL 39 889 55

ILLER J BOUTHILET L ELDRIDGE C
A BIBLIOGRAPHY FOR THE DEVELOPMENT OF STRESS-SENSITIVE
TESTS
ZZPSYCHOLOGICAL RES ASSOC
ZZPERSONNEL RES BRANCH, DEPT OF THE ARMY
ZZZ AD41773
PRB TN 22 OCT 53

ILSE D
OLFACTORY MARKING OF TERRITORY IN TWO YOUNG MALE APES
/LORIS TARDIGRADUS/, KEPT IN CAPTIVITY IN POONA
BRIT J ANIMAL BEHAV 3 118 55

INDIAN COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH
A BIBLIOGRAPHY OF INDIAN SCIENTIFIC TECHNICAL PUBLICATIONS
NEW DELHI, INDIA XX

INGLE L
APPARATUS FOR TESTING CHEMOTROPIC RESPONSES OF FLYING
INSECTS
J ECON ENTOMOL 36 108 43

INGRAM W
AN INVESTIGATION OF THE TREATMENT OF CABIN CRUISER WASTES
SEWAGE AND INDUSTRIAL WASTES 28 93 JAN 56

INGRAM W
SKIN EXCRETIONS /ENGINEERING BIOTECHNOLOGY OF HANDLING
WASTES RESULTING FROM A CLOSED ECOLOGICAL SYSTEM/
ZZNYU COLL ENGNG
ZZAEROMED DIV, AF OFFICE OF SCI RESEARCH
ZZZ AD154171
AFOSR REP 58-270 OCTOBER 57
CONTAINS TABLE T

INGRAM W
ORIENTATION OF RESEARCH NEEDS ASSOCIATED WITH ENVIRONMENT
OF CLOSED SPACES
ZZNEW YORK U, COLLEGE OF ENG
ZZAIR RES DEV COMM
ZZZ AD152015
AFOSR TN 58-106 JAN 58A

INGRAM W
THE ENGINEERING BIOTECHNOLOGY OF HANDLING WASTES RESULTING
FROM A CLOSED ECOLOGICAL SYSTEM
ZZRES DIV, NYU COLLEGE OF ENGNG, NY
ZZAEROMED DIV, AIR RES AND DEV COMM, WASH, DC
ZZZ AD162277
AFOSR REP NO TR-58-148 DEC 58B

INGRAM W	NEWMAN B	PALEVSKY G	
EXPLORATORY RESEARCH ON THE THEORETICAL CONSIDERATION OF			
WASTE WATER CYCLES IN A CLOSED ECOLOGICAL SYSTEM			
PRESENTED AT AAAS SYMPOSIUM ON CLOSED ECOL SYSTEM			
ZZNYU COLL ENG, NYC			
ZZU.S. AIR FORCE			
ZZZ AD210087			
AFOSR REP TN-59-87 DEC			58C
INGRAM W	WORK H		
FUNDAMENTAL STUDIES ON RECOVERY OF WATER FROM URINE			
ZZNEW YORK U, COLL OF ENG, NY			
JAN			61
INGRAM W			
MICROBIOLOGICAL WASTE TREATMENT PROCESSES IN A CLOSED			
ECOLOGY			
ZZNEW YORK U			
ZZBIOMED LAB, AEROSPACE MED DIV, WPAFB, OHIO			
ZZZ AD294480			
AMRL-TDR-62-126 NOV			62
INHOFFEN H			
RESEARCH ON ISOLATION OF SEXUAL ATTRACTANT FROM BUTTERFLIES			
ARCH PHARM BERL 284 337			51
ZZINSTITUTE OF SCI AND TECHNOLOGY, U OF MICH, ANN ARBOR			
REMOTE SENSING OF ENVIRONMENT			
ZZZ AD274155			
PROCEEDINGS OF THE FIRST SYMPOSIUM MARCH			62
INTELECTRON CORP, NY			
ZZUSAF, ROME AIR DEV CENT			
ELECTROSTIMULATION TECHNIQUES OF HEARING			
AF 30/602/3051			63
ISHIKAWA S			
RESPONSES OF MAXILLARY CHEMORECEPTORS IN THE LARVA OF THE			
SILKWORM, BOMBYX MORI, TO STIMULATION BY			
CARBOHYDRATES			
J CELL COMP PHYSIOL 61 99			63
ISHIZAWA M			
POLAROGRAPHIC STUDY ON THE EXCRETION OF URINARY CALCIUM			
IN PATIENTS			
KYUSHU J MED SCI 12 27			62
ISRAEL H			
RADIOACTIVITY OF THE ATMOSPHERE			
P 155 IN COMPENDIUM OF METEOROLOGY, AMER METEOROL SOC			51
IVY A			
PHYSIOLOGICAL DIFFERENCES PRODUCED BY RACE AND DIET OTHER			
THAN VITAMIN AND MINERAL DEFICIENCIES			
PROC HAWAII MED ASSOC APRIL			56
IWATA H			
GENETICAL STUDY OF AMINO ACIDS EXCRETED IN URINE			
J NAGOYA MED ASSOC 79 37			59

JACKSON E BATTLEFIELD CASUALTY LOCATOR STUDY ZZSPACELABS, INC, VAN NUYS, CAL ZZARMY MED RES AND DEV COMM ZZZ AD299509 REP SR62-1049 DEC	62
JACOBIOUS A LITERATURE STUDY ON BIOMAGNETICS ZZLIBRARY OF CONGRESS	XX
JACOBS M THE CHEMISTRY AND TECHNOLOGY OF FOOD AND FOOD PRODUCTS INTERSCIENCE NY VOLS 1,2,3	51
JACORS M DETERMINATION AND MEASUREMENT OF PARTICLES IN CITY ATMOSPHERES AM J PUBL HEALTH 47 1430	57
JACOBSON J EFFECTS OF THERMAL ENERGY ON RETINAL FUNCTION ZZWPAFB AEROSPACE MED DIV AMRL-TDR-62-96	62
JACOBSON M SEXUAL ATTRACTION OF FEMALE GYPSY MOTH SCIENCE 132 1011	60
JACOBSON M BEROZA M YAMAMOTO R FEMALE COCKROACH SEX ATTRACTANT, CHEMICALLY IDENTIFIED AND ACTIVE AT THE THIRTY MOLECULE LEVEL SCIENCE 139 48	63A
JACOBSON M BEROZA M CHEMICAL INSECT ATTRACTANTS SCIENCE 140 1367	63B
JACQUEZ J THE SPECTRAL REFLECTIONS OF HUMAN SKIN IN THE REGION ZZARMY MED RES LAB FT KNOX 255-1000 MILLIMICRONS REP 159	54
JACQUEZ J A KUPPENHEIM H F DIMITROFF J M SPECTRAL REFLECTANCE OF HUMAN SKIN IN THE REGION 235-700 MILLIMICRONS J APPL PHYSIOL 8 212	55A
JACQUEZ J A KUPPENHEIM H F SPECTRAL REFLECTANCE OF HUMAN SKIN IN THE REGION 235-1000 MILLIMICRONS J APPL PHYSIOL 7 523	55B
JACQUEZ J A /SPECTRAL REFLECTANCE FROM RATS AND RABBITS/ J APPL PHYSIOL 8 292	55C
JACQUEZ J A HUSS J MCKEEHAN SPECTRAL REFLECTANCE OF HUMAN SKIN IN THE REGION .7-2.6 U	

ZZZ 2896 J APPL PHYSIOL 8 297	55D
JAHN T CHEMORECEPTION P 447 IN COMPARATIVE ANIMAL PHYSIOLOGY, PROSSER C, ED SAUNDERS, PHILA	50
JAMES A OCCURRENCE OF UNUSUAL FATTY ACIDS IN FECAL LIPIDS FROM HUMAN BEINGS WITH NORMAL AND ABNORMAL ABSORPTION BIOCHEM J 78 333 CONTAINS TABLE AF	61
JAMIESON H ASTHMA DUE TO ODOR OF UPINE FECES AND SWEAT ANN ALLERG 5 234	47
JANAK J IDENTIFICATION OF ORGANIC SUBSTANCES BY THE GAS CHROMATOGRAPHIC ANALYSES OF THEIR PYROLYSIS PRODUCTS P 387 IN GAS CHROMATOG SYMPOS, EDINBURGH	60
JANIS I FESHBACH S EFFECTS OF FEAR AROUSING COMMUNICATIONS J ABNORM SOC PSYCHOL 48 78	53
JANSEN M A REFLECTANCE SPECTROMETRIC STUDY OF ULTRAVIOLET ERYTHEMA J CLIN INVEST 32 1053	53
JAPAN NAT INST OF NUTRITION EFFECT OF DIET ON EXCRETION OF 17-KETOSTEROIDS IN URINE ANN REP	60
JARDETSKY O (MAGNETIC RESONANCE SPECTROSCOPY, BIOLOGICAL APPLICATIONS) METH OF BIOCHEM ANAL 9	62
JASKI T SUSSKIND C ELECTROMAGNETIC RADIATION AS A TOOL IN THE LIFE SCIENCES SCIENCE 133 443	61
JAVES A WHEATLY V STUDIES OF SEBUM, THE DETERMINATION OF THE COMPONENT FATTY ACIDS OF HUMAN FOREARM SEBUM BY GAS LIQUID CHROMATOGRAPHY BIOCHEM J 63 269	56
JELLINEK P THE PRACTICE OF MODERN PERFUMERY INTERSCIENCE NY	54
JOHANNIN-GILLES A VODAR B THE ABSORPTION SPECTRUM OF WATER VAPOR IN THE SCHUMANN REGION PHYS AND RADIUM J 15 223	54
JOHNS T PURIFICATION AND IDENTIFICATION OF THE COMPONENTS OF COMPLEX ORGANIC MATERIALS P 242 IN GAS CHROMATOG SYMPOS, EDINBURGH	60

JOHNSON G	SERRANA J	LEVY E	
APPLICATION OF SKIN RESISTANCE TO PSYCHOPHYSIOLOGICAL STUDIES			
ZZAEROMED LAB WADC			
REP TR-59-688			59
JOHNSON H M	A NOTE ON THE SUPPOSED OLFACTORY HUNTING RESPONSE OF THE DOG		
J ANIMAL BEHAV	4	76	14
JOHNSON J	CONSUMPTION OF OXYGEN BY COMBUSTIBLES IN SUBMARINE ATMOSPHERES		
ZZNAV RES LAB			
REP MR 882			56
JOHNSON J	NUCLEAR SUBMARINE ATMOSPHERE ANALYSIS AND REMOVAL OF ORGANIC CONTAMINANTS		
ZZFUELS BRANCH, CHEM DIV, US NAVAL RES LAB, WASH, DC			
ZZZ AD285269			
NRL REPORT 5800			62
JOHNSSON K	KLEIN A	PUBLICATIONS, REPORTS, AND PAPERS FOR 1962 FROM OAK RIDGE NATIONAL LABORATORY	
ZZOAK RIDGE NAT LAB, UNION CARBIDE CORP			
ZZAEC			
ORNL-3300 VOL 2 SPECIAL			62
JOHNSTON F	MCMILLAN T	EVANS E	
PERSPIRATION AS A FACTOR INFLUENCING THE REQUIREMENTS FOR CALCIUM AND IRON			
J NUTRIT	42	285	50
JOHNSTON J	CONCEPTS OF CONTACT CHEMORECEPTION IN MAMMALS AND MAN		
VIRGINIA J SCI	6	27	55
JOHNSTON J	SANDOVAL A	ORGANOLEPTIC QUALITY AND THE STEREOCHEMICAL THEORY OF OLFACTION	
AM PERF		75	8
			60
JOHNSTONE J	AN ANNOTATED BIBLIOGRAPHY OF THE UNITED STATES MARINES IN GUERRILLA-TYPE ACTION		
MARINE CORPS HIST BIBLIO NO 5, WASH			61
JOLLIFFE N	TUNG T	NUTRITIONAL STATUS SURVEY OF THE CIVILIAN POPULATION OF FORMOSA	
METABOLISM		5	309
			56
JOLLIFFE N	CLINICAL NUTRITION		
HARPER 2ND ED NY			62
JONES	SANDORFF	CHEMICAL APPLICATIONS OF SPECTROSCOPY	

INTERSCIENCE, NY	56
JONES B THE CULTIVATION OF INSECT CELLS AND TISSUES BIOL REV 37 512	62
JONES F JONES M ZZONR MODERN THEORIES OF OLFACTION A CRITICAL REVIEW REP 27515	
JONES F JONES M MODERN THEORIES OF OLFACTION J PSYCHOL 36 207	53
JOSEPHSON R K REPETITIVE POTENTIALS FOLLOWING BRIEF ELECTRIC STIMULI IN A HYDROID J EXPER BIOL 38 579	61

KAHMANN H SINNESPHYSIOLOGISCHE STUDIEN AN REPTILIEN ZOOLOG JAHRB 51 173	32
KALMUS H THE ORIGIN OF ODORS BY WHICH HONEYBEES DISTINGUISH THEIR COMPANIONS PROC ROY SOC LOND B140 50	52
KALMUS H THE DISCRIMINATION BY THE NOSE OF THE DOG OF INDIVIDUAL HUMAN ODORS AND IN PARTICULAR OF THE ODORS OF TWINS BRIT J ANIMAL BEHAV 3 25	55
KALMUS H HUBBARD S THE CHEMICAL SENSES IN HEALTH AND DISEASE THOMAS, SPRINGFIELD	60
KAMM G N BOHM H V INSTRUMENTATION FOR ULTRASONIC ATTENUATION STUDIES REV SCI INSTR 33 957	62
KARLSON P PHEROMONES, A NEW TERM FOR A CLASS OF BIOLOGICALLY ACTIVE SUBSTANCES NATURE, LOND 183 55	59
KARLSON P BUTENANDT A PHEROMONES /ECTOHORMONES/ IN INSECTS ANN REV ENTOMOL 4 39	59
KARR A OCONNOR J HUMAN FACTORS STUDY OF DESIGN CONFIGURATIONS FOR THE LASER RANGE FINDER ZZPITMAN-DUNN LABS ZZFRANKFORD ARSENAL, PHILA REP R-1664 FEB	63
KASEMIR H AN APPARATUS FOR SIMULTANEOUS REGISTRATIONS OF POTENTIAL GRADIENTS AND AIR-EARTH CURRENT J ATMOSPHERE TERREST PHYS 2 32	51
KATCHMAR L INDICATORS OF BEHAVIOR DECREMENT ZZDEPT OF PSYCHOL, UNIV OF MD, COLLEGE PARK ZZARMY MED RES AND DEV BOARD, WASH ZZZ AD31305 TECH REP 5 MARCH 16	52
KATSUKI Y REVIEW OF ELECTROPHYSIOLOGICAL STUDIES ON SENSORY RECEPTOR MECHANISMS J PHYSIOL SOC JAPAN 23 647	61
KATZ B INITIATION OF IMPULSES OF STRETCH RECEPTORS IN MUSCLES OF FROG J PHYSIOL, LOND 111 248	50
KAUFMAN W SWAN A DAVIS H	

THERMAL EFFECTS OF SIMULATED NUCLEAR FLASH ON AIRCREW MEMBERS ZZAEROSPACE MED RES LAB, WPAFB, OHIO ZZZ AD297960 AMRL MEMO M-25 JAN	63
KAWAHATA A SAKAMOTO H SOME OBSERVATIONS ON SWEATING OF THE AINO JAPAN J PHYSIOL 2 166	51
KAWAHATA A TANAKA M STUDIES ON THE FUNCTION OF HUMAN SWEAT ORGANS MIE MED J 3 219	53
KAWAHATA A ADAMS T RACIAL VARIATIONS IN SWEAT GLAND DISTRIBUTION PROC SOC EXP BIOL MED 106 862	61
KEEFE C THE COMMON CHEMICAL SENSE AND ITS RECEPTORS ARCH INT PHARMACODYN 139 547	62
KEEGAN H SCHLETER J HALL W SPECTROPHOTOMETRIC AND COLORIMETRIC RECORD OF SOME LEAVES OF TREES VEGETATION AND SOIL ZZOPTICS AND METEOROL DIV, NAT BUR OF STDS ZZAERIAL RECON LAB, WADC, WPAFB ZZZ AD105798 NBS REPORT 4528 APRIL	56
KEENEY A MELLINHOFF S COMPONENT MEASUREMENT IN EXPIRED AIR ANN INT MED 34 331	51
KEHOE R A CHOLAK J STORY R SPECTRO CHEMICAL STUDY OF THE NORMAL RANGES OF CONCENTRATION OF CERTAIN TRACE METALS IN BIOLOGICAL MATERIALS /FECES/ J NUTRIT 19 586	40
KEITHER W THE FORMULATION OF COSMETICS AND COSMETIC SPECIALTIES DRUG COSMETIC INDUSTRY PUB	56
KELLOGG R OLFACTORY SENSE /IN HISTORY OF WHALES, THEIR APPLICATION TO LIFE IN THE WATER/ QUART REV BIOL 3 198	28
KELLY E, ED ULTRASOUND IN BIOLOGY AND MEDICINE ZZAMER INST OF BIOL SCI, WASH SYMPOS OF USAF BIOACOUSTICS LAB AT U OF ILL, 55	57
KELLY M MEASUREMENT OF NEURON ACTIVITY BY PARAMAGNETIC RESONANCE ZZPOLYTECH INST OF BROOKLYN ZZAIR FORCE OFF OF SCI RES AFOSR 62-295 NOV 9 AD291441	62
KENDEIGH C	

ANIMAL ECOLOGY PRENTICE HALL, NY	61
KENNARD D W THE NERVOUS REGULATION OF THE SWEATING APPARATUS OF THE HUMAN SKIN AND EMOTIVE SWEATING IN THERMAL SWEATING AREAS J PHYSIOL 165 457	63
KENNEDY C SOME NON-NERVOUS FACTORS THAT CONDITION THE SENSITIVITY OF INSECTS TO MOISTURE, TEMPERATURE, LIGHT AND ODORS ANN ENTOMOL SOC AMER 20 87	27
KENNEDY D NEURAL PHOTORECEPTION IN A LAMELLIBRANCH MOLLUSC J GEN PHYSIOL 44 277	60
KENNEDY D BRUNO M THE SPECTRAL SENSITIVITY OF CRAYFISH AND LOBSTER VISION J GEN PHYSIOL 44 1091	61
KENNEDY D THE INITIATION OF IMPULSES IN RECEPTORS AMER ZOOL 2 27	62
KENNEDY W INFRARED SENSOR DEVELOPEMENT ZZTRIONICS CORP, MADISON WISCONSIN ZZWEAPONS GUIDANCE LAB, AIR RES AND DEV COMMAND, WPAFB OHIO ZZZ AD234126 FINAL REPORT MARCH	60
KERKA W HUMPHREYS C TEMPERATURE AND HUMIDITY EFFECTS ON ODOR PERCEPTION ASHAE TRANS 62 531	56
KERSLAKE D FACTORS CONCERNED IN THE REGULATION OF SWEAT PRODUCTION IN MAN ZZR.A.F. INST OF AVIA MED F.P.R.C. 879 MAY	54
KETTLEWELL H /INSECT FEMALE ASSEMBLING SCENTS/ ENTOMOLOGIST 79 8	46
KEULEMANS A GAS CHROMATOGRAPHY REINHOLD, NY	59
KEYS A BROZEK J THE BIOLOGY OF HUMAN STARVATION U OF MINN PRESS, VOLS 1 AND 2	50
KHOLODOV J ACTION OF AN ELECTROMAGNETIC FIELD ON THE CENTRAL NERVOUS SYSTEM PRIRODA, USSR 51 104 PIRODA 51 104	62 62
KILGMAN A SHELLEY W	

AN INVESTIGATION OF THE BIOLOGY OF THE HUMAN SEBACEOUS GLAND J INVEST DERM 30 99	58
KIMURA K BEIDLER L MICROELECTRODE STUDY OF TASTE RECEPTORS OF RAT AND HAMSTER J CELL COMP PHYSIOL 58 131	61A
KIMURA K OLFACTORY NERVE RESPONSE OF THE FROG KUMAMOTO MED J 14 37	61B
KIMURA K ADAPTATION OF CHEMORECEPTORS AS ANALYZED BY ACTIVITY IN SINGLE GUSTATORY FIBERS KUMAMOTO MED J 14 149	61C
KING S H FUNKENSTEIN D H RELIGIOUS PRACTICE AND CARDIOVASCULAR REACTIONS UNDER STRESS J ABNORM SOC PSYCHOL 55 135	57
KIRK E THE QUANTITY AND COMPOSITION OF HUMAN COLONIC FLATUS GASTROENTEROLOGY 12 782	49
KIRK P ULTRAMICROANALYSIS WILEY, NY	50
KIRK P L IDENTIFICATION IN THE SUB-MICROGRAM RANGE MICROCHEM J SYMP SER 1 19	61
KISHIMOTO Y RADIN N MICRODETERMINATION, ISOLATION AND GAS-LIQUID CHROMATOGRAPHY OF TWO-HYDROXY FATTY ACIDS J LIPID RES 4 130	63
KISTIAKOWSKY G ENZYME THEORIES OF OLFACTION SCIENCE 112 154	50
KLEMENTYEV A INTERFERENCE LIGHT FILTERS FOR THE ULTRAVIOLET REGION OF THE SPECTRUM VESTNIK MOSKOV UNIV SER 3, FIZIKA ASTRONOMIYA, P 23 ZZZ AD269635	60
KLIER S LINSKEY J SELECTED ABSTRACTS FROM THE LITERATURE ON STRESS ZZNYU COLL OF ENGG, NY ZZNAVAL TRAINING DEVICE CENT ZZZ AD253068 NAVTRADEVCE 565/1 NOVEMBER	60
KLOEK J THE SMELL OF SOME STEROID SEX HORMONES AND THEIR METABOLITES PSYCHIATRIA NEUROLOGIA NEUROCHIRURG 65 309	61
KLOTZ I DOLE M	

AN AUTOMATIC-RECORDING ULTRAVIOLET PHOTOMETER FOR LABORATORY AND FIELD USE IND ENG CHEM, ANAL 18 741	46
KLUIVER M BIOPHYSICS OF THE SENSE OF SMELL STUDENT THESIS GRONINGEN	58
KNESER H INTERPRETATION OF THE ANOMALOUS SOUND ABSORPTION IN AIR AND OXYGEN IN TERMS OF MOLECULAR COLLISIONS J ACOUST SOC AM 5 122	33
KNESTRICK G COSDEN T CURCIO J ATMOSPHERIC ATTENUATION COEFFICIENTS IN THE VISIBLE AND INFRARED REGIONS ZZOPTICS DIV, NAVAL RES LAB, WASH ZZZ AD263441 NRL REP 5648 AUGUST 8	61
KNOCHE H DER HUND IM DIENST DER POLIZEI VERLAG FUR POLIZEI FACHSCHRIFTEN LUBECK	57
KNOX G W INVESTIGATIONS OF FLICKER AND FUSION III THE EFFECT OF AUDITORY STIMULATION ON THE VISUAL CFF J GEN PHYSIOL 33 139	45A
KNOX G W INVESTIGATIONS OF FLICKER AND FUSION IV THE EFFECT OF AUDITORY FLICKER ON THE PRONOUNCEDNESS OF VISUAL FLICKER J GEN PHYSIOL 33 145	45B
KNUDSEN V THE ABSORPTION OF SOUND IN AIR, IN OXYGEN AND IN NITROGEN - EFFECTS OF HUMIDITY AND TEMPERATURE J ACOUST SOC AM 25 835A	53
KODAMA K MIURA Y RELATION BETWEEN DIET AND INTESTINAL GAS FORMATION JAPAN SOC FOOD NUTR 2 149	49
KOJIMA N A STUDY OF THE AMOUNT OF URINARY SULFATES FOR HEALTHY JAPANESE ADULTS J OSAKA MED CENT 9 5081	60
KOLSKY H ELECTROMAGNETIC WAVES EMITTED ON DETONATION OF EXPLOSIVES NATURE JAN 9 P 77	54
KONECCI E WOOD N DESIGN OF AN OPERATIONAL ECOLOGICAL SYSTEM ZZDOUGLAS AIRCRAFT CO, STA MON, CAL MISSILES AND SPACE SYS ENG REP 861	59
KONIKOFF J REYNOLDS L STUDY OF THE PURIFICATION OF WATER FROM BIOLOGICAL WASTES ZZGEN ELEC CO, SPACE SCI LAB, PHILA ZZNASA, WASH	

ANN REP ON NASA CONTRACT NASW 127 OCT	60
KONIKOFF J SPACE FLIGHT ECOLOGIES ZZGEN ELECT CO, SPACE SCI LAB, PHILA ZZZ AD268509 REP NO R61SD200 DEC	61
KONISHI J ZOTTERMAN Y TASTE FUNCTIONS IN THE CARP ACTA PHYSIOL SCAND 52 150	61
KOPPANYI T COWAN F F CATECHOLAMINES AS POSSIBLE STIMULANTS OF CHEMORECEPTOR MECHANISMS ARCH INT PHARMACODYN 139 564	62
KORNFIELD A HEALER J BIBLIO OF BIOSENSORS/PART OF A REVIEW OF BIOLOGICAL MECHANISMS FOR APPLICATION TO INSTRUMENT DESIGN/ REP ARA-985 JULY ZALLIED RES ASSOC BOSTON ZZNAT AERONAUT + SPACE ADMIN WASH CONTR NASR-16 REP ARA-985	61
KORNFIELD A BIOSENSING CONCEPTS ZBIOSEARCH CO BOSTON ZZARMY BIOL LABS PHYS DEF DIV FT DETRICK ZZZ AD275381 QTLY PROG REPT MAR	62A
KORNFIELD A BIOSENSING FOR BW DETECTION VOL 1 DATA AND ANALYSES ZBIOSEARCH CO BOSTON ZZARMY BIOL LABS PHYS DEF DIV FT DETRICK ZZZ AD294874 FINAL REP OCT	62B
KORNFIELD A BIOSENSING FOR BW DETECTION VOL 2 BIBLIO + SELECTED GRANTS ZBIOSEARCH CO BOSTON ZZARMY BIOL LABS PHYS DEF DIV FT DETRICK ZZZ AD294871 FINAL REP OCT	62C
KORNFIELD A BIOSENSING FOR BW DETECTION VOL 3 INTERPRETATIONS ZBIOSEARCH CO BOSTON ZZARMY BIOL LABS PHYS DEF DIV FT DETRICK FINAL REPT FEB	63
KOSHTOIAN TS KATALIN R THE ENZYMATIC BASIS OF TASTING BIOPHYS USSR TRANSL 3 652	58
KOSHTOYANTS K COMPARATIVE PHYSIOLOGY OF THE NERVOUS SYSTEM ST PUBL HOUSE, MOSCOW	60
KRAVKOV S V	

ACTION DES EXCITATIONS AUDITIVES SUR LA FREQUENCE CRITIQUE DES PAPILLOTEMENTS LUMINEUX ACTA OPHTHAL KBH 13 260	35A
KRAVKOV S V THE ACTION OF AURAL STIMULI ON FLICKER FUSION FIZIOL ZH, USSR 19 826	35B
KRAVKOV S V CRITICAL FREQUENCY OF FLICKER AND INDIRECT STIMULI CR ACAD SCI, USSR 22 65	39A
KRAVKOV S V THE INFLUENCE OF ODORS ON COLOR VISIONS ACTA OPHTHAL KBH 17 426	39
KRINOV E SPECTRAL REFLECTANCE PROPERTIES OF NATURAL FORMATIONS IZVEST AKAD NAUK USSR TRANS TT-439 BY NAT RES COUNC, CANADA	47
KROLAK L DAVIS T THE MEASUREMENT OF DIFFUSE REFLECTANCE OF CLOTH AND SKIN SAMPLES ZZU OF ROCHESTER ZZATOMIC ENERGY COMMISSION REP UR-380	55
KRUM J TRUEST EVALUATIONS IN SENSORY PANEL TESTING FOOD ENG 74 JULY	55
KRUSE P ORGANIC COLORIMETRY ANAL CHEM 25 1188	53
KRUSE P MCGLAUCHLIN L MCQUISTAN R ELEMENTS OF INFRARED TECHNOLOGY WILEY, NY	62
KRUSE P BLUE M INTRINSIC INFRARED DETECTOR RESEARCH ZZHONEYWELL RESEARCH CENT, HOPKINS, MINNESOTA AERONAUT SYSTEMS DIV, RECONNAISSANCE LAB, WP-AFB, OHIO ZZZ AD294884 INTERIM ENGNG REP NO 7 JANUARY 15	63
KRYLOV A TARAKANOVA G MAGNETROPISM OF PLANTS AND ITS NATURE PLANT PHYSIOL 7 191	60
KUBOTA K COMPARATIVE ANATOMICAL AND NEUROHISTOLOGICAL OBSERVATIONS ON THE TONGUE OF THE GREAT ANTEATER /MYRMECOPHAGA JUBATA LINNE/ ANAT REC 143 15	62
KULP C ROWLAND G DAYLIGHT VISUAL TARGET DETECTION ZZROWLAND, HADDONFIELD, NJ ZZNAVY AIR CREW EQUIP LAB, NAV AIR MAT CENT, PHILA	

ZZZ AD225885 REP 59-1-1 JULY 28	59
KUNO Y HUMAN PERSPIRATION THOMAS , SPRINGFIELD CONTAINS TABLE AG	56
KUPPENHEIM H BEER R SPECTRAL REFLECTANCE OF WHITE AND NEGRO SKIN BETWEEN FOUR HUNDRED AND ONE THOUSAND MILLIMICRONS J APPL PHYSIOL 4 800	52
KUSANO K ANALYSIS OF THE SINGLE UNIT ACTIVITY OF GUSTATORY RECEPTORS IN THE FROG TONGUE JAP J PHYSIOL 10 620	60

LAARMAN J THE HOST SEEKING BEHAVIOR OF THE MOSQUITO ANOPHELES MACULOPENNIS	
LACHER (INFRA RED ABSORPTION SPECTRA FOR URACIL, THYMINE) SCIENCE 110 300	49
LADELL W THE MEASUREMENT OF CHLORIDE LOSSES IN THE SWEAT J PHYSIOL 107 465	48
LAIRD D MANS INDIVIDUALITY IN ODOR J ABNORMAL AND SOCIAL PSYCHOL 29 459	35
LALOY L THE ODOR OF EUROPEANS J MED BRUXELLES 9 388	04A
LALOY L THE ODOR OF EUROPEANS J ANTHROPOL MOSCOW 15 119	04B
LANDIS C AN ANNOTATED BIBLIOGRAPHY OF FLICKER FUSION PHENOMENA COVERING THE PERIOD 1740 - 1952 ZZPSYCHIATRIC INST, COLUMBIA U, NYC ZZARMED FORCES NRC VISION COMM, ANN ARBOR ZZZ AD121183 JUNE	53
LANDGREN S EXCITATION OF CAROTID PRESSURE RECEPTORS ACTA PHYSIOL SCAND 26 1	52
LANG L ABSORPTION SPECTRA (PYRIMIDINES) IN THE ULTRAVIOLET AND VISIBLE REGION VOL 3 ACAD PRESS	62
LANYON W TAVOLGA W ANIMAL SOUNDS AND COMMUNICATION AMER INST OF BIOL SCI WASH	60
LARMORE L TRANSMISSION OF INFRARED RADIATION THROUGH THE ATMOSPHERE ZLOCKHEED AIRCRAFT CORP RESCH MEMO RM 63-20	56
LAROCCA A ZISSIS G FIELD SOURCES OF BLACKBODY RADIATION ZZENGNG RES INST, U OF MICH, ANN ARBOR ZZZ AD202608 2144-264-T JUNE	58
LARSEN M GANO R NEWMAN M STUDY OF ELECTRO-MAGNETIC PROPAGATION OF A TRANSIENT SIGNAL THROUGH SEA WATER ZZENGNG AND EXPR STATION, COLL ENGNG, U OF FLA ZZDEPT OF THE NAVY, OFFICE OF NAVAL RESEARCH	

ZZZ AD295107 TECHNICAL REPORT NO 2 DECEMBER	62
LASKER G B PHOTOELECTRIC MEASUREMENTS OF SKIN COLOR IN A MEXICAN MESTIZO POPULATION AM J PHYS ANTHROP 12 115	54
LAVERACK M RESPONSE OF CUTICULAR SENSE ORGANS OF THE /LOBOTA/ HOMARUS VULGARIS 1 HAIR PEG ORGANS AS WATER CURRENT RECEPTORS COMP BIOCHEM PHYSIOL 5 319	62
LAVERACK M ASPECTS OF CHEMORECEPTION IN CRUSTACEA COMPAR BIOCHEM PHYSIOL 8 141	63
LAW L BOOTHE R ZZU TEXAS ELECT ENG RES LAB A SURVEY OF THE CHARACTERISTICS AND ORIGINS OF GEOMAGNETIC MICROPULSATION REP 111	59
LAWRENCE A FERGUSON L EXPLORATORY PHYSICOCHEMICAL STUDIES ON THE SENSE OF TASTE NATURE, LOND 183 1469	XX
LAYMON R RELATIONSHIP BETWEEN FLAVOR AND PHYSICO-CHEMICAL PROPERTIES OF COMPOUNDS ZZBATTELLE MEMORIAL INST, COLUMBUS OHIO ZZQUARTERMASTER FOOD AND CONTAINER INST, CHICAGO ILL, SPONS PROGRESS REP NO 1 APRIL	59
LAZARUS R DEESE J OSLER S THE EFFECTS OF PSYCHOLOGICAL STRESS UPON PERFORMANCE PSYCHOLOGICAL BULL 49 293	52
LEAF A PERMEABILITY OF THE ISOLATED TOAD BLADDER TO SOLUTES AND ITS MODIFICATION BY VASOPRESSIN J GEN PHYSIOL 45 921	62
LEBLANC P ZZMUSEUM OF SCI AND INDUSTRY, LAB FOR APPLIED SCI, CHICAGO ZZBUREAU OF NAVAL WEAPONS, WASH ZZZ AD299549 SYMPOSIUM ON MILITARY APPLICATIONS OF ULTRAVIOLET RADIATIONS REP LAS-TR-199-37	62
LEDERER (CHEMICAL COMPOSITION OF SCENT SUBSTANCE CASTOREUM) BULL SOC CHIM BIOL TRAV	43
LEDERER (ON ANIMAL PERFUMERY) INDUSTRIE DE LA PARFUMERIE JULY AUG	46
LEHMANN J F THE BIOPHYSICAL MODE OF ACTION OF BIOLOGIC AND THERAPEUTIC	

ULTRASONIC REACTIONS J ACOUST SOC AMER 25 17	53
LEIDEN LAARMAN J THE HOST SEEKING BEHAVIOR OF THE MALARIA MOSQUITO ARCH NEERL ZOOL 11 529	55
LEIDERMAN P STERN R SELECTED BIBLIOGRAPHY ON SENSORY DEPRIVATION AND RELATED SUBJECTS ZZHARVARD MED SCHOOL, BOSTON ZZBIOMED LAB, WP-AFB OHIO ZZZ AD268601 ASD TECH REP 61-259 JULY	56
LEIGH A DEFECTS OF SMELL AFTER HEAD INJURY LANCET 244 38	61
LEIGHTON A THE TURKEY VULTURES EYES(AND SCENT) AUK 45 352	43
LEITHEAD C WATER AND ELECTROLYTE METABOLISM IN THE HEAT FED PROC 22 901	28
LEMAGNEN J UN CAS DE SENSIBILITE OLFACTIVE SE PRESENTANT COMME UN CARACTERE SEXUEL SECONDAIRE FEMININ COMPT REND 226 694	63
LEMAGNEN J VARIATIONS SPECIFIQUES DES SEULIS OLEFACTIFS CHEZ L HOMME SOUS ACTIONS ANDROGENE ET OESTROGENE COMPT REND	48
LEMAGNEN J THE ROLE OF OLFACTO GUSTATORY STIMULI IN THE REGULATION OF THE ALIMENTARY BEHAVIOR OF THE MAMMAL J PSYCHOL NORM PATH 56 137	49
LEMAGNEN J LA VARIATION DES SENSIBILITES OLFACTIVES EN FENCTION DES ETATS PHYSIOLOGIQUES GENERAUX THESE DE DOCTORAT ES SCIENCES PARIS	59
LEMAIRE R /PHYSIOLOGY OF SUDATION/ ARCH BIOL THERMO CLIMAT /PARIS/ 1 7	50
LEMMON G BIBLIOGRAPHY OF AFFTC TECHNICAL PUBLICATIONS AND PRESENTATIONS 1952-1962 ZZAIR FORCE FLIGHT TEST CENT, EDWARDS AFB, CAL ZZZ AD297997 AFFTC BIBLIO FTC-TDR-63-5 FEB	56
LENHOFF H BOVAIRD J	63

REQUIREMENT OF BOUND CALCIUM FOR THE ACTION OF SURFACE CHEMORECEPTORS SCIENCE 130 1475	59
LENHOFF H THE PH-PROFILE OF A CHEMORECEPTOR /HYDRA/ AMER ZOOL 2/3/ 424	62
LETAVET A GORDON D THE EFFECTS OF RADAR ON THE HUMAN BODY ZZINST OF LABOR HYGIENE AND OCCUPATIONAL DISEASES, USSR ZZZ AD278172 ASTIA TRANSLATION	60
LENZI M BIOLOGICAL EFFECTS OF MAGNETIC FIELDS STRAHLENTHERAPIE 67 219	40
LEONG P NUTRITIONAL BIBLIO OF MALAYA U HAWAII PRESS	52
LETTAU H RESEARCH PROBLEMS IN MICROMETEOROLOGY ZZARMY ELECTRONIC PROVING GRD, FT HUACHUCA, ARIZ REP AEPG-SIG-970-29 JAN	60
LEVINE R EFFECT OF SELECTED PHYSICAL PARAMETERS ON THE TRANSFER THROUGH BIOLOGICAL MEMBRANES OF COMPOUNDS OF VARYING CHEMICAL TYPES ZBOSTON UNIV SCHL MED ZZARMY CHEM CORPS EDGEWOOD ZZZ AD265976 REPORT OF NOV	61
LEVINSTEIN H INTERIM REPORT ON INFRARED DETECTORS ZZSYRACUSE UNIV RES INST, SYRACUSE NY ZZAERIAL RECON LAB, WRIGHT AIR DEVELOPMENT DIV, USAF ZZZ AD288259 PHYSICS REPORT 104-12 NOVEMBER 1	62
LEWIS B DETERMINATION OF FECAL BILE ACIDS S AFRIC J CLIN SCI 3 316	57
LEWIS C CONTACT CHEMORECEPTORS OF BLOWFLY TARSI NATURE, LOND 173 130	54
LEWIS J SIGHT AND SCENT IN THE TURKEY VULTURE AUK 45 467	28
LIBERMAN E ON THE PROBLEM OF THE EFFECT OF THE CONSTANT MAGNETIC FIELD ON THE EXCITATION THRESHOLD ON AN ISOLATED FROG NERVE BIOFIZIKA USSR 4 505	59
LICKLIDER J	

ON JAMMING SPEECH COMMUNICATION WITH COHERENTLY
AMPLITUDE-MODULATED INTERFERENCE
ZZAVAIL FROM COMM ON HEARING AND BIO-ACOUSTICS, NRC WASH,DC
57

LILJESTRAND G
THE PROBLEM OF TRANSMISSION AT CHEMORECEPTORS
PHARMACOL REV 6 73 54

LINDMAN M
NOISE LEVEL LIMITS FOR AVOIDANCE OF DEAFNESS IN SHIPBOARD
MACHINERY SPACES
ZZBUREAU OF SHIPS, WASH DC
ZZZ AD109636
REP NO 371-N-27 NOVEMBER 8 55

LINEHAN D
RESEARCH ON COLLECTION, REDUCTION AND EVALUATION OF
GEOMAGNETIC FIELD DATA AND ELECTRIC FIELD PHENOMENA
ATMOSPHERIC AND TERRESTRIAL
ZZBOSTON COLLEGE
ZZAF CAMBRIDGE RES LABS, MASS
AFCRL 62-1143 SEPT 61

LINSDALE J
THE CALIFORNIA GROUND SQUIRREL
U CAL PRESS BERKELEY 46

LINSDALE J
THE DUSKY FOOTED WOOD RAT
U CAL PRESS BERKELEY 51

LINSDALE J TOMICH P
A HERD OF MULE DEER
U CAL PRESS BERKELEY 53

LISSMAN H W
CONTINUOUS SIGNALS FROM THE TAIL OF A FISH GYMNARCHUS
NILOTICUS
NATURE /LONDON/ 167 201 51

LISSMAN H W
ON THE FUNCTION AND EVOLUTION OF ELECTRIC ORGANS IN FISH
J EXP BIOL 35 156 58A

LISSMAN H MACHIN K
THE METHOD OF OBJECT LOCATION IN GYMNARCHUS
NILOTICUS AND SIMILAR FISHES
J EXP BIOL 35 451 58B

LISSMAN H
ECOLOGICAL STUDIES ON GYMNOTIDS
P 215 IN BIOELECTROGENESIS ELSEVIER NY 61

LISSMAN H
ELECTRIC LOCATION BY FISHES
SCIENTIF AMER 208 50 63

LIST C PEET M
SWEAT SECRETION IN MAN
ARCH NEUROL AND PSYCHIATRY 39 1231 38

LLOYD D P TEMPERATURE AND THE ACTION OF THE SWEAT GLANDS PROC NATL ACAD SCI 47 358	61
LOBITZ W C DOBSON R L DERMATOLOGY THE ECCRINE SWEAT GLANDS ANN REV MED 12 289	61
LOCONTI J ROTH L COMPOSITION OF THE ODOROUS SECRETION OF TRIBOLIUM CASTANEUM ANN ENT SOC AMER 46 281	53
LOEB M A FURTHER INVESTIGATION OF THE INFLUENCE OF WHOLE-BODY VIBRATION AND NOISE ON THE TREMOR AND VISUAL ACUITY ZZARMY MED RES LAB, FORT KNOX, KY ZZZ AD55065 REP NO 165 OCTOBER 22	54
LOEB M CULTURE OF INSECT TISSUES CORNELL UNIV	57
LOEWENSTEIN W RATHKAMP R THE SITES FOR MECHANOELECTRIC CONVERSION IN A PACINIAN CORPUSCLE J GEN PHYSIOL 41 1245	58
LOEWENSTEIN W THE GENERATION OF ELECTRIC ACTIVITY IN A NERVE ENDING ANN NY ACAD SCI 81 367	59
LOEWENSTEIN W BIOLOGICAL TRANSDUCERS SCI AMER 203 98	60
LOHNER L INDIVIDUAL AND REGIONAL ODOR OF HUMAN BEINGS ARCH GES PHYSIOL 202 25	24
LOHNER L /RESEARCH ON OLFACTORY PHYSIOLOGY, OLFACTORY EFFICIENCY OF POLICE DOGS/ ARCH GES PHYSIOL 212 84	26
LONDON S WEST A GASEOUS EXCHANGE IN A CLOSED ECOLOGICAL SYSTEM ZZBIOMED LAB, AEROSPACE MED DIV, AF SC, WPAFB AMRL-TDR-62-139 DECEMBER	62
LONG C BIOCHEMISTS HANDBOOK VAN NOSTRAND NY CONTAINS TABLE 2	61
LOOFBOUROW J ULTRAVIOLET ANALYSIS FOR VITAMINS AND HORMONES VITAMINS AND HORMONES 1 109	43
LORD R COCHRAN W	

ZZILL NATURAL HISTORY SURVEY
TECHNIQUES OF RADIO TRACKING WILD ANIMALS

XX

LOWRY O
BIOCHEMICAL EVIDENCE OF NUTRITIONAL STATUS
PHYSIOL REVS 32 431 52

LUCAS C
THE ECOLOGICAL EFFECTS OF EXTERNAL METABOLITES
BIOL REV 22 270 47

LUCAS N
THE PERMEABILITY OF THE HUMAN EPIDERMIS TO ULTRAVIOLET
RADIATION
BIOCHEM J 25 57 31

LUDWIG G
THE VELOCITY OF SOUND THROUGH TISSUES AND THE ACOUSTIC
IMPEDANCE OF TISSUES
J ACOUST SOC AMER 22 862 50

LUGG J
RENAL EXCRETION OF 17 KETOSTEROIDS BY MEMBERS OF SOME ETHNIC
GROUPS IN MALAYA
NATURE LOND 174 1147 54

LUGG W
A STUDY OF THE RELATIONSHIP BETWEEN THE TWENTY FOUR
HOURLY URINARY OUTPUTS OF 17-KETOSTEROIDS AND CREATININE
AND THE WEIGHTS OF TWENTY ADULT MALE SUBJECTS FROM SIX
ETHNIC GROUPS
AUSTRAL J EXP BIOL 35 395 57

LUGT A ROTZ F
OPTICAL SPATIAL FILTERING TECHNIQUES
ZZRADAR LAB, INST SCI AND TECH U OF MICHIGAN, ANN ARBOR
ZZU.S. AIR FORCE
ZZZ AD294553
INTERIM ENGNG REPORT FOURTH AND FIFTH QUARTERS JAN 63

LIU D HUANG P
NORMAL LEVEL OF BLOOD AND URINARY ALPHA KETO ACIDS IN
CHINESE
J FORMOSA MED ASSOC 61 714 62

LUKASIK S NOLLE A
HANDBOOK OF ACOUSTIC NOISE CONTROL, VOL 1 PHYSICAL ACOUSTICS
ZZBOLT BERANEK AND NEWMAN
ZZAERO MED LAB, WADC, WP-AFB OHIO
ZZZ AD66250
SUPPLEMENT 1 WADC TR-52-204 APRIL 55

LYBURN E
A COMPARISON OF THE COMPOSITION OF SWEAT INDUCED IN DRY
HEAT AND BY WET HEAT
J PHYSIOL 134 207 56

LYON M
THE DOG IN ACTION
ORANGE JUDD PUBL CO NY 50

LYON R
EVALUATION OF INFRARED SPECTROPHOTOMETRY FOR COMPOSITIONAL
ANALYSIS OF LUNAR AND PLANETARY SOILS
ZZSTANFORD RES INST, MELANO PARK, CAL
ZZNASA WASH, SPONSOR
NASA TN D-1871 APRIL

63

MCAFFEE R EFFECTS OF CERTAIN STEROIDS ON THE BIOELECTRIC CURRENT OF ISOLATED FROG SKIN AM J PHYSIOL 200 797	61
MCCABE L AIR POLLUTION MCGRAW HILL NY	52
MCCAIG M HYSTERESIS METHODS OF NON DESTRUCTIVE TESTING VOL 3 OF PROGR IN NON DESTRUCT TESTING MACMILLAN NY	61
MCCANCE R WIDDOWSON E THE CHEMICAL COMPOSITION OF FOODS CHEM PUBL CO NY	47
MCCANDLESS W ED CLOSED CIRCUIT RESPIRATORY SYSTEMS SYMPOSIUM ZZLIFE SUPPORT SYST LAB, WRIGHT AIR DEV DIV, WP-AFB OHIO ZZZ AD242587 WADD TECH REP 60-574 AUGUST	60
MCCOLLUM E A HISTORY OF NUTRITION HOUGHTON MIFFLIN BOSTON	57
MCCORD C WITHERIDGE W ODORS - PHYSIOLOGY AND CONTROL MCGRAW-HILL, NEW YORK	49
MCCUTCHAN J TAYLOR C A QUANTITATIVE STUDY OF EVAPORATION FROM THE HUMAN BODY DURING SHORT EXPOSURES TO VARIOUS TEMPERATURES, HUMIDITIES PRESSURES, AND MASS VELOCITIES ZZU OF CALIF, LOS ANGELES, CALIF ZZAERO MED LAB, WRIGHT AIR DEV CENT, AIR RES AND COMM, WPAFB ZZZ AD98216 WADC TECH NOTE 55-522 JUNE	55
MCDONOUGH E MERCAPTANS IN COSMETICS (THE ODOR OF THIOLS) AM PERFUMER ESSENT OIL 50 445	47
MCDONOUGH R EMISSION OF MATERIALS NEAR ROOM TEMPERATURE P 142 IN FIRST SYMPOSIUM ON SURFACE EFFECTS ON SPACECRAFT MATERIALS WILEY NY	60
MCEVOY-BOWE E A DIRECT QUANTITATIVE PAPER CHROMATOGRAPHY OF AMINO ACIDS AND ITS APPLICATION TO THE URINARY EXCRETIONS OF SOME HUMAN ETHNIC GROUPS BIOCHEM J 80 616	61
MCEVOY-BOWE E FAMILY STUDIES OF URINARY BETA-AMINOISOBUTYRIC ACID EXCRETION TOGETHER WITH AN EXAMINATION OF THE URINARY EXCRETION LEVELS OF GLYCINE, ALANINE, TAURINE, AND GLUTAMINE AMONGST CHINESE IN SINGAPORE ANN HUM GENET 25 331	62

MCGRATH J HUMAN FACTORS PROBLEMS IN ANTI-SUBMARINE WARFARE, A BIBLIO OF RESEARCH ON HUMAN VIGILANCE ZZHUMAN FACTORS RES INC, L.A. CAL ZZPSYCHOL SCI DIV, DEPT OF THE NAVY ZZZ AD256488 SUPPLEMENTARY NOTE TO TECH REP 1 APRIL	61A
MCGRATH W D ANALYSIS OF GASES AND VAPORS BY SPECTROSCOPIC TECHNIQUES I EMISSION SPECTROSCOPY TALANTA 8 892	61B
MCINDO N AN INSECT OLFACTOMETER J ECON ENTOMOL 19 545	26
MCKAY J CIANCI S HALL C SOME FACTORS WHICH HAVE CONTRIBUTED TO BOTH SUCCESSFUL AND UNSUCCESSFUL AMERICAN INFANTRY SMALL UNIT ACTIONS HUM RES UNIT FT BENNING AND GEORGE WASH U, HUMRRO ZZDEPT OF THE ARMY ZZZ AD260994 RESEARCH MEM APRIL	59
MCKEE H RHOADES J WHEELER R GAS CHROMATOGRAPHIC MEASUREMENT OF TRACE CONTAMINANTS IN A SIMULATED SPACE CABIN ZZSOUTHWEST RES INST, SAN ANTONIO ZZNASA, WASH DC NASA TN D-1825 MARCH	63
MCLAFFERTY F MASS SPECTROMETRY OF ORGANIC IONS ACAD PRESS	63
MCPMAHON H O THERMAL RADIATION FROM PARTIALLY TRANSPARENT REFLECTING BODIES J OPT SOC AMER 40 376	50
MCMASTER R NON DESTRUCTIVE TESTING HANDBOOK RONALD PRESS NY	59
MCNEIL W ZAEROMED LAB WADC URINE EVAPORATOR WDAC TR-54-94	54
MA L A SURVEY OF BLOOD CONSTITUENTS OF HEALTHY CHINESE IN HONG KONG TRANS ROY SOC TROP MED HYG 56 222	62
MACHIN K E LISSMAN H W THE MODE OF OPERATION OF THE ELECTRIC RECEPTORS IN GYMNARCHUS NILOTICUS J EXP BIOL 37 801	60

MACHMAN M THE INFLUENCE OF SIZE AND SHAPE ON THE VISUAL THRESHOLD OF THE DETECTABILITY OF TARGETS ZZBOSTON U, OPTICAL RES LAB, BOSTON MASS ZZPHOTO RECON LAB, WRIGHT AIR DEV CENT ZZZ AD25410 TECH NOTE 109 DECEMBER	53
MACKENNA R /SEBUM SQUALENE CONTENT/ J INVEST DERMATOL 15 33	50
MACKENNA R WHEATLEY V WORMAL A STUDIES OF SEBUM, SOME CONSTITUENTS OF THE UNSAPONIFIABLE MATTER OF HUMAN SEBUM BIOCHEM J 52 161	52
MACKWORTH N H THE BREAKDOWN OF VIGILANCE DURING PROLONGED VISUAL SEARCH QUART J EXP PSYCHOL 1 6	48
MAGOUN H HANDBOOK OF PHYSIOLOGY NEUROPHYSIOLOGY SEC 1 AM PHYSIOL SOC, WASHINGTON	60
MAHADERA K THE ENERGY EXPENDITURE AT REST OF SOUTHERN ASIATICS IN BRITAIN IND J MED RES 42 181	54
MAIER B BEVAN W BEHAR I THE EFFECT OF AUDITORY STIMULATION UPON THE CRITICAL FLICKER FREQUENCY FOR DIFFERENT REGIONS OF THE VISIBLE SPECTRUM AMER J PSYCHOL 74 67	61
MAKAROV P BIOPHYSICAL PROBLEMS OF THE SENSE ORGANS RUSSIAN REV BIOL 50 314	61
MAKI A G STAIR R JOHNSTON R G APPARATUS FOR THE MEASUREMENT OF THE NORMAL SPECTRAL EMISSIVITY IN THE INFARED J RES NATL BUR STANRD 64C 99	60
MALLETTE F PROBLEMS AND CONTROL OF AIR POLLUTION REINHOLD NY	55
MALMO R CERTAIN PHYSIOLOGICAL CORRELATES OF PSYCHOMOTOR FUNCTIONING ZMCGILL UNIV CANADA ZZZ AD247373 JAN	61
MANCINELLI D A SPACE VEHICLE SIMULATOR AND ATMOSPHERIC CONTROL SYSTEM AEROSPACE MED 34 261	63
MANGAN G CHEMICAL COMPONENTS OF THE ODOR OF FISH PRESENTED FOR THE QM REC AT AMER CHEM SOC BOSTON APRIL	59

MANGINI A NEW RAMAN SPECTROSCOPIC INSTRUMENTS ADVANCE IN MOLECULAR SPECTROSCOPY 3 1320 AND 1386	XX
MANN A COUTU A ROSSI E A COMPARISON STUDY OF PANCHROMATIC AND INFRARED AERIAL PHOTOGRAPHS TAKEN IN LATE FALL AND IN WINTER ZZWESLEYAN U ZZU. S. AIR FORCE ZZZ AD13143 TECH NOTE NO 30 MAY 29	53
MANN A COUTU A BRACKETT D MANUAL FOR PHOTOINTERPRETERS A COMPARATIVE STUDY OF AERIAL PHOTOGRAPHY ON INFRARED PANCHROMATIC AND COLOR FILM ZZWESLEYAN U ZZU. S. AIR FORCE ZZZ AD46594 TECH NOTE NO 50 JULY 30	54
MARCHGRABER R DRUMMOND A A PRECISION RADIOMETER FOR THE MEASUREMENT OF TOTAL RADIATION IN SELECTED SPECTRAL BANDS PRESENTED AT INT RAD SYMPOS, OXFORD	59
MARCUS H OLFACTORY ORGANS OF ANTS ACTA ZOOL LILLUOANA 2 441	46
MARKOWITZ M PRACTICAL SURVEY OF THE CHEMISTRY AND METABOLISM OF THE SKIN BLAKISTON	42
MARQUIS D REVISED AMR INFRARED MEASUREMENTS PROGRAM ZZPAN AM AIRWAYS AND RCA SERVICE CO, MISSILE TEST PROJ ZZAF MISSILE TEST CENT, PATRICK AFB, FLA ZZZ AD254182 AFMTC-TR-61-4 FEB 28	61
MARSH H A SURVEY REPORT UNDERWATER SOUND REVERBERATION ZZAVCO MARINE ELECTRONICS, NEW LONDON CONN ZZOFFICE OF NAVAL RESEARCH ZZZ AD294540 SEPTEMBER	62
MARSHALL J ON THE SENSITIVITY OF THE CHEMORECEPTORS ON THE ANTENNA AND FORE TARSUS OF THE HONEY BEE APIS MELLIFICAL J EXP BIOL 12 17	35
MARTIGNONI M PROBLEMS OF INSECT TISSUE CULTURE EXPERIENTIA 16 125	60
MARTZ D SUMNICHT H AUGASON G QUANTITATIVE SPECTRAL MEASUREMENTS OF SUNLIT BACKGROUNDS ZZNAV ORD TEST STAT, CHINA LAKE, CAL ZZZ AD95708 TECH NOTE IDP-95 APRIL 11	56

MASICA B OMEGATRON GAS ANALYZER PRACE PRZEMYBLOWEGO INST ELECTRON 1 49	60
MASKALENNO E THE USE OF ULTRA HIGH FREQUENCIES IN BIOLOGICAL RESEARCH BIOPHYSICS USSR TRANSL 3 589	58
MASON M BIBLIOGRAPHY OF THE DOG IOWA STATE U PRESS	59
MASON N ZZGEORGE WASH U, MASTERS THESIS THE IMPACT OF ENVIRONMENT ON MILITARY OPERATIONS - A STUDY IN MILITARY GEOGRAPHY 8412031 75	
MATESON J THE OLFACTORY AREA AND THE OLFACTORY RECEPTOR PROCESS ANN NY ACAD SCI 58 83	54
MATHIES J LUND P EIDE W X-RAY SPECTROSCOPY IN BIOLOGY AND MEDICINE, PART FOUR, A SIMPLE INDIRECT SENSITIVE PROCEDURE FOR THE DETERMINATION OF NITROGEN /AMMONIA/ AT THE MICROGRAM AND SUBMICROGRAM LEVEL ANALYT BIOCHEM 3 408	62
ZZMATRIX CORP, ARLINGTON A FEASIBILITY STUDY CONCERNING PERSONNEL SURVIVAL FLOTATION AND LOCATOR SYSTEM ZZNAVAL PARACHUTE FACILITY, EL CENTRO, CAL ZZZ AD294946 MATRIX REP NO 61-11 JUNE 14	61
MATTHES E SMELL AND TASTE IN THE ANIMAL KINGDOM ARQUIV MUS BOCAGE 9 17	38
MATTICE M RESUME OF NORMAL DATA P 403 IN CHEMICAL PROCEDURES FOR CLINICAL LABORATORIES LEA AND FEBIGER PHILA	
MATTONI R SULLIVAN G SANITATION AND PERSONAL HYGIENE DURING AEROSPACE MISSIONS ZZSPACELABS, VAN NUYS CAL ZZAEROSPACE MED LAB WP-AFB ZZZ AD283841 REP MRL TDR-62-68 JUNE	62
MAW M SUPPRESSION OF OVIPOSITION RATE OF HYMENOPTERA IN FLUCTUATING ELECTRIC FIELDS CANAD J ENTOMOL 93 602	61
MAXWELL J ZZU OF MISSOURI ZZARMY CORPS OF ENGRS, WATERWAYS EXP STATION TEST OF QUANTITATIVE TERRAIN DESCRIPTION SYSTEMS AT FORT LEONARD WOOD, MO	62

MAY J ECOLOGY OF HUMAN DISEASE MD PUBLICATIONS NY	58
MAY J STUDIES IN DISEASE ECOLOGY HAFNER NY	61A
MAY J THE ECOLOGY OF MALNUTRITION IN THE FAR AND NEAR EAST HAFNER NY	61B
MEEKS M LILLEY A THE MICROWAVE SPECTRUM OF OXYGEN IN THE EARTHS ATMOSPHERE ZZLINCOLN LAB, MIT, DIVISION THREE, LEXINGTON MASS JA NO 2009 CITED IN LINCOLN LAB QPR DIV 3 JAN	63
MEERLOO J PSYCHIATRIC ECOLOGY J NERV MENT DIS 127	59
MEGUIN P LES CHIENS DE FRANCE AU FRONT PENDANT LA GUERRE REV DHISTOIRE NATURELLE APPLIQUEE PARIS	20
MEIGS P ENVIRONMENT OF SOUTHEAST ASIA ZZENVIRON PROT DIV, NATICK QM RES AND DEV LAB, MASS ZZZ AD20310 REP 219 AUG	53
MEITES L ED HANDBOOK OF ANALYTICAL CHEMISTRY MCGRAW HILL NY	63
MELGARD R A STUDY OF TECHNIQUES FOR REACTOR EFFLUENT ANALYSIS ZZTRACERLAB, RICHMOND VA ZZAF SPECIAL WEAPONS CENT, KIRTLAND AFB, NM ZZZ AD295426 FINAL REP AFSWC-TDR-62-146 DECEMBER	62
ZZMELPAR, FALLS CHURCH, VA BW AGENT DETECTION BY CONCENTRATION PROFILE TECHNIQUE ZZUS ARMY BIOL LABS, FT DETRICK ZZZ AD284208 QUARTERLY PROG REP 1 SEPT	61
MENZEL E MENZEL R SIGNIFICANCE OF THE LAWS OF SPEED-VALUE AND STIMULATION- SUMMATION IN THE TRAILING OF THE DOG J PSYCHOL U NEUROL 38 258	29
MENZEL E MENZEL R DIE VERWENDUNG DER REICHFAHIGKEIT DES HUNDES IM DIENSTE DER MENSCHKEIT BERLIN	30
MER G BERNBAUM D	

THE ATTRACTION OF MOSQUITOES BY HUMAN BEINGS PARASITOL 38 1	47
MERCHANT D HANDBOOK OF CELL AND ORGAN CULTURE BURGESS MINN	60
MERRIAM H ZZU TEXAS DEPT OF ZOOL LOW FREQUENCY TELEMETRIC MONITORING OF WOODCHUCK MOVEMENTS	XX
MERRIAM J EISENMAN W INTERPRETATION OF PHOTODETECTOR PARAMETERS ZZRES DEPT, NAVAL ORDNANCE LAB, CORONA, CAL PHOTODETECTOR SERIES, REP 49 NOLC-558 JANUARY 15	62
MERRITT C TECHNIQUES FOR THE DETERMINATION OF VOLATILE COMPONENTS OF FOODSTUFFS,USE OF GAS CHROMATOGRAPHY AND MASS SPECTROMETRY PRESENTED FOR QMREC TO AMER CHEM SOC CHICAGO	58
MERRITT C RECENT DEVELOPMENTS IN THE APPLICATION OF ANALYTICAL METHODS TO THE EVALUATION OF FLAVOR AND ODOR PRESENTED FOR QMREC TO NEW ENGLAND SECTION AMER CHEM SOC CAMBRIDGE	59
MERRITT C IDENTIFICATION OF FLAVOR COMPOUNDS IN SYMPOSIUM ON FLAVOR AND ODOR OF FOODS FOR TECHNOL LAB BUR OF CMCL FISHERIES,GLOUCESTER MASS, AND QMREC	61
METHODS OF BIOCHEMICAL ANALYSIS, GLICK, D, ED ANNUAL VOLS INTERSCIENCE	63
MIDDLETON A SMELL,THE PHYSICAL SENSE PERFUM AND ESSENT OIL RECORD 47 237	56
MILES D LEPPING R GEOMAGNETIC FLUCTUATION STUDIES ZZANTI SUB WAR LAB , NAVAL AIR DEV CENT, JOHNSVILLE, PA ZZZ AD294968 REP NO NADC-AW-6240 DECEMBER 28	62
MILLER H LYBRAND W A SELECTED BIBLIOGRAPHY ON UNCONVENTIONAL WARFARE ZZSPECIAL OPNS RES OFC, AMER UNIV, WASH ZZDEPT OF THE ARMY ZZZ AD265056 PART 1 OCT	61
MILLER L (EXPERIMENTS ON SMELL IN BIRDS) CONDOR 44 3	42
MILLER R PIATT V THE PRESENT STATUS OF CHEMICAL RESEARCH IN ATMOSPHERE PURIFICATION AND CONTROL ON NUCLEAR-POWERED SUBMARINES	

ZZCHEM RES DIV, NAVAL RES LAB, WASH ZZZ AD236418 NRL REP 5465 APRIL 21	60
MIMURA K ON THE PHYSIOLOGICAL SIGNIFICANCE OF THE EEG CHANGES CAUSED BY SONIC STIMULATION EEG CLIN NEUROPHYSIOL 14 683	62
MINNICH D THE CHEMICAL SENSES OF INSECTS QUART REV BIOL 4 100	29
MINTZ B STONE L TRANSPLANTATION OF TASTE ORGANS IN ADULT TRITURUS VIRIDESCENS PROC SOC EXP BIOL MED 31 1080	34
MIT LINCOLN LAB, LEXINGTON MASS RADIO PHYSICS ZZZU.S. AIR FORCE ZZZ AD296492 QUARTERLY PROGRESS REP, DIVISION 3 JAN 15	63
MITCHELL E NUTRITION AND CLIMATIC STRESS THOMAS SPRINGFIELD	51
MITCHELL H EDMAN M NUTRITIONAL SIGNIFICANCE OF DERMAL LOSSES OF NUTRIENTS IN MAN, PARTICULARLY OF NITROGEN AND MINERALS AM J CLIN NUTRIT 10 162	62A
MITCHELL H HAMILTON T THE DERMAL EXCRETION UNDER CONTROLLED ENVIRONMENTAL CONDITIONS OF NITROGEN AND MINERALS IN HUMAN SUBJECTS WITH PARTICULAR REFERENCE TO CALCIUM AND IRON J BIOL CHEM 178 345	49
MITCHELL H COMPARATIVE NUTRITION OF MAN AND DOMESTIC ANIMALS ACADEMIC PRESS NY	62B
MITCHELL J DETERMINATION OF ORGANIC ACIDS ORGANIC ANALYSIS 3 68 INTERSCIENCE	56
MITTELDORF A SPECTROGRAPHIC ANALYSIS OF AGRICULTURAL AND BIOLOGICAL MATERIALS J OPTICAL SOC AMER 41 286 APR	51
MITZ M BLANCHARD G BIOCHEMICAL DETECTION METHODS FOR BACTERIA AND VIRUSES ZMELPAR FALLS CHURCH VA ZZARMY CHEM CORPS BIOL LABS FT DETRICK ZZZ AD296244 REPORT OF DEC	62
MIVART A MONOGRAPH OF THE CANIDAE /FOX DISCUSSING ANAL SCENT	

GLANDS/

HARVARD MUSEUM COMPAR ZOO LIBRARY NO MA-C-2-4

MOAMIN	GHATRIT	
TRAITS DE FAUCONNERIE ET DES CHIENS DE CHASSE		
FRITZE STOCKHOLM		45
MODY J		
TEXTBOOK OF MEDICAL JURISPRUDENCE AND TOXICOLOGY		
TRIPATHE AND CO BOMBAY INDIA		47
MOIR R		
URINE RECYCLE SYSTEM STUDY		
ZBOEING AIRPLANE CO SEATTLE WASH		
REPORT D7-2581		59
MOLYNEUX L		
BIOLOGICAL SIGNALS AND NOISE		
NATURE 197/4870/ 855		63
MONAHAN T	COOPER B	
SPECTRAL CHARACTERISTICS OF THE THERMAL RADIATION OF AN		
ATOMIC EXPLOSION		
ZZMATERIAL LAB, N.Y. NAVAL SHIPYARD, BROOKLYN		
ZZZ AD104956		
FINAL REP MAY 24		51
MONCRIEFF R		
THE CHEMICAL SENSES		
LEONARD HILL, LOND		
MONCRIEFF R		
THE CHEMISTRY OF PERFUME MATERIALS		
UNITED TRADE PRESS LONDON		49
MONCRIEFF R		
THE CHARACTERIZATION OF ODORS		
J PHYSIOL, LOND 125 453		54
MONCRIEFF R		
ELECTRO OLFACTOGRAMS IN THE RABBIT		
AMER PERFUMER 76 24		61
MONCRIEFF R		
OLFACTORY ADAPTATION		
AMER PERFUM AND COSMET 78 15		63
MONKMAN J		
GAS CHAMBER MICROAPPARATUS IN IDENTIFICATION OF AIRBORNE		
POLLUTANTS		
ANAL CHEM 27 704		55
MONTGOMERY K C		
THE EFFECT OF ACTIVITY DEPRIVATION UPON EXPLORATORY BEHAVIOR		
J COMP PHYSIOL PSYCHOL 66 438		53
MOORE H	BERNSTEIN H	REYNOLDS R
A SOURCE AND DETECTOR OF RADIATION IN THE WAVELENGTH REGION		
1500-50 ANGSTROMS SUITABLE FOR RADIATION EFFECTS STUDIES ON		
MATERIALS IN VACUO		
ZZELECTRO-OPTICAL SYSTEMS, PASADENA CAL		

ZZDIR MATERIALS AND PROCESSES, AERONAUT SYST DIV, WP-AFB O
 ZZZ AD295895
 REPT WADD-TR-60-371, PT II DEC 62

MORGAN J B
 DIFFERENCES IN ULTRASONIC TESTING OF VARIOUS MATERIALS
 NON-DEST TESTING 21 121 63

MORITA H
 GENERATOR POTENTIAL OF INSECT CHEMORECEPTOR
 SCIENCE 129 922 59A

MORITA H TAKEDA K
 INITIATION OF SPIKE POTENTIALS IN CONTACT CHEMOSENSORY HAIRS
 OF INSECTS II, THE EFFECT OF ELECTRIC CURRENT OF TARSAL
 CHEMOSENSORY HAIRS OF VANESSA
 J CELL COMP PHYSIOL 54 177 59B

MORITA H YAMASHITA S
 RECEPTOR POTENTIALS RECORDED FROM SENSILLA BASICONICA ON THE
 ANTENNA OF THE SILKWORM LARVAE, BOMBYX MORI
 J EXP BIOL 38 851 61

MORRISON G A
 TRACE ELEMENT ANALYSIS
 MICROCHEM J SYMP SER 1 37 61

MORROW R SIEPEL J
 /EXISTENCE OF A MAGNETIC FIELD ABOUT NEURONS/
 J WASH ACAD SCI 50 1 60

MORROW W KARP D LOCKE R
 THE INFLUENCE OF TERRAIN SHIELDING ON RADIO WAVE
 PROPAGATION AT 8000 MCPS
 LINCOLN LAB, MIT, DIVISION THREE, LEXINGTON MASS
 ZZZ AD290511
 NO 36G-1 NOVEMBER 20 62

MOSEBACH K
 PHARMACOLOGICAL ACTION OF DEGRADATION PRODUCTS OF HISTIDINE
 AND HISTAMINE ON ISOLATED INTESTINE OF GUINEA PIGS
 KLIN WOCHSCHR 39 80 61

MOTOKAWA K SUZUKI K
 A NEW METHOD FOR MEASURING FATIGUE
 JAP MED J 1 200 48A

MOTOKAWA K IWAMA K
 THE ELECTRIC EXCITABILITY OF THE HUMAN EYE AS A SENSITIVE
 INDICATOR OF OXYGEN DEFICIENCY
 TOHOKU J EXP MED 50 319 49

MOTOKAWA K
 FIELD OF RETINAL INDUCTION AND OPTICAL ILLUSION
 J NEUROPHYSIOL 13 413 50A

MOTOKAWA K IWAMA K
 RESONANCE IN ELECTRICAL STIMULATION OF THE EYE
 TOHOKU J EXP MED 53 201 50B

MOTOKAWA K EBE M

SELECTIVE STIMULATION OF COLOR RECEPTORS WITH ALTERNATING CURRENTS SCIENCE 116 92	52
MOWBRAY G H GEBHARD J W BYHAM C L SENSITIVITY TO CHANGES IN THE INTERRUPTION RATE OF WHITE NOISE J ACOUS SOC AMER 28 106	56
MOYER J A BIBLIOGRAPHY OF SPEECH COMMUNICATION IN NOISE ZZMIT, CAMBRIDGE MASS ZZRCA ENGNG PRODUCTS DIV, CAMDEN NJ FOR ARMY SIGNAL CORPS ZZZ AD62745 SUPPLEMENTAL REPORT A, JANUARY	55
MULAY I DEVELOPMENTAL ANOMALIES ON FRUIT FLIES IN MAGNETIC FIELDS NATURE 193 1244	62
MULLER N GOLDBERSON J RAPID ANALYSIS OF REACTION MIXTURES BY NUCLEAR MAGNETIC RESONANCE SPECTROSCOPY J AM CHEM SOC 78 5182	56
MURAOKA J SHELTER HABITABILITY STUDIES, ODORS AND REQUIREMENTS FOR VENTILATION ZZNAVAL CIVIL ENGNG LAB, PORT HUENEME CALIF ZZZ AD256381 TECH REP 146 MAY 8	61
MURATAR T THE EXCRETION OF AMINO ACIDS IN THE JAPANESE KUMAMOTO PHARM BULL 7 264	59
MURRAY E J WILLIAMS H I LUBIN A BODY TEMPERATURE AND PSYCHOLOGICAL RATINGS DURING SLEEP DEPRIVATION J EXP PSYCHOL 56 271	58
MURRAY M A BIBLIO OF THE RESEARCH IN TISSUE CULTURE 1884 1950 ACAD PRESS NY	53
MURRAY R W THE RESPONSE OF THE LATERALIS ORGAN OF XENOPUS LAEVIS TO ELECTRICAL STIMULATION BY DIRECT CURRENT J PHYSIOL 134 408	56
MURRAY R W THE RESPONSE OF THE AMPULLA OF LORENZINI TO COMBINED STIMULATION BY TEMPERATURE CHANGE AND WEAK DIRECT CURRENTS J PHYSIOL 145 1	59
MURRAY R W THE RESPONSES OF THE AMPULLAE OF LORENZINI OF ELASMOBRANCHS TO ELECTRICAL STIMULATION J EXP BIOL 39 119	62A
MURRAY R	

TEMPERATURE RECEPTORS
ADVANCE IN COMPARATIVE PHYSIOLOGY, ACADEMIC PRESS 1 117 62B

MYRTENKO V GORODETSKA
/EFFECTS OF RADIO RADIATION ON ORGANISMS/
ZZUSAF FOREIGN TECH DIV, WPAFB
ZZZ AD292205
FTD-TT-62-1361 NOV 62A

MYRTENKO V I
A STUDY OF THE LOCAL THERMAL ACTION OF 3 CM ELECTROMAGNETIC
WAVES IN ANIMALS
FIZIOL ZHUR AKAD NAUK UKRAIN SSR 8 382 62B

NAGEL M ILLUMINATION CONTRAST SPECTRUM AND COLOR CONDITIONS IN AN AVERAGE OUTDOOR SCENE AS FUNCTIONS OF GROUND REFLECTANCE OBJECT ORIENTATION AND VIEWING DIRECTION ZZAERIAL RECON LAB, WRIGHT AIR DEV CENT WP-AFB, OHIO ZZZ AD97137 WADC-TR-56-14 AUGUST	56
NAPIER S MANUAL OF METEOROLOGY	
NAVES Y /CHEMICAL COMPOSITION OF SCENT SUBSTANCE CASTOREUM/ PARFUMS, FRANCE 12 126	34
NAVES Y MAZUYER G NATURAL PERFUME MATERIALS REINHOLD NY	47
NAYLER W ACTION OF SALICYLATE, DINITROPHENOL, AND CARDIAC GLYCOSIDES ON THE ISOLATED TOAD HEART AUSTRAL J EXP BIOL MED SCI 35 471	57
NEAL E THE BADGER BOOK, LONDON	48
NESTLER F SMITH W SUBMARINE HABITABILITY-ATMOSPHERE SAMPLING ANALYSIS NRL MEMO REPT 866 OCT	58
NESTLER F SMITH W SUBMARINE HABITABILITY-ATMOSPHERE SAMPLING AND ANALYSIS, II NRL MEMO REPT 982 OCT	59
NEUHAUS W OLFACTORY THRESHOLDS IN DOGS ZTSCHR VERGL PHYSIOL 38 238	56
NEUHAUS W BODY ODOR IN MAN. ITS RECEPTION SIGNIFICANCE AND CONTROL MUEN MED WSCHR 103 1752	61
NEW YORK ACAD OF MED HUMAN NUTRITION, HISTORICAL AND SCIENTIFIC INTERNAT UNIV PRESS, NY	60
NEWBRY L TERRAIN RADAR REFLECTANCE STUDY PHOTOGRAMMETRIC ENGNG 26 630 SEPT	60
NEWBURGH PHYSIOLOGY OF HEAT REGULATION AND THE SCIENCE OF CLOTHING SAUNDERS, PHILA	49
NEWMAN R /ANTHROPOMETRIC DIFFERENCES AND REACTIONS TO HEAT IN VARIOUS ETHNIC GROUPS/ AM J PHYS ANTHROPOL 13 386	55

NICOLL G	WARNER F	
ATMOSPHERIC ATTENUATION MEASUREMENTS AT EIGHT MM WAVELENGTH		
TELECOMMUN RES ESTAB, GT BRIT		51
NICHOLLS L		
TROPICAL NUTRITION AND DIETETICS		
BAILLIERE, TINDALL AND COX, LOND		
NICHOLSON E		
RAMAN SPECTRA FOR BENZENE WITH CARY SPECTROMETER		
ANAL CHEM 32 1634		60
NIESET R	PINNEO L	BAUS R
THE NEURAL EFFECTS OF MICROWAVE IRRADIATION		
ZZBIOPHYSICS LAB, TULANE UNIV		
ZZROME AIR DEV CENT		
ZZZ AD257198		
ANNUAL REPORT RADC-TR-61-65 NOVEMBER		61
NOLTE W		
/SMELL CAPACITY IN DUCKS/		
ZOOLOG ANZ 71 115		30
NORINS A		
FREE RADICAL FORMATION IN SKIN FOLLOWING EXPOSURE TO		
ULTRAVIOLET LIGHT		
J INVEST DERMATOL 39 445		62
NORMAN C		
SOLAR SIMULATION INSTRUMENTATION		
ZZAEROSPACE ENVIR FACIL, ARO, SVERDRUP AND PARCEL		
ZZARNOLD ENGN DEV CENT AF		
ZZZ AD294149		
AEDC-TDR-62-191 JANUARY		63
NORRIS R		
STUDIES IN SEARCH FOR A CONSCIOUS EVADER		
ZZLINCOLN LAB, MASS INST TECH		
ZZZ AD294832		
TECH REP 279 SEPT		62
NOTTERMAN J	MARTIN T	
NOTE ON BEHAVIORAL AND PHYSIOLOGICAL INDICES OF STRESS		
PSYCHOL REP 4 649		58
NOVARO A		
SKIN REACTION TO LONG AND SHORT WAVES		
BULL SCI MED 122 429		50
NYBORG W	MINTZER D	
REVIEW OF SOUND PROPAGATION IN THE LOWER ATMOSPHERE		
ZZUSAF AEROMED LAB, WPAFB		
TECH REP WADC 54-602 MAY		55
NYMAN W		
FINAL REPORT ON THE DEVELOPMENT OF THE MARK 3 PARTICHROME		
CONTINUOUS PROCESSOR		
ZZPHOTOMECHANISMS, HUNTINGTON STATION, NEW YORK		
ZZUS ARMY BIOL LABS, FT DETRICK		
ZZZ AD297015		
FINAL REP		63

OBRIEN B A STUDY OF NIGHT MYOPIA ZZU OF ROCHESTER, INST OF OPTICS ZZAERO MED LAB, WADC OHIO ZZZ AD19807 WADC-TR 53-206 MAY	53
CONNOR R HOPPOR T DIFFERENTIATION OF MICROORGANISMS BY INFARED SPECTRA ZZUS DEPT AGRICULT, SOUTH UTILIZ RES BR, NEW ORLEANS ZZARMY CHEM CORPS, BIOL LABS, FT DETRICK ZZZ AD139428 FINAL REP JUNE 30	55
ODONNELL A LIST OF RAE TRANSLATIONS ISSUED UP TO SEPTEMBER 30, 1961 ZZROYAL AIRCRAFT ESTABLISHMENT, FARNBOROUGH ZZMINISTRY OF AVIATION, LONDON ZZZ AD266614 LIBRARY BIBLIO NO 231 OCTOBER	61
ODUM E FUNDAMENTALS OF ECOLOGY SAUNDERS, PHILA	59
OESTREICHER H A THEORY OF THE PROPAGATION OF MECHANICAL VIBRATIONS IN HUMAN AND ANIMAL TISSUE ZZAIR MATERIAL COMM, ENG DIV, WPAFB, OHIO ZZZ AD100778 AF TECH REP NO 6244 NOVEMBER	50
OGILVIE J C EFFECT OF AUDITORY FLUTTER ON THE VISUAL CRITICAL FLICKER FREQUENCY CANAD J PSYCHOL 10 61	56
OLIPHANT G DOGS - THE BLOODHOUND BOOK	XX
OLIVER H SENSE OF SMELL IN THE LION J BOMBAY NAT HIST SOC 33 977	30
OLSON B SEALFD CABIN STUDY, WATER SYSTEMS ZZDOUGLAS AIRCRAFT, MISSILES AND SPACE SYS, STA MON, CAL	61
OMBERG A ZZZ AT137653 RADIO COMMUNICATIONS IN JUNGLES MAY 1	62
ONSTEAD C MEASUREMENTS OF RADIOACTIVITY IN MAN ZZARMY MED RES UNIT, EUROPE ZZZ AD239512 REP NO CSCRD-16 JULY 1	60

OPPEL T	HARDY J	
STUDIES IN TEMPERATURE SENSATION, I A COMPARISON OF		
SENSATION PRODUCED BY INFRARED AND VISIBLE RADIATION		
J CLIN INVEST	16 517	37
ORMISTON D	FINKELSTEIN B	
THE EFFECTS OF CONFINEMENT ON INTELLECTUAL AND PERCEPTUAL		
FUNCTIONING		
ZZBEHAVIORAL SCI LAB AND BIOMED LAB AEROSPACE MED LAB WPAFB		
ZZZ AD272181		
ASD-TR 61-577	OCTOBER	61
OSANKA F		
COUNTERINSURGENCY TRAINING - A SELECTED SUBJECT BIBLIOGRAPHY		
ZZGEORGE WASH U, WASH		
ZZDEPT OF THE ARMY		
ZZZ AD295021		
RES MEMO	NOV	62A
OSANKA F		
A BIBLIOGRAPHY ON THE ROLE OF AIR POWER IN GUERRILLA AND		
COUNTERGUERRILLA OPERATIONS		
ZZGEORGE WASH U, HUMAN RESOURCES RES OFF		
ZZDEPT OF THE ARMY		
ZZZ AD295020		
RESEARCH MEM	NOV	62B
OSBORNE M	FINLAYSON L	
THE STRUCTURE AND TOPOGRAPHY OF STRETCH RECEPTORS IN		
REPRESENTATIVES OF SEVEN ORDERS OF INSECTS		
QUART J MICROSCOPIC SCI	103 227	62
OTTOSON D		
ANALYSIS OF THE ELECTRICAL ACTIVITY OF THE OLFACTORY		
EPITHELIUM		
ACTA PHYSIOL SCAND	35 122	56
OTTOSON D		
STUDIES ON THE RELATIONSHIP BETWEEN OLFACTORY STIMULATING		
EFFECTIVENESS AND PHYSICO CHEMICAL PROPERTIES OF ODOROUS		
COMPOUNDS		
ACTA PHYSIOL SCAND	43 167	58
OTTOSON D		
SOME ASPECTS OF THE FUNCTION OF THE OLFACTORY SYSTEM		
PHARMACOL REVS	15 7	63
OUCHAKOFF A		
ESSAIS D-APPLICATION PRATIQUE CONCERNANT LA RELATION ENTRA		
L-ODORAT ET L-ABSORPTION DES SUBSTANCE ODORANTES		
REV DE LARYNGOL	51 77	30A
OUCHAKOFF A		
L-ADSORPTION DES SUBSTANCE ODORANTES ET L-ODORAT		
ACTA OTOLARYNGOL	14 470	30B
OWEN R		
ANATOMY OF VERTEBRATES, VOL 3 /SECTIONS ON HARE AND DEER,		
ANIMAL SCENT GLANDS/		

XX

OWEN W
CONTACT CHEMORECEPTION IN ADULT MOSQUITOES
J INSECT PHYSIOL 6 13

61

OWEN W B
THE CONTACT CHEMORECEPTOR ORGANS OF THE MOSQUITO AND THEIR
FUNCTION IN FEEDING BEHAVIOR
J INSECT PHYSIOL 9 73

63

OWENS E SHERMAN A
MASS SPECTROGRAPHIC LINES OF THE ELEMENTS
ZZMIT LINCOLN LAB
ZZZ AD275468
TR-265 APRIL

62

PALEVSKY J W
HANDLING AIR CONTAMINANTS RESULTING FROM A COAL-FIRED
ECOLOGICAL SYSTEM
ZZNEW YORK UNIV, COLLEGE OF ENGG RES DIV, NY
ZZAF OFFICE OF SCI RES
ZZZ AD154170
AFOSR 58-269 JULY 57

PARKE T DAVIS W
AUTOMATIC SPECTROPHOTOMETRY OF PAPER STRIP CHROMATOGRAMS
ANAL CHEM 24 2019 52

PARKER A
STIMULI INVOLVED IN THE ATTRACTION OF AEDES AEGYPTII TO MAN
BULL ENTOM RES 39 387 48

PARKER G H VAN HEUSEN A
THE RESPONSES OF THE CAT FISH, AMIURUS NEBULOSUS TO METALLIC
AND NON-METALLIC RODS
AMER J PHYSIOL 44 405 17

PARKER R
METHODS OF TISSUE CULTURE
HOEBER 61

PARKES A
OLFACTORY STIMULI IN MAMMALIAN REPRODUCTION ODOR EXCITES
NEUROHUMORAL RESPONSES AFFECTING OESTRUS PSEUDOPREGNANCY
AND PREGNANCY IN MOUSE
SCIENCE 134 1049 61

PARRY E
THE RAW MATERIALS OF PERFUMERY
PITMAN, ENGLAND 21

PARRY E
PARRYS ENCYCLOPEDIA OF PERFUMERY
CHURCHILL LOND 25

PATHAK J BHATT B
EXCRETION OF SULFUR IN URINE OF INDIANS IN GUJARAT
IND J PHYSIOL PHARMACOL 5 67 61

PATWARDHAN V
NORMAL LEVELS OF URINARY EXCRETION OF ESTROGENS,
PREGNADIOL AND SEVENTEEN KETOSTEROIDS IN ADULTS
IND J MED SCI 11 4 57

PAUKER G
RECENT COMMUNIST TACTICS IN INDONESIA
ZZRAND, SANTA MONICA, CAL
ZZZ AD248078
RM-2619-RC AUG 50

PEAKE W
THE APPARENT TEMPERATURE OF ISOLATED ODELL
ZZANTENNA LAB, OHIO STATE U
ZZNASA, WASH DC
ZZZ AD295193
1388-2 OCTOBER 1 51

PFARSON O SCENT GLANDS OF THE SHORT TAILED SHREW ANAT REC 94 615	46
PECOCK R ED PRINCIPLES AND PRACTICE OF GAS CHROMATOGRAPHY WILEY NY	59
PEISS C HERTZMAN A KINETICS OF EVAPORATIVE WATER LOSS FROM THE SKIN ZZST LOUIS UNIV FOR WADC AF TECH REP 6680 PART 5 DEC	51
PENNDORF R LUMINOUS AND SPECTRAL REFLECTANCE AS WELL AS COLORS OF NATURAL OBJECTS ALBEDO AND COLOR OF TERRAIN FEATURES ZZGEOPHYS RES DIR, AFCRC, BEDFORD MASS ZZZ AD98766 GEOPHYS RES PAPERS NO 44 AFCRC-TR-56-203 FEBRUARY	56
PENNER S QUANTITATIVE MOLECULAR SPECTROSCOPY AND GAS EMISSIVITIES ADDISON-WESLEY, READING MASS	59
PERYAM D FOOD ATTITUDES IN AN UNUSUAL ENVIRONMENT QM FOOD AND CONTAINER INST REP 32-60 OCT	60
PERYAM D SENSORY DIFFERENCE TESTS /IN FLAVOR RESEARCH AND FOOD ACCEPTANCE/ ZZARTHUR D LITTLE, CAMBRIDGE ZZQMR AND EC NATICK	58
PFAFFMANN C SOMESTHESIS AND THE CHEMICAL SENSES ANN REV PHYSIOL 2 79	51
PFAFFMANN C SPECIES DIFFERENCES IN TASTE SENSITIVITY SCIENCE 117 470	55
PFAFFMANN C THE SENSE OF TASTE P 507 IN HANDBOOK OF PHYSIOL 1 NEUROPHYSIOLOGY AMER PHYSIOL SOC, WASH	59
PFLEIDERER H SPECTRAL PHOTOMETRIC MEASUREMENTS ON THE HUMAN SKIN IN THE AREA OF 220-2500 MILLIMICRONS STRAHLENTHERAPI 117 601	62
PHANSAEKAR S PATWARDHAN V PARTITION OF URINARY NITROGEN IN INDIAN ADULTS, RELATION BETWEEN UREA NITROGEN AND TOTAL NITROGEN INDIAN J MED RES 42 363	54
PHILIP C TICK TALK	

SCI MONTHLY 76 77	53
PHILLIPS G POSSIBLE APPLICATIONS FOR RESEARCH ON ATMOSPHERIC AIR IONS AT THE BIOLOGICAL LABORATORIES ZZARMY CHEM CORPS BIOL LABS, FT METRICK ZZZ AD273016 TECH STUDY 40 FEB	62
PHILLIPS P LADELL W NITROGEN BALANCE IN NIGERIANS J TROPICAL MED HYG 62 180	59
PHINNEY R SMITH S PROCESSING OF SEISMIC DATA FROM AN AUTOMATIC DIGITAL RECORDER ZZCAL INST OF TECH, SEISMOL LAB ZZAF ADV RES PROJ AGCY ZZZ AD294914 CONTRIBUTION NO 1119 OCTOBER	62
PIATT V RAMSKILL E WHITE J CHEMICAL CONSTITUENTS OF SUBMARINE ATMOSPHERES NRL REP 5456 JAN	60A
PIATT V CHEMICAL CONSTITUENTS OF SUBMARINE ATMOSPHERES NRL REP 5465 15 APRIL 21	60B
PICK W SENSE OF SMELL IN THE LOUSE DERMATOL WOCHSCHR 83 1020	26
PIERCE C THE MEASUREMENT OF SURFACE MOTION BY MEANS OF PROXIMALLY LOCATED INSTRUMENTATION - AN ANNOTATED BIBLIOGRAPHY ZZLOCKHEED MISSILES AND SPACE CO, SUNNYVALE CALIF ZZZ AD296371 SPECIAL BIBLIO SB-62-36 NOV	62B
PIERCE G THE SONGS OF INSECTS HARVARD U PRESS, CAMBRIDGE	48
PIERON H THE SENSATIONS YALE PRESS, NEW HAVEN	52
PIERSON R FLETCHER A GANTZ E CATALOG OF INFRARED SPECTRA FOR QUALITATIVE ANALYSIS OF GASES ANAL CHEM 28 1218	56
PIEZ K MORRIS L A MODIFIED PROCEDURE FOR THE AUTOMATIC ANALYSIS OF AMINO ACIDS ANAL BIOCHEM 1 187	60
PILGRIM F PERYAM D SENSORY TESTING METHODS - A MANUAL ZZQM FOOD AND CONTAIN INST, NATICK	

QMFCI REP 25-58 OCT	58
PILGRIM F SENSORY FACTORS IN FOOD ACCEPTANCE BY MAN ZZQM RES AND ENG CENT, NATICK PRES AT AAAS MEETING, DENVER DEC 30	61
PINNEO L DIRECT CURRENT POTENTIALS OF THE CENTRAL NERVOUS SYSTEM - A REVIEW ZZBIOPHYS LAB, TULANE U, NEW ORLEANS, LA ZZROME AIR DEV CENT, AIR RES AND DEV COMM, GRIFFISS AFB, NY ZZZ AD214692 RADC-TN-59-137 JUNE	59
PINSON E A EVAPORATION FROM HUMAN SKIN WITH SWEAT GLANDS INACTIVATED AMER J PHYSIOL 137 492	42
PIPES W WASTE-RECOVERY PROCESSES FOR A CLOSED ECOLOGICAL SYSTEM ZZARMED FORCES, NRC CMTEE ON BIOASTRONAUTICS ZZZ AD261193 PUBLICATION 898 APRIL	61
PIRON-REATEGUI BODY COMPOSITION AT SEA LEVEL AND AT HIGH ALTITUDE J APPL PHYSIOL 16 589	61
PIRON-REATEGUI E CREATININE EXCRETION AND BODY COMPOSITION AM J CLIN NUTRIT 10 128	62
PLYLER E DANTI A BLAINE L VIBRATION-ROTATION STRUCTURE IN ABSORPTION BANDS FOR THE CALIBRATION OF SPECTROMETERS FROM 2 TO 16 MICRONS J RES NAT BUR STDS 64 JAN R-6164	60
POBINER INFRARED ABSORPTION SPECTRA FOR CARBOXYLIC ACIDS ANAL CHEM 35 680	63
POCOCK R TASTE OR SMELL IN THE LAUGHING JACKASS NATURE 89 425	12
POCOCK R ON THE FEET AND GLANDS AND OTHER EXTERNAL CHARACTERS OF THE PARADOXURINE GENERA ZOOLOG SOC PROC, LOND, P387	15
POCOCK R WHITE BOAR SCENT SECRETION PROC ZOOLOG SOC LOND	16A
POCOCK R SCENT GLANDS IN MAMMALS PROC ZOOLOG SOC, LOND	16B
PODOLSKY E RELATION OF THE NOSE TO SEXUAL ACTIVITY	

EYE, EAR, NOSE, THROAT MONTHLY 25 193	46
PODOMORDVINOV A ATTRACTION OF ANOPHELES BY VARIOUS ANIMALS MEDITS PARAZITOL 11 61	42
POLIAKOFF K PHYSIOLOGY OF SMELL AND HEARING IN THE TURTLE RUSS J OF PHYSIOLOGY 13 161	30
POLLACK H ED SYMPOSIUM ON NUTRITION IN THE FAR EAST /SEVENTEEN ARTICLES/ METABOLISM 5 203	56
POLLACK L MURPHY T SAMPLING OF /AIR/ CONDENSATION NUCLEI BY MEANS OF A MOBILE PHOTOELECTRIC COUNTER ARCH METRO, WIEN A5 110	52
POPE SCHNEIDER BERNSTEIN HIGH RESOLUTION NUCLEAR MAGNETIC RESONANCE SPECTROSCOPY TECHN OF ORGANIC CHEMISTRY, PHYSICAL METHODS VOL 1, PT 4 P2794 INTERSCIENCE	60
PORGES K MINE DETECTION BASED ON X-RAY FLUORESCENCE TECHNIQUES ZZARMOUR RES FOUNDATION OF ILL INST OF TECH, CHICAGO ILL ENGINEER RES AND DEV LABS, FT BELVOIR VA, ZZZ AD222934 FINAL REPORT JUNE 24	58
PORTER R PARKER M A SURVEY OF MICROWAVE RADIOMETERS WITH TERRAIN MAPPING APPLICATIONS ZZAVCO RES AND DEV DIV, WILMINGTON MASS ZZUSAFBMD ZZZ AD243229 REP RAD-TR-9-60-20 AUG	60
PORTMAN A ANIMALS AS SOCIAL BEINGS NY	61A
PORTMAN A SENSORY ORGANS SKIN TASTE AND OLFACTION P37 IN BIOLOGY AND COMPARATIVE PHYSIOL OF BIRDS /MARSHALL A ED/ VOL 2 ACAD PRESS, NY	61B
POSENER D MICROWAVE SPECTRUM OF THE WATER MOLECULE MIT PHYSICS THESIS	53
POSTMUS S VANDERRIJST P NUTRITION BIBLIOGRAPHY OF INDONESIA U OF HAWAII PRESS, PACIFIC AREA BIBS FROM FISKETT BIB	55
POUCHER PERFUMES, COSMETICS, AND SOAPS /2 VOLS/	
PRATT AND WHITNEY AIRCFT CO	

MEASUREMENT OF SPECTRAL AND TOTAL EMITTANCE OF MATERIALS AND SURFACES UNDER SIMULATED SPACE CONDITIONS REP PWA-1863 JUNE 30	60
PRICE G WHITE SETTLERS IN THE TROPICS AMER GEOGRAP SOC, NY PUB 25	39
PROSSER C COMPARATIVE PHYSIOLOGY OF NERVOUS SYSTEMS AND SENSE ORGANS ANN REV PHYSIOL 16 103	54
PROSSER C COMPARATIVE ANIMAL PHYSIOLOGY SAUNDERS, PHIL	61
PROSTAK A ATMOSPHERIC TRANSMISSION COEFFICIENTS AND CONSTANTS PROC OF IRIS /INFRARED SYMPOS, US GOVT/ 5, 3 JULY	60
PROVAZEK L SMITH H BOSTICK F FURTHER STUDIES OF THE DIRECTIONAL PROPERTIES OF MAGNETOTELLURIC SIGNALS ZZELECTRICAL ENGNR RES LAB, U OF TEXAS, AUSTIN TEXAS ZZOFFICE OF NAVAL RESEARCH ZZZ AD252440 REPORT NO 119 FEBRUARY 20	61
PRUITT W LUCIER C HUFMAN L SOME CONTRIBUTIONS OF SMALL MAMMAL BIOCLIMATE STUDIES TO AIR FORCE NEEDS IN NORTHERN REGIONS ZZARCTIC AEROMED LAB, LADD AFB ZZZ AD293081 REP TN-56-8	56
PUMPHREY R HEARING SYMPOSIA SOC EXP BIOL	50
PURI SOILS, PHYSICS AND CHEMISTRY REINHOLD, NY	55
PUERNELL J QUINN C AN APPROACH TO HIGHER SPEEDS IN GAS-LIQUID CHROMATOGRAPHY P 184 IN GAS CHROMATOG SYMPOS, EDINBURGH	60
PUERNELL J GAS CHROMATOGRAPHY WILEY, NY	62
PYCRAFT W CAMOUFLAGE IN NATURE HUTCHINSON, LOND	25

RAHM U
 VARIOUS FACTORS IN THE ATTRACTION OF INSECTS TO MAN
 REV SUISSE ZOOL 64 236 57A

RAHM U
 ON THE SIGNIFICANCE OF HUMAN ODOR AND SWEAT IN THE ATTRACTION
 OF AEDES AEGYPTI MOSQUITOES
 ACTA TROP 14 208 57B

RAHM U
 THE FUNCTION OF ANTENNAE, PALPAE AND TARSAE OF AEDES EGYPTI
 MOSQUITO /IN HOST FINDING BY ODOR/
 REV SUISSE ZOOL 63 779 58A

RAHM U
 ATTRACTION MECHANISMS RELATING HUMAN ODOR TO AEDES AEGYPTI
 MOSQUITOES
 Z TROPEN MED U PARASIT 9 146 58B

RAJEWSKY B
 ULTRAKURZWELLEN, IN
 ERGEBN BIOPHYSIK FORSCH, VOL 1
 LEIPZIG 38

RAMACHANDRAN M VENCATACHALAN
 URINARY EXCRETIONS OF 17-KETOSTEROIDS IN NORMAL AND
 UNDERNOURISHED SUBJECTS
 IND J MED RES 44 227 56

RAMAMURTI K
 STUDIES ON THE NITROGEN PARTITION IN THE URINE OF
 RAJASTHANIS
 IND J MED RES 43 61 55

RAMANATHAN N
 CHANGES IN THE SALT CONCENTRATION OF SWEAT DURING EXERCISE
 IN MONSOON WEATHER
 IND J MED RES 44 377 56

RAMANATHAN N CROPALAN C
 SOME OBSERVATIONS ON THE CHEMICAL COMPOSITION OF HUMAN
 SEBUM
 IND J MED RES 46 461 58

RAMANATHAN N
 FIELD METHOD FOR THE DETERMINATION OF URINARY CHLORIDE
 IND J MED RES 48 103 60

RAMSKILL E
 NUCLEAR SUBMARINE HABITABILITY
 THE 5TH NAV SCI SYMPOS NAV RES, ANNAPOLIS APRIL 18
 ZZZ AD260241
 REP ONR-9-VOL 3 61

RANDALL W C KIMURA K K
 PHARMACOLOGY OF SWEATING
 PHARMACOL REV 7 365 55

RAU P RAU N
 SEX ATTRACTION AND RHYTHMIC PERIODICITY IN THE GIANT
 SATURNID MOTHS

TRANS ACAD SCI, ST LOUIS 26 82	29
RAY J MARTIN O ALLUISTI E HUMAN PERFORMANCE AS A FUNCTION OF THE WORK-REST CYCLE, A REVIEW OF SELECTED STUDIES ZZHUMAN FACTORS RES DEP, LOCKHEED AIRCRAFT, GEORGIA ZZFOR ARMED FORCES NRC COMM ON BIOASTRONAUTICS ZZZ AD256313 NAS-NRC PUB 882 OCT	60
REDDLE V DETERMINATION OF /MICROGRAM/ TRACES OF ORGANIC ACIDS IN SMALL SAMPLES BY CHROMATOGRAPHY ANAL CHEM 35 853	63
REED M THE OLFACTORY REACTIONS OF DROSOPHILA MELANOGASTER MEIGEN TO THE PRODUCTS OF FERMENTING BANANA PHYSIOL ZOOL 11 317	38
REEVES W QUANTITATIVE FIELD STUDIES ON A CARBON DIOXIDE CHEMOTROPISM OF MOSQUITOES AM J TROP MED HYG 2 325	53
REGNART H ON THE LOWER LIMITS OF PERCEPTION OF ELECTRICAL CURRENTS BY FISH J MAR BIOL ASS U K 17 415	31
REID CD MCALISTER E D MEASUREMENT OF SPECTRAL EMISSIVITY FROM 2-15 MICRONS J OPT SOC AMER 49 78	59
REIFFEL L STONE C NEUTRON ACTIVATION ANALYSIS OF TISSUE MEASUREMENTS OF SODIUM, POTASSIUM AND PHOSPHORUS IN MUSCLE J LAB CLIN MED 49 286	57
REILLY C /IONIZATION DETECTORS FOR GAS CHROMATOGRAPHY SENSITIVE TO MICROMICROMOLES/ P 119, GAS CHROMATOGRAPHY DETECTORS IN ADVAN IN ANAL CHEM INSTN INTERSCIENCE, NY	60
REINMUTH W THEORY OF ELECTRODE PROCESSES IN ADVANCES IN ANAL CHEM AND INSTRUMENT /REILLY C, ED/ INTERSCIENCE	60
REMINGTON J PRESSURE-DIAMETER RELATIONS OF THE IN VITRO AORTA AM J PHYSIOL 203 440	62
RENBOURN E ZZCLOTHING AND EQUIPMENT PHYSIOL RES ESTAB, WAR OFFICE ZZZ AD272209 ZZZ 1516 PSYCHO-PHYSIOLOGICAL STRESS AND THE SOLDIER REP NO 118 JUNE	61

RENNER H THE ORIGIN OF FOOD HABITS FABER, LOND	44
RIBBANDS C SCENT PERCEPTION IN THE HONEYBEE PROC ROY SOC LOND B143 367	55
RICH L INGRAM W BERBER B A BALANCED ECOLOGICAL SYSTEM FOR SPACE TRAVEL ZZNEW YORK U COLL ENG ZZPUBL HEALTH SERVICE, TAFT SANITARY ENG CENT, CINN	61
RICHARDS P THE TROPICAL RAIN FOREST CAMBRIDGE U PRESS	52
RICHARDSON E BROWN A ULTRASONIC PHYSICS ELSEVIER, NY	62
RICHMOND E OLFACTORY RESPONSE OF THE JAPANESE BEETLE PROC ENTOMOL SOC WASH 29 35	27
RIPLEY L HEPBURN G OLFACTORY ATTRACTANTS FOR MALE FRUIT FLIES S AFRIC DEPT AGRIC ENTOM MEM 9 3	35
RISLEY P OBSERVATIONS ON THE NATURAL HISTORY OF THE COMMON MUSK TURTLE, STERNOTHERUS ODORATUS PAPERS MICH ACAD SCI 17 685	33
ROBERTS B DEODORANTS IN AIR CONDITIONING TRANS INST OF HEAT AND VENT ENG 27 49 MAY	59
ROBINSON J /PART PER BILLION DETECTION OF ELEMENTS BY FLAME PHOTOMETRY/ PROGRESS IN NUCLEAR ENERGY 2 232	61
ROBINSON S ROBINSON A CHEMICAL COMPOSITION OF SWEAT PHYSIOL REV 34 202 CONTAINS TABLE V	54A
ROBINSON S ROBINSON A MEASUREMENT OF SWEATING METHODS IN MED RES 6 100	54B
RODAHL K HUMAN ACCLIMATIZATION TO COLD ZZARCTIC AEROMED LAB ZZZ AD294046 TR 57-21 OCT	57A
RODAHL K RENNIE D COMPARATIVE SWEAT RATES OF ESKIMOS AND CAUCASIANS UNDER CONTROLLED CONDITIONS	

ARCTIC AEROMED LAB REP 7	57B
ROEDER E INSECT PHYSIOLOGY WILEY, NY	53
ROEDER K THE INSECT NERVOUS SYSTEM ANN REV ENTOMOL 3 1	58
ROEDER K TREAT A THE DETECTION AND EVASION OF BATS BY MOTHS AMER SCIENTIST 49 135	61
ROGERS L THE INFRARED ABSORPTION SPECTRA OF SOME SUGARS AND FURANS J AM CHEM SOC 60 2619	38
ROGERS T FACTORS AFFECTING THE WIDTH AND SHAPE OF ATMOSPHERIC MICROWAVE ABSORPTION LINES AF CAMBRIDGE RES CENT REP E-5078	51
ROLLINS F STUDY OF ULTRASONIC TECHNIQUES FOR THE NONDESTRUCTIVE MEASUREMENT OF RESIDUAL STRESS ZZMIDWEST RESEARCH INSTITUTE ZZAERONAUTICAL SYST DIV, WP-AFB OHIO ZZZ AD295072 QUARTERLY PROGRESS REP NO 9 DECEMBER 1	62
ROMANES G SENSE OF SMELL IN DOGS NATURE /LOND/ 36 273	87
ROMANES G EXPERIMENTS ON THE SENSE OF SMELL IN DOGS J LINNEAN SOC, LONDON, ZOOL 20 65	90
ROONEY W TERRESTRIAL MAGNETISM AND ELECTRICITY DOVER NY	49
ROOS C BARRY J BIBLIOGRAPHY OF MILITARY PSYCHIATRY 1952-1958 ZZNATIONAL LIB OF MED REF DIV ZZZ AD222669 PHS PUB 693, BIBLIO SERIES NO 27 MAY	59
ROOS C BIBLIOGRAPHY OF MILITARY PSYCHIATRY, 1947-1952 ZZARMED FORCES MED LIBRARY REFERENCE DIVISION, WASH DC ZZZ AD222668 FEBRUARY	63
ROSEN A ODOR THRESHOLDS OF MIXED ORGANIC CHEMICALS J WATER POLL CONTROL FED 34 7	62
ROSENBLITH W, ED SENSORY COMMUNICATION	

MIT PRESS	61
ROSENTHAL /CHEMICAL COMPOSITION OF SCENT SUBSTANCE CASTOREUM/ REICHSTAFF IND KOSMETIK 30 XX	28
ROSHUPKINA A EXPERIMENTAL MATERIAL ON THE PHYSIOLOGY OF THE TASTE ANALYZER CANDIDATE OF SCIENCE THESIS IN LENIN LIBRARY, MOSCOW	54
ROSS S VERSACE J THE CRITICAL FREQUENCY FOR TASTE AMER J PSYCHOL 66 496	53
ROSSI S THE INFLUENCE OF SODIUM TRANSPORT ON GLUCOSE TRANSPORT BY AN IN VITRO INTESTINAL PREPARATION EXPERIENTIA 18 325	62
ROTH J THE PHYSIOLOGICAL REQUIREMENTS FOR SURVIVAL RATIONS ZZUSAF AIR MATERIAL COMM, WPAFB, OHIO ZZZ AD43192 AF TECH REP NO 5740 NOVEMBER	43
ROTH L STUDIES ON THE GASEOUS SECRETION OF TRIBOLIUM CONFUSUM DUVAL, THE ODORIFEROUS GLANDS /PART TWO/ ANN ENTOMOL SOC AM 36 397	43
ROTH L NIEGISCH W STAHL W OCCURRENCE OF TWO-HEXENAL /EMITTED SECRETION/ IN THE COCKROACH EURYCOTIS FLORIDANA SCIENCE 123 670	56
ROTH L STAY M THE OCCURRENCE OF PARA-QUINONES IN SOME ARTHROPODS, WITH EMPHASIS ON THE QUINONE SECRETING TRACHEAL GLANDS OF DIPLOPTERA PUNCTATA /BLATTAUA/ J INSECT PHYSIOL 1 305	58
ROTHENBERG H ULTRASONIC ABSORPTION IN AIR J ACOUST SOC AM 22 81A	50
ROTHMAN S PHYSIOLOGY AND BIOCHEMISTRY OF THE SKIN UNIV OF CHICAGO PRESS	54
ROURKE G STANDARD VALUES FOR /URINALYSIS/ NEW ENGL J MED 262 84	60
ROYS C OLFACTORY NERVE POTENTIALS A DIRECT MEASURE OF CHEMORECEPTION IN INSECTS ANN NY ACAD SCI 58 250 ANN NY ACAD SCI 58 250	54 54
RUBIN T GRIFFIN F FISCHER R	

A PHYSICO CHEMICAL TREATMENT OF TASTE THRESHOLDS NATURE 195 362	62
RUCH F BIBLIOGRAPHY ON MILITARY LEADERSHIP ZZPSYCHOLOGICAL SERVICES INC, LOS ANGELES CALIF ZZHUMAN RESOURCES RES INST, MAXWELL AFB, ALA ZZZ AD25681 TECH RES REP NO 18 JUNE	53
RUDOLPH K UBER DEN GERUCHSSINN DER HUNDE PSYCHE /BERLIN/ 7 99	23
RUESCH J PRESTWOOD A ANXIETY. ITS INITIATION, COMMUNICATION AND INTERPERSONAL MANAGEMENT ARCH NEUROL PSYCHIAT 62 527	49
RUNGE J GREEN D BIBLIOGRAPHY OF ELECTRO-OPTICAL AND MAGNETO-OPTICAL PHENOMENA AND THEIR APPLICATIONS ZZNAVAL ORD TEST STAT, CHINA LAKE ZZZ AD235612 TP-2377 DECEMBER	59
RUNGE W FUSARO R ZZDEPT MED, U OF MINN BIOPHYSICAL CONSIDERATIONS OF LIGHT PROTECTION J INVEST DERMATOL 39 431	62
RUPERT A MOUSHEGIAN G GALAMBOS UNIT RESPONSE TO SOUND FROM AUDITORY NERVE OF THE CAT J NEUROPHYSIOL 26 449	63
RUSSEK M PARTICIPATION OF HEPATIC GLUCORECEPTORS IN THE CONTROL OF INTAKE OF FOOD NATURE /LOND/ 197 79	63
RUSSELL W FALCONRY, A HANDBOOK FOR HUNTERS SCRIBNERS NY	40
RUTHERFORD R A LARGE DIAMETER X-RAY SENSITIVE CAMERA TUBE ZZCBS LABS, STAMFORD, CONN ZZARMY MATERIALS RES OFFICE, WATERTOWN ARSENAL, MASS ZZZ AD295502 TECH REP TR142/68 OCTOBER 1	62
RUTHERFORD T HAWK P A STUDY OF THE COMPARATIVE CHEMICAL COMPOSITION OF THE HAIR OF DIFFERENT RACES J BIOL CHEM 3 459	07
RUZIEKA L /CHEMICAL COMPOSITION OF MUSK/ HELV CHIM ACTA 9 715,1008	26

SADTLER LABORATORIES, PHIL STANDARD INFRA RED AND ULTRAVIOLET SPECTRAL DATA BOOK	
SAGARIN E (PERFUMERY ANIMALS) DRUG AND COSMETIC INDUSTRY DEC	44
SAGARIN E THE SCIENCE AND ART OF PERFUMERY MCGRAW HILL NY	45
SAGARIN E ED COSMETIC, SCIENCE, AND TECHNOLOGY INTERSCIENCE NY	57
SAITO M EXAMINATION OF URINE SAISHIN IGAKU 15 2594	60
SALAKE LUCK /ORGANIC COLORIMETRY, ARGinine/ BULL SOC CHIM BIOL 40 1743	58
SALATI O MICROWAVE ABSORPTION MEASUREMENTS ZZROME AIR DEVELOPMENT CENTER NY IN PROC MICROWAVE INVESTIGATORS CONF PATRICK AFB FLA RADC-TR-69-67	59
SALGANIK R NUTRITION IN HIGH ENVIRONMENTAL TEMPERATURE AM J CLIN NUTRIT 7 599	59
SAN DIEGO STATE COLLEGE FOUNDATION COMPARISON AND INTERACTION AMONG SENSORY INPUT CHANNELS, BIB ZZJOINT SERVICES CMTEE, HUM ENG GUIDE TO EQUIPT DESIGN ZZZ AD95131 MARCH 1	55
SANZ M COMPREHENSIVE REVIEW OF TECHNICAL APPARATUS IN ULTROMICROANALYSIS CHIMICA 13 192	59
SARGENT F THE EFFECT OF DIET ON RENAL FUNCTIONS IN HEALTHY MEN J AM CLIN NUTRIT 4 466	56
SATO M ELECTROPHYSIOLOGY OF GUSTATORY RECEPTORS IN THE ELECTRICAL ACTIVITY OF SINGLE CELL JAP J PHYSIOL 10 620	60
SCHAERFFENBERG B /AMINO ACIDS AS MOSQUITO ATTRACTANTS NATURWISS 46 457	59
SCHAFER J SCENT PRODUCING ORGANS OF THE HUMAN BODY WIEN KLIN WOCHSCHR 50 790	37

SCHEER B /STUDIES OF THE EMF SOURCE IN ISOLATED FROG SKIN/ J CELL COMP PHYSIOL 55 259	60
SCHEIDT U REINWEIN H THE INFRARED SPECTROSCOPY OF AMINO ACIDS NATURFORSCH 76 270	52
SCHMID B NASAL FUNCTION AND PSYCHIC ABILITY OF THE DOG UMSCHAU WISS U TECH 39 457	35A
SCHMID B IDENTIFICATION OF HUMAN AND ANIMAL INDIVIDUAL SCENTS BY THE DOG Z VERGLEICH PHYSIOL 22 524	35B
SCHMIDT-NIELSON K SUSKIND R TAYLOR E THE CHEMISTRY OF THE HUMAN SEBACEOUS GLAND J INVEST DERM 17 281	51
SCHNEIDER D ELECTROPHYSIOLOGICAL INVESTIGATION ON THE ANTENNAL RECEPTORS OF THE SILKWORM MOTH DURING CHEMICAL AND MECHANICAL STIMULATION EXPERIENTIA 13 89	57
SCHNEIDER D ELECTROPHYSIOLOGICAL INVESTIGATION ON THE OLFACTORY SPECIFICITY OF SEXUAL ATTRACTING SUBSTANCES IN DIFFERENT SPECIES OF MOTH J INSECT PHYSIOL 8 15	62
SCHNEIDER D HECKER E ON ELECTROPHYSIOLOGY OF THE /ISOLATED/ ANTENNA OF THE SILKWORM MOTH ON STIMULATION BY ENRICHED EXTRACT OF THE SEXUAL ATTRACTANT /CYCLOHEPTANONE/ Z NATURFORSCH 11 121	56
SCHNITZER S FULLER J DOG BREED DIFFERENCES IN LOCATING HIDDEN PERSONS AND ANIMALS AMER ZOOL 2 446 ABSTR	62
SCHOLANDER P HEAT REGULATION IN SOME ARCTIC AND TROPICAL MAMMALS AND BIRDS BIOL BULL 99 237	50
SCHONLAND B ATMOSPHERIC ELECTRICITY 2ND ED WILEY NY	53
SCHORGER A SENSE OF SMELL IN THE SHORT TAILED SHREW J MAMMOL 28 180	47
SCHOTLAND R NATHAN A CHERMACK E OPTICAL SOUNDING, EXPERIMENT AND INSTRUMENTATION DESIGN CONSIDERATIONS ZZNY UNIV COLL OF ENG, NY	

ZZARMY ELECTRONICS RES AND DEV LAB, FT MONMOUTH NJ ZZZ AD294669 TECH REP 3 SEPT 30	62A
SCHOTLAND R NATHAN A THE USE OF LASERS FOR THE REMOTE DETERMINATION OF ATMOSPHERIC TEMPERATURE SYMPOS ON REMOTE SENS OF ENVIRON, U MICH OCT 17	62B
SCHULTZ A LEAVITT W THE FEASIBILITY OF USING NEUTRON RADIOGRAPHY AS A NON-DESTRUCTIVE TESTING TECHNIQUE ZZWATERTOWN ARSENAL LABS, MASS TR 142/67 DEC	61
SCHULTZ E REGENERATION OF OLFACTORY CELLS PROC SOC EXP BIOL MED 46 41	41
SCHULTZ W REACTIONS OF SENSITIZED ISOLATED GUINEA PIG INTESINE TO ANTIGENS J PHARMACOL 2 221	10
SCHUMAN S HOST FACTORS AND ENVIRONMENT IN STUDIES OF HUMAN SWEAT INDUSTR MED SURG 31 443	62
SCHUTZ H RELATION OF ODOR TO PHYSICOCHEMICAL PROPERTIES OF COMPOUNDS ZZBATTLE MEMORIAL INST, COLUMBUS, OHIO ZZQUARTERMASTER RES AND ENG COMM, QM RES AND ENG CENT, MASS ZZZ AD278541 FINAL REP - NO 8 DECEMBER	61
SCHWAN H P PERSOL G M THE ABSORPTION OF ELECTROMAGNETIC ENERGY IN BODY TISSUES, 1 AMER J PHYS MED 33 371	54A
SCHWAN H CARSTENSEN E LI K COMPARATIVE EVALUATION OF ELECTROMAGNETIC AND ULTRASONIC DIATHERMY ARCH PHYS MED 35 13	54B
SCHWAN H PERSOL G THE ABSORPTION OF ELECTROMAGNETIC ENERGY IN BODY TISSUES 2. PHYSIOLOGICAL AND CLINICAL ASPECTS AMER J PHYS MED 34 424 JUNE	55
SCHWAN H P LI K HAZARDS DUE TO TOTAL BODY IRRADIATION BY RADAR PROC IRE 44 1572	56A
SCHWAN H P LI K THE MECHANISM OF ABSORPTION OF ULTRAHIGH FREQUENCY ELECTROMAGNETIC ENERGY IN TISSUES, AS RELATED TO THE PROBLEM OF TOLERANCE DOSAGE IRE TRANS PGME 4 45	56B
SCHWAN H	

BIOPHYSICS OF DIATHERMY ZZSCHOOLS OF EE AND MEDICINE, U OF PENNA, PHILA ONR ZZZ AD149534 TECH REP 21	57A
SCHWAN H ELECTRICAL PROPERTIES OF TISSUE AND CELL SUSPENSIONS IN ADVAN IN BIOL AND MED PHYS VOL 5	57B
SCHWAN H EFFECTS OF MICROWAVES ON MANKIND ZUNIV OF PENNA PHILA ANN PROG REPORT FOR USAF MAR	59
SCHWARTZ I EXTRARENAL REGULATION WITH SPECIAL REFERENCE TO THE SWEAT GLANDS IN MINERAL METABOLISM C COMAR EDIT ACADEMIC PRESS NY	60
SCHWARZ F UEBER DIE WIRKUNG VON WECHSELSTROM AUF DAS SEHORGAN Z SINNESPHYSIOL 67 227	38
SCHWARZ F UBER DIE REIZUNG DES SEHORGANS DURCH NEIDERFREQUENTE ELEKTRISCHE SCHWINGUNGEN Z SINNESPHYSIOL 68 69	40A
SCHWARZ F QUANTITATIVE UNTERSUCHUNGEN UBER DIE OPTISCHE WIRKUNG SINUSFORMIGER WECHSELSTROME Z SINNESPHYSIOL 69 1	40B
SCHWARZ F UBER DIE REIZUNG DER SEHORGANS DURCH DOPPELPHASIGE UNDER GLEICHGERICHTETE ELEKTRISCHE SCHWINGUNGEN Z SINNESPHYSIOL 69 158	41
SCHWARZ F UEBER DIE ELEKTRISCHE REIZBARKEIT DES AUGES BEI HELL- UND DUNKELADAPTATION PFLUG ARCH GES PHYSIOL 249 76	47
SCHWARZ R OLFACTORY THRESHOLDS OF HONEYBEES ZTSCHR VERGL PHYSIOL 37 180	55
SCHWEISHEIMER W ANIMAL ODOURS AND PERFUMES PERFUM AND ESSENT OIL REC 47 57	56
SCHWINK I /INSECT MALE ANTENNA OLFACTORY RECEPTORS RESPONSIVE TO SEX ATTRACTANTS/ Z VERGLEICH PHYSIOL 37 439	55
SCOTT J ANIMAL BEHAVIOR U OF CHICAGO PRESS	58

SCOTT R
CHROMATOGRAPHY
BUTTERWORTHS LOND

SCRIBER B
/EXCRETION OF BASIC AMINES/
AMER J PHYSIOL 196 1135 59

SEDIN J
APPLIED RESEARCH ON A HIGH-POWER MILLIMETER-WAVE GENERATOR
ZZWATKINS-JOHNSON COMPANY, PALO ALTO, CALIF
ZZELECTRONIC TECHNOLOGY LAB, AERO SYSTEMS DIV, USAF
ZZZ AD295005
INTERIM ENGINEERING REPORT NO 6 NOVEMBER 30 62

SELLS S
MILITARY SMALL GROUP PERFORMANCE UNDER ISOLATION AND STRESS
AN ANNOTATED BIBLIOGRAPHY 3. ENVIRONMENTAL STRESS AND
BEHAVIOR ECOLOGY
ZZDEPT OF PSYCHOL, TEXAS CHRISTIAN U, FORT WORTH
ZZARCTIC AEROMED LAB, FT WAINWRIGHT, ALASKA
ZZZ AD276829
TR-61-21 OCT 61

SENDROY J COLLISON H
POTABLE WATER RECYCLED FROM HUMAN URINE
ZZNAV MED RES INSTITUTE BETHESDA
ZZZ AD220837
RES REPORT OF MAY 59

SENGUN A
UBER DIE BIOLOGISCHE BEDEUTUNG DES DUFTSTOFFES VON BOMBYX
REV FAC SCI UNIV ISTANBUL B19 281 54

SERRA C
A NEUROBIOLOGICAL CONTRIBUTION TO ACTION MECHANISMS OF
INTERMITTENT PHOTIC STIMULATION
EEG CLIN NEUROPHYSIOL 3 427 57

SHAMBAUGH G
TEMPERATURE RECEPTORS, AN ANNOTATED BIBLIOGRAPHY
ZZENVIRON PROT RES DIV, QM RES DEV CEN, NATICK, MASS
ZZZ AD100292
TECH REP EP-24 APRIL 56

SHAW T ELSKEN R
DETERMINATION OF HYDROGEN IN LIQUIDS AND SUSPENSIONS BY
NUCLEAR MAGNETIC RESONANCE
ANAL CHEM 27 1983 55

SHAW J
SURVEY OF THE LITERATURE ON RADIATION IN THE ATMOSPHERE
ZZOHIO STATE UNIV RESEARCH FOUNDATION, COLUMBUS
ZZARMY SIGNAL SUPPLY AGENCY, FT MONMOUTH N J
ZZZ AD210805
RF 845 SEPTEMBER 58

SHELLEY W
THE PHYSIOLOGY OF THE SKIN
ANN REV PHYSIOL 20 179 58

SHELLEY W THE APOCRINE SWEAT GLANDS IN HEALTH AND DISEASE THOMAS, SPRINGFIELD	60
SHELMIRE J SOME INTERRELATIONS BETWEEN SEBUM SWEAT AND THE SKIN SURFACE J INVEST DERMAT 32 471	59
SHENKLE W GLOSSARY OF PHOTOGRAPHIC AND RECONNAISSANCE TERMS ZZAERIAL RECON LAB WRIGHT AIR DEV CENT WP-AFB, OHIO ZZZ AD110595 WADC TECH NOTE 56-510 NOVEMBER	56
SHEPHEARD-WALWYN H HARMONIES OF NATURE-SCENT NATURE MAGAZ 7 153	26
SHETH V MARATHE S ADRENALINE AND NORADRENALINE EXCRETION IN INDIAN ADULTS IND J MED RES 50 205	62
SHIBATI K SPECTROPHOTOMETRY OF OPAQUE BIOLOGICAL MATERIALS BY REFLECTANCE METHODS METHODS OF BIOCHEM ANALYSIS, VOL TEN	XX
SIGGIA STOLTEN INTRODUCTION TO MODERN ORGANIC ANALYSIS INTERSCIENCE	56
SIGLING D /PROBLEM OF BLOODHOUNDS/ TIJDSCHR DIERGENEESK 55 573	28
SIMMONS F EAT NOT THIS FLESH U WISCON PRESS, MADISON	61
SIRONS J LASERS FOR AEROSPACE WEAPONRY ZZNAVIGATION AND GUIDANCE LAB AF SYS COMMAND, WP-AFB, OHIO ZZZ AD278521 ASD-TDR-62-440 MAY	62
SKEGGS L AN AUTOMATIC METHOD FOR COLORIMETRIC ANALYSIS AM J CLIN PATHOL 58 311	57
SKOUBY A INFLUENCE OF ACETYL-CHOLINE-LIKE SUBSTANCES, MENTHOL, AND STRYCHNINE ON OLFACTORY RECEPTORS IN MAN ACTA PHYSIOL SCAND 32 252	54
SLEGGS G THE ADULT ANATOMY AND HISTOLOGY OF THE ANAL GLANDS OF THE RICHARDSON GROUND SQUIRREL /CITELLUS RICHARDSONII SABINE/ ANAT RECORD 32 1	26
SLIFER E THE DETECTION OF ODORS AND WATER VAPOR BY GRASSHOPPERS	

ORTHOPTERA ACRIDIDAE, AND SOME NEW EVIDENCE CONCERNING THE SENSE ORGANS WHICH MAY BE INVOLVED J EXP ZOOL 130 301	55
SLIFER E CHEMORECEPTORS AND OTHER SENSE ORGANS ON THE ANTENNAL FLAGELLUM OF THE GRASSHOPPER J MORPHOL 105 45	59
SLIFER E SEKHON S THE FINE STRUCTURE OF THE SENSE ORGANS ON THE ANTENNAL FLAGELLUM OF THE YELLOW FEVER MOSQUITO AEDES AEGYPTI J MORPHOL 3 49	62
SLIFER E SEKHON S SENSE ORGANS ON THE ANTENNAL FLAGELLUM OF THE SMALL MILKWEED BUG J MORPHOL 112 165	63
SLOTWINSKI J SUR LE CARACTERE DE LA SECRETION DES GLANDES OLFACTIVES DE BOWMAN CHEZ LES MAMMIFERES COMPT RENT SOC BIOL 108 599	31
SMART M BROWN A STUDIES ON THE RESPONSE OF THE FEMALE AIDES MOSQUITO ONE, THE EFFECT OF SKIN TEMPERATURE, TIME AND MOISTURE ON THE ATTRACTIVENESS OF THE HUMAN HAND BULL ENT RES 47 89	56
SMITH A HOUNDS AND DOGS, THEIR CARE TRAINING AND WORKING FOR HUNTING SHOOTING COURSING HAWKING POLICE PURPOSES LIPPINCOTT, PHILA	32
SMITH K INTERMITTENT LOUD NOISE AND MENTAL PERFORMANCE ZZAVAIL FROM COMM ON HEARING AND BIO-ACOUSTICS, NRC WASH,DC	50
SMITH L RECENT ADVANCES IN ATMOSPHERIC ELECTRICITY PERGAMON, LOND	59
SMITH M THE BRITISH AMPHIBIANS AND REPTILES LOND	51
SMITH R ED PROCEEDINGS OF INTERNATIONAL SYMPOSIUM ON TEMPERATURE ACCLIMATION, LEIDEN SEPT 1962 FED PROC 22 687	63
SMITH R COX J METHODS OF REDUCTION OF PSYCHOLOGICAL STRESS DUE TO RADIATION ZZPERSONNEL LAB, PER AND TRAIN CENT, LACKLAND AFB ZZZ AD98922 AFPTRC-TN-57-19 FEB	57
SNOW W B	

EFFECT OF ARRIVAL TIMES ON STEREOPHONIC LOCALIZATION J ACOUS SOC AMER 26 1071 NOV	54
SOSNOW M ELECTRODES FOR RECORDING PRIMARY BIOELECTRICAL SIGNALS ZLITTON INDUST,CAL ZZBIOMED LAB WPAFB ZZZ AD267056 REPORT	61
SOUDEK S SENSE OF SMELL IN BIRDS VERHANDL TENTH INTERN CONGR ZOOL, BUDAPEST 1 755	29
SOUPART P URINARY EXCRETION OF FREE AMINO ACIDS IN NORMAL ADULT MEN AND WOMEN CLIN CHEM ACTA 4 265	59
SPACKMAN D STEIN W MOORE S AUTOMATIC RECORDING APPARATUS FOR USE IN THE CHROMATOGRAPHY OF AMINO ACIDS ANAL CHEM 30 1190	58
SPECTOR H PETERSON M NUTRITION UNDER CLIMATIC STRESS ZZQUARTERMASTER FOOD AND CONT INST ZZZ AD67453 MAY	54A
SPECTOR H FD METHODS FOR EVALUATION OF NUTRIT ADEQUACY AND STATUS ZZADVIS BD QM RES COMM ON FOODS, WASH	54B
SPECTOR H ED PERFORMANCE CAPACITY, A SYMPOSIUM QM FOOD AND CONTAIN INST, CHICAGO	61
SPECTOR W ED HANDBOOK OF BIOLOGICAL DATA ZZZ AD110501 PREPARED UNDER THE DIRECTION OF NRC-NAS CMTEE ON HANDBOOK OF BIOL DATA, PUBLISHER WP-AFB, DAYTON O WADCTR-56-273 OCT	56
SPENCER R AN ETHNO-ATLAS BROWN, DUBUQUE	57
SPERBER I SECRETION OF ORGANIC ANIONS IN THE FORMATION OF URINE AND BILE PHARMACOL REV 11 109	59
ZZSPERRY GYRO, MARINE DIV, SYOSSET NY AN INVESTIGATION OF PASSIVE RANGING TECHNIQUES FOR MICROWAVE AND SUBMILLIMETER SURVEILLANCE RADIOMETERS ZZWADD, WPAFB, OHIO ZZZ AD246568 QUARTERLY REP 1 NOV	60

STAMBAUGH R	DAVIDSON D	
VARIATIONS IN EXCRETION OF CERTAIN AMINO ACIDS WITH AGE		
CLIN CHEM	9 210	63
STANCHO Z		
HOUNDS		
BOOK PUB HOUSE, BUCHAREST		54
STECHER, ED		
MERCK INDEX		
MERCK AND CO, RAHWAY, NJ		60
STEEDMAN W	BAKER C	
TARGET SIZE AND VISUAL RECOGNITION		
ZZAEROSPACE MED LAB, WRIGHT AIR DEV DIV, WPAFB, OHIO		
ZZZ AD235129		
WADD-TR-60-93	FEBRUARY	60
STEGGERDA F	CLARK W	
THE EFFECTS OF THE INTRODUCTION OF GAS INTO THE COLON		
AND ITS PRESSURE AND ACTIVITY		
FED PROC	6 211	47
STEGGERDA F R	CLARK W C	DANHOF I E
MOTILITY AND TONE OF THE HUMAN COLON AT VARIOUS SIMULATED		
ALTITUDES		
J AVIAT MED	26 189	55
STEIN W H		
/FREE AMINO ACIDS IN URINE/		
J BIOL CHEM	201 45	53
STEINER G		
/SYSTEMATIC RESEARCH ON THE SMELL ORIENTATION OF FLESH-FLIES		
Z VERGLEICH PHYSIOL	30 1	42
STEPHENS E		
THE ATMOSPHERE, A REVIEW		
ZZFLIGHT RES LAB, WRIGHT AIR DEV CENT, WP-AFB OHIO		
ZZZ AD8140		
TECH NOTE WCRR	52-16 OCTOBER	52
STEPHENSON E	STEWART	
ANIMAL CAMOUFLAGE		
BLACK, LOND		46
STEVENS S		
HANDBOOK OF EXPERIMENTAL PSYCHOLOGY		
WILEY NY		51
STEWARD C	ATWOOD C	
THE SENSORY ORGANS OF THE MOSQUITO ANTENNA		
CANAD J ZOOL	41 577	63
STEWARD R D		
RAPID INFARED DETERMINATION OF ACETONE IN THE BLOOD AND THE		
EXHALED AIR OF DIABETIC PATIENTS		
NATURE	191 1008	61
STEWART H	CURCIO J	
THE INFLUENCE OF THE FIELD OF VIEW ON MEASUREMENTS OF		

ATMOSPHERIC TRANSMISSION J OPTICAL SOC AMER 42 11 NOV	52
STEWART J JAMMING AND ANTI-JAMMING IN SPEECH COMMUNICATIONS ENG RES INST, U OF MICH TR NO 66 /SECRET REPORT/ JAN	56
STEWART J BRACE JOHNS MICROQUANTITATIVE INFRARED ANALYSIS PITTSBURGH CONF ANALYT CHEM AND APPLIED SPECTROS MARCH	59
STEWART J PHOTOMETRIC ACCURACY OF INFRARED SPECTROPHOTOMETERS 11 ANN SYMPOS ON SPECTROS, SOC APPLIED SPECTROS, CHICAGO	60
STEYERMARK QUANTITATIVE ORGANIC MICROANALYSIS ACAD PRESS NY	61
STIMSON M THE INFRARED AND ULTRAVIOLET ABSORPTION SPECTRA OF CYTOSINE J AM CHEM SOC 74 1805	52
STOLLER L CIVET, FACTS AND FABLES THE GIVAUDANIAN PAGE 3 MAY	61
STOLLER L THE BEAVER AND CASTOREUM, FACTS AND FABLES THE GIVAUDANIAN PAGE 3 NOV	62
STOLYAROV K GRIGORIEN N MICROMICROGRAM SENSITIVITY BY ELECTRODEPOSITION ANALYSIS FOR ANTIMONY ZH ANAL CHEM USSR 14 71	54
STORY H THE EXTERNAL GENITALIA AND PERFUME GLAND OF ARCTICTIS BINTURONG J MAMMOL 26 64	45
STRANDBERG M MICROWAVE SPECTROSCOPY METHUEN, LOND	
STRAUSS J KLIGMANN A THE BACTERIA RESPONSIBLE FOR APOCRINE ODOR J INVEST DERMATOL 27 67	56
STRAUSS J MESCON H THE CHEMICAL DETERMINATION OF SPECIFIC LIPASES IN COMEDONES J INVEST DERMATOL 33 191	59
STRAUSS J POCHI P QUANTITATIVE GRAVIMETRIC DETERMINATION OF SEBUM PRODUCTION J INVEST DERMATOL 33 293	61
STRAUSS J POCHI P EFFECT OF ENOVID ON SEBUM PRODUCTION IN FEMALES ARCH DERMATOL 87 366	63

STREETS L	MARRON H	
ATMOSPHERIC ATTENUATION OF THERMAL RADIATION FROM A NUCLEAR		
DETONATION		
ZZARMED FORCES SPECIAL WEAPONS PROJ, WASH		
ZZZ AD62199		
AFSWP 509	DEC	54
STRYDOM N	WYNDHAM	
NATURAL STATE OF HEAT ACCLIMATIZATION OF DIFFERENT ETHNIC		
GROUPS		
FED PROC	22 801	63
SUNDERMAN W	BOERNER F	
NORMAL VALUES IN CLINICAL MEDICINE		
SAUNDERS, PHILA		49
SUSKIND R		
THE CHEMISTRY OF THE HUMAN SEBACEOUS GLAND		
J INVEST DERMATOL	17 37	51
SUSSKIND C		
LONGEVITY STUDY OF THE EFFECTS OF THREE-CM MICROWAVE		
RADIATION ON MICE		
ZZELECTRONICS RES LAB, U CAL, BERKELEY, CAL		
ZZROME AIR DEV CENT, NY		
ZZZ AD269385		
RADC-TR-61-205	JUNE 30	61
SUTTON		
MICROMETEOROLOGY		
MCGRAW-HILL NY		53
SUTTON H		
A BIOCHEMICAL STUDY OF CHINESE AND CAUCASOIDS		
AM J ANTHROPOL	13 53	55
SWINNERTON J	LINNENBOM V	
RADIATION EFFECTS /GAS CHROMATOGRAPHIC ANALYSIS/		
REPORT OF NRL PROGRESS OCT		
		60
SWINNERTON J	LINNENBOM V	CHEEK C
/MODIFIED GAS CHROMATOGRAPH FOR DISSOLVED GASES IN SEA WATER		
J PHYS CHEM	65 1489	61
SWINNERTON J	SULLIVAN J	
SHIPBOARD DETERMINATION OF DISSOLVED GASES IN SEA WATER		
BY GAS CHROMATOGRAPHY		
ZZRADIATION DIV AND NAVY HYDROGRAPHIC OFFICE, NRL, WASH		
ZZZ AD282870		
NRL REP 5806	JULY 26	62
SWINTON A C		
VISUAL SENSATIONS FROM THE ALTERNATING MAGNETIC FIELD		
NATURE	86 143	11
SZENTIRMAI A	BRAUN P	HORVATH I
A RAPID SCREENING TEST FOR DETERMINATION OF TOTAL ALPHA		
AMINO ACIDS IN URINE AND SERUM		
CLIN CHIM ACTA	7 459	62
SZYMANSKI H		

LECTURES ON GAS CHROMATOGRAPHY
PLENUM NY

62

TABOR	HANSER	LODGE	
CHARACTERISTICS OF THE ORGANIC PARTICULATE MATTER IN THE			
ATMOSPHERE OF CERTAIN AMERICAN CITIES			
J AMER MED ASSN 17 NO 1 JAN			58
TAIMUTY S			
A REVIEW OF DOSIMETRY FIELD			
ZZSTANFORD RES INST, MENLO PARK, CALIF			
ZZFOOD AND CONTAINER INST, ARMY RES AND ENGN COMND, CHICAGO			
ZZZ AD296591			
S-611 REPORT 4 SEPT			62
TAKAGI S	SHIBUYA T		
THE ELECTRICAL ACTIVITY OF THE OLFACTORY EPITHELIUM			
STUDIED WITH MICRO AND MACRO ELECTRODES			
JAP J PHYSIOL 10 385			60
TAKAGI S	SHIBUYA T		
STUDIES ON THE POTENTIAL OSCILLATION APPEARING IN THE			
OLFACTORY EPITHELIUM OF THE TOAD			
JAP J PHYSIOL 11 23			61
TAKAKURA T			
RADIO NOISE RADIATED ON THE DETONATION OF EXPLOSIVE			
A. S. JAPAN 7 210			55
TAKEDA K			
THE NATURE OF IMPULSES OF SINGLE TARSAL CHEMORECEPTORS			
IN THE BUTTERFLY VANESSA INDICA			
J CELL COMP PHYSIOL 58 233			61
TAMAR H			
TASTE RECEPTION IN THE OPOSSUM AND THE BAT			
PHYSIOL ZOOL 34 86			
TATEDA H	MORITA H		
INITIATION OF SPIKE POTENTIALS IN CONTACT CHEMOSENSORY			
HAIRS OF INSECTS			
J CELL COMP PHYSIOL 54 171			59
TAVERNER P			
SENSE OF SMELL IN BIRDS			
AUK 59 462			42
TAYLOR C L	BUETTNER K		
INFLUENCE OF EVAPORATIVE FORCES UPON SKIN TEMPERATURE			
DEPENDENCY OF HUMAN PERSPIRATION			
J APPL PHYSIOL 6 113			53A
TAYLOR C	BUETTNER K		
THE EVAPORATIVE EFFECT ON HUMAN PERSPIRATION			
ZZU OF CALIFORNIA, LOS ANGELES			
ZZAERO MED LAB, WRIGHT AIR DEV CENT, WPAFB, OHIO			
WADC TECH REP 53-345 SEPT			53B
TAYLOR C W			
A NOTE ON DIFFERENTIAL TASTE RESPONSES TO P T C			
/PHENYL-THIO CARBAMIDE/			
HUMAN BIOLOGY 33 220			61
TAYLOR J			

SYMPOSIUM ON THE ROLE OF STRESS IN MILITARY OPERATIONS ZZOPERATIONS RES OFF, JOHNS HOPKINS U, CHEVY CHASE, MD ZZDEPT OF THE ARMY ORO-T-256 DEC	53
TAYLOR J YATES H ATMOSPHERIC TRANSMISSION IN THE INFRARED IN PROC SYMPOSIUM ON IR BACKGROUNDS /CONFIDENTIAL REPORT/ ZZUNIV MICH ENG RES ZZZ AD121010 2389-2-5	56
TENGHSIHSIEN ROLE OF TRICARBOXYLIC ACID CYCLE IN MECHANISMS OF CHEMORECEPTION BULL EXP BIOL MED USSR 51 1	61
TERAUDS A IRWIN A MCGRATH J A BIBLIOGRAPHY OF SMALL GROUP RESEARCH ZZHUMAN SCIENCES RESEARCH INC, ARLINGTON VIRGINIA ZZAIR FORCE OFF OF SCI RES, AIR RES AND DEV COMMAND WASH DC ZZZ AD237304 AFOSR TN 60-365 APRIL	60
TEUBER W LES AMOURS DES PAPILLONS DE NUIT INDUSTRIE PARFUM 9 133	54
TFAO B (ORGANIC COLORIMETRY, LACTIC ACID) ANAL CHEM 24 722	52
THAYER G CONCEALING COLORATION IN THE ANIMAL KINGDOM MACMILLAN NY	18
THEISSING H CAPLAN P ATMOSPHERIC ATTENUATION OF SOLAR MILLIMETER WAVE RADIATION J APPL PHYSICS 27 538	56
THOMAS F REMOVAL OF CARBON MONOXIDE, HYDROGEN AND ORGANIC CONTAMINANTS NRL REP 5465 55 APRIL 21	60
THOMAS F TARGET ACQUISITION FROM THE ARMED HELICOPTER ZZARMY AVIAT HUM RES UNIT, FT RUCKER ALA PRESENTED AT VIS SEARCH SYMP OF ARMED FORCES - NRC COMM ON VISION, SAN DIEGO, APRIL	62
THOMPSON R BROWN A THE ATTRACTIVENESS OF HUMAN SWEAT TO MOSQUITOES AND THE ROLE OF CARBON DIOXIDE MOSQUIT NEWS 15 80	55
THOMPSON R KING E EDS BIOCHEMICAL DISORDERS IN HUMAN DISEASE ACAD PRESS NY	57
THOMPSON S P	

A PHYSIOLOGICAL EFFECT OF AN ALTERNATING MAGNETIC FIELD PROC ROY SOC LONDON 82B 396	10
THORPE W JONES F OLFACTORY CONDITIONING IN A PARASITIC INSECT AND ITS RELATION TO THE PROBLEM OF HOST SELECTION PROC ROY SOC B124 56	37
THORPE W OLFACTORY CONDITIONING IN A PARASITIC INSECT PARASITIC INSECT PROC ROY SOC LOND B126 370	38
THORPE W OLFACTORY CONDITIONING IN A PARASITIC INSECT PROC ROY SOC LOND B127 424	39
THURSTON G STERN R A BIBLIOGRAPHY ON ACOUSTIC SOURCES AND THEIR RELATED FIELDS ZZUNIV OF MICHIGAN WILLOW RUN LABS ZZOFFICE OF NAVAL RES, DEPT OF THE NAVY ZZZ AD213504 2784-2-S FEBRUARY	59
TIDSTROM B QUANTITATIVE DETERMINATION OF PROTEIN IN NORMAL URINE SCAND J CLIN AND LAB INVEST 15 167	63
TIMMERMAN J ODOUR AND CHEMICAL CONSTITUTION NATURE, LOND 774 235	54
TINBERGEN W SOCIAL BEHAVIOR IN ANIMALS BOOK NY	53
TINBERGEN W THE EVOLUTION OF ANIMAL COMMUNICATIONS, A CRITICAL EXAMINATION OF METHODS IN EVOLUTIONARY ASPECTS OF ANIMAL COMMUNICATION SYMPOS ZOOL SOC LOND 8	62
TOBIAS C DUNN R ANALYSIS OF MICRO-COMPOSITION OF BIOLOGICAL TISSUE BY MEANS OF INDUCED RADIOACTIVITY SCIENCE 109 109	49
TOLBECT C STRALTON A TIPTON C PROPAGATION STUDIES AT 8.6 MM WAVELENGTH ON THREE, FIVE SEVEN AND TWELVE MILE PATHS ZZUNIV OF TEX, ELECT ENG RES LABS REP 69	53
TOLLIN G ELECTRICAL AND MAGNETIC PROPERTIES OF ORGANIC SOLIDS ZZU OF ARIZONA, DEPT OF CHEMISTRY, TUCSON ARIZONA ZZGEOPHYSICS RES DIRECTORATE, AF CAMB RES LABS, BEDFORD MASS ZZZ AD296273 FINAL REPORT NOVEMBER 15	62
TOLSON J	

THE INFRARED SPECTROSCOPY OF LIPIDS AND RELATED COMPOUNDS ZZCATHOLIC UNIV OF AMER, WASH ZZZ AD285225 DISSERTATION FOR MS SEPT	62
TORRANCE E SURVIVAL PSYCHOLOGY ZHUMAN FACTORS OPERAT RES LABS ARDC WASH ZZZ AD25664 HFORL MEMO 42 DEC	53
TRAFFALIS J NEHLSSEN W INVESTIGATION OF UNPRESSURIZED SHELTER REQUIREMENTS AND EQUIPMENT, ODOR PROBLEMS ZZUS NAVAL CIVIL ENGG LAB, PORT HUENEME, CALIF TN-225 MAY	55
TREATT C CIVET PERFUM ESSENT OIL REC 3 73	12
TRUMBULL R AN ANNOTATED BIBLIOGRAPHY AND CRITICAL REVIEW OF DRUGS AND PERFORMANCE ZZOFF OF NAVAL RES, WASH ZZZ AD163401 ONR REP ACR-29 AUG	58
TUCKER D PHYSICAL VARIABLES IN THE OLFACTORY STIMULATION PROCESS J GEN PHYSIOL 46 453	63
TUDDENHAM W INFARED TECHNIQUES IN IDENTIFICATION AND MEASUREMENT OF MINERALS ANAL CHEM 32 1630	60
ZZTUFTS UNIV, HUM ENG INFO AND ANAL SERVICE, MEDFORD MASS HUMAN ENGINEERING BIBLIOGRAPHY 1958-1959 ZZONR WASH ZZZ AD258705 ONR REP ACR-55 OCTOBER	60
TURK A SLEIK H MESSER P DETERMINATION OF GASEOUS AIR POLLUTION BY CARBON ADSORPTION AM IND HYG ASSOC QUART 13 23	52
TURK A CATALYTIC REACTIVATION OF ACTIVATED CARBON IN AIR PURIFICATION SYSTEMS IND ENG CHEM 47 966	55
TURNER J THE EFFECTS OF RADAR ON THE HUMAN BODY ZZARMY ORDNANCE MISSILE COMMAND, REDSTONE ARSENAL, ALA ZZZ AD273787 RM-TR-62-1 MARCH 21	62
TYHURST J BEHAVIOR UNDER STRESS ZZDEFENSE RES BOARD, CANADA	

UCHIIZONO K
THE STRUCTURE OF POSSIBLE PHOTORECEPTIVE ELEMENTS IN THE
SIXTH ABDOMINAL GANGLION OF THE CRAYFISH
J CELL BIOL 15 151 62

UCHIYAMA H KATSUKI Y
RECORDING OF ACTION POTENTIALS FROM THE ANTENNAL NERVE OF
LOCUSTS BY MEANS OF MICROELECTRODES
PHYSIOL COMP OECOL 4 154 56

UDENFRIEND S
FLUORESCENCE ASSAY IN BIOLOGY AND MEDICINE
ACADEMIC PRESS NY 62

ULETT G JOHNSON L
PATTERN, STABILITY AND CORRELATES OF PHOTO-
ELECTROENCEPHALOGRAPHIC ACTIVATION
J NERV MENT DIS 126 153 58

UMSTEAD M E CHRISTIAN J JOHNSON J
A STUDY OF THE ORGANIC VAPORS IN THE ATMOSPHERE OF THE USS
SKATE
NRL MEMO REP 1057 JUNE 60

UNDERWOOD E
TRACE ELEMENTS IN HUMAN AND ANIMAL NUTRITION
ACAD PRESS NY 56

UNGRADE H
ORGANIC ELECTRONIC SPECTRAL DATA
INTERSCIENCE NY

UNGSTRUP E PETERSEN B
THE CORRELATION BETWEEN EARTH CURRENTS AT GODHAVN AND
MAGNETIC DISTURBANCES
ZZIONOSPHERE LAB, ROYAL TECH UNIV OF DENMARK, COPENHAGEN
ZZCAMBRIDGE RESEARCH LAB, EUROPEAN OFFICE, AEROSPACE RES AF
ZZZ AD293833
TECH NOTE - 1 JUNE 1 62

UNITED NATIONS FOOD AND AGRIC ORGZN, NY
CLASSIFIED CATALOG OF LIBRARY OF INTERNATIONAL INSTITUTE
OF AGRICULTURE, AND SUPPLEMENTS, ROME 48

UNITED NATIONS WORLD HEALTH ORGZN, GENEVA
HUMAN PROTEIN REQUIREMENTS 57

UNITED RES CORP, CAMBRIDGE, MASS
LOCALIZATION OF SOUND PART 1. CHARACTERISTICS OF HUMAN
LOCALIZATION OF SOUND
ZZUS NAVAL ORDNANCE TEST STATION, CHINA LAKE, CALA
ZZZ AD294853
NOTS TP 3109 DECEMBER 62

USAF ACAD LIBRARY
UNCONVENTIONAL WARFARE PART I, GUERRILLA WARFARE
ZZZ AD277053
SPECIAL BIBLIO SERIES NO 21 61

USAF ACAD LIBRARY

UNCONVENTIONAL WARFARE PART 2- PSYCHOLOGICAL WARFARE ZZZ AD296073 SPEC BIBLIO NO 22 DEC	62
USAF AEROSPACE MED LAB, WPAFB, OHIO BIBLIOGRAPHY OF RESEARCH REPORTS AND PUBLICATIONS ISSUED BY THE BIO-ACOUSTICS BRANCH ZZZ AD252734 DECEMBER	60
USAF AEROSPACE MED DIV, WPAFB NUCLEAR RADIATION /A RADIOBIOLOGY GUIDE/ MIL-TDR-62-61 NOV	62
USAF AEROSPACE MED LAB, PROCUREMENT OFF, WADD, OHIO INVESTIGATION OF OLFACTORY TECHNIQUES FOR DETECTING ENEMY TROOPS OR ARMAMENT BY GASES AND EFFLUENTS FROM USAF PROCUREMENT REQUEST NO 121169 RNR NOV	61
USAF, AEROSPACE MED LAB, PROCUREMENT OFF, WADD, OHIO RESEARCH ON THE CHARACTERIZATION OF INFRARED EMISSION FROM THE MAMMALIAN NERVOUS SYSTEM NOT DUE TO SIMPLE HEAT RADIATION WADD, OHIO, EXHIBIT A OF PR AM-3-60083 DECEMBER	62
USAF AIR WEATHER SERVICE, SCOTT AFB, ILL LIST OF AVAILABLE AWS TECHNICAL REPORTS ZZZ AD297202 AWSP 0-18/1 MARCH 1	63
USAF ARCTIC AEROMED LAB, FAIRBANKS PUBLICATIONS OF THE ARCTIC AEROMED LAB, BIBLIOGRAPHY ZZZ AD293409 OCTOBER	62
USAF EUROPEAN OFF AEROSPACE RES SUPPLEMENT TO THE BIBLIOGRAPHY OF TECHNICAL NOTES AND TECHNICAL REPORTS ZZZ AD272347 JAN 1	62
USAF PROCEEDINGS THIRD ANNUAL TRI SERVICE CONFERENCE ON BIOLOGICAL EFFECTS OF MICROWAVE RADIATION EQUIPMENT BERKELEY CAL	59
USAF RES DIV, ARDC BASIC RESEARCH RESUMES, A SURVEY OF BASIC RESEARCH ACTIVITIES IN THE AIR RESEARCH AND DEVELOPMENT COMMAND ZZZ AD239933 AFOSR TR-59-204	59
USAF SCHOOL OF AEROSPACE MED, RANDOLPH AFB, TEX PHYSICAL AND PHYSIOLOGICAL DATA FOR BIOASTRONAUTICS	58
USAF SCHOOL OF AEROSPACE MED, RANDOLPH AFB, TEX SUBJECT INDEX OF SCHOOL OF AVIATION MEDICINE RESEARCH REPORTS, 1942-1956 DECEMBER	56

USAF TECHNICAL APPLICATIONS CENTER, WASH LONG RANGE SEISMIC MEASUREMENTS ZZARPA PROJECT, VELA-UNIFORM ZZZ AD294148 DEC 13	61
USAF, WPAFB DAYTON BIONICS SYMPOSIUM, SEVENTY PAPERS ON SENSORY AND MOTOR ANALOGIES AND DATA PROCESSING USAF DAYTON MARCH	63
US DEPT OF AGRICULTURE COMPOSITION OF FOODS IN FAR EASTERN COUNTRIES AGRIC HANDBOOK, WASH MARCH	52
US ARMY GUERRILLA WARFARE AND SPECIAL FORCES OPERATIONS FIELD MANUAL FM 31-21	58
US ARMY HANDBOOK ON AGGRESSOR MILITARY FORCES FIELD MANUAL FM 30-102	60
US ARMY JUNGLE OPERATIONS FIELD MANUAL FM 31-30	60
US ARMY MOUNTAIN OPERATIONS FIELD MANUAL FM 31-72	59
US ARMY OPERATIONS AGAINST IRREGULAR FORCES FIELD MANUAL FM 31-15	61
US ARMY RANGER TRAINING FIELD MANUAL FM 21-50	
US ARMY BIOL LABS LIBRARY, FT DETRICK, MD BIBLIOGRAPHY ON METHODS OF SAMPLING AIRBORNE PARTICLES ZZZ AD294879 AUGUST 1	53
US ARMY BIOL LABS LIBRARY, FT DETRICK, MD SUPPLEMENT TO BIBLIOGRAPHY ON METHODS OF SAMPLING AIRBORNE PARTICLES ZZZ AD294880 NOVEMBER 26	56
US ARMY CHEM CORPS, DUGWAY PROVING GROUND, UTAH SYMPOSIUM ON MICROMETEOROLOGY TURBULENT DIFFUSION ZZZ AD82379 JUNE 28	54
US ARMY COMBAT DEV EXPER CENT, FORT ORD, CAL LOCATING BATTLE CASUALTIES SPRING	61
ZZUS ARMY ELECTRONICS RFS AND DEV LAB, FT MONMOUTH, NJ PUBLICATIONS, PRESENTATIONS AND PATENTS IN 1962	

ZZZ AD297834 JAN 1	63
US ARMY EXPERIMENT STATION PLAN OF TESTS, TROPICAL SOIL STUDIES/AND VEGETATION IN CENTRAL AND SOUTH AMERICA/ REPORT OF OCT	61
US ARMY OPERATIONS RES OFFICE ASIAN GUERRILLA MOVEMENTS, BIBLIOGRAPHY ZZZ AD22149 ORO-T-244 MARCH	54
US ARMY, OPERATIONS RES OFF, CHEVY CHASE, MD HUMAN ACCURACY IN LOCATING FIRING ENEMY MACHINE GUNS ZZZ AD236151L ORO-SP-49 APRIL	58
US ARMY QMR AND E CENT PROCUR OFF, NATICK ANALYSIS OF RADAR CROSS SECTION OF CLOTHED SOLDIER, K, X, AND MM BANDS, AND RESEARCH ON ANTI-RADAR DETECTION CLOTHING RFP AMC/X/-19-129-64-29-BQ AUG US ARMY RES OFFICE EIGHTH ANNUAL ARMY HUMAN FACTORS ENGINEERING CONFERENCE, 16 OCTOBER, 1962 ZZARMY INFANTRY CENTER, FT BENNING, GA ZZZ AD294897 OCT	63 62
US ARMY SERV GRAD SCHOOL, WASH SYMPOSIUM ON STRESS WALTER REED AMS REPORT	53
US ARMY SPECIAL WARFARE SCHOOL, FT BRAGG, NC SPECIAL WARFARE BIBLIOGRAPHY MARCH	62
US ASTIA /NOW DDC, ALEXANDRIA THE EFFECTS OF PHYSIOLOGICAL AND PSYCHOLOGICAL STRESSES ON PERFORMANCE - COVERAGE 1952 THROUGH DEC 1962 ZZZ AD293090 DEC	62
US ASTIA /NOW DDC, ALEXANDRIA GASEOUS ENVIRONMENT FOR MANNED SPACECRAFT, AN ASTIA BIBLIO ZZZ AD290793	62
US ASTIA /NOW DDC, ALEXANDRIA THIRST AND WATER BALANCE IN SURVIVAL CONDITIONS, BIBLIOGRAPHY ZZZ AD99651	XX
US ATOMIC ENERGY COMM SPECTRAL AND TOTAL EMISSIVITY - A GUIDE TO THE LITERATURE 1910-1951 AMES LAB REP ISC-364 JUNE 1	53
ZZUS ATOMIC ENERGY COMM, DIV OF REACTOR DEV, WASH, DC	

SIXTH AEC AIR CLEANING CONFERENCE - JULY 7-9, 1959 TID-7593 OCTOBER	60
ZZUS CENTRAL INTELL AGENCY BIBLIOGRAPHY, GUERRILLAS, UNDERGROUNDS, AND RESISTANCE MOVEMENTS MAY 23	50
ZZUS CENTRAL INTELL AGENCY A SELECTED READING LIST ON GUERRILLA WARFARE AND COUNTERINSURGENCY MAY 1	62
US DIRECTOR OF DEFENSE RES AND ENG REPORT OF THE RDT AND E LIMITED WAR TASK GROUP ZZZ AD327690 AUG 15 REPORT SECRET	61A
US DIRECTOR OF DEFENSE RES AND ENG, OFF ELECTRONICS, WASH IMPORTANT AREAS OF ELECTRONIC RESEARCH, STATEMENTS BY LEADERS IN THE FIELD ZZZ AD253881 JAN	61B
US INTERDEPARTMENTAL CMTEE ON NUTRIT FOR NAT DEFENSE ETHIOPIA, NUTRITION SURVEY	59
US INTERDEPARTMENTAL CMTEE ON NUTRIT FOR NAT DEFENSE LEBANON, NUTRITIONAL SURVEY REP	61
US INTERDEPARTMENTAL COMM FOR NUTRITION IN NAT DEFENSE MANUAL FOR NUTRITION SURVEY FOR NATIONAL DEFENSE MAY	57
US INTERDEPARTMENTAL CMTEE ON NUTRITION FOR NAT DEFENSE THAILAND NUTRITIONAL STUDY NOV	61
US JOINT CHIEFS OF STF SPEC ASST FOR CTNR INSRG AND SPEC ACT SPECIAL BIBLIOGRAPHY ON COUNTERINSURGENCY AND RELATED MATTERS	62
US JOINT SERV STEER SOMM FOR THE ENG GUIDE TO EQUIP DSGN TENTATIVE BIBLIOGRAPHY ON WORK AND FATIGUE ZZZ AD95137 MARCH	54
ZZUS LIBRARY OF CONGRESS, AERO INFO DIV SOVIET SEISMOLOGY AND SEISMOMETRY, A PRELIMINARY BIBLIO ZZZ AD265437 AID REPORT 61-135 SEPTEMBER 5	61
ZZUS LIBRARY OF CONGRESS, AERO INFO DIV X-RAY AND OPTICAL SPECTRA ANNOTATED BIBLIOGRAPHY OF SOVIET LITERATURE ZZZ AD295868 AID REPORT B-63-10 JANUARY 11	63

US LIBRARY OF CONGRESS DIV OF BIBLIOGRAPHY LIST OF REFERENCES ON HOUNDS AND HUNTING REF LIST 989 AUG 30	26
ZZUS MARINE CORPS SELECTED BIBLIOGRAPHY ON COUNTERINSURGENCY MARINE CORPS BULL 1500 APRIL 10	62
US NAT BUR STANDARDS CATALOG OF SELECTED INFRARED ABSORPTION SPECTROGRAMS ZZAMER PETROLEUM INST, WASH, DC RES PROJ 44	46
ZZUS NAVAL RES LAB, WASH TRANSMISSION OF LIGHT IN WATER /BIBLIO/ /1818-1959/ ZZZ AD256765	60
ZZUS NAVY DEPT, BUREAU UNKNOWN BIBLIOGRAPHY ON GUERRILLA AND ANTI-GUERRILLA WARFARE, 1942-1962, IN EAST AND SOUTHEAST ASIA, WITH SPECIAL REFERENCE TO THE NAVY MAY	62
US OFFICE OF NAVAL RESEARCH, WASH THE FIFTH NAVY SCIENCE SYMPOSIUM, NAVAL RESEARCH ZZZ AD260241 AT ANNAPOLIS, MD APRIL	61
US OFFICE OF NAVAL RES, PSYCHOL SCI DIV, WASH PHYSIOL PSYCH BR, BIBLIO OF UNCLASSIFIED RESEARCH REPORTS ZZZ AD242965 SUPPLEMENT NO 3 JULY	57
US SMITHSONIAN INSTITUTION METEOROLOGICAL TABLES	
UNIV OF MARYLAND, DEPT OF PSYCHOL ZZARMY OFF SURG GEN A REVIEW OF THE LITERATURE ON INDUCED SYSTEMIC FATIGUE ZZZ AD31307 TECH REP NO 7 MARCH	52
URSILLO R ELECTRICAL ACTIVITY OF THE ISOLATED NERVE URINARY BLADDER STRIP PREPARATION OF THE RABBIT AM J PHYSIOL 201 408	61
USSING H /ACTIVE TRANSPORT OF SODIUM AS A SOURCE OF SHORT CIRCUIT CURRENT IN FROG SKIN/ J GEN PHYSIOL 43 135	60

VANDENPUT R THE CIVET CAT PERFUM AND ESSEN OIL REC 28 245	37
VANDERHEI P TAYLOR B SPECTRAL GROUND AND SKY BACKGROUNDS, BACKGROUND MEASUREMENTS DURING THE INFRARED MEASURING PROGRAM 1956 ZZGEOPHYS RES DIR GEOPHYS RES DIR NOTES NO 46	56
VANDERKLOOT W WALCOTT C THE ACOUSTIC RECEPTOR IN /ISOLATED LEG OF/ SPIDERS ZZCORNELL UNIV DEPT ZOOL ZZOFFICE OF NAVAL RES, WASH ZZZ AD219375 JUNE	58
VANDYKE K CRUME E BIBLIOGRAPHY OF PIEZOELECTRICITY ZZSQUIER SIGNAL LAB, WESLEYAN UNIV ZZARMY SIGNAL CORPS ENGNG LABS, FT MONMOUTH N J ZZZ AD108469 FINAL REPORT SUPPLEMENTARY VOL APRIL 15	56
VANHALL C /ORGANIC ANALYSIS BY PYROLYSIS AND INFRARED CO2 PHOTOMETRY/ ANAL CHEM 35 315	63
VANHEYNINGEN R ADAPTATION OF MEN TO HOT CLIMATES WITH REFERENCE TO SWEAT GLAND ACTIVITY AND SWEAT COMPOSITION OXFORD U D PHIL THESIS	49
VANHEYNINGEN R WEINER J A COMPARISON OF ARM BAG SWEAT AND BODY SWEAT J PHYSIOL 116 395	52
VANWINKLE Q STUDY OF BIOELECTRIC POWER SOURCES ZOHIO STATE UNIV ZZFLIGHT ACCES LAB WPAFB ZZZ AD284881 REPORT ASD-TDR-62-377	62
VARADI P ETTRE K VACUUM OUTPUT GAS CHROMATOGRAPHY ANAL CHEM 35 410	63
VAUGHAN B BIOELECTRIC POWER AND WORK IN GASTROINTESTINAL TISSUE ZZNAV RADIOL DEF LAB SAN FRANCISCO ZZZ AD272337 REPORT TR-537	61
VAUGHAN B DAVIS A RADIOSENSITIVITY OF BIOELECTRIC FUNCTIONS OF RAT STOMACH AND CAECUM ZZUS NAVAL RADIOLOGICAL DEFENSE LAB, SAN FRANCISCO, CAL ZZZ AD297747 USNRDL-TR-611 JANUARY 8	63

VEGHTE J	SOLLI G	
DETERMINING ARCTIC CLOTHING DESIGN BY MEANS OF INFRARED		
RADIOMETRY		
ZZBARNES ENGN CO, STANFORD CONN		
ZZALASK AIR COMM, ARCTIC AEROMED LAB		
ZZZ AD275967		
TECH REP 61-31 OCTOBER		61
VERRILL A		
PERFUMES AND SPICES		
PAGE BOSTON		40
VIGNERAS M		
PRELIMINARY BIBLIOGRAPHY ON COUNTERINSURGENCY AND RELATED		
MATTERS		
ZZRES ANALYSIS CORP, BETHESDA, MD		
TP 73		62
VINSON L	CHOMAN B	MASURAT T
BASIC STUDIES IN PERCUTANEOUS ABSORPTION		
ZZLEVER BROS, EDGEWATER NJ		
ZZDIR MED RES, ARMY CHEM CENT, EDGEWOOD MD		
ZZZ AD260231		
SEMI-ANNUAL REPORT JUNE		61
VIRGIL N		
BIBLIOGRAPHY ON GUERRILLA WARFARE		
MILITARY AFFAIRS 24 146		60
VIRGIL N		
GUERRILLA WARFARE, ANNOTATED BIBLIOGRAPHY		
MILITARY REVIEW 41 97 NOV		61
VONBEKESY G		
SIMILARITIES BETWEEN HEARING AND SKIN SENSATIONS		
PSYCHOL REV 66 1		59
VONBEKESY G		
LATERAL INHIBITION OF HEAT SENSATIONS ON THE SKIN		
J APPL PHYSIOL 17 1003		62
VON BUDDENBROCK W		
VERGLEICHENDE PHYSIOL VOL 1 SINNESPHYSIOL		
BIRKHAUSEN VERLAG, BASEL		52
VONFRISCH K		
COMPARATIVE PHYSIOLOGY OF TASTE PARTICULARLY IN HONEY		
BEES		
ZTSCHR VERGL PHYSIOL 21 1		34
VON FRISCH K		
BEES, THEIR VISION, CHEMICAL SENSE, AND LANGUAGE		
CORNELL U PRESS, ITHACA		50
VON GIERKE, H		
MEASUREMENT OF THE ACOUSTIC IMPEDANCE AND THE ACOUSTIC		
ABSORPTION COEFFICIENT OF THE SURFACE OF THE HUMAN BODY		
ZZWRIGHT AIR DEV CENT, OHIO		
AF TECH REP 6010 MARCH		50

- VON GIERKE H
PHYSICS OF VIBRATIONS IN LIVING TISSUES
J APPLI PHYSIOL 4 12 52
- VON GIERKE H
TRANSMISSION OF VIBRATORY ENERGY THROUGH HUMAN BODY TISSUE
PROC FIRST NAT BIOPHYS CONF, KM YALE U PRESS 59
- VON SKRAMLIK E
ON THE MINIMAL NUMBER OF MOLECULES REQUIRED TO STIMULATE
TASTE AND SMELL SENSE IN MAN
ARCH GES PHYSIOL 249 702 48
- VON WITTERN W
BALLISTOCARDIOGRAPHY WITH ELIMINATION OF THE INFLUENCE OF
THE VIBRATION PROPERTIES OF THE BODY
AM HEART J 46 705 53

WADE E	JANKE L	STERN R	
ZZINST FOR PSYCHOL RES, TUFTS U, MEDFORD MASS			
VIGILANCE, FATIGUE AND STRESS IN AIR SURVEILLANCE			
ZZUSAF ELECTRON SYS DIV, BEDFORD			
ZZZ AD267098			
TECH REP ESD-TR-61-26 JUNE 30			61
WALBAUM H			
CHEMICAL COMPOSITION OF SCENT SUBSTANCE CASTOREUM			
J PRAKT CHEM 117 225			27
WALDRON V	COLSON W	YATES D	
BIBLIOGRAPHY OF RECONNAISSANCE INTERPRETATION VOL 3			
ZZLIB OF CONG, WASH			
ZZROME AIR DEV CENT, GRIFFISS AFB, NY			
ZZZ AD270096			
RADC-TR-61-218 NOV			61
WALKER B			
BIOCHEMISTRY AND HUMAN METABOLISM			
WILLIAMS AND WILKINS BALT			52
WALLER A ED			
DOGS AND NATIONAL DEFENSE			
US QUARTERMASTER GEN OFFICE WASH			58
WALLING J			
MILLIMETRE WAVE MASER STUDY			
ZZMILLARD RESEARCH LABORATORIES			
ZZC.V.D. ADMIRALTY			
ZZZ AD296120			
CVD ANNUAL REPORT DECEMBER			62
WALLIS D			
RESPONSE OF THE LABELLAR HAIRS OF THE BLOWFLY TO PROTEIN			
NATURE LOND 9 917			61
WALLIS D L			
THE SENSE ORGANS ON THE OVIPOSITOR OF THE BLOWFLY, PHORMIA			
REGINA MEIGEN			
J INSECT PHYSIOL 8 453			62
WALLMAN H	BARNETT S		
WATER RECOVERY SYSTEMS /MULTI-VARIABLE/			
ZZELECTRIC BOAT DIV, GEN DYNAM CORP, GROTON			
ZZAEROSPACE MED LAB, WADD			
ZZZ AD243574			
WADD TR 60-243			60
CONTAINS TABLES 5 AND 6			
WALTER V J	WALTER W G		
THE CENTRAL EFFECTS OF RHYTHMIC SENSORY STIMULATION			
EEG CLIN NEUROPHYSIOL 1 57			49
WALTER W			
SOME EXPERIMENTS ON THE SENSE OF SMELL IN BIRDS STUDIED BY			
THE METHOD OF CONDITIONED REFLEXES			
ARCH NEERL PHYSIOL 27 1			43
WARD A			
THE ENCYCLOPEDIA OF FOOD			

PETER SMITH NY	41
WARD S DOUGLASS J THE RECORDING OF EARTH CURRENTS ZZSPACE SCI LAB, U OF CALIF, BERKELEY ZZOFFICE OF NAVAL RESEARCH ZZZ AD294971 SERIES NO 3 ISSUE NO 28 OCTOBER	62
WARDEN C J WARNER L H THE SENSORY CAPACITY AND INTELLIGENCE OF DOGS QUART REV BIOL 3 1	28
WARE F MEMBRANE POTENTIALS IN NORMAL ISOLATED PERFUSED FROG HEARTS AM J PHYSIOL 190 194	57
WARE F EFFECTS OF CALCIUM DEFICIENCY ON CELL MEMBRANE POTENTIAL OF ISOLATED FROG HEARTS AM J PHYSIOL 198 547	60
WARING C, ED TRANSMISSION AND RECEPTION OF SOUNDS UNDER COMBAT CONDITIONS SUMMARY TECH REP OF DIV 17, NDRC, VOL 3	46
WATANABE K ZELIKOFF M ABSORPTION COEFFICIENTS OF WATER VAPOR IN THE VACUUM ULTRAVIOLET J OPT SOC AMER 43 753	53A
WATANABE K ZELIKOFF M INN E ABSORPTION COEFFICIENTS OF SEVERAL ATMOSPHERIC GASES ZZAF CAMBRIDGE RES CENTER GEOPHYS RES PAPERS 21	53B
WATKINS W EFFECTS OF CERTAIN NOISES UPON DETECTION OF VISUAL SIGNALS ZZU OF TEXAS, AUSTIN, TEXAS ZZZ AD294582 PHD DISSERTATION JANUARY	63
WATSON C (FAT CONTENT OF FECES) ARCH INT MED 59 196	37
WATTS H HOUND AND QUARRY ROUTLEDGE	53
WEBB H BROWN F BRETT W EFFECTS OF IMPOSED ELECTROSTATIC FIELD ON RATE OF LOCOMOTION IN ILYANASSA BIOL BULL 118 367	60
WEBER D SPECTRAL EMISSIVITY OF SOLIDS IN THE INFARED AT LOW TEMPERATURES J OPT SOC AMER 49 815	59

WEDDELL G	PALMER E	PALLIE W	
NERVE ENDINGS IN MAMMALIAN SKIN - A REVIEW			
BIOL REV	30	159	55
WEINER J	LEIKIND M	GIBSON J	
VISIBILITY - A BIBLIOGRAPHY			
ZZLIBRARY OF CONGRESS, REFERENCE DEPT, TECH INFO DIV			
ZZZ AD10557			
JULY			52A
WEINER J S	A SPECTROPHOTOMETER FOR MEASUREMENT OF SKIN COLOR		
MAN	1	253	52B
WEINER J	VAN HEYNINGEN R		
RELATION OF SKIN TEMPERATURE TO SALT CONCENTRATION OF			
GENERAL BODY SWEAT			
J APPL PHYSIOL	4	725	52
WEISBERGER A			
PHYSICAL TECHNIQUES IN ORGANIC CHEMISTRY			
MULTIVOLUME BOOKSET			
WEISENBERGER E			
TEN MICROMICROGRAM SENSITIVITY BY ELECTRODEPOSITION ANALYSIS			
FOR COPPER			
MIKROCHIM ACTA	PAGE	946	60
WEISSLER G			
QUANTITATIVE MEASUREMENTS OF RADIATION OF THE EXTREME			
ULTRAVIOLET			
ZZDEPT OF PHYSICS, U OF SOUTHERN CAL, LA			
ZZARMY OFFICE OF ORDNANCE RES			
ZZZ AD295132			
NOV 30			62
WEISZ A	LICKLIDER J	SWETS J	
HUMAN PATTERN RECOGNITION PROCEDURES AS RELATED TO			
MILITARY RECOGNITION PROBLEMS			
ZZBOLT BERANEK AND NEWMAN, CAMBRIDGE MASS			
ZZELECTRONICS RES DIR, AF CAMB RES LAB, BEDFORD MASS			
ZZZ AD278540			
AFCRL-62-387 JUNE 15			62
WELCHER F			
STANDARD METHODS FOR CHEMICAL ANALYSIS			
VAN NOSTRAND NY			63
WELKOWITZ W			
MECHANICAL MECHANISM OF DESTRUCTIVE EFFECTS OF SOUND ON			
TISSUE			
J ACOUST SOC AMER	27	1142	55
WELLS W	MAKITA M		
THE QUANTITATIVE ANALYSIS OF FAECAL NEUTRAL STEROLS BY			
GAS-LIQUID CHROMATOGRAPHY			
-ANALYT BIOCHEM	4	204	62
WENZEL B			
TECHNIQUES IN OLFACTOMETRY A CRITICAL REVIEW OF THE			

LAST ONE HUNDRED YEARS PSYCHOL BULL 45 231	48
WENZEL B PRACTICAL APPLICATIONS OF OLFACTOMETRY PROC SCI SECT TOILET GOODS ASS 14 11	50
WENZEL B THE CHEMICAL SENSES ANN REV PSYCHOL 5 111	54
WESCOTT J KUSHNER S ACOUSTIC BACKGROUND AT THE EARTHS SURFACE ZZACOUST AND SEISMIC LAB, INST OF SCI AND TECH, U OF MICH ZZARMY SIGNAL MISSILE SUPPORT AGENCY, WHITE SANDS ZZZ AD297481 FINAL REPORT FEB	63
WEYBRFW B BIBLIOGRAPHY OF SENSORY DEPRIVATION ISOLATION AND CONFINEMENT ZZNAVAL MED RES LAB, NEW LONDON CONN ZZZ AD234102 MEM REP NO 60-1 JAN	60
WHARTON D THE ODOROUS ATTRACTANT OF THE COCKROACH PERIPLANETA AMERICANA J GEN PHYSIOL 37 461	61A
WHARTON D R WHARTON M L EFFECTS OF RADIATION ON NITROGEN AND PHOSPHORUS EXCRETION BY THE COCKROACH, PERIPLANETA AMERICANA, L RADIATION RESEARCH 14 432	61B
WHARTON M WHARTON D THE PRODUCTION OF SEX ATTRACTANT SUBSTANCE AND OF OOTHECAE BY THE NORMAL AND IRRADIATED AMERICAN COCKROACH PERIPLANETA AMERICANA L J INSECT PHYSIOL 1 229	57
WHEATLEY V THE ESTIMATION OF SQUALENE IN SEBUM AND SEBUM LIKE MATERIALS BIOCHEM J 55 637	53
WHEATLEY V SEBUM, ITS CHEMISTRY AND BIOCHEMISTRY AMER PERFUM AROM 68 37	56
WHEATON J FACT AND FANCY IN SENSORY DEPRIVATION STUDIES ZZDEPT NEUROPSYCH, AIR UNIV, BROOKS AFB TEX ZZZ 226325 REVIEW 5-59 AUGUST	59
WHEATON R HUMAN WASTES IN A SIMULATED MANNED SPACE CRAFT IN /BIOLOGISTICS FOR SPACE SYSTEMS/ ZZAEROSPACE MED LAB WADD DAYTON AMRL-TDR-62-116	62
WHITCOMB M	

BIBLIOGRAPHY OF REPORTS ACQUIRED BY CHABA ZZCOMM ON HEARING AND BIO-ACOUSTICS, WASH, DC JANUARY	63
WHITE P CULTIVATION OF ANIMAL AND PLANT CELL RONALD PRESS, NY	61
WHITEHAIR L MATSUMURA K THE INFLUENCE OF DIET ON VOLUME AND MAJOR MOLECULAR COMPOSITION OF GASTROINTESTINAL GAS IN RATS ZZARMED FORCES FOOD AND CONTAIN INST, NATICK, MASS ZZZ AD292637 INTERIM REP, AMXFC REP NO 38-62 NOVEMBER	62
WHITNEY L DOGS AND KENNEL SCIENCE KENNEL SCI PUBL CO NEW HAVEN	33
WHITNEY L BLOODHOUNDS WHITNEY NY	47
WHITNEY L BLOODHOUNDS JUDD PUBL CO NY	55
WIGGLESWORTH V PRINCIPLES OF INSECT PHYSIOLOGY METHUEN, LOND	53
WILLIAMS C LEONARD R MICROANALYTICAL DETERMINATIONS OF DIHYDROXY AROMATIC ACID BY GAS CHROMATOGRAPHY ANALYT BIOCHEM 5 362	63
WILLIAMS C SWEELEY C A NEW METHOD FOR THE DETERMINATION OF URINARY AROMATIC ACIDS BY GAS CHROMATOGRAPHY J CLIN ENDOCRIN 21 1500	61
WILLIAMS D SMITH S THE DETERMINATION OF MICROGRAM QUANTITIES OF MONOETHANOLAMINE AND AMMONIA IN AIR ZZNAV RES LAB WASH NRL MEMO REP 898	59
WILLIAMS H IMPAIRED PERFORMANCE WITH ACUTE SLEEP LOSS PSYCHOL MONOGR 73 NO 14	59
WILLIAMS R QUANTITATIVE DETERMINATION OF ORGANIC STRUCTURES BY NUCLEAR MAGNETIC RESONANCE, INTENSITY MEASUREMENTS ANN NY ACAD SCI 70 890	58
WILLIAMS R DETOXICATION MECHANISMS, METABOLISM AND DETOXICATION OF DRUGS, TOXIC SUBSTANCES AND OTHER ORGANIC COMPOUNDS CHAPMAN AND HALL, LOND	59A

WILLIAMS R
NUCLEAR MAGNETIC RESONANCE IN PETROLEUM ANALYTICAL RESEARCH
SPECTROCHIM ACTA 14 24 59B

WILLIAMS R
DETOXICATION MECHANISMS /DRUGS/
CHAPMAN AND HALL, LOND 59C

WILLIAMSON A ZAMENHOF S
DETECTION AND RAPID DIFFERENTIATION OF GLUCOSAMINE AND
GALACTOSAMINE, GLUCOSAMINE-URONIC ACID AND
GALACTOSAMINE-URONIC ACID
ANAL BIOCHEM 5 47 63

WILLIS E
OLFACTORY RESPONSES OF FEMALE MOSQUITOES
J ECON ENTOMOL 40 769 47

WILLIS E
OLFACTORY RESPONSES OF FEMALE MOSQUITOES- RESPONSES OF AEDES
AEGYPTI AND ANOPHELES QUADRIMACULATUS TO HUMAN ODOR AND TO
CO2 IN AN OLFACTOMETER
OHIO STATE U - ABSTRACTS OF DOCTORAL DISSERTATIONS
54 395 48

WILSON E DURLACH N ROTH L
CHEMICAL RELEASERS OF NECROPHORIC BEHAVIOR IN ANTS
PSYCHE 65 108 58

WILSON E PAVAN M
GLANDULAR SOURCES AND SPECIFICITY OF SOME CHEMICAL
RELEASERS OF SOCIAL BEHAVIOR IN DOLICHODERINE ANTS
PSYCHE 66 70 59

WILSON E
CHEMICAL COMMUNICATIONS AMONG WORKERS OF THE FIRE ANT
SOLENOPSIS SAEVISSIMA
ANIM BEHAV 10 134 62

WILSON W
PULSED AND MODULATED ULTRAVIOLET AND INFRARED SYSTEMS
ZZZ AD320189
MAY 31 60

WING J TOUCHSTONE R
A BIBLIOGRAPHY OF THE EFFECTS OF TEMPERATURE ON HUMAN
PERFORMANCE
ZZBEHAVIORAL SCI LAB, AEROSPACE MED DIV, WPAFB, OHIO
AMRL-TDR-63-13 FEB 63

WINKELMANN R MEYERS T
THE HISTOCHEMISTRY AND MORPHOLOGY OF THE CUTANEOUS
SENSORY END-ORGANS OF THE CHICKEN
J COMPAR NEUROL 117 27 61

WINSTON P W
POSSIBLE HUMIDITY RECEPTOR MECHANISM IN THE CLOVER MITE
J INSECT PHYSIOL 9 89 62

WITHEY S
REACTION TO UNCERTAIN THREAT

ZZSURVEY RES CENT, U OF MICH, LANSING- APRIL	56
WITKIN H WAPNER S LEVENTHAL T SOUND LOCALIZATION WITH CONFLICTING VISUAL AND AUDITORY CUES J EXP PSYCHOL 43 58	52
WITTFOGEL K FOOD SCIENCE IN CHINA AND INDIA P 61 IN HUMAN NUTRITION, HISTORIC AND SCIENTIFIC /GALDSTON/	
WOLBARSH T M WATER TASTE IN PHORMIA SCIENCE 125 1248	57
WOLBARSH T M ELECTRICAL ACTIVITY IN THE CHEMORECEPTORS OF THE BLOWFLY J GEN PHYSIOL 42 393	XX
WOLBARSH T M HANSON F DENDRITIC ACTION POTENTIALS IN BIPOLAR CHEMORECEPTORS ABSTR 11 ANN MTG BIOPHYS SOC, NYC ITEM WF 5	63
WOLF A THIRST THOMAS, SPRINGFIELD	58
WOLF E ULTRAVIOLET TRANSMITTER DESIGN AND DEVELOPMENT PROGRAM ZZSYLVANIA ELECTRONIC SYST CENT, BUFFALO NY ZZCMMUN LAB, AERONAUT SYS DIV, WP-AFB OHIO ZZZ AD297894 TECH DOC REP ASD-TDR-63-69 DEC	62
WOLKEN J PHOTORECEPTOR STRUCTURES IN BIOLOGICAL SYSTEMS INT REV CYTOL 2 195	61
WOLOCHOW H DETECTION OF AIRBORNE MICROORGANISMS THROUGH THEIR UNIQUE COMPOUNDS ZZNAVAL BIO LAB, U CAL, BERKELEY, CALIF ZZBUREAU OF YARDS AND DOCKS, OFF OF NAVAL RES ZZZ AD211120 JANUARY 15	59
WOOD C FYDE M, EDS THE ART OF FALCONRY /OF FRIEDRICH 2, EMPEROR OF GERMANY/ BRANFORD, BOSTON	55
WOOD W DEEM H METHODS OF MEASURING EMITTANCE ZZDEFENSE METALS INFO CENT, BATTELLE MEMORIAL INST, COLUMBUS ZZZ AD248977 DMIC MEMO 78 DEC 27	60
WOOD W SNELL J QUANTITATIVE SYSTEM FOR CLASSIFYING LANDFORMS ZZQM RES AND ENG CENT, NATICK TECH REP EP-124 FEB	61

WOOD W	DEEM H	LUCKS C	
THERMAL RADIATIVE PROPERTIES OF SELECTED MATERIALS			
ZZDEFENSE MFTALS INFO CENT, BATTELLE MEM INST, COLUMBUS O			
ZZZ AD294345			
DMIC REP 177 VOL 1 NOV 15			62
WOODHEAD A	TAYLOR		
STUDY OF ELECTROSTATIC IMAGE CONVERTER TUBES FOR NIGHT VIEWING			
ZZMULLARD RESEARCH LABS			
ZZC.V.D. ADMIRALTY			
ZZZ AD295064			
C.V.D. ANNUAL REPORT RP8-23 DECEMBER			62
WOODROW A			
METHODS FOR TESTING BEE ATTRACTANTS			
BULL ENTOM SOC AMER 4 91			58
WORTH R			
RURAL HEALTH IN CHINA FROM VILLAGE TO COMMUNE			
AM J HYGIENE 77 228			63
WORTHING A			
TEMPERATURE RADIATION EMISSIVITIES AND EMITTANCES			
J APPL PHYSIOL 11 421			40
WRIGHT	TELKES M		
/REFLECTING POWER OF WHITE AND NEGRO SKIN/			
PROC AM PHYSIOL SOC MARCH 30			34
WRIGHT M			
WRIGHT			
THE INFRARED ABSORPTION SPECTRA OF THE STEREOISOMERS OF CYSTINE			
J BIOL CHEM 120 641			37
PERSISTENCE OF TASTE ORGANS IN TONGUE TRANSPLANTS OF TRITURUS V			
J EXP ZOOL 129 357			55
WRIGHT R	MICHELS K		
HUMAN PROCESSING OF OLFACTORY INFORMATION			
PRESENTED AT THIRD BIONICS SYMPOSIUM, DAYTON MARCH			63
WROBEL J			
A STUDY FOR MATERIALS FOR INFRARED RADIATION DETECTORS			
ZZSYRACUSE UNIVERSITY RESEARCH INSTITUTE			
ZZU.S. AIR FORCE			
ZZZ AD29499			
SEMIANNUAL REPORT NO 2 JANUARY 20			63
WULFECK J	WEISZ A	RABEN M	
VISION IN MILITARY AVIATION			
ZZTUFTS U AND JACKSON AND MORELAND INC, ENGINEERS			
ZZAEROMED LAB, WADC OHIO			
ZZZ AD207780			
WADC TR 58-399 NOVEMBER			58
WYATT P	STULL V	PLASS G	
THE INFRARED ABSORPTION OF WATER VAPOR			
ZZFORD MOTOR CO, NEWPORT BEACH, CAL			

ZZAF SYS COMD L.A. CAL AND GEOPHYS RES DIR, AF CAMB RES LAB
ZZZ AD297458
FINAL REP VOL 2 SSD-TDR-62-127 SEPT 62

WYNNE-EDWARDS V
ANIMAL DISPERSION IN RELATION TO SOCIAL BEHAVIOR
HAFNER, NY 62

YAMAMOTO Y QUANTITATIVE CORRELATION ON THE BASES IN URINE FUKUSHIMA MED J 9 601	59
YAMASHITA S STIMULATING EFFECTIVENESS OF CATIONS AND ANIONS AS CHEMORECEPTORS IN THE FROG JAP J PHYSIOL 13 54	63
YAROSLOWSKI N STANEWICK A ABSORPTION OF HUMID AIR IN THE FORTY TO TWO THOUSAND MICRON REGION OPTICS AND SPECTROS 6 799	59
YATES H TOTAL TRANSMISSION OF THE ATMOSPHERE IN THE INFRARED ZZNAVAL RES LAB, WASH NRL 3858 SEPT 10	51
YOSHIMI T THE DIURNAL RHYTHM OF SALT EXCRETION J PHYSIOL SOC, JAPAN 21 981	59
YUNKER W PURE ROTATIONAL SPECTRUM OF WATER VAPOR 1 TABLE OF LINE PARAMETERS ZZWHITE SANDS MISSILE RANGE, N M ZZZ AD298151 ERDA-2 FEBRUARY	63

ZAHN W /OLFACTORY SENSE OF CERTAIN BIRDS/ Z VERGLEICH PHYSIOL 19 785	33
ZEFF J BAMBENEK DEVELOPMENT OF A UNIT FOR RECOVERY OF WATER AND DISPOSAL OR STORAGE OF SOLIDS FROM HUMAN WASTES - PART 1- THE STUDY PHASE ZZAMER MACHINE AND FOUNDRY, MECHANICS RES DIV ZZAEROSPACE MED LAB, WRIGHT AIR DEV CENT, WPAFB, OHIO ZZZ AD234007 WADC TECH REP 58-562-I NOVEMBER	59
ZIMMER H MELTZER M AN ANNOTATED BIBLIOGRAPHY OF LITERATURE RELEVANT TO THE INTERROGATION PROCESS ZZGEORGETOWN MED CENT, WASH ZZAIR FORCE PERSONNEL AND TRAINING CENT ZZZ AD220465 DEC	57
ZOTTERMAN Y THE NERVOUS MECHANISM OF TASTE ANN NY ACAD SCI 81 358	59