

UNCLASSIFIED

AD 4 3 9 2 7 0

DEFENSE DOCUMENTATION CENTER

FOR

SCIENTIFIC AND TECHNICAL INFORMATION

CAMERON STATION, ALEXANDRIA, VIRGINIA



UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

64-13 M 38-60-38

The 1st quarterly REPORT ON

CONTRACT NO DA 92-557-FEC-34753

INCLUSIVE DATES 15 March 1962 TO 14 June 1962

Quarterly progress report, no. 1,  
15 Mar - 14 Jun 62,

SUBJECT OF INVESTIGATION

6 → PHYSICOCHEMICAL STUDIES  
ON  
THE MICROSOMAL RIBONUCLEOPROTEIN  
PARTICLES

RESPONSIBLE INVESTIGATOR

10 → Akira Inouye

~~Professor of Physiology~~  
~~Department of Physiology~~  
~~Faculty of Medicine~~

→ Kyoto Univ. (Japan)

5 → 200250

DDC  
MAY 12 1964  
TISA A

U.S. Army Research & Development Group (9852) (Far East)

Office of the Chief of Research and Development  
United States Army  
APO 343

3-

SP 4/10

AD N5  
DDC FILE COPY

439270

439270

D-I-S-T-R-I-B-U-T-I-O-N

The distribution of this report as made by USA R&D Gp  
(FE) (9984) is as follows:

Army Research Office, OCRD, Washington 25, D. C.	(3)
Surgeon, Hq USARJ, APO 343	(1)
CO, 406th Medical General Laboratory, USAMCJ, APO 343	(1)
Scientific Attache, American Embassy, Tokyo, Japan	(1)
Army Attache, American Embassy, Tokyo, Japan	(1)

PHYSICO-CHEMICAL STUDIES  
ON  
THE MICROSOMAL RIBONUCLEOPROTEIN PARTICLES

The First Quarterly Progress  
Report on the Second Year

Dr. Akira Inouye  
Professor of Physiology  
Department of Physiology  
Faculty of Medicine  
Kyoto University  
Kyoto, Japan

CONTENTS

PAGE

I. The Scheme of the Investigation in the Second Year.	1
II. Results Obtained to Date	2
1. Magnetochemical Property of the Ribosome and the nucleic acid	
2. Effect of Magnetic Field on the Ribosomes	
III. Research Plan at the Next Quarter	4
1. Accomplishment of the experiments made in the first quarter period	
2. Studies on the isolation of brain microsomes and ribosomes	
3. Electron-microscopical and biochemical studies on the brain microsomes	
IV. List of References	5

## I. THE SCHEME OF THE INVESTIGATION IN THE SECOND YEAR.

1. In the last year, we studied chiefly the physicochemical properties of liver ribosome and its RNA. Recently, however, a new physical property of the nucleic acid, a ferromagnetic one, was described by Blumenfeld(1). Using an electromagnet in our laboratory, therefore, studies on such a somewhat unusual property will be made.

2. The liver microsomes were chiefly studied by many investigators hitherto, but little attention was paid to those of brain. In contrast to ribosome, the term, "microsome" can not be, strictly speaking, uniquely defined from the biochemical point of view. In view of the importance of microsomal particles in the brain function, we will study the isolation method of brain microsomal fraction and their biochemical characteristics.

## II. RESULTS OBTAINED TO DATE

### 1. Magnetochemical property of the ribosome and the nucleic acid.

It has been already reported (2,4,5) that DNA showed a broad electron spin resonance (ESR) spectra similar to that of ferromagnetic substance. In our laboratory, it was also observed in the experiments on the effect of  $\gamma$ -irradiation on the free radical formation that such a broad ESR spectra of RNA and DNA appear which we attributed to the background noise at that time (3). Hence we studied the magnetic susceptibility ( $\chi$ ) and ESR spectra of the ribosomes, RNA and DNA.

The ribosomes and its RNA were prepared as described in the previous report, while DNA was prepared from calf thymus gland by the conventional Hammersten's method.

The ferromagnetic behavior of these substances could be confirmed by their  $\chi$  measurement as well as by ESR spectra. To exclude the contribution of iron as a ferromagnetic impurity, samples were dialysed for several hours in the presence of EDTA. Only the trace or none of iron was found in the samples of nucleic acids. In the ribosomes, however, considerable amount of iron could be detected, which was hardly eliminated with a mild procedure. Hence further experiments on the ribosome were abandoned.

Such a ferromagnetism of nucleic acids was highest at pH of about 8 and disappeared in the alkaline media (pH above 10). After hydrolysis of the acids, they became diamagnetic and their ferromagnetic behavior could not be recovered by neutralisation of hydrolysates.

The isolated nuclei as well as the DNA extracted from them was found also ferromagnetic, but the protein prepared from them never.

From the experimental results mentioned above, it seems highly probable that RNA and DNA of high molecular weight are ferromagnetic in themselves, and hence they would be so even in the ribosomes. If their magnetic property results from the trace of iron, it should originate from a specific structure of iron stabilized on the nucleic acid molecules, for instance colloidal micells of hydroxide, whose breakdown by alkali causes disappearance of observed magnetic behavior.

### 2. Effect of magnetic field on the ribosomes.

If the magnetic properties of RNA has a physiological significance in the role of ribosomes as a field of protein biosynthesis,

strong magnetic field would affect the ribosomal activity of incorporating amino acids. Using liver ribosomes as well as those prepared from the reticulocytes of rabbits made anemic by phenylhydrazine administration, incorporation rate of  $C^{14}$ -leucine was studied. The field strength of  $2 \times 10^4$  gauss depress the rate by about 15-20 %, while it showed hardly any effect on the oxygen uptake of liver slice, and blood cell suspension. But further experiments would be required to draw any conclusion on the nature of such an effect.

### III. RESEARCH PLAN AT THE NEXT QUARTER

1. Accomplishment of the experiments made in the first quarter period.

Some observations stated above will be repeated.

2. Studies on the isolation of brain microsomes and ribosomes.

Using the ultracentrifugation in the density gradient, isolation of microsomes and ribosomes will be attempted on the rabbit brain. If possible, a systematic examination of fractionation method of subcellular particles will be made.

3. Electron-microscopical and biochemical studies on the brain microsomes.

On the microsomal fraction thus isolated, its morphological and biochemical studies will be made.

#### IV. LIST OF REFERENCES

1. Blumenfeld, P.A. Doklady, 124: 1144-1146 (1959)
2. Blois, M.S. & Maling, J.E. Biochem. Biophys. Res. Comm. 4: 252-257 (1961)
3. Imai, Y. J. Biochem. 49:85-90 (1961)
4. Müller, A., Holtz, G. & Zimer, K. Biochem. Biophys. Res. Comm. 4: 214-217 (1961)
5. Schulman, R.G., Walsch, W.M. Ibid. 5:52-56 (1961)