

UNCLASSIFIED

AD NUMBER
AD443102
NEW LIMITATION CHANGE
TO Approved for public release, distribution unlimited
FROM Distribution: Further dissemination only as directed by Ballistic Research Lab., Aberdeen Proving Ground, MD., Apr 1964 or higher DoD authority.
AUTHORITY
USAARDC ltr, 7 Sep 1977

THIS PAGE IS UNCLASSIFIED

CLASSIFIED BY DDC

443102

AS 40 N9

BRL

MEMORANDUM REPORT NO. 1518
APRIL 1964

4 4 3 1 0 2


PEAK OVERPRESSURE VS SCALED DISTANCE
FOR TNT SURFACE BURSTS
(HEMISPHERICAL CHARGES)

C. N. Kingery
B. F. Pannill

RDT & E Project No. 1M010501A00

BALLISTIC RESEARCH LABORATORIES

ABERDEEN PROVING GROUND, MARYLAND



Reproduced From
Best Available Copy

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

Reproduced From
Best Available Copy

DDC AVAILABILITY NOTICE

Qualified requesters may obtain copies of this report from DDC.

Foreign announcement and dissemination of this report by DDC is not authorized.

The findings in this report are not to be construed as an official Department of the Army position.

**Reproduced From
Best Available Copy**

BALLISTIC RESEARCH LABORATORIES

MEMORANDUM REPORT NO. 1518

APRIL 1964

PEAK OVERPRESSURE VS SCALED DISTANCE
FOR TNT SURFACE BURSTS
(HEMISPHERICAL CHARGES)

C. N. Kingery
B. F. Parnill

Terminal Ballistics Laboratory

Program was supported in part by
the Defense Atomic Support Agency; WEB NO. 02.049

Reproduced From
Best Available Copy

RDT & E Project No. 1M0105C1A006

ABERDEEN PROVING GROUND, MARYLAND

BALLISTIC RESEARCH LABORATORIES

MEMORANDUM REPORT NO. 1518

CNKingery/HFPannill/paf
Aberdeen Proving Ground, Md.
April 1964

PEAK OVERPRESSURE VS SCALED DISTANCE
FOR TNT SURFACE BURSTS
(HEMISPHERICAL CHARGES)

ABSTRACT

This report contains a presentation of peak overpressure versus scaled distance values derived from empirical measurements made by Canada, the United Kingdom and the United States. The measurements were made on 5, 20 and 100 ton TNT surface bursts. The charges were hemispherical in shape and the instrumentation included overpressure versus time gages and the photo-optical shock front velocity technique for determining peak overpressure.

Reproduced From
Best Available Copy

TABLE OF CONTENTS

	Page
ABSTRACT	5
OBJECTIVES	7
BACKGROUND	7
RESULTS	8
SCALING	9
COMPARISONS.	10
REFERENCES	12

Reproduced From
Best Available Copy

OBJECTIVES

The primary objective of this report is to present a compilation of overpressure measurements obtained from a series of TNT detonations. For many years there has been a need for a reliable surface burst peak overpressure versus distance curve extending from 2000 psi to .01 psi. Curves presenting overpressure versus radial distance (measured and theoretical) have been available for many years for spherical charges detonated in free air. This is not true however, for surface burst overpressure curves which in general have been over a limited range of overpressure, and based on either small charges or charges fired under various environmental conditions, making reliable scaling difficult. It is the objective of this report to combine measurements made by Canadian, United Kingdom and United States scientists into one report which might be used as a standard for TNT surface bursts.

BACKGROUND

The Suffield Experimental Station (SES) working under the guidance of the Defense Research Board of Canada began a series of field experiments relating to blast and shock using yields of 5 tons of TNT in 1959. The U. S. was invited to participate in one of the trials in September 1959. We accepted this invitation, and sent a blast team from the Ballistic Research Laboratories (BRL) to establish a blast line and to measure the overpressure versus time at selected distances from ground zero. The preliminary results were reported in a technical paper published by SES with a very limited distribution⁽¹⁾. The results obtained by the Canadian team were reported in Suffield Technical Paper No. 205⁽²⁾ along with results of four other 5 ton shots. The Canadian results were primarily peak overpressure values obtained from a photo-optical technique.

In 1960 a 20 ton TNT test was conducted at SES and again the U. S. sponsored several projects. One of the major projects from the U. S. was the measurement of overpressure versus distance by BRL. The United Kingdom (UK) also participated with several projects, one of which was also to measure overpressure versus distance. A Tripartite blast line was established and the three countries placed various pressure transducers at similar distances along the blast line for comparison. The results

from the tripartite blast line were published in Suffield Report No. 203⁽³⁾.

A third test in which the BRL participated was the 1961 Canadian 100 ton TNT trial. Here again Canada, the U. K. and the U. S. instrumented blast lines and recorded the overpressure versus time at selected distances from ground zero. The results from this test have not been published in final form by all participants although preliminary data is available. The final U. S. data are available in a BRL report⁽⁴⁾ and the preliminary data from Canada were obtained from private correspondence⁽⁵⁾. Data from the U. K. are reported in reference (6) and have also been compiled in this report.

RESULTS

The values of peak overpressure measured by the various countries and presented in the referenced sources were all scaled to a one pound equivalent at standard sea-level conditions. A total of 273 data points was used in establishing the curve as presented in Figure 1. These points were punched on IBM cards as scaled distance (λ) versus scaled overpressure (P_s). (λ) is a scaled distance and equals $R/W^{1/3}$ where R = actual distance in feet and W = yield in pounds. Therefore, λ is equal to R for a one pound charge. The logarithms corresponding to these data points were computed, and by a method of least squares the coefficients for a polynomial equation were derived. The result is:

$$\begin{aligned} \ln P_s = & 7.0452041 - 1.6277561 X - .27399088 X^2 \\ & - .065973136 X^3 + .0065412563 X^4 + .048236359 X^5 \\ & - .020072553 X^6 + .0030190449 X^7 - .00015984026 X^8 \end{aligned} \quad (1)$$

where $X = \log \lambda$

with λ values from 0.5 to 440.

This equation, while fitting the points well over the range of values given, would be misleading if used in the very low pressure region (below 0.2 psi). Therefore, all values beyond a λ of 40 were processed through the computer, assuming an exponential decay and the following equation was derived for the low pressure range.

$$P_s = 226.61762 \lambda^{-1.4065913} \quad (2)$$

where $40 < \lambda < 1000$.

Equation 1 and 2 were combined to produce the values listed in Table I. Selected values of λ were put into equation 1 and values of peak overpressure were computed from $\lambda = .50$ to $\lambda = 70$. Equation 2 was used from $\lambda = 75$ to $\lambda = 1000$. The resulting pressure versus distance values calculated from equation 1 and 2 are listed in Table I and plotted in Figure I. It is felt that this curve is the best empirical curve available to date.

SCALING

To use the table or plotted curve for predicting peak overpressure versus distance for other TNT yields at other than standard sea level conditions, standard scaling procedures should be used. The scaling factor S_d for distance may be calculated from

$$S_d = \left[W \frac{14.696 \text{ psi}}{P_A} \right]^{1/3} \quad (3)$$

where W = Yield in pounds

P_A = Ambient atmosphere at altitude (psi).

Therefore λ times S_d will give the new distance.

When scaling the peak overpressure to be expected where the ambient atmosphere is other than 14.696 psi a scaling factor S_p should be used. The factor S_p may be calculated from

$$S_p = \left[\frac{P_A}{14.696} \right] \quad (4)$$

where P_A = Ambient atmospheric pressure at altitude (psi). Therefore S_p times the peak overpressure listed in the table or taken from the curve will give the new pressure value.

Reproduced From
Best Available Copy

COMPARISONS

In an effort to determine the reliability of the values computed from the equations and the measured values the following method of comparison was established. The scaled overpressures versus distances (λ) were compared with calculated overpressures at a similar scaled distance λ . The comparison consisted of establishing the difference (plus or minus) between the two overpressures and then calculating the percentage or relative error between the computed value and the scaled measured value. The positive relative errors were summed and divided by the number of values to establish the mean positive relative error. The same procedure was used to establish the mean negative relative error. From these two values one can determine how well the computed values compare with the measured values on a percentage basis.

There were 45 datum points used from the 5 ton shot and of these 27 points were positive with positive relative error of 7.48 percent. There were 18 negative points with a relative error of 4.86 percent. This implies of course that 60 percent of the data fell an average of 7.48 percent above the curve and 40 percent of the data fell an average of 4.86 percent below the curve.

There was a total of 140 datum points compiled from the 20 ton shot. Of these 64 were positive with a mean positive relative error of 4.12 percent and 76 were negative with a mean negative relative error of 7.20 percent. Therefore 45.7 percent of the measured values were an average of 4.12 percent above the computed values while 54.3 percent fell an average of 7.20 percent below the computed values.

From the 100 ton shot a total of 88 datum points was used. There were 45 points positive with a mean relative error of 8.20 percent and 43 points negative with a mean relative error of 6.44 percent. This implies that approximately 51 percent of the measured points fell an average of 8.20 percent above the computed values and 49 percent of the measured points fell an average of 6.44 percent below the computed values.

For a final comparison a total of 273 datum points, compiled from the measurements made on the three shots, was used. There were 136 points positive with a mean relative error of 6.14 percent and 137 points negative with a mean relative error of 6.65 percent. This means approximately 50 percent of the measured points fell an average of 6.14 percent above the computed values while 50 percent fell an average 6.65 percent below the computed values.

Since there are some isolated points which indicate large relative errors and tend to outweigh the smaller values listed an investigation of the frequency distribution of the points was made and the results are presented in Table II. From the table it can be seen that approximately two thirds of all datum points lie within the two average relative error values of +6.14 percent and -6.65 percent.

C. N. Kingery
C. N. KINGERY

B. F. Pannill
B. F. PANNILL

**Reproduced From
Best Available Copy**

REFERENCES

1. Preliminary Results from 1/2 Ton Air Burst and 5 Ton Surface Shot. U. S. Visiting Team, 1959.
2. Groves, T. K. Air Blast Peak Overpressure from 5 Ton TNT Ground Burst. Hemispherical Charges. Suffield Technical Paper 205, 1961.
3. Scientific Observations on the Explosion of a 20 Ton TNT Charge. Volume 2, Tripartite Blast Measurements, Suffield Report 203, 1961.
4. Kingery, C., Keefer, J., and Day, J. Surface Air Blast Measurements from a 100 Ton TNT Detonation. Ballistic Research Laboratories Memorandum Report 1410, 1962.
5. Letter dated 15 March 1962 reference SES 1601-12-1 (P&MS) to C. Kingery transmitting overpressure versus distance curves for the 100 Ton Trial.

Letter dated 23 February 1962 transmitting pressure versus time curves recorded on the 100 Ton Trial.
6. James, D. J. SES 100 Ton TNT Blast Trial - Suffield, Alberta, August 1961, 1/40th Scale Experiment to Assess the Effect of Nuclear Blast on the London Underground System. AWRE Report No. E2/62, November 1962.

Reproduced From
Best Available Copy

TABLE I
OVERPRESSURE VS. SCALED DISTANCE

DISTANCE λ	OVER- PRESSURE	OVER- PRESSURE	DISTANCE λ	OVER- PRESSURE	OVER- PRESSURE
FT./LB. ^{1/3}	PSI	ATM.	FT./LB. ^{1/3}	PSI	ATM.
.50	3149.9277	214.33912	27.50	1.9134	.13020
.55	2781.2537	189.25243	30.00	1.7056	.11606
.60	2471.0154	168.14204	32.50	1.5369	.10458
.65	2208.8227	150.30094	35.00	1.3971	.09507
.70	1985.6567	135.11545	37.50	1.2793	.08705
.75	1794.1976	122.08748	40.00	1.1785	.08019
.80	1628.5464	110.82243	45.00	1.0149	.06906
.90	1357.9630	92.40358	50.00	.8876	.06040
1.00	1147.3430	78.07179	55.00	.7857	.05346
1.10	979.9653	66.68245	60.00	.7023	.04779
1.25	786.5415	53.52078	65.00	.6328	.04306
1.50	564.7510	38.42889	70.00	.5742	.03907
1.75	419.7423	28.56167	75.00	.5222	.03551
2.00	320.7123	21.82310	80.00	.4759	.03245
2.25	250.7734	17.06406	90.00	.4041	.02750
2.50	200.0081	13.60970	100.00	.3484	.02371
2.75	162.2950	11.04354	110.00	.3047	.02073
3.00	133.7117	9.09851	125.00	.2546	.01732
3.25	111.6599	7.59798	150.00	.1970	.01340
3.50	94.3778	6.42201	175.00	.1586	.01079
3.75	80.6412	5.48729	200.00	.1314	.00894
4.00	69.5828	4.73481	225.00	.1114	.00758
4.50	53.1643	3.61760	250.00	.0960	.00653
5.00	41.8400	2.84703	275.00	.0840	.00571
5.50	33.7565	2.29699	300.00	.0743	.00506
6.00	27.8152	1.89270	325.00	.0664	.00452
6.50	23.3370	1.58798	350.00	.0598	.00407
7.00	19.8070	1.35323	375.00	.0543	.00369
7.50	17.1779	1.16888	400.00	.0496	.00337
8.00	15.0143	1.02166	450.00	.0420	.00286
9.00	11.8195	.80427	500.00	.0362	.00246
10.00	9.6147	.65424	550.00	.0317	.00216
11.00	8.0286	.54631	600.00	.0280	.00191
12.50	6.3672	.43326	650.00	.0250	.00170
15.00	4.6653	.31746	700.00	.0226	.00154
17.50	3.6491	.24831	750.00	.0205	.00139
20.00	2.9842	.20306	800.00	.0187	.00127
22.50	2.5189	.17140	900.00	.0158	.00108
25.00	2.1761	.14807	1000.00	.0137	.00094


Reproduced From
Best Available Copy

TABLE II
DISTRIBUTION OF DATUM POINTS WITHIN SELECTED RELATIVE ERROR RANGE

POSITIVE RELATIVE ERROR	NUMBER OF POINTS	NEGATIVE RELATIVE ERROR	NUMBER OF POINTS	RANGE OF RELATIVE ERROR	NUMBER OF POINTS	PERCENT OF TOTAL POINTS*
PERCENT +		PERCENT -		PERCENT ±		PERCENT
1	23	1	20	1	43	15.7
2	18	2	18	2	79	29.0
3	16	3	17	3	112	41.0
4	10	4	15	4	137	50.0
5	11	5	10	5	158	57.8
6	7	6	6	6	171	62.5
7	4	7	3	7	178	65.0
8	5	8	9	8	192	70.2
9	6	9	2	9	200	73.1
10	9	10	5	10	214	78.2
11	5	11	5	11	224	82.0
12	4	12	4	12	232	85.0
13	6	13	4	13	242	88.5
14	0	14	4	14	246	90.0
15	5	15	0	15	251	92.0
16	1	16	1	16	253	92.5
17	1	17	1	17	255	93.5
18	1	18	0	18	256	93.6
19	3	19	1	19	260	95.0
20	1	20	3	20	264	96.6
21	0	21	2	21	266	97.4
22	0	22	1	22	267	97.6
23	0	23	2	23	269	98.4
24	0	24	1	24	270	98.9
25	0	25	1	25	271	99.0
26	0	26	1	26	272	99.5
27	0	27	1	27	273	100.0

* TOTAL NUMBER OF POINTS WAS 273

Reproduced From
Best Available Copy



Reproduced From
Best Available Copy

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
20	Commander Defense Documentation Center ATTN: TIPCR Cameron Station Alexandria, Virginia 22314	1	Commandant Industrial College of the Armed Forces Fort Lesley J. McNair Washington 25, D. C.
1	Director Advanced Research Projects Agency ATTN: Dr. Charles Bates Washington, D. C. 20301	1	Director IDA/Weapon Systems Evaluation Group Room 1B275, The Pentagon Washington, D. C. 20315
1	Commandant Armed Forces Staff College ATTN: Library Norfolk 11, Virginia	1	Commandant National War College ATTN: Classified Record Library Washington 25, D. C.
12	Chief, Defense Atomic Support Agency Washington, D. C. 20301	1	Director Office of Civil & Defense Mobilization ATTN: Mr. F. C. Allen Battle Creek, Michigan
14	Commanding General Field Command Defense Atomic Support Agency Sandia Base P. O. Box 5100 Albuquerque, New Mexico 87115	3	Commanding General U. S. Army Materiel Command ATTN: AMCRD-RP-B Washington, D. C. 20315
2	Commanding General Field Command Defense Atomic Support Agency ATTN: FCWT FCIG Sandia Base P. O. Box 5100 Albuquerque, New Mexico 87115	3	Commanding General U. S. Army Materiel Command ATTN: AMCIS-SHE-FG, Col. Post Washington, D. C. 20315
1	Director of Defense Research and Engineering ATTN: Technical Library Washington, D. C. 20301	3	Commanding General U. S. Army Materiel Command ATTN: AMCRD-H Washington, D. C. 20315
1	Secretary of Defense Installations and Logistics ATTN: Mr. John T. Lynch Washington 25, D. C.	1	Commanding Officer Pleasanton Arsenal ATTN: ORDBB-TK Dover, New Jersey 07801

Reproduced From
Best Available Copy

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
1	Commanding General ATTN: ORDBS-OM-W White Sands Missile Range New Mexico 83002	1	Commanding General U. S. Army Electronics Research & Development Laboratory ATTN: Technical Document Center Evans Area Fort Monmouth, New Jersey 07703
1	Commanding General U. S. Army Chemical Corps R&D Command Washington 25, D. C.	1	Commanding Officer Transportation R&E Command ATTN: Chief, Technical Information Division Fort Eustis, Virginia 23004
1	Commanding Officer U. S. Army Chemical R&D Laboratories ATTN: Technical Library Edgewood Arsenal, Maryland 21010	1	Commanding General U. S. Army Combat Developments Command ATTN: CDCMR Fort Belvoir, Virginia 22060
2	Chief of Engineers ATTN: ENGINE ENGINE Department of the Army Washington 25, D. C.	1	Commanding Officer U. S. Army Combat Developments Command Nuclear Group ATTN: Chester L. Peterson Fort Bliss, Texas 79906
1	Commanding General U. S. Army Engineer R&D Laboratories ATTN: STINFO Branch Fort Belvoir, Virginia 22060	1	President U. S. Army Air Defense Board Fort Bliss, Texas 79906
1	Commanding General Engineer R&D Laboratories ATTN: Chief, Technical Support Branch U. S. Army Fort Belvoir, Virginia 22060	1	Commandant U. S. Army Air Defense School ATTN: Command & Staff Department Fort Bliss, Texas 79906
1	Commanding General The Engineer Center ATTN: Asst. Commandant, Engineer School Fort Belvoir, Virginia 22060	1	Commandant Army War College ATTN: Library Carlisle Barracks, Pennsylvania 17011
1	Director Waterways Experiment Station ATTN: Library P. O. Box 631 Vicksburg, Mississippi	1	Commandant Command & General Staff College ATTN: Archives Fort Leavenworth, Kansas 66027

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
1	Chief of Research and Development ATTN: DIR/Special Weapons Department of the Army Washington, D. C. 20310	3	Chief, Bureau of Ships ATTN: Code 372 Code 423 Code 201L Department of the Navy Washington, D. C. 20360
1	Chief, Bureau of Naval Weapons ATTN: DLI-3 Department of the Navy Washington, D. C. 20360	2	Chief, Bureau of Yards and Docks ATTN: D-400 D-440 Department of the Navy Washington 25, D. C.
3	Commander U. S. Naval Ordnance Laboratories ATTN: EA EU E White Oak Silver Spring, Maryland 20910	1	Director of Naval Intelligence ATTN: OP-922V Department of the Navy Washington 25, D. C.
2	Commander U. S. Naval Ordnance Test Station ATTN: E. A. Zeitlin, Code 45419 China Lake, California 93557	1	Commanding Officer and Director U. S. Naval Civil Engineering Lab ATTN: Code L31 Port Hueneue, California
1	Superintendent U. S. Naval Postgraduate School Monterey, California 93900	1	Commanding Officer U. S. Naval Damage Control Training Center ATTN: ABC Defense Course Naval Base Philadelphia, Pennsylvania
1	Director U. S. Naval Research Laboratory Washington, D. C. 20390	1	Commanding Officer and Director U. S. Naval Electronics Laboratory San Diego 52, California
1	Chief of Naval Research ATTN: Code 811 Department of the Navy Washington 25, D. C.	1	Commanding Officer U. S. Naval Radiological Defense Laboratory ATTN: Technical Information Div. San Francisco, California 94135
3	Chief of Naval Operations ATTN: OP-75 (2 cys) OP-03EG (1 cy) Department of the Navy Washington, D. C. 20360	1	Commanding Officer and Director David W. Taylor Model Basin ATTN: Library, Code 042 Washington 7, D. C. 20007

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
1	Commanding Officer U. S. Naval Schools Command U. S. Naval Station Treasure Island San Francisco, California	1	Commander Ballistic Systems Division (AFSC) Norton AFB, California 92409
1	Officer-in-Charge U. S. Naval School Civil Engineer Corps Officers U. S. Naval Construction Battalion Center Port Hueneme, California	3	Commander Air Proving Ground Center ATTN: PGAPI Eglin AFB, Florida 32542 Of Interest To: PGTWR PGTW
1	President U. S. Naval War College Newport, Rhode Island	1	AFICRL L. G. Hanscom Field ATTN: CRQST-2 Bedford, Massachusetts 02731
1	Commanding Officer Nuclear Weapons Training Center, Atlantic ATTN: Nuclear Warfare Department U. S. Naval Base Norfolk 11, Virginia	1	AFWL ATTN: Technical Information Division Kirtland AFB, New Mexico 87117
2	Commanding Officer Nuclear Weapons Training Center, Pacific U. S. Naval Air Station North Island San Diego 33, California	1	AUL (3T-AUL-60-118) Maxwell AFB, Alabama 36112
1	Commandant U. S. Marine Corps ATTN: Code AO3H Washington, D. C. 20360	1	AFMTC ATTN: Mr. H. G. LeFebvre Patrick Air Force Base Florida 32925
2	Commander Air Force Systems Command ATTN: SCRWA SCTWMB Andrews AFB Washington, D. C. 20331	1	RADC ATTN: Mr. John Entzminger Griffiss AFB Rome, New York 13442
		1	ASD (ASAFTL) Wright-Patterson AFB Ohio 45433
		1	AFIT (MCLI-ITRIDL) Wright-Patterson AFB Ohio 45433

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
1	Headquarters, USAF ATTN: AFTAC Washington, D. C. 20330	1	Superintendent Eastern Experiment Station U. S. Bureau of Mines ATTN: Dr. Leonard Obert College Park, Maryland
1	Headquarters, USAF ATTN: AFRDC Washington, D. C. 20330	2	U. S. Atomic Energy Commission Classified Technical Library Technical Information Service ATTN: Mrs. Jean O'Leary Dr. Paul C. Fine Washington 25, D. C.
1	Headquarters, USAF ATTN: AFCIN-3K2 Washington, D. C. 20330	1	U. S. Atomic Energy Commission Sandia Corporation P. O. Box 5400 Albuquerque, New Mexico 87115
1	Director of Civil Engineering USAF ATTN: AFOCE Washington, D. C. 20330	3	U. S. Atomic Energy Commission Los Alamos Scientific Laboratory ATTN: Reports Librarian for Dr. Alvin C. Graves P. O. Box 1663 Los Alamos, New Mexico 87544
1	Deputy Chief of Staff, Plans and Programs ATTN: War Plans Division USAF Washington, D. C. 20330	1	President Sandia Corporation ATTN: Classified Document Div. for M. L. Merrill Sandia Base Albuquerque, New Mexico 87115
1	Director, Project RAND Department of the Air Force 1700 Main Street Santa Monica, California 90406	1	University of California Lawrence Radiation Lab. ATTN: Clovis Craig, Technical Information Division P. O. Box 808 Livermore, California 94550
1	Director National Aeronautics & Space Administration Langley Research Center ATTN: Mr. John Stack Langley Field, Virginia 23365	1	Research Analysis Corporation ATTN: Library McLean, Virginia 22101
1	Scientific & Technical Information Facility ATTN: NASA Representative (S-AK-DL) P. O. Box 5700 Bethesda, Maryland 20014		

Reproduced From
Best Available Copy

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
1	Armour Research Foundation Illinois Institute of Technology Center ATTN: Dr. Eugene Sevin Chicago 16, Illinois	1	University of Michigan Institute of Science & Technology ATTN: Mr. Gordon Franklin P. O. Box 618 Ann Arbor, Michigan 48106
1	Bell Telephone Laboratories, Inc. ATTN: Mr. T. Gressitt Whippany Road Whippany, New Jersey	1	Southwest Research Institute ATTN: Mr. Marcus L. Whitfield 8500 Culebra Road San Antonio 6, Texas
1	The Boeing Airplane Company ATTN: Mr. R. H. Carlson P. O. Box 3707 Seattle, Washington	4	Australian Group c/o Military Attache Australian Embassy 2001 Connecticut Avenue, N. W. Washington, D. C. 20008
1	Holmes & Narver, Inc. Special Projects Division ATTN: Mr. Sherwood B. Smith 849 South Broadway Los Angeles 14, California	0	The Scientific Information Officer Defence Research Staff British Embassy 3100 Massachusetts Avenue, N. W. Washington, D. C. 20008
1	Dr. Walker Bleakney Palmer Physical Laboratory Princeton University Princeton, New Jersey	4	Defence Research Member Canadian Joint Staff 2450 Massachusetts Avenue, N. W. Washington, D. C. 20008
1	Dr. Robert Hansen Massachusetts Institute of Technology Division of Industrial Cooperation 77 Massachusetts Avenue Cambridge, Massachusetts		<u>Aberdeen Proving Ground</u> Chief, TIB Air Force Liaison Office Marine Corps Liaison Office Navy Liaison Office CDC Liaison Office D & IG Branch Library
1	Dr. Nathan M. Newmark University of Illinois Talbot Laboratory, Room 207 Urbana, Illinois		
1	Dr. Carl Kisslinger St. Louis University 221 North Grand St. Louis, Missouri		

Reproduced From
Best Available Copy

AD Ballistic Research Laboratories, AGO PEAK OVERPRESSURE VS SCALED DISTANCE FOR TNT SURFACE BURSTS (HEMISPHERICAL CHARGES) C. N. Kingery, and R. P. Penzill EPL Memorandum Report No. 1513 April 1964 EUT & E Project No. DM010501A006 UNCLASSIFIED Report This report contains a presentation of peak overpressure versus scaled distance values derived from empirical measurements made by Canada, the United Kingdom and the United States. The measurements were made on 5, 20 and 100 ton TNT surface bursts. The charges were hemispherical in shape and the instrumentation included overpressure versus time gauges and the photo-optical shock front velocity technique for determining peak overpressure.	AD Ballistic Research Laboratories, AGO PEAK OVERPRESSURE VS SCALED DISTANCE FOR TNT SURFACE BURSTS (HEMISPHERICAL CHARGES) C. N. Kingery, and R. P. Penzill EPL Memorandum Report No. 1513 April 1964 EUT & E Project No. DM010501A006 UNCLASSIFIED Report This report contains a presentation of peak overpressure versus scaled distance values derived from empirical measurements made by Canada, the United Kingdom and the United States. The measurements were made on 5, 20 and 100 ton TNT surface bursts. The charges were hemispherical in shape and the instrumentation included overpressure versus time gauges and the photo-optical shock front velocity technique for determining peak overpressure.
AD Ballistic Research Laboratories, AGO PEAK OVERPRESSURE VS SCALED DISTANCE FOR TNT SURFACE BURSTS (HEMISPHERICAL CHARGES) C. N. Kingery, and R. P. Penzill EPL Memorandum Report No. 1513 April 1964 EUT & E Project No. DM010501A006 UNCLASSIFIED Report This report contains a presentation of peak overpressure versus scaled distance values derived from empirical measurements made by Canada, the United Kingdom and the United States. The measurements were made on 5, 20 and 100 ton TNT surface bursts. The charges were hemispherical in shape and the instrumentation included overpressure versus time gauges and the photo-optical shock front velocity technique for determining peak overpressure.	AD Ballistic Research Laboratories, AGO PEAK OVERPRESSURE VS SCALED DISTANCE FOR TNT SURFACE BURSTS (HEMISPHERICAL CHARGES) C. N. Kingery, and R. P. Penzill EPL Memorandum Report No. 1513 April 1964 EUT & E Project No. DM010501A006 UNCLASSIFIED Report This report contains a presentation of peak overpressure versus scaled distance values derived from empirical measurements made by Canada, the United Kingdom and the United States. The measurements were made on 5, 20 and 100 ton TNT surface bursts. The charges were hemispherical in shape and the instrumentation included overpressure versus time gauges and the photo-optical shock front velocity technique for determining peak overpressure.