

CATALOGED BY: DDC


AS AD NO.

464353

OFFICE OF NAVAL RESEARCH

Contract Nonr 220(26)
Task No. NR 055-388

TECHNICAL REPORT NO. 45



Nitrogen-15 Magnetic Resonance Spectroscopy.
V. Oxygen-Nitrogen Compounds.

By Joseph B. Lambert and John D. Roberts

Prepared for publication in
Journal of the American Chemical Society

California Institute of Technology
Division of Chemistry and Chemical Engineering
Pasadena, California

May 1965

Reproduction in whole or in part is permitted for
any purpose of the United States Government.

Nitrogen-15 Magnetic Resonance Spectroscopy.

V. Oxygen-Nitrogen Compounds.¹

Joseph B. Lambert² and John D. Roberts

Contribution No. 3231 from Gates and Crellin
Laboratories of Chemistry, California

Institute of Technology, Pasadena, California

Received

(1) Supported in part by the Public Health Service Research
Grant 11072-02 from the Division of General Medical Sciences, the
Office of Naval Research, and the National Science Foundation.

(2) National Science Foundation Predoctoral Fellow, 1962-1965.

The ¹⁵N chemical shifts of a series of oxygen-nitrogen
compounds have been found to vary over a range of
576 p. p. m. Since the calculated range of the dia-
magnetic contribution is only 80 p. p. m., the para-
magnetic term must dominate. An observed correla-
tion between the ¹⁵N chemical shifts and the energy of
the $\underline{n} \rightarrow \pi^*$ transitions substantiates this interpretation

experimentally. For compounds such as nitric acid, which lack nonbonding electrons on nitrogen, contributions to the mean electronic excitation energy from nonbonding oxygen electrons may be important.

Magnetic shielding of nitrogen nuclei has in general been attributed to the paramagnetic term,³⁻⁷ which arises from changes induced

(3) B. E. Holder and M. P. Klein, J. Chem. Phys., 23, 1956 (1955).

(4) B. M. Schmidt, L. C. Brown, and D. Williams, J. Molecular Spec., 2, 539, 551 (1958); ibid., 3, 30 (1959).

(5) J. B. Lambert, G. Binsch, and J. D. Roberts, Proc. Natl. Acad. Sci. US, 51, 735 (1964).

(6) D. Herbison-Evans and R. E. Richards, Mol. Phys., 8, 19 (1964).

(7) J. B. Lambert, Ph. D. Dissertation, California Institute of Technology, 1965, pp. 69f.

by the external field in the electronic wave functions, as represented by mixing of the ground state with excited states. This assumption has received some experimental confirmation by correlations of the chemical shift with the energy of transitions involving low-lying excited states, in particular the $\underline{n} \rightarrow \pi^*$ transition,⁵⁻⁹ which would dominate the so-

(8) J. D. Baldeschwieler and E. W. Randall, Proc. Chem. Soc., 1961, 303.

(9) V. M. S. Gil and J. N. Murrell, Trans. Faraday Soc., 60, 248 (1964).

called mean electronic excitation energy, ΔE . We have approached the problem of nitrogen chemical shifts in oxygen-nitrogen compounds from an entirely empirical point of view, through comparison of the chemical shifts with the corresponding electronic spectra. Consideration of compounds in which oxygen is bonded directly to nitrogen is complicated by the possibility of contributions to the mean electronic excitation energy from orbitals on oxygen.

Following a method developed by Professor S. I. Chan,¹⁰ we

(10) We are indebted to Professor Chan for describing the computational techniques to us prior to their publication. Most of the bond lengths used in these calculations are those listed in A. F. Wells, "Structural Inorganic Chemistry," Oxford University Press, London, 1962, pp. 616 f. See S. I. Chan, M. R. Baker, and N. F. Ramsey, Phys. Rev., 136, A1224 (1964); and S. I. Chan and A. S. Dubin, J. Chem. Phys. (to be published).

have calculated the diamagnetic contributions (σ^D) to the shieldings¹¹

(11) J. A. Pople, W. G. Schneider, and H. J. Bernstein, "High-resolution Nuclear Magnetic Resonance," McGraw-Hill Book Company, Inc., New York, 1959, pp. 165 f.

(Table I). Only the effects of directly bonded atoms have been taken into consideration. These calculations assume that σ^D for the nitrogen atom is 325 p.p.m.^{11, 12} The accuracy of this number, however, has

(12) W. C. Dickinson, Phys. Rev., 80, 563 (1950).

no bearing on the differences between the values of σ^D in Table I, since in each case, σ^D of the nitrogen atom enters only as an additive constant. On this same scale, σ^D for the ammonium ion (chemical shift = 24 p.p.m.) is 360 p.p.m. Thus, there are differences of 70 to 150 p.p.m. between σ^D for the ammonium ion and for the oxygen-nitrogen compounds studied here. The important point, however, is that the range of σ^D for the oxygen-nitrogen compounds is only 80 p.p.m., whereas the range of chemical shifts is 576 p.p.m. The large variations observed in this series may justifiably be attributed to changes in the paramagnetic term. We have therefore compared the chemical shifts of the oxygen-nitrogen compounds listed in Table I with the energy corresponding to their respective lowest $\underline{n} \rightarrow \pi^*$ transition.

The compounds fall into two groups, those with nonbonding electrons which are only on oxygen (s-butyl nitrate, nitrate ion, and nitrobenzene), and those with nonbonding electrons which are both on oxygen and on nitrogen (n-butyl nitrite, nitrite ion, and nitrosobenzene). s-Butyl nitrate appears to bear the same relationship to the nitrate ion as n-butyl nitrite does to the nitrite ion. In both cases the nitrogen of the ester comes at slightly higher field, and the observed ester $\underline{n} \rightarrow \pi^*$

Table I. Chemical Shifts and Absorption Maxima of Oxygen-Nitrogen Compounds

Compounds	λ_{max} ($\underline{n} \rightarrow \pi^*$), m μ	σ^D , p. p. m.	Chemical shift, p. p. m. ^h
s-Butyl nitrate	270 ^a ($\underline{n}_O$)	500 ^{f, g}	337 ⁱ
Nitrate ion	300 ^b ($\underline{n}_O$)	510	367
Nitrobenzene	330 ^c ($\underline{n}_O$, ?)	490	372
<u>n</u> -Butyl nitrite	356 ^d ($\underline{n}_N$)	440	572
Nitrite ion	380 ^e ($\underline{n}_N$)	450	608
	300 ($\underline{n}_O$)		
Nitrosobenzene	755 ^c ($\underline{n}_N$)	430	913

^aH. E. Ungnade and R. A. Smiley, J. Org. Chem., 21, 993 (1956).

^bH. M. McConnell, J. Chem. Phys., 20, 700 (1952).

^cJ. N. Murrell, "The Electronic Spectra of Organic Molecules," John Wiley and Sons, Inc., New York, 1963, pp. 186 f.

^dR. N. Haszeldine and J. Jander, J. Chem. Soc., 1954, 691

^eW. G. Trawick and W. H. Eberhardt, J. Chem. Phys., 22, 1462 (1954).

^fSee footnote 11.

^gAbsolute shielding, referred to the nitrogen nucleus.

^hDownfield from external anhydrous ammonia.

ⁱM. Witanowski, private communication on nitrogen-14 data.

transition is at a slightly lower wavelength. Although the changes are small, and this exact correlation may be fortuitous, one is tempted to extend the analogy to nitrobenzene and nitrosobenzene. In both cases the alkoxy group of the ester is simply replaced by a phenyl group. The structural analogy, however, does not carry over to either the absorption or the magnetic resonance spectra. Whereas the nitro compound and the nitrates all have $\underline{n}_O \rightarrow \pi^*$ transitions near 300 m μ , there is a difference of 400 m μ between the absorptions of the nitrites and the nitroso compound. This arises because the nonbonding orbital, which is located on the nitrogen atom for the nitroso-nitrite series, is strongly influenced by N-substituents.¹³ For the nitro-nitrate series on the

(13) For a discussion of this effect, see reference c in Table I.

other hand, the nonbonding orbitals involved in the transitions of interest are those on oxygen, and hence are less affected by N-substituents. Because of the similarity of the energies of the $\underline{n}_O \rightarrow \pi^*$ transitions in the latter series, the resonance position of nitrobenzene is rather close to those of the nitrates. Since the $\underline{n}_N \rightarrow \pi^*$ transition of nitrosobenzene is of much lower energy than those of the nitrites, the paramagnetic term is immensely increased, and the resonance position was found, as predicted, at a considerably lower field (913 p. p. m. downfield from ammonia). The chemical shift of nitrosobenzene was rather insensitive to dilution and changes of solvent (chloroform, 905 p. p. m.; methanol, 908 p. p. m.; ether, 913 p. p. m.), so that no information concerning the monomer-dimer equilibrium was obtained.

The foregoing discussion has attempted to correlate the chemical shift with the energy of the $\underline{n} \rightarrow \pi^*$ absorption. For the nitro-nitrate series, the transition in question is from a nonbonding orbital on oxygen to a molecular orbital, whereas in the nitroso-nitrite series there is also a nonbonding orbital on nitrogen. It is reasonable that, in the latter cases, the $\underline{n}_N \rightarrow \pi^*$ transitions contribute more effectively to the mean electronic excitation energy, ΔE , associated with the shielding of nitrogen nuclei. Thus, the nitrites have a substantially larger paramagnetic shift than the nitrates, even though the $\underline{n} \rightarrow \pi^*$ transitions ($\underline{n}_O$ or $\underline{n}_N$) occur within a range of 100 mμ. The $\underline{n}_N \rightarrow \pi^*$ transition appears to correlate with the oxygen chemical shift also, because the nitrite ion resonance occurs about 260 p.p.m. below that of the nitrate ion,^{14, 15}

(14) H. E. Weaver, B. M. Tolbert, and R. C. LaForce, J. Chem. Phys., 23, 1956 (1955).

(15) H. A. Christ, P. Diehl, Hr. Schneider, and H. Dahn, Helv. Chim. Acta, 44, 865 (1961).

even though the $\underline{n}_O \rightarrow \pi^*$ transitions are quite similar in both cases.

These correlations between ^{15}N chemical shifts and electronic spectra offer the possibility of aiding both in the identification of ultra-violet absorption bands, and also in the preliminary location of ^{15}N resonances. The former has been used with trans-azoxybenzene,⁷ and the latter has been realized in the case of nitrosobenzene.

Experimental

The procedures for the observation of nitrogen-15 resonances and preparation of several of the labeled compounds have been described previously.^{5, 7, 16} All nitrogen-15 chemical shifts were measured on a

(16) G. Binsch, J. B. Lambert, B. W. Roberts, and J. D. Roberts, J. Am. Chem. Soc., 86, 5564 (1964).

Varian Model V-4300B spectrometer operated at 6.08 Mc. p. s. and 14,100 gauss. Infrared spectra were recorded on the Beckman Model IR-7.

Sodium nitrite-¹⁵N was obtained from Volk Radiochemical Laboratories.

n-Butyl Nitrite-¹⁵N. To a 50-ml. three-necked round-bottomed flask equipped with a thermometer and a 5-ml. syringe inserted through a syringe stopper was added a solution of 2.00 g. (0.0286 mole) of sodium nitrite-¹⁵N in 7.87 ml. of water. The flask was cooled to -1° with an ice-salt bath and a solution of 0.72 ml. of concentrated sulfuric acid, 1.95 g. of n-butyl alcohol (0.0263 mole), and 0.53 ml. of distilled water was added by means of the syringe below the surface of the liquid in such a way that the temperature did not rise above +1°. During the course of the addition, which took 2 hours, the flask was shaken constantly by hand. After the mixture had remained at 0° for an hour, the sodium sulfate was removed by filtration, and the layers were

separated. The organic product was washed with sodium bicarbonate: sodium chloride: water (1:12.5:50) solution and dried over magnesium sulfate. The yield of *n*-butyl nitrite-¹⁵N was 1.106 g. (0.0106 mole, 40.3%). The infrared spectrum contained no hydroxyl absorptions. The nitrite bands at 1615 (*cis*) and 1660 cm.⁻¹ (*trans*) confirmed the structure.

Nitrosobenzene-¹⁵N. A mixture of 2.02 g. (1.66 ml., 0.0163 mole) of nitrobenzene-¹⁵N and 1 g. of ammonium-¹⁴N chloride in 33 ml. of water was placed in a 100-ml. round-bottomed flask equipped with a magnetic stirrer. Zinc (2.5 g., 0.0382 mole) was added in small portions over a 5 min. period. The temperature rose to about 50°. After 20 min., the solution was filtered to remove the zinc oxide, and the precipitate was washed with 20 ml. of boiling water. The filtrate was transferred to a 250-ml. Erlenmeyer flask and cooled quickly to 0° by the addition of excess ice. Concentrated sulfuric acid (5 ml.), cooled to 0° with about 20 g. of ice, was added quickly with stirring, and a cooled solution of 1.13 g. (0.0379 mole) of sodium dichromate in 4.2 ml. of water was added at once. The solution was filtered and washed with water. The precipitate was placed in a 100-ml. round-bottomed flask with about 20 ml. of water and steam-distilled from an all-glass apparatus. The white solid which condensed in the cooled receiver was collected in a Büchner funnel, crushed, and washed carefully with water. After being dried over calcium chloride, the nitrosobenzene-¹⁵N weighed 0.664 g. (0.00614 mole, 37.7%).

Security Classification

DOCUMENT CONTROL DATA - R&D		
(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)		
1. ORIGINATING ACTIVITY (Corporate author)		2a. REPORT SECURITY CLASSIFICATION
California Institute of Technology		Non-classified
		2b. GROUP
		Not applicable
3. REPORT TITLE		
Nitrogen-15 Magnetic Resonance Spectroscopy. V. Oxygen-Nitrogen Compounds		
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)		
Interim		
5. AUTHOR(S) (Last name, first name, initial)		
Joseph B. Lambert and John D. Roberts		
6. REPORT DATE	7a. TOTAL NO. OF PAGES	7b. NO. OF REFS
May 1965	9	16
8a. CONTRACT OR GRANT NO.	9a. ORIGINATOR'S REPORT NUMBER(S)	
Nonr 220(26)	Technical Report No. 45	
b. PROJECT NO.	9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
NR 055-388		
c.		
d.		
10. AVAILABILITY/LIMITATION NOTICES		
Qualified requesters may obtain copies of this report from DDC.		
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY
		Chemistry Branch of Office of Naval Research
13. ABSTRACT		
The ^{15}N chemical shifts of a series of oxygen-nitrogen compounds have been found to vary over a range of 576 p.p.m. Since the calculated range of the diamagnetic contribution is only 80 p.p.m., the paramagnetic term must dominate. An observed correlation between the ^{15}N chemical shifts and the energy of the $n \rightarrow \pi^*$ transitions substantiates this interpretation experimentally. For compounds such as nitric acid, which lack nonbonding electrons on nitrogen, contributions to the mean electronic excitation from nonbonding oxygen electrons may be important.		

Security Classification

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Nitrogen-15						
Nuclear Magnetic Resonance Spectroscopy						
Diamagnetic shielding						
Nonbonding electrons						
$n \rightarrow \pi^*$ transitions						

INSTRUCTIONS

1. **ORIGINATING ACTIVITY:** Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (*corporate author*) issuing the report.

2a. **REPORT SECURITY CLASSIFICATION:** Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.

2b. **GROUP:** Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.

3. **REPORT TITLE:** Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parenthesis immediately following the title.

4. **DESCRIPTIVE NOTES:** If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.

5. **AUTHOR(S):** Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.

6. **REPORT DATE:** Enter the date of the report as day, month, year; or month, year. If more than one date appears on the report, use date of publication.

7a. **TOTAL NUMBER OF PAGES:** The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.

7b. **NUMBER OF REFERENCES:** Enter the total number of references cited in the report.

8a. **CONTRACT OR GRANT NUMBER:** If appropriate, enter the applicable number of the contract or grant under which the report was written.

8b, 8c, & 8d. **PROJECT NUMBER:** Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.

9a. **ORIGINATOR'S REPORT NUMBER(S):** Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.

9b. **OTHER REPORT NUMBER(S):** If the report has been assigned any other report numbers (*either by the originator or by the sponsor*), also enter this number(s).

10. **AVAILABILITY/LIMITATION NOTICES:** Enter any limitations on further dissemination of the report, other than those

imposed by security classification, using standard statements such as:

- (1) "Qualified requesters may obtain copies of this report from DDC."
- (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
- (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through _____."
- (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through _____."
- (5) "All distribution of this report is controlled. Qualified DDC users shall request through _____."

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

11. **SUPPLEMENTARY NOTES:** Use for additional explanatory notes.

12. **SPONSORING MILITARY ACTIVITY:** Enter the name of the departmental project office or laboratory sponsoring (*paying for*) the research and development. Include address.

13. **ABSTRACT:** Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS), (S), (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14. **KEY WORDS:** Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, roles, and weights is optional.

TECHNICAL REPORT DISTRIBUTION LIST

CONTRACTOR CALIFORNIA INSTITUTE OF TECHNOLOGY

NR NO. 055-388

CONTRACT NUMBER NSC 220(26)

DATE 4 SEP 1963

	<u>NO. COPIES</u>		<u>NO. COPIES</u>
Commanding Officer Office of Naval Research Branch Office 219 S. Dearborn Street Chicago X, Illinois 60604	(1)	U.S. Army Natick Laboratories Clothing & Organic Materials Division Natick, Massachusetts Attn: Associate Director	(1)
Commanding Officer Office of Naval Research Branch Office 207 West 24th Street New York 11, New York	(1)	Harry Diamond Laboratories Washington 25, D. C. Attn: Library	(1)
Commanding Officer Office of Naval Research Branch Office 1030 East Green Street Pasadena 1, California	(1)	Office, Chief of Research & Development Department of the Army Washington 25, D. C. Attn: Physical Sciences Division	(1)
Commanding Officer Office of Naval Research Branch Office Box 39, Navy #100, F.P.O. New York, New York	(7)	Chief, Bureau of Ships Department of the Navy Washington 25, D. C. Attn: Code 342A	(2)
Director, Naval Research Laboratory Washington 25, D. C. Attn: Technical Information Officer- Chemistry Division	(6) (2)	Technical Library, DLI-3 Bureau of Naval Weapons Department of the Navy Washington 25, D. C.	(4)
Chief of Naval Research Department of the Navy Washington 25, D. C. Attn: Code 425	(2)	Defense Documentation Center Cameron Station Alexandria, Virginia	(20) (20)
DDP&E Technical Library Room 3C-128, The Pentagon Washington 25, D. C.	(1)	Commanding Officer U.S. Army Electronics Research and Development Laboratory Attn: SELRA/DR Fort Monmouth, New Jersey 07703	(1)
Department of the Army Supply & Maintenance Command Maintenance Readiness Division Washington 25, D. C. Attn: Technical Director	(1)	Naval Radiological Defense Laboratory San Francisco 24, California Attn: Technical Library	(1)
		Naval Ordnance Test Station China Lake, California Attn: Head, Chemistry Division	(1)

REVISED 30 AUG 1963

TECHNICAL REPORT DISTRIBUTION LIST

Page 2

CONTRACTOR CALIFORNIA INSTITUTE OF TECHNOLOGY

NR NO. 055-388

CONTRACT NUMBER Nonr 220(26)

DATE 4 SEP 1965

<u>NO. COPIES</u>	<u>NO. COPIES</u>
Commanding Officer Army Research Office Box CM, Duke Station Durham, North Carolina Attn: CRD-AA-IP (1)	Mr. W. M. Lee, Director Contract Research Department Pennsalt Chemicals Corporation 900 First Avenue King of Prussia, Pennsylvania (2)
Atomic Energy Commission Division of Research Chemistry Programs Washington 25, D. C. (1)	Dr. M. S. Newman Department of Chemistry Ohio State University Columbus, Ohio (1)
Atomic Energy Commission Division of Technical Information Extension Post Office Box 62 Oak Ridge, Tennessee (1)	Dr. P. Bartlett Department of Chemistry Ohio State University Columbus, Ohio (1)
Commanding Officer U.S. Army Chemical Research and Development Laboratories Attn: Librarian Edgewood Arsenal, Maryland (1)	Dr. S. Winstain Department of Chemistry University of California Los Angeles 24, California (1)
Dr. R. B. Fox Code 6120 Naval Research Laboratory Washington 25, D. C. (1)	Dr. L. P. Hammett Department of Chemistry Columbia University New York 27, New York (1)
Dr. E. Grunwald Bell Telephone Laboratories Murray Hill, New Jersey (1)	Dr. H. C. Brown Department of Chemistry Purdue University Lafayette, Indiana (1)
Dr. R. W. Taft, Jr. Department of Chemistry Pennsylvania State University University Park, Pennsylvania (1)	Dr. H. S. Gutowsky Department of Chemistry University of Illinois Urbana, Illinois (1)
ONR Branch Office 495 Summer Street Boston 10, Massachusetts Attn: Dr. A. L. Powell (1)	Dr. T. L. Heying Organics Division Olin Mathieson Chemical Corporation 275 Winchester Avenue New Haven, Connecticut (1)

TECHNICAL REPORT DISTRIBUTION LIST

Page 3

CONTRACTOR CALIFORNIA INSTITUTE OF TECHNOLOGY

NR NO. 055-388

CONTRACT NUMBER Nonr 220(26)

DATE 4 SEP 1963

	<u>NO. COPIES</u>	<u>NO. COPIES</u>
Monsanto Research Corporation Everett Station Boston 49, Massachusetts Attn: Librarian	(1)	
Dr. T. P. Onak Department of Chemistry Los Angeles State College Los Angeles, California	(1)	
Dr. Riley Schaeffer Department of Chemistry Indiana University Bloomington, Indiana	(1)	
Dr. W. N. Lipscomb Department of Chemistry Harvard University Cambridge 38, Massachusetts	(1)	