




UNCLASSIFIED



TECHNICAL REPORT

U. S. NAVAL APPLIED SCIENCE LABORATORY

**NAVAL BASE
BROOKLYN 1, NEW YORK**



3ND USNASL-9800-P-1A (REV. 7-63)



U. S. NAVAL APPLIED SCIENCE LABORATORY
NAVAL BASE, BROOKLYN, NEW YORK 11251

9410:pf
Lab. Project 9400-12
27 October 1964

From: Commanding Officer and Director Naval Applied Science Laboratory
To: Distribution List

Subj: Burns to Skin by Millisecond Light Pulses DASA Subtask 03.062;
Forwarding of report on

Encl: (1) Lab. Project 9400-12, Progress Report 1, DASA1532, "Burns to Skin
by Millisecond Light Pulses." (9 pp, 11 Figs., 2 Tables)

1. Enclosure (1) is forwarded herewith for information and retention.



I. F. FIKE

Distribution List:
(In Report)

BURNS TO SKIN BY
MILLISECOND LIGHT PULSES

DASA Subtask 03.062

Lab. Project 9400-12, Progress Report 1

DASA No. 1532

Willard L. Derksen
John Bracciaventi
George Mixter, Jr.

6 July 1964

PHYSICAL SCIENCES DIVISION
J. M. McGreevy, Head

Approved:


E. J. JEHL
Technical Director

Approved:


I. F. FIKE, CAPTAIN, USN
Commanding Officer and Director

U. S. NAVAL APPLIED SCIENCE LABORATORY
Naval Base
Brooklyn, New York 11251

Qualified requesters may obtain copies of this report from the Defense
Documentation Center

SUMMARY

The radiant energy required to produce skin burns for thermal radiation exposures with durations less than 100 milliseconds has never been measured. To determine values for durations in the order of milliseconds, burns were produced on the depilated skin of albino rats by exposure to the irradiance from a xenon flash lamp energized with 14,000 joules. The intensity of the radiant pulse peaked in 0.4 millisecond and decayed to one-half the peak value in 5 millisecond. The threshold burn - a lesion exhibiting a scab - occurred in one-half of the exposures at a distance from the lamp at which the radiant exposure was 3.5 cal/cm^2 . Minor lesions of short duration occurred at 2 cal/cm^2 . In general the scabs appeared thinner than those which develop as a result of exposures of longer duration.

To study the effect of pigmentation and to provide data which would be more amenable to mathematical analysis, another experiment was run with the skin made opaque with a thin black film. For the opaque situation the temperature profile history can be determined with greater certainty, since the energy is absorbed only at the surface and not in depth in the skin as in the case of the uncovered situation. For the blackened skin, a radiant exposure of only 0.35 cal/cm^2 produced scab lesions in one-half of the exposures and minor burns occurred at 0.2 cal/cm^2 . The course of the burn recovery was studied pictorially.

The radiant exposure values for burns to bare and blackened rat skin will be employed to plan future experiments with human skin using short pulses. The values will also be employed as an important data point in developing a mathematical model for predicting thermal injury.

Research was conducted according to the principles of laboratory animal care as promulgated by the National Society for Medical Research.

BLANK PAGE

TABLE OF CONTENTS

	<u>Page No.</u>
SUMMARY	2
ADMINISTRATIVE INFORMATION	5
ACKNOWLEDGMENTS	5
OBJECT	5
INTRODUCTION	5
SOURCE CHARACTERISTICS	5
EXPOSURE PROCEDURES	6
RESULTS	6
DISCUSSION	7
CONCLUSIONS	8
FUTURE WORK	8
REFERENCES	9

FIGURES

- 1 - Irradiance and Radiant Exposure History of the Flash Lamp Pulse
- 2 - Spectral Distribution of the Flash Lamp Pulse and Spectral Absorptance of Albino Rat Skin
- 3 - Photo L-19296-1 - Rat on Temperature Controlled Exposure Plate Placed Near Flash Lamp
- 4 - Photo L-19296-2 - Rat Skin Two Hours After Exposure to 0.73 cal/cm^2 on Blackened Skin and 3.4 cal/cm^2 on Bare Skin
- 5 - Photo L-19296-2 - Rat Skin One Day After Exposure

TABLE OF CONTENTS Cont'd

FIGURES

- 6 - Photo L-19296-3 - Rat Skin Two Days After Exposure
- 7 - Photo L-19296-3 - Rat Skin Three Days After Exposure
- 8 - Photo L-19296-4 - Rat Skin Six Days After Exposure
- 9 - Photo L-19296-4 - Rat Skin Seven Days After Exposure
- 10 - Photo L-19296-5 - Radiant Exposures to Produce Burns to Albino Rat Skin as a Function of Weapon Yield
- 11 - Photo L-19296-5 - Radiant Exposures to Produce Burns to Blackened Rat Skin for Rectangular Pulses as a Function of Exposure Time

TABLES

- 1 - Response of Albino Rat Skin to Radiant Energy from a Flash Lamp
- 2 - Response of Blackened Rat Skin to Radiant Energy from a Flash Lamp

ADMINISTRATIVE INFORMATION

The work reported herein constitutes part of the Naval Applied Science Laboratory's FY 1964 program on the "Physical Mechanism of Thermal Injury" sponsored by the Defense Atomic Support Agency under DASA subtask 03.062 and authorized under DASA letter DASATP/926.1 of 12 August 1963.

ACKNOWLEDGMENTS

This work was performed under the direction of T. I. Monahan, Head, Physics Branch.

OBJECT

The objectives were to measure the radiant exposure to cause skin burns upon exposure to pulses of thermal radiation of a few milliseconds duration and to determine the nature and course of the resulting lesions.

INTRODUCTION

This experiment was conducted as part of the Naval Applied Science Laboratory's program of assessing the effects of nuclear detonation. The burns were produced to measure radiant exposures to cause burns for durations two decades in time shorter than previous burn experiments.

Results will be employed to determine the distances at which these burns would be expected to occur for weapon detonations with thermal pulses of this duration. The data are also expected to be useful in determining the relationship between temperature profile history and skin burns. The results will be used to study the nature of burns and the response of skin to intense flashes of light of this duration.

SOURCE CHARACTERISTICS

The radiant energy source was a commercially available photographer's flash lamp. 14,000 joules from a 2600 microfarad condenser charged to 3300 volts were discharged through the helical low pressure xenon lamp. The history of the thermal radiation flash, shown in Figure 1, peaks in 0.4 millisecond and falls to one-half of the peak value in 5 milliseconds. Ninety per cent of the energy is delivered by 10 milliseconds. For the purposes of this experiment the spectral distribution of the energy can be considered constant during the flash as shown in Figure 2. Slightly more infrared energy is present, however, in the pulse at later times than during the peak of energy delivery. The spectral absorptance of rat skin is also shown in Figure 2 and an absorptance of 0.55 is calculated for the spectrum during the irradiance peak.

EXPOSURE PROCEDURES

The rats were anesthetized with Nembutal, 4 mg for every 100 grams of weight. The albino rats, 3 to 6 months old, weighing from 200 to 300 grams, were clipped and the stubble removed with a commercially available depilatory several hours before exposure. The rats were exposed through a 35mm diameter aperture as shown in Figure 3. The temperature of the plate against which the rat rested was adjusted to control the skin temperature to $31 \pm 1^\circ\text{C}$. The rat in the exposure mount was positioned near the flash lamp, as shown in Figure 3; the distance from the lamp was selected to give the desired radiant exposure.

Rat skin, like human skin, is diathermanous^{2,3}, consequently part of the radiant energy from the flash lamp is absorbed in depth, and the skin is heated in depth as well as on the surface. Since albino rats lack pigmentation, part of the study was made with the skin painted black to obtain a measure of the effect of pigmentation. The heat flow for the situation in which the energy is absorbed at the surface is more amenable to mathematical analysis. The depilated rat skin was painted with a graphite emulsion in a water soluble base and allowed to dry just prior to exposure.

Thermal injury resulting from the absorption of radiant energy manifests itself somewhat differently in rat skin than in human skin, although in the exposure time regime of 8 to 30 seconds, initial effects of thermal injury to human and rat skin can be shown to have the same radiant energy requirements⁴. Increasing severity of burn to human skin manifests itself first as redness or erythema, usually transient, then small and large blisters, edema and swelling, and finally scab or eschar formation. Burns to rat skin range from redness, short lived edema, to scabs of varying thickness.

RESULTS

After exposure, the rats were examined periodically until the resulting lesions had run their course and hair growth was restored. The occurrence of scabs, an effect representing injury not immediately reversible, is listed in Table 1 for the 44 exposures on bare skin and in Table 2 for the 33 exposures on blackened skin. The Tables give information on all exposures made, including pilot exposures.

In general, for albino rat skin, normal scabs, which appear in 24 hours and heal in about 8 days, tend to develop at a radiant exposure threshold of 3 cal/cm^2 , with a 50 per cent occurrence at 3.5 cal/cm^2 . These burns correspond to blister or second-degree burns.

Weak scabs, characterized by a late appearance (48 to 72 hours after exposure) and by short duration (2 to 5 days), appear at radiant exposures of 2 cal/cm² or more.

The response of blackened skin is for normal scabs to form, following radiant exposures in excess of 0.3 cal/cm² with 50 per cent of the population affected at 0.35 cal/cm². Weak scabs occurred at radiant exposures as low as 0.2 cal/cm².

Figures 4 through 9 show the development of the burn lesion after a radiant exposure of 0.73 cal/cm² on the blackened area and 3.4 cal/cm² on the bare skin. No effect is apparent for several hours after exposure but definite eschar forms in 24 hours. The rat is not constrained and the blackening is cleaned off by the rat, itself. The eschar grows progressively darker until it peels off on approximately the sixth day after the burning episode.

Studies of biopsies taken from areas exposed to the flash lamp reveal loss of both dehydrogenases and diaphorase from the surface epithelium and for short distances down the hair follicles. No evidence of a burn lesion developed in the dermal structures, and by the third day, regenerating epithelium almost completely covered the dermis, in most cases beneath the necrotic and still adherent epithelium. No loss of enzyme activity was found in biopsies from exposures of one second or more. The indications are that the higher temperatures, (in excess of 60°C), generated in the surface layers by the flash lamp radiation pulse are capable of inactivating this type of protein.

DISCUSSION

The radiant exposure for burns for very-low yield nuclear weapons can be estimated from the flash lamp burn data. The shape of the thermal pulse from the flash lamp corresponds roughly to that expected theoretically from a nuclear detonation of a 0.001 kiloton yield, if one assumes a pulse time scaling of

$$t_{\max} = 0.032W^{1/2}.$$

Figure 10 shows the flash lamp burn data for the uncovered rat skin plotted with those derived from experiments at higher weapon yields employing a carbon-arc furnace⁵. The radiant exposures for weapon pulses intermediate between 0.001 and 40 kt need not necessarily be those indicated by the interpolation. The burn requirement for heavily pigmented skin would be much less as indicated by the flash lamp results for the blackened skin.

Data for blackened rat skin and weapon pulse exposures are not readily available. Data for blackened rat skin for square-wave pulses have been obtained for long-duration exposures and are compared with the flash lamp data

in Figure 11. Simple equivalence in energy requirements to produce burns is assumed for the flash lamp pulse, that is, the energy in the pulse is as effective as if it had been delivered at constant irradiance in one millisecond.

The relationship between the brief elevated temperature episode and tissue injury for such insults, as well as the nature of the tissue injury associated with a threshold thermal burn is not known. Data points developed in these experiments will be useful in studying these relationships.

CONCLUSIONS

The radiant exposures of 3.5 and 0.35 cal/cm² which cause burns in uncovered and blackened rat skin, respectively, when irradiated by the very short flash lamp pulse, are less than the corresponding radiant exposures for the longer pulses associated with most tactical uses of nuclear weapons.

A significant point brought out by this experiment is the occurrence of weak scabs or minor burns which appear some time after the insult, at a radiant exposure significantly less than that at which the usual type of burn was observed.

FUTURE WORK

Additional experiments are desirable to assess more precisely the burn hazard and the occurrence of minor burns for millisecond pulses to variously pigmented human skin.

REFERENCES

1. Reflectance and Absorptance of Albino Rat Skin. NAVAPLSCIENLAB Project 5046-16, Part 1, AFSWP 1018, February 1957.
2. The Thermal Conductivity and Diathermancy of Albino Rat Skin. NAVAPLSCIENLAB Project 5046-16, Part 4, AFSWP 1144, April 1959.
3. The Thermal Conductivity and Diathermancy of Human Skin for Sources of Intense Thermal Radiation Employed in Flash Burn Studies. Derksen, W.L.; Murtha, T.D.; Monahan, T.I. J. Appl. Physiol. 11:2:, 1957; NAVAPLSCIENLAB Project 5046-3, Part 81, AFSWP 848, August 1955.
4. The Temperatures Associated with Radiant Energy Skin Burns. Derksen, W.L.; Monahan, T.I.; DeLhery, G.P. Temperature - Its Measurement and Control in Science and Industry; Vol. 3, Part 3, page 171, March 1961.
5. Burns to White Rat Skin for Nuclear Weapon Pulses of Intense Thermal Radiation. NAVAPLSCIENLAB Project 5046-16, Part 2, AFSWP 1070, April 1958.




Figure 1. Irradiance and Radiant Exposure History of the Flash Lamp Pulse




Figure 2. Spectral Distribution of the Flash lamp Pulse and Spectral Absorptance of Albino Rat Skin



Figure 3. Rat on Temperature Controlled Exposure
Plate Placed Near Flash Lamp

APPLIED SCIENCE LABORATORY


LAB PROJECT 9400-12
PHOTO L-19296-1



Figure 4. Rat Skin Two Hours After Exposure to 0.73 cal/cm^2 on Blackened Skin and 3.4 cal/cm^2 on Bare Skin



Figure 5. Rat Skin One Day After Exposure



5-27
238

Figure 6. Rat Skin Two Days After Exposure



Figure 7. Rat Skin Three Days After Exposure



Figure 8. Rat Skin Six Days After Exposure



Figure 9. Rat Skin Seven Days After Exposure




Figure 10. Radiant Exposures to Produce Burns to Albino Rat Skin as a Function of Weapon Yield




Figure 11. Radiant Exposures to Produce Burns to Blackened Rat Skin for Rectangular Pulses as a Function of Exposure Time

TABLE 1
RESPONSE OF ALBINO RAT SKIN TO
RADIANT ENERGY FROM A FLASH LAMP

Radiant Exposure Range	Expo- sures	Visible Effects	Weak Scabs	Normal Scabs	All Scabs	Normal Scabs
cal/cm ²	No.	No.	No.	No.	%	%
1.2 - 2.0	5	2	3	0	60	0
2.1 - 2.3	7	2	4	1	71	14
2.4 - 2.7	7	2	5	0	71	0
2.8 - 3.1	9	4	5	0	55	0
3.2 - 3.5	2	0	1	1	100	50
3.6 - 3.9	7	0	3	4	100	57
4.0 - 4.3	4	0	2	2	100	50
4.4 - 4.7	1	0	0	1	100	100
4.8 - 5.1	-	-	-	-		
6.0 - 6.3	2	0	0	2	100	100

TABLE 2

RESPONSE OF BLACKENED RAT SKIN
TO RADIANT ENERGY FROM A FLASH LAMP

Radiant Exposure Range	Expo- sures	Visible Effects	Weak Scabs	Normal Scabs	All Scabs	Normal Scabs
cal/cm ²	No.	No.	No.	No.	%	%
0.14-0.15	4	4			0	0
0.3-0.33	6	2	4		66	0
0.4-0.5	3		1	2	100	66
0.6-0.7	6		1	5	100	83
0.75-0.85	7			7	100	100
1.1-1.3	3			3	100	100
2 - 2.5	2			2	100	100
5 - 6	2			2	100	100

DISTRIBUTION

ARMY AGENCIES

Deputy Chief of Staff for Military Operations, Department of the Army,
ATTN: Dir of SW&R, Washington, D. C. 20301 (1 copy)
Chief of Research & Development, Department of the Army, ATTN: Atomic
Division, Washington, D. C. 20301 (1 copy)
Deputy Chief of Staff Intelligence, Department of the Army, Washington,
D. C. (1 copy)
Chief of Engineers, Department of the Army, ATTN: ENGNB, Washington,
D. C. 20315 (1 copy)
Chief of Engineers, Department of the Army, ATTN: ENGEB, Washington,
D. C. 20315 (1 copy)
Chief of Engineers, Department of the Army, ATTN: ENGTB, Washington,
D. C. 20315 (1 copy)
Chief of Ordnance, Department of the Army, ATTN: ORDTN, Washington, D. C.,
20315 (2 copies)
Chief Signal Officer, Comb Dev & Ops Div, ATTN: SIGCO-4, Washington, D. C.,
20330 (1 copy)
Chief of Transportation, Office of Planning & Intel, Department of the
Army, Washington, D. C., 20315 (1 copy)
The Surgeon General, Department of the Army, ATTN: MEDNE, Washington,
D. C. 20360 (2 copies)
Commander-in-Chief, U.S. Army, Europe, APO 403, ATTN: OPOT Div, Weapons
Branch, New York, New York (one copy)
Commanding General, U. S. Continental Army Command, Fort Monroe, Virginia,
23351 (3 copies)
Director of Special Weapons, Development Office, HQ CONARC, ATTN:
Capt Chester I. Peterson, Fort Bliss, Texas 79906 (1 copy)
President, U. S. Army Artillery Board, Fort Sill, Oklahoma 73503 (1 copy)
President, U. S. Army Aviation Board, ATTN: ATBG-DG, Fort Rucker, Alabama
36362 (1 copy)
Commandant, U. S. Army C&GS College, ATTN: Archives, Fort Leavenworth,
Kansas 66027 (1 copy)
Commandant, U. S. Army Air Defense School, ATTN: Command & Staff Dept,
Fort Bliss, Texas 79906 (1 copy)
Commandant, U. S. Army Armored School, Fort Knox, Kentucky 40120 (1 copy)
Commandant, U. S. Army Arty & Missile School, ATTN: Combat Dev Dept, Fort
Sill, Oklahoma 73503 (1 copy)
Commandant, U. S. Army Infantry School, ATTN: C.D.S., Fort Benning,
Georgia 31905 (1 copy)
Commandant, Quartermaster School, U. S. Army, ATTN: Ch, QM Library,
Fort Lee, Virginia 23801 (1 copy)
Commanding General, Chemical Corps Training Command, Fort McClellan,
Alabama 36205 (1 copy)
Commandant, U. S. Army Chemical Corps CBR, Weapons School, Dugway Proving
Ground, Dugway, Utah 84022 (1 copy)
Commandant, U. S. Army Signal School, Fort Monmouth, New Jersey 07703 (1 copy)

DISTRIBUTION (Cont'd)

Commandant, U. S. Army Transport School, ATTN: Security and Information Office, Fort Eustis, Virginia 79906 (1 copy)
Commanding General, The Engineer Center, ATTN: Asst Cndt Engineer School, Fort Belvoir, Virginia 22060 (1 copy)
Commanding General, Army Medical Service School, Brooke Army Medical Center, Fort Sam Houston, Texas 78234 (1 copy)
Commanding Officer, 9th Hospital Center, APO 110, ATTN: CO, US Army Nuclear Medicine Research Det, Europe, New York, New York (1 copy)
Director, Armed Forces Institute of Pathology, Walter Reed Army Medical Center, Washington, D. C. 20315 (1 copy)
Commanding Officer, Army Medical Research Laboratory, Fort Knox, Kentucky 40120 (1 copy)
Commandant, Walter Reed Army Institute of Research, Walter Reed Army Medical Center, Washington, D. C. 20315 (1 copy)
Commanding General, QM R&D Comd, QM R&D Center, ATTN: CBR Liaison Officer, Natick, Massachusetts (1 copy)
Director, U. S. Army Research and Development Laboratory, ATTN: Chief, Technical Support Branch, Fort Belvoir, Virginia 22000 (1 copy)
Director, Waterways Experiment Station, U. S. Army Corp of Engineers, P. O. Box 631, ATTN: Library, Vicksburg, Mississippi (1 copy)
Director, U. S. Army Ballistic Research Laboratories, Aberdeen Proving Ground, Maryland 21005 (2 copies)
Chief, Army Ballistic Missile Agency, ATTN: ORDAB-HT, Redstone Arsenal, Alabama 35808 (1 copy)
Commanding General, Army Electronic Proving Ground, ATTN: Tech Library, Fort Huachuca, Arizona 85613 (1 copy)
Director, Research Analysis Corporation, Waverly Bldg, 6935 Arlington Road, Bethesda 14, Maryland (1 copy)
Commanding General, Army Material Command, Washington, D. C. 20315 (2 copies)
Commanding Officer, U. S. Army Nuclear Defense Laboratory, ATTN: Librarian, Edgewood Arsenal, Maryland 21040 (1 copy)
Commanding General, Army Material Command, ATTN: EOD Division, Washington, D. C. 20315 (1 copy)
Office of the Secretary of the Army, Office of Civil Defense, Support Systems Research, ATTN: Mr. John Christian (1 copy) Washington, D. C. 20310

NAVY AGENCIES

Chief of Naval Operations, Navy Department, ATTN: OP03EG, Washington, D. C. 20350 (1 copy)
Chief of Naval Operations, Navy Department, ATTN: OP-75, Washington, D. C. 20350 (1 copy)
Chief of Naval Operations, Navy Department, ATTN: OP-922G2, Washington, D. C. 20350 (1 copy)
Chief of Naval Operations, Navy Department, ATTN: OP-91, Washington, D. C. 20350 (1 copy)

DISTRIBUTION (Cont'd)

Chief of Naval Personnel, Navy Department, Washington, D. C. 20350 (1 copy)
Chief of Naval Research, Navy Department, ATTN: Code 811, Washington, D. C. 20390 (2 copies)
Chief, Bureau of Medicine and Surgery, Navy Department, ATTN: Special Weapons Def Division, Washington, D. C. 20390 (1 copy)
Chief, Bureau of Ships, Navy Department, ATTN: Code 423, Washington, D. C. 20360 (1 copy)
Chief, Bureau of Yards and Docks, Navy Department, ATTN: D-440, Washington, D. C. 20370 (1 copy)
Director, U. S. Naval Research Laboratory, ATTN: Mrs. Katherine H. Cass, Washington, D. C. 20390 (1 copy)
Commander, U. S. Naval Ordnance Laboratory, White Oak, Silver Spring, Maryland 20390 (2 copies)
Commanding Officer, U. S. Naval Mine Defense Lab, Panama City, Florida (1 copy)
Commanding Officer and Director, U. S. Naval Radiological Defense Laboratory, ATTN: Tech Info Div, San Francisco 24, California (4 copies)
Commanding Officer, U. S. Naval Schools Command, U. S. Naval Station, Treasure Island, San Francisco, California (1 copy)
Superintendent, U. S. Naval Postgraduate School, Monterey, California (1 copy)
Commanding Officer Nuclear Weapons Training Center, Atlantic, U. S. Naval Base, ATTN: Nuclear Warfare Department, Norfolk 11, Virginia (1 copy)
Commanding Officer, Nuclear Weapons Training Center, Pacific, U. S. Naval Air Station, North Island, San Diego 35, California (1 copy)
Commanding Officer, U. S. Naval Damage Control Training Center, Naval Base, ATTN: ABC Defense Course, Philadelphia 12, Pennsylvania (1 copy)
Commanding Officer, U. S. Naval Air Development Center, ATTN: NAS, Librarian, Johnsville, Pennsylvania (1 copy)
Commanding Officer, U. S. Naval Medical Research Institute, National Naval Medical Center, Bethesda, Maryland 20014 (1 copy)
Officer in Charge, U. S. Naval Supply Research and Development Facility, Naval Supply Center, Bayonne, New Jersey (1 copy)
Commandant, U. S. Marine Corps, ATTN: Code A03H, Washington, D. C. 20380 (1 copy)
To Bureau of Ships, ATTN: Code 364A (1 copy)
The Surgeon General, Department of the Navy, ATTN: CDR J. H. Schulte, Bureau of Medicine and Surgery, Code 74, Washington, D. C. 20390 (1 copy)

AIR FORCE AGENCIES

HQ USAF (AFTAC) Wash DC 20330 (1 copy)
HQ USAF, ATTN: Operations Analysis Office, Vice Chief of Staff, Wash 25 DC (1 copy)
HQ USAF (AFNIN3), ATTN: ACS/1 (AFOIN-3VI), Wash DC 20330 (2 copies)
Assistant Chief of Staff, Intelligence, HQ USAFE, APO 633, ATTN: Directorate of Air Targets, New York, New York (1 copy)

DISTRIBUTION (Cont'd)

HQ USAF (AFRDD), ATTN Guidance & Weapons Division, Wash DC 20330 (1 copy)
TAC, ATTN: Doc Security Branch, Langley AFB VA 23365 (1 copy)
The Surgeon General, HQ USAF, ATTN Bio-Def Pre Med Div, Wash DC 20330
(1 copy)
TAC ATTN: Doc Security Branch, Langley AFB Va 23365 (1 copy)
ADC, ATTN: Assistant for Atomic Energy, ADLDC-A, Ent AFB Colo 80912 (1 copy)
AFSC, Andrews AFB, ATTN: RDRWA, Wash DC 20331
DDC(TIOL), AF Unit Post Office, ATTN WDSOT, Los Angeles, Calif 90045
(1 copy)
Commander-in-Chief, Pacific Air Forces, APO 953, ATTN PFCIE-MB, Base
Recovery, San Francisco, Calif (1 copy)
AFCRL, L. G. Hanscom Fld, ATTN: CRQST-2, Bedford Mass 01731 (2 copies)
AFSWC, ATTN: Tech Info & Intel Div, Kirtland AFB NMex 87117 (5 copies)
AUL, Maxwell AFB Ala 36112 (2 copies)
Lowry AFB Colo, ATTN: Dept of Sp Wpns Tng, 80230 (1 copy)
USAFSAM, Brooks AFB Tex 78235 (2 copies)
ASD, ATTN: WCOSI, Wright-Patterson AFB Ohio 45433 (2 copies)
Director, USAF Project RAND, VIA US Air Force Liaison Office, The RAND
Corporation, 1700 Main Street, Santa Monica, California (2 copies)
Commander, Air Defense Systems Integration Division, L G Hanscom Fld.
ATTN: SIDE-S, Bedford Mass 01731 (1 copy)
Command, Air Technical Intelligence Center, USAF, ATTN: AFCIN-4B1A,
Library, Wright-Patterson AFB Ohio 45433 (1 copy)

OTHER AGENCIES

Director of Defense Research and Engineering, ATTN: Tech Library,
Washington, D. C. 20301 (1 copy)
Director, Weapons Systems Evaluation Group, Room 1E880, Washington,
D. C. 20301 (1 copy)
U. S. Documents Officer, Office of the United States National Military
Representative-SHAPE, APO 55, New York, New York (1 copy)
Director, Defense Atomic Support Agency, ATTN: Document Library,
Washington, D. C. 20301 (4 copies*) *Reduce to 3 cys for all FWE Rpts.
Commander, Field Command, Defense Atomic Support Agency, Albuquerque,
New Mexico 87115 (1 copy)
Chief, Weapons Test Division, DASA, Sandia Base, Albuquerque, New Mexico
87115 (2 copies)
Commander, Field Command, Defense Atomic Support Agency, ATTN: FCTG,
Albuquerque, New Mexico 87115 (1 copy)
Director, National Aeronautics & Space Administration, 1520 H Street, N. W.,
Washington, D. C. 20546 (1 copy)
SAC ATTN: OAWS, Offutt AFB Nebr 68113 (1 copy)
Commandant, U. S. Coast Guard, 1300 E. Street, N. W., ATTN: OIN,
Washington, D. C. (1 copy)

DISTRIBUTION (Cont'd)

U. S. Atomic Energy Commission, Washington, D. C. 20545, ATTN: Assistant Director for Medicine and Health Research, Division of Biology and Medicine (10 copies)

Director, U. S. Army Ballistic Research Laboratories, ATTN: Terminal Ballistics, Mr. Robert O. Clark, Physicist (1 copy); Mr. William J. Taylor, Physicist (1 copy), Aberdeen Proving Ground, Maryland 20115

Airborne Instruments Laboratory, Department of Medicine and Biological Physics, Deer Park, Long Island, New York, ATTN: Mr. W. J. Carberry (1 copy)

AFSWC, ATTN: WLRS, Kirtland AFB NMex 87117 (1 copy)

AFSC, ATTN: SCGB, Andrews AFB Wash DC 20331 (1 copy)

AirResearch Manufacturing Company, 9851-9951 Sepulveda Blvd, Los Angeles 25, California, ATTN: Mr. Frederick H. Green, Assistant Chief, Preliminary Design (1 copy); Dr. Names N. Waggoner, Medical Director (1 copy)

AeResearch Manufacturing Company, Sky Harbor Airport, 402 South 36th Street, Phoenix, Arizona, ATTN: Leighton S. King (1 copy)

American Airlines, Inc., La Guardia Airport Station, Flushing 71, New York, ATTN: Medical Director (1 copy)

USAFSAM, ATTN: Maj Gen Theodore C. Bedwell, Jr., Commandant (1 copy); Col Paul A. Campbell, Chief, Space Medicine (1 copy); Dr. Hubertus Strughold, Advisor for Research & Professor of Space Medicine (1 copy)

Boeing Company, Aero Space Division, 7755 E Marginal Way, Seattle 24, Washington, ATTN: Dr. Thrift G. Hanks, Director of Health & Safety (1 copy); Dr. Romney H. Lowry, Manager, Space Medicine Branch (1 copy); Dr. F. Werner, Jr, Space Medicine Section (1 copy)

Chance Vought Astronautics, P. O. Box 5907, Dallas 22, Texas, ATTN: Life Sciences Section (5 copies)

Commanding Officer, U. S. Army Chemical Research & Development Laboratories, ATTN: Dr. Fred W. Stemler (1 copy); Dr. R. S. Anderson (1 copy), Edgewood Arsenal, Maryland 21040

Civil Aeromedical Research Institute, Oklahoma City, Oklahoma, ATTN: Director of Research (1 copy)

Convair Division, General Dynamics Corp, Fort Worth, Texas, ATTN: Mr. H. A. Bodely (1 copy); Mr. Schreiber (1 copy)

Convair, General Dynamics Corporation, Mail Zone 1-713, P. O. Box 1950, San Diego 12, California, ATTN: Dr. R. C. Armstrong, Chief Physician; Dr. J. C. Clark, Assistant to Vice-President Engineering; Mr. James Dempsey; Dr. L. L. Lowry, Chief Staff Systems Evaluation Group; Mr. M. H. Thiel, Design Specialist; Dr. R. A. Nau (Mail Zone 6-104); Mr. W. F. Rector, III (Mail Zone 580-40), P. O. Box 1128; Mr. R. C. Sebold, Vice-President Engineering, Convair General Offices, (8 copies)

Commander, Field Command, Defense Atomic Support Agency, Sandia Base, ATTN: Col S. Cavender, Surgeon, Albuquerque, New Mexico 87115 (1 copy)

Department of National Defense, Defense Research Board, Suffield Experimental Station, Ralston, Alberta, Canada, ATTN: Physiology Section (2 copies)

The Dikewood Corporation, 4805 Menaul Blvd., N.E., Albuquerque, New Mexico (1 copy)

DISTRIBUTION (Cont'd)

Douglas Aircraft Company, Inc., El Segundo Division, El Segundo, California,
ATTN: Mr. Harvey Glassner (1 copy); Dr. E. B. Konecci (1 copy)
Federal Aviation Agency, 1711 New York Avenue, N. W., Washington, D. C.
20553, ATTN: Civil Air Surgeon (1 copy)
Goodyear Aircraft Corporation, Department 475, Plant H, 1210 Massillon
Road, Akron 15, Ohio, ATTN: Dr. A. J. Cacioppo (1 copy)
Harvard School of Public Health, Harvard University, 695 Huntington
Avenue, Boston 15, Massachusetts, ATTN: Dr. Ross A. McFarland,
Associate Professor of Industrial Hygiene (1 copy)
Mr. Kenneth Kaplan, Physicist, Broadview Research Corporation,
1811 Trousdale Drive, Burlingame, California (1 copy)
Lockheed Aircraft Company, Suite 302, First National Bank Bldg, Burbank,
California, ATTN: Dr. Charles Barron (1 copy)
Lockheed Missile and Space Company, Space Physics Department (53-23),
Sunnyvale, California, ATTN: Scientific Assistant to Director of
Research (3 copies)
Lockheed Missile and Space Company, 1122 Jagels Road, Palo Alto, California,
ATTN: Missile Systems Director (1 copy)
Lovelace Foundation for Medical Education and Research, 4800 Gibson Blvd, S.E.,
Albuquerque, New Mexico, ATTN: Dr. Clayton S. White, Director of
Research (5 copies)
McDonnell Aircraft Company, Lambert Field, Saint Louis, Missouri, ATTN:
Chief Airborne Equipment Systems Engineer (1 copy)
National Aeronautics and Space Administration, 1520 H. Street, N. W.,
Washington, D. C. 20546, ATTN: Director, Life Sciences Program (1 copy)
Naval Medical Research Institute, Bethesda, Maryland 20315, ATTN: Dr. David
E. Goldman, MSC, Commander (1 copy)
Chief, Bureau of Medicine & Surgery, Navy Department, ATTN: Director,
Submarine Medical Division, Washington, D. C. 20390 (1 copy)
North American Aviation, International Airport, Los Angeles 45, California,
ATTN: Scott Crossfield, Dr. Toby Freedman, Flight Surgeon; Mr. Fred A.
Payne, Manager Space Planning, Development Planning; Mr. Harrison A.
Storms (4 copies)
Director of Defense Research & Engineering, ATTN: Chief, Medical Services
Division, Office of Science, Washington, D. C. 20301 (1 copy)
The Ohio State University, 410 West 10th Avenue, Columbus 10, Ohio, ATTN:
Dr. William F. Ashe, Chairman, Department of Preventive Medicine;
Dean Richard L. Meiling (2 copies)
Director, The RAND Corporation, 1700 Main Street, Santa Monica, California,
ATTN: Dr. H. H. Mitchell, Physics Division; Dr. Harold L. Brode (2 copies)
Republic Aviation Corporation, Applied Research & Development, Farmingdale,
Long Island, New York, ATTN: Life Sciences Division (3 copies)
President, Sandia Corporation, Sandia Base, Albuquerque, New Mexico 87115,
ATTN: Director of Research (5 copies)
System Development Corporation, Santa Monica, California, ATTN: Dr. C. J.
Roach (1 copy)

DISTRIBUTION (Cont'd)

Radioisotope Laboratory, Cincinnati General Hospital, Cincinnati 29, Ohio,
ATTN: Dr. Eugene L. Saenger (1 copy)

Laboratory of Nuclear Medicine & Radiation Biology, School of Medicine,
University of California, Los Angeles, 900 Veteran Avenue, Los Angeles 24,
California, ATTN: Dr. G. M. McDonnell, Associate Professor; Dr. Benedict
Cassen (2 copies)

University of Illinois, Chicago Professional Colleges, 840 Wood Street,
Chicago 12, Illinois, ATTN: Director, Aeomedical Laboratory (1 copy)

University of Kentucky, School of Medicine, Lexington, Kentucky, ATTN:
Dr. Loren D. Carlson, Professor of Physiology & Biophysics (1 copy)

University of New Mexico, Albuquerque, New Mexico, ATTN: Library (1 copy)

U. S. Naval Ordnance Laboratory, ATTN: Capt Richard H. Lee, MSC; Mr. James
F. Moulton, White Oak, Maryland 20390 (2 copies)

U. S. Naval School of Aviation Medicine, U. S. Naval Aviation Medical
Center, ATTN: Director of Research, Pensacola, Florida (1 copy)

Dr. Shields Warren, Cancer Research Institute, New England Deaconess Hospital,
194 Pilgrim Road, Boston 15, Massachusetts (1 copy)

ASD, ATTN: Commanding Officer; Chief, Bioacoustics Laboratory, Wright-
Patterson AFB Ohio 45433 (2 copies)

Dr. Eugene Zwayer, Director, Shock Tube Laboratory, P. O. Box 188, University
Station, Albuquerque, New Mexico (1 copy)

DDC, Caveron Stn, Alexandria, Va 22314 (20 copies)

Western Development Laboratories, Philco Corporation, Palo Alto, California,
ATTN: Chief, Bioastronautics (1 copy)

Dr. James D. Hardy, John B. Pierce Foundation, 290 Congress Avenue, New Haven,
Connecticut (1 copy)

Dr. George Mixter, Staff Member, American Medical Association, 535 N. Dearborn
Street Chicago, Illinois 60610 (2 copies)

Dr. William T. Ham, Department of Biophysics and Biometry, Medical College of
Virginia, Richmond, Virginia (1 copy)

U.S. Naval Applied Science Laboratory. Project 9400-12. Progress Report I. DASA No. 1532 BURNS TO SKIN BY MILLISECOND LIGHT PULSES by W. L. Derksen, J. Bracciaventi and G. Mixter, Jr. 6 Jul 1964. 9 p. figs. illus. tables. UNCLASSIFIED Burns were produced on depilated albino rat skin when irradiated by a xenon flash lamp. The pulse peaked in 0.4 microsecond and decayed to one-half the peak value in 5 milliseconds. The threshold burn-a scab lesion-occurred at 3.5 cal/cm². Minor lesions of short duration at 2 cal/cm². The scabs appeared thinner than those associated with long duration exposures. A radiant exposure of 0.35 cal/cm² produced scab lesions in blackened rat skin.	I. Burns 2. Thermal radiation - Physiological effects 3. Atomic weapons - Physiological effects I. Derksen, W. L. II. Bracciaventi, J. III. Mixter, G. Jr. IV. DASA subtask 03.062 UNCLASSIFIED	U.S. Naval Applied Science Laboratory. Project 9400-12. Progress Report I. DASA No. 1532 BURNS TO SKIN BY MILLISECOND LIGHT PULSES by W. L. Derksen, J. Bracciaventi and G. Mixter, Jr. 6 Jul 1964. 9 p. figs. illus. tables. UNCLASSIFIED Burns were produced on depilated albino rat skin when irradiated by a xenon flash lamp. The pulse peaked in 0.4 microsecond and decayed to one-half the peak value in 5 milliseconds. The threshold burn-a scab lesion-occurred at 3.5 cal/cm². Minor lesions of short duration at 2 cal/cm². The scabs appeared thinner than those associated with long duration exposures. A radiant exposure of 0.35 cal/cm² produced scab lesions in blackened rat skin.	I. Burns 2. Thermal radiation - Physiological effects 3. Atomic weapons - Physiological effects I. Derksen, W. L. II. Bracciaventi, J. III. Mixter, G. Jr. IV. DASA subtask 03.062 UNCLASSIFIED
U.S. Naval Applied Science Laboratory. Project 9400-12. Progress Report I. DASA No. 1532 BURNS TO SKIN BY MILLISECOND LIGHT PULSES by W. L. Derksen, J. Bracciaventi and G. Mixter, Jr. 6 Jul 1964. 9 p. figs. illus. tables. UNCLASSIFIED Burns were produced on depilated albino rat skin when irradiated by a xenon flash lamp. The pulse peaked in 0.4 microsecond and decayed to one-half the peak value in 5 milliseconds. The threshold burn-a scab lesion-occurred at 3.5 cal/cm². Minor lesions of short duration at 2 cal/cm². The scabs appeared thinner than those associated with long duration exposures. A radiant exposure of 0.35 cal/cm² produced scab lesions in blackened rat skin.	I. Burns 2. Thermal radiation - Physiological effects 3. Atomic weapons - Physiological effects I. Derksen, W. L. II. Bracciaventi, J. III. Mixter, G. Jr. IV. DASA subtask 03.062 UNCLASSIFIED	U.S. Naval Applied Science Laboratory. Project 9400-12. Progress Report I. DASA No. 1532 BURNS TO SKIN BY MILLISECOND LIGHT PULSES by W. L. Derksen, J. Bracciaventi and G. Mixter, Jr. 6 Jul 1964. 9 p. figs. illus. tables. UNCLASSIFIED Burns were produced on depilated albino rat skin when irradiated by a xenon flash lamp. The pulse peaked in 0.4 microsecond and decayed to one-half the peak value in 5 milliseconds. The threshold burn-a scab lesion-occurred at 3.5 cal/cm². Minor lesions of short duration at 2 cal/cm². The scabs appeared thinner than those associated with long duration exposures. A radiant exposure of 0.35 cal/cm² produced scab lesions in blackened rat skin.	I. Burns 2. Thermal radiation - Physiological effects 3. Atomic weapons - Physiological effects I. Derksen, W. L. II. Bracciaventi, J. III. Mixter, G. Jr. IV. DASA subtask 03.062 UNCLASSIFIED

U.S. Naval Applied Science Laboratory. Project 9400-12. Progress Report 1. DASA No. 1532 BURNS TO SKIN BY MILLISECOND LIGHT PULSES by W. L. Derksen, J. Bracciaventi and G. Mixer, Jr. 6 Jul 1964. 9 p. figs. illus. tables. UNCLASSIFIED Burns were produced on depilated albino rat skin when irradiated by a xenon flash lamp. The pulse peaked in 0.4 microsecond and decayed to one-half the peak value in 5 milliseconds. The threshold burn-a scab lesion-occurred at 3.5 cal/cm². Minor lesions of short duration at 2 cal/cm². The scabs appeared thinner than those associated with long duration exposures. A radiant exposure of 0.35 cal/cm² produced scab lesions in blackened rat skin.	1. Burns 2. Thermal radiation - Physiological effects 3. Atomic weapons - Physiological effects I. Derksen, W. L. II. Bracciaventi, J. III. Mixer, G. Jr. IV. DASA subtask 03.062 UNCLASSIFIED
U.S. Naval Applied Science Laboratory. Project 9400-12. Progress Report 1. DASA No. 1532 BURNS TO SKIN BY MILLISECOND LIGHT PULSES by W. L. Derksen, J. Bracciaventi and G. Mixer, Jr. 6 Jul 1964. 9 p. figs. illus. tables. UNCLASSIFIED Burns were produced on depilated albino rat skin when irradiated by a xenon flash lamp. The pulse peaked in 0.4 microsecond and decayed to one-half the peak value in 5 milliseconds. The threshold burn-a scab lesion-occurred at 3.5 cal/cm². Minor lesions of short duration at 2 cal/cm². The scabs appeared thinner than those associated with long duration exposures. A radiant exposure of 0.35 cal/cm² produced scab lesions in blackened rat skin.	1. Burns 2. Thermal radiation - Physiological effects 3. Atomic weapons - Physiological effects I. Derksen, W. L. II. Bracciaventi, J. III. Mixer, G. Jr. IV. DASA subtask 03.062 UNCLASSIFIED
U.S. Naval Applied Science Laboratory. Project 9400-12. Progress Report 1. DASA No. 1532 BURNS TO SKIN BY MILLISECOND LIGHT PULSES by W. L. Derksen, J. Bracciaventi and G. Mixer, Jr. 6 Jul 1964. 9 p. figs. illus. tables. UNCLASSIFIED Burns were produced on depilated albino rat skin when irradiated by a xenon flash lamp. The pulse peaked in 0.4 microsecond and decayed to one-half the peak value in 5 milliseconds. The threshold burn-a scab lesion-occurred at 3.5 cal/cm². Minor lesions of short duration at 2 cal/cm². The scabs appeared thinner than those associated with long duration exposures. A radiant exposure of 0.35 cal/cm² produced scab lesions in blackened rat skin.	1. Burns 2. Thermal radiation - Physiological effects 3. Atomic weapons - Physiological effects I. Derksen, W. L. II. Bracciaventi, J. III. Mixer, G. Jr. IV. DASA subtask 03.062 UNCLASSIFIED
U.S. Naval Applied Science Laboratory. Project 9400-12. Progress Report 1. DASA No. 1532 BURNS TO SKIN BY MILLISECOND LIGHT PULSES by W. L. Derksen, J. Bracciaventi and G. Mixer, Jr. 6 Jul 1964. 9 p. figs. illus. tables. UNCLASSIFIED Burns were produced on depilated albino rat skin when irradiated by a xenon flash lamp. The pulse peaked in 0.4 microsecond and decayed to one-half the peak value in 5 milliseconds. The threshold burn-a scab lesion-occurred at 3.5 cal/cm². Minor lesions of short duration at 2 cal/cm². The scabs appeared thinner than those associated with long duration exposures. A radiant exposure of 0.35 cal/cm² produced scab lesions in blackened rat skin.	1. Burns 2. Thermal radiation - Physiological effects 3. Atomic weapons - Physiological effects I. Derksen, W. L. II. Bracciaventi, J. III. Mixer, G. Jr. IV. DASA subtask 03.062 UNCLASSIFIED

REPORT ABSTRACT FORM
300-NYNS-907-910

Leave at least one space
free in front of these
four lines.