


20040825055

CENIZA-ARENA CLEANUP IN SAN JOSE, COSTA RICA:  
OPERATIONAL ASPECTS AS RELATED TO  
NUCLEAR WEAPON FALLOUT DECONTAMINATION

D017143

CONTRACT NO. N228-(62479)65421  
OLD SUBTASK NO. 3231C


|           |    |      |
|-----------|----|------|
| COPIES    | OF | 63   |
| HARD COPY |    | 3.00 |
| MICROFILM |    | 0.75 |



BEST AVAILABLE COPY

STANFORD RESEARCH INSTITUTE

MENLO-PARK, CALIFORNIA





May 1965

**CENIZA-ARENA CLEANUP  
IN SAN JOSE, COSTA RICA:  
OPERATIONAL ASPECTS AS RELATED  
TO NUCLEAR WEAPON FALLOUT  
DECONTAMINATION**

By: DONALD E. CLARK, JR., AND HONG LEE

SRI Project MU-5069

CONTRACT NO. N228-(62479)65421  
OCD SUBTASK NO. 3231C

*Prepared for:*

OFFICE OF CIVIL DEFENSE  
DEPARTMENT OF THE ARMY  
WASHINGTON D.C. 20310

*Through:*

TECHNICAL MANAGEMENT OFFICE  
U.S.N.R.D.L.  
SAN FRANCISCO, CALIFORNIA 94135

This report has been reviewed in the Office of Civil Defense Department of the Army, and approved for publication. Approval does not signify that the contents necessarily reflect the views and policies of the Office of Civil Defense.

34471604

# ABSTRACT

The continuing eruptions of Volcán Irazú and the consequent deposition of volcanic debris on the city of San José, Costa Rica, offered a unique opportunity to improve our understanding of the physical effects of fallout-like particles (ceniza-arena) deposited in urban areas. Detailed records of ceniza-arena deposition and removal from San José were tabulated and analyzed. The magnitude and problems of decontaminating a fallout contaminated city were illustrated (except for the complicacy of radiation) in the San José ceniza-arena cleanup operations.

#### ACKNOWLEDGMENT

The authors wish to acknowledge the generous assistance of the following people during their visit to San José, Costa Rica, August 16-30, 1964:

Lt. Col. Virgil Cordero, U.S. Military Mission to Costa Rica, for introductions to municipal personnel.

Señor Guillian Castro E., Governor of the Province and Mayor of the city of San José, Costa Rica, for discussing the political aspects of the ceniza-arena cleanup problem and giving permission to use the municipal records.

Señors Ing. Manual A. Padilla J. and Alvaro Gómez A., for furnishing and explaining the detailed records that are a vital part of this report and for showing the authors all phases of the ceniza-arena removal operations.

## CONTENTS

---

|          |                                                                                       |    |
|----------|---------------------------------------------------------------------------------------|----|
| I        | INTRODUCTION . . . . .                                                                | 1  |
| II       | GENERAL CENIZA-ARENA CLEANUP SCHEDULE FOR THE<br>CITY OF SAN JOSE . . . . .           | 4  |
| III      | CLEANUP USING POWER EQUIPMENT . . . . .                                               | 9  |
|          | Power Sweepers . . . . .                                                              | 9  |
|          | Dump Trucks . . . . .                                                                 | 14 |
|          | Front-end Loaders . . . . .                                                           | 14 |
| IV       | MANUAL CLEANUP . . . . .                                                              | 19 |
|          | Roofs and Gutters . . . . .                                                           | 19 |
|          | Sidewalks . . . . .                                                                   | 21 |
|          | Storm Drains . . . . .                                                                | 22 |
| V        | STATISTICAL DATA ON CENIZA-ARENA DEPOSITION AND<br>REMOVAL . . . . .                  | 25 |
| VI       | COMPARISON OF CLEANUP OPERATIONS IN SAN JOSE AND<br>POSTATTACK ENVIRONMENTS . . . . . | 31 |
| APPENDIX | . . . . .                                                                             | 33 |

THIS DOCUMENT CONTAINED  
BLANK PAGES THAT HAVE  
BEEN DELETED

# TABLES

|    |                                                                                                                                       |    |
|----|---------------------------------------------------------------------------------------------------------------------------------------|----|
| 1  | Ceniza-Arena Haulage by Month from April 1, 1963, to August 10, 1964 . . . . .                                                        | 2  |
| 2  | Power Equipment Used in Ceniza-Arena Cleanup -- Usage and Fuel Consumption . . . . .                                                  | 9  |
| 3  | Ceniza-Arena Deposition, Sweeping, and Haulage Data Comparisons for the Period May 1 to August 1, 1964 . . . . .                      | 26 |
| -1 | Ceniza-Arena Depositions in San José . . . . .                                                                                        | 34 |
| -2 | Monthly Deposition Rates for the Accumulation of Ceniza-Arena in San José . . . . .                                                   | 37 |
| -3 | Summary of Ceniza-Arena Handled by Motorized Sweepers (S) and Trucks (T) at Thirty-One Established Dumps in Metropolitan San José . . | 41 |
| -4 | San José Monthly Rainfall Data . . . . .                                                                                              | 53 |
| -5 | Land Area and Length of Streets Served by Established Ceniza-Arena Dumps in San José . .                                              | 56 |

## FIGURES

|    |                                                                                                           |    |
|----|-----------------------------------------------------------------------------------------------------------|----|
| 1  | Map of Metropolitan San José Showing Streets Swept and Dump Locations (In pocket of back cover)           |    |
| 2  | Motorized Sweeper Coverage and Ceniza-Arena Dump Locations in Metropolitan San José . . . . .             | 7  |
| 3  | Motorized Street Sweeping in Suburban San José .                                                          | 10 |
| 4  | Typical San José Street where Trees and Power Poles Interfere with Motorized Sweeping . . . . .           | 12 |
| 5  | Typical San José Street with Rough Shoulder, Deep Gutter, and Driveway Bridges over Cutter . .            | 12 |
| 6  | Typical San José Street where Motorized Sweeping is Impossible because of Parked Cars . . . . .           | 13 |
| 7  | San José Street Accessible to Motorized Sweepers                                                          | 13 |
| 8  | Small Loader Working Pile of Ceniza-Arena Mixed with Trash . . . . .                                      | 15 |
| 9  | Large Loader with Manual Support in Area of Restricted Access . . . . .                                   | 15 |
| 10 | Manual Shoveling into Loader Bucket for Final Cleanup of Ceniza-Arena Pile . . . . .                      | 17 |
| 11 | Typical Ceniza-Arena and Trash Pile . . . . .                                                             | 17 |
| 12 | New Large Cross Section Roof Gutter and Downspout System to Street; Older, Small Gutter on Left . . . . . | 20 |
| 13 | Newly Installed Downspout in Wall with Cleanout at Bottom . . . . .                                       | 20 |
| 14 | Removable Sidewalk Block for Downspout Cleanout .                                                         | 21 |

# FIGURES (continued)

|     |                                                                                                                             |    |
|-----|-----------------------------------------------------------------------------------------------------------------------------|----|
| 15  | Ceniza-Arena Deposit on Smooth Sidewalk after<br>Redistribution by Weather, Pedestrians, and<br>Vehicular Traffic . . . . . | 23 |
| 16  | Rough Sidewalk Difficult to Sweep with<br>Handbroom . . . . .                                                               | 23 |
| 17  | Mobile Vacuum System for Cleaning Clogged<br>Catch Basins . . . . .                                                         | 24 |
| 18  | Rear View of Mobile Vacuum System Showing<br>Hydraulically Adjustable Suction Nozzle . . . . .                              | 24 |
| A-1 | Typical Municipal Record of Motorized<br>Sweeper (Barredoras) Activity . . . . .                                            | 38 |
| A-2 | Typical Municipal Record of Ceniza-Arena<br>Hauling by Privately Owned Trucks . . . . .                                     | 39 |
| A-3 | Typical Municipal Record of Ceniza-Arena<br>Hauling by Municipal Truck . . . . .                                            | 40 |



## I INTRODUCTION

The continuing eruptions of Volcán Irazú and the consequent deposition of volcanic debris on the city of San José, Costa Rica, offer a unique opportunity to improve our understanding of the physical effects of falloutlike particles deposited in urban areas. The volcanic particles (ceniza-arena)\* have physical properties similar to those of radioactive fallout collected at weapon tests. In addition, the introduction of the volcanic particles into the atmosphere in a rapidly rising air column topped with a mushroom cloud is similar to the introduction of nuclear device and environmental debris into the atmosphere by nuclear explosions. The same meteorological factors involved in the fallout distribution process are present in both cases. The volcanic cloud at times resembles a 5- to 10-KT nuclear explosion, a scale unachieved by usual fallout research simulations. Although the continuous production of the volcanic particles and their distribution by an ever changing meteorological environment produce measurable but unpredictable distributions by size of particles at locations throughout the fallout pattern, the deposits in the city provide a continuing opportunity for the study of large scale operational aspects of decontamination.

The series of eruptions of Volcán Irazú that started in March of 1963 has continued, except for brief dormant periods of at most several days. The eruptions produce no lava flow outside the crater, but large quantities of ceniza-arena particles are ejected to varying heights above the crater and dispersed by the wind. A small fraction of this material is deposited on the city of San José, which lies 15 miles west of the crater along the path of the prevailing easterly winds. Gross estimates of the amount deposited in the city are given in Table 1. These estimates are based on data furnished by the San José Department of Sanitation that summarize the quantities of ceniza-arena hauled to dumps outside the city. The quantities given show the magnitude of the city decontamination, or cleanup, problem. For reasons to be discussed later, the cumulative (since April 30, 1964) haulage figures for 0.66 square mile of downtown area have exceeded the measured ceniza-arena deposit (at one location in the city) by a factor of 7. Between April

---

\* Ash-sand, coined native descriptive terminology, also commonly referred to as ceniza.

Table 1  
CENIZA-ARENA HAULAGE BY MONTH  
April 1, 1963, to August 10, 1964

| <u>Month</u> | <u>Cubic Meters</u> | <u>Tons*</u> | <u>Cumulative<br/>Tons</u> |
|--------------|---------------------|--------------|----------------------------|
| April 1963   | 562                 | 992          | 992                        |
| May          | 1,484               | 2,621        | 3,613                      |
| June         | 1,084               | 1,914        | 5,527                      |
| July         | 848                 | 1,498        | 7,025                      |
| August       | 506                 | 894          | 7,919                      |
| September    | 0                   | 0            | 7,919                      |
| October      | 0                   | 0            | 7,919                      |
| November     | 130                 | 230          | 8,149                      |
| December     | 13,229              | 23,360       | 31,509                     |
| January 1964 | 17,287              | 30,530       | 62,039                     |
| February     | 15,548              | 27,460       | 89,499                     |
| March        | 8,562               | 15,120       | 104,619                    |
| April        | 10,291              | 18,170       | 122,789                    |
| May          | 10,500              | 18,540       | 141,329                    |
| June         | 2,649               | 4,678        | 146,007                    |
| July         | 2,750               | 4,857        | 150,864                    |
| August 1-10  | <u>997</u>          | <u>1,761</u> | 152,625                    |
| Total        | 86,427              | 152,625      |                            |

---

\* Based on ceniza-arena density of 100 lb/ft<sup>3</sup> or 1.76 tons/m<sup>3</sup>.

Source: Stanford Research Institute; based on data from the San José Department of Sanitation.

30 and August 20, the cumulative total measured deposit was 670.78 g/ft<sup>2</sup>; such a deposit, undisturbed, would have resulted in a layer of particles about 3/16 inch deep. Local variations in the uniformity of the deposit within the city might introduce some differences between the total amount deposited in the city and that deposited at the location of measurement.

It is recognized that the ceniza-arena removal operations in San José required a different planning philosophy than would be required in preattack planning for recovery of undamaged urban areas following a nuclear attack on the United States. The most important difference is the absence of a radiological hazard during the ceniza-arena cleanup operations, obviating consideration of operator and population exposure dosage control. On the other hand, uncertainty about the duration of the eruptions made planning for the magnitude of the cleanup job for San José, including the monetary expenditures needed for the operation, subject to political considerations. The general attitude of the people in classifying the ceniza-arena deposits as a temporary inconvenience delayed the monetary appropriations for procurement of adequate equipment for the cleanup work. As the cleanup problem persisted, the government gradually became convinced of the need for proper equipment, the principal evidence being an accurately documented history of the quantities of ceniza-arena removed by hand methods.

The supervision of the ceniza-arena removal operation initially was assigned to the public relations department. Later it was handled by a civil engineer in the sanitation department who introduced a more systematic cleanup procedure and the documentation that provided data for this report.

As for any national emergency, all sources of equipment were sought and utilized. The debris (ceniza-arena plus trash of all kinds) was hauled to the dump by privately owned trucks, many of which were not dump trucks and were manually loaded and unloaded by shoveling. Later, a completely independent municipal hauling capability was developed through the purchase of new trucks and a scheduled use of trucks from all city departments. The subsequent acquisition of front-end loaders for dump truck loading also speeded up the hauling of the debris, further reducing manpower requirements.

Help from outside the country often was ineffective. For example, a donated airport sweeper was completely unmaneuverable in the narrow streets of Costa Rican cities. In another instance, a donated 1928 model tractor with a truck-loading bucket was delivered in a state of disrepair. These two machines presently are stored in the municipal maintenance yard.

## II GENERAL CLEANUP SCHEDULE FOR THE CITY OF SAN JOSE


The present schedule for the cleanup of the metropolitan area of the city of San José was inaugurated on April 30, 1964, when the supervision of the operation was delegated to a civil engineer in the Department of Sanitation. The schedule is well planned and provides optimum cleanup for the environmental conditions using available equipment. Figure 1 is a map (see inside of back cover) showing streets swept and dump locations; the map will be helpful in understanding the different phases of the cleanup described below.

The metropolitan area of San José comprises four central districts (Merced, Carmen, Cathedral, and Hospital) and seven suburban districts (San Pedro, Zapoti, San Francisco, San Sebastian, Hatillo, Mata Redonda, and Uruca). It is bounded on the north by the Torres River and on the south by the Tiribi River. The east and west boundaries are less well defined as the population density gradually decreases outside the central districts. The avenues (avenidas) are numbered from the center of the city, odd numbers to the north and even numbers to the south; streets (calles) are numbered odd to the east and even to the west.

Only 40 percent of the streets of San José are suitable for cleaning with motorized street sweepers; these are marked in Figure 2. The cleanup schedule is determined by the number of available sweepers and the miles of streets that can be swept mechanically. The current schedule is to sweep at night the streets in the downtown district enclosed by Avenues 7 and 8 and Streets 14 and 15. Streets suitable for power sweepers outside the downtown district are swept during the day about once a week. Two sweepers, working eastward from Street 42, cover the area south of Paseo Colon and Central Avenue, and two sweepers, working westward from Street 37, cover the northern region. Outlying areas are swept on a time-available basis within the one-week work cycle.


Thirty-one sweeper dumps have been established in locations that are convenient for the sweepers, do not interfere with traffic, and are easily accessible to dump trucks and loading equipment. The ceniza-arena (and trash) from these dumps ultimately is disposed of at four sites outside the city.

The principal environmental factors affecting the street-cleanup schedule are traffic and vehicle-parking conditions during the day and evening and the almost daily afternoon showers during the rainy season. Motorized sweeping is done in two shifts for a total of 14 hours per day. The downtown area is swept between 11:00 p.m. and 5:00 a.m. when there usually is no rain and traffic is at a minimum. Outlying districts, where traffic is usually light, are swept between 6:00 a.m. and 2:00 p.m. on dry days. Truck loading and hauling is usually carried out from 2:00 p.m. to 9:30 p.m. with intermittent interruptions when local rain showers occur. Manual cleanup operations with broom, shovel, and wheelbarrow are usually done in the morning and utilize a total work force of approximately 100 men.



**Figure 2**  
**MOTORIZED SWEEPER COVERAGE AND**  
**CENIZA-ARENA DUMP LOCATIONS**  
**IN METROPOLITAN SAN JOSE**





### III CLEANUP USING POWER EQUIPMENT

Three types of power equipment are used in San José's ceniza-arena cleanup operation: power sweepers, dump trucks, and front-end loaders. Their usage and fuel consumption are summarized in Table 2.

Table 2

#### POWER EQUIPMENT USED IN CENIZA-ARENA CLEANUP

##### Usage and Fuel Consumption

| <u>Equipment</u>               | <u>Hours<br/>per Day<br/>per Unit</u> | <u>Fuel Consumption</u>                  |                                          | <u>Number of Operators<br/>All Units</u> |
|--------------------------------|---------------------------------------|------------------------------------------|------------------------------------------|------------------------------------------|
|                                |                                       | <u>Gallons<br/>per Hour<br/>per Unit</u> | <u>Gallons<br/>all Units<br/>per Day</u> |                                          |
| Four power<br>sweepers         | 14                                    | 0.59                                     | 33                                       | 8                                        |
| Three dump<br>trucks (diesel)  | 8                                     | 0.83                                     | 20                                       | 3                                        |
| Four dump trucks<br>(gasoline) | 8                                     | 2.50                                     | 80                                       | 4                                        |
| Two front-end<br>loaders       | 8                                     | 1.00                                     | 16                                       | 2                                        |

---

Source: Stanford Research Institute.


#### Power Sweepers

The city of San José uses four Wayne motorized sweepers (Figure 3) in the general cleanup schedule. They are of the rotating-brush design, and the material swept is carried on a conveyor belt to a front hopper.



Figure 3

MOTORIZED STREET SWEEPING IN  
SUBURBAN SAN JOSE



Gutter brushes in front, rotating on vertical shafts, serve to sweep gutter deposits into the path of the main brush. A water spray in front is used to minimize the generation of dust clouds by the brooms.

The sweeper manufacturer suggests an operating speed of 5 mph. At this speed, the distance traveled in 14 hours of continuous sweeping would be 70 miles. The quoted mileage for sweeping in the 14-hour work period is 42 miles, or 21 miles of streets along both gutters. Thus the quoted efficiency at which the sweepers are utilized to sweep the area is 60 percent. The reduction of efficiency is due chiefly to time lost in maneuvering around cars parked along the streets, slowdowns because of vehicular traffic, dumping times, and rest periods. This is equivalent to 18 miles of travel per sweeper per six-hour night shift in the downtown area. Actually only 20.3 miles of downtown streets are swept per night, or a little over 5 miles of streets per sweeper. Since both sides of the street were swept (one pass each side) this represents a little over 10 miles of sweeping. The additional loss in efficiency, about 8 miles, is attributed to nonsweeping travel. This includes some overrun of some streets, travel to and from the maintenance yard, and travel to and from the dump sites.

The hoppers are dumped frequently because density of ceniza-arena is higher than the bulk density of trash the sweepers were designed to handle. To prevent overloading on a weight basis, a trash dump level in the hoppers has been established that is well below the normal level, and the operators are instructed not to exceed it. Depending on the amount of deposit, the number of dumps per sweeper per 14-hour working period varies from 4 to 16 (with an average of 10).

Figures 4 and 5 show why 60 percent of the streets cannot be cleaned by a motorized sweeper. Many streets, originally very narrow, have been widened, but the trees and power poles were left in place some distance from the new curbs. These obstacles in the street present a parking problem as well as sweeping difficulties. Unpaved areas between the trees are difficult to clean even by manual methods. Unpaved shoulders, deep gutters, and bridges for access to garages prevent use of motorized sweepers on many streets. Other streets, which might be satisfactory for sweeping in most respects, have holes or uneven pavements that make them unsuitable for sweeping with mechanical sweepers.

The average street in downtown San José is 7 meters wide, which is quite narrow by U.S. standards. Parked cars on both sides, as shown in Figure 6, reduce traffic to a single lane in one direction. On many streets several cars per block are observed to remain parked overnight. These parked cars are obstacles to the efficiency of both the mechanical sweepers and the manual cleanup crews. Legislative attempts to regulate parking so far have proved ineffective and the problem of parked cars persists. Very few streets that otherwise are suitable for mechanical sweeping (see Figure 7) have no parked cars. These streets are in parks or residential areas away from the main business section of the city.

Each sweeper operator cleans the same area each night or each week. He is assigned to a given area with its given dump locations but is free to work out his own pattern of sweeping the assigned area. This mode of operation improves overall efficiency, because each operator attains familiarity with the details and problems in his particular area and has the incentive of working out his own suitable rapid sweeping pattern.

The four sweepers are relatively new, so lost time from equipment breakdown presently is not a factor in the cleanup schedule. Routine maintenance involves only one man; but more complex maintenance, such as changing brushes, requires the labor pool of four mechanics and ten helpers who service all municipal equipment. Refueling is done every other day at the end of the shift between 1:00 p.m. and 2:00 p.m.



Figure 4

TYPICAL SAN JOSE STREET.  
TREES AND POWER POLES  
INTERFERE WITH MOTORIZED  
SWEEPING




Figure 5

TYPICAL SAN JOSE STREET  
WITH ROUGH SHOULDER,  
DEEP GUTTER, AND DRIVE-  
WAY BRIDGES OVER GUTTER



Figure 6

TYPICAL SAN JOSE STREET  
WHERE MOTORIZED SWEEPING  
IS IMPOSSIBLE BECAUSE OF  
PARKED CARS




Figure 7

SAN JOSE STREET ACCESS-  
BLE TO MOTORIZED  
SWEEPERS

Other reasons for lost sweeper time are rain and time spent refilling the sweeper water-storage tank. The sweeping times are scheduled to avoid the rainfall hours. Because rainfall hours are usually short in duration and consistent from day to day, inclement weather occurs during only about 5 percent of the total 14-hour sweeping shifts. Approximately 7 percent of the time is spent refilling the water-storage tank.

### Dump Trucks

Seven dump trucks are used in the current ceniza-arena cleanup operation, and two more are on order. The operational data shown in Table 2 are for three trips per loaded truck per day to dump areas outside the city and an average round trip of 10 miles.

Travel time to the dump is 20 to 30 minutes, depending on the distance and traffic conditions. The truck-loading time is usually 30 minutes to one hour, depending on the location of the ceniza-arena piles. If a truck load is in one dump pile, filling the truck with the front-end loader takes only a few minutes. If the truck must follow the loader to collect small dispersed piles, the loading takes longer. When several trucks are working with one loader that is moving about the streets in search of ceniza-arena piles, empty trucks returning from the dump often waste time finding the loader.

The average capacity of the trucks is 4 to 6 cubic yards. Quantitative data on ceniza-arena haulage is not readily available from the municipal figures, which give the number of truck trips and dumping locations but not the weight of the ceniza-arena carried each trip. Counting partially loaded trucks as full loads has undoubtedly led to overestimates of the total ceniza-arena removed from the city streets.

### Front-end Loaders

Two front-end loaders are presently used with respective capacities of 1-1/4 cubic yards and 1/2 cubic yard (see Figures 8 and 9). The delivery of a third loader is expected soon. This third loader and two additional dump trucks will provide the more ideal ratio of three trucks per loader. The current excess of trucks has eliminated the loader standby time spent waiting for empty trucks.

The loader operators have had several years of experience operating heavy equipment plus 13 days of training on the job. Observation of the loading operations shows that operator skill is equal to that of

Figure 8

SMALL LOADER WORKING PILE OF  
CENIZA-ARENA MIXED WITH TRASH





Figure 9

LARGE LOADER WITH MANUAL SUPPORT  
IN AREA OF RESTRICTED ACCESS



U.S. operators. Unusual loading operation skills are occasionally displayed in the loading of small ceniza-arena piles in confined spaces near trees. This is a capability not usually required of loaders, which are designed to move large gravel or dirt piles.

Three men with shovels provide support for the loader in getting the final portion of any ceniza-arena pile into the loader bucket (Figure 10). They also assist in loading tree limbs, scrap metal, and other unwieldy trash items that accumulate in the piles of ceniza-arena. Most residents of San José apparently observe no distinction between ceniza-arena and trash removal, although separate trash pickup is provided by the city. Figure 11 shows a typical ceniza-arena and trash pile.


Figure 10

MANUAL SHOVELING INTO LOADER BUCKET FOR  
FINAL CLEANUP OF CENIZA-ARENA PILE



Figure 11

TYPICAL CENIZA-ARENA AND TRASH PILE





#### IV MANUAL CLEANUP

The ceniza-arena located in places not accessible to mechanized equipment is removed by manual methods. Before the present mechanized equipment was in use, about 400 men with wheelbarrows, brooms, and shovels did most of the cleanup work in the city. About 100 men now handle special jobs such as cleaning catch basins and streets on which the sweepers cannot be operated. Manual cleanup is usually done on the 8-hour shift from 6 a.m. to 2 p.m. The manually gathered ceniza-arena is placed on existing dumps or piled at the curb in the middle of the block at two-block intervals for later pickup by the front-end loaders.

##### Roofs and Gutters

The cleaning of roofs and roof gutters, except for government buildings, is the responsibility of the individual property owner. There is no roof-cleaning schedule, and owners dump the ceniza-arena from roofs into the street or into trash cans at their convenience. City efforts have been unsuccessful in regulating private dumping of ceniza-arena into the streets to coincide with city collections in the area.

The slope and smooth surface of the corrugated iron roofs are usually such that the wind or rain moves the deposited ceniza-arena to the roof gutter. Existing roof gutters are of small cross section (4 inches wide and 2 inches deep) with roof overlap that makes them difficult to clean by hand. However, the new replacement gutters usually have a larger cross section (8 inches wide and 6 inches deep) for easier access with hand scoops to remove the wet or dry caked ceniza-arena. Wet ceniza-arena is removed from the gutters by hand scoops and is then placed into buckets for transport to the ground with the use of a ladder or with a rope attached to the bucket. The dry ceniza-arena is removed also by the hand scoops with transfer to buckets or to a pipe chute that leads to a barrel on the ground. One enterprising entrepreneur has set up a roof-cleaning business using a system equipped with a vacuum cleaner that collects the ceniza-arena in a barrel placed on the sidewalk.

Most roof gutters are drained by downspouts that descend vertically on or within the walls of buildings to tunnels under the sidewalk and through the curb to the street storm drains. As might be expected, the downspout system is easily plugged with ceniza-arena particles.




Figure 12

NEW LARGE CROSS SECTION  
ROOF GUTTER AND DOWN-  
SPOUT SYSTEM TO STREET;  
OLDER, SMALL GUTTER ON  
LEFT



Figure 13

NEWLY INSTALLED DOWN-  
SPOUT IN WALL WITH  
CLEANOUT AT BOTTOM




Figure 14

#### REMOVABLE SIDEWALK BLOCK FOR DOWNSPOUT CLEANOUT

Figures 12, 13, and 14 show new roof-gutter and downspout installations and steps taken to alleviate the clogging problem.

The frequency of roof-gutter cleaning necessary to keep them clear depends mostly on the rainfall conditions. Gutters are seldom cleaned during the dry season, not only because the ceniza-arena contained is relatively sparse and is not cake hardened, but also because people are inclined to wait until the need to clean is self-evident. During the periods of light rain, they are cleaned once a month. When it rains heavily and frequently, most of the ceniza-arena deposited upon the roof is washed to the gutters before it can be carried away by wind, and biweekly cleaning is necessary to prevent the gutters from being caked to capacity.

#### Sidewalks

Sidewalk cleaning also is the responsibility of the individual property owner. The ceniza-arena is generally swept into the gutter with a handbroom. Figures 15 and 16 show ceniza-arena deposits on smooth and

rough sidewalks in sections of the city where owners did not clean their walks. The employees in downtown stores sweep their sidewalks frequently to prevent people from tracking the ceniza-arena inside the store. Observed cleaning times for sidewalks averaged about 40 seconds per square meter.

### Storm Drains

The city of San José has an extensive storm-drain system to handle the annual 70- to 80-inch rainfall. Without the ceniza-arena, the normal accumulation of coarse trash in the catch basins does not offer a serious stoppage problem. However, when the ceniza-arena is added to the trash, it fills all the small spaces in the usual trash to form an impervious dam. It appears that neither trash nor ceniza-arena alone poses a serious drain-stoppage problem, but combined they cause stoppages that necessitate considerable drainage maintenance. This observation is based on the fact that most of the catch basins handled the ceniza-arena alone without stoppages and the drainage pipes did not become clogged.

During the rainy season, cleanup of the clogged catch basins is done on a demand basis. Policemen and other civic-minded people report clogged drains to the sanitation department, which then dispatches a "vac-all" unit to the site. The "vac-all" (Figures 17 and 18) is a commercially available truck-mounted vacuum system, with a 10-inch suction pipe and a storage tank, designed for cleaning water-filled catch basins. After manual scraping has loosened the ceniza-arena and dislodged the coarse trash in a catch basin, the "vac-all" takes about an hour to clean it.

All the storm-drain basins that were examined have the outlet pipe flush with bottom of the basin. This does not allow space for such heavy material as ceniza-arena to settle, thereby reducing the quantity entering the outlet pipe; such a space could easily have been provided had the current accumulation of ceniza-arena been anticipated.



Figure 15

CENIZA-ARENA DEPOSIT ON  
SMOOTH SIDEWALK AFTER  
REDISTRIBUTION BY WEATHER,  
PEDESTRIANS, AND VEHIC-  
ULAR TRAFFIC





Figure 16

ROUGH SIDEWALK DIFFICULT  
TO SWEEP WITH HANDBROOM


**Figure 17**

**MOBILE VACUUM SYSTEM FOR CLEANING CLOGGED  
CATCH BASINS**



**Figure 18**

**REAR VIEW OF MOBILE  
VACUUM SYSTEM SHOWING  
HYDRAULICALLY ADJUST-  
ABLE SUCTION NOZZLE**



## V STATISTICAL DATA ON CENIZA-ARENA DEPOSITION AND REMOVAL

Basic data on the amount of ceniza-arena deposited in San José, the volume of ceniza-arena and trash to the dump area, and local rainfall are tabulated in the Appendix. Table 3, derived from the same data, summarizes the information on the ceniza-arena deposition and removal. This data for the three-month period May 1 to August 1, 1964, was used to estimate the effects of variations in the scheduled cleanup procedure, which may or may not correlate with daily deposit data. This summary would show reasonable material balance relationships between the amount of ceniza-arena deposited in the city and the amount removed in the cleanup operations. However, the tabulations indicate inconsistencies among the data; some of these discrepancies are explained in the following paragraphs.

To assess the ceniza-arena cleanup effectiveness, the ceniza-arena volume and haulage must be compared with the amount deposited. The ceniza-arena deposition levels were measured in the Meteorological Institute headquarters in the eastern part of San José. Although ceniza-arena deposits, like rain showers, can be quite localized at a given time, measurements over a longer period of time should tend to average out over an area no larger than the central section of the city. Some differences from east to west might be expected to persist owing to varying distance from the volcano. If the ceniza-arena deposition gradient with distance were comparable to the fallout from a 5- to 10-KT nuclear weapon,\* as the cloud dimensions indicate, and if an idealized constant wind pattern existed, the deposit levels at the western edge of the city (18 miles from crater) would be 40 percent less than the level at the Meteorological Institute headquarters (15.4 miles from the crater). With these reservations, the ceniza-arena deposit levels as measured at the Meteorological Institute have been assumed for the entirety for the purposes of the data analysis given in Table 3.

The municipal data specify two cubic meters as the amount of ceniza-arena handled by the motorized sweepers at the time it is dumped. By

---

Lark, D. E., and W. C. Cobbin, Some Relationships among Particle Size, Mass Level, and Radiation Intensity of Fallout from a Land Surface Nuclear Detonation, USNRDL-TR-639, March 21, 1963.

**Table 3**  
**CENIZA-ARENA DEPOSITION, SWEEPING, AND HAULAGE DATA COMPARISONS**  
 May 1, to August 1, 1964

| Dump<br>No.            | Area<br>Served<br>(mi <sup>2</sup> ) | Street*       |                    | Deposit†<br>(tons) | Ceniza-arena Handled |                             | Percent of Deposit<br>Handled |       |
|------------------------|--------------------------------------|---------------|--------------------|--------------------|----------------------|-----------------------------|-------------------------------|-------|
|                        |                                      | Swept<br>(mi) | Percent<br>of Area |                    | Sweeper‡<br>(tons)   | Truck<br>Haulage§<br>(tons) | Sweeper                       | Truck |
| 1                      | 0.106 mi <sup>2</sup>                | 3.67 mi       | 15.1%              | 1,870 t            | 77 t                 | 1,281 t                     | 4.1%                          | 68.5% |
| 2                      | 0.051                                | 1.58          | 13.5               | 902                | 0                    | 115                         | 0                             | 12.7  |
| 3                      | 0.091                                | 1.98          | 9.5                | 1,610              | 18                   | 293                         | 1.1                           | 18.1  |
| 4                      | 0.053                                | 1.44          | 11.8               | 937                | 15                   | 15                          | 1.6                           | 1.6   |
| 5                      | 0.028                                | 0.74          | 11.5               | 495                | 5                    | 7                           | 1.0                           | 1.4   |
| 6                      | 0.036                                | 0.92          | 11.1               | 636                | 7                    | 100                         | 1.1                           | 15.7  |
| 7                      | 0.040                                | 0.87          | 9.5                | 707                | 123                  | 978                         | 17.3                          | 138.3 |
| 8                      | 0.054                                | 1.40          | 11.2               | 955                | 19                   | 1,138                       | 1.9                           | 119.1 |
| 13                     | 0.048                                | 1.37          | 12.4               | 849                | 40                   | 1,571                       | 4.7                           | 185.0 |
| 14                     | 0.060                                | 1.63          | 11.8               | 1,060              | 37                   | 1,557                       | 3.4                           | 146.8 |
| 15                     | 0.038                                | 1.22          | 14.0               | 672                | 51                   | 349                         | 7.5                           | 51.9  |
| 16                     | 0.043                                | 1.64          | 16.6               | 760                | 9                    | 138                         | 1.1                           | 18.1  |
| 17                     | 0.042                                | 1.22          | 12.6               | 743                | 36                   | 17                          | 4.8                           | 2.2   |
| 18                     | 0.055                                | 1.93          | 15.3               | 972                | 36                   | 48                          | 3.7                           | 4.9   |
| 19                     | 9.931                                | 1.09          | 15.3               | 548                | 26                   | 34                          | 4.7                           | 6.2   |
| 20                     | 0.014                                | 0.38          | 11.8               | 248                | 23                   | 233                         | 9.2                           | 93.9  |
| 21                     | 0.009                                | 0.35          | 16.9               | 159                | 0                    | 0                           | 0                             | 0     |
| 22                     | 0.039                                | 1.07          | 11.9               | 690                | 14                   | 20                          | 2.0                           | 2.8   |
| 23                     | 0.091                                | 2.23          | 10.7               | 1,610              | 4                    | 14                          | 0.2                           | 0.8   |
| 24                     | 0.009                                | 0.43          | 20.8               | 159                | 26                   | 69                          | 16.3                          | 43.3  |
| 25                     | 0.032                                | 0.79          | 10.7               | 566                | 10                   | 854                         | 1.7                           | 150.8 |
| 26                     | 0.049                                | 1.39          | 12.3               | 866                | 2                    | 252                         | 0.2                           | 29.0  |
| 27                     | 0.034                                | 1.12          | 14.3               | 601                | 0                    | 148                         | 0                             | 24.6  |
| 29                     | 0.074                                | 1.79          | 10.5               | 1,310              | 37                   | 102                         | 2.8                           | 7.7   |
| 30                     | 0.186                                | 3.18          | 7.4                | 3,290              | 37                   | 62                          | 1.1                           | 1.8   |
| 31                     | 0.058                                | 1.55          | 11.6               | 1,030              | 66                   | 47                          | 6.4                           | 4.5   |
| Downtown**             | 0.662                                | 21.30         | 14.0               | 11,700             | 1,057                | 5,567                       | 9.0                           | 47.5  |
| Total and<br>Average % | 2.033 mi <sup>2</sup>                | 59.37 mi      | 12.7%              | 35,900 t           | 1,775 t              | 15,009 t                    | 4.9%                          | 41.8% |

\* For average street width of 7 meters.

† Based on uniform deposit of 568.7 g/ft<sup>2</sup> over the area.

‡ From sweeper capacity figures @ 1.76 tons/M<sup>3</sup>.

§ From truck figures @ 1.76 tons/M<sup>3</sup>.

\*\*Central area served by dumps 9, 10, 11, 12, and 28.

Source: Stanford Research Institute.



measurement,\* the bulk density of the ceniza-arena is 100 lbs/ft<sup>3</sup>. With these figures, the sweeper load would be over 7,000 pounds, a weight far too great for the sweeper to carry. However, for lack of better data, these factors were used to estimate the weight of ceniza-arena handled by the motorized sweepers. The volume was converted to tons by a factor of 1.76 tons/m<sup>3</sup>.

The municipal data apparently also overestimate the amount of ceniza-arena hauled by the trucks. The reported quantities of ceniza-arena hauled by the trucks are given in terms of the nominal truck capacities with no indication that a full load, by volume, was actually hauled and with no indications of the amount of trash that was mixed in with the ceniza-arena. As with sweepers, the volume of ceniza-arena, as given, results in a gross weight that is often in excess of the truck load capacity. One modifying condition, which affects the bulk density of the load in the truck, is that most loads are a mixture of trash, vegetation trimmings, and ceniza-arena. The resulting overestimate of ceniza-arena haulage, the fact that trucks serve extensive city areas beyond that covered by sweepers, and the added roof contributions, make it impossible to associate the truck haulage data with specific sweeper dump areas.

The respective percentages of ceniza-arena handled by sweepers and trucks (Table 3) give some indication of their effectiveness. In almost all cases, the sweeper did not handle the proportional share of the deposition that might be expected. The average of all areas shows that streets receiving 12.7 percent of the total deposition have only 4.9 percent of the deposition handled by sweepers. On the basis of the street deposition alone, this amounts to a gross effectiveness of only 38.5 percent. On the downtown area, a gross effectiveness of 64.3 percent for the sweepers was achieved. This does not imply that the sweeper effectiveness for any one pass approximated the percentages given and that the remaining corresponding percentage of material was left on the streets. If this were so, about 200 to 350 grams of ceniza-arena per square foot of street would be left behind on the streets, which certainly was not the case.

Small scale experiments have shown sweepers of the type used in San José capable of removing over 90 percent of the deposited mass from

---

\*Miller, Carl F., et al., Operation Ceniza-Arena, Stanford Research Institute report in preparation.

pavements that are in good condition.\* It would be expected that the streets in downtown areas would accumulate more than their proportionate share of ceniza-arena owing to redistribution from roofs and sidewalks with minimal losses to storm sewers. On the other hand, the apparent low removal effectiveness might be attributed to the inability to cover the entire street because of parked cars or to redistribution to unpaved adjacent areas by traffic and wind. The two 8-foot-wide sweeping passes along the curb leave the crown and center of the street unswept; however, passing traffic and wind cause most of the ceniza to migrate to the gutter. Other items contributing to decreased removal effectiveness of the sweepers are pavement roughness and the presence of curbs. A further apparent decrease in power sweeper effectiveness resulted from the treatment of the data. Manual cleanup reduces ceniza-arena deposits on streets that are swept by power equipment as well as on those that are not. The amounts picked up manually could not be determined and were tacitly assumed to be negligible; where, in fact, these amounts are significant and those removed by power sweepers are correspondingly lower, an apparent decrease in power sweeper effectiveness would result. Other areas, such as planting areas, private yards, and public parks, apparently were not cleaned at all and it was difficult to ascertain whether ceniza-arena migrated to or from these areas. Finally, an unknown amount of material is removed from the streets by the torrential afternoon rains.

In the final analysis, if the street sweepers only removed 38.5 percent of the 568.7 grams of ceniza-arena deposited per square foot of street, it would be desirable to know how and when the remainder was removed, and from the radiological standpoint, where it was redeposited. Unfortunately, this type of information has not been documented.

The percentage of the ceniza-arena deposits handled by trucks includes that handled by manual and motorized sweepers. Many of the truck haulage entries are more than 100 percent of the amount deposited. This is partially due to the inclusion of ceniza-arena collected beyond the defined areas, and the dilution of the loads with trash. Also, the haulage data for a given day may include collections of previously accumulated ceniza-arena on a given area.

Rainfall data collected over a ten-year period show 1964 to be a normal wet year (Table A-4). Normal rainfall generally occurs between

---

\* Clark, D. E., and W. C. Cobbin, Removal Effectiveness of Simulated Dry Fallout from Paved Areas by Motorized and Vacuumized Street Sweepers, USNRDL-TR-746, August 8, 1963.

1:00 p.m. and 7:00 p.m., and the cleanup schedule is arranged so that it is hindered very little by inclement weather. The relative effectiveness of motorized sweeping on wet as opposed to dry pavement was not determined, but since the streets do not stay wet for long and the sweeper sprinkler was used to suppress the suspension of dust, it may be assumed that differences, if any, are minimal. Wet pavements certainly did not hamper the rate of street sweeping.

## VI COMPARISON OF CLEANUP OPERATIONS IN SAN JOSE AND POSTATTACK ENVIRONMENTS

Radiation dosage control is not one of the factors requiring consideration in the ceniza-arena cleanup operation of San José; however, the following conditions for ceniza-arena cleanup apply also to the physical removal of fallout:

1. A systematic cleanup plan to establish the area to be covered, dump locations, material handling equipment, routes to be followed, and all physical movement procedures.
2. Adaptation or training of personnel to carry out the systematic cleanup plan.

Consideration of the radiation dosage control factor would further complicate the scheduling and conduct of the cleanup operation. Perhaps the most important requirement for the radiological environment is the availability of an adequate operational plan. The present effective cleanup schedule in San José was evolved by trial and error over an extended time period and could be utilized as a point of departure in planning for postnuclear attack cleanup in the United States. In a radiological environment, however, the trial-and-error method for developing an operational schedule would not be acceptable. An effective dosage conservation program requires detailed preplanning and operational scheduling followed by preattack training.

A most important consideration in the establishment of an operational cleanup capability in a radiological environment is that a fairly large number of people would have to be trained and used because of radiation dosage control requirements. It is recalled that the average sweeper travel speed is three miles per hour and that 20.3 miles of street are swept by four sweepers within a six-hour period. The larger cities of the United States (over 25,000 population) have an average of only one sweeper per 40 to 50 miles of streets. At the rate of five miles of street for each six hours, about 50 to 60 hours of sweeping per sweeper would be required to sweep the streets of an entire city.

The environment in many U.S. cities after nuclear attack may not be suitable for the use of motorized sweepers on the streets. Debris in

lightly damaged areas or the presence of abandoned automobiles may make streets difficult if not impossible to sweep. In San José, the vehicular traffic causes redistribution of the ceniza-arena from the center of the streets toward the gutters. Because the streets are narrow, it is only necessary for the power sweepers subsequently to cover the curb lanes. In areas of U.S. cities left undamaged by nuclear attack, however, there will be little traffic to help distribute fallout toward the gutters. Although in time wind could cause the same type of redistribution, it is unlikely that in the case of wider streets the fallout would eventually be concentrated only on the curb lanes. Where distribution of fallout toward the gutters does not occur, or at least not to the extent caused by vehicular traffic in San José, the entire street width would require sweeping, which could easily triple the sweeping time mentioned above. In addition, more frequent dump cycles would be required, because dumping frequency would be based on the radiation dose rate from the accumulated fallout in the storage hopper rather than on its volume capacity.

Front-end loaders require manual support for picking up the remainder of large piles. To reduce dosage received by supporting personnel, the loader operator should work alone to dispose of the bulk of a large pile. Any fallout collected by hand shoveling should be dumped into an empty bucket. Excess trash may not be a problem, but debris might be.

Dump truck operations would have to be carefully planned for fallout haulage. Particular attention should be given to the selection of dump locations in view of the long term radiological hazards presented by nuclear weapon fallout. Routes to and from the dump as well as dosage to the truck driver must be considered.

Preplanning for cleaning during the rainy season of drainage systems from roof gutters to storm drains is important. San José experience shows that fallout can be the marginal addition to normal drainage debris that will clog the system. Continually maintained cleanliness of drainage systems may reduce or eliminate stoppage. A catch basin full of radioactive fallout would be extremely difficult to clean under most radiation dosage control criteria.

San José's ceniza-arena cleanup operation illustrates the magnitude of problems that could be involved in a decontamination effort following a nuclear attack. It also shows that the physical redistribution of fallout is an important factor in the selection of methods most suitable for such a decontamination effort.

Appendix  
BASIC DATA FROM THE FIELD

Ceniza-arena deposit data\* are presented in Tables A-1 and A-2.

Several hundred pages of ceniza-arena collection data on the use of the motorized sweepers and trucks were obtained from the records of the sanitation department of San José. Figure A-1 shows a typical record for motorized sweepers (barredoras) and Figures A-2 and A-3 are typical records for private and municipal trucks, respectively.

Table A-3 is a summary of the municipal records from April 29 to August 20, 1964. Using the descriptive information on the ceniza-arena collection locations, the quantities of ceniza-arena (cubic meters) were assigned to each of the 31 dumps shown in Figure 2. Decisions on assignment of ceniza-arena quantities to dumps in ambiguous cases were made on the basis of general knowledge of the cleanup procedure and patterns of operation as deduced during the summarizing of the data.

Monthly rainfall data for ten years, obtained from the San José Meteorological Institute, are presented in Table A-4. The measurements were made at the Meteorological Institute headquarters building located in the northeast part of the city at Central Avenue and 17th Street.

Table A-5 gives the land area (square miles) and total street length (miles), cleaned by the power sweepers, that each of the 31 dumps in Figure 2 serves. The areas and distances were measured on a 1:10,000 scale map of the San José metropolitan area. Because of the cleanup procedures used in the central area, dumps 9, 10, 11, 12, and 28 have been lumped together and designed "downtown."

---

\*Cumulative deposit since March 1963.

Source: Miller, Carl F., et al., Operation Ceniza-Arena, Stanford Research Institute report in preparation. Cumulative data before April 1, 1964, are from Tables I and II; data since April 1, 1964, are from continuous sequential exposure of two-foot-square aluminum trays with venetian blind (louver) inserts described in the same report.

Table A-1  
CENIZA-ARENA DEPOSITIONS IN SAN JOSE

| Sample<br>Collection<br>Time | Exposure<br>Time<br>(hrs) | Deposition<br>(g/ft <sup>2</sup> ) | Accumulated<br>Deposition<br>(g/ft <sup>2</sup> ) |
|------------------------------|---------------------------|------------------------------------|---------------------------------------------------|
| 4/30/1400                    | --                        | --                                 | 1677.4 *                                          |
| 5/1/0800                     | 18.0                      | 0.49                               | 1677.9                                            |
| 5/3/0800                     | 48.0                      | 10.94                              | 1688.8                                            |
| 5/4/0800                     | 24.0                      | 13.65                              | 1702.5                                            |
| 5/5/0800                     | 24.0                      | 10.92                              | 1713.4                                            |
| 5/6/0800                     | 24.0                      | 8.00                               | 1721.4                                            |
| 5/7/0800                     | 27.0                      | 10.45                              | 1731.9                                            |
| 5/8/0800                     | 21.0                      | 9.04                               | 1740.9                                            |
| 5/9/0800                     | 24.0                      | 11.88                              | 1752.8                                            |
| 5/10/0800                    | 24.0                      | 19.82                              | 1772.6                                            |
| 5/11/0800                    | 24.0                      | 26.56                              | 1792.2                                            |
| 5/12/0800                    | 24.0                      | 22.10                              | 1821.3                                            |
| 5/14/0930                    | 25.5                      | 35.81                              | 1857.1                                            |
| 5/15/0930                    | 24.0                      | 5.69                               | 1862.8                                            |
| 5/16/0850                    | 23.3                      | 5.69                               | 1868.4                                            |
| 5/18/0900                    | 48.1                      | 16.69                              | 1885.1                                            |
| 5/19/0830                    | 23.5                      | 18.58                              | 1903.7                                            |
| 5/20/0815                    | 23.8                      | 8.24                               | 1911.9                                            |
| 5/21/0900                    | 24.7                      | 3.19                               | 1915.1                                            |
| 5/22/0830                    | 23.5                      | 0.45                               | 1915.6                                            |
| 5/23/0730                    | 23.0                      | 0.53                               | 1916.1                                            |
| 5/25/0900                    | 49.5                      | 2.92                               | 1919.0                                            |
| 5/26/0800                    | 23.0                      | 0.16                               | 1919.2                                            |
| 5/27/0815                    | 24.3                      | 1.69                               | 1920.9                                            |
| 5/29/0830                    | 24.3                      | 1.85                               | 1922.7                                            |
| 5/30/0800                    | 23.5                      | Trace                              | 1922.7                                            |
| 6/1/0900                     | 25.0                      | 0.10                               | 1922.8                                            |
| 6/2/0845                     | 23.7                      | 0                                  | 1922.8                                            |
| 6/3/0900                     | 24.3                      | 0                                  | 1922.8                                            |
| 6/4/0845                     | 23.7                      | 0                                  | 1922.8                                            |
| 6/5/0845                     | 24.0                      | 0                                  | 1922.8                                            |
| 6/6/0800                     | 23.2                      | 6.31                               | 1929.1                                            |
| 6/8/0845                     | 24.8                      | 6.58                               | 1935.7                                            |
| 6/9/0900                     | 24.3                      | 0.93                               | 1936.7                                            |
| 6/10/0840                    | 23.7                      | 0                                  | 1936.7                                            |
| 6/11/0900                    | 24.3                      | 0                                  | 1936.7                                            |
| 6/12/0930                    | 24.5                      | 0                                  | 1936.7                                            |
| 6/13/0900                    | 23.5                      | 0                                  | 1936.7                                            |

\* Cumulative deposit since March 1963.

Source: Miller, Carl F., et al., Operation Ceniza-Arena, Stanford Research Institute report in preparation. Cumulative data before April 1, 1964, are from Tables I and II; data since April 1, 1964, are from continuous sequential exposure of two-foot-square aluminum trays with venetian blind (louver) inserts described in the same report.

Table A-1 (Continued)

| <u>Sample<br/>Collection<br/>Time</u> | <u>Exposure<br/>Time<br/>(hrs.)</u> | <u>Deposition<br/>(g/ft<sup>2</sup>)</u> | <u>Accumulated<br/>Deposition<br/>(g/ft<sup>2</sup>)</u> |
|---------------------------------------|-------------------------------------|------------------------------------------|----------------------------------------------------------|
| 6/15/1445                             | 53.7                                | 28.23                                    | 1965.0                                                   |
| 6/17/1240                             | 46.0                                | 14.94                                    | 1979.9                                                   |
| 6/18/1145                             | 22.9                                | 16.15                                    | 1996.1                                                   |
| 6/22/1200                             | 96.2                                | 55.75                                    | 2051.8                                                   |
| 6/24/1340                             | 49.6                                | 3.11                                     | 2054.9                                                   |
| 6/26/1320                             | 47.7                                | 8.38                                     | 2063.3                                                   |
| 6/27/0945                             | 20.4                                | 4.93                                     | 2068.2                                                   |
| 6/29/1210                             | 50.5                                | 59.52                                    | 2127.8                                                   |
| 7/1/1300                              | 48.8                                | 9.81                                     | 2137.6                                                   |
| 7/3/1400                              | 49.0                                | 6.98                                     | 2144.5                                                   |
| 7/4/1200                              | 22.0                                | 6.36                                     | 2150.9                                                   |
| 7/9/1030                              | 118.5                               | 66.60                                    | 2217.5                                                   |
| 7/11/1230                             | 50.0                                | 2.22                                     | 2219.7                                                   |
| 7/14/1200                             | 71.5                                | 1.69                                     | 2221.4                                                   |
| 7/16/1025                             | 46.4                                | 0.36                                     | 2221.8                                                   |
| 7/18/0930                             | 47.1                                | 1.45                                     | 2223.2                                                   |
| 7/20/0830                             | 47.0                                | 0.94                                     | 2224.2                                                   |
| 7/21/0830                             | 24.0                                | 0                                        | 2224.2                                                   |
| 7/22/1230                             | 28.0                                | 0                                        | 2224.2                                                   |
| 7/27/0850                             | 116.3                               | 0                                        | 2224.2                                                   |
| 7/29/1000                             | 49.2                                | 11.40                                    | 2235.6                                                   |
| 7/30/0900                             | 23.0                                | 7.27                                     | 2242.8                                                   |
| 7/31/0935                             | 24.6                                | 1.71                                     | 2244.5                                                   |
| 8/1/1045                              | 25.2                                | 1.57                                     | 2246.1                                                   |
| 8/5/0945                              | 95.0                                | 28.07                                    | 2274.2                                                   |
| 8/8/1000                              | 71.8                                | 18.17                                    | 2292.4                                                   |
| 8/10/0800                             | 46.0                                | 5.69                                     | 2298.0                                                   |
| 8/11/0800                             | 24.0                                | 7.49                                     | 2305.5                                                   |
| 8/12/0815                             | 24.2                                | 22.32                                    | 2327.8                                                   |
| 8/18/0800                             | 143.8                               | 18.83                                    | 2346.7                                                   |
| 8/20/1045                             | 50.7                                | 1.51                                     | 2348.2                                                   |
| 8/22/0800                             | 45.3                                | 10.25                                    | 2358.5                                                   |
| 8/24/0800                             | 48.0                                | 1.90                                     | 2360.4                                                   |
| 8/26/0800                             | 48.0                                | 5.58                                     | 2365.9                                                   |
| 8/28/0900                             | 49.0                                | 3.04                                     | 2369.0                                                   |
| 8/29/0900                             | 24.0                                | 3.87                                     | 2372.8                                                   |
| 8/31/1000                             | 49.0                                | 6.45                                     | 2379.3                                                   |
| 9/2/1200                              | 50.0                                | 0.50                                     | 2379.8                                                   |
| 9/5/1030                              | 70.5                                | 8.78                                     | 2388.6                                                   |
| 9/7/0830                              | 46.0                                | 15.12                                    | 2403.7                                                   |
| 9/9/1000                              | 48.7                                | 1.40                                     | 2405.3                                                   |
| 9/11/1000                             | 48.7                                | 1.40                                     | 2406.7                                                   |



Table A-1 (Continued)

| <u>Collection<br/>Time</u> | <u>Exposure<br/>Time<br/>(hrs)</u> | <u>Deposition<br/>(g/ft<sup>2</sup>)</u> | <u>Accumulated<br/>Deposition<br/>(g/ft<sup>2</sup>)</u> |
|----------------------------|------------------------------------|------------------------------------------|----------------------------------------------------------|
| 9/12/1030                  | 24.5                               | 1.46                                     | 2408.2                                                   |
| 9/14/0900                  | 46.5                               | 6.95                                     | 2415.1                                                   |
| 9/16/1025                  | 49.4                               | 2.65                                     | 2417.8                                                   |
| 9/18/1030                  | 48.1                               | 4.09                                     | 2421.9                                                   |
| 9/22/0830                  | 94.0                               | 6.99                                     | 2428.9                                                   |
| 9/23/1040                  | 26.2                               | 0.19                                     | 2429.1                                                   |
| 9/25/0800                  | 45.3                               | 0.79                                     | 2429.8                                                   |
| 9/28/1045                  | 74.8                               | 0                                        | 2429.8                                                   |
| 9/30/1000                  | 47.2                               | 0                                        | 2429.8                                                   |

---

a. Cumulative deposit since March 1963 from Ref. 1

Table A-2  
MONTHLY DEPOSITION RATES FOR THE ACCUMULATION  
OF CENIZA-ARENA IN SAN JOSE

| <u>Year</u> | <u>Month</u> | <u>Monthly<br/>Deposition<br/>g/ft<sup>2</sup></u> | <u>Accumulated<br/>Deposition<br/>g/ft<sup>2</sup></u> |
|-------------|--------------|----------------------------------------------------|--------------------------------------------------------|
| 1963        | March        | 16.3                                               | 16.3                                                   |
|             | April        | 141.3                                              | 157.6                                                  |
|             | May          | 67.3                                               | 224.9                                                  |
|             | June         | 32.7                                               | 257.6                                                  |
|             | July         | 153.1                                              | 410.7                                                  |
|             | August       | 57.2                                               | 467.9                                                  |
|             | September    | 3.6                                                | 471.5                                                  |
|             | October      | 14.9                                               | 486.4                                                  |
|             | November     | 91.3                                               | 577.7                                                  |
|             | December     | 450.9                                              | 1,028.6                                                |
| 1964        | January      | 355.0                                              | 1,383.6                                                |
|             | February     | 55.9                                               | 1,439.5                                                |
|             | March        | 64.1                                               | 1,503.6                                                |
|             | April        | 173.8                                              | 1,677.4                                                |
|             | May          | 245.4                                              | 1,922.8                                                |
|             | June         | 214.8                                              | 2,137.6                                                |
|             | July         | 108.5                                              | 2,246.1                                                |
|             | August       | 133.2                                              | 2,379.3                                                |
|             | September    | 50.5                                               | 2,429.8                                                |

---

Source: Miller, Carl F., et al., Operation Ceniza-Arena, Stanford Research Institute report in preparation. Cumulative data before April 1, 1964, are from Tables I and II; data since April 1, 1964, are from continuous sequential exposure of two-foot-square aluminum trays with venetian blind (louver) inserts described in the same report.

Figure A-1

TYPICAL MUNICIPAL RECORD OF MOTORIZED SWEEPER  
(BARREDORAS) ACTIVITY



257-SSM-64

No. \_\_\_\_\_

MUNICIPALIDAD DE SAN JOSE

COSTA RICA - APARTADO 5102

12 de agosto de 1964

Señor

Ing. Manuel A. Padilla J.

Jefe Dirección Técnica

S. O.

Estimado señor:

Le rindo informe correspondiente a la labor realizada por unidades barredoras de esta Sección durante el día 5 de los corrientes en el barrido de calles:

| MÁQUINA NO Y HORA                                                                                                                                       | NO VIAJES | NO M3 BRR |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|
| BARREDORA NO 53-<br>AVENIDAS 7-3-1-26- DE CALLE 14 a 15 Y<br>AVENIDAS 4-5 DE CALLE 9 A 14, AVENIDA CENT<br>DE CALLE 14 a 23                             | 3         | 6         |
| BARREDORA NO 53- 11 p.m. a 5 a.m.<br>DE CALLE CENTRAL A CALLE 11 Y D AVENIDA<br>7 A LA 18, LUGO CALLE 15 AVENIDA CENT A 2<br>Y CALLE 15 D AVENIDA 2 A 7 | 3         | 6         |
| BARREDORA NO 53- 7 a.m. a 5 p.m.<br>DE ESCALANTE                                                                                                        | 4         | 8         |
| BARREDORA NO 54-<br>BARRIOS LINCON EN SAN FCO Y CIUDAD LA EL<br>SEGURO EN ZAPOTE                                                                        | 3         | 6         |
| BARREDORA NO 52-<br>BARRIOS LOS SANJES Y JARDINES DE CAJAL                                                                                              | 1         | 2         |
| TOTAL                                                                                                                                                   | 17 v.     | 34 m3     |

Atentamente,

Alvaro Gómez Alfaro  
INGENIERO JEFE SECCION

DE SANIDAD MUNICIPAL

Figure A-2

TYPICAL MUNICIPAL RECORD OF CENIZA-ARENA HAULING  
BY PRIVATELY OWNED TRUCKS



MUNICIPALIDAD DE SAN JOSE  
COSTA RICA - APARTADO 5102

No.

100-225-64

27 mayo 1964

Señor

Ing. Manuel A. Padilla J.

Jefe Dirección Técnica Municipal

S. D.

Estimado señor:

Me permite rendirle informe de la recolección de ceniza efectuada por  
vehículos particulares durante el día 26 de los corrientes:

| VEHICULO N° | CANTIDAD | PROCEDENTE DE:     |
|-------------|----------|--------------------|
| 10344       | 4        | Av. 14 Cas. 7      |
| 10344       | 4        | Tapete             |
| 10344       | 4        | Av. 22 Cas. 1      |
| 10344       | 4        | Ba El Carmen       |
| 10344       | 4        | Ba El Carmen       |
| 10344       | 4        | Plaza Vieja        |
| 10344       | 4        | Ca. 5 Av. 10       |
| 10344       | 4        | Don Rios           |
| 10344       | 4        | Matilla            |
| 10344       | 4        | Ba Méjico          |
| 10344       | 4        | Ba Méjico          |
| 10344       | 4        | Matilla            |
| TOTAL       | 48       |                    |
| 10086       | 4        | Ca. 9 Av. 8        |
| 10086       | 4        | La Pitahaya        |
| 10086       | 4        | La Pitahaya        |
| 10086       | 4        | Av. 18 Ca. 1       |
| 10086       | 4        | Av. 20 Ca. 9       |
| 10086       | 4        | Av. 22 Ca. 1       |
| 10086       | 4        | Av. 18 Ca. 19      |
| 10086       | 4        | Av. 2 Ca. 5        |
| 10086       | 4        | Ca. 25 Av. 14      |
| 10086       | 4        | No viene dirección |
| TOTAL       | 40       |                    |

PASA A LA PAGINA N° 2

Figure A-3

TYPICAL MUNICIPAL RECORD OF CENIZA-ARENA HAULING  
BY MUNICIPAL TRUCK



249-224-04

No. \_\_\_\_\_

MUNICIPALIDAD DE SAN JOSE

COSTA RICA - APARTADO 5102  
11 de agosto de 1964

Señor  
Ing. Manuel A. Padilla J.  
Jefe Dirección Técnica  
S. O.

RECEIVED  
MUNICIPALIDAD DE SAN JOSE  
11 AGO 12 AM 11:09

Estimado señor:

Le permito informarle de la recolección de ceniza efectuada  
por unidades Municipales durante el día 6 de los corrientes:

| UNIDAD NO | CANTIDAD | PROCEDENTE                    | DE:                   |
|-----------|----------|-------------------------------|-----------------------|
| 1576      | 5 m3     | cas 11                        | avs 18/20             |
| 1576      | 5 m3     | cas                           | Bº Nac. Unidas        |
| 1576      | 5 m3     | cas                           | 15/17 avs 20          |
| 1576      | 5 m3     | cas                           | 19/21 avs 18          |
| 1576      | 5 m3     | cas                           | 15 avs 14             |
| 1574      | 5 m3     | cas                           | 15 avs 24             |
| 1574      | 5 m3     | cas                           | Ciud. Calderón Muñoz  |
| 1574      | 5 m3     | cas                           | 19/21 avs 18          |
| 1574      | 5 m3     | cas                           | 19/21 avs 18          |
| 1574      | 5 m3     | cas                           | 11 avs 12             |
| 1578      | 5 m3     | cas                           | 13 avs 28             |
| 1578      | 5 m3     | cas                           | Bº Nac. Unidas        |
| 1578      | 5 m3     | cas                           | 19/21 avs 18          |
| 1578      | 5 m3     | cas                           | 17 avs 14/16          |
| 1578      | 4 m3     | cas                           | 17/25 avs 10          |
| 1575      | 5 m3     | cas                           | 15 avs 24             |
| 1575      | 5 m3     | Bº Vasconia                   |                       |
| 1575      | 5 m3     | cas                           | 19/21 avs 18          |
| 1575      | 5 m3     | cas                           | 19/21 avs 14          |
| SUBTOTAL  | 95 m3    | con unidades de Vías Públicas |                       |
| 1715      | 4 m3     | cas                           | 4 avs 16              |
| 1715      | 4 m3     | cas                           | Urb. Finca Paso Ancho |
| 1715      | 8 m3     | cas                           | Ciud. Nº 2 Hatillo    |
| 1715      | 4 m3     | cas                           | 1/3 avs 2             |
| 1714      | 4 m3     | cas                           | 8 avs 18/20           |
| 1714      | 4 m3     | cas                           | 6 avs 16/20           |
| 1714      | 4 m3     | cas                           | 4 avs 10/12           |
| 1718      | 4 m3     | cas                           | 8 avs 12/18           |
| 1718      | 4 m3     | cas                           | 4 avs 14              |
| 1718      | 4 m3     | cas                           | Finca Paso Ancho      |
| 1718      | 4 m3     | cas                           | Inva Nº 1 Hatillo     |
| 1718      | 4 m3     | cas                           | Inva Nº 1 Hatillo     |

PASA

Table A-3

SUMMARY OF CENIZA-ARENA HANDLED BY MOTORIZED SWEEPERS (S) AND TRUCKS (T)  
AT THIRTY-ONE ESTABLISHED DUMPS IN METROPOLITAN SAN JOSE  
(CUBIC METERS - M<sup>3</sup>)

| Dump | 1  |      | 2 |      | 3 |      | 4 |   | 5 |   | 6   |   | 7    |    | 8    |      | 9    |    |
|------|----|------|---|------|---|------|---|---|---|---|-----|---|------|----|------|------|------|----|
| Date | S  | T    | S | T    | S | T    | S | T | S | T | S   | T | S    | T  | S    | T    | S    | T  |
| 4/29 |    | 38.3 |   |      |   | 4    |   |   |   |   | 5   |   |      |    |      |      |      | 12 |
| 4/30 |    | 39   |   |      | 2 | 8    | 2 |   |   |   | 4   | 4 | 13   |    | 18   |      |      | 23 |
| 5/1  |    | 68.3 |   |      |   |      |   |   |   |   |     |   | 4    | 19 |      | 27   |      | 38 |
| 2    |    | 9    |   |      |   |      |   |   |   |   |     |   | 2    | 4  |      |      |      | 13 |
| 3    |    |      |   |      |   |      |   |   |   |   |     |   | 1    |    |      |      |      | 9  |
| 4    |    |      |   | 20   |   | 28   |   |   |   |   |     |   | 2    |    |      | 8    |      | 14 |
| 5    |    |      |   |      |   |      |   |   |   |   |     |   |      |    |      |      | 3    |    |
| 6    |    | 24.3 |   |      |   |      |   |   |   |   |     |   |      | 14 |      |      |      | 39 |
| 7    |    | 50   |   |      |   | 14.5 |   |   |   |   | 12  | 1 | 25   |    | 36   |      |      | 35 |
| 8    |    | 7    |   |      | 6 | 4    | 6 |   |   |   | 5   | 6 | 9    |    | 55   | 4    |      | 37 |
| 9    |    | 6    |   |      |   |      |   |   |   |   |     |   |      |    | 56.3 |      |      | 20 |
| 10   | 4  |      |   |      |   |      |   |   |   |   |     |   |      |    | 4    |      |      |    |
| 11   | 36 | 50.5 |   |      |   | 6    |   |   |   |   |     |   |      | 29 | 2    | 40.3 |      | 28 |
| 12   |    | 29.5 |   |      |   |      |   |   |   |   |     |   | 4    | 13 |      | 7    |      | 28 |
| 13   |    | 19   |   |      |   | 7.3  |   |   |   |   |     |   |      | 22 |      | 20.5 | 4    | 56 |
| 14   |    | 46.3 |   | 7.3  |   |      |   |   |   |   | 4   |   | 16   |    | 52.3 | 9    |      | 63 |
| 15   |    | 73   |   |      |   | 43.8 |   |   |   |   | 9   | 8 | 20   | 6  | 32   | 2    |      |    |
| 16   |    | 10   |   |      |   |      | 4 | 2 |   | 4 |     | 6 |      |    |      |      |      |    |
| 17   |    |      |   |      |   |      |   |   |   |   |     |   |      |    |      |      |      | 27 |
| 18   |    | 45.3 |   |      |   | 25   |   |   |   |   | 13  | 5 | 48   |    | 29   | 1    | 8    |    |
| 19   |    | 45.3 |   | 14.5 |   | 32   |   |   |   |   | 8.3 | 4 | 31   |    | 32   | 4    | 46   |    |
| 20   |    | 16   |   |      |   | 36   |   |   |   |   | 8   | 4 | 40   |    | 26   |      | 36.8 |    |
| 21   |    | 58   |   |      |   | 18   |   |   |   |   | 19  | 2 | 32   | 2  | 58   |      | 36   |    |
| 22   |    | 40.3 |   |      |   | 13   |   |   |   |   | 6   | 2 | 71.3 |    | 89   | 2    | 8    |    |
| 23   |    | 48.5 |   |      |   | 4    |   |   |   |   |     |   | 29   |    | 16   |      | 22   |    |
| 24   |    |      |   |      |   |      |   |   |   |   |     | 3 |      | 1  |      | 2    |      |    |
| 25   |    | 66.5 |   | 14.5 |   | 5    |   |   |   |   |     | 1 | 13   |    | 17   | 1    | 12   |    |
| 26   |    | 19   |   | 8    |   | 41   |   |   |   |   |     | 4 | 7    |    | 14   | 4    | 21   |    |
| 27   |    | 46   |   |      |   |      |   |   |   |   |     |   | 7    |    | 30   |      | 27   |    |
| 28   |    | 15   |   |      | 1 |      | 2 |   |   | 2 |     | 2 |      |    |      | 2    | 15   |    |
| 29   |    | 72   |   |      |   | 11   |   |   |   |   |     |   | 32   |    | 16   | 2    | 6    |    |
| 30   |    | 21   |   |      |   | 4    |   |   |   |   | 16  | 3 | 10   | 2  |      | 2    | 24   |    |
| 31   |    |      |   |      |   |      |   |   |   |   |     | 4 |      |    |      |      |      |    |
| 6/1  |    |      |   |      |   |      |   |   |   |   |     |   |      |    | 30   |      | 10   |    |
| 2    | 2  |      |   |      |   |      |   |   |   |   |     |   | 6    | 35 | 40   | 2    |      |    |
| 3    |    |      |   |      |   |      |   |   |   |   |     |   | 4    | 20 | 45   |      |      |    |
| 4    | 2  |      |   |      |   |      |   |   |   |   |     | 6 |      |    |      | 2    |      |    |
| 5    |    |      |   |      |   |      |   |   |   |   |     |   |      |    |      |      |      |    |
| 6    |    | 20   |   |      |   |      |   |   |   |   |     |   |      |    |      |      |      | 9  |
| 7    |    | 5.5  |   |      |   |      |   |   |   |   |     |   | 5    |    |      |      |      |    |

Table A-3 (Continued)

| Dump | 10 |      | 11 |     | 12 |      | 13 |       | 14 |       | 15 |    | 16 |      | 17 |   | 18 |    |
|------|----|------|----|-----|----|------|----|-------|----|-------|----|----|----|------|----|---|----|----|
| Date | S  | T    | S  | T   | S  | T    | S  | T     | S  | T     | S  | T  | S  | T    | S  | T | S  | T  |
| 4/29 |    | 16   |    |     |    | 28   |    | 45    |    | 21    |    |    |    |      |    |   |    |    |
| 30   |    | 21   |    |     | 4  | 52   |    | 65.3  |    | 121.8 |    | 20 |    |      |    |   |    |    |
| 5/1  |    | 7    |    |     | 6  | 20.5 | 1  | 45    |    | 44.8  |    |    |    |      | 1  |   | 2  |    |
| 2    |    | 8    | 1  | 4   | 1  | 70.5 | 4  | 60.3  |    | 100   | 6  |    |    | 8    |    |   |    |    |
| 3    |    |      |    |     | 5  | 20   |    |       |    | 49    |    | 20 |    |      |    |   |    |    |
| 4    | 2  | 20   |    | 23  | 12 | 25   |    | 67.3  |    | 41.8  |    |    |    |      |    |   |    |    |
| 5    |    |      |    |     |    |      |    |       |    |       |    |    |    |      |    |   |    |    |
| 6    |    | 38   |    | 4   |    | 39   |    | 63.3  |    | 12    |    |    |    |      |    |   |    |    |
| 7    |    | 18   | 4  | 10  | 2  | 6    |    | 28.5  |    | 42    |    | 15 |    | 11.3 |    |   | 6  |    |
| 8    | 2  | 14   | 4  |     | 4  | 31   |    | 96.5  |    | 47.3  |    | 10 |    | 14.5 |    |   |    |    |
| 9    |    | 4    |    |     |    | 30.3 |    | 47    |    | 7.3   |    | 12 |    | 31.3 |    |   |    |    |
| 10   | 4  | 15   | 10 |     | 9  | 7    |    |       |    |       |    |    |    |      |    |   |    |    |
| 11   |    | 4    | 8  | 8   | 16 | 23.3 |    | 76    |    | 41    |    | 10 |    | 17   |    |   |    |    |
| 12   | 1  | 16   | 9  | 55  | 3  | 56.3 |    | 54    |    | 49    |    |    |    | 11   |    |   | 5  | 6  |
| 13   | 4  | 38   | 8  | 4   | 14 | 60.3 | 1  | 55    |    | 14    |    | 29 |    |      |    |   |    |    |
| 14   |    | 15   | 18 | 26  | 6  | 27   |    | 90.3  | 7  | 42.3  | 7  |    |    |      |    |   |    |    |
| 15   | 2  | 32.5 | 5  |     | 6  | 49.5 |    | 62    |    | 51    | 18 | 25 |    |      |    |   |    |    |
| 16   | 2  | 25   |    | 9.5 | 3  |      |    | 8     |    | 9.5   |    |    |    |      |    |   |    |    |
| 17   |    |      |    |     |    |      |    |       |    |       |    |    |    |      |    |   |    |    |
| 18   |    | 12   | 1  |     | 2  | 18   |    | 34    | 7  | 45    | 7  |    |    |      |    |   |    |    |
| 19   |    | 64   |    | 6   | 2  | 4    | 8  | 48    |    | 90    |    |    | 8  |      |    |   |    |    |
| 20   | 2  | 11   |    |     | 3  | 41   |    | 88    |    | 25    |    |    |    |      |    |   |    |    |
| 21   |    | 12   | 4  | 7   | 2  | 37.3 |    | 27.5  |    | 11.8  |    |    |    | 2    |    |   | 2  |    |
| 22   |    |      | 2  |     |    | 6    |    | 54    |    | 58    |    | 30 |    |      |    |   |    |    |
| 23   |    | 20   |    |     |    | 40.5 |    | 32    |    | 18    |    |    |    |      |    |   |    |    |
| 24   |    |      | 8  |     | 6  |      |    |       |    |       |    |    |    |      |    |   |    |    |
| 25   |    | 11   |    | 10  | 1  | 6    |    | 52    |    | 36    |    |    |    |      |    |   |    |    |
| 26   |    | 24   |    |     | 2  | 6    | 6  | 125.5 | 4  | 18    | 6  |    |    | 4    |    | 4 |    | 13 |
| 27   |    | 8    |    | 10  | 3  | 18   |    | 19    |    | 81    |    |    |    | 4    | 2  |   | 1  |    |
| 28   |    |      |    | 10  | 3  |      |    |       |    |       |    |    |    |      |    |   |    |    |
| 29   |    | 4    |    | 14  |    | 24   |    | 62    |    | 40    |    |    |    | 4    |    |   |    |    |
| 30   |    | 4    |    | 5   | 2  | 53.8 | 5  | 27.3  |    | 26.3  |    |    |    | 4    |    | 4 |    |    |
| 31   | 2  |      | 2  |     | 4  |      |    | 10    |    |       |    |    |    |      |    |   |    |    |
| 6/1  |    |      |    |     |    |      |    |       |    | 30    |    | 14 |    |      |    |   |    |    |
| 2    |    |      |    |     | 2  | 25   |    |       |    | 75    |    |    |    |      |    |   |    | 20 |
| 3    |    |      |    |     |    |      |    |       |    | 30    |    | 55 |    |      | 3  |   | 3  |    |
| 4    |    | 5    |    | 9.5 |    | 5    |    |       |    |       |    |    |    |      |    |   |    |    |
| 5    |    |      |    |     |    |      |    | 25    |    |       |    |    |    |      |    |   |    |    |
| 6    |    |      |    |     |    | 15   |    |       | 2  |       | 2  |    |    |      | 2  |   | 2  |    |
| 7    |    |      |    | 5   |    | 4    |    | 10    |    | 15    |    |    |    |      |    |   |    |    |

Table A-3 (Continued)

| Dump | 19 |   | 20 |      | 21 |   | 22 |   | 23  |   | 24  |   | 25   |   | 26    |   | 27 - |   |
|------|----|---|----|------|----|---|----|---|-----|---|-----|---|------|---|-------|---|------|---|
| Date | S  | T | S  | T    | S  | T | S  | T | S   | T | S   | T | S    | T | S     | T | S    | T |
| 4/29 |    |   |    | 15   |    |   |    |   |     |   |     |   | 50   |   | 114.8 |   | 20   |   |
| 30   |    |   | 4  | 39.8 |    |   |    |   | 2   |   | 2   |   | 6    |   |       |   |      |   |
| 5/1  | 1  |   |    | 24   |    |   | 1  |   |     |   |     |   | 11   |   | 20    |   |      |   |
| 2    |    | 6 |    |      |    |   |    |   |     |   |     |   | 12   |   |       |   |      |   |
| 3    |    |   |    |      |    |   |    |   |     |   |     |   |      |   |       |   |      |   |
| 4    |    |   |    | 21.8 |    |   |    |   |     |   |     |   | 46   |   | 6     |   |      |   |
| 5    |    |   |    |      |    |   |    |   |     |   |     |   |      |   |       |   |      |   |
| 6    |    |   |    | 18   |    |   |    |   |     |   |     |   | 32   |   | 9     |   | 4    |   |
| 7    |    |   |    |      |    |   |    |   | 7.3 |   |     |   | 20.3 |   |       |   |      |   |
| 8    |    |   |    | 7    |    |   |    |   |     |   |     |   | 13.3 |   | 22.3  |   | 5    |   |
| 9    | 4  |   |    |      |    |   | 4  |   |     |   |     |   | 14   |   | 11    |   |      |   |
| 10   |    |   |    |      |    |   |    |   |     |   |     |   |      |   |       |   |      |   |
| 11   |    |   |    |      |    |   |    |   |     |   |     |   | 47.5 |   | 6     |   | 7.3  |   |
| 12   |    |   |    |      |    |   |    |   |     |   |     |   | 31   |   | 15    |   | 7.3  |   |
| 13   |    |   |    | 25   |    |   |    |   |     |   |     |   | 21   |   | 17    |   |      |   |
| 14   |    |   |    |      |    |   |    |   |     |   |     |   | 48.3 |   | 5     |   |      |   |
| 15   |    |   |    |      |    |   |    |   |     |   |     |   | 21.3 |   |       |   | 7.3  |   |
| 16   |    |   |    |      |    |   |    |   |     |   |     |   |      |   |       |   |      |   |
| 17   |    |   |    |      |    |   |    |   |     |   |     |   |      |   |       |   |      |   |
| 18   |    |   |    | 11   |    |   |    |   |     |   |     |   | 10   |   |       |   | 14.5 |   |
| 19   |    |   |    | 7    |    |   |    |   |     |   | 7.3 |   | 20.3 |   |       |   |      |   |
| 20   |    |   |    | 7    |    |   |    |   | 7   |   |     |   | 28   |   |       |   |      |   |
| 21   | 2  |   | 4  | 28   |    |   |    |   |     |   |     |   | 7.3  |   |       |   |      |   |
| 22   |    |   |    | 33   |    |   |    |   |     |   |     |   | 30.3 |   | 6     |   |      |   |
| 23   |    |   |    | 14   |    |   |    |   |     |   |     |   | 42   |   |       |   |      |   |
| 24   |    |   |    |      |    |   |    |   |     |   |     |   |      |   |       |   |      |   |
| 25   |    |   |    | 7    |    |   |    |   |     |   |     |   | 18.3 |   | 10    |   |      |   |
| 26   |    |   |    | 15   |    |   |    |   |     |   |     |   | 30   |   | 20    |   | 9    |   |
| 27   | 2  |   |    |      |    |   |    |   |     |   |     |   | 62   |   | 15    |   |      |   |
| 28   |    |   |    |      |    |   |    |   | 6   | 7 | 6   |   | 8    |   | 6     |   |      |   |
| 29   |    |   | 4  | 7    |    |   |    |   |     |   |     |   | 36   |   |       |   |      |   |
| 30   |    |   |    | 8    |    |   |    |   |     |   |     |   | 27   |   | 16    |   | 12   |   |
| 31   |    |   |    |      |    |   |    |   |     |   |     |   |      |   |       |   |      |   |
| 6/1  |    |   |    |      |    |   |    |   |     |   |     |   |      |   |       |   | 15   |   |
| 2    |    |   |    |      |    |   |    |   |     |   |     | 4 |      |   |       |   |      |   |
| 3    |    |   |    |      |    |   |    |   |     |   |     |   |      |   |       |   |      |   |
| 4    | 2  |   |    |      |    |   |    |   |     |   |     |   |      |   |       |   |      |   |
| 5    |    |   |    |      |    |   |    |   |     |   |     |   |      |   |       |   |      |   |
| 6    |    |   |    |      |    |   |    |   |     |   |     |   |      |   | 15    |   |      |   |
| 7    | 2  |   |    |      |    |   |    |   | 2   |   |     |   |      |   |       |   |      |   |



Table A-3 (Continued)

| Dump | 28 |      | 29 |      | 30 |      | 31 |     | Downtown |        |
|------|----|------|----|------|----|------|----|-----|----------|--------|
| Date | S  | T    | S  | T    | S  | T    | S  | T   | S        | T      |
| 4/29 |    | 21   |    | 17   |    | 22   |    |     |          |        |
| 30   | 1  |      |    |      |    | 40   | 4  |     |          |        |
| 5/1  | 2  |      |    |      |    |      |    |     | 8        | 65.5   |
| 2    | 1  | 63   |    | 9    |    |      |    |     | 3        | 158.5  |
| 3    | 5  |      |    |      |    |      |    |     | 10       | 29     |
| 4    | 6  | 30   |    |      |    |      |    |     | 20       | 112    |
| 5    |    |      |    |      |    |      |    |     | 6        |        |
| 6    |    | 69   |    |      |    |      |    |     |          | 189    |
| 7    | 9  | 20   |    | 9    |    | 2    | 20 | 40  | 15       | 89     |
| 8    | 6  | 38   | 7  | 9    | 8  | 10   |    |     | 20       | 120    |
| 9    |    | 48.8 |    |      |    |      |    |     |          | 103    |
| 10   | 12 | 23   |    |      |    |      |    |     | 35       | 45     |
| 11   | 41 | 25   |    | 4    |    | 4    |    |     | 74       | 88.3   |
| 12   | 23 | 77.3 |    | 7.3  |    |      |    |     | 36       | 228.5  |
| 13   | 10 | 60.3 |    | 13   |    | 12.3 |    |     | 40       | 218.5  |
| 14   | 24 |      |    | 3    |    | 3    |    |     | 57       | 131    |
| 15   | 14 | 54.8 | 9  |      | 9  |      |    |     | 29       | 136.8  |
| 16   | 7  | 15   |    |      |    |      | 8  |     | 12       | 49.5   |
| 17   |    | 37   |    |      |    |      |    |     |          | 64     |
| 18   | 7  | 51   |    |      |    |      |    |     | 11       | 89     |
| 19   | 8  | 44.8 | 2  |      | 2  |      | 2  |     | 14       | 164.8  |
| 20   | 15 | 72   |    | 13.3 |    | 2    |    | 7.3 | 20       | 160.8  |
| 21   | 14 | 69   |    |      |    |      | 4  |     | 20       | 161.25 |
| 22   | 2  | 39.5 |    |      |    |      |    |     | 6        | 53.5   |
| 23   |    | 10   |    | 2    |    | 2    |    |     |          | 92.5   |
| 24   | 21 | 55   |    |      |    |      | 6  |     | 37       | 55     |
| 25   | 3  | 84   |    | 4    |    | 4    |    |     | 5        | 123    |
| 26   | 2  | 59.8 |    | 4    |    | 4    |    |     | 8        | 110.8  |
| 27   | 3  | 38   |    | 2    |    | 2    |    |     | 6        | 101    |
| 28   | 5  | 10   |    |      |    |      |    |     | 10       | 35     |
| 29   |    | 30   |    | 17   |    | 17   | 2  |     | 2        | 78     |
| 30   | 6  | 29   | 3  |      | 2  |      |    |     | 10       | 91.8   |
| 31   | 2  |      |    |      |    |      |    |     | 8        |        |
| 6/1  |    |      |    |      |    |      |    |     |          | 10     |
| 2    | 4  | 35   |    |      |    |      |    |     | 8        | 60     |
| 3    | 4  |      |    |      |    |      |    |     | 4        |        |
| 4    | 2  |      | 2  |      | 2  |      |    |     | 4        | 19.5   |
| 5    |    |      |    |      |    |      |    |     |          |        |
| 6    | 53 |      |    |      |    |      |    |     |          | 77     |
| 7    | 65 |      |    |      |    |      |    |     |          | 74     |

Table A-3 (Continued)

| Dump | 1  |     | 2 |     | 3 |   | 4 |   | 5 |   | 6 |   | 7   |    | 8    |     | 9   |      |
|------|----|-----|---|-----|---|---|---|---|---|---|---|---|-----|----|------|-----|-----|------|
| Date | S  | T   | S | T   | S | T | S | T | S | T | S | T | S   | T  | S    | T   | S   | T    |
| 6/8  |    | 20  |   |     |   |   |   |   |   |   |   |   |     |    |      |     |     |      |
| 9    |    |     |   |     |   |   |   |   |   |   |   |   | 19  |    | 15   |     | 4   |      |
| 10   |    | 15  |   |     |   |   |   |   |   |   |   |   | 2   |    | 63   |     |     |      |
| 11   | 2  | 40  |   |     |   |   |   |   |   |   |   |   | 8   |    |      |     |     |      |
| 12   |    |     |   |     |   |   |   |   |   |   |   |   |     |    |      |     |     |      |
| 13   |    |     |   |     |   |   |   |   |   |   |   |   |     |    |      |     |     |      |
| 14   |    |     |   |     |   |   |   |   |   |   |   |   |     |    |      |     |     |      |
| 15   |    | 10  |   |     |   |   |   |   |   |   |   |   |     |    |      |     |     |      |
| 16   |    |     |   |     |   |   |   |   |   |   |   |   | 2   |    |      |     | 2   | 8    |
| 17   |    |     |   |     |   |   |   |   |   |   |   |   | 1   |    |      |     | 2   |      |
| 18   |    |     |   |     |   |   |   |   |   |   |   |   |     |    |      |     | 7   | 25   |
| 19   |    | 5   |   |     |   |   |   |   | 7 |   |   |   | 2   |    | 20   |     |     | 16   |
| 20   |    | 15  |   |     |   |   |   |   |   |   |   |   |     |    | 2    |     | 4   |      |
| 21   |    | 10  |   |     |   |   |   |   |   |   |   |   | 7   |    | 17.5 | 10  |     |      |
| 22   |    |     |   |     |   |   |   |   |   |   |   |   | 2   |    |      |     | 3   |      |
| 23   | 3  | 10  |   |     |   |   |   |   |   |   |   |   | 3   |    |      |     | 1   | 40   |
| 24   |    | 9.5 |   |     | 3 |   | 2 |   |   | 3 |   |   | 1   | 20 | 10   |     |     | 9.5  |
| 25   |    |     |   |     |   |   |   |   |   |   |   |   |     |    |      |     |     |      |
| 26   |    |     |   | 9.5 |   |   |   |   |   |   |   |   |     | 32 |      |     | 0.5 | 24.5 |
| 27   |    |     |   |     | 8 |   |   |   |   |   |   |   | 2   |    |      |     | 0.5 | 14.5 |
| 28   |    |     |   |     |   |   |   |   |   |   |   |   |     |    |      |     | 2   |      |
| 29   | 10 |     |   |     |   |   |   |   |   |   |   |   |     |    |      |     | 1   | 80   |
| 30   |    |     |   |     |   |   |   |   |   |   |   |   |     |    |      |     |     | 5    |
| 7/1  |    | 15  |   |     |   |   |   |   |   |   |   |   | 1   |    | 9.5  | 2.5 | 10  |      |
| 2    | 5  | 9.5 |   |     |   |   |   |   |   |   |   |   | 1   |    |      | 0.5 | 10  |      |
| 3    | 4  | 10  |   |     |   |   |   |   |   |   |   |   | 0.5 |    |      |     |     |      |
| 4    | 9  | 12  |   |     |   |   |   |   |   |   |   |   | 0.5 |    |      | 1.5 |     |      |
| 5    |    | 15  |   |     |   |   |   |   |   |   |   |   | 3   |    |      | 5   | 15  |      |
| 6    |    | 6.5 |   |     |   |   |   |   |   |   |   |   |     |    | 10   |     | 15  |      |
| 7    |    | 8   |   | 15  |   |   |   |   |   |   |   |   |     |    |      |     |     |      |
| 8    |    |     |   | 15  |   |   |   |   |   |   |   |   | 1   | 9  | 9    | 2   |     |      |
| 9    |    |     |   |     |   |   |   |   |   |   |   |   | 1   |    |      |     |     |      |
| 10   |    |     |   |     |   |   |   |   |   |   |   |   |     | 15 |      |     | 39  |      |
| 11   |    | 15  |   |     |   |   |   |   |   |   |   |   |     | 20 |      |     |     |      |
| 12   |    |     |   |     |   |   |   |   |   |   |   |   |     | 63 | 31   | 3   | 9   |      |
| 13   |    |     |   |     |   |   |   |   |   |   |   |   |     |    |      |     |     |      |
| 14   |    |     |   |     |   |   |   |   |   |   |   |   |     | 61 | 13   |     | 5   |      |
| 15   |    |     |   |     |   |   |   |   |   |   |   |   |     | 15 | 49   | 0.5 | 35  |      |
| 16   |    |     |   |     |   |   |   |   |   |   |   |   |     |    | 55   | 1   |     |      |
| 17   |    |     |   |     |   |   |   |   |   |   |   |   |     |    | 14   |     | 14  |      |
| 18   |    | 36  |   | 5   |   |   |   |   |   |   |   |   |     |    |      | 2   |     |      |
| 19   |    |     |   |     |   |   |   |   |   |   |   |   |     |    | 9    |     | 18  |      |
| 20   |    |     |   |     |   |   |   |   |   |   |   |   |     |    |      |     |     |      |
| 21   |    |     |   |     |   |   |   |   |   |   |   |   |     |    |      |     |     |      |
| 22   |    | 10  |   |     |   |   |   |   |   |   |   |   |     |    |      |     | 5   |      |
| 23   |    | 40  |   |     |   |   |   |   |   |   |   |   |     |    | 5    |     |     |      |

Table A-3 (Continued)

| Dump | 10  |     | 11  |      | 12  |     | 13  |     | 14 |    | 15 |    | 16  |   | 17  |   | 18  |   |
|------|-----|-----|-----|------|-----|-----|-----|-----|----|----|----|----|-----|---|-----|---|-----|---|
| Date | S   | T   | S   | T    | S   | T   | S   | T   | S  | T  | S  | T  | S   | T | S   | T | S   | T |
| 6/8  |     |     |     |      |     |     |     |     |    |    |    |    |     |   |     |   |     |   |
| 9    |     |     | 9   |      | 50  |     | 9.5 | 2   | 15 |    | 34 |    |     |   |     |   |     |   |
| 10   |     |     | 2   |      |     |     |     |     |    |    |    |    |     |   |     |   |     |   |
| 11   |     |     |     |      | 2   |     |     | 10  |    |    |    |    |     |   |     |   |     |   |
| 12   |     |     |     |      |     |     |     |     |    |    |    |    |     |   |     |   |     |   |
| 13   |     |     |     |      |     |     |     |     |    |    |    |    |     |   |     |   |     |   |
| 14   |     |     |     | 25   |     |     |     |     |    |    |    |    |     |   |     |   |     |   |
| 15   |     |     |     | 20   |     |     |     |     |    |    |    |    |     |   |     |   |     |   |
| 16   | 7   | 2   |     |      |     |     | 4   | 7   |    |    | 3  |    |     |   | 2   |   | 4   |   |
| 17   |     |     |     |      |     |     | 8   |     |    |    |    |    |     |   |     |   |     |   |
| 18   |     |     | 5   |      | 2   | 30  |     |     |    |    |    |    |     |   |     |   |     |   |
| 19   | 2   |     | 4   | 19.5 | 2   |     |     |     |    |    |    |    |     |   |     |   |     |   |
| 20   |     |     | 4   |      | 6   | 20  |     |     |    |    |    |    |     |   |     |   |     |   |
| 21   |     |     |     |      | 14  | 18  |     | 12  |    |    |    |    |     |   |     |   |     |   |
| 22   |     |     | 0.5 | 35   | 0.5 |     |     |     |    |    |    |    |     |   | 2   |   | 2   |   |
| 23   | 2   |     |     |      | 4   | 9.5 | 1   |     |    |    |    |    |     |   |     |   |     |   |
| 24   | 2   |     |     |      | 2   |     | 3   | 8   | 3  | 58 |    |    |     |   |     |   |     |   |
| 25   | 2   |     |     |      | 2   |     | 1   |     |    |    |    |    |     |   |     |   |     |   |
| 26   |     |     |     | 10   | 1.5 | 10  |     |     |    | 15 |    |    |     |   | 2   |   | 2   |   |
| 27   | 1.5 | 5   | 4.5 |      | 2   |     | 0.5 | 9.5 | 4  | 10 |    | 20 |     |   |     |   |     |   |
| 28   | 9   |     |     |      | 10  | 15  | 1   |     |    |    |    | 40 |     |   |     |   |     |   |
| 29   |     |     | 1   |      | 9.5 |     |     | 13  |    |    |    |    |     |   |     |   |     |   |
| 30   |     |     |     | 39   |     |     |     |     |    |    |    |    |     |   |     |   |     |   |
| 7/1  |     |     |     |      | 3   |     |     |     |    |    |    |    |     |   |     |   |     |   |
| 2    | 1   |     |     |      | 1.5 | 20  |     |     |    |    |    |    |     |   |     |   |     |   |
| 3    | 1   |     |     | 24.5 | 1.5 | 10  |     |     | 9  |    |    |    |     |   | 3   |   | 3   |   |
| 4    | 2   | 10  |     | 10.5 | 3.5 | 9.5 | 15  |     |    |    |    |    | 9.5 |   |     |   |     |   |
| 5    | 4   |     |     |      | 11  |     | 10  |     |    |    |    |    | 19  |   |     |   |     |   |
| 6    | 1.5 |     | 10  |      | 1.5 | 9.5 |     |     |    |    |    |    |     |   | 1.5 |   | 1.5 |   |
| 7    | 11  | 9.5 | 2   | 10   | 11  | 10  |     | 12  |    |    |    |    |     |   |     |   |     |   |
| 8    | 2   |     |     |      | 9   |     | 9   |     | 10 |    |    |    |     |   | 10  | 9 |     | 9 |
| 9    | 3   |     | 4   |      | 6   |     |     |     |    |    |    |    |     |   |     |   |     |   |
| 10   | 7   |     | 1.5 |      | 3   |     |     |     |    | 30 | 15 |    |     |   |     |   |     |   |
| 11   |     |     |     |      |     |     |     |     |    | 70 |    |    |     |   |     |   |     |   |
| 12   | 12  | 54  |     | 5    | 3   | 33  |     |     |    | 12 |    |    |     |   |     |   |     |   |
| 13   | 3   |     |     |      | 3   |     | 20  | 6   |    |    |    |    |     |   |     |   |     |   |
| 14   |     |     |     |      | 5   | 10  | 35  | 3   | 15 |    |    |    |     |   |     |   |     |   |
| 15   |     | 10  |     |      | 1   | 5   |     |     | 20 |    |    |    |     |   |     |   |     |   |
| 16   | 1   |     |     | 6    | 1   | 74  |     |     | 6  |    |    |    |     |   |     |   |     |   |
| 17   |     |     |     | 6    |     | 50  |     |     |    |    |    |    |     |   |     |   |     |   |
| 18   |     |     |     |      | 4   | 6   |     |     |    |    |    |    |     |   | 3   |   | 1   |   |
| 19   | 1.5 | 4.8 |     | 30   | 15  | 36  |     |     |    |    |    |    |     |   |     |   |     |   |
| 20   |     |     |     |      |     | 5   |     |     |    |    |    |    |     |   |     |   |     |   |
| 21   |     |     |     |      |     |     |     |     |    |    |    |    |     |   |     |   |     |   |
| 22   |     |     |     |      |     |     |     |     |    |    |    |    |     |   |     |   |     |   |
| 23   |     |     |     | 27   | 1   |     |     |     |    |    |    |    |     |   |     |   |     |   |

Table A-3 (Continued)

| Dump | 19  |    | 20 |   | 21 |   | 22  |   | 23 |    | 24 |   | 25 |    | 26 |   | 27 |   |
|------|-----|----|----|---|----|---|-----|---|----|----|----|---|----|----|----|---|----|---|
| Date | S   | T  | S  | T | S  | T | S   | T | S  | T  | S  | T | S  | T  | S  | T | S  | T |
| 6/8  |     |    |    |   |    |   |     |   |    |    |    |   |    |    |    |   |    |   |
| 9    |     |    |    |   |    |   |     |   |    |    | 15 |   | 59 |    |    |   | 57 |   |
| 10   | 2   |    |    |   |    |   |     |   |    |    |    |   |    |    |    |   |    |   |
| 11   |     |    |    |   |    |   |     |   |    |    |    |   |    |    |    |   |    |   |
| 12   |     |    |    |   |    |   |     |   |    |    |    |   |    |    |    |   |    |   |
| 13   |     |    |    |   |    |   |     |   |    |    |    |   |    | 30 |    |   |    |   |
| 14   |     |    |    |   |    |   |     |   |    |    |    |   |    |    |    |   |    |   |
| 15   |     |    |    |   |    |   |     |   |    |    |    |   |    |    |    |   |    |   |
| 16   |     | 20 | 2  |   |    |   |     |   |    |    |    |   |    |    |    |   |    |   |
| 17   | 4   |    |    |   |    |   |     |   |    |    |    |   |    |    |    |   |    |   |
| 18   |     |    |    |   |    |   |     |   |    |    |    |   |    |    |    |   |    |   |
| 19   |     | 8  |    |   |    |   |     |   |    |    |    |   |    |    |    |   |    |   |
| 20   |     |    |    |   |    |   |     |   |    |    |    |   |    |    |    |   |    |   |
| 21   |     |    | 2  |   |    |   |     |   |    |    |    |   |    |    |    |   |    |   |
| 22   | 2   |    |    |   |    |   |     |   |    |    |    |   |    |    |    |   |    |   |
| 23   |     |    | 2  |   |    |   |     |   |    |    |    |   |    |    |    |   |    |   |
| 24   |     |    |    |   |    |   |     |   |    | 6  |    |   |    |    |    |   |    |   |
| 25   |     |    |    |   |    |   |     |   |    | 2  |    |   |    |    |    |   |    |   |
| 26   | 1.5 |    |    |   |    |   | 1.5 |   |    |    |    |   |    |    |    |   |    |   |
| 27   |     |    |    |   |    |   |     |   |    |    |    |   |    |    |    |   |    |   |
| 28   |     |    |    |   |    |   |     |   |    |    |    |   |    |    |    |   |    |   |
| 29   |     |    |    |   |    |   |     |   |    |    |    |   |    |    |    |   |    |   |
| 30   |     |    | 3  |   |    |   |     |   |    |    |    |   |    |    |    |   |    |   |
| 7/1  |     |    |    |   |    |   |     |   |    |    |    |   |    |    |    |   |    |   |
| 2    |     |    |    |   |    |   |     |   |    |    |    |   |    |    |    |   |    |   |
| 3    |     |    |    |   |    | 2 |     |   |    |    |    |   |    |    |    |   |    |   |
| 4    |     |    |    |   |    |   |     |   |    |    |    |   |    |    |    |   |    |   |
| 5    |     |    |    |   |    |   |     |   |    |    |    |   |    |    | 2  |   |    |   |
| 6    |     |    |    |   |    |   |     |   |    |    |    |   |    |    |    |   |    |   |
| 7    | 3   |    | 5  |   |    | 3 |     |   |    | 2  |    |   |    |    |    |   |    |   |
| 8    |     |    |    |   |    |   |     |   |    |    |    |   |    |    |    |   |    |   |
| 9    |     |    |    |   |    |   |     |   |    |    |    |   |    |    |    |   |    |   |
| 10   |     |    |    |   |    |   |     |   |    |    |    |   |    |    |    |   |    |   |
| 11   |     |    |    |   |    |   |     |   |    |    |    |   |    |    |    |   |    |   |
| 12   |     |    |    |   |    |   |     |   |    |    |    |   |    |    |    |   |    |   |
| 13   |     |    |    |   |    |   |     |   |    |    |    |   |    |    | 5  |   |    |   |
| 14   |     |    |    |   |    |   |     |   |    |    | 10 |   |    |    |    |   |    |   |
| 15   |     |    |    |   |    |   |     |   |    | 6  |    |   |    |    |    |   |    |   |
| 16   |     |    |    |   |    |   |     |   |    |    |    |   |    |    |    |   |    |   |
| 17   |     |    |    |   |    |   |     |   |    |    |    |   |    |    |    |   |    |   |
| 18   |     |    |    |   |    |   |     |   |    |    |    |   |    |    |    |   |    |   |
| 19   |     |    |    |   |    |   |     |   |    |    |    |   |    |    | 4  |   | 5  |   |
| 20   |     |    |    |   |    |   |     |   |    |    |    |   |    |    |    |   |    |   |
| 21   |     |    |    |   |    |   | 15  |   |    |    |    |   |    |    | 9  |   |    |   |
| 22   |     |    |    |   |    |   | 5   |   |    | 30 |    |   | 5  |    | 35 |   | 5  |   |
| 23   |     |    |    |   |    |   |     |   |    |    |    |   | 40 |    |    |   |    |   |
|      |     |    |    |   |    |   |     |   |    |    |    |   | 36 |    |    |   |    |   |

Table A-3 (Continued)

| Dump | 28  |      | 29 |   | 30 |   | 31 |   | Downtown |      |
|------|-----|------|----|---|----|---|----|---|----------|------|
| Date | S   | T    | S  | T | S  | T | S  | T | S        | T    |
| 6/8  |     | 24   |    |   |    |   |    |   |          | 83   |
| 9    |     | 10   |    |   |    |   |    |   | 6        | 10   |
| 10   | 2   |      |    |   |    |   |    |   | 4        |      |
| 11   |     | 25   |    |   |    |   | 3  |   |          | 25   |
| 12   |     |      |    |   |    |   |    |   |          |      |
| 13   |     |      |    |   |    |   |    |   |          |      |
| 14   |     |      |    |   |    |   |    |   |          | 25   |
| 15   |     | 10   |    |   |    |   |    |   |          | 30   |
| 16   | 2   | 15   |    |   |    |   | 2  |   | 6        | 30   |
| 17   | 2   | 10   |    |   |    |   |    |   | 4        | 18   |
| 18   |     | 30   |    |   |    |   |    |   | 14       | 85   |
| 19   | 2   | 34   |    |   |    |   |    |   | 10       | 69.5 |
| 20   | 17  | 79   |    |   |    |   |    |   | 31       | 99   |
| 21   |     | 10   |    |   |    |   |    |   | 24       | 28   |
| 22   | 12  | 10   | 2  |   | 2  |   |    |   | 16       | 45   |
| 23   | 2   | 20   |    |   |    |   | 2  |   | 9        | 69.5 |
| 24   | 6   | 15   |    |   |    |   |    |   | 10       | 24.5 |
| 25   | 5   |      | 4  |   | 4  |   |    |   | 9        |      |
| 26   | 6   |      |    |   |    |   |    |   | 8        | 44.5 |
| 27   | 3   |      |    |   |    |   |    |   | 11.5     | 19.5 |
| 28   | 8   |      |    |   |    |   |    |   | 29       | 15   |
| 29   | 6   | 35   |    |   |    |   |    |   | 17.5     | 115  |
| 30   |     | 10   |    |   |    |   | 3  |   |          | 54   |
| 7/1  | 1.5 | 10   |    |   |    |   |    |   | 7        | 20   |
| 2    | 6   | 10   |    |   |    |   |    |   | 9        | 40   |
| 3    | 3   | 20   |    |   |    |   |    |   | 5.5      | 54.5 |
| 4    | 3   | 20   |    |   |    |   |    |   | 10       | 50   |
| 5    | 4   | 34.5 |    |   |    |   |    |   | 24       | 49.5 |
| 6    |     | 25   | 5  |   | 5  |   |    |   | 13       | 49.5 |
| 7    | 20  | 40   |    |   |    |   | 5  |   | 44       | 69.5 |
| 8    | 8   | 35   |    |   |    |   |    |   | 21       | 35   |
| 9    | 35  |      |    |   |    |   |    |   | 48       |      |
| 10   | 4   | 39.5 |    |   |    |   |    |   | 15.5     | 78.5 |
| 11   |     | 16   | 2  |   | 2  |   | 2  |   |          | 16   |
| 12   |     | 59   |    |   |    |   |    |   | 18       | 160  |
| 13   | 2   | 20   |    |   |    |   |    |   | 8        | 20   |
| 14   | 5   |      |    |   |    |   | 3  |   | 10       | 15   |
| 15   | 0.5 |      |    |   |    |   |    |   | 2        | 50   |
| 16   | 1   |      |    |   |    |   |    |   | 4        | 80   |
| 17   |     | 56   |    |   |    |   |    |   |          | 126  |
| 18   | 2   | 5    |    |   |    |   |    |   | 8        | 11   |
| 19   | 1   | 71   |    |   |    |   |    |   | 4        | 203  |
| 20   |     |      |    |   |    |   |    |   |          | 5    |
| 21   |     |      |    |   |    |   |    |   |          |      |
| 22   |     | 9    |    | 5 |    |   |    |   |          | 14   |
| 23   | 1   |      |    |   |    |   |    |   | 2        | 27   |

Table A-3 (Continued)

| Dump | 1  |      | 2 |    | 3   |    | 4   |    | 5   |   | 6   |   | 7  |      | 8 |    | 9 |    |
|------|----|------|---|----|-----|----|-----|----|-----|---|-----|---|----|------|---|----|---|----|
| Date | S  | T    | S | T  | S   | T  | S   | T  | S   | T | S   | T | S  | T    | S | T  | S | T  |
| 7/24 |    |      |   | 6  |     |    |     |    |     |   |     |   |    | 86   |   |    |   |    |
| 25   |    |      |   |    |     |    |     |    |     |   |     |   |    |      |   |    |   |    |
| 26   |    |      |   |    |     |    | 1   |    |     | 1 |     |   |    |      |   |    | 1 |    |
| 27   |    |      |   |    |     |    |     | 15 |     |   |     |   |    | 61.5 |   |    |   |    |
| 28   |    |      |   |    |     |    |     |    |     |   |     |   |    | 10   |   |    | 1 |    |
| 29   |    |      |   |    |     |    |     |    |     |   |     |   |    |      |   |    | 1 | 24 |
| 30   |    |      |   |    |     |    |     |    |     |   |     |   |    | 15   |   | 30 |   | 25 |
| 31   |    |      |   |    |     |    |     |    |     |   |     |   |    |      |   |    |   | 4  |
| 8/1  |    |      |   |    | 1.5 |    | 1.5 |    | 1.5 |   | 1.5 |   |    | 4    |   |    |   | 4  |
| 2    |    |      |   |    |     |    |     |    |     |   |     |   |    |      |   |    |   |    |
| 3    |    |      |   |    |     | 8  |     |    |     |   |     |   | 2  |      |   |    |   | 44 |
| 4    |    |      |   |    |     |    |     |    |     |   |     |   |    |      |   |    | 1 | 56 |
| 5    |    | 10   |   |    |     |    |     |    |     |   |     |   |    |      |   |    | 1 | 12 |
| 6    |    |      |   |    | 3   |    | 5   |    |     | 2 |     |   |    |      |   |    |   |    |
| 7    |    |      |   |    |     | 36 |     | 12 |     |   |     |   | 4  |      |   |    |   | 4  |
| 8    | 14 |      |   |    |     |    |     |    |     |   |     | 2 | 12 |      |   |    |   | 4  |
| 9    |    |      |   |    |     |    |     |    |     |   |     | 1 |    |      |   |    |   |    |
| 10   |    |      |   |    |     |    |     |    |     |   |     |   |    |      |   |    |   | 56 |
| 11   |    |      |   |    |     |    |     | 1  |     |   |     |   |    |      |   |    | 6 |    |
| 12   |    |      |   |    |     |    |     |    |     |   |     |   |    |      | 5 |    |   | 20 |
| 13   |    | 82.5 |   |    |     |    |     |    |     |   |     |   |    | 16   |   |    |   | 4  |
| 14   |    | 18   |   | 12 |     |    |     |    |     |   |     |   |    |      |   | 50 |   | 4  |
| 15   |    |      |   |    |     |    |     |    |     |   |     |   |    |      |   |    |   |    |
| 16   |    |      |   |    |     |    |     |    |     |   |     |   |    |      |   |    |   |    |
| 17   |    |      |   |    |     |    |     |    |     |   |     |   |    |      |   |    |   | 36 |
| 18   |    |      |   |    |     |    |     |    |     |   |     |   |    | 23   | 4 |    |   | 4  |
| 19   |    |      |   |    |     | 66 |     |    |     |   |     |   | 42 |      |   |    |   |    |
| 20   |    |      |   |    |     |    |     |    |     |   |     |   |    |      |   | 48 |   |    |

Table A-3 (Continued)

| Dump | 10  |    | 11 |      | 12  |    | 13  |    | 14  |    | 15 |   | 16 |   | 17 |   | 18 |   |
|------|-----|----|----|------|-----|----|-----|----|-----|----|----|---|----|---|----|---|----|---|
| Date | S   | T  | S  | T    | S   | T  | S   | T  | S   | T  | S  | T | S  | T | S  | T | S  | T |
| 7/24 |     |    |    |      |     |    |     |    |     |    |    |   |    |   |    |   |    |   |
| 25   |     |    |    |      | 2   |    |     |    | 1.5 |    |    |   |    |   |    |   |    |   |
| 26   | 2   |    |    |      | 1   |    | 0.5 |    |     |    |    |   |    |   |    |   |    |   |
| 27   | 0.5 | 24 |    |      | 2   | 4  |     | 4  |     |    |    |   |    |   |    |   |    |   |
| 28   | 2   |    |    |      | 2.5 |    |     | 15 | 4   | 18 |    |   |    |   |    |   |    |   |
| 29   | 5.5 |    |    | 10   | 1   |    | 4   |    |     | 29 |    |   |    |   |    |   |    |   |
| 30   |     |    | 1  |      |     |    |     |    |     | 39 |    |   | 1  |   |    |   |    |   |
| 31   | 2   |    | 2  |      | 2   |    |     | 27 | 2   |    |    |   |    |   | 2  |   | 1  |   |
| 8/1  | 2   | 10 | 1  | 12.5 | 3   |    |     |    |     |    |    |   | 1  |   | 1  |   |    |   |
| 2    | 4   |    |    |      | 3   |    |     |    |     |    |    |   |    |   |    |   |    |   |
| 3    | 3   | 20 |    |      | 3   |    |     |    |     |    |    |   |    |   |    |   |    |   |
| 4    | 1.5 | 16 |    |      | 1.5 | 30 |     |    |     |    |    |   |    |   |    |   |    |   |
| 5    | 2   |    | 1  |      | 3   | 5  | 1   | 8  |     |    |    |   | 6  |   | 6  |   | 1  |   |
| 6    | 6   | 9  |    | 5    | 4   |    |     |    |     |    |    |   |    |   |    |   |    |   |
| 7    | 4   | 4  |    |      | 5   | 4  | 4   | 8  | 50  |    |    |   |    |   |    |   |    |   |
| 8    | 3   | 4  |    |      | 3   |    |     |    |     |    |    |   |    |   |    |   |    |   |
| 9    | 10  |    |    |      | 7   |    |     |    |     |    |    |   |    |   |    |   |    |   |
| 10   | 4   | 18 |    |      | 4   | 30 |     |    |     |    |    |   |    |   | 4  |   |    |   |
| 11   |     |    |    |      | 46  | 4  |     | 4  | 102 |    |    |   |    |   |    |   |    |   |
| 12   |     |    |    |      | 45  |    |     |    |     |    |    |   |    |   |    |   |    |   |
| 13   |     | 4  |    |      | 5   |    |     |    |     |    |    |   |    |   |    |   |    |   |
| 14   |     |    |    |      |     |    |     |    | 36  |    |    |   |    |   |    |   |    |   |
| 15   |     |    |    |      |     |    |     |    |     |    |    |   |    |   |    |   |    |   |
| 16   |     |    |    |      |     |    |     |    |     |    |    |   |    |   |    |   |    |   |
| 17   |     | 17 |    | 5    |     | 40 |     | 4  |     |    |    |   |    |   |    |   |    |   |
| 18   |     |    |    |      |     |    |     |    | 32  |    |    |   |    |   |    |   |    |   |
| 19   |     | 4  |    |      |     |    |     | 20 |     |    |    |   |    |   |    |   |    |   |
| 20   |     | 6  |    |      |     |    |     | 12 |     |    |    |   |    |   |    |   |    |   |

Table A-3 (Continued)

| Dump | 19 |   | 20 |   | 21 |   | 22 |   | 23 |   | 24 |   | 25 |   | 26 |   | 27 |   |
|------|----|---|----|---|----|---|----|---|----|---|----|---|----|---|----|---|----|---|
| Date | S  | T | S  | T | S  | T | S  | T | S  | T | S  | T | S  | T | S  | T | S  | T |
| 7/24 |    |   |    |   |    |   |    |   |    |   |    |   | 22 |   |    |   |    |   |
| 25   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |
| 26   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |
| 27   |    |   | 1  |   |    |   | 2  |   | 2  |   |    |   |    |   |    |   |    |   |
| 28   |    |   |    |   |    |   |    |   |    |   |    |   | 15 |   |    |   |    |   |
| 29   |    |   |    |   |    |   |    |   |    |   |    |   | 10 |   |    |   |    |   |
| 30   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |
| 31   |    |   |    |   |    |   | 2  |   | 2  |   |    |   |    |   |    |   |    |   |
| 8/1  | 1  |   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |
| 2    |    |   | 2  |   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |
| 3    |    |   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |
| 4    |    |   |    |   |    |   | 2  |   | 2  |   | 2  |   |    |   |    |   |    |   |
| 5    | 1  |   |    |   |    |   |    |   |    |   |    |   |    |   |    |   | 25 |   |
| 6    |    |   | 2  | 8 |    |   | 10 |   |    |   | 15 |   | 55 |   |    |   | 5  |   |
| 7    |    |   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |
| 8    |    |   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |
| 9    |    |   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |
| 10   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |
| 11   | 2  |   |    |   |    |   | 2  |   |    |   |    |   |    |   |    |   |    |   |
| 12   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |
| 13   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |    |   | 8  |   |
| 14   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |
| 15   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |
| 16   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |
| 17   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |
| 18   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |
| 19   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |    |   |
| 20   |    |   |    |   |    |   |    |   | 4  |   |    |   | 4  |   |    |   |    |   |



Table A-3 (Continued)

| Dump | 28  |    | 29  |   | 30  |    | 31 |   | Downtown |      |
|------|-----|----|-----|---|-----|----|----|---|----------|------|
| Date | S   | T  | S   | T | S   | T  | S  | T | S        | T    |
| 7/24 |     |    |     |   |     |    |    |   |          |      |
| 25   | 5.5 |    |     |   |     |    |    |   | 9.5      |      |
| 26   | 3   |    | 1   |   | 1   |    |    |   | 5.5      |      |
| 27   | 4   |    |     |   |     |    | 1  |   | 8        | 28   |
| 28   | 7   | 5  |     |   |     |    |    |   | 16       | 5    |
| 29   | 2   |    |     |   |     |    |    |   | 4        | 34   |
| 30   | 2   |    |     |   |     |    | 2  |   | 3        | 25   |
| 31   | 8   |    |     |   |     |    |    |   | 14       | 4    |
| 8/1  | 4   | 8  |     |   |     |    |    |   | 10       | 34.5 |
| 2    | 11  |    |     |   |     |    | 2  |   | 18       |      |
| 3    | 16  |    |     |   |     |    |    |   | 22       | 64   |
| 4    |     |    | 1.5 |   | 1.5 |    |    |   | 4        | 102  |
| 5    |     | 48 |     |   |     |    |    |   | 7        | 65   |
| 6    | 8   | 24 |     | 8 |     | 12 | 2  |   | 18       | 38   |
| 7    | 9   | 8  |     |   |     |    |    |   | 18       | 20   |
| 8    | 6   |    |     |   |     |    |    |   | 12       | 8    |
| 9    | 8   |    |     |   |     |    |    |   | 25       |      |
| 10   | 12  |    |     |   |     |    |    |   | 20       | 106  |
| 11   |     |    |     |   |     |    |    |   |          |      |
| 12   |     |    |     |   |     |    |    |   |          |      |
| 13   |     |    |     |   |     |    |    |   |          |      |
| 14   |     |    |     |   |     |    |    |   |          |      |
| 15   |     |    |     |   |     |    |    |   |          |      |
| 16   |     |    |     |   |     |    |    |   |          |      |
| 17   |     |    |     |   |     |    |    |   |          |      |
| 18   |     |    |     |   |     |    |    |   |          |      |
| 19   |     |    |     |   |     |    |    |   |          |      |
| 20   |     | 40 |     |   |     |    |    |   |          |      |

Table A-4

SAN JOSE MONTHLY RAINFALL DATA  
1955-1964

| Month     | 1955   |            | 1956   |            | 1957   |            | 1958   |            |
|-----------|--------|------------|--------|------------|--------|------------|--------|------------|
|           | Inches | Rainy Days | Inches | Rainy Days | Inches | Rainy Days | Inches | Rainy Days |
| January   | 0.01   | 2          | 1.04   | 8          | 0      | 0          | 6.20   | 4          |
| February  | 0.09   | 2          | 1.39   | 2          | 0.16   | 2          | 0      | 0          |
| March     | 0.18   | 6          | 0      | 0          | 1.06   | 4          | 0.56   | 5          |
| April     | 0.15   | 3          | 0.38   | 5          | 0.34   | 2          | 1.25   | 3          |
| May       | 5.09   | 17         | 13.55  | 30         | 8.80   | 23         | 6.18   | 20         |
| June      | 13.28  | 23         | 11.52  | 23         | 5.08   | 19         | 11.65  | 24         |
| July      | 14.02  | 28         | 9.85   | 22         | 5.30   | 18         | 7.23   | 22         |
| August    | 8.15   | 22         | 7.28   | 19         | 6.52   | 20         | 6.94   | 22         |
| September | 16.38  | 29         | 10.15  | 25         | 13.81  | 25         | 9.62   | 26         |
| October   | 19.08  | 28         | 15.43  | 26         | 11.53  | 29         | 10.46  | 23         |
| November  | 6.00   | 22         | 5.26   | 19         | 0.81   | 15         | 3.33   | 15         |
| December  | 2.13   | 14         | 1.44   | 11         | 0.85   | 7          | 0.57   | 7          |
| Total     | 84.56  | 196        | 77.29  | 190        | 54.26  | 164        | 57.99  | 171        |

Table A-4 (Continued)

| Month     | 1959   |            | 1960   |            | 1961   |            | 1962   |            |
|-----------|--------|------------|--------|------------|--------|------------|--------|------------|
|           | Inches | Rainy Days | Inches | Rainy Days | Inches | Rainy Days | Inches | Rainy Days |
| January   | 0      | 0          | 0.09   | 3          | 0.01   | 1          | 0.12   | 3          |
| February  | 0.08   | 3          | 1.63   | 8          | 0      | 0          | 0      | 0          |
| March     | 0      | 0          | 1.11   | 3          | 0.05   | 1          | 0.05   | 1          |
| April     | 1.11   | 2          | 3.58   | 12         | 0.44   | 7          | 1.87   | 11         |
| May       | 5.30   | 14         | 14.27  | 22         | 2.03   | 11         | 7.70   | 21         |
| June      | 13.57  | 27         | 8.42   | 24         | 7.92   | 25         | 13.20  | 27         |
| July      | 6.67   | 18         | 10.54  | 24         | 8.26   | 23         | 6.85   | 18         |
| August    | 7.06   | 21         | 7.49   | 21         | 5.04   | 19         | 12.16  | 26         |
| September | 4.54   | 18         | 10.21  | 27         | 20.37  | 27         | 17.07  | 27         |
| October   | 10.01  | 26         | 16.21  | 29         | 11.43  | 22         | 16.24  | 31         |
| November  | 3.49   | 16         | 5.24   | 18         | 3.88   | 19         | 6.02   | 20         |
| December  | 0.08   | 2          | 0.64   | 9          | 2.11   | 12         | 2.28   | 12         |
| Total     | 51.91  | 147        | 79.43  | 200        | 61.54  | 167        | 83.56  | 197        |

Table A-4 (Continued)

| Month     | 1963   |            | 1964   |            | 1955-1965 Average |            |
|-----------|--------|------------|--------|------------|-------------------|------------|
|           | Inches | Rainy Days | Inches | Rainy Days | Inches            | Rainy Days |
| January   | 0.30   | 2          | 0.09   | 2          | 0.19              | 2.5        |
| February  | 0.98   | 7          | 0.15   | 1          | 0.45              | 2.5        |
| March     | 0.13   | 2          | 0      | 0          | 0.31              | 2.2        |
| April     | 3.89   | 12         | 2.04   | 5          | 1.51              | 6.2        |
| May       | 6.26   | 19         | 3.65   | 18         | 7.28              | 19.5       |
| June      | 6.93   | 23         | 17.95  | 26         | 10.95             | 24.1       |
| July      | 6.80   | 24         | 14.64  | 25         | 9.02              | 22.2       |
| August    | 7.84   | 18         | 12.22  | 22         | 8.07              | 21.0       |
| September | 21.75  | 27         | 12.89  | 30         | 13.68             | 26.1       |
| October   | 11.90  | 23         |        |            | 13.58             | 26.7       |
| November  | 6.92   | 18         |        |            | 4.55              | 18.0       |
| December  | 0.49   | 5          |        |            | 1.18              | 8.8        |
| Total     | 74.09  | 180        |        |            | 69.40             | 179.1      |

Table A-5  
LAND AREA AND LENGTH OF STREETS  
SERVED BY ESTABLISHED CENIZA-ARENA DUMPS IN SAN JOSE

| <u>Dump</u> | <u>Land Area<br/>(mi<sup>2</sup>)</u> | <u>Street<br/>Length<br/>(mi)</u> |
|-------------|---------------------------------------|-----------------------------------|
| 1           | 0.106                                 | 3.67                              |
| 2           | 0.051                                 | 1.58                              |
| 3           | 0.091                                 | 1.98                              |
| 4           | 0.053                                 | 1.44                              |
| 5           | 0.028                                 | 0.74                              |
| 6           | 0.036                                 | 0.92                              |
| 7           | 0.040                                 | 0.87                              |
| 8           | 0.054                                 | 1.40                              |
| 13          | 0.048                                 | 1.37                              |
| 14          | 0.060                                 | 1.63                              |
| 15          | 0.038                                 | 1.22                              |
| 16          | 0.043                                 | 1.64                              |
| 17          | 0.042                                 | 1.22                              |
| 18          | 0.055                                 | 1.93                              |
| 19          | 0.031                                 | 1.09                              |
| 20          | 0.014                                 | 0.38                              |
| 21          | 0.009                                 | 0.35                              |
| 22          | 0.039                                 | 1.07                              |
| 23          | 0.091                                 | 2.23                              |
| 24          | 0.009                                 | 0.43                              |
| 25          | 0.032                                 | 0.79                              |
| 26          | 0.019                                 | 1.39                              |
| 27          | 0.034                                 | 1.12                              |
| 29          | 0.074                                 | 1.79                              |
| 30          | 0.186                                 | 3.18                              |
| 31          | 0.058                                 | 1.55                              |
| Downtown*   | 0.662                                 | 21.30                             |
| <hr/>       |                                       |                                   |
| Total       | 2.033 mi <sup>2</sup>                 | 59.37 mi                          |

\* Central area served by dumps 9, 10, 11, 12, and 28.