

AFRRI TN66-1

JANUARY 1966

AFRRI
TECHNICAL
NOTE

**THE NUMERICAL EVALUATION
OF THE THEORETICAL VARIANCE/MEAN
RATIO OF THE NEUTRON POPULATION
IN THE SUBCRITICAL CONDITION
OF THE AFRRI-TRIGA REACTOR**

Horace Schow, II

ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE
Defense Atomic Support Agency
Bethesda, Maryland


Distribution of this document is unlimited.

AFRRI TN66-1


January 1966

THE NUMERICAL EVALUATION OF THE THEORETICAL VARIANCE/MEAN
RATIO OF THE NEUTRON POPULATION IN THE SUBCRITICAL CONDITION
OF THE AFRRI-TRIGA REACTOR

HORACE SCHOW, II



R. E. CARTER
Chairman
Physical Sciences Department



JAMES T. BRENNAN
Colonel, MC, USA
Director

ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE
Defense Atomic Support Agency
Bethesda, Maryland

Distribution of this document is unlimited

ACKNOWLEDGMENT

The author wishes to express his appreciation to Dr. Joseph A. Greenwood, formerly of AFRRI, for his advice and careful reading of the text, and to Mr. Robert W. Rockwell, Theoretical Division of AFRRI, for numerical analysis work.

ABSTRACT

The numerical evaluation of the theoretical variance/mean ratio of the neutron population in the subcritical condition of the AFRRI-TRIGA reactor is given for (1) the case of no delayed neutron groups; (2) the case of one equivalent delayed neutron group; and (3) the case of six delayed neutron groups. The Courant-Wallace equations were solved to obtain the theoretical variance/mean ratio using the mean prompt neutron lifetime of 39×10^{-6} seconds in the AFRRI-TRIGA reactor.

TABLE OF CONTENTS

	Page
Abstract	i
I. Introduction	1
II. Glossary of Basic Symbols	2
III. General Equations	4
IV. Case 1: No Delayed Neutrons	5
V. Case 2: One Delayed Neutron Group	6
VI. Case 3: Six Delayed Neutron Groups	10
VII. Propagation of Precision Indexes	16
VIII. Numerical Results	16
References	19
 Table I - Theoretical variance/mean ratios $\pm$ standard deviations of the neutron population for three values of k for Case 2 (One Delayed Neutron Group)	 16
Table II - Theoretical variance/mean ratios of the neutron population in the subcritical condition of the AFRRI-TRIGA Reactor	 17
 Figure 1 - Theoretical variance/mean ratio of the neutron population in the subcritical condition of the AFRRI-TRIGA Reactor	 18
Figure 2 - Theoretical variance/mean ratio of the neutron population in the subcritical condition of the AFRRI-TRIGA Reactor	18

I. INTRODUCTION

The mean number of neutrons and delayed neutron-forming precursors in a reactor may be estimated by deterministic equations but the actual number at time t will be different. The instantaneous number of neutrons and precursors, both possessing a discrete rather than a continuous probability distribution function, will fluctuate at random about the mean. A statistical parameter which may be used to measure the fluctuations is the variance/mean ratio. References 2 and 6, through the use of the probability balance and two probability generating functions, derive equations describing the stochastic processes within the reactor's core in terms of the first and second moments of the neutron/precursor probability distributions. These equations may be solved for the variance/mean ratio. It is the purpose of this report to numerically evaluate the theoretical variance/mean ratio of the neutron population for three cases using the fission data for ^{235}U from references 3 and 5 and the mean prompt neutron lifetime in the AFRRI-TRIGA reactor which is approximately 39×10^{-6} seconds.¹ The symbolism of reference 6 will be followed. Case 1 is when it is assumed that there are no delayed neutron groups. Case 2 is when there is one equivalent delayed neutron group. Case 3 is for six delayed neutron groups.

II. GLOSSARY OF BASIC SYMBOLS

- k = $k' + \sum_i c_i$ = the mean number of neutrons formed (both instantaneous and delayed) per neutron lost in the reactor through absorption or escape.
- k' = the mean number of neutrons formed instantaneously per neutron lost in the reactor through absorption or escape.
- c = $\sum_i c_i$.
- c_i = the mean number of radioactive neutron-forming precursors of type i formed per neutron lost in the reactor through absorption or escape.
- ϕ_{NN} = variance of $N = \overline{N^2} - \overline{N}^2$.
- ϕ_{Nj} = $\overline{NC_j} - \overline{N} \overline{C_j}$.
- ϕ_{ij} = $\overline{C_i C_j} - \overline{C_i} \overline{C_j}$.
- C_i = the total number of precursors of type i in the reactor.
- ϵ_i = $\lambda_i \tau$.
- λ_i = decay constant of precursor type i .
- τ = mean prompt lifetime of a neutron in the reactor.
- f = $f(x, y_1, y_2, \dots)$ = f -type probability generating function
- $$= \sum_n \sum_{m_1} \sum_{m_2} \dots x^n y_1^{m_1} y_2^{m_2} \dots p(n, m_1, m_2, \dots).$$
- $p(n, m_1, m_2, \dots)$ = the probability that the absorption or escape of one neutron in the reactor will lead to the formation of n instantaneous neutrons and m_i precursors of type i .
- n = number of neutrons formed instantaneously per neutron lost in the reactor through absorption or escape.

m_i = number of precursors of type i formed per neutron lost in the reactor through absorption or escape.

it is to be noted that $k = \bar{n} + \sum_i \bar{m}_i$, since $k' = \bar{n}$ and $c = \sum_i c_i = \bar{m} = \sum_i \bar{m}_i$.

F = $F(x, y_1, y_2, \dots; t)$ = F-type probability generating function

$$= \sum_N \sum_{C_1} \sum_{C_2} \dots x^N y_1^{C_1} y_2^{C_2} \dots P(N, C_1, C_2, \dots; t).$$

$P(N, C_1, C_2, \dots; t)$ = the probability that N neutrons, C_1 precursors of type 1, C_2 precursors of type 2, etc., are present in the reactor at time t .

t = time.

N = the total number of neutrons in the reactor.

subscripts on f and F - the subscripts on f and F indicate partial differentiation, i.e.,

$$f_{xx} = \frac{\partial}{\partial x} \left(\frac{\partial f}{\partial x} \right) \text{ and}$$

$$f_{ix} = \frac{\partial}{\partial y_i} \left(\frac{\partial f}{\partial x} \right) \text{ and}$$

$$f_{ij} = \frac{\partial}{\partial y_i} \left(\frac{\partial f}{\partial y_j} \right)$$

$\langle \rangle$ - the angle brackets indicate evaluation of the enclosed term at the point $x=y_i=1$.

$\bar{N}$ - the bar over a symbol indicates the mean value, thus, $\bar{N}$ = the mean value of N .

δ_{ij} = Kronecker delta

$$\delta_{ij} = 0 \text{ when } i \neq j$$

$$\delta_{ij} = 1 \text{ when } i = j.$$

ξ = the probability of achieving a fission event per neutron lost through absorption or escape.

- ν = the number of neutrons formed per fission event.
- β = the mean number of delayed precursors formed per fission neutron produced.
- β_i = the mean number of delayed precursors of type i formed per fission neutron produced.

prime symbol - the prime symbol, except for k', is a shortened notation to indicate

$$\text{division by } \bar{N}, \text{ i.e., } \phi'_{NN} = \frac{\phi_{NN}}{\bar{N}}.$$

- k_2 = mean square of the number of neutrons formed per neutron lost through absorption or escape.
- A = $1-k+c$.
- T_i = half-period of radioactive precursor of type i.
- α_i = percent yield of $\nu\beta$ precursors of type i.

III. GENERAL EQUATIONS

The equations in references 2 and 6, describing the fluctuations of the neutron/precursor probability distributions, are

$$(1-k+c) \phi_{NN} - \sum_{i=1}^6 \epsilon_i \phi_{Ni} = \left[\frac{1}{2} \langle f_{xx} \rangle + (1-k+c) \right] \bar{N} \quad (1)$$

which results in one equation as we let $i = 1, 2, 3, 4, 5$, and 6 , and

$$-c_i \phi_{NN} + (1-k+c+\epsilon_i) \phi_{Ni} - \sum_{j=1}^6 \epsilon_j \phi_{ij} = \left[\langle f_{ix} \rangle - 2c_i \right] \bar{N} \quad (2)$$

which results in six equations for the six values of i , and

$$-c_i \phi_{Nj} - c_j \phi_{Ni} + (\epsilon_j + \epsilon_i) \phi_{ij} = \left[\langle f_{ij} \rangle + \delta_{ij} 2c_i \right] \bar{N} \quad (3)$$

which results in 21 equations when $i = 1, 2, 3, 4, 5$, and 6 , and when $j = 1, 2, 3, 4, 5$, and

6 since the mixed partial derivatives of ϕ , namely, $\phi_{i_A j_A} = \phi_{j_B i_B}$, are equal when $i_A = i_B$ and when $j_A = j_B$.

IV. CASE 1: NO DELAYED NEUTRONS

The assumption of no delayed neutron groups means we assume that $c = c_i = 0$, $m_i = 0$, and that $k = k'$. Equations (1), (2), and (3) reduce to

$$(1-k) \phi_{NN} = \left(\frac{1}{2} f_{xx} + 1-k\right) \bar{N} . \quad (4)$$

With $m_i = 0$, the f -type probability generating function becomes

$$f(x) = \sum_n x^n p(n) \quad (5)$$

and

$$f(x)_{xx} = f_{xx} = \frac{\partial}{\partial x} \left(\frac{\partial f}{\partial x} \right) = \sum_n n(n-1)x^{n-2} p(n) \quad (6)$$

and

$$\langle f_{xx} \rangle = \left[\sum_n n(n-1) x^{n-2} p(n) \right]_{x=1} \quad (7)$$

$$= \sum_n n(n-1) p(n) \quad (8)$$

$$= \sum_n n^2 p(n) - \sum_n n p(n) \quad (9)$$

$$= \overline{n^2} - \bar{n} . \quad (10)$$

Using (10), equation (4) rearranges to

$$\frac{\phi_{NN}}{\bar{N}} = 1 + \frac{\overline{n^2} - \bar{n}}{2(1-k)} . \quad (11)$$

By definition, k , the effective multiplication factor of the reactor system, is the mean number of neutrons formed per neutron lost in the system through escape or absorption. Thus

$$k = \overline{\xi \nu} \quad (12)$$

where ξ = the probability of achieving a fission event per neutron lost through absorption or escape and where ν = the number of neutrons formed per fission event.

Assuming that ξ and ν are two independent sets (events),

$$k = \overline{\xi \nu} = \overline{\xi} \overline{\nu} = \xi \overline{\nu} \quad (13)$$

since by definition $\overline{\xi} = \xi$.

Since $k = k'$, therefore

$$k = \xi \overline{\nu} = \overline{n} \quad (14)$$

Thus

$$\overline{n^2} = \overline{(\xi \nu)^2} = \xi^2 \overline{\nu^2} \quad (15)$$

Substitute (15) into (11), and obtain

$$\frac{\phi_{NN}}{\overline{N}} = 1 + \frac{\xi^2 \overline{\nu^2} - k}{2(1-k)} \quad (16)$$

By selecting values for the dependent variable k we may obtain the variance/mean ratio of the neutron population for various conditions of subcriticality for the no delayed neutron case using equation (16). Table II (page 17) and Figures 1 and 2 (page 18) summarize the numerical results.

V. CASE 2: ONE DELAYED NEUTRON GROUP

To obtain equations for one equivalent delayed neutron group we let $c_i = c$. Equations (1), (2), and (3) become

$$(1-k+c) \phi_{NN} - \epsilon \phi_{NC} = \left(\frac{1}{2} \langle f_{xx} \rangle + 1-k+c\right) \overline{N} \quad (17)$$

$$-c \phi_{NN} + (1-k+c+\epsilon) \phi_{NC} - \epsilon \phi_{CC} = (\langle f_{xy} \rangle - 2c) \overline{N} \quad (18)$$

$$-c \phi_{NC} + e \phi_{CC} = \left(\frac{1}{2} \langle f_{yy} \rangle + c \right) \bar{N} \quad (19)$$

where

$$\phi_{NC} = \overline{NC} - \bar{N} \bar{C} \quad (20)$$

and where

$$\phi_{CC} = \overline{C^2} - \bar{C}^2. \quad (21)$$

Add (17), (18), and (19) and obtain

$$(1-k) (\phi_{NN} + \phi_{NC}) = \left(\frac{1}{2} \langle f_{xx} \rangle + \langle f_{xy} \rangle + \frac{1}{2} \langle f_{yy} \rangle + 1 - k \right) \bar{N}. \quad (22)$$

Since

$$\langle f_{xx} \rangle = \sum_{n,m} n(n-1) p(n, m) \quad (23)$$

and

$$\langle f_{xy} \rangle = \sum_{n,m} nm p(n, m) \quad (24)$$

and

$$\langle f_{yy} \rangle = \sum_{n,m} m(m-1) p(n, m) \quad (25)$$

and

$$(k_2 - k) = \sum_{n,m} \left[(n+m)^2 - (n+m) \right] p(n, m) \quad (26)$$

it is seen that

$$\frac{1}{2} (k_2 - k) = \frac{1}{2} \langle f_{xx} \rangle + \langle f_{xy} \rangle + \frac{1}{2} \langle f_{yy} \rangle. \quad (27)$$

Substitute (27) into (22) and obtain

$$(1-k) (\phi_{NN} + \phi_{NC}) = \left[\frac{1}{2} (k_2 - k) + (1-k) \right] \bar{N}. \quad (28)$$

Solve (17), (19), and (28) for $\phi_{NN}/\bar{N}$ by Cramer's rule (see reference 6 for details) and obtain

$$\frac{\phi_{NN}}{\bar{N}} = 1 + \frac{(k_2 - k)(1 - k + \epsilon)}{2(1 - k)(1 - k + c + \epsilon)} - \frac{\frac{1}{2}c'}{1 - k + c + \epsilon} \quad (29)$$

where

$$c' = \left[2f_{xy} + f_{yy} \right]_{x=y=1} \quad (30)$$

$$= 2 \overline{nm} + \overline{m^2} - \overline{m} . \quad (31)$$

By definition, c is the mean number of precursors formed per neutron lost through absorption or escape. Thus

$$c = k\beta \quad (32)$$

where β = the mean number of delayed precursors formed per fission neutron produced.

For the AFRRI-TRIGA reactor

$$\epsilon = \lambda \tau \quad (33)$$

$$\cong 0.077 \times 39 \times 10^{-6} \quad (34)$$

$$\cong 3.0 \times 10^{-6} \quad (35)$$

where 0.077 sec^{-1} is the equivalent one-group decay constant computed from the 6-group thermal fission data in reference 5 by the following expression

$$\lambda_{\text{equivalent 1-group}} = \frac{\beta}{\sum_{i=1}^6 \frac{\beta_i}{\lambda_i}} \quad (36)$$

By definition m is the number of delayed neutrons formed per neutron lost. Thus

$$c = \overline{m} = \overline{\xi \nu \beta} . \quad (37)$$

It is assumed that ξ , ν , and β are statistically independent. Hence

$$\overline{m} = \overline{\xi \nu \beta} = \overline{\xi} \overline{\nu} \overline{\beta} = \xi \nu \beta \quad (38)$$

and

$$\overline{m^2} = \overline{(\xi \nu \beta)^2} = \overline{\xi^2} \overline{\nu^2} \overline{\beta^2} = \xi^2 \nu^2 \beta^2 \quad (39)$$

By the same logic

$$\overline{nm} = (\overline{\xi \nu (1-\beta)} \times \overline{\xi \nu \beta}) \quad (40)$$

$$= \xi^2 \overline{\nu^2} \beta - \xi^2 \overline{\nu^2} \beta^2 . \quad (41)$$

Substitute (38), (39), and (41) into (31) and obtain

$$c' \cong 2 \xi^2 \overline{\nu^2} \beta - \xi \overline{\nu} \beta \quad (42)$$

where the second-order term involving β^2 is neglected.

It is realized that the assumption of statistical independence between ν and β is an approximation and that the result of this assumption is to state in the averaging process that the mean of the product of ν and β is equal to the product of the separate means when in actuality the mean of $\nu\beta$ should involve sums of terms like $\nu\beta$ times an unconditional probability and a conditional probability. Equation (38) states, in essence, that we are considering ξ and β as constants and are combining the fluctuations of the neutron and precursor formations into the ν value. Overall, the value of the last term in (29), the only term involving c' and hence (38), is, in any case, small, and thus to a first order approximation the assumption of statistical independence between ν and β introduces only a negligible error which is of a magnitude less than the standard deviation of the final ratio obtained by propagating the precision indexes of the experimental data for the various other parameters in (29).

Substitute (13), (37), and (42) into (29) and obtain

$$\frac{\phi_{NN}}{\overline{N}} \cong 1 + \frac{\xi^2 \overline{\nu^2} (1-2\beta) - k}{2 ((1-k) + k\beta)} \quad (43)$$

where it is to be noted in arriving at the solution that the constant ϵ is of negligible importance.

Table II (page 17) and Figures 1 and 2 (page 18) summarize the $\phi_{\text{NN}}/\bar{N}$ ratios for various values of k.

VI. CASE 3: SIX DELAYED NEUTRON GROUPS

Twenty-eight simultaneous equations resulting from the expansions of (1), (2), and (3) must be solved to obtain the $\phi_{\text{NN}}/\bar{N}$ ratio in the case of six delayed neutron groups.

These 28 equations are

$$A \cdot \phi'_{\text{NN}} - \epsilon_1 \phi'_{\text{N1}} - \epsilon_2 \phi'_{\text{N2}} - \epsilon_3 \phi'_{\text{N3}} - \epsilon_4 \phi'_{\text{N4}} - \epsilon_5 \phi'_{\text{N5}} - \epsilon_6 \phi'_{\text{N6}} = \left[\frac{1}{2} \langle f_{\text{xx}} \rangle + A \right] \quad (44)$$

$$-c_1 \phi'_{\text{NN}} + (A + \epsilon_1) \phi'_{\text{N1}} - \epsilon_1 \phi'_{11} - \epsilon_2 \phi'_{12} - \epsilon_3 \phi'_{13} - \epsilon_4 \phi'_{14} - \epsilon_5 \phi'_{15} - \epsilon_6 \phi'_{16} = \langle f_{1\text{x}} \rangle - 2c_1 \quad (45)$$

$$-c_2 \phi'_{\text{NN}} + (A + \epsilon_2) \phi'_{\text{N2}} - \epsilon_1 \phi'_{21} - \epsilon_2 \phi'_{22} - \epsilon_3 \phi'_{23} - \epsilon_4 \phi'_{24} - \epsilon_5 \phi'_{25} - \epsilon_6 \phi'_{26} = \langle f_{2\text{x}} \rangle - 2c_2 \quad (46)$$

$$-c_3 \phi'_{\text{NN}} + (A + \epsilon_3) \phi'_{\text{N3}} - \epsilon_1 \phi'_{31} - \epsilon_2 \phi'_{32} - \epsilon_3 \phi'_{33} - \epsilon_4 \phi'_{34} - \epsilon_5 \phi'_{35} - \epsilon_6 \phi'_{36} = \langle f_{3\text{x}} \rangle - 2c_3 \quad (47)$$

$$-c_4 \phi'_{\text{NN}} + (A + \epsilon_4) \phi'_{\text{N4}} - \epsilon_1 \phi'_{41} - \epsilon_2 \phi'_{42} - \epsilon_3 \phi'_{43} - \epsilon_4 \phi'_{44} - \epsilon_5 \phi'_{45} - \epsilon_6 \phi'_{46} = \langle f_{4\text{x}} \rangle - 2c_4 \quad (48)$$

$$-c_5 \phi'_{\text{NN}} + (A + \epsilon_5) \phi'_{\text{N5}} - \epsilon_1 \phi'_{51} - \epsilon_2 \phi'_{52} - \epsilon_3 \phi'_{53} - \epsilon_4 \phi'_{54} - \epsilon_5 \phi'_{55} - \epsilon_6 \phi'_{56} = \langle f_{5\text{x}} \rangle - 2c_5 \quad (49)$$

$$-c_6 \phi'_{\text{NN}} + (A + \epsilon_6) \phi'_{\text{N6}} - \epsilon_1 \phi'_{61} - \epsilon_2 \phi'_{62} - \epsilon_3 \phi'_{63} - \epsilon_4 \phi'_{64} - \epsilon_5 \phi'_{65} - \epsilon_6 \phi'_{66} = \langle f_{6\text{x}} \rangle - 2c_6 \quad (50)$$

$$-2c_1 \phi'_{\text{N1}} + 2\epsilon_1 \phi'_{11} = \langle f_{11} \rangle + 2c_1 \quad (51)$$

$$-c_1 \phi'_{\text{N2}} - c_2 \phi'_{\text{N1}} + (\epsilon_2 + \epsilon_1) \phi'_{12} = \langle f_{12} \rangle \quad (52)$$

$$-c_1 \phi'_{\text{N3}} - c_3 \phi'_{\text{N1}} + (\epsilon_3 + \epsilon_1) \phi'_{13} = \langle f_{13} \rangle \quad (53)$$

$$-c_1 \phi'_{\text{N4}} - c_4 \phi'_{\text{N1}} + (\epsilon_4 + \epsilon_1) \phi'_{14} = \langle f_{14} \rangle \quad (54)$$

$$-c_1 \phi'_{\text{N5}} - c_5 \phi'_{\text{N1}} + (\epsilon_5 + \epsilon_1) \phi'_{15} = \langle f_{15} \rangle \quad (55)$$

$$-c_1 \phi'_{\text{N6}} - c_6 \phi'_{\text{N1}} + (\epsilon_6 + \epsilon_1) \phi'_{16} = \langle f_{16} \rangle \quad (56)$$

$$-2c_2\phi'_{N2} + 2\epsilon_2\phi'_{22} = \langle f_{22} \rangle + 2c_2 \quad (57)$$

$$-c_2\phi'_{N3} - c_3\phi'_{N2} + (\epsilon_3 + \epsilon_2)\phi'_{23} = \langle f_{23} \rangle \quad (58)$$

$$-c_2\phi'_{N4} - c_4\phi'_{N2} + (\epsilon_4 + \epsilon_2)\phi'_{24} = \langle f_{24} \rangle \quad (59)$$

$$-c_2\phi'_{N5} - c_5\phi'_{N2} + (\epsilon_5 + \epsilon_2)\phi'_{25} = \langle f_{25} \rangle \quad (60)$$

$$-c_2\phi'_{N6} - c_6\phi'_{N2} + (\epsilon_6 + \epsilon_2)\phi'_{26} = \langle f_{26} \rangle \quad (61)$$

$$-2c_3\phi'_{N3} + 2\epsilon_3\phi'_{33} = \langle f_{33} \rangle + 2c_3 \quad (62)$$

$$-c_3\phi'_{N4} - c_4\phi'_{N3} + (\epsilon_4 + \epsilon_3)\phi'_{34} = \langle f_{34} \rangle \quad (63)$$

$$-c_3\phi'_{N5} - c_5\phi'_{N3} + (\epsilon_5 + \epsilon_3)\phi'_{35} = \langle f_{35} \rangle \quad (64)$$

$$-c_3\phi'_{N6} - c_6\phi'_{N3} + (\epsilon_6 + \epsilon_3)\phi'_{36} = \langle f_{36} \rangle \quad (65)$$

$$-2c_4\phi'_{N4} + 2\epsilon_4\phi'_{44} = \langle f_{44} \rangle + 2c_4 \quad (66)$$

$$-c_4\phi'_{N5} - c_5\phi'_{N4} + (\epsilon_5 + \epsilon_4)\phi'_{45} = \langle f_{45} \rangle \quad (67)$$

$$-c_4\phi'_{N6} - c_6\phi'_{N4} + (\epsilon_6 + \epsilon_4)\phi'_{46} = \langle f_{46} \rangle \quad (68)$$

$$-2c_5\phi'_{N5} + 2\epsilon_5\phi'_{55} = \langle f_{55} \rangle + 2c_5 \quad (69)$$

$$-c_5\phi'_{N6} - c_6\phi'_{N5} + (\epsilon_6 + \epsilon_5)\phi'_{56} = \langle f_{56} \rangle \quad (70)$$

$$-2c_6\phi'_{N6} + 2\epsilon_6\phi'_{66} = \langle f_{66} \rangle + 2c_6 \quad (71)$$

where

$$A = 1 - k + c \quad (72)$$

and where the prime mark over the ϕ indicates division by $\bar{N}$, i.e.,

$$\phi'_{NN} = \frac{\phi_{NN}}{\bar{N}} \quad (73)$$

The constants used in solving (44) through (71) were obtained from ^{235}U neutron induced fission data in reference 3 and from the thermal fission delayed neutron data for ^{235}U in reference 5 and are listed below.

$$\bar{\nu} = 2.47 \pm 0.03 \text{ (}\pm \text{ standard deviation)} \quad (74)$$

$$\overline{\nu^2} = 7.32 \pm 0.15 \quad (75)$$

$$\beta = 0.0064 \pm 0.0003 . \quad (76)$$

Substitute (32) into (72) and obtain

$$A = 1 - k + c \quad (77)$$

$$= 1.0 - 0.9936 k . \quad (78)$$

By definition

$$\epsilon_i = \lambda_i \tau \quad (79)$$

since

$$\lambda_i = \frac{\ln 2}{T_i} \quad (80)$$

where T_i is the half-period as described on page 473 of reference 4.

Substitute (80) into (79) and obtain

$$\epsilon_i = \left(\frac{\ln 2}{T_i} \right) \tau . \quad (81)$$

The six values of T_i from reference 5 are 55.72, 22.72, 6.22, 2.30, 0.610, and 0.230 sec for delayed neutron groups $i = 1$ through $i = 6$ respectively. Inserting these values into (81) we obtain

$$\epsilon_1 = 0.48515 \times 10^{-6} \quad (82)$$

$$\epsilon_2 = 1.18982 \times 10^{-6} \quad (83)$$

$$\epsilon_3 = 4.34610 \times 10^{-6} \quad (84)$$

$$\epsilon_4 = 11.75336 \times 10^{-6} \quad (85)$$

$$\epsilon_5 = 44.31597 \times 10^{-6} \quad (86)$$

$$\epsilon_6 = 117.53365 \times 10^{-6} . \quad (87)$$

By definition c_i is the mean number of precursors of type i formed per neutron lost through absorption or escape. Thus by analogy to (32)

$$c_i = k\beta_i \quad (88)$$

where β_i is the mean number of delayed precursors of type i formed per fission neutron produced.

Thus (88) may be computed by the expression

$$c_i = \frac{k\alpha_i}{2.47 \times 100} = \frac{k\alpha_i}{247} \quad (89)$$

where α_i is the percent yield of $\nu\beta$ of precursors of type i .

Substitute the six values of α_i from reference 5, namely, 0.052, 0.346, 0.310, 0.624, 0.182, and 0.066, into (89) and obtain

$$c_1 = 2.112 \times 10^{-4} \times k \quad (90)$$

$$c_2 = 14.016 \times 10^{-4} \times k \quad (91)$$

$$c_3 = 12.544 \times 10^{-4} \times k \quad (92)$$

$$c_4 = 25.280 \times 10^{-4} \times k \quad (93)$$

$$c_5 = 7.360 \times 10^{-4} \times k \quad (94)$$

$$c_6 = 2.688 \times 10^{-4} \times k. \quad (95)$$

By (23) and (40)

$$\langle f_{xx} \rangle = \overline{n(n-1)} = \overline{n^2} - \overline{n} \quad (96)$$

$$= \xi^2 \overline{\nu^2} (1-\beta)^2 - \xi \overline{\nu} (1-\beta). \quad (97)$$

By definition and by analogy to (40)

$$\begin{aligned} \langle f_{ix} \rangle &= \overline{m_i n} \\ &= \overline{[\xi \nu \beta_i] [\xi \nu (1-\beta)]} \end{aligned} \quad (98)$$

$$= \xi^2 \overline{\nu^2} \beta_i (1-\beta) . \quad (99)$$

Similarly when $i \neq j$

$$\langle f_{ij} \rangle = \overline{m_i m_j} = \overline{(\xi \nu \beta_i) (\xi \nu \beta_j)} \quad (100)$$

$$= \xi^2 \overline{\nu^2} \beta_i \beta_j \quad (101)$$

and when $i = j$

$$\langle f_{ij} \rangle = \langle f_{ii} \rangle = \overline{m_i (m_i - 1)} \quad (102)$$

$$= \overline{[\xi \nu \beta_i] [\xi \nu \beta_i - 1]} \quad (103)$$

$$= \xi^2 \overline{\nu^2} \beta_i^2 - \overline{\xi \nu \beta_i} . \quad (104)$$

The assumption of statistical independence between ν and β is used in the evaluation of $\langle f_{xx} \rangle$, $\langle f_{ix} \rangle$, and $\langle f_{ij} \rangle$.

Substitute (13), (74), (75), (76), and (89) into (97), (99), (101), and (104) and obtain

$$\frac{1}{2} \langle f_{xx} \rangle = 0.59226 k^2 - 0.49680 k \quad (105)$$

$$\langle f_{1x} \rangle = k^2 \times 2.51780 \times 10^{-4} \quad (106)$$

$$\langle f_{2x} \rangle = k^2 \times 16.70903 \times 10^{-4} \quad (107)$$

$$\langle f_{3x} \rangle = k^2 \times 14.95420 \times 10^{-4} \quad (108)$$

$$\langle f_{4x} \rangle = k^2 \times 30.13730 \times 10^{-4} \quad (109)$$

$$\langle f_{5x} \rangle = k^2 \times 8.77415 \times 10^{-4} \quad (110)$$

$$\langle f_{6x} \rangle = k^2 \times 3.20447 \times 10^{-4} \quad (111)$$

$$\langle f_{11} \rangle = k^2 \times 10^{-8} \times 5.35185 - 2.112 \times 10^{-4} k \quad (112)$$

$$\langle f_{12} \rangle = k^2 \times 10^{-8} \times 35.51682 \quad (113)$$

$$\langle f_{13} \rangle = k^2 \times 10^{-8} \times 31.78675 \quad (114)$$

$$\langle f_{14} \rangle = k^2 \times 10^{-8} \times 64.06003 \quad (115)$$

$$\langle f_{15} \rangle = k^2 \times 10^{-8} \times 18.65039 \quad (116)$$

$$\langle f_{16} \rangle = k^2 \times 10^{-8} \times 6.81145 \quad (117)$$

$$\langle f_{22} \rangle = k^2 \times 10^{-8} \times 235.70258 - 14.016 \times 10^{-4} k \quad (118)$$

$$\langle f_{23} \rangle = k^2 \times 10^{-8} \times 210.94843 \quad (119)$$

$$\langle f_{24} \rangle = k^2 \times 10^{-8} \times 425.12567 \quad (120)$$

$$\langle f_{25} \rangle = k^2 \times 10^{-8} \times 123.77076 \quad (121)$$

$$\langle f_{26} \rangle = k^2 \times 10^{-8} \times 45.20324 \quad (122)$$

$$\langle f_{33} \rangle = k^2 \times 10^{-8} \times 188.79297 - 12.544 \times 10^{-4} k \quad (123)$$

$$\langle f_{34} \rangle = k^2 \times 10^{-8} \times 380.47765 \quad (124)$$

$$\langle f_{35} \rangle = k^2 \times 10^{-8} \times 110.77197 \quad (125)$$

$$\langle f_{36} \rangle = k^2 \times 10^{-8} \times 40.45585 \quad (126)$$

$$\langle f_{44} \rangle = k^2 \times 10^{-8} \times 766.77905 - 25.280 \times 10^{-4} k \quad (127)$$

$$\langle f_{45} \rangle = k^2 \times 10^{-8} \times 223.23210 \quad (128)$$

$$\langle f_{46} \rangle = k^2 \times 10^{-8} \times 81.53093 \quad (129)$$

$$\langle f_{55} \rangle = k^2 \times 10^{-8} \times 64.99377 - 7.360 \times 10^{-4} k \quad (130)$$

$$\langle f_{56} \rangle = k^2 \times 10^{-8} \times 23.73685 \quad (131)$$

$$\langle f_{66} \rangle = k^2 \times 10^{-8} \times 8.66911 - 2.688 \times 10^{-4} k \quad (132)$$

The 28 equations, (44) through (71), were solved by hand on a Monroe desk calculator by Robert W. Rockwell. The inverse matrix involved contained 683 zeros.

The Gauss-Seidel method was used to invert the matrix.

Table II and Figures 1 and 2 summarize the six-group $\phi_{NN}/\bar{N}$ ratios for various values of k .

VII. PROPAGATION OF PRECISION INDEXES

The propagation of precision indexes was accomplished for three values of k for Case 2 in order to obtain a feeling for the magnitude of the uncertainty in the variance/mean ratio. Following the procedures given on pages 205-208 of reference 7 and using the constants of (74), (75) and (76), the following results were obtained and are tabulated below in Table I and shown on Figure 2.

Table I

Theoretical Variance/Mean Ratios $\pm$ Standard Deviations
of the Neutron Population for Three Values of k for Case 2
(One Delayed Neutron Group)

k	variance/mean ratio $\pm$ standard deviation
0.93	1.62 ± 0.18
0.97	2.99 ± 0.41
0.995	8.81 ± 1.38

VIII. NUMERICAL RESULTS

Table II and Figures 1 and 2 tabulate and plot the theoretical variance/mean ratios of the neutron population in the subcritical condition of the AFRRI-TRIGA reactor.

Table II

Theoretical Variance/Mean Ratios of the Neutron Population in the
Subcritical Condition of the AFRRI-TRIGA Reactor

k	variance/mean ratio		
	Case 1*	Case 2**	Case 3***
0	1.000	1.000	--
0.10	0.951	0.951	--
0.20	0.905	0.905	--
0.30	0.863	0.862	--
0.40	0.827	0.825	--
0.50	0.800	0.797	--
0.60	0.790	0.785	--
0.70	0.813	0.804	--
0.80	0.920	0.898	--
0.85	1.056	1.019	1.037
0.86	1.098	1.055	1.074
0.87	1.147	1.098	1.118
0.88	1.205	1.148	1.171
0.89	1.274	1.208	1.233
0.90	1.359	1.281	1.307
0.91	1.464	1.370	1.400
0.92	1.597	1.480	1.515
0.93	1.769	1.622	1.661
0.94	2.001	1.807	1.853
0.95	2.328	2.061	2.116
0.96	2.822	2.426	2.493
0.97	3.649	2.995	3.081
0.98	5.308	3.999	4.120
0.99	10.297	6.231	6.429
0.995	20.285	8.814	9.106
0.9995	200.1	14.324	14.918
0.99995	1998	15.295	16.95
0.999995	19982	15.400	17.20

* Case 1 (no delayed neutron groups) was computed from equation (16).

** Case 2 (one delayed neutron group) was computed from equation (43).

*** Case 3 (six delayed neutron groups) was computed from equations (44) through (71).




Figure 1. Theoretical variance/mean ratio of the neutron population in the subcritical condition of the AFRRI-TRIGA Reactor.




Figure 2. Theoretical variance/mean ratio of the neutron population in the subcritical condition of the AFRRI-TRIGA Reactor.

REFERENCES

1. Coffey, C. O., Dee, J. B., Shoptaugh, J. R., Jr., West, G. B. and Whittemore, W. L. Characteristics of Large Reactivity Insertions in a High Performance TRIGA U-ZrH Core. John Jay Hopkins Laboratory for Pure and Applied Science, General Atomic Report GA-6216, April 12, 1965.
2. Courant, E. D. and Wallace, P. R. Fluctuations of the Number of Neutrons in a Pile. Phys. Rev. 72:1038-1048, 1947.
3. Diven, B. C., Martin, H. C., Taschek, R. F. and Terrell, J. Multiplicities of Fission Neutrons. Phys. Rev. 101:1012-1015, 1956.
4. Evans, R. D. The Atomic Nucleus. New York, McGraw-Hill Book Company, Inc., 1955.
5. Keepin, G. R., Wimett, T. F. and Zeigler, R. K. Delayed Neutrons from Fissionable Isotopes of Uranium, Plutonium, and Thorium. Phys. Rev. 107:1044-1049, 1957.
6. Schow, Horace, II. A Detailed Derivation of the Courant-Wallace Expressions for the Second Moments of the Neutron Probability Distribution and for the Variance/Mean Ratio. Bethesda, Maryland, Armed Forces Radiobiology Research Institute (AFRRI) Technical Note No. TN65-1, October 1965.
7. Worthing, A. G. and Geffner, J. Treatment of Experimental Data. New York, John Wiley and Sons, Inc., 1943.

DISTRIBUTION LIST

Copies

ARMY

- 1 Commanding Officer, U. S. Chemical Research and Development Laboratories, Edgewood Arsenal, Maryland 21040, ATTN: Technical Library
- 1 Commanding Officer, U. S. Chemical Warfare Laboratory, Army Chemical Center, Maryland 21040, ATTN: Technical Library
- 1 Commanding Officer, U. S. Army Engineer Research and Development Laboratories, Fort Belvoir, Virginia 22060, ATTN: Technical Documents Center
- 1 Headquarters, U. S. Army Environmental Hygiene Agency, Edgewood Arsenal, Maryland 21040, ATTN: Chief, Library Branch
- 1 Commanding Officer, U. S. Army Harry Diamond Laboratories, Washington, D. C. 20438
- 1 Commanding Officer, U. S. Army Medical Research Laboratory, Fort Knox, Kentucky 40121
- 1 Commanding Officer, U. S. Army Nuclear Defense Laboratory, Edgewood Arsenal, Maryland 21040, ATTN: Library
- 1 U. S. Army, Office of Chief of Staff, Chief of Research and Development, Life Sciences Division, Washington, D. C. 20301
- 1 Surgeon General, U. S. Department of the Army, Washington, D. C. 20315, ATTN: MEDDH-N
- 1 Commanding General, U. S. Army Tank-Automotive Center, Detroit Arsenal, Warren, Michigan 48090, ATTN: Chief Nucleonics Section, SMOTA-RCS.1
- 1 Commanding Officer, 9th Hospital Center, APO 180, New York, N. Y. 09180, ATTN: CO, U. S. Army Nuclear Medicine Research Det., Europe
- 1 Director, Walter Reed Army Institute of Research, Walter Reed Army Medical Center, Washington, D. C. 20012, ATTN: Division of Nuclear Medicine
- 1 Assistant Chief of Staff for Force Development, U. S. Department of the Army, Washington, D. C. 20301
- 1 Commanding Officer, U. S. Army Combat Developments Command, Nuclear Group, Fort Bliss, Texas 79906
- 1 Commanding General, Aberdeen Proving Ground, Maryland 21005, ATTN: Technical Library
- 1 Chief of Research and Development, U. S. Department of the Army, Washington, D. C. 20310, ATTN: Nuclear, Chemical and Biological Division
- 1 Commanding General, U. S. Army Electronics Research and Development Laboratory, Fort Monmouth, New Jersey 07703, ATTN: Technical Document Center, Evans Area
- 1 Commanding General, U. S. Army Combat Developments Command, Fort Belvoir, Virginia 22060
- 1 Commanding General, U. S. Army Chemical Corps, Research and Development Command, Washington, D. C. 20301

Copies

- 1 Commandant, U. S. Army Chemical Center and School, Fort McClellan, Alabama 36205
- 1 Commanding Officer, U. S. Army Combat Developments Command, Chemical-Biological-Radiological Agency, Fort McClellan, Alabama 36205
- 1 U. S. Military Academy, West Point, New York 10996, ATTN: Library
- 1 U. S. Military Academy, West Point, New York 10996, ATTN: Mathematics Department
- 1 U. S. Military Academy, West Point, New York 10996, ATTN: Nuclear Engineering Department
- 1 U. S. Army Engineer School Library, Building 270, Fort Belvoir, Virginia 22060
- 1 U. S. Department of the Army, Office of the Chief of Engineers, Washington, D. C. 20315

NAVY

- 1 Chief, Bureau of Medicine & Surgery, U. S. Navy Department, Washington, D. C. 20390, ATTN: Code 71
- 1 Chief, Bureau of Naval Weapons, U. S. Navy Department, Washington, D. C. 20360, ATTN: Document Library
- 1 Chief, Bureau of Ships, U. S. Navy Department, Washington, D. C. 20360, ATTN: Technical Library
- 1 Commanding Officer, U. S. Naval Medical Research Institute, National Naval Medical Center, Bethesda, Maryland 20014, ATTN: Technical Reference Library
- 1 Commanding Officer and Director, U. S. Naval Radiological Defense Laboratory, San Francisco, California 94135, ATTN: Technical Information Division
- 1 Director, U. S. Naval Research Laboratory, Washington, D. C. 20390, ATTN: Document Library
- 1 U. S. Naval School of Aviation Medicine, U. S. Naval Aviation Medical Center, Pensacola, Florida 32512, ATTN: Director of Research
- 1 Commanding Officer, Nuclear Weapons Training Center, Atlantic, U. S. Naval Base, Norfolk, Virginia 23511, ATTN: Nuclear Warfare Department
- 1 Commanding Officer, Nuclear Weapons Training Center, Pacific, U. S. Naval Air Station, North Island, San Diego, California 92136
- 1 Office of Naval Research, U. S. Department of the Navy, Washington, D. C. 20390, ATTN: Code 811
- 1 Superintendent, U. S. Naval Postgraduate School, Monterey, California 93940, ATTN: Director of Libraries
- 1 Commanding Officer, U. S. Naval Weapons Evaluation Facility, Kirtland Air Force Base, Albuquerque, New Mexico 87117
- 1 Chief of Naval Operations, U. S. Navy Department, Washington, D. C. 20350, ATTN: Director, Atomic Energy Division
- 1 Chief of Naval Operations, U. S. Navy Department, Washington, D. C. 20350, ATTN: Director, Office of Naval Warfare Analysis

Copies

- 1 Officer in Charge, U. S. Naval Civil Engineering Research and Engineering Laboratory, Port Hueneme, California 93041, ATTN: Library
- 1 Commanding Officer, U. S. Naval Hospital, National Naval Medical Center, Bethesda, Maryland 20014, ATTN: Director, REEL

AIR FORCE

- 1 U. S. Air Force Cambridge Research Laboratories, Laurence G. Hanscom Field, Bedford, Massachusetts 01731, ATTN: CRMXLR, Res. Library, Stop 29
- 1 Headquarters, U. S. Air Force (AFMSPAB), Washington, D. C. 20333
- 1 U. S. Air Force Institute of Technology, Air University, USAF, Wright-Patterson Air Force Base, Ohio 45433, ATTN: AFIT-LIB
- 1 Office of the Surgeon General, U. S. Department of the Air Force, Headquarters U. S. Air Force (AFMSPA) T-8, Washington, D. C. 20333
- 1 Headquarters, Air Force Systems Command (SCIZN), Andrews Air Force Base, Washington, D. C. 20331, ATTN: Nuclear Safety Branch
- 1 Air Force Weapons Laboratory, Kirtland Air Force Base, New Mexico 87117, ATTN: Technical Information Office
- 1 Director, U. S. Air Force Radiobiological Laboratory, University of Chicago, 930 East 58th Street, Chicago, Illinois 60637
- 1 Director, USAF Project RAND, Via: Air Force Liaison Office, The RAND Corporation, 1700 Main Street, Santa Monica, California 90406, ATTN: Library
- 1 Commander, USAF School of Aerospace Medicine, Aerospace Medical Division (AFSC), Brooks Air Force Base, Texas 78235, ATTN: Chief, Radiobiology Branch
- 1 Headquarters, USAF, Research and Technology Division (RTTP), Bolling Air Force Base, D. C. 20332
- 1 Air University Maxwell Air Force Base, Alabama 36112, ATTN: Library
- 1 Commander, 6571st Aeromedical Research Laboratory, Holloman Air Force Base, New Mexico 88330, ATTN: Technical Information Division

D. O. D.

- 1 Director, Armed Forces Institute of Pathology, Washington, D. C. 20305
- 1 Director, Defense Research and Engineering, Department of Defense, Washington, D. C. 20301
- 1 Officer in Charge, Field Command, Defense Atomic Support Agency, Lawrence Radiation Laboratory, Livermore, California 94550
- 1 Commander, Field Command, Defense Atomic Support Agency, Sandia Base, Albuquerque, New Mexico 87115, ATTN: FC Technical Library, Mrs. Eich
- 1 Director, Defense Atomic Support Agency, Washington, D. C. 20301
- 1 Deputy Director (Scientific), Defense Atomic Support Agency, Washington, D. C. 20301
- 1 Commander, JTF-8, Defense Atomic Support Agency, Tempo E, Washington, D. C. 20305

Copies

- 1 Director, Defense Atomic Support Agency, Washington, D. C. 20301, ATTN: Chief, Blast and Shock Division
- 1 Director, Defense Atomic Support Agency, Washington, D. C. 20301, ATTN: Chief, Radiation Division
- 1 Director, Defense Atomic Support Agency, Washington, D. C. 20301, ATTN: Chief, Plans Division
- 1 Director, Defense Atomic Support Agency, Washington, D. C. 20301, ATTN: Chief, Medical Division
- 1 Director, Defense Atomic Support Agency, Washington, D. C. 20301, ATTN: Document Library Branch
- 20 Defense Documentation Center, Cameron Station, Alexandria, Virginia 22314

OTHER GOVERNMENT

- 1 U. S. Atomic Energy Commission, Headquarters Library, Reports Section, Mail Station G-017, Washington, D. C. 20545
- 1 U. S. Atomic Energy Commission, Bethesda Technical Library, 4915 St. Elmo Avenue, Bethesda, Maryland 20545
- 1 U. S. Atomic Energy Commission, Division of Biology and Medicine, Washington, D. C. 20545
- 1 U. S. Atomic Energy Commission, Division of Isotopes Development, Washington, D. C. 20545, ATTN: Mr. John C. Dempsey
- 10 U. S. Atomic Energy Commission, Division of Technical Information Extension, P. O. Box 62, Oak Ridge, Tennessee 37831
- 1 NASA Scientific and Technical Information Facility, P. O. Box 33, College Park, Maryland 20740
- 1 National Aeronautics and Space Administration, Washington, D. C. 20546, ATTN: Document Control Officer, Code ATSS-10
- 1 National Bureau of Standards, Room 301, Building 7, Connecticut and Van Ness Street, N. W., Washington, D. C. 20234, ATTN: Library
- 1 National Bureau of Standards, Boulder Laboratories, Boulder, Colorado 80301, ATTN: Library
- 1 National Bureau of Standards, Washington, D. C. 20234, ATTN: Chief, Radiation Physics Division
- 1 Deputy Chief, Division of Radiological Health, U. S. Public Health Service, 4th and C Streets, S. W., Washington, D. C. 20201
- 1 U. S. Public Health Service, Robert A. Taft Sanitary Engineering Center, 4676 Columbia Parkway, Cincinnati, Ohio 45226, ATTN: Library
- 1 U. S. Public Health Service, Division of Air Pollution, South HEW Building, Washington, D. C. 20201
- 1 Officer in Charge, U. S. Public Health Service, Southwestern Radiological Health Laboratory, P. O. Box 684, Las Vegas, Nevada 89101
- 1 Officer in Charge, Southeastern Radiological Health Facility, P. O. Box 61, Montgomery, Alabama 36101
- 1 Officer in Charge, U. S. Public Health Service, Northeastern Radiological Health Laboratory, 109 Holton Street, Winchester, Massachusetts 01890

Copies

- 1 U. S. Public Health Service, Radiological Health Laboratory, 1901 Chapman Avenue, Rockville, Maryland 20852, ATTN: Library

OTHER

- 1 Ames Laboratory, U. S. Atomic Energy Commission, Iowa State University, P. O. Box 1129, ISU Station, Ames, Iowa 50012
- 1 Argonne National Laboratory, Building 14-14, 9700 South Cass Avenue, Argonne, Illinois 60440, ATTN: Report Section
- 1 Atomic Bomb Casualty Commission, MCAS, Navy 955, c/o FPO, San Francisco, California 96638, ATTN: Librarian
- 1 Battelle Memorial Institute, 505 King Avenue, Columbus, Ohio 43201
- 1 Battelle Memorial Institute, Radiation Effects Information Center, Columbus Laboratories, 505 King Avenue, Columbus, Ohio 43201
- 1 Battelle Memorial Institute, Pacific Northwest Laboratory, Richland, Washington
- 1 The Boeing Company, P. O. Box 3707, Seattle 24, Washington
- 1 Brookhaven National Laboratory, Information Division, Upton, Long Island, New York 11973, ATTN: Research Library
- 1 University of California, Lawrence Radiation Laboratory, Technical Information Division, Berkeley, California 94720
- 1 University of California, School of Veterinary Medicine, AEC Project No. 6, Davis, California 95616
- 1 University of California, School of Medicine, Laboratory of Nuclear Medicine and Radiation Biology, 900 Veteran Avenue, Los Angeles, California 90024
- 1 University of California, Medical Center, Radiological Laboratory, San Francisco, California 94122
- 1 University of California, Lawrence Radiation Laboratory, P. O. Box 808, Livermore, California 94551, ATTN: Technical Information Division
- 1 University of California, Lawrence Radiation Laboratory, Technical Information Division, P. O. Box 808, Livermore, California 94551, ATTN: Clovis G. Craig, for Bio. Med. Library
- 1 Carnegie Institute of Technology, Nuclear Research Center, Saxonburg, Pennsylvania 16056, ATTN: Library
- 1 Colorado State University, Collaborative Radiological Health, Animal Research Center, c/o Department of Radiology, School of Veterinary Medicine, Fort Collins, Colorado 80521
- 1 Columbia University, Pupin Cyclotron Laboratories, 538 West 120th Street, New York, N. Y. 10027, ATTN: Dr. W. W. Havens, Jr.
- 1 Columbia University, Department of Radiology, 630 West 168th Street, New York, N. Y. 10032, ATTN: Dr. Harald H. Rossi
- 1 E. I. du Pont de Nemours and Company, Savannah River Laboratory, Technical Information Service-773A, Aiken, South Carolina 29802
- 1 E. I. du Pont de Nemours and Company, Explosives Department, Atomic Energy Division, Wilmington, Delaware 19898, ATTN: Document Custodian

Copies

- 1 Edgerton, Germeshausen and Grier, Inc., P. O. Box 1912, Las Vegas,
Nevada 89101, ATTN: Librarian
- 1 General Atomic Division, General Dynamics Corporation, P. O. Box 1111,
San Diego, California 92112, ATTN: Chief, Technical Information Services
- 1 General Dynamics/Fort Worth, P. O. Box 748, Fort Worth, Texas 76101,
ATTN: Keith G. Brown
- 1 Harvard School of Public Health, Harvard University, 695 Huntington Avenue,
Boston, Massachusetts 02115, ATTN: Dr. Ross A. McFarland, Associate
Professor of Industrial Hygiene
- 1 Hazelton Nuclear Science Corporation, 4062 Fabian Way, Palo Alto, California
94303, ATTN: Harry L. Browne
- 1 IIT Research Institute, 10 West 35th Street, Chicago, Illinois 60616, ATTN:
Document Library
- 1 Johns Hopkins University, Applied Physics Laboratory, 8621 Georgia Avenue,
Silver Spring, Maryland 20910, ATTN: Document Library
- 1 Knolls Atomic Power Laboratory, P. O. Box 1072, Schenectady, New York
12301, ATTN: Document Library
- 1 Los Alamos Scientific Laboratory, P. O. Box 1663, Los Alamos, New Mexico
87544, ATTN: Report Librarian
- 1 Louisiana State University, Nuclear Science Center, Baton Rouge, Louisiana
70803, ATTN: Director
- 1 Lovelace Foundation, 4800 Gibson Boulevard, Albuquerque, New Mexico 87108,
ATTN: Director of Research
- 1 Monsanto Research Corporation, Mound Laboratory, P. O. Box 32, Miamisburg,
Ohio 45342, ATTN: Library
- 1 New York University, Bellevue Medical Center, Institute of Industrial Medicine,
Long Meadow Road, Sterling Forest, Tuxedo, New York 10987, ATTN:
Professor Merril Eisenbud
- 1 Nuclear Technology Corporation, 116 Main Street, White Plains, New York
10601
- 1 Ohio State University, Engineering Experiment Station, Nuclear Reactor
Laboratory, 1298 Kinnear Road, Columbus, Ohio 43212
- 1 Pennsylvania State University, Nuclear Physics, Accelerator Building, Univer-
sity Park, Pennsylvania 16802
- 1 Princeton University, Cyclotron Laboratory, Department of Physics, Princeton,
New Jersey 08540
- 1 Purdue University, Department of Nuclear Engineering, Lafayette, Indiana 47907
- 1 University of Rochester, Atomic Energy Project, P. O. Box 287, Station 3,
Rochester, New York 14620, ATTN: Technical Report Control Unit
- 1 Sandia Corporation, Livermore Branch, P. O. Box 969, Livermore, California
94551, ATTN: Technical Library
- 1 Sandia Corporation, P. O. Box 5800, Albuquerque, New Mexico 87115, ATTN:
Technical Library

Copies

- 1 Scientific Committee on the Effects of Atomic Radiation, United Nations, Room 3464, New York, N. Y. 10017, ATTN: Library
- 1 University of Southern California, Nuclear Physics Laboratory, University Park, Los Angeles, California 90007
- 1 University of Tennessee, Agricultural Research Laboratory, 1299 Bethel Valley Road, Oak Ridge, Tennessee 37831, ATTN: Laboratory Director, UT-AEC
- 1 Texas Engineering Experiment Station, Texas A and M University System, College Station, Texas 77840
- 1 Texas Nuclear Corporation, Box 9267, Allendale Station, Austin, Texas 78756
- 1 University of Utah, Radiobiology Laboratory, Salt Lake City, Utah 84112
- 1 University of Washington, Laboratory of Radiation Biology, Seattle, Washington 98105, ATTN: Dr. L. R. Donaldson
- 1 Western Reserve University, Department of Radiology, Division of Radiation Biology, Cleveland, Ohio 44106
- 1 Westinghouse Electric Corporation, Bettis Atomic Power Laboratory, P. O. Box 79, West Mifflin, Pennsylvania 15122, ATTN: Librarian
- 1 Yale University, Electron Accelerator Laboratory, New Haven, Connecticut 06520, ATTN: Dr. Howard L. Schultz
- 1 Holmes and Narver, Inc., Las Vegas Division, P. O. Box 2044, Las Vegas, Nevada 89101
- 1 Physics Abstracts, Institute of Electrical Engineers, Savoy Place, London, WC 2, England, ATTN: Editorial Office
- 1 Mathematical Reviews, Editorial Office, University of Michigan, P. O. Box 1428, Ann Arbor, Michigan 48103
- 1 Massachusetts Institute of Technology, Cambridge, Massachusetts 02139, ATTN: Nuclear Engineering Department
- 1 Massachusetts Institute of Technology, Cambridge, Massachusetts 02139, ATTN: M.I.T. Libraries Technical Reports, Room 14E-210

FOREIGN

- 1 University of Puerto Rico, Puerto Rico Nuclear Center, College Station, Mayaguez, Puerto Rico 00917
- 1 U. S. Mission to the International Atomic Energy Agency, c/o U. S. Embassy, 14 Schmidgasse, Vienna VIII, Austria
- 1 International Atomic Energy Agency, Karntnerring 11, Vienna I, Austria
- 1 Euratom - Information, Verlag Handelsblatt GmbH., 4 Dusseldorf, Postfach 1102, Germany
- 1 Atomic Energy of Canada Limited, Chalk River, Ontario, Canada, ATTN: Station 14
- 1 Atomic Energy of Canada Limited, P. O. Box 905, Toronto 18, Ontario, Canada ATTN: AECL Library
- 1 Saskatchewan Accelerator Laboratory, University of Saskatchewan, Saskatoon, Saskatchewan, Canada
- 1 Dr. Helmut Mitschrich, Akademie des Sanitaets und Gesundheits Wesens der Deutschen Bundes Wehr, Spezialstab ATP/ABC, 8 Munchen, Schwere-Reiterstr. 4, Germany

DOCUMENT CONTROL DATA - R&D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author) Armed Forces Radiobiology Research Institute Defense Atomic Support Agency Bethesda, Maryland 20014		2a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED	
		2b. GROUP N/A	
3. REPORT TITLE THE NUMERICAL EVALUATION OF THE THEORETICAL VARIANCE/MEAN RATIO OF THE NEUTRON POPULATION IN THE SUBCRITICAL CONDITION OF THE AFRRI-TRIGA REACTOR			
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)			
5. AUTHOR(S) (Last name, first name, initial) Schow, Horace, II			
6. REPORT DATE January 1966		7a. TOTAL NO. OF PAGES 30	7b. NO. OF REFS 7
8a. CONTRACT OR GRANT NO.		9a. ORIGINATOR'S REPORT NUMBER(S) AFRRI TN66-1	
b. PROJECT NO.			
c. DB 03.1401		9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
d.			
10. AVAILABILITY/LIMITATION NOTICES Distribution of this document is unlimited.			
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY Defense Atomic Support Agency Washington, D. C. 20301	
13. ABSTRACT The numerical evaluation of the theoretical variance/mean ratio of the neutron population in the subcritical condition of the AFRRI-TRIGA reactor is given for (1) the case of no delayed neutron groups; (2) the case of one equivalent delayed neutron group; and (3) the case of six delayed neutron groups. The Courant-Wallace equations were solved to obtain the theoretical variance/mean ratio using the mean prompt neutron lifetime of 39×10^{-6} seconds in the AFRRI-TRIGA reactor.			

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
neutron distribution (variance to mean ratio) random processes stochastic processes variance to mean ratio of neutron population Courant-Wallace expressions noise analysis (variance to mean ratio)						

INSTRUCTIONS

1. ORIGINATING ACTIVITY: Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (*corporate author*) issuing the report.

2a. REPORT SECURITY CLASSIFICATION: Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.

2b. GROUP: Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.

3. REPORT TITLE: Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parenthesis immediately following the title.

4. DESCRIPTIVE NOTES: If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.

5. AUTHOR(S): Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.

6. REPORT DATE: Enter the date of the report as day, month, year; or month, year. If more than one date appears on the report, use date of publication.

7a. TOTAL NUMBER OF PAGES: The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.

7b. NUMBER OF REFERENCES: Enter the total number of references cited in the report.

8a. CONTRACT OR GRANT NUMBER: If appropriate, enter the applicable number of the contract or grant under which the report was written.

8b, 8c, & 8d. PROJECT NUMBER: Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.

9a. ORIGINATOR'S REPORT NUMBER(S): Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.

9b. OTHER REPORT NUMBER(S): If the report has been assigned any other report numbers (*either by the originator or by the sponsor*), also enter this number(s).

10. AVAILABILITY/LIMITATION NOTICES: Enter any limitations on further dissemination of the report, other than those imposed by security classification, using standard statements such as:

- (1) "Qualified requesters may obtain copies of this report from DDC."
- (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
- (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through _____."
- (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through _____."
- (5) "All distribution of this report is controlled. Qualified DDC users shall request through _____."

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

11. SUPPLEMENTARY NOTES: Use for additional explanatory notes.

12. SPONSORING MILITARY ACTIVITY: Enter the name of the departmental project office or laboratory sponsoring (*paying for*) the research and development. Include address.

13. ABSTRACT: Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS), (S), (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14. KEY WORDS: Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, rules, and weights is optional.