

SCIENTIFIC RESEARCH LABORATORIES

AD636042

The Rodrigues Operator Transform, Tables of Generalized Rodrigues Formulas

T. P. Higgins

CLEARINGHOUSE FOR FEDERAL SCIENTIFIC AND TECHNICAL INFORMATION			
Hardcopy	Microfiche		
\$ 3.00	\$.75	59 pp	72
ARCHIVE COPY			

D1-82-0493

THE RODRIGUES OPERATOR TRANSFORM,
TABLES OF GENERALIZED RODRIGUES FORMULAS

by

T. P. Higgins

Mathematical Note No. 438

Mathematics Research Laboratory

BOEING SCIENTIFIC RESEARCH LABORATORIES

December 1965

Manuscript prepared by Karen Harles

ABSTRACT

Tables of generalized Rodrigues formulas for various special functions are given to facilitate use of the ideas in the author's "The Rodrigues Operator Transform, Preliminary Report," Boeing document D1-82-0492.

BLANK PAGE

INTRODUCTION

These tables give formulas for various special functions in terms of the Rodrigues operators. These operators are defined by

$$(1) \quad A(\alpha)t^\mu = \frac{\Gamma(\mu+\alpha+1)}{\Gamma(\mu+1)} t^\mu \quad \mu+\alpha \neq -1, -2, \dots$$

$$(2) \quad \bar{A}(\alpha)t^\mu = \frac{\Gamma(\mu+1)}{\Gamma(\mu+\alpha+1)} t^\mu \quad \mu \neq -1, -2, \dots$$

$$(3) \quad B(\alpha)t^\mu = \frac{\Gamma(\alpha-\mu)}{\Gamma(-\mu)} t^\mu \quad \alpha-\mu \neq 0, -1, -2, \dots$$

$$(4) \quad \bar{B}(\alpha)t^\mu = \frac{\Gamma(-\mu)}{\Gamma(\alpha-\mu)} t^\mu \quad \mu \neq 0, 1, 2, \dots$$

$$(5) \quad Mt^\mu = \Gamma(\mu+1)t^\mu \quad \mu \neq -1, -2, \dots$$

$$(6) \quad \bar{M}t^\mu = \frac{1}{\Gamma(\mu+1)} t^\mu$$

$$(7) \quad Nt^\mu = \Gamma(-\mu)t^\mu \quad \mu \neq 0, 1, 2, \dots$$

$$(8) \quad \bar{N}t^\mu = \frac{1}{\Gamma(-\mu)} t^\mu.$$

The first four are related to the operators of fractional integration and the second four to the Laplace transform and its inversion.

The details of the application of these formulations are given in "The Rodrigues Operator Transform, Preliminary Report," by T. P. Higgins.

These tables can be used to obtain many more relations. If we use

$$Rf(t) = t^{-1}f\left(\frac{1}{t}\right),$$

then, for example, from the formula

$$f(t) = A(\alpha)\tilde{A}(\beta)MA(\gamma)g(t),$$

it follows that

$$f\left(\frac{1}{t}\right) = B(\alpha+1)\tilde{B}(\beta+1)A(\gamma+1)Ng\left(\frac{1}{t}\right).$$

Many, but certainly not all, of the relations which can be obtained in this way have been included in the tables. Using the techniques given in the Preliminary Report, integral transform tables such as the Bateman Manuscript Project can be used to derive additional formulas.

The notation conforms to that of the Bateman series. The symbols are listed at the end of the tables.

Elementary functions

$$1. (1+t)^{-v} = \frac{1}{\Gamma(v)} A(v-1) M e^{-t}$$

$$2. -\log(t+1) = A(-1) M(e^{-t}-1)$$

$$3. (1+t)^{-v} = \frac{1}{\Gamma(v)} N t^{-v} e^{-1/t}$$

$$4. -\log\left(\frac{t}{t+1}\right) = N\{t(e^{-1/t}-1)\}$$

$$5. (1+t)^{\mu-\lambda} = \frac{\Gamma(\lambda)}{\Gamma(\lambda-\mu)} A(\lambda-\mu-1) \tilde{A}(\lambda-1) (t+1)^{-\lambda}$$

$$6. (1+t)^{\mu-\lambda} = \frac{\Gamma(\lambda)}{\Gamma(\lambda-\mu)} \tilde{B}(\mu) t^{\mu} (t+1)^{-\lambda}$$

$$7. (t-1)^v = \Gamma(v+1) \tilde{M} t^v e^{-1/t}$$

$$8. H(t-1) = \tilde{M} e^{-1/t}$$

$$9. H(t-1) = \tilde{B}(1) \tilde{N}(1-e^{-t})$$

$$10. (1-t)^v = \Gamma(v+1) \tilde{B}(v+1) \tilde{N} e^{-t}$$

$$11. H(1-t) = \tilde{B}(1) \tilde{N} e^{-t}$$

$$12. H(1-t) = \tilde{M}[1-e^{-1/t}]$$

$$13. e^t = \frac{1}{\sqrt{\pi}} A(+\frac{1}{2}) M t^{\frac{1}{2}} \sinh(2\sqrt{t})$$

$$14. e^{-t} = \tilde{M}(1+t)^{-1}$$

$$15. e^{-t} = \frac{1}{\Gamma(v+1)} B(v+1) N. (1-t)^v$$

$$16. e^{-t} = B(1) N H(1-t)$$

$$17. e^{-t} = -A(-1) t e^{-t} + 1$$

$$18. e^{-t} = \tilde{B}(\mu) t^{\mu} e^{-t}$$

$$19. e^{-t} = \frac{1}{\sqrt{\pi}} B(\frac{3}{2}) N t^{\frac{1}{2}} \sinh(2t^{\frac{1}{2}})$$

$$20. e^{-1/t} = \tilde{B}(1) \tilde{N} t (1+t)^{-1}$$

$$21. e^{-1/t} = \frac{1}{\Gamma(v+1)} A(v) M t^{-v} \cdot (t-1)^v$$

$$22. e^{-1/t} = M H(t-1)$$

$$23. e^{-t^{\frac{1}{2}}} = \frac{1}{\sqrt{\pi}} B(\frac{1}{2}) N e^{-t/4}$$

$$24. e^{-t^{\frac{1}{2}}} = \frac{1}{2\sqrt{\pi}} N t^{\frac{1}{2}} e^{-t/4}$$

$$25. e^{-1/t} = A(-1) \tilde{A}(\mu-1) t^{-\mu} e^{-1/t}$$

$$26. e^{-t^{1/2}} = 2B(\frac{1}{2})\bar{B}(-\frac{1}{2})t^{-1/2}e^{-t^{1/2}}$$

$$27. e^{-t^{-1/2}} = \frac{1}{\sqrt{\pi}} A(-\frac{1}{2})Me^{-1/4t}$$

$$28. e^{-t^{-1/2}} = \frac{1}{2\sqrt{\pi}} A(-1)Mt^{-1/2}e^{-1/t}$$

$$29. e^{-1/t} = A(-1)\bar{A}(\mu-1)t^{-\mu}e^{-1/t}$$

$$30. e^{-t^{-1/2}} = 2A(-\frac{1}{2})\bar{A}(-\frac{3}{2})t^{1/2}e^{-t^{-1/2}}$$

$$31. \sin t = \bar{M}t(1+t^2)^{-1}$$

$$32. \sin t = A(-1)t \cos t$$

$$33. \sin(t + \frac{\mu\pi}{2}) = \bar{B}(\mu)t^{\mu}\sin t$$

$$34. \cos t = \bar{M}(1+t^2)^{-1}$$

$$35. \cos t = A(1)t^{-1}\sin t$$

$$36. \cos(t + \frac{\mu\pi}{2}) = \bar{B}(\mu)t^{\mu}\cos t$$

$$37. \tan^{-1}(t) = A(-1)M \sin t$$

$$38. \tan^{-1}\left(\frac{1}{t}\right) = N \sin\left(\frac{1}{t}\right)$$

$$39. \sin(t^{1/2}) = \frac{\sqrt{\pi}}{2} \overline{M} t^{1/2} e^{-t/4}$$

$$40. \cos(t^{1/2}) = \sqrt{\pi} \overline{A}\left(-\frac{1}{2}\right) \overline{M} e^{-t/4}$$

$$41. \cos(t^{1/2}) = 2A\left(\frac{1}{2}\right) \overline{A}\left(-\frac{1}{2}\right) t^{-1/2} \sin(t^{1/2})$$

$$42. \sin(t^{-1/2}) = \frac{\sqrt{\pi}}{2} \overline{B}(1) \overline{N} e^{-1/4t}$$

$$43. \cos(t^{-1/2}) = \sqrt{\pi} \overline{B}\left(\frac{1}{2}\right) \overline{N} e^{-1/4t}$$

$$44. \cos(t^{-1/2}) = 2B\left(\frac{3}{2}\right) \overline{B}\left(\frac{1}{2}\right) t^{1/2} \sin(t^{-1/2})$$

$$45. \sinh(t^{1/2}) = \frac{\sqrt{\pi}}{2} \overline{M} t^{1/2} e^{t/4}$$

$$46. \cosh(t^{1/2}) = \sqrt{\pi} \overline{A}\left(-\frac{1}{2}\right) \overline{M} e^{t/4}$$

$$47. \sinh(t^{-1/2}) = \frac{\sqrt{\pi}}{2} \overline{B}(1) \overline{N} t^{-1/2} e^{1/4t}$$

$$48. \cosh(t^{-1/2}) = \sqrt{\pi} \overline{B}\left(\frac{1}{2}\right) \overline{N} e^{t/4}$$

Polynomials

1. $P_n^{\mu, -\mu}(1-t) = \frac{1}{n!} \frac{n+1}{2} \tilde{A}(\mu) P_n(1-t)$
2. $P_n^{(\lambda+\mu-\frac{1}{2}, \lambda-\mu-\frac{1}{2})}(t) = \frac{\Gamma(\lambda+\mu+n+\frac{1}{2})\Gamma(2\lambda)}{\Gamma(\lambda+\frac{1}{2})\Gamma(2\lambda+n)} A(\lambda - \frac{1}{2}) \tilde{A}(\lambda + \mu - \frac{1}{2}) C_n^\lambda(1-t)$
3. $C_{2n}^\lambda(t^{\frac{1}{2}}) = \frac{\sqrt{\pi}}{n!\Gamma(\lambda)} A(n+\lambda-1) \tilde{A}(-\frac{1}{2}) (t-1)^n$
4. $C_{2n+1}^\lambda(t^{\frac{1}{2}}) = \frac{\sqrt{\pi}}{n!\Gamma(\lambda)} A(n + \lambda - \frac{1}{2}) t^{\frac{1}{2}} (t-1)^n$
5. $C_{2n}^\lambda(t^{-\frac{1}{2}}) = \frac{\sqrt{\pi}}{n!\Gamma(\lambda)} B(n+\lambda) \tilde{B}(\frac{1}{2}) t^{-n} (1-t)^n$
6. $C_{2n+1}^\lambda(t^{-\frac{1}{2}}) = \frac{\sqrt{\pi}}{n!\Gamma(\lambda)} B(n + \lambda + \frac{1}{2}) \tilde{B}(1) t^{-\frac{1}{2}-n} (1-t)^n$
7. $(1-t)^{\lambda-\frac{1}{2}} C_{2n}^\lambda(t^{\frac{1}{2}}) = \frac{2^{2n} \Gamma(\lambda+n+\frac{1}{2})}{\Gamma(\lambda)\Gamma(2n+1)} \tilde{B}(\frac{1}{2} - n) t^{\frac{1}{2}} \cdot (1-t)^{\lambda+n-1}$
8. $(1-t)^{\lambda-\frac{1}{2}} C_{2n+1}^\lambda(t^{\frac{1}{2}}) = \frac{2^{2n+1} \Gamma(\lambda+n+\frac{1}{2})}{\Gamma(\lambda)\Gamma(2n+2)} \tilde{B}(\frac{1}{2}) \tilde{B}(-n) \cdot (1-t)^{\lambda+n}$
9. $(t-1)^{\lambda-\frac{1}{2}} C_{2n}^\lambda(t^{-\frac{1}{2}}) = \frac{2^{2n} \Gamma(\lambda+n+\frac{1}{2})}{\Gamma(\lambda)\Gamma(2n+1)} A(-\lambda - \frac{1}{2}) \tilde{A}(-n-\lambda) t^{-n} \cdot (t-1)^{\lambda+n-1}$
10. $(t-1)^{\lambda-\frac{1}{2}} C_{2n+1}^\lambda(t^{-\frac{1}{2}}) = \frac{2^{2n+1} \Gamma(\lambda+n+\frac{1}{2})}{\Gamma(\lambda)\Gamma(2n+2)} A(-\lambda) \tilde{A}(-n-\lambda - \frac{1}{2}) t^{-n-\frac{1}{2}} \cdot (t-1)^{\lambda+n}$
11. $T_{2n}(t^{\frac{1}{2}}) = \frac{\sqrt{\pi}}{\Gamma(n)} A(n-1) \tilde{A}(-\frac{1}{2}) (t-1)^n$

$$12. \quad T_{2n+1}(t^{\frac{1}{2}}) = \frac{\sqrt{\pi} (n+\frac{1}{2})}{n!} A(n - \frac{1}{2}) t^{\frac{1}{2}} (t-1)^n$$

$$13. \quad T_{2n}(t^{-\frac{1}{2}}) = \frac{\sqrt{\pi}}{\Gamma(n)} B(n) \overline{B}(\frac{1}{2}) t^{-n} (1-t)^n$$

$$14. \quad T_{2n+1}(t^{-\frac{1}{2}}) = \frac{\sqrt{\pi} (n+\frac{1}{2})}{n!} B(n + \frac{1}{2}) \overline{B}(1) t^{-n-\frac{1}{2}} (1-t)^n$$

$$15. \quad H(1-t)(1-t)^{-\frac{1}{2}} T_{2n}(t^{\frac{1}{2}}) = \frac{\sqrt{\pi}}{\Gamma(n)} \overline{B}(\frac{1}{2} - n) t^{\frac{1}{2}} (1-t)^{n-1}$$

$$16. \quad H(1-t)(1-t)^{-\frac{1}{2}} T_{2n+1}(t^{\frac{1}{2}}) = \frac{\sqrt{\pi}}{n!} B(\frac{1}{2}) \overline{B}(-n) (1-t)^n$$

$$17. \quad H(t-1)(t-1)^{-\frac{1}{2}} T_{2n}(t^{-\frac{1}{2}}) = \frac{\sqrt{\pi}}{\Gamma(n)} A(-\frac{1}{2}) \overline{A}(-n) t^{-n} (t-1)^{n-1}$$

$$18. \quad H(t-1)(t-1)^{-\frac{1}{2}} T_{2n+1}(t^{-\frac{1}{2}}) = \frac{\sqrt{\pi}}{n!} \overline{A}(-n - \frac{1}{2}) t^{-\frac{1}{2}-n} (t-1)^n$$

$$19. \quad P_{2n}(t^{\frac{1}{2}}) = \frac{1}{n!} A(n - \frac{1}{2}) \overline{A}(-\frac{1}{2}) (t-1)^n$$

$$20. \quad P_{2n+1}(t^{\frac{1}{2}}) = \frac{1}{n!} A(n) t^{\frac{1}{2}} (t-1)^n$$

$$21. \quad H(1-t) P_{2n}(t^{\frac{1}{2}}) = \frac{1}{\Gamma(n+\frac{1}{2})} \overline{B}(\frac{1}{2} - n) t^{\frac{1}{2}} (1-t)^{n-\frac{1}{2}}$$

$$22. \quad H(1-t) P_{2n+1}(t^{\frac{1}{2}}) = \frac{1}{\Gamma(n + \frac{3}{2})} B(\frac{1}{2}) \overline{B}(-n) (1-t)^{n+\frac{1}{2}}$$

$$23. \quad P_{2n}(t^{-\frac{1}{2}}) = \frac{1}{n!} B(n + \frac{1}{2}) \overline{B}(\frac{1}{2}) t^{-n} (t-1)^n$$

$$24. P_{2n+1}(t^{-1/2}) = \frac{1}{n!} B(n+1) \overline{B}(1) t^{-n-1/2} (t-1)^n$$

$$25. H(t-1) P_{2n}(t^{-1/2}) = \frac{1}{\Gamma(n+1/2)} A(-1) \overline{A}(-n-1/2) t^{-n} (t-1)^{n-1/2}$$

$$26. H(t-1) P_{2n+1}(t^{-1/2}) = \frac{1}{\Gamma(n + \frac{3}{2})} A(-\frac{1}{2}) \overline{A}(-n-1) t^{-n-1/2} (t-1)^{n+1/2}$$

$$27. L_n^\alpha(t) = \frac{\Gamma(\alpha+n+1)}{n!} \overline{A}(\alpha) \overline{M}(1-t)^n$$

$$28. L_n^\alpha(t^{-1}) = \frac{\Gamma(\alpha+n+1)}{n!} \overline{B}(\alpha+1) \overline{N} t^{-n} (t-1)^n$$

$$29. L_n^\alpha(t) = \frac{1}{n!} e^t A(\alpha+n) \overline{A}(\alpha) e^{-t}$$

$$30. (t-1)^\alpha L_n^\alpha(t-1) = \frac{e^{-t}}{n!} A(n) t^{-n} e^t (t-1)^{\alpha+n}$$

$$31. L_n^\alpha(t^{-1}) = \frac{1}{n!} e^{1/t} B(\alpha+n+1) \overline{B}(\alpha+1) e^{-1/t}$$

$$32. L_n^\alpha(t) = \frac{\Gamma(\alpha+n+1) \Gamma(\lambda)}{\Gamma(n+1) \Gamma(\alpha+1) \Gamma(\lambda+\mu)} A(\mu+\lambda-1) \overline{A}(\lambda-1) {}_2F_2(-n, \lambda; \alpha+1, \lambda+\mu; t)$$

$$33. L_n^\alpha(t^{-1}) = \frac{\Gamma(\alpha+n+1) \Gamma(\lambda)}{\Gamma(n+1) \Gamma(\alpha+1) \Gamma(\lambda+\mu)} B(\mu+\lambda) \overline{B}(\lambda) {}_2F_2(-n, \lambda; \alpha+1, \lambda+\mu; t^{-1})$$

$$34. L_n^{\alpha+\mu}(t) = \frac{\Gamma(\alpha+\mu+n+1)}{\Gamma(\alpha+n+1)} A(\alpha) \overline{A}(\mu+\alpha) L_n^\alpha(t)$$

$$35. L_n^{\alpha+\mu}(t^{-1}) = \frac{\Gamma(\alpha+\mu+n+1)}{\Gamma(\alpha+n+1)} B(\alpha+1) \overline{B}(\mu+\alpha) L_n^\alpha(t^{-1})$$

$$36. (1 \mp t)^{\beta+\mu} P_n^{(\alpha, \beta+n)}(1 \mp 2t) = \frac{\Gamma(-\beta-\mu)}{\Gamma(-\beta-\mu-n)} A(-\beta-\mu-n-1) \bar{A}(-\beta-n-1) \cdot$$

$$\cdot (1-t)^{\beta} P_n^{(\alpha, \beta)}(1 \mp 2t)$$

$$37. P_n^{(\alpha, \beta)}(1 \mp 2t) = \frac{\Gamma(\alpha+n+1)\Gamma(\lambda)}{n!\Gamma(\alpha+1)\Gamma(\lambda+\mu)} A(\lambda+\mu-1) \bar{A}(\lambda-1) \cdot$$

$$\cdot {}_3F_2(-n, n+\alpha+\beta+1, \lambda; \alpha+1, \lambda+\mu; \pm t)$$

$$38. P_n^{(\alpha, \beta)}(2t \mp 1) = \frac{(-1)^n \Gamma(\beta+n+1)\Gamma(\lambda)}{n!\Gamma(\beta+1)\Gamma(\lambda+\mu)} A(\lambda+\mu-1) \bar{A}(\lambda-1) \cdot$$

$$\cdot {}_3F_2(-n, n+\alpha+\beta+1, \lambda; \beta+1, \lambda+\mu; \pm t)$$

$$39. (1 \mp t)^{\beta} P_n^{(\alpha, \beta)}(1 \mp 2t) = \frac{\Gamma(\alpha+n+1)\Gamma(\lambda)}{\Gamma(\alpha+1)\Gamma(\lambda+\mu)} {}_3F_2(\alpha+n+1, -\beta-n, \lambda; \alpha+1, \lambda+\mu; \pm t)$$

$$40. (1+t)^{\beta} P_n^{(\alpha, \beta)}(1+2t) = \frac{1}{n!\Gamma(-\beta-n)} A(\alpha+n) \bar{A}(\alpha) A(-\beta-n-1) M e^{-t}$$

$$41. C_{2n}^{\lambda}(t^{\frac{1}{2}}) = \frac{(\lambda)_n \Gamma(v) (-1)^n}{n! \Gamma(\mu+v)} A(v+\mu-1) \bar{A}(v-1) {}_3F_2(-n, n+\lambda, v; \frac{1}{2}, \mu+v; t)$$

$$42. C_{2n+1}^{\lambda}(t^{\frac{1}{2}}) = \frac{2(\lambda)_{n+1} \Gamma(v+\frac{1}{2}) (-1)^n}{n! \Gamma(\mu+v+\frac{1}{2})} A(v+\mu-1) \bar{A}(v-1) t^{\frac{1}{2}} \cdot$$

$$\cdot {}_3F_2(-n, n+\lambda+1, v + \frac{1}{2}; \frac{3}{2}, \mu+v + \frac{1}{2}; t)$$

$$43. P_n^{\alpha+\mu, \beta-\mu}(1-t) = \frac{\Gamma(\alpha+\mu+n+1)}{\Gamma(\alpha+n+1)} A(\alpha) \bar{A}(\mu+\alpha) P_n^{\alpha, \beta}(1-t)$$

$$44. \quad p_n^{\alpha-\mu, \beta+\mu}(t-1) = \frac{\Gamma(\beta+\mu+n+1)}{\Gamma(\beta+n+1)} A(\beta) \tilde{A}(\beta+\mu) p_n^{\alpha, \beta}(t-1)$$

Legendre functions

1. $.(1-t)^{-\mu/2} P_{\nu}^{\mu}(t^{1/2}) = \frac{2^{\mu}}{\Gamma(\frac{1+\nu-\mu}{2})} \widetilde{B}(\frac{1-\nu-\mu}{2}) t^{1/2} .(1-t)^{(\nu-\mu-1)/2}$
2. $.(1-t)^{-\mu/2} P_{\nu}^{\mu}(t^{1/2}) = \frac{2^{\mu}}{\Gamma(-\frac{\nu+\mu}{2})} \widetilde{B}(1 + \frac{\nu-\mu}{2}) t^{1/2} .(1-t)^{-1-(\nu+\mu)/2}$
3. $.(1-t)^{-\mu/2} P_{\nu}^{\mu}(t^{1/2}) = 2^{\mu} \widetilde{B}(\frac{1-\mu-\nu}{2}) \widetilde{B}(1 - \frac{\mu-\nu}{2}) \widetilde{N} t^{1/2} e^{-t}$
4. $.(1-t)^{-\mu/2} P_{\nu}^{\mu}(t^{1/2}) = 2^{\mu} B(\frac{1}{2}) \widetilde{B}(\frac{1-\mu-\nu}{2}) \widetilde{B}(1 - \frac{\mu-\nu}{2}) \widetilde{N} e^{-t}$
5. $.(t-1)^{-\mu/2} P_{\nu}^{\mu}(t^{-1/2}) = \frac{2^{\mu}}{\Gamma(\frac{1+\nu-\mu}{2})} A(\frac{\mu}{2} - 1) \widetilde{A}(-\frac{\nu+1}{2}) t^{-\nu/2} .(t-1)^{(\nu-\mu-1)/2}$
6. $.(t-1)^{-\mu/2} P_{\nu}^{\mu}(t^{-1/2}) = \frac{2^{\mu}}{\Gamma(-\frac{\nu+\mu}{2})} A(\frac{\mu}{2} - 1) \widetilde{A}(\frac{\nu}{2}) t^{(\nu-1)/2} .(t-1)^{-1-(\nu+\mu)/2}$
7. $.(t-1)^{-\mu/2} P_{\nu}^{\mu}(t^{-1/2}) = 2^{\mu} A(\frac{\mu}{2} - 1) \widetilde{A}(-\frac{\nu+1}{2}) \widetilde{A}(\frac{\nu}{2}) \widetilde{M} t^{-(\mu+1)/2} e^{-1/t}$
8. $.(t-1)^{-\mu/2} P_{\nu}^{\mu}(t^{-1/2}) = 2^{\mu} A(\frac{\mu-1}{2}) \widetilde{A}(-\frac{\nu+1}{2}) \widetilde{A}(\frac{\nu}{2}) \widetilde{M} t^{-\mu/2} e^{-1/t}$
9. $P_{\nu}^{\lambda-\mu}(1+2t) = (1+t)^{(\lambda-\mu)/2} A(-\frac{\mu+\lambda}{2}) \widetilde{A}(\frac{\mu-\lambda}{2}) t^{\mu/2} (1+t)^{-\lambda/2} P_{\nu}^{\lambda}(1+2t)$
10. $.(1-t)^{(\mu-\lambda)/2} P_{\nu}^{\lambda-\mu}(1-2t) = A(-\frac{\mu+\lambda}{2}) \widetilde{A}(\frac{\mu-\lambda}{2}) t^{\mu/2} .(1-t)^{-\lambda/2} P_{\nu}^{\lambda}(1-2t)$
11. $.(1-t)^{-\mu/2} P_{\nu}^{\mu}(t^{1/2}) = \sqrt{\pi} 2^{\mu} \widetilde{B}(\frac{1-\mu-\nu}{2}) \widetilde{B}(1 - \frac{\mu-\nu}{2}) \widetilde{N} \widetilde{B}(1) t^{1/2} e^{-2t^{1/2}}$

$$12. \quad (1-t)^{-\mu/2} p_v'(t^{1/2}) = \sqrt{\pi} 2^\mu \overline{B}\left(\frac{1-\mu-\nu}{2}\right) \overline{B}\left(1 - \frac{\mu-\nu}{2}\right) \overline{NN} e^{-2t^{1/2}}$$

$$13. \quad (t-1)^{-\mu/2} p_v^\mu(t^{-1/2}) = \sqrt{\pi} 2^\mu A\left(\frac{\mu}{2} - 1\right) \overline{A}\left(-\frac{\nu+1}{2}\right) \overline{A}\left(\frac{\nu}{2}\right) \overline{A}\left(\frac{\nu}{2}\right) \overline{A}\left(\frac{\mu}{2}\right) \overline{MM} t^{(-\mu+1)/2} e^{-2t^{-1/2}}$$

$$14. \quad (t-1)^{-\mu/2} p_v^\mu(t^{-1/2}) = \sqrt{\pi} 2^\mu A\left(-\frac{\nu+1}{2}\right) A\left(\frac{\nu}{2}\right) \overline{MM} t^{-\mu/2} e^{-2t^{-1/2}}$$

$$15. \quad (t^2-1)^{\mu/2} Q_v^{-\mu}(t) = e^{-i\pi\mu} A(-\mu) t^{-\mu} Q_v(t)$$

$$16. \quad (t^2-1)^{(\lambda+\mu)/2} Q_v^{-\mu-\lambda}(t) = e^{-i\pi\mu} A(-\mu) t^{-\mu} Q_v^{-\lambda}(t)$$

Bessel functions

1. $e^{it} J_\nu(t) = \frac{2^\nu}{\sqrt{\pi}} A(-\frac{1}{2}) \tilde{A}(\nu) t^\nu e^{2it}$
2. $\sin t J_\nu(t) = \frac{2^\nu}{\sqrt{\pi}} A(-\frac{1}{2}) \tilde{A}(\nu) t^\nu \sin(2t)$
3. $\sin(t^{-1}) J_\nu(t^{-1}) = \frac{2^\nu}{\sqrt{\pi}} B(\frac{1}{2}) \tilde{B}(\nu+1) t^{-\nu} \sin(\frac{2}{t})$
4. $\sin t J_\nu(t) = -\frac{2^{\nu-1}}{\sqrt{\pi}} A(-\frac{1}{2}) \tilde{A}(\nu) A(1-\nu) \tilde{A}(-\nu) t^{\nu-1} \cos(2t)$
5. $\sin(t^{-1}) J_\nu(t^{-1}) = -\frac{2^{\nu-1}}{\sqrt{\pi}} B(\frac{1}{2}) \tilde{B}(\nu+1) B(2-\nu) \tilde{B}(1-\nu) t^{1-\nu} \cos(\frac{2}{t})$
6. $\cos t J_\nu(t) = \frac{2^\nu}{\sqrt{\pi}} A(-\frac{1}{2}) \tilde{A}(\nu) t^\nu \cos(2t)$
7. $\cos t J_\nu(t) = \frac{2^{\nu-1}}{\sqrt{\pi}} A(-\frac{1}{2}) \tilde{A}(\nu) A(1-\nu) \tilde{A}(-\nu) t^{\nu-1} \sin(2t)$
8. $\cos(t^{-1}) J_\nu(t^{-1}) = \frac{2^\nu}{\sqrt{\pi}} B(\frac{1}{2}) \tilde{B}(\nu+1) t^{-\nu} \cos(\frac{2}{t})$
9. $\cos(t^{-1}) J_\nu(t^{-1}) = \frac{2^{\nu-1}}{\sqrt{\pi}} B(\frac{1}{2}) \tilde{B}(\nu+1) B(2-\nu) \tilde{B}(1-\nu) t^{1-\nu} \sin(\frac{2}{t})$
10. $J_\nu(t^{\frac{1}{2}}) = \frac{2^{1-\nu}}{\sqrt{\pi}} A(\frac{1-\nu}{2}) \tilde{A}(\frac{\nu}{2}) t^{(\nu-1)/2} \sin(t^{\frac{1}{2}})$
11. $J_\nu(t^{\frac{1}{2}}) = \frac{2^\nu}{\sqrt{\pi}} B(\frac{\nu}{2}) \tilde{B}(\frac{1-\nu}{2}) t^{-\nu/2} \sin(t^{\frac{1}{2}})$

$$12. J_{\nu}(t^{\frac{1}{2}}) = \frac{2^{-\nu}}{\sqrt{\pi}} A(-\frac{\nu+1}{2}) \widetilde{A}(\frac{\nu}{2}) t^{\nu/2} \cos(t^{\frac{1}{2}})$$

$$13. J_{\nu}(t^{\frac{1}{2}}) = \frac{2^{\nu+1}}{\sqrt{\pi}} B(\frac{\nu}{2}) \widetilde{B}(-\frac{\nu+1}{2}) t^{-(\nu+1)/2} \cos(t^{\frac{1}{2}})$$

$$14. J_{\nu}(t^{\frac{1}{2}}) = \frac{2^{\nu}}{\sqrt{\pi}} B(\frac{\nu}{2}) \widetilde{B}(\frac{1-\nu}{2}) t^{-\nu/2} \sin(t^{\frac{1}{2}})$$

$$15. J_{\nu}(t^{-\frac{1}{2}}) = \frac{2^{1-\nu}}{\sqrt{\pi}} B(\frac{3-\nu}{2}) \widetilde{B}(\frac{\nu+2}{2}) t^{(1-\nu)/2} \sin(t^{-\frac{1}{2}})$$

$$16. J_{\nu}(t^{-\frac{1}{2}}) = \frac{2^{\nu}}{\sqrt{\pi}} A(\frac{\nu}{2} - 1) \widetilde{A}(-\frac{\nu+1}{2}) t^{+\nu/2} \sin(t^{-\frac{1}{2}})$$

$$17. J_{\nu}(t^{-\frac{1}{2}}) = \frac{2^{\nu+1}}{\sqrt{\pi}} A(\frac{\nu}{2} - 1) \widetilde{A}(-\frac{\nu+3}{2}) t^{(\nu+1)/2} \cos(t^{-\frac{1}{2}})$$

$$18. J_{\nu}(t^{-\frac{1}{2}}) = \frac{2^{-\nu}}{\sqrt{\pi}} B(\frac{1-\nu}{2}) \widetilde{B}(\frac{\nu+2}{2}) t^{-\nu/2} \cos(t^{-\frac{1}{2}})$$

$$19. J_{\nu}(t^{-\frac{1}{2}}) = \frac{2^{\nu}}{\sqrt{\pi}} A(\frac{\nu}{2} - 1) \widetilde{A}(-\frac{\nu+1}{2}) t^{\nu/2} \sin(t^{-\frac{1}{2}})$$

$$20. J_{\nu}(t^{\frac{1}{2}}) = 2^{-\nu} \widetilde{A}(\frac{\nu}{2}) \widetilde{M} t^{\nu/2} e^{-t/4}$$

$$21. J_{\nu}(t^{-\frac{1}{2}}) = 2^{-\nu} \widetilde{B}(\frac{\nu}{2} + 1) \widetilde{N} t^{-\nu/2} e^{-1/4t}$$

$$22. J_{\mu+\nu}(t^{\frac{1}{2}}) = 2^{-\mu} A(\frac{\nu-\mu}{2}) \widetilde{A}(\frac{\mu+\nu}{2}) t^{\mu/2} J_{\nu}(t^{\frac{1}{2}})$$

$$23. J_{\nu-\mu}(t^{\frac{1}{2}}) = 2^{-\mu} B(\frac{\nu-\mu}{2}) \widetilde{B}(\frac{\mu+\nu}{2}) t^{\mu/2} J_{\nu}(t^{\frac{1}{2}})$$

$$24. J_{\mu+\nu}(t^{-\frac{1}{2}}) = 2^{-\mu} B(\frac{\nu-\mu+2}{2}) \widetilde{B}(\frac{\mu+\nu+2}{2}) t^{-\mu/2} J_{\nu}(t^{-\frac{1}{2}})$$

$$25. J_{\nu-\mu}(t^{-\frac{1}{2}}) = 2^{-\mu} A(\frac{\nu-\mu-2}{2}) \widetilde{A}(\frac{\mu+\nu-2}{2}) t^{-\mu/2} J_{\nu}(t^{-\frac{1}{2}})$$

$$26. J_{\nu}(t) = \frac{2^{-\nu}}{\Gamma(\lambda)\Gamma(\nu+1)} A(\lambda-\nu-1) M t^{\nu} {}_0F_3(\nu+1, \frac{1}{2}\lambda, \frac{\lambda+1}{2}; -(\frac{t}{4})^2)$$

$$27. J_{\nu}(t^{-1}) = \frac{2^{-\nu}}{\Gamma(\lambda)\Gamma(\nu+1)} B(\lambda-\nu) N t^{-\nu} {}_0F_3(\nu+1, \frac{1}{2}\lambda; \frac{\lambda+1}{2}; -(\frac{1}{4t})^2)$$

$$28. J_{\nu}(t^{\frac{1}{2}}) = \frac{2^{-\nu}}{\Gamma(\mu+\frac{1}{2}\nu)\Gamma(\nu+1)} A(\mu-1) M t^{\frac{1}{2}\nu} {}_0F_2(\mu + \frac{1}{2}\nu, \nu+1; -\frac{t}{4})$$

$$29. J_{\nu}(t^{-\frac{1}{2}}) = \frac{2^{-\nu}}{\Gamma(\mu+\frac{1}{2})\Gamma(\nu+1)} B(\mu) N t^{-\nu/2} {}_0F_2(\mu + \frac{\nu}{2}, \nu+1; -\frac{1}{4t})$$

$$30. [J_{\nu}(t^{\frac{1}{2}})]^2 = \frac{1}{\sqrt{\pi}} A(-\frac{1}{2}) \widetilde{A}(\nu) t^{\nu/2} J_{\nu}(2t^{\frac{1}{2}})$$

$$31. [J_{\nu}(t^{\frac{1}{2}})]^2 = \frac{1}{\sqrt{\pi}} A(-\frac{1}{2}) \widetilde{A}(\nu) \widetilde{M} t^{\nu} e^{-t}$$

$$32. [J_{\nu}(t^{-\frac{1}{2}})]^2 = \frac{1}{\sqrt{\pi}} B(\frac{1}{2}) \widetilde{B}(\nu+1) t^{-\nu/2} J_{\nu}(2t^{-\frac{1}{2}})$$

$$33. [J_{\nu}(t^{-\frac{1}{2}})]^2 = \frac{1}{\sqrt{\pi}} B(\frac{1}{2}) \widetilde{B}(\nu+1) \widetilde{B}(1) \widetilde{N} t^{-\nu} e^{-1/t}$$

$$34. J_{\nu}(t^{\frac{1}{2}}) J_{\nu-1}(t^{\frac{1}{2}}) = \frac{1}{\sqrt{\pi}} \widetilde{A}(\nu - \frac{1}{2}) t^{(\nu-1)/2} J_{\nu}(2t^{\frac{1}{2}})$$

$$35. J_{\nu}(t^{\frac{1}{2}}) J_{\nu-1}(t^{\frac{1}{2}}) = \frac{1}{\sqrt{\pi}} \widetilde{A}(\nu - \frac{1}{2}) \widetilde{A}(\frac{1}{2}) \widetilde{M} t^{\nu-\frac{1}{2}} e^{-t}$$

$$36. J_\nu(t^{-\frac{1}{2}})J_{\nu-1}(t^{-\frac{1}{2}}) = \frac{B(1)}{\sqrt{\pi}} \widetilde{B}(\nu + \frac{1}{2}) t^{(1-\nu)/2} J_\nu(2t^{-\frac{1}{2}})$$

$$37. J_\nu(t^{-\frac{1}{2}})J_{\nu-1}(t^{-\frac{1}{2}}) = \frac{1}{\sqrt{\pi}} B(1) \widetilde{B}(\nu + \frac{1}{2}) \widetilde{B}(\frac{3}{2}) \widetilde{N} t^{\frac{1}{2}-\nu} e^{-1/t}$$

$$38. J_\nu(t^{\frac{1}{2}})Y_\nu(t^{\frac{1}{2}}) = \frac{1}{\sqrt{\pi}} A(-\frac{1}{2}) \widetilde{A}(\nu) t^{\nu/2} Y_\nu(2t^{\frac{1}{2}})$$

$$39. J_\nu(t^{-\frac{1}{2}})Y_\nu(t^{-\frac{1}{2}}) = \frac{1}{\sqrt{\pi}} B(\frac{1}{2}) \widetilde{B}(\nu+1) t^{-\nu/2} Y_\nu(2t^{-\frac{1}{2}})$$

$$40. J_\nu(t) = MJ_\nu(\sqrt{2} t^{\frac{1}{2}}) I_\nu(\sqrt{2} t^{\frac{1}{2}})$$

$$41. J_\nu(\frac{1}{t}) = B(1)NJ_\nu(\sqrt{2}/t^{\frac{1}{2}}) I_\nu(\sqrt{2}/t^{\frac{1}{2}})$$

$$42. J_\nu(2\alpha\beta t) = e^{(\beta^2 - \alpha^2)t} MJ_\nu(2\beta t^{\frac{1}{2}}) I_\nu(2\alpha t^{\frac{1}{2}})$$

$$43. J_\nu(2\alpha\beta t^{-1}) = e^{(\beta^2 - \alpha^2)/t} B(1)NJ_\nu(2\beta t^{-\frac{1}{2}}) I_\nu(2\alpha t^{-\frac{1}{2}})$$

$$44. [J_\nu(t^{\frac{1}{2}})]^2 = \frac{2^{-2\nu} \Gamma(\lambda)}{[\Gamma(\nu+1)]^2 \Gamma(\lambda+\mu)} A(\lambda+\mu-\nu-1) \widetilde{A}(\lambda-\nu-1) {}_2F_3(\lambda, \nu + \frac{1}{2}; \lambda+\mu, \nu+1, 2\nu+1; -t)$$

$$45. J_\nu(t^{\frac{1}{2}})J_{-\nu}(t^{\frac{1}{2}}) = \frac{\Gamma(\lambda) \sin(\pi\nu)}{(\pi\nu) \Gamma(\lambda+\mu)} A(\mu+\lambda-1) \widetilde{A}(\lambda-1) {}_2F_3(\frac{1}{2}, \lambda; 1+\nu, 1-\nu, \lambda+\mu; -t)$$

$$46. Y_\nu(t^{\frac{1}{2}}) = -\frac{2^\nu}{\sqrt{\pi}} B(\frac{\nu}{2}) \widetilde{B}(\frac{1-\nu}{2}) t^{-\nu/2} \cos(t^{\frac{1}{2}})$$

$$47. Y_\nu(t^{\frac{1}{2}}) = \frac{2^{\nu+1}}{\sqrt{\pi}} B(\frac{\nu+1}{2}) \widetilde{B}(-\frac{\nu}{2}) t^{-\nu/2} \sin(t^{\frac{1}{2}})$$

$$48. Y_{\nu}(t^{-\frac{1}{2}}) = -\frac{2^{-\nu}}{\sqrt{\pi}} A(\frac{\nu}{2} - 1) \widetilde{A}(-\frac{\nu+1}{2}) t^{\nu/2} \cos(t^{-\frac{1}{2}})$$

$$49. Y_{\nu}(t^{-\frac{1}{2}}) = \frac{2^{\nu+1}}{\sqrt{\pi}} A(\frac{\nu-1}{2}) \widetilde{A}(-\frac{\nu}{2} - 1) t^{\nu/2} \sin(t^{-\frac{1}{2}})$$

$$50. Y_{\nu-\mu}(t^{\frac{1}{2}}) = 2^{-\mu} B(\frac{\nu-\mu}{2}) \widetilde{B}(\frac{\nu+\mu}{2}) t^{\mu/2} Y_{\nu}(t^{\frac{1}{2}})$$

$$51. Y_{\nu-\mu}(t^{-\frac{1}{2}}) = 2^{-\mu} A(\frac{\nu-\mu-2}{2}) \widetilde{A}(\frac{\nu+\mu-2}{2}) t^{-\mu/2} Y_{\nu}(t^{-\frac{1}{2}})$$

$$52. \operatorname{ctn}(\pi\nu) [J_{\nu/2}(t^{\frac{1}{2}})]^2 - \operatorname{csc}(\pi\nu) [J_{-\nu/2}(t^{\frac{1}{2}})]^2 = \frac{1}{\sqrt{\pi}} A(-\frac{1}{2}) Y_{\nu}(2t^{\frac{1}{2}})$$

$$53. [\cos(t) J_{\frac{1}{2}-\mu}(t) - \sin(t) Y_{\frac{1}{2}-\mu}(t)] = \frac{2^{\mu+\frac{1}{2}}}{\sqrt{\pi}} B(\frac{1}{2} - \mu) \widetilde{B}(\frac{1}{2}) t^{\mu-\frac{1}{2}} \sin t$$

$$54. [\sin(t) J_{\frac{1}{2}-\mu}(t) + \cos(t) Y_{\frac{1}{2}-\mu}(t)] = \frac{2^{\mu+\frac{1}{2}}}{\sqrt{\pi}} B(\frac{1}{2} - \mu) \widetilde{B}(\frac{1}{2}) t^{\mu-\frac{1}{2}} \cos t$$

$$55. [J_{\nu}(t^{\frac{1}{2}}) Y_{-\nu}(t^{\frac{1}{2}}) + J_{-\nu}(t^{\frac{1}{2}}) Y_{\nu}(t^{\frac{1}{2}})] = -\frac{2}{\sqrt{\pi}} B(-\nu) \widetilde{B}(\frac{1}{2}) t^{\nu/2} J_{\nu}(2t^{\frac{1}{2}})$$

$$56. J_{-\nu}(t^{\frac{1}{2}}) Y_{-\nu}(t^{\frac{1}{2}}) = -\frac{1}{\sqrt{\pi}} B(-\nu) \widetilde{B}(\frac{1}{2}) t^{\nu/2} J_{-\nu}(2t^{\frac{1}{2}})$$

$$57. [\cos(\nu\pi) J_{\nu-\mu}(t^{\frac{1}{2}}) - \sin(\nu\pi) Y_{\nu-\mu}(t^{\frac{1}{2}})] = 2^{-\mu} B(\frac{\nu-\mu}{2}) \widetilde{B}(\frac{\nu+\mu}{2}) t^{\mu/2} J_{-\nu}(t^{\frac{1}{2}})$$

$$58. [J_{\nu}(t^{\frac{1}{2}}) J_{-\nu}(t^{\frac{1}{2}}) - Y_{-\nu}(t^{\frac{1}{2}}) Y_{\nu}(t^{\frac{1}{2}})] = \frac{2}{\sqrt{\pi}} B(-\nu) \widetilde{B}(\frac{1}{2}) t^{\nu/2} J_{\nu}(2t^{\frac{1}{2}})$$

$$59. [\cos(\nu\pi) Y_{-\mu-\nu}(t^{\frac{1}{2}}) - \sin(\pi\nu) J_{-\mu-\nu}(t^{\frac{1}{2}})] = 2^{-\mu} B(-\frac{\mu+\nu}{2}) \widetilde{B}(\frac{\mu-\nu}{2}) t^{\mu/2} Y_{\nu}(t^{\frac{1}{2}})$$

$$60. \quad H_{\nu}^{(j)}(t^{\frac{1}{2}}) = 2^{\mu} B(\frac{\nu}{2}) \tilde{B}(\frac{\nu}{2} - \mu) t^{-\mu/2} H_{\nu-\mu}^{(j)}(t^{\frac{1}{2}}) \quad j=1,2$$

$$61. \quad H_{-\nu}^{(j)}(t^{\frac{1}{2}}) = i\sqrt{\pi} 2^{\nu-1} B(\frac{1-\nu}{2}) \tilde{B}(-\frac{3\nu}{2}) t^{-\nu/2} [H_{-\nu}^{(j)}(\frac{t^{\frac{1}{2}}}{2})]^2 \quad j=1,2$$

$$62. \quad H_{\nu}^{(j)}(t^{\frac{1}{2}}) = i\sqrt{\pi} 2^{\nu-1} B(\frac{1-\nu}{2}) \tilde{B}(-\frac{3\nu}{2}) t^{-\nu/2} [H_{\nu}^{(j)}(\frac{t^{\frac{1}{2}}}{2}) H_{-\nu}^{(j)}(\frac{t^{\frac{1}{2}}}{2})] \quad j=1,2$$

$$63. \quad H_{\nu}^{(j)}(t^{-\frac{1}{2}}) = 2^{\mu} A(\frac{\nu}{2} - 1) \tilde{A}(\frac{\nu}{2} - \mu - 1) t^{\mu/2} H_{\nu-\mu}^{(j)}(t^{-\frac{1}{2}}) \quad j=1,2$$

$$64. \quad H_{-\nu}^{(j)}(t^{-\frac{1}{2}}) = i\sqrt{\pi} 2^{\nu-1} A(-\frac{\nu+1}{2}) \tilde{A}(-\frac{3\nu}{2} - 1) t^{\nu/2} [H_{-\nu}^{(j)}(\frac{-1}{2t^{\frac{1}{2}}})]^2 \quad j=1,2$$

$$65. \quad H_{\nu}^{(j)}(t^{-\frac{1}{2}}) = i\sqrt{\pi} 2^{\nu-1} A(-\frac{\nu+1}{2}) \tilde{A}(-\frac{3\nu}{2} - 1) t^{\nu/2} [H_{\nu}^{(j)}(\frac{-1}{2t^{\frac{1}{2}}})] [H_{-\nu}^{(j)}(\frac{1}{2t^{\frac{1}{2}}})] \quad j=1,2$$

Modified Bessel functions

1. $I_\nu(t) = \frac{2^\nu}{\sqrt{\pi}} e^{-t} A(-\frac{1}{2}) \bar{A}(\nu) t^\nu e^{2t}$
2. $I_\nu(t^{-1}) = \frac{2^\nu}{\sqrt{\pi}} e^{-1/t} B(\frac{1}{2}) \bar{B}(\nu+1) t^{-\nu} e^{2/t}$
3. $I_\nu(t^{\frac{1}{2}}) = 2^{-\nu} \bar{A}(\frac{\nu}{2}) \bar{M} t^{\nu/2} e^{t/4}$
4. $I_\nu(t^{-\frac{1}{2}}) = 2^{-\nu} \bar{B}(\frac{\nu}{2} + 1) \bar{N} t^{-\nu/2} e^{1/4t}$
5. $[I_\nu(t^{\frac{1}{2}})]^2 = \frac{1}{\sqrt{\pi}} A(-\frac{1}{2}) \bar{A}(\nu) t^{\nu/2} I_\nu(2t^{\frac{1}{2}})$
6. $[I_\nu(t^{\frac{1}{2}})]^2 = \frac{1}{\sqrt{\pi}} A(-\frac{1}{2}) \bar{A}(\nu) \bar{M} t^\nu e^t$
7. $[I_\nu(t^{-\frac{1}{2}})]^2 = \frac{1}{\sqrt{\pi}} B(\frac{1}{2}) \bar{B}(\nu+1) t^{-\nu/2} I_\nu(2t^{-\frac{1}{2}})$
8. $[I_\nu(t^{-\frac{1}{2}})]^2 = \frac{1}{\sqrt{\pi}} B(\frac{1}{2}) \bar{B}(\nu+1) \bar{B}(1) \bar{N} t^{-\nu} e^{1/t}$
9. $I_{\nu/2}(t) = \frac{e^{-t}}{\sqrt{\pi}} A(-\frac{1}{2}) M I_\nu(2\sqrt{2} t^{\frac{1}{2}})$
10. $I_{\nu/2}(t^{-1}) = \frac{1}{\sqrt{\pi}} e^{-1/t} B(\frac{1}{2}) N I_\nu(2\sqrt{2} t^{-\frac{1}{2}})$
11. $I_{\mu+\nu}(t^{\frac{1}{2}}) = 2^{-\mu} A(\frac{\nu-\mu}{2}) \bar{A}(\frac{\mu+\nu}{2}) t^{\mu/2} I_\nu(t^{\frac{1}{2}})$

$$12. I_{2\nu}(t^{\frac{1}{2}}) = 2^{-\nu} \widetilde{A}(\nu) t^{\nu/2} I_{\nu}(t^{\frac{1}{2}})$$

$$13. I_{\mu+\nu}(t^{-\frac{1}{2}}) = 2^{-\mu} B(\frac{\nu-\mu+2}{2}) B(\frac{\mu+\nu+2}{2}) t^{-\mu/2} I_{\nu}(t^{-\frac{1}{2}})$$

$$14. I_{2\nu}(t^{-\frac{1}{2}}) = 2^{-\nu} B(1) \widetilde{B}(\nu+1) t^{-\nu/2} I_{\nu}(t^{-\frac{1}{2}})$$

$$15. I_{\nu}(2\alpha\beta t) = e^{(\alpha^2+\beta^2)t} M J_{\nu}(2\alpha t^{\frac{1}{2}}) J_{\nu}(2\beta t^{\frac{1}{2}})$$

$$16. I_{\nu}(2\alpha\beta t^{-1}) = e^{(\alpha^2+\beta^2)/t} B(1) N J_{\nu}(2\alpha t^{-\frac{1}{2}}) J_{\nu}(2\beta t^{-\frac{1}{2}})$$

$$17. I_{\nu}(t) = \frac{e^{\frac{1}{2}t} 2^{-\nu}}{\Gamma(\nu+1)\Gamma(\lambda+\nu)} A(\lambda-1) M t^{\nu} {}_1F_2(\nu + \frac{1}{2}, 2\nu+1; \lambda+\nu; \pm 2t)$$

$$18. I_{\nu}(t^{-1}) = \frac{e^{\frac{1}{2}(1/t)} 2^{-\nu}}{\Gamma(\nu+1)\Gamma(\lambda+\nu)} B(\lambda) N t^{-\nu} {}_1F_2(\nu + \frac{1}{2}, 2\nu+1; \lambda+\nu; \pm 2t^{-1})$$

$$19. I_{\nu}(t) = \frac{2^{-\nu}}{\Gamma(\nu+1)\Gamma(\lambda+\nu)} A(\lambda-1) M t^{\nu} {}_0F_3(\nu+1, \frac{\lambda+\nu}{2}, \frac{\lambda+\nu+1}{2}; (\frac{t}{4})^2)$$

$$20. I_{\nu}(t^{-1}) = \frac{2^{-\nu}}{\Gamma(\nu+1)\Gamma(\lambda+\nu)} B(\lambda) N t^{-\nu} {}_0F_3(\nu+1, \frac{\lambda+\nu}{2}, \frac{\lambda+\nu+1}{2}; (\frac{1}{4t})^2)$$

$$21. I_{\nu}(t) = \frac{\Gamma(\nu+\frac{1}{2}) e^{-t}}{\sqrt{\pi}} 2^{\nu} \widetilde{A}(\nu) \widetilde{M} t^{\nu} (1-2t)^{-\nu-\frac{1}{2}}$$

$$22. I_{\nu}(t^{-1}) = \frac{\Gamma(\nu+\frac{1}{2}) e^{-1/t}}{\sqrt{\pi}} 2^{\nu} \widetilde{B}(\nu+1) \widetilde{N} t^{\frac{1}{2}} (t-2)^{-\nu-\frac{1}{2}}$$

$$23. I_{\nu}(t) = \frac{2^{\nu} \Gamma(\nu+\frac{1}{2})}{\sqrt{\pi} \Gamma(\mu+2\nu+1)} e^{\frac{1}{2}t} A(\mu+\nu) \widetilde{A}(\nu) t^{\nu} {}_1F_1(\nu + \frac{1}{2}; \mu+2\nu+1; \pm 2t)$$

$$24. \quad I_{\nu}(t^{-1}) = \frac{2^{\nu} \Gamma(\nu + \frac{1}{2})}{\sqrt{\pi} \Gamma(\mu + 2\nu + 1)} e^{\mp 1/t} B(\mu + \nu + 1) \tilde{B}(\nu + 1) t^{-\nu} {}_1F_1(\nu + \frac{1}{2}; \mu + 2\nu + 1; \pm \frac{2}{t})$$

$$25. \quad J_{\nu}(t) = \frac{2^{-\nu} \Gamma(\lambda + \nu)}{\Gamma(\nu + 1) \Gamma(\lambda + \mu + \nu)} e^{\mp t} A(\mu + \lambda - 1) \tilde{A}(\lambda - 1) t^{\nu} {}_2F_2(\nu + \frac{1}{2}, \lambda + \nu; 2\nu + 1, \mu + \lambda + \nu; \pm 2t)$$

$$26. \quad I_{\nu}(\frac{1}{t}) = \frac{2^{-\nu} \Gamma(\lambda + \nu)}{\Gamma(\nu + 1) \Gamma(\lambda + \mu + \nu)} e^{\mp 1/t} B(\mu + \lambda) \tilde{B}(\lambda) t^{-\nu} {}_2F_2(\nu + \frac{1}{2}, \lambda + \nu; 2\nu + 1, \mu + \lambda + \nu; \pm \frac{2}{t})$$

$$27. \quad I_{\nu}(t^{\frac{1}{2}}) I_{\nu-1}(t^{\frac{1}{2}}) = \frac{1}{\sqrt{\pi}} \tilde{A}(\nu - \frac{1}{2}) t^{(\nu-1)/2} I_{\nu}(2t^{\frac{1}{2}})$$

$$28. \quad I_{\nu}(t^{\frac{1}{2}}) I_{-\nu}(t^{\frac{1}{2}}) = \frac{1}{\sqrt{\pi}} \tilde{A}(-\nu) A(-\frac{1}{2}) t^{-\nu/2} I_{\nu}(t^{\frac{1}{2}})$$

$$29. \quad I_{\nu}(t) = \frac{2^{\nu-\mu} \Gamma(\frac{1}{2} - \mu + \nu)}{\sqrt{\pi} \Gamma(1 - \mu + 2\nu)} e^t B(\nu) \tilde{B}(\nu - \mu) t^{\nu-\mu} {}_1F_1(\frac{1}{2} - \mu + \nu; 1 - \mu + 2\nu; -2t)$$

$$30. \quad I_{\nu}(t^{-1}) = \frac{2^{\nu-\mu} \Gamma(\frac{1}{2} - \mu + \nu)}{\sqrt{\pi} \Gamma(1 - \mu + 2\nu)} e^{1/t} A(\nu - 1) \tilde{A}(\nu - \mu - 1) t^{\mu-\nu} {}_1F_1(\frac{1}{2} - \mu + \nu; 1 - \mu + 2\nu; -\frac{2}{t})$$

$$31. \quad I_{\nu}(t^{\frac{1}{2}}) K_{\nu}(t^{\frac{1}{2}}) = \frac{1}{\sqrt{\pi}} A(-\frac{1}{2}) \tilde{A}(\nu) t^{\nu/2} K_{\nu}(2t^{\frac{1}{2}})$$

$$32. \quad I_{\nu}(t^{-\frac{1}{2}}) K_{\nu}(t^{-\frac{1}{2}}) = \frac{1}{\sqrt{\pi}} B(\frac{1}{2}) \tilde{B}(\nu + 1) t^{-\nu/2} K_{\nu}(2t^{-\frac{1}{2}})$$

$$33. \quad K_{\nu}(t) = \sqrt{\pi} 2^{\nu} e^t B(-\nu) \tilde{B}(\frac{1}{2}) t^{\nu} e^{-2t}$$

$$34. \quad K_{\nu}(t^{-1}) = \sqrt{\pi} 2^{\nu} e^{1/t} A(-\nu - 1) \tilde{A}(-\frac{1}{2}) t^{-\nu} e^{-2/t}$$

$$35. \quad K_{\nu}(t^{\frac{1}{2}}) = \sqrt{\pi} 2^{-\nu-1} B(-\frac{\nu}{2}) \tilde{B}(\frac{\nu+1}{2}) t^{\nu/2} e^{-t^{\frac{1}{2}}}$$

$$36. K_{\nu}(t^{\frac{1}{2}}) = \sqrt{\pi} 2^{-\nu} B(-\frac{\nu}{2}) \tilde{B}(\frac{\nu-1}{2}) t^{(\nu-1)/2} e^{-t^{\frac{1}{2}}}$$

$$37. K_{\nu}(t^{-\frac{1}{2}}) = \sqrt{\pi} 2^{-\nu-1} A(-\frac{\nu}{2} - 1) \tilde{A}(\frac{\nu-1}{2}) t^{-\nu/2} e^{-t^{-\frac{1}{2}}}$$

$$38. K_{\nu}(t^{-\frac{1}{2}}) = \sqrt{\pi} 2^{-\nu} A(-\frac{\nu}{2} - 1) \tilde{A}(\frac{\nu-3}{2}) t^{(1-\nu)/2} e^{-t^{-\frac{1}{2}}}$$

$$39. K_{\nu}(t) = \frac{\sqrt{\pi} e^t}{\sqrt{2}} B(\mu + \frac{1}{2}) \tilde{B}(\frac{1}{2}) t^{-\frac{1}{2}} e^{-t} W_{-\mu, \nu}(2t)$$

$$40. K_{\nu}(t^{-1}) = \frac{\sqrt{\pi} e^{1/t}}{\sqrt{2}} A(\mu - \frac{1}{2}) \tilde{A}(-\frac{1}{2}) t^{\frac{1}{2}} e^{-1/t} W_{-\mu, \nu}(\frac{2}{t})$$

$$41. K_{\nu}(t) = \frac{\sqrt{\pi} 2^{-(\mu+1)/2} \Gamma(\frac{1}{2}-\mu+\nu)}{\Gamma(\frac{1}{2}+\nu)} e^{-t} B(\nu) \tilde{B}(\nu-\mu) e^t t^{-(\mu+1)/2} W_{\frac{\mu}{2}, \nu-\frac{\mu}{2}}(2t)$$

$$42. K_{\nu}(t^{-1}) = \frac{\sqrt{\pi} 2^{-(\mu+1)/2} \Gamma(\frac{1}{2}-\mu+\nu)}{\Gamma(\nu+\frac{1}{2})} e^{-1/t} A(\nu-1) \tilde{A}(\nu-\mu-1) e^{1/t} t^{(\mu+1)/2} W_{\frac{\mu}{2}, \nu-\frac{\mu}{2}}(\frac{2}{t})$$

$$43. K_{2\nu}(t^{\frac{1}{2}}) = \frac{1}{\sqrt{\pi}} B(\frac{1}{2}) [K_{\nu}(\frac{1}{2} t^{\frac{1}{2}})]^2$$

$$44. K_{2\nu}(t^{-\frac{1}{2}}) = \frac{1}{\sqrt{\pi}} A(-\frac{1}{2}) \tilde{A}(-\frac{1}{2}) [K_{\nu}(\frac{1}{2} t^{-\frac{1}{2}})]^2$$

$$45. K_{\nu}(2t^{\frac{1}{2}}) = \frac{1}{\sqrt{\pi}} B(\frac{1-\nu}{2}) \tilde{B}(-\frac{3\nu}{2}) t^{-\nu/2} [K_{\nu}(t^{\frac{1}{2}})]^2$$

$$46. K_{\nu}(2t^{-\frac{1}{2}}) = \frac{1}{\sqrt{\pi}} A(-\frac{\nu+1}{2}) \tilde{A}(-\frac{3\nu}{2} - 1) t^{\nu/2} [K_{\nu}(t^{-\frac{1}{2}})]^2$$

$$47. K_{\nu}(2t^{\frac{1}{2}}) = \frac{1}{\sqrt{\pi}} B(\frac{1-\nu}{2}) \tilde{B}(1 - \frac{3\nu}{2}) t^{(1-\nu)/2} K_{\nu}(t^{\frac{1}{2}}) K_{\nu-1}(t^{\frac{1}{2}})$$

$$48. \quad K_{\nu}(2t^{-1/2}) = \frac{1}{\sqrt{\pi}} A(-\frac{\nu+1}{2}) \widetilde{A}(-\frac{3\nu}{2}) t^{(\nu-1)/2} K_{\nu}(t^{-1/2}) K_{\nu-1}(t^{-1/2})$$

$$49. \quad K_{\nu}(t^{1/2}) = 2^{\mu} B(\frac{\nu}{2}) \widetilde{B}(\frac{\nu}{2} - \mu) t^{-1/2} K_{\nu-\mu}(t^{1/2})$$

$$50. \quad K_{\nu}(t^{-1/2}) = 2^{\mu} A(\frac{\nu}{2} - 1) \widetilde{A}(\frac{\nu}{2} - \mu - 1) t^{\mu/2} K_{\nu-\mu}(t^{-1/2})$$

$$51. \quad K_{\nu}(2t^{1/2}) = \frac{1}{\sqrt{\pi}} B(\frac{\nu+1}{2}) \widetilde{B}(\frac{3\nu}{2}) t^{\nu/2} [K_{\nu}(t^{1/2})]^2$$

$$52. \quad K_{\nu}(2t^{-1/2}) = \frac{1}{\sqrt{\pi}} A(\frac{\nu-1}{2}) \widetilde{A}(\frac{3\nu}{2} - 1) t^{-\nu/2} [K_{\nu}(t^{-1/2})]^2$$

$$53. \quad K_{\nu}(t^{1/2}) = 2^{-\nu-1} B(-\frac{\nu}{2}) N t^{\nu/2} e^{-t/4}$$

$$54. \quad K_{\nu}(t^{-1/2}) = 2^{-\nu-1} A(-\frac{\nu}{2} - 1) M t^{-\nu/2} e^{-1/4t}$$

Struve's functions

$$1. H_{\nu}(t^{1/2}) = \frac{2^{-\nu}}{\sqrt{\pi}} A(-\frac{\nu+1}{2}) \widetilde{A}(\frac{\nu}{2}) t^{\nu/2} \sin(t^{1/2})$$

$$2. H_{\nu}(t^{1/2}) = 2^{-\nu-1} A(-\frac{\nu+1}{2}) \widetilde{A}(\frac{\nu}{2}) \widetilde{A}(-\frac{\nu}{2}) \widetilde{M} t^{(\nu+1)/2} e^{-t/4}$$

$$3. H_{\nu}(t^{1/2}) = \frac{2^{1-\nu}}{\sqrt{\pi}} A(\frac{1-\nu}{2}) \widetilde{A}(\frac{\nu}{2}) t^{(\nu-1)/2} (1-\cos t^{1/2})$$

$$4. H_{\mu+\nu}(t^{1/2}) = 2^{-\mu} A(\frac{\nu-\mu}{2}) \widetilde{A}(\frac{\mu+\nu}{2}) t^{\mu/2} H_{\nu}(t^{1/2})$$

$$5. H_{2\nu}(t^{1/2}) = 2^{-\nu} \widetilde{A}(\nu) t^{\nu/2} H_{\nu}(t^{1/2})$$

$$6. H_{2\nu}(t^{1/2}) = \frac{2^{1-2\nu}}{\sqrt{\pi}} A(\frac{1}{2} - \nu) \widetilde{A}(\nu) t^{\nu-1/2} (1-\cos t^{1/2})$$

$$7. H_{\nu}(t^{1/2}) = \frac{2^{-\nu} \Gamma(\nu)}{\sqrt{\pi} \Gamma(\nu + \frac{3}{2}) \Gamma(\lambda+\mu)} A(\lambda+\mu - \frac{\nu+3}{2}) \widetilde{A}(\lambda - \frac{\nu+3}{2}) \cdot \\ \cdot t^{(\nu+1)/2} {}_2F_3(1, \lambda; \frac{3}{2}, \nu + \frac{3}{2}, \lambda+\mu; -\frac{t}{4})$$

$$8. H(2t^{1/2}) = \sqrt{\pi} B(\frac{\nu+1}{2}) \widetilde{B}(\frac{3\nu}{2}) t^{\nu/2} [J_{\nu}(t^{1/2})]^2$$

$$9. H(t^{-1/2}) = \frac{2^{-\nu}}{\sqrt{\pi}} B(\frac{1-\nu}{2}) \widetilde{B}(\frac{\nu}{2} + 1) t^{-\nu/2} \sin(t^{-1/2})$$

$$10. H(t^{-1/2}) = \frac{2^{1-\nu}}{\sqrt{\pi}} B(\frac{3-\nu}{2}) \widetilde{B}(\frac{\nu}{2} + 1) t^{(1-\nu)/2} (1-\cos t^{-1/2})$$

$$11. H_{\mu+\nu}(t^{-1/2}) = 2^{-\mu} B(\frac{\nu-\mu}{2} + 1) \widetilde{B}(\frac{\mu+\nu}{2} + 1) t^{-\mu/2} H_{\nu}(t^{-1/2})$$

$$12. H_{2\nu}(t^{-1/2}) = 2^{-\nu} B(1) \widetilde{B}(\nu+1) t^{-\nu/2} H_{\nu}(t^{-1/2})$$

$$13. H_{2\nu}(t^{-1/2}) = \frac{2^{1-2\nu}}{\sqrt{\pi}} B(\frac{3}{2} - \nu) \widetilde{B}(\nu+1) t^{1/2-\nu} (1 - \cos t^{-1/2})$$

$$14. H_{\nu}(t^{-1/2}) = 2^{-\nu-1} B(\frac{1-\nu}{2}) \widetilde{B}(\frac{\nu+1}{2}) \widetilde{B}(1 - \frac{\nu}{2}) N t^{-(\nu+1)/2} e^{-1/4t}$$

$$15. L_{\nu}(t^{1/2}) = \frac{\Gamma(\lambda) 2^{-\nu}}{\sqrt{\pi} \Gamma(\nu + \frac{3}{2}) \Gamma(\lambda+\mu)} A(\mu+\lambda - \frac{\nu+3}{2}) \widetilde{A}(\lambda - \frac{\nu+3}{2}) \cdot \\ \cdot t^{(\nu+1)/2} {}_2F_3(1, \lambda; \frac{3}{2}, \nu + \frac{3}{2}, \lambda+\mu; \frac{t}{4})$$

$$16. L_{\mu+\nu}(t^{1/2}) = 2^{-\mu} A(\frac{\nu-\mu}{2}) \widetilde{A}(\frac{\nu+\mu}{2}) t^{\mu/2} L_{\nu}(t^{1/2})$$

$$17. L_{2\nu}(t^{1/2}) = 2^{-\nu} \widetilde{A}(\nu) t^{\nu/2} L_{\nu}(t^{1/2})$$

$$18. L_{\nu}(t^{-1/2}) = \frac{\Gamma(\lambda) 2^{-\nu}}{\sqrt{\pi} \Gamma(\nu + \frac{3}{2}) \Gamma(\lambda+\mu)} B(\mu+\lambda - \frac{\nu+1}{2}) \widetilde{B}(\lambda - \frac{\nu+1}{2}) \cdot \\ \cdot t^{-(\nu+1)/2} {}_2F_3(1, \lambda; \frac{3}{2}, \nu + \frac{3}{2}, \lambda+\mu; \frac{1}{4t})$$

$$19. L_{\mu+\nu}(t^{-1/2}) = 2^{-\mu} B(\frac{\nu-\mu+2}{2}) \widetilde{B}(\frac{\nu+\mu+2}{2}) t^{-\mu/2} L_{\nu}(t^{-1/2})$$

$$20. \quad L_{2\nu}(t^{-\frac{1}{2}}) = 2^{-\nu} B(1) \tilde{B}(\nu+1) t^{-\nu/2} L_{\nu}(t^{-\frac{1}{2}})$$

$$21. \quad [H_{\nu}(2t^{\frac{1}{2}}) - 2Y_{\nu}(2t^{\frac{1}{2}})] = \sqrt{\pi} B(\frac{\nu+1}{2}) \tilde{B}(\frac{3\nu}{2}) t^{\nu/2} [Y_{\nu}(t^{\frac{1}{2}})]^2$$

$$22. \quad [\cos(\nu\pi) H_{\mu+\nu}(t^{\frac{1}{2}}) + \sin(\mu\pi) J_{-\mu-\nu}(t^{\frac{1}{2}})] = 2^{-\mu} \cos[(\mu+\nu)\pi] B(-\frac{\mu+\nu}{2}) \tilde{B}(\frac{\mu-\nu}{2}) \cdot t^{\mu/2} H_{\nu}(t^{\frac{1}{2}})$$

$$23. \quad [H_{-\mu}(t^{\frac{1}{2}}) - Y_{-\mu}(t^{\frac{1}{2}})] = \frac{2^{\mu+1}}{\pi} B(-\frac{\mu}{2}) \tilde{B}(-\frac{3\mu}{2}) t^{-\mu/2} S_{0,2\mu}(t^{\frac{1}{2}})$$

$$24. \quad [H_{\mu+\nu}(t^{\frac{1}{2}}) - Y_{\mu+\nu}(t^{\frac{1}{2}})] = \frac{2^{-\mu} \cos[(\mu+\nu)\pi]}{\cos(\nu\pi)} B(-\frac{\mu+\nu}{2}) \tilde{B}(\frac{\mu-\nu}{2}) t^{\mu/2} \cdot [H_{\nu}(t^{\frac{1}{2}}) - Y_{\nu}(t^{\frac{1}{2}})]$$

$$25. \quad [I_{\nu}(t^{\frac{1}{2}}) + L_{\nu}(t^{\frac{1}{2}})] = \frac{2^{-\nu}}{\sqrt{\pi}} A(-\frac{\nu+1}{2}) \tilde{A}(\frac{\nu}{2}) t^{\nu/2} e^{t^{\frac{1}{2}}}$$

$$26. \quad [I_{\nu}(t^{-\frac{1}{2}}) + L_{\nu}(t^{-\frac{1}{2}})] = \frac{2^{-\nu}}{\sqrt{\pi}} B(\frac{1-\nu}{2}) \tilde{B}(\frac{\nu}{2} + 1) t^{-\nu/2} e^{t^{-\frac{1}{2}}}$$

$$27. \quad [I_{\nu}(t^{\frac{1}{2}}) + L_{\nu}(t^{\frac{1}{2}})] = \frac{2^{1-\nu}}{\sqrt{\pi}} A(\frac{1-\nu}{2}) \tilde{A}(\frac{\nu}{2}) t^{(\nu-1)/2} \{e^{t^{\frac{1}{2}}} - 1\}$$

$$28. \quad [I_{\nu}(t^{-\frac{1}{2}}) + L_{\nu}(t^{-\frac{1}{2}})] = \frac{2^{1-\nu}}{\sqrt{\pi}} B(\frac{3-\nu}{2}) \tilde{B}(\frac{\nu}{2} + 1) t^{(1-\nu)/2} \{e^{t^{-\frac{1}{2}}} - 1\}$$

$$29. \quad [I_{\nu}(2t^{\frac{1}{2}}) - L_{\nu}(2t^{\frac{1}{2}})] = \frac{2}{\sqrt{\pi}} B(\frac{\nu+1}{2}) \tilde{B}(\frac{3\nu}{2}) t^{\nu/2} I_{\nu}(t^{\frac{1}{2}}) K_{\nu}(t^{\frac{1}{2}})$$

$$30. \quad [I_{-\mu-\nu}(2t^{\frac{1}{2}}) - L_{\mu+\nu}(t^{\frac{1}{2}})] = \frac{2^{-\mu} \cos[(\mu+\nu)\pi]}{\cos(\nu\pi)} B(-\frac{\mu+\nu}{2}) \tilde{B}(\frac{\mu-\nu}{2}) t^{\mu/2} \cdot [I_{-\nu}(t^{\frac{1}{2}}) - L_{\nu}(t^{\frac{1}{2}})]$$

Lommel functions

1. $s_{\alpha, \beta}(t^{1/2}) = \frac{1}{4} \Gamma(\frac{\alpha+\beta+1}{2}) \Gamma(\frac{\alpha-\beta+1}{2}) A(-\frac{\alpha+1}{2}) \widetilde{A}(\frac{\beta}{2}) \widetilde{A}(-\frac{\beta}{2}) \widetilde{M}_t^{(\alpha+1)/2} e^{-t/4}$
2. $s_{\mu+\nu-1, \mu-\nu}(t^{1/2}) = \Gamma(\mu) \Gamma(\nu) 2^{\nu-2} A(-\frac{\mu+\nu}{2}) \widetilde{A}(\frac{\mu-\nu}{2}) t^{\mu/2} J_{\nu}(t^{1/2})$
3. $s_{\alpha, \beta}(t^{1/2}) = \frac{\Gamma(\frac{\alpha+\beta+1}{2}) \Gamma(\frac{\alpha-\beta+1}{2})}{4\sqrt{\pi}} A(-\frac{\alpha+1}{2}) \widetilde{A}(\frac{\beta}{2}) A(-\frac{\alpha+2}{2}) \widetilde{A}(-\frac{\beta}{2}) t^{(\alpha+1)/2} \cos(t^{1/2})$
4. $s_{\alpha, \beta}(t^{-1/2}) = \frac{1}{4} \Gamma(\frac{\alpha+\beta+1}{2}) \Gamma(\frac{\alpha-\beta+1}{2}) B(\frac{1-\alpha}{2}) \widetilde{B}(\frac{\beta}{2} + 1) \widetilde{B}(1 - \frac{\beta}{2}) \widetilde{N} e^{-1, 4t}$
5. $s_{\mu+\nu-1, \mu-\nu}(t^{-1/2}) = \Gamma(\mu) \Gamma(\nu) 2^{\nu-2} B(1 - \frac{\mu+\nu}{2}) \widetilde{B}(\frac{\mu-\nu}{2} + 1) t^{-\mu/2} J_{\nu}(t^{-1/2})$
6. $s_{\alpha, \beta}(t^{-1/2}) = \frac{\Gamma(\frac{\alpha+\beta+1}{2}) \Gamma(\frac{\alpha-\beta+1}{2})}{4\sqrt{\pi}} B(\frac{1-\alpha}{2}) \widetilde{B}(\frac{\beta}{2} + 1) B(-\frac{\alpha}{2}) \widetilde{B}(1 - \frac{\beta}{2}) t^{-(\alpha+1)/2} \cos(t^{-1/2})$
7. $[2^{\mu} \text{ctn}(\nu\pi) J_{\mu+\nu}(t^{1/2}) + \frac{2^{\nu+2} \Gamma(\nu+1)}{\pi \Gamma(\mu)} s_{\mu-\nu-1, \mu+\nu}(t^{1/2})] = A(-\frac{\nu-\mu}{2}) \widetilde{A}(\frac{\mu+\nu}{2}) t^{\mu/2} Y_{\nu}(t^{1/2})$
8. $s_{\lambda+\mu, \nu+\mu}(t^{1/2}) = \frac{\Gamma(\frac{1-\lambda-\nu}{2})}{\Gamma(\frac{1-\lambda-\nu}{2} - \mu)} B(-\frac{\mu+\nu}{2}) \widetilde{B}(\frac{\mu-\nu}{2}) t^{\mu/2} S_{\lambda, \nu}(t^{1/2})$
9. $[2^{\mu} Y_{\mu+\nu}(t^{1/2}) + 2^{\nu+2} \frac{\Gamma(\nu+1)}{\pi \Gamma(\mu)} s_{\mu-\nu-1, \mu+\nu}(t^{1/2})] = A(-\frac{\nu-\mu}{2}) \widetilde{A}(\frac{\mu+\nu}{2}) t^{\mu/2} Y_{\nu}(t^{1/2})$
10. $[Y_{-2\mu}(t^{1/2}) + \frac{2}{\pi} s_{0, 2\mu}(t^{1/2})] = 2^{-\mu} B(-\mu) t^{\mu/2} \mathbf{H}_{-\mu}(t^{1/2})$

Gauss hypergeometric function

1. $F(a, b; c; -t) = \frac{\Gamma(c)}{\Gamma(b)} A(b-1) \bar{A}(c-1) (1+t)^{-a}$
2. $F(a, b; c; -t) = \frac{\Gamma(c)}{\Gamma(a)} A(a-1) \bar{A}(c-1) (1+t)^{-b}$
3. $F(a, b; c; -t) = \frac{\Gamma(c)}{\Gamma(a)\Gamma(b)} A(a-1) \bar{A}(c-1) A(b-1) M e^{-t}$
4. $F(a, b; c; -t) = \frac{\Gamma(c)\Gamma(c)}{\Gamma(a)\Gamma(b)} A(a-1) \bar{A}(c-1) A(b-1) \bar{A}(c-1) (1+t)^{-c}$
5. $F(a, b; c; -t^{-1}) = \frac{\Gamma(c)}{\Gamma(b)} B(b) \bar{B}(c) t^a (t+1)^{-a}$
6. $F(a, b; c; -t^{-1}) = \frac{\Gamma(c)}{\Gamma(a)} B(a) \bar{B}(c) t^b (t+1)^{-b}$
7. $F(a, b; c; -t^{-1}) = \frac{\Gamma(c)}{\Gamma(a)\Gamma(b)} B(a) \bar{B}(c) B(b) N e^{-1/t}$
8. $F(a, b; c; -t^{-1}) = \frac{\Gamma(c)\Gamma(c)}{\Gamma(a)\Gamma(a)} B(a) \bar{B}(c) B(b) \bar{B}(c) t^c (t+1)^{-c}$
9. $.(1-t)^{c-1} F(a, b; c; 1-t) = \frac{\Gamma(c)}{\Gamma(a)} \bar{B}(c-a) t^{c-a-b} .(1-t)^{a-1}$
10. $.(1-t)^{c-1} F(a, b; c; 1-t) = \frac{\Gamma(c)}{\Gamma(b)} \bar{B}(c-b) t^{c-a-b} .(1-t)^{b-1}$
11. $.(1-t)^{c-1} F(a, b; c; 1-t) = \Gamma(c) \bar{B}(c-a) \bar{B}(c-b) \bar{N} t^{c-a-b} e^{-t}$

$$12. \quad {}_0(1-t)^{c-1}F(a,b;c;1-t) = \Gamma(c)B(c-a-b)\overline{B}(c-a)\overline{B}(c-b)\overline{N}e^{-t}$$

$$13. \quad {}_0(t-1)^{c-1}F(a,b;c;1-t^{-1}) = \frac{\Gamma(c)}{\Gamma(c-a)} A(-a-b)\overline{A}(-b)t^a {}_0(t-1)^{c-a-1}$$

$$14. \quad {}_0(t-1)^{c-1}F(a,b;c;1-t^{-1}) = \frac{\Gamma(c)}{\Gamma(c-b)} A(-a-b)\overline{A}(-a)t^b {}_0(t-1)^{c-b-1}$$

$$15. \quad {}_0(t-1)^{c-1}F(a,b;c;1-t^{-1}) = \Gamma(c)A(-a-b)\overline{A}(-a)\overline{A}(-b)\overline{M}t^{c-1}e^{-1/t}$$

$$16. \quad {}_0(t-1)^{c-1}F(a,b;c;1-t^{-1}) = \Gamma(c)A(c)\overline{A}(-a)\overline{A}(-b)\overline{M}t^{a+b-1}e^{-1/t}$$

$$17. \quad F(a,b;c;t^{-1}) = \frac{1}{\Gamma(d)} B(d)N_2F_2(a,b;c,d;t^{-1})$$

$$18. \quad F(a,b;c;-t^{-1}) = \frac{1}{\Gamma(b)} B(b)N_1F_1(a;c;-t^{-1})$$

$$19. \quad F(a,b;c;t) = \frac{1}{\Gamma(d)} A(d-1)M_2F_2(a,b;c,d;t)$$

$$20. \quad F(a,b;c;-t) = \frac{1}{\Gamma(b)} A(b-1)M_1F_1(a;c;-t)$$

Generalized hypergeometric series

1. ${}_0F_1(b; -t) = \Gamma(b) \tilde{A}(b-1) \tilde{M} e^{-t}$
2. ${}_0F_1(b; -t) = \frac{\Gamma(b)}{\sqrt{\pi}} A(-\frac{1}{2}) \tilde{A}(b-1) \cos(2t^{\frac{1}{2}})$
3. ${}_0F_1(b; -t^{-1}) = \Gamma(b) \tilde{B}(b) \tilde{N} e^{-1/t}$
4. ${}_0F_1(b; -t^{-1}) = \frac{\Gamma(b)}{\sqrt{\pi}} B(\frac{1}{2}) \tilde{B}(b) \cos(2t^{-\frac{1}{2}})$
5. ${}_1F_2(a; b_1, b_2; -t) = \frac{\Gamma(b_1) \Gamma(b_2)}{\Gamma(a)} A(a-1) \tilde{A}(b_1-1) \tilde{A}(b_2-1) \tilde{M} e^{-t}$
6. ${}_1F_2(a; b_1, b_2; -t) = \frac{\Gamma(b_1) \Gamma(b_2)}{\sqrt{\pi} \Gamma(a)} A(a-1) \tilde{A}(b_1-1) A(-\frac{1}{2}) \tilde{A}(b_2-1) \cos(2t^{\frac{1}{2}})$
7. ${}_1F_2(a; b, \frac{3}{2}; -t) = \frac{\Gamma(b)}{2\Gamma(a)} A(a-1) \tilde{A}(b-1) t^{-\frac{1}{2}} \sin(2t^{\frac{1}{2}})$
8. ${}_1F_2(a; b, \frac{1}{2}; -t) = \frac{\Gamma(b)}{\Gamma(a)} A(a-1) \tilde{A}(b-1) \cos(2t^{\frac{1}{2}})$
9. ${}_1F_2(a; b, \nu+1; -t) = \frac{\Gamma(b) \Gamma(\nu+1)}{\Gamma(a)} A(a-1) \tilde{A}(b-1) t^{-\nu/2} J_{\nu}(2t^{\frac{1}{2}})$
10. ${}_1F_2(a; b, \nu+1; t) = \frac{\Gamma(b) \Gamma(\nu+1)}{\Gamma(a)} A(a-1) \tilde{A}(b-1) t^{-\nu/2} I_{\nu}(2t^{\frac{1}{2}})$
11. ${}_1F_2(a; b_1, b_2; -t^{-1}) = \frac{\Gamma(b_1) \Gamma(b_2)}{\Gamma(a)} B(a) \tilde{B}(b_1) \tilde{B}(b_2) \tilde{N} e^{-1/t}$

12. ${}_1F_2(a; b_1, b_2; -t^{-1}) = \frac{\Gamma(b_1)\Gamma(b_2)}{\sqrt{\pi} \Gamma(a)} B(a)\tilde{B}(b_1)B(\frac{1}{2})\tilde{B}(b_2)\cos(2t^{-\frac{1}{2}})$
13. ${}_1F_2(a; b, \frac{3}{2}; -t^{-1}) = \frac{\Gamma(b)}{2\Gamma(a)} B(a)\tilde{B}(b)t^{\frac{1}{2}}\sin(2t^{-\frac{1}{2}})$
14. ${}_1F_2(a; b, \frac{1}{2}; -t^{-1}) = \frac{\Gamma(b)}{\Gamma(a)} B(a)\tilde{B}(b)\cos(2t^{-\frac{1}{2}})$
15. ${}_1F_2(a; b, \nu+1; -t^{-1}) = \frac{\Gamma(b)\Gamma(\nu+1)}{\Gamma(a)} B(a)\tilde{B}(b)t^{\nu/2}J_{\nu}(2t^{-\frac{1}{2}})$
16. ${}_1F_2(a; b, \nu+1; t^{-1}) = \frac{\Gamma(b)\Gamma(\nu+1)}{\Gamma(a)} B(a)\tilde{B}(b)t^{\nu/2}I_{\nu}(2t^{-\frac{1}{2}})$
17. ${}_2F_2(a_1, a_2; b_1, b_2; -t) = \frac{\Gamma(b_1)\Gamma(b_2)}{\Gamma(a_1)\Gamma(a_2)} A(a_1-1)\tilde{A}(b_1-1)A(a_2-1)\tilde{A}(b_2-1)e^{-t}$
18. ${}_2F_2(a_1, a_2; b_1, b_2; t) = \frac{\Gamma(b_1)\Gamma(b_2)}{\Gamma(a_1)\Gamma(a_2)} A(a_1-1)\tilde{A}(b_1-1)A(a_1+a_2-2)\tilde{A}(b_1+a_2-2)t^{1-a_2}e^t$
19. ${}_2F_2(a_1, a_2; 2a_1, b; t) = \frac{\Gamma(a_1+\frac{1}{2})\Gamma(b)}{\sqrt{\pi} \Gamma(a_2)} A(a_2-1)\tilde{A}(b-1)A(a_1-1)\tilde{A}(2a_1-1)e^t$
20. ${}_2F_2(a_1, a_2; b_1, b_2; t) = \frac{\Gamma(b_2)}{\Gamma(a_2)} A(a_2-1)\tilde{A}(b_2-1){}_1F_1(a_1; b; t)$
21. ${}_2F_2(a_1, a_2; b_1, b_2; t) = \Gamma(b_2)\tilde{A}(b_2-1)\tilde{M}_2F_1(a_1, a_2; b_1; t)$
22. ${}_2F_2(\nu+\frac{1}{2}, a; 2\nu+1, b; t) = \frac{\Gamma(\nu+1)\Gamma(b)}{\Gamma(a)} A(a-1)\tilde{A}(b-1)t^{-\nu}e^{t/2}I_{\nu}(\frac{t}{2})$
23. ${}_2F_2(\nu + \frac{1}{2}, a; 2\nu+1, b; \pm it) = \frac{\Gamma(\nu+1)\Gamma(b)}{\Gamma(a)} A(a-1)\tilde{A}(b-1)t^{-\nu}e^{\pm it/2}J_{\nu}(\frac{t}{2})$

$$24. {}_2F_2(\alpha+n+1, a; \alpha+1, b; -t) = \frac{n! \Gamma(\alpha+1) \Gamma(b)}{\Gamma(\alpha+n+1) \Gamma(a)} A(a-1) \widetilde{A}(b-1) e^{-t} L_n^\alpha(t)$$

$$25. {}_2F_2(-n, a; \alpha+1, b; t) = \frac{n! \Gamma(\alpha+1) \Gamma(b)}{\Gamma(\alpha+n+1) \Gamma(a)} A(a-1) \widetilde{A}(b-1) L_n^\alpha(t)$$

$$26. {}_2F_2(a_1, a_2; b_1, b_2; t) = \frac{1}{\Gamma(b_3)} A(b_3-1) M_2 F_3(a_1, a_2; b_1, b_2, b_3; t)$$

$$27. {}_2F_2(a_1, a_2; b_1, b_2; t) = \Gamma(a_3) \widetilde{A}(a_3-1) \widetilde{M}_3 F_2(a_1, a_2, a_3; b_1, b_2; t)$$

$$28. {}_2F_2(a_1, a_2; b_1, b_2; t) = \frac{1}{\Gamma(a_2)} A(a_2-1) M_1 F_2(a_1; b_1, b_2; t)$$

$$29. {}_2F_2(a_1, a_2; b, \nu+1; -t) = \frac{\Gamma(b) \Gamma(\nu+1)}{\Gamma(a_1) \Gamma(a_2)} A(a_1-1) \widetilde{A}(b-1) A(a_2-1) M t^{-\nu/2} J_\nu(2t^{1/2})$$

$$30. {}_2F_2(a_1, a_2; b_1, b_2; -t^{-1}) = \frac{\Gamma(b_1) \Gamma(b_2)}{\Gamma(a_1) \Gamma(a_2)} B(a_1) \widetilde{B}(b_1) B(a_2) \widetilde{B}(b_2) e^{-1/t}$$

$$31. {}_2F_2(a_1, a_2; b_1, b_2; t^{-1}) = \frac{\Gamma(b_1) \Gamma(b_2)}{\Gamma(a_1) \Gamma(a_2)} B(a_1) \widetilde{B}(b_1) B(a_1+a_2-1) \widetilde{B}(b_1+a_2-1) t^{1-a_2} e^{1/t}$$

$$32. {}_2F_2(a_1, a_2; 2a_1, b; t^{-1}) = \frac{\Gamma(a_1+1/2) \Gamma(b)}{\sqrt{\pi} \Gamma(a_2)} B(a_2) \widetilde{B}(b) B(a_1) \widetilde{B}(2a_1) e^{1/t}$$

$$33. {}_2F_2(a_1, a_2; b_1, b_2; t^{-1}) = \frac{\Gamma(b_2)}{\Gamma(b_1)} B(a_2) \widetilde{B}(b_2) {}_1F_1(a_1; b; t^{-1})$$

$$34. {}_2F_2(a_1, a_2; b_1, b_2; t^{-1}) = \Gamma(b_2) \widetilde{B}(b_2) \widetilde{N}_2 F_1(a_1, a_2; b; t^{-1})$$

$$35. {}_2F_2(\nu + \frac{1}{2}, a; 2\nu+1, b; t^{-1}) = \frac{\Gamma(\nu+1) \Gamma(b)}{\Gamma(a)} B(a) \widetilde{B}(b) t^\nu e^{1/2t} I_\nu(\frac{1}{2t})$$

$$36. {}_2F_2(\alpha+n+1, a; \alpha+1, b; -t^{-1}) = \frac{n! \Gamma(\alpha+1) \Gamma(b)}{\Gamma(\alpha+n+1) \Gamma(a)} B(a) \widetilde{B}(b) e^{-1/t} L_n^\alpha(t^{-1})$$

$$37. {}_2F_2(-n, a; \alpha+1, b; t^{-1}) = \frac{n! \Gamma(\alpha+1) \Gamma(b)}{\Gamma(\alpha+n+1) \Gamma(a)} B(a) \widetilde{B}(b) L_n^\alpha(t^{-1})$$

$$38. {}_2F_2(a_1, a_2; b_1, b_2; t^{-1}) = \frac{1}{\Gamma(b_3)} B(b_3) {}_2F_3(a_1, a_2; b_1, b_2, b_3; t^{-1})$$

$$39. {}_2F_2(a_1, a_2; b_1, b_2; t^{-1}) = \Gamma(a_3) \widetilde{B}(a_3) \widetilde{N}_3 F_2(a_1, a_2, a_3; b_1, b_2; t^{-1})$$

$$40. {}_2F_2(a_1, a_2; b_1, b_2; t^{-1}) = \frac{1}{\Gamma(a_2)} B(a_2) N_1 F_2(a_1; b_1, b_2; t^{-1})$$

$$41. {}_2F_2(a_1, a_2; b, \nu+1; -t^{-1}) = \frac{\Gamma(b) \Gamma(\nu+1)}{\Gamma(a_1) \Gamma(a_2)} B(a_1) \widetilde{B}(b) B(a_2) N t^{\nu/2} J_\nu(2t^{-1/2})$$

$$42. {}_2F_3(a_1, a_2; b_1, b_2, b_3; -t) = \frac{\Gamma(b_1) \Gamma(b_2) \Gamma(b_3)}{\Gamma(a_1) \Gamma(a_2)} \cdot$$

$$\cdot A(a_1-1) \widetilde{A}(b_1-1) A(a_2-1) \widetilde{A}(b_2-1) \widetilde{A}(b_3-1) \widetilde{M} e^{-t}$$

$$43. {}_2F_3(a, a + \frac{1}{2}; \nu+1, b, b + \frac{1}{2}; -t^2) = \frac{\Gamma(\nu+1) \Gamma(2b)}{\Gamma(2a)} A(2a-1) \widetilde{A}(2b-1) t^{-\nu} J_\nu(2t)$$

$$44. {}_2F_3(1, a; \frac{\kappa+3-\nu}{2}, \frac{\kappa+3+\nu}{2}, -t) = \frac{(\kappa+1-\nu)(\kappa+1+\nu) \Gamma(b)}{\Gamma(a)} 2^{-\kappa} A(a-1) \widetilde{A}(b-1) t^{-(\kappa+1)/2} s_{\kappa, \nu}(2t^{1/2})$$

$$45. {}_2F_3(1, a; \frac{3}{2}, \nu + \frac{3}{2}, b; -t) = \frac{\sqrt{\pi} \Gamma(\nu+3/2) \Gamma(b)}{2 \Gamma(a)} A(a-1) \widetilde{A}(b-1) t^{-(\nu+1)/2} H_\nu(2t^{1/2})$$

46. ${}_2F_3\left(\frac{1}{2}, a; 1+\nu, 1-\nu, b; -t\right) = \frac{\Gamma(b)\Gamma(1+\nu)\Gamma(1-\nu)}{\Gamma(a)} A(a-1)\bar{A}(b-1)J_\nu(t^{\frac{1}{2}})J_{-\nu}(t^{\frac{1}{2}})$
47. ${}_2F_3\left(1, a; \frac{3}{2}, \nu + \frac{3}{2}, b; -t\right) = \frac{\Gamma(\nu+3/2)\Gamma(b)}{2\Gamma(a)} A(a-1)\bar{A}(b-1)\bar{A}(\nu + \frac{1}{2})t^{-\frac{1}{2}}\sin(2t^{\frac{1}{2}})$
48. ${}_2F_3\left(1, a; \frac{3}{2}, \nu + \frac{3}{2}, b; t\right) = \frac{\sqrt{\pi}\Gamma(\nu+3/2)\Gamma(b)}{2\Gamma(a)} A(a-1)\bar{A}(b-1)t^{-(\nu+1)/2}L_\nu(2t^{\frac{1}{2}})$
49. ${}_2F_3(a_1, a_2; b_1, b_2, b_3; t) = \Gamma(b_3)\bar{A}(b_3-1)\bar{M}_2F_2(a_1, a_2; b_1, b_2; t)$
50. ${}_2F_3(a_1, a_2; b_1, b_2, b_3; t) = \frac{1}{\Gamma(b_4)} A(b_4-1)M_2F_4(a_1, a_2; b_1, b_2, b_3, b_4; t)$
51. ${}_2F_3(a_1, a_2; b_1, b_2, b_3; t) = \frac{1}{\Gamma(a_2)} A(a_2-1)M_1F_3(a_1; b_1, b_2, b_3; t)$
52. ${}_2F_3(a_1, a_2; b_1, b_2, b_3; t) = \Gamma(a_3)\bar{A}(a_3-1)\bar{M}_3F_3(a_1, a_2, a_3; b_1, b_2, b_3; t)$
53. ${}_2F_3(a_1, a_2; b_1, b_2, b_3; -t^{-1}) = \frac{\Gamma(b_1)\Gamma(b_2)\Gamma(b_3)}{\Gamma(a_1)\Gamma(a_2)} B(a_1)\bar{B}(b_1)B(a_2)\bar{B}(b_2)\bar{B}(b_3)\bar{M}e^{-1/t}$
54. ${}_2F_3\left(a, a + \frac{1}{2}; \nu+1, b, b + \frac{1}{2}; -t^{-2}\right) = \frac{\Gamma(\nu+1)\Gamma(2b)}{\Gamma(2a)} B(2a)\bar{B}(2b)t^\nu J_\nu\left(\frac{2}{t}\right)$
55. ${}_2F_3\left(1, a; \frac{\kappa+3-\nu}{2}, \frac{\kappa+3+\nu}{2}, b; -t^{-1}\right) = \frac{(\kappa+1-\nu)(\kappa+1+\nu)\Gamma(b)}{\Gamma(a)} 2^{-\kappa}B(a)\bar{B}(b)t^{(\kappa+1)/2}s_{\kappa, \nu}(2t^{-\frac{1}{2}})$
56. ${}_2F_3\left(1, a; \frac{3}{2}, \nu + \frac{3}{2}, b; -t^{-1}\right) = \frac{\sqrt{\pi}\Gamma(\nu+3/2)\Gamma(b)}{2\Gamma(a)} B(a)\bar{B}(b)t^{(\nu+1)/2}H_\nu(2t^{-\frac{1}{2}})$
57. ${}_2F_3\left(\frac{1}{2}, a; 1+\nu, 1-\nu, b; -t^{-1}\right) = \frac{\Gamma(b)\Gamma(1+\nu)\Gamma(1-\nu)}{\Gamma(a)} B(a)\bar{B}(b)J_\nu(t^{-\frac{1}{2}})J_{-\nu}(t^{-\frac{1}{2}})$

58. ${}_2F_3(1, a; \frac{3}{2}, \nu + \frac{3}{2}, b; -t^{-1}) = \frac{\Gamma(\nu+3/2)\Gamma(b)}{2\Gamma(a)} B(a)\overline{B}(b)B(1)\overline{B}(\nu + \frac{3}{2})t^{\frac{1}{2}}\sin(2t^{-\frac{1}{2}})$
59. ${}_2F_3(1, a; \frac{3}{2}, \nu + \frac{3}{2}, b; t^{-1}) = \frac{\sqrt{\pi}\Gamma(\nu+3/2)\Gamma(b)}{2\Gamma(a)} B(a)\overline{B}(b)t^{(\nu+1)/2}L_{\nu}(2t^{-\frac{1}{2}})$
60. ${}_2F_3(a_1, a_2; b_1, b_2, b_3; t^{-1}) = \Gamma(b_3)\overline{B}(b_3)\overline{N}_2F_2(a_1, a_2; b_1, b_2; t^{-1})$
61. ${}_2F_3(a_1, a_2; b_1, b_2, b_3; t^{-1}) = \frac{1}{\Gamma(b_4)} B(b_4)N_2F_4(a_1, a_2; b_1, b_2, b_3, b_4; t^{-1})$
62. ${}_2F_3(a_1, a_2; b_1, b_2, b_3; t^{-1}) = \frac{1}{\Gamma(a_2)} B(a_2)N_1F_3(a_1; b_1, b_2, b_3; t^{-1})$
63. ${}_2F_3(a_1, a_2; b_1, b_2, b_3; t^{-1}) = \Gamma(a_3)\overline{B}(a_3)\overline{N}_3F_3(a_1, a_2, a_3; b_1, b_2, b_3; t^{-1})$
64. ${}_3F_2(a_1, a_2, a_3; b_1, b_2; -t) = \frac{\Gamma(b_1)\Gamma(b_2)}{\Gamma(a_1)\Gamma(a_2)\Gamma(a_3)} A(a_1-1)\overline{A}(b_1-1)A(a_2-1)\overline{A}(b_2-1)A(a_3-1)Me^{-t}$
65. ${}_3F_2(a_1, a_2, a_2 + \frac{1}{2}; b, b + \frac{1}{2}; t^2) = \frac{\Gamma(2b)}{\Gamma(2a_2)} A(2a_2-1)\overline{A}(2b_2-1)(1-t^2)^{-a_1}$
66. ${}_3F_2(-n, n+1, a; 1, b; t) = \frac{\Gamma(b)}{\Gamma(a)} A(a-1)\overline{A}(b-1)P_n(1-2t)$
67. ${}_3F_2(-n, n+a_1, a_2; \frac{a_1+1}{2}, b; t) = \frac{\Gamma(b)n!\Gamma(a_1)}{\Gamma(a_1+n)\Gamma(a_2)} A(a_2-1)\overline{A}(b-1)C_n^{(a_1)/2}(1-2t)$
68. ${}_3F_2(\alpha+n+1, -\beta-n, a; \alpha+1, b; \pm t) = \frac{n!\Gamma(\alpha+1)\Gamma(b)}{\Gamma(\alpha+n+1)\Gamma(a)} A(a-1)\overline{A}(b-1)(1\pm t)^{\beta}P_n^{\alpha, \beta}(1\pm 2t)$
69. ${}_3F_2(-\nu, 1+\nu, \kappa; 1-\lambda, \kappa+\mu; t)H(1-t)$

$$= \frac{\Gamma(\kappa+\mu)\Gamma(1-\lambda)}{\Gamma(\kappa)} A(\kappa-1)\overline{A}(\mu+\kappa-1)t^{\lambda/2} \cdot (1-t)^{-\lambda/2} P_{\nu}^{\lambda}(1-2t)$$

70. ${}_3F_2(a_1, a_2, a_3; b_1, b_2; t) = \Gamma(b_2) \widetilde{A}(b_2-1) \widetilde{M}_3 F_1(a_1, a_2, a_3; b_1; t)$
71. ${}_3F_2(a_1, a_2, a_3; b_1, b_2; t) = \frac{1}{\Gamma(b_3)} A(b_3-1) M_3 F_3(a_1, a_2, a_3; b_1, b_2, b_3; t)$
72. ${}_3F_2(a_1, a_2, a_3; b_1, b_2; t) = \frac{1}{\Gamma(a_3)} A(a_3-1) M_2 F_2(a_1, a_2; b_1, b_2; t)$
73. ${}_3F_2(a_1, a_2, a_3; b_1, b_2; t) = \Gamma(a_4) \widetilde{A}(a_4-1) \widetilde{M}_4 F_2(a_1, a_2, a_3, a_4; b_1, b_2; t)$
74. ${}_3F_2(a_1, a_2, a_3; b_1, b_2; -t^{-1}) = \frac{\Gamma(b_1)\Gamma(b_2)}{\Gamma(a_1)\Gamma(a_2)\Gamma(a_3)} B(a_1) \widetilde{B}(b_1) B(a_2) \widetilde{B}(b_2) B(a_3) N e^{-1/t}$
75. ${}_3F_2(a_1, a_2, a_2 + \frac{1}{2}; b, b + \frac{1}{2}; t^{-2}) = \frac{\Gamma(2b)}{\Gamma(2a_2)} B(2a_2) \widetilde{B}(2b_2) t^{-2a_1} (t^2-1)^{-a_1}$
76. ${}_3F_2(-n, n+1, a; 1, b; t^{-1}) = \frac{\Gamma(b)}{\Gamma(a)} B(a) \widetilde{B}(b) P_n(1 - \frac{2}{t})$
77. ${}_3F_2(-n, n+a_1, a_2; \frac{a_1+1}{2}, b; t^{-1}) = \frac{\Gamma(b)n!\Gamma(a_1)}{\Gamma(a_1+n)\Gamma(a_2)} B(a_2) \widetilde{B}(b) C_n^{\frac{1}{2}a_1}(1 - \frac{2}{t})$
78. ${}_3F_2(a_1, a_2, a_3; b_1, b_2; t^{-1}) = \Gamma(b_2) \widetilde{B}(b_2) \widetilde{M}_3 F_1(a_1, a_2, a_3; b_1; t^{-1})$
79. ${}_3F_2(a_1, a_2, a_3; b_1, b_2; t^{-1}) = \frac{1}{\Gamma(b_3)} B(b_3) M_3 F_3(a_1, a_2, a_3; b_1, b_2, b_3; t^{-1})$
80. ${}_3F_2(a_1, a_2, a_3; b_1, b_2; t^{-1}) = \frac{1}{\Gamma(a_3)} B(a_3) M_2 F_2(a_1, a_2; b_1, b_2; t^{-1})$
81. ${}_3F_2(a_1, a_2, a_3; b_1, b_2; t^{-1}) = \Gamma(a_4) \widetilde{B}(a_4) \widetilde{M}_4 F_2(a_1, a_2, a_3, a_4; b_1, b_2; t^{-1})$

$$82. {}_m F_{n+1}(a_1, \dots, a_m; b_1, \dots, b_{n+1}; t) = \Gamma(b_{n+1}) \widetilde{A}(b_{n+1}-1) \widetilde{M}_m F_n(a_1, \dots, a_m; b_1, \dots, b_n; t)$$

$$83. {}_m F_n(a_1, \dots, a_m; b_1, \dots, b_n; t) = \frac{1}{\Gamma(b_{n+1})} A(b_{n+1}-1) M_m F_{n+1}(a_1, \dots, a_m; b_1, \dots, b_{n+1}; t)$$

$$84. {}_{m+1} F_n(a_1, \dots, a_{m+1}; b_1, \dots, b_n; t) = \frac{1}{\Gamma(a_{m+1})} A(a_{m+1}-1) M_m F_n(a_1, \dots, a_m; b_1, \dots, b_n; t)$$

$$85. {}_m F_n(a_1, \dots, a_m; b_1, \dots, b_n; t) = \Gamma(a_{m+1}) \widetilde{A}(a_{m+1}-1) \widetilde{M}_{m+1} F_n(a_1, \dots, a_{m+1}; b_1, \dots, b_n; t)$$

$$86. {}_{n+1} F_n(a, \frac{b}{n}, \frac{b+1}{n}, \dots, \frac{b+n-1}{n}; \frac{c}{n}, \frac{c+1}{n}, \dots, \frac{c+n-1}{n}; t^n) = \frac{\Gamma(c)}{\Gamma(b)} A(b-1) \widetilde{A}(c-1) (1-t^n)^{-a}$$

$$87. {}_n F_n(\frac{b}{n}, \frac{b+1}{n}, \dots, \frac{b+n-1}{n}; \frac{c}{n}, \dots, \frac{c+n-1}{n}; t^n) = \frac{\Gamma(c)}{\Gamma(b)} A(b-1) \widetilde{A}(c-1) e^{t^n}$$

$$88. {}_m F_n(a_1, \dots, a_m; b_1, \dots, b_n; -t^{-\frac{1}{2}})$$

$$= \frac{1}{\sqrt{\pi}} A(-\frac{1}{2}) M_{2m} F_{2n}(\frac{a_1}{2}, \frac{a_1+1}{2}, \dots, \frac{a_m}{2}, \frac{a_m+1}{2}; \frac{b_1}{2}, \frac{b_1+1}{2}, \dots, \frac{b_n}{2}, \frac{b_n+1}{2}; 2^{-m-n-2} t^{-1})$$

$$89. {}_m F_{n+1}(a_1, \dots, a_m; b_1, \dots, b_{n+1}; t^{-1}) = \Gamma(b_{n+1}) \widetilde{B}(b_{n+1}) \widetilde{N}_m F_n(a_1, \dots, a_m; b_1, \dots, b_n; t^{-1})$$

$$90. {}_m F_n(a_1, \dots, a_m; b_1, \dots, b_n; t^{-1}) = \frac{1}{\Gamma(b_{n+1})} B(b_{n+1}) N_m F_{n+1}(a_1, \dots, a_m; b_1, \dots, b_{n+1}; t^{-1})$$

$$91. {}_{m+1} F_n(a_1, \dots, a_{m+1}; b_1, \dots, b_n; t^{-1}) = \frac{1}{\Gamma(a_{m+1})} B(a_{m+1}) N \cdot$$

$$\cdot {}_m F_n(a_1, \dots, a_m; b_1, \dots, b_n; t^{-1})$$

$$92. {}_m F_n(a_1, \dots, a_m; b_1, \dots, b_n; t^{-1}) = \Gamma(a_{m+1}) \widetilde{B}(a_{m+1}) \widetilde{N}_{m+1} F_n(a_1, \dots, a_{m+1}; b_1, \dots, b_n; t^{-1})$$

$$93. {}_{n+1} F_n(a, \frac{b}{n}, \frac{b+1}{n}, \dots, \frac{b+n-1}{n}; \frac{c}{n}, \frac{c+1}{n}, \dots, \frac{c+n-1}{n}; t^{-n}) = \frac{\Gamma(c)}{\Gamma(b)} B(b) \widetilde{B}(c) t^{na} (t^n - 1)^{-a}$$

$$94. {}_n F_n(\frac{b}{n}, \frac{b+1}{n}, \dots, \frac{b+n-1}{n}; \frac{c}{n}, \dots, \frac{c+n-1}{n}; t^{-n}) = \frac{\Gamma(c)}{\Gamma(b)} B(b) \widetilde{B}(c) e^{t^{-n}}$$

$$95. {}_m F_n(a_1, \dots, a_m; b_1, \dots, b_n; -t^{\frac{1}{2}})$$

$$= \frac{1}{\sqrt{\pi}} B(\frac{1}{2}) N_{2m} F_{2n}(\frac{a_1}{2}, \frac{a_1+1}{2}, \dots, \frac{a_m}{2}, \frac{a_m+1}{2}; \frac{b_1}{2}, \frac{b_1+1}{2}, \dots, \frac{b_n}{2}, \frac{b_n+1}{2}; 2^{-m-n-2} t)$$

$$96. {}_m F_n(a_1, \dots, a_m; \mu+\nu, b_2, \dots, b_n; t) = \frac{\Gamma(\mu+\nu)}{\Gamma(\nu)} A(\nu-1) A(\nu+\mu-1) \cdot$$

$$\cdot {}_m F_n(a_1, \dots, a_m; \nu, b_2, \dots, b_n; t)$$

$$97. {}_{m+1} F_{n+1}(\nu, a_1, \dots, a_m; \mu+\nu, b_1, \dots, b_n; t) = \frac{\Gamma(\mu+\nu)}{\Gamma(\nu)} A(\nu-1) A(\nu+\mu-1) \cdot$$

$$\cdot {}_m F_n(a_1, \dots, a_m; b_1, \dots, b_n; t)$$

$$98. {}_m F_n(a_1, \dots, a_m; \mu+\nu, b_2, \dots, b_n; t^{-1}) = \frac{\Gamma(\mu+\nu)}{\Gamma(\nu)} B(\nu) B(\nu+\mu) \cdot$$

$$\cdot {}_m F_n(a_1, \dots, a_m; \nu, b_2, \dots, b_n; t^{-1})$$

$$99. \quad {}_{m+1}F_{n+1}(v, a_1, \dots, a_m; u+v, b_1, \dots, b_n; t) = \frac{\Gamma(v) \Gamma(u+v)}{\Gamma(u)} B(v) \widetilde{B}(u+v) \cdot$$

$$\cdot {}_mF_n(a_1, \dots, a_m; b_1, \dots, b_n; t^{-1})$$

$$100. \quad E(\alpha, \beta, \gamma; \delta; t) = \frac{\Gamma(\alpha) \Gamma(\beta)}{\Gamma(\delta)} B(\gamma) NF(\alpha, \beta; \delta; -t^{-1})$$

$$101. \quad E(\alpha, \beta, \gamma; \delta; t^{-1}) = \frac{\Gamma(\alpha) \Gamma(\beta)}{\Gamma(\delta)} A(\gamma-1) MF(\alpha, \beta; \delta; -t)$$

$$102. \quad E(\delta-\alpha, \delta-\beta, \gamma; \delta; t) = \frac{\Gamma(\delta-\alpha) \Gamma(\delta-\beta)}{\Gamma(\delta)} B(\gamma) Nt^{\gamma-\alpha-\beta} (t+1)^{\alpha+\beta-\gamma} F(\alpha, \beta; \delta; -t^{-1})$$

$$103. \quad E(\delta-\alpha, \delta-\beta, \gamma; \delta; t^{-1}) = \frac{\Gamma(\delta-\alpha) \Gamma(\delta-\beta)}{\Gamma(\delta)} A(\gamma-1) M(1+t)^{\alpha+\beta-\gamma} F(\alpha, \beta; \delta; -t)$$

Confluent hypergeometric functions

1. $\phi(a, c; t) = {}_1F_1(a; c; t) = \frac{\Gamma(c)}{\Gamma(a)} A(a-1) \tilde{A}(c-1) e^t$
2. $\phi(a, c; t) = \frac{\Gamma(c)}{\Gamma(c-a)} e^t A(c-a-1) \tilde{A}(c-1) e^{-t}$
3. $\phi(a, c; t) = \Gamma(c) \tilde{A}(c-1) \tilde{M}(1-t)^{-a}$
4. $\phi(a, c; t) = \Gamma(c) \tilde{A}(c-1) \tilde{M}_1 F_0(a; ; t)$
5. $\phi(a, c; t) = \frac{1}{\Gamma(\sigma)} A(\sigma-1) M_1 F_2(a; c, \sigma; t)$
6. $\phi(a, c; t) = \frac{1}{\Gamma(a)} A(a-1) M_0 F_1(c; t)$
7. $\phi(a, c; t) = \Gamma(b) \tilde{A}(b-1) \tilde{M}_2 F_1(a, b; c; t)$
8. $\phi\left(v + \frac{1}{2}, c+2v+1; t\right) = \frac{\sqrt{\pi} \Gamma(c+2v+1)}{\Gamma(v+\frac{1}{2})} A(2v) \tilde{A}(c+2v) t^{-v} e^{t/2} I_v\left(\frac{t}{2}\right)$
9. $\phi\left(v + \frac{1}{2}, c+2v+1; \pm it\right) = \frac{\sqrt{\pi} \Gamma(c+2v+1)}{\Gamma(v+\frac{1}{2})} A(2v) \tilde{A}(c+2v) t^{-v} e^{\pm it/2} J_v\left(\frac{t}{2}\right)$
10. $\phi(a, c; t^{-1}) = \frac{\Gamma(c)}{\Gamma(a)} B(a) \tilde{B}(c) e^{1/t}$
11. $\phi(a, c; t^{-1}) = e^{1/t} B(c-a) \tilde{B}(c) e^{-1/t}$

$$12. \quad \phi(a, c; t^{-1}) = \Gamma(c) \widetilde{B}(c) \widetilde{N} t^a (t-1)^{-a}$$

$$13. \quad \phi(a, c; t^{-1}) = \Gamma(c) \widetilde{B}(c) \widetilde{N}_1 F_0(a; ; t^{-1})$$

$$14. \quad \phi(a, c; t^{-1}) = \frac{1}{\Gamma(\sigma)} B(\sigma) N_1 F_2(a; c, \sigma; t^{-1})$$

$$15. \quad \phi(a, c; t^{-1}) = \frac{1}{\Gamma(a)} B(a) N_0 F_1(c; t^{-1})$$

$$16. \quad \phi(a, c; t^{-1}) = \Gamma(b) \widetilde{B}(b) \widetilde{N}_2 F_1(a, b; c; t^{-1})$$

$$17. \quad \phi\left(v + \frac{1}{2}, c; t^{-1}\right) = \frac{\sqrt{\pi} \Gamma(c)}{\Gamma(v + \frac{1}{2})} B(2v+1) \widetilde{B}(c) t^v e^{2/t} I_v\left(\frac{1}{2t}\right)$$

$$18. \quad .(t-1)^{c-1} \phi(a, c; t-1) = \frac{\Gamma(c)}{\Gamma(a)} A(a-c) t^{c-a} .(t-1)^{a-1} e^{t-1}$$

$$19. \quad .(t-1)^{c-1} \phi(a, c; 1-t) = \frac{\Gamma(c)}{\Gamma(c-a)} e^{-t} A(-a) t^a e^t .(t-1)^{a-1}$$

$$20. \quad \psi(a, c; t) = e^t \widetilde{B}(a-c+1) t^{1-c} e^{-t}$$

$$21. \quad \psi(a, c; t) = \frac{1}{\Gamma(a)} N t^{1-c} (1+t)^{c-a-1}$$

$$22. \quad \psi(a, c; t) = e^t B(1-c) \widetilde{B}(a-c+1) e^{-t}$$

$$23. \quad \psi(a, c; t) = \frac{1}{\Gamma(a) \Gamma(1+a-c)} N N B(1-c) t^{-a} e^{-1/t}$$

$$24. \quad \psi(a, c; t) = \frac{1}{\Gamma(a)\Gamma(1+a-c)} NMA(a-1)t^{1-c}e^{-t}$$

$$25. \quad \psi(a, c; t) = \frac{1}{\Gamma(a)} e^t Nt^{1-c} \cdot (1-t)^{a-1}$$

$$26. \quad \psi(a, c; t) = \frac{e^t}{\Gamma(a-c+1)} B(1-c)N \cdot (1-t)^{a-c}$$

$$27. \quad \psi(a, c; t^{-1}) = e^{1/t} A(-1) \tilde{A}(a-c) t^{c-1} e^{-1/t}$$

$$28. \quad \psi(a, c; t^{-1}) = e^{1/t} A(-c) \tilde{A}(a-c) e^{-1/t}$$

$$29. \quad \psi(a, c; t^{-1}) = \frac{1}{\Gamma(a)} e^{1/t} A(-1) M t^{c-a} \cdot (t-1)^{a-1}$$

$$30. \quad \psi(a, c; t^{-1}) = \frac{e^{1/t}}{\Gamma(a-c+1)} A(-c) M t^{a-c} \cdot (t-1)^{a-c}$$

$$31. \quad \psi(a, c; t-1) = e^t \tilde{B}(a-c+1) t^{a-c+1} e^{-t} (t-1)^{-a}$$

$$32. \quad \psi(a, c; t-1) = e^t (t-1)^{1-c} \tilde{B}(a) t^a (t-1)^{c-a-1} e^{-t}$$

$$33. \quad W_{\kappa+\frac{1}{2}\mu, \lambda+\frac{1}{2}\mu}(t) = \frac{\Gamma(\frac{1}{2}-\kappa-\lambda)e^{-\frac{1}{2}t}}{\Gamma(\frac{1}{2}-\kappa-\lambda-\mu)} B(\frac{1-\mu}{2}-\lambda) \tilde{B}(\frac{1+\mu}{2}-\lambda) t^{\mu/2} e^{\frac{1}{2}t} W_{\kappa, \mu}(t)$$

$$34. \quad W_{\kappa-\mu, \lambda}(t) = e^{\frac{1}{2}t} B(1-\kappa) \tilde{B}(1+\mu-\kappa) e^{-\frac{1}{2}t} W_{\kappa, \lambda}(t)$$

$$35. \quad W_{\kappa-\frac{1}{2}\mu, \lambda-\frac{1}{2}\mu}(t) = e^{\frac{1}{2}t} B(\frac{1-\mu}{2}-\lambda) \tilde{B}(\frac{1+\mu}{2}-\lambda) t^{\mu/2} e^{-\frac{1}{2}t} W_{\kappa, \lambda}(t)$$

$$36. W_{\kappa+\frac{1}{2}\mu, \lambda+\frac{1}{2}\mu}(t^{-1}) = \frac{\Gamma(\frac{1}{2}-\kappa-\lambda)e^{-\frac{1}{2}t}}{\Gamma(\frac{1}{2}-\kappa-\lambda-\mu)} A(-\lambda - \frac{\mu+1}{2}) \tilde{A}(\frac{\mu-1}{2} - \lambda) t^{-\mu/2} e^{\frac{1}{2}t} W_{\kappa, \lambda}(t^{-1})$$

$$37. W_{\kappa-\mu, \lambda}(t^{-1}) = e^{\frac{1}{2}t} A(-\kappa) \tilde{A}(\mu-\kappa) e^{-\frac{1}{2}t} W_{\kappa, \lambda}(t^{-1})$$

$$38. W_{\kappa-\frac{1}{2}\mu, \lambda-\frac{1}{2}\mu}(t^{-1}) = e^{\frac{1}{2}t} A(-\frac{\mu+1}{2} - \lambda) \tilde{A}(\frac{\mu-1}{2} - \lambda) t^{-\mu/2} e^{-\frac{1}{2}t} W_{\kappa, \lambda}(t^{-1})$$

$$39. W_{\alpha, \gamma}(t^{-1}) = e^{\frac{1}{2}t} A(\gamma - \frac{1}{2}) \tilde{A}(-\alpha) t^{\gamma-\frac{1}{2}} e^{-1/t}$$

$$40. W_{\alpha, \gamma}(t^{-1}) = e^{\frac{1}{2}t} A(-\gamma - \frac{1}{2}) \tilde{A}(-\alpha) t^{-\gamma-\frac{1}{2}} e^{-1/t}$$

$$41. W_{\kappa, \mu}(t^{-1}) = -e^{\frac{1}{2}t} B(\kappa) N t^{-\frac{1}{2}} \{ J_{2\mu}(2t^{-\frac{1}{2}}) \sin(\mu-\kappa)\pi + Y_{2\mu}(2t^{-\frac{1}{2}}) \cos(\mu-\kappa)\pi \}$$

$$42. W_{\kappa, \mu}(t^{-1}) = \frac{2}{\Gamma(\frac{1}{2}-\kappa+\mu) \Gamma(\frac{1}{2}-\kappa-\mu)} B(-\kappa) N t^{-\frac{1}{2}} K_{2\mu}(2t^{-\frac{1}{2}})$$

$$43. W_{\kappa, \mu}(t) = \frac{2}{\Gamma(\frac{1}{2}-\kappa+\mu) \Gamma(\frac{1}{2}-\kappa-\mu)} A(-\kappa-1) M t^{\frac{1}{2}} K_{2\mu}(2t^{\frac{1}{2}})$$

$$44. W_{\kappa, \mu}(t) = -e^{t/2} M A(\kappa-1) t^{\frac{1}{2}} \{ J_{2\mu}(2t^{\frac{1}{2}}) \sin(\mu-\kappa)\pi + Y_{2\mu}(2t^{\frac{1}{2}}) \cos(\mu-\kappa)\pi \}$$

$$45. W_{\kappa, \mu}(t) = e^{t/2} B(\mu + \frac{1}{2}) \tilde{B}(1-\kappa) t^{\frac{1}{2}-\mu} e^{-t}$$

$$46. W_{\kappa, \mu}(t) = e^{t/2} B(\frac{1}{2} - \mu) \tilde{B}(1-\kappa) t^{\mu+\frac{1}{2}} e^{-t}$$

$$47. M_{\kappa, \mu}(t) = \frac{\Gamma(2\mu+1)}{\Gamma(\mu-\kappa+\frac{1}{2})} e^{-t/2} A(-\kappa-1) M t^{\frac{1}{2}} I_{2\mu}(2t^{\frac{1}{2}})$$

$$48. M_{\kappa, \mu}(t) = \frac{\Gamma(2\mu+1)}{\Gamma(\mu+\frac{1}{2}-\kappa)} e^{-t/2} A(-\kappa-1) \tilde{A}(\mu - \frac{1}{2}) t^{\mu+\frac{1}{2}} e^{-t}$$

$$49. M_{\kappa, \mu}(t) = \frac{\Gamma(2\mu+1)}{\Gamma(\mu+\frac{1}{2}-\kappa)} e^{t/2} A(\kappa-1) \tilde{A}(\mu - \frac{1}{2}) t^{\mu+\frac{1}{2}} e^{-t}$$

$$50. M_{\kappa, \mu}(t^{-1}) = \frac{\Gamma(2\mu+1)}{\Gamma(\mu-\kappa+\frac{1}{2})} e^{-\frac{1}{2}t} B(-\kappa) \tilde{B}(\mu + \frac{1}{2}) t^{-\mu-\frac{1}{2}} e^{1/t}$$

$$51. M_{\kappa, \mu}(t^{-1}) = \frac{\Gamma(2\mu+1)}{\Gamma(\mu+\frac{1}{2}-\kappa)} e^{-\frac{1}{2}t} B(-\kappa) N t^{-\frac{1}{2}} I_{2\mu}(2t^{-\frac{1}{2}})$$

$$52. M_{\kappa, \mu}(t^{-1}) = \frac{\Gamma(2\mu+1)}{\Gamma(\mu-\kappa+2)} e^{\frac{1}{2}t} B(\kappa) \tilde{B}(\mu + \frac{1}{2}) t^{-\mu-\frac{1}{2}} e^{-1/t}$$

$$53. D_{\nu}(t^{\frac{1}{2}}) = 2^{\nu/2} e^{t/4} \tilde{B}(\frac{1-\nu}{2}) t^{\frac{1}{2}} e^{-t/2}$$

$$54. D_{-2\nu}(t^{\frac{1}{2}}) = \frac{2^{\nu-1}}{\Gamma(2\nu)} e^{-t/4} A(\nu-1) M e^{-\sqrt{2}} t^{\frac{1}{2}}$$

$$55. D_{\nu}(t^{-\frac{1}{2}}) = 2^{\nu/2} e^{1/4t} A(-1) \tilde{A}(-\frac{\nu+1}{2}) t^{-\frac{1}{2}} e^{-\frac{1}{2}t}$$

$$56. D_{-2\nu}(t^{\frac{1}{2}}) = \frac{2^{\nu-1}}{\Gamma(2\nu)} e^{-1/4t} B(\nu) N e^{-\sqrt{2}} / t^{\frac{1}{2}}$$

List of Abbreviations, Symbols and Notations

$$\binom{a}{b} = \text{Binomial coefficient}, \quad \binom{a}{b} = \frac{\Gamma(a+1)}{\Gamma(b+1)\Gamma(a-b+1)}$$

$$(a)_n = \frac{\Gamma(a+n)}{\Gamma(a)}$$

$$(1-t)^\alpha = (1-t)^\alpha H(1-t)$$

$$(t-1)^\alpha = (t-1)^\alpha H(t-1)$$

1. Elementary functions

Trigonometric and inverse trigonometric functions:

$$\sin x, \cos x, \tan x = \sin x / \cos x, \cot x = \cos x / \sin x,$$

$$\sec x = 1/\cos x, \csc x = 1/\sin x, \arcsin x, \arccos x, \arctan x,$$

$$\operatorname{arccot} x$$

Hyperbolic functions:

$$\sinh x = (e^x - e^{-x})/2, \cosh x = (e^x + e^{-x})/2, \tanh x = \sinh x / \cosh x,$$

$$\operatorname{ctnh} x = \cosh x / \sinh x, \operatorname{sech} x = 1/\cosh x, \operatorname{csch} x = 1/\sinh x.$$

2. Orthogonal polynomials

Legendre polynomials:

$$P_n(x) = 2^{-n}(n!)^{-1} \frac{d^n}{dx^n} (x^2-1)^n = {}_2F_1(-n, n+1; 1; \frac{1-x}{2})$$

Gegenbauer's polynomials:

$$C_n^\alpha(x) = [n! \Gamma(2\alpha)]^{-1} \Gamma(2\alpha+n) {}_2F_1(-n, 2\alpha+n; \alpha+1/2; \frac{1-x}{2})$$

Chebyshev polynomials:

$$T_n(x) = \cos(n \arccos x) = {}_2F_1(-n, n; \frac{1}{2}; \frac{1-x}{2}) = \frac{n}{2} \lim_{\alpha \rightarrow 0} \Gamma(\alpha) C_n^\alpha(x)$$

$$\begin{aligned} U_n(x) &= (1-x^2)^{-1/2} \sin[(n+1) \arccos x] \\ &= x(n+1) {}_2F_1(\frac{1-n}{2}, \frac{3+n}{2}; \frac{3}{2}; 1-x^2) \end{aligned}$$

Jacobi polynomials:

$$P_n^{(\beta, \alpha)}(x) = [n! \Gamma(1+\beta)]^{-1} \Gamma(1+\beta+n) {}_2F_1(-n, n+\alpha+\beta+1; \beta+1; \frac{1-x}{2})$$

Laguerre polynomials:

$$L_n^\alpha(x) = (n!)^{-1} x^{-\alpha} e^x \frac{d^n}{dx^n} (e^{-x} x^{n+\alpha}) = [n! \Gamma(1+\alpha)]^{-1} \Gamma(\alpha+1+n) {}_1F_1(-n; 1+\alpha; x)$$

$$L_n(x) = L_n^0(x)$$

Hermite polynomials:

$$He_n(x) = (-1)^n \exp(x^2/2) \frac{d^n}{dx^n} \exp(-x^2/2)$$

$$He_{2n}(x) = (-1)^n 2^{-n} (n!)^{-1} (2n)! {}_1F_1(-n; \frac{1}{2}; \frac{1}{2} x^2)$$

$$He_{2n+1}(x) = (-1)^n 2^{-n} (n!)^{-1} (2n+1)! {}_1F_1(-n; \frac{3}{2}; \frac{1}{2} x^2)$$

3. Gamma function and related functions

$$\Gamma(z) = \int_0^\infty e^{-t} t^{z-1} dt, \quad \operatorname{Re} z > 0$$

Beta function:

$$B(x, y) = \frac{\Gamma(x)\Gamma(y)}{\Gamma(x+y)}$$

4. Legendre functions (definition according to Hobson)

$$P_\alpha^\beta(z) = [\Gamma(1-\beta)]^{-1} \left(\frac{z+1}{z-1}\right)^{\beta/2} {}_2F_1(-\alpha, \alpha+1; 1-\beta; \frac{1-z}{2})$$

$$Q_\alpha^\beta(z) = 2^{-\alpha-1} [\Gamma(\alpha+3/2)]^{-1} e^{i\pi\beta} \sqrt{\pi} \Gamma(\alpha+\beta+1) z^{-\alpha-\beta-1} (z^2-1)^{\beta/2} \cdot$$

$$\cdot {}_2F_1\left(\frac{\alpha+\beta+1}{2}, \frac{\alpha+\beta+2}{2}; \alpha + \frac{3}{2}; z^{-2}\right)$$

z is a point in the complex z plane cut along the real axis from $-\infty$ to $+1$.

$$P_{\alpha}^{\beta}(x) = [\Gamma(1-\beta)]^{-1} \left(\frac{1+x}{1-x}\right)^{\beta/2} {}_2F_1(-\alpha, \alpha+1; 1-\beta; \frac{1-x}{2}), \quad -1 < x < 1$$

$$Q_{\alpha}^{\beta}(x) = \frac{1}{2} e^{-i\pi\beta} [e^{-i\pi\beta/2} Q_{\alpha}^{\beta}(x+i0) + e^{i\pi\beta/2} Q_{\alpha}^{\beta}(x-i0)], \quad -1 < x < 1$$

$$P_{\alpha}(z) = P_{\alpha}^0(z); \quad Q_{\alpha}(z) = Q_{\alpha}^0(z); \quad P_{\alpha}(x) = P_{\alpha}^0(x); \quad Q_{\alpha}(x) = Q_{\alpha}^0(x)$$

5. Bessel functions

$$J_{\nu}(z) = \sum_{n=0}^{\infty} \frac{(-1)^n (z/2)^{\nu+2n}}{n! \Gamma(\nu+n+1)}$$

$$Y_{\nu}(z) = \cot(\pi\nu) J_{\nu}(z) - \csc(\pi\nu) J_{-\nu}(z)$$

$$H_{\nu}^{(1)}(z) = J_{\nu}(z) + iY_{\nu}(z); \quad H_{\nu}^{(2)}(z) = J_{\nu}(z) - iY_{\nu}(z)$$

6. Modified Bessel functions

$$I_{\nu}(z) = e^{-i\pi\nu/2} J_{\nu}(ze^{i\pi/2}) = \sum_{n=0}^{\infty} \frac{(z/2)^{\nu+2n}}{n! \Gamma(\nu+n+1)}$$

$$K_{\nu}(z) = \frac{1}{2} \pi \csc(\pi\nu) [I_{-\nu}(z) - I_{\nu}(z)]$$

$$= \frac{1}{2} i \pi e^{i\pi\nu/2} H_{\nu}^{(1)}(ze^{i\pi/2}) = -\frac{1}{2} i \pi e^{-i\pi\nu/2} H_{\nu}^{(2)}(ze^{-i\pi/2})$$

7. Struve functions

$$H_{\nu}(z) = \sum_{n=0}^{\infty} \frac{(-1)^n (z/2)^{\nu+2n+1}}{\Gamma(n+3/2)\Gamma(\nu+n+3/2)} = 2^{1-\nu} \pi^{-1/2} [\Gamma(\nu + \frac{1}{2})]^{-1} s_{\nu, \nu}(z)$$

$$L_{\nu}(z) = -ie^{-\pi\nu/2} H_{\nu}(ze^{i\pi/2})$$

8. Lommel functions

$$s_{\alpha, \beta}(z) = [(\alpha-\beta+1)(\alpha+\beta+1)]^{-1} z^{\alpha+1} {}_1F_2(1, \frac{\alpha-\beta+3}{2}, \frac{\alpha+\beta+3}{2}; -z^2/4); \quad \alpha \pm \beta \neq -1, -2, -3, \dots$$

$$S_{\alpha, \beta}(z) = s_{\alpha, \beta}(z) + 2^{\alpha-1} \Gamma(\frac{\alpha-\beta+1}{2}) \Gamma(\frac{\alpha+\beta+1}{2}) [\sin(\frac{\pi(\alpha-\beta)}{2}) J_{\alpha}(z) - \cos(\frac{\pi(\alpha-\beta)}{2}) Y_{\alpha}(z)].$$

Special cases of Lommel's functions:

$$s_{\alpha, \alpha}(z) = \pi^{1/2} 2^{\alpha-1} \Gamma(\alpha + \frac{1}{2}) H_{\alpha}(z)$$

$$S_{\alpha, \alpha}(z) = \pi^{1/2} 2^{\alpha-1} \Gamma(\alpha + \frac{1}{2}) [H_{\alpha}(z) - Y_{\alpha}(z)]$$

$$s_{0, \beta}(z) = \frac{1}{2} \pi \csc(\pi\beta) [J_{\beta}(z) - J_{-\beta}(z)]$$

$$S_{0, \beta}(z) = \frac{\pi}{2} \csc(\pi\beta) [J_{\beta}(z) - J_{-\beta}(z) - J_{\beta}(z) + J_{-\beta}(z)]$$

$$s_{-1, \beta}(z) = -\frac{\pi}{2} \beta^{-1} \csc(\pi\beta) [J_{\beta}(z) + J_{-\beta}(z)]$$

$$S_{-1,\beta}(z) = \frac{\pi}{2} \beta^{-1} \csc(\pi\beta) [J_{\beta}(z) + J_{-\beta}(z) - J_{\beta}(z) - J_{-\beta}(z)]$$

$$s_{1,\beta}(z) = 1 + \beta^2 s_{-1,\beta}(z); \quad S_{1,\beta}(z) = 1 + \beta^2 S_{-1,\beta}(z)$$

$$S_{1/2,1/2}(z) = z^{-1/2}; S_{3/2,1/2}(z) = z^{1/2}$$

$$S_{-1/2,1/2}(z) = z^{-1/2} [\sin z \operatorname{Ci}(z) - \cos z \operatorname{si}(z)];$$

$$S_{-3/2,1/2}(z) = -z^{-1/2} [\sin z \operatorname{si}(z) + \cos z \operatorname{Ci}(z)]$$

$$\lim_{\alpha \rightarrow \beta} [\Gamma(\beta - \alpha)]^{-1} s_{\alpha-1,\beta}(z) = -2^{\beta-1} \Gamma(\beta) J_{\beta}(z)$$

9. Gauss's hypergeometric function

$${}_2F_1(a,b;c;z) = \frac{\Gamma(c)}{\Gamma(a)\Gamma(b)} \sum_{n=0}^{\infty} \frac{\Gamma(a+n)\Gamma(b+n)}{\Gamma(c+n)} \frac{z^n}{n!}, \quad |z| < 1$$

10. Generalized hypergeometric series

$${}_mF_n(a_1, a_2, \dots, a_m; b_1, b_2, \dots, b_n; z) = \frac{\Gamma(b_1) \cdots \Gamma(b_n)}{\Gamma(a_1) \cdots \Gamma(a_m)} \sum_{k=0}^{\infty} \frac{\Gamma(a_1+k) \cdots \Gamma(a_m+k)}{\Gamma(b_1+k) \cdots \Gamma(b_n+k)} \frac{z^k}{k!}$$

11. Confluent hypergeometric functions

$${}_1F_1(a;c;z) = \frac{\Gamma(c)}{\Gamma(a)} \sum_{n=0}^{\infty} \frac{\Gamma(a+n)}{\Gamma(c+n)} \frac{z^n}{n!}$$

$${}_1F_1(a;a;z) = e^z, \quad {}_1F_1(a;2a;2z) = 2^{a-1/2} \Gamma(a + \frac{1}{2}) z^{1/2-a} e^z I_{a-1/2}(z)$$

$${}_1F_1(\frac{1}{2}; \frac{3}{2}; ix) = e^{ix} {}_1F_1(1; \frac{3}{2}; -ix) = (\frac{1}{2} \pi/x)^{1/2} [C(x) + i S(x)]$$

Whittaker's functions:

$$M_{\alpha, \pm}(z) = z^{\pm 1/2} e^{-1/2 z} {}_1F_1\left(\pm - \alpha + \frac{1}{2}; 2\pm + 1; z\right)$$

$$W_{\alpha, \pm}(z) = \frac{\Gamma(-2\pm)}{\Gamma(-\alpha - \pm + 1/2)} M_{\alpha, \mp}(z) + \frac{\Gamma(2\pm)}{\Gamma(\pm - \alpha + 1/2)} M_{\alpha, -\mp}(z)$$

Special cases of Whittaker's functions:

$$M_{0, \pm}(z) = \Gamma(1 \pm) 2^{2\pm} I_{\pm}(z/2) \sqrt{z}; \quad W_{0, \pm}(z) = (z/\pi)^{1/2} K_{\pm}(z/2)$$

$$M_{\alpha, 0}(z) = z^{1/2} e^{-1/2 z} L_{\alpha-1/2}(z); \quad M_{1/4, 1/4}(z) = -i \frac{1}{2} z^{1/4} e^{-1/2 z} \operatorname{Erf}(iz^{1/4})$$

Parabolic cylinder function:

$$D_{\alpha}(z) = 2^{(\alpha+1/2)/2} z^{-1/2} W_{(\alpha+1/2)/2, 1/2}(z^2/2)$$

$$D_n(z) = e^{-z^2/4} \operatorname{He}_n(z), \quad n=0, 1, 2, \dots$$

$$D_{-1}(z) = (\pi/2)^{1/2} e^{z^2/4} \operatorname{Erfc}(2^{-1/2} z)$$

$$D_{-1/2}(z) = \left(\frac{1}{2} z/\pi\right)^{1/2} K_{1/2}(z^2/4)$$

Symbol	Name of the Function	Listed under
$C_n^\alpha(x)$	Gegenbauer's polynomial	2
$D_\alpha(x)$	Parabolic cylinder function	11
${}_mF_n$	Hypergeometric function	9,10,11
$H_\alpha^{(1,2)}(x)$	Hankel's functions	5
$H_\alpha(z)$	Struve's function	7
$I_\nu(z)$	Modified Bessel function	6
$J_\nu(z)$	Bessel's function	5
$J_\nu(z)$	Anger-Weber function	8
$K_\nu(z)$	Modified Hankel function	6
$L_n^\alpha(x)$	Laguerre's polynomial	2
$L_\nu(z)$	Struve's function	7
$M_{\alpha,\beta}(z)$	Whittaker's functions	11
$W_{\alpha,\beta}(z)$		
$P_n(x)$	Legendre's polynomials	2
$P_n^{(\alpha,\beta)}(x)$	Jacobi's polynomials	2
$P_\alpha^\beta(z)$	Legendre functions	4
$P_\alpha^\beta(x)$		

Symbol	Name of the Function	Listed under
$Q_{\alpha}^{\beta}(z)$ $Q_{\alpha}^{\beta}(x)$	Legendre functions	4
$s_{\alpha,\beta}(z)$ $S_{\alpha,\beta}(z)$	Lommel's function	8
$T_n(x)$ $U_n(x)$	Chebychev's polynomials	2
$W_{\alpha,\beta}(z)$	Whittaker's function	11
$Y_{\nu}(z)$	Neumann's function	5
$B(x,y)$	Beta function	3
$\Gamma(z)$	Gamma function	3