

ESD RECORD COPY

RETURN TO
SCIENTIFIC & TECHNICAL INFORMATION DIVISION
(ESTI), BUILDING 1211

ESD ACCESSION LIST

ESTI Call No. AL 56363

Copy No. of cys.

STUDIES IN DISPLAY SYMBOL LEGIBILITY

Part XVII. The Legibility of the Lincoln/MITRE Font on Television

APRIL 1967

D. Shurtleff

Prepared for
DEPUTY FOR COMMAND SYSTEMS
COMPUTER AND DISPLAY DIVISION
ELECTRONIC SYSTEMS DIVISION
AIR FORCE SYSTEMS COMMAND
UNITED STATES AIR FORCE
L. G. Hanscom Field, Bedford, Massachusetts



Distribution of this document is unlimited.

ESSD

Project 512C

Prepared by

THE MITRE CORPORATION
Bedford, Massachusetts
Contract AF19(628)-5165

ADD 654670

STUDIES IN DISPLAY SYMBOL LEGIBILITY

Part XVII. The Legibility of the Lincoln/MITRE Font on Television

APRIL 1967

D. Shurtleff

Prepared for
DEPUTY FOR COMMAND SYSTEMS
COMPUTER AND DISPLAY DIVISION
ELECTRONIC SYSTEMS DIVISION
AIR FORCE SYSTEMS COMMAND
UNITED STATES AIR FORCE
L. G. Hanscom Field, Bedford, Massachusetts



Distribution of this document is unlimited.

Project 512C
Prepared by
THE MITRE CORPORATION
Bedford, Massachusetts
Contract AF19(628)-5165

FOREWORD

This report is one of a series describing symbol legibility for television display. Additional information on this topic may be found in the following reports: "Studies of Display Symbol Legibility: The Effects of Line Construction, Exposure Time, and Stroke Width," by B. Botha and D. Shurtleff, The MITRE Corp., Bedford, Mass., ESD-TR-63-249, February 1963; "Studies of Display Symbol Legibility, II: The Effects of the Ratio of Width of Inactive to Active Elements Within a TV Scan Line and the Scan Pattern Used in Symbol Construction," by B. Botha and D. Shurtleff, The MITRE Corp., Bedford, Mass., ESD-TR-63-440, July 1963; "Studies of Display Symbol Legibility, III: Line Scan Orientation Effects," by B. Botha, D. Shurtleff, and M. Young, The MITRE Corp., Bedford, Mass., ESD-TR-65-138, May 1966; "Studies of Display Symbol Legibility, IV: The Effects of Brightness, Letter Spacing, Symbol Background Relation, and Surround Brightness on the Legibility of Capitol Letters," by D. Shurtleff, B. Botha, and M. Young, The MITRE Corp., Bedford, Mass., ESD-TR-65-134, May 1966; "Studies of Display Symbol Legibility, V: The Effects of Television Transmission on the Legibility of the Common Five-Letter Words," by G. Kosmider, The MITRE Corp., Bedford, Mass., ESD-TR-65-135, May 1966; "Studies of Display Symbol Legibility, VI: Leroy and Courtney Symbols," by D. Shurtleff, and D. Owen, The MITRE Corp., Bedford, Mass., ESD-TR-65-136, May 1966; "Studies of Display Symbol Legibility, VII: Comparison of Displays at 945- and 525-Line Resolutions," by D. Shurtleff and D. Owen, The MITRE Corp., Bedford, Mass., ESD-TR-65-137, May 1966; "Studies of Display Symbol Legibility, VIII: Legibility of Common Five-Letter Words," by G. Kosmider, M. Young, and G. Kinney, The MITRE Corp., Bedford, Mass., ESD-TR-65-385, May 1966; "Studies of Display Symbol Legibility, IX: The Effects of Resolution, Size and Viewing Angle of Legibility," by D. Shurtleff, M. Marsetta, and D. Showman, The MITRE Corp., Bedford, Mass., ESD-TR-65-411, May 1966; "Studies of Display Symbol Legibility, X: The Relative Legibility of Leroy and Lincoln/MITRE Alphanumeric Symbols," by D. Showman, The MITRE Corp., Bedford, Mass., ESD-TR-66-115, August 1966; "Studies of Display Symbol Legibility, XI: The Relative Legibility of Selected Alphanumerics in Two Fonts," by G. Kinney and D. Showman, The MITRE Corp., Bedford, Mass., ESD-TR-66-116, August 1966; "Studies of Display Legibility, XII: The Legibility of Alphanumeric Symbols for Digitalized Television," by G. Kinney, M. Marsetta, and D. Showman, The MITRE Corp., Bedford, Mass., ESD-TR-66-117, August 1966; "Studies of Display Symbol Legibility, XIII: Studies of the Legibility of Alphanumeric Symbols in the BUIC Symbol," by G. Kinney and D. Showman, The MITRE Corp., Bedford, Mass., ESD-TR-66-302, August 1966; "Studies in Display Symbol Legibility, XIV: The Legibility of Military Map

FOREWORD (Concluded)

Symbols on Television" by M. Marsetta and D. Shurtleff, The MITRE Corp., Bedford, Mass., ESD-TR-66-315, September 1966; "Studies of Display Legibility, XV: Relative Legibility of Leroy and Teletypewriter Symbols," by G. L. Bell, The MITRE Corp., Bedford, Mass., ESD-TR-66-316, September 1966; and "Studies of Display Legibility, XVI: The Legibility of Teletypewriter Symbols on Television," by G. L. Bell, The MITRE Corp., Bedford, Mass., ESD-TR-67-104, April 1967.

ABSTRACT

The legibility of standard Leroy alphanumeric symbols was compared with that of a new font, the Lincoln/MITRE, on a television monitor at resolutions of 8, 10, 12 and 14 lines per symbol height. The new font was not superior in legibility to the Leroy font at any of the values of resolutions tested. While the findings for the new font were negative, insights were gained about how to improve symbol design for more legible television displays. It was recommended that these new design techniques be evaluated in future work on television displays.

REVIEW AND APPROVAL

This technical report has been reviewed and is approved.



CHARLES A. LAUSTRUP, Colonel, USAF
Chief, Computer and Display Division

TABLE OF CONTENTS

	<u>Page</u>
List of Illustrations	viii
List of Tables	viii
SECTION I INTRODUCTION	1
SECTION II METHODS	6
SUBJECTS	6
TELEVISION EQUIPMENT	6
THE L/M AND LEROY SYMBOLS	7
EXPERIMENTAL DESIGN	7
CHARACTERISTICS OF TELEVISED SYMBOLS	9
SECTION III RESULTS AND DISCUSSION	10
INTER-SYMBOL CONFUSIONS	12
DESIGN OF SYMBOLS FOR TELEVISION	15
REFERENCES	17

LIST OF ILLUSTRATIONS

<u>Figure</u>		<u>Page</u>
1	Top: Leroy Font – Bottom: Lincoln/MITRE Font	3
2	Symbols Resolved by Ten Scan Lines	4
3	Percentage Error for L/M and Leroy Symbols	11
4	Identification Time for L/M and Leroy Symbols	11

LIST OF TABLES

<u>Table</u>		
I	Sequence of Resolutions for Each of the Four Subjects Viewing Leroy and Lincoln/MITRE Fonts	8
II	Percentage Error for Each of Four Subjects	12
III	Identification Time in Seconds for Each of Four Subjects	13

SECTION I

INTRODUCTION

There is a need to conduct comparative studies of different fonts for developing standards to guide the designer and manufacturer of display equipment to select the most legible symbols. The present study tried to select a better font for television use by studying the relative legibility of standard Leroy symbols and a set of improved symbols (Lincoln/MITRE) on a television monitor. An improved symbol font may be expected to aid television legibility in either one of two ways, or both, by lowering the minimum number of scan lines per symbol height required for a high accuracy of identification, or to produce faster identification times at previously established minimal values of symbol resolution (10 to 12 lines per symbol height, see references 2, 3, 8 and 9).

A set of alphanumerics which might best serve as a standard would retain good legibility when displayed on any display such as a shaped-beam or slewed-beam cathode ray tube, a high speed printer, an office typewriter, a television monitor and so on. Work on the development of a universally legible font was started several years ago and, in part, continued some earlier work at Lincoln Laboratory. Essentially, this work involved refining a set of symbols originally designed by Mackworth. The history of the development of this font is described in more detail elsewhere.⁽⁵⁾

The latest version of this font called Lincoln/MITRE (L/M) is shown in Figure 1. In a recent study⁽⁴⁾ the L/M font was compared with the Leroy font (Figure 1) which is a standard lettering style used extensively in commercial art and advertising. The results of the study showed that subjects made fewer errors identifying tachistoscopically presented L/M symbols than identifying Leroy symbols at each of several values of brightness contrast ratios, ranging from 4:1 to 10:1.

While the work to date with the L/M font is encouraging, there is a need to conduct additional evaluations of this font before it may be recommended as a standard for use in other display applications. Furthermore, the tachistoscope study indicated that some additional improvements might be made in the legibility of L/M symbols by changes in the geometry of those symbols which the subjects mis-identified most frequently. However, before any additional changes in symbol design were made, it seemed desirable to collect more data on inter-symbol confusions when the L/M font is tested in other kinds of displays.

Since the legibility of televised symbols has been a major and continuing interest at MITRE, it seemed reasonable to extend the evaluation of the L/M font by comparing it with the Leroy font on a television monitor. Television represents a unique problem in symbol design because of the way in which the symbols are constructed and displayed. There are two major characteristics of television which influence symbol geometry; the cutting up of symbols by the active lines of the television raster, and the "on-

A B C D E F G H I J K L M N O P Q R S T

U V W X Y Z I 2 3 4 5 6 7 8 9 Ø

A B C D E F G H I J K L M N O P Q R

S T U V W X Y Z I 2 3 4 5 6 7 8 9 Ø

Figure 1. Top: Leroy Font - Bottom: Lincoln/MITRE Font

off" characteristics of the scanning element. The first characteristic affects symbol geometry by deleting selected parts of the symbol, while the second characteristic may affect symbol geometry by smearing, which is caused by the lack of a sharp "on-off" response of the scanning element in horizontal transitions from light to dark areas. Both of these characteristics, the cutting up and the smearing of symbols, are shown clearly in Figure 2 where photographs of selected televised symbols at 10 lines are presented.




Figure 2. Symbols Resolved by Ten Scan Lines.

Previous attempts to develop a font uniquely suited to television have failed.^(7,8) In each case, the improved font was no better than standard Leroy symbols. In the present study, the Leroy font was compared with the L/M font at symbol resolutions of 8, 10, 12 and 14 lines per symbol height. The results showed no marked superiority of L/M symbols over Leroy symbols at any of the resolutions studied. As in previous studies,^(2,3,8,9) legibility for both fonts was greatly impaired for resolutions below 10 lines per symbol height. While the findings for the L/M symbols were disappointing, the results provided some new insights into other, and hopefully more fruitful techniques for improving the design of symbols for television displays.

SECTION II

METHODS

SUBJECTS

The subjects were 4 MITRE employees who had 20/20 near and far acuity, normal color vision, and no marked phoria.

TELEVISION EQUIPMENT

The television equipment and manner of presenting symbols to each subject is described in detail in a previous report⁽¹⁾ and only a brief description is given here. The symbols were projected onto a translucent screen which was mounted on a modified Motion Analyzer. The symbols were picked up by a 945-line General Precision camera (Model 820) and shown to the subject on a Conrac (Model CQE 14/945) 14-inch video monitor. The camera-to-screen distance was arranged to obtain the desired line resolution, and the subject-to-monitor distance was arranged to maintain an angle of subtense at the eye of 16 minutes of arc. The subject initiated the exposure of a symbol by depressing a button. The exposure of the symbol was ended when the subject made his verbal identification. The subject was instructed to make his identifications as quickly and accurately as possible. The time required to identify each symbol, and the symbol named, were recorded.

THE L/M AND LEROY SYMBOLS

The symbols were photographed on 35 mm film strips. Each strip contained 180 symbols of a given font with the 36 symbols appearing five times each. The average symbol width for the two fonts was $3/4$ of the symbol height. The two fonts had a ratio of stroke-width to height of $1/6$. It was necessary to modify the standard Leroy $\emptyset$ and I in order to differentiate the $\emptyset$ from the letter O, and the numeral 1 from the letter I.

The sequence of symbols on the film strip was determined by a table of random numbers. A stepping switch controlled the advance of the film through the film projector and provided a number of different symbol sequences, which helped to prevent the subjects from memorizing the letter sequences.

EXPERIMENTAL DESIGN

Each subject identified symbols in both fonts at each of the four values of resolution (8, 10, 12 and 14 lines). The subjects viewed one font at all resolutions before being presented the other font, two of the subjects seeing Leroy first and the other two seeing Lincoln/MITRE first. The two subjects seeing Leroy first were presented the resolutions in two different orders which were determined by a table of random numbers. These same sequences of resolutions were used also for the two remaining subjects who started with the L/M font. When the subjects were

switched to the alternate font, two new orders of resolutions were made up with a table of random numbers. Each subject seeing the Leroy font viewed one of the new sequences and these same sequences were used for the two subjects who saw the L/M font (see Table I).

Table I

Sequence of Resolutions for Each of the Four
Subjects Viewing Leroy and Lincoln/MITRE fonts

LEROY					LINCOLN/MITRE			
S ₁	12	10	8	14	8	14	10	12
S ₂	8	10	14	12	12	14	8	10
LINCOLN/MITRE					LEROY			
S ₃	12	10	8	14	8	14	10	12
S ₄	8	10	14	12	12	14	8	10

Each of the subjects made a total of 180 symbol identifications (5 per symbol) for each font at each of the 4 resolutions. Before each series of sessions with a given font, the subjects were given practice in identifying the symbols making up that font. The practice session included 180 identifications, 5 for each symbol of the font. These symbols were shown on the television monitor and were resolved by 60 active

lines per symbol height. During practice any errors made by the subject were corrected by the experimenter and errors rarely occurred during practice.

CHARACTERISTICS OF TELEVISED SYMBOLS

The active lines in the symbols had an average brightness of approximately 20 fL and a background brightness (to one side of the symbol) of approximately 2 fL as measured by a Spectra Brightness Spot Meter. The procedure followed in adjusting the television equipment before each experimental session is described by Bell.⁽¹⁾

SECTION III

RESULTS AND DISCUSSION

The percentage of identification errors for L/M and Leroy symbols at each of 4 values of resolution are shown in Figure 3; the identification speed for these two fonts at the same values of resolution are shown in Figure 4. As Figures 3 and 4 indicate, there were no marked differences between the two fonts in either accuracy or speed for any of the resolutions studied. The speed and accuracy of symbol identification for each subject are presented in Tables II and III. From Tables II and III it is evident that none of the differences between fonts were very large and statistical analysis revealed no significant differences in these data. Even the relatively large mean differences in identification time for the two fonts at a resolution of 8 lines was not statistically significant.

The effects of decreases in resolution on speed and accuracy of symbol identification for both fonts is similar to that reported in many previous studies.^(2,3,8,9)

Two conclusions follow from these data: (1) Televised L/M symbols are not superior in legibility to televised Leroy symbols, and (2) a minimum resolution of 10 lines per symbol height is required for a 90 percent or better accuracy of identification.




Figure 3. Percentage Error for L/M and Leroy Symbols




Figure 4. Identification Time for L/M and Leroy Symbols

Table II

Percentage Error for Each of Four Subjects

Resolution in Lines Per Symbol Height									
14			12		10		8		
	L/M	Leroy	L/M	Leroy	L/M	Leroy	L/M	Leroy	
Subjects	1	0	1	0	6	2	7	8	14
	2	1	3	2	2	8	9	36	42
	3	0	0	3	3	12	5	23	17
	4	0	1	0	3	18	7	46	22
Mean	0.25	1.25	1.25	3.50	10.00	7.00	28.25	23.75	

INTER-SYMBOL CONFUSIONS

The particular symbols which had the highest concentration of errors were similar for the two fonts at resolutions of 8 and 10 lines. The only notable difference between the two fonts was at a resolution of 12 lines where there was no confusion among the L/M symbols while the B, 8, Q, O, G and 6 of the Leroy font continue to be major sources of error. The absence of errors for the L/M font and the presence of

Table III

Identification Time in Seconds for Each of Four Subjects

Resolution in Lines Per Symbol Height								
14			12		10		8	
	L/M	Leroy	L/M	Leroy	L/M	Leroy	L/M	Leroy
Subjects 1 2 3 4	0.65	0.69	0.76	1.49	1.01	1.32	2.93	1.41
	0.63	0.69	0.75	0.71	1.08	0.90	1.38	1.50
	0.54	0.57	0.87	0.71	1.42	0.82	1.63	1.36
	0.96	0.84	1.04	1.25	2.36	1.75	3.92	2.93
Mean	0.70	0.70	0.86	1.04	1.47	1.20	2.46	1.80

errors for the Leroy font at 12 lines is not too surprising when it is recalled that the L/M font is essentially a refinement of the geometry of a font much like the Leroy.⁽⁵⁾ It is noted that by comparing the two fonts (see Figure 1) the geometric refinements include such things as increasing the size of small symbol detail (for example, increasing the length and changing the position of the horizontal bar of the letter G), changing the outline of symbols (for example, changing the upper part of the numeral 8 from a circle to a triangle), and altering the curvature of symbol strokes (for example, changing the curvature of the letter S). The failure of these design changes to aid identification at the lower resolutions is probably related to the fact that small differences in detail and stroke curvature are not resolved sufficiently by the coarse scan structure of the television. Apparently, a scan structure as fine as 12 lines per symbol height is needed before these geometric differences are resolved sufficiently for the subject to be able to detect them and use them in his identifications.


DESIGN OF SYMBOLS FOR TELEVISION

It is clear from the results of the present study and previous studies^(7,8) that small changes in detail and curvature of strokes of symbols are not going to improve the legibility of television displays. It appears that two other ways of changing symbols should be evaluated before the search for a better television font is abandoned.

In an earlier study⁽⁷⁾ twelve Leroy symbols were revised and tested for legibility on a television monitor. Eleven of these revisions involved small changes in symbol detail, but one revision involved a rather simple design change, that of increasing the width of the letter H from 75 percent to 100 percent of the symbol height. Most of the changes in small detail were not successful, but increasing the width of the H eliminated both the H-called-M and the H-called-N confusions which previously had been major sources of error. The finding suggests that increasing symbol width might be successful with other symbols involved in major confusions on television.

In addition to increasing symbol width, design changes involving a decrease in symbol stroke-width may be successful. Gross changes in symbol design such as increasing the width or decreasing the stroke-width of symbols may be expected to aid television legibility because the discrimination of gross detail is less dependent upon the fineness of the scan structure than is discrimination of small symbol detail.

Furthermore, increasing the width or decreasing the stroke-width of symbols may be expected to improve legibility by reducing the amount of horizontal smearing of symbol strokes. Therefore, further work may produce better symbols for television by studying the effects of symbol width and stroke-width.

A handwritten signature in cursive script, reading "D. Shurtleff".

D. Shurtleff
Department D-71

DS/dp

REFERENCES

1. G. Bell, Studies in Display Symbol Legibility: XVI. The Legibility of Teletypewriter Symbols on Television. The MITRE Corp., Bedford, Massachusetts, ESD-TR-67-104, April 1966.
2. G. Kosmider, Studies of Display Symbol Legibility: V. The Effect of Television Transmission on the Legibility of Common, Five-Letter Words. The MITRE Corp., Bedford, Massachusetts, ESD-TR-65-135, May 1966.
3. G. Kosmider, M. Young, and G. C. Kinney, Studies of Display Symbol Legibility: VIII. Further Study of the Legibility of Common, Five-Letter Words on a TV Monitor. The MITRE Corp., Bedford, Massachusetts, ESD-TR-65-385, May 1966.
4. D. J. Showman, Studies in Display Symbol Legibility: X. The Relative Legibility of Leroy and Lincoln/MITRE Alphanumeric Symbols. The MITRE Corp., Bedford, Massachusetts, ESD-TR-66-115, August 1966.
5. D. Shurtleff, Design Problems in Visual Displays: I. Classical Factors in The Legibility of Numerals and Capital Letters. The MITRE Corp., Bedford, Mass., ESD-TR-66-62, June 1966.
6. D. A. Shurtleff, Design Problems in Visual Displays: II. Factors in the Legibility of Televised Displays. The MITRE Corp., Bedford, Massachusetts, ESD-TR-66-299, August 1966.
7. D. Shurtleff, M. Marsetta, and D. Showman, Studies of Display Symbol Legibility: IX. The Effects of Resolution, Visual Size and Viewing Angle on the Legibility of Televised Leroy Alphanumeric Symbols. The MITRE Corp., Bedford, Massachusetts, ESD-TR-65-411, May 1966.
8. D. Shurtleff, and D. Owen, Studies of Display Symbol Legibility: VI. A Comparison of the Legibility of Televised Leroy and Courtney Symbols. The MITRE Corp., Bedford, Mass., ESD-TR-65-136, May 1966.

REFERENCES (Concluded)

9. D. Shurtleff, and D. Owen, Studies of Display Symbol Legibility: VII. The Legibility of Leroy Symbols on a 945-Line and a 525-Line Television System. The MITRE Corp., Bedford, Massachusetts, ESD-TR-65-137, May 1966.

UNCLASSIFIED

Security Classification

DOCUMENT CONTROL DATA - R&D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author) The MITRE Corporation Bedford, Massachusetts		2a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED	
		2b. GROUP	
3. REPORT TITLE STUDIES IN DISPLAY SYMBOL LEGIBILITY Part XVII. The Legibility of the Lincoln/MITRE Font on Television			
4. DESCRIPTIVE NOTES (Type of report and inclusive dates) N/A			
5. AUTHOR(S) (Last name, first name, initial) SHURTLEFF, Donald			
6. REPORT DATE April 1967		7a. TOTAL NO. OF PAGES 25	7b. NO. OF REFS 9
8a. CONTRACT OR GRANT NO. AF19(628)-5165		9a. ORIGINATOR'S REPORT NUMBER(S) ESD-TR-67-105	
b. PROJECT NO. 512C			
c.		9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
d.		MTR-389	
10. AVAILABILITY/LIMITATION NOTICES Distribution of this document is unlimited.			
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY Deputy for Command Systems, Computer and Display Division, Electronic Systems Division, L. G. Hanscom Field, Bedford, Massachusetts	
13. ABSTRACT The legibility of standard Leroy alphanumeric symbols was compared with that of a new font, the Lincoln/MITRE, on a television monitor at resolutions of 8, 10, 12 and 14 lines per symbol height. The new font was not superior in legibility to the Leroy font at any of the values of resolution tested. While the findings for the new font were negative, insights were gained about how to improve symbol design for more legible television displays. It was recommended that these new design techniques be evaluated in future work on television displays.			

UNCLASSIFIED
Security Classification

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT

COMPUTER SYSTEMS
 Displays
 Display Design
 Psychology
 Human Characteristics
 Legibility
 Readability

INSTRUCTIONS

1. **ORIGINATING ACTIVITY:** Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (*corporate author*) issuing the report.

2a. **REPORT SECURITY CLASSIFICATION:** Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.

2b. **GROUP:** Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.

3. **REPORT TITLE:** Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parenthesis immediately following the title.

4. **DESCRIPTIVE NOTES:** If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.

5. **AUTHOR(S):** Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.

6. **REPORT DATE:** Enter the date of the report as day, month, year; or month, year. If more than one date appears on the report, use date of publication.

7a. **TOTAL NUMBER OF PAGES:** The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.

7b. **NUMBER OF REFERENCES:** Enter the total number of references cited in the report.

8a. **CONTRACT OR GRANT NUMBER:** If appropriate, enter the applicable number of the contract or grant under which the report was written.

8b, 8c, & 8d. **PROJECT NUMBER:** Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.

9a. **ORIGINATOR'S REPORT NUMBER(S):** Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.

9b. **OTHER REPORT NUMBER(S):** If the report has been assigned any other report numbers (*either by the originator or by the sponsor*), also enter this number(s).

10. **AVAILABILITY/LIMITATION NOTICES:** Enter any limitations on further dissemination of the report, other than those

imposed by security classification, using standard statements such as:

- (1) "Qualified requesters may obtain copies of this report from DDC."
- (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
- (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through _____."
- (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through _____."
- (5) "All distribution of this report is controlled. Qualified DDC users shall request through _____."

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

11. **SUPPLEMENTARY NOTES:** Use for additional explanatory notes.

12. **SPONSORING MILITARY ACTIVITY:** Enter the name of the departmental project office or laboratory sponsoring (*paying for*) the research and development. Include address.

13. **ABSTRACT:** Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS), (S), (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14. **KEY WORDS:** Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, rules, and weights is optional.