

AD-662424

USAF

Technical Applications Center
ENVIRONMENTAL

ETAC

WORLDWIDE AIRFIELD CLIMATIC DATA

VOLUME IV

CANADA—GREENLAND—ICELAND

*This document has been approved for public
release and sale; its distribution is unlimited.*

NOVEMBER 1967

79 07 23 006

WORLDWIDE AIRFIELD CLIMATIC DATA

FOREWORD

This is a part of a series of compilations which is worldwide in scope. It consists of climatological data for selected airfields and for the climatic areas in which they are located. When complete, the series will include data for several thousand stations.

These data were compiled and prepared by the USAF Environmental Technical Applications Center (ETAC), Bldg 159, Navy Yard Annex, Washington, D. C. 20333. This series is also being published by the U. S. Naval Weather Service, Navy Yard, Washington, D. C. 20390 under the title "U.S. Naval Weather Service World-Wide Airfield Summaries".

WORLD-WIDE AIRFIELD SUMMARIES - - VOLUME IV

CANADA • GREENLAND • ICELAND

INTRODUCTION

This volume provides climatological summaries for airfields and climatic areas in Canada, Greenland, and Iceland. The summaries are presented by country (in alphabetical order, using a two-letter code) as shown in the Index. Within the countries, summaries are arranged according to numbered climatic areas, and by increasing WMO Station Index Numbers within the climatic areas. An arbitrary station number (indicated by "/") is used where WMO Index Numbers are not assigned. Maps are included to delineate areas and station locations.

Climatic areas have been selected as being nearly homogeneous climatologically, but considerable variation may exist between locations in an area at a specific time because of topography and other factors. Climatological summaries for these areas follow those for the included airfields.

The latitudes and longitudes of the approximate centers of the climatic areas are indicated in the summary headings. Where more than one climatic area lies within a country, these are delineated by straight line segments and the positions of the end points are listed.

Blank values in the tables indicate that no data are available, and "0" indicates that the period of record is unknown. Local Standard Time is that of the standard time zone, and no adjustment has been made where local deviations exist. Data sources are listed in detail by means of a number system described on the following pages.

The first page of each station summary provides data for the station, and the second page contains information for the airfield area. The values are in mean

INTRODUCTION, CONT'D

number of days. Where observations were not available, the information consists of climatological estimates based on data for surrounding stations. In some instances tables may be based on relatively few observations or on somewhat doubtful data, and these should be used with caution.

GLOSSARY OF GENERAL TERMS

AIRFIELD DATA AND AIRFIELD AREA DATA

Climatological data applicable only to a specified airfield. The data consists of statistical parameters based on actual weather observations made at the airfield. If actual weather observations are not available the data consist of estimates of the statistical parameters, prepared by a climatologist, based on actual meteorological data from surrounding weather stations.

CLIMATIC AREA DATA

Climatological data representative of a nearly homogeneous climatic area. The data are average (or representative) values based on a sample of climatological data available from weather stations within the area. The area data do not imply that the specific condition simultaneously exists at all locations within a country or large climatic area. In rolling and mountainous terrain there may be considerable variation in the data from one location to another within the climatic area.

LOCAL STANDARD TIME

Standard time applicable to a 15 deg. meridional zone. (Zones proceed east and west from the zone centered on the prime meridian and extending from 00730E to 00730W.) No consideration is given to local deviations from the 15 deg. zone boundaries.

AIRFIELD PARAMETERS

ABSOLUTE MAXIMUM (MINIMUM) TEMPERATURE-DEG. F.

The highest (lowest) temperature observed in the specified month during the whole period for which observations are available.

MEAN DAILY MAXIMUM (MINIMUM) TEMPERATURE-DEG. F.

The average of all the daily maximum (minimum) temperatures observed in the specified month.

MEAN NO. DAYS WITH MAXIMUM TEMPERATURE GREATER THAN 90 DEG. F.

The average of the number of days in the specified month on which the maximum temperature was observed to be equal to or greater than 90 deg. F.

MEAN NO. DAYS WITH MINIMUM TEMPERATURE LESS THAN 32 DEG. F (LESS THAN 0 DEG. F.).

The average of the number of days in the specified month on which the minimum temperature was observed to be equal to or less than 32 deg.F.(0 deg.F.).

MEAN DEW POINT TEMPERATURE-DEG. F.

The average of all hourly dew point temperatures observed in the specified month.

MEAN RELATIVE HUMIDITY-PERCENT

The average of all hourly relative humidity values observed in a specified month.

MEAN PRESSURE ALTITUDE-FEET

The average station pressure observed at the airfield in the specified month converted to an altitude by using the U. S. Standard Atmosphere.

MEAN MONTHLY PRECIPITATION-INCHES

The average of the monthly total amount of all forms of precipitation, reduced to its liquid equivalent, observed in the specified month.

MEAN MONTHLY SNOWFALL-INCHES

The average of the monthly total amount of snowfall observed in the specified month.

MEAN NO. DAYS WITH PRECIPITATION GREATER THAN 0.1 INCH (SNOWFALL GREATER THAN 1.5 INCHES)

The average of the number of days in the specified month on which the daily amount of precipitation (snowfall) was observed to be equal to or greater than 0.1 inch (1.5 inches).

MEAN NO. DAYS WITH AN OCCURRENCE OF VISIBILITY LESS THAN 0.5 MILE

The average of the number of days in the specified month on which there was at least one observation of visibility less than 0.5 mile.

MEAN NO. DAYS WITH THUNDERSTORMS

The average of the number of days in the specified month on which the weather observer heard thunder.

PERCENT FREQUENCY SURFACE WIND SPEED GREATER THAN 16 KNOTS (GREATER THAN 27 KNOTS)

The frequency, expressed as a percent of the total number of hourly weather observations considered, during the specified month, in which the surface wind speed was observed to be greater than 16 knots (27 knots).

PERCENT FREQUENCY CEILING LESS THAN 5,000 FEET OR VISIBILITY LESS THAN 5 MILES

The frequency, expressed as a percent of the total number of hourly weather observations considered, during the specified month, in which the ceiling was observed to be less than 5,000 feet and/or the visibility was observed to be less than 3 miles (less than 1 mile).

PERCENT FREQUENCY CEILING LESS THAN 1,500 FEET (LESS THAN 300 FEET) OR VISIBILITY LESS THAN 3 MILES (LESS THAN 1 MILE)

The frequency, expressed as a percent of all the hourly weather observations considered, in a specified three-hourly period during the day for a specified month in which the ceiling was observed to be less than 1,500 feet (300 feet) and/or the visibility was observed to be less than three miles (one mile).

PARAMETERS FOR AIRFIELD AREA AND CLIMATIC AREA

MEAN NO. DAYS WITH CEILING GREATER THAN 1,000 FEET (GREATER THAN 2,500 FEET, GREATER THAN 6,000 FEET, ETC.) AND VISIBILITY GREATER THAN 3 MILES

The average of the number of days when, at a specified hour during the day in the specified month, the ceiling was observed to be equal to or greater than 1,000 feet (2,500 feet, 6,000 feet, etc.) and the visibility was observed to be equal to or greater than three miles.

MEAN NO. DAYS WITH SKY COVER LESS THAN 0.3 AND VISIBILITY GREATER THAN 3 MILES

The average of the number of days when, at a specified hour during the day in the specified month, the portion of the sky covered with clouds was observed to be less than 0.3 and the visibility was observed to be equal to or greater than three miles.

MEAN NO. DAYS WITH CEILING GREATER THAN 2,000 FEET AND VISIBILITY GREATER THAN 3 MILES AND SURFACE WIND LESS THAN 10 KNOTS

The average of the number of days when, at a specified hour during the day in the specified month, the ceiling was observed to be equal to or greater than 2,000 feet, the visibility was observed to be equal to or greater than three miles, and the surface wind speed less than ten knots.

MEAN NO. DAYS WITH SURFACE WIND GREATER THAN 16 KNOTS AND NO PRECIPITATION

The average of the number of days when, at a specified hour during the day in the specified month, the surface wind speed was observed to be greater than 16 knots, and there was no precipitation.

MEAN NO. DAYS WITH SURFACE WIND 4-10 KNOTS AND TEMPERATURE 33-89 DEG. F. AND NO PRECIPITATION

The average of the number of days when, at a specified hour during the day in the specified month, the surface wind speed was equal to or greater than four knots, but not greater than ten knots, the temperature was equal to or greater than 33 deg.F. but not greater than 89 deg.F. and there was no precipitation.

AREA PARAMETERS (CLIMATIC AREA ONLY)

MEAN DAILY TEMPERATURE RANGE-DEG. F.

Two temperatures for the specified month: (1) a representative mean daily maximum temperature observed in the area; (2) a representative mean daily minimum temperature observed in the area.

RANGE OF MEAN MONTHLY PRECIPITATION-INCHES

Two mean monthly precipitation amounts for the specified month: (1) the largest mean amount observed in the area; (2) the smallest mean amount observed in the area.

DATA SOURCES

The source from which values were taken can be determined from the column labeled "No. Obs."

(1) If the number in that column is positive, the data for that line were computer-summarized, and the number given is the number of observations used in the summarization.

(2) If the number is negative and of three digits or less, the data were hand-copied or estimated as indicated in the following source list.

(3) If the number is less than minus 500, part of the data are derived from computer-summarized data, and part from the source list number plus 500. For example, if the number is "-528," the source is the extreme of the computer-summarized data compared to source "-28."

(4) If the number is minus and a four or five digit number, the data were substituted from a representative station nearby and this number is the number of the source station.

(5) Statistical methods or meteorological relationships were used whenever possible to provide data not available at the National Weather Records Center or in yearbooks and summaries.

SOURCE LIST

- 1 French Equatorial Africa Service Meteorologique - 1950 - 1959
- 2 Madagascar Service Meteorologique, Resum du Temps - 1947 - 1956
- 3 Angola Servico Meteorologico Elmento Meteorologicos - 1942 - 1952
- 4 Algiers, Universite, Institute de Meteorologie, le Climat de L'Algerie
- 5 Algeria Service Meteorologique Bulletin Climatologique Mensual - 1952 - 1960
- 6 Algeria, Institut de Meteorologie - 1939-1954
- 7 Pt. 1 - Algiers Universite Annuaire du Nord - 1945 - 1950
- 8 Pt. 2 - Algiers Universite Annuaire Sahara - 1945 - 1950
- 9 Algeria, Service Meteorologique Resume Mensuel du Temps - 1951 - 1960
- 10 Verslag Report - 1949 - 1958
- 11 Portugese East Africa, Servico Meteorologico Annuaire de Observacoes - 1951 - 1960
- 12 Climatologica Summaries-Northern Rhodesia - 1938 - 1948
- 13 Rhodesia Met. Service Climatologica Studies - 1948 - 1960
- 14 Climat Normals of Egypt and Sudan(Bock)
- 15 Metro Summary Tables (in summ. file)
- 16 Egypt Meteorological Dept. Metro Report
- 17 So. Africa Meteorological Services. (Wx on the coasts of So.Africa-Vol.II)
- 18 Weather on the west coast of Africa 7 to 20 years
- 19 Sudan-Meteorological Service Annual Met Report - 1950 - 1957
- 20 Tunisia Service Meteorologique Buletin Annual - 1952 - 1956
- 21 Republique Francaise du Maroc Annales - 1945 - 1953
- 22 French West Africa Service Meteorologique Resume Mensuel des Observations - 1953 - 1954; 1955 - 1957
- 23 Belgian Congo Service Meteorologique
- 24 World Distribution of Thunderstorm Days
- 25 WMO Model "A"
- 26 Portugal Servico Meteorologico Nacional (Dynamic Climatology of Southern Africa and the Air Routes in the Region)
- 27 Air France, Climatology of Africa

- | | |
|--|--|
| <p>28 British Meteorological Tables</p> <p>29 Statistical Estimate</p> <p>30 Professional Subjective Estimate</p> <p>31 Interpolation</p> <p>32 Climatic Norms (Clino) WMO</p> <p>33 CB Climatological Briefs</p> <p>34 CDC WB Climatic Data Card</p> <p>35 N Summary</p> <p>36 Computed from Accepted Meteorological Relationships</p> <p>37 Cape Verdi Islands Servicios de Estadística Meteorología E. Climatología</p> <p>38 Malaya-Meteorological Service Summary of Observations</p> <p>39 Revolutionary Government of the Union of Burma Meteorological Department Climatological Summary</p> <p>40 Vietnam - Direction de La Meteorologie Resume Mensuel du Temps</p> <p>41 Afghanistan Meteorological Institute Monthly Weather Bulletins</p> <p>42 Lebanon - Service de Climatologie Bulletin Climatologique Mensuel</p> <p>43 Climatological Tables of Observations in India (red book)</p> | <p>44 India Meteorological Department - India Weather Review</p> <p>45 Batavia - Rainfall in Indonesia (Verhandeligen No. 37)</p> <p>46 Turkey-Yillik Meteoroloji Bulteni</p> <p>47 Rainfall Statistics of the British Borneo Territories</p> <p>48 Ceylon Meteorological Report - December 1938 - 1949</p> <p>49 Kuwait, Arabia - Climatological Data Annual</p> <p>50 Ace Data, computed, derived or substituted from data available 1964</p> <p>51 Promedios Climatologicos de Venes Uela Perido - 1951 - 1960</p> <p>52 Chile Servicio Meteorologico, Anu Ario Meteorologico, Publication No. 73</p> <p>53 Climate of Ecuador</p> <p>54 Peru Direction General de Meteorologia Boletin Annual Meteorologico</p> <p>55 Brazil Normais Climatologicas da Area da Sudene</p> <p>56 Climatologia de Caille, Fasciculo Valores Normales de 36 Estaciones Seleceionadas, Perido - 1916 - 1945</p> <p>57 H. O. Pub. No. 527 Weather Summary-Brazil</p> <p>58 H. O. Pub. No. 529 Weather Summary-South America - - Southern Part</p> |
|--|--|

- 59 Datos Detallados de Climatologia de Venezuela
- 60 Paraguay File
- 61 H.O. Publication No. 530 Weather Summary
- 62 Climatological Summary, Valley of Mexico (Mexico City)
- 63 Argentine Republic Servicio Meteorologico
- 64 Climatological Studies-Weather and Climate of Central America and Mexico-2WG
- 65 Climatological Studies Weather and Climate of West Indies-2WG
- 66 H. O. Pub. No. 528 Weather Summary-South America - - Northern Part
- 67 Climatological Studies-Weather and Climate South America-2WG
- 68 Professional Notes British Meteorological Office
- 69 Geografiska Annaler 37-38 - 1955 - 1956
- 70 H. O. Pub. No. 531 Weather Summary Central America-For Use w/Naval Air Pilot Supplement '8' Northwest Africa
- 71 Meteorological Yearbook Iranian Met. Dept.
- 72 H. O. Pub. No. 532 Weather Summary Mexico
- 73 H. O. Pub. No. 264 Weather Summary-South Africa
- 74 H. O. Pub No. 261 Weather Summary-Supplement 'C' West Central Africa
- 75 H. O. Pub. No. 263 Weather Summary-Supplement 'B' East Central Africa
- 76 H. O. Pub. No. 260 Weather Summary
- 77 Meteorological Data for certain Australian localities
- 78 New Zealand-Meteorological Service Climatological Table - 1951 - 1958
- 79 Ministerie Van Openbare Werken en Verkeer Meteorologische Dienst
- 80 Climate and Meteorology of Australia-1919 - 1951
- 81 Authentic Data, but source unknown
- 82 Summaries of Climatological Observations at New Zealand Stations to 1960
- 83 Relative Humidity at 0900 LST only - reference is the same as 82 above
- 84 Climatological Division Summary (CDC) for Canada, No. 1 thru 13-years 1962 thru 1966
- 85 Climate of British Columbia and the Yukon Territory by W. G. Kendrew and D. Kerr - 1955
- 86 The Climate of Central Canada by W. G. Kendrew and B. W. Currie - 1955

- 87 The Climate of Newfoundland Circular 4019
Cli 30, April 1964
- 88 Servicio Meteorologico Nacional Estadisticas Climatologicas - 1901 - 1950
Pub. B No. 1 and 1941 - 1950 Pub B No. 3
- 89 Anuario Meteorologico 1952, 53, 54
Ministerio de Agricultura Oct. 1955
- 90 Las Precipitaciones en El Uruguay, 1965
- 91 Revista Meteorologica, Sumario, Anos 1944
al 1956 Montevideo 1957
- 92 Climatological Data for Sonora, Northern
Sinaloa, Baja, Calif., Univ. of Ariz.,
Tech. Rpt. Nos. 14, 15, 1 Oct 1964
- 93 Avg. Climatic Water Balance Data of the
Continents, Part IV, Australia, New Zealand
and Oceania, 1963
- 94 Book of Normals - No. 1, Rainfall,
Melbourne, 1951
- 95 Climatological Studies, Wea. and Clim.
Pacific Islands, Hqs, 2nd Wea Gp F-8
- 96 Climate of the Horow Henua Lowlands New
- 97 Weather Summaries, Pacific and Alaska, Hydrographic Office H.C. Nos. W-270,
W-271, 272, 273, 275, 276, 526, yrs.1943-4
- 98 Climatic Table for Japan Area Parts I-II
- 99 The Climate of Japan Vol. IV No. 2, 1931
- 100 Climatic Tables of Japan, Parts 1-5 1931-60
- 101 Climatological Data for Antarctic Stations No. 1-8, 1962-66. (Mean monthly precip ETAC computed from mean monthly snowfall with water equivalent basis of 10 ins of snow equal 1 in of precip).
- 102 Anare Data Reports, Series D, Meteorology, No. 81, XIII, XII, Melbourne, 1963-5.
- 103 Meteorological and Radiational Regimes of Antarctica, U.S. Dept. of Commerce 1964
- 104 Data from Polar Meteorology Section W.B.
- 105 Climatic Summaries for Canada 1947-1954
- 106 Climatic Summaries for Canada, Vol. II, 1948
- 107 Climate of the Canadian Arctic Archipelago, 1951
- 108 Temperature Normals, Averages and Extremes in the Northwest Territories during the period 1931 to 1960
- 109 Averages and Extremes of Climatic Data during 1951-1960 for selected Canadian Arctic stations, 1963
- 110 Canada Met. Branch, Temperature Extremes, 1966
- 111 Avg. Climatic Water Balance Data of the Continents, Part VI No. America, 1964

- 112 Canada Met. Branch, Monthly Record 1955-1965
- 113 Climatic Summary of the United States Supplement for 1951 through 1960
- 114 Climat. Studies, Hdqs. 19th AF, Alaska G-4, 1960
- 115 Climatological Summary, WE, Alaska, Means and Extremes for period of record thru 1952.
- 116 Local Climatological Data, Annual Summary w/Comparative Data, ESSA, 1966
- 117 Uniform Summary of Surface Wea. Obs.
- 118 Macro and Micro Climatology of the Arctic Slope of Alaska. US Army Tech Report EP-139, Natick Labs, 1960
- 119 Temperatures of Northern America, Hdqs. Quartermaster, US Army, Research Report RER-9, Natick Labs, 1956
- 120 Supplement to Bulletin W, Climatic Summary of the U.S. for 1931 thru 1952

INDEX

STATION INDEX

WORLDWIDE AIRFIELD SUMMARIES - VOLUME IV

CANADA

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.		
<u>NORTHERN ISLANDS (Climatic Area 1)</u>		<u>YUKON (Climatic Area 2)</u>			
72903	Resolution Is	1 - 2	72953	Watson Lake	60-61
72909	Frobisher	3 - 4	72964	Whitehorse	62-63
72917	Eureka	5 - 6	72966	Dawson	64-65
72924	Resolute	7 - 8	72968/	Aklavik	66-67
72925	Cambridge Bay	9 -10	72969	Snag	68-69
72927	Gladman Point	11-12	74035	Aishihik	70-71
72929	Byron Bay	13-14	74040/	Shingle Point	72-73
72937/	Lady Franklin	15-16	74057/	Bagnall Beach	74-75
72948	Cape Parry	17-18		Climat	76
72962/	West Melville	19-20	<u>NORTHERN FORESTS (Climatic Area 3)</u>		
72987/	Padloping Is	21-22	72934	Fort Smith	77-78
74053	Clinton Point	23-24	72935	Hay River	79-80
74059/	Cape Young	25-26	72936	Yellowknife	81-82
74066/	Jenny Lind	27-28	72946	Fort Simpson	83-84
74071/	Nicholson	29-30	74043	Norman Wells	85-86
74072	Mould Bay	31-32	74044/	Wrigley	87-88
74074	Isachsen	33-34		Climat	89
74078/	Shepherd Bay	35-36	<u>BARREN NORTHLAND (Climatic Area 4)</u>		
74080	Mackar Inlet	37-38	72938	Coppermine	90-91
74081	Hall Beach	39-40	72957	Inuvik	92-93
74082	Alert	41-42	72959	Tuktoyaktuk	94-95
74090	Clyde	43-44		Climat	96
74091	Longstaff Bluff	45-46	<u>SOUTHERN ROCKIES (Climatic Area 5)</u>		
74092	Dewar Lakes	47-48	72799	Victoria Intl	97-98
74093	Cape Hooper	49-50			
74094	Cape Dyer	51-52			
74095	Rowley	53-54			
74096	Broughton	55-56			
74099/	Mid Baffin	57-58			
	Climat	59			

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
<u>SOUTHERN ROCKIES</u> (Climatic Area 5) (cont.)			
72880	Kimberley	99-100	
72884	Crescent Valley	101-102	
72886	Princeton	103-104	
72887	Kamloops	105-106	
72888	Jasper	107-108	
72889	Penticton	109-110	
72890	Nanaimo	111-112	
72891	Lytton	113-114	
72892	Vancouver Intl	115-116	
72893	Comox	117-118	
72895	Bull Harbour	119-120	
72896	Prince George	121-122	
72898	Prince Rupert	123-124	
72899	Langara	125-126	
72902/	Kelowna	127-128	
72911/	Powell River	129-130	
72947	Smith River	131-132	
72950	Smithers	133-134	
72951	Terrace	135-136	
74049/	Pachena Point	137-138	
74050	Kleena Kleene	139-140	
74060	Castlegar	141-142	
74101	Sandspit	143-144	
74103	Quesnel	145-146	
74108	Abbotsford	147-148	
74109	Port Hardy	149-150	
74111/	Chilliwack	151-152	
74112	Ashcroft	153-154	
74113/	Cranbrook	155-156	
74114	Hope	157-158	
74115/	Nelson	159-160	
74116/	Masset	161-162	
74117/	Carmi	163-164	
74122	Banff	165-166	
74125/	Cowley	167-168	
74130/	Dog Creek	169-170	
74131/	Campbell River	171-172	
	Climat	173	
		<u>PRAIRIES</u> (Climatic Area 6)	
72851	Portage	174-175	
72852	Winnipeg Intl	176-177	
72853	Camp Shilo	178-179	
72855	Dauphin	180-181	
72860	Rivers	182-183	
72861	Broadview	184-185	
72862	Estevan	186-187	
72863	Regina	188-189	
72864	Moose Jaw	190-191	
72866	Saskatoon	192-193	
72869	Prince Albert	194-195	
72870	Swift Current	196-197	
72871	Vermilion	198-199	
72872	Medicine Hat	200-201	
72874	Lethbridge	202-203	
72876	North Battleford	204-205	
72877	Calgary	206-207	
72878	Penhold	208-209	
72879	Edmonton	210-211	
72885/	Camp Wainwright	212-213	
72912/	Suffield	214-215	
72928	Rocky Mountain House	216-217	
72931	Lac La Biche	218-219	
72932	Fort McMurray	220-221	
72939	Beaton River	222-223	
72940	Grande Prairie	224-225	
72943	Fort St John	226-227	
72944	Fort Vermilion	228-229	
72945	Fort Nelson	230-231	
72955/	Virden	232-233	

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
<u>PRAIRIES (Climatic Area 6) (cont.)</u>		<u>HUDSON BAY AREA (Climatic Area 8)</u>	
72979/ Hemsworth	234-235	72740 Pagwa	296-297
72984/ Namac	236-237	72826 Nitchequon	298-299
72988/ Red Deer	238-239	72836 Moosonee	300-301
72996/ Smith Field	240-241	72840 Nakina	302-303
73860/ Brandon	242-243	72841 Armstrong	304-305
74056 Dawson Creek	244-245	72846 Lansdowne House	306-307
74068 Peace River	246-247	72849 Trout Lake	308-309
74069 Wagner	248-249	72905 Great Whale	310-311
74118/ Meadow Lake	250-251	72908 Nottingham Is	312-313
74120 Cold Lake	252-253	72910/ Winisk	314-315
74123 Edmonton Intl	254-255	72913 Churchill SS	316-317
74133/ Lincoln Park	256-257	72915 Coral Harbour	318-319
74134/ Lloydminster	258-259	72916 Chesterfield	320-321
74138 Yorkton	260-261	74054/ Big Owl	322-323
74146/ Neepawa	262-263	74055/ Bear Island	324-325
Climat	264	74058/ Canary	326-327
		74061/ Crow	328-329
		74191/ Manuan Lake	330-331
		Climat	332
<u>LAKE COUNTRY (Climatic Area 7)</u>		<u>EASTERN CANADA (Climatic Area 9)</u>	
72842 Sioux Lookout	265-266	72610 Sherbrooke	333-334
72850 Kenora	267-268	72627 Montreal Intl	335-336
72856 Gimli	269-270	72628 Ottawa	337-338
72857 Wabowden	271-272	72711/ Megantic	339-340
72867 The Pas	273-274	72714 Quebec	341-342
72868 Hudson Bay	275-276	72715 Riviere Du Loup	343-344
72921 Brochet	277-278	72718 Mont Joli	345-346
72922 La Ronge	279-280	72721/ Lac A La Tortue	347-348
72976/ Flin Flon	281-282	72722 Maniwaki	349-350
74076 Uranium City	283-284	72723/ La Macaza	351-352
74079/ Thompson	285-286	72724/ Matane	353-354
74084/ Fond Du Lac	287-288	72726/ Parent	355-356
74085/ Gillam	289-290	72727 Bagotville	357-358
74128/ Embarras	291-292		
74150/ Lynn Lake	293-294		
Climat	295		

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
<u>EASTERN CANADA</u> (Climatic Area 9) (cont.)		74379/ Brockville Climat	427-428 429
72728 Roberval	359-360	<u>GREAT LAKES AREA</u> (Climatic Area 10)	
72729/ Alma	361-362	72538 Windsor	430-431
72732/ Dolbeau	363-364	72621 Trenton	432-433
72736/ Rimouski	365-366	72623 London	434-435
72811 Sept Iles	367-368	72624 Toronto Intl	436-437
72813 Natashquan	369-370	72625 Stirling	438-439
72814/ Harrington Harbour	371-372	72626/ Belleville	440-441
72816 Goose	373-374	72629 Killaloe	442-443
72818 Cartwright	375-376	72630 Muskoka	444-445
72820/ Charlevoix	377-378	72632 Centralia	446-447
72825 Wabush	379-380	72633 Wiarton	448-449
72828 Knob Lake	381-382	72634/ Bonnechere	450-451
72904 Cape Hopes Advance	383-384	72642/ Peterborough	452-453
72906 Fort Chimo	385-386	72647/ Picton	454-455
72973/ Cartierville	387-388	72649/ Brantford	456-457
72980/ Lachute	389-390	72653/ Buttonville	458-459
72981/ St Honore	391-392	72656/ Camp Borden	460-461
72982/ Mingan	393-394	72661/ Maple	462-463
72990/ Rickcliffe	395-396	72725 Val d'Or	464-465
72991/ Saglek	397-398	72730 Sudbury	466-467
72998/ St Jean	399-400	72731 North Bay	468-469
72999/ Ste Anne	401-402	72733 Gore Bay	470-471
73743/ St Hubert	403-404	72735 Earlton	472-473
73747/ Trois Rivieres	405-406	72739 Timmins	474-475
74065/ Janis Lake	407-408	72749 Lakehead	476-477
74070/ La Tuque	409-410	72831 Kapuskasing	478-479
74184/ St Jovite	411-412	72833/ Parry Sound	480-481
74186/ Forestville	413-414	72956/ Waterloo Wellington	482-483
74187 Baie Comeau	415-416	72960/ Welland	484-485
74188 Manicouagan	417-418	72970/ Browns	486-487
74189 Fox River	419-420	72971/ Camp Petawawa	488-489
74190/ Haldimand	421-422	72972/ Carp	490-491
74350/ Casey	423-424		
74376/ Granby	425-426		

STATION NO./NAME

PAGE NO.

STATION NO./NAME

PAGE NO.

GREAT LAKES AREA (Climatic Area 10)(cont.)

72974/	Chatham	492-493
72977/	Goderich	494-495
72978/	Goodwood	496-497
72983/	Kingston	498-499
72985/	Niagara District	500-501
72986/	Oshawa	502-503
72992/	St Catherines	504-505
72993/	St Thomas	506-507
72994/	Sarnia	508-509
73378/	Pelee Island	510-511
73736/	Sault Ste Marie	512-513
73738/	Rouyn	514-515
73739/	Downsview	516-617
73741/	Hamilton	518-519
73742/	Toronto Isle	520-521
74064/	Guelph Air Park	522-523
74377/	Tillsonburg	524-525
	Climat	526

72717	Chatham	551-552
72800	Cape Race	553-554
72801	Torbay	555-556
72802	Grand Bank	557-558
72803	Gander Intl	559-560
72804	Buchans	561-562
72807	Argentia NS	563-564
72809	Belle Isle	565-566
72810	Anticosti	567-568
72975/	Stephenville	569-570
72989/	Shearwater RCNAS	571-572
74197	St Andrews	573-574
74395	Halifax Intl	575-576
74397	Greenwood	577-578
74399/	Ecum Secum	579-580
	Climat	581

MARITIMES (Climatic Area 11)

72600	Sable Island	527-528
72603	Yarmouth	529-530
72609	Saint John	531-532
72620/	Blissville	533-534
72700	Fredericton	535-536
72701/	Penfield Ridge	537-538
72702	Summerside	539-540
72703/	Liverpool	541-542
72705	Moncton	543-544
72706	Charlottetown	545-546
72707	Sydney	547-548
72708/	St Paul Island	549-550

STATION INDEX
 WORLDWIDE AIRFIELD SUMMARIES - VOLUME IV

GREENLAND

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
<u>NORTHERN COAST</u> (Climatic Area 1)		<u>ICE CAP</u> (Climatic Area 4)	
04310 Nord	582-583	04345/ Eismitte	621-622
04315/ Peary Land	584-585	Climat	623
	586		
<u>EASTERN COAST</u> (Climatic Area 2)			
04270 Narsarsuak	587-588		
04283 Nanortalik	589-590		
04320 Danmarkshavn	591-592		
04336/ Myggbukta	593-594		
04341/ Scoresbysund	595-596		
04360 Angmagssalik	597-598		
04384/ Torgilsbu	599-600		
Climat	601		
<u>WESTERN COAST</u> (Climatic Area 3)			
04202 Thule Air Base	602-603		
04210 Upernivik	604-605		
04212 Umanak	606-607		
04216 Jacobshavn	608-609		
04218 Godhavn	610-611		
04230 Holstensborg	612-613		
04231 Sondrestrom	614-615		
04250 Godthaab	616-617		
04262/ Ivigtut	618-619		
Climat	620		


STATION INDEX

WORLDWIDE AIRFIELD SUMMARIES - VOLUME IV

ICELAND

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.		
<u>SOUTHERN COAST (Climatic Area 1)</u>		<u>INTERIOR (Climatic Area 3)</u>			
04018	Keflavik	624-625	04034	Sidumuli	666-667
04030	Reykjavik	626-627	04050	Hae11	668-669
04032/	Hvanneyri	628-629	04054/	Maelife11	670-671
04038	Eyrarbakki	630-631	04063	Akureyri	672-673
04048	Vestmannaeyjar	632-633	04073	Grimsstadir	674-675
04057/	Vik	634-635	04079/	Modhrudalur	676-677
04058	Loftsalir	636-637	04088/	Hallormsstadhur	678-679
04064	Kirkjubaejarklau	638-639	04089	Egilsstahir Air	680-681
04072	Fagurholsmyri	640-641		Climat	682
04095/	Teigarhorn	642-643			
	Climat	644			
<u>NORTHERN COAST (Climatic Area 2)</u>					
04005	Goltur	645-646			
04013	Stykkisholmur	647-648			
04031	Kjorvogur	649-650			
04045	Blonduos	651-652			
04053	Saudarkrokur	653-654			
04065	Grimsey	655-656			
04066/	Husavik	657-658			
04077	Raufarhofn	659-660			
04084/	Hofn	661-662			
04086/	Fagridalur	663-664			
	Climat	665			





RESOLUTION IS., CANADA

STA NO. 72903 (IN AREA NUMBER 01)

LATITUDE 6118N

LONGITUDE 06453W

ELEVATION(FT) 00127

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	35	35	37	39	45	58	59	61	60	45	39	35	61	30	-110
MEAN MAX TMP (F)	5	4	12	20	30	37	42	42	38	32	25	14	25	19	-105
MEAN MIN TMP (F)	-6	-6	2	10	23	30	33	34	32	26	18	4	17	19	-105
ABS MIN TMP (F)	-36	-32	-22	-20	-2	16	26	26	14	-1	-10	-22	-36	30	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)					0.0	0.0	0.0	0.0	0.0	0.0				30	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.02	1.02	0.97	0.83	1.14	1.30	1.83	1.59	2.02	1.27	1.22	1.50	15.7	19	-105
MEAN SNOW FALL (IN)	10.2	10.1	9.6	7.9	8.0	3.2	0.0	0.2	2.4	8.0	11.8	15.0	86.4	19	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.3	3.3	3.1	2.6	3.6	3.8	4.8	4.4	5.1	3.7	3.6	4.7	46.0	19	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.1	2.1	2.0	1.6	1.6		0.0	0.0	0.4	1.6	2.7	3.2		19	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	1.0	9	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

RESOLUTION IS., CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	20 LST													0	0
VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR	20 LST													0	0
3 MI W/SFC WND LES 10 KTS	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
SFC WND = GTR 17 KTS AND	20 LST													0	0
NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89	20 LST													0	0
DEG F AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
SKY COVER LES 3/10 AND	20 LST													0	0
VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
CIG = GTR 2500 FT AND	20 LST													0	0
VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
CIG = GTR 6000 FT AND	20 LST													0	0
VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
CIG = GTR 10000 FT AND	20 LST													0	0
VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0

DATA NOT AVAILABLE

FROBISHER, CANADA

STA NO. 72909 (IN AREA NUMBER 01)

LATITUDE 6345N

LONGITUDE 06033W

ELEVATION(FT) 00110

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	39	39	39	41	56	71	76	74	63	45	42	38	76	20	-610
MEAN MAX TMP (F)	-9	-6	2	16	32	44	53	51	41	29	16	3	23	18	-108
MEAN MIN TMP (F)	-23	-22	-15	-1	20	33	39	38	31	18	4	-13	9	18	-108
ABS MIN TMP (F)	-49	-49	-47	-30	-15	17	27	30	5	-8	-33	-44	-49	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2992
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	30.0	29.8	15.8	1.3	1.2	19.0	30.6	30.0	31.0	278.7	9	2992
MEAN NO DYS TMP = OR LES 0(F)	29.2	26.0	27.3	16.1	2.4	0.0	0.0	0.0	0.0	0.5	10.6	24.0	136.1	9	2992
MEAN DEW PT TMP (F)	-19	-20	-15	0	20	32	39	38	30	20	9	-12	10	9	57600
MEAN REL HUM (PCT)	59	60	63	73	81	81	79	81	83	82	78	65	74	9	57557
MEAN PRESS ALT (FT)	247	207	126	66	86	169	221	226	235	260	238	262	195	0	-50
MEAN PRECIP (IN)	0.72	0.91	0.81	0.78	0.72	0.89	1.48	2.02	1.80	1.11	1.06	0.98	13.3	10	-105
MEAN SNOW FALL (IN)	7.2	9.1	8.1	6.0	5.6	1.5	0.0	0.0	5.2	9.3	10.5	9.8	72.3	10	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.3	2.9	2.6	2.5	2.3	2.8	4.2	5.2	4.7	3.4	3.3	3.2	39.4	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.6	1.6	1.0	1.1	0.4	0.2	0.0	0.0	1.7	2.0	2.5	2.2	13.3	5	1593
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.8	4.2	3.5	2.1	2.1	2.2	3.1	1.6	3.5	2.9	3.6	6.0	39.6	9	2904
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	9	2819
P FREQ WND SPD = OR GTR 17 KTS	22.2	21.1	18.9	18.1	18.6	10.7	11.0	10.6	14.9	20.8	24.0	19.2	17.5	9	63972
P FREQ WND SPD = OR GTR 28 KTS	5.9	4.0	3.0	2.1	1.7	0.6	0.7	0.9	1.8	2.2	3.7	4.7	2.6	9	63972
P FREQ LES 5000 FT A/O LES 5 MI	34.4	32.9	31.3	32.3	61.0	55.9	45.1	53.4	65.5	67.3	59.6	43.5	48.5	9	63987
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	15.6	14.2	11.3	9.1	19.3	17.4	18.5	11.1	14.3	13.6	14.4	15.5	14.5	9	7926
03-05 LST	15.3	14.2	11.2	6.1	18.3	21.0	18.6	13.7	14.9	14.5	15.9	15.9	15.0	9	7799
06-08 LST	18.5	14.8	15.5	8.5	18.1	22.7	19.9	14.6	17.5	16.7	13.6	14.2	16.2	9	8253
09-11 LST	20.2	16.9	18.0	10.1	16.6	18.0	15.5	14.1	16.1	15.3	16.3	13.4	15.9	9	8362
12-14 LST	20.2	19.3	17.9	9.9	16.1	12.7	11.1	10.1	14.7	16.2	17.2	15.2	15.1	9	8353
15-17 LST	22.2	17.3	16.2	8.5	13.5	10.7	9.7	7.9	13.5	16.2	19.4	17.9	14.4	9	8350
18-20 LST	18.9	16.2	13.1	7.7	13.6	10.0	10.2	10.1	13.5	17.8	15.9	17.8	13.7	9	8173
21-23 LST	18.2	13.4	11.4	8.4	16.6	11.5	14.2	11.5	13.6	14.4	13.7	17.4	13.7	9	7903
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	6.9	6.2	4.2	2.6	3.9	3.9	5.4	2.7	6.0	2.7	3.8	7.8	4.7	9	7926
03-05 LST	7.1	5.1	3.7	0.8	4.4	5.6	6.1	4.1	6.7	3.2	5.6	7.1	5.0	9	7799
06-08 LST	8.0	5.1	3.7	3.2	2.7	4.5	5.8	3.9	7.0	2.3	4.7	6.5	4.8	9	8253
09-11 LST	9.4	5.7	5.9	2.8	3.4	4.1	3.2	2.3	5.1	3.1	4.6	5.9	4.7	9	8362
12-14 LST	10.0	9.4	7.3	3.2	4.1	1.6	1.9	1.9	4.6	3.4	5.9	6.4	5.0	9	8353
15-17 LST	8.8	9.0	6.0	3.4	2.8	1.3	1.7	1.4	2.9	4.1	5.9	6.3	4.5	9	8350
18-20 LST	9.8	9.2	5.0	2.8	3.5	2.3	1.7	1.8	4.4	2.8	5.3	7.7	4.7	9	8173
21-23 LST	8.7	7.2	4.0	2.3	5.1	2.4	4.6	1.7	4.7	2.6	5.0	9.4	4.8	9	7903

FROBISHER, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	25.7	23.6	27.0	27.6	28.0	27.9	28.9	29.0	27.1	27.0	26.0	25.2	323.0	9	3008
	01 LST	26.7	24.3	27.3	26.9	26.3	26.2	27.7	28.4	26.9	28.4	26.7	26.2	322.0	9	2904
	07 LST	26.2	23.8	26.5	27.5	26.8	25.3	27.1	27.4	25.6	27.2	26.7	26.6	316.7	9	3010
	13 LST	25.9	22.8	26.0	27.0	27.0	27.9	29.0	29.3	26.9	26.7	25.9	25.9	320.3	9	3008
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	16.9	15.8	17.0	15.9	14.1	15.8	16.6	16.8	14.1	11.0	11.9	15.9	181.8	9	3007
	01 LST	17.5	16.3	19.2	15.5	14.3	17.2	18.7	18.9	14.5	12.1	12.4	16.0	192.6	9	2904
	07 LST	16.0	15.7	18.2	16.0	13.8	12.7	16.2	16.2	14.0	12.4	11.5	16.7	179.4	9	3009
	13 LST	16.5	14.9	15.3	13.6	12.3	14.2	16.0	13.4	11.1	10.4	11.4	16.7	165.8	9	3007
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	6.3	5.9	5.5	4.4	5.6	3.4	3.7	3.1	3.6	5.7	7.5	7.5	62.2	9	2689
	01 LST	6.3	6.0	5.4	5.3	3.9	2.4	2.1	1.8	4.3	5.1	8.4	7.8	58.8	9	2515
	07 LST	7.1	4.5	6.0	5.1	5.1	3.2	3.2	2.7	3.7	6.9	7.7	5.7	60.9	9	2665
	13 LST	6.3	6.9	8.6	6.0	7.2	4.4	5.0	4.4	5.7	7.4	8.0	6.6	76.5	9	2674
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	0.0	0.0	0.0	0.0	3.2	14.9	13.1	13.1	8.7	0.5	0.0	0.0	53.5	9	2689
	01 LST	0.0	0.0	0.0	0.0	1.2	8.6	10.5	13.2	7.6	1.0	0.0	0.0	42.1	9	2515
	07 LST	0.1	0.0	0.0	0.0	3.0	11.8	13.0	14.7	7.8	1.1	0.0	0.1	51.6	9	2665
	13 LST	0.0	0.0	0.0	0.3	5.5	16.9	18.2	16.5	11.4	2.8	0.0	0.0	71.6	9	2674
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	14.0	13.4	9.2	6.5	6.6	6.6	4.4	2.6	1.7	3.2	6.2	9.9	84.3	5	1621
	01 LST	16.7	16.0	13.1	11.0	6.0	5.0	6.8	4.4	4.5	3.5	7.7	11.2	105.9	5	1516
	07 LST	13.2	11.3	9.5	8.3	5.0	4.6	7.4	3.0	2.0	1.0	4.5	10.8	80.6	5	1622
	13 LST	12.0	10.2	9.0	10.2	6.8	6.2	5.8	1.6	1.2	1.7	3.0	5.1	72.8	5	1621
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	24.2	22.8	25.5	25.5	23.3	23.3	26.7	25.4	22.2	19.2	21.4	22.9	282.4	9	3008
	01 LST	25.9	23.0	25.9	23.8	20.9	20.1	22.7	24.2	21.9	20.2	21.8	23.9	274.3	9	2904
	07 LST	24.9	22.2	25.9	26.1	22.5	18.9	23.1	22.4	21.5	20.4	22.2	23.7	273.8	9	3010
	13 LST	24.5	21.6	25.3	26.0	23.9	23.2	25.9	25.0	21.2	21.3	21.1	24.6	283.6	9	3008
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	19.7	20.6	20.3	19.5	12.3	12.5	15.0	12.9	9.0	9.0	11.9	16.2	178.9	9	3008
	01 LST	20.6	20.2	21.1	14.3	9.6	9.9	13.3	13.1	11.3	10.2	12.4	16.9	176.9	9	2904
	07 LST	17.5	16.5	19.7	19.1	10.2	9.9	14.8	12.2	8.5	7.2	9.6	16.9	162.1	9	3010
	13 LST	21.0	17.9	20.7	21.4	11.9	14.6	15.7	12.3	8.4	9.0	10.4	16.0	179.3	9	3008
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	17.7	17.8	17.3	15.0	9.8	9.1	11.2	8.6	6.5	5.8	9.6	14.3	143.7	9	3008
	01 LST	17.5	18.1	18.9	15.1	7.3	7.4	9.9	9.4	8.6	6.9	9.8	14.7	143.6	9	2904
	07 LST	15.0	13.7	14.8	14.0	7.7	7.2	11.3	8.2	5.3	4.5	7.2	14.3	123.2	9	3010
	13 LST	15.7	14.9	17.3	17.3	9.6	11.4	11.9	9.0	5.4	6.3	7.5	13.1	139.4	9	3008

EUREKA, CANADA

STA NO. 72917 (IN AREA NUMBER 01)

LATITUDE 7959N

LONGITUDE 08549W

ELEVATION(FT) 00256

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	30	10	13	26	42	64	67	59	42	39	29	13	67	13	-608
MEAN MAX TMP (F)	-27	-30	-28	-9	21	42	48	43	24	0	-16	-27	3	13	-108
MEAN MIN TMP (F)	-41	-42	-41	-25	8	32	37	34	15	-13	-29	-38	-8	13	-108
ABS MIN TMP (F)	-60	-62	-63	-50	-24	8	28	17	-20	-43	-48	-57	-63	13	-608
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	3272
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	30.0	31.0	10.3	0.3	6.8	28.7	31.0	30.0	31.0	289.1	9	3272
MEAN NO DYS TMP = OR LES 0(F)	30.8	28.0	31.0	28.5	9.5	0.0	0.0	0.0	3.7	25.0	29.5	30.8	216.8	9	3272
MEAN DEW PT TMP (F)	-33	-34	-33	-18	8	30	37	35	15	-12	-25	-34	-4	12	23916
MEAN REL HUM (PCT)	71	72	70	74	79	80	82	85	86	77	73	70	77	12	23866
MEAN PRESS ALT (FT)	164	118	28	-4	21	147	232	209	224	213	142	158	138	0	-50
MEAN PRECIP (IN)	0.09	0.06	0.09	0.11	0.22	0.16	0.21	0.61	0.48	0.17	0.12	0.09	2.4	7	2161
MEAN SNOW FALL (IN)	0.9	0.7	0.9	0.7	1.8	0.4	0.1	1.0	4.8	1.9	1.3	0.9	15.4	7	2173
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.2	0.2	0.2	0.4	0.2	0.3	0.7	1.5	1.6	0.4	0.0	0.0	5.7	7	2161
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.2	0.2	0.2	0.0	0.0	0.0	0.0	1.0	0.1	0.0	0.0	1.7	7	2173
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.0	1.2	2.2	1.1	0.2	0.0	0.0	0.2	3.1	2.1	0.8	1.0	13.9	12	4347
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	3272
P FREQ WND SPD = OR GTR 17 KTS	10.3	6.1	4.8	4.7	8.2	11.6	12.4	6.6	6.1	6.5	5.1	6.3	7.4	12	30519
P FREQ WND SPD = OR GTR 28 KTS	1.9	0.8	1.3	0.7	0.5	0.5	0.4	0.5	0.5	0.9	0.8	0.5	0.8	12	30519
P FREQ LES 5000 FT A/O LES 5 MI	20.7	20.7	18.7	17.4	20.4	26.0	25.4	27.1	50.0	33.7	22.7	15.2	24.8	12	30484
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	10.2	10.0	12.4	11.1	7.3	8.9	3.8	12.4	32.4	20.2	8.7	8.8	12.2	12	4350
03-05 LST	11.8	9.8	8.6	8.2	7.5	5.6	5.7	8.0	31.8	15.8	9.0	8.5	10.9	9	3278
06-08 LST	9.9	10.3	10.5	7.8	9.7	8.9	8.1	12.7	34.3	17.2	7.9	7.9	12.1	12	4350
09-11 LST	10.8	9.1	9.7	9.3	9.0	7.8	6.1	6.1	30.5	22.9	8.7	5.6	11.3	9	3282
12-14 LST	11.3	13.0	14.0	11.1	9.9	7.5	5.5	10.2	30.8	20.2	13.8	5.6	12.7	12	4351
15-17 LST	10.8	10.6	9.7	10.7	5.7	5.6	4.3	4.7	26.3	21.1	9.3	6.5	10.4	9	3285
18-20 LST	9.5	14.5	12.4	9.2	7.0	7.8	2.9	9.5	28.9	19.4	10.8	5.3	11.4	12	4348
21-23 LST	10.4	9.1	7.9	6.3	4.3	4.8	3.9	6.5	27.0	15.4	9.0	8.5	9.4	9	3283
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	5.1	3.5	4.8	2.5	0.5	0.8	0.3	1.1	5.9	4.3	1.8	1.5	2.7	12	4350
03-05 LST	7.2	3.9	1.8	1.9	0.7	0.0	0.0	0.4	5.6	1.8	2.3	0.4	2.2	9	3278
06-08 LST	4.6	2.9	4.6	3.1	0.8	1.1	0.6	0.5	8.6	4.0	2.3	1.8	2.9	12	4350
09-11 LST	5.0	2.0	2.5	2.2	1.4	0.4	0.0	0.0	5.2	3.2	2.7	2.0	2.2	9	3282
12-14 LST	4.0	3.2	4.8	2.5	1.3	0.3	0.0	0.5	7.2	3.8	4.1	1.5	2.8	12	4351
15-17 LST	3.6	3.1	2.2	3.0	0.4	0.4	0.0	0.0	3.3	3.2	1.0	1.6	1.8	9	3285
18-20 LST	3.8	4.4	5.1	0.6	0.8	0.6	0.0	1.1	6.1	5.9	3.3	2.1	2.8	12	4348
21-23 LST	5.4	4.3	1.8	0.7	0.4	0.0	0.0	0.4	5.9	3.2	1.7	0.8	2.1	9	3283

EUREKA, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.5	24.9	27.6	28.0	29.5	28.7	30.5	29.4	24.6	26.8	27.6	29.6	335.7	12	4350
	00 LST	28.1	26.2	27.6	27.0	29.7	28.9	30.4	28.6	24.6	27.5	28.2	29.0	335.8	12	4354
	06 LST	28.4	26.2	28.3	27.8	28.9	28.8	30.1	29.1	23.9	28.0	28.3	29.1	336.9	12	4352
	12 LST	28.1	25.3	26.8	27.3	29.3	28.9	30.3	29.0	24.2	27.0	27.0	30.0	333.2	12	4351
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	22.9	20.3	24.4	22.4	18.7	11.3	13.5	14.2	15.3	20.7	22.7	25.2	233.6	12	4349
	00 LST	23.0	21.1	24.1	22.3	20.7	14.9	13.7	17.8	14.6	20.8	22.9	25.6	241.5	12	4353
	06 LST	23.0	20.7	24.6	24.4	20.2	15.2	13.4	16.6	12.5	20.5	23.1	25.5	239.7	12	4351
	12 LST	22.1	20.6	24.2	22.5	17.8	11.5	12.1	15.0	13.4	20.4	21.5	24.7	225.8	12	4350
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	3.4	2.1	1.4	1.6	3.4	4.5	4.2	2.4	1.8	1.8	1.8	2.0	30.4	12	3802
	00 LST	3.6	1.7	2.4	1.7	2.1	2.9	2.8	1.5	1.9	1.3	1.7	1.6	25.2	12	3770
	06 LST	3.3	1.1	2.0	1.2	2.2	2.8	3.9	1.7	2.5	1.8	1.3	1.9	25.7	12	3726
	12 LST	3.1	1.0	1.7	1.7	3.1	4.3	4.2	2.8	1.9	2.3	1.8	2.5	30.4	12	3802
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	0.0	0.0	0.0	0.0	0.2	11.1	15.3	16.6	1.6	0.0	0.0	0.0	44.8	12	3800
	00 LST	0.0	0.1	0.0	0.0	0.3	11.5	16.2	15.3	1.3	0.0	0.0	0.0	44.7	12	3767
	06 LST	0.0	0.0	0.1	0.0	0.0	11.9	16.3	14.3	1.2	0.1	0.0	0.0	43.9	12	3726
	12 LST	0.0	0.0	0.0	0.0	0.1	11.4	14.8	15.2	1.4	0.0	0.0	0.0	42.9	12	3800
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	17.4	14.2	17.9	16.0	13.7	9.8	6.7	8.2	5.2	10.5	14.5	18.8	152.9	12	4352
	00 LST	16.7	15.9	18.5	15.8	14.4	9.8	6.6	7.3	5.6	13.1	15.2	17.9	156.8	12	4355
	06 LST	18.3	15.8	17.6	15.8	14.2	8.8	6.0	6.4	4.3	12.0	15.1	18.1	152.4	12	4352
	12 LST	15.4	13.8	15.7	15.2	13.2	9.3	7.1	7.8	4.3	9.1	12.7	18.0	141.6	12	4353
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	27.1	23.0	26.1	26.3	28.0	25.7	28.4	26.3	18.7	23.3	25.9	28.8	307.6	12	4350
	00 LST	26.5	24.4	26.1	25.7	26.4	26.1	27.6	25.2	17.7	23.3	26.1	27.2	302.3	12	4354
	06 LST	27.2	24.6	26.8	27.2	26.1	25.6	27.5	25.7	16.7	23.0	26.1	27.3	303.8	12	4352
	12 LST	26.0	23.2	25.7	26.1	25.9	25.7	27.5	26.4	17.6	22.8	24.7	28.8	300.4	12	4351
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	25.2	21.4	25.4	25.2	25.6	21.2	22.3	21.4	15.7	20.6	23.0	27.4	274.4	12	4350
	00 LST	24.9	23.0	25.3	24.1	24.1	20.7	21.9	20.6	14.6	20.8	23.6	25.8	269.4	12	4354
	06 LST	25.9	23.4	25.6	25.9	23.8	20.7	21.9	19.6	13.7	20.6	23.0	26.1	270.2	12	4352
	12 LST	24.1	21.1	24.5	25.1	23.5	20.5	21.6	21.4	14.2	20.3	22.4	26.9	265.6	12	4351
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	21.2	18.6	23.4	23.1	21.8	16.9	16.5	15.8	11.5	16.4	19.4	23.9	228.5	12	4350
	00 LST	21.3	19.9	23.3	22.1	21.2	16.6	15.3	14.4	11.1	17.3	20.5	22.8	225.8	12	4354
	06 LST	22.4	20.1	22.6	23.6	20.3	16.8	14.7	14.1	9.3	17.0	19.4	22.5	222.8	12	4352
	12 LST	20.6	18.5	22.2	22.7	20.4	16.7	16.2	14.6	9.5	15.8	18.1	23.1	218.4	12	4351

RESOLUTE, CANADA

STA NO. 72924 (IN AREA NUMBER 01)

LATITUDE 7443N

LONGITUDE 09459W

ELEVATION(FT) 00220

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	23	7	20	30	40	57	61	59	48	32	27	17	61	13	-608
MEAN MAX TMP (F)	-20	-23	-18	-1	19	37	45	42	28	11	-5	-14	8	13	-108
MEAN MIN TMP (F)	-33	-36	-31	-16	8	29	35	33	20	0	-18	-27	-2	13	-108
ABS MIN TMP (F)	-53	-57	-61	-40	-20	8	28	17	0	-30	-43	-51	-61	13	-608
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2907
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	30.0	31.0	21.2	6.0	11.3	28.7	31.0	30.0	31.0	310.2	8	2907
MEAN NO DYS TMP = OR LES 0(F)	30.6	28.0	30.8	26.1	8.8	0.0	0.0	0.0	0.1	13.6	27.5	30.8	196.3	8	2907
MEAN DEW PT TMP (F)	-26	-30	-27	-15	9	29	36	34	22	3	-20	-24	-0	12	35518
MEAN REL HUM (PCT)	73	71	72	75	83	85	85	88	90	84	75	73	80	12	35478
MEAN PRESS ALT (FT)	173	117	23	24	51	180	263	281	258	264	194	190	168	0	-50
MEAN PRECIP (IN)	0.08	0.09	0.16	0.20	0.51	0.75	0.92	1.11	0.78	0.52	0.24	0.13	5.5	7	2251
MEAN SNOW FALL (IN)	0.9	1.0	1.7	2.1	5.4	2.8	0.5	2.1	5.7	6.6	2.6	1.4	32.8	7	2239
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.2	0.0	0.2	0.2	1.0	1.8	2.7	3.5	3.0	1.5	0.4	0.0	14.5	7	2251
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.2	0.5	0.3	0.0	0.2	0.5	0.8	0.3	0.0	2.8	7	2239
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.3	3.6	2.9	3.8	2.5	4.4	6.7	6.8	3.8	4.4	2.3	3.2	49.7	12	4373
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2907
P FREQ WND SPD = OR GTR 17 KTS	26.8	18.9	18.4	23.1	21.5	23.5	21.4	22.2	20.3	29.2	18.2	20.0	22.0	12	38874
P FREQ WND SPD = OR GTR 28 KTS	8.8	4.1	3.7	5.1	3.0	4.1	3.9	4.8	1.3	5.7	3.3	4.6	4.4	12	38874
P FREQ LES 5000 FT A/O LES 5 MI	33.5	33.6	23.8	26.1	47.7	48.1	48.6	55.5	70.9	63.1	32.6	29.4	42.7	12	38871
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	18.5	17.0	17.6	15.0	24.8	35.0	30.0	31.7	49.2	40.3	17.7	14.3	25.9	12	5592
03-05 LST	21.6	18.5	14.2	18.7	25.3	32.3	33.9	33.4	44.6	46.8	17.5	16.2	26.9	8	4133
06-08 LST	19.6	19.0	16.4	19.3	27.5	32.5	36.1	39.0	48.3	42.1	18.0	13.2	27.6	12	5588
09-11 LST	21.9	22.7	15.9	17.3	25.6	27.0	30.6	34.9	43.6	42.2	13.6	14.6	25.8	8	4134
12-14 LST	21.2	24.6	16.6	17.6	26.0	28.3	27.3	33.9	46.0	38.3	20.4	11.3	26.0	12	5596
15-17 LST	27.7	26.0	15.8	14.0	18.5	25.0	21.5	37.2	47.2	40.3	15.8	16.4	25.5	8	4134
18-20 LST	18.9	20.1	15.2	12.1	22.4	26.0	23.8	32.2	47.9	42.3	17.1	11.9	24.2	12	5584
21-23 LST	20.0	17.1	14.2	12.0	20.2	27.8	27.2	32.3	39.9	39.5	15.6	15.9	23.5	8	4128
P FREQ LES 300 FT A/O LES 1 MI															
FOR 01-02 LST	13.0	8.4	9.5	5.5	5.9	8.8	13.3	11.7	8.8	9.7	5.4	7.3	8.9	12	5592
03-05 LST	15.5	7.5	9.4	6.0	7.1	9.5	18.3	12.1	8.9	10.8	5.8	7.5	9.9	8	4133
06-08 LST	13.1	7.6	8.1	6.0	7.5	8.0	14.5	11.7	9.6	10.3	5.6	7.1	9.1	12	5588
09-11 LST	11.3	8.9	8.7	8.0	8.7	6.4	12.4	9.7	9.2	10.2	3.6	5.1	8.5	8	4134
12-14 LST	10.6	9.4	7.6	7.1	5.3	3.1	9.5	8.3	8.5	11.3	5.8	4.0	7.5	12	5596
15-17 LST	14.5	8.9	6.1	8.0	4.1	3.1	6.7	11.3	8.1	13.7	4.7	3.2	7.7	8	4134
18-20 LST	12.7	8.4	7.9	5.0	2.4	2.7	6.7	9.0	11.3	11.1	5.6	4.4	7.3	12	5584
21-23 LST	14.5	10.0	5.7	4.7	2.2	5.8	13.4	12.9	9.8	10.0	5.6	8.4	8.9	8	4128

RESOLUTE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	25.8	22.6	26.8	26.4	26.9	24.2	25.6	23.8	20.9	22.4	25.2	27.0	297.6	12	4376
	00 LST	26.1	23.4	26.5	25.8	25.9	21.8	23.2	22.7	20.5	22.7	25.3	26.7	290.6	12	4375
	06 LST	25.8	23.2	27.1	24.7	25.2	22.5	20.2	22.0	20.7	23.7	25.7	27.3	288.1	12	4375
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	12 LST	25.1	21.4	26.4	24.3	25.3	23.8	23.6	22.7	20.3	21.8	24.4	28.0	287.1	12	4377
	18 LST	15.4	14.7	17.6	14.9	10.5	8.9	9.8	8.4	5.4	7.7	14.6	17.0	144.9	12	4375
	00 LST	15.9	13.8	18.6	16.1	11.3	8.8	11.2	9.5	5.9	8.0	15.2	17.0	151.3	12	4375
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	15.4	14.6	19.6	15.4	11.8	8.5	10.0	9.2	6.1	8.3	14.5	16.6	150.0	12	4375
	12 LST	15.8	13.9	18.4	14.2	10.1	7.9	9.0	7.5	5.9	8.3	13.8	16.9	141.7	12	4377
	18 LST	7.7	5.5	4.7	6.9	6.3	5.9	6.9	6.5	6.2	8.7	6.5	7.1	78.9	12	3360
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	8.4	6.0	6.3	6.5	7.0	5.5	6.5	6.3	6.3	10.9	7.4	6.4	83.5	12	3182
	06 LST	7.7	7.5	4.7	6.3	7.3	5.9	5.3	6.7	6.7	10.1	6.5	7.4	82.1	12	3242
	12 LST	7.6	4.7	4.8	7.8	6.5	7.6	7.4	7.1	7.1	7.8	6.2	6.8	81.4	12	3412
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	0.0	0.0	0.0	0.0	0.0	8.9	11.7	9.8	1.8	0.0	0.0	0.0	32.2	12	3358
	00 LST	0.0	0.0	0.1	0.0	0.0	5.8	11.0	7.4	1.2	0.0	0.0	0.0	25.5	12	3181
	06 LST	0.0	0.0	0.0	0.0	0.0	6.2	11.1	8.1	0.9	0.0	0.0	0.0	26.3	12	3241
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	12 LST	0.0	0.0	0.0	0.0	0.0	7.8	13.4	10.7	2.2	0.0	0.0	0.0	34.1	12	3411
	18 LST	16.2	12.4	14.4	11.9	6.8	5.8	4.8	4.1	2.3	4.4	13.0	15.4	111.5	12	4376
	00 LST	16.1	15.3	19.0	13.2	7.4	4.9	3.6	3.9	3.8	6.2	13.4	16.2	123.0	12	4375
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	17.2	15.7	15.6	13.3	6.6	5.1	3.8	4.2	2.3	6.4	14.4	17.7	122.3	12	4375
	12 LST	12.5	11.0	14.1	11.6	6.1	5.0	4.9	3.8	2.4	3.6	9.4	11.8	96.2	12	4377
	18 LST	24.1	22.0	26.5	24.8	19.9	18.6	20.4	17.2	11.6	14.7	21.9	25.2	246.9	12	4376
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	25.0	22.5	25.8	24.8	20.0	15.8	18.4	17.4	11.3	14.0	22.1	24.8	241.9	12	4375
	06 LST	24.8	22.3	26.2	23.3	18.5	16.4	16.7	16.5	11.3	15.2	21.5	25.2	237.9	12	4375
	12 LST	23.9	20.4	26.1	22.8	19.1	17.4	18.9	17.1	11.0	15.5	20.8	25.0	238.0	12	4377
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	23.0	21.4	25.8	23.3	16.4	15.3	16.4	13.6	8.5	12.2	19.8	22.6	218.3	12	4376
	00 LST	23.7	21.4	25.2	22.9	14.6	12.6	14.9	14.0	8.4	11.5	19.3	22.4	210.9	12	4375
	06 LST	23.1	21.3	25.1	21.6	14.4	13.2	13.6	12.8	8.3	12.8	19.4	23.7	209.3	12	4375
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	12 LST	22.2	19.4	25.3	21.3	15.6	14.5	15.7	14.2	9.2	12.4	18.8	22.5	211.1	12	4377
	18 LST	20.2	18.7	23.5	21.2	14.0	12.3	12.0	10.6	7.0	9.0	17.3	20.7	186.5	12	4376
	00 LST	20.3	18.9	22.5	20.4	12.3	10.4	11.0	10.0	6.6	10.3	17.0	20.0	179.7	12	4375
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	20.3	19.5	21.9	20.3	11.0	9.8	10.1	9.6	6.0	10.5	17.2	21.5	177.7	12	4375
	12 LST	17.8	17.4	23.6	20.5	13.4	10.9	11.3	9.8	6.6	9.6	15.8	18.5	175.2	12	4377

CAMBRIDGE BAY, CANADA

STA NO. 72925 (IN AREA NUMBER 01)

LATITUDE 6906N

LONGITUDE 10508W

ELEVATION(FT) 00090

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	21	11	23	43	52	72	75	76	60	39	27	36	76	24	-608
MEAN MAX TMP (F)	-20	-24	-14	2	22	40	54	50	35	18	-5	-16	12	20	-108
MEAN MIN TMP (F)	-34	-36	-29	-15	8	30	40	39	28	6	-17	-28	-0	20	-108
ABS MIN TMP (F)	-63	-59	-52	-42	-31	6	30	16	7	-25	-44	-57	-63	24	-608
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3352
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	30.0	30.8	18.5	0.0	1.9	22.4	30.9	30.0	31.0	285.5	10	3352
MEAN NO DYS TMP = OR LES 0(F)	31.0	27.9	30.8	25.0	7.8	0.0	0.0	0.0	0.0	11.5	28.1	30.3	192.4	10	3352
MEAN DEW PT TMP (F)	-24	-29	-23	-7	10	31	40	39	29	9	-15	-23	3	10	48440
MEAN REL HUM (PCT)	80	79	81	84	86	89	82	86	90	89	86	82	85	10	48426
MEAN PRESS ALT (FT)	-64	-99	-137	-102	-76	41	122	129	94	92	20	-17	0	0	-50
MEAN PRECIP (IN)	0.35	0.16	0.20	0.14	0.22	0.21	0.93	1.97	1.11	0.57	0.54	0.38	6.8	12	2539
MEAN SNOW FALL (IN)	3.5	1.8	2.1	1.4	2.3	0.3	0.0	0.0	2.9	5.4	5.5	3.8	29.0	12	2540
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.0	1.1	0.8	0.4	1.1	0.6	3.1	3.7	3.7	2.9	2.4	1.8	22.6	12	2539
MEAN NO DYS SNPL = OR GTR 1.5 IN	0.8	0.3	0.7	0.4	0.4	0.0	0.0	0.0	0.8	1.1	0.9	1.3	6.7	12	2540
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.6	4.1	3.9	3.3	6.9	4.5	1.7	2.4	4.1	4.4	3.8	3.2	47.9	10	3472
MEAN NO DYS TSMS	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.3	10	3352
P FREQ WND SPD = OR GTR 17 KTS	20.9	13.2	12.8	17.6	15.7	22.5	16.4	19.9	23.0	25.4	17.4	12.0	18.1	10	54942
P FREQ WND SPD = OR GTR 28 KTS	2.9	0.9	0.8	0.4	1.3	1.4	1.7	1.5	2.2	3.9	1.6	0.9	1.6	10	54942
P FREQ LES 5000 FT A/O LES 5 MI	40.5	29.0	23.0	25.2	31.0	38.6	39.5	50.5	68.2	56.4	36.2	33.6	42.6	10	54943
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	21.6	14.6	13.8	12.7	31.9	39.8	14.3	20.8	33.1	27.1	15.6	15.2	21.7	10	6784
03-05 LST	23.8	18.7	15.6	14.0	35.6	40.0	18.2	30.0	36.9	28.9	16.1	15.7	24.5	10	6887
06-08 LST	25.8	17.8	19.0	16.9	32.7	42.1	20.9	33.6	42.8	34.7	21.1	16.3	27.0	10	6853
09-11 LST	31.7	19.8	18.2	15.7	27.8	35.8	20.5	26.5	37.0	31.3	24.9	22.8	26.0	10	6939
12-14 LST	33.9	19.6	17.8	14.2	26.0	32.8	13.6	19.6	29.5	29.0	23.5	23.6	23.6	10	6864
15-17 LST	26.9	16.0	15.0	11.4	26.3	29.4	10.2	13.3	28.5	29.7	21.6	18.0	20.5	10	7001
18-20 LST	23.7	15.0	13.6	11.3	26.2	32.4	10.3	12.4	29.9	27.7	18.9	12.5	19.5	10	6788
21-23 LST	23.7	14.8	13.5	10.4	27.9	35.4	11.0	16.2	28.8	28.1	17.4	12.4	20.0	10	6885
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	12.5	6.5	6.5	4.0	13.4	9.4	2.6	4.7	6.5	4.8	3.2	4.5	6.6	10	6784
03-05 LST	11.8	7.3	6.4	6.5	15.7	9.6	4.9	5.7	7.4	4.4	4.7	5.7	7.5	10	6887
06-08 LST	11.6	6.7	9.4	7.6	11.5	7.4	2.2	4.4	7.6	5.8	7.0	5.0	7.2	10	6853
09-11 LST	16.8	9.9	7.1	4.5	4.6	3.9	2.1	2.9	4.8	4.5	7.5	5.6	6.2	10	6939
12-14 LST	17.6	8.1	6.3	3.6	3.1	1.9	0.5	1.0	3.0	5.8	7.7	7.1	5.5	10	6864
15-17 LST	12.7	9.3	7.9	4.4	3.5	1.3	0.5	0.3	1.9	7.4	7.2	3.7	5.0	10	7001
18-20 LST	11.8	6.7	6.1	3.3	4.3	4.8	0.3	1.0	2.5	7.4	6.0	3.4	4.8	10	6788
21-23 LST	11.6	7.1	5.6	2.2	8.4	9.3	1.3	1.3	3.5	6.3	4.2	3.9	5.4	10	6885

CAMBRIDGE BAY, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	24.6	23.4	26.0	26.9	25.1	25.4	29.4	29.1	25.7	23.9	24.7	26.2	310.4	10	3479
	23 LST	24.6	23.8	26.3	27.5	22.9	22.4	28.7	28.0	25.7	24.7	25.9	27.1	307.6	10	3478
	05 LST	24.6	23.4	26.3	25.5	21.2	20.9	26.7	23.9	22.7	24.9	25.5	26.0	291.6	10	3475
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	11 LST	22.4	22.4	25.8	25.9	23.9	23.1	27.8	26.1	23.8	24.5	22.9	23.9	292.5	10	3479
	17 LST	14.5	14.3	16.3	12.7	9.8	7.1	8.2	9.2	6.8	6.9	12.7	16.3	134.8	10	3476
	23 LST	13.7	16.5	16.9	12.4	11.1	9.6	14.1	11.0	8.8	9.0	13.5	17.1	153.7	10	3477
SFC WND = GTR 17 KTS AND NO PRECIP.	05 LST	14.8	15.8	17.7	14.1	9.3	8.3	14.8	10.5	8.3	8.8	12.9	16.2	151.5	10	3475
	11 LST	13.4	13.9	15.5	11.7	10.3	6.6	8.4	9.5	6.8	7.2	12.1	16.2	131.6	10	3478
	17 LST	6.1	4.3	5.0	6.0	5.1	6.9	6.9	6.4	5.4	7.1	5.3	4.5	69.0	10	3036
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST	6.0	4.1	3.7	4.2	4.0	4.9	2.3	4.6	5.6	6.3	5.9	4.3	55.9	10	2897
	05 LST	6.7	3.6	4.5	4.6	4.3	4.6	3.2	3.9	5.1	6.5	6.8	4.7	58.5	10	2899
	11 LST	6.1	3.7	4.2	6.2	5.6	6.4	5.3	5.5	7.5	7.2	5.1	4.5	67.3	10	3027
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	0.0	0.0	0.0	0.0	0.9	8.3	13.0	13.8	7.3	0.2	0.0	0.0	43.5	10	3035
	23 LST	0.0	0.0	0.0	0.0	0.2	8.5	16.5	14.2	5.6	0.2	0.0	0.0	45.2	10	2896
	05 LST	0.0	0.0	0.0	0.0	0.1	7.2	16.4	14.5	5.3	0.4	0.0	0.0	43.9	10	2899
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	11 LST	0.0	0.0	0.0	0.0	0.5	8.5	14.1	14.2	7.1	0.2	0.0	0.0	44.6	10	3025
	17 LST	13.1	11.6	14.0	11.6	8.2	5.0	7.2	6.5	3.0	4.4	11.1	15.8	111.5	10	2997
	23 LST	16.2	17.0	18.5	13.0	7.9	5.3	8.6	6.7	5.1	8.3	13.5	16.2	136.3	10	3000
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	05 LST	16.4	15.5	17.0	10.5	5.7	3.9	6.2	4.4	2.1	7.5	13.4	16.1	118.7	10	3003
	11 LST	9.8	10.4	12.7	10.8	7.7	4.7	7.3	5.2	1.9	5.6	8.3	10.1	94.5	10	2995
	17 LST	23.5	23.1	25.8	25.2	18.7	17.7	24.2	21.9	14.6	17.6	22.3	24.6	259.2	10	3479
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST	23.4	23.5	25.9	25.7	18.1	17.7	24.9	21.4	15.7	18.5	23.9	25.9	264.6	10	3478
	05 LST	23.7	22.9	25.8	24.0	16.2	14.3	23.2	17.6	12.4	17.5	23.4	24.6	245.6	10	3475
	11 LST	22.3	22.1	25.3	24.3	18.7	16.6	21.4	19.2	12.8	17.2	20.0	22.2	242.1	10	3479
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	20.4	21.4	24.6	23.1	15.0	13.0	17.9	16.9	10.1	12.4	20.0	22.3	217.1	10	3479
	23 LST	21.6	22.3	25.0	23.7	14.1	11.9	20.1	15.8	9.9	14.0	20.6	22.6	221.6	10	3478
	05 LST	21.4	21.8	24.7	22.1	13.1	9.4	17.5	13.6	7.4	12.9	20.3	22.3	206.5	10	3475
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	11 LST	19.7	20.3	23.9	22.8	15.7	11.7	17.0	15.2	8.7	13.4	17.1	19.0	204.5	10	3479
	17 LST	18.9	19.1	23.0	21.2	13.8	10.7	15.0	14.4	8.7	9.7	17.6	20.2	192.3	10	3479
	23 LST	20.3	20.5	22.8	20.8	12.8	9.6	16.0	13.2	8.0	12.4	18.7	20.5	195.6	10	3478
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	05 LST	19.8	20.0	21.6	19.9	10.8	8.0	14.7	10.4	5.5	10.9	17.9	20.2	179.7	10	3475
	11 LST	17.1	17.6	21.8	20.3	14.1	9.8	14.4	13.3	7.5	12.0	14.9	16.6	179.4	10	3479

GLADMAN POINT, CANADA

STA NO. 72927 (IN AREA NUMBER 01)

LATITUDE 6839N

LONGITUDE 09748W

ELEVATION(FT) 00040

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	-3	4	-1	22	34	50	67	59	46	30	20	14	67	8	-112
MEAN MAX TMP (F)	-27	-26	-22	0	21	38	51	48	33	16	-2	-13	10	8	-112
MEAN MIN TMP (F)	-37	-39	-35	-18	8	28	43	36	26	4	-18	-27	-1	8	-112
ABS MIN TMP (F)	-52	-51	-49	-38	-14	12	31	28	13	-17	-35	-43	-52	8	-112
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS TMP = OR LES 32(F)						0.0	0.0	0.0						8	-29
MEAN NO DYS TMP = OR LES 0(F)						0.0	0.0	0.0						8	-29
MEAN DEW PT TMP (F)			-20	-13	12	30	41	38	28	8	-16	-15		8	-112
MEAN REL HUM (PCT)			74	76	88	89	77	85	89	85	74	70		8	-112
MEAN PRESS ALT (PCT)	-49	-96	-157	-140	-114	7	89	105	67	69	5	-17	-18	0	-50
MEAN PRECIP (IN)	0.19	0.09	0.12	0.16	0.42	0.24	1.08	1.09	0.67	0.56	0.11	0.13	4.9	8	-112
MEAN SNOW FALL (IN)	1.9	0.9	1.2	1.6	4.0	0.6	0.0	0.2	3.7	5.0	1.0	1.3	21.4	8	-112
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.4	0.0	0.2	0.3	1.3	1.1	3.3	3.3	2.5	2.3	1.4	0.1	16.2	8	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.1	0.0	0.1	0.2	0.8	0.1	0.0	0.0	0.6	0.9	0.1	0.0	2.9	8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

GLADMAN POINT, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												3	0
	05	LST												0	0
	11	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR	17	LST												0	0
3 MI W/SFC WND LES 10 KTS	23	LST												0	0
	05	LST												3	0
	11	LST												0	0
SFC WND = GTR 17 KTS AND	17	LST												0	0
NO PRECIP.	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	17	LST												0	0
DEG F AND NO PRECIP.	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
SKY COVER LES 3/10 AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
CIG = GTR 2500 FT AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
CIG = GTR 6000 FT AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
CIG = GTR 10000 FT AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0

DATA NOT AVAILABLE

BYRON BAY, CANADA

LATITUDE 6845N

LONGITUDE 10905W

ELEVATION(FT) 00350

STA NO. 72929 (IN AREA NUMBER 01)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	13	7	20	29	42	66	73	69	61	34	18	15	73	7	1894
MEAN MAX TMP (F)	-16	-20	-16	1	21	43	55	50	35	18	-5	-9	13	7	1894
MEAN MIN TMP (F)	-31	-32	-30	-13	9	32	42	39	28	8	-16	-24	1	7	2112
ABS MIN TMP (F)	-56	-50	-49	-38	-18	8	32	23	9	-19	-39	-48	-56	7	1894
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2112
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	30.0	30.8	14.6	0.2	2.4	22.8	30.8	30.0	31.0	282.6	7	2112
MEAN NO DYS TMP = OR LES 0(F)	31.0	28.0	31.0	24.3	7.7	0.0	0.0	0.0	0.0	7.7	27.5	30.3	187.5	0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)	169	139	115	163	188	303	384	384	353	351	268	221	253	0	-50
MEAN PRESS ALT (FT)	0.05	0.04	0.15	0.14	0.18	0.19	0.82	0.79	0.98	0.59	0.06	0.06	4.0	7	2156
MEAN PRECIP (IN)							0.0							7	-29
MEAN SNOW FALL (IN)														7	2156
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.2	0.3	0.2	0.7	1.0	0.7	2.3	3.0	2.7	2.7	0.3	0.2	14.3	7	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN							0.0							0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST	11.8	4.7	4.9	10.6	20.0	26.7	19.9	30.3	35.2	23.7	14.4	9.7	17.7	7	2156
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST	8.1	3.6	1.6	6.7	9.2	8.3	3.8	11.6	11.2	7.5	6.1	3.8	6.8	7	2156
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BYRON BAY, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST	25.8	24.5	29.1	26.6	25.3	23.2	28.1	24.8	23.9	25.1	25.5	27.5	7	2156
	11 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	17 LST													0	0
	23 LST													0	0
	05 LST	7.8	8.4	14.9	10.3	9.0	9.3	10.8	11.9	8.7	7.7	10.0	10.0	7	2149
	11 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST													0	0
	23 LST													0	0
	05 LST	12.0	7.8	4.5	5.8	5.3	4.5	4.2	2.2	2.3	5.7	6.0	6.4	7	2149
	11 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST													0	0
	23 LST													0	0
	05 LST	0.0	0.1	0.0	0.2	0.3	7.8	15.0	15.4	4.9	0.0	0.0	0.0	7	2145
	11 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST	20.5	21.5	24.3	14.6	9.5	8.2	8.6	4.0	3.2	10.7	16.1	21.3	7	2156
	11 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST	23.7	23.4	28.6	24.7	18.6	17.5	18.7	15.6	11.0	17.3	21.3	23.9	7	2156
	11 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST	21.6	22.7	27.5	20.6	12.9	14.0	15.2	11.4	6.0	13.1	18.0	22.1	7	2156
	11 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST	21.3	22.5	26.5	18.7	11.9	13.5	13.6	10.6	5.9	12.6	17.3	21.9	7	2156
	11 LST													0	0

LADY FRANKLIN, CANADA

STA NO. 72937/ (IN AREA NUMBER 01)

LATITUDE 6828N LONGITUDE 11312W ELEVATION(FT) 00050

PARAMETER DESCRIPTION													POR	NO.	
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANW	(YRS)	OBS
ABS MAX TMP (F)	26	34	29	56	63	82	87	82	79	57	36	40	87	30	-72938
MEAN MAX TMP (F)	-11	-13	-6	10	29	5	57	53	41	25	3	-9	19	30	-72938
MEAN MIN TMP (F)	-26	-28	-22	-8	15	32	42	40	31	14	-12	-23	5	30	-72938
ABS MIN TMP (F)	-54	-58	-50	-47	-24	5	31	27	7	-28	-42	-49	-58	30	-72938
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	-72938
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	30.0	30.0	15.8	0.4	2.4	17.6	29.9	30.0	31.0	277.1	23	-72938
MEAN NO DYS TMP = OR LES 0(F)	30.4	27.7	29.7	20.4	5.4	0.0	0.0	0.0	0.0	3.8	24.5	29.7	171.6	23	-72938
MEAN DEW PT TMP (F)	-19	-25	-22	-11	20	35	44	45	34	19	-6	-20	8	7	-72938
MEAN REL HUM (PCT)	77	72	71	70	87	89	88	88	90	88	84	82	82	7	-72938
MEAN PRESS ALT (FT)	-165	-181	-215	-156	-137	-18	54	66	38	33	-59	-102	-69	0	-50
MEAN PRECIP (IN)	0.60	0.60	0.70	0.60	0.50	0.90	1.40	1.70	1.20	1.20	0.80	0.50	10.5	30	-72938
MEAN SNOW FALL (IN)	6.0	4.0	7.0	5.0	5.0	1.0	0.0	0.0	4.0	10.0	8.0	5.0	55.0	30	-72938
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.9	1.2	2.2	1.9	1.6	2.9	4.0	4.6	3.6	3.6	2.8	1.5	31.8	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.3	0.6	1.5	1.1	1.4	0.2	0.0	0.0	1.1	2.5	1.6	0.4	12.1	14	-72938
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	1.9	3.4	1.8	2.8	1.5	3.0	1.4	1.8	1.0	0.7	2.7	1.7	23.7	7	-72938
MEAN NO DYS TSFMS	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	1.0	10	-72938
P FREQ WND SPD = OR GTR 17 KTS	10.7	10.3	3.8	4.5	6.3	4.2	5.8	5.3	16.9	13.5	12.0	6.3	8.6	7	-72938
P FREQ WND SPD = OR GTR 28 KTS	1.3	0.7	0.0	0.0	0.2	0.0	0.0	0.8	1.4	0.4	0.8	0.5	0.5	7	-72938
P FREQ LES 5000 FT A/O LES 5 MI	28.3	14.0	21.6	24.1	42.8	36.9	34.5	39.4	61.2	51.9	41.5	25.3	35.1	7	-72938
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	13.0	7.0	7.2	10.9	14.2	16.3	10.9	14.9	19.1	18.7	16.2	9.4	13.2	7	-72938
03-05 LST	12.2	7.4	7.9	14.2	16.2	17.0	13.3	18.4	20.9	19.5	15.1	10.6	14.4	18	-72938
06-08 LST	14.7	9.5	8.5	12.9	14.4	14.0	13.7	16.1	20.3	19.2	17.2	12.6	14.4	10	-72938
09-11 LST	17.1	12.4	9.0	11.5	12.6	11.0	14.1	13.8	19.7	18.9	19.3	14.5	14.5	10	-72938
12-14 LST	15.6	10.0	8.5	10.7	11.8	9.5	11.7	12.8	18.5	20.1	20.0	14.5	13.6	10	-72938
15-17 LST	14.0	7.6	7.9	9.8	11.0	8.0	10.3	11.7	17.3	21.2	20.7	14.5	12.8	11	-72938
18-20 LST	13.9	7.1	7.2	8.7	11.6	11.8	9.4	11.5	17.8	19.6	19.0	11.5	12.4	7	-72938
21-23 LST	13.8	6.6	6.5	7.6	12.2	15.5	8.4	11.3	18.3	17.9	17.2	8.2	12.0	7	-72938
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	6.8	4.7	3.8	3.6	5.0	6.1	3.0	3.7	2.7	2.5	5.8	3.2	4.2	7	-72938
03-05 LST	6.1	4.3	3.7	5.4	5.0	7.8	3.3	3.5	3.1	2.8	5.9	3.7	4.6	4	-72938
06-08 LST	6.9	5.3	4.1	5.5	5.0	6.5	4.0	3.8	2.9	2.5	6.4	4.2	4.8	10	-72938
09-11 LST	7.6	6.2	4.5	5.5	4.9	5.1	4.7	4.0	2.7	2.2	6.9	4.7	4.9	10	-72938
12-14 LST	7.6	5.5	3.9	4.1	4.5	4.3	3.7	3.5	1.9	2.9	7.1	4.9	4.5	10	-72938
15-17 LST	7.6	4.8	3.3	2.6	4.1	3.4	2.6	2.9	1.1	3.6	7.3	5.1	4.0	11	-72938
18-20 LST	7.6	5.0	3.6	2.2	4.5	3.9	2.6	3.4	1.7	2.9	6.5	3.9	4.0	7	-72938
21-23 LST	7.5	5.1	3.9	1.7	4.9	4.3	2.6	3.8	2.2	2.2	5.7	2.7	3.4	7	-72938

LADY FRANKLIN, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST	25.9	25.9	28.7	28.2	29.0	28.7	29.0	28.5	27.6	26.7	24.4	27.5	330.1	11	-72938
	22 LST	27.1	24.7	28.8	27.7	28.2	27.2	30.0	28.6	27.2	28.0	26.4	28.6	332.5	7	-72938
	04 LST	27.3	26.0	28.6	26.2	27.4	26.3	29.2	28.0	26.7	28.4	26.7	28.3	329.1	18	-72938
	10 LST	26.2	24.1	27.8	26.7	28.2	27.6	28.5	28.3	26.9	28.2	25.2	26.8	324.5	10	-72938
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST	14.4	14.4	20.4	18.9	16.5	19.0	18.1	15.4	11.7	13.0	11.8	16.7	190.3	11	-72938
	22 LST	14.8	12.2	20.3	20.3	20.6	19.4	19.6	18.5	14.2	13.8	11.9	18.6	204.2	7	-72938
	04 LST	12.8	14.5	17.2	15.7	18.4	19.2	18.3	15.5	12.2	11.8	12.0	15.0	182.6	18	-72938
	10 LST	13.6	14.3	20.2	17.7	18.0	19.7	19.2	15.5	11.8	13.1	13.4	16.1	192.6	10	-72938
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST	2.6	1.9	1.5	1.6	1.8	0.7	1.7	2.1	2.9	1.8	2.2	1.4	22.2	17	-72938
	22 LST	1.6	1.6	0.4	1.0	1.7	0.8	1.0	1.9	2.5	1.6	2.6	1.0	17.7	7	-72938
	04 LST	3.4	2.2	1.5	1.7	1.0	0.8	1.6	1.6	2.3	2.3	2.0	2.6	23.0	23	-72938
	10 LST	2.1	2.5	1.2	1.7	1.6	1.0	1.4	2.3	3.0	2.8	2.4	2.1	24.1	10	-72938
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST	0.0	0.0	0.0	0.3	3.0	15.6	16.3	14.9	9.5	1.4	0.0	0.0	61.0	17	-72938
	22 LST	0.0	0.0	0.0	0.0	2.2	6.8	12.4	14.7	7.1	1.6	0.0	0.0	44.8	7	-72938
	04 LST	0.0	0.0	0.0	0.0	1.3	7.9	13.2	12.7	6.8	1.8	0.0	0.0	43.7	23	-72938
	10 LST	0.0	0.0	0.0	0.1	2.5	11.9	12.7	12.7	8.2	2.0	0.0	0.0	50.1	10	-72938
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST	10.5	12.3	13.9	12.5	9.2	11.4	7.8	6.0	3.3	4.8	7.4	12.0	111.1	17	-72938
	22 LST	14.2	18.3	14.3	13.9	8.2	11.3	8.0	7.2	5.5	7.5	9.4	14.4	132.2	7	-72938
	04 LST	14.9	15.8	15.4	11.4	8.1	9.2	8.6	5.3	4.2	6.6	11.9	14.9	126.3	23	-72938
	10 LST	9.2	10.1	11.6	11.1	8.2	10.7	6.9	4.7	2.8	4.0	6.7	10.4	96.4	10	-72938
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST	22.8	24.2	26.6	24.5	23.0	24.2	24.4	23.7	17.5	18.7	20.1	23.7	273.4	11	-72938
	22 LST	24.0	23.5	27.2	23.6	23.4	22.5	25.2	24.6	17.6	19.7	20.3	24.9	276.5	7	-72938
	04 LST	24.4	24.1	25.7	22.8	21.1	20.3	21.8	19.0	15.3	18.0	21.0	24.8	258.3	18	-72938
	10 LST	22.7	22.1	25.7	24.1	22.2	23.2	22.1	21.4	16.6	19.2	19.9	23.5	262.7	10	-72938
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST	20.5	22.6	24.1	22.2	17.8	20.7	18.7	18.0	11.8	13.9	17.6	21.2	229.1	11	-72938
	22 LST	21.0	22.3	23.1	21.8	18.1	18.1	20.4	16.6	11.0	14.0	16.9	22.4	225.7	7	-72938
	04 LST	21.9	22.4	23.3	20.8	17.7	16.8	16.9	13.5	9.6	12.7	17.9	22.7	216.2	18	-72938
	10 LST	20.1	20.6	23.8	22.2	17.8	20.1	17.5	16.3	10.3	15.7	17.0	21.5	222.9	10	-72938
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST	20.1	22.3	23.9	22.2	17.6	20.7	18.4	17.4	11.4	13.5	16.9	20.9	225.3	11	-72938
	22 LST	20.3	22.3	23.1	21.1	16.9	17.8	18.8	15.0	10.7	13.5	16.2	21.8	217.5	7	-72938
	04 LST	21.0	22.1	22.4	20.1	16.2	16.1	16.1	12.6	9.3	12.4	17.3	22.0	207.6	18	-72938
	10 LST	19.7	20.4	23.8	22.2	17.6	20.0	17.3	15.5	10.0	15.3	16.8	20.8	219.4	10	-72938

CAPE PARRY, CANADA

STA NO. 72948 (IN AREA NUMBER 01)

LATITUDE 7010N

LONGITUDE 12441W

ELEVATION(FT) 00050

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	25	9	22	30	42	62	71	70	65	38	24	16	71	7	2039
MEAN MAX TMP (F)	-14	-15	-13	5	23	41	49	50	38	23	2	-8	15	7	2039
MEAN MIN TMP (F)	-23	-24	-25	-6	14	32	38	40	31	16	-7	-17	6	7	1982
ABS MIN TMP (F)	-43	-41	-42	-32	-18	15	26	30	17	-7	-27	-41	-43	7	1982
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2039
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	30.0	30.8	13.5	3.4	1.0	17.8	31.0	30.0	31.0	278.5	7	1982
MEAN NO DYS TMP = OR LES 0(F)	30.5	28.0	30.8	19.2	4.5	0.0	0.0	0.0	0.0	1.0	23.8	29.5	167.3	0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	-50
MEAN PRESS ALT (FT)	-180	-197	-207	-138	-127	-16	68	66	34	55	-53	-100	-65	0	2059
MEAN PRECIP (IN)	0.19	0.21	0.17	0.60	0.15	0.81	0.99	0.91	1.10	0.73	0.27	0.30	6.4	7	-29
MEAN SNOW FALL (IN)								0.0						0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.0	0.5	0.0	1.5	0.3	2.3	2.6	2.6	2.6	1.8	0.2	0.5	14.9	7	2059
MEAN NO DYS SNFL = OR GTR 1.5 IN								0.0						0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	12.9	10.1	7.0	20.8	36.0	35.2	37.4	35.7	42.0	40.3	19.4	12.4	25.8	7	2058
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	6.5	3.6	2.7	5.1	9.7	21.8	19.4	16.2	10.0	7.0	4.4	4.3	9.2	7	2058
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CAPE PARRY, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST	26.7	24.2	22.0	24.2	21.8	17.7	18.8	20.5	20.2	22.0	25.5	26.3	275.9	7	2058
	10 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST														0	0
	22 LST														0	0
	04 LST	11.8	14.1	14.0	11.6	8.0	8.6	9.8	10.7	5.6	6.1	11.8	12.6	124.7	7	2058
	10 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST														0	0
	22 LST														0	0
	04 LST	4.5	2.6	3.2	3.4	3.5	4.2	2.2	1.8	4.2	4.8	4.0	4.2	42.6	7	2058
	10 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST														0	0
	22 LST														0	0
	04 LST	0.0	0.0	0.0	0.0	0.3	7.0	9.8	10.9	4.8	0.0	0.0	0.0	32.8	7	2057
	10 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST	18.8	17.4	21.0	12.6	5.6	7.2	5.6	8.4	4.0	5.0	14.3	19.7	139.6	7	2058
	10 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST	24.3	22.3	26.7	21.6	14.5	16.7	16.4	17.3	11.8	12.0	19.5	24.8	227.9	7	2058
	10 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST	22.3	21.5	25.3	19.5	12.6	15.6	15.2	15.1	9.2	8.2	17.2	23.7	205.4	7	2058
	10 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST	20.5	21.0	24.3	17.9	12.2	15.2	14.8	14.7	8.8	7.5	16.1	22.8	195.8	7	2058
	10 LST														0	0

WEST MELVILLE, CANADA

STA NO. 72962/ (IN AREA NUMBER 01)

LATITUDE 6818N

LONGITUDE 08541W

ELEVATION(FT) 00115

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	27	20	20	28	42	61	68	64	49	41	24	22	68	7	1855
MEAN MAX TMP (F)	-9	-9	-9	2	17	36	51	46	31	15	-2	-5	14	7	1855
MEAN MIN TMP (F)	-27	-30	-25	-9	9	28	40	36	24	6	-13	-18	2	7	2067
ABS MIN TMP (F)	-51	-56	-47	-38	-12	8	28	20	6	-21	-43	-47	-56	7	2067
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1855
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	30.0	31.0	23.2	5.1	9.1	25.8	31.0	30.0	31.0	306.2	7	2067
MEAN NO DYS TMP = OR LES 0(F)	29.3	27.1	29.3	21.1	8.0	0.0	0.0	0.0	0.0	9.2	25.8	29.0	178.8	7	2067
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.05	0.24	0.09	0.28	1.22	0.13	1.12	1.44	0.94	1.18	0.29	0.06	7.0	7	2084
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.0	1.0	0.5	1.5	2.9	0.5	3.8	4.4	4.4	5.2	1.1	0.2	25.5	7	2084
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	10.9	6.0	14.0	17.2	41.8	41.6	22.0	30.1	47.3	53.5	25.6	17.8	27.3	7	2082
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.9	2.4	5.9	11.7	29.1	36.4	16.1	23.5	33.3	41.3	14.4	10.3	19.1	7	2082
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

WEST MELVILLE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST	27.8	25.8	26.7	25.0	17.5	17.7	24.3	22.3	17.4	16.0	23.0	26.6	7	2082
	12 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST													0	0
	00 LST													0	0
	06 LST	20.4	20.5	22.3	19.5	11.7	13.7	17.1	17.8	7.8	8.6	15.2	16.6	7	2082
	12 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST	4.2	1.0	1.0	2.5	0.5	1.0	1.3	1.0	2.8	2.8	2.8	2.8	7	2083
	12 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST	0.0	0.0	0.0	0.0	0.0	3.3	10.5	10.1	2.2	0.0	0.0	0.0	7	2079
	12 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST	21.5	20.2	18.7	15.7	6.8	5.9	11.0	6.7	0.8	4.0	15.8	18.8	7	2082
	12 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST	24.7	23.8	24.0	22.0	12.6	14.0	19.8	19.0	9.2	9.8	18.3	22.1	7	2082
	12 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST	23.6	23.0	22.3	20.5	10.2	10.6	14.7	13.4	4.2	6.0	16.8	20.1	7	2082
	12 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST	22.7	21.5	21.1	19.8	9.4	9.2	14.0	11.7	3.2	5.8	16.7	19.3	7	2082
	12 LST													0	0

PADLOPING IS., CANADA

STA NO. 72987/ (IN AREA NUMBER 01)

LATITUDE 6706N

LONGITUDE 06221W

ELEVATION(FT) 00130

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	31	19	27	43	48	56	73	64	61	53	44	32	73	13	3519
MEAN MAX TMP (F)	-10	-14	-5	11	29	41	49	47	39	27	15	0	19	13	3519
MEAN MIN TMP (F)	-21	-25	-17	-3	16	30	35	35	30	19	5	-10	8	13	3519
ABS MIN TMP (F)	-49	-46	-45	-27	-14	20	25	20	14	-17	-22	-40	-49	13	3519
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	3519
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	29.9	30.3	23.1	11.0	10.6	22.4	30.6	30.0	31.0	308.9	13	3519
MEAN NO DYS TMP = OR LES 0(F)	29.9	27.9	29.6	18.3	1.9	0.0	0.0	0.0	0.0	0.3	8.9	25.7	142.5	13	3519
MEAN DEW PT TMP (F)	-23	-27	-19	-4	16	30	35	35	29	18	2	-15	6	13	46781
MEAN REL HUM (PCT)	57	56	62	71	78	83	82	82	82	77	71	62	72	13	46754
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.42	0.25	0.15	0.14	0.35	0.31	0.66	0.55	1.28	1.28	0.46	0.33	6.2	13	3487
MEAN SNOW FALL (IN)	5.5	4.7	2.8	1.6	4.5	1.6	1.0	1.0	6.9	15.9	8.5	6.0	60.0	8	1995
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.3	0.5	0.4	0.0	0.9	1.0	1.8	1.4	4.7	5.0	1.0	0.6	18.6	13	3487
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.2	0.8	0.5	0.0	0.7	0.3	0.3	0.2	2.0	3.9	1.2	1.1	12.2	8	1995
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.2	2.1	1.4	2.6	4.5	3.8	3.9	2.8	1.7	2.8	2.3	2.3	31.6	13	3367
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	13	3352
P FREQ WND SPD = OR GTR 17 KTS	10.7	8.0	9.0	11.7	7.3	5.1	5.3	5.9	9.0	12.6	8.8	13.6	8.9	13	49656
P FREQ WND SPD = OR GTR 28 KTS	1.7	1.0	1.5	1.5	0.8	0.6	0.3	1.3	0.6	2.0	0.9	1.9	1.2	13	49656
P FREQ LES 5000 FT A/O LES 5 MI	25.2	23.8	16.0	32.6	43.6	38.4	28.7	31.0	44.6	50.4	39.8	30.5	33.7	13	49647
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	8.1	9.6	6.2	10.1	22.9	25.3	17.6	16.9	15.8	15.7	12.6	10.9	14.3	13	6186
03-05 LST	8.1	8.4	7.7	12.6	22.3	26.3	17.6	22.3	18.8	18.1	12.8	12.4	15.6	13	6199
06-08 LST	8.2	8.3	8.0	12.4	18.1	20.2	15.9	19.2	18.1	21.2	12.4	9.5	14.3	13	6593
09-11 LST	9.5	10.2	8.4	10.9	17.0	18.6	9.0	14.4	15.7	20.4	12.5	11.1	13.1	13	6608
12-14 LST	11.9	7.6	8.2	10.9	18.0	15.9	7.2	11.7	15.8	20.8	13.9	14.4	13.0	13	6582
15-17 LST	13.8	9.2	7.9	10.9	15.2	17.0	6.5	9.8	15.8	20.8	15.9	13.5	13.0	13	6555
18-20 LST	11.3	9.2	7.5	8.6	15.8	21.1	9.0	12.3	19.7	19.6	16.1	11.5	13.5	13	6188
21-23 LST	8.3	9.1	7.3	9.9	20.4	24.2	14.5	16.6	16.3	17.6	14.3	12.3	14.2	13	6186
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	2.5	2.6	1.9	4.7	6.4	9.9	8.1	5.8	4.4	2.3	3.8	4.2	4.7	13	6186
03-05 LST	2.6	2.6	2.4	5.1	6.0	7.2	5.7	4.3	4.8	3.6	3.8	6.5	4.6	13	6199
06-08 LST	2.7	2.7	1.6	4.8	4.2	2.9	2.7	4.1	1.4	2.8	1.7	3.7	2.9	13	6593
09-11 LST	2.6	2.5	2.7	5.0	3.9	1.5	1.3	1.9	1.4	4.1	2.9	4.2	2.8	13	6608
12-14 LST	4.0	3.3	3.7	3.5	2.8	1.6	0.5	1.1	1.7	5.2	3.6	4.3	2.9	13	6582
15-17 LST	4.7	4.3	4.3	4.1	3.8	2.8	0.5	0.9	1.5	3.2	4.8	4.5	3.3	13	6555
18-20 LST	2.3	3.8	3.6	4.3	4.3	5.2	2.3	2.3	3.3	4.6	5.8	4.7	3.9	13	6188
21-23 LST	1.3	3.5	2.6	4.7	6.2	10.2	5.6	5.0	4.4	2.1	2.7	5.0	4.4	13	6188

PADLOPING IS., CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	28.3	26.1	29.0	27.8	26.7	25.8	28.5	27.6	25.7	25.9	25.8	27.4	324.6	13	3368
	02 LST	28.1	25.9	28.8	27.4	25.2	24.4	26.5	26.0	25.9	26.6	26.7	27.1	318.6	13	3367
	08 LST	28.4	26.0	28.5	26.4	27.1	25.9	27.5	27.0	26.7	25.8	26.3	28.3	323.9	13	3487
	14 LST	27.5	26.0	29.0	27.1	26.6	27.5	29.5	28.4	27.1	26.5	26.3	26.9	328.4	13	3487
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	16.8	16.9	18.9	18.9	18.3	18.5	20.7	18.2	15.9	15.4	15.8	18.3	212.6	13	3366
	02 LST	16.1	17.9	19.7	16.6	17.8	17.3	19.8	18.7	16.5	15.1	15.0	18.1	208.6	13	3364
	08 LST	16.1	15.7	19.6	17.9	18.8	18.4	20.5	19.0	15.8	14.6	16.1	17.2	209.7	13	3486
	14 LST	15.4	17.1	20.2	18.7	17.3	18.6	20.7	18.5	15.0	16.6	15.8	17.2	211.1	13	3485
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	2.2	1.7	2.4	2.6	1.8	1.2	1.2	2.3	1.9	3.8	1.8	3.6	26.9	13	2840
	02 LST	2.6	1.8	2.7	3.5	1.9	1.0	1.7	1.6	2.7	3.2	1.6	2.9	27.2	13	2782
	08 LST	2.6	2.3	1.8	2.6	1.6	1.2	0.8	1.7	1.8	4.2	1.4	2.0	24.0	13	2940
	14 LST	1.6	1.5	2.1	2.1	2.2	1.9	1.4	1.9	2.3	2.6	2.0	3.4	25.0	13	2972
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	0.0	0.0	0.0	0.0	1.2	8.6	14.8	14.4	8.1	1.1	0.1	0.0	48.3	13	2838
	02 LST	0.0	0.0	0.0	0.3	0.7	4.8	9.0	12.2	5.9	0.5	0.1	0.0	33.5	13	2781
	08 LST	0.0	0.0	0.0	0.1	1.6	8.1	13.8	13.1	9.2	1.0	0.0	0.0	46.9	13	2939
	14 LST	0.0	0.0	0.0	0.0	3.2	13.6	17.2	17.2	13.2	1.0	0.0	0.0	65.4	13	2971
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	18.1	16.0	17.4	13.6	6.3	7.8	6.5	2.3	4.5	5.9	9.8	12.6	120.8	8	1993
	02 LST	18.3	15.3	18.2	13.4	5.8	6.2	5.6	4.2	7.0	9.1	10.8	12.2	126.1	8	1992
	08 LST	14.3	11.7	13.6	10.4	5.9	7.0	7.8	3.5	1.5	4.4	7.8	9.6	97.5	8	1992
	14 LST	11.2	12.2	14.1	11.4	7.5	8.3	7.8	3.5	3.8	5.1	6.0	8.0	98.9	8	1992
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	26.4	24.4	27.3	25.1	21.5	22.3	26.1	24.1	19.6	20.5	22.3	25.4	285.0	13	3368
	02 LST	27.1	24.5	27.4	24.5	20.3	20.7	22.8	22.0	20.5	21.9	22.0	25.4	279.1	13	3367
	08 LST	26.4	24.4	27.1	23.6	21.0	22.7	24.2	22.6	19.6	18.6	22.2	26.7	279.1	13	3487
	14 LST	25.9	24.5	26.9	25.0	22.0	24.3	26.5	24.6	21.2	20.9	23.0	24.4	289.2	13	3487
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	23.4	22.4	26.1	21.9	16.7	17.9	22.4	19.2	15.4	14.0	17.9	21.1	238.4	13	3368
	02 LST	24.7	21.8	25.0	20.1	15.4	16.6	19.0	17.4	15.4	15.7	17.1	21.0	229.2	13	3367
	08 LST	22.7	20.9	24.5	19.1	16.2	17.9	20.3	18.7	15.1	13.1	16.3	21.4	226.2	13	3487
	14 LST	22.4	21.6	25.0	21.9	17.7	20.0	22.3	20.8	17.3	14.7	18.0	20.3	242.0	13	3487
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	21.1	20.2	23.0	18.2	13.0	14.0	16.8	13.6	11.3	11.7	14.6	17.4	194.9	13	3368
	02 LST	21.6	19.7	22.7	16.7	10.8	11.7	13.6	11.3	12.0	13.0	14.3	18.0	185.4	13	3367
	08 LST	19.0	17.0	20.6	15.7	12.4	13.5	15.3	11.7	11.4	9.5	13.3	17.8	177.2	13	3487
	14 LST	19.1	18.7	22.0	18.9	14.6	15.5	17.6	15.3	13.6	11.0	14.4	16.5	197.2	13	3487

CLINTON POINT, CANADA

STA NO. 74053 (IN AREA NUMBER 01)

LATITUDE 6935N

LONGITUDE 12044W

ELEVATION(FT) 00045

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OB5
ABS MAX TMP (F)	30	14	37	44	59	68	80	77	74	42	26	30	80	7	2119
MEAN MAX TMP (F)	-11	-11	-10	7	25	44	52	51	38	23	3	-4	17	7	2119
MEAN MIN TMP (F)	-23	-24	-22	-4	15	34	39	40	31	15	-7	-15	7	7	2175
ABS MIN TMP (F)	-42	-41	-41	-35	-13	15	28	28	13	-5	-30	-40	-42	7	2175
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2119
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	30.0	30.3	13.4	2.3	2.5	19.8	30.8	30.0	31.0	280.1	7	2175
MEAN NO DYS TMP = OR LES 0(F)	30.5	28.0	29.9	18.8	4.5	0.0	0.0	0.0	0.0	1.8	22.1	28.1	163.7	7	2175
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	-183	-205	-208	-140	-111	-5	55	63	39	28	-65	-113	-69	0	-50
MEAN PRECIP (IN)	0.22	0.08	0.15	0.67	0.31	0.62	1.19	1.60	1.40	0.95	0.40	0.40	8.0	7	2208
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.8	0.3	0.7	2.0	1.8	1.7	4.6	4.8	4.7	3.7	1.5	1.8	28.4	7	2208
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														7	2207
03-05 LST	12.4	8.3	6.0	17.4	26.5	31.8	20.3	29.3	28.3	24.9	16.4	14.5	19.8	0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														7	2207
03-05 LST	7.6	5.3	1.6	7.9	10.8	19.6	9.7	14.9	12.8	4.9	5.6	7.0	9.0	0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CLINTON POINT, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST	25.9	26.0	29.0	25.4	25.0	22.1	26.0	24.1	24.7	27.3	25.6	26.0	307.1	7	2207
	10 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST														0	0
	22 LST														0	0
	04 LST	15.4	16.5	21.0	16.7	15.2	13.4	14.6	14.0	11.3	8.7	13.9	15.8	176.5	7	2207
	10 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST														0	0
	22 LST														0	0
	04 LST	7.7	4.6	3.9	5.7	3.7	3.7	4.3	3.4	5.2	7.5	5.7	7.8	63.2	7	2207
	10 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST														0	0
	22 LST														0	0
	04 LST	0.0	0.0	0.0	0.0	0.8	9.2	12.4	11.6	4.0	0.0	0.0	0.0	38.0	7	2200
	10 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST	18.1	20.5	21.3	12.3	8.0	8.9	8.0	7.5	5.3	6.0	14.7	18.0	148.6	7	2207
	10 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST	22.6	24.2	26.9	20.9	17.7	16.4	19.8	16.8	13.5	15.4	20.1	22.7	237.0	7	2207
	10 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST	20.8	22.7	25.0	18.0	13.9	14.6	15.6	14.2	9.3	10.0	18.2	20.8	203.1	7	2207
	10 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST	19.6	21.4	23.9	16.5	12.2	14.4	14.4	13.5	8.6	9.7	16.7	20.0	190.9	7	2207
	10 LST														0	0

CAPE YOUNG, CANADA

STA NO. 74059/ (IN AREA NUMBER 01)

LATITUDE 6856N

LONGITUDE 11656W

ELEVATION(FT) 0052

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	8	4	10	27	43	99	72	69	55	35	22	15	72	8	-112
MEAN MAX TMP (F)		-12	-11	6	25	41	50	51	38	24	2	-2		8	-112
MEAN MIN TMP (F)	-30	-32	-29	-13	10	30	37	38	31	13	-12	-22	2	8	-112
ABS MIN TMP (F)	-45	-46	-43	-35	-13	19	30	31	20	-5	-31	-38	-46	8	-112
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS TMP = OR LES 32(F)							0.0	0.0						8	-29
MEAN NO DYS TMP = OR LES 0(F)						0.0	0.0	0.0	0.0					8	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	-169	-189	-205	-140	-116	-5	61	71	45	36	-56	-102	-63	0	-50
MEAN PRECIP (IN)	0.14	0.16	0.12	0.27	0.13	0.30	1.03	1.54	0.92	0.52	0.36	0.20	5.7	8	-112
MEAN SNOW FALL (IN)	1.4	1.6	1.2	2.7	1.2	0.2	0.0	0.7	1.7	5.1	3.6	2.0	21.4	8	-112
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.2	0.3	0.2	0.7	0.2	1.3	3.2	4.3	3.0	2.2	1.9	0.4	17.9	8	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.1	0.1	0.5	0.1	0.0	0.0	0.1	0.2	0.9	0.6	0.2	2.8	8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CAPE YOUNG, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
CIG = GTR 2000 FT AND VSBY = GTR	16	LST												0	0
3 MI W/SFC WND LES 10 KTS	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
SFC WND = GTR 17 KTS AND	16	LST												0	0
NO PRECIP.	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	16	LST												0	0
DEG F AND NO PRECIP.	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
SKY COVER LES 3/10 AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
CIG = GTR 2500 FT AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
CIG = GTR 6000 FT AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
CIG = GTR 10000 FT AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0

DATA NOT AVAILABLE

JENNY LIND, CANADA

STA NO. 74066/ (IN AREA NUMBER 01)

LATITUDE 6839N

LONGITUDE 10144W

ELEVATION(FT) 00060

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	-50
MEAN PRESS ALT (FT)	-78	-119	-166	-139	-113	6	87	99	60	60	-7	-38	-28	0	0
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

JENNY LIND, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (Y?S)	NO. OBS
CIG = GTR 1000 FT AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR	17	LST												0	0
3 MI W/SFC WND LES 10 KTS	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
SFC WND = GTR 17 KTS AND	17	LST												0	0
NO PRECIP.	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	17	LST												0	0
DEG F AND NO PRECIP.	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
SKY COVER LES 3/10 AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
CIG = GTR 2500 FT AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
CIG = GTR 6000 FT AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
CIG = GTR 10000 FT AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0

DATA NOT AVAILABLE

NICHOLSON, CANADA

STA NO. 74071/ (IN AREA NUMBER 01)

LATITUDE 6957N

LONGITUDE 12853W

ELEVATION(FT) 00004

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	11	12	20	32	46	66	76	71	53	34	18	11	76	8	-112
MEAN MAX TMP (F)	-7	-11	-7	6	27	45	54	52	38	22	0	-7	18	8	-112
MEAN MIN TMP (F)	-27	-28	-25	-8	15	31	38	39	29	13	-11	-20	4	8	-112
ABS MIN TMP (F)	-44	-42	-38	-28	-5	21	29	30	19	-6	-30	-35	-44	8	-112
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS TMP = OR LES 32(F)							0.0	0.0						8	-29
MEAN NO DYS TMP = OR LES 0(F)						0.0	0.0	0.0	0.0					0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)	-227	-246	-239	-163	-143	-49	21	23	-0	11	-94	-146	-103	0	-90
MEAN PRESS ALT (FT)	0.19	0.06	0.11	0.19	0.16	0.51	0.85	1.26	0.64	0.40	0.16	0.10	4.6	8	-112
MEAN PRECIP (IN)	1.9	0.6	1.1	1.9	1.0	0.2	0.1	0.1	1.7	3.6	1.6	1.0	14.8	8	-112
MEAN SNOW FALL (IN)	0.4	0.0	0.2	0.5	0.3	1.9	2.8	3.7	2.5	2.0	1.5	0.0	15.8	8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.1	0.0	0.1	0.3	0.1	0.0	0.0	0.0	0.2	0.6	0.2	0.0	1.6	8	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

NICHOLSON, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	15	LST												0	0
VSBY = GTR 3 MI	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR	15	LST												0	0
3 MI W/SFC WND LES 10 KTS	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
SFC WND = GTR 17 KTS AND	15	LST												0	0
NO PRECIP.	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
SFC WND 4-10 KTS AND TMP 33-85	15	LST												0	0
DEG F AND NO PRECIP.	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
SKY COVER LES 3/10 AND	15	LST												0	0
VSBY = GTR 3 MI	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
CIG = GTR 2500 FT AND	15	LST												0	0
VSBY = GTR 3 MI	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
CIG = GTR 6000 FT AND	15	LST												0	0
VSBY = GTR 3 MI	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
CIG = GTR 10000 FT AND	15	LST												0	0
VSBY = GTR 3 MI	21	LST												0	0
	03	LST												0	0
	09	LST												0	0

DATA NOT AVAILABLE

MOULD BAY, CANADA

STA NO. 74072 (IN AREA NUMBER 01)

LATITUDE 7614N

LONGITUDE 11918W

ELEVATION(FT) 00040

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	15	13	13	29	35	56	60	57	46	32	19	38	60	12	-608
MEAN MAX TMP (F)	-21	-25	-19	-2	18	36	43	39	25	7	-9	-19	6	12	-108
MEAN MIN TMP (F)	-36	-38	-33	-17	7	27	34	31	16	-6	-22	-31	-5	12	-108
ABS MIN TMP (F)	-55	-58	-56	-43	-20	8	25	14	-13	-33	-46	-78	-78	12	-608
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2793
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	30.0	31.0	18.4	5.2	14.8	29.3	31.0	30.0	31.0	310.7	8	2793
MEAN NO DYS TMP = OR LES 0(F)	31.0	28.0	31.0	26.7	8.3	0.0	0.0	0.0	1.7	20.7	29.6	30.8	207.8	8	2793
MEAN DEW PT TMP (F)	-29	-31	-31	-17	8	28	35	32	18	-4	-21	-27	-2	12	24524
MEAN REL HUM (PCT)	68	68	66	71	80	85	85	89	87	78	72	69	77	12	24523
MEAN PRESS ALT (FT)	-176	-202	-267	-235	-208	-83	23	5	-30	-23	-113	-139	-120	0	-50
MEAN PRECIP (IN)	0.08	0.07	0.12	0.13	0.29	0.29	0.48	0.37	0.45	0.16	0.11	0.12	2.7	6	1991
MEAN SNOW FALL (IN)	0.8	0.7	1.2	1.3	3.0	1.3	0.8	1.7	4.3	1.5	1.2	1.2	19.0	6	1995
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.0	0.2	0.2	0.2	0.5	1.2	1.3	1.2	1.5	0.0	0.0	0.0	6.3	6	1991
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.2	0.0	0.3	0.2	0.2	0.0	0.7	0.0	0.0	0.0	1.6	6	1995
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.8	4.0	2.7	2.3	2.1	1.6	1.2	3.1	2.4	3.3	2.6	3.0	33.1	12	4308
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	8	2793
P FREQ WND SPD = OR GTR 17 KTS	2.5	2.0	1.7	1.5	0.0	1.8	2.6	1.6	4.2	2.7	5.0	4.3	2.5	12	28490
P FREQ WND SPD = OR GTR 28 KTS	1.4	0.5	0.0	0.3	0.0	0.1	0.0	0.0	0.1	0.2	0.9	1.5	0.4	12	28490
P FREQ LES 5000 FT A/O LES 5 MI	39.2	38.6	35.7	33.4	60.7	61.2	57.5	68.9	68.9	67.3	47.5	36.3	51.3	12	28495
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	26.1	21.6	21.9	22.7	39.4	42.0	43.5	51.1	47.6	40.6	26.7	17.4	33.4	10	3576
03-05 LST	23.3	25.5	21.3	22.3	38.7	45.0	48.1	53.9	56.9	41.4	27.9	20.8	35.6	10	3547
06-08 LST	22.3	19.1	25.9	19.7	31.9	40.7	43.5	53.6	55.4	45.3	20.3	16.8	32.9	10	3584
09-11 LST	27.7	35.5	29.0	16.3	37.8	39.8	40.6	56.6	58.2	50.4	33.7	24.2	37.5	10	3555
12-14 LST	25.5	25.1	20.7	18.7	29.7	32.0	35.8	52.7	50.7	44.7	26.0	17.4	31.6	10	3586
15-17 LST	23.2	33.7	22.4	14.0	31.2	29.7	31.3	43.9	45.0	51.8	30.3	17.1	31.1	10	3557
18-20 LST	21.0	23.7	21.4	14.3	30.5	31.0	31.9	43.0	47.0	46.6	22.7	14.8	29.0	10	3587
21-23 LST	24.8	28.0	24.8	19.3	35.5	38.7	41.6	51.4	56.6	47.8	26.3	23.3	34.8	10	3555
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	11.6	8.5	4.8	4.3	6.1	5.2	5.8	11.1	6.1	7.1	5.7	5.8	6.8	10	3576
03-05 LST	9.4	8.2	4.5	5.3	6.8	8.3	9.4	15.0	10.2	3.2	5.4	7.8	7.8	10	3547
06-08 LST	9.7	6.4	8.7	3.3	6.1	4.0	6.1	11.4	10.5	6.5	5.3	6.1	7.0	10	3584
09-11 LST	10.6	12.1	7.7	5.3	4.0	2.3	4.5	8.2	9.7	8.6	7.3	9.4	7.5	10	3555
12-14 LST	11.0	9.5	5.8	7.0	2.9	0.7	3.5	9.7	6.0	6.1	6.0	5.8	6.2	10	3586
15-17 LST	9.4	12.8	8.1	4.7	2.5	0.7	2.3	5.0	5.7	11.9	6.7	6.8	6.4	10	3557
18-20 LST	10.0	9.5	5.5	3.7	2.9	1.3	1.9	5.4	7.3	8.5	6.0	5.2	5.6	10	3587
21-23 LST	10.6	12.4	6.1	5.0	5.0	3.7	6.1	9.3	7.1	7.9	6.7	6.8	7.2	10	3555

MOULD BAY, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST	24.7	19.5	24.9	26.5	26.1	26.8	24.9	22.7	20.8	19.7	23.4	26.7	286.7	10	3559
	22 LST	24.5	21.1	25.1	25.1	25.5	23.1	22.0	18.9	19.3	22.4	24.6	25.4	277.0	10	3557
	04 LST	24.7	21.7	25.4	24.0	24.0	22.0	19.4	18.0	19.2	23.6	24.7	25.9	272.6	10	3551
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	16 LST	24.2	19.7	23.2	25.6	25.0	24.6	23.5	20.0	16.7	18.5	23.2	24.5	269.3	10	3555
	22 LST	15.6	14.2	17.8	16.2	12.4	9.7	8.9	7.5	8.3	10.1	13.8	17.7	152.2	10	3558
	04 LST	16.8	15.9	17.6	17.1	12.1	9.6	9.3	9.7	6.0	9.0	14.7	16.2	154.0	10	3557
SFC WND = GTR 17 KTS AND NO PRECIP.	10 LST	15.5	14.0	17.2	18.1	12.5	9.7	8.6	7.0	6.0	10.2	12.3	17.3	148.4	10	3554
	16 LST	7.3	4.9	3.8	4.1	3.9	3.8	6.1	2.4	5.3	5.0	5.3	4.0	55.9	10	3194
	22 LST	7.2	4.8	3.9	3.5	3.9	3.7	4.7	3.1	5.7	5.3	4.9	5.5	56.2	10	3160
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	04 LST	7.8	5.1	4.0	3.0	3.2	2.6	3.8	1.8	4.9	4.9	4.6	5.1	50.8	10	3100
	10 LST	6.3	5.0	3.9	3.1	4.0	2.8	5.0	2.2	4.7	4.8	4.9	5.1	51.8	10	3161
	16 LST	0.0	0.0	0.0	0.0	0.1	8.6	12.1	11.4	2.2	0.0	0.0	0.0	34.4	10	3194
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	22 LST	0.0	0.0	0.0	0.0	0.1	7.8	11.6	11.1	0.6	0.0	0.0	0.0	31.2	10	3160
	04 LST	0.0	0.0	0.0	0.0	0.0	4.7	13.2	9.2	0.7	0.0	0.0	0.0	27.8	10	3099
	10 LST	0.0	0.0	0.0	0.0	0.0	7.0	11.7	10.0	1.7	0.0	0.0	0.0	30.4	10	3161
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST	12.6	9.9	14.0	13.6	7.4	5.0	4.1	3.5	2.3	4.1	10.1	14.6	101.2	10	3559
	22 LST	15.5	14.8	15.6	13.3	5.3	4.4	4.2	3.2	3.2	6.6	11.5	14.0	111.6	10	3557
	04 LST	16.4	14.9	16.4	11.7	5.5	4.6	3.2	4.7	2.3	7.8	11.8	15.1	114.4	10	3551
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	10 LST	13.0	10.2	12.9	13.3	6.1	3.8	3.2	3.2	1.9	3.3	7.8	13.8	92.5	10	3557
	16 LST	22.2	17.9	23.6	25.2	17.4	15.5	17.5	14.0	14.4	13.0	19.1	23.1	222.9	10	3559
	22 LST	21.6	19.5	22.7	23.4	15.7	14.2	14.8	11.5	10.5	13.8	20.2	21.9	209.8	10	3557
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	04 LST	22.3	20.1	23.1	22.0	14.7	13.1	13.9	11.9	9.5	15.2	19.7	22.8	208.3	10	3551
	10 LST	20.7	17.1	21.6	24.1	16.0	13.3	15.4	11.2	10.2	13.1	18.0	22.7	203.4	10	3555
	16 LST	19.8	17.0	22.8	23.4	13.8	12.7	14.4	11.9	12.3	11.3	16.2	21.0	196.6	10	3559
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	22 LST	21.1	18.8	21.9	21.7	12.6	11.7	12.3	9.7	8.7	11.7	17.7	20.1	188.0	10	3557
	04 LST	21.5	19.5	21.9	20.8	10.8	10.5	11.5	10.6	7.6	12.7	17.7	21.7	186.8	10	3551
	10 LST	19.4	16.1	20.6	22.6	12.6	10.6	12.5	8.6	8.7	11.3	16.0	21.1	180.1	10	3555
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST	17.6	15.2	20.7	21.7	12.2	10.4	10.9	9.0	8.3	8.7	14.2	18.5	167.4	10	3559
	22 LST	19.4	17.9	19.9	19.8	10.0	9.0	9.1	7.5	7.1	10.1	16.0	17.9	163.7	10	3557
	04 LST	19.3	18.1	21.0	18.7	9.2	8.6	9.1	8.2	6.0	11.3	15.9	20.0	165.4	10	3551
	10 LST	18.3	14.9	18.7	20.3	10.6	8.8	7.2	6.4	6.5	8.7	13.4	18.8	154.6	10	3555

ISACHSEN, CANADA

STA NO. 74074 (IN AREA NUMBER 01)

LATITUDE 7847N

LONGITUDE 10332W

ELEVATION(FT) 00175

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	25	-5	17	30	36	62	66	58	37	29	25	15	66	13	-609
MEAN MAX TMP (F)	-24	-28	-25	-5	17	35	43	39	22	5	-12	-20	4	10	-109
MEAN MIN TMP (F)	-37	-40	-37	-18	6	28	34	31	12	-8	-25	-32	-6	10	-109
ABS MIN TMP (F)	-63	-60	-65	-44	-21	6	26	8	-17	-35	-50	-60	-65	13	-609
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2878
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	30.0	31.0	23.6	10.4	17.8	30.0	31.0	30.0	31.0	324.8	8	2878
MEAN NO DYS TMP = OR LES 0(F)	30.8	28.0	30.8	27.7	9.7	0.0	0.0	0.0	4.5	23.3	29.0	31.0	214.8	8	2878
MEAN DEW PT TMP (F)	-32	-34	-31	-18	7	28	35	32	15	-6	-22	-28	-4	12	24197
MEAN REL HUM (PCT)	70	69	71	74	84	88	88	90	90	82	74	69	79	12	24261
MEAN PRESS ALT (FT)	9	-19	-104	-114	-80	44	142	119	108	100	16	12	19	0	-50
MEAN PRECIP (IN)	0.06	0.06	0.04	0.17	0.30	0.13	0.87	0.91	0.71	0.40	0.14	0.06	3.8	10	-109
MEAN SNOW FALL (IN)	0.6	0.6	0.4	1.7	3.0	1.2	1.6	1.8	6.1	4.0	1.4	0.6	23.0	10	-109
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.0	0.0	0.0	0.4	0.9	0.8	2.8	2.9	2.6	2.0	1.5	0.0	13.9	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.2	0.6	0.0	0.0	0.0	0.5	0.0	0.2	0.0	1.5	6	1943
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	8.9	4.1	5.8	4.4	4.1	2.7	3.4	4.4	5.9	6.9	4.3	5.5	60.4	12	4335
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	8	2878
P FREQ WND SPD = OR GTR 17 KTS	27.9	16.1	15.7	12.8	14.1	14.1	12.0	13.0	19.9	20.7	17.8	19.4	17.0	12	28980
P FREQ WND SPD = OR GTR 28 KTS	9.3	5.4	4.6	2.2	2.5	1.2	0.7	0.4	2.6	4.3	4.2	5.9	3.6	12	28980
P FREQ LES 5000 FT A/O LES 5 MI	45.8	44.1	42.8	42.2	59.2	66.0	61.7	62.4	77.2	68.8	51.9	43.2	55.4	12	28782
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	35.1	34.5	31.5	36.3	44.4	45.4	47.2	51.0	56.3	42.7	37.9	30.1	41.0	8	2917
03-05 LST	32.8	26.8	32.5	30.4	45.2	44.8	44.3	51.2	57.9	48.9	38.1	20.2	40.1	12	4326
06-08 LST	37.1	35.9	38.7	27.1	39.9	41.7	41.1	45.6	56.7	50.4	35.4	25.4	39.6	8	2911
09-11 LST	31.5	32.2	32.2	26.3	39.1	39.8	44.3	45.1	59.0	50.5	36.5	22.5	38.3	12	4326
12-14 LST	39.1	36.7	32.3	25.0	35.2	39.7	41.9	41.9	55.6	49.4	38.6	25.0	38.4	8	2917
15-17 LST	29.3	32.4	32.4	26.3	32.8	39.8	42.0	42.3	52.7	52.0	34.4	25.4	36.8	12	4328
18-20 LST	35.9	34.1	31.0	25.4	38.7	36.7	43.4	45.2	60.4	48.8	33.3	25.6	38.2	8	2916
21-23 LST	30.6	28.4	31.0	30.0	37.6	45.8	48.8	47.4	58.8	50.3	36.0	29.8	39.5	12	4325
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	22.6	15.0	14.9	12.1	8.9	8.3	10.6	15.8	12.9	14.9	12.9	14.2	13.6	8	2917
03-05 LST	19.9	11.5	13.6	12.3	9.5	9.5	10.3	12.5	17.2	15.6	14.2	14.1	13.4	12	4326
06-08 LST	23.8	17.5	17.3	10.4	7.3	6.7	12.2	12.1	16.0	15.7	12.5	13.9	13.8	8	2911
09-11 LST	18.3	13.6	16.3	10.8	7.3	5.8	6.0	8.7	12.7	16.9	11.7	12.6	11.7	12	4326
12-14 LST	23.4	18.6	11.3	8.3	5.7	3.8	7.3	9.3	10.5	17.7	14.9	11.9	11.9	8	2917
15-17 LST	18.8	11.8	12.2	8.9	4.3	4.2	6.0	8.4	11.8	15.4	12.8	11.2	10.5	12	4328
18-20 LST	22.6	13.3	14.1	8.8	5.2	7.1	9.8	11.7	15.4	16.1	12.5	13.4	12.5	8	2916
21-23 LST	18.3	11.2	13.7	11.8	6.2	8.4	11.2	11.2	12.9	15.1	13.9	13.0	12.2	12	4325

ISACHSEN, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	22.6	19.7	21.4	22.7	25.2	21.6	23.0	21.9	18.2	18.5	20.6	24.5	259.9	12	4328
	23 LST	22.2	20.9	21.9	21.5	23.1	20.7	19.4	20.0	16.6	19.3	20.4	23.8	249.8	12	4321
	05 LST	21.6	21.2	21.9	21.9	20.9	20.2	19.8	18.7	15.8	18.8	19.8	23.9	244.5	12	4325
	11 LST	22.0	19.4	21.1	22.6	22.4	22.2	21.5	22.2	16.0	18.4	20.1	24.8	252.7	12	4323
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	15.6	15.3	16.9	16.2	11.2	8.6	8.3	10.0	7.0	9.1	14.8	17.3	150.3	12	4328
	23 LST	16.3	16.6	17.0	16.	11.5	9.5	10.6	10.3	7.1	10.7	14.3	16.1	156.1	12	4321
	05 LST	16.4	17.0	17.5	15.9	10.0	9.0	11.3	9.8	6.2	10.2	14.1	16.8	154.2	12	4325
	11 LST	15.5	16.1	17.4	17.2	10.8	9.2	9.2	9.8	6.6	9.5	13.7	18.5	153.5	12	4323
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	9.9	3.8	5.2	4.7	4.4	4.7	3.3	4.1	6.3	7.5	5.7	7.1	66.7	12	3495
	23 LST	10.5	5.0	3.7	3.9	4.5	3.8	2.4	3.6	5.8	8.6	6.5	6.3	66.6	12	3400
	05 LST	10.5	4.8	5.1	3.9	4.7	3.6	2.4	3.1	5.6	7.8	6.4	7.3	65.2	12	3358
	11 LST	8.8	4.4	4.8	4.6	5.5	3.9	4.0	2.8	5.8	7.1	6.4	6.9	65.0	12	3493
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	0.0	0.0	0.0	0.0	0.0	10.1	15.6	14.7	0.7	0.0	0.0	0.0	41.1	12	3495
	23 LST	0.0	0.0	0.0	0.0	0.0	7.6	14.7	9.1	0.2	0.0	0.0	0.0	31.6	12	3398
	05 LST	0.0	0.0	0.0	0.0	0.0	5.9	14.1	6.1	0.2	0.0	0.0	0.0	26.3	12	3357
	11 LST	0.0	0.0	0.0	0.0	0.0	8.8	16.2	12.6	0.6	0.0	0.0	0.0	38.2	12	3492
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	13.6	10.6	13.1	11.3	7.2	4.2	4.1	3.7	2.6	3.2	10.3	13.5	97.4	12	4342
	23 LST	13.8	14.1	14.4	9.8	6.3	4.0	4.6	3.1	2.6	5.1	11.5	14.0	103.3	12	4337
	05 LST	13.8	13.4	13.7	9.8	5.9	3.3	4.3	3.5	1.1	5.1	12.0	13.4	99.3	12	4345
	11 LST	11.9	8.0	11.5	11.1	5.5	4.1	4.2	3.1	1.9	3.1	6.9	13.2	84.5	12	4338
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	20.4	18.1	20.7	20.8	16.8	13.2	13.5	14.4	10.6	11.8	18.2	22.4	200.9	12	4328
	23 LST	21.1	19.9	20.8	20.3	15.3	12.0	13.1	13.7	9.2	12.6	17.9	20.4	196.3	12	4321
	05 LST	19.9	20.2	20.2	20.2	14.4	12.7	13.5	13.5	9.0	12.6	17.3	20.9	194.4	12	4325
	11 LST	20.2	18.0	20.6	21.2	16.4	13.0	13.8	13.1	9.2	11.9	16.1	22.4	195.9	12	4323
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	18.7	15.7	19.3	19.1	13.9	9.7	11.0	11.6	9.0	9.5	15.8	20.0	173.3	12	4328
	23 LST	18.5	17.8	19.4	17.5	12.6	8.5	10.4	10.4	7.1	10.2	16.1	18.1	166.6	12	4321
	05 LST	17.6	17.6	18.4	18.0	11.4	9.0	11.2	11.6	6.6	10.5	15.5	17.6	165.0	12	4325
	11 LST	17.5	15.8	19.6	19.1	13.1	10.2	11.3	11.3	6.9	9.9	13.2	19.7	167.6	12	4323
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	17.1	14.0	17.2	17.6	12.1	8.0	9.4	9.3	7.2	7.8	14.5	17.7	151.9	12	4328
	23 LST	16.7	16.9	17.9	15.9	10.4	6.4	8.9	7.6	5.9	9.0	14.3	16.6	146.5	12	4321
	05 LST	16.4	16.3	16.6	15.9	9.6	7.5	9.4	8.5	4.6	8.8	14.9	16.3	144.8	12	4325
	11 LST	15.8	12.4	17.4	17.5	11.5	8.1	9.4	8.2	5.6	8.0	11.8	18.4	144.1	12	4323

SHEPHERD BAY, CANADA

STA NO. 74078/ (IN AREA NUMBER 01)

LATITUDE 6849N

LONGITUDE 09324W

ELEVATION(FT) 00150

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	23	7	11	20	37	65	74	73	57	42	26	0	74	4	-108
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)	-62	-64	-54	-45	-23	3	28	26	5	-29	-47	-59	-64	4	-108
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)						0.0	0.0	0.0	0.0					4	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	78	26	-49	-46	-19	107	189	206	176	179	116	104	89	0	-50
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SHEPHERD BAY, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0

DATA NOT AVAILABLE

MACKAR INLET, CANADA

STA NO. 74080 (IN AREA NUMBER 01)

LATITUDE 6818N

LONGITUDE 08544W

ELEVATION(FT) 00175

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	27	20	20	28	42	61	68	64	49	41	24	22	68	7	-72962
MEAN MAX TMP (F)	-9	-9	-9	2	17	36	51	46	31	15	-2	-5	14	7	-72962
MEAN MIN TMP (F)	-27	-30	-25	-9	9	28	40	36	24	6	-13	-18	2	7	-72962
ABS MIN TMP (F)	-51	-56	-47	-38	-12	8	28	20	6	-21	-43	-47	-56	7	-72962
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-72962
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	30.0	31.0	23.2	5.1	9.1	25.8	31.0	30.0	31.0	306.2	7	-72962
MEAN NO DYS TMP = OR LES 0(F)	29.3	27.1	29.3	21.1	8.0	0.0	0.0	0.0	0.0	9.2	25.8	29.0	178.8	7	-72962
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	176	110	13	-1	25	146	229	244	231	247	178	176	148	0	-50
MEAN PRECIP (IN)	0.05	0.24	0.09	0.28	1.22	0.13	1.12	1.44	0.94	1.18	0.29	0.06	7.0	7	-72962
MEAN SNOW FALL (IN)														C	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.0	1.0	0.5	1.5	2.9	0.5	3.8	4.4	4.4	5.2	1.1	0.2	25.5	7	-72962
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	10.9	6.0	14.0	17.2	41.8	41.6	22.0	30.1	47.3	53.5	25.6	17.8	27.3	7	-72962
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.9	2.4	5.9	11.7	29.1	36.4	16.1	23.5	33.3	41.3	14.4	10.3	19.1	7	-72962
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MACKAR INLET, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST	27.8	25.8	26.7	25.0	17.5	17.7	24.3	22.3	17.4	16.0	23.0	26.6	7	-72962
	12 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST													0	0
	00 LST													0	0
	06 LST	20.4	20.5	22.3	19.5	11.7	13.7	17.1	17.8	7.8	8.6	15.2	16.6	7	-72962
	12 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST	4.2	1.0	1.0	2.5	0.5	1.0	1.3	1.0	2.8	2.8	2.8	2.8	7	-72962
	12 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST	0.0	0.0	0.0	0.0	0.0	3.3	10.5	10.1	2.2	0.0	0.0	0.0	7	-72962
	12 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST	21.5	20.2	18.7	15.7	6.8	5.9	11.0	6.7	0.8	4.0	15.8	18.8	7	-72962
	12 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST	24.7	23.8	24.0	22.0	12.6	14.0	19.8	19.0	9.2	9.8	18.3	22.1	7	-72962
	12 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST	23.6	23.0	22.3	20.5	10.2	10.6	14.7	13.4	4.2	6.0	16.8	20.1	7	-72962
	12 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST	22.7	21.5	21.1	19.8	9.4	9.2	14.0	11.7	3.2	5.8	16.7	19.3	7	-72962
	12 LST													0	0

HALL BEACH, CANADA

STA NO. 74081 (IN AREA NUMBER 01)

LATITUDE 6846N

LONGITUDE 08114W

ELEVATION(FT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	34	30	24	28	38	55	68	59	53	33	30	22	68	7	2168
MEAN MAX TMP (F)	-10	-17	-15	4	22	38	48	45	35	20	1	-6	14	7	2168
MEAN MIN TMP (F)	-26	-32	-32	-14	7	28	37	35	28	7	-14	-21	0	7	2190
ABS MIN TMP (F)	-55	-54	-52	-40	-18	9	30	27	11	-21	-39	-49	-55	7	2190
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	0.0	0.0	0.0	0.0	7	2168
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	30.0	31.0	21.8	3.2	5.0	24.2	31.0	30.0	31.0	297.2	7	2190
MEAN NO DYS TMP = OR LES 0(F)	29.1	27.2	29.8	25.1	10.0	0.0	0.0	0.0	0.0	9.5	25.8	28.1	184.6	7	2190
MEAN DEW PT TMP (F)	-12	-20	-22	-17	21	30	36	36	29	11	-18	-19	5	3	2124
MEAN REL HUM (PCT)	77	75	74	77	90	88	88	86	87	84	73	73	81	3	2120
MEAN PRESS ALT (FT)	68	-6	-106	-135	-108	1	84	96	92	120	51	51	17	0	-50
MEAN PRECIP (IN)	0.34	0.25	0.18	0.31	0.62	0.41	1.48	1.62	0.95	0.56	0.52	0.28	7.5	7	2190
MEAN SNOW FALL (IN)							0.0							7	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.5	0.6	0.2	0.7	1.6	1.1	4.7	4.3	3.2	1.3	1.7	0.5	20.4	7	2190
MEAN NO DYS SNFL = OR GTR 1.5 IN							0.0							7	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.0	6.0	2.5	2.0	4.0	2.0	6.0	6.0	4.0	1.0	2.0	3.0	42.5	3	608
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	608
P FREQ WND SPU = OR GTR 17 KTS	19.4	17.9	7.7	27.5	13.7	5.0	7.3	7.3	19.6	34.3	18.8	14.1	16.1	3	2432
P FREQ WND SPU = OR GTR 28 KTS	3.2	2.2	2.4	1.7	0.0	0.0	0.0	0.4	1.7	1.2	1.7	0.8	1.3	3	2432
P FREQ LES 5000 FT A/O LES 5 MI	28.6	13.8	13.3	15.0	64.5	25.8	45.2	33.5	56.7	44.8	23.3	23.0	32.3	3	2432
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	14.5	3.6	4.8	3.3	54.8	13.3	38.7	17.7	23.3	21.0	11.7	9.7	18.0	3	608
03-05 LST	14.0	7.8	8.9	9.7	44.4	20.0	33.4	20.7	31.1	24.5	15.9	12.7	20.3	3	-30
06-08 LST	13.4	11.9	12.9	16.1	33.9	26.7	28.0	23.7	38.9	26.9	20.0	15.6	22.3	7	2190
09-11 LST	18.8	12.2	7.3	11.9	37.9	20.0	33.4	20.7	34.5	26.4	19.2	15.9	21.5	3	-30
12-14 LST	24.2	12.5	1.6	6.7	41.9	13.3	38.7	17.7	30.0	25.8	18.3	16.1	20.6	3	608
15-17 LST	22.6	11.6	7.3	10.0	45.2	13.3	35.5	18.6	30.0	23.4	14.2	13.7	20.5	3	-30
18-20 LST	21.0	10.7	12.9	13.3	48.4	13.3	32.3	19.4	30.0	21.0	10.0	11.3	20.3	3	608
21-23 LST	17.8	7.2	8.9	8.3	51.6	13.3	35.5	18.6	26.7	21.0	10.9	10.5	19.2	3	-30
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	8.1	0.0	0.0	0.0	32.3	6.7	29.0	11.3	13.3	9.7	3.3	3.2	9.7	3	608
03-05 LST	7.0	3.3	1.9	2.2	20.5	6.7	23.9	11.9	12.0	10.0	6.7	4.3	9.2	3	-30
06-08 LST	5.9	6.5	3.8	4.4	8.6	6.7	18.8	12.4	10.6	10.2	10.0	5.4	8.6	7	2190
09-11 LST	8.6	6.0	2.7	5.6	14.0	5.0	20.7	11.9	13.7	10.0	8.4	6.8	9.5	3	-30
12-14 LST	11.3	5.4	1.6	6.7	19.4	3.3	22.6	11.3	16.7	9.7	6.7	8.1	10.2	3	608
15-17 LST	11.3	6.3	4.1	5.0	22.6	3.3	21.0	10.5	13.4	5.7	3.4	6.5	9.4	3	-30
18-20 LST	11.3	7.1	6.5	3.3	25.8	3.3	19.4	9.7	10.0	1.6	0.0	4.8	8.6	3	608
21-23 LST	9.7	3.6	3.3	1.7	29.1	5.0	24.2	10.5	11.7	5.7	1.7	4.0	9.2	3	-30

HALL BEACH, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	23.5	19.5	26.5	24.0	18.0	26.0	23.0	25.0	23.5	25.5	24.5	24.5	283.5	3	608
	01 LST	25.0	20.0	28.0	26.0	16.0	26.0	20.0	26.0	24.0	26.0	25.5	25.0	287.5	3	608
	07 LST	24.6	20.8	24.5	23.8	21.6	23.6	23.3	24.5	21.3	23.3	23.5	23.7	278.5	7	2190
	13 LST	22.0	17.5	26.0	18.0	20.0	27.0	21.0	26.5	23.5	25.0	24.5	21.5	272.5	3	608
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	8.5	10.0	12.5	7.0	6.0	18.0	13.0	16.5	9.5	4.5	10.5	13.5	129.5	3	608
	01 LST	12.5	10.0	8.5	5.0	6.0	17.0	15.0	15.5	8.5	7.5	11.5	13.5	130.5	3	608
	07 LST	10.1	10.0	11.8	13.1	7.5	8.8	12.0	11.3	5.3	6.1	8.2	11.3	115.5	7	2190
	13 LST	8.5	11.5	16.5	6.0	7.0	11.0	10.0	17.0	9.5	5.0	11.0	10.0	123.0	3	608
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	4.0	4.0	1.5	4.0	2.0	1.0	1.0	1.0	3.5	10.5	7.5	3.0	43.0	3	608
	01 LST	5.0	5.5	1.5	6.0	0.0	1.0	0.0	1.5	4.5	8.0	6.0	3.0	42.0	3	608
	07 LST	3.2	3.2	1.5	2.2	2.5	1.5	1.1	3.0	5.3	3.8	3.5	3.5	34.3	7	2190
	13 LST	4.0	5.5	3.5	11.0	6.0	1.0	0.0	1.0	6.0	8.0	4.0	5.0	55.0	3	608
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	0.0	0.0	0.0	0.0	1.0	18.0	19.0	17.0	10.0	0.0	0.0	0.0	65.0	3	608
	01 LST	0.0	0.0	0.0	0.0	0.0	8.0	19.0	15.0	8.5	0.0	0.0	0.0	50.5	3	608
	07 LST	0.0	0.0	0.0	0.0	0.0	8.2	13.8	13.1	4.5	0.0	0.0	0.0	39.6	7	2190
	13 LST	0.0	0.0	0.0	0.0	0.0	18.0	14.0	20.0	9.0	0.0	0.0	0.0	61.0	3	608
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	12.5	15.5	16.0	14.0	2.0	16.0	8.0	10.5	5.5	9.0	14.5	17.5	141.0	3	608
	01 LST	12.0	12.5	24.5	16.0	4.0	12.0	8.0	11.5	10.0	10.5	17.0	16.5	154.5	3	608
	07 LST	16.0	14.0	14.5	13.7	8.3	8.3	8.5	8.3	2.5	5.3	14.3	13.0	126.7	7	2190
	13 LST	7.0	9.5	14.5	10.0	2.0	14.0	9.0	8.0	6.0	5.5	13.5	8.0	107.0	3	608
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	21.0	18.5	25.0	22.0	10.0	23.0	18.0	22.0	15.0	18.0	21.0	23.0	236.5	3	608
	01 LST	23.0	19.0	27.5	24.0	10.0	22.0	17.0	20.5	19.5	20.5	21.5	23.5	248.0	3	608
	07 LST	23.3	20.2	23.2	22.0	16.5	17.5	19.0	21.1	11.8	15.7	19.3	20.6	230.2	7	2190
	13 LST	20.5	16.5	25.0	17.0	16.0	22.0	16.0	23.0	15.0	18.0	21.0	19.5	229.5	3	608
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	20.5	18.0	24.5	20.0	6.0	22.0	17.0	21.0	12.0	15.0	20.0	20.5	216.5	3	608
	01 LST	20.0	18.5	26.0	23.0	9.0	21.0	16.0	16.5	16.0	15.5	21.0	20.5	223.0	3	608
	07 LST	21.6	19.5	22.8	21.3	15.3	16.0	16.5	18.7	8.3	12.2	18.5	19.3	210.0	7	2190
	13 LST	19.5	16.5	24.0	17.0	16.0	21.0	15.0	21.0	11.0	16.0	19.5	16.5	213.0	3	608
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	17.0	16.5	22.0	19.0	6.0	21.0	17.0	19.0	12.0	14.5	19.0	19.0	202.0	3	608
	01 LST	16.0	14.5	25.0	20.0	9.0	20.0	16.0	15.0	15.0	14.0	20.5	19.5	204.5	3	608
	07 LST	19.2	17.5	22.3	20.8	15.2	15.3	16.2	16.6	7.7	10.7	16.7	17.5	195.7	7	2190
	13 LST	17.0	15.0	22.5	16.0	12.0	21.0	14.0	19.5	10.5	14.5	17.5	15.0	194.5	3	608

ALERT, CANADA

STA NO. 74082 (IN AREA NUMBER 01)

LATITUDE 8231N

LONGITUDE 06220W

ELEVATION(FT) 00095

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	32	37	26	18	33	62	67	44	41	37	28	40	67	9	3273
MEAN MAX TMP (F)	-19	-21	-22	-8	13	34	44	36	18	2	-9	-16	4	9	3273
MEAN MIN TMP (F)	-29	-32	-33	-18	6	28	36	30	10	-7	-18	-27	-4	9	3273
ABS MIN TMP (F)	-48	-49	-53	-45	-17	12	26	14	-13	-28	-39	-45	-53	9	3273
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	3273
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	30.0	31.0	23.0	9.6	20.5	29.8	31.0	30.0	31.0	325.9	9	3273
MEAN NO DYS TMP = OR LES 0(F)	30.5	28.0	30.9	28.1	8.9	0.0	0.0	0.0	6.9	24.7	28.9	30.8	217.7	9	3273
MEAN DEW PT TMP (F)	-28	-30	-32	-20	3	26	33	29	11	-9	-21	-29	-5	12	27032
MEAN REL HUM (PCT)	65	63	62	65	74	82	81	87	83	75	70	64	73	12	27032
MEAN PRESS ALT (FT)	33	-19	-118	-146	-140	-17	53	26	52	49	-8	7	-18	0	-50
MEAN PRECIP (IN)	0.21	0.31	0.28	0.29	0.45	0.64	0.48	1.14	1.03	0.94	0.21	0.36	6.3	10	-109
MEAN SNOW FALL (IN)	2.2	2.3	2.5	2.3	3.6	2.4	2.8	7.2	11.6	6.3	2.4	2.8	48.4	10	-109
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.4	0.8	0.8	0.8	1.4	2.2	1.8	3.4	3.2	3.1	1.6	1.0	20.5	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.6	0.0	0.0	0.3	1.0	0.5	2.2	2.0	1.5	0.0	0.0	8.1	4	1279
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.8	3.1	2.2	1.2	4.2	5.2	4.2	6.4	5.6	2.7	2.6	1.6	40.8	12	4373
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	3273
P FREQ WND SPD = OR GTR 17 KTS	11.5	12.1	6.8	8.9	7.6	9.7	16.4	9.6	13.7	13.5	11.0	10.5	10.9	12	30623
P FREQ WND SPD = OR GTR 28 KTS	5.3	5.4	3.3	4.0	2.3	1.8	4.3	2.0	2.7	4.8	4.4	4.2	3.7	12	30623
P FREQ LES 5000 FT A/O LES 5 MI	29.7	28.2	23.7	17.5	38.6	44.3	37.2	50.3	57.7	45.1	32.8	25.7	35.9	12	30467
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	14.0	15.6	16.7	11.7	31.3	38.2	31.6	40.4	42.5	26.1	16.9	11.1	24.7	12	4368
03-05 LST	14.7	15.4	14.3	10.4	30.8	36.3	28.0	39.6	42.2	21.9	22.2	10.8	23.9	9	3285
06-08 LST	13.2	11.5	16.9	8.9	28.0	33.1	27.6	35.7	39.6	24.0	17.2	12.1	22.3	12	4364
09-11 LST	14.7	16.5	11.5	7.4	22.9	32.6	25.4	33.3	37.8	22.6	18.5	12.2	21.3	9	3286
12-14 LST	15.1	17.4	13.4	10.3	23.4	31.7	25.6	36.7	40.5	28.0	18.1	12.4	22.7	12	4368
15-17 LST	20.4	21.7	15.1	11.1	22.9	33.1	23.3	36.2	35.6	29.7	18.5	11.9	23.3	9	3285
18-20 LST	16.4	18.9	14.8	10.6	26.3	31.3	27.4	37.6	41.2	30.3	13.9	12.2	23.4	12	4365
21-23 LST	18.3	14.6	15.4	10.0	26.9	36.8	26.2	39.1	39.3	26.0	16.3	10.5	23.3	9	3281
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	2.7	6.2	5.4	2.5	10.0	11.0	7.3	13.3	9.8	7.3	5.8	2.4	7.0	12	4368
03-05 LST	3.6	5.5	2.5	3.0	9.7	10.0	5.7	14.0	11.5	4.7	7.0	3.2	6.7	9	3285
06-08 LST	2.7	3.8	4.0	2.8	10.0	9.9	6.0	12.2	11.2	5.7	5.3	3.8	3.5	12	4364
09-11 LST	3.6	6.3	2.9	3.0	6.8	7.4	5.7	9.0	10.4	3.6	4.4	2.5	5.5	9	3286
12-14 LST	5.1	6.2	4.8	3.9	6.2	6.5	5.1	11.4	15.4	6.5	5.0	3.8	6.7	12	4368
15-17 LST	6.8	7.1	3.6	2.6	5.0	6.7	4.7	11.5	11.1	5.7	6.3	1.4	6.0	9	3285
18-20 LST	5.4	7.7	4.3	3.3	8.6	7.6	5.1	13.0	14.2	6.5	5.8	1.6	6.9	12	4365
21-23 LST	6.1	7.9	3.9	1.1	7.5	9.7	7.5	14.3	10.0	5.8	5.9	2.9	6.9	9	3281

ALERT, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	26.9	23.4	27.3	27.1	24.7	22.6	24.3	21.0	19.0	24.7	26.4	27.7	295.1	12	4366
	02 LST	27.2	24.2	26.5	27.1	23.1	21.6	23.0	20.0	19.5	25.0	26.4	28.1	291.7	12	4369
	08 LST	27.5	25.3	26.7	27.7	23.6	21.8	23.5	22.0	20.2	25.7	26.2	27.8	298.0	12	4364
	14 LST	27.1	23.9	27.7	27.3	25.7	23.0	25.0	21.5	19.9	25.0	26.6	27.9	300.6	12	4369
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	22.4	19.8	23.6	23.1	18.1	15.0	15.7	14.7	12.2	16.2	21.2	21.6	223.6	12	4366
	02 LST	23.2	20.7	23.2	23.2	17.3	14.1	14.6	14.5	11.6	16.6	20.9	23.6	223.5	12	4369
	08 LST	23.7	22.0	23.1	24.2	18.5	14.4	14.3	15.1	13.0	17.5	20.6	22.9	229.3	12	4364
	14 LST	22.2	20.5	24.5	24.0	18.5	14.2	14.8	14.2	12.5	16.3	20.7	23.0	225.4	12	4369
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	4.0	3.7	2.4	3.5	2.2	2.8	5.0	3.0	4.6	4.9	3.5	4.3	43.9	12	3578
	02 LST	2.9	4.1	2.8	2.8	2.7	2.9	5.1	2.4	4.8	5.1	4.7	4.0	44.3	12	3542
	08 LST	3.1	3.2	2.4	3.1	2.8	2.9	6.7	3.2	4.2	4.2	4.2	4.2	44.2	12	3529
	14 LST	4.0	3.4	2.3	3.0	2.7	3.1	5.7	3.7	4.5	4.6	3.7	4.2	44.9	12	3623
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	0.0	0.0	0.0	0.0	0.0	5.0	9.3	5.0	0.2	0.0	0.0	0.0	19.5	12	3578
	02 LST	0.0	0.0	0.0	0.0	0.0	3.2	7.2	4.2	0.3	0.0	0.0	0.0	14.9	12	3542
	08 LST	0.0	0.0	0.0	0.1	0.0	3.9	9.5	5.4	0.3	0.0	0.0	0.0	19.2	12	3528
	14 LST	0.0	0.0	0.0	0.0	0.0	6.3	12.9	7.0	0.2	0.0	0.0	0.1	26.5	12	3623
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	14.8	14.5	14.6	14.6	12.1	8.2	7.1	5.1	5.7	11.1	13.3	17.4	138.5	12	4379
	02 LST	14.9	15.0	16.3	13.7	10.7	7.2	6.6	5.0	4.9	9.8	12.5	15.8	132.4	12	4381
	08 LST	16.1	15.0	13.4	15.1	10.0	8.0	6.7	5.5	4.9	8.2	12.2	16.5	131.6	12	4380
	14 LST	15.2	12.6	14.5	14.3	12.0	7.6	7.8	5.6	4.7	7.9	11.2	17.1	130.5	12	4379
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	25.1	22.2	25.1	25.7	20.6	18.8	21.4	17.9	15.3	19.5	23.7	26.0	261.3	12	4366
	02 LST	25.4	22.8	24.6	25.0	19.6	17.3	20.2	17.6	14.6	20.2	23.2	26.4	256.9	12	4369
	08 LST	25.7	23.9	24.2	26.8	20.6	18.4	21.6	18.5	16.3	20.6	23.0	26.3	265.9	12	4364
	14 LST	24.8	22.3	25.6	26.5	21.6	17.8	21.9	18.2	16.1	19.1	22.7	25.3	262.9	12	4369
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	21.7	20.6	24.1	24.4	18.7	16.8	18.6	14.3	12.1	16.0	20.5	23.3	231.1	12	4366
	02 LST	22.0	21.1	23.3	24.2	18.4	15.3	17.7	14.8	11.1	16.3	20.2	23.0	227.4	12	4369
	08 LST	23.1	21.9	22.9	25.7	18.2	16.3	19.1	14.7	12.4	16.6	19.5	22.9	233.2	12	4364
	14 LST	21.7	20.7	24.3	25.3	19.9	17.1	20.3	15.2	12.9	15.3	19.1	22.4	234.2	12	4369
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	19.4	18.2	21.6	22.7	17.2	14.4	14.9	10.1	10.1	14.0	17.8	21.4	202.8	12	4366
	02 LST	20.1	18.7	21.9	21.2	17.0	13.7	14.3	10.1	9.1	14.2	17.5	21.2	199.0	12	4369
	08 LST	21.2	19.7	20.3	23.3	17.0	14.7	15.4	11.0	10.0	14.2	17.2	21.2	205.2	12	4364
	14 LST	19.4	18.7	22.3	23.0	18.0	14.7	15.8	11.0	9.7	13.1	16.8	20.9	203.4	12	4369

CLYDE, CANADA

STA NO. 74090 (IN AREA NUMBER 01)

LATITUDE 7027N

LONGITUDE 06833W

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	32	38	28	44	48	59	71	66	55	42	44	27	71	20	-110
MEAN MAX TMP (F)	-10	-12	-5	9	28	40	48	45	36	26	10	-5	18	11	-105
MEAN MIN TMP (F)	-24	-28	-22	-9	13	28	33	33	28	14	-3	-17	4	11	-105
ABS MIN TMP (F)	-50	-48	-46	-42	-14	10	22	22	3	-14	-31	-47	-50	20	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)						0.0	0.0	0.0	0.0					20	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.46	0.29	0.29	0.42	0.55	0.34	1.41	1.31	1.89	1.54	1.25	0.29	10.0	11	-105
MEAN SNOW FALL (IN)	4.6	2.9	2.9	4.2	5.4	2.9	3.3	0.8	11.6	15.4	12.5	2.9	69.4	11	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.4	0.8	0.8	1.3	1.7	1.4	4.0	3.8	4.9	4.2	3.7	0.8	28.8	11	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.8	0.4	0.5	0.8	1.1			0.2	2.6	3.8	2.9	0.4		11	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CLYDE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	19	LST												0	0
VSBY = GTR 3 MI	01	LST												0	0
	07	LST												0	0
	13	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR	19	LST												0	0
3 MI w/SFC WND LES 10 KTS	01	LST												0	0
	07	LST												0	0
	13	LST												0	0
SFC WND = GTR 17 KTS AND	19	LST												0	0
NO PRECIP.	01	LST												0	0
	07	LST												0	0
	13	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	19	LST												0	0
DEG F AND NO PRECIP.	01	LST												0	0
	07	LST												0	0
	13	LST												0	0
SKY COVER LES 3/10 AND	19	LST												0	0
VSBY = GTR 3 MI	01	LST												0	0
	07	LST												0	0
	13	LST												0	0
CIG = GTR 2500 FT AND	19	LST												0	0
VSBY = GTR 3 MI	01	LST												0	0
	07	LST												0	0
	13	LST												0	0
CIG = GTR 6000 FT AND	19	LST												0	0
VSBY = GTR 3 MI	01	LST												0	0
	07	LST												0	0
	13	LST												0	0
CIG = GTR 10000 FT AND	19	LST												0	0
VSBY = GTR 3 MI	01	LST												0	0
	07	LST												0	0
	13	LST												0	0

DATA NOT AVAILABLE

LONGSTAFF BLUFF, CANADA

STA NO. 74091 (IN AREA NUMBER 01)

LATITUDE 6853N

LONGITUDE 07509W

ELEVATION(FT) 00042

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	26	30	21	29	43	64	69	67	53	37	30	20	69	7	1768
MEAN MAX TMP (F)	-4	-8	-9	5	20	41	53	49	35	20	4	-4	17	7	1768
MEAN MIN TMP (F)	-18	-25	-22	-7	13	31	41	39	27	11	-7	-14	6	7	1983
ABS MIN TMP (F)	-49	-51	-46	-40	-11	10	29	30	11	-20	-34	-45	-51	7	1983
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1768
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	30.0	31.0	16.8	2.5	4.0	23.5	31.0	30.0	31.0	289.8	7	1983
MEAN NO DYS TMP = OR LES 0(F)	26.6	25.4	27.9	21.5	3.5	0.0	0.0	0.0	0.0	5.3	21.6	27.2	159.0	7	1983
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	143	73	-35	-80	-57	40	110	125	142	175	115	122	73	0	-50
MEAN PRECIP (IN)	0.10	0.24	0.15	0.09	0.33	0.23	1.40	1.09	1.32	0.82	0.44	0.15	6.4	7	2066
MEAN SNOW FALL (IN)							0.0	0.0						7	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.3	0.8	0.7	0.5	1.5	0.5	3.2	2.8	4.4	3.0	1.8	0.7	20.2	7	2066
MEAN NO DYS SNFL = OR GTR 1.5 IN							0.0	0.0						7	-29
MEAN NO DYS W/O CUR VS BY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-06 LST	10.8	12.4	8.6	13.3	25.8	19.4	20.4	21.9	33.8	28.4	18.7	13.6	18.9	7	2066
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	7.5	7.7	2.2	7.8	11.8	10.6	17.2	16.8	23.0	14.2	8.7	8.6	11.3	7	2066
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

LONGSTAFF BLUFF, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	27.3	24.7	28.6	25.7	23.7	25.0	25.6	25.6	21.7	24.6	25.2	27.5	305.2	7	2066
	13 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST														0	0
	01 LST														0	0
	07 LST	17.1	15.9	19.2	17.6	14.3	18.3	19.5	18.6	14.6	11.8	12.2	17.4	196.5	7	2066
	13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	4.8	2.0	1.1	1.1	1.8	0.5	0.7	0.6	1.0	3.8	3.8	3.8	25.0	7	2066
	13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	0.0	0.0	0.0	0.0	0.2	9.8	13.8	12.4	2.6	0.0	0.0	0.0	38.8	7	2042
	13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	21.0	18.0	18.3	17.8	8.3	11.2	11.2	6.4	5.7	6.2	12.4	21.1	157.6	7	2066
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	24.8	22.8	26.0	23.6	16.3	19.5	22.2	20.6	14.4	15.2	20.2	24.3	249.9	7	2066
	13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	21.5	19.9	23.3	20.8	12.8	14.6	18.2	14.4	10.3	10.8	15.2	22.4	204.2	7	2066
	13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	21.3	19.4	22.8	20.3	12.2	14.5	17.0	12.8	10.1	10.0	14.8	21.9	197.1	7	2066
	13 LST														0	0

DEWAR LAKES, CANADA

STA NO. 74092 (IN AREA NUMBER 01)

LATITUDE 6838N

LONGITUDE 07114W

ELEVATION(FT) 00650

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	24	32	26	28	41	53	66	61	51	33	29	24	66	6	-74099
MEAN MAX TMP (F)	-4	-5	-6	4	20	38	51	45	29	17	6	-3	16	6	-74099
MEAN MIN TMP (F)	-18	-21	-20	-6	10	28	39	35	23	10	-7	-13	5	6	-74099
ABS MIN TMP (F)	-52	-50	-47	-34	-11	10	26	23	1	-19	-37	-36	-52	6	-74099
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-74099
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	29.8	31.0	22.0	4.4	10.4	28.2	30.4	30.0	31.0	307.2	6	-74099
MEAN NO DYS TMP = OR LES 0(F)	26.8	24.3	27.5	20.4	5.0	0.0	0.0	0.0	0.0	7.6	20.9	27.6	160.1	0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	-50
MEAN PRESS ALT (FT)	819	754	637	582	600	689	748	767	802	838	784	796	735	6	-74099
MEAN PRECIP (IN)	0.21	0.06	0.11	0.46	0.91	0.45	0.94	0.92	1.29	0.68	0.34	0.23	6.6	0	0
MEAN SNOW FALL (IN)														6	-74099
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.0	0.1	0.7	1.5	3.3	2.0	2.1	3.2	5.2	3.8	2.0	1.4	26.3	0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	14.8	15.0	13.6	17.3	28.1	26.8	18.3	22.6	40.0	35.9	21.3	12.4	22.2	6	-74099
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	12.9	7.8	6.0	10.6	15.1	17.9	10.8	14.2	27.3	22.9	11.3	5.9	13.6	6	-74099
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

DEWAR LAKES, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19	19	19	19	19	19	19	19	19	19	19	19	19	0	0
	01	01	01	01	01	01	01	01	01	01	01	01	01	0	0
	07	26.0	23.6	26.8	24.5	22.6	22.8	26.7	25.0	19.6	21.9	23.8	27.1	290.4	6 -74099
	13														
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19	19	19	19	19	19	19	19	19	19	19	19	19	0	0
	01	01	01	01	01	01	01	01	01	01	01	01	01	0	0
	07	16.0	17.2	18.0	17.1	10.0	10.2	14.3	12.2	9.0	12.3	13.6	17.4	167.3	6 -74099
	13														
SFC WND = GTR 17 KTS AND NO PRECIP.	19	19	19	19	19	19	19	19	19	19	19	19	19	0	0
	01	01	01	01	01	01	01	01	01	01	01	01	01	0	0
	07	6.6	3.2	3.7	4.2	5.9	6.0	5.1	6.6	4.0	4.4	4.4	5.7	59.8	6 -74099
	13														
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19	19	19	19	19	19	19	19	19	19	19	19	19	0	0
	01	01	01	01	01	01	01	01	01	01	01	01	01	0	0
	07	0.0	0.0	0.0	0.0	0.0	5.7	13.8	11.0	2.2	0.0	0.0	0.0	32.7	6 -74099
	13														
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19	19	19	19	19	19	19	19	19	19	19	19	19	0	0
	01	01	01	01	01	01	01	01	01	01	01	01	01	0	0
	07	18.8	16.9	18.2	16.7	8.2	8.7	11.0	6.2	5.4	6.7	12.2	20.9	149.9	6 -74099
	13														
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19	19	19	19	19	19	19	19	19	19	19	19	19	0	0
	01	01	01	01	01	01	01	01	01	01	01	01	01	0	0
	07	23.8	21.8	24.1	23.0	17.7	17.6	21.8	19.4	13.8	13.8	19.2	24.5	240.5	6 -74099
	13														
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19	19	19	19	19	19	19	19	19	19	19	19	19	0	0
	01	01	01	01	01	01	01	01	01	01	01	01	01	0	0
	07	21.6	19.8	22.4	20.8	13.7	14.7	17.3	14.4	9.8	9.3	16.4	22.7	202.9	6 -74099
	13														
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19	19	19	19	19	19	19	19	19	19	19	19	19	0	0
	01	01	01	01	01	01	01	01	01	01	01	01	01	0	0
	07	21.4	19.6	21.9	20.4	12.6	13.6	16.6	13.4	9.6	8.9	15.2	22.7	195.9	6 -74099
	13														

CAPE HOOPER, CANADA

STA NO. 74093 (IN AREA NUMBER 01)

LATITUDE 6825N

LONGITUDE 06645W

ELEVATION(FT) 00065

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	28	31	24	25	36	53	66	61	55	35	27	26	46	7	2055
MEAN MAX TMP (F)	-5	-7	-9	6	20	35	47	41	32	21	7	-2	16	7	2055
MEAN MIN TMP (F)	-15	-16	-17	-4	12	27	37	33	27	15	-1	-10	7	7	2113
ABS MIN TMP (F)	-39	-37	-38	-29	-9	17	22	23	13	-12	-20	-32	-39	7	2113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2055
MEAN NO DYS TMP = OR LES 32(F)	31.0	27.8	31.0	30.0	31.0	24.4	10.3	17.8	25.3	30.8	30.0	31.0	320.4	7	2113
MEAN NO DYS TMP = OR LES 0(F)	28.5	25.0	28.5	18.6	2.2	0.0	0.0	0.0	0.0	1.7	18.0	26.2	148.7	7	2113
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	248	179	56	-0	2	87	141	156	199	241	196	224	144	0	-50
MEAN PRECIP (IN)	0.33	0.47	0.19	0.69	1.36	0.65	0.17	1.09	0.88	0.81	0.46	0.49	7.6	7	2145
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.0	1.5	1.0	2.6	4.2	2.0	0.8	3.8	4.0	4.0	1.5	1.3	27.7	7	2145
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTM5														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	10.3	20.2	11.3	22.8	41.6	39.3	24.9	40.2	31.8	29.7	25.1	15.2	26.0	7	2145
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	8.1	11.9	6.5	15.0	37.3	38.0	23.8	38.0	28.5	23.2	19.6	10.9	21.7	7	2145
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CAPE HOOPER, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	26.8	23.2	28.0	23.3	18.1	17.6	23.3	18.7	21.3	23.1	23.0	26.6	273.0	7	2145
	14 LST															
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	20 LST													0	0	
	02 LST													0	0	
	08 LST	15.1	14.5	18.5	14.0	11.0	11.3	17.1	13.1	11.0	9.2	11.6	16.3	162.7	7	2144
	14 LST															
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST													0	0	
	02 LST													0	0	
	08 LST	7.0	4.8	4.7	6.2	3.5	4.2	3.2	2.6	6.7	7.5	7.0	6.5	63.9	7	2144
	14 LST															
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST													0	0	
	02 LST													0	0	
	08 LST	0.0	0.0	0.0	0.0	0.0	4.8	9.7	6.2	3.0	0.2	0.0	0.0	23.9	7	2123
	14 LST															
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	17.1	12.7	17.8	12.7	8.0	8.4	8.2	3.8	4.0	5.7	10.5	18.5	127.4	7	2145
	14 LST															
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	24.5	20.3	25.1	21.5	15.7	16.0	21.9	16.8	16.6	17.2	19.1	23.9	238.6	7	2145
	14 LST															
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	20.8	17.0	22.8	18.8	11.9	13.0	18.3	11.4	9.2	10.5	13.9	21.2	188.8	7	2145
	14 LST															
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	19.3	15.0	21.5	17.0	11.2	12.2	15.2	8.5	8.2	9.2	12.4	20.6	170.3	7	2145
	14 LST															

CAPE DYER, CANADA

STA NO. 74094 (IN AREA NUMBER 01)

LATITUDE 6635N

LONGITUDE 06134W

ELEVATION(FT) 01215

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	31	36	34	35	41	58	66	66	52	42	34	30	66	8	2103
MEAN MAX TMP (F)	-1	1	2	13	24	38	49	44	34	24	12	3	20	8	2103
MEAN MIN TMP (F)	-13	-10	-11	1	14	29	38	35	26	15	1	-9	10	8	2126
ABS MIN TMP (F)	-44	-44	-43	-24	-15	7	20	21	8	-9	-24	-49	-49	8	2126
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2103
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	29.8	31.0	21.4	5.7	8.8	24.8	31.0	30.0	31.0	303.5	8	2126
MEAN NO DYS TMP = OR LES C F)	25.8	21.5	23.0	13.4	2.1	0.0	0.0	0.0	0.0	1.6	14.7	23.8	125.9	8	2126
MEAN DEW PT TMP (F)		-2	-3			32	32	32	26			14		3	836
MEAN REL HUM (PCT)		82	83			93	92	91	92					2	802
MEAN PRESS ALT (FT)	1448	1393	1290	1210	1208	1280	1330	1349	1380	1412	1406	1447	1346	0	-50
MEAN PRECIP (IN)	1.97	0.90	1.29	0.50	1.54	1.08	0.90	4.73	1.92	2.78	1.66	2.95	22.2	6	1598
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.3	3.2	2.2	0.8	4.0	3.6	1.7	8.3	5.0	7.0	5.7	4.5	51.3	6	1598
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	11.0	10.6	5.9	9.5	21.4	11.8	13.7	14.1	22.9	24.0	19.0	8.6	172.5	4	742
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	557
P FREQ WND SPD = OR GTR 17 KTS	22.9	27.6	29.1	33.6	16.3	17.2	15.2	16.4	10.3	33.9	15.7	26.3	22.0	4	14508
P FREQ WND SPD = OR GTR 28 KTS	5.6	4.8	5.7	3.6	2.2	1.6	2.2	0.5	1.2	8.3	7.6	7.1	4.2	4	14508
P FREQ LES 5000 FT A/O LES 5 MI	35.1	29.6	18.0	19.7	38.8	27.0	29.9	34.8	55.5	59.6	49.8	25.8	35.3	4	14523
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	23.0	22.6	13.7	16.8	30.9	22.7	23.8	28.4	43.4	47.2	34.7	19.2	27.2	4	1771
03-05 LST	22.0	23.0	7.5	15.4	25.3	17.2	27.7	26.9	41.9	43.2	33.3	21.1	25.4	4	1920
06-08 LST	25.6	21.8	11.0	13.6	38.9	19.3	23.1	32.9	37.5	38.4	34.5	19.4	26.3	9	3510
09-11 LST	25.8	18.3	12.2	17.0	29.9	19.6	26.7	30.6	44.6	53.8	43.3	21.2	28.6	4	1853
12-14 LST	26.0	24.0	11.2	16.9	32.9	18.0	26.4	30.4	41.7	64.7	52.4	19.0	30.3	4	1851
15-17 LST	27.0	27.1	14.5	17.5	40.7	21.8	24.5	32.1	42.2	63.0	49.4	20.2	31.7	4	1870
18-20 LST	22.9	29.8	12.8	12.9	45.8	23.9	23.1	29.6	42.2	56.0	46.3	17.0	30.2	4	1781
21-23 LST	17.1	29.2	16.2	19.5	42.0	26.8	21.6	26.0	46.5	47.0	41.5	16.0	29.1	4	1785
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	13.1	18.3	9.3	14.1	24.7	19.6	19.7	26.8	41.4	43.1	31.9	14.4	23.0	4	1771
03-05 LST	14.5	19.1	7.0	13.0	19.5	14.2	26.2	26.0	40.6	35.2	26.7	18.6	21.7	4	1920
06-08 LST	15.3	13.0	6.7	8.5	25.6	11.5	17.8	22.3	29.8	23.6	20.0	13.5	17.3	9	3510
09-11 LST	15.1	12.4	7.8	14.6	24.1	18.2	25.1	27.4	39.2	43.0	37.8	16.4	23.4	4	1853
12-14 LST	11.9	20.3	10.2	15.5	27.8	15.1	25.9	29.3	38.2	48.2	45.1	15.8	25.3	4	1851
15-17 LST	14.0	22.9	11.0	16.2	35.8	18.3	21.9	30.5	38.8	47.8	34.9	15.3	25.6	4	1870
18-20 LST	12.0	20.9	10.0	10.9	33.3	18.9	22.6	29.6	40.0	42.9	38.8	13.1	24.4	4	1781
21-23 LST	9.1	21.4	9.5	14.2	35.8	22.2	21.6	25.5	44.4	37.3	32.9	10.3	23.7	4	1785

CAPE DYER, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	24.0	19.9	26.4	25.5	18.6	23.6	25.1	23.2	16.3	18.0	18.0	25.9	264.5	4	759
	02 LST	25.5	22.4	28.1	29.0	22.7	24.2	24.2	23.4	17.5	16.0	22.0	25.2	276.2	4	751
	08 LST	22.6	22.6	27.4	26.0	19.3	24.8	25.9	21.1	21.6	22.1	22.6	25.6	281.6	9	2356
	14 LST	21.5	20.7	27.5	25.4	19.6	24.3	23.5	21.3	18.3	12.0	16.0	24.2	254.3	4	759
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	20 LST	14.5	10.8	14.3	11.5	11.3	13.0	17.2	12.9	12.7	9.0	17.0	16.9	161.1	4	759
	02 LST	14.5	12.6	13.2	12.5	13.4	13.8	17.5	15.1	14.5	14.0	17.0	14.9	175.0	4	751
	08 LST	13.5	14.8	16.4	14.2	9.8	15.9	18.8	14.4	12.7	12.1	12.3	16.3	171.2	9	2356
	14 LST	12.0	13.3	16.5	11.7	11.3	14.1	15.3	15.1	14.7	6.0	13.0	14.1	157.1	4	758
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	7.2	9.1	8.4	10.9	6.6	5.8	5.1	4.8	3.5	11.1	2.1	9.2	83.8	4	719
	02 LST	7.5	7.6	10.0	9.1	5.5	5.0	4.5	5.0	1.1	10.3	3.1	8.7	77.4	4	722
	08 LST	5.4	5.1	6.4	6.7	5.9	3.8	2.4	1.8	2.2	4.5	4.7	6.9	55.8	9	2323
	14 LST	9.0	7.5	9.7	10.0	5.5	5.1	6.1	4.8	3.8	14.4	5.0	9.2	90.1	4	732
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	0.0	0.0	0.0	0.0	0.0	5.8	9.1	7.8	2.3	0.0	0.0	0.0	25.0	3	624
	02 LST	0.0	0.0	0.0	0.0	0.0	6.1	9.9	11.5	2.9	0.0	0.0	0.0	30.4	3	624
	08 LST	0.0	0.0	0.0	0.1	0.1	5.8	10.4	13.7	3.6	0.0	0.0	0.0	33.7	8	2214
	14 LST	0.0	0.0	0.0	0.0	0.0	5.5	7.8	11.6	3.8	0.0	0.0	0.0	28.7	3	630
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	11.5	14.3	17.1	16.0	8.2	9.0	8.2	8.8	4.1	6.0	11.0	16.9	131.1	4	758
	02 LST	18.0	17.5	20.4	18.5	13.4	11.5	7.9	10.0	5.0	7.0	17.0	21.2	167.4	4	752
	08 LST	14.6	13.8	17.8	14.3	6.5	10.0	7.7	7.5	3.3	6.2	11.8	16.6	130.1	9	2356
	14 LST	11.5	16.2	15.8	18.3	12.4	12.3	7.0	10.3	6.6	3.0	8.0	14.6	136.0	4	758
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	22.5	19.2	25.8	25.0	18.6	21.0	24.7	21.5	16.3	16.0	18.0	25.4	254.0	4	759
	02 LST	24.0	22.0	27.1	25.0	20.6	23.6	23.8	22.4	16.0	16.0	21.0	23.5	265.0	4	751
	08 LST	21.3	20.6	25.9	24.4	15.6	22.5	24.2	18.9	18.1	16.7	18.5	23.4	250.1	9	2356
	14 LST	20.0	20.7	26.2	24.9	19.6	23.0	23.5	21.0	16.3	10.0	16.0	23.7	244.9	4	759
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	21.5	17.9	23.0	24.0	16.5	19.0	23.5	19.7	13.2	16.0	18.0	24.8	237.1	4	759
	02 LST	22.0	19.9	25.3	25.0	19.6	21.9	21.0	20.0	12.5	13.0	20.0	23.5	243.7	4	751
	08 LST	20.3	20.0	25.3	23.5	13.7	20.6	23.0	18.1	16.1	15.1	17.0	22.0	234.7	9	2356
	14 LST	18.0	19.0	25.5	23.9	17.5	22.7	21.9	19.6	13.7	8.0	14.0	20.8	224.6	4	759
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	19.5	16.5	22.3	23.5	15.5	16.3	17.2	17.0	9.7	12.0	16.0	23.1	208.6	4	759
	02 LST	20.5	19.6	23.5	24.0	18.6	17.9	16.7	15.5	9.5	10.0	19.0	22.9	217.7	4	751
	08 LST	19.7	19.3	24.5	23.1	12.7	18.5	19.2	15.4	14.1	14.1	17.0	21.1	218.7	9	2356
	14 LST	17.0	18.0	23.4	23.9	16.5	19.7	18.0	15.5	12.2	7.0	12.0	20.3	203.5	4	759

ROWLEY, CANADA

STA NO. 74095 (IN AREA NUMBER 01)

LATITUDE 6903N

LONGITUDE 07908W

ELEVATION(FT) 00137

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	34	30	24	28	38	55	68	59	53	33	30	22	68	7	-74081
MEAN MAX TMP (F)	-10	-17	-15	4	22	38	48	45	35	20	1	-6	14	7	-74081
MEAN MIN TMP (F)	-26	-32	-32	-14	7	28	37	35	28	7	-14	-21	0	7	-74081
ABS MIN TMP (F)	-55	-54	-52	-40	-18	9	30	27	11	-21	-39	-49	-55	7	-74081
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-74081
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	30.0	31.0	21.8	3.2	5.0	24.2	31.0	30.0	31.0	297.2	7	-74081
MEAN NO DYS TMP = OR LES 0(F)	29.1	27.2	29.8	25.1	10.0	0.0	0.0	0.0	0.0	9.5	25.8	28.1	184.6	7	-74081
MEAN DEW PT TMP (F)	-12	-20	-22	-17	21	30	36	36	29	11	-18	-19	5	3	-74081
MEAN REL HUM (PCT)	77	75	74	77	90	88	88	86	87	84	73	73	81	3	-74081
MEAN PRESS ALT (FT)	205	130	28	-7	18	124	204	216	218	249	182	184	146	0	-50
MEAN PRECIP (IN)	0.34	0.25	0.18	0.31	0.62	0.41	1.48	1.62	0.92	0.56	0.52	0.28	7.5	7	-74081
MEAN SNOW FALL (IN)							0.0							7	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.5	0.6	0.2	0.7	1.6	1.1	4.7	4.3	3.2	1.3	1.7	0.5	20.4	7	-74081
MEAN NO DYS SNFL = OR GTR 1.5 IN							0.0							7	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.0	6.0	2.5	2.0	4.0	2.0	6.0	6.0	4.0	1.0	2.0	3.0	42.5	3	-74081
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-74081
P FREQ WND SPD = OR GTR 17 KTS	19.4	17.9	7.7	27.5	13.7	5.0	7.3	7.3	19.6	34.3	18.8	14.1	16.1	3	-74081
P FREQ WND SPD = OR GTR 28 KTS	3.2	2.2	2.4	1.7	0.0	0.0	0.0	0.4	1.7	1.2	1.7	0.8	1.3	3	-74081
P FREQ LES 5000 FT A/O LES 5 MI	28.6	13.8	13.3	15.0	64.5	25.8	45.2	33.5	56.7	44.8	23.3	23.0	32.3	3	-74081
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	14.5	3.6	4.8	3.3	54.8	13.3	38.7	17.7	23.3	21.0	11.7	9.7	18.0	3	-74081
03-05 LST	14.0	7.8	8.9	9.7	44.4	20.0	33.4	20.7	31.1	24.5	15.9	12.7	20.3	3	-74081
06-08 LST	13.4	11.9	12.9	16.1	33.9	26.7	28.0	23.7	38.9	26.9	20.0	15.6	22.3	7	-74081
09-11 LST	18.8	12.2	7.3	11.9	37.9	20.0	33.4	20.7	34.5	26.4	19.2	15.9	21.5	3	-74081
12-14 LST	24.2	12.5	1.6	6.7	41.9	13.3	38.7	17.7	30.0	25.8	18.3	16.1	20.6	3	-74081
15-17 LST	22.6	11.6	7.3	10.0	45.2	13.3	35.5	18.6	30.0	23.4	14.2	13.7	20.5	3	-74081
18-20 LST	21.0	10.7	12.9	13.3	48.4	13.3	32.3	19.4	30.0	21.0	10.0	11.3	20.3	3	-74081
21-23 LST	17.8	7.2	8.9	8.3	51.6	13.3	35.5	18.6	26.7	21.0	10.9	10.5	19.2	3	-74081
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	8.1	0.0	0.0	0.0	32.3	6.7	29.0	11.3	13.3	9.7	3.3	3.2	9.7	3	-74081
03-05 LST	7.0	3.3	1.9	2.2	20.5	6.7	23.9	11.9	12.0	10.0	6.7	4.3	9.2	3	-74081
06-08 LST	5.9	6.5	3.8	4.4	8.6	6.7	18.8	12.4	10.6	10.2	10.0	5.4	8.6	7	-74081
09-11 LST	8.6	6.0	2.7	5.6	14.0	5.0	20.7	11.9	13.7	10.0	8.4	6.8	9.5	3	-74081
12-14 LST	11.3	5.4	1.6	6.7	19.4	3.3	22.6	11.3	16.7	9.7	6.7	8.1	10.2	3	-74081
15-17 LST	11.3	6.3	4.1	5.0	22.6	3.3	21.0	10.5	13.4	5.7	3.4	6.5	9.4	3	-74081
18-20 LST	11.3	7.1	6.5	3.3	25.8	3.3	19.4	9.7	10.0	1.6	0.0	4.8	8.6	3	-74081
21-23 LST	9.7	3.6	3.3	1.7	29.1	5.0	24.2	10.5	11.7	5.7	1.7	4.0	9.2	3	-74081

ROWLEY, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	23.5	19.5	26.5	24.0	18.0	26.0	23.0	25.0	23.5	25.5	24.5	24.5	283.5	3	-74081
	01 LST	25.0	20.0	28.0	26.0	16.0	26.0	20.0	26.0	24.0	26.0	25.5	25.0	287.5	3	-74081
	07 LST	24.6	20.8	24.5	23.8	21.6	23.6	23.3	24.5	21.3	23.3	23.5	23.7	278.5	7	-74081
	13 LST	22.0	17.5	26.0	18.0	20.0	27.0	21.0	26.5	23.5	25.0	24.5	21.5	272.5	3	-74081
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	19 LST	8.5	10.0	12.5	7.0	6.0	18.0	13.0	16.5	9.5	4.5	10.5	13.5	129.5	3	-74081
	01 LST	12.5	10.0	8.5	5.0	6.0	17.0	15.0	15.5	8.5	7.5	11.5	13.5	130.5	3	-74081
	07 LST	10.1	10.0	11.8	13.1	7.5	8.8	12.0	11.3	5.3	6.1	8.2	11.3	115.5	7	-74081
	13 LST	8.5	11.5	16.5	6.0	7.0	11.0	10.0	17.0	9.5	5.0	11.0	10.0	123.0	3	-74081
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	4.0	4.0	1.5	4.0	2.0	1.0	1.0	1.0	3.5	10.5	7.5	3.0	43.0	3	-74081
	01 LST	5.0	5.5	1.5	6.0	0.0	1.0	0.0	1.5	4.5	8.0	6.0	3.0	42.0	3	-74081
	07 LST	3.2	3.2	1.5	2.2	2.5	1.5	1.1	3.0	5.3	3.8	3.5	3.5	34.3	7	-74081
	13 LST	4.0	5.5	3.5	11.0	6.0	1.0	0.0	1.0	6.0	8.0	4.0	5.0	55.0	3	-74081
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	0.0	0.0	0.0	0.0	1.0	18.0	19.0	17.0	10.0	0.0	0.0	0.0	65.0	3	-74081
	01 LST	0.0	0.0	0.0	0.0	0.0	8.0	19.0	15.0	8.5	0.0	0.0	0.0	50.5	3	-74081
	07 LST	0.0	0.0	0.0	0.0	0.0	8.2	13.8	13.1	4.5	0.0	0.0	0.0	39.6	7	-74081
	13 LST	0.0	0.0	0.0	0.0	0.0	18.0	14.0	20.0	9.0	0.0	0.0	0.0	61.0	3	-74081
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	12.5	15.5	16.0	14.0	2.0	16.0	8.0	10.5	5.5	9.0	14.5	17.5	141.0	3	-74081
	01 LST	12.0	12.5	24.5	16.0	4.0	12.0	8.0	11.5	10.0	10.5	17.0	16.5	154.5	3	-74081
	07 LST	16.0	14.0	14.5	13.7	8.3	8.3	8.5	8.3	2.5	5.3	14.3	13.0	126.7	7	-74081
	13 LST	7.0	9.5	14.5	10.0	2.0	14.0	9.0	8.0	6.0	5.5	13.5	8.0	107.0	3	-74081
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	21.0	18.5	25.0	22.0	10.0	23.0	18.0	22.0	15.0	18.0	21.0	23.0	236.5	3	-74081
	01 LST	23.0	19.0	27.5	24.0	10.0	22.0	17.0	20.5	19.5	20.5	21.5	23.5	248.0	3	-74081
	07 LST	23.3	20.2	23.2	22.0	16.5	17.5	19.0	21.1	11.8	15.7	19.3	20.6	230.2	7	-74081
	13 LST	20.5	16.5	25.0	17.0	16.0	22.0	16.0	23.0	15.0	18.0	21.0	19.5	229.5	3	-74081
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	20.5	18.0	24.5	20.0	6.0	22.0	17.0	21.0	12.0	15.0	20.0	20.5	216.5	3	-74081
	01 LST	20.0	18.5	26.0	23.0	9.0	21.0	16.0	16.5	16.0	15.5	21.0	20.5	223.0	3	-74081
	07 LST	21.6	19.5	22.8	21.3	15.3	16.0	16.5	18.7	8.3	12.2	18.5	19.3	210.0	7	-74081
	13 LST	19.5	16.5	24.0	17.0	16.0	21.0	15.0	21.0	11.0	16.0	19.5	16.5	213.0	3	-74081
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	17.0	16.5	22.0	19.0	6.0	21.0	17.0	19.0	12.0	14.5	19.0	19.0	202.0	3	-74081
	01 LST	16.0	14.5	25.0	20.0	9.0	20.0	16.0	15.0	15.0	14.0	20.5	19.5	204.5	3	-74081
	07 LST	19.2	17.5	22.3	20.8	15.2	15.3	16.2	16.6	7.7	10.7	16.7	17.5	195.7	7	-74081
	13 LST	17.0	15.0	22.5	16.0	12.0	21.0	14.0	19.5	10.5	14.5	17.5	15.0	194.5	3	-74081

BROUGHTON, CANADA

STA NO. 74096 (IN AREA NUMBER 01)

LATI/UDE 6733N

LONGITUDE 06402W

ELEVATION(FT) 00025

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	31	19	27	43	48	56	72	64	61	53	44	32	73	13	-72987
MEAN MAX TMP (F)	-10	-14	-5	11	29	41	49	47	39	27	15	0	19	13	-72987
MEAN MIN TMP (F)	-21	-25	-17	-3	16	30	35	35	30	19	5	-10	8	13	-72987
ABS MIN TMP (F)	-49	-46	-45	-27	-14	20	25	20	14	-17	-22	-40	-49	13	-72987
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-72987
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	29.9	30.3	23.1	11.0	10.6	22.4	30.6	30.0	31.0	308.9	13	-72987
MEAN NO DYS TMP = OR LES 0(F)	29.9	27.9	29.6	18.3	1.9	0.0	0.0	0.0	0.0	0.3	8.9	25.7	142.5	13	-72987
MEAN DEW PT TMP (F)	-23	-27	-19	-4	16	30	35	35	29	18	2	-15	6	13	-72987
MEAN REL HUM (PCT)	57	56	62	71	78	83	82	82	82	77	71	62	72	13	-72987
MEAN PRESS ALT (FT)	240	165	34	-18	-30	52	103	113	165	214	170	214	119	0	-50
MEAN PRECIP (IN)	0.42	0.25	0.15	0.14	0.35	0.31	0.66	0.55	1.28	1.28	0.46	0.33	6.2	13	-72987
MEAN SNOW FALL (IN)	5.5	4.7	2.8	1.6	4.5	1.6	1.0	1.0	6.9	15.9	8.5	6.0	60.0	8	-72987
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.3	0.5	0.4	0.0	0.9	1.0	1.8	1.4	4.7	5.0	1.0	0.6	18.6	13	-72987
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.2	0.8	0.5	0.0	0.7	0.3	0.3	0.2	2.0	3.9	1.2	1.1	12.2	8	-72987
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	1.2	2.1	1.4	2.6	4.5	3.8	3.9	2.8	1.7	2.8	2.3	2.3	31.4	13	-72987
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	13	-72987
P FREQ WND SPD = OR GTR 17 KTS	10.7	8.0	9.0	11.7	7.3	5.1	5.3	5.9	9.0	12.6	8.8	13.6	8.9	13	-72987
P FREQ WND SPD = OR GTR 28 KTS	1.7	1.0	1.5	1.5	0.8	0.6	0.3	1.3	0.6	2.0	0.9	1.9	1.2	13	-72987
P FREQ LES 5000 FT A/O LES 5 MI	25.2	23.8	16.0	32.6	43.6	38.4	28.7	31.0	44.6	50.4	39.8	30.5	33.7	13	-72987
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	8.1	9.6	6.2	10.1	22.9	25.3	17.6	16.9	15.8	15.7	12.6	10.9	14.3	13	-72987
03-05 LST	8.1	8.4	7.7	12.6	22.3	26.3	17.6	22.3	18.8	18.1	12.8	12.4	15.6	13	-72987
06-08 LST	8.2	8.3	8.0	12.4	18.1	20.2	15.9	19.2	18.1	21.2	12.4	9.5	14.3	13	-72987
09-11 LST	9.5	10.2	8.4	10.9	17.0	18.6	9.0	14.4	15.7	20.4	12.5	11.1	13.1	13	-72987
12-14 LST	11.9	7.6	8.2	10.9	18.0	15.9	7.2	11.7	15.8	20.8	13.9	14.4	13.0	13	-72987
15-17 LST	13.8	9.2	7.9	10.9	15.2	17.0	6.5	9.8	15.8	20.8	15.9	13.5	13.0	13	-72987
18-20 LST	11.3	9.2	7.5	8.6	15.8	21.1	9.0	12.3	19.7	19.6	16.1	11.5	13.5	13	-72987
21-23 LST	8.3	9.1	7.3	9.9	20.4	24.2	14.5	16.6	16.3	17.6	14.3	12.3	14.2	13	-72987
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	2.5	2.6	1.9	4.7	6.4	9.9	8.1	5.8	4.4	2.3	3.8	4.2	4.7	13	-72987
03-05 LST	2.6	2.6	2.4	5.1	6.0	7.2	5.7	4.3	4.8	3.6	3.8	6.5	4.6	13	-72987
06-08 LST	2.7	2.7	1.6	4.8	4.2	2.9	2.7	4.1	1.4	2.8	1.7	3.7	2.9	13	-72987
09-11 LST	2.6	2.5	2.7	5.0	3.9	1.5	1.3	1.9	1.4	4.1	2.9	4.2	2.8	13	-72987
12-14 LST	4.0	3.3	3.7	3.5	2.8	1.6	0.5	1.1	1.7	5.2	3.6	4.3	2.9	13	-72987
15-17 LST	4.7	4.3	4.3	4.1	3.8	2.8	0.5	0.9	1.5	3.2	4.8	4.5	3.3	13	-72987
18-20 LST	2.3	3.8	3.6	4.3	4.3	5.2	2.3	2.3	3.3	4.6	5.8	4.7	3.9	13	-72987
21-23 LST	1.3	3.5	2.6	4.7	6.2	10.2	5.6	5.0	4.4	2.1	2.7	5.0	4.4	13	-72987

BROUGHTON, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	28.3	26.1	29.0	27.8	26.7	25.8	28.5	27.6	25.7	25.9	25.8	27.4	324.6	13	-72987
	02 LST	28.1	25.9	28.8	27.4	25.2	24.4	26.5	26.0	25.9	26.6	26.7	27.1	318.6	13	-72987
	08 LST	28.4	26.0	28.5	26.4	27.1	25.9	27.5	27.0	26.7	25.8	26.3	28.3	323.9	13	-72987
	14 LST	27.5	26.0	29.0	27.1	26.6	27.5	29.5	28.4	27.1	26.5	26.3	26.9	328.4	13	-72987
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	16.8	16.9	18.9	18.9	18.3	18.5	20.7	18.2	15.9	15.4	15.8	18.3	212.6	13	-72987
	02 LST	16.1	17.9	19.7	16.6	17.8	17.3	19.8	18.7	16.5	15.1	15.0	18.1	208.6	13	-72987
	08 LST	16.1	15.7	19.6	17.9	18.8	18.4	20.5	19.0	15.8	14.6	16.1	17.2	209.7	13	-72987
	14 LST	15.4	17.1	20.2	18.7	17.3	18.6	20.7	18.5	15.0	16.6	15.8	17.2	211.1	13	-72987
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	2.2	1.7	2.4	2.6	1.8	1.2	1.2	2.3	1.9	3.8	1.8	3.6	26.5	13	-72987
	02 LST	2.6	1.8	2.7	3.5	1.9	1.0	1.7	1.6	2.7	3.2	1.6	2.9	27.2	13	-72987
	08 LST	2.6	2.3	1.8	2.6	1.6	1.2	0.8	1.7	1.8	4.2	1.4	2.0	24.0	13	-72987
	14 LST	1.6	1.5	2.1	2.1	2.2	1.9	1.4	1.9	2.3	2.6	2.0	3.4	25.0	13	-72987
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	0.0	0.0	0.0	0.0	1.2	8.6	14.8	14.4	8.1	1.1	0.1	0.0	48.3	13	-72987
	02 LST	0.0	0.0	0.0	0.3	0.7	4.8	9.0	12.2	5.9	0.5	0.1	0.0	33.5	13	-72987
	08 LST	0.0	0.0	0.0	0.1	1.6	8.1	13.8	13.1	9.2	1.0	0.0	0.0	46.9	13	-72987
	14 LST	0.0	0.0	0.0	0.0	3.2	13.6	17.2	17.2	13.2	1.0	0.0	0.0	65.4	13	-72987
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	18.1	16.0	17.4	13.6	6.3	7.8	6.5	2.3	4.5	5.9	9.8	12.6	120.8	8	-72987
	02 LST	18.3	15.3	18.2	13.4	5.8	6.2	5.6	4.2	7.0	9.1	10.8	12.2	126.1	8	-72987
	08 LST	14.3	11.7	13.6	10.4	5.9	7.0	7.8	3.5	1.5	4.4	7.8	9.6	97.5	8	-72987
	14 LST	11.2	12.2	14.1	11.4	7.5	8.3	7.8	3.5	3.8	5.1	6.0	8.0	98.9	8	-72987
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	26.4	24.4	27.3	25.1	21.5	22.3	26.1	24.1	19.6	20.5	22.3	25.4	285.0	13	-72987
	02 LST	27.1	24.5	27.4	24.5	20.3	20.7	22.8	22.0	20.5	21.9	22.0	25.4	279.1	13	-72987
	08 LST	26.4	24.4	27.1	23.6	21.0	22.7	24.2	22.6	19.6	18.6	22.2	26.7	279.1	13	-72987
	14 LST	25.9	24.5	26.9	25.0	22.0	24.3	26.5	24.6	21.2	20.9	23.0	24.4	289.2	13	-72987
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	23.4	22.4	26.1	21.9	16.7	17.9	22.4	19.2	15.4	14.0	17.9	21.1	238.4	13	-72987
	02 LST	24.7	21.8	25.0	20.1	15.4	16.6	19.0	17.4	15.4	15.7	17.1	21.0	229.2	13	-72987
	08 LST	22.7	20.9	24.5	19.1	16.2	17.9	20.3	18.7	15.1	13.1	16.3	21.4	226.2	13	-72987
	14 LST	22.4	21.6	25.0	21.9	17.7	20.0	22.3	20.8	17.3	14.7	18.0	20.3	242.0	13	-72987
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	21.1	20.2	23.0	18.2	13.0	14.0	16.8	13.6	11.3	11.7	14.6	17.4	194.9	13	-72987
	02 LST	21.6	19.7	22.7	16.7	10.8	11.7	13.6	11.3	12.0	13.0	14.3	18.0	185.4	13	-72987
	08 LST	19.0	17.0	20.6	15.7	12.4	13.5	15.3	11.7	11.4	9.5	13.3	17.8	177.2	13	-72987
	14 LST	19.1	18.7	22.0	18.9	14.6	15.5	17.6	15.3	13.6	11.0	14.4	16.5	197.2	13	-72987

MID BAFFIN, CANADA

STA NO. 74099/ (IN AREA NUMBER 01)

LATITUDE 6839N

LONGITUDE 07110W

ELEVATION(FT) 00480

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	24	32	26	28	41	53	66	61	51	33	29	24	66	6	1730
MEAN MAX TMP (F)	-4	-5	-6	4	20	38	51	45	29	17	6	-3	16	6	1730
MEAN MIN TMP (F)	-18	-21	-20	-6	10	28	39	35	23	10	-7	-13	5	6	1932
ABS MIN TMP (F)	-52	-50	-47	-34	-11	10	26	23	1	-19	-37	-36	-52	6	1932
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1730
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	29.8	31.0	22.0	4.4	10.4	28.2	30.4	30.0	31.0	307.2	6	1932
MEAN NO DYS TMP = OR LES 0(F)	26.8	24.3	27.5	20.4	5.0	0.0	0.0	0.0	0.0	7.6	20.9	27.6	160.1	6	1932
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.21	0.06	0.11	0.46	0.91	0.45	0.94	0.92	1.29	0.68	0.34	0.23	6.6	6	1996
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.0	0.1	0.7	1.5	3.3	2.0	2.1	3.2	5.2	3.8	2.0	1.4	26.3	6	1996
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	14.8	15.0	13.6	17.3	28.1	26.8	18.3	22.6	40.0	35.9	21.3	12.4	22.2	6	1996
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	12.9	7.8	6.0	10.6	15.1	17.9	10.8	14.2	27.3	22.9	11.3	5.9	13.6	6	1996
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0


MID BAFFIN, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	26.0	23.6	26.8	24.5	22.6	22.8	26.7	25.0	19.6	21.9	23.8	27.1	190.4	6	1996
	13 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST														0	0
	01 LST														0	0
	07 LST	16.0	17.2	18.0	17.1	10.0	10.2	14.3	12.2	9.0	12.3	13.6	17.4	167.3	6	1996
	13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	6.6	3.2	3.7	4.2	5.9	6.0	5.1	6.6	4.0	4.4	4.4	5.7	59.8	6	1996
	13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	0.0	0.0	0.0	0.0	0.0	5.7	13.8	11.0	2.2	0.0	0.0	0.0	32.7	6	1994
	13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	18.8	16.9	18.2	16.7	8.2	8.7	11.0	6.2	5.4	6.7	12.2	20.9	149.9	6	1996
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	23.8	21.8	24.1	23.0	17.7	17.6	21.8	19.4	13.8	13.8	19.2	24.5	240.5	6	1996
	13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	21.6	19.8	22.4	20.8	13.7	14.7	17.3	14.4	9.8	9.3	16.4	22.7	202.9	6	1996
	13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	21.4	19.6	21.9	20.4	12.6	13.6	16.6	13.4	9.6	8.9	15.2	22.7	195.9	6	1996
	13 LST														0	0

AREA NO. 01

CANADA	NORTHERN ISLANDS				LATITUDE 7600N				LONGITUDE 09300W					
	BOUNDARIES	8300N 08200W	7745N 12000W	7745N 12000W	7000N 13500W	7000N 13500W	6745N 10730W	6745N 10730W	6330N 07000W	6330N 07000W	6045N 06500W	6045N 06500W		
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		-12	-14	-10	4	22	39	49	46	33	18	2	-6	14
MEAN MIN TMP (F)		-25	-27	-24	-9	11	30	38	36	25	8	-9	-19	3
LARGEST MEAN PRECIP(IN)		1.97	1.02	1.29	0.83	1.54	1.30	1.83	4.73	2.02	2.78	1.66	2.95	23.9
SMALLEST MEAN PRECIP(IN)		0.05	0.04	0.04	0.09	0.13	0.13	0.17	0.37	0.45	0.16	0.06	0.06	1.8
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	25.5	22.3	26.3	26.3	24.9	25.3	26.3	25.3	22.2	23.2	24.2	26.5	298.3
	00 LST	25.8	23.2	26.6	25.9	24.0	23.9	24.5	24.2	22.1	23.9	25.2	26.4	295.7
	06 LST	25.9	23.9	27.0	25.3	23.1	22.5	24.5	23.2	21.6	23.7	24.8	26.6	292.1
	12 LST	24.6	21.9	26.0	25.1	24.5	25.2	25.5	24.7	21.7	22.5	23.8	25.8	291.3
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	16.3	15.2	17.9	15.9	13.0	12.6	13.2	13.0	10.7	11.1	15.5	18.0	172.4
	00 LST	17.2	16.1	17.8	15.7	13.6	13.2	14.5	14.1	10.8	12.3	15.7	17.8	178.8
	06 LST	15.9	15.8	18.5	16.4	12.4	12.1	14.4	13.5	9.9	10.9	13.8	16.6	170.2
	12 LST	15.7	15.6	18.6	15.8	12.8	11.7	12.4	12.7	10.2	11.0	14.5	17.5	168.5
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	5.8	4.5	4.0	4.9	4.1	4.0	4.3	3.6	4.2	6.6	4.7	5.2	55.9
	00 LST	6.0	4.7	4.4	4.7	3.6	3.3	3.2	3.1	4.3	6.4	5.0	5.1	53.8
	06 LST	6.1	3.9	3.6	4.0	3.8	3.3	3.2	2.8	4.0	5.4	4.8	5.1	50.0
	12 LST	5.7	4.4	4.6	5.6	4.8	4.1	4.4	3.6	4.9	6.6	4.7	5.4	58.8
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	0.0	0.0	0.0	0.0	0.7	9.9	13.3	12.4	4.3	0.2	0.0	0.0	40.8
	00 LST	0.0	0.0	0.0	0.0	0.3	7.2	12.6	11.3	3.4	0.2	0.0	0.0	35.0
	06 LST	0.0	0.0	0.0	0.0	0.4	7.1	12.7	11.2	3.4	0.2	0.0	0.0	35.0
	12 LST	0.0	0.0	0.0	0.0	0.9	10.4	14.0	13.5	5.1	0.4	0.0	0.0	44.3
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	14.4	13.2	14.8	12.9	7.9	7.7	6.1	5.5	3.7	6.2	11.4	15.2	119.0
	00 LST	15.8	15.3	17.9	13.8	8.1	7.0	6.3	5.9	5.2	7.9	13.0	15.5	131.7
	06 LST	17.2	15.8	17.0	13.3	7.5	7.2	7.4	5.5	3.2	6.4	12.5	16.8	129.8
	12 LST	12.0	11.4	13.5	12.6	7.9	7.5	6.4	5.2	3.5	4.8	8.7	12.0	105.5
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.7	21.1	25.1	24.6	19.5	19.9	22.1	20.5	15.8	17.4	21.4	24.7	255.8
	00 LST	24.3	22.1	25.4	24.2	18.7	19.0	20.5	19.6	15.7	18.1	22.0	24.3	253.9
	06 LST	24.0	22.4	25.3	23.3	17.6	17.6	20.4	18.5	13.9	16.2	20.6	24.0	243.8
	12 LST	22.9	20.6	24.8	23.8	19.9	19.7	21.1	19.9	15.1	17.0	20.3	23.9	249.0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.4	19.6	23.6	22.4	15.5	16.0	17.9	16.3	11.7	13.6	18.3	21.9	218.2
	00 LST	21.9	20.5	23.8	22.1	15.0	15.0	16.7	15.2	11.5	13.9	18.8	21.4	215.8
	06 LST	21.6	20.5	23.5	20.9	13.8	14.2	16.7	14.4	9.5	11.9	17.2	21.6	205.8
	12 LST	20.6	18.8	23.3	22.0	16.4	16.3	17.3	16.0	11.1	13.0	16.9	20.5	212.2
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.0	17.5	21.4	20.3	13.5	13.3	14.1	12.7	9.2	11.1	16.1	19.6	187.8
	00 LST	19.4	18.5	21.8	19.6	12.9	12.3	13.1	11.4	9.3	11.7	16.8	19.4	186.2
	06 LST	19.9	18.9	21.7	19.2	12.2	12.5	14.2	11.7	7.9	10.3	15.6	20.1	184.2
	12 LST	17.8	16.6	21.1	20.0	14.1	13.7	13.8	12.3	8.7	10.6	14.2	18.1	181.0



WATSON LAKE, CANADA

STA NO. 72953 (IN AREA NUMBER 02)

LATITUDE 6007N

LONGITUDE 12849W

ELEVATION(FT) 02255

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	48	48	51	68	87	93	92	90	82	85	51	46	93	20	-610
MEAN MAX TMP (F)	4	13	29	43	58	66	69	66	55	41	15	3	39	10	3327
MEAN MIN TMP (F)	-14	-10	3	22	34	44	47	43	36	27	0	-13	18	10	3325
ABS MIN TMP (F)	-74	-67	-52	-27	13	26	35	20	12	-22	-52	-62	-74	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	10	3327
MEAN NO DYS TMP = OR LES 32(F)	30.9	28.0	30.8	27.2	13.4	1.0	0.0	0.8	8.3	23.1	29.8	31.0	224.3	10	3325
MEAN NO DYS TMP = OR LES 0(F)	24.7	20.6	13.7	1.1	0.0	0.0	0.0	0.0	0.0	0.6	13.5	24.6	98.8	10	3325
MEAN DEW PT TMP (F)	-6	-1	10	22	34	44	47	45	39	29	3	-8	22	6	48466
MEAN REL HUM (PCT)	76	77	73	70	61	66	67	70	77	78	79	76	73	6	48447
MEAN PRESS ALT (FT)	2140	2137	2187	2218	2221	2239	2216	2230	2258	2310	2267	2234	2221	0	-50
MEAN PRECIP (IN)	1.27	0.76	0.59	0.64	1.15	2.25	1.90	1.62	1.56	1.25	1.57	1.46	16.0	10	3281
MEAN SNOW FALL (IN)	13.1	7.8	6.1	5.3	0.7	0.0	0.0	0.0	0.2	8.1	16.4	15.4	73.1	10	3281
MEAN NO DYS PHCP = OR GTR 0.1 IN	5.0	2.4	1.9	2.1	3.4	5.8	6.0	5.5	5.9	4.8	6.4	4.5	53.7	10	3281
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.4	1.5	1.6	1.3	0.1	0.0	0.0	0.0	0.0	2.0	3.7	3.4	17.0	10	3281
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.8	2.4	0.8	2.2	0.7	1.0	1.2	1.1	3.3	2.8	3.7	3.4	25.4	6	2085
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.2	2.2	1.7	0.8	0.0	0.0	0.0	0.0	4.9	6	2080
P FREQ WND SPD = OR GTR 17 KTS	0.4	1.2	2.2	2.6	2.1	1.4	1.3	2.0	2.5	2.6	0.7	0.4	1.6	6	49864
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.0	0.0	0.0	6	49864
P FREQ LES 5000 FT A/O LES 5 MI	33.2	33.2	20.8	24.2	14.2	18.3	15.0	16.0	23.9	25.7	42.5	36.9	25.3	6	49839
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	17.7	17.3	3.9	7.8	2.3	2.6	3.4	2.3	8.0	12.9	17.7	19.7	9.6	6	6253
03-05 LST	19.8	17.5	5.8	10.4	3.9	4.2	4.6	5.0	10.8	13.6	22.8	23.7	11.8	7	6656
06-08 LST	18.8	18.4	4.8	8.2	2.5	3.9	5.6	4.9	9.8	14.2	21.2	21.9	11.2	6	6253
09-11 LST	17.1	10.5	5.9	3.9	1.2	4.1	4.5	1.7	7.2	11.2	17.9	19.8	8.8	7	6661
12-14 LST	13.6	9.7	3.7	5.4	0.7	1.9	2.2	0.5	4.6	7.9	16.2	14.9	6.8	6	6249
15-17 LST	14.5	10.9	3.7	5.3	1.5	0.9	2.7	0.2	3.2	8.8	17.7	16.1	7.1	7	6678
18-20 LST	16.7	12.1	2.8	4.3	2.0	0.9	2.0	0.2	3.7	9.0	21.3	16.3	7.6	6	6257
21-23 LST	18.3	13.5	2.2	4.5	1.8	0.9	1.8	0.7	3.3	13.3	19.2	16.5	8.0	6	6210
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	8.2	7.6	1.1	4.3	0.9	1.1	2.0	1.4	3.7	6.3	6.3	7.1	4.2	6	6253
03-05 LST	9.9	8.0	3.2	5.7	2.0	2.8	2.9	2.6	5.8	5.8	9.7	10.4	5.7	7	6656
06-08 LST	8.4	8.0	2.0	4.3	0.9	0.2	1.3	1.3	3.3	6.3	8.4	10.9	4.6	6	6253
09-11 LST	8.6	4.0	2.4	0.9	0.2	0.0	0.3	0.0	0.4	2.7	5.9	10.1	3.0	7	6661
12-14 LST	3.5	3.3	1.3	1.3	0.2	0.0	0.0	0.0	0.2	0.5	4.5	6.7	1.8	6	6249
15-17 LST	5.9	4.4	1.8	1.1	0.0	0.0	0.5	0.0	0.4	1.9	7.5	5.7	2.4	7	6678
18-20 LST	7.8	6.4	1.5	2.0	0.0	0.0	0.5	0.0	1.1	3.1	8.2	4.4	2.9	6	6257
21-23 LST	7.4	5.5	0.4	2.2	0.2	0.2	0.5	0.0	1.9	5.4	8.1	4.8	3.1	6	6210

WATSON LAKE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	15 LST	27.0	25.6	29.6	28.5	30.7	29.7	30.4	31.0	29.3	28.4	26.6	26.1	342.9	7	2507
	21 LST	25.8	24.6	30.6	29.2	30.5	29.6	30.7	30.8	29.3	27.5	25.0	27.4	341.0	6	2092
	09 LST	24.8	24.0	28.8	27.1	29.5	29.1	29.8	29.5	26.8	26.8	24.1	24.7	325.0	7	2497
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	15 LST	24.2	22.1	20.8	19.3	20.7	23.0	21.8	21.7	22.7	20.0	23.0	24.5	263.8	7	2507
	21 LST	23.3	22.0	24.8	24.3	24.1	25.8	27.1	27.8	24.8	21.8	21.5	24.9	292.2	6	2092
	09 LST	22.1	22.0	24.8	25.1	28.0	27.1	28.4	27.7	24.4	20.8	20.4	22.1	292.9	7	2497
SFC WND = GTR 17 KTS AND NO PRECIP.	15 LST	0.1	0.4	1.6	1.0	1.4	0.7	0.7	1.2	1.7	1.6	0.4	0.0	10.8	10	3213
	21 LST	0.2	0.0	0.2	0.3	0.7	0.2	0.2	0.0	0.2	0.2	0.6	0.0	2.8	6	1961
	09 LST	0.0	0.2	0.1	0.1	0.0	0.0	0.1	0.2	0.2	1.0	0.1	0.1	2.2	10	3173
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	0.0	0.4	0.2	0.9	0.6	0.6	0.4	0.4	0.3	0.4	0.2	0.0	4.4	7	2406
	21 LST	0.8	1.4	4.2	12.8	12.5	15.2	15.8	14.4	13.1	10.5	0.6	0.3	101.6	10	3213
	09 LST	0.4	0.2	2.9	6.7	11.9	13.5	12.5	10.9	9.6	9.2	0.8	0.4	79.0	6	1961
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	15 LST	0.3	0.1	2.2	7.7	11.7	12.8	15.0	13.0	11.1	8.2	0.8	0.2	45.1	10	3173
	21 LST	7.0	9.8	6.7	6.1	2.3	5.6	3.7	5.0	3.3	6.2	6.1	7.3	69.1	5	1220
	09 LST	10.9	12.3	15.7	11.4	8.5	7.7	8.4	9.9	3.4	7.8	7.5	12.4	115.9	5	1209
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	15 LST	5.5	4.5	3.0	9.3	5.0	6.0	6.0	12.8	1.0	4.0	3.0	6.0	66.1	2	421
	21 LST	25.0	23.4	28.5	27.5	29.9	29.4	29.7	30.4	27.7	25.9	22.9	23.6	323.9	7	2507
	09 LST	23.9	23.0	30.6	27.3	30.3	29.5	30.3	30.8	28.0	26.2	21.9	25.1	326.9	6	2092
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	15 LST	22.1	21.8	27.8	26.3	28.7	28.1	28.8	29.1	25.5	24.8	20.8	22.1	305.9	7	2497
	21 LST	22.6	23.0	27.5	27.5	29.4	27.7	28.8	29.2	26.0	25.4	21.1	22.8	310.5	7	2502
	09 LST	20.1	17.9	18.3	16.4	19.8	18.8	18.0	19.9	17.0	17.4	17.7	17.2	218.5	7	2507
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	19.5	18.1	21.6	23.1	24.8	22.8	25.3	25.8	21.2	21.0	16.1	19.2	262.5	6	2092
	21 LST	17.9	17.0	21.1	21.0	24.5	20.3	24.1	20.7	19.0	18.7	15.8	17.0	237.1	7	2497
	09 LST	18.0	17.6	22.0	21.2	23.6	20.3	22.2	22.7	19.1	20.3	15.7	17.9	240.6	7	2502
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	16.5	14.1	13.2	11.7	13.4	11.0	12.1	14.2	11.9	11.7	13.2	12.6	155.6	7	2507
	21 LST	16.1	15.7	17.6	19.1	19.6	16.2	17.1	19.1	15.5	14.8	13.4	14.0	198.2	6	2092
	09 LST	14.8	14.3	17.5	17.4	20.1	17.6	16.7	16.2	14.3	14.4	12.2	14.3	187.8	7	2497
	09 LST	14.3	14.6	16.5	17.3	20.3	14.7	17.3	17.7	13.1	14.3	11.4	14.3	187.8	7	2502

WHITEHORSE, CANADA

STA NO. 72964 (IN AREA NUMBER 02)

LATITUDE 6043N

LONGITUDE 13504W

ELEVATION(FT) 02303

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	47	50	51	69	86	89	91	86	80	66	51	47	91	20	-610
MEAN MAX TMP (F)	13	16	31	41	57	66	67	64	55	41	21	11	40	10	-105
MEAN MIN TMP (F)	-3	-2	12	22	34	43	45	43	37	28	8	-4	22	10	-105
ABS MIN TMP (F)	-62	-59	-37	-15	11	27	29	17	14	-12	-43	-54	-62	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2569
MEAN NO DYS TMP = OR LES 32(F)	30.8	28.0	30.1	26.3	11.5	0.7	0.6	1.6	6.6	17.2	28.4	30.2	212.0	8	2570
MEAN NO DYS TMP = OR LES 0(F)	15.0	10.6	5.4	1.6	0.0	0.0	0.0	0.0	0.0	0.0	8.2	15.5	56.3	8	2570
MEAN DEW PT TMP (F)	7	10	15	21	31	41	44	42	38	29	13	7	25	6	44683
MEAN REL HUM (PCT)	80	78	73	65	57	62	65	68	74	75	81	80	72	6	44670
MEAN PRESS ALT (FT)	2260	2257	2286	2316	2299	2292	2269	2289	2345	2434	2399	2365	2318	0	-50
MEAN PRECIP (IN)	0.64	0.47	0.60	0.41	0.57	1.00	1.63	1.53	1.34	0.71	0.98	0.75	10.6	10	-105
MEAN SNOW FALL (IN)	6.4	4.7	6.0	3.9	0.8	0.0	0.0	0.1	0.9	3.9	9.1	7.4	43.2	10	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.0	1.4	1.9	1.2	1.8	3.1	4.5	4.3	3.8	2.6	3.1	2.4	32.1	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.4	0.6	1.4	0.6	0.3	0.0	0.0	0.0	0.3	1.1	2.0	1.1	7.8	8	2647
MEAN NO DYS W/OCUR VSHY LES 1/2 MI	2.4	1.5	0.4	0.4	0.0	0.2	0.2	1.1	1.3	1.3	1.6	1.8	12.3	6	1983
MEAN NO DYS TSIMS	0.0	0.0	0.0	0.0	0.0	1.4	1.8	0.2	0.0	0.0	0.2	0.0	3.6	6	1979
P FREQ WND SPD = OR GTR 17 KTS	15.1	15.5	12.3	5.9	7.7	4.2	3.0	6.6	7.6	9.6	10.0	12.5	9.2	6	46559
P FREQ WND SPD = OR GTR 28 KTS	0.4	1.1	0.2	0.1	0.3	0.0	0.0	0.1	0.1	0.1	0.2	0.5	0.3	6	46559
P FREQ LES 5000 FT A/O LES 5 MI	27.1	20.1	20.4	15.9	11.6	13.2	13.8	17.0	23.1	24.3	41.7	30.9	21.6	6	46561
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	12.4	7.1	4.8	3.4	0.4	0.2	0.5	1.3	5.4	4.7	26.3	18.0	7.0	6	5818
03-05 LST	12.5	8.5	4.8	4.5	2.1	1.6	0.9	4.4	7.0	6.9	23.7	19.0	8.0	7	6323
06-08 LST	13.5	10.6	4.1	4.2	1.1	2.4	2.0	2.2	8.5	6.5	22.6	16.6	7.9	6	5814
09-11 LST	16.3	9.7	3.9	2.9	0.6	2.1	1.3	0.4	3.3	6.7	19.3	17.5	7.0	6	5905
12-14 LST	10.5	5.7	2.2	0.9	0.2	0.9	0.4	1.1	2.2	4.3	16.5	14.1	5.0	6	5812
15-17 LST	9.0	5.2	2.1	2.2	0.6	0.8	0.7	0.3	2.1	4.6	18.8	11.8	4.9	7	6360
18-20 LST	11.7	5.4	3.9	2.7	0.2	0.7	0.5	0.0	1.9	2.8	24.2	15.6	5.8	6	5816
21-23 LST	15.2	4.5	3.2	3.8	0.2	1.1	0.7	0.2	3.3	3.1	22.7	13.8	6.0	6	5849
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	4.3	1.4	0.4	0.4	0.0	0.0	0.0	0.7	1.1	1.6	2.7	3.4	1.3	6	5818
03-05 LST	5.4	1.7	1.1	1.6	0.4	0.6	0.5	3.1	2.1	1.5	2.5	3.3	2.0	7	6323
06-08 LST	6.1	2.8	1.3	0.2	0.0	0.2	0.5	0.9	3.3	1.6	3.1	3.4	2.0	6	5814
09-11 LST	6.1	2.4	1.1	0.0	0.2	0.0	0.0	0.0	0.0	2.2	3.6	5.0	1.7	6	5905
12-14 LST	2.6	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.6	1.6	3.3	2.9	1.0	6	5812
15-17 LST	1.9	1.3	0.2	1.0	0.0	0.0	0.0	0.0	0.4	1.9	4.6	2.5	1.2	7	6360
18-20 LST	2.4	1.4	0.2	1.1	0.0	0.0	0.0	0.0	0.4	1.4	3.6	2.7	1.1	6	5816
21-23 LST	3.7	1.4	0.2	1.1	0.0	0.0	0.5	0.0	0.4	1.4	2.0	3.4	1.2	6	5849

WHITEHORSE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	15 LST	28.7	27.1	30.5	29.7	30.8	29.9	30.8	30.8	29.4	30.2	26.5	27.8	352.2	7	2483
	21 LST	27.2	26.8	30.4	29.0	31.0	29.8	30.8	31.0	29.6	30.6	25.8	27.4	349.4	6	1996
	03 LST	27.0	26.0	29.7	28.9	30.7	29.9	30.7	30.1	28.4	29.2	24.4	26.3	341.3	7	2450
	09 LST	26.5	25.0	29.8	29.5	30.8	29.2	30.5	31.0	29.5	29.3	24.4	26.6	342.1	6	2034
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	15 LST	14.3	14.5	14.3	11.3	13.8	17.7	19.8	15.8	15.0	12.6	12.5	14.8	176.4	7	2483
	21 LST	14.0	14.7	18.4	20.7	24.1	21.5	23.7	22.0	19.1	15.5	10.6	12.7	217.0	6	1996
	03 LST	14.2	16.2	18.0	20.2	23.8	23.5	26.0	22.4	17.8	14.4	13.0	12.9	222.4	7	2450
	09 LST	13.4	15.1	16.4	16.1	16.6	20.0	23.7	18.7	15.3	13.6	12.3	14.0	195.2	6	2034
SFC WND = GTR 17 KTS AND NO PRECIP.	15 LST	3.2	3.8	3.5	4.0	4.1	2.3	2.0	2.9	2.8	3.9	2.9	3.1	38.5	8	2483
	21 LST	4.8	4.3	4.2	0.8	0.9	0.8	0.2	0.7	1.6	2.8	3.6	4.3	29.0	6	1876
	03 LST	3.7	3.1	2.9	1.3	0.6	0.6	0.7	1.9	2.0	2.2	3.1	3.2	25.3	8	2440
	09 LST	5.1	4.0	3.8	1.0	3.0	1.7	0.7	2.2	2.6	3.4	4.0	5.9	37.4	6	1934
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	0.9	2.5	4.8	9.7	11.6	14.0	14.2	13.8	11.6	9.3	2.9	1.4	96.7	8	2483
	21 LST	0.4	0.2	1.7	8.2	16.4	15.1	17.3	16.7	12.8	9.1	1.4	1.2	100.5	6	1876
	03 LST	0.4	0.4	1.8	4.3	9.9	12.3	13.0	9.8	8.0	7.3	1.1	0.4	68.7	8	2437
	09 LST	0.0	0.4	1.5	8.4	14.7	14.1	16.0	16.1	10.5	8.6	1.7	0.6	92.6	6	1934
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	15 LST	5.0	10.0	6.2	3.5	5.0	3.5	3.0	8.0	4.0	3.5	8.2	5.6	65.5	3	626
	21 LST				6.0	16.5	6.0								1	50
	03 LST	11.2	13.7	11.9	11.5	10.5	8.8	9.0	12.2	5.2	8.1	9.5	10.7	122.3	3	587
	09 LST				4.0	11.0	5.0								1	91
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	15 LST	27.1	25.7	29.7	29.1	30.3	29.3	30.3	30.6	28.6	28.9	23.3	26.0	338.9	7	2483
	21 LST	25.0	25.8	29.4	28.2	31.0	29.5	30.7	30.7	27.7	29.3	20.4	25.0	332.7	6	1996
	03 LST	25.7	25.1	28.2	28.4	30.1	28.8	30.4	29.8	27.0	28.0	20.6	23.5	325.6	7	2450
	09 LST	24.1	22.8	28.2	27.8	30.0	28.1	30.3	30.3	27.3	27.8	20.9	23.9	321.5	6	2034
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	15 LST	23.5	23.2	23.3	21.6	21.5	19.7	18.7	21.4	18.6	20.8	19.9	22.4	254.6	7	2483
	21 LST	22.2	22.0	23.4	23.2	26.1	23.5	22.8	22.5	22.0	22.8	17.2	21.1	268.8	6	1996
	03 LST	22.2	22.1	22.9	24.6	26.8	22.5	23.7	22.9	21.5	21.2	17.3	21.2	268.9	7	2450
	09 LST	19.6	19.5	23.0	24.7	25.9	22.1	23.5	22.0	19.5	20.4	16.9	21.4	258.5	6	2034
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	19.7	20.7	19.7	18.6	17.6	15.4	13.9	15.8	14.6	15.9	15.6	18.0	205.5	7	2483
	21 LST	21.4	19.9	20.4	19.9	21.9	18.2	17.0	17.8	18.3	19.1	13.4	18.9	226.2	6	1996
	03 LST	20.1	20.4	20.2	22.2	24.0	18.9	20.0	19.1	18.5	19.0	15.2	18.8	236.4	7	2450
	09 LST	15.4	16.3	20.2	21.8	22.6	18.2	17.3	16.0	15.7	16.6	13.5	17.9	211.5	6	2034

DAWSON, CANADA

STA NO. 72956 (IN AREA NUMBER 02)

LATITUDE 6404N

LONGITUDE 13929W

ELEVATION(FT) 01062

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	47	48	52	69	86	95	95	88	79	68	52	55	95	60	-110
MEAN MAX TMP (F)	-14	-4	16	41	59	70	73	67	52	33	7	-8	33	41	-28
MEAN MIN TMP (F)	-28	-20	-8	16	34	43	46	42	32	19	-4	-20	13	41	-28
ABS MIN TMP (F)	-68	-73	-54	-41	4	25	29	17	8	-23	-50	-66	-73	60	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0	0.0		41	-29
MEAN NO DYS TMP = OR LES 32(F)							0.0							60	-29
MEAN NO DYS TMP = OR LES 0(F)					0.0	0.0	0.0	0.0	0.0					60	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.90	0.70	0.50	0.50	1.00	1.20	1.50	1.50	1.40	1.20	1.10	1.00	12.5	41	-28
MEAN SNOW FALL (IN)	8.8	6.2	6.0	2.3	0.5	0.0	0.0	0.0	1.4	7.2	10.4	9.7	52.5	30	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.9	2.2	1.6	1.6	3.2	3.6	4.2	4.2	3.9	3.6	3.4	3.2	37.6	41	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.8	1.2	1.2	0.4	0.0	0.0	0.0	0.0	0.2	1.4	2.3	2.0	10.5	30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	2.0	4.0	1.0	0.0	0.0	0.0	0.0	8.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

DAWSON, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	15	LST												0	0
VSBY = GTR 3 MI	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR	15	LST												0	0
3 MI W/SFC WND LES 10 KTS	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
SFC WND = GTR 17 KTS AND	15	LST												0	0
NO PRECIP.	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	15	LST												0	0
DEG F AND NO PRECIP.	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
SKY COVER LES 3/10 AND	15	LST												0	0
VSBY = GTR 3 MI	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
CIG = GTR 2500 FT AND	15	LST												0	0
VSBY = GTR 3 MI	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
CIG = GTR 6000 FT AND	15	LST												0	0
VSBY = GTR 3 MI	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
CIG = GTR 10000 FT AND	15	LST												0	0
VSBY = GTR 3 MI	21	LST												0	0
	03	LST												0	0
	09	LST												0	0

DATA NOT AVAILABLE

AKLAVIK, CANADA

STA NO. 72968/ (IN AREA NUMBER 02)

LATITUDE 6814N

LONGITUDE 13500W

ELEVATION (FT) 00030

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO.
ABS MAX TMP (F)	49	49	49	57	77	86	93	88	76	55	44	50	93	34	-608
MEAN MAX TMP (F)	-10	-9	0	19	40	58	66	58	44	25	3	-8	24	22	-28
MEAN MIN TMP (F)	-26	-24	-17	-2	22	40	47	42	32	15	-9	-24	8	22	-28
ABS MIN TMP (F)	-59	-62	-56	-44	-14	20	30	25	7	-22	-50	-57	-62	34	-608
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	5251
MEAN NO DYS TMP = OR LES 32(F)	30.9	27.4	31.0	30.0	28.2	5.7	0.2	2.1	16.7	30.4	30.0	31.0	263.6	17	5288
MEAN NO DYS TMP = OR LES 0(F)	29.5	25.3	29.2	17.0	1.3	0.0	0.0	0.0	0.0	3.1	23.0	30.7	159.1	17	5288
MEAN DEW PT TMP (F)	-21	-19	-11	9	28	42	48	47	35	21	-5	-19	13	9	8820
MEAN REL HUM (PCT)	90	92	90	90	83	75	77	84	88	94	92	90	87	9	8816
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.55	0.49	0.38	0.50	0.49	0.80	1.39	1.42	0.91	0.86	0.76	0.42	9.0	22	-105
MEAN SNOW FALL (IN)	5.5	4.9	3.8	5.0	2.4	1.7	0.0	1.0	3.1	7.9	7.6	4.2	47.1	22	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.7	1.5	1.1	1.6	1.5	2.6	4.0	4.0	3.0	2.9	2.7	1.2	27.8	22	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.1	0.6	0.4	0.8	0.3	0.3	0.0	0.1	0.8	1.5	1.8	0.9	8.6	14	4527
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.1	0.8	2.4	1.0	1.1	0.5	0.2	1.3	1.3	3.3	1.3	2.8	18.1	9	2565
MEAN NO DYS TSTMS	0.2	0.0	0.1	0.0	0.0	0.0	0.5	0.4	0.0	0.0	0.1	0.0	1.3	9	2551
P FREQ WND SPD = OR GTR 17 KTS	4.9	6.2	7.0	6.1	5.8	3.4	4.0	5.6	4.7	2.5	4.2	3.0	4.8	9	10236
P FREQ WND SPD = OR GTR 28 KTS	0.5	0.4	0.7	1.1	0.1	0.0	0.1	0.2	0.1	0.0	0.3	0.3	0.3	9	10236
P FREQ LES 5000 FT A/O LES 5 MI	38.2	27.9	28.5	20.6	34.8	26.7	36.4	44.1	53.8	62.8	62.8	41.1	39.8	9	8760
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	20.0	13.6	15.7	14.2	15.2	15.4	17.1	23.2	26.1	32.3	29.2	17.2	19.9	9	-30
03-05 LST	19.7	15.3	16.1	15.6	20.1	21.9	20.2	27.6	23.9	32.7	30.8	18.9	21.9	9	2529
06-08 LST	20.6	15.6	16.9	14.0	18.2	19.8	19.4	28.3	28.0	33.3	33.0	18.4	22.1	9	-30
09-11 LST	21.4	15.8	17.6	12.3	16.2	17.7	18.5	29.0	32.1	33.9	35.2	17.9	22.3	10	2829
12-14 LST	21.5	13.6	15.5	10.9	11.9	12.7	15.9	23.7	27.0	30.7	34.6	20.1	19.8	10	-30
15-17 LST	21.5	11.3	13.4	9.4	7.6	7.7	13.3	18.4	21.9	27.4	34.0	22.3	17.4	10	2808
18-20 LST	20.9	11.6	14.4	11.1	8.9	8.3	14.6	18.6	25.1	29.7	30.8	18.9	17.7	10	-30
21-23 LST	20.3	11.8	15.3	12.8	10.2	8.8	15.9	18.8	28.3	31.9	27.6	15.5	18.1	10	2806
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	7.7	4.0	4.2	3.3	2.6	1.8	0.3	2.7	5.0	5.6	6.9	4.1	4.0	9	-30
03-05 LST	8.2	4.2	4.1	3.0	4.3	2.0	0.5	4.6	5.3	6.5	7.2	5.9	4.7	9	2529
06-08 LST	6.9	3.1	3.7	2.4	2.8	1.7	0.3	4.3	7.8	6.3	7.8	4.8	4.3	9	-30
09-11 LST	5.6	2.0	3.3	1.7	1.0	1.4	0.0	4.0	10.3	6.0	8.3	3.6	3.9	10	2829
12-14 LST	6.3	2.2	3.1	1.1	1.0	1.0	0.7	2.4	7.3	5.0	7.4	3.3	3.4	10	-30
15-17 LST	7.0	2.3	2.9	0.4	1.0	0.5	1.3	0.8	4.2	4.0	6.4	2.9	2.8	10	2808
18-20 LST	7.1	3.0	3.6	2.0	1.0	1.0	0.7	0.8	4.4	4.3	6.4	2.6	3.1	10	-30
21-23 LST	7.1	3.7	4.2	3.5	0.9	1.5	0.0	0.8	4.6	4.6	6.3	2.3	3.3	10	2804

AKLAVIK, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	15 LST	24.7	26.0	28.0	28.1	29.9	29.3	29.8	27.7	25.8	23.9	23.5	27.1	325.8	10	2808
	21 LST	25.6	25.0	27.5	27.1	29.1	28.5	28.8	27.7	24.3	25.3	25.0	28.3	322.2	10	2806
	03 LST	27.0	24.9	28.3	27.1	27.7	25.7	27.0	24.4	25.5	25.7	24.8	27.1	315.2	9	2529
	09 LST	25.5	24.9	26.8	27.6	28.6	27.3	28.4	24.7	23.3	24.0	23.7	26.9	311.7	10	2829
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	15 LST	20.7	18.8	19.3	21.4	23.9	21.3	20.2	18.7	18.5	17.1	13.4	19.9	233.2	10	2805
	21 LST	19.4	19.7	21.5	23.6	23.1	22.2	21.4	21.8	17.7	14.5	15.9	20.2	241.0	10	2806
	03 LST	19.8	17.9	19.4	22.2	18.7	18.6	20.7	18.8	19.1	14.8	15.2	19.8	225.0	9	2529
	09 LST	19.3	18.1	19.5	22.3	19.6	18.2	19.4	16.9	15.8	15.3	14.5	21.4	220.3	10	2827
SFC WND = GTR 17 KTS AND NO PRECIP.	15 LST	1.5	1.4	2.6	1.7	1.3	1.0	1.2	0.9	1.0	0.7	1.1	0.7	15.1	17	5126
	21 LST	1.1	1.7	1.2	1.0	1.0	1.5	0.7	1.0	0.9	0.5	1.0	0.9	12.5	10	3051
	03 LST	1.6	1.6	1.6	1.1	1.2	1.4	1.0	1.1	1.7	0.4	1.2	1.1	15.0	15	4606
	09 LST	1.4	1.2	1.6	0.9	1.2	0.8	0.8	0.5	1.0	0.5	0.4	0.6	10.9	11	3317
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	0.0	0.0	0.2	1.7	10.2	14.9	13.2	13.4	8.6	1.3	0.1	0.1	63.7	17	5122
	21 LST	0.0	0.2	0.0	0.4	6.6	11.1	11.3	9.4	5.5	0.4	0.0	0.0	44.9	10	3049
	03 LST	0.1	0.0	0.0	0.2	2.6	10.4	11.9	9.8	5.6	0.5	0.0	0.0	41.1	15	4603
	09 LST	0.0	0.2	0.1	0.5	7.1	12.0	12.5	9.4	4.8	0.5	0.0	0.0	47.1	11	3311
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	15 LST	10.7	11.8	13.6	13.7	12.6	11.8	8.6	6.4	5.5	4.7	6.1	9.4	114.9	17	4850
	21 LST	14.6	15.5	15.0	14.0	12.2	11.1	9.0	7.4	7.1	8.2	10.4	15.1	139.6	11	3087
	03 LST	10.4	10.1	10.7	11.9	9.0	8.6	8.0	6.1	4.2	4.7	7.7	9.5	100.9	15	4323
	09 LST	10.1	10.3	11.7	12.2	10.3	11.6	7.8	7.5	4.6	4.2	6.3	11.7	108.3	11	3392
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	15 LST	21.2	22.3	24.0	25.0	25.5	25.5	23.1	21.4	19.5	16.3	13.7	19.2	256.7	10	2808
	21 LST	19.9	21.7	23.8	24.7	25.1	25.4	22.8	21.9	17.6	14.7	16.3	21.2	255.1	10	2806
	03 LST	20.4	20.4	22.6	23.0	19.6	20.1	21.4	18.3	17.2	13.4	14.8	19.8	231.0	9	2529
	09 LST	20.8	19.7	22.4	24.0	22.3	21.7	20.7	18.8	15.4	14.6	13.3	21.0	234.7	10	2829
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	15 LST	20.1	21.2	23.1	23.6	23.7	23.5	21.6	18.3	14.3	12.8	11.3	17.0	230.5	10	2808
	21 LST	18.7	20.2	22.6	23.6	22.6	23.7	21.4	18.1	13.7	12.9	13.9	18.5	229.9	10	2806
	03 LST	17.9	18.8	21.0	20.4	17.1	18.3	19.1	15.3	12.4	10.1	12.6	17.2	200.2	9	2529
	09 LST	19.1	17.9	20.8	21.3	20.4	20.6	19.0	15.9	11.5	11.3	10.8	19.0	207.6	10	2829
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	18.8	21.1	22.8	23.3	23.5	23.3	21.1	17.6	13.0	12.4	11.0	16.8	224.7	10	2808
	21 LST	18.1	19.8	21.5	23.1	22.3	22.7	20.3	17.2	12.6	12.9	13.6	18.4	222.5	10	2806
	03 LST	17.4	18.2	20.3	19.6	16.5	17.6	18.1	14.4	11.9	10.0	12.6	16.8	193.4	9	2529
	09 LST	17.9	17.6	19.5	20.8	20.1	20.4	18.0	15.3	10.4	11.2	10.4	18.3	199.9	10	2829

SNAG, CANADA

STA NO. 72969 (IN AREA NUMBER 02)

LATITUDE 6222N

LONGITUDE 14024W

ELEVATION(FT) 01913

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	46	65	51	72	86	89	89	87	81	65	45	40	89	20	-610
MEAN MAX TMP (F)	-9	4	25	40	58	67	70	65	53	33	7	-6	34	10	-105
MEAN MIN TMP (F)	-24	-22	-7	12	32	41	45	39	30	14	-10	-24	10	10	-105
ABS MIN TMP (F)	-78	-83	-60	-51	3	23	29	13	-2	-28	-63	-69	-83	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	29.2	14.6	1.8	0.2	4.1	18.2	30.5	30.0	31.0	249.6	4	1368
MEAN NO DYS TMP = OR LES 0(F)	30.3	23.0	18.0	6.8	0.0	0.0	0.0	0.0	0.5	2.7	21.7	29.7	132.7	4	1368
MEAN DEW PT TMP (F)		-6	5	16	32	43	48	44	34	20	-7	-15	16	5	32620
MEAN REL HUM (PCT)	71	74	75	66	59	66	74	76	81	82	73	71	72	5	32609
MEAN PRESS ALT (FT)	18.	1882	1893	1939	1938	1923	1904	1933	1997	2084	2029	1987	1949	0	-50
MEAN PRECIP (IN)	1.11	0.65	0.54	0.66	0.96	2.17	2.61	1.75	1.01	0.73	0.86	0.77	13.8	10	-105
MEAN SNOW FALL (IN)	11.1	6.5	5.4	4.8	0.6	0.5	0.0	0.1	0.9	6.8	8.4	7.7	52.8	10	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.6	2.1	1.7	2.1	3.0	5.5	6.2	4.7	3.2	2.7	2.9	2.5	40.2	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.5	2.0	1.2	1.2	0.5	0.0	0.0	0.0	0.4	1.6	3.6	1.2	13.2	5	1584
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.5	2.9	3.9	0.8	0.5	0.2	1.0	2.2	4.2	7.5	3.0	3.5	33.2	5	1466
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	4.4	4.3	1.8	0.2	0.0	0.0	0.0	10.7	4	1368
P FREQ WND SPD = OR GTR 17 KTS	0.8	0.6	4.1	1.8	2.6	3.7	1.0	2.4	1.1	0.6	0.5	0.3	1.6	5	33906
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.7	0.3	0.0	.4	0.0	0.2	0.0	0.0	0.0	0.0	0.1	5	33906
P FREQ LES 5000 FT A/O LES 5 MI	25.6	28.0	25.9	19.5	18.1	.2	29.1	19.2	27.7	32.9	37.9	26.1	25.9	5	33896
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	16.9	12.7	10.5	4.6	1.1	0.9	1.6	2.2	7.2	21.2	20.0	12.0	9.2	4	4120
03-05 LST	19.1	13.2	12.2	5.7	3.8	2.0	4.6	12.4	12.3	27.7	20.6	10.9	12.0	5	3983
06-08 LST	15.8	18.3	16.9	7.9	4.1	3.1	5.1	6.9	16.9	29.2	19.2	13.6	13.1	5	4632
09-11 LST	16.5	17.7	12.1	3.1	3.0	2.6	8.7	4.0	13.9	24.6	22.4	15.0	12.0	5	4699
12-14 LST	14.4	11.1	5.5	2.0	0.3	1.4	3.3	2.5	6.3	17.0	16.1	14.8	7.9	5	4689
15-17 LST	11.0	7.5	4.3	0.9	0.0	1.1	1.2	1.8	4.1	14.4	16.4	14.6	6.4	5	4285
18-20 LST	10.3	9.3	3.6	2.2	0.5	0.6	0.8	1.9	4.8	15.9	16.5	15.4	6.8	5	4411
21-23 LST	11.7	10.1	5.8	3.7	0.8	1.2	0.8	1.9	5.9	20.8	16.9	13.9	7.8	5	4218
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	8.6	6.3	2.8	1.2	0.3	0.3	0.3	0.8	3.3	9.9	7.8	3.5	3.8	4	4120
03-05 LST	9.4	4.1	2.6	1.8	2.2	0.6	2.3	5.3	8.1	11.3	6.7	4.3	4.9	5	3983
06-08 LST	7.4	6.1	6.4	1.7	1.6	0.3	0.3	3.2	10.6	16.5	7.0	3.1	5.4	5	4632
09-11 LST	7.6	5.7	3.0	0.0	0.0	0.0	0.0	0.0	3.3	9.8	7.9	3.7	3.4	5	4699
12-14 LST	4.6	1.5	0.8	0.3	0.0	0.0	0.0	0.0	0.2	3.1	3.5	5.4	1.6	5	4689
15-17 LST	2.4	1.5	1.2	0.0	0.0	0.0	0.0	0.0	1.8	4.4	3.5	4.6	1.6	5	4285
18-20 LST	4.1	3.6	0.8	0.0	0.0	0.0	0.0	0.0	1.1	5.1	2.8	5.6	1.9	5	4411
21-23 LST	4.9	3.0	3.0	0.6	0.0	0.0	0.0	1.1	2.5	7.8	3.3	5.3	2.6	5	4218

SNAG, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	15 LST	28.0	26.2	29.5	29.5	31.0	29.7	30.7	30.8	29.4	27.9	26.9	28.0	347.6	5	1570
	21 LST	28.0	25.7	28.7	29.5	30.7	30.0	30.7	30.5	28.0	25.5	26.8	27.5	341.6	5	1483
	03 LST	26.4	25.1	28.4	27.9	30.7	30.0	30.2	29.1	27.1	24.7	25.8	27.7	333.1	5	1482
	09 LST	26.2	23.4	26.9	29.0	30.2	30.0	29.7	29.8	26.2	23.7	23.7	27.0	326.6	5	1571
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	15 LST	26.4	23.7	23.6	25.4	24.2	23.3	26.7	25.5	25.6	23.7	23.9	25.1	297.1	5	1570
	21 LST	26.7	23.2	25.5	26.7	28.0	28.5	29.0	25.7	26.5	23.0	24.0	25.6	312.4	5	1483
	03 LST	24.4	23.1	23.7	25.6	29.0	27.2	29.0	27.5	24.5	22.5	22.2	25.4	304.1	5	1481
	09 LST	24.9	21.7	23.6	25.2	24.4	26.1	24.4	26.6	22.2	20.9	22.1	25.8	287.9	5	1571
SFC WND = GTR 17 KTS AND NO PRECIP.	15 LST	0.5	0.3	1.3	0.8	1.5	2.3	0.8	1.4	0.0	0.8	0.0	0.2	9.9	5	1492
	21 LST	0.2	0.0	1.1	0.2	0.5	0.2	0.0	1.0	0.3	0.0	0.3	0.0	3.8	5	1379
	03 LST	0.3	0.0	0.9	0.0	0.0	0.5	0.0	0.7	0.2	0.0	0.0	0.2	2.8	5	1354
	09 LST	0.5	0.0	1.4	0.5	1.3	1.3	0.5	0.2	0.4	0.2	0.2	0.0	6.5	5	1472
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	0.0	0.0	2.4	7.6	17.5	17.6	15.7	10.5	13.2	5.1	0.0	0.0	89.6	5	1486
	21 LST	0.0	0.0	0.2	4.2	14.1	12.5	10.1	8.0	7.9	1.6	0.0	0.0	58.6	5	1376
	03 LST	0.0	0.3	0.3	0.3	7.3	7.1	5.7	6.2	3.1	1.3	0.0	0.0	31.6	5	1347
	09 LST	0.0	0.0	0.0	2.7	14.4	12.3	11.2	9.3	6.8	1.9	0.0	0.0	58.6	5	1468
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	15 LST														0	0
	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	15 LST	26.2	25.0	27.9	29.0	30.5	29.2	29.2	29.4	26.6	25.9	23.5	25.5	327.9	5	1570
	21 LST	26.4	24.2	27.5	29.3	30.7	29.7	30.5	29.7	27.0	23.5	24.0	25.4	327.9	5	1483
	03 LST	25.5	22.3	26.3	27.1	29.5	29.0	29.2	26.8	25.7	23.7	21.8	25.2	312.1	5	1482
	09 LST	24.9	21.2	24.8	27.7	29.5	28.4	25.5	28.9	23.9	21.1	21.5	25.1	302.5	5	1571
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	15 LST	22.4	20.7	24.4	21.2	21.1	17.9	17.9	23.4	20.8	23.4	19.8	21.5	254.5	5	1570
	21 LST	23.2	19.4	23.2	23.3	24.0	23.4	18.7	22.5	21.0	20.5	20.8	22.5	262.5	5	1483
	03 LST	21.4	20.2	21.6	21.4	24.7	20.8	18.6	21.2	20.2	20.0	17.6	21.9	249.6	5	1482
	09 LST	21.1	18.6	20.5	23.2	25.7	21.0	18.9	25.2	17.8	16.9	16.2	21.5	246.6	5	1571
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	16.6	15.5	17.5	17.4	17.4	12.0	11.8	12.6	12.4	16.1	13.4	14.3	177.0	5	1570
	21 LST	21.4	15.6	18.6	16.7	18.0	15.1	13.0	13.2	14.5	16.0	17.6	18.4	198.1	5	1483
	03 LST	19.9	17.9	17.2	17.5	18.4	12.8	12.6	11.2	13.1	15.7	15.1	18.6	190.0	5	1482
	09 LST	16.4	14.6	13.1	17.9	19.9	15.6	14.1	14.4	10.5	9.1	11.1	14.1	170.8	5	1571

AISHIHIK, CANADA

STA NO. 74035 (IN AREA NUMBER 02)

LATITUDE 6139N

LONGITUDE 13729W

ELEVATION(FT) 03176

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	46	45	46	50	83	87	86	79	73	59	49	42	87	8	-585
MEAN MAX TMP (F)	5	13	26	36	53	63	66	62	52	37	17	7	36	10	-105
MEAN MIN TMP (F)	-17	-12	-3	13	29	38	42	38	31	18	-1	-13	14	10	-105
ABS MIN TMP (F)	-63	-70	-51	-36	6	22	26	16	-4	-10	-53	-59	-70	8	-585
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1604
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	30.6	30.0	19.2	2.8	0.2	5.5	18.8	29.4	29.5	30.6	255.6	6	1604
MEAN NO DYS TMP = OR LES 0(F)	23.1	15.9	13.5	4.2	0.0	0.0	0.0	0.0	0.4	2.2	17.3	25.1	101.7	6	1604
MEAN DEW PT TMP (F)	-4	4	8	16	31	40	45	40	34	22	2	-6	19	6	35127
MEAN REL HUM (PCT)	75	76	73	70	66	69	75	73	79	78	78	76	74	6	35117
MEAN PRESS ALT (FT)	3119	3115	3150	3176	3161	3157	3132	3151	3200	3203	3252	3221	3176	0	-50
MEAN PRECIP (IN)	0.56	0.35	0.49	0.48	0.96	1.60	1.76	1.26	0.85	0.58	0.53	0.45	9.9	10	-105
MEAN SNOW FALL (IN)	5.6	3.5	4.9	4.4	2.6	0.0	0.0	0.0	2.5	5.0	5.3	4.5	38.3	10	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.7	1.0	1.5	1.5	3.0	4.4	4.7	3.7	2.9	2.4	2.3	1.3	30.4	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.5	0.7	0.7	0.7	0.0	0.0	0.0	0.6	1.0	0.4	0.6	5.2	5	1634
MEAN NO DYS W/OCUM VSBY LES 1/2 MI	2.0	2.0	1.0	0.8	1.2	0.2	0.5	0.2	1.7	1.3	1.8	2.6	15.3	6	1618
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	2.0	3.0	0.5	0.0	0.0	0.0	0.0	5.5	6	1604
P FREQ WND SPD = OR GTR 17 KTS	5.1	5.3	7.7	8.0	10.3	4.9	4.2	6.4	4.3	7.2	2.4	3.4	5.8	6	38276
P FREQ WND SPD = OR GTR 28 KTS	0.9	0.7	1.5	0.2	1.2	0.0	0.1	0.1	0.1	0.9	0.3	0.4	0.5	6	38276
P FREQ LES 5000 FT A/O LES 5 MI	16.5	14.8	19.4	17.4	16.0	20.7	21.4	22.4	33.9	22.6	33.8	24.1	22.1	6	38131
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	10.6	8.7	4.6	4.2	4.6	0.6	0.5	0.8	8.1	4.5	16.6	14.9	6.6	6	4788
03-05 LST	11.4	9.4	5.3	4.8	4.4	1.1	1.9	2.2	10.0	5.5	18.5	14.2	7.4	6	4801
06-08 LST	9.8	9.8	5.7	4.2	5.1	3.1	0.5	1.7	10.1	9.7	19.3	12.6	7.6	6	4780
09-11 LST	10.7	7.9	5.0	2.2	3.5	2.8	0.0	0.5	7.4	7.9	20.3	11.9	6.7	6	4842
12-14 LST	7.3	3.3	2.0	1.1	1.4	0.8	0.5	0.8	3.3	2.9	16.7	9.8	4.2	6	4781
15-17 LST	5.0	1.9	3.9	2.3	1.9	0.0	0.5	0.3	3.5	2.9	16.7	12.4	4.3	6	4764
18-20 LST	5.0	3.6	3.9	3.1	1.9	0.6	0.3	0.0	4.3	4.1	15.7	13.4	4.7	6	4764
21-23 LST	6.7	6.7	5.7	4.5	1.4	0.6	0.0	0.5	5.1	4.2	14.2	13.5	5.3	6	4814
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	2.6	3.1	1.5	0.8	0.8	0.3	0.0	0.0	1.4	1.0	3.8	3.9	1.6	6	4788
03-05 LST	4.7	2.9	2.2	1.4	1.4	0.3	0.8	1.4	4.9	0.2	4.0	4.3	2.4	6	4801
06-08 LST	3.6	5.3	2.0	0.8	1.6	0.0	0.0	0.8	5.3	4.4	6.0	4.3	2.8	6	4780
09-11 LST	3.3	2.9	1.3	0.0	1.6	0.0	0.0	0.0	3.2	1.6	7.0	3.5	2.0	6	4842
12-14 LST	2.6	0.2	0.4	0.0	0.8	0.0	0.3	0.0	1.2	0.3	4.0	1.7	1.0	6	4781
15-17 LST	1.9	0.0	0.7	0.3	1.7	0.0	0.5	0.0	1.6	0.5	6.1	3.3	1.4	6	4764
18-20 LST	0.7	0.7	1.5	0.8	0.8	0.0	0.0	0.0	1.6	0.2	5.6	4.1	1.3	6	4764
21-23 LST	1.7	2.0	0.7	0.8	0.0	0.0	0.0	0.0	1.4	1.6	2.7	3.3	1.2	6	4816

AISHIHK, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	15 LST	29.7	27.8	30.2	29.5	30.5	30.0	31.0	31.0	29.2	30.8	25.7	28.4	353.8	6	1627
	21 LST	29.9	26.6	29.8	28.5	31.0	30.0	31.0	31.0	29.4	29.5	26.9	28.8	352.4	6	1630
	03 LST	27.5	26.6	29.4	28.5	29.7	29.5	31.0	30.5	28.3	29.9	28.0	28.0	346.9	6	1626
	09 LST	27.9	26.0	29.0	29.0	29.7	29.2	31.0	31.0	27.5	29.3	25.7	27.8	343.1	6	1628
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	15 LST	24.3	23.0	17.7	17.3	12.0	14.6	21.2	16.0	17.4	18.3	20.7	23.4	225.9	6	1627
	21 LST	25.6	22.8	24.3	24.2	25.5	25.2	26.7	25.5	23.8	24.0	20.8	23.7	292.1	6	1630
	03 LST	24.0	21.0	24.6	24.0	27.0	28.0	29.5	28.2	23.2	24.2	21.0	23.3	298.0	6	1626
	09 LST	22.5	23.2	22.1	22.5	17.5	20.9	23.5	22.5	23.2	20.0	21.9	23.5	263.3	6	1627
SFC WND = GTR 17 KTS AND NO PRECIP.	15 LST	2.7	1.7	4.3	5.1	6.8	2.8	3.8	4.1	3.0	3.1	1.5	0.6	39.5	6	1568
	21 LST	1.3	2.3	1.0	1.5	2.3	0.8	0.5	0.7	0.4	1.5	1.3	1.1	14.7	6	1553
	03 LST	1.2	1.5	2.2	1.1	0.2	0.2	0.0	0.5	0.9	1.7	1.3	1.1	11.9	6	1516
	09 LST	2.0	1.2	2.4	3.1	3.6	0.5	1.7	2.5	0.6	2.6	0.2	0.4	20.8	6	1561
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	0.0	0.8	1.2	8.1	12.6	14.0	16.9	15.5	14.8	8.3	0.5	0.4	93.1	6	1568
	21 LST	0.0	0.2	0.8	1.8	10.3	11.4	12.1	11.7	9.2	4.2	0.0	0.2	61.9	6	1553
	03 LST	0.0	0.0	0.4	0.2	7.3	9.0	6.4	7.5	5.7	3.9	0.5	0.0	40.9	6	1516
	09 LST	0.0	0.2	0.7	2.9	13.2	12.2	13.1	14.2	11.4	3.2	0.2	0.0	71.3	6	1561
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	15 LST														0	0
	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	15 LST	29.3	26.8	28.0	29.3	30.2	29.7	31.0	30.2	27.5	28.4	23.0	25.8	339.2	6	1627
	21 LST	29.3	25.4	28.4	28.5	30.2	29.7	31.0	31.0	26.0	27.4	23.0	26.8	336.7	6	1630
	03 LST	26.8	24.6	28.4	28.5	29.5	28.5	30.7	30.2	25.4	28.0	23.2	25.4	329.2	6	1626
	09 LST	26.8	24.2	28.0	29.0	29.5	28.7	30.0	30.5	25.7	26.6	21.2	25.8	326.0	6	1628
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	15 LST	26.7	25.2	24.3	22.2	21.5	18.2	16.7	19.7	19.0	24.4	20.7	24.2	262.8	6	1627
	21 LST	27.7	23.0	25.1	23.3	25.7	22.7	22.7	23.0	19.7	24.9	21.5	24.6	283.9	6	1630
	03 LST	25.0	22.4	25.4	25.0	26.2	23.7	22.2	21.7	19.2	24.6	19.8	23.5	278.7	6	1626
	09 LST	24.2	21.8	24.1	25.2	25.5	22.4	21.7	22.7	19.0	22.2	19.2	23.5	271.5	6	1628
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	20.6	18.6	19.9	18.5	19.0	12.3	11.7	14.7	11.8	18.3	13.7	18.0	197.1	6	1627
	21 LST	23.0	19.6	21.7	19.7	21.7	16.0	16.7	17.2	16.1	21.5	19.2	20.9	233.3	6	1630
	03 LST	23.1	20.2	20.7	21.8	22.0	16.7	15.7	16.5	16.7	21.7	16.9	20.7	232.7	6	1626
	09 LST	19.0	18.0	19.3	21.8	22.5	16.9	18.7	16.5	14.0	17.2	15.0	18.1	217.0	6	1628

SHINGLE POINT, CANADA

STA NO. 74040/ (IN AREA NUMBER 02)

LATITUDE 6855N

LONGITUDE 13713W

ELEVATION(FT) 00123

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	49	49	49	57	77	86	93	88	76	55	44	50	93	34	-72968
MEAN MAX TMP (F)	-10	-9	0	19	40	58	66	58	44	25	3	-8	24	22	-72968
MEAN MIN TMP (F)	-26	-24	-17	-2	22	40	47	42	32	15	-9	-24	8	22	-72968
ABS MIN TMP (F)	-59	-62	-56	-44	-14	20	30	25	7	-22	-50	-57	-62	34	-72968
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-72968
MEAN NO DYS TMP = OR LES 32(F)	30.9	27.4	31.0	30.0	28.2	5.7	0.2	2.1	16.7	30.4	30.0	31.0	263.6	17	-72968
MEAN NO DYS TMP = OR LES 0(F)	29.5	25.3	29.2	17.0	1.3	0.0	0.0	0.0	0.0	3.1	23.0	30.7	159.1	17	-72968
MEAN DEW PT TMP (F)	-21	-19	-11	9	28	42	48	47	35	21	-5	-19	13	9	-72968
MEAN REL HUM (PCT)	90	92	90	90	83	75	77	84	88	94	92	90	87	9	-72968
MEAN PRESS ALT (FT)	-114	-127	-81	-2	29	86	126	126	125	137	34	-20	27	0	-50
MEAN PRECIP (IN)	0.55	0.49	0.38	0.50	0.49	0.80	1.39	1.42	0.91	0.86	0.76	0.42	9.0	22	-72968
MEAN SNOW FALL (IN)	5.5	4.9	3.8	5.0	2.4	1.7	0.0	1.0	3.1	7.9	7.6	4.2	47.1	22	-72968
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.7	1.5	1.1	1.6	1.5	2.6	4.0	4.0	3.0	2.9	2.7	1.2	27.8	22	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.1	0.6	0.4	0.8	0.3	0.3	0.0	0.1	0.8	1.5	1.8	0.9	8.6	14	-72968
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.1	0.8	2.4	1.0	1.1	0.5	0.2	1.3	1.3	3.3	1.3	2.8	18.1	9	-72968
MEAN NO DYS TSTMS	0.2	0.0	0.1	0.0	0.0	0.0	0.5	0.4	0.0	0.0	0.1	0.0	1.3	9	-72968
P FREQ WND SPD = OR GTR 17 KTS	4.9	6.2	7.0	6.1	5.8	3.4	4.0	5.6	4.7	2.5	4.2	3.0	4.8	9	-72968
P FREQ WND SPD = OR GTR 28 KTS	0.5	0.4	0.7	1.1	0.1	0.0	0.1	0.2	0.1	0.0	0.3	0.3	0.3	9	-72968
P FREQ LES 5000 FT A/O LES 5 MI	38.2	27.9	28.5	20.6	34.8	26.7	36.4	44.1	53.8	62.8	62.8	41.1	39.8	9	-72968
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	20.0	13.6	15.7	14.2	15.2	15.4	17.1	23.2	26.1	32.3	29.2	17.2	19.9	9	-72968
03-05 LST	19.7	15.3	16.1	15.6	20.1	21.9	20.2	27.6	23.9	32.7	30.8	18.9	21.9	9	-72968
06-08 LST	20.6	15.6	16.9	14.0	18.2	19.8	19.4	28.3	28.0	33.3	33.0	18.4	22.1	9	-72968
09-11 LST	21.4	15.8	17.6	12.3	16.2	17.7	18.5	29.0	32.1	33.9	35.2	17.9	22.3	10	-72968
12-14 LST	21.5	13.6	15.5	10.9	11.9	12.7	15.9	23.7	27.0	30.7	34.6	20.1	19.8	10	-72968
15-17 LST	21.5	11.3	13.4	9.4	7.6	7.7	13.3	18.4	21.9	27.4	34.0	22.3	17.4	10	-72968
18-20 LST	20.9	11.6	14.4	11.1	8.9	8.3	14.6	18.6	25.1	29.7	30.8	18.9	17.7	10	-72968
21-23 LST	20.3	11.8	15.3	12.8	10.2	8.8	15.9	18.8	28.3	31.9	27.6	15.5	18.1	10	-72968
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	7.7	4.0	4.2	3.3	2.6	1.8	0.3	2.7	5.0	5.6	6.9	4.1	4.0	9	-72968
03-05 LST	8.2	4.2	4.1	3.0	4.3	2.0	0.5	4.6	5.3	6.5	7.2	5.9	4.7	9	-72968
06-08 LST	6.9	3.1	3.7	2.4	2.8	1.7	0.3	4.3	7.8	6.3	7.8	4.8	4.3	9	-72968
09-11 LST	5.6	2.0	3.3	1.7	1.0	1.4	0.0	4.0	10.3	6.0	8.3	3.6	3.9	10	-72968
12-14 LST	6.3	2.2	3.1	1.1	1.0	1.0	0.7	2.4	7.3	5.0	7.4	3.3	3.4	10	-72968
15-17 LST	7.0	2.3	2.9	0.4	1.0	0.5	1.3	0.8	4.2	4.0	6.4	2.9	2.8	10	-72968
18-20 LST	7.1	3.0	3.6	2.0	1.0	1.0	0.7	0.8	4.4	4.3	6.4	2.6	3.1	10	-72968
21-23 LST	7.1	3.7	4.2	3.5	0.9	1.5	0.0	0.8	4.6	4.6	6.3	2.3	3.3	10	-72968

SHINGLE POINT, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	15 LST	24.7	26.0	28.0	28.1	29.9	29.3	29.8	27.7	25.8	25.9	23.5	27.1	325.8	10	-72968
	21 LST	25.6	25.0	27.5	27.1	29.1	28.5	28.8	27.7	24.3	25.3	25.0	28.3	372.2	10	-72968
	03 LST	27.0	24.9	28.3	27.1	27.7	25.7	27.0	24.4	23.5	25.7	24.8	27.1	315.2	9	-72968
	09 LST	25.5	24.9	26.8	27.6	28.6	27.3	28.4	24.7	23.3	24.0	23.7	26.9	311.7	10	-72968
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	15 LST	20.7	15.8	19.3	21.4	23.9	21.3	20.2	18.7	18.5	17.1	13.4	19.9	233.2	10	-72968
	21 LST	19.4	19.7	21.5	23.6	23.1	22.2	21.4	21.8	17.7	14.5	15.9	20.2	241.0	10	-72968
	03 LST	19.8	17.9	19.4	22.2	18.7	18.6	20.7	18.8	19.1	14.8	15.2	19.8	225.0	9	-72968
	09 LST	19.3	18.1	19.5	22.3	19.6	18.2	19.4	16.9	15.8	15.3	14.5	21.4	220.3	10	-72968
SFC WND = GTR 17 KTS AND NO PRECIP.	15 LST	1.5	1.4	2.6	1.7	1.3	1.0	1.2	0.9	1.0	0.7	1.1	0.7	15.1	17	-72968
	21 LST	1.1	1.7	1.2	1.0	1.0	1.5	0.7	1.0	0.9	0.5	1.0	0.9	12.5	10	-72968
	03 LST	1.6	1.6	1.6	1.1	1.2	1.4	1.0	1.1	1.7	0.4	1.2	1.1	15.0	15	-72968
	09 LST	1.4	1.2	1.6	0.9	1.2	0.8	0.8	0.5	1.0	0.5	0.4	0.6	10.9	11	-72968
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	0.0	0.0	0.2	1.7	10.2	14.9	13.2	13.4	8.6	1.3	0.1	0.1	63.7	17	-72968
	21 LST	0.0	0.2	0.0	0.4	6.6	11.1	11.3	9.4	5.5	0.4	0.0	0.0	44.9	10	-72968
	03 LST	0.1	0.0	0.0	0.2	2.6	10.4	11.9	9.8	5.6	0.5	0.0	0.0	41.1	15	-72968
	09 LST	0.0	0.2	0.1	0.5	7.1	12.0	12.5	9.4	4.8	0.5	0.0	0.0	47.1	11	-72968
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	15 LST	10.7	11.8	13.6	13.7	12.6	11.8	8.6	6.4	5.5	4.7	6.1	9.4	114.9	17	-72968
	21 LST	14.6	15.5	15.0	14.0	12.2	11.1	9.0	7.4	7.1	8.2	10.4	15.1	139.6	11	-72968
	03 LST	10.4	10.1	10.7	11.9	9.0	8.6	8.0	6.1	4.2	4.7	7.7	9.5	100.9	15	-72968
	09 LST	10.1	10.3	11.7	12.2	10.3	11.6	7.8	7.5	4.6	4.2	6.3	11.7	108.3	11	-72968
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	15 LST	21.2	22.3	24.0	25.0	25.5	25.5	23.1	21.4	19.5	16.3	13.7	19.2	256.7	10	-72968
	21 LST	19.9	21.7	23.8	24.7	25.1	25.4	22.8	21.9	17.6	14.7	16.3	21.2	255.1	10	-72968
	03 LST	20.4	20.4	22.6	23.0	19.6	20.1	21.4	18.3	17.2	13.4	14.8	19.8	231.0	9	-72968
	09 LST	20.8	19.7	22.4	24.0	22.3	21.7	20.7	18.8	15.4	14.6	13.3	21.0	234.7	10	-72968
CIG = GTR 6000 F* AND VSBY = GTR 3 MI	15 LST	20.1	21.2	23.1	23.6	23.7	23.5	21.6	18.3	14.3	12.8	11.3	17.0	230.5	10	-72968
	21 LST	18.7	20.2	22.6	23.6	22.6	23.7	21.4	18.1	13.7	12.9	13.9	18.5	229.9	10	-72968
	03 LST	17.9	18.8	21.0	20.4	17.1	18.3	19.1	15.3	12.4	10.1	12.6	17.2	200.2	9	-72968
	09 LST	19.1	17.9	20.8	21.3	20.4	20.6	19.0	15.9	11.5	11.3	10.8	19.0	207.6	10	-72968
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	18.8	21.1	22.8	23.3	23.5	23.3	21.1	17.6	13.0	12.4	11.0	16.8	224.7	10	-72968
	21 LST	18.1	19.8	21.5	23.1	22.3	22.7	20.3	17.2	12.6	12.9	13.6	18.4	222.5	10	-72968
	03 LST	17.4	18.2	20.3	19.6	16.5	17.6	18.1	14.4	11.9	10.0	12.6	16.8	193.4	9	-72968
	09 LST	17.9	17.6	19.5	20.8	20.1	20.4	18.0	15.3	10.4	11.2	10.4	18.3	199.9	10	-72968

BAGNALL BEACH, CANADA

STA NO. 74057/ (IN AREA NUMBER 02)

LATITUDE 6936N

LONGITUDE 14011W

ELEVATION(FT) 00050

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	25	13	22	30	52	68	74	72	59	39	34	28	74	5	-112
MEAN MAX TMP (F)	12	-2	-4	8	29	32	52	49	39	21	9	-1	20	5	-112
MEAN MIN TMP (F)	-22	-26	-23	-9	17	31	36	36	29	10	-7	-18	5	5	-112
ABS MIN TMP (F)	-44	-41	-40	-27	-6	22	27	27	17	-10	-26	-37	-44	5	-112
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)						0.0	0.0	0.0	0.0					5	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	-177	-190	-184	-104	-78	-13	42	57	51	78	-26	-82	-51	0	-50
MEAN PRECIP (IN)	0.33	0.10	0.08	0.13	0.15	0.70	1.73	1.62	0.61	0.70	0.22	0.14	6.5	5	-112
MEAN SNOW FALL (IN)	3.2	1.0	0.8	1.4	1.5	1.6	0.1	0.8	2.0	6.6	1.7	1.4	22.1	5	-112
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.9	0.0	0.0	0.2	0.3	2.4	4.7	4.4	2.4	2.6	1.6	0.2	19.7	5	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.4	0.0	0.1	0.2	0.2	0.0	0.0	0.2	0.3	1.3	0.2	0.0	2.9	5	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BAGNALL BEACH, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	15	LST												0	0
VSBY = GTR 3 MI	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR	15	LST												0	0
3 MI W/SFC WND LES 10 KTS	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
SFC WND = GTR 17 KTS AND	15	LST												0	0
NO PRECIP.	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	15	LST												0	0
DEG F AND NO PRECIP.	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
SKY COVER LES 3/10 AND	15	LST												0	0
VSBY = GTR 3 MI	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
CIG = GTR 2500 FT AND	15	LST												0	0
VSBY = GTR 3 MI	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
CIG = GTR 6000 FT AND	15	LST												0	0
VSBY = GTR 3 MI	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
CIG = GTR 10000 FT AND	15	LST												0	0
VSBY = GTR 3 MI	21	LST												0	0
	03	LST												0	0
	09	LST												0	0

DATA NOT AVAILABLE

AREA NO. 02

CANADA	YUKON BOUNDARIES	LATITUDE 6400N												LONGITUDE 13500W		
		6030N 14100W		6940N 14100W		6940N 14100W		7000N 13500W		7000N 13500W		6630N 13500W		6630N 13500W		
		6630N	13500W	6630N	13300W	6630N	13300W	6000N	12400W	6000N	12400W	6000N	12400W	6000N	13900W	
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN		
MEAN MAX TMP (F)		0	4	18	33	51	60	66	62	50	33	11	0	32		
MEAN MIN TMP (F)		-19	-16	-5	11	29	40	44	40	32	19	-2	-16	13		
LARGEST MEAN PRECIP(IN)		1.27	0.76	0.60	0.66	1.15	2.25	2.61	1.75	1.56	1.25	1.57	1.46	16.9		
SMALLEST MEAN PRECIP(IN)		0.33	0.10	0.08	0.13	0.15	0.70	1.39	1.26	0.61	0.58	0.22	0.14	5.7		
		MEAN NUMBER OF DAYS														
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	15 LST	27.6	26.5	29.6	29.1	30.6	29.7	30.5	30.3	28.6	28.6	25.8	27.5	344.4		
	21 LST	27.3	25.7	29.4	28.7	30.5	29.6	30.4	30.2	28.1	27.7	25.9	27.9	341.4		
	03 LST	26.5	25.3	28.9	27.9	29.7	28.8	29.7	28.7	27.2	27.3	25.4	26.8	332.2		
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	09 LST	26.4	24.9	28.3	28.8	30.0	29.0	29.9	29.5	26.9	26.7	24.3	26.8	331.5		
	15 LST	22.0	20.4	19.1	18.9	18.9	20.0	21.9	19.5	19.8	18.3	18.7	21.5	239.0		
	21 LST	21.8	20.5	22.9	23.9	25.0	24.6	25.6	24.6	22.4	19.8	18.6	21.4	271.1		
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	20.9	20.0	22.1	23.4	25.3	24.9	26.7	24.9	21.8	19.3	18.4	20.7	268.4		
	09 LST	20.6	20.2	21.1	21.8	20.5	21.9	22.9	22.0	19.8	18.3	18.3	21.5	248.9		
	15 LST	1.6	1.5	2.7	2.5	3.0	1.8	1.7	2.1	1.7	2.0	1.2	0.9	22.7		
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	1.5	1.7	1.5	0.8	1.1	0.7	0.3	0.7	0.7	1.0	1.4	1.3	12.7		
	09 LST	1.4	1.3	1.5	0.7	0.4	0.5	0.4	0.9	1.0	1.1	1.1	1.1	11.4		
	15 LST	1.8	1.4	1.9	1.3	1.9	1.0	0.8	1.2	1.0	1.4	1.0	1.4	16.1		
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	15 LST	0.3	0.9	2.6	8.0	12.9	15.1	15.2	13.5	12.3	6.9	0.8	0.4	88.9		
	21 LST	0.2	0.2	1.1	4.3	11.9	12.7	12.7	11.3	9.0	4.9	0.4	0.4	69.1		
	03 LST	0.2	0.2	0.7	1.6	6.4	9.0	8.9	8.1	6.0	4.0	0.4	0.1	45.6		
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST	0.1	0.2	0.9	4.4	12.2	12.7	13.6	12.4	8.9	4.5	0.5	0.2	70.6		
	15 LST	7.6	10.5	8.8	7.8	6.6	7.0	5.1	6.5	4.3	4.8	6.8	7.4	83.2		
	21 LST	14.6	15.5	15.0	10.0	14.4	8.6	9.0	7.4	7.1	8.2	10.4	15.1	135.3		
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	10.8	12.0	12.8	11.6	9.3	8.4	8.5	9.4	4.3	6.9	8.2	10.9	113.1		
	09 LST	7.8	7.4	7.4	8.5	8.8	7.5	6.9	10.2	2.8	4.1	4.7	8.9	85.0		
	15 LST	25.8	24.6	27.6	28.0	29.3	28.6	28.7	28.4	26.0	25.1	21.3	24.0	317.4		
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	24.9	24.0	27.9	27.6	29.5	28.8	29.1	28.8	25.3	24.2	21.1	24.7	315.9		
	03 LST	24.1	22.8	26.7	26.7	27.5	26.9	28.1	26.8	24.2	23.6	20.2	23.2	300.8		
	09 LST	23.8	22.2	26.2	27.2	28.1	26.8	27.1	27.5	23.7	23.1	19.6	23.7	299.0		
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	22.6	21.6	22.7	21.0	21.5	19.6	18.6	20.5	17.9	19.8	17.9	20.5	244.2		
	21 LST	22.3	20.5	24.0	23.3	24.6	23.2	22.2	22.4	19.5	20.4	17.9	21.2	261.5		
	03 LST	20.9	20.1	22.4	22.5	23.9	21.1	21.5	20.4	18.5	18.9	16.6	20.2	247.0		
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	20.4	19.1	22.1	23.1	24.2	21.3	21.1	21.7	17.4	18.2	15.8	20.7	245.1		
	15 LST	18.4	18.0	18.6	17.9	18.2	14.8	14.1	15.0	12.7	14.9	13.4	15.9	191.9		
	21 LST	20.0	18.1	20.0	19.7	20.7	17.6	16.8	16.9	15.4	16.9	15.4	18.1	215.6		
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	19.1	18.2	19.2	19.7	20.2	16.3	16.6	15.5	14.9	16.2	14.4	17.8	208.1		
	09 LST	16.6	16.2	17.7	19.9	21.1	17.6	17.1	16.0	12.7	13.7	12.3	16.5	197.4		

FORT SMITH, CANADA

STA NO. 72934 (IN AREA NUMBER 03)

LATITUDE 6001N

LONGITUDE 11158W

ELEVATION(FT) 00666

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	54	54	59	80	89	92	103	94	89	80	54	50	103	50	-610
MEAN MAX TMP (F)	-5	2	18	38	57	68	74	69	54	39	17	1	36	30	-105
MEAN MIN TMP (F)	-22	-19	-7	14	34	43	48	44	34	24	3	-15	15	30	-610
ABS MIN TMP (F)	-64	-67	-55	-41	-3	19	24	20	5	-24	-45	-71	-71	50	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.6	0.2	0.0	0.0	0.0	0.0	0.9	14	4721
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	26.9	13.4	2.5	0.2	2.5	11.2	23.8	29.9	31.0	231.4	14	4766
MEAN NO DYS TMP = OR LES 0(F)	27.2	23.6	18.5	7.1	0.0	0.0	0.0	0.0	0.0	1.3	12.1	25.3	115.1	14	4766
MEAN DEW PT TMP (F)	-9	-7	9	23	35	44	51	47	39	33	5	-13	21	6	4224
MEAN REL HUM (PCT)	95	92	78	73	69	67	72	71	78	83	92	90	80	6	4216
MEAN PRESS ALT (PCT)	482	471	508	578	605	685	704	681	666	668	608	544	600	0	-50
MEAN PRECIP (IN)	0.53	0.66	0.67	0.52	0.97	1.41	1.99	1.65	1.54	0.96	0.86	0.87	12.6	29	-105
MEAN SNOW FALL (IN)	5.2	6.6	6.7	3.9	0.7	0.0	0.0	0.0	1.1	5.4	8.4	8.6	46.6	29	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.6	2.1	2.1	1.6	3.1	4.0	5.1	4.5	4.2	3.1	2.9	2.8	37.1	29	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.3	0.6	2.4	0.6	0.3	0.0	0.0	0.0	0.5	1.7	1.8	2.8	12.0	14	4807
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	3.0	2.8	1.7	0.8	1.2	2.8	2.9	1.0	1.7	2.9	2.6	2.4	25.8	6	1802
MEAN NO DYS TSMS	0.0	0.0	0.0	0.0	0.0	2.0	5.0	2.0	0.0	0.0	0.0	0.0	9.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS	1.2	1.6	3.5	1.4	2.3	4.0	0.2	1.0	2.5	3.9	2.8	1.3	2.1	6	7292
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.1	0.0	0.0	0.0	6	7292
P FREQ LES 5000 FT A/O LES 5 MI	32.4	29.0	24.5	23.1	29.5	31.3	36.8	24.7	41.9	39.7	53.9	38.7	33.8	6	5756
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	21.1	15.0	14.4	6.8	12.8	12.9	17.4	14.1	18.5	23.0	25.0	22.7	17.3	6	-30
03-05 LST	20.0	17.9	15.2	9.2	16.8	12.2	16.9	13.2	19.8	23.3	30.6	22.5	18.1	8	2027
06-08 LST	23.8	19.3	16.4	10.8	15.2	11.6	16.5	16.0	21.7	23.9	35.3	24.7	19.6	6	-30
09-11 LST	27.6	18.8	17.5	12.4	13.5	10.9	16.1	18.7	23.5	24.4	39.9	26.8	20.8	8	2159
12-14 LST	27.0	17.0	15.2	10.1	13.1	11.2	16.2	14.3	22.8	22.6	35.7	24.8	19.2	6	-30
15-17 LST	26.4	15.1	12.8	7.7	12.7	11.4	16.2	9.8	22.0	20.8	31.4	22.7	17.4	8	2104
18-20 LST	24.3	13.6	13.2	6.0	10.8	12.5	17.0	12.4	19.1	21.7	29.4	22.9	16.9	6	-30
21-23 LST	22.2	12.0	13.6	4.3	8.8	13.5	17.8	15.0	17.2	22.6	27.3	23.0	16.4	6	1670
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	7.9	6.9	5.4	0.6	4.9	7.1	11.8	10.8	3.5	5.2	6.2	5.6	6.3	6	-30
03-05 LST	9.4	7.7	7.3	0.5	6.3	6.7	10.5	9.9	5.1	6.3	8.6	5.6	7.0	8	2027
06-08 LST	9.0	6.1	5.9	1.1	4.4	5.2	10.6	9.3	4.1	4.2	10.4	5.2	6.3	6	-30
09-11 LST	8.6	4.4	4.5	1.6	2.4	3.6	10.6	8.7	3.1	2.0	12.1	4.7	5.5	8	2159
12-14 LST	10.5	4.9	4.0	1.4	2.5	5.3	10.8	4.8	3.8	3.3	9.2	5.1	5.5	6	-30
15-17 LST	12.3	5.4	3.4	1.1	2.5	7.0	11.0	0.8	4.5	4.5	6.3	5.4	5.4	8	2104
18-20 LST	9.3	5.7	3.4	0.9	3.0	7.3	12.0	6.3	3.2	4.4	5.6	5.5	5.6	6	-30
21-23 LST	6.3	6.0	3.4	0.6	3.5	7.5	13.0	11.7	1.8	4.2	4.8	5.6	5.7	6	1670

FORT SMITH, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	25.1	24.9	28.2	29.0	28.6	26.8	27.0	28.7	25.4	27.3	24.0	26.5	321.5	8	2104
	23 LST	24.6	25.7	28.6	29.4	29.4	25.9	25.9	26.1	26.9	25.8	24.5	25.8	318.6	6	1670
	05 LST	25.9	24.0	27.4	28.7	27.2	26.5	25.4	25.5	24.7	25.2	22.1	25.4	308.2	8	2027
	11 LST	24.0	24.3	27.5	28.3	28.3	27.6	26.5	25.8	25.4	25.4	21.2	25.5	309.8	8	2159
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	19.6	18.6	20.2	18.8	16.6	17.8	20.2	18.4	15.7	16.6	15.1	21.5	219.1	8	2078
	23 LST	20.2	20.2	21.8	26.0	23.5	20.3	22.5	22.7	19.7	17.9	16.4	21.4	252.6	6	1640
	05 LST	20.1	19.0	22.7	24.5	21.3	21.6	21.5	23.0	18.4	17.7	15.3	20.8	245.9	8	2001
	11 LST	19.0	17.0	20.1	20.5	16.8	16.9	18.4	18.8	13.1	15.6	13.8	18.6	208.6	8	2132
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	0.0	0.3	0.9	0.4	1.1	0.8	0.4	1.1	0.7	0.6	0.7	0.1	7.1	14	4002
	23 LST	0.5	0.2	0.2	0.2	0.3	0.8	0.2	0.0	0.7	0.5	0.7	0.0	4.3	6	1859
	05 LST	0.3	0.3	0.3	0.1	0.3	0.2	0.2	0.2	0.4	0.7	0.3	0.4	3.7	14	4028
	11 LST	0.2	0.1	0.8	0.4	0.7	1.5	0.0	0.3	0.7	1.1	0.1	0.0	5.9	8	2287
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	0.2	0.5	3.5	10.5	16.5	17.4	17.5	15.6	15.4	8.6	1.0	0.2	106.9	14	4000
	23 LST	0.0	0.2	1.0	7.9	13.8	17.3	20.1	15.1	13.8	11.0	0.5	0.0	100.7	6	1855
	05 LST	0.3	0.3	0.1	3.8	12.4	15.4	15.5	14.4	13.1	8.3	0.4	0.1	84.1	14	4025
	11 LST	0.4	0.3	2.5	8.1	15.3	13.7	21.3	17.4	13.4	11.0	0.8	0.3	104.5	8	2285
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	11.0	11.3	13.8	12.6	9.2	9.9	6.7	8.1	8.0	6.9	5.5	11.2	114.2	12	3515
	23 LST	15.3	15.8	18.3	18.2	13.3	11.6	12.3	16.9	10.8	14.2	8.6	14.3	169.6	6	1760
	05 LST	13.3	13.3	16.9	14.8	11.8	14.3	11.0	10.5	11.2	11.0	8.6	13.5	150.2	12	3410
	11 LST	8.6	8.4	13.1	10.9	11.3	10.8	9.0	9.6	6.5	6.2	4.9	9.1	108.4	8	2260
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	19.3	20.1	24.2	25.2	23.4	21.5	22.4	23.9	19.2	20.2	14.9	20.6	254.9	8	2104
	23 LST	21.6	23.2	24.1	26.9	25.7	23.7	23.6	24.0	20.8	20.6	16.9	21.1	272.2	6	1670
	05 LST	22.2	20.6	24.0	24.6	23.3	23.6	22.7	21.7	19.5	19.5	16.4	21.1	259.2	8	2027
	11 LST	18.7	18.5	22.9	22.7	22.9	22.9	22.0	20.2	17.4	19.2	13.5	19.4	240.3	8	2159
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	17.0	17.4	21.1	20.4	18.8	15.2	15.6	19.7	14.6	17.5	11.9	17.7	206.9	8	2104
	23 LST	20.6	20.2	22.8	23.2	21.0	15.6	20.8	20.2	16.9	18.6	13.6	19.4	236.9	6	1670
	05 LST	20.8	17.4	22.1	20.6	20.2	20.9	18.2	17.6	15.7	16.4	13.7	19.0	222.6	8	2027
	11 LST	15.5	14.4	20.6	19.3	19.1	19.1	17.7	16.7	14.8	16.3	10.6	16.3	200.4	8	2159
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	17.0	17.2	21.1	20.1	18.4	14.8	15.6	19.1	14.6	17.3	11.9	17.6	204.7	8	2104
	23 LST	20.6	20.2	22.8	23.2	20.3	19.2	20.4	20.2	16.9	18.6	13.6	19.4	235.4	6	1670
	05 LST	20.8	17.4	22.1	20.5	20.1	20.7	18.0	17.2	15.7	16.4	13.7	18.8	221.4	8	2027
	11 LST	15.5	14.2	20.6	19.3	18.8	18.9	17.5	16.5	14.8	16.0	10.6	16.2	198.9	8	2159

HAY RIVER, CANADA

STA NO. 72935 (IN AREA NUMBER 13)

LATITUDE 6051N

LONGITUDE 11546W

ELEVATION(FT) 00541

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	49	56	60	74	92	95	96	93	89	92	59	54	96	70	-610
MEAN MAX TMP (F)	-2	2	14	33	50	61	70	66	55	40	17	2	34	29	-105
MEAN MIN TMP (F)	-21	-19	-8	12	31	41	50	47	38	26	2	-16	15	29	-105
ABS MIN TMP (F)	-62	-59	-53	-40	-12	18	29	20	4	-15	-41	-60	-62	70	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.2	0.0	0.0	0.0	0.0	0.6	12	4115
MEAN NO DYS TMP = OR LES 32(F)	30.8	27.7	31.0	27.1	16.9	3.4	0.0	0.2	7.3	22.4	29.6	31.0	227.4	12	4191
MEAN NO DYS TMP = OR LES 0(F)	28.2	23.9	19.5	7.2	0.0	0.0	0.0	0.0	0.0	0.2	11.8	25.8	116.6	12	4191
MEAN DEW PT TMP (F)	-3	-11	1	23	32	43	49	47	39	30	12	-3	22	5	13093
MEAN REL HUM (PCT)	79	75	73	72	70	71	71	72	77	77	81	80	75	5	13089
MEAN PRESS ALT (FT)	335	328	368	437	464	540	564	556	544	560	475	416	466	0	-50
MEAN PRECIP (IN)	0.67	0.56	0.50	0.66	0.99	1.17	1.32	1.60	1.51	1.15	1.09	0.80	12.0	29	-105
MEAN SNOW FALL (IN)	6.5	5.5	4.9	4.6	1.6	0.3	0.0	0.0	0.2	4.9	10.4	7.9	46.8	29	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.1	1.7	1.6	2.1	3.1	3.5	3.8	4.4	4.2	3.5	3.4	2.6	36.0	29	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.0	0.5	1.1	0.6	0.5	0.0	0.0	0.0	0.0	0.8	1.7	1.7	7.9	13	4534
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.2	2.0	2.0	1.8	2.2	0.5	0.5	1.0	1.8	3.9	3.1	2.9	23.9	5	1517
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.4	1.0	1.0	0.5	0.2	0.0	0.0	0.0	3.1	5	1465
P FREQ WND SPD = OR GTR 17 KTS	0.5	0.7	0.7	0.4	1.1	0.8	0.4	1.7	4.5	2.7	1.6	2.0	1.4	5	14336
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.0	0.0	0.0	5	14336
P FREQ LES 5000 FT A/O LES 5 MI	21.9	24.2	18.0	14.3	27.6	17.6	19.9	16.9	40.6	41.7	50.3	23.8	26.4	5	13991
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	19.4	16.3	13.0	0.0	14.1	1.1	7.6	0.0	21.3	21.5	42.4	10.3	13.9	2	1128
03-05 LST	13.4	9.1	8.6	5.2	13.9	3.4	4.3	3.8	16.9	28.4	35.6	17.2	13.3	5	2248
06-08 LST	15.1	10.3	12.9	13.9	16.1	8.9	8.6	7.5	20.0	26.8	30.7	24.7	16.3	2	1508
09-11 LST	12.0	10.7	11.5	10.8	13.3	4.6	7.5	9.1	20.2	25.8	35.5	13.5	14.5	5	2610
12-14 LST	3.2	8.0	19.9	8.9	10.8	5.6	6.5	3.2	27.8	25.3	35.9	12.9	14.0	2	1529
15-17 LST	6.4	12.9	13.7	5.1	9.1	4.0	6.0	3.8	23.3	24.0	32.0	10.8	12.6	5	2579
18-20 LST	8.6	9.2	20.0	3.7	8.6	3.3	6.5	2.2	24.4	24.2	27.5	15.1	12.8	2	1479
21-23 LST	10.7	12.6	7.6	2.3	8.7	2.8	5.4	3.2	17.3	24.6	31.1	12.6	11.6	5	2385
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	8.6	5.8	6.5	0.0	8.9	0.0	0.0	0.0	10.1	2.2	5.1	6.4	4.5	2	1128
03-05 LST	3.9	3.0	2.7	1.0	5.3	0.6	0.5	1.1	5.1	4.6	3.6	5.3	3.1	5	2248
06-08 LST	5.4	4.6	2.7	1.7	5.9	3.3	0.0	3.2	10.0	4.9	7.2	5.4	4.5	2	1508
09-11 LST	3.3	6.5	2.2	3.3	2.9	0.6	1.1	1.1	5.1	3.9	9.9	2.7	3.6	5	2610
12-14 LST	0.0	2.3	5.9	1.7	2.2	0.0	2.2	0.0	7.8	5.9	9.2	4.3	3.5	2	1529
15-17 LST	2.3	7.1	4.7	1.6	1.8	0.0	0.0	1.1	6.7	4.3	5.0	3.8	3.2	5	2579
18-20 LST	6.5	4.6	7.1	1.2	2.2	0.0	0.0	0.0	8.9	6.5	5.9	2.2	3.8	2	1479
21-23 LST	3.9	4.2	3.2	0.9	3.6	0.0	0.5	1.1	6.7	3.6	6.1	2.3	3.0	5	2385

HAY RIVER, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST	29.3	25.2	28.6	29.1	29.8	29.2	30.2	30.2	25.7	26.6	22.7	28.7	335.3	5	1564
	22 LST	28.6	26.2	29.2	29.1	29.2	29.4	30.5	30.0	27.2	26.4	25.5	28.7	340.1	5	1530
	04 LST	28.6	26.4	28.6	29.4	28.8	29.2	30.2	29.7	27.2	24.2	25.8	26.9	335.0	5	1556
	10 LST	28.5	26.5	29.4	28.4	29.0	29.5	30.5	29.2	26.7	27.6	22.5	28.5	336.3	5	1590
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LFS 10 KTS	16 LST	25.9	20.2	21.3	17.6	15.0	18.0	22.4	19.5	16.5	17.8	16.8	24.2	235.2	5	1564
	22 LST	23.6	21.1	24.7	26.6	24.9	28.2	28.5	26.2	19.2	19.0	18.4	23.5	283.9	5	1530
	04 LST	24.9	20.4	25.0	24.8	24.6	27.5	27.2	26.5	19.4	15.8	16.9	23.1	276.1	5	1556
	10 LST	23.4	22.1	21.4	20.9	14.0	21.6	24.2	21.2	16.8	15.0	15.8	24.7	241.1	5	1590
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST	1.4	0.6	1.3	1.1	2.0	2.3	2.1	2.5	1.7	2.8	1.3	2.2	21.3	12	3372
	22 LST	0.0	0.3	0.0	0.0	0.2	0.0	0.0	0.5	1.3	0.4	0.2	0.2	3.1	5	1523
	04 LST	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.4	0.2	1.9	6	1544
	10 LST	0.0	0.3	0.6	0.4	0.4	0.2	0.0	0.5	0.5	0.8	0.5	0.5	4.7	5	1568
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST	0.3	0.3	2.6	8.7	16.4	17.5	16.3	16.2	15.2	9.2	1.3	0.0	104.0	12	3368
	22 LST	0.0	0.0	1.3	4.8	10.9	13.5	9.5	11.8	11.4	9.7	0.9	0.5	74.3	5	1523
	04 LST	0.2	0.0	0.2	3.9	9.3	11.3	11.1	12.1	11.7	6.4	0.4	0.5	69.1	6	1541
	10 LST	0.2	0.0	2.5	9.3	18.3	22.6	21.9	16.5	15.4	10.8	0.7	0.2	118.4	5	1568
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST	6.9	8.3	10.0	9.1	5.3	12.6	8.6	10.7	4.7	5.0	4.8	13.8	99.8	3	1081
	22 LST	15.1	13.1	17.0	17.3	8.2	10.1	9.6	14.7	11.3	8.3	9.6	13.9	148.2	3	1074
	04 LST	17.1	14.5	17.0	13.1	9.8	11.9	11.0	11.0	11.6	10.3	11.3	14.1	152.7	3	1076
	10 LST	8.6	7.0	10.0	8.8	6.3	8.9	9.3	10.0	5.1	4.7	4.4	11.0	94.1	3	1089
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST	26.2	23.5	26.3	27.3	27.1	27.7	27.2	28.0	20.3	19.0	18.1	25.7	296.4	5	1564
	22 LST	25.9	23.4	26.7	28.4	27.1	28.7	27.7	28.5	21.8	19.6	17.6	24.3	299.7	5	1530
	04 LST	26.5	23.3	25.8	25.1	25.5	28.0	28.0	26.7	21.4	17.0	17.8	24.9	290.0	5	1556
	10 LST	24.4	23.4	26.0	25.0	25.0	27.9	27.5	25.0	19.3	16.8	16.1	25.5	281.9	5	1590
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST	23.2	20.7	22.9	23.8	21.1	24.4	22.8	24.0	15.8	16.2	14.0	23.4	252.3	5	1564
	22 LST	24.4	21.3	23.9	24.1	21.0	25.4	23.5	25.5	17.7	16.4	14.4	22.5	260.1	5	1530
	04 LST	24.1	20.7	22.7	23.0	21.7	22.4	23.0	22.7	18.9	13.5	15.1	22.1	249.9	5	1556
	10 LST	20.3	20.4	21.4	23.0	21.8	23.5	24.7	22.0	15.8	13.6	12.8	21.9	241.2	5	1590
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST	20.4	19.5	21.7	21.8	19.5	22.4	22.8	23.5	15.0	14.8	12.7	21.1	235.2	5	1564
	22 LST	22.5	20.8	23.2	22.0	19.6	22.9	21.5	24.5	16.2	15.4	13.1	21.4	243.1	5	1530
	04 LST	23.0	19.3	21.1	20.9	19.9	20.8	21.7	21.5	17.9	11.9	14.4	21.3	233.7	5	1556
	10 LST	18.3	19.9	19.2	21.9	19.6	22.2	23.0	21.0	15.5	12.6	11.8	20.4	225.4	5	1590

YELLOWKNIFE, CANADA

STA NO. 72936 (IN AREA NUMBER 03)

LATITUDE 6228N

LONGITUDE 11427W

ELEVATION(FT) 00674

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	37	43	43	60	79	85	90	86	79	65	46	37	90	20	-610
MEAN MAX TMP (F)	-8	-6	10	29	46	63	69	65	50	36	13	-3	30	13	4366
MEAN MIN TMP (F)	-23	-23	-10	9	28	45	52	50	38	26	-1	-18	14	13	4362
ABS MIN TMP (F)	-60	-60	-47	-38	-9	28	33	34	18	-9	-43	-55	-60	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	4366
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	28.7	19.0	1.6	0.0	0.0	6.2	23.9	29.9	31.0	230.3	13	4362
MEAN NO DYS TMP = OR LES 0(F)	29.6	25.4	23.6	10.3	0.2	0.0	0.0	0.0	0.0	0.3	14.8	27.5	131.7	13	4362
MEAN DEW PT TMP (F)	-10	-18	0	19	32	42	49	49	39	31	9	-12	19	9	7656
MEAN REL HUM (PCT)	82	78	83	83	77	68	68	75	81	88	91	86	80	9	7636
MEAN PRESS ALT (FT)	474	463	493	465	562	677	719	704	684	699	616	551	603	0	-50
MEAN PRECIP (IN)	0.84	0.57	0.66	0.42	0.67	0.59	1.47	1.41	0.95	1.34	1.02	0.81	10.8	13	4402
MEAN SNOW FALL (IN)	8.2	5.6	5.6	3.0	0.2	0.0	0.0	0.0	0.2	2.8	7.5	6.2	39.3	6	2004
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.2	2.0	1.9	1.2	1.8	1.4	4.2	3.5	2.5	4.3	3.8	2.9	31.7	13	4402
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.0	1.2	1.0	0.6	0.0	0.0	0.0	0.0	0.0	0.8	1.3	1.2	8.1	6	2004
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.8	1.4	1.5	0.8	0.6	0.5	0.7	2.0	0.8	2.6	4.0	3.3	20.0	9	2473
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.7	0.1	0.0	0.0	0.0	1.7	9	2486
P FREQ WND SPD = OR GTR 17 KTS	5.9	4.2	4.3	3.2	4.7	7.0	5.6	6.3	12.8	10.5	7.0	6.1	6.5	9	9652
P FREQ WND SPD = OR GTR 28 KTS	0.5	0.4	0.2	0.2	0.0	0.3	0.0	0.6	2.2	0.4	0.3	0.4	0.5	9	9652
P FREQ LES 5000 FT A/O LES 5 MI	27.6	24.4	23.1	24.1	23.3	21.8	27.6	30.1	43.2	58.1	55.2	35.4	32.8	9	9180
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	13.9	9.9	9.5	8.5	7.1	3.5	8.4	10.2	12.7	27.1	27.7	14.8	12.8	9	-30
03-05 LST	15.8	10.8	10.1	8.8	7.6	5.3	9.3	10.4	14.8	29.1	29.3	17.6	14.1	13	4204
06-08 LST	14.7	11.5	10.8	9.8	6.1	3.8	9.7	11.4	15.4	31.6	28.9	17.2	14.2	9	-30
09-11 LST	13.6	12.2	11.4	10.7	4.6	2.2	10.0	12.4	15.9	34.1	28.5	16.7	14.4	9	2440
12-14 LST	13.5	9.6	9.2	8.7	5.2	2.0	8.9	10.3	13.9	31.3	29.2	16.7	13.2	9	-30
15-17 LST	13.4	7.0	7.0	6.7	5.8	1.7	7.8	8.2	11.9	28.5	29.8	16.7	12.0	9	2441
18-20 LST	12.7	8.0	7.9	7.5	6.2	1.7	7.6	9.1	11.3	26.8	28.0	14.4	11.8	9	-30
21-23 LST	11.9	8.9	8.8	8.2	6.6	1.7	7.4	9.9	10.6	25.0	26.1	12.1	11.4	9	2431
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	4.0	3.8	2.3	2.3	1.4	0.4	4.0	4.8	2.4	7.1	7.6	4.0	3.7	9	-30
03-05 LST	5.2	4.5	3.0	1.8	2.1	0.8	3.5	3.0	2.0	8.3	8.5	4.7	4.0	13	4204
06-08 LST	4.7	3.6	3.7	1.6	1.1	0.4	4.1	3.2	1.6	7.5	9.1	5.4	3.8	9	-30
09-11 LST	4.1	2.6	4.3	1.3	0.0	0.0	4.6	3.3	1.1	6.6	9.6	6.0	3.6	9	2440
12-14 LST	3.5	1.9	4.0	1.7	1.0	0.3	3.8	3.7	0.6	6.8	9.3	6.0	3.6	9	-30
15-17 LST	2.8	1.1	3.7	2.0	1.9	0.6	3.0	4.1	0.0	7.0	8.9	5.9	3.4	9	2441
18-20 LST	2.8	2.1	2.6	2.4	1.3	0.3	3.8	5.3	1.4	6.5	7.8	4.6	3.4	9	-30
21-23 LST	2.7	3.1	1.5	2.7	0.7	0.0	4.5	6.5	2.8	5.9	6.7	3.3	3.4	9	2431

YELLOWKNIFE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST	28.1	26.8	29.2	28.4	29.8	29.8	29.0	28.1	28.1	24.6	23.6	27.1	332.6	9	2441
	22 LST	28.1	26.0	28.7	28.1	30.4	29.6	28.8	28.5	27.8	25.8	24.5	28.6	334.9	9	2431
	04 LST	27.2	25.7	28.9	28.2	29.9	29.1	28.9	28.1	27.5	25.1	24.1	27.0	329.7	13	4204
	10 LST	26.6	25.2	28.5	28.2	30.4	30.0	28.8	27.0	27.3	23.8	23.5	26.9	326.2	9	2440
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST	20.8	22.0	21.6	21.4	19.3	18.7	16.0	16.6	12.4	14.4	14.6	19.7	217.5	9	2379
	22 LST	20.3	20.0	21.8	22.8	22.4	23.9	24.0	22.3	18.4	12.6	15.2	21.5	245.2	9	2353
	04 LST	16.2	18.1	19.8	17.6	19.0	18.3	21.5	21.1	15.1	10.7	14.0	18.1	209.5	13	4133
	10 LST	19.6	20.1	19.9	20.3	19.8	17.3	17.4	16.0	12.8	11.1	13.9	19.6	207.8	9	2375
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST	0.3	0.8	1.1	1.2	1.8	2.8	2.5	2.5	3.3	2.6	1.5	1.5	21.9	9	2463
	22 LST	1.6	1.0	1.3	0.6	0.8	0.6	0.7	0.9	2.1	1.6	1.5	0.9	13.6	9	2431
	04 LST	1.7	0.6	0.6	0.7	0.9	1.2	1.1	0.7	2.6	2.5	1.3	1.1	15.0	13	4192
	10 LST	0.8	0.7	1.7	0.8	1.6	3.2	1.7	2.2	4.1	2.7	1.0	1.5	22.0	9	2460
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST	0.0	0.0	1.0	6.4	14.4	16.8	19.1	15.7	13.5	8.0	0.4	0.1	95.4	9	2424
	22 LST	0.0	0.0	0.0	2.2	11.0	14.5	17.4	15.9	12.5	5.5	0.4	0.0	79.4	9	2398
	04 LST	0.0	0.0	0.0	0.5	7.5	15.8	16.0	15.2	11.6	3.8	0.1	0.0	70.5	13	4158
	10 LST	0.0	0.0	0.1	3.4	12.6	15.8	16.6	14.8	10.9	6.5	0.5	0.0	81.2	9	2426
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST	12.5	12.3	12.4	13.4	11.3	12.9	7.2	8.7	4.7	4.6	6.2	10.7	116.9	9	2459
	22 LST	16.3	14.3	18.0	15.9	15.8	13.6	11.0	14.4	10.3	6.8	9.6	14.4	160.4	9	2449
	04 LST	16.2	14.9	17.6	13.3	11.6	13.1	11.6	10.6	8.6	6.2	9.2	13.3	146.2	13	4221
	10 LST	10.8	10.7	12.2	13.4	9.6	13.1	7.8	7.9	4.5	4.4	5.4	8.0	107.8	9	2462
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST	23.7	23.9	26.4	25.4	27.6	28.0	25.9	24.5	22.0	17.4	15.6	22.9	283.3	9	2441
	22 LST	24.5	22.9	26.1	25.5	27.1	27.5	26.9	25.4	23.2	17.5	16.3	23.2	286.1	9	2431
	04 LST	23.2	22.5	25.3	25.1	26.5	26.6	26.8	24.9	20.9	15.2	16.2	21.7	274.9	13	4204
	10 LST	22.7	22.2	25.4	25.0	27.5	26.8	25.4	23.4	19.9	15.4	16.4	22.5	272.6	9	2440
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST	20.0	20.4	23.0	21.8	21.9	21.3	18.9	18.2	16.4	12.6	11.3	18.1	223.9	9	2441
	22 LST	20.9	18.6	22.2	20.6	23.7	22.6	21.7	20.4	16.3	11.5	13.1	18.5	230.1	9	2431
	04 LST	20.6	19.2	22.8	21.6	21.7	22.7	22.2	20.3	15.3	10.7	12.7	17.8	227.6	13	4204
	10 LST	19.2	19.8	22.7	23.1	22.0	20.1	19.1	18.9	15.0	11.9	11.7	18.7	222.2	9	2440
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST	19.6	20.0	21.9	21.6	21.7	21.3	18.6	18.2	16.1	12.4	11.3	17.5	220.2	9	2441
	22 LST	20.4	18.1	22.1	20.2	23.4	21.9	21.2	20.2	16.1	11.4	12.8	18.0	225.8	9	2431
	04 LST	19.8	18.1	22.0	20.5	21.2	22.3	21.4	19.7	14.8	10.4	12.2	16.4	218.8	13	4204
	10 LST	18.7	19.4	22.4	22.7	22.0	19.8	18.9	18.8	14.5	11.6	11.4	18.3	218.5	9	2440

FORT SIMPSON, CANADA

STA NO. 72946 (IN AREA NUMBER 03)

LATITUDE 6145N

LONGITUDE 12114W

ELEVATION (FT) 00554

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	53	60	78	71	95	95	97	94	86	87	77	52	97	54	-800
MEAN MAX TMP (F)	-10	0	13	38	56	68	74	68	56	36	11	-4	34	42	-28
MEAN MIN TMP (F)	-27	-21	-11	14	33	45	50	46	36	21	-3	-20	14	42	-28
ABS MIN TMP (F)	-66	-70	-52	-39	-9	25	31	21	7	-18	-51	-64	-70	54	-608
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.5	0.3	0.1	0.0	0.0	0.0	0.0	0.9	12	4852
MEAN NO DYS TMP = OR LES 32(F)	31.0	27.9	31.0	27.5	10.3	0.5	0.0	1.0	9.3	24.8	30.0	31.0	224.3	12	4870
MEAN NO DYS TMP = OR LES 04(F)	28.6	24.6	19.5	4.7	0.0	0.0	0.0	0.0	0.4	14.3	28.9	121.0	17	4870	
MEAN DEW PT TMP (F)	-32	-12	-1	23	37	45	48	45	36	28	5	-8	20	4	14224
MEAN REL HUM (PCT)	71	72	70	71	63	68	63	67	71	78	78	71	70	4	14215
MEAN PRESS ALT (FT)	360	357	409	477	515	564	580	586	588	602	509	460	501	0	-50
MEAN PRECIP (IN)	0.70	0.70	0.50	0.70	1.40	1.50	2.00	1.50	1.30	1.10	0.90	0.80	13.1	42	-28
MEAN SNOW FALL (IN)	7.6	6.2	4.4	3.7	1.6	0.0	0.0	0.0	0.4	4.5	9.1	7.7	45.2	28	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.2	2.2	1.6	2.2	4.3	4.2	5.2	4.2	3.8	3.4	3.0	2.6	38.9	42	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.6	0.7	1.0	0.9	0.5	0.0	0.0	0.0	0.1	0.6	1.9	2.3	9.6	14	5020
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.8	0.6	1.6	1.1	0.2	1.0	1.3	2.5	1.2	2.7	1.4	2.6	17.0	6	2037
MEAN NO DYS TSMS	0.0	0.0	0.0	0.0	0.0	2.0	3.0	1.0	0.0	0.0	0.0	0.0	6.0	9	-24
P FREQ WND SPD = OR GTR 17 KTS	1.3	3.1	3.9	1.0	3.8	1.7	1.9	2.6	2.6	1.8	1.6	1.3	2.2	6	18580
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.0	0.1	0.0	0.2	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.1	6	18580
P FREQ LES 5000 FT A/O LES 5 MI	15.4	27.8	23.5	20.9	24.5	27.0	20.2	21.6	34.0	40.1	45.6	21.0	26.8	6	17946
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	12.2	0.0	10.8	14.6	3.3	12.2	4.9	1.9	7.3	24.2	28.9	8.1	10.7	2	1549
03-08 LST	6.3	10.2	7.6	8.0	9.5	10.4	7.9	13.5	12.2	19.5	26.6	5.3	11.4	7	3391
06-08 LST	7.5	17.2	14.0	10.0	8.6	10.0	8.6	10.3	20.0	30.6	33.9	3.2	14.5	2	1560
09-11 LST	9.5	12.7	10.1	9.7	7.9	8.3	10.8	11.6	17.6	25.5	25.6	9.2	13.2	7	3490
12-14 LST	14.0	13.8	8.6	8.9	1.1	8.9	3.3	3.2	11.1	23.7	21.1	4.8	10.2	2	1555
15-17 LST	6.8	12.0	6.1	6.4	6.8	9.7	5.1	6.9	11.1	20.9	22.5	12.4	10.6	7	3489
18-20 LST	11.0	6.9	16.1	10.0	3.3	10.0	2.2	0.0	7.3	21.5	22.9	10.3	10.1	2	1551
21-23 LST	9.2	6.6	10.6	8.9	5.4	6.8	6.0	8.3	6.8	17.1	24.1	12.5	10.2	6	3035
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	1.1	0.0	4.3	5.6	2.2	4.4	1.1	0.0	0.0	8.1	1.7	3.2	2.6	2	1549
03-08 LST	1.3	4.0	5.3	1.9	1.5	2.6	4.7	6.5	4.3	8.0	6.4	0.4	3.9	7	3391
06-08 LST	2.2	0.0	12.9	6.7	0.0	0.0	0.0	1.9	3.3	6.5	3.9	0.0	3.1	2	1560
09-11 LST	4.5	3.7	5.4	2.6	0.4	2.3	4.8	3.3	2.4	4.8	6.2	2.6	3.6	7	3490
12-14 LST	2.2	4.6	5.4	2.2	0.0	0.0	0.0	0.0	0.0	2.2	4.4	0.0	1.8	2	1555
15-17 LST	3.4	4.0	2.5	2.6	0.4	3.0	2.1	2.6	1.2	3.1	6.8	2.9	2.9	7	3489
18-20 LST	2.2	1.1	10.8	8.9	0.0	0.0	0.0	0.0	0.0	0.5	4.5	3.2	2.6	2	1551
21-23 LST	5.3	3.6	6.5	7.7	0.0	1.3	3.6	4.7	1.0	2.3	2.7	6.3	3.8	6	3035

FORT SIMPSON, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST	29.0	25.5	29.4	28.4	30.3	27.8	29.5	28.7	27.3	26.8	25.2	27.4	335.3	7	2451
	22 LST	27.4	25.6	27.8	27.4	29.9	29.1	28.9	27.1	28.8	27.7	25.3	27.2	332.2	6	2007
	04 LST	29.5	25.0	28.7	29.0	29.5	28.4	28.3	26.6	26.8	27.2	24.9	29.6	333.5	7	2356
	10 LST	27.8	25.3	28.4	23.5	29.4	27.8	28.1	27.9	26.0	25.7	23.7	27.4	326.0	7	2455
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST	25.0	20.1	23.8	22.0	20.4	21.3	22.2	20.4	21.0	18.6	18.6	22.8	256.2	7	2449
	22 LST	23.8	21.3	25.6	24.2	24.0	25.5	25.3	23.9	22.6	21.9	19.1	20.5	277.7	6	2003
	04 LST	25.4	19.5	24.4	23.8	20.6	23.9	25.1	21.8	21.2	20.9	19.3	25.1	271.0	7	2355
	10 LST	23.9	19.9	21.9	22.8	19.9	22.5	21.9	20.5	17.9	18.5	18.0	24.1	251.8	7	2452
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST	0.7	0.4	0.9	0.4	1.7	1.0	1.2	0.7	0.4	0.5	0.5	0.4	8.8	9	2848
	22 LST	0.6	1.0	0.4	0.2	1.0	1.0	0.2	0.7	0.7	0.2	0.7	1.1	7.1	6	2019
	04 LST	1.1	0.9	0.9	0.5	1.1	1.1	0.8	0.7	0.8	0.5	0.8	0.1	9.3	9	2832
	10 LST	0.6	0.9	1.3	0.8	1.6	0.6	1.7	1.3	0.7	0.4	0.8	0.2	10.9	7	2473
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST	0.6	0.1	1.8	7.1	12.8	13.3	12.9	11.4	14.3	8.7	0.2	0.0	83.2	9	2847
	22 LST	0.2	0.0	0.8	3.5	12.8	12.1	11.0	11.5	12.2	7.4	0.0	0.2	71.7	6	2016
	04 LST	0.3	0.0	0.1	1.7	9.9	13.2	9.6	11.5	11.5	6.0	0.0	0.1	63.9	9	2813
	10 LST	0.3	0.1	0.1	5.2	13.5	15.5	13.7	15.3	15.7	7.9	0.3	0.0	87.6	7	2471
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST	8.0	8.5	12.2	10.0	8.0	8.1	5.1	6.4	6.5	5.0	7.0	9.1	93.9	11	3383
	22 LST	15.7	14.9	18.5	13.7	10.7	10.1	8.5	10.1	12.5	12.1	10.0	13.1	149.9	5	1508
	04 LST	13.6	14.5	15.8	13.6	9.2	10.6	9.3	11.0	9.9	8.2	10.4	14.7	140.8	11	3083
	10 LST	9.5	7.1	10.9	9.9	8.7	11.5	10.6	9.6	5.0	5.2	6.9	7.1	102.0	6	1966
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST	26.7	22.9	28.0	25.8	25.4	24.9	26.1	26.4	24.1	21.7	20.2	24.1	296.3	7	2451
	22 LST	26.4	24.1	27.4	25.7	27.0	26.9	28.1	24.4	24.8	22.9	20.7	23.9	302.3	6	2007
	04 LST	27.5	22.7	27.4	26.9	25.6	26.5	27.0	23.7	23.5	22.7	20.7	26.8	301.0	7	2356
	10 LST	26.2	21.5	26.4	24.9	25.5	25.3	25.3	24.5	22.1	20.5	19.8	25.2	287.2	7	2455
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST	25.3	20.8	25.4	23.6	20.2	18.9	20.8	21.4	18.8	18.0	17.7	21.2	252.1	7	2451
	22 LST	24.0	20.9	24.4	23.5	21.4	23.0	23.4	21.1	20.6	19.1	17.3	21.3	260.0	6	2007
	04 LST	25.0	19.8	24.4	23.5	21.3	22.5	23.5	20.2	18.5	17.3	17.6	22.7	256.3	7	2356
	10 LST	24.1	18.2	22.6	23.1	21.9	21.4	22.7	22.0	18.2	16.5	17.0	21.6	249.3	7	2455
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST	24.8	20.4	24.6	23.3	19.7	17.9	19.2	20.2	17.3	17.0	16.2	19.3	239.9	7	2451
	22 LST	23.4	20.5	24.0	22.8	20.9	21.2	21.7	19.5	18.3	17.9	16.7	20.5	247.4	6	2007
	04 LST	25.0	18.8	23.0	23.2	21.1	21.9	21.2	18.5	17.2	16.0	17.3	21.8	245.0	7	2356
	10 LST	23.5	17.1	21.8	22.6	21.2	20.8	20.3	21.2	16.8	15.8	15.6	20.6	237.3	7	2455

NORMAN WELLS, CANADA

STA NO. 74043 (IN AREA NUMBER 03)

LATITUDE 6517N

LONGITUDE 12648W

ELEVATION(FT) 0239

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	44	41	52	64	88	88	89	89	78	64	47	35	89	20	-610
MEAN MAX TMP (F)	-9	-8	8	29	51	67	71	65	51	30	3	-8	29	12	3880
MEAN MIN TMP (F)	-24	-23	-13	8	31	46	51	46	35	10	-8	-21	12	12	3903
ABS MIN TMP (F)	-63	-66	-51	-35	1	27	23	21	7	-17	-45	-53	-66	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3880
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	30.9	29.1	15.9	1.1	0.1	1.0	11.0	29.6	30.0	31.0	238.7	12	3903
MEAN NO DYS TMP = OR LES 0(F)	29.3	26.4	25.1	9.0	0.0	0.0	0.0	0.0	0.0	1.2	20.6	28.2	139.8	12	3903
MEAN DEW PT TMP (F)	-19	-18	-5	12	32	44	49	48	37	23	-2	-17	15	6	6628
MEAN REL HUM (PCT)	86	83	82	76	68	64	68	74	81	87	88	86	79	6	6588
MEAN PRESS ALT (FT)	2	-6	46	123	159	212	244	244	245	256	154	100	148	0	-50
MEAN PRECIP (IN)	1.06	0.79	0.65	0.33	0.56	1.30	1.82	2.55	1.25	0.87	1.03	0.99	13.2	12	3904
MEAN SNOW FALL (IN)	6.5	5.8	3.4	4.6	1.8	0.2	0.0	0.0	2.8	6.5	8.4	6.7	46.7	10	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.9	2.4	2.2	0.7	2.2	3.5	4.8	6.2	4.2	3.1	3.4	2.9	38.5	12	3904
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.3	0.3	0.7	0.3	0.0	0.0	0.0	0.0	0.0	1.0	0.5	3.1		3	971
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.0	0.6	0.8	0.5	0.7	0.0	0.2	0.0	0.4	3.0	0.8	1.4	9.4	6	1732
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.2	1.8	1.8	1.6	0.0	0.0	0.0	0.0	5.4	6	1729
P FREQ WND SPD = OR GTR 17 KTS	3.4	4.5	2.3	5.3	5.6	3.4	1.6	4.7	6.2	4.0	4.5	4.9	4.2	6	6924
P FREQ WND SPD = OR GTR 28 KTS	0.2	1.1	0.0	0.6	0.0	0.0	0.0	0.8	0.0	0.2	0.2	0.7	0.3	6	6924
P FREQ LES 5000 FT A/O LES 5 MI	22.0	19.3	15.8	18.2	18.0	12.9	19.2	19.7	34.0	43.0	45.7	29.4	24.8	6	6852
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	11.2	8.4	4.5	5.5	6.1	4.5	6.0	7.6	11.9	24.1	17.7	13.5	10.1	6	-30
03-05 LST	13.5	6.8	5.0	5.9	7.4	6.4	8.1	9.1	13.1	24.1	16.1	11.8	10.6	12	4023
06-08 LST	12.7	9.1	6.4	7.3	7.8	4.5	7.6	9.4	15.9	24.3	19.7	15.3	11.7	6	-30
09-11 LST	11.9	11.4	7.7	8.7	8.1	2.5	7.1	9.7	18.7	24.5	23.3	18.8	12.7	6	1733
12-14 LST	11.9	9.7	5.2	6.1	6.1	2.5	4.9	7.8	13.7	23.6	22.7	16.3	10.9	6	-30
15-17 LST	11.9	7.9	2.6	3.4	4.0	2.5	2.6	5.8	8.7	22.6	22.0	13.8	9.0	6	1732
18-20 LST	10.4	9.0	3.3	4.2	4.4	2.5	3.3	5.9	9.7	23.3	20.7	14.5	9.3	6	-30
21-23 LST	8.8	10.0	3.9	5.0	4.8	2.5	3.9	6.0	10.7	24.0	19.3	15.2	9.5	6	1729
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	6.1	4.5	2.0	1.0	1.3	0.6	0.7	0.6	1.2	7.7	5.5	7.5	3.2	6	-30
03-05 LST	7.1	3.3	2.1	1.2	1.8	0.3	1.3	1.2	2.4	7.6	4.9	5.6	3.2	12	4023
06-08 LST	5.5	4.5	2.0	1.1	1.7	0.2	0.7	1.6	2.2	9.3	5.1	5.7	3.3	6	-30
09-11 LST	3.8	5.7	1.9	0.9	1.6	0.0	0.0	1.9	2.0	11.0	5.3	5.8	3.3	6	1733
12-14 LST	4.7	3.9	1.0	0.9	1.6	0.0	0.0	1.6	1.0	8.1	4.7	4.6	2.7	6	-30
15-17 LST	5.6	2.1	0.0	0.8	1.6	0.0	0.0	1.3	0.0	5.2	4.0	3.3	2.0	6	1732
18-20 LST	5.3	3.9	1.0	0.8	1.2	0.4	0.0	0.7	0.0	6.5	5.0	6.3	2.6	6	-30
21-23 LST	5.0	5.7	1.9	0.8	0.8	0.8	0.0	0.0	0.0	7.8	6.0	9.3	3.2	6	1729

NORMAN WELLS, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST	27.5	25.6	30.0	29.0	30.0	29.5	30.2	30.0	28.8	26.2	25.8	27.1	339.7	6	1732
	22 LST	27.7	25.0	29.4	28.7	30.0	29.0	30.4	29.9	28.4	24.7	26.2	26.3	335.7	6	1729
	04 LST	26.4	26.1	29.5	28.8	29.4	28.7	29.3	29.6	27.3	25.5	26.5	27.3	334.4	12	4023
	10 LST	26.9	25.2	29.0	28.4	30.0	29.3	30.0	29.2	26.4	24.8	24.8	26.2	330.2	6	1733
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST	22.1	21.6	21.3	16.1	14.0	17.6	19.2	20.7	17.8	17.0	18.0	22.6	228.0	6	1732
	22 LST	23.4	21.0	24.8	22.7	22.2	21.8	24.7	23.6	18.0	16.7	18.6	22.2	259.7	6	1729
	04 LST	21.0	21.3	24.5	22.1	24.2	23.3	24.7	23.4	20.0	16.0	20.2	22.3	263.0	12	4023
	10 LST	21.9	20.5	23.2	19.0	18.5	16.5	20.6	20.0	15.8	16.6	18.2	20.7	231.5	6	1732
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST	1.1	1.4	0.4	2.0	2.0	1.7	0.6	0.8	1.2	1.2	1.2	1.4	15.0	6	1736
	22 LST	1.0	1.0	0.6	1.0	1.2	0.2	0.0	0.4	1.2	1.0	1.0	0.8	9.4	6	1734
	04 LST	0.9	0.6	0.5	0.5	0.2	0.6	0.4	0.2	1.1	0.5	0.7	0.9	7.1	12	4027
	10 LST	0.6	0.6	0.4	1.5	1.7	1.5	0.6	0.6	0.8	1.4	0.8	0.4	10.9	6	1737
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST	0.0	0.0	0.4	4.5	14.5	12.3	13.0	13.0	12.0	4.8	0.0	0.0	74.5	6	1736
	22 LST	0.0	0.0	0.0	2.7	10.5	13.0	17.8	15.3	10.4	2.6	0.0	0.0	72.3	6	1734
	04 LST	0.0	0.0	0.2	0.6	7.4	14.5	14.6	13.5	9.4	1.3	0.0	0.0	61.5	12	4027
	10 LST	0.0	0.0	0.2	1.5	12.2	14.0	13.8	14.6	12.0	2.6	0.0	0.0	70.9	6	1737
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST	11.2	10.0	10.6	11.8	8.5	8.3	4.4	8.2	6.2	7.6	7.2	10.4	104.4	6	1737
	22 LST	14.7	13.6	15.2	11.0	9.7	8.0	6.0	7.4	9.8	10.2	9.0	12.2	126.8	6	1735
	04 LST	12.9	11.6	14.3	11.6	9.9	8.1	7.8	7.7	8.7	8.1	9.5	13.8	124.4	12	4027
	10 LST	9.3	7.2	9.2	8.3	8.2	11.3	6.8	9.2	5.2	6.0	5.4	9.0	95.1	6	1739
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST	25.4	24.2	28.8	28.0	28.7	27.7	28.8	27.6	23.6	20.6	19.0	25.1	307.5	6	1732
	22 LST	26.4	23.6	27.8	27.0	27.7	28.2	28.4	27.5	23.8	20.9	20.2	24.0	305.5	6	1729
	04 LST	24.8	24.2	27.8	26.3	26.8	26.8	26.8	25.1	22.6	18.8	22.5	25.3	297.8	12	4023
	10 LST	23.8	23.2	26.2	25.3	26.2	27.2	26.2	26.0	20.0	19.6	19.4	21.7	284.8	6	1733
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST	23.4	22.0	27.6	26.5	25.2	22.9	22.6	24.1	20.0	17.8	14.6	21.8	268.5	6	1732
	22 LST	24.4	21.0	25.6	23.7	24.2	24.8	25.0	25.5	19.8	16.5	16.4	21.5	268.4	6	1729
	04 LST	21.7	21.5	24.6	23.6	23.7	23.8	24.2	22.1	18.2	15.8	18.8	22.1	260.1	12	4023
	10 LST	21.1	21.0	23.8	22.4	23.7	24.2	23.4	24.4	16.8	16.8	14.4	19.5	251.5	6	1733
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST	23.0	21.2	27.4	25.7	25.0	22.7	21.4	23.7	19.6	17.4	13.8	20.4	261.3	6	1732
	22 LST	23.4	20.6	24.8	23.3	23.7	24.0	23.7	23.0	18.8	16.3	15.4	20.1	257.1	6	1729
	04 LST	20.7	20.7	23.7	22.4	22.2	22.8	23.1	20.5	17.3	15.4	17.7	20.7	247.2	12	4023
	10 LST	20.2	20.0	22.6	22.4	23.3	24.2	22.6	23.8	16.0	16.2	13.2	18.3	242.8	6	1733

WRIGLEY, CANADA

STA NO. 74044/ (IN AREA NUMBER 03)

LATITUDE 6312N

LONGITUDE 12325W

ELEVATION(FT) 00493

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	41	40	51	65	82	95	95	92	82	71	48	46	95	20	-110
MEAN MAX TMP (F)	-12	-5	15	36	56	69	73	68	53	34	9	-7	32	14	-108
MEAN MIN TMP (F)	-27	-21	-7	14	34	45	50	46	36	20	-4	-21	14	14	-108
ABS MIN TMP (F)	-57	-50	-52	-33	7	25	30	24	8	-16	-46	-56	-57	20	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		14	-29
MEAN NO DYS TMP = OR LES 32(F)							0.0							20	-29
MEAN NO DYS TMP = OR LES 0(F)					0.0	0.0	0.0	0.0	0.0					20	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	309	282	350	418	445	473	473	473	473	527	445	391	422	0	-50
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)							0.0							20	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN							0.0							20	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	3.0	4.0	1.0	0.0	0.0	0.0	0.0	9.0	5	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

WRIGLEY, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	10 LST														0	0
	16 LST														0	0
	22 LST														0	0
	04 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	10 LST														0	0
	16 LST														0	0
	22 LST														0	0
	04 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	10 LST														0	0
	16 LST														0	0
	22 LST														0	0
	04 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	10 LST														0	0
	16 LST														0	0
	22 LST														0	0
	04 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	10 LST														0	0
	16 LST														0	0
	22 LST														0	0
	04 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	10 LST														0	0
	16 LST														0	0
	22 LST														0	0
	04 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	10 LST														0	0
	16 LST														0	0
	22 LST														0	0
	04 LST														0	0
	10 LST														0	0

DATA NOT AVAILABLE

AREA NO. 03

CANADA

NORTHERN FORESTS

LATITUDE 6400N

LONGITUDE 12100W

PARAMETER DESCRIPTION	BOUNDARIES	6800N 13500W		6700N 12100W		6700N 12100W		6000N 10300W		6000N 10300W		6000N 12400W		
		6000N	12400W	6630N	13300W	6630N	13300W	6630N	13500W	6630N	13500W	6800N	13500W	
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		-7	-2	13	34	53	66	72	67	53	36	12	-2	33
MEAN MIN TMP (F)		-23	-20	-8	12	32	44	50	47	36	23	-1	-18	15
LARGEST MEAN PRECIP(IN)		1.06	0.79	0.67	0.70	1.40	1.50	2.00	2.55	1.54	1.34	1.09	0.99	15.6
SMALLEST MEAN PRECIP(IN)		0.53	0.56	0.50	0.33	0.56	0.59	1.32	1.41	0.95	0.87	0.86	0.80	9.3
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST	27.8	25.6	29.1	28.8	29.7	28.5	29.7	29.1	27.1	26.3	24.3	27.4	333.0
	22 LST	27.3	25.7	28.7	28.5	29.8	28.6	28.9	28.3	27.8	26.1	25.2	27.3	332.2
	04 LST	27.5	25.4	28.6	28.8	29.0	28.4	28.4	27.9	26.7	25.4	24.7	27.3	328.1
	10 LST	26.8	25.3	28.6	28.4	29.4	28.8	28.8	27.8	26.4	25.5	23.1	26.9	325.8
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST	22.7	20.5	21.6	19.2	17.1	18.7	20.0	19.1	16.7	16.9	16.6	22.2	231.3
	22 LST	22.3	20.7	23.7	24.5	23.4	23.9	25.0	23.7	19.6	17.6	17.5	21.8	263.7
	04 LST	21.5	19.7	23.3	22.6	21.9	22.5	24.0	23.2	18.8	16.2	17.1	21.9	253.1
	10 LST	21.6	19.9	21.3	20.7	17.8	19.0	20.5	19.3	15.3	15.4	15.9	21.5	228.2
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST	0.7	0.7	0.9	1.0	1.7	1.7	1.4	1.5	1.5	1.5	1.0	1.1	14.7
	22 LST	0.7	0.7	0.5	0.4	0.7	0.5	0.2	0.5	1.2	0.7	0.8	0.6	7.5
	04 LST	0.8	0.5	0.5	0.4	0.5	0.6	0.5	0.4	1.1	0.9	0.7	0.5	7.4
	10 LST	0.4	0.5	1.0	0.8	1.2	1.4	0.8	1.0	1.4	1.3	0.6	0.5	10.9
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST	0.2	0.2	1.9	7.4	14.9	15.5	15.8	14.4	14.1	7.9	0.6	0.1	93.0
	22 LST	0.0	0.0	0.6	4.2	11.8	14.1	15.2	13.9	12.1	7.2	0.4	0.1	79.6
	04 LST	0.2	0.1	0.1	2.1	9.3	14.0	13.4	13.3	11.5	5.6	0.2	0.1	69.9
	10 LST	0.2	0.1	1.1	5.5	14.4	16.3	17.5	15.7	13.5	7.8	0.5	0.1	92.7
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST	9.9	10.1	11.8	11.4	8.5	10.4	6.4	8.4	6.0	5.8	6.1	11.0	105.8
	22 LST	15.4	14.3	17.4	15.2	11.5	10.7	9.5	12.7	10.9	10.3	9.4	13.6	150.9
	04 LST	14.6	13.8	16.3	13.3	10.5	11.6	10.1	10.2	10.0	8.8	9.9	13.9	143.0
	10 LST	9.4	8.1	11.1	10.3	8.8	11.1	8.7	9.3	5.3	5.3	5.4	8.8	101.6
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST	24.3	22.9	26.7	26.3	26.4	26.0	26.1	26.1	21.8	19.8	17.6	23.7	287.7
	22 LST	25.0	23.4	26.4	26.7	26.9	27.0	26.9	26.0	22.9	20.3	18.3	23.3	293.1
	04 LST	24.8	22.7	26.1	25.6	25.5	26.3	26.3	24.4	21.6	18.6	18.7	24.0	284.6
	10 LST	23.2	21.8	25.4	24.6	25.4	26.0	25.3	23.8	19.7	18.3	17.0	22.9	273.4
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST	21.8	20.3	24.0	23.2	21.4	20.5	20.1	21.5	17.1	16.4	13.9	20.4	240.6
	22 LST	22.9	20.4	23.8	23.0	22.3	23.1	22.9	22.5	18.3	16.4	15.0	20.6	251.2
	04 LST	22.4	19.7	23.3	22.5	21.7	22.5	22.2	20.6	17.3	14.7	15.6	20.7	243.2
	10 LST	20.0	18.8	22.2	22.2	21.7	21.7	21.5	20.8	16.1	15.0	13.3	19.6	232.9
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST	21.0	19.7	23.3	22.5	20.9	19.8	19.5	20.9	16.5	15.8	13.2	19.2	232.3
	22 LST	22.1	20.0	23.4	22.3	21.6	21.8	21.7	21.5	17.3	15.9	14.3	19.9	241.8
	04 LST	21.9	18.9	22.4	21.5	20.9	21.7	21.1	19.5	16.6	14.0	15.1	19.8	233.4
	10 LST	19.2	18.1	21.3	21.8	21.0	21.2	20.5	20.3	15.5	14.4	12.5	18.8	224.6

COPPERMINE, CANADA

STA NO. 72938 (IN AREA NUMBER 04)

LATITUDE 6749N

LONGITUDE 11505W

ELEVATION(FT) 00028

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	26	34	29	46	63	82	87	82	79	57	36	40	87	30	-86
MEAN MAX TMP (F)	-11	-13	-6	10	29	45	57	53	41	25	3	-9	19	30	-86
MEAN MIN TMP (F)	-26	-28	-22	-8	15	32	42	40	31	14	-12	-23	5	30	-86
ABS MIN TMP (F)	-54	-58	-50	-47	-24	5	31	27	7	-28	-42	-49	-58	30	-586
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	7883
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	30.0	30.0	15.8	0.4	2.4	17.6	29.9	30.0	31.0	277.1	23	7938
MEAN NO DYS TMP = OR LES 0(F)	30.4	27.7	29.7	20.4	5.4	0.0	0.0	0.0	0.0	3.8	24.5	29.7	171.6	23	7938
MEAN DEW PT TMP (F)	-19	-25	-22	-11	20	35	44	45	34	19	-6	-20	8	7	4576
MEAN REL HUM (PCT)	77	72	71	70	87	89	88	88	90	88	84	82	82	7	4572
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.60	0.40	0.70	0.60	0.50	0.90	1.40	1.70	1.20	1.20	0.80	0.50	10.5	30	-86
MEAN SNOW FALL (IN)	6.0	4.0	7.0	5.0	5.0	1.0	0.0	0.0	4.0	10.0	8.0	5.0	55.0	30	-86
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.9	1.2	2.2	1.9	1.6	2.9	4.0	4.2	3.6	3.6	2.8	1.5	31.8	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.3	0.6	1.5	1.1	1.4	0.2	0.0	0.0	1.1	2.5	1.6	0.8	12.1	14	5108
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.9	3.4	1.8	2.8	1.5	3.0	1.4	1.8	1.0	0.7	2.7	1.7	23.7	7	1846
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	1.0	10	-86
P FREQ WND SPD = OR GTR 17 KTS	10.7	10.3	3.8	4.5	6.3	4.2	5.8	9.3	16.9	13.5	12.0	6.3	8.6	7	7376
P FREQ WND SPD = OR GTR 28 KTS	1.3	0.7	0.0	0.0	0.2	0.0	0.0	0.8	1.4	0.4	0.8	0.5	0.5	7	7376
P FREQ LES 5000 FT A/O LES 5 MI	28.3	14.0	21.6	24.1	42.8	36.9	34.5	39.4	61.2	51.9	41.5	25.3	35.1	7	7128
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	13.0	7.0	7.2	10.9	14.2	16.3	10.9	14.9	19.1	18.7	16.2	9.4	13.2	7	-30
03-05 LST	12.2	7.4	7.9	14.2	16.2	17.0	13.3	18.4	20.9	19.5	15.1	10.6	14.4	18	5370
06-08 LST	14.7	9.5	8.5	12.9	14.4	14.0	13.7	16.1	20.3	19.2	17.2	12.6	14.4	10	-30
09-11 LST	17.1	12.4	9.0	11.5	12.6	11.0	14.1	13.8	19.7	18.9	19.3	14.5	14.5	10	3081
12-14 LST	15.6	10.0	8.5	10.7	11.8	9.5	11.7	12.8	18.5	20.1	20.0	14.5	13.6	10	-30
15-17 LST	14.0	7.6	7.9	9.8	11.0	8.0	10.3	11.7	17.3	21.2	20.7	14.5	12.8	11	3082
18-20 LST	13.9	7.1	7.2	8.7	11.6	11.8	9.4	11.5	17.8	19.6	19.0	11.5	12.4	7	-30
21-23 LST	13.8	6.6	6.5	7.6	12.2	15.5	8.4	11.3	18.3	17.9	17.2	8.2	12.0	7	1842
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	6.8	4.7	3.8	3.6	5.0	6.1	3.0	3.7	2.7	2.5	5.8	3.2	4.2	7	-30
03-05 LST	6.1	4.3	3.7	5.4	5.0	7.8	3.3	3.5	3.1	2.8	5.9	3.7	4.6	18	5370
06-08 LST	6.9	5.3	4.1	5.5	5.0	6.5	4.0	3.8	2.9	2.5	6.4	4.2	4.8	10	-30
09-11 LST	7.6	6.2	4.5	5.5	4.9	5.1	4.7	4.0	2.7	2.2	6.9	4.7	4.9	10	3081
12-14 LST	7.6	5.5	3.9	4.1	4.5	4.3	3.7	3.5	1.9	2.9	7.1	4.9	4.5	10	-30
15-17 LST	7.6	4.8	3.3	2.6	4.1	3.4	2.6	2.9	1.1	3.6	7.3	5.1	4.0	11	3082
18-20 LST	7.6	5.0	3.6	2.2	4.5	3.9	2.6	3.4	1.7	2.9	6.5	3.9	4.0	7	-30
21-23 LST	7.5	5.1	3.9	1.7	4.9	4.3	2.6	3.8	2.2	2.2	5.7	2.7	3.9	7	1842

COPPERMINE, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST	25.9	25.9	28.7	28.2	29.0	28.7	29.0	28.5	27.6	26.7	24.4	27.5	330.1	11	3082
	22 LST	27.1	24.7	28.8	27.7	28.2	27.2	30.0	28.6	27.2	28.0	26.4	28.6	332.5	7	1842
	04 LST	27.3	26.0	28.6	26.2	27.4	26.3	29.2	28.0	26.7	28.4	26.7	28.3	329.1	18	5370
	10 LST	26.2	24.1	27.8	26.7	28.2	27.6	28.5	28.3	26.9	28.2	25.2	26.8	324.5	10	3081
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST	14.4	14.4	20.4	18.9	16.5	19.0	18.1	15.4	11.7	13.0	11.8	16.7	190.3	11	3078
	22 LST	14.8	12.2	20.3	20.3	20.6	19.4	19.6	18.5	14.2	13.8	11.9	18.6	204.2	7	1841
	04 LST	12.8	14.5	17.2	15.7	18.4	19.2	18.3	15.5	12.2	11.8	12.0	15.0	182.6	18	5362
	10 LST	13.6	14.3	20.2	17.7	18.0	19.7	19.2	15.5	11.8	13.1	13.4	16.1	192.6	10	3075
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST	2.6	1.9	1.5	1.6	1.8	0.7	1.7	2.1	2.9	1.8	2.2	1.4	22.2	17	5642
	22 LST	1.6	1.6	0.4	1.0	1.7	0.8	1.0	1.9	2.5	1.6	2.6	1.0	17.7	7	1862
	04 LST	3.4	2.2	1.5	1.7	1.0	0.8	1.6	1.6	2.3	2.3	2.0	2.6	23.0	23	7911
	10 LST	2.1	2.5	1.2	1.7	1.6	1.0	1.4	2.3	3.0	2.8	2.4	2.1	24.1	10	3117
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST	0.0	0.0	0.0	0.3	3.0	15.6	16.3	14.9	9.5	1.4	0.0	0.0	61.0	17	5585
	22 LST	0.0	0.0	0.0	0.0	2.2	6.8	12.4	14.7	7.1	1.6	0.0	0.0	44.8	7	1862
	04 LST	0.0	0.0	0.0	0.0	1.3	7.9	13.2	12.7	6.8	1.8	0.0	0.0	43.7	23	7849
	10 LST	0.0	0.0	0.0	0.1	2.5	11.9	12.7	12.7	8.2	2.0	0.0	0.0	50.1	10	3085
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST	10.5	12.3	13.9	12.5	9.2	11.4	7.8	6.0	3.3	4.8	7.4	12.0	111.1	17	5442
	22 LST	14.2	18.3	14.3	13.9	8.2	11.3	8.0	7.2	5.5	7.5	9.4	14.4	132.2	7	1855
	04 LST	14.7	15.8	15.4	11.4	8.1	9.2	8.6	5.3	4.2	6.6	11.9	14.9	126.3	23	7691
	10 LST	9.2	10.1	11.6	11.1	8.2	10.7	6.9	4.7	2.8	4.0	6.7	10.4	96.4	10	3118
CIG = GTR 2500 FT. AND VSBY = GTR 3 MI	16 LST	22.8	24.2	26.6	24.5	23.0	24.2	24.4	23.7	17.5	18.7	20.1	23.7	273.4	11	3082
	22 LST	24.0	23.5	27.2	23.6	23.4	22.5	25.2	24.6	17.6	19.7	20.3	24.9	276.5	7	1842
	04 LST	24.4	24.1	25.7	22.8	21.1	20.3	21.8	19.0	15.3	18.0	21.0	24.8	258.3	18	5370
	10 LST	22.7	22.1	25.7	24.1	22.2	23.2	22.1	21.4	16.6	19.2	19.9	23.5	262.7	10	3081
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST	20.5	22.6	24.1	22.2	17.8	20.7	18.7	18.0	11.8	13.9	17.6	21.2	229.1	11	3082
	22 LST	21.0	22.3	23.1	21.8	18.1	18.1	20.4	16.6	11.0	14.0	16.9	22.4	225.7	7	1842
	04 LST	21.9	22.4	23.3	20.8	17.7	16.8	16.9	13.5	9.6	12.7	17.9	22.7	216.2	18	5370
	10 LST	20.1	20.6	23.8	22.2	17.8	20.1	17.5	16.3	10.3	15.7	17.0	21.5	222.9	10	3081
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST	20.1	22.3	23.9	22.2	17.6	20.7	18.4	17.4	11.4	13.5	16.9	20.9	225.3	11	3082
	22 LST	20.3	22.3	23.1	21.1	16.9	17.8	18.8	15.0	10.7	13.5	16.2	21.8	217.5	7	1842
	04 LST	21.0	22.1	22.4	20.1	16.2	16.1	16.1	12.6	9.3	12.4	17.3	22.0	207.6	18	5370
	10 LST	19.7	20.4	23.8	22.2	17.6	20.0	17.3	15.5	10.0	15.3	16.8	20.8	219.4	10	3081

INUVIK, CANADA

STA NO. 72957 (IN AREA NUMBER 04)

LATITUDE 6818N

LONGITUDE 13329W

ELEVATION(FT) 00223

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	49	49	49	57	77	86	93	88	76	55	44	50	93	34	-72968
MEAN MAX TMP (F)	-10	-9	0	19	40	58	66	58	44	25	3	-8	24	22	-72968
MEAN MIN TMP (F)	-26	-24	-17	-2	22	40	47	42	32	15	-9	-24	8	22	-72968
ABS MIN TMP (F)	-59	-62	-56	-44	-14	20	30	25	7	-22	-50	-57	-62	34	-72968
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-72968
MEAN NO DYS TMP = OR LES 32(F)	30.9	27.4	31.0	30.0	28.2	5.7	0.2	2.1	16.7	30.4	30.0	31.0	263.6	17	-72968
MEAN NO DYS TMP = OR LES 0(F)	29.5	25.3	29.2	17.0	1.3	0.0	0.0	0.0	0.0	3.1	23.0	30.7	159.1	17	-72968
MEAN DEW PT TMP (F)	-21	-19	-11	9	28	42	48	47	35	21	-5	-19	13	9	-72968
MEAN REL HUM (PCT)	90	92	90	90	83	75	77	84	88	94	92	90	87	9	-72968
MEAN PRESS ALT (FT)	-3	-19	15	93	125	186	232	234	232	246	141	87	131	0	-50
MEAN PRECIP (IN)	0.55	0.49	0.38	0.50	0.49	0.80	1.39	1.42	0.91	0.86	0.76	0.42	9.0	22	-72968
MEAN SNOW FALL (IN)	5.5	4.9	3.8	5.0	2.4	1.7	0.0	1.0	3.1	7.9	7.6	4.2	47.1	22	-72968
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.7	1.5	1.1	1.6	1.5	2.6	4.0	4.0	3.0	2.9	2.7	1.2	27.8	22	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.1	0.6	0.4	0.8	0.3	0.3	0.0	0.1	0.8	1.5	1.8	0.9	8.6	14	-72968
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.1	0.8	2.4	1.0	1.1	0.5	0.2	1.3	1.3	3.3	1.3	2.8	18.1	9	-72968
MEAN NO DYS TSTMS	0.2	0.0	0.1	0.0	0.0	0.0	0.5	0.4	0.0	0.0	0.1	0.0	1.3	9	-72968
P FREQ WND SPD = OR GTR 17 KTS	4.9	6.2	7.0	6.1	5.8	3.4	4.0	5.6	4.7	2.5	4.2	3.0	4.8	9	-72968
P FREQ WND SPD = OR GTR 28 KTS	0.5	0.4	0.7	1.1	0.1	0.0	0.1	0.2	0.1	0.0	0.3	0.3	0.3	9	-72968
P FREQ LES 5000 FT A/O LES 5 MI	38.2	27.9	28.5	20.6	34.6	26.7	36.4	44.1	53.8	62.8	62.8	41.1	39.8	9	-72968
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	20.0	13.6	15.7	14.2	15.2	15.4	17.1	23.2	26.1	32.3	29.2	17.2	19.9	9	-72968
03-05 LST	19.7	15.3	16.1	15.6	20.1	21.9	20.2	27.6	23.9	32.7	30.8	18.9	21.9	9	-72968
06-08 LST	20.6	15.6	16.9	14.0	18.2	19.8	19.4	28.3	28.0	33.3	33.0	18.4	22.1	9	-72968
09-11 LST	21.4	15.8	17.6	12.3	16.2	17.7	18.5	29.0	32.1	33.9	35.2	17.9	22.3	10	-72968
12-14 LST	21.5	13.6	15.5	10.9	11.9	12.7	15.9	23.7	27.0	30.7	34.6	20.1	19.8	10	-72968
15-17 LST	21.5	11.3	13.4	9.4	7.6	7.7	13.3	18.4	21.9	27.4	34.0	22.3	17.4	10	-72968
18-20 LST	20.9	11.6	14.4	11.1	8.9	8.3	14.6	18.6	25.1	29.7	30.8	18.9	17.7	10	-72968
21-23 LST	20.3	11.8	15.3	12.8	10.2	8.8	15.9	18.8	28.3	31.9	27.6	15.5	18.1	10	-72968
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	7.7	4.0	4.2	3.3	2.6	1.8	0.3	2.7	5.0	5.6	6.9	4.1	4.0	9	-72968
03-05 LST	8.2	4.2	4.1	3.0	4.3	2.0	0.5	4.6	5.3	6.5	7.2	5.9	4.7	9	-72968
06-08 LST	6.9	3.1	3.7	2.4	2.8	1.7	0.3	4.3	7.8	6.3	7.8	4.8	4.3	9	-72968
09-11 LST	5.6	2.0	3.3	1.7	1.0	1.4	0.0	4.0	10.3	6.0	8.3	3.6	3.9	10	-72968
12-14 LST	6.3	2.2	3.1	1.1	1.0	1.0	0.7	2.4	7.3	5.0	7.4	3.3	3.4	10	-72968
15-17 LST	7.0	2.3	2.9	0.4	1.0	0.5	1.3	0.8	4.2	4.0	6.4	2.9	2.8	10	-72968
18-20 LST	7.1	3.0	3.6	2.0	1.0	1.0	0.7	0.8	4.4	4.3	6.4	2.6	3.1	10	-72968
21-23 LST	7.1	3.7	4.2	3.5	0.9	1.5	0.0	0.8	4.6	4.6	6.3	2.3	3.3	10	-72968

INUVIK, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	15 LST	24.7	26.0	28.0	28.1	29.9	29.3	29.8	27.7	25.8	25.9	23.5	27.1	325.8	10	-72968
	21 LST	25.6	25.0	27.5	27.1	29.1	28.5	28.8	27.7	24.3	25.3	25.0	28.3	322.2	10	-72968
	03 LST	27.0	24.9	28.3	27.1	27.7	25.7	27.0	24.4	25.5	25.7	24.8	27.1	315.2	9	-72968
	09 LST	25.5	24.9	26.8	27.6	28.6	27.3	28.4	24.7	23.3	24.0	23.7	26.9	311.7	10	-72968
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	15 LST	20.7	18.8	19.3	21.4	23.9	21.3	20.2	18.7	18.5	17.1	13.4	19.9	233.2	10	-72968
	21 LST	19.4	19.7	21.5	23.6	23.1	22.2	21.4	21.8	17.7	14.5	15.9	20.2	241.0	10	-72968
	03 LST	19.8	17.9	19.4	22.2	18.7	18.6	20.7	18.8	19.1	14.8	15.2	19.8	225.0	9	-72968
	09 LST	19.3	18.1	19.5	22.3	19.6	18.2	19.4	16.9	15.8	15.3	14.5	21.4	220.3	10	-72968
SFC WND = GTR 17 KTS AND NO PRECIP.	15 LST	1.5	1.4	2.6	1.7	1.3	1.0	1.2	0.9	1.0	0.7	1.1	0.7	15.1	17	-72968
	21 LST	1.1	1.7	1.2	1.0	1.0	1.5	0.7	1.0	0.9	0.5	1.0	0.9	12.5	10	-72968
	03 LST	1.6	1.6	1.6	1.1	1.2	1.4	1.0	1.1	1.7	0.4	1.2	1.1	15.0	15	-72968
	09 LST	1.4	1.2	1.6	0.9	1.2	0.8	0.8	0.5	1.0	0.5	0.4	0.6	10.9	11	-72968
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	0.0	0.0	0.2	1.7	10.2	14.9	13.2	13.4	8.6	1.3	0.1	0.1	63.7	17	-72968
	21 LST	0.0	0.2	0.0	0.4	6.6	11.1	11.3	9.4	5.5	0.4	0.0	0.0	44.9	10	-72968
	03 LST	0.1	0.0	0.0	0.2	2.6	10.4	11.9	9.8	5.6	0.5	0.0	0.0	41.1	15	-72968
	09 LST	0.0	0.2	0.1	0.5	7.1	12.0	12.5	9.4	4.8	0.5	0.0	0.0	47.1	11	-72968
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	15 LST	10.7	11.8	13.6	13.7	12.6	11.8	8.6	6.4	5.5	4.7	6.1	9.4	114.9	17	-72968
	21 LST	14.6	15.5	15.0	14.0	12.2	11.1	9.0	7.4	7.1	8.2	10.4	15.1	139.6	11	-72968
	03 LST	10.4	10.1	10.7	11.9	9.0	8.6	8.0	6.1	4.2	4.7	7.7	9.5	100.9	15	-72968
	09 LST	10.1	10.3	11.7	12.2	10.3	11.6	7.8	7.5	4.6	4.2	6.3	11.7	108.3	11	-72968
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	15 LST	21.2	22.3	24.0	25.0	25.5	25.5	23.1	21.4	19.5	16.3	13.7	19.2	256.7	10	-72968
	21 LST	19.9	21.7	23.8	24.7	25.1	25.4	22.8	21.9	17.6	14.7	16.3	21.2	255.1	10	-72968
	03 LST	20.4	20.4	22.6	23.0	19.6	20.1	21.4	18.3	17.2	13.4	14.8	19.8	231.0	9	-72968
	09 LST	20.8	19.7	22.4	24.0	22.3	21.7	20.7	18.8	15.4	14.6	13.3	21.0	234.7	10	-72968
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	15 LST	20.1	21.2	23.1	23.6	23.7	23.5	21.6	18.3	14.3	12.8	11.3	17.0	230.5	10	-72968
	21 LST	18.7	20.2	22.6	23.6	22.6	23.7	21.4	18.1	13.7	12.9	13.9	18.5	229.9	10	-72968
	03 LST	17.9	18.8	21.0	20.4	17.1	18.3	19.1	15.3	12.4	10.1	12.6	17.2	200.2	9	-72968
	09 LST	19.1	17.9	20.8	21.3	20.4	20.6	19.0	15.9	11.5	11.3	10.8	19.0	207.6	10	-72968
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	18.8	21.1	22.8	23.3	23.5	23.3	21.1	17.6	13.0	12.4	11.0	16.6	224.7	10	-72968
	21 LST	18.1	19.8	21.5	23.1	22.3	22.7	20.3	17.2	12.6	12.9	13.6	18.4	222.5	10	-72968
	03 LST	17.4	18.2	20.3	19.6	16.5	17.6	18.1	14.4	11.9	10.0	12.6	16.8	193.4	9	-72968
	09 LST	17.9	17.6	19.5	20.8	20.1	20.4	18.0	15.3	10.4	11.2	10.4	18.3	199.9	10	-72968

TUKTOYAKTUK, CANADA

STA NO. 72959 (IN AREA NUMBER 04)

LATITUDE 6926N

LONGITUDE 13302W

ELEVATION(FT) 00015

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	25	27	23	39	56	73	82	76	71	41	24	23	82	7	2062
MEAN MAX TMP (F)	-11	-11	-9	8	29	50	59	55	42	24	-1	-7	19	7	2062
MEAN MIN TMP (F)	-23	-23	-22	-5	17	34	44	45	34	16	-10	-18	7	7	2176
ABS MIN TMP (F)	-48	-49	-41	-35	-24	21	28	30	15	-20	-33	-47	-49	7	2176
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2062
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	29.8	29.3	13.6	1.3	0.5	13.4	30.8	29.8	31.0	269.5	7	2176
MEAN NO DYS TMP = OR LES 0(F)	29.0	26.6	30.3	19.6	4.2	0.0	0.0	0.0	0.0	1.7	25.2	28.6	165.2	7	2176
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	-219	-236	-211	-133	-105	-31	22	25	13	24	-79	-133	-88	0	-80
MEAN PRECIP (IN)	0.12	0.24	0.13	0.25	0.29	0.21	1.12	1.11	0.83	0.52	0.17	0.16	5.1	7	2210
MEAN SNOW FALL (IN)								0.0						7	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.2	1.0	0.5	1.0	1.0	1.0	3.7	3.3	2.8	2.0	0.8	0.5	17.8	7	2210
MEAN NO DYS SNFL = OR GTR 1.5 IN								0.0						7	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	7.5	9.0	7.6	15.6	24.7	30.7	30.4	45.7	30.0	25.9	9.4	7.2	20.3	7	2210
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	1.1	1.2	2.2	5.6	10.2	16.2	7.4	15.1	5.0	3.2	1.1	1.7	5.8	7	2210
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0


TUKTOYAKTUK, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	15 LST														0	0
	21 LST														0	0
	03 LST	29.3	26.3	29.3	25.8	25.5	22.1	23.7	19.5	24.2	26.3	28.3	29.5	309.8	7	2210
	09 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	15 LST														0	0
	21 LST														0	0
	03 LST	16.0	14.3	14.6	12.7	10.3	11.2	8.4	8.2	9.0	9.9	14.5	15.4	144.5	7	2210
	09 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	15 LST														0	0
	21 LST														0	0
	03 LST	3.2	2.4	2.5	3.8	1.0	0.5	3.3	1.6	3.0	4.8	2.6	2.5	31.2	7	2210
	09 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST														0	0
	21 LST														0	0
	03 LST	0.0	0.0	0.0	0.0	1.3	11.6	16.3	17.0	9.0	0.3	0.0	0.0	55.5	7	2208
	09 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	15 LST														0	0
	21 LST														0	0
	03 LST	21.0	16.0	22.0	13.8	9.3	9.2	6.1	6.8	6.7	7.5	18.0	20.0	156.4	7	2210
	09 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	15 LST														0	0
	21 LST														0	0
	03 LST	24.8	21.9	25.9	22.3	18.3	17.3	17.5	13.8	15.0	15.1	23.2	26.0	241.1	7	2210
	09 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	15 LST														0	0
	21 LST														0	0
	03 LST	22.2	18.9	24.2	18.8	14.7	15.1	15.3	12.6	11.5	11.4	20.6	23.1	208.4	7	2210
	09 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST														0	0
	21 LST														0	0
	03 LST	22.0	17.4	22.9	17.0	12.8	13.6	13.5	11.7	10.7	10.4	19.8	22.1	193.9	7	2210
	09 LST														0	0

AREA NO. 04

CANADA	BARREN NORTHLAND		LATITUDE 6500N				LONGITUDE 10500W							
	BOUNDARIES	7000N 13500W	6745N 10730W	6745N 10730W	6730N 08730W	6730N 08730W	6000N 09700W	6000N 10300W	6000N 10300W	6700N 12100W	6700N 12100W	6800N 13500W		
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		-10	-11	-7	9	29	40	58	54	42	25	1	-7	19
MEAN MIN TMP (F)		-24	-25	-21	-6	16	33	43	43	33	15	-10	-20	6
LARGEST MEAN PRECIP(IN)		0.60	0.40	0.70	0.60	0.50	0.90	1.40	1.70	1.20	1.20	0.80	0.50	10.5
SMALLEST MEAN PRECIP(IN)		0.12	0.24	0.13	0.25	0.29	0.21	1.12	1.11	0.83	0.52	0.17	0.16	5.1
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST	25.9	25.9	28.7	28.2	29.0	28.7	29.0	28.5	27.6	26.7	24.4	27.5	330.1
	22 LST	27.1	24.7	28.8	27.7	28.2	27.2	30.0	28.6	27.2	28.0	26.4	28.6	332.5
	04 LST	28.3	26.2	29.0	26.0	26.5	24.2	26.5	23.8	25.5	27.4	27.5	28.9	319.8
	10 LST	26.2	24.1	27.8	26.7	28.2	27.6	28.5	28.3	26.9	28.2	25.2	26.8	324.5
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST	14.4	14.4	20.4	18.9	16.5	19.0	18.1	15.4	11.7	13.0	11.8	16.7	190.3
	22 LST	14.8	12.2	20.3	20.3	20.6	19.4	19.6	18.5	14.2	13.8	11.9	18.6	204.2
	04 LST	14.4	14.4	15.9	14.2	14.4	15.2	13.4	11.9	10.6	10.9	13.3	15.2	163.8
	10 LST	13.6	14.3	20.2	17.7	18.0	19.7	19.2	15.5	11.8	13.1	13.4	16.1	192.6
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST	2.6	1.9	1.5	1.6	1.8	0.7	1.7	2.1	2.9	1.8	2.2	1.4	22.2
	22 LST	1.6	1.6	0.4	1.0	1.7	0.8	1.0	1.9	2.5	1.6	2.6	1.0	17.7
	04 LST	3.3	2.3	2.0	2.8	1.0	0.7	2.5	1.6	2.7	3.6	2.3	2.6	27.4
	10 LST	2.1	2.5	1.2	1.7	1.6	1.0	1.4	2.3	3.0	2.8	2.4	2.1	24.1
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST	0.0	0.0	0.0	0.3	3.0	15.6	16.3	14.9	9.5	1.4	0.0	0.0	61.0
	22 LST	0.0	0.0	0.0	0.0	2.2	6.8	12.4	14.7	7.1	1.6	0.0	0.0	44.8
	04 LST	0.0	0.0	0.0	0.0	1.3	9.8	14.8	14.9	7.9	1.1	0.0	0.0	49.8
	10 LST	0.0	0.0	0.0	0.1	2.5	11.9	12.7	12.7	8.2	2.0	0.0	0.0	50.1
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST	10.5	12.3	13.9	12.5	9.2	11.4	7.8	6.0	3.3	4.8	7.4	12.0	111.1
	22 LST	14.2	18.3	14.3	13.9	8.2	11.3	8.0	7.2	5.5	7.5	9.4	14.4	132.2
	04 LST	18.0	15.9	18.7	12.6	8.7	9.2	7.4	6.1	5.5	7.1	15.0	17.5	141.7
	10 LST	9.2	10.1	11.6	11.1	8.2	10.7	6.9	4.7	2.8	4.0	6.7	10.4	96.4
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST	22.8	24.2	26.6	24.5	23.0	24.2	24.4	23.7	17.5	18.7	20.1	23.7	273.4
	22 LST	24.0	23.5	27.2	23.6	23.4	22.5	25.2	24.6	17.6	19.7	20.3	24.9	276.5
	04 LST	24.6	23.0	25.8	22.6	19.7	18.8	19.7	16.4	15.2	16.6	22.1	25.4	249.9
	10 LST	22.7	22.1	25.7	24.1	22.2	23.2	22.1	21.4	16.6	19.2	19.9	23.5	262.7
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST	20.5	22.6	24.1	22.2	17.8	20.7	18.7	18.0	11.8	13.9	17.6	21.2	229.1
	22 LST	21.0	22.3	23.1	21.8	18.1	18.1	20.4	16.6	11.0	14.0	16.9	22.4	225.7
	04 LST	22.1	20.7	23.8	19.8	16.2	16.0	16.1	13.1	10.6	12.1	19.3	22.9	212.7
	10 LST	20.1	20.6	23.8	22.2	17.8	20.1	17.5	16.3	10.3	15.7	17.0	21.5	222.9
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST	20.1	22.3	23.9	22.2	17.6	20.7	18.4	17.4	11.4	13.5	16.9	20.9	225.3
	22 LST	20.3	22.3	23.1	21.1	16.9	17.8	18.8	15.0	10.7	13.5	16.2	21.8	217.5
	04 LST	21.5	19.8	22.7	18.6	14.5	14.9	14.8	12.2	10.0	11.4	18.6	22.1	201.1
	10 LST	19.7	20.4	23.8	22.2	17.6	20.0	17.3	15.5	10.0	15.3	16.8	20.8	219.4



VICTORIA INTL., CANADA

STA NO. 72799 (IN AREA NUMBER 05)

LATITUDE 4839N

LONGITUDE 12326W

ELEVATION(FT) 00063

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	57	65	69	75	85	95	95	94	89	77	66	61	95	60	-610
MEAN MAX TMP (F)	42	45	50	55	61	65	69	68	64	56	49	45	56	54	-105
MEAN MIN TMP (F)	35	36	38	41	46	49	51	51	48	45	40	38	43	54	-105
ABS MIN TMP (F)	6	9	19	25	34	39	43	40	35	27	8	7	6	60	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.0	0.0	0.0	0.0	0.5	9	2884
MEAN NO DYS TMP = OR LES 32(F)	11.9	7.8	6.9	0.4	0.0	0.0	0.0	0.0	0.0	0.6	7.9	10.1	45.6	9	2884
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2884
MEAN DEW PT TMP (F)	33	36	38	42	47	51	54	54	51	46	40	37	44	10	-106
MEAN REL HUM (PCT)	87	83	80	78	76	75	75	76	78	84	88	89	81	10	-106
MEAN PRESS ALT (FT)	-32	-16	7	-11	-12	-10	-37	-29	-10	-3	-22	-18	-15	0	-50
MEAN PRECIP (IN)	4.49	3.03	2.28	1.18	0.96	0.85	0.44	0.61	1.53	2.81	4.28	4.67	27.1	58	-105
MEAN SNOW FALL (IN)	5.7	4.6	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.3	13.4	58	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.7	8.4	6.5	3.7	3.0	2.8	1.7	2.1	4.2	6.5	8.9	10.9	69.4	58	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.0	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	2.0	58	-29
MEAN NO DYS W/OCUR V5BY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	30.6	28.3	15.7	13.3	6.0	3.3	4.3	8.1	13.4	27.5	24.3	31.2	17.2	9	2884
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST	10.5	8.4	3.6	2.1	0.4	0.6	1.1	2.0	5.9	6.1	7.5	8.5	4.7	9	2884
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

VICTORIA INTL., CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	23.5	21.5	28.1	27.4	29.7	29.0	30.1	29.2	26.0	22.3	23.6	22.6	9	2884
	10 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST													0	0
	22 LST													0	0
	04 LST	14.4	13.5	18.2	20.1	23.9	23.8	27.7	26.7	23.5	17.7	16.1	13.2	9	2884
	10 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST													0	0
	22 LST													0	0
	04 LST	1.4	1.5	1.0	0.4	0.1	0.3	0.0	0.0	0.2	0.1	0.8	0.5	9	2884
	10 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST													0	0
	22 LST													0	0
	04 LST	8.5	9.9	12.4	16.7	18.5	14.6	14.5	16.4	16.7	15.9	10.5	9.4	9	2883
	10 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	5.9	5.8	7.6	8.6	10.1	7.5	15.6	15.9	13.5	7.5	7.1	5.8	9	2884
	10 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	16.0	16.4	21.5	23.5	26.5	27.2	28.5	27.1	23.8	18.7	18.7	15.4	9	2884
	10 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	12.2	13.5	17.7	19.5	22.1	21.2	25.0	23.8	21.1	16.2	16.1	12.4	9	2884
	10 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	12.0	13.4	17.1	19.1	21.0	19.8	24.4	23.0	20.6	15.7	15.7	12.4	9	2884
	10 LST													0	0

KIMBERLEY, CANADA

STA NO. 72880 (IN AREA NUMBER 05)

LATITUDE 4944N

LONGITUDE 11547W

ELEVATION(FT) 03005

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	48	53	64	81	88	94	108	99	91	81	58	49	108	20	-610
MEAN MAX TMP (F)	24	32	40	56	66	71	82	79	70	54	36	26	53	10	-105
MEAN MIN TMP (F)	6	12	17	29	38	44	47	46	39	31	21	12	29	10	-105
ABS MIN TMP (F)	-40	-31	-27	10	10	28	29	31	20	12	-26	-27	-40	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	5.5	4.4	0.2	0.0	0.0	0.0	10.2	9	2946
MEAN NO DYS TMP = OR LES 32(F)	29.2	25.1	26.8	17.7	5.1	0.6	0.3	0.2	5.4	17.1	25.6	29.0	182.1	9	2947
MEAN NO DYS TMP = OR LES 0(F)	10.0	4.2	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	4.5	21.0	9	2947
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	2830	2837	2911	2943	2980	3003	2975	2971	2945	2908	2864	2842	2917	0	-50
MEAN PRECIP (IN)	1.69	1.11	0.89	0.81	1.25	2.16	0.68	1.37	0.93	1.55	1.19	1.85	15.5	10	-105
MEAN SNOW FALL (IN)	14.9	9.3	6.8	1.6	0.0	0.0	0.0	0.0	0.0	2.0	8.9	16.1	59.6	10	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.3	3.6	2.8	2.6	3.9	5.4	2.3	3.9	3.0	4.2	3.5	5.7	46.2	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.2	1.9	1.4	0.2	0.0	0.0	0.0	0.0	0.0	0.3	1.9	3.5	12.4	10	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	15.3	15.9	11.7	4.2	10.1	10.4	1.8	1.6	4.6	11.7	18.1	21.5	10.6	9	2946
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	9.3	8.8	6.5	0.8	1.6	2.9	1.4	0.0	2.9	8.1	10.9	11.3	5.4	9	2946
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KIMBERLEY, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	26.7	24.3	28.2	29.1	29.1	27.5	30.3	30.6	28.9	27.5	24.9	25.6	9	2946
	10 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST													0	0
	22 LST													0	0
	04 LST	22.0	20.3	24.5	24.8	25.1	24.8	29.2	28.7	25.6	22.1	20.2	19.4	9	2946
	10 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST													0	0
	22 LST													0	0
	04 LST	0.5	0.5	0.1	0.5	0.2	0.0	0.2	0.1	0.1	0.5	0.6	0.4	9	2947
	10 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST													0	0
	22 LST													0	0
	04 LST	0.9	1.7	3.3	6.9	8.6	9.8	10.6	11.3	9.5	7.8	2.8	1.7	9	2947
	10 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	10.6	9.9	13.0	11.5	11.6	11.1	17.6	17.8	16.7	12.8	10.9	8.8	9	2947
	10 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	22.4	21.5	25.9	27.2	26.5	26.3	29.8	30.0	27.6	25.6	22.7	21.2	9	2946
	10 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	16.9	15.5	21.2	20.5	21.9	22.6	27.5	26.5	23.6	19.6	17.7	15.3	9	2946
	10 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	16.4	14.7	20.0	19.6	21.5	21.6	26.6	24.7	22.6	18.6	17.5	14.7	9	2946
	10 LST													0	0

CRESCENT VALLEY, CANADA

STA NO. 72884 (IN AREA NUMBER 05)

LATITUDE 4927N

LONGITUDE 11734W

ELEVATION(FT) 02000

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	49	55	73	82	91	94	103	104	95	78	58	53	104	20	-110
MEAN MAX TMP (F)	28	38	47	60	69	74	83	82	72	55	40	33	57	12	-105
MEAN MIN TMP (F)	14	20	24	32	39	44	47	45	39	33	27	22	32	12	-105
ABS MIN TMP (F)	-28	-25	-16	16	18	27	31	28	22	14	-10	-22	-28	20	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0			2.8	2.6		0.0	0.0	0.0		12	-29
MEAN NO DYS TMP = OR LES 32(F)							0.0							20	-29
MEAN NO DYS TMP = OR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				20	-29
MEAN DEW PT TMP (F)	26	24	28	36	43	49	53	51	45	39	31	25	38	8	-106
MEAN REL HUM (PCT)	93	87	77	69	68	71	67	66	71	85	91	91	78	8	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.10	3.27	2.04	1.55	1.96	2.53	1.41	1.02	2.06	3.36	3.13	4.05	29.5	12	-105
MEAN SNOW FALL (IN)	25.6	23.9	7.8	1.1	0.0	0.0	0.0	0.0	0.0	1.5	15.2	24.3	99.4	12	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.5	8.8	5.9	4.7	5.7	6.0	4.0	3.2	5.2	7.4	7.0	10.1	78.5	12	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	5.4	5.1	1.6	0.1	0.0	0.0	0.0	0.0	0.0	0.2	3.7	5.1	21.2	12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.0	2.0	6.0	9.0	6.0	1.0	1.0	0.0	0.0	26.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CRESCENT VALLEY, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST														0	0
	10 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	16 LST														0	0
	22 LST														0	0
	04 LST														0	0
	10 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST														0	0
	22 LST														0	0
	04 LST														0	0
	10 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST														0	0
	22 LST														0	0
	04 LST														0	0
	10 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST														0	0
	10 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST														0	0
	10 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST														0	0
	10 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST														0	0
	10 LST														0	0

DATA NOT AVAILABLE

PRINCETON, CANADA

STA NO. 72886 (IN AREA NUMBER 05)

LATITUDE 4928N

LONGITUDE 12031W

ELEVATION(FT) 02298

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	49	65	74	89	95	98	107	101	95	90	78	57	107	70	-610
MEAN MAX TMP (F)	26	35	47	59	68	74	81	80	70	58	39	29	56	45	-105
MEAN MIN TMP (F)	7	11	21	29	36	42	45	44	38	30	23	14	28	45	-105
ABS MIN TMP (F)	-49	-43	-28	7	17	25	31	22	13	-1	-18	-40	-49	70	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.6	1.5	6.2	4.6	0.4	0.0	0.0	0.0	13.3	9	2947
MEAN NO DYS TMP = OR LES 32(F)	30.3	26.5	28.0	15.8	4.6	0.2	0.0	0.0	2.6	13.7	26.6	30.7	179.0	9	2947
MEAN NO DYS TMP = OR LES 0(F)	5.9	2.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	2.1	11.9	9	2947
MEAN DEW PT TMP (F)	13	21	26	32	38	44	47	47	41	35	27	19	33	10	-106
MEAN REL HUM (PCT)	89	82	72	67	63	69	71	74	73	73	89	91	77	10	-106
MEAN PRESS ALT (FT)	2188	2203	2242	2235	2240	2251	2218	2222	2234	2239	2219	2215	2226	0	-50
MEAN PRECIP (IN)	1.49	1.00	0.68	0.56	1.04	1.06	0.96	0.87	0.96	0.90	1.55	1.77	12.8	32	-105
MEAN SNOW FALL (IN)	11.9	7.5	4.0	0.4	0.2	0.0	0.0	0.0	0.0	0.6	7.7	13.8	46.1	32	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.7	3.2	2.2	1.8	3.3	3.3	3.0	2.8	3.1	3.0	4.2	5.5	40.1	32	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.5	1.5	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.6	2.9	9.4	32	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	2.0	4.0	3.0	0.0	0.0	0.0	0.0	10.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	29.8	23.0	12.1	5.4	4.4	6.7	3.6	4.5	6.3	19.8	31.4	36.8	15.3	9	2947
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	18.5	11.9	6.0	2.5	0.4	1.3	0.0	1.2	1.7	14.2	17.6	19.0	7.9	9	2947
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

PRINCETON, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST													0	0	
	22 LST													0	0	
	04 LST	23.5	23.5	28.2	28.9	30.1	28.6	30.3	29.4	28.4	24.3	21.2	21.2	317.6	9	2947
	10 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST													0	0	
	22 LST													0	0	
	04 LST	18.8	19.7	26.4	27.8	29.2	27.5	29.3	29.0	28.0	23.7	18.3	16.9	294.6	9	2947
	10 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST													0	0	
	22 LST													0	0	
	04 LST	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	9	2947	
	10 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST													0	0	
	22 LST													0	0	
	04 LST	0.1	0.1	0.2	1.5	0.7	0.4	1.2	1.2	0.8	1.1	0.5	0.0	7.8	9	2947
	10 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST													0	0	
	22 LST													0	0	
	04 LST	6.7	7.1	11.0	11.1	12.0	8.0	17.5	16.1	15.9	8.3	7.1	4.7	125.5	9	2947
	10 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST													0	0	
	22 LST													0	0	
	04 LST	17.5	18.7	25.9	27.4	28.5	27.0	29.0	28.7	27.7	22.7	17.3	16.1	286.5	9	2947
	10 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST													0	0	
	22 LST													0	0	
	04 LST	12.2	13.4	21.2	21.5	21.5	19.9	25.1	24.0	23.7	15.9	12.9	11.2	222.5	9	2947
	10 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST													0	0	
	22 LST													0	0	
	04 LST	11.3	12.9	20.0	19.5	20.6	18.9	24.3	22.9	22.4	15.2	12.4	10.4	210.8	9	2947
	10 LST													0	0	

KAMLOOPS, CANADA

STA NO. 72887 (IN AREA NUMBER 05)

LATITUDE 5043N

LONGITUDE 12025W

ELEVATION(FT) 01134

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	61	64	72	92	100	102	107	101	95	88	72	61	107	65	-585
MEAN MAX TMP (F)	28	34	48	62	71	77	84	82	71	56	41	33	57	61	-85
MEAN MIN TMP (F)	16	20	29	38	46	52	56	54	47	38	30	23	37	61	-85
ABS MIN TMP (F)	-37	-27	-13	13	26	33	40	35	24	11	-22	-27	-37	65	-585
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	1.5	4.5	11.1	7.6	0.4	0.0	0.0	0.0	25.1	9	2944
MEAN NO DYS TMP = OR LES 32(F)	27.9	22.3	18.5	7.0	1.7	0.0	0.0	0.0	0.8	7.3	19.4	25.6	130.5	9	2943
MEAN NO DYS TMP = OR LES 0(F)	5.2	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.6	9.6	9	2943
MEAN DEW PT TMP (F)	15	23	29	35	41	48	51	51	45	39	30	24	36	10	-106
MEAN REL HUM (PCT)	78	77	65	55	53	56	50	55	61	73	81	83	66	10	-106
MEAN PRESS ALT (FT)	996	1010	1062	1066	1082	1097	1066	1064	1066	1058	1032	1022	1052	0	-50
MEAN PRECIP (IN)	1.00	0.70	0.40	0.40	0.90	1.40	1.00	1.00	0.80	0.70	0.90	1.00	10.2	73	-85
MEAN SNOW FALL (IN)	9.0	6.0	1.0	0.5	0.5	0.0	0.0	0.0	0.5	0.5	5.0	8.0	31.0	73	-85
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.2	2.2	1.2	1.2	2.9	4.0	3.1	3.1	2.8	2.6	3.0	3.2	32.5	73	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.8	1.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.6	5.5	73	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	2.0	2.0	2.0	1.0	0.0	0.0	0.0	8.0	10	-85
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	19.0	12.0	4.4	1.3	2.8	2.5	2.2	2.4	0.8	7.7	13.4	15.4	7.0	9	2944
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	6.5	5.8	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.7	2.4	1.7	9	2944
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KAMLOOPS, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	27.9	24.9	30.0	29.7	30.5	29.9	30.5	30.8	29.4	28.6	28.9	29.5	352.1	9 2944
	10 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	16 LST													0	0
	22 LST													0	0
	04 LST	16.1	17.7	24.1	25.2	26.6	26.7	28.1	28.2	26.0	22.7	18.2	17.1	276.7	9 2944
	10 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST													0	0
	22 LST													0	0
	04 LST	0.9	0.9	0.4	0.1	0.0	0.0	0.1	0.1	0.6	0.1	0.9	1.0	5.1	9 2944
	10 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST													0	0
	22 LST													0	0
	04 LST	3.2	3.8	8.6	10.4	9.2	8.6	8.5	8.0	10.1	13.3	6.7	4.8	95.2	9 2943
	10 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	7.1	9.2	13.4	11.7	11.6	11.7	16.4	15.2	17.4	11.9	9.7	7.3	142.6	9 2944
	10 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	20.0	22.0	28.6	29.0	29.4	29.0	29.9	30.0	29.1	26.4	22.7	22.8	318.3	9 2944
	10 LST													0	0
	16 LST													0	0
	22 LST													0	0
	04 LST	16.9	17.7	24.7	27.5	28.0	27.8	28.8	27.7	26.7	23.5	19.9	18.4	287.6	9 2944
	10 LST													0	0
	16 LST													0	0
	22 LST													0	0
	04 LST	15.3	16.3	22.5	25.9	25.9	26.1	27.9	26.7	25.7	22.3	19.1	17.4	271.1	9 2944
	10 LST													0	0

JASPER, CANADA

LATITUDE 5253N

LONGITUDE 11804W

ELEVATION(FT) 03480

STA NO. 72888 (IN AREA NUMBER 05)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	56	59	71	78	85	90	98	90	88	81	62	59	98	30	-110
MEAN MAX TMP (F)	20	29	37	50	60	67	74	72	63	51	36	22	48	22	-105
MEAN MIN TMP (F)	4	8	17	26	34	41	45	44	37	30	19	6	26	22	-105
ABS MIN TMP (F)	-52	-46	-34	-20	7	20	30	27	12	-7	-33	-44	-52	30	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN NO DYS TMP = OR LES 32(F)							0.0	0.0	0.0	0.0				30	-29
MEAN NO DYS TMP = OR LES 0(F)														9	-106
MEAN DEW PT TMP (F)	13	14	21	29	36	43	48	47	41	32	22	12	30	9	-106
MEAN REL HUM (PCT)	86	82	74	68	63	65	65	71	72	76	86	91	75	0	0
MEAN PRESS ALT (FT)													13.1	22	-105
MEAN PRECIP (IN)	1.10	0.75	0.60	0.69	1.05	1.45	1.73	1.69	1.35	1.06	0.71	0.88	40.3	22	-105
MEAN SNOW FALL (IN)	10.5	6.7	5.3	2.1	1.9	0.0	0.0	0.0	0.3	1.8	4.8	6.9	39.3	22	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.5	2.4	1.9	2.2	3.3	4.1	4.7	4.6	3.9	3.3	2.6	2.8	7.8	22	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.2	1.3	1.1	0.4	0.3	0.0	0.0	0.0	0.0	0.3	0.9	1.3	7.0	0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI													7.0	10	-24
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	1.0	2.0	3.0	1.0	0.0	0.0	0.0	7.0	0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

JASPER, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST														0	0
	10 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI w/SFC WND LES 10 KTS	16 LST														0	0
	22 LST														0	0
	04 LST														0	0
	10 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST														0	0
	22 LST														0	0
	04 LST														0	0
	10 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST														0	0
	22 LST														0	0
	04 LST														0	0
	10 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST														0	0
	10 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST														0	0
	10 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST														0	0
	10 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST														0	0
	10 LST														0	0

DATA NOT AVAILABLE

PENTICTON, CANADA

STA NO. 72889 (IN AREA NUMBER 05)

LATITUDE 4928N

LONGITUDE 11936W

ELEVATION(FT) 01129

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	57	64	71	87	94	100	105	101	94	84	69	60	105	50	-610
MEAN MAX TMP (F)	32	38	50	61	70	77	84	81	71	59	44	35	59	32	-105
MEAN MIN TMP (F)	21	23	30	35	42	49	53	52	49	38	31	26	37	32	-105
ABS MIN TMP (F)	-16	-16	0	16	22	32	38	32	22	12	-2	-8	-16	50	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	3.0	8.5	5.3	0.2	0.0	0.0	0.0	17.0	9	2914
MEAN NO DYS TMP = OR LES 32(F)	22.7	17.6	17.7	6.1	1.2	0.1	0.0	0.0	0.4	5.3	17.4	19.5	108.0	9	2914
MEAN NO DYS TMP = OR LES 0(F)	1.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	2.1	9	2914
MEAN DEW PT TMP (F)	20	26	28	34	42	49	52	52	46	40	32	27	37	10	-106
MEAN REL HUM (PCT)	80	78	65	60	59	63	57	60	63	72	79	80	68	10	-106
MEAN PRESS ALT (FT)	1017	1032	1074	1069	1074	1088	1054	1056	1068	1075	1056	1049	1059	0	-50
MEAN PRECIP (IN)	0.98	0.73	0.65	0.68	1.07	1.23	0.79	0.84	0.99	0.83	0.93	1.13	10.8	32	-105
MEAN SNOW FALL (IN)	7.2	4.5	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.5	7.1	24.0	32	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.2	2.3	2.1	2.2	3.4	3.6	2.6	2.7	3.2	2.9	3.0	3.6	34.8	32	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.4	0.8	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.4	4.4	32	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	2.0	3.0	5.0	4.0	1.0	0.0	0.0	0.0	15.0	10	-24
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST	19.0	22.1	6.9	1.3	2.8	1.7	1.4	0.4	0.4	6.9	10.0	17.1	7.5	9	2914
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST	6.1	7.1	1.6	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.8	3.7	1.7	9	2914
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

PENTICTON, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST	27.7	23.9	30.1	30.0	30.5	29.9	30.9	31.0	30.0	30.1	28.7	28.4	351.2	9	2914
	10 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	16 LST														0	0
	22 LST														0	0
	04 LST	11.2	12.0	23.1	26.3	28.1	27.6	30.0	30.0	27.5	20.8	14.7	9.3	260.6	9	2914
	10 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST														0	0
	22 LST														0	0
	04 LST	4.5	2.7	1.7	0.8	0.4	0.2	0.0	0.1	0.8	2.6	3.6	6.7	24.1	9	2914
	10 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST														0	0
	22 LST														0	0
	04 LST	1.9	2.0	4.4	7.6	9.5	8.9	11.0	10.7	10.0	6.3	3.5	1.9	77.7	9	2914
	10 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST	4.5	6.6	10.1	10.9	12.6	11.5	19.6	17.3	17.1	10.5	7.9	4.4	133.0	9	2914
	10 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST	18.9	18.8	27.1	28.9	29.4	29.0	30.4	30.6	29.7	26.8	22.8	19.2	311.6	9	2914
	10 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST	12.6	14.5	22.4	25.7	25.9	26.7	28.8	29.4	27.5	22.4	17.2	12.8	265.9	9	2914
	10 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST	11.3	12.9	21.0	23.4	24.5	24.8	27.1	27.7	25.1	21.0	15.7	11.0	245.5	9	2914
	10 LST														0	0

NANAIMO, CANADA

STA NO. 72890 (IN AREA NUMBER 05)

LATITUDE 4903N

LONGITUDE 12352W

ELEVATION(FT) 00099

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	61	62	71	82	89	92	101	98	89	77	64	59	101	60	-610
MEAN MAX TMP (F)	41	44	50	56	63	68	73	73	66	57	48	43	57	38	-105
MEAN MIN TMP (F)	32	33	36	40	46	51	55	55	50	44	38	35	43	38	-105
ABS MIN TMP (F)	1	6	12	25	27	33	40	38	30	19	4	3	1	60	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	1.8	1.2	0.0	0.0	0.0	0.0	3.4	9	2944
MEAN NO DYS TMP = OR LES 32(F)	18.1	14.7	16.1	4.0	0.9	0.0	0.0	0.0	0.0	2.8	14.6	16.5	87.7	9	2944
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)	-7	10	37	21	25	28	4	10	24	25	1	3	15	0	-50
MEAN PRESS ALT (FT)	5.83	4.23	2.91	1.77	1.63	1.62	0.85	0.86	1.92	3.28	6.31	6.47	37.7	47	-105
MEAN PRECIP (IN)	11.0	6.4	1.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	2.1	3.8	24.5	47	-105
MEAN SNOW FALL (IN)	12.0	10.4	7.8	5.3	4.9	4.4	2.8	2.8	4.9	7.3	12.0	12.5	87.1	47	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.3	1.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.6	4.5	47	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR V58Y LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	C
03-05 LST	27.0	24.8	12.9	9.2	4.4	5.0	3.6	7.7	8.8	17.8	20.5	27.5	14.1	9	2944
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	5.6	4.4	1.2	1.3	0.8	0.4	0.4	0.4	1.3	2.0	4.2	5.7	2.3	9	2944
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

NANAIMO, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	25.1	22.9	28.5	28.5	30.2	28.9	30.4	29.0	27.6	26.7	24.6	24.8	9	2944
	10 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST													0	0
	22 LST													0	0
	04 LST	18.8	18.1	24.5	25.9	28.9	28.0	29.5	28.3	25.8	22.7	21.5	19.2	9	2944
	10 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST													0	0
	22 LST													0	0
	04 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	9	2944
	10 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST													0	0
	22 LST													0	0
	04 LST	2.2	3.6	5.5	10.0	14.7	9.2	11.6	9.6	10.1	7.0	4.7	3.9	9	2944
	10 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	7.2	6.8	8.9	11.7	13.0	9.2	17.3	17.5	15.5	10.1	9.2	7.9	9	2944
	10 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	17.2	17.7	23.9	25.4	27.9	27.2	28.6	27.3	25.6	23.1	20.9	19.0	9	2944
	10 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	13.0	12.5	17.7	18.8	20.5	20.6	23.6	23.3	20.5	18.6	16.3	13.8	9	2944
	10 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	12.1	11.8	16.6	18.1	20.5	18.9	22.5	21.7	19.2	17.1	14.9	13.2	9	2944
	10 LST													0	0

LYTTON, CANADA

STA NO. 72891 (IN AREA NUMBER 05)

LATITUDE 5014N

LONGITUDE 12134W

ELEVATION(FT) 00574

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	59	65	76	93	104	106	112	102	97	82	73	61	112	40	-110
MEAN MAX TMP (F)	31	40	52	64	73	77	84	83	73	60	45	34	60	13	-105
MEAN MIN TMP (F)	21	24	34	40	47	54	58	57	50	42	33	25	40	13	-105
ABS MIN TMP (F)	-25	-13	-6	18	25	40	44	43	27	12	0	-14	-25	40	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0				3.1	2.8		0.0	0.0	0.0		13	-29
MEAN NO DYS TMP = OR LES 32(F)						0.0	0.0	0.0						40	-29
MEAN NO DYS TMP = OR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			40	-29
MEAN DEW PT TMP (F)	19	26	32	36	43	48	50	52	47	41	32	26	38	6	-106
MEAN REL HUM (PCT)	83	77	70	59	54	53	47	52	58	74	84	86	66	6	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.46	1.87	1.15	0.76	0.55	0.77	0.52	0.86	1.02	1.50	1.72	3.28	16.5	22	-105
MEAN SNOW FALL (IN)	14.2	6.7	2.2	0.3	0.0	0.0	0.0	0.0	0.0	0.1	2.8	17.7	44.0	22	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.2	5.8	3.6	2.4	1.7	2.6	1.9	2.8	3.2	4.1	4.5	8.9	48.7	22	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.0	1.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3.8	9.0	22	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	1.0	0.0	1.0	0.0	0.0	0.0	0.0	2.0	6	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

LYTTON, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR	16	LST												0	0
3 MI W/SFC WND LES 10 KTS	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
SFC WND = GTR 17 KTS AND	16	LST												0	0
NO PRECIP.	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	16	LST												0	0
DEG F AND NO PRECIP.	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
SKY COVER LES 3/10 AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
CIG = GTR 2500 FT AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
CIG = GTR 6000 FT AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
CIG = GTR 10000 FT AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0

DATA NOT AVAILABLE

VANCOUVER INTL., CANADA

STA NO. 72892 (IN AREA NUMBER 05)

LATITUDE 4911N

LONGITUDE 12310W

ELEVATION(FT) 00009

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	59	61	68	79	84	92	91	92	85	77	74	60	92	43	-528
MEAN MAX TMP (F)	41	44	50	58	64	69	74	73	65	57	48	43	57	43	-28
MEAN MIN TMP (F)	32	34	37	40	46	52	54	54	49	44	39	35	43	43	-28
ABS MIN TMP (F)	2	8	15	27	33	35	40	39	30	21	10	8	2	43	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	9	2930
MEAN NO DYS TMP = OR LES 32(F)	13.3	7.4	8.0	0.1	0.0	0.0	0.0	0.0	0.0	0.4	7.8	10.3	47.3	9	2930
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2930
MEAN DEW PT TMP (F)	32	36	38	42	48	52	56	56	52	46	40	36	45	10	-106
MEAN REL HUM (PCT)	87	85	80	78	77	75	75	78	81	86	88	90	82	10	-106
MEAN PRESS ALT (FT)	-97	-80	-50	-64	-60	-56	-82	-76	-63	-62	-85	-83	-71	0	-50
MEAN PRECIP (IN)	8.57	5.79	5.03	3.34	2.84	2.45	1.22	1.69	3.63	5.78	8.28	8.76	57.4	41	-105
MEAN SNOW FALL (IN)	11.5	6.4	2.7	0.3	0.0	0.0	0.0	0.0	0.0	0.1	2.1	5.7	28.8	41	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	13.4	12.0	11.2	8.6	7.6	5.9	3.6	4.6	7.8	11.2	14.9	13.5	114.3	41	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.4	1.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.0	5.4	41	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	2.3	2.5	0.0	0.0	0.0	0.0	0.0	0.0	1.0	6.0	2.5	5.1	19.4	3	643
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	4.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS	3.8	1.8	3.2	2.5	3.2	0.8	2.4	0.0	1.3	2.8	2.9	6.6	2.6	3	2568
P FREQ WND SPD = OR GTR 28 KTS	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8	0.2	3	2568
P FREQ LES 5000 FT A/O LES 5 MI	59.0	50.0	35.9	20.8	6.5	27.5	14.1	14.1	15.8	30.6	38.8	60.7	31.2	3	2572
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	25.0	20.3	10.5	8.7	5.2	7.3	3.9	6.1	9.2	21.9	19.5	32.8	14.2	3	-30
03-05 LST	30.5	22.6	17.7	10.7	10.1	11.3	5.8	10.5	15.1	25.9	27.2	33.2	18.4	9	2930
06-08 LST	36.2	22.9	18.6	12.0	9.9	19.0	9.4	11.7	16.7	25.9	26.1	37.1	20.5	3	-30
09-11 LST	41.8	23.2	19.4	13.3	9.7	26.7	12.9	12.9	18.3	25.8	25.0	41.0	22.5	3	643
12-14 LST	36.8	20.6	15.4	11.7	4.9	18.4	7.3	8.9	10.8	21.0	23.4	38.3	18.1	3	-30
15-17 LST	31.3	17.9	11.3	10.0	0.0	10.0	1.6	4.8	3.3	16.1	21.7	35.5	13.6	3	644
18-20 LST	25.4	17.9	7.3	8.4	0.0	6.7	1.6	3.2	3.3	16.9	16.7	33.9	11.8	3	-30
21-23 LST	19.4	17.9	3.2	6.7	0.0	3.3	1.6	1.6	3.3	17.7	11.7	32.3	9.9	3	644
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	9.6	3.8	1.8	0.5	0.8	0.7	0.4	0.8	2.5	8.9	8.0	14.0	4.3	3	-30
03-05 LST	14.6	7.5	3.6	0.9	1.6	1.3	0.7	1.6	5.0	11.3	12.6	13.4	6.2	9	2930
06-08 LST	11.1	5.6	1.8	0.5	0.8	0.7	0.4	0.8	3.4	10.5	7.2	14.1	4.7	3	-30
09-11 LST	7.5	3.6	0.0	0.0	0.0	0.0	0.0	0.0	1.7	9.7	1.7	14.8	3.3	3	643
12-14 LST	7.5	2.7	0.0	0.0	0.0	0.0	0.0	0.8	1.7	6.5	0.9	12.2	2.7	3	-30
15-17 LST	7.5	1.8	0.0	0.0	0.0	0.0	0.0	1.6	1.7	3.2	0.0	11.3	2.3	3	644
18-20 LST	6.0	0.9	0.0	0.0	0.0	0.0	0.0	0.8	0.9	4.9	1.7	12.4	2.3	3	-30
21-23 LST	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	3.3	14.5	2.4	3	644

VANCOUVER INTL., CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST	24.1	24.0	28.5	28.0	31.0	29.0	31.0	30.5	28.5	26.5	25.0	21.0	327.1	3	644
	22 LST	25.0	24.5	31.0	29.0	31.0	29.0	30.5	31.0	29.0	22.0	23.0	23.0	328.0	3	644
	04 LST	21.5	20.6	26.6	28.0	29.2	27.8	29.5	28.0	24.6	20.7	21.3	21.1	298.9	9	2930
	10 LST	18.9	20.5	27.0	29.0	29.0	25.0	29.0	29.0	26.0	18.0	19.5	17.8	288.7	3	643
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST	15.3	16.0	14.0	18.0	23.0	17.0	23.0	24.5	20.0	18.0	18.5	11.0	218.3	3	644
	22 LST	15.3	16.0	24.0	19.0	28.0	21.0	26.5	29.0	24.0	18.5	17.0	12.0	250.3	3	644
	04 LST	14.2	12.3	18.4	20.8	22.8	21.8	23.6	22.3	18.3	12.8	13.4	12.4	213.1	9	2930
	10 LST	10.8	12.0	12.0	16.0	17.0	14.0	19.0	20.0	17.0	12.0	15.0	6.6	171.4	3	642
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.0	1.4	3	644
	22 LST	0.9	0.5	1.0	0.0	1.0	0.0	0.5	0.0	0.5	0.0	1.0	1.0	6.4	3	644
	04 LST	0.5	0.6	0.7	0.9	0.5	0.4	0.7	0.2	0.6	0.7	0.9	0.7	7.4	9	2930
	10 LST	0.9	0.5	0.5	0.0	1.0	1.0	1.0	0.0	0.5	1.5	0.0	1.0	7.9	3	642
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST	7.8	11.0	10.5	13.0	24.0	17.0	21.5	24.0	16.5	14.0	13.5	10.0	182.8	3	644
	22 LST	9.7	9.5	14.0	13.0	18.0	17.0	19.5	18.5	16.0	10.0	9.5	11.0	165.7	3	644
	04 LST	5.6	7.8	11.6	12.2	13.9	14.4	15.0	16.6	9.8	9.8	9.7	8.0	134.4	9	2930
	10 LST	10.8	10.0	15.0	15.0	17.0	14.0	18.0	20.5	17.5	13.5	13.5	6.6	171.4	3	642
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST	1.8	1.5	5.5	7.0	12.0	9.0	12.5	14.5	13.5	7.5	3.5	1.0	89.3	3	644
	22 LST	2.3	4.0	9.0	10.0	16.0	8.0	17.0	21.0	16.0	6.5	7.0	1.5	118.3	3	644
	04 LST	5.0	3.2	5.5	8.4	10.1	6.5	14.1	12.8	10.7	4.6	4.7	4.6	90.2	9	2930
	10 LST	0.9	1.0	3.5	6.0	13.0	7.0	9.5	10.5	8.5	4.0	3.5	0.5	67.9	3	643
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST	16.6	19.0	23.5	26.0	31.0	24.0	30.0	29.0	27.5	24.0	20.5	14.0	285.1	3	644
	22 LST	17.6	17.5	25.5	26.0	31.0	26.0	30.0	29.5	27.5	20.0	19.5	16.0	286.1	3	644
	04 LST	16.5	15.3	20.7	23.6	25.1	23.6	26.8	23.5	21.3	15.6	16.4	15.2	243.6	9	2930
	10 LST	10.6	13.5	20.0	23.0	28.0	20.0	24.5	24.5	22.5	16.0	15.5	11.7	229.8	3	643
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST	15.3	14.5	20.0	24.0	30.0	23.0	28.5	28.0	25.5	23.5	19.0	11.0	262.3	3	644
	22 LST	13.9	12.0	20.0	25.0	30.0	23.0	27.5	27.5	26.5	18.0	16.0	11.0	250.4	3	644
	04 LST	12.6	10.6	16.5	18.0	20.9	18.2	23.6	20.3	18.7	12.0	11.7	11.6	194.9	9	2930
	10 LST	6.9	11.0	17.5	22.0	28.0	20.0	23.0	24.0	22.5	13.5	13.5	8.1	211.0	3	643
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST	14.3	13.5	20.0	24.0	30.0	23.0	28.5	28.0	25.5	22.5	18.5	11.0	258.8	3	644
	22 LST	12.9	12.0	20.0	24.0	28.0	22.0	25.5	27.5	24.5	17.5	15.0	10.5	239.4	3	644
	04 LST	12.1	9.8	15.3	17.0	20.2	17.1	23.1	19.3	18.2	10.8	11.4	11.3	185.6	9	2930
	10 LST	6.9	10.0	17.5	22.0	28.0	19.0	23.0	23.5	22.0	13.0	12.5	7.6	205.0	3	643

COMOX, CANADA

STA NO. 72893 (IN AREA NUMBER 05)

LATITUDE 4942N

LONGITUDE 12453W

ELEVATION(FT) 00093

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	57	59	64	71	88	90	94	90	87	72	64	60	94	20	-610
MEAN MAX TMP (F)	40	44	47	54	63	68	72	71	66	56	48	43	56	10	-105
MEAN MIN TMP (F)	29	32	34	38	44	49	53	52	47	40	36	32	41	10	-105
ABS MIN TMP (F)	-6	3	7	24	27	38	41	40	31	26	14	10	-6	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.8	0.1	0.0	0.0	0.0	0.0	1.0	9	7939
MEAN NO DYS TMP = OR LES 32(F)	12.3	9.5	8.9	0.8	0.0	0.0	0.0	0.0	0.0	0.6	8.8	9.7	50.6	9	2939
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2939
MEAN DEW PT TMP (F)	30	34	39	38	45	50	53	53	49	44	38	35	42	7	-106
MEAN REL HUM (PCT)	85	85	76	77	72	73	72	75	77	84	88	90	80	7	-106
MEAN PRESS ALT (FT)	-42	-24	9	-0	11	16	-1	-0	7	-3	-34	-37	-7	0	-90
MEAN PRECIP (IN)	6.92	4.96	3.81	2.29	1.38	1.41	1.12	1.24	1.69	4.46	7.90	6.99	44.2	10	-105
MEAN SNOW FALL (IN)	22.5	8.1	2.9	0.4	0.0	0.0	0.0	0.0	0.0	0.0	2.0	9.2	49.6	10	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	12.7	11.2	9.4	6.5	4.3	4.0	3.4	3.7	4.5	9.2	14.3	12.8	96.0	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	4.8	1.7	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.9	9.2	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	0.0	0.0	3.0	6	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	36.8	33.9	19.8	14.2	7.3	7.5	6.1	8.9	11.8	25.9	31.4	41.1	20.4	9	2938
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	9.7	6.7	1.6	1.3	0.0	0.4	1.1	1.2	2.1	5.7	7.1	8.5	3.8	9	2938
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

COMOX, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST	22.2	21.0	27.3	27.1	30.1	29.4	30.0	29.1	26.7	23.2	23.3	21.7	311.1	9	2938
	10 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	16 LST														0	0
	22 LST														0	0
	04 LST	14.5	13.1	19.2	22.2	25.9	24.2	27.1	27.3	22.3	17.2	14.4	12.8	240.2	9	2938
	10 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST														0	0
	22 LST														0	0
	04 LST	0.2	0.4	0.7	0.1	0.2	0.2	0.0	0.0	0.1	0.2	0.9	0.4	3.4	9	2939
	10 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST														0	0
	22 LST														0	0
	04 LST	3.3	3.6	6.4	10.5	13.2	12.6	14.7	13.3	9.7	8.0	6.6	4.5	106.4	9	2939
	10 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST	5.6	6.5	7.1	10.3	12.0	9.1	15.3	14.3	15.5	8.2	6.6	4.5	115.0	9	2939
	10 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST	15.0	14.7	20.7	23.5	26.4	24.4	27.2	26.8	23.8	18.8	16.1	13.6	251.0	9	2938
	10 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST	11.3	11.5	15.0	18.6	20.2	18.1	22.7	22.6	20.9	15.2	12.2	9.8	198.1	9	2938
	10 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST	10.8	11.0	14.5	18.1	19.4	17.7	21.7	21.6	20.5	14.4	11.8	9.4	190.9	9	2938
	10 LST														0	0

BULL HARBOUR, CANADA

STA NO. 72895 (IN AREA NUMBER 05)

LATITUDE 5055N

LONGITUDE 12757W

ELEVATION(FT) 00015

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	62	68	72	72	85	100	78	86	84	77	75	60	100	40	-110
MEAN MAX TMP (F)	43	45	48	52	56	60	62	63	60	55	49	44	53	27	-105
MEAN MIN TMP (F)	27	35	35	37	39	44	48	50	51	48	43	39	41	27	-105
ABS MIN TMP (F)	9	14	13	26	28	38	40	41	32	21	18	10	9	40	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0		27	-29
MEAN NO DYS TMP = OR LES 32(F)						0.0	0.0	0.0	0.0					40	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	40	-29
MEAN DEW PT TMP (F)	35	38	38	41	47	50	53	54	51	46	41	37	44	9	-106
MEAN REL HUM (PCT)	90	88	85	85	90	90	90	92	91	91	90	91	89	9	-106
MEAN PRESS ALT (FT)													67.1	27	-105
MEAN PRECIP (IN)	7.64	5.71	5.96	4.27	3.06	1.95	2.59	2.84	4.41	8.82	9.68	10.19	9.5	27	-105
MEAN SNOW FALL (IN)	2.9	2.1	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.7	3.2	9.5	27	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	13.1	11.9	12.6	10.1	8.1	5.1	6.1	6.5	9.1	15.7	17.0			27	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	1.1	27	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														10	-24
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BULL HARBOUR, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	GBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	15 LST														0	0
	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	15 LST														0	0
	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	15 LST														0	0
	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST														0	0
	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	15 LST														0	0
	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	15 LST														0	0
	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	15 LST														0	0
	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST														0	0
	21 LST														0	0
	03 LST														0	0
	09 LST														0	0

DATA NOT AVAILABLE

PRINCE GEORGE, CANADA

STA NO. 72896 (IN AREA NUMBER 05)

LATITUDE 5353N

LONGITUDE 122-1W

ELEVATION(FT) 02268

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	49	55	64	74	86	93	94	92	81	76	61	53	94	20	-610
MEAN MAX TMP (F)	23	31	42	54	64	70	75	74	65	52	38	25	51	27	-105
MEAN MIN TMP (F)	3	6	18	27	34	42	44	43	36	30	21	8	26	27	-105
ABS MIN TMP (F)	-58	-49	-36	-14	17	27	29	25	10	-14	-43	-50	-58	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.4	0.0	0.0	0.0	0.0	0.0	9	2942
MEAN NO DYS TMP = OR LES 32(F)	29.0	25.8	27.9	18.5	8.7	1.1	0.0	1.0	7.4	16.6	25.8	28.2	190.0	9	2942
MEAN NO DYS TMP = OR LES 0(F)	11.3	8.0	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	6.2	31.6	9	2942
MEAN DEW PT. TMP (F)	11	17	22	29	38	45	49	48	43	34	24	17	31	8	-106
MEAN REL HUM (PCT)	88	85	71	67	64	67	71	74	76	80	87	91	77	8	-106
MEAN PRESS ALT (FT)	2163	2169	2219	2225	2224	2248	2208	2206	2222	2248	2232	2209	2214	0	-50
MEAN PRECIP (IN)	1.81	1.21	1.44	0.84	1.34	2.06	1.63	1.94	2.00	1.99	1.87	1.85	20.0	27	-105
MEAN SNOW FALL (IN)	16.2	10.1	8.1	0.6	0.0	0.0	0.0	0.0	0.2	1.7	10.0	15.8	62.7	27	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.6	3.9	4.4	2.7	4.2	5.3	4.5	5.1	5.1	5.0	4.8	5.7	56.3	27	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.5	2.1	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.2	3.4	13.1	27	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.2	1.0	1.0	0.0	0.0	0.0	0.5	0.0	1.0	2.5	2.5	4.5	16.2	3	642
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	2.0	4.0	5.0	4.0	1.0	0.0	0.0	0.0	16.0	8	-24
P FREQ WND SPD = OR GTR 17 KTS	5.2	6.3	6.9	2.5	2.4	2.5	2.1	0.0	2.1	5.6	2.9	3.2	3.5	3	2568
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	3	2568
P FREQ LES 5000 FT A/O LES 5 MI	53.4	36.2	31.5	21.7	9.7	14.2	15.4	25.8	21.3	24.2	42.5	45.2	28.4	3	2568
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	29.0	16.2	14.3	5.4	4.3	10.9	4.6	9.3	7.1	12.2	25.9	23.6	13.6	3	-30
03-05 LST	31.0	20.8	14.1	7.5	8.5	11.7	7.6	12.1	7.5	17.8	21.8	24.6	15.4	9	2942
06-08 LST	39.2	23.8	19.1	8.8	5.9	12.5	7.9	17.4	12.1	19.4	25.1	29.3	18.4	3	-30
09-11 LST	46.3	26.8	24.2	10.0	3.2	13.3	8.2	22.6	16.7	21.0	28.3	33.9	21.2	3	643
12-14 LST	46.3	26.8	24.2	10.0	3.2	13.3	8.2	22.6	16.7	21.0	28.3	33.9	21.2	3	-30
15-17 LST	38.8	25.0	15.4	6.7	1.6	10.0	5.8	14.6	11.7	16.2	30.0	33.1	17.4	3	642
18-20 LST	31.3	23.2	6.5	3.3	0.0	6.7	3.3	6.5	6.7	11.3	31.7	32.3	13.6	3	642
21-23 LST	29.1	17.9	10.5	3.3	0.0	8.4	2.5	6.5	6.7	8.9	30.9	27.5	12.7	3	-30
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	19.1	9.4	8.9	3.6	1.2	3.8	0.6	3.3	2.3	7.5	14.4	10.8	7.1	3	-30
03-05 LST	20.2	13.3	9.7	3.8	2.4	4.2	1.1	4.9	2.9	10.1	12.1	11.9	8.1	9	2942
06-08 LST	18.3	13.8	8.9	3.6	1.2	3.8	1.4	4.1	4.0	9.1	10.2	14.8	7.8	3	-30
09-11 LST	16.4	14.3	8.1	3.3	0.0	3.3	1.6	3.2	5.0	8.1	8.3	17.7	7.4	3	643
12-14 LST	16.4	14.3	8.1	3.3	0.0	3.3	1.6	3.2	5.0	8.1	8.3	17.7	7.4	3	-30
15-17 LST	12.7	9.9	4.9	1.7	0.0	3.3	0.8	2.4	3.4	6.5	11.7	16.1	6.1	3	642
18-20 LST	9.0	5.4	1.6	0.0	0.0	3.3	0.0	1.6	1.7	4.8	15.0	14.5	4.7	3	642
21-23 LST	13.5	5.4	4.9	1.7	0.0	3.3	0.0	1.6	1.7	4.8	15.0	12.1	5.4	3	-30
	17.9	5.4	8.1	3.3	0.0	3.3	0.0	1.6	1.7	4.8	16.7	9.7	6.0	3	643

PRINCE GEORGE, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST	24.1	23.5	30.5	30.0	31.0	29.0	30.5	30.0	29.0	28.5	21.0	21.0	328.1	3	642
	22 LST	23.1	25.0	26.0	29.0	31.0	27.0	30.5	29.5	28.5	29.5	21.5	24.0	324.6	3	643
	04 LST	22.1	22.2	26.7	28.5	29.0	27.2	28.5	26.1	25.8	25.5	24.0	24.2	309.8	9	2942
	10 LST	18.5	20.5	25.0	29.0	30.0	27.0	25.0	25.5	26.0	25.5	22.5	22.0	300.5	3	643
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST	13.9	15.5	18.0	16.0	23.0	18.0	19.6	24.0	19.5	19.0	13.5	15.5	215.5	3	642
	22 LST	17.1	15.5	19.5	24.0	26.0	22.0	26.9	28.5	26.0	22.0	16.5	14.0	258.0	3	643
	04 LST	15.3	15.1	19.6	23.3	25.0	23.8	26.7	23.7	21.5	15.9	16.8	15.1	241.5	9	2942
	10 LST	10.6	13.5	12.0	14.0	19.0	19.0	22.4	20.0	17.0	12.5	12.0	15.5	187.5	3	643
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST	0.9	1.5	3.0	0.0	1.0	2.0	0.5	0.0	0.5	1.0	0.0	0.0	10.4	3	642
	22 LST	0.0	2.0	1.0	0.0	1.0	0.0	0.0	0.0	0.0	0.5	1.5	1.0	7.0	3	643
	04 LST	1.7	1.1	0.9	0.5	0.0	0.0	0.0	0.0	0.4	2.4	1.7	2.1	10.8	9	2942
	10 LST	1.4	2.0	2.0	1.0	1.0	0.0	0.5	0.0	0.5	2.5	0.5	1.0	12.4	3	643
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST	3.7	4.0	7.5	12.0	17.0	14.0	15.0	16.0	14.0	10.5	4.0	2.5	120.2	3	642
	22 LST	2.3	2.0	6.0	12.0	12.0	12.0	10.1	10.0	12.0	8.0	3.0	2.0	91.4	3	643
	04 LST	1.5	0.8	2.2	7.2	7.6	9.0	9.3	9.4	6.9	6.3	1.9	1.5	63.8	9	2942
	10 LST	0.0	1.5	4.5	11.0	12.0	17.0	15.7	15.0	14.5	8.0	4.5	0.5	102.2	3	643
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST	3.7	6.0	4.0	2.0	7.0	6.0	2.6	4.5	4.5	5.0	3.0	2.5	50.8	3	642
	22 LST	7.4	8.5	11.5	13.0	14.0	8.0	6.1	8.5	11.0	7.0	5.0	6.0	106.0	3	643
	04 LST	7.8	8.9	9.5	10.6	11.2	6.6	11.3	9.3	10.4	7.9	7.7	5.1	106.3	9	2942
	10 LST	2.3	4.5	7.5	6.0	10.0	10.0	9.6	8.5	4.5	5.0	3.0	3.5	74.4	3	643
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST	18.5	19.0	26.5	28.0	31.0	26.0	28.9	26.5	26.0	26.5	17.5	19.0	293.4	3	642
	22 LST	20.3	21.5	24.5	27.0	31.0	27.0	29.0	28.5	27.0	29.0	18.5	19.5	302.8	3	643
	04 LST	19.5	20.2	24.2	26.5	27.1	24.2	27.2	24.5	24.7	23.5	21.6	21.1	284.3	9	2942
	10 LST	13.9	18.5	20.5	25.0	29.0	26.0	27.4	22.5	24.0	23.5	20.5	20.0	270.8	3	643
CIG = GTR 5000 FT AND VSBY = GTR 3 MI	16 LST	14.3	16.5	20.0	21.0	25.0	23.0	19.6	22.0	20.5	21.0	15.5	14.5	232.9	3	642
	22 LST	13.4	17.0	20.5	21.0	25.0	26.0	22.8	20.0	23.0	24.0	14.5	14.5	241.7	3	643
	04 LST	15.9	16.0	20.0	22.0	23.6	20.8	23.4	19.7	19.8	19.8	17.9	17.3	236.2	9	2942
	10 LST	11.1	14.5	18.5	22.0	26.0	26.0	23.4	19.5	23.0	21.0	18.0	18.0	241.0	3	643
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST	13.9	16.5	20.0	20.0	23.0	23.0	18.6	21.5	20.0	20.0	14.5	14.0	225.0	3	642
	22 LST	12.0	16.0	20.0	20.0	24.0	25.0	19.8	19.0	19.0	19.5	13.5	13.5	221.3	3	643
	04 LST	15.1	15.1	18.6	21.0	22.2	20.2	22.4	18.7	18.6	18.2	16.9	15.6	222.6	9	2942
	10 LST	10.6	14.0	18.5	22.0	26.0	26.0	22.8	19.0	22.0	21.0	18.0	17.0	236.9	3	643

PRINCE RUPERT, CANADA

STA NO. 72898 (IN AREA NUMBER 05)

LATITUDE 5417N

LONGITUDE 13027W

ELEVATION(FT) 0011

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	64	66	68	74	84	90	87	86	79	71	68	66	90	30	-528
MEAN MAX TMP (F)	39	42	45	50	55	60	62	64	60	53	46	40	51	26	-28
MEAN MIN TMP (F)	30	31	33	37	41	46	49	51	47	42	37	32	40	26	-28
ABS MIN TMP (F)	-3	2	15	22	29	34	33	39	30	22	14	1	-3	30	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	9	2929
MEAN NO DYS TMP = OR LES 32(F)	15.0	13.3	12.9	2.8	1.2	0.0	0.0	0.0	0.0	1.2	8.0	12.9	67.3	9	2929
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2929
MEAN DEW PT TMP (F)	31	33	34	37	44	49	52	53	50	44	37	33	41	10	-106
MEAN REL HUM (PCT)	84	85	80	79	81	84	86	87	87	85	84	87	84	10	-106
MEAN PRESS ALT (FT)	113	107	114	95	57	56	-0	16	66	157	168	163	93	0	-50
MEAN PRECIP (IN)	9.76	7.57	8.43	6.67	5.30	4.05	4.76	5.15	7.72	12.22	12.25	11.28	95.2	26	-105
MEAN SNOW FALL (IN)	12.4	7.0	8.6	3.3	0.0	0.0	0.0	0.0	0.0	0.1	1.9	7.3	40.6	26	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	13.8	13.0	17.2	13.7	11.6	8.0	8.7	9.0	14.1	21.1	21.2			26	-29
MEAN NO DYS SNFL = OR LES 1.5 IN	2.6	1.4	1.8	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.4	8.1	26	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.5	0.0	1.0	5.0	4.1	2.0	3.5	1.6	0.5	0.0	18.2	3	609
MEAN NO DYS TSTMS	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.0	1.5	3	609
P FREQ WND SPD = OR GTR 17 KTS	13.8	8.8	12.7	9.5	3.3	0.0	0.0	0.8	3.3	11.4	14.9	13.0	7.6	3	2436
P FREQ WND SPD = OR GTR 28 KTS	3.3	0.9	1.3	2.6	0.0	0.0	0.0	0.0	0.8	2.5	3.5	2.9	1.5	3	2436
P FREQ LES 5000 FT A/O LES 5 MI	57.9	45.4	58.3	43.1	52.5	52.5	63.1	50.8	50.8	51.7	54.8	68.3	54.1	3	2436
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	15.3	13.2	11.2	10.8	14.2	28.5	34.4	20.9	17.0	15.5	12.6	15.1	17.4	3	-30
03-05 LST	16.7	15.6	9.0	8.2	15.4	26.9	38.2	27.2	17.2	14.6	11.8	15.6	18.0	9	2916
06-08 LST	16.7	19.4	15.2	7.5	14.2	26.8	42.5	28.4	26.1	14.8	16.9	18.3	20.6	3	-30
09-11 LST	16.7	23.2	21.3	6.7	12.9	26.7	46.8	29.5	35.0	15.0	22.0	21.0	23.1	3	638
12-14 LST	19.7	18.9	19.5	8.4	12.9	23.4	32.9	21.2	25.0	14.8	19.5	22.6	19.9	3	-30
15-17 LST	22.6	14.5	17.7	10.0	12.9	20.0	21.0	12.9	15.0	14.5	16.9	24.1	16.8	3	629
18-20 LST	18.2	12.6	15.5	11.7	12.9	25.0	25.8	13.7	15.9	15.5	15.1	19.3	16.8	3	-30
21-23 LST	13.8	10.7	13.3	13.3	12.9	30.0	30.6	14.5	16.7	16.4	13.3	14.5	16.7	3	639
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	2.2	0.9	2.9	0.2	2.1	10.3	7.8	8.3	4.6	1.0	0.2	0.6	3.4	3	-30
03-05 LST	2.9	1.8	0.8	0.4	4.1	10.5	12.4	13.4	7.5	2.0	0.4	1.2	4.8	9	2916
06-08 LST	4.5	2.7	2.1	0.2	2.1	10.3	11.9	10.8	10.4	1.0	1.9	2.2	5.0	3	-30
09-11 LST	6.1	3.6	3.3	0.0	0.0	10.0	11.3	8.2	13.3	0.0	3.4	3.2	5.2	3	638
12-14 LST	4.7	4.6	3.3	0.0	0.0	5.0	8.1	4.1	6.7	0.0	1.7	1.6	3.3	3	-30
15-17 LST	3.2	5.5	3.2	0.0	0.0	0.0	4.8	0.0	0.0	0.0	0.0	0.0	1.4	3	629
18-20 LST	2.4	2.8	4.1	0.0	0.0	5.0	4.0	1.6	0.9	0.0	0.0	0.0	1.7	3	-30
21-23 LST	1.5	0.0	5.0	0.0	0.0	10.0	3.2	3.2	1.7	0.0	0.0	0.0	2.1	2	639

PRINCE RUPERT, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	15 LST	28.5	26.0	29.0	30.0	31.0	27.0	26.5	29.5	28.5	29.0	28.0	29.3	342.3	3	629
	21 LST	30.0	27.5	28.9	30.0	30.0	25.0	24.5	27.5	26.5	30.0	29.0	30.5	339.4	3	639
	03 LST	28.3	26.0	30.3	29.2	28.0	24.5	21.1	24.4	25.2	29.1	28.6	29.3	324.0	9	2916
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	15 LST	16.5	20.9	16.5	22.0	21.0	21.0	20.5	22.5	20.0	19.5	14.2	9.7	224.3	3	629
	21 LST	18.1	19.5	20.6	20.0	20.0	18.0	17.5	23.0	20.0	18.3	17.0	15.0	227.0	3	639
	03 LST	18.1	18.0	20.1	20.6	22.2	17.1	15.2	17.6	19.6	17.1	17.7	15.5	218.8	9	2916
SFC WND = GTR 17 KTS AND NO PRECIP.	15 LST	1.0	0.5	0.0	1.0	0.0	0.0	0.0	0.5	1.0	0.5	1.0	0.6	6.1	3	629
	21 LST	0.9	0.5	0.5	0.0	1.0	0.0	0.0	0.0	0.0	1.5	1.5	2.0	7.9	3	639
	03 LST	1.5	0.2	0.7	0.4	0.0	0.2	0.1	0.0	0.4	1.1	0.6	1.1	6.3	9	2916
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	3.5	8.1	10.5	16.0	16.0	21.0	17.0	20.5	10.5	9.0	6.1	7.4	145.6	3	629
	21 LST	9.5	7.0	9.8	13.0	11.0	8.0	8.5	8.0	10.0	8.1	6.5	8.0	107.4	3	639
	03 LST	6.8	4.9	9.7	10.6	11.7	9.2	7.3	7.5	9.4	8.1	8.6	7.0	100.8	9	2916
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	15 LST	2.5	6.1	4.5	9.0	3.0	9.0	9.5	5.5	7.5	7.0	2.5	0.6	66.7	3	629
	21 LST	7.6	9.0	7.2	16.0	7.0	9.0	4.5	7.0	8.5	9.6	7.5	4.0	96.9	3	639
	03 LST	8.3	7.2	8.3	8.0	7.0	2.6	3.3	4.3	7.3	6.0	7.0	5.6	74.9	9	2916
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	15 LST	14.0	20.4	17.5	21.0	19.0	19.0	20.0	20.5	20.5	19.5	18.3	13.2	222.9	3	629
	21 LST	17.6	18.5	18.1	19.0	21.0	16.0	16.0	21.0	20.0	17.8	19.0	18.0	222.0	3	639
	03 LST	18.7	17.4	20.7	19.7	19.4	14.2	12.4	14.1	17.4	16.6	19.1	17.8	207.5	9	2916
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	15 LST	9.5	17.3	13.5	17.0	13.0	17.0	15.5	16.0	17.5	15.0	12.7	9.2	173.2	3	629
	21 LST	12.4	13.5	13.4	17.0	15.0	13.0	11.5	16.0	16.0	12.7	13.5	12.5	166.5	3	639
	03 LST	13.0	13.0	14.3	13.1	12.7	8.9	7.5	7.7	11.2	10.4	13.1	12.1	137.0	9	2916
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	15.5	13.0	12.2	17.0	17.0	13.0	10.5	12.7	10.0	11.9	12.7	10.5	156.0	3	638
	21 LST	8.5	15.8	12.5	17.0	12.0	17.0	15.5	15.0	17.0	13.5	11.2	8.0	163.0	3	629
	03 LST	11.9	11.5	10.9	17.0	14.0	12.0	10.5	14.0	14.0	10.7	13.5	10.0	150.0	3	639
	09 LST	12.5	11.4	13.4	12.2	12.3	7.9	6.9	6.7	10.8	9.5	12.3	10.1	128.0	9	2916
	09 LST	14.5	12.5	11.7	16.0	17.0	12.0	10.0	11.2	9.0	9.8	11.2	9.0	143.9	3	638

LANGARA, CANADA

STA NO. 72899 (IN AREA NUMBER 05)

LATITUDE 5415N

LONGITUDE 13303W

ELEVATION(FT) 00134

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	53	55	58	65	77	78	70	75	73	68	59	55	78	20	-110
MEAN MAX TMP (F)	41	41	44	48	52	56	59	60	58	53	46	42	50	14	-105
MEAN MIN TMP (F)	34	34	36	38	42	47	51	52	50	45	39	36	42	14	-105
ABS MIN TMP (F)	6	12	11	26	32	38	42	42	35	30	19	10	6	20	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS TMP = OR LES 32(F)					0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN DEW PT TMP (F)	36	36	36	39	44	48	52	53	51	46	40	37	43	9	-106
MEAN REL HUM (PCT)	92	93	90	90	91	94	94	94	94	92	93	93	93	9	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	6.81	4.64	5.92	4.98	3.27	3.28	3.68	4.63	5.94	9.31	7.98	7.35	67.8	14	-105
MEAN SNOW FALL (IN)	4.2	5.7	4.8	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.9	4.5	20.8	14	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	12.7	10.9	12.5	11.1	8.4	7.1	7.6	8.5	11.4	16.4	14.5	12.9	134.0	14	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.7	1.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.8	3.5	14	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

LANGARA, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
	09 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
	09 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
	09 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
	09 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
	09 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
	09 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
	09 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
	09 LST													0	0

DATA NOT AVAILABLE

KELOWNA, CANADA

STA NO. 72902/ (IN AREA NUMBER 05)

LATITUDE 4958N

LONGITUDE 11923W

ELEVATION(FT) 01409

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	54	63	70	82	93	96	102	97	93	78	65	58	102	60	-110
MEAN MAX TMP (F)	31	35	47	58	68	74	81	78	68	56	43	34	56	40	-105
MEAN MIN TMP (F)	19	20	28	34	42	49	53	51	44	36	30	24	36	40	-105
ABS MIN TMP (F)	-24	-18	-8	15	25	30	38	33	21	14	-9	-12	-24	60	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	3.0	8.5	5.3	0.2	0.0	0.0	0.0	17.0	9	-72889
MEAN NO DYS TMP = OR LES 32(F)	22.7	17.6	17.7	6.1	1.2	0.1	0.0	0.0	0.4	5.3	17.4	19.5	108.0	9	-72889
MEAN NO DYS TMP = OR LES 0(F)	1.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	2.1	9	-72889
MEAN DEW PT TMP (F)	20	26	28	34	42	49	52	52	46	40	32	27	37	10	-72889
MEAN REL HUM (PCT)	80	78	65	60	59	63	57	60	63	72	79	80	68	10	-72889
MEAN PRESS ALT (FT)	1287	1301	1349	1350	1350	1375	1341	1341	1349	1351	1329	1319	1338	0	-50
MEAN PRECIP (IN)	1.29	0.93	0.72	0.58	0.88	1.22	0.78	0.90	1.09	1.03	1.27	1.50	12.2	40	-105
MEAN SNOW FALL (IN)	10.7	6.4	3.2	0.1	0.0	0.0	0.0	0.0	0.0	0.3	4.0	11.0	35.7	40	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.1	3.0	2.3	1.8	2.8	3.6	2.6	2.9	3.4	3.2	3.7	4.7	38.1	40	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.2	1.2	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.3	7.0	40	-29
MEAN NO DYS W/OCUR VSBY LES 1/2' MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	2.0	3.0	5.0	4.0	1.0	0.0	0.0	0.0	15.0	10	-72889
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	19.0	27.1	6.9	1.3	2.8	1.7	1.4	0.4	0.4	6.9	10.0	17.1	7.5	9	-72889
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	6.1	7.1	1.6	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.8	3.7	1.7	9	-72889
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KELOWNA, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
CIG = GTR 1000 FT AND														0	0
VSBY = GTR 3 MI														0	0
	16 LST													0	0
	22 LST													0	0
	04 LST	27.7	23.9	30.1	30.0	30.5	29.9	30.9	31.0	30.0	30.1	28.7	28.4	351.2	9 -72889
	10 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR	16 LST													0	0
3 MI W/SFC WND LES 10 KTS	22 LST													0	0
	04 LST	11.2	12.0	23.1	26.3	28.1	27.6	30.0	30.0	27.5	20.8	14.7	9.3	260.6	9 -72889
	10 LST													0	0
SFC WND = GTR 17 KTS AND	16 LST													0	0
NO PRECIP.	22 LST													0	0
	04 LST	4.5	2.7	1.7	0.8	0.4	0.2	0.0	0.1	0.8	2.6	3.6	6.7	24.1	9 -72889
	10 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89	16 LST													0	0
DEG F AND NO PRECIP.	22 LST													0	0
	04 LST	1.9	2.0	4.4	7.6	9.5	8.9	11.0	10.7	10.0	6.3	3.5	1.9	77.7	9 -72889
	10 LST													0	0
SKY COVER LES 3/10 AND	16 LST													0	0
VSBY = GTR 3 MI	22 LST													0	0
	04 LST	4.5	6.6	10.1	10.9	12.6	11.5	19.6	17.3	17.1	10.5	7.9	4.4	133.0	9 -72889
	10 LST													0	0
CIG = GTR 2500 FT AND	16 LST													0	0
VSBY = GTR 3 MI	22 LST													0	0
	04 LST	18.9	18.8	27.1	28.9	29.4	29.0	30.4	30.6	29.7	26.8	22.8	19.2	311.6	9 -72889
	10 LST													0	0
CIG = GTR 6000 FT AND	16 LST													0	0
VSBY = GTR 3 MI	22 LST													0	0
	04 LST	12.6	14.5	22.4	25.7	25.9	26.7	28.8	29.4	27.5	22.4	17.2	12.8	265.9	9 -72889
	10 LST													0	0
CIG = GTR 10000 FT AND	16 LST													0	0
VSBY = GTR 3 MI	22 LST													0	0
	04 LST	11.3	12.9	21.0	23.4	24.5	24.8	27.1	27.7	25.1	21.0	15.7	11.0	245.5	9 -72889
	10 LST													0	0

POWELL RIVER, CANADA

STA NO. 72911/ (IN AREA NUMBER 05)

LATITUDE 4949N

LONGITUDE 12430W

ELEVATION(FT) 00425

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	60	60	68	73	87	91	93	90	85	72	68	59	93	40	-110
MEAN MAX TMP (F)	40	44	47	54	63	68	72	71	66	56	48	43	56	10	-72893
MEAN MIN TMP (F)	29	32	34	38	44	49	53	52	47	40	36	32	41	10	-72893
ABS MIN TMP (F)	6	13	18	29	36	38	46	45	39	27	15	13	6	40	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.8	0.1	0.0	0.0	0.0	0.0	1.0	9	-72893
MEAN NO DYS TMP = OR LES 32(F)	12.3	9.5	8.9	0.8	0.0	0.0	0.0	0.0	0.0	0.6	8.8	9.7	50.6	9	-72893
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-72893
MEAN DEW PT TMP (F)	30	34	39	38	45	50	53	53	49	44	38	35	42	7	-72893
MEAN REL HUM (PCT)	85	85	76	77	72	73	72	75	77	84	88	90	80	7	-72893
MEAN PRESS ALT (FT)	297	316	351	342	354	359	340	342	348	337	306	303	333	0	-50
MEAN PRECIP (IN)	6.92	4.96	3.81	2.29	1.38	1.41	1.12	1.24	1.69	4.46	7.90	6.99	44.2	10	-72893
MEAN SNOW FALL (IN)	22.5	8.6	2.9	0.4	0.0	0.0	0.0	0.0	0.0	0.0	2.0	9.2	45.6	10	-72893
MEAN NO DYS PRCP = OR GTR 0.1 IN	12.7	11.2	9.4	6.5	4.3	4.0	3.4	3.7	4.5	9.2	14.3	12.8	96.0	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	4.8	1.7	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.9	9.2	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	0.0	0.0	3.0	6	-72893
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	36.8	33.9	19.8	14.2	7.3	7.5	6.1	8.9	11.8	25.9	31.4	41.1	20.4	9	-72893
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	9.7	6.7	1.6	1.3	0.0	0.4	1.1	1.2	2.1	5.7	7.1	8.5	3.8	9	-72893
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

POWELL RIVER, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST	22.2	21.0	27.3	27.1	30.1	29.4	30.0	29.1	26.7	23.2	23.3	21.7	311.1	9	-72893
	10 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST														0	0
	22 LST														0	0
	04 LST	14.5	13.1	19.2	22.2	25.9	24.2	27.1	27.3	22.3	17.2	14.4	12.8	240.2	9	-72893
	10 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST														0	0
	22 LST														0	0
	04 LST	0.2	0.4	0.7	0.1	0.2	0.2	0.0	0.0	0.1	0.2	0.9	0.4	3.4	9	-72893
	10 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST														0	0
	22 LST														0	0
	04 LST	3.3	3.6	6.4	10.5	13.2	12.6	14.7	13.3	9.7	8.0	6.6	4.5	106.4	9	-72893
	10 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST	5.6	6.5	7.1	10.3	12.0	9.1	15.3	14.3	15.5	8.2	6.6	4.5	115.0	9	-72893
	10 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST	15.0	14.7	20.7	23.5	26.4	24.4	27.2	26.8	23.8	18.8	16.1	13.6	251.0	9	-72893
	10 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST	11.3	11.5	15.0	18.6	20.2	18.1	22.7	22.6	20.9	15.2	12.2	9.8	198.1	9	-72893
	10 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST	10.8	11.0	14.5	18.1	19.4	17.7	21.7	21.6	20.5	14.4	11.8	9.4	190.9	9	-72893
	10 LST														0	0

SMITH RIVER, CANADA

STA NO. 72947 (IN AREA NUMBER 05)

LATITUDE 5954N

LONGITUDE 12626W

ELEVATION(FT) 0220'

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	49	50	57	67	89	92	89	88	79	67	56	48	92	20	-610
MEAN MAX TMP (F)	1	10	26	44	55	65	70	66	55	38	17	3	38	9	2946
MEAN MIN TMP (F)	-15	-7	5	23	32	42	46	44	35	23	2	-11	18	9	2946
ABS MIN TMP (F)	-74	-66	-50	-32	9	21	30	23	-2	-24	-55	-63	-74	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2946
MEAN NO DYS TMP = OR LES 32(F)	30.7	28.0	30.3	27.9	17.0	3.5	0.7	1.2	12.3	26.0	29.7	31.0	238.3	9	2946
MEAN NO DYS TMP = OR LES 0(F)	25.2	19.2	12.2	0.8	0.0	0.0	0.0	0.0	0.0	1.7	13.1	22.6	94.8	9	2946
MEAN DEW PT TMP (F)	-5	-6	12	22	33	43	47	44	39	27	6	-7	21	7	-106
MEAN REL HUM (PCT)	96	90	77	69	57	63	69	71	78	81	91	95	78	7	-106
MEAN PRESS ALT (FT)	2067	2064	2119	2160	2170	2189	2174	2186	2212	2258	2203	2167	2164	0	-50
MEAN PRECIP (IN)	1.94	1.23	1.38	0.83	1.04	2.70	2.15	1.74	1.49	1.71	1.55	1.88	19.6	9	2946
MEAN SNOW FALL (IN)	14.4	9.5	7.8	5.6	2.1	0.0	0.0	0.0	0.9	7.8	12.5	13.9	74.5	10	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.0	4.8	4.2	3.0	3.5	7.2	5.3	4.9	4.5	5.9	4.9	6.3	60.5	9	2946
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.1	2.0	1.6	1.1	0.4	0.0	0.0	0.0	0.1	1.6	2.9	3.0	15.8	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	3.0	6.0	1.0	1.0	0.0	0.0	0.0	12.0	7	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	8.5	10.6	10.1	6.3	4.0	6.3	4.7	3.6	2.1	10.9	6.7	10.5	7.0	9	2946
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	4.5	8.0	8.1	5.4	0.8	3.3	2.2	2.8	1.3	7.7	5.4	7.3	4.7	9	2946
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SMITH RIVER, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST	28.9	25.3	27.9	28.2	30.0	28.5	29.5	29.9	29.0	27.8	28.1	28.1	341.2	9	2946
	10 LST														0	0
	16 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST														0	0
	22 LST														0	0
	04 LST	26.2	23.2	25.0	26.9	28.5	26.7	27.9	29.1	27.5	25.5	26.3	25.9	318.7	9	2946
	10 LST														0	0
	16 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST														0	0
	22 LST														0	0
	04 LST	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.3	9	2946
	10 LST														0	0
	16 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST														0	0
	22 LST														0	0
	04 LST	0.4	0.2	0.6	2.3	9.2	10.7	13.7	12.8	9.9	4.2	0.8	0.2	65.0	9	2946
	10 LST														0	0
	16 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST	13.5	10.5	14.0	13.9	11.2	5.6	9.2	9.5	12.2	10.4	11.2	11.5	132.7	9	2945
	10 LST														0	0
	16 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST	26.8	23.8	27.0	27.0	28.7	26.3	28.4	29.1	27.7	25.3	26.5	26.7	323.3	9	2946
	10 LST														0	0
	16 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST	22.9	19.1	22.7	22.7	21.4	19.5	22.3	18.7	20.8	19.8	20.8	22.6	253.3	9	2946
	10 LST														0	0
	16 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST	21.0	17.0	20.5	20.9	20.1	18.0	20.3	17.1	19.7	16.8	18.2	19.1	228.7	9	2946
	10 LST														0	0
	16 LST														0	0

SMITHERS, CANADA

STA NO. 72950 (IN AREA NUMBER 05)

LATITUDE 5446N

LONGITUDE 12711W

ELEVATION(FT) 01718

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	60	52	60	73	88	92	92	93	86	72	59	50	93	20	-610
MEAN MAX TMP (F)	22	30	39	51	61	65	71	69	61	48	33	26	48	9	2936
MEAN MIN TMP (F)	8	14	22	31	38	43	47	45	38	33	21	14	30	9	2936
ABS MIN TMP (F)	-47	-32	-28	-1	19	28	30	28	20	4	-25	-34	-47	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.4	9	2936
MEAN NO DYS TMP = OR LES 32(F)	29.9	26.0	29.0	19.4	6.2	0.5	0.0	0.5	6.5	13.4	27.1	30.1	188.6	9	2936
MEAN NO DYS TMP = OR LES 0(F)	9.1	6.1	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	4.6	22.7	9	2936
MEAN DEW PT TMP (F)	15	20	25	31	39	46	49	49	44	35	26	16	33	9	-106
MEAN REL HUM (PCT)	86	90	78	73	67	70	72	74	79	85	89	92	80	9	-106
MEAN PRESS ALT (FT)	1691	1684	1709	1705	1676	1681	1629	1644	1688	1772	1770	1754	1700	0	-50
MEAN PRECIP (IN)	2.23	1.43	1.13	0.61	1.25	1.90	1.47	1.70	1.93	2.41	3.01	3.38	22.4	9	2932
MEAN SNOW FALL (IN)	19.0	10.9	6.1	1.9	0.0	0.0	0.0	0.0	0.0	1.8	10.8	16.6	67.1	10	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.4	4.6	4.0	1.4	3.7	5.4	4.9	5.1	4.5	7.2	7.1	10.3	64.6	9	2932
MEAN NO DYS SNFL = OP GTR 1.5 IN	4.1	2.3	1.2	0.3	0.0	0.0	0.0	0.0	0.0	0.3	2.4	3.6	14.2	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.3	0.0	0.0	0.0	0.0	1.0	0.5	1.5	4.5	1.6	1.0	1.5	14.9	3	626
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	3.0	8	-24
P FREQ WND SPD = OR GTR 17 KTS	1.3	2.3	2.4	5.8	0.8	0.0	0.8	0.4	0.4	1.8	1.3	1.6	1.6	3	2504
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	2504
P FREQ LES 5000 FT A/O LES 5 MI	44.6	33.8	27.4	13.3	8.1	8.3	14.1	14.5	28.3	19.2	43.8	31.9	23.9	3	2500
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	22.9	15.3	9.3	2.9	2.6	5.8	4.0	5.7	11.1	7.2	19.5	14.4	10.1	3	-30
03-05 LST	19.2	13.8	12.1	5.8	5.2	8.3	8.0	8.1	13.9	12.5	19.0	19.0	12.1	9	2930
06-08 LST	21.3	16.2	12.5	6.3	4.2	5.8	8.1	8.9	21.1	9.6	20.4	20.8	12.9	3	-30
09-11 LST	23.4	19.6	12.9	6.7	3.2	3.3	8.1	9.7	28.3	7.0	21.7	22.6	13.9	3	636
12-14 LST	18.2	17.0	8.9	5.0	1.6	1.7	4.1	4.9	20.0	7.1	18.4	17.8	10.4	3	-30
15-17 LST	12.9	14.3	4.8	3.3	0.0	0.0	0.0	0.0	11.7	7.1	15.0	12.9	6.8	3	633
18-20 LST	19.8	15.5	5.7	1.7	0.0	1.7	0.0	1.6	10.0	4.5	17.5	11.3	7.4	3	-30
21-23 LST	26.6	16.7	6.5	0.0	0.0	3.3	0.0	3.2	8.3	1.8	20.0	9.7	8.0	3	633
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	17.7	11.4	6.9	1.9	1.0	1.7	1.1	1.6	6.5	2.7	11.8	10.4	6.2	3	-30
03-05 LST	13.5	9.8	8.9	3.8	2.0	3.3	2.2	3.2	8.0	5.4	11.8	12.6	7.0	9	2930
06-08 LST	14.5	13.0	8.5	1.9	1.0	1.7	1.9	3.2	5.7	3.6	10.9	13.6	6.6	3	-30
09-11 LST	15.6	16.1	8.1	0.0	0.0	0.0	1.6	3.2	3.3	1.8	10.0	14.5	6.2	3	636
12-14 LST	10.2	13.4	5.7	0.0	0.0	0.0	0.8	1.6	2.5	0.9	5.9	12.1	4.4	3	-30
15-17 LST	4.8	10.7	3.2	0.0	0.0	0.0	0.0	0.0	1.7	0.0	1.7	9.7	2.7	3	633
18-20 LST	13.4	11.9	4.0	0.0	0.0	0.0	0.0	0.0	5.4	0.0	6.7	8.9	4.0	3	-30
21-23 LST	21.9	13.0	4.8	0.0	0.0	0.0	0.0	0.0	5.0	0.0	11.7	8.1	5.4	3	633

SMITHERS, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST	28.0	24.0	30.0	30.0	31.0	30.0	31.0	31.0	27.0	29.3	28.0	27.0	346.3	3	633
	22 LST	22.8	23.8	29.5	30.0	31.0	30.0	31.0	31.0	28.0	30.4	25.5	27.5	340.5	3	633
	04 LST	26.2	24.7	27.7	28.5	29.6	27.4	28.5	28.2	23.3	27.6	25.1	26.2	323.0	9	2930
	10 LST	25.2	23.0	28.0	29.0	30.0	30.0	29.0	29.5	23.5	29.9	26.0	25.5	328.6	3	636
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST	26.0	19.5	20.0	18.0	17.0	25.0	22.5	25.0	20.5	23.3	20.5	24.0	261.3	3	633
	22 LST	17.9	19.2	24.5	25.0	27.0	27.0	29.5	28.5	26.0	26.0	19.0	21.0	290.6	3	633
	04 LST	20.6	20.4	24.6	25.4	28.0	26.4	26.8	26.8	20.9	21.3	19.0	19.3	279.5	9	2929
	10 LST	20.3	15.5	23.0	24.0	27.0	27.0	27.0	27.0	17.0	23.9	16.0	18.0	265.7	3	636
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST	0.0	0.5	0.5	1.0	0.0	0.0	0.5	0.0	0.5	0.0	0.5	0.5	4.0	3	634
	22 LST	0.0	0.5	1.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	3	633
	04 LST	0.6	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.5	0.1	0.2	1.7	9	2931
	10 LST	0.5	1.0	0.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	4.0	3	636
SFC WND 4-10 KTS AND TMP ≥ 3-89 DEG F AND NO PRECIP.	16 LST	2.4	2.5	7.0	4.0	11.0	16.0	15.0	12.0	12.5	13.8	6.0	3.0	105.2	3	634
	22 LST	1.4	2.6	2.0	9.0	17.0	11.0	13.0	5.0	5.5	7.8	2.0	1.5	77.8	3	633
	04 LST	0.4	1.2	2.2	4.9	4.2	5.1	3.0	3.6	5.4	7.3	1.9	1.9	41.1	9	2931
	10 LST	1.4	1.0	4.0	14.0	18.0	13.0	13.0	7.0	8.0	10.3	4.0	0.0	93.7	3	636
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST	2.9	4.0	4.5	5.0	7.0	6.0	7.5	5.0	5.5	7.8	1.0	5.5	61.7	3	634
	22 LST	6.8	7.3	8.5	13.0	13.0	12.0	9.0	10.5	12.5	10.0	5.0	7.0	114.6	3	633
	04 LST	8.2	8.7	9.4	10.9	10.1	7.0	10.4	9.3	8.3	6.8	6.5	6.4	102.0	9	2932
	10 LST	3.4	5.5	4.5	7.0	9.0	13.0	8.5	4.5	6.5	6.5	1.5	3.0	72.9	3	636
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST	25.0	22.5	28.5	28.0	31.0	29.0	30.5	30.5	25.5	27.7	22.5	25.5	326.2	3	633
	22 LST	19.8	22.3	27.5	30.0	31.0	28.0	31.0	29.0	26.5	29.3	20.0	25.0	319.4	3	633
	04 LST	22.0	23.4	25.6	27.4	28.1	26.0	26.5	26.5	21.0	24.5	21.0	22.4	294.4	9	2930
	10 LST	19.4	21.0	25.0	26.0	28.0	29.0	27.0	27.0	20.0	26.1	19.0	22.0	289.5	3	636
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST	20.5	16.5	20.0	17.0	22.0	26.0	21.0	17.5	19.0	19.4	14.5	16.5	229.9	3	633
	22 LST	15.5	12.9	20.0	23.0	25.0	26.0	26.5	21.5	21.5	22.7	14.0	19.5	248.1	3	633
	04 LST	16.8	16.7	19.7	22.6	22.7	20.4	21.5	21.3	17.1	18.1	15.9	16.8	229.6	9	2930
	10 LST	13.1	13.0	19.5	22.0	22.0	29.0	21.5	22.0	18.0	16.3	12.5	15.5	224.4	3	636
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST	20.0	16.5	20.0	16.0	22.0	21.0	19.0	17.0	19.0	18.3	14.5	16.0	219.3	3	633
	22 LST	14.5	12.9	19.0	22.0	25.0	26.0	24.5	20.5	21.0	20.5	13.5	18.0	237.4	3	633
	04 LST	15.9	15.4	18.0	20.6	22.0	19.9	20.6	20.1	16.5	15.9	14.4	15.6	214.9	9	2930
	10 LST	13.1	13.0	18.5	22.0	22.0	29.0	21.5	22.0	18.0	15.2	12.0	15.5	221.8	3	636

TERRACE, CANADA

STA NO. 72951 (IN AREA NUMBER 05)

LATITUDE 5428N

LONGITUDE 12835W

ELEVATION(FT) 00713

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	52	57	66	80	92	95	99	98	91	74	66	52	99	40	-610
MEAN MAX TMP (F)	28	34	44	54	63	69	73	74	65	52	40	32	52	27	-105
MEAN MIN TMP (F)	20	23	29	34	40	46	50	50	44	39	32	24	36	27	-105
ABS MIN TMP (F)	-22	-17	-2	18	20	30	35	27	22	7	2	-2	-22	40	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.4	1.0	0.4	0.0	0.0	0.0	0.0	1.9	9	2937
MEAN NO DYS TMP = OR LES 32(F)	27.0	20.7	19.4	7.0	1.6	0.0	0.0	0.0	0.0	4.0	18.2	23.4	121.3	9	2937
MEAN NO DYS TMP = OR LES 0(F)	2.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3.2	9	2937
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	704	696	712	701	667	669	613	629	677	767	772	761	697	0	-50
MEAN PRECIP (IN)	4.80	3.89	3.19	2.01	1.71	1.88	2.08	1.88	3.23	6.07	7.40	7.03	45.2	27	-105
MEAN SNOW FALL (IN)	17.9	13.0	4.7	0.5	0.0	0.0	0.0	0.0	0.0	1.2	4.8	13.9	56.0	27	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	11.1	9.9	8.3	5.9	5.1	4.9	5.3	4.9	7.2	11.6	13.6	12.8	100.6	27	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.9	2.8	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.9	3.0	11.7	27	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														9	2937
03-05 LST	35.1	32.7	28.6	17.5	17.3	20.0	16.2	23.1	27.6	45.7	43.1	48.9	29.7	0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														9	2937
03-05 LST	19.4	15.5	13.3	3.3	2.4	4.2	1.8	3.6	4.6	15.8	19.2	25.3	10.7	0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

TERRACE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI															
15 LST														0	0
21 LST														0	0
03 LST	21.4	19.9	23.5	25.9	27.1	25.4	27.2	25.7	23.2	18.2	17.9	16.9	272.3	9	2937
09 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS															
15 LST														0	0
21 LST														0	0
03 LST	5.5	8.5	15.0	17.3	19.7	19.6	21.2	18.2	14.0	8.2	8.1	7.8	164.1	9	2937
09 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.															
15 LST														0	0
21 LST														0	0
03 LST	7.0	4.6	2.1	2.0	0.6	1.2	1.0	0.7	1.1	1.2	2.6	3.7	27.8	9	2937
09 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.															
15 LST														0	0
21 LST														0	0
03 LST	1.4	2.2	4.5	10.2	14.8	12.6	13.7	12.5	12.8	6.9	2.9	1.3	95.8	9	2937
09 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI															
15 LST														0	0
21 LST														0	0
03 LST	9.2	7.7	7.9	8.9	8.9	4.5	9.4	8.3	8.8	4.1	5.3	4.2	87.2	9	2936
09 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI															
15 LST														0	0
21 LST														0	0
03 LST	17.4	16.7	20.1	22.4	23.3	21.9	23.4	21.5	19.2	14.5	14.6	13.6	228.6	9	2937
09 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI															
15 LST														0	0
21 LST														0	0
03 LST	15.0	14.0	17.4	18.9	20.1	17.7	19.3	17.5	16.7	12.0	10.9	11.0	190.5	9	2937
09 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI															
15 LST														0	0
21 LST														0	0
03 LST	14.2	12.3	14.7	16.5	18.5	16.5	17.6	16.3	14.8	10.5	10.1	10.2	172.2	9	2937
09 LST														0	0

PACHENA POINT, CANADA

STA NO. 74049/ (IN AREA NUMBER 05)

LATITUDE 4843N

LONGITUDE 12506W

ELEVATION(FT) 00150

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	58	61	68	73	77	89	89	83	81	71	61	59	89	30	-110
MEAN MAX TMP (F)	44	46	48	53	56	60	62	63	60	55	50	46	54	14	-105
MEAN MIN TMP (F)	35	35	37	39	43	47	49	50	47	44	39	37	42	14	-105
ABS MIN TMP (F)	4	14	20	26	29	35	39	40	30	23	15	14	4	30	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS TMP = OR LES 32(F)					0.0	0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN DEW PT TMP (F)	36	38	39	42	46	50	53	54	51	47	42	39	45	9	-106
MEAN REL HUM (PCT)	90	88	87	88	89	89	92	92	90	92	92	92	90	9	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	15.49	11.05	10.71	6.35	4.47	4.19	2.44	2.75	4.97	11.82	17.77	15.01	102.0	14	-105
MEAN SNOW FALL (IN)	3.9	1.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	7.0	14	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN				13.2	10.4	8.1	5.9	6.4	10.0	20.4	22.1			14	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	14	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

PACHENA POINT, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST													0	0
	10 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	16 LST													0	0
	22 LST													0	0
	04 LST													0	0
	10 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST													0	0
	22 LST													0	0
	04 LST													0	0
	10 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST													0	0
	22 LST													0	0
	04 LST													0	0
	10 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST													0	0
	10 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST													0	0
	10 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST													0	0
	10 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST													0	0
	10 LST													0	0

DATA NOT AVAILABLE

KLEENA KLEENE, CANADA

STA NO. 74050 (IN AREA NUMBER 05)

LATITUDE 5159N

LONGITUDE 12459W

ELEVATION(FT) 02950

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	57	54	64	74	88	87	92	93	89	76	64	55	93	20	-110
MEAN MAX TMP (F)	21	34	41	51	62	66	72	71	66	51	35	24	50	10	-105
MEAN MIN TMP (F)	-4	2	11	23	31	39	41	40	33	26	15	2	22	10	-105
ABS MIN TMP (F)	-58	-47	-39	-2	11	21	25	25	14	1	-40	-45	-58	20	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				20	-29
MEAN DEW PT TMP (F)	5	13	21	28	35	43	45	46	40	31	21	10	28	7	-106
MEAN REL HUM (PCT)	93	91	80	69	61	66	63	67	70	83	92	95	78	7	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.18	0.77	0.54	0.68	0.93	2.12	1.05	1.63	0.64	1.06	1.61	1.29	13.5	10	-105
MEAN SNOW FALL (IN)	10.4	7.4	4.6	4.5	0.3	0.0	0.0	0.0	0.1	3.3	11.0	10.3	51.9	10	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.8	2.5	1.7	2.2	3.0	5.4	3.2	4.5	2.5	3.3	4.3	4.1	40.5	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.2	1.5	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.6	2.4	2.1	10.6	10	-29
MEAN NO DYS W/OCUR V5BY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	4.0	8	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KLEENA KLEENE, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR	16	LST												0	0
3 MI w/SFC WND LES 10 KTS	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
SFC WND = GTR 17 KTS AND	16	LST												0	0
NO PRECIP.	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	16	LST												0	0
DEG F AND NO PRECIP.	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
SKY COVER LES 3/10 AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
CIG = GTR 2500 FT AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
CIG = GTR 6000 FT AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
CIG = GTR 10000 FT AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0

DATA NOT AVAILABLE

CASTLEGAR, CANADA

STA NO. 74060/ (IN AREA NUMBER 05)

LATITUDE 4918N

LONGITUDE 11738W

ELEVATION(FT) 01624

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	55	57	68	82	96	100	103	102	93	80	59	53	103	60	-74115
MEAN MAX TMP (F)	30	35	45	58	66	73	82	79	68	55	40	32	55	39	-74115
MEAN MIN TMP (F)	19	21	28	34	40	47	51	49	43	36	30	24	35	39	-74115
ABS MIN TMP (F)	-17	-17	-5	8	26	32	38	32	20	7	-5	-12	-17	60	-74115
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0			2.6			0.0	0.0	0.0		39	-29
MEAN NO DYS TMP = OR LES 32(F)						0.0	0.0	0.0						60	-29
MEAN NO DYS TMP = OR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				60	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	1445	1458	1531	1557	1596	1612	1590	1587	1558	1518	1467	1447	1531	0	-50
MEAN PRECIP (IN)	3.47	2.30	1.96	1.57	2.06	2.53	1.62	1.44	1.73	2.35	3.11	3.63	27.8	39	-74115
MEAN SNOW FALL (IN)	27.2	17.0	8.2	0.8	0.1	0.0	0.0	0.0	0.1	0.9	9.2	25.8	89.3	39	-74115
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.2	6.8	5.7	4.8	6.0	6.0	4.4	4.1	4.6	5.7	7.0	9.5	73.8	39	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	5.6	3.7	1.7	0.1	0.0	0.0	0.0	0.0	0.0	0.1	2.0	5.4	18.6	39	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CASTLEGAR, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
		CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST 22 LST 04 LST 10 LST													
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	16 LST 22 LST 04 LST 10 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST 22 LST 04 LST 10 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST 22 LST 04 LST 10 LST														0	0
SKY COVER LES 3/10 ANI VSBY = GTR 3 MI	16 LST 22 LST 04 LST 10 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST 22 LST 04 LST 10 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST 22 LST 04 LST 10 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST 22 LST 04 LST 10 LST														0	0

DATA NOT AVAILABLE

SANDSPIT, CANADA

STA NO. 74101 (IN AREA NUMBER 05)

LATITUDE 5315N

LONGITUDE 13148W

ELEVATION(FT) 00018

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	54	54	54	66	71	77	79	78	70	66	73	57	79	12	4266
MEAN MAX TMP (F)	40	41	43	48	53	58	62	63	60	53	47	43	51	12	4266
MEAN MIN TMP (F)	32	33	34	38	43	49	53	54	50	43	38	35	42	12	4271
ABS MIN TMP (F)	10	11	11	29	30	38	42	27	36	30	23	17	10	12	4271
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4266
MEAN NO DYS TMP = OR LES 32(F)	16.1	11.8	10.8	2.5	0.4	0.0	0.0	0.1	0.0	0.4	4.0	10.7	56.8	12	4271
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4271
MEAN DEW PT TMP (F)	30	33	34	38	43	48	53	53	51	45	39	35	42	8	44487
MEAN REL HUM (PCT)	88	90	87	86	87	84	86	85	86	90	90	90	87	8	44463
MEAN PRESS ALT (FT)	46	40	31	4	-42	-50	-111	-91	-32	71	90	92	4	0	-50
MEAN PRECIP (IN)	6.51	3.82	4.54	3.38	1.69	2.20	1.90	2.12	3.02	7.11	6.59	7.36	50.2	7	2557
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0		0.0	0.0				12	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	15.1	10.4	12.1	9.8	4.7	7.6	5.1	5.8	9.0	14.8	14.4	17.3	126.1	7	2557
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0		0.0	0.0				12	-29
MEAN NO DYS W/OCUR V5BY LES 1/2 MI	1.9	0.3	1.6	0.7	0.7	1.0	1.0	1.3	0.8	0.7	1.0	1.0	12.0	8	2436
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.2	0.2	0.2	0.0	0.0	0.0	0.4	0.6	0.3	1.9	8	2357
P FREQ WND SPD = OR GTR 17 KTS	21.2	20.5	17.5	21.7	12.2	9.3	4.5	8.6	11.6	13.9	17.1	26.2	15.4	8	44835
P FREQ WND SPD = OR GTR 28 KTS	4.7	3.5	3.5	3.0	1.4	0.5	0.1	0.3	1.5	3.5	4.1	5.7	2.7	8	44835
P FREQ LES 5000 FT A/O LES 5 MI	54.4	51.0	53.1	45.4	47.5	46.3	58.4	51.5	44.5	48.1	50.9	52.4	50.3	9	44859
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	12.6	13.9	12.2	6.4	13.1	10.4	14.0	14.6	10.7	13.8	14.0	9.1	12.1	5	5154
03-05 LST	15.7	14.8	15.2	6.9	13.5	18.1	16.9	15.6	13.4	13.6	16.6	10.2	14.2	12	7776
06-08 LST	13.7	13.1	17.9	11.4	17.0	16.1	15.4	18.5	16.1	15.6	16.7	14.8	15.5	5	5402
09-11 LST	16.3	14.1	19.0	10.1	14.0	12.9	13.9	17.5	16.0	20.5	18.0	21.2	16.1	8	6059
12-14 LST	15.1	15.0	14.8	12.6	14.6	8.5	13.0	14.5	10.2	19.3	19.2	21.2	14.8	5	5418
15-17 LST	17.9	17.8	16.6	9.9	11.7	10.2	11.8	14.1	14.0	17.8	18.9	17.7	14.9	8	6046
18-20 LST	17.8	13.7	11.9	10.5	12.9	10.3	13.8	14.3	13.9	13.9	14.1	10.8	13.2	5	5394
21-23 LST	18.0	15.0	11.1	11.2	14.7	10.4	13.1	15.0	10.5	11.1	12.6	9.8	12.7	8	5794
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	3.0	1.8	2.2	0.2	1.1	2.0	2.6	3.4	1.3	1.3	1.1	0.9	1.7	5	5154
03-05 LST	3.3	1.3	2.9	0.6	0.9	2.4	2.2	2.1	2.1	1.3	2.9	1.6	2.0	12	7776
06-08 LST	2.5	1.5	3.5	0.2	1.9	2.0	1.5	1.5	1.8	1.5	1.6	1.1	1.7	5	5402
09-11 LST	2.7	1.1	2.3	0.0	1.4	0.6	1.3	3.2	1.4	1.5	1.2	2.1	1.6	8	6059
12-14 LST	3.8	1.4	1.8	0.0	2.4	0.7	1.5	1.9	1.3	2.4	1.3	1.3	1.7	5	5418
15-17 LST	4.9	0.6	2.7	0.6	1.8	1.3	2.1	2.1	3.4	2.3	2.4	0.6	2.1	8	6046
18-20 LST	3.8	1.5	3.1	0.4	1.7	2.0	2.2	2.4	2.5	1.1	1.8	0.9	2.0	5	5394
21-23 LST	3.9	1.3	1.8	0.0	2.0	2.5	2.1	3.8	1.4	1.7	1.2	1.0	1.9	8	5794

SANDSPIT, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	15 LST	26.4	24.8	28.5	28.3	28.1	27.8	29.3	28.3	27.0	26.3	26.9	27.8	329.5	8	2457
	21 LST	27.0	25.7	29.0	28.5	28.1	28.3	29.4	27.3	27.3	27.8	27.5	29.1	335.0	8	2451
	03 LST	27.6	26.0	27.9	29.2	28.5	26.4	27.8	28.0	27.4	28.1	27.2	29.2	333.3	12	4358
	09 LST	26.3	25.8	28.7	28.7	27.8	27.7	28.1	27.3	26.0	26.3	26.6	28.1	327.4	8	2456
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	15 LST	13.5	11.6	12.9	12.7	14.8	14.6	14.7	16.3	15.0	15.8	14.4	13.3	169.6	8	2457
	21 LST	14.4	14.3	19.8	18.8	19.8	20.3	19.4	21.5	20.4	21.5	18.1	16.1	224.4	8	2451
	03 LST	16.0	15.3	17.1	20.1	20.9	18.3	19.2	22.3	21.2	19.5	17.1	16.1	223.1	12	4356
	09 LST	14.1	14.3	15.3	14.4	15.7	15.7	19.0	18.4	16.3	16.5	15.9	15.1	190.7	8	2456
SFC WND = GTR 17 KTS AND NO PRECIP.	15 LST	5.5	6.5	5.1	6.9	4.7	4.3	2.7	3.6	3.5	4.3	4.1	6.2	57.4	8	2315
	21 LST	5.9	4.6	3.4	4.4	2.8	1.5	1.4	1.7	2.3	2.3	3.1	5.4	38.8	8	2309
	03 LST	3.5	2.6	3.3	2.2	1.8	1.8	0.7	1.1	1.4	1.6	2.4	3.9	26.3	12	4170
	09 LST	3.9	4.2	3.4	4.8	2.7	2.9	1.0	2.0	2.8	3.5	2.7	5.2	39.1	8	2306
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	6.6	9.1	11.4	12.2	14.9	15.2	16.3	15.4	14.3	13.5	9.6	10.6	149.1	8	2315
	21 LST	5.7	8.0	9.6	10.1	13.0	14.1	10.8	12.5	11.2	10.1	13.0	8.5	126.6	8	2309
	03 LST	7.8	6.9	7.8	12.0	11.8	13.5	13.4	13.2	13.6	11.0	9.4	8.0	128.4	12	4170
	09 LST	8.4	6.6	12.1	12.7	17.7	18.2	16.1	16.4	14.4	14.3	13.8	8.9	159.6	8	2306
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	15 LST	1.4	2.4	2.1	4.8	3.9	6.5	9.9	4.5	4.5	3.2	2.9	2.7	48.8	8	1149
	21 LST	5.6	7.0	8.1	9.8	12.9	7.5	10.6	8.8	9.5	9.0	7.5	8.0	104.3	8	1163
	03 LST	7.8	6.5	9.1	10.3	10.0	3.9	8.5	9.0	9.8	8.4	6.9	6.7	96.9	12	3072
	09 LST	2.0	3.0	7.2	5.5	4.3	6.9	8.6	5.9	6.4	3.5	4.1	2.9	60.3	8	1146
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	15 LST	18.1	16.8	19.5	20.3	24.1	24.7	22.0	22.6	21.6	19.7	19.4	19.1	247.9	8	2457
	21 LST	20.7	20.0	22.3	23.0	23.5	23.3	23.6	22.7	24.8	24.1	22.7	23.5	274.2	8	2451
	03 LST	21.8	18.6	21.5	23.5	23.5	19.5	20.7	23.5	24.2	22.7	21.4	21.7	262.6	12	4358
	09 LST	18.6	19.8	20.3	22.6	22.7	21.5	21.7	21.5	21.3	21.8	18.9	20.2	250.9	8	2456
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	15 LST	10.9	10.3	13.5	13.7	15.2	17.0	12.3	14.4	14.9	12.8	14.6	13.1	162.7	8	2457
	21 LST	14.8	14.6	15.8	17.8	16.8	15.8	14.6	16.0	19.1	18.4	15.5	17.2	196.4	8	2451
	03 LST	15.8	12.7	15.8	17.8	16.7	11.5	12.3	15.7	18.2	15.5	15.9	15.1	183.0	12	4358
	09 LST	12.4	13.4	14.5	16.1	13.6	14.3	12.7	14.4	14.1	15.6	14.6	13.5	169.2	8	2456
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	8.7	8.5	11.4	12.4	12.6	15.3	11.6	13.5	12.7	11.8	12.7	11.6	142.8	8	2457
	21 LST	13.9	13.0	14.4	16.7	15.3	14.8	13.5	14.8	17.2	17.3	13.9	14.9	179.7	8	2451
	03 LST	14.5	11.8	15.1	16.9	15.7	10.4	11.2	14.3	16.3	14.0	14.5	13.9	168.6	12	4358
	09 LST	10.9	11.1	12.7	13.9	11.3	13.1	11.3	12.4	13.0	13.1	12.5	11.5	146.8	8	2456

QUESNEL, CANADA

STA NO. 74103 (IN AREA NUMBER 05)

LATITUDE 5302N

LONGITUDE 12231W

ELEVATION(FT) 01789

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	59	66	74	88	96	98	105	101	94	83	76	59	105	70	-610
MEAN MAX TMP (F)	24	31	44	57	67	73	78	76	67	54	40	29	53	44	-105
MEAN MIN TMP (F)	5	8	18	28	36	44	46	45	38	31	21	12	28	44	-105
ABS MIN TMP (F)	-51	-50	-30	-7	12	18	30	29	12	-4	-33	-52	-52	70	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.5	1.3	1.5	0.0	0.0	0.0	0.0	3.4	9	2940
MEAN NO DYS TMP = OR LES 32(F)	29.0	25.1	26.2	18.3	7.1	0.6	0.0	0.0	4.0	12.3	25.2	28.0	175.8	9	2939
MEAN NO DYS TMP = OR LES 0(F)	9.6	5.2	1.5	0.0	0.0	0.9	0.0	0.0	0.0	0.0	2.3	5.1	23.7	9	2939
MEAN DEW PT TMP (F)	5	14	24	31	40	47	51	50	43	34	25	16	32	5	-106
MEAN REL HUM (PCT)	89	82	72	67	63	69	71	74	73	78	89	91	77	5	-106
MEAN PRESS ALT (FT)	1702	1707	1753	1752	1742	1763	1718	1720	1742	1780	1770	1749	1742	0	-50
MEAN PRECIP (IN)	1.39	0.99	0.77	0.55	1.05	1.85	1.71	1.55	1.53	1.58	1.32	1.38	15.7	44	-105
MEAN SNOW FAL (IN)	12.9	8.6	3.8	0.3	0.0	0.0	0.0	0.0	0.0	1.1	7.0	11.2	44.9	44	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.4	3.2	2.5	1.7	3.3	4.9	4.6	4.3	4.2	4.3	3.8	4.4	45.6	44	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.7	1.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.4	2.3	8.9	44	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	2.0	3.0	4.0	4.0	1.0	0.0	0.0	0.0	14.0	5	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	28.2	18.6	10.6	10.5	11.7	12.9	16.5	27.6	35.6	27.5	25.1	24.0	20.7	9	2941
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	14.5	14.2	7.8	5.4	6.5	7.1	10.4	23.2	31.8	18.2	20.1	17.1	14.7	9	2941
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

QUESNEL, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST													0	0	
	22 LST													0	0	
	04 LST	23.6	22.9	28.1	27.6	27.5	25.5	25.6	22.2	18.8	22.8	22.6	23.9	291.1	9	2941
	10 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST													0	0	
	22 LST													0	0	
	04 LST	18.5	20.3	25.4	25.4	26.6	24.8	24.7	21.7	18.2	18.4	18.8	19.9	262.7	9	2941
	10 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST													0	0	
	22 LST													0	0	
	04 LST	0.2	0.5	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.0	2.0	9	2941
	10 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST													0	0	
	22 LST													0	0	
	04 LST	2.1	2.2	2.5	4.3	3.6	2.1	1.8	1.5	2.1	5.9	2.8	4.3	35.2	9	2940
	10 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST													0	0	
	22 LST													0	0	
	04 LST	7.8	7.8	9.9	11.9	12.6	4.7	11.0	8.9	8.0	6.4	6.8	5.8	101.6	9	2941
	10 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST													0	0	
	22 LST													0	0	
	04 LST	19.1	20.9	25.0	26.0	26.4	23.9	24.2	20.6	17.9	19.9	20.1	20.6	264.6	9	2941
	10 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST													0	0	
	22 LST													0	0	
	04 LST	14.8	16.1	20.0	20.8	22.1	18.2	21.0	15.3	14.7	16.2	15.8	15.5	210.5	9	2941
	10 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST													0	0	
	22 LST													0	0	
	04 LST	12.7	14.8	18.1	18.9	21.2	17.7	19.9	14.2	13.3	14.0	14.3	13.5	192.6	9	2941
	10 LST													0	0	

ABBOTSFORD, CANADA

STA NO. 74108 (IN AREA NUMBER 05)

LATITUDE 4901N

LONGITUDE 12222W

ELEVATION(FT) 00190

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	60	68	72	77	91	91	99	97	89	76	65	70	99	9	2924
MEAN MAX TMP (F)	41	46	50	57	65	69	74	74	68	58	48	44	58	9	2924
MEAN MIN TMP (F)	31	35	36	41	45	50	52	52	48	43	36	34	42	9	2923
ABS MIN TMP (F)	2	6	14	28	31	37	39	42	35	29	7	7	2	9	2923
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	0.2	1.3	1.2	0.0	0.0	0.0	0.0	2.9	9	2924
MEAN NO DYS TMP = OR LES 32(F)	15.4	9.0	9.0	1.7	0.4	0.0	0.0	0.0	0.0	0.7	10.8	12.0	59.0	9	2923
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2923
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	89	105	135	120	122	127	98	104	120	125	105	107	113	0	-50
MEAN PRECIP (IN)	7.02	5.82	5.28	3.98	3.17	2.39	1.10	2.25	3.67	6.62	6.79	8.18	56.3	9	2924
MEAN SNOW FALL (IN)	7.7	6.1	5.5	0.4	0.0	0.0	0.0	0.0	0.0	0.0	2.1	6.0	27.8	9	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	12.2	11.9	13.0	9.8	8.9	6.3	2.9	5.1	6.8	12.4	12.4	13.2	116.9	9	2924
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.5	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.1	5.1	9	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.0	1.0	1.0	2.0	1.0	1.0	0.0	0.0	0.0	7.0	6	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	13.8	11.9	9.3	6.7	7.7	4.6	3.7	7.3	11.7	11.7	13.0	14.2	9.6	9	2924
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	5.7	5.3	2.4	0.0	0.8	0.4	1.1	2.4	5.0	2.8	4.6	4.5	2.9	9	2924
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

ABBOTSFORD, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	27.6	25.6	29.2	29.5	29.7	29.3	30.0	29.1	25.7	25.3	26.1	27.2	9	2924
	10 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST													0	0
	22 LST													0	0
	04 LST	20.7	18.3	23.5	23.0	26.5	27.3	28.8	27.5	23.2	20.3	19.2	19.4	9	2924
	10 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST													0	0
	22 LST													0	0
	04 LST	2.1	1.2	0.4	0.2	0.0	0.0	0.0	0.0	0.2	0.6	1.4	0.9	9	2924
	10 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST													0	0
	22 LST													0	0
	04 LST	6.9	8.3	9.6	11.7	8.9	8.3	7.5	6.4	7.5	8.9	8.3	8.0	9	2924
	10 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	8.3	5.4	7.8	8.5	10.4	8.0	16.0	14.3	11.8	6.4	7.5	6.0	9	2924
	10 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	22.1	20.7	24.2	24.5	26.2	26.5	28.0	26.8	22.8	21.6	22.2	22.3	9	2924
	10 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	14.0	12.4	15.9	16.9	19.1	17.5	23.0	21.6	17.3	14.9	15.4	14.5	9	2924
	10 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	13.4	10.9	14.4	15.8	17.0	16.1	22.1	19.8	16.2	13.2	14.6	12.8	9	2924
	10 LST													0	0

PORT HARDY, CANADA

STA NO. 74109 (IN AREA NUMBER 05)

LATITUDE 5041N

LONGITUDE 12722W

ELEVATION(FT) 00080

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	56	59	60	72	81	89	80	83	77	72	67	57	89	20	-610
MEAN MAX TMP (F)	42	45	46	52	58	61	63	64	60	53	45	43	53	9	2942
MEAN MIN TMP (F)	34	35	35	38	42	48	50	51	47	43	36	36	41	9	2942
ABS MIN TMP (F)	6	16	12	26	30	36	37	40	33	28	14	14	6	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2942
MEAN NO DYS TMP = OR LES 32(F)	12.2	9.6	11.2	3.4	0.7	0.0	0.0	0.0	0.0	1.1	8.3	8.2	54.7	9	2942
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2942
MEAN DEW PT TMP (F)	32	35	37	39	44	49	52	52	50	44	39	36	42	7	-106
MEAN REL HUM (PCT)	89	89	86	86	82	83	85	86	89	89	92	92	87	7	-106
MEAN PRESS ALT (FT)	53	60	61	31	1	-0	-47	-29	12	71	77	85	31	0	-50
MEAN PRECIP (IN)	7.99	5.80	5.47	3.91	2.41	1.94	2.42	2.46	4.37	7.95	9.57	8.89	63.2	10	-105
MEAN SNOW FALL (IN)	11.3	7.2	3.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.8	5.2	28.0	10	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	13.2	12.0	11.9	9.5	6.8	5.1	5.9	5.9	9.0	14.4	16.8	13.5	124.0	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.4	1.4	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.9	5.4	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.5	0.5	0.0	0.0	4.0	1.5	0.0	5.5	2.0	0.0	0.0	14.5	3	636
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.5	0.0	1.5	3	636
P FREQ WND SPD = OR GTR 17 KTS	29.4	17.9	14.5	9.2	1.6	0.8	2.9	1.2	2.9	10.2	14.2	25.0	10.8	3	2544
P FREQ WND SPD = OR GTR 28 KTS	4.8	0.9	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	2.1	2.8	1.0	3	2544
P FREQ LES 5000 FT A/O LES 5 MI	56.0	44.6	54.4	40.0	31.5	44.2	49.6	47.1	55.0	50.0	49.6	69.0	49.3	3	2544
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	23.8	20.3	21.4	16.3	6.7	22.3	24.3	26.5	30.1	27.3	21.9	32.8	22.8	3	-30
03-05 LST	25.0	22.7	23.4	19.2	13.3	24.6	30.9	32.0	35.1	30.4	25.5	31.7	26.2	9	2942
06-08 LST	26.7	26.5	26.2	18.0	19.7	24.0	38.4	34.1	44.2	28.9	25.3	36.8	29.1	3	-30
09-11 LST	27.4	30.4	29.0	16.7	25.8	23.3	45.9	36.1	53.3	27.4	25.0	41.9	31.9	3	637
12-14 LST	29.9	29.5	32.3	18.4	17.8	21.7	29.4	28.6	40.0	26.8	25.9	46.8	28.9	3	-30
15-17 LST	32.3	28.6	35.5	20.0	9.7	20.0	12.9	21.0	26.7	26.2	26.7	51.6	25.9	3	638
18-20 LST	27.5	23.3	27.5	16.7	4.9	20.0	15.3	21.0	25.9	25.2	22.5	42.7	22.7	3	-30
21-23 LST	22.6	17.9	19.4	13.3	0.0	20.0	17.7	21.0	25.0	24.2	18.3	33.9	19.4	3	639
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	1.0	2.9	2.0	0.4	1.2	4.4	4.5	6.5	14.9	6.9	1.5	2.5	4.1	3	-30
03-05 LST	2.0	2.2	2.4	0.8	2.4	5.4	7.3	9.7	18.0	7.3	2.9	4.9	5.4	9	2942
06-08 LST	1.8	2.0	1.2	2.1	2.8	2.7	9.4	9.0	19.0	6.1	2.3	3.3	5.1	3	-30
09-11 LST	1.6	1.8	0.0	3.3	3.2	0.0	11.5	8.2	20.0	4.8	1.7	1.6	4.8	9	637
12-14 LST	3.2	2.7	0.8	3.3	1.6	0.0	7.6	5.7	12.5	5.7	0.9	4.4	4.0	3	-30
15-17 LST	4.8	3.6	1.6	3.3	0.0	0.0	3.2	3.2	5.0	6.6	0.0	8.1	3.3	3	638
18-20 LST	2.4	3.6	1.6	1.7	0.0	1.7	2.4	3.2	8.4	6.6	0.0	4.1	3.0	3	-30
21-23 LST	0.0	3.6	1.6	0.0	0.0	3.3	1.6	3.2	11.7	6.5	0.0	0.0	2.6	3	639

PORT HARDY, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST	26.0	22.0	25.5	28.0	30.0	28.0	29.0	27.0	24.0	23.9	23.5	18.5	305.4	3	638
	22 LST	28.5	25.5	28.0	29.0	31.0	27.0	27.5	27.0	24.0	25.5	27.0	24.5	324.5	3	639
	04 LST	27.1	24.5	27.4	27.9	29.1	25.5	25.4	24.6	20.6	24.7	26.0	24.9	307.7	9	2942
	10 LST	28.5	23.0	25.5	27.0	27.0	25.0	19.3	22.4	15.5	26.0	25.0	24.0	288.2	3	637
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST	6.5	11.5	7.5	8.0	16.0	9.0	11.5	15.5	17.0	16.7	16.5	6.5	142.2	3	638
	22 LST	11.5	11.5	18.0	18.0	29.0	22.0	22.5	22.5	20.5	17.0	19.5	10.5	222.5	3	639
	04 LST	13.6	12.3	15.6	18.9	23.5	19.4	17.2	17.7	14.9	13.9	13.1	10.8	190.9	9	2942
	10 LST	9.0	10.0	13.0	19.0	16.0	17.0	12.2	15.7	9.0	13.0	15.0	9.0	157.9	3	637
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST	4.5	1.5	1.0	3.0	1.0	1.0	2.5	1.0	0.0	1.5	1.5	2.0	20.5	3	638
	22 LST	2.5	1.5	2.0	1.0	0.0	0.0	0.0	0.0	0.0	0.5	1.0	5.0	13.5	3	639
	04 LST	1.9	1.7	1.4	0.1	0.1	0.0	0.0	0.0	0.1	1.4	1.6	2.0	10.3	9	2942
	10 LST	4.5	2.5	1.0	0.0	0.0	0.0	0.5	0.0	0.0	1.5	2.0	1.5	13.5	3	637
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST	6.0	7.0	8.0	9.0	16.0	15.0	12.5	15.5	14.5	11.7	7.0	8.0	130.2	3	638
	22 LST	5.5	5.5	12.5	11.0	11.0	13.0	6.0	7.5	11.0	8.5	6.5	8.5	106.5	3	639
	04 LST	6.2	5.5	5.2	8.4	9.2	7.5	6.5	8.9	8.0	7.6	6.2	5.6	84.8	9	2942
	10 LST	7.0	8.0	8.0	18.0	18.0	22.0	18.8	20.8	9.5	7.5	8.0	4.5	152.1	3	637
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST	0.5	1.5	1.5	7.0	12.0	8.0	13.0	8.5	9.5	9.1	7.0	1.5	79.1	3	638
	22 LST	2.0	3.5	6.5	11.0	12.0	10.0	12.5	10.0	10.0	8.5	7.0	3.0	96.0	3	639
	04 LST	8.0	6.3	6.5	7.0	7.1	3.8	5.6	6.1	6.3	5.3	5.4	3.8	71.2	9	2942
	10 LST	0.5	2.5	3.0	7.0	4.0	6.0	4.6	4.1	2.5	6.0	3.5	0.5	44.2	3	637
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST	15.5	17.5	13.0	19.0	25.0	20.0	22.5	21.0	19.5	20.8	19.0	11.0	223.8	3	638
	22 LST	16.5	19.5	19.5	21.0	29.0	20.0	22.0	21.5	19.0	19.5	21.0	15.5	244.0	3	639
	04 LST	17.9	17.5	18.8	18.9	21.6	17.3	15.9	15.6	4.7	16.2	16.3	16.0	206.7	9	2942
	10 LST	15.5	15.5	17.0	22.0	19.0	19.0	12.7	15.0	10.0	18.0	17.0	10.5	191.4	3	637
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST	12.0	16.0	10.0	13.0	24.0	18.0	19.5	17.0	17.0	17.3	15.0	9.0	187.8	3	638
	22 LST	11.5	13.5	14.0	16.0	23.0	19.0	17.5	19.0	15.5	14.0	15.5	9.5	188.0	3	639
	04 LST	14.2	12.9	13.6	12.6	14.2	9.8	12.2	10.8	10.5	10.4	10.9	10.9	143.0	9	2942
	10 LST	13.0	13.0	15.0	20.0	17.0	17.0	12.2	13.2	8.5	16.5	12.5	8.0	165.9	3	637
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST	12.0	15.5	10.0	13.0	23.0	18.0	19.5	17.0	17.0	14.7	15.0	7.5	182.2	3	638
	22 LST	11.5	13.0	14.0	14.0	22.0	19.0	17.5	19.0	15.5	13.0	14.5	9.0	182.0	3	639
	04 LST	14.1	12.8	12.9	12.0	13.0	9.0	11.6	10.4	10.1	10.1	10.8	10.7	137.5	9	2942
	10 LST	12.5	12.0	15.0	20.0	17.0	17.0	12.2	13.2	7.5	15.5	12.5	7.5	161.9	3	637

CHILLIWACK, CANADA

STA NO. 74111/ (IN AREA NUMBER 05)

LATITUDE 4909N

LONGITUDE 12157W

ELEVATION(FT) 00032

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	65	65	75	90	94	98	100	97	93	82	70	61	100	40	-110
MEAN MAX TMP (F)	39	44	51	60	66	70	76	76	67	58	47	40	58	35	-105
MEAN MIN TMP (F)	30	32	35	40	45	50	52	51	47	42	36	31	41	35	-105
ABS MIN TMP (F)	-5	2	6	21	29	34	38	37	27	19	6	-3	-5	40	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	0.2	1.3	1.2	0.0	0.0	0.0	0.0	2.9	9	-74108
MEAN NO DYS TMP = OR LES 32(F)	15.4	9.0	9.0	1.7	0.4	0.0	0.0	0.0	0.0	0.7	10.8	12.0	59.0	9	-74108
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-74108
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	-71	-54	-23	-36	-33	-27	-56	-51	-36	-31	-50	-50	-42	0	-50
MEAN PRECIP (IN)	8.25	6.18	5.34	3.44	3.69	2.76	1.44	1.78	4.09	6.66	8.26	8.74	60.6	35	-105
MEAN SNOW FALL (IN)	14.3	7.5	4.1	0.3	0.0	0.0	0.0	0.0	0.0	0.2	4.0	7.7	38.1	35	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	13.3	12.3	11.7	8.7	9.2	6.4	4.1	4.8	8.6	12.5	14.9	13.5	120.0	35	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.1	1.5	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.7	1.5	7.6	35	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.0	1.0	1.0	2.0	1.0	1.0	0.0	0.0	0.0	7.0	6	-74108
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														9	-74108
03-05 LST	13.8	11.9	9.3	6.7	7.7	4.6	3.7	7.3	11.7	11.7	13.0	14.2	9.6	0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														9	-74108
03-05 LST	5.7	5.3	2.4	0.0	0.8	0.4	1.1	2.4	5.0	2.8	4.6	4.5	2.9	0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CHILLIWACK, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI; 16 LST														0	0
22 LST														0	0
04 LST	27.6	25.6	29.2	29.5	29.7	29.3	30.0	29.1	25.7	25.3	26.1	27.2	334.3	9	-74108
10 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS 16 LST														0	0
22 LST														0	0
04 LST	20.7	18.3	23.5	23.0	26.5	27.3	28.8	27.5	23.2	20.3	19.2	19.4	277.7	9	-74108
10 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP. 16 LST														0	0
22 LST														0	0
04 LST	2.1	1.2	0.4	0.2	0.0	0.0	0.0	0.0	0.2	0.6	1.4	0.9	7.0	9	-74108
10 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP. 16 LST														0	0
22 LST														0	0
04 LST	6.9	8.3	9.6	11.7	8.9	8.3	7.5	6.4	7.5	8.9	8.3	8.0	100.3	9	-74108
10 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI 16 LST														0	0
22 LST														0	0
04 LST	8.3	5.4	7.8	8.5	10.4	8.0	16.0	14.3	11.8	6.4	7.5	6.0	110.4	9	-74108
10 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI 16 LST														0	0
22 LST														0	0
04 LST	22.1	20.7	24.2	24.5	26.2	26.5	28.0	26.8	22.8	21.6	22.2	22.3	287.9	9	-74108
10 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI 16 LST														0	0
22 LST														0	0
04 LST	14.0	12.4	15.9	16.9	19.1	17.5	23.0	21.6	17.3	14.9	15.4	14.5	202.5	9	-74108
10 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI 16 LST														0	0
22 LST														0	0
04 LST	13.4	10.9	14.4	15.8	17.0	16.1	22.1	19.8	16.2	13.2	14.6	12.8	186.3	9	-74108
10 LST														0	0

ASHCROFT, CANADA

STA NO. 74112 (IN AREA NUMBER 05)

LATITUDE 5042N

LONGITUDE 12119W

ELEVATION(FT) 01601

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	53	59	70	84	95	101	102	100	93	79	64	58	102	20	-110
MEAN MAX TMP (F)	24	34	45	58	71	74	82	80	73	56	40	30	56	9	-105
MEAN MIN TMP (F)	9	17	27	35	44	50	54	53	45	36	26	18	35	9	-105
ABS MIN TMP (F)	-35	-22	-21	16	20	34	38	37	24	8	-13	-29	-35	20	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0			2.6			0.0	0.0	0.0		9	-29
MEAN NO DYS TMP = OR LES 32(F)						0.0	0.0	0.0						20	-29
MEAN NO DYS TMP = OR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				20	-29
MEAN DEW PT TMP (F)	12	20	27	33	39	45	46	47	42	34	27	20	33	6	-106
MEAN REL HUM (PCT)	84	79	65	59	49	53	45	49	53	67	79	88	64	6	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.14	0.75	0.40	0.39	0.59	1.44	0.69	0.81	0.45	0.97	0.87	0.92	9.4	9	-105
MEAN SNOW FALL (IN)	11.0	6.4	1.8	0.5	0.0	0.0	0.0	0.0	0.0	0.9	4.2	7.4	32.2	9	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.7	2.4	1.2	1.2	1.9	4.1	2.4	2.7	2.1	3.1	2.9	3.0	30.7	9	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.3	1.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.7	1.5	6.1	9	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	2.0	1.0	2.0	2.0	0.0	0.0	0.0	0.0	7.0	6	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/C LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

ASHCROFT, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
		CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST 22 LST 04 LST 10 LST													
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	16 LST 22 LST 04 LST 10 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST 22 LST 04 LST 10 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST 22 LST 04 LST 10 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST 22 LST 04 LST 10 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST 22 LST 04 LST 10 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST 22 LST 04 LST 10 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST 22 LST 04 LST 10 LST														0	0

DATA NOT AVAILABLE

CRANBROOK, CANADA

STA NO. 74113/ (IN AREA NUMBER 05)

LATITUDE 4932N

LONGITUDE 11546W

ELEVATION(FT) 02997

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	50	52	69	87	91	98	102	98	92	85	65	56	102	47	-85
MEAN MAX TMP (F)	25	32	43	56	66	74	81	79	67	54	37	27	53	35	-28
MEAN MIN TMP (F)	8	11	22	29	36	42	46	43	37	30	21	12	28	35	-28
ABS MIN TMP (F)	-41	-35	-21	4	18	24	29	23	10	-3	-23	-38	-41	42	-85
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	5.5	4.4	0.2	0.0	0.0	0.0	10.2	9	-72880
MEAN NO DYS TMP = OR LES 32(F)	29.2	25.1	26.8	17.7	5.1	0.6	0.3	0.2	3.4	17.1	25.6	29.0	182.1	9	-72880
MEAN NO DYS TMP = OR LES 0(F)	10.0	4.2	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	4.5	21.0	9	-72880
MEAN DEW PT TMP (F)	14	19	25	33	39	46	49	47	43	37	25	19	33	10	-106
MEAN REL HUM (PCT)	90	86	71	65	62	66	57	58	66	77	87	92	73	10	-106
MEAN PRESS ALT (FT)	2823	2830	2904	2934	2971	2993	2965	2961	2936	2900	2856	2835	2909	0	-50
MEAN PRECIP (IN)	1.80	1.20	0.90	0.70	1.20	1.70	1.10	0.90	1.10	0.90	1.30	1.70	14.5	38	-28
MEAN SNOW FALL (IN)	15.4	10.7	5.8	1.2	0.0	0.0	0.0	0.0	1.1	7.6	14.9	56.7		38	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.6	3.9	2.9	2.2	3.8	4.6	3.3	2.9	3.4	3.0	3.8	5.3	4.7	38	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.3	2.2	1.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1	1.5	3.2	11.6	0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	1.0	5.0	6.0	6.0	1.0	0.0	0.0	0.0	19.0	10	-85
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														9	-72880
03-05 LST	15.3	15.9	11.7	4.2	10.1	10.4	1.8	1.6	4.6	11.7	18.1	21.5	10.6	0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														9	-72880
03-05 LST	9.3	8.8	6.5	0.8	1.6	2.9	1.4	0.0	2.9	8.1	10.9	11.3	5.4	0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CRANBROOK, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	26.7	24.3	28.2	29.1	29.1	27.5	30.3	30.6	28.9	27.5	24.9	25.6	332.7	9 -72880
	10 LST													9	-72880
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST													0	0
	22 LST													0	0
	04 LST	22.0	20.3	24.5	24.8	25.1	24.8	29.2	28.7	25.6	22.1	20.2	19.4	286.7	9 -72880
	10 LST													9	-72880
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST													0	0
	22 LST													0	0
	04 LST	0.5	0.5	0.1	0.5	0.2	0.0	0.2	0.1	0.1	0.5	0.6	0.4	3.7	9 -72880
	10 LST													9	-72880
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST													0	0
	22 LST													0	0
	04 LST	0.9	1.7	3.3	6.9	8.6	9.8	10.6	11.3	9.5	7.8	2.8	1.7	74.9	9 -72880
	10 LST													9	-72880
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	10.6	9.9	13.0	11.5	11.6	11.1	17.6	17.8	16.7	12.8	10.9	8.8	152.3	9 -72880
	10 LST													9	-72880
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	22.4	21.5	25.9	27.2	26.5	26.3	29.8	30.0	27.6	25.6	22.7	21.2	306.7	9 -72880
	10 LST													9	-72880
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	16.9	15.5	21.2	20.5	21.9	22.6	27.5	26.5	23.6	19.6	17.9	15.3	249.0	9 -72880
	10 LST													9	-72880
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	16.4	14.7	20.0	19.6	21.5	21.6	26.6	24.7	22.6	18.6	17.5	14.7	238.5	9 -72880
	10 LST													9	-72880

HOPE, CANADA

STA NO. 74114 (IN AREA NUMBER 05)

LATITUDE 4923N

LONGITUDE 12126W

ELEVATION(FT) 00152

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	57	63	77	84	97	98	104	101	99	83	66	61	104	20	-110
MEAN MAX TMP (F)	33	39	49	59	65	69	75	75	67	56	43	36	56	29	-105
MEAN MIN TMP (F)	25	28	33	38	44	50	54	54	49	42	34	28	40	29	-105
ABS MIN TMP (F)	-9	-6	2	24	27	37	40	39	31	26	5	-5	-9	20	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0		29	-29
MEAN NO DYS TMP = OR LES 32(F)						0.0	0.0	0.0	0.0	0.0	0.0			20	-29
MEAN NO DYS TMP = OR LES 0(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			20	-29
MEAN DEW PT TMP (F)	26	32	36	41	47	52	56	56	52	45	37	31	43	9	-106
MEAN REL HUM (PCT)	83	81	76	73	72	74	73	73	75	84	88	86	78	9	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	8.26	6.09	5.60	2.95	2.74	1.99	1.36	1.39	3.72	6.45	7.62	9.01	57.2	29	-105
MEAN SNOW FALL (IN)	23.5	14.1	7.1	1.0	0.0	0.0	0.0	0.0	0.0	0.3	6.5	19.0	71.6	29	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	13.3	12.2	12.0	7.9	7.4	5.1	3.9	4.0	8.0	12.2	13.9	13.6	113.5	29	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	5.0	3.0	1.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.3	4.1	14.9	29	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTM5	0.0	0.0	0.0	0.0	2.0	1.0	2.0	2.0	1.0	0.0	0.0	0.0	8.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

HOPE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR	16	LST												0	0
3 MI W/SFC WND LES 10 KTS	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
SFC WND = GTR 17 KTS AND	16	LST												0	0
NO PRECIP.	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	16	LST												0	0
DEG F AND NO PRECIP.	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
SKY COVER LES 3/10 AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
CIG = GTR 2500 FT AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
CIG = GTR 6000 FT AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
CIG = GTR 10000 FT AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0

DATA NOT AVAILABLE

NELSON, CANADA

STA NO. 74115/ (IN AREA NUMBER 05)

LATITUDE 4930N

LONGITUDE 11717W

ELEVATION(F⁺) 01740

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	55	57	68	82	96	100	103	102	93	80	59	53	103	60	-110
MEAN MAX TMP (F)	30	35	45	58	66	73	82	79	68	55	40	32	55	39	-105
MEAN MIN TMP (F)	19	21	28	34	40	47	51	49	43	36	30	24	35	39	-105
ABS MIN TMP (F)	-17	-17	-5	8	26	32	38	32	20	7	-5	-12	-17	60	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0			2.6			0.0	0.0	0.0		39	-29
MEAN NO DYS TMP = OR LES 32(F)						0.0	0.0	0.0						60	-29
MEAN NO DYS TMP = OR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				60	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.47	2.30	1.96	1.57	2.06	2.53	1.62	1.44	1.73	2.35	3.11	3.63	27.8	39	-105
MEAN SNOW FALL (IN)	27.2	17.0	8.2	0.8	0.1	0.0	0.0	0.0	0.1	0.9	9.2	25.8	89.3	39	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.2	6.8	5.7	4.8	6.0	6.0	4.4	4.1	4.6	5.7	7.0	9.5	73.8	39	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	5.6	3.7	1.7	0.1	0.0	0.0	0.0	0.0	0.0	0.1	2.0	5.4	18.6	39	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
F FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

NELSON, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST													0	0
	10 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	16 LST													0	0
	22 LST													0	0
	04 LST													0	0
	10 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST													0	0
	22 LST													0	0
	04 LST													0	0
	10 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEIG F AND NO PRECIP.	16 LST													0	0
	22 LST													0	0
	04 LST													0	0
	10 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST													0	0
	10 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST													0	0
	10 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST													0	0
	10 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST													0	0
	10 LST													0	0

DATA NOT AVAILABLE

MASSET, CANADA

STA NO. 74116/ (IN AREA NUMBER 05)

LATITUDE 5402N

LONGITUDE 13208W

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	60	58	64	72	77	81	83	84	75	71	66	60	84	60	-110
MEAN MAX TMP (F)	41	42	45	49	56	61	64	66	61	54	47	43	52	42	-105
MEAN MIN TMP (F)	30	31	32	36	40	45	50	51	46	40	35	33	39	42	-105
ABS MIN TMP (F)	-2	6	9	6	27	32	35	35	24	17	10	8	-2	60	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	42	-29
MEAN NO DYS TMP = OR LES 32(F)						0.0	0.0	0.0						60	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-105
MEAN DEW PT TMP (F)	35	34	36	37	43	47	51	52	50	45	38	35	42	5	-105
MEAN REL HUM (PCT)	94	92	90	86	83	84	86	85	89	90	92	95	89	0	0
MEAN PRESS ALT (FT)													55.7	42	-105
MEAN PRECIP (IN)	5.59	4.40	3.98	4.57	4.05	2.43	3.07	2.73	4.17	6.66	7.18	6.89	31.6	42	-105
MEAN SNOW FALL (IN)	10.5	5.8	4.8	1.3	0.0	0.0	0.0	0.0	0.0	0.3	1.7	7.2	118.4	42	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	11.8	10.6	9.6	10.5	9.7	5.9	6.8	6.3	8.7	12.5	13.3	12.7	6.0	42	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.2	1.1	0.9	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.4		0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MASSET, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
	09 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
	09 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
	09 LST													0	0
SFC WND 4-10 KTS AND TMP 32-89 DEG F AND NO PRECIP.	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
	09 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
	09 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
	09 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
	09 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
	09 LST													0	0

DATA NOT AVAILABLE

CARMI, CANADA

STA NO. 74117/ (IN AREA NUMBER 05)

LATITUDE 4930N

LONGITUDE 11905W

ELEVATION(FT) 04084

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	48	55	62	76	83	88	95	97	87	79	64	46	97	20	-110
MEAN MAX TMP (F)	23	31	39	50	59	64	73	72	64	49	34	27	49	12	-105
MEAN MIN TMP (F)	12	10	15	21	29	37	42	47	46	40	33	23	30	12	-105
ABS MIN TMP (F)	-31	-23	-21	10	15	28	32	31	24	12	-21	-20	-31	20	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0		12	-29
MEAN NO DYS TMP = OR LES 32(F)							0.0	0.0						20	-29
MEAN NO DYS TMP = OR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				20	-29
MEAN DEW PT TMP (F)	13	20	24	30	37	44	47	47	41	34	26	20	32	9	-106
MEAN REL HUM (PCT)	95	88	78	71	67	71	63	66	68	81	92	96	78	9	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.81	1.91	1.21	1.43	1.87	2.40	1.55	1.28	1.30	1.88	2.07	2.26	21.0	12	-105
MEAN SNOW FALL (IN)	17.9	18.6	10.1	7.2	2.1	0.0	0.0	0.0	0.4	8.0	17.6	21.3	103.2	12	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.1	5.9	3.8	4.4	5.5	5.8	4.3	3.7	3.8	4.8	5.2	6.7	59.5	12	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.9	4.0	2.1	1.5	0.4	0.0	0.0	0.0	0.0	1.6		4.6		12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	2.0	4.0	5.0	4.0	1.0	0.0	0.0	0.0	16.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CARMI, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	16													0	0
VSBY = GTR 3 MI	22													0	0
	04													0	0
	10													0	0
CIG =GTR 2000 FT AND VSBY =GTR	16													0	0
3 MI W/SFC WND LES 10 KTS	22													0	0
	04													0	0
	10													0	0
SFC WND = GTR 17 KTS AND	16													0	0
NO PRECIP.	22													0	0
	04													0	0
	10													0	0
SFC WND 4-10 KTS AND TMP 33-89	16													0	0
DEG F AND NO PRECIP.	22													0	0
	04													0	0
	10													0	0
SKY COVER LES 3/10 AND	16													0	0
VSBY = GTR 3 MI	22													0	0
	04													0	0
	10													0	0
CIG = GTR 2500 FT AND	16													0	0
VSBY = GTR 3 MI	22													0	0
	04													0	0
	10													0	0
CIG = GTR 6000 FT AND	16													0	0
VSBY = GTR 3 MI	22													0	0
	04													0	0
	10													0	0
CIG = GTR 10000 FT AND	16													0	0
VSBY = GTR 3 MI	22													0	0
	04													0	0
	10													0	0

DATA NOT AVAILABLE

BANFF, CANADA

STA NO. 74122 (IN AREA NUMBER 05)

LATITUDE 5111N

LONGITUDE 11534W

ELEVATION(FT) 04585

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	54	56	63	78	85	93	94	90	86	79	60	54	94	70	-110
MEAN MAX TMP (F)	22	27	36	48	58	65	73	70	59	48	32	24	47	49	-105
MEAN MIN TMP (F)	4	6	13	25	33	39	43	41	35	29	17	9	25	49	-105
ABS MIN TMP (F)	-60	-49	-41	-17	0	21	28	26	2	-7	-41	-55	-60	70	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0	0.0		49	-29
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)					0.0	0.0	0.0	0.0	0.0					70	-29
MEAN DEW PT TMP (F)	6	12	17	27	36	41	45	44	37	31	19	12	27	8	-106
MEAN REL HUM (PCT)	77	76	69	64	66	69	62	66	67	73	78	79	71	8	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.35	0.91	1.18	1.14	1.97	2.81	2.01	2.21	1.65	1.18	1.38	1.37	19.2	49	-105
MEAN SNOW FALL (IN)	13.1	8.2	10.9	7.9	5.3	0.8	0.1	0.1	2.5	4.9	11.6	12.7	78.1	49	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.3	2.9	3.7	3.6	5.8	6.4	5.2	5.5	4.4	3.5	3.9	4.4	53.6	49	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.8	1.6	2.3	1.6	1.1	0.2	0.0	0.0	0.4	0.9	2.6	2.7	16.2	49	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	3.0	2.0	1.0	0.0	0.0	0.0	6.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BANFF, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	16													0	0
VSBY = GTR 3 MI	22													0	0
	04													0	0
	10													0	0
CIG =GTR 2000 FT AND VSBY =GTR	16													0	0
3 MI W/SFC WND LES 10 KTS	22													0	0
	04													0	0
	10													0	0
SFC WND = GTR 17 KTS AND	16													0	0
NO PRECIP.	22													0	0
	04													0	0
	10													0	0
SFC WND 4-10 KTS AND TMP 33-89	16													0	0
DEG F AND NO PRECIP.	22													0	0
	04													0	0
	10													0	0
SKY COVER LES 3/10 AND	16													0	0
VSBY = GTR 3 MI	22													0	0
	04													0	0
	10													0	0
CIG = GTR 2500 FT AND	16													0	0
VSBY = GTR 3 MI	22													0	0
	04													0	0
	10													0	0
CIG = GTR 6000 FT AND	16													0	0
VSBY = GTR 3 MI	22													0	0
	04													0	0
	10													0	0
CIG = GTR 10000 FT AND	16													0	0
VSBY = GTR 3 MI	22													0	0
	04													0	0
	10													0	0

DATA NOT AVAILABLE

COWLEY, CANADA

STA NO. 74125/ (IN AREA NUMBER 05)

LATITUDE 4938N

LONGITUDE 11405W

ELEVATION(FT) 03878

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	60	57	69	84	85	94	99	95	96	84	71	64	99	20	-110
MEAN MAX TMP (F)	28	32	39	53	62	66	78	76	65	55	40	33	52	12	-105
MEAN MIN TMP (F)	5	9	17	28	35	42	46	44	38	30	18	12	27	12	-105
ABS MIN TMP (F)	-47	-37	-36	-13	-4	26	30	29	17	-16	-32	-35	-47	20	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0					0.0	0.0	0.0		12	-29
MEAN NO DYS TMP = OR LES 32(F)							0.0	0.0						20	-29
MEAN NO DYS TMP = OR LES 0(F)						0.0	0.0	0.0	0.0					20	-29
MEAN DEW PT TMP (F)	10	14	20	30	37	44	49	47	40	34	22	15	30	9	-106
MEAN REL HUM (PCT)	72	75	72	63	67	70	63	64	65	69	74	76	69	9	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.12	1.16	1.14	1.06	2.50	3.56	1.60	1.39	1.86	1.10	1.42	1.07	19.0	12	-105
MEAN SNOW FALL (IN)	10.7	11.4	10.5	7.2	4.6	0.1	0.0	0.0	3.2	5.9	13.3	10.2	77.3	12	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.6	3.7	3.6	3.3	7.0	7.4	4.4	4.0	4.8	3.4	4.0	3.4	52.6	12	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.3	2.4	2.2	1.5	0.9	0.0	0.0	0.0	0.5	1.1	3.1	2.1	16.1	12	-29
MEAN NO DYS W/OCUR V5BY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

COWLEY, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR	16	LST												0	0
3 MI W/SFC WND LES 10 KTS	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
SFC WND = GTR 17 KTS AND	16	LST												0	0
NO PRECIP.	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	16	LST												0	0
DEG F AND NO PRECIP.	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
SKY COVER LES 3/10 AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
CIG = GTR 2500 FT AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
CIG = GTR 6000 FT AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
CIG = GTR 10000 FT AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0

DATA NOT AVAILABLE

DOG CREEK, CANADA

STA NO. 74130/ (IN AREA NUMBER 05)

LATITUDE 5138N

LONGITUDE 12215W

ELEVATION(FT) 03370

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PCR (YRS)	NO. OBS
ABS MAX TMP (F)	55	53	63	74	86	88	94	92	84	75	61	56	94	10	-610
MEAN MAX TMP (F)	21	27	38	50	62	65	74	70	63	49	32	28	48	6	1969
MEAN MIN TMP (F)	10	14	23	32	40	46	50	47	43	34	19	16	31	6	1969
ABS MIN TMP (F)	-41	-29	-32	-2	21	29	30	31	16	4	-24	-32	-41	10	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.2	0.0	0.0	0.0	0.0	1.0	6	1769
MEAN NO DYS TMP = OR LES 32(F)	30.4	26.4	27.0	18.0	5.0	0.4	0.0	0.0	3.5	14.4	26.8	29.2	181.1	6	1969
MEAN NO DYS TMP = OR LES 0(F)	7.8	4.9	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	5.0	22.1	6	1969
MEAN DEW PT TMP (F)	10	16	22	27	37	44	45	47	41	33	22	16	30	6	-106
MEAN REL HUM (PCT)	83	79	69	59	57	65	58	64	62	73	84	86	70	6	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.24	1.01	0.78	0.52	0.79	2.32	1.30	1.59	0.96	0.68	1.25	1.25	1.37	6	1970
MEAN SNOW FALL (IN)	8.8	11.4	9.2	5.6	0.9	0.0	0.0	0.0	0.3	3.1	9.2	12.4	60.9	6	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.2	4.1	1.6	1.8	2.6	7.4	3.5	4.6	2.5	2.0	3.3	3.4	41.0	6	1970
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.8	2.4	1.9	1.1	0.1	0.0	0.0	0.0	0.0	0.5	2.0	2.6	12.4	6	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	2.0	2.0	2.0	4.0	0.0	0.0	0.0	0.0	10.0	6	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 3 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	20.0	14.8	6.5	5.3	5.2	6.7	2.7	1.1	2.2	9.2	10.1	9.7	7.8	6	1970
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	16.1	11.3	5.8	3.3	1.3	0.0	0.0	0.0	0.0	6.5	7.3	7.8	5.0	6	1970
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

DOG CREEK, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NJ. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST													0	0	
	22 LST													0	0	
	04 LST	25.0	24.4	29.0	29.0	30.4	29.0	30.3	31.0	29.5	28.5	27.5	28.2	341.8	6	1970
	10 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST													0	0	
	22 LST													0	0	
	04 LST	22.2	20.1	26.8	26.4	28.2	26.2	29.6	29.6	27.8	25.8	25.5	24.6	312.8	6	1970
	10 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST													0	0	
	22 LST													0	0	
	04 LST	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.7	0.2	0.6	1.9	6	1970
	10 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST													0	0	
	22 LST													0	0	
	04 LST	1.4	2.5	3.8	8.8	13.4	12.0	14.7	13.6	10.4	9.2	3.8	3.4	97.0	6	1969
	10 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST													0	0	
	22 LST													0	0	
	04 LST	9.6	9.0	12.2	12.6	12.8	7.2	15.7	13.2	15.2	11.2	12.9	9.9	141.5	6	1970
	10 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST													0	0	
	22 LST													0	0	
	04 LST	22.6	22.7	28.0	27.4	28.4	26.2	29.8	29.6	28.7	27.3	25.6	27.0	323.3	6	1970
	10 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST													0	0	
	22 LST													0	0	
	04 LST	19.2	20.7	24.6	24.6	25.6	20.0	27.3	25.9	24.5	24.5	23.9	23.7	284.5	6	1970
	10 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST													0	0	
	22 LST													0	0	
	04 LST	18.0	18.9	23.0	23.0	25.2	18.6	26.5	23.6	23.0	22.9	23.1	22.5	268.3	6	1970
	10 LST													0	0	

CAMPBELL RIVER, CANADA

STA NO. 74131/ (IN AREA NUMBER 05)

LATITUDE 4957N

LONGITUDE 12516W

ELEVATION(FT) 0033'

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	57	59	64	71	88	90	94	90	87	72	64	60	94	20	-72893
MEAN MAX TMP (F)	40	44	47	54	63	68	72	71	66	56	48	43	56	10	-72893
MEAN MIN TMP (F)	29	32	34	38	44	49	53	52	47	40	36	32	41	10	-72893
ABS MIN TMP (F)	-6	3	7	24	27	38	41	40	31	26	14	10	-6	20	-72893
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.8	0.1	0.0	0.0	0.0	0.0	1.0	9	-72893
MEAN NO DYS TMP = OR LES 32(F)	12.3	9.5	8.9	0.8	0.0	0.0	0.0	0.0	0.0	0.6	8.8	9.7	50.6	9	-72893
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-72893
MEAN DEW PT TMP (F)	30	34	39	38	45	50	53	53	49	44	38	35	42	7	-72893
MEAN REL HUM (PCT)	85	85	76	77	72	73	72	75	77	84	88	90	80	7	-72893
MEAN PRESS ALT (FT)	128	291	319	277	291	237	237	264	264	264	264	264	255	0	-50
MEAN PRECIP (IN)	6.92	4.96	3.81	2.29	1.38	1.41	1.12	1.24	1.69	4.46	7.90	6.99	44.2	10	-72893
MEAN SNOW FALL (IN)	22.5	8.6	2.9	0.4	0.0	0.0	0.0	0.0	0.0	2.0	9.2	45.6	10	-72893	
MEAN NO DYS PRCP = OR GTR 0.1 IN	12.7	11.2	9.4	6.5	4.3	4.0	3.4	3.7	4.5	9.2	14.3	12.8	96.0	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	4.8	1.7	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.9	9.2	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	0.0	0.0	3.0	6	-72893
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	36.8	33.9	19.8	14.2	7.3	7.5	6.1	8.9	11.8	25.9	31.4	41.1	20.4	9	-72893
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	9.7	6.7	1.6	1.3	0.0	0.4	1.1	1.2	2.1	5.7	7.1	8.5	3.8	9	-72893
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0


CAMPBELL RIVER, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	22.2	21.0	27.3	27.1	30.1	29.4	30.0	29.1	26.7	23.2	23.3	21.7	311.1	9 -72893
	10 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST													0	0
	22 LST													0	0
	04 LST	14.5	13.1	19.2	22.2	25.9	24.2	27.1	27.3	22.3	17.2	14.4	12.8	240.2	9 -72893
	10 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST													0	0
	22 LST													0	0
	04 LST	0.2	0.4	0.7	0.1	0.2	0.2	0.0	0.0	0.1	0.2	0.9	0.4	3.4	9 -72893
	10 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST													0	0
	22 LST													0	0
	04 LST	3.3	3.6	6.4	10.5	13.2	12.6	14.7	13.3	9.7	8.0	6.6	4.5	106.4	9 -72893
	10 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	5.6	6.5	7.1	10.3	12.0	9.1	15.3	14.3	15.5	8.2	6.6	4.5	115.0	9 -72893
	10 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	15.0	14.7	20.7	23.5	26.4	24.4	27.2	26.8	23.8	18.8	16.1	13.6	251.0	9 -72893
	10 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	11.3	11.5	15.0	18.6	20.2	18.1	22.7	22.6	20.9	15.2	12.2	9.8	198.1	9 -72893
	10 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	10.8	11.0	14.5	18.1	19.4	17.7	21.7	21.6	20.5	14.4	11.8	9.4	190.9	9 -72893
	10 LST													0	0

AREA NO. 05

PARAMETER DESCRIPTION	SOUTHERN ROCKIES													
	BOUNDARIES				LATITUDE 5500N LONGITUDE 12600W									
	6000N 13900W	6000N 12400W	6000N 12400W	5600N 12100W	5600N 12100W	4900N 11300W	4900N 11300W	4815N 12350W	5000N 13000W	5000N 13000W	5400N 11300W	5400N 13430W		
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	31	36	44	54	63	68	74	73	65	54	41	31	53	
MEAN MIN TMP (F)	18	21	27	34	40	46	49	49	46	37	29	23	35	
LARGEST MEAN PRECIP(IN)	15.49	11.05	10.71	6.67	5.30	4.19	4.76	5.15	7.72	12.22	12.77	15.01	111.0	
SMALLEST MEAN PRECIP(IN)	0.98	0.70	0.40	0.39	0.55	0.77	0.44	0.61	0.45	0.68	0.71	0.88	7.6	
	MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST	26.2	24.1	28.7	29.1	30.4	28.5	29.6	29.4	27.3	27.3	25.4	24.1	330.1
	22 LST	26.1	25.3	28.7	29.3	30.4	27.7	28.9	28.9	27.2	27.5	25.6	26.4	332.0
	04 LST	25.3	23.6	28.0	28.5	29.4	27.8	28.7	28.1	26.1	25.7	25.0	25.2	321.4
	10 LST	24.2	22.9	27.1	28.8	29.0	26.0	25.6	26.4	23.2	25.4	24.3	24.3	307.2
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST	15.3	15.8	14.8	15.8	19.1	17.4	18.6	21.3	18.7	18.7	16.3	13.3	205.1
	22 LST	15.7	16.0	21.1	20.8	25.0	21.7	23.7	25.5	22.8	20.6	17.9	14.8	245.6
	04 LST	17.0	16.6	21.7	23.4	25.5	24.1	25.7	25.3	22.5	19.2	17.7	16.4	255.1
	10 LST	13.5	13.5	15.3	18.2	19.5	19.0	18.9	19.9	14.9	15.9	14.7	13.0	196.3
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST	2.1	1.8	1.6	2.0	1.1	1.2	1.0	0.9	0.9	1.3	1.3	1.6	16.8
	22 LST	1.7	1.6	1.5	1.2	1.0	0.3	0.3	0.3	0.5	0.8	1.4	2.4	13.0
	04 LST	1.5	1.0	0.8	0.5	0.2	0.3	0.2	0.1	0.3	0.8	1.0	1.4	8.1
	10 LST	2.2	1.8	1.4	1.1	1.0	0.7	0.5	0.3	0.6	1.8	1.0	1.7	14.1
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST	5.0	7.0	9.2	11.0	16.5	16.4	16.2	17.2	13.7	12.1	7.7	6.9	138.9
	22 LST	5.7	5.8	9.0	11.4	13.7	12.5	11.3	10.3	11.0	8.8	6.8	6.6	112.9
	04 LST	3.4	3.7	5.6	8.7	10.2	9.4	9.9	9.8	9.0	8.0	5.1	4.2	87.0
	10 LST	5.8	5.3	8.0	13.5	16.1	15.9	15.0	14.6	11.8	9.9	8.2	4.5	128.6
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST	2.1	3.6	3.7	5.8	7.5	7.4	7.2	7.1	7.5	6.6	3.3	2.3	66.1
	22 LST	5.3	6.6	8.5	12.1	12.5	9.1	10.0	11.0	11.3	8.4	6.5	4.9	106.2
	04 LST	7.8	7.4	9.5	10.4	10.8	7.1	13.0	12.2	12.2	8.2	7.8	6.3	112.7
	10 LST	2.2	3.8	5.1	6.8	8.1	7.8	7.6	6.4	5.1	5.0	3.1	2.2	63.2
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST	18.0	19.2	21.4	23.7	26.9	23.8	25.7	25.0	23.4	23.0	19.5	17.0	266.6
	22 LST	18.8	19.9	22.9	24.3	27.8	23.4	25.3	25.4	24.1	23.3	20.1	19.6	274.9
	04 LST	19.5	19.3	23.9	25.1	26.2	24.4	25.9	25.3	23.7	21.7	20.3	19.5	274.8
	10 LST	16.3	17.6	19.9	23.3	24.6	22.1	20.9	21.1	18.5	20.6	18.0	16.6	239.5
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST	13.8	15.2	16.2	17.6	21.5	20.7	19.4	19.2	19.1	18.2	15.2	12.2	208.3
	22 LST	13.6	13.9	17.3	20.0	22.5	20.5	20.1	20.0	20.3	18.3	14.8	14.0	215.3
	04 LST	15.0	14.6	18.9	20.1	21.1	18.9	21.9	20.7	19.6	18.9	15.8	14.7	218.2
	10 LST	12.0	13.0	16.2	19.9	20.6	19.9	17.2	17.6	16.0	15.8	14.0	12.3	194.5
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST	12.9	14.4	15.7	17.1	20.4	19.6	18.8	18.7	18.5	16.8	14.4	11.4	198.7
	22 LST	12.8	13.1	16.4	19.0	21.4	19.8	18.6	19.1	18.5	16.4	14.0	12.7	201.8
	04 LST	14.0	13.5	17.5	18.8	20.0	17.7	20.9	19.4	18.5	15.6	14.9	13.5	204.3
	10 LST	11.4	12.1	15.7	19.3	20.2	19.4	16.8	16.9	15.3	14.6	13.1	11.4	186.2



PORTAGE, CANADA

STA NO. 72851 (IN AREA NUMBER 06)

LATITUDE 4955N

LONGITUDE 09817W

ELEVATION(FT) 00805

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	49	58	77	93	98	102	106	104	104	89	79	64	106	80	-610
MEAN MAX TMP (F)	8	12	27	47	63	73	79	76	66	52	30	17	46	32	-105
MEAN MIN TMP (F)	-12	-10	5	27	40	51	57	53	44	32	13	-3	25	32	-105
ABS MIN TMP (F)	-43	-46	-36	-14	9	25	36	31	19	-6	-26	-39	-46	80	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	1.2	2.5	2.2	0.1	0.0	0.0	0.0	6.1	9	2946
MEAN NO DYS TMP = OR LES 32(F)	30.7	28.0	29.4	20.7	5.5	0.1	0.0	0.0	2.5	10.9	26.6	30.6	185.0	9	2946
MEAN NO DYS TMP = OR LES 0(F)	20.6	16.4	5.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	13.8	60.0	9	2946
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	716	688	749	796	842	917	907	882	871	848	801	751	814	0	-50
MEAN PRECIP (IN)	0.74	1.13	1.11	1.31	2.49	2.59	3.10	3.31	1.99	1.48	1.77	0.84	21.9	9	2947
MEAN S.OW FALL (IN)							0.0	0.0						80	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.4	3.4	3.9	3.4	4.7	4.4	5.8	5.8	4.5	3.4	5.6	3.0	50.3	9	2947
MEAN NO DYS SNFL = OR GTR 1.5 IN							0.0	0.0						80	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	13.7	14.6	15.3	12.5	10.1	10.0	7.6	8.5	14.6	15.8	25.9	19.1	14.0	9	2946
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	3.2	6.2	4.4	2.5	2.0	2.1	0.7	1.2	3.3	5.7	7.1	8.1	3.9	9	2946
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

PORTAGE, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST													0	0	
	23 LST													0	0	
	05 LST	27.2	24.8	27.1	27.1	28.9	27.8	29.1	28.3	26.5	27.1	24.6	26.6	325.1	9	2946
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	11 LST													0	0	
	17 LST													0	0	
	23 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	05 LST	12.7	14.8	15.0	12.8	16.4	19.4	21.9	17.4	14.8	11.7	13.2	191.8	9	2946	
	11 LST													0	0	
	17 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST													0	0	
	05 LST	2.7	0.7	1.2	2.9	2.6	4.0	0.3	0.6	0.9	2.0	1.5	28.5	9	2947	
	11 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST													0	0	
	23 LST													0	0	
	05 LST	14.2	13.9	10.2	10.7	11.7	7.9	11.0	11.2	9.4	12.3	8.6	134.2	9	2947	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	11 LST													0	0	
	17 LST													0	0	
	23 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	05 LST	24.0	21.5	23.4	24.1	26.4	25.6	27.4	26.7	24.2	23.2	17.9	22.4	286.8	9	2946
	11 LST													0	0	
	17 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST													0	0	
	05 LST	22.5	19.4	20.0	21.8	23.5	23.6	26.3	25.0	22.4	20.3	15.8	20.2	260.8	9	2946
	11 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST													0	0	
	23 LST													0	0	
	05 LST	21.5	18.5	19.2	21.0	22.2	22.4	25.4	23.8	21.5	19.9	14.9	19.5	249.8	9	2946
11 LST													0	0		

WINNIPEG INTL., CANADA

STA NO. 72852 (IN AREA NUMBER 06)

LATITUDE 4954N

LONGITUDE 09714W

ELEVATION(FT) 00783

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	46	53	74	93	100	101	108	105	99	86	71	53	108	70	-610
MEAN MAX TMP (F)	7	12	27	48	65	74	79	76	65	51	30	15	46	66	-105
MEAN MIN TMP (F)	-13	-9	5	27	40	50	55	52	43	31	14	-3	24	66	-105
ABS MIN TMP (F)	-48	-48	-38	-18	11	21	35	30	17	-5	-34	-54	-54	70	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	1.5	2.8	2.3	0.1	0.0	0.0	0.0	6.8	9	2943
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	28.6	20.7	6.4	0.2	0.0	0.0	2.8	14.0	28.5	31.0	191.2	9	2944
MEAN NO DYS TMP = OR LES 0(F)	22.4	17.8	7.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	3.8	16.2	67.3	9	2944
MEAN DEW PT TMP (F)	-1	0	15	30	39	50	57	55	45	35	20	4	29	10	-106
MEAN REL HUM (PCT)	87	89	84	70	62	66	69	69	71	71	85	87	76	10	-106
MEAN PRESS*ALT (FT)	616	587	604	686	794	815	810	784	771	751	705	653	713	0	-50
MEAN PRECIP (IN)	0.92	0.86	1.19	1.37	2.26	3.15	3.08	2.45	2.35	1.49	1.12	0.95	21.2	66	-105
MEAN SNOW FALL (IN)	9.1	8.4	10.0	3.9	1.1	0.0	0.0	0.0	0.1	2.9	9.0	9.1	53.6	66	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.0	2.8	3.7	4.2	6.4	6.9	6.8	5.9	5.7	4.1	3.4	3.1	56.0	66	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.9	1.7	2.1	0.7	0.1	0.0	0.0	0.0	0.0	0.5	1.9	1.9	10.8	66	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.4	0.5	0.5	1.0	0.0	0.0	0.5	0.0	1.0	0.5	1.5	1.5	7.4	3	644
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.0	2.0	5.0	6.0	6.0	2.0	1.0	0.0	0.0	23.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS	16.8	9.4	16.1	24.2	27.4	20.8	6.9	6.0	11.7	15.3	21.3	20.6	16.4	3	2576
P FREQ WND SPD = OR GTR 28 KTS	1.1	0.9	1.2	4.2	5.6	0.0	0.0	0.0	0.0	0.4	2.1	3.6	1.6	3	2576
P FREQ LES 5000 FT A/O LES 5 MI	24.6	17.0	27.0	26.7	12.1	14.2	12.1	16.9	22.5	31.9	45.0	33.5	23.6	3	2576
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	10.4	10.7	9.7	3.3	0.0	10.0	4.8	3.2	5.0	11.3	26.7	19.4	9.5	3	644
03-05 LST	12.7	13.6	13.3	7.5	6.3	9.4	5.7	5.7	9.0	12.6	24.3	20.7	11.7	3	-30
06-08 LST	14.9	16.4	16.9	11.7	12.5	8.8	6.5	8.1	13.0	13.8	21.8	21.9	13.9	9	2947
09-11 LST	12.7	12.8	14.9	10.9	7.9	6.1	7.3	8.9	10.7	16.6	26.8	22.3	13.2	3	-30
12-14 LST	10.4	8.9	12.9	10.0	3.2	3.3	8.1	9.7	8.3	19.4	31.7	22.6	12.4	3	644
15-17 LST	9.7	8.9	12.1	6.7	4.9	3.3	5.7	6.5	5.8	17.8	25.0	17.0	10.3	3	-30
18-20 LST	9.0	8.9	11.3	3.3	6.5	3.3	3.2	3.2	3.3	16.1	18.3	11.3	8.1	3	644
21-23 LST	9.7	9.8	10.5	3.3	3.3	6.7	4.0	3.2	4.2	13.7	22.5	15.4	8.4	3	-30
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	3.0	3.6	1.6	0.0	0.0	0.0	1.6	0.0	0.0	1.6	11.7	3.2	2.2	3	644
03-05 LST	3.7	4.9	3.8	1.3	0.8	0.9	1.5	1.2	1.9	3.1	9.6	6.1	3.2	3	-30
06-08 LST	4.4	6.2	6.0	2.5	1.6	1.7	1.4	2.4	3.8	4.5	7.5	8.9	4.2	9	2947
09-11 LST	2.2	3.1	3.0	2.9	0.8	0.9	0.7	1.2	1.9	2.3	7.1	7.7	2.8	3	-30
12-14 LST	0.0	0.0	0.0	3.3	0.0	0.0	0.0	0.0	0.0	0.0	6.7	6.5	1.4	3	644
15-17 LST	1.5	0.9	1.6	1.7	0.0	0.0	0.0	0.0	0.0	0.8	5.9	4.1	1.4	3	-30
18-20 LST	3.0	1.8	3.2	0.0	0.0	0.0	0.0	0.0	0.0	1.6	5.0	1.6	1.4	3	644
21-23 LST	3.0	2.7	2.4	0.0	0.0	0.0	0.8	0.0	0.0	1.6	8.4	2.4	1.8	3	-30

WINNIPEG INTL., CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.6	26.0	28.5	29.0	30.0	29.0	30.5	31.0	29.5	28.0	26.5	29.5	347.1	3	644
	00 LST	28.7	25.5	29.0	29.0	31.0	28.0	30.0	31.0	29.0	29.0	23.5	27.0	340.7	3	644
	06 LST	27.2	24.4	26.7	27.5	28.2	27.8	29.3	29.1	26.6	27.3	26.0	25.5	325.6	9	2947
	12 LST	27.3	26.5	28.5	29.0	31.0	30.0	29.0	29.5	28.0	27.5	23.0	24.5	333.8	3	644
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 30 KTS	18 LST	12.0	12.5	12.5	7.0	5.0	9.0	13.5	12.5	15.0	14.0	11.0	10.5	137.5	3	644
	00 LST	11.1	12.5	13.5	10.0	13.0	15.0	19.5	18.5	15.0	13.5	9.0	13.5	164.1	3	644
	06 LST	10.4	11.4	11.3	11.3	15.5	16.4	18.4	18.4	14.0	11.7	7.9	10.4	157.7	9	2947
	12 LST	11.6	9.0	10.0	8.0	7.0	12.0	12.5	12.5	5.5	6.0	6.0	9.5	109.6	3	644
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	2.8	2.5	2.5	9.0	13.0	9.0	3.5	2.0	1.5	2.0	3.5	4.5	55.8	3	644
	00 LST	3.7	1.0	3.0	4.0	6.0	2.0	0.5	0.5	1.0	3.0	4.5	3.5	32.7	3	644
	06 LST	3.0	1.8	2.9	4.4	2.4	0.6	0.7	1.0	1.2	3.0	3.2	2.0	26.2	9	2947
	12 LST	5.5	3.0	6.0	7.0	9.0	7.0	3.0	2.3	6.5	8.0	5.5	5.0	68.0	3	644
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	0.0	0.5	7.0	7.0	2.0	10.0	16.0	15.0	14.0	14.0	5.5	0.0	91.0	3	644
	00 LST	0.0	0.5	3.5	12.0	11.0	16.0	17.0	19.0	17.5	11.5	4.0	0.0	112.0	3	644
	06 LST	0.1	0.0	1.1	4.2	12.7	16.7	17.3	17.8	15.4	8.3	1.1	0.2	94.9	9	2947
	12 LST	0.0	0.0	6.0	10.0	9.0	11.0	14.0	12.5	8.0	10.0	5.0	0.0	85.5	3	644
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	11.1	12.5	8.0	7.0	12.0	12.0	10.5	12.5	6.5	11.0	8.5	9.0	120.6	3	644
	00 LST	14.3	15.5	14.0	14.0	18.0	18.0	15.5	17.0	13.0	15.0	10.0	10.5	174.8	3	644
	06 LST	13.5	14.7	10.7	10.2	11.1	9.6	11.8	12.2	9.9	12.4	9.0	12.0	137.1	9	2946
	12 LST	11.1	12.5	8.5	10.0	12.0	5.0	10.5	8.5	6.0	10.5	4.5	8.0	107.1	3	644
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.1	24.0	25.5	26.0	28.0	28.0	29.0	29.0	28.0	23.5	21.0	24.0	310.1	3	644
	00 LST	25.4	23.5	25.5	27.0	30.0	27.0	29.0	29.0	28.0	24.0	18.0	22.5	308.9	3	644
	06 LST	23.4	21.3	22.2	24.2	25.6	26.6	27.7	27.2	23.8	23.6	18.3	20.8	284.7	9	2947
	12 LST	24.5	23.5	24.5	23.0	29.0	28.0	28.5	25.0	23.0	22.0	17.5	21.5	290.0	3	644
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.8	22.0	23.5	22.0	24.0	23.0	28.0	27.5	23.5	22.0	17.0	21.0	274.3	3	644
	00 LST	23.6	23.0	23.0	24.0	27.0	27.0	27.5	26.0	25.0	19.5	14.0	19.5	279.1	3	644
	06 LST	20.5	18.8	18.8	21.2	23.7	24.4	25.2	25.7	21.6	21.2	15.1	18.0	254.2	9	2947
	12 LST	20.8	22.5	21.5	18.0	27.0	21.0	25.5	20.5	19.0	19.0	15.0	21.0	250.6	3	644
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.4	22.0	22.5	20.0	23.0	23.0	28.0	26.5	23.0	19.5	15.5	18.0	260.4	3	644
	00 LST	22.2	21.5	20.5	22.0	26.0	26.0	26.5	25.0	21.5	19.0	13.5	18.0	261.7	3	644
	06 LST	19.5	18.5	17.6	19.5	22.5	22.7	24.4	23.8	20.0	19.8	13.9	17.5	239.7	9	2947
	12 LST	20.3	21.5	21.5	17.0	27.0	20.0	25.5	20.5	18.5	18.0	15.0	19.0	243.8	3	644

CAMP SHILO, CANADA

STA NO. 72853 (IN AREA NUMBER 06)

LATITUDE 4946N

LONGITUDE 09938W

ELEVATION(FT) 01220

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	43	47	66	90	95	95	98	99	94	83	66	48	99	10	-74146
MEAN MAX TMP (F)	10	14	27	44	63	72	78	78	64	53	31	16	46	8	-74146
MEAN MIN TMP (F)	-7	-4	11	26	40	50	56	54	42	33	17	0	27	8	-74146
ABS MIN TMP (F)	-45	-35	-33	-16	15	29	33	33	16	5	-26	-32	-45	10	-74146
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.1	2.1	2.3	0.1	0.0	0.0	0.0	5.6	8	-74146
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	29.5	22.3	7.0	0.3	0.0	0.0	3.9	14.7	27.7	30.8	195.2	8	-74146
MEAN NO DYS TMP = OR LES 0(F)	22.1	17.9	7.9	0.1	0.0	0.0	0.0	0.0	0.0	0.0	3.7	15.3	67.0	0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	-50
MEAN PRESS ALT (FT)	1047	1021	1087	1139	1184	1254	1238	1214	1205	1180	1129	1081	1148	0	-74146
MEAN PRECIP (IN)	0.71	1.03	0.84	1.00	2.31	2.20	2.78	2.57	1.86	1.34	0.68	0.89	18.4	5	-74146
MEAN SNOW FALL (IN)	7.8	5.7	6.0	3.7	2.3	0.0	0.0	0.0	0.0	3.2	9.0	13.4	51.1	5	-74146
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.8	2.7	2.0	2.7	4.8	5.0	5.4	5.1	4.3	3.3	2.7	3.3	49.7	8	-74146
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.5	1.0	1.2	0.7	0.4	0.0	0.0	0.0	0.0	0.5	1.9	2.9	10.1	5	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	4.0	5.0	6.0	1.0	0.0	0.0	0.0	17.0	5	-74146
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	12.4	17.3	13.0	7.6	8.3	7.6	5.7	6.9	7.9	13.5	22.2	17.1	11.6	8	-74146
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	4.6	9.6	6.0	3.3	0.9	1.0	2.0	2.0	1.7	3.7	8.1	7.9	4.2	8	-74146
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CAMP SHILO, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	28.6	24.1	28.4	28.4	29.5	28.8	29.4	29.7	28.1	28.1	25.3	26.7	335.1	8	-74146
	11 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST														0	0
	23 LST														0	0
	05 LST	12.7	13.2	16.5	14.7	17.1	19.0	19.6	20.4	16.7	14.9	9.1	12.5	186.4	8	-74146
	11 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST														0	0
	23 LST														0	0
	05 LST	3.1	3.4	1.9	2.6	3.1	1.0	0.7	0.2	2.1	1.6	3.7	4.0	27.4	8	-74146
	11 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST														0	0
	23 LST														0	0
	05 LST	0.1	0.1	1.4	4.6	14.1	19.0	20.3	20.2	15.4	10.5	1.3	0.3	107.3	8	-74146
	11 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	15.7	14.4	12.2	11.9	12.6	9.8	12.2	14.4	11.2	13.1	10.2	14.3	152.0	8	-74146
	11 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	24.7	21.6	23.5	25.7	26.8	26.0	28.0	28.1	25.5	24.1	19.6	23.1	296.7	8	-74146
	11 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	22.0	19.5	18.9	22.1	24.0	24.3	25.9	26.2	22.1	21.8	16.1	20.2	263.1	8	-74146
	11 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	20.7	18.6	18.1	20.9	22.0	22.6	23.5	25.2	20.2	20.4	15.2	19.9	247.3	8	-74146
	11 LST														0	0

DAUPHIN, CANADA

STA NO. 72855 (IN AREA NUMBER 06)

LATITUDE 5106N

LONGITUDE 10003W

ELEVATION(FT) 00999

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	49	57	66	92	100	110	104	101	99	88	71	57	110	50	-610
MEAN MAX TMP (F)	9	16	29	49	64	74	80	77	66	52	33	18	47	30	-105
MEAN MIN TMP (F)	-9	-5	8	27	38	49	54	51	42	31	16	0	25	30	-105
ABS MIN TMP (F)	-45	-43	-32	-12	10	21	28	30	15	-7	-29	-42	-45	50	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	1.0	1.6	1.4	0.1	0.0	0.0	0.0	4.3	9	2944
MEAN NO DYS TMP = OR LES 32(F)	30.6	28.0	29.5	22.2	9.1	0.9	0.0	0.0	4.6	15.2	28.0	30.6	198.7	9	2944
MEAN NO DYS TMP = OR LES 0(F)	23.0	18.1	8.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	4.3	16.2	70.3	9	2944
MEAN DEW PT TMP (F)	0	1	13	26	39	50	58	56	46	37	21	6	29	4	-106
MEAN REL HUM (PCT)	89	88	85	69	64	72	74	76	74	73	83	88	78	4	-106
MEAN PRESS ALT (FT)	826	802	871	919	966	1030	1009	984	975	946	902	856	924	0	-50
MEAN PRECIP (IN)	0.91	0.61	0.84	0.73	1.70	2.70	2.42	1.95	1.88	1.15	0.99	0.68	16.6	30	-105
MEAN SNOW FALL (IN)	9.1	6.1	7.5	2.8	0.1	0.0	0.0	0.0	0.5	1.8	7.6	6.7	42.2	30	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.9	1.9	2.7	2.3	5.1	6.3	5.9	5.1	4.8	3.5	3.2	2.2	45.9	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.9	1.1	1.5	0.5	0.0	0.0	0.0	0.0	0.0	0.3	1.5	1.3	8.1	30	-29
MEAN NO DYS W/OCUR V5BY LES 1/2 MI	0.0	0.0	0.0	0.0	2.0	4.0	9.0	7.0	1.0	0.0	0.0	0.0	23.0	7	-24
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	2.0	4.0	9.0	7.0	1.0	0.0	0.0	0.0	23.0	0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														9	2945
03-05 LST	11.7	14.2	14.1	10.8	10.9	11.3	7.9	9.7	12.1	14.2	20.2	18.7	13.0	0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														9	2945
03-05 LST	3.2	6.6	4.4	5.0	1.2	1.3	2.2	3.2	4.2	3.2	6.3	6.9	4.0	0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

DAUPHIN, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST	20.2	25.4	28.4	27.2	28.5	27.9	29.0	27.8	27.0	27.7	25.4	27.1	9	2945
	11 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST													0	0
	23 LST													0	0
	05 LST	11.3	13.9	15.2	14.3	17.2	17.4	19.4	18.8	14.6	13.8	9.7	11.1	9	2945
	11 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST													0	0
	23 LST													0	0
	05 LST	4.1	2.8	1.7	2.7	2.9	1.1	1.4	1.1	2.6	2.2	4.5	4.3	9	2945
	11 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST													0	0
	23 LST													0	0
	05 LST	0.0	0.0	0.9	4.0	13.2	19.4	20.1	19.6	13.3	9.9	0.9	0.1	9	2945
	11 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST	14.0	12.7	9.6	10.6	11.0	9.6	12.2	11.2	11.3	11.5	7.7	11.3	9	2945
	11 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST	24.0	21.4	22.5	24.2	26.1	24.8	27.3	26.4	24.2	23.6	19.4	21.7	9	2945
	11 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST	19.6	18.5	17.4	20.6	22.5	22.1	26.0	24.2	21.5	19.2	14.2	18.3	9	2945
	11 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST	18.8	17.2	16.1	19.0	20.9	20.5	25.1	22.2	20.2	18.2	13.1	17.8	9	2945
	11 LST													0	0

RIVERS, CANADA

STA NO. 72860 (IN AREA NUMBER 06)

LATITUDE 5001N

LONGITUDE 10019W

ELEVATION(FT) 01550

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	41	45	67	89	94	97	99	98	96	85	63	54	99	20	-610
MEAN MAX TMP (F)	11	12	26	48	62	70	79	77	66	54	29	16	46	12	-105
MEAN MIN TMP (F)	-8	-8	7	27	38	48	54	52	42	31	14	-2	25	12	-105
ABS MIN TMP (F)	-47	-44	-44	-10	15	29	36	32	18	2	-27	-39	-47	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.0	2.2	2.6	0.1	0.0	0.0	0.0	5.9	9	2932
MEAN NO DYS TMP = OR LES 32(F)	31.0	27.9	28.6	21.0	5.2	0.2	0.0	0.0	3.4	15.7	28.9	31.0	192.9	9	2932
MEAN NO DYS TMP = OR LES 0(F)	21.7	18.1	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	14.9	65.2	9	2932
MEAN DEW PT TMP (F)	-1	0	14	28	38	49	56	54	43	33	18	3	28	10	-106
MEAN REL HUM (PCT)	86	86	82	69	63	68	72	70	69	71	87	88	76	10	-106
MEAN PRESS ALT (FT)	1376	1350	1419	1472	1517	1584	1564	1541	1532	1505	1454	1408	1477	0	-50
MEAN PRECIP (IN)	0.77	0.83	0.91	0.97	2.13	3.78	3.46	2.13	1.37	0.79	0.94	1.01	19.1	12	-105
MEAN SNOW FALL (IN)	7.6	8.3	8.1	2.9	1.3	0.0	0.0	0.0	0.2	1.8	8.2	10.0	48.4	12	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.5	2.7	2.9	3.1	6.1	7.7	7.3	5.4	3.9	2.8	3.1	3.3	90.8	12	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.5	1.7	1.7	0.5	0.2	0.0	0.0	0.0	0.0	0.3	1.7	2.1	9.7	12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.0	3.0	5.0	8.0	6.0	2.0	0.0	0.0	0.0	25.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	16.1	19.5	19.0	11.9	9.7	11.3	5.4	9.3	10.5	15.4	28.0	23.1	14.9	9	2932
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	4.4	10.2	6.0	4.0	1.6	3.8	0.7	1.2	2.5	5.3	12.1	8.9	5.1	9	2932
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

RIVERS, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST													0	0	
	23 LST													0	0	
	05 LST	26.4	23.4	25.9	27.6	29.1	27.5	29.8	28.0	27.6	27.5	23.0	25.2	321.0	9	2932
	11 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST													0	0	
	23 LST													0	0	
	05 LST	12.1	12.9	13.4	13.5	16.5	19.4	23.3	20.3	14.6	15.3	9.3	11.8	182.4	9	2932
	11 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST													0	0	
	23 LST													0	0	
	05 LST	3.3	1.0	1.2	2.6	1.9	0.6	0.4	0.6	2.1	1.6	3.4	2.2	20.7	9	2932
	11 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST													0	0	
	23 LST													0	0	
	05 LST	0.0	0.1	1.4	5.4	13.5	16.9	21.4	20.3	15.7	10.5	0.8	0.0	106.0	9	2932
	11 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST													0	0	
	23 LST													0	0	
	05 LST	14.6	13.9	10.1	9.9	11.7	8.4	12.2	12.2	11.1	13.8	9.9	11.4	139.2	9	2932
	11 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST													0	0	
	23 LST													0	0	
	05 LST	22.4	20.3	20.4	24.2	25.9	24.6	27.7	26.8	25.1	23.7	17.7	20.7	279.5	9	2932
	11 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST													0	0	
	23 LST													0	0	
	05 LST	20.7	19.1	17.5	21.1	23.4	22.7	25.6	25.9	22.3	21.2	15.5	17.9	252.9	9	2932
	11 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST													0	0	
	23 LST													0	0	
	05 LST	20.2	18.2	16.9	20.3	21.2	21.4	24.6	25.0	21.4	20.6	14.2	16.8	240.8	9	2932
	11 LST													0	0	

BROADVIEW, CANADA

STA NO. 72861 (IN AREA NUMBER 06)

LATITUDE 5015N LONGITUDE 10232W ELEVATION(FT) 02033

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	51	47	69	88	92	95	101	99	96	85	67	57	101	20	-110
MEAN MAX TMP (F)	12	13	26	47	62	68	78	75	65	54	30	18	46	13	-105
MEAN MIN TMP (F)	-7	-7	7	26	36	45	52	49	39	30	13	0	24	13	-105
ABS MIN TMP (F)	-52	-45	-47	-16	12	20	33	28	15	-3	-30	-39	-52	20	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		13	-29
MEAN NO DYS TMP = OR LES 32(F)							0.0							20	-29
MEAN NO DYS TMP = OR LES 0(F)					0.0	0.0	0.0	0.0	0.0	0.0				20	-29
MEAN DEW PT TMP (F)	4	2	14	29	37	48	55	53	42	33	18	4	28	9	-106
MEAN REL HUM (PCT)	88	88	84	70	64	72	71	71	71	72	87	83	77	9	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.66	0.69	0.99	0.96	1.98	3.90	2.21	2.90	1.34	0.69	1.19	0.71	17.8	13	-105
MEAN SNOW FALL (IN)	6.5	6.9	8.9	2.8	1.8	0.1	0.0	0.0	0.8	1.8	10.0	6.9	46.5	13	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.1	2.2	3.1	3.0	4.8	7.8	5.5	6.6	3.8	2.6	3.5	2.3	47.3	13	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.2	1.3	1.8	0.5	0.3	0.0	0.0	0.0	0.1	0.3	2.2	1.3	9.0	13	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.0	2.0	5.0	8.0	6.0	2.0	0.0	0.0	0.0	24.0	9	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BROADVIEW, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PNECIP.	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0

DATA NOT AVAILABLE

ESTEVAN, CANADA

STA NO. 72862 (IN AREA NUMBER 06)

LATITUDE 4904N

LONGITUDE 10300W

ELEVATION(FT) 01875

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	51	55	79	90	97	102	110	106	101	90	70	60	110	50	-610
MEAN MAX TMP (F)	13	14	30	50	63	74	80	78	67	55	35	19	48	28	-105
MEAN MIN TMP (F)	-7	-5	10	28	38	50	54	50	40	30	16	2	26	28	-105
ABS MIN TMP (F)	-44	-52	-34	-13	14	25	31	26	12	-3	-26	-39	-52	50	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	1.7	4.2	5.8	0.4	0.1	0.0	0.0	12.3	9	2943
MEAN NO DYS TMP = OR LES 32(F)	30.7	27.7	28.7	19.0	4.4	0.1	0.0	0.1	3.0	14.3	27.3	30.6	185.9	9	2942
MEAN NO DYS TMP = OR LES 0(F)	16.9	13.6	4.9	0.1	0.0	0.0	0.0	0.0	0.0	0.1	3.3	10.5	49.4	9	2942
MEAN DEW PT TMP (F)	5	5	19	30	39	50	57	54	43	35	21	8	31	8	-106
MEAN REL HUM (PCT)	91	91	88	71	63	69	67	65	65	73	86	94	77	8	-106
MEAN PRESS ALT (FT)	1703	1679	1753	1809	1850	1909	1881	1866	1849	1821	1770	1732	1802	0	-50
MEAN PRECIP (IN)	0.53	0.48	1.16	0.81	1.90	2.96	1.94	1.99	1.34	0.74	0.54	0.66	15.0	28	-105
MEAN SNOW FALL (IN)	5.3	4.8	9.1	2.8	0.8	0.0	0.0	0.0	0.3	0.7	5.1	6.6	35.5	28	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.6	1.5	3.6	2.6	5.6	6.7	5.1	5.1	3.8	2.7	2.3	2.1	42.7	28	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.9	0.8	1.9	0.5	0.1	0.0	0.0	0.0	0.0	0.1	0.9	1.3	6.5	0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	1.0	5.0	6.0	5.0	0.0	0.0	0.0	0.0	17.0	6	-24
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														9	2945
03-05 LST	17.3	15.9	14.1	12.1	10.1	9.2	9.0	6.5	10.0	13.4	16.7	17.8	12.7	0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														9	2945
03-05 LST	3.6	5.3	1.6	2.1	1.6	3.3	4.7	0.8	0.4	2.4	5.6	5.7	3.1	0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

ESTEVAN, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI														0	0
17 LST														0	0
23 LST														0	0
05 LST	27.4	24.6	27.2	26.9	28.9	28.1	28.0	29.1	27.7	27.7	26.3	26.2	328.1	9	2945
11 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS														0	0
17 LST														0	0
23 LST														0	0
05 LST	11.0	10.0	11.6	13.6	14.9	17.4	19.1	17.5	12.7	13.5	8.5	7.6	157.4	9	2945
11 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.														0	0
17 LST														0	0
23 LST														0	0
05 LST	3.3	1.7	2.5	2.1	2.0	1.5	1.0	1.2	2.5	1.7	3.8	3.4	26.7	9	2945
11 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.														0	0
17 LST														0	0
23 LST														0	0
05 LST	0.1	0.1	1.6	5.3	14.4	18.1	21.3	19.9	15.2	8.8	1.0	0.2	106.0	9	2945
11 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI														0	0
17 LST														0	0
23 LST														0	0
05 LST	14.1	13.5	12.1	10.5	10.9	11.9	15.8	15.3	13.7	15.6	11.8	12.6	157.8	9	2945
11 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI														0	0
17 LST														0	0
23 LST														0	0
05 LST	23.3	21.7	22.8	24.5	26.7	26.0	27.2	28.5	25.2	25.9	22.2	22.7	296.7	9	2945
11 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI														0	0
17 LST														0	0
23 LST														0	0
05 LST	21.0	19.4	20.1	20.5	23.1	23.8	26.1	26.6	23.1	23.5	19.4	19.7	266.3	9	2945
11 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI														0	0
17 LST														0	0
23 LST														0	0
05 LST	20.2	18.2	18.8	18.9	21.7	22.4	23.6	24.3	21.2	22.8	17.9	18.7	248.7	9	2945
11 LST														0	0

REGINA, CANADA

LATITUDE 5026N

LONGITUDE 10440W

ELEVATION(FT) 01894

STA NO. 72863 (IN AREA NUMBER 06)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	48	60	76	91	99	103	110	105	99	88	73	59	110	70	-610
MEAN MAX TMP (F)	10	13	27	50	65	73	79	77	65	52	32	16	47	55	-105
MEAN MIN TMP (F)	-11	-9	6	26	37	47	51	48	38	27	11	-1	23	55	-105
ABS MIN TMP (F)	-54	-56	-44	-20	7	23	28	23	3	-15	-47	-55	-56	70	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.4	1.4	4.2	4.9	0.4	0.0	0.0	0.0	11.3	9	2945
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	29.9	22.3	6.2	0.8	0.0	0.2	6.0	18.4	28.5	31.0	202.3	9	2945
MEAN NO DYS TMP = OR LES 0(F)	19.0	16.2	7.6	0.1	0.0	0.0	0.0	0.0	0.0	0.2	4.6	13.1	60.8	10	-106
MEAN DEW PT TMP (F)	3	3	15	29	37	48	54	52	41	32	18	6	28	10	-106
MEAN REL HUM (PCT)	91	93	88	68	59	66	66	64	65	70	88	90	76	10	-106
MEAN PRESS ALT (FT)	1719	1701	1780	1830	1874	1925	1893	1879	1856	1822	1772	1740	1816	0	-50
MEAN PRECIP (IN)	0.51	0.35	0.67	0.74	1.84	3.25	2.38	1.76	1.32	0.86	0.60	0.42	14.7	49	-105
MEAN SNOW FALL (IN)	4.7	3.4	5.4	3.0	0.6	0.1	0.0	0.0	0.6	2.3	4.8	3.9	28.8	49	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.6	1.0	2.1	2.4	5.5	7.0	5.8	4.7	3.8	2.9	2.4	1.2	40.4	49	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.8	0.5	1.1	0.6	0.0	0.0	0.0	0.0	0.1	0.4	0.9	0.6	5.0	19	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	1.8	1.5	2.5	0.0	0.0	0.0	0.0	0.5	0.0	2.5	1.0	0.5	10.3	3	644
MEAN NO DYS TSMS	0.0	0.0	0.0	1.0	2.0	5.0	7.0	6.0	1.0	0.0	0.0	0.0	22.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS	22.0	12.5	20.2	33.3	25.0	5.0	10.5	14.9	25.4	10.1	15.0	25.0	18.2	3	2576
P FREQ WND SPD = OR GTR 28 KTS	2.6	1.3	2.0	3.3	4.8	0.0	1.2	0.8	2.5	0.0	1.3	1.6	1.8	3	2576
P FREQ LES 5000 FT A/O LES 5 MI	31.3	22.8	29.8	28.3	7.3	10.0	9.3	13.3	17.1	24.2	42.9	30.2	22.2	3	2576
P FREQ LES 1500 FT A/O LES 3 MI														3	-30
FOR 00-02 LST	20.6	16.7	17.0	9.9	4.7	4.4	6.3	4.7	7.1	10.6	22.6	21.0	12.1	9	2945
03-05 LST	21.8	20.8	21.1	13.0	9.3	8.8	9.4	6.1	10.9	14.6	20.1	25.9	15.2	3	-30
06-08 LST	21.4	20.2	22.7	11.5	6.3	6.1	7.1	7.9	8.0	18.6	22.6	25.1	14.8	3	644
09-11 LST	20.9	19.6	24.2	10.0	3.2	3.3	4.8	9.7	5.0	22.6	25.0	24.2	14.4	3	644
12-14 LST	20.9	18.8	21.0	8.4	3.2	3.3	4.0	6.5	4.2	15.4	25.9	23.4	12.9	3	-30
15-17 LST	20.9	17.9	17.7	6.7	3.2	3.3	3.2	3.2	3.3	8.1	26.7	22.6	11.4	3	644
18-20 LST	20.2	15.2	15.3	6.7	1.6	1.7	3.2	3.2	3.3	7.3	25.9	19.4	10.3	3	-30
21-23 LST	19.4	12.5	12.9	6.7	0.0	0.0	3.1	3.2	3.3	6.5	25.0	16.1	9.1	3	644
P FREQ LES 300 FT A/O LES 1 MI														3	-30
FOR 00-02 LST	10.0	5.8	4.9	4.2	0.8	0.4	1.6	1.4	0.9	4.5	7.5	8.1	4.2	9	2945
03-05 LST	8.1	8.0	6.5	5.0	1.6	0.8	3.2	1.2	1.7	5.7	6.7	11.3	5.0	3	-30
06-08 LST	7.8	9.4	4.1	2.5	0.8	0.4	1.6	0.6	0.9	4.5	5.0	8.9	3.9	3	644
09-11 LST	7.5	10.7	1.6	0.0	0.0	0.0	0.0	0.0	0.0	3.2	3.3	6.5	2.7	3	644
12-14 LST	7.5	8.9	0.8	0.0	0.0	0.0	0.0	0.0	0.0	2.4	7.5	5.7	2.7	3	-30
15-17 LST	7.5	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	11.7	4.8	2.7	3	644
18-20 LST	9.7	5.4	1.6	1.7	0.0	0.0	0.0	0.8	0.0	2.4	10.0	4.8	3.0	3	-30
21-23 LST	11.9	3.6	3.2	3.3	0.0	0.0	0.0	1.6	0.0	3.2	8.3	4.8	3.3	3	644

REGINA, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	25.0	23.5	27.5	29.0	30.0	30.0	30.5	31.0	29.5	29.0	23.0	25.0	333.0	3	644
	23 LST	25.0	24.0	25.5	29.0	31.0	30.0	30.0	29.5	29.5	29.0	22.5	26.0	331.0	3	644
	05 LST	24.2	22.3	24.3	27.1	28.0	27.9	28.1	29.0	27.2	27.0	25.1	23.8	314.0	9	2945
	11 LST	25.0	22.5	26.5	28.0	31.0	30.0	30.0	29.5	29.5	26.0	24.0	24.5	326.5	3	644
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	10.6	8.5	9.0	7.0	8.0	7.0	16.0	14.0	8.0	14.5	8.0	6.5	117.1	3	644
	23 LST	11.6	8.0	10.0	10.0	11.0	25.0	19.0	16.5	13.0	13.0	9.5	10.0	156.6	3	644
	05 LST	8.1	9.5	8.0	9.4	12.5	16.0	17.6	16.6	11.2	11.7	8.5	7.0	136.1	9	2945
	11 LST	8.3	12.0	10.0	6.0	7.0	13.0	13.0	12.5	6.0	10.0	9.5	6.0	113.3	3	644
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	4.6	3.5	6.0	13.0	10.0	1.0	4.0	6.0	9.0	4.5	4.5	4.0	70.1	3	644
	23 LST	6.0	2.0	3.0	4.0	5.0	0.0	1.0	3.0	3.5	2.5	2.0	5.5	37.5	3	643
	05 LST	3.9	2.1	4.9	4.1	3.2	2.1	1.3	1.6	3.2	3.0	4.4	4.7	38.5	9	2946
	11 LST	6.4	1.5	8.0	9.0	11.0	3.0	5.0	6.5	10.0	2.5	3.0	6.0	71.9	3	644
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	0.4	1.0	5.0	9.0	9.0	9.0	13.5	13.0	9.0	15.0	7.5	1.0	92.4	3	644
	23 LST	0.0	0.0	2.5	8.0	12.0	25.0	18.0	18.0	13.7	6.5	2.0	0.0	105.7	3	643
	05 LST	0.0	0.1	0.6	2.8	11.3	16.0	16.9	16.2	9.9	6.3	0.8	0.1	81.0	9	2946
	11 LST	0.0	0.5	3.5	6.0	11.0	11.0	14.5	13.0	8.0	10.0	5.0	0.0	82.5	3	644
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	5.5	13.5	9.5	2.0	9.0	5.0	8.5	7.0	9.5	11.5	8.0	8.5	97.5	3	644
	23 LST	14.3	17.0	12.5	17.0	20.0	16.0	20.5	20.5	17.0	18.0	11.0	13.5	197.3	3	644
	05 LST	13.9	12.3	11.2	10.9	11.7	12.0	15.7	14.4	14.3	14.5	11.5	12.0	154.4	9	2946
	11 LST	7.4	8.5	9.5	4.0	12.0	9.0	8.0	12.5	8.5	9.5	4.5	9.0	102.4	3	644
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	22.2	21.0	22.5	26.0	30.0	27.0	29.5	29.0	28.5	27.0	19.0	21.5	303.2	3	644
	23 LST	22.7	22.5	23.5	27.0	31.0	29.0	30.0	29.0	28.5	26.0	20.0	23.5	312.7	3	644
	05 LST	21.9	19.2	20.2	23.5	25.6	26.5	27.0	28.3	25.1	24.1	20.6	20.8	282.8	9	2945
	11 LST	20.3	21.0	21.0	23.0	28.0	28.0	28.0	26.5	26.0	22.0	18.0	20.5	282.3	3	644
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	20.3	20.5	21.0	20.0	29.0	21.0	24.0	25.5	25.0	24.5	16.5	19.5	266.8	3	644
	23 LST	21.3	22.0	16.5	23.0	29.0	25.0	29.0	27.0	25.0	23.0	16.0	21.0	277.8	3	644
	05 LST	19.7	16.8	17.5	21.2	22.6	24.1	25.4	26.5	22.8	21.6	18.1	18.7	255.0	9	2945
	11 LST	19.4	18.5	19.5	18.0	25.0	22.0	24.0	24.5	23.5	21.5	15.5	19.0	250.4	3	644
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	18.0	19.5	21.0	20.0	26.0	20.0	22.5	24.5	25.0	23.0	15.5	18.0	253.0	3	644
	23 LST	19.4	21.5	15.5	22.0	26.0	23.0	27.0	26.0	23.5	21.0	14.5	20.5	259.9	3	644
	05 LST	19.5	16.5	16.6	20.0	21.4	22.4	24.0	25.1	21.5	21.0	17.3	17.8	243.1	9	2945
	11 LST	18.0	17.5	18.5	17.0	25.0	22.0	23.5	24.5	23.5	20.5	13.5	17.5	241.0	3	644

MOOSE JAW, CANADA

STA NO. 72F64 (IN AREA NUMBER 06)

LATITUDE 5020N LONGITUDE 10533W ELEVATION(FT) 01892

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	57	64	78	92	101	105	110	107	102	90	73	67	110	70	-610
MEAN MAX TMP (F)	13	18	30	52	66	73	80	78	66	52	34	21	49	43	-105
MEAN MIN TMP (F)	-5	-2	10	27	38	48	52	49	40	28	15	2	25	43	-105
ABS MIN TMP (F)	-53	-54	-48	-20	9	25	30	29	9	-13	-31	-47	-54	70	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.4	1.7	4.8	5.4	0.8	0.0	0.0	0.0	13.1	9	2947
MEAN NO DYS TMP = OR LES 32(F)	29.7	27.2	28.1	19.7	5.2	0.4	0.0	0.1	3.0	16.3	26.9	30.0	186.6	9	2947
MEAN NO DYS TMP = OR LES 0(F)	16.1	12.5	5.4	0.1	0.0	0.0	0.0	0.0	0.0	0.2	3.9	10.4	48.6	9	2947
MEAN DEW PT TMP (F)	4	9	19	31	40	49	54	52	42	35	19	8	30	10	-106
MEAN REL HUM (PCT)	84	89	86	70	65	67	61	62	64	73	86	87	75	10	-106
MEAN PRESS ALT (FT)	1717	1700	1780	1831	1874	1923	1889	1877	1851	1816	1765	1736	1813	0	-50
MEAN PRECIP (IN)	0.68	0.50	0.69	0.75	1.92	2.86	1.97	1.86	1.25	0.91	0.64	0.68	14.7	43	-105
MEAN SN(W FALL (IN)	6.7	4.9	6.3	2.7	0.7	0.0	0.0	0.0	0.9	2.6	5.0	6.2	36.0	43	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.2	1.5	2.2	2.4	5.7	6.5	5.1	4.9	3.7	3.0	2.5	2.2	41.9	43	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.3	0.9	1.3	0.5	0.0	0.0	0.0	0.0	0.1	0.4	0.9	1.2	6.6	43	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	1.0	3.0	7.0	5.0	1.0	0.0	0.0	0.0	17.0	9	-24
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	3.0	7.0	5.0	1.0	0.0	0.0	0.0	17.0	0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														9	2947
03-05 LST	14.9	19.9	15.3	10.8	9.7	7.5	8.3	4.9	7.1	12.1	19.7	17.0	12.3	0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														9	2947
03-05 LST	4.4	8.0	5.2	2.9	0.4	1.3	1.1	0.4	0.4	3.2	7.5	6.5	3.4	0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MOOSE JAW, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST													0	0	
	23 LST													0	0	
	05 LST	28.0	23.4	26.8	27.4	28.9	28.9	30.0	28.5	27.7	25.5	26.8	330.6	9	2947	
	11 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST													0	0	
	23 LST													0	0	
	05 LST	8.5	8.4	7.8	10.2	12.2	12.1	13.4	14.7	10.0	9.4	6.6	6.8	121.9	9	2947
	11 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST													0	0	
	23 LST													0	0	
	05 LST	6.7	3.7	7.3	6.0	5.4	4.9	3.1	3.5	5.6	6.6	7.4	8.2	68.4	9	2947
	11 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST													0	0	
	23 LST													0	0	
	05 LST	0.4	0.0	0.4	3.0	8.6	11.7	13.9	13.4	9.7	5.6	1.2	0.1	68.0	9	2947
	11 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST													0	0	
	23 LST													0	0	
	05 LST	13.9	11.9	12.9	11.3	9.7	9.6	12.2	12.0	12.8	15.2	12.3	13.4	147.2	9	2947
	11 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST													0	0	
	23 LST													0	0	
	05 LST	23.9	20.3	23.3	24.8	26.4	26.9	27.7	28.9	26.1	25.7	22.1	23.6	299.7	9	2947
	11 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST													0	0	
	23 LST													0	0	
	05 LST	22.2	18.9	20.6	22.7	23.9	25.1	25.5	27.1	23.5	24.1	20.1	22.1	275.8	9	2947
	11 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST													0	0	
	23 LST													0	0	
	05 LST	21.2	17.8	20.0	21.4	22.5	23.7	24.7	25.6	21.7	23.1	19.1	21.3	262.1	9	2947
	11 LST													0	0	

SASKATOON, CANADA

STA NO. 72866 (IN AREA NUMBER 06)

LATITUDE 5210N

LONGITUDE 10641W

ELEVATION(FT) 01653

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	48	55	68	92	98	104	104	100	95	90	68	56	104	50	-610
MEAN MAX TMP (F)	9	13	27	49	64	71	77	75	63	51	31	16	46	38	-105
MEAN MIN TMP (F)	-11	-8	6	26	38	48	52	48	38	27	12	-2	23	38	-105
ABS MIN TMP (F)	-51	-49	-35	-17	15	26	32	30	13	-14	-29	-41	-51	50	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	1.7	3.6	2.5	0.4	0.0	0.0	0.0	8.3	9	2939
MEAN NO DYS TMP = OR LES 32(F)	30.5	28.0	29.2	21.0	5.9	0.2	0.0	0.0	3.9	17.3	28.1	30.7	194.8	9	2940
MEAN NO DYS TMP = OR LES 0(F)	19.7	15.8	7.6	0.0	0.0	0.0	0.0	0.0	0.0	0.4	4.5	13.3	61.3	9	2940
MEAN DEW PT TMP (F)	-1	0	14	28	36	45	52	51	40	32	18	3	27	10	-106
MEAN REL HUM (PCT)	91	91	80	66	57	59	60	63	63	69	86	89	73	10	-106
MEAN PRESS ALT (FT)	1482	1459	1525	1590	1624	1688	1665	1649	1635	1614	1567	1521	1585	0	-50
MEAN PRECIP (IN)	0.87	0.50	0.66	0.72	1.42	2.57	2.41	1.94	1.46	0.88	0.51	0.61	14.5	38	-105
MEAN SNOW FALL (IN)	8.7	5.0	6.2	2.5	0.3	0.0	0.0	0.0	0.8	2.6	5.0	6.1	37.2	38	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.8	1.5	2.1	2.3	4.4	6.1	5.8	5.1	4.1	2.9	2.2	1.9	41.2	38	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.8	0.9	1.2	0.4	0.0	0.0	0.0	0.0	0.1	0.4	0.9	1.1	6.8	38	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	1.0	3.0	7.0	5.0	0.0	0.0	0.0	0.0	16.0	9	-24
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														9	2940
03-05 LST	20.9	16.9	18.2	9.6	5.6	10.4	5.4	8.1	8.4	10.9	18.4	22.3	12.9	9	2940
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														9	2940
03-05 LST	7.8	6.2	6.1	5.0	0.4	1.7	0.7	1.6	2.5	4.5	6.7	11.7	4.6	9	2940
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SASKATOON, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST													0	0	
	23 LST													0	0	
	05 LST	25.5	24.4	25.3	27.5	29.5	27.0	30.0	28.5	27.7	27.7	26.0	25.1	324.2	9	2940
	11 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST													0	0	
	23 LST													0	0	
	05 LST	11.9	14.2	14.7	15.0	17.0	18.2	21.2	21.0	16.3	14.4	11.5	12.5	187.9	9	2940
	11 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST													0	0	
	23 LST													0	0	
	05 LST	1.4	0.6	2.0	0.9	1.6	0.9	0.5	0.7	1.4	1.4	1.5	1.4	14.3	9	2945
	11 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST													0	0	
	23 LST													0	0	
	05 LST	0.0	0.0	0.7	4.5	13.7	15.6	18.9	19.6	14.7	8.2	1.4	0.1	97.4	9	2942
	11 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST													0	0	
	23 LST													0	0	
	05 LST	11.9	11.3	10.6	10.0	9.9	9.4	11.7	11.2	11.8	13.7	11.3	11.9	134.7	9	2945
	11 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST													0	0	
	23 LST													0	0	
	05 LST	22.0	21.6	21.2	25.6	27.2	25.9	28.3	26.8	25.3	25.3	21.1	21.8	292.1	9	2940
	11 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST													0	0	
	23 LST													0	0	
	05 LST	20.6	19.9	18.8	24.0	25.1	23.6	26.2	24.3	22.4	23.2	18.8	20.2	267.1	9	2940
	11 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST													0	0	
	23 LST													0	0	
	05 LST	19.4	18.9	18.0	22.9	24.0	22.5	25.1	23.2	21.3	22.3	17.9	19.1	254.8	9	2940
	11 LST													0	0	

PRINCE ALBERT, CANADA

STA NO. 72869 (IN AREA NUMBER 06)

LATITUDE 5313N

LONGITUDE 10541W

ELEVATION(FT) 01405

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	55	55	68	89	96	98	103	98	95	87	67	58	103	80	-610
MEAN MAX TMP (F)	6	13	27	49	63	71	76	73	62	49	28	14	44	54	-105
MEAN MIN TMP (F)	-15	-10	3	24	37	46	51	48	38	28	11	-4	21	54	-105
ABS MIN TMP (F)	-67	-70	-50	-29	3	17	33	22	4	-15	-41	-57	-70	80	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	1.0	1.2	1.2	0.2	0.0	0.0	0.0	3.8	9	2918
MEAN NO DYS TMP = OR LES 32(F)	30.7	28.0	30.8	24.7	11.7	1.5	0.0	0.0	8.8	22.1	29.1	30.6	218.0	9	2917
MEAN NO DYS TMP = OR LES 0(F)	25.0	19.5	11.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	7.3	19.3	83.1	9	2917
MEAN DEW PT TMP (F)	-2	-3	10	27	37	47	55	53	42	33	17	0	26	10	-106
MEAN REL HUM (PCT)	88	86	80	58	62	66	68	72	73	76	85	89	76	10	-106
MEAN PRESS ALT (FT)	1232	1208	1273	1536	1373	1440	1421	1404	1391	1368	1318	1271	1336	0	-50
MEAN PRECIP (IN)	0.74	0.56	0.86	0.93	1.50	2.81	2.18	1.96	2.08	0.84	0.89	0.76	16.1	55	-105
MEAN SNOW FALL (IN)	7.4	5.4	7.9	5.2	1.3	0.0	0.0	0.0	5.8	3.0	8.0	7.5	51.5	55	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.4	1.7	2.7	3.0	4.6	6.4	5.5	5.1	5.2	2.9	3.0	2.4	44.9	55	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.5	1.0	1.6	1.0	0.2	0.0	0.0	0.0	1.1	0.5	1.6	1.5	10.0	55	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.4	0.5	2.5	2.0	1.0	3.0	0.5	0.5	1.0	1.0	1.5	1.0	14.9	3	644
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	2.0	6.0	5.0	1.0	0.0	0.0	0.0	15.0	10	-86
P FREQ WND SPD = OR GTR 17 KTS	9.7	3.1	5.2	10.0	12.9	7.5	7.3	6.5	7.5	4.4	2.5	5.2	6.8	3	2576
P FREQ WND SPD = OR GTR 28 KTS	1.1	0.0	0.0	1.7	0.0	0.0	0.0	0.4	0.8	0.0	0.0	0.4	0.4	3	2576
P FREQ LES 5000 FT A/O LES 5 MI	39.2	19.6	36.3	39.2	16.1	18.3	13.3	19.4	23.8	21.8	50.0	44.0	28.4	3	2576
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	20.5	10.9	15.2	10.6	4.7	7.3	4.4	7.1	11.1	9.3	26.1	23.5	12.6	3	-30
03-05 LST	18.5	16.4	22.2	11.7	9.3	11.3	7.2	10.9	13.8	13.8	25.9	24.4	15.5	9	2918
06-08 LST	21.2	13.6	18.4	15.9	9.5	9.0	5.2	11.2	11.9	13.4	28.8	22.1	15.0	3	-30
09-11 LST	23.9	10.7	14.5	20.0	9.7	6.7	3.2	11.3	10.0	12.9	31.7	17.7	14.4	3	644
12-14 LST	20.9	8.9	11.3	16.7	6.5	5.0	2.4	7.3	8.4	8.9	28.4	16.1	11.7	3	-30
15-17 LST	17.9	7.1	8.1	13.3	3.2	3.3	1.6	3.2	6.7	4.8	25.0	14.5	9.1	3	644
18-20 LST	20.2	6.3	8.1	11.7	1.6	3.3	1.6	3.2	7.5	4.8	25.9	18.6	9.4	3	-30
21-23 LST	22.4	5.4	8.1	10.0	0.0	3.3	1.6	3.2	8.3	4.8	26.7	22.6	9.7	3	644
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	6.2	4.7	6.3	3.1	1.4	1.5	1.5	2.7	3.2	2.7	6.1	8.9	4.0	3	-30
03-05 LST	4.8	5.8	9.3	2.8	2.8	2.9	2.9	5.3	6.3	5.3	5.4	8.1	5.1	9	2918
06-08 LST	4.7	5.6	6.3	3.1	3.0	1.5	1.5	2.7	4.0	3.5	6.1	5.7	4.0	3	-30
09-11 LST	4.5	5.4	3.2	3.3	3.2	0.0	0.0	0.0	1.7	1.6	6.7	3.2	2.7	3	644
12-14 LST	3.0	3.6	2.4	3.3	1.6	0.0	0.0	0.0	1.7	0.8	3.4	4.9	2.1	3	-30
15-17 LST	1.5	1.8	1.6	3.3	0.0	0.0	0.0	0.0	1.7	0.0	0.0	6.5	1.4	3	644
18-20 LST	4.5	2.7	2.4	3.3	0.0	0.0	0.0	0.0	0.9	0.0	3.4	8.3	2.1	3	-30
21-23 LST	7.5	3.6	3.2	3.3	0.0	0.0	0.0	0.0	0.0	0.0	6.7	9.7	2.8	3	644

PRINCE ALBERT, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	27.3	27.0	30.0	27.0	30.0	30.0	31.0	31.0	28.5	29.5	25.5	28.5	345.3	3	644
	23 LST	26.8	26.5	29.0	28.0	31.0	29.0	31.0	31.0	29.0	30.0	23.0	26.0	340.3	3	644
	05 LST	26.2	24.1	25.4	27.3	28.5	26.5	28.1	27.5	25.8	26.8	25.0	25.5	316.7	9	2918
	11 LST	25.0	25.0	28.5	26.0	29.0	29.0	30.5	29.0	29.0	28.5	22.5	26.0	328.0	3	644
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	14.3	16.0	17.5	13.0	9.0	13.0	18.0	15.0	12.5	20.0	16.0	22.0	186.3	3	644
	23 LST	15.3	19.5	22.0	22.0	26.0	23.0	26.0	25.0	21.0	24.0	17.0	18.0	258.8	3	644
	05 LST	16.1	17.2	16.6	20.2	20.3	19.9	22.2	22.3	18.5	19.3	13.9	15.1	221.6	9	2918
	11 LST	13.9	19.5	17.5	10.0	12.0	7.0	13.5	17.0	10.0	16.5	14.0	16.0	166.9	3	644
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	2.3	1.5	2.0	2.0	6.0	4.0	3.0	2.5	1.5	1.5	0.5	1.5	28.3	3	644
	23 LST	1.8	1.0	1.0	1.0	1.0	1.0	0.0	0.5	0.5	0.5	0.5	0.5	9.3	3	644
	05 LST	1.0	0.2	0.9	1.0	1.6	0.5	0.4	0.2	0.9	0.7	1.2	0.5	9.1	9	2919
	11 LST	3.2	1.0	2.0	6.0	8.0	4.0	4.0	3.0	4.5	2.0	0.5	2.0	40.2	3	644
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	0.4	2.0	9.0	11.0	13.0	15.0	18.0	16.5	14.0	19.0	6.0	0.0	123.9	3	644
	23 LST	0.0	0.0	3.0	12.0	19.0	19.0	20.5	17.5	17.0	11.0	1.5	0.0	120.5	3	644
	05 LST	0.2	0.2	0.6	4.1	11.3	16.0	18.7	18.4	14.0	7.1	1.0	0.2	91.8	9	2919
	11 LST	0.0	1.0	6.0	12.0	15.0	13.0	19.0	18.5	15.0	14.0	4.0	0.0	117.5	3	644
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	7.8	11.0	11.5	4.0	7.0	7.0	4.5	6.5	8.0	12.5	7.5	8.0	95.3	3	644
	23 LST	13.9	14.5	14.5	16.0	18.0	15.0	15.5	16.0	13.5	18.5	9.5	11.0	175.9	3	644
	05 LST	14.2	11.4	10.4	11.9	9.0	8.1	11.3	10.5	10.0	11.4	10.4	11.7	130.3	9	2919
	11 LST	6.9	10.5	9.0	4.0	6.0	4.0	6.5	6.0	7.0	11.0	5.0	6.5	82.4	3	644
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	22.2	24.5	24.5	23.0	29.0	28.0	29.0	28.5	27.5	27.5	17.0	20.0	300.7	3	644
	23 LST	21.3	25.0	25.0	25.0	30.0	29.0	30.0	29.5	25.5	27.5	17.5	20.5	305.8	3	644
	05 LST	21.6	20.0	20.2	24.9	25.3	24.4	26.3	25.5	22.7	23.3	17.4	19.8	271.4	9	2918
	11 LST	21.3	24.5	23.0	20.0	27.0	26.0	27.0	24.0	23.5	24.0	16.5	22.0	278.8	3	644
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	17.6	22.0	20.5	15.0	24.0	18.0	22.5	23.0	25.0	25.0	15.0	16.5	244.1	3	644
	23 LST	18.5	24.5	20.0	21.0	27.0	26.0	27.5	26.0	23.5	25.5	14.0	16.5	270.0	3	644
	05 LST	19.0	17.2	16.0	21.8	22.9	21.4	24.0	22.7	18.9	20.1	14.8	16.7	235.5	9	2918
	11 LST	19.4	23.0	18.0	16.0	24.0	17.0	23.0	20.5	21.0	22.0	14.5	18.0	236.4	3	644
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	17.1	21.5	20.0	15.0	21.0	17.0	21.5	19.5	22.5	24.5	14.0	14.5	228.1	3	644
	23 LST	18.5	22.5	19.0	20.0	25.0	22.0	25.5	22.5	21.5	24.5	14.0	14.5	249.5	3	644
	05 LST	18.4	15.4	14.7	19.9	20.8	18.8	23.2	21.2	17.4	18.7	13.7	16.1	218.3	9	2918
	11 LST	18.5	21.0	16.0	14.0	22.0	17.0	21.5	17.5	18.0	20.5	12.0	15.5	213.5	3	644

SWIFT CURRENT, CANADA

STA NO. 72870 (IN AREA NUMBER 06)

LATITUDE 5017N

LONGITUDE 10741W

ELEVATION(FT) 02682

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	59	69	72	86	98	104	107	102	96	89	77	58	107	50	-610
MEAN MAX TMP (F)	17	20	33	54	65	73	81	78	67	54	36	24	50	52	-105
MEAN MIN TMP (F)	-2	2	13	29	39	48	52	49	40	31	17	7	27	52	-105
ABS MIN TMP (F)	-49	-54	-34	-6	10	21	33	29	8	-16	-32	-36	-54	50	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	1.2	2.0	2.9	0.2	0.0	0.0	0.0	6.4	9	2915
MEAN NO DYS TMP = OR LES 32(F)	29.7	27.2	27.7	20.5	5.2	0.4	0.0	0.0	3.4	15.2	26.3	29.7	185.3	9	2914
MEAN NO DYS TMP = OR LES 0(F)	13.3	10.6	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	9.0	40.3	9	2914
MEAN DEW PT TMP (F)	6	9	18	31	38	48	53	51	42	34	20	11	30	10	-106
MEAN REL HUM (PCT)	86	90	84	69	63	68	62	63	67	69	84	88	74	10	-106
MEAN PRESS ALT (FT)	2512	2496	2558	2624	2654	2711	2689	2672	2660	2640	2599	2554	2614	52	-105
MEAN PRECIP (IN)	0.71	0.58	0.73	0.80	1.84	2.95	2.27	1.84	1.25	0.78	0.55	0.65	14.9	52	-105
MEAN SNOW FALL (IN)	7.0	5.7	7.0	3.3	1.6	0.0	0.0	0.0	1.7	2.4	4.9	6.4	40.0	52	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.3	1.8	2.3	2.5	5.5	6.6	5.6	4.9	3.7	2.8	2.3	2.1	42.4	52	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.4	1.0	1.4	0.6	0.2	0.0	0.0	0.0	0.2	0.4	0.9	1.2	7.3	52	-29
MEAN NO DYS W/OCUK V5BY LES 1/2 MI	0.0	0.0	0.0	0.0	2.0	3.0	7.0	7.0	1.0	0.0	0.0	0.0	20.0	10	-24
MEAN NO DYS TSTMS														0	0
P FREQ W'ID SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST	14.9	20.8	16.2	12.6	12.9	7.5	8.7	7.3	10.5	14.2	19.7	15.0	13.4	9	2914
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST	8.9	11.5	7.3	2.3	6.9	2.9	2.6	2.0	3.3	7.7	10.5	5.3	5.9	9	2914
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SWIFT CURRENT, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	27.2	22.8	26.8	27.4	27.9	28.2	28.9	29.1	27.4	26.5	24.6	27.5	324.3	9	2914
	11 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST														0	0
	23 LST														0	0
	05 LST	5.7	6.6	7.6	9.5	9.9	10.5	12.0	11.0	7.1	5.5	5.1	5.3	95.8	9	2914
	11 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST														0	0
	23 LST														0	0
	05 LST	6.2	3.7	4.9	3.8	3.6	2.9	1.3	1.4	3.9	5.0	6.3	7.4	50.4	9	2915
	11 LST														0	0
SFC WND 4-10 KTS AND TMP 33-69 DEG F AND NO PRECIP.	17 LST														0	0
	23 LST														0	0
	05 LST	0.4	0.2	1.2	2.7	12.2	13.6	16.8	15.4	10.5	5.4	0.4	0.2	79.0	9	2915
	11 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	14.6	12.1	14.4	13.4	13.1	11.6	15.8	15.7	14.7	16.1	14.0	14.9	170.4	9	2915
	11 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	25.0	20.4	23.5	24.5	26.1	26.9	27.4	28.5	26.1	25.6	22.4	25.5	301.9	9	2914
	11 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	23.5	19.2	21.6	22.4	23.3	24.5	26.4	26.2	24.0	24.3	21.5	24.2	281.1	9	2914
	11 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	22.6	18.9	21.3	21.9	21.9	23.6	25.7	25.3	23.3	23.6	20.8	23.9	272.8	9	2914
	11 LST														0	0

VERMILION, CANADA

STA NO. 72871 (IN AREA NUMBER 06)

LATITUDE 5321N LONGITUDE 11050W ELEVATION(FT) 02037

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	48	52	56	84	88	93	99	98	90	82	69	51	99	20	-610
MEAN MAX TMP (F)	13	17	29	49	64	70	75	73	62	51	30	18	46	9	2910
MEAN MIN TMP (F)	-4	-1	12	27	37	46	50	48	39	30	14	3	25	9	2910
ABS MIN TMP (F)	-55	-54	-40	-23	7	26	30	25	10	-9	-33	-49	-55	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.6	1.1	0.5	0.0	0.0	0.0	0.0	2.2	9	2910
MEAN NO DYS TMP = OR LES 32(F)	30.7	27.9	29.9	22.6	9.4	0.8	0.0	0.0	5.9	19.1	28.9	30.2	205.4	9	2910
MEAN NO DYS TMP = OR LES 0(F)	18.8	13.9	6.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	5.6	13.3	58.6	5	-106
MEAN DEW PT TMP (F)	4	-3	13	27	35	45	51	49	40	30	16	3	26	5	-106
MEAN REL HUM (PCT)	85	89	82	64	58	63	67	69	68	71	85	91	74	0	0
MEAN PRESS ALT (FT)													15.4	9	2910
MEAN PRECIP (IN)	0.63	0.75	0.82	0.57	1.01	3.03	2.43	2.63	1.58	0.70	0.47	0.76		20	-29
MEAN SNOW FALL (IN)							0.0							9	2910
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.2	2.6	2.8	1.7	2.5	6.0	5.9	5.3	4.0	2.1	1.4	2.4	38.9	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN							0.0							0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI													15.0	5	-24
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	4.0	6.0	3.0	1.0	0.0	0.0	0.0		0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST													11.1	9	2910
03-05 LST	16.5	16.4	14.6	7.9	6.9	9.2	5.0	6.1	7.5	11.3	15.5	16.2		0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST													3.6	9	2910
03-05 LST	5.6	8.0	4.5	3.3	0.9	1.3	0.7	1.2	1.3	4.5	5.4	6.1		0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

VERMILION, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI															
17 LST														0	0
23 LST														0	0
05 LST	27.5	24.5	28.1	28.5	29.4	28.4	29.1	29.5	28.7	28.9	27.2	27.1	336.9	9	2910
11 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS															
17 LST														0	0
23 LST														0	0
05 LST	20.9	18.6	20.8	22.4	24.0	23.1	26.1	25.6	22.6	22.6	18.8	20.6	266.1	9	2910
11 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.															
17 LST														0	0
23 LST														0	0
05 LST	1.0	0.4	0.4	0.8	0.6	0.4	0.1	0.1	0.8	0.5	0.5	0.1	5.7	9	2909
11 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.															
17 LST														0	0
23 LST														0	0
05 LST	0.5	0.4	1.1	6.8	14.4	18.6	19.1	17.0	16.7	10.5	2.8	0.4	108.8	9	2909
11 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI															
17 LST														0	0
23 LST														0	0
05 LST	12.7	10.1	12.6	13.7	12.4	9.4	12.6	12.3	12.5	13.2	13.3	12.8	147.6	9	2910
11 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI															
17 LST														0	0
23 LST														0	0
05 LST	23.4	20.5	23.2	26.3	27.0	26.1	27.2	27.4	25.6	25.3	23.0	23.3	298.3	9	2910
11 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI															
17 LST														0	0
23 LST														0	0
05 LST	20.4	17.4	19.4	24.0	23.8	21.2	23.7	23.6	22.4	21.7	20.1	21.0	258.7	9	2910
11 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI															
17 LST														0	0
23 LST														0	0
05 LST	19.5	16.3	17.1	21.4	22.6	19.1	22.6	21.7	20.1	20.1	18.8	18.9	238.2	9	2910
11 LST														0	0

MEDICINE HAT, CANADA

STA NO. 72872 (IN AREA NUMBER 06)

LATITUDE 5001N

LONGITUDE 11043W

ELEVATION(FT) 02351

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	66	65	84	96	99	106	108	106	95	93	76	68	108	80	-610
MEAN MAX TMP (F)	22	25	39	58	68	76	84	81	69	58	37	29	54	55	-105
MEAN MIN TMP (F)	2	4	17	32	42	50	55	52	43	33	19	10	30	55	-105
ABS MIN TMP (F)	-51	-51	-38	-16	12	30	36	31	9	-10	-36	-50	-51	80	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	2.5	6.0	5.6	0.6	0.0	0.0	0.0	14.8	9	2942
MEAN NO DYS TMP = OR LES 32(F)	28.7	25.8	25.6	16.4	3.1	0.0	0.0	0.0	2.8	13.2	24.2	28.2	168.0	9	2941
MEAN NO DYS TMP = OR LES 0(F)	12.7	9.5	4.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	8.2	38.6	9	2941
MEAN DEW PT TMP (F)	8	12	21	32	39	47	52	51	42	35	22	13	31	10	-106
MEAN REL HUM (PCT)	82	84	76	59	55	62	53	56	60	66	75	82	68	10	-106
MEAN PRESS ALT (FT)	2183	2174	2243	2296	2328	2372	2340	2330	2311	2287	2251	2216	2278	0	-50
MEAN PRECIP (IN)	0.63	0.57	0.63	0.77	1.61	2.42	1.68	1.36	1.13	0.62	0.69	0.70	12.8	56	-105
MEAN SNOW FALL (IN)	6.2	5.6	5.5	3.1	0.4	0.0	0.0	0.0	0.7	1.7	5.8	6.6	35.6	56	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.0	1.8	2.0	2.5	4.9	5.9	4.6	3.9	3.4	2.4	2.6	2.2	38.2	56	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.2	1.0	1.1	0.6	0.0	0.0	0.0	0.0	0.1	0.2	1.1	1.3	6.6	3	643
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.4	2.5	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	18.0	10	-24
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	2.0	4.0	6.0	5.0	1.0	0.0	0.0	0.0	18.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS	8.6	7.1	12.5	14.2	8.1	5.0	3.3	4.8	12.9	11.3	14.4	18.5	10.1	3	2572
P FREQ WND SPD = OR GTR 28 KTS	0.7	0.0	0.4	0.8	0.0	0.8	0.0	0.4	1.3	0.4	2.5	3.2	0.9	3	2572
P FREQ LES 5000 FT A/O LES 5 MI	19.4	23.2	24.2	22.5	5.6	22.5	7.8	7.7	11.3	15.3	26.3	8.9	16.2	3	2572
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	10.4	16.7	9.9	5.3	4.4	4.4	1.8	1.6	3.2	6.1	10.7	5.7	6.7	3	-30
03-05 LST	8.9	17.3	11.7	7.2	5.6	5.4	3.6	3.2	4.6	7.3	9.6	8.1	7.7	9	2941
06-08 LST	11.2	14.0	13.1	7.0	4.4	6.1	1.8	4.0	4.8	6.1	12.3	7.3	7.7	3	-30
09-11 LST	13.4	10.7	14.5	6.7	3.2	6.7	0.0	4.8	5.0	4.8	15.0	6.5	7.6	3	644
12-14 LST	10.5	13.4	13.1	6.7	3.2	3.4	0.0	2.4	5.9	4.8	15.9	4.9	7.0	3	-30
15-17 LST	7.5	16.1	9.7	6.7	3.2	0.0	0.0	0.0	6.7	4.8	16.7	3.2	6.2	3	644
18-20 LST	9.7	16.1	8.9	5.0	3.2	1.7	0.0	0.0	4.2	4.8	14.2	3.2	5.9	3	-30
21-23 LST	11.9	16.1	8.1	3.3	3.2	3.3	0.0	0.0	1.7	4.8	11.7	3.2	5.6	3	644
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	6.0	10.2	4.6	1.5	0.2	0.4	0.4	0.2	0.0	2.8	8.0	2.8	3.1	3	-30
03-05 LST	4.4	9.7	6.0	3.0	0.4	0.8	0.7	0.4	0.0	4.0	5.9	4.0	3.3	9	2941
06-08 LST	3.7	7.6	4.6	1.5	0.2	0.4	0.4	0.2	0.9	2.8	5.5	2.0	2.5	3	-30
09-11 LST	3.0	5.4	3.2	0.0	0.0	0.0	0.0	0.0	1.7	1.6	5.0	0.0	1.7	3	644
12-14 LST	4.5	8.1	1.6	0.0	0.0	0.0	0.0	0.0	0.9	2.4	6.7	0.8	2.1	3	-30
15-17 LST	6.0	10.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	8.3	1.6	2.5	3	644
18-20 LST	6.8	10.7	1.6	0.0	0.0	0.0	0.0	0.0	0.0	2.4	9.2	1.6	2.7	3	-30
21-23 LST	7.5	10.7	3.2	0.0	0.0	0.0	0.0	0.0	0.0	1.6	10.0	1.6	2.9	3	644

MEDICINE HAT, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	29.1	24.0	29.0	29.0	31.0	30.0	31.0	31.0	29.5	29.5	26.0	30.5	349.6	3	644
	23 LST	27.7	24.0	29.0	29.0	31.0	29.0	31.0	31.0	30.0	30.5	27.0	30.0	349.2	3	644
	05 LST	29.2	23.8	28.2	28.7	29.9	29.0	30.5	30.6	29.4	29.2	27.6	29.4	345.5	9	2941
	11 LST	27.7	25.5	28.5	30.0	31.0	30.0	31.0	30.0	29.5	29.5	27.5	30.0	350.2	3	644
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	19.4	16.0	14.0	8.0	13.0	16.0	17.5	16.5	15.0	19.5	12.5	15.5	182.9	3	644
	23 LST	13.9	14.5	20.0	19.0	20.0	21.0	22.0	23.0	17.5	21.0	13.5	13.5	218.9	3	644
	05 LST	16.6	14.7	17.5	17.5	21.1	21.2	24.4	23.6	20.1	17.8	13.5	16.6	224.6	9	2941
	11 LST	16.2	16.5	12.5	10.0	15.0	13.0	17.0	20.0	14.0	17.5	10.0	14.0	175.7	3	644
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	1.4	1.5	4.0	6.0	3.0	2.0	2.5	2.0	5.0	3.5	3.0	7.5	41.4	3	644
	23 LST	1.8	2.0	4.0	1.0	1.0	1.0	0.0	1.0	3.5	1.5	2.0	5.5	24.3	3	644
	05 LST	3.2	2.1	2.0	2.3	1.7	0.9	0.1	0.6	1.4	2.4	3.2	3.0	22.9	9	2941
	11 LST	2.3	1.5	4.5	8.0	4.0	0.0	1.0	2.0	3.5	4.5	6.0	4.5	41.8	3	644
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	7.4	2.5	11.5	12.0	14.0	17.0	16.0	15.5	16.0	14.0	11.5	4.0	141.4	3	644
	23 LST	2.3	1.0	5.5	14.0	19.0	19.0	20.5	21.5	18.5	13.0	7.0	0.5	141.8	3	644
	05 LST	1.2	1.6	3.5	8.7	15.1	18.9	18.8	20.2	15.7	11.4	3.6	2.1	120.8	9	2941
	11 LST	1.8	2.5	7.0	14.0	17.0	16.0	18.5	16.5	13.5	9.0	4.5	4.5	124.8	3	644
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	7.4	10.0	8.0	1.0	14.0	4.0	12.0	16.0	8.5	11.5	10.0	8.0	110.4	3	644
	23 LST	12.0	12.5	17.5	11.0	19.0	14.0	20.0	19.0	14.0	16.5	13.0	13.0	181.5	3	644
	05 LST	14.0	10.5	13.2	12.8	12.7	11.5	17.3	15.2	15.9	16.2	15.4	13.4	166.1	9	2941
	11 LST	6.4	8.0	7.0	4.0	14.0	5.0	14.5	15.5	11.5	13.0	9.5	5.5	113.9	3	644
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	27.7	23.0	24.5	25.0	30.0	27.0	30.5	30.0	27.5	28.0	23.0	30.0	326.2	3	644
	23 LST	26.4	21.5	27.0	28.0	30.0	28.0	30.5	31.0	28.5	28.0	25.0	29.5	333.4	3	644
	05 LST	26.8	20.9	26.0	26.7	28.0	27.4	29.2	29.1	28.1	27.6	26.0	27.2	323.0	9	2941
	11 LST	25.4	23.0	23.5	25.0	29.0	25.0	30.5	28.5	26.0	27.0	23.0	27.5	313.4	3	644
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	26.4	21.5	21.5	14.0	29.0	20.0	24.5	27.0	23.5	25.5	20.5	28.5	281.9	3	644
	23 LST	23.6	19.5	25.5	26.0	28.0	24.0	29.5	29.0	26.5	24.5	23.0	28.0	307.1	3	644
	05 LST	25.0	18.9	24.4	23.5	25.5	25.0	28.3	26.5	25.7	25.7	24.1	25.3	297.9	9	2941
	11 LST	23.6	22.0	22.0	23.0	27.0	19.0	26.0	27.0	25.0	25.0	21.5	26.5	287.6	3	644
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	25.9	21.0	20.0	13.0	29.0	19.0	23.5	27.0	23.0	25.0	20.0	28.0	274.4	3	644
	23 LST	22.7	18.0	25.0	24.0	25.0	24.0	28.5	27.5	23.5	23.5	21.5	26.5	289.7	3	644
	05 LST	24.1	17.4	23.1	22.2	24.2	23.4	27.5	25.5	25.0	23.8	23.2	24.2	283.6	9	2941
	11 LST	23.1	21.0	21.0	23.0	27.0	17.0	25.5	27.0	24.0	23.5	20.5	25.5	278.1	3	644

LETHBRIDGE, CANADA

STA NO. 72874 (IN AREA NUMBER 06)

LATITUDE 4938N

LONGITUDE 11248W

ELEVATION(FT) 03047

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	65	68	76	85	96	101	104	101	98	89	74	67	104	60	-610
MEAN MAX TMP (F)	27	31	40	55	64	72	78	77	66	56	42	31	53	30	-105
MEAN MIN TMP (F)	5	8	17	29	38	46	50	48	39	31	20	11	29	30	-105
ABS MIN TMP (F)	-45	-44	-36	-14	11	29	33	29	4	-15	-29	-45	-45	60	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.0	3.0	2.5	0.4	0.0	0.0	0.0	6.9	9	2947
MEAN NO DYS TMP = OR LES 32(F)	28.1	24.4	26.0	17.1	5.0	0.0	0.0	0.0	2.8	12.6	23.2	26.2	165.4	9	2946
MEAN NO DYS TMP = OR LES 0(F)	11.3	9.0	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.2	3.4	5.9	33.6	9	2946
MEAN DEW PT TMP (F)	11	15	20	30	37	46	50	48	40	34	23	16	31	10	-106
MEAN REL HUM (PCT)	70	75	69	57	58	64	65	57	56	61	69	75	64	10	-106
MEAN PRESS ALT (FT)	2879	2877	2948	2990	3023	3058	3025	3017	2997	2969	2933	2905	2968	0	-50
MEAN PRECIP (IN)	0.58	0.65	0.93	1.20	1.85	2.67	1.60	1.48	1.51	1.02	0.77	0.75	15.0	30	-105
MEAN SNOW FALL (IN)	5.6	6.4	8.9	7.2	1.2	0.0	0.0	0.0	1.1	5.3	7.4	7.4	50.5	30	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.8	2.1	3.0	3.8	5.5	6.2	4.4	4.2	4.2	3.2	2.7	2.4	43.5	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.0	1.2	1.8	1.5	0.1	0.0	0.0	0.0	0.1	1.0	1.5	1.5	9.7	30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.9	2.0	2.0	1.0	0.0	0.0	0.0	0.5	0.0	0.5	1.5	0.5	9.9	3	642
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	2.0	4.0	7.0	5.0	1.0	0.0	0.0	0.0	19.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS	25.8	17.9	24.6	20.8	24.2	9.2	15.3	12.5	20.8	25.0	42.9	42.7	23.5	3	2568
P FREQ WND SPD = OR GTR 28 KTS	6.8	5.4	7.3	9.2	3.3	3.3	1.2	0.0	3.8	4.8	13.8	15.7	6.2	3	2568
P FREQ LES 5000 FT A/O LES 5 MI	17.0	29.5	26.2	31.7	4.2	27.5	9.3	13.3	11.3	18.1	24.6	9.3	18.5	3	2568
P FREQ LES 1500 FT A/O LES 3 MI															
POR 00-02 LST	12.4	19.2	15.7	11.1	5.5	10.7	2.6	4.5	5.4	10.5	13.0	5.3	9.7	3	-30
03-05 LST	11.3	20.4	15.3	12.1	10.9	7.9	3.6	5.7	7.5	8.1	10.9	7.3	10.1	9	2945
06-08 LST	12.4	23.6	18.2	14.4	7.1	10.6	2.6	6.9	7.1	10.5	14.6	6.1	11.2	3	-30
09-11 LST	13.4	26.8	21.0	16.7	3.2	13.3	1.6	8.1	6.7	12.9	18.3	4.8	12.2	3	644
12-14 LST	12.0	21.5	16.2	15.0	3.3	8.3	0.8	6.5	5.9	11.3	18.3	8.1	10.6	3	-30
15-17 LST	10.6	16.1	11.3	13.3	3.3	3.3	0.0	4.8	5.0	9.7	18.3	11.3	8.9	3	642
18-20 LST	12.0	17.0	13.7	11.7	1.7	8.3	0.8	4.0	4.2	11.3	16.7	7.3	9.1	3	-30
21-23 LST	13.4	17.9	16.1	10.0	0.0	13.3	1.6	3.2	3.3	12.9	15.0	3.2	9.2	3	644
P FREQ LES 300 FT A/O LES 1 MI															
POR 00-02 LST	6.2	11.2	5.7	3.8	1.8	1.1	0.0	0.4	2.8	3.2	6.5	3.3	3.8	3	-30
03-05 LST	4.9	12.4	8.1	4.2	3.6	2.1	0.0	0.8	3.8	3.2	6.3	4.9	4.5	9	2945
06-08 LST	4.7	9.8	8.1	3.8	1.8	1.1	0.0	0.4	1.9	4.0	5.7	2.5	3.7	3	-30
09-11 LST	4.5	7.1	8.1	3.3	0.0	0.0	0.0	0.0	0.0	4.8	5.0	0.0	2.7	3	644
12-14 LST	3.0	6.3	5.7	1.7	0.0	0.0	0.0	0.0	0.0	4.0	6.7	0.8	2.4	3	-30
15-17 LST	1.5	5.4	3.2	0.0	0.0	0.0	0.0	0.0	0.0	3.2	8.3	1.6	1.9	3	642
18-20 LST	4.5	7.2	3.2	1.7	0.0	0.0	0.0	0.0	0.9	3.2	7.5	1.6	2.5	3	-30
21-23 LST	7.5	8.9	3.2	3.3	0.0	0.0	0.0	0.0	1.7	3.2	6.7	1.6	3.0	3	644

LETHBRIDGE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST	28.2	24.5	28.5	28.0	31.0	30.0	31.0	30.5	29.0	29.0	25.0	28.5	343.2	3	642
	22 LST	26.8	23.5	27.0	28.0	31.0	29.0	31.0	31.0	29.5	28.5	26.5	30.0	341.8	3	644
	04 LST	28.3	23.3	27.2	27.5	28.6	27.9	30.3	29.7	28.5	28.9	26.9	29.1	336.2	9	2945
	10 LST	27.3	21.5	26.0	28.0	31.0	29.0	31.0	29.5	29.0	28.5	25.0	30.5	336.3	3	644
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES .0 KTS	16 LST	12.2	13.5	10.0	11.0	9.3	15.0	13.0	9.0	9.5	13.0	7.5	9.0	132.0	3	642
	22 LST	10.2	13.5	9.0	10.0	12.0	14.0	14.0	17.5	13.0	11.5	7.5	6.5	138.7	3	644
	04 LST	11.7	9.2	11.2	12.1	15.3	13.2	17.8	17.2	13.4	10.8	7.8	8.1	147.8	9	2944
	10 LST	10.2	12.5	8.5	8.0	17.0	14.0	16.0	18.5	13.0	13.5	4.0	12.5	147.7	3	644
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST	8.9	4.0	7.0	11.0	11.3	3.0	7.0	6.0	9.5	6.0	13.5	12.0	99.2	3	642
	22 LST	8.8	5.0	9.0	1.0	5.0	2.0	4.0	2.0	3.0	7.5	10.5	13.0	70.8	3	644
	04 LST	8.6	7.1	5.9	4.9	3.0	3.4	1.4	2.5	3.4	8.0	9.9	11.3	69.4	9	2945
	10 LST	7.4	5.5	7.5	8.0	6.0	4.0	5.0	4.5	6.0	7.5	13.5	13.0	87.9	3	644
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST	3.8	0.5	6.0	6.0	8.2	9.0	13.5	9.5	11.0	11.5	2.5	2.5	84.0	3	642
	22 LST	0.4	1.0	1.5	12.0	17.0	13.0	16.5	17.5	15.0	6.5	3.5	1.5	105.4	3	644
	04 LST	0.9	0.7	1.6	4.9	10.9	14.6	17.8	18.7	13.2	7.4	1.5	1.2	93.4	9	2945
	10 LST	2.3	1.0	3.0	8.0	18.0	15.0	15.5	18.5	13.5	12.0	1.5	2.5	110.8	3	644
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST	7.0	7.0	6.5	1.0	11.3	3.0	12.5	9.5	6.0	9.5	7.5	10.0	90.8	3	642
	22 LST	10.2	10.0	14.0	9.0	19.0	8.0	16.0	15.0	11.0	15.0	14.0	11.5	152.7	3	644
	04 LST	13.4	8.0	10.5	9.9	9.6	9.6	14.7	13.8	14.6	12.8	12.7	12.5	142.1	9	2946
	10 LST	5.1	7.5	7.0	5.0	12.0	8.0	14.0	13.0	13.0	9.5	10.5	6.5	111.1	3	644
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST	27.7	22.5	25.5	23.0	29.9	27.0	31.0	28.0	27.5	27.5	22.5	27.0	319.1	3	642
	22 LST	25.0	21.0	24.5	24.0	30.0	24.0	30.0	29.5	28.0	26.0	24.5	28.5	315.0	3	644
	04 LST	26.8	20.7	24.7	25.2	26.5	26.6	29.4	28.5	26.7	27.0	25.2	27.7	315.0	9	2945
	10 LST	26.4	19.0	22.5	20.0	30.0	23.0	29.0	26.0	27.5	25.0	24.0	29.5	301.9	3	644
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST	28.8	21.0	23.0	18.0	26.8	21.0	26.5	24.0	26.0	27.0	21.5	27.0	288.6	3	642
	22 LST	23.1	19.5	24.0	22.0	26.0	23.0	28.5	25.5	26.0	24.0	24.0	26.5	292.1	3	644
	04 LST	25.7	17.4	22.6	22.7	24.4	23.7	28.3	26.1	25.2	25.2	23.6	26.7	291.6	9	2945
	10 LST	25.0	17.5	22.0	15.0	30.0	19.0	25.5	24.5	26.5	24.0	23.5	28.0	280.5	3	644
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST	26.8	20.0	22.0	17.0	26.8	21.0	26.5	23.0	25.5	26.5	20.0	26.5	281.6	3	642
	22 LST	21.7	18.0	21.5	21.0	26.0	20.0	27.0	24.0	25.5	23.5	23.5	25.5	277.2	3	644
	04 LST	25.0	16.1	21.2	22.4	22.7	22.6	26.8	24.7	24.7	24.2	22.2	25.5	278.1	9	2945
	10 LST	25.0	15.5	20.0	15.0	30.0	19.0	25.0	24.0	25.5	24.0	23.0	28.0	274.0	3	644

NORTH BATTLEFORD, CANADA

STA NO. 72876 (IN AREA NUMBER 06)

LATITUDE 5246N

LONGITUDE 10815W

ELEVATION(FT) 01798

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	52	53	75	94	101	101	103	100	96	87	69	55	103	60	-610
MEAN MAX TMP (F)	8	15	28	51	66	72	78	76	65	52	31	16	47	44	-105
MEAN MIN TMP (F)	-10	-5	7	27	39	48	52	49	39	29	13	-1	24	44	-105
ABS MIN TMP (F)	-61	-56	-42	-18	10	24	32	29	12	-36	-40	-46	-61	60	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	1.3	0.5	0.2	0.0	0.0	0.0	2.4	9	3260
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	30.5	22.2	4.1	0.1	0.0	0.0	3.5	18.2	29.0	30.8	197.4	9	3260
MEAN NO DYS TMP = OR LES 0(F)	22.7	15.7	11.2	0.5	0.0	0.0	0.0	0.0	0.0	0.4	4.8	14.9	70.2	9	3260
MEAN DEW PT TMP (F)	-6	3	11	28	38	46	54	51	41	30	17	4	26	9	75740
MEAN REL HUM (PCT)	86	84	83	74	62	67	72	71	71	71	83	84	76	9	75717
MEAN PRESS ALT (FT)	1629	1606	1677	1740	1774	1833	1803	1791	1773	1750	1704	1662	1729	0	-50
MEAN PRECIP (IN)	0.53	0.37	0.52	0.66	1.55	2.84	2.15	1.82	1.34	0.67	0.48	0.48	13.4	44	-105
MEAN SNOW FALL (IN)	5.2	3.6	4.9	3.0	0.7	0.0	0.0	0.0	0.3	1.9	4.2	4.7	28.5	44	-105
MEAN NO DYS PHCP = OR GTR 0.1 IN	1.6	1.0	1.6	2.1	4.7	6.5	5.4	4.8	3.8	2.5	2.2	1.5	37.7	44	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.0	1.3	0.8	0.0	0.5	0.0	0.0	0.0	0.0	0.5	2.8	2.7	9.6	4	1387
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.8	3.3	3.7	0.9	0.2	0.7	0.5	1.3	1.2	1.6	2.8	4.8	24.8	9	3260
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.3	0.8	3.1	6.4	3.1	0.9	0.3	0.0	0.0	14.9	9	3260
P FREQ WND SPD = OR GTR 17 KTS	7.4	12.1	15.4	15.7	17.4	11.9	7.4	9.1	13.4	9.4	10.4	8.4	11.5	9	78212
P FREQ WND SPD = OR GTR 28 KTS	0.4	1.0	1.8	1.0	1.6	0.7	0.2	0.3	0.6	0.7	0.4	0.6	0.8	9	78212
P FREQ LES 5000 FT A/O LES 5 MI	31.0	22.5	26.3	24.7	20.3	22.0	19.9	20.7	24.3	21.5	33.1	31.2	24.8	9	78212
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	14.8	11.3	11.5	5.6	3.1	5.3	2.5	5.0	5.1	8.5	15.9	20.2	9.1	9	9779
03-05 LST	15.7	11.9	14.3	6.4	5.1	9.1	6.6	8.2	9.4	10.0	16.4	18.8	11.0	9	9780
06-08 LST	17.9	15.5	17.8	11.1	6.7	10.6	9.7	9.7	11.0	11.8	16.3	18.3	13.0	9	9781
09-11 LST	20.2	15.9	15.7	11.7	5.1	6.4	4.3	8.5	12.5	12.2	17.2	15.9	12.1	9	9778
12-14 LST	16.1	12.6	11.8	9.5	3.7	3.8	1.7	4.2	9.9	8.7	13.0	16.2	9.3	9	9777
15-17 LST	13.8	8.1	10.0	7.4	2.7	4.0	0.8	2.2	5.3	6.9	10.7	14.9	7.2	9	9777
18-20 LST	14.8	9.7	10.0	5.9	2.9	2.8	1.9	2.5	5.3	7.6	13.6	13.9	7.6	9	9778
21-23 LST	15.5	10.6	11.6	6.0	2.6	3.2	1.8	3.0	4.7	7.2	13.8	18.5	8.2	9	9779
P FREQ LES 300 FT A/O LES 1 MI															
FUR 00-02 LST	3.9	2.9	3.0	0.5	0.5	0.1	0.5	0.1	1.0	2.2	3.5	5.5	2.0	9	9779
03-05 LST	4.8	4.9	4.8	1.0	0.2	2.3	1.9	2.2	2.0	2.4	4.0	7.2	3.1	9	9780
06-08 LST	6.1	6.4	5.6	2.1	0.2	1.2	1.0	2.0	2.1	3.6	3.0	6.5	3.3	9	9781
09-11 LST	4.5	6.6	4.5	2.3	0.7	0.0	0.0	0.0	0.7	2.8	3.1	5.9	2.6	9	9778
12-14 LST	3.5	3.7	3.7	1.7	0.0	0.0	0.0	0.0	0.1	0.7	1.4	4.6	1.4	9	9777
15-17 LST	3.3	2.1	2.9	1.5	0.0	0.0	0.0	0.0	0.0	0.7	0.7	5.0	1.4	9	9777
18-20 LST	3.6	1.8	3.1	0.6	0.0	0.0	0.1	0.0	0.2	0.4	2.7	4.2	1.4	9	9778
21-23 LST	4.9	1.8	2.3	1.0	0.0	0.0	0.0	0.0	0.0	1.6	2.8	6.1	1.7	9	9779

NORTH BATTLEFORD, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	27.7	26.5	28.3	28.2	30.8	29.3	31.0	30.9	29.6	30.1	27.8	28.1	348.3	9	3261
	23 LST	27.4	25.8	28.2	28.8	30.5	29.8	30.4	30.8	29.6	29.4	26.4	25.7	342.8	9	3261
	05 LST	27.3	25.0	27.2	28.7	30.3	28.2	29.0	29.0	27.9	28.8	26.8	26.4	334.6	9	3261
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	28.6	24.9	27.4	27.2	30.3	29.6	30.8	30.0	28.3	28.6	26.1	26.7	335.1	9	3261
	23 LST	18.1	15.4	12.8	9.7	9.6	11.4	14.0	13.4	11.8	16.1	14.0	16.6	162.9	9	3261
	05 LST	17.8	14.2	15.9	15.0	16.1	20.0	22.2	21.5	18.4	19.7	14.3	15.9	210.6	9	3261
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	18.0	15.0	15.7	16.5	17.6	19.2	21.4	20.8	17.4	18.3	13.5	16.4	209.8	9	3261
	23 LST	15.1	13.3	12.6	9.4	8.1	10.0	11.5	11.7	9.9	10.3	12.5	14.8	139.2	9	3261
	05 LST	1.9	3.3	4.4	5.0	7.8	5.4	3.6	3.9	4.5	1.8	2.6	2.0	46.2	9	3127
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST	1.6	1.4	2.4	3.5	2.5	1.9	1.3	2.3	1.8	1.5	3.2	2.0	25.4	9	3029
	05 LST	2.1	1.6	2.5	2.6	2.5	1.3	0.7	1.5	2.1	1.8	2.7	3.2	24.6	9	3015
	11 LST	2.8	3.8	5.4	7.3	8.2	4.4	3.6	3.6	5.1	4.8	4.1	2.7	55.8	9	3095
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	0.0	2.0	4.8	10.7	11.4	13.6	15.9	15.8	14.4	16.1	6.2	1.6	112.5	9	3127
	23 LST	0.1	0.1	1.3	9.3	16.8	19.1	21.3	21.5	18.3	13.7	3.4	1.2	126.1	9	3029
	05 LST	0.0	0.0	1.0	6.5	16.1	18.6	19.4	18.6	16.1	9.2	1.5	1.0	108.0	9	3015
SNY COVER LES 3/10 AND VSBY = GTR 3 MI	11 LST	0.1	0.6	2.9	9.6	11.7	13.9	17.0	16.9	14.5	11.4	5.3	1.2	105.1	9	3095
	17 LST	9.5	7.5	10.0	5.6	3.9	4.4	5.8	5.3	7.2	8.5	8.6	9.2	85.5	9	3261
	23 LST	12.0	12.3	14.8	15.4	15.7	12.5	15.5	17.0	14.3	16.1	11.3	12.1	169.0	9	3261
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	05 LST	11.0	10.7	11.9	10.3	8.3	9.1	10.4	10.3	10.1	14.0	12.7	10.5	129.3	9	3261
	11 LST	6.9	6.2	8.0	6.9	5.8	4.5	7.1	7.7	7.4	9.4	6.4	7.3	83.6	9	3261
	17 LST	25.3	24.9	26.1	25.1	28.6	28.0	29.3	28.2	25.9	27.0	23.4	25.5	317.3	9	3261
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST	23.9	23.9	25.4	27.0	29.0	28.1	29.9	29.2	26.9	26.5	21.7	22.9	314.4	9	3261
	05 LST	23.7	22.7	24.3	25.5	27.4	25.5	27.2	26.4	25.7	25.4	21.8	23.5	299.1	9	3261
	11 LST	23.7	22.8	24.9	23.4	26.8	25.9	26.9	25.5	24.5	24.9	21.9	23.9	295.1	9	3261
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	22.9	22.4	23.4	19.9	22.3	20.6	23.9	23.9	21.4	24.9	20.9	23.0	269.5	9	3261
	23 LST	20.8	22.0	23.0	23.6	26.9	23.9	27.3	26.1	23.6	24.3	19.4	20.9	281.8	9	3261
	05 LST	19.5	20.4	22.0	23.1	23.2	22.3	24.8	23.3	21.5	23.3	19.5	20.9	263.8	9	3261
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	11 LST	20.3	20.2	22.0	19.7	20.2	16.8	19.9	21.3	20.3	22.7	18.5	20.5	242.4	9	3261
	17 LST	19.2	19.8	20.6	17.6	18.5	16.3	20.6	20.6	18.2	22.0	18.0	19.3	230.7	9	3261
	23 LST	18.3	20.6	21.4	21.8	24.2	21.2	23.8	23.8	20.8	22.9	17.9	18.5	255.2	9	3261
	05 LST	17.9	18.8	19.1	20.8	20.4	19.5	19.9	19.3	19.0	21.2	18.1	18.5	232.5	9	3261
	11 LST	16.3	16.2	18.1	17.9	16.6	13.7	16.1	17.9	17.1	18.8	15.3	16.9	200.9	9	3261

CALGARY, CANADA

STA NO. 72877 (IN AREA NUMBER 06)

LATITUDE 5106N

LONGITUDE 11401W

ELEVATION(FT) 03557

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	61	76	75	85	90	95	97	96	90	85	71	67	97	80	-610
MEAN MAX TMP (F)	24	28	37	53	63	69	76	74	64	54	38	29	51	55	-105
MEAN MIN TMP (F)	2	6	14	27	36	43	47	45	37	29	17	0	26	55	-105
ABS MIN TMP (F)	-48	-49	-35	-22	2	12	31	28	8	-8	-31	-45	-49	80	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.7	0.2	0.0	0.0	0.0	0.0	1.0	9	2947
MEAN NO DYS TMP = OR LES 32(F)	29.2	26.6	20.9	22.9	7.1	0.5	0.0	0.0	6.9	18.9	27.0	29.1	197.1	9	2947
MEAN NO DYS TMP = OR LES 0(F)	12.1	9.7	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	6.9	37.9	9	2947
MEAN DEW PT TMP (F)	8	11	18	28	35	43	49	47	38	31	19	12	28	10	-106
MEAN REL HUM (PCT)	70	75	71	60	60	64	61	64	60	64	66	71	66	10	-106
MEAN PRESS ALT (FT)	3383	3381	3458	3501	3539	3572	3536	3533	3504	3470	3428	3401	3476	0	-50
MEAN PRECIP (IN)	0.51	0.55	0.84	0.99	2.34	3.14	2.51	2.29	1.50	0.69	0.72	0.57	16.6	55	-105
MEAN SNOW FALL (IN)	5.0	5.4	8.1	6.4	5.2	0.3	0.0	0.1	2.6	4.2	7.1	5.6	50.0	55	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.6	1.7	2.7	3.1	6.6	6.9	6.0	5.7	4.1	2.6	2.6	1.8	45.4	55	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.9	1.0	1.7	1.3	1.0	0.0	0.0	0.0	0.4	0.7	1.4	1.0	9.4	55	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	1.9	1.0	5.0	3.0	0.0	0.0	0.0	1.0	0.5	0.5	2.5	0.5	15.9	3	643
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	4.0	9.0	5.0	1.0	0.0	0.0	0.0	20.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS	9.5	8.9	12.9	16.7	20.2	10.0	6.9	9.3	16.3	20.2	16.7	19.0	13.9	3	2572
P FREQ WND SPD = OR GTR 28 KTS	2.3	0.4	1.6	1.7	0.8	0.8	0.4	0.4	1.7	0.4	0.4	1.6	1.0	3	2572
P FREQ LES 5000 FT A/O LES 3 MI	23.9	26.3	27.8	38.3	9.7	33.3	13.7	16.9	15.4	18.1	22.5	12.5	21.5	3	2572
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	16.2	19.1	21.6	14.8	10.3	12.1	4.2	5.9	5.2	12.7	16.5	11.7	12.5	3	-30
03-05 LST	14.5	18.6	19.0	12.9	14.1	7.5	6.8	6.9	7.1	10.9	11.3	10.5	11.7	9	2947
06-08 LST	14.7	17.4	20.0	21.5	8.7	10.4	5.0	10.7	5.2	12.7	14.0	9.3	12.5	3	-30
09-11 LST	14.9	16.1	21.0	30.0	3.2	13.3	3.2	14.5	3.3	14.5	16.7	8.1	13.2	3	644
12-14 LST	17.3	15.2	18.6	25.0	1.6	10.0	1.6	11.3	5.8	11.3	16.7	5.7	11.7	3	-30
15-17 LST	19.7	14.3	16.1	20.0	0.0	6.7	0.0	8.1	8.3	8.1	16.7	3.2	10.1	3	643
18-20 LST	18.8	17.0	20.2	18.4	3.3	11.7	0.8	6.5	5.8	10.9	19.2	8.1	11.7	3	-30
21-23 LST	17.9	19.6	24.2	16.7	6.5	16.7	1.6	4.8	3.3	14.5	21.7	12.9	13.4	3	644
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	6.7	9.1	11.9	6.7	3.0	2.5	0.7	1.0	1.7	5.5	9.2	4.4	5.2	3	-30
03-05 LST	7.3	9.3	9.3	6.7	6.0	1.7	1.4	2.0	3.3	4.5	5.0	4.0	5.0	9	2947
06-08 LST	6.7	6.5	8.7	10.0	3.0	0.9	0.7	1.0	1.7	3.9	7.5	3.6	4.5	3	-30
09-11 LST	6.0	3.6	8.1	13.3	0.0	0.0	0.0	0.0	0.0	3.2	10.0	3.2	4.0	3	644
12-14 LST	6.8	3.6	8.1	6.7	0.0	0.0	0.0	0.0	0.0	3.2	10.9	2.4	3.5	3	-30
15-17 LST	7.6	3.6	8.1	0.0	0.0	0.0	0.0	0.0	0.0	3.2	11.7	1.6	3.0	3	643
18-20 LST	6.8	6.8	11.3	3.4	0.0	1.7	0.0	0.0	0.0	4.9	12.5	3.2	4.2	3	-30
21-23 LST	6.0	8.9	14.5	6.7	0.0	3.3	0.0	0.0	0.0	6.5	13.3	4.8	5.3	3	644

CALGARY, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST	26.3	25.0	27.0	26.0	31.0	29.0	31.0	30.0	29.0	29.0	24.5	30.5	338.3	3	643
	22 LST	26.4	24.0	24.0	26.0	29.0	26.0	30.5	30.5	29.5	27.5	25.0	27.5	325.9	3	644
	04 LST	26.8	23.5	25.6	26.6	27.0	28.4	29.4	29.1	28.1	27.8	27.5	28.2	328.0	9	2947
	10 LST	26.8	24.0	25.5	23.0	31.0	28.0	31.0	28.0	29.5	26.5	26.0	29.0	328.3	3	644
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST	16.0	16.0	11.5	4.0	10.0	11.0	17.0	13.0	9.0	14.0	12.5	16.0	150.0	3	643
	22 LST	18.0	19.0	14.0	17.0	12.0	17.0	19.0	20.0	17.5	18.5	16.0	17.5	201.5	3	644
	04 LST	17.4	15.6	18.0	17.5	18.2	19.6	22.6	24.0	19.3	17.7	16.7	17.7	224.3	9	2947
	10 LST	16.2	14.5	13.5	6.0	17.0	9.0	19.0	16.0	14.5	15.0	13.5	17.0	171.2	3	644
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST	2.3	1.0	4.0	6.0	8.0	3.0	3.5	2.5	4.0	4.5	2.5	4.5	45.8	3	643
	22 LST	1.8	2.5	3.0	0.0	2.0	0.0	1.0	1.5	2.5	5.0	3.5	5.0	27.8	3	644
	04 LST	4.5	1.8	2.4	1.5	2.1	0.6	0.5	0.6	1.4	3.6	3.1	4.4	26.5	9	2947
	10 LST	2.3	2.0	3.0	5.0	10.0	5.0	2.0	2.5	4.0	6.0	4.5	6.0	52.3	3	644
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST	4.2	2.0	6.0	7.0	7.0	7.0	12.0	15.5	11.5	14.0	7.5	3.0	96.7	3	643
	22 LST	3.7	1.0	1.5	13.0	16.0	10.0	14.5	18.0	14.5	8.0	4.6	1.5	106.3	3	643
	04 LST	2.0	1.3	1.9	5.1	10.5	13.7	13.9	16.3	12.0	6.6	2.9	2.1	88.3	9	2947
	10 LST	5.1	2.5	5.5	10.0	12.0	9.0	18.5	15.5	15.5	7.5	4.5	3.5	109.1	3	644
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST	8.0	7.0	5.5	1.0	10.0	3.0	10.0	8.5	7.0	10.0	5.5	10.5	86.0	3	643
	22 LST	13.4	10.0	10.5	9.0	14.0	7.0	10.0	14.0	11.5	15.5	10.0	11.5	136.4	3	644
	04 LST	11.3	9.8	11.2	10.1	10.7	8.7	12.9	14.0	14.4	13.9	12.4	13.3	142.7	9	2947
	10 LST	5.5	8.0	5.0	4.0	13.0	6.0	13.5	11.5	8.5	9.0	9.0	6.0	99.0	3	644
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST	24.4	23.0	25.0	22.0	30.0	25.0	30.0	27.0	26.0	27.5	23.5	29.5	312.9	3	643
	22 LST	24.1	21.0	22.0	24.0	28.0	23.0	30.0	29.5	28.0	26.0	22.5	26.5	304.6	3	644
	04 LST	24.7	21.7	23.7	24.4	25.7	26.4	27.5	28.1	26.5	26.6	25.8	27.0	308.1	9	2947
	10 LST	24.5	22.0	22.0	18.0	29.0	22.0	29.0	25.0	27.0	25.0	24.0	27.5	295.0	3	644
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST	23.9	22.5	21.5	16.0	25.0	18.0	23.5	23.5	22.0	26.0	22.5	28.5	272.9	3	643
	22 LST	24.1	19.0	21.0	23.0	25.0	14.0	25.0	25.5	24.5	24.0	22.0	25.5	274.6	3	644
	04 LST	22.7	19.7	22.0	22.0	23.5	22.2	24.9	25.2	23.7	24.5	24.5	25.7	280.6	9	2947
	10 LST	23.1	21.0	22.0	15.0	27.0	18.0	26.0	23.0	25.0	23.0	23.0	27.0	273.1	3	644
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST	23.0	21.5	19.5	16.0	25.0	17.0	22.5	23.5	22.0	25.5	21.5	27.5	264.5	3	643
	22 LST	22.7	18.0	19.0	21.0	23.0	14.0	25.0	25.0	23.5	23.0	22.0	25.0	261.2	3	644
	04 LST	21.5	18.3	20.7	21.2	22.0	21.1	23.6	23.6	22.4	23.2	23.8	24.7	266.1	9	2947
	10 LST	22.2	19.5	21.5	15.0	27.0	18.0	26.0	23.0	24.0	23.0	22.0	25.0	266.2	3	644

PENHOLD, CANADA

STA NO. 72878 (IN AREA NUMBER 06)

LATITUDE 5211N

LONGITUDE 11354W

ELEVATION(FT) 02968

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	51	54	67	91	90	90	97	95	88	84	73	63	97	20	-610
MEAN MAX TMP (F)	18	22	33	50	63	70	74	73	63	52	34	24	48	9	2936
MEAN MIN TMP (F)	1	4	16	29	39	47	50	48	40	30	16	7	27	9	2933
ABS MIN TMP (F)	-50	-47	-45	-27	4	27	34	28	11	-14	-35	-47	-50	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.5	0.3	0.2	0.0	0.0	0.0	0.0	1.0	9	2636
MEAN NO DYS TMP = OR LES 32(F)	30.8	27.2	29.4	21.8	6.4	0.0	0.0	0.0	0.1	5.9	18.9	28.2	30.6	9	2933
MEAN NO DYS TMP = OR LES 0(F)	15.2	10.4	4.9	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4.6	9.6	44.9	9	2933
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	2813	2815	2875	2918	2941	2985	2958	2940	2938	2935	2906	2864	2907	0	-50
MEAN PRECIP (IN)	1.03	1.03	0.94	1.09	1.62	3.05	3.39	2.00	1.41	0.95	0.53	0.76	17.8	9	2936
MEAN SNOW FALL (IN)							0.0							20	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.2	3.2	2.7	3.6	4.5	5.8	7.2	5.8	4.5	3.1	1.5	2.6	47.7	9	2936
MEAN NO DYS SNFL = OR GTR 1.5 IN							0.0							20	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														9	2936
03-05 LST	12.5	19.0	19.8	10.4	12.1	7.6	9.4	6.5	7.9	8.8	12.6	11.3	11.5	9	2936
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														9	2936
03-05 LST	4.8	9.7	9.3	4.2	1.6	0.4	1.1	2.8	1.7	2.5	5.9	6.5	4.2	9	2936
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

PENHOLD, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	28.0	22.5	25.7	27.6	27.6	27.8	28.3	28.7	28.2	28.9	27.1	28.3	9	2936
	10 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST													0	0
	22 LST													0	0
	04 LST	17.2	19.0	17.4	19.4	19.6	21.2	23.0	23.6	18.9	18.3	17.1	18.9	9	2936
	10 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST													0	0
	22 LST													0	0
	04 LST	1.4	0.7	0.5	0.9	1.1	0.8	0.1	0.4	0.6	0.8	1.4	0.6	9	2935
	10 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST													0	0
	22 LST													0	0
	04 LST	0.5	0.4	1.4	7.4	15.1	16.6	17.9	20.3	15.5	9.7	2.1	1.0	9	2935
	10 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	13.1	10.3	11.3	11.4	9.7	7.0	12.0	13.8	12.9	12.6	14.7	13.8	9	2936
	10 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	24.5	19.9	22.1	25.5	25.2	25.3	26.0	27.0	25.8	26.7	24.8	26.1	9	2936
	10 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	22.0	17.0	20.1	23.4	22.8	21.5	23.2	23.3	23.3	24.0	22.8	24.0	9	2936
	10 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	21.1	16.0	18.7	21.9	22.1	21.0	22.7	22.4	22.1	21.8	22.3	22.9	9	2936
	10 LST													0	0

EDMONTON, CANADA

STA NO. 72879 (IN AREA NUMBER 06)

LATITUDE 5334N

LONGITUDE 11331W

ELEVATION(FT) 02200

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	57	66	72	88	94	99	98	96	90	83	74	61	99	71	-86
MEAN MAX TMP (F)	16	21	33	52	64	69	74	72	63	51	33	22	48	71	-86
MEAN MIN TMP (F)	-3	0	12	28	38	45	50	47	38	30	16	5	26	71	-86
ABS MIN TMP (F)	-57	-57	-39	-15	10	25	29	26	12	-16	-44	-55	-57	71	-86
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.5	11	-72984
MEAN NO DYS TMP = OR LES 32(F)	31.0	27.6	29.7	21.1	3.0	0.1	0.0	0.0	3.4	16.9	28.4	30.2	191.4	11	-72984
MEAN NO DYS TMP = OR LES 0(F)	18.6	12.0	6.6	0.5	0.0	0.0	0.0	0.0	0.0	0.1	3.9	9.1	50.8	11	-72984
MEAN DEW PT TMP (F)	5	6	17	28	36	45	52	50	41	31	18	8	28	10	-106
MEAN REL HUM (PCT)	82	84	76	60	56	63	66	71	68	67	80	87	72	10	-106
MEAN PRESS ALT (FT)	2037	2032	2092	2145	2171	2221	2198	2180	2173	2164	2128	2084	2135	0	-50
MEAN PRECIP (IN)	0.90	0.70	0.70	1.00	1.90	3.20	3.30	2.40	1.30	0.80	0.90	0.90	18.0	71	-86
MEAN SNOW FALL (IN)	9.0	7.0	7.0	5.0	2.0	0.0	0.0	0.0	1.0	4.0	8.0	8.0	51.0	71	-86
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.9	2.2	2.7	3.2	5.6	7.0	7.1	5.8	3.8	2.8	3.0	2.9	48.5	71	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.8	1.4	1.4	1.0	0.3	0.0	0.0	0.0	0.1	0.7	1.6	1.6	9.9	71	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.6	1.5	2.0	1.2	0.3	0.1	0.4	1.2	0.7	1.1	2.3	2.3	16.7	12	-72984
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	4.0	9.0	7.0	1.0	0.0	0.0	0.0	27.0	10	-86
P FREQ WND SPD = OR GTR 17 KTS	2.5	3.1	3.8	8.4	10.7	8.3	4.5	3.2	7.5	5.0	3.8	3.7	5.4	12	-72984
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.2	0.2	0.7	0.4	0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.2	12	-72984
P FREQ LES 5000 FT A/O LES 5 MI	33.6	22.1	27.9	24.1	17.2	19.6	16.1	17.3	18.1	17.6	24.5	23.1	21.8	12	-72984
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	19.2	8.4	12.2	7.9	4.4	5.0	2.8	4.2	5.2	6.4	13.4	12.0	8.4	12	-72984
03-05 LST	19.0	9.5	14.2	10.2	5.7	7.1	5.8	8.0	6.1	6.5	12.7	11.3	9.7	12	-72984
06-08 LST	21.5	12.5	18.3	11.9	8.4	8.7	10.0	10.6	10.8	9.1	14.0	13.1	12.4	12	-72984
09-11 LST	23.9	13.5	15.3	11.2	7.3	7.0	8.8	10.6	10.7	9.5	15.9	15.1	12.4	12	-72984
12-14 LST	15.0	8.6	10.9	7.9	4.6	5.2	2.7	5.5	6.0	8.5	13.9	10.6	8.3	12	-72984
15-17 LST	15.8	6.2	7.5	5.6	2.7	3.0	1.9	3.5	4.9	6.2	13.8	10.0	6.8	12	-72984
18-20 LST	17.3	6.7	6.0	5.3	2.2	3.3	2.3	3.5	5.7	5.7	12.7	12.0	6.9	12	-72984
21-23 LST	17.1	8.3	9.9	6.1	3.4	4.0	2.7	2.5	4.3	6.0	13.9	11.6	7.5	12	-72984
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	4.4	1.1	1.5	1.4	0.0	0.0	0.3	0.5	0.4	1.4	4.1	2.4	1.5	12	-72984
03-05 LST	4.5	1.3	2.9	2.4	0.8	0.7	0.8	2.5	0.9	2.0	3.3	1.7	2.0	12	-72984
06-08 LST	5.4	2.0	4.5	3.6	0.8	0.6	1.3	2.9	1.7	2.6	5.0	2.8	2.8	12	-72984
09-11 LST	6.8	1.5	2.2	2.4	0.0	0.0	0.1	0.4	0.6	1.8	2.3	3.1	1.8	12	-72984
12-14 LST	2.3	1.2	0.9	1.7	0.0	0.0	0.0	0.0	0.1	0.9	2.0	1.7	0.9	12	-72984
15-17 LST	2.5	1.3	0.7	1.3	0.0	0.0	0.1	0.0	0.2	0.2	2.3	2.0	0.9	12	-72984
18-20 LST	3.0	1.7	0.9	1.4	0.0	0.0	0.0	0.0	0.2	1.2	2.7	3.4	1.2	12	-72984
21-23 LST	3.5	1.1	1.7	0.6	0.1	0.0	0.1	0.0	0.0	1.3	3.6	2.7	1.2	12	-72984

EDMONTON, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST	27.3	26.8	29.9	28.8	30.6	29.7	30.6	30.3	29.2	29.6	26.7	28.5	348.0	12	-72984
	22 LST	27.0	25.6	29.2	28.5	30.1	29.6	30.3	30.6	29.3	29.9	26.8	28.4	345.3	12	-72984
	04 LST	25.1	26.1	27.8	27.6	29.8	28.6	29.6	28.7	28.5	29.5	26.9	28.3	336.5	12	-72984
	10 LST	23.1	24.8	27.4	27.3	29.8	28.7	29.9	29.0	27.4	28.5	26.0	26.8	328.7	12	-72984
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST	20.9	18.9	16.9	12.6	12.7	13.0	15.2	18.4	16.4	18.1	20.4	22.1	205.6	12	-72984
	22 LST	20.1	19.4	19.7	18.7	21.4	22.8	23.8	26.1	22.5	22.3	20.8	21.9	259.5	12	-72984
	04 LST	18.7	19.6	19.4	20.2	20.2	21.9	25.3	25.6	22.7	22.8	19.8	21.9	258.1	12	-72984
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST	0.7	1.1	1.8	5.1	5.2	3.9	2.3	1.6	3.0	1.7	0.8	1.2	28.4	12	-72984
	22 LST	0.3	0.7	0.3	1.2	1.2	0.5	1.0	0.8	0.8	0.3	0.8	0.7	8.6	12	-72984
	04 LST	0.6	0.8	0.3	1.0	1.2	0.8	0.1	0.5	0.9	0.4	1.1	0.6	8.3	12	-72984
	10 LST	0.7	1.0	1.1	3.0	5.1	4.0	1.9	0.8	2.4	2.6	1.4	0.7	24.7	12	-72984
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST	1.8	5.5	7.6	12.5	15.0	12.8	17.4	18.4	15.6	15.1	9.3	4.2	135.2	11	-72984
	22 LST	0.4	1.6	4.6	13.8	18.0	19.1	19.1	18.8	17.1	16.2	5.7	3.0	137.4	11	-72984
	04 LST	0.4	1.2	2.6	8.3	16.6	16.7	18.6	18.5	17.5	12.9	4.2	2.2	119.7	11	-72984
	10 LST	0.2	2.0	5.2	12.9	12.6	12.5	17.8	16.5	16.4	13.8	7.4	2.2	119.5	11	-72984
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST	6.1	5.7	6.8	3.4	3.4	2.6	4.3	4.5	5.4	6.8	5.9	7.1	62.0	10	-72984
	22 LST	9.4	9.5	10.2	11.0	9.4	7.4	7.5	10.9	11.1	12.3	10.2	9.7	118.6	11	-72984
	04 LST	7.9	9.3	9.2	9.9	8.3	6.7	8.0	9.4	11.8	11.4	10.7	11.0	113.6	10	-72984
	10 LST	5.2	5.7	5.1	5.6	6.4	5.4	7.7	7.8	6.9	6.2	4.9	5.4	72.3	10	-72984
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST	25.4	25.8	26.0	26.9	28.7	27.9	29.7	29.0	27.7	27.7	24.9	27.5	327.2	12	-72984
	22 LST	24.8	24.3	26.5	26.7	29.4	28.5	29.6	29.5	28.0	28.2	24.1	26.4	326.0	12	-72984
	04 LST	23.0	24.0	25.0	26.2	28.6	26.9	28.8	27.9	26.8	28.0	24.2	26.7	316.1	12	-72984
	10 LST	21.8	23.2	24.5	24.0	27.0	26.2	26.7	25.9	24.9	26.4	24.6	25.6	300.8	12	-72984
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST	22.6	23.3	23.3	19.3	23.6	20.8	23.8	24.1	23.3	24.8	22.2	24.6	275.7	12	-72984
	22 LST	20.6	21.8	22.7	23.8	26.9	24.0	27.1	26.4	24.4	25.3	22.0	24.0	289.0	12	-72984
	04 LST	20.2	20.7	21.0	23.5	25.4	24.0	26.4	25.2	23.8	25.3	21.5	22.7	279.7	12	-72984
	10 LST	19.8	20.7	21.5	21.0	22.5	21.0	24.1	23.7	22.8	24.9	22.6	23.2	267.8	12	-72984
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST	18.4	18.1	20.8	16.2	17.9	15.9	20.2	21.1	20.4	22.4	19.5	20.6	231.5	12	-72984
	22 LST	17.9	19.0	17.9	19.6	21.4	19.7	21.9	21.5	20.9	22.8	19.0	19.3	240.9	12	-72984
	04 LST	16.7	17.4	17.2	20.0	20.9	18.6	21.4	19.9	20.0	22.2	19.2	19.3	232.8	12	-72984
	10 LST	15.7	15.6	17.3	18.9	19.6	17.6	21.7	21.0	18.8	21.1	18.7	18.9	224.9	12	-72984

CAMP WAINWRIGHT, CANADA

STA NO. 72685/ (IN AREA NUMBER 06)

LATITUDE 5250N

LONGITUDE 11054W

ELEVATION(FT) 02170

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	48	52	56	84	88	93	99	98	90	82	69	51	99	20	-72871
MEAN MAX TMP (F)	13	17	29	49	64	70	75	73	62	51	30	18	46	9	-72871
MEAN MIN TMP (F)	-4	-1	12	27	37	46	50	48	39	30	14	3	25	9	-72871
ABS MIN TMP (F)	-55	-54	-40	-23	7	26	30	25	10	-9	-33	-49	-55	20	-72871
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.6	1.1	0.5	0.0	0.0	0.0	0.0	2.2	9	-72871
MEAN NO DYS TMP = OR LES 32(F)	30.7	27.9	29.9	22.6	9.4	0.8	0.0	0.0	5.9	19.1	28.9	30.2	209.4	9	-72871
MEAN NO DYS TMP = OR LES 0(F)	18.8	13.9	6.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	5.6	13.3	58.6	9	-72871
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	2000	1982	2059	2114	2151	2200	2163	2157	2132	2104	2060	2026	2096	0	-90
MEAN PRECIP (IN)	0.63	0.75	0.82	0.57	1.01	3.03	2.43	2.63	1.58	0.70	0.47	0.76	15.4	9	-72871
MEAN SNOW FALL (IN)							0.0							20	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.2	2.6	2.9	1.7	2.5	6.0	5.9	5.3	4.0	2.1	1.4	2.4	38.9	9	-72871
MEAN NO DYS SNFL = OR GTR 1.5 IN							0.0							20	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/O LES 5 MI														0	0
P FREQ LES 1300 FT A/O LES 3 MI														0	0
FOR 00-02 LST														9	-72871
03-05 LST	16.5	16.4	14.6	7.9	6.9	9.2	5.0	6.1	7.5	11.3	15.5	16.2	11.1	0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														9	-72871
03-05 LST	5.6	8.0	4.5	3.3	0.9	1.3	0.7	1.2	1.3	4.5	5.4	6.1	3.6	0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CAMP WAINWRIGHT, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	27.5	24.5	28.1	28.5	29.4	28.4	29.1	29.5	28.7	28.9	27.2	27.1	336.9	9	-72871
	11 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST														0	0
	23 LST														0	0
	05 LST	20.9	18.6	20.8	22.4	24.0	23.1	26.1	25.6	22.6	22.6	18.8	20.6	266.1	9	-72871
	11 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST														0	0
	23 LST														0	0
	05 LST	1.0	0.4	0.4	0.8	0.6	0.4	0.1	0.1	0.8	0.5	0.5	0.1	5.7	9	-72871
	11 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST														0	0
	23 LST														0	0
	05 LST	0.5	0.4	1.1	6.8	14.4	18.6	19.1	17.0	16.7	10.5	2.8	0.9	108.8	9	-72871
	11 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	12.7	10.1	12.6	13.7	12.4	9.4	12.6	12.3	12.5	13.2	13.3	12.8	147.6	9	-72871
	11 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	23.4	20.5	23.2	26.3	27.0	26.1	27.2	27.4	25.6	25.3	23.0	23.3	298.3	9	-72871
	11 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	20.4	17.4	19.4	24.0	23.8	21.2	23.7	23.6	22.4	21.7	20.1	21.0	258.7	9	-72871
	11 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	19.5	16.3	17.1	21.4	22.6	19.1	22.6	21.7	20.1	20.1	18.8	18.9	238.2	9	-72871
	11 LST														0	0

SUFFIELD, CANADA

LATITUDE 5016N

LONGITUDE 11111W

ELEVATION(FT) 02525

STA NO. 72912/ (IN AREA NUMBER 06)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	63	57	71	84	90	99	101	105	96	90	72	62	105	20	-110
MEAN MAX TMP (F)	22	25	39	58	68	76	84	81	69	58	37	29	54	55	-72872
MEAN MIN TMP (F)	2	4	17	32	42	50	55	52	43	33	19	10	30	55	-72872
ABS MIN TMP (F)	-53	-38	-40	-12	16	29	37	33	19	-1	-25	-38	-53	20	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	2.5	6.0	5.6	0.6	0.0	0.0	0.0	14.8	9	-72872
MEAN NO DYS TMP = OR LES 32(F)	28.7	25.8	25.6	16.4	3.1	0.0	0.0	0.0	2.8	13.2	24.2	28.2	168.0	9	-72872
MEAN NO DYS TMP = OR LES 0(F)	12.7	9.5	4.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	8.2	38.6	9	-72872
MEAN DEW PT TMP (F)	8	12	21	32	39	47	52	51	42	35	22	13	31	10	-72872
MEAN REL HUM (PCT)	82	84	76	59	55	62	53	56	60	66	75	82	68	10	-72872
MEAN PRESS ALT (FT)	2356	2348	2419	2470	2503	2546	2513	2503	2483	2458	2421	2387	2451	0	-50
MEAN PRECIP (IN)	0.63	0.57	0.63	0.77	1.61	2.42	1.68	1.36	1.13	0.62	0.69	0.70	12.8	56	-72872
MEAN SNOW FALL (IN)	6.2	5.6	5.5	3.1	0.4	0.0	0.0	0.0	0.7	1.7	5.8	6.6	35.6	56	-72872
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.0	1.8	2.0	2.5	4.9	5.9	4.6	3.9	3.4	2.4	2.6	2.2	38.2	56	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.2	1.0	1.1	0.6	0.0	0.0	0.0	0.0	0.1	0.2	1.1	1.3	6.6	56	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.4	2.5	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	5.4	3	-72872
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	2.0	4.0	6.0	5.0	1.0	0.0	0.0	0.0	18.0	10	-72872
P FREQ WND SPD = OR GTR 17 KTS	8.6	7.1	12.5	14.2	8.1	5.0	3.3	4.8	12.9	11.3	14.6	18.5	10.1	3	-72872
P FREQ WND SPD = OR GTR 28 KTS	0.7	0.0	0.4	0.8	0.0	0.8	0.0	0.4	1.3	0.4	2.5	3.2	0.9	3	-72872
P FREQ LES 5000 FT A/D LES 5 MI	19.4	23.2	24.2	22.5	5.6	22.5	7.8	7.7	11.3	15.3	26.3	8.9	16.2	3	-72872
P FREQ LES 1500 FT A/D LES 3 MI	10.4	16.7	9.9	5.3	4.4	4.4	1.8	1.6	3.2	6.1	10.7	5.7	6.7	3	-72872
FOR 00-02 LST	8.9	17.3	11.7	7.2	5.6	5.4	3.6	3.2	4.6	7.3	9.6	8.1	7.7	9	-72872
03-05 LST	11.2	14.0	13.1	7.0	4.4	6.1	1.8	4.0	4.8	6.1	12.3	7.3	7.7	3	-72872
06-08 LST	13.4	10.7	14.5	6.7	3.2	6.7	0.0	4.8	5.0	4.8	15.0	6.5	7.6	3	-72872
09-11 LST	10.5	13.4	13.1	6.7	3.2	3.4	0.0	2.4	5.9	4.8	15.9	4.9	7.0	3	-72872
12-14 LST	7.5	16.1	9.7	6.7	3.2	0.0	0.0	0.0	6.7	4.8	16.7	3.2	6.2	3	-72872
15-17 LST	9.7	16.1	8.9	5.0	3.2	1.7	0.0	0.0	4.2	4.8	14.2	3.2	5.9	3	-72872
18-20 LST	11.9	16.1	8.1	3.3	3.2	3.3	0.0	0.0	1.7	4.8	11.7	3.2	5.6	3	-72872
21-23 LST															
P FREQ LES 300 FT A/D LES 1 MI	6.0	10.2	4.6	1.5	0.2	0.4	0.4	0.2	0.0	2.8	8.0	2.8	3.1	3	-72872
FOR 00-02 LST	4.4	9.7	6.0	3.0	0.4	0.8	0.7	0.4	0.0	4.0	5.9	4.0	3.3	9	-72872
03-05 LST	3.7	7.6	4.6	1.5	0.2	0.4	0.4	0.2	0.9	2.8	5.5	2.7	2.5	3	-72872
06-08 LST	3.0	5.4	3.2	0.0	0.0	0.0	0.0	0.0	1.7	1.6	5.0	0.0	1.7	3	-72872
09-11 LST	4.5	8.1	1.6	0.0	0.0	0.0	0.0	0.0	0.9	2.4	6.7	0.8	2.1	3	-72872
12-14 LST	6.0	10.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	8.3	1.6	2.5	3	-72872
15-17 LST	6.8	10.7	1.6	0.0	0.0	0.0	0.0	0.0	0.0	2.4	9.2	1.6	2.7	3	-72872
18-20 LST	7.5	10.7	3.2	0.0	0.0	0.0	0.0	0.0	0.0	1.6	10.0	1.6	2.9	3	-72872
21-23 LST															

SUFFIELD, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	29.1	24.0	29.0	29.0	31.0	30.0	31.0	31.0	29.5	29.5	26.0	30.5	349.6	3	-72872
	23 LST	27.7	24.0	29.0	29.0	31.0	29.0	31.0	31.0	30.0	30.5	27.0	30.0	349.2	3	-72872
	05 LST	29.2	23.8	28.2	28.7	29.9	29.0	30.5	30.6	29.4	29.2	27.6	29.4	345.5	9	-72872
	11 LST	27.7	25.5	28.5	30.0	31.0	30.0	31.0	30.0	29.5	29.5	27.5	30.0	350.2	3	-72872
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	19.4	16.0	14.0	8.0	13.0	16.0	17.5	16.5	15.0	19.5	12.5	15.5	182.9	3	-72872
	23 LST	13.9	14.5	20.0	19.0	20.0	21.0	22.0	23.0	17.5	21.0	13.5	13.5	218.9	3	-72872
	05 LST	16.6	14.7	17.5	17.5	21.1	21.2	24.4	23.6	20.1	17.8	13.5	16.6	224.6	9	-72872
	11 LST	16.2	16.5	12.5	10.0	15.0	13.0	17.0	20.0	14.0	17.5	10.0	14.0	175.7	3	-72872
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	1.4	1.5	4.0	6.0	3.0	2.0	2.5	2.0	5.0	3.5	3.0	7.5	41.4	3	-72872
	23 LST	1.8	2.0	4.0	1.0	1.0	1.0	0.0	1.0	3.5	1.5	2.0	5.5	24.3	3	-72872
	05 LST	3.2	2.1	2.0	2.3	1.7	0.9	0.1	0.6	1.4	2.4	3.2	3.0	22.9	9	-72872
	11 LST	2.3	1.5	4.5	8.0	4.0	0.0	1.0	2.0	3.5	4.5	6.0	4.5	41.8	3	-72872
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	7.4	2.5	11.5	12.0	14.0	17.0	16.0	15.5	16.0	14.0	11.5	4.0	141.4	3	-72872
	23 LST	2.3	1.0	5.5	14.0	19.0	19.0	20.5	21.5	18.5	13.0	7.0	0.5	141.8	3	-72872
	05 LST	1.2	1.6	3.5	8.7	15.1	13.9	18.8	20.2	15.7	11.4	3.6	2.1	120.8	9	-72872
	11 LST	1.8	2.5	7.0	14.0	17.0	16.0	18.5	16.5	13.5	9.0	4.5	4.5	124.8	3	-72872
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	7.4	10.0	8.0	1.0	14.0	4.0	12.0	16.0	8.5	11.5	10.0	8.0	110.4	3	-72872
	23 LST	12.0	12.5	17.5	11.0	19.0	14.0	20.0	19.0	14.0	16.5	13.0	13.0	181.5	3	-72872
	05 LST	14.0	10.5	13.2	12.8	12.7	11.5	17.3	15.2	15.9	16.2	13.4	13.4	166.1	9	-72872
	11 LST	6.4	8.0	7.0	4.0	14.0	5.0	14.5	15.5	11.5	13.0	9.5	5.5	113.9	3	-72872
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	27.7	23.0	24.5	25.0	30.0	27.0	30.5	30.0	27.5	28.0	23.0	30.0	326.2	3	-72872
	23 LST	26.4	21.5	27.0	28.0	30.0	28.0	30.5	31.0	28.5	28.0	25.0	29.5	333.4	3	-72872
	05 LST	26.8	20.9	26.0	26.7	28.0	27.4	29.2	29.1	28.1	27.6	26.0	27.2	323.0	9	-72872
	11 LST	25.4	23.0	23.5	25.0	29.0	25.0	30.5	28.5	26.0	27.0	23.0	27.5	313.4	3	-72872
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	26.4	21.5	21.5	14.0	29.0	20.0	24.5	27.0	23.5	25.5	20.5	28.5	281.9	3	-72872
	23 LST	23.6	19.5	25.5	26.0	28.0	24.0	29.5	29.0	26.5	24.5	23.0	28.0	307.1	3	-72872
	05 LST	25.0	18.9	24.4	23.5	25.5	25.0	28.3	26.5	25.7	25.7	24.1	25.3	297.9	9	-72872
	11 LST	23.6	22.0	22.0	23.0	27.0	19.0	26.0	27.0	25.0	25.0	21.5	26.5	287.6	3	-72872
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	25.9	21.0	20.0	13.0	29.0	19.0	23.5	27.0	23.0	25.0	20.0	28.0	274.4	3	-72872
	23 LST	22.7	18.0	25.0	24.0	25.0	24.0	28.5	27.5	23.5	23.5	21.5	26.5	289.7	3	-72872
	05 LST	24.1	17.4	23.1	22.2	24.2	23.4	27.5	25.5	25.0	23.8	23.2	24.2	283.6	9	-72872
	11 LST	23.1	21.0	21.0	23.0	27.0	17.0	25.5	27.0	24.0	23.5	20.5	25.5	278.1	3	-72872

ROCKY MOUNTAIN HOUSE, CANADA

LATITUDE 5223N

LONGITUDE 11455W

ELEVATION(FT) 03330

STA NO. 72928 (IN AREA NUMBER 06)

PARAMETER DESCRIPTION

ABS MAX TMP (F)
 MEAN MAX TMP (F)
 MEAN MIN TMP (F)
 ABS MIN TMP (F)
 MEAN NO DYS TMP = OR GTR 90(F)
 MEAN NO DYS TMP = OR LES 32(F)
 MEAN NO DYS TMP = OR LES 0(F)
 MEAN DEW PT TMP (F)
 MEAN REL HUM (PCT)
 MEAN PRESS ALT (FT)
 MEAN PRECIP (IN)
 MEAN SNOW FALL (IN)
 MEAN NO DYS PRCP = OR GTR 0.1 IN
 MEAN NO DYS SNFL = OR GTR 1.5 IN
 MEAN NO DYS W/OCUR VSBY LES 1/2 MI
 MEAN NO DYS TSTMS
 P FREQ WND SPD = OR GTR 17 KTS
 P FREQ WND SPD = OR GTR 28 KTS
 P FREQ LES 5000 FT A/O LES 5 MI
 P FREQ LES 1500 FT A/O LES 3 MI
 FOR 00-02 LST
 03-05 LST
 06-08 LST
 09-11 LST
 12-14 LST
 15-17 LST
 18-20 LST
 21-23 LST
 P FREQ LES 300 FT A/O LES 1 MI
 FOR 00-02 LST
 03-05 LST
 06-08 LST
 09-11 LST
 12-14 LST
 15-17 LST
 18-20 LST
 21-23 LST

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	59	60	67	79	87	88	91	90	88	85	74	61	91	20	-110
MEAN MAX TMP (F)	20	25	35	50	62	68	73	70	60	51	35	22	48	22	-105
MEAN MIN TMP (F)	-7	-3	7	22	32	39	43	40	31	23	10	-3	20	20	-110
ABS MIN TMP (F)	-44	-36	-38	-29	4	23	32	28	15	-6	-30	-37	-44	22	-29
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		20	-29
MEAN NO DYS TMP = OR LES 32(F)					0.0	0.0	0.0	0.0	0.0					20	-29
MEAN NO DYS TMP = OR LES 0(F)					0.0	0.0	0.0	0.0	0.0					5	-106
MEAN DEW PT TMP (F)	7	7	18	27	37	46	51	50	42	30	18	10	29	5	-106
MEAN REL HUM (PCT)	79	78	72	66	65	72	71	77	73	69	79	86	74	0	0
MEAN PRESS ALT (FT)													19.1	22	-105
MEAN PRECIP (IN)	0.72	0.53	1.02	1.61	1.82	3.26	2.33	2.98	2.26	1.16	0.67	0.77	19.1	22	-105
MEAN SNOW FALL (IN)	7.2	5.3	10.1	8.5	2.4	0.3	0.0	0.0	1.7	6.4	6.1	7.7	55.7	22	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.3	1.6	3.2	4.9	5.4	7.1	5.7	6.7	5.5	3.5	2.5	2.5	50.9	22	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.4	0.9	2.1	1.7	0.4	0.0	0.0	0.0	0.2	1.2	1.2	1.5	10.6	0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	2.0	5.0	7.0	5.0	1.0	0.0	0.0	0.0	20.0	6	-24
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

ROCKY MOUNTAIN HOUSE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
CIG = GTR 2000 FT AND VSBY = GTR	16	LST												0	0
3 MI W/SFC WND LES 10 KTS	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
SFC WND = GTR 17 KTS AND	16	LST												0	0
NO PRECIP.	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	16	LST												0	0
DEG F AND NO PRECIP.	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
SKY COVER LES 3/10 AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
CIG = GTR 2500 FT AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
CIG = GTR 4000 FT AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
CIG = GTR 10000 FT AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0

DATA NOT AVAILABLE

LAC LA BICHE, CANADA

STA NO. 72931 (IN AREA NUMBER 06)

LATITUDE 5446N

LONGITUDE 11201W

ELEVATION(FT) 01872

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	51	53	53	74	86	93	92	89	86	81	68	53	93	20	-610
MEAN MAX TMP (F)	11	16	30	47	61	68	73	71	59	49	30	17	44	9	2945
MEAN MIN TMP (F)	-5	0	13	28	38	46	51	50	40	31	15	3	26	9	2944
ABS MIN TMP (F)	-55	-55	-48	-25	11	29	36	29	12	-1	-40	-43	-55	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.6	0.8	0.0	0.0	0.0	0.0	0.0	1.4	9	2945
MEAN NO DYS TMP = OR LES 32(F)	30.6	27.7	29.4	22.6	9.5	0.2	0.0	0.1	4.4	18.0	27.6	30.2	200.3	9	2944
MEAN NO DYS TMP = OR LES 0(F)	19.5	14.1	6.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	5.1	12.7	58.0	9	2944
MEAN DEW PT TMP (F)	-1	-1	15	25	37	46	53	51	42	32	17	4	27	7	-106
MEAN REL HUM (PCT)	90	88	77	65	63	66	68	73	72	71	85	94	76	7	-106
MEAN PRESS ALT (FT)	1702	1691	1746	1813	1840	1899	1882	1863	1854	1842	1800	1750	1807	0	-90
MEAN PRECIP (IN)	1.04	0.87	0.97	0.64	1.31	2.90	3.22	2.53	2.39	0.98	0.98	1.16	19.0	9	2946
MEAN SNOW FALL (IN)	9.3	8.8	4.5	7.2	0.6	0.0	0.0	0.0	0.3	2.4	10.6	10.3	54.0	7	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.1	3.0	2.6	2.4	3.9	7.1	8.2	5.9	4.6	2.5	3.5	3.6	50.4	9	2946
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.9	1.8	0.9	1.5	0.0	0.0	0.0	0.0	0.0	0.4	2.3	2.1	10.9	7	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	2.0	4.0	9.0	6.0	1.0	0.0	0.0	0.0	22.0	7	-24
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	2.0	4.0	9.0	6.0	1.0	0.0	0.0	0.0	22.0	7	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														9	2946
03-05 LST	12.9	11.9	10.5	5.0	6.9	7.1	5.0	6.1	10.0	10.2	15.5	14.2	9.6	0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														9	2946
03-05 LST	3.2	4.4	3.6	0.4	2.0	1.7	0.7	1.2	0.8	2.0	6.3	4.5	2.6	0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

LAC LA BICHE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	28.4	25.3	25.1	29.1	29.9	28.6	29.9	29.4	28.5	28.8	26.7	28.1	341.8	9	2946
	11 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST														0	0
	23 LST														0	0
	05 LST	21.5	20.3	22.1	24.4	25.4	24.2	26.1	26.0	20.5	21.1	19.1	21.9	272.6	9	2946
	11 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST														0	0
	23 LST														0	0
	05 LST	0.5	0.1	0.4	0.2	0.2	0.2	0.2	0.2	0.4	0.4	1.0	0.4	4.2	9	2946
	11 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST														0	0
	23 LST														0	0
	05 LST	0.7	0.4	1.4	5.3	10.1	13.9	12.5	16.7	14.6	10.4	3.2	1.1	90.3	9	2946
	11 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	15.6	11.3	13.0	13.0	12.4	10.7	12.8	13.1	11.8	14.7	14.9	13.4	157.5	9	2946
	11 LST														0	0
CEG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	24.1	21.4	24.7	26.9	26.6	25.6	27.7	27.1	24.1	25.0	23.0	23.6	299.8	9	2946
	11 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	21.6	17.8	20.9	23.9	23.0	22.2	24.1	23.5	21.6	21.8	20.9	19.6	260.9	9	2946
	11 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	19.6	15.7	16.7	22.0	21.6	20.7	22.4	21.8	19.3	19.9	19.6	18.2	237.5	9	2946
	11 LST														0	0

FORT MCMURRAY, CANADA

STA NO. 72932 (IN AREA NUMBER 06)

LATITUDE 5639N

LONGITUDE 11113W

ELEVATION(FT) 01211

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	50	57	59	78	91	90	96	91	86	83	66	50	96	20	-610
MEAN MAX TMP (F)	4	13	29	48	63	71	76	72	61	48	24	8	43	30	-105
MEAN MIN TMP (F)	-17	-12	2	20	34	42	47	44	35	26	6	-11	18	30	-105
ABS MIN TMP (F)	-58	-59	-48	-31	8	24	26	27	4	-9	-36	-53	-59	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	0.2	0.9	0.2	0.0	0.0	0.0	0.0	1.5	11	3632
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	30.8	24.5	13.9	3.8	0.2	1.9	9.5	23.0	28.6	30.5	225.7	11	3632
MEAN NO DYS TMP = OR LES 0(F)	24.2	18.0	12.7	0.9	0.0	0.0	0.0	0.0	0.0	0.2	6.6	17.0	79.6	11	3632
MEAN DEW PT TMP (F)	0	-6	12	23	36	45	52	50	41	30	14	-4	24	10	-106
MEAN REL HUM (PCT)	82	84	76	59	55	62	53	56	60	66	75	82	68	10	-106
MEAN PRESS ALT (FT)	1019	1015	1057	1126	1151	1222	1245	1225	1215	1233	1159	1094	1147	0	-50
MEAN PRECIP (IN)	0.83	0.62	0.85	0.77	1.39	2.11	3.08	2.25	1.67	0.97	0.95	0.83	16.3	30	-105
MEAN SNOW FALL (IN)	8.1	6.0	8.0	3.8	0.7	0.0	0.0	0.0	0.4	3.2	8.8	8.2	47.2	30	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.7	1.9	2.7	2.5	4.3	5.4	6.8	5.6	4.5	3.1	3.1	2.7	45.3	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.6	1.1	1.6	0.7	0.0	0.0	0.0	0.0	0.0	0.5	1.8	1.6	8.9	30	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	1.6	1.5	1.3	0.3	0.3	1.7	1.2	1.5	1.2	1.2	1.0	1.3	14.1	5	1326
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	3.0	6.0	4.0	1.0	0.0	0.0	0.0	15.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS	1.2	0.4	2.0	1.0	0.9	0.5	0.8	0.6	1.0	0.7	0.8	1.7	1.0	5	18223
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.2	0.0	5	18223
P FREQ LES 5000 FT A/O LES 5 MI	19.9	35.3	21.2	14.4	33.1	30.0	21.5	18.1	23.5	29.0	42.7	27.5	26.4	5	18197
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	5.1	10.1	11.8	2.2	14.3	19.4	5.2	4.5	7.3	11.4	23.9	15.4	10.9	2	1605
03-05 LST	14.2	12.8	10.6	7.5	15.2	17.4	10.7	12.0	11.5	14.1	20.3	15.9	13.5	11	4690
06-08 LST	2.2	13.5	6.9	7.8	22.6	25.7	17.2	8.1	11.1	21.0	26.1	16.0	14.9	2	2057
09-11 LST	12.5	15.0	9.7	10.5	19.4	15.7	11.3	5.2	14.6	23.0	25.8	13.3	14.7	5	2701
12-14 LST	14.0	18.7	6.9	1.1	18.3	16.1	6.5	4.8	11.1	18.8	28.7	8.3	12.8	2	2055
15-17 LST	15.0	17.6	5.6	3.3	12.4	11.9	4.0	4.8	8.3	16.6	26.7	15.1	11.8	5	2696
18-20 LST	8.6	16.4	7.7	0.0	14.0	14.4	2.7	4.8	5.0	16.7	22.2	10.9	10.3	2	2052
21-23 LST	15.6	13.1	7.9	2.9	13.9	11.9	3.6	2.4	4.6	15.0	21.7	13.4	10.5	5	2684
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	1.7	0.0	1.1	0.0	3.0	1.1	0.7	0.0	2.2	3.8	2.2	1.3	1.4	2	1605
03-05 LST	5.5	3.4	2.7	1.9	2.6	3.8	2.3	4.7	4.8	3.7	5.5	4.7	3.8	11	4690
06-08 LST	0.0	2.3	4.6	0.0	1.1	5.6	3.2	3.2	5.0	7.0	3.3	1.3	3.1	2	2057
09-11 LST	3.8	8.4	5.1	0.0	1.4	1.0	1.4	0.4	4.6	4.4	4.6	2.8	3.2	5	2701
12-14 LST	3.2	4.1	1.7	0.0	2.2	0.0	2.2	0.5	3.3	1.1	5.1	0.0	2.0	2	2055
15-17 LST	3.1	6.6	3.0	1.0	3.2	0.0	1.2	0.4	0.8	2.0	5.0	3.2	2.5	5	2696
18-20 LST	0.0	7.6	4.2	0.0	2.7	0.0	0.0	0.0	1.7	5.4	3.9	4.5	2.5	2	2052
21-23 LST	7.5	3.6	2.2	0.5	4.2	0.0	0.0	0.4	1.3	7.3	3.3	4.1	2.9	5	2684

FORT MCMURRAY, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	27.5	24.3	29.9	29.0	28.3	28.0	30.2	30.2	28.7	28.0	26.3	27.2	337.6	5	1328
	23 LST	25.3	25.5	29.2	29.0	28.0	28.7	30.5	30.0	28.7	27.2	25.7	27.4	335.2	5	1328
	05 LST	27.4	26.0	28.4	28.5	27.8	26.5	28.1	27.5	27.1	28.1	25.7	26.8	327.9	11	3632
	11 LST	27.5	24.8	28.9	28.7	28.0	27.7	29.5	30.0	27.5	26.2	25.2	27.2	331.2	5	1330
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	20.2	19.6	24.0	17.6	17.3	18.7	21.5	24.0	21.8	22.9	17.5	22.0	247.1	5	1328
	23 LST	20.6	22.8	26.3	26.0	24.3	25.3	29.2	28.0	25.7	23.2	18.8	21.7	291.9	5	1328
	05 LST	21.9	21.8	24.3	25.0	24.2	24.3	26.2	25.8	22.5	22.7	19.9	21.0	279.6	11	3632
	11 LST	19.9	19.3	24.8	17.0	17.6	21.3	18.2	22.7	17.0	19.7	17.7	19.6	234.8	5	1330
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	0.0	0.3	0.8	0.0	0.3	0.3	0.2	0.2	0.2	0.2	0.5	0.0	3.0	5	1296
	23 LST	0.3	0.0	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	1.3	5	1284
	05 LST	0.3	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.1	1.1	11	3590
	11 LST	0.6	0.0	0.2	0.7	0.3	0.0	0.2	0.0	0.2	0.2	0.0	0.6	3.0	5	1295
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	0.6	2.7	8.4	15.2	18.4	16.7	17.9	16.9	13.5	14.4	4.9	0.8	130.4	5	1296
	23 LST	0.9	1.7	1.9	13.0	14.8	14.0	17.7	16.9	15.8	11.3	3.2	0.0	111.2	5	1284
	05 LST	0.3	0.0	0.3	4.8	10.9	12.4	15.3	14.2	13.2	7.6	2.1	0.7	81.8	11	3590
	11 LST	0.6	1.0	2.9	14.3	15.8	15.5	17.3	17.8	15.6	11.5	3.9	1.1	117.3	5	1295
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	6.9	10.5	6.5	4.0	5.0	9.0	5.0	7.0	6.0	9.1	8.5	5.5	83.0	3	643
	23 LST	12.9	14.0	13.0	11.0	21.0	16.0	12.5	16.0	10.0	14.2	12.0	8.0	160.6	3	643
	05 LST	12.9	12.0	13.4	11.7	8.5	8.9	9.5	10.4	10.0	12.6	11.5	12.0	133.4	9	2947
	11 LST	8.3	10.5	7.5	3.0	6.0	12.0	8.5	10.5	4.5	7.0	3.0	5.5	86.3	3	644
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	23.1	21.5	27.1	26.3	27.0	26.6	29.5	28.0	26.5	24.2	18.8	23.1	301.7	5	1328
	23 LST	22.1	22.5	27.6	26.6	26.7	26.6	29.2	29.5	27.2	24.4	20.5	23.4	306.3	5	1328
	05 LST	23.3	22.1	25.3	26.0	24.9	24.3	26.8	26.2	23.0	23.9	21.1	23.0	289.9	11	3632
	11 LST	23.7	22.0	27.1	24.0	25.0	25.0	25.7	27.0	23.7	23.5	18.2	22.6	287.5	5	1330
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	21.8	17.3	23.4	22.7	24.3	20.3	24.5	23.5	22.5	22.4	15.5	17.9	256.1	5	1328
	23 LST	20.9	18.8	22.4	24.0	24.6	23.3	26.0	26.5	22.5	21.7	17.3	19.3	267.3	5	1328
	05 LST	20.4	17.6	20.1	23.1	22.3	22.0	23.7	23.0	19.6	20.2	18.1	20.1	250.2	11	3632
	11 LST	21.8	18.8	22.7	20.0	20.6	18.0	20.5	24.0	21.0	20.5	14.7	19.6	242.2	5	1330
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	19.9	13.9	20.8	19.7	20.0	15.3	21.5	21.0	20.0	20.9	14.0	15.7	222.7	5	1328
	23 LST	19.9	16.1	19.8	22.0	21.3	19.3	20.7	23.7	20.0	20.6	14.7	17.7	235.8	5	1328
	05 LST	18.9	14.5	17.6	20.2	20.2	20.3	22.3	20.7	17.6	18.1	16.4	18.5	225.3	11	3632
	11 LST	20.2	15.3	19.9	18.0	19.3	16.0	19.5	22.5	19.7	19.2	13.5	17.9	221.0	5	1330

BEATTON RIVER, CANADA

STA NO. 72939 (IN AREA NUMBER 06)

LATITUDE 5723N

LONGITUDE 12123W

ELEVATION(FT) 02755

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	48	55	59	67	85	87	88	88	81	72	60	48	88	20	-110
MEAN MAX TMP (F)	10	10	31	39	58	65	69	66	58	44	20	7	40	6	-105
MEAN MIN TMP (F)	-9	-10	9	19	35	42	45	42	36	24	5	-8	19	6	-105
ABS MIN TMP (F)	-54	-49	-42	-33	8	26	29	21	7	-19	-35	-48	-54	20	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS TMP = OR LES 32(F)							0.0							20	-29
MEAN NO DYS TMP = OR LES 0(F)					0.0	0.0	0.0	0.0	0.0					20	-29
MEAN DEW PT TMP (F)	-1	-2	15	21	34	43	47	44	38	27	10	-2	23	6	-106
MEAN REL HUM (PCT)	93	93	78	69	62	66	67	68	71	73	91	95	77	6	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.86	1.42	0.73	1.41	1.43	2.00	2.95	1.25	1.14	0.86	1.03	1.37	16.4	6	-105
MEAN SNOW FALL (IN)	8.6	14.2	7.3	10.2	2.9	0.0	0.1	1.8	2.6	6.0	10.1	13.7	77.5	6	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.8	4.5	2.3	4.3	4.4	5.2	6.6	3.7	3.5	2.9	3.2	4.4	47.8	6	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.7	3.0	1.5	2.1	0.5	0.0	0.0	0.0	0.4	1.1	2.2	2.9	15.4	6	-29
MEAN NO DYS W/OCUR VSHY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	2.0	4.0	5.0	2.0	0.0	0.0	0.0	0.0	13.0	6	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BEATTON RIVER, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST														0	0
	10 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	16 LST														0	0
	22 LST														0	0
	04 LST														0	0
	10 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST														0	0
	22 LST														0	0
	04 LST														0	0
	10 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST														0	0
	22 LST														0	0
	04 LST														0	0
	10 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST														0	0
	10 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST														0	0
	10 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST														0	0
	10 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST														0	0
	10 LST														0	0

DATA NOT AVAILABLE

GRANDE PRAIRIE, CANADA

STA NO. 72940 (IN AREA NUMBER 06)

LATITUDE 5511N

LONGITUDE 11093W

ELEVATION(FT) 02193

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO.
ABS MAX TMP (F)	50	53	50	76	82	89	92	94	88	84	72	56	94	20	-610
MEAN MAX TMP (F)	14	17	29	47	62	68	73	70	63	50	28	17	45	10	-105
MEAN MIN TMP (F)	-7	-4	8	26	38	45	48	46	38	29	11	-2	23	10	-105
ABS MIN TMP (F)	-62	-55	-45	-32	16	29	33	27	14	-25	-41	-48	-62	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	9	2928
MEAN NO DYS TMP = OR LES 32(F)	30.1	27.6	30.0	21.7	6.4	0.1	0.0	0.0	5.5	21.5	27.4	30.1	200.4	9	2928
MEAN NO DYS TMP = OR LES 0(F)	18.8	14.4	6.7	0.1	0.0	0.0	0.0	0.0	0.0	0.1	6.2	13.9	60.2	9	2928
MEAN DLW PT TMP (F)	2	4	15	28	36	45	49	47	41	32	16	6	27	9	-106
MEAN REL HUM (PCT)	86	86	78	70	58	63	63	65	67	73	85	88	74	9	-106
MEAN PRESS ALT (FT)	2052	2055	2112	2143	2156	2197	2170	2161	2167	2103	2151	2110	2130	0	-50
MEAN PRECIP (IN)	1.35	1.37	0.74	0.82	1.52	2.00	2.48	1.68	1.28	0.98	1.22	1.36	16.8	10	-105
MEAN SNOW FALL (IN)	13.4	13.5	6.9	5.1	0.4	0.0	0.0	0.6	1.2	2.5	10.0	12.4	66.0	10	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.3	4.4	2.4	2.6	4.6	5.2	6.0	4.6	3.7	3.1	3.6	4.3	48.8	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.9	2.9	1.4	1.0	0.0	0.0	0.0	0.1	0.2	0.4	2.2	2.6	13.7	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.4	0.5	0.0	0.0	0.0	1.0	0.5	0.0	0.0	1.5	2.5	1.5	8.9	3	631
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	3.0	4.0	2.0	0.0	0.0	0.0	0.0	10.0	9	-24
P FREQ WND SPD = OR GTR 17 KTS	6.2	6.6	12.5	14.2	14.5	4.2	11.3	4.5	11.3	11.7	7.9	8.2	9.4	3	2524
P FREQ WND SPD = OR GTR 28 KTS	0.8	0.5	1.3	2.5	2.4	0.0	0.4	0.0	0.8	2.0	0.4	1.2	1.0	3	2524
P FREQ LES 5000 FT A/O LES 5 MI	28.1	32.5	22.4	28.3	9.7	22.5	16.7	12.3	14.2	19.4	25.4	29.5	21.8	3	2524
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	11.3	11.3	6.9	2.7	5.5	4.2	2.6	5.1	5.4	6.9	14.6	15.4	7.7	3	-30
03-05 LST	14.5	15.5	10.5	5.4	7.7	5.0	5.1	5.3	7.5	7.3	14.2	11.3	9.1	9	2927
06-08 LST	17.0	13.1	10.2	9.4	5.5	5.9	5.9	9.2	11.3	10.1	14.8	16.3	10.7	3	-30
09-11 LST	19.4	10.7	9.8	13.3	3.2	6.7	6.6	13.1	15.0	12.9	13.3	21.3	12.1	3	640
12-14 LST	12.4	9.1	9.2	10.0	1.6	5.0	4.1	8.2	9.2	12.1	12.5	19.5	9.4	3	-30
15-17 LST	6.2	7.5	8.5	6.7	0.0	3.3	1.6	3.2	3.3	11.3	11.7	17.7	6.8	3	636
18-20 LST	6.9	7.3	5.9	3.4	1.6	3.3	0.8	4.0	3.3	8.9	13.4	18.6	6.5	3	-30
21-23 LST	7.5	7.1	3.2	0.0	3.2	3.3	0.0	4.8	3.3	6.5	15.0	19.4	6.1	3	644
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	5.6	6.2	2.0	1.6	2.6	0.0	0.7	0.8	2.5	4.9	5.9	9.5	3.5	3	-30
03-05 LST	8.1	8.8	2.4	3.2	2.0	0.0	1.4	1.6	3.3	4.9	8.4	7.7	4.3	9	2927
06-08 LST	7.1	6.2	2.0	3.3	1.0	0.0	0.7	0.8	2.5	4.9	4.2	8.0	3.4	3	-30
09-11 LST	6.0	3.6	1.6	3.3	0.0	0.0	0.0	0.0	1.7	4.8	0.0	8.2	2.4	3	640
12-14 LST	3.8	2.8	1.7	1.7	0.0	0.0	0.0	0.0	0.9	5.7	0.9	7.4	2.1	3	-30
15-17 LST	1.5	1.9	1.7	0.0	0.0	0.0	0.0	0.0	0.0	6.5	1.7	6.5	1.7	3	636
18-20 LST	2.3	2.7	1.7	0.0	1.6	0.0	0.0	0.0	0.9	5.7	2.5	8.9	2.2	3	-30
21-23 LST	3.0	3.6	1.6	0.0	3.2	0.0	0.0	0.0	1.7	4.8	3.3	11.3	2.7	3	644

GRANDE PRAIRIE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST	29.5	26.9	29.9	29.0	31.0	30.0	30.5	30.5	29.5	28.5	27.0	26.5	348.8	3	636
	22 LST	28.2	27.0	30.5	30.0	30.0	29.0	30.5	30.5	29.5	29.0	25.5	25.0	344.7	3	644
	04 LST	26.4	24.0	29.0	28.9	29.4	28.5	29.8	29.2	28.1	28.7	26.2	27.6	335.8	9	2927
	10 LST	24.1	26.0	29.5	27.0	31.0	29.0	30.0	27.9	27.0	27.0	27.5	24.4	330.4	3	640
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST	22.9	17.4	15.2	13.0	6.0	17.0	16.0	13.0	14.0	16.5	16.5	19.0	186.5	3	636
	22 LST	21.3	17.5	15.5	14.0	13.0	22.0	23.0	20.0	19.5	20.5	20.0	15.5	221.8	3	644
	04 LST	19.0	16.7	19.5	19.5	20.2	21.0	23.4	21.8	21.2	20.6	16.2	20.1	239.2	9	2927
	10 LST	17.1	18.0	18.8	14.0	11.0	18.0	14.7	15.7	11.5	17.5	14.5	15.2	186.0	3	640
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST	0.9	2.6	4.7	4.0	6.0	0.0	6.0	2.5	5.0	5.0	1.0	2.0	39.7	3	636
	22 LST	1.4	1.0	3.5	2.0	2.0	1.0	0.5	0.0	1.5	3.0	0.5	3.0	19.4	3	644
	04 LST	2.0	1.6	1.7	1.4	1.1	0.6	0.2	0.6	1.1	1.7	3.1	2.2	17.3	9	2927
	10 LST	1.4	1.5	4.6	4.0	8.0	2.0	7.1	2.5	5.0	4.0	5.5	1.5	47.1	3	640
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST	0.5	1.0	5.2	11.0	12.0	13.0	8.5	15.5	12.5	9.5	6.5	1.5	96.7	3	636
	22 LST	0.0	0.5	1.5	18.0	17.0	19.0	20.5	21.0	15.5	10.0	3.0	0.0	126.0	3	644
	04 LST	0.2	0.2	0.7	6.0	12.1	17.0	16.3	16.2	12.7	6.9	2.8	0.2	91.3	9	2927
	10 LST	0.0	0.5	3.0	15.0	14.0	18.0	15.2	17.3	10.0	5.5	5.5	0.0	104.0	3	640
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST	5.2	9.5	5.2	2.0	8.0	4.0	5.5	5.0	5.0	6.5	6.5	3.5	65.9	3	636
	22 LST	11.6	10.5	14.5	12.0	12.0	11.0	10.0	13.0	13.0	11.0	9.0	6.5	134.1	3	644
	04 LST	10.7	8.3	11.3	10.8	9.6	6.1	8.7	10.3	11.7	11.3	11.7	10.0	120.5	9	2927
	10 LST	6.0	8.5	9.1	4.0	13.0	3.0	6.6	8.6	6.5	7.5	6.5	5.6	84.9	3	640
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST	26.7	24.8	26.8	26.0	30.0	27.0	29.5	29.0	28.0	26.0	24.0	24.0	321.8	3	636
	22 LST	25.4	22.5	28.5	29.0	29.0	28.0	29.5	29.0	28.0	27.5	24.0	21.5	321.9	3	644
	04 LST	23.3	20.7	24.9	27.1	27.7	26.5	28.0	27.8	26.3	27.1	24.0	25.5	308.9	9	2927
	10 LST	21.3	23.0	24.9	23.0	29.0	25.0	25.9	26.4	24.5	25.0	23.5	21.8	293.3	3	640
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST	22.4	22.2	24.1	16.0	26.0	18.0	21.5	25.0	24.5	23.0	22.0	20.5	265.2	3	636
	22 LST	20.3	16.0	25.0	18.0	28.0	23.0	24.5	27.0	25.0	25.0	21.5	18.0	271.3	3	644
	04 LST	21.2	16.7	23.0	23.2	24.7	23.1	24.8	25.7	24.0	24.0	21.6	22.9	274.9	9	2927
	10 LST	18.9	17.5	22.8	18.0	28.0	19.0	23.4	25.9	22.5	24.5	22.0	19.8	262.3	3	640
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST	19.5	21.1	22.6	15.0	26.0	17.0	21.5	25.0	24.5	21.5	19.5	16.5	249.7	3	636
	22 LST	17.6	14.5	21.5	15.0	28.0	23.0	23.0	25.5	24.5	23.5	17.5	17.0	250.6	3	644
	04 LST	19.1	15.1	21.1	21.3	23.3	20.5	22.6	22.6	22.4	21.9	20.2	21.5	251.6	9	2927
	10 LST	18.5	16.5	21.8	16.0	28.0	18.0	23.4	24.9	20.0	23.5	20.0	15.7	246.3	3	640

FORT ST. JOHN, CANADA

STA NO. 72943 (IN AREA NUMBER 06)

LATITUDE 5614N

LONGITUDE 12044W

ELEVATION(FT) 02280

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	49	55	57	71	86	87	92	92	86	80	65	48	92	20	-610
MEAN MAX TMP (F)	13	19	29	48	60	66	72	69	60	47	29	17	44	12	3540
MEAN MIN TMP (F)	-1	5	13	30	39	47	52	49	41	32	16	5	27	12	3539
ABS MIN TMP (F)	-53	-44	-34	-20	13	31	37	30	14	-5	-33	-41	-53	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.2	12	3540
MEAN NO DYS TMP = OR LES 32(F)	29.9	27.0	29.6	16.9	6.8	0.0	0.0	0.0	3.6	15.5	26.4	29.0	184.7	12	3539
MEAN NO DYS TMP = OR LES 0(F)	16.4	12.1	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	13.6	55.3	12	3539
MEAN DEW PT TMP (F)	3	3	16	26	36	45	49	48	41	32	15	4	27	9	-106
MEAN REL HUM (PCT)	82	86	73	63	58	64	66	68	69	72	83	89	73	9	-106
MEAN PRESS ALT (FT)	2135	2139	2197	2230	2248	2288	2260	2245	2248	2254	2226	2187	2221	0	-80
MEAN PRECIP (IN)	1.50	1.44	1.41	0.77	1.40	2.47	2.55	2.26	1.18	1.44	1.41	1.77	19.6	10	2938
MEAN SNOW FALL (IN)	9.9	11.1	7.4	5.5	0.6	0.6	0.0	1.7	1.4	5.0	9.3	10.0	62.5	10	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.2	4.5	4.1	1.9	4.0	5.5	7.5	5.5	4.0	4.1	5.0	5.6	56.9	10	2938
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.0	2.3	1.5	1.1	0.0	0.1	0.0	0.0	0.2	0.9	2.0	2.1	12.2	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.5	2.0	3.0	2.1	0.0	2.0	3.0	4.6	2.0	4.5	1.0	2.5	28.2	3	604
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	3.0	3.0	2.0	0.0	0.0	0.0	0.0	9.0	9	-24
P FREQ WND SPD = OR GTR 17 KTS	15.9	7.9	7.7	11.9	7.1	1.5	9.6	7.5	12.5	10.8	8.2	13.6	9.5	3	14484
P FREQ WND SPD = OR GTR 28 KTS	1.9	0.1	0.5	2.4	0.1	0.1	0.2	0.1	1.5	0.7	0.6	2.8	0.9	3	14484
P FREQ LES 5000 FT A/O LES 5 MI	12.1	33.1	32.0	9.2	27.9	26.0	20.6	20.6	15.3	27.9	25.5	30.7	23.4	3	14454
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	6.5	18.5	11.8	5.7	10.8	13.3	5.4	12.4	2.3	14.5	14.7	14.2	10.8	3	1811
03-05 LST	10.6	19.3	15.8	8.1	12.6	13.6	10.3	13.8	9.2	14.1	14.2	15.2	13.1	12	4745
06-08 LST	3.2	21.4	29.0	9.2	12.9	23.6	14.5	15.8	11.3	18.8	16.4	16.2	16.0	3	1810
09-11 LST	5.4	20.8	25.8	4.4	10.8	10.0	11.3	11.5	11.9	18.8	22.0	21.1	14.5	3	1814
12-14 LST	4.8	10.1	16.1	1.1	8.6	5.6	9.7	8.2	2.8	17.3	19.8	15.6	10.0	3	1811
15-17 LST	7.0	11.3	12.9	1.1	5.4	5.6	8.1	6.0	0.0	16.1	19.8	9.1	8.5	3	1812
18-20 LST	9.1	11.9	6.5	1.1	3.2	4.4	7.0	6.6	0.6	14.0	15.9	10.8	7.6	3	1810
21-23 LST	4.8	18.5	16.1	2.3	8.7	6.7	8.1	9.2	1.1	11.9	15.9	15.1	9.9	3	1808
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	2.7	5.4	0.0	0.0	0.0	2.2	1.6	3.2	0.0	8.6	1.1	1.1	2.2	3	1811
03-05 LST	3.7	7.6	6.5	3.1	3.2	3.6	4.1	6.8	3.4	9.0	6.3	7.2	5.4	12	4745
06-08 LST	0.0	3.0	9.7	6.9	1.1	3.4	9.7	7.7	6.2	9.1	3.4	3.8	5.3	3	1810
09-11 LST	0.5	2.4	8.6	1.1	0.0	0.0	4.8	2.7	2.8	3.8	5.6	7.0	3.3	3	1814
12-14 LST	0.5	1.2	10.8	0.0	0.0	0.0	4.8	1.6	0.0	5.4	4.5	3.2	2.7	3	1811
15-17 LST	3.2	2.4	4.3	0.0	0.0	0.0	4.8	2.7	0.0	4.8	3.4	2.2	2.3	3	1812
18-20 LST	2.7	0.6	3.2	0.0	0.0	0.0	4.8	2.7	0.0	3.2	1.7	1.6	1.7	3	1810
21-23 LST	1.6	5.4	0.0	0.0	0.0	0.0	3.2	2.7	0.0	2.7	0.0	2.2	1.5	3	1808

FORT ST. JOHN, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST	29.0	25.5	27.0	30.0	31.0	28.0	28.5	29.5	30.0	27.0	25.4	28.5	339.4	3	604
	22 LST	29.5	25.0	24.0	29.0	29.0	28.0	28.5	28.5	30.0	28.5	26.0	28.5	338.5	3	606
	04 LST	28.0	23.6	27.3	28.1	27.8	26.9	28.6	27.1	27.5	27.8	26.4	27.2	326.3	12	3540
	10 LST	29.0	24.5	23.0	29.0	29.0	28.0	28.0	28.5	27.5	25.5	24.4	24.5	320.9	3	605
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST	18.0	19.5	15.0	13.4	12.0	22.0	14.0	12.2	14.7	11.5	17.3	18.0	187.6	3	604
	22 LST	16.0	13.0	17.0	14.5	21.0	19.0	21.0	19.5	17.3	15.5	17.0	13.5	204.3	3	606
	04 LST	14.7	10.9	13.2	16.5	17.6	17.4	18.9	16.2	17.9	12.2	11.3	12.2	179.0	12	3540
	10 LST	17.5	13.0	14.0	15.0	20.0	18.0	15.0	16.7	13.2	14.0	15.8	14.5	186.7	3	605
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST	5.1	1.6	3.7	6.2	7.8	1.0	6.0	5.2	8.5	4.7	1.1	6.4	57.3	3	570
	22 LST	3.1	1.7	2.1	2.1	0.0	0.0	1.0	1.0	2.0	1.1	2.4	6.6	23.1	3	569
	04 LST	3.1	2.4	1.6	2.3	1.6	0.5	0.7	1.1	1.9	3.7	4.3	3.7	26.9	12	3496
	10 LST	6.8	1.1	1.3	6.0	0.0	0.0	5.5	4.1	4.1	5.1	2.9	3.5	40.4	3	565
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST	1.0	4.8	1.2	16.5	15.5	19.7	13.0	12.6	12.0	15.0	7.4	3.0	121.7	3	569
	22 LST	0.5	3.4	1.1	18.2	23.7	24.6	22.0	21.7	16.8	14.9	3.7	1.1	151.1	3	569
	04 LST	0.2	0.4	0.7	8.7	16.3	19.1	20.1	19.7	15.2	7.1	2.0	0.6	110.1	12	3495
	10 LST	1.0	0.0	0.0	17.0	20.6	20.3	14.5	18.1	13.7	14.0	4.7	1.1	125.0	3	565
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST	12.6	9.7	10.9	11.1	9.7	7.0	8.6	11.4	12.7	12.0	11.7	10.6	128.0	9	2936
	10 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST	28.0	24.0	25.0	29.0	27.0	28.0	28.5	27.9	29.0	26.0	23.4	26.0	321.8	3	604
	22 LST	29.5	22.0	24.0	29.0	27.0	27.0	28.5	27.5	28.5	26.0	24.0	24.0	317.0	3	606
	04 LST	24.7	20.6	23.8	26.3	25.6	25.2	26.8	26.0	25.8	25.7	24.5	25.4	300.4	12	3540
	10 LST	28.5	21.5	21.0	29.0	25.0	25.0	26.5	26.4	24.9	24.5	22.9	24.0	299.2	3	605
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST	28.0	19.5	20.0	25.9	17.0	19.0	24.5	19.8	23.4	19.0	20.8	21.0	259.9	3	604
	22 LST	28.0	17.5	21.0	26.9	25.0	23.0	26.5	24.0	26.4	22.5	23.5	21.5	285.8	3	606
	04 LST	21.9	17.1	20.4	23.1	22.7	21.3	22.6	23.5	22.5	23.4	22.4	22.0	262.9	12	3540
	10 LST	26.0	16.5	18.0	28.0	15.0	17.0	24.0	23.4	23.4	20.5	21.3	20.5	293.6	3	605
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST	22.5	13.5	15.0	20.7	7.0	14.0	20.0	18.3	18.3	15.0	17.8	13.0	195.1	3	604
	22 LST	24.5	13.5	19.0	25.9	23.0	16.0	23.0	21.5	25.4	22.0	22.5	19.0	255.3	3	606
	04 LST	20.3	15.5	19.3	21.5	21.0	19.9	21.6	22.3	20.9	21.5	20.5	20.0	244.3	12	3540
	10 LST	22.5	12.5	17.0	24.0	11.0	14.0	23.0	21.8	20.3	16.0	17.8	15.0	214.9	3	605

FORT VERMILION, CANADA

STA NO. 72944 (IN AREA NUMBER 06)

LATITUDE 5824N

LONGITUDE 11556W

ELEVATION(FT) 00810

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	Obs
ABS MAX TMP (F)	52	55	62	76	103	98	101	94	89	81	61	50	103	50	-110
MEAN MAX TMP (F)	-1	10	24	45	61	70	75	71	59	43	21	5	40	30	-105
MEAN MIN TMP (F)	-24	-19	-8	17	34	42	47	43	32	22	0	-17	14	30	-105
ABS MIN TMP (F)	-78	-71	-53	-38	-11	16	20	22	5	-22	-47	-72	-78	50	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0		30	-29
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)						0.0	0.0	0.0	0.0					50	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	636	631	681	746	770	832	829	807	802	803	754	697	749	0	-50
MEAN PRECIP (IN)	0.62	0.37	0.60	0.64	1.12	1.82	2.05	1.74	1.34	0.74	0.57	0.52	12.1	30	-105
MEAN SNOW FALL (IN)	6.1	3.7	5.9	3.1	1.0	0.1	0.0	0.0	0.5	3.0	5.1	5.2	33.7	30	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.9	1.0	1.9	2.0	3.5	4.8	5.2	4.7	3.8	2.7	2.3	1.6	35.4	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.1	0.6	1.2	0.6	0.1	0.0	0.0	0.0	0.0	0.5	0.9	0.9	5.9	30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

FORT VERMILION, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR	16	LST												0	0
3 MI W/SFC WND LES 10 KTS	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
SFC WND = GTR 17 KTS AND	16	LST												0	0
NO PRECIP.	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	16	LST												0	0
DEG F AND NO PRECIP.	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
SKY COVER LES 3/10 AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
CIG = GTR 2500 FT AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
CIG = GTR 6000 FT AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
CIG = GTR 10000 FT AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0

DATA NOT AVAILABLE

FORT NELSON, CANADA

STA NO. 72945 (IN AREA NUMBER 06)

LATITUDE 5850N

LONGITUDE 12235W

ELEVATION(FT) 01253

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	45	57	62	76	89	93	98	93	91	78	57	49	98	20	-610
MEAN MAX TMP (F)	1	10	24	47	60	68	74	70	59	43	18	3	40	12	3656
MEAN MIN TMP (F)	-15	-6	3	25	37	46	51	48	38	25	3	-11	20	12	3655
ABS MIN TMP (F)	-61	-55	-39	-30	5	30	34	29	12	-18	-42	-54	-61	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	12	3656
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	30.1	24.3	8.6	0.5	0.0	0.3	6.7	25.8	29.7	31.0	216.0	12	3655
MEAN NO DYS TMP = OR LES 0(F)	26.6	19.0	14.3	0.4	0.0	0.0	0.0	0.0	0.0	0.7	13.1	22.8	96.9	12	3655
MEAN DEW PT TMP (F)	-8	-6	11	23	36	46	51	48	41	29	8	-7	23	9	-106
MEAN REL HUM (PCT)	88	89	68	57	56	61	67	68	74	78	91	91	74	9	-106
MEAN PRESS ALT (FT)	1101	1102	1158	1195	1211	1253	1235	1236	1243	1269	1220	1177	1200	0	-50
MEAN PRECIP (IN)	0.86	1.16	0.71	0.84	1.44	2.53	2.36	1.52	1.32	1.03	1.37	1.23	16.4	13	-105
MEAN SNOW FALL (IN)	8.6	11.4	7.0	5.5	1.0	0.0	0.0	0.0	1.3	6.1	13.6	12.3	66.8	13	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.8	3.7	2.3	2.7	4.4	6.0	5.8	4.2	3.8	3.2	3.9	3.9	46.7	13	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.7	2.4	1.4	1.1	0.1	0.0	0.0	0.0	0.2	1.2	3.2	2.6	13.9	13	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.7	1.2	1.0	1.7	0.7	2.4	2.8	2.8	3.5	2.3	0.2	1.3	20.6	6	1358
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	4.0	5.0	2.0	0.0	0.0	0.0	0.0	12.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS	0.7	1.2	1.9	3.1	2.4	0.8	1.2	1.3	2.0	0.5	0.8	1.3	1.4	6	19620
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.0	0.1	0.3	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.2	0.1	6	19620
P FREQ LES 5000 FT A/D LES 5 MI	13.6	28.6	19.9	19.0	15.7	18.0	17.3	26.2	20.1	19.9	22.7	28.4	20.8	6	19726
P FREQ LES 1500 FT A/D LES 3 MI														3	2155
FOR 00-02 LST	8.6	13.3	6.6	8.9	4.3	8.1	10.8	12.6	8.3	12.2	8.5	16.4	9.9	12	5099
03-05 LST	9.9	13.4	10.4	9.0	9.2	8.6	10.3	18.4	14.3	15.0	11.8	15.3	12.1	3	2160
06-08 LST	8.1	19.9	10.4	11.2	11.3	13.9	12.4	24.6	17.8	16.7	8.0	19.8	14.5	6	2803
09-11 LST	8.7	14.5	8.6	8.6	11.1	7.5	11.7	22.0	15.4	10.7	13.1	18.9	12.6	3	2159
12-14 LST	2.7	14.6	8.7	3.3	5.4	4.7	10.3	9.3	10.0	11.7	12.4	18.1	9.3	6	2798
15-17 LST	7.1	11.5	6.5	3.3	3.2	5.5	7.4	6.5	7.1	10.3	7.2	14.6	7.5	3	2149
18-20 LST	2.7	6.4	5.5	5.0	4.8	3.6	4.9	6.6	2.2	11.7	10.2	18.5	6.8	6	2779
21-23 LST	5.2	5.8	5.8	4.3	5.1	4.5	8.2	6.2	4.2	12.9	12.7	11.6	7.2	6	2779
P FREQ LES 300 FT A/D LES 1 MI														3	2155
FOR 00-02 LST	1.6	1.2	1.1	4.4	0.0	3.5	6.5	4.9	2.2	5.0	0.0	3.4	2.8	12	5099
03-05 LST	3.9	5.0	4.6	4.3	3.5	3.7	5.2	6.5	6.4	6.6	3.4	6.6	5.0	3	2160
06-08 LST	4.3	6.4	1.6	6.1	5.4	4.0	4.8	9.8	10.6	7.2	0.6	5.6	5.5	6	2803
09-11 LST	3.6	6.2	2.4	1.4	0.5	0.0	3.6	7.3	3.3	1.2	3.0	6.7	3.3	3	2159
12-14 LST	0.0	3.5	3.3	1.1	0.5	0.0	3.4	1.6	0.6	0.0	1.1	6.8	2.0	6	2798
15-17 LST	2.0	2.2	1.2	0.0	0.5	1.0	0.8	0.8	0.0	2.1	0.4	5.0	1.3	3	2149
18-20 LST	0.0	1.2	3.8	2.2	1.1	0.6	1.6	1.1	1.7	3.4	1.7	4.6	1.9	6	2779
21-23 LST	2.0	0.9	3.3	1.4	1.4	1.5	3.3	0.8	1.3	6.3	3.0	2.6	2.3	6	2779

FORT NELSON, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST	27.9	25.5	30.0	29.6	30.7	29.0	28.7	29.2	29.5	29.0	28.4	27.2	344.7	6	1362
	22 LST	29.3	27.2	30.0	29.0	29.3	28.3	29.0	29.2	29.5	28.2	26.5	28.7	344.2	6	1369
	04 LST	28.3	25.5	28.1	28.0	28.1	27.4	27.9	25.5	24.6	27.2	26.8	27.1	324.5	12	3659
	10 LST	28.1	24.5	29.5	29.0	28.3	28.6	27.5	24.7	27.0	29.2	25.7	26.6	328.7	6	1364
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST	25.7	22.5	24.4	20.3	24.3	22.7	22.7	23.4	22.0	25.1	26.6	23.7	283.4	6	1359
	22 LST	26.9	24.5	28.0	27.0	27.7	27.6	27.7	27.5	26.5	27.2	23.7	24.6	318.9	6	1368
	04 LST	26.2	21.6	25.3	25.0	25.0	24.3	25.9	23.5	21.7	23.8	24.1	23.8	290.2	12	3657
	10 LST	25.9	22.5	25.2	23.3	21.3	26.6	21.7	21.9	21.8	26.4	23.7	24.0	284.3	6	1363
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST	0.7	0.8	0.0	2.0	2.1	0.0	0.7	1.5	1.3	0.2	0.2	0.3	9.8	6	1322
	22 LST	0.0	0.3	0.2	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.4	12	3606
	04 LST	0.0	0.0	0.2	0.3	0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.9	6	1323
	10 LST	0.0	0.0	0.8	1.0	1.0	0.0	0.7	0.5	1.0	0.5	0.2	0.0	5.7	6	1318
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST	0.0	0.8	4.7	11.1	17.8	15.3	17.3	14.3	15.1	9.1	1.6	0.5	107.4	6	1322
	22 LST	0.0	0.3	1.3	10.2	12.7	8.9	7.9	8.4	10.4	6.5	1.3	0.0	67.9	12	3606
	04 LST	0.0	0.2	0.7	3.0	7.8	8.3	10.6	11.5	8.9	3.2	1.0	0.2	55.4	6	1323
	10 LST	0.2	0.5	0.5	6.2	12.6	11.6	13.3	13.1	10.8	5.9	1.5	0.3	76.5	6	1323
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST	8.3	8.5	7.5	5.0	3.0	3.0	3.5	8.0	5.5	5.5	6.2	6.0	70.0	3	642
	22 LST	13.4	12.5	16.0	11.0	6.0	6.0	6.0	11.0	10.5	13.5	7.6	10.5	124.0	3	643
	04 LST	12.9	9.2	12.5	9.9	8.4	5.6	8.7	8.5	10.0	10.7	10.4	10.0	116.8	9	2938
	10 LST	6.4	5.5	5.5	9.0	9.0	2.0	9.0	8.5	4.5	6.5	5.5	7.5	78.9	3	644
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST	25.9	22.8	27.2	27.7	28.3	26.9	27.0	28.2	25.7	26.7	26.6	23.3	316.3	6	1362
	22 LST	27.4	25.0	28.7	27.7	29.0	27.3	27.7	28.0	26.7	26.7	23.2	24.8	322.2	6	1369
	04 LST	26.4	21.6	25.9	25.4	25.7	24.0	26.2	24.2	22.2	24.7	24.2	24.0	294.5	12	3659
	10 LST	25.7	22.8	26.2	26.0	25.6	25.9	25.2	23.4	24.8	27.4	23.9	23.3	300.2	6	1364
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST	23.3	19.6	22.7	20.3	24.6	24.1	22.5	24.4	23.0	25.1	22.6	21.5	273.7	6	1362
	22 LST	25.2	20.8	24.2	23.3	25.3	24.9	24.0	24.5	25.0	23.2	20.4	21.0	283.8	6	1369
	04 LST	23.1	18.8	21.9	22.4	22.8	20.7	23.8	20.7	20.0	23.3	23.3	21.7	262.5	12	3659
	10 LST	22.1	19.8	22.7	23.0	23.7	23.1	23.0	21.9	23.3	26.2	21.4	20.7	270.9	6	1364
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST	22.1	17.8	20.4	16.3	18.7	19.0	20.2	22.9	20.5	23.4	19.2	19.2	239.7	6	1362
	22 LST	23.8	18.8	22.4	21.7	21.3	20.2	22.5	22.7	22.0	23.5	19.4	19.2	257.5	6	1369
	04 LST	21.7	16.6	20.5	21.1	20.3	18.3	21.7	18.9	18.2	21.8	21.2	19.3	239.6	12	3659
	10 LST	20.4	16.6	20.6	23.0	18.7	21.0	22.0	19.7	21.0	24.4	19.7	17.9	245.0	6	1364

VIRDOEN, CANADA

STA NO. 72955/ (IN AREA NUMBER 06)

LATITUDE 4953N LONGITUDE 10059W ELEVATION(FT) 01445

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	085
ABS MAX TMP (F)	41	45	67	89	94	97	99	98	96	85	63	54	99	20	-72860
MEAN MAX TMP (F)	7	8	26	50	65	73	80	78	68	54	29	15	46	32	-105
MEAN MIN TMP (F)	-13	-12	2	27	37	47	53	49	39	27	12	-2	22	32	-105
ABS MIN TMP (F)	-47	-44	-44	-10	15	29	36	32	18	2	-27	-39	-47	20	-72860
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.0	2.2	2.6	0.1	0.0	0.0	0.0	5.9	9	-72860
MEAN NO DYS TMP = OR LES 32(F)	31.0	27.9	28.6	21.0	5.2	0.2	0.0	0.0	3.4	15.7	28.9	31.0	192.9	9	-72860
MEAN NO DYS TMP = OR LES 0(F)	21.7	18.1	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	14.9	65.2	9	-72860
MEAN DEW PT TMP (F)	-1	0	14	28	38	49	56	54	43	33	18	3	28	10	-72860
MEAN REL HUM (PCT)	86	86	82	69	63	68	72	70	69	71	87	88	76	10	-72860
MEAN PRESS ALT (FT)	1270	1245	1316	1370	1415	1479	1458	1436	1426	1398	1347	1302	1372	0	-90
MEAN PRECIP (IN)	0.77	0.83	0.91	0.97	2.13	3.78	3.46	2.13	1.37	0.79	0.94	1.01	19.1	12	-72860
MEAN SNOW FALL (IN)	7.6	8.3	8.1	2.9	1.3	0.0	0.0	0.0	0.2	1.8	8.2	10.0	48.4	12	-72860
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.5	2.7	2.9	3.1	6.1	7.7	7.3	5.4	3.9	2.8	3.1	3.3	50.8	12	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.5	1.7	1.7	0.5	0.2	0.0	0.0	0.0	0.0	0.3	1.7	2.1	9.7	12	-29
MEAN NO DYS W/OCUM VSBY LES 1/2 MI	0.0	0.0	0.0	1.0	3.0	5.0	8.0	6.0	2.0	0.0	0.0	0.0	25.0	10	-72860
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.0	3.0	5.0	8.0	6.0	2.0	0.0	0.0	0.0	25.0	0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														9	-72860
03-05 LST	16.1	19.5	19.0	11.9	9.7	11.3	5.4	9.3	10.5	15.4	28.0	23.1	14.9	0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														9	-72860
03-05 LST	4.4	10.2	6.0	4.0	1.6	3.8	0.7	1.2	2.5	5.3	12.1	8.9	5.1	0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

VIRDEN, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST	26.4	23.4	25.9	27.6	29.1	27.5	29.8	28.0	27.6	27.5	23.0	25.2	321.0	9 -72860
	11 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	17 LST													0	0
	23 LST													0	0
	05 LST	12.1	12.9	13.4	13.5	16.5	19.4	23.3	20.3	14.6	15.3	9.3	11.8	182.4	9 -72860
	11 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST													0	0
	23 LST													0	0
	05 LST	3.1	1.0	1.2	2.6	1.9	0.6	0.4	0.6	2.1	1.6	3.4	2.2	20.7	9 -72860
	11 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST													0	0
	23 LST													0	0
	05 LST	0.0	0.1	1.4	5.4	13.5	16.9	21.4	20.3	15.7	10.5	0.8	0.0	106.0	9 -72860
	11 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST	14.6	13.9	10.1	9.9	11.7	8.4	12.2	12.2	11.1	13.8	9.9	11.4	139.2	9 -72860
	11 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST	22.4	20.3	20.4	24.2	25.9	24.6	27.7	26.8	25.1	23.7	17.7	20.7	279.5	9 -72860
	11 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST	20.7	19.1	17.5	21.1	23.4	22.7	25.6	25.9	22.3	21.2	15.5	17.9	252.9	9 -72860
	11 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST	20.2	18.2	16.9	20.3	21.2	21.4	24.6	25.0	21.4	20.6	14.2	16.8	240.8	9 -72860
	11 LST													0	0

HEMSWORTH, CANADA

LATITUDE 5259N

LONGITUDE 11322W

ELEVATION(FT) 02490

STA NO. 72979/ (IN AREA NUMBER 06)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	46	56	55	81	88	87	92	88	88	77	61	53	92	11	-72984
MEAN MAX TMP (F)	10	22	28	46	63	68	72	70	61	51	32	22	45	11	-72984
MEAN MIN TMP (F)	-5	4	12	27	41	47	52	50	42	31	17	7	27	11	-72984
ABS MIN TMP (F)	-48	-29	-30	-14	14	32	41	34	12	-2	-20	-31	-48	11	-72984
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.5	11	-72984
MEAN NO DYS TMP = OR LES 32(F)	31.0	27.6	29.7	21.1	3.0	0.1	0.0	0.0	3.4	16.9	28.4	30.2	191.4	11	-72984
MEAN NO DYS TMP = OR LES 0(F)	18.6	12.0	6.6	0.5	0.0	0.0	0.0	0.0	0.0	0.1	3.9	9.1	90.8	11	-72984
MEAN DEW PT TMP (F)	-1	8	14	25	35	44	51	50	41	30	18	10	27	11	-72984
MEAN REL HUM (PCT)	84	79	79	66	57	63	68	72	71	69	78	80	72	0	-50
MEAN PRESS ALT (FT)	2329	2307	2386	2436	2461	2509	2487	2468	2463	2457	2424	2379	2427	11	-72984
MEAN PRECIP (IN)	0.85	0.92	0.57	0.64	0.96	2.47	2.75	2.57	1.96	0.92	0.81	0.97	16.4	71	-72879
MEAN SNOW FALL (IN)	9.0	7.0	7.0	5.0	2.0	0.0	0.0	0.0	1.0	4.0	8.0	8.0	51.0	11	-72984
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.2	2.6	1.4	2.1	2.8	6.3	6.9	6.3	4.8	3.4	1.9	2.9	44.6	71	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.8	1.4	1.4	1.0	0.3	0.0	0.0	0.0	0.1	0.7	1.6	1.6	9.9	12	-72984
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.6	1.5	2.0	1.2	0.3	0.1	0.4	1.2	0.7	1.1	2.3	2.3	16.7	11	-72984
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.1	0.9	3.7	6.9	5.1	1.0	0.0	0.0	0.0	17.7	12	-72984
P FREQ WND SPD = OR GTR 17 KTS	2.5	3.1	3.8	8.4	10.7	8.3	4.5	3.2	7.5	5.0	3.8	3.7	5.4	12	-72984
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.2	0.2	0.7	0.4	0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.2	12	-72984
P FREQ LES 5000 FT A/O LES 5 MI	33.6	22.1	27.9	24.1	17.2	19.6	16.1	17.3	18.1	17.6	24.5	23.1	21.8	12	-72984
P FREQ LES 1500 FT A/O LES 3 MI	19.2	8.4	12.2	7.9	4.4	5.0	2.8	4.2	5.2	6.4	13.4	12.0	8.4	12	-72984
FOR 00-02 LST	19.0	9.5	14.2	10.2	5.7	7.1	5.8	8.0	6.1	6.5	12.7	11.3	9.7	12	-72984
03-05 LST	21.5	12.5	18.3	11.9	8.4	8.7	10.0	10.6	10.8	9.1	14.0	13.1	12.4	12	-72984
06-08 LST	23.9	13.5	15.3	11.2	7.3	7.0	8.8	10.6	10.7	9.5	15.9	15.1	12.4	12	-72984
09-11 LST	15.0	8.6	10.9	7.9	4.6	5.2	2.7	5.5	6.0	8.5	13.9	10.6	8.3	12	-72984
12-14 LST	15.8	6.2	7.5	5.6	2.7	3.0	1.9	3.5	4.9	6.2	13.8	10.0	6.8	12	-72984
15-17 LST	17.3	6.7	6.0	5.3	2.2	3.3	2.3	3.5	5.7	5.7	12.7	12.0	6.9	12	-72984
18-20 LST	17.1	8.3	9.9	6.1	3.4	4.0	2.7	2.5	4.3	6.0	13.9	11.6	7.5	12	-72984
21-23 LST															
P FREQ LES 300 FT A/O LES 1 MI	4.4	1.1	1.5	1.4	0.0	0.0	0.3	0.5	0.4	1.4	4.1	2.4	1.5	12	-72984
FOR 00-02 LST	4.5	1.3	2.9	2.4	0.8	0.7	0.8	2.5	0.9	2.0	3.3	1.7	2.0	12	-72984
03-05 LST	5.4	2.0	4.5	3.6	0.8	0.6	1.3	2.9	1.7	2.6	5.0	2.8	2.8	12	-72984
06-08 LST	6.8	1.5	2.2	2.4	0.0	0.0	0.1	0.4	0.6	1.8	2.3	3.1	1.8	12	-72984
09-11 LST	2.3	1.2	0.9	1.7	0.0	0.0	0.0	0.0	0.1	0.9	2.0	1.7	0.9	12	-72984
12-14 LST	2.5	1.3	0.7	1.3	0.0	0.0	0.1	0.0	0.2	0.2	2.3	2.0	0.9	12	-72984
15-17 LST	3.0	1.7	0.9	1.4	0.0	0.0	0.0	0.0	0.2	1.2	2.7	3.4	1.2	12	-72984
18-20 LST	3.5	1.1	1.7	0.6	0.1	0.0	0.1	0.0	0.0	1.3	3.6	2.7	1.2	12	-72984
21-23 LST															

HEMSWORTH, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST	27.3	26.8	29.9	28.8	30.6	29.7	30.6	30.3	29.2	29.6	26.7	28.5	348.0	12	-72984
	22 LST	27.0	25.6	29.2	28.5	30.1	29.6	30.3	30.6	29.3	29.9	26.8	28.4	345.3	12	-72984
	04 LST	25.1	26.1	27.8	27.6	29.8	28.6	29.6	28.7	28.5	29.5	26.9	28.3	336.5	12	-72984
	10 LST	23.1	24.8	27.4	27.3	29.8	28.7	29.9	29.0	27.4	28.5	26.0	26.8	328.7	12	-72984
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST	20.9	18.9	16.9	12.6	12.7	13.0	15.2	18.4	16.4	18.1	20.4	22.1	205.8	12	-72984
	22 LST	20.1	19.4	19.7	18.7	21.4	22.8	23.8	26.1	22.5	22.3	20.8	21.9	259.5	12	-72984
	04 LST	18.7	19.6	19.4	20.2	20.2	21.9	25.3	25.6	22.7	22.8	19.8	21.9	258.1	12	-72984
	10 LST	17.5	16.7	16.6	14.1	12.2	13.2	16.5	17.6	16.4	16.8	18.1	20.0	195.7	12	-72984
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST	0.7	1.1	1.8	5.1	5.2	3.9	2.3	1.6	3.0	1.7	0.8	1.2	28.4	12	-72984
	22 LST	0.3	0.7	0.3	1.2	1.2	0.5	1.0	0.8	0.8	0.3	0.8	0.7	8.6	12	-72984
	04 LST	0.6	0.8	0.3	1.0	1.2	0.8	0.1	0.5	0.9	0.4	1.1	0.6	8.3	12	-72984
	10 LST	0.7	1.0	1.1	3.0	5.1	4.0	1.9	0.8	2.4	2.6	1.4	0.7	24.7	12	-72984
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST	1.8	5.5	7.6	12.5	15.0	12.8	17.4	18.4	15.6	15.1	9.3	4.2	135.2	11	-72984
	22 LST	0.4	1.6	4.6	13.8	18.0	19.1	19.1	18.8	17.1	16.2	5.7	3.0	137.4	11	-72984
	04 LST	0.4	1.2	2.6	8.3	16.6	16.7	18.6	18.5	17.5	12.9	4.2	2.2	119.7	11	-72984
	10 LST	0.2	2.0	5.2	12.9	12.6	12.5	17.8	16.5	16.4	13.8	7.4	2.2	119.5	11	-72984
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST	6.1	5.7	6.8	3.4	3.4	2.6	4.3	4.5	5.4	6.8	5.9	7.1	62.0	10	-72984
	22 LST	9.4	9.5	10.2	11.0	9.4	7.4	7.5	10.9	11.1	12.3	10.2	9.7	118.6	11	-72984
	04 LST	7.9	9.3	9.2	9.9	8.3	6.7	8.0	9.4	11.8	11.4	10.7	11.0	113.6	10	-72984
	10 LST	5.2	5.7	5.1	5.6	6.4	5.4	7.7	7.8	6.9	6.2	4.9	5.4	72.3	10	-72984
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST	25.4	25.8	26.0	26.9	28.7	27.9	29.7	29.0	27.7	27.7	24.9	27.5	327.2	12	-72984
	22 LST	24.8	24.3	26.5	26.7	29.4	28.5	29.6	29.5	28.0	28.2	24.1	26.4	326.0	12	-72984
	04 LST	23.0	24.0	25.0	26.2	28.6	26.9	28.8	27.9	26.8	28.0	24.2	26.7	316.1	12	-72984
	10 LST	21.8	23.2	24.5	24.0	27.0	26.2	26.7	25.9	24.9	26.4	24.6	25.6	300.8	12	-72984
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST	22.6	23.3	23.3	19.3	23.6	20.8	23.8	24.1	23.3	24.8	22.2	24.6	275.7	12	-72984
	22 LST	20.6	21.8	22.7	23.8	26.9	24.0	27.1	26.4	24.4	25.3	22.0	24.0	289.0	12	-72984
	04 LST	20.2	20.7	21.0	23.5	25.4	24.0	26.4	25.2	23.8	25.3	21.5	22.7	279.7	12	-72984
	10 LST	19.8	20.7	21.5	21.0	22.5	21.0	24.1	23.7	22.8	24.9	22.6	23.2	267.8	12	-72984
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST	18.4	18.1	20.8	16.2	17.9	15.9	20.2	21.1	20.4	22.4	19.5	20.6	231.5	12	-72984
	22 LST	17.9	19.0	17.9	19.6	21.4	19.7	21.9	21.5	20.9	22.8	19.0	19.3	240.9	12	-72984
	04 LST	16.7	17.4	17.2	20.0	20.9	18.6	21.4	19.9	20.0	22.2	19.2	19.3	232.8	12	-72984
	10 LST	15.7	15.6	17.3	18.9	19.6	17.6	21.7	21.0	18.8	21.1	18.7	18.9	224.9	12	-72984

NAMAQ, CANADA

LATITUDE 5340N

LONGITUDE 11328W

ELEVATION(FT) 02254

STA NO. 72984/ (IN AREA NUMBER 06)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	46	56	55	81	88	87	92	88	88	77	61	53	92	11	3606
MEAN MAX TMP (F)	10	22	28	46	63	68	72	70	61	51	32	22	45	11	3606
MEAN MIN TMP (F)	-5	4	12	27	41	47	52	50	42	31	17	7	27	11	3606
ABS MIN TMP (F)	-48	-29	-30	-14	14	32	41	34	12	-2	-20	-31	-48	11	3606
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.5	11	3606
MEAN NO DYS TMP = OR LES 32(F)	31.0	27.6	29.7	21.1	3.0	0.1	0.0	0.0	3.4	16.9	28.4	30.2	191.4	11	3606
MEAN NO DYS TMP = OR LES 0(F)	18.6	12.0	6.6	0.5	0.0	0.0	0.0	0.0	0.0	0.1	3.9	10	27	11	86384
MEAN DEW PT TMP (F)	-1	8	14	25	35	44	51	50	41	30	18	10	27	11	86374
MEAN REL HUM (PCT)	84	79	79	66	57	63	68	72	71	69	78	80	72	0	-90
MEAN PRESS ALT (FT)	2092	2087	2147	2201	2227	2277	2255	2237	2230	2220	2184	2139	2191	11	3145
MEAN PRECIP (IN)	0.85	0.92	0.57	0.64	0.96	2.47	2.75	2.57	1.96	0.92	0.81	0.97	16.4	71	-72879
MEAN SNOW FALL (IN)	9.0	7.0	7.0	5.0	2.0	0.0	0.0	0.0	1.0	4.0	8.0	8.0	51.0	11	3145
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.2	2.6	1.4	2.1	2.8	6.3	6.9	6.3	4.8	3.4	1.9	2.9	44.6	71	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.8	1.4	1.4	1.0	0.3	0.0	0.0	0.0	0.1	0.7	1.6	1.6	9.9	12	3707
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.6	1.5	2.0	1.2	0.3	0.1	0.4	1.2	0.7	1.1	2.3	2.3	16.7	11	3605
MEAN NO DYS TSMS	0.0	0.0	0.0	0.1	0.9	3.7	6.9	5.1	1.0	0.0	0.0	0.0	17.7	12	88944
P FREQ WND SPD = OR GTR 17 KTS	2.5	3.1	3.8	8.4	10.7	8.3	4.5	3.2	7.5	5.0	3.8	3.7	5.4	12	88944
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.2	0.2	0.7	0.4	0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.2	12	88926
P FREQ LES 5000 FT A/O LES 5 MI	33.6	22.1	27.9	24.1	17.2	19.6	16.1	17.3	18.1	17.6	24.5	23.1	21.8		
P FREQ LES 1500 FT A/O LES 3 MI														12	11125
FOR 00-02 LST	19.2	8.4	12.2	7.9	4.4	5.0	2.8	4.2	5.2	6.4	13.4	12.0	8.4	12	11125
03-05 LST	19.0	9.5	14.2	10.2	5.7	7.1	5.8	8.0	6.1	6.5	12.7	11.3	9.7	12	11123
06-08 LST	21.5	12.5	18.3	11.9	8.4	8.7	10.0	10.6	10.8	9.1	14.0	13.1	12.4	12	11126
09-11 LST	23.9	13.5	15.3	11.2	7.3	7.0	8.8	10.6	10.7	9.5	15.9	15.1	12.4	12	11120
12-14 LST	15.0	8.6	10.9	7.9	4.6	5.2	2.7	5.5	6.0	8.5	13.9	10.6	8.3	12	11121
15-17 LST	15.8	6.2	7.5	5.6	2.7	3.0	1.9	3.5	4.9	6.2	13.8	10.0	6.8	12	11119
18-20 LST	17.3	6.7	6.0	5.3	2.2	3.3	2.3	3.5	5.7	5.7	12.7	12.0	6.9	12	11117
21-23 LST	17.1	8.3	9.9	6.1	3.4	4.0	2.7	2.5	4.3	6.0	13.9	11.6	7.5		
P FREQ LES 300 FT A/O LES 1 MI														12	11125
FOR 00-02 LST	4.4	1.1	1.5	1.4	0.0	0.0	0.3	0.5	0.4	1.4	4.1	2.4	1.5	12	11125
03-05 LST	4.5	1.3	2.9	2.4	0.8	0.7	0.8	2.5	0.9	2.0	3.3	1.7	2.0	12	11123
06-08 LST	5.4	2.0	4.5	3.6	0.8	0.6	1.3	2.9	1.7	2.6	5.0	2.8	2.8	12	11126
09-11 LST	6.8	1.5	2.2	2.4	0.0	0.0	0.1	0.4	0.6	1.8	2.3	3.1	1.8	12	11120
12-14 LST	2.3	1.2	0.9	1.7	0.0	0.0	0.0	0.0	0.1	0.9	2.0	1.7	0.9	12	11121
15-17 LST	2.5	1.3	0.7	1.3	0.0	0.0	0.1	0.0	0.2	0.2	2.3	2.0	0.9	12	11119
18-20 LST	3.0	1.7	0.9	1.4	0.0	0.0	0.0	0.0	0.2	1.2	2.7	3.4	1.2	12	11117
21-23 LST	3.5	1.1	1.7	0.6	0.1	0.0	0.1	0.0	0.0	1.3	3.6	2.7	1.2		

NAMAQ, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	AN.	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST	27.3	26.8	29.9	28.8	30.6	29.7	30.6	30.3	29.2	29.6	26.7	28.5	348.0	12	3711
	22 LST	27.0	25.6	29.2	28.5	30.1	29.6	30.3	30.6	29.3	29.9	26.8	28.4	345.3	12	3711
	04 LST	25.1	26.1	27.8	27.6	29.8	28.6	29.6	28.7	28.5	29.5	26.9	28.3	336.5	12	3710
	10 LST	23.1	24.8	27.4	27.3	29.8	28.7	29.9	29.0	27.4	28.5	26.0	26.8	328.7	12	3710
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST	20.9	18.9	16.9	12.6	12.7	13.0	15.2	18.4	16.4	18.1	20.4	22.1	205.6	12	3711
	22 LST	20.1	19.4	19.7	18.7	21.4	22.8	23.8	26.1	22.5	22.3	20.8	21.9	259.5	12	3711
	04 LST	18.7	19.6	19.4	20.2	20.2	21.9	25.3	25.6	22.7	22.8	19.8	21.9	258.1	12	3710
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST	17.5	16.7	16.6	14.1	12.2	13.2	16.5	17.6	16.4	16.8	18.1	20.0	195.7	12	3710
	22 LST	0.7	1.1	1.8	5.1	5.2	3.9	2.3	1.6	3.0	1.7	0.8	1.2	28.4	12	3509
	04 LST	0.3	0.7	0.3	1.2	1.2	0.5	1.0	0.8	0.8	0.3	0.8	0.7	8.6	12	3421
	10 LST	0.6	0.8	0.3	1.0	1.2	0.8	0.1	0.5	0.9	0.4	1.1	0.6	8.3	12	3369
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST	0.7	1.0	1.1	3.0	5.1	4.0	1.9	0.8	2.4	2.6	1.4	0.7	24.7	12	3460
	22 LST	1.8	5.5	7.6	12.5	15.0	12.8	17.4	18.4	15.6	15.1	9.3	4.2	135.2	11	3410
	04 LST	0.4	1.6	4.6	13.8	18.0	19.1	19.1	18.8	17.1	16.2	5.7	3.0	137.4	11	3327
	10 LST	0.4	1.2	2.6	8.3	16.6	16.7	18.6	18.5	17.5	12.9	4.2	2.2	119.7	11	3274
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST	0.2	2.0	5.2	12.9	12.6	12.5	17.8	16.5	16.4	13.8	7.4	2.2	119.5	11	3360
	22 LST	6.1	5.7	6.8	3.4	3.4	2.6	4.3	4.5	5.4	6.8	5.9	7.1	62.0	10	3364
	04 LST	9.4	9.5	10.2	11.0	9.4	7.4	7.5	10.9	11.1	12.3	10.2	9.7	118.6	11	3365
	10 LST	7.9	9.3	9.2	9.9	8.3	6.7	8.0	9.4	11.8	11.4	10.7	11.0	113.6	10	3364
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST	5.2	5.7	5.1	5.6	6.4	5.4	7.7	7.8	6.9	6.2	4.9	5.4	72.3	10	3364
	22 LST	25.4	25.8	26.0	26.9	28.7	27.9	29.7	29.0	27.7	27.7	24.9	27.5	327.2	12	3711
	04 LST	24.8	24.3	26.5	26.7	29.4	28.5	29.6	29.5	28.0	28.2	24.1	26.4	326.0	12	3711
	10 LST	23.0	24.0	25.0	26.2	28.6	26.9	28.8	27.9	26.8	28.0	24.2	26.7	316.1	12	3710
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST	21.8	23.2	24.5	24.0	27.0	26.2	26.7	25.9	24.9	26.4	24.6	23.6	300.8	12	3710
	22 LST	22.6	23.3	23.3	19.3	23.6	20.8	23.8	24.1	23.3	24.8	22.2	24.6	275.7	12	3711
	04 LST	20.6	21.8	22.7	23.8	26.9	24.0	27.1	26.4	24.4	25.3	22.0	24.0	289.0	12	3711
	10 LST	20.2	20.7	21.0	23.5	25.4	24.0	26.4	25.2	23.8	25.3	21.5	22.7	279.7	12	3710
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST	19.8	20.7	21.5	21.0	22.5	21.0	24.1	23.7	22.8	24.9	22.6	23.2	267.8	12	3710
	22 LST	18.4	18.1	20.8	16.2	17.9	15.9	20.2	21.1	20.4	22.4	19.5	20.6	231.5	12	3711
	04 LST	17.9	19.0	17.9	19.6	21.4	19.7	21.9	21.5	20.9	22.8	19.0	19.3	240.9	12	3711
	10 LST	16.7	17.4	17.2	20.0	20.9	18.6	21.4	19.9	20.0	22.2	19.2	19.3	232.8	12	3710
	16 LST	15.7	15.6	17.3	18.9	19.6	17.6	21.7	21.0	18.8	21.1	18.7	18.9	224.9	12	3710

RED DEER, CANADA

STA NO. 72988/ (IN AREA NUMBER 06)

LATITUDE 5219N

LONGITUDE 11356W

ELEVATION(FT) 03090

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	57	59	73	83	92	99	99	94	89	85	67	59	99	40	-110
MEAN MAX TMP (F)	21	24	35	50	62	67	73	70	61	53	36	24	48	30	-105
MEAN MIN TMP (F)	-1	0	12	26	35	43	48	44	36	28	15	4	24	30	-105
ABS MIN TMP (F)	-52	-47	-41	-25	9	21	32	26	9	-15	-35	-59	-59	40	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.5	0.3	0.2	0.0	0.0	0.0	0.0	1.0	9	-72878
MEAN NO DYS TMP = OR LES 32(F)	30.8	27.2	29.4	21.8	6.4	0.0	0.0	0.1	5.9	18.9	28.2	30.6	199.3	9	-72878
MEAN NO DYS TMP = OR LES 0(F)	15.2	10.4	4.9	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4.6	9.6	44.9	9	-72878
MEAN DEW PT TMP (F)	8	7	17	29	38	47	53	51	42	32	18	11	29	10	-106
MEAN REL HUM (PCT)	87	90	83	67	65	72	73	77	74	74	84	91	78	10	-106
MEAN PRESS ALT (FT)	2934	2935	2996	3040	3063	3107	3081	3063	3060	3056	3027	2984	3029	0	-50
MEAN PRECIP (IN)	0.96	0.57	0.66	1.17	2.67	3.92	3.16	2.98	2.29	0.78	0.65	0.80	20.6	35	-105
MEAN SNOW FALL (IN)	9.5	5.5	6.6	6.7	2.1	0.1	0.0	0.1	1.9	2.4	5.6	7.8	48.3	35	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.1	1.1	2.2	3.7	7.3	7.8	6.9	6.7	5.6	2.8	2.5	2.6	53.0	35	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.0	1.0	1.3	1.4	0.4	0.0	0.0	0.0	0.3	0.4	1.0	1.5	9.3	35	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSMS	0.0	0.0	0.0	0.0	2.0	5.0	9.0	5.0	1.0	0.0	0.0	0.0	22.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														9	-72878
03-05 LST	12.5	19.0	19.8	10.4	12.1	7.6	9.4	6.5	7.9	8.8	12.4	11.3	11.5	0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														9	-72878
03-05 LST	4.8	9.7	9.3	4.2	1.6	0.4	1.1	2.8	1.7	2.5	5.9	6.5	4.2	0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

RED DEER, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	28.0	22.5	25.7	27.6	27.6	27.8	28.3	28.7	28.2	28.9	27.1	28.3	9	-72878
	10 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST													0	0
	22 LST													0	0
	04 LST	17.2	15.0	17.4	19.4	19.6	21.2	23.0	23.6	18.9	18.3	17.1	18.9	9	-72878
	10 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST													0	0
	22 LST													0	0
	04 LST	1.4	0.7	0.5	0.9	1.1	0.8	0.1	0.4	0.6	0.8	1.4	0.6	9	-72878
	10 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST													0	0
	22 LST													0	0
	04 LST	0.5	0.4	1.4	7.4	15.1	16.6	17.9	20.3	15.5	9.7	2.1	1.0	9	-72878
	10 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	13.1	10.3	11.3	11.4	9.7	7.0	12.0	13.8	12.9	12.6	14.7	13.8	9	-72878
	10 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	24.5	19.9	22.1	25.5	25.2	25.3	26.0	27.0	25.8	26.7	24.8	26.1	9	-72878
	10 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	22.0	17.0	20.1	23.4	22.8	21.5	23.2	23.3	23.3	24.0	22.8	24.0	9	-72878
	10 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST													0	0
	22 LST													0	0
	04 LST	21.1	16.0	18.7	21.9	22.1	21.0	22.7	22.4	22.1	21.8	22.3	22.9	9	-72878
	10 LST													0	0

SMITH FIELD, CANADA

STA NO. 72996/ (IN AREA NUMBER 06)

LATITUDE 5017N

LONGITUDE 10751W

ELEVATION(FT) 02450

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	59	69	72	86	98	104	107	102	96	89	77	58	107	50	-72870
MEAN MAX TMP (F)	17	20	33	54	65	73	81	78	67	54	36	24	50	52	-72870
MEAN MIN TMP (F)	-2	2	13	29	39	48	52	49	40	31	17	7	27	52	-72870
ABS MIN TMP (F)	-49	-54	-34	-6	10	21	33	29	8	-16	-32	-36	-54	50	-72870
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	1.2	2.0	2.9	0.2	0.0	0.0	0.0	6.4	9	-72870
MEAN NO DYS TMP = OR LES 32(F)	29.7	27.2	27.7	20.5	5.2	0.4	0.0	0.0	3.4	15.2	26.3	29.7	185.3	9	-72870
MEAN NO DYS TMP = OR LES 0(F)	13.3	10.6	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	9.0	40.3	9	-72870
MEAN DEW PT TMP (F)	6	9	18	31	38	48	53	51	42	34	20	11	30	10	-72870
MEAN REL HUM (PCT)	6	90	84	69	63	68	62	63	67	69	84	88	74	10	-72870
MEAN PRESS ALT (FT)	2280	2265	2327	2392	2422	2479	2456	2439	2427	2407	2366	2321	2302	0	-50
MEAN PRECIP (IN)	0.71	0.58	0.73	0.80	1.84	2.95	2.27	1.84	1.25	0.78	0.55	0.65	14.9	52	-72870
MEAN SNOW FALL (IN)	7.0	5.7	7.0	3.3	1.6	0.0	0.0	0.0	1.7	2.4	4.9	6.4	40.0	52	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.3	1.8	2.3	2.5	5.5	6.6	5.6	4.9	3.7	2.8	2.3	2.1	42.4	52	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.4	1.0	1.4	0.6	0.2	0.0	0.0	0.0	0.2	0.4	0.9	1.2	7.3	0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	2.0	3.0	7.0	7.0	1.0	0.0	0.0	0.0	20.0	10	-72870
MEAN NO DYS TSMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	14.9	20.8	16.2	12.6	12.9	7.5	8.7	7.3	10.5	14.2	19.7	15.0	13.4	9	-72870
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	8.9	11.5	7.3	2.3	6.9	2.9	2.6	2.0	3.3	7.7	10.5	5.3	5.9	9	-72870
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SMITH FIELD, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	27.2	22.8	26.8	27.4	27.9	28.2	28.9	29.1	27.4	26.5	24.6	27.5	324.3	9	-72870
	11 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST														0	0
	23 LST														0	0
	05 LST	5.7	6.6	7.6	9.5	9.9	10.5	12.0	11.0	7.1	5.5	5.1	5.3	95.8	9	-72870
	11 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST														0	0
	23 LST														0	0
	05 LST	6.2	3.7	4.9	3.8	3.6	2.9	1.3	1.4	3.9	5.0	6.3	7.4	50.4	9	-72870
	11 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST														0	0
	23 LST														0	0
	05 LST	0.4	0.2	1.2	2.7	12.2	13.6	16.8	15.4	10.5	5.4	0.4	0.2	79.0	9	-72870
	11 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	14.6	12.1	14.4	13.4	13.1	11.6	15.8	15.7	14.7	16.1	14.0	14.9	170.4	9	-72870
	11 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	25.0	20.4	23.5	24.5	26.1	26.9	27.4	28.5	26.1	25.6	22.4	25.5	301.9	9	-72870
	11 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	23.5	19.2	21.6	22.4	23.3	24.5	26.4	26.2	24.0	24.3	21.5	24.2	281.1	9	-72870
	11 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	22.6	18.9	21.3	21.9	21.9	23.6	25.7	25.3	23.3	23.6	20.8	23.9	272.8	9	-72870
	11 LST														0	0

BRANDON, CANADA

STA NO. 73860/ (IN AREA NUMBER 06)

LATITUDE 4954N

LONGITUDE 09957W

ELEVATION(FT) 01342

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	44	53	78	93	99	108	110	106	100	87	70	58	110	70	-110
MEAN MAX TMP (F)	8	12	28	50	65	73	79	76	66	52	31	16	46	29	-105
MEAN MIN TMP (F)	-13	-10	5	26	38	48	52	49	40	28	12	-4	23	29	-105
ABS MIN TMP (F)	-50	-52	-47	-16	7	26	32	26	11	-11	-41	-45	-52	70	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.0	2.2	2.6	0.1	0.0	0.0	0.0	5.9	9	-72860
MEAN NO DYS TMP = OR LES 32(F)	31.0	27.9	28.6	21.0	5.2	0.2	0.0	0.0	3.4	15.7	28.9	31.0	192.9	9	-72860
MEAN NO DYS TMP = OR LES 0(F)	21.7	18.1	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	14.9	65.2	9	-72860
MEAN DEW PT TMP (F)	-1	0	14	28	38	49	56	54	43	33	18	3	28	10	-72860
MEAN REL HUM (PCT)	86	86	82	69	63	68	72	70	69	71	87	88	76	10	-72860
MEAN PRESS ALT (FT)	1169	1143	1210	1262	1307	1376	1358	1335	1325	1299	1249	1202	1270	0	-50
MEAN PRECIP (IN)	0.73	0.58	0.76	0.99	1.62	2.77	2.37	2.18	1.52	0.83	0.79	0.59	15.7	29	-105
MEAN SNOW FALL (IN)	7.3	5.8	6.7	4.3	0.5	0.1	0.0	0.0	0.4	2.0	7.1	5.9	40.1	29	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.3	1.8	2.4	3.1	4.9	6.4	5.8	5.5	4.2	2.9	2.8	1.8	43.9	29	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.4	1.1	1.4	0.8	0.0	0.0	0.0	0.0	0.0	0.3	1.4	1.1	7.5	29	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSMS	0.0	0.0	0.0	1.0	3.0	5.0	8.0	6.0	2.0	0.0	0.0	0.0	25.0	10	-72860
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	16.1	19.5	19.0	11.9	9.7	11.3	5.4	9.3	10.5	15.4	28.0	23.1	14.9	9	-72860
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	4.4	10.2	6.0	4.0	1.6	3.8	0.7	1.2	2.5	5.3	12.1	8.9	5.1	9	-72860
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BRANDON, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	26.4	23.4	25.9	27.6	29.1	27.5	29.8	28.0	27.6	27.5	23.0	25.2	321.0	9	-72860
	11 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST														0	0
	23 LST														0	0
	05 LST	12.1	12.9	13.4	13.5	16.5	19.4	23.3	20.3	14.6	15.3	9.3	11.8	182.4	9	-72860
	11 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST														0	0
	23 LST														0	0
	05 LST	3.1	1.0	1.2	2.6	1.9	0.6	0.4	0.6	2.1	1.6	3.4	2.2	20.7	9	-72860
	11 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST														0	0
	23 LST														0	0
	05 LST	0.0	0.1	1.4	5.4	13.5	16.9	21.4	20.3	15.7	10.5	0.8	0.0	106.0	9	-72860
	11 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	14.6	13.9	10.1	9.9	11.7	8.4	12.2	12.2	11.1	13.8	9.9	11.4	139.2	9	-72860
	11 LST														0	0
CIG = GTR 2'00 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	22.4	20.3	20.4	24.2	25.9	24.6	27.7	26.8	25.1	23.7	17.7	20.7	279.5	9	-72860
	11 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	20.7	19.1	17.5	21.1	23.4	22.7	25.6	25.9	22.3	21.2	15.5	17.9	252.9	9	-72860
	11 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	20.2	18.2	16.9	20.3	21.2	21.4	24.6	25.0	21.4	20.6	14.2	16.8	240.8	9	-72860
	11 LST														0	0

DAWSON CREEK, CANADA

STA NO. 74056 (IN AREA NUMBER 06)

LATITUDE 5544N

LONGITUDE 12011W

ELEVATION(FT) 02146

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	52	60	57	71	86	89	94	93	88	80	66	52	94	20	-610
MEAN MAX TMP (F)	19	22	32	49	61	68	74	72	61	50	34	25	47	10	2963
MEAN MIN TMP (F)	0	2	12	27	35	43	48	46	38	30	16	7	25	10	2962
ABS MIN TMP (F)	-55	-53	-45	-37	10	28	30	29	14	-13	-43	-48	-55	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.0	0.0	0.0	0.0	0.7	1	2963
MEAN NO DYS TMP = OR LES 32(F)	29.4	27.1	28.5	22.3	12.0	1.1	0.2	0.2	7.4	18.7	26.7	29.2	202.8	10	2962
MEAN NO DYS TMP = OR LES 0(F)	17.2	13.5	8.4	0.5	0.0	0.0	0.0	0.0	0.0	0.2	4.4	10.7	54.9	10	2962
MEAN DEW PT TMP (F)	8	7	15	25	31	43	44	44	36	31	20	12	26	3	19381
MEAN REL HUM (PCT)	74	73	67	65	53	67	58	63	62	69	76	69	66	3	19364
MEAN PRESS ALT (FT)	2004	2008	2065	2096	2111	2150	2122	2110	2114	2125	2096	2057	2088	0	-50
MEAN PRECIP (IN)	1.19	1.43	1.15	0.79	1.39	2.52	1.24	1.33	1.12	1.39	1.45	1.33	16.3	10	2964
MEAN SNOW FALL (IN)							0.0	0.0						20	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.7	3.8	3.9	2.4	4.9	5.4	3.9	5.0	3.4	3.9	3.9	4.0	49.2	10	2964
MEAN NO DYS SNFL = OR GTR 1.5 IN							0.0	0.0						20	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	1.0	1.5	0.0	0.0	0.4	0.7	0.0	0.8	1.0	1.5	1.0	0.0	7.9	3	821
MEAN NO DYS TSMS	0.0	0.0	0.0	0.0	1.5	3.5	1.6	2.0	0.5	0.0	0.0	0.0	9.1	3	765
P FREQ WND SPD = OR GTR 17 KTS	5.9	3.6	6.7	4.0	5.0	1.6	3.8	2.5	3.4	1.6	1.6	6.7	3.9	3	19404
P FREQ WND SPD = OR GTR 28 KTS	0.3	0.0	0.1	0.3	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.5	0.1	3	19404
P FREQ LES 5000 FT A/O LES 5 MI	19.1	28.8	12.0	23.3	22.0	31.6	10.8	14.1	19.8	22.6	28.0	10.6	20.1	3	19405
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	3.8	5.8	0.5	3.9	4.5	7.8	0.8	2.9	7.8	7.5	13.3	4.3	5.2	3	2488
03-05 LST	8.1	12.9	7.0	5.0	6.1	8.0	1.5	4.3	6.4	9.5	13.1	6.5	7.4	10	4630
06-08 LST	7.5	7.6	5.4	5.6	8.8	11.9	0.0	2.9	9.4	10.2	13.3	4.8	7.3	3	2514
09-11 LST	10.2	13.5	4.8	3.3	5.4	8.5	0.0	2.5	6.7	9.7	14.4	4.8	7.0	3	2522
12-14 LST	9.1	8.8	2.7	2.2	5.4	5.9	0.4	0.8	7.2	9.7	13.3	3.8	5.8	3	2522
15-17 LST	8.6	10.5	1.1	2.8	3.2	4.2	0.0	0.0	6.7	12.4	13.3	3.2	5.5	3	2450
18-20 LST	8.6	7.6	1.6	1.7	7.8	3.3	0.0	0.4	5.6	11.3	14.4	4.3	5.6	3	2321
21-23 LST	7.5	7.1	2.2	1.7	5.3	3.8	1.1	1.3	4.4	12.5	15.0	3.2	5.4	3	2415
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	1.1	1.1	0.7	0.0	1.3	0.0	1.6	1.7	0.0	0.6	3	2488
03-05 LST	4.0	5.9	4.0	1.9	2.2	2.0	0.0	1.8	1.8	3.5	3.7	2.7	2.8	10	4630
06-08 LST	0.0	1.2	0.0	0.0	0.7	1.5	0.0	2.1	1.1	3.8	0.6	0.5	1.0	3	2514
09-11 LST	1.6	3.5	0.5	0.0	0.0	0.4	0.0	0.0	0.0	3.8	0.6	1.1	1.0	3	2522
12-14 LST	2.2	2.9	0.5	0.0	1.1	0.0	0.0	0.0	1.1	2.7	1.1	0.0	1.0	3	2522
15-17 LST	2.2	2.9	0.0	0.0	0.4	0.0	0.0	0.0	1.7	2.2	2.2	0.0	1.0	3	2450
18-20 LST	0.5	2.3	0.0	0.0	1.0	0.0	0.0	0.0	1.7	3.2	2.8	0.0	1.0	3	2321
21-23 LST	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	3.3	1.7	0.0	0.5	3	2415

DAWSON CREEK, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST	28.5	25.5	31.0	29.5	30.3	29.3	31.0	31.0	28.5	28.5	27.0	30.0	350.1	3	841
	22 LST	29.5	26.5	30.5	29.5	29.6	29.3	31.0	31.0	29.5	28.5	26.0	30.0	350.9	3	837
	04 LST	28.2	24.4	28.6	28.9	29.3	28.3	30.5	29.9	28.8	28.7	26.7	29.1	341.4	10	2962
	10 LST	28.0	23.6	29.5	29.0	30.7	28.0	31.0	30.6	29.0	28.5	27.0	30.0	344.9	3	841
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST	24.0	20.1	20.5	19.5	13.3	16.0	14.0	14.0	14.5	17.5	24.0	23.5	220.9	3	841
	22 LST	26.0	19.6	23.5	23.5	26.5	25.7	25.6	27.5	22.5	23.5	21.0	20.0	286.9	3	837
	04 LST	20.7	17.4	22.0	24.2	25.0	24.7	26.4	25.7	23.9	22.4	18.2	21.1	271.7	10	2961
	10 LST	23.0	16.2	20.0	18.5	15.3	18.7	16.6	15.5	15.0	18.5	21.5	24.0	222.8	3	841
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST	2.3	2.3	3.0	3.1	4.4	0.3	2.0	2.4	1.1	0.0	0.5	2.6	24.0	3	799
	22 LST	1.6	0.0	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.6	6.8	3	793
	04 LST	2.0	0.6	1.4	0.2	0.3	0.6	0.2	0.4	0.6	1.5	1.5	2.7	12.0	10	2911
	10 LST	1.7	1.6	3.7	2.1	2.7	0.3	2.0	1.6	3.1	1.6	0.0	0.5	20.9	3	795
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST	3.4	2.9	8.6	11.4	14.1	16.9	15.5	13.1	14.7	18.4	8.3	3.1	130.4	3	799
	22 LST	2.2	0.6	5.8	8.6	14.6	16.9	13.5	15.7	11.9	9.6	5.6	1.6	108.6	3	793
	04 LST	1.0	0.8	1.9	6.5	9.3	11.3	11.8	12.3	10.4	6.9	2.3	1.4	75.9	10	2911
	10 LST	4.7	1.1	5.9	9.6	14.4	16.8	15.7	15.1	12.9	13.4	8.9	4.2	122.7	3	795
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST	11.5	11.3	11.8	13.5	11.3	6.7	10.5	12.4	14.0	13.0	14.0	10.9	140.9	7	2124
	10 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST	27.0	24.6	31.0	29.0	29.3	28.0	30.7	30.2	26.5	26.0	25.0	29.0	336.3	3	841
	22 LST	26.5	24.1	30.0	27.5	28.2	28.0	30.7	30.2	28.0	25.5	23.5	29.0	331.2	3	837
	04 LST	25.2	21.2	26.0	27.2	27.1	26.9	29.0	28.5	26.6	26.6	24.5	26.3	315.1	10	2962
	10 LST	27.0	22.6	28.5	27.5	27.3	24.7	30.3	29.5	27.0	26.0	23.0	29.5	322.9	3	841
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST	24.0	20.6	23.5	17.5	18.7	17.3	26.0	20.9	20.5	22.0	19.0	26.5	256.5	3	841
	22 LST	24.5	20.1	27.5	26.0	23.7	21.7	25.6	26.7	26.0	24.0	22.5	28.0	296.3	3	837
	04 LST	21.8	18.5	22.0	23.6	23.6	21.5	25.9	23.9	23.1	23.4	21.4	23.8	272.5	10	2962
	10 LST	24.0	18.6	25.9	21.5	22.3	16.7	25.3	25.2	23.0	23.0	21.0	26.5	272.6	3	841
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST	17.5	11.3	14.5	10.0	12.3	12.3	19.7	16.6	16.5	16.0	13.5	16.5	176.7	3	841
	22 LST	20.5	17.2	20.5	21.0	20.3	16.7	19.3	24.3	22.0	21.0	18.5	26.0	247.3	3	837
	04 LST	19.6	15.7	19.1	20.6	20.1	18.5	21.4	20.6	21.1	21.6	19.6	21.0	238.9	10	2962
	10 LST	17.0	10.8	15.5	15.5	16.6	14.3	20.6	19.4	17.5	19.0	13.5	17.5	197.2	3	841

PEACE RIVER, CANADA

STA NO. 74068 (IN AREA NUMBER 06)

LATITUDE 5614N

LONGITUDE 11726W

ELEVATION(FT) 01873

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	50	47	59	75	91	92	98	98	91	78	51	49	98	8	2282
MEAN MAX TMP (F)	14	19	31	49	62	70	75	73	62	49	20	19	46	8	2282
MEAN MIN TMP (F)	-5	-1	10	27	36	45	49	46	38	30	14	3	24	8	2282
ABS MIN TMP (F)	-44	-39	-35	-14	14	30	35	29	14	1	-36	-36	-44	8	2282
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.4	1.0	0.9	0.2	0.0	0.0	0.0	2.6	8	2282
MEAN NO DYS TMP = OR LES 32(F)	30.3	27.7	30.1	22.4	10.7	0.6	0.0	0.3	6.8	21.6	29.2	30.6	210.3	8	2282
MEAN NO DYS TMP = OR LES 0(F)	20.9	13.4	7.7	0.4	0.0	0.0	0.0	0.0	0.0	0.0	5.4	11.4	59.2	3	14409
MEAN DEW PT TMP (F)	2	5	14	24	33	46	48	47	42	32	16	4	26	3	14402
MEAN REL HUM (PCT)	71	75	69	60	50	64	59	62	70	70	77	73	67	0	-50
MEAN PRESS ALT (FT)	1715	1716	1772	1816	1836	1885	1869	1855	1855	1866	1825	1777	1816	8	2281
MEAN PRECIP (IN)	0.91	0.73	0.70	0.54	1.16	2.21	1.88	1.59	0.80	0.96	0.98	0.58	13.0	8	-29
MEAN SNOW FALL (IN)						0.0	0.0	0.0						8	2281
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.4	2.4	2.4	2.0	2.9	5.3	4.6	4.8	2.6	3.0	4.0	2.2	38.6	8	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0						3	617
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	2.0	0.0	0.5	1.0	2.5	0.0	1.0	0.6	1.5	4.0	5.0	0.0	18.1	3	608
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	3.5	6.0	4.8	1.0	0.0	0.0	0.0	15.3	3	14622
P FREQ WND SPD = OR GTR 17 KTS	0.2	0.7	0.7	1.3	1.0	1.3	1.3	1.1	0.9	0.4	0.0	0.1	0.7	3	14622
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	14616
P FREQ LES 5000 FT A/O LES 5 MI	11.2	10.2	5.6	9.1	27.6	19.2	9.4	16.0	35.6	30.6	50.2	11.8	19.7	3	1822
P FREQ LES 1500 FT A/O LES 3 MI														3	1822
FOR 00-02 LST	8.6	4.7	2.2	0.0	17.2	1.1	0.0	7.9	7.8	21.5	33.3	8.1	9.4	8	3498
03-05 LST	10.8	8.3	4.1	3.9	15.2	4.9	4.1	11.2	9.5	13.4	21.4	8.1	9.6	3	1824
06-08 LST	5.4	5.3	3.2	7.2	19.4	7.2	2.7	13.7	21.1	24.7	18.9	0.8	10.8	3	1833
09-11 LST	1.6	5.3	2.2	6.1	12.4	4.4	0.0	2.6	19.0	25.8	14.4	0.8	7.6	3	1824
12-14 LST	4.8	4.7	0.5	0.6	11.3	1.1	0.0	0.0	5.6	23.7	13.3	1.6	5.6	3	1831
15-17 LST	3.8	4.7	0.0	0.0	14.5	0.0	0.0	0.0	5.1	23.7	14.4	1.6	5.7	3	1822
18-20 LST	3.8	5.9	2.2	0.0	18.3	0.6	0.0	2.0	8.9	24.7	21.1	5.7	7.8	3	1829
21-23 LST	7.5	4.7	2.7	0.0	18.8	0.0	0.0	3.9	7.1	20.4	25.8	5.7	8.1	3	1822
P FREQ LES 300 FT A/O LES 1 MI														3	1822
FOR 00-02 LST	2.2	0.0	0.5	0.0	5.4	0.0	0.0	0.0	0.0	9.7	5.6	0.0	2.0	8	3498
03-05 LST	3.3	1.6	1.2	0.6	3.5	0.6	0.9	2.5	2.3	4.6	9.5	1.6	2.7	3	1824
06-08 LST	1.1	1.2	0.5	2.2	8.1	0.0	1.6	3.9	4.4	11.8	7.8	0.0	3.6	3	1833
09-11 LST	0.5	0.0	0.0	2.8	7.0	0.0	0.0	0.0	0.0	11.8	5.6	0.0	2.3	3	1824
12-14 LST	0.5	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	9.7	4.4	0.0	1.3	3	1831
15-17 LST	1.6	2.3	0.0	0.0	1.1	0.0	0.0	0.0	0.0	9.7	4.4	0.0	1.6	3	1822
18-20 LST	0.0	0.6	1.6	0.0	2.2	0.0	0.0	0.0	0.0	10.2	3.3	0.0	1.5	3	1829
21-23 LST	1.6	0.6	2.2	0.0	3.2	0.0	0.0	0.0	0.0	9.7	1.1	0.0	1.5	3	1822

PEACE RIVER, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST	30.0	27.0	31.0	30.0	26.5	30.0	31.0	31.0	28.4	23.0	26.0	30.2	346.1	3	617
	22 LST	28.5	27.0	30.0	30.0	25.0	30.0	31.0	29.8	26.9	25.0	22.0	29.5	334.7	3	618
	04 LST	27.3	25.6	29.9	29.3	27.4	28.8	29.4	28.5	28.1	28.6	25.2	28.7	336.8	8	2283
	10 LST	30.5	26.0	30.5	28.0	27.0	30.0	31.0	30.4	24.8	23.0	27.0	31.0	339.2	3	618
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST	27.5	23.6	28.5	20.5	16.5	21.5	24.5	21.9	20.8	21.0	23.0	28.7	278.0	3	617
	22 LST	25.0	23.1	29.0	28.0	23.5	29.0	29.0	28.6	25.4	24.0	20.0	27.3	311.9	3	618
	04 LST	23.3	21.8	23.8	24.8	23.3	25.8	28.0	25.5	25.1	23.6	19.8	24.4	289.2	8	2283
	10 LST	29.0	21.6	27.0	21.0	15.0	23.0	21.5	23.1	18.0	20.0	22.0	27.2	268.4	3	618
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST	0.0	0.0	0.0	1.0	0.0	0.5	1.0	0.0	0.0	0.0	0.0	0.0	2.5	3	589
	22 LST	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3	586
	04 LST	0.6	0.0	0.3	0.1	0.1	0.0	0.0	0.0	0.0	0.4	0.2	0.0	1.7	8	2238
	10 LST	0.0	0.0	0.0	1.0	1.0	0.5	0.5	0.6	0.0	0.0	0.0	0.0	3.6	3	583
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST	3.9	3.8	10.1	14.5	14.4	19.8	19.6	15.2	21.3	13.0	4.8	0.8	141.2	3	589
	22 LST	1.6	0.6	4.1	7.6	12.2	11.6	11.0	10.3	12.5	9.1	3.5	0.8	80.9	3	586
	04 LST	0.7	0.4	1.5	4.1	10.6	9.9	12.0	11.7	11.1	7.5	1.9	0.8	72.2	8	2239
	10 LST	2.7	2.4	8.1	12.4	12.7	17.1	15.5	18.3	17.7	19.2	4.3	0.0	130.4	3	583
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST														0	0
	22 LST														0	0
	04 LST	10.7	9.3	12.6	12.2	9.8	7.4	9.0	7.2	13.5	10.5	10.0	10.0	122.2	5	1565
	10 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST	30.0	27.0	31.0	29.5	26.0	28.0	31.0	31.0	26.9	23.0	22.0	30.2	335.6	3	617
	22 LST	28.5	27.0	30.0	30.0	24.5	30.0	31.0	29.8	24.6	25.0	18.0	28.0	326.4	3	618
	04 LST	24.9	23.2	27.4	28.1	25.5	26.6	29.0	26.4	26.8	26.2	23.7	26.8	314.1	8	2283
	10 LST	30.0	26.0	30.5	27.5	26.5	28.0	31.0	30.4	22.5	21.0	20.0	31.0	324.4	3	618
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST	28.5	25.0	29.5	27.0	20.5	18.5	23.0	25.5	21.5	22.0	17.0	25.7	283.7	3	617
	22 LST	25.5	26.5	29.5	28.0	23.0	25.0	24.5	24.3	20.8	24.0	12.0	25.8	288.9	3	618
	04 LST	23.0	19.8	23.8	25.3	22.8	24.0	27.7	23.4	23.0	23.8	19.6	25.0	281.2	8	2283
	10 LST	28.0	24.6	28.0	24.0	23.0	21.5	25.5	26.1	18.8	21.0	16.0	28.0	284.5	3	618
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST	19.0	13.2	23.0	23.0	15.0	13.5	16.5	23.7	16.9	22.0	11.0	18.9	215.7	3	617
	22 LST	18.0	15.2	23.5	23.5	20.0	19.5	19.5	21.3	18.5	20.0	8.0	19.9	226.9	3	618
	04 LST	19.6	16.2	21.0	23.0	20.6	21.3	24.3	20.2	22.1	22.4	18.8	23.1	252.6	8	2283
	10 LST	19.5	14.7	22.0	19.0	19.5	18.0	21.0	23.1	13.5	19.0	13.0	19.7	222.0	3	618

WAGNER, CANADA

STA NO. 74069 (IN AREA NUMBER 06)

LATITUDE 5521N

LONGITUDE 11459W

ELEVATION(FT) 01915

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	55	60	60	77	86	90	92	86	82	89	62	56	92	20	-110
MEAN MAX TMP (F)	12	17	30	46	61	66	71	68	60	49	31	18	44	10	-105
MEAN MIN TMP (F)	-8	-4	8	24	36	44	50	46	39	30	16	0	23	10	-105
ABS MIN TMP (F)	-50	-51	-41	-32	10	22	35	28	12	-2	-31	-40	-51	10	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0		20	-29
MEAN NO DYS TMP = OR LES 32(F)					0.0	0.0	0.0	0.0	0.0	0.0				20	-29
MEAN NO DYS TMP = OR LES 0(F)															
MEAN DEW PT TMP (F)	-1	1	15	27	36	46	51	50	42	31	18	5	27	6	-106
MEAN REL HUM (PCT)	86	87	78	69	62	69	71	76	75	73	83	88	76	6	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.03	0.95	0.50	0.97	1.54	1.97	2.81	2.78	1.23	0.78	1.06	1.16	16.8	10	-105
MEAN SNOW FALL (IN)	10.0	9.5	4.7	6.5	0.2	0.0	0.0	0.0	0.8	3.6	8.8	11.8	55.9	10	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.3	3.1	1.6	3.1	4.7	5.1	6.4	6.4	3.6	2.8	3.3	3.7	47.1	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.1	2.0	0.9	1.3	0.0	0.0	0.0	0.0	0.1	0.6	1.8	2.5	11.3	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	3.0	6.0	3.0	1.0	0.0	0.0	0.0	14.0	6	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

WAGNER, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR	16	LST												0	0
3 MI W/SFC WND LES 10 KTS	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
SFC WND = GTR 17 KTS AND	16	LST												0	0
NO PRECIP.	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	16	LST												0	0
DEG F AND NO PRECIP.	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
SKY COVER LES 3/10 AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
CIG = GTR 2500 FT AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
CIG = GTR 6000 FT AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0
CIG = GTR 10000 FT AND	16	LST												0	0
VSBY = GTR 3 MI	22	LST												0	0
	04	LST												0	0
	10	LST												0	0

DATA NOT AVAILABLE

MEADOW LAKE, CANADA

LATITUDE 5408N

LONGITUDE 10824W

ELEVATION(FT) 01558

STA NO. 74118/ (IN AREA NUMBER 06)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	50	48	55	75	87	96	91	91	81	80	61	50	96	9	-74120
MEAN MAX TMP (F)	10	16	30	47	62	69	74	71	60	49	29	16	44	9	-74120
MEAN MIN TMP (F)	-5	-1	13	28	39	48	52	51	41	32	15	2	26	9	-74120
ABS MIN TMP (F)	-40	-42	-39	0	19	26	38	35	20	6	-30	-35	-42	9	-74120
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.6	0.4	0.2	0.0	0.0	0.0	0.0	1.2	9	-74120
MEAN NO DYS TMP = OR LES 32(F)	30.5	27.9	29.5	20.4	6.5	0.2	0.0	0.0	4.2	17.8	28.2	30.1	195.3	9	-74120
MEAN NO DYS TMP = OR LES 0(F)	21.0	14.1	6.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	4.9	13.3	60.0	0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	-50
MEAN PRESS ALT (FT)	1380	1369	1416	1486	1513	1582	1586	1563	1554	1550	1499	1439	1495	9	-74120
MEAN PRECIP (IN)	0.88	0.75	0.89	0.86	1.30	3.43	3.25	2.78	1.87	0.82	0.91	1.07	18.8	9	-29
MEAN SNOW FALL (IN)							0.0	0.0						9	-74120
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.2	2.2	3.5	2.7	3.9	7.0	7.5	6.6	4.6	2.1	3.0	4.1	49.4	9	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN							0.0	0.0						0	0
MEAN NO DYS W/OCUK VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														9	-74120
03-05 LST	16.5	17.3	16.1	9.4	8.5	12.5	6.8	9.7	11.0	14.2	19.2	20.2	13.5	0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														9	-74120
03-05 LST	4.8	7.5	4.4	2.2	0.0	2.1	0.0	1.6	3.3	6.1	7.9	8.1	4.0	0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MEADOW LAKE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	27.1	24.4	27.2	27.8	29.1	27.0	29.0	27.6	27.8	27.6	25.4	25.7	325.7	9	-74120
	11 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST														0	0
	23 LST														0	0
	05 LST	15.0	15.3	16.9	18.8	20.2	19.7	22.8	21.3	16.1	16.5	15.1	15.9	213.6	9	-74120
	11 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST														0	0
	23 LST														0	0
	05 LST	0.9	0.2	1.1	0.5	1.0	0.5	0.3	0.7	1.1	1.1	1.5	0.5	9.4	9	-74120
	11 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST														0	0
	23 LST														0	0
	05 LST	0.0	0.2	0.6	6.0	14.5	12.8	16.4	17.3	13.3	8.8	1.5	0.4	91.8	9	-74120
	11 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	12.5	10.3	11.0	10.4	7.6	7.1	9.9	8.8	10.0	12.3	11.0	12.0	122.9	9	-74120
	11 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	22.6	20.3	22.7	25.4	26.6	24.0	26.3	25.6	24.8	24.6	20.7	22.1	285.7	9	-74120
	11 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	20.1	17.8	19.4	23.5	23.6	22.0	23.0	24.2	21.8	22.4	18.8	19.8	256.4	9	-74120
	11 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	19.0	16.5	18.1	22.2	22.6	21.1	22.3	23.5	20.4	21.1	17.7	19.1	243.6	9	-74120
	11 LST														0	0

COLD LAKE, CANADA

STA NO. 74120 (IN AREA NUMBER 06)

LATITUDE 5423N

LONGITUDE 11017W

ELEVATION(FT) 01774

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	50	48	55	75	87	96	91	91	81	80	61	50	96	9	2898
MEAN MAX TMP (F)	10	16	30	47	62	69	74	71	60	49	29	16	44	9	2898
MEAN MIN TMP (F)	-5	-1	13	28	39	48	53	51	41	32	15	2	26	9	2898
ABS MIN TMP (F)	-40	-42	-39	0	19	26	38	35	20	6	-30	-35	-42	9	2898
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.6	0.4	0.2	0.0	0.0	0.0	0.0	1.2	9	2898
MEAN NO DYS TMP = OR LES 32(F)	30.5	27.9	29.5	20.4	6.5	0.2	0.0	0.0	4.2	17.8	28.2	30.1	195.3	9	2898
MEAN NO DYS TMP = OR LES 0(F)	21.0	14.1	6.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	4.9	13.3	60.0	0	0
MEAN DEW PT TMP (F)														C	0
MEAN REL HUM (PCT)														0	-50
MEAN PRESS ALT (FT)	1600	1589	1642	1712	1738	1801	1794	1771	1764	1756	1710	1654	1711	9	2899
MEAN PRECIP (IN)	0.88	0.75	0.89	0.86	1.30	3.43	3.25	2.78	1.87	0.82	0.91	1.07	18.8	9	-29
MEAN SNOW FALL (IN)							0.0	0.0						9	2899
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.2	2.2	3.5	2.7	3.9	7.0	7.5	6.6	4.0	2.1	3.0	4.1	49.4	9	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN							0.0	0.0						0	0
MEAN NO DYS W/OCUK VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 3 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														9	2899
03-05 LST	16.5	17.3	16.1	9.4	8.5	12.5	6.8	9.7	11.0	14.2	19.2	20.2	13.5	C	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														9	2899
03-05 LST	4.8	7.5	4.4	2.2	0.0	2.1	0.0	1.0	3.3	6.1	7.9	8.1	4.0	0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

COLD LAKE, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST	27.1	24.4	27.2	27.8	29.1	27.0	29.0	27.6	27.8	27.6	25.4	25.7	9	2899
	11 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST													0	0
	23 LST													0	0
	05 LST	15.0	15.3	16.9	18.8	20.2	19.7	22.9	21.3	16.1	16.5	15.1	15.9	9	2899
	11 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST													0	0
	23 LST													0	0
	05 LST	0.9	0.2	1.1	0.5	1.0	0.5	0.3	0.7	1.1	1.1	1.5	0.5	9	2899
	11 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST													0	0
	23 LST													0	0
	05 LST	0.0	0.2	0.6	6.0	14.5	12.8	16.4	17.3	13.3	8.8	1.5	0.4	9	2899
	11 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST	12.5	10.3	11.0	10.4	7.6	7.1	9.9	8.8	10.0	12.3	11.0	12.0	9	2899
	11 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST	22.6	20.3	22.7	25.4	26.6	24.0	26.3	25.6	24.8	24.6	20.7	22.1	9	2899
	11 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST	20.1	17.8	19.4	23.5	23.6	22.0	23.0	24.2	21.8	22.4	19.8	19.8	9	2899
	11 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST	19.0	16.5	18.1	22.2	22.6	21.1	22.3	23.5	20.4	21.1	17.7	19.1	9	2899
	11 LST													0	0

EDMONTON INTL., CANADA

STA NO. 74123 (IN AREA NUMBER 06)

LATITUDE 5319N

LONGITUDE 11335W

ELEVATION(FT) 02373

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	46	56	55	81	88	87	92	88	88	77	61	53	92	11	-72984
MEAN MAX TMP (F)	10	22	28	46	63	68	72	70	61	51	32	22	45	11	-72984
MEAN MIN TMP (F)	-5	4	12	27	41	47	52	50	42	31	17	7	27	11	-72984
ABS MIN TMP (F)	-48	-29	-30	-14	14	32	41	34	12	-2	-20	-31	-48	11	-72984
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.5	11	-72984
MEAN NO DYS TMP = OR LES 32(F)	31.0	27.6	29.7	21.1	3.0	0.1	0.0	0.0	3.4	16.9	28.4	30.2	191.4	11	-72984
MEAN NO DYS TMP = OR LES 0(F)	18.6	12.0	6.6	0.5	0.0	0.0	0.0	0.0	0.0	0.1	3.9	9.1	50.8	11	-72984
MEAN DEW PT TMP (F)	-1	8	14	25	35	44	51	50	41	30	18	10	27	11	-72984
MEAN REL HUM (PCT)	84	79	79	66	57	63	68	72	71	69	78	80	72	11	-72984
MEAN PRESS ALT (FT)	2211	2207	2267	2319	2344	2393	2370	2352	2345	2337	2303	2259	2309	0	-50
MEAN PRECIP (IN)	0.85	0.92	0.57	0.64	0.96	2.47	2.75	2.57	1.96	0.92	0.81	0.97	16.4	11	-72984
MEAN SNOW FALL (IN)	9.0	7.0	7.0	5.0	2.0	0.0	0.0	0.0	1.0	4.0	8.0	8.0	51.0	71	-72879
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.2	2.6	1.4	2.1	2.8	6.3	6.9	6.3	4.8	3.4	1.9	2.9	44.6	11	-72984
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.8	1.4	1.4	1.0	0.3	0.0	0.0	0.0	0.1	0.7	1.6	1.6	9.9	71	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.6	1.5	2.0	1.2	0.3	0.1	0.4	1.2	0.7	1.1	2.3	2.3	16.7	12	-72984
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.1	0.9	3.7	6.9	5.1	1.0	0.0	0.0	0.0	17.7	11	-72984
P FREQ WND SPD = OR GTR 17 KTS	2.5	3.1	3.8	8.4	10.7	8.3	4.5	3.2	7.5	5.0	3.8	3.7	5.4	12	-72984
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.2	0.2	0.7	0.4	0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.2	12	-72984
P FREQ LES 5000 FT A/O LES 5 MI	33.6	22.1	27.9	24.1	17.2	19.6	16.1	17.3	18.1	17.6	24.5	23.1	21.8	12	-72984
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	19.2	8.4	12.2	7.9	4.4	5.0	2.8	4.2	5.2	6.4	13.4	12.0	8.4	12	-72984
03-05 LST	19.0	9.5	14.2	10.2	5.7	7.1	5.8	8.0	6.1	6.5	12.7	11.3	9.7	12	-72984
06-08 LST	21.5	12.5	18.3	11.9	8.4	8.7	10.0	10.6	10.8	9.1	14.0	13.1	12.4	12	-72984
09-11 LST	23.9	13.5	15.3	11.2	7.3	7.0	8.8	10.6	10.7	9.5	15.9	15.1	12.4	12	-72984
12-14 LST	15.0	8.6	10.9	7.9	4.6	5.2	2.7	5.5	6.0	8.5	13.9	10.6	8.3	12	-72984
15-17 LST	15.8	6.2	7.5	5.6	2.7	3.0	1.9	3.5	4.9	6.2	13.8	10.0	6.8	12	-72984
18-20 LST	17.3	6.7	6.0	5.3	2.2	3.3	2.3	3.5	5.7	5.7	12.7	12.0	6.9	12	-72984
21-23 LST	17.1	8.3	9.9	6.1	3.4	4.0	2.7	2.5	4.3	6.0	13.9	11.6	7.5	12	-72984
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	4.4	1.1	1.5	1.4	0.0	0.0	0.3	0.5	0.4	1.4	4.1	2.4	1.5	12	-72984
03-05 LST	4.5	1.3	2.9	2.4	0.8	0.7	0.8	2.5	0.9	2.0	3.3	1.7	2.0	12	-72984
06-08 LST	5.4	2.0	4.5	3.4	0.8	0.6	1.3	2.9	1.7	2.6	5.0	2.8	2.8	12	-72984
09-11 LST	6.8	1.5	2.2	2.4	0.0	0.0	0.1	0.4	0.6	1.8	2.3	3.1	1.8	12	-72984
12-14 LST	2.3	1.2	0.9	1.7	0.0	0.0	0.0	0.0	0.1	0.9	2.0	1.7	0.9	12	-72984
15-17 LST	2.5	1.3	0.7	1.3	0.0	0.0	0.1	0.0	0.2	0.2	2.3	2.0	0.9	12	-72984
18-20 LST	3.0	1.7	0.9	1.4	0.0	0.0	0.0	0.0	0.2	1.2	2.7	3.4	1.2	12	-72984
21-23 LST	3.5	1.1	1.7	0.6	0.1	0.0	0.1	0.0	0.0	1.3	3.6	2.7	1.2	12	-72984

EDMONTON INTL., CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST	27.3	26.8	29.9	28.8	30.6	29.7	30.6	30.3	29.2	29.6	26.7	28.5	348.0	12	-72984
	22 LST	27.0	25.6	29.2	28.5	30.1	29.6	30.3	30.6	29.3	29.9	26.8	28.4	345.3	12	-72984
	04 LST	25.1	26.1	27.8	27.6	29.8	28.6	29.6	28.7	28.5	29.5	26.9	28.3	336.5	12	-72984
	10 LST	23.1	24.8	27.4	27.3	29.8	28.7	29.9	29.0	27.4	28.5	26.0	26.8	328.7	12	-72984
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST	20.9	18.9	16.9	12.6	12.7	13.0	15.2	18.4	16.4	18.1	20.4	22.1	205.6	12	-72984
	22 LST	20.1	19.4	19.7	18.7	21.4	22.8	23.8	26.1	22.5	22.3	20.8	21.9	259.5	12	-72984
	04 LST	18.7	19.6	19.4	20.2	20.2	21.9	25.3	25.6	22.7	22.8	19.8	21.9	258.1	12	-72984
	10 LST	17.5	16.7	16.6	14.1	12.2	13.2	16.5	17.6	16.4	16.8	18.1	20.0	195.7	12	-72984
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST	0.7	1.1	1.8	5.1	5.2	3.9	2.3	1.6	3.0	1.7	0.8	1.2	28.4	12	-72984
	22 LST	0.3	0.7	0.3	1.2	1.2	0.5	1.0	0.8	0.8	0.3	0.8	0.7	8.6	12	-72984
	04 LST	0.6	0.8	0.3	1.0	1.2	0.8	0.1	0.5	0.9	0.4	1.1	0.6	8.3	12	-72984
	10 LST	0.7	1.0	1.1	3.0	5.1	4.0	1.9	0.8	2.4	2.6	1.4	0.7	24.7	12	-72984
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST	1.8	5.5	7.6	12.5	15.0	12.8	17.4	18.4	15.6	15.1	9.3	4.2	135.2	11	-72984
	22 LST	0.4	1.6	4.6	13.8	18.0	19.1	19.1	18.8	17.1	16.2	5.7	3.0	137.4	11	-72984
	04 LST	0.4	1.2	2.6	8.3	16.6	16.7	18.6	18.5	17.5	12.9	4.2	2.2	119.7	11	-72984
	10 LST	0.2	2.0	5.2	12.9	12.6	12.5	17.8	16.5	16.4	13.8	7.4	2.2	119.5	11	-72984
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST	6.1	5.7	6.8	3.4	3.4	2.6	4.3	4.5	5.4	6.8	5.9	7.1	62.0	10	-72984
	22 LST	9.4	9.5	10.2	11.0	9.4	7.4	7.5	10.9	11.1	12.3	10.2	9.7	118.6	11	-72984
	04 LST	7.9	9.3	9.2	9.9	8.3	6.7	8.0	9.4	11.8	11.4	10.7	11.0	113.6	10	-72984
	10 LST	5.2	5.7	5.1	5.6	6.4	5.4	7.7	7.8	6.9	6.2	4.9	5.4	72.3	10	-72984
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST	25.4	25.8	26.0	26.9	28.7	27.9	29.7	29.0	27.7	27.7	24.9	27.5	327.2	12	-72984
	22 LST	24.8	24.3	26.5	26.7	29.4	28.5	29.6	29.5	28.0	28.2	24.1	26.4	326.0	12	-72984
	04 LST	23.0	24.0	25.0	26.2	28.6	26.9	28.8	27.9	26.8	28.0	24.2	26.7	316.1	12	-72984
	10 LST	21.8	23.2	24.5	24.0	27.0	26.2	26.7	25.9	24.9	26.4	24.6	25.6	300.8	12	-72984
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST	22.6	23.3	23.3	19.3	23.6	20.8	23.8	24.1	23.3	24.8	22.2	24.6	275.7	12	-72984
	22 LST	20.6	21.8	22.7	23.8	26.9	24.0	27.1	26.4	24.4	25.3	22.0	24.0	289.0	12	-72984
	04 LST	20.2	20.7	21.0	23.5	25.4	24.0	26.4	25.2	23.8	25.3	21.5	22.7	279.7	12	-72984
	10 LST	19.8	20.7	21.5	21.0	22.5	21.0	24.1	23.7	22.8	24.9	22.6	23.2	267.8	12	-72984
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST	18.4	18.1	20.8	16.2	17.9	15.9	20.2	21.1	20.4	22.4	19.5	20.6	231.5	12	-72984
	22 LST	17.9	19.0	17.9	19.6	21.4	19.7	21.9	21.5	20.9	22.8	19.0	19.3	240.9	12	-72984
	04 LST	16.7	17.4	17.2	20.0	20.9	18.6	21.4	19.9	20.0	22.2	19.2	19.3	232.8	12	-72984
	10 LST	15.7	15.6	17.3	18.9	19.6	17.6	21.7	21.0	18.8	21.1	18.7	18.9	224.9	12	-72984

LINCOLN PARK, CANADA

LATITUDE 5101N

LONGITUDE 11408W

ELEVATION(FT) 03705

STA NO. 74133/ (IN AREA NUMBER 06)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	61	76	75	85	90	95	97	96	90	85	71	67	97	80	-72877
MEAN MAX TMP (F)	24	28	37	53	63	69	76	74	64	54	38	29	51	55	-72877
MEAN MIN TMP (F)	2	6	14	27	36	43	47	45	37	29	17	9	26	55	-72877
ABS MIN TMP (F)	-48	-49	-35	-22	2	12	31	28	8	-8	-31	-45	-49	80	-72877
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.7	0.2	0.0	0.0	0.0	0.0	1.0	9	-72877
MEAN NO DYS TMP = OR LES 32(F)	29.2	26.6	28.9	22.9	7.1	0.5	0.0	0.0	6.9	18.9	27.0	29.1	197.1	9	-72877
MEAN NO DYS TMP = OR LES 0(F)	12.1	9.7	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	6.9	37.9	10	-72877
MEAN DEW PT TMP (F)	8	11	18	28	35	43	49	47	38	31	19	12	28	10	-72877
MEAN REL HUM (PCT)	70	75	71	60	60	64	61	64	60	64	66	71	66	0	0
MEAN PRESS ALT (FT)														55	-72877
MEAN PRECIP (IN)	0.51	0.55	0.84	0.99	2.34	3.14	2.51	2.29	1.50	0.69	0.72	0.57	16.6	55	-72877
MEAN SNOW FALL (IN)	5.0	5.4	8.1	6.4	5.2	0.3	0.0	0.1	2.6	4.2	7.1	5.6	50.0	55	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.6	1.7	2.7	3.1	6.6	6.9	6.0	5.7	4.1	2.6	2.6	1.8	45.4	55	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.9	1.0	1.7	1.3	1.0	0.0	0.0	0.0	0.4	0.7	1.4	1.0	9.4	3	-72877
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.9	1.0	5.0	3.0	0.0	0.0	0.0	1.0	0.5	0.5	2.5	0.5	15.9	10	-72877
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	4.0	9.0	5.0	1.0	0.0	0.0	0.0	20.0	3	-72877
P FREQ WND SPD = OR GTR 17 KTS	9.5	8.9	12.9	16.7	20.2	10.0	6.9	9.3	16.3	20.2	16.7	19.0	13.9	3	-72877
P FREQ WND SPD = OR GTR 28 KTS	2.3	0.4	1.6	1.7	0.8	0.8	0.4	0.4	1.7	0.4	0.4	1.6	1.0	3	-72877
P FREQ LES 5000 FT A/O LES 5 MI	23.9	26.3	27.8	38.3	9.7	33.3	13.7	16.9	15.4	18.1	22.5	12.5	21.5	3	-72877
P FREQ LES 1500 FT A/O LES 3 MI														3	-72877
FOR 00-02 LST	16.2	19.1	21.6	14.8	10.3	12.1	4.2	5.9	5.2	12.7	16.5	11.7	12.5	9	-72877
03-05 LST	14.5	18.6	19.0	12.9	14.1	7.5	6.8	6.9	7.1	10.9	11.3	10.5	11.7	3	-72877
06-08 LST	14.7	17.4	20.0	21.5	8.7	10.4	5.0	10.7	5.2	12.7	14.0	9.3	12.5	3	-72877
09-11 LST	14.9	16.1	21.0	30.0	3.2	13.3	3.2	14.5	3.3	14.5	16.7	8.1	13.2	3	-72877
12-14 LST	17.3	15.2	18.6	25.0	1.6	10.0	1.6	11.3	5.8	11.3	16.7	5.7	11.7	3	-72877
15-17 LST	19.7	14.3	16.1	20.0	0.0	6.7	0.0	8.1	8.3	8.1	16.7	3.2	10.1	3	-72877
18-20 LST	18.8	17.0	20.2	18.4	3.3	11.7	0.8	6.5	5.8	10.9	19.2	8.1	11.7	3	-72877
21-23 LST	17.9	19.6	24.2	16.7	6.5	16.7	1.6	4.8	3.3	14.5	21.7	12.9	13.4	3	-72877
P FREQ LES 300 FT A/O LES 1 MI														3	-72877
FOR 00-02 LST	6.7	9.1	11.9	6.7	3.0	2.5	0.7	1.0	1.7	5.5	9.2	4.4	5.2	9	-72877
03-05 LST	7.3	9.3	9.3	6.7	6.0	1.7	1.4	2.0	3.3	4.5	5.0	4.0	5.0	3	-72877
06-08 LST	6.7	6.5	8.7	10.0	3.0	0.9	0.7	1.0	1.7	3.9	7.5	3.6	4.5	3	-72877
09-11 LST	6.0	3.6	8.1	13.3	0.0	0.0	0.0	0.0	0.0	3.2	10.0	3.2	4.0	3	-72877
12-14 LST	6.8	3.6	8.1	6.7	0.0	0.0	0.0	0.0	0.0	3.2	11.7	1.6	3.0	3	-72877
15-17 LST	7.6	3.6	8.1	0.0	0.0	0.0	0.0	0.0	0.0	4.9	12.5	3.2	4.2	3	-72877
18-20 LST	6.8	6.8	11.3	3.4	0.0	1.7	0.0	0.0	0.0	6.5	13.3	4.8	5.3	3	-72877
21-23 LST	6.0	8.9	14.5	6.7	0.0	3.3	0.0	0.0	0.0						

LINCOLN PARK, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST	26.3	25.0	27.0	26.0	31.0	29.0	31.0	30.0	29.0	29.0	24.5	30.5	336.3	3	-72877
	22 LST	26.4	24.0	24.0	26.0	29.0	26.0	30.5	30.5	29.5	27.5	25.0	27.5	325.9	3	-72877
	04 LST	26.8	23.5	25.6	26.6	27.0	28.4	29.4	29.1	28.1	27.8	27.5	28.2	328.0	9	-72877
	10 LST	26.8	24.0	25.5	23.0	31.0	28.0	31.0	28.0	29.5	26.5	26.0	29.0	328.3	3	-72877
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST	16.0	16.0	11.5	4.0	10.0	11.0	17.0	13.0	9.0	14.0	12.5	16.0	150.0	3	-72877
	22 LST	18.0	15.0	14.0	17.0	12.0	17.0	19.0	20.0	17.5	18.5	16.0	17.5	201.5	3	-72877
	04 LST	17.4	15.6	18.0	17.5	18.2	19.6	22.6	24.0	19.3	17.7	16.7	17.7	224.3	9	-72877
	10 LST	16.2	14.5	13.5	6.0	17.0	9.0	19.0	16.0	14.5	15.0	13.5	17.0	171.2	3	-72877
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST	2.3	1.0	4.0	6.0	8.0	3.0	3.5	2.5	4.0	4.5	2.5	4.5	45.8	3	-72877
	22 LST	1.8	2.5	3.0	0.0	2.0	0.0	1.0	1.5	2.5	5.0	3.5	5.0	27.8	3	-72877
	04 LST	4.5	1.8	2.4	1.5	2.1	0.6	0.5	0.6	1.4	3.6	3.1	4.4	26.5	9	-72877
	10 LST	2.3	2.0	3.0	5.0	10.0	5.0	2.0	2.5	4.0	6.0	4.5	6.0	52.3	3	-72877
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST	4.2	2.0	6.0	7.0	7.0	7.0	12.0	15.5	11.5	14.0	7.5	3.0	96.7	3	-72877
	22 LST	3.7	1.0	1.5	13.0	16.0	10.0	14.5	18.0	14.5	8.0	4.6	1.5	106.3	3	-72877
	04 LST	2.0	1.3	1.9	5.1	10.5	13.7	13.9	16.3	12.0	6.6	2.9	2.1	88.3	9	-72877
	10 LST	5.1	2.5	5.5	10.0	12.0	9.0	18.5	15.5	15.5	7.5	4.5	3.5	109.1	3	-72877
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST	8.0	7.0	5.5	1.0	10.0	3.0	10.0	8.5	7.0	10.0	5.5	10.5	86.0	3	-72877
	22 LST	13.4	10.0	10.5	9.0	14.0	7.0	10.0	14.0	11.5	15.5	10.0	11.5	136.4	3	-72877
	04 LST	11.3	9.8	11.2	10.1	10.7	8.7	12.9	14.0	14.4	13.9	12.4	13.3	142.7	9	-72877
	10 LST	5.5	8.0	5.0	4.0	13.0	6.0	13.5	11.5	8.5	9.0	9.0	6.0	99.0	3	-72877
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST	24.4	23.0	25.0	22.0	30.0	25.0	30.0	27.0	26.0	27.5	23.5	29.5	312.9	3	-72877
	22 LST	24.1	21.0	22.0	24.0	28.0	23.0	30.0	29.5	28.0	26.0	22.5	26.5	304.6	3	-72877
	04 LST	24.7	21.7	23.7	24.4	25.7	26.4	27.5	28.1	26.5	26.6	25.8	27.0	308.1	9	-72877
	10 LST	24.5	22.0	22.0	18.0	29.0	22.0	29.0	25.0	27.0	25.0	24.0	27.5	295.0	3	-72877
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST	23.9	22.5	21.5	16.0	25.0	18.0	23.5	23.5	22.0	26.0	22.5	28.5	272.9	3	-72877
	22 LST	24.1	19.0	21.0	23.0	25.0	16.0	25.0	25.5	24.5	24.0	22.0	25.5	274.6	3	-72877
	04 LST	22.7	19.7	22.0	22.0	23.5	22.2	24.9	25.2	23.7	24.5	24.5	25.7	280.6	9	-72877
	10 LST	23.1	21.0	22.0	15.0	27.0	18.0	26.0	23.0	23.0	23.0	23.0	27.0	273.1	3	-72877
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST	23.0	21.5	19.5	16.0	25.0	17.0	22.5	23.5	22.0	25.5	21.5	27.5	264.5	3	-72877
	22 LST	22.7	18.0	19.0	21.0	23.0	14.0	25.0	25.0	23.5	23.0	22.0	25.0	261.2	3	-72877
	04 LST	21.5	18.3	20.7	21.2	22.0	21.1	23.6	23.6	22.4	23.2	23.8	24.7	266.1	9	-72877
	10 LST	22.2	19.5	21.5	15.0	27.0	18.0	26.0	23.0	24.0	23.0	22.0	25.0	266.2	3	-72877

LLOYDMINSTER, CANADA

STA NO. 74134/ (IN AREA NUMBER 06)

LATITUDE 5318N

LONGITUDE 10959W

ELEVATION(FT) 02125

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	47	55	65	91	98	100	99	99	89	84	61	50	100	50	-110
MEAN MAX TMP (F)	7	14	29	49	64	70	76	73	63	50	32	18	45	28	-105
MEAN MIN TMP (F)	-14	-10	4	24	36	44	49	44	36	26	11	-2	21	28	-105
ABS MIN TMP (F)	-58	-55	-33	-20	5	24	24	26	7	-10	-27	-42	-58	50	-110
MEAN NO DYS TMP = OR GTR 40(F)	0.0	0.0	0.0	0.0	0.0	0.6	1.1	0.5	0.0	0.0	0.0	0.0	2.2	9	-72871
MEAN NO DYS TMP = OR LES 32(F)	30.7	27.9	29.9	22.6	9.4	0.8	0.0	0.0	5.9	19.1	28.9	30.2	205.4	9	-72871
MEAN NO DYS TMP = OR LES 0(F)	18.8	13.9	6.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	5.6	13.3	58.6	9	-72871
MEAN DEW PT TMP (F)	4	-3	13	27	35	45	51	49	40	30	16	3	26	5	-72871
MEAN REL HUM (PCT)	85	89	82	64	58	63	67	69	68	71	85	91	74	5	-72871
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.63	0.75	0.82	0.57	1.01	3.03	2.43	2.63	1.58	0.70	0.47	0.76	15.4	9	-72871
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.2	2.6	2.3	1.7	2.5	6.0	5.9	5.3	4.0	2.1	1.4	2.4	38.9	9	-72871
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUK VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	4.0	6.0	3.0	1.0	0.0	0.0	0.0	15.0	5	-72871
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	16.5	16.4	14.6	7.9	6.9	9.2	9.0	6.1	7.5	11.3	15.5	16.2	11.1	9	-72871
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	5.6	8.0	4.5	3.3	0.9	1.3	0.7	1.2	1.3	4.5	5.4	6.1	3.6	9	-72871
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

LLOYDMINSTER, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST	27.5	24.5	28.1	28.5	29.4	28.4	29.1	29.5	28.7	28.9	27.2	27.1	336.9	9 -72871
	11 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST													0	0
	23 LST													0	0
	05 LST	20.9	18.6	20.8	22.4	24.0	23.1	26.1	25.6	22.6	22.6	18.8	20.6	266.1	9 -72871
	11 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST													0	0
	23 LST													0	0
	05 LST	1.0	0.4	0.4	0.8	0.6	0.4	0.1	0.1	0.8	0.5	0.5	0.1	5.7	9 -72871
	11 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST													0	0
	23 LST													0	0
	05 LST	0.5	0.4	1.1	6.8	14.4	18.6	19.1	17.0	16.7	10.5	2.8	0.9	108.8	9 -72871
	11 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST	12.7	10.1	12.6	13.7	12.4	9.4	12.6	12.3	12.5	13.2	13.3	12.8	147.6	9 -72871
	11 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST	23.4	20.5	23.2	26.3	27.0	26.1	27.2	27.4	25.6	25.3	23.0	23.3	298.3	9 -72871
	11 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST	20.4	17.4	19.4	24.0	23.8	21.2	23.7	23.6	22.4	21.7	20.1	21.0	258.7	9 -72871
	11 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST	19.5	16.3	17.1	21.4	22.6	19.1	22.6	21.7	20.1	20.1	18.8	18.9	238.2	9 -72871
	11 LST													0	0

YORKTON, CANADA

STA NO. 74138 (IN AREA NUMBER 06)

LATITUDE 5115N

LONGITUDE 10227W

ELEVATION(FT) 01635

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	47	48	65	88	92	96	97	101	95	85	67	48	101	20	-610
MEAN MAX TMP (F)	8	13	25	46	63	72	78	74	64	50	34	15	45	29	-105
MEAN MIN TMP (F)	-16	-11	2	25	37	48	52	48	39	28	14	-6	22	29	-105
ABS MIN TMP (F)	-51	-42	-45	-17	16	31	36	31	10	0	-24	-42	-51	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	1.0	2.0	2.2	0.1	0.0	0.0	0.0	5.5	9	2931
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	30.3	23.7	6.6	0.5	0.0	0.2	5.2	18.2	29.0	31.0	203.7	9	2933
MEAN NO DYS TMP = OR LES 0(F)	23.1	17.9	9.3	0.1	0.0	0.0	0.0	0.0	0.0	0.2	4.7	16.1	71.4	9	2933
MEAN DEW PT TMP (F)	-1	0	13	28	37	48	55	53	43	33	18	3	28	9	-106
MEAN REL HUM (PCT)	90	91	86	71	62	67	68	69	72	72	87	91	77	9	-106
MEAN PRESS ALT (FT)	1459	1438	1515	1564	1611	1666	1639	1617	1603	1571	1523	1484	1558	0	-50
MEAN PRECIP (IN)	0.71	0.86	1.16	0.66	1.48	2.15	2.08	2.08	1.57	1.02	1.13	1.05	15.9	9	2934
MEAN SNOW FALL (IN)						0.0	0.0	0.0						20	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.2	2.8	3.2	2.8	4.2	5.0	4.7	4.9	3.8	3.3	3.8	2.5	43.2	9	2934
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0						20	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	2.8	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.5	1.0	0.5	0.5	6.3	3	632
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	3.0	5.0	4.0	1.0	0.0	0.0	0.0	14.0	8	-24
P FREQ WND SPD = OR GTR 17 KTS	14.6	11.6	8.9	23.3	25.0	15.8	11.6	11.5	16.2	13.7	10.6	13.7	14.7	3	2924
P FREQ WND SPD = OR GTR 28 KTS	0.7	0.9	0.8	4.2	6.5	0.0	0.5	0.4	0.9	0.8	0.8	2.0	1.5	3	2524
P FREQ LES 5000 FT A/O LES 5 MI	30.2	23.2	31.9	30.0	12.1	19.2	13.4	19.7	18.4	25.0	46.3	37.1	25.5	3	2528
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	16.4	13.2	13.0	7.0	5.9	4.2	3.9	9.3	6.8	12.5	24.7	19.2	11.3	3	-30
03-05 LST	13.3	13.7	19.4	7.3	8.5	8.3	5.9	12.1	10.1	12.1	24.3	19.0	12.8	9	2934
06-08 LST	17.1	11.3	16.2	11.7	7.5	5.8	4.7	11.8	12.0	14.1	27.2	20.0	13.3	3	-30
09-11 LST	20.9	8.9	12.9	16.7	6.5	3.3	3.4	11.5	13.8	16.1	30.0	21.0	13.8	3	638
12-14 LST	17.2	9.8	11.3	8.4	6.5	3.3	2.4	10.6	8.6	13.7	25.9	15.4	11.1	3	-30
15-17 LST	13.4	10.7	9.7	0.0	6.5	3.3	1.8	9.7	3.4	11.3	21.7	9.7	8.4	3	637
18-20 LST	16.4	11.6	8.1	3.4	4.9	1.7	1.8	8.1	3.4	12.1	23.4	14.6	9.1	3	-30
21-23 LST	19.4	12.5	6.5	6.7	3.2	0.0	1.8	6.5	3.4	12.9	25.0	19.4	9.8	3	637
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	6.3	4.7	4.7	3.6	1.0	0.9	0.9	3.1	1.3	3.6	8.8	5.1	3.7	3	-30
03-05 LST	6.5	4.0	9.3	3.8	2.0	1.7	1.8	4.5	2.5	4.0	10.9	6.9	4.6	9	2934
06-08 LST	9.2	3.8	5.5	3.6	1.0	0.9	0.9	3.1	1.3	4.4	8.8	7.8	4.2	3	-30
09-11 LST	11.9	3.6	1.6	3.3	0.0	0.0	0.0	1.6	0.0	4.8	7.7	9.7	3.6	3	638
12-14 LST	8.2	5.4	1.6	1.7	0.0	0.0	0.0	1.6	0.0	4.0	5.9	7.3	3.0	3	-30
15-17 LST	4.5	7.1	1.6	0.0	0.0	0.0	0.0	1.6	0.0	3.2	5.0	4.8	2.3	3	637
18-20 LST	5.3	6.3	0.8	1.7	0.0	0.0	0.0	1.6	0.0	3.2	5.9	4.0	2.4	3	-30
21-23 LST	6.0	5.4	0.0	3.3	0.0	0.0	0.0	1.6	0.0	3.2	6.7	3.2	2.5	3	637

YORKTON, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	28.2	25.5	30.0	30.0	29.0	30.0	30.4	28.5	30.0	28.5	25.5	29.5	345.1	3	637
	23 LST	26.8	26.5	30.5	28.0	30.0	30.0	31.0	29.5	30.0	28.5	23.5	26.5	340.8	3	637
	05 LST	27.6	25.1	26.2	28.4	29.1	28.4	29.6	27.5	28.2	28.9	24.5	26.7	330.2	9	2934
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	12.9	16.0	14.5	8.0	7.0	9.0	10.9	11.0	9.8	13.5	10.7	14.5	137.8	3	638
	23 LST	10.2	10.5	19.0	16.0	17.0	21.0	25.0	21.0	17.6	13.0	11.0	13.5	194.8	3	637
	05 LST	13.2	15.0	13.5	15.2	18.6	19.9	21.2	20.3	15.8	15.0	11.2	12.5	191.4	9	2934
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	3.7	4.0	1.5	10.0	12.0	6.0	5.4	5.5	7.2	5.5	4.1	3.5	68.4	3	638
	23 LST	4.2	2.5	2.0	3.0	3.0	0.0	0.0	0.5	1.5	1.0	2.5	3.5	23.7	3	637
	05 LST	3.0	1.2	2.2	2.6	1.5	1.0	0.4	0.4	1.1	2.2	2.5	3.4	21.5	9	2934
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	0.0	1.5	6.0	10.0	8.0	11.0	13.1	16.0	13.4	14.0	3.0	0.0	96.0	3	638
	23 LST	0.0	0.5	6.0	16.0	17.0	25.0	27.2	22.0	18.1	10.5	1.5	0.0	143.8	3	637
	05 LST	0.1	0.0	1.5	3.7	17.5	20.1	20.6	21.1	15.4	8.4	1.1	0.1	109.6	9	2934
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	12.5	13.0	12.0	3.0	9.0	10.0	9.2	12.0	10.9	12.0	10.0	13.5	127.1	3	637
	23 LST	13.9	16.0	15.5	18.0	22.0	20.0	20.6	18.5	17.0	17.0	11.5	12.0	202.0	3	637
	05 LST	15.9	14.7	11.7	14.6	12.4	12.0	14.6	14.0	13.4	16.2	11.0	14.4	164.9	9	2934
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	12.5	11.0	11.5	6.0	13.0	8.0	8.4	9.6	7.2	12.5	6.0	10.0	115.7	3	638
	23 LST	25.0	24.0	24.0	24.0	26.0	25.0	29.4	27.0	26.9	25.0	19.0	23.0	298.3	3	637
	05 LST	21.7	22.5	25.5	27.0	30.0	30.0	29.9	29.0	27.9	24.5	19.0	21.5	308.5	3	637
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	24.0	21.8	21.7	25.9	26.7	25.5	27.6	25.9	24.3	24.8	18.8	22.3	289.3	9	2934
	23 LST	22.7	24.5	24.0	21.0	25.0	25.0	27.3	24.4	22.7	23.5	17.0	23.0	280.1	3	638
	05 LST	23.1	21.0	20.5	16.0	21.0	18.0	21.2	24.0	23.8	22.0	16.0	17.5	244.1	3	637
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	19.4	19.5	20.0	24.0	29.0	28.0	29.9	26.0	26.9	22.0	16.5	17.0	278.2	3	637
	23 LST	21.4	20.2	18.7	22.8	24.0	22.0	25.2	23.7	21.2	23.2	15.9	20.1	258.4	9	2934
	05 LST	21.7	22.0	21.5	19.0	23.0	19.0	22.0	21.3	20.2	21.5	14.5	20.0	241.7	3	638
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	22.2	19.0	19.5	16.0	20.0	16.0	19.0	22.0	21.7	21.0	15.0	17.0	228.4	3	637
	23 LST	18.5	19.5	19.5	23.0	27.0	27.0	28.8	25.0	24.8	21.5	15.0	16.5	266.1	3	637
	05 LST	21.2	19.7	17.7	22.1	22.4	20.7	24.3	22.6	20.0	22.6	14.9	19.7	247.9	9	2934
	11 LST	21.3	21.0	19.5	14.0	20.0	18.0	22.0	20.3	19.7	20.0	12.5	18.0	226.3	3	638

NEEPAWA, CANADA

STA NO. 74146/ (IN AREA NUMBER 06)

LATITUDE 5014N

LONGITUDE 09930W

ELEVATION(FT) 01273

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	43	47	66	90	95	95	98	99	94	83	66	48	99	10	-610
MEAN MAX TMP (F)	10	14	27	44	63	72	78	78	64	53	31	16	46	8	2646
MEAN MIN TMP (F)	-7	-4	11	26	40	50	56	54	42	33	17	0	27	8	2645
ABS MIN TMP (F)	-45	-35	-33	-16	15	29	38	33	16	5	-26	-32	-45	10	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.1	2.1	2.3	0.1	0.0	0.0	0.0	5.6	8	2646
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	29.5	22.3	7.0	0.3	0.0	0.0	3.9	14.7	27.7	30.8	195.2	8	2645
MEAN NO DYS TMP = OR LES 0(F)	22.1	17.9	7.9	0.1	0.0	0.0	0.0	0.0	0.0	0.0	3.7	15.3	67.0	8	2645
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.71	1.03	0.84	1.00	2.31	2.20	2.78	2.57	1.86	1.34	0.88	0.89	18.4	8	2646
MEAN SNOW FALL (IN)	7.8	5.7	6.0	3.7	2.3	0.0	0.0	0.0	0.0	3.2	9.0	13.4	31.1	5	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.8	2.7	2.6	2.7	4.8	5.0	5.4	5.1	4.3	3.3	2.7	3.3	43.7	8	2646
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.5	1.0	1.2	0.7	0.4	0.0	0.0	0.0	0.0	0.5	1.9	2.9	10.1	5	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	4.0	5.0	6.0	1.0	0.0	0.0	0.0	17.0	5	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	12.4	17.3	13.0	7.6	8.3	7.6	5.7	6.9	7.9	13.5	22.2	17.1	11.6	8	2645
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	4.6	9.6	6.0	3.3	0.9	1.0	2.0	2.0	1.7	3.7	8.1	7.9	4.2	8	2645
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0


NEEPAWA, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	28.6	24.1	28.4	28.4	29.5	28.8	29.4	29.7	28.1	28.1	25.3	26.7	335.1	8	2645
	11 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	17 LST														0	0
	23 LST														0	0
	05 LST	12.7	13.2	16.5	14.7	17.1	19.0	19.6	20.4	16.7	14.9	9.1	12.5	186.4	8	2645
	11 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST														0	0
	23 LST														0	0
	05 LST	3.1	3.4	1.9	2.6	3.1	1.0	0.7	0.2	2.1	1.6	3.7	4.0	27.4	8	2646
	11 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST														0	0
	23 LST														0	0
	05 LST	0.1	0.1	1.4	4.6	14.1	19.0	20.3	20.2	15.4	10.5	1.3	0.3	107.3	8	2646
	11 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	15.7	14.4	12.2	11.9	12.6	9.8	12.2	14.4	11.2	13.1	10.2	14.3	152.0	8	2646
	11 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	24.7	21.6	23.5	25.7	26.8	26.0	28.0	28.1	25.5	24.1	19.6	23.1	296.7	8	2645
	11 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	22.0	19.5	18.9	22.1	24.0	24.3	25.9	26.2	22.1	21.8	16.1	20.2	263.1	8	2645
	11 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST	20.7	18.6	18.1	20.9	22.0	22.6	23.5	25.2	20.2	20.4	15.2	19.9	247.3	8	2645
	11 LST														0	0

AREA NO. 06

CANADA	PRAIRIES	LATITUDE 5500N												LONGITUDE 11400W	
		BOUNDARIES		6000N 12400W		6000N 11400W		6000N 11400W		5600N 11000W		5600N 11000W		4900N 09520W	
		4900N 09520W	6000N 12400W	4900N 11300W	6000N 11300W	4900N 11300W	5600N 12100W	5600N 12100W	6000N 12400W	4900N 09520W	6000N 12400W				
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN		
MEAN MAX TMP (F)	12	17	30	49	63	70	76	74	63	51	31	18	46		
MEAN MIN TMP (F)	-7	-3	8	26	37	46	51	48	39	29	13	0	24		
LARGEST MEAN PRECIP(IN)	1.50	1.44	1.41	1.61	2.67	3.92	3.46	3.31	2.39	1.49	1.77	1.77	26.7		
SMALLEST MEAN PRECIP(IN)	0.51	0.35	0.50	0.54	0.96	1.82	1.24	1.25	0.80	0.62	0.47	0.42	9.5		
	MEAN NUMBER OF DAYS														
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	15 LST	28.1	25.6	29.2	28.8	30.1	29.4	30.5	30.4	29.2	28.5	26.0	28.5	344.3	
	21 LST	27.5	25.6	28.6	28.7	29.7	28.9	30.4	30.3	29.3	28.6	25.1	27.7	340.4	
	03 LST	27.3	24.3	27.3	27.9	28.8	28.0	29.2	28.7	27.7	28.1	25.9	27.0	330.2	
	09 LST	26.7	24.6	27.8	27.7	29.7	29.0	30.0	29.0	28.1	27.4	25.4	27.2	332.6	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	15 LST	18.3	17.0	16.4	12.3	11.5	14.8	16.7	15.4	14.3	17.1	15.8	17.8	187.4	
	21 LST	17.6	16.5	18.8	18.2	19.0	21.8	23.1	22.7	19.5	19.4	15.9	16.9	229.4	
	03 LST	15.4	14.8	16.2	17.2	18.7	19.5	21.9	21.1	17.5	16.7	13.5	15.1	207.6	
	09 LST	17.1	16.1	16.2	12.6	13.6	15.1	15.8	16.7	12.8	15.4	14.2	16.6	182.2	
SFC WND = GTR 17 KTS AND NO PRECIP.	15 LST	2.5	2.0	3.0	5.6	6.5	2.6	3.4	2.9	4.1	2.7	2.6	3.5	41.4	
	21 LST	2.5	1.4	2.3	1.6	2.0	0.6	0.7	0.9	1.4	1.8	2.2	3.5	20.9	
	03 LST	2.7	1.4	2.0	2.0	1.8	1.1	0.6	0.8	1.6	2.1	2.8	2.8	21.9	
	09 LST	3.0	1.8	3.4	5.1	5.7	2.8	3.2	2.8	4.1	3.8	3.2	3.3	42.2	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	1.8	2.2	6.7	11.0	12.0	13.7	15.1	14.9	13.9	14.1	6.2	1.7	113.3	
	21 LST	0.8	0.9	3.0	12.4	16.1	17.3	17.8	17.9	15.5	10.3	3.5	0.7	116.2	
	03 LST	0.4	0.3	1.2	5.2	12.8	13.5	17.1	17.3	13.7	8.3	1.8	0.7	94.3	
	09 LST	1.3	1.1	4.3	11.3	13.7	14.1	16.1	16.2	13.7	11.1	4.6	1.4	108.4	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	15 LST	7.9	9.6	8.1	3.3	8.0	5.6	7.6	8.5	7.1	9.5	7.7	8.2	91.1	
	21 LST	12.6	12.9	13.9	12.9	16.2	12.6	14.1	15.7	13.0	15.2	10.8	10.8	160.7	
	03 LST	13.1	11.4	11.6	11.4	10.5	8.9	11.9	12.0	12.2	13.2	11.6	12.2	140.0	
	09 LST	7.3	8.5	7.7	5.5	10.2	6.0	9.5	10.0	7.6	9.3	6.3	6.9	94.8	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	15 LST	25.6	23.4	26.1	25.9	28.5	27.2	29.6	28.7	27.2	26.2	22.2	25.6	316.6	
	21 LST	25.0	23.2	26.2	27.0	28.8	27.6	29.7	29.3	27.5	26.1	21.7	24.8	316.9	
	03 LST	24.0	21.2	23.5	25.5	26.4	25.8	27.6	27.2	25.3	25.3	22.0	23.8	297.6	
	09 LST	24.5	22.8	24.5	23.6	27.3	25.5	27.8	26.3	24.8	24.5	21.2	24.9	297.7	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	15 LST	23.4	21.4	22.8	19.3	23.7	19.8	24.0	24.1	23.3	23.7	19.3	22.6	267.4	
	21 LST	22.6	20.7	23.0	23.8	26.3	23.9	26.8	26.0	24.7	23.6	19.2	22.2	282.8	
	03 LST	21.5	18.6	20.3	22.7	23.6	22.9	25.3	24.6	22.5	22.8	19.5	21.4	265.7	
	09 LST	22.3	20.2	22.0	19.7	23.9	19.2	23.8	23.5	22.4	22.6	19.0	22.6	261.2	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	20.7	18.2	20.1	17.0	20.4	17.1	21.6	22.3	21.2	21.9	16.9	19.3	236.7	
	21 LST	20.4	18.3	20.4	21.6	23.8	20.8	24.1	24.0	22.5	22.2	17.4	20.2	255.7	
	03 LST	20.3	17.1	18.7	21.1	21.8	21.1	23.6	22.8	20.9	21.4	18.3	20.1	247.2	
	09 LST	19.9	17.0	19.3	17.8	21.8	17.6	22.4	21.8	20.1	20.7	16.7	19.2	234.3	

CANADA-7



SIOUX LOOKOUT, CANADA

STA NO. 72842 (IN AREA NUMBER 07)

LATITUDE 5007N

LONGITUDE 09154W

ELEVATION(FT) 01280

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	44	50	66	87	91	99	103	96	91	80	60	48	103	50	-110
MEAN MAX TMP (F)	5	13	26	43	60	69	76	72	60	45	27	10	42	23	-105
MEAN MIN TMP (F)	-11	-9	4	23	37	48	54	51	43	32	16	-4	24	23	-105
ABS MIN TMP (F)	-49	-51	-40	-30	10	23	33	25	6	-2	-35	-44	-51	50	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		23	-29
MEAN NO DYS TMP = OR LES 32(F)							0.0							50	-29
MEAN NO DYS TMP = OR LES 0(F)					0.0	0.0	0.0	0.0	0.0	0.0				50	-29
MEAN DEW PT TMP (F)	-1	1	12	25	36	49	56	55	45	36	20	4	28	10	-106
MEAN REL HUM (PCT)	93	90	73	64	64	70	71	75	79	78	89	92	78	10	-106
MEAN PRESS ALT (FT)	1151	1123	1151	1178	1219	1300	1300	1260	1246	1232	1205	1205	1214	0	-50
MEAN PRECIP (IN)	1.03	0.88	1.30	1.74	1.86	3.46	3.47	2.76	3.46	1.78	1.72	1.06	24.5	23	-105
MEAN SNOW FALL (IN)	10.2	8.6	11.6	8.0	2.8	0.0	0.0	0.0	0.8	4.7	10.3	10.5	65.5	23	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.3	2.8	4.0	5.2	5.5	7.3	7.3	6.4	7.6	4.7	4.5	3.4	62.0	23	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.1	1.7	2.4	1.2	0.5	0.0	0.0	0.0	0.1	0.8	2.3	2.2	13.3	23	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.0	2.0	5.0	8.0	7.0	4.0	2.0	0.0	0.0	29.0	10	-24
P FREQ WND SPU = OR GTR 17 KTS														0	0
P FREQ WND SPU = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SIOUX LOOKOUT, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	18	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR	18	LST												0	0
3 MI w/SFC WND LES 10 KTS	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
SFC WND = GTR 17 KTS AND	18	LST												0	0
NO PRECIP.	08	LST												0	0
	06	LST												0	0
	12	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	18	LST												0	0
DEG F AND NO PRECIP.	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
SKY COVER LES 3/10 AND	18	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
CIG = GTR 2500 FT AND	18	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
CIG = GTR 6000 FT AND	18	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
CIG = GTR 10000 FT AND	18	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
	06	LST												0	0
	12	LST												0	0

DATA NOT AVAILABLE

KENORA, CANADA

STA NO. 72850 (IN AREA NUMBER 07)

LATITUDE 4948N LONGITUDE 09422W ELEVATION(FT) 01348

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	47	48	74	87	91	99	105	95	88	80	61	49	105	60	-610
MEAN MAX TMP (F)	8	14	29	46	61	72	77	74	63	48	30	14	5	39	-105
MEAN MIN TMP (F)	-8	-5	9	26	40	51	57	53	45	33	18	1	27	39	-105
ABS MIN TMP (F)	-47	-46	-31	-17	10	32	40	35	24	-4	-24	-42	-47	60	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	0.3	0.2	0.0	0.0	0.0	0.0	0.9	9	2941
MEAN NO DYS TMP = OR LES 32(F)	31.0	27.7	30.0	22.5	6.2	0.0	0.0	0.0	2.1	9.7	27.4	31.0	187.6	9	2941
MEAN NO DYS TMP = OR LES 0(F)	20.7	16.0	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	14.4	58.6	9	2941
MEAN DEW PT TMP (F)	2	1	15	27	37	49	57	55	46	36	21	5	29	10	-106
MEAN REL HUM (PCT)	93	91	79	64	61	69	72	73	78	76	88	90	78	10	-106
MEAN PRESS ALT (FT)	1184	1192	1235	1265	1310	1353	1332	1305	1287	1264	1252	1211	1264	40	-50
MEAN PRECIP (IN)	1.22	0.92	1.29	1.29	2.34	3.13	4.04	3.07	2.75	2.02	1.42	1.20	24.7	40	-105
MEAN SNOW FALL (IN)	12.2	9.1	10.4	4.7	0.9	0.0	0.0	0.0	0.3	3.6	9.9	11.3	62.4	40	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.9	3.0	4.0	4.0	6.6	6.9	8.0	6.8	6.4	5.1	4.0	3.9	62.6	40	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.6	1.9	2.2	0.9	0.1	0.0	0.0	0.0	0.0	0.6	2.1	2.4	12.8	40	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	1.0	3.0	6.0	8.0	7.0	4.0	1.0	0.0	0.0	30.0	8	-24
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.0	3.0	6.0	8.0	7.0	4.0	1.0	0.0	0.0	30.0	0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	19.4	17.3	13.8	13.8	17.0	15.1	9.8	14.6	20.5	22.0	34.7	27.9	18.8	9	2941
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	6.5	8.8	6.9	5.0	5.7	4.6	2.2	4.0	7.9	8.1	13.4	11.7	7.1	9	2941
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KENORA, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST	26.6	24.6	27.6	26.9	26.8	26.3	28.6	26.7	25.2	25.2	22.8	24.0	311.3	9 2941
	12 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST													0	0
	00 LST													0	0
	06 LST	17.2	14.7	16.9	15.2	17.4	19.2	23.3	19.2	15.9	14.7	8.3	13.1	195.1	9 2941
	12 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST	0.5	0.6	0.2	0.1	1.1	0.5	0.1	0.4	0.4	0.7	0.4	0.7	5.7	9 2943
	12 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST	0.0	0.2	1.0	4.7	17.9	21.5	23.1	22.2	18.9	13.6	2.0	0.2	125.3	9 2943
	12 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST	14.1	15.3	13.6	11.3	12.2	9.5	13.2	11.5	9.4	10.0	7.5	11.2	138.8	9 2943
	12 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST	22.5	21.3	24.0	23.7	24.0	23.8	26.4	24.5	20.7	21.5	14.0	18.8	265.2	9 2941
	12 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST	20.5	20.2	21.7	20.6	22.6	21.3	24.4	22.9	18.2	18.4	11.9	16.7	239.4	9 2941
	12 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST	19.6	19.3	20.6	19.2	21.5	20.6	22.7	21.6	17.1	17.4	11.5	16.6	227.7	9 2941
	12 LST													0	0

GIMLI, CANADA

STA NO. 72856 (IN AREA NUMBER 07)

LATITUDE 5037N

LONGITUDE 09703W

ELEVATION(FT) 00755

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	43	46	64	91	93	95	94	104	94	84	63	42	104	20	-610
MEAN MAX TMP (F)	6	15	26	44	59	70	76	74	62	51	30	15	44	12	4378
MEAN MIN TMP (F)	-11	-3	7	27	39	50	56	54	44	34	17	0	26	12	4378
ABS MIN TMP (F)	-50	-39	-40	-19	7	29	36	35	18	-2	-23	-39	-50	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.1	0.1	0.3	0.8	0.8	0.1	0.0	0.0	0.0	2.2	12	4378
MEAN NO DYS TMP = OR LES 32(F)	30.9	28.0	30.4	22.7	6.4	0.2	0.0	0.0	2.0	13.1	28.2	31.0	192.9	12	4378
MEAN NO DYS TMP = OR LES 0(F)	23.8	17.2	11.3	0.4	0.0	0.0	0.0	0.0	0.0	0.1	3.9	16.3	73.0	12	4378
MEAN DEW PT TMP (F)	-7	2	10	27	37	50	57	54	44	35	20	3	28	9	78652
MEAN REL HUM (PCT)	82	82	79	73	66	73	73	75	76	77	83	84	77	9	78640
MEAN PRESS ALT (FT)	589	561	618	660	707	784	777	750	739	716	676	624	683	0	-50
MEAN PRECIP (IN)	0.83	0.57	0.82	0.87	1.80	3.55	2.86	2.30	1.99	1.73	0.81	0.77	18.9	10	-105
MEAN SNOW FALL (IN)	8.3	5.7	5.1	2.9	2.0	0.0	0.0	0.0	0.0	2.5	6.0	7.7	40.2	10	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.7	1.8	2.6	2.8	5.4	7.4	6.5	5.7	5.0	4.6	2.8	2.5	49.8	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.7	1.0	1.0	0.5	0.3	0.0	0.0	0.0	0.0	0.4	1.1	1.5	7.5	10	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	1.6	2.3	2.0	1.5	1.2	0.7	0.4	0.7	1.4	2.0	2.9	2.3	19.0	9	3284
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.3	1.9	4.7	5.2	4.8	1.3	0.3	0.0	0.0	18.5	9	3284
P FREQ WND SPD = OR GTR 17 KTS	8.2	8.5	8.9	11.8	13.4	10.0	7.6	5.8	10.7	12.7	18.4	11.7	10.6	9	78807
P FREQ WND SPD = OR GTR 28 KTS	0.5	0.3	0.5	0.7	1.2	0.6	0.2	0.2	0.7	0.5	0.9	0.4	0.6	9	78807
P FREQ LES 5000 FT A/O LES 5 MI	26.1	26.7	24.0	24.5	22.7	25.3	16.3	18.0	28.1	28.9	46.9	36.1	27.0	9	78806
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	11.1	11.4	9.2	5.7	7.1	5.2	2.7	3.2	7.7	7.2	17.0	16.5	8.7	9	9855
03-05 LST	11.0	12.3	9.2	6.5	9.5	6.8	3.6	4.5	10.6	10.0	19.9	19.8	10.3	9	9854
06-08 LST	11.6	14.0	11.7	12.7	10.2	12.3	6.3	8.2	15.7	15.4	20.7	21.1	13.3	12	10948
09-11 LST	13.4	15.7	11.9	11.9	9.6	11.0	5.6	8.0	14.2	17.1	24.8	21.7	13.7	9	9853
12-14 LST	9.8	13.3	8.5	5.8	7.6	8.8	2.6	5.7	8.8	12.8	23.5	16.5	10.3	9	9856
15-17 LST	9.4	11.3	8.1	4.9	7.0	7.0	1.8	4.9	6.2	8.8	21.1	14.4	8.7	9	9858
18-20 LST	9.2	10.2	7.3	4.2	7.3	6.7	2.4	4.3	4.6	7.9	15.9	14.9	7.9	9	9854
21-23 LST	10.3	10.4	7.8	4.2	6.5	5.8	2.5	2.5	5.4	7.8	17.3	16.9	8.1	9	9851
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	3.2	3.4	3.1	1.4	1.6	0.5	0.4	0.7	0.6	0.7	4.0	5.0	2.1	9	9855
03-05 LST	2.4	3.0	3.7	1.5	2.2	1.5	1.0	1.3	2.5	2.4	4.9	5.5	2.7	9	9854
06-08 LST	2.6	4.0	3.8	3.3	1.5	0.9	0.8	1.2	2.9	5.1	5.6	4.8	3.0	12	10948
09-11 LST	3.0	3.1	2.3	2.5	1.0	0.0	0.0	0.1	1.1	2.0	7.2	6.5	2.4	9	9853
12-14 LST	3.0	2.4	2.6	1.4	1.0	0.4	0.0	0.4	0.4	1.1	5.6	5.3	2.0	9	9856
15-17 LST	2.9	3.0	2.7	1.5	0.4	0.1	0.1	0.1	0.4	0.7	4.2	4.3	1.7	9	9858
18-20 LST	2.3	2.5	2.7	1.4	0.6	0.4	0.1	0.2	0.2	0.7	3.3	3.5	1.5	9	9854
21-23 LST	2.9	2.9	2.3	0.4	0.6	0.0	0.2	0.0	0.0	0.5	2.3	3.3	1.3	9	9851

GIMLI, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.6	25.9	29.2	28.9	29.4	28.7	30.5	30.2	29.2	29.8	26.4	27.7	344.5	9	3286
	00 LST	28.0	25.5	28.6	28.9	29.6	29.2	30.3	30.7	28.9	29.9	26.3	27.3	343.2	9	3286
	06 LST	28.7	24.5	28.4	27.2	28.3	28.3	30.0	28.5	25.7	27.7	26.2	26.4	329.9	12	4378
	12 LST	27.9	25.7	29.1	28.5	29.3	29.0	30.5	30.3	28.5	28.8	24.8	26.1	338.5	9	3286
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	18.4	15.3	18.1	14.1	12.6	15.0	18.7	20.3	19.1	17.3	12.3	15.8	197.0	9	3286
	00 LST	19.0	15.7	20.1	18.8	20.1	21.4	24.8	23.7	19.1	17.3	12.9	16.0	228.9	9	3286
	06 LST	17.7	15.8	18.2	16.6	17.4	19.9	22.7	21.8	16.9	15.6	12.0	16.0	210.6	12	4378
	12 LST	16.6	13.9	15.0	11.6	9.8	11.4	14.5	14.3	10.3	9.2	8.2	13.6	148.4	9	3286
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	2.0	2.0	1.9	3.5	4.5	3.0	1.8	1.4	2.1	3.4	4.5	3.3	33.4	9	3100
	00 LST	1.5	2.5	1.5	1.1	2.0	0.9	1.2	1.2	1.4	3.3	4.0	2.7	23.3	9	3017
	06 LST	1.5	1.6	1.9	1.7	2.0	1.0	0.7	0.7	0.8	3.1	3.9	2.3	21.2	12	4131
	12 LST	4.0	2.8	4.2	6.7	7.3	5.6	6.0	3.6	6.6	6.4	7.7	4.7	65.6	9	3085
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	0.1	0.5	3.9	12.7	13.9	15.2	16.4	18.1	15.3	13.9	4.8	0.2	115.0	9	3100
	00 LST	0.0	0.1	1.4	8.0	10.6	17.1	15.7	16.3	16.2	13.2	3.0	0.0	108.0	9	3017
	06 LST	0.0	0.0	0.2	4.6	12.6	14.9	13.4	15.3	15.2	10.4	1.9	0.2	88.7	12	4130
	12 LST	0.1	0.1	2.1	10.0	13.0	12.6	14.9	15.7	12.2	11.5	3.7	0.5	96.4	9	3085
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	11.3	8.8	8.3	6.2	7.3	4.8	7.5	7.7	4.1	8.0	6.5	8.9	89.4	9	3286
	00 LST	12.8	13.1	14.8	13.7	14.3	11.6	16.1	15.9	12.5	12.6	7.9	11.6	156.9	9	3286
	06 LST	13.7	14.0	10.4	7.9	9.8	7.4	10.4	7.8	6.8	9.3	7.7	11.1	116.3	12	4381
	12 LST	9.6	8.0	8.5	6.4	7.3	3.7	5.1	4.9	3.9	6.9	3.4	5.9	73.6	9	3286
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	26.2	23.4	26.9	27.2	28.0	26.4	29.9	29.0	27.1	26.8	21.5	23.4	315.8	9	3286
	00 LST	25.9	22.3	25.8	27.1	28.2	27.2	29.6	29.1	27.0	26.7	21.9	23.1	313.9	9	3286
	06 LST	25.3	21.9	24.5	25.6	26.3	25.8	28.5	26.7	23.5	24.1	20.2	22.2	294.6	12	4378
	12 LST	26.5	22.8	26.9	25.0	26.9	24.3	28.3	27.1	23.8	22.9	18.1	22.6	295.2	9	3286
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	23.2	20.9	24.4	22.9	24.6	22.1	26.3	26.5	21.2	23.8	16.4	20.2	272.5	9	3286
	00 LST	22.8	20.2	23.2	22.9	23.7	23.9	27.0	26.2	23.2	22.8	17.6	19.7	273.2	9	3286
	06 LST	22.1	19.9	21.4	21.3	23.6	23.0	25.7	24.7	20.4	19.9	15.1	18.7	255.8	12	4378
	12 LST	24.1	20.6	24.6	21.3	22.2	18.3	22.3	19.7	17.6	19.5	14.6	20.1	244.9	9	3286
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	20.6	19.2	21.8	20.6	20.6	19.7	23.9	23.2	19.0	20.6	14.1	18.5	241.8	9	3286
	00 LST	21.5	18.8	21.6	21.1	21.2	21.8	25.2	24.6	21.2	20.8	15.2	18.5	251.5	9	3286
	06 LST	20.6	18.7	19.3	19.7	20.0	20.7	22.0	22.2	17.6	18.5	13.7	17.3	230.3	12	4378
	12 LST	21.8	19.2	22.8	18.5	20.1	15.5	20.9	17.4	15.0	17.2	12.8	17.3	218.5	9	3286

WABOWDEN, CANADA

STA NO. 72857 (IN AREA NUMBER 07)

LATITUDE 5455N

LONGITUDE 09838W

ELEVATION(FT) 00737

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	39	46	58	86	91	94	94	90	87	77	54	40	94	30	-110
MEAN MAX TMP (F)	-2	5	22	40	55	64	73	69	57	44	21	4	38	10	-105
MEAN MIN TMP (F)	-18	-16	-2	17	32	42	51	48	40	29	8	-9	19	10	-105
ABS MIN TMP (F)	-52	-48	-36	-22	6	22	34	29	17	2	-34	-46	-52	30	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = OR LES 32(F)							0.0	0.0						30	-29
MEAN NO DYS TMP = OR LES 0(F)					0.0	0.0	0.0	0.0	0.0	0.0				30	-29
MEAN DEW PT TMP (F)	-14	-11	9	20	31	43	53	52	42	32	12	-8	22	6	-106
MEAN REL HUM (PCT)	88	89	83	76	65	67	71	77	79	83	89	89	80	6	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.66	0.52	0.62	0.81	1.38	3.05	3.21	2.75	2.45	1.02	0.85	0.61	17.9	10	-105
MEAN SNOW FALL (IN)	6.6	5.2	6.0	7.5	1.4	0.9	0.0	0.0	0.1	3.9	7.9	6.1	45.6	10	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.1	1.6	2.0	2.6	4.3	6.8	7.0	6.4	5.9	3.2	2.9	1.9	46.7	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.3	0.9	1.2	1.5	0.2	0.2	0.0	0.0	0.0	0.7	1.6	1.1	8.7	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	3.0	4.0	4.0	1.0	0.0	0.0	0.0	12.0	6	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

WABOWDEN, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
CIG = GTR 2000 FT AND VSBY = GTR	17	LST												0	0
3 MI W/SFC WND LES 10 KTS	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
SFC WND = GTR 17 KTS AND	17	LST												0	0
NO PRECIP.	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	17	LST												0	0
DEG F AND WU PRECIP.	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
SKY COVER LES 3/10 AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
CIG = GTR 2500 FT AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
CIG = GTR 6000 FT AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
CIG = GTR 10000 FT AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0

DATA NOT AVAILABLE

THE PAS, CANADA

STA NO. 72867 (IN AREA NUMBER 07)

LATITUDE 5358N

LONGITUDE 10106W

ELEVATION(FT) 00887

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	44	56	59	87	93	97	100	96	90	80	58	48	100	50	-610
MEAN MAX TMP (F)	1	10	24	45	60	70	75	72	60	45	25	9	41	27	-105
MEAN MIN TMP (F)	-18	-13	-2	21	36	48	54	50	38	26	8	-8	20	27	-105
ABS MIN TMP (F)	-54	-54	-43	-21	9	25	32	22	16	-11	-33	-51	-54	50	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.2	0.6	0.0	0.0	0.0	0.0	0.0	0.9	13	4272
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	30.8	25.3	12.2	1.1	0.0	0.0	3.4	16.9	29.5	31.0	209.2	13	4272
MEAN NO DYS TMP = OR LES 0(F)	26.8	20.4	17.2	2.0	0.0	0.0	0.0	0.0	0.0	0.0	5.5	19.8	91.7	13	4272
MEAN DEW PT TMP (F)	-10	-3	5	22	35	46	55	53	43	33	17	-1	25	12	100990
MEAN REL HUM (PCT)	85	82	77	71	68	72	74	77	80	80	87	84	78	12	100962
MEAN PRESS ALT (FT)	716	688	741	795	836	920	921	898	886	866	813	761	820	0	-50
MEAN PRECIP (IN)	0.61	0.50	0.72	0.81	1.38	2.20	2.22	2.11	1.96	1.16	0.98	0.79	15.4	27	-105
MEAN SNOW FALL (IN)	6.1	5.0	7.0	4.6	1.0	0.0	0.0	0.0	0.1	4.1	9.1	7.9	44.9	27	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.9	1.5	2.3	2.6	4.3	5.5	5.5	5.4	5.0	3.5	3.1	2.5	43.1	27	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.1	0.9	1.4	0.9	0.1	0.0	0.0	0.0	0.0	0.7	1.9	1.6	8.6	27	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.0	0.6	1.5	1.6	1.2	0.7	1.0	0.7	1.7	1.8	4.2	2.1	18.1	13	4284
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.2	1.1	3.8	7.2	4.4	1.6	0.3	0.0	0.0	18.6	13	4269
P FREQ WND SPD = OR GTR 17 KTS	6.2	7.4	7.9	10.9	11.0	7.7	8.4	9.2	14.0	12.4	13.9	8.1	9.8	13	102743
P FREQ WND SPD = OR GTR 28 KTS	0.3	0.1	0.3	0.3	0.5	0.2	0.2	0.5	0.7	0.7	0.3	0.5	0.4	13	102743
P FREQ LES 5000 FT A/O LES 5 MI	24.8	24.4	19.4	20.5	20.9	23.5	18.7	21.9	33.6	31.3	57.0	34.3	27.5	13	102703
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	12.2	10.0	7.5	6.0	7.5	8.7	5.7	6.9	12.6	14.9	33.3	19.9	12.1	13	12832
03-05 LST	14.3	9.4	8.1	8.6	9.4	13.3	9.1	9.9	16.2	16.2	34.9	20.3	14.1	13	12846
06-08 LST	13.1	10.5	10.2	10.7	9.5	14.1	9.5	12.6	16.6	18.5	34.8	20.0	15.0	13	12847
09-11 LST	13.0	10.5	9.1	11.2	9.6	13.1	6.0	11.9	17.2	21.0	35.9	21.2	15.0	13	12854
12-14 LST	10.7	8.4	7.0	8.3	7.0	10.9	4.3	6.1	12.9	17.8	35.6	18.1	12.3	13	12845
15-17 LST	8.7	8.4	7.6	6.4	6.0	6.8	2.8	3.9	11.3	15.2	31.9	19.0	10.7	13	12846
18-20 LST	9.1	8.2	7.3	5.3	5.2	6.7	2.5	3.0	9.2	13.0	29.2	16.5	9.6	13	12841
21-23 LST	9.2	9.0	6.5	4.4	6.0	7.3	4.9	3.4	9.2	12.3	30.4	17.7	10.0	13	12828
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.8	1.3	1.8	1.8	1.8	0.6	0.4	1.2	2.2	3.2	7.3	2.5	2.1	13	12832
03-05 LST	1.9	2.1	2.2	2.5	2.4	2.1	1.9	1.5	3.7	3.9	7.8	3.4	3.0	13	12846
06-08 LST	2.8	2.0	2.6	3.6	1.4	1.4	1.0	1.3	3.3	4.7	8.2	3.4	3.0	13	12847
09-11 LST	2.2	1.9	2.2	3.0	0.7	0.2	0.0	0.2	0.7	3.0	7.5	4.1	2.1	13	12854
12-14 LST	1.3	1.4	2.4	2.0	0.9	0.3	0.0	0.0	0.4	1.4	7.9	3.8	1.8	13	12845
15-17 LST	1.3	1.3	3.1	2.6	0.7	0.0	0.0	0.0	0.4	2.0	5.9	3.8	1.8	13	12846
18-20 LST	1.4	0.9	2.9	1.3	0.6	0.1	0.2	0.0	0.6	1.9	6.5	2.9	1.6	13	12841
21-23 LST	1.3	0.9	1.4	1.5	1.4	0.6	0.4	0.2	1.1	1.7	6.7	2.3	1.6	13	12828

THE PAS, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	29.4	26.4	29.1	28.4	29.7	28.9	30.5	30.4	27.6	27.8	24.3	27.7	340.2	13	4286
	23 LST	29.1	26.5	29.5	28.8	29.5	28.6	29.9	30.3	28.6	28.7	24.2	27.6	341.3	13	4286
	05 LST	28.0	25.9	28.8	28.0	28.7	27.0	28.9	29.2	27.0	27.5	22.7	27.0	328.7	13	4286
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	11 LST	27.9	25.8	28.6	27.8	29.7	27.8	30.2	29.9	26.6	26.7	22.5	26.6	330.1	13	4286
	17 LST	18.6	14.4	15.0	13.2	13.2	13.4	13.6	13.9	11.9	13.5	9.4	16.8	166.9	13	4286
	23 LST	15.7	15.8	18.6	18.2	17.4	18.9	21.3	20.6	15.1	14.4	9.7	15.0	200.7	13	4286
SFC WND = GTR 17 KTS AND NO PRECIP.	05 LST	16.5	15.8	19.5	18.3	18.4	18.8	19.7	18.8	14.9	13.7	8.8	14.7	197.9	13	4286
	11 LST	17.0	14.4	16.1	13.2	13.1	13.0	13.9	12.6	10.4	10.1	8.0	15.2	157.0	13	4286
	17 LST	1.9	2.2	3.7	4.6	5.1	3.1	3.7	4.9	4.5	3.8	5.0	2.5	45.0	13	3997
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST	1.5	2.0	1.3	1.3	1.7	0.5	0.8	0.9	2.5	3.1	3.0	2.0	20.6	13	3884
	05 LST	1.4	1.5	1.0	2.1	1.3	0.8	1.2	1.4	2.0	3.2	3.2	2.1	21.2	13	3884
	11 LST	2.2	2.6	2.9	5.4	4.9	3.6	3.7	3.9	5.6	5.3	5.0	2.9	48.0	13	3924
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	0.0	0.3	3.1	10.2	14.4	14.6	14.9	14.8	13.6	13.5	2.6	0.0	102.0	13	3936
	23 LST	0.0	0.0	1.0	7.7	16.7	20.8	21.4	20.4	16.3	12.6	1.4	0.2	118.5	13	3873
	05 LST	0.0	0.1	0.2	3.9	13.9	18.7	19.9	20.5	17.4	12.3	1.3	0.1	108.3	13	3857
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	11 LST	0.1	0.0	1.9	9.3	14.4	17.1	15.7	16.6	13.7	13.4	2.6	0.3	105.1	13	3912
	17 LST	11.7	8.8	10.9	8.3	6.7	4.7	5.1	7.0	5.8	8.2	5.3	9.6	92.1	9	3287
	23 LST	14.8	13.2	17.5	14.6	13.9	11.6	13.3	15.7	11.8	12.9	6.9	13.3	159.5	10	3288
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	05 LST	15.1	12.4	16.4	11.6	8.9	8.6	10.0	10.9	8.9	12.9	8.0	11.9	135.6	9	3287
	11 LST	9.5	9.0	10.8	8.6	7.9	6.5	7.4	6.2	5.6	6.8	4.2	6.9	89.4	9	3287
	17 LST	27.3	24.1	28.0	27.0	27.8	26.6	29.3	28.8	24.5	24.5	16.5	23.1	307.5	13	4286
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST	26.1	24.4	28.3	28.1	27.9	26.6	28.9	28.8	24.9	24.7	17.2	22.6	308.5	13	4286
	05 LST	25.7	23.7	27.1	25.8	26.8	24.3	26.9	26.5	23.6	24.2	16.0	22.4	293.0	13	4286
	11 LST	25.6	23.9	27.0	25.4	26.7	24.4	27.9	25.6	22.4	22.8	16.5	22.9	291.1	13	4286
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	24.5	22.0	25.3	22.9	23.3	21.9	23.3	22.6	19.4	21.5	13.4	20.2	260.3	13	4286
	23 LST	23.8	20.9	25.4	24.8	24.5	23.3	25.9	26.2	21.0	21.9	13.8	20.1	271.6	13	4286
	05 LST	23.3	20.8	23.8	22.9	23.7	22.1	24.4	24.0	18.8	21.2	12.6	20.3	257.9	13	4286
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	11 LST	22.9	21.8	25.1	22.7	23.5	20.9	22.6	20.3	17.7	20.2	13.0	20.0	250.7	13	4286
	17 LST	20.6	18.4	23.5	20.8	19.7	18.3	19.1	19.6	16.4	18.7	11.3	17.5	223.9	13	4286
	23 LST	21.8	18.3	23.3	22.4	20.8	20.3	23.0	23.3	19.0	20.7	12.5	18.4	243.8	13	4286
	05 LST	21.1	18.4	22.4	20.5	20.3	18.2	20.0	20.7	16.4	20.1	11.4	18.8	228.3	13	4286
	11 LST	19.7	18.4	22.7	20.7	20.6	18.5	20.2	17.1	15.4	18.4	10.6	17.0	219.3	13	4286

HUDSON BAY, CANADA

STA NO. 72868 (IN AREA NUMBER 07)

LATITUDE 5252N

LONGITUDE 10224W

ELEVATION(FT) 01219

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	46	49	60	90	94	97	96	95	93	88	68	44	97	20	-110
MEAN MAX TMP (F)	7	12	27	48	60	69	76	73	62	50	27	12	44	10	-105
MEAN MIN TMP (F)	-13	-11	3	24	35	43	50	47	37	28	12	-8	21	10	-105
ABS MIN TMP (F)	-50	-47	-39	-21	11	27	31	29	13	-1	-38	-48	-50	20	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = OR LES 32(F)							0.0	0.0						20	-29
MEAN NO DYS TMP = OR LES 0(F)					0.0	0.0	0.0	0.0	0.0	0.0				20	-29
MEAN DEW PT TMP (F)	-6	-5	14	25	35	46	54	53	43	33	16	-2	26	5	-106
MEAN REL HUM (PCT)	94	92	81	70	64	68	71	75	76	80	88	95	80	5	-106
MEAN PRESS ALT (FT)														5	-106
MEAN PRECIP (IN)	0.76	0.53	0.67	0.94	1.64	2.77	2.71	1.97	1.62	0.84	1.22	0.68	16.3	0	0
MEAN SNOW FALL (IN)	7.6	5.3	6.4	6.9	1.1	0.0	0.0	0.0	1.3	2.3	10.9	6.8	48.6	10	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.4	1.6	2.1	3.0	5.0	6.4	6.3	5.1	4.4	2.9	3.6	2.2	45.0	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.5	0.9	1.3	1.4	0.1	0.0	0.0	0.0	0.2	0.4	2.4	1.3	9.5	10	-29
MEAN NO DYS W/OCUM VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	2.0	4.0	2.0	1.0	0.0	0.0	0.0	9.0	6	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

HUDSON BAY, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST														0	0
	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST														0	0
	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST														0	0
	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST														0	0
	11 LST														0	0

DATA NOT AVAILABLE

BROCHET, CANADA

STA NO. 72921 (IN AREA NUMBER 07)

LATITUDE 5753N

LONGITUDE 10140W

ELEVATION(FT) 01150

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	35	35	44	56	75	80	88	83	76	65	46	37	88	9	2945
MEAN MAX TMP (F)	-9	-1	15	31	45	61	69	65	51	38	16	-2	32	9	2945
MEAN MIN TMP (F)	-27	-23	-9	10	25	42	52	49	38	26	1	-18	14	9	2944
ABS MIN TMP (F)	-59	-53	-50	-34	-10	22	38	34	18	-8	-43	-50	-59	9	2944
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2945
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	29.6	23.1	3.8	0.0	0.0	0.0	0.0	22.8	29.7	31.0	9	2944
MEAN NO DYS TMP = OR LES 0(F)	29.7	25.4	21.7	7.9	0.7	0.0	0.0	0.0	0.0	0.2	13.7	26.2	125.5	9	2944
MEAN DEW PT TMP (F)	-14	-13	5	19	27	35	50	49	40	29	8	-15	18	3	2380
MEAN REL HUM (PCT)	76	75	75	73	66	67	75	78	80	82	81	78	76	3	2376
MEAN PRESS ALT (FT)														0	0
MEAN PRESS ALT (FT)														9	2945
MEAN PRECIP (IN)	0.94	0.48	1.30	1.04	1.26	1.97	2.67	1.80	2.08	1.47	1.47	1.20	17.7	5	-105
MEAN SNOW FALL (IN)	3.9	4.0	3.2	5.8	4.6	0.5	0.0	0.0	0.3	8.4	8.2	8.5	45.4	9	2945
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.0	1.2	4.1	7.0	4.1	5.4	6.7	5.3	6.0	5.1	4.5	4.0	52.4	9	2945
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.6	0.6	0.6	1.2	0.9	0.0	0.0	0.0	0.0	1.7	1.7	1.2	8.5	5	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	1.5	1.0	1.0	0.0	0.5	0.0	0.0	0.5	0.0	0.5	5.0	3	643
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	0.0	2.5	4.0	0.0	0.0	0.0	0.0	7.5	3	643
P FREQ WND SPD = OR GTR 17 KTS	7.8	1.3	2.4	3.3	10.5	9.2	1.6	4.0	8.8	4.4	5.8	0.4	5.0	3	2572
P FREQ WND SPD = OR GTR 28 KTS	0.4	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.4	0.0	0.0	0.1	3	2572
P FREQ LES 5000 FT A/O LES 5 MI	27.2	17.0	21.4	26.7	26.6	34.2	29.4	31.0	45.0	49.2	57.1	27.9	32.7	3	2572
P FREQ LES 1500 FT A/O LES 3 MI														3	-30
FOR 00-02 LST	12.5	7.1	7.7	14.0	11.1	6.7	5.8	7.7	11.7	16.2	21.1	12.9	11.2	9	2943
03-05 LST	10.1	5.3	7.3	11.3	12.5	10.0	6.8	8.9	15.1	16.2	17.2	11.0	11.0	3	-30
06-08 LST	14.0	8.0	9.3	12.3	11.1	10.0	8.3	8.5	16.5	20.2	22.0	16.0	13.0	3	644
09-11 LST	17.9	10.7	11.3	13.3	9.7	10.0	9.7	8.1	18.3	24.2	26.7	21.0	15.1	3	-30
12-14 LST	17.2	8.9	10.5	8.3	6.5	5.0	7.3	6.5	15.0	21.8	26.7	18.6	12.7	3	644
15-17 LST	16.4	7.1	9.7	3.3	3.2	0.0	4.8	4.8	11.7	19.4	26.7	14.1	10.3	3	-30
18-20 LST	15.7	8.0	8.9	10.0	6.5	1.7	4.8	5.7	10.0	17.8	25.9	15.5	10.9	3	-30
21-23 LST	14.9	8.9	8.1	16.7	9.7	3.3	4.8	6.5	8.3	16.1	25.0	14.8	11.4	3	643
P FREQ LES 300 FT A/O LES 1 MI														3	-30
FOR 00-02 LST	2.3	0.9	2.4	3.4	1.6	0.0	0.0	0.0	0.0	1.6	0.9	0.8	1.2	9	2943
03-05 LST	2.8	1.3	2.4	3.4	4.0	1.3	1.1	1.2	0.8	2.0	4.6	3.3	2.4	3	-30
06-08 LST	3.7	1.6	3.6	1.7	3.6	2.3	0.0	0.6	2.1	3.4	4.8	4.9	2.7	3	644
09-11 LST	4.5	1.8	4.8	0.0	3.2	3.3	0.0	0.0	3.3	4.8	5.0	6.5	3.1	3	-30
12-14 LST	3.8	3.6	4.0	0.0	1.6	1.7	0.8	0.0	2.5	3.2	5.0	4.9	2.6	3	644
15-17 LST	3.0	5.4	3.2	0.0	0.0	0.0	1.6	0.0	1.7	1.6	5.0	3.2	2.1	3	-30
18-20 LST	3.8	3.6	4.0	3.4	1.6	0.0	0.8	0.0	0.9	2.4	3.4	2.4	2.2	3	-30
21-23 LST	4.5	1.8	4.8	6.7	3.2	0.0	0.0	0.0	0.0	3.2	1.7	1.6	2.3	3	643

BROCHET, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	27.7	26.0	28.5	30.0	31.0	30.0	30.5	30.5	28.5	28.0	26.0	27.5	344.2	3	644
	23 LST	28.2	26.0	28.0	26.0	28.0	30.0	30.5	30.5	29.5	28.5	25.5	27.9	338.6	3	643
	05 LST	28.5	26.9	29.1	27.3	28.6	28.1	30.0	29.6	28.2	28.9	27.6	29.0	341.8	9	2943
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	11 LST	26.4	26.0	29.5	27.0	29.0	28.0	30.0	29.0	27.5	27.0	26.0	24.5	329.9	3	644
	17 LST	16.6	21.0	20.5	21.0	14.0	16.0	16.5	16.5	15.0	13.0	13.0	21.5	204.6	3	644
	23 LST	19.9	21.5	21.0	19.0	19.0	21.0	24.5	22.5	15.5	16.0	14.0	22.4	236.3	3	643
SFC WND = GTR 17 KTS AND NO PRECIP.	05 LST	20.7	20.8	22.6	18.6	19.5	18.8	20.7	20.1	14.0	15.0	17.1	20.3	228.2	9	2943
	11 LST	16.6	20.5	21.5	18.0	14.0	15.0	17.5	14.5	12.5	11.5	14.0	20.5	196.1	3	644
	17 LST	1.8	0.5	0.0	0.0	2.0	2.0	0.0	3.0	1.0	0.5	2.5	0.0	13.3	3	644
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST	0.9	0.5	1.0	0.0	2.0	1.0	0.0	0.0	1.0	1.5	0.5	0.0	8.4	3	643
	05 LST	1.2	0.0	0.4	0.8	0.7	1.0	0.7	0.5	1.1	0.9	0.5	0.4	8.2	9	2946
	11 LST	1.8	0.5	1.0	2.0	3.0	2.0	2.0	1.5	1.5	0.5	1.0	0.0	16.8	3	644
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	0.0	0.0	3.0	9.0	11.0	13.0	15.0	14.5	12.5	12.0	1.5	0.0	91.5	3	644
	23 LST	0.0	0.0	2.0	4.0	11.0	18.0	23.5	19.0	14.5	12.5	1.5	0.0	106.0	3	642
	05 LST	0.0	0.0	0.0	0.9	7.3	16.6	19.8	19.8	12.7	7.3	0.9	0.1	85.4	9	2943
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	11 LST	0.0	0.0	2.5	14.0	18.0	12.0	16.0	22.0	15.0	13.0	1.0	0.0	113.5	3	644
	17 LST	13.9	14.5	9.0	7.0	14.0	10.0	5.0	8.5	7.5	6.5	6.0	13.0	116.9	3	644
	23 LST	17.1	18.0	12.5	13.0	15.0	11.0	14.5	15.5	11.0	9.5	8.0	11.2	156.3	3	643
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	05 LST	15.7	16.0	13.7	10.1	8.7	8.3	9.8	8.4	6.2	7.3	7.8	13.3	125.3	9	2946
	11 LST	9.7	13.5	7.0	9.0	10.0	11.0	5.5	5.5	3.0	8.0	8.0	10.5	100.7	3	644
	17 LST	23.6	25.5	27.0	27.0	27.0	25.0	26.5	25.5	22.0	19.5	16.0	23.5	288.1	3	644
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST	23.1	24.5	26.5	22.0	28.0	25.0	27.5	26.5	22.5	20.0	15.0	23.4	284.0	3	643
	05 LST	24.4	23.8	26.0	23.3	22.7	23.3	25.1	24.7	18.7	17.5	18.2	23.0	270.7	9	2943
	11 LST	22.7	24.0	25.0	24.0	25.0	20.0	22.5	23.5	18.0	17.5	17.0	22.0	261.2	3	644
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	23.1	22.5	25.0	22.0	22.0	19.0	21.0	21.0	17.0	17.0	13.5	22.0	245.1	3	644
	23 LST	22.7	23.5	25.0	20.0	26.0	20.0	24.5	23.0	18.0	16.5	12.0	21.8	253.0	3	643
	05 LST	22.2	21.4	23.9	20.5	18.6	19.5	21.0	19.9	13.3	12.8	13.9	19.5	226.5	9	2943
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	11 LST	20.8	23.5	20.5	22.0	22.0	15.0	17.5	17.0	13.5	13.0	14.5	20.0	219.3	3	644
	17 LST	20.8	21.0	19.5	20.0	22.0	19.0	20.5	21.0	16.5	16.5	11.5	18.5	226.8	3	644
	23 LST	19.9	21.0	17.0	19.0	24.0	17.0	21.5	21.0	16.0	15.5	10.0	17.8	219.7	3	643
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	05 LST	19.7	19.3	19.0	17.6	17.4	18.2	19.7	18.7	12.4	11.9	11.6	16.7	202.2	9	2943
	11 LST	17.1	20.5	16.5	20.0	20.0	14.0	16.5	16.5	13.5	13.0	12.5	16.5	196.6	3	644

LA RONGE, CANADA

STA NO. 72922 (IN AREA NUMBER 07)

LATITUDE 5505N

LONGITUDE 10520W

ELEVATION(FT) 01220

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	52	58	59	78	90	89	96	99	84	79	52	51	99	10	-110
MEAN MAX TMP (F)	2	13	24	41	56	66	74	71	58	45	25	10	40	14	-105
MEAN MIN TMP (F)	-17	-8	1	19	34	46	52	49	39	29	10	-7	21	14	-105
ABS MIN TMP (F)	-54	-62	-42	-25	10	27	32	28	15	-2	-30	-56	-62	10	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0		14	-29
MEAN NO DYS TMP = OR LES 32(F)							0.0							10	-29
MEAN NO DYS TMP = OR LES 0(F)					0.0	0.0	0.0	0.0	0.0	0.0				0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	-50
MEAN PRESS ALT (FT)	1063	1063	1091	1145	1172	1186	1186	1213	1213	1200	1145	1091	1147	14	-105
MEAN PRECIP (IN)	0.72	0.48	0.83	0.93	1.08	3.20	2.51	2.50	2.04	1.12	1.11	0.80	17.3	14	-105
MEAN SNOW FALL (IN)	7.2	4.5	7.6	6.2	0.7	0.0	0.0	0.0	0.4	4.8	10.2	7.7	49.3	14	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.3	1.5	2.6	3.0	3.4	7.0	6.0	6.0	5.1	3.4	3.4	2.6	46.3	14	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.4	0.8	1.5	1.2	0.0	0.0	0.0	0.0	0.0	0.9	2.2	1.5	9.5	0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

LA RONGE, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	17 LST													0	0
VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR	17 LST													0	0
3 MI W/SFC WND LES 10 KTS	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
SFC WND = GTR 17 KTS AND	17 LST													0	0
NO PRECIP.	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89	17 LST													0	0
DEG F AND NO PRECIP.	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
SKY COVER LES 3/10 AND	17 LST													0	0
VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG = GTR 2500 FT AND	17 LST													0	0
VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG = GTR 6000 FT AND	17 LST													0	0
VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG = GTR 10000 FT AND	17 LST													0	0
VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0

DATA NOT AVAILABLE

FLIN FLON, CANADA

STA NO. 72976/ (IN AREA NUMBER 07)

LATITUDE 5440N

LONGITUDE 10140W

ELEVATION(FT) 00997

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	46	53	64	85	92	98	104	97	87	78	55	45	104	30	-610
MEAN MAX TMP (F)	2	8	24	43	58	68	75	71	57	46	22	7	40	23	-105
MEAN MIN TMP (F)	-15	-11	1	21	36	48	56	53	41	30	9	-7	22	23	-105
ABS MIN TMP (F)	-51	-46	-45	-22	5	28	20	26	14	-7	-30	-46	-51	30	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.7	13	4255
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	30.8	25.0	11.8	1.1	0.0	0.0	3.4	16.9	29.5	31.0	208.5	13	4255
MEAN NO DYS TMP = OR LES 0(F)	26.8	20.4	16.6	1.9	0.0	0.0	0.0	0.0	0.0	0.0	5.5	19.8	91.0	13	4255
MEAN DEW PT TMP (F)	-10	-3	6	22	35	46	54	53	43	31	17	-1	25	12	100666
MEAN REL HUM (PCT)	85	82	78	71	67	72	74	78	80	80	87	84	78	12	100637
MEAN PRESS ALT (FT)	626	799	855	907	950	1031	1027	1003	992	971	919	867	929	0	-50
MEAN PRECIP (IN)	0.14	0.23	0.68	0.55	1.17	3.85	2.22	2.00	1.36	0.61	0.26	0.29	13.4	4	957
MEAN SNOW FALL (IN)	6.1	5.0	7.0	4.6	1.0	0.0	0.0	0.0	0.1	4.1	9.1	7.9	44.9	27	-72867
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.3	0.0	1.2	1.7	2.7	5.5	6.3	6.7	3.4	2.5	1.0	2.3	33.6	4	957
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.1	0.9	1.4	0.9	0.1	0.0	0.0	0.0	0.0	0.7	1.9	1.6	8.6	27	-25
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	1.0	0.6	1.5	1.6	1.0	0.5	0.9	0.8	1.7	1.8	4.2	2.1	17.7	13	4267
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.2	1.1	3.7	7.2	4.5	1.6	0.3	0.0	0.0	18.6	13	4252
P FREQ WND SPD = OR GTR 17 KTS	6.2	7.4	7.6	10.2	10.9	7.6	7.9	8.7	14.0	12.4	13.9	8.1	9.6	13	102339
P FREQ WND SPD = OR GTR 28 KTS	0.3	0.1	0.2	0.3	0.5	0.2	0.2	0.4	0.7	0.7	0.3	0.5	0.4	13	102339
P FREQ LES 5000 FT A/O LES 5 MI	24.8	24.4	20.4	21.3	21.6	23.0	18.7	22.5	33.6	31.3	57.0	34.3	27.7	13	102301
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	12.2	10.0	7.6	6.2	7.7	9.0	5.4	7.4	12.6	14.9	33.3	19.9	12.2	13	12783
03-05 LST	14.3	9.4	8.3	8.9	9.5	13.3	8.9	10.0	16.2	16.2	34.9	20.3	14.2	13	12794
06-08 LST	13.1	10.5	10.1	11.2	10.0	15.1	10.0	13.0	16.6	18.5	34.8	20.0	15.2	13	12799
09-11 LST	13.0	10.5	9.2	11.5	9.5	13.1	6.1	11.6	17.2	21.0	35.9	21.2	15.0	13	12802
12-14 LST	10.7	8.4	7.3	8.5	7.3	10.4	4.3	6.2	12.9	17.8	35.6	18.1	12.3	13	12795
15-17 LST	8.7	8.4	8.2	6.6	6.3	6.9	2.4	4.4	11.3	15.2	31.9	19.0	10.8	13	12796
18-20 LST	9.1	8.2	7.9	5.5	5.5	6.6	2.4	3.2	9.2	13.0	29.2	16.5	9.7	13	12790
21-23 LST	9.2	9.0	6.8	4.5	6.1	7.2	4.6	4.2	9.2	12.3	30.4	17.7	10.1	13	12778
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.8	1.3	2.1	1.8	1.8	0.6	0.6	1.3	2.2	3.2	7.3	2.5	2.1	13	12783
03-05 LST	1.9	2.1	2.5	2.4	2.0	1.8	1.7	1.4	3.7	3.9	7.8	3.4	2.9	13	12794
06-08 LST	2.8	2.0	2.4	3.8	1.3	1.6	1.1	1.5	3.3	4.7	8.2	3.4	3.0	13	12799
09-11 LST	2.2	1.9	2.2	3.2	0.7	0.1	0.0	0.3	0.7	3.0	7.5	4.1	2.2	13	12802
12-14 LST	1.3	1.4	2.8	2.0	0.9	0.0	0.0	0.1	0.4	1.4	7.9	3.8	1.8	13	12795
15-17 LST	1.3	1.3	3.6	2.6	0.7	0.0	0.0	0.0	0.4	2.0	5.9	3.8	1.8	13	12796
18-20 LST	1.4	0.9	3.3	1.3	0.6	0.1	0.2	0.0	0.6	1.9	4.5	2.9	1.6	13	12790
21-23 LST	1.3	0.9	1.8	1.5	1.5	0.6	0.4	0.3	1.1	1.7	6.7	2.3	1.7	13	12778

FLIN FLON, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	29.4	26.4	29.0	28.3	29.6	29.0	30.5	30.3	27.6	27.8	24.3	27.7	339.9	13	4269
	23 LST	29.1	26.5	29.4	28.8	29.4	28.6	29.9	30.1	28.6	28.7	24.2	27.6	340.9	13	4271
	05 LST	28.0	25.9	28.6	27.9	28.6	26.8	28.9	29.3	27.0	27.5	22.7	27.0	328.2	13	4269
	11 LST	27.9	25.8	28.6	27.7	29.6	27.9	30.2	29.8	26.6	26.7	22.5	26.6	329.9	13	4269
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	18.6	14.4	14.4	13.2	12.8	13.4	13.9	14.1	11.9	13.5	9.4	16.8	166.4	13	4269
	23 LST	15.7	15.8	18.1	18.5	17.2	19.1	21.9	20.8	15.1	14.4	9.7	15.0	231.3	13	4271
	05 LST	16.5	15.8	19.1	18.3	18.2	18.9	20.2	19.4	14.9	13.7	8.8	14.7	198.5	13	4269
	11 LST	17.0	14.4	15.7	13.2	12.7	13.7	14.3	12.9	10.4	10.1	8.0	15.2	157.6	13	4269
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	1.9	2.2	3.5	4.3	5.0	3.1	3.6	4.8	4.5	3.8	5.0	2.5	44.2	13	3931
	23 LST	1.5	2.0	1.2	1.2	1.7	0.5	0.8	0.9	2.5	3.1	3.0	2.0	20.4	13	3869
	05 LST	1.4	1.5	0.8	2.0	1.4	0.8	1.2	1.2	2.0	3.2	3.2	2.1	20.8	13	3850
	11 LST	2.2	2.6	2.6	5.0	4.8	3.4	3.5	3.8	5.6	5.3	5.0	2.9	46.7	13	3908
SFC WND 4-10 KTS AND TMP 35-89 DEG F AND NO PRECIP.	17 LST	0.0	0.3	3.2	10.4	14.4	14.3	14.7	14.9	13.6	13.5	2.6	0.0	101.9	13	3920
	23 LST	0.0	0.0	1.1	7.5	16.3	20.8	20.6	20.4	16.3	12.6	1.4	0.2	117.2	13	3858
	05 LST	0.0	0.1	0.3	4.0	13.3	18.6	19.8	20.9	17.4	12.3	1.3	0.1	108.1	13	3839
	11 LST	0.1	0.0	2.0	9.1	14.3	17.2	16.2	17.3	13.7	13.4	2.6	0.3	106.2	13	3896
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	11.7	8.8	10.9	8.3	6.7	4.7	5.1	7.0	5.8	8.2	5.3	9.6	92.1	9	3287
	23 LST	14.8	13.2	17.5	14.6	13.9	11.6	13.3	15.7	11.8	12.9	6.9	13.3	159.5	10	3288
	05 LST	15.1	12.4	16.4	11.6	8.9	8.6	10.0	10.9	8.9	12.9	8.0	11.9	135.6	9	3287
	11 LST	9.5	9.0	10.8	8.6	7.9	6.5	7.4	6.2	5.6	6.8	4.2	6.9	89.4	9	3287
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	27.3	24.1	27.7	26.9	27.8	27.0	29.4	28.7	24.5	24.5	16.5	23.1	307.5	13	4269
	23 LST	26.1	24.4	28.2	28.0	27.7	26.8	29.0	28.5	24.9	24.7	17.2	22.6	308.1	13	4271
	05 LST	25.7	23.7	26.9	25.6	26.7	24.3	26.9	26.4	23.6	24.2	16.0	22.4	292.4	13	4269
	11 LST	25.6	23.9	26.8	25.4	26.6	24.6	28.0	25.8	22.4	22.8	16.5	22.9	291.3	13	4269
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	24.5	22.0	24.9	22.6	22.7	22.0	23.4	22.9	19.4	21.5	13.4	20.2	259.5	13	4269
	23 LST	23.8	20.9	25.2	24.6	24.2	23.7	25.5	26.2	21.0	21.9	13.8	20.1	270.9	13	4271
	05 LST	23.3	20.8	23.4	22.7	23.7	22.6	24.7	24.1	18.6	21.2	12.6	20.3	258.2	13	4269
	11 LST	22.9	21.8	24.9	22.9	23.7	20.9	22.6	20.5	17.7	20.2	13.0	20.0	251.1	13	4269
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	20.6	18.4	23.3	21.1	19.7	18.6	19.3	19.9	16.4	18.7	11.3	17.5	224.8	13	4269
	23 LST	21.8	18.3	22.8	22.3	20.6	20.3	22.7	23.7	19.0	20.7	12.5	18.4	243.1	13	4271
	05 LST	21.1	18.4	22.1	20.3	20.5	18.7	20.5	20.7	16.4	20.1	11.4	18.8	229.0	13	4269
	11 LST	19.7	18.4	22.6	21.0	20.6	18.4	20.2	17.4	15.4	18.4	10.6	17.0	219.7	13	4269

URANIUM CITY, CANADA

STA NO. 74076 (IN AREA NUMBER 07)

LATITUDE 5934N

LONGITUDE 10829W

ELEVATION(FT) 01044

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	38	39	48	62	79	90	90	91	79	68	43	32	91	10	-110
MEAN MAX TMP (F)	-13	-5	10	31	50	62	69	65	52	37	15	-3	31	25	-74084
MEAN MIN TMP (F)	-27	-23	-13	9	29	42	50	48	37	26	4	-14	14	25	-74084
ABS MIN TMP (F)	-53	-55	-45	-36	2	29	39	36	21	-1	-32	-50	-55	10	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0		25	-29
MEAN NO DYS TMP = OR LES 32(F)						0.0	0.0	0.0						10	-29
MEAN NO DYS TMP = OR LES 0(F)					0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	849	837	864	935	963	1052	1092	1071	1048	1057	986	917	973	0	-50
MEAN PRECIP (IN)	0.70	0.26	0.29	0.26	0.66	1.26	1.90	1.96	1.48	0.70	0.62	0.85	11.1	25	-74084
MEAN SNOW FALL (IN)	7.0	2.6	2.9	0.9	0.5	0.0	0.0	0.0	0.1	3.1	8.2	8.5	33.8	25	-74084
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.2	0.6	0.8	0.7	2.1	3.7	5.0	5.1	4.1	2.6	2.8	2.7	32.4	25	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.4	0.3	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.5	1.7	1.7	6.2	25	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

URANIUM CITY, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR	17	LST												0	0
3 MI W/SFC WND LES 10 KTS	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
SFC WND = GTR 17 KTS AND	17	LST												0	0
NO PRECIP.	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	17	LST												0	0
DEG F AND NO PRECIP.	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
SKY COVER LES 3/10 AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
CIG = GTR 2500 FT AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
CIG = GTR 6000 FT AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
CIG = GTR 10000 FT AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0

DATA NOT AVAILABLE

THOMPSON, CANADA

STA NO. 74079/ (IN AREA NUMBER 07)

LATITUDE 5548N

LONGITUDE 09751W

ELEVATION(FT) 00704

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	39	46	58	86	91	94	94	90	87	77	54	40	94	30	-72857
MEAN MAX TMP (F)	-2	5	22	40	55	64	73	69	57	44	21	4	38	10	-72857
MEAN MIN TMP (F)	-18	-16	-2	17	32	42	51	48	40	29	8	-9	19	10	-72857
ABS MIN TMP (F)	-52	-48	-36	-22	6	22	34	29	17	2	-34	-46	-52	30	-72857
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = OR LES 32(F)							0.0	0.0						30	-29
MEAN NO DYS TMP = OR LES 0(F)					0.0	0.0	0.0	0.0	0.0	0.0				30	-29
MEAN DEW PT TMP (F)	-14	-11	9	20	31	43	53	52	42	32	12	-8	22	6	-72857
MEAN REL HUM (PCT)	88	89	83	76	65	67	71	77	79	83	89	89	80	6	-72857
MEAN PRESS ALT (FT)	543	513	558	595	640	733	743	717	699	684	640	586	638	0	-50
MEAN PRECIP (IN)	0.66	0.52	0.62	0.81	1.38	3.05	3.21	2.75	2.45	1.02	0.85	0.61	17.9	10	-72857
MEAN SNOW FALL (IN)	6.6	5.2	6.0	7.5	1.4	0.9	0.0	0.0	0.1	3.9	7.9	6.1	45.6	10	-72857
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.1	1.6	2.0	2.6	4.3	6.8	7.0	6.4	5.9	3.2	2.9	1.9	46.7	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.3	0.9	1.2	1.5	0.2	0.2	0.0	0.0	0.0	0.7	1.6	1.1	8.7	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	3.0	4.0	4.0	1.0	0.0	0.0	0.0	12.0	6	-72857
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

THOMPSON, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	17 LST													0	0
VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR	17 LST													0	0
3 MI W/SFC WND LES 10 KTS	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
SFC WND = GTR 17 KTS AND	17 LST													0	0
NO PRECIP.	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89	17 LST													0	0
DEG F AND NO PRECIP.	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
SKY COVER LES 3/10 AND	17 LST													0	0
VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG = GTR 2500 FT AND	17 LST													0	0
VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG = GTR 6000 FT AND	17 LST													0	0
VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG = GTR 10000 FT AND	17 LST													0	0
VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0

DATA NOT AVAILABLE

FOND DU LAC, CANADA

STA NO. 74084/ (IN AREA NUMBER 07)

LATITUDE 5920N

LONGITUDE 10724W

ELEVATION(FT) 00690

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	-13	-5	10	31	50	62	69	65	52	37	15	-3	31	25	-105
MEAN MIN TMP (F)	-27	-23	-13	9	29	42	50	48	37	26	4	-14	14	25	-105
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														25	-29
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.70	0.28	0.29	0.26	0.66	1.26	1.90	1.96	1.48	0.70	0.82	0.85	11.1	25	-105
MEAN SNOW FALL (IN)	7.0	2.6	2.9	0.9	0.5	0.0	0.0	0.0	0.1	3.1	8.2	8.5	33.8	25	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.2	0.6	0.8	0.7	2.1	3.7	5.0	5.1	4.1	2.6	2.8	2.7	32.4	25	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.4	0.3	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.5	1.7	1.7	6.2	25	-29
MEAN NO DYS W/OCUM VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

FOND DU LAC, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
CIG = GTR 2000 FT AND VSBY = GTR	17	LST												0	0
3 MI W/SFC WND LES 10 KTS	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
SFC WND = GTR 17 KTS AND	17	LST												0	0
NO PRECIP.	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	17	LST												0	0
DEG F AND NO PRECIP.	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
SKY COVER LES 3/10 AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
CIG = GTR 2500 FT AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
CIG = GTR 6000 FT AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
CIG = GTR 10000 FT AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0

DATA NOT AVAILABLE

GILLAM, CANADA

STA NO. 74085/ (IN AREA NUMBER 07)

LATITUDE 5621N

LONGITUDE 09442W

ELEVATION(FT) 00454

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO.
ABS MAX TMP (F)	36	38	50	80	90	92	100	90	86	78	48	38	100	20	-110
MEAN MAX TMP (F)	-6	0	16	33	47	60	70	67	53	40	19	1	33	11	-105
MEAN MIN TMP (F)	-24	-22	-9	10	27	37	47	45	37	25	5	-15	14	11	-105
ABS MIN TMP (F)	-54	-47	-50	-34	-6	17	30	25	12	-13	-36	-48	-54	20	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0	0.0		11	-29
MEAN NO DYS TMP = OR LES 32(F)							0.0							20	-29
MEAN NO DYS TMP = OR LES 0(F)						0.0	0.0	0.0	0.0					20	-29
MEAN DEW PT TMP (F)	-18	-16	3	14	28	41	51	49	40	30	9	-9	19	5	-106
MEAN REL HUM (PCT)	96	95	91	81	72	72	73	78	83	86	94	92	84	5	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.46	0.39	0.67	0.60	0.98	1.71	3.68	2.49	2.46	1.09	1.05	0.86	16.4	11	-105
MEAN SNOW FALL (IN)	4.6	3.9	6.6	5.0	3.7	0.5	0.0	0.3	0.8	5.8	10.5	8.6	50.3	11	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.4	1.1	2.1	1.9	3.1	4.6	7.6	6.0	5.9	3.4	3.3	2.8	43.2	11	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.8	0.6	1.3	1.0	0.7	0.0	0.0	0.0	0.1	1.1	2.3	1.7	9.6	11	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	1.0	6.0	3.0	0.0	0.0	0.0	0.0	10.0	6	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

GILLAM, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0

DATA NOT AVAILABLE

EMBARRAS, CANADA

STA NO. 74128/ (IN AREA NUMBER 07)

LATITUDE 5812N

LONGITUDE 11123W

ELEVATION(FT) 00775

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PCR (YRS)	NO. OBS
ABS MAX TMP (F)	53	55	55	73	88	92	93	93	90	79	60	52	93	20	-110
MEAN MAX TMP (F)	2	8	26	44	60	69	75	72	59	46	24	8	41	11	-105
MEAN MIN TMP (F)	-19	-16	-1	20	36	44	51	48	40	29	9	-10	19	11	-105
ABS MIN TMP (F)	-60	-63	-50	-39	3	24	32	27	13	-10	-41	-55	-63	20	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		11	-29
MEAN NO DYS TMP = OR LES 32(F)							0.0							20	-29
MEAN NO DYS TMP = OR LES 0(F)					0.0	0.0	0.0	0.0	0.0					20	-29
MEAN DEW PT TMP (F)	-5	-5	9	23	35	45	52	50	42	32	13	-3	24	7	-106
MEAN REL HUM (PCT)	87	81	79	66	62	62	64	70	75	79	88	91	75	7	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.96	0.69	0.76	0.72	1.27	1.49	1.90	2.33	2.20	1.14	1.03	0.93	15.4	.1	-105
MEAN SNOW FALL (IN)	9.6	6.9	7.4	4.1	1.0	0.0	0.0	0.0	0.9	5.0	9.4	9.3	53.6	11	-105
MEAN NO DYS PHCP = OR GTR 0.1 IN	3.1	2.2	2.4	2.3	4.0	4.2	5.0	5.7	5.4	3.5	3.2	3.0	44.0	11	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.0	1.3	1.5	0.8	0.1	0.0	0.0	0.0	0.1	0.9	2.0	1.9	10.6	11	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	3.0	6.0	4.0	1.0	0.0	0.0	0.0	15.0	8	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1900 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

EMBARRAS, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
		CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST													
	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	17 LST														0	0
	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST														0	0
	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST														0	0
	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST														0	0
	11 LST														0	0

DATA NOT AVAILABLE

LYNN LAKE, CANADA

LATITUDE 5652N

LONGITUDE 10104W

ELEVATION(FT) 01162

STA 00. 74150/ (IN AREA NUMBER 07)


PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	35	35	44	56	75	80	88	83	76	65	46	37	88	9	-72921
MEAN MAX TMP (F)	-9	-1	15	31	45	61	69	65	51	38	16	-2	32	9	-72921
MEAN MIN TMP (F)	-27	-23	-9	10	25	42	52	49	38	26	1	-18	14	9	-72921
ABS MIN TMP (F)	-59	-53	-50	-34	-10	22	38	34	18	-8	-43	-50	-59	9	-72921
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-72921
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	29.6	23.1	3.8	0.0	0.0	7.0	22.6	29.7	31.0	237.0	9	-72921
MEAN NO DYS TMP = OR LES 0(F)	29.7	25.4	21.7	7.9	0.7	0.0	0.0	0.0	0.0	0.2	13.7	26.2	135.5	3	-72921
MEAN DEW PT TMP (F)	-14	-13	5	19	27	35	50	49	40	29	8	-15	18	3	-72921
MEAN REL HUM (PCT)	76	75	75	73	66	67	75	78	80	82	81	78	76	0	-50
MEAN PRESS ALT (FT)	994	969	992	1040	1073	1181	1216	1200	1171	1165	1106	1091	1097	9	-72921
MEAN PRECIP (IN)	0.94	0.48	1.30	1.04	1.26	1.97	2.67	1.80	2.08	1.47	1.47	1.20	17.7	5	-72921
MEAN SNOW FALL (IN)	3.9	4.0	3.2	5.8	4.6	0.5	0.0	0.0	0.3	8.4	8.2	6.5	45.4	5	-72921
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.0	1.2	4.1	3.0	4.1	5.4	6.7	5.3	6.0	5.1	4.5	4.0	52.4	9	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.6	0.6	0.6	1.2	0.9	0.0	0.0	0.0	0.0	1.7	1.7	1.2	8.5	3	-72921
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	1.5	1.0	1.0	0.0	0.5	0.0	0.0	0.5	0.0	0.5	5.0	3	-72921
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	0.0	2.5	4.0	0.0	0.0	0.0	0.0	7.5	3	-72921
P FREQ WND SPD = OR GTR 17 KTS	7.8	1.3	2.4	3.3	10.5	9.2	1.6	4.0	8.8	4.4	5.8	0.4	5.0	3	-72921
P FREQ WND SPD = OR GTR 28 KTS	0.4	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.4	0.0	0.0	0.1	3	-72921
P FREQ LES 5000 FT A/O LES 5 MI	27.2	17.0	21.4	26.7	26.6	34.2	29.4	31.0	45.0	49.2	57.1	27.9	32.7	3	-72921
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	12.5	7.1	7.7	14.0	11.1	6.7	5.8	7.7	11.7	16.2	21.1	12.9	11.2	3	-72921
03-05 LST	10.1	5.3	7.3	11.3	12.5	10.0	6.8	8.9	15.1	16.2	17.2	11.0	11.0	9	-72921
06-08 LST	14.0	8.0	9.3	12.3	11.1	10.0	8.3	8.5	16.5	20.2	22.0	16.0	13.0	3	-72921
09-11 LST	17.9	10.7	11.3	13.3	9.7	10.0	9.7	8.1	18.3	24.2	26.7	21.0	15.1	3	-72921
12-14 LST	17.2	8.9	10.5	8.3	6.5	5.0	7.3	6.5	15.0	21.3	26.7	18.6	12.7	3	-72921
15-17 LST	16.4	7.1	9.7	3.3	3.2	0.0	4.8	4.8	11.7	19.4	26.7	16.1	10.3	3	-72921
18-20 LST	15.7	8.0	8.9	10.0	6.5	1.7	4.8	5.7	10.0	17.8	25.9	15.5	10.9	3	-72921
21-23 LST	14.9	8.9	8.1	16.7	9.7	3.3	4.8	6.5	8.3	16.1	25.0	14.8	11.4		
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	2.3	0.9	2.4	3.4	1.6	0.0	0.0	0.0	0.0	1.6	0.9	0.8	1.2	3	-72921
03-05 LST	2.8	1.3	2.4	3.4	4.0	1.3	1.1	1.2	0.8	2.0	4.6	3.3	2.4	9	-72921
06-08 LST	3.7	1.6	3.6	1.7	3.6	2.3	0.6	0.6	2.1	3.4	4.8	4.9	2.7	3	-72921
09-11 LST	4.5	1.8	4.8	0.0	3.2	3.3	0.0	0.0	3.3	4.8	5.0	6.5	3.1	3	-72921
12-14 LST	3.8	3.6	4.0	0.0	1.6	1.7	0.8	0.0	2.5	3.2	5.0	4.9	2.6	3	-72921
15-17 LST	3.0	5.4	3.2	0.0	0.0	0.0	1.6	0.0	1.7	1.6	5.0	3.2	2.1	3	-72921
18-20 LST	3.8	3.6	4.0	3.4	1.6	0.0	0.8	0.0	0.9	2.4	3.4	2.4	2.2	3	-72921
21-23 LST	4.5	1.8	4.8	6.7	3.2	0.0	0.0	0.0	0.0	3.2	1.7	1.6	2.3	3	-72921

LYNN LAKE, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	27.7	26.0	28.5	30.0	31.0	30.0	30.5	30.5	28.5	28.0	26.0	27.5	344.2	3	-72921
	23 LST	28.2	26.0	28.0	26.0	28.0	30.0	30.5	30.5	29.5	28.5	25.5	27.9	338.6	3	-72921
	05 LST	28.5	26.9	29.1	27.3	28.6	28.1	30.0	29.6	28.2	28.9	27.8	29.0	341.8	9	-72921
	11 LST	26.4	26.0	29.5	27.0	29.0	28.0	30.0	29.0	27.5	27.0	26.0	24.5	329.9	3	-72921
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	16.6	21.0	20.5	21.0	14.0	16.0	16.5	16.5	15.0	13.0	13.0	21.5	204.6	3	-72921
	23 LST	19.9	21.5	21.0	19.0	19.0	21.0	24.5	22.5	15.5	16.0	14.0	22.4	236.3	3	-72921
	05 LST	20.7	20.8	22.6	18.6	19.5	18.8	20.7	20.1	14.0	15.0	17.1	20.3	228.2	9	-72921
	11 LST	16.6	20.5	21.5	18.0	14.0	15.0	17.5	14.5	12.5	11.5	14.0	20.5	196.1	3	-72921
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	1.8	0.5	0.0	0.0	2.0	2.0	0.0	3.0	1.0	0.5	2.5	0.0	13.3	3	-72921
	23 LST	0.9	0.5	1.0	0.0	2.0	1.0	0.0	0.0	1.0	1.5	0.5	0.0	8.4	3	-72921
	05 LST	1.2	0.0	0.4	0.8	0.7	1.0	0.7	0.5	1.1	0.9	0.5	0.4	8.2	9	-72921
	11 LST	1.8	0.5	1.0	2.0	3.0	2.0	2.0	1.5	1.5	0.5	1.0	0.0	16.8	3	-72921
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	0.0	0.0	3.0	9.0	11.0	13.0	15.0	14.5	12.5	12.0	1.5	0.0	91.5	3	-72921
	23 LST	0.0	0.0	2.0	4.0	11.0	18.0	23.5	19.0	14.5	12.5	1.5	0.0	106.0	3	-72921
	05 LST	0.0	0.0	0.0	0.9	7.3	16.6	19.8	19.8	12.7	7.3	0.9	0.1	85.4	9	-72921
	11 LST	0.0	0.0	2.5	14.0	18.0	12.0	16.0	22.0	15.0	13.0	1.0	0.0	113.5	3	-72921
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	13.9	14.5	9.0	7.0	14.0	10.0	5.0	8.5	7.5	6.5	6.0	15.0	116.9	3	-72921
	23 LST	17.1	18.0	12.5	13.0	15.0	11.0	14.5	15.5	11.0	9.5	8.0	11.2	156.3	3	-72921
	05 LST	15.7	16.0	13.7	10.1	8.7	8.3	9.8	8.4	6.2	7.3	7.8	13.3	125.3	9	-72921
	11 LST	9.7	13.5	7.0	9.0	10.0	11.0	5.5	5.5	3.0	8.0	8.0	10.5	100.7	3	-72921
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	23.6	25.5	27.0	27.0	27.0	25.0	26.5	25.5	22.0	19.5	16.0	23.5	288.1	3	-72921
	23 LST	23.1	24.5	26.5	22.0	28.0	25.0	27.5	26.5	22.5	20.0	15.0	23.4	284.0	3	-72921
	05 LST	24.4	23.8	26.0	23.3	22.7	23.3	25.1	24.7	18.7	17.5	18.2	23.0	270.7	9	-72921
	11 LST	22.7	24.0	25.0	24.0	25.0	20.0	22.5	23.5	18.0	17.5	17.0	22.0	261.2	3	-72921
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	23.1	22.5	25.0	22.0	22.0	19.0	21.0	21.0	17.0	17.0	13.5	22.0	245.1	3	-72921
	23 LST	22.7	23.5	25.0	20.0	26.0	20.0	24.5	23.0	18.0	16.5	12.0	21.8	253.0	3	-72921
	05 LST	22.2	21.4	23.9	20.5	18.6	19.5	21.0	19.9	13.3	12.8	13.9	19.5	226.5	9	-72921
	11 LST	20.8	23.5	20.5	22.0	22.0	15.0	17.5	17.0	13.5	13.0	14.5	20.0	219.3	3	-72921
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	20.8	21.0	19.5	20.0	22.0	19.0	20.5	21.0	16.5	16.5	11.5	18.5	226.8	3	-72921
	23 LST	19.9	21.0	17.0	19.0	24.0	17.0	21.5	21.0	16.0	15.5	10.0	17.8	219.7	3	-72921
	05 LST	19.7	19.3	19.0	17.6	17.4	18.2	19.7	18.7	12.4	11.9	11.6	16.7	202.2	9	-72921
	11 LST	17.1	20.5	16.5	20.0	20.0	14.0	16.5	16.5	13.5	13.0	12.5	16.5	196.6	3	-72921

AREA NO. 07

CANADA	LAKE COUNTRY													
	BOUNDARIES	4900N 09520W		5600N 11000W			5600N 11000W		6000N 11400W		6000N 11400W		6000N 09700W	
		6000N 09700W	5500N 09000W	5500N 09000W	5500N 09000W	4815N 09000W	4815N 09000W	ANN						
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	0	8	22	41	56	67	74	70	58	45	23	7	39	
MEAN MIN TMP (F)	-16	-12	-0	19	34	45	53	50	40	29	10	-7	20	
LARGEST MEAN PRECIP(IN)	1.22	0.92	1.30	1.74	2.34	3.05	4.04	3.07	3.46	2.02	1.72	1.20	26.9	
SMALLEST MEAN PRECIP(IN)	0.14	0.23	0.29	0.26	0.66	1.26	1.90	1.80	1.36	0.61	0.26	0.29	9.1	
	MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	28.8	26.2	29.0	28.9	29.9	29.2	30.5	30.4	28.2	28.4	25.3	27.7	342.5
	23 LST	28.6	26.1	28.9	28.1	29.1	29.1	30.2	30.4	28.9	29.0	25.1	27.6	341.1
	05 LST	28.0	25.6	28.5	27.5	28.2	27.3	29.3	28.7	26.6	27.4	24.4	26.7	328.2
	11 LST	27.5	25.8	29.0	27.8	29.4	28.2	30.2	29.8	27.3	27.3	24.0	26.0	332.3
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	18.1	16.3	17.0	15.4	13.2	14.5	15.7	16.2	14.5	14.3	11.0	17.7	183.9
	23 LST	17.6	17.2	19.5	18.6	18.4	20.1	23.1	21.9	16.2	15.5	11.6	17.1	216.8
	05 LST	17.7	16.6	19.3	17.4	18.2	19.1	21.3	19.9	15.3	14.5	11.0	15.8	206.1
	11 LST	16.8	15.8	17.1	14.0	12.4	13.3	15.1	13.6	10.9	10.2	9.6	16.1	164.9
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	1.9	1.7	2.3	3.1	4.2	2.8	2.3	3.5	3.0	2.9	4.3	2.1	34.1
	23 LST	1.4	1.8	1.3	0.9	1.9	0.7	0.7	0.8	1.9	2.8	2.6	1.7	18.5
	05 LST	1.2	1.0	0.9	1.3	1.3	0.8	0.8	0.8	1.3	2.2	2.2	1.5	15.3
	11 LST	2.6	2.1	2.7	4.8	5.0	3.7	3.8	3.2	4.8	4.4	4.7	2.6	44.4
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	0.0	0.3	3.3	10.6	13.4	14.3	15.3	15.6	13.8	13.2	2.9	0.1	102.8
	23 LST	0.0	0.0	1.4	6.9	15.2	19.2	20.3	19.0	15.8	12.7	1.8	0.1	112.4
	05 LST	0.0	0.1	0.3	3.6	13.0	18.1	19.2	19.7	16.3	11.2	1.5	0.1	103.1
	11 LST	0.1	0.0	2.1	10.6	14.9	14.7	15.7	17.9	13.7	12.8	2.5	0.3	105.3
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	12.2	10.2	9.8	7.5	8.7	6.1	5.7	7.6	5.8	7.7	5.8	10.8	97.9
	23 LST	14.9	14.4	15.6	14.0	14.3	11.5	14.3	15.7	11.8	12.0	7.4	12.4	158.3
	05 LST	14.7	14.0	14.1	10.5	9.7	8.5	10.7	9.9	8.0	10.5	7.8	11.9	130.3
	11 LST	9.6	9.9	9.3	8.2	8.3	6.9	6.4	5.7	4.5	7.1	5.0	7.6	88.5
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	26.1	24.3	27.4	27.0	27.7	26.3	28.8	28.0	24.5	23.8	17.6	23.3	304.8
	23 LST	25.3	23.9	27.2	26.3	28.0	28.4	28.8	28.2	24.8	24.0	17.8	22.9	303.6
	05 LST	24.7	22.9	25.7	24.8	25.3	24.3	26.8	25.8	22.0	22.3	16.9	21.8	283.3
	11 LST	25.1	23.7	26.4	25.0	26.3	23.3	26.7	25.5	21.7	21.5	17.0	22.6	284.8
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	23.8	21.9	24.9	22.6	23.2	21.3	23.5	23.3	19.3	21.0	14.2	20.7	259.7
	23 LST	23.3	21.4	24.7	23.1	24.6	22.7	25.7	25.4	20.8	20.8	14.3	20.4	267.2
	05 LST	22.3	20.6	22.8	21.6	22.4	21.7	24.0	23.1	17.9	18.7	13.2	19.1	247.4
	11 LST	22.7	21.9	23.8	22.2	22.9	18.8	21.3	19.4	16.6	18.2	13.8	20.0	241.6
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	20.7	19.3	22.0	20.6	20.5	18.9	20.	20.9	17.1	18.6	12.1	18.0	229.4
	23 LST	21.3	19.1	21.2	21.2	21.7	19.9	23.1	23.2	18.8	19.4	12.6	18.3	239.8
	05 LST	20.4	18.8	20.7	19.5	19.9	19.3	21.0	20.8	16.0	17.6	11.9	17.6	223.5
	11 LST	19.6	19.1	21.2	20.1	20.3	16.6	19.5	17.1	14.8	16.8	11.6	17.0	213.7



PAGWA, CANADA

STA NO. 72740/ (IN AREA NUMBER 08)

LATITUDE 5002N

LONGITUDE 08516W

ELEVATION(FT) 00620

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	46	52	66	85	91	99	96	96	90	82	61	54	99	20	-110
MEAN MAX TMP (F)	10	14	28	43	57	69	76	72	61	49	29	16	44	12	-105
MEAN MIN TMP (F)	-12	-9	2	19	32	44	51	49	41	32	15	-3	22	12	-105
ABS MIN TMP (F)	-52	-48	-38	-21	9	22	30	27	17	-2	-35	-50	-52	20	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0		12	-29
MEAN NO DYS TMP = OR LES 32(F)							0.0	0.0						20	-29
MEAN NO DYS TMP = OR LES 0(F)					0.0	0.0	0.0	0.0	0.0	0.0				20	-29
MEAN DEW PT TMP (F)	-2	1	11	24	35	47	54	53	44	35	21	4	27	9	-106
MEAN REL HUM (PCT)	92	90	77	69	68	68	71	75	81	81	89	89	79	9	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.80	2.25	1.85	2.05	3.02	3.84	3.18	3.05	3.26	2.69	3.24	2.41	32.6	12	-105
MEAN SNOW FALL (IN)	17.1	22.6	16.7	13.2	4.0	0.4	0.0	0.0	2.4	4.7	25.0	22.9	128.8	12	-105
MEAN NO DYS P/CP = OR GTR 0.1 IN	5.6	6.7	5.5	6.0	8.0	7.7	7.0	6.8	7.2	6.3	7.2	7.1	81.1	12	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.7	4.8	3.7	2.8	0.8	0.0	0.0	0.0	0.4	0.8		4.9		12	-29
MEAN NO DYS W/OCUM VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.0	2.0	5.0	5.0	4.0	2.0	0.0	0.0	0.0	19.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

PAGWA, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0

DATA NOT AVAILABLE

NITCHEQUON, CANADA

STA NO. 72826 (IN AREA NUMBER 08)

LATITUDE 9312N

LONGITUDE 07054W

ELEVATION(FT) 01690

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	39	38	47	56	79	90	88	84	79	66	47	44	90	20	-110
MEAN MAX TMP (F)	0	5	18	32	44	58	65	62	52	40	23	7	34	10	-105
MEAN MIN TMP (F)	-21	-18	-6	10	27	40	48	47	39	28	11	-9	16	10	-105
ABS MIN TMP (F)	-57	-55	-49	-31	-8	20	33	33	19	1	-25	-52	-57	20	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 32(F)							0.0	0.0	0.0	0.0				20	-29
MEAN NO DYS TMP = OR LES 0(F)															
MEAN DEW PT TMP (F)	-13	-10	1	15	29	40	49	47	40	30	16	-2	20	8	-106
MEAN REL HUM (PCT)	85	87	85	80	77	71	74	75	82	85	88	90	82	8	-106
MEAN PRESS ALT (FT)													30.9	0	0
MEAN PRECIP (IN)	1.34	1.41	1.65	1.55	2.65	3.75	4.07	4.12	3.12	3.11	2.44	1.67	116.3	10	-105
MEAN SNOW FALL (IN)	13.2	14.1	15.2	12.2	10.4	0.9	0.0	0.0	1.0	12.6	20.7	16.0	74.4	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.3	4.5	5.0	4.7	7.3	7.6	8.0	8.0	7.0	7.0	5.8	5.2		10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.8	3.0	3.3	2.6	2.2	0.2	0.0	0.0	0.1	2.9		3.4		0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI													5.0	8	-24
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	1.0	2.0	2.0	0.0	0.0	0.0	0.0		0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

NITCHEQUON, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SFC WND 4-10 KTS AND TMP 33- 39 DEG F AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0

DATA NOT AVAILABLE

MOOSONEE, CANADA

STA NO. 72836 (IN AREA NUMBER 08)

LATITUDE 5116N

LONGITUDE 08039W

ELEVATION(FT) 00034

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO.
ABS MAX TMP (F)	45	51	60	80	92	94	96	95	89	80	66	51	96	30	-110
MEAN MAX TMP (F)	5	10	22	36	50	64	71	69	60	46	28	14	40	17	-105
MEAN MIN TMP (F)	-16	-14	-2	16	31	42	48	48	41	31	14	-5	20	17	-105
ABS MIN TMP (F)	-52	-50	-43	-25	1	21	29	30	21	2	-30	-44	-52	30	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0		17	-29
MEAN NO DYS TMP = OR LES 32(F)						0.0	0.0	0.0	0.0	0.0				30	-29
MEAN NO DYS TMP = OR LES 0(F)					0.0	0.0	0.0	0.0	0.0	0.0				30	-29
MEAN DEW PT TMP (F)	-6	-6	8	19	33	44	52	51	44	35	21	3	25	9	-106
MEAN REL HUM (PCT)	85	82	80	73	74	72	73	77	80	79	86	87	79	9	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.93	1.91	1.64	1.63	2.74	3.58	2.94	3.51	3.22	2.83	2.53	2.31	30.8	17	-105
MEAN SNOW FALL (IN)	18.8	19.0	13.0	10.3	3.8	0.3	0.0	0.0	0.2	6.7	16.6	21.3	110.0	17	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.9	5.9	5.0	4.9	7.4	7.4	6.6	7.4	7.2	6.5	6.0	6.9	77.1	17	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	4.0	4.1	2.8	2.1	0.7	0.0	0.0	0.0	0.0	1.3	4.1	4.6	23.7	17	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	3.0	4.0	4.0	1.0	0.0	0.0	0.0	13.0	8	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MOOSONEE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0

DATA NOT AVAILABLE

NAKINA, CANADA

STA NO. 72840 (IN AREA NUMBER 08)

LATITUDE 5011N

LONGITUDE 08642W

ELEVATION(FT) 01050

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	43	50	66	82	91	94	94	95	86	82	62	50	95	20	-610
MEAN MAX TMP (F)	9	14	27	42	55	67	74	71	60	48	28	15	43	12	-105
MEAN MIN TMP (F)	-13	-10	2	20	32	44	51	48	40	31	15	-4	21	12	-105
ABS MIN TMP (F)	-51	-47	-45	-16	4	24	26	26	16	2	-37	-52	-52	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.2	0.0	0.0	0.0	0.0	0.0	9	2932
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	30.6	27.1	17.7	4.0	0.3	1.4	9.3	18.2	27.8	30.6	226.0	9	2936
MEAN NO DYS TMP = OR LES 0(F)	24.4	21.2	14.7	1.1	0.0	0.0	0.0	0.0	0.0	0.0	5.1	20.3	86.8	9	2936
MEAN DEW PT TMP (F)	-3	1	11	23	35	47	54	53	44	34	19	4	27	10	-106
MEAN REL HUM (PCT)	95	92	78	68	68	70	73	78	83	83	91	93	81	10	-106
MEAN PRESS ALT (FT)	911	912	935	961	990	1041	1032	1008	988	978	943	952	976	0	-50
MEAN PRECIP (IN)	1.91	1.79	1.32	2.04	2.62	3.51	3.04	3.10	3.13	2.79	2.71	2.02	30.0	12	-105
MEAN SNOW FALL (IN)	18.7	17.9	12.0	9.8	4.9	0.3	0.0	0.0	1.2	6.3	20.9	18.5	110.9	12	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.9	5.5	4.1	5.9	7.2	7.4	6.8	6.8	7.0	6.4	6.3	6.1	75.4	12	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	4.0	3.9	2.5	2.0	1.0	0.0	0.0	0.0	0.2	1.7		4.0		12	-29
MEAN NO DYS W/OCUH VSBY LES 1/2 MI	0.0	0.5	0.5	0.0	0.0	1.0	0.5	0.0	2.0	2.0	2.5	0.0	9.0	3	643
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.0	1.0	4.0	5.0	3.0	2.0	1.0	0.0	0.0	17.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS	1.1	1.8	1.2	3.3	2.4	3.3	0.4	1.2	0.4	1.2	5.9	0.8	1.9	3	2572
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	2572
P FREQ LES 5000 FT A/O LES 5 MI	29.5	30.8	40.7	36.7	36.3	36.7	21.4	33.9	41.7	47.2	67.8	43.5	38.9	3	2572
P FREQ LES 1500 FT A/O LES 3 MI														3	644
FOR 00-02 LST	14.9	16.1	12.9	15.7	19.4	10.0	8.1	9.7	16.7	17.7	41.7	21.0	17.1	3	644
03-05 LST	17.4	17.6	13.6	19.6	20.1	11.9	10.7	13.8	22.0	23.4	39.6	21.9	19.3	3	-30
06-08 LST	19.8	19.0	14.2	22.5	21.4	13.8	13.3	17.9	27.2	29.1	37.4	22.7	21.5	9	2935
09-11 LST	24.1	14.9	16.8	17.9	18.8	11.9	7.5	16.2	20.3	26.7	37.9	21.9	19.6	3	-30
12-14 LST	28.4	10.7	19.4	13.3	16.1	10.0	1.6	14.5	13.3	24.2	38.3	21.0	17.6	3	644
15-17 LST	23.9	11.6	16.2	11.7	12.9	8.4	3.2	11.3	10.8	21.0	37.5	24.2	16.1	3	-30
18-20 LST	19.4	12.5	12.9	10.0	9.7	6.7	4.8	8.1	8.3	17.7	36.7	27.4	14.5	3	644
21-23 LST	17.2	14.3	12.9	13.4	14.6	8.4	6.5	8.9	12.5	17.7	39.2	24.7	15.9	3	-30
P FREQ LES 300 FT A/O LES 1 MI														3	644
FOR 00-02 LST	3.0	7.1	3.2	3.3	3.2	0.0	0.0	1.6	0.0	6.5	16.7	9.7	4.5	3	644
03-05 LST	4.3	6.5	4.3	5.6	4.9	0.7	0.6	3.9	3.2	8.9	13.8	8.0	5.2	3	-30
06-08 LST	5.6	5.8	5.3	7.9	6.5	1.3	1.1	6.1	6.3	7.3	10.9	6.3	5.9	9	2935
09-11 LST	6.1	2.9	2.7	4.0	3.3	0.7	0.6	3.1	3.2	4.5	12.1	6.4	4.1	3	-30
12-14 LST	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	13.3	6.5	2.2	3	644
15-17 LST	5.3	2.7	0.8	0.0	1.6	0.0	0.0	0.8	0.0	3.2	11.7	8.9	2.9	3	-30
18-20 LST	6.0	5.4	1.6	0.0	3.2	0.0	0.0	1.6	0.0	4.8	10.0	11.3	3.7	3	644
21-23 LST	4.5	6.3	2.4	1.7	3.2	0.0	0.0	1.6	0.0	5.7	13.4	10.5	4.1	3	-30

NAKINA, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.8	25.0	28.0	29.0	29.0	29.0	30.5	29.0	29.5	27.5	23.5	24.5	331.3	3	644
	00 LST	27.3	24.5	28.5	26.0	27.0	27.0	29.0	28.5	26.5	27.0	20.5	26.5	318.3	3	644
	06 LST	26.6	24.1	27.6	25.2	25.9	27.0	27.9	25.5	23.6	24.0	22.8	26.6	306.8	9	2935
	12 LST	24.5	25.5	26.5	28.0	27.0	29.0	31.0	29.0	27.0	26.0	21.5	26.5	321.5	3	644
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	19.9	20.5	20.0	13.0	14.0	16.0	23.0	22.5	19.0	20.0	11.0	17.5	216.4	3	644
	00 LST	23.6	18.5	22.0	21.0	21.0	21.0	26.0	24.5	21.5	22.5	12.5	19.5	253.6	3	644
	06 LST	20.9	19.2	23.8	19.9	20.5	22.7	24.4	21.3	17.8	15.9	11.8	17.8	236.0	9	2935
	12 LST	16.6	15.5	19.0	10.0	10.0	11.0	21.5	15.5	15.0	13.0	11.0	18.0	176.1	3	644
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.0	0.5	1.0	2.0	1.0	0.0	0.0	0.5	0.0	0.0	0.5	0.0	5.5	3	644
	00 LST	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	1.5	3	644
	06 LST	0.1	0.0	0.1	0.1	0.2	0.1	0.0	0.0	0.2	0.2	0.1	0.1	1.2	9	2936
	12 LST	0.4	0.5	0.5	0.0	0.0	3.0	0.5	1.0	0.0	0.5	1.0	0.0	7.4	3	644
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	0.0	0.5	2.5	16.0	16.0	13.0	20.5	17.5	19.0	19.0	6.5	0.0	130.5	3	644
	00 LST	0.0	0.0	0.0	5.0	13.0	16.0	19.0	22.5	17.0	11.0	4.0	0.5	108.0	3	644
	06 LST	0.0	0.0	0.1	3.9	10.9	16.2	16.6	14.2	13.2	10.3	2.3	0.7	88.4	9	2936
	12 LST	0.0	0.0	4.0	14.0	12.0	11.0	21.0	18.5	15.5	16.5	5.0	0.5	118.0	3	644
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	16.6	14.0	12.5	10.0	7.0	3.0	8.0	8.0	8.0	12.5	6.0	12.5	118.1	3	644
	00 LST	17.1	14.0	16.0	13.0	12.0	12.0	16.5	17.0	9.0	10.0	6.0	12.5	155.1	3	644
	06 LST	15.3	12.7	13.7	9.9	9.6	10.0	9.2	10.3	6.5	6.0	5.0	11.3	119.5	9	2936
	12 LST	10.6	11.0	12.0	10.0	7.0	3.0	7.5	7.0	3.5	6.5	5.5	10.5	94.1	3	644
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	22.7	22.0	21.5	22.0	24.0	25.0	27.5	25.0	23.0	21.0	12.0	20.5	266.2	3	644
	00 LST	24.1	20.0	22.0	24.0	21.0	24.0	27.0	25.5	21.0	20.5	11.5	20.0	260.6	3	644
	06 LST	21.9	19.3	23.6	19.2	21.0	23.3	24.3	21.3	17.1	16.4	12.0	18.9	238.3	9	2935
	12 LST	20.3	21.5	21.5	23.0	23.0	22.0	28.5	22.0	20.0	17.0	13.5	20.5	252.8	3	644
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.8	19.5	17.0	19.0	18.0	18.0	24.0	19.0	18.5	19.5	9.0	19.0	221.3	3	644
	00 LST	22.2	18.0	19.5	17.0	16.0	17.0	25.5	20.0	16.5	16.0	8.5	16.0	212.2	3	644
	06 LST	20.4	17.8	20.7	15.9	17.0	19.2	20.6	17.6	13.1	12.6	8.6	16.0	199.5	9	2935
	12 LST	19.9	19.5	18.5	21.0	13.0	15.0	20.5	14.0	14.5	14.5	10.0	18.5	198.9	3	644
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.9	18.0	16.5	19.0	16.0	14.0	23.5	17.0	17.0	17.5	9.0	18.0	204.4	3	644
	00 LST	20.8	17.0	19.0	17.0	14.0	16.0	23.5	18.5	14.0	15.0	8.0	15.0	197.8	3	644
	06 LST	19.1	16.7	18.6	15.4	15.6	18.4	19.5	16.9	12.4	11.2	7.8	15.1	186.7	9	2935
	12 LST	18.9	18.5	18.0	19.0	11.0	12.0	20.5	13.0	12.0	13.5	9.0	18.0	183.4	3	644

ARMSTRONG, CANADA

STA NO. 72841 (IN AREA NUMBER 08)

LATITUDE 5017N

LONGITUDE 08854W

ELEVATION(FT) 01058

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
MEAN MAX TMP (F)	41	47	61	82	94	96	95	98	97	81	59	50	98	20	-610
MEAN MIN TMP (F)	7	16	27	42	57	68	74	71	58	47	28	14	42	12	4376
ABS MIN TMP (F)	-18	-13	-3	20	31	43	49	46	38	29	14	-8	19	12	4376
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.1	0.0	0.0	0.0	0.5	12	4376
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	30.7	27.2	18.7	4.7	0.3	2.3	10.7	21.0	28.5	30.8	233.9	12	4376
MEAN NO DYS TMP = OR LES 0(F)	26.4	21.3	17.5	2.5	0.0	0.0	0.0	0.0	0.0	0.4	6.1	20.4	94.6	12	4376
MEAN DEN PT TMP (F)	-7	0	7	24	33	46	53	50	42	33	19	1	25	9	76655
MEAN REL HUM (PCT)	83	84	78	74	70	73	75	78	83	84	87	82	79	9	76642
MEAN PRESS ALT (FT)	917	909	943	970	1002	1051	1037	1012	994	981	992	949	980	0	-50
MEAN PRECIP (IN)	1.51	1.62	1.02	1.16	1.95	3.26	3.59	3.29	3.61	2.08	1.90	1.25	26.2	13	-105
MEAN SNOW FALL (IN)	15.1	16.2	9.1	6.3	1.6	0.0	0.0	0.0	0.4	4.2	14.4	11.9	79.2	13	-105
MEAN NO DYS PHCP = OR GTR 0.1 IN	4.8	5.1	3.2	3.6	5.7	7.1	7.5	7.1	7.8	5.2	4.9	4.0	66.0	13	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.2	3.5	1.9	1.3	0.2	0.0	0.0	0.0	0.0	0.7	3.5	2.5	16.8	9	3284
MEAN NO DYS W/OCUM VSBY LES 1/2 MI	1.1	0.8	1.2	1.7	1.4	2.2	2.5	3.7	3.5	3.5	3.4	1.8	26.8	9	3284
MEAN NO DYS TSIMS	0.0	0.0	0.0	0.2	1.4	3.4	6.0	4.7	1.9	0.4	0.0	0.0	18.0	9	3282
P FREQ WND SPD = OR GTR 17 KTS	2.1	2.0	4.6	6.2	5.7	6.0	4.4	2.7	3.9	5.1	6.3	2.7	4.3	9	78832
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	9	78832
P FREQ LES 5000 FT A/O LES 5 MI	36.9	37.7	31.5	37.2	33.5	34.4	27.4	30.2	46.5	48.9	66.7	44.8	39.6	9	78820
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	15.7	15.0	12.2	13.8	13.0	13.7	10.3	11.8	18.1	22.1	36.0	24.7	17.2	9	9856
03-05 LST	20.5	17.5	14.5	18.8	15.6	17.7	16.9	19.0	22.7	25.8	36.4	26.7	21.0	9	9845
06-08 LST	19.7	19.7	16.1	21.1	21.2	18.2	14.4	18.7	27.9	28.8	36.2	26.6	22.4	12	10947
09-11 LST	21.7	19.3	16.1	20.0	20.2	19.8	12.4	15.0	26.6	28.8	36.2	27.2	21.9	9	9851
12-14 LST	17.3	17.3	15.8	17.8	14.8	14.2	6.5	10.4	19.0	26.2	34.8	29.0	18.6	9	9855
15-17 LST	15.8	15.6	13.7	15.8	11.7	10.2	5.1	6.9	16.8	23.1	34.9	28.2	16.5	9	9858
18-20 LST	14.2	12.1	15.2	12.5	11.1	9.9	4.8	5.7	15.2	21.7	33.0	25.0	15.0	9	9851
21-23 LST	14.9	13.8	13.9	12.3	11.6	11.0	5.1	7.6	15.7	22.7	32.0	24.4	15.4	9	9853
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	3.1	3.0	3.2	2.8	3.7	3.6	3.1	5.0	4.3	4.8	7.3	3.6	4.0	9	9856
03-05 LST	3.1	3.7	4.1	4.3	3.8	5.3	5.7	10.0	6.7	6.1	7.9	4.6	5.6	9	9845
06-08 LST	2.9	3.3	3.4	5.3	2.9	3.3	4.0	5.5	6.3	5.4	9.9	4.4	4.7	12	10947
09-11 LST	3.3	3.4	5.3	3.0	1.1	0.9	0.6	1.2	2.5	4.2	9.1	3.4	3.2	9	9851
12-14 LST	3.1	2.5	3.6	4.1	2.4	0.2	0.2	0.7	0.7	2.4	9.0	6.0	2.9	9	9855
15-17 LST	2.9	3.9	3.0	2.8	1.1	0.1	0.1	0.5	0.9	1.6	9.3	6.1	2.7	9	9858
18-20 LST	2.5	2.0	3.3	2.7	1.2	0.5	0.0	0.8	1.7	2.9	9.3	5.0	2.7	9	9851
21-23 LST	3.2	1.7	2.6	2.2	1.9	2.0	0.2	1.9	3.1	3.8	6.5	3.7	2.7	9	9853

ARMSTRONG, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.1	25.2	27.1	27.1	28.6	28.2	29.9	29.5	27.3	26.8	22.2	25.9	325.9	9	3286
	00 LST	27.5	25.3	27.8	26.6	28.0	27.2	28.9	28.2	25.9	26.0	22.9	26.6	320.9	9	3286
	06 LST	26.9	24.5	27.1	25.2	25.9	26.0	26.0	24.9	24.5	24.7	22.7	25.2	303.6	12	4382
	12 LST	26.4	24.7	26.5	26.6	28.0	26.4	30.0	28.6	26.2	25.6	22.9	24.9	316.8	9	3286
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.3	17.1	15.0	10.1	12.2	12.1	15.3	18.5	17.6	17.0	11.6	17.1	183.9	9	3286
	00 LST	21.9	17.9	20.9	20.9	21.9	22.4	24.6	24.6	20.4	17.4	12.9	17.4	243.2	9	3286
	06 LST	21.0	18.6	21.1	18.8	20.2	21.5	22.2	20.6	17.9	16.2	12.9	17.3	228.3	12	4382
	12 LST	17.4	13.6	15.0	10.8	11.3	11.9	14.9	15.7	11.2	10.1	8.8	13.8	154.5	9	3286
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	0.4	1.6	2.7	2.8	2.3	1.6	1.0	1.5	1.3	1.6	0.9	18.9	9	2892
	00 LST	0.4	0.4	0.4	0.4	0.2	0.7	0.3	0.3	0.6	0.7	1.5	0.6	6.5	9	2859
	06 LST	0.1	0.1	0.7	0.4	0.1	0.5	0.5	0.2	0.6	0.2	0.8	0.7	4.9	12	3941
	12 LST	0.4	0.5	1.9	2.5	3.2	2.8	1.2	1.8	1.9	2.9	1.2	0.8	21.1	9	2902
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	0.0	0.3	5.5	13.7	16.8	15.8	19.1	18.5	19.1	16.9	3.5	0.2	129.6	9	2892
	00 LST	0.0	0.0	0.4	5.5	10.9	12.5	12.2	12.8	12.7	10.6	3.8	0.1	81.5	9	2859
	06 LST	0.0	0.2	0.4	2.7	9.1	11.8	11.4	11.9	13.0	9.5	2.0	0.3	72.3	12	3941
	12 LST	0.0	0.5	3.1	10.7	15.1	15.8	17.3	16.7	16.7	15.2	5.1	0.1	118.3	9	2902
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.9	9.6	9.6	8.0	6.5	3.7	6.5	6.0	4.4	7.1	4.3	10.7	87.3	9	3286
	00 LST	12.8	13.0	15.0	12.9	14.0	11.6	15.7	15.1	9.8	9.4	5.8	12.5	147.6	9	3286
	06 LST	14.0	13.0	12.7	7.7	8.5	7.7	8.0	8.2	6.1	6.6	6.1	12.3	110.9	12	4382
	12 LST	3.3	8.1	10.1	6.9	6.8	4.2	3.7	4.4	2.6	5.1	3.0	6.9	70.1	9	3286
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	22.2	21.1	23.4	23.4	25.5	25.7	28.1	28.0	22.8	21.0	13.9	19.6	274.7	9	3286
	00 LST	23.7	21.0	24.6	24.3	26.0	25.1	27.7	26.9	23.6	20.3	14.8	20.2	278.2	9	3286
	06 LST	22.2	20.0	24.1	21.0	22.0	23.5	23.7	22.2	19.6	18.1	14.4	19.7	250.5	12	4382
	12 LST	21.6	20.2	22.7	20.1	23.2	21.7	26.2	23.7	18.9	18.1	13.2	19.2	248.8	9	3286
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.0	17.9	20.9	19.0	19.7	19.2	22.5	23.7	16.4	17.5	10.1	17.4	225.3	9	3286
	00 LST	20.6	18.6	21.8	19.1	22.2	21.9	25.0	23.5	16.5	15.9	11.1	17.4	235.6	9	3286
	06 LST	19.7	17.5	21.2	17.6	18.5	19.2	20.8	18.6	14.9	13.6	11.0	17.0	209.6	12	4382
	12 LST	19.7	17.6	20.6	16.7	18.9	16.1	17.6	15.1	12.5	14.4	9.8	17.5	196.5	9	3286
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.2	15.3	18.5	16.2	16.0	15.5	19.5	20.3	13.1	15.0	8.9	16.2	192.7	9	3286
	00 LST	19.1	17.3	19.9	18.1	19.7	18.1	22.7	21.0	15.7	14.1	9.8	16.2	211.7	9	3286
	06 LST	18.2	16.7	20.4	15.9	16.2	17.0	18.2	15.8	13.0	12.0	10.0	16.1	189.5	12	4382
	12 LST	17.5	15.1	17.0	14.9	16.4	14.1	15.7	12.8	10.0	12.4	8.6	15.7	172.2	9	3286

LANSDOWNE HOUSE, CANADA

STA NO. 72846 (IN AREA NUMBER 08)

LATITUDE 5214N

LONGITUDE 08753W

ELEVATION(FT) 00840

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	38	47	60	73	91	95	95	95	85	76	54	44	95	20	-110
MEAN MAX TMP (F)	2	9	24	38	53	65	72	68	57	45	24	8	39	10	-105
MEAN MIN TMP (F)	-18	-14	-2	15	32	46	54	51	42	32	12	-9	20	10	-105
ABS MIN TMP (F)	-54	-50	-45	-25	1	24	35	34	21	4	-28	-42	-54	20	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = OR LES 32(F)							0.0	0.0						20	-29
MEAN NO DYS TMP = OR LES 0(F)					0.0	0.0	0.0	0.0	0.0	0.0				20	-29
MEAN DEW PT TMP (F)	-13	-8	5	19	32	46	54	53	44	34	17	-1	24	9	-106
MEAN REL HUM (PCT)	88	88	82	74	69	71	73	77	79	81	89	90	80	9	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.27	1.05	1.02	1.41	1.83	2.94	3.70	2.96	2.79	2.09	1.50	1.61	24.2	10	-105
MEAN SNOW FALL (IN)	12.4	10.4	8.5	8.4	3.9	0.2	0.0	0.0	2.0	8.4	11.5	15.2	80.9	10	-105
MEAN NO DYS PNCP = OR GTR 0.1 IN	4.1	3.4	3.2	4.3	5.4	6.6	7.6	6.7	6.4	5.2	4.1	5.1	62.1	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.6	2.2	1.7	1.7	0.7	0.0	0.0	0.0	0.3	1.7	2.6	3.3	16.8	10	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	5.0	8.0	4.0	2.0	0.0	0.0	0.0	20.0	7	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

LANSDOWNE HOUSE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0

DATA NOT AVAILABLE

TROUT LAKE, CANADA

STA NO. 72849 (IN AREA NUMBER 08)

LATITUDE 5350N

LONGITUDE 08952W

ELEVATION(FT) 00720

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	35	41	53	70	86	89	96	87	84	75	50	40	96	30	-110
MEAN MAX TMP (F)	-1	4	18	34	48	61	70	67	56	42	22	5	36	12	-105
MEAN MIN TMP (F)	-21	-18	-8	11	28	42	51	50	41	30	10	-11	17	12	-105
ABS MIN TMP (F)	-54	-52	-45	-26	-5	19	32	30	18	-2	-32	-48	-54	30	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0		12	-29
MEAN NO DYS TMP = OR LES 32(F)							0.0	0.0	0.0	0.0				30	-29
MEAN NO DYS TMP = OR LES 0(F)															
MEAN DEW PT TMP (F)	-14	-13	3	17	30	44	53	52	43	33	14	-5	21	9	-106
MEAN REL HUM (PCT)	84	87	83	79	75	74	77	80	81	85	88	88	82	9	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.15	1.02	0.68	1.21	1.78	3.04	3.96	3.66	2.93	2.10	2.04	1.17	24.7	12	-105
MEAN SNOW FALL (IN)	11.5	10.2	6.6	8.9	8.5	0.1	0.1	0.0	2.3	8.7	18.4	9.8	85.1	12	-105
MEAN NO DYS PHCP = OR GTR 0.1 IN	3.7	3.3	2.2	3.8	5.3	6.8	7.9	7.5	6.7	5.2	5.1	3.8	61.3	12	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.4	2.1	1.3	1.8	1.7	0.0	0.0	0.0	0.4	1.8		2.0		12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI													15.0	10	-24
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	2.0	6.0	4.0	2.0	0.0	0.0	0.0		0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

TROUT LAKE, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	18	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR	18	LST												0	0
3 MI W/SFC WND LES 10 KTS	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
SFC WND = GTR 17 KTS AND	18	LST												0	0
NO PRECIP.	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	18	LST												0	0
DEG F AND NO PRECIP.	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
SKY COVER LES 3/10 AND	18	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
CIG = GTR 2500 FT AND	18	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
CIG = GTR 6000 FT AND	18	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
CIG = GTR 10000 FT AND	18	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
	06	LST												0	0
	12	LST												0	0

DATA NOT AVAILABLE

GREAT WHALE, CANADA

LATITUDE 5517N

LONGITUDE 07746W

ELEVATION(FT) 00060

STA NO. 72905 (IN AREA NUMBER 08)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	38	49	49	65	83	92	92	92	93	70	51	42	93	30	-610
MEAN MAX TMP (F)	-2	1	10	27	40	52	59	59	51	40	26	10	31	22	-105
MEAN MIN TMP (F)	-18	-19	-9	9	25	34	41	44	40	30	17	-3	16	22	-105
ABS MIN TMP (F)	-57	-50	-49	-29	-9	18	28	30	21	8	-20	-51	-57	30	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2571
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	30.6	28.1	25.0	14.9	0.6	0.2	1.3	16.6	28.5	30.7	235.5	8	2570
MEAN NO DYS TMP = OR LES 0(F)	25.4	23.4	22.0	6.1	0.4	0.0	0.0	0.0	0.0	0.0	1.5	19.2	98.0	8	2570
MEAN DEW PT TMP (F)	-7	-14	1	17	27	35	45	44	40	31	17	-2	20	3	2528
MEAN REL HUM (PCT)	80	78	81	75	82	77	85	91	85	84	82	79	82	3	2512
MEAN PRESS ALT (FT)	50	26	-1	-23	1	93	145	129	113	114	103	82	69	0	-50
MEAN PRECIP (IN)	1.53	0.78	1.07	1.35	1.49	2.12	3.04	3.71	3.27	3.24	2.85	1.81	26.3	20	-105
MEAN SNOW FALL (IN)	15.3	7.8	10.1	12.1	7.7	1.4	0.0	0.0	2.0	12.0	25.5	17.8	111.7	14	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.8	2.5	3.4	4.2	4.6	5.4	6.8	7.6	7.3	7.2	6.5	5.6	65.9	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.3	1.5	2.1	2.5	1.6	0.2	0.0	0.0	0.3	2.7		3.8		14	-29
MEAN NO DYS W/OCUM VSBY LES 1/2 MI	3.0	1.0	3.0	1.0	3.0	1.0	8.0	2.5	1.5	0.0	2.0	4.0	30.0	3	639
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	2.0	2.0	1.0	0.0	0.0	0.0	0.0	5.0	8	-24
P FREQ WND SPD = OR GTR 17 KTS	25.4	12.9	10.1	18.3	15.3	16.7	8.5	23.0	17.5	19.0	25.0	28.6	15.4	3	2556
P FREQ WND SPD = OR GTR 28 KTS	1.2	0.4	0.0	2.5	1.6	0.0	0.8	2.0	2.1	3.2	4.2	4.0	1.8	3	2556
P FREQ LES 5000 FT A/O LES 5 MI	39.1	29.0	30.6	31.7	65.3	49.2	48.0	71.4	50.8	64.9	64.6	52.9	49.8	3	2552
P FREQ LES 1500 FT A/O LES 3 MI														3	639
FOR 00-02 LST	29.0	17.9	14.5	20.0	38.7	26.7	32.3	51.6	20.0	19.4	26.7	24.1	26.8	3	-30
03-05 LST	23.2	18.3	16.3	22.7	34.8	32.5	30.9	50.5	29.0	24.5	27.3	25.0	27.6	3	-30
06-08 LST	17.3	18.7	18.1	25.4	30.8	38.2	29.5	50.0	30.0	29.6	27.8	25.8	28.4	8	2572
09-11 LST	22.1	19.2	16.3	17.7	33.2	32.5	32.5	48.4	30.9	29.3	28.1	25.0	27.9	3	-30
12-14 LST	26.9	19.6	14.5	10.0	35.5	26.7	35.5	46.8	31.7	29.0	28.3	24.2	27.4	3	644
15-17 LST	26.2	17.0	13.7	13.4	35.5	26.7	33.9	50.0	27.5	22.6	29.2	26.1	26.8	3	-30
18-20 LST	25.4	14.3	12.9	16.7	35.5	26.7	32.3	53.2	23.3	16.1	30.0	27.9	26.2	3	643
21-23 LST	27.2	16.1	13.7	18.4	37.1	26.7	32.3	52.4	21.7	17.8	28.4	26.1	26.5	3	-30
P FREQ LES 300 FT A/O LES 1 MI														3	639
FOR 00-02 LST	12.9	10.7	8.1	6.7	22.6	16.7	29.0	16.1	5.0	4.8	11.7	11.3	13.0	3	-30
03-05 LST	9.4	9.8	7.3	5.5	16.0	16.4	23.5	17.2	6.1	4.8	13.1	12.4	11.8	3	-30
06-08 LST	5.8	8.9	6.5	4.2	9.3	16.0	18.0	18.3	7.2	4.8	14.4	13.4	10.6	8	2572
09-11 LST	10.4	9.8	4.9	3.8	12.7	11.4	16.3	14.8	8.6	4.8	11.4	13.2	10.2	3	-30
12-14 LST	14.9	10.7	3.2	3.3	16.1	6.7	14.5	11.3	10.0	4.8	8.3	12.9	9.7	3	644
15-17 LST	14.9	8.1	4.9	3.3	12.9	8.4	15.3	13.7	8.4	4.0	10.0	13.0	9.7	3	-30
18-20 LST	14.9	5.4	6.5	3.3	9.7	10.0	16.1	16.1	6.7	3.2	11.7	13.1	9.7	3	643
21-23 LST	13.9	8.1	7.3	9.0	16.2	13.4	22.6	16.1	5.9	4.0	11.7	12.2	11.4	3	-30

GREAT WHALE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	24.1	23.5	20.0	27.0	22.0	24.0	22.0	17.5	25.0	28.0	24.5	23.9	289.5	3	643
	01 LST	23.5	23.5	27.5	26.0	20.0	22.0	21.5	18.5	25.0	27.0	25.0	25.5	285.0	3	639
	07 LST	26.4	23.4	25.9	24.0	25.1	19.9	23.0	17.0	24.0	25.6	24.3	25.6	284.2	8	2572
	13 LST	23.1	22.5	27.5	28.0	22.0	25.0	21.5	19.5	23.5	27.0	24.5	24.5	288.6	3	644
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	8.8	12.0	20.5	19.0	10.0	12.0	13.5	8.5	11.0	11.5	7.5	9.6	139.9	3	643
	01 LST	8.5	13.0	19.5	10.0	8.0	11.0	12.0	7.0	11.5	9.0	8.0	9.5	127.0	3	639
	07 LST	8.2	11.2	13.2	8.4	8.4	9.9	13.0	7.0	7.7	8.6	8.2	9.3	113.1	8	2571
	13 LST	7.1	11.5	19.0	11.0	8.0	11.0	8.5	3.5	5.5	9.0	8.0	9.0	111.4	3	644
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	3.2	1.0	1.0	2.0	1.0	1.0	2.0	3.0	1.5	3.5	2.0	5.0	26.2	3	644
	01 LST	5.0	1.0	3.0	7.0	0.0	2.0	1.0	1.5	2.0	3.0	3.5	4.5	33.5	3	639
	07 LST	4.7	3.2	2.5	3.4	3.1	2.4	1.1	1.1	3.2	2.5	2.3	3.0	32.5	8	2571
	13 LST	5.1	1.0	2.0	4.0	1.0	6.0	5.0	5.5	5.5	5.0	6.0	6.0	52.1	3	644
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	0.0	0.0	1.5	7.0	6.0	10.0	16.5	10.5	11.0	8.5	1.0	0.0	72.0	3	644
	01 LST	0.0	0.0	2.0	1.0	5.0	9.0	12.0	10.5	12.5	8.5	2.0	0.0	62.5	3	639
	07 LST	0.0	0.0	0.0	1.0	3.6	9.8	13.5	10.8	9.5	7.0	1.0	0.0	56.2	8	2571
	13 LST	0.0	0.0	1.5	4.0	8.0	12.0	14.0	8.5	9.5	13.5	1.5	0.0	72.5	3	643
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	11.1	12.5	12.0	8.0	3.0	7.0	6.5	1.5	6.5	6.5	5.5	6.0	86.1	3	644
	01 LST	12.0	13.5	14.5	12.0	4.0	8.0	7.0	6.0	9.0	7.5	5.5	6.5	105.5	3	639
	07 LST	12.1	10.4	10.2	7.6	4.4	5.8	5.8	3.7	3.8	3.0	2.8	5.6	75.2	8	2572
	13 LST	2.8	8.0	11.0	6.0	3.0	1.0	7.0	1.0	3.5	5.0	2.0	4.5	54.8	3	644
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	20.8	22.5	24.0	22.0	15.0	20.0	19.0	11.5	19.0	20.5	14.5	19.3	228.1	3	643
	01 LST	20.5	21.5	25.5	22.0	13.0	18.0	18.0	10.5	20.5	17.5	17.0	20.5	224.5	3	639
	07 LST	22.6	21.0	23.6	18.7	15.0	15.4	19.7	12.8	15.3	13.3	14.3	17.0	208.7	8	2572
	13 LST	20.3	20.0	24.5	23.0	14.0	16.0	18.5	12.0	15.5	13.5	14.5	19.0	210.8	3	644
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	18.0	22.0	20.0	19.0	11.0	16.0	16.5	10.0	15.5	11.0	11.0	14.7	184.7	3	643
	01 LST	19.5	21.0	21.5	20.0	9.0	14.0	14.0	9.0	15.0	10.0	10.0	16.0	179.0	3	639
	07 LST	20.6	19.3	20.7	15.9	11.7	13.2	17.1	11.5	11.3	8.2	7.8	11.0	168.3	8	2572
	13 LST	18.5	18.0	22.5	20.0	10.0	13.0	17.5	8.0	13.5	9.5	11.0	15.5	177.0	3	644
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	18.0	20.5	18.0	15.0	9.0	14.0	15.5	10.0	14.5	11.0	9.0	13.7	168.2	3	643
	01 LST	17.5	19.5	20.0	18.0	7.0	13.0	13.0	8.0	14.0	9.5	8.5	12.5	160.5	3	639
	07 LST	19.1	18.1	20.0	14.6	11.4	12.6	15.7	10.5	10.8	7.7	6.8	9.6	156.9	8	2572
	13 LST	16.6	18.0	20.5	15.0	9.0	13.0	17.5	8.0	12.5	9.0	10.0	14.5	163.6	3	644

NOTTINGHAM IS., CANADA

STA NO. 72908 (IN AREA NUMBER 08)

LATITUDE 6307N

LONGITUDE 07756W

ELEVATION (FT) 00054

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	Obs
ABS MAX TMP (F)	32	32	34	43	47	65	73	69	61	52	40	34	73	30	-110
MEAN MAX TMP (F)	-8	-8	3	16	30	40	49	48	39	30	17	3	22	21	-105
MEAN MIN TMP (F)	-19	-21	-11	2	19	30	35	36	31	22	7	-8	10	21	-105
ABS MIN TMP (F)	-40	-42	-40	-26	-8	10	25	22	13	2	-21	-36	-42	30	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS TMP = OR LES 32(F)						0.0	0.0	0.0	0.0	0.0				0	0
MEAN NO DYS TMP = OR LES 0(F)														30	-29
MEAN DEW PT TMP (F)	-14	-16	-5	8	23	32	38	40	34	24	11	-3	14	15	-29
MEAN REL HUM (PCT)	90	88	91	93	92	88	86	91	93	91	94	93	91	3	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.50	0.52	0.61	0.89	0.81	0.83	1.44	1.66	1.38	1.19	1.51	0.79	12.1	20	-105
MEAN SNOW FALL (IN)	5.0	5.2	6.1	8.9	6.7	3.4	0.8	0.4	3.2	10.0	15.0	7.9	72.6	20	-105
MEAN NO DYS PKCP = OR GTR 0.1 IN	1.5	1.6	1.9	2.8	2.6	2.7	4.1	4.5	3.9	3.5	4.2	2.5	35.8	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.9	0.9	1.2	1.8	1.4		0.2	0.0	0.5	2.2	3.6	1.6		20	-29
MEAN NO DYS W/OCUM VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

NOTTINGHAM IS., CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 8000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0

DATA NOT AVAILABLE

WINISK, CANADA

STA NO. 72910/ (IN AREA NUMBER 08)

LATITUDE 5514N

LONGITUDE 08507W

ELEVATION(FT) 00030

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	29	32	42	48	73	91	91	84	82	72	42	39	91	5	1669
MEAN MAX TMP (F)	-6	-3	10	24	41	54	64	63	54	39	22	7	31	5	1669
MEAN MIN TMP (F)	-20	-19	-10	7	27	36	44	45	39	29	10	-5	15	5	1668
ABS MIN TMP (F)	-49	-39	-40	-22	0	22	27	29	26	6	-25	-31	-49	5	1668
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	5	1669
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	29.2	23.2	13.4	2.2	1.0	5.0	20.0	28.5	30.5	243.0	5	1668
MEAN NO DYS TMP = OR LES 0(F)	27.3	25.6	23.8	9.4	0.2	0.0	0.0	0.0	0.0	0.0	4.8	21.7	117.8	5	1668
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	-46	-80	-94	-89	-66	45	99	82	61	54	42	0	1	0	-30
MEAN PRECIP (IN)	0.83	0.42	0.86	1.54	2.05	3.23	2.71	2.53	2.33	2.09	1.70	1.16	21.4	5	1670
MEAN SNOW FALL (IN)								0.0						5	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.4	0.8	2.4	4.0	5.2	6.8	8.0	7.8	6.0	6.5	5.0	3.7	57.6	5	1670
MEAN NO DYS SNFL = OR GTR 1.5 IN								0.0						5	-29
MEAN NO DYS W/OCUM VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	13.0	7.1	13.1	25.3	38.7	37.3	34.8	33.1	38.3	36.3	21.7	19.4	26.5	5	1670
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	5.2	1.4	3.3	10.7	7.7	8.0	18.7	11.3	5.0	4.0	6.7	5.6	7.3	5	1670
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

WINISK, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST	27.8	26.2	28.1	23.2	22.6	20.6	21.6	22.0	21.2	23.5	25.5	27.0	5	1670
	12 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST													0	0
	00 LST													0	0
	06 LST	14.7	16.9	16.8	12.0	9.0	10.6	12.8	12.2	8.7	10.0	10.5	12.2	5	1670
	12 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST	2.4	0.6	1.2	1.4	1.6	1.2	1.0	1.5	1.5	3.2	2.0	0.7	5	1670
	12 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST	0.0	0.0	0.0	0.6	4.4	10.4	15.2	15.5	11.3	4.0	0.0	0.0	5	1669
	12 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST	17.1	15.5	12.3	7.8	5.8	4.8	5.8	6.5	3.8	2.5	8.3	12.0	5	1670
	12 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST	23.9	24.2	23.7	18.0	14.0	14.0	17.4	16.5	13.0	12.5	18.0	20.0	5	1670
	12 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST	21.1	22.4	21.5	15.0	11.4	11.4	15.0	14.5	9.8	6.5	13.2	16.2	5	1670
	12 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST	20.3	20.4	19.6	14.4	11.2	11.2	14.8	13.2	9.0	5.7	12.2	15.0	5	1670
	12 LST													0	0

CHURCHILL SS, CANADA

STA NO. 72913 (IN AREA NUMBER 08)

LATITUDE 5845N

LONGITUDE 09404W

ELEVATION(FT) 00094

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	39	34	41	64	87	88	96	90	84	69	45	35	96	30	-528
MEAN MAX TMP (F)	-11	-8	4	24	38	52	64	67	49	34	13	-3	27	30	-28
MEAN MIN TMP (F)	-27	-25	-16	4	22	34	43	43	34	20	-2	-19	9	30	-28
ABS MIN TMP (F)	-57	-52	-52	-26	-14	13	22	25	15	-17	-33	-47	-57	30	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	13	4020
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	29.7	29.3	12.7	0.4	0.0	6.5	24.6	29.8	31.0	254.0	13	4020
MEAN NO DYS TMP = OR LES 01(F)	30.2	27.2	25.7	11.2	0.2	0.0	0.0	0.0	0.0	0.3	11.0	27.2	133.0	13	4020
MEAN DEW PT TMP (F)	-20	-18	-7	11	25	37	46	47	38	27	9	-11	15	13	90917
MEAN REL HUM (PCT)	84	83	85	87	88	84	81	84	86	88	88	82	85	13	90888
MEAN PRESS ALT (FT)	-24	-63	-67	-43	-19	107	165	155	122	109	70	27	45	0	-50
MEAN PRECIP (IN)	0.48	0.61	0.87	0.89	0.93	1.05	2.19	2.69	2.33	1.43	1.03	0.66	16.0	30	-105
MEAN SNOW FALL (IN)	4.8	6.1	8.5	7.7	1.8	1.4	0.0	0.0	1.7	0.0	10.3	6.6	56.9	30	-105
MEAN NO DYS PNCP = OR GTR 0.1 IN	1.5	1.9	2.8	2.8	3.0	4.9	5.5	6.3	5.6	4.0	3.2	2.1	43.6	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.8	1.1	1.7	1.6	0.3	0.2	0.0	0.0	0.2	1.6	2.3	1.3	11.1	30	-29
MEAN NO DYS W/OCUM VSBY LES 1/2 MI	5.1	4.6	4.3	5.5	4.9	5.2	6.1	4.6	2.0	4.4	5.9	4.0	56.6	13	4021
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.1	0.3	0.8	1.4	1.9	0.1	0.0	0.0	0.0	4.6	13	4019
P FREQ WND SPD = OR GTR 17 KTS	28.2	28.3	28.2	29.0	22.6	13.3	15.6	19.0	29.6	33.7	33.3	31.8	26.1	13	96432
P FREQ WND SPD = OR GTR 28 KTS	3.3	3.6	3.3	4.3	1.7	0.4	0.9	1.4	4.5	5.0	6.0	4.0	3.2	13	96432
P FREQ LES 5000 FT A/O LES 5 MI	35.6	35.2	30.7	42.2	55.1	44.8	33.1	39.7	59.1	62.4	66.0	43.3	45.6	13	96408
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	18.3	21.4	19.1	29.1	39.7	25.8	18.2	22.4	24.8	33.0	43.0	28.4	26.9	13	12055
03-05 LST	19.2	21.0	19.2	31.3	40.4	27.9	20.8	26.8	26.4	37.6	41.4	27.0	28.3	13	12062
06-08 LST	18.7	21.5	19.4	31.2	40.4	26.6	17.8	25.9	31.9	36.3	40.6	29.0	28.3	13	12055
09-11 LST	24.7	23.9	19.3	31.3	39.3	25.5	16.7	24.5	33.3	36.0	43.5	28.4	28.9	13	12055
12-14 LST	23.8	27.2	20.7	27.6	35.2	21.4	13.7	21.7	30.1	35.5	40.3	25.5	26.9	13	12060
15-17 LST	23.0	25.0	20.5	26.7	32.8	20.8	13.6	17.5	26.7	31.3	41.1	25.9	25.4	13	12054
18-20 LST	20.9	21.8	19.6	28.6	32.0	20.2	13.7	18.0	25.8	30.4	41.9	26.7	25.0	13	12058
21-23 LST	18.2	20.4	16.5	29.8	36.8	21.6	14.7	19.0	23.4	29.3	43.7	23.5	24.7	13	12053
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	7.7	7.3	6.1	10.3	9.3	9.4	10.8	8.0	4.1	7.3	10.3	7.8	8.2	13	12055
03-05 LST	6.9	6.3	6.3	11.3	10.5	10.7	11.1	9.0	4.3	9.5	8.8	9.0	8.6	13	12062
06-08 LST	7.1	6.9	8.9	12.3	9.4	7.6	7.8	7.4	4.5	8.4	10.1	9.9	8.4	13	12055
09-11 LST	9.7	12.0	10.1	8.3	6.3	6.6	4.3	5.4	4.3	6.4	12.9	9.8	8.0	13	12055
12-14 LST	9.7	11.4	10.1	8.6	6.0	4.4	3.4	3.9	3.7	5.2	11.5	8.7	7.2	13	12060
15-17 LST	10.4	10.1	10.0	10.0	5.0	6.3	3.4	3.3	3.3	4.5	12.8	7.6	7.3	13	12054
18-20 LST	9.2	8.6	7.9	10.5	6.3	7.6	4.8	5.2	3.9	3.9	11.0	6.8	7.1	13	12058
21-23 LST	7.1	7.6	5.0	10.8	8.6	8.5	7.5	7.1	4.1	4.4	12.6	7.1	7.6	13	12053

CHURCHILL SS, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	24.5	21.8	25.0	23.3	25.1	24.7	27.2	27.2	24.9	24.6	21.1	23.7	293.1	13	4024
	00 LST	25.6	22.6	25.9	22.5	22.5	24.4	26.0	25.5	25.0	24.6	19.7	23.8	288.1	13	4027
	06 LST	25.4	22.5	25.6	21.5	21.3	24.2	25.7	24.1	22.8	23.7	20.9	24.1	281.8	13	4023
	12 LST	23.5	21.6	25.0	23.0	23.6	25.0	27.0	25.6	23.6	24.0	20.3	24.0	286.2	13	4023
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	9.0	8.6	8.0	7.0	6.4	9.8	12.5	13.6	8.6	5.1	4.5	6.8	99.9	13	4024
	00 LST	8.6	7.1	7.5	6.9	7.6	11.9	11.8	9.6	6.7	6.1	5.6	5.2	94.6	13	4027
	06 LST	8.9	7.5	8.5	7.4	8.2	10.8	11.4	9.0	7.2	5.8	5.1	5.9	93.7	13	4023
	12 LST	8.6	8.0	8.9	7.1	5.5	9.0	10.8	8.2	5.9	4.7	4.4	6.7	87.8	13	4023
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	9.5	7.2	8.2	8.9	6.7	4.3	4.9	3.8	7.7	9.5	9.6	10.3	90.6	13	3345
	00 LST	8.8	6.7	9.1	5.6	5.0	3.7	3.6	5.0	6.5	9.2	8.1	10.5	80.8	13	3211
	06 LST	9.4	7.1	8.1	6.6	5.9	3.0	3.9	6.2	7.4	8.5	8.9	8.5	83.5	13	3286
	12 LST	9.6	8.4	8.9	9.7	7.2	4.3	5.9	6.9	8.5	9.9	10.2	9.7	99.2	13	3391
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	0.0	0.0	0.0	1.6	3.5	12.2	13.5	16.5	10.0	5.1	0.1	0.0	62.6	13	3345
	00 LST	0.0	0.0	0.0	0.6	2.3	12.5	16.4	16.4	11.1	4.5	0.1	0.0	63.9	13	3211
	06 LST	0.0	0.0	0.0	0.7	2.3	12.4	16.1	15.5	9.2	5.0	0.0	0.0	61.2	13	3285
	12 LST	0.0	0.0	0.2	1.6	3.7	13.1	14.4	13.2	9.5	4.3	0.1	0.0	60.1	13	3391
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	14.4	11.0	10.8	6.9	3.5	4.9	5.9	5.5	1.9	2.6	4.4	12.8	85.0	10	3047
	00 LST	15.9	14.9	16.8	12.2	6.0	5.9	8.7	10.1	5.4	5.2	5.0	12.8	118.9	10	3049
	06 LST	15.3	14.4	11.7	7.9	3.5	5.9	8.6	7.2	2.6	3.1	5.4	12.9	98.5	10	3047
	12 LST	10.2	8.8	9.7	6.9	4.2	4.6	6.2	6.4	2.0	1.6	3.6	9.0	73.2	10	3047
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.2	21.0	24.1	19.3	17.5	21.6	25.7	23.8	17.9	15.5	13.6	21.2	244.4	13	4024
	00 LST	24.2	21.1	24.6	19.6	15.9	20.3	24.2	22.4	19.3	15.9	13.3	20.0	240.8	13	4027
	06 LST	23.9	21.5	23.9	19.1	15.3	19.9	23.9	21.3	16.8	15.8	14.3	20.3	236.0	13	4023
	12 LST	21.5	20.8	23.9	19.3	16.2	20.3	24.8	21.1	15.1	14.7	13.2	20.9	231.8	13	4023
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.7	19.7	22.5	17.4	14.9	17.0	20.8	18.9	12.7	11.7	11.3	19.3	207.9	13	4024
	00 LST	22.2	20.1	22.9	17.8	12.9	15.8	19.6	19.3	13.0	10.7	9.5	18.4	202.2	13	4027
	06 LST	22.1	20.5	21.6	16.8	13.3	15.5	20.2	17.6	11.2	10.7	10.6	18.2	198.3	13	4023
	12 LST	20.2	19.7	22.5	17.5	15.0	17.3	21.0	17.7	11.1	11.3	10.4	19.4	203.1	13	4023
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.8	17.5	18.9	15.4	11.5	13.9	16.7	14.7	9.3	9.5	9.3	17.4	173.9	13	4024
	00 LST	19.9	17.7	20.2	16.0	10.4	12.7	16.3	15.8	9.8	9.4	8.7	16.9	173.8	13	4027
	06 LST	20.6	17.8	19.4	14.3	10.3	11.8	16.7	14.2	7.8	8.5	9.3	16.4	167.1	13	4023
	12 LST	18.2	16.7	20.2	15.5	12.3	14.2	17.5	15.4	8.5	8.7	8.9	16.8	172.9	13	4023

CORAL HARBOUR, CANADA

STA NO. 72915 (IN AREA NUMBER 08)

LATITUDE 6411N

LONGITUDE 08321W

ELEVATION(FT) 00210

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	31	30	26	32	44	61	76	70	60	39	34	27	76	12	3927
MEAN MAX TMP (F)	-12	-11	-4	12	27	40	54	53	38	25	10	-4	19	12	3927
MEAN MIN TMP (F)	-27	-26	-22	-7	12	29	39	38	28	12	-5	-19	4	12	3929
ABS MIN TMP (F)	-57	-52	-51	-39	-20	11	30	28	8	-20	-34	-49	-57	12	3929
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3927
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	30.0	30.9	22.3	1.7	3.4	23.6	30.3	30.0	31.0	293.2	12	3929
MEAN NO DYS TMP = OR LES 0(F)	29.7	27.1	29.0	21.2	5.8	0.0	0.0	0.0	0.0	5.1	20.0	28.2	166.1	12	3929
MEAN DEW PT TMP (F)	-12	-14	-10	2	15	30	39	40	29	15	3	-11	11	8	20944
MEAN REL HUM (PCT)	85	85	80	80	83	82	78	82	85	86	83	84	83	8	20920
MEAN PRESS ALT (FT)	207	163	104	88	111	231	299	299	286	283	253	238	214	0	-50
MEAN PRECIP (IN)	0.30	0.43	0.27	0.34	0.86	0.88	1.58	1.52	1.33	1.15	0.74	0.35	9.9	12	3925
MEAN SNOW FALL (IN)	2.1	6.1	3.6	10.6	10.0	1.7	0.0	0.0	2.8	8.6	10.3	2.9	58.7	3	852
MEAN NO DYS PHCP = OR GTR 0.1 IN	0.8	1.5	0.5	1.5	2.8	2.7	4.6	4.5	4.0	4.0	3.2	0.8	30.9	12	3925
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.5	0.0	2.0	2.0	0.0	0.0	0.0	0.7	1.3	2.0	0.3	6.8	3	852
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	7.3	5.5	3.6	4.0	4.0	3.8	4.7	4.3	4.7	6.1	6.4	6.9	61.3	8	2357
MEAN NO DYS TSTMS	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.3	8	2353
P FREQ WND SPD = OR GTR 17 KTS	21.2	14.7	13.2	15.0	19.2	10.6	11.8	14.8	22.6	22.6	21.5	22.5	17.5	8	27369
P FREQ WND SPD = OR GTR 28 KTS	4.4	2.8	1.2	2.7	2.6	0.7	1.2	0.7	3.5	4.6	3.4	6.5	2.9	8	27369
P FREQ LES 5000 FT A/O LES 5 MI	33.9	30.3	20.7	31.6	56.7	47.7	47.2	47.0	58.7	57.6	55.1	42.0	44.0	8	27047
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	22.2	15.5	10.7	16.4	26.1	14.7	17.6	20.5	24.9	31.2	28.7	19.8	20.7	8	4117
03-05 LST	20.4	15.8	9.3	12.6	28.9	14.8	17.9	24.1	22.2	25.8	30.6	28.1	20.9	3	2691
06-08 LST	16.0	14.2	10.7	15.3	28.7	17.9	20.2	23.7	28.9	29.7	28.4	19.8	21.3	12	5644
09-11 LST	26.5	20.5	11.8	18.5	24.5	15.0	18.6	27.3	26.1	31.7	38.2	28.5	23.9	3	2685
12-14 LST	25.6	18.0	12.2	16.5	23.7	14.2	15.6	16.2	24.2	32.1	34.3	28.1	21.7	8	4114
15-17 LST	22.0	12.9	13.7	15.6	20.1	9.3	7.9	16.2	16.1	36.6	37.2	30.1	19.8	3	2690
18-20 LST	22.4	11.3	11.4	15.5	21.3	10.3	12.8	11.2	21.1	33.0	31.0	20.1	18.5	8	4106
21-23 LST	25.8	17.1	15.8	16.3	22.9	10.0	12.9	19.7	18.5	31.0	33.3	27.4	20.9	3	2689
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	10.0	7.8	3.7	7.0	5.4	6.7	8.2	6.5	7.0	11.0	10.4	7.4	7.6	8	4117
03-05 LST	7.0	5.8	2.2	6.7	4.7	4.1	10.0	11.0	11.1	11.8	5.0	13.5	7.7	3	2691
06-08 LST	7.2	7.6	5.3	6.9	7.4	7.1	9.2	10.4	11.4	9.7	9.2	10.4	8.5	12	5644
09-11 LST	10.8	9.4	6.5	7.4	8.6	1.1	2.9	9.3	11.7	6.5	13.5	12.4	8.3	3	2685
12-14 LST	12.5	9.9	6.5	7.6	9.4	1.1	3.7	3.4	6.7	9.7	14.1	13.6	8.2	8	4114
15-17 LST	11.3	6.5	4.7	7.0	5.4	1.9	1.1	5.3	4.4	8.1	11.1	14.5	6.9	3	2690
18-20 LST	10.9	5.3	5.0	7.3	4.6	2.2	3.8	4.0	4.3	10.0	11.2	10.7	6.6	8	4106
21-23 LST	12.4	7.1	7.5	4.8	4.3	4.4	5.0	5.3	2.8	7.6	7.8	9.1	6.5	3	2689

CORAL HARBOUR, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	24.1	22.7	27.7	25.2	26.3	27.7	27.5	29.3	24.8	24.3	22.4	25.3	307.3	8	2316
	00 LST	24.5	23.2	27.6	25.2	25.0	26.5	27.0	26.0	23.4	24.4	22.8	25.2	300.8	8	2322
	06 LST	25.6	23.1	27.4	25.7	24.1	26.0	26.1	25.6	23.5	24.1	23.4	25.9	300.5	12	3852
	12 LST	23.8	21.7	26.4	25.0	25.3	26.8	26.6	28.2	24.6	24.1	21.4	23.3	297.2	8	2324
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	10.5	11.9	16.0	13.0	9.2	11.5	8.4	6.7	6.3	5.3	8.1	10.1	117.0	8	2316
	00 LST	10.6	10.4	14.6	12.2	9.8	15.0	14.6	12.6	8.3	5.7	7.5	10.4	131.7	8	2322
	06 LST	12.4	9.7	12.4	9.5	8.6	10.5	13.0	10.4	7.3	6.4	7.2	12.0	119.4	12	3852
	12 LST	11.6	9.9	14.8	12.8	7.3	9.8	8.0	7.8	6.7	5.4	6.4	8.4	108.9	8	2323
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	5.8	4.9	4.4	4.7	6.4	3.4	6.8	5.7	6.2	6.2	5.4	6.9	66.8	8	2320
	00 LST	5.5	5.5	4.3	4.1	4.6	1.4	2.6	2.0	5.1	5.6	5.1	6.9	52.7	8	2307
	06 LST	5.2	4.7	3.7	4.0	4.2	3.8	2.8	3.4	5.6	5.5	4.5	5.4	52.8	12	3834
	12 LST	5.3	4.5	4.1	3.8	7.8	4.2	6.9	6.5	7.4	7.5	4.9	6.9	69.8	8	2323
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	0.0	0.0	0.0	0.0	0.5	10.6	11.8	11.2	6.5	0.6	0.0	0.0	41.2	8	2320
	00 LST	0.0	0.0	0.0	0.0	0.0	6.5	13.2	14.2	5.6	0.6	0.0	0.0	40.1	8	2307
	06 LST	0.0	0.0	0.0	0.0	0.3	6.6	12.5	12.4	4.0	0.3	0.0	0.0	36.1	12	3830
	12 LST	0.0	0.0	0.0	0.0	0.9	8.7	12.0	11.4	6.5	0.7	0.0	0.0	40.2	8	2323
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	14.6	13.7	16.7	16.5	5.1	6.0	6.8	5.1	5.6	8.1	9.2	16.3	123.7	6	1420
	00 LST	15.6	15.0	18.7	16.5	5.3	7.0	10.0	8.5	7.0	9.5	9.2	16.3	138.6	6	1429
	06 LST	16.7	14.1	15.9	12.0	7.9	5.9	8.5	6.9	4.3	6.4	10.8	16.8	126.2	10	2956
	12 LST	10.7	10.5	14.2	13.5	5.6	5.3	6.5	3.7	2.8	6.3	6.6	10.2	95.9	6	1429
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	22.1	21.9	26.3	23.8	19.4	20.6	22.2	23.6	17.3	16.6	17.0	22.1	252.9	8	2316
	00 LST	21.9	21.2	26.0	23.2	16.5	19.7	21.4	21.7	17.1	17.5	17.2	22.4	245.8	8	2322
	06 LST	24.1	21.1	25.4	23.0	17.1	19.1	22.0	20.3	15.9	17.5	18.0	22.9	246.4	12	3852
	12 LST	21.8	19.5	24.6	23.0	17.5	19.5	20.6	20.8	16.1	17.0	15.4	19.4	235.2	8	2324
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.5	19.0	24.1	21.8	13.2	13.8	16.2	18.9	13.1	12.6	14.0	20.4	207.6	8	2316
	00 LST	20.7	19.5	24.7	21.6	11.5	13.3	16.8	16.2	13.2	14.5	14.4	19.8	206.2	8	2322
	06 LST	22.4	19.0	23.8	20.8	13.6	13.3	18.8	15.9	11.2	13.0	14.3	20.2	206.3	12	3852
	12 LST	21.0	18.0	23.3	20.6	13.3	14.2	15.4	16.1	11.3	11.6	12.7	17.8	195.3	8	2324
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	20.0	17.2	22.8	20.8	12.6	12.2	14.8	16.7	12.2	12.1	13.3	20.1	194.8	8	2316
	00 LST	19.7	18.0	23.4	19.4	11.0	12.8	14.6	14.9	12.2	13.1	13.5	19.1	191.7	8	2322
	06 LST	21.4	17.1	21.9	18.5	12.7	11.9	16.6	14.2	10.1	12.1	13.9	19.6	190.0	12	3852
	12 LST	19.2	16.5	21.8	19.0	12.6	12.0	14.0	15.0	10.6	11.3	12.1	16.6	180.7	8	2324

CHESTERFIELD, CANADA

STA NO. 72916 (IN AREA NUMBER 08)

LATITUDE 6320N

LONGITUDE 09043W

ELEVATION(FT) 00013

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	31	31	30	42	45	81	85	86	67	49	49	28	86	40	-110
MEAN MAX TMP (F)	-19	-20	-8	10	27	42	56	53	41	27	7	-9	17	29	-105
MEAN MIN TMP (F)	-32	-32	-22	-7	14	31	40	40	33	17	-8	-22	4	29	-105
ABS MIN TMP (F)	-60	-57	-52	-38	-17	5	26	27	9	-22	-38	-54	-60	40	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29	-29
MEAN NO DYS TMP = OR LES 32(F)						0.0	0.0	0.0	0.0					0	0
MEAN NO DYS TMP = OR LES 0(F)						0.0	0.0	0.0	0.0					40	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.35	0.40	0.45	0.72	0.61	1.01	1.74	1.48	1.41	1.30	1.09	0.72	11.3	22	-105
MEAN SNOW FALL (IN)	3.5	4.0	4.9	7.1	5.1	0.8	0.0	0.0	1.4	8.9	10.6	7.2	53.5	22	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.0	1.2	1.5	2.3	1.9	3.1	4.7	4.2	4.0	3.8	3.4	2.3	33.4	22	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.5	0.6	1.0	1.4	1.0	0.2	0.0	0.0	0.2	1.9	2.3	1.4	10.5	22	-29
MEAN NO DYS W/DCUH VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CHESTERFIELD, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0

DATA NOT AVAILABLE

BIG OWL, CANADA

STA NO. 74054/ (IN AREA NUMBER 08)

LATITUDE 5444N

LONGITUDE 08224W

ELEVATION(FT) 00042

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	-4	-35	-60	-67	-43	64	119	106	88	83	70	35	30	0	-50
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BIG OWL, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SFC WNC = GTR 17 KTS AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0

DATA NOT AVAILABLE

BEAR ISLAND, CANADA

STA NO. 74055/ (IN AREA NUMBER 08)

LATITUDE 5421N

LONGITUDE 08106W

ELEVATION(FT) 00030

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	-73	-72	-68	-55	-30	40	52	24	1	-2	4	-20	-16	0	-50
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BEAR ISLAND, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0

DATA NOT AVAILABLE

CANARY, CANADA

STA NO. 74058/ (IN AREA NUMBER 08)

LATITUDE 5558N

LONGITUDE 08913W

ELEVATION(FT) 00100

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	-10	-42	-39	-23	6	116	157	136	112	104	87	39	54	0	-50
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNPL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOP 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CANARY, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	18	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR	18	LST												0	0
3 MI W/SFC WND LES 10 KTS	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
SFC WND = GTR 17 KTS AND	18	LST												0	0
NO PRECIP.	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	18	LST												0	0
DEG F AND NO PRECIP.	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
SKY COVER LES 3/10 AND	18	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
CIG = GTR 2500 FT AND	18	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
CIG = GTR 6000 FT AND	18	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
CIG = GTR 10000 FT AND	18	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
	06	LST												0	0
	12	LST												0	0

DATA NOT AVAILABLE

CROW, CANADA

STA NO. 74061/ (IN AREA NUMBER 08)

LATITUDE 5452N

LONGITUDE 08325W

ELEVATION(FT) 00095

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	37	5	-15	-18	4	114	169	155	136	131	117	80	76	0	-50
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CROW, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
		CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST													
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0

DATA NOT AVAILABLE

MANUAN LAKE, CANADA

STA NO. 74191/ (IN AREA NUMBER 08)

LATITUDE 5038N

LONGITUDE 07032W

ELEVATION(FT) 01625

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	43	48	55	70	87	88	91	89	83	70	53	47	91	20	-110
MEAN MAX TMP (F)	15	18	31	45	60	70	74	71	63	50	33	20	46	23	-105
MEAN MIN TMP (F)	-8	-8	8	22	35	44	49	47	40	31	17	2	23	23	-105
ABS MIN TMP (F)	-52	-51	-45	-16	-1	26	35	29	19	4	-29	-46	-52	20	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0		20	-29
MEAN NO DYS TMP = OR LES 32(F)							0.0	0.0						20	-29
MEAN NO DYS TMP = OR LES 0(F)					0.0	0.0	0.0	0.0	0.0	0.0					
MEAN DEW PT TMP (F)	-4	-2	9	23	34	46	52	51	44	33	20	2	26	8	-106
MEAN REL HUM (PCT)	94	91	89	84	78	74	76	78	83	86	90	93	85	8	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.77	1.81	2.59	2.38	1.92	2.30	3.09	2.73	2.58	2.33	2.60	2.56	29.7	23	-105
MEAN SNOW FALL (IN)	26.3	17.3	21.1	11.4	0.9	0.1	0.0	0.0	0.1	4.4	16.2	21.5	119.3	23	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.9	5.6	7.1	6.7	5.7	5.7	6.8	6.3	6.1	5.6	6.1	7.4	77.0	23	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	5.5	3.7	5.0	2.4	0.1	0.0	0.0	0.0	0.0	0.8	4.0	4.6	26.1	23	-29
MEAN NO DYS W/OCUH VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	2.0	3.0	3.0	2.0	1.0	0.0	0.0	12.0	9	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MANUAN LAKE, CANADA
MEAN NUMBER OF DAYS


PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	19													0	0
VSBY = GTR 3 MI	01													0	0
	07													0	0
	13													0	0
CIG = GTR 2000 FT AND VSBY = GTR	19													0	0
3 MI W/SFC WND LES 10 KTS	01													0	0
	07													0	0
	13													0	0
SFC WND = GTR 17 KTS AND	19													0	0
NO PRECIP.	01													0	0
	07													0	0
	13													0	0
SFC WND 4-10 KTS AND TMP 33-89	19													0	0
DEG F AND NO PRECIP.	01													0	0
	07													0	0
	13													0	0
SKY COVER LES 3/10 AND	19													0	0
VSBY = GTR 3 MI	01													0	0
	07													0	0
	13													0	0
CIG = GTR 2500 FT AND	19													0	0
VSBY = GTR 3 MI	01													0	0
	07													0	0
	13													0	0
CIG = GTR 6000 FT AND	19													0	0
VSBY = GTR 3 MI	01													0	0
	07													0	0
	13													0	0
CIG = GTR 10000 FT AND	19													0	0
VSBY = GTR 3 MI	01													0	0
	07													0	0
	13													0	0

DATA NOT AVAILABLE

AREA NO. 08

CANADA	HUDSON BAY AREA													
	BOUNDARIES	5500N 09000W				5500N 09000W				6000N 09700W				6730N 08730W
		5000N 09000W	6730N 08730W	6330N 07000W	5500N 09000W	6330N 07000W	5000N 07000W	6000N 09700W	5000N 07000W	5000N 07000W	NOV	DEC	ANN	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	-0	3	15	30	45	57	66	64	53	40	22	7	34	
MEAN MIN TMP (F)	-18	-17	-6	10	26	39	46	45	38	27	9	-8	16	
LARGEST MEAN PRECIP(IN)	2.77	2.25	2.59	2.38	3.02	3.84	4.07	4.12	3.61	3.24	3.24	2.56	37.7	
SMALLEST MEAN PRECIP(IN)	0.30	0.40	0.27	0.54	0.61	0.83	1.44	1.48	1.33	1.15	0.74	0.35	9.4	
	MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	25.5	23.6	27.2	26.3	26.2	26.7	27.4	26.5	26.3	26.2	22.7	24.7	309.3
	00 LST	25.7	23.8	27.5	25.3	24.5	25.4	26.5	25.3	25.2	25.8	22.2	25.5	302.7
	06 LST	26.5	24.0	27.0	24.1	24.2	24.0	25.1	23.2	23.3	24.3	23.3	25.7	294.7
	12 LST	24.3	23.2	26.4	26.1	25.2	26.4	27.2	26.2	25.0	25.3	22.1	24.6	302.0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	13.7	14.0	15.9	11.6	10.4	12.3	14.5	14.0	12.5	11.8	8.5	12.2	151.4
	00 LST	14.6	13.4	16.9	14.2	13.7	16.3	17.8	15.7	13.7	12.1	9.3	12.4	170.1
	06 LST	14.4	13.9	16.0	12.7	12.2	14.3	16.1	13.4	11.1	10.5	9.3	12.4	156.3
	12 LST	12.3	11.7	15.3	10.3	8.4	10.5	12.7	10.1	8.9	8.4	7.7	11.2	127.5
SFC WND = GTR 17 KTS AND - NO PRECIP.	18 LST	3.8	2.8	3.2	4.1	3.6	2.3	3.1	2.8	3.4	4.1	3.8	4.6	41.6
	00 LST	3.9	2.7	3.2	3.4	2.2	1.6	1.5	1.8	2.8	3.8	3.6	4.5	35.0
	06 LST	3.7	2.6	2.7	2.7	2.5	1.8	1.6	2.1	3.1	3.4	3.1	3.1	32.4
	12 LST	4.2	3.0	3.5	4.0	3.8	4.1	3.9	4.3	4.7	5.2	4.7	4.7	50.1
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	0.0	0.2	1.9	7.7	8.6	12.3	16.3	14.8	13.1	10.0	2.2	0.0	87.1
	00 LST	0.0	0.0	0.5	2.4	6.2	11.3	14.6	15.3	11.8	7.0	2.0	0.1	71.2
	06 LST	0.0	0.0	0.1	1.5	5.1	11.2	14.2	13.4	10.0	6.0	0.9	0.2	62.6
	12 LST	0.0	0.1	1.8	6.1	7.9	12.1	15.7	13.7	11.5	10.0	2.3	0.1	81.3
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	13.5	12.2	12.3	9.9	5.1	4.9	6.7	5.2	5.3	7.4	5.9	11.7	100.1
	00 LST	14.7	14.1	16.2	13.3	8.3	8.9	11.6	11.3	8.0	8.3	6.3	12.1	133.1
	06 LST	15.1	13.4	12.8	8.8	6.6	6.7	7.7	7.1	4.5	4.6	6.4	11.8	105.5
	12 LST	8.5	9.3	11.4	8.7	5.3	3.6	6.2	4.5	2.9	4.9	4.1	8.2	77.6
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	22.2	21.7	23.9	22.1	20.3	22.6	24.5	22.4	20.0	18.9	14.2	20.5	253.3
	00 LST	22.9	21.0	24.5	22.6	18.5	21.4	23.7	21.4	20.3	18.3	14.8	20.6	250.0
	06 LST	23.1	21.2	24.1	19.8	17.4	19.2	21.8	19.1	16.3	15.6	15.2	19.8	232.6
	12 LST	21.1	20.4	23.4	21.7	18.8	19.9	23.7	19.9	17.1	16.1	14.0	19.8	235.9
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.4	19.6	20.9	19.2	15.4	16.8	20.0	18.1	15.2	14.5	11.1	18.2	209.4
	00 LST	21.0	19.4	22.1	19.1	14.3	16.4	20.2	17.6	15.2	13.4	10.7	17.5	206.9
	06 LST	21.1	19.4	21.6	17.0	14.3	15.3	18.8	16.0	11.9	10.8	10.9	16.4	193.5
	12 LST	19.9	18.6	21.5	19.2	14.0	15.1	18.4	14.2	12.6	12.3	10.8	17.7	194.3
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.0	17.7	18.9	17.3	13.0	13.9	18.0	15.7	13.2	13.0	9.9	17.1	186.7
	00 LST	19.4	17.9	20.5	17.7	12.4	14.5	18.0	15.6	13.1	12.2	9.7	15.9	186.9
	06 LST	19.8	17.8	20.0	15.5	12.9	13.8	16.9	14.1	10.5	9.5	10.0	15.3	176.1
	12 LST	18.1	17.0	19.9	16.7	12.3	13.1	17.0	12.8	10.7	11.0	9.7	16.3	174.6

CANADA
(Climatic Area 9)



SHERBROOKE, CANADA

STA NO. 72610 (IN AREA NUMBER 09)

LATITUDE 4526N

LONGITUDE 07141W

ELEVATION(FT) 00784

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	59	54	76	86	92	95	98	97	91	83	75	63	98	60	-110
MEAN MAX TMP (F)	24	23	34	49	63	73	78	75	66	54	39	27	50	36	-105
MEAN MIN TMP (F)	4	3	17	31	42	51	57	54	47	37	26	11	32	36	-105
ABS MIN TMP (F)	-42	-36	-31	-1	23	25	39	37	25	11	-9	-39	-42	60	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		36	-29
MEAN NO DYS TMP = OR LES 32(F)							0.0	0.0						60	-29
MEAN NO DYS TMP = OR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				60	-29
MEAN DEW PT TMP (F)	10	11	21	31	44	55	60	58	50	40	30	16	36	10	-106
MEAN REL HUM (PCT)	89	80	77	70	68	70	74	77	80	80	82	84	78	10	-106
MEAN PRESS ALT (F)	693	715	745	751	751	783	791	745	704	692	717	723	734	0	-50
MEAN PRECIP (IN)	3.26	2.54	2.75	2.66	2.91	3.59	3.53	3.28	3.74	3.13	2.98	2.69	37.3	36	-105
MEAN SNOW FALL (IN)	24.1	20.4	17.4	7.2	0.5	0.0	0.0	0.0	0.0	1.3	10.4	19.8	101.1	36	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.8	7.4	7.5	7.3	7.8	7.5	7.4	7.1	8.0	7.0	6.8	8.1	90.7	36	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	5.1	4.4	3.9	1.5	0.0	0.0	0.0	0.0	0.0	0.2	2.3	4.2	21.6	36	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.0	2.0	5.0	6.0	4.0	2.0	1.0	0.0	0.0	21.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SHERBROOKE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	19	LST												0	0
VSBY = GTR 3 MI	01	LST												0	0
	07	LST												0	0
	13	LST												0	0
CIG = GTR 2000 FT AND VSBY = GTR	19	LST												0	0
3 MI W/SFC WND LES 10 KTS	01	LST												0	0
	07	LST												0	0
	13	LST												0	0
SFC WND = GTR 17 KTS AND	19	LST												0	0
NO PRECIP.	01	LST												0	0
	07	LST												0	0
	13	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	19	LST												0	0
DEG F AND NO PRECIP.	01	LST												0	0
	07	LST												0	0
	13	LST												0	0
SKY COVER LES 3/10 AND	19	LST												0	0
VSBY = GTR 3 MI	01	LST												0	0
	07	LST												0	0
	13	LST												0	0
CIG = GTR 2500 FT AND	19	LST												0	0
VSBY = GTR 3 MI	01	LST												0	0
	07	LST												0	0
	13	LST												0	0
CIG = GTR 6000 FT AND	19	LST												0	0
VSBY = GTR 3 MI	01	LST												0	0
	07	LST												0	0
	13	LST												0	0
CIG = GTR 10000 FT AND	19	LST												0	0
VSBY = GTR 3 MI	01	LST												0	0
	07	LST												0	0
	13	LST												0	0

DATA NOT AVAILABLE

MONTREAL INTL., CANADA

STA NO. 72627 (IN AREA NUMBER 09)

LATITUDE 4528N

LONGITUDE 07345W

ELEVATION(FT) 00117

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	56	52	70	83	94	94	97	96	90	80	70	60	97	67	-528
MEAN MAX TMP (F)	21	23	33	50	64	74	78	75	67	54	39	26	50	67	-28
MEAN MIN TMP (F)	6	8	19	33	47	57	61	59	51	40	27	13	35	67	-28
ABS MIN TMP (F)	-35	-28	-21	2	23	37	45	41	28	20	-18	-29	-35	67	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.3	1.7	0.5	0.2	0.0	0.0	0.0	2.8	14	4959
MEAN NO DYS TMP = OR LES 32(F)	30.2	27.4	28.2	10.4	1.3	0.0	0.0	0.0	0.2	5.8	16.4	28.1	148.0	14	4958
MEAN NO DYS TMP = OR LES 0(F)	8.8	7.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	21.6	14	4958
MEAN DEW PT TMP (F)	11	13	21	33	43	54	59	57	50	40	30	16	36	10	79233
MEAN REL HUM (PCT)	79	79	76	71	67	69	72	71	75	74	78	81	74	10	79219
MEAN PRESS ALT (FT)	119	140	168	180	184	218	227	181	142	129	150	151	166	0	-50
MEAN PRECIP (IN)	3.80	3.00	3.50	2.60	3.10	3.40	3.70	3.50	3.70	3.40	3.50	3.60	40.8	77	-28
MEAN SNOW FALL (IN)	27.7	23.3	20.1	5.5	0.1	0.0	0.0	0.0	0.0	0.9	10.9	23.8	112.3	55	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.7	8.3	8.8	7.2	8.1	7.2	7.6	7.3	8.0	7.5	7.6	9.4	96.7	77	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	5.7	4.9	4.7	1.1	0.0	0.0	0.0	0.0	0.0	0.1	2.4	5.0	23.9	55	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.0	4.1	3.2	1.8	2.1	1.0	0.9	1.0	2.0	2.3	1.9	4.1	28.4	10	3377
MEAN NO DYS TSTMS	0.0	0.0	0.1	0.3	1.1	2.6	3.2	3.3	2.0	0.5	0.1	0.0	13.2	10	3376
P FREQ WND SPD = OR GTR 17 KTS	14.9	13.6	17.1	13.1	8.4	6.7	3.6	3.3	5.4	6.4	12.7	12.1	9.8	10	79235
P FREQ WND SPD = OR GTR 28 KTS	1.4	0.6	1.0	0.5	0.3	0.3	0.0	0.0	0.0	0.2	0.8	0.3	0.5	10	79235
P FREQ LES 5000 FT A/O LES 5 MI	51.0	49.0	40.7	36.1	25.3	24.0	21.2	19.7	31.3	35.9	48.9	54.8	36.5	10	79230
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	21.2	23.8	18.0	11.4	10.8	7.2	6.5	3.9	10.4	10.0	13.0	22.2	13.2	10	9949
03-05 LST	22.8	24.4	20.0	15.1	13.9	11.9	10.3	9.8	14.0	14.0	16.3	25.7	16.5	9	9859
06-08 LST	26.6	32.6	23.1	18.8	13.6	12.5	11.0	10.1	18.5	23.7	21.6	28.8	20.1	14	11533
09-11 LST	30.7	33.6	21.6	15.7	8.7	8.6	7.1	6.5	11.0	15.8	20.6	32.0	17.7	9	9859
12-14 LST	25.5	27.0	16.7	11.1	7.5	4.9	2.4	5.1	6.5	11.0	14.4	25.0	13.1	10	9950
15-17 LST	24.5	26.4	15.2	9.1	5.0	3.2	1.1	4.3	7.2	9.8	15.3	24.7	12.2	9	9859
18-20 LST	17.8	21.0	17.1	8.3	6.0	5.2	2.0	4.1	7.0	8.2	12.5	19.8	10.8	10	9948
21-23 LST	20.2	21.9	16.4	8.5	6.9	5.2	3.2	3.2	6.8	10.5	10.3	20.7	11.2	9	9856
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	5.2	8.5	3.6	1.1	2.5	1.6	1.7	1.0	2.6	3.7	2.0	5.5	3.3	10	9949
03-05 LST	3.7	7.2	4.2	2.6	4.3	2.8	2.8	2.4	4.8	3.7	2.8	5.6	3.9	9	9859
06-08 LST	7.0	11.1	5.7	4.0	1.4	2.0	1.9	1.4	4.4	5.1	5.5	7.7	4.8	14	11533
09-11 LST	8.1	11.4	5.0	2.1	0.1	0.2	0.0	0.2	0.5	1.9	3.5	9.0	3.5	9	9859
12-14 LST	7.1	4.1	4.5	2.0	0.1	0.1	0.1	0.5	0.1	0.6	2.7	8.0	2.9	10	9950
15-17 LST	6.6	8.9	4.9	2.0	0.2	0.2	0.0	0.1	0.4	1.4	2.1	5.6	2.7	9	9859
18-20 LST	6.5	3.9	2.8	1.1	0.1	0.2	0.0	0.0	0.5	0.6	1.4	4.2	1.8	10	9948
21-23 LST	4.9	5.1	2.9	0.9	0.6	0.7	0.1	0.5	1.4	1.9	1.9	6.5	2.3	9	9856

MONTREAL INTL., CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	25.6	22.8	26.6	27.7	29.2	28.5	30.4	30.0	28.5	28.9	26.8	25.2	330.2	10	3377
	01 LST	24.9	21.6	26.5	27.4	28.6	28.3	28.9	30.0	27.4	28.3	26.9	25.2	324.2	10	3377
	07 LST	24.3	19.5	24.8	24.5	27.3	26.6	27.9	27.7	25.4	24.2	23.4	23.3	298.9	14	4960
	13 LST	23.4	20.9	25.8	27.4	29.5	28.9	30.7	29.5	28.3	28.1	26.6	23.4	322.5	10	3377
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	12.8	11.0	13.8	16.1	19.1	20.6	24.1	24.3	21.2	20.0	14.4	14.0	211.4	10	3377
	01 LST	13.5	12.5	15.0	16.5	19.9	20.8	23.5	23.2	20.6	19.5	15.0	13.6	215.6	10	3377
	07 LST	12.3	9.8	12.8	12.6	16.3	17.1	20.1	21.6	17.3	16.3	12.7	11.7	180.6	14	4960
	13 LST	10.3	8.0	8.7	9.5	12.0	12.7	13.0	14.8	13.7	13.6	11.6	9.8	137.7	10	3377
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	3.8	2.5	3.4	2.3	3.0	1.0	0.6	0.6	0.8	1.5	3.3	2.6	25.4	10	3131
	01 LST	3.5	2.2	4.1	2.0	1.1	0.7	0.4	0.1	0.7	1.3	3.6	2.7	22.4	10	3103
	07 LST	4.3	2.9	3.4	2.7	1.3	1.3	0.6	0.4	1.2	2.6	2.0	3.1	24.8	14	4667
	13 LST	5.6	5.9	7.1	7.2	5.0	4.0	2.8	2.2	3.5	3.6	4.9	5.9	57.7	10	3136
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	1.7	1.9	6.5	15.0	16.2	15.3	17.7	17.2	17.5	15.2	10.0	2.1	136.3	10	3131
	01 LST	1.1	1.0	2.8	13.2	17.2	16.3	16.8	17.1	14.0	13.8	8.2	2.3	123.6	10	3103
	07 LST	0.6	0.4	1.9	11.5	12.8	15.3	15.6	14.1	12.7	10.7	7.1	2.1	104.8	14	4667
	13 LST	1.6	1.5	7.3	11.3	14.5	13.1	15.6	15.1	13.4	14.6	9.8	3.2	121.0	10	3135
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	8.2	9.1	10.4	7.2	5.9	5.9	7.0	9.3	8.9	10.7	6.0	7.0	95.6	10	3377
	01 LST	8.9	8.1	11.9	12.3	13.0	12.0	11.9	14.8	12.2	12.4	6.1	5.8	129.4	10	3377
	07 LST	7.1	5.9	7.3	7.7	8.3	7.8	8.6	10.1	8.1	7.1	3.1	5.5	86.6	14	4960
	13 LST	7.0	6.8	8.1	4.8	4.5	4.0	4.7	5.1	4.7	6.0	2.6	4.9	63.2	10	3377
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	24.2	21.1	25.2	26.4	28.1	27.9	29.8	29.0	27.0	28.2	25.1	22.7	314.7	10	3377
	01 LST	21.8	20.3	24.4	25.3	27.1	27.7	28.0	29.2	26.4	26.5	24.7	22.1	303.5	10	3377
	07 LST	20.1	17.4	22.8	21.6	25.7	24.9	26.1	25.9	23.8	22.2	20.4	19.9	270.8	14	4960
	13 LST	21.4	19.7	23.9	25.3	28.0	28.0	29.2	29.0	27.0	26.2	23.9	22.1	303.7	10	3377
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	16.7	17.5	19.4	20.1	23.3	24.2	25.1	24.8	21.9	22.0	16.2	15.0	246.2	10	3377
	01 LST	14.7	15.0	18.9	19.8	23.2	23.1	24.6	26.0	22.1	20.3	15.7	13.1	236.5	10	3377
	07 LST	14.1	13.1	18.5	17.5	21.3	22.1	23.1	23.0	20.3	18.3	12.5	12.9	216.7	14	4960
	13 LST	17.0	16.8	19.8	16.0	21.3	20.8	23.3	23.3	18.0	18.2	12.5	15.4	222.4	10	3377
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	14.7	16.0	16.9	17.1	19.0	20.8	21.4	22.5	18.2	18.5	13.0	13.1	211.2	10	3377
	01 LST	13.1	13.4	16.7	17.3	19.7	18.8	20.6	22.9	18.8	17.6	12.1	11.0	202.0	10	3377
	07 LST	12.3	12.0	16.2	15.6	17.6	19.6	20.4	20.1	17.5	15.5	10.2	11.2	188.2	14	4960
	13 LST	15.1	15.4	17.5	14.0	18.9	18.9	20.3	20.8	15.5	15.7	10.5	13.5	196.1	10	3377

OTTAWA, CANADA

STA NO. 72628 (IN AREA NUMBER 09)

LATITUDE 4519N

LONGITUDE 07540W

ELEVATION(FT) 00374

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	54	54	78	86	94	97	101	100	102	87	74	59	102	65	-828
MEAN MAX TMP (F)	21	22	33	51	66	76	81	77	68	54	39	24	51	65	-28
MEAN MIN TMP (F)	3	3	16	31	44	54	58	55	48	37	26	9	32	65	-28
ABS MIN TMP (F)	-32	-35	-34	-2	21	33	38	35	24	14	-10	-34	-35	65	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.8	1.6	1.1	0.2	0.0	0.0	0.0	3.7	12	4377
MEAN NO DYS TMP = OR LES 32(F)	30.4	27.6	28.9	12.3	2.6	0.0	0.0	0.0	0.9	7.4	19.1	29.2	158.4	12	4376
MEAN NO DYS TMP = OR LES 0(F)	10.4	6.4	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	6.0	24.9	12	4376
MEAN DEW PT TMP (F)	10	13	20	32	42	53	58	55	49	39	29	15	35	9	78746
MEAN REL HUM (PCT)	81	80	77	69	66	70	70	72	76	75	80	83	75	9	78739
MEAN PRESS ALT (FT)	264	284	309	327	336	372	382	336	299	286	302	298	316	0	-50
MEAN PRECIP (IN)	2.93	2.17	2.77	2.70	2.47	3.52	3.39	2.56	3.23	2.93	2.98	2.58	34.2	65	-105
MEAN SNOW FALL (IN)	21.5	17.3	14.4	4.4	0.0	0.0	0.0	0.0	0.0	0.8	6.4	17.2	82.0	65	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.2	6.5	7.5	7.4	6.9	7.4	7.2	6.1	7.2	6.7	6.8	7.5	85.4	65	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	4.6	3.7	3.1	0.9	0.0	0.0	0.0	0.0	0.0	0.1	1.2	3.7	17.3	65	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.2	4.7	3.9	2.2	1.3	0.5	1.3	1.8	2.8	3.3	2.2	3.8	31.0	9	3284
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.7	1.8	4.9	4.7	4.3	2.1	0.9	0.1	0.0	19.5	9	3283
P FREQ WND SPD = OR GTR 17 KTS	7.7	7.0	8.6	6.6	4.6	3.3	1.9	1.9	3.1	5.0	7.1	5.7	5.2	9	78806
P FREQ WND SPD = OR GTR 28 KTS	0.6	0.2	0.3	0.1	0.2	0.1	0.0	0.0	0.1	0.3	0.4	0.1	0.2	9	78806
P FREQ LES 5000 FT A/O LES 5 MI	44.7	44.8	37.8	34.4	25.3	25.9	22.4	22.0	32.0	35.8	51.9	52.5	35.8	9	78800
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	20.3	20.7	16.1	12.6	7.9	6.5	7.2	5.9	11.2	11.5	15.2	23.3	13.2	9	9855
03-05 LST	19.8	22.4	17.9	12.6	10.8	11.9	9.7	10.0	15.1	14.5	18.0	24.2	15.6	9	9852
06-08 LST	23.6	23.3	17.9	16.6	11.0	12.9	9.2	13.0	17.1	20.1	22.3	25.0	17.7	12	10951
09-11 LST	24.5	26.8	17.2	15.3	8.5	10.8	7.5	7.6	14.3	16.8	21.6	26.6	16.5	9	9854
12-14 LST	16.4	23.8	15.5	11.6	9.1	6.5	4.3	5.7	6.7	11.7	17.4	23.6	12.7	9	9853
15-17 LST	17.4	21.7	16.8	10.9	6.9	3.7	2.6	5.3	4.2	9.4	16.3	23.7	11.6	9	9853
18-20 LST	17.7	18.8	13.3	9.6	5.7	3.8	1.8	5.7	4.4	9.3	14.2	17.4	10.1	9	9853
21-23 LST	20.6	16.5	12.8	9.8	5.7	4.0	2.6	4.7	7.3	10.3	16.5	19.5	10.9	9	9850
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	2.8	7.3	4.4	4.2	1.9	1.9	1.8	1.1	3.0	3.8	3.7	6.5	3.5	9	9855
03-05 LST	4.7	8.3	6.2	4.4	2.9	1.6	2.6	3.5	6.1	5.3	5.8	8.9	5.0	9	9852
06-08 LST	5.6	8.1	6.0	3.8	1.5	2.9	1.9	3.9	5.4	7.6	7.1	8.4	5.2	12	10951
09-11 LST	7.4	8.9	4.8	1.6	0.2	0.7	0.4	0.2	1.9	3.1	3.2	7.3	3.3	9	9854
12-14 LST	5.3	9.8	4.4	1.2	0.1	0.1	0.0	0.0	0.1	0.1	2.7	6.2	2.5	9	9853
15-17 LST	6.2	7.8	4.7	2.0	0.7	0.0	0.0	0.0	0.1	1.2	3.6	6.5	2.7	9	9853
18-20 LST	4.3	5.4	3.3	1.4	1.6	0.4	0.1	0.4	0.2	2.2	4.6	5.6	2.5	9	9853
21-23 LST	4.4	5.2	3.0	2.8	1.0	0.6	0.1	1.1	1.2	3.8	3.7	6.4	2.8	9	9850

OTTAWA, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	26.1	23.0	27.3	27.8	29.8	29.0	30.7	29.5	29.1	28.8	26.6	26.0	333.7	9	3285
	01 LST	26.2	22.1	26.3	27.3	29.4	28.3	29.0	29.8	27.2	28.2	26.2	23.2	325.2	9	3285
	07 LST	24.9	22.0	26.6	26.0	28.2	27.2	28.3	27.0	24.4	25.1	23.9	24.2	307.8	12	4382
	13 LST	27.1	21.8	26.4	27.1	28.8	29.2	30.3	29.9	28.4	28.6	25.7	24.9	328.2	9	3285
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	19 LST	15.3	13.9	17.9	18.0	19.3	21.2	23.5	23.4	20.8	19.5	14.9	16.7	226.4	9	3285
	01 LST	15.9	13.7	17.6	18.5	23.4	23.4	25.6	27.0	21.9	21.0	16.5	15.6	240.1	9	3285
	07 LST	15.1	14.2	15.2	14.6	19.7	18.5	22.7	22.5	18.2	18.2	15.2	14.8	208.9	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	13 LST	13.8	9.1	11.2	10.8	12.6	12.5	14.3	15.4	11.6	12.0	10.4	12.5	146.2	9	3285
	19 LST	1.9	1.7	2.0	1.2	0.8	0.3	0.3	0.4	0.5	1.3	1.4	1.7	13.5	9	3076
	01 LST	1.7	1.3	2.0	0.8	0.6	0.2	0.1	0.0	0.2	0.5	2.1	1.3	10.8	9	3046
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	2.0	1.4	2.1	0.9	0.5	0.4	0.0	0.2	0.2	0.9	1.1	1.2	10.9	12	4146
	13 LST	3.2	2.2	3.3	3.8	3.7	2.1	1.2	1.2	2.1	3.4	3.2	2.6	32.0	9	3063
	19 LST	2.0	1.2	9.3	18.8	20.5	21.7	22.0	21.8	19.6	19.8	10.8	3.5	171.0	9	3076
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	1.5	1.3	4.0	16.3	19.9	19.0	21.9	19.3	19.8	17.7	10.6	2.0	153.3	9	3046
	07 LST	0.6	0.6	1.9	13.2	17.7	18.4	19.7	18.7	18.8	16.0	8.2	2.7	136.5	12	4145
	13 LST	1.4	1.7	9.1	13.9	16.2	16.1	17.5	18.7	16.0	15.8	12.0	4.8	143.2	9	3063
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	10.7	10.5	9.5	8.4	7.0	6.9	8.6	9.8	8.9	11.5	7.2	8.9	107.9	9	3285
	01 LST	10.6	8.6	11.9	11.4	15.0	13.5	15.1	15.7	14.6	12.3	6.5	8.2	143.4	9	3285
	07 LST	7.7	7.4	9.4	8.1	9.3	9.8	10.6	10.9	8.3	7.3	3.3	6.3	98.4	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	13 LST	7.2	6.8	9.4	6.1	5.1	4.3	4.9	5.2	5.4	7.1	3.0	4.9	69.4	9	3285
	19 LST	23.2	21.5	25.5	25.9	28.4	28.0	29.8	28.8	27.5	27.1	23.1	22.4	311.2	9	3285
	01 LST	22.2	20.2	24.6	25.1	28.3	27.5	28.1	28.8	25.4	24.4	23.6	20.7	300.9	9	3285
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	20.8	19.7	24.1	23.0	26.1	24.5	27.0	25.4	22.2	22.6	21.2	20.1	276.7	12	4382
	13 LST	24.1	20.4	24.1	24.1	27.4	25.8	28.6	28.2	25.9	26.1	22.0	21.9	298.6	9	3285
	19 LST	17.7	17.0	19.4	19.3	22.7	23.4	25.1	24.8	22.2	22.0	19.5	16.0	245.1	9	3285
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	16.3	15.2	19.3	20.4	24.8	24.0	25.3	26.7	22.3	21.2	14.8	14.1	244.4	9	3285
	07 LST	15.4	14.4	19.3	18.0	22.2	21.3	23.6	22.0	19.1	17.8	13.2	13.4	219.7	12	4382
	13 LST	19.1	15.7	18.8	16.3	20.0	18.3	21.9	20.9	17.4	17.8	12.8	15.4	214.4	9	3285
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	15.7	15.0	17.0	17.9	19.0	20.0	22.0	22.4	19.3	19.7	12.7	14.3	215.0	9	3285
	01 LST	15.3	13.4	16.9	17.3	21.9	20.9	22.5	24.6	19.9	18.8	12.2	12.4	216.1	9	3285
	07 LST	13.7	12.8	16.3	15.6	19.2	19.2	21.6	20.5	16.7	15.7	11.1	12.3	194.7	12	4382
13 LST	16.3	14.6	16.9	15.1	17.5	16.0	19.1	18.7	15.7	15.7	10.4	12.4	188.4	9	3285	

MEGANTIC, CANADA

STA NO. 72711/ (IN AREA NUMBER 09)

LATITUDE 4535N

LONGITUDE 07052W

ELEVATION(FT) 01362

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	61	53	72	81	84	88	93	92	87	81	73	67	93	20	-110
MEAN MAX TMP (F)	21	22	33	46	61	70	75	73	66	54	39	25	49	11	-105
MEAN MIN TMP (F)	2	3	14	26	39	49	54	51	44	34	24	9	29	11	-105
ABS MIN TMP (F)	-38	-36	-26	-2	17	26	35	31	19	13	-8	-28	-38	20	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0		11	-29
MEAN NO DYS TMP = OR LES 32(F)							0.0	0.0						20	-29
MEAN NO DYS TMP = OR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				20	-29
MEAN DEW PT TMP (F)	9	9	18	29	42	53	58	56	49	39	28	14	34	9	-106
MEAN REL HUM (PCT)	86	83	78	73	72	78	78	80	81	81	82	86	80	9	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.77	2.39	2.43	2.69	3.35	4.40	4.37	3.25	3.65	3.04	3.72	2.75	38.8	11	-105
MEAN SNOW FALL (IN)	23.7	21.9	16.4	10.3	0.7	0.0	0.0	0.7	0.0	2.2	12.8	19.6	107.6	11	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.9	7.0	6.8	7.3	8.6	8.3	8.3	7.0	7.9	6.9	8.0	7.8	91.8	11	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	5.0	4.7	3.6	2.1	0.0	0.0	0.0	0.0	0.0	0.3	3.0	4.2	22.9	11	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	1.0	1.0	3.0	5.0	4.0	1.0	1.0	0.0	0.0	0.0	16.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MEGANTIC, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG =GTR 2000 FT AND VSBY =GTR														0	0
3 MI W/SFC WND LES 10 KTS														0	0
														0	0
														0	0
														0	0
SFC WND = GTR 17 KTS AND														0	0
NO PRECIP.														0	0
														0	0
														0	0
														0	0
SFC WND 4-10 KTS AND TMP 33-89														0	0
DEG F AND NO PRECIP.														0	0
														0	0
														0	0
														0	0
														0	0
SKY COVER LES 3/10 AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG = GTR 2500 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG = GTR 6000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG = GTR 10000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0

DATA NOT AVAILABLE

QUEBEC, CANADA

STA NO. 72714 (IN AREA NUMBER 09)

LATITUDE 4648N

LONGITUDE 07123W

ELEVATION(FT) 00239

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	52	53	64	80	91	94	97	96	89	82	71	59	97	90	-610
MEAN MAX TMP (F)	18	20	31	44	61	72	76	73	64	51	36	22	47	72	-105
MEAN MIN TMP (F)	2	4	15	29	41	52	57	54	48	37	24	9	31	72	-105
ABS MIN TMP (F)	-34	-33	-23	-2	18	31	39	37	22	14	-14	-32	-34	90	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	0.4	1.6	0.1	0.0	0.0	0.0	0.0	2.3	9	2940
MEAN NO DYS TMP = OR LES 32(F)	30.6	27.9	30.1	20.0	6.0	0.2	0.0	0.0	1.6	10.5	21.1	29.6	177.6	9	2936
MEAN NO DYS TMP = OR LES 0(F)	13.5	10.7	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8.6	36.0	9	2936
MEAN DEW PT TMP (F)	7	8	18	29	41	53	59	57	50	38	28	12	33	10	-106
MEAN REL HUM (PCT)	78	77	73	70	67	73	74	76	79	77	80	77	75	10	-106
MEAN PRESS ALT (FT)	135	160	195	202	199	228	227	184	145	130	155	163	177	0	-50
MEAN PRECIP (IN)	3.45	2.74	3.02	2.35	3.15	3.68	4.02	3.98	3.60	3.41	3.23	3.22	39.8	72	-105
MEAN SNOW FALL (IN)	29.3	23.1	20.8	8.7	0.5	0.0	0.0	0.0	1.8	14.4	25.1	123.7		72	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.2	7.8	8.0	6.6	8.2	7.6	7.9	7.9	7.8	7.5	7.2	8.7	94.4	72	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	6.0	4.9	4.9	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.5	3	641
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.5	0.0	2.5	0.0	0.0	0.0	0.0	1.0	1.0	1.0	2.5	5.0	16.0	10	-24
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.0	2.0	4.0	5.0	3.0	1.0	0.0	0.0	0.0	16.0	3	2564
P FREQ WND SPD = OR GTR 17 KTS	35.6	28.6	18.5	14.2	18.5	14.2	10.5	7.7	8.1	7.7	14.6	24.6	16.9	3	2564
P FREQ WND SPD = OR GTR 28 KTS	3.4	2.3	2.8	0.8	1.6	0.8	0.0	0.0	0.4	0.4	2.1	2.8	1.5	3	2564
P FREQ LES 5000 FT A/O LES 5 MI	50.0	26.4	38.3	40.8	27.4	30.0	33.1	20.2	34.7	34.3	51.3	41.1	35.6	3	2564
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	19.7	12.5	16.1	20.0	9.7	13.3	9.7	3.2	11.9	9.7	21.7	22.6	14.2	3	642
03-05 LST	22.4	18.4	15.7	20.4	12.8	19.0	15.9	12.8	17.5	14.5	21.7	25.1	18.0	3	-30
06-08 LST	25.0	24.3	15.3	20.8	16.1	24.6	22.0	22.4	23.1	19.5	27.7	27.6	22.4	9	2941
09-11 LST	26.7	18.5	14.9	19.4	9.7	19.0	18.3	14.5	19.2	14.6	28.0	29.1	19.0	3	-30
12-14 LST	28.4	12.7	14.5	10.0	3.2	13.3	14.5	6.5	15.3	9.7	28.3	30.6	15.6	3	642
15-17 LST	24.7	15.3	17.0	16.7	4.9	16.7	9.7	5.7	14.3	8.9	25.8	24.2	15.3	3	-30
18-20 LST	20.9	17.9	19.4	23.3	6.5	20.0	4.8	4.8	13.3	8.1	23.3	17.7	15.0	3	644
21-23 LST	20.3	15.2	17.8	21.7	8.1	16.7	7.3	4.0	12.6	8.9	22.5	20.2	14.6	3	-30
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	9.1	10.7	11.3	10.0	3.2	3.3	0.0	0.0	1.7	0.0	11.7	16.1	6.4	3	642
03-05 LST	10.0	11.1	10.1	8.2	3.0	3.8	1.6	4.3	5.1	3.5	9.9	16.0	7.2	3	-30
06-08 LST	10.9	11.5	8.9	6.3	2.8	4.2	3.2	8.5	8.4	6.9	8.0	15.9	8.0	9	2941
09-11 LST	10.7	8.5	8.5	6.5	1.4	5.5	2.4	5.1	4.2	4.3	7.4	18.0	6.9	3	-30
12-14 LST	10.4	5.5	8.1	6.7	0.0	6.7	1.6	1.6	0.0	1.6	6.7	21.0	5.8	3	642
15-17 LST	11.2	10.8	8.9	6.7	0.0	6.7	0.8	0.8	0.0	0.8	10.0	17.0	6.1	3	-30
18-20 LST	11.9	16.1	9.7	6.7	0.0	6.7	0.0	0.0	0.0	0.0	13.3	12.9	6.4	3	644
21-23 LST	10.5	13.4	10.5	8.4	1.6	5.0	0.0	0.0	0.9	0.0	12.5	14.5	6.4	3	-30

QUEBEC, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	25.0	23.0	25.5	24.0	30.0	25.0	30.5	30.0	27.5	28.5	24.0	26.5	319.5	3	644
	01 LST	25.8	25.0	26.0	25.0	30.0	27.0	29.5	30.0	27.5	29.0	25.0	24.5	324.3	3	642
	07 LST	24.2	21.5	26.0	24.5	27.0	24.0	25.6	24.7	24.1	25.8	23.4	23.2	294.0	9	2941
	13 LST	23.1	24.9	28.0	27.0	31.0	26.0	27.5	29.5	26.9	28.0	23.5	22.5	317.9	3	642
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	9.2	12.0	15.0	11.0	14.0	17.0	20.0	21.5	18.5	19.0	13.5	12.0	182.7	3	644
	01 LST	11.7	13.5	18.0	16.0	19.0	18.0	23.0	25.0	22.9	21.0	15.0	13.0	216.1	3	642
	07 LST	9.5	8.3	14.4	13.4	13.9	13.4	15.9	17.9	15.4	14.0	10.6	10.3	157.0	9	2941
	13 LST	4.6	8.7	9.0	4.0	9.0	4.0	8.0	9.5	6.1	11.5	7.0	7.0	88.4	3	642
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	6.9	4.5	3.0	2.0	7.0	2.0	2.5	0.5	1.0	1.5	2.5	4.0	39.4	3	644
	01 LST	7.0	3.0	1.5	3.0	3.0	1.0	1.0	0.0	1.0	1.0	1.0	5.0	27.5	3	642
	07 LST	5.5	4.8	3.9	3.1	3.2	1.6	1.7	0.7	2.0	2.0	3.0	4.5	36.0	9	2943
	13 LST	10.6	8.1	7.0	6.0	9.0	8.0	6.5	7.5	5.1	3.0	6.5	9.0	86.3	3	642
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	0.0	0.0	5.0	14.0	14.0	21.0	19.5	21.5	20.5	17.0	9.0	1.0	142.5	3	643
	01 LST	0.0	0.0	0.5	9.0	13.0	16.0	15.5	18.5	20.3	15.0	7.0	0.5	115.3	3	640
	07 LST	0.1	0.0	1.1	7.5	11.9	13.7	15.1	15.2	12.6	10.5	4.3	0.4	92.4	9	2937
	13 LST	0.5	0.5	5.0	5.0	8.0	6.0	10.0	9.5	8.1	12.0	7.0	1.5	73.1	3	639
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	10.6	12.5	10.5	11.0	9.0	13.0	9.5	11.0	12.0	11.5	7.5	15.5	133.6	3	644
	01 LST	8.9	13.0	13.0	15.0	16.0	15.0	12.0	19.5	10.7	11.5	8.5	10.0	153.1	3	642
	07 LST	7.3	7.7	10.2	8.6	10.1	7.9	10.0	10.2	9.8	7.5	5.3	5.9	100.5	9	2942
	13 LST	6.0	8.1	12.0	7.0	8.0	4.0	3.0	5.5	6.1	5.0	4.5	7.5	76.7	3	642
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	20.3	22.0	24.0	19.0	27.0	23.0	25.0	28.5	25.0	26.0	19.0	23.5	282.3	3	644
	01 LST	20.6	24.0	22.0	23.0	26.0	25.0	26.5	29.5	24.9	26.0	21.5	22.0	291.0	3	642
	07 LST	18.5	18.3	23.4	21.4	24.0	19.7	21.2	22.0	20.8	21.5	18.3	17.4	246.5	9	2941
	13 LST	18.9	22.4	24.0	24.0	29.0	24.0	22.0	23.5	21.3	24.5	17.5	19.5	270.6	3	642
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	14.3	20.0	16.0	16.0	23.0	21.0	21.0	27.5	19.0	19.5	15.5	21.5	234.3	3	644
	01 LST	13.6	20.0	17.0	18.0	22.0	21.0	23.5	25.5	18.3	18.0	13.0	18.0	227.9	3	642
	07 LST	14.1	15.0	19.6	16.7	21.5	17.5	18.9	19.9	18.5	17.0	12.3	13.2	204.2	9	2941
	13 LST	14.3	17.8	20.0	18.0	17.0	18.0	17.0	16.5	15.8	18.0	12.0	17.5	201.9	3	642
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	13.4	19.5	16.0	14.0	22.0	20.0	20.5	25.0	18.5	17.5	14.0	20.0	220.4	3	644
	01 LST	13.1	18.0	16.5	18.0	21.0	19.0	20.0	23.0	15.8	16.0	12.5	16.5	209.4	3	642
	07 LST	12.9	14.0	18.2	16.0	20.4	16.5	18.2	18.6	17.6	15.6	11.3	12.6	191.9	9	2941
	13 LST	13.4	17.8	18.5	16.0	15.0	18.0	15.0	16.5	14.7	15.5	10.5	17.0	187.9	3	642

RIVIERE DU LOUP, CANADA

STA NO. 72715 (IN AREA NUMBER 09)

LATITUDE 4746N

LONGITUDE 06935W

ELEVATION(FT) 00425

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	54	54	68	72	85	91	94	92	90	79	68	60	94	20	-72718
MEAN MAX TMP (F)	20	21	30	42	56	67	74	72	63	51	36	25	46	10	-72718
MEAN MIN TMP (F)	4	5	15	28	38	48	55	53	46	36	25	12	30	10	-72718
ABS MIN TMP (F)	-28	-26	-21	6	10	30	38	33	23	18	-16	-18	-28	20	-72718
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.5	9	-72718
MEAN NO DYS TMP = OR LES 32(F)	31.0	27.9	29.9	22.2	5.7	0.2	0.0	0.0	0.1	9.1	20.8	29.7	176.6	9	-72718
MEAN NO DYS TMP = OR LES 0(F)	10.2	9.1	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	25.0	9	-72718
MEAN DEW PT TMP (F)	9	9	17	28	37	48	56	54	47	37	28	15	32	8	-72718
MEAN REL HUM (PCT)	85	83	79	75	70	73	75	76	77	79	82	85	78	8	-72718
MEAN PRESS ALT (FT)	399	401	419	410	409	454	482	435	389	392	417	424	419	0	-50
MEAN PRECIP (IN)	3.08	3.12	2.37	2.51	3.07	3.16	3.13	3.03	2.40	3.29	3.08	3.04	35.3	10	-72718
MEAN SNOW FALL (IN)	28.7	30.5	17.7	8.8	0.7	0.0	0.0	0.0	0.0	1.3	11.2	25.3	124.2	10	-72718
MEAN NO DYS PKPC = OR GTR 0.1 IN	8.5	8.6	6.7	7.0	8.1	6.9	6.9	6.8	5.8	7.3	6.9	8.4	87.9	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	5.9	6.2	4.0	1.8	0.0	0.0	0.0	0.0	0.0	0.2	2.5	5.3	25.9	10	-29
MEAN NO DYS W/OCUH VSBY LES 1/2 MI	5.1	4.0	5.5	3.0	1.0	4.0	0.5	3.5	3.5	0.5	3.5	2.5	36.6	3	-72718
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	2.0	3.0	2.0	1.0	0.0	0.0	0.0	9.0	8	-72718
P FREQ WND SPD = OR GTR 17 KTS	34.8	35.7	27.8	13.3	27.4	16.7	6.5	9.3	15.4	16.8	35.0	29.4	22.3	3	-72718
P FREQ WND SPD = OR GTR 28 KTS	6.1	4.9	8.5	3.3	0.8	3.3	0.0	0.8	2.1	2.0	4.2	6.9	3.6	3	-72718
P FREQ LES 9000 FT A/O LES 5 MI	63.1	45.1	37.1	35.8	28.2	40.8	31.0	25.4	30.4	34.8	52.1	58.1	40.2	3	-72718
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	29.9	26.8	24.2	16.7	9.7	16.7	8.1	12.9	15.0	6.6	18.3	14.5	16.6	3	-72718
03-05 LST	27.7	25.2	22.6	18.6	12.6	16.5	11.7	12.8	14.0	8.2	16.9	19.8	17.2	3	-72718
06-08 LST	25.4	23.5	21.0	20.4	14.2	16.3	15.2	12.6	13.0	11.7	15.5	25.1	17.8	9	-72718
09-11 LST	32.9	24.4	19.4	20.2	13.6	13.2	13.3	11.2	14.0	12.3	16.1	26.3	18.1	3	-72718
12-14 LST	40.3	25.0	17.7	20.0	12.9	10.0	11.3	9.7	15.0	12.9	16.7	27.4	18.2	3	-72718
15-17 LST	37.3	25.9	21.0	20.0	11.3	13.4	9.7	9.7	16.7	12.1	18.4	21.0	18.0	3	-72718
18-20 LST	34.3	26.8	24.2	20.0	9.7	16.7	8.1	9.7	18.3	11.3	20.0	14.5	17.8	3	-72718
21-23 LST	32.1	26.8	24.2	18.4	9.7	16.7	8.1	11.3	16.7	9.0	19.2	14.5	17.2	3	-72718
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	19.4	19.6	17.7	13.3	9.7	10.0	3.2	12.9	11.7	3.3	11.7	8.1	11.7	3	-72718
03-05 LST	16.2	17.1	12.9	9.6	6.3	7.9	4.7	9.9	9.0	3.1	8.4	7.3	9.5	3	-72718
06-08 LST	12.9	14.6	7.3	7.9	2.8	5.8	6.1	6.9	6.5	2.8	5.0	10.5	7.4	9	-72718
09-11 LST	18.4	13.6	8.5	5.6	3.0	4.6	4.7	5.9	6.5	1.4	7.5	10.9	7.6	3	-72718
12-14 LST	23.9	12.5	9.7	3.3	3.2	3.3	3.2	4.8	6.7	0.0	10.6	11.3	7.7	3	-72718
15-17 LST	21.7	16.1	14.6	5.0	4.9	5.0	2.4	4.8	6.7	2.4	10.8	9.7	8.7	3	-72718
18-20 LST	19.4	19.6	19.4	6.7	6.5	6.7	1.6	4.8	6.7	4.8	11.7	8.1	9.7	3	-72718
21-23 LST	19.4	19.6	18.6	10.0	8.1	8.4	2.4	8.9	9.2	4.1	11.7	8.1	10.7	3	-72718

RIVIERE DU LOUP, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	21.7	22.0	23.5	25.0	29.0	27.0	29.5	29.0	25.5	28.0	26.0	27.0	313.2	3	-72718
	01 LST	23.1	20.5	24.5	24.0	28.0	27.0	29.5	27.0	25.5	29.0	25.5	28.0	311.6	3	-72718
	07 LST	24.7	22.3	24.7	25.5	28.3	26.7	27.3	27.5	27.1	28.7	26.9	25.3	315.0	9	-72718
	13 LST	20.3	23.0	25.5	26.0	28.0	29.0	29.0	29.0	27.5	29.5	26.0	23.5	316.3	3	-72718
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	7.4	7.5	10.5	13.0	16.0	17.0	22.0	17.0	15.0	13.5	7.5	7.0	153.4	3	-72718
	01 LST	6.4	6.5	9.0	11.0	11.0	15.0	21.0	15.5	12.5	15.2	12.0	5.0	140.1	3	-72718
	07 LST	9.4	6.8	11.7	12.5	12.4	13.1	14.8	15.0	12.3	13.1	11.3	8.3	140.7	9	-72718
	13 LST	6.1	8.5	11.5	13.0	8.0	14.0	12.5	10.5	12.5	9.5	5.5	10.0	121.6	3	-72718
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	5.5	7.5	4.0	1.0	5.0	1.0	0.5	1.5	1.0	3.5	7.0	8.0	45.5	3	-72718
	01 LST	6.4	6.5	8.5	0.0	2.0	3.0	0.0	2.0	3.0	3.5	7.0	6.5	48.4	3	-72718
	07 LST	5.1	4.9	4.1	3.9	5.7	2.4	1.6	2.0	3.6	4.2	5.4	5.8	48.7	9	-72718
	13 LST	5.1	5.5	5.5	4.0	13.0	7.0	5.0	7.0	5.0	5.5	10.5	3.5	76.6	3	-72718
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	0.0	0.0	2.0	14.0	15.0	14.0	17.0	19.0	15.5	14.5	7.5	1.0	119.5	3	-72718
	01 LST	0.4	0.0	0.5	8.0	14.0	18.0	20.5	19.5	11.0	13.7	7.0	0.5	113.1	3	-72718
	07 LST	0.1	0.0	1.1	9.1	12.4	15.2	17.1	16.3	13.3	11.8	4.8	1.1	102.3	9	-72718
	13 LST	0.5	0.0	4.0	14.0	11.0	11.0	15.0	11.5	15.5	10.5	6.0	1.0	100.0	3	-72718
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	7.8	6.0	14.0	12.0	13.0	8.0	8.0	8.5	9.0	13.0	8.0	8.0	115.3	3	-72718
	01 LST	6.0	10.0	15.0	10.0	15.0	11.0	14.5	14.5	13.5	9.6	5.5	9.5	134.1	3	-72718
	07 LST	6.4	6.4	8.2	8.5	9.4	6.8	10.0	9.8	9.0	6.8	4.3	4.1	89.7	9	-72718
	13 LST	5.5	6.5	12.0	14.0	6.0	7.0	5.5	7.5	8.0	6.5	5.5	5.0	89.0	3	-72718
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	15.7	17.0	21.5	22.0	27.0	22.0	26.5	25.5	23.0	26.0	20.0	20.0	266.2	3	-72718
	01 LST	16.2	17.0	21.0	22.0	27.0	22.0	27.5	26.0	24.0	25.9	20.0	21.5	270.1	3	-72718
	07 LST	18.7	18.1	21.1	20.4	23.6	21.8	24.1	24.8	23.5	23.8	19.6	16.2	255.7	9	-72718
	13 LST	14.8	17.0	22.0	22.0	24.0	22.0	23.5	26.0	22.5	23.0	19.5	17.0	253.3	3	-72718
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	12.5	14.0	19.5	18.0	21.0	16.0	21.5	22.5	19.5	19.5	11.5	12.0	207.5	3	-72718
	01 LST	9.2	14.5	18.5	16.0	20.0	19.0	23.5	23.5	21.0	18.3	11.0	14.0	208.5	3	-72718
	07 LST	12.2	14.2	16.2	16.7	18.4	17.4	20.1	20.6	18.5	17.4	12.4	9.8	193.9	9	-72718
	13 LST	12.0	15.5	19.5	21.0	17.0	16.0	19.5	23.5	19.0	18.5	12.0	11.5	205.0	3	-72718
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	11.1	13.0	19.0	16.0	19.0	15.0	20.5	21.5	19.0	17.5	11.0	12.0	194.6	3	-72718
	01 LST	8.8	14.0	17.0	15.0	20.0	16.0	21.5	22.5	19.5	17.3	10.5	14.0	196.1	3	-72718
	07 LST	11.7	13.1	15.6	15.4	17.5	15.8	19.5	19.6	17.1	15.8	12.0	9.1	182.4	9	-72718
	13 LST	11.6	15.0	19.0	21.0	16.0	15.0	19.5	22.5	18.5	18.0	12.0	11.0	199.1	3	-72718

MONT JOLI, CANADA

STA NO. 72718 (IN AREA NUMBER 09)

LATITUDE 4836N

LONGITUDE 06812W

ELEVATION(FT) 00172

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	54	54	68	72	85	91	94	92	90	79	68	60	94	20	-610
MEAN MAX TMP (F)	20	21	30	42	56	67	74	72	63	51	36	25	46	10	-105
MEAN MIN TMP (F)	4	5	15	28	38	48	55	53	46	36	25	12	30	10	-105
ABS MIN TMP (F)	-28	-26	-21	6	10	30	38	33	23	18	-16	-18	-28	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.5	9	2931
MEAN NO DYS TMP = OR LES 32(F)	31.0	27.9	29.9	22.2	5.7	0.2	0.0	0.0	0.1	9.1	20.8	29.7	176.6	9	2927
MEAN NO DYS TMP = OR LES 0(F)	10.2	9.1	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	25.0	9	2927
MEAN DEW PT TMP (F)	9	9	17	28	37	48	56	54	47	37	28	15	32	8	-106
MEAN REL HUM (PCT)	85	83	79	75	70	73	75	76	77	79	82	85	78	8	-106
MEAN PRESS ALT (FT)	143	151	171	159	155	192	214	168	122	125	155	167	160	0	-50
MEAN PRECIP (IN)	3.08	3.12	2.37	2.51	3.07	3.16	3.13	3.03	2.40	3.29	3.08	3.04	35.3	10	-105
MEAN SNOW FALL (IN)	28.7	30.5	17.7	8.8	0.7	0.0	0.0	0.0	0.0	1.3	11.2	25.3	124.2	10	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.5	8.6	6.7	7.0	8.1	6.9	6.9	6.8	5.8	7.3	6.9	8.4	87.9	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	5.9	6.2	4.0	1.8	0.0	0.0	0.0	0.0	0.0	0.2	2.5	5.3	25.9	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.1	4.0	5.5	3.0	1.0	4.0	0.5	3.5	3.5	0.5	3.5	2.5	36.6	3	643
MEAN NO DYS TSTM:	0.0	0.0	0.0	0.0	1.0	2.0	3.0	2.0	1.0	0.0	0.0	0.0	9.0	8	-24
P FREQ WND SPD = OR GTR 17 KTS	34.8	39.7	27.8	13.3	27.4	16.7	6.5	9.3	15.4	16.8	35.0	29.4	22.3	3	2568
P FREQ WND SPD = OR GTR 28 KTS	6.8	4.9	8.5	3.3	0.8	3.3	0.0	0.8	2.1	2.0	4.2	6.9	3.6	3	2568
P FREQ LES 5000 FT A/O LES 5 MI	63.1	49.1	37.1	35.8	28.2	40.8	31.0	25.4	30.4	34.8	52.1	58.1	40.2	3	2572
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	29.9	26.8	24.2	16.7	9.7	16.7	8.1	12.9	15.0	6.6	18.3	14.5	16.6	3	643
03-05 LST	27.7	25.2	22.6	18.6	12.6	16.5	11.7	12.8	14.0	8.2	16.9	19.8	17.2	3	-30
06-08 LST	25.4	23.5	21.0	20.4	14.2	16.3	15.2	12.6	13.0	11.7	15.5	25.1	17.8	9	2945
09-11 LST	32.9	24.4	19.4	20.2	13.6	13.2	13.3	11.2	14.0	12.3	16.1	26.3	18.1	3	-30
12-14 LST	40.3	25.0	17.7	20.0	12.9	10.0	11.3	9.7	15.0	12.9	16.7	27.4	18.2	3	644
15-17 LST	37.3	25.9	21.0	20.0	11.3	13.4	9.7	9.7	16.7	12.1	18.4	21.0	18.0	3	-30
18-20 LST	34.3	26.8	24.2	20.0	9.7	16.7	8.1	9.7	18.3	11.3	20.0	14.5	17.8	3	644
21-23 LST	32.1	26.8	24.2	18.4	9.7	16.7	8.1	11.3	16.7	9.0	19.2	14.5	17.2	3	-30
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	19.4	19.6	17.7	13.3	9.7	10.0	3.2	12.9	11.7	3.3	11.7	8.1	11.7	3	643
03-05 LST	16.2	17.1	12.5	9.6	6.3	7.9	4.7	9.9	9.0	3.1	8.4	9.3	9.5	3	-30
06-08 LST	12.9	14.6	7.3	7.9	2.8	5.8	6.1	6.9	6.3	2.8	5.0	10.5	7.4	9	2945
09-11 LST	18.4	13.6	8.5	5.6	3.0	4.6	4.7	5.9	6.5	1.4	7.5	10.9	7.6	3	-30
12-14 LST	23.9	12.5	9.7	3.3	3.2	3.3	3.2	4.8	6.7	0.0	10.0	11.3	7.7	3	644
15-17 LST	21.7	16.1	14.6	5.0	4.9	5.0	2.4	4.8	6.7	2.4	10.8	9.7	8.7	3	-30
18-20 LST	19.4	19.6	19.4	6.7	6.5	6.7	1.6	4.8	6.7	4.8	11.7	8.1	9.7	3	644
21-23 LST	19.4	19.6	18.6	10.0	8.1	8.4	2.4	8.9	9.2	4.1	11.7	8.1	10.7	3	-30

MONT JOLI, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	085
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	21.7	22.0	23.5	25.0	29.0	27.0	29.5	29.0	25.5	28.0	26.0	27.0	313.2	3	644
	01 LST	23.1	20.5	24.5	24.0	28.0	27.0	29.5	27.0	25.5	29.0	25.5	28.0	311.6	3	643
	07 LST	24.7	22.3	24.7	25.5	28.3	26.7	27.3	27.5	27.1	28.7	26.9	25.3	315.0	9	2945
	13 LST	20.3	23.0	25.5	26.0	28.0	29.0	29.0	27.5	29.5	26.0	23.5	316.3	3	644	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	19 LST	7.4	7.5	10.5	13.0	16.0	17.0	22.0	17.0	15.0	13.5	7.5	7.0	193.4	3	644
	01 LST	6.4	6.5	9.0	11.0	11.0	15.0	21.0	15.5	12.5	15.2	12.0	5.0	140.1	3	643
	07 LST	9.4	6.8	11.7	12.5	12.4	13.1	14.8	15.0	12.3	13.1	11.3	8.3	140.7	9	2945
	13 LST	6.1	8.5	11.5	13.0	8.0	14.0	12.5	10.5	12.5	9.5	5.5	10.0	121.6	3	643
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	5.5	7.5	4.0	1.0	5.0	1.0	0.5	1.5	1.0	3.5	7.0	8.0	45.5	3	644
	01 LST	6.4	6.5	8.5	0.0	2.0	3.0	0.0	2.0	3.0	3.5	7.0	6.5	48.4	3	643
	07 LST	5.1	4.9	4.1	3.9	5.7	2.4	1.6	2.0	3.6	4.2	5.4	5.8	48.7	9	2947
	13 LST	5.1	5.5	5.5	4.0	13.0	7.0	5.0	7.0	5.0	5.5	10.5	3.5	76.6	3	643
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	0.0	0.0	2.0	14.0	15.0	14.0	17.0	19.0	19.5	14.5	7.5	1.0	119.5	3	643
	01 LST	0.4	0.0	0.5	8.0	14.0	18.0	20.5	19.5	11.0	13.7	7.0	0.5	113.1	3	643
	07 LST	0.1	0.0	1.1	9.1	12.4	15.2	17.1	16.3	13.3	11.8	4.8	1.1	102.3	9	2946
	13 LST	0.5	0.0	4.0	14.0	11.0	11.0	15.0	11.5	15.5	10.5	6.0	1.0	100.0	3	643
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	7.8	6.0	14.0	12.0	13.0	8.0	8.0	8.5	9.0	13.0	8.0	8.0	115.3	3	644
	01 LST	6.0	10.0	15.0	10.0	15.0	11.0	14.5	14.5	13.5	9.6	5.5	9.5	134.1	3	643
	07 LST	6.4	6.4	8.2	8.5	9.4	6.8	10.0	9.8	9.0	6.8	4.3	4.1	89.7	9	2946
	13 LST	5.5	6.5	12.0	14.0	6.0	7.0	5.5	7.5	8.0	6.5	5.5	5.0	89.0	3	644
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	15.7	17.0	21.5	22.0	27.0	22.0	26.5	25.5	23.0	26.0	20.0	20.0	266.2	3	644
	01 LST	16.2	17.0	21.0	22.0	27.0	22.0	27.5	26.0	24.0	25.9	20.0	21.5	270.1	3	643
	07 LST	18.7	18.1	21.1	20.4	23.6	21.8	24.1	24.8	23.5	23.8	19.6	16.2	255.7	9	2945
	13 LST	14.8	17.0	22.0	22.0	24.0	22.0	23.5	26.0	22.5	23.0	19.5	17.0	253.3	3	644
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	12.5	14.0	19.5	18.0	21.0	16.0	21.5	22.5	19.5	19.5	11.5	12.0	207.5	3	644
	01 LST	5.2	14.5	18.5	16.0	20.0	19.0	23.5	23.5	21.0	18.3	11.0	14.0	208.5	3	643
	07 LST	12.2	14.2	16.2	16.7	18.4	17.4	20.1	20.6	18.5	17.4	12.4	9.8	193.9	9	2945
	13 LST	12.0	15.5	19.5	21.0	17.0	16.0	19.5	23.5	19.0	18.5	12.0	11.5	205.0	3	644
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	11.1	13.0	19.0	18.0	19.0	15.0	20.5	21.5	19.0	17.5	11.0	12.0	194.6	3	644
	01 LST	8.6	14.0	17.0	15.0	20.0	16.0	21.5	22.5	19.5	17.3	10.5	14.0	196.1	3	643
	07 LST	11.9	13.1	15.6	15.4	17.5	15.8	19.5	19.6	17.1	15.8	12.0	9.1	182.4	9	2945
	13 LST	11.6	15.0	19.0	21.0	16.0	15.0	19.5	22.5	18.5	18.0	12.0	11.0	199.1	3	644

LAC A LA TORTUE, CANADA

STA NO. 72721/ (IN AREA NUMBER 09)

LATITUDE 4637N

LONGITUDE 07238W

ELEVATION (FT) 00434

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	328	352	384	394	394	424	426	381	344	328	351	357	372	0	-50
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PNCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

LAC A LA TORTUE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	19													0	0
VSBY = GTR 3 MI	01													0	0
	07													0	0
	13													0	0
CIG =GTR 2000 FT AND VSBY =GTR	19													0	0
3 MI w/SFC WND LES 10 KTS	01													0	0
	07													0	0
	13													0	0
SFC WND = GTR 17 KTS AND	19													0	0
NO PRECIP.	01													0	0
	07													0	0
	13													0	0
SFC WND 4-10 KTS AND TMP 33-89	19													0	0
DEG F AND NO PRECIP.	01													0	0
	07													0	0
	13													0	0
SKY COVER LES 3/10 AND	19													0	0
VSBY = GTR 3 MI	01													0	0
	07													0	0
	13													0	0
CIG = GTR 2500 FT AND	19													0	0
VSBY = GTR 3 MI	01													0	0
	07													0	0
	13													0	0
CIG = GTR 6000 FT AND	19													0	0
VSBY = GTR 3 MI	01													0	0
	07													0	0
	13													0	0
CIG = GTR 10000 FT AND	19													0	0
VSBY = GTR 3 MI	01													0	0
	07													0	0
	13													0	0

DATA NOT AVAILABLE

MANIWAKI, CANADA

STA NO. 72722 (IN AREA NUMBER 09)

LATITUDE 4622N

LONGITUDE 07559W

ELEVATION(FT) 00559

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	55	55	72	83	93	97	99	99	92	84	70	56	99	40	-610
MEAN MAX TMP (F)	22	25	36	52	67	76	79	77	68	55	40	25	52	25	-105
MEAN MIN TMP (F)	-3	-3	19	26	39	49	52	50	44	34	22	5	28	25	-105
ABS MIN TMP (F)	-45	-46	-42	-22	15	28	23	25	22	7	-13	-45	-46	40	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	0.5	1.7	0.4	0.0	0.0	0.0	0.0	2.8	9	2907
MEAN NO DYS TMP = OR LES 32(F)	30.3	27.7	30.0	21.0	10.1	1.9	0.0	0.0	4.0	13.8	22.1	29.7	190.6	9	2907
MEAN NO DYS TMP = OR LES 0(F)	17.9	14.8	9.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	12.1	55.0	9	2907
MEAN DEW PT TMP (F)	6	1	18	30	36	44	56	53	49	37	29	9	31	3	2548
MEAN REL HUM (PCT)	78	73	74	67	63	69	76	77	83	79	80	80	75	3	2548
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.94	1.98	2.28	1.90	2.31	2.90	3.23	2.76	3.00	2.90	2.61	2.43	30.2	25	-105
MEAN SNOW FALL (IN)	16.4	18.2	15.4	4.1	1.0	0.0	0.0	0.0	1.3	10.0	19.4	0.0	85.8	25	-105
MEAN NO DYS PHCP = OR GTR 0.1 IN	5.9	6.0	6.5	5.6	6.5	6.6	7.0	6.4	6.8	6.6	6.1	7.1	77.1	25	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.5	3.9	3.3	0.8	0.1	0.0	0.0	0.0	0.2	2.2		0.0		25	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.0	3.0	1.0	1.0	0.0	2.0	1.5	3.5	5.0	1.5	3.0	5.5	30.0	3	639
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.0	0.0	2.0	6.0	6.0	3.0	0.5	0.0	0.0	18.5	3	639
P FREQ WND SPD = OR GTR 17 KTS	1.2	0.9	3.2	1.7	3.2	6.7	0.4	0.0	0.0	0.4	2.1	0.4	1.7	3	2556
P FREQ WND SPD = OR GTR 28 KTS	0.4	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	3	2556
P FREQ LES 5000 FT A/O LES 5 MI	48.4	38.8	30.6	20.8	18.5	25.0	28.6	22.2	31.3	34.7	47.5	39.5	32.2	3	2556
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	19.4	17.9	11.3	10.0	0.0	13.3	6.5	4.8	8.3	6.5	8.3	12.9	9.9	3	639
03-05 LST	17.4	17.6	12.1	13.0	5.2	11.3	9.5	9.8	12.8	12.0	12.5	15.9	12.4	3	-30
06-08 LST	15.3	17.3	12.9	15.9	10.1	9.2	12.5	14.7	17.2	17.4	16.7	18.3	14.8	9	2907
09-11 LST	19.0	19.4	13.7	11.3	6.7	8.0	7.1	9.8	13.6	14.4	15.9	27.2	13.8	3	-30
12-14 LST	22.6	21.4	14.5	6.7	3.2	6.7	1.6	4.8	10.0	11.3	15.0	24.2	11.8	3	639
15-17 LST	19.4	19.7	15.3	6.7	4.9	6.7	3.2	4.0	8.4	11.3	15.0	21.0	11.3	3	-30
18-20 LST	16.1	17.9	16.1	6.7	6.5	6.7	4.8	3.2	6.7	11.3	15.0	17.7	10.7	3	639
21-23 LST	17.8	17.9	13.7	8.4	3.3	10.0	5.7	4.0	7.5	8.9	11.7	20.1	10.8	3	-30
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	11.3	8.9	4.8	6.7	0.0	3.3	3.2	1.6	1.7	0.0	0.0	4.8	3.9	3	639
03-05 LST	10.1	8.7	6.3	6.6	0.6	2.7	3.6	4.7	6.1	3.5	2.7	6.9	5.2	3	-30
06-08 LST	8.9	8.4	7.7	6.4	1.2	2.1	4.0	7.8	10.5	6.9	5.4	8.9	6.5	9	2907
09-11 LST	10.1	10.5	6.3	3.2	0.6	1.2	2.0	3.9	5.3	5.1	6.1	10.1	5.4	3	-30
12-14 LST	11.3	12.5	4.8	0.0	0.0	0.0	0.0	0.0	0.0	3.2	6.7	11.3	4.2	3	639
15-17 LST	10.5	11.6	7.4	0.0	1.6	0.0	0.0	0.0	0.0	1.6	5.9	10.5	4.1	3	-30
18-20 LST	9.7	10.7	9.7	0.0	3.2	0.0	0.0	0.0	0.0	0.0	5.0	9.7	4.0	3	639
21-23 LST	10.5	9.8	6.8	3.4	1.6	1.7	1.6	0.8	0.9	0.0	2.5	7.3	3.9	3	-30

MANIWAKI, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS.
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	26.0	23.0	27.0	29.0	29.0	30.0	31.0	30.5	29.0	28.5	28.0	25.5	336.5	3	639
	01 LST	25.0	23.5	28.0	28.0	30.0	28.0	29.0	27.5	24.0	28.0	28.0	26.5	325.5	3	639
	07 LST	26.4	22.4	27.5	26.6	29.6	28.2	27.7	24.4	22.7	25.1	26.7	25.3	312.6	9	2907
	13 LST	25.0	22.0	28.0	29.0	31.0	29.0	30.5	31.0	29.5	29.0	27.0	25.0	336.0	3	639
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	18.0	18.0	21.5	21.0	21.0	21.0	25.5	29.5	26.0	24.0	19.0	21.5	266.0	3	639
	01 LST	18.5	19.0	23.5	25.0	26.0	21.0	27.0	26.0	20.0	24.5	19.0	20.0	269.5	3	639
	07 LST	20.5	17.6	22.4	21.1	23.3	24.6	25.4	22.0	18.7	21.5	20.5	20.0	257.6	9	2907
	13 LST	16.0	13.5	19.5	18.0	15.0	12.0	21.0	24.5	16.5	15.0	13.5	16.0	203.5	3	639
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.0	0.5	0.5	1.0	2.0	2.0	0.5	0.0	0.0	0.0	0.5	0.0	7.0	3	639
	01 LST	0.5	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	3	639
	07 LST	0.2	0.1	0.1	0.2	0.1	0.2	0.0	0.0	0.0	0.0	0.6	0.4	1.9	9	2907
	13 LST	0.5	0.0	1.0	0.0	2.0	4.0	0.0	0.0	0.0	0.0	0.5	0.0	8.0	3	639
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	1.0	0.5	7.0	18.0	14.0	16.0	12.0	16.0	12.5	11.0	8.0	3.0	119.0	3	639
	01 LST	1.5	0.0	1.5	5.0	9.0	7.0	4.5	5.0	7.0	7.0	8.5	2.5	58.5	3	639
	07 LST	0.6	0.0	1.0	5.6	11.6	11.0	9.5	8.1	9.2	8.9	4.4	1.1	71.0	9	2907
	13 LST	1.0	0.5	12.0	21.0	17.0	12.0	17.0	22.5	18.5	18.0	12.0	3.5	155.0	3	639
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	9.0	12.5	10.5	12.0	8.0	6.0	7.5	11.5	10.0	9.5	7.0	11.0	114.5	3	639
	01 LST	7.0	8.5	13.5	16.0	17.0	17.0	15.5	15.5	11.0	8.0	8.0	11.5	148.5	3	639
	07 LST	9.0	6.6	11.1	10.4	10.9	10.2	12.1	8.1	5.9	6.1	4.3	6.7	101.4	9	2907
	13 LST	8.0	7.0	10.5	11.0	7.0	7.0	4.0	5.5	6.0	4.5	5.0	7.5	83.0	3	639
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	20.5	20.0	23.5	26.0	27.0	26.0	27.0	29.5	25.0	25.5	20.5	22.0	292.5	3	639
	01 LST	17.5	20.0	24.0	26.0	29.0	25.0	27.5	25.5	19.5	23.5	23.0	21.0	281.5	3	639
	07 LST	21.5	17.9	24.0	22.8	24.6	25.1	24.5	22.1	17.2	20.3	18.5	18.8	257.3	9	2907
	13 LST	19.0	19.5	24.0	25.0	27.0	25.0	25.0	27.0	22.0	22.0	20.0	19.0	274.5	3	639
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	15.0	18.0	19.5	25.0	23.0	21.0	22.5	25.5	22.0	21.0	14.5	20.0	247.0	3	639
	01 LST	13.0	16.0	21.5	23.0	28.0	22.0	23.0	22.5	17.5	17.0	17.0	17.0	237.5	3	639
	07 LST	17.1	13.5	20.9	19.8	21.0	22.9	21.7	18.8	13.1	16.2	11.3	13.5	209.8	9	2907
	13 LST	15.0	16.5	21.0	22.0	22.0	18.0	16.0	16.0	17.0	16.0	13.5	16.5	209.5	3	639
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	10.5	17.0	17.0	25.0	19.0	17.0	19.5	22.0	19.0	19.0	13.0	16.5	214.5	3	639
	01 LST	10.5	14.0	19.0	22.0	25.0	20.0	19.0	19.0	14.5	14.5	14.0	15.5	207.0	3	639
	07 LST	13.9	11.3	18.0	17.6	18.6	19.9	19.1	16.3	11.4	12.6	9.2	10.2	178.1	9	2907
	13 LST	13.0	14.0	18.5	19.0	18.0	15.0	15.0	14.0	16.0	15.5	12.0	15.5	185.5	3	639

LA MACAZA, CANADA

STA NO. 72723/ (IN AREA NUMBER 09)

LATITUDE 4625N

LONGITUDE 07447W

ELEVATION(FT) 00027

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	085
ABS MAX TMP (F)	55	55	72	83	93	97	99	99	92	84	70	56	99	40	-72722
MEAN MAX TMP (F)	22	25	36	52	67	76	79	77	68	55	40	25	52	25	-72722
MEAN MIN TMP (F)	-3	-3	19	26	39	49	52	50	44	34	22	5	28	25	-72722
ABS MIN TMP (F)	-45	-46	-42	-22	15	28	23	25	22	7	-13	-45	-46	40	-72722
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	0.5	1.7	0.4	0.0	0.0	0.0	0.0	2.8	9	-72722
MEAN NO DYS TMP = OR LES 32(F)	30.3	27.7	30.0	21.0	10.1	1.9	0.0	0.0	4.0	13.8	22.1	29.7	190.6	9	-72722
MEAN NO DYS TMP = OR LES 0(F)	17.9	14.8	9.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	12.1	55.0	9	-72722
MEAN DEW PT TMP (F)	6	1	18	30	36	44	56	53	49	37	29	9	31	3	-72722
MEAN REL HUM (PCT)	78	73	74	67	63	69	76	77	83	79	80	80	75	3	-72722
MEAN PRESS ALT (FT)	713	736	764	782	785	817	822	776	741	724	743	744	762	0	-50
MEAN PRECIP (IN)	1.94	1.98	2.28	1.90	2.31	2.90	3.23	2.76	3.00	2.90	2.61	2.43	30.2	25	-72722
MEAN SNOW FALL (IN)	16.4	18.2	15.4	4.1	1.0	0.0	0.0	0.0	1.3	10.0	19.4	0.0	85.8	25	-72722
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.9	6.0	6.5	5.6	6.5	6.6	7.0	6.4	6.8	6.6	6.1	7.1	77.1	25	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.5	3.9	3.3	0.8	0.1	0.0	0.0	0.0	0.2	2.2		0.0		25	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.0	3.0	1.0	1.0	0.0	2.0	1.5	3.5	5.0	1.5	3.0	5.5	30.0	3	-72722
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.0	0.0	2.0	6.0	6.0	3.0	0.5	0.0	0.0	18.5	3	-72722
P FREQ WND SPD = OR GTR 17 KTS	1.2	0.9	3.2	1.7	3.2	6.7	0.4	0.0	0.0	0.4	2.1	0.4	1.7	3	-72722
P FREQ WND SPD = OR GTR 28 KTS	0.4	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	3	-72722
P FREQ LES 5000 FT A/O LES 5 MI	48.4	38.8	30.6	20.8	18.5	25.0	28.6	22.2	31.3	34.7	47.5	39.5	32.2	3	-72722
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	19.4	17.9	11.3	10.0	0.0	11.3	6.5	4.8	8.3	6.5	8.3	12.9	9.9	3	-72722
03-05 LST	17.4	17.6	12.1	13.0	5.2	11.3	9.5	9.8	12.8	12.0	12.5	15.9	12.4	3	-72722
06-08 LST	15.3	17.3	12.9	15.9	10.1	9.2	12.5	14.7	17.2	17.4	16.7	18.3	14.8	9	-72722
09-11 LST	19.0	19.4	13.7	11.3	6.7	8.0	7.1	9.8	13.6	14.4	15.9	27.2	13.8	3	-72722
12-14 LST	22.6	21.4	14.5	6.7	3.2	6.7	1.6	4.8	10.0	11.3	15.0	24.2	11.8	3	-72722
15-17 LST	19.4	19.7	15.3	6.7	4.9	6.7	3.2	4.0	8.4	11.3	15.0	21.0	11.3	3	-72722
18-20 LST	16.1	17.9	16.1	6.7	6.5	6.7	4.8	3.2	6.7	11.3	15.0	17.7	10.7	3	-72722
21-23 LST	17.8	17.9	13.7	8.4	3.3	10.0	5.7	4.0	7.5	8.9	11.7	20.1	10.8	3	-72722
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	11.3	8.9	4.8	6.7	0.0	3.3	3.2	1.6	1.7	0.0	0.0	4.8	3.9	3	-72722
03-05 LST	10.1	8.7	6.3	6.6	0.6	2.7	3.6	4.7	6.1	3.5	2.7	6.9	5.2	3	-72722
06-08 LST	8.9	8.4	7.7	6.4	1.2	2.1	4.0	7.8	10.5	6.9	5.4	8.9	6.5	9	-72722
09-11 LST	10.1	10.5	6.3	3.2	0.6	1.2	2.0	3.9	5.3	5.1	6.1	10.1	5.4	3	-72722
12-14 LST	11.3	12.5	4.8	0.0	0.0	0.0	0.0	0.0	0.0	3.2	6.7	11.3	4.2	3	-72722
15-17 LST	10.5	11.6	7.4	0.0	1.6	0.0	0.0	0.0	0.0	1.6	5.9	10.5	4.1	3	-72722
18-20 LST	9.7	10.7	9.7	0.0	3.2	0.0	0.0	0.0	0.0	0.0	5.0	9.7	4.0	3	-72722
21-23 LST	10.5	9.8	6.8	3.4	1.6	1.7	1.6	0.8	0.9	0.0	2.5	7.3	3.9	3	-72722

LA MACAZA, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	26.0	23.0	27.0	29.0	29.0	30.0	31.0	30.5	29.0	28.5	28.0	25.5	336.5	3	-72722
	01 LST	25.0	23.5	28.0	28.0	30.0	28.0	29.0	27.5	24.0	28.0	28.0	26.5	325.5	3	-72722
	07 LST	26.4	22.4	27.5	26.6	29.6	28.2	27.7	24.4	22.7	25.1	26.7	25.3	312.6	9	-72722
	13 LST	25.0	22.0	28.0	29.0	31.0	29.0	30.5	31.0	29.5	29.0	27.0	25.0	336.0	3	-72722
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	18.0	18.0	21.5	21.0	21.0	21.0	25.5	29.5	26.0	24.0	19.0	21.5	266.0	3	-72722
	01 LST	18.5	19.0	23.5	25.0	26.0	21.0	27.0	26.0	20.0	24.5	19.0	20.0	269.5	3	-72722
	07 LST	20.5	17.6	22.4	21.1	23.3	24.6	25.4	22.0	18.7	21.5	20.5	20.0	257.6	9	-72722
	13 LST	16.0	13.5	19.5	18.0	15.0	12.0	21.0	24.5	16.5	15.0	13.5	16.0	200.5	3	-72722
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.0	0.5	0.5	1.0	2.0	2.0	0.5	0.0	0.0	0.0	0.5	0.0	7.0	3	-72722
	01 LST	0.5	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	3	-72722
	07 LST	0.2	0.1	0.1	0.2	0.1	0.2	0.0	0.0	0.0	0.0	0.6	0.4	1.9	9	-72722
	13 LST	0.5	0.0	1.0	0.0	2.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0	3	-72722
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	1.0	0.5	7.0	18.0	14.0	16.0	12.0	16.0	12.5	11.0	8.0	3.0	119.0	3	-72722
	01 LST	1.5	0.0	1.5	5.0	9.0	7.0	4.5	5.0	7.0	7.0	8.5	2.5	58.5	3	-72722
	07 LST	0.6	0.0	1.0	5.6	11.6	11.0	9.5	8.1	9.2	8.9	4.4	1.1	71.0	9	-72722
	13 LST	1.0	0.5	12.0	21.0	17.0	12.0	17.0	22.5	18.5	18.0	12.0	3.5	155.0	3	-72722
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	9.0	12.5	10.5	12.0	8.0	6.0	7.5	11.5	10.0	9.5	7.0	11.0	114.5	3	-72722
	01 LST	7.0	8.5	13.5	16.0	17.0	17.0	15.5	15.5	11.0	8.0	8.0	11.5	148.5	3	-72722
	07 LST	9.0	6.6	11.1	10.4	10.9	10.2	12.1	8.1	5.9	6.1	4.3	6.7	101.4	9	-72722
	13 LST	8.0	7.0	10.5	11.0	7.0	7.0	4.0	5.5	6.0	4.5	5.0	7.5	83.0	3	-72722
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	20.5	20.0	23.5	26.0	27.0	26.0	27.0	29.5	25.0	25.5	20.5	22.0	292.5	3	-72722
	01 LST	17.5	20.0	24.0	26.0	29.0	25.0	27.5	25.5	19.5	23.5	23.0	21.0	281.5	3	-72722
	07 LST	21.5	17.9	24.0	22.8	24.6	25.1	24.5	22.1	17.2	20.3	18.5	18.8	257.3	9	-72722
	13 LST	19.0	19.0	24.0	25.0	27.0	25.0	25.0	27.0	22.0	22.0	20.0	19.0	274.5	3	-72722
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	15.0	18.0	19.5	25.0	23.0	21.0	22.5	25.5	22.0	21.0	14.5	20.0	247.0	3	-72722
	01 LST	13.0	16.0	21.5	23.0	28.0	22.0	23.0	22.5	17.5	17.0	17.0	17.0	237.5	3	-72722
	07 LST	17.1	13.7	20.9	19.8	21.0	22.9	21.7	18.8	13.1	16.2	11.3	13.5	209.8	9	-72722
	13 LST	15.0	16.5	21.0	22.0	22.0	18.0	16.0	16.0	17.0	16.0	13.5	16.5	209.5	3	-72722
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	10.5	17.0	17.0	25.0	19.0	17.0	19.5	22.0	19.0	19.0	13.0	16.5	214.5	3	-72722
	01 LST	10.5	14.0	19.0	22.0	25.0	20.0	19.0	19.0	14.5	14.5	14.0	15.5	207.0	3	-72722
	07 LST	13.9	11.3	18.0	17.6	18.6	19.9	19.1	16.3	11.4	12.6	9.2	10.2	173.1	9	-72722
	13 LST	13.0	14.0	18.5	19.0	18.0	15.0	15.0	14.0	16.0	15.5	12.0	15.5	185.5	3	-72722

MATANE, CANADA

STA NO. 72724/ (IN AREA NUMBER 09)

LATITUDE 4851N

LONGITUDE 06733W

ELEVATION(FT) 00074

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	54	54	68	72	85	91	94	92	90	79	68	60	94	20	-72718
MEAN MAX TMP (F)	20	21	30	42	56	67	74	72	63	51	36	25	46	10	-72718
MEAN MIN TMP (F)	4	5	15	28	38	48	55	53	46	36	25	12	30	10	-72718
ABS MIN TMP (F)	-28	-26	-21	6	10	30	38	33	23	18	-16	-18	-28	20	-72718
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.5	9	-72718
MEAN NO DYS TMP = OR LES 32(F)	31.0	27.9	29.9	22.2	5.7	0.2	0.0	0.0	0.1	9.1	20.8	29.7	176.6	9	-72718
MEAN NO DYS TMP = OR LES 0(F)	10.2	9.1	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	25.0	9	-72718
MEAN DEW PT TMP (F)	9	9	17	28	37	48	54	54	47	37	28	15	32	8	-72718
MEAN REL HUM (PCT)	85	83	79	75	70	73	75	76	77	79	82	85	78	8	-72718
MEAN PRESS ALT (FT)	45	55	75	62	56	90	110	65	19	22	54	69	60	0	-50
MEAN PRECIP (IN)	3.08	3.12	2.37	2.51	3.07	3.16	3.13	3.03	2.40	3.29	3.08	3.04	35.3	10	-72718
MEAN SNOW FALL (IN)	28.7	30.5	17.7	8.8	0.7	0.0	0.0	0.0	0.0	1.3	11.2	25.3	124.2	10	-72718
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.5	8.6	6.7	7.0	8.1	6.9	6.9	6.8	5.8	7.3	6.9	8.4	87.9	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	5.9	6.2	4.0	1.8	0.0	0.0	0.0	0.0	0.0	0.2	2.5	5.3	25.9	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.1	4.0	5.5	3.0	1.0	4.0	0.5	3.5	3.5	0.5	3.5	2.5	36.6	3	-72718
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	2.0	3.0	2.0	1.0	0.0	0.0	0.0	4.0	8	-72718
P FREQ WND SPD = OR GTR 17 KTS	34.8	35.7	27.8	13.3	27.4	16.7	6.5	9.3	15.4	16.8	35.0	29.4	22.3	3	-72718
P FREQ WND SPD = OR GTR 28 KTS	6.8	4.9	8.5	3.3	0.8	3.3	0.0	0.8	2.1	2.0	4.2	6.9	3.6	3	-72718
P FREQ LES 5000 FT A/O LES 5 MI	63.1	45.1	37.1	35.8	28.2	40.8	31.0	25.4	30.4	34.8	52.1	58.1	40.2	3	-72718
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	29.9	26.8	24.2	16.7	9.7	16.7	8.1	12.9	15.0	6.6	18.3	14.5	16.6	3	-72718
03-05 LST	27.7	25.2	22.6	18.6	12.6	16.5	11.7	12.8	14.0	8.2	16.9	19.8	17.2	3	-72718
06-08 LST	25.4	23.5	21.0	20.4	14.2	16.3	15.2	12.6	13.0	11.7	15.5	25.1	17.8	9	-72718
09-11 LST	32.9	24.4	19.4	20.2	13.6	13.2	13.3	11.2	14.0	12.3	16.1	26.3	18.1	3	-72718
12-14 LST	40.3	25.0	17.7	20.0	12.9	10.0	11.3	9.7	15.0	12.9	16.7	27.4	18.2	3	-72718
15-17 LST	37.3	25.9	21.0	20.0	11.3	13.4	9.7	9.7	16.7	12.1	18.4	21.0	18.0	3	-72718
18-20 LST	34.3	26.8	24.2	20.0	9.7	16.7	8.1	9.7	18.3	11.3	20.0	14.5	17.8	3	-72718
21-23 LST	32.1	26.8	24.2	18.4	9.7	16.7	8.1	11.3	16.7	9.0	19.2	14.5	17.2	3	-72718
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	19.4	19.6	17.7	13.3	9.7	10.0	3.2	12.9	11.7	3.3	11.7	8.1	11.7	3	-72718
03-05 LST	16.2	17.1	12.5	9.6	6.3	7.9	4.7	9.9	9.0	3.1	8.4	9.3	9.5	3	-72718
06-08 LST	12.9	14.6	7.3	7.9	2.8	5.8	6.1	6.9	6.3	2.8	5.0	10.5	7.4	9	-72718
09-11 LST	18.4	13.6	8.5	5.6	3.0	4.6	4.7	5.9	6.5	1.4	7.5	10.9	7.6	3	-72718
12-14 LST	23.9	12.5	9.7	3.3	3.2	3.3	3.2	4.8	6.7	0.0	10.0	11.3	7.7	3	-72718
15-17 LST	21.7	16.1	14.6	5.0	4.9	5.0	2.4	4.8	6.7	2.4	10.8	9.7	8.7	3	-72718
18-20 LST	19.4	19.6	19.4	6.7	6.5	6.7	1.6	4.8	6.7	4.8	11.7	8.1	9.7	3	-72718
21-23 LST	19.4	19.6	18.6	10.0	8.1	8.4	2.4	8.9	9.2	4.1	11.7	8.1	10.7	3	-72718

MATANE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	21.7	22.0	23.5	25.0	29.0	27.0	29.5	29.0	25.5	28.0	26.0	27.0	313.2	3	-72710
	01 LST	23.1	20.5	24.5	24.0	28.0	27.0	29.5	27.0	25.5	29.0	25.5	28.0	311.6	3	-72710
	07 LST	24.7	22.3	24.7	25.5	28.3	26.7	27.3	27.5	27.1	28.7	26.9	25.3	315.0	9	-72710
	13 LST	20.3	23.0	25.5	26.0	28.0	29.0	29.0	29.0	27.5	29.5	26.0	23.5	316.3	3	-72710
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	7.4	7.5	10.5	13.0	16.0	17.0	22.0	17.0	15.0	13.5	7.5	7.0	153.4	3	-72710
	01 LST	6.4	6.5	9.0	11.0	11.0	15.0	21.0	15.5	12.5	15.2	12.0	5.0	140.1	3	-72710
	07 LST	9.4	6.8	11.7	12.5	12.4	13.1	14.8	15.0	12.3	13.1	11.3	8.3	140.7	9	-72710
	13 LST	6.1	8.5	11.5	13.0	8.0	14.0	12.5	10.5	12.5	9.5	5.5	10.0	121.6	3	-72710
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	5.5	7.5	4.0	1.0	5.0	1.0	0.5	1.5	1.0	3.5	7.0	8.0	45.5	3	-72710
	01 LST	6.4	6.5	8.5	0.0	2.0	3.0	0.0	2.0	3.0	3.5	7.0	6.5	48.4	3	-72710
	07 LST	5.1	4.9	4.1	3.9	5.7	2.4	1.6	2.0	3.6	4.2	5.4	5.8	48.7	9	-72710
	13 LST	5.1	5.5	5.5	4.0	13.0	7.0	5.0	7.0	5.0	5.5	10.5	3.5	76.6	3	-72710
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	0.0	0.0	2.0	14.0	15.0	14.0	17.0	19.0	15.5	14.5	7.5	1.0	119.5	3	-72710
	01 LST	0.4	0.0	0.5	8.0	14.0	18.0	20.5	19.5	11.0	13.7	7.0	0.5	113.1	3	-72710
	07 LST	0.1	0.0	1.1	9.1	12.4	15.2	17.1	16.3	13.3	11.8	4.8	1.1	102.3	9	-72710
	13 LST	0.5	0.0	4.0	14.0	11.0	11.0	15.0	11.5	15.5	10.5	6.0	1.0	100.0	3	-72710
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	7.8	6.0	14.0	12.0	13.0	8.0	8.0	8.5	9.0	13.0	8.0	8.0	115.3	3	-72710
	01 LST	6.0	10.0	15.0	10.0	15.0	11.0	14.5	14.5	13.5	9.6	5.5	9.5	134.1	3	-72710
	07 LST	6.4	6.4	8.2	8.5	9.4	6.8	10.0	9.8	9.0	6.8	4.3	4.1	89.7	9	-72710
	13 LST	5.5	6.5	12.0	14.0	6.0	7.0	5.5	7.5	8.0	6.5	5.5	5.0	67.0	3	-72710
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	15.7	17.0	21.5	22.0	27.0	22.0	26.5	25.5	23.0	26.0	20.0	20.0	266.2	3	-72710
	01 LST	16.2	17.0	21.0	22.0	27.0	22.0	27.5	26.0	24.0	25.9	20.0	21.5	270.1	3	-72710
	07 LST	18.7	18.1	21.1	20.4	23.6	21.8	24.1	24.8	23.5	23.8	19.6	16.2	255.7	9	-72710
	13 LST	14.8	17.0	22.0	22.0	24.0	22.0	23.5	26.0	22.5	23.0	19.5	17.0	253.3	3	-72710
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	12.5	14.0	19.5	18.0	21.0	16.0	21.5	22.5	19.5	19.5	11.5	12.0	207.5	3	-72710
	01 LST	9.2	14.5	18.5	16.0	20.0	19.0	23.5	23.5	21.0	18.3	11.0	14.0	208.5	3	-72710
	07 LST	12.2	14.2	16.2	16.7	18.4	17.4	20.1	20.6	18.5	17.4	12.4	9.8	193.9	9	-72710
	13 LST	12.0	15.5	19.5	21.0	17.0	16.0	19.5	23.5	19.0	18.5	12.0	11.5	205.0	3	-72710
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	11.1	13.0	19.0	16.0	19.0	15.0	20.5	21.5	19.0	17.5	11.0	12.0	194.6	3	-72710
	01 LST	8.8	14.0	17.0	15.0	20.0	16.0	21.5	22.5	19.5	17.3	10.5	14.0	196.1	3	-72710
	07 LST	11.9	13.1	15.6	15.4	17.5	15.8	19.5	19.6	17.1	15.8	12.0	9.1	182.4	9	-72710
	13 LST	11.6	15.0	19.0	21.0	16.0	15.0	19.5	22.5	18.5	18.0	12.0	11.0	199.1	3	-72710

PARENT, CANADA

STA NO. 72726/ (IN AREA NUMBER 09)

LATITUDE 4755N

LONGITUDE 07437W

ELEVATION(FT) 01405

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	51	51	68	78	87	92	93	93	93	76	63	57	93	20	-610
MEAN MAX TMP (F)	11	16	28	43	57	67	72	68	61	48	34	19	44	8	2187
MEAN MIN TMP (F)	-6	-2	10	25	37	48	52	50	43	33	24	3	26	8	2138
ABS MIN TMP (F)	-55	-60	-46	-27	13	25	32	32	18	8	-31	-50	-60	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	8	2187
MEAN NO DYS TMP = OR LES 32(F)	31.0	27.8	28.9	23.8	11.4	2.3	0.1	0.6	5.8	16.1	25.7	29.4	202.9	8	2138
MEAN NO DYS TMP = OR LES 0(F)	20.2	15.6	8.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.7	14.7	60.0	8	2138
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.41	2.45	1.12	2.00	3.20	3.82	4.93	3.43	4.25	2.54	2.21	1.69	33.0	8	2237
MEAN SNOW FALL (IN)							0.0	0.0						20	-29
MEAN NO DYS PKCP = OR GTR 0.1 IN	5.5	8.5	4.5	6.2	6.5	8.1	8.3	8.6	8.4	6.1	8.0	6.1	84.8	8	2237
MEAN NO DYS SNFL = OR GTR 1.5 IN							0.0	0.0						20	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 3 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	20.0	26.5	14.8	18.8	12.7	11.7	15.0	22.6	27.0	20.1	34.7	21.4	20.4	8	2254
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	8.3	14.2	6.7	10.2	7.7	5.6	11.3	17.5	17.2	13.6	16.5	6.4	11.3	8	2254
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

PARENT, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	25.2	21.3	26.7	25.2	27.4	26.8	26.8	23.8	21.8	25.6	22.7	25.6	298.9	8	2254
	13 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	19 LST														0	0
	01 LST														0	0
	07 LST	15.2	11.5	15.1	15.8	17.8	19.1	19.3	18.1	14.3	14.5	10.4	15.4	186.5	8	2254
	13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	2.1	1.6	1.5	0.7	1.7	2.0	0.4	1.5	2.3	2.3	3.7	1.6	21.4	8	2256
	13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	0.0	0.2	0.7	4.8	13.2	13.8	15.8	14.9	12.6	8.2	2.7	0.9	87.8	8	2254
	13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	11.9	7.8	11.0	9.4	9.9	8.1	10.0	6.6	5.9	7.1	4.6	7.2	99.5	8	2256
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	22.4	17.9	23.1	21.5	22.9	23.3	22.3	20.2	18.4	20.4	14.3	19.3	246.0	8	2254
	13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	16.0	13.0	18.7	16.5	16.6	17.4	17.6	15.2	12.9	13.5	8.5	13.1	179.0	8	2254
	13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	15.4	12.1	17.2	15.5	16.2	16.5	16.6	13.7	12.2	13.2	7.5	12.3	168.4	8	2254
	13 LST														0	0

BAGOTVILLE, CANADA

STA NO. 72727 (IN AREA NUMBER 09)

LATITUDE 4620N

LONGITUDE 07059W

ELEVATION(FT) 00921

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	55	55	72	77	92	94	96	95	92	83	71	59	96	20	-610
MEAN MAX TMP (F)	13	18	30	45	59	70	74	72	62	50	37	21	46	13	4145
MEAN MIN TMP (F)	-4	0	12	28	39	49	55	52	45	35	25	6	29	13	4145
ABS MIN TMP (F)	-41	-46	-26	-12	15	28	39	35	20	14	-14	-31	-46	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	0.8	1.1	0.2	0.2	0.0	0.0	0.0	2.5	13	4145
MEAN NO DYS TMP = OR LES 32(F)	30.9	28.0	29.5	21.9	6.9	0.2	0.0	0.0	2.4	12.7	23.3	30.4	186.2	13	4145
MEAN NO DYS TMP = OR LES 0(F)	17.9	13.9	7.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.5	11.2	51.0	13	4145
MEAN DEW PT TMP (F)	1	8	16	27	36	48	54	52	45	35	25	8	30	8	61797
MEAN REL HUM (PCT)	84	83	78	70	68	69	74	75	79	77	83	83	77	8	61795
MEAN PRESS ALT (FT)	474	479	498	497	501	547	572	525	481	480	501	503	505	0	-50
MEAN PRECIP (IN)	2.32	2.80	1.48	1.99	2.34	4.33	4.75	3.85	4.11	1.78	2.98	2.86	35.6	9	2917
MEAN SNOW FALL (IN)	25.7	25.5	19.8	9.3	1.1	0.0	0.0	0.0	0.0	1.9	15.9	31.1	130.3	10	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.3	9.2	4.9	6.3	7.6	9.2	10.5	9.5	8.9	5.5	9.8	8.2	96.9	9	2917
MEAN NO DYS SNFL = OR GTR 1.5 IN	5.4	5.3	4.6	1.9	0.1	0.0	0.0	0.0	0.0	0.3	3.9	6.2	27.7	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.5	3.1	2.7	3.3	1.6	1.4	1.1	1.3	1.5	1.4	4.6	3.8	29.5	8	2620
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.1	1.7	2.0	5.0	1.8	2.1	0.3	0.0	0.0	13.0	8	2475
P FREQ WND SPD = OR GTR 17 KTS	16.5	19.9	22.8	17.2	18.2	12.3	7.5	6.1	9.6	13.4	16.4	17.8	14.8	8	62002
P FREQ WND SPD = OR GTR 28 KTS	0.8	1.4	1.0	0.7	0.6	0.5	0.2	0.1	0.2	0.2	0.5	0.7	0.6	8	62002
P FREQ LES 9000 FT A/O LES 5 MI	48.9	46.0	38.8	38.5	43.4	35.0	37.8	33.2	41.5	47.7	63.3	55.8	44.2	8	62002
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	13.1	17.6	11.7	10.2	8.1	5.9	8.6	5.4	7.2	7.6	15.7	18.0	10.8	8	7679
03-05 LST	17.5	17.6	13.4	11.3	7.8	9.8	9.7	7.4	9.9	9.8	16.3	15.9	12.2	8	7821
06-08 LST	20.6	21.3	15.2	12.0	8.3	10.6	8.2	9.0	9.3	11.1	15.1	19.7	13.4	9	8981
09-11 LST	20.1	18.0	11.3	11.2	7.5	7.8	6.9	5.1	6.7	11.2	17.2	24.4	12.3	9	9465
12-14 LST	18.2	16.3	10.7	8.6	4.6	6.2	3.2	3.3	5.5	8.5	17.2	22.8	10.4	9	9343
15-17 LST	17.4	16.8	11.7	8.5	5.1	5.5	2.7	3.5	4.0	10.7	18.3	22.9	10.6	9	8910
18-20 LST	17.7	15.3	10.1	10.0	6.8	5.6	4.7	3.7	4.9	8.5	11.9	19.1	9.9	9	8336
21-23 LST	16.3	13.9	12.0	10.8	9.2	5.6	5.5	3.5	5.9	8.1	10.9	16.3	9.8	8	7417
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	2.0	5.6	3.5	5.1	2.2	2.2	2.5	2.2	1.3	1.2	5.8	5.4	3.3	8	7679
03-05 LST	3.3	5.8	2.8	4.8	1.8	2.4	2.6	2.5	2.3	2.9	6.9	4.5	3.6	8	7821
06-08 LST	7.6	7.9	4.7	3.3	1.1	1.4	0.3	2.4	1.6	2.4	5.5	7.5	3.8	9	8981
09-11 LST	6.2	6.1	3.5	2.3	0.1	0.6	0.1	0.5	0.6	0.9	4.9	8.4	2.9	9	9465
12-14 LST	6.7	5.6	2.9	1.0	0.2	0.5	0.0	0.2	0.3	2.7	4.5	8.1	2.7	9	9343
15-17 LST	6.0	7.4	3.9	2.1	0.5	0.6	0.3	0.1	0.3	2.9	5.5	8.5	3.2	9	8910
18-20 LST	4.0	3.6	3.9	2.5	1.3	1.3	0.9	0.7	0.7	2.4	3.8	6.1	2.6	9	8336
21-23 LST	3.0	3.3	2.4	4.3	2.2	1.4	1.5	1.4	2.1	1.4	4.8	5.5	2.8	8	7417

BAGOTVILLE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	26.2	24.1	27.9	27.2	29.8	29.0	30.2	30.3	28.9	28.8	26.6	25.0	334.0	9	3180
	01 LST	28.2	23.3	28.0	27.4	29.5	28.3	29.1	29.4	28.7	29.5	25.4	25.8	332.6	8	2614
	07 LST	25.4	22.3	26.3	27.1	29.0	27.8	29.1	28.7	27.6	28.7	25.8	25.2	323.0	9	3202
	13 LST	25.6	23.7	28.1	27.7	30.2	28.5	30.2	30.2	29.1	29.0	26.4	24.3	333.0	9	3203
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	16.3	13.0	14.7	15.0	15.0	15.9	19.3	22.9	19.3	16.3	13.6	14.8	196.1	9	3180
	01 LST	14.5	11.6	14.8	15.1	16.0	17.1	20.6	21.5	18.4	17.7	13.1	12.8	193.2	8	2614
	07 LST	12.3	12.1	14.2	13.5	14.4	15.5	18.5	19.3	17.3	16.3	13.2	14.1	180.7	9	3202
	13 LST	12.8	11.1	11.2	9.6	10.3	11.2	13.2	13.6	14.2	11.8	11.5	10.7	141.2	9	3203
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	4.7	4.6	5.3	3.3	3.4	2.5	1.6	0.6	2.0	3.4	5.1	5.1	41.3	9	2812
	01 LST	5.7	4.7	6.0	3.6	3.4	1.4	0.7	0.9	2.2	3.0	2.8	5.7	40.1	8	2309
	07 LST	5.3	5.3	6.4	3.9	5.2	2.7	1.8	1.4	2.4	4.2	4.7	5.1	48.4	9	2871
	13 LST	5.7	7.3	9.6	7.4	9.6	6.5	4.7	4.2	5.6	6.3	7.2	6.0	80.1	9	2924
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	0.4	0.5	5.3	13.7	15.4	17.0	19.3	20.4	16.2	13.8	4.7	0.5	127.2	9	2812
	01 LST	0.0	0.2	1.0	8.1	13.1	15.8	19.4	18.6	16.3	11.2	4.7	0.3	108.7	8	2309
	07 LST	0.1	0.1	0.8	7.4	11.7	13.5	14.4	13.4	13.7	11.0	5.1	0.4	91.6	9	2871
	13 LST	0.4	0.4	4.5	10.8	11.5	12.7	14.1	12.9	13.1	12.9	6.0	0.6	99.9	9	2924
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	9.5	9.2	10.4	7.4	4.2	4.2	4.6	5.6	6.9	7.7	4.4	6.4	80.5	9	3180
	01 LST	9.0	8.1	12.0	11.9	10.0	10.6	9.7	12.6	9.1	9.2	4.3	7.6	114.1	8	2614
	07 LST	7.2	5.5	8.9	7.4	5.9	5.3	5.6	6.0	4.1	4.0	1.0	3.4	64.3	9	3202
	13 LST	5.4	6.2	6.9	5.6	3.8	3.3	2.9	2.9	3.2	4.0	1.6	4.0	49.8	9	3203
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	22.3	21.5	25.7	25.1	26.5	27.7	28.6	28.7	26.9	27.5	20.9	20.6	302.0	9	3180
	01 LST	21.1	19.7	24.2	24.4	26.3	25.8	26.6	28.6	25.8	25.5	19.4	21.3	288.7	8	2614
	07 LST	18.8	19.3	23.8	24.6	25.6	25.2	28.2	26.3	25.5	24.4	21.0	20.2	280.9	9	3202
	13 LST	22.6	21.7	25.8	24.7	26.9	26.6	27.9	28.2	26.0	26.0	20.8	20.9	298.1	9	3203
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	16.6	15.9	20.7	16.1	16.9	20.0	20.3	21.1	17.9	16.9	11.7	13.1	207.2	9	3180
	01 LST	15.6	15.2	17.5	17.3	17.3	18.8	19.7	21.5	18.1	15.2	10.3	13.2	199.7	8	2614
	07 LST	14.8	12.3	17.9	17.4	17.6	17.7	17.3	19.3	16.9	12.8	8.8	11.3	184.1	9	3202
	13 LST	17.1	16.5	18.8	16.0	15.8	16.8	17.0	17.5	16.1	13.4	10.2	15.2	190.4	9	3203
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	14.0	14.4	17.2	14.6	13.6	15.7	17.0	18.2	15.5	14.3	9.3	11.0	174.8	9	3180
	01 LST	12.5	13.6	15.8	15.7	15.6	16.0	16.8	17.4	15.8	13.1	8.2	12.1	172.6	8	2614
	07 LST	12.7	10.2	15.8	15.0	14.0	14.2	14.0	15.9	11.7	9.5	7.0	9.3	149.3	9	3202
	13 LST	14.8	13.4	16.0	14.3	12.9	13.3	13.5	14.5	12.6	10.4	7.9	12.2	155.8	9	3203

ROBERVAL, CANADA

STA NO. 72728 (IN AREA NUMBER 09)

LATITUDE 4831N

LONGITUDE 07216W

ELEVATION(FT) 00586

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	085
ABS MAX TMP (F)	55	60	76	84	96	97	97	94	92	88	76	57	97	40	-610
MEAN MAX TMP (F)	10	14	29	43	58	69	75	72	63	50	33	18	45	14	-105
MEAN MIN TMP (F)	-11	-8	7	25	39	50	56	52	44	34	19	2	26	14	-105
ABS MIN TMP (F)	-56	-42	-28	-8	13	27	35	31	20	-3	-26	-46	-56	40	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	0.5	0.7	0.0	0.2	0.0	0.0	0.0	1.6	7	2119
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	29.3	21.5	5.8	0.2	0.0	0.0	1.4	12.7	23.0	29.3	182.2	7	2119
MEAN NO DYS TMP = OR LES 0(F)	17.1	16.2	5.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	12.4	51.7	7	2119
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	527	534	553	554	562	609	633	588	546	543	561	559	564	0	-50
MEAN PRECIP (IN)	2.18	1.67	1.90	2.18	2.52	3.14	3.42	2.59	2.86	2.28	1.80	2.08	28.6	14	-105
MEAN SNOW FALL (IN)	20.8	15.7	14.3	6.3	0.5	0.0	0.0	0.0	2.3	10.1	17.3	87.3		14	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.5	5.2	5.6	6.3	7.0	6.9	7.3	6.1	6.6	5.6	4.7	6.3	74.1	14	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	4.5	3.4	3.1	1.3	0.0	0.0	0.0	0.0	0.0	0.4	2.2	3.7	18.6	14	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 3 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-18 LST	18.8	17.2	11.8	13.9	9.1	11.1	11.3	11.0	10.7	5.7	17.2	11.8	12.5	7	2120
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	9.7	9.5	7.5	5.0	2.7	1.1	0.5	1.3	2.0	1.7	8.3	7.5	4.7	7	2120
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

ROBERVAL, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	26.2	23.9	27.8	26.8	28.8	27.7	28.1	28.4	28.0	29.9	26.5	27.8	329.9	7	2120
	13 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST														0	0
	01 LST														0	0
	07 LST	13.0	11.3	14.7	14.6	13.8	15.8	15.0	16.0	13.2	13.9	11.8	14.0	167.1	7	2120
	13 LST														0	0
SFC WND = GTR .7 KTS AND NO. PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	3.2	3.8	3.8	2.0	4.0	3.8	2.3	3.2	3.4	4.4	2.8	3.5	40.2	7	2120
	13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	0.0	0.0	0.7	5.5	10.5	13.3	11.8	12.6	13.6	9.3	3.8	0.3	81.4	7	2120
	13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	10.1	8.8	10.5	8.3	8.5	8.0	9.1	7.8	6.8	6.5	4.1	7.2	95.7	7	2120
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	21.0	20.4	25.6	23.5	25.1	25.0	24.6	26.0	24.0	25.9	20.6	24.0	285.7	7	2120
	13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	17.0	17.6	22.3	17.8	20.3	21.2	21.8	22.2	19.8	18.7	14.6	18.7	232.0	7	2120
	13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	16.2	16.0	20.5	17.2	19.8	20.2	20.5	20.0	18.8	16.0	13.1	16.8	215.1	7	2120
	13 LST														0	0

ALMA, CANADA

STA NO. 72729/ (IN AREA NUMBER 09)

LATITUDE 4831N

LONGITUDE 07139W

ELEVATION(FT) 00445

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	085
ABS MAX TMP (F)	55	55	72	77	92	94	96	95	92	83	71	59	96	20	-72727
MEAN MAX TMP (F)	13	18	30	45	59	70	74	72	62	50	37	21	46	13	-72727
MEAN MIN TMP (F)	-4	0	12	28	39	49	55	52	45	35	25	6	29	13	-72727
ABS MIN TMP (F)	-41	-46	-26	-12	15	28	39	35	20	14	-14	-31	-46	20	-72727
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	0.8	1.1	0.2	0.2	0.0	0.0	0.0	2.5	13	-72727
MEAN NO DYS TMP = OR LES 32(F)	30.9	28.0	29.5	21.9	6.9	0.2	0.0	0.0	2.4	12.7	23.3	30.4	186.2	13	-72727
MEAN NO DYS TMP = OR LES 0(F)	17.9	13.9	7.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.5	11.2	51.0	8	-72727
MEAN DEW PT TMP (F)	1	8	16	27	36	48	54	52	45	35	25	8	30	8	-72727
MEAN REL HUM (PCT)	84	83	78	70	68	69	74	75	79	77	83	83	77	8	-72727
MEAN PRESS ALT (FT)	391	397	416	416	422	469	493	447	404	402	422	421	425	0	-50
MEAN PRECIP (IN)	2.32	2.80	1.48	1.99	2.34	4.33	4.75	3.85	4.11	1.78	2.98	2.86	35.6	9	-72727
MEAN SNOW FALL (IN)	25.7	25.5	19.8	9.3	1.1	0.0	0.0	0.0	0.0	1.9	15.9	31.1	130.3	10	-72727
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.3	9.2	4.9	6.3	7.6	9.2	10.5	9.5	8.9	5.5	9.8	8.2	96.9	9	-72727
MEAN NO DYS SNFL = OR GTR 1.5 IN	5.4	5.3	4.6	1.9	0.1	0.0	0.0	0.0	0.0	0.3	3.9	6.2	27.7	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.5	3.1	2.9	3.3	1.6	1.4	1.1	1.3	1.5	1.4	4.6	3.8	29.5	8	-72727
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.1	1.7	2.0	9.0	1.8	2.1	0.3	0.0	0.0	13.0	8	-72727
P FREQ WND SPD = OR GTR 17 KTS	16.5	19.9	22.8	17.2	18.2	12.3	7.5	6.1	9.6	13.4	16.4	17.8	14.8	8	-72727
P FREQ WND SPD = OR GTR 28 KTS	0.8	1.4	1.0	0.7	0.6	0.5	0.2	0.1	0.2	0.2	0.5	0.7	0.6	8	-72727
P FREQ LES 5000 FT A/O LES 5 MI	48.9	46.0	38.8	38.5	43.4	35.0	37.8	33.2	41.5	47.7	63.3	55.8	44.2	8	-72727
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	13.1	17.6	11.7	10.2	8.1	5.9	8.6	5.4	7.2	7.6	15.7	18.0	10.8	8	-72727
03-05 LST	17.5	17.6	13.4	11.3	7.8	9.8	9.7	7.4	9.9	9.8	16.3	15.9	12.2	8	-72727
06-08 LST	20.6	21.3	19.2	12.0	8.3	10.6	8.2	9.0	9.3	11.1	15.1	19.7	13.4	9	-72727
09-11 LST	20.1	18.0	11.3	11.2	7.5	7.8	6.9	5.1	6.7	11.2	17.2	24.4	12.3	9	-72727
12-14 LST	18.2	16.3	10.7	8.6	4.6	6.2	3.2	3.3	5.5	8.5	17.2	22.8	10.4	9	-72727
15-17 LST	17.4	16.8	11.7	8.5	5.1	5.5	2.7	3.5	4.0	10.7	18.3	22.9	10.6	9	-72727
18-20 LST	17.7	15.3	10.1	10.0	6.8	5.6	4.7	3.7	4.9	8.5	11.9	19.1	9.9	9	-72727
21-23 LST	16.3	13.9	12.0	10.8	9.2	5.6	5.5	3.5	5.9	8.1	10.9	16.3	9.8	8	-72727
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	7.0	5.6	3.5	5.1	2.2	2.2	2.5	2.2	1.3	1.2	5.8	5.4	3.3	8	-72727
03-05 LST	3.3	5.8	2.8	4.8	1.8	2.4	2.6	2.5	2.3	2.9	6.9	4.5	3.6	8	-72727
06-08 LST	7.6	7.9	4.7	3.3	1.2	1.4	0.3	2.4	1.6	2.4	5.5	7.5	3.8	9	-72727
09-11 LST	6.2	6.1	3.5	2.3	0.1	0.6	0.1	0.5	0.6	0.9	4.9	8.4	2.9	9	-72727
12-14 LST	6.7	5.6	2.9	1.0	0.2	0.5	0.0	0.2	0.3	2.7	4.5	8.1	2.7	9	-72727
15-17 LST	6.0	7.4	3.9	2.1	0.5	0.6	0.3	0.1	0.3	2.9	5.5	8.5	3.2	9	-72727
18-20 LST	4.0	3.6	3.9	2.5	1.3	1.3	0.9	0.7	0.7	2.4	3.8	6.1	2.6	9	-72727
21-23 LST	3.0	3.3	2.4	4.3	2.2	1.6	1.5	1.4	2.1	1.4	4.8	5.5	2.8	8	-72727

ALMA, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	26.2	24.1	27.9	27.2	29.8	29.0	30.2	30.3	28.9	28.8	26.6	25.0	334.0	9	-72727
	01 LST	28.2	23.3	28.0	27.4	29.5	28.3	29.1	29.4	28.7	29.5	25.4	25.8	332.6	8	-72727
	07 LST	25.4	22.3	26.3	27.1	29.0	27.8	29.1	28.7	27.6	28.7	25.8	25.2	323.0	9	-72727
	13 LST	25.6	23.7	28.1	27.7	30.2	28.5	30.2	30.2	29.1	29.0	26.4	24.3	333.0	9	-72727
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	16.3	13.0	14.7	15.0	15.0	15.9	19.3	22.9	19.3	16.3	13.6	14.8	196.1	9	-72727
	01 LST	14.5	11.6	14.8	15.1	16.0	17.1	20.6	21.5	18.4	17.7	13.1	12.8	193.2	8	-72727
	07 LST	12.3	12.1	14.2	13.5	14.4	15.5	18.5	19.3	17.3	16.3	13.2	14.1	180.7	9	-72727
	13 LST	12.8	11.1	11.2	9.6	10.3	11.2	13.2	13.6	14.2	11.8	11.5	10.7	141.2	9	-72727
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	4.7	4.6	5.3	3.3	3.4	2.5	1.3	0.4	2.0	-3.4	5.1	3.1	161.3	9	-72727
	01 LST	5.7	4.7	6.0	3.6	3.4	1.4	0.7	0.9	2.2	3.0	2.8	5.7	40.1	8	-72727
	07 LST	5.3	5.3	6.4	3.9	5.2	2.7	1.8	1.4	2.4	4.2	4.7	5.1	48.4	9	-72727
	13 LST	5.7	7.3	9.6	7.4	9.6	6.5	4.7	4.2	5.6	6.3	7.2	6.0	80.1	9	-72727
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	0.4	0.5	5.3	13.7	15.4	17.0	19.3	20.4	16.2	13.8	4.7	0.5	127.2	9	-72727
	01 LST	0.0	0.2	1.0	8.1	13.1	15.8	19.4	18.6	16.3	11.2	4.7	0.3	108.7	8	-72727
	07 LST	0.1	0.1	0.8	7.4	11.7	13.5	14.4	13.4	13.7	11.0	5.1	0.4	91.6	9	-72727
	13 LST	0.4	0.4	4.5	10.8	11.5	12.7	14.1	12.9	13.1	12.9	6.0	0.6	99.9	9	-72727
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	9.5	9.2	10.4	7.4	4.2	4.2	4.6	5.6	6.9	7.7	4.4	6.4	80.5	9	-72727
	01 LST	9.0	8.1	12.0	11.9	10.0	10.6	9.7	12.6	9.1	9.2	4.3	7.6	114.1	8	-72727
	07 LST	7.2	5.5	8.9	7.4	5.9	5.3	5.6	6.0	4.1	4.0	1.0	3.4	64.3	9	-72727
	13 LST	5.4	6.2	6.9	5.6	3.8	3.3	2.9	2.9	3.2	4.0	1.6	4.0	49.8	9	-72727
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	22.3	21.5	25.7	25.1	26.5	27.7	28.6	28.7	26.9	27.5	20.9	20.6	302.0	9	-72727
	01 LST	21.1	19.7	24.2	24.4	26.3	25.8	26.6	28.6	25.8	25.5	19.4	21.3	280.7	8	-72727
	07 LST	18.8	19.3	23.8	24.6	25.6	25.2	26.2	26.3	25.5	24.4	21.0	20.2	280.9	9	-72727
	13 LST	22.6	21.7	25.8	24.7	26.9	26.6	27.9	28.2	26.0	26.0	20.8	20.9	298.1	9	-72727
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	16.6	15.9	20.7	16.1	16.9	20.0	20.3	21.1	17.9	16.9	11.7	13.1	207.2	9	-72727
	01 LST	15.6	15.2	17.5	17.3	17.3	18.8	19.7	21.5	18.1	15.2	10.3	13.2	199.7	8	-72727
	07 LST	14.8	12.3	17.9	17.4	17.6	17.7	17.3	19.3	16.9	12.8	8.8	11.3	184.1	9	-72727
	13 LST	17.1	16.5	18.8	16.0	15.8	16.8	17.0	17.5	16.1	13.4	10.2	15.2	190.4	9	-72727
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	14.0	14.4	17.2	14.6	13.6	15.7	17.0	18.2	15.5	14.3	9.3	11.0	174.8	9	-72727
	01 LST	12.5	13.6	15.8	15.7	15.6	16.0	16.8	17.4	15.8	13.1	8.2	12.1	172.6	8	-72727
	07 LST	12.7	10.2	15.8	15.0	14.0	14.2	14.0	15.9	11.7	9.5	7.0	9.3	149.3	9	-72727
	13 LST	14.6	13.4	16.0	14.3	12.9	13.3	13.5	14.5	12.6	10.4	7.9	12.2	155.8	9	-72727

DOLBEAU, CANADA

STA NO. 72732/ (IN AREA NUMBER 09)

LATITUDE 4853N

LONGITUDE 07216W

ELEVATION(FT) 00450

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	55	60	76	84	96	97	97	94	92	88	76	57	97	40	-72728
MEAN MAX TMP (F)	10	14	29	43	58	69	75	72	63	50	33	18	45	14	-72728
MEAN MIN TMP (F)	-11	-8	7	25	39	50	56	52	44	34	19	2	26	14	-72728
ABS MIN TMP (F)	-56	-42	-28	-8	13	27	35	31	20	-3	-26	-46	-56	40	-72728
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	0.5	0.7	0.0	0.2	0.0	0.0	0.0	1.6	7	-72728
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	29.3	21.5	5.8	0.2	0.0	0.0	1.4	12.7	23.0	29.3	182.2	7	-72728
MEAN NO DYS TMP = OR LES 0(F)	17.1	16.2	5.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	12.4	51.7	7	-72728
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	386	395	415	417	425	470	493	448	405	402	420	418	425	0	-50
MEAN PRECIP (IN)	2.18	1.67	1.90	2.18	2.52	3.14	3.42	2.59	2.86	2.28	1.80	2.08	28.6	14	-72728
MEAN SNOW FALL (IN)	20.8	15.7	14.3	6.3	0.5	0.0	0.0	0.0	0.0	2.3	10.1	17.3	87.3	14	-72728
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.5	5.2	5.6	6.3	7.0	6.9	7.3	6.1	6.6	5.6	4.7	6.3	74.1	14	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	4.5	3.4	3.1	1.3	0.0	0.0	0.0	0.0	0.0	0.4	2.2	3.7	18.6	14	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	18.8	17.2	11.8	13.9	9.1	11.1	11.3	11.0	10.7	5.7	17.2	11.8	12.5	7	-72728
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	9.7	9.5	7.5	5.0	2.7	1.1	0.5	1.3	2.0	1.7	8.3	7.5	4.7	7	-72728
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

DOLBEAU, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	26.2	23.9	27.8	26.8	28.8	27.7	28.1	28.4	28.0	29.9	26.5	27.8	7	-72728
	13 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST													0	0
	01 LST													0	0
	07 LST	13.0	11.3	14.7	14.6	13.8	15.8	15.0	16.0	13.2	13.9	11.8	14.0	7	-72728
	13 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST	3.2	3.8	3.8	2.0	4.0	3.8	2.3	3.2	3.4	4.4	2.8	3.5	7	-72728
	13 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST	0.0	0.0	0.7	5.5	10.5	13.3	11.8	12.6	13.6	9.3	3.8	0.3	7	-72728
	13 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	10.1	8.8	10.5	8.3	8.5	8.0	9.1	7.8	6.8	6.5	4.1	7.2	7	-72728
	13 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	21.0	20.4	25.6	23.5	25.1	25.0	24.6	26.0	24.0	25.9	20.6	24.0	7	-72728
	13 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	17.0	17.6	22.3	17.8	20.3	21.2	21.8	22.2	19.8	18.7	14.6	18.7	7	-72728
	13 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	16.2	16.0	20.5	17.2	19.8	20.2	20.5	20.0	18.8	16.0	13.1	16.8	7	-72728
	13 LST													0	0

RIMOUSKI, CANADA

STA NO. 72736/ (IN AREA NUMBER 09)

LATITUDE 4828N

LONGITUDE 06831W

ELEVATION(FT) 00082

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OPS
ABS MAX TMP (F)	54	54	68	72	85	91	94	92	90	79	68	60	94	20	-72718
MEAN MAX TMP (F)	20	21	30	42	56	67	74	72	63	51	36	25	46	10	-72718
MEAN MIN TMP (F)	4	5	15	28	38	48	55	53	46	36	25	12	30	10	-72718
ABS MIN TMP (F)	-28	-26	-21	6	10	30	38	33	23	18	-16	-18	-28	20	-72718
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.5	9	-72718
MEAN NO DYS TMP = OR LES 32(F)	31.0	27.9	29.9	22.2	5.7	0.2	0.0	0.0	0.1	9.1	20.8	29.7	176.6	9	-72718
MEAN NO DYS TMP = OR LES 0(F)	10.2	9.1	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	25.0	9	-72718
MEAN DEW PT TMP (F)	9	9	17	28	37	48	56	54	47	37	28	15	32	8	-72718
MEAN REL HUM (PCT)	85	83	79	75	70	73	75	76	77	79	82	85	78	8	-72718
MEAN PRESS ALT (FT)	53	60	79	68	65	104	127	80	35	37	66	77	71	0	-50
MEAN PRECIP (IN)	3.08	3.12	2.37	2.51	3.07	3.16	3.13	3.03	2.40	3.29	3.08	3.04	35.3	10	-72718
MEAN SNOW FALL (IN)	28.7	30.5	17.7	8.8	0.7	0.0	0.0	0.0	1.3	11.2	25.3	124.2		10	-72718
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.5	8.6	6.7	7.0	8.1	6.9	6.9	6.8	5.8	7.3	6.9	8.4	87.9	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	5.9	6.2	4.0	1.8	0.0	0.0	0.0	0.0	0.2	2.5	5.3	25.9		10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.1	4.0	5.5	3.0	1.0	4.0	0.5	3.5	3.5	0.5	3.5	2.5	36.6	3	-72718
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	2.0	3.0	2.0	1.0	0.0	0.0	0.0	9.0	8	-72718
P FREQ WND SPD = OR GTR 17 KTS	34.8	35.7	27.8	13.3	27.4	16.7	6.5	9.3	15.4	16.8	35.0	29.4	22.3	3	-72718
P FREQ WND SPD = OR GTR 28 KTS	6.8	4.9	6.5	3.3	0.8	3.3	0.0	0.8	2.1	2.0	4.2	6.9	3.6	3	-72718
P FREQ LES 5000 FT A/O LES 5 MI	63.1	45.1	37.1	35.8	28.2	40.8	31.0	25.4	30.4	34.8	52.1	58.1	40.2	3	-72718
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	29.9	26.8	24.2	16.7	9.7	16.7	8.1	12.9	15.0	6.6	18.3	14.5	16.6	3	-72718
03-05 LST	27.7	25.2	22.6	18.6	12.6	16.5	11.7	12.8	14.0	8.2	16.9	19.8	17.2	3	-72718
06-08 LST	25.4	23.5	21.0	20.4	14.2	16.3	15.2	12.6	13.0	11.7	15.5	25.1	17.8	9	-72718
09-11 LST	32.9	24.4	19.4	20.2	13.6	13.2	13.3	11.2	14.0	12.3	16.1	26.3	18.1	3	-72718
12-14 LST	40.3	25.0	17.7	20.0	12.9	10.0	11.3	9.7	15.0	12.9	16.7	27.4	18.2	3	-72718
15-17 LST	37.3	25.9	21.0	20.0	11.3	13.4	9.7	9.7	16.7	12.1	18.4	21.0	18.0	3	-72718
18-20 LST	34.3	26.8	24.2	20.0	9.7	16.7	8.1	9.7	18.3	11.3	20.0	14.5	17.8	3	-72718
21-23 LST	32.1	26.8	24.2	18.4	9.7	16.7	8.1	11.3	16.7	9.0	19.2	14.5	17.2	3	-72718
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	19.4	19.6	17.7	13.3	9.7	10.0	3.2	12.9	11.7	3.3	11.7	8.1	11.7	3	-72718
03-05 LST	16.2	17.1	12.5	9.6	6.3	7.9	4.7	9.9	9.0	3.1	8.4	9.3	9.5	3	-72718
06-08 LST	12.9	14.6	7.3	7.9	2.8	5.8	6.1	6.9	6.3	2.8	5.0	10.5	7.4	9	-72718
09-11 LST	18.4	13.6	8.5	5.6	3.0	4.6	4.7	5.9	6.5	1.4	7.5	10.9	7.6	3	-72718
12-14 LST	23.9	12.5	9.7	3.3	3.2	3.3	3.2	4.8	6.7	0.0	10.0	11.3	7.7	3	-72718
15-17 LST	21.7	16.1	14.6	5.0	4.9	5.0	2.4	4.8	6.7	2.4	10.8	9.7	8.7	3	-72718
18-20 LST	19.4	19.6	19.4	6.7	6.5	6.7	1.6	4.8	6.7	4.8	11.7	8.1	9.7	3	-72718
21-23 LST	19.4	19.6	18.6	10.0	8.1	8.4	2.4	8.9	9.2	4.1	11.7	8.1	10.7	3	-72718

RIMOUSKI, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	21.7	22.0	23.5	25.0	29.0	27.0	29.5	29.0	25.5	28.0	26.0	27.0	313.2	3	-72718
	01 LST	23.1	20.5	24.5	24.0	28.0	27.0	29.5	27.0	25.5	29.0	25.5	29.0	311.6	3	-72718
	07 LST	24.7	22.3	24.7	25.5	28.3	26.7	27.3	27.5	27.1	28.7	26.9	23.5	315.0	9	-72718
	13 LST	20.3	23.0	25.5	26.0	28.0	29.0	29.0	29.0	27.5	29.5	26.0	23.5	316.3	3	-72718
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	7.4	7.5	10.5	13.0	16.0	17.0	22.0	17.0	15.0	13.5	7.5	7.0	153.4	3	-72718
	01 LST	6.4	6.5	9.0	11.0	11.0	15.0	21.0	15.5	12.5	15.2	12.0	5.0	140.1	3	-72718
	07 LST	9.4	6.8	11.7	12.5	12.4	13.1	14.8	15.0	12.3	13.1	11.3	8.3	140.7	9	-72718
	13 LST	6.1	8.5	11.5	13.0	8.0	14.0	12.5	10.5	12.5	9.5	5.5	10.0	121.6	3	-72718
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	5.5	7.5	4.0	1.0	5.0	1.0	0.5	1.5	1.0	3.5	7.0	8.0	45.5	3	-72718
	01 LST	6.4	6.5	8.5	0.0	2.0	3.0	0.0	2.0	3.0	3.5	7.0	6.5	48.4	3	-72718
	07 LST	5.1	4.9	4.1	3.9	5.7	2.4	1.6	2.0	3.6	4.2	5.4	5.8	48.7	9	-72718
	13 LST	5.1	5.5	5.5	4.0	13.0	7.0	5.0	7.0	8.0	5.5	10.5	3.5	76.6	3	-72718
SFC WND = GTR 10 KTS AND TRP 33-89 DEG F AND NO PRECIP.	19 LST	0.0	0.0	2.0	14.0	15.0	14.0	17.0	19.0	15.5	14.5	7.5	1.0	119.5	3	-72718
	01 LST	0.4	0.0	0.5	8.0	14.0	18.0	20.5	19.5	11.0	13.7	7.0	0.5	113.1	3	-72718
	07 LST	0.1	0.0	1.1	9.1	12.4	15.2	17.1	16.3	13.3	11.8	4.8	1.1	102.3	9	-72718
	13 LST	0.5	0.0	4.0	14.0	11.0	11.0	15.0	11.5	15.5	10.5	6.0	1.0	100.0	3	-72718
SKY COVER LES 8/10 AND VSBY = GTR 3 MI	19 LST	7.8	6.0	14.0	12.0	13.0	8.0	8.0	8.5	9.0	13.0	8.0	8.0	115.3	3	-72718
	01 LST	6.0	10.0	15.0	10.0	15.0	11.0	14.5	14.5	13.5	9.6	5.5	9.5	134.1	3	-72718
	07 LST	6.4	6.4	8.2	8.5	9.4	6.8	10.0	9.8	9.0	6.8	4.3	4.1	89.7	9	-72718
	13 LST	5.5	6.5	12.0	14.0	6.0	7.0	5.5	7.5	8.0	6.5	5.5	5.0	89.0	3	-72718
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	15.7	17.0	21.5	22.0	27.0	22.0	26.5	25.5	23.0	26.0	20.0	20.0	266.2	3	-72718
	01 LST	16.2	17.0	21.0	22.0	27.0	22.0	27.5	26.0	24.0	25.9	20.0	21.5	270.1	3	-72718
	07 LST	18.7	18.1	21.1	20.4	23.6	21.8	24.1	24.8	23.5	23.8	19.6	16.2	255.7	9	-72718
	13 LST	14.8	17.0	22.0	22.0	24.0	22.0	23.5	26.0	22.5	23.0	19.5	17.0	253.3	3	-72718
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	12.5	14.0	19.5	18.0	21.0	16.0	21.5	22.5	19.5	19.5	11.5	12.0	207.5	3	-72718
	01 LST	9.2	14.5	18.5	16.0	20.0	19.0	23.5	23.5	21.0	18.3	11.0	14.0	208.5	3	-72718
	07 LST	12.2	14.2	16.2	16.7	18.4	17.4	20.1	20.6	18.5	17.4	12.4	9.8	193.9	9	-72718
	13 LST	17.0	15.5	19.5	21.0	17.0	16.0	19.5	23.5	19.0	18.5	12.0	11.5	205.0	3	-72718
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	11.1	13.0	19.0	16.0	19.0	15.0	20.5	21.5	19.0	17.5	11.0	12.0	194.6	3	-72718
	01 LST	8.8	14.0	17.0	15.0	20.0	16.0	21.5	22.5	19.5	17.3	10.5	14.0	196.1	3	-72718
	07 LST	11.9	13.1	15.6	15.4	17.5	15.8	19.5	19.6	17.1	15.8	12.0	9.1	182.4	9	-72718
	13 LST	11.6	15.0	19.0	21.0	16.0	15.0	19.5	22.5	18.5	18.0	12.0	11.0	199.1	3	-72718

SEPT ILES, CANADA

STA NO. 72811 (IN AREA NUMBER 09)

LATITUDE 5013N

LONGITUDE 06616W

ELEVATION(FT) 00180

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	50	51	53	57	83	90	90	87	85	72	59	49	90	20	-610
MEAN MAX TMP (F)	18	19	30	40	51	60	68	67	58	48	36	22	43	9	2942
MEAN MIN TMP (F)	-1	1	13	25	34	43	51	48	41	32	21	6	26	9	2930
ABS MIN TMP (F)	-46	-37	-25	-12	11	27	35	31	23	9	-20	-33	-46	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2942
MEAN NO DYS TMP = OR LES 32(F)	30.7	27.2	29.9	26.8	12.1	1.0	0.0	0.0	3.4	16.4	26.3	30.0	203.8	9	2930
MEAN NO DYS TMP = OR LES 0(F)	17.8	15.5	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	13.6	54.6	9	2930
MEAN DEW PT TMP (F)	2	3	14	24	33	44	52	51	44	34	24	11	28	7	-106
MEAN REL HUM (PCT)	87	85	79	77	74	73	77	77	80	80	81	86	80	7	-106
MEAN PRESS ALT (FT)	251	232	219	186	180	232	271	238	207	228	241	270	230	0	-50
MEAN PRECIP (IN)	4.43	4.21	3.01	2.40	3.38	3.16	4.72	3.37	3.53	3.19	3.90	3.98	43.3	9	-105
MEAN SNOW FALL (IN)	42.5	41.2	27.3	9.2	0.4	0.0	0.0	0.0	0.0	3.1	17.0	29.8	170.5	9	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.7	7.5	5.5	5.5	6.3	7.7	6.4	7.0	7.2	6.4	8.7	8.3	85.2	9	2944
MEAN NO DYS SNFL = OR GTR 1.5 IN				1.9	0.0	0.0	0.0	0.0	0.0	0.5	4.3	6.1		9	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.2	1.0	2.5	2.0	3.0	0.0	2.5	3.0	2.5	2.5	3.0	1.5	26.7	3	644
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	1.0	2.0	2.0	0.0	0.0	0.0	0.0	5.0	6	-24
P FREQ WND SPD = OR GTR 17 KTS	27.6	29.0	20.2	22.5	32.3	27.5	9.7	11.7	16.7	10.9	27.1	21.4	21.4	3	2576
P FREQ WND SPC = OR GTR 28 KTS	4.1	7.1	6.0	5.8	4.0	5.0	0.0	2.8	0.8	2.0	5.4	2.4	3.8	3	2576
P FREQ LES 5000 FT A/O LES 5 MI	39.9	36.2	30.2	30.8	40.3	41.7	35.5	31.9	31.7	31.5	49.2	33.9	36.1	3	2576
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	28.4	25.0	14.5	20.0	22.6	36.7	17.7	17.7	20.0	12.9	25.0	17.7	21.5	3	644
03-05 LST	23.9	23.8	14.9	18.6	18.6	30.0	27.0	18.6	20.2	13.6	24.3	19.2	21.1	3	-30
06-08 LST	19.4	22.6	15.3	17.1	14.6	23.3	26.3	19.4	20.3	14.2	23.5	20.6	19.7	9	2943
09-11 LST	23.2	25.6	16.5	16.9	16.8	23.3	22.7	19.4	20.2	16.0	26.8	19.2	20.6	3	-30
12-14 LST	26.9	28.6	17.7	16.7	19.4	23.3	19.4	19.4	20.0	17.7	30.0	17.7	21.4	3	644
15-17 LST	22.2	27.7	17.7	16.7	17.8	24.5	16.2	15.4	19.2	17.7	29.2	25.1	20.8	3	-30
18-20 LST	17.9	26.8	17.7	16.7	16.1	26.7	12.9	11.3	18.3	17.7	28.3	22.6	19.4	3	644
21-23 LST	23.2	25.9	16.1	18.4	19.4	31.7	15.3	14.5	19.2	15.3	26.7	20.2	20.5	3	-30
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	17.9	17.9	6.5	3.3	16.1	10.0	12.9	11.3	8.3	4.8	15.0	11.3	11.3	3	644
03-05 LST	12.4	15.6	6.3	5.2	11.5	9.8	13.3	10.7	8.0	5.3	13.8	10.3	10.2	3	-30
06-08 LST	6.9	13.3	6.0	7.1	6.9	9.6	13.7	10.1	7.6	5.7	12.6	9.3	9.1	9	2943
09-11 LST	8.7	13.8	7.9	5.2	5.1	6.5	10.1	9.1	9.7	8.5	10.5	10.3	8.8	3	-30
12-14 LST	10.4	14.3	9.7	3.3	3.2	3.3	6.5	8.1	11.7	11.3	8.3	11.3	9.5	3	644
15-17 LST	10.4	16.1	9.7	6.7	6.5	5.0	7.3	6.5	10.9	12.9	12.5	12.1	9.7	3	-30
18-20 LST	10.4	17.9	9.7	10.0	9.7	6.7	8.1	4.8	10.0	14.5	16.7	12.9	11.0	3	644
21-23 LST	14.2	17.9	8.1	6.7	12.9	8.4	10.5	8.1	9.2	9.7	15.9	12.1	11.1	3	-30

SEPT ILES, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	25.4	21.0	26.5	26.0	26.0	23.0	27.5	28.5	26.0	26.0	22.5	25.0	303.4	3	644
	02 LST	24.1	21.5	26.5	25.0	25.0	21.0	26.0	26.5	25.0	27.5	23.0	27.0	296.1	3	644
	08 LST	26.4	22.2	26.6	25.6	27.2	23.4	23.8	25.7	24.4	27.2	23.9	25.3	301.7	9	2943
	14 LST	24.1	21.0	25.5	26.0	26.0	24.0	26.5	26.0	25.0	26.5	23.0	26.0	299.6	3	644
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	11.6	10.5	13.0	14.0	14.0	10.0	21.5	21.0	17.0	17.0	9.0	10.5	169.1	3	644
	02 LST	9.2	9.0	12.0	14.0	11.0	12.0	21.0	17.0	14.5	18.0	10.5	12.0	160.2	3	644
	08 LST	9.1	8.0	12.1	10.4	12.5	12.1	14.0	16.7	15.8	16.3	11.2	10.8	149.0	9	2943
	14 LST	8.8	5.5	11.5	8.0	8.0	7.0	10.5	8.0	7.5	10.5	7.0	11.0	103.3	3	644
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	3.7	4.0	4.5	4.0	4.0	4.0	2.0	1.5	1.5	0.5	5.0	5.5	40.2	3	644
	02 LST	4.6	6.0	3.5	1.0	5.0	1.0	0.0	1.0	2.0	1.0	6.0	4.5	36.6	3	644
	08 LST	4.5	3.2	5.5	7.0	6.5	4.2	2.4	2.1	1.6	2.8	3.5	4.0	47.3	9	2944
	14 LST	5.5	7.0	4.5	8.0	10.0	6.0	5.5	5.5	8.0	6.5	8.0	6.0	80.5	3	644
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	0.0	0.0	2.5	5.0	11.0	11.0	13.0	15.0	13.5	10.5	3.5	0.0	85.0	3	644
	02 LST	0.0	0.0	1.5	5.0	12.0	10.0	18.5	18.0	14.5	10.0	3.5	0.5	93.5	3	644
	08 LST	0.0	0.0	1.1	4.5	9.8	10.4	11.8	13.9	14.3	9.3	3.3	0.5	78.9	9	2943
	14 LST	0.4	0.0	6.0	9.0	7.0	10.0	14.5	10.0	9.5	12.0	6.5	0.5	85.4	3	643
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	15.7	10.0	13.5	12.0	8.0	9.0	7.0	5.5	11.5	11.5	9.0	15.5	128.2	3	644
	02 LST	13.4	13.0	15.5	18.0	13.0	11.0	14.5	12.0	13.0	12.5	8.5	13.5	157.9	3	644
	08 LST	11.3	9.7	10.1	9.4	8.2	7.4	7.6	9.1	9.3	8.4	6.9	11.8	109.2	9	2944
	14 LST	7.8	8.5	11.0	9.0	4.0	3.0	3.0	5.5	5.5	6.0	2.5	12.0	77.8	3	644
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	22.7	18.0	24.0	23.0	24.0	20.0	24.0	24.5	22.5	24.5	19.0	22.0	268.2	3	644
	02 LST	20.8	19.0	24.0	23.0	22.0	18.0	24.0	24.0	22.0	24.0	21.5	21.5	263.8	3	644
	08 LST	21.9	20.2	23.9	22.7	24.6	21.6	20.8	23.7	22.3	24.7	20.3	21.8	268.5	9	2943
	14 LST	19.5	18.0	24.0	24.0	22.0	22.0	22.5	23.0	22.5	23.0	16.0	24.0	260.9	3	644
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	19.4	17.0	21.5	18.0	20.0	14.0	21.0	21.5	19.5	21.5	15.0	19.5	227.9	3	644
	02 LST	17.6	17.5	19.5	21.0	20.0	18.0	20.5	22.0	20.5	19.0	17.5	18.5	231.6	3	644
	08 LST	19.0	18.3	20.4	19.0	20.3	19.5	18.8	21.0	20.3	20.8	15.6	17.7	230.7	9	2943
	14 LST	18.0	17.5	22.0	21.0	14.0	17.0	20.0	17.5	16.5	17.5	12.0	22.0	215.0	3	644
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	18.9	15.5	21.0	17.0	20.0	14.0	19.5	21.0	17.5	21.0	14.0	19.5	218.9	3	644
	02 LST	15.3	17.0	18.0	19.0	18.0	17.0	19.0	21.5	19.0	18.0	14.5	17.5	213.8	3	644
	08 LST	17.6	17.3	18.6	17.9	18.4	17.7	17.4	19.2	19.1	19.9	14.2	16.9	214.7	9	2943
	14 LST	16.2	17.0	22.0	21.0	14.0	16.0	20.0	17.5	16.5	17.5	12.0	22.0	211.7	3	644

NATASHQUAN, CANADA

STA NO. 72813 (IN AREA NUMBER 09)

LATITUDE 5012N

LONGITUDE 06149W

ELEVATION(FT) 00018

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	45	44	52	64	75	79	83	83	79	67	58	49	83	40	-110
MEAN MAX TMP (F)	17	17	27	38	48	59	66	65	58	47	34	22	42	25	-105
MEAN MIN TMP (F)	-4	-5	7	23	33	42	49	44	41	32	19	4	24	25	-105
ABS MIN TMP (F)	-35	-35	-28	-8	9	25	33	30	18	8	-25	-31	-35	40	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS TMP = OR LES 32(F)							0.0	0.0						40	-29
MEAN NO DYS TMP = OR LES 0(F)					0.0	0.0	0.0	0.0	0.0	0.0				40	-29
MEAN DEW PT TMP (F)	7	8	17	27	35	45	54	54	46	38	27	13	31	8	-106
MEAN REL HUM (PCT)	89	88	86	86	86	85	88	89	89	87	85	87	87	8	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.71	2.70	2.93	2.85	2.92	3.60	3.41	3.50	2.93	3.83	2.84	2.64	37.9	25	-105
MEAN SNOW FALL (IN)	31.3	21.4	20.5	8.0	0.7	0.0	0.0	0.0	0.0	2.7	6.8	18.3	109.7	25	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.6	7.7	7.8	7.7	7.8	7.5	7.2	7.3	6.7	8.2	6.5	7.6	91.6	25	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	6.3	4.6	4.8	1.6	0.0	0.0	0.0	0.0	0.0	0.4	1.3	3.9	22.9	25	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	1.0	2.0	2.0	0.0	0.0	0.0	0.0	5.0	9	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

NATASHQUAN, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND														0	0
VSBY = GTR 3 MI														0	0
	20 LST													0	0
	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR	20 LST													0	0
3 MI W/SFC WND LES 10 KTS	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
SFC WND = GTR 17 KTS AND	20 LST													0	0
NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89	20 LST													0	0
DEG F AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
SKY COVER LES 3/10 AND	20 LST													0	0
VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
CIG = GTR 2500 FT AND	20 LST													0	0
VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
CIG = GTR 6000 FT AND	20 LST													0	0
VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
CIG = GTR 10000 FT AND	20 LST													0	0
VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0

DATA NOT AVAILABLE

HARRINGTON HARBOR, CANADA

STA NO. 72814/ (IN AREA NUMBER 09)

LATITUDE 5032N

LONGITUDE 05930W

ELEVATION(FT) 00025

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	42	42	47	57	74	83	83	80	76	64	53	47	83	50	-110
MEAN MAX TMP (F)	17	18	28	36	44	52	59	60	54	44	34	24	39	26	-105
MEAN MIN TMP (F)	-1	0	12	24	32	40	48	49	42	33	22	9	26	26	-105
ABS MIN TMP (F)	-37	-32	-23	-7	15	24	32	33	26	12	-12	-30	-37	50	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26	-29
MEAN NO DYS TMP = OR LES 32(F)							0.0	0.0						50	-29
MEAN NO DYS TMP = OR LES 0(F)					0.0	0.0	0.0	0.0	0.0	0.0				50	-29
MEAN DEW PT TMP (F)	7	8	17	27	35	43	50	53	46	37	28	15	31	8	-106
MEAN REL HUM (PCT)	81	83	86	88	87	86	89	89	87	86	88	86	86	8	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.11	5.60	5.00	2.85	3.68	3.80	3.35	4.00	4.93	4.58	5.21	4.57	51.7	9	-105
MEAN SNOW FALL (IN)	32.6	47.5	45.0	17.9	5.4	0.0	0.0	0.0	0.0	3.7	15.4	33.3	200.8	9	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.2	11.8	11.2	7.7	9.1	7.7	7.2	7.9	9.9	9.4	10.3	10.8	113.2	9	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	6.5			4.0	1.1	0.0	0.0	0.0	0.0	0.6	3.8	6.5		9	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	3.0	9	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

HARRINGTON HARBOR, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST														0	0
	14 LST														0	0

DATA NOT AVAILABLE

GOOSE, CANADA

STA NO. 72816 (IN AREA NUMBER 09)

LATITUDE 5319N

LONGITUDE 06025W

ELEVATION(FT) 00156

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	46	51	53	67	88	93	99	90	85	73	60	53	99	13	4738
MEAN MAX TMP (F)	9	15	26	37	49	62	69	67	58	44	31	17	40	13	4738
MEAN MIN TMP (F)	-6	-3	9	21	32	43	52	49	42	32	19	3	24	13	4738
ABS MIN TMP (F)	-38	-33	-32	-14	10	28	38	32	20	13	-7	-33	-38	13	4738
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.1	0.0	0.0	0.0	0.0	0.8	13	4738
MEAN NO DYS TMP = OR LES 32(F)	30.7	27.7	30.1	26.5	16.4	1.1	0.0	0.1	3.7	18.2	27.8	30.3	212.2	13	4738
MEAN NO DYS TMP = OR LES 0(F)	22.3	18.1	9.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0	1.5	15.1	67.8	13	4738
MEAN DEW PT TMP (F)	-4	-1	10	20	30	40	49	48	41	30	20	4	24	13	109379
MEAN REL HUM (PCT)	76	76	72	71	68	68	70	72	73	74	80	78	73	13	109357
MEAN PRESS ALT (FT)	322	296	254	194	177	228	251	234	229	267	272	331	255	0	-50
MEAN PRECIP (IN)	3.14	2.55	2.67	2.80	2.52	2.84	3.31	3.93	3.34	2.33	2.68	2.45	34.6	12	4286
MEAN SNOW FALL (IN)	30.3	24.7	24.9	21.9	9.3	1.2	0.0	0.0	1.7	8.9	20.3	22.9	166.1	12	4287
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.2	6.3	7.5	8.2	7.6	8.0	8.3	7.3	7.7	6.0	7.4	7.4	89.9	12	4286
MEAN NO DYS SNFL = OR GTR 1.5 IN	5.5	4.7	5.2	5.4	2.4	0.3	0.0	0.0	0.3	1.6	4.4	5.2	35.0	12	4287
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.3	2.0	2.2	2.2	1.8	0.7	1.1	0.5	0.5	1.1	2.6	1.8	18.8	13	4563
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.7	1.7	0.9	0.1	0.0	0.0	0.0	3.4	13	4557
P FREQ WND SPD = OR GTR 17 KTS	11.7	10.6	11.0	10.2	6.7	4.5	3.2	4.5	6.9	6.4	9.6	10.2	8.0	13	109458
P FREQ WND SPD = OR GTR 28 KTS	0.5	1.0	0.8	0.4	0.5	0.1	0.0	0.3	0.4	0.3	0.5	0.5	0.4	13	109458
P FREQ LES 5000 FT A/O LES 5 MI	37.7	38.6	42.3	49.8	45.6	41.6	38.2	35.5	39.2	43.3	49.5	39.1	41.7	13	109429
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	17.5	16.3	16.6	16.9	14.0	12.2	10.8	9.4	7.4	9.8	14.7	12.5	13.2	13	13674
03-05 LST	21.0	16.2	17.4	19.9	15.6	14.7	13.2	12.3	7.2	10.2	15.7	12.4	14.7	13	13687
06-08 LST	21.0	15.7	16.8	21.6	17.4	15.6	11.6	10.2	8.3	9.9	17.2	12.9	14.9	13	13688
09-11 LST	20.6	18.0	16.8	17.0	11.7	11.3	10.9	9.0	7.0	10.6	16.6	15.5	13.8	13	13687
12-14 LST	19.1	17.0	10.9	15.6	9.0	6.2	7.1	8.2	6.3	11.3	16.3	14.1	11.8	13	13688
15-17 LST	17.5	18.5	13.3	15.3	8.2	6.3	6.0	6.6	5.5	10.4	16.3	13.7	11.5	13	13688
18-20 LST	16.4	15.5	15.3	13.8	8.0	6.9	7.0	6.8	6.0	8.4	14.2	12.4	10.9	13	13679
21-23 LST	17.5	14.1	15.4	15.0	9.2	8.2	8.6	8.4	6.2	9.9	13.2	12.8	11.5	13	13672
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	4.1	3.6	3.0	4.1	4.6	1.1	1.9	1.7	1.1	2.3	4.1	2.6	2.9	13	13674
03-05 LST	4.6	2.0	3.3	5.2	3.8	1.8	2.6	2.2	1.3	2.2	4.5	2.2	3.0	13	13687
06-08 LST	4.4	3.4	4.7	4.7	3.6	0.7	0.8	0.5	0.9	1.7	5.5	3.7	2.9	13	13688
09-11 LST	6.2	3.8	4.7	4.0	2.2	0.2	0.1	0.4	0.2	1.7	5.0	4.5	2.8	13	13687
12-14 LST	4.9	5.8	3.1	2.8	1.8	0.0	0.2	0.6	0.3	2.2	3.9	3.7	2.4	13	13688
15-17 LST	3.9	6.5	4.5	3.5	1.6	0.4	0.0	0.1	0.3	1.3	5.7	3.2	2.6	13	13688
18-20 LST	3.5	5.1	3.9	3.9	2.2	0.3	0.8	0.1	0.4	1.9	4.1	2.4	2.4	13	13679
21-23 LST	3.2	4.1	4.0	4.3	2.2	1.0	1.7	1.0	0.7	2.9	3.1	3.1	2.6	13	13672

GOOSE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	26.3	23.9	26.5	26.5	29.1	28.7	29.4	29.1	28.8	29.0	26.7	28.0	332.0	13	4566
	02 LST	25.9	24.1	27.0	25.4	26.7	27.8	28.9	28.8	28.4	28.5	26.2	27.7	325.4	13	4564
	08 LST	25.1	24.4	26.3	24.8	27.0	27.5	28.8	29.1	28.5	28.6	25.8	27.0	322.9	13	4565
	14 LST	25.7	23.7	28.3	25.9	28.9	29.3	29.6	29.6	29.0	28.6	26.2	27.0	331.8	13	4565
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	14.8	15.7	17.1	18.8	19.7	20.8	23.1	23.1	20.9	19.4	16.6	15.6	225.6	13	4566
	02 LST	15.2	14.3	16.9	17.3	20.1	21.3	22.3	22.7	20.7	18.6	16.3	16.5	222.2	13	4564
	08 LST	14.6	15.6	14.7	14.4	16.4	16.7	19.4	18.1	15.9	17.0	15.9	16.4	195.1	13	4565
	14 LST	12.4	12.5	11.3	11.4	15.2	15.1	15.3	14.1	12.5	11.7	14.7	14.8	161.0	13	4565
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	4.0	3.2	2.7	2.5	1.2	0.8	0.2	0.6	1.0	1.6	2.3	2.6	22.7	13	3981
	02 LST	3.2	2.4	2.1	1.9	0.6	0.5	0.2	0.4	0.6	1.0	2.3	2.7	17.9	13	3918
	08 LST	3.7	2.6	3.2	2.0	2.1	1.3	0.5	0.7	2.3	2.4	2.6	3.2	26.6	13	3960
	14 LST	5.2	3.4	5.8	4.4	3.7	2.5	2.0	2.5	4.1	4.0	3.4	4.3	45.5	13	3977
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	0.2	0.6	2.4	7.1	14.5	16.2	16.4	18.5	15.0	12.3	3.2	1.3	107.7	13	3980
	02 LST	0.4	0.2	1.1	3.8	9.4	15.1	17.0	18.5	16.2	9.9	2.8	1.1	95.5	13	3917
	08 LST	0.6	0.2	1.3	4.1	11.6	14.5	16.3	15.6	13.9	10.4	2.2	0.9	91.6	13	3960
	14 LST	0.4	0.9	3.9	9.8	15.5	13.4	16.6	14.5	12.7	12.4	4.9	1.5	106.5	13	3977
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	9.5	8.5	8.2	5.1	5.1	1.7	2.3	5.1	6.4	7.1	6.2	10.1	75.3	13	3234
	02 LST	9.9	9.3	9.4	6.5	5.8	3.5	5.9	9.1	8.7	6.8	6.3	10.0	91.2	13	3238
	08 LST	7.2	6.0	5.8	4.6	4.2	3.5	3.0	4.3	3.3	3.8	3.6	6.6	55.9	13	3212
	14 LST	6.2	6.6	4.8	4.0	4.9	1.9	1.6	2.0	1.3	2.4	2.8	5.7	44.2	13	3196
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	23.8	21.7	23.7	23.5	26.0	26.0	26.8	27.3	26.6	26.1	23.3	24.6	299.4	13	4566
	02 LST	22.9	21.2	23.6	21.3	23.3	23.0	24.9	26.0	25.2	25.8	22.5	23.7	283.4	13	4564
	08 LST	22.7	21.6	23.7	20.6	22.0	22.5	24.1	24.8	25.1	25.9	21.8	24.4	279.2	13	4565
	14 LST	23.7	21.3	25.8	23.3	25.8	25.3	26.5	27.1	26.2	25.1	21.5	25.0	296.6	13	4565
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	19.7	17.3	17.7	14.7	16.2	16.8	18.5	18.2	18.8	16.3	15.5	19.0	208.7	13	4566
	02 LST	18.8	17.8	16.6	13.4	15.2	16.9	18.1	20.0	18.8	17.3	14.9	18.2	206.0	13	4564
	08 LST	18.7	15.8	16.7	14.0	12.8	14.2	16.7	18.4	17.4	16.9	13.8	18.0	193.4	13	4565
	14 LST	19.7	16.3	17.8	13.3	14.6	14.6	14.6	14.8	13.9	13.3	12.4	18.5	183.8	13	4565
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	18.1	15.8	15.5	12.2	12.7	11.6	14.2	13.7	13.7	13.6	12.8	17.2	171.1	13	4566
	02 LST	17.3	16.0	15.1	11.7	12.7	12.4	14.1	16.5	14.5	13.7	11.9	16.7	172.6	13	4564
	08 LST	16.6	13.0	14.5	11.9	10.1	10.2	12.6	13.6	12.8	11.7	10.2	14.5	151.7	13	4565
	14 LST	17.1	13.9	15.3	11.1	12.1	10.5	10.0	10.4	10.1	9.1	9.3	15.4	144.3	13	4565

CARTWRIGHT, CANADA

STA NO. 72818 (IN AREA NUMBER 09)

LATITUDE 5342N

LONGITUDE 05700W

ELEVATION(FT) 00034

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	44	49	56	60	86	92	97	90	85	74	60	56	97	30	-110
MEAN MAX TMP (F)	14	16	25	34	45	57	66	64	56	44	33	22	40	16	-105
MEAN MIN TMP (F)	-2	-1	8	20	30	38	45	45	40	32	22	10	24	16	-105
ABS MIN TMP (F)	-36	-27	-26	-14	5	22	29	31	25	15	-5	-29	-36	30	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0	0.0		16	-29
MEAN NO DYS TMP = OR LES 32(F)							0.0	0.0	0.0	0.0				30	-29
MEAN NO DYS TMP = OR LES 0(F)					0.0	0.0	0.0	0.0	0.0	0.0				30	-29
MEAN DEW PT TMP (F)	3	4	13	24	34	42	50	49	43	35	26	14	28	10	-106
MEAN REL HUM (PCT)	87	87	88	91	91	86	82	85	85	89	91	88	88	10	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.32	3.93	4.05	3.24	2.54	3.33	3.08	3.42	3.53	3.25	3.00	3.62	40.3	13	-105
MEAN SNOW FALL (IN)	31.6	37.0	39.6	27.2	11.1	2.3	0.0	0.0	0.0	4.4	14.3	33.1	200.6	13	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.9	9.9	9.7	8.4	7.0	7.1	6.8	7.3	7.7	7.2	6.8	9.4	96.2	13	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	6.3				2.3		0.0	0.0	0.0	0.8	3.4	6.5		13	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	2.0	1.0	0.0	0.0	0.0	0.0	3.0	9	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CARTWRIGHT, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR	20	LST												0	0
3 MI W/SFC WND LES 10 KTS	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SFC WND = GTR 17 KTS AND	20	LST												0	0
NO PRECIP.	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	20	LST												0	0
DEG F AND NO PRECIP.	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SKY COVER LES 3/10 AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 2500 FT AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 6000 FT AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 10000 FT AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0

DATA NOT AVAILABLE

CHARLEVOIX, CANADA

STA NO. 72820/ (IN AREA NUMBER 09)

LATITUDE 4736N

LONGITUDE 07014W

ELEVATION(FT) 00977

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	947	948	965	958	960	1007	1036	989	943	946	969	973	970	0	-50
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 3 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CHARLEVOIX, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	19	LST												0	0
VSBY = GTR 3 MI	01	LST												0	0
	07	LST												0	0
	13	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR	19	LST												0	0
3 MI W/SFC WND LES 10 KTS	01	LST												0	0
	07	LST												0	0
	13	LST												0	0
SFC WND = GTR 17 KTS AND	19	LST												0	0
NO PRECIP.	01	LST												0	0
	07	LST												0	0
	13	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	19	LST												0	0
DEG F AND NO PRECIP.	01	LST												0	0
	07	LST												0	0
	13	LST												0	0
SKY COVER LES 3/10 AND	19	LST												0	0
VSBY = GTR 3 MI	01	LST												0	0
	07	LST												0	0
	13	LST												0	0
CIG = GTR 2500 FT AND	19	LST												0	0
VSBY = GTR 3 MI	01	LST												0	0
	07	LST												0	0
	13	LST												0	0
CIG = GTR 6000 FT AND	19	LST												0	0
VSBY = GTR 3 MI	01	LST												0	0
	07	LST												0	0
	13	LST												0	0
CIG = GTR 10000 FT AND	19	LST												0	0
VSBY = GTR 3 MI	01	LST												0	0
	07	LST												0	0
	13	LST												0	0

DATA NOT AVAILABLE

WABUSH, CANADA

STA NO. 72825 (IN AREA NUMBER 09)

LATITUDE 5259N

LONGITUDE 06652W

ELEVATION(FT) 01798

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	-50
MEAN PRESS ALT (FT)	1803	1798	1808	1790	1787	1834	1866	1822	1779	1788	1811	1825	1809	0	0
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

WABUSH, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 2000 FT AND VSBY = GTR	20	LST												0	0
3 MI w/SFC WND LES 10 KTS	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SFC WND = GTR 17 KTS AND	20	LST												0	0
NO PRECIP.	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	20	LST												0	0
DEG F AND NO PRECIP.	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SKY COVER LES 3/10 AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 2500 FT AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 6000 FT AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 10000 FT AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0

DATA NOT AVAILABLE

KNOB LAKE, CANADA

STA NO. 72828 (IN AREA NUMBER 09)

LATITUDE 5448N

LONGITUDE 06649W

ELEVATION(FT) 01712

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	40	39	49	47	83	83	88	84	80	65	48	41	88	40	-534
MEAN MAX TMP (F)	-3	4	17	30	43	58	64	59	49	37	22	8	32	30	-34
MEAN MIN TMP (F)	-21	-17	-3	12	25	39	46	43	36	25	9	-8	16	30	-34
ABS MIN TMP (F)	-55	-59	-42	-33	-4	18	32	31	15	-2	-28	-49	-59	40	-534
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2931
MEAN NO DYS TMP = OR LES 32(F)	30.8	27.9	31.0	29.4	24.0	8.1	0.0	0.1	10.1	25.5	29.2	31.0	247.1	9	2931
MEAN NO DYS TMP = OR LES 0(F)	23.9	21.3	20.2	7.4	0.1	0.0	0.0	0.0	0.0	0.0	4.9	21.6	99.4	9	2931
MEAN DEW PT TMP (F)	-12	-7	3	15	29	40	46	44	36	25	13	-1	19	10	-34
MEAN REL HUM (PCT)	84	83	83	79	75	71	73	77	81	84	86	84	80	9	-34
MEAN PRESS ALT (FT)	1767	1741	1709	1669	1675	1735	1782	1760	1743	1765	1765	1790	1742	0	-50
MEAN PRECIP (IN)	1.90	1.87	1.41	1.62	1.73	3.32	3.31	4.37	3.43	2.88	2.37	1.48	29.7	10	-34
MEAN SNOW FALL (IN)	17.2	17.9	13.3	14.2	8.2	3.5	0.0	0.1	9.9	14.2	21.4	13.6	133.5	10	-34
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.8	5.8	4.3	4.9	5.2	7.1	7.1	8.3	7.5	6.6	5.7	4.7	73.0	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.7	3.7	2.8	3.0	1.7		0.0	0.0	2.1	3.4		2.9		10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.4	0.0	0.5	2.0	0.0	0.0	0.5	0.5	1.0	1.0	0.5	1.0	8.4	3	643
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	1.0	4.1	0.5	0.0	0.0	0.0	0.0	5.6	3	643
P FREQ WND SPD = OR GTR 17 KTS	19.4	18.8	12.9	18.3	9.7	14.2	7.4	11.7	10.4	16.9	18.3	19.8	14.8	3	2572
P FREQ WND SPD = OR GTR 28 KTS	1.5	0.4	0.8	0.8	0.0	0.0	0.4	0.0	1.3	0.0	3.3	2.4	0.9	3	2572
P FREQ LES 5000 FT A/O LES 5 MI	50.4	43.3	34.7	40.0	71.0	63.3	53.7	66.9	57.1	64.1	79.2	44.4	55.7	3	2572
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	32.8	32.1	24.2	16.7	32.3	30.0	22.6	25.8	20.0	35.5	45.0	25.8	28.6	3	644
03-05 LST	30.7	28.9	28.1	23.8	34.7	29.4	26.4	27.7	27.6	41.5	45.5	25.9	30.9	3	-30
06-08 LST	28.6	25.7	31.9	30.8	37.1	28.8	30.2	29.6	35.1	47.4	46.0	25.9	33.1	9	2931
09-11 LST	30.7	26.3	28.1	28.8	33.1	27.8	25.6	26.1	31.7	38.2	44.7	24.3	30.5	3	-30
12-14 LST	32.8	26.8	24.2	26.7	29.0	26.7	21.0	22.6	28.3	29.0	43.3	22.6	27.8	3	644
15-17 LST	29.1	27.7	21.0	25.0	32.3	30.0	18.7	24.2	28.3	29.0	41.7	25.0	27.7	3	-30
18-20 LST	25.4	28.6	17.7	23.3	35.5	33.3	16.4	25.8	28.3	29.0	40.0	27.4	27.6	3	643
21-23 LST	29.1	30.9	21.0	20.0	33.9	31.7	19.5	25.8	24.2	32.3	42.5	26.6	26.1	3	-30
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	13.4	12.5	14.5	6.7	9.7	13.3	6.5	4.8	1.7	9.7	18.3	11.3	10.2	3	644
03-05 LST	12.1	11.2	12.9	10.5	10.5	8.6	6.0	4.0	4.4	9.1	15.7	11.1	9.7	3	-30
06-08 LST	9.7	8.8	11.2	9.2	11.3	3.8	5.4	3.2	7.1	8.5	13.0	8.9	8.3	9	2931
09-11 LST	13.1	7.1	9.7	6.3	7.3	1.9	2.7	2.4	6.1	8.3	12.4	8.5	7.2	3	-30
12-14 LST	16.4	5.4	8.1	3.3	3.2	0.0	0.0	1.6	5.0	8.1	11.7	8.1	5.9	3	644
15-17 LST	12.0	7.2	8.9	6.7	6.5	1.7	0.8	1.6	5.0	10.5	12.5	10.5	7.0	3	-30
18-20 LST	7.5	8.9	9.7	10.0	9.7	3.3	1.6	1.6	5.0	12.9	13.3	12.9	8.0	3	643
21-23 LST	10.5	10.7	12.6	8.4	9.7	8.3	4.1	3.2	3.4	11.3	15.8	12.1	9.2	3	-30

KNOB LAKE, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	25.0	22.5	26.5	25.0	24.0	24.0	28.5	27.0	25.0	25.0	22.5	25.0	300.0	3	643
	02 LST	23.1	21.0	24.0	26.0	24.0	24.0	26.0	26.5	26.0	23.5	19.5	24.5	288.1	3	644
	08 LST	21.9	21.4	21.5	23.7	22.6	23.7	24.2	25.6	23.7	21.2	20.2	24.6	274.3	9	2931
	14 LST	22.2	22.0	25.5	25.0	25.0	26.0	27.0	28.0	25.5	26.0	21.5	24.5	298.2	3	644
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	11.1	10.0	17.0	12.0	12.0	11.0	16.7	16.0	14.0	10.0	8.5	9.5	147.8	3	643
	02 LST	10.6	9.0	16.0	18.0	13.0	12.0	19.5	14.5	16.5	10.5	8.5	13.0	161.1	3	644
	08 LST	11.5	11.1	11.1	10.9	8.7	11.6	11.3	9.5	7.9	6.5	7.1	11.3	118.5	9	2931
	14 LST	11.1	7.0	12.0	9.0	6.0	4.0	9.0	7.0	7.0	7.5	7.0	10.5	97.1	3	644
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	1.8	3.0	2.0	1.0	0.0	0.0	0.5	0.5	0.0	3.0	1.5	3.0	16.3	3	643
	02 LST	2.3	0.5	1.5	2.0	0.0	1.0	0.5	1.0	0.5	1.0	1.5	2.0	13.8	3	644
	08 LST	1.7	1.6	1.5	1.1	1.5	2.5	2.1	2.0	1.2	2.0	1.1	3.1	21.4	9	2931
	14 LST	3.2	4.0	3.0	3.0	1.0	4.0	2.0	3.0	2.0	5.5	2.0	3.5	36.2	3	644
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	0.0	0.0	1.0	2.0	8.0	10.0	14.2	11.5	16.0	2.5	0.0	0.0	65.2	3	643
	02 LST	0.0	0.0	0.0	0.0	5.0	9.0	14.5	9.5	10.0	0.5	1.5	0.0	50.0	3	644
	08 LST	0.0	0.0	0.0	0.8	5.2	9.2	10.8	9.8	6.3	2.1	0.5	0.0	44.7	9	2931
	14 LST	0.0	0.0	2.0	2.0	8.0	5.0	8.5	9.0	9.5	2.5	1.0	0.5	48.0	3	644
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	7.4	9.5	12.0	15.0	1.0	2.0	4.1	1.5	5.0	8.0	4.0	9.0	78.5	3	643
	02 LST	9.2	8.5	11.0	13.0	7.0	4.0	8.5	5.0	9.5	8.0	3.0	11.0	97.7	3	644
	08 LST	9.0	8.2	8.7	8.0	4.4	4.4	4.6	3.0	2.3	3.0	3.0	7.1	65.7	9	2931
	14 LST	5.5	4.5	11.5	14.0	5.0	1.0	2.5	0.5	2.5	4.5	2.5	6.5	60.5	3	644
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	17.6	18.0	23.5	20.0	14.0	15.0	18.8	13.5	16.5	15.5	12.0	18.0	202.4	3	643
	02 LST	18.0	16.0	22.0	22.0	14.0	17.0	20.5	17.5	20.5	15.5	10.0	19.0	212.0	3	644
	08 LST	17.4	17.4	18.0	17.1	14.5	16.9	18.3	15.9	12.9	10.1	9.9	17.8	186.2	9	2931
	14 LST	17.1	17.5	21.5	17.0	13.0	15.0	17.0	11.5	13.0	14.0	8.5	21.0	186.1	3	644
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	15.3	17.0	21.0	19.0	8.0	12.0	13.7	9.0	13.5	12.0	8.0	14.5	163.0	3	643
	02 LST	15.7	14.5	20.5	19.0	9.0	10.0	16.5	13.0	15.0	11.0	5.5	15.5	165.2	3	644
	08 LST	14.8	16.0	15.9	15.6	11.6	14.1	16.3	13.7	10.4	8.2	7.0	14.5	158.1	9	2931
	14 LST	15.3	16.5	19.0	16.0	8.0	12.0	13.0	6.5	9.5	10.0	5.0	18.5	149.3	3	644
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	13.4	16.0	19.0	19.0	8.0	12.0	13.2	8.5	12.5	11.0	7.5	14.5	154.6	3	643
	02 LST	13.4	12.0	17.0	18.0	9.0	9.0	14.5	10.5	14.0	11.0	5.5	14.0	147.9	3	644
	08 LST	14.4	14.5	14.9	14.9	11.1	13.6	15.6	12.9	9.9	7.5	6.9	13.2	149.4	9	2931
	14 LST	14.8	16.5	18.5	16.0	8.0	11.0	13.0	6.0	9.5	10.0	5.0	18.0	146.3	3	644

CAPE HOPES ADVANCE, CANADA

STA NO. 72904 (IN AREA NUMBER 09)

LATITUDE 6109N

LONGITUDE 06933W

ELEVATION(FT) 00240

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	38	33	35	19	61	81	78	74	67	57	41	35	81	20	-110
MEAN MAX TMP (F)	-3	-4	6	16	30	39	48	48	40	31	23	9	24	12	-105
MEAN MIN TMP (F)	-13	-14	-4	6	21	31	36	37	33	25	14	0	14	12	-105
ABS MIN TMP (F)	-42	-41	-35	-21	-3	19	24	21	19	3	-16	-34	-42	20	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)					0.0	0.0	0.0	0.0	0.0	0.0				20	-29
MEAN DEW PT TMP (F)	-9	-16	-3	10	24	33	38	40	34	27	19	6	17	7	-106
MEAN REL HUM (PCT)	87	82	90	91	94	91	88	91	93	92	93	90	90	7	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.66	0.22	0.59	0.46	0.85	1.16	2.34	1.76	2.33	1.71	0.82	0.64	13.7	12	-105
MEAN SNOW FALL (IN)	6.6	2.2	5.9	6.5	5.9	1.9	0.0	0.0	1.7	11.1	7.8	6.4	56.0	12	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.1	0.5	1.9	2.1	2.7	3.5	5.7	4.7	5.6	4.5	2.8	2.0	38.1	12	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.3	0.2	1.2	1.3	1.2	0.0	0.0	0.0	0.2	2.5	1.6	1.2	10.7	12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	1.0	8	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CAPE HOPES ADVANCE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0

DATA NOT AVAILABLE

FORT CHIMO, CANADA

STA NO. 72906 (IN AREA NUMBER 09)

LATITUDE 5806N

LONGITUDE 06826W

ELEVATION(FT) 00105

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	42	41	46	51	88	87	90	83	79	65	50	47	90	20	-610
MEAN MAX TMP (F)	-5	-5	10	23	39	54	63	59	49	38	24	8	30	10	2840
MEAN MIN TMP (F)	-20	-23	-9	3	24	34	42	41	35	27	11	-8	13	10	2839
ABS MIN TMP (F)	-51	-46	-44	-28	-2	18	29	29	23	4	-27	-41	-31	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	2840
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	30.8	29.4	25.9	12.4	0.5	1.9	11.7	25.0	29.9	31.0	257.5	10	2839
MEAN NO DYS TMP = OR LES 0(F)	27.7	26.6	23.2	14.5	0.2	0.0	0.0	0.0	0.0	0.0	5.6	22.5	120.3	10	2839
MEAN DEW PT TMP (F)	-14	-17	-6	6	25	35	44	43	37	28	13	-6	16	10	57302
MEAN REL HUM (PCT)	69	68	70	73	77	73	75	79	82	82	78	72	75	10	57255
MEAN PRESS ALT (FT)	238	201	130	74	92	164	216	213	219	244	231	258	190	0	-50
MEAN PRECIP (IN)	0.82	0.56	0.80	0.84	1.19	1.27	2.29	2.52	1.94	1.53	1.47	1.14	16.4	10	-105
MEAN SNOW FALL (IN)	8.2	5.6	7.8	6.7	5.2	1.6	0.0	0.0	0.6	8.4	14.2	10.5	68.8	10	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.6	0.5	2.5	1.7	2.9	3.9	6.7	6.4	5.9	4.1	2.4	2.5	41.1	10	2843
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.8	0.5	2.5	1.0	0.5	0.5	0.0	0.0	0.7	2.3	2.7	11.5	5	1325	
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.8	2.4	1.9	2.8	2.5	1.7	1.4	1.4	2.0	1.3	3.1	3.9	28.2	10	2812
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.4	0.0	0.0	0.0	0.0	1.3	10	2691
P FREQ WND SPD = OR GTR 17 KTS	12.6	10.2	12.7	13.6	12.6	7.2	8.1	7.9	12.5	15.9	11.1	9.8	11.2	10	60627
P FREQ WND SPD = OR GTR 28 KTS	1.2	0.7	0.6	1.2	0.8	0.1	0.2	0.8	0.8	1.5	1.1	1.0	0.8	10	60627
P FREQ LES 5000 FT A/O LES 5 MI	32.9	26.6	32.7	42.6	64.9	49.3	47.7	53.4	63.2	65.8	52.8	44.5	48.0	10	60587
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	14.8	11.4	15.9	16.7	19.8	15.5	17.3	18.5	18.1	12.3	11.2	16.1	15.6	10	7534
03-05 LST	13.8	11.3	13.9	14.8	21.7	17.0	17.9	23.2	18.6	12.9	10.7	15.4	15.9	10	7338
06-08 LST	17.5	11.8	14.7	14.9	22.9	18.2	19.1	25.4	22.9	19.5	13.8	16.6	18.1	10	7758
09-11 LST	17.6	15.3	14.5	11.6	18.6	16.1	17.0	25.6	18.9	20.4	15.8	19.9	17.6	10	7788
12-14 LST	13.6	13.3	11.3	12.6	15.3	10.2	13.4	16.3	14.6	16.8	15.1	19.1	14.3	10	7789
15-17 LST	16.4	12.5	13.2	14.8	15.6	9.0	9.6	14.4	14.4	18.6	14.2	18.2	14.2	10	7760
18-20 LST	15.4	12.6	14.3	13.9	17.9	8.7	9.9	15.6	16.7	14.5	12.4	16.8	14.1	10	7469
21-23 LST	16.1	11.8	13.5	15.8	17.5	14.6	13.5	16.9	17.9	13.1	11.3	13.9	14.7	10	7301
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	7.2	3.6	4.0	2.8	2.9	2.6	3.3	2.8	4.1	0.6	2.9	4.3	3.4	10	7534
03-05 LST	7.2	3.5	4.2	3.0	4.0	3.8	3.1	3.8	3.5	1.1	2.8	4.5	3.7	10	7338
06-08 LST	7.3	6.4	4.4	2.3	4.6	1.5	1.0	1.3	3.5	2.2	3.9	4.0	3.5	10	7758
09-11 LST	6.6	6.8	3.8	2.7	3.8	0.6	1.2	0.3	0.8	1.4	3.0	6.3	3.1	10	7788
12-14 LST	7.3	4.2	2.1	4.1	2.8	0.5	0.7	0.4	0.3	1.7	3.5	5.7	2.8	10	7789
15-17 LST	8.7	4.3	2.2	5.6	2.2	0.6	1.0	0.4	0.5	2.3	2.5	5.3	3.0	10	7760
18-20 LST	7.7	5.2	3.1	3.8	3.8	0.9	0.7	0.9	1.8	0.6	2.8	3.7	2.9	10	7469
21-23 LST	6.9	4.3	2.7	3.0	2.3	1.4	1.5	1.3	2.4	1.2	2.3	3.6	2.7	10	7301

FORT CHIMO, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	26.5	24.6	27.1	27.0	27.2	28.9	29.2	27.6	26.7	29.3	27.7	26.6	328.4	10	2820
	01 LST	27.5	25.3	26.5	26.3	27.1	26.4	28.0	27.0	26.4	28.6	28.3	27.7	325.1	10	2822
	07 LST	26.1	25.4	26.2	26.7	26.7	27.0	26.8	26.1	26.3	27.1	26.6	27.4	318.4	10	2822
	13 LST	27.2	24.8	27.9	27.6	28.2	29.0	28.8	28.6	27.8	28.4	26.2	25.2	329.7	10	2820
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	16.1	15.5	15.3	15.4	13.9	11.6	15.1	17.5	14.3	14.8	15.2	15.5	180.2	10	2820
	01 LST	17.1	15.3	17.1	17.4	17.5	19.5	20.2	17.9	13.4	13.3	16.2	16.2	201.1	10	2822
	07 LST	15.0	15.5	16.6	14.4	12.0	14.7	14.6	12.8	12.0	11.0	14.2	16.7	169.5	10	2822
	13 LST	15.5	11.5	12.0	9.3	9.1	7.1	10.4	8.8	7.3	8.7	12.5	14.0	126.2	10	2820
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	2.9	2.0	2.9	3.2	2.8	1.6	1.8	1.4	2.0	3.5	3.1	1.3	28.5	10	2443
	01 LST	3.0	2.2	1.4	2.0	1.2	0.3	1.3	1.8	2.9	3.8	1.9	2.6	24.4	10	2404
	07 LST	2.5	1.8	1.5	2.9	4.0	1.7	2.4	2.5	3.3	3.8	2.9	2.5	31.3	10	2448
	13 LST	3.6	3.4	6.4	6.0	4.8	4.2	4.0	4.0	5.4	4.9	3.7	3.9	54.3	10	2488
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	0.0	0.0	0.1	1.7	10.8	15.6	19.0	19.7	14.2	5.9	0.4	0.2	87.6	10	2440
	01 LST	0.0	0.0	0.2	0.9	4.1	13.6	18.1	17.9	11.3	5.2	0.4	0.2	71.9	10	2403
	07 LST	0.0	0.0	0.1	0.8	5.5	17.4	15.3	17.0	12.7	4.9	0.8	0.2	74.7	10	2447
	13 LST	0.0	0.0	0.3	1.8	9.5	12.3	16.1	14.0	12.2	8.1	1.8	0.0	76.1	10	2487
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	13.5	15.9	8.7	8.0	4.2	4.7	3.5	3.8	2.6	4.7	7.0	8.6	85.2	5	1327
	01 LST	14.0	16.3	11.5	13.0	4.7	5.7	5.0	7.8	5.3	3.3	7.3	8.3	102.2	5	1328
	07 LST	9.5	9.1	6.2	7.5	3.5	4.5	4.2	2.8	1.0	1.0	2.3	3.3	54.9	5	1329
	13 LST	8.0	5.9	6.0	8.3	2.7	3.5	2.0	1.2	2.0	1.0	2.0	4.7	47.3	5	1329
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	24.7	23.3	24.7	23.3	20.5	24.6	24.2	23.7	20.9	21.1	22.0	23.5	276.3	10	2820
	01 LST	25.2	23.8	24.1	21.6	20.2	23.0	23.0	24.2	21.1	22.3	22.2	22.8	273.5	10	2822
	07 LST	24.4	23.7	25.1	21.8	19.9	20.4	21.4	19.6	19.3	17.4	21.3	23.5	257.8	10	2822
	13 LST	25.5	23.5	26.4	23.3	20.2	21.7	23.7	21.3	18.1	18.4	20.7	22.8	265.6	10	2820
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	21.7	19.9	20.0	16.6	10.6	14.9	16.4	14.9	12.0	10.6	14.1	19.0	190.7	10	2820
	01 LST	21.5	20.5	20.6	16.9	10.5	14.4	14.6	16.3	12.3	10.7	13.8	16.9	189.0	10	2822
	07 LST	19.7	19.5	19.7	16.1	10.9	13.5	14.6	13.7	10.0	7.1	12.7	16.0	173.5	10	2822
	13 LST	22.7	20.9	21.6	16.9	11.1	12.2	12.6	9.8	7.4	7.4	13.2	17.5	173.3	10	2820
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	19.2	17.8	16.7	13.7	7.6	10.4	11.4	10.3	8.7	7.4	11.0	15.3	149.5	10	2820
	01 LST	19.0	18.1	17.4	14.4	8.9	10.1	11.7	12.9	10.1	6.9	10.8	13.7	154.0	10	2822
	07 LST	16.4	15.5	13.7	12.6	8.2	8.9	11.4	9.1	6.6	3.8	9.8	11.9	127.9	10	2822
	13 LST	18.2	16.6	16.5	12.8	7.8	9.8	9.9	7.9	5.0	4.6	9.9	13.6	132.6	10	2820

CARTIERVILLE, CANADA

STA NO. 72973/ (IN AREA NUMBER 09)

LATITUDE 4531N

LONGITUDE 07343W

ELEVATION(FT) 00120

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	56	52	70	83	94	94	97	96	90	80	70	60	97	67	-72627
MEAN MAX TMP (F)	21	23	33	50	64	74	78	75	67	54	39	26	50	67	-72627
MEAN MIN TMP (F)	6	8	19	33	47	57	61	59	51	40	27	13	35	67	-72627
ABS MIN TMP (F)	-35	-28	-21	2	23	37	45	41	28	20	-18	-29	-35	67	-72627
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.3	1.7	0.5	0.2	0.0	0.0	0.0	2.8	14	-72627
MEAN NO DYS TMP = OR LES 32(F)	30.2	27.4	28.2	10.4	1.3	0.0	0.0	0.0	0.2	5.8	16.4	28.1	148.0	14	-72627
MEAN NO DYS TMP = OR LES 0(F)	8.8	7.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	21.6	14	-72627
MEAN DEW PT TMP (F)	11	13	21	33	43	54	59	57	50	40	30	16	36	10	-72627
MEAN REL HUM (PCT)	79	79	76	71	67	69	72	71	75	74	78	81	74	10	-72627
MEAN PRESS ALT (FT)	19	40	68	80	84	118	126	80	41	29	49	50	65	0	-50
MEAN PRECIP (IN)	3.80	3.00	3.50	2.60	3.10	3.40	3.70	3.50	3.70	3.40	3.50	3.60	40.8	77	-72627
MEAN SNOW FALL (IN)	27.7	23.3	20.1	5.5	0.1	0.0	0.0	0.0	0.0	0.9	10.9	23.8	112.3	55	-72627
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.7	8.3	8.8	7.2	8.1	7.2	7.6	7.3	8.0	7.5	7.6	9.4	96.7	77	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	5.7	4.9	4.7	1.1	0.0	0.0	0.0	0.0	0.0	0.1	2.4	5.0	23.9	55	-29
MEAN NO DYS W/OCUP VSBY LES 1/2 MI	4.0	4.1	3.2	1.8	2.1	1.0	0.9	1.0	2.0	2.3	1.9	4.1	28.4	10	-72627
MEAN NO DYS TSTMS	0.0	0.0	0.1	0.3	1.1	2.6	3.2	3.3	2.0	0.5	0.1	0.0	13.2	10	-72627
P FREQ WND SPD = OR GTR 17 KTS	14.9	13.6	17.1	13.1	8.4	6.7	3.6	3.3	5.4	6.4	12.7	12.1	9.8	10	-72627
P FREQ WND SPD = OR GTR 28 KTS	1.4	0.6	1.0	0.5	0.3	0.3	0.0	0.0	0.0	0.2	0.8	0.3	0.5	10	-72627
P FREQ LES 5000 FT A/O LES 5 MI	51.0	49.0	40.7	36.1	25.3	24.0	21.2	19.7	31.3	35.9	48.9	54.8	36.5	10	-72627
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	21.2	23.8	18.0	11.4	10.8	7.2	6.5	3.9	10.4	10.0	13.0	22.2	13.2	10	-72627
03-05 LST	22.8	24.4	20.0	19.1	13.9	11.9	10.3	9.8	14.0	14.0	16.3	25.7	16.5	9	-72627
06-08 LST	26.6	32.6	23.1	18.8	13.6	12.5	11.0	10.1	18.5	23.7	21.6	28.8	20.1	14	-72627
09-11 LST	30.7	33.6	21.6	15.7	8.7	8.6	7.1	6.5	11.0	15.8	20.6	32.0	17.7	9	-72627
12-14 LST	25.5	27.0	16.7	11.1	7.5	4.9	2.4	5.1	8.5	11.0	14.4	25.0	13.1	10	-72627
15-17 LST	24.5	26.4	15.2	9.1	5.0	3.2	1.1	4.3	7.2	9.8	15.3	24.7	12.2	9	-72627
18-20 LST	17.8	21.0	17.1	8.3	6.0	5.2	2.0	4.1	7.0	8.2	12.5	19.8	10.8	10	-72627
21-23 LST	20.2	21.9	16.4	8.5	6.9	5.2	3.2	3.2	6.8	10.5	10.3	20.7	11.2	9	-72627
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	5.2	8.5	3.6	1.1	2.5	1.6	1.7	1.0	2.6	3.7	2.0	5.5	3.3	10	-72627
03-05 LST	3.7	7.2	4.2	2.6	4.3	2.8	2.8	2.4	4.8	3.7	2.8	5.6	3.9	9	-72627
06-08 LST	7.0	11.1	5.7	4.0	1.4	2.0	1.9	1.4	4.4	5.1	5.5	7.7	4.8	14	-72627
09-11 LST	8.1	11.4	5.0	2.1	0.1	0.2	0.0	0.2	0.5	1.9	3.5	9.0	3.5	9	-72627
12-14 LST	7.1	9.1	4.5	2.0	0.1	0.1	0.1	0.5	0.1	0.6	2.7	8.0	2.9	10	-72627
15-17 LST	6.6	8.9	4.9	2.0	0.2	0.2	0.0	0.1	0.4	1.4	2.1	5.6	2.7	9	-72627
18-20 LST	6.5	3.9	2.8	1.1	0.1	0.2	0.0	0.0	0.5	0.6	1.4	4.2	1.8	10	-72627
21-23 LST	4.9	5.1	2.9	0.9	0.6	0.7	0.1	0.5	1.4	1.9	1.9	6.5	2.3	9	-72627

CARTIERVILLE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	25.6	22.8	26.6	27.7	29.2	28.5	30.4	30.0	28.5	28.9	26.8	25.2	330.2	10	-72627
	01 LST	24.9	21.8	26.5	27.4	28.6	28.3	28.9	30.0	27.4	28.3	26.9	25.2	324.2	10	-72627
	07 LST	24.3	19.5	24.8	24.5	27.3	26.6	27.9	27.7	25.4	24.2	23.4	23.3	298.9	14	-72627
	13 LST	23.4	20.9	25.8	27.4	29.5	28.9	30.7	29.5	28.3	28.1	26.6	23.4	322.5	10	-72627
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	12.8	11.0	13.8	16.1	19.1	20.6	24.1	24.3	21.2	20.0	14.4	14.0	211.4	10	-72627
	01 LST	13.5	12.5	15.0	16.5	19.9	20.8	23.5	25.2	20.6	19.5	15.0	13.6	215.6	10	-72627
	07 LST	12.3	9.8	12.8	12.6	16.3	17.1	20.1	21.6	17.3	16.3	12.7	11.7	180.6	14	-72627
	13 LST	10.3	8.0	8.7	9.5	12.0	12.7	13.0	14.8	13.7	13.6	11.6	9.8	137.7	10	-72627
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	3.8	2.5	3.4	2.3	3.0	1.0	0.6	0.6	0.8	1.5	3.3	2.6	25.4	10	-72627
	01 LST	3.5	2.2	4.1	2.0	1.1	0.7	0.4	0.1	0.7	1.3	3.6	2.7	22.4	10	-72627
	07 LST	4.3	2.9	3.4	2.7	1.3	1.3	0.6	0.4	1.2	1.6	2.0	3.1	24.8	14	-72627
	13 LST	5.6	5.9	7.1	7.2	5.0	4.0	2.8	2.2	3.5	3.6	4.9	5.9	57.7	10	-72627
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	1.7	1.9	6.5	15.0	16.2	15.3	17.7	17.2	17.5	15.2	10.0	2.1	136.3	10	-72627
	01 LST	1.1	1.0	2.8	13.2	17.2	16.3	16.6	17.1	14.0	13.8	8.2	2.3	123.6	10	-72627
	07 LST	0.6	0.4	1.9	11.5	12.8	15.3	15.6	14.1	12.7	10.7	7.1	2.1	104.8	14	-72627
	13 LST	1.6	1.5	7.3	11.3	14.5	13.1	15.6	15.1	13.4	14.6	9.8	3.2	121.0	10	-72627
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	8.2	9.1	10.4	7.2	5.9	5.9	7.0	9.3	8.9	10.7	6.0	7.0	95.6	10	-72627
	01 LST	8.9	8.1	11.9	12.3	13.0	12.0	11.9	14.8	12.2	12.4	6.1	5.8	129.4	10	-72627
	07 LST	7.1	5.9	7.3	7.7	8.3	7.8	8.6	10.1	8.1	7.1	3.1	5.5	86.6	14	-72627
	13 LST	7.0	6.8	8.1	4.8	4.5	4.0	4.7	5.1	4.7	6.0	2.6	4.9	63.2	10	-72627
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	24.2	21.1	25.2	26.4	28.1	27.9	29.8	29.0	27.0	28.2	25.1	22.7	314.7	10	-72627
	01 LST	21.8	20.3	24.4	25.3	27.1	27.7	28.0	29.2	26.4	26.5	24.7	22.1	303.5	10	-72627
	07 LST	20.1	17.4	22.8	21.6	25.7	24.9	26.1	25.9	23.8	22.2	20.4	19.9	270.8	14	-72627
	13 LST	21.4	19.7	23.9	25.3	28.0	28.0	29.2	29.0	27.0	26.2	23.9	22.1	303.7	10	-72627
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	16.7	17.5	19.4	20.1	23.3	24.2	25.1	24.8	21.9	22.0	16.2	15.0	246.2	10	-72627
	01 LST	14.7	15.0	18.9	19.8	23.2	23.1	24.6	26.0	22.1	20.3	15.7	13.1	236.5	10	-72627
	07 LST	14.1	13.1	18.5	17.5	21.3	22.1	23.1	23.0	20.3	18.3	12.5	12.9	216.7	14	-72627
	13 LST	17.0	16.8	19.8	16.0	21.3	20.8	23.3	23.3	18.0	18.2	12.5	15.4	222.4	10	-72627
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	14.7	16.0	16.9	17.1	19.0	20.8	21.4	22.5	18.2	18.5	13.0	13.1	211.2	10	-72627
	01 LST	13.1	13.4	16.7	17.3	19.7	18.8	20.6	22.9	18.8	17.6	12.1	11.0	202.0	10	-72627
	07 LST	12.3	12.0	16.2	15.6	17.6	19.6	20.4	20.1	17.5	15.5	10.2	11.2	188.2	14	-72627
	13 LST	15.1	15.4	17.5	14.0	18.9	18.9	20.3	20.8	15.5	15.7	10.5	13.5	196.1	10	-72627

LACHUTE, CANADA

STA NO. 72980/ (IN AREA NUMBER 09)

LATITUDE 4538N LONGITUDE 07422W ELEVATION(FT) 00230

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	56	52	70	83	94	94	97	96	90	80	70	60	97	67	-72627
MEAN MAX TMP (F)	21	23	33	50	64	74	78	75	67	54	39	26	50	67	-72627
MEAN MIN TMP (F)	6	8	19	33	47	57	61	59	51	40	27	13	35	67	-72627
ABS MIN TMP (F)	-35	-28	-21	2	23	37	45	41	28	20	-18	-29	-35	67	-72627
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.3	1.7	0.5	0.2	0.0	0.0	0.0	2.8	14	-72627
MEAN NO DYS TMP = OR LES 32(F)	30.2	27.4	28.2	10.4	1.3	0.0	0.0	0.0	0.2	9.8	16.4	28.1	148.0	14	-72627
MEAN NO DYS TMP = OR LES 0(F)	8.8	7.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	21.6	10	-72627
MEAN DEW PT TMP (F)	11	13	21	33	43	54	59	57	50	40	30	16	36	10	-72627
MEAN REL HUM (PCT)	79	79	76	71	67	69	72	71	75	74	78	81	74	10	-72627
MEAN PRESS ALT (FT)	124	145	173	187	192	226	235	189	151	138	156	156	173	0	-50
MEAN PRECIP (IN)	3.80	3.00	3.50	2.60	3.10	3.40	3.70	3.50	3.70	3.40	3.50	3.60	40.8	77	-72627
MEAN SNOW FALL (IN)	27.7	23.3	20.1	5.5	0.1	0.0	0.0	0.0	0.9	10.9	23.8	112.3	55	-72627	
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.7	8.3	8.8	7.2	8.1	7.2	7.6	7.3	8.0	7.5	7.6	9.4	96.7	77	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	5.7	4.9	4.7	1.1	0.0	0.0	0.0	0.0	0.0	0.1	2.4	5.0	23.9	55	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.0	4.1	3.2	1.8	2.1	1.0	0.9	1.0	2.0	2.3	1.9	4.1	28.4	10	-72627
MEAN NO DYS TSTMS	0.0	0.0	0.1	0.3	1.1	2.6	3.2	3.3	2.0	0.5	0.1	0.0	13.2	10	-72627
P FREQ WND SPD = OR GTR 17 KTS	14.9	13.6	17.1	13.1	8.4	6.7	3.6	3.3	5.4	6.4	12.7	12.1	9.8	10	-72627
P FREQ WND SPD = OR GTR 28 KTS	1.4	0.6	1.0	0.5	0.3	0.3	0.0	0.0	0.0	0.2	0.8	0.3	0.5	10	-72627
P FREQ LES 5000 FT A/O LES 5 MI	51.0	49.0	40.7	36.1	25.3	24.0	21.2	19.7	31.3	35.9	48.9	54.8	36.5	10	-72627
P FREQ LES 1500 FT A/O LES 3 MI														10	-72627
FOR 00-02 LST	21.2	23.8	18.0	11.4	10.8	7.2	6.5	3.9	10.4	10.0	13.0	22.2	13.2	9	-72627
03-05 LST	22.8	24.4	20.0	15.1	13.9	11.9	10.3	9.8	14.0	14.0	16.3	25.7	16.5	14	-72627
06-08 LST	26.6	32.6	23.1	18.8	13.6	12.5	11.0	10.1	18.5	23.7	21.6	28.8	20.1	9	-72627
09-11 LST	30.7	33.6	21.6	15.7	8.7	8.6	7.1	6.5	11.0	15.8	20.6	32.0	17.7	10	-72627
12-14 LST	25.5	27.0	16.7	11.1	7.5	4.9	2.4	5.1	6.5	11.0	14.4	25.0	13.1	9	-72627
15-17 LST	24.5	26.4	15.2	9.1	5.0	3.2	1.1	4.3	7.2	9.8	15.3	24.7	12.2	10	-72627
18-20 LST	17.8	21.0	17.1	8.3	6.0	5.2	2.0	4.1	7.0	8.2	12.5	19.8	10.8	10	-72627
21-23 LST	20.2	21.9	16.4	8.5	6.9	5.2	3.2	3.2	6.8	10.5	10.3	20.7	11.2	9	-72627
P FREQ LES 300 FT A/O LES 1 MI														10	-72627
FOR 00-02 LST	5.2	8.5	3.6	1.1	2.5	1.6	1.7	1.0	2.6	3.7	2.0	5.5	3.3	9	-72627
03-05 LST	3.7	7.2	4.2	2.6	4.3	2.8	2.8	2.4	4.8	3.7	2.8	5.6	3.9	14	-72627
06-08 LST	7.0	11.1	5.7	4.0	1.4	2.0	1.9	1.4	4.4	5.1	5.5	7.7	4.8	9	-72627
09-11 LST	8.1	11.4	5.0	2.1	0.1	0.2	0.0	0.2	0.5	1.9	3.5	9.0	3.5	10	-72627
12-14 LST	7.1	9.1	4.5	2.0	0.1	0.1	0.1	0.5	0.1	0.6	2.7	8.0	2.9	9	-72627
15-17 LST	6.6	8.9	4.9	2.0	0.2	0.2	0.0	0.0	0.1	0.4	1.4	2.1	5.6	10	-72627
18-20 LST	6.5	3.9	2.8	1.1	0.1	0.2	0.0	0.0	0.5	0.6	1.4	4.2	1.8	9	-72627
21-23 LST	4.9	5.1	2.9	0.9	0.6	0.7	0.1	0.5	1.4	1.9	1.9	6.5	2.3		

LACHUTE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	25.6	22.8	26.6	27.7	29.2	28.5	30.4	30.0	28.5	28.9	26.8	25.2	330.2	10	-72627
	01 LST	24.9	21.8	26.5	27.4	28.6	28.3	28.9	30.0	27.4	28.3	26.9	25.2	324.2	10	-72627
	07 LST	24.3	19.5	24.8	24.5	27.3	26.6	27.9	27.7	25.4	24.2	23.4	23.3	298.9	14	-72627
	13 LST	23.4	20.9	25.8	27.4	29.5	28.9	30.7	29.5	28.3	28.1	26.6	23.4	322.5	10	-72627
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	12.8	11.0	13.8	16.1	19.1	20.6	24.1	24.3	21.2	20.0	14.4	14.0	211.4	10	-72627
	01 LST	13.5	12.5	15.0	16.5	19.9	20.8	23.5	25.2	20.6	19.5	15.0	13.6	215.6	10	-72627
	07 LST	12.3	9.8	12.8	12.6	16.3	17.1	20.1	21.6	17.3	16.3	12.7	11.7	180.6	14	-72627
	13 LST	10.3	8.0	8.7	9.5	12.0	12.7	13.0	14.8	13.7	13.6	11.6	9.8	137.7	10	-72627
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	3.8	2.5	3.4	2.3	3.0	1.0	0.6	0.6	0.8	1.5	3.3	2.6	25.4	10	-72627
	01 LST	3.5	2.2	4.1	2.0	1.1	0.7	0.4	0.1	0.7	1.3	3.6	2.7	22.4	10	-72627
	07 LST	4.3	2.9	3.4	2.7	1.3	1.3	0.6	0.4	1.2	1.6	2.0	3.1	24.8	14	-72627
	13 LST	5.6	5.9	7.1	7.2	5.0	4.0	2.8	2.2	3.5	3.6	4.9	5.9	57.7	10	-72627
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	1.7	1.9	6.5	15.0	16.2	15.3	17.7	17.2	17.5	15.2	10.0	2.1	136.3	10	-72627
	01 LST	1.1	1.0	2.8	13.2	17.2	16.3	16.6	17.1	14.0	13.8	8.2	2.3	123.6	10	-72627
	07 LST	0.6	0.4	1.9	11.5	12.8	15.3	15.6	14.1	12.7	10.7	7.1	2.1	104.8	14	-72627
	13 LST	1.6	1.5	7.3	11.3	14.5	13.1	15.6	15.1	13.4	14.6	9.8	3.2	121.0	10	-72627
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	8.2	9.1	10.4	7.2	5.9	5.9	7.0	9.3	8.9	10.7	6.0	7.0	95.6	10	-72627
	01 LST	8.9	8.1	11.9	12.3	13.0	12.0	11.9	14.8	12.2	12.4	6.1	5.8	129.4	10	-72627
	07 LST	7.1	5.9	7.3	7.7	8.3	7.8	8.6	10.1	8.1	7.1	3.1	5.5	86.6	14	-72627
	13 LST	7.0	6.8	8.1	4.8	4.5	4.0	4.7	5.1	4.7	6.0	2.6	4.9	63.2	10	-72627
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	24.2	21.1	25.2	26.4	28.1	27.9	29.8	29.0	27.0	28.2	25.1	22.7	314.7	10	-72627
	01 LST	21.8	20.3	24.4	25.3	27.1	27.7	28.0	29.2	26.4	26.5	24.7	22.1	303.5	10	-72627
	07 LST	20.1	17.4	22.8	21.6	25.7	24.9	26.1	25.9	23.8	22.2	20.4	19.9	270.8	14	-72627
	13 LST	21.4	19.7	23.9	25.3	28.0	28.0	29.2	29.0	27.0	26.2	23.9	22.1	303.7	10	-72627
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	16.7	17.5	19.4	20.1	23.3	24.2	25.1	24.8	21.9	22.0	16.2	15.0	246.2	10	-72627
	01 LST	14.7	15.0	18.9	19.8	23.2	23.1	24.6	26.0	22.1	20.3	15.7	13.1	236.5	10	-72627
	07 LST	14.1	13.1	18.5	17.5	21.3	22.1	23.1	23.0	20.3	18.3	12.5	12.9	216.7	14	-72627
	13 LST	17.0	16.8	19.8	16.0	21.3	20.8	23.3	23.3	18.0	18.2	12.5	15.4	222.4	10	-72627
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	14.7	16.0	16.9	17.1	19.0	20.8	21.4	22.5	18.2	18.5	13.0	13.1	211.2	10	-72627
	01 LST	13.1	13.4	16.7	17.3	19.7	18.8	20.6	22.9	18.8	17.6	12.1	11.0	202.0	10	-72627
	07 LST	12.3	12.0	16.2	15.6	17.6	19.6	20.4	20.1	17.5	15.5	10.2	11.2	188.2	14	-72627
	13 LST	15.1	15.4	17.5	14.0	18.9	18.9	20.3	20.8	15.5	15.7	10.5	13.5	196.1	10	-72627

ST. HONORE, CANADA

STA NO. 72981/ (IN AREA NUMBER 09)

LATITUDE 4831N

LONGITUDE 07103W

ELEVATION(FT) 00941

PARAMETER DESCRIPTION													POR	NO.	
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	085
ABS MAX TMP (F)	55	55	72	77	92	94	96	95	92	83	71	59	96	20	-72727
MEAN MAX TMP (F)	13	18	30	45	59	70	74	72	62	50	37	21	46	13	-72727
MEAN MIN TMP (F)	-4	0	12	28	39	49	55	52	45	35	25	6	29	13	-72727
ABS MIN TMP (F)	-41	-46	-26	-12	15	28	39	35	20	14	-14	-31	-46	20	-72727
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	0.8	1.1	0.2	0.2	0.0	0.0	0.0	2.5	13	-72727
MEAN NO DYS TMP = OR LES 32(F)	30.9	28.0	29.5	21.9	6.9	0.2	0.0	0.0	2.4	12.7	23.3	30.4	186.2	13	-72727
MEAN NO DYS TMP = OR LES 0(F)	17.9	13.9	7.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.5	11.2	51.0	13	-72727
MEAN DEW PT TMP (F)	1	8	16	27	36	48	54	52	45	35	25	8	30	8	-72727
MEAN REL HUM (PCT)	84	83	78	70	68	69	74	75	79	77	83	83	77	8	-72727
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.32	2.80	1.48	1.99	2.34	4.33	4.75	3.85	4.11	1.78	2.98	2.86	35.6	9	-72727
MEAN SNOW FALL (IN)	25.7	25.5	19.8	9.3	1.1	0.0	0.0	0.0	0.0	1.9	15.9	31.1	130.3	10	-72727
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.3	9.2	4.9	6.3	7.6	9.2	10.5	9.5	8.9	5.5	9.8	8.2	96.9	9	-72727
MEAN NO DYS SNFL = OR GTR 1.5 IN	5.4	5.3	4.6	1.9	0.1	0.0	0.0	0.0	0.0	0.3	3.9	6.2	27.7	10	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	3.5	3.1	2.9	3.3	1.6	1.4	1.1	1.3	1.5	1.4	4.6	3.8	29.5	8	-72727
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.1	1.7	2.0	5.0	1.8	2.1	0.3	0.0	0.0	13.0	8	-72727
P FREQ WND SPD = OR GTR 17 KTS	16.5	19.9	22.8	17.2	18.2	12.3	7.5	6.1	9.6	13.4	16.4	17.8	14.8	8	-72727
P FREQ WND SPD = OR GTR 28 KTS	0.8	1.4	1.0	0.7	0.6	0.5	0.2	0.1	0.2	0.2	0.5	0.7	0.6	8	-72727
P FREQ LES 3000 FT A/O LES 5 MI	48.9	46.0	38.8	38.5	43.4	35.0	37.8	33.2	41.5	47.7	63.3	55.8	44.2	8	-72727
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	13.1	17.6	11.7	10.2	8.1	5.9	8.6	5.4	7.2	7.6	15.7	18.0	10.8	8	-72727
03-05 LST	17.5	17.6	13.4	11.3	7.8	9.8	9.7	7.4	9.9	9.8	16.3	15.9	12.2	8	-72727
06-08 LST	20.6	21.3	15.2	12.0	8.3	10.6	8.2	9.0	9.3	11.1	15.1	19.7	13.4	9	-72727
09-11 LST	20.1	18.0	11.3	11.2	7.5	7.8	6.9	5.1	6.7	11.2	17.2	24.4	12.3	9	-72727
12-14 LST	18.2	16.3	10.7	8.6	4.6	6.2	3.2	3.3	5.5	8.5	17.2	22.8	10.4	9	-72727
15-17 LST	17.4	16.8	11.7	8.5	5.1	5.5	2.7	3.5	4.0	10.7	18.3	22.9	10.6	9	-72727
18-20 LST	17.7	15.3	10.1	10.0	6.8	5.6	4.7	3.7	4.9	8.5	11.9	19.1	9.9	9	-72727
21-23 LST	16.3	13.9	12.0	10.8	9.2	5.6	5.5	3.5	5.9	8.1	10.9	16.3	9.8	8	-72727
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	2.0	5.6	3.5	5.1	2.2	2.2	2.5	2.2	1.3	1.2	5.8	5.4	3.3	8	-72727
03-05 LST	3.3	5.8	2.8	4.8	1.8	2.4	2.6	2.5	2.3	2.9	6.9	4.5	3.6	8	-72727
06-08 LST	7.6	7.9	4.7	3.3	1.2	1.4	0.3	2.4	1.6	2.4	5.5	7.5	3.8	9	-72727
09-11 LST	6.2	6.1	3.5	2.3	0.1	0.6	0.1	0.5	0.6	0.9	4.9	8.4	2.9	9	-72727
12-14 LST	6.7	5.6	2.9	1.0	0.2	0.5	0.0	0.2	0.3	2.7	4.5	8.1	2.7	9	-72727
15-17 LST	6.0	7.4	3.9	2.1	0.5	0.6	0.3	0.1	0.3	2.9	5.5	8.5	3.2	9	-72727
18-20 LST	4.0	3.6	3.9	2.5	1.3	1.3	0.9	0.7	0.7	2.4	3.8	6.1	2.6	9	-72727
21-23 LST	3.0	3.3	2.4	4.3	2.2	1.4	1.5	1.4	2.1	1.4	4.8	5.5	2.8	8	-72727

ST. HONORE, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	26.2	24.1	27.9	27.2	29.8	29.0	30.2	30.3	28.9	28.8	26.6	25.0	334.0	9	-72727
	01 LST	28.2	23.3	28.0	27.4	29.5	28.3	29.1	29.4	28.7	29.5	25.4	25.8	332.6	8	-72727
	07 LST	25.4	22.3	26.3	27.1	29.0	27.8	29.1	28.7	27.6	28.7	25.8	25.2	323.0	9	-72727
	13 LST	25.6	23.7	28.1	27.7	30.2	28.5	30.2	30.2	29.1	29.0	26.4	24.3	333.0	9	-72727
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	16.3	13.0	14.7	15.0	15.0	15.9	19.3	22.9	19.3	16.3	13.6	14.8	196.1	9	-72727
	01 LST	14.5	11.6	14.8	15.1	16.0	17.1	20.6	21.5	18.4	17.7	13.1	12.8	193.2	8	-72727
	07 LST	12.3	12.1	14.2	13.5	14.4	15.5	18.5	19.3	17.3	16.3	13.2	14.1	180.7	9	-72727
	13 LST	12.8	11.1	11.2	9.6	10.3	11.2	13.2	13.6	14.2	11.8	11.5	10.7	141.2	9	-72727
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	4.7	4.6	5.3	3.3	3.4	2.5	1.3	0.6	2.0	3.4	5.1	5.1	41.3	9	-72727
	01 LST	5.7	4.7	6.0	3.6	3.4	1.4	0.7	0.9	2.2	3.0	2.8	5.7	40.1	8	-72727
	07 LST	5.3	5.3	6.4	3.9	5.2	2.7	1.8	1.4	2.4	4.2	4.7	5.1	48.4	9	-72727
	13 LST	5.7	7.3	9.6	7.4	9.6	6.5	4.7	4.2	5.6	6.3	7.2	6.0	80.1	9	-72727
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	0.4	0.5	5.3	13.7	15.4	17.0	19.3	20.4	16.2	13.8	4.7	0.5	127.2	9	-72727
	01 LST	0.0	0.2	1.0	8.1	13.1	15.8	19.4	18.6	16.3	11.2	4.7	0.3	108.7	8	-72727
	07 LST	0.1	0.1	0.8	7.4	11.7	13.5	14.4	13.4	13.7	11.0	5.1	0.4	91.6	9	-72727
	13 LST	0.4	0.4	4.5	10.8	11.5	12.7	14.1	12.9	13.1	12.9	6.0	0.6	99.9	9	-72727
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	9.5	9.2	10.4	7.4	4.2	4.2	4.6	5.6	6.9	7.7	4.4	6.4	80.5	9	-72727
	01 LST	9.0	8.1	12.0	11.9	10.0	10.6	9.7	12.6	9.1	9.2	4.3	7.6	114.1	8	-72727
	07 LST	7.2	5.5	8.9	7.4	5.9	5.3	5.6	6.0	4.1	4.0	1.0	3.4	64.3	9	-72727
	13 LST	5.4	6.2	6.9	5.6	3.8	3.3	2.9	2.9	3.2	4.0	1.6	4.0	49.8	9	-72727
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	22.3	21.5	25.7	25.1	26.5	27.7	28.6	28.7	26.9	27.5	20.9	20.6	302.0	9	-72727
	01 LST	21.1	19.7	24.2	24.4	26.3	25.8	26.6	28.6	25.8	25.5	19.4	21.3	288.7	8	-72727
	07 LST	18.8	19.3	23.8	24.6	25.6	25.2	26.2	26.3	25.5	24.4	21.0	20.2	280.9	9	-72727
	13 LST	22.6	21.7	25.8	24.7	26.9	26.6	27.9	28.2	26.0	26.0	20.8	20.9	298.1	9	-72727
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	16.6	15.9	20.7	16.1	16.9	20.0	20.3	21.1	17.9	16.9	11.7	13.1	207.2	9	-72727
	01 LST	15.6	15.2	17.5	17.3	17.3	18.8	19.7	21.5	18.1	15.2	10.3	13.2	199.7	8	-72727
	07 LST	14.8	12.3	17.9	17.4	17.6	17.7	17.3	19.3	16.9	12.8	8.8	11.3	184.1	9	-72727
	13 LST	17.1	16.5	18.8	16.0	15.8	16.8	17.0	17.5	16.1	13.4	10.2	15.2	190.4	9	-72727
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	14.0	14.4	17.2	14.6	13.6	15.7	17.0	18.2	15.5	14.3	9.3	11.0	174.8	9	-72727
	01 LST	12.5	13.6	15.8	15.7	15.6	16.0	16.8	17.4	15.8	13.1	8.2	12.1	172.6	8	-72727
	07 LST	12.7	10.2	15.8	15.0	14.0	14.2	14.0	15.9	11.7	9.5	7.0	9.3	149.3	9	-72727
	13 LST	14.8	13.4	16.0	14.3	12.9	13.3	13.5	14.5	12.6	10.4	7.9	12.2	155.8	9	-72727

MINGAN, CANADA

STA NO. 72982/ (IN AREA NUMBER 09)

LATITUDE 5017N

LONGITUDE 06409W

ELEVATION(FT) 00071

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	44	40	43	54	76	88	83	80	74	69	52	41	88	8	2654
MEAN MAX TMP (F)	17	18	27	37	48	60	66	66	58	48	36	22	42	8	2654
MEAN MIN TMP (F)	-5	-4	6	21	32	41	49	48	41	31	20	4	24	8	2654
ABS MIN TMP (F)	-40	-42	-25	-1	5	26	34	34	24	11	-8	-24	-42	8	2654
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2654
MEAN NO DYS TMP = OR LES 32(F)	30.8	28.0	31.0	28.5	16.0	1.2	0.0	0.0	4.3	18.8	27.0	30.8	216.4	8	2654
MEAN NO DYS TMP = OR LES 0(F)	20.5	17.7	10.9	0.4	0.0	0.0	0.0	0.0	0.0	0.0	1.5	12.6	63.6	8	2654
MEAN DEW PT TMP (F)	0	0	9	23	33	43	51	51	44	33	23	7	26	8	58319
MEAN REL HUM (PCT)	70	70	71	77	79	77	80	81	83	79	78	74	77	8	58298
MEAN PRESS ALT (FT)	156	140	127	88	76	122	155	170	89	115	132	171	124	0	-90
MEAN PRECIP (IN)	3.15	2.48	1.98	2.14	3.33	2.54	3.18	3.99	3.11	2.91	2.85	1.99	33.6	8	2637
MEAN SNOW FALL (IN)	27.4	25.1	13.7	9.9	1.5	0.0	0.0	0.0	0.0	0.5	9.7	12.7	100.5	5	1587
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.4	6.4	5.8	4.9	7.2	6.0	8.4	6.4	7.6	7.8	5.7	5.5	79.1	8	2637
MEAN NO DYS SNFL = OR GTR 1.5 IN	5.5	5.4	3.0	2.5	0.6	0.0	0.0	0.0	0.0	0.0	2.4	3.0	22.4	5	1587
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.0	4.1	5.1	3.9	5.1	4.0	6.0	8.3	7.6	3.1	2.4	2.9	57.5	8	2641
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.2	1.0	2.0	2.0	0.3	0.0	0.0	0.0	5.5	8	2606
P FREQ WND SPD = OR GTR 17 KTS	14.1	13.3	15.2	16.1	13.0	6.7	5.5	4.0	6.7	10.4	12.2	11.9	10.8	8	58415
P FREQ WND SPD = OR GTR 28 KTS	1.1	1.5	1.0	1.7	0.5	0.3	0.0	0.0	0.1	0.5	1.0	1.0	0.7	8	58415
P FREQ LES 5000 FT A/O LES 5 MI	39.9	36.8	29.8	35.9	37.0	30.7	31.8	31.0	35.2	34.4	43.7	37.8	35.3	8	58394
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	20.0	21.6	15.1	17.9	24.5	15.4	19.9	21.0	21.3	15.6	18.6	16.5	19.0	8	7318
03-05 LST	18.9	21.8	15.5	20.9	26.5	17.4	23.7	25.2	23.5	15.1	16.6	18.8	20.3	8	7420
06-08 LST	19.3	23.1	15.5	21.6	26.0	19.4	21.3	23.2	25.8	15.2	16.0	19.3	20.5	8	7570
09-11 LST	20.5	20.6	15.4	22.6	24.6	17.7	16.3	17.8	22.4	15.7	14.8	14.9	18.6	8	7606
12-14 LST	21.4	19.1	14.7	19.1	21.1	17.4	12.6	12.6	18.7	14.2	14.2	18.0	16.9	8	7618
15-17 LST	21.6	20.3	16.6	17.0	19.9	11.7	10.3	10.3	16.6	14.1	17.4	20.8	16.4	8	7572
18-20 LST	21.5	19.2	16.2	18.5	20.2	13.4	11.8	12.2	16.8	14.3	18.9	22.0	17.1	8	7481
21-23 LST	19.8	19.9	15.2	16.4	23.3	13.4	15.3	14.8	19.1	15.6	19.9	18.9	17.7	8	7271
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	7.2	7.1	6.1	6.3	8.8	6.4	10.8	10.0	9.1	4.8	3.9	6.3	7.2	8	7318
03-05 LST	6.3	5.9	6.0	8.0	9.7	7.3	12.1	13.7	10.3	3.4	6.2	5.2	7.8	8	7420
06-08 LST	4.9	7.2	5.1	6.6	8.9	5.3	9.6	10.0	10.3	2.8	4.5	5.0	6.7	8	7570
09-11 LST	6.7	10.3	5.4	6.4	6.0	4.1	3.8	4.6	5.6	2.6	2.9	3.8	5.2	8	7606
12-14 LST	8.4	8.5	5.5	7.4	3.8	2.3	2.5	2.8	3.7	2.6	3.2	4.5	4.6	8	7618
15-17 LST	8.9	7.4	6.9	9.8	5.1	2.6	2.8	1.5	3.0	3.4	4.3	7.2	4.9	8	7572
18-20 LST	6.0	8.6	6.4	6.0	5.9	3.5	3.1	4.2	5.2	4.5	6.1	6.1	5.5	8	7481
21-23 LST	3.8	7.7	6.5	5.7	7.8	4.4	6.0	7.4	8.9	5.1	4.6	7.3	6.3	8	7271

MINGAN, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	ORS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	25.1	23.9	25.9	26.0	25.4	26.7	27.6	27.8	25.8	27.7	25.2	24.8	311.9	8	2713
	02 LST	25.9	24.0	27.2	25.5	24.5	25.6	25.1	24.8	24.3	27.0	26.0	27.4	307.3	8	2692
	08 LST	25.6	22.5	27.9	24.1	24.7	25.6	25.7	26.0	23.7	27.0	26.4	27.2	306.4	8	2756
	14 LST	25.2	23.3	26.6	25.7	26.1	26.2	28.3	28.3	26.4	28.3	26.7	25.6	316.7	8	2757
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	14.0	12.2	14.0	14.0	16.5	17.4	22.4	23.1	19.4	18.1	14.3	15.3	200.7	8	2711
	02 LST	13.7	12.6	17.0	16.3	17.9	21.2	21.2	21.7	17.9	14.7	15.1	15.3	208.6	8	2692
	08 LST	14.6	12.1	16.8	12.7	11.7	15.3	16.3	19.3	15.0	14.7	13.6	13.8	175.9	8	2755
	14 LST	11.5	10.0	10.0	8.3	8.2	8.9	10.9	9.5	8.4	8.1	9.7	10.9	114.4	8	2755
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	9.3	2.5	3.3	3.8	2.9	1.6	0.5	0.1	0.5	1.6	2.0	2.7	24.8	8	2408
	02 LST	9.8	2.4	3.3	3.1	1.3	0.1	0.1	0.0	0.6	1.4	2.0	3.1	20.9	8	2402
	08 LST	3.5	2.7	3.2	4.5	3.0	1.3	0.8	0.9	1.5	3.2	1.8	3.3	29.7	8	2462
	14 LST	4.6	4.2	6.4	6.3	6.9	4.7	4.7	3.0	4.4	5.6	5.2	4.8	60.8	8	2471
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	0.2	0.1	1.2	6.8	15.8	17.6	19.3	21.2	18.4	14.8	5.0	0.6	121.0	8	2408
	02 LST	0.3	0.0	0.1	3.4	13.2	17.6	17.6	18.7	17.8	10.5	3.5	0.2	102.9	8	2402
	08 LST	0.4	0.0	0.1	4.7	16.3	16.5	18.9	18.0	17.3	13.3	3.8	0.7	110.0	8	2462
	14 LST	0.3	0.3	2.9	10.1	13.0	14.0	14.7	14.3	14.2	11.3	8.5	1.0	104.6	8	2471
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	11.0	12.0	14.6	8.0	5.0	4.2	4.6	9.7	11.5	13.2	9.8	11.0	114.6	5	1618
	02 LST	13.2	12.3	14.9	11.2	13.0	10.2	11.7	13.5	14.0	15.5	11.2	12.5	153.2	5	1637
	08 LST	9.6	8.5	10.2	7.2	8.0	6.2	5.0	9.0	9.2	8.7	6.0	8.3	95.9	5	1662
	14 LST	7.8	7.9	9.8	7.6	4.6	5.0	3.8	7.0	7.7	9.0	4.5	8.6	83.3	5	1664
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	23.0	20.9	24.2	23.2	23.4	23.9	25.5	26.1	23.4	24.8	21.0	21.0	280.4	8	2713
	02 LST	22.6	20.0	25.6	21.8	22.4	24.1	23.2	23.3	22.1	25.3	21.8	24.0	276.2	8	2692
	08 LST	22.5	18.8	24.8	21.2	22.1	23.0	23.2	23.7	22.0	23.0	21.6	22.9	268.8	8	2756
	14 LST	22.6	19.7	24.7	23.1	23.0	23.2	25.3	25.9	23.7	24.6	22.6	21.6	280.0	8	2757
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	20.1	18.6	21.6	19.3	18.7	20.5	20.6	22.0	20.3	20.4	16.1	18.0	236.2	8	2713
	02 LST	19.0	16.3	21.2	17.9	20.0	19.7	19.6	20.6	19.4	20.7	16.2	19.7	230.3	8	2692
	08 LST	18.4	16.0	21.4	18.1	19.0	19.2	20.2	20.8	18.3	19.3	16.6	19.1	226.4	8	2756
	14 LST	19.5	17.1	21.3	17.9	18.6	18.7	20.7	21.3	18.3	18.8	15.8	19.0	227.0	8	2757
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	18.3	17.2	19.8	16.4	15.5	15.5	16.9	18.4	17.6	17.0	14.0	16.0	202.6	8	2713
	02 LST	17.7	15.5	19.4	16.1	18.0	17.0	17.3	17.7	17.7	17.7	14.5	16.9	205.5	8	2692
	08 LST	16.1	13.7	17.9	15.3	16.0	15.2	16.3	16.3	16.3	15.3	12.4	16.3	187.1	8	2756
	14 LST	17.0	14.8	19.3	15.2	16.6	14.2	17.2	19.0	16.0	15.4	13.4	15.7	193.8	8	2757

RICKCLIFFE, CANADA

STA NO. 72990/ (IN AREA NUMBER 09)

LATITUDE 4527N

LONGITUDE 07538W

ELEVATION(FT) 00204

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	54	54	78	86	94	97	101	100	102	87	74	59	102	65	-72628
MEAN MAX TMP (F)	21	22	33	51	66	76	81	77	68	54	39	24	51	65	-72628
MEAN MIN TMP (F)	3	3	16	31	44	54	58	55	48	37	26	9	32	65	-72628
ABS MIN TMP (F)	-32	-35	-34	-2	21	33	38	35	24	14	-10	-34	-35	65	-72628
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.8	1.6	1.1	0.2	0.0	0.0	0.0	3.7	12	-72628
MEAN NO DYS TMP = OR LES 32(F)	30.4	27.6	28.9	12.3	2.6	0.0	0.0	0.0	0.9	7.4	19.1	29.2	158.4	12	-72628
MEAN NO DYS TMP = OR LES 0(F)	10.4	6.4	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	6.0	24.9	9	-72628
MEAN DEW PT TMP (F)	10	13	20	32	42	53	58	55	49	39	29	15	35	9	-72628
MEAN REL HUM (PCT)	81	80	77	69	66	70	70	72	76	75	80	83	75	0	0
MEAN PRESS ALT (FT)															
MEAN PRECIP (IN)	2.93	2.17	2.77	2.70	2.47	3.52	3.39	2.56	3.23	2.93	2.98	2.58	34.2	65	-72628
MEAN SNOW FALL (IN)	21.5	17.3	14.4	4.4	0.0	0.0	0.0	0.0	0.0	0.8	6.4	17.2	82.0	65	-72628
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.2	6.5	7.5	7.4	6.9	7.4	7.2	6.1	7.2	6.7	6.8	7.5	85.4	65	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	4.6	3.7	3.1	0.9	0.0	0.0	0.0	0.0	0.0	0.1	1.2	3.7	17.3	65	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.2	4.7	3.9	2.2	1.3	0.5	1.3	1.8	2.8	3.3	2.2	3.8	31.0	9	-72628
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.7	1.8	4.9	4.7	4.3	2.1	0.9	0.1	0.0	19.5	9	-72628
P FREQ WND SPD = OR GTR 17 KTS	7.7	7.0	8.6	6.6	4.6	3.3	1.9	1.9	3.1	5.0	7.1	5.7	5.2	9	-72628
P FREQ WND SPD = OR GTR 28 KTS	0.6	0.2	0.3	0.1	0.2	0.1	0.0	0.0	0.1	0.3	0.4	0.1	0.2	9	-72628
P FREQ LES 5000 FT A/O LES 5 MI	44.7	44.8	37.8	34.4	25.3	25.9	22.4	22.0	32.0	35.8	51.9	52.5	35.8	9	-72628
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	20.3	20.7	16.1	12.6	7.9	6.5	7.2	5.9	11.2	11.5	15.2	23.3	13.2	9	-72628
03-05 LST	19.8	22.4	17.9	12.6	10.8	11.9	9.7	10.0	15.1	14.5	18.0	24.2	15.6	9	-72628
06-08 LST	23.4	23.3	17.9	16.6	11.0	12.9	9.2	13.0	17.1	20.1	22.3	25.0	17.7	12	-72628
09-11 LST	24.5	26.8	17.2	15.3	8.5	10.8	7.5	7.6	14.3	16.8	21.6	26.6	16.5	9	-72628
12-14 LST	16.4	23.8	15.5	11.6	9.1	6.5	4.3	5.7	6.7	11.7	17.4	23.6	12.7	9	-72628
15-17 LST	17.4	21.7	16.8	10.9	6.9	3.7	2.6	5.3	4.2	9.4	16.3	23.7	11.6	9	-72628
18-20 LST	17.7	18.8	13.3	9.6	5.7	3.8	1.8	5.7	4.4	9.3	14.2	17.4	10.1	9	-72628
21-23 LST	20.6	16.5	12.8	9.8	5.7	4.0	2.6	4.7	7.3	10.3	16.5	19.5	10.9	9	-72628
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	2.8	7.3	4.4	4.2	1.9	1.0	1.8	1.1	3.0	3.8	3.7	6.5	3.5	9	-72628
03-05 LST	4.7	8.3	6.2	4.4	2.9	1.6	2.6	3.5	6.1	5.3	5.8	8.9	5.0	9	-72628
06-08 LST	5.6	8.1	6.0	3.8	1.5	2.9	1.9	3.9	5.4	7.6	7.1	8.4	5.2	12	-72628
09-11 LST	7.4	8.9	4.8	1.6	0.2	0.7	0.4	0.2	1.9	3.1	3.2	7.3	3.3	9	-72628
12-14 LST	5.3	9.8	4.4	1.2	0.1	0.1	0.0	0.0	0.1	0.1	2.7	6.2	2.5	9	-72628
15-17 LST	6.2	7.8	4.7	2.0	0.7	0.0	0.0	0.0	0.1	1.2	3.6	6.5	2.7	9	-72628
18-20 LST	4.3	5.4	3.3	1.4	1.6	0.4	0.1	0.4	0.2	2.2	4.6	5.6	2.5	9	-72628
21-23 LST	4.4	5.2	3.0	2.8	1.0	0.6	0.1	1.1	1.2	3.8	3.7	6.4	2.8	9	-72628

RICKCLIFFE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	26.1	23.0	27.3	27.8	29.8	29.0	30.7	29.5	29.1	28.8	26.6	26.0	333.7	9	-72628
	01 LST	26.2	22.1	26.3	27.3	29.4	28.3	29.0	29.8	27.2	28.2	26.2	25.2	325.2	9	-72628
	07 LST	24.9	22.0	26.6	26.0	28.2	27.2	28.3	27.0	24.4	25.1	23.9	24.2	307.8	12	-72628
	13 LST	27.1	21.8	26.4	27.1	28.8	29.2	30.3	29.9	28.4	28.6	25.7	24.9	328.2	9	-72628
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	15.3	13.9	17.9	18.0	19.3	21.2	23.5	25.4	20.8	19.5	14.9	16.7	226.4	9	-72628
	01 LST	15.9	13.7	17.6	18.5	23.4	23.4	25.6	27.0	21.9	21.0	16.5	15.6	240.1	9	-72628
	07 LST	15.1	14.2	15.2	14.6	19.7	18.5	22.7	22.5	18.2	18.2	15.2	14.8	208.9	12	-72628
	13 LST	13.8	9.1	11.2	10.8	12.6	12.5	14.3	15.4	11.6	12.0	10.4	12.5	146.2	9	-72628
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	1.9	1.7	2.0	1.2	0.8	0.3	0.3	0.4	0.5	1.3	1.4	1.7	13.5	9	-72628
	01 LST	1.7	1.3	2.0	0.8	0.6	0.2	0.1	0.0	0.2	0.5	2.1	1.3	10.8	9	-72628
	07 LST	2.0	1.4	2.1	0.9	0.5	0.4	0.0	0.2	0.2	0.9	1.1	1.2	10.9	12	-72628
	13 LST	3.2	2.2	3.3	3.8	3.7	2.1	1.2	1.2	2.1	3.4	3.2	2.6	32.0	9	-72628
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	2.0	1.2	9.3	18.8	20.5	21.7	22.0	21.8	19.6	19.8	10.8	3.5	171.0	9	-72628
	01 LST	1.5	1.3	4.0	16.3	19.9	19.0	21.9	19.3	19.8	17.7	10.6	2.0	153.3	12	-72628
	07 LST	0.4	0.6	1.9	13.2	17.7	18.4	19.7	18.7	18.8	16.0	8.2	2.7	136.5	9	-72628
	13 LST	1.4	1.7	9.1	13.9	16.2	16.1	17.5	18.7	16.0	15.8	12.0	4.8	143.2	9	-72628
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	10.7	10.5	9.5	8.4	7.0	6.9	8.6	9.8	8.9	11.5	7.2	8.9	107.9	9	-72628
	01 LST	10.6	8.6	11.9	11.4	15.0	13.5	15.1	15.7	14.6	12.3	6.5	8.2	143.4	12	-72628
	07 LST	7.7	7.4	9.4	8.1	9.3	9.8	10.6	10.9	8.3	7.3	3.3	6.3	98.4	9	-72628
	13 LST	7.2	6.8	9.4	6.1	5.1	4.3	4.9	5.2	5.4	7.1	3.0	4.9	69.4	9	-72628
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	23.2	21.5	25.5	25.9	28.4	28.0	29.8	28.8	27.5	27.1	23.1	22.4	311.2	9	-72628
	01 LST	22.2	20.2	24.6	25.1	28.3	27.5	28.1	28.8	25.4	26.4	23.6	20.7	300.9	12	-72628
	07 LST	20.8	19.7	24.1	23.0	26.1	24.5	27.0	25.4	22.2	22.6	21.2	20.1	276.7	9	-72628
	13 LST	24.1	20.4	24.1	24.1	27.4	25.8	28.6	28.2	25.9	26.1	22.0	21.9	298.4	9	-72628
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	17.7	17.0	19.4	19.3	22.7	23.4	25.1	24.8	22.2	22.0	15.5	16.0	245.1	9	-72628
	01 LST	16.3	15.2	19.3	20.4	24.8	24.0	25.3	26.7	22.3	21.2	14.8	14.1	244.4	12	-72628
	07 LST	15.4	14.4	19.3	18.0	22.2	21.3	23.6	22.0	19.1	17.8	13.2	13.4	219.7	9	-72628
	13 LST	19.1	15.7	18.8	16.3	20.0	18.3	21.9	20.9	17.4	17.8	12.8	15.4	214.4	9	-72628
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	15.7	15.0	17.0	17.9	19.0	20.0	22.0	22.4	19.3	19.7	12.7	14.3	215.0	9	-72628
	01 LST	15.3	13.4	16.9	17.3	21.9	20.9	22.5	24.6	19.9	18.8	12.2	12.4	216.1	12	-72628
	07 LST	13.7	12.8	16.3	15.6	19.2	19.2	21.6	20.5	16.7	15.7	11.1	12.3	194.7	9	-72628
	13 LST	16.3	14.6	16.9	15.1	17.5	16.0	19.1	18.7	15.7	15.7	10.4	12.4	188.4	9	-72628

SAGLEK, CANADA

STA NO. 72991/ (IN AREA NUMBER 09)

LATITUDE 5829N

LONGITUDE 06239W

ELEVATION(FT) 00269

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	40	44	39	46	55	83	79	73	73	60	52	36	83	8	2282
MEAN MAX TMP (F)	11	13	17	25	36	45	54	52	48	38	28	18	32	8	2282
MEAN MIN TMP (F)	1	0	3	12	27	34	41	42	38	31	21	9	22	8	2282
ABS MIN TMP (F)	-32	-26	-25	-15	7	21	31	33	25	16	-3	-17	-32	8	2282
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2282
MEAN NO DYS TMP = OR LES 32(F)	30.7	28.0	30.4	29.4	25.6	9.0	0.3	0.0	2.8	20.9	27.8	30.8	235.7	8	2282
MEAN NO DYS TMP = OR LES 0(F)	16.4	15.7	13.7	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	7.5	58.6	8	2282
MEAN DEW PT TMP (F)	-2	-2	2	11	26	33	40	41	35	25	17	7	19	7	22467
MEAN REL HUM (PCT)	68	69	72	73	79	78	76	81	76	70	73	70	74	7	22465
MEAN PRESS ALT (FT)	450	414	353	293	294	354	393	383	393	423	420	464	386	0	-50
MEAN PRECIP (IN)	3.10	2.90	2.40	1.93	2.46	2.35	3.32	3.44	4.35	2.26	3.80	3.62	35.9	7	2227
MEAN SNOW FALL (IN)	26.0	27.1	24.1	19.0	11.3	5.8	1.2	0.0	5.1	8.4	34.1	34.9	197.0	7	2242
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.2	6.1	5.3	5.1	4.8	4.8	6.7	7.3	7.4	5.6	8.3	7.8	76.4	7	2227
MEAN NO DYS SNFL = OR GTR 1.5 IN	5.5	4.3	4.2	4.0	2.4	1.8	0.2	0.0	0.8	2.3	6.7	6.0	38.2	7	2242
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.9	3.0	3.8	2.6	3.2	3.3	3.0	4.5	0.5	1.0	4.0	3.0	35.8	8	2301
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	8	2270
P FREQ WND SPD = OR GTR 17 KTS	9.3	7.4	6.5	6.8	3.2	1.5	2.7	4.8	6.8	9.2	13.2	9.5	6.7	8	22544
P FREQ WND SPD = OR GTR 28 KTS	0.9	1.4	0.8	0.3	0.1	0.0	0.1	0.2	1.3	0.5	2.1	0.7	0.7	8	22544
P FREQ LES 5000 FT A/O LES 5 MI	49.7	40.3	40.9	42.5	53.2	44.3	40.3	52.9	46.6	37.7	47.9	44.9	45.1	8	22553
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	25.8	26.5	17.2	16.1	20.0	23.3	23.1	27.4	13.3	6.0	16.7	15.1	19.2	8	2300
03-05 LST	26.4	23.8	18.4	24.3	29.0	26.2	27.2	26.7	18.1	7.4	20.0	15.2	21.9	8	2517
06-08 LST	30.8	29.1	19.9	23.3	27.9	29.1	22.3	32.3	22.2	12.4	20.8	18.9	24.1	8	4611
09-11 LST	32.4	27.3	21.6	24.1	24.6	22.8	15.2	29.0	19.1	12.9	24.5	20.9	22.9	8	4491
12-14 LST	29.6	20.6	21.7	20.4	20.2	15.3	15.1	24.2	17.2	11.3	25.6	20.1	20.1	8	2402
15-17 LST	27.0	26.4	22.1	23.3	22.6	15.3	13.4	23.2	13.9	11.8	24.4	18.6	20.2	8	2385
18-20 LST	25.5	24.1	18.1	21.2	23.0	16.7	16.7	25.8	14.5	8.6	19.4	16.1	19.3	8	2307
21-23 LST	25.0	25.0	17.1	17.6	25.3	21.9	22.6	28.0	12.2	7.0	16.7	16.2	19.6	8	2302
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	9.2	6.6	9.3	3.6	6.5	8.9	5.4	5.4	3.3	0.5	7.2	5.5	6.0	8	2300
03-05 LST	9.3	6.2	8.3	5.2	10.6	6.7	6.0	6.9	1.9	0.9	8.9	6.6	6.5	8	2517
06-08 LST	9.2	6.0	7.2	6.4	7.7	7.6	5.1	9.1	3.1	1.9	8.6	7.7	6.6	8	4611
09-11 LST	10.6	7.0	4.5	8.2	5.0	4.7	2.3	9.1	3.3	2.1	10.3	10.3	8.5	8	4491
12-14 LST	9.3	7.8	6.5	8.1	5.5	3.3	2.2	3.8	3.3	1.1	7.2	8.6	5.6	8	2402
15-17 LST	9.3	9.5	9.2	8.6	8.8	3.3	1.6	4.9	1.7	1.6	11.1	10.1	6.6	8	2385
18-20 LST	10.6	7.5	10.2	7.8	8.0	4.4	2.7	4.3	1.1	1.6	10.0	6.0	6.2	8	2307
21-23 LST	9.3	7.1	8.3	6.2	8.6	7.9	4.8	4.3	2.2	1.6	8.9	5.6	6.2	8	2302

SAGLEK, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	25.0	22.0	25.8	25.2	25.3	25.8	28.7	24.5	26.6	29.1	25.0	27.7	308.7	8	2304
	02 LST	25.2	21.7	25.9	26.4	25.8	24.0	25.1	24.3	27.2	29.6	26.0	27.5	308.7	8	2301
	08 LST	24.0	22.5	25.4	24.4	24.5	25.1	26.2	23.2	25.0	28.0	24.7	25.6	298.6	8	2396
	14 LST	23.5	23.2	25.7	25.0	26.3	27.0	27.5	25.0	25.7	28.0	24.0	26.3	307.2	8	2389
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	15.5	12.9	18.6	14.4	15.5	14.2	16.7	13.8	14.5	15.8	12.7	14.8	179.4	8	2303
	02 LST	15.2	13.7	18.2	17.2	15.9	16.1	17.5	14.5	15.3	14.8	13.7	14.1	186.2	8	2301
	08 LST	14.9	14.1	17.0	14.9	14.5	15.6	17.5	15.0	14.2	13.3	12.2	13.0	176.2	8	2396
	14 LST	14.0	14.3	17.5	14.3	16.0	16.1	15.8	13.3	12.8	13.3	11.8	14.0	173.2	8	2389
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	2.9	2.5	2.1	2.8	0.4	0.8	0.8	1.8	2.2	2.6	3.9	2.5	25.3	8	1814
	02 LST	2.3	2.7	1.8	1.6	1.2	0.0	0.4	1.3	1.2	2.9	2.9	2.6	20.9	8	1826
	08 LST	1.4	1.4	2.5	2.4	0.8	0.3	0.6	1.0	1.8	2.9	4.4	2.1	21.6	8	1997
	14 LST	3.2	0.9	2.2	1.6	0.7	0.7	0.4	1.2	1.4	3.2	3.3	3.0	21.8	8	1883
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	0.5	0.6	0.0	1.2	6.2	10.1	9.6	10.9	14.5	7.9	2.3	0.2	64.1	8	1814
	02 LST	0.2	0.6	0.2	0.8	3.3	10.2	12.3	11.4	13.6	9.0	2.2	0.0	63.8	8	1826
	08 LST	0.7	0.7	0.2	1.2	5.5	9.6	10.6	12.8	12.5	7.7	1.7	0.5	63.7	8	1996
	14 LST	0.2	0.5	0.4	2.0	7.6	15.5	13.7	15.6	14.6	11.5	2.1	0.4	84.1	8	1883
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	10.2	11.7	10.4	8.9	5.1	6.5	3.2	4.5	5.0	10.3	9.3	12.7	97.8	8	2304
	02 LST	9.6	11.0	12.4	13.4	5.9	6.2	5.1	6.0	8.3	12.6	10.7	10.7	111.9	8	2301
	08 LST	8.6	9.9	8.8	9.6	6.6	5.9	4.8	4.7	5.0	7.7	7.8	9.6	89.0	8	2396
	14 LST	7.2	8.3	9.0	9.3	7.1	6.9	4.5	4.5	4.8	6.8	6.2	7.1	81.7	8	2389
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	20.9	19.3	22.4	19.3	20.8	22.1	24.5	21.3	23.8	25.8	20.8	23.9	264.9	8	2304
	02 LST	20.4	19.9	23.1	21.3	20.8	20.3	22.7	21.3	22.7	26.3	22.0	23.9	264.7	8	2301
	08 LST	19.8	20.1	21.4	20.6	19.8	19.4	22.8	20.2	21.2	25.3	20.0	22.4	253.0	8	2396
	14 LST	20.2	20.5	22.6	20.4	22.0	23.1	25.3	22.3	22.7	25.3	20.3	22.5	267.2	8	2389
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	17.5	17.7	17.8	14.9	14.3	15.7	16.8	12.6	14.8	19.2	16.0	19.0	196.3	8	2304
	02 LST	16.5	17.6	18.7	17.2	13.7	14.0	16.2	13.8	15.0	19.7	16.7	18.4	197.5	8	2301
	08 LST	15.2	16.7	16.0	15.7	14.2	15.2	17.8	14.1	15.0	18.3	12.5	15.8	186.5	8	2396
	14 LST	15.9	17.5	18.1	18.3	16.6	16.8	19.2	14.5	15.5	18.3	14.2	17.0	201.9	8	2389
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	15.1	15.8	15.3	13.4	11.5	12.5	10.3	8.6	12.3	17.1	13.7	16.3	161.9	8	2304
	02 LST	14.5	15.1	16.4	16.2	10.7	10.7	10.7	11.3	12.8	17.3	14.0	16.0	165.7	8	2301
	08 LST	13.9	14.1	14.1	14.0	11.3	12.6	13.3	11.0	11.5	15.0	11.2	13.4	155.4	8	2396
	14 LST	14.6	14.8	16.8	16.6	13.9	13.9	13.8	10.7	12.0	15.8	12.8	14.7	170.4	8	2389

ST. JEAN, CANADA

STA NO. 72998/ (IN AREA NUMBER 09)

LATITUDE 4518N

LONGITUDE 07317W

ELEVATION(FT) 00136

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	56	52	70	83	94	94	97	96	90	80	70	60	97	67	-72627
MEAN MAX TMP (F)	21	23	33	50	64	74	78	75	67	54	39	26	50	67	-72627
MEAN MIN TMP (F)	6	8	19	33	47	57	61	59	51	40	27	13	35	67	-72627
ABS MIN TMP (F)	-35	-28	-21	2	23	37	45	41	28	70	-18	-29	-35	67	-72627
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.3	1.7	0.5	0.2	0.0	0.0	0.0	2.8	14	-72627
MEAN NO DYS TMP = OR LES 32(F)	30.2	27.4	28.2	10.4	1.3	0.0	0.0	0.0	0.2	5.8	16.4	28.1	148.0	14	-72627
MEAN NO DYS TMP = OR LES 0(F)	8.8	7.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	21.6	14	-72627
MEAN DEW PT TMP (F)	11	13	21	33	43	54	59	57	50	40	30	16	36	10	-72627
MEAN REL HUM (PCT)	79	79	76	71	67	69	72	71	75	74	78	81	74	10	-72627
MEAN PRESS ALT (FT)	39	60	88	98	101	136	145	99	59	47	68	70	84	0	-50
MEAN PRECIP (IN)	3.80	3.00	3.50	2.60	3.10	3.40	3.70	3.50	3.70	3.40	3.50	3.60	40.8	77	-72627
MEAN SNOW FALL (IN)	27.7	23.3	20.1	5.5	0.1	0.0	0.0	0.0	0.0	0.9	10.9	23.8	112.3	55	-72627
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.7	8.3	8.8	7.2	8.1	7.2	7.6	7.2	8.0	7.5	7.6	9.4	96.7	77	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	5.7	4.9	4.7	1.1	0.0	0.0	0.0	0.0	0.1	2.4	5.0	23.9		55	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.0	4.1	3.2	1.8	2.1	1.0	0.9	1.0	2.0	2.3	1.9	4.1	28.4	10	-72627
MEAN NO DYS TSTMS	0.0	0.0	0.1	0.3	1.1	2.6	3.2	3.3	2.0	0.5	0.1	0.0	13.2	10	-72627
P FREQ WND SPD = OR GTR 17 KTS	14.9	13.6	17.1	13.1	8.4	6.7	3.6	3.3	5.4	6.4	12.7	12.1	9.8	10	-72627
P FREQ WND SPD = OR GTR 28 KTS	1.4	0.6	1.0	0.5	0.3	0.3	0.0	0.0	0.2	0.8	0.3	0.5		10	-72627
P FREQ LES 5000 FT A/O LES 5 MI	51.0	49.0	40.7	36.1	25.3	24.0	21.2	19.7	31.3	35.9	48.9	54.8	36.5	10	-72627
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	21.2	23.8	18.0	11.4	10.8	7.2	6.5	3.9	10.4	10.0	13.0	22.2	13.2	10	-72627
03-05 LST	22.8	24.4	20.0	15.1	13.9	11.9	10.3	9.8	14.0	14.0	16.3	25.7	16.5	9	-72627
06-08 LST	26.6	32.6	23.1	18.8	13.6	12.5	11.0	10.1	18.5	23.7	21.6	28.8	20.1	14	-72627
09-11 LST	30.7	33.6	21.6	15.7	8.7	8.6	7.1	6.5	11.0	15.8	20.6	32.0	17.7	9	-72627
12-14 LST	25.5	27.0	16.7	11.1	7.5	4.9	2.4	5.1	6.5	11.0	14.4	25.0	13.1	10	-72627
15-17 LST	24.5	26.4	15.2	9.1	5.0	3.2	1.1	4.3	7.2	9.8	15.3	24.7	12.2	9	-72627
18-20 LST	17.8	21.0	17.1	8.3	6.0	5.2	2.0	4.1	7.0	8.2	12.5	19.8	10.8	10	-72627
21-23 LST	20.2	21.9	16.4	8.5	6.9	5.2	3.2	3.2	6.8	10.5	10.3	20.7	11.2	9	-72627
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	5.2	8.5	3.6	1.1	2.5	1.6	1.7	1.0	2.6	3.7	2.0	5.5	3.3	10	-72627
03-05 LST	3.7	7.2	4.2	2.6	4.3	2.8	2.8	2.4	4.8	3.7	2.8	5.6	3.9	9	-72627
06-08 LST	7.0	11.1	5.7	4.0	1.4	2.0	1.9	1.4	4.4	5.1	5.5	7.7	4.8	14	-72627
09-11 LST	8.1	11.4	5.0	2.1	0.1	0.2	0.0	0.2	0.5	1.9	3.5	9.0	3.5	9	-72627
12-14 LST	7.1	9.1	4.5	2.0	0.1	0.1	0.1	0.5	0.1	0.6	2.7	8.0	2.9	10	-72627
15-17 LST	6.6	8.9	4.9	2.0	0.2	0.2	0.0	0.1	0.4	1.4	2.1	5.6	2.7	9	-72627
18-20 LST	6.5	3.9	2.8	1.1	0.1	0.2	0.0	0.0	0.5	0.6	1.4	4.2	1.8	10	-72627
21-23 LST	4.9	5.1	2.9	0.9	0.6	0.7	0.1	0.5	1.4	1.9	1.9	6.5	2.3	9	-72627

ST. JEAN, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	25.6	22.8	26.6	27.7	29.2	28.5	30.4	30.0	28.5	28.9	26.8	25.2	330.2	10	-72627
	01 LST	24.9	21.8	26.5	27.4	28.6	28.3	28.9	30.0	27.4	28.3	26.9	25.2	324.2	10	-72627
	07 LST	24.3	19.5	24.8	24.5	27.3	26.6	27.9	27.7	25.4	24.2	23.4	23.3	298.9	14	-72627
	13 LST	23.4	20.9	25.8	27.4	29.5	28.9	30.7	29.5	28.3	28.1	26.6	23.4	322.5	10	-72627
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	12.8	11.0	13.8	16.1	19.1	20.6	24.1	24.3	21.2	20.0	14.4	14.0	211.4	10	-72627
	01 LST	13.5	12.5	15.0	16.5	19.9	20.8	23.5	25.2	20.6	19.5	15.0	13.6	215.6	10	-72627
	07 LST	12.3	9.8	12.8	12.6	16.3	17.1	20.1	21.6	17.3	16.3	12.7	11.7	180.6	14	-72627
	13 LST	10.3	8.0	8.7	9.5	12.0	12.7	13.0	14.8	13.7	13.6	11.6	9.8	137.7	10	-72627
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	3.8	2.5	3.4	2.3	3.0	1.0	0.6	0.6	0.8	1.5	3.3	7.6	25.4	10	-72627
	01 LST	3.5	2.2	4.1	2.0	1.1	0.7	0.4	0.1	0.7	1.3	3.6	2.7	22.4	10	-72627
	07 LST	4.3	2.9	3.4	2.7	1.3	1.3	0.6	0.4	1.2	1.6	2.0	3.1	24.8	14	-72627
	13 LST	5.6	5.9	7.1	7.2	5.0	4.0	2.8	2.2	3.5	3.6	4.9	5.9	57.7	10	-72627
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	1.7	1.9	6.5	15.0	16.2	15.3	17.7	17.2	17.5	13.2	10.0	2.1	136.3	10	-72627
	01 LST	1.1	1.0	2.8	13.2	17.2	16.3	16.6	17.1	14.0	13.8	8.2	2.3	123.6	10	-72627
	07 LST	0.6	0.4	1.9	11.5	12.8	15.3	15.6	14.1	12.7	10.7	7.1	2.1	104.8	14	-72627
	13 LST	1.6	1.5	7.3	11.3	14.5	13.1	15.6	15.1	13.4	14.6	9.8	3.2	121.0	10	-72627
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	8.2	9.1	10.4	7.2	5.9	5.9	7.0	9.3	8.9	10.7	6.0	7.0	95.6	10	-72627
	01 LST	8.9	8.1	11.9	12.3	13.0	12.0	11.7	14.8	12.2	12.4	6.1	5.8	129.4	10	-72627
	07 LST	7.1	5.9	7.3	7.7	8.3	7.8	8.6	10.1	8.1	7.1	3.1	5.5	86.6	14	-72627
	13 LST	7.0	6.8	8.1	4.8	4.5	4.0	4.7	5.1	4.7	6.0	2.6	4.9	63.2	10	-72627
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	24.2	21.1	25.2	26.4	28.1	27.9	29.8	29.0	27.0	28.2	25.1	22.7	314.7	10	-72627
	01 LST	21.8	20.3	24.4	25.3	27.1	27.7	28.0	29.2	26.4	26.5	24.7	22.1	303.5	10	-72627
	07 LST	20.1	17.4	22.8	21.6	25.7	24.9	26.1	25.9	23.8	22.2	20.4	19.9	270.8	14	-72627
	13 LST	21.4	19.7	23.9	23.3	28.0	28.0	29.2	29.0	27.0	26.2	23.9	22.1	303.7	10	-72627
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	16.7	17.5	19.4	20.1	23.3	24.2	25.1	24.8	21.9	22.0	16.2	15.0	246.2	10	-72627
	01 LST	14.7	15.0	18.9	19.8	23.2	23.1	24.6	26.0	22.1	20.3	15.7	13.1	236.5	10	-72627
	07 LST	14.1	13.1	18.5	17.5	21.3	22.1	23.1	23.0	20.3	18.3	12.5	12.9	216.7	14	-72627
	13 LST	17.0	16.8	19.8	16.0	21.3	20.8	23.3	23.3	18.0	18.2	12.5	15.4	222.4	10	-72627
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	14.7	16.0	16.9	17.1	19.0	20.8	21.4	22.5	18.2	18.5	13.0	13.1	211.2	10	-72627
	01 LST	13.1	13.4	16.7	17.3	19.7	18.8	20.6	22.9	18.8	17.6	12.1	11.0	202.0	10	-72627
	07 LST	12.3	12.0	16.2	15.6	17.6	19.6	20.4	20.1	17.5	15.5	10.2	11.2	188.2	14	-72627
	13 LST	15.1	15.4	17.5	14.0	18.9	18.9	20.3	20.8	15.5	15.7	10.5	13.5	196.1	10	-72627

STE. ANNE, CANADA

STA NO. 72999/ (IN AREA NUMBER 09)

LATITUDE 4907N

LONGITUDE 06632W

ELEVATION(FT) 00072

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	57	52	73	81	88	92	94	91	90	80	65	56	94	30	-110
MEAN MAX TMP (F)	20	21	30	42	56	67	74	72	63	51	36	25	46	10	-72718
MEAN MIN TMP (F)	4	5	15	28	38	48	55	53	46	36	25	12	30	10	-72718
ABS MIN TMP (F)	-40	-38	-28	-9	14	28	38	30	23	12	-22	-39	-40	30	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.5	9	-72718
MEAN NO DYS TMP = OR LES 32(F)	31.0	27.9	29.9	22.2	5.7	0.2	0.0	0.0	0.1	9.1	20.8	29.7	176.6	9	-72718
MEAN NO DYS TMP = OR LES 0(F)	10.2	9.1	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	25.0	9	-72718
MEAN DEW PT TMP (F)	9	9	17	28	37	48	56	54	47	37	28	15	32	8	-72718
MEAN REL HUM (PCT)	85	83	79	75	70	73	75	76	77	79	82	85	78	8	-72718
MEAN PRESS ALT (FT)	45	57	78	62	54	84	101	58	11	15	50	68	57	0	-50
MEAN PRECIP (IN)	3.08	3.12	2.37	2.51	3.07	3.16	3.13	3.03	2.40	3.29	3.08	3.04	35.3	10	-72718
MEAN SNOW FALL (IN)	28.7	30.5	17.7	8.8	0.7	0.0	0.0	0.0	0.0	1.3	11.2	25.3	124.2	10	-72718
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.5	8.6	6.7	7.0	8.1	6.9	6.9	6.8	5.8	7.3	6.9	8.4	87.9	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	5.9	6.2	4.0	1.8	0.0	0.0	0.0	0.0	0.0	0.2	2.5	5.3	25.9	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.1	4.0	5.5	3.0	1.0	4.0	0.5	3.5	3.5	0.5	3.5	2.5	36.6	3	-72718
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	2.0	3.0	2.0	1.0	0.0	0.0	0.0	9.0	8	-72718
P FREQ WND SPD = OR GTR 17 KTS	34.8	35.7	27.8	13.3	27.4	16.7	6.5	9.3	15.4	16.8	35.0	29.4	22.3	3	-72718
P FREQ WND SPD = OR GTR 28 KTS	6.8	4.9	8.5	3.3	0.8	3.3	0.0	0.8	2.1	2.0	4.2	6.9	3.6	3	-72718
P FREQ LES 5000 FT A/O LES 5 MI	63.1	45.1	37.1	35.8	28.2	40.8	31.0	25.4	30.4	34.8	52.1	58.1	40.2	3	-72718
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	29.9	26.8	24.2	16.7	9.7	16.7	8.1	12.9	15.0	6.6	18.3	14.5	16.6	3	-72718
03-05 LST	27.7	25.2	22.6	18.6	12.6	16.5	11.7	12.8	14.0	8.2	16.9	19.8	17.2	3	-72718
06-08 LST	25.4	23.5	21.0	20.4	14.2	16.3	15.2	12.6	13.0	11.7	15.5	25.1	17.8	9	-72718
09-11 LST	32.9	24.4	19.4	20.2	13.6	13.2	13.3	11.2	14.0	12.3	16.1	26.3	18.1	3	-72718
12-14 LST	40.3	25.0	17.7	20.0	12.9	10.0	11.3	9.7	15.0	12.9	16.7	27.4	18.2	3	-72718
15-17 LST	37.3	25.9	21.0	20.0	11.3	13.4	9.7	9.7	16.7	12.1	18.4	21.0	18.0	3	-72718
18-20 LST	34.3	26.8	24.2	20.0	9.7	16.7	8.1	9.7	18.3	11.3	20.0	14.5	17.8	3	-72718
21-23 LST	32.1	26.8	24.2	18.4	9.7	16.7	8.1	11.3	16.7	9.0	19.2	14.5	17.2	3	-72718
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	19.4	19.6	17.7	13.3	9.7	10.0	3.2	12.9	11.7	3.3	11.7	8.1	11.7	3	-72718
03-05 LST	16.2	17.1	12.5	9.6	6.3	7.9	4.7	9.9	9.0	3.1	8.4	9.3	9.5	3	-72718
06-08 LST	12.9	14.6	7.3	7.9	2.8	5.8	6.1	6.9	6.3	2.8	5.0	10.5	7.4	9	-72718
09-11 LST	18.4	13.6	8.5	5.6	3.0	4.6	4.7	5.9	6.5	1.4	7.5	10.9	7.6	3	-72718
12-14 LST	23.9	12.5	9.7	3.3	3.2	3.3	3.2	4.8	6.7	0.6	10.0	11.3	7.7	3	-72718
15-17 LST	21.7	16.1	14.6	5.0	4.9	5.0	2.4	4.8	6.7	2.4	10.8	9.7	8.7	3	-72718
18-20 LST	19.4	19.6	19.4	6.7	6.5	6.7	1.6	4.8	6.7	4.8	11.7	8.1	9.7	3	-72718
21-23 LST	19.4	19.6	18.6	10.0	8.1	8.4	2.4	8.9	9.2	4.1	11.7	8.1	10.7	3	-72718

STE. ANNE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	21.7	22.0	23.5	25.0	29.0	27.0	29.5	29.0	25.5	28.0	26.0	27.0	313.2	3	-72710
	02 LST	23.1	20.5	24.5	24.0	28.0	27.0	29.5	27.0	25.5	29.0	29.5	28.0	311.6	3	-72710
	08 LST	24.7	22.3	24.7	25.5	28.3	26.7	27.3	27.5	27.1	28.7	26.9	25.3	315.0	9	-72710
	14 LST	20.3	23.0	25.5	26.0	28.0	29.0	29.0	29.0	27.5	29.5	26.0	23.5	316.3	3	-72710
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	7.4	7.5	10.5	13.0	16.0	17.0	22.0	17.0	15.0	13.5	7.5	7.0	153.4	3	-72710
	02 LST	6.4	6.5	9.0	11.0	11.0	15.0	21.0	15.5	12.5	15.2	12.0	5.0	140.1	3	-72710
	08 LST	9.4	6.8	11.7	12.5	12.4	13.1	14.8	15.0	12.3	13.1	11.3	8.3	140.7	9	-72710
	14 LST	6.1	8.5	11.5	13.0	8.0	14.0	12.5	10.5	12.5	9.5	5.5	10.0	121.6	3	-72710
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	5.5	7.5	4.0	1.0	5.0	1.0	0.5	1.5	1.0	3.5	7.0	8.0	45.5	3	-72710
	02 LST	6.4	6.5	8.5	0.0	2.0	3.0	0.0	2.0	3.0	3.5	7.0	6.5	48.4	3	-72710
	08 LST	5.1	4.9	4.1	3.9	5.7	2.4	1.6	2.0	3.6	4.2	5.4	5.8	48.7	9	-72710
	14 LST	5.1	5.5	5.5	4.0	13.0	7.0	5.0	7.0	5.0	5.5	10.5	3.5	76.6	3	-72710
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	0.0	0.0	2.0	14.0	15.0	14.0	17.0	19.0	15.5	14.5	7.5	1.0	119.5	3	-72710
	02 LST	0.4	0.0	0.5	8.0	14.0	18.0	20.5	19.5	11.0	13.7	7.0	0.5	113.1	3	-72710
	08 LST	0.1	0.0	1.1	9.1	12.4	15.2	17.1	16.3	13.3	11.8	4.8	1.1	102.3	9	-72710
	14 LST	0.5	0.0	4.0	14.0	11.0	11.0	15.0	11.5	15.5	10.5	6.0	1.0	100.0	3	-72710
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	7.8	6.0	14.0	12.0	13.0	8.0	8.0	8.5	9.0	13.0	8.0	8.0	115.3	3	-72710
	02 LST	6.0	10.0	15.0	10.0	15.0	11.0	14.5	14.5	13.5	9.6	5.5	9.5	134.1	3	-72710
	08 LST	6.4	6.4	8.2	8.5	9.4	6.8	10.0	9.8	9.0	6.8	4.3	4.1	89.7	9	-72710
	14 LST	5.5	6.5	12.0	14.0	6.0	7.0	5.5	7.5	8.0	6.5	5.5	5.0	89.0	3	-72710
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	15.7	17.0	21.5	22.0	27.0	22.0	26.5	25.5	23.0	26.0	20.0	20.0	266.2	3	-72710
	02 LST	16.2	17.0	21.0	22.0	27.0	22.0	27.5	26.0	24.0	25.9	20.0	21.5	270.1	3	-72710
	08 LST	18.7	18.1	21.1	20.4	23.6	21.8	24.1	24.8	23.5	23.8	19.6	16.2	255.7	9	-72710
	14 LST	14.8	17.0	22.0	22.0	24.0	22.0	23.5	26.0	22.5	23.0	19.5	17.0	253.3	3	-72710
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	12.5	14.0	19.5	18.0	21.0	16.0	21.5	22.5	19.5	19.5	11.5	12.0	207.5	3	-72710
	02 LST	9.2	14.5	18.5	16.0	20.0	19.0	23.5	23.5	21.0	18.3	11.0	14.0	208.5	3	-72710
	08 LST	12.2	14.2	16.2	16.7	18.4	17.4	20.1	20.6	18.5	17.4	12.4	9.8	193.9	9	-72710
	14 LST	12.0	15.5	19.5	21.0	17.0	16.0	19.5	23.5	19.0	18.5	12.0	11.5	205.0	3	-72710
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	11.1	13.0	19.0	16.0	19.0	15.0	20.5	21.5	19.0	17.5	11.0	12.0	194.6	3	-72710
	02 LST	8.8	14.0	17.0	15.0	20.0	16.0	21.5	22.5	19.5	17.3	10.5	14.0	196.1	3	-72710
	08 LST	11.9	13.1	15.6	15.4	17.5	15.8	19.5	19.6	17.1	15.8	12.0	9.1	182.4	9	-72710
	14 LST	11.6	15.0	19.0	21.0	16.0	15.0	19.5	22.5	18.5	18.0	12.0	11.0	199.1	3	-72710

ST. HUBERT, CANADA

STA NO. 73743/ (IN AREA NUMBER 09)

LATITUDE 4530N

LONGITUDE 07325W

ELEVATION(FT) 0090

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	54	49	78	85	92	95	96	96	91	85	73	61	96	30	-110
MEAN MAX TMP (F)	23	23	32	49	66	75	80	78	68	56	40	27	51	15	-105
MEAN MIN TMP (F)	6	5	16	32	44	54	59	56	48	38	26	12	33	15	-105
ABS MIN TMP (F)	-33	-35	-33	5	25	34	42	37	27	16	-9	-35	-35	30	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.3	1.7	0.5	0.2	0.0	0.0	0.0	2.8	14	-72627
MEAN NO DYS TMP = OR LES 32(F)	30.2	27.4	28.2	10.4	1.3	0.0	0.0	0.0	0.2	5.8	16.4	28.1	148.0	14	-72627
MEAN NO DYS TMP = OR LES 0(F)	8.8	7.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	21.6	14	-72627
MEAN DEW PT TMP (F)	11	13	21	33	43	54	59	57	50	40	30	16	36	10	-72627
MEAN REL HUM (PCT)	79	79	76	71	67	69	72	71	75	74	78	81	74	10	-72627
MEAN PRESS ALT (FT)	-9	12	40	51	54	88	97	50	11	0	20	22	36	0	-50
MEAN PRECIP (IN)	3.61	2.40	3.29	3.19	2.91	3.31	3.32	2.90	3.24	2.74	3.24	3.20	37.3	15	-105
MEAN SNOW FALL (IN)	19.9	19.1	19.0	6.3	0.1	0.0	0.0	0.0	0.7	7.4	19.5	92.0		15	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.4	7.1	8.5	8.3	7.8	7.1	7.1	6.6	7.2	6.4	7.2	8.7	91.4	15	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	4.3	4.1	4.3	1.3	0.0	0.0	0.0	0.0	0.1	1.5	4.2	19.8		15	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.0	4.1	3.2	1.8	2.1	1.0	0.9	1.0	2.0	2.3	1.9	4.1	28.4	10	-72627
MEAN NO DYS TSTMS	0.0	0.0	0.1	0.3	1.1	2.6	3.2	3.3	2.0	0.5	0.1	0.0	13.2	10	-72627
P FREQ WND SPD = OR GTR 17 KTS	14.9	13.6	17.1	13.1	8.4	6.7	3.6	3.3	5.4	6.4	12.7	12.1	9.8	10	-72627
P FREQ WND SPD = OR GTR 28 KTS	1.4	0.6	1.0	0.5	0.3	0.3	0.0	0.0	0.0	0.2	0.8	0.3	0.5	10	-72627
P FREQ LES 5070 FT A/O LES 5 MI	51.0	49.0	40.7	36.1	25.3	24.0	21.2	19.7	31.3	35.9	48.9	54.8	36.5	10	-72627
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	21.2	23.8	18.0	11.4	10.8	7.2	6.5	3.9	10.4	10.0	13.0	22.2	13.2	10	-72627
03-05 LST	22.8	24.4	20.0	15.1	13.9	11.9	10.3	9.8	14.0	14.0	16.3	25.7	16.5	9	-72627
06-08 LST	26.6	32.6	23.1	18.8	13.6	12.5	11.0	10.1	18.5	23.7	21.6	28.8	20.1	14	-72627
09-11 LST	30.7	33.6	21.6	15.7	8.7	8.6	7.1	6.5	11.0	15.8	20.6	32.0	17.7	9	-72627
12-14 LST	25.5	27.0	16.7	11.1	7.5	4.9	2.4	5.1	6.5	11.0	14.4	25.0	13.1	10	-72627
15-17 LST	24.5	26.4	15.2	9.1	5.0	3.2	1.1	4.3	7.2	9.8	15.3	24.7	12.2	9	-72627
18-20 LST	17.8	21.0	17.1	8.3	6.0	5.2	2.0	4.1	7.0	8.2	12.5	19.8	10.8	10	-72627
21-23 LST	20.2	21.9	16.4	8.5	6.9	5.2	3.2	3.2	6.8	10.5	10.3	20.7	11.2	9	-72627
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	5.2	8.5	3.6	1.1	2.5	1.6	1.7	1.0	2.6	3.7	2.0	5.5	3.3	10	-72627
03-05 LST	3.7	7.2	4.2	2.6	4.3	2.8	2.8	2.4	4.8	3.7	2.8	5.6	3.9	9	-72627
06-08 LST	7.0	11.1	5.7	4.0	1.4	2.0	1.9	1.4	4.4	5.1	5.5	7.7	4.8	14	-72627
09-11 LST	8.1	11.4	5.0	2.1	0.1	0.2	0.0	0.2	0.5	1.9	3.5	9.0	3.5	9	-72627
12-14 LST	7.1	9.1	4.5	2.0	0.1	0.1	0.1	0.5	0.1	0.6	2.7	8.0	2.9	10	-72627
15-17 LST	6.6	8.9	4.9	2.0	0.2	0.2	0.0	0.1	0.4	1.4	2.1	5.6	2.7	9	-72627
18-20 LST	6.5	3.9	2.8	1.1	0.1	0.2	0.0	0.0	0.5	0.6	1.4	4.2	1.8	10	-72627
21-23 LST	4.9	5.1	2.9	0.9	0.6	0.7	0.1	0.5	1.4	1.9	1.9	6.5	2.3	9	-72627

ST. HUBERT, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	25.6	22.8	26.6	27.7	29.2	28.5	30.4	30.0	28.5	28.9	26.8	25.2	330.2	10	-72627
	01 LST	24.9	21.8	26.5	27.4	28.6	28.3	28.9	30.0	27.4	28.3	26.9	25.2	324.2	10	-72627
	07 LST	24.3	19.5	24.8	24.5	27.3	26.6	27.9	27.7	25.4	24.2	23.4	23.3	298.9	14	-72627
	13 LST	23.4	20.9	25.8	27.4	29.5	28.9	30.7	29.5	28.3	28.1	26.6	23.4	322.5	10	-72627
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	12.8	11.0	13.8	16.1	19.1	20.6	24.1	24.3	21.2	20.0	14.4	14.0	211.4	10	-72627
	01 LST	13.5	12.5	15.0	16.5	19.9	20.8	23.5	25.2	20.6	19.5	15.0	13.6	215.6	10	-72627
	07 LST	12.3	9.8	12.8	12.6	16.3	17.1	20.1	21.6	17.3	16.3	12.7	11.7	180.6	14	-72627
	13 LST	10.3	8.0	8.7	9.5	12.0	12.7	13.0	14.8	13.7	13.6	11.6	9.8	137.7	10	-72627
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	3.8	2.5	3.4	2.3	3.0	1.0	0.6	0.6	0.8	1.5	3.3	2.6	25.4	10	-72627
	01 LST	3.5	2.2	4.1	2.0	1.1	0.7	0.4	0.1	0.7	1.3	3.6	2.7	22.4	10	-72627
	07 LST	4.3	2.9	3.4	2.7	1.3	1.3	0.6	0.4	1.2	1.6	2.0	3.1	24.8	14	-72627
	13 LST	5.6	5.9	7.1	7.2	5.0	4.0	2.8	2.2	3.5	3.6	4.9	5.9	57.7	10	-72627
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	1.7	1.9	6.5	15.0	16.2	15.3	17.7	17.2	17.5	15.2	10.0	2.1	136.3	10	-72627
	01 LST	1.1	1.0	2.8	13.2	17.2	16.3	16.6	17.1	14.0	13.8	8.2	2.3	123.6	10	-72627
	07 LST	0.6	0.4	1.9	11.5	12.8	15.3	15.6	14.1	12.7	10.7	7.1	2.1	104.8	14	-72627
	13 LST	1.6	1.5	7.3	11.3	14.5	13.1	15.6	15.1	13.4	14.6	9.8	3.2	121.0	10	-72627
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	8.2	9.1	10.4	7.2	5.9	5.9	7.0	9.3	8.9	10.7	6.0	7.0	95.6	10	-72627
	01 LST	8.9	8.1	11.9	12.3	13.0	12.0	11.9	14.8	17.2	12.4	6.1	5.8	129.4	10	-72627
	07 LST	7.1	5.9	7.3	7.7	8.3	7.8	8.6	10.1	8.1	7.1	3.1	5.5	86.6	14	-72627
	13 LST	7.0	6.8	8.1	4.8	4.5	4.0	4.7	5.1	4.7	6.0	2.6	4.9	63.2	10	-72627
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	24.2	21.1	25.2	26.4	28.1	27.9	29.8	29.0	27.0	28.2	25.1	22.7	314.7	10	-72627
	01 LST	21.8	20.3	24.4	25.3	27.1	27.7	28.0	29.2	26.4	26.5	24.7	22.1	303.5	10	-72627
	07 LST	20.1	17.4	22.8	21.6	25.7	24.9	26.1	25.9	23.8	22.2	20.4	19.9	270.8	14	-72627
	13 LST	21.4	19.7	23.9	25.3	28.0	28.0	29.2	29.0	27.0	26.2	23.9	22.1	303.7	10	-72627
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	16.7	17.5	19.4	20.1	23.3	24.2	25.1	24.8	21.9	22.0	16.2	15.0	246.2	10	-72627
	01 LST	14.7	15.0	18.9	19.8	23.2	23.1	24.6	26.0	22.1	20.3	15.7	13.1	236.5	10	-72627
	07 LST	14.1	13.1	18.5	17.5	21.3	22.1	23.1	23.0	20.3	18.3	12.5	12.9	216.7	14	-72627
	13 LST	17.0	16.8	19.8	16.0	21.3	20.8	23.3	23.3	19.0	18.2	12.5	15.4	222.4	10	-72627
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	14.7	16.0	16.9	17.1	19.0	20.8	21.4	22.5	18.2	18.5	13.0	13.1	211.2	10	-72627
	01 LST	13.1	13.4	16.7	17.3	19.7	18.8	20.6	22.9	18.8	17.6	12.1	11.0	202.0	10	-72627
	07 LST	12.3	12.0	16.2	15.6	17.6	19.6	20.4	20.1	17.5	15.5	10.2	11.2	188.2	14	-72627
	13 LST	15.1	15.4	17.5	14.0	18.9	18.9	20.3	20.8	15.5	15.7	10.5	13.5	196.1	10	-72627

TROIS RIVIERES, CANADA

STA NO. 73747/ (IN AREA NUMBER 09)

LATITUDE 4621N

LONGITUDE 07241W

ELEVATION(FT) 60188

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	54	48	68	83	92	94	100	96	90	84	68	57	100	30	-110
MEAN MAX TMP (F)	20	23	34	48	63	74	78	76	67	53	39	24	50	15	-105
MEAN MIN TMP (F)	1	1	15	29	41	52	57	55	45	36	25	9	31	15	-105
ABS MIN TMP (F)	-37	-38	-22	-3	21	30	39	32	20	11	-11	-28	-38	30	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.3	1.7	0.5	0.2	0.0	0.0	0.0	2.8	14	-72627
MEAN NO DYS TMP = OR LES 32(F)	30.2	27.4	28.2	10.4	1.3	0.0	0.0	0.0	0.2	5.8	16.4	28.1	148.0	14	-72627
MEAN NO DYS TMP = OR LES 0(F)	8.8	7.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	21.6	14	-72627
MEAN DEW PT TMP (F)	11	13	21	33	43	54	59	57	50	40	30	16	36	10	-72627
MEAN REL HUM (PCT)	79	79	76	71	67	69	72	71	75	74	78	81	74	10	-72627
MEAN PRESS ALT (FT)	84	107	139	149	149	180	183	138	100	85	108	113	128	0	-50
MEAN PRECIP (IN)	3.15	2.41	2.35	2.92	3.29	3.84	3.92	4.25	3.98	3.55	3.98	2.92	40.6	15	-105
MEAN SNOW FALL (IN)	22.6	20.5	9.4	4.0	0.0	0.0	0.0	0.0	0.2	6.6	18.2	81.5	15	-105	
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.6	7.1	6.6	7.8	8.5	7.7	7.8	8.2	8.4	7.7	8.4	8.2	95.0	15	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	4.8	4.4	1.9	0.8	0.0	0.0	0.0	0.0	0.0	1.3	3.9	17.1	15	-29	
MEAN NO DYS W/OCUR V5BY LES 1/2 MI	4.0	4.1	3.2	1.8	2.1	1.0	0.9	1.0	2.0	2.3	1.9	4.1	28.4	10	-72627
MEAN NO DYS TSTMS	0.0	0.0	0.1	0.3	1.1	2.6	3.2	3.3	2.0	0.5	0.1	0.0	13.2	10	-72627
P FREQ WND SPD = OR GTR 17 KTS	14.9	13.6	17.1	13.1	8.4	6.7	3.6	3.3	5.4	6.4	12.7	12.1	9.8	10	-72627
P FREQ WND SPD = OR GTR 28 KTS	1.4	0.6	1.0	0.5	0.3	0.3	0.0	0.0	0.0	0.2	0.8	0.3	0.5	10	-72627
P FREQ LES 5000 FT A/O LES 5 MI	51.0	49.0	40.7	36.1	25.3	24.0	21.2	19.7	31.3	35.9	48.9	54.8	36.5	10	-72627
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	21.2	23.8	18.0	11.4	10.8	7.2	6.5	3.9	10.4	10.0	13.0	22.2	13.2	10	-72627
03-05 LST	22.8	24.4	20.0	15.1	13.9	11.9	10.3	9.8	14.0	14.0	16.3	25.7	16.5	9	-72627
06-08 LST	26.6	32.6	23.1	18.8	13.6	12.5	11.0	10.1	18.5	23.7	21.6	28.8	20.1	14	-72627
09-11 LST	30.7	33.6	21.6	15.7	8.7	8.6	7.1	6.5	11.0	15.8	20.6	32.0	17.7	9	-72627
12-14 LST	25.5	27.0	16.7	11.1	7.5	4.9	2.4	5.1	6.5	11.0	14.4	25.0	13.1	10	-72627
15-17 LST	24.5	26.4	15.2	9.1	5.0	3.2	1.1	4.3	7.2	9.8	15.3	24.7	12.2	9	-72627
18-20 LST	17.8	21.0	17.1	8.3	6.0	5.2	2.0	4.1	7.0	8.2	12.5	19.8	10.8	10	-72627
21-23 LST	20.2	21.9	16.4	8.5	6.9	5.2	3.2	3.2	6.8	10.5	10.3	20.7	11.2	9	-72627
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	5.2	8.5	3.6	1.1	2.5	1.6	1.7	1.0	2.6	3.7	2.0	5.5	3.3	10	-72627
03-05 LST	3.7	7.2	4.2	2.6	4.3	2.8	2.8	2.4	4.8	3.7	2.8	5.6	3.9	9	-72627
06-08 LST	7.0	11.1	5.7	4.0	1.4	2.0	1.9	1.4	4.4	5.1	5.5	7.7	4.8	14	-72627
09-11 LST	8.1	11.4	5.0	2.1	0.1	0.2	0.0	0.2	0.5	1.9	3.5	9.0	3.5	9	-72627
12-14 LST	7.1	9.1	4.5	2.0	0.1	0.1	0.1	0.5	0.1	0.6	2.7	8.0	2.9	10	-72627
15-17 LST	6.6	8.9	4.9	2.0	0.2	0.2	0.0	0.1	0.4	1.4	2.1	5.6	2.7	9	-72627
18-20 LST	6.5	3.9	2.8	1.1	0.1	0.2	0.0	0.0	0.5	0.6	1.4	4.2	1.8	10	-72627
21-23 LST	4.9	5.1	2.9	0.9	0.6	0.7	0.1	0.5	1.4	1.9	1.9	6.5	2.3	9	-72627

TROIS RIVIERES, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	25.6	22.8	26.6	27.7	29.2	28.5	30.4	30.0	28.5	28.9	26.8	25.2	330.2	10	-72627
	01 LST	24.9	21.8	26.5	27.4	28.6	28.3	28.9	30.0	27.4	28.3	26.9	25.2	324.2	10	-72627
	07 LST	24.3	19.5	24.8	24.5	27.3	26.6	27.9	27.7	25.4	24.2	23.4	23.3	298.9	14	-72627
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	13 LST	23.4	20.9	25.8	27.4	29.5	28.9	30.7	29.5	28.3	28.1	26.6	23.4	322.5	10	-72627
	19 LST	12.8	11.0	13.8	16.1	19.1	20.6	24.1	24.3	21.2	20.0	14.4	14.0	211.4	10	-72627
	01 LST	13.5	12.5	15.0	16.5	19.9	20.8	23.5	25.2	20.6	19.5	15.0	13.6	215.6	10	-72627
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	12.3	9.8	12.8	12.6	16.3	17.1	20.1	21.6	17.3	16.3	12.7	11.7	180.6	14	-72627
	13 LST	10.3	8.0	8.7	9.5	12.0	12.7	13.0	14.8	13.7	13.6	11.6	9.8	137.7	10	-72627
	19 LST	3.8	2.5	3.4	2.3	3.0	1.0	0.6	0.6	0.8	1.5	3.3	2.6	25.4	10	-72627
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	3.5	2.2	4.1	2.0	1.1	0.7	0.4	0.1	0.7	1.3	3.6	2.7	22.4	10	-72627
	07 LST	4.3	2.9	3.4	2.7	1.3	1.3	0.6	0.4	1.2	1.6	2.0	3.1	24.8	14	-72627
	13 LST	5.6	5.9	7.1	7.2	5.0	4.0	2.8	2.2	3.5	3.6	4.9	5.9	57.7	10	-72627
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	1.7	1.9	6.5	15.0	16.2	15.3	17.7	17.2	17.5	15.2	10.0	2.1	136.3	10	-72627
	01 LST	1.1	1.0	2.8	13.2	17.2	16.3	16.6	17.1	14.0	13.8	8.2	2.3	123.6	10	-72627
	07 LST	0.6	0.4	1.9	11.5	12.8	15.3	15.6	14.1	12.7	10.7	7.1	2.1	104.8	14	-72627
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	13 LST	1.6	1.5	7.3	11.3	14.5	13.1	15.6	15.1	13.4	14.6	9.8	3.2	121.0	10	-72627
	19 LST	8.2	9.1	10.4	7.2	5.9	5.9	7.0	9.3	8.9	10.7	6.0	7.0	95.6	10	-72627
	01 LST	8.9	8.1	11.9	12.3	13.0	12.0	11.9	14.8	12.2	12.4	6.1	5.8	129.4	10	-72627
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	7.1	5.9	7.3	7.7	8.3	7.8	8.6	10.1	8.1	7.1	3.1	5.5	86.6	14	-72627
	13 LST	7.0	6.8	8.1	4.8	4.5	4.0	4.7	5.1	4.7	6.0	2.6	4.9	63.2	10	-72627
	19 LST	24.2	21.1	25.2	26.4	28.1	27.9	29.8	29.0	27.0	28.2	25.1	22.7	314.7	10	-72627
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	21.8	20.3	24.4	25.3	27.1	27.7	28.0	29.2	26.4	26.5	24.7	22.1	303.5	10	-72627
	07 LST	20.1	17.4	22.8	21.6	25.7	24.9	26.1	25.9	23.8	22.2	20.4	19.9	270.8	14	-72627
	13 LST	21.4	19.7	23.9	25.3	28.0	28.0	29.2	29.0	27.0	26.2	23.9	22.1	303.7	10	-72627
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	16.7	17.5	19.4	20.1	23.3	24.2	25.1	24.8	21.9	22.0	16.2	15.0	246.2	10	-72627
	01 LST	14.7	15.0	18.9	19.8	23.2	23.1	24.6	26.0	22.1	20.3	15.7	13.1	236.5	10	-72627
	07 LST	14.1	13.1	18.5	17.5	21.3	22.1	23.1	23.0	20.3	18.3	12.5	12.9	216.7	14	-72627
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	13 LST	17.0	16.8	19.8	16.0	21.3	20.8	23.3	23.3	18.0	18.2	12.5	15.4	222.4	10	-72627
	19 LST	14.7	16.0	16.9	17.1	19.0	20.8	21.4	22.5	18.2	18.5	13.0	13.1	211.2	10	-72627
	01 LST	13.1	13.4	16.7	17.3	19.7	18.8	20.6	22.9	18.8	17.6	12.1	11.0	202.0	10	-72627
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	12.3	12.0	16.2	15.6	17.6	19.6	20.4	20.1	17.5	15.5	10.2	11.2	188.2	14	-72627
	13 LST	15.1	15.4	17.5	14.0	18.9	18.9	20.3	20.8	15.5	15.7	10.5	13.5	196.1	10	-72627

JANIS LAKE, CANADA

STA NO. 74065/ (IN AREA NUMBER 09)

LATITUDE 5158N

LONGITUDE 06808W

ELEVATION(FT) 01854

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	1870	1860	1862	1842	1844	1895	1933	1894	1856	1865	1882	1894	1875	0	-50
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPU = OR GTR 28 KTS														0	0
P FREQ LES 9000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

JANIS LAKE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SKY COVER LES 8/10 AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 2800 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0

DATA NOT AVAILABLE

LA TUQUE, CANADA

STA NO. 74070/ (IN AREA NUMBER 09)

LATITUDE 4725'

LONGITUDE 07248W

ELEVATION(FT) 00548

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	54	53	70	86	94	100	99	98	92	85	70	53	100	50	-110
MEAN MAX TMP (F)	16	19	31	48	63	70	76	75	65	51	35	22	48	28	-105
MEAN MIN TMP (F)	-8	-8	8	26	38	48	52	50	43	33	20	4	26	28	-105
ABS MIN TMP (F)	-45	-44	-37	-12	15	27	22	32	21	6	-16	-44	-45	50	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		28	-29
MEAN NO DYS TMP = OR LES 32(F)								0.0						50	-29
MEAN NO DYS TMP = OR LES 0(F)					0.0	0.0	0.0	0.0	0.0	0.0				0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	-50
MEAN PRESS ALT (FT)	434	459	493	506	503	531	530	486	450	432	455	461	478	28	-105
MEAN PRECIP (IN)	2.39	1.95	1.99	1.91	2.86	3.25	4.09	3.58	3.43	2.77	2.64	2.03	32.9	28	-105
MEAN SNOW FALL (IN)	21.3	17.7	14.4	5.1	0.0	0.0	0.0	0.0	0.0	1.9	11.8	18.4	90.8	28	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.0	6.0	5.8	5.6	7.7	7.0	8.0	7.4	7.5	6.4	6.2	6.2	80.8	28	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	4.6	3.8	3.1	1.0	0.0	0.0	0.0	0.0	0.0	0.3	2.7	4.0	19.5	0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

LA TUQUE, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0

DATA NOT AVAILABLE

ST. JOVITE, CANADA

STA NO. 74184/ (IN AREA NUMBER 09)

LATITUDE 4609N

LONGITUDE 07435W

ELEVATION(FT) 00790

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	55	55	72	83	93	97	99	99	92	84	70	56	99	40	-72722
MEAN MAX TMP (F)	22	25	36	52	67	76	79	77	68	55	40	25	52	25	-72722
MEAN MIN TMP (F)	-3	-3	19	26	39	49	52	50	44	34	22	5	28	25	-72722
ABS MIN TMP (F)	-45	-46	-42	-22	15	28	23	25	22	7	-13	-45	-46	40	-72722
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	0.5	1.7	0.4	0.0	0.0	0.0	0.0	2.8	9	-72722
MEAN NO DYS TMP = OR LES 32(F)	30.3	27.7	30.0	21.0	10.1	1.9	0.0	0.0	4.0	13.8	22.1	29.7	190.6	9	-72722
MEAN NO DYS TMP = OR LES 0(F)	17.9	14.8	9.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	12.1	55.0	9	-72722
MEAN DEW PT TMP (F)	6	1	18	30	36	44	56	53	49	37	29	9	31	3	-72722
MEAN REL HUM (PCT)	78	73	74	67	63	69	76	77	83	79	80	80	75	3	-72722
MEAN PRESS ALT (FT)	679	701	730	746	750	782	789	743	706	691	710	710	728	0	-50
MEAN PRECIP (IN)	1.94	1.98	2.28	1.90	2.31	2.90	3.23	2.76	3.00	2.90	2.61	2.43	30.2	25	-72722
MEAN SNOW FALL (IN)	16.4	18.2	15.4	4.1	1.0	0.0	0.0	0.0	1.3	10.0	19.4	0.0	85.8	25	-72722
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.9	6.0	6.5	5.6	6.5	6.6	7.0	6.4	6.8	6.6	6.1	7.1	77.1	25	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.5	3.9	3.3	0.8	0.1	0.0	0.0	0.0	0.2	2.2		0.0		25	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.0	3.0	1.0	1.0	0.0	2.0	1.5	3.5	5.0	1.5	3.0	5.5	30.0	3	-72722
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.0	0.0	2.0	6.0	6.0	3.0	0.5	0.0	0.0	18.5	3	-72722
P FREQ WND SPD = OR GTR 17 KTS	1.2	0.9	3.2	1.7	3.2	6.7	0.4	0.0	0.0	0.4	2.1	0.4	1.7	3	-72722
P FREQ WND SPD = OR GTR 28 KTS	0.4	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	3	-72722
P FREQ LES 5000 FT A/O LES 5 MI	48.4	38.8	30.6	20.8	18.5	25.0	28.6	22.2	31.3	34.7	47.5	39.5	32.2	3	-72722
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	19.4	17.9	11.3	10.0	0.0	13.2	6.5	4.8	8.3	6.5	9.3	12.9	9.9	3	-72722
03-05 LST	17.4	17.6	12.1	13.0	5.2	11.3	9.5	9.8	12.8	12.0	12.5	15.9	12.4	3	-72722
06-08 LST	15.3	17.3	12.9	15.9	10.1	9.2	12.5	14.7	17.2	17.4	16.7	18.3	14.8	9	-72722
09-11 LST	19.0	19.4	13.7	11.3	6.7	8.0	7.1	9.8	13.6	14.4	15.9	27.2	13.8	3	-72722
12-14 LST	22.6	21.4	14.5	6.7	3.2	6.7	1.6	4.8	10.0	11.3	15.0	24.2	11.8	3	-72722
15-17 LST	19.4	19.7	15.3	6.7	4.9	6.7	3.2	4.0	8.4	11.3	15.0	21.0	11.3	3	-72722
18-20 LST	16.1	17.9	16.1	6.7	6.5	6.7	4.8	3.2	6.7	11.3	15.0	17.7	10.7	3	-72722
21-23 LST	17.8	17.9	13.7	8.4	3.3	10.0	5.7	4.0	7.5	8.9	11.7	20.1	10.8	3	-72722
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	11.3	8.9	4.8	6.7	0.0	3.3	3.2	1.6	1.7	0.0	0.0	4.8	3.9	3	-72722
03-05 LST	10.1	8.7	6.3	6.6	0.6	2.7	3.6	4.7	6.1	3.5	2.7	6.9	5.2	3	-72722
06-08 LST	8.9	8.4	7.7	6.4	1.2	2.1	4.0	7.8	10.5	6.9	5.4	8.9	6.5	9	-72722
09-11 LST	10.1	10.5	6.3	3.2	0.6	1.2	2.0	3.9	5.3	5.1	6.1	10.1	5.4	3	-72722
12-14 LST	11.3	12.5	4.8	0.0	0.0	0.0	0.0	0.0	0.0	3.2	6.7	11.3	4.2	3	-72722
15-17 LST	10.5	11.6	7.4	0.0	1.6	0.0	0.0	0.0	0.0	1.6	5.9	10.5	4.1	3	-72722
18-20 LST	9.7	10.7	9.7	0.0	3.2	0.0	0.0	0.0	0.0	0.0	5.0	9.7	4.0	3	-72722
21-23 LST	10.5	9.8	6.8	3.4	1.6	1.7	1.6	0.8	0.9	0.0	2.5	7.3	3.9	3	-72722

ST. JOVITE, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	26.0	23.0	27.0	29.0	29.0	30.0	31.0	30.5	29.0	28.5	28.0	25.5	336.5	3	-72722
	01 LST	25.0	23.5	28.0	28.0	30.0	28.0	29.0	27.5	24.0	28.0	28.0	26.5	325.5	3	-72722
	07 LST	26.4	22.4	27.5	26.6	29.6	28.2	27.7	24.4	22.7	25.1	26.7	25.3	312.6	9	-72722
	13 LST	25.0	22.0	28.0	29.0	31.0	29.0	30.5	31.0	29.5	29.0	27.0	25.0	336.0	3	-72722
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	18.0	18.0	21.5	21.0	21.0	21.0	25.5	29.5	26.0	24.0	19.0	21.5	266.0	3	-72722
	01 LST	18.5	19.0	23.5	25.0	26.0	21.0	27.0	26.0	20.0	24.5	19.0	20.0	269.5	3	-72722
	07 LST	20.5	17.6	22.4	21.1	23.3	24.6	25.4	22.0	18.7	21.5	20.5	20.0	257.6	9	-72722
	13 LST	16.0	13.5	19.5	18.0	15.0	12.0	21.0	24.5	16.5	15.0	13.5	16.0	200.5	3	-72722
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.0	0.5	0.5	1.0	2.0	2.0	0.5	0.0	0.0	0.0	0.5	0.0	7.0	3	-72722
	01 LST	0.5	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	3	-72722
	07 LST	0.2	0.1	0.1	0.2	0.1	0.2	0.0	0.0	0.0	0.0	0.6	0.4	1.9	9	-72722
	13 LST	0.5	0.0	1.0	0.0	2.0	4.0	0.0	0.0	0.0	0.0	0.5	0.0	8.0	3	-72722
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	1.0	0.5	7.0	18.0	14.0	16.0	12.0	16.0	12.5	11.0	8.0	3.0	119.0	3	-72722
	01 LST	1.5	0.0	1.5	5.0	9.0	7.0	4.5	5.0	7.0	7.0	8.5	2.5	58.5	3	-72722
	07 LST	0.6	0.0	1.0	5.6	11.6	11.0	9.5	8.1	9.2	8.9	4.4	1.1	71.0	9	-72722
	13 LST	1.0	0.5	12.0	21.0	17.0	12.0	17.0	22.5	18.5	18.0	12.0	3.5	155.0	3	-72722
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	9.0	12.5	10.5	12.0	8.0	6.0	7.5	11.5	10.0	9.5	7.0	11.0	114.5	3	-72722
	01 LST	7.0	8.5	13.5	16.0	17.0	17.0	15.5	15.5	11.0	8.0	8.0	11.5	148.5	3	-72722
	07 LST	9.0	6.6	11.1	10.4	10.9	10.2	12.1	8.1	5.9	6.1	4.3	6.7	101.4	9	-72722
	13 LST	8.0	7.0	10.5	11.0	7.0	7.0	4.0	5.5	6.0	4.5	5.0	7.5	83.0	3	-72722
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	20.5	20.0	23.5	26.0	27.0	26.0	27.0	29.5	25.0	25.5	20.5	22.0	292.5	3	-72722
	01 LST	17.5	20.0	24.0	26.0	29.0	25.0	27.5	25.5	19.5	23.5	23.0	21.0	281.5	3	-72722
	07 LST	21.5	17.9	24.0	22.8	24.6	25.1	24.5	22.1	17.2	20.3	18.5	18.8	257.3	9	-72722
	13 LST	19.0	19.5	24.0	25.0	27.0	25.0	25.0	27.0	22.0	22.0	20.0	19.0	274.5	3	-72722
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	15.0	18.0	19.5	25.0	23.0	21.0	22.5	25.5	22.0	21.0	14.5	20.0	247.0	3	-72722
	01 LST	13.0	16.0	11.5	23.0	28.0	22.0	23.0	22.5	17.5	17.0	17.0	17.0	237.5	3	-72722
	07 LST	17.1	13.5	20.9	19.8	21.0	22.9	21.7	18.8	13.1	16.2	11.3	13.5	209.8	9	-72722
	13 LST	15.0	16.5	21.0	22.0	22.0	18.0	16.0	16.0	17.0	16.0	13.5	16.5	209.5	3	-72722
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	10.5	17.0	17.0	25.0	19.0	17.0	19.5	22.0	19.0	19.0	13.0	16.5	214.5	3	-72722
	01 LST	10.5	14.0	19.0	22.0	25.0	20.0	19.0	19.0	14.5	14.5	14.0	15.5	207.0	3	-72722
	07 LST	13.9	11.3	18.0	17.6	18.6	19.9	19.1	16.3	11.4	12.6	9.2	10.2	178.1	9	-72722
	13 LST	13.0	14.0	18.5	19.0	18.0	15.0	15.0	14.0	16.0	15.5	12.0	15.5	185.5	3	-72722

FORESTVILLE, CANADA

STA NO. 74186/ (IN AREA NUMBER 09)

LATITUDE 4843N

LONGITUDE 06906W

ELEVATION(FT) 00300

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	54	54	68	72	85	91	94	92	90	79	68	60	94	20	-72718
MEAN MAX TMP (F)	20	21	30	42	56	67	74	72	63	51	36	25	46	10	-72718
MEAN MIN TMP (F)	4	5	15	28	38	48	55	53	46	36	25	12	30	10	-72718
ABS MIN TMP (F)	-28	-26	-21	6	10	30	38	33	23	18	-16	-18	-28	20	-72718
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.5	9	-72718
MEAN NO DYS TMP = OR LES 32(F)	31.0	27.9	29.9	22.2	5.7	0.2	0.0	0.0	0.1	9.1	20.8	29.7	176.6	9	-72718
MEAN NO DYS TMP = OR LES 0(F)	10.2	9.1	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	25.0	9	-72718
MEAN DEW PT TMP (F)	9	9	17	28	37	48	56	54	47	37	28	15	32	8	-72718
MEAN REL HUM (PCT)	85	83	79	75	70	73	75	76	77	79	82	85	78	8	-72718
MEAN PRESS ALT (FT)	261	270	290	283	281	321	343	296	251	251	279	288	285	0	-50
MEAN PRECIP (IN)	3.08	3.12	2.37	2.51	3.07	3.16	3.13	3.03	2.40	3.29	3.08	3.04	35.3	10	-72718
MEAN SNOW FALL (IN)	28.7	30.5	17.7	8.8	0.7	0.0	0.0	0.0	0.0	1.3	11.2	25.3	124.2	10	-72718
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.5	8.6	6.7	7.0	8.1	6.9	6.9	6.8	5.8	7.3	6.9	8.4	87.9	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	5.9	6.2	4.0	1.8	0.0	0.0	0.0	0.0	0.0	0.2	2.5	5.3	25.9	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.1	4.0	5.5	3.0	1.0	4.0	0.5	3.5	3.5	0.5	3.5	2.5	36.6	3	-72718
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	2.0	3.0	2.0	1.0	0.0	0.0	0.0	9.0	8	-72718
P FREQ WND SPD = OR GTR 17 KTS	34.8	35.7	27.8	13.3	27.4	16.7	6.5	9.3	15.4	16.8	35.0	29.4	22.3	3	-72718
P FREQ WND SPD = OR GTR 28 KTS	6.8	4.9	8.5	3.3	0.8	3.3	0.0	0.8	2.1	2.0	4.2	6.9	3.6	3	-72718
P FREQ LES 5000 FT A/O LES 5 MI	63.1	45.1	37.1	35.8	28.2	40.8	31.0	25.4	30.4	34.8	52.1	58.1	40.2	3	-72718
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	29.9	26.8	24.2	16.7	9.7	16.7	8.1	12.9	15.0	6.6	18.3	14.5	16.6	3	-72718
03-05 LST	27.7	25.2	22.6	18.6	12.6	16.5	11.7	12.8	14.0	8.2	16.9	19.8	17.2	3	-72718
06-08 LST	25.4	23.5	21.0	20.4	14.2	16.3	15.2	12.6	13.0	11.7	15.5	25.1	17.8	9	-72718
09-11 LST	32.9	24.4	19.4	20.2	13.6	13.2	13.3	11.2	14.0	12.3	16.1	26.3	18.1	3	-72718
12-14 LST	40.3	25.0	17.7	20.0	12.9	10.0	11.3	9.7	15.0	12.9	16.7	27.4	18.2	3	-72718
15-17 LST	37.3	25.9	21.0	20.0	11.3	13.4	9.7	9.7	16.7	12.1	18.4	21.0	18.0	3	-72718
18-20 LST	34.3	26.8	24.2	20.0	9.7	16.7	8.1	9.7	18.3	11.3	20.0	14.5	17.8	3	-72718
21-23 LST	32.1	26.8	24.2	18.4	9.7	16.7	8.1	11.3	16.7	9.0	19.2	14.5	17.2	3	-72718
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	19.4	19.6	17.7	13.3	9.7	10.0	3.2	12.9	11.7	3.3	11.7	8.1	11.7	3	-72718
03-05 LST	16.2	17.1	12.5	9.6	6.3	7.9	4.7	9.9	9.0	3.1	8.4	9.3	9.5	3	-72718
06-08 LST	12.9	16.6	7.3	7.9	2.8	5.8	6.1	6.9	6.3	2.8	5.0	10.5	7.4	9	-72718
09-11 LST	18.4	13.6	8.5	5.6	3.0	4.6	4.7	5.9	6.5	1.4	7.5	10.9	7.6	3	-72718
12-14 LST	23.9	12.5	9.7	3.3	3.2	3.3	3.2	4.8	6.7	0.0	10.0	11.3	7.7	3	-72718
15-17 LST	21.7	16.1	14.6	5.0	4.9	5.0	2.4	4.8	6.7	2.4	10.8	9.7	8.7	3	-72718
18-20 LST	19.4	19.6	19.4	6.7	6.5	6.7	1.6	4.8	6.7	4.8	11.7	8.1	9.7	3	-72718
21-23 LST	19.4	19.6	18.6	10.0	8.1	8.4	2.4	8.9	9.2	4.1	11.7	8.1	10.7	3	-72718

FORESTVILLE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	21.7	22.0	23.5	25.0	29.0	27.0	29.5	29.0	25.5	28.0	26.0	27.0	313.2	3	-72710
	01 LST	23.1	20.5	24.5	24.0	28.0	27.0	29.5	27.0	25.5	29.0	25.5	28.0	311.6	3	-72710
	07 LST	24.7	22.3	24.7	25.5	28.3	26.7	27.3	27.5	27.1	28.7	26.9	25.3	315.0	9	-72710
	13 LST	20.3	23.0	25.5	26.0	28.0	29.0	29.0	29.0	27.5	29.5	26.0	23.5	316.3	3	-72710
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	7.4	7.5	10.5	13.0	16.0	17.0	22.0	17.0	15.0	13.5	7.5	7.0	153.4	3	-72710
	01 LST	6.4	6.5	9.0	11.0	11.0	15.0	21.0	15.5	12.5	15.2	12.0	5.0	140.1	3	-72710
	07 LST	9.4	6.8	11.7	12.5	12.4	13.1	14.8	15.0	12.3	13.1	11.3	8.3	140.7	9	-72710
	13 LST	6.1	8.5	11.5	13.0	8.0	14.0	12.5	10.5	12.5	9.5	5.5	10.0	121.6	3	-72710
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	5.5	7.5	4.0	1.0	5.0	1.0	0.5	1.5	1.0	3.5	7.0	8.0	45.5	3	-72710
	01 LST	6.4	6.5	8.5	0.0	2.0	3.0	0.0	2.0	3.0	3.5	7.0	6.5	48.4	3	-72710
	07 LST	5.1	4.9	4.1	3.9	5.7	2.4	1.8	2.0	3.6	4.2	5.4	5.8	48.7	9	-72710
	13 LST	5.1	5.5	5.5	4.0	13.0	7.0	5.0	7.0	5.0	5.5	10.5	3.5	76.6	3	-72710
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	0.0	0.0	2.0	14.0	15.0	14.0	17.0	19.0	15.5	14.5	7.5	1.0	119.5	3	-72710
	01 LST	0.4	0.0	0.5	8.0	14.0	18.0	20.5	19.5	11.0	13.7	7.0	0.5	113.1	3	-72710
	07 LST	0.1	0.0	1.1	9.1	12.4	15.2	17.1	16.3	13.3	11.8	4.8	1.1	102.3	9	-72710
	13 LST	0.5	0.0	4.0	14.0	11.0	11.0	15.0	11.5	15.5	10.5	6.0	1.0	100.0	3	-72710
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	7.8	6.0	14.0	12.0	13.0	8.0	8.0	8.5	9.0	13.0	8.0	8.0	115.3	3	-72710
	01 LST	6.0	10.0	15.0	10.0	15.0	11.0	14.5	14.5	13.5	9.6	5.5	9.5	134.1	3	-72710
	07 LST	6.4	6.4	8.2	8.5	9.4	6.8	10.0	9.8	9.0	6.8	4.3	4.1	89.7	9	-72710
	13 LST	5.5	6.5	12.0	14.0	6.0	7.0	5.5	7.5	8.0	6.5	5.5	5.0	89.0	3	-72710
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	15.7	17.0	21.5	22.0	27.0	22.0	26.5	25.5	23.0	26.0	20.0	20.0	266.2	3	-72710
	01 LST	16.2	17.0	21.0	22.0	27.0	22.0	27.5	26.0	24.0	25.9	20.0	21.5	270.1	3	-72710
	07 LST	18.7	18.1	21.1	20.4	23.6	21.8	24.1	24.8	23.5	23.8	19.6	16.2	255.7	9	-72710
	13 LST	14.8	17.0	22.0	22.0	24.0	22.0	23.5	26.0	22.5	23.0	19.5	17.0	253.3	3	-72710
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	12.5	14.0	19.5	18.0	21.0	16.0	21.5	22.5	19.5	19.5	11.5	12.0	207.5	3	-72710
	01 LST	9.2	14.5	18.5	16.0	20.0	19.0	23.5	23.5	21.0	18.3	11.0	14.0	208.5	3	-72710
	07 LST	12.2	14.2	16.2	16.7	18.4	17.4	20.1	20.6	18.5	17.4	12.4	9.8	193.9	9	-72710
	13 LST	12.0	15.5	19.5	21.0	17.0	16.0	19.5	23.5	19.0	18.5	12.0	11.5	205.0	3	-72710
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	11.1	13.0	19.0	16.0	19.0	15.0	20.5	21.5	19.0	17.5	11.0	12.0	194.6	3	-72710
	01 LST	8.8	14.0	17.0	15.0	20.0	16.0	21.5	22.5	19.5	17.3	10.5	14.0	196.1	3	-72710
	07 LST	11.9	13.1	15.6	15.4	17.5	15.8	19.5	19.6	17.1	15.8	12.0	9.1	182.4	9	-72710
	13 LST	11.6	15.0	19.0	21.0	16.0	15.0	19.5	22.5	18.5	18.0	12.0	11.0	199.1	3	-72710

BAIE COMEAU, CANADA

STA NO. 74187 (IN AREA NUMBER 09)

LATITUDE 4912N

LONGITUDE 06816W

ELEVATION(FT) 00175

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	44	43	53	71	83	89	91	87	87	71	55	52	91	10	-110
MEAN MAX TMP (F)	16	21	30	42	56	65	72	71	61	49	36	23	45	9	-105
MEAN MIN TMP (F)	-4	-3	9	25	37	45	51	50	42	33	23	6	26	9	-105
ABS MIN TMP (F)	-53	-45	-32	-8	21	30	37	34	21	12	-12	-24	-53	10	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.5	9	-72718
MEAN NO DYS TMP = OR LES 32(F)	31.0	27.9	29.9	22.2	5.7	0.2	0.0	0.0	0.1	9.1	20.8	29.7	176.6	9	-72718
MEAN NO DYS TMP = OR LES 0(F)	10.2	9.1	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	25.0	9	-72718
MEAN DEW PT TMP. (F)	9	9	17	28	37	48	56	54	47	37	28	15	32	8	-72718
MEAN REL HUM (PCT)	85	83	79	75	70	73	75	76	77	79	82	85	78	8	-72718
MEAN PRESS ALT (FT)	134	145	167	159	155	190	209	164	118	118	148	160	156	0	-50
MEAN PRECIP (IN)	3.54	2.46	2.63	2.45	3.87	5.05	3.15	3.80	4.57	3.73	4.14	3.35	42.7	9	-105
MEAN SNOW FALL (IN)	31.3	24.5	21.2	9.1	0.7	0.0	0.0	0.0	0.0	0.9	15.7	25.0	128.4	9	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.3	7.2	7.2	8.8	9.5	8.9	6.9	7.7	9.4	8.0	8.7	9.0	98.6	9	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	8.3	5.2	5.0	1.9	0.0	0.0	0.0	0.0	0.0	0.1	3.8	5.3	27.6	9	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.1	4.0	5.5	3.0	1.0	4.0	0.5	3.5	3.5	0.5	3.5	2.5	36.6	3	-72718
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	1.0	2.0	2.0	1.0	0.0	0.0	0.0	6.0	6	-24
P FREQ WND SPD = OR GTR 17 KTS	34.8	35.7	27.8	13.3	27.4	16.7	6.5	9.3	15.4	16.8	35.0	29.4	22.3	3	-72718
P FREQ WND SPD = OR GTR 28 KTS	6.8	4.9	8.5	3.3	0.8	3.3	0.0	0.8	2.1	2.0	4.2	6.9	3.6	3	-72718
P FREQ LES 5000 FT A/O LES 5 MI	63.1	45.1	37.1	35.8	28.2	40.8	31.0	25.4	30.4	34.8	52.1	58.1	40.2	3	-72718
P FREQ LES 1500 FT A/O LES 3 MI	29.9	26.8	24.2	16.7	9.7	16.7	8.1	12.9	15.0	6.6	18.3	14.5	16.6	3	-72718
FOR 00-02 LST	27.7	25.2	22.6	18.6	12.6	16.5	11.7	12.8	14.0	8.2	16.9	19.8	17.2	3	-72718
03-05 LST	25.4	23.5	21.0	20.4	14.2	16.3	15.2	12.6	13.0	11.7	15.5	25.1	17.8	9	-72718
06-08 LST	32.9	24.4	19.4	20.2	13.6	13.2	13.3	11.2	14.0	12.3	16.1	26.3	18.1	3	-72718
09-11 LST	40.3	25.0	17.7	20.0	12.9	10.0	11.3	9.7	15.0	12.9	16.7	27.4	18.2	3	-72718
12-14 LST	37.3	25.9	21.0	20.0	11.3	13.4	9.7	9.7	16.7	12.1	18.4	21.0	18.0	3	-72718
15-17 LST	34.3	26.8	24.2	20.0	9.7	16.7	8.1	9.7	18.3	11.3	20.0	14.5	17.8	3	-72718
18-20 LST	32.1	26.8	24.2	18.4	9.7	16.7	8.1	11.3	16.7	9.0	19.2	14.5	17.2	3	-72718
21-23 LST															
P FREQ LES 300 FT A/O LES 1 MI	19.4	19.6	17.7	13.3	9.7	10.0	3.2	12.9	11.7	3.3	11.7	8.1	11.7	3	-72718
FOR 00-02 LST	16.2	17.1	12.5	9.6	6.3	7.9	4.7	9.9	9.0	3.1	8.4	9.3	9.5	3	-72718
03-05 LST	12.9	14.6	7.3	7.9	2.8	5.8	6.1	6.9	6.3	2.8	5.0	10.5	7.4	9	-72718
06-08 LST	18.4	13.6	8.5	5.6	3.0	4.6	4.7	5.9	6.5	1.4	7.5	10.9	7.6	3	-72718
09-11 LST	23.9	12.5	9.7	3.3	3.2	3.3	3.2	4.8	6.7	0.0	10.0	11.3	7.7	3	-72718
12-14 LST	21.7	16.1	14.6	5.0	4.9	5.0	2.4	4.8	6.7	2.4	10.8	9.7	8.7	3	-72718
15-17 LST	19.4	19.6	19.4	6.7	6.5	6.7	1.6	4.8	6.7	4.8	11.7	8.1	9.7	3	-72718
18-20 LST	19.4	19.6	18.6	10.0	8.1	8.4	2.4	8.9	9.2	4.1	11.7	8.1	10.7	3	-72718
21-23 LST															

BAIE COMEAU, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	21.7	22.0	23.5	25.0	29.0	27.0	29.5	29.0	25.5	28.0	26.0	27.0	313.2	3	-72718
	01 LST	23.1	20.5	24.5	24.0	28.0	27.0	29.5	27.0	25.5	29.0	25.5	28.0	311.6	3	-72718
	07 LST	24.7	22.3	24.7	25.5	28.3	26.7	27.3	27.5	27.1	28.7	26.9	25.3	315.0	9	-72718
	13 LST	20.3	23.0	25.5	26.0	28.0	29.0	29.0	29.0	27.5	29.5	26.0	23.5	316.3	3	-72718
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	7.4	7.5	10.5	13.0	16.0	17.0	22.0	17.0	15.0	13.5	7.5	7.0	153.4	3	-72718
	01 LST	6.4	6.5	9.0	11.0	11.0	15.0	21.0	15.5	12.5	15.2	12.0	5.0	140.1	3	-72718
	07 LST	9.4	6.8	11.7	12.5	12.4	13.1	14.8	15.0	12.3	13.1	11.3	8.3	140.7	9	-72718
	13 LST	6.1	8.5	11.5	13.0	8.0	14.0	12.5	10.5	12.5	9.5	5.5	10.0	121.6	3	-72718
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	5.5	7.5	4.0	1.0	5.0	1.0	0.5	1.5	1.0	3.5	7.0	8.0	45.5	3	-72718
	01 LST	6.4	6.5	8.5	0.0	2.0	3.0	0.0	2.0	3.0	3.5	7.0	6.5	48.4	3	-72718
	07 LST	5.1	4.9	7.1	3.9	5.7	2.4	1.6	2.0	3.6	4.2	5.4	5.8	46.7	9	-72718
	13 LST	5.1	5.5	5.5	4.0	13.0	7.0	5.0	7.0	5.0	5.5	10.5	3.5	76.6	3	-72718
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	0.0	0.0	2.0	14.0	15.0	14.0	17.0	19.0	15.5	14.5	7.5	1.0	119.5	3	-72718
	01 LST	0.4	0.0	0.5	8.0	14.0	18.0	20.5	19.5	11.0	13.7	7.0	0.5	113.1	3	-72718
	07 LST	0.1	0.0	1.1	9.1	12.4	15.2	17.1	16.3	13.3	11.8	4.8	1.1	102.3	9	-72718
	13 LST	0.5	0.0	4.0	14.0	11.0	11.0	15.0	11.5	15.5	10.5	6.0	1.0	100.0	3	-72718
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	7.8	6.0	14.0	12.0	13.0	8.0	8.0	8.5	9.0	13.0	8.0	8.0	115.3	3	-72718
	01 LST	6.0	10.0	15.0	10.0	15.0	11.0	14.5	14.5	13.5	9.6	5.5	9.5	134.1	3	-72718
	07 LST	6.4	6.4	8.2	8.5	9.4	6.8	10.0	9.8	9.0	6.8	4.3	4.1	89.7	9	-72718
	13 LST	5.5	6.5	12.0	14.0	6.0	7.0	5.5	7.5	8.0	6.5	5.5	5.0	89.0	3	-72718
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	15.7	17.0	21.5	22.0	27.0	22.0	26.5	25.5	23.0	26.0	20.0	20.0	266.2	3	-72718
	01 LST	16.2	17.0	21.0	22.0	27.0	22.0	27.5	26.0	24.0	25.9	20.0	21.5	270.1	3	-72718
	07 LST	18.7	18.1	21.1	20.4	23.6	21.8	24.1	24.8	23.5	23.8	19.6	16.2	255.7	9	-72718
	13 LST	14.8	17.0	22.0	22.0	24.0	22.0	23.5	26.0	22.5	23.0	19.5	17.0	253.3	3	-72718
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	12.5	14.0	19.5	18.0	21.0	16.0	21.5	22.5	19.5	19.5	11.5	12.0	207.5	3	-72718
	01 LST	9.2	14.5	18.5	16.0	20.0	19.0	23.5	23.5	21.0	18.3	11.0	14.0	208.5	3	-72718
	07 LST	12.2	14.2	16.2	16.7	18.4	17.4	20.1	20.6	18.5	17.4	12.4	9.8	193.9	9	-72718
	13 LST	12.0	15.5	19.5	21.0	17.0	16.0	19.5	23.5	19.0	18.5	12.0	11.5	205.0	3	-72718
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	11.1	13.0	19.0	16.0	19.0	15.0	20.5	21.5	19.0	17.5	11.0	12.0	194.6	3	-72718
	01 LST	8.8	14.0	17.0	15.0	20.0	16.0	21.5	22.5	19.5	17.3	10.5	14.0	196.1	3	-72718
	07 LST	11.9	13.1	15.6	15.4	17.5	15.8	19.5	19.6	17.1	15.8	12.0	9.1	182.4	9	-72718
	13 LST	11.6	15.0	19.0	21.0	16.0	15.0	19.5	22.5	18.5	18.0	12.0	11.0	199.1	3	-72718

MANICOUAGAN, CANADA

LATITUDE 5039N

LONGITUDE 06850W

ELEVATION(FT) 01326

STA NO. 74188 (IN AREA NUMBER 09)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	31	30	46	57	69	85	88	81	75	68	47	45	88	4	-112
MEAN MAX TMP (F)	7	11	28	40	51	66	68	65	55	43	29	13	40	4	-112
MEAN MIN TMP (F)	-23	-23	-4	16	27	39	45	42	34	25	10	-10	15	4	-112
ABS MIN TMP (F)	-49	-48	-33	-12	12	28	31	29	21	2	-30	-53	-53	4	-29
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS TMP = OR LES 32(F)					0.0	0.0	0.0	0.0	0.0	0.0				4	-29
MEAN NO DYS TMP = OR LES 0(F)														4	-112
MEAN DEW PT TMP (F)	-10	-6	7	21	31	43	50	48	39	29	15	17	24	4	-112
MEAN REL HUM (PCT)	72	65	76	73	75	70	76	79	81	83	84	83	76	0	-50
MEAN PRESS ALT (FT)	1365	1347	1339	1313	1318	1373	1419	1385	1352	1365	1375	1388	1362	4	-112
MEAN PRECIP (IN)	3.06	1.42	1.50	1.32	3.04	3.54	5.09	4.64	3.75	2.97	2.77	2.62	35.7	4	-112
MEAN SNOW FALL (IN)	33.1	17.8	14.4	10.6	4.3	1.2	0.0	0.0	0.8	13.4	19.9	25.7	141.2	4	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.4	4.5	4.6	4.1	8.0	7.4	9.0	8.6	8.0	6.8	6.4	7.5	83.3	4	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	6.5	3.8	3.1	2.2	0.8	0.3	0.0	0.0	0.1	3.1		5.4		0	0
MEAN NO DYS W/OCUR V5BY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MANICOUAGAN, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
		CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST 01 LST 07 LST 13 LST													
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	19 LST 01 LST 07 LST 13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST 01 LST 07 LST 13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST 01 LST 07 LST 13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST 01 LST 07 LST 13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST 01 LST 07 LST 13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST 01 LST 07 LST 13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST 01 LST 07 LST 13 LST														0	0

DATA NOT AVAILABLE

FOX RIVER, CANADA

STA NO. 74189 (IN AREA NUMBER 09)

LATITUDE 4901N

LONGITUDE 06424W

ELEVATION(FT) 00134

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	46	40	56	60	82	89	89	89	86	69	67	49	89	6	1798
MEAN MAX TMP (F)	21	18	28	39	52	63	68	67	61	49	39	27	44	6	1798
MEAN MIN TMP (F)	10	7	17	29	39	48	54	54	47	37	29	16	32	6	1795
ABS MIN TMP (F)	-15	-19	-8	13	22	32	37	42	33	21	9	-28	-28	6	1795
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1798
MEAN NO DYS TMP = OR LES 32(F)	30.6	28.0	29.6	23.4	4.0	0.2	0.0	0.0	0.0	8.7	21.2	28.4	174.1	6	1795
MEAN NO DYS TMP = OR LES 0(F)	7.5	7.3	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	17.6	0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.77	1.74	2.14	0.99	2.00	2.75	3.77	2.85	1.92	3.23	4.23	4.38	31.8	6	1798
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					6	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.2	5.5	6.4	4.0	4.0	5.8	8.4	6.1	4.8	5.4	7.8	6.8	71.2	6	1798
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0	0.0					0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	16.1	17.7	18.1	9.3	16.1	15.4	15.9	11.7	8.7	12.0	15.3	18.1	14.5	6	1798
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	6.5	9.2	8.4	2.0	7.7	8.7	8.6	8.0	1.3	3.3	0.7	6.5	5.9	6	1798
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

FOX RIVER, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	27.4	23.2	25.4	27.6	27.2	26.0	26.9	27.8	27.8	28.3	26.8	27.0	6	1798
	14 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	20 LST													0	0
	02 LST													0	0
	08 LST	9.6	9.9	9.8	13.4	14.2	12.7	17.0	15.6	15.8	13.4	11.6	8.0	6	1798
	14 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST													0	0
	02 LST													0	0
	08 LST	7.4	4.1	7.6	3.8	5.6	5.4	2.2	2.2	4.0	4.1	6.2	7.6	6	1798
	14 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST													0	0
	02 LST													0	0
	08 LST	0.2	0.0	1.0	7.4	12.6	12.7	14.4	16.3	15.6	12.6	6.8	2.2	6	1798
	14 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	9.0	10.5	9.4	9.0	11.0	9.5	11.9	13.3	9.8	9.5	5.0	5.6	6	1798
	14 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	23.6	20.8	23.0	24.6	24.8	23.9	24.4	25.5	26.2	25.0	22.0	19.3	6	1798
	14 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	17.0	17.5	17.6	19.4	20.8	20.3	19.7	22.4	22.6	19.4	15.0	11.8	6	1798
	14 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	16.4	16.3	16.2	18.2	19.8	19.3	19.5	21.9	22.0	18.6	14.8	11.4	6	1798
	14 LST													0	0

HALDIMAND, CANADA

STA NO. 74190/ (IN AREA NUMBER 09)

LATITUDE 4846N

LONGITUDE 06429W

ELEVATION(FT) 00100

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	085
ABS MAX TMP (F)	46	40	56	60	82	89	89	89	86	69	67	49	89	6	-74189
MEAN MAX TMP (F)	21	18	28	39	52	63	68	67	61	49	39	27	44	6	-74189
MEAN MIN TMP (F)	10	7	17	29	39	48	54	54	47	37	29	16	32	6	-74189
ABS MIN TMP (F)	-15	-19	-8	13	22	32	37	42	33	21	9	-28	-28	6	-74189
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-74189
MEAN NO DYS TMP = OR LES 32(F)	30.6	28.0	29.6	23.4	4.0	0.2	0.0	0.0	0.0	8.7	21.2	28.4	174.1	6	-74189
MEAN NO DYS TMP = OR LES 0(F)	7.5	7.3	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	17.4	6	-74189
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	93	105	123	97	86	108	123	83	37	46	86	113	92	0	-50
MEAN PRECIP (IN)	1.77	1.74	2.14	0.99	2.00	2.75	3.77	2.85	1.92	3.23	4.23	4.38	31.8	6	-74189
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					6	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.2	5.5	6.4	4.0	4.0	5.8	8.4	6.1	4.8	5.4	7.8	6.8	71.2	6	-74189
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0	0.0					6	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	16.1	17.7	18.1	9.3	16.1	15.4	15.9	11.7	8.7	12.0	15.3	18.1	14.5	6	-74189
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	6.5	9.2	8.4	2.0	7.7	8.7	8.6	8.0	1.3	3.3	0.7	6.5	5.9	6	-74189
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

HALDIMAND, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	27.4	23.2	25.4	27.6	27.2	26.0	26.9	27.8	27.8	28.3	26.8	27.0	321.4	6	-74189
	14 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST													0	0	
	02 LST													0	0	
	08 LST	9.6	9.9	9.8	13.4	14.2	12.7	17.0	15.6	15.8	13.4	11.6	8.0	151.0	6	-74189
	14 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST													0	0	
	02 LST													0	0	
	08 LST	7.4	4.1	7.6	3.8	5.6	5.4	2.2	2.2	4.0	4.1	6.2	7.6	60.2	6	-74189
	14 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST													0	0	
	02 LST													0	0	
	08 LST	0.2	0.0	1.0	7.4	12.6	12.7	14.4	16.3	15.6	12.6	6.8	2.2	101.8	6	-74189
	14 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	9.0	10.5	9.4	9.0	11.0	9.5	11.9	13.3	9.8	9.5	5.0	5.6	113.9	6	-74189
	14 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	23.6	20.8	23.0	24.6	24.8	23.9	24.4	25.5	26.2	25.0	22.0	19.8	283.6	6	-74189
	14 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	17.0	17.5	17.6	19.4	20.8	20.3	19.7	22.4	22.6	19.4	15.0	11.8	223.5	6	-74189
	14 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	16.4	16.3	16.2	18.2	19.8	19.3	19.5	21.9	22.0	18.6	14.8	11.4	214.4	6	-74189
	14 LST													0	0	

CASEY, CANADA

STA NO. 74350/ (IN AREA NUMBER 09)

LATITUDE 4756N

LONGITUDE 07405W

ELEVATION(FT) 01291

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	51	51	68	78	87	92	93	93	93	76	63	57	93	20	-72726
MEAN MAX TMP (F)	11	16	28	43	57	67	72	68	61	48	34	19	44	8	-72726
MEAN MIN TMP (F)	-6	-2	10	25	37	48	52	50	43	33	24	3	26	8	-72726
ABS MIN TMP (F)	-55	-60	-46	-27	13	25	32	32	18	8	-31	-50	-60	20	-72726
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	8	-72726
MEAN NO DYS TMP = OR LES 32(F)	31.0	27.8	28.9	23.8	11.4	2.3	0.1	0.6	5.8	16.1	25.7	29.4	202.9	8	-72726
MEAN NO DYS TMP = OR LES 0(F)	20.2	15.6	8.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.7	14.7	60.0	8	-72726
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	1226	1231	1246	1250	1264	1317	1344	1301	1261	1259	1271	1262	1269	0	-50
MEAN PRECIP (IN)	1.41	2.45	1.12	2.00	3.20	3.82	4.93	3.43	4.25	2.54	2.21	1.69	33.0	8	-72726
MEAN SNOW FALL (IN)							0.0	0.0						20	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.5	8.5	4.5	6.2	6.5	8.1	8.3	8.6	8.4	6.1	8.0	6.1	84.8	8	-72726
MEAN NO DYS SNFL = OR GTR 1.5 IN							0.0	0.0						20	-29
MEAN NO DYS W/OCCUR VSDY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	20.0	26.5	14.8	18.8	12.7	11.7	15.0	22.6	27.0	20.1	34.7	21.4	20.4	8	-72726
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	8.3	14.2	6.7	10.2	7.7	5.6	11.3	17.5	17.2	13.6	16.5	6.4	11.3	8	-72726
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CASEY, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	25.2	21.3	26.7	25.2	27.4	26.8	26.8	23.8	21.8	25.6	22.7	25.6	298.9	8	-72726
	13 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST														0	0
	01 LST														0	0
	07 LST	15.2	11.5	15.1	15.8	17.8	19.1	19.3	18.1	14.3	14.5	10.4	15.4	186.5	8	-72726
	13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	2.1	1.6	1.5	0.7	1.7	2.0	0.4	1.5	2.3	2.3	3.7	1.6	21.4	8	-72726
	13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	0.0	0.2	0.7	4.8	13.2	13.8	15.8	14.9	12.6	8.2	2.7	0.9	87.8	8	-72726
	13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	11.9	7.8	11.0	9.4	9.9	8.1	10.0	6.6	5.9	7.1	4.6	7.2	99.5	8	-72726
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	22.4	17.9	23.1	21.5	22.9	23.3	22.3	20.2	18.4	20.4	14.3	19.3	246.0	8	-72726
	13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	16.0	13.0	18.7	16.5	16.6	17.4	17.6	15.2	12.9	13.5	8.5	13.1	179.0	8	-72726
	13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	15.4	12.1	17.2	15.5	16.2	16.5	16.6	13.7	12.2	13.2	7.5	12.3	168.4	8	-72726
	13 LST														0	0

GRANBY, CANADA

STA NO. 74376/ (IN AREA NUMBER 09)

LATITUDE 4525N

LONGITUDE 07241W

ELEVATION(FT) 00390

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YR5)	085
ABS MAX TMP (F)	56	52	70	83	94	94	97	96	90	80	70	60	97	67	-72627
MEAN MAX TMP (F)	21	23	33	50	64	74	78	75	67	54	39	26	50	67	-72627
MEAN MIN TMP (F)	6	8	19	33	47	57	61	59	51	40	27	13	35	67	-72627
ABS MIN TMP (F)	-35	-28	-21	2	23	37	45	41	28	20	-18	-29	-35	67	-72627
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.3	1.7	0.5	0.2	0.0	0.0	0.0	2.8	14	-72627
MEAN NO DYS TMP = OR LES 32(F)	30.2	27.4	28.2	10.4	1.3	0.0	0.0	0.0	0.2	5.8	16.4	28.1	148.0	14	-72627
MEAN NO DYS TMP = OR LES 0(F)	8.8	7.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	21.6	14	-72627
MEAN DEW PT TMP (F)	11	13	21	33	43	54	59	57	50	40	30	16	36	10	-72627
MEAN REL HUM (PCT)	79	79	76	71	67	69	72	71	75	74	78	81	74	10	-72627
MEAN PRESS ALT (FT)	288	329	370	342	342	397	383	315	301	315	301	315	333	0	-50
MEAN PRECIP (IN)	3.80	3.00	3.50	2.60	3.10	3.40	3.70	3.50	3.70	3.40	3.50	3.60	40.8	77	-72627
MEAN SNOW FALL (IN)	27.7	23.3	20.1	5.5	0.1	0.0	0.0	0.0	0.0	0.9	10.9	23.8	112.3	55	-72627
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.7	8.3	8.8	7.2	8.1	7.2	7.6	7.3	8.0	7.5	7.6	9.4	96.7	77	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	5.7	4.9	4.7	1.1	0.0	0.0	0.0	0.0	0.0	0.1	2.4	5.0	23.9	55	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.0	4.1	3.2	1.8	2.1	1.0	0.9	1.0	2.0	2.3	1.9	4.1	28.4	10	-72627
MEAN NO DYS TSTMS	0.0	0.0	0.1	0.3	1.1	2.6	3.2	3.3	2.0	0.5	0.1	0.0	13.2	10	-72627
P FREQ WND SPD = OR GTR 17 KTS	14.9	13.6	17.1	13.1	8.4	6.7	3.6	3.3	5.4	6.4	12.7	12.1	9.8	10	-72627
P FREQ WND SPD = OR GTR 28 KTS	1.4	0.6	1.0	0.5	0.3	0.3	0.0	0.0	0.0	0.2	0.8	0.3	0.5	10	-72627
P FREQ LES 5000 FT A/O LES 5 MI	51.0	49.0	40.7	36.1	25.3	24.0	21.2	19.7	31.3	35.9	48.9	54.8	36.5	10	-72627
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	21.2	23.8	18.0	11.4	10.8	7.2	6.9	3.9	10.4	10.0	13.0	22.2	13.2	10	-72627
03-05 LST	22.8	24.4	20.0	15.1	13.9	11.9	10.3	9.8	14.0	14.0	16.3	25.7	16.5	9	-72627
06-08 LST	26.6	32.6	23.1	18.8	13.6	12.5	11.0	10.1	18.5	23.7	21.6	28.8	20.1	14	-72627
09-11 LST	30.7	33.6	21.6	15.7	8.7	8.6	7.1	6.5	11.0	15.8	20.6	32.0	17.7	9	-72627
12-14 LST	25.5	27.0	16.7	11.1	7.5	4.9	2.4	5.1	6.5	11.0	14.4	25.0	13.1	10	-72627
15-17 LST	24.5	26.4	15.2	9.1	5.0	3.2	1.1	4.3	7.2	9.8	15.3	24.7	12.2	9	-72627
18-20 LST	17.8	21.0	17.1	8.3	6.0	5.2	2.0	4.1	7.0	8.2	12.5	19.8	10.8	10	-72627
21-23 LST	20.2	21.9	16.4	8.5	6.9	5.2	3.2	3.2	6.8	10.5	10.3	20.7	11.2	9	-72627
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	5.2	8.5	3.6	1.1	2.5	1.6	1.7	1.0	2.6	3.7	2.0	5.5	3.3	10	-72627
03-05 LST	3.7	7.2	4.2	2.6	4.3	2.8	2.8	2.4	4.8	3.7	2.8	5.6	3.9	9	-72627
06-08 LST	7.0	11.1	5.7	4.0	1.4	2.0	1.9	1.4	4.4	5.1	5.5	7.7	4.8	14	-72627
09-11 LST	8.1	11.4	5.0	2.1	0.1	0.2	0.0	0.2	0.5	1.9	3.5	9.0	3.5	9	-72627
12-14 LST	7.1	9.1	4.5	2.0	0.1	0.1	0.1	0.5	0.1	0.6	2.7	8.0	2.9	10	-72627
15-17 LST	6.6	8.9	4.9	2.0	0.2	0.2	0.0	0.1	0.4	1.4	2.1	5.6	2.7	9	-72627
18-20 LST	6.5	3.9	2.8	1.1	0.1	0.2	0.0	0.0	0.5	0.6	1.4	4.2	1.8	10	-72627
21-23 LST	4.9	5.1	2.9	0.9	0.6	0.7	0.1	0.5	1.4	1.9	1.9	6.5	2.3	9	-72627

GRANBY, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	25.6	22.8	26.6	27.7	29.2	28.5	30.4	30.0	28.5	28.9	26.8	25.2	330.2	10	-72627
	01 LST	24.9	21.8	26.5	27.4	28.6	28.3	28.9	30.0	27.4	28.3	26.9	25.2	324.2	10	-72627
	07 LST	24.3	19.5	24.8	24.5	27.3	26.6	27.9	27.7	25.4	24.2	23.4	23.3	298.9	14	-72627
	13 LST	23.4	20.9	25.8	27.4	29.5	28.9	30.7	29.5	28.3	28.1	26.6	23.4	322.5	10	-72627
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	19 LST	12.8	11.0	13.8	16.1	19.1	20.6	24.1	24.3	21.2	20.0	14.4	14.0	211.4	10	-72627
	01 LST	13.5	12.5	15.0	16.5	19.9	20.8	23.5	25.2	20.6	19.5	15.0	13.6	215.6	10	-72627
	07 LST	12.3	9.8	12.8	12.6	16.3	17.1	20.1	21.6	17.3	16.3	12.7	11.7	180.6	14	-72627
	13 LST	10.3	8.0	8.7	9.5	12.0	12.7	13.0	14.8	13.7	13.6	11.6	9.8	137.7	10	-72627
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	3.8	2.5	3.4	2.3	3.0	1.0	0.6	0.6	0.8	1.5	3.3	2.6	25.4	10	-72627
	01 LST	3.5	2.2	4.1	2.0	1.1	0.7	0.4	0.1	0.7	1.3	3.6	2.7	22.4	14	-72627
	07 LST	4.3	2.9	3.4	2.7	1.3	1.3	0.6	0.4	1.2	1.6	2.0	3.1	24.8	14	-72627
	13 LST	5.6	5.9	7.1	7.2	5.0	4.0	2.8	2.2	3.5	3.6	4.9	5.9	57.7	10	-72627
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	1.7	1.9	6.5	15.0	16.2	15.3	17.7	17.2	17.5	15.2	10.0	2.1	176.3	10	-72627
	01 LST	1.1	1.0	2.8	13.2	17.2	16.3	16.6	17.1	14.0	13.8	8.2	2.3	123.6	10	-72627
	07 LST	0.6	0.4	1.9	11.5	12.8	15.3	15.6	14.1	12.7	10.7	7.1	2.1	104.8	14	-72627
	13 LST	1.6	1.5	7.3	11.3	14.5	13.1	15.6	15.1	13.4	14.6	9.8	3.2	121.0	10	-72627
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	8.2	9.1	10.4	7.2	5.9	5.9	7.0	9.3	8.9	10.7	6.0	7.0	95.6	10	-72627
	01 LST	8.9	8.1	11.9	12.3	13.0	12.0	11.9	14.8	12.2	12.4	6.1	5.8	129.4	10	-72627
	07 LST	7.1	5.9	7.3	7.7	8.3	7.8	8.6	10.1	8.1	7.1	3.1	5.5	86.6	14	-72627
	13 LST	7.0	6.8	8.1	4.8	4.5	4.0	4.7	5.1	4.7	6.0	2.6	4.9	63.2	10	-72627
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	24.2	21.1	25.2	26.4	28.1	27.9	29.8	29.0	27.0	28.2	25.1	22.7	314.7	10	-72627
	01 LST	21.8	20.3	24.4	25.3	27.1	27.7	28.0	29.2	26.4	26.5	24.7	22.1	303.5	10	-72627
	07 LST	20.1	17.4	22.8	21.6	25.7	24.9	26.1	25.9	23.8	22.2	20.4	19.9	270.8	14	-72627
	13 LST	21.4	19.7	23.9	25.3	28.0	28.0	29.2	29.0	27.0	26.2	23.9	22.1	303.7	10	-72627
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	16.7	17.5	19.4	20.1	23.3	24.2	25.1	24.8	21.9	22.0	16.2	15.0	246.2	10	-72627
	01 LST	14.7	15.0	18.9	19.8	23.2	23.1	24.6	26.0	22.1	20.3	15.7	13.1	236.5	10	-72627
	07 LST	14.1	13.1	18.5	17.5	21.3	22.1	23.1	23.0	20.3	18.3	12.5	12.9	216.7	14	-72627
	13 LST	17.0	16.8	19.8	16.0	21.3	20.8	23.3	23.3	18.0	18.2	12.5	15.4	222.4	10	-72627
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	14.7	16.0	16.9	17.1	19.0	20.8	21.4	22.5	18.2	18.5	13.0	13.1	211.2	10	-72627
	01 LST	13.1	13.4	16.7	17.3	19.7	18.8	20.6	22.9	18.8	17.6	12.1	11.0	202.0	10	-72627
	07 LST	12.3	12.0	16.2	15.6	17.6	19.6	20.4	20.1	17.5	15.5	10.2	11.2	188.2	14	-72627
	13 LST	15.1	15.4	17.5	14.0	18.9	18.9	20.3	20.8	15.5	15.7	10.5	13.5	196.1	10	-72627

BROCKVILLE, CANADA

STA NO. 74379/ (IN AREA NUMBER 09)

LATITUDE 4438N

LONGITUDE 07544W

ELEVATION(FT) 00396

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	62	57	78	87	90	103	103	98	94	82	75	63	103	50	-110
MEAN MAX TMP (F)	27	28	39	53	67	77	81	78	70	58	44	29	54	22	-105
MEAN MIN TMP (F)	10	9	21	33	44	54	60	58	51	40	29	15	35	22	-105
ABS MIN TMP (F)	-37	-33	-25	5	22	32	37	35	25	12	-15	-33	-37	50	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0		2.4			0.0	0.0	0.0		22	-29
MEAN NO DYS TMP = OR LES 32(F)						0.0	0.0	0.0						50	-29
MEAN NO DYS TMP = OR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				50	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	-50
MEAN PRESS ALT (FT)	267	294	348	321	348	376	376	321	267	294	294	267	314	0	-50
MEAN PRECIP (IN)	2.32	1.65	2.52	2.99	2.48	2.84	2.64	2.44	2.48	2.87	2.56	2.44	30.2	23	-111
MEAN SNOW FALL (IN)						0.0	0.0	0.0						50	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.9	5.2	7.0	7.9	6.9	6.5	6.2	5.9	5.9	6.6	6.0	7.2	78.2	50	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0						0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0


BROCKVILLE, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI w/SFC WND LES 10 KTS	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST													U	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0

DATA NOT AVAILABLE

AREA NO. 09

CANADA	EASTERN CANADA													
	BOUNDARIES	4430N 07600W	5000N 07600W	5000N 07600W	5000N 07000W	5000N 07000W	6330N 07000W	5000N 06430W	4830N 06400W	4540N 06750W				
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		15	17	28	41	54	65	71	69	60	48	35	21	44
MEAN MIN TMP (F)		-2	-1	10	24	36	46	52	50	43	33	22	6	27
LARGEST MEAN PRECIP(IN)		4.43	5.60	5.00	3.24	3.87	5.05	5.09	4.64	4.93	4.58	5.21	4.57	56.2
SMALLEST MEAN PRECIP(IN)		0.66	0.22	0.59	0.66	0.85	1.16	2.29	1.76	1.92	1.53	0.82	0.64	13.1
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	25.3	23.0	26.3	26.4	27.8	27.1	29.3	28.7	27.3	28.1	25.6	26.0	320.9
	01 LST	25.4	22.8	26.4	26.1	27.4	26.3	27.8	27.6	26.5	28.1	25.5	26.4	316.3
	07 LST	25.82	22.5	26.0	25.5	27.0	26.2	26.9	26.4	25.4	26.7	24.9	25.6	308.3
	13 LST	24.4	22.9	26.8	26.6	28.3	27.7	28.8	28.7	27.4	28.2	25.2	24.9	319.9
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	13.5	12.7	15.7	15.2	16.3	16.5	20.8	21.3	18.4	17.3	13.3	13.9	194.9
	01 LST	13.5	12.6	16.3	16.9	17.6	18.1	21.9	20.7	17.9	17.7	14.2	13.9	201.3
	07 LST	13.1	11.9	14.6	13.9	14.8	15.7	17.5	17.3	14.9	14.7	12.8	13.2	174.4
	13 LST	11.4	10.0	12.1	10.4	10.8	10.4	12.8	12.4	10.8	11.1	10.2	11.8	134.2
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	3.5	3.2	3.0	2.3	2.7	1.5	1.0	0.8	1.0	2.0	3.1	3.4	27.5
	01 LST	3.6	2.8	3.1	1.8	1.6	0.8	0.4	0.7	1.2	1.8	2.8	3.2	23.8
	07 LST	3.5	2.8	3.4	2.7	3.0	2.1	1.3	1.4	2.1	2.7	3.1	3.4	31.5
	13 LST	4.7	4.3	5.2	4.8	5.8	4.5	3.2	3.4	3.9	4.3	4.9	4.4	53.4
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	0.5	0.5	3.5	9.8	13.4	15.5	16.6	17.7	16.1	12.1	5.4	1.1	112.3
	01 LST	0.5	0.3	1.1	6.1	11.1	14.0	16.4	16.0	14.3	10.3	5.0	0.8	95.9
	07 LST	0.3	0.1	0.9	5.9	11.2	13.6	14.5	14.4	13.3	9.8	4.0	0.9	88.9
	13 LST	0.6	0.5	4.8	9.2	11.6	11.8	14.4	14.0	13.1	11.8	6.5	1.5	99.8
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	10.3	10.6	11.1	9.6	6.3	6.0	5.8	7.2	8.1	9.9	7.1	10.3	102.3
	01 LST	10.0	10.6	12.7	12.6	11.3	10.0	10.8	12.2	10.8	10.1	7.2	9.9	128.2
	07 LST	8.7	7.9	9.1	8.2	7.9	7.0	7.8	7.7	6.5	6.3	4.3	6.6	88.0
	13 LST	6.8	6.9	9.3	8.4	5.2	4.2	3.5	4.4	4.8	5.2	3.6	6.5	68.8
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	21.6	20.4	24.0	23.1	24.4	23.9	25.9	25.5	24.0	24.8	20.6	22.0	280.2
	01 LST	20.8	20.1	23.6	23.1	23.9	23.2	25.2	25.3	23.3	24.4	21.0	22.0	275.9
	07 LST	20.9	19.4	23.2	21.8	23.0	22.5	23.4	23.1	21.6	22.2	19.4	20.6	261.1
	13 LST	20.8	20.1	24.1	23.0	24.0	23.5	24.7	24.4	22.6	23.2	19.4	21.4	271.2
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	17.2	17.5	19.5	18.1	18.1	18.3	20.2	20.4	18.5	18.4	14.1	17.2	217.5
	01 LST	16.0	16.7	19.2	18.3	18.6	18.4	20.4	21.0	18.4	17.4	13.9	16.4	214.7
	07 LST	16.2	15.5	18.7	17.2	17.9	18.2	19.2	19.0	16.9	16.1	12.5	14.6	202.0
	13 LST	17.1	17.1	19.8	17.7	16.3	16.6	17.9	16.8	15.4	15.6	12.1	17.0	199.4
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	15.2	16.1	17.5	16.4	15.6	15.4	17.2	17.7	16.0	16.1	12.2	15.5	190.9
	01 LST	14.2	15.0	17.1	16.7	16.7	15.6	17.3	18.3	16.0	15.2	11.7	14.7	188.5
	07 LST	14.7	13.7	16.5	15.5	15.9	16.0	17.1	16.6	14.7	13.7	10.7	12.8	177.9
	13 LST	15.2	15.3	17.9	16.0	14.2	14.3	15.5	14.9	13.5	13.6	10.5	15.1	176.0



WINDSOR, CANADA

STA NO. 72538 (IN AREA NUMBER 10)

LATITUDE 4216N

LONGITUDE 08257W

ELEVATION(FT) 00622

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	64	65	79	87	93	99	101	98	99	90	79	62	101	20	-610
MEAN MAX TMP (F)	31	32	41	55	68	77	82	80	73	61	46	34	57	47	-105
MEAN MIN TMP (F)	16	16	24	36	46	60	61	60	53	42	31	21	39	47	-105
ABS MIN TMP (F)	-15	-8	-3	15	29	37	46	44	30	25	4	-10	-15	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.5	1.9	2.9	1.7	0.4	0.0	0.0	0.0	7.4	9	2894
MEAN NO DYS TMP = OR LES 32(F)	30.1	26.2	23.7	8.6	0.4	0.0	0.0	0.0	0.0	2.8	14.7	25.8	132.3	9	2894
MEAN NO DYS TMP = OR LES 0(F)	2.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	4.0	9	2894
MEAN DEW PT TMP (F)	22	21	28	37	48	59	62	61	55	46	34	24	41	10	-106
MEAN REL HUM (PCT)	83	81	75	70	71	72	69	72	76	76	80	81	76	10	-106
MEAN PRESS ALT (FT)	478	488	521	551	570	579	574	545	515	503	520	497	528	0	-50
MEAN PRECIP (IN)	2.31	2.16	2.42	2.24	3.08	3.35	3.42	2.69	2.59	2.17	2.45	2.24	31.1	47	-105
MEAN SNOW FALL (IN)	12.4	10.4	7.8	1.8	0.0	0.0	0.0	0.0	0.0	0.2	2.9	8.9	44.4	47	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.9	6.5	6.8	6.4	8.1	7.2	7.3	6.3	6.1	5.4	5.9	6.7	79.6	47	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.6	2.2	1.6	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.8	9.0	47	-29
MEAN NO DYS W/OCUH VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	2.0	3.0	6.0	5.0	6.0	4.0	3.0	2.0	0.0	0.0	31.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 29 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	27.8	25.8	26.2	18.3	15.3	12.1	9.8	17.0	16.2	13.8	18.4	23.2	18.7	9	2894
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	5.2	8.4	7.7	2.9	2.4	2.1	3.1	4.0	3.8	3.2	6.7	7.7	4.8	9	2894
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

WINDSOR, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST	22.8	21.5	22.5	24.0	26.1	24.1	24.5	22.1	22.4	24.0	23.6	23.9	9	2894
	12 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST													0	0
	00 LST													0	0
	06 LST	9.6	8.6	8.0	11.6	12.0	16.1	19.5	18.7	16.6	16.1	10.8	10.2	9	2894
	12 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST	2.4	2.6	3.7	3.1	2.9	0.8	0.5	0.0	0.7	0.9	3.4	2.4	9	2894
	12 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST	0.6	0.9	2.9	9.5	12.6	14.1	15.8	18.3	16.4	15.8	7.3	2.6	9	2894
	12 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST	6.1	5.6	7.1	8.6	10.1	10.2	10.5	11.7	9.8	9.5	7.7	7.0	9	2894
	12 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST	16.0	16.5	18.5	20.7	23.6	21.8	22.9	20.8	20.3	21.0	19.4	18.4	9	2894
	12 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST	11.7	12.1	15.7	18.1	20.5	20.4	20.9	19.1	18.4	18.3	13.8	13.3	9	2894
	12 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST	10.6	11.7	14.7	16.9	19.2	19.6	20.2	18.4	18.1	17.5	12.3	12.3	9	2894
	12 LST													0	0

TRENTON, CANADA

STA NO. 72621 (IN AREA NUMBER 10)

LATITUDE 4407N

LONGITUDE 07732W

ELEVATION(FT) 00203

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	56	56	73	81	92	96	102	97	95	78	73	57	102	30	-610
MEAN MAX TMP (F)	27	28	38	51	63	74	79	78	69	58	45	31	53	13	-105
MEAN MIN TMP (F)	10	11	22	34	45	55	60	59	51	41	31	17	36	13	-105
ABS MIN TMP (F)	-25	-26	-20	9	26	34	42	38	29	19	-3	-23	-26	30	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	0.9	1.0	0.2	0.0	0.0	0.0	2.5	9	2920
MEAN NO DYS TMP = OR LES 32(F)	29.7	26.3	27.6	11.2	2.2	0.0	0.0	0.0	0.0	4.6	15.3	27.0	143.9	9	2919
MEAN NO DYS TMP = OR LES 0(F)	5.5	4.6	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	14.8	9	2919
MEAN DEW PT TMP (F)	16	17	26	35	46	57	61	60	53	44	33	21	39	10	-106
MEAN REL HUM (PCT)	85	86	77	74	73	73	74	77	81	83	83	78		10	-106
MEAN PRESS ALT (FT)	136	158	197	221	219	236	231	198	162	141	150	152	183	0	-50
MEAN PRECIP (IN)	2.82	2.34	2.68	2.21	3.31	2.39	2.50	2.13	2.50	2.67	3.08	3.11	31.7	13	-105
MEAN SNOW FALL (IN)	16.1	14.2	9.6	2.8	0.0	0.0	0.0	0.0	0.0	0.0	6.1	11.3	60.1	13	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.0	6.9	7.3	6.3	8.5	5.8	6.0	5.4	5.9	6.2	6.9	8.5	81.7	13	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.5	3.0	2.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.4	12.6	13	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	1.0	1.0	3.0	3.0	5.0	4.0	2.0	1.0	0.0	0.0	20.0	8	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/O LES 5 M														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	23.4	28.6	21.4	21.5	17.7	11.3	11.6	10.9	15.9	17.4	16.3	23.4	18.3	9	2920
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	9.7	13.8	7.7	5.0	3.6	1.3	2.5	1.6	2.1	4.5	4.2	8.6	5.4	9	2920
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

TRENTON, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI															
19 LST														0	0
01 LST														0	0
07 LST	24.6	20.9	25.1	24.0	25.2	26.5	27.2	26.6	24.8	24.3	24.5	24.6	298.3	9	2920
13 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS															
19 LST														0	0
01 LST														0	0
07 LST	11.7	11.6	13.2	12.9	14.8	17.6	19.0	18.3	17.3	15.7	13.4	10.5	176.0	9	2920
13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.															
19 LST														0	0
01 LST														0	0
07 LST	3.1	1.4	2.0	1.8	0.6	1.1	0.2	0.5	0.5	0.7	2.4	1.9	16.2	9	2920
13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.															
19 LST														0	0
01 LST														0	0
07 LST	0.2	0.9	3.0	9.0	12.6	16.0	19.3	16.7	15.5	14.0	6.8	1.9	111.9	9	2920
13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI															
19 LST														0	0
01 LST														0	0
07 LST	8.5	6.6	9.0	8.9	9.4	7.5	11.7	11.2	10.0	7.9	5.0	6.3	102.0	9	2920
13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI															
19 LST														0	0
01 LST														0	0
07 LST	20.2	17.2	22.5	20.9	22.7	24.6	25.6	24.6	22.4	21.0	20.8	19.6	262.1	9	2920
13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI															
19 LST														0	0
01 LST														0	0
07 LST	15.0	12.9	19.7	18.1	20.5	21.5	23.2	22.6	20.2	16.7	14.6	11.5	218.5	9	2920
13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI															
19 LST														0	0
01 LST														0	0
07 LST	13.9	12.1	18.8	16.7	19.1	20.0	21.9	22.1	19.2	15.7	13.8	13.5	206.8	9	2920
13 LST														0	0

LONDON, CANADA

STA NO. 72623 (IN AREA NUMBER 10)

LATITUDE 4302N

LONGITUDE 08109W

ELEVATION(FT) 00912

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	62	59	79	87	94	99	102	106	98	86	76	62	106	80	-610
MEAN MAX TMP (F)	29	29	39	54	67	77	81	79	77	58	44	33	55	54	-28
MEAN MIN TMP (F)	15	12	22	33	44	53	58	55	50	39	30	20	36	54	-28
ABS MIN TMP (F)	-26	-27	-19	0	23	30	35	34	26	14	-8	-22	-27	80	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.9	1.6	1.8	0.4	0.0	0.0	0.0	4.7	9	2922
MEAN NO DYS TMP = OR LES 32(F)	30.6	26.1	26.6	14.3	2.5	0.0	0.0	0.0	0.5	3.6	16.9	27.2	148.3	9	2918
MEAN NO DYS TMP = OR LES 0(F)	4.1	3.2	1.0	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	10.0	9	2918
MEAN DEW PT TMP (F)	20	19	26	35	47	58	61	60	53	41	34	23	40	10	-106
MEAN REL HUM (PCT)	87	86	79	74	73	75	73	75	78	81	85	86	79	10	-106
MEAN PRESS ALT (FT)	766	781	814	843	854	865	862	830	798	781	795	783	814	0	-50
MEAN PRECIP (IN)	3.97	3.45	2.81	2.87	2.81	3.11	3.21	2.80	2.96	2.91	3.74	3.53	38.2	54	-105
MEAN SNOW FALL (IN)	23.3	22.3	11.3	3.8	0.1	0.0	0.6	0.0	0.0	0.9	10.8	19.1	91.6	54	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.0	9.2	7.6	7.7	7.6	6.9	7.0	6.4	6.7	6.6	8.0	9.3	93.0	54	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	4.9	4.8	2.4	0.7	0.0	0.0	0.0	0.0	0.0	0.1	2.4	4.1	19.4	54	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	1.0	2.0	3.0	4.0	7.0	4.0	4.0	1.0	0.0	0.0	26.0	8	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	34.3	33.2	31.0	25.0	18.5	18.3	14.0	20.6	19.7	19.4	24.3	33.3	24.3	9	2922
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	10.5	9.7	9.3	6.7	5.2	2.5	3.6	4.5	7.1	4.5	7.9	7.3	6.6	9	2922
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

LONDON, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	21.0	18.9	21.6	23.0	24.7	23.5	23.0	19.4	20.3	21.9	22.4	21.4	201.1	9	2922
	13 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST														0	0
	01 LST														0	0
	07 LST	8.7	7.8	10.6	12.9	13.6	16.6	18.3	17.2	15.7	15.3	11.3	9.2	157.2	9	2922
	13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	2.5	1.7	2.9	2.1	2.4	0.2	0.7	0.1	0.2	0.6	2.5	2.1	18.0	9	2922
	13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	0.5	0.7	2.9	8.7	16.6	17.6	18.5	16.7	16.9	17.7	7.4	2.4	126.6	9	2922
	13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	7.3	6.2	7.6	8.3	10.4	11.6	10.2	10.1	10.5	8.4	5.3	5.9	101.8	9	2922
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	14.7	13.7	17.4	19.5	23.1	21.4	21.9	18.9	18.6	18.9	16.4	14.8	219.3	9	2922
	13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	11.2	10.8	14.9	16.9	19.9	18.6	20.3	17.4	16.7	15.8	10.8	10.1	183.0	9	2928
	13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	10.9	10.5	13.6	15.5	19.2	18.0	19.3	16.8	15.9	14.9	9.5	9.7	173.8	9	2922
	13 LST														0	0

TORONTO INTL., CANADA

STA NO. 72624 (IN AREA NUMBER 10)

LATITUDE 4341N

LONGITUDE 07937W

ELEVATION(FT) 00569

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	61	55	80	90	93	97	105	102	98	86	77	61	105	99	-328
MEAN MAX TMP (F)	30	30	37	50	63	73	79	77	69	56	43	33	53	99	-28
MEAN MIN TMP (F)	16	15	23	34	44	54	59	58	51	40	31	21	37	99	-28
ABS MIN TMP (F)	-26	-25	-17	5	25	28	39	40	28	16	-5	-22	-26	99	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.4	2.0	1.7	1.5	0.0	0.0	0.0	6.6	12	4382
MEAN NO DYS TMP = OR LES 32(F)	29.1	25.7	27.1	10.7	1.6	0.0	0.0	0.0	0.2	4.2	16.5	26.8	141.9	12	4382
MEAN NO DYS TMP = OR LES 0(F)	3.4	2.9	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	8.3	12	4382
MEAN DEW PT TMP (F)	19	20	25	35	43	54	58	57	51	42	33	23	38	10	78728
MEAN REL HUM (PCT)	74	73	69	65	64	68	68	71	74	75	75	76	71	30	-28
MEAN PRESS ALT (FT)	420	440	474	502	506	518	516	483	449	429	440	435	468	0	-50
MEAN PRECIP (IN)	2.71	2.43	2.58	2.48	2.91	2.67	2.95	2.73	2.90	2.43	2.76	2.63	32.2	99	-105
MEAN SNOW FALL (IN)	16.0	15.3	10.7	2.8	0.1	0.0	0.0	0.0	0.0	0.4	4.2	12.4	61.9	99	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.7	7.1	7.1	6.9	7.8	6.2	6.6	6.3	6.6	5.8	6.4	7.6	82.1	99	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.4	3.3	2.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.6	12.7	99	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.6	3.3	2.8	3.3	1.6	0.9	0.7	1.3	2.3	4.4	3.7	3.9	31.8	10	3377
MEAN NO DYS TSMTS	0.0	0.0	0.5	1.7	1.9	3.4	3.8	3.0	2.1	0.8	0.4	0.0	17.6	10	3376
P FREQ WND SPD = OR GTR 17 KTS	13.2	13.7	17.8	14.8	8.6	7.4	5.8	3.4	7.0	8.9	16.6	13.0	10.9	10	79225
P FREQ WND SPD = OR GTR 28 KTS	1.4	1.2	1.8	0.7	0.5	0.4	0.1	0.1	0.1	0.5	1.8	0.7	0.8	10	79225
P FREQ LES 5000 FT A/O LES 5 MI	54.8	49.1	44.6	38.7	25.6	25.2	19.6	25.2	31.7	39.4	54.0	56.8	38.7	10	79224
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	25.3	18.4	13.7	15.3	9.3	8.1	5.1	7.3	11.2	16.3	17.5	20.8	14.0	10	9948
03-05 LST	26.0	19.3	15.1	18.5	13.9	12.1	7.9	12.7	14.2	18.3	17.8	21.0	16.4	9	9858
06-08 LST	26.1	25.1	22.9	20.8	16.7	14.9	8.7	17.6	17.6	26.9	24.4	24.0	20.9	12	10955
09-11 LST	26.0	25.5	22.3	18.4	9.8	8.9	4.7	11.2	12.8	20.1	24.6	29.3	17.8	9	9859
12-14 LST	20.6	17.8	18.4	14.3	6.5	6.5	3.6	6.5	6.7	11.0	19.1	26.2	13.1	10	9948
15-17 LST	23.2	20.6	17.0	13.7	5.6	5.4	3.1	6.0	4.8	12.5	18.6	22.1	12.7	9	9860
18-20 LST	22.0	18.7	14.4	14.4	7.2	5.9	3.0	4.9	6.0	14.5	14.2	20.2	12.1	10	9945
21-23 LST	22.8	18.2	12.4	13.2	6.7	7.0	3.8	4.9	8.6	15.3	14.8	20.4	12.3	9	9857
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	6.9	4.4	3.3	3.8	3.0	1.5	1.1	1.6	3.2	5.3	2.8	5.5	3.5	10	9948
03-05 LST	7.0	4.6	3.7	5.8	2.7	3.5	0.8	2.4	5.6	5.5	5.4	5.6	4.4	9	9858
06-08 LST	6.7	6.1	6.2	6.2	3.1	2.6	0.8	3.1	6.0	9.0	7.6	6.6	5.3	12	10955
09-11 LST	7.0	7.7	5.3	3.1	0.7	1.1	0.1	1.9	1.1	3.2	5.4	7.0	3.6	9	9859
12-14 LST	5.6	4.6	3.5	2.1	1.0	0.4	0.1	0.8	0.2	1.2	3.2	5.5	2.4	10	9948
15-17 LST	4.9	4.6	4.9	1.5	0.7	0.6	0.5	0.7	0.0	2.3	2.2	6.1	2.4	9	9860
18-20 LST	5.7	4.3	2.6	3.5	1.6	0.4	0.5	0.4	0.5	3.1	1.9	4.6	2.4	10	9945
21-23 LST	5.6	5.1	1.9	4.8	2.0	0.2	0.6	0.5	1.7	5.0	3.0	4.6	2.9	9	9857

TORONTO INTL., CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	25.4	23.6	27.1	25.8	29.1	28.4	30.2	29.6	28.4	26.8	26.4	25.8	326.6	10	3377
	01 LST	24.9	23.6	27.3	25.9	28.6	28.2	29.6	29.2	27.1	26.3	25.4	25.8	321.9	10	3377
	07 LST	25.4	21.4	23.8	24.4	25.1	26.0	27.9	25.3	24.7	23.0	22.7	25.2	294.9	12	4383
	13 LST	25.5	23.6	26.4	26.3	29.5	28.2	30.3	29.8	28.5	27.9	25.4	24.6	326.0	10	3377
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	12.5	14.0	13.8	14.1	17.9	19.7	20.4	22.4	20.9	20.1	13.1	13.1	202.0	10	3377
	01 LST	12.2	14.4	16.1	16.7	23.0	24.0	25.5	26.0	21.8	21.2	14.8	12.9	228.6	10	3377
	07 LST	13.1	12.0	13.0	14.0	16.4	18.6	21.9	20.9	19.8	16.6	12.4	12.3	191.0	12	4383
	13 LST	7.6	6.7	6.6	6.5	9.0	9.9	10.7	11.9	10.3	9.1	6.5	7.3	102.1	10	3377
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	3.9	2.1	4.4	3.6	1.6	1.5	0.8	0.7	1.0	1.2	3.9	3.3	28.0	10	3194
	01 LST	3.6	1.9	4.3	2.1	0.3	0.7	0.2	0.1	0.3	1.0	2.8	3.4	20.7	10	3173
	07 LST	2.8	2.5	2.9	3.0	1.2	1.5	0.6	0.2	0.3	0.8	3.5	2.5	21.8	12	4221
	13 LST	5.9	6.6	8.4	8.1	6.3	5.4	4.5	2.2	5.2	6.4	9.5	7.2	75.7	10	3227
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	2.5	3.5	8.2	16.7	18.0	21.2	21.7	20.9	20.2	19.0	12.0	5.9	169.8	10	3194
	01 LST	2.3	1.3	4.3	12.5	19.5	16.6	18.4	16.6	14.7	17.5	10.8	3.6	138.1	10	3173
	07 LST	1.6	1.6	3.0	10.5	14.9	14.3	14.2	14.1	15.3	14.2	8.8	3.7	116.2	12	4221
	13 LST	3.4	4.3	6.7	11.9	13.7	13.6	13.8	15.2	13.1	14.7	8.9	5.6	124.9	10	3227
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	7.3	7.2	9.6	6.8	8.4	7.3	9.2	9.9	11.2	11.4	5.3	6.2	99.8	10	3377
	01 LST	6.9	7.7	11.2	11.8	14.8	11.9	16.1	16.3	15.3	13.5	5.9	6.3	137.7	10	3377
	07 LST	5.6	5.0	7.0	7.6	7.5	8.9	12.6	10.6	9.6	8.1	3.4	6.0	91.9	12	4383
	13 LST	5.6	5.2	5.4	4.7	5.8	5.4	5.2	4.4	6.4	8.0	2.8	4.3	63.2	10	3377
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	20.4	21.3	24.3	23.6	28.1	27.5	29.8	28.9	27.2	25.9	23.1	21.6	301.7	10	3377
	01 LST	20.3	19.9	25.0	24.2	27.9	27.2	28.8	28.3	25.5	24.6	22.2	21.4	295.3	10	3377
	07 LST	18.7	17.2	20.7	21.9	23.2	24.1	26.7	24.0	22.8	20.2	19.7	19.9	259.1	12	4383
	13 LST	20.3	20.3	20.7	23.8	27.5	26.6	29.1	27.7	26.0	24.9	22.1	20.6	289.6	10	3377
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	15.0	15.4	20.6	19.2	24.6	24.5	27.1	25.9	22.8	22.5	15.2	13.4	246.2	10	3377
	01 LST	13.4	14.5	19.1	20.6	25.0	24.8	26.5	25.9	21.8	20.6	15.1	14.4	241.7	10	3377
	07 LST	12.5	12.2	16.2	17.3	21.0	22.1	25.5	22.1	20.3	16.7	12.2	12.2	210.3	12	4383
	13 LST	15.6	15.3	14.2	14.9	21.8	21.5	20.9	20.2	17.8	19.0	12.5	14.4	208.1	10	3377
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	13.0	13.5	17.5	17.1	21.6	22.5	24.6	24.1	20.4	19.7	13.0	11.4	218.4	10	3377
	01 LST	11.4	12.4	16.8	18.3	22.9	21.4	24.1	23.5	20.2	19.3	12.8	11.9	215.0	10	3377
	07 LST	11.0	10.3	14.1	14.9	18.4	19.7	23.7	19.9	18.2	15.0	9.8	10.4	185.4	12	4383
	13 LST	13.6	12.9	13.2	13.1	17.8	19.2	18.3	17.0	15.7	17.0	9.7	11.5	179.0	10	3377

STIRLING, CANADA

STA NO. 72625 (IN AREA NUMBER 10)

LATITUDE 4419N

LONGITUDE 07738W

ELEVATION(FT) 00455

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	55	58	79	88	92	95	98	98	97	94	75	58	98	20	-610
MEAN MAX TMP (F)	27	30	36	53	64	74	80	78	70	59	44	31	54	12	4373
MEAN MIN TMP (F)	9	12	20	34	43	53	57	55	48	38	29	16	35	12	4373
ABS MIN TMP (F)	-31	-32	-26	5	24	30	38	34	24	15	-6	-31	-32	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.3	1.5	1.5	0.6	0.1	0.0	0.0	3.9	12	4373
MEAN NO DYS TMP = OR LES 32(F)	30.0	26.6	27.9	11.8	3.5	0.0	0.0	0.0	1.7	8.3	19.8	28.1	157.5	12	4373
MEAN NO DYS TMP = OR LES 0(F)	8.5	6.4	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.4	5.1	22.2		12	4373
MEAN DEW PT TMP (F)	14	17	22	35	44	56	59	58	51	42	32	19	37	10	79115
MEAN REL HUM (PCT)	82	81	76	73	72	77	75	76	80	80	82	84	78	10	79101
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.88	1.96	2.66	2.23	3.45	2.00	3.59	2.18	2.49	2.70	2.73	2.62	31.5	11	-105
MEAN SNOW FALL (IN)	20.8	14.0	13.4	3.9	0.0	0.0	0.0	0.0	0.0	0.0	8.0	13.7	73.8	11	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.1	6.0	7.3	6.4	8.8	5.2	7.5	5.5	5.9	6.3	6.3	7.5	80.8	11	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	4.5	3.0	2.9	0.7	0.0	0.0	0.0	0.0	0.0	0.0	1.6	2.9	15.6	11	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.2	3.6	2.5	2.0	1.2	1.5	1.8	2.7	3.1	3.1	3.0	3.2	30.9	10	3371
MEAN NO DYS TSTMS	0.0	0.0	0.3	1.3	2.0	3.9	3.9	4.2	3.2	1.6	0.2	0.2	20.8	10	3369
P FREQ WND SPD = OR GTR 17 KTS	4.9	4.3	6.9	5.4	2.7	1.8	0.7	0.7	1.1	2.2	5.0	3.1	3.2	10	79102
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.1	0.2	0.1	0.2	0.0	0.0	0.0	0.0	0.1	0.4	0.0	0.1	10	79102
P FREQ LES 5000 FT A/O LES 5 MI	46.1	45.2	38.4	36.1	24.4	26.0	22.4	24.9	31.8	36.9	51.2	49.7	36.1	10	79124
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	17.4	16.6	12.9	11.5	6.5	6.0	6.8	7.5	11.1	14.3	17.2	19.4	12.3	10	9936
03-05 LST	16.8	17.5	12.5	13.6	9.8	13.5	9.3	13.4	15.9	17.6	18.4	19.1	14.8	9	9849
06-08 LST	18.5	22.4	16.0	16.6	10.2	9.3	8.4	14.4	17.1	20.5	20.9	20.0	16.2	12	10934
09-11 LST	18.3	21.7	18.3	13.7	9.1	6.3	3.6	6.5	9.6	15.9	19.3	18.5	13.4	9	9847
12-14 LST	14.7	16.2	15.6	12.0	6.6	3.8	2.4	5.7	6.0	8.2	15.8	18.0	10.4	10	9940
15-17 LST	16.1	15.9	13.1	11.2	4.7	2.6	0.8	4.1	5.5	8.5	14.0	17.4	9.5	9	9852
18-20 LST	16.2	15.3	11.9	11.5	4.1	4.3	2.6	4.9	5.7	9.4	12.6	15.0	9.5	10	9937
21-23 LST	17.8	15.4	11.1	9.4	5.4	4.2	3.6	4.4	7.7	10.4	14.9	17.5	10.2	9	9849
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	3.7	5.9	1.5	2.7	0.7	2.0	2.3	2.0	4.5	4.9	4.6	5.9	3.4	10	9936
03-05 LST	3.7	6.2	2.3	5.1	2.7	4.0	4.8	6.0	7.1	6.6	5.3	6.9	5.1	9	9849
06-08 LST	5.3	7.6	4.7	4.6	1.0	0.8	1.9	3.5	6.1	6.8	6.2	5.6	4.5	12	10934
09-11 LST	4.5	5.2	3.7	1.5	0.5	0.2	0.0	0.2	1.5	1.8	4.1	6.2	2.5	9	9847
12-14 LST	4.0	5.2	3.9	0.9	0.4	0.2	0.0	0.0	0.0	1.1	1.9	5.3	1.9	10	9940
15-17 LST	3.7	3.8	3.3	1.0	0.1	0.1	0.0	0.5	0.0	1.1	1.9	6.0	1.8	9	9852
18-20 LST	5.2	4.4	3.0	1.2	0.1	0.1	0.5	0.2	0.0	1.6	1.9	3.2	1.8	10	9937
21-23 LST	4.8	5.5	1.7	1.4	0.6	0.6	0.4	0.6	2.0	3.2	3.0	4.2	2.3	9	9849

STIRLING, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	26.8	24.3	28.0	27.4	30.0	28.5	30.3	29.4	28.5	28.9	27.1	27.1	336.3	10	3372
	01 LST	26.6	23.7	27.0	27.4	29.6	28.4	29.2	29.1	26.9	26.4	25.3	25.6	325.2	10	3374
	07 LST	26.1	22.1	26.6	26.3	28.1	27.5	27.8	25.5	24.0	24.8	24.5	25.5	308.8	12	4375
	13 LST	27.1	23.2	27.2	27.9	30.0	29.2	30.8	30.0	28.7	28.9	26.4	26.2	335.6	10	3375
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	18.5	17.6	18.5	18.3	23.2	23.9	26.0	27.9	25.2	24.1	19.9	19.0	262.1	10	3372
	01 LST	17.8	18.6	19.7	19.8	26.8	26.3	28.3	27.2	24.6	23.4	18.1	19.1	269.7	10	3374
	07 LST	18.3	16.7	18.7	18.3	23.9	23.4	26.0	23.0	21.8	20.9	18.8	18.5	248.3	12	4375
	13 LST	14.7	12.3	13.9	10.8	14.5	20.2	20.0	21.1	18.0	16.6	12.3	14.3	188.7	10	3374
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	1.4	1.0	1.6	0.7	0.9	0.5	0.0	0.0	0.2	0.4	1.2	0.7	8.6	10	3203
	01 LST	1.5	0.9	0.7	0.6	0.0	0.0	0.0	0.1	0.1	0.2	0.9	0.7	5.7	10	3188
	07 LST	1.4	0.6	1.0	0.5	0.1	0.2	0.0	0.1	0.1	0.2	1.0	0.7	5.9	12	4228
	13 LST	1.5	1.1	2.7	3.5	2.0	1.2	0.6	0.2	1.0	1.8	2.6	1.9	20.1	10	3230
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	2.3	3.4	7.6	18.0	19.3	18.2	19.5	15.8	15.4	13.9	10.5	4.6	148.5	10	3203
	01 LST	2.8	2.5	4.6	12.8	12.8	10.4	8.1	8.4	10.0	11.1	10.1	5.0	98.6	10	3188
	07 LST	1.9	2.4	3.8	12.0	15.8	13.5	12.4	10.3	10.8	11.7	8.6	3.0	106.2	12	4228
	13 LST	4.1	5.9	11.5	14.6	19.1	21.1	20.2	21.5	18.9	18.9	13.5	6.4	175.7	10	3230
SKY COVER LES 3/10 AND VSHY = GTR 3 MI	19 LST	10.9	10.5	10.4	8.2	9.5	8.9	8.4	10.4	11.3	14.1	9.1	8.0	119.7	10	3372
	01 LST	9.5	9.8	12.1	13.2	16.3	15.1	17.2	15.7	14.9	13.9	6.9	9.0	153.6	10	3374
	07 LST	9.1	7.7	9.6	8.6	9.2	10.4	12.2	10.0	10.9	7.9	4.7	7.3	107.6	12	4375
	13 LST	8.4	6.6	6.8	6.5	5.5	6.0	4.4	5.4	6.2	8.5	4.2	6.0	74.5	10	3375
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	23.0	22.3	25.9	25.1	29.4	27.5	29.9	29.2	27.5	27.4	24.9	23.8	315.9	10	3372
	01 LST	22.3	21.9	25.6	24.5	28.4	27.4	28.6	28.4	25.7	25.3	23.4	23.3	304.8	10	3374
	07 LST	22.4	19.2	24.1	23.0	26.1	25.6	26.4	23.7	22.7	22.7	21.8	21.5	279.2	12	4375
	13 LST	23.8	20.9	23.8	24.2	27.9	28.0	29.6	28.8	27.0	26.5	23.2	22.9	306.6	10	3375
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	16.5	17.3	20.5	19.4	24.0	23.9	25.6	26.5	23.0	22.5	17.4	15.9	252.5	10	3372
	01 LST	16.2	15.7	19.6	20.3	25.1	24.9	26.1	25.6	22.5	21.0	15.4	15.4	247.8	10	3374
	07 LST	15.5	13.4	18.6	18.1	23.1	22.3	23.9	21.4	20.0	17.4	13.1	13.7	220.5	12	4375
	13 LST	17.0	16.0	17.1	16.9	20.2	20.1	20.2	20.6	18.7	18.7	13.2	15.4	214.1	10	3375
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	15.1	15.5	17.9	17.1	19.7	22.2	23.3	24.3	20.8	20.3	14.6	13.5	224.3	10	3372
	01 LST	13.3	13.8	17.1	18.1	22.5	22.1	23.7	22.9	19.9	19.2	12.9	13.2	218.7	10	3374
	07 LST	14.4	11.5	16.2	15.5	19.7	19.4	21.6	18.7	17.8	14.4	10.9	11.7	191.8	12	4375
	13 LST	15.1	14.1	15.2	15.5	16.9	18.3	18.8	18.8	17.0	16.9	11.4	13.1	191.1	10	3375

BELLEVILLE, CANADA

STA NO. 72626/ (IN AREA NUMBER 10)

LATITUDE 4412N

LONGITUDE 07719W

ELEVATION(FT) 00320

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	56	54	73	81	95	96	104	97	95	83	72	58	104	50	-110
MEAN MAX TMP (F)	28	28	36	51	65	75	80	78	70	56	42	30	53	44	-105
MEAN MIN TMP (F)	10	9	20	33	44	55	60	57	50	38	28	14	35	44	-105
ABS MIN TMP (F)	-36	-39	-21	1	19	32	43	38	29	14	-14	-30	-39	50	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.3	1.5	1.4	0.6	0.1	0.0	0.0	3.9	12	-72625
MEAN NO DYS TMP = OR LES 32(F)	30.0	26.6	27.9	11.8	3.5	0.0	0.0	0.0	1.7	8.3	19.6	28.1	157.5	12	-72625
MEAN NO DYS TMP = OR LES 0(F)	8.5	6.4	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	5.1	22.2	12	-72625
MEAN DEW PT TMP (F)	14	17	22	35	44	56	59	58	51	42	32	19	37	10	-72625
MEAN REL HUM (PCT)	82	81	76	73	72	77	75	76	80	80	82	84	78	10	-72625
MEAN PRESS ALT (FT)	172	195	235	258	255	273	268	234	199	177	186	189	220	0	-50
MEAN PRECIP (IN)	3.26	2.46	2.63	2.17	2.37	2.66	2.52	2.65	2.78	2.28	2.85	2.54	31.2	44	-105
MEAN SNOW FALL (IN)	17.7	15.6	9.8	2.8	0.0	0.0	0.0	0.0	0.0	0.2	4.0	11.8	61.9	44	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.8	7.2	7.2	6.2	6.7	6.2	6.0	6.2	6.4	5.6	6.5	7.4	80.4	44	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.8	3.4	2.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.5	12.9	44	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	3.2	3.6	2.5	2.0	1.2	1.5	1.8	2.7	3.1	3.1	3.0	3.2	30.9	10	-72625
MEAN NO DYS TSMS	0.0	0.0	0.3	1.3	2.0	3.9	3.9	4.2	3.2	1.6	0.2	0.2	20.8	10	-72625
P FREQ WND SPD = OR GTR 17 KTS	4.9	4.3	6.9	5.4	2.7	1.8	0.7	0.7	1.1	2.2	5.0	3.1	3.2	10	-72625
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.1	0.2	0.1	0.2	0.0	0.0	0.0	0.0	0.1	0.4	0.0	0.1	10	-72625
P FREQ LES 5000 FT A/O LES 5 MI	46.1	45.2	38.4	36.1	24.4	26.0	22.4	24.9	31.8	36.9	51.2	49.7	36.1	10	-72625
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	17.4	16.6	12.9	11.5	6.5	6.0	6.8	7.5	11.1	14.3	17.2	19.4	12.3	10	-72625
03-05 LST	16.8	17.5	12.5	13.6	9.8	13.5	9.3	13.4	15.9	17.6	18.4	19.1	14.8	9	-72625
06-08 LST	18.5	22.4	16.0	16.6	10.2	9.3	8.4	14.4	17.1	20.5	20.9	20.0	16.2	12	-72625
09-11 LST	18.3	21.7	18.3	13.7	9.1	6.3	3.6	6.5	9.6	15.9	19.3	18.5	13.4	9	-72625
12-14 LST	14.7	16.2	15.6	12.0	6.6	3.8	2.4	5.7	6.0	8.2	15.8	18.0	10.4	10	-72625
15-17 LST	16.1	15.9	13.1	11.2	4.7	2.6	0.8	4.1	5.5	8.5	14.0	17.4	9.5	9	-72625
18-20 LST	16.2	16.3	11.9	11.5	4.1	4.3	2.6	4.9	5.7	9.4	12.6	15.0	9.5	10	-72625
21-23 LST	17.8	15.4	11.1	9.4	5.4	4.2	3.6	4.4	7.7	10.4	14.9	17.5	10.2	9	-72625
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	3.7	5.9	1.5	2.7	0.7	2.0	2.3	2.0	4.5	4.9	4.6	5.9	3.4	10	-72625
03-05 LST	3.7	6.2	2.3	5.1	2.7	4.0	4.8	6.0	7.1	6.6	5.3	6.9	5.1	9	-72625
06-08 LST	5.3	7.6	4.7	4.6	1.0	0.8	1.9	3.5	6.1	6.8	6.2	5.6	4.5	12	-72625
09-11 LST	4.5	9.2	3.7	1.5	0.5	0.2	0.0	0.2	1.5	1.8	4.1	6.2	2.5	9	-72625
12-14 LST	4.0	5.2	3.9	0.9	0.4	0.2	0.0	0.0	0.0	1.1	1.9	5.3	1.9	10	-72625
15-17 LST	3.7	3.8	3.3	1.0	0.1	0.1	0.0	0.5	0.0	1.1	1.9	6.0	1.8	9	-72625
18-20 LST	5.2	4.4	3.0	1.2	0.1	0.1	0.5	0.2	0.0	1.6	1.9	3.2	1.8	10	-72625
21-23 LST	4.8	5.5	1.7	1.4	0.6	0.6	0.4	0.6	2.0	3.2	3.0	4.2	2.3	9	-72625

BELLEVILLE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	26.8	24.3	28.0	27.4	30.0	28.5	30.3	29.4	28.5	28.9	27.1	27.1	336.3	10	-72625
	01 LST	26.6	23.7	27.0	27.4	29.6	28.4	29.2	29.1	26.9	26.4	25.3	25.6	325.2	10	-72625
	07 LST	26.1	22.1	26.6	26.3	28.1	27.5	27.8	25.5	24.0	24.8	24.5	25.5	308.8	10	-72625
	13 LST	27.1	23.2	27.2	27.9	30.0	29.2	30.8	30.0	28.7	28.9	26.4	26.2	335.6	10	-72625
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	18.5	17.6	18.5	18.3	23.2	23.9	26.0	27.9	25.2	24.1	19.9	19.0	262.1	10	-72625
	01 LST	17.8	18.6	19.7	19.8	26.8	26.3	28.3	27.2	24.6	23.4	18.1	19.1	269.7	10	-72625
	07 LST	18.3	16.7	18.7	18.3	23.9	23.4	26.0	23.0	21.8	20.9	18.8	18.5	248.3	12	-72625
	13 LST	14.7	12.3	13.9	10.8	14.5	20.2	20.0	21.1	18.0	16.6	12.3	14.3	188.7	10	-72625
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	1.4	1.0	1.6	0.7	0.9	0.5	0.0	0.0	0.2	0.4	1.2	0.7	8.6	10	-72625
	01 LST	1.5	0.9	0.7	0.6	0.0	0.0	0.0	0.1	0.1	0.2	0.9	0.7	5.7	10	-72625
	07 LST	1.4	0.6	1.0	0.5	0.1	0.2	0.0	0.1	0.1	0.2	1.0	0.7	5.9	12	-72625
	13 LST	1.5	1.1	2.7	3.5	2.0	1.2	0.6	0.2	1.0	1.8	2.6	1.9	20.1	10	-72625
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	2.3	3.4	7.6	18.0	19.3	18.2	19.5	15.8	15.4	13.9	10.5	4.6	148.5	10	-72625
	01 LST	2.8	2.5	4.6	12.8	12.8	10.4	8.1	8.4	10.0	11.1	10.1	5.0	98.6	10	-72625
	07 LST	1.9	2.4	3.8	12.0	15.8	13.5	12.4	10.3	10.8	11.7	8.6	3.0	106.2	12	-72625
	13 LST	4.1	5.9	11.5	14.6	19.1	21.1	20.2	21.5	18.9	18.9	13.5	6.4	175.7	10	-72625
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	10.9	10.5	10.4	8.2	9.5	8.9	8.4	10.4	11.3	14.1	9.1	8.0	119.7	10	-72625
	01 LST	9.5	9.8	12.1	13.2	16.3	15.1	17.2	15.7	14.9	13.9	6.9	9.0	153.6	10	-72625
	07 LST	9.1	7.7	9.6	8.6	9.2	10.4	12.2	10.0	10.9	7.9	4.7	7.3	107.6	12	-72625
	13 LST	8.4	6.6	6.8	6.5	5.5	6.0	4.4	5.4	6.2	8.5	4.2	6.0	74.5	10	-72625
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	23.0	22.3	25.9	25.1	29.4	27.5	29.9	29.2	27.5	27.4	24.9	23.8	315.9	10	-72625
	01 LST	22.3	21.9	25.6	24.5	28.4	27.4	28.6	28.4	25.7	25.3	23.4	23.3	304.8	10	-72625
	07 LST	22.4	19.2	24.1	23.0	26.1	25.6	26.4	23.7	22.7	22.7	21.8	21.5	279.2	12	-72625
	13 LST	23.8	20.9	23.8	24.2	27.9	28.0	29.6	28.8	27.0	26.5	23.2	22.9	306.6	10	-72625
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	16.5	17.3	20.5	19.4	24.0	23.9	25.6	26.5	23.0	22.5	17.4	15.9	252.5	10	-72625
	01 LST	16.2	15.7	19.6	20.3	25.1	24.9	26.1	25.6	22.5	21.0	15.4	15.4	247.8	10	-72625
	07 LST	15.5	13.4	18.6	18.1	23.1	22.3	23.9	21.4	20.0	17.4	13.7	13.7	220.5	12	-72625
	13 LST	17.0	16.0	17.1	16.9	20.2	20.1	20.2	20.6	18.7	18.7	13.2	15.4	214.1	10	-72625
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	15.1	15.5	17.9	17.1	19.7	22.2	23.3	24.3	20.8	20.3	14.5	13.5	224.3	10	-72625
	01 LST	13.3	13.8	17.1	18.1	22.5	22.1	23.7	22.9	19.9	19.2	12.9	13.2	218.7	10	-72625
	07 LST	14.4	11.5	16.2	15.5	19.7	19.4	21.6	18.7	17.8	14.4	10.9	11.7	191.8	12	-72625
	13 LST	15.1	14.1	15.2	15.5	16.9	18.3	18.8	18.8	17.0	16.9	11.4	13.1	191.1	10	-72625

KILLALOE, CANADA

STA NO. 72629 (IN AREA NUMBER 10)

LATITUDE 4534N

LONGITUDE 07725W

ELEVATION(FT) 00971

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	61	54	79	86	92	95	95	98	94	86	75	59	98	20	-610
MEAN MAX TMP (F)	21	24	36	50	65	75	79	77	68	57	41	27	52	12	-105
MEAN MIN TMP (F)	0	1	14	29	41	51	54	52	43	34	25	8	29	12	-105
ABS MIN TMP (F)	-42	-42	-39	0	19	25	33	29	18	11	-16	-41	-42	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.4	1.4	2.0	1.6	0.6	0.0	0.0	0.0	6.0	9	2940
MEAN NO DYS TMP = OR LES 32(F)	30.1	27.9	29.5	18.8	9.4	0.5	0.0	0.2	5.4	13.1	20.3	28.7	183.9	9	2938
MEAN NO DYS TMP = OR LES 0(F)	15.3	12.5	7.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	8.8	44.4	9	2938
MEAN DEW PT TMP (F)	8	9	19	30	43	55	59	57	49	40	29	14	34	10	-106
MEAN REL HUM (PCT)	85	83	74	68	68	72	73	76	80	79	81	82	77	10	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.79	1.56	1.77	1.94	3.08	2.25	3.09	2.57	2.87	2.12	2.18	2.07	27.3	12	-105
MEAN SNOW FALL (IN)	15.4	14.7	12.4	5.5	0.1	0.0	0.0	0.0	0.0	0.3	8.2	15.5	72.1	12	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.5	4.9	5.3	5.7	8.1	5.6	6.8	6.1	6.6	5.3	5.4	6.3	71.6	12	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.3	3.1	2.6	1.1	0.0	0.0	0.0	0.0	0.0	0.0	1.7	3.3	15.1	12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.0	1.0	4.0	5.0	3.0	2.0	1.0	0.0	0.0	17.0	8	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	14.1	17.7	11.7	10.8	6.5	8.4	4.7	4.5	12.1	15.0	15.1	18.3	11.6	9	2945
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.0	4.9	4.4	2.5	0.4	1.3	0.0	1.6	3.8	2.8	3.8	5.7	2.9	9	2945
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KILLALOE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	27.9	23.9	27.6	28.0	29.6	28.4	29.8	29.2	26.2	25.9	26.9	26.4	329.8	9	2945
	13 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST														0	0
	01 LST														0	0
	07 LST	20.7	19.6	22.7	21.5	24.4	23.1	27.0	27.8	22.1	21.1	19.4	18.5	267.9	9	2945
	13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	0.4	0.4	0.2	0.1	0.1	0.4	0.0	0.0	0.0	0.2	0.6	0.2	2.6	9	2945
	13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	0.7	0.6	1.4	8.0	14.0	15.9	14.4	12.6	12.7	12.6	6.8	2.1	101.8	9	2945
	13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	9.0	9.0	11.0	9.5	10.6	10.1	13.0	12.9	9.2	7.5	4.3	7.7	113.8	9	2945
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	22.0	19.9	24.5	23.7	26.1	25.0	28.0	27.1	22.4	21.3	19.7	20.6	280.3	9	2945
	13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	16.1	15.2	19.9	18.4	20.7	20.7	23.1	23.5	17.9	15.7	11.9	13.9	217.0	9	2945
	13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	15.1	14.0	18.7	16.6	19.6	19.3	22.4	22.1	16.6	14.5	10.8	12.6	202.3	9	2945
	13 LST														0	0

MUSKOKA, CANADA

STA NO. 72630 (IN AREA NUMBER 10)

LATITUDE 4458N

LONGITUDE 07918W

ELEVATION(FT) 00925

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	57	51	78	84	87	95	93	95	94	82	76	61	95	20	-610
MEAN MAX TMP (F)	24	25	35	50	63	74	78	76	67	56	41	28	51	12	-105
MEAN MIN TMP (F)	4	6	14	29	40	50	54	53	45	36	26	12	31	12	-105
ABS MIN TMP (F)	-37	-39	-27	-6	18	28	35	31	23	14	-8	-42	-42	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.5	0.2	0.0	0.0	0.0	1.5	9	2942
MEAN NO DYS TMP = OR LES 32(F)	30.6	27.2	28.9	19.1	7.6	0.4	0.0	0.0	3.1	9.3	20.6	28.7	175.5	9	2942
MEAN NO DYS TMP = OR LES 0(F)	11.2	10.0	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	6.8	33.5	9	2942
MEAN DEW PT TMP (F)	13	12	20	31	43	54	58	57	50	41	30	18	36	10	-106
MEAN REL HUM (PCT)	88	85	77	70	70	74	76	78	82	81	85	89	80	10	-106
MEAN PRESS ALT (FT)	807	822	835	859	876	915	919	882	853	846	860	844	860	0	-50
MEAN PRECIP (IN)	3.58	2.36	3.09	2.45	3.28	2.90	4.00	2.65	3.56	3.50	4.11	4.35	39.8	12	-105
MEAN SNOW FALL (IN)	30.1	20.1	17.2	4.4	0.1	0.0	0.0	0.0	1.4	17.8	33.6	124.7		12	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.4	7.0	8.1	6.8	8.5	6.6	7.9	6.2	7.7	7.6	8.6	10.5	94.9	12	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	6.1	4.3	3.8	0.9	0.0	0.0	0.0	0.0	0.0	0.2		6.6		12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	2.0	2.0	4.0	5.0	4.0	2.0	1.0	0.0	0.0	20.0	8	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	23.4	28.3	23.1	22.5	18.6	16.7	17.3	18.9	22.2	21.1	23.4	28.7	22.0	9	2942
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	11.7	12.4	7.7	9.6	4.9	5.0	4.0	4.1	7.5	4.5	4.6	10.9	7.2	9	2942
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MUSKOKA, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	25.6	20.9	25.1	24.0	26.4	25.4	24.6	24.2	22.8	24.6	24.2	24.0	291.8	9 2942
	13 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST													0	0
	01 LST													0	0
	07 LST	17.6	15.6	18.4	17.7	18.7	20.6	21.6	21.1	17.8	18.5	15.7	15.8	219.1	9 2938
	13 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST	0.1	0.2	0.1	0.4	0.2	0.0	0.0	0.0	0.2	0.1	0.1	1.4	9 2939	
	13 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST	0.5	0.8	1.4	9.2	15.3	17.0	15.4	17.5	15.3	15.6	5.9	2.1	116.0	9 2938
	13 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	7.6	9.0	10.6	8.5	8.9	10.1	12.0	10.8	9.0	6.9	5.5	8.9	107.8	9 2943
	13 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	18.0	17.0	20.7	20.3	22.9	22.6	22.3	21.5	19.2	18.9	15.8	16.9	236.1	9 2942
	13 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	12.6	13.5	16.9	16.1	20.8	19.5	20.2	19.0	16.6	14.9	10.3	11.8	192.2	9 2942
	13 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	11.9	12.5	16.1	14.9	19.6	17.9	19.4	17.6	14.9	13.7	9.9	11.4	179.8	9 2942
	13 LST													0	0

CENTRALIA, CANADA

STA NO. 72632 (IN AREA NUMBER 10)

LATITUDE 4318N

LONGITUDE 08131W

ELEVATION(FT) 00822

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	48	54	71	84	89	92	94	96	92	79	70	57	96	9	2931
MEAN MAX TMP (F)	26	28	37	53	64	74	80	79	71	60	46	32	54	9	2931
MEAN MIN TMP (F)	15	16	24	36	45	55	60	59	53	44	33	22	39	9	2931
ABS MIN TMP (F)	-13	-11	-5	19	28	36	41	44	31	27	4	-10	-13	9	2931
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.9	2.2	1.7	0.9	0.0	0.0	0.0	5.7	9	2931
MEAN NO DYS TMP = OR LES 32(F)	30.2	26.0	26.2	13.5	2.6	0.0	0.0	0.0	0.2	2.4	14.2	26.6	141.9	9	2931
MEAN NO DYS TMP = OR LES 0(F)	3.3	3.2	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	8.9	0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	-50
MEAN PRESS ALT (FT)	672	688	723	752	764	773	769	739	705	688	701	688	722	9	2930
MEAN PRECIP (IN)	3.96	3.37	2.47	2.65	3.49	3.02	3.01	3.09	2.91	2.83	3.75	4.52	39.1	9	-29
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					9	2930
MEAN NO DYS PRCP = OR GTR 0.1 IN	11.1	9.7	7.0	8.0	7.9	6.6	5.9	5.5	6.6	6.9	8.5	11.4	95.1	9	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0	0.0					0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	33.9	30.1	29.8	25.8	19.0	15.0	12.9	15.2	17.6	18.2	23.0	33.2	22.8	9	2931
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	13.3	11.9	7.7	5.0	2.4	3.3	1.8	6.1	4.2	4.5	7.1	10.1	6.5	9	2931
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CENTRALIA, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	21.9	20.8	22.0	23.5	26.2	25.6	25.1	23.1	24.1	24.6	23.3	22.1	202.3	9	2931
	13 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST														0	0
	01 LST														0	0
	07 LST	9.2	8.9	11.5	12.4	13.1	17.4	19.5	19.4	16.4	12.9	9.7	7.5	157.9	9	2931
	13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	1.7	1.8	1.5	1.1	1.7	0.8	0.2	0.2	1.4	1.0	3.6	2.1	17.4	9	2931
	13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	0.5	0.6	1.7	9.2	15.1	15.1	17.1	18.0	17.1	16.4	6.3	2.0	119.1	9	2931
	13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	5.6	4.3	6.5	8.1	8.2	11.1	10.7	9.6	8.8	7.0	3.2	4.2	87.3	9	2931
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	15.0	14.4	17.9	19.5	22.5	23.3	23.5	21.3	20.1	20.1	16.1	14.0	227.7	9	2931
	13 LST														0	0
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	10.9	10.3	15.3	17.1	20.9	19.4	21.2	19.4	17.6	16.4	10.0	9.4	187.9	9	2931
	13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	10.4	9.9	14.5	15.6	19.9	18.6	20.8	18.5	17.6	15.8	8.5	9.0	179.1	9	2931
	13 LST														0	0

WIARTON, CANADA

STA NO. 72633 (IN AREA NUMBER 10)

LATITUDE 4444N

LONGITUDE 08106W

ELEVATION(FT) 00729

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	69	53	65	82	92	97	90	96	95	80	73	59	97	12	4379
MEAN MAX TMP (F)	28	28	34	49	60	70	74	73	66	57	44	32	51	12	4379
MEAN MIN TMP (F)	15	15	20	33	42	51	57	56	50	42	32	21	36	12	4379
ABS MIN TMP (F)	-11	-23	-18	5	28	35	41	41	33	25	5	-4	-23	12	4379
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.2	0.2	0.0	0.0	0.0	0.8	12	4379
MEAN NO DYS TMP = OR LES 32(F)	29.9	26.7	28.6	13.7	2.8	0.0	0.0	0.0	0.0	3.7	15.8	27.1	148.3	12	4379
MEAN NO DYS TMP = OR LES 0(F)	3.1	3.7	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	9.6	12	4379
MEAN DEW PT TMP (F)	19	19	23	33	41	53	58	57	51	43	32	23	38	9	76149
MEAN REL HUM (PCT)	86	85	82	77	74	78	78	79	80	79	83	86	81	9	76136
MEAN PRESS ALT (FT)	566	587	630	657	664	570	666	638	600	579	584	577	618	0	-50
MEAN PRECIP (IN)	3.34	3.12	1.85	2.41	3.01	2.96	2.89	2.35	3.18	2.64	2.73	3.76	34.2	3	1096
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					12	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	12.0	7.2	5.3	7.7	8.6	5.6	5.6	4.3	6.7	6.7	8.0	9.3	97.0	3	1096
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0	0.0					12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.4	5.2	4.3	3.1	2.8	3.1	2.4	2.0	0.9	2.1	2.6	5.0	39.9	9	3284
MEAN NO DYS TSTMS	0.0	0.1	0.4	1.4	2.2	5.1	4.2	4.9	3.4	1.2	0.1	0.0	23.0	9	3282
P FREQ WND SPD = OR GTR 17 KTS	15.3	11.9	13.5	11.4	7.2	5.5	2.4	2.8	6.7	8.7	18.2	16.4	10.0	9	78774
P FREQ WND SPD = OR GTR 28 KTS	1.0	0.6	1.1	0.7	0.5	0.3	0.0	0.0	0.2	0.3	2.1	0.8	0.6	9	78774
P FREQ LES 5000 FT A/O LES 5 MI	69.3	59.9	45.5	33.4	20.6	23.8	19.5	25.0	30.8	39.1	65.1	72.7	42.1	9	78771
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	30.3	24.0	19.1	15.7	9.3	12.2	10.3	11.8	7.8	14.3	21.8	28.3	17.1	9	9853
03-05 LST	32.7	26.0	21.1	15.7	8.6	13.8	12.1	15.4	9.6	15.5	21.1	27.2	18.2	9	9855
06-08 LST	35.1	25.8	23.9	20.4	12.8	18.1	14.4	15.8	13.1	17.6	22.5	28.4	20.7	12	10949
09-11 LST	42.9	30.1	25.4	19.5	11.8	16.0	11.3	10.1	13.3	16.1	23.7	35.3	21.3	9	9839
12-14 LST	40.0	28.3	21.0	17.0	9.1	8.1	7.9	7.3	10.1	13.9	23.1	30.7	18.0	9	9843
15-17 LST	36.4	28.5	20.4	15.3	6.6	6.2	5.0	6.1	9.5	10.3	21.6	32.4	16.5	9	9851
18-20 LST	27.0	26.4	16.5	16.5	4.9	7.0	4.1	7.3	6.5	11.9	16.6	29.6	14.5	9	9853
21-23 LST	28.0	25.3	16.0	14.7	9.0	8.9	6.6	7.4	6.3	13.4	18.6	27.2	15.1	9	9855
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	8.7	8.3	5.3	3.7	4.3	3.7	3.8	3.5	1.5	3.3	3.2	6.6	4.7	9	9853
03-05 LST	9.4	6.8	5.4	5.3	4.9	5.7	3.7	5.0	1.2	3.1	4.7	6.4	5.1	9	9855
06-08 LST	10.5	7.1	6.5	7.2	3.7	5.1	3.3	3.0	1.7	2.6	5.2	6.9	5.2	12	10949
09-11 LST	13.4	9.2	5.7	3.6	1.7	2.4	0.0	1.1	0.5	1.2	4.1	10.3	4.4	9	9839
12-14 LST	12.3	8.0	6.0	1.5	0.7	0.6	0.4	0.5	0.1	0.2	4.2	8.6	3.6	9	9843
15-17 LST	9.1	9.1	5.5	1.5	0.5	0.5	0.0	0.0	0.4	0.7	4.0	7.7	3.3	9	9851
18-20 LST	6.8	8.0	3.5	3.6	1.0	1.1	0.8	0.5	0.6	1.2	3.7	7.4	3.2	9	9853
21-23 LST	6.7	7.2	3.0	3.5	2.7	3.0	1.6	1.3	0.6	2.7	2.1	6.0	3.4	9	9855

WIARTON, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	24.0	21.6	26.9	26.1	29.9	28.5	30.2	29.3	28.7	27.7	26.1	24.2	323.2	9	3286
	01 LST	23.1	23.0	26.2	26.1	28.1	26.2	27.7	27.8	28.3	26.9	24.8	23.7	311.9	9	3286
	07 LST	21.6	22.5	24.6	24.7	27.7	25.4	26.8	26.7	26.6	25.7	24.8	24.6	301.7	12	4381
	13 LST	20.8	21.4	26.0	25.9	29.4	28.2	29.3	29.9	28.3	28.3	25.0	22.7	315.2	9	3286
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	10.1	13.4	15.7	17.2	21.8	21.7	26.4	24.2	21.1	17.8	11.1	9.5	210.0	9	3286
	01 LST	10.1	12.5	13.8	16.5	21.0	19.2	22.3	21.3	18.5	14.9	10.1	8.0	188.2	9	3286
	07 LST	9.1	11.7	14.2	13.7	17.6	17.4	21.0	20.2	16.7	13.8	8.5	8.3	172.2	12	4381
	13 LST	7.9	10.2	10.9	10.0	13.4	14.4	17.0	14.9	11.1	11.5	7.4	8.3	137.0	9	3286
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	5.5	2.6	3.6	2.4	1.9	1.6	0.2	0.3	1.4	2.2	5.5	5.6	32.8	9	3012
	01 LST	4.7	3.6	2.4	2.5	1.2	0.7	0.1	0.8	1.5	1.6	5.4	5.2	29.7	9	3002
	07 LST	4.0	1.8	3.0	2.1	1.4	0.8	0.3	0.4	1.1	2.0	4.0	4.9	25.8	12	4095
	13 LST	5.6	3.4	5.3	5.2	4.0	2.6	1.9	0.7	4.3	3.8	6.8	4.6	48.2	9	3059
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	1.8	2.9	4.8	12.4	16.5	15.3	18.5	17.7	17.4	16.8	8.4	3.9	136.4	9	3012
	01 LST	1.7	1.7	3.1	11.3	16.0	15.4	18.9	19.0	17.8	17.2	9.2	4.3	135.6	9	3002
	07 LST	1.3	1.1	1.4	10.7	15.2	14.9	17.4	18.2	17.4	15.4	7.8	3.5	124.3	12	4094
	13 LST	1.9	2.8	7.7	12.8	16.6	17.6	19.4	20.5	15.7	16.7	8.1	4.2	144.0	9	3059
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	5.1	5.5	8.5	7.3	9.6	8.3	10.7	11.7	10.2	12.6	5.2	3.7	98.4	9	3286
	01 LST	5.1	6.4	11.5	11.9	15.0	14.0	17.4	16.1	13.1	12.9	4.0	3.7	131.1	9	3286
	07 LST	2.8	5.1	7.7	7.7	9.1	10.4	11.8	11.4	9.0	7.3	3.4	2.7	88.4	12	4381
	13 LST	3.1	3.6	5.9	7.7	8.9	8.0	10.2	9.4	6.0	7.0	2.4	1.0	73.2	9	3286
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	17.9	17.9	22.0	24.0	28.4	27.5	29.1	27.9	26.3	25.5	20.4	16.2	283.6	9	3286
	01 LST	15.9	17.4	23.0	23.8	27.4	25.2	27.1	26.0	26.4	25.5	21.1	16.9	275.7	9	3286
	07 LST	13.6	16.3	21.1	20.9	25.4	23.4	25.2	24.1	23.1	21.6	19.4	15.9	250.0	12	4381
	13 LST	13.4	16.1	20.1	22.4	26.7	26.1	27.2	26.9	23.6	24.0	17.9	15.4	259.8	9	3286
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	11.3	11.9	17.9	20.4	25.3	25.0	26.3	24.6	21.1	21.4	11.1	8.5	224.8	9	3286
	01 LST	9.6	11.8	17.2	20.0	24.1	23.3	25.6	23.2	21.9	20.4	9.8	8.0	214.9	9	3286
	07 LST	7.8	11.5	16.1	17.5	22.9	21.1	23.6	22.2	19.1	16.2	10.7	6.1	194.8	12	4381
	13 LST	9.1	11.2	14.7	18.5	24.0	23.4	24.8	23.8	18.4	18.0	10.2	9.1	205.2	9	3286
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	9.9	10.5	15.9	17.9	21.9	21.5	24.3	22.9	17.8	19.3	9.5	7.1	198.5	9	3286
	01 LST	8.6	10.2	15.4	17.6	21.5	21.3	23.3	21.4	19.9	18.2	8.5	6.9	192.8	9	3286
	07 LST	6.6	9.9	14.9	15.6	19.8	18.2	21.6	20.4	17.2	15.0	8.9	5.1	173.2	12	4381
	13 LST	8.3	9.9	13.2	17.1	20.2	21.0	23.2	22.0	16.1	16.1	8.6	7.3	183.0	9	3286

BONNECHERE, CANADA

STA NO. 72634/ (IN AREA NUMBER 10)

LATITUDE 4540N

LONGITUDE 07736W

ELEVATION(FT) 00595

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	61	54	79	86	92	95	95	98	94	86	75	59	98	20	-72629
MEAN MAX TMP (F)	21	24	36	50	65	75	79	77	68	57	41	27	52	12	-72629
MEAN MIN TMP (F)	0	1	14	29	41	51	54	52	43	34	25	8	29	12	-72629
ABS MIN TMP (F)	-42	-42	-39	0	19	25	33	29	18	11	-16	-41	-42	20	-72629
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.4	1.4	2.0	1.6	0.6	0.0	0.0	0.0	6.0	9	-72629
MEAN NO DYS TMP = OR LES 32(F)	30.1	27.9	29.5	18.8	9.4	0.5	0.0	0.2	5.4	13.1	20.3	28.7	183.9	9	-72629
MEAN NO DYS TMP = OR LES 0(F)	15.3	12.5	7.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	6.8	44.4	9	-72629
MEAN DEW PT TMP (F)	8	9	19	30	43	55	59	57	49	40	29	14	34	10	-72629
MEAN REL HUM (PCT)	85	83	74	68	68	72	73	76	80	79	81	82	77	0	-50
MEAN PRESS ALT (FT)	479	496	517	538	550	584	591	549	517	505	521	512	530	12	-72629
MEAN PRECIP (IN)	1.79	1.56	1.77	1.94	3.08	2.25	3.09	2.57	2.87	2.12	2.18	2.07	27.3	12	-72629
MEAN SNOW FALL (IN)	15.4	14.7	12.4	5.5	0.1	0.0	0.0	0.0	0.0	0.3	8.2	15.5	72.1	12	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.5	4.9	5.3	5.7	8.1	5.6	6.8	6.1	6.6	5.3	5.4	6.3	71.6	12	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.3	3.1	2.6	1.1	0.0	0.0	0.0	0.0	0.0	0.0	1.7	3.3	15.1	0	0
MEAN NO DYS W/OCUM V5BY LES 1/2 MI	0.0	0.0	0.0	1.0	1.0	4.0	5.0	3.0	2.0	1.0	0.0	0.0	17.0	8	-72629
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 3 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	14.1	17.7	11.7	10.8	6.5	8.4	4.7	4.5	12.1	15.0	15.1	18.3	11.6	9	-72629
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.0	4.9	4.4	2.5	0.4	1.3	0.0	1.6	3.8	2.8	3.8	5.7	2.9	9	-72629
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BONNECHERE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	27.9	23.9	27.6	28.0	29.6	28.4	29.8	29.2	26.2	25.9	26.9	26.4	329.8	9	-72629
	13 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST														0	0
	01 LST														0	0
	07 LST	20.7	19.6	22.7	21.5	24.4	23.1	27.0	27.8	22.1	21.1	19.4	18.5	267.9	9	-72629
	13 LST														0	0
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	0.4	0.4	0.2	0.1	0.1	0.4	0.0	0.0	0.0	0.2	0.6	0.2	2.6	9	-72629
	13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	0.7	0.6	1.4	8.0	14.0	15.9	14.4	12.6	12.7	12.6	6.8	2.1	101.8	9	-72629
	13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	9.0	9.0	11.0	9.5	10.6	10.1	13.0	12.9	9.2	7.5	4.3	7.7	113.8	9	-72629
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	22.0	19.9	24.5	23.7	26.1	25.0	28.0	27.1	22.4	21.3	19.7	20.6	280.3	9	-72629
	13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	16.1	15.2	19.9	18.4	20.7	20.7	23.1	23.5	17.9	15.7	11.9	13.9	217.0	9	-72629
	13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	15.1	14.0	18.7	16.6	19.6	19.3	22.4	22.1	16.6	14.5	10.8	12.6	202.3	9	-72629
	13 LST														0	0

PETERBOROUGH, CANADA

STA NO. 72642/ (IN AREA NUMBER 10)

LATITUDE 4414N

LONGITUDE 07821W

ELEVATION(FT) 00625

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	56	57	77	86	95	98	102	99	99	87	75	59	107	90	-110
MEAN MAX TMP (F)	27	26	37	53	66	76	81	79	71	58	43	30	54	55	-105
MEAN MIN TMP (F)	8	6	18	32	43	52	57	54	48	37	26	13	33	55	-105
ABS MIN TMP (F)	-36	-38	-24	-4	18	29	34	27	18	6	-19	-39	-39	90	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.3	1.5	1.4	0.6	0.1	0.0	0.0	3.9	12	-72625
MEAN NO DYS TMP = OR LES 32(F)	30.0	26.6	27.9	11.8	3.5	0.0	0.0	0.0	1.7	8.3	19.6	28.1	157.5	12	-72625
MEAN NO DYS TMP = OR LES 0(F)	8.5	6.4	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.4	5.1	22.2		12	-72625
MEAN DEW PT TMP (F)	14	17	22	35	44	56	59	58	51	42	32	19	37	10	-72625
MEAN REL HUM (PCT)	82	81	76	73	72	77	75	76	80	80	82	84	78	10	-72625
MEAN PRESS ALT (FT)	475	496	535	560	560	575	571	538	502	481	489	489	523	0	-50
MEAN PRECIP (IN)	2.73	2.39	2.69	2.22	2.63	2.83	2.93	2.59	2.81	2.59	2.72	2.58	31.7	60	-105
MEAN SNOW FALL (IN)	19.0	16.9	13.3	3.6	0.2	0.0	0.0	0.0	0.0	0.8	6.8	15.7	76.3	60	-105
MEAN NO DYS PKCP = OR GTR 0.1 IN	7.8	7.0	7.3	6.3	7.2	6.5	6.6	6.1	6.5	6.1	6.3	7.5	81.2	60	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	4.1	3.6	2.8	0.7	0.0	0.0	0.0	0.0	0.0	0.1	1.3	3.4	16.0	60	-29
MEAN NO DYS W/OCUM VSR/ LES 1/2 MI	3.2	3.6	2.5	2.0	1.2	1.5	1.8	2.7	3.1	3.1	3.0	3.2	30.9	10	-72625
MEAN NO DYS TSTMS	0.0	0.0	0.3	1.3	2.0	3.9	3.9	4.2	3.2	1.6	0.2	0.2	20.8	10	-72625
P FREQ WND SPD = OR GTR 17 KTS	4.9	4.3	6.9	5.4	2.7	1.8	0.7	0.7	1.1	2.2	5.0	3.1	3.2	10	-72625
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.1	0.2	0.1	0.2	0.0	0.0	0.0	0.0	0.1	0.4	0.0	0.1	10	-72625
P FREQ LES 5000 FT A/O LES 5 MI	46.1	45.2	38.4	36.1	24.4	26.0	22.4	24.9	31.8	36.9	51.2	49.7	36.1	10	-72625
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	17.4	16.6	12.9	11.5	6.5	6.0	6.8	7.5	11.1	14.3	17.2	19.4	12.3	10	-72625
03-05 LST	16.8	17.5	12.5	13.6	9.8	13.5	9.3	13.4	15.9	17.6	18.4	19.1	14.8	9	-72625
06-08 LST	18.5	22.4	16.0	16.6	10.2	9.3	8.4	14.4	17.1	20.5	20.9	20.0	16.2	12	-72625
09-11 LST	18.3	21.7	18.3	13.7	9.1	6.3	3.6	6.5	9.6	15.9	19.3	18.5	13.4	9	-72625
12-14 LST	14.7	16.2	15.6	12.0	6.6	3.8	2.4	5.7	6.0	8.2	15.8	18.0	10.4	10	-72625
15-17 LST	16.1	15.9	13.1	11.2	4.7	2.6	0.8	4.1	5.5	8.5	14.0	17.4	9.5	9	-72625
18-20 LST	16.2	16.3	11.9	11.5	4.1	4.3	2.6	4.9	5.7	9.4	12.6	15.0	9.5	10	-72625
21-23 LST	17.8	15.4	11.1	9.4	5.4	4.2	3.6	4.4	7.7	10.4	14.9	17.5	10.2	9	-72625
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	3.7	5.9	1.5	2.7	0.7	2.0	2.3	2.0	4.5	4.9	4.6	5.9	3.4	10	-72625
03-05 LST	3.7	6.2	2.3	5.1	2.7	4.0	4.8	6.0	7.1	6.6	5.3	6.9	5.1	9	-72625
06-08 LST	5.3	7.6	4.7	4.6	1.0	0.8	1.9	3.5	6.1	6.8	6.2	5.6	4.5	12	-72625
09-11 LST	4.5	5.2	3.7	1.5	0.5	3.2	0.0	0.2	1.5	1.8	4.1	6.2	2.5	9	-72625
12-14 LST	4.0	5.2	3.9	0.9	0.4	0.2	0.0	0.0	0.0	1.1	1.9	5.3	1.9	10	-72625
15-17 LST	3.7	3.8	3.3	1.0	0.1	0.1	0.0	0.5	0.0	1.1	1.9	6.0	1.8	9	-72625
18-20 LST	5.2	4.4	3.0	1.2	0.1	0.1	0.5	0.2	0.0	1.6	1.9	3.2	1.8	10	-72625
21-23 LST	4.8	5.5	1.7	1.4	0.6	0.6	0.4	0.6	2.0	3.2	3.0	4.2	2.3	9	-72625

PETERBOROUGH, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	26.8	24.3	28.0	27.4	30.0	28.5	30.3	29.4	28.5	28.9	27.1	27.1	336.3	10	-72625
	01 LST	26.6	23.7	27.0	27.4	29.6	28.4	29.2	29.1	26.9	26.4	25.3	25.6	325.2	10	-72625
	07 LST	26.1	22.1	26.6	26.3	28.1	27.5	27.8	25.5	24.0	24.8	24.5	25.5	308.8	12	-72625
	13 LST	27.1	23.2	27.2	27.9	30.0	29.2	30.8	30.0	28.7	28.9	26.4	26.2	335.6	10	-72625
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	18.5	17.6	18.5	18.3	23.2	23.9	26.0	27.9	25.2	24.1	19.9	19.0	262.1	10	-72625
	07 LST	17.8	18.6	19.7	19.8	26.8	26.3	28.3	27.2	24.6	23.4	18.1	19.1	269.7	10	-72625
	01 LST	17.8	18.6	19.7	19.8	26.8	26.3	28.3	27.2	24.6	23.4	18.1	19.1	269.7	10	-72625
	13 LST	14.7	12.3	13.9	10.8	14.5	20.2	20.0	21.1	18.0	16.6	12.3	14.3	188.7	12	-72625
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	1.4	1.0	1.6	0.7	0.9	0.5	0.0	0.0	0.2	0.4	1.2	0.7	8.6	10	-72625
	01 LST	1.5	0.9	0.7	0.6	0.0	0.0	0.0	0.1	0.1	0.2	0.9	0.7	5.7	10	-72625
	07 LST	1.4	0.6	1.0	0.5	0.1	0.2	0.0	0.1	0.1	0.2	1.0	0.7	5.9	12	-72625
	13 LST	1.5	1.1	2.7	3.5	2.0	1.2	0.6	0.2	1.0	1.8	2.6	1.9	20.1	10	-72625
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	2.3	3.4	7.6	18.0	19.3	18.2	19.5	15.8	15.4	13.9	10.5	4.6	148.5	10	-72625
	01 LST	2.8	2.5	4.6	12.8	12.8	10.4	8.1	8.4	10.0	11.1	10.1	5.0	98.6	10	-72625
	07 LST	1.9	2.4	3.8	12.0	15.8	13.5	12.4	10.3	10.8	11.7	8.6	3.0	106.2	12	-72625
	13 LST	4.1	5.9	11.5	14.6	19.1	21.1	20.2	21.5	18.9	18.9	13.5	6.4	175.7	10	-72625
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	10.9	10.5	10.4	8.2	9.5	8.9	8.4	10.4	11.3	14.1	9.1	8.0	119.7	10	-72625
	01 LST	9.5	9.8	12.1	13.2	16.3	15.1	17.2	15.7	14.9	13.9	6.9	9.0	153.6	10	-72625
	07 LST	9.1	7.7	9.6	8.6	9.2	10.4	12.2	10.0	10.9	7.9	4.7	7.3	107.6	12	-72625
	13 LST	8.4	6.6	6.8	6.5	5.5	6.0	4.4	5.4	6.2	8.5	4.2	6.0	74.5	10	-72625
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	23.0	22.3	25.9	25.1	29.4	27.5	29.9	29.2	27.5	27.4	24.9	23.8	315.9	10	-72625
	01 LST	22.3	21.9	25.6	24.5	28.4	27.4	28.6	28.4	25.7	25.3	23.4	23.3	304.8	10	-72625
	07 LST	22.4	19.2	24.1	23.0	26.1	25.6	26.4	23.7	22.7	22.7	21.8	21.5	279.2	12	-72625
	13 LST	23.8	20.9	23.8	24.2	27.9	28.0	29.6	28.8	27.0	26.5	23.2	22.9	306.6	10	-72625
CIG = GTR 6700 FT AND VSBY = GTR 3 MI	19 LST	16.5	17.3	20.5	19.4	24.0	23.9	25.6	26.5	23.0	22.5	17.4	15.9	252.5	10	-72625
	01 LST	16.2	15.7	19.6	20.3	25.1	24.9	26.1	25.6	22.5	21.0	15.4	15.4	247.8	10	-72625
	07 LST	15.5	13.4	18.6	18.1	23.1	22.3	23.9	21.4	20.0	17.4	13.1	13.7	220.5	12	-72625
	13 LST	17.0	16.0	17.1	16.9	20.2	20.1	20.2	20.6	18.7	18.7	13.2	15.4	214.1	10	-72625
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	15.1	15.5	17.9	17.1	19.7	22.2	23.3	24.3	20.8	20.3	14.6	13.5	224.3	10	-72625
	01 LST	13.3	13.8	17.1	18.1	22.5	22.1	23.7	22.9	19.9	19.2	12.9	13.2	218.7	10	-72625
	07 LST	14.4	11.5	16.2	15.5	19.7	19.4	21.6	18.7	17.8	14.4	10.9	11.7	191.8	12	-72625
	13 LST	15.1	14.1	15.2	15.5	16.9	18.3	18.8	18.8	17.0	16.9	11.4	13.1	191.1	10	-72625

PICTON, CANADA

STA NO. 72647/ (IN AREA NUMBER 10)

LATITUDE 4359N

LONGITUDE 07708W

ELEVATION(FT) 00465

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	085
ABS MAX TMP (F)	55	58	79	88	92	95	98	98	97	94	75	58	98	20	-72625
MEAN MAX TMP (F)	27	30	36	53	64	74	80	78	70	59	44	31	54	12	-72625
MEAN MIN TMP (F)	9	12	20	34	43	53	57	55	48	38	29	16	35	12	-72625
ABS MIN TMP (F)	-31	-32	-26	5	24	30	38	34	24	15	-6	-31	-32	20	-72625
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.3	1.5	1.4	0.6	0.1	0.0	0.0	3.9	12	-72625
MEAN NO DYS TMP = OR LES 32(F)	30.0	26.6	27.9	11.8	3.5	0.0	0.0	0.0	1.7	8.3	19.6	28.1	157.5	12	-72625
MEAN NO DYS TMP = OR LES 0(F)	8.5	6.4	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.4	5.1	22.2		12	-72625
MEAN DEW PT TMP (F)	14	17	22	35	44	56	59	58	51	42	32	19	37	10	-72625
MEAN REL HUM (PCT)	82	81	76	73	72	77	75	76	80	80	82	84	78	10	-72625
MEAN PRESS ALT (FT)	320	343	382	404	402	420	415	381	346	325	334	337	367	0	-90
MEAN PRECIP (IN)	2.88	1.96	2.66	2.23	3.45	2.00	3.59	2.18	2.49	2.70	2.73	2.62	31.5	11	-72625
MEAN SNOW FALL (IN)	20.8	14.0	13.4	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.7	73.8	11	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.1	6.0	7.3	6.4	8.8	5.2	7.5	5.5	5.9	6.3	6.3	7.5	80.8	11	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	4.5	3.0	2.9	0.7	0.0	0.0	0.0	0.0	0.0	0.0	1.6	2.9	15.6	10	-72625
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.2	3.6	2.5	2.0	1.2	1.5	1.8	2.7	3.1	3.1	3.0	3.2	30.9	10	-72625
MEAN NO DYS TSTMS	0.0	0.0	0.3	1.3	2.0	3.9	3.9	4.2	3.2	1.6	0.2	0.2	20.8	10	-72625
P FREQ WND SPD = OR GTR 17 KTS	4.9	4.3	6.9	5.4	2.7	1.8	0.7	0.7	1.1	2.2	5.0	3.1	3.2	10	-72625
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.1	0.2	0.1	0.2	0.0	0.0	0.0	0.0	0.1	0.4	0.0	0.1	10	-72625
P FREQ LES 5000 FT A/O LES 5 MI	46.1	45.2	38.4	36.1	24.4	26.0	22.4	24.9	31.8	36.9	51.2	49.7	36.1	10	-72625
P FREQ LES 1500 FT A/O LES 3 MI														10	-72625
FOR 00-02 LST	17.4	16.6	12.9	11.5	6.5	6.0	6.8	7.5	11.1	14.3	17.2	19.4	12.3	9	-72625
03-05 LST	16.8	17.5	12.5	13.6	9.8	13.5	9.3	13.4	15.9	17.6	18.4	19.1	14.8	12	-72625
06-08 LST	18.5	22.4	16.0	16.6	10.2	9.3	8.4	14.4	17.1	20.5	20.9	20.0	16.2	9	-72625
09-11 LST	18.3	21.7	18.3	13.7	9.1	6.3	3.6	6.5	9.6	15.9	19.3	18.5	13.4	10	-72625
12-14 LST	14.7	16.2	15.6	12.0	6.6	3.8	2.4	5.7	6.0	8.2	15.8	18.0	10.4	9	-72625
15-17 LST	16.1	15.9	13.1	11.2	4.7	2.6	0.8	4.1	5.5	8.5	14.0	17.4	9.5	10	-72625
18-20 LST	16.2	16.3	11.9	11.5	4.1	4.3	2.6	4.9	5.7	9.4	12.6	15.0	9.5	10	-72625
21-23 LST	17.8	15.4	11.1	9.4	5.4	4.2	3.6	4.4	7.7	10.4	14.9	17.5	10.2	9	-72625
P FREQ LES 300 FT A/O LES 1 MI														10	-72625
FOR 00-02 LST	3.7	5.9	1.5	2.7	0.7	2.0	2.3	2.0	4.5	4.9	4.6	5.9	3.4	9	-72625
03-05 LST	3.7	6.2	2.3	5.1	2.7	4.0	4.8	6.0	7.1	6.6	5.3	6.9	5.1	12	-72625
06-08 LST	5.3	7.6	4.7	4.6	1.0	0.8	1.9	3.5	6.1	6.8	6.2	5.6	4.5	9	-72625
09-11 LST	4.5	5.2	3.7	1.5	0.5	0.2	0.0	0.2	1.5	1.8	4.1	6.2	2.5	10	-72625
12-14 LST	4.0	5.2	3.9	0.9	0.4	0.2	0.0	0.0	0.0	1.1	1.9	5.3	1.9	9	-72625
15-17 LST	3.7	3.8	3.3	1.0	0.1	0.1	0.0	0.5	0.0	1.1	1.9	3.2	1.8	10	-72625
18-20 LST	5.2	4.4	3.0	1.2	0.1	0.1	0.5	0.2	0.0	1.6	1.9	3.2	1.8	9	-72625
21-23 LST	4.8	5.5	1.7	1.4	0.6	0.6	0.4	0.6	2.0	3.2	3.0	4.2	2.3		

PICTON, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	26.8	24.3	28.0	27.4	30.0	28.5	30.3	29.4	28.5	28.9	27.1	27.1	336.3	10	-72625
	01 LST	26.6	23.7	27.0	27.4	29.6	28.4	29.2	29.1	26.9	26.4	25.3	25.6	325.2	10	-72625
	07 LST	26.1	22.1	26.6	26.3	28.1	27.5	27.8	25.5	24.0	24.8	24.5	25.5	308.8	12	-72625
	13 LST	27.1	23.2	27.2	27.9	30.0	29.2	30.8	30.0	28.7	28.9	26.4	26.2	335.6	10	-72625
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	18.5	17.6	18.5	18.3	23.2	23.9	26.0	27.9	25.2	24.1	19.9	19.0	262.1	10	-72625
	01 LST	17.8	18.6	19.7	19.8	26.8	26.3	28.3	27.2	24.6	23.4	18.1	19.1	269.7	10	-72625
	07 LST	18.3	16.7	18.7	18.3	23.9	23.4	26.0	23.0	21.8	20.9	18.8	18.5	248.3	12	-72625
	13 LST	14.7	12.3	13.9	10.8	14.5	20.2	20.0	21.1	18.0	16.6	12.3	14.3	188.7	10	-72625
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	1.4	1.0	1.6	0.7	0.9	0.5	0.0	0.0	0.2	0.4	1.2	0.7	8.6	10	-72625
	01 LST	1.5	0.9	0.7	0.6	0.0	0.0	0.0	0.1	0.1	0.2	0.9	0.7	5.7	10	-72625
	07 LST	1.4	0.6	1.0	0.5	0.1	0.2	0.0	0.1	0.1	0.2	1.0	0.7	5.9	12	-72625
	13 LST	1.5	1.1	2.7	3.5	2.0	1.2	0.6	0.2	1.0	1.8	2.6	1.9	20.1	10	-72625
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	2.3	3.4	7.6	18.0	19.3	18.2	19.5	15.8	15.4	13.9	10.5	4.6	148.5	10	-72625
	01 LST	2.8	2.5	4.6	12.8	12.8	10.4	8.1	6.4	10.0	11.1	10.1	5.0	98.6	10	-72625
	07 LST	1.9	2.4	3.8	12.0	15.8	13.5	12.4	10.3	10.8	11.7	8.6	3.0	106.2	12	-72625
	13 LST	4.1	5.9	11.5	14.6	19.1	21.1	20.2	21.5	18.9	18.9	13.5	6.4	175.7	10	-72625
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	10.9	10.5	10.4	8.2	9.5	8.9	8.4	10.4	11.3	14.1	9.1	8.0	119.7	10	-72625
	01 LST	9.5	9.8	12.1	13.2	16.3	15.1	17.2	15.7	14.9	13.9	6.9	9.0	153.6	10	-72625
	07 LST	9.1	7.7	9.6	8.6	9.2	10.4	12.2	10.0	10.9	7.9	4.7	7.3	107.6	12	-72625
	13 LST	8.4	6.6	6.8	6.5	5.5	6.0	4.4	5.4	6.2	8.5	4.2	6.0	74.5	10	-72625
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	23.0	22.3	25.9	25.1	29.4	27.5	29.9	29.2	27.5	27.4	24.9	23.8	315.9	10	-72625
	01 LST	22.3	21.9	25.6	24.5	28.4	27.4	28.6	28.4	25.7	25.3	23.4	23.3	304.8	10	-72625
	07 LST	22.6	19.2	24.1	23.0	26.1	25.6	26.4	23.7	22.7	22.7	21.8	21.5	279.2	12	-72625
	13 LST	23.8	20.9	23.8	24.2	27.9	28.0	29.6	28.8	27.0	26.5	23.2	22.9	306.6	10	-72625
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	16.5	17.3	20.5	19.4	24.0	23.9	25.6	26.5	23.0	22.5	17.4	15.9	252.5	10	-72625
	01 LST	16.2	15.7	19.6	20.3	25.1	24.9	26.1	25.6	22.5	21.0	15.4	15.4	247.8	10	-72625
	07 LST	15.5	13.4	18.6	18.1	23.1	22.3	23.9	21.4	20.0	17.4	13.1	13.7	220.5	12	-72625
	13 LST	17.0	16.0	17.1	16.9	20.2	20.1	20.2	20.6	18.7	18.7	13.2	15.4	214.1	10	-72625
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	15.1	15.5	17.9	17.1	19.7	22.2	23.3	24.3	20.8	20.3	14.6	13.5	224.3	10	-72625
	01 LST	13.3	13.8	17.1	18.1	22.5	22.1	23.7	22.9	19.9	19.2	12.9	13.2	218.7	10	-72625
	07 LST	14.4	11.5	16.2	15.5	19.7	19.4	21.6	18.7	17.8	14.4	10.9	11.7	191.8	12	-72625
	13 LST	15.1	14.1	15.2	15.5	16.9	18.3	18.8	18.8	17.0	16.9	11.4	13.1	191.1	10	-72625

BRANTFORD, CANADA

STA NO. 72649/ (IN AREA NUMBER 10)

LATITUDE 4308N

LONGITUDE 08021W

ELEVATION(FT) 00815

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	65	60	70	89	95	98	105	102	100	89	78	64	105	60	-110
MEAN MAX TMP (F)	29	28	39	53	67	77	82	79	72	59	44	33	55	51	-105
MEAN MIN TMP (F)	14	11	22	33	44	53	58	55	49	38	29	19	35	51	-105
ABS MIN TMP (F)	-29	-30	-18	3	24	29	38	35	25	12	-2	-22	-30	60	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.9	1.6	1.8	0.4	0.0	0.0	0.0	4.7	9	-72623
MEAN NO DYS TMP = OR LES 32(F)	30.6	26.1	26.6	14.3	2.5	0.0	0.0	0.0	0.5	3.6	16.9	27.2	148.3	9	-72623
MEAN NO DYS TMP = OR LES 0(F)	4.1	3.2	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	10.0	9	-72623
MEAN DEW PT TMP (F)	20	19	26	35	47	58	61	60	53	44	34	23	40	10	-72623
MEAN REL HUM (PCT)	87	86	79	74	73	75	73	75	78	81	85	86	79	10	-72623
MEAN PRESS ALT (FT)	670	687	718	747	755	767	765	732	699	681	695	686	717	0	-50
MEAN PRECIP (IN)	2.61	2.12	2.16	2.54	2.90	2.65	3.05	2.93	2.63	2.47	2.40	2.24	30.7	51	-105
MEAN SNOW FALL (IN)	12.4	12.0	6.6	1.2	0.1	0.0	0.0	0.0	0.0	0.2	3.0	8.4	43.9	51	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.5	6.4	6.2	7.0	7.8	6.2	6.8	6.6	6.2	5.9	5.8	6.7	79.1	51	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.6	2.5	1.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.7	8.7	51	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	1.0	2.0	3.0	4.0	7.0	4.0	4.0	1.0	0.0	0.0	26.0	8	-72623
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	34.3	33.2	31.0	25.0	18.5	18.3	14.0	20.6	19.7	19.4	24.3	33.3	24.3	9	-72623
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	10.5	9.7	9.3	6.7	5.2	2.5	3.6	4.5	7.1	4.5	7.9	7.3	6.6	9	-72623
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BRANTFORD, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	21.0	18.9	21.6	23.0	24.7	23.5	23.0	19.4	20.3	21.9	22.4	21.4	261.1	9 -72623
	13 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	19 LST													0	0
	01 LST													0	0
	07 LST	8.7	7.8	10.6	12.9	13.6	16.6	18.3	17.2	15.7	15.3	11.3	9.2	157.2	9 -72623
	13 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST	2.5	1.7	2.9	2.1	2.4	0.2	0.7	0.1	0.2	0.6	2.5	2.1	18.0	9 -72623
	13 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST	0.5	0.7	2.9	8.7	16.6	17.6	18.5	16.7	16.9	17.7	7.4	2.4	126.6	9 -72623
	13 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	7.3	6.2	7.6	8.3	10.4	11.6	10.2	10.1	10.5	8.4	5.3	5.9	101.8	9 -72623
	13 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	14.7	13.7	17.4	19.5	23.1	21.4	21.9	18.9	18.6	18.9	16.4	14.8	219.3	9 -72623
	13 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	11.2	10.8	14.5	16.9	19.9	18.6	20.3	17.4	16.7	15.8	10.8	10.1	183.0	9 -72623
	13 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	10.9	10.5	13.6	15.5	19.2	18.0	19.3	16.8	15.9	14.9	9.5	9.7	173.8	9 -72623
	13 LST													0	0

BUTTONVILLE, CANADA

STA NO. 72653/ (IN AREA NUMBER 10)

LATITUDE 4352N

LONGITUDE 07922W

ELEVATION(FT) 00650

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	61	55	80	90	93	97	105	102	98	86	77	61	105	99	-72624
MEAN MAX TMP (F)	30	30	37	50	63	73	79	77	69	56	43	33	53	99	-72624
MEAN MIN TMP (F)	16	15	23	34	44	54	59	58	51	40	31	21	37	99	-72624
ABS MIN TMP (F)	-26	-25	-17	5	25	28	39	40	28	16	-5	-22	-26	99	-72624
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.4	2.0	1.7	1.5	0.0	0.0	0.0	6.6	12	-72624
MEAN NO DYS TMP = OR LES 32(F)	29.1	25.7	27.1	10.7	1.6	0.0	0.0	0.0	0.2	4.2	16.5	26.8	141.9	12	-72624
MEAN NO DYS TMP = OR LES 0(F)	3.4	2.9	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	8.3	10	-72624
MEAN DEW PT TMP (F)	19	20	25	35	43	54	58	57	51	42	33	23	30	10	-72624
MEAN REL HUM (PCT)	74	73	69	65	64	68	68	71	74	75	75	76	71	30	-72624
MEAN PRESS ALT (FT)	500	520	556	583	587	599	597	564	529	508	518	515	548	0	-50
MEAN PRECIP (IN)	2.71	2.43	2.58	2.48	2.91	2.67	2.95	2.73	2.90	2.43	2.76	2.63	32.2	94	-72624
MEAN SNOW FALL (IN)	16.0	15.3	10.7	2.8	0.1	0.0	0.0	0.0	0.0	0.4	4.2	12.4	61.9	99	-72624
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.7	7.1	7.1	6.9	7.8	6.2	5.6	6.3	6.6	5.8	6.4	7.6	82.1	99	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.4	3.3	2.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.6	12.7	99	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.6	3.3	2.8	3.3	1.6	0.9	0.7	1.3	2.3	4.4	3.7	3.9	31.8	10	-72624
MEAN NO DYS TSTMS	0.0	0.0	0.5	1.7	1.9	3.4	3.8	3.0	2.1	0.8	0.4	0.0	17.6	10	-72624
P FREQ WND SPD = OR GTR 17 KTS	13.2	13.7	17.8	14.8	8.6	7.4	5.8	3.4	7.0	8.9	16.6	13.0	10.9	10	-72624
P FREQ WND SPD = OR GTR 28 KTS	1.4	1.2	1.8	0.7	0.5	0.4	0.1	0.1	0.1	0.5	1.8	0.7	0.8	10	-72624
P FREQ LES 5000 FT A/O LES 5 MI	54.8	49.1	44.6	38.7	25.6	25.2	19.6	25.2	31.7	39.4	54.0	56.8	38.7	10	-72624
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	25.3	18.4	13.7	15.3	9.3	8.1	5.1	7.3	11.2	16.3	17.5	20.8	14.0	10	-72624
03-05 LST	26.0	19.3	15.1	18.5	13.9	12.1	7.9	12.7	14.2	18.3	17.8	21.0	16.4	9	-72624
06-08 LST	26.1	25.1	22.9	20.8	16.7	14.9	8.7	17.6	17.6	26.9	24.4	24.0	20.5	12	-72624
09-11 LST	26.0	25.5	22.3	18.4	9.8	8.9	4.7	11.2	12.8	20.1	24.6	29.3	17.8	9	-72624
12-14 LST	20.6	17.8	18.4	14.3	6.5	6.5	3.6	6.5	6.7	11.0	19.1	26.2	13.1	10	-72624
15-17 LST	23.2	20.6	17.0	13.7	5.6	5.4	3.1	6.0	4.8	12.5	18.6	22.1	12.7	9	-72624
18-20 LST	22.0	18.7	14.4	14.4	7.2	5.9	3.0	4.9	6.0	14.5	14.2	20.2	12.1	10	-72624
21-23 LST	22.8	18.2	12.4	13.2	6.7	7.0	3.8	4.9	8.6	15.3	14.8	20.4	12.3	9	-72624
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	6.9	4.4	3.3	3.8	3.0	1.5	1.1	1.6	3.2	5.3	2.8	5.5	3.5	10	-72624
03-05 LST	7.0	4.6	3.7	5.8	2.7	3.5	0.8	2.4	5.6	5.5	5.4	5.6	4.4	9	-72624
06-08 LST	6.7	6.1	6.2	6.2	3.1	2.6	0.8	3.1	6.0	9.0	7.6	6.6	5.3	12	-72624
09-11 LST	7.0	7.7	5.3	3.1	0.7	1.1	0.1	1.9	1.1	3.2	5.4	7.0	3.6	9	-72624
12-14 LST	5.8	4.6	3.5	2.1	1.0	0.4	0.1	0.8	0.2	1.2	3.2	5.5	2.4	10	-72624
15-17 LST	4.9	4.6	4.9	1.5	0.7	0.6	0.5	0.7	0.0	2.3	2.2	6.1	2.4	9	-72624
18-20 LST	5.7	4.3	2.6	3.5	1.6	0.4	0.5	0.4	0.5	3.1	1.9	4.6	2.4	10	-72624
21-23 LST	5.6	5.1	1.9	4.8	2.0	0.2	0.6	0.5	1.7	5.0	3.0	4.6	2.9	9	-72624

BUTTONVILLE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	25.4	23.6	27.1	25.8	29.1	28.4	30.2	29.6	28.4	26.8	26.4	25.8	326.6	10	-72624
	01 LST	24.9	23.6	27.3	25.9	28.6	28.2	29.6	29.2	27.1	26.3	25.4	25.8	321.9	10	-72624
	07 LST	25.4	21.4	23.8	24.4	25.1	26.0	27.9	25.3	24.7	23.0	22.7	25.2	294.9	12	-72624
	13 LST	25.5	23.6	26.4	26.3	29.5	28.2	30.3	29.8	28.5	27.9	25.4	24.6	326.0	10	-72624
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	12.5	14.0	13.8	14.1	17.9	19.7	20.4	22.4	20.9	20.1	13.1	13.1	202.0	10	-72624
	01 LST	12.2	14.4	16.1	16.7	23.0	24.0	25.5	26.0	21.8	21.2	14.8	12.9	228.6	10	-72624
	07 LST	13.1	12.0	13.0	14.0	16.4	18.6	21.9	20.9	19.8	16.6	12.4	12.3	191.0	12	-72624
	13 LST	7.6	6.7	6.6	6.5	9.0	9.9	10.7	11.9	10.3	9.1	6.5	7.3	102.1	10	-72624
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	3.9	2.1	4.4	3.6	1.6	1.5	0.8	0.7	1.0	1.2	3.9	3.3	28.0	10	-72624
	01 LST	3.6	1.9	4.3	2.1	0.3	0.7	0.2	0.1	0.3	1.0	2.8	3.4	20.7	10	-72624
	07 LST	2.8	2.5	2.9	3.0	1.2	1.5	0.6	0.2	0.3	0.8	3.5	2.5	21.8	12	-72624
	13 LST	5.9	6.6	8.4	8.1	6.3	5.4	4.5	2.2	5.2	6.4	9.5	7.2	75.7	10	-72624
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	2.5	3.5	8.2	16.7	18.0	21.2	21.7	20.9	20.2	19.0	12.0	5.9	169.8	10	-72624
	01 LST	2.3	1.3	4.3	12.5	19.5	16.6	18.4	16.6	14.7	17.5	10.8	3.6	138.1	10	-72624
	07 LST	1.6	1.6	3.0	10.5	14.9	14.3	14.2	14.1	15.3	14.2	8.8	3.7	116.2	12	-72624
	13 LST	3.4	4.3	6.7	11.9	13.7	13.6	13.8	15.2	13.1	14.7	8.9	5.6	124.9	10	-72624
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	7.3	7.2	9.6	6.8	8.4	7.3	7.2	9.9	11.2	11.4	5.3	8.2	99.8	10	-72624
	01 LST	6.9	7.7	11.2	11.8	14.8	11.9	16.1	16.3	15.3	13.5	5.9	6.3	137.7	10	-72624
	07 LST	5.6	5.0	7.0	7.6	7.5	8.9	12.6	10.6	9.6	8.1	3.4	6.0	91.9	12	-72624
	13 LST	5.6	5.2	5.4	4.7	5.8	5.4	5.2	4.4	6.4	8.0	2.8	4.3	63.2	10	-72624
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	20.4	21.3	24.3	23.6	28.1	27.5	29.8	28.9	27.2	25.9	23.1	21.6	301.7	10	-72624
	01 LST	20.3	19.9	25.0	24.2	27.9	27.2	28.8	28.3	25.5	24.6	22.2	21.4	295.3	10	-72624
	07 LST	18.7	17.2	20.7	21.9	23.2	24.1	26.7	24.0	22.8	20.2	19.7	19.9	259.1	12	-72624
	13 LST	20.3	20.3	20.7	23.8	27.5	26.6	29.1	27.7	26.0	24.9	22.1	20.6	289.6	10	-72624
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	15.0	15.4	20.6	19.2	24.6	24.5	27.1	25.9	22.8	22.5	15.2	13.4	246.2	10	-72624
	01 LST	13.4	14.5	19.1	20.6	25.0	24.8	26.5	25.9	21.8	20.6	15.1	14.4	241.7	10	-72624
	07 LST	12.5	12.2	16.2	17.3	21.0	22.1	25.5	22.1	20.3	16.7	12.2	12.2	210.3	12	-72624
	13 LST	15.6	15.3	14.2	14.9	21.6	21.5	20.9	20.2	17.8	19.0	12.5	14.4	208.1	10	-72624
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	13.0	13.5	17.5	17.1	21.6	22.5	24.6	24.1	20.4	19.7	13.0	11.4	218.4	10	-72624
	01 LST	11.4	12.4	16.8	18.3	22.9	21.4	24.1	23.5	20.2	19.3	12.8	11.9	215.0	10	-72624
	07 LST	11.0	10.3	14.1	14.9	18.4	19.7	23.7	19.9	18.2	15.0	9.8	10.4	185.4	12	-72624
	13 LST	13.6	12.9	13.2	13.1	17.8	19.2	18.3	17.0	15.7	17.0	9.7	11.5	179.0	10	-72624

CAMP BORDEN, CANADA

STA NO. 72656/ (IN AREA NUMBER 10)

LATITUDE 4416N

LONGITUDE 07956W

ELEVATION(FT) 00740

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	085
ABS MAX TMP (F)	61	55	80	90	93	97	105	102	98	86	77	61	105	99	-72624
MEAN MAX TMP (F)	26	27	37	51	65	75	81	79	69	57	43	31	53	10	-105
MEAN MIN TMP (F)	7	10	20	31	41	51	50	54	47	36	27	15	32	10	-105
ABS MIN TMP (F)	-26	-25	-17	5	25	28	39	40	28	16	-5	-22	-26	99	-72624
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.4	2.0	1.7	1.5	0.0	0.0	0.0	6.6	12	-72624
MEAN NO DYS TMP = OR LES 32(F)	29.1	25.7	27.1	10.7	1.6	0.0	0.0	0.0	0.2	4.2	16.5	26.8	141.9	12	-72624
MEAN NO DYS TMP = OR LES 0(F)	3.4	2.9	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	8.3	12	-72624
MEAN DEW PT TMP (F)	19	20	25	35	43	54	58	57	51	42	33	23	38	10	-72624
MEAN REL HUM (PCT)	74	73	69	65	64	68	68	71	74	75	75	76	71	30	-72624
MEAN PRESS ALT (FT)	585	605	643	61	675	684	682	651	614	593	601	598	634	0	-50
MEAN PRECIP (IN)	2.46	2.03	2.04	2.13	2.71	2.95	2.68	1.96	2.53	1.97	1.98	2.24	27.7	10	-105
MEAN SNOW FALL (IN)	22.8	17.6	13.0	4.1	0.0	0.0	0.0	0.0	1.8	7.3	16.6	83.2		10	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.2	6.2	5.9	6.1	7.4	6.6	6.3	5.1	6.0	5.0	5.0	6.7	73.5	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	4.8	3.8	2.8	0.8	0.0	0.0	0.0	0.0	0.0	0.3	1.5	3.6	17.6	10	-29
MEAN NO DYS W/OCUM VSBY LES 1/2 MI	3.6	3.3	2.8	3.3	1.6	0.9	0.7	1.3	2.3	4.4	3.7	3.9	31.8	10	-72624
MEAN NO DYS TSTMS	0.0	0.0	0.5	1.7	1.9	3.4	3.8	3.0	2.1	0.8	0.4	0.0	17.6	10	-72624
P FREQ WND SPD = OR GTR 17 KTS	13.2	13.7	17.8	14.8	8.6	7.4	5.8	3.4	7.0	8.9	16.6	13.0	10.9	10	-72624
P FREQ WND SPD = OR GTR 28 KTS	1.4	1.2	1.8	0.7	0.5	0.4	0.1	0.1	0.1	0.5	1.8	0.7	0.8	10	-72624
P FREQ LES 5000 FT A/O LES 5 MI	54.8	49.1	44.6	38.7	25.6	25.2	19.6	25.2	31.7	39.4	54.0	56.8	38.7	10	-72624
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	25.3	18.4	13.7	15.3	9.3	8.1	5.1	7.3	11.2	16.3	17.5	20.8	14.0	10	-72624
03-05 LST	26.0	19.3	15.1	18.5	13.9	12.1	7.9	12.7	14.2	18.3	17.8	21.0	16.4	9	-72624
06-08 LST	26.1	25.1	22.9	20.8	16.7	14.9	8.7	17.6	17.6	26.9	24.4	24.0	20.5	12	-72624
09-11 LST	26.0	25.5	22.3	18.4	9.8	8.9	4.7	11.2	12.8	20.1	24.6	29.3	17.8	9	-72624
12-14 LST	20.6	17.8	18.4	14.3	6.5	6.5	3.6	6.5	6.7	11.0	19.1	26.2	13.1	10	-72624
15-17 LST	23.2	20.6	17.0	13.7	5.6	5.4	3.1	6.0	4.8	12.5	18.6	22.1	12.7	9	-72624
18-20 LST	22.0	18.7	14.4	14.4	7.2	5.9	3.0	4.9	6.0	14.5	14.2	20.2	12.1	10	-72624
21-23 LST	22.8	18.2	12.4	13.2	6.7	7.0	3.8	4.9	8.6	15.3	14.8	20.4	12.3	9	-72624
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	6.9	4.4	3.3	3.8	3.0	1.5	1.1	1.6	3.2	5.3	2.8	5.5	3.5	10	-72624
03-05 LST	7.0	4.6	3.7	5.8	2.7	3.5	0.8	2.4	5.6	5.5	5.4	5.6	4.4	9	-72624
06-08 LST	6.7	6.1	6.2	6.2	3.1	2.6	0.8	3.1	6.0	9.0	7.6	6.6	5.3	12	-72624
09-11 LST	7.0	7.7	5.3	3.1	0.7	1.1	0.1	1.9	1.1	3.2	5.4	7.0	3.6	9	-72624
12-14 LST	5.8	4.6	3.5	2.1	1.0	0.4	0.1	0.8	0.2	1.2	3.2	5.5	2.4	10	-72624
15-17 LST	4.9	4.6	4.9	1.5	0.7	0.6	0.5	0.7	0.0	2.3	2.2	6.1	2.4	9	-72624
18-20 LST	5.7	4.3	2.6	3.5	1.6	0.4	0.5	0.4	0.5	3.1	1.9	4.6	2.4	10	-72624
21-23 LST	5.6	5.1	1.9	4.8	2.0	0.2	0.6	0.5	1.7	5.0	3.0	4.6	2.9	9	-72624

CAMP BORDEN, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	25.4	23.6	27.1	25.8	29.1	28.4	30.2	29.6	28.4	26.8	26.4	25.8	326.6	10	-72624
	01 LST	24.9	23.6	27.3	25.9	28.6	28.2	29.6	29.2	27.1	26.3	25.4	25.8	321.9	10	-72624
	07 LST	25.4	21.4	23.8	24.4	25.1	26.0	27.9	25.3	24.7	23.0	22.7	2.2	394.9	12	-72624
	13 LST	25.5	23.6	26.4	26.3	29.5	28.2	30.3	29.8	28.5	27.9	25.4	24.6	326.0	10	-72624
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	12.5	14.0	13.8	14.1	17.9	19.7	20.4	22.4	20.9	20.1	13.1	13.1	202.0	10	-72624
	01 LST	12.2	14.4	16.1	16.7	23.0	24.0	25.5	26.0	21.8	21.2	14.8	12.9	228.6	10	-72624
	07 LST	13.1	12.0	13.0	14.0	16.4	18.6	21.9	20.9	19.8	16.6	12.4	12.3	191.0	12	-72624
	13 LST	7.6	6.7	6.6	6.5	9.0	9.9	10.7	11.9	10.3	9.1	6.5	7.3	102.1	10	-72624
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	3.9	2.1	4.4	3.6	1.6	1.5	0.8	0.7	1.0	1.2	3.9	3.3	28.0	10	-72624
	01 LST	3.6	1.9	4.3	2.1	0.3	0.7	0.2	0.1	0.3	1.0	2.8	3.4	20.7	10	-72624
	07 LST	2.8	2.5	2.9	3.0	1.2	1.5	0.6	0.2	0.3	0.8	3.5	2.5	21.8	12	-72624
	13 LST	5.9	6.6	8.4	8.1	6.3	5.4	4.5	2.2	5.2	6.4	9.5	7.2	75.7	10	-72624
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	2.5	3.5	8.2	16.7	18.0	21.2	21.7	20.9	20.2	19.0	12.0	5.9	169.8	10	-72624
	01 LST	2.3	1.3	4.3	12.5	19.5	16.6	18.4	16.6	14.7	17.5	10.8	3.6	138.1	10	-72624
	07 LST	1.6	1.6	3.0	10.5	14.9	14.3	14.2	14.1	15.3	14.2	8.8	3.7	116.2	12	-72624
	13 LST	3.4	4.3	6.7	11.9	13.7	13.6	13.8	15.2	13.1	14.7	8.9	5.6	124.9	10	-72624
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	7.3	7.2	9.6	6.8	8.4	7.3	9.2	9.9	11.2	11.4	5.3	6.2	99.8	10	-72624
	01 LST	6.9	7.7	11.2	11.8	14.8	11.9	16.1	16.3	15.3	13.5	5.9	6.3	137.7	10	-72624
	07 LST	5.6	5.0	7.0	7.6	7.5	8.9	12.6	10.6	9.6	8.1	3.4	6.0	91.9	12	-72624
	13 LST	5.6	5.2	5.4	4.7	5.8	5.4	5.2	4.4	6.4	8.0	2.8	4.3	63.2	10	-72624
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	20.4	21.3	24.3	23.6	28.1	27.5	29.8	28.9	27.2	25.9	23.1	21.6	301.7	10	-72624
	01 LST	20.3	19.9	25.0	24.2	27.9	27.2	28.8	28.3	25.5	24.6	22.2	21.4	295.3	10	-72624
	07 LST	18.7	17.2	20.7	21.9	23.2	24.1	26.7	24.0	22.8	20.2	19.7	19.9	259.1	12	-72624
	13 LST	20.3	20.3	20.7	23.8	27.5	26.6	29.1	27.7	26.0	24.9	22.1	20.6	289.6	10	-72624
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	19 LST	15.0	15.4	20.6	19.2	24.6	24.5	27.1	25.9	22.8	22.5	15.2	13.4	246.2	10	-72624
	01 LST	13.4	14.5	19.1	20.6	25.0	24.8	26.5	25.9	21.8	20.6	15.1	14.4	241.7	10	-72624
	07 LST	12.5	12.2	16.2	17.3	21.0	22.1	25.5	22.1	20.3	16.7	12.2	12.2	210.3	12	-72624
	13 LST	15.6	15.3	14.2	14.9	21.8	21.5	20.9	20.2	17.8	19.0	12.5	14.4	208.1	10	-72624
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	13.0	13.5	17.5	17.1	21.6	22.5	24.6	24.1	20.4	19.7	13.0	11.4	218.4	10	-72624
	01 LST	11.4	12.4	16.8	18.3	22.9	21.4	24.1	23.5	20.2	19.3	12.8	11.9	215.0	10	-72624
	07 LST	11.0	10.3	14.1	14.9	18.4	19.7	23.7	19.9	18.2	15.0	9.8	10.4	185.4	12	-72624
	13 LST	13.6	12.9	13.2	13.1	17.8	19.2	18.3	17.0	15.7	17.0	9.7	11.5	179.0	10	-72624

MAPLE, CANADA

STA NO. 72661/ (IN AREA NUMBER 10)

LATITUDE 4351N

LONGITUDE 07932W

ELEVATION(FT) 00750

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	61	55	80	90	93	97	105	102	98	86	77	61	105	99	-72624
MEAN MAX TMP (F)	30	30	37	50	63	73	79	77	69	56	43	33	53	99	-72624
MEAN MIN TMP (F)	16	15	23	34	44	54	59	58	51	40	31	21	37	99	-72624
ABS MIN TMP (F)	-26	-25	-17	5	25	28	39	40	28	16	-5	-22	-26	99	-72624
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.4	2.0	1.7	1.5	0.0	0.0	0.0	6.6	12	-72624
MEAN NO DYS TMP = OR LES 32(F)	29.1	25.7	27.1	10.7	1.6	0.0	0.0	0.0	0.2	4.2	16.5	26.8	141.9	12	-72624
MEAN NO DYS TMP = OR LES 0(F)	3.4	2.9	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	8.3	12	-72624
MEAN DEW PT TMP (F)	19	20	25	35	43	54	58	57	51	42	33	23	38	10	-72624
MEAN REL HUM (PCT)	74	73	69	65	64	68	68	71	74	75	75	76	71	30	-72624
MEAN PRESS ALT (FT)	600	620	656	683	687	699	696	664	629	608	619	615	648	0	-50
MEAN PRECIP (IN)	2.71	2.43	2.58	2.48	2.91	2.67	2.95	2.73	2.90	2.43	2.76	2.63	32.2	99	-72624
MEAN SNOW FALL (IN)	16.0	15.3	10.7	2.8	0.1	0.0	0.0	0.0	0.0	0.4	4.2	12.4	61.9	99	-72624
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.7	7.1	7.1	6.9	7.8	6.2	6.6	6.3	6.6	5.8	6.4	7.6	82.1	99	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.4	3.3	2.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.6	12.7	99	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.6	3.3	2.8	3.3	1.6	0.9	0.7	1.3	2.3	4.4	3.7	3.9	31.8	10	-72624
MEAN NO DYS TSTMS	0.0	0.0	0.5	1.7	1.9	3.4	3.8	3.0	2.1	0.8	0.4	0.0	17.6	10	-72624
P FREQ WND SPD = OR GTR 17 KTS	13.2	13.7	17.8	14.8	8.6	7.4	5.8	3.4	7.0	8.9	16.6	13.0	10.9	10	-72624
P FREQ WND SPD = OR GTR 28 KTS	1.4	1.2	1.8	0.7	0.5	0.4	0.1	0.1	0.1	0.5	1.8	0.7	0.8	10	-72624
P FREQ LES 5000 FT A/O LES 5 MI	54.8	49.1	44.6	38.7	25.6	25.2	19.6	25.2	31.7	39.4	54.0	56.8	38.7	10	-72624
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	25.3	18.4	13.7	15.3	9.3	8.1	5.1	7.3	11.2	16.3	17.5	20.8	14.0	10	-72624
03-05 LST	26.0	19.3	15.1	18.5	13.9	12.1	7.9	12.7	14.2	18.3	17.8	21.0	16.4	9	-72624
06-08 LST	26.1	25.1	22.9	20.8	16.7	14.9	8.7	17.6	17.6	26.9	24.4	24.0	20.5	12	-72624
09-11 LST	26.0	25.5	22.3	18.4	9.8	8.9	4.7	11.2	12.8	20.1	24.6	29.3	17.8	9	-72624
12-14 LST	20.6	17.8	18.4	14.3	6.5	6.5	3.6	6.5	6.7	11.0	19.1	26.2	13.1	10	-72624
15-17 LST	23.2	20.6	17.0	13.7	5.6	5.4	3.1	6.0	4.8	12.5	18.6	22.1	12.7	9	-72624
18-20 LST	22.0	18.7	14.4	14.4	7.2	5.9	3.0	4.9	6.0	14.5	14.2	20.2	12.1	10	-72624
21-23 LST	22.8	18.2	12.4	13.2	6.7	7.0	3.8	4.9	8.6	15.3	14.8	20.4	12.3	9	-72624
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	6.9	4.4	3.3	3.8	3.0	1.5	1.1	1.6	3.2	5.3	2.8	5.5	3.5	10	-72624
03-05 LST	7.0	4.6	3.7	5.8	2.7	3.5	0.8	2.4	5.6	5.5	5.4	5.6	4.4	9	-72624
06-08 LST	6.7	6.1	6.2	6.2	3.1	2.6	0.8	3.1	6.0	9.0	7.6	6.6	5.3	12	-72624
09-11 LST	7.0	7.7	5.3	3.1	0.7	1.1	0.1	1.9	1.1	3.2	5.4	7.0	3.6	9	-72624
12-14 LST	5.8	4.6	3.5	2.1	1.0	0.4	0.1	0.8	0.2	1.2	3.2	5.5	2.4	10	-72624
15-17 LST	4.9	4.6	4.9	1.5	0.7	0.6	0.5	0.7	0.0	2.3	2.2	6.1	2.4	9	-72624
18-20 LST	5.7	4.3	2.6	3.5	1.6	0.4	0.5	0.4	0.5	3.1	1.9	4.6	2.4	10	-72624
21-23 LST	5.6	5.1	1.9	4.8	2.0	0.2	0.6	0.5	1.7	5.0	3.0	4.6	2.9	9	-72624

MAPLE, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	25.4	23.6	27.1	25.8	29.1	28.4	30.2	29.6	28.4	26.8	26.4	25.8	325.6	10	-72624
	01 LST	24.9	23.6	27.3	25.9	28.6	28.2	29.6	29.2	27.1	26.3	25.4	25.8	321.9	10	-72624
	07 LST	25.4	21.4	23.8	24.4	25.1	26.0	27.9	25.3	24.7	23.0	22.7	25.2	294.9	12	-72624
	13 LST	25.5	23.6	26.4	26.3	29.5	28.2	30.3	29.8	28.5	27.9	25.4	24.6	326.0	10	-72624
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	12.5	14.0	13.8	14.1	17.9	19.7	20.4	22.4	20.9	20.1	13.1	13.1	202.0	10	-72624
	01 LST	12.2	14.4	16.1	16.7	23.0	24.0	25.5	26.0	21.8	21.2	14.8	12.9	228.6	10	-72624
	07 LST	13.1	12.0	13.0	14.0	16.4	18.6	21.9	20.9	19.8	16.6	12.4	12.3	191.0	12	-72624
	13 LST	7.6	6.7	6.6	6.5	9.0	9.9	10.7	11.9	10.3	9.1	6.5	7.3	102.1	10	-72624
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	3.9	2.1	4.4	3.6	1.6	1.5	0.8	0.7	1.0	1.2	3.9	3.3	28.0	10	-72624
	01 LST	3.6	1.9	4.3	2.1	0.3	0.7	0.2	0.1	0.3	1.0	2.8	3.4	20.7	10	-72624
	07 LST	2.8	2.5	2.9	3.0	1.2	1.5	0.6	0.2	0.3	0.8	3.5	2.5	21.8	12	-72624
	13 LST	5.9	6.6	8.4	8.1	6.3	5.4	4.5	2.2	5.2	6.4	7.5	7.2	75.7	10	-72624
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	2.5	3.5	8.2	16.7	18.0	21.2	21.7	20.9	20.2	19.0	12.0	5.9	169.8	10	-72624
	01 LST	2.3	1.3	4.3	12.5	19.5	16.6	18.4	16.6	14.7	17.5	10.8	3.6	138.1	10	-72624
	07 LST	1.6	1.6	3.0	10.5	14.9	14.3	14.2	14.1	15.3	14.2	8.8	3.7	116.2	12	-72624
	13 LST	3.4	4.3	6.7	11.9	13.7	13.6	13.8	15.2	13.1	14.7	8.9	5.6	124.9	10	-72624
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	7.3	7.2	9.6	6.8	8.4	7.3	9.2	9.9	11.2	11.4	5.3	6.2	99.8	10	-72624
	01 LST	6.9	7.7	11.2	11.8	14.8	11.9	16.1	16.3	15.3	13.5	5.9	6.3	137.7	10	-72624
	07 LST	5.6	5.0	7.0	7.6	7.5	8.9	12.6	10.6	9.6	8.1	3.4	6.0	91.9	12	-72624
	13 LST	5.6	5.2	5.4	4.7	5.8	5.4	5.2	4.4	6.4	8.0	2.8	4.3	63.2	10	-72624
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	20.4	21.3	24.3	23.6	28.1	27.5	29.8	28.9	27.2	25.9	23.1	21.6	301.7	10	-72624
	01 LST	20.3	19.9	25.0	24.2	27.9	27.2	28.8	28.3	25.5	24.6	22.2	21.4	295.3	10	-72624
	07 LST	18.7	17.2	20.7	21.9	23.2	24.1	26.7	24.0	22.8	20.2	19.7	19.9	259.1	12	-72624
	13 LST	20.3	20.3	20.7	23.8	27.5	26.6	29.1	27.7	26.0	24.9	22.1	20.6	289.6	10	-72624
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	15.0	15.4	20.6	19.2	24.6	24.5	27.1	25.9	22.8	22.5	15.2	13.4	246.2	10	-72624
	01 LST	13.4	14.5	19.1	20.6	25.0	24.8	26.5	25.9	21.8	20.6	15.1	14.4	241.7	10	-72624
	07 LST	12.5	12.2	16.2	17.3	21.0	22.1	25.5	22.1	20.3	16.7	12.2	12.2	210.3	12	-72624
	13 LST	15.6	15.3	14.2	14.9	21.8	21.5	20.9	20.2	17.8	19.0	12.5	14.4	208.1	10	-72624
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	13.0	13.5	17.5	17.1	21.6	22.5	24.6	24.1	20.4	19.7	13.0	11.4	218.4	10	-72624
	01 LST	11.4	12.4	16.8	18.3	22.9	21.4	24.1	23.5	20.2	19.3	12.8	11.9	215.0	10	-72624
	07 LST	11.0	10.3	14.1	14.9	18.4	19.7	23.7	19.9	18.2	15.0	9.8	10.4	185.4	12	-72624
	13 LST	13.6	12.9	13.2	13.1	17.8	19.2	18.3	17.0	15.7	17.0	9.7	11.5	179.0	10	-72624

VAL DOR, CANADA

STA NO. 72725 (IN AREA NUMBR 10)

LATITUDE 4803N

LONGITUDE 07747W

ELEVATION(FT) 01106

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ARS MAX TMP (F)	43	41	59	70	91	93	92	86	86	74	65	50	93	9	2939
MEAN MAX TMP (F)	12	16	29	44	58	70	74	71	62	50	35	18	45	9	2939
MEAN MIN TMP (F)	-8	-5	6	25	36	47	52	51	43	34	21	0	25	9	2939
ABS MIN TMP (F)	-46	-42	-32	1	14	28	34	32	26	12	-20	-34	-46	9	2939
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	0.2	0.7	0.0	0.0	0.0	0.0	0.0	1.1	9	2939
MEAN NO DYS TMP = OR LES 32(F)	30.7	28.0	30.3	24.6	12.7	2.4	0.0	0.2	4.3	14.9	26.3	29.7	204.1	9	2939
MEAN NO DYS TMP = OR LES 0(F)	22.5	17.1	11.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	16.6	70.1	9	2939
MEAN DEW PT 14P (F)	0	-5	13	25	32	40	52	49	45	33	24	3	26	3	2572
MEAN REL HUM (PCT)	76	72	70	60	65	65	72	73	80	77	82	78	73	3	2960
MEAN PRESS ALT (FT)	1016	1022	1030	1040	1062	1123	1142	1107	1076	1073	1080	1058	1069	0	-50
MEAN PRECIP (IN)	1.94	1.94	1.57	1.58	2.09	3.82	3.63	3.65	4.45	3.30	3.17	3.05	34.2	9	2941
MEAN SNOW FALL (IN)							0.0	0.0						9	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.2	6.6	4.6	5.1	6.5	8.0	8.5	7.6	9.8	7.6	10.4	10.0	91.9	9	2941
MEAN NO DYS SNPL = OR GTR 1.5 IN							0.0	0.0						9	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	0.9	2.5	1.5	0.0	0.0	0.0	1.5	1.5	1.0	1.5	1.5	1.5	13.4	3	643
MEAN NO DYS TSMS	0.0	0.0	0.0	1.0	1.0	2.0	4.0	3.0	1.5	0.0	0.0	0.0	12.5	3	643
P FREQ WND SPD = OR GTR 17 KTS	2.3	5.8	4.4	4.2	4.8	5.8	1.6	1.2	2.1	0.8	7.9	2.8	3.6	3	2572
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	2.5	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3	2572
P FREQ LES 5000 FT A/O LES 5 MI	49.6	41.1	37.9	24.2	42.7	32.5	39.9	36.7	48.3	54.0	69.2	46.0	43.5	3	2572
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	25.4	16.1	11.3	13.3	16.1	16.7	16.1	16.1	23.3	25.8	31.7	21.0	19.4	3	644
03-05 LST	24.4	21.9	12.9	19.0	20.8	20.3	18.9	21.5	28.2	29.1	36.9	26.5	23.4	3	-30
06-08 LST	23.4	27.4	14.5	24.7	25.4	23.8	21.6	26.9	33.1	32.4	42.0	32.9	27.4	9	2941
09-11 LST	22.9	23.6	17.8	17.4	22.4	18.6	18.9	19.9	29.1	30.7	43.5	28.6	24.5	3	-30
12-14 LST	22.4	17.6	21.0	10.0	19.4	13.3	16.1	12.9	25.0	29.0	45.0	24.2	21.5	3	644
15-17 LST	24.1	21.4	19.1	8.4	17.8	16.8	14.5	11.3	22.5	25.8	35.9	23.4	20.1	3	-30
18-20 LST	25.8	23.2	16.1	6.7	16.1	20.0	12.9	9.7	20.0	22.6	26.7	22.6	18.5	3	643
21-23 LST	25.6	19.7	13.7	10.0	16.1	18.4	14.5	12.9	21.7	24.2	29.2	21.8	19.0	3	-30
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	13.4	5.4	0.0	0.0	3.2	0.0	4.8	6.5	6.7	1.6	8.3	6.5	4.7	3	644
03-05 LST	10.2	6.5	2.0	2.5	4.9	1.7	4.0	6.3	5.7	4.3	11.1	8.2	5.6	3	-30
06-08 LST	6.9	7.6	4.0	5.0	6.5	3.3	3.2	6.1	4.6	6.9	13.9	9.8	6.5	9	2941
09-11 LST	3.5	8.3	4.4	2.5	3.3	1.7	1.6	3.9	3.2	5.1	12.0	8.2	4.8	3	-30
12-14 LST	0.0	8.9	4.8	0.0	0.0	0.0	0.0	1.6	1.7	3.2	10.0	6.5	3.1	3	644
15-17 LST	5.3	10.7	4.0	1.7	0.0	0.0	0.8	2.4	5.0	5.7	8.4	6.5	4.2	3	-30
18-20 LST	10.6	12.5	3.2	3.3	0.0	0.0	1.6	3.2	8.3	8.1	6.7	6.5	5.3	3	643
21-23 LST	12.0	9.0	1.6	1.7	1.6	0.0	3.2	4.9	7.5	4.9	7.5	6.5	5.0	3	-30

VAL DOR, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	24.4	23.5	27.0	29.0	27.0	26.0	28.5	29.5	25.5	27.0	24.0	26.0	317.4	3	643
	01 LST	25.0	25.0	29.0	27.0	28.0	27.0	27.0	27.5	24.5	25.0	23.0	27.0	315.0	3	644
	07 LST	26.1	23.0	27.9	24.1	24.2	24.2	24.9	22.9	21.1	22.7	20.5	22.9	284.5	9	2941
	13 LST	25.9	24.0	27.5	28.0	27.0	28.0	28.5	29.0	25.0	26.0	19.0	24.5	312.4	3	644
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	19.3	17.0	22.5	17.0	20.0	15.0	23.0	24.0	20.5	17.0	15.0	20.0	230.3	3	643
	01 LST	15.3	17.0	23.0	21.0	21.0	19.0	24.0	24.0	20.5	18.0	14.0	20.5	237.3	3	644
	07 LST	18.4	14.9	21.2	18.3	18.2	19.0	21.3	19.8	16.8	15.4	11.6	16.1	211.0	9	2941
	13 LST	12.9	16.5	17.0	16.0	9.0	12.0	19.5	16.0	12.0	11.5	8.0	18.0	168.4	3	644
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.9	1.0	0.5	1.0	1.0	1.0	0.0	0.5	0.0	0.5	0.5	0.5	7.4	3	643
	01 LST	0.0	2.0	0.5	1.0	1.0	0.0	0.5	0.0	0.0	0.0	1.5	0.0	6.5	3	644
	07 LST	0.2	0.1	0.5	0.4	0.6	0.0	0.1	0.0	0.1	0.1	0.5	0.4	3.0	9	2942
	13 LST	0.0	0.0	1.0	1.0	1.0	4.0	0.0	1.0	2.0	0.5	1.0	0.0	11.5	3	644
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	0.0	0.5	7.5	14.0	20.0	18.0	20.5	19.5	15.0	16.0	7.5	0.5	139.0	3	643
	01 LST	0.0	0.0	1.0	10.0	15.0	20.0	16.0	19.0	18.5	12.0	4.5	0.5	116.5	3	644
	07 LST	0.1	0.0	0.2	5.3	13.1	17.3	18.2	16.9	17.2	9.6	4.1	1.0	103.0	9	2941
	13 LST	0.9	0.5	8.0	18.0	14.0	14.0	22.0	23.5	19.0	17.0	9.5	1.5	147.9	3	644
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	9.4	11.0	8.5	12.0	4.0	6.0	3.5	5.0	4.0	10.0	8.0	11.5	92.9	3	643
	01 LST	7.4	15.0	15.0	18.0	12.0	15.0	15.0	13.0	14.0	9.5	8.0	13.5	155.4	3	644
	07 LST	11.9	8.0	10.6	10.0	8.6	8.6	10.0	8.5	7.0	5.9	3.5	8.7	101.3	9	2942
	13 LST	6.0	8.5	9.5	14.0	6.0	6.0	5.5	8.0	4.0	6.0	3.0	6.5	83.0	3	644
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	18.3	18.5	23.0	25.0	24.0	21.0	23.5	25.0	20.0	19.5	18.0	20.5	256.3	3	643
	01 LST	18.0	20.5	24.5	24.0	24.0	23.0	24.0	24.5	22.0	19.0	16.0	21.0	260.5	3	644
	07 LST	19.7	16.0	22.8	20.0	20.2	20.9	21.5	19.7	17.1	15.8	11.0	16.2	220.9	9	2941
	13 LST	18.9	18.5	21.0	25.0	20.0	20.0	22.5	22.0	16.5	16.0	10.5	19.0	229.9	3	644
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	15.5	17.5	17.0	21.0	21.0	19.0	19.0	21.5	15.0	16.0	12.0	16.5	211.0	3	643
	01 LST	15.7	17.0	20.0	22.0	18.0	23.0	20.0	22.5	20.5	14.0	10.0	18.5	221.2	3	644
	07 LST	17.4	13.7	20.0	17.6	17.5	19.1	18.9	17.8	14.2	12.8	7.3	13.5	189.8	9	2941
	13 LST	15.7	16.5	19.0	21.0	14.0	14.0	15.5	17.0	10.5	14.0	7.5	16.0	180.7	3	644
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	14.1	17.0	15.5	19.0	18.0	18.0	18.5	21.0	14.0	15.0	9.5	15.5	195.1	3	643
	01 LST	14.3	16.5	17.0	22.0	17.0	21.0	19.0	19.5	19.0	13.0	9.0	17.0	204.3	3	644
	07 LST	16.1	11.9	18.6	16.1	16.9	18.0	18.0	16.2	13.1	11.4	6.7	12.3	175.3	9	2941
	13 LST	15.3	15.5	17.5	20.0	14.0	14.0	15.0	16.5	9.0	14.0	7.0	14.5	172.3	3	644

SUDBURY, CANADA

STA NO. 72730 (IN AREA NUMBER 10)

LATITUDE 4637N

LONGITUDE 08048W

ELEVATION(FT) 01140

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	48	49	57	78	93	93	99	97	93	80	66	52	99	10	-610
MEAN MAX TMP (F)	20	22	32	48	63	74	78	75	66	52	36	24	49	16	-105
MEAN MIN TMP (F)	-1	-1	13	27	40	50	54	52	46	36	23	8	29	16	-105
ABS MIN TMP (F)	-45	-47	-42	-18	9	30	35	32	20	5	-22	-43	-47	10	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	0.2	0.8	0.1	0.0	0.0	0.0	0.0	1.3	9	2908
MEAN NO DYS TMP = OR LES 32(F)	30.6	27.9	29.5	21.5	7.2	0.0	0.0	0.0	1.7	9.0	22.2	29.9	179.5	9	2908
MEAN NO DYS TMP = OR LES 0(F)	16.9	12.7	5.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	10.1	45.9	0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)	992	1004	1023	1051	1067	1093	1093	1058	1031	1020	1038	1021	1041	0	-50
MEAN PRESS ALT (FT)	1.73	1.46	1.88	2.35	2.30	2.77	2.78	2.41	3.52	3.32	2.87	1.97	29.4	16	-105
MEAN PRECIP (IN)	13.9	13.2	11.8	6.5	1.4	0.1	0.0	0.0	1.8	10.0	13.8	72.5	16	-105	
MEAN SNOW FALL (IN)	5.4	4.6	5.6	6.6	6.5	6.4	6.4	5.8	7.7	7.3	6.6	6.0	74.9	16	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.0	2.8	2.5	1.3	0.2	0.0	0.0	0.0	0.3	2.2	2.9	15.2	16	-29	
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSSY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 9000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	27.8	26.1	20.2	21.3	21.8	17.1	11.6	18.9	30.8	28.7	27.6	34.4	23.9	9	2906
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	13.7	13.3	11.7	9.2	9.7	5.8	4.3	8.6	9.7	13.0	12.6	13.9	10.5	9	2906
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SUDBURY, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI															
19 LST														0	0
01 LST														0	0
07 LST	24.1	21.8	25.7	24.9	25.5	25.7	27.5	25.1	21.0	22.8	23.2	22.0	289.3	9	2906
13 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS															
19 LST														0	0
01 LST														0	0
07 LST	8.6	7.2	8.5	8.9	11.1	13.2	17.0	14.4	9.9	8.9	7.4	7.3	122.4	9	2905
13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.															
19 LST														0	0
01 LST														0	0
07 LST	4.7	5.2	4.2	5.0	5.0	5.4	2.6	2.1	3.9	5.0	3.8	4.3	51.2	9	2908
13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.															
19 LST														0	0
01 LST														0	0
07 LST	0.1	0.1	0.2	5.5	12.5	14.5	17.6	18.1	13.3	9.7	3.9	0.2	95.7	9	2908
13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI															
19 LST														0	0
01 LST														0	0
07 LST	12.0	10.5	12.9	9.3	10.9	11.5	13.1	11.2	8.1	7.3	5.3	7.9	120.0	9	2908
13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI															
19 LST														0	0
01 LST														0	0
07 LST	18.7	17.8	21.5	21.2	21.7	22.9	25.6	22.0	17.2	17.9	15.9	16.4	238.8	9	2906
13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI															
19 LST														0	0
01 LST														0	0
07 LST	15.9	14.7	18.4	17.6	19.7	19.4	22.9	20.2	14.8	14.0	10.4	12.2	200.2	9	2906
13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI															
19 LST														0	0
01 LST														0	0
07 LST	14.4	13.2	17.6	16.0	18.5	18.1	21.8	18.9	13.7	13.8	9.4	10.9	186.3	9	2906
13 LST														0	0

NORTH BAY, CANADA

STA NO. 72731 (IN AREA NUMBER 10)

LATITUDE 4621N LONGITUDE 07925W ELEVATION(FT) 01216

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	55	55	75	84	90	97	99	94	94	82	70	57	99	50	-610
MEAN MAX TMP (F)	22	23	34	48	62	73	78	76	66	49	38	24	49	17	-105
MEAN MIN TMP (F)	2	0	13	28	40	50	56	54	47	36	24	8	30	17	-105
ABS MIN TMP (F)	-43	-42	-35	-7	6	21	28	32	23	4	-15	-46	-46	50	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.3	12	4380
MEAN NO DYS TMP = OR LES 32(F)	30.8	27.8	29.6	19.0	6.1	0.1	0.0	0.0	1.4	10.1	21.8	29.5	176.2	12	4380
MEAN NO DYS TMP = OR LES 0(F)	15.0	9.6	4.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.7	9.5	39.7	12	4380
MEAN DEW PT TMP (F)	7	12	18	29	38	50	55	53	47	38	28	13	32	10	78684
MEAN REL HUM (PCT)	86	85	81	74	67	73	74	76	80	80	87	87	79	10	78647
MEAN PRESS ALT (FT)	1091	1106	1124	1150	1164	1193	1195	1157	1129	1117	1135	1122	1140	0	-50
MEAN PRECIP (IN)	2.01	1.52	1.83	2.20	2.51	3.16	3.17	2.69	3.68	3.17	2.71	2.10	30.8	23	-105
MEAN SNOW FALL (IN)	17.3	13.9	11.5	4.7	0.3	0.0	0.0	0.0	0.0	1.4	7.1	15.4	71.6	23	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.1	4.8	5.4	6.3	7.0	6.9	6.9	6.3	7.9	7.1	6.3	6.3	77.3	23	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.7	3.0	2.4	0.9	0.0	0.0	0.0	0.0	0.0	0.2	1.4	3.3	14.9	23	-29
MEAN NO DYS W/OCUM VSBY LES 1/2 MI	5.3	4.5	5.0	5.6	3.0	3.8	3.7	3.9	4.5	4.5	6.8	6.2	56.8	10	3376
MEAN NO DYS TSTMS	0.0	0.0	0.2	0.7	1.6	3.9	5.2	3.1	2.1	1.0	0.3	0.1	18.2	10	3375
P FREQ WND SPD = OR GTR 17 KTS	10.6	8.1	13.2	11.6	7.9	7.0	3.6	3.9	6.1	8.2	9.6	8.4	8.2	10	79211
P FREQ WND SPD = OR GTR 28 KTS	0.4	0.3	0.5	0.1	0.1	0.1	0.1	0.0	0.7	0.2	0.4	0.0	0.2	10	79211
P FREQ LES 5000 FT A/O LES 5 MI	50.4	51.3	43.6	40.3	30.4	35.3	33.2	32.5	42.9	45.6	68.6	61.5	44.6	10	79209
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	33.9	29.9	19.5	22.2	11.1	16.4	14.5	11.7	16.7	20.3	32.6	30.2	21.6	10	9948
03-05 LST	33.7	32.7	20.4	23.0	14.0	23.5	22.0	20.0	24.6	23.4	35.9	33.5	25.6	9	9857
06-08 LST	33.7	35.9	27.3	24.2	18.0	25.6	25.3	25.3	30.8	27.2	38.6	36.9	29.1	12	10952
09-11 LST	35.6	34.6	28.0	24.4	16.2	21.4	18.8	19.2	25.8	30.0	42.7	44.4	28.4	9	9858
12-14 LST	33.6	27.3	23.0	21.4	11.6	14.9	10.9	11.4	16.4	23.4	39.8	38.0	22.6	10	9947
15-17 LST	30.6	27.8	20.7	19.1	9.2	13.1	6.7	7.9	16.5	19.6	40.4	36.7	20.7	9	9854
18-20 LST	28.6	25.4	20.2	19.0	7.4	11.7	6.2	7.8	15.8	17.3	31.6	34.5	18.8	10	9945
21-23 LST	32.4	25.6	19.1	20.0	7.8	13.3	11.0	9.4	15.8	18.6	32.3	31.8	19.8	9	9854
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	10.3	9.0	6.2	9.8	4.4	4.2	5.3	3.5	5.3	7.0	9.6	10.1	7.1	10	9948
03-05 LST	10.0	8.8	8.5	10.4	5.5	8.0	7.2	8.6	9.4	8.4	10.4	10.3	8.8	9	9857
06-08 LST	10.3	9.9	10.5	9.1	4.1	6.3	7.2	8.5	10.8	8.0	11.6	14.1	9.2	12	10952
09-11 LST	11.2	10.1	6.8	5.7	3.3	3.3	2.6	2.5	4.3	5.9	8.6	13.8	6.5	9	9858
12-14 LST	10.4	8.0	6.3	4.1	2.2	1.2	0.5	1.8	2.0	4.9	6.4	10.8	4.9	10	9947
15-17 LST	11.7	7.3	5.9	4.3	0.8	2.5	0.2	1.3	2.1	3.7	8.3	13.9	5.2	9	9854
18-20 LST	8.4	8.6	5.8	4.9	1.2	2.6	0.5	1.1	3.1	4.1	8.4	10.9	5.0	10	9945
21-23 LST	9.4	8.5	6.0	6.3	2.9	2.7	3.7	1.9	4.7	5.0	9.1	8.7	5.7	9	9854

NORTH BAY, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	24.3	22.0	26.0	25.2	29.4	27.3	29.4	29.0	26.2	26.7	23.0	23.4	311.9	10	3376
	01 LST	22.1	20.7	25.9	24.3	28.1	25.9	27.2	28.2	26.1	26.2	22.3	23.8	300.8	10	3376
	07 LST	22.7	19.4	23.7	23.6	26.0	23.2	23.5	23.6	21.2	24.5	21.4	22.5	275.3	12	4382
	13 LST	22.7	22.0	26.4	25.4	28.3	26.8	28.4	28.6	26.6	25.6	21.3	22.4	304.5	10	3376
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	11.1	11.6	14.1	12.9	15.4	15.8	18.5	21.0	17.1	16.6	10.5	11.1	175.7	10	3376
	01 LST	11.1	10.3	13.4	14.9	19.0	18.8	21.8	20.9	17.1	15.5	10.5	10.6	183.9	10	3376
	07 LST	10.7	9.7	11.6	12.0	14.8	15.0	16.6	16.5	13.7	14.3	9.7	10.2	154.8	12	4382
	13 LST	11.4	9.4	11.0	8.4	8.0	9.7	11.1	11.9	8.0	8.4	7.2	10.7	115.2	10	3376
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	1.9	1.7	2.9	2.1	1.4	1.2	1.1	0.7	1.1	1.5	2.6	2.3	20.5	10	3018
	01 LST	2.3	2.0	3.6	1.7	1.6	0.8	0.1	0.7	1.1	1.7	2.3	2.4	20.3	10	2977
	07 LST	2.1	1.4	2.6	2.1	1.4	1.1	0.3	0.7	0.7	1.7	1.5	2.2	17.8	12	4017
	13 LST	2.1	2.5	4.1	5.4	3.1	3.3	2.2	1.7	3.2	3.9	3.2	2.6	37.3	10	3052
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	0.5	0.8	4.7	15.8	18.3	18.8	20.4	21.9	21.5	20.9	8.8	2.3	154.7	10	3018
	01 LST	0.4	0.6	1.6	11.3	17.9	20.0	22.9	21.1	22.2	17.8	9.9	2.3	148.0	10	2977
	07 LST	0.5	0.6	1.6	9.3	16.8	17.6	18.5	18.7	19.7	15.2	6.9	1.6	127.0	12	4017
	13 LST	0.8	1.4	6.3	14.1	14.3	15.8	17.7	17.9	14.2	15.6	7.9	1.4	127.4	10	3051
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	9.8	8.6	9.2	6.3	6.9	9.8	7.4	8.1	7.1	10.7	9.1	7.0	92.0	10	3376
	01 LST	10.2	8.9	12.5	12.1	14.5	13.1	14.9	15.2	11.6	11.3	5.9	6.8	137.0	10	3376
	07 LST	8.2	7.8	9.2	8.7	8.0	7.5	9.4	8.8	6.8	6.7	2.3	5.6	89.0	12	4382
	13 LST	7.4	6.1	7.6	7.1	6.0	4.5	4.0	5.8	4.4	5.4	2.6	4.8	65.7	10	3376
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	17.9	18.5	22.0	21.9	26.8	24.8	28.2	27.1	22.4	23.5	15.8	15.9	264.8	10	3376
	01 LST	16.9	16.9	22.0	21.7	26.3	24.2	25.9	25.9	23.2	22.2	15.1	16.0	256.3	10	3376
	07 LST	16.6	15.3	19.5	20.4	23.2	20.8	21.6	21.7	17.8	19.2	12.4	14.8	223.3	12	4382
	13 LST	18.5	17.1	21.1	21.7	25.1	22.9	26.0	25.5	21.8	20.2	11.9	15.9	247.7	10	3376
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	15.8	15.1	17.9	17.1	21.1	19.3	22.1	21.3	17.3	18.2	10.1	11.6	206.9	10	3376
	01 LST	14.7	13.6	18.4	17.9	24.0	21.8	23.4	23.1	18.4	18.7	10.1	11.9	216.0	10	3376
	07 LST	13.4	12.7	16.3	17.2	20.5	18.6	18.6	18.7	14.5	14.7	7.5	10.2	182.9	12	4382
	13 LST	16.3	13.8	17.0	17.0	17.5	16.8	17.0	18.3	15.5	14.9	8.3	12.2	184.6	10	3376
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	14.7	13.4	15.8	15.7	18.3	17.2	18.4	18.3	15.1	16.3	8.6	9.9	181.7	10	3376
	01 LST	14.3	12.5	16.4	16.7	20.4	18.9	21.9	21.5	16.5	16.2	9.3	10.7	195.3	10	3376
	07 LST	12.2	11.1	15.1	15.4	18.1	16.0	16.9	16.0	12.9	12.8	6.8	9.3	162.6	12	4382
	13 LST	14.2	11.9	15.6	15.4	15.5	14.9	15.4	17.0	13.7	13.2	7.1	11.3	165.2	10	3376

GORE BAY, CANADA

STA NO. 72733 (IN AREA NUMBER 10)

LATITUDE 4553N

LONGITUDE 08234W

ELEVATION(FT) 00634

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	49	51	72	81	87	93	100	96	94	80	68	55	100	40	-610
MEAN MAX TMP (F)	24	24	33	47	61	71	78	75	67	54	40	29	50	22	-105
MEAN MIN TMP (F)	5	3	14	22	38	48	55	53	48	37	27	14	30	22	-105
ABS MIN TMP (F)	-35	-38	-23	-10	20	29	34	34	25	15	-15	-33	-38	40	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	0.0	0.0	0.0	0.0	0.6	9	2942
MEAN NO DYS TMP = OR LES 32(F)	30.6	27.5	29.6	18.5	4.6	0.0	0.0	0.0	0.2	3.8	16.1	27.8	158.7	9	2934
MEAN NO DYS TMP = OR LES 0(F)	11.8	10.2	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	30.3	9	2934
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	505	512	532	559	580	611	608	578	552	544	562	536	557	0	-50
MEAN PRECIP (IN)	2.45	1.98	2.32	2.19	2.12	2.25	1.90	2.03	2.81	2.98	3.09	2.97	29.1	22	-105
MEAN SNOW FALL (IN)	20.7	17.9	15.1	4.4	0.6	0.0	0.0	0.0	1.8	8.1	19.9	88.5		22	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.2	6.0	6.6	6.3	6.1	5.6	5.0	5.2	6.5	6.8	7.0	8.3	76.6	22	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	4.4	3.9	3.3	0.9	0.0	0.0	0.0	0.0	0.0	0.3	1.7	4.3	18.8	22	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	17.0	16.0	15.7	18.0	13.7	15.8	9.0	13.8	14.2	17.8	16.7	23.1	15.9	9	2943
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	8.5	5.3	4.4	7.1	4.0	6.3	2.2	2.8	2.1	4.9	5.0	8.9	5.1	9	2943
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

GORE BAY, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST	27.3	24.1	27.0	25.7	28.0	26.3	29.1	27.6	27.2	27.0	26.3	26.2	321.8	9	2943
	12 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST														0	0
	00 LST														0	0
	06 LST	16.1	15.0	18.1	17.1	17.4	18.8	22.6	20.6	18.5	15.8	10.8	11.7	202.5	9	2943
	12 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST														0	0
	00 LST														0	0
	06 LST	1.9	1.2	1.1	1.2	1.6	0.9	0.4	0.4	1.4	1.9	3.8	2.5	18.3	9	2942
	12 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST														0	0
	00 LST														0	0
	06 LST	0.5	0.7	1.1	8.0	14.0	14.8	16.2	15.6	15.1	12.6	6.5	1.5	106.6	9	2942
	12 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST	9.8	10.3	10.4	9.7	8.1	11.1	12.2	13.0	9.8	7.6	4.3	5.6	111.9	9	2943
	12 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST	20.1	19.3	22.4	21.8	23.7	22.9	26.4	24.1	22.7	20.8	17.7	16.1	258.0	9	2943
	12 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST	14.9	15.9	19.0	18.3	20.4	20.4	23.7	21.9	19.8	15.9	10.4	10.3	210.9	9	2943
	12 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST	14.3	14.6	18.2	17.4	14.4	19.4	22.2	20.9	18.7	14.8	9.5	9.3	197.7	9	2943
	12 LST														0	0

EARLTON, CANADA

STA NO. 72735 (IN AREA NUMBER 10)

LATITUDE 4742N

LONGITUDE 07951W

ELEVATION(FT) 00800

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	47	45	75	85	92	96	98	97	93	82	67	55	98	20	-610
MEAN MAX TMP (F)	15	18	30	45	60	71	76	73	63	52	34	21	47	12	-105
MEAN MIN TMP (F)	-8	-5	6	23	36	47	51	50	41	32	20	3	25	12	-105
ABS MIN TMP (F)	-49	-47	-35	-19	12	24	32	29	19	8	-21	-49	-49	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.4	0.6	1.8	0.1	0.0	0.0	0.0	0.0	2.9	9	2947
MEAN NO DYS TMP = OR LES 32(F)	30.7	27.9	30.1	24.6	11.1	1.4	0.0	0.6	4.9	14.3	25.4	29.6	200.6	9	2916
MEAN NO DYS TMP = OR LES 0(F)	22.3	16.1	11.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	15.4	67.0	9	2916
MEAN DEW PT TMP (F)	2	5	15	27	39	51	57	54	47	37	25	9	31	10	-106
MEAN REL HUM (PCT)	91	89	82	72	70	71	75	78	81	80	86	91	81	10	-106
MEAN PRESS ALT (FT)	671	685	706	735	746	765	765	727	700	684	705	694	715	0	-50
MEAN PRECIP (IN)	2.19	1.63	1.49	1.67	2.93	3.67	2.90	2.97	3.53	2.15	2.16	2.15	29.4	12	-105
MEAN SNOW FALL (IN)	19.5	16.0	12.0	4.3	0.3	0.0	0.0	0.0	0.3	2.0	7.9	18.5	80.8	12	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.6	5.1	4.6	5.0	7.8	7.5	6.6	6.7	7.7	5.3	5.3	6.5	74.7	12	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	4.2	3.4	2.5	0.8	0.0	0.0	0.0	0.0	0.0	0.3	1.6	4.0	16.8	12	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.5	1.5	1.5	0.0	0.0	0.0	0.0	0.0	2.0	1.5	1.0	0.5	8.5	3	642
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.0	1.0	4.0	4.0	4.0	2.0	1.0	0.0	0.0	17.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS	8.5	17.0	8.5	15.0	11.3	13.3	3.2	3.2	10.4	7.8	12.5	7.3	9.8	3	2564
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.4	0.0	0.8	0.0	1.7	0.0	0.0	0.4	0.0	0.8	0.0	0.3	3	2564
P FREQ LES 5000 FT A/O LES 5 MI	47.0	34.8	36.3	18.3	41.1	27.5	25.0	22.6	37.9	46.3	60.0	39.8	36.4	3	2564
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	27.3	12.5	9.7	6.7	9.7	3.3	6.5	6.5	10.0	14.8	16.7	19.4	11.9	3	642
03-05 LST	21.9	16.0	10.7	11.5	13.4	8.3	9.2	11.4	14.4	17.4	19.7	20.3	14.5	3	-30
06-08 LST	16.5	19.5	11.7	16.3	19.0	13.3	11.9	16.2	18.8	19.9	22.6	21.1	17.2	9	2946
09-11 LST	16.5	19.6	13.1	9.8	17.6	10.0	10.8	10.5	17.8	18.2	24.7	20.4	15.8	3	-30
12-14 LST	16.4	19.6	14.5	3.3	16.1	6.7	9.7	4.8	16.7	16.4	26.7	19.7	14.2	3	642
15-17 LST	19.4	17.9	12.1	3.3	14.5	6.7	8.9	4.0	14.2	13.9	20.9	19.6	13.0	3	-30
18-20 LST	22.4	16.1	9.7	3.3	12.9	6.7	8.1	3.2	11.7	11.3	15.0	19.4	11.7	3	644
21-23 LST	24.9	14.3	9.7	5.0	11.3	5.0	7.3	4.9	10.9	14.1	15.9	19.4	11.9	3	-30
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	12.1	5.4	3.2	0.0	6.5	0.0	0.0	0.0	1.7	3.3	0.0	9.7	3.5	3	642
03-05 LST	9.1	6.9	3.2	2.3	4.7	0.2	0.0	2.5	3.4	4.1	5.0	8.5	4.2	3	-30
06-08 LST	6.0	8.4	3.2	4.6	2.8	0.4	0.0	4.9	5.0	4.9	10.0	7.3	4.8	9	2946
09-11 LST	5.3	7.8	4.9	2.3	1.4	0.2	0.0	2.5	2.5	4.9	6.7	7.0	3.8	3	-30
12-14 LST	4.5	7.1	6.5	0.0	0.0	0.0	0.0	0.0	0.0	4.9	3.3	6.6	2.7	3	642
15-17 LST	6.8	6.3	3.6	0.0	0.0	0.0	0.0	0.0	1.7	3.3	2.5	7.4	2.6	3	-30
18-20 LST	9.0	5.4	1.6	0.0	0.0	0.0	0.0	0.0	3.3	1.6	1.7	8.1	2.6	3	644
21-23 LST	10.6	5.4	2.4	0.0	3.3	0.0	0.0	0.0	2.5	2.5	0.9	8.9	3.0	3	-30

EARLTON, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	26.4	24.5	29.5	29.0	30.0	29.0	29.5	31.0	28.0	29.5	27.0	27.0	340.4	3	644	
	01 LST	25.4	26.0	27.5	29.0	29.0	30.0	30.0	29.0	27.5	28.5	26.5	26.0	334.4	3	642	
	07 LST	27.0	23.5	28.5	26.3	26.7	27.1	27.7	25.9	24.5	25.9	25.2	26.5	314.8	9	2946	
	13 LST	27.7	24.0	27.5	30.0	28.0	29.0	30.0	30.5	28.0	27.4	24.5	26.9	333.5	3	642	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	13.4	13.0	16.0	15.0	13.0	7.0	20.0	20.5	18.5	20.5	15.2	13.0	14.0	200.2	3	644
	01 LST	10.0	14.0	18.5	20.0	19.0	17.0	20.5	18.5	20.5	15.2	13.0	14.0	200.2	3	641	
	07 LST	15.9	13.4	18.0	16.5	14.8	17.9	20.3	20.1	16.1	15.9	12.7	15.6	197.2	9	2946	
	13 LST	12.0	13.5	16.5	15.0	7.0	6.0	10.5	13.0	7.0	9.6	5.0	15.2	130.3	3	642	
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.4	2.0	2.5	6.0	3.0	4.0	0.5	0.5	2.0	3.0	2.0	0.5	26.4	3	644	
	01 LST	0.9	2.0	1.0	2.0	1.0	0.0	0.5	0.0	0.5	0.5	1.0	2.0	11.4	3	641	
	07 LST	0.4	0.4	0.4	0.6	1.1	0.2	0.0	0.2	0.9	0.5	1.0	1.0	6.7	9	2945	
	13 LST	1.4	4.0	1.5	9.0	5.0	7.0	1.5	3.0	4.5	3.0	4.0	2.5	46.4	3	643	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	0.4	0.0	5.0	14.0	15.0	11.0	21.0	18.5	16.0	14.5	7.5	0.5	123.4	3	644	
	01 LST	0.0	0.0	2.0	9.0	14.0	16.0	22.5	18.0	19.0	9.6	7.0	0.5	117.6	3	641	
	07 LST	0.1	0.2	0.7	4.6	13.0	16.6	19.6	17.1	16.6	12.2	4.8	1.1	106.6	9	2944	
	13 LST	0.4	0.0	4.5	8.0	8.0	5.0	15.5	15.0	10.0	12.7	6.0	1.0	86.1	3	643	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	10.6	11.0	12.0	15.0	7.0	9.0	9.5	13.0	10.0	11.0	6.5	13.0	127.6	3	644	
	01 LST	9.9	12.5	14.5	19.0	16.0	14.0	20.5	16.0	13.5	12.2	6.5	11.5	166.1	3	642	
	07 LST	12.2	10.4	13.1	10.7	9.2	10.2	11.6	10.5	7.9	6.2	4.7	10.3	117.0	9	2946	
	13 LST	9.7	9.5	12.0	12.0	7.0	6.0	8.5	5.5	3.5	5.1	3.5	9.5	91.8	3	643	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	20.3	21.5	24.5	25.0	23.0	26.0	26.5	28.5	24.0	23.0	21.0	22.0	285.3	3	644	
	01 LST	18.3	21.5	25.0	27.0	27.0	27.0	28.0	27.0	25.5	22.4	18.5	21.0	288.2	3	642	
	07 LST	22.0	19.2	25.0	22.0	21.9	23.0	24.7	22.8	20.7	19.0	16.6	20.2	257.1	9	2946	
	13 LST	21.3	19.5	24.0	27.0	20.0	25.0	25.0	26.5	19.5	19.8	15.5	22.4	265.5	3	642	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	18.5	20.5	17.0	21.0	17.0	22.0	21.0	22.5	19.5	18.0	13.0	18.5	228.5	3	644	
	01 LST	13.1	17.5	19.5	26.0	20.0	21.0	25.5	23.5	22.0	19.3	10.5	18.0	235.9	3	642	
	07 LST	18.2	16.2	21.7	18.1	19.0	19.6	21.9	20.7	16.6	14.2	10.4	15.0	211.6	9	2946	
	13 LST	17.6	18.0	20.0	25.0	14.0	17.0	20.0	19.0	14.5	14.7	10.5	20.3	210.6	3	642	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	15.3	16.5	16.5	21.0	16.0	20.0	21.0	21.5	17.0	16.0	12.5	15.5	208.8	3	644	
	01 LST	12.2	15.5	18.0	24.0	19.0	20.0	24.5	21.0	20.0	17.8	8.5	17.0	217.5	3	642	
	07 LST	16.2	14.6	20.6	17.5	18.0	18.0	20.6	19.8	15.7	13.2	8.9	13.5	196.6	9	2946	
	13 LST	17.1	17.0	20.0	23.0	14.0	14.0	19.5	17.0	13.0	13.7	9.0	18.8	196.1	3	642	

TIMMINS, CANADA

STA NO. 72739 (IN AREA NUMBER 10)

LATITUDE 4834N

LONGITUDE 08122W

ELEVATION(FT) 60967

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	36	45	49	75	92	95	96	93	86	78	65	50	96	9	2942
MEAN MAX TMP (F)	11	15	29	44	58	70	75	73	62	50	34	17	45	9	2941
MEAN MIN TMP (F)	-7	-4	7	24	36	46	52	49	43	34	21	1	25	9	2941
ABS MIN TMP (F)	-42	-50	-29	-5	12	28	36	32	24	14	-26	-33	-50	9	2941
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.4	0.9	1.4	0.2	0.0	0.0	0.0	0.0	2.9	9	2942
MEAN NO DYS TMP = OR LES 32(F)	30.8	28.0	30.5	23.8	13.9	1.4	0.0	0.4	4.7	14.9	25.2	30.2	203.8	9	2941
MEAN NO DYS TMP = OR LES 0(F)	21.2	16.4	10.1	0.6	0.0	0.0	0.0	0.0	0.0	0.0	2.0	16.2	66.5	9	2941
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	-50
MEAN PRESS ALT (FT)	857	860	866	883	907	972	980	951	928	923	933	900	913	9	2946
MEAN PRECIP (IN)	1.92	1.98	1.61	1.74	2.74	3.25	2.79	3.57	4.05	2.50	3.01	2.67	31.8	9	-29
MEAN SNOW FALL (IN)							0.0	0.0						9	2946
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.5	5.6	4.2	5.5	6.9	7.1	7.1	8.8	7.9	6.5	9.2	9.6	83.9	9	-29
MEAN NO DYS SNPL = OR LES 1.5 IN							0.0	0.0						0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	19.0	18.7	13.8	21.7	23.8	18.3	16.9	20.6	20.1	25.5	33.9	27.5	21.7	9	2943
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.0	7.6	6.1	7.5	5.6	2.1	3.2	4.9	2.9	6.5	11.3	8.5	5.9	9	2943
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

TIMMINS, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	27.7	24.9	27.2	24.6	26.1	26.1	26.1	24.6	24.1	24.5	23.0	25.5	304.4	9	2943
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	18.7	15.9	20.9	17.6	16.0	18.0	20.3	20.3	17.1	17.5	11.5	16.1	209.9	9	2943
	13 LST														0	0
	19 LST														0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	1.1	1.1	0.7	0.6	0.9	1.0	0.4	0.0	0.4	0.9	0.5	0.4	7.8	9	2946
	13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	13.1	10.9	11.9	9.8	9.6	10.1	10.2	10.0	7.7	6.4	3.5	10.4	113.6	9	2946
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	20.7	18.4	23.0	19.5	19.9	22.1	23.2	21.3	18.5	17.7	13.3	17.4	235.0	9	2943
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	18.0	15.8	20.4	17.1	18.5	19.4	21.5	18.2	15.4	13.5	8.4	14.4	200.8	9	2943
	13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	17.3	15.0	19.1	15.8	16.1	17.7	19.7	16.3	14.4	12.6	7.4	13.4	184.8	9	2943
13 LST														0	0	

LAKEHEAD, CANADA

STA NO. 72749 (IN AREA NUMBER 10)

LATITUDE 4822N

LONGITUDE 08919W

ELEVATION(FT) 00653

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	48	52	73	83	91	97	104	96	89	83	69	54	104	80	-610
MEAN MAX TMP (F)	17	20	31	44	56	67	74	71	62	50	34	22	46	62	-105
MEAN MIN TMP (F)	-4	-2	10	26	37	47	52	49	44	34	19	5	26	62	-105
ABS MIN TMP (F)	-42	-40	-34	-10	16	27	35	31	17	4	-22	-38	-42	80	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.5	0.0	0.0	0.0	0.0	1.2	9	2928
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	30.2	24.6	11.7	1.1	0.0	0.0	5.1	13.8	25.2	30.0	200.7	9	2928
MEAN NO DYS TMP = OR LES 0(F)	20.8	17.6	6.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	15.0	62.4	9	2928
MEAN DEW PT TMP (F)	4	5	16	27	37	49	56	55	46	37	23	10	30	10	-106
MEAN REL HUM (PCT)	84	83	79	72	70	76	78	79	82	80	82	85	79	10	-106
MEAN PRESS ALT (FT)	516	499	528	555	590	656	645	619	607	590	599	548	579	0	-50
MEAN PRECIP (IN)	0.91	0.76	0.95	1.49	2.11	2.81	3.56	2.78	3.37	2.45	1.52	0.95	23.7	59	-105
MEAN SNOW FALL (IN)	8.9	7.1	8.0	3.8	0.5	0.0	0.0	0.0	0.0	1.2	5.9	7.5	42.9	59	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.9	2.4	3.0	4.6	6.1	6.4	7.4	6.4	7.4	5.9	4.2	3.1	59.8	59	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.8	1.4	1.6	0.7	0.0	0.0	0.0	0.0	0.0	0.2	1.1	1.5	8.3	59	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.5	1.0	0.0	0.0	0.0	1.5	1.5	1.5	0.5	1.0	0.5	8.0	3	642
MEAN NO DYS TSTMS	0.0	0.0	1.0	0.0	2.0	5.0	6.0	6.0	3.0	1.0	0.0	0.0	24.0	9	-24
P FREQ WND SPD = OR GTR 17 KTS	4.5	4.5	3.3	14.2	11.3	5.8	3.6	4.8	4.2	3.2	15.4	8.1	6.9	3	2568
P FREQ WND SPD = OR GTR 28 KTS	0.4	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	3	2568
P FREQ LES 5000 FT A/O LES 5 MI	32.1	22.3	30.8	16.7	19.4	23.3	20.2	18.5	30.4	35.1	52.5	34.4	28.0	3	2564
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	16.4	8.9	9.7	3.3	6.5	13.3	8.1	4.8	8.3	9.7	18.3	8.1	9.6	3	644
03-05 LST	15.7	10.7	11.2	9.3	11.9	14.0	9.7	11.5	14.2	13.0	19.4	12.6	12.8	3	-30
06-08 LST	15.0	12.4	12.7	15.2	17.3	14.6	11.2	18.2	20.1	16.2	20.5	17.0	15.9	9	2926
09-11 LST	15.0	11.6	12.1	11.0	11.9	14.0	10.5	12.4	15.9	15.4	22.8	15.9	14.0	3	-30
12-14 LST	14.9	10.7	11.5	6.7	6.5	13.3	9.7	6.5	11.7	14.5	25.0	14.8	12.2	3	642
15-17 LST	13.4	8.1	10.6	5.0	4.9	11.7	8.9	6.5	10.0	12.6	21.7	17.1	10.9	3	-30
18-20 LST	11.9	5.4	9.8	3.3	3.2	10.0	8.1	6.5	8.3	9.7	18.3	19.4	9.5	3	643
21-23 LST	14.2	7.2	9.8	3.3	4.9	11.7	8.1	5.7	8.3	9.7	18.3	13.8	9.6	3	-30
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	10.4	5.4	6.5	0.0	3.2	6.7	4.8	1.6	3.3	1.6	8.3	3.2	4.6	3	644
03-05 LST	8.1	5.4	6.5	2.0	4.4	5.9	5.1	4.7	5.0	2.8	8.5	4.1	5.2	3	-30
06-08 LST	5.7	5.3	6.5	4.0	5.6	5.0	5.4	7.7	6.7	4.0	9.2	4.9	5.8	9	2926
09-11 LST	5.1	2.7	4.9	3.7	2.8	2.5	2.7	4.7	5.0	2.8	8.8	4.1	4.2	3	-30
12-14 LST	4.5	0.0	3.3	3.3	0.0	0.0	0.0	1.6	3.3	1.6	8.3	3.3	2.4	3	642
15-17 LST	4.5	0.9	3.3	1.7	0.0	0.0	0.8	2.4	4.1	1.6	6.7	6.5	2.7	3	-30
18-20 LST	4.5	1.8	3.3	0.0	0.0	0.0	1.6	3.2	5.0	1.6	5.0	9.7	3.0	3	643
21-23 LST	7.5	3.6	4.9	0.0	1.6	3.4	3.2	2.4	4.2	1.6	6.7	6.5	3.8	3	-30

LAKEHEAD, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.1	26.5	29.0	30.0	31.0	28.0	28.5	29.5	27.5	30.0	25.5	26.0	340.6	3	643
	00 LST	27.3	26.0	28.0	30.0	30.0	28.0	29.0	29.0	28.0	28.0	26.0	29.5	338.8	3	644
	06 LST	28.1	26.1	27.8	26.3	27.1	26.6	27.7	25.3	25.0	26.8	25.4	27.6	319.8	9	2926
	12 LST	28.7	27.0	29.5	29.0	30.0	27.0	29.0	29.0	28.5	29.0	25.0	29.0	340.7	3	642
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	18.0	15.5	21.3	11.0	13.0	15.0	21.5	20.0	20.5	22.5	13.5	16.5	208.3	3	643
	00 LST	20.8	21.0	25.0	22.0	26.0	23.0	26.5	26.0	23.5	23.0	15.0	19.5	271.3	3	644
	06 LST	17.1	18.8	22.5	19.9	19.4	22.7	24.3	22.2	19.2	19.4	15.4	15.2	236.1	9	2926
	12 LST	15.3	12.0	15.2	2.0	4.0	4.0	15.0	14.5	13.0	13.5	10.0	12.7	131.2	3	642
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.4	1.0	0.5	5.0	2.0	2.0	1.5	1.0	1.0	0.0	1.0	1.0	17.4	3	643
	00 LST	0.0	1.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	1.0	2.5	1.0	7.5	3	644
	06 LST	0.9	0.6	1.0	1.1	0.9	0.4	0.3	0.5	0.6	0.9	1.6	2.0	10.8	9	2927
	12 LST	2.8	1.0	1.5	6.0	7.0	3.0	2.5	4.0	4.0	2.5	1.5	3.0	38.8	3	643
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	0.0	2.0	8.6	15.0	17.0	15.0	19.5	19.5	16.0	21.0	6.5	1.0	141.1	3	643
	00 LST	0.0	2.0	0.0	3.0	8.0	12.0	12.0	17.0	12.5	9.5	4.0	0.5	80.5	3	644
	06 LST	0.0	0.0	0.5	4.8	12.4	14.0	15.0	15.4	11.9	11.4	3.1	0.4	88.9	9	2926
	12 LST	0.0	2.0	8.6	10.0	11.0	10.0	15.0	16.5	14.5	18.0	4.5	2.0	112.1	3	643
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	13.4	11.0	11.2	15.0	9.0	8.0	10.5	13.5	7.5	13.0	6.0	14.0	132.1	3	643
	00 LST	16.2	14.5	19.0	20.0	13.0	17.0	16.0	17.5	13.0	12.0	8.0	11.5	177.7	3	644
	06 LST	12.5	12.6	11.3	9.1	9.9	9.6	10.1	10.0	7.7	7.1	5.9	10.8	116.6	9	2927
	12 LST	7.8	9.5	9.6	10.0	8.0	2.0	4.5	4.5	5.5	12.5	5.5	11.0	90.4	3	643
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	25.0	24.0	24.9	27.0	28.0	26.0	27.5	29.0	26.0	24.5	21.0	22.0	304.9	3	643
	00 LST	24.1	24.0	26.0	28.0	27.0	24.0	27.5	27.0	25.5	23.0	19.5	25.0	300.6	3	644
	06 LST	22.8	21.7	24.9	22.9	23.1	24.2	25.7	22.4	20.1	21.2	18.8	20.4	268.2	9	2926
	12 LST	22.7	22.5	22.8	26.0	27.0	24.0	26.5	27.5	23.5	22.0	18.5	21.8	284.8	3	642
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	22.7	22.5	21.8	24.0	24.0	21.0	24.0	27.0	20.0	23.0	15.0	20.0	265.0	3	643
	00 LST	21.3	21.5	22.0	25.0	24.0	23.0	26.0	25.0	23.0	18.5	16.0	21.0	266.3	3	644
	06 LST	20.1	18.8	21.4	20.2	20.4	22.5	22.8	20.8	17.7	15.8	12.2	16.4	229.1	9	2926
	12 LST	19.4	21.0	19.3	23.0	22.0	18.0	20.5	19.5	15.0	18.0	12.5	19.8	228.0	3	642
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	21.7	21.5	21.3	23.0	23.0	21.0	23.5	25.5	18.0	21.5	14.5	20.0	254.5	3	643
	00 LST	21.3	20.5	21.5	25.0	24.0	22.0	24.5	23.5	21.5	18.0	14.0	20.0	255.8	3	644
	06 LST	18.7	17.8	20.4	19.0	18.6	21.4	21.5	18.8	16.1	15.0	11.5	15.4	214.2	9	2926
	12 LST	18.9	20.0	18.8	22.0	20.0	18.0	20.0	19.0	14.5	17.5	12.0	19.3	220.0	3	642

KAPUSKASING, CANADA

STA NO. 72831 (IN AREA NUMBER 10)

LATITUDE 43°25N

LONGITUDE 08228W

ELEVATION(FT) 00743

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	47	53	67	85	91	97	101	95	91	82	68	60	101	19	-528
MEAN MAX TMP (F)	10	15	27	43	58	70	75	72	62	47	30	16	44	19	-28
MEAN MIN TMP (F)	-14	-10	1	19	33	45	50	49	41	31	14	-3	21	19	-28
ABS MIN TMP (F)	-53	-52	-45	-25	9	20	31	25	20	4	-33	-49	-53	19	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.1	0.1	0.0	0.0	0.0	0.9	12	4378
MEAN NO DYS TMP = OR LES 32(F)	30.9	28.0	30.2	24.5	13.6	1.1	0.0	0.7	6.7	17.5	26.6	30.7	210.5	12	4378
MEAN NO DYS TMP = OR LES 0(F)	24.1	18.0	13.5	1.2	0.0	0.0	0.0	0.0	0.0	0.0	2.5	17.5	76.8	12	4378
MEAN DEW PT TMP (F)	-3	3	10	25	35	48	53	51	43	35	23	4	27	10	78796
MEAN REL HUM (PCT)	86	83	79	73	70	73	75	77	82	82	88	86	80	10	78771
MEAN PRESS ALT (FT)	629	631	641	662	686	744	746	718	696	689	702	670	685	0	-50
MEAN PRECIP (IN)	2.00	1.10	1.60	1.80	2.10	2.30	3.40	2.90	3.50	2.50	2.40	1.90	27.5	19	-28
MEAN SNOW FALL (IN)	19.6	10.0	13.3	9.3	3.2	0.0	0.0	0.0	0.7	3.6	15.1	16.2	91.0	19	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.1	3.5	4.8	5.4	6.1	5.7	7.2	6.6	7.6	5.9	5.8	5.8	70.5	19	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	4.2	2.1	2.8	1.9	0.6	0.0	0.0	0.0	0.1	0.6	3.7	3.5	19.5	19	-29
MEAN NO DYS W/OCUM VSBY LES 1/2 MI	1.1	0.9	1.8	1.8	0.7	1.1	1.6	1.3	2.0	1.4	3.1	1.2	18.0	10	3376
MEAN NO DYS TSTMS	0.0	0.0	0.1	0.2	0.9	4.1	3.5	2.1	1.4	0.4	0.1	0.0	12.8	10	3373
P FREQ WND SPD = OR GTR 17 KTS	5.1	5.4	6.6	5.7	5.2	6.0	3.7	2.3	5.5	6.1	7.0	4.7	5.3	10	79186
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	10	79186
P FREQ LES 5000 FT A/O LES 5 MI	46.3	44.0	42.7	41.9	40.9	37.4	32.6	33.6	48.6	54.1	76.1	56.9	46.3	10	79163
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	20.9	16.1	15.8	16.8	17.1	11.1	7.5	9.1	18.9	19.2	37.7	23.6	17.8	10	9939
03-05 LST	23.4	18.4	16.6	20.9	20.3	14.4	13.1	15.2	25.7	20.4	38.9	24.5	21.0	9	9854
06-08 LST	21.8	16.8	19.8	23.3	24.3	18.9	14.1	19.6	28.8	25.4	38.3	25.2	23.0	12	10943
09-11 LST	25.7	19.8	21.6	20.0	23.4	18.5	14.0	14.1	30.9	29.9	40.2	31.1	24.1	9	9853
12-14 LST	21.3	18.2	17.5	16.2	18.6	13.3	10.0	8.1	20.7	25.1	43.3	28.3	20.1	10	9943
15-17 LST	22.6	17.1	14.6	15.9	14.8	10.1	6.6	6.9	14.9	21.6	38.9	29.0	17.8	9	9852
18-20 LST	19.8	15.2	14.5	13.8	13.3	11.1	4.7	6.8	14.6	18.2	32.8	23.6	15.7	10	9942
21-23 LST	19.3	14.1	14.1	14.3	15.7	11.2	4.7	7.6	15.2	18.8	36.7	22.3	16.2	9	9850
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	2.4	1.9	3.8	2.8	1.8	1.0	1.6	1.3	3.0	2.3	5.3	2.4	2.5	10	9939
03-05 LST	2.6	1.7	4.1	4.2	1.7	2.8	4.7	4.3	4.9	4.8	5.3	1.9	3.6	9	9854
06-08 LST	3.1	2.7	3.8	4.3	2.0	2.3	0.9	3.4	4.7	5.6	7.7	2.9	3.6	12	10943
09-11 LST	4.1	3.4	2.9	2.0	0.5	0.2	0.2	0.5	0.9	3.6	8.3	3.6	2.5	9	9853
12-14 LST	2.0	2.7	3.2	2.1	0.4	0.1	0.0	0.0	0.9	1.1	7.5	2.8	1.9	10	9943
15-17 LST	3.2	4.1	2.7	2.7	0.2	0.7	0.0	0.0	0.6	1.2	5.6	2.9	2.0	9	9852
18-20 LST	2.5	1.5	3.7	2.6	0.4	0.5	0.0	0.6	1.0	1.2	3.2	2.0	1.6	10	9942
21-23 LST	2.0	1.3	2.6	1.7	1.1	0.1	0.7	1.0	2.0	1.2	3.5	2.8	1.7	9	9850

KAPUSKASING, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	27.6	25.2	27.4	27.1	28.0	27.5	30.3	29.3	26.8	27.3	24.5	26.5	327.5	10	3375
	01 LST	27.4	25.8	27.5	26.6	27.7	27.5	29.5	29.1	25.4	26.9	22.5	26.0	321.9	10	3374
	07 LST	26.9	24.8	26.4	24.6	25.2	26.0	27.8	25.8	23.3	25.1	23.0	25.8	304.7	12	4377
	13 LST	25.9	24.6	27.4	27.4	27.1	27.4	29.2	29.4	25.9	26.5	20.9	25.2	316.9	10	3375
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	17.6	16.4	18.2	16.2	14.9	17.1	21.8	23.0	18.4	16.8	11.6	14.1	206.1	10	3375
	01 LST	16.5	17.8	19.2	19.4	21.0	21.9	24.3	24.6	19.5	15.5	9.7	14.9	224.3	10	3374
	07 LST	17.9	17.0	18.7	16.6	16.2	17.7	21.4	21.0	16.6	14.7	9.8	15.3	202.9	12	4377
	13 LST	14.1	12.6	12.4	10.7	9.6	10.9	13.0	12.9	9.8	7.3	6.5	12.2	132.0	10	3375
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	1.1	1.4	1.4	1.4	1.1	1.7	0.6	0.6	0.6	1.0	1.1	1.1	13.1	10	2864
	01 LST	0.2	0.7	0.2	0.2	0.2	0.0	0.4	0.5	0.6	0.8	0.7	1.0	5.5	10	2764
	07 LST	0.4	0.6	0.7	0.6	0.7	0.5	0.1	0.2	0.5	0.5	1.2	0.7	6.7	12	3863
	13 LST	0.8	1.7	2.8	3.2	3.8	3.8	2.1	1.5	3.1	3.8	2.3	0.7	29.6	10	2896
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	0.0	0.6	3.8	15.4	19.0	17.3	19.4	18.0	16.3	17.9	6.5	0.9	135.1	10	2863
	01 LST	0.1	0.3	1.1	9.3	14.4	18.5	17.8	18.0	16.4	14.4	5.1	0.5	115.9	10	2762
	07 LST	0.1	0.0	0.6	6.2	14.9	18.9	19.1	17.9	15.6	10.9	3.8	0.2	108.2	12	3859
	13 LST	0.2	1.4	3.6	11.8	15.4	15.0	16.9	17.1	14.9	13.9	6.6	0.6	117.4	10	2895
SKY COVER LES 3'10 AND VSBY = GTR 3 MI	19 LST	10.0	9.3	8.1	6.9	6.8	4.3	5.4	7.3	5.8	6.9	3.8	7.7	82.3	10	3376
	01 LST	11.4	10.9	12.8	10.9	11.0	10.2	14.5	13.9	8.9	8.4	3.2	7.6	123.7	10	3376
	07 LST	10.6	9.5	8.8	7.7	6.2	6.5	8.9	8.0	6.0	4.7	2.8	8.2	87.9	12	4382
	13 LST	6.8	7.0	6.5	4.9	5.4	2.0	2.4	3.7	2.3	4.5	1.9	4.6	52.0	10	3376
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	20.1	19.9	22.8	23.1	24.6	24.8	28.1	27.3	22.9	22.0	14.1	17.1	266.8	10	3375
	01 LST	19.1	19.0	21.8	21.4	23.8	24.8	26.8	26.9	21.3	19.7	10.8	16.0	231.4	10	3374
	07 LST	19.0	18.9	21.0	19.7	20.3	22.8	24.6	23.7	19.2	17.6	10.8	16.7	234.3	12	4377
	13 LST	20.5	20.3	21.0	21.9	21.6	23.9	25.2	25.5	19.5	17.9	11.0	17.5	245.8	10	3375
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	17.4	17.0	19.4	18.9	19.1	17.6	21.9	22.0	17.1	16.3	8.3	13.7	208.7	10	3375
	01 LST	16.2	16.4	18.0	17.4	18.7	19.0	23.7	23.0	16.2	14.4	6.2	12.9	202.1	10	3374
	07 LST	15.8	15.5	17.7	16.0	16.9	19.3	21.2	20.3	14.5	12.5	6.8	12.8	189.3	12	4377
	13 LST	18.1	16.7	15.8	15.3	15.1	13.5	13.0	13.2	11.3	12.4	6.9	13.9	165.2	10	3375
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	15.8	15.2	17.1	14.9	15.2	13.7	17.6	18.3	14.0	14.8	7.1	12.8	176.5	10	3375
	01 LST	15.4	15.3	17.0	15.9	16.6	16.2	20.4	20.8	14.2	13.1	5.4	11.6	181.9	10	3374
	07 LST	14.7	14.2	16.0	14.3	14.6	15.9	17.6	17.1	12.1	11.0	5.7	11.9	165.1	12	4377
	13 LST	16.1	14.4	13.8	13.9	13.1	10.9	10.7	11.1	8.9	10.8	5.3	12.7	141.7	10	3375

PARRY SOUND, CANADA

STA NO. 72833/ (IN AREA NUMBER 10)

LATITUDE 4519N

LONGITUDE 08000W

ELEVATION(FT) 00635

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	57	58	74	83	90	97	100	99	95	84	71	58	100	90	-110
MEAN MAX TMP (F)	25	25	34	49	62	73	78	75	67	54	40	29	51	63	-105
MEAN MIN TMP (F)	6	4	14	29	41	51	57	55	48	38	26	13	32	63	-105
ABS MIN TMP (F)	-38	-38	-30	-9	16	31	37	35	24	10	-20	-39	-39	90	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0					0.0	0.0	0.0		63	-24
MEAN NO DYS TMP = OR LES 32(F)						0.0	0.0	0.0						90	-29
MEAN NO DYS TMP = OR LES 0(F)					0.0	0.0	0.0	0.0	0.0	0.0				90	-29
MEAN DEW PT TMP (F)	13	15	24	33	43	54	60	59	51	42	32	20	37	8	-106
MEAN REL HUM (PCT)	93	94	88	75	73	75	77	79	82	82	88	95	83	8	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.91	2.90	2.71	2.33	2.86	2.63	2.63	2.71	3.66	3.97	4.12	4.40	38.8	63	-105
MEAN SNOW FALL (IN)	32.0	22.6	14.9	3.9	0.6	0.0	0.0	0.0	0.0	1.7	13.9	31.5	121.1	63	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.9	8.1	7.4	6.6	7.7	6.2	6.2	6.3	7.9	8.4	8.6	10.6	93.9	63	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	6.4	4.8	3.2	0.7	0.0	0.0	0.0	0.0	0.0	0.2	3.3	6.3	24.9	63	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	2.0	2.0	3.0	4.0	3.0	2.0	1.0	0.0	0.0	17.0	9	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

PARRY SOUND, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0

DATA NOT AVAILABLE

WATERLOO WELLINGTON, CANADA

STA NO. 72956/ (IN AREA NUMBER 10)

LATITUDE 4327N

LONGITUDE 08023W

ELEVATION(FT) 01031

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	62	59	79	87	94	99	102	106	98	86	76	62	106	80	-72623
MEAN MAX TMP (F)	29	29	39	54	67	77	81	79	72	58	44	33	55	54	-72623
MEAN MIN TMP (F)	15	12	22	33	44	53	58	55	50	39	30	20	36	54	-72623
ABS MIN TMP (F)	-26	-27	-19	0	23	30	35	34	26	14	-8	-22	-27	80	-72623
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.9	1.6	1.8	0.4	0.0	0.0	0.0	4.7	9	-72623
MEAN NO DYS TMP = OR LES 32(F)	30.6	26.1	26.6	14.3	2.5	0.0	0.0	0.0	0.5	3.6	16.9	27.2	148.3	9	-72623
MEAN NO DYS TMP = OR LES 0(F)	4.1	3.2	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	10.0	9	-72623
MEAN DEW PT TMP (F)	20	19	26	35	47	58	61	60	53	44	34	23	40	10	-72623
MEAN REL HUM (PCT)	87	86	79	74	73	75	73	75	78	81	85	86	79	10	-72623
MEAN PRESS ALT (FT)	883	901	934	962	970	981	979	946	913	894	906	898	931	0	-50
MEAN PRECIP (IN)	3.97	3.45	2.81	2.87	2.81	3.11	3.21	2.80	2.96	2.91	3.74	3.53	38.2	54	-72623
MEAN SNOW FALL (IN)	23.3	22.3	11.3	3.8	0.1	0.0	0.0	0.0	0.0	0.9	10.8	19.1	91.6	54	-72623
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.0	9.2	7.6	7.7	7.6	6.9	7.0	6.4	6.7	6.6	8.0	9.3	93.0	54	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	4.9	4.8	2.4	0.7	0.0	0.0	0.0	0.0	0.0	0.1	2.4	4.1	19.4	54	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	1.0	2.0	3.0	4.0	7.0	4.0	4.0	1.0	0.0	0.0	26.0	8	-72623
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	34.3	33.2	31.0	25.0	18.5	18.3	14.0	20.6	19.7	19.4	24.3	33.3	24.3	9	-72623
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	10.5	9.7	9.3	6.7	5.2	2.5	3.6	4.5	7.1	4.5	7.9	7.3	6.6	9	-72623
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

WATERLOO WELLINGTON, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	21.0	18.9	21.6	23.0	24.7	23.5	23.0	19.4	20.3	21.9	22.4	21.4	261.1	9	-72623
	13 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST														0	0
	01 LST														0	0
	07 LST	8.7	7.8	10.6	12.9	13.6	16.6	18.3	17.2	15.7	15.3	11.3	9.2	157.2	9	-72623
	13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	2.5	1.7	2.9	2.1	2.4	0.2	0.7	0.1	0.2	0.6	2.5	2.1	18.0	9	-72623
	13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	0.5	0.7	2.9	8.7	16.6	17.6	18.5	16.7	16.9	17.7	7.4	2.4	126.6	9	-72623
	13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	7.3	6.2	7.6	8.3	10.4	11.6	10.2	10.1	10.5	8.4	5.3	5.9	101.8	9	-72623
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	14.7	13.7	17.4	19.5	23.1	21.4	21.9	18.9	18.6	18.9	16.4	14.8	219.3	9	-72623
	13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	11.2	10.8	14.5	16.9	19.9	18.6	20.3	17.4	16.7	15.8	10.8	10.1	183.0	9	-72623
	13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	10.9	10.5	13.6	15.5	19.2	18.0	19.3	16.8	15.9	14.9	9.5	9.7	173.8	9	-72623
	13 LST														0	0

WELLAND, CANADA

STA NO. 72960/ (IN AREA NUMBER 10)

LATITUDE 4258N

LONGITUDE 07919W

ELEVATION(FT) 00580

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	72	65	80	87	93	97	100	100	98	90	80	70	100	80	-610
MEAN MAX TMP (F)	31	30	40	55	67	77	82	79	72	62	46	34	56	45	-105
MEAN MIN TMP (F)	17	14	24	34	44	54	60	58	52	42	32	22	38	45	-105
ABS MIN TMP (F)	-27	-24	-18	-1	21	34	35	37	28	17	-4	-18	-27	80	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	1.0	2.8	1.4	0.9	0.0	0.0	0.0	6.2	12	4383
MEAN NO DYS TMP = OR LES 32(F)	28.7	25.3	25.1	9.7	0.5	0.0	0.0	0.0	0.1	1.8	14.1	25.6	130.9	12	4383
MEAN NO DYS TMP = OR LES 0(F)	0.6	0.9	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.4	12	4383
MEAN DEW PT TMP (F)	19	21	24	36	45	55	59	59	53	43	32	23	39	12	105122
MEAN REL HUM (PCT)	77	77	74	71	69	69	69	71	72	72	74	77	73	12	105121
MEAN PRESS ALT (FT)	439	457	488	515	521	536	534	499	466	447	462	457	485	0	-50
MEAN PRECIP (IN)	3.07	2.90	2.68	2.84	2.76	2.71	3.22	2.38	2.85	2.93	2.65	2.89	33.9	45	-105
MEAN SNOW FALL (IN)	15.8	17.7	11.5	4.2	0.2	0.0	0.0	0.0	0.0	0.7	4.2	13.3	67.6	45	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.5	8.1	7.3	7.6	7.5	6.3	7.0	5.8	6.5	6.7	6.2	8.1	89.6	45	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	5.2	3.6	2.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	2.8	4.3	19.5	12	4364
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.8	2.5	2.2	2.2	2.2	1.2	1.0	0.6	0.8	1.4	2.2	3.3	23.4	12	4382
MEAN NO DYS TSTMS	0.2	0.1	1.6	2.6	2.9	4.1	5.3	5.6	2.9	1.4	0.8	0.2	27.7	12	4383
P FREQ WND SPD = OR GTR 17 KTS	21.6	21.3	22.8	19.2	13.1	12.3	9.0	7.0	8.9	11.4	19.3	20.9	15.6	12	105122
P FREQ WND SPD = OR GTR 28 KTS	1.7	1.1	2.8	1.1	0.5	0.3	0.1	0.2	0.2	0.4	1.3	1.1	0.9	12	105122
P FREQ LES 5000 FT A/O LES 5 MI	64.4	60.4	51.5	41.6	31.0	26.9	23.4	29.3	31.1	39.8	54.1	60.9	42.5	12	105116
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	25.0	22.3	17.0	13.9	9.9	7.0	4.6	5.9	6.5	7.5	12.3	20.0	12.7	12	13142
03-05 LST	28.5	22.3	18.1	20.0	14.7	11.9	9.1	10.1	8.6	7.6	13.1	20.6	15.4	12	13140
06-08 LST	30.5	26.6	25.8	24.1	18.1	11.8	10.9	14.6	11.9	13.5	17.5	21.7	18.9	12	13143
09-11 LST	32.3	29.4	25.7	18.2	12.4	9.0	4.8	10.7	8.6	12.4	19.6	24.9	17.3	12	13135
12-14 LST	28.5	24.9	20.2	13.9	8.2	4.4	3.1	5.5	6.7	8.3	15.1	23.0	13.5	12	13137
15-17 LST	23.0	24.0	20.1	14.7	7.8	4.4	2.3	4.4	4.9	6.3	13.7	19.7	12.1	12	13140
18-20 LST	20.3	21.0	19.4	14.6	9.5	4.6	3.0	3.0	5.2	6.8	10.7	17.4	11.3	12	13141
21-23 LST	23.3	21.3	15.8	13.8	8.4	5.3	2.9	4.4	4.6	7.0	12.4	17.1	11.4	12	13138
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	3.6	3.5	1.9	2.0	3.3	1.9	1.2	0.9	0.4	0.9	1.9	3.0	2.0	12	13142
03-05 LST	3.3	4.4	1.9	3.2	4.6	3.3	2.3	1.7	0.8	1.5	2.9	3.0	2.7	12	13140
06-08 LST	5.6	4.6	4.0	4.8	3.6	2.3	0.7	1.3	1.9	2.4	3.1	4.7	3.3	12	13143
09-11 LST	7.0	5.2	3.6	1.4	1.1	0.6	0.0	0.1	0.3	0.4	2.6	5.1	2.3	12	13135
12-14 LST	4.8	3.7	3.9	1.1	0.6	0.2	0.1	0.0	0.0	0.4	1.5	4.6	1.7	12	13137
15-17 LST	4.1	4.2	3.3	1.9	1.0	0.0	0.0	0.1	0.1	0.4	1.7	3.8	1.7	12	13140
18-20 LST	2.7	4.4	3.1	1.8	1.3	0.3	0.2	0.1	0.3	0.7	1.8	2.8	1.6	12	13141
21-23 LST	3.8	4.0	2.0	1.1	1.8	0.7	0.3	0.4	0.5	0.5	1.9	2.2	1.6	12	13138

WELLAND, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	26.7	23.4	26.1	26.7	28.6	29.0	30.3	30.4	29.0	29.6	27.8	27.2	334.8	12	4382
	01 LST	24.7	23.2	27.0	26.9	28.2	28.5	29.5	29.5	28.9	29.3	27.6	26.3	329.6	12	4382
	07 LST	23.8	21.6	23.9	23.8	25.8	27.2	28.5	27.4	26.8	27.4	26.6	25.9	308.7	12	4382
	13 LST	23.5	22.7	25.9	27.0	29.4	29.1	30.3	30.0	28.6	29.2	26.8	25.4	327.9	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	8.6	9.3	9.9	11.0	12.9	14.0	16.8	18.5	17.9	18.2	11.2	10.0	158.3	12	4382
	01 LST	8.5	9.7	13.7	14.9	18.8	19.7	21.7	21.3	18.5	18.4	11.9	9.9	187.0	12	4382
	07 LST	8.0	8.4	10.1	11.2	12.8	15.0	18.0	20.6	18.9	15.9	11.4	9.7	160.0	12	4382
	13 LST	5.9	5.9	6.7	7.3	7.6	8.6	9.3	10.2	8.9	8.2	5.3	5.8	89.7	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	6.6	5.2	6.0	4.3	2.0	2.7	1.9	0.9	0.7	2.3	4.7	5.9	43.2	12	4026
	01 LST	5.4	4.3	4.3	3.2	1.2	1.3	0.8	1.0	1.6	1.6	4.6	5.7	35.0	12	3982
	07 LST	5.5	3.5	4.7	4.8	2.8	2.3	1.1	0.7	1.0	2.0	4.2	5.2	37.8	12	3953
	13 LST	9.6	7.9	9.7	10.1	9.1	8.0	6.4	4.9	5.9	6.7	9.4	9.3	97.0	12	4031
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	3.0	4.9	9.5	14.6	17.8	17.9	19.2	21.0	19.1	19.2	12.2	5.1	163.5	12	4026
	01 LST	2.6	3.0	6.1	15.1	20.8	21.5	22.9	22.9	21.4	20.4	10.5	4.9	172.1	12	3982
	07 LST	2.0	2.9	5.2	12.1	17.0	17.5	20.8	21.9	21.2	20.0	10.4	5.1	156.1	12	3953
	13 LST	2.7	5.1	7.5	8.4	9.0	9.9	10.9	12.9	10.7	11.4	9.4	4.4	102.3	12	4031
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	3.7	4.5	6.3	4.6	5.8	7.1	8.5	9.5	10.4	11.0	4.8	3.9	79.9	12	4382
	01 LST	4.2	5.5	8.6	8.8	12.5	12.9	13.9	14.1	14.5	12.5	4.2	4.5	116.2	12	4382
	07 LST	2.5	2.9	4.7	6.6	7.5	6.9	9.9	8.2	8.6	8.4	2.9	3.0	72.1	12	4382
	13 LST	1.8	1.8	3.7	4.9	5.7	6.6	6.1	5.6	6.0	8.1	2.7	1.0	54.0	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	20.2	20.0	22.6	24.6	27.3	28.3	29.6	29.5	27.9	28.0	24.8	23.0	305.8	12	4382
	01 LST	18.5	18.6	23.5	23.8	27.2	27.2	28.8	28.3	27.2	27.0	24.1	20.0	294.2	12	4382
	07 LST	15.3	16.7	19.7	21.4	23.7	24.7	26.3	24.8	25.4	24.6	21.8	19.1	263.5	12	4382
	13 LST	16.3	16.6	19.7	23.4	26.7	27.4	28.6	27.2	26.3	26.4	21.5	18.6	278.7	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	12.4	13.0	16.6	18.9	22.4	24.7	26.3	26.1	23.6	21.6	15.5	13.7	234.8	12	4382
	01 LST	11.2	11.8	16.9	18.7	22.8	24.2	25.3	24.4	23.3	21.3	13.9	11.7	225.5	12	4382
	07 LST	9.6	10.6	13.4	17.0	20.9	22.1	24.1	20.9	21.2	18.9	12.6	10.2	201.5	12	4382
	13 LST	10.4	10.6	13.2	16.8	20.6	22.4	24.3	22.2	19.5	19.0	12.2	11.4	202.6	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	10.5	11.0	14.2	15.4	19.2	22.4	24.1	23.4	21.3	19.9	11.9	11.8	205.1	12	4382
	01 LST	9.3	9.9	13.6	16.1	19.2	21.3	23.2	21.9	21.5	18.6	10.8	9.6	195.0	12	4382
	07 LST	7.7	8.5	11.1	14.1	18.4	19.9	21.7	19.0	19.0	15.9	9.5	8.7	173.5	12	4382
	13 LST	8.7	9.5	11.9	14.4	18.7	20.9	22.5	21.0	17.6	17.8	10.2	9.7	182.9	12	4382

BROWNS, CANADA

STA NO. 72970/ (IN AREA NUMBER 10)

LATITUDE 4552N

LONGITUDE 07715W

ELEVATION(FT) 00500

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	085
ABS MAX TMP (F)	61	54	79	86	92	95	95	98	94	86	75	59	98	20	-72629
MEAN MAX TMP (F)	21	24	36	50	65	75	79	77	68	57	41	27	52	12	-72629
MEAN MIN TMP (F)	0	1	14	29	41	51	54	52	43	34	25	8	29	12	-72629
ABS MIN TMP (F)	-42	-42	-39	0	19	25	33	29	18	11	-16	-41	-42	20	-72629
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.4	1.4	2.0	1.6	0.6	0.0	0.0	0.0	6.0	9	-72629
MEAN NO DYS TMP = OR LES 32(F)	30.1	27.9	29.5	18.8	9.4	0.5	0.0	0.2	5.4	13.1	20.3	28.7	183.9	9	-72629
MEAN NO DYS TMP = OR LES 0(F)	15.3	12.5	7.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	8.8	44.4	9	-72629
MEAN DEW PT TMP (F)	8	9	19	30	43	55	59	57	49	40	29	14	34	10	-72629
MEAN REL HUM (PCT)	85	83	74	68	68	72	73	76	80	79	81	82	77	10	-72629
MEAN PRESS ALT (FT)	383	401	423	445	455	489	495	452	420	407	423	416	434	0	-80
MEAN PRECIP (IN)	1.79	1.96	1.77	1.94	3.08	2.25	3.09	2.57	2.87	2.12	2.18	2.07	27.3	12	-72629
MEAN SNOW FALL (IN)	15.4	14.7	12.4	5.5	0.1	0.0	0.0	0.0	0.0	0.3	8.2	15.5	72.1	12	-72629
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.5	4.9	5.3	5.7	8.1	5.6	6.8	6.1	6.6	5.3	5.4	6.3	71.6	12	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.3	3.1	2.6	1.1	0.0	0.0	0.0	0.0	0.0	0.0	1.7	3.3	15.1	12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	1.0	1.0	4.0	5.0	3.0	2.0	1.0	0.0	0.0	17.0	8	-72629
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.0	1.0	4.0	5.0	3.0	2.0	1.0	0.0	0.0	17.0	0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = UR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	14.1	17.7	11.7	10.8	6.5	8.4	4.7	4.5	12.1	15.0	15.1	18.3	11.6	9	-72629
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.0	4.9	4.4	2.5	0.4	1.3	0.0	1.6	3.8	2.8	3.8	5.7	2.9	9	-72629
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BROWNS, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	27.9	23.9	27.6	28.0	29.6	28.4	29.8	29.2	26.2	25.9	26.9	26.4	329.8	9 -72629
	13 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	19 LST													0	0
	01 LST													0	0
	07 LST	20.7	19.6	22.7	21.5	24.4	23.1	27.0	27.8	22.1	21.1	19.4	18.5	267.9	9 -72629
	13 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST	0.4	0.4	0.2	0.1	0.1	0.4	0.0	0.0	0.0	0.2	0.6	0.2	2.6	9 -72629
	13 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PHECIP.	19 LST													0	0
	01 LST													0	0
	07 LST	0.7	0.6	1.4	8.0	14.0	15.9	14.4	12.6	12.7	12.6	6.8	2.1	101.8	9 -72629
	13 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	9.0	9.0	11.0	9.5	10.6	10.1	13.0	12.9	9.2	7.5	4.3	7.7	113.8	9 -72629
	13 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	22.0	19.9	24.5	23.7	26.1	25.0	28.0	27.1	22.4	21.3	19.7	20.6	280.3	9 -72629
	13 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	16.1	15.2	19.9	18.4	20.7	20.7	23.1	23.5	17.9	15.7	11.9	13.9	217.0	9 -72629
	13 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	15.1	14.0	18.7	16.6	19.6	19.3	22.4	22.1	16.6	14.5	10.8	12.6	202.3	9 -72629
	13 LST													0	0

CAMP PETAWAWA, CANADA

STA NO. 72971/ (IN AREA NUMBER 10)

LATITUDE 4555N

LONGITUDE 07718W

ELEVATION(FT) 00487

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	61	54	79	86	92	95	95	98	94	86	75	59	98	20	-72629
MEAN MAX TMP (F)	21	24	36	50	65	75	79	77	68	57	41	27	52	12	-72629
MEAN MIN TMP (F)	0	1	14	29	41	51	54	52	43	34	25	8	29	12	-72629
ABS MIN TMP (F)	-42	-42	-39	0	19	25	33	29	18	11	-16	-41	-42	20	-72629
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.4	1.6	2.0	1.6	0.6	0.0	0.0	0.0	6.0	9	-72629
MEAN NO DYS TMP = OR LES 32(F)	30.1	27.9	29.5	18.8	9.4	0.5	0.0	0.2	5.4	13.1	20.3	28.7	183.9	9	-72629
MEAN NO DYS TMP = OR LES 0(F)	15.3	12.5	7.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	8.8	44.4	9	-72629
MEAN DEW PT TMP (F)	8	9	19	30	43	55	59	57	49	40	29	14	34	10	-72629
MEAN REL HUM (PCT)	85	83	74	68	68	72	73	76	80	79	81	82	77	10	-72629
MEAN PRESS ALT (FT)	370	388	410	432	442	475	481	438	406	393	410	402	421	0	-50
MEAN PRECIP (IN)	1.79	1.56	1.77	1.94	3.08	2.25	3.09	2.57	2.87	2.12	2.18	2.07	27.3	12	-72629
MEAN SNOW FALL (IN)	15.4	14.7	12.4	5.5	0.1	0.0	0.0	0.0	0.0	0.3	6.2	15.5	72.1	12	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.5	4.9	5.3	5.7	8.1	5.6	6.8	6.1	6.6	5.3	5.4	6.3	71.6	12	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.3	3.1	2.6	1.1	0.0	0.0	0.0	0.0	0.0	0.0	1.7	3.3	15.1	0	0
MEAN NO DYS W/OCUM VSBY LES 1/2 MI	0.0	0.0	0.0	1.0	1.0	4.0	5.0	3.0	2.0	1.0	0.0	0.0	17.0	8	-72629
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	14.1	17.7	11.7	10.8	6.5	8.4	4.7	4.5	12.1	15.0	15.1	18.3	11.6	9	-72629
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.0	4.9	4.4	2.5	0.4	1.3	0.0	1.6	3.8	2.8	3.8	5.7	2.9	9	-72629
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CAMP PETAWAWA, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	27.9	23.9	27.6	28.0	29.6	28.4	29.8	29.2	26.2	25.9	26.9	26.4	329.8	9	-72629
	13 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST														0	0
	01 LST														0	0
	07 LST	20.7	19.6	22.7	21.5	24.4	23.1	27.0	27.8	22.1	21.1	19.4	16.5	267.9	9	-72629
	13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	0.4	0.4	0.2	0.1	0.1	0.4	0.0	0.0	0.0	0.2	0.6	0.2	2.6	9	-72629
	13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	0.7	0.6	1.4	8.0	14.0	15.9	14.4	12.6	12.7	12.6	6.8	2.1	101.8	9	-72629
	13 LST														0	0
COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	9.0	9.0	11.0	9.5	10.6	10.1	13.0	12.9	9.2	7.5	4.3	7.7	113.8	9	-72629
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	22.0	19.9	24.5	23.7	26.1	25.0	28.0	27.1	22.4	21.3	19.7	20.6	280.3	9	-72629
	13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	16.1	15.2	19.9	18.4	20.7	20.7	23.1	23.5	17.9	15.7	11.9	13.9	217.0	9	-72629
	13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	15.1	14.0	18.7	16.6	19.6	19.3	22.4	22.1	16.6	14.5	10.8	12.6	202.3	9	-72629
	13 LST														0	0

CARP, CANADA

STA NO. 72972/ (IN AREA NUMBER 10)

LATITUDE 4520N

LONGITUDE 07602W

ELEVATION(FT) 00382

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	54	54	78	86	94	97	101	100	102	87	74	59	102	65	-72628
MEAN MAX TMP (F)	21	22	33	51	66	76	81	77	68	54	39	24	51	65	-72628
MEAN MIN TMP (F)	3	3	16	31	44	54	58	55	48	37	26	9	32	65	-72628
ABS MIN TMP (F)	-32	-35	-34	-2	21	33	38	35	24	14	-10	-34	-35	65	-72628
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.8	1.6	1.1	0.2	0.0	0.0	0.0	3.7	12	-72628
MEAN NO DYS TMP = OR LES 32(F)	30.4	27.6	28.9	12.3	2.6	0.0	0.0	0.0	0.9	7.4	19.1	29.2	158.4	12	-72628
MEAN NO DYS TMP = OR LES 0(F)	10.4	6.4	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	6.0	24.9	12	-72628
MEAN DEW PT TMP (F)	10	13	20	32	42	53	58	55	49	39	29	15	35	9	-72628
MEAN REL HUM (PCT)	81	80	77	69	66	70	70	72	76	75	80	83	75	9	-72628
MEAN PRESS ALT (FT)	271	290	315	333	343	378	388	343	307	295	310	305	323	0	-50
MEAN PRECIP (IN)	2.93	2.17	2.77	2.70	2.47	3.52	3.39	2.56	3.23	2.93	2.98	2.58	34.2	65	-72628
MEAN SNOW FALL (IN)	21.5	17.3	14.4	4.4	0.0	0.0	0.0	0.0	0.0	0.8	6.4	17.2	82.0	65	-72628
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.2	6.5	7.5	7.4	6.9	7.4	7.2	6.1	7.2	6.7	6.8	7.5	85.4	65	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	4.4	3.7	3.1	0.9	0.0	0.0	0.0	0.0	0.0	0.1	1.2	3.7	17.3	65	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.2	4.7	3.9	2.2	1.3	0.5	1.3	1.8	2.8	3.3	2.2	3.8	31.0	9	-72628
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.7	1.8	4.9	4.7	4.3	2.1	0.9	0.1	0.0	19.5	9	-72628
P FREQ WND SPD = OR GTR 17 KTS	7.7	7.0	8.6	6.6	4.6	3.3	1.9	1.9	3.1	5.0	7.1	5.7	5.2	9	-72628
P FREQ WND SPD = OR GTR 28 KTS	0.6	0.2	0.3	0.1	0.2	0.1	0.0	0.0	0.1	0.3	0.4	0.1	0.2	9	-72628
P FREQ LES 5000 FT A/O LES 5 MI	44.7	44.8	37.8	34.4	25.3	25.9	22.4	22.0	32.0	35.8	51.9	52.5	35.8	9	-72628
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	25.3	20.7	16.1	12.6	7.9	6.5	7.2	5.9	11.2	11.5	15.2	23.3	13.2	9	-72628
03-05 LST	19.8	22.4	17.9	12.6	10.8	11.9	9.7	10.0	15.1	14.5	18.0	24.2	15.6	9	-72628
06-08 LST	23.6	23.3	17.9	16.6	11.0	12.9	9.2	13.0	17.1	20.1	22.3	25.0	17.7	12	-72628
09-11 LST	24.5	26.8	17.2	15.3	8.5	10.8	7.5	7.6	14.3	16.8	21.6	26.6	16.5	9	-72628
12-14 LST	16.4	23.8	15.5	11.6	9.1	6.5	4.3	5.7	6.7	11.7	17.4	23.6	12.7	9	-72628
15-17 LST	17.4	21.7	16.8	10.9	6.9	3.7	2.6	5.3	4.2	9.4	16.3	23.7	11.6	9	-72628
18-20 LST	17.7	18.8	13.3	9.6	5.7	3.8	1.8	5.7	4.4	9.3	14.2	17.4	10.1	9	-72628
21-23 LST	20.6	16.5	12.8	9.8	5.7	4.0	2.6	4.7	7.3	10.3	16.5	19.5	10.9	9	-72628
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	2.8	7.3	4.4	4.2	1.9	1.9	1.8	1.1	3.0	3.8	3.7	6.5	3.5	9	-72628
03-05 LST	4.7	8.3	6.2	4.4	2.9	1.6	2.6	3.5	6.1	5.3	5.8	8.9	5.0	9	-72628
06-08 LST	5.6	8.1	6.0	3.8	1.5	2.9	1.9	3.9	5.4	7.6	7.1	8.4	5.2	12	-72628
09-11 LST	7.4	8.9	4.8	1.6	0.2	0.7	0.4	0.2	1.9	3.1	3.2	7.3	3.3	9	-72628
12-14 LST	5.3	9.8	4.4	1.2	0.1	0.1	0.0	0.0	0.1	0.1	2.7	6.2	2.5	9	-72628
15-17 LST	6.2	7.8	4.7	2.0	0.7	0.0	0.0	0.0	0.1	1.2	3.6	6.5	2.7	9	-72628
18-20 LST	4.3	5.4	3.3	1.4	1.6	0.4	0.1	0.4	0.2	2.2	4.6	5.6	2.5	9	-72628
21-23 LST	4.4	5.2	3.0	2.8	1.0	0.6	0.1	1.1	1.2	3.8	3.7	6.4	2.8	9	-72628

CARP, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	26.1	23.0	27.3	27.8	29.8	29.0	30.7	29.5	29.1	28.8	26.6	26.0	333.7	9	-72628
	01 LST	26.2	22.1	26.3	27.3	29.4	28.3	29.0	29.8	27.2	28.2	26.2	25.2	325.2	9	-72628
	07 LST	24.9	22.0	26.6	26.0	28.2	27.2	28.3	27.0	24.4	25.1	23.9	24.2	307.8	12	-72628
	13 LST	27.1	21.8	26.4	27.1	28.8	29.2	30.3	29.9	25.4	28.6	25.7	24.9	328.2	9	-72628
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	15.3	13.9	17.9	18.0	19.3	21.2	23.5	25.4	20.8	19.5	14.9	16.7	226.4	9	-72628
	01 LST	15.9	13.7	17.6	18.5	23.4	23.4	25.6	27.0	21.9	21.0	16.5	15.6	240.1	9	-72628
	07 LST	15.1	14.2	15.2	14.6	19.7	18.5	22.7	22.5	18.2	18.2	15.2	14.8	208.9	12	-72628
	13 LST	13.8	9.1	11.2	10.8	12.6	12.5	14.3	15.4	11.6	12.0	10.4	12.5	146.2	9	-72628
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	1.9	1.7	2.0	1.2	0.8	0.3	0.3	0.4	0.5	1.3	1.4	1.7	13.5	9	-72628
	01 LST	1.7	1.3	2.0	0.8	0.6	0.2	0.1	0.0	0.2	0.5	2.1	1.3	10.8	9	-72628
	07 LST	2.0	1.4	2.1	0.9	0.5	0.4	0.0	0.2	0.2	0.9	1.1	1.2	10.9	12	-72628
	13 LST	3.2	2.2	3.3	3.8	3.7	2.1	1.2	1.2	2.1	3.4	3.2	2.6	32.0	9	-72628
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	2.0	1.2	9.3	18.8	20.5	21.7	22.0	21.8	19.6	19.8	10.8	3.5	171.0	9	-72628
	01 LST	1.5	1.3	4.0	16.3	19.9	19.0	21.9	19.3	19.8	17.7	10.6	2.0	153.3	9	-72628
	07 LST	0.6	0.6	1.9	13.2	17.7	18.4	19.7	18.7	18.8	16.0	8.2	2.7	136.5	12	-72628
	13 LST	1.4	1.7	9.1	13.9	16.2	16.1	17.5	18.7	16.0	15.8	12.0	4.8	143.2	9	-72628
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	10.7	10.5	9.5	8.4	7.0	6.9	8.6	9.8	8.9	11.5	7.2	8.9	107.9	9	-72628
	01 LST	10.6	8.6	11.9	11.4	15.0	13.5	15.1	15.7	14.6	12.3	6.5	8.2	143.4	9	-72628
	07 LST	7.7	7.4	9.4	8.1	9.3	9.8	10.6	10.9	8.3	7.3	3.3	6.3	98.4	12	-72628
	13 LST	7.2	6.8	9.4	6.1	5.1	4.3	4.9	5.2	5.4	7.1	3.0	4.9	69.4	9	-72628
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	23.2	21.5	25.5	25.9	28.4	28.0	29.8	28.8	27.5	27.1	23.1	22.4	311.2	9	-72628
	01 LST	22.2	20.2	24.6	25.1	28.3	27.5	28.1	28.8	25.4	26.4	23.6	20.7	300.9	9	-72628
	07 LST	20.8	19.7	24.1	23.0	26.1	24.5	27.0	25.4	22.2	20.6	21.2	20.1	276.7	12	-72628
	13 LST	24.1	20.4	24.1	24.1	27.4	25.8	28.6	28.2	25.9	26.1	22.0	21.9	298.6	9	-72628
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	17.7	17.0	19.4	19.3	22.7	23.4	25.1	24.8	22.2	22.0	15.5	16.0	245.1	9	-72628
	01 LST	16.3	15.2	19.3	20.4	24.8	24.0	25.3	26.7	22.3	21.2	14.8	14.1	244.4	9	-72628
	07 LST	15.4	14.4	19.3	18.0	22.2	21.3	23.6	22.0	19.1	17.8	13.2	13.4	219.7	12	-72628
	13 LST	19.1	15.7	18.8	16.3	20.0	18.3	21.9	20.9	17.4	17.8	12.8	15.4	214.4	9	-72628
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	15.7	15.0	17.0	17.9	19.0	20.0	22.0	22.4	19.3	19.7	12.7	14.3	215.0	9	-72628
	01 LST	15.3	13.4	16.9	17.3	21.9	20.9	22.5	24.6	19.9	18.8	12.7	12.4	216.1	9	-72628
	07 LST	13.7	12.8	16.3	15.6	19.2	19.2	21.6	20.5	16.7	15.7	11.1	12.3	194.7	12	-72628
	13 LST	16.3	14.6	16.9	15.1	17.5	16.0	19.1	18.7	15.7	15.7	10.4	12.4	188.4	9	-72628

CHATHAM, CANADA

STA NO. 72974/ (IN AREA NUMBER 10)

LATITUDE 4218N

LONGITUDE 08205W

ELEVATION(FT) 00650

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	64	64	80	91	97	100	104	106	98	90	79	62	106	70	-110
MEAN MAX TMP (F)	31	31	42	56	69	79	84	82	75	62	46	34	58	48	-105
MEAN MIN TMP (F)	18	17	26	36	46	56	61	59	53	42	32	23	39	48	-105
ABS MIN TMP (F)	-17	-19	-5	7	26	33	37	38	30	21	6	-10	-19	70	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	3.6	4.8	3.7	1.6	0.0	0.0	0.0	13.7	12	-72537
MEAN NO DYS TMP = OR LES 32(F)	28.6	25.3	22.8	6.8	0.2	0.0	0.0	0.0	0.0	1.5	14.3	25.3	124.8	12	-72537
MEAN NO DYS TMP = OR LES 0(F)	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.5	12	-72537
MEAN DEW PT TMP (F)	19	21	24	35	44	55	60	60	53	43	31	23	39	12	-72537
MEAN REL HUM (PCT)	75	73	69	65	62	64	64	68	69	69	72	75	69	12	-72537
MEAN PRESS ALT (FT)	508	520	551	580	596	607	603	572	543	529	546	528	557	0	-50
MEAN PRECIP (IN)	2.23	2.06	2.21	2.34	2.94	2.62	2.82	2.45	2.57	2.39	2.33	2.23	29.2	60	-105
MEAN SNOW FALL (IN)	10.7	10.1	7.2	2.1	0.1	0.0	0.0	0.0	0.0	0.2	2.8	9.0	42.2	60	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.7	6.2	6.3	6.6	7.8	6.2	6.5	5.9	6.1	5.7	5.6	6.7	76.3	60	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.2	2.1	1.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.6	8.2	12	-72537
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.8	1.8	1.8	0.8	0.2	0.2	0.6	1.0	0.8	1.1	1.0	1.7	12.8	12	-72537
MEAN NO DYS TSTMS	0.1	0.6	1.8	3.5	3.9	5.4	5.6	5.1	3.3	2.3	0.8	0.4	32.8	12	-72537
P FREQ WND SPD = OR GTR 17 KTS	6.8	8.5	10.3	7.0	4.0	2.9	1.5	0.9	2.4	3.3	9.9	7.6	5.4	12	-72537
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.2	0.5	0.3	0.0	0.1	0.0	0.0	0.1	0.1	0.4	0.0	0.2	12	-72537
P FREQ LES 5000 FT A/O LES 5 MI	66.6	60.7	50.3	42.8	31.0	28.4	23.7	29.2	33.4	44.1	60.2	65.8	44.7	12	-72537
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	25.7	19.8	19.1	14.5	7.3	6.4	4.8	6.3	8.9	11.9	15.9	21.0	13.5	12	-72537
03-05 LST	24.6	19.1	21.2	16.9	13.4	11.4	8.0	10.9	13.1	15.1	18.6	23.5	16.3	12	-72537
06-08 LST	32.2	29.8	30.0	26.3	16.9	15.5	10.8	21.2	24.5	31.7	29.7	30.1	24.9	12	-72537
09-11 LST	37.5	30.4	25.4	19.1	13.2	10.4	7.6	12.1	17.1	21.5	29.9	37.6	21.8	12	-72537
12-14 LST	29.8	24.3	16.8	12.8	7.5	6.4	3.1	4.3	6.9	9.7	19.1	27.4	14.0	12	-72537
15-17 LST	26.6	20.8	14.3	9.2	5.4	3.1	1.8	2.7	5.3	9.3	15.1	22.2	11.3	12	-72537
18-20 LST	23.3	19.9	14.2	10.4	6.7	3.1	1.8	2.8	5.1	10.2	15.8	19.4	11.1	12	-72537
21-23 LST	24.5	20.3	15.7	12.4	5.2	4.0	2.4	4.4	5.2	10.1	15.8	19.4	11.6	12	-72537
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	3.2	2.2	0.9	1.0	0.2	0.3	0.0	0.0	0.3	0.6	1.9	3.3	1.2	12	-72537
03-05 LST	2.5	2.1	1.9	1.0	0.4	0.7	0.9	1.6	1.1	2.4	1.4	3.1	1.6	12	-72537
06-08 LST	3.0	4.6	4.4	2.0	1.0	0.4	1.2	2.5	2.6	4.9	3.8	4.2	2.9	12	-72537
09-11 LST	5.7	3.6	3.6	0.9	0.2	0.0	0.1	0.1	0.2	1.0	2.5	5.9	2.0	12	-72537
12-14 LST	5.4	3.2	3.0	0.9	0.1	0.0	0.0	0.1	0.2	0.0	0.8	3.5	1.6	12	-72537
15-17 LST	4.7	3.1	2.2	0.1	0.0	0.0	0.0	0.1	0.1	0.0	1.1	3.5	1.2	12	-72537
18-20 LST	3.5	2.5	1.3	0.6	0.2	0.0	0.1	0.0	0.0	0.0	0.8	2.2	0.9	12	-72537
21-23 LST	3.5	2.8	0.8	0.9	0.4	0.2	0.0	0.0	0.0	0.2	1.2	1.8	1.0	12	-72537

CHATHAM, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	25.5	20.6	22.4	24.6	25.2	25.2	25.8	27.2	23.0	20.2	27.8	28.7	296.2	5	-72537
	01 LST	25.8	22.8	21.8	26.4	26.2	25.6	25.2	27.8	23.2	22.0	27.2	28.5	302.5	5	-72537
	07 LST	27.6	21.8	22.2	24.8	25.8	25.6	25.0	28.4	21.8	21.6	27.0	28.5	300.1	5	-72537
	13 LST	27.0	22.8	20.8	24.6	25.4	25.0	25.4	28.6	22.6	19.4	28.2	28.2	298.0	5	-72537
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	16.5	10.9	8.4	5.8	5.2	4.8	4.4	4.0	4.8	4.2	13.0	18.0	100.0	5	-72537
	01 LST	16.3	11.7	9.2	4.8	5.8	4.6	4.6	5.0	4.6	3.8	14.7	18.0	103.1	5	-72537
	07 LST	16.8	12.1	8.0	5.8	5.0	5.4	4.0	3.2	4.2	3.8	12.8	19.5	100.6	4	-72537
	13 LST	17.9	11.9	8.8	5.8	6.0	4.0	4.8	4.4	4.2	3.6	13.7	17.5	102.6	5	-72537
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	1.8	2.8	4.2	5.6	11.7	11.9	13.6	14.8	9.1	12.4	0.5	0.3	88.7	5	-72537
	01 LST	0.6	2.6	3.5	3.1	10.6	13.1	11.7	12.4	9.0	13.0	0.5	0.3	80.4	5	-72537
	07 LST	0.5	2.5	3.7	5.0	9.8	14.0	13.2	15.8	8.9	11.8	0.0	0.0	85.2	5	-72537
	13 LST	1.5	1.8	4.1	4.5	11.7	10.6	11.3	13.1	7.7	12.9	0.5	0.3	80.0	5	-72537
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-72537
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-72537
	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-72537
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-72537
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	13.4	10.7	9.6	16.4	17.0	16.6	17.0	17.4	11.1	6.8	12.8	14.2	163.0	5	-72537
	01 LST	12.8	10.5	10.8	17.7	17.4	17.8	16.2	17.2	11.0	8.0	13.0	14.5	166.9	5	-72537
	07 LST	12.5	10.1	9.0	16.2	17.2	17.0	17.0	17.8	9.8	8.4	11.5	16.0	162.5	5	-72537
	13 LST	12.4	11.1	9.0	16.4	17.0	17.2	16.8	17.8	10.8	7.4	13.5	14.5	163.9	5	-72537
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	24.4	19.5	21.4	24.6	24.8	24.8	25.4	26.4	21.7	19.8	27.2	26.2	286.2	5	-72537
	01 LST	24.8	21.2	21.2	26.0	26.0	25.4	24.6	26.6	22.2	21.4	27.2	27.5	294.1	5	-72537
	07 LST	25.5	20.8	21.8	24.6	25.8	25.6	24.2	26.8	20.8	21.2	26.5	27.7	291.3	5	-72537
	13 LST	25.5	21.2	20.4	24.2	25.2	25.0	25.0	27.2	21.2	19.0	27.8	27.7	289.4	5	-72537
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	20.2	18.6	20.4	23.8	23.6	22.8	24.0	25.8	20.3	19.0	24.3	23.5	268.3	5	-72537
	01 LST	21.0	19.9	20.4	24.8	24.6	23.4	22.8	25.6	21.2	20.2	26.7	24.5	275.1	5	-72537
	07 LST	22.5	19.2	20.6	23.6	24.2	22.4	22.8	26.0	19.2	20.4	26.0	23.5	270.4	5	-72537
	13 LST	21.7	19.9	19.8	23.4	23.6	22.2	22.4	25.8	19.2	18.4	26.5	23.3	266.2	5	-72537
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	19.6	18.5	20.2	23.8	23.2	22.8	24.0	25.8	19.9	19.0	26.0	22.0	264.8	5	-72537
	01 LST	20.8	19.0	19.6	24.8	24.2	23.4	22.6	25.6	21.0	20.2	26.5	24.0	271.7	5	-72537
	07 LST	21.2	18.6	20.4	23.4	23.6	22.2	22.8	25.8	18.6	20.4	26.0	23.3	266.3	5	-72537
	13 LST	20.9	19.5	19.0	23.2	23.4	22.2	22.2	25.8	19.0	18.4	26.5	22.5	262.6	5	-72537

GODERICH, CANADA

STA NO. 72977/ (IN AREA NUMBER 10)

LATITUDE 4346N

LONGITUDE 08142W

ELEVATION(FT) 00734

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	63	61	76	86	89	96	99	97	95	83	75	63	99	40	-110
MEAN MAX TMP (F)	29	30	35	50	63	72	77	76	69	57	43	33	53	31	-105
MEAN MIN TMP (F)	17	15	21	33	44	53	59	58	52	42	32	22	37	31	-105
ABS MIN TMP (F)	-18	-23	-15	6	20	32	39	39	30	20	0	-14	-23	40	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0					0.0	0.0	0.0		31	-29
MEAN NO DYS TMP = OR LES 32(F)						0.0	0.0	0.0	0.0					40	-29
MEAN NO DYS TMP = OR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				40	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	579	596	635	663	674	682	677	649	614	595	606	594	630	0	-50
MEAN PRECIP (IN)	2.94	2.46	2.24	1.80	2.52	2.16	2.00	2.17	2.47	2.45	2.56	2.59	26.4	45	-105
MEAN SNOW FALL (IN)	20.2	16.9	11.7	2.2	0.1	0.0	0.0	0.0	0.0	0.7	7.3	17.2	76.3	45	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.2	7.2	6.4	5.4	7.0	5.4	5.2	5.5	5.9	5.9	6.0	7.5	75.6	45	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	4.3	3.6	2.5	0.4	0.0	0.0	0.0	0.0	0.0	0.1	1.5	3.7	16.1	45	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

GODERICH, CANADA
 MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0

DATA NOT AVAILABLE

GOODWOOD, CANADA

STA NO. 72978/ (IN AREA NUMBER 10)

LATITUDE 4404N

LONGITUDE 07913W

ELEVATION(FT) 01100

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	57	51	78	84	87	95	93	95	94	82	76	61	95	20	-72630
MEAN MAX TMP (F)	24	25	35	50	63	74	78	76	67	56	41	28	51	12	-72630
MEAN MIN TMP (F)	4	6	14	29	40	50	54	53	45	36	26	12	31	12	-72630
ABS MIN TMP (F)	-37	-39	-27	-6	18	28	35	31	23	14	-8	-42	-42	20	-72630
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.5	0.2	0.0	0.0	0.0	1.5	9	-72630
MEAN NO DYS TMP = OR LES 32(F)	30.6	27.2	28.9	19.1	7.6	0.4	0.0	0.0	3.1	9.3	20.6	28.7	175.5	9	-72630
MEAN NO DYS TMP = OR LES 0(F)	11.2	10.0	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	6.9	33.5	9	-72630
MEAN DEW PT TMP (F)	13	12	20	31	43	54	58	57	50	41	30	18	36	10	-72630
MEAN REL HUM (PCT)	88	85	77	70	70	74	76	78	82	81	85	89	80	10	-72630
MEAN PRESS ALT (FT)	949	970	1007	1033	1036	1048	1045	1013	977	957	966	963	997	0	-50
MEAN PRECIP (IN)	3.58	2.36	3.09	2.45	3.28	2.90	4.00	2.65	3.56	3.50	4.11	4.35	39.8	12	-72630
MEAN SNOW FALL (IN)	30.1	20.1	17.2	4.4	0.1	0.0	0.0	0.0	1.4	17.8	33.6	124.7	12	-72630	
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.4	7.0	8.1	6.8	8.5	6.6	7.9	6.2	7.7	7.6	8.6	10.5	94.9	12	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	6.1	4.3	3.8	0.9	0.0	0.0	0.0	0.0	0.0	0.2		6.6		12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	2.0	2.0	4.0	5.0	4.0	2.0	1.0	0.0	0.0	20.0	8	-72630
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	23.4	28.3	23.1	22.5	18.6	16.7	17.3	18.9	22.2	21.1	23.4	28.7	22.0	9	-72630
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	11.7	12.4	7.7	9.6	4.9	5.0	4.0	4.1	7.5	4.5	4.6	10.9	7.2	9	-72630
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

GOODWOOD, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OB5
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	25.6	20.9	25.1	24.0	26.4	25.4	24.6	24.2	22.8	24.6	24.2	24.0	291.8	9 -72630
	13 LST														0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	19 LST													0	0
	01 LST													0	0
	07 LST	17.6	15.6	18.4	17.7	18.7	20.6	21.6	21.1	17.8	18.5	15.7	15.8	219.1	9 -72630
	13 LST														0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST	0.1	0.2	0.1	0.4	0.2	0.0	0.0	0.0	0.0	0.2	0.1	0.1	1.4	9 -72630
	13 LST														0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST	0.5	0.8	1.4	9.2	15.3	17.0	15.4	17.5	15.3	15.6	5.9	2.1	116.0	9 -72630
	13 LST														0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	7.6	9.0	10.6	8.5	8.9	10.1	12.0	10.8	9.0	6.9	5.5	8.9	107.8	9 -72630
	13 LST														0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	18.0	17.0	20.7	20.3	22.9	22.6	22.3	21.5	19.2	18.9	15.8	16.9	236.1	9 -72630
	13 LST														0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	12.6	13.5	16.9	16.1	20.8	19.5	20.2	19.0	16.6	14.9	10.3	11.8	192.2	9 -72630
	13 LST														0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	11.9	12.5	16.1	14.9	19.6	17.9	19.4	17.6	14.9	13.7	9.9	11.4	179.8	9 -72630
	13 LST														0

KINGSTON, CANADA

STA NO. 72983/ (IN AREA NUMBER 10)

LATITUDE 4413N

LONGITUDE 07636W

ELEVATION(FT) 00305

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	53	56	67	85	87	95	96	97	89	78	68	58	97	80	-110
MEAN MAX TMP (F)	27	27	36	49	61	71	76	75	69	56	44	32	52	62	-105
MEAN MIN TMP (F)	11	10	20	33	45	55	61	59	53	41	30	17	36	62	-105
ABS MIN TMP (F)	-28	-31	-20	1	22	33	43	38	29	18	-4	-30	-31	80	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	0.9	1.0	0.2	0.0	0.0	0.0	2.5	9	-72621
MEAN NO DYS TMP = OR LES 32(F)	29.7	26.3	27.6	11.2	2.2	0.0	0.0	0.0	0.0	4.6	15.3	27.0	143.9	9	-72621
MEAN NO DYS TMP = OR LES 0(F)	5.5	4.6	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	14.8	9	-72621
MEAN DEW PT TMP (F)	16	17	26	35	46	57	61	60	53	44	33	21	39	10	-72621
MEAN REL HUM (PCT)	85	86	77	74	73	73	73	74	77	81	83	83	78	10	-72621
MEAN PRESS ALT (FT)	159	183	224	245	240	260	254	220	185	163	171	176	207	0	-50
MEAN PRECIP (IN)	2.82	2.18	2.50	2.33	2.82	2.85	2.89	2.73	2.86	2.99	2.96	2.85	32.8	62	-105
MEAN SNOW FALL (IN)	16.5	13.4	9.8	3.4	0.2	0.0	0.0	0.0	0.0	0.4	5.3	13.4	62.4	62	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.0	6.5	7.0	6.6	7.6	6.6	6.6	6.3	6.6	6.8	6.7	8.0	83.3	62	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.5	2.9	2.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2.9	12.9	62	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	1.0	1.0	3.0	3.0	5.0	4.0	2.0	1.0	0.0	0.0	20.0	8	-72621
MEAN NO DYS TSTMS	0.0	0.0	1.0	1.0	3.0	3.0	5.0	4.0	2.0	1.0	0.0	0.0	20.0	8	-72621
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	23.4	28.6	21.4	21.5	17.7	11.3	11.6	10.9	15.9	17.4	16.3	23.4	18.3	9	-72621
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	9.7	13.8	7.7	5.0	3.6	1.3	2.5	1.6	2.1	4.5	4.2	8.6	5.4	9	-72621
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KINGSTON, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	24.6	20.9	25.1	24.0	25.2	26.5	27.2	26.6	24.8	24.3	24.5	24.6	298.3	9	-72621
	13 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	19 LST														0	0
	01 LST														0	0
	07 LST	11.7	11.6	13.2	12.9	14.8	17.6	19.0	18.3	17.3	15.7	13.4	10.5	176.0	9	-72621
	13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	3.1	1.4	2.0	1.8	0.6	1.1	0.2	0.5	0.5	0.7	2.4	1.9	16.2	9	-72621
	13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	0.2	0.9	3.0	9.0	12.6	16.0	15.3	16.7	15.5	14.0	6.8	1.9	111.9	9	-72621
	13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	8.5	6.6	9.0	8.9	9.4	7.5	11.7	11.2	10.0	7.9	5.0	6.3	102.0	9	-72621
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	20.2	17.2	22.5	20.9	22.7	24.6	25.6	24.6	22.4	21.0	20.8	19.6	262.1	9	-72621
	13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	15.0	12.9	19.7	18.1	20.5	21.5	23.2	22.6	20.2	16.7	14.6	13.5	218.5	9	-72621
	13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	13.9	12.1	18.8	16.7	19.1	20.0	21.9	22.1	19.2	15.7	13.8	13.5	206.8	9	-72621
	13 LST														0	0

NIAGARA DISTRICT, CANADA

STA NO. 72985/ (IN AREA NUMBER 10)

LATITUDE 4310N

LONGITUDE 07910W

ELEVATION(FT) 00324

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	56	61	71	83	87	93	94	93	96	84	79	61	96	14	-74488
MEAN MAX TMP (F)	30	32	39	56	66	76	81	79	71	61	47	35	56	14	-74488
MEAN MIN TMP (F)	18	19	25	37	45	56	61	60	52	43	33	23	39	14	-74488
ABS MIN TMP (F)	-16	-5	-8	12	29	37	46	45	30	23	-2	-4	-16	14	-74488
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.0	2.0	1.5	0.9	0.0	0.0	0.0	5.4	14	-74488
MEAN NO DYS TMP = OR LES 32(F)	29.4	26.0	26.0	9.5	0.8	0.0	0.0	0.0	0.2	2.5	13.9	25.2	133.5	14	-74488
MEAN NO DYS TMP = OR LES 0(F)	0.8	1.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	2.6	14	-74488
MEAN DEW PT TMP (F)	19	20	25	37	46	55	60	59	52	44	33	23	39	14	-74488
MEAN REL HUM (PCT)	80	79	77	74	72	70	70	73	74	75	77	80	75	14	-74488
MEAN PRESS ALT (FT)	181	200	232	259	264	279	277	242	209	189	203	199	228	0	-50
MEAN PRECIP (IN)	2.97	2.81	2.91	2.96	3.07	1.71	2.32	4.47	2.74	2.57	2.64	2.89	34.1	13	-74488
MEAN SNOW FALL (IN)	18.8	15.5	11.4	1.5	0.0	0.0	0.0	0.0	0.0	0.3	6.5	14.8	68.8	13	-74488
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.2	7.2	6.7	7.0	6.9	3.8	5.1	5.8	5.6	4.9	7.0	7.3	76.5	13	-74488
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.8	3.1	2.3	0.2	0.0	0.0	0.0	0.0	0.0	0.1	1.3	3.3	14.1	13	-74488
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.0	3.7	4.4	2.9	2.2	1.8	2.2	1.8	2.0	2.6	2.3	4.1	35.0	14	-74488
MEAN NO DYS TSTMS	0.1	0.2	1.3	3.3	3.2	4.8	5.4	5.2	3.5	1.2	0.4	0.2	28.8	14	-74488
P FREQ WND SPD = OR GTR 17 KTS	13.6	11.5	9.6	6.9	5.8	3.8	2.9	2.5	4.4	6.5	9.2	12.8	7.5	14	-74488
P FREQ WND SPD = OR GTR 28 KTS	1.0	0.6	0.4	0.3	0.2	0.0	0.1	0.1	0.2	0.3	0.4	0.7	0.4	14	-74488
P FREQ LES 5000 FT A/O LES 5 MI	64.9	60.0	51.2	39.4	31.8	28.0	27.3	33.3	32.9	38.2	55.1	64.9	43.9	14	-74488
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	28.9	24.4	17.3	12.6	10.9	7.1	8.2	8.0	8.1	10.4	13.4	22.4	14.3	14	-74488
03-05 LST	29.9	25.2	20.7	17.7	18.7	14.8	13.7	18.6	12.3	12.4	19.4	23.6	18.6	14	-74488
06-08 LST	33.0	31.5	32.5	23.5	19.4	19.4	18.3	24.2	22.7	23.2	22.2	28.5	25.0	14	-74488
09-11 LST	37.5	35.2	28.9	17.2	14.2	10.6	8.1	12.4	12.1	14.1	20.6	34.3	20.4	14	-74488
12-14 LST	33.9	24.5	21.5	13.0	9.6	6.0	3.0	7.4	6.9	8.9	17.0	28.2	15.0	14	-74488
15-17 LST	31.1	23.8	20.1	12.0	9.5	3.9	3.4	5.5	5.4	7.0	16.5	27.2	13.8	14	-74488
18-20 LST	28.3	21.9	20.5	11.9	9.5	4.9	5.4	5.8	4.1	6.7	13.1	24.8	13.1	14	-74488
21-23 LST	26.7	21.2	17.7	11.7	8.9	6.2	5.1	6.6	5.4	8.5	11.6	22.4	12.7	14	-74488
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	3.7	4.5	2.6	2.5	2.0	1.3	1.4	1.3	0.2	2.3	2.7	3.9	2.4	14	-74488
03-05 LST	5.2	5.2	5.0	4.5	4.8	3.5	4.2	3.4	2.4	2.6	3.1	3.7	4.0	14	-74488
06-08 LST	6.3	7.6	7.6	6.5	5.4	3.6	3.9	4.7	4.3	4.6	5.1	5.4	5.4	14	-74488
09-11 LST	8.9	9.1	6.4	2.2	0.9	0.4	0.1	0.8	0.9	0.8	3.4	9.1	3.6	14	-74488
12-14 LST	8.1	4.9	4.6	1.3	0.2	0.4	0.1	1.1	0.4	0.5	2.4	6.3	2.5	14	-74488
15-17 LST	6.6	6.8	4.8	1.8	0.4	0.2	0.4	0.4	0.2	0.2	2.9	6.5	2.6	14	-74488
18-20 LST	4.2	5.5	4.5	1.7	0.9	0.1	0.8	0.3	0.1	0.6	2.0	4.6	2.1	14	-74488
21-23 LST	2.6	3.8	2.8	1.8	1.8	0.6	0.9	0.5	0.1	1.4	1.9	4.0	1.9	14	-74488

NIAGARA DISTRICT, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		MEAN NUMBER OF DAYS												ANN	POR	NO.
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	24.7	22.2	25.3	26.5	28.5	29.0	29.5	29.2	29.1	29.6	26.9	25.5	326.0	14	-74488
	01 LST	24.4	21.8	26.3	27.0	28.0	28.0	28.7	28.7	28.0	28.3	26.2	25.2	320.6	14	-74488
	07 LST	23.5	20.0	21.5	23.3	24.7	24.7	25.0	22.2	22.9	24.0	23.3	24.1	279.2	14	-74488
	13 LST	21.5	22.7	26.0	27.0	29.1	29.0	30.4	29.6	28.2	29.4	26.4	24.5	323.8	14	-74488
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	12.3	13.0	15.8	16.9	19.7	21.4	23.0	23.5	22.8	23.4	16.7	12.4	220.9	14	-74488
	07 LST	11.6	10.9	13.0	16.0	16.4	17.6	19.2	17.0	17.4	17.6	15.0	11.2	182.9	14	-74488
	13 LST	9.1	8.8	10.4	10.1	11.7	13.9	14.8	16.0	13.5	13.1	10.2	9.1	140.7	14	-74488
	19 LST	3.8	3.1	1.6	1.5	1.0	0.6	0.4	0.3	0.8	1.2	2.2	3.2	19.7	14	-74488
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	4.5	2.2	1.7	0.9	0.3	0.5	0.1	0.1	0.9	1.2	2.0	3.2	17.6	14	-74488
	07 LST	4.3	2.9	2.1	1.2	0.8	0.5	0.2	0.4	0.5	1.0	1.8	3.2	18.9	14	-74488
	13 LST	6.0	4.6	4.4	4.0	4.7	3.0	2.5	2.3	2.7	4.4	5.2	7.1	50.9	14	-74488
	19 LST	3.7	3.9	10.1	17.3	20.3	19.8	19.4	18.7	17.2	17.4	12.8	5.6	166.2	14	-74488
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	2.0	2.7	5.0	13.2	15.8	13.0	13.8	11.5	12.3	14.6	11.2	4.1	119.2	14	-74488
	07 LST	2.6	1.5	4.9	13.9	17.8	17.8	18.0	15.4	13.6	14.6	11.0	4.0	135.1	14	-74488
	13 LST	3.5	5.0	10.4	14.7	14.4	16.3	15.9	18.1	13.9	14.9	12.7	6.1	145.9	14	-74488
	19 LST	4.5	4.5	6.2	5.6	6.4	7.2	9.3	9.0	11.8	11.3	5.2	4.7	85.7	14	-74488
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.2	5.4	10.1	10.1	11.6	13.3	14.0	14.3	15.3	12.8	6.7	4.6	123.4	14	-74488
	07 LST	3.3	2.5	4.7	7.4	7.3	7.8	9.9	6.5	7.1	6.7	2.8	2.7	68.7	14	-74488
	13 LST	2.7	1.7	5.1	5.8	6.4	5.2	6.0	5.2	7.3	7.0	3.2	1.9	57.5	14	-74488
	19 LST	17.5	18.8	22.2	24.7	27.2	28.0	29.0	28.0	27.7	27.8	22.8	18.7	292.4	14	-74488
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	17.6	17.4	23.2	23.8	26.7	27.2	28.2	27.6	27.0	26.9	22.4	18.7	286.7	14	-74488
	07 LST	16.3	15.3	17.5	22.0	23.3	22.7	24.1	20.7	21.3	21.5	20.2	17.6	242.5	14	-74488
	13 LST	15.5	16.8	19.7	23.1	26.5	26.6	29.2	27.0	25.8	25.9	21.2	17.1	274.4	14	-74488
	19 LST	12.3	12.9	17.5	18.6	22.0	24.1	25.5	24.6	23.6	22.6	14.3	12.8	230.8	14	-74488
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	10.6	12.2	16.5	19.1	23.1	23.8	25.2	24.1	22.5	20.3	14.2	11.2	222.8	14	-74488
	07 LST	10.1	9.1	12.6	16.7	19.7	20.4	22.2	17.2	18.0	16.1	10.9	10.4	183.4	14	-74488
	13 LST	11.2	11.6	14.4	17.4	20.9	21.5	24.4	21.2	19.1	19.1	12.9	11.6	205.3	14	-74488
	19 LST	10.4	10.9	15.6	16.9	19.7	22.4	22.3	22.7	20.9	20.2	11.4	10.9	204.3	14	-74488
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	9.1	9.7	14.4	16.6	19.6	21.3	23.3	22.4	20.2	18.7	11.1	9.2	195.6	14	-74488
	07 LST	8.4	7.7	11.2	14.3	17.1	18.0	20.8	15.1	15.6	14.4	8.6	7.9	159.1	14	-74488
	13 LST	9.5	9.8	13.6	15.0	18.5	19.8	23.2	19.7	17.4	17.1	10.1	9.0	182.7	14	-74488

OSHAWA, CANADA

STA NO. 72986/ (IN AREA NUMBER 10)

LATITUDE 4355N

LONGITUDE 07854W

ELEVATION(FT) 00458

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PCR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	61	55	80	90	93	97	105	102	98	86	77	61	105	99	-72624
MEAN MAX TMP (F)	30	30	37	50	63	73	79	77	69	56	43	33	50	99	-72624
MEAN MIN TMP (F)	16	15	23	34	44	54	59	58	51	40	31	21	37	99	-72624
ABS MIN TMP (F)	-26	-25	-17	5	25	28	39	40	28	16	-5	-22	-26	99	-72624
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.4	2.0	1.7	1.5	0.0	0.0	0.0	6.6	12	-72624
MEAN NO DYS TMP = OR LES 32(F)	29.1	25.7	27.1	10.7	1.6	0.0	0.0	0.0	0.2	4.2	16.5	26.8	141.9	12	-72624
MEAN NO DYS TMP = OR LES 0(F)	3.4	2.9	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	8.3	10	-72624
MEAN DEW PT TMP (F)	19	20	25	35	43	54	58	57	51	42	33	23	38	10	-72624
MEAN REL HUM (PCT)	74	73	69	65	64	68	68	71	74	75	75	76	71	30	-72624
MEAN PRESS ALT (FT)	309	330	366	392	394	408	405	372	337	316	326	324	357	0	-50
MEAN PRECIP (IN)	2.71	2.43	2.58	2.48	2.91	2.67	2.95	2.73	2.90	2.43	2.76	2.63	32.2	99	-72624
MEAN SNOW FALL (IN)	16.0	15.3	10.7	2.8	0.1	0.0	0.0	0.0	0.0	0.4	4.2	12.4	61.9	99	-72624
MEAN NO DYS PKCP = OR GTR 0.1 IN	7.7	7.1	7.1	6.9	7.8	6.2	6.6	6.3	6.6	5.8	6.4	7.6	82.1	99	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.4	3.3	2.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.6	12.7	99	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	3.6	3.3	2.8	3.3	1.6	0.9	0.7	1.3	2.3	4.4	3.7	3.9	31.8	10	-72624
MEAN NO DYS TSTMS	0.0	0.0	0.5	1.7	1.9	3.4	3.8	3.0	2.1	0.8	0.4	0.0	17.6	10	-72624
P FREQ WND SPD = OR GTR 17 KTS	13.2	13.7	17.8	14.8	8.6	7.4	5.8	3.4	7.0	8.9	16.6	13.0	10.9	10	-72624
P FREQ WND SPD = OR GTR 28 KTS	1.4	1.2	1.8	0.7	0.5	0.4	0.1	0.1	0.1	0.5	1.8	0.7	0.8	10	-72624
P FREQ LES 5000 FT A/O LES 5 MI	54.8	49.1	44.6	38.7	25.6	25.2	19.6	25.2	31.7	39.4	54.0	56.8	38.7	10	-72624
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	25.3	18.4	13.7	15.3	9.3	8.1	5.1	7.3	11.2	16.3	17.5	20.8	14.0	10	-72624
03-05 LST	26.0	19.3	15.1	18.5	13.9	12.1	7.9	12.7	14.2	18.3	17.8	21.0	16.4	9	-72624
06-08 LST	26.1	25.1	22.9	20.8	16.7	14.9	8.7	17.6	17.6	26.9	24.4	24.0	20.5	12	-72624
09-11 LST	26.0	25.5	22.3	18.4	9.8	8.9	4.7	11.2	12.8	20.1	24.4	29.3	17.8	9	-72624
12-14 LST	20.6	17.8	18.4	14.3	6.5	6.5	3.6	6.5	6.7	11.0	19.1	26.2	13.1	10	-72624
15-17 LST	23.2	20.6	17.0	13.7	5.6	5.4	3.1	6.0	4.8	12.5	18.6	22.1	12.7	9	-72624
18-20 LST	22.0	18.7	14.4	14.4	7.2	5.9	3.0	4.9	6.0	14.5	14.2	20.2	12.1	10	-72624
21-23 LST	22.8	18.2	12.4	13.2	6.7	7.0	3.8	4.9	8.6	15.3	14.8	20.4	12.3	9	-72624
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	6.9	4.4	3.3	3.8	3.0	1.5	1.1	1.6	3.2	5.3	2.8	5.5	3.5	10	-72624
03-05 LST	7.0	4.6	3.7	5.8	2.7	3.5	0.8	2.4	5.6	5.5	5.4	5.6	4.4	9	-72624
06-08 LST	6.7	6.1	6.2	6.2	3.1	2.6	0.8	3.1	6.0	9.0	7.6	6.6	5.3	12	-72624
09-11 LST	7.0	7.7	5.3	3.1	0.7	1.1	0.1	1.9	1.1	3.2	5.4	7.0	3.6	9	-72624
12-14 LST	5.8	4.6	3.5	2.1	1.0	0.4	0.1	0.8	0.2	1.2	3.2	5.5	2.4	10	-72624
15-17 LST	4.9	4.6	4.9	1.5	0.7	0.6	0.5	0.7	0.0	2.3	2.2	6.1	2.4	9	-72624
18-20 LST	5.7	4.3	2.6	3.5	1.6	0.4	0.5	0.4	0.5	3.1	1.9	4.6	2.4	10	-72624
21-23 LST	5.6	5.1	1.9	4.8	2.0	0.2	0.6	0.5	1.7	5.0	3.0	4.6	2.9	9	-72624

OSHAWA, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	25.4	23.6	27.1	25.8	29.1	28.4	30.2	29.6	28.4	26.8	26.4	25.8	326.6	10	-72624
	01 LST	24.9	23.6	27.3	25.9	28.6	28.2	29.6	29.2	27.1	26.3	25.4	25.8	321.9	10	-72624
	07 LST	25.4	21.4	23.8	24.4	25.1	26.0	27.9	25.3	24.7	23.0	22.7	25.2	294.9	12	-72624
	13 LST	25.5	23.6	26.4	26.3	29.5	28.2	30.3	29.8	28.5	27.9	25.4	24.6	326.0	10	-72624
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	12.5	14.0	13.8	14.1	17.9	19.7	20.4	22.4	20.9	20.1	13.1	13.1	202.0	10	-72624
	01 LST	12.2	14.4	16.1	16.7	23.0	24.0	25.5	26.0	21.8	21.2	14.8	12.9	228.6	10	-72624
	07 LST	13.1	12.0	13.0	14.0	16.4	18.6	21.9	20.9	19.8	16.6	12.4	12.3	191.0	12	-72624
	13 LST	7.6	6.7	6.6	6.5	9.0	9.9	10.7	11.9	10.3	9.1	6.5	7.3	102.1	10	-72624
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	3.9	2.1	4.4	3.6	1.6	1.5	0.8	0.7	1.0	1.2	3.9	3.3	28.0	10	-72624
	01 LST	3.6	1.9	4.3	2.1	0.3	0.7	0.2	0.1	0.3	1.0	2.8	3.4	20.7	10	-72624
	07 LST	2.8	2.5	2.9	3.0	1.2	1.3	0.6	0.2	0.3	0.8	3.5	2.5	21.8	12	-72624
	13 LST	5.9	6.6	8.4	8.1	6.3	5.4	4.5	2.2	5.2	6.4	9.5	7.2	75.7	10	-72624
SFC WND = 10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	2.9	3.5	8.2	16.7	18.0	21.2	21.7	20.9	20.2	19.0	12.0	5.9	169.8	10	-72624
	01 LST	2.3	1.3	4.3	12.5	19.5	16.6	18.4	16.6	14.7	17.5	10.8	3.6	138.1	10	-72624
	07 LST	1.6	1.6	3.0	10.5	14.9	14.3	14.2	14.1	15.3	14.2	8.8	3.7	116.2	12	-72624
	13 LST	3.4	4.3	6.7	11.9	13.7	13.6	13.8	15.2	13.1	14.7	8.9	5.6	124.9	10	-72624
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	7.3	7.2	9.6	6.8	8.4	7.3	9.2	9.9	11.2	11.4	5.3	6.2	99.8	10	-72624
	01 LST	6.9	7.7	11.2	11.8	14.8	11.9	16.1	16.3	15.3	13.5	5.9	6.3	137.7	10	-72624
	07 LST	5.6	5.0	7.0	7.6	7.5	8.9	12.6	10.6	9.6	8.1	3.4	6.0	91.9	12	-72624
	13 LST	5.6	5.2	5.4	4.7	5.8	5.4	5.2	4.4	6.4	8.0	2.8	4.3	63.2	10	-72624
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	20.4	21.3	24.3	23.6	28.1	27.5	29.8	28.9	27.2	25.9	23.1	21.6	301.7	10	-72624
	01 LST	20.3	19.9	25.0	24.2	27.9	27.2	28.8	28.3	26.5	24.6	22.2	21.4	295.3	10	-72624
	07 LST	18.7	17.2	20.7	21.9	23.2	24.1	26.7	24.0	22.8	20.2	19.7	19.9	259.1	12	-72624
	13 LST	20.3	20.3	20.7	23.8	27.5	26.6	29.1	27.7	26.0	24.9	22.1	20.6	289.6	10	-72624
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	15.0	15.4	20.6	19.2	24.6	24.5	27.1	25.9	22.8	22.5	15.2	13.4	246.2	10	-72624
	01 LST	13.4	14.5	19.1	20.6	25.0	24.8	26.5	25.9	21.8	20.6	15.1	14.4	241.7	10	-72624
	07 LST	12.5	12.2	16.2	17.3	21.0	22.1	25.5	22.1	20.3	16.7	12.2	12.2	210.3	12	-72624
	13 LST	15.6	15.3	14.2	14.9	21.8	21.5	20.9	20.2	17.8	19.0	12.5	14.4	208.1	10	-72624
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	13.0	13.5	17.5	17.1	21.6	22.5	24.6	24.1	20.4	19.7	13.0	11.4	218.4	10	-72624
	01 LST	11.4	12.4	16.8	18.3	22.9	21.4	24.1	23.5	20.2	19.3	12.8	11.9	215.0	10	-72624
	07 LST	11.0	10.3	14.1	14.9	18.4	19.7	23.7	19.9	18.2	15.0	9.8	10.4	185.4	12	-72624
	13 LST	13.6	12.9	13.2	13.1	17.8	19.2	18.3	17.0	15.7	17.0	9.7	11.5	179.0	10	-72624

ST. CATHERINES, CANADA

STA NO. 72992/ (IN AREA NUMBER 10)

LATITUDE 4301N

LONGITUDE 07910W

ELEVATION(FT) 00269

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	68	67	80	90	93	97	104	101	98	88	77	63	104	40	-110
MEAN MAX TMP (F)	32	32	40	54	66	76	81	79	72	60	47	35	56	21	-105
MEAN MIN TMP (F)	20	18	25	34	44	55	61	60	54	43	34	24	39	21	-105
ABS MIN TMP (F)	-10	-11	-3	5	26	32	43	42	31	21	7	-12	-12	40	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.0	2.0	1.5	0.9	0.0	0.0	0.0	5.4	14	-74488
MEAN NO DYS TMP = OR LES 32(F)	29.4	26.0	26.0	9.5	0.8	0.0	0.0	0.0	0.2	2.5	13.9	25.2	133.5	14	-74488
MEAN NO DYS TMP = OR LES 0(F)	0.8	1.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	2.6	14	-74488
MEAN DEW PT TMP (F)	19	20	25	37	46	55	60	59	52	44	33	23	39	14	-74488
MEAN REL HUM (PCT)	80	79	77	74	72	70	70	73	74	75	77	80	75	14	-74488
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.30	1.76	2.09	2.39	2.13	2.47	2.39	2.52	2.61	2.18	2.15	2.04	27.0	21	-105
MEAN SNOW FALL (IN)	9.5	8.1	6.2	1.3	0.0	0.0	0.0	0.0	0.0	0.1	3.2	9.3	37.7	21	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.8	5.5	6.1	6.7	6.1	5.9	5.8	6.0	6.1	5.4	5.3	6.2	71.9	21	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.0	1.6	1.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.9	7.4	21	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.0	3.7	4.4	2.9	2.2	1.8	2.2	1.8	2.0	2.6	2.3	4.1	35.0	14	-74488
MEAN NO DYS TSTMS	0.1	0.2	1.3	3.3	3.2	4.8	5.4	5.2	3.5	1.2	0.4	0.2	28.8	14	-74488
P FREQ WND SPD = OR GTR 17 KTS	13.6	11.5	9.6	6.9	5.8	3.8	2.9	2.5	4.4	6.5	9.2	12.8	7.5	14	-74488
P FREQ WND SPD = OR GTR 28 KTS	1.0	0.6	0.4	0.3	0.2	0.0	0.1	0.1	0.2	0.3	0.4	0.7	0.4	14	-74488
P FREQ LES 5000 FT A/O LES 5 MI	64.9	60.0	51.2	39.4	31.8	28.0	27.3	33.3	32.9	38.2	55.1	64.9	43.9	14	-74488
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	28.9	24.4	17.3	12.6	10.9	7.1	8.2	8.0	8.1	10.4	13.4	22.4	14.3	14	-74488
03-05 LST	29.9	25.2	20.7	17.7	18.7	14.8	13.7	18.6	12.3	12.4	15.6	23.6	18.6	14	-74488
06-08 LST	33.0	31.5	32.5	23.5	19.4	19.4	18.3	26.2	22.7	23.2	22.2	28.5	25.0	14	-74488
09-11 LST	37.5	35.2	28.9	17.2	14.2	10.6	8.1	12.4	12.1	14.1	20.6	34.3	20.4	14	-74488
12-14 LST	33.9	24.5	21.5	13.0	9.6	6.0	3.0	7.4	6.9	8.9	17.0	28.2	15.0	14	-74488
15-17 LST	31.1	23.8	20.1	12.0	9.5	3.9	3.4	5.5	5.4	7.0	16.5	27.2	13.8	14	-74488
18-20 LST	28.3	21.9	20.5	11.9	9.5	4.9	5.4	5.8	4.1	6.7	13.1	24.8	13.1	14	-74488
21-23 LST	26.7	21.2	17.7	11.7	8.9	6.2	5.1	6.6	5.4	8.5	11.6	22.4	12.7	14	-74488
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	3.7	4.5	2.6	2.5	2.0	1.3	1.4	1.3	0.2	2.3	2.7	3.9	2.4	14	-74488
03-05 LST	5.2	5.2	5.0	4.5	4.6	3.5	4.2	3.4	2.4	2.6	3.1	3.7	4.0	14	-74488
06-08 LST	6.3	7.6	7.6	6.5	5.4	3.6	3.9	4.7	4.3	4.6	5.1	5.4	5.4	14	-74488
09-11 LST	8.9	9.1	6.6	2.2	0.9	0.4	0.1	0.8	0.9	0.8	3.4	9.1	3.6	14	-74488
12-14 LST	8.1	4.9	4.6	1.3	0.2	0.4	0.1	1.1	0.4	0.5	2.4	6.3	2.5	14	-74488
15-17 LST	6.6	6.8	4.8	1.8	0.4	0.2	0.4	0.4	0.2	0.2	2.9	6.5	2.6	14	-74488
18-20 LST	4.2	5.5	4.5	1.7	0.9	0.1	0.8	0.3	0.1	0.6	2.0	4.6	2.1	14	-74488
21-23 LST	2.6	3.8	2.8	1.8	1.8	0.6	0.9	0.5	0.1	1.4	1.9	4.0	1.9	14	-74488

ST. CATHERINES, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	24.7	22.2	25.3	26.5	28.5	29.0	29.5	29.2	29.1	29.6	26.9	25.5	326.0	14	-74488
	01 LST	24.4	21.8	26.3	27.0	28.0	28.0	28.7	28.7	28.0	28.3	26.2	25.2	320.6	14	-74488
	07 LST	23.5	20.0	21.5	23.3	24.7	24.7	25.0	22.2	22.9	24.0	23.3	24.1	279.2	14	-74488
	13 LST	21.5	22.7	26.0	27.0	29.1	29.0	30.4	29.6	28.2	29.4	26.4	24.5	323.8	14	-74488
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	12.3	13.0	15.8	16.9	19.7	21.4	23.0	23.5	22.8	23.4	16.7	12.4	220.9	14	-74488
	01 LST	12.2	12.4	18.3	19.5	23.6	24.2	25.5	25.5	23.1	22.2	17.6	13.1	237.2	14	-74488
	07 LST	11.6	10.9	13.0	16.0	16.4	17.6	19.2	17.0	17.4	17.6	15.0	11.2	182.9	14	-74488
	13 LST	9.1	8.8	10.4	10.1	11.7	13.9	14.8	16.0	13.5	13.1	10.2	9.1	140.7	14	-74488
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	3.8	3.1	1.6	1.5	1.0	0.6	0.4	0.3	0.8	1.2	2.2	3.2	19.7	14	-74488
	01 LST	4.5	2.2	1.7	0.9	0.3	0.5	0.1	0.1	0.9	1.2	2.0	3.2	17.6	14	-74488
	07 LST	4.3	2.9	2.1	1.2	0.8	0.5	0.2	0.4	0.5	1.0	1.8	3.2	18.9	14	-74488
	13 LST	6.0	4.6	4.4	4.0	4.7	3.0	2.5	2.3	2.7	4.4	5.2	7.1	50.9	14	-74488
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	3.7	3.9	10.1	17.3	20.3	19.8	19.4	18.7	17.2	17.4	12.8	5.6	166.2	14	-74488
	01 LST	2.0	2.7	5.0	13.2	15.8	13.0	13.8	11.5	12.3	14.6	11.2	4.1	119.2	14	-74488
	07 LST	2.6	1.5	4.9	13.9	17.8	17.8	18.0	15.4	13.6	14.6	11.0	4.0	135.1	14	-74488
	13 LST	3.5	5.0	10.4	14.7	14.4	16.3	15.9	18.1	13.9	14.9	12.7	6.1	145.9	14	-74488
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	4.5	4.5	6.2	5.6	6.4	7.2	9.3	9.0	11.8	11.3	5.2	4.7	85.7	14	-74488
	01 LST	5.2	5.4	10.1	10.1	11.6	13.3	14.0	14.3	15.3	12.8	6.7	4.6	123.4	14	-74488
	07 LST	3.3	2.5	4.7	7.4	7.3	7.8	9.9	6.5	7.1	6.7	2.8	2.7	68.7	14	-74488
	13 LST	2.7	1.7	5.1	5.8	6.4	5.2	6.0	5.2	7.3	7.0	3.2	1.9	57.5	14	-74488
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	17.5	18.8	22.2	24.7	27.2	28.0	29.0	28.0	27.7	27.8	22.8	18.7	292.4	14	-74488
	01 LST	17.6	17.4	23.2	23.8	26.7	27.2	28.2	27.6	27.0	26.9	22.4	18.7	286.7	14	-74488
	07 LST	16.3	15.3	17.5	22.0	23.3	22.7	24.1	20.7	21.3	21.5	20.2	17.6	242.5	14	-74488
	13 LST	15.5	16.8	19.7	23.1	26.5	26.6	29.2	27.0	25.8	25.9	21.2	17.1	274.4	14	-74488
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	12.3	12.9	17.5	18.6	22.0	24.1	25.5	24.6	23.6	22.6	14.3	12.8	230.8	14	-74488
	01 LST	10.6	12.2	16.5	19.1	23.1	23.8	25.2	24.1	22.5	20.3	14.2	11.2	222.8	14	-74488
	07 LST	10.1	9.1	12.6	16.7	19.7	20.4	22.2	17.2	18.0	16.1	10.9	10.4	183.4	14	-74488
	13 LST	11.2	11.6	14.4	17.4	20.9	21.5	24.4	21.2	19.1	19.1	12.9	11.6	205.3	14	-74488
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	10.4	10.9	15.6	16.9	19.7	22.4	22.3	22.7	20.9	20.2	11.4	10.9	204.3	14	-74488
	01 LST	9.1	9.7	14.4	16.6	19.6	21.3	23.3	22.4	20.2	18.7	11.1	9.2	195.6	14	-74488
	07 LST	8.4	7.7	11.2	14.3	17.1	18.0	20.8	15.1	15.6	14.4	8.6	7.9	159.1	14	-74488
	13 LST	9.5	9.8	13.6	15.0	18.5	19.8	23.2	19.7	17.4	17.1	10.1	9.0	182.7	14	-74488

ST. THOMAS, CANADA

STA NO. 72993/ (IN AREA NUMBER 10)

LATITUDE 4246N

LONGITUDE 08107W

ELEVATION(FT) 00776

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	62	61	79	85	90	96	102	101	96	86	74	63	102	30	-110
MEAN MAX TMP (F)	29	29	39	54	67	77	81	79	72	58	44	33	55	54	-72623
MEAN MIN TMP (F)	15	12	22	33	44	53	58	55	50	39	30	20	36	54	-72623
ABS MIN TMP (F)	-26	-30	-11	9	22	30	38	35	27	18	0	-23	-30	30	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.9	1.6	1.8	0.4	0.0	0.0	0.0	4.7	9	-72623
MEAN NO DYS TMP = OR LES 32(F)	30.6	26.1	26.6	14.3	2.5	0.0	0.0	0.0	0.5	3.6	16.9	27.2	149.3	9	-72623
MEAN NO DYS TMP = OR LES 0(F)	4.1	3.2	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	10.0	9	-72623
MEAN DEW PT TMP (F)	20	19	26	35	47	58	61	60	53	44	34	23	40	10	-72623
MEAN REL HUM (PCT)	87	86	79	74	73	75	73	75	78	81	85	86	79	10	-72623
MEAN PRESS ALT (FT)	632	647	678	707	719	730	728	695	664	648	663	650	680	0	-50
MEAN PRECIP (IN)	3.97	3.45	2.81	2.87	2.81	3.11	3.21	2.80	2.96	2.91	3.74	3.53	38.2	54	-72623
MEAN SNOW FALL (IN)	23.3	22.3	11.3	3.8	0.1	0.0	0.0	0.0	0.0	0.9	10.8	19.1	91.6	54	-72623
MEAN NO DYS PNCP = OR GTR 0.1 IN	10.0	9.2	7.6	7.7	7.6	6.9	7.0	6.4	6.7	6.6	8.0	9.3	93.0	54	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	4.9	4.8	2.4	0.7	0.0	0.0	0.0	0.0	0.0	0.1	2.4	4.1	19.4	54	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	1.0	2.0	3.0	4.0	7.0	4.0	4.0	1.0	0.0	0.0	26.0	8	-72623
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	34.3	33.2	31.0	25.0	18.5	18.3	14.0	20.6	19.7	19.4	24.3	33.3	24.3	9	-72623
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														C	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	10.5	9.7	9.3	6.7	5.2	2.5	3.6	4.5	7.1	4.5	7.9	7.3	6.6	9	-72623
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

ST. THOMAS, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	21.0	18.9	21.6	23.0	24.7	23.5	23.0	19.4	20.3	21.9	22.4	21.4	261.1	9	-72623
	13 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST														0	0
	01 LST														0	0
	07 LST	8.7	7.8	10.6	12.9	13.6	16.6	18.3	17.2	15.7	15.3	11.3	9.2	157.2	9	-72623
	13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	2.5	1.7	2.9	2.1	2.4	0.2	0.7	0.1	0.2	0.6	2.5	2.1	18.0	9	-72623
	13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	0.5	0.7	2.9	8.7	16.6	17.6	18.5	16.7	16.9	17.7	7.4	2.4	126.6	9	-72623
	13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	7.3	6.2	7.6	8.3	10.4	11.6	10.2	10.1	10.5	8.4	5.3	5.9	101.8	9	-72623
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	14.7	13.7	17.4	19.5	23.1	21.4	21.9	18.9	18.6	18.9	16.4	14.8	219.3	9	-72623
	13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	11.2	10.8	14.5	16.9	19.9	18.6	20.3	17.4	16.7	15.8	10.8	10.1	183.0	9	-72623
	13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	10.9	10.5	13.6	15.5	19.2	18.0	19.3	16.8	15.9	14.9	9.5	9.7	173.8	9	-72623
	13 LST														0	0

SARNIA, CANADA

STA NO. 72994/ (IN AREA NUMBER 10)

LATITUDE 4300N

LONGITUDE 08218W

ELEVATION(FT) 00594

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	66	59	77	86	94	100	100	100	99	93	80	61	100	20	-110
MEAN MAX TMP (F)	31	33	42	55	67	78	82	80	73	62	47	34	57	29	-74489
MEAN MIN TMP (F)	18	19	26	37	47	58	62	61	53	44	33	22	40	29	-74489
ABS MIN TMP (F)	-25	-24	-15	10	13	25	38	37	27	19	5	-21	-25	20	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	3.0	3.6	2.5	0.9	0.0	0.0	0.0	10.0	12	-74489
MEAN NO DYS TMP = OR LES 32(F)	29.5	25.6	24.5	7.6	0.2	0.0	0.0	0.0	0.0	1.9	15.4	26.2	130.9	12	-74489
MEAN NO DYS TMP = OR LES 0(F)	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.3	29	-74489
MEAN DEW PT TMP (F)	18	19	25	36	46	57	61	60	54	44	32	22	40	29	-74489
MEAN REL HUM (PCT)	77	76	74	70	69	70	69	72	74	74	76	78	73	29	-74489
MEAN PRESS ALT (FT)	463	476	512	541	556	565	560	531	498	483	497	480	514	0	-50
MEAN PRECIP (IN)	1.59	1.83	2.30	2.74	3.07	2.89	2.18	2.76	2.16	2.12	2.03	1.96	27.6	26	-74489
MEAN SNOW FALL (IN)	7.8	6.8	5.1	0.7	0.0	0.0	0.0	0.0	0.0	0.0	2.8	6.3	29.5	19	-74489
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.0	5.7	6.5	7.4	8.1	6.6	5.5	6.4	5.3	5.3	5.1	6.0	72.9	26	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.1	1.5	1.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.2	6.9	12	-74489
MEAN NO DYS W/OCUM VSBY LES 1/2 MI	5.2	4.9	4.0	2.3	0.9	1.1	1.1	2.1	1.7	2.7	3.0	4.8	33.8	12	-74489
MEAN NO DYS TSTMS	0.2	0.5	1.4	4.2	4.2	6.2	6.1	5.2	3.4	2.1	0.8	0.2	34.5	12	-74489
P FREQ WND SPD = OR GTR 17 KTS	6.9	5.2	7.6	5.4	3.0	1.8	1.1	0.8	1.6	3.0	9.3	6.8	4.4	12	-74489
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.1	0.4	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.6	0.2	0.1	12	-74489
P FREQ LES 5000 FT A/O LES 5 MI	60.5	54.5	46.1	39.8	28.0	24.8	20.6	26.1	27.5	35.6	54.7	56.5	39.6	12	-74489
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	25.6	20.9	18.0	14.1	7.5	8.1	4.7	8.5	9.7	12.5	18.6	19.9	14.0	12	-74489
03-05 LST	25.4	19.2	20.0	18.0	12.6	11.6	8.2	14.1	12.9	17.7	20.8	21.7	16.9	12	-74489
06-08 LST	28.6	24.3	26.5	21.3	14.3	12.7	9.2	18.7	19.0	24.5	24.8	28.7	20.9	12	-74489
09-11 LST	33.2	25.3	23.0	15.9	11.0	10.7	6.8	9.0	12.0	15.9	22.0	28.8	17.8	12	-74489
12-14 LST	27.3	20.7	16.2	12.4	7.1	5.8	1.4	4.8	6.3	9.6	14.8	24.8	12.6	12	-74489
15-17 LST	24.0	18.7	14.6	9.3	6.1	2.3	1.6	3.0	3.9	8.4	13.2	19.2	10.4	12	-74489
18-20 LST	24.6	18.8	15.3	9.6	6.0	3.1	2.2	3.4	4.4	8.5	14.8	18.7	10.8	12	-74489
21-23 LST	23.0	19.4	15.3	11.0	6.1	3.1	2.4	4.8	5.4	9.3	16.1	18.4	11.2	12	-74489
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	6.3	5.6	4.9	2.6	1.0	0.7	0.5	1.6	1.2	2.5	3.7	5.7	3.0	12	-74489
03-05 LST	6.1	6.2	4.5	4.2	1.8	2.9	2.3	4.7	3.5	5.4	4.4	6.4	4.4	12	-74489
06-08 LST	5.9	8.3	5.6	4.5	2.0	1.4	2.2	4.7	4.4	7.2	6.5	6.8	5.0	12	-74489
09-11 LST	7.3	6.1	4.8	2.5	0.3	0.6	0.3	0.6	0.8	1.3	5.0	7.7	3.1	12	-74489
12-14 LST	6.7	4.7	3.8	1.1	0.4	0.1	0.0	0.3	0.2	0.4	2.1	5.4	2.1	12	-74489
15-17 LST	7.5	4.9	3.6	0.9	0.8	0.3	0.0	0.2	0.1	0.1	3.2	6.3	2.3	12	-74489
18-20 LST	7.3	4.7	3.6	1.1	0.4	0.2	0.1	0.1	0.1	0.2	3.1	4.7	2.1	12	-74489
21-23 LST	6.7	5.3	3.1	1.6	1.0	0.3	0.1	0.0	0.5	1.2	3.7	4.6	2.3	12	-74489

SARNIA, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	25.1	23.6	27.3	27.7	29.6	29.5	30.6	30.2	28.7	29.1	26.6	26.6	334.6	12	-74489
	01 LST	24.6	23.1	26.4	26.4	29.1	28.1	30.0	28.7	27.3	27.9	25.5	26.5	323.6	12	-74489
	07 LST	24.6	22.0	23.9	24.7	28.1	26.7	28.7	25.5	25.0	24.1	23.6	24.9	301.8	12	-74489
	13 LST	23.7	23.8	27.7	27.3	29.7	29.3	30.8	30.0	28.8	28.6	26.7	25.5	331.9	12	-74489
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	13.5	14.4	14.9	16.0	17.6	22.0	23.7	23.7	22.8	21.3	16.1	14.4	220.4	12	-74489
	01 LST	14.1	14.8	16.1	18.4	23.3	24.5	27.7	26.4	22.7	21.3	15.7	14.8	239.8	12	-74489
	07 LST	13.4	13.0	14.9	14.9	20.0	20.6	23.7	21.9	19.7	17.5	13.2	12.3	205.1	12	-74489
	13 LST	9.8	9.2	11.2	9.5	13.5	14.2	18.6	18.3	15.4	14.0	9.2	8.7	151.6	12	-74489
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	2.1	1.1	1.8	1.2	0.8	0.2	0.2	0.1	0.3	0.6	3.2	2.0	13.6	12	-74489
	01 LST	2.2	1.1	1.1	0.8	0.2	0.1	0.0	0.1	0.2	0.5	1.4	1.7	9.4	12	-74489
	07 LST	1.5	0.9	1.5	0.8	0.5	0.2	0.2	0.3	0.4	0.5	1.5	1.2	9.5	12	-74489
	13 LST	2.7	2.3	4.6	2.9	1.8	1.6	0.8	0.8	1.1	2.0	4.6	3.3	28.5	12	-74489
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	3.2	5.5	11.1	17.5	18.6	20.3	20.7	19.1	19.5	18.7	12.8	6.4	173.4	12	-74489
	01 LST	2.6	3.9	6.4	13.5	17.2	14.2	14.2	14.3	14.5	16.0	11.5	5.3	133.6	12	-74489
	07 LST	2.3	2.0	5.4	13.6	19.2	16.3	15.7	15.0	14.6	14.0	10.2	5.3	133.6	12	-74489
	13 LST	4.7	7.1	11.9	16.5	18.2	17.6	20.3	20.4	18.7	18.3	13.1	8.2	175.0	12	-74489
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	5.8	5.3	6.3	5.9	6.7	7.2	8.6	9.6	11.6	12.1	6.5	6.2	91.8	12	-74489
	01 LST	6.8	7.7	9.7	10.1	14.0	13.7	17.4	16.1	15.0	13.5	7.1	7.1	138.2	12	-74489
	07 LST	4.6	5.9	5.7	6.5	8.4	7.9	10.3	9.9	10.3	9.1	5.3	4.9	88.8	12	-74489
	13 LST	3.1	3.5	5.4	4.4	3.7	5.2	5.5	5.7	7.6	8.5	3.3	4.4	60.3	12	-74489
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	19.0	19.7	23.5	25.0	28.0	28.3	29.7	29.1	27.5	27.0	22.7	21.6	301.1	12	-74489
	01 LST	19.5	19.7	22.3	24.5	27.3	26.9	29.3	27.7	26.3	25.7	22.1	21.0	292.3	12	-74489
	07 LST	17.6	16.9	21.1	21.8	25.5	24.8	27.4	24.0	23.2	21.3	20.0	19.1	262.7	12	-74489
	13 LST	16.4	18.5	22.2	22.6	27.1	26.1	28.5	28.1	27.0	25.4	21.2	19.5	282.6	12	-74489
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	13.9	13.8	17.3	18.3	23.1	24.6	26.7	26.1	23.8	22.7	14.1	15.6	240.0	12	-74489
	01 LST	13.4	14.1	17.1	19.0	23.8	24.7	27.2	25.8	23.6	21.6	15.2	14.0	239.5	12	-74489
	07 LST	12.2	12.7	15.7	17.7	21.8	21.5	24.6	21.3	20.7	17.6	13.3	12.5	211.6	12	-74489
	13 LST	11.6	13.3	14.8	15.8	20.3	20.4	21.2	19.7	19.6	19.7	13.9	14.8	205.1	12	-74489
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	12.8	12.1	15.2	15.9	20.6	22.5	23.9	23.9	21.7	20.4	12.5	13.1	214.6	12	-74489
	01 LST	12.2	12.7	15.5	16.3	21.6	21.8	25.5	23.6	22.2	20.0	13.3	12.3	217.0	12	-74489
	07 LST	10.0	11.0	13.9	14.9	18.7	17.8	22.3	19.6	18.8	16.3	11.1	11.3	185.7	12	-74489
	13 LST	10.3	12.0	13.9	14.1	18.1	18.7	19.4	18.3	18.1	18.5	12.6	12.7	186.7	12	-74489

PELEE IS., CANADA

STA NO. 73378/ (IN AREA NUMBER 10)

LATITUDE 4146N

LONGITUDE 08240W

ELEVATION(FT) 00571

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	63	65	75	89	99	105	106	100	98	88	76	63	106	70	-110
MEAN MAX TMP (F)	30	29	40	51	64	79	83	82	73	61	46	34	56	36	-105
MEAN MIN TMP (F)	19	18	28	38	49	61	67	67	59	47	36	25	43	36	-105
ABS MIN TMP (F)	-17	-18	-6	12	29	42	42	46	35	27	11	-8	-18	70	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0			2.8	2.6		0.0	0.0	0.0		36	-29
MEAN NO DYS TMP = OR LES 32(F)					0.0	0.0	0.0	0.0	0.0					70	-29
MEAN NO DYS TMP = OR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			70	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	414	442	496	482	523	537	537	482	455	469	469	442	479	0	-50
MEAN PRECIP (IN)	2.41	1.99	2.27	2.74	2.83	3.04	2.58	2.52	2.95	2.21	2.35	2.01	29.5	36	-105
MEAN SNOW FALL (IN)	10.7	8.6	4.9	1.0	0.0	0.0	0.0	0.0	0.0	0.2	1.5	5.1	32.0	36	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.1	6.1	6.5	7.4	7.6	6.8	6.1	6.0	6.0	5.4	5.7	6.1	76.8	36	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.2	1.7	1.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.9	6.1	36	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

PELEE IS., CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0

DATA NOT AVAILABLE

SAULT STE. MARIE, CANADA

STA NO. 73736/ (IN AREA NUMBER 10)

LATITUDE 4629N

LONGITUDE 08430W

ELEVATION(FT) 00632

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	45	46	70	79	89	94	99	97	96	82	71	58	99	30	-110
MEAN MAX TMP (F)	20	20	29	45	58	68	73	70	62	50	36	25	46	55	-72734
MEAN MIN TMP (F)	4	2	12	28	38	47	52	51	46	36	25	12	29	55	-72734
ABS MIN TMP (F)	-42	-39	-34	-20	16	22	27	26	17	10	-27	-34	-42	30	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.3	0.2	0.0	0.0	0.0	1.0	12	-72734
MEAN NO DYS TMP = OR LES 32(F)	30.9	27.8	30.2	20.6	7.2	0.1	0.0	0.1	1.1	7.6	21.8	29.6	177.0	12	-72734
MEAN NO DYS TMP = OR LES 0(F)	10.2	7.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	5.4	25.9	12	-72734
MEAN DEW PT TMP (F)	10	12	17	29	38	50	56	56	49	39	28	16	33	12	-72734
MEAN REL HUM (PCT)	81	80	77	74	69	76	78	79	82	80	83	83	79	12	-72734
MEAN PRESS ALT (FT)	496	499	526	555	579	602	596	569	544	536	555	523	548	0	-50
MEAN PRECIP (IN)	2.02	1.43	1.75	2.13	2.64	2.71	2.69	2.70	3.54	3.09	3.01	2.23	29.9	50	-72734
MEAN SNOW FALL (IN)	18.6	13.4	10.2	3.5	0.6	0.0	0.0	0.0	0.0	2.3	12.6	18.1	79.3	50	-72734
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.1	4.5	5.2	6.1	7.2	6.3	6.3	6.3	7.7	7.0	6.8	6.7	76.2	50	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	4.5	2.9	3.7	0.9	0.0	0.0	0.0	0.0	0.0	0.3	3.0	5.9	21.2	12	-72734
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.0	2.9	5.1	3.5	3.0	3.2	5.4	7.3	6.4	5.6	3.4	5.1	54.9	12	-72734
MEAN NO DYS TSTMS	0.2	0.0	0.7	1.1	2.8	7.1	5.9	5.3	3.8	1.6	0.7	0.1	29.3	12	-72734
P FREQ WND SPD = OR GTR 17 KTS	5.1	4.6	7.4	6.3	5.5	2.8	1.5	1.1	3.2	4.3	7.0	4.5	4.4	12	-72734
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	12	-72734
P FREQ LES 5000 FT A/O LES 5 MI	61.7	51.5	42.6	39.2	29.5	30.2	27.0	31.2	45.6	46.8	67.3	68.9	45.1	12	-72734
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	31.6	21.7	20.5	19.0	12.6	15.2	13.6	17.4	19.2	20.3	23.0	30.1	20.4	12	-72734
03-05 LST	31.7	26.2	24.1	18.5	16.0	20.3	24.6	27.6	28.8	25.0	25.3	29.1	24.8	12	-72734
06-08 LST	29.6	27.9	26.8	19.4	18.6	20.6	23.8	26.7	32.9	27.6	25.9	29.7	25.8	12	-72734
09-11 LST	31.5	26.8	24.0	20.0	13.9	15.3	12.7	14.5	19.0	19.3	24.5	30.5	21.0	12	-72734
12-14 LST	29.5	23.6	17.7	17.8	10.5	10.8	9.2	9.9	14.6	15.6	24.0	31.1	17.9	12	-72734
15-17 LST	31.6	23.3	19.5	18.8	7.6	10.8	6.0	6.8	13.8	14.8	27.9	31.3	17.7	12	-72734
18-20 LST	26.8	24.8	20.4	18.3	9.5	10.0	6.4	7.1	11.9	14.8	23.6	29.0	16.9	12	-72734
21-23 LST	27.7	20.3	19.2	16.1	10.4	10.6	8.4	10.6	14.6	15.8	21.8	26.9	16.9	12	-72734
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	6.0	4.3	6.2	5.4	3.5	5.2	6.4	8.1	6.3	6.3	6.1	7.2	5.9	12	-72734
03-05 LST	5.4	4.5	8.6	5.8	6.1	8.0	12.4	15.6	11.2	10.9	6.4	6.6	8.5	12	-72734
06-08 LST	5.0	6.7	9.6	6.8	5.8	5.7	8.3	13.2	14.1	12.7	6.2	5.8	8.3	12	-72734
09-11 LST	8.0	6.4	7.0	4.7	1.7	1.8	0.9	1.7	2.8	4.6	4.5	7.1	4.3	12	-72734
12-14 LST	6.9	4.3	4.4	2.3	1.1	0.7	0.4	0.4	0.8	1.8	4.2	6.3	2.8	12	-72734
15-17 LST	7.9	5.4	6.0	2.8	0.5	0.4	0.2	0.3	2.1	2.2	5.1	8.1	3.4	12	-72734
18-20 LST	7.5	5.9	6.8	4.3	1.2	0.3	0.9	1.3	2.5	2.4	4.0	7.0	3.7	12	-72734
21-23 LST	7.5	3.4	6.3	4.1	1.6	2.2	3.4	2.9	3.5	4.0	4.1	7.2	4.2	12	-72734

SAULT STE. MARIE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	25.3	22.0	25.6	25.7	28.7	27.8	29.9	29.4	27.3	27.5	24.2	24.5	317.9	12	-72734
	00 LST	24.3	23.7	26.7	26.2	28.5	26.4	27.8	27.4	25.6	26.4	24.6	24.8	312.4	12	-72734
	06 LST	24.6	22.7	24.6	25.3	26.0	24.0	23.1	22.1	21.3	23.9	25.0	25.0	287.6	12	-72734
	12 LST	23.3	23.0	26.6	25.9	28.4	27.1	29.3	28.5	27.3	28.0	25.2	23.8	316.4	12	-72734
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	14.7	13.0	11.7	10.1	11.2	13.9	17.5	18.2	17.0	17.8	13.0	11.8	169.9	12	-72734
	00 LST	13.1	14.8	17.8	18.9	22.1	22.9	25.9	24.2	20.3	19.0	13.8	13.1	225.9	12	-72734
	06 LST	14.1	15.3	17.0	17.6	19.0	20.3	21.1	19.1	15.0	16.6	13.3	13.5	201.9	12	-72734
	12 LST	13.6	13.1	13.4	8.4	8.8	12.2	16.6	16.2	11.0	11.2	10.1	11.0	145.6	12	-72734
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.9	1.4	2.4	2.1	1.6	1.0	0.5	0.3	0.9	0.9	1.3	1.2	14.5	12	-72734
	00 LST	0.7	0.7	1.3	0.7	0.3	0.2	0.0	0.1	0.6	0.8	1.1	1.4	7.9	12	-72734
	06 LST	0.8	0.9	0.5	0.3	0.6	0.2	0.1	0.0	0.3	0.5	1.8	1.0	7.0	12	-72734
	12 LST	1.8	1.5	2.5	3.5	2.7	1.5	1.3	0.5	1.7	2.0	2.1	0.8	21.9	12	-72734
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	0.6	1.1	7.2	15.3	16.1	18.2	22.8	21.7	20.8	21.4	12.2	3.1	160.5	12	-72734
	00 LST	0.2	1.0	2.4	11.7	20.0	21.8	22.1	19.9	20.9	18.5	10.7	2.7	151.9	12	-72734
	06 LST	0.4	0.3	1.4	9.8	18.2	19.4	18.5	19.6	19.4	18.5	8.1	3.7	137.3	12	-72734
	12 LST	0.4	1.7	7.2	11.7	14.4	17.5	21.9	21.3	16.0	16.3	11.6	3.3	143.3	12	-72734
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	4.5	5.9	8.1	6.8	9.4	8.4	11.4	11.0	7.1	7.9	3.8	3.8	88.1	12	-72734
	00 LST	5.9	7.8	10.5	10.1	13.4	11.7	15.5	13.6	9.4	9.6	3.9	4.6	116.0	12	-72734
	06 LST	6.7	8.0	9.5	8.2	8.1	7.4	7.9	7.3	4.4	6.8	4.2	4.5	83.0	12	-72734
	12 LST	5.3	6.3	7.8	6.0	8.1	7.4	8.6	8.2	4.7	6.6	2.7	4.9	76.6	12	-72734
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	17.3	17.2	22.7	22.4	26.8	26.5	28.2	27.7	23.8	23.6	17.3	14.8	268.3	12	-72734
	00 LST	15.2	17.9	22.6	22.6	26.4	24.8	27.1	25.2	22.0	22.3	18.2	16.4	260.7	12	-72734
	06 LST	16.7	17.3	21.1	21.9	23.7	22.1	22.1	20.2	17.2	19.9	16.7	15.6	234.5	12	-72734
	12 LST	17.9	18.1	22.0	21.3	24.4	24.1	26.1	25.9	21.8	22.7	17.9	17.5	259.7	12	-72734
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	13.1	13.4	19.0	18.3	22.3	22.1	24.9	24.0	19.4	18.2	9.8	9.5	214.0	12	-72734
	00 LST	10.2	12.8	17.1	17.7	22.5	20.8	23.9	22.8	15.8	16.5	10.1	8.7	198.9	12	-72734
	06 LST	10.8	13.0	16.1	16.9	19.0	18.9	19.3	16.9	11.7	14.3	8.3	8.3	173.5	12	-72734
	12 LST	14.2	13.8	18.2	16.9	20.2	20.3	22.8	21.1	15.8	15.7	10.0	11.3	200.3	12	-72734
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	11.2	12.1	17.0	16.2	19.1	18.8	22.5	21.6	16.6	15.9	7.9	7.8	186.7	12	-72734
	00 LST	9.1	11.4	16.0	15.8	19.3	18.0	21.8	19.8	13.7	14.7	8.2	7.8	175.6	12	-72734
	06 LST	10.0	11.8	14.7	14.6	16.1	16.7	16.2	14.2	8.6	11.6	6.7	7.2	148.4	12	-72734
	12 LST	13.1	12.5	16.7	15.4	16.7	18.2	20.6	19.3	13.8	14.1	8.3	9.7	178.4	12	-72734

ROUYN, CANADA

STA NO. 73738/ (IN AREA NUMBER 10)

LATITUDE 4813N

LONGITUDE 07850W

ELEVATION(FT) 00987

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	43	41	59	70	91	93	92	86	86	74	65	50	93	9	-72725
MEAN MAX TMP (F)	12	16	29	44	58	70	74	71	62	50	35	18	45	9	-72725
MEAN MIN TMP (F)	-8	-5	6	25	36	47	52	51	43	34	21	0	25	9	-72725
ABS MIN TMP (F)	-46	-42	-32	1	16	28	34	32	26	12	-20	-34	-46	9	-72725
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	0.2	0.7	0.0	0.0	0.0	0.0	0.0	1.1	9	-72725
MEAN NO DYS TMP = OR LES 32(F)	30.7	28.0	30.3	24.6	12.7	2.4	0.0	0.2	4.3	14.9	26.3	29.7	204.1	9	-72725
MEAN NO DYS TMP = OR LES 0(F)	22.5	17.1	11.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	16.6	70.1	9	-72725
MEAN DEW PT TMP (F)	0	-5	13	25	32	40	52	49	45	33	24	3	26	3	-72725
MEAN REL HUM (PCT)	76	72	70	60	65	65	72	73	80	77	82	78	73	3	-72725
MEAN PRESS ALT (FT)	890	896	902	915	937	1000	1016	983	954	951	958	933	945	0	-50
MEAN PRECIP (IN)	1.94	1.94	1.57	1.58	2.09	3.82	3.63	3.65	4.45	3.30	3.17	3.05	34.2	9	-72725
MEAN SNOW FALL (IN)							0.0	0.0						9	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.2	6.6	4.6	5.1	6.5	8.0	8.5	7.6	9.8	7.6	10.4	10.0	91.9	9	-72725
MEAN NO DYS SNPL = OR GTR 1.5 IN							0.0	0.0						9	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.7	2.5	1.5	0.0	0.0	0.0	1.5	1.5	1.0	1.5	1.5	1.5	13.4	3	-72725
MEAN NO DYS TSMS	0.0	0.0	0.0	1.0	1.0	2.0	4.0	3.0	1.5	0.0	0.0	0.0	12.5	3	-72725
P FREQ WND SPD = OR GTR 17 KTS	2.3	5.8	4.4	4.2	4.8	5.8	1.6	1.2	2.1	0.8	7.9	2.8	3.6	3	-72725
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	2.5	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3	-72725
P FREQ LES 5000 FT A/O LES 5 MI	49.6	41.1	37.9	24.2	42.7	32.5	39.9	36.7	48.3	54.0	69.2	46.0	43.5	3	-72725
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 06-02 LST	25.4	16.1	11.3	13.3	16.1	16.7	16.1	16.1	23.3	25.8	31.7	21.0	19.4	3	-72725
03-05 LST	24.4	21.9	12.9	19.0	20.8	20.3	18.9	21.5	28.2	29.1	36.9	26.5	23.4	3	-72725
06-08 LST	23.4	27.6	14.5	24.7	25.4	23.8	21.6	26.9	33.1	32.4	42.0	32.9	27.4	9	-72725
09-11 LST	22.9	23.6	17.4	17.4	22.4	18.6	18.9	19.9	29.1	30.7	43.5	28.6	24.5	3	-72725
12-14 LST	22.4	19.6	21.0	10.0	19.4	13.3	16.1	12.9	25.0	29.0	45.0	24.2	21.5	3	-72725
15-17 LST	24.1	21.4	19.1	8.4	17.8	16.8	14.5	11.3	22.5	25.8	35.9	23.4	20.1	3	-72725
18-20 LST	25.8	23.2	16.1	6.7	16.1	20.0	12.9	9.7	20.0	22.6	26.7	22.6	18.5	3	-72725
21-23 LST	25.6	19.7	13.7	10.0	16.1	18.4	14.5	12.9	21.7	24.2	29.2	21.8	19.0	3	-72725
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	13.4	5.4	0.0	0.0	3.2	0.0	4.8	6.5	6.7	1.6	8.3	6.5	4.7	3	-72725
03-05 LST	10.2	6.5	2.0	2.5	4.9	1.7	4.0	6.3	5.7	4.3	11.1	8.2	5.6	3	-72725
06-08 LST	6.9	7.6	4.0	5.0	6.5	3.3	3.2	6.1	4.6	6.9	13.9	9.8	6.5	9	-72725
09-11 LST	3.5	8.3	4.4	2.5	3.3	1.7	1.6	3.9	3.2	5.1	12.0	8.2	4.8	3	-72725
12-14 LST	0.0	8.9	4.8	0.0	0.0	0.0	0.0	1.6	1.7	3.2	10.0	6.5	3.1	3	-72725
15-17 LST	5.3	10.7	4.0	1.7	0.0	0.0	0.8	2.4	5.0	5.7	8.4	6.5	4.2	3	-72725
18-20 LST	10.6	12.5	3.2	3.3	0.0	0.0	1.6	3.2	8.3	8.1	6.7	6.5	5.3	1	-72725
21-23 LST	12.0	9.0	1.6	1.7	1.6	0.0	3.2	4.9	7.5	4.9	7.5	6.5	5.0	3	-72725

ROUYN, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	24.4	23.5	27.0	29.0	27.0	26.0	28.5	29.5	25.5	27.0	24.0	26.0	317.4	3	-72725
	01 LST	25.0	25.0	29.0	27.0	28.0	27.0	27.0	27.5	24.5	25.0	23.0	27.0	315.0	3	-72725
	07 LST	26.1	23.0	27.9	24.1	24.2	24.2	24.9	22.9	21.1	22.7	20.5	22.9	284.5	9	-72725
	13 LST	25.9	24.0	27.5	28.0	27.0	28.0	28.5	29.0	25.0	26.0	19.0	24.5	312.4	3	-72725
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	19.3	17.0	22.5	17.0	20.0	15.0	23.0	24.0	20.5	17.0	15.0	20.0	230.3	3	-72725
	01 LST	15.3	17.0	23.0	21.0	21.0	19.0	24.0	24.0	20.5	18.0	14.0	20.5	237.3	3	-72725
	07 LST	18.4	14.9	21.2	18.3	18.2	19.0	21.3	19.8	16.8	15.4	11.6	16.1	211.0	9	-72725
	13 LST	12.9	16.5	17.0	16.0	9.0	12.0	19.5	16.0	12.0	11.5	8.0	18.0	168.4	3	-72725
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.9	1.0	0.5	1.0	1.0	1.0	0.0	0.5	0.0	0.5	0.5	0.5	7.4	3	-72725
	01 LST	0.0	2.0	0.5	1.0	1.0	0.0	0.5	0.0	0.0	0.0	1.5	0.0	6.5	3	-72725
	07 LST	0.2	0.1	0.5	0.4	0.6	0.0	0.1	0.0	0.1	0.1	0.5	0.4	3.0	9	-72725
	13 LST	0.0	0.0	1.0	1.0	1.0	4.0	0.0	1.0	2.0	0.5	1.0	0.0	11.5	3	-72725
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	0.0	0.5	7.5	14.0	20.0	18.0	20.5	19.5	15.0	16.0	7.5	0.5	139.0	3	-72725
	01 LST	0.0	0.0	1.0	10.0	15.0	20.0	16.0	19.0	18.5	12.0	4.5	0.5	116.5	1	-72725
	07 LST	0.1	0.0	0.2	5.3	13.1	17.3	18.2	16.9	17.2	9.6	4.1	1.0	103.0	9	-72725
	13 LST	0.9	0.5	8.0	18.0	14.0	14.0	22.0	23.5	19.0	17.0	9.5	1.5	147.9	3	-72725
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	9.4	11.0	8.5	12.0	4.0	6.0	3.5	5.0	4.0	10.0	8.0	11.5	92.9	3	-72725
	01 LST	7.4	15.0	15.0	18.0	12.0	15.0	15.0	13.0	14.0	9.5	8.0	13.5	155.4	3	-72725
	07 LST	11.9	8.0	10.6	10.0	8.6	8.6	10.0	8.5	7.0	5.9	3.5	8.7	101.3	9	-72725
	13 LST	6.0	8.5	9.5	14.0	6.0	6.0	5.5	8.0	4.0	6.0	3.0	6.5	83.0	3	-72725
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	18.3	18.5	23.0	25.0	24.0	21.0	23.5	25.0	20.0	19.5	18.0	20.5	256.3	3	-72725
	01 LST	18.0	20.5	24.5	24.0	24.0	23.0	24.0	24.5	22.0	19.0	16.0	21.0	260.5	3	-72725
	07 LST	19.7	16.0	22.8	20.0	20.2	20.9	21.5	19.7	17.1	15.8	11.0	16.2	220.9	9	-72725
	13 LST	18.9	18.5	21.0	25.0	20.0	20.0	22.5	22.0	16.5	16.0	10.5	19.0	229.9	3	-72725
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	15.5	17.5	17.0	21.0	21.0	19.0	19.0	21.5	15.0	16.0	12.0	16.5	211.0	3	-72725
	01 LST	15.7	17.0	20.0	22.0	18.0	23.0	20.0	22.5	20.5	14.0	10.0	18.5	221.2	3	-72725
	07 LST	17.4	13.7	20.0	17.6	17.5	19.1	18.9	17.8	14.2	12.8	7.3	13.5	189.8	9	-72725
	13 LST	15.7	16.5	19.0	21.0	14.0	14.0	15.5	17.0	10.5	14.0	7.5	16.0	180.7	3	-72725
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	14.1	17.0	15.5	19.0	18.0	18.0	18.5	21.0	14.0	15.0	9.5	15.5	195.1	3	-72725
	01 LST	14.3	16.5	17.0	22.0	17.0	21.0	19.0	19.5	19.0	13.0	9.0	17.0	204.3	3	-72725
	07 LST	16.1	11.9	18.6	16.1	16.9	18.0	18.0	16.2	13.1	11.4	6.7	12.3	175.3	9	-72725
	13 LST	15.3	15.5	17.5	20.0	14.0	14.0	15.0	16.5	9.0	14.0	7.0	14.5	172.3	3	-72725

DOWNSVIEW, CANADA

STA NO. 73739/ (IN AREA NUMBER 10)

LATITUDE 4345N

LONGITUDE 07920W

ELEVATION(FT) 00692

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	61	55	80	90	93	97	105	102	98	86	77	61	105	99	-72624
MEAN MAX TMP (F)	30	30	37	50	63	73	79	77	69	56	43	33	53	99	-72624
MEAN MIN TMP (F)	16	15	23	34	44	54	59	58	51	40	31	21	37	99	-72624
ABS MIN TMP (F)	-26	-25	-17	5	25	28	39	40	28	16	-5	-22	-26	99	-72624
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.4	2.0	1.7	1.5	0.0	0.0	0.0	6.6	12	-72624
MEAN NO DYS TMP = OR LES 32(F)	29.1	25.7	27.1	10.7	1.6	0.0	0.0	0.0	0.2	4.2	16.5	26.8	141.9	12	-72624
MEAN NO DYS TMP = OR LES 0(F)	3.4	2.9	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	8.3	10	-72624
MEAN DEW PT TMP (F)	19	20	25	35	43	54	58	57	51	42	33	23	38	10	-72624
MEAN REL HUM (PCT)	74	73	69	65	64	68	68	71	74	75	75	76	71	30	-72624
MEAN PRESS ALT (FT)	503	523	558	585	589	602	600	566	532	512	523	519	551	0	-50
MEAN PRECIP (IN)	2.71	2.43	2.58	2.48	2.91	2.67	2.95	2.73	2.90	2.43	2.76	2.63	32.2	99	-72624
MEAN SNOW FALL (IN)	16.0	15.3	10.7	2.8	0.1	0.0	0.0	0.0	0.0	0.4	4.2	12.4	61.9	99	-72624
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.7	7.1	7.1	6.9	7.8	6.2	6.6	6.3	6.6	5.8	6.4	7.6	82.1	99	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.4	3.3	2.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.6	12.7	99	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.6	3.3	2.8	3.3	1.6	0.9	0.7	1.3	2.3	4.4	3.7	3.9	31.8	10	-72624
MEAN NO DYS TSTMS	0.0	0.0	0.5	1.7	1.9	3.4	3.8	3.0	2.1	0.8	0.4	0.0	17.6	10	-72624
P FREQ WND SPD = OR GTR 17 KTS	13.2	13.7	17.8	14.8	8.6	7.4	5.8	3.4	7.0	8.9	16.8	13.0	10.9	10	-72624
P FREQ WND SPD = OR GTR 28 KTS	1.4	1.2	1.8	0.7	0.5	0.4	0.1	0.1	0.1	0.5	1.8	0.7	0.8	10	-72624
P FREQ LES 5000 FT A/O LES 5 MI	54.8	49.1	44.6	38.7	25.6	25.2	19.6	25.2	31.7	39.4	54.0	56.8	38.7	10	-72624
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	25.3	18.4	13.7	15.3	9.3	8.1	5.1	7.3	11.2	16.3	17.5	20.8	14.0	10	-72624
03-05 LST	26.0	19.3	15.1	18.5	13.9	12.1	7.9	12.7	14.2	18.3	17.8	21.0	16.4	9	-72624
06-08 LST	26.1	25.1	22.9	20.8	16.7	14.9	8.7	17.6	17.6	26.9	24.4	24.0	20.5	12	-72624
09-11 LST	26.0	25.5	22.3	18.4	9.8	8.9	4.7	11.2	12.8	20.1	24.6	29.3	17.8	9	-72624
12-14 LST	20.6	17.8	18.4	14.3	6.5	6.5	3.6	8.5	6.7	11.0	19.1	26.2	13.1	10	-72624
15-17 LST	23.2	20.6	17.0	13.7	5.6	5.4	3.1	6.0	4.3	12.5	18.6	22.1	12.7	9	-72624
18-20 LST	22.0	18.7	14.4	14.4	7.2	5.9	3.0	4.9	6.0	14.5	14.2	20.2	12.1	10	-72624
21-23 LST	22.8	18.2	12.4	13.2	6.7	7.0	3.8	4.9	8.6	15.3	14.8	20.4	12.3	9	-72624
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	6.9	4.4	3.3	3.8	3.0	1.5	1.1	1.6	3.2	5.3	2.8	5.5	3.5	10	-72624
03-05 LST	7.0	4.6	3.7	5.8	2.7	3.5	0.8	2.4	5.6	5.5	5.4	5.6	4.4	9	-72624
06-08 LST	6.7	6.1	6.2	6.2	3.1	2.6	0.8	3.1	6.0	9.0	7.6	6.6	5.3	12	-72624
09-11 LST	7.0	7.7	5.3	3.1	0.7	1.1	0.1	1.9	1.1	3.2	5.4	7.0	3.6	9	-72624
12-14 LST	5.8	4.6	3.5	2.1	1.0	0.4	0.1	0.8	0.2	1.2	3.2	5.5	2.4	10	-72624
15-17 LST	4.9	4.6	4.9	1.5	0.7	0.6	0.5	0.7	0.0	2.3	2.2	6.1	2.4	9	-72624
18-20 LST	5.7	4.3	2.6	3.5	1.6	0.4	0.5	0.4	0.5	3.1	1.9	4.6	2.4	10	-72624
21-23 LST	5.6	5.1	1.9	4.8	2.0	0.2	0.6	0.5	1.7	5.0	3.0	4.6	2.9	9	-72624

DOWNSVIEW, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	25.4	23.6	27.1	25.8	29.1	28.4	30.2	29.6	28.4	26.8	25.8	25.8	326.6	10	-72624
	01 LST	24.9	23.6	27.3	25.9	28.6	28.2	29.6	29.2	27.1	26.3	25.4	25.8	321.9	10	-72624
	07 LST	25.4	21.4	23.8	24.4	25.1	26.0	27.9	25.3	24.7	23.0	22.7	25.2	294.9	12	-72624
	13 LST	25.5	23.6	26.4	26.3	29.5	28.2	30.3	29.8	28.5	27.9	25.4	24.6	326.0	10	-72624
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	12.5	14.0	13.8	14.1	17.9	19.7	20.4	22.4	20.9	20.1	13.1	13.1	202.0	10	-72624
	01 LST	12.2	14.4	16.1	16.7	23.0	24.0	25.5	26.0	21.8	21.2	14.8	12.9	228.6	10	-72624
	07 LST	13.1	12.0	13.0	14.0	16.4	18.6	21.9	20.9	19.8	16.6	12.4	12.3	191.0	12	-72624
	13 LST	7.6	6.7	6.6	6.5	9.0	9.9	10.7	11.9	10.3	9.1	6.5	7.3	102.1	10	-72624
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	3.4	2.1	4.4	3.6	1.6	1.5	0.8	0.7	1.0	1.2	3.9	3.3	28.0	10	-72624
	01 LST	3.6	1.9	4.3	2.1	0.3	0.7	0.2	0.1	0.3	1.0	2.8	3.4	20.7	10	-72624
	07 LST	2.8	2.5	2.9	3.0	1.2	1.5	0.6	0.2	0.3	0.8	3.5	2.5	21.8	12	-72624
	13 LST	5.9	6.6	8.4	8.1	6.3	5.4	4.5	2.2	5.2	6.4	9.5	7.2	75.7	10	-72624
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	2.5	3.5	8.2	16.7	18.0	21.2	21.7	20.9	20.2	19.0	12.0	5.9	169.8	10	-72624
	01 LST	2.3	1.3	4.3	12.5	19.5	16.6	18.4	16.6	14.7	17.5	10.8	3.6	138.1	10	-72624
	07 LST	1.6	1.6	3.0	10.5	14.9	14.3	14.2	14.1	15.3	14.2	8.8	3.7	116.2	12	-72624
	13 LST	3.4	4.3	6.7	11.9	13.7	13.6	13.8	15.2	13.1	14.7	8.9	5.6	124.9	10	-72624
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	7.3	7.2	9.6	6.8	8.4	7.3	9.2	9.9	11.2	11.4	5.3	6.2	99.8	10	-72624
	01 LST	6.9	7.7	11.2	11.8	14.8	11.9	14.1	14.3	15.3	13.5	5.9	6.3	137.7	10	-72624
	07 LST	5.6	5.0	7.0	7.6	7.5	8.9	12.6	10.6	9.6	8.1	3.4	6.0	91.9	12	-72624
	13 LST	5.6	5.2	5.4	4.7	5.8	5.4	5.2	4.4	6.4	8.0	2.8	4.3	63.2	10	-72624
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	26.4	21.3	24.3	23.6	28.1	27.5	29.8	28.9	27.2	25.9	23.1	21.6	301.7	10	-72624
	01 LST	20.3	19.9	25.0	24.2	27.9	27.2	28.8	28.3	25.5	24.6	22.2	21.4	295.3	10	-72624
	07 LST	18.7	17.2	20.7	21.9	23.2	24.1	26.7	24.0	22.8	20.2	19.7	19.9	259.1	12	-72624
	13 LST	20.3	20.3	20.7	23.8	27.5	26.6	29.1	27.7	26.0	24.9	22.1	20.6	289.6	10	-72624
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	15.0	15.4	20.6	19.2	24.6	24.5	27.1	25.6	22.8	22.5	15.2	13.4	246.2	10	-72624
	01 LST	13.4	14.5	19.1	20.6	25.0	24.8	26.5	25.9	21.8	20.6	15.1	14.4	241.7	10	-72624
	07 LST	12.5	12.2	16.2	17.3	21.0	27.5	25.5	22.1	20.3	16.7	12.2	12.2	210.3	12	-72624
	13 LST	15.6	15.3	14.2	14.9	21.8	21.5	20.7	20.2	17.8	19.0	12.5	14.4	208.1	10	-72624
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	13.0	13.5	17.5	17.1	21.6	22.5	24.6	24.1	20.4	19.7	13.0	11.4	218.4	10	-72624
	01 LST	11.4	12.4	16.8	18.3	22.9	21.4	24.1	23.5	20.2	19.3	12.8	11.9	215.0	10	-72624
	07 LST	11.0	10.3	14.1	14.9	18.4	19.7	23.7	19.9	18.2	15.0	9.8	10.4	185.4	12	-72624
	13 LST	13.6	12.9	13.2	13.1	17.8	19.2	18.3	17.0	15.7	17.0	9.7	11.5	179.0	10	-72624

HAMILTON, CANADA

STA NO. 73741/ (IN AREA NUMBER 10)

LATITUDE 4310N

LONGITUDE 07955W

ELEVATION(FT) 00776

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	65	63	81	85	97	102	106	102	100	90	78	71	106	70	-110
MEAN MAX TMP (F)	31	31	39	53	65	76	82	80	71	59	45	34	56	46	-105
MEAN MIN TMP (F)	15	14	22	34	44	54	60	57	51	40	30	20	37	46	-105
ABS MIN TMP (F)	-23	-21	-17	6	19	32	34	35	25	12	-9	-18	-23	70	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.4	2.0	1.7	1.5	0.0	0.0	0.0	6.6	12	-72624
MEAN NO DYS TMP = OR LES 32(F)	29.1	25.7	27.1	10.7	1.6	0.0	0.0	0.0	0.2	4.2	16.5	26.8	141.9	12	-72624
MEAN NO DYS TMP = OR LES 0(F)	3.4	2.9	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	8.3	12	-72624
MEAN DEW PT TMP (F)	19	20	25	35	43	54	58	57	51	42	33	23	38	10	-72624
MEAN REL HUM (PCT)	74	73	69	65	64	68	68	71	74	75	75	76	71	30	-72624
MEAN PRESS ALT (FT)	632	649	680	709	716	728	727	692	660	641	655	648	678	0	-50
MEAN PRECIP (IN)	2.68	2.42	2.74	2.21	2.32	2.64	3.09	2.32	2.87	2.60	2.56	2.48	30.9	46	-105
MEAN SNOW FALL (IN)	15.7	13.3	10.4	1.8	0.0	0.0	0.0	0.0	0.0	0.9	4.3	11.8	58.2	46	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.7	7.1	7.4	6.3	6.6	6.2	6.8	5.7	6.6	6.1	6.0	7.2	79.7	46	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.4	2.8	2.2	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.8	2.5	12.1	46	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.6	3.3	2.8	3.3	1.6	0.9	0.7	1.3	2.3	4.4	3.7	3.9	31.8	10	-72624
MEAN NO DYS TSTMS	0.0	0.0	0.5	1.7	1.9	3.4	3.8	3.0	2.1	0.8	0.4	0.0	17.6	10	-72624
P FREQ WND SPD = OR GTR 17 KTS	13.2	13.7	17.8	14.8	8.6	7.4	5.8	3.4	7.0	8.9	16.8	13.0	10.9	10	-72624
P FREQ WND SPD = OR GTR 28 KTS	1.4	1.2	1.8	0.7	0.5	0.4	0.1	0.1	0.1	0.5	1.8	0.7	0.8	10	-72624
P FREQ LES 5000 FT A/O LES 5 MI	54.8	49.1	44.6	38.7	25.6	25.2	19.6	25.2	31.7	39.4	54.0	56.8	38.7	10	-72624
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	25.3	18.4	13.7	15.3	9.3	8.1	5.1	7.3	11.2	16.3	17.5	20.8	14.0	10	-72624
03-05 LST	26.0	19.3	15.1	18.5	13.9	12.1	7.9	12.7	14.2	18.3	17.8	21.0	16.4	9	-72624
06-08 LST	26.1	25.1	22.9	20.8	16.7	14.9	8.7	17.6	17.6	26.9	24.4	24.0	20.5	12	-72624
09-11 LST	26.0	25.5	22.3	18.4	9.8	8.9	4.7	11.2	12.8	20.1	24.6	29.3	17.8	9	-72624
12-14 LST	20.6	17.8	18.4	14.3	6.5	6.5	3.6	6.5	6.7	11.0	19.1	26.2	13.1	10	-72624
15-17 LST	23.2	20.6	17.0	13.7	5.6	5.4	3.1	6.0	4.8	12.5	18.6	22.1	12.7	9	-72624
18-20 LST	22.0	18.7	14.4	14.4	7.2	5.9	3.0	4.9	6.0	14.5	14.2	20.2	12.1	10	-72624
21-23 LST	22.8	18.2	12.4	13.2	6.7	7.0	3.8	4.9	8.6	15.3	14.8	20.4	12.3	9	-72624
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	6.9	4.4	3.3	3.8	3.0	1.5	1.1	1.6	3.2	5.3	2.8	5.5	3.5	10	-72624
03-05 LST	7.0	4.6	3.7	5.8	2.7	3.5	0.8	2.4	5.6	5.5	5.4	5.6	4.4	9	-72624
06-08 LST	6.7	6.1	6.2	6.2	3.1	2.6	0.8	3.1	6.0	9.0	7.6	6.6	5.3	12	-72624
09-11 LST	7.0	7.7	5.3	3.1	0.7	1.1	0.1	1.9	1.1	3.2	5.4	7.0	3.6	9	-72624
12-14 LST	5.8	4.6	3.5	2.1	1.0	0.4	0.1	0.8	0.2	1.2	3.2	5.5	2.4	10	-72624
15-17 LST	4.9	4.6	4.9	1.5	0.7	0.6	0.5	0.7	0.0	2.3	2.2	6.1	2.4	9	-72624
18-20 LST	5.7	4.3	2.6	3.5	1.6	0.4	0.5	0.4	0.5	3.1	1.9	4.6	2.4	10	-72624
21-23 LST	5.6	5.1	1.9	4.8	2.0	0.2	0.6	0.5	1.7	5.0	3.0	4.6	2.9	9	-72624

HAMILTON, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	25.4	23.6	27.1	25.8	29.1	28.4	30.2	29.6	28.4	26.8	26.4	25.8	326.6	10	-72624
	01 LST	24.9	23.6	27.3	25.9	28.6	28.2	29.6	29.2	27.1	26.3	25.4	25.8	321.9	10	-72624
	07 LST	25.4	21.4	23.8	24.4	25.1	26.0	27.9	25.3	24.7	23.0	22.7	25.2	294.9	12	-72624
	13 LST	25.5	23.6	26.4	26.3	29.5	28.2	30.3	29.8	28.5	27.9	25.4	24.6	326.0	10	-72624
CIG = GTR 2000 FT AND VSBY = GTR 3 MI #/SFC WND LES 10 KTS	19 LST	12.5	14.0	13.8	14.1	17.9	19.7	20.4	22.4	20.9	20.1	13.1	13.1	202.0	10	-72624
	01 LST	12.2	14.4	16.1	16.7	23.0	24.0	25.5	26.0	21.8	21.2	14.8	12.9	228.6	10	-72624
	07 LST	13.1	12.0	13.0	14.0	16.4	18.6	21.9	20.9	19.8	16.6	12.4	12.3	191.0	12	-72624
	13 LST	7.6	6.7	6.6	6.5	9.0	9.9	10.7	11.9	10.3	9.1	6.5	7.3	102.1	10	-72624
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	3.9	2.1	4.4	3.6	1.6	1.5	0.8	0.7	1.0	1.2	3.9	3.3	28.0	10	-72624
	01 LST	3.6	1.9	4.3	2.1	0.3	0.7	0.2	0.1	0.3	1.0	2.8	3.4	20.7	10	-72624
	07 LST	2.8	2.5	2.9	3.0	1.2	1.5	0.6	0.2	0.3	0.8	3.5	2.5	21.8	12	-72624
	13 LST	5.9	6.6	8.4	8.1	6.3	5.4	4.5	2.2	5.2	6.4	9.5	7.2	75.7	10	-72624
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	2.5	3.5	8.2	16.7	18.0	21.2	21.7	20.9	20.2	19.0	12.0	5.9	169.8	10	-72624
	01 LST	2.3	1.3	4.3	12.5	19.5	16.6	18.4	16.6	14.7	17.5	10.8	3.6	138.1	10	-72624
	07 LST	1.6	1.6	3.0	10.5	14.9	14.3	14.2	14.1	15.3	14.2	8.8	3.7	116.2	12	-72624
	13 LST	3.4	4.3	6.7	11.9	13.7	13.6	13.8	15.2	13.1	14.7	8.9	5.6	124.9	10	-72624
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	7.3	7.2	9.6	6.8	8.4	7.3	9.2	9.9	11.2	11.4	5.3	6.2	99.8	10	-72624
	01 LST	6.9	7.7	11.2	11.8	14.8	11.9	16.1	16.3	15.3	13.5	5.9	6.3	137.7	10	-72624
	07 LST	5.6	5.0	7.0	7.6	7.5	8.9	12.6	10.6	9.6	8.1	3.4	6.0	91.9	12	-72624
	13 LST	5.6	5.2	5.4	4.7	5.8	5.4	5.2	4.4	6.4	8.0	2.8	4.3	63.2	10	-72624
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	20.4	21.3	24.3	23.6	28.1	27.5	29.8	28.9	27.2	25.9	23.1	21.6	301.7	10	-72624
	01 LST	20.3	19.9	25.0	24.2	27.9	27.2	28.8	28.3	25.5	24.6	22.2	21.4	295.3	10	-72624
	07 LST	18.7	17.2	20.7	21.9	23.2	24.1	26.7	24.0	22.8	20.2	19.7	19.9	259.1	12	-72624
	13 LST	20.3	20.3	20.7	23.8	27.5	26.6	29.1	27.7	26.0	24.9	22.1	20.6	289.6	10	-72624
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	15.0	15.4	20.6	19.2	24.6	24.5	27.1	25.9	22.8	22.5	15.2	13.4	246.2	10	-72624
	01 LST	13.4	14.5	19.1	20.6	25.0	24.8	26.5	25.9	21.8	20.6	15.1	14.4	241.7	10	-72624
	07 LST	12.5	12.2	16.2	17.3	21.0	22.1	25.5	22.1	20.3	16.7	12.2	12.2	210.3	12	-72624
	13 LST	15.6	15.3	14.2	14.9	21.8	21.5	20.9	20.2	17.8	19.0	12.5	14.4	208.1	10	-72624
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	13.0	13.5	17.5	17.1	21.6	22.5	24.6	24.1	20.4	19.7	13.0	11.4	218.4	10	-72624
	01 LST	11.4	12.4	16.8	18.3	22.9	21.4	24.1	23.5	20.2	19.3	12.8	11.9	215.0	10	-72624
	07 LST	11.0	10.3	14.1	14.9	18.4	19.7	23.7	19.9	18.2	15.0	9.8	10.4	185.4	12	-72624
	13 LST	13.6	12.9	13.2	13.1	17.8	19.2	18.3	17.0	15.7	17.0	9.7	11.5	179.0	10	-72624

TORONTO ISLE, CANADA

STA NO. 73742/ (IN AREA NUMBER 10)

LATITUDE 4338N

LONGITUDE 07924W

ELEVATION(FT) 00251

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	61	55	80	90	93	97	105	102	98	86	77	61	105	99	-72624
MEAN MAX TMP (F)	30	30	37	50	63	73	79	77	69	56	43	33	53	99	-72624
MEAN MIN TMP (F)	16	15	23	34	44	54	59	58	51	40	31	21	37	99	-72624
ABS MIN TMP (F)	-26	-25	-17	5	25	28	39	40	28	16	-5	-22	-26	99	-72624
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.4	2.0	1.7	1.5	0.0	0.0	0.0	6.6	12	-72624
MEAN NO DYS TMP = OR LES 32(F)	29.1	25.7	27.1	10.7	1.6	0.0	0.0	0.0	0.2	4.2	16.5	26.8	141.9	12	-72624
MEAN NO DYS TMP = OR LES 0(F)	3.4	2.9	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	8.3	10	-72624
MEAN DEW PT TMP (F)	19	20	25	35	43	54	58	57	51	42	33	23	38	10	-72624
MEAN REL HUM (PCT)	74	73	69	65	64	68	68	71	74	75	75	75	71	30	-72624
MEAN PRESS ALT (FT)	103	123	158	185	189	202	200	166	132	112	123	119	151	0	-50
MEAN PRECIP (IN)	2.71	2.43	2.58	2.48	2.91	2.67	2.95	2.73	2.90	2.43	2.76	2.63	32.2	99	-72624
MEAN SNOW FALL (IN)	16.0	15.3	10.7	2.8	0.1	0.0	0.0	0.0	0.0	0.4	4.2	12.4	61.0	99	-72624
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.7	7.1	7.1	6.9	7.8	6.2	6.6	6.3	6.6	5.8	6.4	7.6	82.1	99	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.4	3.3	2.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.6	12.7	99	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.6	3.3	2.8	3.3	1.6	0.9	0.7	1.3	2.3	4.4	3.7	3.9	31.8	10	-72624
MEAN NO DYS TSTMS	0.0	0.0	0.5	1.7	1.9	3.4	3.8	3.0	2.1	0.8	0.4	0.0	17.6	10	-72624
P FREQ WND SPD = OR GTR 17 KTS	13.2	13.7	17.8	14.8	8.6	7.4	5.8	3.4	7.0	8.9	16.6	13.0	10.9	10	-72624
P FREQ WND SPD = OR GTR 28 KTS	1.4	1.2	1.8	0.7	0.5	0.4	0.1	0.1	0.1	0.5	1.8	0.7	0.8	10	-72624
P FREQ LES 5000 FT A/O LES 5 MI	54.8	49.1	44.6	38.7	25.6	25.2	19.6	25.2	31.7	39.4	54.0	56.8	38.7	10	-72624
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	25.3	18.4	13.7	15.3	9.3	8.1	5.1	7.3	11.2	16.3	17.5	20.8	14.0	10	-72624
03-05 LST	26.0	19.3	15.1	18.5	13.9	12.1	7.9	12.7	14.2	18.3	17.8	21.0	16.4	9	-72624
06-08 LST	26.1	25.1	22.9	20.8	16.7	14.9	8.7	17.6	17.6	26.9	24.4	24.0	20.5	12	-72624
09-11 LST	26.0	25.5	22.3	18.4	9.8	8.9	4.7	11.2	12.8	20.1	24.6	29.3	17.8	9	-72624
12-14 LST	20.6	17.8	18.4	14.3	6.5	6.5	3.6	6.5	6.7	11.0	19.1	26.2	13.1	10	-72624
15-17 LST	23.2	20.6	17.0	13.7	5.6	5.4	3.1	6.0	4.8	12.5	18.6	22.1	12.7	9	-72624
18-20 LST	27.0	18.7	14.4	14.4	7.2	5.9	3.0	4.9	6.0	14.5	14.2	20.2	12.1	10	-72624
21-23 LST	22.8	18.2	12.4	13.2	6.7	7.0	3.8	4.9	8.6	15.3	14.8	20.4	12.3	9	-72624
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	6.9	4.4	3.3	3.8	3.0	1.5	1.1	1.6	3.2	5.3	2.8	5.5	3.5	10	-72624
03-05 LST	7.0	4.6	3.7	5.8	2.7	3.5	0.8	2.4	5.6	5.5	5.4	5.6	4.4	9	-72624
06-08 LST	6.7	6.1	6.2	6.2	3.1	2.6	0.8	3.1	6.0	9.0	7.6	6.6	5.3	12	-72624
09-11 LST	7.0	7.7	5.3	3.1	0.7	1.1	0.1	1.9	1.1	3.2	5.4	7.0	3.6	9	-72624
12-14 LST	5.8	4.6	3.5	2.1	1.0	0.4	0.1	0.8	0.2	1.2	3.2	5.5	2.4	10	-72624
15-17 LST	4.9	4.6	4.9	1.5	0.7	0.6	0.5	0.7	0.0	2.3	2.2	6.1	2.4	9	-72624
18-20 LST	5.7	4.3	2.6	3.5	1.6	0.4	0.5	0.4	0.5	3.1	1.9	4.6	2.4	10	-72624
21-23 LST	5.6	5.1	1.9	4.8	2.0	0.2	0.6	0.5	1.7	5.0	3.0	4.6	2.9	9	-72624

TORONTO ISLE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	25.4	23.6	27.1	25.8	29.1	28.4	30.2	29.6	28.4	26.8	26.4	25.8	326.6	10	-72624
	01 LST	24.9	23.6	27.3	25.9	28.6	28.2	29.6	29.2	27.1	26.3	25.4	25.8	321.9	10	-72624
	07 LST	25.4	21.4	23.8	24.4	25.1	26.0	27.9	25.3	24.7	23.0	22.7	25.2	294.9	12	-72624
	13 LST	25.5	23.6	26.4	26.3	29.5	28.2	30.3	29.8	28.5	27.9	25.4	24.6	326.0	10	-72624
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	12.5	14.0	13.8	14.1	17.9	19.7	20.4	22.4	20.9	20.1	13.1	13.1	202.0	10	-72624
	01 LST	12.2	14.4	16.1	16.7	23.0	24.0	25.5	26.0	21.8	21.2	14.8	12.9	228.6	10	-72624
	07 LST	13.1	12.0	13.0	14.0	16.4	18.6	21.9	20.9	19.8	16.6	12.4	12.3	191.0	12	-72624
	13 LST	7.6	6.7	6.6	6.5	9.0	9.9	10.7	11.9	10.3	9.1	6.5	7.3	102.1	10	-72624
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	3.9	2.1	4.4	3.6	1.6	1.5	0.8	0.7	1.0	1.2	3.9	3.3	28.0	10	-72624
	01 LST	3.6	1.9	4.3	2.1	0.3	0.7	0.2	0.1	0.3	1.0	2.8	3.4	20.7	10	-72624
	07 LST	2.8	2.5	2.9	3.0	1.2	1.5	0.6	0.2	0.3	0.8	3.5	2.5	21.8	12	-72624
	13 LST	5.9	6.6	8.4	8.1	6.3	5.4	4.5	2.2	5.2	6.4	9.5	7.2	75.7	10	-72624
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	2.5	3.5	8.2	16.7	18.0	21.2	21.7	20.9	20.2	19.0	12.0	5.9	169.8	10	-72624
	01 LST	2.3	1.3	4.3	12.5	19.5	16.6	18.4	16.6	14.7	17.5	10.8	3.6	138.1	10	-72624
	07 LST	1.6	1.6	3.0	10.5	14.9	14.3	14.2	14.1	15.3	14.2	8.8	3.7	116.2	12	-72624
	13 LST	3.4	4.3	6.7	11.9	13.7	13.6	13.8	15.2	13.1	14.7	8.9	5.6	124.9	10	-72624
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	7.3	7.2	9.6	6.8	8.4	7.3	9.2	9.9	11.2	11.4	5.3	6.2	99.8	10	-72624
	01 LST	6.9	7.7	11.2	11.8	14.8	11.9	16.1	16.3	15.3	13.5	5.9	6.3	137.7	10	-72624
	07 LST	5.6	5.0	7.0	7.6	7.5	8.9	12.6	10.6	9.6	8.1	3.4	6.0	91.9	12	-72624
	13 LST	5.6	5.2	5.4	4.7	5.8	5.4	5.2	4.4	6.4	8.0	2.8	4.3	63.2	10	-72624
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	20.4	21.3	24.3	23.6	28.1	27.5	29.8	28.9	27.2	25.4	23.1	21.6	301.7	10	-72624
	01 LST	20.3	19.9	25.0	24.2	27.9	27.2	28.8	28.3	25.5	24.6	22.2	21.4	295.3	10	-72624
	07 LST	18.7	17.2	20.7	21.9	23.2	24.1	26.7	24.0	22.8	20.2	19.7	19.9	259.1	12	-72624
	13 LST	20.3	20.3	20.7	23.8	27.5	26.6	29.1	27.7	26.0	24.9	22.1	20.6	289.6	10	-72624
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	15.0	15.4	20.6	19.2	24.6	24.5	27.1	25.9	22.8	22.5	15.2	13.4	246.2	10	-72624
	01 LST	13.4	14.5	19.1	20.6	25.0	24.8	26.5	25.9	21.8	20.6	15.1	14.4	241.7	10	-72624
	07 LST	12.5	12.2	16.2	17.3	21.0	22.1	25.5	22.1	20.3	16.7	12.2	12.2	210.3	12	-72624
	13 LST	15.6	15.3	14.2	14.9	21.8	21.5	20.9	20.2	17.8	19.0	12.5	14.4	208.1	10	-72624
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	13.0	13.5	17.5	17.1	21.6	22.5	24.6	24.1	20.4	19.7	13.0	11.4	218.4	10	-72624
	01 LST	11.4	12.4	16.8	18.3	22.9	21.4	24.1	23.5	20.2	19.3	12.8	11.9	215.0	10	-72624
	07 LST	11.0	10.3	14.1	14.9	18.4	19.7	23.7	19.9	18.2	15.0	9.8	10.4	185.4	12	-72624
	13 LST	13.6	12.9	13.2	13.1	17.8	19.2	18.3	17.0	15.7	17.0	9.7	11.5	179.0	10	-72624

GUELPH AIR PARK, CANADA

STA NO. 74064/ (IN AREA NUMBER 10)

LATITUDE 4334N

LONGITUDE 08012W

ELEVATION(FT) 01100

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	62	57	76	84	90	95	101	101	98	85	75	65	101	70	-110
MEAN MAX TMP (F)	27	26	37	51	64	74	79	77	70	57	42	31	53	44	-105
MEAN MIN TMP (F)	14	11	21	33	43	52	57	55	49	38	29	18	35	44	-105
ABS MIN TMP (F)	-35	-27	-20	6	18	26	33	36	27	10	-5	-21	-35	70	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.9	1.6	1.8	0.4	0.0	0.0	0.0	4.7	9	-72623
MEAN NO DYS TMP = OR LES 32(F)	30.6	26.1	26.6	14.3	2.5	0.0	0.0	0.0	0.5	3.6	16.9	27.2	148.3	9	-72623
MEAN NO DYS TMP = OR LES 0(F)	4.1	3.2	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	10.0	9	-72623
MEAN DEW PT TMP (F)	20	19	26	35	47	58	61	60	53	44	34	23	40	10	-72623
MEAN REL HUM (PCT)	87	86	79	74	73	75	73	75	78	81	85	86	79	10	-72623
MEAN PRESS ALT (FT)	951	969	1003	1032	1038	1049	1047	1014	980	961	973	966	999	0	-50
MEAN PRECIP (IN)	2.39	1.74	1.79	2.38	2.72	2.84	3.07	2.86	2.50	2.39	2.44	2.14	29.3	44	-105
MEAN SNOW FALL (IN)	13.3	11.8	8.0	2.1	0.2	0.0	0.0	0.0	0.0	0.6	4.3	10.8	51.1	44	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.0	5.4	5.3	6.7	7.4	6.5	6.8	6.5	5.9	5.7	5.8	6.4	75.4	44	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.8	2.5	1.6	0.4	0.0	0.0	0.0	0.0	0.0	0.1	0.8	2.3	10.5	44	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	1.0	2.0	3.0	4.0	7.0	4.0	4.0	1.0	0.0	0.0	26.0	8	-72623
MEAN NO DYS TSTMS	0.0	0.0	1.0	2.0	3.0	4.0	7.0	4.0	4.0	1.0	0.0	0.0	26.0	0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	34.3	33.2	31.0	25.0	18.5	18.3	14.0	20.6	19.7	19.4	24.3	33.3	24.3	9	-72623
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	10.5	9.7	9.3	6.7	5.2	2.5	3.6	4.5	7.1	4.5	7.9	7.3	6.6	9	-72623
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

GUELPH AIR PARK, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	21.0	18.9	21.6	23.0	24.7	23.5	23.0	19.4	20.3	21.9	22.4	21.4	261.1	9 -72623
	13 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST													0	0
	01 LST													0	0
	07 LST	8.7	7.8	10.9	12.9	13.6	16.6	18.3	17.2	15.7	15.3	11.3	9.2	157.2	9 -72623
	13 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST	2.5	1.7	2.9	2.1	2.4	0.2	0.7	0.1	0.2	0.6	2.5	2.1	18.0	9 -72623
	13 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST	0.5	0.7	2.9	8.7	16.6	17.6	18.5	16.7	16.9	17.7	7.4	2.4	126.6	9 -72623
	13 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	7.3	6.2	7.6	8.3	10.4	11.6	10.2	10.1	10.5	8.4	5.3	5.9	101.8	9 -72623
	13 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	14.7	13.7	17.4	19.5	23.1	21.4	21.9	18.9	18.6	18.9	16.4	14.8	219.3	9 -72623
	13 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	11.2	10.8	14.5	16.9	19.9	18.6	20.3	17.4	16.7	15.8	10.8	10.1	183.0	9 -72623
	13 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	10.9	10.5	13.6	15.5	19.2	18.0	19.3	16.8	15.9	14.9	9.5	9.7	173.8	9 -72623
	13 LST													0	0

TILLSONBURG, CANADA

STA NO. 74377/ (IN AREA NUMBER 10)

LATITUDE 4256N

LONGITUDE 08045W

ELEVATION(FT) 00893

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	62	59	79	87	94	99	102	106	98	86	76	62	106	80	-72623
MEAN MAX TMP (F)	29	29	39	54	67	77	81	79	72	58	44	33	55	54	-72623
MEAN MIN TMP (F)	15	12	22	33	44	53	58	55	50	39	30	20	36	54	-72623
ABS MIN TMP (F)	-26	-27	-19	0	23	30	35	34	26	14	-8	-22	-27	80	-72623
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.9	1.6	1.8	0.4	0.0	0.0	0.0	4.7	9	-72623
MEAN NO DYS TMP = OR LES 32(F)	30.6	26.1	26.6	14.3	2.5	0.0	0.0	0.0	0.5	3.6	16.9	27.2	148.3	9	-72623
MEAN NO DYS TMP = OR LES 0(F)	4.1	3.2	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	10.0	10	-72623
MEAN DEW PT TMP (F)	20	19	26	35	47	58	61	60	53	44	34	23	40	10	-72623
MEAN REL HUM (PCT)	87	86	79	74	73	75	73	75	78	81	85	86	79	10	-72623
MEAN PRESS ALT (FT)	723	764	804	804	804	845	859	818	777	791	791	764	795	0	-50
MEAN PRECIP (IN)	3.97	3.45	2.81	2.87	2.81	3.11	3.21	2.80	2.96	2.91	3.74	3.53	38.2	54	-72623
MEAN SNOW FALL (IN)	23.3	22.3	11.3	3.8	0.1	0.0	0.0	0.0	0.0	0.9	10.8	19.1	91.6	54	-72623
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.0	9.2	7.6	7.7	7.6	6.9	7.0	6.4	6.7	6.6	8.0	9.3	93.0	54	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	4.9	4.8	2.4	0.7	0.0	0.0	0.0	0.0	0.0	0.1	2.4	4.1	19.4	0	0
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.0	0.0	1.0	2.0	3.0	4.0	7.0	4.0	4.0	1.0	0.0	0.0	26.0	8	-72623
MEAN NO DYS TSTMS	0.0	0.0	1.0	2.0	3.0	4.0	7.0	4.0	4.0	1.0	0.0	0.0	26.0	0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

TILLSONBURG, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21.0	18.9	21.6	23.0	24.7	23.5	23.0	19.4	20.3	21.9	22.4	21.4	261.1	9	-72623
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	8.7	7.8	10.6	12.9	13.6	16.6	18.3	17.2	15.7	15.3	11.3	9.2	157.2	9	-72623
SFC WND = GTR 17 KTS AND NO PRECIP.	2.5	1.7	2.9	2.1	2.4	0.2	0.7	0.1	0.2	0.6	2.5	2.1	18.0	9	-72623
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	0.5	0.7	2.9	8.7	16.6	17.6	18.5	16.7	16.9	17.7	7.4	2.4	126.6	9	-72623
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	7.3	6.2	7.6	8.3	10.4	11.6	10.2	10.1	10.5	8.4	5.3	5.9	101.8	9	-72623
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	14.7	13.7	17.4	19.5	23.1	21.4	21.9	18.9	18.6	18.9	16.4	14.8	219.3	9	-72623
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	11.2	10.8	14.5	16.9	19.9	18.6	20.3	17.4	16.7	15.8	10.8	10.1	183.0	9	-72623
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	10.9	10.5	13.6	15.5	19.2	18.0	19.3	16.8	15.9	14.9	9.5	9.7	173.8	9	-72623

AREA NO. 10


CANADA

GREAT LAKES AREA

LATITUDE 4730N LONGITUDE 08200W

BOUNDARIES 4815N 09000W 5000N 09000W 5000N 09000W 5000N 07600W 5000N 07600W 4430N 07600W

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		25	26	36	50	63	74	79	77	69	56	42	29	52
MEAN MIN TMP (F)		8	8	18	31	42	52	57	55	49	38	28	15	33
LARGEST MEAN PRECIP(IN)		3.97	3.45	3.09	2.87	3.49	3.82	4.00	3.65	4.45	3.97	4.12	4.52	45.4
SMALLEST MEAN PRECIP(IN)		0.91	0.76	0.95	1.49	2.09	2.00	1.90	1.96	2.47	1.97	1.52	0.95	19.0
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	26.1	23.8	27.4	27.4	29.2	28.0	29.7	29.7	27.6	28.2	25.7	25.9	328.7
	01 LST	25.2	24.1	27.3	27.0	28.6	27.7	28.7	28.7	27.0	27.1	24.8	26.0	322.2
	07 LST	25.0	22.3	25.4	24.8	26.3	25.8	26.6	25.0	23.9	24.8	24.0	24.6	298.5
	13 LST	25.3	23.6	27.1	27.4	28.7	28.1	29.3	29.6	27.6	27.6	23.8	25.2	323.5
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	19 LST	14.3	14.2	16.7	14.7	16.9	16.6	21.6	22.4	20.1	18.9	13.1	14.5	204.0
	01 LST	13.6	15.0	18.0	18.4	21.7	21.0	23.9	23.3	20.5	18.3	13.0	14.4	221.1
	07 LST	13.9	12.9	15.6	15.2	16.4	18.2	20.9	20.1	17.3	16.0	12.2	12.7	191.4
	13 LST	11.3	11.0	12.2	9.6	9.1	10.6	14.0	14.0	10.9	10.6	7.6	11.6	132.5
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	2.6	2.0	2.6	2.9	1.7	1.8	0.7	0.6	0.9	1.3	2.5	2.3	21.9
	01 LST	2.1	2.0	1.9	1.7	0.7	0.4	0.3	0.4	0.6	0.9	2.4	2.4	15.8
	07 LST	2.0	1.5	1.8	1.7	1.4	1.0	0.4	0.4	0.8	1.1	2.2	2.0	16.3
	13 LST	3.3	3.1	4.1	5.7	4.6	4.3	2.4	2.1	3.7	3.6	4.5	3.5	44.9
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	1.2	2.1	6.6	15.1	17.9	17.0	20.0	19.2	17.4	17.7	8.9	2.7	145.8
	01 LST	1.1	1.3	2.6	10.5	15.4	16.7	17.7	17.8	16.9	14.4	7.9	2.5	124.8
	07 LST	0.6	0.8	1.8	8.2	14.3	15.9	17.0	16.8	15.8	13.7	6.3	1.9	113.1
	13 LST	1.6	2.6	7.2	12.2	13.5	13.6	16.8	17.8	14.6	15.4	8.3	3.0	126.6
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	8.9	8.7	9.3	9.1	7.4	7.2	8.1	9.8	8.6	11.2	6.0	8.3	102.6
	01 LST	9.0	10.1	13.0	14.0	13.9	13.7	16.2	15.3	13.2	11.8	5.8	8.3	144.3
	07 LST	8.6	7.9	9.4	8.7	9.0	9.6	11.1	10.4	8.7	7.3	4.3	7.0	102.0
	13 LST	6.3	6.4	7.4	8.0	6.5	5.2	5.6	5.8	4.9	7.2	3.2	5.4	71.9
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	20.3	20.4	23.6	24.4	26.6	25.9	28.0	28.0	24.9	24.4	20.4	20.2	287.1
	01 LST	19.3	20.0	24.0	24.3	26.6	25.6	27.3	26.9	24.7	23.2	19.0	20.1	281.0
	07 LST	18.6	17.5	21.5	21.1	23.0	23.1	24.6	22.7	20.6	20.0	17.1	17.7	247.5
	13 LST	19.5	19.1	21.6	23.9	24.7	24.9	26.6	26.4	22.6	22.0	16.9	19.3	267.5
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	16.1	16.7	18.7	20.0	22.1	21.9	23.7	24.2	19.9	19.9	13.1	14.6	230.9
	01 LST	14.6	15.5	19.0	20.9	22.4	22.8	24.7	24.0	21.1	18.7	11.9	14.6	230.2
	07 LST	14.3	13.7	17.8	17.6	20.2	20.3	22.1	20.3	17.5	15.6	10.7	12.2	202.3
	13 LST	15.5	15.5	16.7	18.7	18.8	18.5	19.6	19.3	15.7	16.5	10.4	14.7	199.9
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	14.5	14.9	16.9	17.9	19.2	19.8	21.7	22.1	17.6	18.1	11.2	13.1	207.0
	01 LST	13.3	14.1	17.0	19.3	20.3	20.5	22.7	21.8	19.2	17.0	10.1	13.1	208.4
	07 LST	13.1	12.4	16.6	16.0	18.5	18.6	20.6	18.8	16.2	14.3	9.4	11.1	185.6
	13 LST	14.1	13.9	15.5	17.2	16.7	16.8	18.2	17.7	13.9	15.2	8.9	13.1	181.2



SABLE IS., CANADA

STA NO. 72600 (IN AREA NUMBER 11)

LATITUDE 4356N

LONGITUDE 06002W

ELEVATION(FT) 00028

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	55	55	53	57	64	70	77	86	77	73	66	58	86	70	-110
MEAN MAX TMP (F)	36	34	36	41	48	56	64	68	64	57	49	40	49	54	-105
MEAN MIN TMP (F)	25	23	28	33	39	46	55	59	56	48	39	30	40	54	-105
ABS MIN TMP (F)	-3	-1	8	16	17	35	40	43	36	30	18	2	-3	70	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	54	-29
MEAN NO DYS TMP = OR LES 32(F)						0.0	0.0	0.0	0.0	0.0				70	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70	-29
MEAN DEW PT TMP (F)	29	27	30	35	42	48	58	61	57	49	42	33	43	10	-106
MEAN REL HUM (PCT)	92	91	90	91	92	92	94	92	88	86	87	90	90	10	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.95	4.62	4.28	3.53	3.50	3.41	3.48	3.34	3.55	4.01	5.36	5.31	50.1	54	-105
MEAN SNOW FALL (IN)	14.0	15.1	9.7	2.3	0.2	0.0	0.0	0.0	0.0	0.0	0.8	9.0	51.1	54	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	11.2	10.8	10.1	8.9	8.8	7.2	7.3	7.2	7.7	9.7	10.6	11.6	111.1	54	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.0	3.2	2.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.8	10.5	54	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	5.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SABLE IS., CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR	20	LST												0	0
3 MI W/SFC WND LES 10 KTS	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SFC WND = GTR 17 KTS AND	20	LST												0	0
NO PRECIP.	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	20	LST												0	0
DEG F AND NO PRECIP.	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SKY COVER LES 3.10 AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 2500 FT AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 6000 FT AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 10000 FT AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0

DATA NOT AVAILABLE

YARMOUTH, CANADA

STA NO. 72603 (IN AREA NUMBER 11)

LATITUDE 4350N

LONGITUDE 06605W

ELEVATION(FT) 00140

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	55	54	66	73	76	83	86	85	83	76	66	61	86	90	-610
MEAN MAX TMP (F)	34	33	38	46	56	63	69	69	64	56	47	37	51	63	-28
MEAN MIN TMP (F)	20	19	26	33	41	48	53	54	49	42	34	25	37	63	-28
ABS MIN TMP (F)	-6	-12	-2	15	25	30	41	39	31	25	10	-11	-12	90	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3650
MEAN NO DYS TMP = OR LES 32(F)	25.8	25.3	24.1	7.7	1.0	0.0	0.0	0.0	0.0	1.8	9.2	21.9	116.8	10	3650
MEAN NO DYS TMP = OR LES 0(F)	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	10	3650
MEAN DEW PT TMP (F)	26	25	28	36	43	52	58	58	52	45	38	29	41	10	87425
MEAN REL HUM (PCT)	87	85	82	84	84	87	89	89	87	85	85	84	86	10	87384
MEAN PRESS ALT (FT)	128	148	169	147	137	151	159	124	77	84	125	152	134	0	-50
MEAN PRECIP (IN)	4.90	4.30	4.30	3.70	3.40	3.10	3.40	3.30	3.70	4.20	4.10	4.80	47.2	65	-28
MEAN SNOW FALL (IN)	20.6	21.8	13.1	5.3	0.1	0.0	0.0	0.0	0.0	0.2	3.2	19.7	80.0	59	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	11.2	10.4	10.1	9.2	8.7	6.8	7.2	7.1	8.0	8.8	8.6	11.1	107.2	65	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	4.3	3.9	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3.2	13.6	4	1440
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	7.8	6.8	6.6	8.8	10.9	13.5	18.5	17.3	10.5	8.1	5.6	5.1	119.5	10	3651
MEAN NO DYS TSTMS	0.0	0.1	0.0	0.3	0.4	1.7	1.2	1.6	0.8	0.3	0.2	0.0	6.6	10	3643
P FREQ WND SPD = OR GTR 17 KTS	23.4	21.7	22.4	17.0	9.3	6.1	4.4	3.9	7.7	10.9	16.5	21.4	13.7	10	87578
P FREQ WND SPD = OR GTR 28 KTS	1.1	1.9	0.8	0.8	0.2	0.0	0.1	0.1	0.5	0.1	1.5	1.2	0.7	10	87578
P FREQ LES 5000 FT A/O LES 5 MI	68.0	61.4	51.7	44.8	39.4	43.4	45.4	46.0	36.7	39.6	55.0	67.0	49.9	10	87551
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	31.3	29.8	25.7	31.6	30.7	39.9	45.1	40.8	28.4	25.4	21.9	22.0	31.1	10	10943
03-05 LST	30.2	30.5	28.1	33.2	34.7	43.1	47.4	45.2	31.7	25.7	21.8	23.3	32.9	10	10941
06-08 LST	32.5	28.5	29.0	34.0	32.7	39.9	44.1	44.4	33.3	24.2	24.0	21.9	32.4	10	10951
09-11 LST	36.6	31.2	27.2	31.5	29.8	29.4	32.1	32.7	26.9	20.2	24.0	25.2	28.9	10	10947
12-14 LST	39.4	29.2	24.2	25.4	22.8	24.3	27.4	25.1	24.2	19.5	24.6	23.5	25.8	10	10947
15-17 LST	37.6	31.5	25.2	24.7	22.6	24.9	26.5	27.0	21.1	19.3	26.0	26.0	26.0	10	10946
18-20 LST	31.5	30.0	23.8	26.6	24.1	28.7	34.9	33.9	21.4	20.3	21.5	22.5	26.4	10	10950
21-23 LST	30.7	28.5	25.1	27.1	28.7	33.4	42.3	38.9	24.0	21.2	21.9	19.9	28.5	10	10944
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	10.6	11.1	10.0	17.1	20.0	27.4	35.2	31.2	18.4	15.7	7.6	9.9	17.9	10	10943
03-05 LST	11.1	11.5	9.7	16.0	22.0	30.0	39.2	34.2	20.4	15.4	9.4	10.3	19.1	10	10941
06-08 LST	10.8	9.1	9.4	12.2	18.6	25.7	31.9	32.0	22.8	13.8	9.7	6.9	16.9	10	10951
09-11 LST	9.7	10.4	5.8	8.6	10.4	13.1	16.3	16.1	14.4	6.3	6.1	7.8	10.4	10	10947
12-14 LST	11.4	8.4	5.3	6.7	6.8	8.7	12.8	11.3	9.8	4.3	4.9	5.8	8.0	10	10947
15-17 LST	7.0	11.2	6.1	7.7	9.0	10.0	13.5	14.3	12.1	5.7	7.1	6.3	9.2	10	10946
18-20 LST	8.8	10.4	7.6	11.0	12.4	18.8	25.1	22.8	13.7	1.2	6.3	6.4	12.6	10	10950
21-23 LST	9.4	10.6	9.5	13.6	17.2	24.0	33.4	29.5	14.6	11.4	7.8	7.6	15.7	10	10944

YARMOUTH, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	23.1	21.4	25.1	23.3	23.6	21.6	19.8	20.2	24.2	24.9	24.5	24.9	276.6	10	3652
	02 LST	22.8	20.7	24.6	21.2	22.0	18.0	17.2	18.9	21.8	24.1	24.9	25.3	261.5	10	3651
	08 LST	23.1	21.0	24.2	21.0	22.0	19.5	19.2	18.9	21.4	23.7	23.5	24.6	262.1	10	3652
	14 LST	21.3	21.0	25.0	24.7	25.6	23.8	23.5	23.8	23.4	26.5	24.0	24.9	287.5	10	3652
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	10.6	9.7	12.4	12.4	14.9	13.3	14.4	15.7	16.5	16.0	13.6	10.0	198.9	10	3652
	02 LST	10.6	9.6	11.3	12.2	14.1	13.6	13.5	15.0	15.1	13.5	12.8	11.4	152.7	10	3651
	08 LST	9.9	9.3	9.6	9.5	10.8	11.5	12.7	13.3	13.2	13.3	11.7	11.4	136.2	10	3652
	14 LST	8.0	5.5	5.1	4.3	7.5	9.3	11.7	11.4	9.7	8.3	7.1	6.8	94.7	10	3652
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	7.4	5.2	5.1	4.3	2.1	1.8	0.8	0.7	1.7	2.6	4.0	5.8	41.5	10	3379
	02 LST	5.6	4.6	5.1	2.6	1.1	0.9	1.3	0.5	0.8	2.2	4.5	5.5	34.7	10	3372
	08 LST	5.5	5.3	5.8	4.5	2.5	1.4	1.4	1.1	2.9	2.4	4.1	5.5	42.4	10	3373
	14 LST	6.7	7.0	8.9	6.8	4.4	3.2	1.7	1.6	4.8	6.2	6.4	7.4	65.1	10	3390
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	4.1	5.1	9.4	15.6	20.6	17.7	21.9	21.3	19.8	18.0	15.8	7.8	176.9	10	3379
	02 LST	5.2	3.4	6.4	15.5	18.2	19.5	20.2	20.4	19.4	16.9	13.3	6.1	164.5	10	3372
	08 LST	5.1	4.1	7.2	12.6	18.0	17.2	17.5	17.8	16.2	15.8	13.7	6.4	151.6	10	3373
	14 LST	5.5	6.1	8.7	10.7	13.6	16.2	20.0	20.0	15.8	14.5	12.0	6.2	149.3	10	3389
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	5.5	7.5	10.5	9.2	8.7	6.8	7.5	9.1	13.4	14.4	8.6	5.2	106.4	10	3313
	02 LST	5.4	5.5	9.7	10.3	11.2	10.3	11.4	12.4	14.2	12.9	9.5	4.3	117.1	10	3332
	08 LST	2.0	3.3	5.9	7.0	8.1	7.0	8.1	8.8	10.4	8.9	3.0	2.8	75.3	10	3322
	14 LST	2.4	3.5	5.9	8.0	9.2	9.5	8.2	10.0	10.9	10.1	4.2	1.3	83.2	10	3304
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	17.6	18.1	21.9	20.4	21.8	19.3	18.9	19.4	23.0	23.2	22.0	21.8	247.4	10	3652
	02 LST	18.0	17.1	20.4	18.7	19.9	17.2	16.5	18.1	20.2	21.7	21.6	20.7	230.1	10	3651
	08 LST	16.6	16.9	19.1	18.4	19.9	17.6	18.2	17.7	19.8	21.4	19.9	20.3	225.8	10	3652
	14 LST	14.6	16.0	19.9	20.8	22.3	21.7	21.6	21.7	21.9	23.7	18.5	17.9	240.6	10	3652
CIG = GTR 6080 FT AND VSBY = GTR 3 MI	20 LST	10.8	11.7	16.6	17.5	19.3	17.6	16.9	17.6	20.5	19.7	14.9	11.6	194.7	10	3652
	02 LST	10.0	9.4	14.3	15.4	18.5	15.9	15.9	16.5	18.4	18.3	15.0	8.8	176.4	10	3651
	08 LST	8.1	9.5	13.4	15.9	17.8	16.0	17.4	16.4	18.2	17.2	10.8	8.6	169.3	10	3652
	14 LST	8.7	10.4	15.2	17.5	19.6	19.6	20.4	19.8	20.0	19.0	12.4	8.5	191.1	10	3652
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	9.8	11.1	15.0	15.6	16.8	15.9	16.1	16.1	18.9	18.9	13.2	10.9	178.3	10	3652
	02 LST	9.0	8.8	13.7	14.3	17.2	14.4	15.1	16.0	17.2	17.2	13.3	7.6	163.8	10	3651
	08 LST	7.0	8.1	11.8	13.5	15.8	14.8	15.7	15.3	16.7	15.2	8.9	7.2	150.0	10	3652
	14 LST	6.8	4.8	14.2	15.8	17.9	17.5	19.1	18.0	18.7	18.0	10.4	7.0	173.2	10	3652

SAINT JOHN, CANADA

STA NO. 72809 (IN AREA NUMBER 11)

LATITUDE 4519N

LONGITUDE 06553W

ELEVATION (FT) 00356

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	55	51	62	75	87	89	91	90	93	84	71	59	93	80	-610
MEAN MAX TMP (F)	28	28	36	43	57	64	69	69	63	54	43	32	49	61	-28
MEAN MIN TMP (F)	11	12	22	32	41	49	54	54	49	41	30	17	34	61	-28
ABS MIN TMP (F)	-24	-22	-12	1	24	32	38	37	29	15	-11	-21	-24	80	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	9	2944
MEAN NO DYS TMP = OR LES 32(F)	28.7	27.5	29.6	21.2	6.1	0.1	0.0	0.0	0.5	9.8	19.2	28.3	171.0	9	2944
MEAN NO DYS TMP = OR LES 0(F)	8.3	9.2	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	22.8	10	-106
MEAN DEW PT TMP (F)	13	15	22	31	42	50	56	56	50	41	32	19	36	10	-106
MEAN REL HUM (PCT)	75	75	70	72	76	80	82	80	79	79	80	77	77	0	-50
MEAN PRESS ALT (FT)	302	328	356	337	327	339	339	306	264	267	305	328	317	0	-28
MEAN PRECIP (IN)	4.10	3.10	3.70	3.20	3.10	3.20	3.10	3.60	3.70	4.10	3.90	3.80	42.6	61	-105
MEAN SNOW FALL (IN)	18.8	17.2	11.5	5.4	0.1	0.0	0.0	0.0	0.0	0.2	5.1	12.8	71.1	56	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.2	8.5	9.2	8.3	8.1	7.0	6.8	7.5	8.0	8.6	8.3	9.7	100.2	56	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	4.0	3.7	2.4	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.7	14.8	3	643
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.3	2.0	1.5	5.0	10.0	5.0	10.5	10.0	7.0	5.5	2.0	0.5	61.3	10	-24
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.0	1.0	2.0	3.0	2.0	1.0	1.0	0.0	0.0	11.0	3	2572
P FREQ WND SPD = OR GTR 17 KTS	25.7	25.0	22.6	23.3	15.3	16.7	4.0	6.9	12.5	10.9	15.0	21.4	16.6	3	2572
P FREQ WND SPD = OR GTR 28 KTS	0.7	0.9	1.2	3.3	0.0	1.7	0.0	0.0	0.4	0.4	1.3	2.4	1.0	3	2572
P FREQ LES 5000 FT A/O LES 5 MI	44.8	36.8	48.4	50.8	46.8	31.7	51.2	37.9	42.5	44.8	47.1	42.3	43.8	3	644
P FREQ LES 1500 FT A/O LES 3 MI														3	644
FOR 00-02 LST	29.9	19.6	35.5	36.7	51.6	30.0	41.9	33.9	31.7	30.6	31.7	32.3	33.8	3	-30
03-05 LST	31.1	22.7	31.3	36.4	42.8	34.4	43.8	36.8	34.3	32.7	30.1	33.9	34.2	9	2945
06-08 LST	32.3	29.7	27.0	36.0	34.0	38.8	45.7	39.7	36.8	34.8	35.6	27.9	34.5	3	-30
09-11 LST	34.1	26.3	26.4	36.4	34.8	26.1	35.8	34.4	30.1	31.1	36.2	26.9	31.6	3	644
12-14 LST	35.8	26.8	25.8	36.7	35.5	13.3	25.8	29.0	23.3	27.4	36.7	25.8	28.5	3	-30
15-17 LST	32.1	22.4	28.2	35.0	33.9	15.0	28.2	25.8	26.8	24.2	31.7	28.2	27.6	3	643
18-20 LST	28.4	18.2	30.6	33.3	32.3	16.7	30.6	22.6	30.0	21.0	26.7	30.6	26.8	3	-30
21-23 LST	29.2	18.9	33.1	35.0	42.0	23.4	36.3	28.3	30.9	25.8	29.2	31.5	30.3	3	-30
P FREQ LES 300 FT A/O LES 1 MI														3	644
FOR 00-02 LST	9.0	8.9	21.0	16.7	25.8	23.3	33.9	29.0	23.3	19.4	16.7	12.9	20.0	3	-30
03-05 LST	10.0	10.2	15.4	14.2	22.2	22.3	33.5	28.9	23.8	18.8	14.9	11.5	18.8	9	2945
06-08 LST	10.9	11.5	9.7	11.7	18.6	21.3	33.1	28.7	24.3	18.2	13.0	10.1	17.6	3	-30
09-11 LST	13.7	8.5	8.1	19.2	15.8	15.7	24.6	20.8	17.2	13.2	12.4	9.1	14.9	3	644
12-14 LST	16.4	5.4	6.5	26.7	12.9	10.0	16.1	12.9	10.0	8.1	11.7	8.1	12.1	3	-30
15-17 LST	14.2	8.2	8.1	23.4	14.5	11.7	18.6	16.2	15.0	9.7	10.0	10.5	13.3	3	643
18-20 LST	11.9	10.9	9.7	20.0	16.1	13.3	21.0	19.4	20.0	11.3	8.3	12.9	14.6	3	-30
21-23 LST	10.5	9.9	15.4	18.4	21.0	18.3	27.5	14.2	21.7	15.4	12.5	12.9	16.5	3	-30

SAINT JOHN, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	25.0	23.4	23.0	21.0	21.0	26.0	22.0	23.5	21.0	23.5	23.0	24.0	276.4	3	643
	02 LST	23.6	24.0	21.5	21.0	15.0	20.0	17.5	20.0	20.5	20.5	22.0	22.0	247.6	3	644
	08 LST	23.0	21.7	23.7	20.8	21.2	19.2	17.3	19.2	19.4	21.2	20.8	24.6	252.1	9	2945
	14 LST	21.3	21.5	26.0	21.0	20.0	26.0	24.0	22.5	24.0	23.5	20.5	25.0	275.3	3	644
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	11.1	13.2	10.5	13.0	14.0	16.0	18.5	21.0	16.0	15.0	12.5	7.5	168.3	3	643
	02 LST	12.0	13.0	7.0	14.0	12.0	13.0	15.5	15.5	16.0	12.5	11.5	11.0	153.0	3	644
	08 LST	10.1	12.9	10.7	10.8	9.8	10.5	12.0	12.9	12.4	11.5	12.2	13.3	139.1	9	2944
	14 LST	4.6	6.5	4.0	4.0	2.0	5.0	7.0	5.5	10.0	9.0	4.0	4.5	66.1	3	644
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	3.2	2.5	4.0	5.0	2.0	2.0	0.0	1.0	0.0	1.5	1.5	3.5	26.2	3	643
	02 LST	2.3	3.0	3.5	2.0	0.0	1.0	0.0	0.5	2.0	1.5	2.0	3.5	21.3	3	644
	08 LST	2.6	2.1	2.9	2.6	2.5	1.9	0.3	0.5	1.4	2.1	2.1	2.0	23.0	9	2944
	14 LST	6.4	5.5	8.0	6.0	8.0	7.0	3.5	5.0	6.5	4.5	5.5	5.5	71.4	3	644
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	0.9	0.5	2.0	9.0	15.0	16.0	20.5	19.5	13.0	10.0	9.5	3.0	118.9	3	643
	02 LST	0.4	0.0	2.0	5.0	14.0	15.0	16.0	15.5	16.5	9.5	5.0	1.5	100.4	3	644
	08 LST	0.2	0.4	1.2	7.8	13.9	13.2	16.8	16.6	11.8	12.4	6.2	1.2	101.7	9	2944
	14 LST	0.4	0.5	6.5	10.0	5.0	9.0	13.5	10.0	12.5	11.0	7.5	2.0	87.9	3	644
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	13.4	14.3	12.0	10.0	10.0	8.0	6.0	11.0	12.5	12.5	12.0	12.5	134.2	3	643
	02 LST	12.0	14.0	12.0	10.0	10.0	11.0	10.0	16.0	13.5	8.5	12.5	14.0	143.5	3	644
	08 LST	11.3	10.6	9.4	8.3	9.9	8.1	7.8	10.0	9.3	9.6	8.4	9.6	112.3	9	2945
	14 LST	8.8	12.0	6.5	6.0	7.0	11.0	7.0	8.5	8.5	8.5	6.5	9.5	99.8	3	644
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	18.0	21.9	19.0	18.0	21.0	24.0	20.0	22.0	19.0	20.0	19.5	17.5	239.9	3	643
	02 LST	18.0	19.0	16.5	16.0	14.0	17.0	16.0	19.5	18.5	17.0	18.5	19.5	209.5	3	644
	08 LST	18.1	18.6	19.2	16.8	18.9	16.9	15.9	17.5	17.4	18.0	16.7	19.1	213.1	9	2945
	14 LST	18.5	18.0	18.5	17.0	19.0	25.0	20.0	20.5	20.0	20.0	15.5	19.0	231.0	3	644
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	16.2	19.3	16.5	14.0	20.0	19.0	15.5	20.5	16.0	18.0	16.0	15.5	206.5	3	643
	02 LST	16.2	17.5	15.0	14.0	14.0	17.0	14.0	18.5	17.0	12.5	16.5	19.0	191.2	3	644
	08 LST	15.9	16.8	16.7	15.7	17.9	16.5	15.3	16.7	16.3	16.1	14.0	17.1	195.0	9	2945
	14 LST	17.1	16.5	15.0	14.0	15.0	19.0	15.5	17.0	14.5	16.0	11.0	16.5	187.1	3	644
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	15.7	19.3	16.5	14.0	20.0	19.0	15.5	20.0	15.5	18.0	15.0	15.5	204.0	3	643
	02 LST	15.3	17.0	14.5	12.0	13.0	14.0	13.0	18.0	17.0	12.5	15.5	19.0	180.8	3	644
	08 LST	15.6	16.5	16.0	15.2	17.8	16.5	15.2	16.6	15.5	15.7	13.8	16.1	190.5	9	2945
	14 LST	17.1	16.5	15.0	14.0	15.0	19.0	15.5	17.0	14.5	15.5	10.0	16.5	185.6	3	644

BLISSVILLE, CANADA

STA NO. 72620/ (IN AREA NUMBER 11)

LATITUDE 4537N

LONGITUDE 06633W

ELEVATION(FT) 00074

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	55	53	70	83	92	97	96	101	92	84	70	60	101	80	-72700
MEAN MAX TMP (F)	25	28	38	50	64	72	79	77	68	58	44	30	53	11	-105
MEAN MIN TMP (F)	2	4	16	27	38	47	53	50	43	32	25	9	29	11	-105
ABS MIN TMP (F)	-35	-35	-27	-5	24	27	35	32	23	13	-11	-32	-35	80	-72700
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.4	1.1	1.9	0.7	0.0	0.0	0.0	0.0	4.1	9	-72700
MEAN NO DYS TMP = OR LES 32(F)	28.8	27.7	28.2	19.5	4.5	0.1	0.0	0.0	2.1	11.1	19.8	28.7	170.5	9	-72700
MEAN NO DYS TMP = OR LES 0(F)	9.5	9.6	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9	26.1	9	-72700
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	12	38	68	53	43	58	59	24	-18	-18	19	38	31	0	-90
MEAN PRECIP (IN)	3.10	3.46	3.40	3.61	3.31	3.59	3.11	2.69	3.75	3.59	4.93	3.40	41.9	11	-105
MEAN SNOW FALL (IN)	21.0	23.7	14.7	10.7	0.1	0.0	0.0	0.0	0.0	1.6	6.1	13.9	91.8	11	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.5	9.2	8.7	9.0	8.5	7.5	6.9	6.3	8.0	7.8	9.9	9.1	99.4	11	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	4.5	9.0	3.2	2.2	0.0	0.0	0.0	0.0	0.0	0.2	1.2	3.0	19.3	11	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	3.0	3.0	2.0	1.0	0.0	0.0	0.0	9.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	25.8	23.0	21.8	25.0	23.4	30.8	29.5	27.5	30.1	26.4	26.4	23.9	26.1	9	-72700
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	9.3	6.6	8.5	7.1	4.0	8.3	7.9	7.3	9.6	6.5	8.4	10.1	7.8	9	-72700
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BLISSVILLE, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	24.5	23.2	25.4	23.9	24.7	22.1	22.2	22.3	20.3	22.8	23.0	25.3	9	-72700
	14 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	20 LST													0	0
	02 LST													0	0
	08 LST	13.9	15.3	16.4	14.9	15.2	14.0	17.1	17.3	14.3	14.1	15.2	16.2	9	-72700
	14 LST													7	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST													0	0
	02 LST													0	0
	08 LST	2.7	1.7	2.6	2.5	1.4	0.8	0.3	0.0	0.6	0.6	0.5	1.2	9	-72700
	14 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST													0	0
	02 LST													0	0
	08 LST	0.6	0.0	1.9	6.8	13.4	13.0	13.4	13.9	11.9	10.4	4.6	0.6	9	-72700
	14 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	11.3	10.9	11.2	8.3	10.1	7.4	8.5	11.2	9.2	8.4	7.7	10.0	9	-72700
	14 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	20.1	18.8	21.7	19.7	21.6	18.5	19.5	20.7	17.8	18.3	18.2	20.3	9	-72700
	14 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	16.6	17.0	19.0	17.1	20.5	17.3	18.6	19.8	17.2	15.1	14.8	17.2	9	-72700
	14 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	16.0	17.0	18.1	16.4	19.9	16.7	18.2	19.3	16.4	14.7	14.3	16.8	9	-72700
	14 LST													0	0

FREDERICTON, CANADA

STA NO. 72700 (IN AREA NUMBER 11)

LATITUDE 4552N

LONGITUDE 06632W

ELEVATION(FT) 00067

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	55	53	70	83	92	97	96	101	92	84	70	60	101	80	-610
MEAN MAX TMP (F)	24	26	37	49	63	72	77	75	67	55	41	28	51	67	-105
MEAN MIN TMP (F)	3	3	16	29	39	48	55	53	45	36	25	10	30	67	-105
ABS MIN TMP (F)	-35	-35	-27	-5	24	27	35	32	23	13	-11	-32	-35	80	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.4	1.1	1.9	0.7	0.0	0.0	0.0	0.0	4.1	9	2944
MEAN NO DYS TMP = OR LES 32(F)	28.8	27.7	28.2	19.5	4.5	0.1	0.0	0.0	2.1	11.1	19.8	28.7	170.5	9	2943
MEAN NO DYS TMP = OR LES 0(F)	9.5	9.6	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9	26.1	9	2943
MEAN DEW PT TMP (F)	9	10	20	31	42	53	60	58	51	40	30	15	35	10	-106
MEAN REL HUM (PCT)	80	79	74	76	72	78	80	83	87	85	87	83	80	10	-106
MEAN PRESS ALT (FT)	1	28	59	45	35	49	49	14	-26	-27	8	28	22	0	-50
MEAN PRECIP (IN)	3.87	3.11	3.58	2.94	3.11	3.75	3.53	3.99	3.56	4.11	3.82	3.43	42.8	67	-105
MEAN SNOW FALL (IN)	23.5	22.1	15.9	6.5	0.2	0.0	0.0	0.0	0.0	0.4	7.7	19.2	95.5	67	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.8	8.5	9.0	7.8	8.2	7.6	7.4	7.9	7.7	8.6	8.2	9.1	99.8	67	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	5.0	4.7	3.5	1.3	0.0	0.0	0.0	0.0	0.0	0.0	1.6	4.1	20.2	67	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.0	1.0	1.0	4.0	3.0	1.0	0.0	0.0	0.0	11.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	25.8	23.0	21.8	25.0	23.4	30.8	29.5	27.5	30.1	26.4	26.4	23.9	26.1	9	2946
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	9.3	6.6	8.5	7.1	4.0	8.3	7.9	7.3	9.6	6.5	8.4	10.1	7.8	9	2946
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

FREDERICTON, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	24.5	23.2	25.4	23.9	24.7	22.1	22.2	22.3	20.3	22.8	23.0	25.3	279.7	9	2946
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	13.9	15.3	16.4	14.9	15.2	14.0	17.1	17.3	14.3	14.1	15.2	16.2	183.9	9	2946
	14 LST														9	2946
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	2.7	1.7	2.6	2.5	1.4	0.8	0.3	0.0	0.6	0.6	0.5	1.2	14.9	9	2946
	14 LST														9	2946
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	0.6	0.0	1.9	6.8	13.4	13.0	13.4	13.9	11.9	10.4	4.6	0.6	90.5	9	2946
	14 LST														9	2946
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	11.3	10.9	11.2	8.3	10.1	7.4	8.5	11.2	9.2	8.4	7.7	10.0	114.2	9	2946
	14 LST														9	2946
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	20.1	18.8	21.7	19.7	21.6	18.5	19.5	20.7	17.8	18.3	18.2	20.3	235.2	9	2946
	14 LST														9	2946
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	16.6	17.0	19.0	17.1	20.5	17.3	18.6	19.8	17.2	15.1	14.8	17.2	210.2	9	2946
	14 LST														9	2946
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	16.0	17.0	18.1	16.4	19.9	16.7	18.2	19.3	16.4	14.7	14.3	16.8	203.8	9	2946
	14 LST														9	2946

PENFIELD RIDGE, CANADA

STA NO. 72701/ (IN AREA NUMBER 11)

LATITUDE 4508N

LONGITUDE 06641W

ELEVATION(FT) 00240

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	54	50	75	79	88	91	88	93	90	80	61	55	93	10	-110
MEAN MAX TMP (F)	28	29	38	47	59	67	73	73	66	56	44	32	51	10	-105
MEAN MIN TMP (F)	10	10	22	30	39	47	53	53	47	38	29	15	33	10	-105
ABS MIN TMP (F)	-27	-27	-12	10	24	35	42	40	26	16	7	-17	-27	10	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = OR LES 32(F)						0.0	0.0	0.0						10	-29
MEAN NO DYS TMP = OR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			10	-29
MEAN DEW PT TMP (F)	15	14	23	31	41	49	55	55	50	41	33	20	36	9	-106
MEAN REL HUM (PCT)	81	78	74	73	74	77	77	79	80	83	84	80	78	9	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.00	3.59	4.08	3.99	4.50	4.16	3.12	3.47	4.11	4.05	6.03	4.04	49.1	10	-105
MEAN SNOW FALL (IN)	17.6	21.4	12.2	6.2	0.2	0.0	0.0	0.0	0.0	0.4	2.4	9.2	69.6	10	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.0	9.4	9.8	9.6	10.4	8.1	6.9	7.3	8.6	8.5	11.6	10.1	110.3	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.8	4.6	2.6	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.9	14.5	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.0	1.0	3.0	3.0	2.0	2.0	1.0	0.0	0.0	13.0	9	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

PENFIELD RIDGE, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR	20	LST												0	0
3 MI W/SFC WND LES 10 KTS	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SFC WND = GTR 17 KTS AND	20	LST												0	0
NO PRECIP.	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	20	LST												0	0
DEG F AND NO PRECIP.	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SKY COVER LES 3/10 AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 2500 FT AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 6000 FT AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 10000 FT AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0

DATA NOT AVAILABLE

SUMMERSIDE, CANADA

STA NO. 72702 (IN AREA NUMBER 11)

LATITUDE 4626N

LONGITUDE 06349W

ELEVATION(FT) 00078

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	55	50	57	75	85	86	87	92	87	79	67	60	92	30	-610
MEAN MAX TMP (F)	26	26	33	44	56	66	73	72	65	54	42	32	49	18	-105
MEAN MIN TMP (F)	9	9	18	29	39	50	58	57	50	40	30	17	34	18	-105
ABS MIN TMP (F)	-26	-22	-20	12	23	31	41	28	31	20	6	-14	-26	30	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.1	12	4375
MEAN NO DYS TMP = OR LES 32(F)	29.2	27.4	29.9	17.9	2.9	0.0	0.0	0.1	0.0	2.9	13.1	27.0	150.4	12	4375
MEAN NO DYS TMP = OR LES 0(F)	4.6	3.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	9.1	12	4375
MEAN DEW PT TMP (F)	19	19	24	32	39	50	57	57	50	41	33	23	37	9	78672
MEAN REL HUM (PCT)	89	89	86	81	77	78	77	79	77	78	83	86	82	9	78626
MEAN PRESS ALT (FT)	124	126	133	93	74	102	124	81	44	61	96	137	100	0	-30
MEAN PRECIP (IN)	2.68	3.11	3.10	2.75	2.86	2.77	3.62	3.59	3.32	3.36	3.70	3.80	38.7	18	-105
MEAN SNOW FALL (IN)	11.4	19.2	8.5	5.9	1.5	0.0	0.0	0.0	0.1	7.6	18.5	72.7	18	-105	
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.7	8.5	8.1	7.5	7.7	6.4	7.5	7.5	7.3	7.4	8.0	9.7	93.3	18	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.4	4.1	1.7	1.2	0.2	0.0	0.0	0.0	0.0	1.5	4.0	15.1	18	-29	
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.5	6.3	5.0	5.6	1.6	2.2	1.3	0.7	1.2	1.6	2.6	4.2	38.8	9	3286
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.1	0.3	1.7	2.7	2.8	0.4	0.3	0.1	0.0	8.4	9	3279
P FREQ WND SPD = OR GTR 17 KTS	31.0	29.8	26.4	23.8	18.6	17.3	12.3	12.8	20.9	25.7	28.3	30.7	23.1	9	78830
P FREQ WND SPD = OR GTR 28 KTS	3.4	4.7	2.4	2.6	0.7	0.5	0.1	0.4	1.2	1.0	3.4	4.2	2.1	9	78830
P FREQ LES 5000 FT A/O LES 5 MI	55.7	50.6	50.0	46.2	39.7	36.2	29.8	29.4	28.5	40.2	56.0	58.2	43.4	9	78827
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	34.5	30.1	26.4	28.2	22.3	23.1	14.6	15.1	11.6	13.4	21.9	20.0	21.8	9	9857
03-05 LST	34.4	28.9	30.6	30.1	28.1	27.8	19.4	16.1	12.0	15.9	22.6	22.3	24.0	9	9853
06-08 LST	32.6	26.4	32.2	32.6	29.4	30.7	21.6	19.8	17.1	19.8	22.6	24.3	25.8	12	10952
09-11 LST	33.6	28.9	31.7	30.4	24.4	24.8	16.0	18.3	16.2	16.9	23.0	27.9	24.3	9	9854
12-14 LST	32.8	27.1	28.5	24.1	19.5	15.3	9.9	11.9	9.8	13.4	24.6	28.8	20.5	9	9850
15-17 LST	33.6	29.3	25.7	25.9	20.8	14.5	7.3	9.1	7.8	13.6	26.4	24.1	19.8	9	9852
18-20 LST	32.4	27.4	25.7	25.3	22.2	14.4	9.0	9.9	7.3	12.3	21.1	22.6	19.1	9	9855
21-23 LST	32.0	27.7	25.1	25.5	22.1	18.5	12.4	10.5	8.9	12.8	19.6	23.5	19.9	9	9850
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	10.0	11.2	9.3	9.6	3.8	4.9	2.2	1.4	1.5	1.7	4.6	4.4	5.4	9	9857
03-05 LST	12.5	10.2	10.9	10.1	4.4	7.2	3.5	1.6	1.1	3.1	6.7	6.4	6.5	9	9853
06-08 LST	9.1	9.4	10.0	9.7	4.2	5.2	2.5	1.9	2.3	4.1	4.9	5.1	5.7	12	10952
09-11 LST	8.7	8.4	7.7	7.2	1.8	1.1	0.5	0.2	0.0	1.6	3.6	6.7	4.0	9	9854
12-14 LST	8.9	8.8	5.3	4.1	0.8	0.2	0.1	0.1	0.1	0.7	4.3	5.8	3.3	9	9850
15-17 LST	9.1	9.5	6.5	5.1	1.0	0.5	0.0	0.6	0.4	1.3	5.3	7.7	3.9	9	9852
18-20 LST	8.4	8.0	7.8	5.8	1.4	1.7	0.1	0.4	1.0	1.1	5.1	5.4	3.9	9	9855
21-23 LST	8.6	10.5	8.1	7.0	3.6	2.6	0.8	0.2	1.4	1.6	4.9	3.6	4.4	9	9850

SUMMERSIDE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	22.5	21.5	24.9	23.4	25.2	27.0	29.2	28.4	28.4	28.4	25.4	26.0	310.3	9	3286
	02 LST	22.3	20.8	24.1	22.9	25.1	24.4	27.5	27.7	27.0	28.2	25.0	26.4	301.4	9	3286
	08 LST	23.2	22.4	22.0	21.4	23.2	21.5	24.7	26.2	26.3	25.7	24.7	25.0	286.3	12	4382
	14 LST	22.8	21.7	25.1	24.3	27.0	27.4	29.3	29.1	28.1	28.1	24.4	23.5	310.8	9	3286
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	8.4	9.7	10.7	11.8	11.9	11.6	14.4	14.7	12.4	11.1	8.4	7.2	132.3	9	3286
	02 LST	8.6	8.1	8.8	10.0	10.0	9.9	12.6	12.4	10.7	9.6	9.3	7.0	117.0	9	3286
	08 LST	7.8	7.9	8.2	7.9	8.2	7.1	9.6	11.6	9.4	9.2	8.6	7.6	103.1	12	4382
	14 LST	6.2	6.4	5.4	7.1	6.5	8.1	8.5	8.1	6.2	5.4	6.0	4.9	78.8	9	3286
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	8.1	5.9	6.4	5.0	4.6	4.8	3.7	3.7	4.9	7.3	7.4	9.2	70.6	9	2993
	02 LST	6.9	5.5	6.5	5.2	2.9	3.1	2.4	2.3	5.5	6.7	7.2	8.6	62.8	9	2949
	08 LST	7.2	5.7	6.5	6.8	6.4	5.6	4.5	4.5	5.8	5.7	6.3	7.7	72.7	12	4088
	14 LST	10.8	9.9	9.5	8.6	7.6	7.3	6.0	5.5	9.5	11.0	9.8	11.0	106.5	9	3047
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	1.4	0.9	2.9	13.0	15.6	14.3	16.9	16.9	14.4	14.0	10.1	3.6	124.0	9	2993
	02 LST	1.6	0.1	1.1	9.2	13.3	14.3	16.1	18.8	14.5	11.0	8.2	3.4	111.6	9	2949
	08 LST	1.4	0.8	1.3	7.6	12.0	10.7	14.5	14.5	11.8	11.2	7.5	2.0	95.3	12	4088
	14 LST	2.3	2.0	4.7	11.3	11.5	11.0	13.4	13.3	10.1	9.1	9.5	3.5	101.7	9	3047
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	7.0	8.4	6.7	6.0	5.2	4.4	5.2	6.2	8.9	9.3	6.0	6.6	79.9	9	3286
	02 LST	8.1	8.7	9.8	8.9	8.1	9.5	12.1	11.2	13.1	11.1	7.8	6.0	114.4	9	3286
	08 LST	6.1	7.1	7.6	6.8	6.9	6.0	8.1	7.7	8.3	6.7	3.2	4.3	78.8	12	4382
	14 LST	5.4	5.7	5.3	5.9	6.3	4.2	6.3	6.0	5.6	5.1	2.2	3.9	61.9	9	3286
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	17.2	17.1	20.4	20.6	22.3	24.5	26.8	25.5	26.6	24.8	20.0	19.6	265.4	9	3286
	02 LST	15.9	16.3	19.7	19.4	22.3	21.1	25.1	25.0	25.4	24.1	20.6	18.3	253.2	9	3286
	08 LST	16.4	17.6	18.3	18.2	19.7	18.7	22.2	23.3	23.3	22.0	19.2	17.5	236.4	12	4382
	14 LST	16.6	17.1	18.7	20.0	22.7	23.2	25.4	24.8	24.8	23.9	18.5	17.7	253.4	9	3286
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	14.3	13.3	16.8	16.1	18.7	20.0	22.5	21.9	23.1	19.1	14.0	13.3	213.1	9	3286
	02 LST	13.4	12.4	14.8	15.9	18.8	17.2	21.1	21.6	21.3	19.0	12.8	12.6	200.9	9	3286
	08 LST	13.3	13.5	14.7	15.3	17.1	16.7	20.0	21.6	20.3	17.1	13.2	11.6	194.4	12	4382
	14 LST	13.2	13.6	14.3	15.3	18.3	19.2	21.9	21.4	20.6	17.0	10.8	12.4	198.0	9	3286
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	12.3	12.7	15.4	13.7	16.2	15.7	19.7	19.7	20.4	17.0	12.7	11.8	187.3	9	3286
	02 LST	12.4	11.7	13.6	13.2	16.1	15.3	19.2	19.1	19.2	17.2	11.6	11.3	179.9	9	3286
	08 LST	12.6	12.5	13.4	13.3	15.1	15.0	17.9	19.1	18.1	15.5	11.3	10.3	174.1	12	4382
	14 LST	11.4	12.4	13.4	13.8	16.1	16.5	20.1	19.2	17.9	14.1	9.0	11.0	174.9	9	3286

LIVERPOOL, CANADA

STA NO. 72703/ (IN AREA NUMBER 11)

LATITUDE 4403N

LONGITUDE 06443W

ELEVATION(FT) 00018

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	59	60	78	76	84	92	93	94	89	80	72	61	94	20	-110
MEAN MAX TMP (F)	34	35	40	49	60	69	75	74	68	59	48	37	54	26	-105
MEAN MIN TMP (F)	14	13	21	30	38	46	52	52	46	39	30	21	34	26	-105
ABS MIN TMP (F)	-9	-12	-4	13	24	32	42	40	30	21	15	-3	-12	20	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		26	-29
MEAN NO DYS TMP = OR LES 32(F)						0.0	0.0	0.0	0.0					20	-29
MEAN NO DYS TMP = OR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		20	-29
MEAN DEW PT TMP (F)	22	21	27	33	43	52	59	59	54	45	36	26	40	10	-106
MEAN REL HUM (PCT)	86	84	80	79	78	80	83	86	88	87	84	86	83	10	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	5.68	5.61	4.60	5.04	4.11	4.67	4.33	4.51	4.10	5.76	5.31	5.82	59.5	26	-105
MEAN SNOW FALL (IN)	16.5	21.9	11.6	4.7	0.2	0.0	0.0	0.0	0.0	0.1	1.7	10.6	67.3	26	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	11.9	11.9	10.6	11.2	9.8	8.6	8.3	8.4	8.6	11.2	10.5	12.0	123.0	26	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.5	4.7	2.4	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.2	13.9	26	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	2.0	2.0	2.0	2.0	1.0	1.0	0.0	0.0	10.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

LIVERPOOL, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 2000 FT AND VSBY = GTR	20	LST												0	0
3 MI W/SFC WND LES 10 KTS	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SFC WND = GTR 17 KTS AND	20	LST												0	0
NO PRECIP.	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	20	LST												0	0
DEG F AND NO PRECIP.	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SKY COVER LES 3/10 AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 2500 FT AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 6000 FT AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 10000 FT AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0

DATA NOT AVAILABLE

MONCTON, CANADA

STA NO. 72705 (IN AREA NUMBER 11)

LATITUDE 4607N LONGITUDE 06641W ELEVATION(FT) 00232

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	63	59	70	83	91	94	99	99	92	83	73	65	99	40	-610
MEAN MAX TMP (F)	27	26	36	47	61	70	77	74	66	56	42	30	51	41	-105
MEAN MIN TMP (F)	5	5	17	29	39	48	54	52	45	36	26	12	31	41	-105
ABS MIN TMP (F)	-34	-36	-25	4	19	22	32	30	21	14	-6	-30	-36	40	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	0.7	1.5	0.2	0.0	0.0	0.0	2.8	12	3739
MEAN NO DYS TMP = OR LES 32(F)	30.1	27.7	29.1	21.3	4.7	0.6	0.1	0.0	1.7	9.6	19.9	29.3	174.1	12	3739
MEAN NO DYS TMP = OR LES 0(F)	7.7	5.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	17.2	10	-106
MEAN DEW PT TMP (F)	13	13	21	30	41	50	58	56	50	40	32	19	35	10	-106
MEAN REL HUM (PCT)	81	78	74	73	74	77	77	79	80	83	84	80	78	0	-50
MEAN PRESS ALT (FT)	170	199	229	208	196	202	196	168	131	135	172	196	184	41	-105
MEAN PRECIP (IN)	2.87	2.23	2.74	2.52	3.52	3.13	3.43	3.50	3.01	3.72	3.21	3.00	36.9	41	-105
MEAN SNOW FALL (IN)	16.9	16.0	11.6	5.6	0.4	0.0	0.0	0.0	0.0	0.3	5.5	16.2	72.5	41	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.1	6.7	7.4	7.0	8.9	6.9	7.3	7.3	6.8	8.0	7.2	8.3	89.9	41	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.6	3.4	2.4	1.1	0.0	0.0	0.0	0.0	0.0	0.0	1.0	3.5	15.0	7	1927
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.6	6.7	8.2	3.2	4.5	4.7	5.4	6.5	4.9	3.8	3.1	4.1	59.7	7	1914
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.2	0.3	3.0	3.8	1.9	0.8	0.6	0.2	0.2	11.0	7	46130
P FREQ WND SPD = OR GTR 17 KTS	22.0	24.4	24.7	22.5	19.4	13.1	7.9	8.0	9.4	16.0	19.1	25.7	17.7	7	46130
P FREQ WND SPD = OR GTR 28 KTS	2.5	4.1	3.7	2.9	1.2	1.2	0.1	0.4	0.7	1.2	1.9	1.5	2.0	7	4175
P FREQ LES 5000 FT A/O LES 5 MI	45.1	50.4	43.4	37.2	37.3	40.1	30.3	26.7	34.7	34.7	53.8	41.9	39.7	7	4175
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	26.1	29.0	31.1	23.9	27.6	25.9	24.2	17.5	20.8	23.8	23.4	22.6	24.7	7	5757
03-05 LST	24.6	30.5	30.9	25.1	34.1	33.0	29.6	24.4	24.0	22.1	25.8	23.8	27.3	7	5775
06-08 LST	33.5	29.4	31.4	27.7	30.8	32.7	24.7	21.6	23.1	26.9	29.5	25.6	28.1	12	7587
09-11 LST	29.3	32.8	26.0	25.3	26.5	26.8	17.4	13.3	19.1	23.6	28.1	26.1	24.5	7	5746
12-14 LST	24.1	29.6	22.4	23.5	18.8	20.6	11.5	8.2	17.2	17.7	28.5	26.8	20.7	7	5718
15-17 LST	27.2	32.6	27.5	22.1	16.2	18.5	9.5	5.8	14.1	15.7	29.6	22.4	20.1	7	5728
18-20 LST	30.2	26.9	26.5	20.7	19.8	20.2	8.5	5.0	11.0	15.5	24.5	17.8	18.9	7	5712
21-23 LST	27.8	27.8	28.2	21.1	20.8	23.2	13.2	7.4	15.1	16.6	21.3	20.3	20.2	7	5753
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	6.6	14.2	12.7	8.4	11.5	12.9	10.6	8.1	7.2	6.8	5.7	7.0	9.3	7	5757
03-05 LST	7.1	14.5	10.4	9.3	14.2	16.0	12.8	11.2	11.7	7.4	7.7	6.5	10.7	7	5775
06-08 LST	10.1	14.1	11.4	8.8	6.9	6.7	5.6	6.1	7.3	7.4	8.4	6.3	8.3	12	7587
09-11 LST	10.2	13.6	7.4	4.1	1.8	1.6	1.4	0.6	4.1	3.7	4.4	5.5	4.9	7	5746
12-14 LST	7.8	8.9	5.6	2.8	1.5	0.7	0.7	0.6	0.7	2.4	4.0	6.9	3.6	7	5718
15-17 LST	4.2	10.8	6.3	3.9	1.7	1.4	0.9	0.2	0.9	3.1	3.4	4.6	3.5	7	5728
18-20 LST	7.4	10.6	7.8	3.1	4.0	2.1	2.7	0.4	1.4	4.4	2.9	5.2	4.3	7	5712
21-23 LST	6.4	10.8	8.6	5.5	8.3	5.7	5.2	2.5	2.7	4.8	3.4	6.8	5.9	7	5753

MONCTON, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	23.1	21.0	23.6	25.0	25.5	25.1	29.1	29.9	27.3	27.2	24.9	26.4	308.1	7	1950
	02 LST	24.7	20.5	22.4	23.2	22.1	22.5	24.1	25.9	24.1	24.8	24.8	25.2	284.3	7	1951
	08 LST	21.6	21.0	22.3	23.7	23.4	22.0	25.1	26.1	24.8	24.5	23.3	24.4	282.2	12	3782
	14 LST	25.0	21.1	25.4	25.5	26.9	26.1	29.3	30.1	27.1	27.4	22.3	24.6	310.8	7	1953
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	6.7	7.2	10.9	11.8	12.6	15.3	18.7	22.1	16.3	14.1	11.3	11.8	158.8	7	1949
	02 LST	7.4	7.1	9.5	12.3	12.2	15.1	18.1	19.5	16.6	11.7	12.3	8.7	150.5	7	1950
	08 LST	6.0	7.6	7.8	8.3	10.7	9.8	14.2	13.8	13.7	11.2	9.7	8.8	121.6	12	3781
	14 LST	6.7	6.5	7.1	4.0	5.4	9.4	8.5	10.3	9.6	7.7	8.3	7.5	91.4	7	1952
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	4.8	4.7	6.8	3.3	2.6	2.6	1.1	1.2	1.7	3.4	3.7	6.8	42.7	7	1758
	02 LST	5.8	4.3	4.1	3.5	2.2	0.9	0.0	0.5	0.9	2.6	3.1	6.3	34.2	7	1735
	08 LST	5.5	4.5	6.0	5.3	4.5	2.8	0.8	1.7	1.4	3.4	3.7	4.8	44.4	12	3595
	14 LST	7.5	8.6	11.7	10.7	12.2	7.1	7.2	6.1	5.3	9.1	7.7	10.2	103.4	7	1753
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	1.0	0.9	4.5	10.9	17.4	18.6	20.2	20.4	18.2	16.5	9.1	2.3	140.0	7	1758
	02 LST	1.2	0.9	2.3	7.1	18.1	21.3	25.0	21.3	20.5	15.2	7.5	1.6	142.0	7	1735
	08 LST	1.0	0.4	1.8	8.0	13.1	13.3	18.8	17.6	16.4	11.5	6.8	1.6	110.3	12	3595
	14 LST	1.6	1.0	7.2	5.6	9.1	12.1	11.7	13.1	10.5	9.3	9.0	2.0	92.2	7	1753
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	9.4	9.2	9.0	10.0	9.2	7.4	8.8	10.4	10.8	10.2	6.4	9.1	109.9	5	1825
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	17.9	18.5	20.9	23.2	23.4	23.0	27.1	28.4	24.9	24.6	20.0	22.8	274.7	7	1950
	02 LST	20.4	17.2	20.3	22.0	19.9	20.3	21.6	23.6	21.3	21.8	19.0	21.9	249.3	7	1951
	08 LST	17.5	18.0	19.1	20.4	20.1	19.0	22.5	23.3	21.2	21.3	17.8	19.6	239.8	12	3782
	14 LST	21.0	16.8	21.9	21.3	23.7	22.7	26.0	26.9	23.8	24.1	18.4	19.7	266.3	7	1953
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	15.4	14.9	17.2	20.2	20.9	18.6	24.4	25.5	22.2	21.8	14.4	18.5	234.0	7	1950
	02 LST	16.6	13.2	17.9	19.8	17.4	18.3	20.6	22.4	19.2	19.4	14.3	18.6	217.7	7	1951
	08 LST	14.7	15.5	17.0	18.0	18.5	17.9	21.6	22.6	19.8	19.6	14.4	16.5	216.1	12	3782
	14 LST	17.0	11.6	16.9	16.7	19.2	16.5	21.3	21.2	18.5	20.3	13.3	16.1	208.6	7	1953
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	14.8	14.0	15.1	16.8	17.8	17.1	21.3	24.0	20.6	20.8	13.5	17.4	213.2	7	1950
	02 LST	15.7	12.3	16.4	17.8	15.7	16.7	19.6	21.2	18.4	18.4	13.5	18.2	203.9	7	1951
	08 LST	13.4	14.4	15.6	17.1	17.1	16.5	20.9	21.7	18.7	18.2	13.0	15.9	202.5	12	3782
	14 LST	15.7	10.6	15.6	14.5	16.2	14.9	19.4	18.7	17.3	18.7	11.4	14.9	187.9	7	1953

CHARLOTTETOWN, CANADA

STA NO. 72706 (IN AREA NUMBER 11)

LATITUDE 4617N

LONGITUDE 06308W

ELEVATION(FT) 00181

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	53	50	41	72	82	90	91	94	85	74	66	62	94	20	-610
MEAN MAX TMP (F)	26	26	33	43	56	66	73	72	65	54	42	31	49	65	-105
MEAN MIN TMP (F)	10	9	19	30	39	50	58	58	51	41	31	18	35	65	-105
ABS MIN TMP (F)	-18	-17	-11	10	20	31	40	41	31	24	9	-11	-18	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	9	2945
MEAN NO DYS TMP = OR LES 32(F)	28.7	27.7	29.9	22.5	6.1	0.1	0.0	0.0	0.0	5.0	14.7	28.0	162.7	9	2943
MEAN NO DYS TMP = OR LES 0(F)	4.9	5.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	12.3	9	2943
MEAN DEN PT TMP (F)	14	14	22	31	42	51	60	58	52	42	33	21	37	10	-106
MEAN REL HUM (PCT)	77	76	72	73	70	72	73	74	75	75	77	76	74	10	-106
MEAN PRESS ALT (FT)	234	236	242	198	178	204	223	181	146	166	201	246	205	0	-50
MEAN PRECIP (IN)	3.76	3.01	3.15	2.78	2.66	2.58	2.98	3.35	3.40	4.07	3.75	3.98	39.5	65	-105
MEAN SNOW FALL (IN)	27.1	25.4	20.3	7.3	0.8	0.0	0.0	0.0	0.0	0.3	7.0	24.8	113.0	65	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.7	8.4	8.2	7.5	7.3	6.1	6.7	7.2	7.5	8.6	8.0	10.0	95.2	65	-29
MEAN NO DYS SNFI = OR GTR 1.5 IN	5.6	5.3	4.7	1.5	0.1	0.0	0.0	0.0	0.0	1.4	5.2	23.8		65	-29
MEAN NO DYS W/OCUH VSBY LES 1/2 MI	1.8	2.0	3.0	2.0	1.0	1.0	0.5	0.0	1.0	2.5	1.5	1.5	17.8	3	643
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	1.0	2.0	2.0	1.0	0.0	0.0	0.0	7.0	7	-24
P FREQ WND SPD = OR GTR 17 KTS	16.8	17.9	28.2	18.3	5.6	5.8	4.4	5.2	6.8	9.3	16.7	20.6	13.0	3	2572
P FREQ WND SPD = OR GTR 28 KTS	1.1	0.9	1.6	0.8	0.0	0.0	0.0	0.0	0.4	0.0	0.0	1.6	0.5	3	2572
P FREQ LES 5000 FT A/O LES 5 MI	56.0	47.3	57.7	46.7	37.9	43.3	37.9	29.0	34.7	44.0	60.8	56.5	46.0	3	2572
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	26.9	30.4	33.9	26.7	25.8	33.3	21.0	17.7	18.6	19.4	31.7	32.3	26.5	3	643
03-05 LST	31.2	28.7	33.1	28.2	27.2	32.7	25.1	22.2	20.8	22.9	30.9	31.6	27.9	3	-30
06-08 LST	35.5	27.0	32.3	29.6	28.6	32.1	29.1	26.7	23.0	26.3	30.0	30.8	29.3	9	2945
09-11 LST	35.7	29.6	34.7	26.5	22.4	28.4	20.2	19.8	20.7	26.1	30.9	30.7	27.1	3	-30
12-14 LST	35.8	32.1	37.1	23.3	16.1	16.7	11.3	12.9	18.3	25.8	31.7	30.6	24.3	3	644
15-17 LST	35.1	26.8	33.9	21.7	16.1	11.7	12.9	10.5	16.7	20.2	29.2	27.4	21.9	3	-30
18-20 LST	34.3	21.4	30.6	20.0	16.1	6.7	14.5	8.1	15.0	14.5	26.7	24.2	19.3	3	644
21-23 LST	30.6	25.9	32.3	23.4	21.0	20.0	17.3	12.9	16.8	17.0	29.2	28.3	22.9	3	-30
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	11.9	14.3	17.7	13.3	16.1	13.3	12.9	8.1	6.8	11.3	21.7	1.5	13.5	3	643
03-05 LST	17.8	11.8	15.9	12.3	14.1	11.5	11.0	6.3	6.1	10.9	15.3	12.1	12.1	3	-30
06-08 LST	13.7	9.3	14.1	11.3	12.1	9.6	9.0	4.5	5.4	10.5	8.9	9.7	9.8	9	2945
09-11 LST	13.6	10.0	12.7	7.3	7.5	4.8	5.3	3.1	4.4	7.7	11.1	8.9	8.0	3	-30
12-14 LST	13.4	10.7	11.3	3.3	3.2	0.0	1.6	1.6	3.3	4.8	13.3	8.1	6.2	3	644
15-17 LST	14.2	10.7	12.1	6.7	1.6	1.7	2.4	0.8	2.5	4.0	15.0	10.5	6.9	3	-30
18-20 LST	14.9	10.7	12.9	10.0	0.0	3.3	3.2	0.0	1.7	3.2	16.7	12.9	7.5	3	644
21-23 LST	13.4	12.5	15.3	11.7	8.1	8.3	8.1	4.1	4.3	7.4	19.2	13.7	10.5	3	-30

CHARLOTTETOWN, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	22.7	23.5	24.0	27.0	27.0	29.0	28.0	29.5	27.5	28.5	23.5	26.0	316.2	3	644
	02 LST	25.0	22.0	21.5	24.0	25.0	21.0	24.5	26.5	25.9	26.5	22.0	23.5	287.4	3	643
	08 LST	21.5	21.8	21.6	22.4	23.0	22.0	23.1	23.8	24.1	24.3	22.8	23.7	274.1	9	2945
	14 LST	22.2	20.0	22.0	26.0	29.0	28.0	29.5	29.0	27.0	25.0	22.5	24.0	304.2	3	644
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	11.6	12.0	10.0	15.0	16.0	17.0	22.5	21.5	19.0	16.0	12.5	10.0	183.1	3	644
	02 LST	12.0	9.0	8.5	14.0	17.0	16.0	20.5	20.0	18.3	18.0	10.0	6.0	169.3	3	643
	08 LST	9.6	10.1	8.9	10.4	10.4	10.4	12.4	14.3	13.5	11.8	11.5	10.4	133.7	9	2945
	14 LST	6.8	6.5	5.5	8.0	10.0	11.0	10.0	13.0	10.5	9.5	5.5	6.5	105.3	3	644
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	1.4	1.5	4.5	0.0	2.0	0.0	1.0	0.0	0.5	0.0	3.0	4.0	17.9	3	644
	02 LST	2.8	1.5	4.0	3.0	0.0	0.0	0.0	0.5	0.5	1.0	2.0	3.5	18.8	3	643
	08 LST	3.1	3.7	3.0	4.2	3.1	1.6	0.2	0.9	1.6	2.5	2.3	3.3	29.5	9	2945
	14 LST	3.2	2.0	8.5	5.0	3.0	5.0	2.5	4.0	3.5	4.5	5.5	5.5	52.2	3	644
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	0.9	0.0	2.5	11.0	17.0	18.0	15.5	17.5	16.5	12.5	8.0	4.0	123.4	3	644
	02 LST	0.9	0.5	1.0	7.0	18.0	15.0	16.0	19.5	14.7	15.5	7.0	3.5	118.6	3	643
	08 LST	0.6	0.2	0.7	8.0	12.9	15.9	17.3	18.2	16.3	13.8	7.6	1.9	113.4	9	2945
	14 LST	1.8	1.0	2.0	9.0	12.0	16.0	13.0	16.5	13.0	12.0	6.0	3.0	105.3	3	644
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	8.3	9.5	8.5	8.0	7.0	9.0	10.5	9.5	11.0	10.0	6.0	8.5	105.8	3	644
	02 LST	6.0	8.5	8.0	9.0	9.0	11.0	13.0	14.0	13.7	11.5	7.0	6.0	116.7	3	643
	08 LST	6.1	8.0	8.5	8.6	9.4	7.7	8.2	9.0	9.8	6.8	3.4	5.4	90.9	9	2945
	14 LST	4.6	6.5	6.0	8.0	10.0	4.0	9.0	9.5	7.5	7.0	2.5	9.0	83.6	3	644
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	17.1	19.0	17.0	20.0	23.0	25.0	24.0	25.5	22.5	22.0	18.0	18.5	251.6	3	644
	02 LST	19.9	15.0	17.0	20.0	21.0	19.0	21.5	24.0	21.3	23.0	15.0	14.0	230.7	3	643
	08 LST	15.9	17.6	17.6	18.8	20.5	18.1	19.7	20.8	21.2	19.8	16.3	15.2	221.5	9	2945
	14 LST	14.8	15.0	14.0	17.0	22.0	20.0	23.5	24.5	20.0	19.5	14.5	18.5	223.3	3	644
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	14.8	16.0	12.0	16.0	19.0	19.0	18.0	20.5	22.0	16.0	11.5	14.5	199.3	3	644
	02 LST	14.3	13.0	12.5	18.0	20.0	15.0	17.5	20.0	19.8	16.5	10.5	10.5	187.6	3	643
	08 LST	13.1	15.1	14.7	15.6	19.2	16.6	17.5	19.7	19.1	15.8	11.3	11.0	188.7	9	2945
	14 LST	11.6	13.5	12.0	14.0	15.0	15.0	20.5	22.0	17.5	15.5	10.5	14.5	183.6	3	644
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	13.9	15.5	11.5	15.0	18.0	17.0	18.0	19.5	19.0	15.5	11.0	13.0	186.9	3	644
	02 LST	13.9	12.0	11.5	17.0	18.0	12.0	15.5	19.0	18.3	15.0	10.0	10.0	172.2	3	643
	08 LST	12.9	14.8	14.1	14.7	18.6	15.6	17.1	19.1	18.8	15.6	10.9	10.9	183.1	9	2945
	14 LST	11.1	13.5	12.0	14.0	15.0	14.0	20.0	21.0	16.0	15.0	10.5	16.0	178.1	3	644

SYDNEY, CANADA

STA NO. 72707 (IN AREA NUMBER 11)

LATITUDE 4610N

LONGITUDE 06003W

ELEVATION(FT) 00203

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	58	59	65	81	89	94	92	98	90	81	78	67	98	90	-610
MEAN MAX TMP (F)	30	29	35	44	56	66	73	73	66	56	45	35	51	69	-105
MEAN MIN TMP (F)	14	11	19	28	36	45	54	55	48	40	32	22	34	69	-105
ABS MIN TMP (F)	-25	-25	-24	0	20	25	33	36	28	22	6	-10	-25	90	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.0	0.0	0.0	0.0	0.5	12	4365
MEAN NO DYS TMP = OR LES 32(F)	27.1	26.5	29.1	20.0	5.3	0.1	0.0	0.0	0.0	3.4	12.3	26.4	150.2	12	4365
MEAN NO DYS TMP = OR LES 0(F)	1.4	1.9	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	3.6	12	4365
MEAN DEW PT TMP (F)	21	21	24	31	39	49	57	58	52	43	36	25	38	12	104233
MEAN REL HUM (PCT)	85	86	83	83	81	83	83	84	84	85	86	84	84	12	104182
MEAN PRESS ALT (FT)	264	274	275	221	200	209	214	183	155	180	218	277	223	0	-50
MEAN PRECIP (IN)	5.16	4.42	4.45	4.03	3.44	2.84	3.37	3.75	3.46	4.70	5.17	5.45	50.2	69	-105
MEAN SNOW FALL (IN)	23.8	24.9	17.4	8.8	0.5	0.0	0.0	0.0	0.0	0.2	4.5	17.8	97.9	69	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	11.4	10.6	10.4	9.7	8.7	6.5	7.2	7.6	7.6	9.6	10.3	11.7	111.3	69	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	5.0	5.2	3.9	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.8	3.8	20.5	69	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.4	7.2	7.6	9.5	8.7	10.2	9.4	5.8	4.2	5.2	4.9	5.3	84.4	12	4365
MEAN NO DYS TSTMS	0.1	0.0	0.0	0.3	0.6	0.5	1.5	1.9	0.5	0.2	0.2	0.0	5.8	12	4365
P FREQ WND SPD = OR GTR 17 KTS	34.2	32.2	30.6	28.0	20.1	15.9	14.7	14.5	19.1	26.3	30.1	32.6	24.7	12	104768
P FREQ WND SPD = OR GTR 28 KTS	5.5	5.5	4.2	2.0	1.6	0.5	0.3	0.5	1.5	2.0	5.0	3.9	2.7	12	104768
P FREQ LES 5000 FT A/O LES 5 MI	65.8	60.6	56.2	54.0	43.5	43.2	40.1	39.6	39.5	51.5	66.8	67.1	52.3	12	104743
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	31.6	32.9	30.7	36.3	33.2	38.5	35.2	27.1	22.7	28.5	30.7	26.2	31.1	12	13102
03-05 LST	33.2	35.5	31.9	38.0	33.9	40.7	39.6	31.5	24.3	28.5	30.5	29.3	33.1	12	13108
06-08 LST	32.3	36.7	32.4	37.7	34.4	35.7	35.8	25.7	24.0	27.1	31.6	30.5	32.0	12	13111
09-11 LST	31.4	36.3	30.2	33.1	30.6	28.7	27.7	21.8	21.7	22.9	29.4	31.2	28.8	12	13112
12-14 LST	30.0	34.0	27.7	30.7	24.6	24.2	17.9	18.4	16.4	21.1	29.4	28.9	25.3	12	13103
15-17 LST	31.6	32.6	27.6	30.5	23.9	24.1	19.1	15.9	13.3	20.8	30.9	28.9	24.9	12	13105
18-20 LST	30.7	31.2	28.3	35.1	28.1	28.1	23.9	18.2	15.2	22.3	30.5	24.6	26.4	12	13100
21-23 LST	32.0	31.5	29.0	34.9	33.4	34.5	29.2	24.5	19.3	25.8	32.3	23.7	29.2	12	13088
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	11.5	11.6	12.5	19.3	18.3	24.0	18.9	10.1	6.9	9.4	9.6	7.7	13.3	12	13102
03-05 LST	11.0	12.1	13.2	18.8	19.2	25.8	23.2	12.9	8.0	9.9	9.7	8.7	14.4	12	13108
06-08 LST	12.9	17.8	12.6	15.9	15.9	17.5	13.4	6.0	6.0	8.2	8.2	10.3	12.1	12	13111
09-11 LST	13.1	15.8	9.3	9.7	9.2	8.7	3.1	1.6	2.1	4.6	5.7	8.7	7.6	12	13112
12-14 LST	12.3	14.1	9.4	10.8	7.9	5.9	2.4	1.5	1.7	3.5	5.9	8.2	7.0	12	13103
15-17 LST	12.1	12.9	10.4	13.4	8.0	6.4	3.3	2.1	1.7	4.1	7.5	7.3	7.4	12	13105
18-20 LST	10.2	13.8	12.4	18.7	13.6	13.5	6.4	4.8	3.1	7.0	7.2	6.9	9.8	12	13100
21-23 LST	10.9	11.1	13.7	18.8	19.2	18.6	14.4	10.7	5.4	9.5	8.8	6.8	12.3	12	13088

SYDNEY, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	AMN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	23.3	21.1	23.3	20.6	22.2	21.3	23.4	26.2	26.5	24.9	23.2	25.1	281.1	12	4371
	02 LST	22.5	20.6	23.0	20.0	21.2	19.2	19.7	23.4	25.0	23.7	22.6	25.4	266.3	12	4373
	08 LST	22.0	18.6	21.8	20.3	21.4	20.9	22.0	24.5	24.4	24.0	22.4	23.3	265.6	12	4374
	14 LST	22.9	20.0	23.7	22.7	24.8	24.2	26.6	27.3	26.8	26.2	23.3	24.4	292.9	12	4374
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	7.2	7.6	8.4	9.5	12.3	12.2	12.5	14.5	13.0	9.4	9.3	7.6	123.5	12	4371
	02 LST	6.9	6.4	8.4	8.3	10.1	10.3	9.2	11.8	11.7	9.4	8.1	7.7	108.3	12	4373
	08 LST	7.9	6.8	6.9	6.0	7.6	7.0	8.2	9.9	9.1	8.3	8.3	7.2	93.2	12	4374
	14 LST	4.7	4.7	3.5	3.2	5.5	5.2	5.5	7.9	5.3	4.3	4.2	4.5	58.5	12	4374
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	9.1	7.6	6.0	5.9	2.9	3.0	1.5	3.4	4.5	6.3	7.7	7.5	65.4	12	3887
	02 LST	7.6	6.8	6.0	4.4	3.2	2.0	2.3	2.0	3.0	4.5	7.5	8.0	57.3	12	3828
	08 LST	8.0	6.6	7.1	6.6	6.1	4.7	3.9	3.7	5.9	7.0	7.2	9.0	75.8	12	3929
	14 LST	11.3	9.9	12.7	11.7	10.3	9.7	9.6	9.1	9.5	12.0	10.9	11.7	128.4	12	3972
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	2.2	1.1	3.0	10.4	16.8	16.1	17.1	18.1	15.8	14.7	11.0	3.0	129.3	12	3887
	02 LST	2.2	1.2	1.1	5.7	15.0	15.5	17.3	17.1	17.1	15.1	9.3	3.4	120.0	12	3828
	08 LST	2.1	1.4	3.1	9.9	13.7	12.8	15.1	14.5	12.8	14.0	9.5	3.6	112.5	12	3929
	14 LST	2.6	2.0	5.7	7.1	9.8	8.7	9.8	12.2	8.9	8.3	8.9	3.1	87.1	12	3972
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	5.1	6.4	8.8	6.4	8.0	6.5	8.2	7.5	10.2	8.5	4.9	4.4	84.9	9	3286
	02 LST	4.3	5.1	8.2	7.2	10.2	7.7	10.1	9.5	11.6	8.9	4.1	5.1	92.0	9	3286
	08 LST	1.8	3.9	5.2	4.4	6.2	4.0	7.2	6.1	6.1	5.6	2.3	3.2	56.0	9	3286
	14 LST	1.9	3.8	4.2	3.5	5.5	4.2	5.5	4.9	3.8	4.4	2.0	2.2	45.9	9	3286
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	14.1	14.8	19.0	17.5	20.5	19.6	22.4	24.0	23.5	20.8	15.9	16.6	228.7	12	4371
	02 LST	14.4	14.1	16.5	17.0	19.7	17.4	18.4	21.0	21.3	19.1	15.5	15.9	210.3	12	4373
	08 LST	14.4	13.7	17.1	16.8	19.7	18.7	20.0	20.9	21.0	20.5	15.4	14.5	212.7	12	4374
	14 LST	16.3	14.8	18.5	18.5	22.2	21.4	23.5	24.6	23.2	20.2	15.9	16.6	235.7	12	4374
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	9.9	12.0	15.7	14.1	17.2	17.2	20.4	20.4	20.1	16.6	10.9	10.7	185.2	12	4371
	02 LST	9.9	10.3	13.0	13.5	16.2	15.0	16.7	19.0	18.5	14.1	9.1	9.2	164.5	12	4373
	08 LST	10.4	10.1	12.9	13.5	16.8	17.0	18.8	19.2	18.1	15.3	10.1	8.8	171.0	12	4374
	14 LST	11.3	9.8	12.7	13.5	17.6	18.2	19.1	18.6	16.4	12.7	9.2	10.6	169.7	12	4374
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	9.5	11.6	15.0	13.5	16.1	15.2	19.6	18.7	19.0	15.3	10.0	10.0	173.5	12	4371
	02 LST	9.4	10.1	12.3	12.5	15.0	13.3	15.4	17.4	17.4	13.6	8.3	8.6	153.3	12	4373
	08 LST	9.5	9.0	12.2	12.2	15.4	15.1	17.3	17.9	16.6	13.6	8.8	7.9	155.5	12	4374
	14 LST	9.9	9.3	11.8	12.3	16.0	16.4	18.6	16.3	14.9	11.4	7.9	9.2	154.0	12	4374

ST. PAUL IS., CANADA

STA NO. 72708/ (IN AREA NUMBER 11)

LATITUDE 4712N

LONGITUDE 06009W

ELEVATION(FT) 00104

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	0BS
ABS MAX TMP (F)	61	55	57	60	72	80	86	86	80	74	63	58	86	20	-110
MEAN MAX TMP (F)	28	25	30	37	46	55	66	68	62	52	42	33	45	22	-105
MEAN MIN TMP (F)	17	13	19	27	34	43	54	57	51	42	33	24	35	22	-105
ABS MIN TMP (F)	-9	-10	-7	6	23	31	38	42	37	24	12	-10	-10	20	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN NO DYS TMP = OR LES 32(F)						0.0	0.0	0.0	0.0					20	-29
MEAN NO DYS TMP = OR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			20	-29
MEAN DEW PT TMP (F)	22	18	24	31	37	46	57	59	54	45	36	28	38	10	-106
MEAN REL HUM (PCT)	94	96	95	94	90	89	90	89	89	88	91	93	92	10	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.37	3.39	2.92	2.49	3.12	3.03	2.32	2.72	4.10	4.02	3.76	4.20	39.4	22	-105
MEAN SNOW FALL (IN)	22.9	25.6	18.2	8.6	0.8	0.0	0.0	0.0	0.0	0.3	3.8	20.6	100.8	22	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.0	9.1	7.8	6.9	8.2	6.8	5.7	6.3	8.6	8.5	8.1	10.3	95.3	22	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	4.9	5.4	4.1	1.8	0.1	0.0	0.0	0.0	0.0	0.0	0.7	4.4	21.4	22	-29
MEAN NO DYS #/OCUR V5BY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	4.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

ST. PAUL IS., CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
		DATA NOT AVAILABLE														
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST														0	0
	14 LST														0	0

CHATHAM, CANADA

STA NO. 72717 (IN AREA NUMBER 11)

LATITUDE 4700N

LONGITUDE 06527W

ELEVATION(FT) 00109

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	52	55	67	85	92	96	98	102	92	84	70	60	102	50	-528
MEAN MAX TMP (F)	23	25	35	47	60	71	77	75	66	55	40	27	50	50	-28
MEAN MIN TMP (F)	2	2	15	28	39	49	56	54	46	37	25	10	30	50	-28
ABS MIN TMP (F)	-43	-39	-25	-4	20	29	38	33	23	12	-12	-30	-43	50	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.9	1.9	0.5	0.0	0.0	0.0	0.0	3.4	9	2935
MEAN NO DYS TMP = OR LES 32(F)	29.9	27.7	29.4	22.6	6.7	0.1	0.0	0.0	2.0	10.9	21.2	29.0	179.5	9	2935
MEAN NO DYS TMP = OR LES 0(F)	10.9	9.3	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	29.1	9	2935
MEAN DEW PT TMP (F)	14	7	21	31	39	47	56	54	48	37	29	13	33	3	2564
MEAN REL HUM (PCT)	82	81	74	74	67	70	72	73	77	77	85	83	76	8	-106
MEAN PRESS ALT (FT)	134	134	148	117	101	135	162	115	72	84	120	149	123	0	-50
MEAN PRECIP (IN)	3.40	2.70	3.30	3.00	3.20	3.60	3.90	4.00	3.10	4.00	3.40	3.20	40.8	50	-28
MEAN SNOW FALL (IN)	24.4	21.2	18.1	11.3	0.3	0.0	0.0	0.0	1.1	10.1	20.8	107.3	50	-105	
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.1	7.7	8.5	7.9	8.3	7.5	7.8	7.9	7.0	8.4	7.5	8.7	96.3	50	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	5.1	4.5	4.1	2.4	0.0	0.0	0.0	0.0	0.1	2.2	4.5	22.9	50	-29	
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.8	2.5	3.5	1.0	1.0	3.0	1.0	1.0	1.0	1.5	2.0	3.5	23.8	3	642
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	2.0	3.0	2.0	1.0	0.0	0.0	0.0	8.0	8	-24
P FREQ WND SPD = OR GTR 17 KTS	15.3	9.8	17.2	20.8	9.7	8.3	4.4	4.8	8.3	6.9	10.4	14.8	10.9	3	2568
P FREQ WND SPD = OR GTR 28 KTS	1.1	2.2	1.6	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	2.0	0.6	3	2568
P FREQ LES 5000 FT A/O LES 5 MI	42.2	31.3	52.0	42.5	36.3	41.7	40.3	25.8	32.1	41.5	49.2	38.9	39.5	3	2568
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	29.9	19.6	37.7	30.0	29.0	20.0	17.7	14.5	18.3	17.7	31.7	32.3	24.9	3	643
03-05 LST	28.7	22.7	32.0	29.0	26.7	25.7	23.9	18.7	20.1	20.6	29.5	27.6	25.4	3	-30
06-08 LST	27.5	25.7	26.2	28.0	23.3	31.3	29.9	22.8	21.8	23.5	27.2	22.8	25.8	9	2935
09-11 LST	28.0	22.7	26.8	30.7	21.4	24.0	20.3	13.8	18.4	22.3	28.6	21.9	23.2	3	-30
12-14 LST	28.4	19.6	27.4	33.3	19.4	16.7	11.3	4.8	15.0	21.0	30.0	21.0	20.7	3	644
15-17 LST	29.9	18.8	29.0	30.0	16.2	16.7	13.2	9.7	15.9	16.2	28.4	22.0	20.5	3	-30
18-20 LST	31.3	17.9	30.6	26.7	12.9	16.7	16.1	14.5	16.7	11.3	26.7	23.0	20.4	3	643
21-23 LST	30.6	18.8	34.2	28.4	21.0	18.4	16.9	14.5	17.5	14.5	29.2	27.7	22.6	3	-30
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	10.4	12.5	16.4	13.3	6.5	13.3	6.5	8.1	10.0	6.5	16.7	21.0	11.8	3	643
03-05 LST	10.7	11.4	14.1	11.1	6.1	10.0	6.5	6.6	9.2	7.5	14.7	15.4	10.3	3	-30
06-08 LST	10.9	10.2	11.7	8.8	5.7	6.7	6.5	5.0	8.4	8.5	12.8	9.8	8.7	9	2935
09-11 LST	9.2	8.7	9.9	9.4	2.9	5.0	4.1	2.5	6.7	5.9	12.2	7.3	7.0	3	-30
12-14 LST	7.5	7.1	8.1	10.0	0.0	3.3	1.6	0.0	5.0	3.2	11.7	4.8	5.2	3	644
15-17 LST	10.5	7.1	10.5	13.4	1.6	6.7	1.6	0.8	4.2	4.0	12.5	7.3	6.7	3	-30
18-20 LST	13.4	7.1	12.9	16.7	3.2	10.0	1.6	1.8	3.3	4.8	13.3	9.8	8.1	3	643
21-23 LST	11.9	9.8	14.7	15.0	4.9	11.7	4.1	4.9	6.7	5.7	15.0	14.1	9.9	3	-30

CHATHAM, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO.
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	22.2	23.5	23.0	22.0	28.0	26.0	27.5	27.5	25.5	27.5	23.0	24.9	300.6	3	643
	02 LST	21.7	23.5	20.3	23.0	23.0	25.0	26.0	26.5	25.5	25.5	21.0	22.0	283.0	3	643
	08 LST	23.1	21.7	23.5	23.0	24.8	21.5	23.1	24.3	23.8	24.1	22.4	25.0	280.3	9	2935
	14 LST	22.2	23.5	24.0	21.0	27.0	27.0	29.5	29.0	26.5	25.5	22.0	25.5	302.7	3	644
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	12.5	13.5	11.5	14.0	11.0	15.0	21.0	20.5	17.5	17.0	13.5	13.2	180.2	3	643
	02 LST	12.0	12.5	11.7	14.0	18.0	17.0	19.5	19.5	17.5	17.5	11.5	12.5	183.2	3	643
	08 LST	15.3	14.0	14.2	12.4	14.4	11.5	14.6	16.5	13.8	14.3	15.3	16.7	173.0	9	2935
	14 LST	9.7	8.0	7.0	5.0	3.0	7.0	11.0	11.0	9.0	11.5	7.5	11.5	101.2	3	644
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	3.2	1.0	1.0	3.0	2.0	0.0	0.5	0.5	1.5	0.0	1.5	2.5	16.7	3	643
	02 LST	1.8	0.5	2.5	1.0	0.0	0.0	0.5	0.5	1.0	0.5	1.5	3.0	12.8	3	643
	08 LST	1.0	0.0	2.2	1.6	1.8	1.1	0.7	0.1	1.2	1.0	1.0	1.6	14.1	9	2935
	14 LST	2.8	3.5	5.5	8.0	6.0	5.0	3.5	4.0	5.5	2.5	5.0	5.0	56.3	3	644
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	0.4	0.0	3.0	16.0	17.0	18.0	19.5	21.0	16.0	13.0	7.0	1.5	132.4	3	643
	02 LST	0.5	0.0	2.0	5.0	19.0	20.0	16.5	16.5	15.0	10.5	4.5	2.0	111.5	3	642
	08 LST	0.2	0.0	0.7	8.0	13.4	15.0	15.6	17.4	15.9	10.9	5.1	1.0	103.2	9	2934
	14 LST	0.0	0.5	4.5	6.0	6.0	10.0	10.0	12.5	8.5	9.0	7.0	3.5	77.5	3	644
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	12.0	10.5	11.0	8.0	7.0	5.0	5.0	7.5	11.0	12.5	10.5	10.7	110.7	3	643
	02 LST	12.9	12.0	10.7	9.0	13.0	10.0	11.0	13.5	13.5	9.5	9.5	12.5	137.1	3	643
	08 LST	10.4	9.0	9.6	8.4	9.5	7.6	8.2	9.1	8.8	9.4	6.8	9.1	105.9	9	2935
	14 LST	6.9	9.0	6.0	8.0	5.0	3.0	2.5	3.5	7.0	3.5	4.0	7.5	65.9	3	644
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	19.9	21.0	19.0	22.0	24.0	23.0	24.0	25.0	23.0	25.5	19.5	20.8	266.7	3	643
	02 LST	19.4	20.5	19.7	20.0	21.0	21.0	21.0	25.0	23.5	21.5	17.0	19.0	244.6	3	643
	08 LST	20.1	19.8	20.7	19.7	22.4	19.2	19.9	22.6	21.5	20.3	18.9	20.6	245.7	9	2935
	14 LST	20.3	20.5	17.5	18.0	22.0	21.0	23.5	25.0	22.5	22.5	17.5	22.5	252.8	3	644
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	17.1	18.5	15.0	17.0	21.0	17.0	18.0	22.5	20.0	18.5	18.0	18.8	221.4	3	643
	02 LST	17.6	19.0	12.7	18.0	21.0	18.0	18.0	23.5	20.5	19.5	12.0	17.5	213.3	3	643
	08 LST	16.6	18.7	18.8	17.8	19.6	17.9	18.5	21.7	19.6	17.7	15.2	16.7	218.8	9	2935
	14 LST	15.7	18.5	14.5	15.0	15.0	13.0	12.0	15.0	16.5	17.5	13.0	20.0	185.7	3	644
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	16.6	18.5	14.5	15.0	21.0	16.0	17.0	21.5	19.0	18.0	17.0	18.3	212.4	3	643
	02 LST	17.6	17.5	12.2	15.0	20.0	16.0	17.5	21.0	19.5	15.0	12.0	17.0	200.3	3	643
	08 LST	16.4	17.9	18.0	16.8	19.1	16.9	17.9	20.3	18.9	17.4	14.6	15.9	210.1	9	2935
	14 LST	14.8	18.0	14.5	14.0	15.0	12.0	12.0	15.0	16.0	17.0	13.0	20.0	181.3	3	644

CAPE RACE, CANADA

STA NO. 72800 (IN AREA NUMBER 11)

LATITUDE 4639N LONGITUDE 05304W ELEVATION(FT) 00099

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	51	49	49	66	69	87	82	82	76	72	59	54	87	40	-110
MEAN MAX TMP (F)	32	30	34	39	46	53	61	63	60	52	44	37	46	30	-105
MEAN MIN TMP (F)	18	17	22	28	33	39	47	50	47	39	32	24	33	30	-105
ABS MIN TMP (F)	-12	-15	-5	7	15	21	33	33	26	14	7	-6	-15	40	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS TMP = OR LES 32(F)							0.0	0.0						40	-29
MEAN NO DYS TMP = OR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			40	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.93	4.68	4.20	4.22	4.09	3.93	3.90	4.64	3.93	4.70	4.96	5.35	53.5	30	-105
MEAN SNOW FALL (IN)	18.1	19.6	13.7	4.8	0.4	0.2	0.0	0.0	0.0	0.3	1.1	10.8	49.0	30	-105
MEAN NO DYS PHCP = OR GTR 0.1 IN	11.2	10.9	10.0	10.0	9.8	7.8	7.8	8.6	8.3	9.6	10.0	11.6	115.6	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.9	4.2	2.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2.3	14.3	30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CAPE RACE, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	20 LST													0	0
	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST													0	0
	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST													0	0
	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST													0	0
	14 LST													0	0

DATA NOT AVAILABLE

TORBAY, CANADA

STA NO. 72801 (IN AREA NUMBER 11)

LATITUDE 4737N

LONGITUDE 05244W

ELEVATION(FT) 00483

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	56	55	65	71	76	85	87	86	82	73	67	61	87	20	-610
MEAN MAX TMP (F)	30	28	33	41	51	61	69	68	61	53	43	35	48	19	-105
MEAN MIN TMP (F)	18	16	22	29	35	44	51	54	47	40	32	24	34	19	-105
ABS MIN TMP (F)	-10	-10	-5	7	20	27	34	38	30	22	14	1	-10	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5474
MEAN NO DYS TMP = OR LES 32(F)	28.9	26.8	29.3	24.6	12.6	1.1	0.0	0.0	0.2	6.0	15.8	27.6	172.9	15	5474
MEAN NO DYS TMP = OR LES 0(F)	0.8	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	15	5474
MEAN DEW PT TMP (F)	22	22	24	30	36	45	53	54	48	41	35	26	36	13	113312
MEAN REL HUM (PCT)	88	88	88	87	85	84	85	86	86	87	89	88	87	13	113282
MEAN PRESS ALT (FT)	614	623	605	529	496	494	477	455	467	497	525	621	533	0	-50
MEAN PRECIP (IN)	5.31	5.13	4.64	3.77	3.85	3.13	3.14	3.97	3.73	4.76	5.71	5.95	53.1	24	-105
MEAN SNOW FALL (IN)	29.1	27.4	19.2	6.3	1.9	0.0	0.0	0.0	0.0	0.4	4.8	25.0	114.1	24	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	11.6	11.4	10.6	9.3	9.4	6.9	6.9	7.9	8.0	9.6	11.1	12.1	114.8	24	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	5.9	5.7	4.4	1.3	0.3	0.0	0.0	0.0	0.0	0.0	0.9	5.3	23.8	24	-29
MEAN NO DYS W/GCUR VSBY LES 1/2 MI	10.6	11.3	11.7	13.2	14.9	14.2	12.5	10.4	7.3	7.0	9.3	9.5	131.9	13	4732
MEAN NO DYS TSTMS	0.0	0.1	0.0	0.1	0.4	0.5	0.9	1.1	0.2	0.2	0.0	0.0	3.5	13	4726
P FREQ WND SPD = OR GTR 17 KTS	47.1	42.6	41.0	32.3	27.7	24.1	19.4	18.9	25.9	34.1	38.7	41.8	32.8	13	113452
P FREQ WND SPD = OR GTR 26 KTS	10.9	9.5	7.6	4.0	2.3	2.5	1.3	1.3	3.1	5.3	6.7	8.7	5.3	13	113452
P FREQ LES 5000 FT A/O LES 5 MI	69.4	68.8	68.5	63.5	59.2	53.5	47.0	48.7	46.1	55.4	70.2	69.7	60.0	13	113401
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	44.9	48.3	49.1	51.6	54.0	50.8	47.6	42.5	35.6	33.5	42.0	36.8	44.7	13	14197
03-05 LST	43.8	50.9	52.0	53.5	55.8	53.9	49.5	46.3	34.6	34.2	43.7	36.3	46.2	13	14191
06-08 LST	46.2	48.6	51.4	52.6	55.8	50.9	45.2	44.1	35.8	36.3	44.0	37.7	45.7	13	14197
09-11 LST	46.6	47.4	50.0	48.0	47.7	40.7	35.7	39.3	34.8	36.7	46.4	40.5	42.8	13	14196
12-14 LST	47.3	49.7	48.1	44.6	39.0	34.4	25.9	32.3	28.8	32.9	42.7	39.4	38.8	13	14197
15-17 LST	48.0	47.0	45.3	43.6	37.3	31.8	27.0	29.0	28.7	33.7	43.3	40.2	37.9	13	14193
18-20 LST	43.4	46.3	46.4	45.3	41.2	37.4	35.3	30.9	32.0	33.2	41.2	37.9	39.2	13	14192
21-23 LST	43.9	49.4	48.3	49.9	47.7	44.5	43.6	35.1	33.1	32.3	41.9	38.5	42.4	13	14187
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	18.2	18.2	22.2	26.8	35.1	30.1	29.8	20.2	16.5	15.2	19.8	14.1	22.2	13	14197
03-05 LST	18.1	18.7	23.6	28.3	35.2	32.8	28.4	22.2	14.8	15.1	19.3	13.9	22.5	13	14191
06-08 LST	19.3	19.8	23.5	26.2	29.5	25.3	20.9	21.0	13.0	14.9	18.7	14.9	20.6	13	14197
09-11 LST	19.9	19.5	20.8	20.5	19.4	15.0	10.2	10.0	9.5	12.8	16.3	15.1	15.8	13	14198
12-14 LST	20.2	20.3	18.6	17.4	16.3	11.4	7.6	8.6	7.8	10.4	13.2	15.2	14.1	13	14197
15-17 LST	21.2	22.9	18.8	20.2	16.7	11.9	9.8	8.0	9.6	9.8	14.6	15.9	15.0	13	14193
18-20 LST	18.8	21.9	19.6	25.1	23.5	17.8	15.2	10.8	13.0	12.1	16.2	16.4	17.5	13	14192
21-23 LST	18.0	21.8	20.3	26.2	29.9	25.5	23.6	14.6	14.3	12.0	17.5	14.3	19.8	13	14187

TORBAY, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	20.0	17.2	18.4	17.6	18.2	18.5	19.4	21.9	21.8	22.8	19.1	21.0	235.9	13	4737
	02 LST	18.9	16.5	17.5	16.1	14.6	15.1	16.8	17.9	20.6	22.1	18.8	22.0	216.9	13	4740
	08 LST	19.4	16.5	17.8	15.7	15.8	16.9	17.9	19.3	20.4	21.1	18.6	20.0	219.4	13	4741
	14 LST	18.8	16.4	18.4	18.3	21.0	22.3	24.3	23.7	23.5	22.3	19.2	20.9	249.1	13	4741
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	4.0	4.3	6.7	7.1	8.1	9.2	8.1	9.6	8.7	7.5	6.0	7.5	86.8	13	4737
	02 LST	3.5	4.7	5.0	5.7	4.9	4.9	5.5	5.5	7.5	7.4	5.4	6.7	66.7	13	4740
	08 LST	3.6	4.0	4.3	4.1	5.0	5.8	5.5	6.0	5.8	5.8	5.5	6.2	61.6	13	4741
	14 LST	2.4	2.5	2.3	3.6	3.4	5.0	6.1	4.7	4.5	4.4	3.9	4.3	47.1	13	4741
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	13.1	10.0	10.4	7.9	6.0	4.9	4.4	4.4	6.7	9.4	10.6	10.4	98.2	13	3964
	02 LST	14.7	10.5	9.0	7.4	6.3	5.8	5.1	4.7	6.5	9.0	9.0	12.2	100.2	13	3867
	08 LST	14.1	10.0	10.4	8.4	7.1	7.0	6.1	5.4	6.4	9.7	9.7	11.5	105.8	13	3983
	14 LST	16.0	12.9	14.7	11.0	11.8	8.5	8.4	8.1	9.7	12.4	11.1	12.8	137.4	13	4038
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	0.9	1.4	1.1	5.9	10.5	13.5	13.8	14.3	12.6	10.7	6.7	2.9	94.3	13	3964
	02 LST	0.7	1.3	1.2	3.4	9.3	11.0	10.7	11.7	12.4	9.2	5.7	2.0	78.6	13	3867
	08 LST	1.5	1.1	0.8	5.6	11.1	11.3	11.8	11.6	9.6	10.1	5.5	1.6	81.6	13	3983
	14 LST	1.6	1.7	3.1	8.3	8.4	11.3	10.9	10.2	8.6	8.2	6.8	2.9	82.0	13	4038
SKN COVER LES 1/10 AND VSBY = GTR 3 MI	20 LST	4.6	4.8	5.1	5.0	4.7	5.4	5.0	6.8	8.2	7.0	3.2	4.9	64.7	11	3404
	02 LST	3.8	4.8	4.3	4.1	5.0	6.4	7.8	7.2	10.0	7.5	4.2	4.1	69.2	11	3424
	08 LST	2.8	2.6	2.7	3.2	3.4	3.9	4.8	4.5	4.6	5.0	1.7	1.8	41.0	11	3386
	14 LST	3.1	3.1	2.6	2.7	3.6	4.4	7.1	5.0	5.1	3.9	1.7	2.4	44.7	11	3363
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	14.0	12.2	13.7	13.9	16.1	17.0	18.0	20.2	19.1	18.9	13.8	14.7	191.6	13	4737
	02 LST	11.3	11.3	12.7	12.6	12.2	13.4	15.7	15.8	18.3	18.1	13.7	15.4	170.5	13	4740
	08 LST	12.1	10.7	10.9	12.5	12.9	14.7	17.0	16.2	16.4	16.0	12.3	13.0	164.7	13	4741
	14 LST	11.5	9.8	12.6	14.1	17.1	18.1	21.3	19.1	18.9	17.1	12.8	14.0	186.4	13	4741
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	10.5	10.0	10.6	11.8	13.5	14.0	16.2	17.6	17.1	14.8	8.9	10.3	155.3	13	4737
	02 LST	9.1	9.2	10.3	10.4	10.6	12.0	14.8	14.0	17.0	15.1	8.6	9.9	141.0	13	4740
	08 LST	9.0	8.3	9.4	10.6	11.6	13.4	15.7	14.2	14.6	12.7	8.4	8.1	136.0	13	4741
	14 LST	9.7	7.8	10.0	10.8	13.9	15.7	19.4	16.5	16.3	12.4	8.7	9.6	150.8	13	4741
CIG = GTR 10000 FT AND VSBY = GTR 5 MI	20 LST	9.5	9.3	9.5	10.4	11.4	11.7	13.8	15.7	15.6	13.4	7.9	9.3	137.5	13	4737
	02 LST	8.4	8.8	9.2	9.3	9.4	10.6	13.4	12.7	15.9	13.5	7.6	9.2	128.0	13	4740
	08 LST	7.8	7.3	7.8	9.2	9.7	11.0	13.5	12.4	12.0	10.9	6.1	6.7	114.4	13	4741
	14 LST	8.7	8.9	8.5	9.2	11.7	13.1	16.9	14.7	14.9	10.7	7.0	8.0	130.3	13	4741

GRAND BANK, CANADA

STA NO. 72802 (IN AREA NUMBER 11)

LATITUDE 4706N

LONGITUDE 05546W

ELEVATION(FT) 00023

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	52	52	59	62	72	77	84	86	77	69	65	56	86	20	-110
MEAN MAX TMP (F)	32	30	34	40	49	58	66	67	62	53	44	36	48	14	-105
MEAN MIN TMP (F)	21	19	24	29	36	43	51	54	50	41	34	26	36	14	-105
ABS MIN TMP (F)	-4	-2	-1	15	22	29	38	35	33	25	16	8	-4	20	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS TMP = OR LES 32(F)						0.0	0.0	0.0	0.0					20	-29
MEAN NO DYS TMP = OR LES 0(F)		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		20	-29
MEAN DEW PT TMP (F)	22	22	25	31	38	44	54	57	52	43	36	27	38	10	-106
MEAN REL HUM (PCT)	84	85	85	88	90	89	92	91	90	88	88	86	88	10	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.66	4.16	4.53	3.66	4.15	4.04	3.46	3.45	4.10	5.76	6.04	5.72	53.7	14	-105
MEAN SNOW FALL (IN)	24.2	21.7	16.0	7.1	0.7	0.0	0.0	0.0	0.0	0.2	3.4	19.7	93.0	14	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.9	10.3	10.5	9.1	9.9	8.0	7.3	7.3	8.6	11.2	11.6	11.9	116.6	14	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	5.1	4.6	3.5	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.6	4.2	19.4	14	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	0.0	0.0	0.0	3.0	8	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

GRAND BANK, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
		CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST 02 LST 08 LST 14 LST													
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST 02 LST 08 LST 14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST 02 LST 08 LST 14 LST														0	0
SFC WND 4-10 KTS AND TKP 33-89 DEG F AND NO PRECIP.	20 LST 02 LST 08 LST 14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST 02 LST 08 LST 14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST 02 LST 08 LST 14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST 02 LST 08 LST 14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST 02 LST 08 LST 14 LST														0	0

DATA NOT AVAILABLE

GANDER INTL., CANADA

STA NO. 72803 (IN AREA NUMBER 11)

LATITUDE 4857N

LONGITUDE 05434W

ELEVATION(FT) 00496

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO.
ABS MAX TMP (F)	68	55	56	71	82	91	96	89	84	76	68	56	96	20	-610
MEAN MAX TMP (F)	27	27	32	40	52	61	71	69	62	51	41	31	47	14	4480
MEAN MIN TMP (F)	13	13	20	27	35	43	52	52	46	37	30	20	32	14	4480
ABS MIN TMP (F)	-17	-16	-14	4	16	28	35	30	30	22	6	-5	-17	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.2	14	4480
MEAN NO DYS TMP = OR LES 32(F)	30.2	27.3	29.9	26.0	12.6	1.6	0.0	0.0	0.3	8.3	19.8	29.4	185.4	14	4480
MEAN NO DYS TMP = OR LES 0(F)	4.2	5.4	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	10.8	14	4480
MEAN DEW PT TMP (F)	15	16	21	27	35	43	53	52	47	38	31	20	33	11	57331
MEAN REL HUM (PCT)	82	83	82	81	78	78	77	80	82	83	87	84	81	11	57302
MEAN PRESS ALT (FT)	619	624	609	538	511	516	509	482	482	515	540	625	548	0	-50
MEAN PRECIP (IN)	2.63	3.28	2.79	2.57	2.56	2.79	3.61	3.59	3.66	4.09	4.21	3.72	39.5	14	-105
MEAN SNOW FALL (IN)	20.2	24.6	18.0	13.0	4.2	1.3	0.0	0.0	0.2	3.5	9.8	24.4	119.2	14	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.6	8.9	7.5	7.1	7.1	6.4	7.5	7.5	7.9	8.6	8.8	9.6	94.5	14	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	4.3	5.2	4.0	2.8	0.8	0.2	0.0	0.0	0.0	0.6	2.1	5.1	25.1	14	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.9	8.7	7.2	8.1	5.0	7.3	4.5	3.7	4.1	2.6	5.3	5.1	68.5	11	2931
MEAN NO DYS TSTMS	0.0	0.0	0.1	0.0	0.3	1.0	2.4	1.4	0.2	0.2	0.0	0.0	5.6	11	2927
P FREQ WND SPD = OR GTR 17 KTS	30.7	30.1	30.0	23.4	17.8	15.6	11.5	11.7	20.4	26.0	26.0	28.1	22.6	11	57402
P FREQ WND SPD = OR GTR 28 KTS	5.7	4.6	4.2	2.1	1.4	1.6	0.5	0.5	2.4	3.3	2.8	3.5	2.7	11	57402
P FREQ LES 5000 FT A/O LES 5 MI	59.2	61.2	59.8	58.6	54.0	52.0	42.1	47.3	50.9	48.5	68.4	59.4	55.1	11	56495
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	36.2	43.5	38.7	41.8	40.0	40.1	34.4	30.8	35.4	26.1	39.4	31.3	36.5	11	7474
03-05 LST	36.8	40.2	40.5	43.1	44.7	45.9	37.3	35.4	36.7	28.3	42.4	34.2	38.8	8	6838
06-08 LST	38.9	42.6	48.3	46.2	44.4	43.9	38.5	37.8	37.6	32.8	46.4	37.1	41.2	14	9010
09-11 LST	41.1	40.2	42.4	40.0	38.4	39.1	33.0	34.9	35.5	35.3	51.0	39.8	39.2	8	6794
12-14 LST	41.3	41.8	39.1	39.1	28.6	28.6	19.9	23.6	28.6	32.1	49.3	40.2	34.4	11	7380
15-17 LST	38.5	41.6	38.5	37.0	22.6	24.6	16.1	18.3	28.5	29.1	45.5	37.4	31.5	8	6762
18-20 LST	37.8	42.0	40.5	35.5	28.3	27.1	21.3	23.5	31.2	28.1	37.2	32.5	32.1	11	7431
21-23 LST	33.9	44.6	38.6	37.0	35.9	34.8	26.6	25.9	30.6	25.6	36.3	29.1	33.2	8	6791
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	13.0	17.9	15.2	18.1	15.3	19.1	11.3	7.7	11.1	6.7	15.9	9.6	13.4	11	7474
03-05 LST	12.3	15.3	14.5	18.5	17.6	22.5	11.8	9.1	13.0	8.7	18.1	11.0	14.4	8	6838
06-08 LST	15.4	17.3	19.0	18.6	15.8	16.6	11.5	9.4	12.8	9.2	17.0	11.5	14.5	14	9010
09-11 LST	11.1	13.9	13.1	14.7	7.3	7.9	3.3	3.3	6.8	5.7	17.1	12.2	9.7	8	6794
12-14 LST	14.1	16.0	10.9	11.3	2.4	2.3	2.3	3.0	3.1	4.5	11.8	13.2	7.9	11	7380
15-17 LST	16.1	16.7	8.8	12.4	1.9	2.3	1.4	2.2	3.1	4.4	12.8	11.8	7.8	8	6762
18-20 LST	13.3	17.2	10.4	11.0	5.0	7.3	2.8	4.3	6.8	5.5	11.8	8.7	8.8	11	7431
21-23 LST	13.8	19.1	12.6	16.0	10.0	11.5	4.4	6.4	9.8	4.7	12.6	6.8	10.6	8	6791

GANDER INTL., CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	21.5	18.0	20.5	21.6	23.1	22.8	25.8	24.6	22.2	23.8	21.2	23.0	268.1	11	2938
	02 LST	21.7	17.5	20.5	19.7	19.2	18.1	21.0	22.8	21.3	24.4	19.5	23.5	249.2	11	2942
	08 LST	20.8	17.1	17.4	17.9	19.4	18.5	20.7	22.8	20.8	21.8	17.6	21.1	235.9	14	4490
	14 LST	20.7	18.4	21.9	21.2	25.6	25.2	26.8	27.5	24.4	24.0	19.3	21.3	276.3	11	2929
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	5.6	5.0	7.3	8.0	9.3	11.4	11.7	12.0	10.1	11.3	7.5	7.0	106.2	11	2938
	02 LST	5.9	5.3	7.0	6.7	9.6	9.0	8.6	10.0	7.7	7.5	6.8	6.6	90.7	11	2942
	08 LST	4.4	6.4	4.9	5.4	7.3	8.0	8.7	8.6	6.9	6.5	4.7	5.5	77.3	14	4490
	14 LST	4.2	3.4	4.0	3.9	5.5	8.2	8.3	7.0	5.7	4.9	3.8	3.9	62.8	11	2929
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	7.1	7.4	6.4	4.7	3.9	3.3	2.1	2.2	3.6	4.1	5.2	7.3	57.3	11	2579
	02 LST	5.7	5.9	4.4	3.5	3.2	2.2	2.2	1.9	3.0	4.6	5.3	7.5	49.4	11	2574
	08 LST	7.5	4.6	3.8	4.7	5.0	2.9	2.5	2.0	4.0	5.0	5.0	6.3	53.3	14	4137
	14 LST	9.0	8.8	9.5	11.1	8.4	5.6	5.8	6.0	7.8	9.2	8.2	9.5	98.9	11	2607
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	1.3	1.3	1.9	6.6	14.5	15.5	16.0	18.9	13.5	12.8	4.7	1.6	108.6	11	2579
	02 LST	1.0	1.2	0.9	3.7	10.8	14.1	16.5	15.0	12.9	10.6	5.2	1.1	93.0	11	2574
	08 LST	0.8	0.7	0.7	4.4	9.7	10.8	13.3	14.1	10.5	8.5	4.2	1.2	78.9	14	4137
	14 LST	1.6	2.2	3.4	6.4	10.4	11.0	10.4	9.8	8.1	9.3	7.4	2.5	82.5	11	2607
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	3.7	7.5	7.5	6.0	8.0	8.0	3.5	6.5	6.5	9.0	5.5	8.0	79.7	3	644
	02 LST	5.1	7.5	6.5	7.0	5.0	6.0	6.5	8.5	12.5	8.5	4.0	7.5	84.6	3	644
	08 LST	5.5	5.3	3.8	4.7	5.5	4.1	5.0	4.8	7.0	5.8	3.3	4.8	59.6	6	2191
	14 LST	2.8	4.5	5.5	4.0	2.0	1.0	2.0	1.5	3.5	4.0	2.0	4.0	36.8	3	644
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	16.5	13.7	15.3	16.8	18.3	19.8	21.4	21.1	18.8	20.1	15.9	17.2	214.9	11	2938
	02 LST	15.2	13.3	15.1	14.6	16.2	15.7	18.0	19.2	17.6	20.5	15.2	17.3	197.9	11	2942
	08 LST	14.7	13.2	12.4	12.8	15.3	15.5	17.1	16.2	17.0	17.5	12.5	15.4	179.6	14	4490
	14 LST	13.2	13.0	14.7	14.9	18.7	19.0	21.6	21.3	17.3	18.2	12.0	14.9	198.8	11	2929
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	13.9	11.7	13.0	12.7	14.6	14.4	18.5	17.3	15.8	15.7	10.3	13.2	171.1	11	2938
	02 LST	11.5	9.7	13.0	12.3	13.6	13.4	16.4	17.0	14.7	17.5	9.8	13.0	161.9	11	2942
	08 LST	12.3	11.4	10.1	10.7	14.1	14.0	16.5	14.5	15.2	15.0	9.6	12.4	155.8	14	4490
	14 LST	10.2	10.5	10.4	10.5	11.6	13.1	16.2	15.5	13.0	12.2	7.9	11.6	142.7	11	2929
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	13.0	11.2	12.1	11.4	12.3	12.4	16.0	14.5	14.1	14.3	9.8	11.8	152.9	11	2938
	02 LST	10.9	9.4	11.9	11.6	11.5	11.4	15.3	15.7	13.7	15.1	9.2	12.2	147.9	11	2942
	08 LST	11.7	10.1	9.2	9.7	12.1	12.1	15.4	13.5	13.9	13.7	8.5	11.3	141.2	14	4490
	14 LST	9.4	9.1	9.7	9.3	9.1	10.4	14.3	13.1	11.6	10.9	6.3	10.7	123.9	11	2929

BUCHANS, CANADA

STA NO. 72804 (IN AREA NUMBER 11)

LATITUDE 4851N

LONGITUDE 05650W

ELEVATION(FT) 00906

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	47	46	53	64	81	89	94	89	83	68	63	53	94	30	-110
MEAN MAX TMP (F)	23	23	29	38	51	62	72	70	61	49	38	28	45	13	-105
MEAN MIN TMP (F)	8	6	12	23	33	41	51	50	44	34	26	15	29	13	-105
ABS MIN TMP (F)	-28	-24	-22	-10	14	28	34	30	26	14	4	-23	-28	30	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0		13	-29
MEAN NO DYS TMP = OR LES 32(F)							0.0	0.0						30	-29
MEAN NO DYS TMP = OR LES 0(F)					0.0	0.0	0.0	0.0	0.0	0.0	0.0			30	-29
MEAN DEW PT TMP (F)	15	12	18	27	35	44	53	53	46	37	30	21	33	8	-106
MEAN REL HUM (PCT)	93	93	90	88	81	76	77	79	81	85	88	92	85	8	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.57	2.83	2.43	2.75	3.03	3.03	3.06	3.77	4.24	4.24	4.22	3.00	40.2	12	-105
MEAN SNOW FALL (IN)	28.5	21.3	16.6	12.2	1.5	0.6	0.0	0.0	0.0	2.4	10.7	19.8	113.6	12	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.4	8.0	6.8	7.5	8.0	6.8	6.8	7.7	8.8	8.8	8.8	8.3	95.7	12	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	5.9	4.6	3.7	2.6	0.2	0.1	0.0	0.0	0.0	0.4	2.4	4.2	24.1	12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2.0	1.0	0.0	0.0	0.0	4.0	7	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 9000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BUCHANS, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR	20	LST												0	0
3 MI W/SFC WND LES 10 KTS	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SFC WND = GTR 17 KTS AND	20	LST												0	0
NO PRECIP.	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	20	LST												0	0
DEG F AND NO PRECIP.	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SKY COVER LES 3/10 AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 2500 FT AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 6000 FT AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 10000 FT AND	20	LST												0	3
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0

DATA NOT AVAILABLE

ARGENTIA NS, CANADA

STA NO. 72807 (IN AREA NUMBER 11)

LATITUDE 4718N

LONGITUDE 05359W

ELEVATION(FT) 00051

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	56	63	58	61	67	71	78	78	74	71	65	60	78	12	4378
MEAN MAX TMP (F)	34	33	35	41	47	55	62	65	59	52	46	38	47	12	4378
MEAN MIN TMP (F)	24	23	26	32	37	45	53	56	50	43	37	29	38	12	4378
ABS MIN TMP (F)	-4	-4	5	18	30	34	43	44	40	29	22	8	-4	12	4378
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4378
MEAN NO DYS TMP = OR LES 32(F)	25.6	24.1	27.4	15.8	2.9	0.0	0.0	0.0	0.0	0.9	6.8	20.6	124.1	12	4378
MEAN NO DYS TMP = OR LES 0(F)	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	12	4378
MEAN DEW PT TMP (F)	25	23	26	32	38	45	53	56	50	42	37	29	38	12	104958
MEAN REL HUM (PCT)	84	84	85	87	87	88	90	88	84	83	85	84	86	12	104932
MEAN PRESS ALT (FT)	200	203	182	104	73	77	60	38	52	84	107	203	115	0	-50
MEAN PRECIP (IN)	4.87	3.84	3.16	2.90	2.59	2.41	3.24	3.28	3.14	3.64	4.98	4.52	42.6	12	4347
MEAN SNOW FALL (IN)	21.5	16.8	13.6	3.9	1.3	0.0	0.0	0.0	0.0	0.1	0.8	12.4	70.4	12	4345
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.6	8.9	8.2	8.0	5.9	5.8	5.8	6.7	6.0	7.7	9.4	9.9	92.9	12	4347
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.8	3.6	3.1	0.7	0.2	0.0	0.0	0.0	0.0	0.0	0.2	2.8	14.4	12	4345
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.6	4.3	5.5	7.6	8.7	12.2	17.0	10.0	6.9	4.5	4.1	4.2	90.6	12	4378
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.1	0.3	0.4	1.1	1.1	0.3	0.2	0.2	0.2	3.9	12	4378
P FREQ WND SPD = OR GTR 17 KTS	52.6	49.7	48.4	38.7	30.7	27.4	28.6	27.6	35.6	45.7	49.1	54.4	40.7	12	104931
P FREQ WND SPD = OR GTR 28 KTS	17.7	13.3	12.6	7.5	4.0	1.8	1.4	2.0	4.5	7.7	14.8	17.9	8.8	12	104931
P FREQ LES 5000 FT A/O LES 5 MI	71.0	65.9	64.9	63.9	60.7	61.1	61.1	55.5	46.1	55.9	68.3	72.3	62.2	12	109022
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	31.9	30.0	31.9	39.8	46.0	47.4	55.4	39.4	27.9	24.8	27.8	25.2	35.6	12	13126
03-05 LST	31.9	35.7	33.5	40.1	50.3	52.6	57.1	43.7	29.4	25.5	31.3	26.1	38.1	12	13126
06-08 LST	30.9	34.2	32.7	39.0	50.4	49.9	54.9	44.4	30.8	29.7	33.3	28.3	38.2	12	13131
09-11 LST	34.2	31.1	33.7	38.7	41.9	44.9	48.9	42.3	27.9	29.4	34.3	27.3	36.2	12	13129
12-14 LST	34.9	30.7	29.9	37.7	32.6	36.7	41.7	36.4	23.3	26.2	31.3	27.3	32.4	12	13128
15-17 LST	33.9	29.9	30.8	35.3	32.3	36.2	39.6	34.4	23.8	26.4	31.5	31.3	32.1	12	13125
18-20 LST	32.0	30.5	28.4	35.8	36.6	38.4	43.4	35.9	26.4	25.3	29.4	26.7	32.4	12	13127
21-23 LST	31.8	30.5	29.7	40.1	41.2	40.7	48.0	38.0	27.6	25.1	28.1	25.2	33.8	12	13130
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	5.7	6.1	6.6	11.3	14.4	23.8	30.4	16.3	9.3	6.0	4.6	4.8	11.6	12	13126
03-05 LST	5.8	6.1	5.9	11.8	13.9	23.8	30.2	15.2	8.1	5.8	4.3	5.0	11.3	12	13126
06-08 LST	6.0	6.5	5.6	8.7	10.8	21.9	25.2	14.1	9.8	5.7	4.6	4.0	10.2	12	13131
09-11 LST	6.6	6.1	6.5	7.5	8.1	14.4	17.7	13.9	8.0	5.3	6.5	4.6	8.8	12	13129
12-14 LST	6.0	6.0	5.9	7.0	6.9	14.4	16.8	11.3	6.9	5.1	7.3	5.8	8.3	12	13128
15-17 LST	7.4	6.8	5.6	7.4	7.4	15.1	18.5	12.1	8.0	5.0	6.9	5.5	8.8	12	13125
18-20 LST	6.5	6.3	6.7	8.5	9.5	17.3	21.3	11.5	9.5	5.5	5.6	5.1	9.4	12	13127
21-23 LST	5.6	5.4	5.2	8.9	11.3	19.4	24.6	12.5	10.0	5.8	4.6	3.8	9.8	12	13130

ARGENTIA NS, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	23.7	21.8	25.4	21.2	21.1	20.3	18.8	21.6	23.9	25.3	24.2	25.0	272.3	12	4378
	02 LST	23.4	21.1	23.9	20.6	18.4	17.1	15.3	20.5	23.6	25.8	24.1	25.8	259.6	12	4378
	08 LST	23.3	22.2	23.7	21.5	19.5	17.0	16.1	19.8	23.3	25.1	22.7	25.0	259.2	12	4378
	14 LST	22.5	22.1	24.6	22.1	23.8	20.7	20.2	21.4	24.9	25.6	23.6	25.5	277.0	12	4378
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	2.6	2.4	4.8	4.4	5.3	5.6	4.2	4.8	5.3	4.9	5.3	4.5	54.1	12	4375
	02 LST	3.2	3.2	4.1	5.3	6.1	7.1	4.7	6.3	7.1	4.5	4.1	4.4	60.1	12	4375
	08 LST	4.1	3.4	4.1	5.8	5.1	6.0	4.5	5.8	6.4	4.5	3.8	3.5	57.0	12	4375
	14 LST	3.6	3.2	3.5	4.3	4.0	3.7	3.3	3.1	4.7	3.8	4.0	3.3	44.5	12	4375
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	16.6	14.0	14.2	11.6	9.1	8.3	8.9	8.7	11.4	13.7	13.2	16.5	146.2	12	4019
	02 LST	16.8	12.8	13.2	9.2	7.1	4.8	5.3	6.3	9.5	14.0	14.4	15.5	128.9	12	3970
	08 LST	15.1	13.4	14.1	10.1	9.0	7.4	6.3	7.6	9.2	13.1	14.6	16.6	136.5	12	4058
	14 LST	16.3	13.6	14.9	12.6	11.2	10.1	11.3	10.5	12.5	14.7	14.0	17.2	158.9	12	4086
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	2.7	1.8	2.8	7.3	10.7	8.9	8.7	9.3	7.1	7.9	6.9	4.0	78.1	12	4018
	02 LST	1.6	1.8	2.1	6.6	11.7	11.6	12.0	12.2	10.1	8.1	7.0	3.0	87.8	12	3969
	08 LST	2.0	1.8	2.1	7.2	11.3	11.9	10.9	11.4	9.7	6.1	5.6	3.4	83.4	12	4057
	14 LST	2.5	2.6	4.1	7.9	7.8	9.1	7.8	8.0	7.4	6.9	6.7	3.6	74.4	12	4085
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	3.5	5.1	5.6	3.4	4.2	3.7	2.8	4.0	6.6	6.7	3.9	3.0	52.5	12	4377
	02 LST	4.0	5.0	5.0	4.5	5.1	4.8	5.2	6.8	8.8	6.2	4.1	3.4	62.9	12	4378
	08 LST	2.4	2.6	2.6	2.9	3.4	3.0	3.4	3.2	5.3	3.7	1.5	1.0	35.0	12	4377
	14 LST	2.1	3.2	3.4	2.7	3.4	3.1	4.2	3.7	5.1	2.8	1.2	1.6	36.5	12	4377
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	15.6	14.8	17.1	15.8	16.6	15.8	15.2	16.3	20.0	20.1	18.2	16.5	202.0	12	4378
	02 LST	15.0	14.4	16.2	14.9	13.5	13.6	12.6	16.3	18.9	18.8	17.2	17.7	189.1	12	4378
	08 LST	14.2	12.5	15.1	14.4	12.5	12.2	12.0	14.8	17.6	17.4	13.6	14.4	170.7	12	4378
	14 LST	13.7	13.8	15.7	15.2	17.2	16.1	16.7	16.6	20.3	18.0	15.1	14.3	192.7	12	4378
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	8.4	9.8	11.7	11.0	13.1	12.8	13.1	14.5	16.8	14.6	10.7	8.6	145.1	12	4378
	02 LST	8.2	9.5	10.9	10.0	10.7	10.5	11.2	14.3	16.2	13.4	9.6	8.1	132.6	12	4378
	08 LST	9.4	9.2	10.0	9.8	10.1	10.5	10.0	12.6	14.2	13.0	7.8	7.1	123.7	12	4378
	14 LST	8.5	9.7	11.9	11.5	14.1	13.2	13.9	14.5	17.7	12.5	9.1	7.7	144.3	12	4378
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	7.1	9.2	10.1	9.3	11.0	10.1	10.9	11.7	14.1	12.9	9.1	6.9	122.4	12	4378
	02 LST	7.3	8.8	9.5	8.3	8.6	9.1	9.6	12.5	14.5	11.3	8.1	7.1	114.7	12	4378
	08 LST	7.6	7.4	7.8	7.7	8.1	8.5	8.6	10.7	12.1	10.4	5.6	5.6	100.1	12	4378
	14 LST	7.1	7.8	10.1	9.6	11.8	11.6	12.0	12.8	15.2	10.8	6.3	5.5	120.6	12	4378

BELLE ISLE, CANADA

STA NO. 72809 (IN AREA NUMBER 11)

LATITUDE 5153N

LONGITUDE 05523W

ELEVATION(FT) 00426

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	40	40	44	56	59	69	73	72	69	58	52	45	73	60	-110
MEAN MAX TMP (F)	18	17	24	31	38	46	54	55	50	41	32	24	36	27	-105
MEAN MIN TMP (F)	4	5	14	23	29	36	43	45	41	33	24	14	26	27	-105
ABS MIN TMP (F)	-31	-30	-20	-10	4	19	25	29	26	12	-6	-30	-31	60	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0	27	-29
MEAN NO DYS TMP = OR LES 32(F)								0.0						6	-29
MEAN NO DYS TMP = OR LES 0(F)					0.0	0.0	0.0	0.0	0.0	0.0				60	-29
MEAN DEW PT TMP (F)	10	11	17	25	31	38	46	48	43	35	28	18	29	9	-106
MEAN REL HUM (PCT)	89	90	91	92	93	92	92	91	91	93	92	91	91	9	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.49	2.03	2.21	2.36	2.73	3.07	2.96	2.99	3.06	3.36	2.73	2.67	32.1	27	-105
MEAN SNOW FALL (IN)	12.4	15.4	15.3	11.6	2.9	0.6	0.0	0.1	0.4	3.7	8.5	19.4	90.3	27	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.7	6.2	6.3	6.7	7.4	7.3	6.7	6.7	6.9	7.4	6.3	7.7	80.3	27	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.6	3.3	3.3	2.4	0.5	0.1	0.0	0.0	0.0	0.6	1.8	4.2	18.8	27	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BELLE ISLE, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR	20	LST												0	0
3 MI W/SFC WND LES 10 KTS	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SFC WND = GTR 17 KTS AND	20	LST												0	0
NO PRFCIP.	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	20	LST												0	0
DEG F AND NU PRECIP.	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SKY COVER LES 3/10 AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 2500 FT AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 6000 FT AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 10000 FT AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0

DATA NOT AVAILABLE

ANTICOSTI, CANADA

STA NO. 72810 (IN AREA NUMBER 11)

LATITUDE 4949N

LONGITUDE 06421W

ELEVATION(FT) 00016

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	47	43	48	71	78	85	79	80	73	68	57	52	85	80	-110
MEAN MAX TMP (F)	20	19	27	36	45	55	62	61	54	45	35	26	40	58	-105
MEAN MIN TMP (F)	5	5	15	26	35	44	51	51	44	35	26	14	29	58	-105
ABS MIN TMP (F)	-40	-35	-20	-3	19	26	35	28	20	8	-4	-39	-40	80	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	58	-29
MEAN NO DYS TMP = OR LES 32(F)							0.0	0.0	0.0	0.0				80	-29
MEAN NO DYS TMP = OR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				80	-29
MEAN DEW PT TMP (F)	15	14	22	30	38	45	55	55	48	39	31	20	34	9	-106
MEAN REL HUM (PCT)	94	93	93	93	88	89	88	90	89	88	90	93	91	9	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.37	1.65	1.84	1.86	2.44	3.00	3.05	3.37	2.63	3.46	2.81	2.32	30.8	58	-105
MEAN SNOW FALL (IN)	19.0	14.0	12.9	6.4	0.5	0.0	0.0	0.0	0.1	0.7	7.2	16.8	77.6	58	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.0	5.2	5.5	5.5	6.8	6.7	6.8	7.2	6.2	7.6	6.5	6.9	77.9	58	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	4.1	3.0	2.7	1.3	0.0	0.0	0.0	0.0	0.0	0.1	1.4	3.6	16.2	58	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	1.0	2.0	2.0	1.0	0.0	0.0	0.0	6.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

ANTICOSTI, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20	LST												0	0
	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	20	LST												0	0
	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20	LST												0	0
	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20	LST												0	0
	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20	LST												0	0
	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20	LST												0	0
	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20	LST												0	0
	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20	LST												0	0
	02	LST												0	0
	08	LST												0	0
	14	LST												0	0

DATA NOT AVAILABLE

ERNEST HARMON, CANADA

STA NO. 72975/ (IN AREA NUMBER 11)

LATITUDE 4832N

LONGITUDE 05833W

ELEVATION(FT) 00086

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	54	52	60	62	76	86	83	83	82	68	63	60	86	12	4333
MEAN MAX TMP (F)	30	28	34	42	52	61	67	67	61	51	43	33	47	12	4383
MEAN MIN TMP (F)	19	16	21	30	36	46	54	54	48	39	33	23	35	12	4383
ABS MIN TMP (F)	-15	-17	-9	10	21	30	40	37	32	26	18	5	-17	12	4383
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN NO DYS TMP = OR LES 32(F)	27.2	25.5	27.7	20.4	5.3	0.1	0.0	0.0	0.1	3.8	14.6	27.3	152.0	12	4383
MEAN NO DYS TMP = OR LES 0(F)	0.9	4.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1	12	4383
MEAN DEW PT TMP (F)	19	15	20	29	37	46	54	54	48	39	32	22	35	12	105114
MEAN REL HUM (PCT)	77	75	75	77	74	77	79	80	79	78	80	78	77	12	105112
MEAN PRESS ALT (FT)	229	220	197	132	108	134	143	111	105	140	159	232	159	0	-50
MEAN PRECIP (IN)	4.56	3.43	2.65	2.03	2.74	3.24	3.48	3.96	3.76	3.82	4.77	4.53	43.0	12	4383
MEAN SNOW FALL (IN)	35.1	27.9	20.4	7.8	1.8	0.0	0.0	0.0	0.0	1.1	6.6	34.3	135.0	12	4383
MEAN NO DYS PRCP = OR GTR 0.1 IN	13.6	9.7	7.8	6.1	6.8	7.5	7.8	7.7	8.7	9.8	12.8	12.9	111.2	12	4383
MEAN NO DYS SNFL = OR GTR 1.5 IN	7.2	5.8	4.6	1.7	0.5	0.0	0.0	0.0	0.0	0.3	1.1	8.0	29.2	12	4383
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.7	4.9	3.9	2.6	2.2	3.7	3.4	2.2	1.5	1.8	2.6	5.7	41.2	12	4380
MEAN NO DYS TSTMS	0.2	0.0	0.2	0.2	0.2	0.8	2.4	2.1	0.6	0.5	0.2	0.2	7.6	12	4383
P FREQ WND SPD = OR GTR 17 KTS	20.3	16.7	15.6	10.7	5.8	2.3	1.7	3.4	4.6	6.7	10.4	17.2	9.6	12	105112
P FREQ WND SPD = OR GTR 28 KTS	2.5	3.0	1.9	1.0	0.2	0.0	0.0	0.1	0.3	0.5	0.9	1.2	1.0	12	105112
P FREQ LES 5000 FT A/O LES 5 MI	79.1	68.6	61.2	54.9	40.7	43.2	42.8	43.1	43.7	54.6	73.7	80.6	57.2	12	105116
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	22.3	21.0	17.3	18.2	13.9	17.6	16.8	16.0	12.5	9.5	12.7	18.5	16.4	12	13141
03-05 LST	22.0	22.7	16.8	16.3	14.6	20.6	17.6	16.2	14.8	9.6	13.0	19.6	17.0	12	13143
06-08 LST	22.5	22.4	18.1	18.7	12.5	18.2	17.7	14.3	13.9	10.2	13.8	19.4	16.8	12	13143
09-11 LST	26.3	26.5	18.3	15.9	10.0	14.4	12.9	12.7	12.3	9.2	15.3	21.9	16.3	12	13143
12-14 LST	25.6	23.3	19.3	13.6	10.1	12.0	12.5	11.1	7.4	8.6	13.0	25.2	15.1	12	13143
15-17 LST	27.0	23.6	18.6	13.0	11.3	8.7	13.6	12.1	8.0	10.2	13.3	25.3	15.5	12	13143
18-20 LST	23.0	19.8	13.7	16.5	12.8	12.5	15.9	12.9	10.1	9.7	13.7	21.4	15.2	12	13143
21-23 LST	23.3	21.5	12.6	15.9	15.0	14.4	15.5	15.8	11.5	9.4	14.0	18.1	15.6	12	13143
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	3.4	3.9	3.9	4.7	2.3	4.0	3.3	2.2	1.2	1.0	1.9	4.1	3.0	12	13141
03-05 LST	4.9	3.9	3.9	3.7	2.2	5.5	4.0	1.4	2.0	1.0	1.4	3.7	3.1	12	13143
06-08 LST	5.9	5.7	4.0	4.2	1.7	3.9	2.5	1.3	2.1	2.2	2.6	5.0	3.4	12	13143
09-11 LST	9.4	8.1	4.0	2.4	1.4	2.3	1.6	1.7	2.1	1.4	2.6	7.4	3.7	12	13143
12-14 LST	7.9	6.7	4.7	1.5	1.3	1.5	2.1	1.5	1.2	0.5	2.1	7.3	3.2	12	13143
15-17 LST	8.2	8.2	4.4	1.3	1.9	2.3	3.0	2.8	1.0	1.3	1.6	6.7	3.6	12	13143
18-20 LST	5.4	3.8	3.0	1.9	2.2	3.1	4.7	2.9	1.4	1.3	1.8	4.7	3.0	12	13143
21-23 LST	5.8	3.5	3.6	2.6	2.2	3.3	3.5	2.2	1.4	1.6	1.9	3.5	2.9	12	13143

ERNEST HARMON, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	25.7	23.7	27.4	27.0	27.7	26.9	26.4	27.7	27.6	28.7	27.6	25.7	322.1	12	4382
	02 LST	25.2	23.8	26.7	25.1	27.5	25.8	27.0	28.1	28.3	29.3	28.0	26.8	321.6	12	4382
	08 LST	25.1	23.0	26.0	25.8	28.6	26.3	27.9	28.8	27.8	29.2	27.2	26.0	321.7	12	4382
	14 LST	24.8	22.3	25.3	26.9	28.6	27.5	28.3	28.5	28.7	29.6	27.4	24.1	322.0	12	4381
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	10.4	12.1	15.1	15.7	19.3	21.1	21.4	19.5	19.4	17.6	14.3	12.1	198.0	12	4382
	02 LST	10.2	10.9	14.3	15.2	18.3	18.8	20.1	20.6	19.7	18.4	15.9	11.6	194.0	12	4382
	08 LST	11.3	10.8	12.5	12.6	15.5	17.3	18.3	17.6	16.1	15.7	14.4	11.9	174.0	12	4382
	14 LST	8.6	9.2	8.6	7.7	8.7	11.8	13.3	12.2	12.8	12.2	12.8	9.7	127.6	12	4381
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	3.9	4.1	3.6	2.6	1.4	0.2	0.2	0.7	0.7	2.1	2.6	3.4	25.5	12	3782
	02 LST	4.8	3.4	2.4	2.3	0.6	0.2	0.2	0.7	1.1	1.6	2.4	4.2	23.9	12	3791
	08 LST	5.8	3.8	4.2	2.6	2.5	0.8	0.4	0.5	1.2	2.2	2.2	4.5	30.7	12	3791
	14 LST	5.7	4.5	5.5	4.1	2.8	1.5	1.3	2.1	2.4	2.3	3.4	4.4		12	3771
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	4.0	2.2	3.8	9.2	14.9	15.3	15.6	16.4	14.9	14.3	11.0	4.8	126.4	12	3782
	02 LST	3.2	2.0	4.0	6.4	14.0	14.7	13.5	14.4	14.9	14.7	12.1	4.5	118.4	12	3792
	08 LST	2.6	1.5	3.6	10.3	13.8	16.0	15.1	17.0	14.2	14.2	10.7	4.4	123.4	12	3791
	14 LST	5.2	2.5	6.9	12.3	14.4	17.0	17.2	16.2	15.2	17.1	13.4	6.1	143.5	12	3771
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	0.9	3.2	5.0	4.1	5.9	3.2	4.2	5.0	6.2	5.5	1.9	2.2	47.3	12	4382
	02 LST	1.6	3.4	5.1	5.6	8.0	6.0	7.5	8.6	8.1	5.6	1.9	1.3	62.7	12	4382
	08 LST	0.4	1.6	2.3	2.7	3.8	3.5	4.0	2.4	3.1	2.7	1.1	0.6	28.4	12	4382
	14 LST	0.4	2.0	2.5	2.7	5.6	3.2	3.3	3.9	3.7	3.4	1.2	0.9	32.8	12	4381
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	16.4	17.1	21.6	21.8	22.8	23.3	23.3	22.4	23.7	24.8	20.3	17.5	255.0	12	4382
	02 LST	17.0	16.5	22.2	19.5	23.6	20.6	21.5	22.7	23.0	23.7	20.3	17.6	248.2	12	4382
	08 LST	18.2	16.3	20.4	19.7	23.4	21.2	21.1	22.5	21.7	23.9	19.7	17.3	245.4	12	4382
	14 LST	16.4	16.1	19.2	21.5	23.7	23.3	24.1	24.1	25.0	24.4	18.8	15.7	252.3	12	4381
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	6.1	8.4	12.9	13.3	17.1	17.3	17.6	16.6	16.7	13.5	7.0	5.4	151.9	12	4382
	02 LST	5.3	8.1	12.7	11.9	16.7	15.4	16.9	16.6	15.8	13.3	7.6	4.8	145.1	12	4382
	08 LST	4.8	7.5	10.7	12.7	16.6	16.1	15.5	15.9	14.9	12.6	7.1	6.4	140.8	12	4382
	14 LST	6.5	8.2	10.8	14.0	16.9	17.6	18.6	17.6	17.1	13.3	7.4	5.2	153.2	12	4381
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	4.2	7.2	10.6	11.4	13.9	13.2	14.2	13.2	14.5	11.2	6.0	3.8	123.4	12	4382
	02 LST	4.1	7.1	10.7	10.2	13.6	12.2	13.2	14.1	13.6	11.3	5.5	3.9	119.5	12	4382
	08 LST	3.4	6.0	7.8	10.8	12.9	13.0	12.9	12.6	12.4	10.0	4.6	4.2	110.6	12	4382
	14 LST	4.3	6.5	9.1	12.3	14.8	14.7	15.6	14.3	14.4	10.7	5.1	3.8	125.6	12	4381

SHEARWATER RCNAS, CANADA

STA NO. 72989/ (IN AREA NUMBER 11)

LATITUDE 4438N

LONGITUDE 06330W

ELEVATION(FT) 00167

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	57	54	70	87	90	94	99	94	94	88	75	62	99	90	-74395
MEAN MAX TMP (F)	32	31	38	47	59	68	74	74	67	57	46	35	52	75	-74395
MEAN MIN TMP (F)	15	15	23	31	40	48	55	56	50	41	32	21	36	75	-74395
ABS MIN TMP (F)	-17	-21	-10	7	22	32	40	39	29	19	4	-14	-21	90	-74395
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-74395
MEAN NO DYS TMP = OR LES 32(F)	26.5	25.9	26.9	11.5	1.5	0.0	0.0	0.0	0.0	2.1	9.5	22.2	126.1	12	-74395
MEAN NO DYS TMP = OR LES 0(F)	1.6	1.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3.4	12	-74395
MEAN DEW PT TMP (F)	19	18	25	31	41	49	58	58	53	44	36	24	38	10	-74395
MEAN REL HUM (PCT)	76	72	69	68	69	70	73	74	74	73	78	74	73	10	-74395
MEAN PRESS ALT (FT)	136	162	183	151	139	140	137	112	73	85	127	161	134	0	-50
MEAN PRECIP (IN)	5.40	4.35	4.85	4.54	4.14	4.04	3.79	4.38	4.13	5.42	5.31	5.39	55.7	71	-74395
MEAN SNOW FALL (IN)	18.9	18.8	11.9	5.7	0.1	0.0	0.0	0.0	0.0	0.2	2.7	12.5	70.8	71	-74395
MEAN NO DYS PRCP = OR GTR 0.1 IN	11.7	10.5	10.9	10.5	9.9	8.0	7.7	8.3	8.7	10.7	10.5	11.7	119.1	71	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	5.0	3.9	2.7	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3.2	16.3	4	-74395
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.4	4.0	6.0	7.7	7.5	7.9	10.8	7.4	4.6	3.6	4.1	4.4	73.2	8	-74395
MEAN NO DYS TSTMS	0.2	0.0	0.1	1.1	0.8	1.5	1.4	1.8	1.0	0.3	0.3	0.2	8.7	8	-74395
P FREQ WND SPD = OR GTR 17 KTS	19.3	21.0	18.2	11.6	8.8	3.3	2.5	4.1	5.9	9.3	14.4	16.4	11.2	8	-74395
P FREQ WND SPD = OR GTR 28 KTS	1.3	2.0	1.3	0.3	0.2	0.1	0.0	0.2	0.5	0.2	2.6	1.5	0.9	8	-74395
P FREQ LES 5000 FT A/O LES 5 MI	51.4	52.4	52.5	54.2	42.7	40.4	38.0	39.2	34.1	38.8	55.0	52.8	46.0	8	-74395
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	26.6	26.9	28.5	28.3	27.2	29.1	31.3	28.6	21.0	19.5	19.2	25.8	26.0	8	-74395
03-05 LST	21.9	24.0	23.5	31.1	30.6	33.1	43.7	31.1	22.3	17.7	17.9	20.0	26.4	5	-74395
06-08 LST	30.5	27.0	29.7	35.6	31.1	37.9	43.0	37.2	31.6	26.8	28.9	25.0	32.0	12	-74395
09-11 LST	23.4	21.2	20.2	21.0	17.4	20.8	22.4	19.3	19.8	12.8	22.0	21.5	20.2	5	-74395
12-14 LST	21.2	17.9	19.4	16.9	15.9	15.5	15.7	13.9	13.3	12.7	22.4	21.5	17.2	8	-74395
15-17 LST	22.8	19.3	19.1	19.6	14.0	17.9	14.0	12.2	12.9	9.7	19.8	21.1	16.9	5	-74395
18-20 LST	25.8	18.9	23.7	24.8	20.4	22.2	21.1	20.3	17.8	15.4	22.0	21.9	21.2	8	-74395
21-23 LST	25.7	26.3	22.6	28.5	25.2	28.2	25.2	26.3	19.2	20.5	19.7	20.7	24.0	5	-74395
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	4.7	5.5	5.7	10.0	9.9	11.9	13.7	11.7	5.5	4.2	4.6	5.0	7.7	8	-74395
03-05 LST	5.2	5.0	10.1	11.6	10.3	17.0	24.1	14.3	9.1	5.4	3.4	3.2	9.9	5	-74395
06-08 LST	10.6	9.4	10.9	13.6	13.0	18.1	23.1	14.6	13.4	9.0	9.9	7.5	12.8	12	-74395
09-11 LST	8.8	5.7	5.6	6.0	3.9	6.5	6.0	2.3	2.9	2.6	4.5	6.5	5.1	5	-74395
12-14 LST	8.5	5.9	3.8	5.2	3.8	4.0	4.2	2.4	2.4	2.9	5.6	7.4	4.7	8	-74395
15-17 LST	5.6	3.6	4.9	5.8	3.9	7.2	4.7	2.7	2.0	1.9	2.7	4.1	4.1	5	-74395
18-20 LST	4.9	4.2	6.8	8.1	7.7	13.4	10.6	6.8	3.5	2.5	4.4	4.2	6.4	8	-74395
21-23 LST	4.8	4.3	5.4	7.3	7.1	11.6	11.6	7.1	3.6	1.1	3.2	4.1	5.9	5	-74395

SHEARWATER RCNAS, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	24.4	22.7	24.6	22.8	24.1	23.0	22.8	22.7	25.0	25.8	24.2	24.6	286.7	8	-74395
	02 LST	23.3	22.7	23.4	20.6	22.5	19.9	18.7	21.2	22.7	24.6	25.1	25.3	270.0	8	-74395
	08 LST	23.2	22.5	23.9	23.0	23.5	21.5	21.0	22.3	23.5	25.4	22.4	25.2	277.4	12	-74395
	14 LST	24.4	23.5	24.8	23.3	26.0	24.1	26.1	27.0	26.0	26.1	24.9	24.6	300.8	8	-74395
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	12.8	10.8	11.1	14.3	17.1	16.0	17.5	18.0	17.4	15.9	13.1	11.7	175.7	8	-74395
	02 LST	11.4	9.9	9.8	11.7	14.0	13.2	14.4	15.3	14.6	14.2	11.4	10.7	150.6	8	-74395
	08 LST	9.1	8.1	6.6	9.1	8.6	9.4	12.1	13.2	10.9	11.2	9.1	9.0	116.4	12	-74395
	14 LST	12.0	8.9	9.0	8.7	11.5	11.2	11.3	13.9	12.6	13.0	10.0	12.3	134.4	8	-74395
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	3.2	4.3	3.3	1.0	1.2	0.7	0.3	0.1	0.9	1.8	3.1	3.8	23.7	8	-74395
	02 LST	4.1	2.4	4.5	1.7	1.1	0.7	0.1	0.6	0.9	2.5	3.3	4.7	26.6	8	-74395
	08 LST	4.8	4.3	4.7	3.7	4.0	1.5	0.7	1.0	1.7	3.5	3.6	4.2	37.7	12	-74395
	14 LST	4.9	4.6	4.9	2.4	3.2	2.3	1.4	1.6	2.5	2.9	4.2	3.6	38.5	8	-74395
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	4.0	1.4	4.0	14.7	14.6	14.5	13.0	15.5	14.9	16.2	12.2	6.5	131.5	8	-74395
	02 LST	3.4	2.6	4.5	14.2	15.7	14.2	14.1	14.0	16.2	15.0	11.9	5.3	131.1	8	-74395
	08 LST	3.3	1.9	4.4	9.9	12.4	13.9	16.4	16.2	13.3	13.7	8.6	4.9	118.9	12	-74395
	14 LST	4.1	4.1	8.5	13.4	15.7	16.6	16.9	16.2	15.1	14.5	12.8	6.3	144.2	8	-74395
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	7.3	9.4	8.7	8.0	7.3	9.0	8.7	13.0	14.7	12.3	7.2	9.0	11.6	5	-74395
	02 LST	8.5	9.2	7.8	6.3	6.7	7.4	8.7	10.7	13.2	12.7	8.0	9.0	108.2	5	-74395
	08 LST	7.5	7.6	6.4	7.0	7.9	4.9	7.1	7.7	8.6	8.8	4.7	4.7	82.9	9	-74395
	14 LST	7.2	6.9	5.7	6.0	5.0	4.7	6.0	9.0	7.2	9.0	4.5	7.0	78.2	5	-74395
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	19.0	17.5	19.6	18.5	20.5	19.7	20.7	20.5	22.3	22.9	18.4	19.7	239.3	8	-74395
	02 LST	18.8	17.0	18.0	16.0	18.0	17.1	16.8	18.1	20.7	21.4	19.3	19.1	220.3	8	-74395
	08 LST	18.2	18.1	18.7	18.8	20.8	18.5	19.0	19.8	20.0	21.1	17.6	19.0	229.6	12	-74395
	14 LST	19.3	18.7	20.0	19.1	22.8	22.1	24.1	24.1	23.0	22.1	17.7	19.6	252.6	8	-74395
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	20 LST	14.9	14.2	14.6	15.2	18.0	17.3	19.3	19.3	20.1	19.4	12.9	14.0	199.2	8	-74395
	02 LST	14.9	13.4	12.7	13.0	16.3	15.8	15.4	16.3	19.1	17.9	13.2	13.3	181.5	8	-74395
	08 LST	15.1	14.1	13.7	14.8	17.6	16.1	16.7	17.6	17.9	17.5	12.7	14.1	187.9	12	-74395
	14 LST	16.5	15.3	14.7	14.2	18.3	19.4	21.5	21.8	21.0	18.8	13.2	15.7	210.4	8	-74395
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	13.8	13.6	13.5	12.0	15.7	15.3	17.9	17.4	19.3	18.2	10.9	12.3	179.9	8	-74395
	02 LST	13.5	12.5	11.4	10.0	13.6	13.7	14.4	14.8	17.1	16.4	11.6	11.8	160.8	8	-74395
	08 LST	13.6	13.3	12.6	13.6	16.6	14.9	16.2	16.5	17.3	16.3	12.0	12.5	175.4	12	-74395
	14 LST	14.6	14.0	12.4	11.5	16.8	16.6	20.6	20.6	19.4	17.3	11.7	13.9	189.4	8	-74395

ST. ANDREWS, CANADA

STA NO. 74197 (IN AREA NUMBER 11)

LATITUDE 4746N

LONGITUDE 05920W

ELEVATION(FT) 00035

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	55	58	58	65	71	78	81	79	77	69	63	59	81	20	-110
MEAN MAX TMP (F)	32	30	35	43	52	60	68	68	61	52	45	35	48	10	-105
MEAN MIN TMP (F)	18	15	20	29	35	43	51	52	46	38	31	24	34	10	-105
ABS MIN TMP (F)	-11	-10	-11	3	20	27	35	35	30	23	16	4	-11	20	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 32(F)							0.0	0.0	0.0					20	-29
MEAN NO DYS TMP = OR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		20	-29
MEAN DEW PT TMP (F)	21	18	23	30	38	46	56	57	51	41	34	26	37	8	-106
MEAN REL HUM (PCT)	87	88	86	84	81	82	86	87	87	86	86	86	86	8	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRESS ALT (FT)														10	-105
MEAN PRECIP (IN)	4.69	3.45	2.52	2.37	2.97	3.35	2.98	3.75	3.71	3.36	5.16	4.16	42.5	10	-105
MEAN SNOW FALL (IN)	14.5	13.1	8.4	2.4	0.8	0.0	0.0	0.0	0.0	0.1	2.3	13.2	54.8	10	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.9	9.2	7.0	6.7	7.9	7.2	6.7	7.6	8.0	7.4	10.3	10.3	99.2	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.1	2.8	1.7	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.4	2.8	11.3	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	2.0	1.0	2.0	1.0	0.0	0.0	0.0	6.0	7	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/O LES 3 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

ST. ANDREWS, CANADA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20	LST												0	0
	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	20	LST												0	0
	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20	LST												0	0
	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20	LST												0	0
	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20	LST												0	0
	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20	LST												0	0
	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20	LST												0	0
	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20	LST												0	0
	02	LST												0	0
	08	LST												0	0
	14	LST												0	0

DATA NOT AVAILABLE

HALIFAX INTL., CANADA

STA NO. 74395 (IN AREA NUMBER 11)

LATITUDE 4453N

LONGITUDE 0633W

ELEVATION(FT) 00476

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	57	54	70	87	90	94	99	94	94	88	75	62	99	90	-610
MEAN MAX TMP (F)	32	31	38	47	59	68	74	74	67	57	46	35	52	75	-28
MEAN MIN TMP (F)	15	15	23	31	40	48	55	56	50	41	32	21	36	75	-28
ABS MIN TMP (F)	-17	-21	-10	7	22	32	40	39	29	19	4	-14	-21	90	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4380
MEAN NO DYS TMP = OR LES 32(F)	26.5	25.9	26.9	11.5	1.5	0.0	0.0	0.0	0.0	2.1	9.5	22.2	126.1	12	4380
MEAN NO DYS TMP = OR LES 0(F)	1.6	1.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3.4	12	4380
MEAN DEW PT TMP (F)	19	18	25	31	41	49	58	58	53	44	36	24	38	10	-106
MEAN REL HUM (PCT)	76	72	69	68	69	70	73	74	74	73	78	74	73	10	-28
MEAN PRESS ALT (FT)	440	466	489	459	446	447	443	418	380	392	433	465	440	0	-50
MEAN PRECIP (IN)	5.40	4.35	4.85	4.54	4.14	4.04	3.79	4.38	4.13	5.42	5.31	5.39	55.7	71	-105
MEAN SNOW FALL (IN)	18.9	18.8	11.9	5.7	0.1	0.0	0.0	0.0	0.0	0.2	2.7	12.5	70.8	71	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	11.7	10.5	10.9	10.5	9.9	8.0	7.7	8.3	8.7	10.7	10.5	11.7	119.1	71	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	5.0	3.9	2.7	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3.2	16.3	4	1461
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	5.4	4.0	6.0	7.7	7.5	7.9	10.6	7.4	4.6	3.6	4.1	4.4	73.2	8	2454
MEAN NO DYS TSTMS	0.2	0.0	0.1	1.1	0.8	1.5	1.4	1.8	1.0	0.3	0.3	0.2	8.7	8	2331
P FREQ WND SPD = OR GTR 17 KTS	19.3	21.0	18.2	11.6	8.8	3.3	2.5	4.1	5.9	9.3	14.4	16.4	11.2	8	46016
P FREQ WND SPD = OR GTR 28 KTS	1.3	2.0	1.3	0.3	0.2	0.1	0.0	0.2	0.5	0.2	2.6	1.5	0.9	8	46016
P FREQ LES 5000 FT A/O LES 5 MI	51.4	52.4	52.5	54.2	42.7	40.4	38.0	39.2	34.1	38.8	55.0	52.8	46.0	8	46014
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	26.6	26.9	28.5	28.3	27.2	29.1	31.3	28.6	21.0	19.5	19.2	25.8	26.0	8	6072
03-05 LST	21.9	24.0	23.5	31.1	30.8	33.1	43.7	31.1	22.3	17.7	17.9	20.0	26.4	5	5433
06-08 LST	30.5	27.0	29.7	35.6	31.1	37.9	43.0	37.2	31.6	26.8	28.9	25.0	32.0	12	7982
09-11 LST	23.4	21.2	20.2	21.0	17.4	20.8	22.4	19.3	19.8	12.8	22.0	21.5	20.2	5	5433
12-14 LST	21.2	17.9	19.4	16.9	15.9	15.5	15.7	13.9	13.3	12.7	22.4	21.5	17.2	8	6081
15-17 LST	22.8	19.3	19.1	19.6	14.0	17.9	14.0	12.2	12.9	9.7	19.8	21.1	16.9	5	5437
18-20 LST	25.8	18.9	23.7	24.8	20.4	22.2	21.1	20.3	17.8	15.4	22.0	21.9	21.2	8	6076
21-23 LST	25.7	26.3	22.6	28.5	25.2	28.2	25.2	26.3	19.2	20.5	19.7	20.7	24.0	5	5428
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	4.7	5.5	5.7	10.0	9.9	11.9	13.7	11.7	5.5	4.2	4.6	5.0	7.7	8	6072
03-05 LST	5.2	5.0	10.1	11.6	10.3	17.0	24.1	14.3	9.1	5.4	3.4	3.2	9.9	5	5433
06-08 LST	10.6	9.4	10.9	13.6	13.0	18.1	23.1	14.6	13.4	9.0	9.9	7.5	12.8	12	7982
09-11 LST	8.8	5.7	5.6	6.0	3.9	6.5	6.0	2.3	2.9	2.6	4.5	6.5	5.1	5	5433
12-14 LST	8.5	5.9	3.8	5.2	3.8	4.0	4.2	2.4	2.4	2.9	5.6	7.4	4.7	8	6081
15-17 LST	5.6	3.6	4.9	5.8	3.9	7.2	4.7	2.7	2.0	1.9	2.7	4.1	4.1	5	5437
18-20 LST	4.9	4.2	6.8	8.1	7.7	13.4	10.6	6.8	3.5	2.5	4.4	4.2	6.4	8	6076
21-23 LST	4.8	4.3	5.4	7.3	7.1	11.6	11.6	7.1	3.6	1.1	3.2	4.1	5.9	5	5428

HALIFAX INTL., CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	24.4	22.7	24.6	22.6	24.1	23.0	22.8	22.7	25.0	25.8	24.2	24.6	286.7	8	2461
	02 LST	23.3	22.7	23.4	20.6	22.5	19.9	18.7	21.2	22.7	24.6	25.1	25.3	270.0	8	2454
	08 LST	23.2	22.5	23.9	23.0	23.5	21.5	21.0	22.3	23.5	25.4	22.4	25.2	277.4	12	4368
	14 LST	24.4	23.5	24.8	23.3	26.0	24.1	26.1	27.0	26.0	26.1	24.9	24.6	300.8	8	2457
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/D FC WND LES 10 KTS	20 LST	12.8	10.8	11.1	14.3	17.1	16.0	17.5	18.0	17.4	15.9	13.1	11.7	175.7	8	2461
	02 LST	11.4	9.9	9.8	11.7	14.0	13.2	14.4	15.3	14.6	14.2	11.4	10.7	150.6	8	2451
	08 LST	9.1	8.1	6.6	9.1	8.6	9.4	12.1	13.2	10.9	11.2	9.1	9.0	116.4	12	4365
	14 LST	12.0	8.9	9.0	8.7	11.5	11.2	11.3	13.9	12.6	13.0	10.0	12.3	134.4	8	2454
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	3.2	4.3	3.3	1.0	1.2	0.7	0.3	0.1	0.9	1.8	3.1	3.8	23.7	8	2314
	02 LST	4.1	2.4	4.5	1.7	1.1	0.7	0.1	0.6	0.9	2.5	3.3	4.7	26.6	8	2323
	08 LST	4.8	4.3	4.7	3.7	4.0	1.5	0.7	1.0	1.7	3.5	3.6	4.2	37.7	12	4246
	14 LST	4.9	4.6	4.9	2.4	3.2	2.3	1.4	1.6	2.5	2.9	4.2	3.6	38.5	8	2328
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	4.0	1.4	4.0	14.7	14.6	14.5	13.0	15.5	14.9	16.2	12.2	6.5	131.5	8	2203
	02 LST	3.4	2.6	4.5	14.2	15.7	14.2	14.1	14.0	16.2	15.0	11.9	5.3	131.1	8	2209
	08 LST	3.3	1.9	4.4	9.9	12.4	13.9	16.4	16.2	13.3	13.7	8.6	4.9	118.9	12	4133
	14 LST	4.1	4.1	8.5	13.4	15.7	16.6	16.9	16.2	15.1	14.5	12.8	6.3	144.2	8	2215
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	7.3	9.4	8.7	8.0	7.3	9.0	8.7	13.0	14.7	12.3	7.2	9.0	114.6	5	1343
	02 LST	8.5	9.2	7.8	6.3	6.7	7.4	7.7	10.7	13.2	12.7	8.0	9.0	108.2	5	1341
	08 LST	7.5	7.6	6.4	7.0	7.9	4.9	7.1	7.7	8.6	8.8	4.7	4.7	82.9	9	3254
	14 LST	7.2	6.9	5.7	6.0	5.0	4.7	6.0	9.0	7.2	9.0	4.5	7.0	78.2	5	1344
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	19.0	17.5	19.6	18.5	20.5	19.7	20.7	20.5	22.3	22.9	18.4	19.7	239.3	8	2461
	02 LST	11.8	17.0	18.0	16.0	18.0	17.1	16.8	18.1	20.7	21.4	19.3	19.1	220.3	8	2454
	08 LST	18.2	18.1	18.7	18.8	20.8	18.5	19.0	19.8	20.0	21.1	17.6	19.0	229.6	12	4368
	14 LST	19.3	18.7	20.0	19.1	22.8	22.1	24.1	24.1	23.0	22.1	17.7	19.6	252.6	8	2457
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	14.9	14.2	14.6	15.2	18.0	17.3	19.3	19.3	20.1	19.4	12.9	14.0	199.2	8	2461
	02 LST	14.9	13.4	12.7	13.0	16.3	15.8	15.6	16.3	19.1	17.9	13.2	13.3	181.5	8	2454
	08 LST	15.1	14.1	13.7	14.8	17.6	16.1	16.7	17.6	17.9	17.5	12.7	14.1	187.9	12	4368
	14 LST	16.5	15.3	14.7	14.2	18.3	19.4	21.5	21.8	21.0	18.8	13.2	15.7	210.4	8	2457
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	13.8	13.6	13.5	12.0	15.7	15.3	17.9	17.4	19.3	18.2	10.9	12.3	179.9	8	2461
	02 LST	13.5	12.5	11.4	10.0	13.6	13.7	14.4	14.8	17.1	16.4	11.6	11.8	160.8	8	2454
	08 LST	13.6	13.3	12.6	13.6	16.6	14.9	16.2	16.5	17.3	16.3	12.0	12.5	175.4	12	4368
	14 LST	14.6	14.0	12.4	11.5	16.8	16.6	20.6	20.6	19.4	17.3	11.7	13.9	189.4	8	2457

GREENWOOD, CANADA

STA NO. 74397 (IN AREA NUMBER 11)

LATITUDE 4459N

LONGITUDE 06455W

ELEVATION(FT) 00091

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	61	62	71	75	89	95	96	99	90	82	72	65	99	20	-610
MEAN MAX TMP (F)	31	30	36	49	62	72	77	76	68	57	48	35	53	9	2940
MEAN MIN TMP (F)	19	15	23	33	41	50	56	55	49	40	35	23	37	9	2941
ABS MIN TMP (F)	-20	-22	-17	10	19	29	38	33	24	16	11	-15	-22	20	-610
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.5	1.0	0.6	0.0	0.0	0.0	0.0	2.1	9	2940
MEAN NO DYS TMP = OR LES 32(F)	26.5	26.7	26.7	15.4	4.4	0.0	0.0	0.0	1.0	6.6	12.8	25.3	145.4	9	2941
MEAN NO DYS TMP = OR LES 0(F)	2.7	3.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	7.1	9	2941
MEAN DEW PT TMP (F)	19	18	24	32	42	51	59	58	52	42	35	24	38	9	-106
MEAN REL HUM (PCT)	85	83	72	73	69	72	75	76	80	80	84	84	78	9	-106
MEAN PRESS ALT (FT)	48	73	98	74	63	70	70	40	-0	6	46	73	55	0	-50
MEAN PRECIP (IN)	5.71	3.58	3.20	3.95	2.70	3.35	2.26	3.99	3.60	3.04	5.11	3.84	44.3	9	2941
MEAN SNOW FALL (IN)	24.6	23.3	11.1	4.2	0.0	0.0	0.0	0.0	0.0	0.4	4.5	22.8	90.9	10	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	12.1	9.0	8.4	8.4	6.9	5.9	6.4	6.4	6.6	6.8	10.4	10.3	97.6	9	2941
MEAN NO DYS SNFL = OR GTR 1.5 IN	5.2	4.9	2.3	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.8	4.8	18.8	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.0	1.0	2.0	2.0	2.0	1.0	1.0	0.0	0.0	10.0	8	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	39.5	29.3	29.4	30.8	30.6	29.8	33.5	32.8	28.5	32.4	34.3	30.3	31.8	9	2941
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	8.1	8.4	6.0	5.0	4.4	3.8	8.3	4.0	7.5	6.5	7.9	9.8	6.6	9	2941
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

GREENWOOD, CANADA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	22.5	21.6	24.5	23.6	23.4	23.2	22.1	21.8	22.2	22.4	22.6	24.6	274.5	9	2941
	14 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	9.6	11.9	10.5	10.9	12.9	12.1	14.3	14.8	14.8	11.5	10.7	11.0	145.0	9	2941
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	1.7	2.6	3.0	2.4	1.5	2.1	0.3	0.2	0.9	1.6	2.3	2.4	21.0	9	2941
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	1.1	0.6	2.4	8.7	10.7	11.1	12.9	12.6	10.8	9.0	5.5	2.1	87.5	9	2941
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	3.9	6.5	6.4	7.5	9.1	8.4	7.6	7.4	9.8	7.0	2.9	2.1	78.6	9	2941
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	12.2	14.9	16.0	17.1	19.1	17.9	18.3	18.0	18.5	14.9	14.0	12.7	193.6	9	2941
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	8.6	12.1	13.2	14.7	17.5	17.3	17.4	17.2	17.7	13.1	11.0	7.6	167.4	9	2941
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	8.5	11.7	13.1	14.4	17.1	16.7	17.1	16.9	17.7	12.5	10.7	7.5	163.9	9	2941
	14 LST														0	0

ECUM SECUM, CANADA

STA NO. 74399/ (IN AREA NUMBER 11)

LATITUDE 4458N

LONGITUDE 06208W

ELEVATION(FT) 00047

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	56	54	59	68	78	87	83	87	84	77	71	56	87	20	-110
MEAN MAX TMP (F)	31	30	36	43	52	59	66	68	65	56	47	36	49	10	-105
MEAN MIN TMP (F)	14	13	20	29	36	43	52	53	48	39	32	20	33	10	-105
ABS MIN TMP (F)	-15	-20	-12	9	15	25	38	37	28	20	9	-12	-20	20	-110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 32(F)							0.0	0.0						20	-29
MEAN NO DYS TMP = OR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			20	-29
MEAN DEW PT TMP (F)	19	18	25	32	40	47	56	58	54	44	36	25	38	9	-106
MEAN REL HUM (PCT)	89	86	86	86	87	88	91	90	88	87	90	88	88	9	-106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.46	3.76	4.25	4.47	5.08	3.66	3.57	4.12	4.20	5.18	6.02	4.52	53.3	10	-105
MEAN SNOW FALL (IN)	15.7	14.6	7.7	6.1	0.0	0.0	0.0	0.0	0.0	0.0	1.6	9.1	54.8	10	-105
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.7	9.7	10.1	10.4	11.3	7.5	7.4	8.0	8.8	10.3	11.6	10.7	116.5	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.4	3.1	1.6	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.9	11.4	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	1.0	4.0	3.0	1.0	1.0	0.0	0.0	11.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

ECUM SECUM, CANADA


MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST													0	C
	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST													0	0
	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST													0	0
	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST													0	0
	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST													0	0
	14 LST													0	0

DATA NOT AVAILABLE

AREA NO. 11

CANADA	MARITIMES	LATITUDE 4700N				LONGITUDE 05900W								
		BOUNDARIES	4540N 06750W	4830N 06400W	4830N 06400W	5000N 06430W	5000N 06430W	5000N 05900W	5000N 05900W					
		5000N 05900W	5300N 05300W	5300N 05300W	4500N 05200W	4500N 05200W	4300N 06600W	4300N 06600W						
		4300N 06600W	4500N 06700W											
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		29	28	34	43	54	63	70	70	63	54	43	33	49
MEAN MIN TMP (F)		13	12	20	29	37	45	53	53	48	39	31	20	33
LARGEST MEAN PRECIP(IN)		5.71	5.61	4.85	5.04	5.08	4.67	4.33	4.64	4.24	5.76	6.04	5.95	61.9
SMALLEST MEAN PRECIP(IN)		1.49	1.65	1.84	1.86	2.44	2.41	2.26	2.69	2.63	3.04	2.73	2.32	27.4
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	23.1	21.6	23.6	22.7	23.9	24.0	24.4	25.3	25.1	25.9	23.7	24.7	288.0
	02 LST	22.9	21.1	22.5	21.5	21.3	20.5	21.3	23.3	23.9	25.0	23.2	24.4	270.9
	08 LST	22.6	21.0	22.7	21.7	22.4	20.9	21.6	22.9	23.0	24.0	22.4	24.1	269.3
	14 LST	22.4	21.0	23.9	23.1	25.4	25.2	26.5	26.6	25.9	25.8	22.8	24.0	292.6
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	8.6	8.9	10.0	11.4	12.7	13.6	15.4	16.2	14.3	13.0	10.6	9.2	143.9
	02 LST	8.6	8.3	8.8	10.8	12.2	12.3	13.5	14.3	13.5	12.0	9.9	8.7	132.9
	08 LST	8.8	9.2	9.0	9.2	10.1	10.0	11.7	12.5	11.5	10.6	10.1	9.9	122.6
	14 LST	6.6	5.9	5.4	5.3	6.1	7.9	8.7	9.0	8.4	7.8	6.4	6.8	84.3
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	6.8	5.7	6.0	4.5	3.3	2.6	2.0	2.2	3.2	4.4	5.3	6.7	52.7
	02 LST	6.6	5.1	5.4	3.8	2.3	1.8	1.6	1.8	2.9	4.2	5.2	6.9	47.6
	08 LST	6.0	4.9	5.5	4.7	4.1	3.0	2.0	2.1	3.2	4.3	4.6	5.8	50.2
	14 LST	8.4	7.6	9.5	8.2	7.4	6.0	5.2	5.3	6.6	7.6	7.6	8.7	88.1
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	2.0	1.4	3.4	10.8	15.4	15.5	16.6	17.4	14.7	13.4	9.3	3.8	123.7
	02 LST	1.8	1.3	2.4	7.4	14.8	15.5	16.2	16.4	15.4	12.6	8.1	3.1	115.0
	08 LST	1.6	1.1	2.3	8.2	12.8	13.3	15.0	15.2	12.9	11.3	7.2	2.6	103.7
	14 LST	2.4	2.2	5.4	9.0	10.3	12.3	12.9	13.2	11.1	10.8	8.9	3.7	102.2
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	6.5	7.9	8.1	6.7	6.9	6.3	6.1	7.8	9.9	9.8	6.3	6.8	89.1
	02 LST	6.5	7.6	7.9	7.4	8.3	8.2	9.4	10.8	12.0	9.4	6.6	6.7	100.8
	08 LST	5.8	6.3	6.5	6.4	7.3	5.9	6.9	7.3	7.9	7.0	4.0	4.9	76.2
	14 LST	4.1	5.5	4.9	5.2	5.7	4.8	5.6	6.0	6.2	5.6	2.9	4.5	61.0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	16.9	17.1	18.7	19.0	20.9	21.2	21.8	22.5	22.2	22.3	18.5	18.6	239.7
	02 LST	16.9	16.0	17.5	17.6	18.4	17.8	18.7	20.7	20.8	20.9	17.7	18.0	221.0
	08 LST	16.3	16.2	17.6	17.4	19.1	17.6	18.7	19.6	19.6	19.5	16.6	17.1	215.3
	14 LST	16.4	15.8	17.6	18.1	21.1	21.1	22.6	22.8	21.7	21.1	16.3	17.5	232.1
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	12.7	13.3	14.4	14.9	17.7	17.0	18.4	19.5	19.2	17.3	12.5	12.9	189.8
	02 LST	12.3	12.1	13.3	14.4	16.2	15.3	16.6	18.3	18.1	16.0	11.6	12.1	176.3
	08 LST	12.0	12.8	13.9	14.4	16.8	16.0	17.1	17.8	17.4	15.6	11.9	11.7	177.0
	14 LST	12.2	12.1	13.2	13.9	16.2	16.6	18.4	18.4	17.4	15.6	10.5	12.5	177.0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	11.7	12.8	13.2	13.2	15.9	14.9	16.7	17.5	16.1	11.3	11.8	172.6	
	02 LST	11.5	11.3	12.2	12.6	14.3	13.2	15.1	16.8	16.8	14.7	10.5	11.3	160.3
	08 LST	11.1	11.9	12.7	13.2	15.4	14.5	16.0	16.6	16.1	14.3	10.2	10.6	162.6
	14 LST	10.9	11.2	12.2	12.5	14.6	14.7	17.0	16.7	15.9	14.2	9.1	11.4	160.4



NORD, GREENLAND

STA NO. 04310 (IN AREA NUMBER 01)

LATITUDE 8136N

LONGITUDE 01640W

ELEVATION(FT) 00118

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	23	32	25	25	41	57	61	59	45	34	46	37	61	8	-35
MEAN MAX TMP (F)	-15	-17	-19	-5	17	35	44	38	21	3	-5	-10	7	8	-35
MEAN MIN TMP (F)	-28	-29	-30	-18	6	27	35	31	13	-6	-16	-22	-2	8	-35
ABS MIN TMP (F)	-60	-56	-58	-45	-18	9	12	16	-17	-35	-40	-45	-60	8	-35
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DFW PT TMP (F)	-27	-29	-31	-19	4	25	33	30	13	-5	-15	-21	-3	7	-29
MEAN REL HUM (PCT)	74	72	70	70	75	80	79	85	85	81	77	76	77	5	-35
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.84	0.76	0.50	0.28	0.14	0.29	1.00	1.36	1.18	0.58	1.42	0.50	8.8	8	-35
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS	9.8	8.2	3.8	2.6	4.5	4.7	6.5	4.6	7.3	5.6	7.8	6.4	5.9	8	-35
P FREQ WND SPD = OR GTR 28 KTS	2.4	2.1	0.6	0.1	0.6	0.3	0.6	0.4	0.8	1.2	1.7	0.9	0.9	8	-35
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

NORD, GREENLAND
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POH (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG = GTR 5000 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0

DATA NOT AVAILABLE

PEARY LAND, GREENLAND

STA NO. 04315/ (IN AREA NUMBR 01)

LATITUDE 8210N

LONGITUDE 03030W

ELEVATION(FT) 00029

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	5	6	15	16	49	62	62	64	43	16	16	10	64	2	-28
MEAN MAX TMP (F)	-18	-15	-11	-2	23	41	48	43	27	2	0	-14	10	2	-28
MEAN MIN TMP (F)	-29	-26	-23	-14	13	33	39	34	19	-6	-15	-22	0	2	-28
ABS MIN TMP (F)	-39	-47	-46	-36	-3	22	32	23	3	-21	-32	-42	-47	2	-28
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DFW PT TMP (F)	-28	-24	-22	-14	7	28	33	28	13	-9	-13	-24	-1	2	-29
MEAN REL HUM (PCT)	77	81	77	73	65	73	69	70	69	73	75	72	72	2	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.05	0.20	0.05	0.05	0.05	0.20	0.20	0.20	0.50	0.60	0.10	0.10	2.3	2	-28
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

PEARY LAND, GREENLAND
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	22 LST													0	0
	04 LST													0	0
	10 LST													0	0
	16 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	22 LST													0	0
	04 LST													0	0
	10 LST													0	0
	16 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	22 LST													0	0
	04 LST													0	0
	10 LST													0	0
	16 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	22 LST													0	0
	04 LST													0	0
	10 LST													0	0
	16 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	22 LST													0	0
	04 LST													0	0
	10 LST													0	0
	16 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	22 LST													0	0
	04 LST													0	0
	10 LST													0	0
	16 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	22 LST													0	0
	04 LST													0	0
	10 LST													0	0
	16 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	22 LST													0	0
	04 LST													0	0
	10 LST													0	0
	16 LST													0	0

DATA NOT AVAILABLE

AREA NO. 01

GREENLAND

NORTHERN COAST

LATITUDE 8130N

LONGITUDE 04000W

BOUNDARIES 8000N 06440W 8000N 01700W

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	-16	-15	-14	-3	20	38	46	41	24	3	-2	-11	9
MEAN MIN TMP (F)	-28	-27	-26	-15	10	30	37	33	16	-5	-15	-21	-0
LARGST MEAN PRECIP (IN)	0.84	0.76	0.50	0.28	0.14	0.29	1.00	1.36	1.18	0.60	1.42	0.50	0.9
SMALLEST MEAN PRECIP (IN)	0.05	0.20	0.05	0.05	0.05	0.20	0.20	0.20	0.50	0.58	0.10	0.10	2.3

MEAN NUMBER OF DAYS

- CIG = GTR 1000 FT AND 22 LST
- VSBY = GTR 3 MI 04 LST
- 10 LST
- 16 LST
- CIG =GTR 2000 FT AND VSBY =GTR 22 LST
- 3 MI W/SFC WND LES 10 KTS 04 LST
- 10 LST
- 16 LST
- SFC WND = GTR 17 KTS AND 22 LST
- NO PRECIP. 04 LST
- 10 LST
- 16 LST
- SFC WND 4-10 KTS AND TMP 33-89 22 LST
- DEG F AND NO PRECIP. 04 LST
- 10 LST
- 16 LST
- SKY COVER LES 3/10 AND 22 LST
- VSBY = GTR 3 MI 04 LST
- 10 LST
- 16 LST
- CIG = GTR 2500 FT AND 22 LST
- VSBY = GTR 3 MI 04 LST
- 10 LST
- 16 LST
- CIG = GTR 6000 FT AND 22 LST
- VSBY = GTR 3 MI 04 LST
- 10 LST
- 16 LST
- CIG = GTR 10000 FT AND 22 LST
- VSBY = GTR 3 MI 04 LST
- 10 LST
- 16 LST

NARSARSSUAK, GREENLAND

STA NO. 04270 (IN AREA NUMBER 02)

LATITUDE 6108N

LONGITUDE 04522W

ELEVATION(FT) 00136

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	56	55	59	60	69	77	75	72	72	59	64	56	77	13	4376
MEAN MAX TMP (F)	23	28	34	40	50	57	59	57	50	38	33	26	41	13	4376
MEAN MIN TMP (F)	10	14	20	27	36	43	45	44	38	27	21	14	28	13	4376
ABS MIN TMP (F)	-26	-29	-13	-5	19	30	35	33	22	5	-9	-33	-33	13	4376
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	4376
MEAN NO DYS TMP = OR LES 32(F)	29.9	25.5	26.3	21.2	6.8	0.2	0.0	0.0	4.7	22.3	25.0	28.4	190.3	13	4376
MEAN NO DYS TMP = OR LES 0(F)	9.0	5.0	1.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.8	5.9	22.8	13	4376
MEAN DFW PT TMP (F)	8	12	17	24	32	38	42	40	35	24	18	11	25	13	97227
MEAN REL HUM (PCT)	68	69	69	70	67	67	72	72	74	72	72	67	70	13	97220
MEAN PRESS ALT (FT)	550	461	346	229	166	203	214	231	308	388	392	501	332	0	-50
MEAN PRECIP (IN)	2.39	1.71	1.69	1.35	1.37	1.59	2.23	2.15	3.94	2.70	2.96	1.92	26.0	13	4380
MEAN SNOW FALL (IN)	20.5	13.2	9.8	6.1	2.0	0.1	0.0	0.0	1.0	6.5	11.1	11.7	82.0	13	4380
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.5	4.3	3.4	3.8	3.3	3.6	5.5	4.7	6.6	5.7	5.3	5.4	57.1	13	4380
MEAN NO DYS SNFL = OR GTR 1.5 IN	4.7	3.0	1.9	1.5	0.3	0.0	0.0	0.0	0.1	1.6	2.2	3.2	18.5	13	4380
MEAN NO DYS W/OCUP VSBY LES 1/2 MI	2.5	2.5	1.8	1.1	0.4	0.2	0.2	0.2	0.9	0.7	1.8	1.6	13.9	13	4380
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.3	13	4379
P FREQ WND SPD = OR GTR 17 KTS	14.0	20.6	17.6	12.0	12.8	12.0	5.1	5.9	11.0	9.5	12.4	16.7	12.5	13	97359
P FREQ WND SPD = OR GTR 28 KTS	4.2	6.9	5.7	3.4	3.2	2.4	0.5	1.0	2.7	3.4	3.6	6.7	3.6	13	97359
P FREQ LES 5000 FT A/O LES 5 MI	25.7	22.5	24.0	26.1	27.4	24.7	29.5	27.6	31.1	28.1	26.0	22.8	26.3	13	97464
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	11.3	7.5	8.8	9.0	7.3	7.8	12.3	10.5	13.2	9.2	10.9	9.4	9.8	13	12171
03-05 LST	11.9	8.9	8.0	9.4	11.8	14.1	17.9	14.5	14.3	9.6	10.0	8.0	11.5	13	12193
06-08 LST	10.3	9.5	8.9	9.8	12.2	14.3	18.8	15.0	13.5	9.4	9.1	8.7	11.6	13	12193
09-11 LST	10.8	9.4	10.6	9.5	7.4	8.3	8.8	8.9	10.7	9.0	10.0	9.8	9.3	13	12194
12-14 LST	11.2	9.7	10.8	7.5	4.7	3.0	4.7	4.7	5.3	9.2	11.4	9.5	7.7	13	12192
15-17 LST	12.3	9.6	10.0	7.2	3.3	2.8	5.1	3.9	6.8	8.4	12.0	8.4	7.5	13	12191
18-20 LST	13.8	10.3	11.0	8.3	3.9	2.7	5.8	5.0	7.9	8.5	10.6	7.6	8.0	13	12169
21-23 LST	12.2	9.1	9.2	8.9	4.4	5.1	8.1	7.1	9.8	9.0	11.6	8.0	8.5	13	12168
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	4.3	1.7	2.3	0.9	0.5	0.6	0.8	1.0	0.2	1.0	2.8	2.2	1.5	13	12171
03-05 LST	3.7	2.1	2.0	1.7	0.8	1.0	0.9	1.7	1.4	1.7	1.9	2.8	1.8	13	12193
06-08 LST	3.4	3.5	3.2	2.2	1.1	1.2	1.1	1.6	2.9	1.9	1.2	2.4	2.1	13	12193
09-11 LST	3.7	3.6	3.2	2.7	0.6	0.4	0.2	0.8	1.5	1.2	2.9	1.8	1.9	13	12194
12-14 LST	4.1	3.9	3.7	2.5	0.5	0.2	0.1	0.2	0.7	1.3	3.5	2.7	2.0	13	12192
15-17 LST	4.5	2.7	3.5	1.8	0.5	0.0	0.0	0.1	0.3	1.9	4.1	2.6	1.8	13	12191
18-20 LST	3.3	2.6	2.5	2.1	0.3	0.0	0.5	0.6	0.5	1.3	2.5	1.9	1.5	13	12169
21-23 LST	2.7	3.0	2.5	1.4	0.5	0.4	0.4	0.3	0.3	0.7	2.5	2.1	1.4	13	12168

NARSARSSUAK, GREENLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST	27.5	25.5	28.6	28.1	30.2	29.4	29.5	29.9	28.8	29.1	27.7	28.9	343.2	13	4381
	03 LST	27.6	25.6	28.6	28.1	28.6	27.8	27.6	29.2	27.8	29.0	27.8	28.5	336.2	13	4381
	09 LST	28.1	25.2	28.6	27.7	29.0	28.0	28.1	29.1	27.6	29.0	27.9	28.7	337.0	13	4381
	15 LST	27.7	25.4	28.6	28.3	30.2	29.7	29.8	30.3	28.9	29.0	26.7	28.6	343.2	13	4380
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST	19.3	17.0	19.2	19.8	20.2	18.0	21.6	23.2	20.2	21.4	19.7	20.2	239.8	13	4379
	03 LST	19.6	16.4	19.2	18.6	19.9	19.1	21.6	22.8	18.8	21.2	20.5	20.7	238.4	13	4381
	09 LST	20.7	15.3	18.1	19.7	20.1	19.5	21.6	22.6	20.4	21.0	21.5	19.2	239.7	13	4381
	15 LST	20.3	16.7	18.4	19.4	17.7	14.9	19.0	21.2	19.5	22.8	20.1	20.2	230.2	13	4378
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	4.3	6.5	5.8	4.1	3.6	3.4	2.2	2.2	3.5	2.8	4.1	5.5	48.0	13	3982
	03 LST	4.5	5.6	5.3	3.6	4.2	3.2	1.6	1.7	3.5	2.5	3.5	5.1	44.3	13	3983
	09 LST	4.0	6.9	6.6	4.0	3.8	5.0	1.5	1.7	3.1	3.2	3.6	5.8	49.2	13	4015
	15 LST	4.7	6.3	5.7	4.3	4.0	5.0	7.0	2.1	4.0	3.1	4.0	7.1	50.3	13	3988
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	0.2	1.7	2.2	4.6	14.8	16.2	17.8	13.0	8.7	3.3	1.8	1.1	85.4	13	3982
	03 LST	0.7	0.7	1.8	2.0	7.0	9.8	12.2	9.5	7.3	3.0	2.0	1.1	57.1	13	3983
	09 LST	1.3	1.2	1.4	4.4	14.2	16.5	16.1	12.5	8.0	2.6	2.5	0.9	81.6	13	4015
	15 LST	0.8	1.7	4.2	11.0	19.3	17.7	20.9	21.4	15.5	7.4	1.9	1.1	122.9	13	3988
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST	10.6	11.2	11.7	8.7	7.5	6.9	5.1	8.1	8.2	10.9	10.1	9.9	108.9	13	4381
	03 LST	12.6	10.5	12.3	10.3	6.6	4.5	5.1	7.4	8.0	11.1	11.0	11.2	110.6	13	4381
	09 LST	8.2	7.5	7.3	5.9	7.0	6.0	4.2	6.1	5.2	8.3	7.7	9.0	82.4	13	4381
	15 LST	6.9	7.8	7.8	6.0	6.8	5.9	5.1	7.4	5.3	7.3	6.4	7.2	79.9	13	4380
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST	25.9	24.2	26.9	26.1	27.6	27.8	27.5	27.3	25.1	26.5	25.5	27.4	317.8	13	4381
	03 LST	26.4	24.4	27.2	25.7	25.7	24.1	23.9	25.1	23.9	26.5	25.7	27.2	305.8	13	4381
	09 LST	26.2	24.0	27.1	25.4	26.5	25.7	24.3	25.5	24.5	26.1	26.4	27.0	308.7	13	4381
	15 LST	26.6	24.8	26.9	26.7	27.9	27.9	28.4	28.5	26.3	26.8	25.0	27.0	322.8	13	4380
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	21.1	21.2	22.0	20.3	21.3	22.1	21.1	21.1	19.7	21.4	21.1	23.0	255.4	13	4381
	03 LST	21.6	20.4	22.3	20.0	19.5	19.5	18.1	19.2	18.6	21.4	20.7	23.6	244.9	13	4381
	09 LST	21.4	20.2	22.8	20.3	20.9	21.3	18.9	19.8	18.2	20.4	21.5	22.2	247.9	13	4381
	15 LST	21.4	20.4	22.7	20.6	22.0	21.5	22.2	21.3	20.8	20.5	20.7	22.1	256.2	13	4380
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	16.0	16.7	18.0	15.5	15.4	15.7	13.8	16.2	14.4	17.1	16.7	17.8	193.3	13	4381
	03 LST	17.0	16.7	17.3	15.2	13.9	13.1	11.5	13.1	13.7	16.9	16.0	18.5	182.9	13	4381
	09 LST	15.7	15.9	16.3	16.0	14.9	14.8	12.7	14.5	12.9	16.1	14.7	15.7	180.2	13	4381
	15 LST	15.0	15.7	17.3	16.0	15.8	15.2	15.2	17.1	14.5	16.2	15.4	16.2	189.6	13	4380

NANORTALIK, GREENLAND

STA NO. 04283 (IN AREA NUMBER 07)

LATITUDE 6008N

LONGITUDE 04513W

ELEVATION(FT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	52	52	47	59	62	68	64	67	62	58	57	54	68	11	-34
MEAN MAX TMP (F)	35	38	36	38	42	47	47	48	44	40	35	34	40	47	-34
MEAN MIN TMP (F)	17	15	17	25	33	36	40	39	35	30	24	17	27	47	-34
ABS MIN TMP (F)	4	2	2	8	20	28	31	29	26	21	14	7	2	11	-34
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)	18	19	18	22	28	32	36	36	32	27	21	18	26	37	-29
MEAN REL HUM (PCT)	75	76	74	72	72	73	76	78	76	75	74	75	74	16	-34
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.78	4.11	1.49	2.45	1.54	4.56	1.20	3.46	2.04	4.73	3.76	1.92	34.0	4	-34
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

NANORTALIK, GREENLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST													0	0
	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST													0	0
	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST													0	0
	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST													0	0
	15 LST													0	0

DATA NOT AVAILABLE

DANMARKSHAVN, GREENLAND

STA NO. 04320 (IN AREA NUMBER 02)

LATITUDE 7646N

LONGITUDE 01900W

ELEVATION(FT) 00007

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OB5
ABS MAX TMP (F)	26	3	29	26	41	53	63	54	50	32	18	31	63	2	-28
MEAN MAX TMP (F)	-1	-10	-1	6	25	39	47	43	31	13	3	2	16	2	-28
MEAN MIN TMP (F)	-15	-24	-17	-13	11	28	34	31	21	2	-9	-13	3	2	-28
ABS MIN TMP (F)	-33	-37	-42	-29	-9	15	28	22	7	-11	-27	-30	-42	2	-28
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LFS 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)	-13	-23	-13	-11	11	26	32	29	16	0	-9	-11	3	2	-29
MEAN REL HUM (PCT)	77	74	79	70	75	76	75	76	68	70	75	76	74	2	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.20	0.70	0.70	0.10	0.20	0.20	0.05	0.60	0.30	0.30	1.00	0.70	6.0	2	-28
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS	17.3	13.7	16.2	10.7	6.3	5.3	1.9	3.4	10.0	13.0	12.5	14.5	10.4	9	-35
P FREQ WND SPD = OR GTR 28 KTS	6.5	4.7	5.8	4.0	1.5	0.3	0.2	0.4	2.8	3.6	3.6	6.1	3.2	9	-35
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

DANMARKSHAVN, GREENLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI														0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS														0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.														0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.														0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI														0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI														0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI														0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI														0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
														0	0
														0	0

DATA NOT AVAILABLE

MYGGBUKTA, GREENLAND

STA NO. 04336/ (IN AREA NUMBER 02)

LATITUDE 7329N

LONGITUDE 02134W

ELEVATION(FT) 00007

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	34	41	36	45	53	66	69	59	50	47	35	38	69	6	-28
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)	-10	-17	-14	-9	16	31	36	33	25	8	-2	-7	8	6	-28
ABS MIN TMP (F)	-39	-48	-41	-36	-10	21	27	23	4	-23	-31	-36	-48	6	-28
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)	77	75	77	74	81	79	83	83	75	71	77	78	77	6	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.10	0.60	0.60	0.30	0.50	0.50	0.60	1.40	1.20	0.80	0.80	0.90	9.3	6	-28
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MYGGBUKTA, GREENLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	23	LST												0	0
VSBY = GTR 3 MI	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
CIG = GTR 2000 FT AND VSBY = GTR	23	LST												0	0
3 MI W/SFC WND LES 10 KTS	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
SFC WND = GTR 17 KTS AND	23	LST												0	0
NO PRECIP.	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	23	LST												0	0
DEG F AND NO PRECIP.	05	LST												0	0...
	11	LST												0	0
	17	LST												0	0
SKY COVER LES 3/10 AND	23	LST												0	0
VSBY = GTR 3 MI	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
CIG = GTR 2500 FT AND	23	LST												0	0
VSBY = GTR 3 MI	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
CIG = GTR 6000 FT AND	23	LST												0	0
VSBY = GTR 3 MI	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
CIG = GTR 10000 FT AND	23	LST												0	0
VSBY = GTR 3 MI	05	LST												0	0
	11	LST												0	0
	17	LST												0	0

DATA NOT AVAILABLE

SCORESBYSUND, GREENLAND

STA NO. 04341/ (IN AREA NUMBER 07)

LATITUDE 7029N

LONGITUDE 02158W

ELEVATION(FT) 00056

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	48	41	47	45	49	60	63	55	62	47	52	40	63	12	-28
MEAN MAX TMP (F)	12	12	14	22	33	43	49	45	39	25	20	16	28	12	-28
MEAN MIN TMP (F)	-3	-5	-4	6	20	31	36	33	29	15	7	2	14	12	-28
ABS MIN TMP (F)	-37	-38	-42	-30	1	22	27	26	10	-13	-27	-38	-42	12	-28
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.80	1.40	0.90	1.40	0.40	0.80	1.50	0.70	1.70	1.40	1.10	1.90	15.0	12	-28
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1900 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SCORESBYSUND, GREENLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0

DATA NOT AVAILABLE

ANGMAGSSALIK, GREENLAND

STA NO. 04360 (IN AREA NUMBER 02)

LATITUDE 6536N

LONGITUDE 03733W

ELEVATION(FT) 00095

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	48	59	52	57	61	77	77	77	70	56	55	47	77	30	-28
MEAN MAX TMP (F)	23	21	27	35	43	50	54	52	45	35	28	25	37	30	-28
MEAN MIN TMP (F)	10	7	10	16	27	34	37	36	32	25	17	14	22	30	-28
ABS MIN TMP (F)	-23	-23	-26	-14	4	22	27	22	18	6	-13	-21	-26	30	-28
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEN BT TMP (F)	11	8	12	19	27	33	35	34	29	23	16	13	22	30	-29
MEAN REL HUM (PCT)	80	80	79	78	76	72	71	72	72	78	78	79	76	29	-34
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.90	2.40	2.60	2.10	2.00	1.80	1.50	2.10	3.30	4.70	3.00	2.70	31.1	38	-28
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCLR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSFRS	0.1	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.1	0.0	0.6	30	-34
FREQ WND SPD = OR GTR 17 KTS														0	0
FREQ WND SPD = OR GTR 28 KTS														0	0
FREQ LES 5000 FT A/O LES 5 MI														0	0
FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 500 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

ANGMAGSSALIK, GREENLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	21													0	0
VSBY = GTR 3 MI	03													0	0
	09													0	0
	15													0	0
CIG = GTR 2000 FT AND VSBY = GTR	21													0	0
3 MI W/SFC WND LES 10 KTS	03													0	0
	09													0	0
	15													0	0
SFC WND = GTR 17 KTS AND	21													0	0
NO PRECIP.	03													0	0
	09													0	0
	15													0	0
SFC WND 4-10 KTS AND TMP 33-89	21													0	0
DEG F AND NO PRECIP.	03													0	0
	09													0	0
	15													0	0
SKY COVER LES 3/10 AND	21													0	0
VSBY = GTR 3 MI	03													0	0
	09													0	0
	15													0	0
CIG = GTR 2500 FT AND	21													0	0
VSBY = GTR 3 MI	03													0	0
	09													0	0
	15													0	0
CIG = GTR 6000 FT AND	21													0	0
VSBY = GTR 3 MI	03													0	0
	09													0	0
	15													0	0
CIG = GTR 10000 FT AND	21													0	0
VSBY = GTR 3 MI	03													0	0
	09													0	0
	15													0	0

DATA NOT AVAILABLE

TORGILSBU, GREENLAND

STA NO. 04384/ (IN AREA NUMBER 02)

LATITUDE 6032N

LONGITUDE 04311W

ELEVATION(FT) 00029

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	41	43	43	49	53	72	69	71	65	57	47	54	72	8	-28
MEAN MAX TMP (F)	26	26	30	36	40	46	49	49	45	39	32	29	37	8	-28
MEAN MIN TMP (F)	21	19	21	26	33	37	40	40	38	32	27	24	30	8	-28
ABS MIN TMP (F)	-4	-15	-4	3	16	27	31	31	25	24	14	12	-15	8	-28
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)	65	67	68	71	76	74	74	76	74	68	68	68	71	8	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	5.90	8.80	4.90	4.70	9.30	6.30	2.80	3.80	9.40	7.60	6.10	6.50	76.1	8	-28
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

TORGILSBU, GREENLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
	15	LST												0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
	15	LST												0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
	15	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
	15	LST												0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
	15	LST												0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
	15	LST												0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
	15	LST												0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
	15	LST												0	0

DATA NOT AVAILABLE

AREA NO. 02

PARAMETER DESCRIPTION	BOUNDARIES	EASTERN COAST													
		8000N 01700W				8000N 02500W				7100N 03400W					
		6200N 04400W	6058N 04700W	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
MEAN MAX TMP (F)		20	19	23	30	39	47	51	49	42	32	25	22	33	
MEAN MIN TMP (F)		4	1	5	11	25	34	38	37	31	20	12	7	19	
LARGST MEAN PRECIP(IN)		5.90	8.80	4.90	4.70	9.30	6.30	2.80	3.80	9.40	7.60	6.10	6.50	76.1	
SMALLEST MEAN PRECIP(IN)		1.10	0.60	0.60	0.10	0.20	0.20	0.05	0.60	0.30	0.30	0.80	0.70	5.5	
MEAN NUMBER OF DAYS															
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	22 LST	27.5	25.5	28.6	28.1	30.2	29.4	29.5	29.9	28.8	29.1	27.7	28.9	343.2	
	04 LST	27.6	25.6	28.6	28.1	28.6	27.8	27.6	29.2	27.8	29.0	27.8	28.5	336.2	
	10 LST	28.1	25.2	28.6	27.7	29.0	28.0	28.1	29.1	27.6	29.0	27.9	28.7	337.0	
	16 LST	27.7	25.4	28.6	28.3	30.2	29.7	29.8	30.3	28.9	29.0	26.7	28.6	343.2	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	22 LST	19.3	17.0	19.2	19.8	20.2	18.0	21.6	23.2	20.2	21.4	19.7	20.2	239.8	
	04 LST	19.6	16.4	19.2	18.6	19.9	19.1	21.6	22.8	18.8	21.2	20.5	20.7	238.4	
	10 LST	20.7	15.3	18.1	19.7	20.1	19.5	21.6	22.6	20.4	21.0	21.5	19.2	239.7	
	16 LST	20.3	16.7	18.4	19.4	17.7	14.9	19.0	21.2	19.5	22.8	20.1	20.2	230.2	
SFC WND = GTR 17 KTS AND NO PRECIP.	22 LST	4.3	6.5	5.8	4.1	3.6	3.4	2.2	2.2	3.5	2.8	4.1	5.5	48.0	
	04 LST	4.5	5.6	5.3	3.6	4.2	3.2	1.6	1.7	3.5	2.5	3.5	5.1	44.3	
	10 LST	4.0	6.9	6.6	4.0	3.8	5.0	1.5	1.7	3.1	3.2	3.6	5.8	49.2	
	16 LST	4.7	6.3	5.7	4.3	4.0	5.0	2.0	2.1	4.0	3.1	4.0	5.1	50.3	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	22 LST	0.2	1.7	2.2	4.6	14.8	16.2	17.8	13.0	8.7	3.3	1.8	1.1	85.4	
	04 LST	0.7	0.7	1.8	2.0	7.0	9.8	12.2	9.5	7.3	3.0	2.0	1.1	57.1	
	10 LST	1.3	1.2	1.4	4.4	14.2	16.5	16.1	17.5	8.0	2.6	2.5	0.9	81.6	
	16 LST	0.8	1.7	4.2	11.0	19.3	17.7	20.9	21.4	15.5	7.4	1.9	1.1	122.9	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	22 LST	10.6	11.2	11.7	8.7	7.5	6.9	5.1	8.1	8.2	10.9	10.1	9.9	108.9	
	04 LST	12.6	10.5	12.3	10.3	6.6	4.5	5.1	7.4	8.0	11.1	11.0	11.2	110.6	
	10 LST	8.2	7.5	7.3	5.9	7.0	6.0	4.2	6.1	5.2	8.3	7.7	9.0	82.4	
	16 LST	6.9	7.8	7.8	6.0	6.8	5.9	5.1	7.4	5.3	7.3	6.4	7.2	79.9	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	22 LST	25.9	24.2	26.9	26.1	27.1	27.8	27.5	27.3	25.1	26.5	25.5	27.4	317.8	
	04 LST	26.4	24.4	27.2	25.7	25.7	24.1	23.9	25.1	23.9	26.5	25.7	27.2	305.8	
	10 LST	26.2	24.0	27.1	25.4	26.5	25.7	24.3	25.5	24.5	26.1	26.4	27.0	308.7	
	16 LST	26.6	24.8	26.9	26.7	27.9	27.9	28.4	28.5	26.3	26.8	25.0	27.0	322.8	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	22 LST	21.1	21.2	22.0	20.3	21.3	22.1	21.1	21.1	19.7	21.4	21.1	23.0	255.4	
	04 LST	21.6	20.4	22.3	20.0	19.5	19.5	18.1	19.2	18.6	21.4	20.7	23.6	244.9	
	10 LST	21.4	20.2	22.8	20.3	20.9	21.3	18.9	19.8	18.2	20.4	21.5	22.2	247.9	
	16 LST	21.4	20.4	22.7	20.6	22.0	21.5	22.2	21.3	20.8	20.5	20.7	22.1	256.2	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	22 LST	16.0	16.7	18.0	15.5	15.4	15.7	13.8	16.2	14.4	17.1	16.7	17.8	193.3	
	04 LST	17.0	16.7	17.3	15.2	13.9	13.1	11.5	13.1	13.7	16.9	16.0	18.5	182.9	
	10 LST	15.7	15.9	16.3	16.0	14.9	14.8	12.7	14.5	12.9	16.1	14.7	15.7	180.2	
	16 LST	15.0	15.7	17.3	16.0	15.8	15.2	15.2	17.1	14.5	16.2	15.4	16.2	189.6	

THULE AIR BASE, GREENLAND

STA NO. 04202 (IN AREA NUMBER 03)

LATITUDE 7631N

LONGITUDE 06844W

ELEVATION(FT) 00251

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	37	32	31	41	47	63	62	62	49	40	35	36	63	12	4367
MFAN MAX TMP (F)	-4	-5	-8	10	28	41	46	44	32	19	6	-1	17	12	4367
MEAN MIN TMP (F)	-17	-20	-22	-7	16	32	38	36	23	8	-6	-14	6	12	4367
ABS MIN TMP (F)	-39	-42	-44	-32	-11	22	29	23	0	-12	-28	-33	-44	12	4367
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4367
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	30.0	30.6	16.6	4.3	5.8	26.6	31.0	30.0	31.0	295.9	12	4367
MEAN NO DYS TMP = OR LES 0(F)	28.5	26.5	30.4	23.1	1.7	0.0	0.0	0.0	0.2	7.4	22.4	27.9	168.1	12	4367
MEAN DEW PT TMP (F)	-20	-23	-26	-8	15	29	34	33	20	7	-9	-18	4	12	102113
MEAN REL HUM (PCT)	61	59	58	64	73	74	75	76	72	73	66	61	68	12	102114
MEAN PRESS ALT (FT)	292	223	105	81	98	204	274	269	312	338	253	270	227	0	-50
MEAN PRECIP (IN)	0.36	0.34	0.20	0.16	0.25	0.24	0.67	0.60	0.63	0.65	0.50	0.22	4.8	12	4196
MEAN SNOW FALL (IN)	3.3	3.5	2.1	1.7	2.8	0.3	0.0	0.3	4.0	7.0	5.1	3.2	33.3	12	4196
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.7	1.1	0.4	0.3	0.6	0.4	1.6	1.7	2.1	2.0	1.5	0.2	12.6	12	4196
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.3	0.8	0.2	0.2	0.4	0.0	0.0	0.0	0.5	1.5	0.8	0.2	4.9	12	4196
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	5.0	5.0	2.6	3.0	3.2	6.2	7.4	5.5	1.4	1.8	2.8	1.9	45.8	12	4382
MEAN NO DYS TSMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4381
P FREQ WND SPD = OR GTR 17 KTS	8.1	9.5	3.8	5.6	6.4	5.5	6.7	6.2	7.2	7.8	5.9	4.5	6.4	12	105144
P FREQ WND SPD = OR GTR 28 KTS	2.3	3.6	0.9	1.8	1.1	1.2	1.0	1.6	1.3	1.7	1.3	0.8	1.6	12	105144
P FREQ LES 5000 FT A/O LES 5 MI	23.8	21.7	13.1	14.7	33.5	35.6	35.0	34.4	35.0	38.6	32.1	20.1	28.2	12	105145
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	9.1	12.2	6.5	7.1	14.5	22.2	19.7	15.4	6.5	9.6	8.8	6.6	11.5	12	13144
03-05 LST	9.2	12.8	7.0	8.5	14.2	21.6	21.1	12.9	6.9	9.4	9.2	5.7	11.5	12	13146
06-08 LST	10.7	11.5	7.2	7.2	13.2	19.4	18.5	13.4	6.6	8.5	10.1	6.0	11.0	12	13141
09-11 LST	11.6	11.7	8.2	6.9	10.1	16.9	15.4	12.5	6.1	7.7	10.7	7.3	10.4	12	13146
12-14 LST	11.0	11.1	6.5	5.7	10.3	15.3	13.6	12.3	6.2	8.9	10.9	7.9	10.0	12	13142
15-17 LST	11.8	11.4	6.7	4.5	12.5	17.1	12.6	11.2	5.8	10.5	11.3	5.6	10.1	12	13141
18-20 LST	10.6	10.7	5.8	5.9	13.4	17.9	13.8	11.4	5.3	8.3	10.3	5.7	9.9	12	13144
21-23 LST	9.2	12.1	5.7	7.0	14.3	19.8	17.0	14.2	5.2	9.1	9.7	4.9	10.7	12	13141
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	4.4	6.4	2.0	2.8	5.1	9.6	13.6	7.7	2.1	2.3	2.4	1.7	5.0	12	13144
03-05 LST	3.6	7.1	2.5	4.2	5.0	10.6	13.8	6.5	3.0	2.4	2.0	1.9	5.2	12	13146
06-08 LST	4.5	7.0	3.0	3.6	3.4	9.4	11.7	5.3	2.6	2.2	2.8	2.0	4.8	12	13141
09-11 LST	6.1	6.0	4.0	2.9	2.7	5.7	8.2	6.5	1.6	2.0	3.5	1.3	4.2	12	13146
12-14 LST	4.9	6.2	3.2	3.1	1.8	4.7	4.7	7.1	1.5	2.3	3.9	2.7	3.8	12	13142
15-17 LST	5.3	6.1	2.5	1.9	2.6	5.9	6.0	5.3	2.4	1.5	2.3	1.3	3.6	12	13141
18-20 LST	4.8	6.3	1.3	2.3	3.4	8.3	8.4	5.7	1.6	1.3	2.7	1.3	3.9	12	13144
21-23 LST	4.2	6.1	2.0	2.6	4.2	9.9	11.4	7.1	1.1	1.7	2.8	1.5	4.5	12	13141

THULE AIR BASE, GREENLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	27.9	25.0	29.5	28.4	27.9	25.2	27.2	27.9	28.7	29.0	27.5	29.2	333.4	12	4382
	01 LST	28.3	24.9	28.8	27.9	26.9	24.2	25.1	26.2	28.5	28.6	28.1	29.6	327.1	12	4382
	07 LST	28.3	24.9	28.8	27.9	27.6	24.9	25.6	27.0	28.1	28.8	27.3	29.0	328.2	17	4382
	13 LST	27.7	24.9	29.2	28.1	28.6	25.7	26.9	27.7	28.7	28.8	27.0	29.2	332.5	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	23.6	21.3	27.2	25.6	20.2	19.3	21.5	21.9	21.8	21.4	21.1	24.6	269.5	12	4382
	01 LST	22.7	20.0	25.8	23.9	20.9	19.6	20.7	21.6	21.7	20.6	20.8	24.8	263.1	12	4382
	07 LST	21.7	20.6	25.1	24.7	21.1	19.3	20.6	21.5	21.8	20.2	21.8	23.9	262.3	12	4382
	13 LST	21.9	20.8	27.1	24.7	21.4	20.0	20.2	20.8	21.3	21.1	20.7	24.1	264.1	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	3.1	2.3	1.1	1.3	2.0	2.0	2.4	1.9	2.1	1.9	2.1	1.2	23.4	12	4041
	01 LST	2.7	3.4	1.7	1.5	2.0	1.1	1.4	1.4	2.2	2.6	1.7	1.7	23.4	12	3983
	07 LST	3.0	2.8	1.5	1.6	1.6	2.1	1.6	1.9	1.5	2.0	2.1	1.7	23.4	12	4037
	13 LST	3.1	2.7	1.6	2.0	2.9	2.0	3.0	2.1	2.5	2.3	1.9	1.4	27.5	12	4031
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	0.0	0.0	0.0	0.1	2.3	12.7	16.9	12.7	2.6	0.4	0.0	0.0	47.7	12	4039
	01 LST	0.0	0.0	0.0	0.2	1.2	5.3	9.0	10.7	2.3	0.3	0.1	0.0	29.1	12	3980
	07 LST	0.0	0.0	0.0	0.0	0.8	10.6	12.2	8.9	2.7	0.2	0.0	0.0	35.4	12	4033
	13 LST	0.0	0.0	0.0	0.2	3.3	18.3	22.4	18.1	5.0	0.1	0.0	0.0	67.4	12	4029
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	15.1	12.6	14.1	14.1	9.1	9.8	7.8	6.4	6.1	8.4	11.6	15.4	130.5	12	4382
	01 LST	15.7	14.8	17.9	14.3	7.7	8.7	6.2	5.2	8.9	10.6	12.2	15.0	137.2	12	4382
	07 LST	14.9	13.4	13.8	13.7	8.9	7.9	7.4	5.4	6.8	6.3	12.3	14.8	125.6	12	4382
	13 LST	11.1	10.0	13.2	13.7	8.1	8.8	8.0	5.8	4.9	5.6	9.8	12.5	111.5	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	27.2	24.5	28.9	27.8	25.9	23.8	26.3	26.2	26.6	26.2	24.9	28.6	316.9	12	4382
	01 LST	27.6	24.4	28.6	27.3	24.7	22.2	24.3	24.5	26.3	26.6	25.5	28.7	310.7	12	4382
	07 LST	27.4	24.5	28.6	27.5	25.1	22.9	24.1	25.6	26.4	26.2	25.7	28.4	312.4	12	4382
	13 LST	27.0	24.4	28.6	27.8	26.2	24.3	25.7	26.0	26.3	26.7	25.4	28.1	316.5	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	23.1	21.7	27.1	26.0	20.7	19.8	20.0	19.7	17.6	17.7	19.0	24.2	256.6	12	4382
	01 LST	23.6	22.0	26.7	24.5	18.7	17.6	17.9	18.0	17.7	17.7	19.9	23.6	247.9	12	4382
	07 LST	23.6	21.8	26.7	25.3	19.3	17.5	18.4	18.1	18.7	16.9	20.0	24.0	250.3	12	4382
	13 LST	22.7	22.5	27.0	25.8	20.7	19.0	19.2	18.3	18.1	17.6	19.4	24.0	254.3	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	21.2	19.0	24.6	23.9	17.6	17.3	16.4	15.7	14.2	14.4	16.7	21.5	222.5	12	4382
	01 LST	21.3	19.9	25.1	22.7	15.9	15.7	14.2	13.4	14.5	15.1	17.1	20.3	215.2	12	4382
	07 LST	21.5	19.4	23.9	23.4	17.0	15.2	14.6	13.8	14.3	13.6	17.2	20.8	214.7	12	4382
	13 LST	20.1	19.9	24.8	23.6	17.7	17.2	15.8	15.1	14.3	14.1	16.7	20.1	219.4	12	4382

UPERNIVIK, GREENLAND

STA NO. 04210 (IN AREA NUMBER 03)

LATITUDE 7247N

LONGITUDE 05607W

ELEVATION(FT) 00059

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	55	60	47	50	56	63	68	69	69	63	53	48	69	40	-28
MEAN MAX TMP (F)	-1	-3	2	15	32	42	48	47	38	29	19	7	23	40	-28
MEAN MIN TMP (F)	-13	-16	-13	-1	19	30	35	36	29	21	10	-3	11	48	-28
ABS MIN TMP (F)	-39	-44	-41	-30	-8	10	19	24	13	0	-17	-35	-44	48	-28
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)	-14	-17	-13	0	21	31	36	35	29	19	10	-3	11	40	-29
MEAN REL HUM (PCT)	71	70	71	74	84	83	81	80	83	79	84	77	78	31	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.40	0.50	0.70	0.60	0.50	0.50	0.90	1.10	1.10	1.10	1.10	0.60	9.2	50	-28
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31	-34
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

UPERNIVIK, GREENLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST														0	0
	14 LST														0	0

DATA NOT AVAILABLE

UMANAK, GREENLAND

STA NO. 04212 (IN AREA NUMBER 03)

LATITUDE 7041N

LONGITUDE 05200W

ELEVATION(FT) 00026

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	49	48	47	47	57	62	64	61	58	56	52	45	64	10	-28
MEAN MAX TMP (F)	17	10	13	18	36	47	51	49	40	32	26	21	30	10	-28
MEAN MIN TMP (F)	8	1	1	6	25	36	41	41	34	26	20	14	21	10	-28
ABS MIN TMP (F)	-26	-31	-31	-22	-5	23	33	32	21	15	0	-16	-31	10	-28
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DFW PT TMP (F)	6	-1	0	6	24	32	37	34	29	24	18	12	18	10	-29
MEAN REL HUM (PCT)	77	75	76	80	79	71	73	69	75	82	83	80	76	10	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.90	0.40	0.40	0.50	0.40	0.30	0.50	0.50	0.80	0.70	1.00	1.00	7.4	10	-28
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-34
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

UMANAK, GREENLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0

DATA NOT AVAILABLE

JACOBHAVN, GREENLAND

STA NO. 04216 (IN AREA NUMBER 03)

LATITUDE 6913N

LONGITUDE 05102W

ELEVATION(FT) 00104

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	49	49	48	55	62	67	71	66	65	58	54	52	71	32	-28
MEAN MAX TMP (F)	8	6	14	24	38	46	51	50	41	31	22	15	29	32	-28
MEAN MIN TMP (F)	-7	-10	-5	6	25	35	40	38	30	20	11	4	16	50	-28
ABS MIN TMP (F)	-45	-46	-42	-35	-10	21	28	24	8	-6	-18	-34	-46	50	-28
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)	-5	-8	0	10	24	31	35	34	27	19	10	3	15	37	-29
MEAN REL HUM (PCT)	76	74	79	83	77	73	71	71	75	78	78	77	76	30	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.40	0.40	0.50	0.50	0.60	0.80	1.20	1.40	1.30	0.90	0.70	0.50	9.2	52	-28
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-34
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

JACOBHAVN, GREENLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	21 LST													0	0
	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST													0	0
	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST													0	0
	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST													0	0
	15 LST													0	0

DATA NOT AVAILABLE

GODHAVN, GREENLAND

STA NO. 04218 (IN AREA NUMBER 03)

LATITUDE 6914N

LONGITUDE 05331W

ELEVATION(FT) 00036

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	53	47	50	48	57	63	63	62	60	51	47	47	63	12	-34
MFAN MAX TMP (F)	16	14	18	26	39	48	51	50	42	33	28	23	32	12	-34
MEAN MIN TMP (F)	6	1	5	13	27	37	41	41	35	25	19	13	22	13	-34
ABS MIN TMP (F)	-28	-27	-24	-14	1	24	31	34	20	11	-1	-11	-28	13	-34
MFAN NO DYS TMP = OR GTR 90(F)														0	0
MFAN NO DYS TMP = OR LFS 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DFW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.61	0.66	0.69	0.85	1.11	1.05	2.13	2.17	1.74	2.04	1.41	1.07	15.5	13	-34
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.1	0.0	0.0	0.1	0.2	0.1	0.2	0.6	0.7	1.2	0.9	4.1	13	-34
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

GODHAVN, GREENLAND
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG =GTR 2000 FT AND VSBY =GTR														0	0
3 MI W/SFC WND LES 10 KTS														0	0
														0	0
														0	0
SFC WND = GTR 17 KTS AND														0	0
NO PRECIP.														0	0
														0	0
														0	0
SFC WND 4-10 KTS AND TMP 33-89														0	0
DEG F AND NO PRECIP.														0	0
														0	0
														0	0
SKY COVER LES 3/10 AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 2500 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 6000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 10000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0

DATA NOT AVAILABLE

HOLSTENSBORG, GREENLAND

STA NO. 04230 (IN AREA NUMBR 03)

LATITUDE 6656N LONGITUDE 05339W ELEVATION(FT) 00089

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	41	40	43	50	56	65	74	59	52	44	38	38	74	6	-34
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)	6	2	9	15	31	42	46	44	36	26	17	10	24	5	-34
ABS MIN TMP (F)	-28	-35	-32	-16	10	30	35	35	25	-1	-10	-22	-35	12	-34
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LFS 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.67	0.15	0.17	0.33	0.44	0.62	1.73	1.63	1.52	1.46	1.14	0.69	10.5	6	-34
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTM5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-34
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

HOLSTENSBORG, GREENLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 2000 FT AND VSBY = GTR	20	LST												0	0
3 MI W/SFC WND LES 10 KTS	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SFC WND = GTR 17 KTS AND	20	LST												0	0
NO PRECIP.	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	20	LST												0	0
DEG F AND NO PRECIP.	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SKY COVER LES 3/10 AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 2500 FT AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 6000 FT AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 10000 FT AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0

DATA NOT AVAILABLE

SONDRESTROM, GREENLAND

STA NO. 04231 (IN AREA NUMBER 01)

LATITUDE 6700N

LONGITUDE 05043W

ELEVATION(FT) 00165

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	48	50	52	59	68	75	75	73	68	58	50	47	75	12	4383
MEAN MAX TMP (F)	7	7	9	27	46	58	61	57	44	30	18	10	31	12	4383
MEAN MIN TMP (F)	-9	-9	-7	10	31	40	43	39	31	17	4	-6	15	12	4383
ABS MIN TMP (F)	-43	-44	-41	-24	-7	27	33	25	8	-11	-30	-38	-44	12	4383
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN NO DYS TMP = OR LES 32(F)	31.0	27.8	30.8	29.2	17.6	1.6	0.0	2.4	17.4	28.0	29.6	30.7	246.1	12	4383
MEAN NO DYS TMP = OR LES 0(F)	22.5	19.7	21.5	8.8	0.1	0.0	0.0	0.0	0.0	2.7	12.4	20.4	108.1	12	4383
MEAN DEW PT TMP (F)	-8	-10	-8	9	28	35	40	37	29	16	2	-6	14	12	102643
MEAN RFL HUM (PCT)	64	62	65	68	66	61	66	67	72	72	68	64	66	12	102693
MEAN PRESS ALT (FT)	492	401	276	184	150	216	243	253	324	383	369	452	312	0	-50
MEAN PRECIP (IN)	0.36	0.27	0.23	0.29	0.41	0.59	0.70	0.79	0.77	0.90	0.52	0.27	6.1	12	4383
MEAN SNOW FALL (IN)	4.5	3.2	2.6	2.9	3.4	0.3	0.0	0.0	2.9	7.2	5.7	2.8	35.5	12	4383
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.8	0.9	0.7	0.7	1.1	2.0	2.6	2.3	2.8	2.8	1.9	0.5	19.1	12	4383
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.7	0.8	0.2	0.4	0.5	0.1	0.0	0.0	0.7	1.5	1.2	0.0	6.1	12	4383
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.7	0.3	0.2	0.7	0.5	0.1	0.4	0.2	0.2	1.5	0.5	0.3	5.6	12	4382
MEAN NO DYS TSMS	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	12	4383
P FREQ WND SPD = OR GTR 17 KTS	2.6	2.6	1.1	1.6	1.7	1.5	0.8	0.3	0.6	1.0	1.6	1.3	1.4	12	105164
P FREQ WND SPD = OR GTR 28 KTS	0.3	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	12	105164
P FREQ LES 5000 FT A/O LES 5 MI	15.5	12.3	12.5	15.8	25.1	18.6	16.2	16.3	26.1	26.1	19.3	19.6	18.7	12	105164
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	3.5	2.8	3.6	3.7	5.6	1.4	2.6	1.1	3.4	4.8	5.6	4.0	3.5	12	13146
03-05 LST	3.7	2.3	4.3	5.0	5.2	2.0	3.8	2.2	3.8	6.2	5.8	4.2	4.1	12	13144
06-08 LST	4.6	4.0	4.7	5.5	5.7	2.8	2.6	2.6	6.0	6.6	4.2	3.3	4.4	12	13145
09-11 LST	4.9	3.4	4.6	3.6	3.4	1.6	1.1	1.3	3.4	5.8	4.4	4.1	3.5	12	13146
12-14 LST	4.4	2.9	3.2	3.1	2.5	0.7	0.0	0.5	3.1	4.6	5.1	4.5	2.9	12	13146
15-17 LST	5.0	4.0	1.9	2.1	1.9	0.2	0.0	0.3	3.2	6.0	5.9	3.0	2.8	12	13146
18-20 LST	4.1	4.9	3.0	3.2	3.3	0.3	0.9	0.4	4.0	6.9	4.6	2.6	3.2	12	13145
21-23 LST	3.0	3.0	2.8	3.3	3.6	0.9	1.3	1.1	2.9	6.0	3.9	3.2	2.9	12	13146
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.6	0.7	0.1	0.7	1.3	0.1	0.4	0.4	0.1	1.3	0.7	0.1	0.5	12	13146
03-05 LST	1.1	0.9	0.2	1.3	0.6	0.1	0.3	0.3	0.4	1.7	1.2	0.5	0.7	12	13144
06-08 LST	0.8	0.6	1.0	1.8	0.7	0.5	0.8	0.1	0.7	1.7	0.9	0.4	0.8	12	13145
09-11 LST	1.3	0.7	0.9	1.3	0.9	0.2	0.0	0.0	0.6	1.2	1.9	0.7	0.8	12	13146
12-14 LST	1.3	0.9	0.7	0.4	0.4	0.2	0.0	0.0	0.6	1.6	1.2	0.9	0.7	12	13146
15-17 LST	0.9	1.1	0.7	0.6	0.4	0.0	0.0	0.0	0.4	2.8	1.3	0.3	0.7	12	13146
18-20 LST	0.9	0.1	0.3	0.9	0.6	0.1	0.0	0.1	0.5	2.5	1.1	0.3	0.6	12	13145
21-23 LST	0.4	0.6	0.0	1.0	1.0	0.2	0.0	0.1	0.1	1.5	0.4	0.4	0.5	12	13146

SONDRESTROM, GREENLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST	30.2	27.2	30.4	29.3	30.2	29.9	30.9	30.0	29.5	29.6	29.2	30.2	357.5	12	4382
	03 LST	30.1	27.5	29.6	29.2	29.9	29.8	30.4	30.8	29.6	29.6	28.2	29.7	354.4	12	4382
	09 LST	29.6	26.9	29.6	29.0	30.0	29.9	30.9	30.9	29.1	29.2	28.9	29.9	353.9	12	4382
	15 LST	29.6	27.1	30.5	29.6	30.7	29.9	31.0	31.0	29.6	29.6	28.6	30.0	357.2	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST	24.9	22.5	26.0	25.7	23.2	21.7	25.6	26.4	25.2	23.6	23.7	25.8	294.3	12	4382
	03 LST	24.6	22.8	25.2	24.6	26.1	26.7	25.9	27.0	25.8	24.0	22.9	24.7	300.3	12	4382
	09 LST	24.1	21.3	25.6	26.3	24.1	23.7	26.0	26.5	24.8	23.4	22.9	25.0	293.7	12	4382
	15 LST	23.7	21.8	27.3	24.8	20.6	17.7	21.9	24.4	23.5	24.8	23.4	24.1	278.0	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.8	0.6	0.3	0.2	0.5	0.3	0.2	0.0	0.0	0.1	0.4	0.2	3.6	12	4063
	03 LST	0.5	0.6	0.2	0.2	0.1	0.1	0.0	0.0	0.2	0.2	0.7	0.2	3.0	12	4020
	09 LST	0.7	1.0	0.1	0.2	0.3	0.3	0.2	0.1	0.2	0.2	0.2	0.2	3.7	12	4114
	15 LST	0.6	0.8	0.2	0.6	0.9	1.5	0.6	0.0	0.3	0.0	0.3	0.2	6.0	12	4159
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	0.3	1.0	0.5	2.5	14.9	21.1	26.0	25.0	14.4	3.9	1.6	0.7	111.9	12	4085
	03 LST	0.5	0.7	0.5	1.6	10.8	21.9	25.6	23.2	10.4	4.6	1.0	0.6	101.4	12	4020
	09 LST	0.4	0.4	0.5	3.9	15.2	20.6	23.2	22.1	14.7	3.9	1.5	0.3	106.7	12	4114
	15 LST	0.4	0.8	0.7	4.6	18.6	18.2	23.3	22.2	18.3	5.3	1.4	0.7	114.5	12	4159
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST	10.0	10.4	12.0	10.3	5.6	6.3	4.7	5.8	6.8	8.2	8.7	11.5	100.3	12	4382
	03 LST	12.1	10.7	12.8	10.4	5.1	7.1	5.3	6.2	7.4	7.5	8.7	12.3	105.6	12	4382
	09 LST	7.9	6.3	8.2	8.6	5.0	6.6	6.7	6.1	4.7	4.5	6.1	8.2	78.9	12	4382
	15 LST	7.2	7.5	9.6	9.0	4.9	5.6	4.9	5.1	4.3	5.1	6.2	7.4	76.8	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST	29.4	26.6	29.6	28.1	29.1	28.8	29.8	30.0	27.8	27.2	27.5	28.9	342.8	12	4382
	03 LST	29.3	26.8	28.8	27.8	28.1	27.6	27.8	28.9	27.3	27.1	27.4	28.9	335.8	12	4382
	09 LST	28.7	26.4	28.4	28.4	28.5	28.2	29.1	28.9	26.7	27.2	27.9	28.6	337.0	12	4382
	15 LST	28.9	26.3	29.7	28.9	29.6	29.1	30.7	30.2	27.5	27.3	27.4	28.9	344.5	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	25.8	23.5	27.7	24.3	21.6	23.0	23.7	23.4	21.1	20.9	22.3	24.1	281.4	12	4382
	03 LST	25.9	24.7	26.2	23.2	21.4	22.7	23.6	23.3	19.7	21.1	22.1	23.9	277.8	12	4382
	09 LST	25.0	23.9	26.1	25.1	21.4	23.3	24.1	24.1	19.9	21.8	21.8	22.8	279.3	12	4382
	15 LST	24.8	23.9	27.6	24.9	21.2	21.9	23.3	24.1	20.3	21.2	22.0	22.1	277.3	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	22.5	20.9	24.8	20.7	17.4	18.5	18.1	17.9	16.7	15.7	18.1	19.4	230.7	12	4382
	03 LST	22.1	21.4	23.8	20.6	16.9	19.0	18.2	17.1	16.1	17.1	17.0	19.9	229.2	12	4382
	09 LST	21.1	20.4	23.3	22.0	17.6	19.1	19.7	19.4	15.3	16.0	15.9	17.6	227.4	12	4382
	15 LST	21.6	20.8	24.8	21.9	17.2	18.2	18.2	20.8	15.6	16.0	17.0	17.9	230.0	12	4382

GODTHAAB, GREENLAND

STA NO. 04250 (IN AREA NUMBER 03)

LATITUDE 6410N

LONGITUDE 09143W

ELEVATION(FT) 00066

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	52	51	53	56	61	74	76	71	62	65	58	59	76	40	-28
MEAN MAX TMP (F)	19	20	24	31	40	47	52	51	43	35	28	23	34	40	-28
MEAN MIN TMP (F)	10	9	13	20	29	34	38	38	34	26	19	14	24	50	-28
ABS MIN TMP (F)	-20	-17	-19	-6	11	22	29	27	18	6	-1	-14	-20	50	-28
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DFW PT TMP (F)	11	11	15	21	30	39	41	40	34	26	19	15	25	38	-29
MEAN RFL HUM (PCT)	85	86	87	85	83	92	85	86	85	84	85	85	85	25	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.40	1.70	1.60	1.20	1.70	1.40	2.20	3.10	3.30	2.90	1.90	1.50	23.5	45	-28
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.5	31	-34
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

GODTHAAB, GREENLAND
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 5000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0

DATA NOT AVAILABLE

IVIGTUT, GREENLAND

STA NO. 04262/ (IN AREA NUMBER 03)

LATITUDE 6112N

LONGITUDE 04810W

ELEVATION(FT) 00098

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ARS MAX TMP (F)	56	58	60	61	74	86	74	71	70	67	64	60	86	48	-28
MEAN MAX TMP (F)	24	26	31	38	47	54	57	55	47	40	32	27	40	48	-28
MEAN MIN TMP (F)	12	12	16	24	33	39	42	41	36	29	22	16	27	50	-28
ABS MIN TMP (F)	-18	-20	-17	-5	13	28	33	29	22	9	0	-16	-20	50	-28
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LFS 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.30	2.60	3.40	2.50	3.50	3.20	3.10	3.70	5.90	5.70	4.60	3.10	44.6	50	-28
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.4	29	-34
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

IVIGTUT, GREENLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0

DATA NOT AVAILABLE

AREA NO. 03

PARAMETER DESCRIPTION	BOUNDARIES	MEAN NUMBER OF DAYS													
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)		11	9	13	24	38	48	52	50	41	31	22	16	30	
MEAN MIN TMP (F)		0	-2	0	10	26	36	40	39	32	22	13	5	18	
LARGST MEAN PRECIP(IN)		3.30	2.60	3.40	2.50	3.50	3.20	3.10	3.70	5.90	5.70	4.60	3.10	44.6	
SMALLEST MEAN PRECIP(IN)		0.36	0.15	0.17	0.16	0.25	0.24	0.50	0.50	0.63	0.65	0.50	0.22	4.3	
		MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	29.1	26.1	30.0	28.9	29.1	27.6	29.1	29.4	29.1	29.3	28.4	29.7	345.8	
	02 LST	29.2	26.2	29.2	28.6	28.4	27.0	27.8	28.5	29.1	29.1	28.2	29.7	341.0	
	08 LST	29.0	25.9	29.2	28.5	28.8	27.4	28.3	29.0	28.6	29.0	28.1	29.5	341.3	
	14 LST	28.7	26.0	29.9	28.9	29.7	27.8	29.0	29.4	29.2	29.2	27.8	29.6	345.2	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	24.3	21.9	26.6	25.7	21.7	20.5	23.6	24.2	23.5	22.5	22.4	25.2	282.1	
	02 LST	23.7	21.4	25.5	24.3	23.5	23.2	23.3	24.3	23.8	22.3	21.9	24.8	282.0	
	08 LST	22.9	21.0	25.4	25.5	22.6	21.5	23.3	24.0	23.3	21.8	22.4	24.5	278.2	
	14 LST	22.8	21.3	27.2	24.8	21.0	18.9	21.1	22.6	22.4	23.0	22.1	24.1	271.3	
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	2.0	1.5	0.7	0.8	1.3	1.2	1.3	1.0	1.1	1.0	1.3	0.7	13.9	
	02 LST	1.6	2.0	1.0	0.9	1.1	0.6	0.7	0.7	1.2	1.4	1.2	1.0	13.4	
	08 LST	1.9	1.9	0.8	0.9	1.0	1.2	0.9	1.0	0.9	1.1	1.2	1.0	13.8	
	14 LST	1.9	1.8	0.9	1.3	1.9	1.8	1.8	1.1	1.4	1.2	1.1	0.8	17.0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	0.2	0.5	0.3	1.3	8.6	16.9	21.5	18.9	8.5	2.2	0.8	0.4	80.1	
	02 LST	0.3	0.4	0.3	0.9	6.0	13.6	17.3	17.0	6.4	2.5	0.6	0.3	65.6	
	08 LST	0.2	0.2	0.3	2.0	8.0	15.6	17.7	15.5	8.7	2.1	0.8	0.2	71.3	
	14 LST	0.2	0.4	0.4	2.4	11.0	18.3	22.9	20.2	11.7	2.7	0.7	0.4	91.3	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	12.6	11.5	13.1	12.2	7.4	8.1	6.3	6.1	6.5	8.3	10.2	13.5	115.8	
	02 LST	13.9	12.8	15.4	12.4	6.4	7.9	5.8	5.7	8.2	9.1	10.5	13.7	21.8	
	08 LST	11.4	9.9	11.0	11.2	7.0	7.3	7.1	5.8	5.8	5.4	9.2	11.5	102.6	
	14 LST	9.2	8.8	11.4	11.4	6.5	7.2	6.5	5.5	4.6	5.4	8.0	10.0	94.5	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	28.3	25.6	29.3	28.0	27.5	26.3	28.1	28.1	27.2	26.7	26.2	28.8	330.1	
	02 LST	28.5	25.6	28.7	27.6	26.4	24.9	26.1	26.7	26.8	26.9	26.5	28.8	323.5	
	08 LST	28.1	25.5	28.5	28.0	26.8	25.6	26.6	27.3	26.6	26.7	26.8	28.5	325.0	
	14 LST	28.0	25.4	29.2	28.4	27.9	26.7	28.2	28.1	26.9	27.0	26.4	28.5	330.7	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	24.5	22.6	27.4	25.2	21.2	21.4	21.9	21.6	19.4	19.3	20.7	24.2	269.4	
	02 LST	24.8	23.4	26.5	23.9	20.1	20.2	20.8	20.7	18.7	19.4	21.0	23.8	263.3	
	08 LST	24.3	22.9	26.4	25.2	20.4	20.4	21.3	21.1	19.3	19.4	20.9	23.4	265.0	
	14 LST	23.8	23.2	27.3	25.4	21.0	20.5	21.3	21.2	19.2	19.4	20.7	23.1	266.1	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	21.9	20.0	24.7	22.3	17.5	17.9	17.3	16.8	15.5	15.1	17.4	20.5	226.9	
	02 LST	21.7	20.7	24.5	21.7	16.4	17.4	16.2	15.3	15.3	16.1	17.1	20.1	222.5	
	08 LST	21.3	19.9	23.6	22.7	17.3	17.2	17.2	16.6	14.8	14.8	16.6	19.2	221.2	
	14 LST	20.9	20.4	24.8	22.8	17.5	17.7	17.0	18.0	15.0	15.1	16.9	19.0	225.1	

EISMITTE, GREENLAND

STA NO. 04345/ (IN AREA NUMBER 06)

LATITUDE 703N

LONGITUDE 04042W

ELEVATION(FT) 09843

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	5	-9	4	10	16	23	27	22	17	8	-2	-3	27	1	-28
MEAN MAX TMP (F)	-33	-42	-29	-14	6	13	19	11	4	-23	-33	-28	-11	1	-28
MEAN MIN TMP (F)	-53	-64	-51	-37	-18	-9	1	-13	-20	-42	-57	-46	-33	1	-28
ABS MIN TMP (F)	-84	-84	-85	-74	-50	-22	-19	-31	-38	-69	-73	-70	-85	1	-28
MEAN NO DYS TMP ≥ OR GTR 90(F)														0	0
MEAN NO DYS TMP ≥ OR LES 32(F)														0	0
MEAN NO DYS TMP ≥ OR LES 0(F)														0	0
MEAN DFW PT TMP (F)	-46	-57	-44	-29	-9	-2	7	-4	-11	-36	-49	-41	-26	1	-29
MEAN REL HUM (PCT)	80	77	79	82	84	81	86	84	84	81	79	78	81	1	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.60	0.20	0.30	0.20	0.10	0.10	0.10	0.40	0.30	0.50	0.50	1.00	4.3	1	-28
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN														0	0
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD ≥ OR GTR 17 KTS														0	0
P FREQ WND SPD ≥ OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	C
12-14 LST														0	C
15-17 LST														0	C
18-20 LST														0	C
21-23 LST														0	C

EISMITTE, GREENLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG = GTR 2000 FT AND VSBY = GTR														0	0
3 MI W/SFC WND LES 10 KTS														0	0
														0	0
														0	0
														0	0
SFC WND = GTR 17 KTS AND														0	0
NO PRECIP.														0	0
														0	0
														0	0
														0	0
SFC WND 4-10 KTS AND TMP 33-89														0	0
DEG F AND NO PRECIP.														0	0
														0	0
														0	0
														0	0
SKY COVER LES 3/10 AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG = GTR 2500 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG = GTR 6000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG = GTR 1000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0

DATA NOT AVAILABLE

AREA NO. 04

GREENLAND


ICE CAP

LATITUDE 7200N

LONGITUDE 04000W

BOUNDARIES	8000N 06000W		8000N 02500W		8000N 02500W		7100N 03400W		7100N 03400W		6200N 04400W		
	8200N 04400W	6090N 04700W	6950N 04700W	7100N 05000W	7100N 05000W	8000N 06000W							
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	-32	-41	-28	-13	6	13	19	11	4	-22	-32	-27	-11
MEAN MIN TMP (F)	-52	-63	-50	-36	-17	-8	1	-12	-19	-41	-56	-45	-32
LARGFST MEAN PRECIP(IN)	0.60	0.20	0.30	0.20	0.10	0.10	0.10	0.40	0.30	0.50	0.50	1.00	4.3
SMALLEST MEAN PRECIP(IN)	0.60	0.20	0.30	0.20	0.10	0.10	0.10	0.40	0.30	0.50	0.50	1.00	4.3
MEAN NUMBER OF DAYS													

CIG = GTR 1000 FT AND	21 LST
VSBY = GTR 3 MI	03 LST
	09 LST
	15 LST
CIG = GTR 2000 FT AND VSBY = GTR	21 LST
3 MI W/SFC WND LES 10 KTS	03 LST
	09 LST
	15 LST
SFC WND = GTR 17 KTS AND	21 LST
NO PRECIP.	03 LST
	09 LST
	15 LST
SFC WND 4-10 KTS AND TMP 33-89	21 LST
DEG F AND NO PRECIP.	03 LST
	09 LST
	15 LST
SKY COVER LES 3/10 AND	21 LST
VSBY = GTR 3 MI	03 LST
	09 LST
	15 LST
CIG = GTR 2500 FT AND	21 LST
VSBY = GTR 3 MI	03 LST
	09 LST
	15 LST
CIG = GTR 6000 FT AND	21 LST
VSBY = GTR 3 MI	03 LST
	09 LST
	15 LST
CIG = GTR 10000 FT AND	21 LST
VSBY = GTR 3 MI	03 LST
	09 LST
	15 LST



KEFLAVIK, ICELAND

STA NO. 04018 (IN ARFA NUMBER 01)

LATITUDE 6359N

LONGITUDE 02236W

ELEVATION(FT) 00169

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ARS MAX TMP (F)	48	48	51	54	66	64	68	62	63	57	50	49	68	12	4303
MEAN MAX TMP (F)	35	37	39	42	48	53	55	55	51	45	40	37	45	12	4303
MEAN MIN TMP (F)	28	29	31	34	39	44	47	47	43	38	33	30	37	12	4303
ABS MIN TMP (F)	4	11	11	10	27	33	38	35	31	24	15	10	4	12	4303
MEAN NO DYS TMP ≥ OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4303
MEAN NO DYS TMP ≥ OR LES 32(F)	22.5	19.0	15.7	11.2	4.2	0.0	0.0	0.0	0.5	5.1	12.7	19.7	110.6	12	4303
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4303
MEAN DEW PT TMP (F)	27	28	29	33	37	42	46	45	42	37	32	28	36	12	105156
MEAN REL HUM (PCT)	83	81	80	81	78	80	82	81	83	84	83	82	81	12	105154
MEAN PRESS ALT (FT)	545	435	325	260	141	178	249	268	336	413	429	516	341	0	-50
MEAN PRECIP (IN)	4.43	4.27	4.01	3.64	2.56	2.42	2.19	2.24	4.44	5.40	5.19	4.50	45.3	12	4300
MEAN SNOW FALL (IN)	16.2	14.2	13.9	8.3	0.4	0.0	0.0	0.0	0.0	2.5	7.8	14.8	78.1	12	4301
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	13.4	9.8	11.8	11.3	8.3	7.2	7.4	6.3	9.9	14.6	13.2	12.8	126.0	12	4300
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	3.9	2.6	3.0	1.7	0.1	0.0	0.0	0.0	0.0	0.7	1.8	4.1	17.9	12	4301
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	6.0	4.4	4.0	3.6	2.5	2.2	3.2	1.9	1.7	2.6	3.9	4.7	40.7	12	4301
MEAN NO DYS TSTMS	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.2	0.7	12	4303
P FREQ WND SPD ≥ OR GTR 17 KTS	39.8	35.1	35.8	31.2	24.1	17.8	14.9	15.0	24.2	29.6	33.7	35.9	28.1	12	105150
P FREQ WND SPD ≥ OR GTR 28 KTS	9.9	8.6	5.5	4.7	1.6	1.0	0.3	0.8	3.3	4.9	6.4	8.6	4.6	12	105150
P FREQ LES 5000 FT A/O LES 5 MI	59.0	57.3	58.6	63.6	59.9	61.4	56.6	53.6	62.7	65.8	60.8	59.0	59.8	12	105141
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	20.3	19.3	19.9	20.7	23.1	24.1	29.2	20.0	21.3	19.4	19.1	18.1	21.2	12	13146
03-05 LST	22.0	17.8	18.8	19.7	19.7	23.1	26.1	19.8	21.9	17.4	21.0	18.6	20.5	12	13146
06-08 LST	17.8	19.4	18.9	22.1	19.4	23.7	26.9	20.5	23.1	19.4	21.5	17.2	20.8	12	13145
09-11 LST	18.0	19.3	20.0	25.1	18.7	23.4	26.5	22.3	25.7	21.3	22.9	16.9	21.7	12	13143
12-14 LST	19.4	19.3	20.9	25.3	18.7	22.6	24.5	20.1	24.8	22.8	23.4	19.0	21.7	12	13145
15-17 LST	20.8	20.3	21.8	22.2	21.6	18.6	24.3	19.0	21.6	23.8	24.0	17.3	21.2	12	13145
18-20 LST	20.0	18.5	19.1	23.0	22.8	20.9	25.1	19.6	19.8	19.0	19.6	15.5	20.3	12	13145
21-23 LST	22.8	18.2	19.2	22.5	22.8	23.9	26.0	19.7	20.1	18.9	19.8	17.8	20.9	12	13146
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	4.5	5.2	3.0	5.6	4.9	4.8	6.5	3.6	3.9	3.0	3.7	3.0	4.3	12	13146
03-05 LST	4.8	5.2	3.0	4.2	3.2	2.7	7.7	4.9	4.0	3.2	4.5	3.5	4.2	12	13146
06-08 LST	3.4	5.6	5.4	4.4	1.8	2.8	4.8	3.3	3.4	3.0	4.0	3.1	3.7	12	13145
09-11 LST	3.9	4.8	3.0	3.3	2.0	1.7	3.1	2.3	3.3	4.2	4.8	3.1	3.3	12	13143
12-14 LST	5.1	5.3	3.5	3.0	2.7	1.9	1.7	2.2	3.0	4.7	4.1	4.2	3.4	12	13145
15-17 LST	4.9	6.5	4.2	3.9	3.1	1.8	1.7	2.4	3.2	3.7	4.3	2.4	3.5	12	13145
18-20 LST	4.7	4.8	2.9	3.3	3.8	2.4	2.2	2.3	3.4	3.4	4.0	1.6	3.4	12	13145
21-23 LST	5.2	4.9	2.8	4.5	4.5	3.8	3.7	3.2	2.8	4.4	3.1	2.8	3.8	12	13146

KEFLAVIK, ICELAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	22 LST	26.6	24.1	27.2	25.4	25.2	25.7	25.5	27.0	26.0	27.4	25.4	27.4	312.9	12	4382
	04 LST	26.7	24.6	27.2	25.4	27.3	25.4	24.5	26.7	24.8	27.0	25.5	27.4	312.5	12	4382
	10 LST	26.6	23.9	26.5	24.6	27.2	25.6	25.6	26.4	24.7	26.7	25.3	27.8	310.9	12	4382
	16 LST	26.1	23.6	25.9	25.3	26.5	26.6	26.1	27.1	25.5	25.7	24.8	27.7	310.9	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	22 LST	7.1	8.6	7.9	9.2	12.0	13.1	13.1	14.4	11.6	10.3	8.4	8.1	123.8	12	4382
	04 LST	5.9	8.2	8.9	9.5	12.2	12.5	13.0	16.0	10.2	10.1	8.4	8.7	123.6	12	4382
	10 LST	7.9	6.9	6.1	4.9	7.2	7.6	8.3	10.1	5.3	7.2	7.2	8.2	86.9	12	4382
	16 LST	7.9	7.4	5.1	4.5	5.6	6.8	5.7	8.8	6.3	8.1	8.3	8.9	83.4	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	22 LST	10.9	9.0	9.6	6.7	4.9	3.8	2.8	2.9	4.4	7.6	8.6	11.2	82.4	12	4043
	04 LST	11.4	9.0	9.5	7.1	5.0	2.3	2.2	2.8	4.6	7.9	8.8	10.0	80.6	12	3993
	10 LST	11.5	9.2	10.2	10.8	8.6	6.0	5.4	5.6	8.0	8.6	8.6	10.5	103.0	12	4067
	16 LST	11.3	9.6	12.0	10.4	9.2	7.4	6.4	5.9	7.7	8.8	9.1	9.8	107.6	12	4065
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	22 LST	4.0	5.6	6.8	9.5	13.4	16.1	16.7	14.4	13.2	11.4	7.2	6.1	124.4	12	4043
	04 LST	4.2	5.0	8.0	8.7	13.2	14.7	15.4	16.1	13.1	11.4	6.7	6.1	122.6	12	3993
	10 LST	3.9	5.1	6.8	7.0	11.4	11.6	14.3	13.4	9.1	10.1	7.5	7.0	107.2	12	4067
	16 LST	4.0	6.1	7.0	7.4	9.7	12.0	11.4	13.0	10.7	9.5	8.1	7.3	106.2	12	4065
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	22 LST	4.5	5.2	5.3	3.1	3.2	2.7	3.0	4.4	4.7	3.3	3.6	3.6	46.6	12	4382
	04 LST	5.6	5.2	3.9	2.8	2.7	2.5	3.2	2.9	2.6	4.5	3.4	4.5	43.8	12	4382
	10 LST	3.3	2.9	2.2	2.3	2.3	3.0	2.1	2.4	2.0	1.6	1.6	2.0	27.7	12	4382
	16 LST	3.1	3.3	2.1	2.0	2.7	2.5	3.4	3.2	2.1	1.5	1.8	2.2	29.9	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	22 LST	19.5	19.3	21.4	18.3	18.8	19.1	19.0	21.1	20.6	19.7	19.3	20.5	236.6	12	4382
	04 LST	18.7	18.9	20.4	17.6	20.0	18.1	19.2	21.1	17.7	20.3	18.8	20.9	231.7	12	4382
	10 LST	19.7	18.6	19.4	17.4	19.2	15.9	18.4	20.1	17.3	18.2	17.5	21.0	222.7	12	4382
	16 LST	18.2	18.1	19.4	17.7	19.5	19.2	18.7	20.2	18.8	18.1	17.4	20.0	225.5	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	22 LST	12.6	11.6	13.9	10.5	12.1	12.7	12.9	13.9	10.9	10.7	12.2	13.1	147.1	12	4382
	04 LST	13.1	11.6	11.5	9.8	13.4	10.4	12.5	13.2	10.7	11.7	11.5	12.8	142.2	12	4382
	10 LST	12.1	11.3	12.0	10.7	11.2	9.3	12.3	12.6	9.2	9.8	10.0	12.3	132.8	12	4382
	16 LST	10.4	11.1	11.5	10.3	11.6	13.1	13.6	15.1	10.5	9.7	11.0	11.0	138.9	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	22 LST	10.7	10.1	11.2	8.3	9.6	9.6	9.6	10.5	9.4	8.6	8.9	10.4	116.9	12	4382
	04 LST	10.9	10.3	9.6	7.7	9.7	7.7	9.1	9.6	8.2	10.1	9.2	10.3	112.4	12	4382
	10 LST	10.1	8.3	8.6	8.2	8.4	7.3	10.0	8.8	7.0	7.4	7.4	8.8	100.3	12	4382
	16 LST	8.8	8.7	9.4	7.7	8.6	10.4	11.2	10.9	8.0	7.2	7.9	8.5	107.5	12	4382

REYKJAVIK, ICELAND

STA NO. 04030 (IN AREA NUMBR 01)

LATITUDE 6407N

LONGITUDE 02196W

ELEVATION(FT) 00045

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	50	50	58	59	64	70	74	71	68	59	53	53	74	25	-528
MEAN MAX TMP (F)	36	37	39	43	50	55	58	57	51	44	39	38	46	30	-28
MEAN MIN TMP (F)	28	28	30	33	39	44	48	47	42	36	32	30	36	25	-28
ABS MIN TMP (F)	0	4	6	10	16	31	39	30	27	14	10	3	0	25	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4040
MEAN NO DYS TMP = OR LES 32(F)	22.8	20.5	18.0	15.1	9.6	0.6	0.0	0.3	2.1	9.3	12.5	19.8	126.6	12	4016
MEAN NO DYS TMP = OR LES 0(F)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	4016
MEAN DEW PT TMP (F)	25	27	29	31	36	42	46	45	42	34	33	29	35	12	38767
MEAN REL HUM (PCT)	80	82	80	78	76	78	80	80	83	81	83	82	80	12	38715
MEAN PRESS ALT (FT)	424	314	203	137	19	56	126	144	213	291	307	395	219	0	-50
MEAN PRECIP (IN)	4.00	3.10	3.00	2.10	1.60	1.70	2.00	2.60	3.10	3.40	3.60	3.70	33.9	30	-28
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	11.1	9.8	10.2	8.6	5.5	3.3	5.4	8.7	10.0	10.1	16.7	12.2	111.6	4	966
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.8	2.8	1.7	1.3	0.8	0.5	0.3	0.1	0.4	0.6	1.4	1.6	14.3	12	4045
MEAN NO DYS TSTMS	0.2	0.4	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.1	0.3	0.0	1.3	12	4044
P FREQ WND SPD = OR GTR 17 KTS	35.9	32.9	34.2	31.3	20.1	12.9	9.4	10.8	22.6	28.0	29.9	33.3	29.0	12	38796
P FREQ WND SPD = OR GTR 28 KTS	10.5	8.4	8.7	4.8	2.9	0.9	0.4	0.7	3.9	6.5	7.1	9.2	5.3	12	38796
P FREQ LES 5000 FT A/O LES 5 MI	48.5	60.8	57.6	58.6	52.9	90.2	54.6	52.7	61.3	52.1	63.5	59.1	56.0	12	38639
P FREQ LES 1500 FT A/O LES 3 MI														4	3371
FOR 00-02 LST	8.5	17.6	6.6	1.9	9.8	17.0	12.2	18.5	17.7	11.0	17.7	11.4	12.6	12	6312
03-05 LST	15.2	21.0	15.6	11.8	10.8	16.7	16.3	14.4	16.9	14.3	21.8	13.6	15.7	4	3396
06-08 LST	7.5	20.5	16.5	6.3	6.9	12.3	12.9	13.8	23.1	12.7	19.9	8.7	13.6	4	3396
09-11 LST	16.5	23.8	16.6	11.8	12.0	11.8	13.9	11.0	20.2	14.2	21.8	14.2	15.6	12	6306
12-14 LST	12.0	16.6	9.4	10.8	9.0	6.7	9.7	13.7	20.3	11.8	25.5	14.8	13.4	4	3399
15-17 LST	16.7	21.6	15.9	15.7	12.0	9.6	11.2	9.9	17.0	15.9	23.1	16.0	15.4	12	6311
18-20 LST	7.2	17.7	14.5	10.1	9.0	10.4	11.1	14.1	21.2	14.9	22.0	8.8	13.6	4	3399
21-23 LST	13.6	17.0	14.2	11.2	12.6	14.8	17.1	16.9	18.2	15.8	22.3	12.8	15.6	12	6302
P FREQ LES 300 FT A/O LES 1 MI														4	3371
FOR 00-02 LST	1.8	2.0	2.6	0.0	2.2	1.5	0.7	0.0	0.6	0.9	1.9	1.8	1.3	4	3371
03-05 LST	2.5	3.7	2.9	1.2	2.7	1.8	1.3	0.4	1.8	1.1	2.0	1.5	1.9	12	6312
06-08 LST	1.1	7.1	2.9	1.1	2.9	1.5	0.7	0.7	2.2	2.2	2.6	1.1	2.1	4	3396
09-11 LST	3.8	6.5	2.5	2.5	1.5	1.0	0.9	0.6	1.2	1.8	3.4	2.9	2.3	12	6306
12-14 LST	4.3	3.2	1.4	3.0	1.1	0.7	0.4	0.0	0.0	2.5	5.7	5.1	2.2	4	3399
15-17 LST	2.5	4.6	2.9	2.6	1.1	0.4	0.4	0.0	0.3	1.6	3.0	2.7	1.8	12	6311
18-20 LST	1.1	3.5	1.8	0.7	0.4	1.1	1.1	0.0	0.0	0.6	2.6	1.1	1.1	4	3399
21-23 LST	2.9	3.4	1.7	1.4	2.5	1.6	1.3	0.4	0.5	0.4	2.4	1.5	1.6	12	6302

REYKJAVIK, ICELAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST	28.1	24.9	28.3	27.9	29.2	27.2	27.6	28.6	27.7	28.3	26.3	29.3	333.4	12	4054
	05 LST	27.6	23.9	27.7	27.3	29.3	27.4	28.1	28.7	27.7	28.6	26.1	28.6	331.0	12	4052
	11 LST	27.1	24.0	28.1	27.3	29.1	28.3	28.9	29.5	27.3	28.9	25.5	28.4	332.4	12	4052
	17 LST	26.8	24.5	27.7	26.9	29.3	28.5	29.2	29.3	27.6	28.4	26.3	28.5	333.0	12	4049
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	23 LST	9.1	8.5	8.6	9.5	13.2	15.6	14.9	18.4	12.4	12.1	8.6	8.5	139.4	12	4054
	05 LST	6.7	7.6	9.0	10.7	14.3	15.0	16.4	19.7	12.1	11.1	8.8	7.1	138.5	12	4051
	11 LST	7.8	8.3	7.6	7.2	8.6	7.8	9.3	13.6	9.5	9.9	9.1	10.0	108.7	12	4051
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	8.6	7.6	7.7	6.5	6.8	6.3	8.4	9.5	8.3	9.7	9.8	8.0	97.2	12	4047
	23 LST	6.6	5.8	6.2	5.5	4.2	2.0	1.5	1.9	3.9	4.5	5.9	7.1	55.1	12	3939
	05 LST	7.4	5.7	5.8	6.1	4.2	1.8	1.5	1.4	3.9	5.7	4.2	7.9	55.6	12	3938
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	11 LST	6.4	4.6	6.9	7.6	5.9	4.2	3.6	3.0	5.3	5.7	4.2	5.3	62.7	12	3952
	17 LST	6.5	5.5	6.2	6.8	6.5	5.8	4.0	4.7	5.2	4.7	5.6	5.7	67.2	12	3939
	23 LST	3.2	4.1	4.8	5.3	9.9	10.1	13.4	13.4	11.2	8.8	5.6	3.3	93.1	12	3939
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	05 LST	2.6	3.1	3.9	5.3	8.7	10.6	11.9	11.2	9.2	7.3	5.3	3.5	82.6	12	3938
	11 LST	2.5	3.3	4.6	6.1	9.9	11.3	10.8	13.3	7.7	7.3	4.7	3.3	84.8	12	3951
	17 LST	2.7	2.5	5.2	6.5	8.0	8.4	10.0	9.7	8.7	7.2	5.3	3.1	77.3	12	3938
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST	8.3	7.2	7.8	6.2	5.6	7.1	3.0	6.0	6.8	6.9	6.0	7.2	78.1	8	2916
	05 LST	7.8	6.3	7.5	5.5	5.8	5.3	2.9	5.1	4.2	6.6	6.2	6.5	69.7	8	2914
	11 LST	5.5	3.4	4.9	5.1	5.4	6.2	3.0	5.2	4.0	3.2	4.9	3.3	94.1	8	2913
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	4.5	3.9	5.3	4.5	4.7	6.4	3.2	4.7	3.8	3.8	4.7	3.9	53.4	8	2911
	23 LST	19.8	16.1	19.5	19.0	20.6	20.2	19.0	21.2	18.1	19.2	16.5	18.8	228.0	12	4054
	05 LST	19.2	15.7	18.5	19.4	21.0	20.0	18.8	21.8	17.3	19.2	16.8	18.4	224.1	12	4052
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	11 LST	19.7	16.3	20.1	19.5	21.4	20.3	19.6	21.7	18.8	20.0	16.9	19.7	234.0	12	4052
	17 LST	19.3	16.7	19.5	18.9	21.4	21.9	20.8	21.6	18.9	19.0	17.9	17.5	233.4	12	4049
	23 LST	14.7	11.8	13.6	12.8	14.0	13.9	12.4	14.2	12.8	14.5	11.6	14.4	160.7	12	4054
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	05 LST	14.1	11.6	11.9	12.7	13.3	13.8	11.4	14.7	9.8	14.0	11.8	13.1	152.2	12	4052
	11 LST	15.1	10.7	14.3	12.8	13.8	14.1	12.6	15.2	13.2	15.3	11.1	13.6	161.8	12	4052
	17 LST	13.3	11.8	13.3	12.5	14.4	16.1	13.2	14.8	12.4	13.8	12.6	12.7	160.9	12	4049
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST	13.7	11.4	12.9	12.1	13.5	13.6	11.5	13.6	11.9	14.1	11.0	13.8	153.1	12	4054
	05 LST	13.5	11.3	11.1	11.9	12.3	13.2	10.2	13.5	9.3	13.5	11.4	12.3	143.5	12	4052
	11 LST	14.2	10.2	13.5	12.3	12.8	13.5	11.9	14.2	12.1	14.3	10.8	12.9	152.7	12	4052
17 LST	12.5	11.5	13.1	11.7	12.9	15.4	12.6	14.1	11.1	13.2	11.9	12.2	152.2	12	4049	

HVANNEYRI, ICELAND

STA NO. 04032/ (IN AREA NUMBER 01)

LATITUDE 6434N

LONGITUDE 02146W

ELEVATION(FT) 00056

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	53	53	56	59	69	70	78	76	73	58	56	54	78	10	-35
MFAN MAX TMP (F)	36	37	38	44	52	56	60	59	54	44	38	38	46	11	-35
MFAN MIN TMP (F)	24	24	27	31	37	43	46	44	40	32	27	28	34	11	-35
ABS MIN TMP (F)	-2	-3	-1	13	17	28	32	27	26	12	3	5	-3	10	-35
MFAN NO DYS TMP = OR GTR 90(F)														0	0
MFAN NO DYS TMP = OR LES 32(F)														0	0
MFAN NO DYS TMP = OR LES 0(F)														0	0
MFAN DFW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.80	3.70	2.70	1.60	1.20	1.90	1.50	2.80	4.30	3.50	4.30	3.60	34.9	11	-35
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 3 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

HVANNEYRI, ICELAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0

DATA NOT AVAILABLE

EYRARBAKKI, ICELAND

STA NO. 04038 (IN AREA NUMBFR 01)

LATITUDE 6352N

LONGITUDE 02109W

ELEVATION(FT) 00030

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	48	49	52	55	61	71	74	69	64	54	51	49	74	11	-35
MEAN MAX TMP (F)	36	36	38	44	51	55	59	56	52	43	39	38	46	11	-35
MEAN MIN TMP (F)	26	26	29	33	39	44	48	46	42	34	30	29	36	11	-35
ABS MIN TMP (F)	3	2	6	15	23	31	37	31	26	16	7	11	2	11	-35
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LFS 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DFW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	5.40	4.40	4.30	3.70	2.80	2.80	3.20	4.40	5.00	5.90	5.10	5.50	52.5	25	-35
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PREP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

EYRARBAKKI, ICELAND
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0

DATA NOT AVAILABLE

VESTMANNAEYJAR, ICELAND

STA NO. 04048 (IN AREA NUMBER 01)

LATITUDE 6324N

LONGITUDE 02017W

ELEVATION(FT) 00400

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	50	48	51	55	65	66	70	67	59	53	52	51	70	27	-28
MEAN MAX TMP (F)	39	39	41	43	48	52	56	55	50	44	41	40	46	27	-28
MEAN MIN TMP (F)	31	32	33	35	39	44	47	47	43	38	35	33	38	30	-28
ABS MIN TMP (F)	6	5	5	14	19	32	38	31	28	17	11	9	5	29	-28
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LFS 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)	30	30	30	32	37	41	45	44	41	35	33	30	36	26	-29
MEAN REL HUM (PCT)	82	81	79	79	79	79	80	80	82	82	82	79	80	20	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	6.20	4.80	4.60	3.70	3.30	3.00	3.10	3.80	5.50	6.10	5.40	5.90	55.3	50	-28
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-24
P FREQ WND SPD = OR GTR 17 KTS	69.1	63.4	62.5	65.2	58.8	45.9	43.7	40.9	55.3	64.6	64.5	67.5	58.4	8	-35
P FREQ WND SPD = OR GTR 28 KTS	49.8	40.0	40.0	36.8	33.2	19.8	20.5	17.3	29.4	40.0	38.2	46.1	34.2	8	-35
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

VESTMANNAEYJAR, ICELAND
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	23	LST												0	0
VSBY = GTR 3 MI	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR	23	LST												0	0
3 MI W/SFC WND LES 10 KTS	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
SFC WND = GTR 17 KTS AND	23	LST												0	0
NO PRECIP.	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	23	LST												0	0
DEG F AND NO PRECIP.	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
SKY COVER LES 3/10 AND	23	LST												0	0
VSBY = GTR 3 MI	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
CIG = GTR 2500 FT AND	23	LST												0	0
VSBY = GTR 3 MI	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
CIG = GTR 6000 FT AND	23	LST												0	0
VSBY = GTR 3 MI	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
CIG = GTR 10000 FT AND	23	LST												0	0
VSBY = GTR 3 MI	05	LST												0	0
	11	LST												0	0
	17	LST												0	0

DATA NOT AVAILABLE

VIK, ICELAND

STA NO. 04057/ (IN AREA NUMBER 01)

LATITUDE 6325N

LONGITUDE 01901W

ELEVATION(FT) 00066

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	49	52	49	57	61	77	71	83	61	55	51	50	83	10	-35
MEAN MAX TMP (F)	38	39	42	44	50	54	58	57	52	45	41	40	47	11	-35
MEAN MIN TMP (F)	30	30	32	36	41	44	49	48	44	37	33	33	38	11	-35
ABS MIN TMP (F)	13	9	13	21	25	31	39	39	33	22	18	20	9	10	-35
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DFW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	7.20	6.70	6.90	6.70	5.40	6.30	7.00	8.00	9.60	9.20	8.10	9.20	89.5	25	-35
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

VIK, ICELAND
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/3FC WND LES 10 KTS	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
SFC WIND = GTR 17 KTS AND NO PRECIP.	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
SFC WIND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0

DATA NOT AVAILABLE

LOFTSALIR, ICELAND

STA NO. 04058 (IN AREA NUMBER 01)

LATITUDE 6325N

LONGITUDE 01909

ELEVATION(FT) 00059

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POP (YRS)	NO. OBS
ABS MAX TMP (F)	48	50	50	54	59	66	64	64	61	54	52	50	66	6	-35
MEAN MAX TMP (F)	36	38	40	43	49	53	56	56	52	46	42	38	46	6	-35
MEAN MIN TMP (F)	31	33	33	36	42	47	49	48	44	39	37	33	39	6	-35
ABS MIN TMP (F)	10	16	16	12	28	34	32	34	28	23	19	16	10	6	-35
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LFS 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)	90	91	88	86	85	86	85	86	85	85	88	90	87	4	-35
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	6.50	3.80	4.60	5.30	3.90	3.90	3.80	3.30	2.30	6.20	5.90	7.10	56.6	2	-35
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS	31.6	25.0	27.8	22.9	23.5	15.6	12.2	15.3	19.7	24.1	24.8	25.2	22.3	8	-35
P FREQ WND SPD = OR GTR 28 KTS	9.0	4.3	7.8	4.6	4.8	0.6	0.7	2.1	3.6	6.1	7.1	8.1	4.9	8	-35
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

LOFTSALIR, ICELAND
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0

DATA NOT AVAILABLE

KIRKJUBAEJARKLAU, ICELAND

STA NO. 04064 (IN AREA NUMBER 01)

LATITUDE 6347N

LONGITUDE 01804W

ELEVATION(FT) 00125

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	48	48	50	55	66	72	72	66	66	54	54	50	72	8	-35
MFAN MAX TMP (F)	33	36	39	41	49	55	58	56	52	44	40	34	45	8	-35
MEAN MIN TMP (F)	26	28	29	32	38	44	47	46	42	36	33	28	36	8	-35
ABS MIN TMP (F)	3	10	10	10	25	32	39	34	25	19	14	9	3	8	-35
MFAN NO DYS TMP = OR GTR 90(F)														0	0
MFAN NO DYS TMP = OR LFS 32(F)														0	0
MFAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)	25	27	29	30	36	43	46	46	40	35	31	26	35	8	-29
MEAN REL HUM (PCT)	83	83	83	80	77	79	81	84	79	84	83	83	81	8	-35
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	5.90	4.30	5.10	4.10	4.00	5.00	4.90	6.50	7.00	7.20	6.70	6.70	67.4	25	-35
MEAN SNOW FALL (IN)														0	0
MFAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MFAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MFAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MFAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS	17.2	13.2	11.5	13.9	11.3	3.5	3.2	4.1	6.6	11.9	8.6	15.4	10.0	8	-35
P FREQ WND SPD = OR GTR 28 KTS	3.5	2.7	2.2	3.0	1.5	0.2	0.2	0.4	1.2	2.5	2.0	3.7	1.9	8	-35
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KIRKJUBAEJARKLAU, ICELAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	09 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	23 LST														0	0
	09 LST														0	0
	11 LST														0	0
	17 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST														0	0
	09 LST														0	0
	11 LST														0	0
	17 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST														0	0
	09 LST														0	0
	11 LST														0	0
	17 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST														0	0
	09 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST														0	0
	09 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	09 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	09 LST														0	0
	11 LST														0	0
	17 LST														0	0

DATA NOT AVAILABLE

FAGURHOLSMYRI, ICELAND

STA NO. 04072 (IN AREA NUMBER 01)

LATITUDE 6353N

LONGITUDE 01639W

ELEVATION(FT) 00031

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	46	48	52	57	66	70	72	68	56	57	54	48	72	6	-35
MFAN MAX TMP (F)	35	38	40	44	50	54	57	56	53	46	41	36	46	6	-35
MFAN MIN TMP (F)	26	28	29	31	37	42	45	44	41	35	33	28	35	8	-35
ABS MIN TMP (F)	5	10	12	12	23	30	37	34	27	18	14	10	5	8	-35
MFAN NO DYS TMP = OR GTR 90(F)														0	0
MFAN NO DYS TMP = OR LES 32(F)														0	0
MFAN NO DYS TMP = OR LES 0(F)														0	0
MFAN DFW PT TMP (F)														0	0
MFAN REL HUM (PCT)														0	0
MFAN PRESS ALT (FT)														0	0
MFAN PRECIP (IN)	6.70	4.80	5.90	4.60	4.30	4.20	4.10	5.70	7.10	7.00	6.70	7.40	68.5	25	-35
MFAN SNOW FALL (IN)														0	0
MFAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MFAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MFAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS	32.1	26.8	26.5	27.5	34.5	19.6	23.4	16.9	22.7	21.3	25.5	26.4	25.2	8	-35
P FREQ WND SPD = OR GTR 28 KTS	9.6	6.3	10.4	7.5	8.0	3.2	2.7	3.6	6.7	7.5	8.6	8.5	6.8	8	-35
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

FAGURHOLSMYRI, ICELAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	23	LST												0	0
VSBY = GTR 3 MI	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
CIG = GTR 2000 FT AND VSBY = GTR	23	LST												0	0
3 MI W/SFC WND LES 10 KTS	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
SFC WND = GTR 17 KTS AND	23	LST												0	0
NO PRECIP.	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	23	LST												0	0
DEG F AND NO PRECIP.	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
SKY COVER LES 3/10 AND	23	LST												0	0
VSBY = GTR 3 MI	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
CIG = GTR 2500 FT AND	23	LST												0	0
VSBY = GTR 3 MI	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
CIG = GTR 6000 FT AND	23	LST												0	0
VSBY = GTR 3 MI	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
CIG = GTR 10000 FT AND	23	LST												0	0
VSBY = GTR 3 MI	05	LST												0	0
	11	LST												0	0
	17	LST												0	0

DATA NOT AVAILABLE

TEIGARHORN, ICELAND

STA NO. 04095/ (IN AREA NUMBER 01)

LATITUDE 6441N

LONGITUDE 01422W

ELEVATION(FT) 03059

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	55	57	56	64	74	87	80	74	70	67	64	55	87	30	-28
MEAN MAX TMP (F)	37	37	39	43	50	56	58	57	52	45	40	38	46	30	-28
MEAN MIN TMP (F)	29	28	29	31	37	42	45	45	41	35	31	29	35	30	-28
ABS MIN TMP (F)	5	2	2	13	17	31	34	33	26	18	11	5	2	30	-28
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LFS 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DFW PT TMP (F)	27	26	27	30	38	43	46	45	41	35	29	27	35	27	-29
MEAN REL HUM (PCT)	79	78	78	79	81	81	83	82	83	82	80	80	80	20	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	6.00	4.50	3.60	3.30	3.10	3.10	3.60	3.90	5.10	4.90	4.80	5.70	51.6	30	-28
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	21	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

TEIGARHORN, ICELAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 2000 FT AND VSBY = GTR														0	0
3 MI W/SFC WND LES 10 KTS														0	0
														0	0
														0	0
SFC WND = GTR 17 KTS AND														0	0
NO PRECIP.														0	0
														0	0
														0	0
SFC WND 4-10 KTS AND TMP 33-89														0	0
DEG F AND NO PRECIP.														0	0
														0	0
														0	0
SKY COVER LES 3/10 AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 2500 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 6000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 10000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0

DATA NOT AVAILABLE

AREA NO. 01

PARAMETER DESCRIPTION	SOUTHERN COAST													
	BOUNDARIES				LATITUDE 6340N				LONGITUDE 01800W					
	6452N 02355W	6452N 02220W	6452N 02220W	6400N 02100W	6400N 02100W	6335N 02000W	6335N 02000W	6328N 01900W	6328N 01900W	6400N 01725W	6400N 01725W	6400N 01630W	6400N 01630W	
	6400N 01630W	6500N 01400W	6500N 01400W	6500N 01400W	6500N 01335W									
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	36	37	40	43	50	54	58	56	52	45	40	38	46	
MEAN MIN TMP (F)	28	29	30	33	39	44	47	46	42	36	32	30	36	
LARGEST MEAN PRECIP(IN)	7.20	6.30	6.50	6.70	5.40	6.30	7.00	8.00	9.60	9.20	8.10	9.20	89.5	
SMALLEST MEAN PRECIP(IN)	3.80	3.10	2.70	1.60	1.20	1.70	1.50	2.24	2.30	3.40	3.60	3.60	30.7	
	MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST	27.4	24.5	27.8	26.7	27.2	26.5	26.6	27.8	26.9	27.9	25.9	28.4	323.6
	05 LST	27.2	24.3	27.5	26.4	28.3	26.4	26.3	27.7	26.3	27.8	25.8	28.0	322.0
	11 LST	26.9	24.0	27.3	26.0	28.2	27.0	27.3	28.0	26.0	27.8	25.4	28.1	322.0
	17 LST	26.5	24.1	26.8	26.1	27.9	27.6	27.7	28.2	26.6	27.1	25.6	28.1	322.3
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	23 LST	8.1	8.6	8.3	9.4	12.6	14.4	14.0	16.4	12.0	11.2	8.5	8.3	131.8
	05 LST	6.3	7.9	9.0	10.1	13.3	13.8	14.7	17.9	11.2	10.6	8.6	7.9	131.3
	11 LST	7.9	7.6	6.9	6.1	7.9	7.7	8.8	11.9	7.4	8.6	8.2	9.1	98.1
	17 LST	8.3	7.5	6.4	5.5	6.2	6.6	7.1	9.2	7.3	8.9	9.1	8.5	90.6
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST	8.8	7.4	7.9	6.1	4.6	2.9	2.2	2.4	4.2	6.1	7.3	9.2	69.1
	05 LST	9.4	7.4	7.7	6.6	4.6	2.1	1.9	2.1	4.3	6.8	6.5	9.0	68.4
	11 LST	9.0	6.9	8.6	9.2	7.3	5.1	4.5	4.3	6.7	7.2	6.4	7.9	83.1
	17 LST	8.9	7.6	9.1	8.6	7.9	6.6	5.2	5.3	6.5	6.8	7.4	7.8	87.7
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST	3.6	4.9	5.8	7.4	11.7	13.1	13.1	13.9	12.2	10.1	6.4	4.7	108.9
	05 LST	3.4	4.1	6.0	7.0	11.0	12.7	13.7	13.7	11.2	9.4	6.0	4.8	103.0
	11 LST	3.2	4.2	5.7	6.6	10.7	11.5	12.6	13.4	8.4	8.7	6.1	5.2	96.3
	17 LST	3.4	4.3	6.1	7.0	8.9	10.2	10.7	11.4	9.7	8.4	6.7	5.2	92.0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST	6.4	6.2	6.6	4.7	4.4	4.9	3.0	5.2	5.8	5.1	4.8	5.4	62.5
	05 LST	6.7	5.8	5.7	4.2	4.3	3.9	3.1	4.0	3.4	5.6	4.8	5.5	57.0
	11 LST	4.4	3.2	3.6	3.7	3.9	4.6	2.6	3.8	3.0	2.4	3.3	2.7	41.2
	17 LST	3.8	3.6	3.7	3.3	3.7	4.5	3.3	4.0	3.0	2.7	3.3	3.1	42.0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST	19.7	17.7	20.5	18.7	19.7	19.7	19.0	21.2	19.4	19.5	17.9	19.7	232.7
	05 LST	19.0	17.3	19.5	18.5	20.5	19.1	19.0	21.5	17.5	19.8	17.8	19.7	229.2
	11 LST	19.7	17.5	19.8	18.5	20.3	18.1	19.0	20.9	18.1	19.1	17.2	20.4	228.6
	17 LST	18.8	17.4	19.5	18.3	20.5	20.6	19.8	20.9	18.9	18.6	17.8	18.8	229.9
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST	13.7	11.7	13.8	11.7	13.1	13.3	12.7	14.1	11.9	12.6	11.9	13.8	154.3
	05 LST	13.6	11.6	11.7	11.3	13.4	12.1	12.0	14.0	10.3	12.9	11.7	13.0	147.6
	11 LST	13.6	11.0	13.2	11.8	12.5	11.7	12.5	13.9	11.2	12.6	10.6	13.0	147.6
	17 LST	11.9	11.5	12.4	11.4	13.0	14.6	13.4	15.0	11.5	11.8	11.8	11.9	150.2
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST	12.2	10.8	12.1	10.2	11.6	11.6	10.6	12.1	10.7	11.4	10.0	12.1	135.4
	05 LST	12.2	10.8	10.4	9.8	11.0	10.5	9.7	11.6	8.8	11.8	10.3	11.3	128.2
	11 LST	12.2	9.3	11.1	10.3	10.6	10.4	11.0	11.5	9.6	10.9	9.1	10.9	126.9
	17 LST	10.7	10.1	11.4	9.7	10.8	12.9	11.9	12.5	9.6	10.2	9.9	10.4	130.1

GOLTUR, ICELAND

STA NO. 04005 (IN AREA NUMBER 02)

LATITUDE 6609N

LONGITUDE 02334W

ELEVATION(FT) 00071

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	50	50	52	52	63	64	66	64	59	59	55	52	66	3	-35
MFAN MAX TMP (F)	33	35	37	40	44	49	51	51	45	41	40	35	42	3	-35
MFAN MIN TMP (F)	26	29	30	33	36	41	44	44	40	35	34	30	35	3	-35
ABS MIN TMP (F)	12	14	9	19	25	28	36	34	27	23	16	16	9	3	-35
MEAN NO DYS TMP ≥ OR GTR 90(F)														0	0
MEAN NO DYS TMP ≥ OR LES 32(F)														0	0
MEAN NO DYS TMP ≥ OR LES 0(F)														0	0
MEAN DFW PT TMP (F)														0	0
MEAN REL HUM (PCT)	75	77	76	79	77	82	83	81	82	79	80	78	79	3	-25
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)														0	C
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD ≥ OR GTR 17 KTS														0	0
P FREQ WND SPD ≥ OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

GOLTUR, ICELAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PCR (YRS)	NO. OBS
		CIG = GTR 1000 FT AND VSBY = GTR 3 MI	22 LST 04 LST 10 LST 16 LST													
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	22 LST 04 LST 10 LST 16 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	22 LST 04 LST 10 LST 16 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	22 LST 04 LST 10 LST 16 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	22 LST 04 LST 10 LST 16 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	22 LST 04 LST 10 LST 16 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	22 LST 04 LST 10 LST 16 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	22 LST 04 LST 10 LST 16 LST														0	0

DATA NOT AVAILABLE

STYKKISHOLMUR, ICELAND

STA NO. 04013 (IN AREA NUMBR 07)

LATITUDE 6505N

LONGITUDE 02246W

ELEVATION(FT) 00082

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	49	49	53	57	68	68	73	72	64	59	53	51	73	58	-34
MEAN MAX TMP (F)	33	32	33	38	45	51	54	53	49	42	37	33	47	22	-34
MEAN MIN TMP (F)	23	22	22	29	35	42	45	44	40	34	28	23	32	22	-34
ABS MIN TMP (F)	-21	-9	-13	-6	17	28	33	30	23	15	0	-6	-21	58	-34
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LFS 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DFW PT TMP (F)	25	24	23	29	34	39	43	42	39	34	29	25	32	21	-29
MEAN REL HUM (PCT)	87	87	85	84	80	78	80	81	82	85	87	87	83	19	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.76	3.59	3.00	1.91	1.12	1.79	1.64	2.16	3.31	3.21	3.97	3.61	33.1	20	-34
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

STYKKISHOLMUR, ICELAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	22	LST												0	0
VSBY = GTR 3 MI	04	LST												0	0
	10	LST												0	0
	16	LST												0	0
CIG = GTR 2000 FT AND VSBY = GTR	22	LST												0	0
3 MI W/SFC WND LES 10 KTS	04	LST												0	0
	10	LST												0	0
	16	LST												0	0
SFC WND = GTR 17 KTS AND	22	LST												0	0
NO PRECIP.	04	LST												0	0
	10	LST												0	0
	16	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	22	LST												0	0
DEG F AND NO PRECIP.	04	LST												0	0
	10	LST												0	0
	16	LST												0	0
SKY COVER LES 3/10 AND	22	LST												0	0
VSBY = GTR 3 MI	04	LST												0	0
	10	LST												0	0
	16	LST												0	0
CIG = GTR 2500 FT AND	22	LST												0	0
VSBY = GTR 3 MI	04	LST												0	0
	10	LST												0	0
	16	LST												0	0
CIG = GTR 6000 FT AND	22	LST												0	0
VSBY = GTR 3 MI	04	LST												0	0
	10	LST												0	0
	16	LST												0	0
CIG = GTR 10000 FT AND	22	LST												0	0
VSBY = GTR 3 MI	04	LST												0	0
	10	LST												0	0
	16	LST												0	0

DATA NOT AVAILABLE

KJORVOGUR, ICELAND

STA NO. 04031 (IN AREA NUMBER 02)

LATITUDE 6559N

LONGITUDE 02123W

ELEVATION(FT) 00039

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	48	48	50	55	63	66	70	66	63	55	54	48	70	8	-35
MFAN MAX TMP (F)	30	34	35	36	44	51	54	51	46	41	37	32	41	8	-35
MEAN MIN TMP (F)	25	27	27	29	34	40	43	42	39	32	32	27	33	4	-35
ABS MIN TMP (F)	9	14	7	10	16	27	34	28	23	19	14	12	7	4	-35
MFAN NO DYS TMP = OR GTR 90(F)														0	0
MFAN NO DYS TMP = OR LFS 32(F)														0	0
MFAN NO DYS TMP = OR LES 0(F)														0	0
MFAN DFW PT TMP (F)														0	0
MFAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MFAN PRECIP (IN)	2.40	2.00	2.30	1.60	1.40	1.90	2.50	3.40	4.40	3.60	2.90	2.80	31.2	25	-35
MFAN SNOW FALL (IN)														0	0
MFAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MFAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MFAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MFAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS	34.5	29.9	32.0	29.7	19.4	7.6	11.1	12.1	24.1	24.9	27.0	30.7	23.9	8	-35
P FREQ WND SPD = OR GTR 28 KTS	12.4	13.5	11.4	10.8	5.8	0.8	1.0	4.3	8.6	10.2	10.2	9.5	8.2	8	-35
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KJORVOGUR, ICELAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0

DATA NOT AVAILABLE

BLONDUOS, ICELAND

STA NO. 04045 (IN AREA NUMBFR 02)

LATITUDE 6540N

LONGITUDE 02018W

ELEVATION(FT) 00025

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	50	52	54	55	66	70	73	66	63	59	57	50	73	5	-35
MEAN MAX TMP (F)	31	33	37	39	47	51	54	53	49	42	37	33	42	5	-35
MEAN MIN TMP (F)	24	26	27	30	36	41	45	44	39	33	31	26	34	5	-35
ABS MIN TMP (F)	-2	3	7	9	21	28	32	25	19	14	12	3	-2	5	-35
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LFS 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DFW PT TMP (F)	21	22	25	28	35	40	44	44	39	32	28	23	32	5	-29
MEAN RFL HUM (PCT)	78	77	78	80	79	81	83	84	83	81	80	78	80	5	-35
MEAN PRESS ALT (FT)														25	-35
MEAN PRECIP (IN)	1.30	1.30	1.50	1.10	0.80	1.30	1.80	2.00	2.30	2.30	1.50	1.60	18.8	0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS	20.3	18.9	17.6	18.4	13.1	6.5	8.3	11.0	13.3	15.5	13.5	16.3	14.3	8	-35
P FREQ WND SPD = OR GTR 28 KTS	5.6	4.4	4.3	4.9	1.5	0.1	0.1	0.8	1.7	3.9	4.2	4.9	3.0	8	-35
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BLONDUOS, ICELAND
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
	17	LST												0	0

DATA NOT AVAILABLE

SAUDARKKROKUR, ICELAND

STA NO. 04053 (IN AREA NUMBER 02)

LATITUDE 6544N

LONGITUDE 01938W

ELEVATION(FT) 0006

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	48	48	55	55	68	66	77	68	63	59	55	50	77	2	-35
MEAN MAX TMP (F)	29	34	39	42	47	51	58	54	48	41	41	33	43	2	-35
MEAN MIN TMP (F)	23	26	28	33	36	42	47	44	41	32	34	27	34	2	-35
ABS MIN TMP (F)	1	1	9	16	19	30	39	28	32	18	16	5	1	2	-35
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LFS 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DFW PT TMP (F)	23	25	29	32	35	40	44	42	39	31	32	25	33	2	-29
MEAN RFL HUM (PCT)	89	84	84	82	79	80	76	79	82	81	81	83	81	1	-35
MEAN PRESS ALT (FT)	433	309	111	48	-40	4	103	116	130	210	309	391	177	0	-50
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS	38.1	23.0	24.9	15.4	27.3	12.0	21.8	26.8	24.5	31.3	46.6	27.9	26.6	2	-35
P FREQ WND SPD = OR GTR 28 KTS	16.0	7.1	5.3	4.3	8.3	1.3	0.5	5.3	4.7	12.4	16.1	7.1	7.3	2	-35
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SAUDARKROKUR, ICELAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0

DATA NOT AVAILABLE

GRIMSEY, ICELAND

STA NO. 04065 (IN AREA NUMBER 02)

LATITUDE 6633N

LONGITUDE 01801W

ELEVATION(FT) 00072

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	49	50	49	56	64	70	75	79	65	59	53	50	79	56	-34
MEAN MAX TMP (F)	33	32	31	35	40	47	49	50	46	40	36	34	39	21	-34
MEAN MIN TMP (F)	23	22	21	25	31	37	40	41	37	32	27	24	30	21	-34
ABS MIN TMP (F)	-23	-13	-22	-11	10	20	27	27	23	12	:	-5	-23	51	-34
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LFS 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)	22	21	20	24	30	37	41	42	37	31	26	24	30	19	-29
MEAN RFL HUM (PCT)	80	80	79	80	83	84	87	87	85	84	82	82	82	15	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.50	1.10	0.60	0.70	0.70	1.20	1.30	1.70	2.10	2.00	1.30	0.80	14.0	14	-28
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-24
P FREQ WND SPD = OR GTR 17 KTS	42.2	36.7	29.0	23.4	16.1	6.8	10.4	10.3	21.4	28.0	37.3	40.1	25.1	8	-35
P FREQ WND SPD = OR GTR 28 KTS	16.5	14.6	10.9	10.0	3.9	0.3	1.0	1.7	6.4	9.8	16.1	14.1	8.7	8	-35
P FREQ LES 5000 FT A/O LES 5 MI.														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

GRIMSEY, ICELAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
		CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST 05 LST 11 LST 17 LST													
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	23 LST 05 LST 11 LST 17 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST 05 LST 11 LST 17 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST 05 LST 11 LST 17 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST 05 LST 11 LST 17 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST 05 LST 11 LST 17 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST 05 LST 11 LST 17 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST 05 LST 11 LST 17 LST														0	0

DATA NOT AVAILABLE

HUSAVIK, ICELAND

STA NO. 04066/ (IN AREA NUMBER 02)

LATITUDE 6602N

LONGITUDE 01721W

ELEVATION(FT) 00033

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	57	55	56	61	60	79	83	76	70	63	55	57	83	17	-34
MEAN MAX TMP (F)	34	35	37	41	50	54	58	57	52	41	38	37	45	13	-34
MEAN MIN TMP (F)	25	26	26	30	36	42	45	44	40	32	30	29	34	14	-34
ABS MIN TMP (F)	-1	1	5	10	16	29	32	28	27	12	10	7	-1	14	-34
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.38	0.87	1.26	0.87	0.68	1.74	2.06	2.56	2.36	4.05	2.23	1.95	22.0	12	-34
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

HUSAVIK, ICELAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23	LST												0	0
	09	LST												0	0
	11	LST												0	0
	17	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	23	LST												0	0
	09	LST												0	0
	11	LST												0	0
	17	LST												0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	23	LST												0	0
	09	LST												0	0
	11	LST												0	0
	17	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23	LST												0	0
	09	LST												0	0
	11	LST												0	0
	17	LST												0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23	LST												0	0
	09	LST												0	0
	11	LST												0	0
	17	LST												0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23	LST												0	0
	09	LST												0	0
	11	LST												0	0
	17	LST												0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23	LST												0	0
	09	LST												0	0
	11	LST												0	0
	17	LST												0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23	LST												0	0
	09	LST												0	0
	11	LST												0	0
	17	LST												0	0

DATA NOT AVAILABLE

RAUFARHOFN, ICELAND

STA NO. 04077 (IN AREA NUMBER 02)

LATITUDE 6627N

LONGITUDE 01557W

ELEVATION(FT) 00034

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	50	48	52	57	68	75	77	73	72	59	55	52	77	8	-35
MEAN MAX TMP (F)	32	33	33	34	41	48	52	51	47	41	37	33	40	7	-35
MEAN MIN TMP (F)	25	26	26	27	34	40	44	43	39	33	30	26	33	8	-35
ABS MIN TMP (F)	0	7	5	5	14	27	34	27	25	14	9	10	0	8	-35
MEAN NO DYS TMP ≥ OR GTR 90(F)														0	0
MEAN NO DYS TMP ≥ OR LES 32(F)														0	0
MEAN NO DYS TMP ≥ OR LES 0(F)														0	0
MEAN DFW PT TMP (F)	24	25	25	27	34	40	45	44	40	33	30	25	33	8	-29
MEAN REL HUM (PCT)	85	85	83	86	86	87	89	90	90	86	86	84	86	8	-35
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.00	1.00	0.90	0.70	0.80	2.30	2.20	2.40	2.20	3.30	1.90	1.80	20.1	6	-35
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR V5BY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD ≥ OR GTR 17 KTS	37.2	30.6	24.7	28.6	19.9	9.6	13.2	10.5	20.3	25.4	30.3	36.7	23.9	8	-35
P FREQ WND SPD ≥ OR GTR 28 KTS	12.1	9.1	6.6	7.0	3.5	0.4	0.8	1.6	4.5	5.4	7.4	9.4	5.6	8	-35
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

RAUFARHOFN, ICELAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
		CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST 05 LST 11 LST 17 LST													
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	23 LST 05 LST 11 LST 17 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST 05 LST 11 LST 17 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST 05 LST 11 LST 17 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST 05 LST 11 LST 17 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST 05 LST 11 LST 17 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST 05 LST 11 LST 17 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST 05 LST 11 LST 17 LST														0	0

DATA NOT AVAILABLE

HOFN, ICELAND

STA NO. 04084/ (IN AREA NUMBER 02)

LATITUDE 6602N

LONGITUDE 01448W

ELEVATION(FT) 00066

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	52	53	54	58	67	75	76	77	68	59	55	51	77	10	-35
MEAN MAX TMP (F)	36	35	35	39	45	53	54	55	50	42	38	36	43	11	-35
MEAN MIN TMP (F)	26	26	26	29	35	40	44	45	41	34	30	29	34	11	-35
ABS MIN TMP (F)	4	7	1	11	21	29	35	33	27	17	10	11	1	10	-35
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.70	0.90	0.90	0.80	0.90	1.60	2.00	2.60	2.60	2.60	2.00	2.50	21.1	10	-35
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

HOFN, ICELAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI														0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS														0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.														0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.														0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI														0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI														0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI														0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI														0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
														0	0
														0	0

DATA NOT AVAILABLE

FAGRIDALUR, ICELAND

STA NO. 04086/ (IN AREA NUMBER 02)

LATITUDE 6547N LONGITUDE 01427W ELEVATION(FT) 00128

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	59	59	59	60	67	74	73	76	72	64	64	57	76	11	-35
MEAN MAX TMP (F)	36	37	36	39	47	53	54	56	51	42	40	38	44	11	-35
MEAN MIN TMP (F)	27	27	27	29	36	41	44	46	42	34	31	30	35	11	-35
ABS MIN TMP (F)	8	6	9	15	20	20	35	32	31	16	15	15	6	11	-35
MEAN NO DYS TMP ≥ OR GTR 90(F)														0	0
MEAN NO DYS TMP ≥ OR LES 32(F)														0	0
MEAN NO DYS TMP ≥ OR LES 0(F)														0	0
MEAN DFW PT TMP (F)	26	26	25	29	35	41	43	46	42	32	30	28	34	10	-29
MEAN RFL HUM (PCT)	81	80	78	83	80	81	82	84	85	80	81	81	81	8	-35
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.80	1.10	1.60	1.20	1.20	2.50	4.30	3.60	3.90	3.90	3.10	3.10	31.3	8	-35
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD ≥ OR GTR 17 KTS	39.5	34.5	37.6	32.8	18.6	12.0	10.6	10.3	18.9	22.5	26.4	33.4	24.7	8	-35
P FREQ WND SPD ≥ OR GTR 28 KTS	12.9	10.0	6.2	5.3	2.7	0.4	0.1	2.5	4.7	5.4	6.8	9.7	5.5	8	-35
P FREQ LES 9000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

FAGRIDALUR, ICELAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0

DATA NOT AVAILABLE

AREA NO. 02

PARAMETER DESCRIPTION	NORTHFRN COAST													
	BOUNDARIES		6500N 01335W		6500N 01400W		6500N 01400W		6515N 01415W		6515N 01415W		6600N 01600W	
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	33	34	35	38	45	51	54	53	48	41	38	34	42	
MEAN MIN TMP (F)	25	26	26	29	35	41	44	44	40	33	31	27	33	
LARGST MEAN PRECIP(IN)	3.76	3.59	3.00	1.91	1.40	2.50	4.30	3.60	4.40	4.05	3.97	3.61	40.1	
SMALLEST MEAN PRECIP(IN)	0.90	0.87	0.50	0.70	0.68	1.20	1.30	1.70	2.10	2.00	1.30	0.80	13.6	

MEAN NUMBER OF DAYS

CIG = GTR 1000 FT AND	23 LST
VSBY = GTR 3 MI	05 LST
	11 LST
	17 LST
CIG =GTR 2000 FT AND VSBY =GTR	23 LST
3 MI W/SFC WND LES 10 KTS	05 LST
	11 LST
	17 LST
SFC WND = GTR 17 KTS AND	23 LST
NO PRECIP.	05 LST
	11 LST
	17 LST
SFC WND 4-10 KTS AND TMP 33-89	23 LST
DEG F AND NO PRECIP.	05 LST
	11 LST
	17 LST
SKY COVER LES 3/10 AND	23 LST
VSBY = GTR 3 MI	05 LST
	11 LST
	17 LST
CIG = GTR 2500 FT AND	23 LST
VSBY = GTR 3 MI	05 LST
	11 LST
	17 LST
CIG = GTR 6000 FT AND	23 LST
VSBY = GTR 3 MI	05 LST
	11 LST
	17 LST
CIG = GTR 10000 FT AND	23 LST
VSBY = GTR 3 MI	05 LST
	11 LST
	17 LST

SIDUMULI, ICELAND

STA NO. 04034 (IN AREA NUMBR 03)

LATITUDE 6443N

LONGITUDE 02122W

ELEVATION(FT) 00256

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	46	50	50	54	62	64	75	69	59	53	50	46	75	3	-34
MEAN MAX TMP (F)	31	33	35	42	49	54	59	56	50	40	35	36	43	3	-34
MEAN MIN TMP (F)	23	23	25	33	36	41	44	45	40	32	28	29	33	3	-34
ABS MIN TMP (F)	2	8	7	20	16	27	32	29	28	16	11	6	2	3	-34
MEAN NO DYS TMP = OR GTR 9:(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DFW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.59	2.35	2.12	2.95	1.73	2.48	1.54	4.61	3.06	2.93	1.99	2.10	29.4	3	-34
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS	21.1	20.1	20.3	24.0	20.7	13.4	16.0	18.0	18.1	18.2	16.5	19.0	18.7	8	-35
P FREQ WND SPD = OR GTR 28 KTS	4.4	5.6	5.4	4.3	1.7	0.4	2.2	1.1	0.4	3.0	2.0	4.3	2.9	8	-35
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SIDUMULI, ICELAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
		CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST 05 LST 11 LST 17 LST													
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	23 LST 05 LST 11 LST 17 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST 05 LST 11 LST 17 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST 05 LST 11 LST 17 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST 05 LST 11 LST 17 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST 05 LST 11 LST 17 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST 05 LST 11 LST 17 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST 05 LST 11 LST 17 LST														0	0

DATA NOT AVAILABLE

HAELL, ICELAND

STA NO. 04090 (IN AREA NUMBER 03)

LATITUDE 6404N

LONGITUDE 02019W

ELEVATION(FT) 00427

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	48	50	47	53	62	74	80	70	68	56	51	52	80	7	-35
MEAN MAX TMP (F)	33	33	37	42	51	57	61	58	53	42	37	36	45	7	-35
MEAN MIN TMP (F)	24	24	27	32	38	43	46	46	42	33	29	28	34	7	-35
ABS MIN TMP (F)	1	4	11	13	19	29	36	32	30	13	13	11	1	6	-35
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LFS 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DFW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														25	-35
MEAN PRECIP (IN)	3.20	2.80	3.40	2.80	2.00	2.40	3.30	3.80	4.30	4.80	3.60	3.80	40.2	0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														6	-35
P FREQ WND SPD = OR GTR 17 KTS	23.7	13.5	23.2	21.0	12.6	7.8	9.2	7.0	12.7	13.5	14.9	22.3	15.8	6	-35
P FREQ WND SPD = OR GTR 28 KTS	4.5	3.5	4.7	2.3	1.3	0.0	0.0	0.7	0.9	2.9	5.9	7.8	2.8	0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

HAELL, ICELAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST														0	0
	23 LST														0	0
	05 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	11 LST														0	0
	17 LST														0	0
	23 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	11 LST														0	0
	17 LST														0	0
	23 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	05 LST														0	0
	11 LST														0	0
	17 LST														0	0

DATA NOT AVAILABLE

MAELIFELL, ICELAND

STA NO. 04054/ (IN AREA NUMBER 03)

LATITUDE 6526N

LONGITUDE 01019W

ELEVATION(FT) 00312

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	48	50	50	53	65	77	75	75	69	59	52	52	77	3	-35
MEAN MAX TMP (F)	31	34	34	43	51	53	54	56	52	42	34	35	43	3	-35
MEAN MIN TMP (F)	22	24	23	32	36	41	44	45	42	32	27	27	33	3	-35
ABS MIN TMP (F)	1	5	5	16	16	27	33	29	31	13	7	7	1	3	-35
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LFS 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DFW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	1.10	1.20	1.90	1.60	0.90	1.10	0.90	2.30	1.80	1.60	1.40	1.80	17.6	3	-35
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LFS 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MAELIFELL, ICELAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND	23 LST														0	0
VSBY = GTR 3 MI	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR	23 LST														0	0
3 MI W/SFC WND LES 10 KTS	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
SFC WND = GTR 17 KTS AND	23 LST														0	0
NO PRECIP.	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89	23 LST														0	0
DEG F AND NO PRECIP.	05 LST														0	0
	11 LST														0	C
	17 LST														0	0
SKY COVER LES 3/10 AND	23 LST														0	0
VSBY = GTR 3 MI	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 2500 FT AND	23 LST														0	0
VSBY = GTR 3 MI	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 6000 FT AND	23 LST														0	0
VSBY = GTR 3 MI	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 10000 FT AND	23 LST														0	0
VSBY = GTR 3 MI	05 LST														0	0
	11 LST														0	0
	17 LST														0	0

DATA NOT AVAILABLE

AKUREYRI, ICELAND

STA NO. 04063 (IN AREA NUMBER 03)

LATITUDE 6539N

LONGITUDE 01804W

ELEVATION(FT) 00006

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	57	56	61	61	72	83	77	77	72	64	60	56	83	24	-528
MEAN MAX TMP (F)	34	34	36	40	49	55	57	56	51	43	37	36	44	24	-28
MEAN MIN TMP (F)	26	25	26	30	37	43	47	45	41	34	29	27	34	23	-28
ABS MIN TMP (F)	-4	-4	-8	2	16	25	33	28	17	11	-1	-5	-8	23	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	3064
MEAN NO DYS TMP = OR LES 32(F)	25.5	21.8	21.2	21.1	10.2	0.8	0.0	0.1	2.9	13.6	17.9	24.1	159.2	9	3114
MEAN NO DYS TMP = OR LES 0(F)	0.5	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.9	9	3114
MEAN DFW PT TMP (F)	23	25	26	29	35	41	45	44	39	33	30	25	34	9	16367
MEAN REL HUM (PCT)	83	81	80	84	78	76	79	80	80	83	84	84	81	9	16328
MEAN PRESS ALT (FT)	415	298	176	95	-7	32	91	103	187	267	274	376	192	0	-50
MEAN PRECIP (IN)	1.70	1.50	1.70	1.30	0.60	0.90	1.30	1.60	1.90	2.30	1.90	1.90	18.6	26	-28
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.0	4.1	5.5	5.8	2.7	2.3	4.2	5.3	7.0	5.5	4.6	9.7	64.7	9	3102
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.8	1.3	2.1	1.8	0.8	0.4	0.4	0.3	0.5	0.9	0.5	2.5	14.3	9	3133
MEAN NO DYS YSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-24
P FREQ WND SPD = OR GTR 17 KTS	9.3	14.1	8.9	5.4	9.8	2.1	1.7	2.0	4.9	8.3	7.4	8.6	6.7	9	16751
P FREQ WND SPD = OR GTR 28 KTS	0.9	2.0	0.5	0.2	0.5	0.1	0.1	0.1	0.1	0.5	0.6	1.5	0.5	9	16751
P FREQ LES 5000 FT A/O LES 5 MI	66.9	56.5	56.3	72.1	50.8	43.8	48.3	56.1	68.2	65.4	68.1	67.6	98.6	9	16742
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	36.0	24.2	25.4	31.5	19.7	21.8	28.2	25.9	33.4	28.4	30.1	35.7	28.3	9	-30
03-05 LST	36.6	23.4	26.4	33.0	21.3	24.8	32.4	26.7	35.4	29.0	30.1	37.9	29.4	9	3555
06-08 LST	34.3	22.5	24.5	31.8	18.4	18.8	25.7	24.3	30.9	25.2	28.4	36.5	26.7	9	-30
09-11 LST	32.0	21.5	22.6	30.6	15.5	12.8	18.8	21.9	26.3	21.4	26.7	35.1	23.3	9	3554
12-14 LST	32.6	23.3	23.8	31.3	15.8	11.3	16.9	20.1	28.0	23.4	28.8	34.1	24.1	9	-30
15-17 LST	33.1	25.0	24.9	31.9	16.1	9.7	15.0	18.2	29.6	25.4	30.8	33.1	23.7	9	3556
18-20 LST	34.2	25.0	24.6	31.0	17.1	14.3	19.4	21.7	30.5	26.6	30.4	33.3	25.4	9	-30
21-23 LST	35.3	25.0	24.3	30.0	18.1	18.8	23.8	25.1	31.3	27.8	30.0	33.5	26.4	9	3551
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	10.5	4.3	4.4	5.0	3.8	3.3	3.6	1.1	3.4	3.0	2.8	8.5	4.4	9	-30
03-05 LST	10.1	3.8	4.4	6.1	3.6	4.5	5.6	1.5	4.6	3.2	3.8	8.9	4.9	9	3555
06-08 LST	9.4	4.5	5.5	6.1	3.3	2.7	3.3	1.1	3.4	2.6	3.0	8.1	4.4	9	-30
09-11 LST	8.6	5.1	6.5	6.1	3.0	0.9	0.9	0.6	2.1	2.0	2.1	7.3	3.7	9	3554
12-14 LST	8.0	4.3	6.2	5.4	2.9	0.6	0.6	0.7	1.7	3.0	2.1	7.2	3.5	9	-30
15-17 LST	7.4	3.5	5.9	4.6	2.7	0.3	0.3	0.0	1.3	4.0	2.1	6.9	3.1	9	3556
18-20 LST	9.1	4.2	5.2	4.3	3.4	1.2	0.9	0.7	1.7	3.4	1.9	7.5	3.6	9	-30
21-23 LST	10.8	4.8	4.4	3.9	4.0	2.1	1.5	0.6	2.1	2.8	1.7	8.1	3.8	9	3551

AKUREYRI, ICELAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST	23.1	23.0	25.5	23.0	26.6	25.7	25.4	25.7	24.1	26.8	24.2	23.6	296.7	9	3136
	05 LST	22.7	23.5	24.6	21.5	26.3	23.3	22.4	23.6	22.9	25.4	24.2	22.6	283.0	9	3131
	11 LST	24.2	23.8	25.2	22.4	27.8	28.0	27.7	27.3	25.6	27.1	25.1	23.4	307.6	9	3133
	17 LST	24.1	23.0	24.8	23.0	27.3	28.9	28.2	28.3	24.4	25.7	24.5	23.4	305.6	9	3133
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	23 LST	12.2	12.8	13.2	13.8	17.7	18.9	17.1	15.9	14.7	13.9	13.4	13.7	177.3	9	3135
	05 LST	12.2	12.2	13.6	14.6	17.8	16.4	15.4	15.2	13.7	14.5	14.3	11.1	171.0	9	3129
	11 LST	12.4	12.2	14.1	13.2	15.9	16.8	17.2	15.3	15.2	16.4	14.0	13.1	175.8	9	3133
	17 LST	12.0	11.7	13.8	12.0	14.1	11.9	12.9	12.6	14.0	15.7	11.7	13.4	155.8	9	3132
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST	1.1	2.0	1.2	0.6	0.6	0.7	0.8	0.3	0.6	0.9	1.5	1.5	11.8	9	3101
	05 LST	1.7	1.7	1.3	0.9	0.7	0.4	0.3	0.4	1.1	2.1	0.9	1.1	12.6	9	3100
	11 LST	1.6	2.2	1.6	1.8	1.3	0.5	1.2	0.3	1.1	2.1	1.6	1.7	17.0	9	3110
	17 LST	1.7	1.7	1.3	1.3	1.1	1.2	0.7	0.9	1.0	1.5	1.1	1.4	14.9	9	3107
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST	4.2	4.1	6.7	5.6	11.6	12.2	13.1	12.1	10.0	7.8	7.0	5.2	99.6	9	3101
	05 LST	4.1	4.5	5.1	5.1	8.3	10.9	12.0	10.6	8.7	7.2	7.2	4.2	87.9	9	3098
	11 LST	4.1	4.3	5.8	7.0	13.3	18.7	15.3	14.0	11.1	9.4	5.6	4.2	112.8	9	3110
	17 LST	4.0	4.0	6.3	9.5	14.8	13.7	14.9	17.0	13.0	9.0	5.9	4.1	114.2	9	3105
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST	5.4	4.1	4.4	4.5	3.9	5.5	3.3	2.0	3.6	5.0	4.0	5.0	50.7	8	2922
	05 LST	4.2	4.7	4.5	2.4	4.9	4.7	1.9	3.5	3.2	5.2	4.5	4.7	48.4	8	2919
	11 LST	1.9	2.2	3.2	2.7	4.5	4.9	1.4	2.9	2.7	3.6	1.7	2.1	33.8	8	2921
	17 LST	3.0	2.7	2.9	2.4	3.3	5.1	2.1	3.5	2.1	2.4	3.1	4.7	37.3	8	2918
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST	13.7	14.1	15.4	13.9	19.3	19.5	18.3	15.7	14.0	14.5	14.4	14.7	187.5	9	3136
	05 LST	13.1	14.3	15.3	13.9	19.2	17.8	16.9	15.4	14.1	15.5	14.2	13.2	182.9	9	3131
	11 LST	14.2	15.7	17.5	14.1	20.3	21.2	19.2	16.7	16.0	18.8	15.6	13.9	203.2	9	3133
	17 LST	14.4	14.9	17.1	13.3	20.7	22.9	20.9	19.6	14.7	17.5	14.4	15.1	205.5	9	3133
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST	10.4	9.0	9.4	8.6	12.9	13.5	12.6	8.4	8.9	9.5	8.7	10.6	122.5	9	3136
	05 LST	8.5	9.5	9.8	8.3	12.8	13.3	12.1	9.6	9.1	10.1	9.0	9.1	121.2	9	3131
	11 LST	9.6	10.4	12.2	7.7	13.3	15.0	11.7	9.6	10.1	11.6	10.0	10.0	131.2	9	3133
	17 LST	10.0	10.0	12.8	8.3	12.7	14.3	13.3	13.1	9.2	11.0	8.9	10.2	135.8	9	3133
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST	10.3	8.8	9.4	8.6	12.2	12.7	12.0	8.0	8.9	9.5	8.7	10.5	119.6	9	3136
	05 LST	8.4	9.2	9.4	8.0	12.6	12.1	11.7	8.8	9.1	10.1	8.9	9.1	117.4	9	3131
	11 LST	9.3	10.1	11.8	7.2	13.1	14.4	11.3	8.8	10.0	11.6	10.0	10.0	127.6	9	3133
	17 LST	9.8	9.4	12.2	8.3	12.5	15.8	12.9	12.5	9.2	11.0	8.9	10.1	132.6	9	3133

GRIMSSTADIR, ICELAND

LATITUDE 6336N

LONGITUDE 01612W

ELEVATION(FT) 01263

STA NO. 04073 (IN AREA NUMBER 03)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	45	50	49	66	67	75	83	74	70	60	51	48	83	16	-34
MEAN MAX TMP (F)	29	31	30	36	42	54	58	54	47	39	31	29	40	15	-34
MEAN MIN TMP (F)	16	18	17	22	30	37	41	38	33	27	19	17	26	19	-34
ABS MIN TMP (F)	-36	-14	-20	-11	3	21	27	26	10	1	-13	-22	-36	16	-34
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DFW DT TMP (F)														0	0
MEAN RFL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														5	-34
MEAN PRECIP (IN)	1.04	0.61	0.70	0.43	0.55	1.10	1.64	2.46	1.55	0.98	0.75	0.86	12.7	0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														21	-24
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-35
P FREQ WND SPD = OR GTR 17 KTS	32.2	26.2	28.4	21.9	19.9	11.2	11.0	7.9	8.4	13.2	19.7	21.8	17.8	8	-35
P FREQ WND SPD = OR GTR 28 KTS	9.7	7.2	7.1	5.6	3.4	1.0	0.1	1.2	1.4	2.6	2.6	4.6	3.8	0	0
P FREQ LES 5000 FT A/O LES 3 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

GRIMSSTADIR, ICELAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
		CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST 05 LST 11 LST 17 LST													
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	23 LST 05 LST 11 LST 17 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST 05 LST 11 LST 17 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST 05 LST 11 LST 17 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST 05 LST 11 LST 17 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST 05 LST 11 LST 17 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST 05 LST 11 LST 17 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST 05 LST 11 LST 17 LST														0	0

DATA NOT AVAILABLE

MODHRUDALUR, ICELAND

STA NO. 04079/ (IN AREA NUMBER 03)

LATITUDE 6922N

LONGITUDE 01993W

ELEVATION(FT) 01476

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	43	43	50	54	66	73	79	72	70	55	52	46	79	8	-35
MEAN MAX TMP (F)	24	26	29	32	41	52	56	53	46	36	31	26	38	8	-35
MEAN MIN TMP (F)	15	16	17	21	28	36	40	38	33	25	22	16	26	8	-35
ABS MIN TMP (F)	-18	-22	-15	-11	5	19	28	19	-4	-2	-15	-26	-26	8	-35
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														7	-35
P FREQ WND SPD = OR GTR 17 KTS	39.5	34.6	33.7	30.3	33.9	24.7	22.7	16.8	17.7	21.6	29.7	30.0	27.9	7	-35
P FREQ WND SPD = OR GTR 28 KTS	12.8	10.1	10.1	7.6	6.6	3.3	3.1	1.9	3.3	4.5	7.7	7.9	6.5	0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MODHRUDALUR, ICELAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0

DATA NOT AVAILABLE

HALLORMSSTADHUR, ICELAND

STA NO. 04088/ (IN AREA NUMBER 03)

LATITUDE 6506N

LONGITUDE 01449W

ELEVATION(FT) 00197

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LFS 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DFW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.80	2.70	1.50	1.50	1.00	1.00	1.60	1.60	2.20	2.40	3.30	3.10	26.7	25	35
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

HALLORMSSTADHUR, ICELAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	23	LST												0	0
VSBY = GTR 3 MI	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
CIG = GTR 2000 FT AND VSBY = GTR	23	LST												0	0
3 MI W/SFC WND LES 10 KTS	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
SFC WND = GTR 17 KTS AND	23	LST												0	0
NO PRECIP.	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	23	LST												0	0
DEG F AND NO PRECIP.	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
SKY COVER LES 3/10 AND	23	LST												0	0
VSBY = GTR 3 MI	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
CIG = GTR 2500 FT AND	23	LST												0	0
VSBY = GTR 3 MI	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
CIG = GTR 6000 FT AND	23	LST												0	0
VSBY = GTR 3 MI	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
CIG = GTR 10000 FT AND	23	LST												0	0
VSBY = GTR 3 MI	05	LST												0	0
	11	LST												0	0
	17	LST												0	0

DATA NOT AVAILABLE

EGILSSTADHIR AIR, ICELAND

STA NO. 04089 (IN AREA NUMBER 03)

LATITUDE 6916N

LONGITUDE 01425W

ELEVATION(FT) 00098

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	48	50	59	59	72	66	79	72	72	57	55	50	79	2	-35
MEAN MAX TMP (F)	28	33	39	42	47	54	61	58	54	42	40	32	44	2	-35
MEAN MIN TMP (F)	19	24	26	31	34	39	46	43	39	30	32	24	32	2	-35
ABS MIN TMP (F)	-2	3	3	14	16	30	36	27	32	14	9	5	-2	2	-35
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)	18	23	24	29	31	36	43	40	39	29	30	23	30	2	-29
MEAN REL HUM (PCT)	82	80	74	77	71	70	70	71	76	78	80	82	75	2	-35
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNPL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS	13.1	8.2	6.1	6.6	9.9	6.0	6.3	7.1	4.6	5.8	8.1	7.2	7.4	8	-35
P FREQ WND SPD = OR GTR 28 KTS	1.2	0.6	0.7	0.0	1.3	0.4	0.6	1.2	0.8	0.1	1.3	1.0	0.7	8	-35
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

EGILSSTADHIR AIR, ICELAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0

DATA NOT AVAILABLE

AREA NO. 03

ISLAND	INTERIOR																			
	BOUNDARIES																			
PARAMETER DESCRIPTION	6600N 01600W			6452N 02220W			6452N 02220W			6400N 02100W			6400N 02100W			6335N 02000W				
	6335N 02000W			6328N 01900W			6328N 01900W			6400N 01725W			6400N 01725W			6400N 01630W				
	6400N 01630W			6500N 01400W			6900N 01400W			6515N 01415W			6515N 01415W			6600N 01600W				
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN							
MEAN MAX TMP (F)	30	32	34	40	47	54	58	56	50	41	35	33	43							
MEAN MIN TMP (F)	21	22	23	29	34	40	44	43	39	30	27	24	31							
LARGFST MEAN PRECIP(IN)	4.80	2.80	3.40	2.95	2.00	2.48	3.30	4.61	4.30	4.80	3.60	3.80	42.8							
SMALLEST MEAN PRECIP(IN)	1.04	0.61	0.70	0.43	0.55	0.90	0.90	1.60	1.55	0.98	0.75	0.86	10.9							
	MEAN NUMBER OF DAYS																			
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST	23.1	23.0	25.5	23.0	26.6	25.7	25.4	25.7	24.1	26.8	24.2	23.6	296.7						
	05 LST	22.7	23.5	24.6	21.5	26.3	23.3	22.4	23.6	22.9	25.4	24.2	22.6	283.0						
	11 LST	24.2	23.8	25.2	22.4	27.8	28.0	27.7	27.3	25.6	27.1	25.1	23.4	307.6						
	17 LST	24.1	23.0	24.8	23.0	27.3	28.9	28.2	28.3	24.4	25.7	24.5	23.4	305.6						
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	23 LST	12.2	12.8	13.2	13.8	17.7	18.9	17.1	15.9	14.7	13.9	13.4	13.7	177.3						
	05 LST	12.2	12.2	13.6	14.6	17.8	16.4	15.4	15.2	13.7	14.5	14.3	11.1	171.0						
	11 LST	12.4	12.2	14.1	13.2	15.9	16.8	17.2	15.3	15.2	16.4	14.0	13.1	175.8						
	17 LST	12.0	11.7	13.8	12.0	14.1	11.9	12.9	12.6	14.0	15.7	11.7	13.4	155.8						
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST	1.1	2.0	1.2	0.6	0.6	0.7	0.8	0.3	0.6	0.9	1.5	1.5	11.8						
	05 LST	1.7	1.7	1.3	0.9	0.7	0.4	0.3	0.4	1.1	2.1	0.9	1.1	12.6						
	11 LST	1.6	2.2	1.6	1.8	1.3	0.5	1.2	0.3	1.1	2.1	1.6	1.7	17.0						
	17 LST	1.7	1.7	1.3	1.3	1.1	1.2	0.7	0.9	1.0	1.5	1.1	1.4	14.9						
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST	4.2	4.1	6.7	5.6	11.6	12.2	13.1	12.1	10.0	7.8	7.0	5.2	99.6						
	05 LST	4.1	4.5	5.1	5.1	8.3	10.9	12.0	10.6	8.7	7.2	7.2	4.2	87.9						
	11 LST	4.1	4.3	5.8	7.0	13.3	18.7	15.3	14.0	11.1	9.4	5.6	4.2	112.8						
	17 LST	4.0	4.0	6.3	9.5	14.8	13.7	14.9	17.0	13.0	9.0	5.9	4.1	116.2						
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST	5.4	4.1	4.4	4.5	3.9	5.5	3.3	2.0	3.6	5.0	4.0	5.0	50.7						
	05 LST	4.2	4.7	4.5	2.4	4.9	4.7	1.9	3.5	3.2	5.2	4.5	4.7	48.4						
	11 LST	1.9	2.2	3.2	2.7	4.5	4.9	1.4	2.9	2.7	3.6	1.7	2.1	33.8						
	17 LST	3.0	2.7	2.9	2.4	3.3	5.1	2.1	3.5	2.1	2.4	3.1	4.7	37.3						
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST	13.7	14.1	15.4	13.9	19.3	19.5	18.3	15.7	14.0	14.5	14.4	14.7	187.5						
	05 LST	13.1	14.3	15.3	13.9	19.2	17.8	16.9	15.4	14.1	15.5	14.2	13.2	182.9						
	11 LST	14.2	15.7	17.5	14.1	20.3	21.2	19.2	16.7	16.0	18.8	15.6	13.9	203.2						
	17 LST	14.4	14.9	17.1	13.3	20.7	22.9	20.9	19.6	14.7	17.5	14.4	15.1	205.5						
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST	10.4	9.0	9.4	8.6	12.9	13.5	12.6	8.4	8.9	9.5	8.7	10.6	122.5						
	05 LST	8.5	9.5	9.8	8.3	12.8	13.3	12.1	9.6	9.1	10.1	9.0	9.1	121.2						
	11 LST	9.6	10.4	12.2	7.7	13.3	13.0	11.7	9.6	10.1	11.6	10.0	10.0	131.2						
	17 LST	10.0	10.0	12.8	8.3	12.7	16.3	13.3	13.1	9.2	11.0	8.9	10.2	135.8						
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST	10.3	8.8	9.4	8.6	12.2	12.7	12.0	8.0	8.9	9.5	8.7	10.5	119.6						
	05 LST	8.4	9.2	9.4	8.0	12.6	12.1	11.7	8.8	9.1	10.1	8.9	9.1	117.4						
	11 LST	9.3	10.1	11.8	7.2	13.1	14.4	11.3	8.8	10.0	11.6	10.0	10.0	127.6						
	17 LST	9.8	9.4	12.2	8.3	12.5	15.8	12.9	12.5	9.2	11.0	8.9	10.1	132.6						