

of
①
AD 662426

**U. S. NAVAL WEATHER SERVICE
WORLD-WIDE AIRFIELD SUMMARIES**

VOLUME III

Far East

hlt
D D C
REF
DEC 12 1967
W

**THIS DOCUMENT HAS BEEN APPROVED FOR
PUBLIC RELEASE & SALE; ITS DISTRIBUTION IS
UNLIMITED.**

Reproduced by the
CLEARINGHOUSE
for Federal Scientific & Technical
Information, Springfield, Va. 22151

October 1967

WORLDWIDE AIRFIELD SUMMARIES

Volume III

Far East

Pen and Ink Corrections

1. Station Index, page ~~xxv~~^{xv}. In Climatic Area 3, change station number 47473 to 47573 (Niigata).
2. Change the latitude and longitude for Midway Island on page 267 to read: 2813N, 17723W.
3. Change the latitude and longitude for Pohang Dong on page 244 to read: 3603N, 12923E.
4. Change the longitude for Area 3 (Republic of Korea) on page 258 to 12800E.

BLANK PAGE

WORLDWIDE AIRFIELD SUMMARIES -- VOLUME III

FAR EAST

FOREWORD

PART
This volume is the ~~second~~ of a series of compilations which is world-wide in scope. It consists of climatological summaries for selected airfields and for the climatic areas in which they are located. When complete, the series will include data for approximately 3000 stations.

The summaries were prepared by the U. S. Air Force, Air Weather Service, and were provided in the form of magnetic tape. These are being compiled in book form, by country or geographical area, for promulgation to Naval Weather Service units.

Copies of excerpts of this document are available to the public from the National Weather Records Center, Federal Building, Asheville, N. C. 28801, for the cost of duplication.

The summaries are given to country in alphabetical order.



WORLDWIDE AIRFIELD SUMMARIES -- VOLUME III

FAR EAST

INTRODUCTION

This volume provides climatological summaries for airfields and climatic areas in the Far East. The summaries are presented by country (in alphabetical order, using a two-letter code) as shown in the Index. Within the countries, the summaries are arranged according to numbered climatic areas, and by increasing WMO Station Index Numbers within the climatic areas. An arbitrary station number (indicated by "/") is used where WMO Index Numbers are not assigned. Maps are included to delineate areas and station locations.

Climatic areas have been selected as being nearly homogeneous climatologically, but considerable variation may exist between locations in an area at a specific time because of topography and other factors. Climatological summaries for these areas follow those for the included airfields.

The latitudes and longitudes of the approximate centers of the climatic areas are indicated in the summary headings. Where more than one climatic area lies within a country, these are delineated by straight line segments and the positions of the end points are listed.

Blank values in the tables indicate that no data are available, and "0" indicates that the period of record is unknown. Local Standard Time is that of the standard time zone, and no adjustment has been made where local deviations exist. Data sources are listed in detail by means of a number system described on the following pages.

The first page of each station summary provides data for the station, and the second page contains information for the airfield area. The values are in mean

INTRODUCTION, CONT'D

number of days. Where observations were not available, the information consists of climatological estimates based on data for surrounding stations. In some instances tables may be based on relatively few observations or on somewhat doubtful data, and these should be used with caution.

GLOSSARY OF GENERAL TERMS

AIRFIELD DATA AND AIRFIELD AREA DATA

Climatological data applicable only to a specified airfield. The data consists of statistical parameters based on actual weather observations made at the airfield. If actual weather observations are not available the data consist of estimates of the statistical parameters, prepared by a climatologist, based on actual meteorological data from surrounding weather stations.

CLIMATIC AREA DATA

Climatological data representative of a nearly homogeneous climatic area. The data are average (or representative) values based on a sample of climatological data available from weather stations within the area. The area data do not imply that the specific condition simultaneously exists at all locations within a country or large climatic area. In rolling and mountainous terrain there may be considerable variation in the data from one location to another within the climatic area.

LOCAL STANDARD TIME

Standard time applicable to a 15 deg. meridional zone. (Zones proceed east and west from the zone centered on the prime meridian and extending from 00730E to 00730W.) No consideration is given to local deviations from the 15 deg. zone boundaries.

AIRFIELD PARAMETERS

ABSOLUTE MAXIMUM (MINIMUM) TEMPERATURES-DEG. F.

The highest (lowest) temperature observed in the specified month during the whole period for which observations are available.

MEAN DAILY MAXIMUM (MINIMUM) TEMPERATURE-DEG. F.

The average of all the daily maximum (minimum) temperatures observed in the specified month.

MEAN NO. DAYS WITH MAXIMUM TEMPERATURE GREATER THAN 90 DEG. F.

The average of the number of days in the specified month on which the maximum temperature was observed to be equal to or greater than 90 deg. F.

MEAN NO. DAYS WITH MINIMUM TEMPERATURE LESS THAN 32 DEG. F (LESS THAN 0 DEG. F.).

The average of the number of days in the specified month on which the minimum temperature was observed to be equal to or less than 32 deg.F.(0 deg.F.).

MEAN DEW POINT TEMPERATURE-DEG. F.

The average of all hourly dew point temperatures observed in the specified month.

MEAN RELATIVE HUMIDITY -PERCENT

The average of all hourly relative humidity values observed in a specified month.

MEAN PRESSURE ALTITUDE-FEET

The average station pressure observed at the airfield in the specified month converted to an altitude by using the U. S. Standard Atmosphere.

MEAN MONTHLY PRECIPITATION-INCHES

The average of the monthly total amount of all forms of precipitation, reduced to its liquid equivalent, observed in the specified month.

MEAN MONTHLY SNOWFALL-INCHES

The average of the monthly total amount of snowfall observed in the specified month.

MEAN NO. DAYS WITH PRECIPITATION GREATER THAN 0.1 INCH (SNOWFALL GREATER THAN 1.5 INCHES)

The average of the number of days in the specified month on which the daily amount of precipitation (snowfall) was observed to be equal to or greater than 0.1 inch (1.5 inches).

MEAN NO. DAYS WITH AN OCCURRENCE OF VISIBILITY LESS THAN 0.5 MILE

The average of the number of days in the specified month on which there was at least one observation of visibility less than 0.5 mile.

MEAN NO. DAYS WITH THUNDERSTORMS

The average of the number of days in the specified month on which the weather observer heard thunder.

PERCENT FREQUENCY SURFACE WIND SPEED GREATER THAN 16 KNOTS (GREATER THAN 27 KNOTS)

The frequency, expressed as a percent of the total number of hourly weather observations considered, during the specified month, in which the surface wind speed was observed to be greater than 16 knots (27 knots).

PERCENT FREQUENCY CEILING LESS THAN 5,000 FEET OR VISIBILITY LESS THAN 5 MILES

The frequency, expressed as a percent of the total number of hourly weather observations considered, during the specified month, in which the ceiling was observed to be less than 5,000 feet and/or the visibility was observed to be less than 3 miles (less than 1 mile).

PERCENT FREQUENCY CEILING LESS THAN 1,500 FEET (LESS THAN 300 FEET) OR VISIBILITY LESS THAN 3 MILES (LESS THAN 1 MILE)

The frequency, expressed as a percent of all the hourly weather observations considered, in a specified three-hourly period during the day for a specified month in which the ceiling was observed to be less than 1,500 feet (300 feet) and/or the visibility was observed to be less than three miles (one mile).

PARAMETERS FOR AIRFIELD AREA AND CLIMATIC AREA

MEAN NO. DAYS WITH CEILING GREATER THAN 1,000 FEET (GREATER THAN 2,500 FEET, GREATER THAN 6,000 FEET, ETC.) AND VISIBILITY GREATER THAN 3 MILES

The average of the number of days when, at a specified hour during the day in the specified month, the ceiling was observed to be equal to or greater than 1,000 feet (2,500 feet, 6,000 feet, etc.) and the visibility was observed to be equal to or greater than three miles.

MEAN NO. DAYS WITH SKY COVER LESS THAN 0.3 AND VISIBILITY GREATER THAN 3 MILES

The average of the number of days when, at a specified hour during the day in the specified month, the portion of the sky covered with clouds was observed to be less than 0.3 and the visibility was observed to be equal to or greater than three miles.

MEAN NO. DAYS WITH CEILING GREATER THAN 2,000 FEET AND VISIBILITY GREATER THAN 3 MILES AND SURFACE WIND LESS THAN 10 KNOTS

The average of the number of days when, at a specified hour during the day in the specified month, the ceiling was observed to be equal to or greater than 2,000 feet, the visibility was observed to be equal to or greater than three miles, and the surface wind speed less than ten knots.

MEAN NO. DAYS WITH SURFACE WIND GREATER THAN 16 KNOTS AND NO PRECIPITATION

The average of the number of days when, at a specified hour during the day in the specified month, the surface wind speed was observed to be greater than 16 knots, and there was no precipitation.

MEAN NO. DAYS WITH SURFACE WIND 4-10 KNOTS AND TEMPERATURE 33-89 DEG. F. AND NO PRECIPITATION

The average of the number of days when, at a specified hour during the day in the specified month, the surface wind speed was equal to or greater than four knots, but not greater than ten knots, the temperature was equal to or greater than 33 deg.F. but not greater than 89 deg.F. and there was no precipitation.

AREA PARAMETERS (CLIMATIC AREA ONLY)

MEAN DAILY TEMPERATURE RANGE-DEG. F.

Two temperatures for the specified month: (1) a representative mean daily maximum temperature observed in the area; (2) a representative mean daily minimum temperature observed in the area.

RANGE OF MEAN MONTHLY PRECIPITATION-INCHES

Two mean monthly precipitation amounts for the specified month: (1) the largest mean amount observed in the area; (2) the smallest mean amount observed in the area.

DATA SOURCES

The source from which values were taken can be determined from the column labeled "No. Obs."

- (1) If the number in that column is positive, the data for that line were computer-summarized, and the number given is the number of observations used in the summarization.
- (2) If the number is negative and of three digits or less, the data were hand-copied or estimated as indicated in the following source list.
- (3) If the number is less than minus 500, part of the data are derived from computer-summarized data, and part from the source list number plus 500. For example, if the number is "-528," the source is the extreme of the computer-summarized data compared to source "-28."
- (4) If the number is minus and a four or five digit number, the data were substituted from a representative station nearby and this number is the number of the source station.
- (5) Statistical methods or meteorological relationships were used whenever possible to provide data not available at the National Weather Records Center or in yearbooks and summaries.

SOURCE LIST

- 1 French Equatorial Africa Service Meteorologique - 1950 - 1959
- 2 Madagascar Service Meteorologique, Resum du Temps - 1947 - 1956
- 3 Angola Servico Meteorologico Elemento Meteorologicos - 1942 - 1952
- 4 Algiers, Universite, Institute de Meteorologie, le Climat de L'Algerie
- 5 Algeria Service Meteorologique Bulletin Climatologique Mensuel - 1952 - 1960
- 6 Algeria, Institut de Meteorologie - 1939-1954
- 7 Pt. 1 - Algiers Universite Annuaire du Nord - 1945 - 1950
- 8 Pt. 2 - Algiers Universite Annuaire Sahara - 1945 - 1950
- 9 Algeria, Service Meteorologique Resume Mensuel du Temps - 1951 - 1960
- 10 Verslag Report - 1949 - 1958
- 11 Portuguese East Africa, Servico Meteorologico Annuaire de Observacoes - 1951 - 1960
- 12 Climatologica Summaries-Northern Rhodesia - 1938 - 1948
- 13 Rhodesia Met. Service Climatologica Studies - 1948 - 1960
- 14 Climat Normals of Egypt and Sudan(Bock)
- 15 Metro Summary Tables (in summ. file)
- 16 Egypt Meteorological Dept. Metro Report
- 17 So. Africa Meteorological Services. (Wx on the coasts of So.Africa-Vol.II)
- 18 Weather on the west coast of Africa 7 to 20 years
- 19 Sudan-Meteorological Service Annual Met Report - 1950 - 1957
- 20 Tunisia Service Meteorologique Buletin Annual - 1952 - 1956
- 21 Republique Francaise du Maroc Annales - 1945 - 1953
- 22 French West Africa Service Meteorologique Resume Mensuel des Observations - 1953 - 1954; 1955 - 1957
- 23 Belgian Congo Service Meteorologique
- 24 World Distribution of Thunderstorm Days
- 25 WMO Model "A"
- 26 Portugal Servico Meteorologico Nacional (Dynamic Climatology of Southern Africa and the Air Routes in the Region)
- 27 Air France, Climatology of Africa

- 28 British Meteorological Tables
- 29 Statistical Estimate
- 30 Professional Subjective Estimate
- 31 Interpolation
- 32 Climatic Norms (Clino) WMO
- 33 CB Climatological Briefs
- 34 CDC WB Climatic Data Card
- 35 N Summary
- 36 Computed from Accepted Meteorological Relationships
- 37 Cape Verdi Islands Servicios de Estadística Meteorológica E. Climatología
- 38 Malaya-Meteorological Service Summary of Observations
- 39 Revolutionary Government of the Union of Burma Meteorological Department Climatological Summary
- 40 Vietnam - Direction de La Meteorologie Resumé Mensuel du Temps
- 41 Afghanistan Meteorological Institute Monthly Weather Bulletins
- 42 Lebanon - Service de Climatologie Bulletin Climatologique Mensuel
- 43 Climatological Tables of Observations in India (red book)
- 44 India Meteorological Department - India Weather Review
- 45 Batavia - Rainfall in Indonesia (Verhandelungen No. 37)
- 46 Turkey-Yillik Meteoroloji Bulteni
- 47 Rainfall Statistics of the British Borneo Territories
- 48 Ceylon Meteorological Report - December 1938 - 1949
- 49 Kuwait, Arabia - Climatological Data Annual
- 50 Ace Data, computed, derived or substituted from data available 1964
- 51 Promedios Climatologicos de Venes Uela Perido - 1951 - 1960
- 52 Chile Servicio Meteorologico, Anu Ario Meteorologico, Publication No. 73
- 53 Climate of Ecuador
- 54 Peru Direction General de Meteorologia Boletin Annual Meteorologico
- 55 Brasil Normais Climatologicas da Area da Sudene
- 56 Climatologia de Calle, Fasciculo Valores Normales de 36 Estaciones Seleccionadas, Perido - 1916 - 1945
- 57 H. O. Pub. No. 527 Weather Summary-Brazil
- 58 H. O. Pub. No. 529 Weather Summary-South America - - Southern Part

- 59 Datos Detallados de Climatologia de Venezuela
- 60 Paraguay File
- 61 H.O. Publication No. 530 Weather Summary
- 62 Climatological Summary, Valley of Mexico (Mexico City)
- 63 Argentine Republic Servicio Meteorologico
- 64 Climatological Studies-Weather and Climate of Central America and Mexico-2MG
- 65 Climatological Studies Weather and Climate of West Indies-2MG
- 66 H. O. Pub. No. 528 Weather Summary-South America - - Northern Part
- 67 Climatological Studies-Weather and Climat South America-2MG
- 68 Professional Notes British Meteorological Office
- 69 Geografiska Annaler 37-38 - 1955 - 1956
- 70 H. O. Pub. No. 531 Weather Summary Central America-For Use w/Naval Air Pilot Supplement '8' Northwest Africa
- 71 Meteorological Yearbook Iranian Met. Dept.
- 72 H. O. Pub. No. 532 Weather Summary Mexico
- 73 H. O. Pub. No. 264 Weather Summary-South Africa
- 74 H. O. Pub No. 261 Weather Summary-Supplement 'C' West Central Africa
- 75 H. O. Pub. No. 263 Weather Summary-Supplement 'B' East Central Africa
- 76 H. O. Pub. No. 260 Weather Summary
- 77 Meteorological Data for certain Australian localities
- 78 New Zealand-Meteorological Service Climatological Table - 1951 - 1958
- 79 Ministerie Van Openbare Werken en Verkeer Meteorologische Dienst
- 80 Climate and Meteorology of Australia-1919 - 1951
- 81 Authentic Data, but source unknown
- 82 Summaries of Climatological Observations at New Zealand Stations to 1960
- 83 Relative Humidity at 0900 LST only - reference is the same as 82 above
- 84 Climatological Division Summary (CDC) for Canada, No. 1 thru 13-years 1962 thru 1966
- 85 Climate of British Columbia and the Yukon Territory by W. G. Kendrick and D. Kerr - 1955
- 86 The Climate of Central Canada by W. G. Kendrick and B. W. Currie - 1955

- 87 The Climate of Newfoundland Circular 4019
Cli 30, April 1964
- 88 Servicio Meteorologico Nacional Estadisticas Climatologicas - 1901 - 1950
Pub. B No. 1 and 1941 - 1950 Pub B No. 3
- 89 Anuario Meteorologico 1952, 53, 54
Ministerio de Agricultura Oct. 1955.
- 90 Las Precipitaciones en El Uruguay, 1965
- 91 Revista Meteorologica, Sumario, Años 1944
al 1956 Montevideo 1957
- 92 Climatological Data for Sonora, Northern
Sinaloa, Baja, Calif., Univ. of Ariz.,
Tech. Rpt. Nos. 14, 15, 1 Oct 1964
- 93 Avg. Climatic Water Balance Data of the
Continents, Part IV, Australia, New Zealand
and Oceania, 1963
- 94 Book of Normals - No. 1, Rainfall,
Melbourne, 1951
- 95 Climatological Studies, Wea. and Clim.
Pacific Islands, Hqs, 2nd Wea Gp F-8
- 96 Climate of the Horow Henua Lowlands New
- 97 Weather Summaries, Pacific and Alaska, Hydrographic Office H.O. Nos. W-270,
W-271, 272, 273, 275, 276, 526, yrs. 1943-4
- 98 Climatic Table for Japan Area Parts I-II
- 99 The Climate of Japan Vol. IV No. 2, 1931
- 100 Climatic Tables of Japan, Parts 1-5 1951-60
- 101 Climatological Data for Antarctic Stations No. 1-8, 1962-66. (Mean monthly precip ETAC computed from mean monthly snowfall with water equivalent basis of 10 ins of snow equal 1 in of precip).
- 102 Anare Data Reports, Series D, Meteorology, No. 81, XIII, XII, Melbourne, 1963-5.
- 103 Meteorological and Radiational Regimes of Antarctica, U.S. Dept. of Commerce 1964
- 104 Data from Polar Meteorology Section W.B.
- 105 Climatic Summaries for Canada 1947-1954
- 106 Climatic Summaries for Canada, Vol. II, 1948
- 107 Climate of the Canadian Arctic Archipelago, 1951
- 108 Temperature Normals, Averages and Extremes in the Northwest Territories during the period 1931 to 1960
- 109 Averages and Extremes of Climatic Data during 1951-1960 for selected Canadian Arctic stations, 1963
- 110 Canada Met. Branch, Temperature Extremes, 1966
- 111 Avg. Climatic Water Balance Data of the Continents, Part VI No. America, 1964

- 112 Canada Met. Branch, Monthly Record 1955-1965
- 113 Climatic Summary of the United States Supplement for 1951 through 1960
- 114 Climat. Studies, Hdqs. 19th AF, Alaska G-4, 1960
- 115 Climatological Summary, WB, Alaska, Means and Extremes for period of record thru 1952.
- 116 Local Climatological Data, Annual Summary w/Comparative Data, ESSA, 1966
- 117 Uniform Summary of Surface Wea. Obs.
- 118 Macro and Micro Climatology of the Arctic Slope of Alaska. US Army Tech Report EP-139, Natick Labs, 1960
- 119 Temperatures of Northern America, Hdqs. Quartermaster, US Army, Research Report RER-9, Natick Labs, 1956
- 120 Supplement to Bulletin W, Climatic Summary of the U.S. for 1931 thru 1952

STATION INDEX

WORLDWIDE AIRFIELD SUMMARIES - VOLUME III


FAR EAST

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
<u>(BJ) BONIN ISLANDS</u>			
(Climatic Area 1) Iwo-jima AB Climat	1 - 2 3	(Climatic Area 1) Kenebetsu Kushiro Naka-Shibetsu Climat	21-22 23-24 25-26 27
<u>(CL) CAROLINE ISLANDS</u>			
(Climatic Area 1) Ulithi Angaur Island Moen Flight Strip Koror Is. Climat	4 - 5 6 - 7 8 - 9 10-11 12	(Climatic Area 2) Wakkanai Asahikawa Sapporo Chitose AB Hakodate Climat	28-29 30-31 32-33 34-35 36-37 38
<u>(GU) GUAM</u>			
(Climatic Area 1) Agana NAS Anderson AFB Climat	13-14 15-16 17	(Climatic Area 3) Niigata Akita Aikawa Kanazawa Sado Komatsu AB Toyama Climat	39-40 41-42 43-44 45-46 47-48 49-50 51-52 53
<u>(HK) HONG KONG</u>			
(Climatic Area 1) Hong Kong Intl. Climat	18-19 20		

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
(JA) JAPAN (cont.)		Camp McGill	113-114
(Climatic Area 4)		Shimofusa NAB	115-116
Amori	54-55	Camp Shimoshisu	117-118
Hanamiki	56-57	Shiroi	119-120
Kasuminone	58-59	Akeno	121-122
Sendai	60-61	Kitanoyama	123-124
Misawa AB	62-63	Climat	125
Hachinohe AB	64-65	(Climatic Area 6)	
Morioka	66-67	Iwakuni MCAS	126-127
Yamagata	68-69	Hiroshima	128-129
Matsushima AB	70-71	Okayama	130-131
Nagano	72-73	Matsuyama	132-133
Utsunomiya	74-75	Takamatsu	134-135
Kumagaya	76-77	Tokushima	136-137
Gifu AB	78-79	Climat	138
Yokota AB	80-81	(Climatic Area 7)	
Iruma AB	82-83	Fukui	139-140
Tachikawa AB	84-85	Tsu	141-142
Miho AB	86-87	Shimonoseki	143-144
Climat	88	Hofu AB	145-146
(Climatic Area 5)		Osaka Intl.	147-148
Hyakuri AB	89-90	Yao	149-150
Mito	91-92	Camp Otsu	151-152
Nagoya	93-94	Ozuki	153-154
Hamamatsu AB	95-96	Sone	155-156
Kisarazu ALF	97-98	Ashiya AB	157-158
Tokyo International	99-100	Itazuke AB	159-160
Oshima	101-102	Oita	161-162
Hachijo-Jima	103-104	Kumamoto	163-164
Atsugi NAS	105-106	Kagoshima	165-166
Chofu	107-108	Miyakonojo	167-168
Tateyama	109-110	Miyazaki	169-170
Yokosuka FWF	111-112	Kanoya NAB	171-172
47542		47718/	
47549		47727	
47567		47728/	
47569		47729/	
47580		47730	
47581		47733/	
47584		47764	
47588		47765	
47591		47768	
47610		47887	
47615		47891	
47626		47895	
47632		47616	
47642		47651	
47643		47762	
47660		47763	
47743		47771	
47300/		47779	
47629		47785/	
47635		47787	
47654		47798/	
47661		47803	
47671		47808	
47675		47815	
47678		47819	
47679		47827	
47683		47829	
47688		47830	
47696		47833	


STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
(MI) MARSHALL ISLANDS			
(Climatic Area 1)			
91250 Eniwetok AFWTR	262-263	98133 Calayan	303-304
91366 Kwajalein KTS	264-265	98135 Basco	305-306
Climat	266	98232 Aparri	307-308
		98233 Tuguegarao	309-310
		98333 Baler	311-312
		98336 Casiguran	313-314
		Climat	315
(MW) MIDWAY ISLANDS			
(Climatic Area 1)			
91066 Midway NS	267-268	98437 Aurora	316-317
Climat	269	98439 Daet	318-319
		98444 Legaspi	320-321
		98543 Masbate Bay	322-323
		98548 Catbalogan	324-325
		98553 Borongan	326-327
		98645 Cebu	328-329
		98646 Mactan Air Base	330-331
		98653 Surigao	332-333
		98748 Cagayan de Oro	334-335
		98751 Malaybalay	336-337
		98753/ Francisco Bangoy	338-339
		98754 Davao	340-341
		98755 Hinatuan	342-343
		Climat	344
(PI) PHILIPPINE ISLANDS			
(Climatic Area 1)			
98221/ Pasuquin	270-271	98538 Roxas	345-346
98222 Vigan	272-273	98637 Iloilo	347-348
98223 Laoag	274-275	98639/ Bacolod	349-350
98325 Dagupan	276-277	98642 Dumaguete	351-352
98326 Basa Air Base	278-279	98741 Dipolog	353-354
98327 Clark Air Base	280-281	98746 Cotabato	355-356
98328 Baguio	282-283		
98329 Cabanatuan	284-285		
98330/ Ilokan	286-287		
98340/ San Fernando	288-289		
98426 Cubi Point NAS	290-291		
98427/ Manila Intl.	292-293		
98428 Sangley Point NS	294-295		
98429 Manila	296-297		
98436 Fernando Air Base	298-299		
98526 Coron	300-301		
Climat	302		
(Climatic Area 3)			
(Climatic Area 4)			

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
<u>(PI) PHILIPPINE ISLANDS (cont.)</u>			
98836 98851	357-358 359-360 361	Kang-Shan Chia-I T'ai Chung P'ing Tung South P'ing Tung North Climat	395-396 397-398 399-400 401-402 403-404 405
		(Climatic Area 4) Zamboanga Dadiangas Climat	
98618 98630 98830 98855/	362-363 364-365 366-367 368-369 370	(Climatic Area 5) Puerto Princesa Cuyo Jolo Bay Sanga Sanga Climat	406-407 408-409 410
<u>(RK) RYUKYU ISLANDS</u>			
47912 47918 47930 47931 47933 47935	371-372 373-374 375-376 377-378 379-380 381-382 383	(Climatic Area 1) Yonaguni-Jima Ishigaki Naha AB Kadena AB Futema MCAF Hamby AAF Climat	411-412 413
		(Climatic Area 2) T'ai Nan Kao-Hsiung	
46696 46697 46757	384-385 386-387 388-389 390	(Climatic Area 1) Taipei Intl. T'ao Yuan Hsin-Chu Climat	414-415 416-417 418-419 420
46741 46744	391-392 393-394	(Climatic Area 2) T'ai Nan Kao-Hsiung	421-422 423-424 425-426 427-428 429
<u>(TW) CHINA, REPUBLIC OF</u>			
		(Climatic Area 1) Taipei Intl. T'ao Yuan Hsin-Chu Climat	430-431 432
		(Climatic Area 1) Wake Island Climat	
		(WK) WAKE ISLAND	
		91245	
		(Climatic Area 1) Wake Island Climat	
		(Climatic Area 3) Hua-Lien Taitung Climat	
		(Climatic Area 4) Ali-Shaw Climat	
		(Climatic Area 5) Taiwu Ma-Kung AB Pratas Island Climat	
		(Climatic Area 6) Matsu Kimmien Sha-T-Ou Ching-Chuan Kang Climat	



**FAR EAST
WORLD AIRFIELD SUMMARIES**

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
(JA) JAPAN (cont.)			
(Climatic Area 7)			
47836 Yakushima	173-174	47082/ A-511	209-210
47840 Tsuiki AB	175-176	47083/ R-237	211-212
47853 Kokura	177-178	47088/ Chungju West	213-214
47854 Nyutabaru AB	179-180	47106 Ui Jongbu	215-216
47893 Kochi	181-182	47110 Seoul	217-218
Climat	183	47113 A-102	219-220
		47120 Suwon AB	221-222
(Climatic Area 8)		47122 Osan AB	223-224
47870 Tanegashima	184-185	47127 Pyongtaek	225-226
47872 Amami	186-187	47132 Taejon	227-228
47909 Naze	188-189	47141 Kunsan AB	229-230
Climat	190	47146 Chunju	231-232
		47200/ Paengryong Do	233-234
(JI) JOHNSTON ISLAND		47208/ Kimpo Intl.	235-236
		Climat	237
		(Climatic Area 3)	
91275 (Climatic Area 1)	191-192	R-813	238-239
Johnston Island	193	R-814	240-241
Climat		R-815	242-243
		Pohang Dong	244-245
(KS) KOREA, REPUBLIC OF		Taegu	246-247
		Kimhae	248-249
(Climatic Area 1)		Pusan	250-251
R-401	194-195	Kwangju AB	252-253
Chunchon	196-197	Chirhae	254-255
Kangnung	198-199	Sachon	256-257
Hoengsung	200-201	Climat	258
Climat	202		
		(Climatic Area 4)	
(Climatic Area 2)		Mosulpo	259-260
47067/ Chipo-Ri	203-204	Climat	261
47080/ A-210	205-206		
47081/ A-306	207-208		



IWO-JIMA AB, BONIN IS.

STA NO. 91115 (IN AREA NUMBER 01) LATITUDE 2447N LONGITUDE 14119E ELEVATION (FT) 00353

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
ABS MAX TMP (F)	80	80	81	85	94	90	91	91	90	88	87	84	94	12	4373
MEAN MAX TMP (F)	71	71	73	78	82	85	86	86	86	84	80	75	80	12	4373
MEAN MIN TMP (F)	63	63	65	69	74	77	78	78	78	76	73	68	72	12	4373
ARS MIN TMP (F)	57	55	55	61	64	66	73	71	72	69	62	60	55	12	4373
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.3	2.4	0.5	0.3	0.0	0.0	0.0	3.6	12	4373
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4373
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4373
MEAN DELT PT TMP (F)	59	59	61	67	72	75	75	76	76	74	70	63	69	12	77920
MEAN REL HUM (PCT)	75	76	77	83	84	83	81	84	83	82	82	78	81	12	77918
MEAN PRESS ALT (FT)	254	261	258	268	326	365	383	428	376	330	269	254	314	0	-50
MEAN PRECIP (IN)	3.03	2.95	1.80	4.18	4.35	3.92	7.08	6.63	4.37	6.63	4.93	4.51	54.4	12	4145
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	4005
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.0	4.5	3.3	6.1	6.4	6.7	9.3	9.6	7.2	8.6	8.3	7.7	82.7	12	4145
MEAN NO DYS SMFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	4005
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.2	0.6	0.7	1.8	1.8	0.6	0.6	0.4	0.5	0.3	0.5	0.2	8.2	12	4378
MEAN NO DYS TSTMS	0.2	0.1	0.2	0.7	0.4	0.3	0.9	1.2	1.2	0.5	0.5	0.2	6.4	12	4373
P FREQ WND SPU = OR GTR 17 KTS	17.6	16.0	11.0	6.8	5.9	2.6	5.0	7.4	9.5	11.6	15.9	20.4	11.0	12	77909
P FREQ WND SPU = OR GTR 28 KTS	0.8	0.4	0.3	0.2	0.1	0.0	0.9	0.8	1.3	1.4	0.7	2.0	0.7	12	77909
P FREQ LES 5000 FT A/O LES 5 MI	31.6	31.6	31.8	32.1	20.5	12.2	11.3	11.5	13.2	10.0	29.8	35.2	23.1	12	77926
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	6.3	8.5	7.9	12.8	11.3	8.3	3.7	6.8	7.9	8.2	11.8	12.4	8.8	12	9741
03-05 LST	6.7	8.1	7.2	15.6	11.8	9.5	5.6	8.1	8.3	8.5	10.9	12.1	9.4	12	9746
06-08 LST	5.6	6.1	7.2	15.7	10.0	7.0	5.3	7.4	6.6	7.8	14.2	13.9	8.9	12	9755
09-11 LST	5.0	4.8	4.3	11.1	6.6	4.3	4.8	6.0	5.0	6.0	12.7	13.4	7.0	12	9764
12-14 LST	5.1	5.2	5.0	10.4	8.2	4.2	4.2	6.1	4.1	6.7	10.9	11.7	6.8	12	9757
15-17 LST	5.8	6.1	6.0	11.6	6.3	4.6	4.4	6.0	5.3	7.2	14.0	13.9	7.6	12	9743
18-20 LST	5.6	8.2	6.8	11.9	8.2	4.4	4.2	6.2	5.1	6.9	14.2	13.1	7.9	12	9743
21-23 LST	4.3	8.6	8.7	13.7	9.3	5.4	3.2	5.4	5.6	7.9	11.4	13.1	8.1	12	9738
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.8	0.6	0.8	4.1	3.5	1.3	0.9	0.5	0.4	0.5	0.4	0.7	1.2	12	9741
03-05 LST	0.1	1.4	0.5	5.0	5.0	1.8	1.1	0.2	0.9	0.6	0.5	0.5	1.5	12	9746
06-08 LST	0.2	0.6	0.7	2.2	1.9	1.0	0.5	0.5	0.5	0.5	1.1	0.5	0.9	12	9755
09-11 LST	0.3	0.6	0.5	1.0	0.6	0.1	0.0	0.5	0.3	0.6	0.9	0.5	0.5	12	9764
12-14 LST	0.1	0.0	0.4	0.4	0.7	0.3	0.4	0.6	0.3	0.5	0.1	0.4	0.4	12	9757
15-17 LST	0.0	0.8	0.5	0.9	0.2	0.3	0.5	0.4	0.0	0.8	0.1	0.1	0.4	12	9743
18-20 LST	0.5	0.9	0.7	1.9	1.2	0.1	0.7	0.8	0.3	0.5	0.6	0.4	0.7	12	9743
21-23 LST	0.1	0.9	0.8	3.3	2.2	0.9	0.7	0.2	0.0	0.4	0.6	0.6	0.9	12	9738

IWO-JIMA AB, BONIN IS.

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST 29.6	27.5	30.1	27.5	29.4	29.0	30.1	29.5	29.5	29.6	27.7	28.4	347.9	12	4380
	15 LST 29.7	27.3	29.9	28.1	29.6	28.8	30.2	29.9	29.4	29.8	28.2	28.4	349.3	12	4381
	21 LST 29.8	26.8	29.6	27.3	29.6	28.9	30.2	29.7	29.4	29.7	28.9	28.0	347.9	12	4382
	03 LST 30.0	26.9	29.4	26.6	28.7	28.7	30.2	29.5	29.1	29.6	28.9	28.8	346.4	12	4378
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	09 LST 9.8	9.6	10.0	9.8	10.0	11.6	15.8	12.7	12.5	11.5	10.1	7.1	130.7	12	4379
	15 LST 6.7	7.9	7.8	8.4	12.3	10.1	14.7	12.8	11.6	11.3	9.3	6.9	119.8	12	4380
	21 LST 11.7	11.3	15.2	14.3	21.0	22.0	23.0	18.7	17.9	14.0	12.6	9.7	191.4	12	4381
	03 LST 12.1	13.3	14.9	14.3	19.1	19.1	23.2	18.9	18.2	16.1	14.0	10.0	193.2	12	4377
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST 4.6	4.0	2.7	2.1	1.7	1.1	1.0	1.9	2.5	3.6	3.8	5.5	34.5	12	4214
	15 LST 7.3	4.8	3.7	3.4	2.2	1.3	1.1	2.2	2.5	3.5	4.0	5.4	41.4	12	4213
	21 LST 4.4	2.7	2.3	1.7	1.0	0.2	0.6	1.9	2.2	2.4	3.9	6.0	29.3	12	4178
	03 LST 3.5	2.8	2.2	1.5	0.9	0.3	1.2	1.3	2.1	2.4	3.0	4.6	25.8	12	4192
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST 12.9	13.4	14.6	14.6	16.5	16.7	20.0	17.9	15.6	14.5	13.2	10.9	180.8	12	4214
	15 LST 12.1	12.0	12.7	13.8	17.6	16.2	18.1	17.0	15.5	14.8	13.8	11.5	175.1	12	4213
	21 LST 12.7	12.3	16.4	18.2	19.6	21.0	20.8	17.8	18.2	16.8	15.1	13.5	202.4	12	4178
	03 LST 14.2	13.5	15.7	18.6	21.0	19.6	19.7	18.2	16.9	16.4	14.6	13.6	202.0	12	4192
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST 4.8	5.1	6.0	5.3	3.8	2.8	1.9	1.5	3.0	4.2	3.4	4.7	46.5	12	4379
	15 LST 5.6	5.4	8.3	5.6	4.7	2.9	1.4	1.9	2.4	3.7	4.1	3.6	49.6	12	4380
	21 LST 8.0	8.6	8.6	7.7	9.9	7.1	4.4	6.9	8.0	8.0	6.9	6.2	90.3	12	4380
	03 LST 7.9	7.4	7.7	6.5	9.4	9.8	7.4	8.4	8.6	9.9	8.3	5.4	96.7	12	4378
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST 27.1	24.2	26.1	23.2	26.0	25.1	27.0	27.5	27.1	26.7	23.1	22.9	306.0	12	4380
	15 LST 26.8	24.4	26.5	24.2	26.4	26.3	28.2	27.4	27.3	26.6	22.3	23.1	309.5	12	4381
	21 LST 27.3	24.2	26.2	22.7	26.9	26.9	29.0	28.1	26.6	26.3	23.6	23.4	311.2	12	4382
	03 LST 27.0	23.1	25.6	21.2	25.5	24.9	27.8	26.6	26.0	25.4	23.3	22.7	299.1	12	4378
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST 20.6	18.7	21.0	20.1	24.1	24.7	26.2	26.7	27.0	26.0	21.3	19.4	275.8	12	4380
	15 LST 20.6	19.2	21.6	21.3	24.6	25.5	27.0	27.2	26.8	25.7	20.7	19.6	279.8	12	4381
	21 LST 20.9	19.1	21.1	20.1	25.6	26.9	28.7	27.8	26.3	25.1	21.0	19.3	281.9	12	4382
	03 LST 21.4	18.8	18.7	18.7	24.1	24.3	27.2	26.1	25.7	24.6	20.6	18.9	269.1	12	4378
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST 16.2	15.5	17.4	17.1	21.7	23.3	24.3	24.9	24.7	24.0	18.2	14.9	242.2	12	4380
	15 LST 16.3	16.8	18.7	18.7	22.6	24.9	25.1	25.9	25.1	24.1	19.1	16.6	254.1	12	4381
	21 LST 18.5	16.5	19.5	18.1	23.5	25.5	26.9	26.3	25.3	23.6	19.5	16.5	259.7	12	4382
	03 LST 17.8	15.9	17.1	16.7	22.6	23.4	25.9	25.1	24.5	23.9	19.2	16.2	248.5	12	4378

AREA NO. 01

LATITUDE 2447N LONGITUDE 14119E

BONIN ISLANDS

BONIN ISLANDS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	71	71	73	76	82	85	86	86	86	84	80	75	80
MEAN MIN TMP (F)	63	63	65	69	74	77	78	78	78	76	73	68	72
LARGEST MEAN PRECIP(IN)	3.03	2.95	1.80	4.18	4.35	3.92	7.08	6.63	4.37	6.63	4.93	4.51	54.4
SMALLEST MEAN PRECIP(IN)	3.03	2.95	1.80	4.18	4.35	3.92	7.08	6.63	4.37	6.63	4.93	4.51	54.4
MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	29.6	27.5	30.1	27.5	29.4	29.0	30.1	29.5	29.5	29.6	27.7	28.4
	15 LST	29.7	27.3	29.9	28.1	29.6	28.8	30.2	29.9	29.4	29.8	28.2	28.4
	21 LST	29.8	26.8	29.6	27.3	29.6	28.9	30.2	29.7	29.4	29.7	28.9	28.0
	03 LST	30.0	26.9	29.4	26.6	28.7	28.7	30.2	29.5	29.1	29.6	28.9	28.8
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	09 LST	9.8	9.8	10.0	9.8	10.0	11.6	15.8	12.7	12.5	11.5	10.1	7.1
	15 LST	6.7	7.9	7.8	8.4	12.3	10.1	14.7	12.8	11.6	11.3	9.3	6.9
	21 LST	11.7	11.3	15.2	14.3	21.0	22.0	23.0	18.7	17.9	14.0	12.6	9.7
	03 LST	12.1	13.3	14.9	14.3	19.1	19.1	23.2	18.9	18.2	16.1	14.0	10.0
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST	4.6	4.0	2.7	2.1	1.7	1.1	1.0	1.9	2.5	3.6	3.8	5.5
	15 LST	7.3	4.8	3.7	3.4	2.2	1.3	1.1	2.2	2.5	3.5	4.0	5.4
	21 LST	4.4	2.7	2.3	1.7	1.0	0.2	0.6	1.9	2.2	2.4	3.9	6.0
	03 LST	3.5	2.8	2.2	1.5	0.9	0.3	1.2	1.3	2.1	2.4	3.0	4.6
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST	12.9	13.4	14.6	14.6	16.5	16.7	20.0	17.9	15.6	14.5	13.2	10.9
	15 LST	12.1	12.0	12.7	13.8	17.6	16.2	18.1	17.0	15.5	14.8	13.8	11.5
	21 LST	12.7	12.3	16.4	18.2	19.6	21.0	20.8	17.8	18.2	16.8	15.1	13.5
	03 LST	14.2	13.5	15.7	18.6	21.0	19.6	19.7	18.2	16.9	16.4	14.6	13.6
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	4.8	5.1	6.0	5.3	3.6	2.8	1.9	1.5	3.0	4.2	3.4	4.7
	15 LST	5.6	5.4	8.3	5.6	4.7	2.9	1.4	1.9	2.4	3.7	4.1	3.6
	21 LST	8.0	8.6	8.6	7.7	9.9	7.1	4.4	6.9	8.0	8.0	6.9	6.2
	03 LST	7.9	7.4	7.7	6.5	9.4	9.8	7.4	8.4	8.6	9.9	8.3	5.4
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST	27.1	24.2	26.1	23.2	26.0	25.1	27.0	27.5	27.1	26.7	23.1	22.9
	15 LST	26.8	24.4	26.5	24.2	26.4	26.3	28.2	27.4	27.3	26.6	22.3	23.1
	21 LST	27.3	24.2	26.2	22.7	26.9	26.9	29.0	28.1	26.6	26.3	23.6	23.4
	03 LST	27.0	23.1	25.6	21.2	25.5	24.9	27.8	26.6	26.0	25.4	23.3	22.7
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST	20.6	18.7	21.0	20.1	24.1	24.7	26.2	26.7	27.0	26.0	21.3	19.4
	15 LST	20.6	19.2	21.6	21.3	24.6	25.5	27.0	27.2	26.8	25.7	20.7	19.6
	21 LST	20.9	19.1	21.1	20.1	25.6	26.9	28.7	27.6	26.3	25.1	21.0	19.3
	03 LST	21.4	18.8	18.7	18.7	24.1	24.3	27.2	26.1	25.7	24.6	20.6	18.9
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	16.2	15.5	17.4	17.1	21.7	23.3	24.3	24.9	24.7	24.0	18.2	14.9
	15 LST	16.3	16.8	18.7	18.7	22.8	24.9	25.1	25.9	25.1	24.1	19.1	16.6
	21 LST	18.5	16.5	19.5	18.1	23.5	25.5	26.9	26.3	25.3	23.6	19.5	16.5
	03 LST	17.8	15.9	17.1	16.7	22.6	23.4	25.9	25.1	24.5	23.9	19.2	16.2

ULITHI, CAROLINE IS.


ELEVATION(FT) 00006

LONGITUDE 13947E

LATITUDE 1001N

STA NO. 91203 (IN AREA NUMBER 01)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	92	88	88	90	90	91	91	91	92	89	91	91	92	4	829
MEAN MAX TMP (F)	85	85	86	87	86	87	87	87	86	86	86	85	86	4	829
MEAN MIN TMP (F)	79	79	79	79	79	79	78	78	78	79	79	80	79	4	829
ABS MIN TMP (F)	76	75	74	71	76	76	74	73	74	75	75	75	71	4	829
MEAN NO DYS TMP = OR G1H 90(F)	0.5	0.0	0.0	2.4	3.1	2.5	1.6	5.4	2.5	0.0	0.5	0.5	19.0	4	829
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	829
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	829
MEAN DEL PT TMP (F)	76	75	75	76	77	77	76	76	76	76	77	77	76	4	8747
MEAN REL HUM (PCT)	83	83	81	80	85	84	83	82	83	83	83	84	83	4	8746
MEAN PRESS ALT (FT)	96	76	86	96	106	96	106	116	116	116	136	116	105	0	-50
MEAN PRESS (IN)	2.35	4.14	9.37	2.60			8.09	10.12	25.05	14.54	14.49	6.89		2	274
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0	0.0	0.0		2	254
MEAN NO DYS PRCP = OR GTR 0.1 IN	13.3	11.4	10.0	6.0			16.0	15.0	22.0	19.0	17.0	14.0		2	274
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0	0.0	0.0		2	254
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.4	1.5	0.5	0.5	0.0	3.2	4	790
MEAN NO DYS TSMS	0.0	0.0	0.4	0.0	0.0	0.0	2.0	2.5	5.5	3.3	0.5	0.5	14.7	4	821
P FREQ WND SPU = OR GTH 17 KTS	29.0	36.7	25.6	12.0	13.9	6.3	4.9	4.0	5.6	11.9	15.9	30.4	16.4	4	8732
P FREQ WND SPU = OR GTH 28 KTS	2.3	3.4	1.1	0.0	1.0	0.2	0.9	0.4	0.2	0.2	2.9	3.7	1.4	4	8732
P FREQ LES 5000 FT A/O LES 5 MI	14.6	18.5	13.8	6.7	23.8	19.1	15.0	13.4	18.3	16.1	27.7	21.7	18.2	4	8115
P FREQ LES 1500 FT A/O LES 3 MI	4.8	14.5	8.0	3.2	20.4	14.8	4.6	6.0	9.4	10.9	10.3	3.4	9.2	4	1027
FOR 00-02 LST	6.0	9.3	11.2	14.1	25.9	20.4	12.3	10.4	8.5	13.2	16.4	9.3	13.1	4	1026
FOR 03-05 LST	18.5	17.1	8.7	13.3	17.7	8.6	12.8	15.1	16.9	16.8	15.9	18.0	15.0	4	1228
FOR 06-08 LST	6.3	19.3	7.4	10.1	25.4	8.6	12.5	12.5	18.1	12.0	12.5	16.7	13.5	4	1237
FOR 09-11 LST	6.6	14.1	11.7	6.7	29.5	8.8	11.4	9.0	14.1	18.4	13.6	13.6	13.1	4	1218
FOR 12-14 LST	9.4	10.6	11.0	5.6	21.7	7.3	10.9	8.5	18.0	18.1	15.9	16.7	12.8	4	1227
FOR 15-17 LST	9.2	14.6	8.6	10.3	19.8	12.1	11.0	7.8	18.8	12.1	12.4	12.9	12.1	4	1231
FOR 18-20 LST	4.8	16.5	4.6	9.7	21.7	10.7	7.4	8.4	14.5	10.1	14.4	5.0	10.7	4	1193
FOR 21-23 LST	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1027
P FREQ LES 300 FT A/O LES 1 MI	0.0	1.3	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1026
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1228
FOR 03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1237
FOR 06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1218
FOR 09-11 LST	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1227
FOR 12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1231
FOR 15-17 LST	1.5	0.0	1.1	0.0	0.0	1.7	0.0	0.6	0.0	1.4	1.1	0.0	0.6	4	1231
FOR 18-20 LST	1.6	1.3	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	4	1193
FOR 21-23 LST															



ULITHI, CAROLINE IS.

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	30.5	27.7	30.7	29.6	29.5	30.5	30.4	29.6	30.7	29.3	30.0	358.0	4	1010
	15 LST	31.0	28.0	30.7	30.0	30.0	30.7	31.0	28.7	31.0	29.3	29.9	360.3	4	1005
	21 LST	30.0	27.0	30.7	30.0	28.5	30.0	30.2	31.0	29.3	30.0	29.3	31.0	4	1005
	03 LST	31.0	27.3	29.6	29.1	28.8	28.4	30.3	29.7	30.0	28.4	29.5	31.0	4	810
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	09 LST	4.1	3.6	5.0	8.4	8.5	14.2	16.5	17.9	17.3	14.3	13.1	6.6	4	1005
	15 LST	4.2	3.9	5.7	11.1	7.6	12.7	18.8	17.1	17.3	16.2	11.9	5.3	4	1000
	21 LST	4.7	5.9	7.0	9.3	8.6	11.7	20.0	18.7	20.3	20.1	15.3	8.9	4	1000
	03 LST	5.1	4.7	4.2	7.8	8.7	14.7	18.0	18.0	22.5	12.4	12.9	6.9	4	808
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST	9.8	12.4	9.6	3.8	3.8	1.5	3.2	4.2	2.7	3.9	3.2	7.8	4	971
	15 LST	10.0	11.0	6.4	3.4	3.5	2.0	2.4	4.2	2.0	2.4	3.2	8.4	4	979
	21 LST	8.9	8.0	6.1	2.0	3.1	1.5	1.9	2.9	2.0	1.8	2.5	10.7	4	978
	03 LST	9.1	8.5	6.9	3.8	2.5	1.5	1.4	0.8	1.0	3.7	4.2	9.4	4	822
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST	7.2	5.2	6.9	9.9	11.4	13.7	14.5	15.8	17.4	13.7	13.0	7.8	4	971
	15 LST	6.3	5.3	6.4	10.3	9.6	12.7	17.4	14.3	16.9	17.9	12.8	5.8	4	979
	21 LST	6.8	7.0	7.5	10.1	11.5	14.0	17.1	13.0	15.7	15.7	14.6	7.5	4	978
	03 LST	4.8	5.5	7.2	10.1	9.1	17.6	14.4	14.8	17.3	10.7	12.6	7.2	4	822
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST	25.4	21.6	27.7	24.9	22.5	22.9	22.1	23.2	23.0	24.9	23.9	23.0	4	1010
	15 LST	25.3	23.0	25.9	26.6	23.4	26.4	23.6	25.2	21.7	21.8	22.7	23.1	4	1005
	21 LST	25.9	22.4	29.3	25.9	23.4	24.4	26.1	26.3	25.0	25.9	22.7	27.9	4	1005
	03 LST	28.5	24.0	25.4	23.5	22.8	20.5	22.3	23.9	25.0	21.7	21.2	26.3	4	810
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST	25.4	21.3	27.7	24.6	22.5	22.9	22.1	23.2	23.0	24.9	23.3	23.0	4	1010
	15 LST	25.3	23.0	25.9	26.6	23.4	26.4	23.6	24.9	21.7	21.5	22.7	23.1	4	1005
	21 LST	25.9	22.4	29.3	25.9	23.4	24.4	26.1	26.3	25.0	25.6	22.7	27.9	4	1005
	03 LST	28.5	24.0	25.4	23.5	22.8	20.5	22.3	23.9	25.0	21.7	20.2	26.3	4	810
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	25.4	21.3	27.7	23.9	22.5	22.4	22.1	23.2	22.7	24.6	23.3	22.5	4	1010
	15 LST	25.3	23.0	25.9	26.3	22.8	26.4	23.4	24.6	21.0	20.4	22.7	22.6	4	1005
	21 LST	25.9	22.1	29.3	25.9	22.8	24.4	25.6	26.3	24.0	25.6	22.3	27.9	4	1005
	03 LST	28.5	24.0	25.0	23.5	22.8	20.5	22.3	23.0	24.0	20.2	19.7	25.7	4	810

ANGAUR IS., CAROLINE IS.

LATITUDE 0654N LONGITUDE 13409E ELEVATION(FT) 00020

STA NO. 91330 (1IN AREA NUMBER 01)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUL	AUG	SEP	OCT	NOV	DEC	AMN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	91	92	91	93	93	92	92	92	92	92	91	93	12	-91408
MEAN MAX TMP (F)	86	87	87	88	88	87	87	87	88	88	87	87	12	-91408
MEAN MIN TMP (F)	75	75	75	76	76	75	75	75	76	76	75	75	12	-91408
ABS MIN TMP (F)	70	71	69	72	72	71	71	71	71	72	71	69	12	-91408
MEAN NO DYS TMP = OR GTR 90(F)	0.9	1.1	2.1	6.1	7.2	4.2	1.9	2.3	6.7	7.7	2.0	44.6	12	-91408
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-91408
MEAN NO DYS TMP = OR LES -0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-91408
MEAN DEW PT TMP (F)	75	75	75	76	76	76	76	76	76	76	76	76	12	-91408
MEAN REL HUM (PCT)	86	85	84	85	87	87	86	86	85	86	86	86	12	-91408
MEAN PRESS ALT (FT)	110	90	100	110	120	110	130	130	130	150	130	119	0	-50
MEAN PRECIP (IN)	12.63	6.77	7.71	9.69	16.33	14.56	16.80	15.35	13.42	10.76	12.65	153.5	12	-91408
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-91408
MEAN NO DYS PRCP = OR GTR 0.1 IN	15.6	11.6	12.2	13.1	19.4	18.2	19.1	18.8	15.9	15.7	17.2	196.0	12	-91408
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-91408
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.0	0.1	0.0	0.4	0.3	0.0	0.1	0.1	0.1	0.1	0.0	1.3	12	-91408
MEAN NO DYS TSTMS	1.4	1.2	1.0	2.3	3.4	4.4	3.2	4.6	6.2	5.3	4.0	39.7	12	-91408
P FREQ WND SPU = OR GTR 17 KTS	0.9	0.3	0.2	0.0	0.1	0.1	0.3	0.5	1.8	0.6	0.9	0.5	12	-91408
P FREQ WND SPU = UR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-91408
P FREQ LES 5000 FT A/O LES 5 MI	17.4	15.9	12.3	14.6	14.2	13.4	13.0	14.3	15.4	11.8	14.5	14.2	12	-91408
P FREQ LES 1500 FT A/O LES 3 MI	4.5	7.5	1.9	2.4	3.6	4.1	4.3	5.7	5.4	5.5	5.0	4.5	12	-91408
FOR 00-02 LST	5.6	6.6	3.6	3.4	4.8	5.6	5.8	7.4	5.4	7.0	5.3	5.4	12	-91408
03-05 LST	6.4	5.1	3.7	4.3	3.1	3.0	5.3	4.5	2.9	4.1	5.0	4.4	12	-91408
06-08 LST	8.6	6.6	5.4	7.2	5.5	2.2	6.0	5.6	7.4	3.4	8.0	5.9	12	-91408
09-11 LST	9.7	8.5	3.7	6.2	6.9	5.3	6.9	6.6	7.5	3.9	7.6	6.6	12	-91408
12-14 LST	12.0	5.3	4.8	7.7	5.6	6.9	7.5	8.7	7.3	5.1	5.4	7.0	12	-91408
15-17 LST	6.1	2.7	2.7	3.3	2.6	3.7	3.4	5.2	3.9	4.4	4.5	4.0	12	-91408
18-20 LST	6.0	4.1	2.9	2.9	3.0	3.2	3.7	3.9	4.9	4.7	4.7	3.9	12	-91408
21-23 LST	0.0	0.4	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.1	12	-91408
P FREQ LES 300 FT A/O LES 1 MI	0.2	0.4	0.4	0.4	0.2	0.0	0.0	0.2	0.0	0.4	0.0	0.2	12	-91408
FOR 03-05 LST	0.2	0.2	0.2	0.2	0.2	0.5	0.2	0.2	0.1	0.3	0.1	0.2	12	-91408
06-08 LST	0.0	0.2	0.0	0.3	0.0	0.2	0.3	0.2	0.3	0.0	0.1	0.1	12	-91408
09-11 LST	0.0	0.0	0.0	0.2	0.2	0.0	0.2	0.3	0.1	0.0	0.0	0.1	12	-91408
12-14 LST	0.0	0.4	0.0	0.6	0.0	0.4	0.2	0.2	0.2	0.0	0.0	0.2	12	-91408
15-17 LST	0.2	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	12	-91408
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-91408
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	12	-91408

ANGAUR IS., CAROLINE IS.

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST 30.7	27.8	30.7	29.7	30.9	29.9	30.7	30.7	29.7	30.4	29.7	30.5	361.4	12	-91408
	15 LST 30.7	27.7	30.5	29.6	30.6	30.0	30.6	30.6	29.8	30.7	29.8	30.9	361.7	12	-91408
	21 LST 30.7	28.0	30.7	29.7	30.7	29.7	30.7	30.7	30.0	30.9	29.6	31.0	362.4	12	-91408
	03 LST 30.8	27.4	31.0	29.9	30.7	29.8	30.7	30.9	29.8	30.9	29.5	31.0	362.4	12	-91408
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	09 LST 22.3	20.6	22.6	23.4	25.3	26.1	27.4	25.7	23.7	24.1	26.2	23.4	290.8	12	-91408
	15 LST 20.0	18.3	21.3	22.7	24.5	24.2	23.3	22.5	22.3	20.6	23.7	21.2	264.6	12	-91408
	21 LST 26.9	25.3	27.4	26.7	28.1	26.5	27.7	26.2	25.1	26.8	26.4	26.6	319.7	12	-91408
	03 LST 24.8	23.8	28.2	27.2	27.6	26.9	26.8	25.5	25.3	24.0	25.6	25.5	311.2	12	-91408
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST 0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.1	0.5	12	-91408
	15 LST 0.2	0.0	0.0	0.1	0.0	0.1	0.1	0.4	0.4	0.3	0.1	0.1	1.8	12	-91408
	21 LST 0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.2	0.3	0.2	1.0	12	-91408
	03 LST 0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.4	0.2	0.0	1.0	12	-91408
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST 23.6	22.8	25.1	22.6	19.3	18.2	15.0	18.5	16.5	18.3	18.2	22.1	240.6	12	-91408
	15 LST 24.4	24.1	25.8	24.3	22.1	20.3	19.6	20.6	19.8	19.4	18.3	23.7	262.4	12	-91408
	21 LST 18.3	19.3	20.7	16.9	12.3	11.3	10.0	11.9	12.0	11.3	11.8	16.7	172.5	12	-91408
	03 LST 20.5	19.7	22.3	16.8	12.5	9.2	11.7	11.5	12.3	12.4	12.5	17.5	178.9	12	-91408
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST 0.2	0.3	0.2	0.3	0.3	0.1	0.5	0.2	0.4	0.7	0.3	0.2	3.7	12	-91408
	15 LST 0.2	0.3	0.4	0.2	0.4	0.1	0.0	0.2	0.2	0.2	0.2	0.1	2.5	12	-91408
	21 LST 1.7	1.4	3.3	2.4	2.1	1.1	2.5	1.2	2.3	1.8	2.1	1.1	23.0	12	-91408
	03 LST 1.0	1.4	2.8	1.8	1.2	1.5	1.5	0.3	1.0	2.0	1.5	0.7	16.7	12	-91408
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST 25.6	23.0	25.0	24.2	25.5	25.8	27.9	26.2	25.8	26.4	27.1	26.0	308.5	12	-91408
	15 LST 22.3	21.0	24.1	23.3	24.7	24.4	23.6	23.8	22.8	23.2	25.3	24.0	282.5	12	-91408
	21 LST 28.0	26.1	28.3	27.4	28.1	26.8	28.7	28.1	26.6	28.5	27.8	28.1	332.5	12	-91408
	03 LST 27.4	25.1	29.3	27.5	27.6	26.9	28.0	27.0	26.5	26.4	26.4	27.6	325.7	12	-91408
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST 25.0	22.5	24.3	23.7	25.3	25.4	27.7	25.6	25.7	26.2	26.8	25.4	303.6	12	-91408
	15 LST 21.6	20.4	23.2	22.9	24.4	24.2	23.0	23.7	22.2	22.6	24.8	23.7	276.7	12	-91408
	21 LST 27.8	25.9	28.1	27.2	28.1	26.5	28.6	27.9	26.5	28.4	27.8	27.7	330.5	12	-91408
	03 LST 27.2	25.1	29.3	27.4	27.4	26.6	27.8	26.9	26.3	26.4	26.4	27.5	324.3	12	-91408
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST 23.3	22.0	23.3	22.7	23.4	24.2	26.4	24.5	24.5	25.4	26.1	24.3	290.1	12	-91408
	15 LST 20.2	19.6	22.3	22.1	23.1	23.2	21.9	23.0	21.2	21.8	24.0	22.1	264.5	12	-91408
	21 LST 26.7	25.3	27.2	25.9	26.5	25.4	27.0	26.3	24.8	27.3	27.2	26.7	316.3	12	-91408
	03 LST 26.1	24.2	27.8	26.5	25.8	24.6	26.3	25.3	24.7	25.5	25.6	26.7	309.1	12	-91408

MOEN FLIGHT STRIP, CAROLINE IS.

STA NO. 91334 (IN AREA NUMBER 01)

LATITUDE 0727N LONGITUDE 15150E

ELEVATION(FT) 00006

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	89	91	94	92	94	93	94	96	94	97	93	91	97	13	4094
MEAN MAX TMP (F)	85	86	86	86	86	87	87	87	87	87	87	86	86	13	4094
MEAN MIN TMP (F)	78	78	77	77	77	77	76	76	76	76	77	77	77	13	4094
ABS MIN TMP (F)	71	71	72	70	72	71	70	71	70	70	71	72	70	13	4094
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.2	0.2	0.6	0.8	1.1	3.1	3.3	1.9	2.7	1.4	0.3	19.6	13	4094
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	4094
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	4094
MEAN DEW PT TMP (F)	75	74	75	75	76	76	76	76	76	76	76	76	76	13	53939
MEAN REL HUM (PCT)	81	79	80	82	84	84	84	84	83	84	84	84	83	13	53934
MEAN PRESS ALT (FT)	106	96	106	96	86	86	86	106	86	96	126	126	100	0	-50
MEAN PRECIP (IN)	9.57	6.72	7.47	15.28	17.12	12.92	13.93	12.48	13.40	12.98	12.03	14.79	148.3	13	3857
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3145
MEAN NO DYS PRCP = OR GTR 0.1 IN	11.0	10.4	11.4	16.2	18.3	18.9	16.9	18.3	17.1	17.0	16.4	16.1	188.0	13	3857
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3145
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.2	0.0	0.0	0.2	0.1	0.1	0.7	0.2	0.2	0.0	0.4	0.2	2.3	13	4065
MEAN NO DYS TSTMS	1.3	0.3	1.0	1.0	1.2	1.2	2.3	1.5	1.6	2.7	1.8	1.6	17.5	13	4035
P FREQ WND SPD = OR GTR 17 KTS	2.5	2.4	2.7	0.8	0.2	0.2	0.2	0.5	1.5	1.5	2.0	1.0	1.3	13	54331
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	13	54331
P FREQ LES 5000 FT A/O LES 5 MI	19.3	18.6	20.8	26.4	22.1	21.4	19.2	20.3	20.4	18.4	21.1	21.4	20.8	13	54331
P FREQ LES 1500 FT A/O LES 3 MI	4.5	4.2	7.9	9.2	8.9	6.0	5.2	4.5	6.5	5.5	4.5	7.6	6.2	13	6526
FOR 00-02 LST	4.1	4.4	7.2	9.5	7.4	8.8	6.0	7.5	6.1	4.8	6.5	8.0	6.7	13	6522
03-05 LST	5.5	6.2	7.5	8.9	8.7	5.0	6.0	6.5	4.2	5.5	7.1	6.6	6.5	13	6888
06-08 LST	6.9	6.3	6.8	10.6	9.7	8.6	5.8	4.5	5.2	5.1	6.3	7.6	7.0	13	7405
09-11 LST	6.4	6.7	8.0	11.6	12.4	9.6	5.6	6.5	9.2	7.7	7.6	10.2	8.5	13	7310
12-14 LST	5.0	6.4	7.5	10.8	10.6	7.1	7.7	5.2	5.2	6.3	7.1	8.8	7.3	13	6981
15-17 LST	4.3	4.5	11.5	7.9	7.7	6.5	4.0	5.1	5.2	5.8	6.6	10.6	6.6	13	6350
18-20 LST	4.4	2.7	7.4	7.3	6.4	6.3	2.6	2.5	6.9	3.7	5.9	7.2	5.3	13	6597
21-23 LST	0.2	0.0	0.0	0.2	0.0	0.0	0.2	0.6	0.2	0.0	0.2	0.0	0.1	13	6526
FOR 00-02 LST	0.0	0.0	0.0	0.3	0.2	0.0	0.2	0.2	0.2	0.0	0.6	0.6	0.2	13	6522
03-05 LST	0.4	0.0	0.0	0.0	0.0	0.0	0.6	0.2	0.2	0.0	0.3	0.0	0.1	13	6888
06-08 LST	0.3	0.0	0.0	0.4	0.0	0.4	0.3	0.2	0.2	0.0	0.5	0.0	0.2	13	7405
09-11 LST	0.3	0.0	0.1	0.5	0.2	0.0	0.5	0.2	0.2	0.2	0.5	0.3	0.3	13	7310
12-14 LST	0.0	0.0	0.0	0.3	0.0	0.0	0.2	0.4	0.0	0.2	0.0	0.5	0.1	13	6981
15-17 LST	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.4	0.1	13	6350
18-20 LST	0.0	0.0	0.0	0.3	0.0	0.0	0.4	0.0	0.0	0.0	0.2	0.2	0.1	13	6597
21-23 LST	0.0	0.0	0.0	0.3	0.0	0.0	0.4	0.0	0.0	0.0	0.2	0.2	0.1	13	6597

MOEN FLIGHT STRIP, CAROLINE IS.

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	10 LST 30.4	27.6	30.1	28.5	30.4	29.5	30.5	30.6	29.8	30.5	29.9	30.6	358.4	13	4067
	16 LST 30.7	27.7	30.1	28.7	30.4	29.4	30.2	30.5	29.5	30.4	29.7	30.2	357.5	13	4066
	22 LST 30.8	27.9	30.6	29.3	30.5	29.6	30.7	31.0	29.6	30.9	29.9	30.3	361.1	13	4067
	04 LST 30.6	27.8	30.7	29.4	30.7	29.6	30.6	30.3	29.6	30.7	29.1	30.3	359.4	13	4065
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	10 LST 16.8	12.9	15.0	15.3	20.6	22.7	24.0	24.1	23.0	24.1	22.1	19.1	239.7	13	4067
	16 LST 15.4	11.1	16.1	16.1	19.7	20.6	24.8	23.8	22.8	23.7	22.2	19.1	235.4	13	4065
	22 LST 21.0	17.8	20.7	20.7	23.5	24.9	28.1	27.2	24.1	26.2	23.4	22.2	279.8	13	4067
	04 LST 20.1	16.8	20.0	20.2	24.3	24.1	27.0	25.8	23.7	24.7	23.0	21.8	271.5	13	4065
SFC WND = GTR 17 KTS AND NO PRECIP.	10 LST 1.0	0.8	0.8	0.1	0.1	0.0	0.0	0.1	0.2	0.0	0.2	0.0	3.3	13	3805
	16 LST 0.7	0.3	0.5	0.3	0.1	0.0	0.0	0.1	0.3	0.4	0.4	0.1	3.2	13	3808
	22 LST 0.2	0.2	0.3	0.1	0.1	0.0	0.0	0.2	0.3	0.2	0.6	0.2	2.4	13	3839
	04 LST 0.3	0.3	0.2	0.2	0.1	0.1	0.0	0.2	0.1	0.3	0.4	0.3	2.5	13	3725
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	10 LST 21.8	18.1	21.0	23.2	23.0	21.0	18.5	19.0	17.3	19.0	19.3	20.9	242.1	13	3805
	16 LST 20.5	17.5	21.4	22.3	23.7	21.2	18.9	17.5	17.6	16.0	17.8	20.6	235.0	13	3808
	22 LST 20.4	20.0	20.1	20.2	17.3	13.8	8.6	9.9	10.8	10.6	13.6	20.3	185.6	13	3839
	04 LST 20.2	18.8	20.4	20.4	17.7	14.6	9.5	10.1	9.8	10.4	13.0	18.0	182.9	13	3725
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	10 LST 0.1	0.2	0.1	0.4	0.2	0.4	0.4	0.1	0.5	0.1	0.3	0.3	3.1	10	3187
	16 LST 0.5	0.2	0.2	0.0	0.1	0.5	0.1	0.1	0.2	0.8	0.3	0.0	3.0	11	3188
	22 LST 0.8	1.2	1.4	0.2	0.9	0.8	1.0	1.4	0.8	1.4	0.7	1.4	12.0	11	3192
	04 LST 1.2	0.8	0.7	0.3	0.6	1.1	1.9	1.1	0.9	2.0	1.0	1.2	12.8	11	3189
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	10 LST 25.8	23.1	24.9	21.8	25.0	25.1	25.6	24.7	24.6	24.9	24.2	24.5	294.2	13	4067
	16 LST 25.1	22.5	25.5	22.5	24.3	24.1	25.7	23.3	24.4	25.3	23.5	23.6	289.8	13	4066
	22 LST 27.1	24.4	26.9	24.5	25.4	26.3	28.2	28.3	24.5	28.1	24.9	25.5	314.1	13	4067
	04 LST 25.6	23.8	25.6	24.0	26.3	25.4	27.0	25.6	25.2	26.3	23.3	24.4	302.5	13	4065
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	10 LST 24.7	22.3	23.9	20.6	24.2	23.8	24.4	23.8	23.3	24.2	23.0	23.9	282.1	13	4067
	16 LST 23.9	21.6	24.1	20.7	23.3	23.0	24.0	22.2	23.3	24.3	22.3	22.9	275.6	13	4066
	22 LST 26.7	23.7	26.2	23.6	24.7	25.2	27.4	27.7	24.1	27.9	24.4	25.0	306.6	13	4067
	04 LST 25.4	23.1	24.6	22.8	25.5	24.2	26.1	24.8	24.3	25.9	22.8	24.1	293.6	13	4065
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	10 LST 24.1	21.9	23.3	20.3	23.3	22.8	24.0	23.5	22.4	23.8	22.9	23.6	275.9	13	4067
	16 LST 23.4	21.0	23.6	20.3	22.7	22.3	23.3	21.6	22.7	23.9	21.8	22.7	269.3	13	4066
	22 LST 26.5	23.4	25.5	22.9	24.0	24.8	26.6	27.3	23.5	27.6	23.8	24.7	300.6	13	4067
	04 LST 25.1	22.6	23.8	21.7	24.8	24.1	25.5	24.3	23.7	25.7	22.7	24.0	288.0	13	4065

KOROR IS., CAROLINE IS.

STA NO. 91408 (IN AREA NUMBER 011)

LONGITUDE 13429E ELEVATION(FT) 00108

LATITUDE 0720N

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	MO. OBS
ABS MAX TMP (F)	91	92	91	93	93	92	92	92	92	92	92	91	93	12	4383
MEAN MAX TMP (F)	86	87	87	88	88	88	87	87	87	88	88	87	87	12	4383
MEAN MIN TMP (F)	75	75	75	76	76	75	75	75	75	76	76	75	75	12	4383
ABS MIN TMP (F)	70	71	69	72	72	71	70	71	71	71	72	71	69	12	4383
MEAN NO DYS TMP = OR GTR 90(F)	0.9	1.1	2.1	6.1	7.2	4.2	2.4	1.9	2.3	6.7	7.7	2.0	44.6	12	4383
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	75	75	75	76	76	76	76	76	76	76	76	76	76	12	53153
MEAN REL HUM (PCT)	86	85	84	85	87	87	87	86	86	85	86	86	86	12	53153
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	12.63	6.77	7.71	9.69	16.33	14.56	16.80	16.84	15.35	13.42	10.76	12.65	153.5	12	4383
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4382
MEAN NO DYS PRCP = OR GTR 0.1 IN	15.6	11.6	12.2	13.1	19.4	18.2	19.2	19.1	18.8	15.9	15.7	17.2	194.0	12	4383
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4382
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.1	0.0	0.4	0.3	0.0	0.1	0.1	0.1	0.1	0.1	0.0	1.3	12	3572
MEAN NO DYS TSMS	1.4	1.2	1.0	2.3	3.4	4.4	3.2	4.6	6.2	5.3	4.0	2.7	39.7	12	4383
P FREQ WND SPU = OR GTR 17 KTS	0.9	0.3	0.2	0.0	0.1	0.1	0.3	0.5	0.5	1.8	0.6	0.9	0.5	12	53153
P FREQ WND SPU = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	53153
P FREQ LES 5000 FT A/O LES 5 MI	17.4	15.9	12.3	14.6	14.2	13.4	13.0	13.3	14.3	15.4	11.8	14.5	14.2	12	53153
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	4.5	7.5	1.9	2.4	3.6	4.1	4.1	4.3	5.7	5.4	5.5	5.0	4.5	12	6776
03-05 LST	5.6	6.6	3.6	3.4	4.8	5.6	3.8	5.8	7.4	5.4	7.0	5.3	5.4	12	6232
06-08 LST	6.4	5.1	3.7	4.3	3.1	3.0	5.5	5.3	4.5	2.9	4.1	5.0	4.4	12	7589
09-11 LST	8.6	6.6	5.4	7.2	5.5	2.2	4.5	6.0	5.6	7.4	3.4	8.0	5.9	12	7638
12-14 LST	9.7	8.5	3.7	6.2	6.9	5.3	6.3	6.9	6.6	7.5	3.9	7.6	6.6	12	7603
15-17 LST	12.0	5.3	4.8	7.7	5.6	6.8	8.0	7.5	8.7	7.3	5.1	5.4	7.0	12	6244
18-20 LST	6.1	2.7	2.7	3.3	2.6	3.7	5.5	3.4	5.2	3.9	4.4	4.5	4.0	12	7585
21-23 LST	6.0	4.1	2.9	2.9	3.0	3.2	2.4	3.7	3.9	4.9	4.7	4.7	3.9	12	7586
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.4	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.1	12	6776
03-05 LST	0.2	0.4	0.4	0.4	0.2	0.0	0.0	0.0	0.2	0.0	0.4	0.0	0.2	12	6232
06-08 LST	0.2	0.2	0.2	0.2	0.2	0.5	0.2	0.3	0.2	0.1	0.3	0.1	0.2	12	7589
09-11 LST	0.0	0.2	0.0	0.3	0.0	0.2	0.0	0.3	0.2	0.3	0.0	0.1	0.1	12	7638
12-14 LST	0.0	0.0	0.0	0.2	0.2	0.0	0.2	0.0	0.3	0.1	0.0	0.0	0.1	12	7603
15-17 LST	0.0	0.4	0.0	0.6	0.0	0.4	0.4	0.2	0.2	0.2	0.0	0.0	0.2	12	6244
18-20 LST	0.2	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	12	7585
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	12	7586

KOROR IS., CAROLINE IS.

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	30.7	27.8	30.7	29.7	30.9	30.7	30.7	29.7	30.4	29.7	30.5	361.4	12	4380
	15 LST	30.7	27.7	30.5	29.6	30.8	30.6	30.6	29.8	30.7	29.8	30.9	361.7	12	4381
	21 LST	30.7	28.0	30.7	29.7	30.7	30.7	30.7	30.0	30.9	29.6	31.0	362.4	12	4381
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WIND LES 10 KTS	03 LST	30.8	27.4	31.0	29.9	30.7	29.8	30.7	29.8	30.9	29.5	31.0	362.4	12	3574
	09 LST	22.3	20.6	22.6	23.4	25.3	26.1	27.4	23.7	24.1	26.2	23.4	290.8	12	4380
	15 LST	20.0	18.3	21.3	22.7	24.2	24.2	23.3	22.3	20.6	23.7	21.2	264.6	12	4381
SFC WIND = GTR 17 KTS AND NO PRECIP.	21 LST	26.9	25.3	27.4	26.7	28.1	26.5	27.7	25.1	26.8	26.4	26.6	319.7	12	4381
	03 LST	24.8	23.8	28.7	27.2	27.6	26.9	26.8	25.3	24.0	25.6	25.5	311.2	12	3574
	09 LST	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.1	0.5	12	4142
SFC WIND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	0.2	0.0	0.0	0.1	0.0	0.1	0.1	0.4	0.3	0.1	0.1	1.8	12	4024
	21 LST	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.3	0.2	1.0	12	4189
	03 LST	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.0	1.0	12	3374
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	23.6	22.8	25.1	22.6	19.3	18.2	15.0	16.9	18.3	18.2	22.1	240.6	12	4142
	15 LST	24.4	24.1	25.8	24.3	22.1	20.3	19.6	19.8	19.4	18.3	23.7	262.4	12	4024
	21 LST	18.3	19.3	20.7	16.9	12.3	11.3	10.0	11.9	12.0	11.3	11.8	172.5	12	4189
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	20.5	19.7	22.3	16.8	12.5	9.2	11.7	12.3	12.4	12.5	17.5	178.9	12	3374
	09 LST	0.2	0.3	0.2	0.3	0.3	0.1	0.5	0.2	0.4	0.3	0.2	3.7	12	4380
	15 LST	0.2	0.3	0.4	0.2	0.4	0.1	0.0	0.2	0.2	0.2	0.1	2.5	12	4381
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	1.7	1.4	3.3	2.4	2.1	1.1	2.5	1.2	2.3	1.8	1.1	23.0	12	4381
	03 LST	1.0	1.4	2.6	1.8	1.2	1.5	1.5	0.3	1.0	2.0	0.7	16.7	12	3574
	09 LST	25.6	23.0	25.0	24.2	25.5	25.8	27.9	26.2	25.8	26.4	27.1	308.5	12	4380
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	22.3	21.0	24.1	23.3	24.7	24.4	23.6	23.8	23.2	25.3	24.0	282.5	12	4381
	21 LST	28.0	26.1	28.3	27.4	28.1	26.8	28.7	28.1	26.6	28.5	28.1	332.5	12	4381
	03 LST	27.4	25.1	29.3	27.5	27.6	26.9	28.0	27.0	26.5	26.4	26.4	325.7	12	3574
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	25.0	22.5	24.3	23.7	25.3	25.4	27.7	25.6	25.7	26.2	25.4	303.6	12	4380
	15 LST	21.6	20.4	23.2	22.9	24.4	24.2	23.0	23.7	22.2	22.6	23.7	276.7	12	4381
	21 LST	27.8	25.9	28.1	27.2	28.1	26.5	28.6	27.9	26.5	28.4	27.8	330.5	12	4381
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	27.2	25.1	29.3	27.4	27.4	26.6	27.8	26.9	26.3	26.4	27.5	324.3	12	3574
	09 LST	23.3	22.0	23.3	22.7	23.4	24.2	26.4	24.5	25.4	26.1	24.3	290.1	12	4380
	15 LST	20.2	19.6	22.3	22.1	23.1	23.2	21.9	23.0	21.2	21.8	22.1	264.5	12	4381
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	26.7	25.3	27.2	25.9	26.5	25.4	27.0	26.3	24.8	27.2	26.7	316.3	12	4381
	03 LST	26.1	24.2	27.8	26.3	25.8	24.6	26.3	25.3	24.7	25.5	26.7	309.1	12	3574


AREA NO. 01

LATITUDE 0800N LONGITUDE 14400E

CAROLINE ISLANDS

CAROLINE ISLANDS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	85	86	86	87	87	87	87	87	87	87	87	86	87
MEAN MIN TMP (F)	77	77	77	77	77	77	76	76	76	77	77	77	77
LARGEST MEAN PRECIP(IN)	12.63	6.77	9.57	15.28	17.12	14.56	16.80	16.84	25.05	14.54	14.49	14.79	178.4
SMALLEST MEAN PRECIP(IN)	2.35	4.14	7.47	2.60	16.33	12.52	8.09	10.12	13.40	12.98	10.76	6.89	107.6
MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND	09 LST	30.5	27.7	30.5	29.3	30.3	29.6	30.6	29.7	30.5	29.6	30.4	359.3
VSBY = GTR 3 MI	15 LST	30.8	27.8	30.4	29.4	30.4	29.8	30.5	29.3	30.7	29.3	30.7	359.7
	21 LST	30.5	27.6	30.7	29.7	29.9	29.8	30.5	29.6	30.6	29.6	30.8	360.2
	03 LST	30.8	27.5	30.4	29.5	30.1	29.3	30.5	29.8	30.0	29.4	30.8	358.4
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	09 LST	14.4	12.4	14.2	15.7	18.1	21.0	22.6	21.3	20.8	20.5	16.4	220.0
	15 LST	13.2	11.1	14.4	16.6	17.3	19.2	22.3	21.1	20.8	20.2	19.3	210.7
	21 LST	17.5	16.3	18.4	18.9	20.1	21.0	25.3	24.0	23.2	24.4	21.7	250.0
	03 LST	16.7	15.1	17.5	18.4	20.2	21.9	24.2	23.1	23.8	20.4	20.5	239.9
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST	3.6	4.4	3.5	1.3	1.3	0.5	1.1	1.4	1.0	1.4	1.2	23.3
	15 LST	3.6	3.8	2.3	1.3	1.2	0.7	0.8	0.9	1.0	1.2	2.9	21.3
	21 LST	3.1	2.7	2.1	0.7	1.1	0.5	0.7	1.1	0.8	0.7	1.1	18.3
	03 LST	3.2	3.0	2.4	1.3	0.9	0.5	0.5	0.4	0.4	1.5	1.6	18.9
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST	17.5	15.4	17.7	18.6	17.9	17.6	16.0	17.8	17.2	17.0	16.8	16.9 206.4
	15 LST	17.1	15.6	17.9	19.0	18.5	18.1	18.6	17.5	18.1	17.8	16.3	16.7 211.2
	21 LST	15.2	15.4	16.1	15.7	13.7	13.0	11.9	11.6	12.8	12.5	13.3	14.8 166.0
	03 LST	15.2	14.7	16.6	15.8	13.1	13.8	11.9	12.1	13.1	11.2	12.7	14.2 164.4
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	0.2	0.3	0.2	0.4	0.3	0.3	0.5	0.2	0.5	0.4	0.3	3.9
	15 LST	0.4	0.3	0.3	0.1	0.3	0.3	0.1	0.2	0.2	0.5	0.3	3.1
	21 LST	1.3	1.3	2.4	1.3	1.5	1.0	1.8	1.3	1.6	1.6	1.4	1.3 17.8
	03 LST	1.1	1.1	1.8	1.1	0.9	1.3	1.7	0.7	1.0	2.0	1.3	1.0 15.0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST	25.6	22.6	25.9	23.6	24.3	24.6	25.2	24.7	24.5	25.4	25.1	24.5 296.0
	15 LST	24.2	22.2	25.2	24.1	24.1	25.0	24.3	24.1	23.0	23.4	23.8	23.6 287.0
	21 LST	27.0	24.3	28.2	25.9	25.6	25.8	27.7	27.6	25.4	27.5	25.1	27.2 317.3
	03 LST	27.2	24.3	26.8	25.0	25.6	24.3	25.8	25.5	25.6	24.8	23.6	26.1 304.6
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST	25.0	22.0	25.3	23.0	24.0	24.0	24.7	24.2	24.0	25.1	24.4	24.1 289.8
	15 LST	23.6	21.7	24.4	23.4	23.7	24.5	23.5	23.6	22.4	22.8	23.3	23.2 280.1
	21 LST	26.8	24.0	27.9	25.6	25.4	25.4	27.4	27.3	25.2	27.3	25.0	26.9 314.2
	03 LST	27.0	24.1	26.4	24.6	25.2	23.8	25.4	25.2	25.2	24.7	23.1	26.0 300.7
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	24.3	21.7	24.8	22.3	23.1	23.1	24.2	23.7	23.2	24.6	24.1	23.5 282.6
	15 LST	23.0	21.2	23.9	22.9	24.0	22.9	23.1	21.6	22.0	22.8	22.5	272.8
	21 LST	26.4	23.6	27.3	24.9	24.4	24.9	26.4	24.1	26.8	24.4	26.4	306.2
	03 LST	26.6	23.6	25.5	23.9	24.5	23.1	24.7	24.2	24.1	23.8	22.7	25.5 292.2



BLANK PAGE

AGANA NAS., GUAM

STA NO. 91212 (IN AREA NUMBER 01)

LATITUDE 1328N

LONGITUDE 14447E

ELEVATION(FT) 00298

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	90	88	93	90	90	94	93	91	92	92	92	90	94	12	4381
MEAN MAX TMP (F)	84	84	85	85	86	86	86	86	86	86	86	85	85	12	4381
MEAN MIN TMP (F)	75	75	75	76	76	77	76	76	76	76	77	76	76	12	4382
ABS MIN TMP (F)	70	70	70	72	71	70	71	71	71	70	72	68	68	12	4382
MEAN NO DYS TMP = OR GTR 90(F)	0.1	0.0	0.4	0.1	0.2	2.3	1.7	0.6	1.1	1.8	1.0	0.1	9.4	12	4381
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4382
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4382
MEAN DEW PT TMP (F)	72	71	71	73	73	75	75	75	75	75	75	73	74	12	105107
MEAN REL HUM (PCT)	61	79	77	79	80	81	83	84	85	84	83	82	82	12	105107
MEAN PRESS ALT (FT)	330	320	330	340	350	350	370	390	380	380	390	380	359	0	-50
MEAN PRECIP (IN)	4.27	3.17	1.76	4.37	5.39	4.78	8.78	12.04	13.93	12.86	8.57	5.54	85.5	12	4376
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4369
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.5	6.7	5.5	8.2	9.7	11.1	15.0	15.9	19.4	17.3	15.1	10.7	143.1	12	4376
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4369
MEAN NO DYS W/OCUM VSBY LES 1/2 MI	0.1	0.0	0.0	0.2	0.2	0.2	0.0	0.3	0.5	0.3	0.1	0.2	2.1	12	4382
MEAN NO DYS TSTMS	0.1	0.0	0.0	0.2	0.2	1.1	3.8	3.5	5.2	3.7	1.3	0.6	19.7	12	4383
P FREQ WND SPU = OR GTR 17 KTS	3.1	3.7	2.9	5.6	3.5	2.5	1.2	1.2	1.5	2.1	3.6	3.6	2.9	12	104992
P FREQ WND SPU = OR GTR 28 KTS	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.1	0.1	0.1	0.3	0.0	0.1	12	104992
P FREQ LES 5000 FT A/O LES 5 MI	23.6	24.5	20.7	22.4	23.9	20.2	21.2	22.0	23.2	21.8	21.0	20.6	22.1	12	105135
P FREQ LES 1500 FT A/O LES 3 MI	6.5	5.1	1.8	4.7	4.3	4.4	5.9	7.2	9.0	9.1	7.1	6.3	6.0	12	13135
FOR 00-02 LST	6.0	5.2	2.9	6.2	5.5	5.1	7.2	8.2	9.3	9.9	7.7	8.8	6.8	12	13146
03-05 LST	7.3	7.1	3.4	7.6	6.1	5.5	6.0	9.4	11.7	8.8	11.2	8.2	7.7	12	13146
06-08 LST	9.2	7.4	4.9	6.9	5.6	9.3	9.5	11.6	10.5	13.5	10.5	9.3	9.0	12	13145
09-11 LST	11.3	8.3	3.7	6.1	6.3	9.7	12.3	13.4	17.1	15.3	10.1	9.4	10.3	12	13146
12-14 LST	10.2	8.2	4.3	5.5	5.1	7.0	10.5	11.0	13.7	12.6	8.5	7.4	8.7	12	13148
15-17 LST	6.6	7.0	3.2	5.4	4.6	3.7	5.4	7.2	10.3	7.6	7.1	6.0	6.2	12	13141
18-20 LST	4.7	4.2	3.4	5.3	4.0	4.4	5.8	5.1	10.5	7.8	7.4	6.2	5.7	12	13145
21-23 LST	0.0	0.1	0.0	0.4	0.0	0.0	0.0	0.3	0.2	0.0	0.1	0.0	0.1	12	13135
FOR 00-02 LST	0.0	0.2	0.0	0.4	0.1	0.1	0.1	0.3	0.1	0.3	0.1	0.4	0.2	12	13146
03-05 LST	0.2	0.1	0.1	0.3	0.2	0.1	0.1	0.3	0.2	0.4	0.1	0.1	0.2	12	13146
06-08 LST	0.4	0.0	0.2	0.3	0.0	0.1	0.2	0.3	0.5	0.5	0.3	0.2	0.3	12	13145
09-11 LST	0.1	0.2	0.0	0.1	0.2	0.2	0.1	0.4	0.4	0.5	0.1	0.1	0.2	12	13146
12-14 LST	0.0	0.1	0.0	0.3	0.1	0.0	0.4	0.3	0.7	0.4	0.3	0.1	0.2	12	13148
15-17 LST	0.0	0.2	0.0	0.2	0.3	0.0	0.0	0.4	0.4	0.4	0.4	0.1	0.2	12	13141
18-20 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.4	0.4	0.4	0.4	0.1	0.2	12	13141
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.5	0.1	0.3	0.0	0.1	12	13145

AGANA NAS., GUAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	10 LST	30.6	27.9	30.7	29.4	30.7	30.7	30.2	29.3	30.1	29.4	30.7	359.3	12	4363	
	16 LST	30.6	27.3	30.8	29.7	30.5	30.4	30.5	29.6	30.3	29.7	30.6	359.8	12	4363	
	22 LST	30.7	27.9	31.0	29.6	30.7	30.0	30.2	30.7	29.4	30.8	29.6	30.7	361.3	12	4363
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	04 LST	30.7	27.7	30.9	29.5	30.8	29.9	30.7	29.4	30.5	29.6	30.5	361.0	12	4362	
	10 LST	7.3	5.1	4.8	3.7	4.4	8.8	15.6	15.4	15.1	8.1	5.5	109.4	12	4360	
	16 LST	6.1	4.2	6.3	3.8	5.4	10.2	15.1	16.2	16.7	10.4	7.6	119.2	12	4360	
SFC WND = GTR 17 KTS AND NO PRECIP.	22 LST	20.0	18.7	22.1	19.4	20.9	23.1	26.6	26.0	24.8	24.3	22.1	20.8	268.8	12	4360
	04 LST	21.5	18.6	23.6	21.2	22.1	24.4	26.1	24.8	24.5	21.6	20.2	274.3	12	4379	
	10 LST	2.0	1.6	2.5	3.4	2.3	1.1	0.7	0.4	0.4	1.7	1.7	17.9	12	4341	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST	1.7	1.7	1.5	2.2	2.2	1.2	0.4	0.4	0.7	0.9	1.1	14.3	12	4342	
	22 LST	0.1	0.1	0.0	0.6	0.3	0.2	0.2	0.0	0.3	0.8	0.7	3.6	12	4346	
	04 LST	0.3	0.2	0.0	0.3	0.2	0.2	0.2	0.1	0.2	0.4	0.4	2.9	12	4338	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	10 LST	14.4	10.9	12.4	9.0	11.3	16.2	19.9	20.6	20.6	21.7	16.1	14.5	187.9	12	4341
	16 LST	14.2	10.8	13.3	9.1	12.4	16.6	21.1	21.7	21.0	17.0	16.0	194.4	12	4342	
	22 LST	23.4	20.3	22.1	22.4	22.5	21.6	15.6	16.0	13.5	16.0	19.6	22.0	235.0	12	4348
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	04 LST	22.9	20.5	21.4	22.4	22.3	18.8	13.2	14.4	12.5	15.3	19.0	21.9	224.6	12	4338
	10 LST	0.2	0.1	0.6	0.1	0.4	0.3	0.0	0.2	0.1	0.2	0.3	0.4	2.9	12	4363
	16 LST	0.5	0.7	0.5	0.4	0.3	0.2	0.0	0.1	0.0	0.2	0.7	0.6	4.2	12	4363
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	22 LST	1.6	2.5	2.4	3.2	2.5	1.4	1.9	0.7	1.1	1.5	2.6	2.1	23.5	12	4363
	04 LST	3.8	2.8	3.6	3.3	2.4	2.1	2.7	1.4	1.7	1.7	2.8	2.4	30.7	12	4362
	10 LST	22.5	21.4	21.1	19.8	19.6	19.6	21.8	22.0	21.2	21.8	21.1	23.0	254.9	12	4363
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST	21.9	19.8	23.0	21.9	21.6	22.0	21.7	22.9	21.0	23.0	23.1	24.3	266.2	12	4363
	22 LST	26.1	24.5	27.2	26.5	26.4	26.3	27.4	27.9	26.1	26.7	26.0	26.8	317.9	12	4363
	04 LST	26.7	23.9	27.2	26.2	26.2	26.5	26.9	26.6	25.5	26.5	25.3	24.8	312.3	12	4362
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	10 LST	21.4	20.1	19.9	19.1	18.5	19.1	21.1	21.4	20.5	21.3	20.7	22.2	245.3	12	4363
	16 LST	20.9	19.0	21.3	21.1	20.7	21.4	21.1	22.2	20.2	22.3	22.6	23.7	256.5	12	4363
	22 LST	24.9	23.3	26.2	25.7	25.9	26.1	26.7	27.4	25.7	26.2	25.6	26.4	310.1	12	4363
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	04 LST	25.8	22.0	26.4	25.6	25.6	26.1	26.0	25.8	24.8	25.9	24.9	24.3	303.2	12	4362
	10 LST	18.8	17.9	18.5	17.7	17.6	17.7	18.5	19.2	18.0	18.9	19.3	20.3	222.4	12	4363
	16 LST	19.0	17.5	20.1	19.8	19.2	19.7	19.2	19.7	17.6	19.5	21.1	22.3	234.7	12	4363
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	22 LST	23.5	22.4	25.5	24.6	24.6	25.0	24.7	23.0	23.8	24.7	25.7	293.0	12	4363	
	04 LST	24.0	20.3	25.1	25.1	24.5	25.5	24.6	24.0	22.6	24.3	23.4	287.0	12	4362	

ANDERSON AFB, GUAM

STA NO. 91218 (IN AREA NUMBER 01)

LATITUDE 1334N

LONGITUDE 14455E

ELEVATION(FT) 00605

PARAMETER DESCRIPTION

ABS MAX TMP (F)

MEAN MAX TMP (F)

MEAN MIN TMP (F)

ABS MIN TMP (F)

MEAN NO DYS TMP = OR GTR 90(F)

MEAN NO DYS TMP = OR LES 32(F)

MEAN NO DYS TMP = OR LES 0(F)

MEAN DEW PT TMP (F)

MEAN REL HUM (PCT)

MEAN PRESS ALT (FT)

MEAN PRECIP (IN)

MEAN SNOW FALL (IN)

MEAN NO DYS PRCP = OR GTR 0.1 IN

MEAN NO DYS SNFL = OR GTR 1.5 IN

MEAN NO DYS W/OCLUK VSBY LES 1/2 MI

MEAN NO DYS TSTMS

P FREQ WND SPU = OR GTR 17 KTS

P FREQ WND SPU = OR GTR 28 KTS

P FREQ LES 5000 FT A/O LES 5 MI

P FREQ LES 1500 FT A/O LES 3 MI

FOR 00-02 LST

03-05 LST

06-08 LST

09-11 LST

12-14 LST

15-17 LST

18-20 LST

21-23 LST

P FREQ LES 300 FT A/O LES 1 MI

FOR 00-02 LST

03-05 LST

06-08 LST

09-11 LST

12-14 LST

15-17 LST

18-20 LST

21-23 LST

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	86	86	85	94	88	89	89	90	88	87	89	87	94	12	4378
MEAN MAX TMP (F)	81	81	81	83	83	84	84	84	83	83	83	82	83	12	4378
MEAN MIN TMP (F)	75	74	75	76	76	77	76	76	75	76	77	76	76	12	4378
ABS MIN TMP (F)	66	70	69	69	71	70	70	70	71	71	71	68	66	12	4378
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.2	12	4378
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4378
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4378
MEAN DEW PT TMP (F)	71	71	71	73	74	74	74	75	75	75	75	73	73	12	105005
MEAN REL HUM (PCT)	82	82	81	82	83	83	84	86	87	87	84	82	84	12	105004
MEAN PRESS ALT (FT)	655	645	655	665	675	675	695	715	705	705	715	705	684	0	-50
MEAN PRECIP (IN)	4.15	4.57	2.38	4.90	5.72	4.56	8.02	11.73	13.50	15.37	6.84	6.74	88.5	12	4376
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4380
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.8	7.7	6.0	7.7	8.8	10.7	14.1	16.4	18.5	17.8	13.4	11.7	141.6	12	4376
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4380
MEAN NO DYS W/OCLUK VSBY LES 1/2 MI	0.9	0.6	0.0	0.3	0.2	0.2	0.5	0.6	0.9	0.8	0.3	0.9	6.2	12	4378
MEAN NO DYS TSTMS	0.2	0.1	0.1	0.8	0.4	1.7	4.1	3.5	6.4	5.3	1.7	0.7	25.0	12	4378
P FREQ WND SPU = OR GTR 17 KTS	8.2	9.4	6.4	4.9	3.3	1.7	1.5	1.8	2.0	3.3	4.3	8.1	4.6	12	105055
P FREQ WND SPU = OR GTR 28 KTS	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.1	12	105055
P FREQ LES 5000 FT A/O LES 5 MI	23.4	25.5	19.8	19.4	20.6	12.8	13.7	13.9	16.0	16.3	16.2	19.4	18.1	12	105055
P FREQ LES 1500 FT A/O LES 3 MI	12.2	11.8	10.2	13.2	14.8	9.2	9.5	10.7	10.6	11.6	11.3	12.6	11.5	12	13134
FOR 00-02 LST	13.4	13.1	9.4	12.9	15.8	10.0	10.8	9.5	12.3	10.1	11.2	17.1	12.1	12	13135
03-05 LST	14.6	13.6	10.9	16.1	15.3	9.4	11.1	10.6	11.9	10.3	13.4	14.4	12.6	12	13136
06-08 LST	13.4	13.1	10.7	14.1	14.2	12.5	12.6	10.5	11.5	13.7	14.3	13.5	12.8	12	13141
09-11 LST	12.1	14.7	8.8	11.6	14.4	10.4	11.0	12.0	16.7	16.3	13.3	13.0	12.9	12	13142
12-14 LST	11.8	13.8	8.3	10.6	13.8	9.1	11.8	10.8	13.3	12.6	12.1	10.4	11.5	12	13137
15-17 LST	11.9	12.4	10.5	12.9	12.7	8.1	8.3	9.5	10.8	10.5	10.7	11.7	10.8	12	13138
18-20 LST	12.1	11.1	9.7	12.7	13.5	10.0	9.1	8.2	11.0	9.9	10.8	8.9	10.6	12	13137
21-23 LST	0.4	0.8	0.1	0.5	0.3	0.2	0.1	0.4	0.7	0.4	0.3	0.5	0.4	12	13134
FOR 00-02 LST	0.6	0.7	0.2	0.5	0.2	0.2	0.0	0.3	0.0	0.4	0.5	0.7	0.4	12	13135
03-05 LST	0.7	0.7	0.0	0.7	0.0	0.1	0.2	0.6	0.6	0.5	0.3	0.4	0.4	12	13136
06-08 LST	0.8	0.4	0.4	0.2	0.1	0.6	0.0	0.4	0.3	0.5	0.2	0.0	0.3	12	13141
09-11 LST	0.6	0.7	0.3	0.4	0.0	0.5	0.5	0.7	1.2	0.9	0.3	0.5	0.6	12	13142
12-14 LST	0.4	0.4	0.0	0.3	0.1	0.0	0.6	0.5	0.5	0.5	0.1	0.2	0.3	12	13137
15-17 LST	0.4	0.5	0.1	0.2	0.1	0.2	0.1	0.9	0.6	0.7	0.4	0.4	0.4	12	13138
18-20 LST	0.4	0.5	0.0	0.2	0.4	0.3	0.1	0.4	0.8	0.4	0.3	0.3	0.3	12	13137
21-23 LST	0.4	0.5	0.0	0.2	0.4	0.3	0.1	0.4	0.8	0.4	0.3	0.3	0.3	12	13137

ANDERSON AFB, GUAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNU	FOR (YRS)	NO.
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	29.7	26.7	30.2	28.9	29.8	28.9	30.1	29.5	28.8	28.7	29.0	29.8	350.1	12	4381
	16 LST	29.6	26.2	30.3	29.1	30.1	30.2	29.9	28.5	29.5	29.2	29.8	351.7	12	4380
	22 LST	29.1	27.0	30.4	28.7	30.1	30.2	30.2	28.6	30.0	29.0	29.7	352.1	12	4380
	04 LST	29.1	26.5	30.2	28.7	29.6	29.3	29.7	28.5	29.7	28.8	28.8	348.9	12	4379
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	6.0	3.1	5.6	5.3	5.3	11.0	17.5	17.1	19.1	16.6	8.9	6.0	121.7	12	4381
	10 LST	6.0	2.7	5.1	6.1	6.0	11.5	17.7	19.5	18.1	9.9	7.3	129.7	12	4380
	16 LST	9.5	6.1	8.9	10.7	11.2	15.3	22.8	23.7	20.8	12.4	9.8	174.4	12	4380
	22 LST	10.7	6.4	11.0	12.1	12.1	18.5	22.7	23.3	20.7	14.3	10.1	184.8	12	4379
	04 LST	3.1	3.6	2.6	1.6	1.4	0.5	0.3	0.7	0.5	2.1	3.0	20.2	12	4318
SFC WIND = GTR 17 KTS ANI. NO PRECIP.	3.0	3.8	1.8	1.9	1.1	0.2	0.5	0.5	0.5	1.0	0.8	2.3	17.4	12	4329
	16 LST	2.2	1.7	1.7	0.7	0.9	0.2	0.5	0.2	0.5	1.8	2.2	12.8	12	4323
	22 LST	1.8	1.5	1.1	0.7	0.3	0.2	0.4	0.4	0.7	1.2	1.5	10.0	12	4327
	04 LST	11.4	6.6	8.9	10.6	10.9	16.9	23.1	21.8	18.5	14.3	10.6	175.3	12	4318
SFC WIND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	12.6	6.9	9.4	11.9	12.0	17.7	22.7	21.8	22.1	19.5	15.2	12.9	184.7	12	4329
	16 LST	13.7	11.7	14.7	16.9	15.3	19.8	21.1	19.9	17.6	16.4	15.5	201.1	12	4323
	22 LST	14.1	11.1	15.6	16.4	16.6	21.4	19.1	18.2	16.4	17.2	15.7	197.5	12	4327
	04 LST	1.2	0.8	0.7	1.5	0.9	0.8	0.4	0.3	0.1	0.2	1.0	8.3	12	4381
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	1.0	1.7	0.7	1.8	1.1	1.1	0.0	0.4	0.2	0.9	0.6	1.6	11.1	12	4380
	16 LST	2.4	2.0	2.4	3.8	3.1	2.4	2.5	1.3	1.6	2.3	2.7	28.0	12	4380
	22 LST	4.7	2.2	2.7	3.8	3.4	4.1	3.4	2.6	2.6	3.0	3.0	37.7	12	4379
	04 LST	24.7	22.6	26.7	24.9	25.3	25.1	26.4	27.0	26.2	25.0	26.0	306.0	12	4381
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	25.8	22.5	27.2	25.9	24.8	27.1	26.6	27.7	24.9	26.7	25.5	26.3	311.0	12	4380
	16 LST	25.6	23.4	26.4	24.5	25.9	26.3	27.7	27.3	26.2	25.7	26.3	312.0	12	4380
	22 LST	24.3	21.2	25.5	24.1	24.5	26.1	26.7	26.7	25.9	25.4	24.3	301.4	12	4379
	04 LST	23.3	21.1	25.0	24.2	24.6	25.8	26.4	25.1	25.8	24.4	25.0	294.9	12	4381
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23.9	20.9	25.4	25.3	24.1	27.0	26.3	27.4	24.3	26.0	24.9	25.5	301.0	12	4380
	16 LST	24.1	21.4	25.6	24.0	25.3	26.1	27.2	26.8	25.3	25.4	25.6	302.8	12	4380
	22 LST	22.5	19.0	24.0	23.6	23.8	25.7	26.2	26.3	25.1	25.6	23.8	290.6	12	4379
	04 LST	22.0	19.2	23.9	23.2	23.4	23.1	23.9	23.6	22.9	24.1	23.6	276.6	12	4381
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	22.3	19.9	24.6	23.8	22.6	26.0	24.4	24.5	21.7	24.2	24.2	24.6	282.8	12	4380
	16 LST	23.1	20.6	24.7	23.5	24.7	25.2	25.7	23.7	23.3	24.1	24.7	25.1	12	4380
	22 LST	21.6	18.1	23.1	23.2	22.9	25.0	25.1	24.0	23.2	24.1	24.1	23.0	12	4379

AREA NO. 01

LATITUDE 1330N LONGITUDE 14450E

GUAM
BOUNDARIES

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	83	83	83	84	85	85	85	85	85	85	85	84	84	
MEAN MIN TMP (F)	75	75	75	76	76	77	76	76	76	76	77	76	76	
LARGEST MEAN PRECIP(IN)	4.27	4.57	2.38	4.90	5.72	4.78	8.78	12.04	13.93	15.37	8.57	6.74	92.0	
SMALLEST MEAN PRECIP(IN)	4.15	3.17	1.76	4.37	5.39	4.56	8.02	11.73	13.50	12.86	6.84	5.54	81.9	
MEAN NUMBER OF DAYS														
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	10 LST	30.2	27.3	30.5	29.2	30.3	29.3	30.4	29.9	29.1	29.4	29.2	30.3	355.1
	16 LST	30.1	26.8	30.6	29.4	30.3	29.6	30.3	30.2	29.1	29.9	29.5	30.2	356.0
	22 LST	29.9	27.5	30.7	29.2	30.4	29.6	30.2	30.5	29.0	30.4	29.3	30.2	356.9
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	04 LST	29.9	27.1	30.6	29.1	30.2	29.6	30.2	30.3	29.0	30.1	29.3	29.7	355.1
	10 LST	6.7	4.1	5.2	4.5	5.0	9.9	16.6	16.3	17.4	15.9	8.5	9.8	115.9
	16 LST	6.1	3.5	5.7	5.0	5.7	10.9	16.4	18.0	18.1	17.7	10.2	7.5	124.8
	22 LST	14.8	12.4	15.5	15.1	16.1	19.2	24.7	24.9	24.0	22.6	17.3	15.3	221.9
SFC WND = GTR 17 KTS AND NO PRECIP.	04 LST	16.1	12.5	17.3	16.7	17.1	21.5	24.4	24.3	24.1	22.6	18.0	15.2	229.8
	10 LST	2.6	2.6	2.6	2.5	1.9	0.8	0.5	0.5	0.5	0.6	1.9	2.4	19.4
	16 LST	2.4	2.8	1.7	2.1	1.7	0.7	0.5	0.4	0.5	0.9	0.9	1.7	16.3
	22 LST	1.2	0.9	0.9	0.7	0.6	0.2	0.4	0.1	0.3	0.4	1.3	1.5	8.5
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	04 LST	1.1	0.9	0.6	0.5	0.3	0.2	0.3	0.2	0.3	0.6	0.8	1.0	6.8
	10 LST	12.9	8.8	10.7	9.8	11.1	16.6	21.5	21.2	21.2	20.1	15.2	12.7	181.8
	16 LST	13.4	8.9	11.4	10.5	12.2	17.2	21.9	21.8	21.6	20.4	16.1	14.5	189.9
	22 LST	18.6	16.0	18.4	19.7	18.9	20.7	18.4	18.0	15.6	17.3	18.0	18.8	218.4
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	04 LST	18.5	15.8	18.5	19.4	19.5	20.1	16.2	16.3	14.5	15.5	18.1	18.8	211.2
	10 LST	0.7	0.5	0.7	0.8	0.7	0.6	0.2	0.3	0.1	0.2	0.7	0.4	5.9
	16 LST	0.8	1.2	0.6	1.1	0.7	0.7	0.0	0.3	0.1	0.6	0.7	1.1	7.9
	22 LST	2.0	2.3	2.4	3.5	2.8	1.9	2.2	1.0	1.3	1.6	2.5	2.4	25.9
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	04 LST	4.3	2.5	3.2	3.6	2.9	3.1	3.1	2.0	2.0	2.2	2.9	2.7	34.5
	10 LST	23.6	22.0	23.9	22.4	22.5	22.4	24.1	24.5	23.7	24.0	23.1	24.5	280.7
	16 LST	23.9	21.2	25.1	23.9	23.2	24.6	24.2	25.3	23.0	24.9	24.3	25.3	288.9
	22 LST	25.9	24.0	26.8	25.5	26.2	26.3	27.6	27.6	26.2	26.7	25.9	26.6	315.3
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	04 LST	25.5	22.6	26.4	25.2	25.4	26.3	26.8	26.7	25.7	26.6	25.4	24.6	307.2
	10 LST	22.4	20.6	22.5	21.7	21.4	21.9	23.5	23.9	22.8	23.6	22.6	23.6	270.5
	16 LST	22.4	20.0	23.4	23.2	22.4	24.2	23.7	24.8	22.3	24.2	23.8	24.6	279.0
	22 LST	24.5	22.4	25.9	24.9	25.6	26.1	27.0	27.1	25.5	26.1	25.5	26.0	306.6
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	04 LST	24.2	20.5	25.2	24.6	24.7	25.9	26.1	26.1	25.0	25.8	25.0	24.1	297.2
	10 LST	20.4	18.6	21.2	20.5	20.5	20.4	21.2	21.4	20.5	21.5	21.5	22.0	249.7
	16 LST	20.7	18.7	22.4	21.8	20.9	22.9	21.8	22.1	19.7	21.9	22.7	23.5	259.1
	22 LST	23.3	21.5	25.1	24.1	24.7	25.1	25.6	24.2	23.2	24.0	24.7	25.4	290.9
	04 LST	22.8	19.2	24.1	24.2	23.7	25.3	24.9	24.0	22.9	24.2	23.9	23.2	282.4


HONG KONG INTL., HONG KONG

STA NO. 45007 (IN AREA NUMBER 01)

LATITUDE 2219N LONGITUDE 11411E ELEVATION(FT) 00013

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	MO. OBS
ABS MAX TMP (F)	79	82	84	92	92	94	96	97	94	94	87	85	97	50	-528
MEAN MAX TMP (F)	64	63	67	75	82	85	87	87	85	81	74	68	77	50	-28
MEAN MIN TMP (F)	56	55	60	67	74	78	78	78	77	73	65	59	68	50	-28
ABS MIN TMP (F)	32	38	44	52	60	67	71	71	65	57	44	41	32	50	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.4	3.3	6.1	13.0	10.1	6.8	0.5	0.0	0.0	40.2	11	3519
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3509
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3509
MEAN DEW PT TMP (F)	51	54	59	65	73	76	77	77	75	67	60	53	66	11	13700
MEAN REL HUM (PCT)	72	78	79	82	83	82	82	82	78	69	67	69	77	20	-28
MEAN PRESS ALT (FT)	-143	-98	-44	47	141	226	267	254	156	17	-74	-127	52	0	-50
MEAN PRECIP (IN)	1.30	1.80	2.90	5.40	11.50	15.50	15.00	14.20	10.10	4.50	1.70	1.20	85.1	50	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.1	4.1	5.3	8.1	11.9	13.2	13.0	12.8	12.7	6.6	3.1	2.9	96.8	50	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	0.5	1.3	1.4	1.1	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.6	5.3	11	3426
MEAN NO DYS TSMS	0.3	0.3	2.0	4.0	5.0	7.0	6.0	7.0	4.0	2.0	0.3	0.3	38.2	60	-24
P FREQ WND SPD = OR GTR 17 KTS	11.2	19.6	22.6	19.7	12.3	14.4	5.1	6.6	14.9	10.2	8.3	8.3	12.8	11	13712
P FREQ WND SPD = OR GTR 28 KTS	0.2	0.6	0.6	0.6	0.4	0.8	0.4	0.6	1.8	0.6	0.5	0.2	0.6	11	13712
P FREQ LES 5000 FT A/O LES 5 MI	48.0	61.7	72.6	69.6	56.8	59.2	42.5	38.6	37.8	32.3	33.1	39.7	49.3	11	13660
P FREQ LES 1500 FT A/O LES 3 MI	20.7	26.6	33.5	35.7	30.7	30.7	21.4	19.7	13.4	6.8	10.4	15.5	22.1	11	3674
FOR 00-02 LST	20.7	29.9	36.0	38.2	33.4	29.5	22.7	21.2	13.8	7.2	9.6	14.6	23.1	11	-30
03-05 LST	20.7	33.2	38.5	40.7	36.0	28.3	23.9	22.6	14.2	7.6	8.8	13.7	24.0	11	3501
06-08 LST	16.3	26.7	31.4	33.2	29.2	24.8	18.4	17.8	12.1	6.1	7.4	11.6	19.6	11	-30
09-11 LST	11.9	20.1	24.2	25.7	22.3	21.3	12.9	12.9	10.0	4.5	6.0	9.4	15.1	11	3681
12-14 LST	13.4	22.7	27.9	27.9	22.7	24.1	13.4	12.9	11.3	5.6	6.7	10.5	16.6	11	-30
15-17 LST	14.8	25.2	31.5	30.0	23.0	26.9	13.9	12.8	12.6	6.6	7.4	11.5	18.0	11	3541
18-20 LST	17.8	25.9	32.5	32.9	26.9	28.8	17.7	16.3	13.0	6.7	8.9	13.5	20.1	11	-30
21-23 LST	1.0	2.1	3.2	2.0	0.6	0.0	0.0	0.6	0.0	0.0	0.0	0.3	0.8	11	3674
FOR 00-02 LST	1.9	4.1	4.4	3.0	0.3	0.7	0.6	0.4	0.0	0.2	0.0	1.2	1.4	11	-30
03-05 LST	2.7	6.0	5.6	3.9	0.0	1.4	1.1	0.3	0.0	0.3	0.0	2.0	1.9	11	3501
06-08 LST	1.9	3.6	3.1	2.1	0.3	0.9	0.6	0.2	0.0	0.2	0.2	1.3	1.2	11	-30
09-11 LST	1.0	1.1	0.6	0.3	0.6	0.3	0.0	0.0	0.0	0.0	0.3	0.6	0.4	11	3681
12-14 LST	0.9	0.9	0.7	0.7	0.3	0.2	0.0	0.2	0.2	0.0	0.2	0.5	0.4	11	-30
15-17 LST	0.7	0.7	0.7	1.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.3	0.3	11	3541
18-20 LST	0.9	1.4	2.0	1.5	0.3	0.0	0.0	0.5	0.2	0.0	0.0	0.3	0.6	11	-30
21-23 LST															

HONG KONG



HONG KONG INTL., HONG KONG

MEAN NUMBER OF DAYS


PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 26.6	21.1	22.5	21.8	25.9	27.4	29.4	29.0	28.6	30.7	28.8	28.5	320.3	11	3501
	14 LST 29.4	25.3	27.8	27.8	29.0	28.8	30.2	29.8	29.3	30.9	29.3	30.3	347.9	11	3681
	20 LST 28.8	24.9	26.6	26.5	29.5	27.9	30.0	30.3	29.7	30.9	29.6	30.0	344.7	11	3541
	02 LST 28.2	24.3	26.4	25.1	29.0	29.1	30.4	30.4	30.0	30.9	29.6	29.5	342.9	11	3674
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WIND LES 10 KTS	08 LST 12.8	7.1	6.2	5.3	8.1	10.0	14.9	15.4	15.4	14.3	15.3	14.9	139.7	11	3501
	14 LST 11.9	7.7	6.1	7.0	7.9	8.4	14.0	15.8	11.5	10.6	12.4	14.2	127.5	11	3681
	20 LST 15.0	9.1	7.5	8.6	13.6	12.0	20.7	19.5	18.0	16.2	17.5	16.7	174.4	11	3541
	02 LST 12.6	7.8	7.0	8.2	10.1	9.0	15.5	16.5	16.6	13.8	13.5	14.7	145.3	11	3674
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 3.3	3.9	5.4	3.8	3.3	1.6	0.4	0.6	2.1	2.8	1.9	2.3	31.4	11	3504
	14 LST 3.4	5.0	6.2	3.8	2.7	3.4	1.3	1.7	2.9	1.9	2.0	2.2	36.5	11	3680
	20 LST 1.8	3.2	2.6	2.3	1.8	1.2	0.6	0.8	1.8	2.0	1.4	1.9	21.4	11	3546
	02 LST 3.1	4.3	4.2	3.5	1.9	2.7	0.4	1.2	2.6	2.9	2.2	2.6	31.6	11	3678
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 9.8	8.3	8.3	7.4	8.4	9.2	10.9	6.9	7.9	13.0	11.5	11.4	113.0	11	3499
	14 LST 12.0	8.3	7.4	7.9	8.2	7.6	9.7	10.9	10.8	11.1	12.6	14.0	120.5	11	3680
	20 LST 14.4	9.6	9.2	8.9	11.0	10.3	13.1	11.5	9.9	14.4	14.0	14.0	140.3	11	3539
	02 LST 10.9	8.1	8.8	7.7	8.4	7.3	9.3	7.7	7.4	9.6	10.4	11.5	107.1	11	3678
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 7.4	3.0	1.6	1.7	1.8	0.7	0.7	3.2	4.4	9.2	7.8	7.7	49.2	11	3503
	14 LST 10.2	5.4	4.0	2.3	2.2	0.8	1.7	2.0	4.4	11.4	10.2	10.5	65.1	11	3681
	20 LST 11.8	7.1	4.3	4.8	4.6	1.4	4.4	6.7	10.0	13.2	13.8	13.3	95.4	11	3545
	02 LST 8.4	5.3	3.1	4.1	4.5	3.7	6.0	7.1	9.1	11.2	9.1	9.8	81.4	11	3678
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 18.7	12.2	11.4	9.4	11.6	13.2	16.2	17.2	20.8	24.7	23.8	21.9	201.1	11	3501
	14 LST 23.3	16.5	16.2	14.3	17.1	15.7	20.1	21.7	22.3	25.9	25.9	24.7	243.7	11	3681
	20 LST 21.0	14.9	12.2	13.5	17.1	14.9	23.1	23.2	21.1	25.5	24.2	23.1	233.8	11	3541
	02 LST 17.9	13.5	11.0	10.9	12.4	11.7	17.4	18.9	20.1	22.8	21.5	20.3	198.4	11	3674
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 13.1	7.1	6.5	5.3	10.0	11.5	15.0	16.1	18.3	20.9	18.8	15.1	157.7	11	3501
	14 LST 17.5	12.0	10.5	9.8	14.5	13.3	17.7	18.9	19.9	22.3	21.7	19.5	197.6	11	3681
	20 LST 16.4	10.4	7.8	10.3	15.5	13.7	22.5	22.0	18.9	21.6	19.1	17.9	196.1	11	3541
	02 LST 12.8	8.5	5.6	7.4	10.5	10.7	16.2	17.7	18.1	17.7	15.3	14.6	155.1	11	3674
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 13.1	7.0	6.5	5.3	10.0	11.5	15.0	16.1	18.3	20.9	18.5	14.8	157.0	11	3501
	14 LST 17.3	11.6	10.2	9.8	14.5	13.3	17.7	18.9	19.9	22.3	21.5	19.2	196.2	11	3681
	20 LST 16.2	10.4	7.8	10.3	15.5	13.7	22.5	22.0	18.9	21.5	19.1	17.6	195.5	11	3541
	02 LST 12.3	8.5	5.6	7.4	10.5	10.7	16.2	17.7	18.0	17.7	15.3	14.5	154.4	11	3674

AREA NO. 01

LATITUDE 2219N LONGITUDE 11411E

HONG KONG

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	64	63	67	75	82	85	87	87	85	81	74	68	77	
MEAN MIN TMP (F)	56	55	60	67	74	78	78	78	77	73	65	59	68	
LARGEST MEAN PRECIP(IN)	1.30	1.80	2.90	5.40	11.50	15.50	15.00	14.20	10.10	6.50	1.70	1.20	85.1	
SMALLEST MEAN PRECIP(IN)	1.30	1.80	2.90	5.40	11.50	15.50	15.00	14.20	10.10	6.50	1.70	1.20	85.1	
MEAN NUMBER OF DAYS														
CIG = GTR 1000 FT AND	08 LST	26.6	21.1	22.5	21.8	25.9	27.4	29.4	29.0	28.6	30.7	28.8	28.5	320.3
VSBY = GTR 3 MI	14 LST	29.4	25.3	27.8	27.8	29.0	28.8	30.2	29.8	29.3	30.9	29.3	30.3	347.9
	20 LST	28.8	24.9	26.6	26.5	29.5	27.9	30.0	30.3	29.7	30.9	29.6	30.0	344.7
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	02 LST	28.2	24.3	26.4	25.1	29.0	29.1	30.4	30.4	30.0	30.9	29.6	29.5	342.9
3 MI W/SFC WND LES 10 KTS	08 LST	12.8	7.1	6.2	5.3	8.1	10.0	14.9	15.4	15.4	14.3	15.3	14.9	139.7
	14 LST	11.9	7.7	6.1	7.0	7.9	8.4	14.0	15.8	11.5	10.6	12.4	14.2	127.5
	20 LST	15.0	9.1	7.5	8.6	13.6	12.0	20.7	19.5	18.0	16.2	17.5	16.7	174.4
CIG = GTR 17 KTS AND NO PRECIP.	02 LST	12.6	7.8	7.0	8.2	10.1	9.0	15.5	16.5	16.6	13.8	13.5	14.7	145.3
	08 LST	3.3	3.9	5.4	3.8	3.3	1.6	0.4	0.6	2.1	2.8	1.9	2.3	31.4
	14 LST	3.4	5.0	6.2	3.8	2.7	3.4	1.3	1.7	2.9	1.9	2.0	2.2	36.5
	20 LST	1.8	3.2	2.6	2.3	1.8	1.2	0.6	0.8	1.8	2.0	1.4	1.9	21.4
CIG = GTR 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	3.1	4.3	4.2	3.5	1.9	2.7	0.4	1.2	2.6	2.9	2.2	2.6	31.6
	08 LST	9.8	8.3	8.3	7.4	8.4	9.2	10.9	8.9	7.9	13.0	11.5	11.4	113.0
	14 LST	12.0	8.3	7.4	7.9	8.2	7.6	9.7	10.9	10.8	11.1	12.6	14.0	120.5
	20 LST	14.4	9.6	9.2	8.9	11.0	10.3	13.1	11.5	9.9	14.4	14.0	14.0	140.3
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	10.9	8.1	8.8	7.7	8.4	7.3	9.3	7.7	7.4	9.6	10.4	11.5	107.1
	08 LST	7.4	3.0	1.6	1.7	1.8	0.7	0.7	3.2	4.4	9.2	7.8	7.7	49.2
	14 LST	10.2	5.4	4.0	2.3	2.2	0.8	1.7	2.0	4.4	11.4	10.2	10.5	65.1
	20 LST	11.8	7.1	4.3	4.8	4.6	1.4	4.4	6.7	10.0	13.2	13.8	13.3	95.4
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	8.4	5.3	3.1	4.1	4.5	3.7	6.0	7.1	9.1	11.2	9.1	9.8	81.4
	08 LST	18.7	12.2	11.4	9.4	11.6	13.2	16.2	17.2	20.8	24.7	23.8	21.9	201.1
	14 LST	23.3	16.5	16.2	14.3	17.1	15.7	20.1	21.7	22.3	25.9	25.9	24.7	243.7
	20 LST	21.0	14.9	12.2	13.5	17.1	14.9	23.1	23.2	21.1	25.5	24.2	23.1	233.8
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	17.9	13.5	11.0	10.9	12.4	11.7	17.4	18.9	20.1	22.8	21.5	20.3	198.4
	08 LST	13.1	7.1	6.5	5.3	10.0	11.5	15.0	16.1	18.3	20.9	18.8	15.1	157.7
	14 LST	17.5	12.0	10.5	9.8	14.5	13.3	17.7	18.9	19.9	22.3	21.7	19.5	197.6
	20 LST	16.4	10.4	7.8	10.3	15.5	13.7	22.5	22.0	18.9	21.6	19.1	17.9	196.1
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	12.8	8.5	5.6	7.4	10.5	10.7	16.2	17.7	18.1	17.7	15.3	14.6	155.1
	08 LST	13.1	7.0	6.5	5.3	10.0	11.5	15.0	16.1	18.3	20.9	18.5	14.8	157.0
	14 LST	17.3	11.6	10.2	9.8	14.5	13.3	17.7	18.9	19.9	22.3	21.5	19.2	196.2
	20 LST	16.2	10.4	7.8	10.3	15.5	13.7	22.5	22.0	18.9	21.5	19.1	17.6	195.5
	02 LST	12.3	8.5	5.6	7.4	10.5	10.7	16.2	17.7	18.0	17.7	15.3	14.5	154.4



KENEBETSU, JAPAN

STA NO. 47408 (IN AREA NUMBER 01)

LATITUDE 4325N

LONGITUDE 1445E

ELEVATION(FT) 00406

POR NO.

(YRS)

ANN

DEC

NOV

OCT

SEP

AUG

JUL

JUN

MAY

APR

MAR

FEB

JAN

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR NO.
ABS MAX TMP (F)	46	46	59	65	78	82	86	87	81	73	66	54	87	41 -47418
MEAN MAX TMP (F)	30	30	35	44	52	58	66	71	67	58	47	35	49	41 -47418
MEAN MIN TMP (F)	8	9	20	31	38	46	55	60	53	40	29	16	34	41 -47418
ABS MIN TMP (F)	-19	-17	-13	7	24	31	38	42	28	20	5	-14	-19	41 -47418
MEAN NO DYS TMP = OR GTH 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10 -47418
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	30.0	15.8	3.2	0.2	0.0	0.0	0.0	5.5	20.7	29.3	163.7	10 -47418
MEAN NO DYS TMP = CR LES 0(F)	8.6	4.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	13.8	10 -47418
MEAN DEW PT TMP (F)	11	14	22	32	41	49	57	60	56	43	29	20	36	10 -47418
MEAN REL HUM (PCT)	71	74	76	79	83	88	90	89	86	79	71	69	80	40 -47418
MEAN PRESS ALT (FT)	428	408	401	400	457	490	487	466	407	333	359	421	421	0 -50
MEAN PRECIP (IN)	1.80	1.40	2.80	3.60	3.80	4.10	4.40	4.90	6.60	4.40	3.10	2.00	42.9	41 -47418
MEAN SNOW FALL (IN)						0.0	0.0	0.0						41 -29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.1	3.3	5.2	6.2	6.5	6.3	6.6	7.1	9.0	6.4	4.8	4.5	70.0	41 -29
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0						41 -29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	6.8	5.7	4.1	6.3	7.0	10.2	12.7	10.6	7.4	5.0	2.7	4.7	83.2	10 -47418
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.1	0.4	0.2	0.6	0.1	0.1	0.0	0.0	1.5	10 -47418
P FREQ WND SPU = OR GTR 17 KTS	8.8	8.4	8.5	8.5	8.4	3.5	1.5	2.7	3.3	5.9	6.9	10.2	6.4	10 -47418
P FREQ WND SPU = OR GTR 28 KTS	0.4	0.3	0.1	0.4	0.5	0.1	0.0	0.0	0.3	0.2	0.1	0.4	0.2	10 -47418
P FREQ LES 5000 FT A/O LES 5 MI	18.5	21.9	24.4	24.2	34.0	49.6	57.9	50.9	36.2	25.1	18.3	17.0	31.5	10 -47418
P FREQ LES 1500 FT A/O LES 3 MI														
FOR 00-02 LST	9.4	7.2	10.2	14.3	13.5	20.6	34.3	30.4	21.2	6.9	3.3	6.4	14.8	9 -47418
03-05 LST	7.5	6.9	10.9	10.4	16.2	26.5	39.1	29.2	20.7	7.6	2.4	4.3	15.2	10 -47418
06-08 LST	1.2	6.2	15.6	14.3	22.2	33.9	45.8	38.2	25.0	9.4	6.9	4.8	18.6	9 -47418
09-11 LST	12.1	13.8	16.8	15.8	23.8	30.2	33.6	29.2	18.6	11.0	11.4	11.8	19.0	10 -47418
12-14 LST	3.7	10.6	8.8	16.3	21.3	20.3	33.3	22.1	14.9	10.5	6.7	8.1	14.7	8 -47418
15-17 LST	9.4	8.5	8.2	12.1	18.4	27.2	29.6	20.9	16.0	6.5	6.0	5.9	14.1	10 -47418
18-20 LST	8.4	8.1	14.3	20.7	17.3	25.4	30.3	36.0	20.5	6.5	6.7	7.2	16.8	9 -47418
21-23 LST	8.3	9.0	11.2	13.6	16.1	28.6	32.8	24.3	14.1	7.8	6.4	5.5	14.8	10 -47418
P FREQ LES 300 FT A/O LES 1 MI														
FOR 00-02 LST	8.2	3.6	2.3	2.4	4.1	4.4	6.0	2.5	0.0	0.0	0.0	4.0	3.1	9 -47418
03-05 LST	4.1	1.4	4.6	2.9	3.3	4.0	9.4	5.8	3.0	1.4	0.3	2.3	3.5	10 -47418
06-08 LST	1.2	3.7	5.6	5.2	6.9	16.1	10.2	6.6	5.8	1.7	0.9	3.2	5.8	9 -47418
09-11 LST	7.4	6.9	6.9	4.6	5.9	6.3	6.3	7.8	4.3	2.3	3.0	7.5	5.8	10 -47418
12-14 LST	3.7	7.1	3.3	4.7	5.0	5.1	9.5	3.5	2.3	2.4	0.0	4.0	4.2	8 -47418
15-17 LST	4.0	3.9	3.9	5.5	2.0	6.7	8.1	3.9	2.4	0.3	2.0	1.3	3.7	10 -47418
18-20 LST	4.8	4.7	6.6	4.6	6.2	8.5	10.5	14.0	3.4	1.6	0.8	0.8	5.5	9 -47418
21-23 LST	4.0	2.5	3.9	2.8	2.4	3.8	6.3	3.7	0.4	0.3	0.3	1.9	2.7	10 -47418

KENEBETSU, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POB	MO.
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	10 LST 12.2	11.3	19.4	22.1	21.9	20.9	20.9	22.9	23.9	22.8	16.7	14.7	229.7	10	-47418
	16 LST 26.4	25.3	27.8	25.5	24.6	20.9	21.3	25.0	25.8	28.8	27.9	28.1	307.4	10	-47418
	22 LST 25.9	24.1	26.4	25.5	26.2	22.9	22.9	26.4	26.5	28.6	26.6	27.7	309.7	10	-47418
	04 LST 27.7	25.9	27.4	26.6	26.5	24.5	22.2	24.4	24.2	27.0	29.3	29.4	315.1	10	-47418
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	10 LST 5.7	5.6	10.3	11.9	12.3	11.3	13.3	14.4	15.8	15.4	9.7	6.7	132.4	10	-47418
	16 LST 14.7	12.4	12.7	8.3	9.6	10.1	11.7	15.6	16.0	16.0	15.5	14.7	157.3	10	-47418
	22 LST 18.6	16.4	16.8	16.4	18.4	15.3	16.0	18.9	20.8	21.4	17.9	18.4	215.3	10	-47418
	04 LST 22.2	20.0	21.0	19.9	18.8	15.5	12.8	17.1	17.3	20.5	23.2	21.8	230.1	10	-47418
SFC WND = GTR 17 KTS AND NO PRECIP.	10 LST 1.8	1.2	2.0	1.8	1.7	0.6	0.0	0.4	0.7	1.3	1.1	2.6	15.2	10	-47418
	16 LST 2.0	2.6	3.0	3.4	2.7	0.7	0.0	0.9	0.5	1.6	2.4	3.0	22.8	10	-47418
	22 LST 1.6	1.5	1.6	1.1	1.0	0.3	0.1	0.3	0.5	1.0	1.6	2.1	12.7	10	-47418
	04 LST 1.4	1.9	0.8	0.8	0.6	0.0	0.0	0.5	0.4	0.9	1.0	2.0	10.3	10	-47418
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	10 LST 0.2	0.4	4.3	15.5	17.1	17.2	17.0	15.6	14.6	13.4	8.2	1.8	125.3	10	-47418
	16 LST 1.2	2.5	8.8	11.6	14.4	15.6	20.1	17.7	18.0	17.2	13.9	8.6	149.6	10	-47418
	22 LST 0.2	0.5	3.0	12.2	13.0	12.7	11.3	12.0	11.9	14.9	8.2	2.3	102.2	10	-47418
	04 LST 0.1	0.0	1.0	9.5	11.3	12.7	10.7	10.7	11.7	11.3	6.6	2.4	88.0	10	-47418
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	10 LST 5.8	5.6	9.3	10.2	7.2	4.3	2.0	3.2	7.2	9.8	10.6	9.4	84.6	10	-47418
	16 LST 13.1	11.4	9.8	9.4	6.7	4.4	3.1	3.9	8.0	11.2	13.7	13.8	108.5	10	-47418
	22 LST 16.2	14.0	11.7	12.4	8.9	5.1	4.6	4.9	7.6	12.5	16.2	18.8	133.1	10	-47418
	04 LST 18.3	15.7	14.5	11.2	7.5	2.8	2.3	4.8	6.8	11.8	19.0	19.2	133.9	10	-47418
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	10 LST 11.0	10.4	17.7	20.3	18.3	14.1	13.6	16.0	19.2	20.9	16.1	14.0	191.6	10	-47418
	16 LST 24.5	22.9	25.9	22.8	20.0	16.2	16.2	19.7	21.8	25.9	26.0	26.5	269.2	10	-47418
	22 LST 24.0	21.9	23.8	22.5	21.0	15.3	15.4	18.3	21.2	25.1	24.5	25.9	258.9	10	-47418
	04 LST 26.6	24.4	24.7	23.6	20.6	15.4	12.6	15.2	18.0	23.2	27.5	27.7	259.5	10	-47418
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	10 LST 9.5	9.2	16.1	19.0	16.6	10.1	9.8	11.2	16.3	18.3	14.8	13.2	164.1	10	-47418
	16 LST 22.2	19.2	23.3	20.4	17.5	12.1	12.4	15.8	19.2	22.0	23.1	23.3	230.5	10	-47418
	22 LST 21.6	19.7	21.2	20.4	17.9	11.4	12.2	13.2	17.2	21.2	22.0	24.3	222.3	10	-47418
	04 LST 24.1	21.7	21.4	20.6	16.9	11.0	8.8	11.5	15.0	19.7	24.8	25.2	220.7	10	-47418
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	10 LST 9.4	9.0	15.5	18.8	16.1	9.6	9.5	10.8	15.8	17.9	14.7	13.1	160.2	10	-47418
	16 LST 21.6	18.8	22.5	20.0	17.1	11.9	12.4	15.6	18.8	21.6	22.8	23.0	226.1	10	-47418
	22 LST 21.0	19.2	20.2	20.0	17.1	11.3	11.9	12.4	16.6	20.3	21.5	24.0	215.5	10	-47418
	04 LST 23.4	21.2	20.6	20.0	16.0	10.5	8.4	10.9	14.2	19.2	23.8	24.7	212.9	10	-47418

KUSHIRO, JAPAN

STA NO. 47418 (IN AREA NUMBER 01)

LATITUDE 4302N

LONGITUDE 14412E

ELEVATION(FT) 00315

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	46	46	59	65	78	82	86	87	81	73	66	54	87	41	-528
MEAN MAX TMP (F)	30	30	35	44	52	58	66	71	67	58	47	35	49	41	-28
MEAN MIN TMP (F)	8	9	20	31	36	46	55	60	53	40	29	16	34	41	-28
ABS MIN TMP (F)	-19	-17	-13	7	24	31	38	42	28	20	5	-14	-19	41	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3633
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	30.0	15.8	3.2	0.2	0.0	0.0	0.0	5.5	20.7	29.3	163.7	10	3644
MEAN NO DYS TMP = OR LES 0(F)	8.5	4.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	13.8	10	3644
MEAN DEN PT TMP (F)	11	14	22	32	41	49	57	60	56	43	29	20	36	10	19243
MEAN REL HUM (PCT)	71	74	76	79	83	88	90	89	86	79	71	69	80	40	-28
MEAN PRESS ALT (FT)	347	325	318	312	367	397	395	373	316	245	277	342	335	0	-50
MEAN PRECIP (IN)	1.80	1.40	2.80	3.60	3.80	4.10	4.40	4.90	6.60	4.40	3.10	2.00	42.9	41	-28
MEAN SNOW FALL (IN)						0.0	0.0	0.0						41	-29
MEAN NO DYS PNCP = OR GTR 0.1 IN	4.1	3.3	5.2	6.2	6.5	6.3	6.6	7.1	9.0	6.4	4.8	4.5	70.0	41	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0						41	-29
MEAN NO DYS W/OCUM VSBY LES 1/2 MI	6.8	5.7	4.1	6.3	7.0	10.2	12.7	10.6	7.4	5.0	2.7	4.7	83.2	10	3633
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.1	0.4	0.2	0.6	0.1	0.1	0.0	0.0	1.5	10	3634
P FREQ WND SPD = OR GTR 17 KTS	8.8	8.4	8.5	8.5	8.4	3.5	1.5	2.7	3.3	5.9	6.9	10.2	6.4	10	29049
P FREQ WND SPD = OR GTR 28 KTS	0.4	0.3	0.1	0.4	0.5	0.1	0.0	0.0	0.3	0.2	0.1	0.4	0.2	10	29049
P FREQ LES 5000 FT A/O LES 5 MI	18.5	21.9	24.4	24.2	34.0	49.6	57.9	50.9	36.2	25.1	18.3	17.0	31.5	10	16351
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	9.4	7.2	10.2	14.3	13.5	20.6	34.3	30.4	21.2	6.9	3.3	6.4	14.8	9	1074
03-05 LST	7.5	6.9	10.9	10.4	16.2	26.5	39.1	29.2	20.7	7.6	2.4	4.5	15.2	10	3311
06-08 LST	1.2	6.2	15.6	14.3	22.2	33.9	45.8	38.2	25.0	9.4	6.9	4.8	18.6	9	1038
09-11 LST	12.1	13.8	16.8	15.8	23.8	30.2	33.6	29.2	18.6	11.0	11.4	11.8	19.0	10	3433
12-14 LST	3.7	10.6	8.8	16.3	21.3	20.3	33.3	22.1	14.9	10.5	6.7	8.1	14.7	8	1127
15-17 LST	9.4	6.5	8.2	12.1	18.4	27.2	29.6	20.9	16.0	6.5	6.0	5.9	14.1	10	3500
18-20 LST	8.4	8.1	14.3	20.7	17.3	25.4	30.3	36.0	20.5	6.5	6.7	7.2	16.8	9	1116
21-23 LST	8.3	9.0	11.2	13.6	16.1	28.6	32.8	24.3	14.1	7.8	6.4	5.5	14.8	10	3435
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	8.2	3.6	2.3	2.4	4.1	4.4	6.0	2.5	0.0	0.0	0.0	4.0	3.1	9	1074
03-05 LST	4.1	1.4	4.6	2.9	3.3	4.0	9.4	5.8	3.0	1.4	0.3	2.3	3.5	10	3311
06-08 LST	1.2	3.7	5.6	5.2	6.9	16.1	10.2	6.6	8.8	1.7	0.9	3.2	5.8	9	1038
09-11 LST	7.4	6.9	6.9	4.6	5.9	6.3	6.3	7.8	4.3	2.3	3.0	7.5	5.8	10	3433
12-14 LST	3.7	7.1	3.3	4.7	5.0	5.1	9.5	3.5	2.3	2.4	0.0	4.0	4.2	8	1127
15-17 LST	4.0	3.9	3.9	5.5	2.0	6.7	8.1	3.9	2.4	0.3	2.0	1.3	3.7	10	3500
18-20 LST	4.8	4.7	4.6	4.6	6.2	8.5	10.5	14.0	3.4	1.6	0.8	0.8	5.5	9	1116
21-23 LST	4.0	2.5	3.9	2.8	2.4	3.8	6.3	3.7	0.4	0.3	0.3	1.9	2.7	10	3435

KUSHIRO, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	MO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	10 LST 12.2	11.3	19.4	22.1	21.9	20.9	20.9	22.9	23.9	22.8	16.7	14.7	229.7	10	3433
	16 LST 26.4	25.3	27.8	25.5	27.6	20.9	21.3	25.0	25.8	28.8	27.9	28.1	307.4	10	3500
	22 LST 25.9	24.1	26.4	25.5	26.2	22.9	22.9	26.4	26.5	28.6	26.6	27.7	309.7	10	3435
	04 LST 27.7	25.9	27.4	26.6	26.5	24.5	22.2	24.4	24.2	27.0	29.3	29.4	315.1	10	3311
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	10 LST 5.7	5.6	10.3	11.9	12.3	11.3	13.3	14.4	15.8	15.4	9.7	6.7	132.4	10	3433
	16 LST 14.7	12.4	12.7	8.3	9.6	10.1	11.7	15.6	16.0	16.0	15.5	14.7	157.3	10	3500
	22 LST 18.6	16.4	16.8	16.4	18.4	15.3	16.0	18.9	20.8	21.4	17.9	18.4	215.3	10	3435
	04 LST 22.2	20.0	21.0	19.9	18.8	15.5	12.8	17.1	17.3	20.5	23.2	21.8	230.1	10	3311
SFC WND = GTR 17 KTS AND NO PRECIP.	10 LST 1.8	1.2	2.0	1.8	1.7	0.6	0.0	0.4	0.7	1.3	1.1	2.6	15.2	10	3641
	16 LST 2.0	2.6	3.0	3.4	2.7	0.7	0.0	0.9	0.5	1.6	2.4	3.0	22.8	10	3640
	22 LST 1.6	1.5	1.6	1.1	1.0	0.3	0.1	0.3	0.5	1.0	1.6	2.1	12.7	10	3642
	04 LST 1.4	1.9	0.8	0.8	0.6	0.0	0.0	0.5	0.4	0.9	1.0	2.0	10.3	10	3640
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	10 LST 0.2	0.4	4.3	15.5	17.1	17.2	17.0	15.6	14.6	13.4	8.2	1.8	125.3	10	3641
	16 LST 1.2	2.5	8.8	11.5	14.4	15.6	20.1	17.7	18.0	17.2	13.9	8.6	149.6	10	3640
	22 LST 0.2	0.5	3.0	12.2	13.0	12.7	11.3	12.0	11.9	14.9	8.2	2.3	102.2	10	3642
	04 LST 0.1	0.0	1.0	9.5	11.3	12.7	10.7	10.7	11.7	11.3	6.6	2.4	88.0	10	3640
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	10 LST 5.8	5.6	9.3	10.2	7.2	4.3	2.0	3.2	7.2	9.8	10.6	9.4	84.6	10	3639
	16 LST 13.1	11.4	9.8	9.4	6.7	4.4	3.1	3.9	8.0	11.2	13.7	13.8	108.5	10	3640
	22 LST 16.2	14.0	11.7	12.4	8.9	5.1	4.6	4.9	7.8	12.5	16.2	18.8	133.1	10	3640
	04 LST 18.3	15.7	14.5	11.2	7.5	2.8	2.3	4.8	6.8	11.8	19.0	19.2	133.9	10	3640
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	10 LST 11.0	10.4	17.7	20.3	18.3	14.1	13.6	16.0	19.2	20.9	16.1	14.0	191.6	10	3433
	16 LST 24.5	22.9	25.9	22.8	20.8	16.2	16.2	19.7	21.8	25.9	26.0	26.5	269.2	10	3500
	22 LST 24.0	21.9	23.8	22.5	21.0	15.3	15.4	18.3	21.2	25.1	24.5	25.9	258.9	10	3435
	04 LST 26.6	24.4	24.7	23.6	20.6	15.4	12.6	15.2	18.0	23.2	27.5	27.7	259.5	10	3311
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	10 LST 9.5	9.2	16.1	19.0	16.6	10.1	9.8	11.2	16.3	18.3	14.8	13.2	164.1	10	3433
	16 LST 22.2	19.2	23.3	20.4	17.5	12.1	12.4	15.8	19.2	22.0	23.1	23.3	230.5	10	3500
	22 LST 21.6	19.7	21.2	20.4	17.9	11.4	12.2	13.2	17.2	21.2	22.0	24.3	222.3	10	3435
	04 LST 24.1	21.7	21.4	20.6	16.9	11.0	8.8	11.5	15.0	19.7	24.8	25.2	220.7	10	3311
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	10 LST 9.4	9.0	15.5	18.8	16.1	9.6	9.5	10.8	15.8	17.9	14.7	13.1	160.2	10	3433
	16 LST 21.6	18.8	22.5	20.0	17.1	11.9	12.4	15.6	18.8	21.6	22.8	23.0	226.1	10	3500
	22 LST 21.0	19.2	20.2	20.0	17.1	11.3	11.9	12.4	16.6	20.3	21.5	24.0	215.5	10	3435
	04 LST 23.4	21.2	20.6	20.0	16.0	10.5	8.4	10.9	14.2	19.2	23.8	24.7	212.9	10	3311

NAKA-SHIBETSU, JAPAN

STA NO. 47483 (IN AREA NUMBER 01)

LATITUDE 4334N

LONGITUDE 14457E

ELEVATION(FT) 00218

POR NO.

(YRS)

ANN

DEC

NOV

OCT

SEP

AUG

JUL

JUN

MAY

APR

MAR

FEB

JAN

PARAMETER DESCRIPTION

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR NO.
ABS MAX TMP (F)	46	46	59	65	78	82	86	87	81	73	66	54	87	41 -47418
MEAN MAX TMP (F)	30	30	35	44	52	58	66	71	67	58	47	35	49	41 -47418
MEAN MIN TMP (F)	8	9	20	31	38	46	55	60	53	40	29	16	34	41 -47418
ABS MIN TMP (F)	-19	-17	-13	7	24	31	38	42	28	20	5	-14	-19	41 -47418
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10 -47418
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	30.0	15.8	3.2	0.2	0.0	0.0	0.0	5.5	20.7	29.3	163.7	10 -47418
MEAN NO DYS TMP = OR LES 0(F)	8.6	4.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	13.8	10 -47418
MEAN DEW PT TMP (F)	11	14	22	32	41	49	57	60	56	43	29	20	36	10 -47418
MEAN REL HUM (PCT)	71	74	76	79	83	88	90	89	87	79	71	69	80	40 -47418
MEAN PRESS ALT (FT)	247	228	222	222	281	315	312	292	230	156	179	239	244	0 -50
MEAN PRECIP (IN)	1.80	1.60	2.80	3.60	3.80	4.10	4.40	4.90	6.60	4.40	3.10	2.00	42.9	41 -47418
MEAN SNOW FALL (IN)	4.1	3.3	5.2	6.2	6.5	6.3	6.6	7.1	9.0	6.4	4.8	4.5	70.0	41 -29
MEAN NO DYS PKCP = OR GTR 0.1 IN	6.8	5.7	4.1	6.3	7.0	10.2	12.7	10.6	7.4	5.0	2.7	4.7	83.2	10 -47418
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.1	0.4	0.2	0.6	0.1	0.1	0.0	0.0	1.5	10 -47418
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	6.8	8.4	8.5	8.5	8.4	3.5	1.5	2.7	3.3	5.9	6.9	10.2	6.4	10 -47418
MEAN NO DYS TSTMS	0.4	0.3	0.1	0.4	0.5	0.1	0.0	0.0	0.3	0.2	0.1	0.4	0.2	10 -47418
P FREQ WND SPU = OR GTR 17 KTS	18.5	21.9	24.4	24.2	34.0	49.6	57.9	50.9	36.2	25.1	18.3	17.0	31.5	10 -47418
P FREQ WND SPU = OR GTR 28 KTS	9.4	7.2	10.2	14.3	13.5	20.6	34.3	30.4	21.2	6.9	3.3	6.4	14.8	9 -47418
P FREQ LES 500. FT A/O LES 5 MI	7.5	6.9	10.9	10.4	16.2	26.5	39.1	29.2	20.7	7.6	2.4	4.5	15.2	10 -47418
P FREQ LES 1500 FT A/O LES 3 MI	1.2	6.2	15.6	14.3	22.2	33.9	45.8	38.2	25.0	9.4	6.9	4.8	18.6	9 -47418
FOR 00-02 LST	12.1	13.6	16.8	15.8	23.8	30.2	33.6	29.2	18.6	11.0	11.4	11.8	19.0	10 -47418
FOR 03-05 LST	3.7	10.6	8.8	16.3	21.3	20.3	33.3	22.1	14.9	10.5	6.7	8.1	14.7	8 -47418
FOR 06-08 LST	9.4	8.5	8.2	12.1	18.4	27.2	29.6	20.9	16.0	6.5	6.0	5.9	14.1	10 -47418
FOR 09-11 LST	8.4	8.1	14.3	20.7	17.3	25.4	30.3	36.0	20.5	6.5	6.7	7.2	16.8	9 -47418
FOR 12-14 LST	8.3	9.0	11.2	13.6	16.1	28.6	32.8	24.3	14.1	7.8	6.4	5.5	14.8	10 -47418
FOR 15-17 LST	8.2	3.6	2.3	2.4	4.1	4.4	6.0	2.3	0.0	0.0	0.0	4.0	3.1	9 -47418
FOR 18-20 LST	4.1	1.4	4.6	2.9	3.3	4.0	9.4	5.8	3.0	1.4	0.3	2.3	3.5	10 -47418
FOR 21-23 LST	1.2	3.7	5.6	5.2	6.9	16.1	10.2	6.6	8.8	1.7	0.9	3.2	5.8	9 -47418
FOR 00-02 LST	7.4	6.9	6.9	4.6	5.9	6.3	6.3	7.8	4.3	2.3	3.0	7.5	5.8	10 -47418
FOR 03-05 LST	3.7	7.1	3.3	4.7	5.0	5.1	9.5	3.5	2.3	2.4	0.0	4.0	4.2	8 -47418
FOR 06-08 LST	4.0	3.9	3.9	5.5	2.0	6.7	8.1	3.9	2.4	0.3	2.0	1.3	3.7	10 -47418
FOR 09-11 LST	4.8	4.7	6.6	4.6	6.2	8.5	10.5	14.0	3.4	1.6	0.8	0.8	5.5	9 -47418
FOR 12-14 LST	4.0	2.5	3.9	2.8	2.4	3.8	6.3	3.7	0.4	0.3	0.3	1.9	2.7	10 -47418

NAKA-SHIBETSU, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	10 LST 12.2	11.3	19.4	22.1	21.9	20.9	20.9	22.9	23.9	22.8	16.7	14.7	229.7	10	-47418
	16 LST 26.4	25.3	27.8	25.5	24.6	20.9	21.3	25.0	25.8	26.8	27.9	28.1	307.4	10	-47418
	22 LST 25.9	24.1	26.4	25.5	26.2	22.9	22.9	26.4	26.5	28.6	26.6	27.7	309.7	10	-47418
	04 LST 27.7	25.9	27.4	26.6	26.5	24.5	22.2	24.4	24.2	27.0	29.3	29.4	315.1	10	-47418
CIG =GTR 2000 FT AND VSBY =GTR 10 KTS 3 MI W/SFC WND LES 10 KTS	10 LST 5.7	5.6	10.3	11.9	12.3	11.3	13.3	14.4	13.8	15.4	9.7	6.7	132.4	10	-47418
	16 LST 14.7	12.4	12.7	8.3	9.6	10.1	11.7	15.6	16.0	16.0	15.5	14.7	157.3	10	-47418
	22 LST 18.6	16.4	16.8	16.4	18.4	15.3	16.0	18.9	20.8	21.4	17.9	18.4	215.3	10	-47418
	04 LST 22.2	20.0	21.0	19.9	18.8	15.5	12.8	17.1	17.3	20.5	23.2	21.8	230.1	10	-47418
SFC WND = GTR 17 KTS AND NO PRECIP.	10 LST 1.8	1.2	2.0	1.8	1.7	0.6	0.0	0.4	0.7	1.3	1.1	2.6	15.2	10	-47418
	16 LST 2.0	2.6	3.0	3.4	2.7	0.7	0.0	0.9	0.5	1.6	2.4	3.0	22.8	10	-47418
	22 LST 1.6	1.5	1.6	1.1	1.0	0.3	0.1	0.3	0.5	1.0	1.6	2.1	12.7	10	-47418
	04 LST 1.4	1.9	0.8	0.8	0.6	0.0	0.0	0.5	0.4	0.9	1.0	2.0	10.3	10	-47418
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	10 LST 0.2	0.4	4.3	15.5	17.1	17.2	17.0	15.6	14.6	13.4	8.2	1.8	125.3	10	-47418
	16 LST 1.2	2.5	8.8	11.6	14.4	15.6	20.1	17.7	18.0	17.2	13.9	8.6	149.6	10	-47418
	22 LST 0.2	0.5	3.0	12.2	13.0	12.7	11.3	12.0	11.9	14.9	8.2	2.3	102.2	10	-47418
	04 LST 0.1	0.0	1.0	9.5	11.3	12.7	10.7	10.7	11.7	11.3	6.6	2.4	88.0	10	-47418
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	10 LST 5.8	5.6	9.3	10.2	7.2	4.3	2.0	3.2	7.2	9.8	10.6	9.4	84.6	10	-47418
	16 LST 13.1	11.4	9.8	9.4	6.7	4.4	3.1	3.9	8.0	11.2	13.7	13.8	108.5	10	-47418
	22 LST 16.2	14.0	11.7	12.4	8.9	5.1	4.6	4.9	7.8	12.5	16.2	18.8	133.1	10	-47418
	04 LST 18.3	15.7	14.5	11.2	7.5	2.8	2.3	4.8	6.8	11.8	19.0	19.2	133.9	10	-47418
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	10 LST 11.0	10.4	17.7	20.3	18.3	14.1	13.6	16.0	19.2	20.9	16.1	14.0	191.6	10	-47418
	16 LST 24.5	22.9	25.9	22.8	20.8	16.2	16.2	19.7	21.8	25.9	26.0	26.5	269.2	10	-47418
	22 LST 24.0	21.9	23.8	22.5	21.0	15.3	15.4	18.3	21.2	25.1	24.5	25.9	259.9	10	-47418
	04 LST 26.6	24.4	24.7	23.6	20.6	15.4	12.6	15.2	18.0	23.2	27.5	27.7	259.5	10	-47418
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	10 LST 9.5	9.2	16.1	19.0	16.6	10.1	9.8	11.2	16.3	18.3	14.8	13.2	164.1	10	-47418
	16 LST 22.2	19.2	23.3	20.4	17.5	12.1	12.4	15.8	19.2	22.0	23.1	23.3	230.5	10	-47418
	22 LST 21.6	19.7	21.2	20.4	17.9	11.4	12.2	13.2	17.2	21.2	22.0	24.3	222.3	10	-47418
	04 LST 24.1	21.7	21.4	20.6	16.9	11.0	8.8	11.5	15.0	19.7	24.8	25.2	220.7	10	-47418
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	10 LST 9.4	9.0	15.5	18.8	16.1	9.6	9.5	10.8	15.8	17.9	14.7	13.1	160.2	10	-47418
	16 LST 21.6	18.8	22.5	20.0	17.1	11.9	12.4	15.6	18.8	21.6	22.8	23.0	226.1	10	-47418
	22 LST 21.0	19.2	20.2	20.0	17.1	11.3	11.9	12.4	16.6	20.3	21.5	24.0	215.5	10	-47418
	04 LST 23.4	21.2	20.6	20.0	16.0	10.5	8.4	10.9	14.2	19.2	23.8	24.7	212.9	10	-47418

AREA NO. 01

JAPAN HOKKAIDO PLAINS LONGITUDE 14400E 4300N 14300E 4300N 14300E 4220N 14330E
 BOUNDARIES 4400N 14510E 4310N 14400E 4310N 14400E 4300N 14300E 4300N 14300E 4220N 14330E

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	30	30	35	44	52	58	66	71	67	58	47	35	49
MEAN MIN TMP (F)	8	9	20	31	38	46	55	60	53	40	29	16	34
LARGEST MEAN PRECIP(IN)	1.80	1.40	2.80	3.60	3.80	4.10	4.40	4.90	6.60	4.40	3.10	2.00	42.9
SMALLEST MEAN PRECIP(IN)	1.80	1.40	2.80	3.60	3.80	4.10	4.40	4.90	6.60	4.40	3.10	2.00	42.9
MEAN NUMBER OF DAYS													
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	10 LST	12.2	11.3	19.4	22.1	21.9	20.9	22.9	23.9	22.8	16.7	14.7	229.7
	16 LST	26.4	29.3	27.8	25.5	24.6	20.9	21.3	25.0	25.8	27.9	28.1	307.4
	22 LST	25.9	24.1	26.4	25.5	26.2	22.9	22.9	26.4	26.5	26.6	27.7	309.7
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI	04 LST	27.7	25.9	27.4	26.6	26.5	24.5	22.2	24.4	24.2	29.3	29.4	315.1
	10 LST	5.7	5.6	10.3	11.9	12.3	11.3	13.3	14.4	15.8	9.7	6.7	132.4
	16 LST	14.7	12.4	12.7	8.3	9.6	10.1	11.7	15.6	16.0	15.5	14.7	157.3
CIG ≥ GTR 3 MI W/SFC WND LES 10 KTS	22 LST	18.6	16.4	16.8	16.4	18.4	15.3	16.0	18.9	20.8	17.9	18.4	215.3
	04 LST	22.2	20.0	21.0	19.9	18.8	15.5	12.8	17.1	17.3	23.2	21.8	230.1
	10 LST	1.8	1.2	2.0	1.8	1.7	0.6	0.0	0.4	0.7	1.3	1.1	2.6
	16 LST	2.0	2.6	3.0	3.4	2.7	0.7	0.0	0.9	0.5	1.6	2.4	22.8
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	22 LST	1.6	1.5	1.6	1.1	1.0	0.3	0.1	0.3	0.5	1.0	1.6	12.7
	04 LST	1.4	1.9	0.8	0.8	0.6	0.0	0.0	0.5	0.4	0.9	1.0	10.3
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	10 LST	0.2	0.4	4.3	15.5	17.1	17.2	17.0	15.6	14.6	13.4	8.2	1.8
	16 LST	1.2	2.5	8.8	11.6	14.4	15.6	20.1	17.7	18.0	17.2	13.9	8.6
	22 LST	0.2	0.5	3.0	12.2	13.0	12.7	11.3	12.0	11.0	14.9	8.2	2.3
	04 LST	0.1	0.0	1.0	9.5	11.3	12.7	10.7	10.7	11.7	11.3	6.6	88.0
	10 LST	5.8	5.6	9.3	10.2	7.2	4.3	2.0	3.2	7.2	9.8	10.6	84.6
	16 LST	13.1	11.4	9.8	9.4	6.7	4.4	3.1	3.9	8.0	11.2	13.7	13.8
	22 LST	16.2	14.0	11.7	12.4	8.9	5.1	4.6	4.9	7.8	12.5	16.2	18.8
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	04 LST	18.3	15.7	14.5	11.2	7.5	2.8	2.3	4.8	6.8	11.8	19.0	133.9
	10 LST	11.0	10.4	17.7	20.3	18.3	14.1	13.6	16.0	19.2	20.9	16.1	14.0
	16 LST	24.5	22.9	25.9	22.8	20.8	16.2	16.2	19.7	21.8	25.9	26.0	26.5
	22 LST	24.0	21.9	23.8	22.5	21.0	15.3	15.4	18.3	21.2	25.1	24.5	25.9
	04 LST	26.6	24.4	24.7	23.6	20.6	15.4	12.6	15.2	18.0	23.2	27.5	27.7
	10 LST	9.5	9.2	16.1	19.0	16.6	10.1	9.8	11.2	16.3	18.3	14.8	13.2
	16 LST	22.2	19.2	23.3	20.4	17.5	12.1	12.4	15.8	19.2	22.0	23.1	23.3
	22 LST	21.6	19.7	21.2	20.4	17.9	11.4	12.2	13.2	17.2	21.2	22.0	24.3
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	04 LST	24.1	21.7	21.4	20.6	16.9	11.0	8.8	11.5	15.0	19.7	24.8	25.2
	10 LST	9.4	9.0	15.5	18.8	16.1	9.6	9.5	10.8	15.8	17.9	14.7	13.1
	16 LST	21.6	18.8	22.5	20.0	17.1	11.9	12.4	15.6	18.8	21.6	22.8	23.0
	22 LST	21.0	19.2	20.2	20.0	17.1	11.3	11.9	12.4	16.6	20.3	21.5	24.0
	04 LST	23.4	21.2	20.6	20.0	16.0	10.5	8.4	10.9	14.2	19.2	23.8	24.7

STA NO. 47401 (IN AREA) NUMBER 02)

WAKKANAI, JAPAN

LATITUDE 4524N LONGITUDE 14148E ELEVATION(FT) 00033

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	39	42	50	67	80	75	84	85	80	74	60	53	85	10	3651
MEAN MAX TMP (F)	25	27	34	46	54	60	68	71	68	57	42	33	49	10	3651
MEAN MIN TMP (F)	17	18	24	36	42	49	58	61	58	46	33	25	39	10	3652
ABS MIN TMP (F)	-1	5	4	18	30	36	45	48	46	29	16	8	-1	10	3652
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3651
MEAN NO DYS TMP = OR LES 32(F)	30.9	27.7	28.4	7.5	0.6	0.0	0.0	0.0	0.0	0.5	13.5	28.3	137.4	10	3652
MEAN NO DYS TMP = OR LES 0(F)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	3652
MEAN DEN PT TMP (F)	14	15	21	32	41	49	58	60	55	40	27	20	36	10	87562
MEAN REL HUM (PCT)	75	73	73	73	79	84	86	85	77	68	67	71	76	10	87538
MEAN PRESS ALT (FT)	-3	-14	14	47	111	137	145	118	45	-32	-21	10	46	0	-50
MEAN PRECIP (IN)	3.69	2.66	2.97	2.85	3.70	3.40	5.40	4.70	5.63	4.82	4.69	4.85	49.4	10	3648
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	12.6	8.5	10.0	6.8	8.4	7.5	8.1	6.5	8.4	9.8	13.0	14.1	113.7	10	3648
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS W/OCUM VSBY LES 1/2 MI	11.5	9.1	5.4	2.1	2.3	3.1	4.1	1.5	0.4	0.5	3.7	7.3	51.0	10	3652
MEAN NO DYS TSTMS	0.2	0.0	0.0	0.0	0.4	0.7	0.8	0.7	2.4	2.0	0.5	0.0	7.7	10	3652
P FREQ WND SPD = OR GTR 17 KTS	15.8	13.5	14.8	14.7	15.8	10.1	6.2	5.8	6.5	7.0	10.2	15.9	11.4	10	87561
P FREQ WND SPD = OR GTR 28 KTS	2.1	1.8	1.1	0.4	0.5	0.1	0.1	0.1	0.3	0.6	0.5	1.1	0.7	10	87561
P FREQ LES 5000 FT A/O LES 5 MI	79.4	65.3	48.6	30.9	35.8	46.9	55.8	46.8	26.5	33.4	62.3	77.7	50.8	10	86846
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	26.0	18.3	13.6	12.2	24.6	39.0	54.4	37.8	10.1	3.6	7.7	14.7	21.8	10	10864
03-05 LST	27.1	15.2	14.7	12.7	23.6	40.2	53.6	38.3	11.0	3.2	7.8	13.1	21.7	10	10830
06-08 LST	25.5	17.6	14.9	11.1	22.2	37.4	50.8	36.3	10.8	5.7	8.0	11.8	21.0	10	10853
09-11 LST	23.8	20.6	15.0	11.5	18.8	31.2	42.7	30.4	9.4	4.0	9.0	16.7	19.4	10	10902
12-14 LST	26.0	18.8	13.8	10.5	14.7	25.3	31.6	24.5	7.2	3.1	9.1	16.9	16.8	10	10908
15-17 LST	28.3	19.1	11.7	11.0	14.4	26.3	30.0	22.9	7.8	2.6	7.8	16.0	16.5	10	10897
18-20 LST	30.2	18.1	13.0	12.1	17.4	29.2	36.9	27.9	9.4	3.2	7.2	15.8	18.4	10	10901
21-23 LST	25.6	17.8	13.9	12.6	20.7	36.1	50.5	32.3	11.1	3.3	8.2	14.4	20.5	10	10890
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	11.3	8.9	5.2	1.0	1.1	2.5	2.3	1.0	0.1	0.0	1.9	4.6	3.3	10	10864
03-05 LST	10.2	6.2	4.0	0.6	1.3	2.3	3.4	1.0	0.2	0.0	2.2	5.0	3.0	10	10830
06-08 LST	10.9	7.6	6.5	0.8	1.6	1.4	3.1	2.1	0.2	0.4	2.4	4.3	3.4	10	10853
09-11 LST	11.7	9.2	6.7	1.7	0.5	1.1	1.6	1.2	0.2	0.1	2.5	6.1	3.6	10	10902
12-14 LST	12.2	9.6	6.0	1.2	1.0	0.3	1.3	0.3	0.0	0.0	4.0	7.1	3.6	10	10908
15-17 LST	14.6	8.8	4.4	2.4	1.0	1.1	1.1	0.4	0.0	0.1	2.2	6.0	3.5	10	10897
18-20 LST	13.7	6.5	3.1	2.3	0.8	0.8	2.3	0.9	0.3	0.0	1.3	5.7	3.1	10	10901
21-23 LST	12.1	7.1	4.2	1.4	0.5	1.0	2.0	1.2	0.3	0.0	2.6	4.5	3.1	10	10890

WAKKANAI, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	22.0	20.9	25.5	27.6	27.3	23.1	19.9	24.3	28.5	30.3	27.0	25.1	301.5	10	3652
	15 LST	21.5	22.7	26.8	27.6	28.6	24.8	24.2	28.9	30.7	27.9	25.7	25.7	315.5	10	3650
	21 LST	22.5	22.3	26.6	27.2	26.8	21.4	19.0	23.6	28.1	30.8	27.5	27.1	302.9	10	3650
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	22.0	23.1	26.3	27.2	26.0	20.1	17.3	21.0	27.8	30.7	28.2	27.0	296.7	10	3642
	09 LST	11.2	11.2	14.7	9.8	9.6	9.5	8.2	11.1	14.8	17.3	12.5	12.0	141.9	10	3652
	15 LST	9.9	12.4	12.6	9.2	11.4	12.2	12.1	13.7	15.5	17.6	13.3	11.6	153.2	10	3650
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	11.8	13.8	16.0	13.4	13.4	13.5	11.0	15.8	19.7	19.6	15.2	12.5	176.2	10	3650
	03 LST	12.2	12.4	15.2	13.0	12.3	11.6	8.3	12.1	19.4	20.9	14.4	13.7	165.7	10	3642
	09 LST	0.4	0.6	1.1	3.4	4.7	2.6	2.0	0.9	1.3	1.2	1.5	0.7	20.4	10	3652
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NU PRECIP.	15 LST	0.8	0.5	1.6	4.3	4.2	2.6	1.6	1.3	1.2	1.2	0.8	0.7	20.8	10	3652
	21 LST	0.6	1.1	2.1	2.1	2.9	1.6	0.2	0.2	0.8	0.4	1.4	1.5	14.9	10	3652
	03 LST	0.9	0.8	1.6	2.5	2.5	1.5	0.7	0.4	0.7	1.1	0.9	1.0	14.6	10	3652
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	0.3	0.4	3.6	9.5	10.7	10.3	11.9	12.5	14.4	13.9	7.2	1.6	96.3	10	3652
	15 LST	0.1	1.0	6.1	9.0	12.7	13.4	14.6	16.5	15.3	16.0	7.6	2.9	115.2	10	3652
	21 LST	0.1	0.1	2.7	10.6	9.8	8.8	11.8	11.2	12.8	13.3	8.2	2.2	91.6	10	3652
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	0.2	0.5	1.4	9.0	8.7	7.9	8.8	10.2	13.2	13.4	8.6	1.8	83.7	10	3652
	09 LST	1.8	3.5	5.9	8.5	8.2	5.6	4.5	4.8	9.2	8.7	4.6	1.3	66.6	10	3652
	15 LST	1.7	3.3	4.9	8.8	9.0	6.6	8.8	6.2	10.3	9.8	3.5	1.3	74.2	10	3652
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	1.7	3.9	8.2	10.4	9.1	6.6	5.7	8.4	13.6	13.6	5.7	2.3	89.2	10	3652
	03 LST	1.5	5.0	7.8	12.1	7.4	5.1	4.0	6.8	13.8	14.5	5.9	2.9	86.8	10	3652
	09 LST	14.4	15.3	19.9	22.7	20.7	15.6	12.4	15.7	23.5	24.7	18.9	15.6	219.4	10	3652
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	14.5	16.5	20.2	23.6	23.1	19.0	18.6	20.5	24.6	25.6	20.3	16.2	242.7	10	3650
	21 LST	13.0	15.4	21.1	21.8	20.7	16.5	12.7	17.5	24.3	25.5	19.3	16.1	223.9	10	3650
	03 LST	12.6	15.9	20.0	22.1	19.3	13.8	11.3	13.5	24.0	26.0	19.7	15.5	213.7	10	3642
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	7.6	10.0	15.4	19.8	19.1	14.5	11.9	14.8	21.0	18.8	10.8	6.8	170.5	10	3652
	15 LST	7.4	10.7	13.9	21.4	21.6	18.1	18.1	19.0	22.6	20.9	11.8	7.7	193.2	10	3650
	21 LST	4.3	8.3	15.7	19.3	19.3	15.3	12.4	16.3	22.6	21.5	11.5	5.8	172.3	10	3650
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	4.5	8.8	14.4	19.2	17.3	12.4	10.3	12.2	21.6	22.0	11.6	5.9	160.2	10	3642
	09 LST	7.5	9.8	15.2	19.5	19.0	14.0	11.6	14.6	20.9	18.6	10.8	6.6	166.1	10	3652
	15 LST	7.1	10.7	13.6	21.1	21.3	17.8	17.7	18.8	22.2	20.4	11.7	7.6	190.0	10	3650
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	4.3	8.1	15.2	18.7	18.1	14.6	12.3	16.0	22.5	21.3	11.0	5.7	167.8	10	3650
	03 LST	4.5	8.4	14.0	18.8	16.7	11.7	9.9	12.0	21.4	21.9	11.5	5.9	156.7	10	3642

ASAHIKAWA, JAPAN

STA NO. 47407 (IN AREA NUMBER 02) LATITUDE 43°47'N LONGITUDE 142°22'E ELEVATION(FT) 00377

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS
ABS MAX TMP (F)	40	48	53	78	84	88	93	92	88	75	65	54	93	11	4000
MEAN MAX TMP (F)	24	28	36	51	64	71	79	78	71	58	42	31	53	11	4000
MEAN MIN TMP (F)	7	10	19	33	43	52	61	62	53	39	28	18	35	11	4003
ABS MIN TMP (F)	-22	-15	-8	13	26	36	43	44	36	25	0	-8	-22	11	4003
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8	0.0	0.0	0.0	0.0	1.6	11	4000
MEAN NO DYS TMP = OR LES 32(F)	31.0	27.8	29.2	15.6	2.0	0.0	0.0	0.0	0.0	5.0	21.6	30.1	162.3	11	4003
MEAN NO DYS TMP = OR LES 0(F)	7.6	5.3	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.4	15.9	11	4003
MEAN DEW PT TMP (F)	11	13	20	30	40	51	61	62	54	41	29	19	36	11	32015
MEAN REL HUM (PCT)	80	77	75	68	66	74	79	82	81	79	81	81	77	11	32007
MEAN PRESS ALT (FT)	392	370	378	388	443	467	470	446	385	314	348	401	400	0	-50
MEAN PRECIP (IN)	3.02	2.22	2.36	2.63	2.91	2.83	4.69	7.70	4.43	3.11	3.59	3.28	42.8	11	4016
MEAN SNOW FALL (IN)	9.8	7.7	6.8	6.5	7.3	7.3	7.3	8.6	9.4	8.5	10.3	11.3	100.8	11	4016
MEAN NO DYS PRCP = OR GTR 0.1 IN	12.0	7.3	4.8	1.3	0.7	0.6	1.2	2.3	7.0	7.8	6.5	7.9	59.4	11	4004
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.1	0.8	1.0	1.4	2.5	1.2	0.4	0.1	0.0	7.5	11	4004
MEAN NO DYS W/OCLK VSBY LES 1/2 MI	0.4	0.8	1.0	1.7	1.5	0.3	0.2	0.1	0.9	0.5	0.6	0.5	0.7	11	32012
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	32012
P FREQ WND SPD = OR GTR 17 KTS	67.2	60.3	51.5	36.7	34.0	43.9	51.8	54.4	42.7	42.8	63.6	73.1	51.8	11	30798
P FREQ WND SPD = OR GTR 28 KTS	60.3	45.6	36.8	17.4	15.5	20.7	22.4	24.6	14.3	17.2	33.9	50.5	29.9	11	3937
P FREQ LES 5000 FT A/O LES 5 MI	54.7	46.1	37.7	20.8	14.8	21.0	27.6	30.4	21.9	18.8	33.9	50.2	31.5	11	3912
P FREQ LES 1500 FT A/O LES 3 MI	58.6	50.3	34.5	16.6	15.2	31.3	38.4	41.2	26.4	21.9	32.3	51.4	34.8	11	3761
FOR 00-02 LST	56.6	51.8	32.0	20.4	12.9	22.2	25.8	30.0	23.5	21.7	42.3	54.4	32.8	11	3931
FOR 03-05 LST	44.9	37.5	25.6	15.5	7.6	9.1	9.7	14.1	7.3	8.4	33.6	41.6	21.2	11	3995
FOR 06-08 LST	40.7	35.7	22.9	10.0	7.7	7.3	8.8	9.1	4.6	7.2	31.7	39.1	18.7	11	3994
FOR 09-11 LST	50.2	40.5	30.5	14.0	10.6	10.0	12.6	12.9	10.3	15.9	36.9	48.9	24.4	11	3975
FOR 12-14 LST	55.1	46.3	33.3	15.5	12.3	16.1	16.8	18.5	13.7	14.3	35.1	53.0	27.5	11	3961
FOR 15-17 LST	13.7	9.5	4.5	2.1	0.3	0.0	0.3	1.2	0.9	0.3	2.5	9.5	3.7	11	3937
FOR 18-20 LST	13.3	10.2	5.1	1.5	0.3	1.2	0.3	2.4	1.3	0.6	5.3	6.2	4.0	11	3912
FOR 21-23 LST	10.7	13.1	5.2	1.8	0.3	2.2	4.5	4.9	3.4	2.5	3.9	6.6	4.9	11	3761
FOR 00-02 LST	22.3	20.7	7.4	3.3	0.6	0.3	1.2	2.4	4.9	4.1	12.9	16.2	8.0	11	3931
FOR 03-05 LST	10.7	7.8	3.8	1.5	0.3	0.0	0.3	0.6	0.3	0.3	6.7	8.6	3.4	11	3995
FOR 06-08 LST	10.3	5.8	4.4	1.2	0.0	0.0	0.3	0.3	0.3	0.3	7.6	9.4	3.3	11	3994
FOR 09-11 LST	13.2	7.4	6.5	2.1	0.3	0.0	0.3	0.6	0.6	0.9	5.8	6.9	3.7	11	3975
FOR 12-14 LST	14.6	7.5	6.8	0.9	0.3	0.3	0.3	0.0	0.3	0.3	6.0	9.9	3.9	11	3961

ASAHIKAWA, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	3.9	4.6	13.0	16.1	20.2	17.8	18.6	18.3	15.8	13.3	10.7	7.8	160.1	11	3931
	15 LST	13.1	14.7	22.8	26.3	28.3	27.5	27.2	27.9	27.0	17.6	15.3	275.6	11	3994	
	21 LST	6.6	8.9	12.2	17.6	23.6	23.9	23.2	22.8	22.3	16.7	13.1	9.6	200.5	11	3961
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	03 LST	7.8	9.9	13.2	17.3	22.8	22.0	20.0	19.4	17.1	17.1	15.5	12.4	194.5	11	3912
	09 LST	2.5	3.3	10.2	10.8	14.4	15.8	16.3	15.5	13.4	10.4	9.1	6.5	128.2	11	3931
	15 LST	10.9	11.2	17.3	14.3	15.7	20.9	24.2	23.2	23.2	22.4	15.2	13.2	211.7	11	3994
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	5.5	7.1	11.2	15.3	21.1	23.0	22.6	21.9	21.3	15.9	11.6	8.3	184.8	11	3960
	03 LST	6.6	9.2	11.8	15.9	21.0	21.2	18.6	17.8	16.3	16.2	14.5	10.8	179.9	11	3912
	09 LST	0.0	0.1	0.2	0.5	0.7	0.0	0.0	0.0	0.1	0.3	0.4	0.0	2.3	11	4009
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	0.0	0.1	0.2	0.8	0.7	0.0	0.1	0.2	0.1	0.1	0.1	0.1	2.5	11	4007
	21 LST	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.5	11	4006
	03 LST	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.2	0.2	0.1	0.0	0.0	11	4005
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	0.0	0.4	2.4	8.3	10.5	8.7	7.7	6.9	6.0	4.1	4.0	1.0	60.0	11	4009
	15 LST	0.2	1.8	7.3	13.2	12.6	17.7	18.8	15.1	15.1	14.2	7.0	2.6	125.6	11	4007
	21 LST	0.0	0.3	2.4	7.4	10.0	10.8	11.1	8.1	6.1	5.3	4.2	1.3	67.0	11	4006
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	0.0	0.2	1.3	3.2	3.7	4.4	5.1	3.0	2.9	3.2	2.9	0.8	30.7	11	4005
	09 LST	0.6	0.6	3.0	3.5	5.6	3.6	2.6	1.5	2.3	2.5	1.8	0.7	28.3	11	4009
	15 LST	2.7	3.0	5.1	6.5	6.6	5.6	6.1	4.1	4.3	7.1	3.3	2.2	56.6	11	4007
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	1.2	1.9	3.4	7.0	9.3	7.7	6.5	7.0	7.3	5.3	2.4	1.4	60.4	11	4007
	03 LST	1.7	3.0	4.1	7.5	8.0	5.4	3.2	3.5	6.1	5.2	4.4	1.4	53.5	11	4005
	09 LST	2.8	3.8	10.9	13.9	17.5	14.7	13.5	13.4	12.9	10.4	7.7	5.7	127.2	11	3931
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	10.2	12.0	20.1	23.3	25.0	24.4	23.8	22.7	24.3	23.5	14.1	11.8	235.2	11	3994
	21 LST	4.9	7.2	10.1	15.8	21.2	21.0	19.7	19.5	19.4	14.4	9.9	6.9	170.0	11	3961
	03 LST	5.8	7.7	10.9	15.1	20.4	18.0	14.7	13.5	14.4	14.8	11.9	8.8	156.0	11	3912

SAPPORO, JAPAN

LATITUDE 4306N LONGITUDE 14123E ELEVATION(FT) 00026

STA NO. 47412 (IN AREA NUMBER 02)

POR NO.

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	OBS
ABS MAX TMP (F)	52	49	62	79	86	88	96	94	90	77	70	58	96	44	-528
MEAN MAX TMP (F)	29	31	26	51	61	69	75	79	71	60	46	33	53	30	-28
MEAN MIN TMP (F)	11	13	20	32	40	50	58	61	51	39	29	18	35	30	-28
ABS MIN TMP (F)	-17	-19	-9	6	24	32	41	42	30	24	8	-11	-19	44	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.8	0.1	0.0	0.0	0.0	1.6	10	3643
MEAN NO DYS TMP = OR LES 32(F)	31.0	27.3	26.1	9.4	0.4	0.0	0.0	0.0	0.0	2.0	14.8	28.2	139.2	10	3644
MEAN NO DYS TMP = OR LES 0(F)	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.7	10	3644
MEAN DEW PT TMP (F)	16	18	23	32	42	52	61	64	55	43	30	22	38	10	60201
MEAN REL HUM (PCT)	78	77	75	70	72	77	81	80	80	77	75	75	76	30	-28
MEAN PRESS ALT (FT)	-58	-56	-38	-1	79	128	134	116	32	-71	-92	-69	9	0	-50
MEAN PRECIP (IN)	3.50	2.50	2.40	2.20	2.70	2.80	3.30	3.70	5.00	4.60	4.40	4.00	41.1	30	-28
MEAN SNOW FALL (IN)	35.0	26.2	22.0	1.1	0.0	0.0	0.0	0.0	0.0	0.1	12.2	23.0	119.6	10	-47425
MEAN NO DYS PKCP = OR GTR 0.1 IN	7.2	5.5	4.6	4.2	5.0	4.7	5.4	5.8	7.2	6.7	6.4	8.1	70.8	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	7.5	5.7	4.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	2.9	4.7	25.6	10	-47425
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	23.8	18.6	17.3	11.5	6.3	4.1	4.7	2.9	2.4	8.2	16.1	20.5	136.4	10	3648
MEAN NO DYS TSTMS	0.4	0.2	0.0	0.1	0.2	1.3	0.7	1.8	0.8	0.3	0.4	0.3	6.5	10	3648
P FREQ WND SPD = OR GTR 17 KTS	2.9	2.6	4.0	8.8	9.3	4.7	3.8	1.5	1.9	2.3	1.9	2.3	3.8	10	60192
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.1	0.1	0.1	0.2	0.0	0.0	0.0	0.2	0.1	0.1	0.0	0.1	10	60192
P FREQ LES 5000 FT A/O LES 5 MI	51.4	46.7	39.3	25.2	21.6	30.7	34.5	36.4	24.0	30.3	35.9	49.9	35.5	10	59652
P FREQ LES 1500 FT A/O LES 3 MI	50.1	41.8	34.0	15.7	15.0	26.7	32.3	31.9	13.6	19.6	23.9	40.5	28.8	10	7057
FOR 00-02 LST	44.2	40.1	27.8	14.3	15.0	25.7	30.6	30.4	14.9	17.1	18.3	33.1	26.0	10	7380
03-05 LST	44.7	43.6	29.6	20.3	18.3	24.2	27.2	28.1	14.8	20.1	21.3	39.8	27.7	10	7414
06-08 LST	42.5	40.8	33.4	22.1	15.2	20.3	21.7	22.9	12.1	15.8	28.0	43.2	26.5	10	7423
09-11 LST	48.1	38.4	32.4	17.7	10.3	13.7	15.0	18.4	10.2	9.7	28.9	40.3	23.6	10	7691
12-14 LST	43.3	39.7	30.8	15.9	12.2	11.8	14.4	17.7	7.9	11.2	26.7	40.1	22.6	10	7449
15-17 LST	47.3	42.6	38.1	20.5	16.3	20.6	25.2	25.9	16.4	23.5	34.0	45.7	29.7	10	7387
18-20 LST	49.3	46.4	36.7	21.0	18.1	26.2	30.8	30.8	16.2	25.0	28.2	45.8	31.2	10	7389
21-23 LST	21.8	18.0	10.7	2.3	1.5	5.3	6.1	3.3	0.7	1.6	4.3	12.2	7.3	10	7657
FOR 00-02 LST	18.2	13.4	7.1	2.6	2.2	4.9	8.4	4.0	1.2	0.8	3.2	9.7	6.3	10	7380
03-05 LST	21.1	19.8	12.6	8.0	3.1	7.3	10.3	9.0	2.8	4.4	8.8	15.0	10.2	10	7414
06-08 LST	26.2	22.3	14.0	6.9	1.5	3.0	2.1	3.3	0.9	3.6	10.1	22.4	9.7	10	7423
09-11 LST	22.6	11.3	8.4	4.4	1.2	0.8	0.9	1.9	0.8	1.5	6.3	14.4	6.2	10	7691
12-14 LST	23.4	16.6	9.7	3.4	1.2	1.2	1.5	0.5	0.7	1.5	8.1	17.3	7.1	10	7449
15-17 LST	29.4	22.9	15.9	6.3	0.9	4.2	3.3	2.6	1.6	3.7	12.2	19.7	10.2	10	7387
18-20 LST	26.8	23.3	13.6	3.2	0.6	4.8	4.4	2.2	1.2	4.1	7.1	17.1	9.0	10	7389
21-23 LST															

SAPPORO, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	0.7	0.4	1.5	5.3	11.1	14.3	15.7	16.4	15.5	10.1	3.3	1.2	95.5	3645
	15 LST	2.4	4.1	8.9	16.8	20.6	22.8	23.2	23.6	25.2	21.8	7.1	3.7	180.2	3644
	21 LST	2.7	2.0	3.4	6.3	9.1	11.3	12.1	14.2	11.1	7.0	5.4	3.7	88.3	3624
CIG = GTR 2000 FT AND VSBY = GTR 10 KTS 3 MI W/SFC WND LES 10 KTS	03 LST	10.3	9.5	14.1	17.6	17.7	15.3	12.6	15.4	19.0	17.8	18.2	13.5	181.0	3636
	09 LST	0.2	0.1	0.7	1.1	3.3	5.9	7.9	9.3	10.7	6.8	2.0	0.7	48.7	3644
	15 LST	1.4	2.2	3.8	5.9	6.1	10.7	12.4	11.3	14.3	12.8	3.9	2.6	87.4	3644
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	1.6	1.2	2.3	2.5	4.4	7.2	7.6	11.1	9.5	6.0	3.5	2.2	59.1	3623
	03 LST	8.7	7.4	10.3	12.7	12.5	10.1	8.3	12.0	17.0	16.2	15.7	10.7	141.6	3635
	09 LST	0.3	0.2	0.3	2.2	3.3	2.1	0.9	0.6	0.4	0.0	0.2	0.1	10.6	3649
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	0.3	0.2	1.1	2.6	5.1	2.5	1.4	0.7	0.5	0.5	0.6	0.0	15.5	3649
	21 LST	0.2	0.2	0.5	0.8	0.2	0.0	0.4	0.1	0.2	0.1	0.2	0.2	3.1	3647
	03 LST	0.1	0.1	0.6	0.5	0.5	0.3	0.2	0.1	0.0	0.1	0.1	0.0	2.6	3647
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	0.2	1.6	7.3	11.7	11.8	11.5	12.9	11.3	12.5	13.7	10.5	4.0	109.0	3649
	15 LST	1.1	3.4	9.4	10.8	9.2	13.9	15.1	12.9	14.0	14.7	11.3	5.6	121.4	3649
	21 LST	0.5	0.8	4.1	9.4	9.2	9.2	8.8	8.4	8.2	7.8	6.6	2.4	75.4	3647
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	0.3	0.6	1.5	7.4	9.1	7.0	6.9	7.0	8.2	9.3	5.8	1.5	64.6	3647
	09 LST	0.1	0.0	0.1	1.4	3.0	4.4	3.7	3.0	3.9	3.0	0.7	0.2	23.5	3649
	15 LST	0.9	1.2	2.5	6.1	6.4	5.3	4.7	3.9	5.3	5.9	2.0	0.9	45.1	3649
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	0.7	0.4	1.0	2.3	3.6	3.3	3.3	4.2	4.1	2.6	1.2	0.6	27.3	3648
	03 LST	2.8	3.4	4.5	7.2	7.7	4.8	3.2	5.4	8.3	7.9	6.8	3.6	65.6	3647
	09 LST	0.7	0.4	1.4	4.7	9.8	12.9	14.2	15.0	14.6	9.5	3.3	1.1	87.6	3645
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	2.2	4.1	8.3	16.0	19.4	20.7	21.0	21.2	24.2	21.1	6.5	3.2	167.9	3644
	21 LST	2.2	1.7	3.1	5.6	8.4	10.1	10.3	12.7	9.8	6.6	5.0	3.1	78.6	3624
	03 LST	9.3	8.8	12.7	16.1	16.4	13.3	10.4	13.4	17.9	16.8	17.4	12.3	164.8	3636
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	0.5	0.4	1.1	3.6	8.7	11.0	11.7	12.9	12.2	7.5	2.2	0.5	72.4	3645
	15 LST	2.0	3.0	6.5	13.6	17.9	17.5	18.4	17.3	19.4	16.2	5.1	2.6	139.5	3644
	21 LST	1.1	1.2	2.2	4.8	7.5	8.8	8.6	10.5	7.9	4.9	3.1	1.7	62.3	3624
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	5.5	5.9	8.3	13.2	15.3	11.3	8.5	11.7	14.8	12.7	11.8	6.8	125.8	3636
	09 LST	0.5	0.4	1.1	3.6	8.6	10.7	11.6	12.9	12.2	7.5	2.3	0.5	71.9	3645
	15 LST	2.0	2.9	6.5	13.6	17.9	17.4	18.4	17.2	19.4	16.0	5.1	2.5	138.9	3644
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	1.1	1.2	2.2	4.8	7.5	8.7	8.6	10.5	7.8	4.9	3.1	1.7	62.1	3624
	03 LST	5.4	5.9	8.2	13.1	14.6	11.3	8.2	11.7	14.6	12.6	11.8	6.8	124.4	3636

CHITOSE AB, JAPAN

STA NO. 47425 (IN AREA NUMBER 02) LATITUDE 42°47N LONGITUDE 141°40E ELEVATION(FT) 00083

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	46	52	59	65	78	83	92	94	83	73	64	55	94	10	3221
MEAN MAX TMP (F)	30	31	38	52	61	66	73	77	70	61	46	36	53	10	3221
MEAN MIN TMP (F)	12	12	22	33	42	50	60	63	53	41	28	19	36	10	3221
ABS MIN TMP (F)	-12	-10	0	19	24	37	47	50	36	27	2	-2	-12	10	3221
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	0.0	0.0	0.0	0.0	0.6	10	3221
MEAN NO DYS TMP = OR LES 32(F)	31.0	27.8	28.6	12.4	3.0	0.0	0.0	0.0	0.0	3.5	20.3	29.8	156.4	10	3221
MEAN NO DYS TMP = OR LES 0(F)	3.2	2.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	6.8	10	3221
MEAN DEW PT TMP (F)	16	16	23	35	43	52	61	65	56	45	31	21	39	10	77267
MEAN REL HUM (PCT)	76	76	77	76	76	82	87	87	84	80	78	77	80	10	77264
MEAN PRESS ALT (FT)	6	6	19	53	132	182	186	169	87	-14	-32	-6	66	0	-50
MEAN PRECIP (IN)	3.75	2.75	3.26	2.29	2.97	3.14	3.96	4.68	6.27	4.89	2.80	3.14	43.9	10	3218
MEAN SNOW FALL (IN)	35.0	26.2	22.0	1.1	0.0	0.0	0.0	0.0	0.0	0.1	12.2	23.0	119.6	10	3221
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.1	7.8	7.3	6.0	6.5	6.8	6.7	7.4	9.5	8.1	7.4	8.0	91.6	10	3218
MEAN NO DYS SNFL = OR GTR 1.5 IN	7.5	5.7	4.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	2.9	4.7	25.6	10	3221
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	8.2	7.4	6.2	5.3	5.6	7.1	10.7	7.7	4.9	2.5	4.3	7.3	77.2	10	3222
MEAN NO DYS TSTMS	0.1	0.0	0.0	0.1	0.7	0.2	0.5	1.1	1.8	0.3	0.4	0.2	5.4	10	3223
P FREQ WND SPD = OR GTR 17 KTS	1.8	2.9	4.7	6.4	7.8	4.0	2.2	1.2	2.2	3.2	1.7	1.7	3.3	10	77156
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.2	0.3	0.4	0.4	0.1	0.1	0.0	0.2	0.3	0.0	0.1	0.2	10	77156
P FREQ LES 5000 FT A/O LES 5 MI	46.5	43.5	40.3	40.2	38.8	58.8	69.9	61.6	41.2	35.3	38.5	41.1	46.3	10	77323
P FREQ LES 1500 FT A/O LES 3 MI	17.8	15.8	18.2	16.0	22.5	50.6	62.1	49.0	18.9	10.3	10.0	12.9	25.3	10	9665
FOR 00-02 LST	16.9	16.3	16.8	17.5	27.4	51.4	66.3	51.6	24.8	9.7	9.3	11.4	26.6	10	9666
03-05 LST	23.3	19.6	14.4	20.2	23.7	43.8	60.5	48.9	22.3	11.6	11.9	19.1	26.6	10	9665
06-08 LST	19.6	15.6	12.4	15.8	14.7	26.5	44.2	35.6	17.2	7.3	7.8	15.0	19.3	10	9666
09-11 LST	14.7	11.4	12.1	11.8	12.5	21.2	32.6	25.6	13.0	7.0	8.6	12.5	15.3	10	9666
12-14 LST	16.8	9.9	11.5	11.7	14.7	25.5	33.3	29.4	11.4	6.9	8.9	13.6	16.1	10	9664
15-17 LST	16.0	10.7	11.2	15.0	19.0	35.7	45.5	37.9	12.5	7.9	9.5	13.7	19.6	10	9665
18-20 LST	19.4	15.7	13.5	16.4	21.0	44.7	54.7	43.6	17.5	8.8	8.3	14.1	23.1	10	9666
21-23 LST	6.8	8.1	7.1	7.9	7.5	15.4	24.3	17.3	5.1	2.4	4.1	4.2	9.2	10	9665
FOR 00-02 LST	6.4	5.8	5.9	7.9	9.1	16.0	24.0	16.5	8.0	3.5	2.3	4.8	9.2	10	9666
03-05 LST	11.8	7.8	4.1	5.8	3.6	6.4	9.7	6.7	3.2	2.7	4.2	8.0	6.2	10	9665
06-08 LST	7.9	4.6	3.1	1.8	1.0	1.1	2.7	1.3	0.5	0.1	2.2	5.7	2.7	10	9666
09-11 LST	7.6	4.4	4.9	0.8	0.6	1.0	1.7	1.1	0.2	0.5	3.2	5.6	2.6	10	9666
12-14 LST	5.1	3.0	4.2	1.1	1.2	1.5	3.5	3.9	0.7	0.8	2.6	5.3	2.7	10	9664
15-17 LST	5.4	3.8	4.8	4.9	4.1	5.4	11.6	7.9	1.1	1.0	2.6	4.8	4.8	10	9665
18-20 LST	8.6	6.7	5.4	7.9	5.6	10.0	18.0	14.2	4.3	1.1	2.6	4.4	7.4	10	9666
21-23 LST															

CHITOSE AB, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	24.2	23.2	27.3	26.5	27.4	23.6	19.3	22.2	26.6	29.4	27.8	27.1	304.6	10	3222
	15 LST	26.7	25.6	27.9	28.2	27.7	25.5	23.9	25.5	27.4	29.6	28.0	28.0	324.0	10	3222
	21 LST	26.1	24.8	27.9	26.1	26.0	19.4	17.5	20.3	26.3	29.4	28.3	27.6	299.7	10	3222
	03 LST	26.6	23.8	27.1	26.1	23.8	17.8	13.8	18.5	24.9	28.6	27.9	27.7	286.6	10	3222
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	09 LST	19.2	18.2	16.9	9.5	7.9	9.4	8.8	10.9	16.9	21.2	21.6	21.5	182.0	10	3218
	15 LST	21.3	16.9	13.8	8.5	6.3	7.5	7.3	10.7	15.7	19.2	20.2	22.3	169.7	10	3217
	21 LST	21.7	21.4	21.6	20.0	18.2	12.5	11.4	15.9	22.1	25.7	25.3	24.4	240.2	10	3216
	03 LST	23.7	21.1	21.3	19.1	17.5	9.4	8.9	13.4	21.1	26.4	24.7	23.4	230.0	10	3216
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST	0.5	0.6	2.0	3.0	4.2	1.4	1.0	0.5	0.9	0.6	0.3	0.7	16.1	10	3007
	15 LST	0.5	1.0	2.1	4.0	5.0	2.9	1.1	1.3	0.7	1.2	0.8	0.5	21.1	10	3017
	21 LST	0.6	0.6	1.3	0.5	0.6	0.6	0.1	0.1	0.5	0.5	0.1	0.2	5.7	10	2968
	03 LST	0.5	0.5	0.6	0.5	0.3	0.2	0.1	0.0	0.1	0.1	0.2	0.1	3.2	10	2961
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST	2.0	1.7	9.5	13.0	10.9	14.7	18.9	18.4	16.7	15.1	14.9	5.6	141.4	10	3007
	15 LST	3.0	3.2	12.2	12.6	10.0	13.7	15.2	19.7	18.5	19.1	16.3	7.8	151.3	10	3017
	21 LST	1.5	1.2	4.3	15.9	18.0	20.7	19.5	19.2	14.6	11.4	9.1	2.9	138.3	10	2968
	03 LST	1.3	0.1	3.3	14.9	17.4	18.4	17.6	16.5	13.3	12.1	6.8	2.4	124.1	10	2961
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	4.5	4.8	5.3	3.5	5.0	3.5	2.2	1.6	3.5	5.6	5.1	4.8	49.4	10	3222
	15 LST	2.7	4.1	4.0	3.5	5.4	4.1	2.8	2.3	3.8	5.9	4.0	3.3	45.9	10	3222
	21 LST	7.5	10.0	10.2	8.4	9.6	4.2	3.0	4.4	8.4	11.7	10.2	8.2	95.8	10	3222
	03 LST	8.3	7.2	10.5	9.5	7.7	2.2	1.3	2.5	6.3	10.7	9.8	9.6	85.6	10	3222
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST	22.9	22.0	25.7	23.3	22.8	16.9	12.8	15.0	21.8	27.4	25.8	24.7	261.1	10	3222
	15 LST	24.9	24.0	26.2	25.0	25.0	20.6	18.7	20.1	25.0	27.3	26.1	25.8	288.7	10	3222
	21 LST	24.4	23.5	26.1	23.9	23.8	14.4	12.2	16.2	23.2	27.2	26.3	25.8	267.0	10	3222
	03 LST	25.3	22.4	24.4	23.6	20.9	10.7	8.4	13.4	21.3	26.8	25.7	24.0	248.9	10	3222
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST	17.5	16.1	18.7	15.9	17.8	13.2	9.4	10.3	16.2	18.7	17.4	17.7	188.9	10	3222
	15 LST	15.1	13.9	16.5	17.0	20.9	15.5	14.2	15.9	17.6	17.0	15.8	17.0	196.4	10	3222
	21 LST	17.5	17.3	19.8	18.6	19.2	11.8	8.5	12.3	18.5	20.2	19.5	18.3	201.5	10	3222
	03 LST	17.3	16.1	18.4	17.9	16.6	7.0	4.4	9.6	17.9	20.4	19.0	20.0	184.6	10	3222
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	14.4	13.8	15.3	14.1	16.0	11.1	7.1	7.7	13.5	15.3	15.0	14.8	158.1	10	3222
	15 LST	12.2	11.0	13.5	15.0	19.1	13.1	11.9	13.0	14.6	14.5	13.7	13.7	165.3	10	3222
	21 LST	14.9	15.4	16.8	16.1	17.8	8.9	7.0	10.5	16.0	18.0	17.0	15.9	174.3	10	3222
	03 LST	15.7	14.3	15.4	15.4	14.4	5.1	3.4	7.5	14.4	17.5	15.9	17.2	156.2	10	3222

HAKODATE, JAPAN

STA NO. 47630 (IN AREA NUMBER 02)

ELEVATION(FT) 00107

LONGITUDE 14048E

LATITUDE 4146N

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	55	52	62	71	80	82	90	92	88	80	71	61	92	65	-528
MEAN MAX TMP (F)	32	34	40	51	59	65	73	78	72	62	49	37	54	65	-28
MEAN MIN TMP (F)	19	19	26	35	43	51	61	64	56	44	34	24	40	65	-28
ABS MIN TMP (F)	-7	-5	-2	18	30	36	43	48	35	25	11	-3	-7	65	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3648
MEAN NO DYS TMP = OR LES 32(F)	30.4	26.7	23.6	6.9	0.3	0.0	0.0	0.0	0.0	0.3	13.3	26.4	127.9	10	3649
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3649
MEAN DEW PT TMP (F)	19	21	26	36	45	54	63	66	58	46	33	25	41	10	28634
MEAN REL HUM (PCT)	79	78	77	74	77	85	88	87	83	77	76	76	80	10	28629
MEAN PRESS ALT (FT)	56	50	60	85	160	204	207	188	112	18	11	45	100	0	-50
MEAN PRECIP (IN)	2.60	2.30	2.60	2.80	3.30	3.50	5.40	5.10	7.00	4.70	4.10	3.20	46.6	65	-28
MEAN SNOW FALL (IN)	5.6	5.1	4.9	5.2	5.9	5.6	7.6	7.4	9.5	6.8	6.1	6.7	3.3	65	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.9	2.2	1.0	0.7	1.4	1.9	3.7	0.6	0.1	0.1	0.0	0.9	15.5	10	3581
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.1	0.1	0.0	0.5	0.5	0.6	0.3	1.7	1.4	1.2	0.2	0.0	6.6	10	3581
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	12.2	13.9	13.8	15.0	13.4	7.2	3.6	2.9	5.4	8.2	7.9	10.0	9.5	10	28635
MEAN NO DYS TSTMS	1.0	0.9	0.6	0.8	0.9	0.2	0.2	0.1	0.3	0.5	0.2	0.6	0.5	10	28635
P FREQ WND SPD = OR GTR 17 KTS	48.0	48.0	38.7	26.3	28.5	42.9	45.0	38.0	28.0	26.7	35.6	48.6	37.9	10	28353
P FREQ WND SPD = OR GTR 28 KTS	9.1	12.5	8.9	6.3	13.1	22.5	21.0	14.8	8.3	1.9	5.0	7.1	10.9	10	3558
P FREQ LES 5000 FT A/O LES 5 MI	11.0	15.8	6.9	6.0	14.2	22.1	28.3	15.9	8.7	3.5	3.7	7.4	12.0	10	3546
P FREQ LES 1500 FT A/O LES 3 MI	16.5	15.4	7.6	7.5	14.2	25.2	34.7	19.0	11.7	4.2	4.0	6.1	13.8	10	3533
FOR 00-02 LST	14.9	13.4	7.9	7.4	10.8	24.2	30.7	20.6	7.0	3.6	2.7	5.2	12.4	10	3569
FOR 03-05 LST	14.5	17.9	8.9	5.2	10.0	16.0	19.7	13.5	7.0	3.2	3.3	10.6	10.8	10	3582
FOR 06-08 LST	11.6	13.7	9.2	7.0	8.6	14.8	15.8	11.0	7.7	3.9	4.3	10.0	9.8	10	3577
FOR 09-11 LST	7.4	11.8	9.9	6.3	11.5	18.4	15.9	11.0	8.0	4.2	3.0	6.2	9.5	10	3573
FOR 12-14 LST	12.6	10.0	8.9	5.6	11.6	18.8	18.7	13.2	8.0	2.9	3.3	9.1	10.2	10	3567
FOR 15-17 LST	1.9	5.7	1.6	0.4	0.0	1.4	0.3	0.6	0.0	0.0	0.7	1.6	1.2	10	3558
FOR 18-20 LST	3.2	4.7	1.6	0.0	1.8	1.0	1.7	0.3	0.0	0.0	0.3	1.6	1.4	10	3546
FOR 21-23 LST	3.9	5.0	2.0	0.4	1.5	3.1	4.2	1.3	0.3	0.0	0.0	2.3	2.0	10	3533
P FREQ LES 300 FT A/O LES 1 MI	4.9	4.0	1.0	0.4	0.4	0.7	1.0	0.0	0.0	0.0	0.0	1.0	1.1	10	3569
FOR 00-02 LST	4.5	4.3	2.0	0.0	0.0	1.0	1.3	0.0	0.0	0.0	0.3	0.6	1.2	10	3582
FOR 03-05 LST	3.5	5.4	3.0	0.7	0.0	0.3	0.3	0.0	0.3	0.0	0.3	2.3	1.3	10	3577
FOR 06-08 LST	1.9	2.5	2.0	0.4	0.7	0.3	0.0	0.0	0.0	0.0	0.0	1.6	0.8	10	3573
FOR 09-11 LST	3.6	2.2	2.6	0.4	0.7	0.0	0.3	0.0	0.0	0.0	0.0	2.6	1.0	10	3567

HAKODATE, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		MEAN NUMBER OF DAYS												ANN	DEC	NOV	OCT	SEP	AUG	JUL	JUN	MAY	APR	MAR	FEB	JAN	POR (YRS)	NO.
		09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST															
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	25.9	23.5	28.0	26.9	26.8	24.2	22.8	26.1	28.9	29.4	28.6	29.0	320.1	10	3569												
	15 LST	26.7	23.7	28.1	28.0	27.9	27.0	27.5	29.3	29.0	30.2	29.2	28.1	334.7	10	3577												
	21 LST	26.4	25.4	28.1	28.8	29.1	2	6	27.4	29.1	30.6	29.2	28.4	338.1	10	3567												
	03 LST	27.3	23.7	29.0	28.9	28.6	26.3	25.5	28.1	28.5	30.6	29.1	29.1	334.7	10	3546												
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	09 LST	19.1	15.5	18.0	14.0	15.2	12.2	12.4	16.6	18.6	19.2	20.5	20.0	201.3	10	3569												
	15 LST	12.8	9.0	9.6	6.9	8.4	12.3	14.8	14.6	13.3	12.8	12.2	12.8	139.5	10	3577												
	21 LST	19.0	19.1	18.8	20.9	20.1	18.0	20.4	22.5	23.3	24.7	23.3	20.2	250.3	10	3567												
	03 LST	19.7	16.9	21.3	22.4	21.3	17.0	16.3	21.3	23.6	25.5	23.5	20.7	249.5	10	3546												
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST	0.5	0.8	1.6	3.2	3.3	1.8	0.6	0.8	0.9	1.8	1.1	0.8	17.2	10	3581												
	15 LST	1.8	3.1	5.5	6.8	7.2	3.6	1.6	0.8	2.9	3.1	2.3	1.3		10	3580												
	21 LST	1.0	0.8	0.9	0.7	0.9	0.4	0.0	0.5	0.4	0.4	0.4	0.3	6.7	10	3579												
	03 LST	1.2	0.5	0.8	1.4	0.8	0.4	0.2	0.0	0.1	0.7	0.5	1.3	7.9	10	3581												
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST	0.8	2.0	4.7	9.1	12.2	11.7	12.3	12.4	9.2	8.1	6.1	4.2	92.8	10	3580												
	15 LST	1.7	2.7	5.7	6.0	9.6	12.2	15.4	13.1	10.7	10.5	7.7	4.8	100.1	10	3580												
	21 LST	0.5	0.9	5.6	14.0	12.6	12.3	12.7	13.3	15.8	16.5	12.5	4.2	120.9	10	3579												
	03 LST	0.6	0.9	4.2	11.9	12.7	9.9	9.3	11.5	15.0	15.9	10.0	3.6	105.5	10	3581												
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	7.0	6.5	8.6	8.4	6.8	5.1	3.3	3.8	6.3	10.2	8.3	6.9	81.2	10	3582												
	15 LST	5.1	4.0	5.0	7.7	8.5	6.3	6.6	5.4	6.4	9.4	7.3	5.3	77.0	10	3580												
	21 LST	7.9	8.1	9.8	12.7	11.3	8.7	8.7	7.9	11.3	14.5	11.4	7.1	119.4	10	3580												
	03 LST	8.3	9.1	10.8	13.7	11.9	6.0	4.7	9.4	11.9	14.5	12.0	8.0	120.3	10	3581												
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST	22.7	21.0	25.0	24.1	23.4	16.3	14.2	19.9	24.4	26.8	25.8	25.1	268.7	10	3569												
	15 LST	23.6	20.9	24.7	25.1	24.9	21.4	21.9	23.2	24.9	28.1	25.9	24.5	287.1	10	3577												
	21 LST	23.2	22.7	25.1	26.0	24.5	19.5	20.8	22.5	24.6	28.1	26.1	23.6	286.7	10	3567												
	03 LST	24.0	20.8	26.0	26.4	23.7	17.5	15.8	21.1	24.2	27.5	26.2	25.2	278.4	10	3546												
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST	16.1	15.0	18.3	19.3	19.9	13.0	10.8	16.3	20.1	21.5	19.9	16.7	206.9	10	3569												
	15 LST	16.6	13.6	16.8	20.8	21.4	18.6	19.4	18.8	21.3	22.4	19.0	16.7	225.4	10	3577												
	21 LST	14.8	14.6	18.9	23.1	22.3	17.3	18.5	18.8	22.3	23.6	19.1	14.5	227.8	10	3567												
	03 LST	14.9	14.0	19.8	22.8	21.3	14.6	13.3	17.5	21.3	22.3	20.0	14.9	216.7	10	3546												
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	16.1	14.8	18.2	19.3	19.7	12.9	10.8	16.2	20.0	21.4	19.9	16.5	205.8	10	3569												
	15 LST	16.3	13.4	16.6	20.6	21.3	18.6	19.3	18.8	21.3	22.4	18.9	16.6	224.1	10	3577												
	21 LST	14.7	14.6	18.8	23.0	22.1	17.3	18.5	18.7	22.3	23.5	19.1	14.5	227.1	10	3567												
	03 LST	14.6	13.8	19.4	22.6	21.0	14.4	13.3	17.5	21.1	22.1	19.9	14.8	214.5	10	3546												


AREA NO. 02

HOKKAIDO MTNS LATITUDE 4340N LONGITUDE 14300E 4300N 14300E 4220N 14330E
 BOUNDARIES 4400N 14510E 4310N 14400E 4300N 14300E 4300N 14300E 4220N 14330E

JAPAN

PARAMETER DESCRIPTION

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	28	30	35	50	60	66	74	77	70	60	45	34	52	
MEAN MIN TMP (F)	13	14	22	34	42	50	60	62	54	42	30	21	37	
LARGEST MEAN PRECIP(IN)	3.75	2.75	3.26	2.85	3.70	3.50	5.40	7.70	7.00	4.89	4.69	4.85	54.3	
SMALLEST MEAN PRECIP(IN)	2.60	2.22	2.36	2.20	2.70	2.80	3.30	3.70	4.43	3.11	2.80	3.14	35.4	
	MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	15.3	14.5	19.1	20.5	22.6	20.6	19.3	21.5	23.1	22.5	19.5	18.0	236.5
	15 LST	18.1	18.2	22.9	25.4	26.6	25.5	25.3	26.3	27.7	27.9	22.0	20.2	286.1
	21 LST	16.5	16.7	19.6	21.2	22.9	20.5	19.8	22.0	23.4	22.9	20.7	19.3	245.9
	03 LST	16.8	18.0	21.9	23.4	23.8	20.3	17.8	20.5	23.5	25.0	23.8	21.9	258.7
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	09 LST	10.4	9.7	12.1	9.0	10.1	10.6	10.7	12.7	14.9	15.0	13.1	12.1	140.4
	15 LST	11.3	10.3	11.7	9.0	9.7	12.7	14.2	14.7	16.4	17.0	13.0	12.5	152.5
	21 LST	11.9	12.5	14.0	14.4	15.5	14.8	14.6	17.4	19.2	18.4	15.8	13.5	182.0
	03 LST	14.2	13.4	16.0	16.6	16.9	13.9	12.1	15.3	19.5	21.0	18.6	15.9	193.4
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST	0.4	0.5	1.0	2.5	3.2	1.6	0.9	0.6	0.7	0.8	0.7	0.5	13.4
	15 LST	0.7	1.0	2.1	3.7	4.4	2.3	1.2	0.9	1.1	1.2	0.9	0.5	20.0
	21 LST	0.5	0.6	1.0	0.8	0.9	0.5	0.1	0.2	0.4	0.3	0.4	0.5	6.2
	03 LST	0.7	0.4	0.7	1.0	0.8	0.5	0.2	0.1	0.2	0.4	0.4	0.5	5.9
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST	0.7	1.2	5.5	10.3	11.2	11.4	12.7	12.3	11.8	11.0	8.5	3.3	99.9
	15 LST	1.2	2.4	8.1	10.3	10.8	14.2	15.8	15.5	14.7	14.9	10.0	4.7	122.6
	21 LST	0.5	0.7	3.8	11.5	11.9	12.4	12.8	12.0	11.5	10.9	8.1	2.6	98.7
	03 LST	0.5	0.5	2.3	9.3	10.3	9.5	9.5	9.6	10.5	10.8	6.8	2.0	81.6
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	2.8	3.1	4.6	5.1	5.7	4.4	3.3	2.9	5.0	6.0	4.1	2.8	49.8
	15 LST	2.6	3.1	4.3	6.5	7.2	5.6	5.8	4.4	6.0	7.6	4.0	2.6	59.7
	21 LST	3.8	4.9	6.5	8.2	8.6	6.1	5.4	6.4	8.9	9.5	6.2	3.9	78.4
	03 LST	4.5	5.5	7.5	10.0	8.5	4.7	3.3	5.5	9.3	10.6	7.8	5.1	82.3
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST	12.7	12.5	16.6	17.7	18.8	15.3	13.4	15.8	19.4	19.8	16.3	14.4	192.7
	15 LST	15.1	15.5	19.9	22.6	23.5	21.2	20.8	21.5	24.6	25.1	18.6	16.3	244.7
	21 LST	13.5	14.1	17.1	18.6	19.7	16.3	15.1	17.7	20.3	20.4	17.3	15.1	205.2
	03 LST	15.4	15.1	18.8	20.7	20.1	14.7	12.1	15.0	20.4	22.4	20.2	17.6	212.5
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST	8.7	8.8	12.2	13.7	15.8	12.4	10.3	12.5	15.5	14.5	10.9	8.9	144.2
	15 LST	9.5	9.8	13.5	18.1	20.3	17.5	17.4	17.2	19.7	18.4	12.0	10.1	183.5
	21 LST	8.1	9.2	12.7	15.8	17.1	13.8	12.2	14.4	17.3	16.1	11.7	8.7	157.1
	03 LST	9.0	10.0	13.8	17.0	17.4	11.6	9.0	11.8	17.2	17.6	13.9	10.3	158.6
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	8.0	8.3	11.4	13.3	15.3	11.8	9.8	11.8	14.9	13.7	10.4	8.2	136.9
	15 LST	8.8	9.1	12.8	17.6	19.9	16.9	16.8	16.5	19.0	17.8	11.4	9.4	176.0
	21 LST	7.5	8.8	11.9	15.1	16.5	13.0	11.9	13.9	16.7	15.5	11.1	8.2	150.1
	03 LST	8.6	9.5	13.0	16.3	16.6	11.0	8.7	11.3	16.4	16.9	13.3	9.7	151.3



BLANK PAGE

NIIGATA, JAPAN

STA NO. 47573 (IN AREA NUMBER 03)

ELEVATION(FT) 00003

LONGITUDE 13907E

LATITUDE 3757N

POR (YRS)
NO. OBS

PARAMETER DESCRIPTION

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
ABS MAX TMP (F)	59	68	77	82	86	95	101	102	98	93	79	75	102	65
MEAN MAX TMP (F)	40	40	47	59	67	75	82	86	78	67	57	46	62	65
MEAN MIN TMP (F)	30	30	34	43	52	61	69	72	64	53	43	34	49	65
ABS MIN TMP (F)	11	9	21	28	35	44	53	58	46	37	30	18	9	65
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	3.5	6.5	1.7	0.0	0.0	0.0	11.7	7
MEAN NO DYS TMP = OR LES 32(F)	20.8	21.4	9.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	59.6	7
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7
MEAN DEW PT TMP (F)	31	30	35	44	53	61	70	71	64	54	43	36	49	7
MEAN REL HUM (PCT)	80	77	79	73	74	78	80	76	78	75	76	78	77	65
MEAN PRESS ALT (FT)	-48	-43	-44	-21	56	115	111	104	24	-72	-98	-68	1	0
MEAN PRECIP (IN)	7.50	5.00	4.30	4.10	3.60	4.70	6.40	4.40	7.10	6.50	7.40	9.10	70.1	65
MEAN SNOW FALL (IN)	42.6	36.7	5.5	0.7	0.0	0.0	0.0	0.0	0.0	0.0	1.3	24.9	111.7	7
MEAN NO DYS PKCP = OR GTR 0.1 IN	12.9	9.6	7.0	6.8	6.2	6.9	8.6	6.6	9.6	8.9	9.9	14.6	107.6	65
MEAN NO DYS SNFL = OR GTR 1.5 IN	9.3	6.9	1.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	5.0	22.9	7
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	6.5	6.6	0.7	0.4	0.4	0.4	1.3	1.5	1.0	0.0	1.0	3.3	23.1	7
MEAN NO DYS TSTMS	1.0	0.3	1.0	0.3	1.0	2.0	2.0	5.0	2.0	2.0	2.0	1.0	19.6	10
P FREQ WND SPD = OR GTR 17 KTS	19.9	18.3	9.0	3.7	1.8	0.8	0.2	1.0	1.6	3.7	10.7	18.5	7.4	7
P FREQ WND SPD = OR GTR 26 KTS	2.0	0.7	0.3	0.1	0.0	0.0	0.0	0.2	0.2	0.3	1.5	1.3	0.6	7
P FREQ LES 5000 FT A/O LES 5 MI	74.4	70.4	52.5	28.6	22.7	30.3	33.1	24.2	24.4	29.7	47.5	68.4	42.2	7
P FREQ LES 1500 FT A/O LES 3 MI	14.5	13.3	4.9	4.8	5.5	4.9	10.8	6.8	5.2	2.0	3.0	11.5	7.3	7
FOR 06-02 LST	15.4	14.3	5.5	5.4	4.8	6.1	14.2	7.9	6.5	2.0	3.9	10.0	8.0	7
03-05 LST	19.0	19.2	7.4	7.6	6.6	7.3	18.5	9.9	8.5	3.4	5.6	13.6	10.6	7
06-08 LST	17.2	21.6	7.1	5.6	6.8	5.1	12.2	6.5	3.9	2.7	5.6	14.3	9.1	7
09-11 LST	15.2	17.8	8.3	3.7	6.3	3.0	10.9	4.1	4.3	4.3	3.5	18.5	8.3	7
12-14 LST	16.7	17.5	8.4	5.4	7.8	5.3	8.2	2.7	5.2	4.8	5.0	20.6	9.0	7
15-17 LST	16.1	18.2	8.3	6.2	7.4	6.1	8.1	5.0	2.8	5.0	3.1	18.5	8.7	7
18-20 LST	13.1	15.7	6.6	5.2	6.3	4.6	7.3	3.6	3.1	2.5	2.8	13.4	7.0	7
21-23 LST	5.4	5.7	1.2	1.0	0.3	0.3	1.4	1.1	0.9	0.0	0.4	2.7	1.7	7
FOR 00-02 LST	5.7	6.5	1.8	1.0	0.5	1.1	2.3	2.3	2.4	0.0	0.6	2.7	2.2	7
03-05 LST	7.3	6.9	0.9	1.1	0.8	1.1	3.8	1.4	1.5	0.0	1.1	2.7	2.4	7
06-08 LST	7.5	9.0	1.1	0.3	0.6	0.3	1.6	1.4	0.4	0.0	0.2	3.8	2.2	7
09-11 LST	5.9	7.5	0.8	0.2	0.2	0.0	0.4	0.2	0.2	0.0	0.2	3.6	1.6	7
12-14 LST	7.3	9.4	1.5	1.4	0.8	1.0	0.4	0.0	0.0	0.9	0.2	3.9	2.2	7
15-17 LST	5.6	6.7	0.9	0.3	0.9	0.8	0.5	0.2	0.0	0.0	0.0	3.2	1.6	7
18-20 LST	6.1	5.9	0.9	0.6	0.0	0.5	0.4	0.4	0.4	0.4	0.7	2.2	1.5	7
21-23 LST														

NIGATA, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST 26.8	22.1	29.4	28.8	29.5	29.0	27.7	29.3	28.7	30.3	28.7	28.3	338.6	7	2313
	15 LST 27.2	23.4	28.7	29.0	29.0	28.7	29.1	30.8	28.3	29.6	29.2	26.5	339.5	7	2313
	21 LST 27.3	23.9	29.3	29.0	29.7	29.1	29.6	30.7	29.3	30.2	29.6	27.8	345.5	7	2312
	03 LST 27.2	24.7	29.9	28.7	30.0	28.7	27.7	29.3	28.7	30.5	29.0	28.8	343.2	7	2313
CIG =GTR 2000 FT AND VSBY =GTR 3 MI	09 LST 11.5	11.3	17.1	19.6	21.5	22.4	23.2	23.2	23.5	23.5	18.0	11.7	226.6	7	2313
	15 LST 12.3	11.3	12.6	16.3	15.8	17.5	19.8	20.8	19.3	19.7	18.3	11.5	195.2	7	2313
	21 LST 13.0	11.5	19.9	23.1	24.8	24.4	27.3	27.5	26.3	24.3	20.4	12.3	254.8	7	2311
	03 LST 13.6	12.7	17.3	22.7	25.9	24.7	25.6	27.7	24.7	24.8	19.1	11.8	250.6	7	2312
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST 5.6	5.2	2.4	1.2	0.7	0.2	0.0	0.5	0.2	1.3	2.2	5.2	24.7	7	2111
	15 LST 5.0	5.6	3.2	1.4	1.4	0.5	0.2	0.7	0.9	1.2	3.1	6.0	29.2	7	2093
	21 LST 4.4	3.6	1.9	0.8	0.4	0.5	0.0	0.0	0.3	1.2	2.7	6.6	22.4	7	2109
	03 LST 5.4	4.4	3.3	0.9	0.1	0.3	0.0	0.0	0.5	0.8	2.8	5.7	24.2	7	2100
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NU PRECIP.	09 LST 10.2	9.1	16.6	17.4	20.2	21.4	23.2	21.0	18.8	16.2	16.3	15.0	205.4	7	2111
	15 LST 14.1	13.5	16.4	19.7	19.3	21.5	23.2	20.8	21.5	21.5	15.4	14.2	221.1	7	2093
	21 LST 11.9	11.0	16.4	17.3	15.6	17.2	15.0	16.3	15.7	16.7	17.1	14.5	184.7	7	2109
	03 LST 9.8	7.3	14.7	14.5	15.5	14.1	13.9	14.9	16.1	13.1	14.7	12.9	161.5	7	2099
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST 3.0	0.5	1.4	5.4	5.0	2.7	4.7	5.1	3.5	5.5	4.0	2.8	41.6	7	2313
	15 LST 0.3	0.8	1.1	5.6	5.5	3.3	6.7	6.7	4.8	4.7	3.0	1.3	43.8	7	2313
	21 LST 1.3	1.5	3.3	7.7	7.1	4.1	6.7	9.0	7.0	7.2	5.8	4.0	64.7	7	2312
	03 LST 2.0	1.6	3.7	7.0	8.4	5.0	7.5	10.1	6.8	7.3	5.8	2.5	67.7	7	2313
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST 18.7	17.1	25.5	28.1	27.4	26.3	25.3	27.0	27.5	29.1	24.8	20.2	297.0	7	2313
	15 LST 19.7	18.9	24.4	27.8	27.6	26.8	26.7	29.1	27.2	27.5	25.0	18.8	299.5	7	2313
	21 LST 21.6	20.4	25.8	26.6	28.0	27.0	27.3	28.8	27.8	29.0	27.0	21.5	310.8	7	2312
	03 LST 21.8	20.4	26.4	26.9	27.7	25.5	25.3	27.5	27.7	29.8	26.5	23.5	309.0	7	2313
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST 7.5	7.9	14.0	20.9	22.1	20.0	19.7	22.0	22.7	21.3	14.5	8.6	201.2	7	2313
	15 LST 6.5	10.0	13.7	22.3	24.7	21.5	23.0	24.8	23.5	20.2	13.8	7.2	211.2	7	2313
	21 LST 7.3	7.7	14.0	20.6	22.7	18.9	20.8	24.1	23.5	20.6	14.5	9.8	204.5	7	2312
	03 LST 5.8	6.1	12.4	18.1	22.4	19.2	18.3	22.7	21.2	20.2	14.6	9.3	190.3	7	2313
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST 5.1	4.9	8.8	16.4	17.5	15.1	14.8	17.3	17.6	16.6	10.1	6.8	151.0	7	2313
	15 LST 4.5	6.4	10.6	17.9	21.0	17.2	19.7	20.8	19.8	15.3	10.1	4.5	167.8	7	2313
	21 LST 4.7	4.9	10.2	17.7	18.8	15.5	16.3	20.6	19.1	15.0	11.3	7.0	161.1	7	2312
	03 LST 4.3	4.1	9.4	15.8	18.3	14.3	14.3	19.0	16.3	15.3	12.0	6.3	149.4	7	2313

AKITA, JAPAN

STA NO. 47582 (IN AREA NUMBER 03)

LATITUDE 39.41N LONGITUDE 140.04E ELEVATION (FT) 00051

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	57	57	70	78	88	93	96	97	96	81	74	71	97	44	-528
MEAN MAX TMP (F)	35	37	42	55	64	73	79	83	76	64	52	40	58	30	-28
MEAN MIN TMP (F)	23	23	28	39	47	57	65	67	59	47	37	28	43	30	-28
ABS MIN TMP (F)	-3	-12	-3	19	29	39	50	48	38	29	22	-2	-12	44	-528
MEAN NO DYS TMP ≥ OR GTR 90 (F)	0.0	0.0	0.0	0.0	0.0	0.0	2.9	5.2	1.0	0.0	0.0	0.0	9.1	10	3651
MEAN NO DYS TMP ≥ OR LES 32 (F)	29.0	24.0	18.1	4.9	0.4	0.0	0.0	0.0	0.0	0.0	5.8	18.2	100.4	10	3652
MEAN NO DYS TMP ≥ OR LES 0 (F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3652
MEAN DEW PT TMP (F)	24	25	29	38	49	58	67	69	61	48	37	30	45	10	87550
MEAN REL HUM (PCT)	77	77	74	74	78	81	87	83	83	78	79	76	79	12	-28
MEAN PRESS ALT (FT)	-59	-46	-37	1	81	150	150	145	55	-51	-92	-76	18	0	-50
MEAN PRECIP (IN)	5.60	4.10	4.10	4.30	4.40	5.00	7.80	7.40	8.30	7.40	7.50	7.00	72.9	30	-28
MEAN SNOW FALL (IN)	4.0	2.2	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.7	9.1	10	3638
MEAN NO DYS PKCP ≥ OR GTR 0.1 IN	10.5	8.2	6.8	7.0	7.2	7.3	9.7	9.4	10.9	9.9	10.0	12.3	109.2	30	-29
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	3638
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	7.6	6.5	2.9	1.0	1.3	1.1	1.9	1.1	1.0	0.9	0.8	3.9	30.0	10	3651
MEAN NO DYS TSTMS	1.4	1.2	0.7	1.5	2.3	1.8	1.2	2.6	2.6	3.1	3.6	2.1	24.1	10	3651
P FREQ WND SPD ≥ OR GTR 17 KTS	23.7	18.9	15.6	18.3	10.6	5.3	3.5	5.7	5.5	7.4	10.9	18.9	12.0	10	87550
P FREQ WND SPD ≥ OR GTR 28 KTS	3.9	2.0	1.1	1.5	0.8	0.2	0.0	0.1	0.8	0.6	0.6	2.0	1.1	10	87550
P FREQ LES 5000 FT A/O LES 5 MI	63.3	56.5	45.9	28.3	26.7	34.6	36.8	27.2	25.2	26.3	40.2	56.6	39.0	10	87315
P FREQ LES 1500 FT A/O LES 3 MI	18.8	15.2	7.1	6.0	6.8	8.6	12.1	5.0	3.2	1.8	2.7	10.3	8.1	10	10908
FOR 00-02 LST	21.0	15.1	9.6	6.5	6.6	10.4	14.0	6.7	3.6	1.3	2.7	9.0	8.9	10	10886
03-05 LST	17.8	15.6	12.7	6.7	8.2	12.2	18.1	10.1	6.0	2.9	4.2	12.3	10.6	10	10895
06-08 LST	16.2	17.6	6.9	6.9	6.8	8.3	15.5	8.5	3.4	2.5	3.3	12.3	9.0	10	10938
09-11 LST	15.0	15.4	6.1	6.8	6.1	9.0	11.9	5.4	3.5	2.9	3.3	10.3	8.0	10	10944
12-14 LST	19.4	16.6	8.3	7.0	6.2	9.7	12.9	5.7	3.7	2.4	3.3	13.9	9.1	10	10941
15-17 LST	18.6	18.7	10.3	8.7	9.2	11.7	15.1	4.9	3.6	1.4	2.9	13.0	9.8	10	10935
18-20 LST	16.9	18.2	8.5	6.6	7.8	10.8	13.4	5.2	4.1	1.3	2.8	9.5	8.8	10	10919
21-23 LST	5.1	3.7	1.9	0.4	0.2	0.3	2.4	0.0	0.1	0.3	0.3	2.4	1.4	10	10908
FOR 00-02 LST	5.2	3.6	2.5	0.2	0.6	0.8	1.9	0.3	0.1	0.0	0.0	1.9	1.4	10	10886
03-05 LST	4.6	4.6	3.2	1.1	0.6	0.4	1.9	0.8	0.4	0.0	0.2	3.4	1.8	10	10895
06-08 LST	5.1	5.8	1.5	0.8	0.1	0.4	1.2	0.8	0.1	0.0	0.2	2.8	1.6	10	10938
09-11 LST	5.0	5.9	1.4	0.4	0.5	0.4	1.2	1.0	0.1	0.0	0.1	1.7	1.5	10	10944
12-14 LST	7.3	6.9	1.7	0.7	0.3	0.4	1.9	0.8	0.0	0.1	0.3	3.6	2.0	10	10941
15-17 LST	4.9	8.2	2.5	0.2	0.3	0.4	2.6	0.2	0.0	0.0	0.3	2.3	1.8	10	10935
18-20 LST	4.1	4.6	1.9	0.2	0.4	0.4	1.6	0.1	0.0	0.2	0.3	2.8	1.4	10	10919
21-23 LST															

AKITA, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST 23.6	21.2	27.9	27.4	29.6	28.4	26.1	28.5	29.4	30.3	28.6	25.9	326.9	10	3651
	15 LST 25.9	23.7	28.9	28.2	29.6	27.8	27.8	29.9	28.9	30.0	29.2	26.2	336.1	10	3651
	21 LST 25.3	21.4	27.9	27.1	28.7	27.2	27.3	29.8	29.0	30.5	29.0	27.5	330.7	10	3650
	03 LST 24.2	23.2	27.6	28.2	29.9	28.2	27.3	29.6	29.0	30.4	28.9	28.6	335.1	10	3649
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	09 LST 10.7	10.6	13.9	11.1	14.4	15.5	16.6	17.8	18.3	18.8	17.2	13.2	178.1	10	3651
	15 LST 11.6	9.5	11.0	7.8	13.3	14.5	17.8	17.6	18.2	18.3	16.4	13.4	169.4	10	3651
	21 LST 13.2	13.5	16.8	17.5	22.7	20.8	21.1	23.4	22.8	23.8	19.4	15.1	230.1	10	3650
	03 LST 13.1	13.9	18.3	18.2	22.2	20.0	21.6	23.5	24.0	23.8	20.4	16.3	235.3	10	3649
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST 0.7	0.6	1.8	4.9	3.4	2.0	1.7	2.5	1.3	1.3	0.8	0.9	21.9	10	3651
	15 LST 1.8	1.5	2.8	5.7	3.3	1.5	1.2	1.4	1.2	1.4	1.1	0.8	23.7	10	3651
	21 LST 1.7	0.8	1.4	2.2	1.1	0.5	0.1	0.6	1.1	0.7	0.5	1.7	12.4	10	3651
	03 LST 1.8	1.1	1.2	2.1	1.6	0.3	0.0	0.6	0.4	1.4	0.7	1.2	12.4	10	3651
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST 1.4	3.3	7.2	9.9	12.4	10.9	12.2	12.0	12.0	13.2	11.0	6.1	111.6	10	3651
	15 LST 4.9	5.3	8.7	8.9	12.1	14.1	16.5	16.9	14.5	15.2	10.0	8.1	135.2	10	3651
	21 LST 1.5	3.6	5.6	9.8	11.8	8.7	8.0	9.1	9.4	9.9	8.7	4.1	90.3	10	3651
	03 LST 1.0	2.1	5.4	10.8	12.6	10.1	11.5	11.0	13.1	10.6	8.0	5.0	101.2	10	3651
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST 1.2	1.4	3.8	5.6	6.6	4.3	4.8	4.9	4.9	7.2	5.0	2.5	52.2	10	3651
	15 LST 0.8	1.0	2.9	6.3	6.7	5.1	5.0	5.6	5.0	7.9	5.3	1.5	53.1	10	3651
	21 LST 1.9	2.5	5.4	8.6	8.5	7.0	7.7	9.9	7.3	10.2	7.4	3.0	79.4	10	3651
	03 LST 1.4	2.3	5.3	10.7	9.6	5.6	6.6	9.0	7.7	10.0	6.5	4.1	78.8	10	3651
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST 17.9	17.7	24.5	24.9	25.7	23.1	21.9	24.3	26.5	28.0	24.7	21.4	280.6	10	3651
	15 LST 20.3	19.3	25.3	25.7	26.8	24.2	24.8	26.9	27.0	28.3	25.1	21.6	295.3	10	3651
	21 LST 18.9	18.3	24.4	25.0	25.7	23.4	23.2	26.2	26.4	28.3	24.6	21.7	286.1	10	3650
	03 LST 18.1	18.7	23.2	26.0	26.3	23.3	23.0	25.9	26.2	28.0	25.0	22.7	286.4	10	3649
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST 11.2	12.4	17.0	20.5	22.4	18.3	17.4	20.0	22.2	23.2	18.1	14.3	217.0	10	3651
	15 LST 13.1	12.7	16.7	22.5	22.8	20.9	21.6	23.4	23.0	23.3	18.7	13.8	232.5	10	3651
	21 LST 9.4	11.6	16.1	20.0	21.5	18.5	19.1	21.6	21.5	21.9	16.6	12.2	210.0	10	3650
	03 LST 8.5	10.1	14.6	20.9	21.8	17.7	17.6	21.0	20.6	20.4	17.6	12.3	203.1	10	3649
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST 11.1	12.2	17.0	20.3	22.3	18.2	17.4	20.0	22.1	23.1	18.1	14.1	215.9	10	3651
	15 LST 13.1	12.7	16.7	22.5	22.6	20.7	21.6	23.4	23.0	23.0	18.6	13.8	231.7	10	3651
	21 LST 9.3	11.5	15.9	19.9	21.5	18.5	19.0	21.6	21.4	21.9	16.6	12.0	209.1	10	3650
	03 LST 8.5	10.1	14.4	20.9	21.7	17.6	17.4	21.0	20.5	20.3	17.6	12.3	202.3	10	3649

AIKAWA, JAPAN

LATITUDE 3801N LONGITUDE 13815E ELEVATION(FT) 00118

STA NO. 47602 (IN AREA NUMBER 03)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	63	68	70	81	85	93	95	96	95	88	79	73	96	34	-535
MEAN MAX TMP (F)	41	41	47	58	55	73	81	85	78	67	57	47	62	34	-35
MEAN MIN TMP (F)	31	31	35	43	51	60	69	73	65	55	45	36	50	34	-35
ABS MIN TMP (F)	19	19	21	28	37	46	54	58	49	41	30	22	19	34	-535
MEAN NO DYS TMP = OR GTH 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	1.1	3.0	1.0	0.0	0.0	0.0	5.1	10	3649
MEAN NO DYS TMP = OR LES 32(F)	16.0	13.0	7.8	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	40.0	10	3651
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3651
MEAN DEW PT TMP (F)	29	30	33	40	50	59	69	70	63	51	41	35	48	10	87283
MEAN REL HUM (PCT)	74	72	69	70	76	81	83	79	77	74	73	75	75	34	-35
MEAN PRESS ALT (FT)	5.18	4.26	4.10	4.36	3.67	3.99	5.97	3.73	6.69	6.13	6.48	6.82	61.4	18	-99
MEAN PRECIP (IN)	9.9	8.5	6.8	7.1	6.3	6.2	8.2	5.9	9.1	8.5	8.9	12.1	97.5	34	-29
MEAN SNOW FALL (IN)	2.8	2.9	1.5	1.2	0.6	1.1	1.9	0.1	0.0	0.0	0.0	0.7	13.3	18	-29
MEAN NO DYS PHCP = OR GTR 0.1 IN	3.3	1.5	1.4	2.0	2.5	2.5	3.1	4.0	3.6	3.3	5.0	3.5	35.7	34	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	50.4	39.3	28.3	14.8	6.5	4.4	1.2	4.4	7.2	14.2	24.1	43.1	19.8	10	3651
MEAN NO DYS W/OCUM VSBY LES 1/2 MI	19.7	11.4	6.1	2.3	0.2	0.1	0.0	0.1	1.1	2.0	5.4	14.9	5.3	10	87283
MEAN NO DYS TSTMS	76.4	66.4	50.2	29.6	26.8	35.6	40.3	28.2	30.3	32.6	50.5	69.9	44.7	10	81527
P FREQ WND SPD = OR GTH 17 KTS	14.6	9.5	3.6	5.5	2.9	8.8	16.1	3.0	0.5	2.1	2.4	3.5	6.0	10	10500
P FREQ WND SPC = OR GTR 26 KTS	13.1	9.5	2.7	5.5	2.9	8.6	15.8	4.2	0.7	1.5	1.6	3.5	5.8	10	10496
P FREQ LES 5000 FT A/O LES 5 MI	13.0	8.0	4.5	6.5	6.1	12.1	17.0	6.5	3.3	2.7	1.9	4.5	7.2	10	10411
FOR 00-02 LST	11.7	8.8	5.4	7.0	5.7	12.1	17.3	6.2	2.6	3.6	2.0	5.4	7.4	10	10327
FOR 03-05 LST	14.2	10.7	6.9	5.8	6.2	11.0	14.1	4.8	2.5	3.6	2.3	7.2	7.4	10	10368
FOR 06-08 LST	13.8	11.8	6.8	5.0	5.4	10.8	14.1	4.2	2.2	3.4	3.7	6.1	7.3	10	10384
FOR 09-11 LST	13.8	9.7	4.3	5.4	5.9	13.7	15.6	4.1	1.8	2.5	2.0	5.2	7.0	10	10307
FOR 12-14 LST	14.5	8.5	4.2	4.1	4.0	10.4	16.0	3.4	1.1	1.9	1.4	5.1	6.2	10	10411
FOR 15-17 LST	3.6	2.9	0.7	0.1	0.1	0.0	1.6	0.0	0.0	0.2	0.2	0.3	0.6	10	10500
FOR 18-20 LST	3.9	2.3	0.3	0.1	0.1	0.1	1.1	0.0	0.0	0.0	0.4	0.6	0.7	10	10496
FOR 21-23 LST	3.4	2.7	1.0	0.7	0.5	0.9	1.7	0.1	0.1	0.0	0.2	0.9	1.0	10	10411
FOR 00-02 LST	2.8	2.4	0.8	0.8	0.6	0.2	1.0	0.0	0.1	0.0	0.1	0.7	0.8	10	10327
FOR 03-05 LST	3.6	2.2	1.0	0.8	0.6	0.4	0.7	0.0	0.0	0.0	0.4	1.6	0.9	10	10368
FOR 06-08 LST	4.5	3.9	1.2	0.2	0.2	0.4	1.4	0.0	0.0	0.0	0.1	1.2	1.1	10	10384
FOR 09-11 LST	3.9	3.4	0.1	0.1	0.1	0.2	0.3	0.1	0.1	0.0	0.0	0.4	0.7	10	10307
FOR 12-14 LST	3.5	2.2	0.4	0.4	0.0	0.1	0.9	0.0	0.0	0.0	0.0	0.7	0.7	10	10411

AIKAWA, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	27.4	26.1	30.1	28.1	29.1	27.5	30.2	29.5	30.2	29.3	29.5	344.2	10	3616	
	15 LST	26.8	25.3	29.2	28.1	29.7	28.2	30.7	29.7	30.6	29.3	29.5	345.4	10	3617	
	21 LST	26.9	25.8	30.0	28.9	29.9	28.1	29.0	30.6	29.8	29.8	29.4	349.0	10	3633	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI WIND LES 10 KTS	03 LST	26.7	25.1	30.3	28.9	30.4	29.1	28.6	30.7	29.9	29.7	30.0	350.3	10	3638	
	09 LST	6.8	10.6	15.2	16.4	20.5	19.7	20.1	22.2	20.4	17.9	13.8	10.6	194.2	10	3616
	15 LST	7.4	9.8	9.1	14.3	19.9	17.4	18.8	16.6	16.8	15.4	13.1	9.7	168.3	10	3617
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	9.2	10.5	15.5	16.5	21.1	20.3	21.0	24.3	22.5	20.2	16.0	10.7	207.8	10	3633
	03 LST	7.7	8.8	15.0	16.7	23.0	21.4	19.7	23.5	23.7	20.3	14.6	9.7	204.1	10	3638
	09 LST	2.3	1.7	2.3	2.5	0.6	0.3	0.2	0.6	0.9	2.1	2.4	2.0	17.9	10	3651
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	3.0	3.1	3.4	2.7	1.6	0.7	0.6	1.1	1.6	3.0	3.0	3.2	27.0	10	3651
	21 LST	3.6	2.8	2.7	1.8	1.2	0.3	0.1	0.9	1.0	2.1	3.6	3.7	23.8	10	3651
	03 LST	2.5	3.4	2.5	2.1	1.1	0.4	0.1	0.5	0.9	2.8	2.9	4.5	23.7	10	3651
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	4.1	5.9	10.1	13.9	16.0	14.3	13.0	14.3	15.0	13.2	11.4	6.6	137.8	10	3651
	15 LST	4.4	6.9	8.1	12.1	13.6	14.5	14.7	14.1	13.1	13.4	9.2	6.8	130.9	10	3651
	21 LST	4.7	5.9	9.3	13.0	13.6	13.4	14.8	16.2	15.5	14.6	12.2	7.0	140.2	10	3651
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	4.0	4.6	8.5	11.8	14.3	14.4	12.8	14.4	15.5	14.9	11.5	6.3	133.0	10	3651
	09 LST	1.1	2.6	5.9	9.9	8.8	5.0	5.3	8.6	7.1	8.6	5.4	2.9	71.2	10	3651
	15 LST	1.3	3.2	4.3	8.2	8.9	6.9	7.2	9.4	6.8	7.8	6.6	2.4	73.0	10	3651
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	2.7	3.4	8.7	11.8	11.0	7.9	9.1	13.0	11.8	10.2	9.4	4.1	103.1	10	3651
	03 LST	2.7	3.6	6.9	12.3	11.1	8.2	7.9	12.7	9.8	11.1	9.0	4.5	99.8	10	3651
	09 LST	17.5	18.6	23.7	24.9	26.3	23.3	20.8	26.1	25.5	26.8	23.9	21.2	278.6	10	3616
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	17.7	19.0	22.3	25.6	27.0	24.6	23.5	26.8	26.4	26.3	23.9	20.0	283.1	10	3617
	21 LST	18.1	17.9	24.1	25.0	27.3	23.0	21.8	27.2	26.6	26.9	23.7	19.7	281.3	10	3633
	03 LST	17.8	17.9	24.1	24.8	27.9	23.3	21.8	26.2	26.1	27.4	23.6	21.5	282.4	10	3638
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	6.6	9.2	16.0	21.5	22.2	19.7	17.6	22.8	21.3	21.7	15.5	8.9	203.0	10	3616
	15 LST	7.5	10.6	15.6	21.0	23.8	22.6	20.1	23.5	22.1	21.1	15.3	9.4	212.6	10	3617
	21 LST	7.5	8.7	15.8	20.1	21.4	18.3	17.1	22.9	20.5	20.6	16.3	8.6	197.8	10	3633
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	7.6	9.4	15.6	20.2	22.3	17.4	16.7	24.6	20.7	21.6	15.6	10.6	200.3	10	3638
	09 LST	6.6	9.1	16.0	21.2	22.0	19.6	17.6	22.7	21.3	21.7	15.5	8.9	202.2	10	3616
	15 LST	7.4	10.5	15.4	20.9	23.7	22.4	20.1	23.4	22.0	21.1	15.3	9.3	211.5	10	3617
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	7.3	8.6	15.7	20.1	21.3	17.9	17.1	22.8	20.5	20.5	16.3	8.6	196.7	10	3633
	03 LST	7.4	9.3	15.5	20.0	22.2	17.3	16.6	22.6	20.5	21.6	15.6	10.6	199.2	10	3638

KANAZAWA, JAPAN

STA NO. 47605 (IN AREA NUMBER 03) LATITUDE 3633N LONGITUDE 13639E ELEVATION(FT) 00094

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
ABS MAX TMP (F)	70	73	77	86	89	92	96	98	101	89	82	74	101	44	-99
MEAN MAX TMP (F)	43	44	50	61	69	76	83	87	79	69	59	48	64	30	-99
MEAN MIN TMP (F)	31	31	34	43	51	60	68	70	64	53	43	35	49	30	-99
ABS MIN TMP (F)	14	16	21	29	35	44	52	58	46	36	31	21	14	44	-99
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.3	7.0		0.0	0.0	0.0		30	-29
MEAN NO DYS TMP = OR LES 32(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		44	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN DEW PT TMP (F)	30	30	33	43	51	61	69	71	65	54	43	34	49	30	-29
MEAN REL HUM (PCT)	79	77	73	73	75	79	82	79	81	79	77	78	78	30	-99
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	10.36	7.60	6.68	6.13	5.62	7.31	8.47	6.31	10.56	8.47	10.87	13.45	101.8	30	-99
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			44	-29
MEAN NO DYS PKCP = OR GTR 0.1 IN	15.8	13.0	9.1	8.7	8.3	9.3	10.1	8.5	13.1	11.1	13.4	18.0	138.4	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			44	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	2.0	1.0	2.0	1.0	1.0	2.0	5.0	5.0	3.0	3.0	3.0	1.0	29.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS	2.8	1.6	1.1	1.1	0.7	0.2	0.2	0.2	0.4	0.2	0.5	1.3	0.9	12	-35
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	12	-35
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 2 MI															
FOR 00-02 LST	16.0	11.2	4.6	6.6	3.6	6.1	4.5	1.9	2.6	1.5	1.2	3.1	5.7	12	-35
03-05 LST	19.2	11.6	4.3	7.2	4.7	7.6	5.2	2.6	1.9	2.2	1.6	4.2	6.0	12	-35
06-08 LST	15.3	11.1	3.9	8.5	6.2	9.0	7.3	3.4	2.3	1.7	1.3	3.9	6.2	12	-35
09-11 LST	17.6	9.9	5.8	7.8	8.0	7.1	7.9	3.5	3.2	2.0	2.6	6.3	6.8	12	-35
12-14 LST	18.9	7.1	3.8	4.9	4.4	6.8	6.5	3.0	2.5	2.2	2.7	4.8	5.6	12	-35
15-17 LST	16.2	9.5	3.4	7.1	3.5	6.6	3.9	1.5	2.6	3.9	2.1	4.9	5.4	12	-35
18-20 LST	15.8	9.9	4.8	8.2	5.6	7.3	4.4	3.1	3.5	3.0	2.0	4.6	6.0	12	-35
21-23 LST	16.0	13.0	3.6	7.5	5.8	6.6	5.2	2.1	3.0	1.9	2.0	4.2	5.9	12	-35
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	7.6	4.2	1.1	2.2	0.5	0.8	0.3	0.0	0.3	0.3	0.0	0.8	1.5	12	-35
03-05 LST	10.1	4.5	0.8	1.7	0.8	0.8	0.5	0.3	0.0	0.0	0.0	0.8	1.7	12	-35
06-08 LST	6.8	5.4	0.8	1.7	0.6	1.4	1.1	0.6	0.0	0.0	0.0	0.5	1.6	12	-35
09-11 LST	8.7	3.6	2.0	2.1	0.6	0.0	1.1	0.3	0.0	0.0	0.0	0.8	1.6	12	-35
12-14 LST	8.8	3.3	0.6	0.6	0.6	0.3	0.3	0.0	0.0	0.3	0.0	1.1	1.3	12	-35
15-17 LST	5.9	4.5	0.6	1.2	0.9	1.2	0.6	0.0	0.6	0.3	0.0	0.3	1.3	12	-35
18-20 LST	7.6	2.4	0.6	2.0	0.3	1.1	0.5	0.6	0.0	0.0	0.0	0.8	1.3	12	-35
21-23 LST	8.3	3.9	0.8	2.8	0.8	0.6	0.6	0.3	0.3	0.3	0.3	0.5	1.6	12	-35

KANAZAWA, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
CIG = GTR 1000 FT AND	25.9	25.3	29.6	28.1	28.9	28.3	29.0	30.2	29.2	30.5	29.6	29.6	29.4	12	-35
VSBY = GTR 3 MI	26.6	25.4	30.2	28.1	30.1	28.7	30.5	30.7	29.6	30.1	29.7	29.9	349.6	12	-35
	26.4	24.5	30.1	28.0	29.5	28.6	29.9	30.5	29.3	30.5	29.6	29.9	346.8	12	-35
	25.4	25.0	29.7	28.1	29.8	28.2	30.0	30.3	29.7	30.6	29.7	29.8	346.2	12	-35
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	19.4	20.2	22.9	21.6	24.3	25.6	27.5	28.0	26.2	28.1	24.8	23.6	292.2	12	-35
VSBY = GTR 3 MI	18.7	18.3	18.4	18.5	21.9	22.8	25.7	26.3	23.1	23.7	23.4	21.7	262.5	12	-35
	20.1	20.2	26.4	25.0	26.9	27.1	29.0	29.5	28.4	28.8	27.2	24.3	312.9	12	-35
	19.1	20.5	25.9	25.9	28.3	27.3	28.9	29.7	28.9	29.4	27.1	24.7	315.7	12	-35
SFC WND = GTR 17 KTS AND NO PRECIP.	0.9	0.6	1.1	1.0	0.8	0.1	0.1	0.0	0.1	0.0	0.3	0.8	5.8	12	-35
	0.8	1.1	1.8	2.5	1.2	0.5	0.3	0.3	0.8	0.6	0.5	0.8	11.2	12	-35
	0.6	0.4	0.7	0.3	0.2	0.2	0.0	0.1	0.3	0.0	0.3	0.5	3.6	12	-35
	1.1	0.4	0.8	0.5	0.2	0.1	0.0	0.0	0.3	0.1	0.3	0.9	4.7	12	-35
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	7.0	7.7	10.5	10.6	13.5	13.9	12.5	13.0	10.6	11.9	9.8	9.3	130.3	12	-35
	9.2	9.9	13.0	15.4	17.1	16.3	15.1	14.9	16.0	16.5	15.5	10.7	169.6	12	-35
	7.0	9.5	13.4	13.7	13.7	11.3	11.8	11.6	14.9	15.3	14.4	12.1	148.7	12	-35
	6.0	7.1	11.2	14.1	14.7	12.2	10.0	12.3	13.6	14.4	14.2	12.2	142.0	12	-35
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	2.0	3.3	6.3	8.6	7.7	4.0	5.6	8.0	6.2	8.4	9.1	4.9	74.1	12	-35
	1.6	3.1	5.1	7.5	6.4	4.1	5.2	6.8	5.5	7.5	6.9	3.0	62.7	12	-35
	3.0	4.5	9.3	10.2	10.1	6.2	8.4	12.3	8.3	9.3	11.1	5.5	98.2	12	-35
	4.1	4.1	7.8	11.0	10.4	6.8	9.8	13.0	9.6	10.6	10.0	6.7	103.9	12	-35
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17.3	19.7	23.7	24.8	25.9	24.2	24.6	26.5	25.7	23.1	23.9	21.4	280.8	12	-35
	17.4	19.0	24.0	25.2	27.2	24.1	24.8	26.1	25.4	25.6	23.8	21.5	284.1	12	-35
	18.7	17.8	24.3	24.4	26.0	24.3	24.7	27.1	25.5	25.9	24.3	20.6	283.6	12	-35
	19.1	17.6	23.9	24.8	26.7	23.8	24.4	26.5	25.9	25.9	23.5	21.1	283.2	12	-35
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	7.5	12.0	17.1	21.4	22.0	19.1	19.7	21.6	20.8	17.0	17.3	11.5	207.0	12	-35
	7.8	10.8	16.1	21.7	22.8	19.0	19.2	20.8	20.2	20.0	16.5	11.7	206.6	12	-35
	8.3	9.5	16.4	19.9	24.2	18.7	18.8	21.7	20.0	19.2	17.3	9.9	203.9	12	-35
	14.8	9.1	15.6	19.7	21.4	17.9	17.9	21.3	20.2	19.9	16.1	10.6	204.5	12	-35
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	6.3	11.5	16.8	20.8	21.2	18.5	12.1	20.5	19.9	17.0	16.3	11.5	192.4	12	-35
	6.9	9.5	15.7	21.7	21.9	18.3	19.0	20.2	19.7	19.3	15.9	11.1	199.2	12	-35
	8.3	8.7	15.6	19.4	23.7	17.4	18.2	21.1	18.7	18.1	16.9	9.4	195.5	12	-35
	14.3	8.9	14.9	17.9	20.6	17.2	17.6	20.8	19.0	19.1	15.9	10.0	196.2	12	-35

SADO, JAPAN

LATITUDE 3803N LONGITUDE 13825E ELEVATION(FT) 00082

STA NO. 47700 (IN AREA NUMBER 03)

POR NO. OBS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO. OBS
ABS MAX TMP (F)	63	68	70	81	85	93	95	96	95	88	79	73	96	34	-47602
MEAN MAX TMP (F)	41	41	47	58	65	73	81	85	78	67	57	47	62	34	-47602
MEAN MIN TMP (F)	31	31	35	43	51	60	69	73	65	55	45	36	50	34	-47602
ABS MIN TMP (F)	19	19	21	28	37	46	54	58	49	41	30	22	19	34	-47602
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	1.1	3.0	1.0	0.0	0.0	0.0	5.1	10	-47602
MEAN NO DYS TMP = OR LES 32(F)	16.0	13.0	7.8	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	40.0	10	-47602
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-47602
MEAN DEW PT TMP (F)	29	30	33	40	50	59	69	70	63	51	41	35	48	10	-47602
MEAN REL HUM (PCT)	74	72	69	70	76	81	83	79	77	74	73	75	75	34	-47602
MEAN PRESS ALT (FT)	7	11	14	41	120	177	175	165	85	-14	-39	-11	61	0	-50
MEAN PRECIP (IN)	5.18	4.26	4.10	4.36	3.67	3.99	5.97	3.73	6.69	6.13	6.48	6.82	61.4	18	-47602
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0	0.0			34	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.9	8.5	6.8	7.1	6.3	6.2	8.2	5.9	9.1	8.5	8.9	12.1	97.5	18	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0	0.0			34	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	2.8	2.9	1.5	1.2	0.8	1.1	1.9	0.1	0.0	0.1	0.2	0.7	13.3	10	-47602
MEAN NO DYS TSTMS	3.3	1.5	1.4	2.0	2.5	2.5	3.1	4.0	3.6	3.3	5.0	3.5	35.7	10	-47602
P FREQ WND SPD = OR GTR 17 KTS	50.4	39.3	28.3	14.8	6.5	4.4	1.2	4.4	7.2	14.2	24.1	43.1	19.8	10	-47602
P FREQ WND SPD = OR GTR 28 KTS	19.7	11.4	6.1	2.3	0.2	0.1	0.0	0.1	1.1	2.0	5.4	14.9	5.3	10	-47602
P FREQ LES 5000 FT A/O LES 5 MI	76.4	66.4	50.2	29.6	26.6	35.6	40.3	28.2	30.3	32.6	50.5	69.9	44.7	10	-47602
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	14.6	9.5	3.6	5.5	2.9	8.8	16.1	3.0	0.5	2.1	2.4	3.5	6.0	10	-47602
03-05 LST	13.1	9.5	2.7	5.5	2.9	8.6	15.8	4.2	0.7	1.5	1.6	3.5	5.8	10	-47602
06-08 LST	13.0	8.0	4.5	6.5	6.1	12.1	17.0	6.5	3.3	2.7	1.9	4.5	7.2	10	-47602
09-11 LST	11.7	8.8	5.4	7.0	6.7	12.1	17.3	6.2	2.6	3.6	2.0	5.4	7.4	10	-47602
12-14 LST	14.2	10.7	6.9	5.8	6.2	11.0	14.1	4.8	2.5	3.6	2.3	7.2	7.4	10	-47602
15-17 LST	13.8	11.8	6.8	5.0	5.4	10.8	14.1	4.2	2.2	3.4	3.7	6.1	7.3	10	-47602
18-20 LST	13.8	9.7	4.3	5.4	5.9	13.7	15.6	4.1	1.8	2.5	2.0	5.2	7.0	10	-47602
21-23 LST	14.5	8.5	4.2	4.1	4.0	10.4	16.0	3.4	1.1	1.9	1.4	5.1	6.2	10	-47602

P FREQ LES 300 FT A/O LES 1 MI	FOR 00-02 LST	03-05 LST	06-08 LST	09-11 LST	12-14 LST	15-17 LST	18-20 LST	21-23 LST
3.6	2.9	0.7	0.1	0.1	0.0	1.6	0.0	0.8
3.9	2.3	0.3	0.1	0.1	0.1	1.1	0.0	0.7
3.4	2.7	1.0	0.7	0.5	0.9	1.7	0.1	1.0
2.8	2.4	0.8	0.8	0.6	0.2	1.0	0.0	0.8
3.6	2.2	1.0	0.8	0.6	0.4	0.7	0.0	0.9
4.5	3.9	1.2	0.2	0.5	0.4	1.4	0.0	1.1
3.9	3.4	0.1	0.1	0.1	0.2	0.3	0.1	0.7
3.5	2.2	0.4	0.4	0.0	0.1	0.9	0.0	0.7

SADO, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	27.4	26.1	30.1	28.1	29.1	27.5	27.2	30.2	29.5	30.2	29.3	29.5	10	-47602
	15 LST	26.8	25.3	29.2	28.1	29.7	28.2	28.3	30.7	29.7	30.6	29.3	29.5	10	-47602
	21 LST	26.9	25.8	30.0	28.9	29.9	28.1	29.0	30.6	29.8	30.8	29.8	29.4	10	-47602
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	03 LST	26.7	25.1	30.3	28.9	30.4	29.1	28.6	30.7	29.9	30.9	29.7	30.0	10	-47602
	09 LST	6.8	10.6	15.2	16.4	20.5	19.7	20.1	22.2	20.4	17.9	13.8	10.6	10	-47602
	15 LST	7.4	9.8	9.1	14.3	19.9	17.4	18.8	16.6	16.8	15.4	13.1	9.7	10	-47602
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	9.2	10.5	15.5	16.5	21.1	20.3	21.0	24.3	22.5	20.2	16.0	10.7	10	-47602
	03 LST	7.7	8.8	15.0	16.7	23.0	21.4	19.7	23.5	23.7	20.3	14.6	9.7	10	-47602
	09 LST	2.3	1.7	2.3	2.5	0.6	0.3	0.2	0.6	0.9	2.1	2.4	2.0	10	-47602
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	3.0	3.1	3.4	2.7	1.6	0.7	0.6	1.1	1.6	3.0	3.0	3.2	10	-47602
	21 LST	3.6	2.8	2.7	1.8	1.2	0.3	0.1	0.9	1.0	2.1	3.6	3.7	10	-47602
	03 LST	2.5	3.4	2.5	2.1	1.1	0.4	0.1	0.5	0.9	2.8	2.9	4.5	10	-47602
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	4.1	5.9	10.1	13.9	16.0	14.3	13.0	14.3	15.0	13.2	11.4	6.6	10	-47602
	15 LST	4.4	6.9	8.1	12.1	13.6	14.5	14.7	14.1	13.1	13.4	9.2	6.8	10	-47602
	21 LST	4.7	5.9	9.3	13.0	13.6	13.4	14.8	16.2	15.5	14.6	12.2	7.0	10	-47602
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	4.0	4.6	8.5	11.8	14.3	14.4	12.8	14.4	15.5	14.9	11.5	6.3	10	-47602
	09 LST	1.1	2.6	5.9	9.9	8.8	5.0	5.3	8.6	7.1	8.6	5.4	2.9	10	-47602
	15 LST	1.3	3.2	4.3	8.2	8.9	6.9	7.2	9.4	6.8	7.8	6.6	2.4	10	-47602
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	2.7	3.4	8.7	11.8	11.0	7.9	9.1	13.0	11.8	10.2	9.4	4.1	10	-47602
	03 LST	2.7	3.6	6.9	12.3	11.1	8.2	7.9	12.7	9.8	11.1	9.0	4.5	10	-47602
	09 LST	17.5	18.6	23.7	24.9	26.3	23.3	20.8	26.1	25.5	26.8	23.9	21.2	10	-47602
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	17.7	19.0	22.3	25.6	27.0	24.6	23.5	26.8	26.4	26.3	23.9	20.0	10	-47602
	21 LST	18.1	17.9	24.1	25.0	27.3	23.0	21.8	27.2	26.6	26.9	23.7	19.7	10	-47602
	03 LST	17.8	17.9	24.1	24.8	27.9	23.3	21.8	26.2	26.1	27.4	23.6	21.5	10	-47602
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	09 LST	6.6	9.2	16.0	21.5	22.2	19.7	17.6	22.8	21.3	21.7	15.5	8.9	10	-47602
	15 LST	7.5	10.6	15.6	21.0	23.8	22.6	20.1	23.5	22.1	21.1	15.3	9.4	10	-47602
	21 LST	7.5	8.7	15.8	20.1	21.4	18.3	17.1	22.9	20.5	20.6	16.3	8.6	10	-47602
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	7.6	9.4	15.6	20.2	22.3	17.4	16.7	22.6	20.7	21.6	15.6	10.6	10	-47602
	09 LST	6.6	9.1	16.0	21.2	22.0	19.6	17.6	22.7	21.3	21.7	15.5	8.9	10	-47602
	15 LST	7.4	10.5	15.4	20.9	23.7	22.4	20.1	23.4	22.0	21.1	15.3	9.3	10	-47602
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	21 LST	7.3	8.6	15.7	20.1	21.3	17.9	17.1	22.8	20.5	20.5	16.3	8.6	10	-47602
	03 LST	7.4	9.3	15.5	20.0	22.2	17.3	16.6	22.6	20.5	21.6	15.6	10.6	10	-47602

KOMATSU AB, JAPAN

STA NO. 47704 (IN AREA NUMBER 03) LATITUDE 3623N LONGITUDE 13625E ELEVATION(FT) 00031

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
ABS MAX TMP (F)	70	73	77	86	89	92	96	98	101	89	82	74	101	44	-47605
MEAN MAX TMP (F)	43	44	50	61	69	76	83	87	79	69	59	48	64	30	-47605
MEAN MIN TMP (F)	31	31	34	43	51	60	68	70	64	53	43	35	49	30	-47605
ABS MIN TMP (F)	14	16	21	29	35	44	52	58	46	36	31	21	14	44	-47605
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.3	7.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN DEW PT TMP (F)	33	33	36	43	52	61	69	71	65	55	46	38	50	0	-50
MEAN REL HUM (PCT)	79	77	73	73	75	79	82	79	81	79	77	78	78	30	-47605
MEAN PRESS ALT (FT)	-119	-101	-86	-37	44	122	124	120	24	-88	-141	-133	-22	0	-50
MEAN PRECIP (IN)	10.36	7.60	6.68	6.13	5.62	7.31	8.47	6.31	10.56	8.47	10.87	13.45	101.8	30	-47605
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN NO DYS PHCP = OR GTR 0.1 IN	15.8	13.0	9.1	8.7	8.3	9.3	10.1	8.5	13.1	11.1	13.4	18.0	138.4	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS TSTMS	2.0	1.0	2.0	1.0	1.0	2.0	5.0	5.0	3.0	3.0	3.0	1.0	29.0	10	-47605
P FREQ WND SPD = OR GTR 17 KTS	2.8	1.6	1.1	1.1	0.7	0.2	0.2	0.2	0.4	0.2	0.5	1.3	0.9	12	-47605
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	12	-47605
P FREQ LES 5000 FT A/O LES 5 MI															
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	16.0	11.2	4.6	6.6	3.6	6.1	4.5	1.9	2.6	1.5	1.2	3.1	5.2	12	-47605
03-05 LST	19.2	11.6	4.3	7.2	4.7	7.6	5.2	2.6	1.9	2.2	1.6	4.2	6.0	12	-47605
06-08 LST	15.3	11.1	3.9	8.5	6.2	9.0	7.3	3.4	2.3	1.7	1.3	3.9	6.2	12	-47605
09-11 LST	17.6	9.9	5.8	7.8	8.0	7.1	7.9	3.5	3.2	2.0	2.6	6.3	6.8	12	-47605
12-14 LST	18.9	7.1	3.8	4.9	4.4	6.8	6.5	3.0	2.5	2.2	2.7	4.8	5.6	12	-47605
15-17 LST	16.2	9.5	3.4	7.1	3.5	6.6	3.9	1.5	2.6	3.9	2.1	4.9	5.4	12	-47605
18-20 LST	15.8	9.9	4.8	8.2	5.6	7.3	4.4	3.1	3.5	3.0	2.0	4.6	6.0	12	-47605
21-23 LST	16.0	13.0	3.6	7.5	5.8	6.6	5.2	2.1	3.0	1.9	2.0	4.2	5.9	12	-47605
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	7.6	4.2	1.1	2.2	0.5	0.8	0.3	0.0	0.3	0.3	0.0	0.8	1.5	12	-47605
03-05 LST	10.1	4.5	0.8	1.7	0.8	0.8	0.5	0.3	0.0	0.0	0.0	0.8	1.7	12	-47605
06-08 LST	6.8	5.4	0.8	1.7	0.6	1.4	1.1	0.6	0.0	0.0	0.0	0.5	1.6	12	-47605
09-11 LST	8.7	3.6	2.0	2.1	0.6	0.0	1.1	0.3	0.0	0.0	0.0	0.8	1.6	12	-47605
12-14 LST	8.8	3.3	0.6	0.6	0.6	0.3	0.3	0.0	0.0	0.3	0.0	1.1	1.3	12	-47605
15-17 LST	5.9	4.5	0.6	1.2	0.9	1.2	0.6	0.0	0.6	0.3	0.0	0.3	1.3	12	-47605
18-20 LST	7.6	2.4	0.6	2.0	0.3	1.1	0.5	0.6	0.0	0.0	0.0	0.8	1.3	12	-47605
21-23 LST	8.3	3.9	0.8	2.8	0.8	0.6	0.6	0.3	0.3	0.3	0.3	0.5	1.6	12	-47605

KOMATSU AB, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	25.9	25.3	29.6	28.1	28.9	29.0	30.2	29.2	30.5	29.6	29.4	344.0	12	-47605
	15 LST	26.6	25.4	30.2	28.1	30.1	30.5	30.7	29.6	30.1	29.7	29.9	349.6	12	-47605
	21 LST	26.4	24.5	30.1	28.0	29.5	29.9	30.5	29.3	30.5	29.6	29.9	346.8	12	-47605
	03 LST	25.4	25.0	29.7	28.1	29.8	30.0	30.3	29.7	30.6	29.7	29.8	346.3	12	-47605
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	09 LST	19.4	20.2	22.9	21.6	24.3	25.6	28.0	26.2	28.1	24.8	23.6	292.2	12	-47605
	15 LST	18.7	18.3	18.4	18.5	21.9	22.8	26.3	23.1	23.7	23.4	21.7	262.5	12	-47605
	21 LST	20.1	20.2	26.4	25.0	26.9	27.1	29.5	28.4	28.8	27.2	24.3	312.9	12	-47605
	03 LST	19.1	20.5	25.9	25.9	28.3	27.3	28.9	29.7	28.9	29.4	27.1	315.7	12	-47605
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST	0.9	0.6	1.1	1.0	0.8	0.1	0.0	0.1	0.0	0.3	0.8	5.8	12	-47605
	15 LST	0.8	1.1	1.8	2.5	1.2	0.5	0.3	0.8	0.6	0.5	0.8	11.2	12	-47605
	21 LST	0.6	0.4	0.7	0.3	0.2	0.2	0.1	0.3	0.0	0.3	0.5	3.6	12	-47605
	03 LST	1.1	0.4	0.8	0.5	0.2	0.1	0.0	0.3	0.1	0.3	0.9	4.7	12	-47605
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST	7.0	7.7	10.5	10.6	13.5	13.9	13.0	10.6	11.9	9.8	9.3	130.3	12	-47605
	15 LST	9.2	9.9	13.0	15.4	17.1	16.3	15.1	14.9	16.0	16.5	15.5	169.6	12	-47605
	21 LST	7.0	9.5	13.4	13.7	13.7	11.3	11.8	14.9	15.3	14.4	12.1	148.7	12	-47605
	03 LST	6.0	7.1	11.2	14.1	14.7	12.2	10.0	12.3	13.6	14.4	14.2	142.0	12	-47605
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	2.0	3.3	6.3	8.6	7.7	4.0	5.6	6.2	8.4	9.1	4.9	74.1	12	-47605
	15 LST	1.6	3.1	5.1	7.5	6.4	4.1	5.2	5.5	7.5	6.9	3.0	62.7	12	-47605
	21 LST	3.0	4.5	9.3	10.2	10.1	6.2	8.4	12.3	8.3	9.3	11.1	98.2	12	-47605
	03 LST	4.1	4.1	7.8	11.0	10.4	6.8	9.8	13.0	9.6	10.6	10.0	103.9	12	-47605
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST	17.3	19.7	23.7	24.8	25.9	24.2	24.6	26.5	25.7	23.1	23.9	280.8	12	-47605
	15 LST	17.4	19.0	24.0	25.2	27.2	24.1	24.8	26.1	25.4	25.6	23.8	284.1	12	-47605
	21 LST	18.7	17.8	24.3	24.4	26.0	24.3	24.7	27.1	25.5	25.9	24.3	283.6	12	-47605
	03 LST	19.1	17.6	23.9	24.8	26.7	23.8	24.4	26.5	25.9	25.9	23.5	283.2	12	-47605
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST	7.5	12.0	17.1	21.4	22.0	19.1	19.7	21.6	20.8	17.3	11.5	207.0	12	-47605
	15 LST	7.8	10.8	16.1	21.7	22.8	19.0	19.2	20.8	20.2	20.0	16.5	206.6	12	-47605
	21 LST	8.3	9.5	16.4	19.9	24.2	18.7	18.8	21.7	20.0	19.2	17.3	203.9	12	-47605
	03 LST	14.8	9.1	15.6	19.7	21.4	17.9	17.9	21.3	20.2	19.9	16.1	204.5	12	-47605
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	6.3	11.5	16.8	20.8	21.2	18.5	12.1	20.5	19.9	17.0	16.3	192.4	12	-47605
	15 LST	6.9	9.5	15.7	21.7	21.9	18.3	19.0	20.2	19.7	19.3	15.9	199.2	12	-47605
	21 LST	8.3	8.7	15.6	19.4	23.7	17.4	18.2	21.1	18.7	18.1	16.9	195.5	12	-47605
	03 LST	14.3	8.9	14.9	17.9	20.6	17.2	17.6	20.8	19.0	19.1	15.9	196.2	12	-47605

TOYAMA, JAPAN

STA NO. 47707 (IN AREA NUMBER 03)

LATITUDE 3638N LONGITUDE 13711E ELEVATION(FT) 00080

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	42	43	50	62	70	76	83	87	79	69	59	48	64	20	-100
MEAN MAX TMP (F)	30	30	35	43	53	63	71	72	64	53	44	36	50	20	-100
MEAN MIN TMP (F)							0.3	7.0						0	0
ABS MIN TMP (F)														20	-29
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)	31	30	35	43	53	63	71	73	65	55	45	36	50	20	-29
MEAN REL HUM (PCT)	83	80	77	72	76	82	83	82	82	81	79	82	80	20	-100
MEAN PRESS ALT (FT)	-77	-36	-22	32	87	183	169	183	100	-36	-77	-77	36	0	-50
MEAN PRECIP (IN)	11.25	7.07	6.19	5.29	5.41	6.36	8.94	6.60	10.05	7.15	7.09	11.94	93.3	20	-100
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	16.5	12.4	8.7	8.0	8.1	8.5	10.4	8.7	12.7	9.7	9.6	17.0	130.3	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUK VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.6	0.2	0.7	1.4	1.3	2.0	2.9	1.1	1.1	1.3	0.8	0.8	18.2	20	-100
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

TOYAMA, JAPAN
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0

DATA NOT AVAILABLE

AREA NO. 03

JAPAN NORTHWEST COAST LATITUDE 3800N LONGITUDE 13920E
 BOUNDARIES 4055N 14020E 4000N 14030E 3800N 13940E 3800N 13940E 3540N 13600E

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	40	41	47	59	67	75	82	86	78	67	57	46	42	
MEAN MIN TMP (F)	29	29	33	42	51	60	68	71	63	52	42	34	48	
LARGEST MEAN PRECIP(IN)	11.25	7.60	6.68	6.13	5.62	7.31	8.94	7.40	10.56	8.47	10.87	13.45	104.3	
SMALLEST MEAN PRECIP(IN)	5.18	4.10	4.10	4.10	3.60	3.99	5.97	3.73	6.69	6.13	6.48	6.82	60.9	
MEAN NUMBER OF DAYS														
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	25.9	23.7	29.3	28.1	29.3	28.3	27.5	29.6	29.2	30.3	29.1	28.3	338.6
	15 LST	26.6	24.5	29.3	28.4	29.6	28.4	28.9	30.5	29.1	30.1	29.4	28.0	342.8
	21 LST	26.5	23.9	29.3	28.3	29.5	28.3	29.0	30.4	29.4	30.5	29.5	28.7	343.3
	03 LST	27.9	24.5	29.4	28.5	30.0	28.6	28.4	30.0	29.3	30.6	29.3	29.3	343.8
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	09 LST	12.1	13.2	17.3	17.2	20.2	20.8	21.9	22.8	22.1	22.1	18.5	14.8	223.0
	15 LST	12.5	12.2	12.8	14.2	17.7	18.1	20.5	20.3	19.4	19.3	17.8	14.1	198.9
	21 LST	13.9	13.9	19.7	20.5	23.9	23.2	24.6	26.2	25.0	24.3	20.8	15.6	251.6
	03 LST	13.4	14.0	19.1	20.9	24.9	23.4	24.0	26.1	25.3	24.6	20.3	15.6	251.6
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST	2.4	2.0	1.9	2.4	1.4	0.7	0.5	0.9	0.6	1.2	1.4	2.2	17.6
	15 LST	2.7	2.8	2.8	3.1	1.9	0.8	0.6	0.9	1.1	1.6	1.9	2.7	22.9
	21 LST	2.6	1.9	1.7	1.3	0.7	0.4	0.1	0.4	0.7	1.0	1.8	3.1	15.7
	03 LST	2.7	2.3	2.0	1.4	0.8	0.3	0.0	0.3	0.5	1.3	1.7	3.1	16.4
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST	5.7	6.5	11.1	13.0	15.5	15.1	15.2	15.1	14.1	13.6	12.1	9.3	146.3
	15 LST	8.2	8.9	11.6	14.0	15.5	16.6	17.4	16.7	16.3	16.7	12.5	10.0	164.4
	21 LST	6.3	7.5	11.2	13.5	13.7	12.7	12.4	13.3	13.9	14.1	13.1	9.4	141.1
	03 LST	5.2	5.3	10.0	12.8	14.3	12.7	12.1	13.2	14.6	13.3	12.1	9.1	134.7
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	1.3	2.0	4.4	7.4	7.0	4.0	5.1	6.7	5.4	7.4	5.9	3.3	59.9
	15 LST	1.0	2.0	3.4	6.9	6.9	4.9	6.0	7.1	5.5	7.0	5.5	2.1	58.3
	21 LST	2.2	3.0	6.7	9.6	9.2	6.3	8.0	11.1	8.6	9.2	8.4	4.2	86.5
	03 LST	2.6	2.9	5.9	10.3	9.9	6.4	8.0	11.2	8.5	9.3	7.8	4.5	87.8
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST	17.9	18.3	24.4	25.7	26.3	24.2	23.2	26.0	26.3	26.8	24.3	21.1	284.5
	15 LST	18.8	19.1	24.0	26.1	27.2	24.9	25.0	27.2	26.5	26.9	24.5	20.5	290.7
	21 LST	19.3	18.6	24.7	25.3	26.8	24.4	24.3	27.3	26.6	27.5	24.9	20.9	290.6
	03 LST	19.2	18.7	24.4	25.6	27.2	24.0	23.6	26.5	26.5	27.8	24.7	22.2	290.4
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST	8.2	10.4	16.0	21.1	22.2	19.3	18.6	21.6	21.8	20.8	16.4	10.8	207.2
	15 LST	8.7	11.0	15.5	21.9	23.5	21.0	21.0	23.1	22.2	21.2	16.1	10.5	215.7
	21 LST	8.1	9.4	15.6	20.2	22.5	18.6	19.0	22.6	21.4	20.6	16.2	10.1	204.3
	03 LST	9.2	8.7	14.6	19.7	22.0	18.1	17.6	21.9	20.7	20.5	16.0	10.7	199.7
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	7.3	9.4	14.7	19.7	20.8	17.9	15.5	20.1	20.2	19.6	15.0	10.3	190.5
	15 LST	8.0	9.8	14.6	20.8	22.3	19.7	20.1	22.0	21.1	19.7	15.0	9.7	202.8
	21 LST	7.4	8.4	14.4	19.3	21.3	17.3	17.7	21.5	19.9	18.9	15.3	9.3	190.7
	03 LST	8.6	8.1	13.6	18.7	20.7	16.6	16.5	20.9	19.1	19.1	15.3	9.8	187.0

AOMORI, JAPAN

STA NO. 47542 (IN AREA NUMBER 04) LATITUDE 40°44'N LONGITUDE 140°22'E ELEVATION(FT) 00650

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	56	52	68	78	85	87	93	97	97	80	76	70	97	55	-98
MEAN MAX TMP (F)	33	35	40	54	63	69	77	81	74	64	51	38	57	55	-98
MEAN MIN TMP (F)	20	20	26	36	45	55	64	66	58	45	36	26	41	55	-98
ABS MIN TMP (F)	-10	-12	-1	10	30	40	46	48	40	28	15	-5	-12	55	-98
MEAN NO DYS TMP ≥ OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	55	-29
MEAN NO DYS TMP ≥ OR LES 32(F)					0.0	0.0	0.0	0.0	0.0	0.0				55	-29
MEAN NO DYS TMP ≥ OR LES 0(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			55	-29
MEAN DEW PT TMP (F)	21	21	25	35	45	55	65	67	59	47	36	26	42	55	-29
MEAN REL HUM (PCT)	81	79	75	72	74	80	83	82	80	77	76	79	78	55	-98
MEAN PRESS ALT (FT)	577	597	583	613	693	757	753	733	650	553	537	598	637	0	-50
MEAN PRECIP (IN)	5.71	4.29	3.28	2.65	2.87	3.15	5.34	4.66	5.48	4.54	5.62	6.38	54.0	55	-98
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					55	-29
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	10.6	8.5	5.8	4.9	5.3	5.2	7.6	6.9	7.7	6.6	7.9	11.5	88.5	55	-29
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					55	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.3	1.0	1.0	1.0	4.0	2.0	1.0	1.0	0.3	11.6	10	-24
P FREQ WND SPD ≥ OR GTR 17 KTS														0	0
P FREQ WND SPD ≥ OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
16-20 LST														0	0
21-23 LST														0	0

AOMORI, JAPAN
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 09 LST	09 LST													0	0
3 MI W/SFC WND LES 10 KTS	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SFC WND 4--10 KTS AND TMP 33--89 DEG F AND NO PRECIP.	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0

DATA NOT AVAILABLE

HANAMIKI, JAPAN

STA NO. 47549 (IN AREA NUMBER 04)

LATITUDE 3925N LONGITUDE 14108E ELEVATION(FT) 00299

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	47	50	59	79	83	92	99	97	89	76	66	60	99	6	-47584
MEAN MAX TMP (F)	35	36	43	56	67	73	80	83	74	64	52	39	59	30	-47584
MEAN MIN TMP (F)	19	20	26	36	45	55	64	67	57	44	35	25	41	30	-47584
ABS MIN TMP (F)	0	2	8	18	29	38	46	51	39	25	20	6	0	6	-47584
MEAN NO DYS TMP ≥ OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0	30	-29
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN DEW PT TMP (F)	19	19	24	34	45	56	66	69	59	47	36	24	42	30	-29
MEAN REL HUM (PCT)	74	72	70	67	70	78	83	83	82	79	76	75	76	30	-47584
MEAN PRESS ALT (FT)	234	239	249	264	284	209	239	209	299	187	184	209	234	0	-50
MEAN PRECIP (IN)	2.33	2.24	3.13	3.96	3.64	4.46	6.64	6.07	7.09	4.35	3.36	2.95	50.2	30	-47584
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	5.1	5.0	5.6	6.7	6.3	6.7	8.8	8.3	9.6	6.4	5.2	6.3	80.0	30	-29
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.1	0.5	1.1	1.8	2.1	3.1	1.6	0.7	0.5	0.1	11.6	6	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.1	0.5	1.1	1.8	2.1	3.1	1.6	0.7	0.5	0.1	11.6	0	0
MEAN NO DYS TSTMS	0.0	0.0	0.1	0.5	1.1	1.8	2.1	3.1	1.6	0.7	0.5	0.1	11.6	0	0
P FREQ WND SPD ≥ OR GTR 17 KTS														0	0
P FREQ WND SPD ≥ OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 M ²														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

HANAMIKI, JAPAN
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0

DATA NOT AVAILABLE

KASUMINONE, JAPAN

STA NO. 47567 (IN AREA NUMBER 04)

LATITUDE 3813N LONGITUDE 14055E ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	64	69	75	82	92	89	98	98	94	82	76	71	98	14	-47569
MEAN MAX TMP (F)	39	41	47	57	66	71	79	82	76	67	57	45	61	14	-47569
MEAN MIN TMP (F)	24	25	30	38	42	57	67	69	61	43	38	30	44	14	-47569
ABS MIN TMP (F)	11	11	16	23	31	42	53	55	42	34	24	13	11	14	-47569
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.0	2.3	4.9	0.7	0.0	0.0	0.0	8.0	10	-47569
MEAN NO DYS TMP = OR LES 32(F)	27.5	23.1	15.7	3.4	0.0	0.0	0.0	0.0	0.0	0.0	4.0	16.3	90.0	10	-47569
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-47569
MEAN DEW PT TMP (F)	24	25	29	38	49	58	67	69	62	50	38	30	45	10	-47569
MEAN REL HUM (PCT)	73	70	68	70	75	83	87	86	84	79	75	74	77	14	-47569
MEAN PRESS ALT (FT)	-73	-61	-68	-47	28	97	88	88	7	-88	-121	-92	-19	0	-50
MEAN PRECIP (IN)	1.48	1.81	2.42	4.56	3.81	4.84	5.37	5.01	6.15	4.91	2.56	1.58	44.5	14	-47569
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				14	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.5	4.1	4.6	7.3	6.5	7.1	7.6	7.3	8.5	7.1	4.2	3.7	71.5	14	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				14	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	4.8	3.1	1.7	2.8	3.3	4.4	8.5	4.3	2.1	2.1	2.6	5.9	45.6	10	-47569
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.3	0.5	1.5	2.7	3.5	1.0	0.1	0.2	0.1	9.9	10	-47569
P FREQ WND SPD = OR GTR 17 KTS	3.7	3.8	4.5	5.4	2.2	0.5	0.1	0.6	1.3	1.1	1.4	2.3	2.2	10	-47569
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.1	0.2	0.3	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.1	10	-47569
P FREQ LES 5000 FT A/O LES 5 MI	29.4	24.1	26.0	21.3	25.9	46.3	51.3	41.6	37.2	26.7	20.3	25.5	31.3	10	-47569
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	8.1	7.8	9.6	8.5	12.8	28.6	39.1	24.3	16.3	9.1	2.7	4.4	14.3	10	-47569
03-05 LST	7.6	7.3	6.4	7.1	11.2	28.4	44.0	25.4	16.0	7.4	2.2	2.4	13.8	10	-47569
06-08 LST	15.1	11.0	12.1	11.3	14.6	28.4	44.0	27.6	19.7	9.1	8.2	8.2	17.4	10	-47569
09-11 LST	14.7	9.7	9.6	10.0	11.4	20.2	33.6	17.2	16.3	9.0	7.3	9.2	14.0	10	-47569
12-14 LST	7.6	5.0	8.1	7.8	9.6	16.4	24.4	13.4	14.3	7.0	3.6	4.6	10.2	10	-47569
15-17 LST	9.5	4.3	8.5	8.2	10.5	17.2	22.8	11.3	13.6	9.2	4.9	8.7	10.7	10	-47569
18-20 LST	16.0	14.8	16.1	15.3	18.9	27.5	33.6	23.8	24.8	17.3	10.9	20.0	19.9	10	-47569
21-23 LST	10.9	10.6	12.1	13.3	17.8	29.1	37.3	27.1	21.0	13.1	5.6	9.8	17.3	10	-47569
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	1.3	2.4	1.4	1.1	1.8	3.1	6.5	3.3	0.7	0.3	0.0	0.1	1.8	10	-47569
03-05 LST	0.8	1.2	0.8	1.5	1.4	3.7	10.1	4.4	1.0	0.2	0.0	0.3	2.1	10	-47569
06-08 LST	4.0	2.9	2.7	2.6	2.5	3.6	12.2	6.1	3.3	1.6	1.0	2.9	3.8	10	-47569
09-11 LST	4.1	2.9	1.9	1.1	1.0	1.1	3.4	2.4	1.4	0.9	0.4	2.6	1.9	10	-47569
12-14 LST	2.7	1.1	1.4	0.9	0.5	0.7	1.1	0.3	0.6	0.5	0.0	0.9	0.9	10	-47569
15-17 LST	3.6	2.3	1.8	1.1	1.1	1.7	1.6	0.9	1.4	1.7	0.5	2.8	1.7	10	-47569
18-20 LST	4.8	3.9	2.5	5.1	4.9	6.0	5.9	3.6	3.9	2.9	1.7	6.2	4.3	10	-47569
21-23 LST	2.5	2.4	1.2	2.3	2.3	3.3	4.7	2.9	0.8	0.5	0.2	1.4	2.0	10	-47569

KASUMINONE, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	19.8	20.6	25.8	25.2	26.4	24.8	20.8	25.5	25.0	28.3	23.7	21.8	287.7	10 -47569
	15 LST	28.6	26.7	28.5	28.1	28.5	26.7	26.3	29.0	27.6	28.7	28.7	28.4	335.8	10 -47569
	21 LST	20.8	18.9	22.0	19.6	20.4	20.3	16.4	21.2	20.1	24.3	24.2	20.8	249.0	10 -47569
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	28.4	26.1	29.1	27.3	27.2	22.7	17.7	23.9	25.7	29.3	29.7	29.9	317.0	10 -47569
	09 LST	14.7	15.6	17.7	17.9	21.0	19.0	15.7	20.9	20.1	22.7	19.5	17.3	222.3	10 -47569
	15 LST	16.2	12.7	13.8	12.5	17.4	17.9	19.0	21.8	19.7	21.1	20.4	18.8	211.3	10 -47569
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	17.0	16.0	18.2	16.3	17.6	16.4	13.5	17.6	17.0	21.8	21.7	17.7	211.0	10 -47569
	03 LST	25.9	23.2	26.1	24.1	24.2	18.6	13.7	19.8	21.7	26.2	27.5	27.2	278.2	10 -47569
	09 LST	0.2	0.4	0.8	1.2	0.7	0.1	0.0	0.2	0.3	0.6	0.2	0.2	4.9	10 -47569
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	0.5	1.5	1.3	2.9	0.8	0.8	0.0	0.2	0.7	0.4	0.6	0.5	10.2	10 -47569
	21 LST	0.3	0.5	0.5	0.7	0.2	0.0	0.0	0.1	0.1	0.0	0.1	0.3	2.8	10 -47569
	03 LST	0.4	0.1	0.1	0.5	0.3	0.0	0.0	0.0	0.0	0.0	0.2	0.1	1.7	10 -47569
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	6.0	8.1	9.7	13.0	15.7	14.6	10.4	10.7	11.0	12.2	11.3	10.4	133.1	10 -47569
	15 LST	9.8	9.3	12.6	13.1	16.2	17.7	19.7	19.1	16.6	17.1	14.6	10.8	176.6	10 -47569
	21 LST	5.3	5.0	8.0	7.7	7.5	7.5	3.3	4.9	6.2	9.0	11.0	8.1	83.5	10 -47569
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	3.0	2.5	6.5	10.7	9.1	4.8	2.1	3.9	6.4	13.0	13.3	7.8	83.1	10 -47569
	09 LST	8.1	7.5	8.5	8.7	7.8	3.2	3.3	5.5	5.0	8.5	9.3	7.2	82.6	10 -47569
	15 LST	7.2	6.5	6.7	9.1	7.2	3.5	4.8	5.4	4.4	7.0	8.7	9.4	79.9	10 -47569
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	9.2	10.1	10.2	9.7	6.9	4.5	5.0	6.1	4.6	8.4	11.7	9.7	96.1	10 -47569
	03 LST	15.1	12.7	13.5	13.5	10.5	5.6	4.2	8.4	7.6	11.0	14.6	15.3	132.0	10 -47569
	09 LST	19.1	19.7	24.8	24.2	24.4	19.4	14.8	21.2	20.8	25.9	23.3	20.8	258.4	10 -47569
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	27.3	25.8	26.9	26.9	26.0	22.4	21.0	24.6	24.0	26.9	27.8	27.0	306.6	10 -47569
	21 LST	19.7	18.4	20.7	18.7	18.5	14.7	12.4	16.5	15.9	21.1	22.5	19.5	218.6	10 -47569
	03 LST	27.4	24.7	27.4	25.6	24.7	17.0	12.2	18.4	20.4	26.2	28.4	28.7	281.1	10 -47569

SENDAI, JAPAN

LATITUDE 3808N
LONGITUDE 14055E
ELEVATION(FT) 00006

STA NO. 47569 (IN AREA NUMBER 04)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	64	69	75	82	92	89	98	98	94	82	76	71	98	14	-598
MEAN MAX TMP (F)	39	41	47	57	66	71	79	82	76	67	57	45	61	14	-98
MEAN MIN TMP (F)	24	25	30	38	48	57	67	69	61	43	38	30	44	14	-98
ABS MIN TMP (F)	11	11	16	23	31	42	53	55	42	34	24	13	11	14	-598
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.0	2.3	4.9	0.7	0.0	0.0	0.0	8.0	10	3651
MEAN NO DYS TMP = OR LES 32(F)	27.5	23.1	15.7	3.4	0.0	0.0	0.0	0.0	0.0	0.0	4.0	16.3	90.0	10	3651
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3651
MEAN DEW PT TMP (F)	24	25	29	38	49	58	67	69	62	50	38	30	45	10	87565
MEAN REL HUM (PCT)	73	70	68	70	75	83	87	86	84	79	75	74	77	14	-98
MEAN PRESS ALT (FT)	-72	-60	-67	-47	28	96	88	87	7	-88	-120	-91	-19	0	-50
MEAN PRECIP (IN)	1.48	1.81	2.42	4.56	3.81	4.84	5.37	5.01	6.15	4.91	2.56	1.58	44.5	14	-98
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				14	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.5	4.1	4.6	7.3	6.5	7.1	7.6	7.3	8.5	7.1	4.2	3.7	71.5	14	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					14	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	4.8	3.1	1.7	2.8	3.3	4.4	8.5	4.3	2.1	2.1	2.6	5.9	45.6	10	3652
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.3	0.5	1.5	2.7	3.5	1.0	0.1	0.2	0.1	9.9	10	3652
P FREQ WND SPD = OR GTR 17 KTS	3.7	3.8	4.5	5.4	2.2	0.5	0.1	0.6	1.3	1.1	1.4	2.3	2.2	10	87587
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.1	0.2	0.3	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.1	10	87587
P FREQ LES 5000 FT A/O LES 5 MI	29.4	24.1	26.0	21.3	25.9	46.3	51.3	41.6	37.2	26.7	20.3	25.5	31.3	10	86663
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	8.1	7.8	9.6	8.5	12.8	28.6	39.1	24.3	16.3	9.1	2.7	4.4	14.3	10	10780
03-05 LST	7.6	7.3	6.4	7.1	11.2	28.4	44.0	25.4	16.0	7.4	2.2	2.4	13.8	10	10753
06-08 LST	15.1	11.0	12.1	11.3	14.6	28.4	44.0	27.6	19.7	9.1	8.2	8.2	17.4	10	12283
09-11 LST	14.7	9.7	9.6	10.0	11.4	20.2	33.6	17.2	16.3	9.0	7.3	9.2	14.0	10	12600
12-14 LST	7.6	5.0	8.1	7.8	9.6	16.4	24.4	13.4	14.3	7.0	3.6	4.6	10.2	10	12613
15-17 LST	9.5	4.3	8.5	8.2	10.5	17.2	22.8	11.3	13.6	9.2	4.9	8.7	10.7	10	12470
18-20 LST	16.0	14.8	16.1	15.3	18.9	27.5	33.6	23.8	24.8	17.3	10.9	20.0	19.9	10	10890
21-23 LST	10.9	10.6	12.1	13.3	17.8	29.1	37.3	27.1	21.0	13.1	5.6	9.8	17.3	10	10859
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	1.3	2.4	1.4	1.1	1.6	3.1	6.5	3.3	0.7	0.3	0.0	0.1	1.8	10	10780
03-05 LST	0.8	1.2	0.8	1.5	1.4	3.7	10.1	4.4	1.0	0.2	0.0	0.3	2.1	10	10753
06-08 LST	4.0	2.9	2.7	2.6	2.5	3.6	12.2	6.1	3.3	1.6	1.0	2.9	3.8	10	12283
09-11 LST	4.1	2.9	1.9	1.1	1.0	1.1	3.4	2.4	1.4	0.9	0.4	2.6	1.9	10	12600
12-14 LST	2.7	1.1	1.4	0.9	0.5	0.7	1.1	0.3	0.6	0.5	0.0	0.9	0.9	10	12613
15-17 LST	3.6	2.3	1.8	1.1	1.1	1.7	1.6	0.9	1.4	1.7	0.5	2.8	1.7	10	12470
18-20 LST	4.8	3.9	2.5	5.1	4.9	6.0	5.9	3.6	3.9	2.9	1.7	6.2	4.3	10	10890
21-23 LST	2.5	2.4	1.2	2.3	2.3	3.3	4.7	2.9	0.8	0.5	0.2	1.4	2.0	10	10859

SENDAI, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	19.8	20.6	25.8	25.2	26.4	24.8	20.8	25.5	25.0	23.7	21.8	287.7	10	4210
	15 LST	28.6	26.7	28.5	28.1	28.5	26.3	29.0	27.6	28.7	28.7	28.4	335.8	10	4211
	21 LST	20.8	18.9	22.0	19.6	20.4	20.3	16.4	21.2	20.1	24.3	24.2	249.0	10	3651
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	03 LST	28.4	26.1	29.1	27.3	27.2	22.7	23.9	25.7	29.3	29.7	29.9	317.0	10	3642
	09 LST	14.7	15.8	17.7	17.9	21.0	19.0	20.9	20.1	22.7	19.5	17.3	222.3	10	4210
	15 LST	16.2	12.7	13.8	12.5	17.4	17.9	19.0	21.8	19.7	21.1	20.4	211.3	10	4211
CIG = GTR 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	17.0	16.0	18.2	16.3	17.8	16.4	13.5	17.6	17.0	21.8	21.7	211.0	10	3651
	03 LST	25.9	23.2	26.1	24.1	24.2	18.6	13.7	19.8	21.7	26.2	27.5	278.2	10	3642
	09 LST	0.2	0.4	0.8	1.2	0.7	0.1	0.0	0.2	0.3	0.6	0.2	4.9	10	4169
SFC WND = GTR 17 KTS AND NO PRECIP.	15 LST	0.5	1.5	1.3	2.9	0.8	0.8	0.0	0.2	0.7	0.4	0.6	10.2	10	4177
	21 LST	0.3	0.5	0.5	0.7	0.2	0.0	0.0	0.1	0.1	0.0	0.1	2.8	10	3653
	03 LST	0.4	0.1	0.1	0.5	0.3	0.0	0.0	0.0	0.0	0.0	0.2	1.7	10	3653
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST	6.0	8.1	9.7	13.0	15.7	14.6	10.4	10.7	11.0	12.2	11.3	133.1	10	4169
	15 LST	9.8	9.3	12.6	13.1	16.2	17.7	19.7	19.1	16.6	17.1	14.6	176.6	10	4177
	21 LST	5.3	5.0	8.0	7.7	7.5	7.5	3.3	4.9	6.2	9.0	11.0	83.5	10	3653
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	3.0	2.5	6.5	10.7	9.1	4.8	2.1	3.9	6.4	13.0	13.3	83.1	10	3653
	09 LST	8.1	7.5	8.5	8.7	7.8	3.2	3.3	5.5	5.0	8.5	9.3	82.6	10	4211
	15 LST	7.2	6.5	6.7	9.1	7.2	3.5	4.8	5.4	4.4	7.0	8.7	79.9	10	4211
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	9.2	10.1	10.2	9.7	6.9	4.5	5.0	6.1	4.6	8.4	11.7	96.1	10	3653
	03 LST	15.1	12.7	13.5	13.5	10.5	5.6	4.2	8.4	7.6	11.0	14.6	132.0	10	3653
	09 LST	19.1	19.7	24.8	24.2	24.4	19.4	14.8	21.2	20.8	25.9	23.3	258.4	10	4210
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	15 LST	27.3	25.8	26.9	26.9	26.0	22.4	21.0	24.6	24.0	26.9	27.8	306.6	10	4211
	21 LST	19.7	18.4	20.7	18.7	18.5	14.7	12.4	16.5	15.9	21.1	22.5	218.6	10	3651
	03 LST	27.4	24.7	27.4	25.6	24.7	17.0	12.2	18.4	20.4	26.2	28.4	281.1	10	3642
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	09 LST	14.7	16.7	19.9	20.6	19.4	15.0	11.9	17.7	17.5	20.9	19.8	210.4	10	4210
	15 LST	19.3	18.6	20.0	22.6	21.5	18.3	18.4	21.4	20.4	21.7	21.6	244.3	10	4211
	21 LST	14.8	14.5	16.1	15.3	15.5	10.9	10.0	12.3	11.9	16.0	17.5	169.2	10	3651
CIG = GTR 8000 FT AND VSBY = GTR 3 MI	03 LST	20.8	19.2	20.9	20.3	20.8	12.1	9.6	13.9	15.2	20.5	22.6	217.1	10	3642
	09 LST	14.2	15.7	19.3	20.3	19.2	14.5	11.7	17.5	17.0	19.8	19.2	204.0	10	4210
	15 LST	18.5	17.7	19.4	22.0	20.8	17.3	18.1	20.8	20.2	21.1	21.1	236.8	10	4211
CIG = GTR 12000 FT AND VSBY = GTR 3 MI	21 LST	14.5	14.2	16.1	15.1	15.3	10.7	9.9	12.3	11.7	15.6	17.1	166.6	10	3651
	03 LST	20.5	19.0	20.5	20.0	20.5	11.8	9.3	13.7	14.8	19.8	21.9	212.7	10	3642

MISAWA AB, JAPAN

STA NO. 47580 (IN AREA NUMBER 04)

LATITUDE 4042N LONGITUDE 14122E ELEVATION(FT) 00119

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	55	58	62	76	87	92	97	97	92	80	69	62	97	12	4379
MEAN MAX TMP (F)	35	37	43	56	65	68	76	80	74	64	51	40	57	12	4379
MEAN MIN TMP (F)	23	24	29	38	47	54	62	66	59	47	36	28	43	12	4379
ABS MIN TMP (F)	10	12	16	23	31	37	47	53	45	31	20	4	4	12	4379
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	2.1	2.9	0.3	0.0	0.0	0.0	5.4	12	4379
MEAN NO DYS TMP = OR LES 32(F)	29.7	25.4	23.8	4.4	0.2	0.0	0.0	0.0	0.0	0.2	8.6	23.2	115.5	12	4379
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4379
MEAN DEN PT TMP (F)	22	23	28	36	46	55	63	67	59	48	36	27	43	12	105068
MEAN REL HUM (PCT)	78	76	73	70	73	83	85	83	81	77	75	76	78	12	105066
MEAN PRESS ALT (FT)	93	85	82	94	164	210	207	191	119	33	32	78	116	0	-50
MEAN PRECIP (IN)	4.23	3.31	3.58	2.84	3.14	4.72	4.44	3.42	5.92	4.62	3.32	3.43	47.0	12	4378
MEAN SNOW FALL (IN)	43.2	25.8	21.1	2.9	0.0	0.0	0.0	0.0	0.0	0.0	4.2	22.1	119.3	12	4378
MEAN NO DYS PKCP = OR GTR 0.1 IN	10.3	8.0	6.2	5.6	5.9	7.7	7.7	6.3	8.5	6.7	6.7	8.1	87.7	12	4378
MEAN NO DYS SNFL = OR GTR 1.5 IN	8.2	5.3	3.5	0.8	0.0	0.0	0.0	0.0	0.0	0.0	1.2	4.2	23.2	12	4378
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	8.5	5.3	4.2	2.9	5.6	9.4	12.8	9.1	2.6	0.2	1.1	4.1	65.8	12	4379
MEAN NO DYS TSTMS	0.1	0.0	0.0	0.2	0.9	1.4	1.1	1.3	0.6	0.5	0.1	0.0	6.2	12	4379
P FREQ WND SPD = OR GTR 17 KTS	6.6	6.2	5.8	8.2	5.9	2.6	1.2	1.5	2.4	2.8	4.0	5.1	4.4	12	105069
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.2	0.1	0.0	0.3	0.1	12	105069
P FREQ LES 5000 FT A/O LES 5 MI	50.5	46.6	37.2	29.8	30.2	52.8	55.7	44.0	34.3	25.5	32.0	44.4	40.3	12	105082
P FREQ LES 1500 FT A/O LES 3 MI	17.8	15.8	10.6	14.2	21.5	42.0	47.0	31.1	19.6	5.4	5.9	10.0	20.1	12	13135
FOR 00-02 LST															
03-05 LST	17.2	17.1	10.3	12.9	22.3	47.1	52.3	37.3	19.8	5.5	5.0	9.9	21.4	12	13134
06-08 LST	18.5	17.8	12.3	13.1	20.3	45.1	50.0	34.3	17.6	4.7	5.6	12.3	21.0	12	13136
09-11 LST	19.6	17.3	13.8	11.2	16.7	35.3	38.8	27.8	14.9	4.9	6.4	12.2	18.2	12	13133
12-14 LST	20.6	16.3	12.7	9.8	15.7	31.9	33.2	22.6	14.4	5.3	6.3	13.5	16.9	12	13139
15-17 LST	19.2	16.0	14.4	10.6	15.7	33.1	33.0	25.5	15.1	6.0	6.0	14.2	17.4	12	13140
18-20 LST	19.0	16.7	14.1	11.1	17.5	34.8	39.1	27.6	16.9	7.2	6.8	12.3	18.6	12	13140
21-23 LST	17.3	15.0	11.9	12.4	21.3	37.4	42.2	28.0	16.5	5.9	7.6	10.7	18.9	12	13140
P FREQ LES 300 FT A/O LES 1 MI	5.9	4.6	3.1	5.5	10.9	20.2	28.9	17.1	5.6	0.4	1.1	3.6	8.9	12	13135
FOR 00-02 LST															
03-05 LST	6.1	6.5	2.9	5.2	10.9	25.2	33.1	19.4	5.6	0.5	0.7	3.7	10.0	12	13134
06-08 LST	9.0	7.0	5.1	3.8	7.3	17.0	23.7	13.0	3.7	0.2	1.0	4.7	8.0	12	13136
09-11 LST	9.3	7.1	5.3	1.2	1.4	5.3	9.5	4.5	2.0	0.0	1.5	5.8	4.4	12	13133
12-14 LST	10.8	6.5	4.7	0.9	2.3	5.5	6.1	3.6	1.0	0.2	1.1	5.6	4.0	12	13139
15-17 LST	8.7	6.3	4.1	1.9	4.4	6.6	8.7	5.6	1.4	0.5	1.0	5.2	4.5	12	13140
18-20 LST	6.5	4.3	3.6	3.2	7.1	13.3	16.2	11.2	1.8	0.5	0.6	3.9	6.0	12	13140
21-23 LST	5.4	3.8	2.8	4.5	10.3	16.7	22.3	13.0	3.6	0.5	1.0	3.4	7.3	12	13140

MISAWA AB, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST 24.8	23.6	27.5	27.3	26.6	20.4	19.1	22.7	26.0	30.1	28.6	27.6	304.3	12	4379
	15 LST 25.0	24.3	27.8	27.2	26.8	21.9	21.9	24.5	26.6	29.6	28.8	27.3	311.7	12	4380
	21 LST 25.7	24.0	28.0	27.2	25.1	20.5	19.0	23.9	26.1	29.6	28.5	28.2	305.8	12	4380
	03 LST 26.3	23.9	28.1	26.6	24.8	17.3	16.4	20.9	24.8	30.1	28.9	28.8	296.9	12	4379
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	09 LST 18.8	16.2	16.9	13.6	16.8	13.7	14.4	16.7	19.1	22.6	20.3	18.7	207.8	12	4379
	15 LST 11.7	10.6	9.3	8.3	10.9	9.8	12.2	13.6	12.6	14.8	14.7	12.0	140.5	12	4380
	21 LST 17.8	19.2	20.6	20.3	20.9	16.6	16.6	21.0	23.1	25.2	23.7	21.1	246.1	12	4380
	03 LST 18.2	19.5	22.2	20.6	20.8	14.5	14.7	19.2	21.8	26.7	23.2	22.1	243.5	12	4379
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST 1.2	1.1	2.0	3.4	2.0	0.8	0.0	0.2	0.4	0.7	0.9	1.0	13.7	12	3992
	15 LST 2.9	2.7	4.2	6.2	4.8	1.2	0.8	0.8	1.6	2.3	2.1	2.0	31.6	12	4005
	21 LST 1.1	0.9	0.5	0.5	0.6	0.1	0.1	0.2	0.1	0.2	0.5	0.8	5.6	12	3967
	03 LST 1.0	0.6	0.8	0.5	0.6	0.3	0.2	0.2	0.2	0.3	1.1	1.2	7.0	12	4004
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST 4.1	4.7	11.3	13.7	16.3	16.8	18.8	17.4	18.1	18.0	18.4	11.7	169.3	12	3992
	15 LST 8.5	10.1	12.1	11.6	15.3	17.7	21.3	19.9	16.8	17.3	15.9	12.6	179.1	12	4005
	21 LST 3.9	4.2	9.6	15.5	16.1	13.3	13.0	15.7	15.0	16.7	17.2	9.9	150.1	12	3967
	03 LST 3.8	2.7	6.9	14.2	15.5	13.4	13.3	13.8	15.9	19.5	17.0	9.0	145.0	12	4004
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST 2.0	2.7	5.2	6.0	5.1	2.9	2.8	2.2	3.2	6.0	5.0	2.1	45.2	12	4379
	15 LST 1.6	2.4	2.8	4.3	4.5	3.4	3.2	2.7	2.6	5.1	4.1	1.7	38.4	12	4380
	21 LST 4.6	5.7	7.1	9.2	8.2	4.6	4.7	5.1	6.2	9.1	7.8	6.3	78.6	12	4380
	03 LST 4.9	4.5	8.6	10.3	9.3	5.0	4.9	5.6	7.7	10.9	8.0	5.8	85.5	12	4379
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST 23.4	22.0	25.7	25.0	25.2	16.7	17.0	19.8	23.4	28.5	26.5	26.2	279.4	12	4379
	15 LST 23.3	21.4	25.0	26.0	25.8	19.4	19.9	22.4	24.8	28.1	26.6	25.1	287.8	12	4380
	21 LST 23.8	22.3	25.4	25.7	24.4	17.9	17.3	21.7	24.3	28.2	27.1	26.2	284.3	12	4380
	03 LST 24.1	22.1	26.4	25.3	23.7	15.1	14.8	19.2	22.5	28.5	27.4	26.7	275.8	12	4379
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST 13.1	14.6	19.5	19.4	21.9	13.5	13.6	16.7	19.4	21.6	17.9	15.4	206.6	12	4379
	15 LST 14.7	13.1	16.5	19.0	20.8	15.5	15.4	17.3	20.1	20.5	16.3	14.5	203.7	12	4380
	21 LST 14.9	13.4	18.3	22.3	21.6	14.9	14.4	18.9	19.8	22.2	19.6	16.6	216.9	12	4380
	03 LST 13.2	13.4	19.2	20.2	20.6	12.6	12.3	16.7	19.1	23.3	17.3	15.7	203.6	12	4379
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST 11.0	12.3	18.2	18.2	19.3	12.4	12.0	14.8	18.0	19.5	15.6	12.1	183.4	12	4379
	15 LST 12.6	11.5	14.7	17.4	19.5	14.2	13.6	15.5	18.1	17.7	14.3	12.1	181.2	12	4380
	21 LST 13.3	12.1	16.4	20.5	19.7	13.4	13.2	17.0	18.3	19.9	16.5	14.7	195.0	12	4380
	03 LST 11.7	11.7	17.5	18.7	18.7	11.7	11.2	15.5	17.6	20.3	14.9	14.4	183.9	12	4379

HACHINOHE AB, JAPAN

STA NO. 47581 (IN AREA NUMBER 04) LONGITUDE 14128E ELEVATION(FT) 00152
 LATITUDE 4032N

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
ABS MAX TMP (F)	55	57	66	80	86	88	95	96	92	81	73	64	96	10	3648
MEAN MAX TMP (F)	36	38	44	57	65	69	76	80	74	64	52	42	58	10	3648
MEAN MIN TMP (F)	23	25	30	39	47	54	63	66	59	47	36	29	43	10	3652
ABS MIN TMP (F)	7	12	12	24	27	33	46	49	42	30	22	13	7	10	3652
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.8	0.6	0.0	0.0	0.0	4.7	10	3648
MEAN NO DYS TMP = OR LES 32(F)	29.4	25.1	21.0	5.7	0.4	0.0	0.0	0.0	0.0	0.3	9.1	22.4	113.4	10	3652
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3652
MEAN DEW PT TMP (F)	21	23	27	35	45	54	63	66	59	47	35	27	42	10	29205
MEAN REL HUM (PCT)	75	73	71	66	71	82	85	84	82	77	74	72	76	10	29196
MEAN PRESS ALT (FT)	107	125	13	8	-24	-65	-168	-144	-55	37	119	134	10	0	-50
MEAN PRECIP (IN)	2.60	2.42	3.22	2.36	2.98	5.19	3.87	3.97	6.53	4.75	2.31	3.01	43.2	10	3639
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS PKCP = OR GTR 0.1 IN	5.3	5.5	6.6	4.9	7.0	8.7	7.0	8.0	7.8	6.5	5.7	5.4	78.4	10	3639
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.9	0.8	0.3	1.2	3.4	4.3	7.5	4.3	1.2	0.2	0.0	0.5	24.6	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.1	0.4	0.8	1.3	1.5	0.6	0.4	0.1	0.0	5.2	10	3652
MEAN NO DYS TSTMS	14.8	15.9	16.6	18.2	10.7	4.8	2.3	2.3	5.0	8.6	11.8	15.3	10.5	10	29201
P FREQ WND SPD = OR GTR 17 KTS	1.0	1.2	1.3	1.5	0.7	0.1	0.0	0.0	0.4	0.6	0.5	1.4	0.7	10	29201
P FREQ WND SPD = OR GTR 28 KTS	37.1	35.1	33.8	20.9	23.3	37.9	37.7	33.0	29.2	27.4	28.6	30.5	31.2	10	28240
P FREQ LES 5000 FT A/O LES 5 MI															
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	6.8	5.7	7.4	6.1	10.3	14.0	23.0	13.4	10.4	5.8	3.3	3.2	9.1	10	3574
03-05 LST	8.8	6.4	6.8	5.1	10.2	16.7	23.9	16.0	12.5	6.5	2.7	3.9	10.0	10	3549
06-08 LST	7.7	8.5	10.7	7.8	12.8	26.5	30.7	19.1	16.8	9.0	5.0	2.3	13.1	10	3527
09-11 LST	14.2	13.1	12.0	7.7	12.3	25.4	27.0	18.4	15.2	11.9	6.1	6.1	14.1	10	3594
12-14 LST	10.6	8.9	9.4	6.7	8.3	19.4	19.7	14.3	10.7	6.5	5.7	6.5	10.6	10	3630
15-17 LST	9.4	8.2	9.4	5.0	9.9	16.8	17.2	15.6	11.4	6.1	3.3	6.5	9.9	10	3627
18-20 LST	6.1	7.5	12.0	6.1	9.9	18.7	20.9	16.4	12.4	5.2	2.3	3.9	10.1	10	3617
21-23 LST	5.5	6.0	9.7	5.4	11.2	15.6	19.7	17.3	9.4	5.5	2.3	3.9	9.3	10	3612
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.6	0.4	0.3	0.3	0.7	0.4	2.1	0.0	0.0	0.0	0.7	0.0	0.5	10	3574
03-05 LST	0.6	0.7	0.6	0.0	1.0	0.4	1.5	2.0	0.7	0.0	0.0	0.0	0.6	10	3549
06-08 LST	1.3	1.4	1.6	1.0	1.4	4.2	6.7	1.8	1.0	0.0	0.3	0.0	1.7	10	3527
09-11 LST	4.2	3.2	2.6	0.7	1.3	2.4	2.4	1.0	1.0	0.6	0.3	1.6	1.8	10	3594
12-14 LST	2.9	1.8	1.6	0.3	0.3	1.3	1.6	0.3	0.3	0.0	0.7	1.9	1.1	10	3630
15-17 LST	3.2	1.4	1.6	0.3	0.3	0.3	0.7	0.0	0.3	0.0	0.0	1.3	0.8	10	3627
18-20 LST	1.0	0.7	1.0	0.3	1.0	1.4	3.7	1.3	0.0	0.0	0.0	0.3	0.9	10	3617
21-23 LST	0.6	0.7	0.3	0.3	0.7	0.7	1.4	1.3	0.0	0.0	0.3	0.3	0.6	10	3612

HACHINOHE AB, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	24.5	22.0	26.6	26.8	26.5	22.9	21.5	23.4	25.5	24.9	24.2	26.8	295.6	10 3594
	15 LST	28.4	25.6	28.9	28.2	27.6	25.4	24.8	26.8	27.2	29.9	29.0	29.3	331.1	10 3627
	21 LST	29.5	26.5	28.5	28.7	27.4	26.0	24.6	26.1	28.1	30.0	29.0	29.8	334.2	10 3612
CIG = GTR 2000 FT AND VSBY = GTR 3 MI 3 MI W/SFC WND LES 10 KTS	03 LST	28.4	26.4	28.8	28.3	28.1	25.1	23.8	25.2	26.9	29.7	29.4	30.0	330.1	10 3549
	09 LST	14.8	9.7	11.3	9.8	12.9	12.9	13.5	16.1	18.1	16.2	13.0	13.4	161.7	10 3593
	15 LST	8.8	7.1	7.0	5.4	10.5	13.1	13.2	14.9	13.4	13.2	10.7	10.5	127.8	10 3627
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	17.8	15.5	18.1	17.3	20.2	20.6	20.3	21.8	23.0	23.2	20.2	19.2	237.2	10 3612
	03 LST	18.0	16.3	18.6	19.7	20.5	20.2	19.5	22.4	21.5	23.9	21.7	19.8	242.1	10 3548
	09 LST	1.8	2.2	4.4	5.6	3.3	1.1	0.3	0.4	0.5	1.2	2.1	2.9	25.8	10 3650
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	2.5	3.8	6.2	8.2	5.8	2.4	1.8	0.8	2.0	4.0	4.8	3.1	45.4	10 3649
	21 LST	2.1	1.3	1.9	2.1	0.9	0.1	0.2	0.0	0.3	1.0	1.0	2.1	13.0	10 3651
	03 LST	1.5	1.4	1.7	1.4	1.1	0.1	0.0	0.1	0.2	0.6	0.7	2.2	11.0	10 3650
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	2.1	3.0	7.1	10.0	13.6	13.7	15.7	16.1	12.2	14.1	13.0	8.3	128.9	10 3649
	15 LST	5.2	5.5	7.0	7.2	10.8	11.6	15.4	14.5	13.4	11.5	9.3	6.4	117.8	10 3649
	21 LST	1.7	3.4	8.0	12.2	13.4	12.8	13.3	13.4	15.7	19.6	15.2	7.7	136.4	10 3651
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	1.9	1.7	5.2	13.1	16.4	12.5	12.3	12.5	16.2	20.5	14.2	6.4	132.9	10 3650
	09 LST	9.6	9.0	10.1	9.0	8.6	5.2	3.7	4.0	5.4	9.3	9.1	10.2	93.2	10 3651
	15 LST	7.1	6.2	7.5	8.1	7.6	6.7	5.9	5.3	5.5	9.6	8.9	8.2	86.6	10 3648
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	11.7	11.4	11.8	13.6	12.1	7.8	7.9	8.3	9.8	13.2	13.3	12.9	133.8	10 3649
	03 LST	11.7	12.0	13.5	14.4	11.2	6.9	6.1	8.6	9.3	12.3	13.1	14.2	133.3	10 3648
	09 LST	22.1	20.3	24.4	24.8	24.7	19.6	17.8	20.8	22.8	22.6	22.3	24.8	267.0	10 3594
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	25.0	23.7	26.1	26.7	26.0	22.7	22.5	23.5	24.6	27.2	26.7	27.1	301.8	10 3627
	21 LST	26.6	24.1	25.8	26.6	25.0	22.2	21.2	22.7	24.2	26.6	26.9	27.5	299.4	10 3612
	03 LST	25.6	23.7	26.3	26.3	25.9	21.1	19.6	22.3	23.5	26.2	27.6	27.8	295.9	10 3549
	09 LST	17.6	16.4	20.3	21.5	21.9	16.7	15.5	17.4	19.9	18.6	16.9	19.2	221.9	10 3594
	15 LST	17.5	16.0	18.3	20.4	22.2	18.9	18.5	19.7	21.2	21.0	19.7	19.4	232.8	10 3627
	21 LST	19.1	17.9	20.3	23.2	21.6	17.9	17.9	18.5	19.4	21.4	19.3	19.2	235.7	10 3612
	03 LST	18.4	17.5	20.7	22.6	22.6	15.4	16.6	17.9	19.1	20.6	20.0	20.7	232.1	10 3549
	09 LST	17.2	16.4	20.2	21.2	21.5	16.5	15.3	17.4	19.6	18.5	16.6	18.9	219.3	10 3594
	15 LST	17.5	15.6	18.0	20.0	21.9	18.8	18.3	19.7	20.9	21.0	18.8	19.3	229.8	10 3627
	21 LST	19.1	17.8	20.2	22.7	21.4	17.9	17.7	18.3	19.1	21.4	19.1	19.1	233.8	10 3612
	03 LST	18.2	17.4	20.6	22.5	22.2	15.3	16.5	17.9	18.8	20.6	19.9	20.4	230.3	10 3549

MORIOKA, JAPAN

STA NO. 47584 (IN AREA NUMBER 04)

LATITUDE 3942N LONGITUDE 14110E ELEVATION(FT) 00513

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	47	50	59	79	83	92	99	97	89	76	66	60	99	6	-99
MEAN MAX TMP (F)	35	36	43	56	57	73	80	83	74	64	52	39	59	30	-100
MEAN MIN TMP (F)	19	20	26	36	45	55	64	67	57	44	35	25	41	30	-100
ABS MIN TMP (F)	0	2	8	18	29	38	46	51	39	25	20	6	0	6	-99
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN DEW PT TMP (F)	19	19	24	34	45	56	66	69	59	47	36	24	42	30	-29
MEAN REL HUM (PCT)	74	72	70	67	70	78	83	83	82	79	76	75	76	30	-100
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.33	2.24	3.13	3.96	3.64	4.46	6.64	6.07	7.09	4.35	3.36	2.95	50.2	30	-100
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					6	-29
MEAN NO DYS PKCP = OR GTR 0.1 IN	5.1	5.0	5.6	6.7	6.3	6.7	8.8	8.3	9.6	6.4	5.2	6.3	80.0	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					6	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.1	0.5	1.1	1.8	2.1	3.1	1.6	0.7	0.5	0.1	11.6	30	-100
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MORIOKA, JAPAN
MEAN NUMBER OF DAYS

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
PARAMETER DESCRIPTION															
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	09 LST													0	0
3 MI W/SFC WND LES 10 KTS	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0

DATA NOT AVAILABLE

YAMAGATA, JAPAN

STA NO. 47588 (IN AREA NUMBER 04)

LATITUDE 3824N LONGITUDE 14022E ELEVATION(FT) 00340

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
ABS MAX TMP (F)	59	62	75	85	90	94	100	99	96	90	80	69	100	40	-99
MEAN MAX TMP (F)	37	39	45	60	70	77	83	86	77	65	53	42	61	30	-99
MEAN MIN TMP (F)	22	22	28	37	47	56	65	67	59	46	35	27	43	30	-99
ABS MIN TMP (F)	-4	-2	4	21	29	37	45	47	37	29	19	5	-4	40	-99
MEAN NO DYS TMP = OR GIR 90(F)	0.0	0.0	0.0	0.0	0.0	0.3	4.5	4.5	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	40	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	40	-29
MEAN DEW PT TMP (F)	25	26	30	38	48	58	67	69	62	50	39	31	45	30	-29
MEAN REL HUM (PCT)	85	83	78	71	71	76	80	80	83	83	83	86	80	30	-99
MEAN PRESS ALT (FT)	225	225	225	280	375	453	445	430	340	228	190	240	307	0	-50
MEAN PRECIP (IN)	3.61	2.89	2.97	2.87	3.10	4.09	5.46	5.86	6.07	2.89	3.41	4.71	47.9	30	-99
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	40	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.4	6.2	5.4	5.3	5.6	6.3	7.7	8.1	8.4	4.6	5.2	9.2	79.4	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	40	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.1	0.1	0.1	0.4	1.1	1.4	2.6	3.5	1.4	0.5	0.2	0.1	11.5	30	-100
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
P FREQ WND SPD = OR GTR 17 KTS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
P FREQ WND SPD = OR GTR 28 KTS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
P FREQ LES 5000 FT A/O LES 5 MI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
P FREQ LES 1500 FT A/O LES 3 MI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FOR 00-02 LST															
03-05 LST															
06-08 LST															
09-11 LST															
12-14 LST															
15-17 LST															
18-20 LST															
21-23 LST															
P FREQ LES 300 FT A/O LES 1 MI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FOR 00-02 LST															
03-05 LST															
06-08 LST															
09-11 LST															
12-14 LST															
15-17 LST															
18-20 LST															
21-23 LST															

YAMAGATA, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0

DATA NOT AVAILABLE

MATSUSHIMA AB, JAPAN

LATITUDE 3824N
LONGITUDE 14113E
ELEVATION(FT) 00009

STA NO. 47591 (IN AREA NUMBER 04)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
ABS MAX TMP (F)	54	61	62	79	80	86	95	95	88	79	67	67	95	10	3405
MEAN MAX TMP (F)	40	41	46	57	66	71	78	82	75	65	54	45	60	10	3405
MEAN MIN TMP (F)	27	28	32	41	50	59	67	70	62	50	38	32	46	10	3405
ABS MIN TMP (F)	12	17	21	26	31	47	52	56	45	33	27	14	12	10	3405
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.8	0.0	0.0	0.0	0.0	3.1	10	3405
MEAN NO DYS TMP = OR LES 32(F)	26.0	23.8	17.7	2.8	0.2	0.0	0.0	0.0	0.0	0.0	4.5	19.3	94.3	10	3405
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3405
MEAN DEW PT TMP (F)	27	27	32	42	51	59	68	71	63	52	40	32	47	10	81659
MEAN REL HUM (PCT)	78	76	77	78	80	85	87	86	85	83	79	80	81	10	81659
MEAN PRESS ALT (FT)	-76	-63	-69	-47	28	98	90	90	9	-87	-122	-95	-19	0	-50
MEAN PRECIP (IN)	1.44	1.65	2.12	3.67	4.54	6.10	4.26	5.38	5.40	4.43	2.38	2.36	43.7	10	3390
MEAN SNOW FALL (IN)	7.2	6.0	4.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.6	22.1	10	3402
MEAN NO DYS PKCP = OR GTR 0.1 IN	4.1	3.5	4.5	7.2	6.3	10.1	7.1	6.3	7.5	6.4	4.5	5.1	72.6	10	3390
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.8	1.4	0.9	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	5.1	10	3402
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.7	1.7	2.2	2.2	4.3	2.7	5.6	4.3	4.2	2.0	1.0	1.8	34.7	10	3405
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.3	0.8	1.4	2.2	2.3	0.9	0.4	0.0	0.1	8.4	10	3405
P FREQ WND SPD = OR GTR 17 KTS	8.6	7.5	10.8	9.3	4.9	0.8	0.4	2.3	3.4	2.5	4.5	5.2	5.0	10	81683
P FREQ WND SPD = OR GTR 28 KTS	0.6	0.7	1.2	1.1	0.3	0.0	0.0	0.1	0.4	0.1	0.2	0.2	0.4	10	81683
P FREQ LES 5000 FT A/O LES 5 MI	28.1	26.7	28.9	30.0	29.9	50.9	56.2	48.1	40.2	28.7	26.0	30.2	35.3	10	81691
P FREQ LES 1500 FT A/O LES 3 MI	6.9	9.1	8.9	10.9	16.6	28.3	39.4	31.2	20.2	7.7	7.8	6.1	16.1	10	10212
FOR 00-02 LST															
03-05 LST	7.3	7.5	7.6	11.8	19.5	30.5	45.6	35.8	24.6	9.2	5.9	6.3	17.6	10	10212
06-08 LST	8.2	7.1	7.2	13.9	16.9	28.8	45.6	36.7	24.3	11.6	7.0	7.3	17.9	10	10224
09-11 LST	10.2	6.6	7.0	9.7	10.5	23.1	30.7	24.4	15.6	9.5	4.2	6.8	13.2	10	10223
12-14 LST	5.7	3.9	7.5	9.9	8.3	18.7	24.5	13.4	12.2	8.6	3.8	6.6	10.3	10	10226
15-17 LST	5.4	6.0	8.7	9.4	9.1	18.9	23.2	13.4	10.7	6.5	4.8	7.2	10.3	10	10223
18-20 LST	5.5	7.0	7.8	10.1	12.0	22.3	24.6	18.8	14.4	7.3	5.6	6.2	11.8	10	10217
21-23 LST	6.6	7.7	7.1	8.2	15.2	23.6	32.9	24.7	16.2	6.1	6.0	6.6	13.4	10	10211
P FREQ LES 300 FT A/O LES 1 MI	1.8	2.5	1.7	1.9	5.4	3.6	7.0	2.4	4.7	1.3	1.2	1.8	2.9	10	10212
FOR 00-02 LST															
03-05 LST	1.0	2.2	2.6	2.6	7.0	3.8	10.6	6.8	9.3	2.3	1.4	1.6	4.3	10	10212
06-08 LST	3.1	2.5	2.0	2.7	5.6	3.7	8.9	5.9	8.6	3.7	1.9	1.0	4.1	10	10224
09-11 LST	3.8	2.5	1.2	1.4	1.0	1.4	2.6	0.6	0.5	0.6	0.4	1.3	1.4	10	10223
12-14 LST	2.3	0.9	1.4	1.1	0.6	0.1	1.2	0.2	0.1	0.5	0.5	1.8	0.9	10	10226
15-17 LST	1.4	2.2	1.0	2.3	1.4	1.1	1.4	0.5	0.9	0.2	1.1	1.6	1.3	10	10223
18-20 LST	1.1	2.6	1.6	2.9	3.3	1.6	1.8	0.7	0.6	0.5	1.0	1.6	1.6	10	10217
21-23 LST	1.0	2.5	1.0	2.7	3.2	3.1	2.5	1.1	1.2	1.2	1.2	2.2	1.9	10	10211

MATSUSHIMA AB, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST 27.5	26.3	29.2	27.5	27.6	24.8	23.4	25.0	26.0	28.4	28.9	29.1	323.7	10	3409
	15 LST 29.6	26.7	28.7	28.1	29.2	26.6	25.8	28.2	28.0	29.4	28.9	29.4	338.6	10	3409
	21 LST 29.8	26.0	29.2	28.0	26.8	24.7	24.0	26.3	27.1	29.0	28.8	28.9	328.6	10	3406
	03 LST 29.3	25.8	28.6	26.9	25.9	23.2	19.5	23.8	24.3	28.6	28.9	29.2	314.0	10	3405
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	09 LST 19.5	17.2	17.4	17.3	19.5	16.4	17.8	17.2	20.2	22.7	20.9	21.2	227.3	10	3409
	15 LST 13.9	11.1	10.3	9.6	12.0	14.5	16.6	17.4	18.0	20.9	17.0	15.7	177.0	10	3409
	21 LST 21.1	18.8	19.0	19.2	20.5	18.7	18.9	19.7	20.8	24.3	23.9	21.8	246.7	10	3406
	03 LST 21.5	19.5	21.9	20.7	21.3	18.3	15.7	18.4	18.9	25.0	23.0	23.8	248.0	10	3405
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST 1.9	1.9	3.3	3.5	1.4	0.2	0.2	0.4	0.8	0.5	1.5	1.4	17.0	10	3202
	15 LST 5.1	3.9	7.8	6.0	3.3	0.3	0.2	1.0	1.6	1.1	2.7	2.4	35.4	10	3228
	21 LST 2.4	1.3	2.5	1.9	1.5	0.1	0.1	0.7	1.4	0.5	0.7	0.9	14.0	10	3199
	03 LST 1.6	1.1	1.8	1.4	0.5	0.1	0.0	0.3	0.7	0.8	0.5	0.7	9.5	10	3189
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST 7.4	7.2	11.5	14.3	17.7	18.5	19.6	19.0	17.9	20.9	16.6	11.3	181.9	10	3202
	15 LST 12.0	11.5	12.8	14.1	17.7	21.7	24.7	21.1	20.0	19.5	14.9	13.0	203.0	10	3228
	21 LST 7.0	7.6	11.6	14.5	17.4	19.0	17.9	17.1	12.8	15.2	13.5	11.8	165.4	10	3199
	03 LST 5.1	4.7	8.8	14.5	14.5	12.5	12.5	11.7	11.7	14.5	13.2	8.8	132.5	10	3189
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST 9.8	9.1	8.5	6.4	8.2	2.9	2.9	2.8	3.9	7.3	10.1	9.1	81.0	10	3409
	15 LST 7.8	5.5	4.9	7.0	6.8	2.8	3.9	5.2	5.0	5.3	8.6	7.7	70.5	10	3409
	21 LST 12.2	12.0	12.4	12.0	9.4	4.9	5.6	7.0	7.4	9.8	12.1	14.0	118.8	10	3406
	03 LST 12.6	12.1	12.4	11.4	9.7	4.2	4.8	6.0	8.1	10.5	12.2	14.2	118.2	10	3405
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST 26.4	24.9	28.0	25.5	26.5	18.9	17.9	18.4	22.7	26.8	27.5	28.1	291.6	10	3409
	15 LST 29.0	25.0	26.9	25.7	27.0	22.0	21.2	25.4	25.2	28.0	27.5	27.5	310.4	10	3409
	21 LST 28.2	24.8	27.7	26.2	24.9	18.7	19.0	21.2	23.6	27.0	27.7	27.8	296.8	10	3406
	03 LST 27.3	24.6	27.1	24.8	24.1	17.6	14.4	18.1	20.0	26.3	26.9	27.5	278.7	10	3405
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST 20.2	19.4	21.9	20.2	22.4	14.9	13.3	14.4	17.8	21.8	22.7	20.3	229.3	10	3409
	15 LST 22.5	19.6	20.2	21.0	23.2	16.9	15.9	21.1	19.9	21.6	22.3	21.5	245.7	10	3409
	21 LST 23.4	21.5	23.0	21.6	22.2	14.7	15.1	17.4	19.1	21.6	21.9	22.4	243.9	10	3406
	03 LST 21.4	20.4	22.3	20.2	20.1	12.6	10.7	13.6	15.5	20.9	21.7	21.4	220.8	10	3405
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST 17.9	17.3	19.1	17.3	19.9	12.1	11.0	11.9	14.0	17.3	18.5	17.6	193.9	10	3409
	15 LST 18.7	16.6	17.9	18.3	19.9	14.3	13.5	18.3	16.7	17.9	19.8	17.4	209.3	10	3409
	21 LST 19.3	19.6	20.6	19.6	19.9	12.8	13.2	16.1	15.5	18.3	19.1	20.2	214.2	10	3406
	03 LST 18.9	18.2	19.1	17.8	18.2	10.5	9.0	12.1	13.3	17.9	19.0	18.7	192.7	10	3405

NAGANO, JAPAN

LATITUDE 3637N LONGITUDE 13812E ELEVATION (FT) 01140

STA NO. 47610 (IN AREA NUMBER 04)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
ASS MAX TMP (F)	65	73	76	87	90	96	100	100	95	90	78	70	100	41	-599
MEAN MAX TMP (F)	38	39	47	62	71	77	84	87	78	66	55	43	62	30	-99
MEAN MIN TMP (F)	22	22	28	39	48	57	66	68	60	47	36	27	43	30	-99
ABS MIN TMP (F)	3	2	8	18	29	39	50	51	42	29	20	5	2	41	-599
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	6.6	10.3	1.9	0.0	0.0	0.0	19.2	10	3639
MEAN NO DYS TMP = OR LES 32(F)	29.9	25.5	20.4	4.9	0.1	0.0	0.0	0.0	0.0	0.0	7.0	22.7	110.5	10	3648
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3648
MEAN DEW PT TMP (F)	24	25	29	38	48	58	67	68	61	49	38	30	45	10	22625
MEAN REL HUM (PCT)	82	77	72	68	69	75	76	76	79	79	78	81	76	30	-99
MEAN PRESS ALT (FT)	1000	1022	1033	1077	1158	1241	1240	1242	1148	1037	981	988	1097	0	-50
MEAN PRECIP (IN)	2.31	1.97	2.28	2.67	3.13	4.36	5.66	3.78	5.77	3.38	2.10	2.27	39.7	30	-99
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	41	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.1	4.5	4.4	5.0	5.6	6.6	7.9	5.9	8.1	5.2	3.6	5.0	66.9	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	41	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.4	1.2	0.3	0.2	0.3	0.3	0.1	0.3	0.8	1.5	2.5	1.7	11.6	10	3615
MEAN NO DYS TSIMS	0.1	0.1	0.0	0.1	1.0	1.8	2.1	3.1	1.0	0.3	0.0	0.0	9.6	10	3615
P FREQ WND SPD = OR GTR 17 KTS	1.5	3.0	5.6	7.1	5.1	4.4	1.2	2.5	2.7	4.2	2.3	1.3	3.4	10	28936
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.0	10	28936
P FREQ LES 5000 FT A/O LES 5 MI	41.8	34.2	29.3	20.1	21.3	29.8	29.0	28.9	30.9	29.8	24.4	32.5	29.3	10	19036
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	9.8	6.8	5.5	1.7	2.3	3.4	5.5	3.9	5.4	2.0	1.5	5.4	4.4	9	1962
03-05 LST	11.2	10.6	7.4	3.2	4.6	6.9	8.4	5.7	5.3	4.1	2.2	7.2	6.4	10	3443
06-08 LST	14.8	15.9	10.6	3.6	8.3	12.3	14.1	14.6	10.8	6.5	6.0	4.4	10.2	10	1889
09-11 LST	24.1	17.8	10.6	3.4	6.0	5.5	7.1	5.1	9.3	11.3	10.1	18.8	10.8	10	3231
12-14 LST	13.8	8.1	5.7	3.0	4.7	0.6	2.3	3.4	4.8	2.7	3.7	8.8	5.1	10	1927
15-17 LST	11.5	9.3	5.3	2.9	3.5	3.8	2.7	0.0	3.2	3.0	1.9	6.0	4.6	10	3339
18-20 LST	9.2	9.2	7.4	3.0	5.6	5.7	4.4	0.7	4.1	2.8	2.1	6.2	5.0	9	1929
21-23 LST	7.4	6.9	4.9	2.5	2.4	3.1	3.0	1.3	3.8	3.4	2.6	4.1	3.8	10	3421
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	4.6	3.7	1.6	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	1.3	1.1	9	1962
03-05 LST	6.3	4.9	2.4	0.0	0.0	0.4	0.7	0.3	0.4	0.7	0.4	2.4	1.6	10	3443
06-08 LST	4.0	4.5	1.8	1.2	1.2	1.8	1.1	4.0	0.7	4.3	0.8	2.2	2.3	10	1889
09-11 LST	9.2	5.9	3.2	1.1	0.4	0.0	0.7	1.2	0.7	2.5	3.9	8.1	3.1	10	3231
12-14 LST	6.6	0.6	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	1.0	10	1927
15-17 LST	3.5	3.2	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.7	0.8	10	3339
18-20 LST	4.0	2.6	1.7	1.2	0.6	0.6	0.6	0.0	0.0	0.0	0.7	1.4	1.1	9	1929
21-23 LST	2.7	2.3	1.8	0.4	0.0	0.0	0.3	0.3	0.7	0.3	0.0	1.0	0.8	10	3421

NAGANO, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	16.2	15.8	23.0	27.3	28.5	28.0	28.2	28.4	26.6	24.7	19.3	16.1	282.1	10	3231
	15 LST	27.4	25.3	29.5	29.3	30.8	29.0	30.5	30.4	29.1	30.3	28.7	29.0	349.3	10	3339
	21 LST	28.4	26.0	29.8	29.3	30.6	29.4	30.5	30.7	29.2	30.5	29.4	29.3	353.1	10	3421
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	27.5	24.8	29.0	29.7	29.7	27.9	28.5	28.8	28.3	29.5	28.9	28.4	341.0	10	3443
	09 LST	13.2	12.6	16.2	18.5	20.5	20.9	23.3	24.0	20.6	18.5	15.0	12.9	216.2	10	3231
	15 LST	17.9	13.0	11.4	9.9	13.7	12.8	16.5	12.6	14.8	13.6	16.0	19.7	171.9	10	3339
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	25.2	22.4	23.6	21.9	23.7	24.4	27.2	26.5	24.1	24.7	26.0	25.6	295.3	10	3421
	03 LST	24.8	21.8	24.3	22.7	22.8	22.7	24.6	24.8	23.1	25.4	25.9	26.3	289.2	10	3442
	09 LST	0.0	0.0	0.2	0.8	0.3	0.2	0.1	0.1	0.0	0.2	0.2	0.1	2.2	10	3619
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	0.4	0.8	2.4	4.6	2.8	2.2	1.1	3.0	1.8	2.5	1.6	0.4	23.6	10	3617
	21 LST	0.0	0.1	0.6	0.5	0.3	0.3	0.0	0.1	0.3	0.3	0.0	0.1	2.6	10	3619
	03 LST	0.1	0.0	0.8	0.5	0.5	0.2	0.1	0.0	0.4	0.4	0.2	0.1	3.3	10	3617
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	0.4	2.0	5.7	9.9	10.0	9.1	10.0	11.4	11.9	7.2	5.6	3.3	86.5	10	3619
	15 LST	6.9	8.8	10.1	7.9	10.4	9.2	9.9	8.2	10.7	8.7	10.7	10.7	112.2	10	3615
	21 LST	2.0	1.9	7.6	7.5	8.1	6.7	6.8	6.9	7.5	9.4	8.0	4.4	76.8	10	3619
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	1.3	1.0	3.3	6.8	6.5	5.0	4.6	5.5	5.8	5.7	5.4	3.0	53.9	10	3616
	09 LST	2.9	4.3	6.6	7.7	6.2	3.3	5.7	10.6	5.4	5.1	4.9	4.0	66.7	10	3619
	15 LST	6.0	8.9	8.2	9.3	7.3	4.0	7.1	9.8	6.2	8.9	10.9	9.3	95.9	10	3617
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	9.0	10.7	12.5	11.2	10.2	5.8	6.5	7.7	5.6	7.6	13.0	13.4	113.2	10	3620
	03 LST	10.8	10.9	12.8	11.6	8.8	4.2	6.5	8.4	6.6	7.9	12.7	13.3	114.5	10	3618
	09 LST	12.6	13.2	20.0	24.8	25.2	25.1	25.8	26.5	24.3	21.7	16.6	12.9	248.7	10	3231
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	23.9	22.3	26.6	27.8	27.8	27.3	28.9	28.9	27.5	27.4	26.6	25.5	320.5	10	3339
	21 LST	24.8	23.8	26.6	27.3	28.7	26.5	27.7	28.8	26.0	28.1	27.6	26.6	322.5	10	3421
	03 LST	23.9	22.5	26.6	26.9	28.0	25.5	25.1	26.7	25.3	27.0	27.3	25.2	310.0	10	3443
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	8.8	9.8	15.9	21.5	21.7	21.1	22.8	22.7	20.6	16.0	12.2	9.5	202.6	10	3231
	15 LST	17.7	17.9	23.0	24.3	24.3	23.6	24.5	23.9	23.1	21.9	22.0	20.6	266.8	10	3359
	21 LST	15.8	19.2	21.3	23.3	24.0	18.4	18.3	18.8	17.1	20.1	22.1	20.9	239.3	10	3421
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	17.4	18.0	21.5	22.3	22.8	18.8	18.3	18.4	16.9	20.0	22.4	19.8	236.6	10	3443
	09 LST	8.8	9.7	15.8	21.4	21.5	21.0	22.7	22.7	20.6	15.8	12.2	9.3	201.5	10	3231
	15 LST	17.7	17.8	22.8	24.0	24.0	23.5	24.3	23.6	23.1	21.6	22.0	20.5	266.9	10	3339
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	15.8	19.0	21.0	23.0	24.0	18.2	18.2	18.8	17.0	19.6	22.1	20.9	237.6	10	3421
	03 LST	17.4	17.9	21.4	22.1	22.7	18.8	18.3	18.4	16.9	19.9	22.2	19.8	235.8	10	3443

UTSUNOMIYA, JAPAN

ELEVATION (FT) 00340

LONGITUDE 13952E

LATITUDE 3630N

STA NO. 47615 (IN AREA NUMBER 04)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	70	76	76	87	91	93	96	99	94	88	77	68	99	39	-599
MEAN MAX TMP (F)	46	48	53	64	71	76	83	85	78	69	60	51	65	30	-99
MEAN MIN TMP (F)	23	25	30	41	50	60	67	69	62	49	36	27	45	30	-99
ABS MIN TMP (F)	5	10	10	20	31	40	53	53	42	27	20	13	5	39	-599
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.0	3.4	6.1	0.7	0.0	0.0	0.0	10.3	10	3637
MEAN NO DYS TMP = OR LES 32(F)	27.9	22.6	15.8	4.0	0.1	0.0	0.0	0.0	0.0	0.0	6.3	22.5	99.2	10	3643
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3643
MEAN DEW PT TMP (F)	24	26	32	43	53	61	69	71	64	53	40	31	47	10	24179
MEAN REL HUM (PCT)	72	69	70	73	76	80	83	83	84	81	77	73	77	30	-99
MEAN PRESS ALT (FT)	198	222	228	266	345	430	427	435	345	239	180	187	292	0	-50
MEAN PRECIP (IN)	1.50	2.34	3.67	4.97	6.13	7.68	8.37	8.99	9.57	5.61	2.64	1.60	63.1	30	-99
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.5	5.2	6.3	7.7	8.7	9.6	10.1	10.5	12.2	7.9	4.3	3.7	85.7	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.5	1.0	1.6	1.6	1.6	1.6	1.6	0.7	1.2	1.5	1.0	0.8	14.7	10	3644
MEAN NO DYS TSTMS	0.0	0.2	0.2	0.7	1.2	2.8	4.4	5.3	1.5	0.4	0.1	0.0	16.8	10	3642
P FREQ WND SPD = OR GTR 17 KTS	1.5	1.5	2.3	1.4	0.7	1.0	0.1	1.0	1.5	1.9	0.5	0.9	1.2	10	29171
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.0	0.0	0.1	10	29171
P FREQ LES 5000 FT A/O LES 5 MI	16.8	24.6	35.2	37.1	40.0	58.9	61.7	58.6	56.4	41.0	26.8	18.4	39.6	10	20327
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	2.4	4.8	8.9	10.7	7.1	16.1	19.9	12.9	26.1	14.9	4.0	4.1	11.0	9	2315
03-05 LST	2.4	3.8	6.5	7.4	8.5	18.9	24.3	17.6	20.5	13.7	6.1	2.4	11.0	10	3464
06-08 LST	3.1	7.2	8.6	13.2	23.7	32.1	33.5	38.8	31.4	19.8	7.4	3.2	18.5	10	2175
09-11 LST	5.4	8.2	8.9	9.6	17.3	25.3	28.2	22.2	20.0	15.7	6.5	5.3	14.4	10	3140
12-14 LST	4.8	3.9	5.4	11.1	9.8	18.7	19.0	12.2	14.8	11.2	5.5	4.5	10.1	10	2255
15-17 LST	4.7	2.8	7.8	8.9	10.5	14.2	13.9	8.1	12.8	8.8	4.2	3.5	8.4	10	3374
18-20 LST	4.1	5.9	12.9	11.5	9.1	20.1	20.0	11.6	22.3	13.7	6.6	5.4	11.9	10	2261
21-23 LST	2.5	4.3	9.7	8.5	10.5	18.1	17.6	11.5	16.3	13.1	7.4	2.9	10.2	10	3473
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.5	0.0	0.5	0.5	0.5	1.5	0.9	0.0	0.0	0.0	0.0	0.0	0.0	9	2315
03-05 LST	0.3	0.0	0.3	0.4	0.7	2.1	2.7	1.3	1.4	0.3	1.1	0.0	0.9	10	3464
06-08 LST	0.5	1.2	0.5	2.1	3.5	2.6	4.4	3.8	4.6	1.8	1.9	0.6	2.3	10	2175
09-11 LST	0.4	0.5	0.4	0.4	0.0	0.7	1.7	0.4	0.4	1.1	0.4	0.4	0.6	10	3140
12-14 LST	1.6	1.7	0.5	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.4	10	2255
15-17 LST	0.4	0.4	0.7	0.4	0.0	0.3	0.3	0.0	0.3	0.0	0.4	0.0	0.3	10	3374
18-20 LST	0.5	1.2	1.0	1.0	0.0	0.0	0.0	0.5	0.6	0.6	0.6	0.0	0.5	10	2261
21-23 LST	0.0	0.4	0.7	0.4	0.3	1.0	1.0	0.0	0.7	0.0	1.1	0.0	0.5	10	3473

UTSUNOMIYA, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI		09 LST 26.4	22.4	26.0	26.8	26.0	22.7	22.8	25.0	24.7	26.7	26.2	24.7	300.4	10	3140	
		15 LST 29.5	26.5	28.8	27.5	28.1	25.7	26.5	28.9	26.9	28.8	28.5	29.8	335.5	10	3374	
		21 LST 30.0	26.1	27.4	27.0	27.7	25.1	25.4	28.1	24.8	27.0	27.0	29.4	325.0	10	3473	
		03 LST 30.3	26.9	28.5	28.1	27.4	24.6	23.8	26.0	24.3	27.0	28.4	30.1	325.4	10	3464	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS		09 LST 24.1	19.9	22.9	23.5	22.1	18.5	19.3	20.4	20.8	22.5	23.8	22.1	259.9	10	3140	
		15 LST 21.7	18.5	19.0	14.7	17.9	19.1	22.3	23.2	21.9	24.5	25.2	22.0	250.0	10	3373	
		21 LST 28.0	24.4	24.9	25.2	26.0	23.0	24.0	25.7	22.8	23.5	25.6	28.2	301.3	10	3473	
		03 LST 28.5	25.2	26.8	26.5	26.4	22.6	21.0	22.8	21.7	23.8	26.5	24.0	300.8	10	3463	
SFC WND = GTR 17 KTS AND NO PRECIP.		09 LST 0.1	0.0	0.4	0.2	0.3	0.2	0.0	0.0	0.1	0.3	0.1	0.2	1.9	10	3651	
		15 LST 0.2	0.6	1.0	1.2	0.5	0.4	0.0	0.3	0.3	0.2	0.1	0.1	4.9	10	3645	
		21 LST 0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.3	0.2	0.3	0.1	0.1	1.2	10	3649	
		03 LST 0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.3	10	3645	
SFC WND 4--10 KTS AND TMP 33--89 DEG F AND NO PRECIP.		09 LST 6.5	6.7	10.2	13.3	13.3	10.2	10.1	11.0	9.1	11.3	10.8	6.3	118.8	10	3651	
		15 LST 13.9	13.3	15.7	14.0	16.6	15.4	16.8	15.5	14.2	15.0	15.8	14.6	180.8	10	3645	
		21 LST 6.8	7.7	9.6	9.5	8.6	7.1	7.1	7.3	6.5	8.0	11.1	10.8	100.1	10	3649	
		03 LST 2.7	3.1	8.3	8.6	7.9	4.3	4.7	5.2	6.8	11.1	12.0	5.0	79.7	10	3645	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI		09 LST 16.7	13.8	11.0	10.1	6.9	3.4	2.5	3.5	5.3	8.0	13.1	16.1	110.4	10	3651	
		15 LST 14.4	11.2	8.2	8.7	5.4	1.7	2.9	4.8	4.5	6.9	11.4	17.9	98.0	10	3646	
		21 LST 20.1	15.2	11.9	9.1	7.8	3.0	3.3	5.3	4.2	6.9	13.5	18.9	119.2	10	3648	
		03 LST 21.5	16.9	15.0	11.0	9.8	3.7	2.7	5.2	5.1	8.8	15.6	21.7	137.0	10	3646	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI		09 LST 25.3	21.2	24.6	24.5	21.4	17.6	16.9	18.4	19.1	23.4	25.3	23.4	261.1	10	3140	
		15 LST 28.6	24.8	26.9	24.6	24.7	21.1	21.5	23.1	22.0	26.4	26.5	28.3	298.5	10	3374	
		21 LST 29.2	24.9	25.5	24.6	23.8	20.0	19.7	21.7	20.2	23.4	25.4	28.2	286.6	10	3473	
		03 LST 29.1	25.7	27.0	25.0	24.2	19.9	18.2	19.4	19.1	23.3	26.9	29.1	286.9	10	3464	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI		09 LST 22.2	17.8	18.2	20.0	17.3	11.7	10.6	11.7	13.0	17.0	19.1	20.0	198.6	10	3140	
		15 LST 24.6	18.4	18.4	18.2	17.2	11.9	13.7	15.6	13.4	19.1	20.1	25.0	215.6	10	3374	
		21 LST 26.0	20.9	19.7	15.9	16.6	11.2	9.4	11.6	10.8	15.5	20.0	24.4	202.0	10	3473	
		03 LST 26.2	22.3	21.8	17.7	18.0	11.2	8.4	10.1	11.9	17.3	21.8	26.4	213.1	10	3464	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI		09 LST 21.6	17.6	17.7	19.8	17.0	11.5	10.5	11.6	12.8	16.6	18.6	19.7	195.0	10	3140	
		15 LST 24.4	18.3	18.1	18.1	17.2	11.6	13.7	15.6	13.3	18.8	19.6	24.6	213.3	10	3374	
		21 LST 25.8	20.8	19.5	15.6	16.3	11.0	9.4	11.6	10.8	15.3	20.0	24.3	200.4	10	3473	
		03 LST 25.9	22.2	21.6	17.6	17.8	11.1	8.4	10.1	11.9	17.0	21.6	26.0	211.2	10	3464	

KUMAGAYA, JAPAN

STA NO. 47626 (IN AREA NUMBER 04)

LATITUDE 3609N LONGITUDE 13923E ELEVATION(FT) 00102

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
ABS MAX TMP (F)	71	73	78	87	95	96	100	101	96	91	82	71	101	33	-599
MEAN MAX TMP (F)	47	48	54	64	72	78	84	86	79	69	60	51	66	30	-99
MEAN MIN TMP (F)	28	29	34	44	52	61	69	71	64	52	40	31	48	30	-99
ABS MIN TMP (F)	13	11	17	24	33	46	58	55	47	33	25	14	11	33	-599
MEAN NO DYS TMP ≥ OR GTR 90(F)	0.0	0.0	0.0	0.0	0.4	2.1	8.8	12.4	1.6	0.0	0.0	0.0	25.3	10	3647
MEAN NO DYS TMP ≥ OR LES 32(F)	25.0	19.9	10.3	1.1	0.0	0.0	0.0	0.0	0.0	0.0	1.7	15.4	73.4	10	3651
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3651
MEAN DEW PT TMP (F)	25	26	31	44	54	62	71	73	67	54	41	30	48	30	-29
MEAN REL HUM (PCT)	65	64	65	72	76	80	83	84	85	81	74	68	75	30	-99
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.35	1.99	2.63	3.60	4.85	5.76	5.74	4.90	9.11	6.07	2.23	1.38	49.6	30	-99
MEAN SNOW FALL (IN)	3.8	7.6	3.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	15.0	12	-47643
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	3.2	4.5	4.9	6.2	7.6	8.0	8.0	7.1	11.7	8.4	3.7	3.3	76.6	30	-29
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.7	1.5	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	3.1	12	-47643
MEAN NO DYS W/OCUK VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.1	0.6	1.7	2.5	6.6	7.4	2.1	0.4	0.1	0.0	21.5	30	-100
P FREQ WND SPD ≥ OR GTR 17 KTS	4.0	4.3	4.7	2.9	0.5	0.2	0.0	0.6	1.1	0.5	0.5	2.2	1.8	10	29197
P FREQ WND SPD ≥ OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	29197
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	284
12-14 LST														0	0
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	152
18-20 LST														0	0
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	493
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	284
12-14 LST														0	0
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	152
18-20 LST														0	0
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	493

KUMAGAYA, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	30.3	28.0	31.0	30.0	31.0	23.3	28.2	30.0	31.0	27.5	29.1	349.4	10	284
	15 LST	31.0	25.2	31.0	28.3	31.0	31.0	31.0	30.0	31.0	30.0	31.0	360.5	10	152
	21 LST	31.0	28.0	30.4	30.0	31.0	28.4	31.0	30.0	31.0	29.5	29.8	360.1	10	493
	03 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	09 LST	26.3	24.3	20.6	23.6	24.1	24.0	23.3	30.0	25.4	23.3	22.8	295.9	10	284
	15 LST	21.7	22.4	25.8	20.0	27.1	15.0	31.0	22.5	28.2	27.3	28.5	300.5	10	152
	21 LST	29.0	24.2	24.2	26.3	29.5	25.7	28.4	28.1	29.5	27.5	26.1	329.5	10	493
	03 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST	1.1	0.4	1.2	1.0	0.0	0.1	0.0	0.4	0.1	0.0	0.1	4.4	10	3649
	15 LST	3.1	3.8	4.4	1.9	0.4	0.2	0.4	0.3	0.2		1.5		10	3648
	21 LST	0.3	0.7	0.9	0.4	0.2	0.0	0.0	0.1	0.0	0.0	0.2	2.8	10	3650
	03 LST													7	13
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST	12.1	12.2	10.1	7.6	6.3	6.7	5.2	5.3	5.9	9.5	13.4	108.3	10	3649
	15 LST	12.6	12.1	15.5	15.4	15.7	14.8	12.9	13.6	14.8	12.1	13.2	165.5	10	3648
	21 LST	9.8	9.2	10.3	10.8	8.5	8.4	9.2	8.7	6.5	4.3	6.7	104.4	10	3649
	03 LST													7	13
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	15.0	16.5	12.0	9.6	6.7	2.7	2.3	4.1	4.4	7.2	12.7	116.3	10	3649
	15 LST	14.8	12.6	10.3	8.7	5.8	2.4	4.0	6.0	5.1	6.7	12.4	107.3	10	3649
	21 LST	20.9	16.9	12.9	10.3	7.1	2.8	4.3	6.3	5.1	6.3	11.6	124.5	10	3651
	03 LST													7	12
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST	30.3	28.0	31.0	30.0	31.0	30.0	23.3	28.2	30.0	27.5	29.1	349.4	10	284
	15 LST	31.0	25.2	31.0	28.3	31.0	30.0	31.0	30.0	31.0	30.0	31.0	360.5	10	152
	21 LST	31.0	28.0	30.4	30.0	31.0	30.0	28.4	31.0	30.0	29.5	29.8	360.1	10	493
	03 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST	30.3	28.0	31.0	30.0	31.0	30.0	23.3	28.2	30.0	27.5	29.1	349.4	10	284
	15 LST	31.0	25.2	31.0	28.3	31.0	30.0	31.0	30.0	31.0	30.0	31.0	360.5	10	152
	21 LST	31.0	28.0	30.4	30.0	31.0	30.0	28.4	31.0	30.0	29.5	29.8	360.1	10	493
	03 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	30.3	28.0	31.0	30.0	31.0	30.0	23.3	28.2	30.0	27.5	29.1	349.4	10	284
	15 LST	31.0	25.2	31.0	28.3	31.0	30.0	31.0	30.0	31.0	30.0	31.0	360.5	10	152
	21 LST	31.0	28.0	30.4	30.0	31.0	30.0	28.4	31.0	30.0	29.5	29.8	360.1	10	493
	03 LST													0	0

GIFU AB, JAPAN

STA NO. 47632 (IN AREA NUMBER 04) LATITUDE 3523N LONGITUDE 13652E ELEVATION(FT) 00151

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
ABS MAX TMP (F)	63	71	76	84	92	91	97	98	96	88	77	68	98	10	3638
MEAN MAX TMP (F)	47	50	56	66	73	79	86	89	82	73	63	53	68	10	3638
MEAN MIN TMP (F)	31	33	38	47	56	64	73	74	68	56	44	36	52	10	3644
ABS MIN TMP (F)	16	20	23	31	41	50	63	57	50	39	28	25	16	10	3644
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	0.7	10.7	16.2	1.5	0.0	0.0	0.0	29.3	10	3638
MEAN NO DYS TMP = OR LES 32(F)	18.4	16.0	6.7	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.4	7.0	49.0	10	3644
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3644
MEAN DEW PT TMP (F)	30	30	34	43	55	61	69	71	65	53	44	35	49	0	-50
MEAN REL HUM (PCT)	74	70	67	69	73	78	79	79	81	77	74	75	75	30	-100
MEAN PRESS ALT (FT)	33	51	56	94	173	249	246	246	156	50	3	17	115	0	-50
MEAN PRECIP (IN)	2.76	2.88	4.76	6.79	7.22	10.02	9.48	6.97	9.68	5.94	3.69	2.93	73.1	30	-100
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.9	6.2	7.5	9.2	9.4	11.1	10.8	9.0	12.3	8.3	5.6	6.2	101.5	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	12
MEAN NO DYS TSTMS	0.0	0.0	0.2	0.5	1.0	1.4	4.0	5.4	2.6	0.4	0.2	0.1	15.8	30	-100
P FREQ WND SPD = OR GTR 17 KTS	1.7	2.2	4.1	3.5	1.8	1.1	0.4	1.5	2.3	0.7	0.8	1.3	1.8	10	29143
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.5	0.0	0.0	0.0	0.1	10	29143
P FREQ LES 5000 FT A/O LES 5 MI								71.4						1	7
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST								42.9	33.3					6	10
03-05 LST								60.0	0.0	50.0				5	8
06-08 LST								50.0	50.0	0.0				5	8
09-11 LST								11.8	5.0	3.3	0.0	0.0	1.7	10	362
12-14 LST								25.0	50.0	0.0				7	9
15-17 LST								4.8	16.7	0.0	0.0	0.0	1.8	10	226
18-20 LST								20.0	25.0					7	9
21-23 LST								1.9	7.9	0.0	0.0	0.0	1.1	10	697
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST								0.0	0.0					6	10
03-05 LST								0.0	0.0	0.0				5	8
06-08 LST								0.0	0.0	0.0				5	8
09-11 LST								0.0	0.0	0.0	0.0	0.0	0.0	10	362
12-14 LST								0.0	0.0	0.0				7	9
15-17 LST								0.0	0.0	0.0	0.0	0.0	0.0	10	226
18-20 LST								0.0	0.0					7	9
21-23 LST								0.0	0.0	0.0	0.0	0.0	0.2	10	697

GIFU AB, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	24.0	21.8	29.9	30.0	26.7	30.0	25.4	27.3	28.5	29.9	27.1	23.7	324.3	10	362
	15 LST	31.0	28.0	31.0	28.9	27.9	25.0	31.0	30.0	31.0	30.0	30.0	31.0	355.8	10	226
	21 LST	29.1	27.6	30.1	29.6	31.0	29.0	30.0	31.0	29.2	30.5	28.4	28.9	354.4	10	697
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST							24.8	30.0	31.0				5	8	
	09 LST	23.0	21.8	27.9	27.5	24.6	27.5	25.4	24.6	22.5	26.8	27.1	22.8	301.5	10	362
	15 LST	11.6	18.6	14.3	11.8	9.3	10.0	13.8	13.3	15.0	10.3	17.8	21.8	167.6	10	226
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	25.3	24.1	25.0	23.6	26.0	27.9	25.2	26.2	25.3	29.5	27.2	27.6	312.9	10	697
	03 LST							0.0	30.0	15.5				5	8	
	09 LST	0.0	0.0	0.6	0.3	0.3	0.1	0.0	0.1	0.4	0.0	0.1	0.3	2.2	10	3642
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND_NO PRECIP.	15 LST	0.5	1.6	3.2	2.9	1.8	1.0	0.4	0.5	1.0	0.8	1.0	0.9	15.6	10	3644
	21 LST	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.0	0.7	10	3649
	03 LST							0.0	0.0	0.0	0.0			7	14	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	5.9	6.0	7.4	7.7	7.5	5.8	9.1	8.8	5.9	6.2	6.2	6.0	82.5	10	3639
	15 LST	9.1	7.9	8.5	9.1	11.2	10.1	8.1	9.0	13.7	13.5	10.5	11.9	122.6	10	3644
	21 LST	8.4	10.3	13.7	13.2	12.7	11.1	12.5	13.0	9.6	10.1	9.1	11.2	134.9	10	3649
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST							0.0	0.0	15.0	0.0			7	14	
	09 LST	9.4	9.0	10.4	10.4	8.2	4.1	5.3	8.9	7.1	9.1	12.1	9.3	103.3	10	3641
	15 LST	7.9	9.9	9.6	10.4	6.5	4.4	7.0	10.2	7.2	10.7	12.3	10.5	106.6	10	3643
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	12.7	14.8	16.2	12.7	10.2	5.5	6.4	9.7	8.0	11.5	15.4	14.2	137.3	10	3647
	03 LST							0.0	0.0	0.0	0.0			6	12	
	09 LST	24.0	21.8	29.9	30.0	26.7	30.0	25.4	25.5	27.0	28.9	27.1	23.7	320.0	10	362
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	31.0	28.0	31.0	28.9	27.9	25.0	31.0	26.6	21.7	31.0	30.0	31.0	343.1	10	226
	21 LST	29.1	27.6	30.1	29.6	31.0	29.0	30.0	28.6	26.8	30.5	28.4	28.9	349.6	10	697
	03 LST							6.2	30.0	15.5				5	8	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	24.0	21.8	29.9	30.0	26.7	30.0	25.4	24.6	27.0	28.9	27.1	23.7	319.1	10	362
	15 LST	31.0	28.0	31.0	28.9	27.9	25.0	27.5	26.6	20.0	31.0	30.0	31.0	337.9	10	226
	21 LST	29.1	27.6	30.1	29.6	31.0	29.0	30.0	28.0	26.8	30.5	28.4	28.9	349.0	10	697
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST							0.0	0.0	15.5				5	8	
	09 LST	24.0	21.8	29.9	30.0	26.7	30.0	25.4	24.6	27.0	28.9	27.1	23.7	319.1	10	362
	15 LST	31.0	28.0	31.0	28.9	27.9	25.0	27.5	26.6	20.0	31.0	30.0	31.0	337.9	10	226
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	29.1	27.6	30.1	29.6	31.0	29.0	30.0	28.0	26.8	30.5	28.4	28.9	349.0	10	697
	03 LST							0.0	0.0	15.5				5	8	
	09 LST	24.0	21.8	29.9	30.0	26.7	30.0	25.4	24.6	27.0	28.9	27.1	23.7	319.1	10	362
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	31.0	28.0	31.0	28.9	27.9	25.0	27.5	26.6	20.0	31.0	30.0	31.0	337.9	10	226
	21 LST	29.1	27.6	30.1	29.6	31.0	29.0	30.0	28.0	26.8	30.5	28.4	28.9	349.0	10	697
	03 LST							0.0	0.0	15.5				5	8	

YOKOTA AB, JAPAN

STA NO. 47642 (IN AREA NUMBER 04)

LATITUDE 3544N

LONGITUDE 13921E

ELEVATION(FT) 00457

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	66	77	81	89	90	95	97	97	93	86	74	73	97	12	4382
MEAN MAX TMP (F)	48	50	58	67	73	78	86	84	74	66	57	51	66	12	4382
MEAN MIN TMP (F)	29	31	38	48	56	64	71	70	61	51	39	31	49	12	4382
ABS MIN TMP (F)	15	19	20	31	39	51	58	60	41	35	24	17	15	12	4382
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	1.4	9.4	5.3	0.7	0.0	0.0	0.0	16.9	12	4382
MEAN NO DYS TMP = OR LES 32(F)	24.6	17.3	6.9	0.1	0.0	0.0	0.0	0.0	0.0	0.0	4.5	19.5	72.9	12	4382
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4382
MEAN DEW PT TMP (F)	26	29	35	45	55	62	70	72	65	54	43	32	49	12	104086
MEAN MEL HUM (PCT)	65	68	71	74	78	84	85	85	85	82	77	70	77	12	104085
MEAN PRESS ALT (FT)	334	357	358	391	468	551	545	553	465	363	309	321	418	0	-50
MEAN PRECIP (IN)	1.99	2.54	4.15	4.22	5.77	7.91	7.98	6.37	10.77	5.29	3.62	1.73	62.3	12	4364
MEAN SNOW FALL (IN)	4.2	5.7	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	13.1	12	4381
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.3	4.8	7.1	6.8	8.9	10.5	7.9	9.2	11.3	8.0	5.8	3.7	87.3	12	4364
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.8	1.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	3.0	12	4381
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	1.1	1.7	1.5	1.4	2.5	3.5	4.3	3.6	3.0	1.5	1.6	1.1	26.8	12	4355
MEAN NO DYS TSTMS	0.1	0.1	0.5	0.2	1.1	1.6	3.7	2.6	0.9	0.2	0.2	0.2	11.4	12	4383
P FREQ WND SPD = OR GTR 17 KTS	2.6	3.2	4.3	4.8	2.9	0.7	0.9	1.3	1.9	1.1	2.1	2.0	2.3	12	104502
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.0	0.1	0.2	0.1	0.1	0.0	0.1	0.3	0.0	0.0	0.1	0.1	12	104502
P FREQ LES 5000 FT A/O LES 5 MI	26.5	34.5	40.3	41.3	40.9	64.9	64.6	58.3	57.7	51.9	40.2	30.2	45.9	12	104510
P FREQ LES 1500 FT A/O LES 3 MI	5.3	8.5	11.2	15.2	18.7	39.4	43.7	36.2	32.8	17.4	8.1	4.1	20.1	12	13066
FOR 00-02 LST	5.3	8.3	9.0	17.3	21.5	44.1	51.1	43.4	32.5	16.3	6.4	3.3	21.5	12	13067
03-05 LST	8.8	14.0	16.5	19.4	23.6	43.7	50.7	43.8	35.2	18.2	10.9	9.2	24.5	12	13066
06-08 LST	8.9	14.5	11.2	16.3	15.9	34.9	32.6	26.4	27.0	14.8	8.0	11.6	18.5	12	13066
09-11 LST	6.5	11.1	11.6	15.0	12.7	25.2	17.2	13.7	20.6	12.1	8.4	8.0	13.5	12	13068
12-14 LST	9.9	12.2	12.5	13.6	14.1	23.1	19.0	12.6	17.3	13.0	12.0	13.1	14.4	12	13063
15-17 LST	13.0	17.5	15.7	15.9	17.2	31.2	22.8	20.6	24.5	20.3	15.3	18.2	19.4	12	13065
18-20 LST	7.9	9.7	12.1	13.7	18.4	36.7	34.4	30.0	27.0	18.5	8.9	7.5	18.7	12	13065
21-23 LST	1.3	2.4	2.3	2.1	3.7	6.3	9.1	5.8	8.0	2.4	0.6	0.8	3.7	12	13066
FOR 00-02 LST	1.1	2.2	2.2	2.8	5.0	8.3	13.1	9.8	6.9	1.9	0.9	0.3	4.5	12	13067
03-05 LST	1.8	3.5	2.2	3.7	5.0	6.9	7.8	5.7	6.2	2.9	1.9	0.7	4.0	12	13066
06-08 LST	1.5	3.3	0.7	1.1	1.3	2.3	1.9	0.6	1.6	1.4	0.6	1.0	1.4	12	13066
09-11 LST	1.2	2.6	1.4	0.7	1.0	2.1	1.2	0.4	1.9	0.4	0.6	0.4	1.2	12	13068
12-14 LST	1.4	2.7	1.5	0.8	1.3	2.4	2.2	0.5	1.9	2.2	0.9	1.3	1.6	12	13063
15-17 LST	1.5	2.8	1.7	1.4	2.7	4.3	3.3	1.7	3.2	1.5	1.4	1.7	2.3	12	13065
18-20 LST	1.3	2.3	1.4	2.2	3.4	4.6	4.4	2.3	3.9	2.0	1.1	0.9	2.5	12	13065
21-23 LST															

YOKOTA AB, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	09 LST	27.2	23.1	27.8	25.7	26.5	20.2	20.9	23.6	22.9	26.4	27.3	26.4	298.0	12	4356
	15 LST	29.4	25.4	28.1	26.5	27.7	24.6	27.0	27.7	26.1	28.2	27.7	29.1	327.5	12	4356
	21 LST	28.8	25.3	28.1	26.6	25.8	21.0	23.1	24.5	23.7	25.8	27.4	28.5	308.6	12	4355
CIG ≥GTR 2000 FT AND VSBY ≥GTR 3 MI W/SFC WND LES 10 KTS	03 LST	29.9	26.1	28.9	26.9	25.7	19.1	18.4	20.2	22.1	26.7	28.6	30.3	302.9	12	4356
	09 LST	23.7	19.4	20.2	19.0	20.0	15.2	15.5	17.4	18.2	20.8	23.8	23.2	236.4	12	4356
	15 LST	18.6	15.2	15.4	10.9	12.6	13.6	15.2	14.5	18.2	22.0	20.3	21.4	197.9	12	4356
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	24.5	21.4	21.1	20.5	20.6	16.7	18.6	19.7	19.5	23.2	24.4	25.3	255.5	12	4355
	03 LST	27.4	23.3	24.9	21.8	22.8	16.0	14.9	16.5	18.4	23.8	26.7	27.7	264.2	12	4356
	09 LST	0.5	0.7	1.7	1.0	0.9	0.2	0.0	0.4	0.5	0.6	0.6	0.5	7.6	12	4039
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	2.4	3.1	3.2	4.1	2.6	0.5	1.0	0.8	1.4	0.5	1.7	1.8	23.1	12	4076
	21 LST	0.3	0.3	1.0	0.5	0.4	0.0	0.1	0.3	0.4	0.1	0.3	0.2	3.9	12	4035
	03 LST	0.3	0.1	0.3	0.3	0.2	0.0	0.0	0.1	0.3	0.3	0.2	0.1	2.2	12	4012
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	11.0	9.7	15.5	17.3	18.1	17.8	15.4	18.5	16.7	16.0	12.2	11.1	179.3	12	4039
	15 LST	19.5	15.1	17.9	14.7	16.8	19.9	16.3	15.1	19.6	22.2	19.9	18.7	215.7	12	4076
	21 LST	11.0	12.0	16.4	16.7	15.1	15.3	15.6	16.8	11.9	14.6	15.9	15.8	177.1	12	4035
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	6.7	7.0	12.6	14.8	14.2	12.2	8.7	12.5	11.5	14.3	14.5	11.6	140.6	12	4011
	09 LST	15.5	11.0	9.6	7.1	4.7	2.2	2.0	3.5	2.8	6.0	11.1	16.0	91.5	12	4356
	15 LST	11.5	6.6	5.6	4.1	3.1	0.3	2.1	2.8	2.2	3.8	8.9	12.6	63.6	12	4356
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	17.2	12.5	10.7	8.1	6.4	1.7	3.0	4.7	3.8	4.5	10.5	17.3	100.4	12	4355
	03 LST	18.4	12.6	12.4	8.7	8.2	3.1	3.5	5.1	4.1	7.0	10.9	18.8	112.8	12	4356
	09 LST	26.7	22.1	25.6	22.8	24.0	15.2	15.8	17.0	18.7	23.6	25.6	25.5	262.6	12	4356
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	28.0	24.2	25.7	23.9	25.2	20.1	23.3	22.9	21.6	24.7	26.0	28.2	293.8	12	4356
	21 LST	26.8	23.8	25.1	23.6	23.4	17.0	19.1	20.0	19.4	22.5	24.5	26.8	272.0	12	4355
	03 LST	28.4	24.4	26.3	23.0	22.9	15.2	14.7	16.5	18.3	22.9	26.9	28.4	267.9	12	4356
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	22.4	17.8	19.4	18.6	20.1	11.6	11.9	13.8	13.6	16.2	19.2	22.4	207.0	12	4356
	15 LST	23.1	17.8	17.5	17.8	19.1	12.8	15.6	17.7	14.6	16.6	19.3	24.1	216.0	12	4356
	21 LST	23.1	19.2	18.5	19.0	19.8	13.1	15.9	15.7	13.3	13.1	17.1	23.3	211.1	12	4355
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	24.2	19.0	19.2	17.3	19.4	10.7	11.1	12.0	12.0	15.5	19.1	24.8	204.3	12	4356
	09 LST	21.6	17.2	17.6	16.6	18.4	10.6	10.2	13.0	11.5	14.2	17.9	21.6	190.4	12	4356
	15 LST	21.9	16.2	15.8	15.3	17.4	11.5	14.5	16.5	12.7	15.0	17.8	22.9	197.5	12	4356
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	22.2	17.6	16.9	15.6	17.9	11.1	13.6	14.2	11.1	10.9	15.0	22.3	188.4	12	4355
	03 LST	23.3	18.1	17.7	15.2	18.0	9.7	9.8	11.1	9.8	13.1	17.1	23.9	186.8	12	4356

IRUMA AB, JAPAN

STA NO. 47643 (IN AREA NUMBER 04) LATITUDE 3550N LONGITUDE 13924E ELEVATION(FT) 00295

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NC OBS
ABS MAX TMP (F)	67	71	80	85	91	96	98	99	94	82	73	69	99	12	4373
MEAN MAX TMP (F)	48	49	55	64	72	76	84	86	78	68	59	52	66	12	4373
MEAN MIN TMP (F)	30	31	36	46	54	62	70	71	64	54	43	34	50	12	4373
ABS MIN TMP (F)	15	21	20	30	37	49	59	58	48	36	26	19	15	12	4373
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.8	9.4	10.4	1.1	0.0	0.0	0.0	21.8	12	4373
MEAN NO DYS TMP = OR LES 32(F)	22.8	19.5	9.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	1.7	12.6	66.0	12	4373
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4373
MEAN DEW PT TMP (F)	26	28	34	45	54	62	70	72	66	54	42	32	49	12	104301
MEAN REL HUM (PCT)	64	66	68	72	77	83	84	84	85	82	75	69	76	12	104300
MEAN PRESS ALT (FT)	171	194	195	229	306	389	384	391	304	201	146	158	256	0	-50
MEAN PRECIP (IN)	1.80	2.56	3.54	4.11	5.40	7.96	7.48	8.32	8.48	7.33	3.05	2.03	42.1	12	4372
MEAN SNOW FALL (IN)	3.8	7.6	3.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	15.0	12	4372
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.3	4.6	6.4	7.3	7.8	10.8	9.4	8.8	10.3	9.8	5.6	3.7	87.8	12	4372
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.7	1.5	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	3.1	12	4372
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.5	2.1	1.6	2.2	2.7	4.7	4.8	5.4	4.1	1.9	1.8	1.1	33.9	12	4369
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
P FREQ WND SPD = OR GTR 17 KTS	0.9	0.9	2.0	2.2	0.6	0.1	0.2	0.8	0.8	0.3	0.5	0.7	0.8	12	104791
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	12	104791
P FREQ LES 5000 FT A/O LES 5 MI	23.0	31.4	38.5	40.7	41.7	65.7	66.0	60.3	55.6	48.6	38.5	28.0	44.8	12	104809
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	8.2	9.6	11.3	14.8	20.4	40.3	43.2	42.1	34.4	19.6	8.3	5.8	21.5	12	13102
03-05 LST	5.0	9.8	9.9	15.6	24.6	45.6	52.4	50.5	38.1	19.7	8.4	4.0	23.6	12	13104
06-08 LST	7.3	13.2	13.9	19.5	26.8	47.9	53.4	47.2	38.4	22.2	13.3	7.0	25.8	12	13104
09-11 LST	8.9	13.6	11.7	16.4	17.7	35.4	33.4	26.0	28.7	17.0	11.8	13.6	19.5	12	13104
12-14 LST	7.4	10.4	11.2	13.9	13.2	26.0	21.6	14.1	20.0	11.0	8.1	9.0	13.8	12	13113
15-17 LST	9.1	11.3	13.3	13.8	13.6	23.1	18.0	14.8	20.1	14.6	13.1	12.4	14.8	12	13101
18-20 LST	13.6	15.8	14.1	17.0	17.2	30.5	23.8	22.3	25.3	19.6	15.3	16.4	19.2	12	13106
21-23 LST	8.4	9.3	11.6	13.9	17.4	35.0	30.6	30.7	28.0	18.6	11.1	7.2	18.5	12	13103
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	1.7	3.4	3.6	2.9	5.1	9.3	9.5	9.7	10.6	5.9	1.9	0.7	5.4	12	13102
03-05 LST	1.5	3.8	3.2	3.7	7.9	12.5	18.3	16.7	11.5	5.2	3.0	1.0	7.4	12	13104
06-08 LST	2.2	4.7	3.0	4.6	7.2	11.5	13.0	10.2	9.4	5.3	3.0	1.3	6.3	12	13104
09-11 LST	2.5	3.7	1.1	2.6	2.1	3.2	1.9	1.3	2.4	1.9	1.1	1.5	2.1	12	13104
12-14 LST	1.2	3.5	1.6	1.0	1.2	1.9	1.5	0.5	1.9	1.0	0.7	1.2	1.4	12	13113
15-17 LST	1.4	2.7	1.1	1.7	1.4	3.1	1.5	0.5	1.7	1.2	1.6	1.5	1.6	12	13101
18-20 LST	2.4	3.1	2.5	2.5	3.1	5.7	3.8	3.2	5.1	3.9	1.9	1.4	3.2	12	13106
21-23 LST	1.8	2.8	2.3	1.9	4.1	7.5	3.7	3.8	6.3	5.2	2.5	1.3	3.6	12	13103

IRUMA AB, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		MEAN NUMBER OF DAYS												ANN	DEC	NOV	OCT	SEP	AUG	JUL	JUN	MAY	APR	MAR	FEB	JAN	POR (YRS)	NO. OBS
		09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST															
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	27.8	23.8	27.7	25.3	25.5	19.8	21.4	23.9	22.5	25.9	25.2	26.7	295.5	12	4370												
	15 LST	29.0	25.8	27.8	26.8	27.7	24.5	26.7	28.1	25.5	28.0	27.5	29.1	326.5	12	4371												
	21 LST	28.2	25.4	28.0	26.3	26.6	21.2	23.9	24.1	23.7	25.9	26.8	28.6	308.7	12	4369												
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	03 LST	29.5	25.6	28.2	26.6	25.1	18.2	17.1	18.8	20.3	25.1	27.6	29.7	291.8	12	4370												
	09 LST	24.0	19.6	19.0	18.5	20.6	15.2	15.0	16.8	17.8	22.3	22.2	22.9	233.9	12	4370												
	15 LST	19.7	16.8	16.3	14.3	15.6	16.8	18.4	18.8	19.3	23.2	21.6	22.8	223.6	12	4371												
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	24.4	22.1	21.1	20.2	22.3	17.3	20.4	20.4	20.3	23.6	24.2	26.5	262.8	12	4369												
	03 LST	27.1	22.7	24.4	23.0	22.7	15.7	13.7	14.6	17.1	23.4	26.3	28.1	258.8	12	4370												
	09 LST	0.0	0.0	0.6	0.5	0.2	0.1	0.0	0.2	0.3	0.0	0.1	0.2	2.2	12	4042												
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	1.0	1.1	1.2	1.9	0.3	0.0	0.1	0.2	0.3	0.3	0.3	1.0	7.7	12	4071												
	21 LST	0.2	0.0	0.7	0.2	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.1	1.5	12	4046												
	03 LST	0.0	0.2	0.2	0.2	0.1	0.0	0.0	0.0	0.3	0.1	0.0	0.0	1.1	12	4038												
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	11.9	11.4	17.0	16.7	19.0	17.6	16.0	16.8	14.7	17.2	13.1	11.2	182.6	12	4042												
	15 LST	17.3	16.9	18.8	18.2	20.0	21.8	16.7	15.2	20.0	20.9	19.4	17.4	222.6	12	4071												
	21 LST	15.1	14.6	15.7	18.5	17.7	16.0	14.4	15.6	13.4	15.0	18.4	19.4	193.8	12	4046												
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	7.9	8.6	14.4	18.9	15.3	11.6	9.1	12.2	9.8	14.7	15.2	14.1	151.8	12	4038												
	09 LST	15.8	11.4	8.8	7.7	6.1	2.6	1.7	3.3	2.9	6.1	11.0	16.4	93.8	12	4370												
	15 LST	11.5	7.4	5.5	4.2	3.4	0.4	1.8	1.9	2.3	4.3	9.7	12.9	65.3	12	4371												
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	16.8	12.8	10.5	8.5	6.7	2.5	3.2	4.6	4.5	5.7	10.7	17.5	104.0	12	4369												
	03 LST	18.8	13.3	13.2	8.6	8.1	3.3	1.9	4.7	4.3	6.9	11.9	19.8	114.8	12	4370												
	09 LST	27.2	23.0	25.6	23.3	23.3	14.9	14.0	16.2	17.8	23.7	24.2	26.0	259.2	12	4370												
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	28.2	24.6	25.5	24.2	25.9	19.7	21.1	24.5	21.2	25.4	25.7	28.6	294.6	12	4371												
	21 LST	27.0	24.4	25.4	23.8	24.1	17.6	19.6	20.2	20.2	23.7	24.9	27.9	278.8	12	4369												
	03 LST	28.1	23.9	26.2	23.7	23.1	14.8	13.3	13.8	16.8	22.8	26.4	28.6	261.5	12	4370												
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	23.2	18.5	19.5	18.8	19.5	11.3	10.7	13.3	12.1	16.2	18.4	23.5	205.0	12	4370												
	15 LST	23.6	19.0	17.1	17.8	19.2	12.8	15.3	18.0	15.4	17.2	19.7	24.9	220.0	12	4371												
	21 LST	23.5	20.5	18.7	19.5	20.8	13.3	15.6	16.3	13.8	15.2	17.9	24.5	219.6	12	4369												
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	24.5	20.2	19.2	17.8	19.2	10.2	9.0	10.7	12.6	16.0	19.4	25.4	204.2	12	4370												
	09 LST	21.7	17.7	17.7	16.9	17.9	10.1	8.9	12.2	10.3	13.2	16.3	21.9	184.8	12	4370												
	15 LST	22.5	17.4	15.0	15.4	17.1	10.4	13.1	16.4	12.2	14.2	17.4	23.0	194.1	12	4371												
	21 LST	22.4	18.6	16.9	16.1	18.2	11.2	13.6	14.4	11.2	12.3	15.5	23.0	193.4	12	4369												
	03 LST	23.7	18.8	18.3	15.4	17.8	9.1	7.5	9.7	10.2	13.3	17.5	24.5	185.8	12	4370												

TACHIKAWA AB, JAPAN

LATITUDE 3542N LONGITUDE 13924E ELEVATION (FT) 00320

STA NO. 47660 (IN AREA NUMBER 04)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	70	79	76	83	90	93	97	99	96	89	79	74	99	12	4381
MEAN MAX TMP (F)	48	50	55	65	72	77	84	87	79	69	61	53	67	12	4381
MEAN MIN TMP (F)	27	29	36	45	54	62	70	72	65	54	43	32	49	12	4381
ABS MIN TMP (F)	13	16	20	28	36	46	60	60	45	38	25	20	13	12	4381
MEAN NO DYS TMP = OK GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.5	7.2	11.8	1.8	0.0	0.0	0.0	21.4	12	4381
MEAN NO DYS TMP = OR LES 32(F)	24.6	21.0	9.5	0.8	0.0	0.0	0.0	0.0	0.0	0.0	2.8	16.5	75.2	12	4381
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4381
MEAN DEW PT TMP (F)	25	27	30	45	55	62	70	72	66	55	44	32	49	12	105069
MEAN REL HUM (PCT)	65	65	68	72	77	82	83	82	83	81	77	71	76	12	105068
MEAN PRESS ALT (FT)	194	217	217	250	327	409	404	411	324	223	168	181	277	0	-50
MEAN PRECIP (IN)	1.83	1.91	3.61	4.29	5.53	7.12	6.12	6.94	8.13	7.79	3.02	2.18	58.5	12	4291
MEAN SNOW FALL (IN)	3.3	5.8	2.7	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.2	12	4293
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.6	4.0	7.2	6.8	7.8	9.7	8.5	7.8	9.8	9.7	5.6	3.4	83.9	12	4291
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.8	1.1	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	12	4293
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.1	1.1	1.8	1.6	1.7	2.3	4.0	2.3	2.2	1.7	1.0	1.1	21.9	12	4382
MEAN NO DYS TSTMS	0.1	0.0	0.2	0.4	1.2	1.0	2.7	2.9	1.3	0.2	0.3	0.3	10.6	12	4383
P FREQ WND SPD = OR GTR 17 KTS	1.8	2.0	2.8	3.0	2.1	0.6	0.5	0.8	1.5	0.5	1.3	1.0	1.5	12	105147
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	12	105147
P FREQ LES 5000 FT A/O LES 5 MI	26.1	32.6	40.9	39.9	40.3	61.0	65.5	56.1	56.8	51.8	41.7	31.0	45.3	12	105148
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	4.7	8.7	11.9	14.1	17.7	35.3	43.8	34.3	28.4	17.2	8.7	3.8	19.1	12	13138
03-05 LST	5.2	7.6	10.3	16.5	21.0	40.7	52.2	40.5	31.4	16.7	6.9	3.8	21.1	12	13145
06-08 LST	6.5	10.4	10.8	17.9	23.6	41.9	52.2	42.4	33.4	19.0	9.7	7.5	22.9	12	13146
09-11 LST	8.2	13.4	10.5	13.3	15.8	31.9	33.6	27.3	27.1	15.5	9.1	11.6	18.1	12	13149
12-14 LST	5.5	9.1	10.8	11.3	11.7	22.7	20.1	15.0	19.9	12.1	8.3	9.2	13.0	12	13148
15-17 LST	8.5	11.3	14.2	12.8	11.9	22.6	18.1	14.9	17.5	13.4	15.3	16.6	14.8	12	13146
18-20 LST	12.2	17.1	16.5	14.2	15.4	27.0	24.3	15.3	22.5	17.4	16.0	18.9	18.4	12	13145
21-23 LST	5.9	8.7	12.8	11.5	16.0	31.2	33.3	25.4	23.5	16.0	9.6	7.2	16.7	12	13145
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	1.0	2.6	2.4	1.3	2.5	4.0	6.4	4.3	4.4	1.6	1.0	0.6	2.7	12	13138
03-05 LST	1.0	1.1	1.9	3.2	3.3	5.9	12.5	7.9	6.4	1.8	0.9	0.5	3.9	12	13145
06-08 LST	1.3	1.7	0.9	3.2	3.9	5.2	8.2	6.5	5.6	2.2	1.5	1.2	3.5	12	13146
09-11 LST	1.3	1.8	0.3	1.3	0.9	1.2	1.3	0.9	1.2	0.5	0.6	0.6	1.0	12	13149
12-14 LST	1.3	2.1	1.0	0.6	0.5	1.1	1.0	0.5	0.8	0.4	0.5	0.4	0.9	12	13148
15-17 LST	1.3	2.4	1.3	0.4	0.4	1.1	0.8	1.3	1.7	1.0	0.9	2.1	1.2	12	13146
18-20 LST	1.3	2.5	1.9	0.8	1.3	3.1	2.2	2.7	2.6	1.0	1.1	1.3	1.8	12	13146
21-23 LST	1.4	2.0	1.4	0.7	1.1	3.1	2.4	2.9	2.3	1.6	1.2	0.8	1.7	12	13145

TACHIKAWA AB, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	26.0	23.9	28.3	26.0	26.5	21.0	20.6	22.7	22.2	26.1	27.2	27.3	299.8	4383
	15 LST	29.7	25.8	28.1	26.6	28.1	25.1	26.2	23.0	25.7	28.0	27.5	28.1	326.9	4383
	21 LST	29.1	25.3	27.7	27.4	27.2	22.6	24.0	25.2	24.9	26.7	27.8	28.6	317.5	4383
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	30.2	26.3	28.6	26.6	26.6	20.4	18.0	21.6	22.0	26.5	28.2	30.1	305.1	4382
	09 LST	24.5	19.7	20.6	18.4	20.5	16.1	14.7	17.7	17.5	21.9	23.4	24.4	239.4	4383
	15 LST	19.5	14.4	13.8	10.9	12.5	13.6	14.2	15.0	16.7	21.6	19.7	20.5	192.4	4383
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	24.3	21.1	20.0	20.8	21.8	18.2	19.1	21.4	20.5	23.8	24.4	25.3	260.7	4383
	03 LST	27.0	23.0	24.0	21.8	22.2	16.8	14.2	17.2	18.2	22.9	25.8	27.5	260.6	4382
	09 LST	0.4	0.4	1.0	0.8	0.8	0.2	0.1	0.1	0.4	0.2	0.3	0.2	4.9	4076
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	1.7	1.2	2.3	2.6	1.7	0.5	0.5	0.8	0.3	0.3	1.1	1.3	14.3	4102
	21 LST	0.1	0.3	0.2	0.7	0.3	0.0	0.0	0.1	0.7	0.0	0.1	0.2	2.3	4076
	03 LST	0.0	0.1	0.2	0.1	0.2	0.0	0.0	0.0	0.5	0.0	0.0	0.1	1.2	4069
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	9.2	9.3	15.2	16.3	16.6	15.9	16.9	16.9	16.1	17.1	14.3	9.5	173.3	4076
	15 LST	18.2	15.7	16.8	15.0	16.8	18.2	16.2	15.3	19.5	21.8	19.4	18.1	211.0	4102
	21 LST	11.7	12.9	16.8	16.0	16.6	15.1	18.5	19.0	13.5	15.6	14.9	14.6	186.2	4076
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	5.1	6.9	11.7	12.7	11.5	10.6	10.9	11.4	10.1	13.6	13.2	10.9	128.6	4069
	09 LST	16.1	11.5	9.2	7.7	6.0	2.3	1.6	2.7	2.6	5.3	10.9	16.2	92.1	4383
	15 LST	11.7	8.2	5.6	4.7	3.6	0.7	1.7	2.8	2.1	4.1	9.8	13.3	68.3	4383
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	17.1	14.1	10.7	8.3	6.7	1.6	3.4	4.8	4.6	4.7	11.4	17.6	105.0	4383
	03 LST	18.2	13.6	12.2	8.6	8.5	3.3	2.3	5.5	4.2	6.9	12.2	19.2	114.7	4382
	09 LST	27.2	22.8	25.3	23.2	23.7	16.2	15.1	17.6	18.8	23.6	26.2	26.3	266.0	4383
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	28.9	24.4	25.3	24.8	26.2	21.3	22.7	23.6	21.1	25.4	25.4	27.5	296.6	4383
	21 LST	27.8	24.7	24.4	24.6	24.8	19.1	19.9	21.5	20.8	23.7	25.5	27.2	284.0	4383
	03 LST	28.6	24.7	25.1	23.8	23.7	16.2	13.9	16.9	18.4	23.3	26.3	28.5	269.4	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	23.4	19.0	19.4	18.6	18.9	12.5	11.4	13.9	13.7	15.8	19.6	22.6	208.8	4383
	15 LST	23.4	19.2	17.6	17.3	18.9	13.5	15.5	18.5	14.7	16.4	20.0	23.9	218.9	4383
	21 LST	24.3	20.3	17.6	19.0	19.7	14.3	14.8	17.1	14.7	14.1	17.9	23.9	217.7	4383
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	23.8	19.9	18.4	17.5	18.5	11.6	10.4	12.9	12.1	14.3	18.7	24.5	202.6	4382
	09 LST	22.2	18.4	18.6	17.1	17.8	11.2	10.1	12.9	12.2	12.8	17.6	21.4	192.3	4383
	15 LST	22.2	18.2	16.2	16.1	17.5	12.0	14.0	17.3	12.4	14.4	17.7	22.7	200.7	4383
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	23.5	18.6	16.4	16.5	17.8	12.2	12.7	15.3	12.2	11.1	15.9	23.0	195.2	4383
	03 LST	23.0	19.2	17.4	15.0	17.1	10.5	8.9	11.8	10.1	12.1	17.1	23.7	185.9	4382

MIHO AB, JAPAN

STA NO. 47743 (IN AREA NUMBER 04)

LATITUDE 3529N LONGITUDE 13314E ELEVATION(FT) 00012

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANIN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	66	76	78	85	94	95	100	100	96	89	82	72	100	65	-528
MEAN MAX TMP (F)	45	45	52	62	71	77	84	87	79	70	60	51	65	65	-28
MEAN MIN TMP (F)	33	33	37	45	52	62	71	72	65	53	45	37	50	65	-28
ABS MIN TMP (F)	15	17	21	29	35	45	54	58	47	36	30	23	15	65	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.3	0.9	15.2	10.1	0.6	0.0	0.0	0.0	27.1	10	3187
MEAN NO DYS TMP = OR LES 32(F)	8.0	7.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	18.3	10	3187
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3187
MEAN DEW PT TMP (F)	35	34	38	46	55	63	71	73	66	55	47	39	52	10	76470
MEAN REL HUM (PCT)	77	76	73	75	76	79	81	81	81	77	75	76	77	62	-28
MEAN PRESS ALT (FT)	-194	-163	-125	-49	41	133	145	137	31	-107	-181	-192	-43	0	-50
MEAN PRECIP (IN)	7.70	6.20	5.50	4.90	4.20	6.70	6.30	5.20	9.50	6.50	6.00	8.00	76.7	65	-29
MEAN SNOW FALL (IN)	25.3	15.2	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	10.3	53.6	10	3185
MEAN NO DYS PRCP = OR GTR 0.1 IN	13.1	11.3	8.2	7.7	6.9	8.8	8.5	7.4	12.1	8.9	8.3	13.5	114.7	65	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	5.0	3.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.3	11.2	10	3185
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.9	3.9	2.0	1.2	0.5	1.7	0.9	0.5	0.0	1.4	0.8	1.0	17.8	10	3193
MEAN NO DYS TSTMS	0.5	0.5	0.7	1.1	0.8	1.2	2.2	2.4	1.8	0.5	0.5	1.0	13.2	30	-100
P FREQ WND SPD = OR GTR 17 KTS	8.0	6.1	4.8	4.9	4.1	3.6	2.2	1.9	2.4	2.1	2.6	4.5	3.9	10	76560
P FREQ WND SPD = OR GTR 23 KTS	0.2	0.2	0.2	0.2	0.1	0.1	0.0	0.1	0.4	0.2	0.1	0.0	0.2	10	76560
P FREQ LES 5000 FT A/O LES 5 MI	69.3	67.8	50.2	32.3	24.4	37.9	36.9	21.8	31.3	32.1	45.0	58.2	42.3	10	76573
P FREQ LES 1500 FT A/O LES 3 MI	6.6	9.7	4.9	9.9	5.3	15.4	13.9	4.7	3.2	4.1	4.1	1.9	7.0	10	9553
FOR 00-02 LST	8.0	10.4	6.2	12.3	8.6	17.9	17.1	3.5	4.4	3.8	3.5	2.7	8.2	10	9579
03-05 LST	8.0	10.2	9.3	13.6	9.2	18.7	16.6	4.0	8.1	8.7	4.9	4.5	9.7	10	9580
06-08 LST	10.5	12.1	8.2	10.5	5.5	14.0	13.6	4.0	9.4	7.4	4.1	6.1	8.9	10	9577
09-11 LST	12.1	10.9	7.9	7.8	6.7	12.4	10.5	3.6	7.4	5.5	3.7	4.2	7.7	10	9579
12-14 LST	11.1	14.4	9.0	7.4	7.9	11.2	9.3	4.7	7.7	5.5	4.0	5.5	8.1	10	9579
15-17 LST	11.8	12.1	7.5	9.5	7.6	16.2	11.2	6.1	7.5	4.4	6.0	5.4	8.8	10	9572
18-20 LST	9.4	8.8	5.9	8.0	5.7	16.2	11.8	6.2	4.2	2.5	3.8	4.3	7.2	10	9563
21-23 LST	2.6	2.6	1.1	0.5	0.7	1.7	0.8	0.0	0.0	0.5	0.0	0.4	0.9	10	9553
FOR 00-02 LST	2.9	3.4	1.2	1.1	1.2	2.1	0.7	0.0	0.1	1.1	0.6	0.5	1.2	10	9579
03-05 LST	3.3	3.9	3.0	3.1	0.6	2.9	2.2	0.4	0.7	2.7	1.4	1.1	2.1	10	9580
06-08 LST	4.2	5.5	1.6	1.0	0.1	1.3	1.1	0.4	1.0	1.0	0.6	1.0	1.6	10	9577
09-11 LST	3.6	4.3	0.5	0.5	0.4	0.8	0.7	0.1	0.1	0.6	0.2	0.5	1.0	10	9579
12-14 LST	4.4	3.4	0.5	0.2	1.0	1.0	0.7	0.4	0.4	0.4	0.2	0.4	1.1	10	9579
15-17 LST	3.6	2.8	0.6	1.2	0.8	1.4	0.9	0.5	0.4	0.8	0.2	0.4	1.1	10	9572
18-20 LST	2.4	2.5	0.7	0.7	0.4	1.4	1.1	0.0	0.4	0.4	0.1	1.0	0.9	10	9563
21-23 LST															

MIHO AB, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	28.1	25.0	29.0	27.8	30.0	26.9	27.9	27.7	28.6	28.9	29.4	339.2	10	3194	
	15 LST	28.6	24.9	29.1	28.3	29.0	27.4	29.2	28.2	29.8	29.1	30.0	343.8	10	3193	
	21 LST	29.0	26.2	30.1	28.0	29.6	26.7	28.7	29.1	30.4	29.3	30.2	347.2	10	3192	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	03 LST	29.2	25.6	30.0	28.1	29.1	26.6	28.0	30.1	30.5	29.8	30.5	347.1	10	3194	
	09 LST	18.5	15.7	20.3	19.4	21.3	18.3	19.6	23.7	22.4	23.9	22.2	20.4	245.7	10	3194
	15 LST	14.0	11.6	13.1	11.0	14.7	11.8	16.2	15.0	17.2	17.4	15.7	15.7	173.4	10	3193
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	18.9	16.1	21.6	21.7	24.1	19.3	21.6	24.0	24.6	23.3	21.9	259.5	10	3192	
	03 LST	20.4	17.9	23.1	22.5	24.1	20.6	22.4	26.8	25.1	25.9	22.4	274.2	10	3194	
	09 LST	1.7	1.4	1.5	1.2	1.4	1.1	0.7	0.7	0.5	0.7	0.7	12.1	10	2911	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	3.5	2.2	1.9	2.0	1.9	2.0	1.5	0.9	1.0	1.6	2.0	21.4	10	2909	
	21 LST	1.1	1.1	1.2	1.4	1.0	0.4	0.1	0.7	0.2	0.3	1.0	8.6	10	2940	
	03 LST	1.7	0.8	0.5	0.8	0.7	0.1	0.1	0.2	0.1	0.3	1.2	6.6	10	2879	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	14.9	12.7	14.3	14.1	16.4	16.2	17.9	18.2	13.4	14.4	15.6	17.2	185.3	10	2911
	15 LST	13.7	13.1	17.6	16.2	18.0	17.0	15.3	13.5	23.4	20.7	17.7	15.9	199.1	10	2909
	21 LST	16.1	16.0	16.8	15.6	15.6	17.4	17.3	18.4	17.5	19.2	17.5	20.4	207.8	10	2940
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	14.7	13.9	16.6	14.8	16.4	16.5	13.5	16.6	13.7	17.4	14.6	16.8	185.5	10	2879
	09 LST	1.4	1.0	2.9	7.1	5.3	2.8	5.7	6.7	3.2	4.3	3.9	1.6	45.9	10	3194
	15 LST	0.9	1.2	3.3	6.4	7.2	2.6	4.1	6.7	4.1	5.4	4.4	2.0	48.3	10	3193
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	3.1	3.1	6.9	8.9	8.2	4.3	5.0	8.6	5.9	7.5	6.1	4.3	71.9	10	3192
	03 LST	3.2	3.1	6.3	10.5	9.9	6.3	7.8	12.5	8.8	10.0	7.5	5.1	91.0	10	3194
	09 LST	24.6	22.1	25.2	24.9	27.5	22.6	23.5	27.9	25.2	26.9	26.6	26.5	303.5	10	3194
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	23.9	22.1	25.2	26.1	27.7	23.7	25.6	27.9	26.1	28.2	27.3	26.7	310.5	10	3193
	21 LST	25.3	23.0	26.8	25.8	28.2	22.8	25.1	28.1	27.5	28.6	27.0	27.1	315.3	10	3192
	03 LST	26.4	22.7	26.8	25.5	27.2	23.0	23.4	28.6	27.1	28.2	27.5	29.2	315.6	10	3194
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	5.8	6.7	13.1	19.3	22.4	17.4	18.5	23.4	19.7	19.0	14.1	10.0	189.4	10	3194
	15 LST	7.0	8.3	14.1	20.2	23.4	19.4	19.4	24.1	19.5	20.3	14.2	10.0	199.9	10	3193
	21 LST	8.4	7.9	17.0	20.4	24.2	18.5	20.5	24.4	19.2	21.0	14.9	11.3	207.7	10	3192
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	7.4	7.1	14.3	19.8	21.6	17.7	18.8	24.4	19.9	20.0	15.0	10.8	196.8	10	3194
	09 LST	4.7	5.4	11.4	17.0	18.1	14.9	15.7	21.1	16.4	16.4	12.0	7.3	160.4	10	3194
	15 LST	5.6	6.4	12.2	18.1	20.6	16.4	16.2	22.7	17.3	17.9	11.8	7.8	173.0	10	3193
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	7.8	7.0	15.0	18.4	20.1	14.6	17.4	23.1	16.9	18.0	13.0	10.1	181.4	10	3192
	03 LST	6.0	5.9	12.6	17.6	18.8	14.0	16.4	22.0	17.0	17.6	13.0	9.1	170.0	10	3194

AREA NO. 04


JAPAN	CENTRAL MTNS BOUNDARIES	LATITUDE 3630N LONGITUDE 13900E												
		4055N 14020E			4000N 14030E			3800N 13940E			3540N 13600E			
		3640N 14040E			3525N 13905E			3520N 13625E			3425N 13150E			
	3425N 13150E	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN

PARAMETER DESCRIPTION
 MEAN MAX TMP (F)
 MEAN MIN TMP (F)
 LARGEST MEAN PRECIP(IN)
 SMALLEST MEAN PRECIP(IN)

41	43	49	61	69	74	82	84	77	67	56	46	62	
25	26	32	41	50	59	67	69	62	49	39	30	46	
7.70	6.20	5.50	6.79	7.22	10.02	9.48	8.99	10.77	7.79	6.00	8.00	94.5	
1.35	1.65	2.12	2.36	2.87	3.15	3.87	3.42	5.40	2.89	2.10	1.38	32.6	

MEAN NUMBER OF DAYS

CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	25.4	23.0	27.7	27.1	27.3	24.3	22.9	25.5	25.6	27.6	26.2	25.7	308.3
	15 LST	28.9	25.9	28.9	27.8	28.5	26.0	27.2	28.7	27.6	29.4	28.7	29.3	326.9
	21 LST	28.3	25.4	28.3	27.3	27.4	24.7	24.8	26.9	26.3	28.4	28.0	28.4	324.2
	03 LST	28.9	25.8	28.8	27.5	27.0	22.5	21.1	24.0	25.3	28.5	28.8	29.7	317.9
CIG =GTR 2000 FT AND VSBY =GTR 3 MI	09 LST	20.4	17.7	19.3	18.9	20.3	18.1	18.1	20.3	20.6	22.2	21.2	20.2	237.3
	15 LST	16.3	14.3	14.1	11.6	14.5	14.0	17.4	17.6	17.4	19.2	18.9	19.1	194.4
	21 LST	22.8	20.4	21.5	21.1	22.8	20.4	21.2	22.9	22.2	24.7	24.3	23.9	268.2
	03 LST	23.9	21.2	23.6	22.3	22.8	18.6	17.4	18.4	21.6	23.9	25.0	25.4	264.1
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST	0.7	0.7	1.5	1.6	1.0	0.4	0.1	0.2	0.4	0.4	0.6	0.7	8.3
	15 LST	2.0	2.2	3.3	3.7	2.2	1.0	0.7	0.8	1.0	1.1	1.6	1.4	21.0
	21 LST	0.7	0.5	0.8	0.8	0.5	0.1	0.1	0.2	0.3	0.2	0.3	0.5	5.0
	03 LST	0.7	0.4	0.5	0.5	0.4	0.1	0.0	0.1	0.2	0.2	0.3	0.6	4.0
SFC WND 4-10 KTS AND TMP 33-89	09 LST	7.6	7.8	11.3	12.8	14.2	13.6	13.8	14.2	12.7	13.7	12.5	10.0	144.2
	15 LST	12.2	11.6	13.8	13.0	15.5	16.3	16.1	15.0	10.6	16.7	15.1	13.6	175.5
	21 LST	8.2	8.7	12.0	13.1	13.1	12.6	12.4	13.1	11.3	13.1	13.2	12.2	143.0
	03 LST	5.2	5.2	7.9	11.7	12.7	10.3	7.6	8.8	10.9	12.0	13.3	9.3	114.9
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	10.5	8.9	8.6	8.1	6.7	3.1	3.3	4.8	4.3	6.9	9.4	10.5	85.2
	15 LST	8.5	7.2	6.5	7.1	5.7	2.7	4.0	5.3	4.3	6.5	9.2	10.3	77.3
	21 LST	12.9	11.6	11.2	10.1	8.3	4.1	4.9	6.5	5.8	7.9	11.4	13.8	108.5
	03 LST	13.5	11.2	12.0	10.9	9.4	4.6	3.7	5.8	5.5	7.7	11.9	14.7	110.9
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST	24.1	21.8	25.8	25.3	25.3	20.5	18.9	21.5	22.6	25.6	24.9	24.4	280.7
	15 LST	27.3	24.3	26.8	26.2	26.8	22.9	24.1	25.4	24.2	27.5	27.2	27.8	310.5
	21 LST	26.6	24.2	26.2	25.5	25.7	21.3	21.6	23.5	23.2	26.2	26.4	27.0	297.4
	03 LST	26.9	23.9	26.5	25.0	24.8	18.5	17.0	18.7	21.9	24.6	27.2	28.0	283.0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST	18.8	17.2	20.7	21.5	21.9	17.1	15.7	18.2	18.7	20.3	19.5	19.3	228.9
	15 LST	21.3	18.4	20.4	21.3	22.4	18.2	19.2	21.2	19.4	21.5	21.3	22.2	246.8
	21 LST	21.1	19.2	20.9	21.6	22.3	17.2	17.5	19.2	18.0	20.1	20.5	21.6	239.2
	03 LST	19.7	17.7	19.8	19.6	20.4	13.3	12.5	13.7	14.0	18.5	19.8	21.1	210.1
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	17.9	16.5	19.7	20.5	20.7	16.2	14.7	17.3	17.5	18.7	18.3	18.2	216.2
	15 LST	20.3	17.4	19.3	20.2	21.2	17.1	18.2	20.3	18.1	20.1	20.0	21.0	233.2
	21 LST	20.3	18.4	20.0	20.2	21.1	16.0	16.4	18.3	16.7	18.7	19.3	20.9	226.3
	03 LST	18.9	16.8	18.7	18.2	19.2	12.3	11.5	12.9	12.8	17.0	18.4	20.1	196.8



BLANK PAGE

HYAKURI AB, JAPAN

STA NO. 47300 (IN AREA NUMBER 05)

LATITUDE 3610N LONGITUDE 14025E ELEVATION(FT) 00105

PARAMETER DESCRIPTION

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	71	71	75	84	90	92	97	97	94	89	77	72	97	44	-47629
MEAN MAX TMP (F)	47	48	53	62	69	75	82	85	78	69	61	52	65	44	-47629
MEAN MIN TMP (F)	26	27	32	42	51	59	67	69	63	51	40	30	46	44	-47629
ABS MIN TMP (F)	10	14	16	26	34	45	54	55	46	31	24	17	10	44	-47629
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN DEW PT TMP (F)	26	27	33	43	52	61	70	72	65	54	42	32	48	0	-50
MEAN REL HUM (PCT)	69	69	71	75	79	84	86	85	86	83	79	72	78	44	-47629
MEAN PRESS ALT (FT)	-32	-7	-5	29	107	190	186	196	109	8	-51	-43	57	0	-50
MEAN PRECIP (IN)	1.89	2.69	4.09	6.30	5.74	6.15	5.41	5.76	8.10	7.01	3.65	2.09	58.9	44	-47629
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				44	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.3	5.8	6.8	8.8	8.4	8.3	7.7	8.0	10.7	9.5	5.5	4.7	88.5	44	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				44	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.1	0.3	0.6	0.9	1.9	2.8	4.7	4.8	2.3	0.8	0.1	0.2	19.5	30	-47629
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

HYAKURI I.B., JAPAN
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0

DATA NOT AVAILABLE

MITO, JAPAN

STA NO. 47629 (IN AREA NUMBER 05)

ELEVATION(FT) 00100

LONGITUDE 14028E

LATITUDE 3623N

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	71	71	75	84	90	92	97	97	94	89	77	72	97	44	-98
MEAN MAX TMP (F)	47	48	53	62	69	75	82	85	78	69	61	52	65	44	-98
MEAN MIN TMP (F)	26	27	32	42	51	59	67	69	63	51	40	30	46	44	-98
ABS MIN TMP (F)	10	14	16	26	34	45	54	55	46	31	24	17	10	44	-98
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN DEW PT TMP (F)	26	27	33	43	53	62	70	72	66	54	44	32	49	44	-29
MEAN REL HUM (PCT)	69	69	71	75	79	84	86	85	86	83	79	72	78	44	-98
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.89	2.69	4.09	6.30	5.74	6.15	5.41	5.76	8.10	7.01	3.65	2.09	58.9	44	-98
MEAN SNOW FALL (.IN)					0.0	0.0	0.0	0.0	0.0	0.0				44	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.3	5.8	6.8	8.8	8.4	8.3	7.7	8.0	10.7	9.5	5.5	4.7	88.5	44	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				44	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.1	0.3	0.6	0.9	1.9	2.8	4.7	4.8	2.3	0.8	0.1	0.2	19.5	30	-100
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MITO, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0

DATA NOT AVAILABLE

NAGOYA, JAPAN

ELEVATION(FT) 00051

LONGITUDE 13655E

LATITUDE 3515N

STA NO. 47635 (IN AREA NUMBER 05)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	64	69	77	87	90	96	100	100	96	85	81	71	100	39	-599
MEAN MAX TMP (F)	47	49	55	65	73	79	86	89	82	72	62	51	68	30	-99
MEAN MIN TMP (F)	30	31	36	46	54	63	71	73	66	53	42	34	50	30	-99
ABS MIN TMP (F)	13	15	20	29	37	47	57	57	49	35	27	19	13	39	-599
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.6	9.7	19.8	1.7	0.0	0.0	0.0	31.8	13	4094
MEAN NO DYS TMP = OR LES 32(F)	20.2	17.9	10.3	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.8	10.8	61.2	13	4094
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	4094
MEAN DEW PT TMP (F)	32	33	37	47	56	64	72	73	67	55	45	36	51	13	98103
MEAN REL HUM (PCT)	75	71	69	72	73	78	79	78	81	78	76	76	76	30	-99
MEAN PRESS ALT (FT)	-63	-45	-42	-5	73	149	145	145	56	-48	-95	-79	16	0	-50
MEAN PRECIP (IN)	2.43	2.76	4.76	6.40	6.53	8.96	7.02	6.91	9.58	6.15	3.20	2.34	67.0	30	-99
MEAN SNOW FALL (IN)	3.9	2.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	7.6	13	4093
MEAN NO DYS PKCP = OR GTR 0.1 IN	5.3	5.9	7.5	8.9	9.0	10.4	9.1	9.0	12.2	8.5	5.0	5.2	96.0	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.8	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.5	13	4093
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	1.9	2.0	1.8	1.1	1.3	2.3	0.9	0.4	1.5	1.5	1.4	2.6	18.7	13	4092
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.1	0.1	0.1	0.7	0.8	0.3	0.0	0.0	0.0	2.1	13	4093
P FREQ WND SPD = OR GTR 17 KTS	2.3	2.7	4.5	2.6	1.8	0.8	0.4	0.3	1.1	0.8	1.2	2.1	1.7	13	98068
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	13	98068
P FREQ LES 5000 FT A/O LES 5 MI	36.9	31.9	31.9	33.1	36.5	54.9	47.2	35.1	43.1	34.5	29.4	39.2	37.8	13	98163
P FREQ LES 1500 FT A/O LES 3 MI	11.1	7.1	7.7	9.0	13.5	19.9	11.8	5.8	13.1	14.1	9.4	12.1	11.2	13	12273
FOR 00-02 LST															
03-05 LST	8.7	6.2	8.0	8.9	15.9	26.1	17.8	11.1	14.6	11.1	7.7	9.6	12.1	13	12269
06-08 LST	15.6	15.0	13.4	15.3	23.9	41.3	31.6	24.2	31.0	22.2	17.0	22.4	22.7	13	12278
09-11 LST	16.2	14.8	10.7	10.3	12.5	23.5	13.1	5.6	13.9	10.2	9.5	20.2	13.4	13	12271
12-14 LST	9.1	10.4	9.5	11.5	10.1	18.0	10.4	3.6	8.6	7.9	7.6	8.6	9.6	13	12275
15-17 LST	7.9	8.3	9.1	8.8	10.0	16.0	10.0	3.8	9.1	11.0	8.1	9.1	9.3	13	12271
18-20 LST	12.2	11.0	9.8	10.2	12.7	25.7	14.1	6.1	17.1	18.9	15.5	13.6	13.9	13	12267
21-23 LST	11.5	8.9	8.4	9.0	13.4	24.3	12.1	5.6	14.6	13.6	12.8	12.5	12.2	13	12274
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST															
03-05 LST	3.0	2.4	1.9	2.5	2.1	2.4	0.7	0.6	2.7	3.4	2.3	2.9	2.2	13	12273
06-08 LST	2.3	1.4	1.4	2.1	2.6	3.2	1.1	1.7	2.3	1.8	1.5	2.6	2.0	13	12269
09-11 LST	2.4	2.5	2.3	1.9	3.3	4.6	3.2	1.7	5.6	2.9	3.2	5.2	3.2	13	12278
12-14 LST	2.2	2.8	2.4	1.6	0.7	0.6	0.5	0.3	0.7	1.1	0.9	3.1	1.4	13	12271
15-17 LST	1.8	3.6	0.9	1.1	0.5	0.9	0.7	0.2	0.6	1.6	1.4	1.3	1.2	13	12275
18-20 LST	1.5	2.5	1.4	1.4	1.0	1.2	0.9	0.2	0.9	1.4	2.3	1.2	1.3	13	12271
21-23 LST	2.7	2.8	2.7	2.0	1.6	4.1	2.4	0.6	2.5	3.5	2.4	1.9	2.4	13	12267
	3.4	2.7	2.1	1.9	1.3	3.8	1.5	0.6	1.7	3.3	2.6	3.2	2.3	13	12274

NAGOYA, JAPAN
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST 24.2	09 LST 22.6	09 LST 27.0	09 LST 27.2	09 LST 26.7	09 LST 22.4	09 LST 27.1	09 LST 28.9	09 LST 25.3	09 LST 27.4	09 LST 26.4	09 LST 21.9	09 LST 307.1	13	4093
	15 LST 29.0	15 LST 25.5	15 LST 28.5	15 LST 27.5	15 LST 28.4	15 LST 26.5	15 LST 28.5	15 LST 30.1	15 LST 27.8	15 LST 28.4	15 LST 28.1	15 LST 28.9	15 LST 237.2	13	4093
	21 LST 27.7	21 LST 25.2	21 LST 28.2	21 LST 27.5	21 LST 26.9	21 LST 22.5	21 LST 27.5	21 LST 29.3	21 LST 25.7	21 LST 26.9	21 LST 26.0	21 LST 27.2	21 LST 320.6	13	4092
	03 LST 28.4	03 LST 26.3	03 LST 28.8	03 LST 28.1	03 LST 26.7	03 LST 24.4	03 LST 27.5	03 LST 28.3	03 LST 26.3	03 LST 27.2	03 LST 27.8	03 LST 28.0	03 LST 327.8	13	4093
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	09 LST 21.1	09 LST 19.8	09 LST 19.8	09 LST 21.5	09 LST 22.8	09 LST 18.8	09 LST 24.7	09 LST 26.4	09 LST 22.6	09 LST 25.3	09 LST 23.2	09 LST 19.1	09 LST 265.1	13	4092
	15 LST 15.4	15 LST 10.2	15 LST 11.9	15 LST 13.0	15 LST 16.4	15 LST 16.3	15 LST 19.7	15 LST 20.1	15 LST 20.8	15 LST 19.8	15 LST 18.5	15 LST 16.6	15 LST 198.7	13	4091
	21 LST 25.1	21 LST 20.9	21 LST 22.5	21 LST 23.0	21 LST 23.6	21 LST 20.1	21 LST 24.9	21 LST 28.2	21 LST 23.8	21 LST 25.8	21 LST 24.5	21 LST 25.0	21 LST 287.4	13	4090
	03 LST 26.6	03 LST 24.6	03 LST 26.1	03 LST 26.1	03 LST 25.2	03 LST 22.2	03 LST 25.6	03 LST 27.0	03 LST 25.2	03 LST 26.5	03 LST 26.5	03 LST 26.0	03 LST 307.6	13	4092
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST 0.2	09 LST 0.2	09 LST 0.7	09 LST 0.6	09 LST 0.3	09 LST 0.3	09 LST 0.0	09 LST 0.0	09 LST 0.3	09 LST 0.0	09 LST 0.2	09 LST 0.2	09 LST 3.0	13	3837
	15 LST 2.8	15 LST 3.3	15 LST 4.9	15 LST 2.8	15 LST 2.1	15 LST 0.7	15 LST 0.2	15 LST 0.1	15 LST 0.7	15 LST 1.0	15 LST 1.1	15 LST 2.4	15 LST 22.1	13	3837
	21 LST 0.2	21 LST 0.1	21 LST 0.5	21 LST 0.2	21 LST 0.1	21 LST 0.0	21 LST 0.1	21 LST 0.0	21 LST 0.0	21 LST 0.2	21 LST 0.1	21 LST 0.2	21 LST 1.7	13	3838
	03 LST 0.1	03 LST 0.0	03 LST 0.1	03 LST 0.1	03 LST 0.1	03 LST 0.1	03 LST 0.0	03 LST 0.0	03 LST 0.3	03 LST 0.1	03 LST 0.1	03 LST 0.0	03 LST 1.0	13	3814
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST 10.6	09 LST 12.6	09 LST 15.9	09 LST 15.6	09 LST 15.4	09 LST 12.6	09 LST 13.1	09 LST 15.3	09 LST 13.8	09 LST 17.3	09 LST 13.8	09 LST 10.9	09 LST 166.9	13	3836
	15 LST 14.0	15 LST 10.5	15 LST 11.2	15 LST 15.4	15 LST 18.4	15 LST 18.2	15 LST 13.8	15 LST 10.0	15 LST 18.0	15 LST 16.3	15 LST 15.0	15 LST 13.9	15 LST 174.7	13	3837
	21 LST 11.1	21 LST 12.4	21 LST 16.1	21 LST 14.7	21 LST 14.4	21 LST 14.7	21 LST 16.6	21 LST 16.0	21 LST 11.8	21 LST 11.9	21 LST 12.2	21 LST 12.6	21 LST 164.5	13	3837
	03 LST 7.5	03 LST 6.0	03 LST 10.9	03 LST 8.8	03 LST 8.8	03 LST 6.7	03 LST 6.2	03 LST 6.9	03 LST 7.8	03 LST 8.6	03 LST 9.3	03 LST 9.3	03 LST 96.8	13	3814
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST 7.9	09 LST 7.6	09 LST 8.1	09 LST 9.0	09 LST 5.9	09 LST 3.4	09 LST 3.3	09 LST 6.9	09 LST 4.5	09 LST 8.4	09 LST 12.2	09 LST 6.7	09 LST 83.9	13	4093
	15 LST 5.6	15 LST 4.9	15 LST 5.8	15 LST 7.5	15 LST 5.3	15 LST 2.1	15 LST 3.8	15 LST 6.5	15 LST 3.7	15 LST 7.8	15 LST 9.7	15 LST 7.9	15 LST 70.6	13	4093
	21 LST 12.2	21 LST 11.8	21 LST 13.6	21 LST 11.0	21 LST 7.4	21 LST 2.9	21 LST 5.3	21 LST 8.5	21 LST 7.5	21 LST 10.5	21 LST 15.4	21 LST 13.5	21 LST 119.6	13	4092
	03 LST 13.6	03 LST 11.8	03 LST 13.0	03 LST 11.8	03 LST 8.9	03 LST 5.4	03 LST 6.9	03 LST 10.4	03 LST 7.3	03 LST 11.5	03 LST 14.6	03 LST 14.1	03 LST 129.3	13	4093
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST 23.9	09 LST 22.0	09 LST 26.1	09 LST 26.3	09 LST 25.6	09 LST 20.1	09 LST 24.2	09 LST 27.5	09 LST 23.5	09 LST 27.0	09 LST 26.2	09 LST 21.6	09 LST 294.0	13	4093
	15 LST 28.5	15 LST 24.8	15 LST 27.8	15 LST 26.2	15 LST 27.4	15 LST 23.8	15 LST 24.8	15 LST 20.6	15 LST 25.7	15 LST 28.1	15 LST 27.6	15 LST 28.4	15 LST 321.7	13	4093
	21 LST 27.4	21 LST 24.7	21 LST 27.7	21 LST 26.7	21 LST 26.3	21 LST 20.6	21 LST 25.5	21 LST 28.3	21 LST 24.6	21 LST 26.7	21 LST 25.8	21 LST 26.8	21 LST 311.1	13	4092
	03 LST 28.0	03 LST 25.8	03 LST 26.0	03 LST 26.9	03 LST 25.5	03 LST 22.0	03 LST 24.7	03 LST 25.9	03 LST 24.8	03 LST 26.5	03 LST 27.2	03 LST 27.6	03 LST 312.9	13	4093
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST 19.3	09 LST 18.3	09 LST 21.3	09 LST 21.3	09 LST 22.0	09 LST 14.9	09 LST 17.8	09 LST 23.1	09 LST 17.3	09 LST 23.6	09 LST 23.0	09 LST 16.8	09 LST 238.7	13	4093
	15 LST 20.6	15 LST 19.5	15 LST 22.5	15 LST 21.7	15 LST 21.7	15 LST 18.4	15 LST 19.3	15 LST 23.9	15 LST 19.4	15 LST 24.1	15 LST 24.1	15 LST 21.0	15 LST 256.2	13	4093
	21 LST 22.4	21 LST 20.6	21 LST 23.7	21 LST 22.1	21 LST 22.4	21 LST 15.7	21 LST 19.5	21 LST 22.7	21 LST 20.3	21 LST 23.3	21 LST 23.6	21 LST 22.2	21 LST 258.5	13	4092
	03 LST 21.9	03 LST 21.0	03 LST 22.9	03 LST 21.6	03 LST 21.5	03 LST 15.6	03 LST 17.7	03 LST 20.6	03 LST 19.1	03 LST 22.3	03 LST 23.6	03 LST 22.8	03 LST 250.6	13	4093
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST 16.6	09 LST 15.9	09 LST 19.5	09 LST 19.4	09 LST 19.8	09 LST 13.0	09 LST 15.1	09 LST 21.5	09 LST 15.1	09 LST 20.2	09 LST 20.7	09 LST 15.4	09 LST 212.2	13	4093
	15 LST 17.6	15 LST 17.4	15 LST 20.1	15 LST 19.4	15 LST 19.6	15 LST 15.5	15 LST 16.8	15 LST 23.1	15 LST 16.8	15 LST 20.6	15 LST 21.3	15 LST 18.9	15 LST 227.1	13	4093
	21 LST 20.0	21 LST 19.4	21 LST 22.1	21 LST 19.6	21 LST 20.1	21 LST 13.0	21 LST 17.3	21 LST 20.7	21 LST 17.2	21 LST 19.8	21 LST 22.0	21 LST 19.6	21 LST 230.8	13	4092
	03 LST 19.7	03 LST 18.5	03 LST 21.9	03 LST 19.1	03 LST 18.5	03 LST 13.7	03 LST 14.9	03 LST 18.6	03 LST 16.4	03 LST 19.6	03 LST 21.4	03 LST 20.9	03 LST 223.2	13	4093

HAMAMATSU AB, JAPAN

STA NO. 47654 (IN AREA NUMBER 05) LATITUDE 3444N LONGITUDE 13742E ELEVATION(FT) 00150

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	66	73	73	82	88	94	99	98	95	86	80	73	99	44	-599
MEAN MAX TMP (F)	49	50	55	65	71	77	83	86	80	71	62	53	67	30	-99
MEAN MIN TMP (F)	34	35	39	49	56	64	71	72	67	57	47	38	52	30	-99
ABS MIN TMP (F)	21	22	26	33	40	51	60	62	54	39	32	24	21	44	-599
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	2.8	4.1	0.6	0.0	0.0	0.0	7.6	10	3639
MEAN NO DYS TMP = OR LES 32(F)	10.0	8.1	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	21.6	10	3645
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3645
MEAN DEW PT TMP (F)	27	28	33	46	54	63	71	73	66	55	44	33	49	0	-50
MEAN REL HUM (PCT)	65	63	66	74	77	83	85	83	83	77	72	67	75	30	-99
MEAN PRESS ALT (FT)	46	65	61	90	166	244	236	239	154	55	10	30	116	0	-50
MEAN PRECIP (IN)	2.67	2.76	5.68	7.23	8.06	9.96	8.56	8.84	11.83	7.07	4.09	2.74	79.5	30	-99
MEAN SNOW FALL (IN)	3.9	2.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	7.6	13	-47635
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.8	5.9	8.3	9.5	9.9	11.0	10.2	10.4	14.2	9.6	6.1	5.9	106.8	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.8	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.5	13	-47635
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.3	0.3	0.4	0.6	0.7	0.7	1.5	3.5	2.0	0.7	0.3	0.4	11.4	6	13
MEAN NO DYS TSTMS	9.9	8.6	8.5	6.3	4.3	4.2	1.8	2.3	2.9	2.3	2.1	6.2	5.0	29	-100
P FREQ WND SPU = OR GTK 17 KTS	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.1	10	29163
P FREQ WND SPU = OR GTR 28 KTS	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0	0
P FREQ LES 5000 FT A/O LES 5 MI	0.0	0.0	0.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	10	299
P FREQ LES 1500 FT A/O LES 3 MI	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0	0
FOR 00-02 LST														1	1
03-05 LST														1	1
06-08 LST														0	0
09-11 LST														10	371
12-14 LST														0	0
15-17 LST														10	299
18-20 LST														0	0
21-23 LST														10	740
P FREQ LES 300 FT A/O LES 1 MI														1	1
FOR 00-02 LST														1	1
03-05 LST														0	0
06-08 LST														10	371
09-11 LST														0	0
12-14 LST														10	299
15-17 LST														0	0
18-20 LST														10	740
21-23 LST														10	740

HAMAMATSU AB, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. CBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI.	09 LST 31.0	27.3	31.0	28.0	26.8	26.3	31.0	22.7	27.5	29.8	28.8	28.8	339.0	10	371
	15 LST 31.0	28.0	31.0	28.1	26.2	30.0	24.1	23.8	30.0	29.6	29.2	30.3	341.3	10	299
	21 LST 31.0	27.7	30.6	30.0	29.3	30.0	28.9	29.0	28.9	31.0	30.0	30.7	357.1	10	740
	03 LST						31.0							1	1
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	09 LST 16.2	12.6	14.2	18.3	21.1	18.8	10.3	18.6	17.5	22.3	19.8	15.5	205.2	10	371
	15 LST 2.8	0.8	5.0	9.6	11.9	7.5	13.8	11.9	17.5	12.7	15.0	8.7	117.2	10	299
	21 LST 18.0	19.4	18.6	20.5	25.0	22.0	24.8	28.1	23.3	28.0	23.8	22.7	274.2	10	740
	03 LST						31.0							1	1
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST 1.9	1.1	1.8	1.4	1.1	0.4	0.3	0.4	0.3	0.5	0.2	1.0	10.4	10	3644
	15 LST 5.5	6.2	5.7	4.7	2.4	2.7	1.6	1.1	0.8	0.8	1.3	3.3	36.1	10	3647
	21 LST 1.2	1.1	1.0	0.6	0.4	0.2	0.0	0.3	0.3	0.3	0.4	0.9	6.7	10	3646
	03 LST						0.0	0.0	0.0	0.0				6	13
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST 13.6	10.7	9.7	12.3	11.9	13.0	15.5	13.3	14.5	14.0	15.1	13.7	157.3	10	3643
	15 LST 6.3	5.0	8.0	10.5	12.4	11.3	15.2	14.8	13.8	15.1	13.0	8.7	134.1	10	3647
	21 LST 17.1	15.6	14.8	11.9	12.4	11.1	13.9	12.8	13.7	17.4	17.6	19.5	177.8	10	3646
	03 LST						0.0	0.0	15.0	0.0				6	13
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST 16.7	13.7	12.1	9.1	6.1	3.2	4.0	6.0	5.6	7.9	14.5	17.9	116.8	10	3644
	15 LST 15.8	11.6	11.9	9.7	6.4	3.8	5.9	8.6	7.7	8.6	13.6	16.5	120.1	10	3644
	21 LST 19.2	16.2	15.3	11.6	8.7	5.0	6.1	9.1	7.4	11.0	14.6	20.6	144.8	10	3649
	03 LST						0.0	6.2	0.0	0.0				6	13
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST 31.0	27.3	31.0	27.5	26.8	26.3	31.0	22.7	27.5	29.8	28.8	28.8	338.5	10	371
	15 LST 31.0	28.0	31.0	28.1	26.2	30.0	24.1	23.8	30.0	29.6	29.2	30.3	341.3	10	299
	21 LST 31.0	27.7	30.6	28.9	29.3	30.0	28.9	29.0	28.9	31.0	30.0	30.7	356.0	10	740
	03 LST						31.0							1	1
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST 31.0	27.3	31.0	25.9	26.8	26.3	31.0	22.7	27.5	29.8	28.8	28.8	336.9	10	371
	15 LST 31.0	28.0	31.0	27.4	26.2	30.0	24.1	23.8	30.0	29.6	29.2	30.3	340.6	10	299
	21 LST 31.0	27.7	30.6	27.8	29.3	30.0	28.9	29.0	28.9	31.0	30.0	30.7	354.9	10	740
	03 LST						31.0							1	1
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST 31.0	27.3	31.0	25.9	26.8	26.3	31.0	22.7	27.5	29.8	28.8	28.8	336.9	10	371
	15 LST 31.0	28.0	31.0	27.4	26.2	30.0	24.1	23.8	30.0	29.6	29.2	30.3	340.6	10	299
	21 LST 31.0	27.7	30.6	27.4	29.3	30.0	28.9	29.0	28.9	31.0	30.0	30.7	354.5	10	740
	03 LST						31.0							1	1

KISARAZU ALF, JAPAN

STA NO. 47661 (IN AREA NUMBER 05)

LATITUDE 3523N

LONGITUDE 13954E

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
ABS MAX TMP (F)	63	70	68	77	82	87	91	98	90	81	73	70	98	8	2440
MEAN MAX TMP (F)	48	50	55	64	70	75	81	85	79	68	60	53	66	8	2440
MEAN MIN TMP (F)	32	34	40	49	56	63	71	73	67	56	46	36	52	8	2440
ABS MIN TMP (F)	20	24	26	30	40	48	59	60	53	42	29	21	20	8	2440
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	1.3	3.7	0.1	0.0	0.0	0.0	5.1	8	2440
MEAN NO DYS TMP = OR LES 32(F)	17.0	12.1	3.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.6	9.7	43.1	8	2440
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2440
MEAN DEW PT TMP (F)	30	32	38	49	56	64	71	73	68	57	45	36	52	8	53370
MEAN REL HUM (PCT)	68	69	71	76	80	86	87	85	86	83	76	73	78	8	53369
MEAN PRESS ALT (FT)	-106	-83	-86	-56	18	99	93	102	18	-78	-133	-119	-27	0	-50
MEAN PRECIP (IN)	2.88	3.32	4.93	4.16	6.33	8.71	5.43	5.16	9.10	9.04	3.82	2.56	6.54	8	2439
MEAN SNOW FALL (IN)	2.1	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	8	2440
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.5	6.4	8.3	6.8	9.5	10.0	5.8	7.6	10.6	11.3	6.4	5.0	93.2	8	2439
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	8	2440
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.1	1.3	1.5	1.9	1.4	0.2	1.7	1.3	1.6	2.2	1.5	2.1	1.8	8	2224
MEAN NO DYS TSTMS	0.7	0.0	0.1	0.3	0.3	0.7	1.3	4.0	1.7	0.4	0.3	0.3	10.1	8	2440
P FREQ WND SPD = OR GTR 17 KTS	13.8	13.1	16.8	16.5	12.3	12.7	15.8	10.4	8.8	10.1	8.6	10.7	12.5	8	53369
P FREQ WND SPD = OR GTR 28 KTS	0.9	1.1	1.8	2.4	1.8	1.4	2.2	0.6	1.1	1.0	0.7	0.7	1.3	8	53369
P FREQ LES 5000 FT A/O LES 5 MI	27.8	31.2	36.1	36.4	33.3	45.7	40.6	33.6	40.2	38.9	33.5	34.1	36.0	8	53370
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	10.3	10.1	15.0	13.2	11.6	22.6	19.8	11.7	16.2	18.5	8.6	14.3	14.3	8	6669
03-05 LST	9.6	10.8	16.1	14.3	14.4	28.4	27.7	18.0	19.4	19.3	9.1	12.8	16.7	8	6670
06-08 LST	14.7	15.8	20.3	25.4	22.4	35.9	31.3	24.4	27.2	24.8	20.3	25.7	24.0	8	6672
09-11 LST	14.9	16.7	16.8	21.0	19.1	31.4	23.7	15.0	23.8	23.1	16.3	25.7	20.6	8	6675
12-14 LST	10.4	11.0	13.9	13.0	17.0	23.9	12.4	11.2	18.4	17.4	11.9	11.9	14.4	8	6675
15-17 LST	8.5	10.5	11.5	11.3	14.4	16.6	10.2	7.6	14.6	17.9	11.9	7.2	11.9	8	6674
18-20 LST	9.9	10.1	13.1	11.7	15.5	18.9	11.8	8.6	11.7	16.0	11.0	11.4	12.5	8	6675
21-23 LST	7.5	10.0	12.5	10.9	12.0	22.4	11.0	10.4	11.5	15.9	9.8	12.4	12.2	8	6675
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.9	2.2	1.4	0.2	0.4	0.6	0.6	1.2	1.6	2.0	1.2	2.4	1.2	8	6669
03-05 LST	0.9	2.4	1.6	2.1	1.7	0.0	2.6	2.1	1.9	2.2	1.2	3.3	1.8	8	6670
06-08 LST	2.7	2.2	3.0	4.4	2.4	1.3	2.0	1.9	2.6	3.9	4.5	8.6	3.3	8	6672
09-11 LST	2.4	0.9	0.7	1.0	0.4	0.6	1.0	0.2	0.5	2.6	1.2	4.6	1.3	8	6675
12-14 LST	1.5	1.2	0.5	0.4	0.0	0.0	0.2	0.3	1.1	1.4	2.4	1.8	0.9	8	6675
15-17 LST	1.2	2.1	1.9	0.8	0.2	0.9	0.0	0.0	1.0	2.0	1.0	0.8	1.0	8	6674
18-20 LST	1.2	1.0	0.9	0.8	0.6	1.3	0.4	0.7	0.6	1.9	0.9	1.0	0.9	8	6675
21-23 LST	1.0	3.3	1.2	0.8	0.4	0.9	0.0	0.7	1.1	0.9	0.7	1.3	1.0	8	6675

KISARAZU ALF, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST 26.4	23.4	26.6	25.1	26.2	21.3	25.0	27.8	24.5	25.2	24.6	21.6	297.7	8	2225
	15 LST 28.8	25.5	28.2	27.5	27.6	26.3	28.9	29.7	26.5	27.5	26.7	29.5	332.7	8	2225
	21 LST 29.1	26.0	28.0	28.1	28.0	26.3	29.3	29.2	28.4	27.7	27.1	27.5	334.7	8	2225
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	03 LST 28.3	25.3	27.1	27.5	28.4	24.8	25.5	28.2	26.2	27.2	27.7	27.1	323.3	8	2224
	09 LST 15.3	13.3	12.6	12.6	16.6	11.8	13.6	14.8	12.4	10.6	12.8	13.6	160.0	8	2225
	15 LST 15.7	14.8	15.3	12.1	11.8	10.2	14.2	11.9	12.8	15.0	16.7	17.8	168.3	8	2225
	21 LST 17.6	15.7	16.2	17.3	17.6	14.1	15.5	19.6	18.9	19.3	19.6	18.3	209.7	8	2225
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST 17.6	15.1	15.3	16.2	19.8	13.1	14.8	19.1	17.0	16.4	19.3	18.3	202.0	8	2224
	09 LST 4.3	3.4	4.8	4.7	3.0	2.8	3.6	2.4	3.2	3.4	1.6	3.1	40.3	8	2053
	15 LST 3.9	3.8	5.0	5.3	5.4	4.4	6.6	5.3	3.9	2.9	2.1	4.0	52.6	8	2066
	21 LST 4.2	2.6	4.6	4.9	5.3	6.1	5.6	2.8	2.5	1.9	1.8	2.8	43.1	8	2062
	03 LST 3.2	3.1	4.7	4.2	2.2	3.2	3.4	2.4	1.4	2.7	2.5	3.0	36.0	8	2042
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST 11.5	14.0	14.4	14.9	17.9	16.0	17.4	16.2	16.6	15.2	13.8	12.6	180.5	8	2053
	15 LST 16.2	14.8	16.1	14.4	14.8	15.5	15.9	14.4	15.2	16.1	16.6	15.9	185.9	8	2066
	21 LST 12.8	12.1	15.3	14.0	14.6	14.4	16.6	15.2	14.3	14.3	16.4	13.6	173.6	8	2062
	03 LST 9.2	10.2	13.0	13.4	14.0	15.1	15.0	14.3	14.1	15.8	13.4	11.3	158.8	8	2042
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST 12.2	8.8	7.0	6.0	5.2	2.1	2.0	3.3	2.6	5.5	9.6	9.1	73.4	8	2225
	15 LST 12.1	10.1	7.0	6.0	4.2	1.9	3.3	4.8	3.6	5.6	10.4	13.3	82.3	8	2225
	21 LST 15.6	11.3	11.1	8.7	5.8	3.1	5.3	7.7	6.5	7.1	11.1	15.3	109.6	8	2225
	03 LST 14.9	12.3	10.3	8.5	9.6	2.1	5.1	8.6	5.8	7.7	10.8	15.7	111.4	8	2224
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST 25.3	21.6	23.9	20.9	23.2	17.0	20.2	21.5	19.7	22.7	23.2	20.1	259.3	8	2225
	15 LST 27.3	24.5	25.9	25.5	25.8	21.7	25.6	26.0	22.9	24.8	26.0	28.3	304.3	8	2225
	21 LST 27.8	25.1	25.2	25.3	25.6	22.2	24.3	26.8	24.0	24.9	25.8	26.3	303.3	8	2225
	03 LST 27.3	23.7	24.7	25.1	25.6	19.0	21.2	24.7	21.8	24.2	26.7	25.4	289.4	8	2224
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST 19.4	16.2	17.1	16.2	19.2	13.9	14.5	16.1	15.4	17.5	18.1	14.9	198.5	8	2225
	15 LST 22.9	19.9	18.8	18.8	21.2	18.8	21.8	22.8	18.2	19.3	20.9	23.9	247.3	8	2225
	21 LST 22.9	20.0	19.3	19.1	20.8	18.0	19.4	23.9	19.4	18.2	20.3	21.9	243.2	8	2225
	03 LST 21.3	19.6	17.9	18.8	20.6	14.3	17.3	20.1	15.9	19.1	20.3	20.6	225.8	8	2224
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST 17.9	15.0	15.1	15.3	17.4	11.8	12.1	14.9	12.8	14.6	15.8	13.9	176.6	8	2225
	15 LST 21.5	18.0	16.1	16.6	19.6	17.0	20.3	20.7	15.7	16.8	19.3	21.5	223.1	8	2225
	21 LST 20.3	17.4	17.2	16.4	19.4	14.9	18.5	22.0	16.6	15.3	18.4	20.9	217.3	8	2225
	03 LST 19.2	18.3	16.7	14.7	18.8	11.0	15.0	18.1	13.4	14.6	17.8	19.8	197.4	8	2224

TOKYO INTL., JAPAN

STA NO. 47671 (IN AREA NUMBER 05)

LATITUDE 3533N

LONGITUDE 13945E

ELEVATION(FT) 00014

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	72	77	77	85	90	93	99	101	96	90	81	74	101	60	-528
MEAN MAX TMP (F)	47	48	54	63	71	76	83	86	79	69	60	52	66	60	-28
MEAN MIN TMP (F)	29	31	36	46	54	63	70	72	66	55	43	33	50	60	-28
ABS MIN TMP (F)	17	18	22	30	36	47	55	60	51	36	26	20	17	60	-528
MEAN NO. DYS TMP ≥ OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.1	3.3	8.3	0.6	0.0	0.0	0.0	12.4	10	3231
MEAN NO DYS TMP ≥ OR LES 32(F)	13.2	10.4	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4.4	29.7	10	3231
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3231
MEAN DEW PT TMP (F)	31	31	38	48	59	64	72	74	67	56	46	36	52	10	77316
MEAN REL HUM (PCT)	61	60	64	70	74	79	80	79	80	76	71	64	72	65	-28
MEAN PRESS ALT (FT)	-108	-85	-86	-55	20	102	96	104	19	-79	-134	-121	-26	0	-50
MEAN PRECIP (IN)	1.90	2.90	4.20	5.30	5.80	6.50	5.60	6.00	9.20	8.20	3.80	2.20	61.6	60	-28
MEAN SNOW FALL (IN)	1.4	5.4	1.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3	10	3231
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	4.3	6.2	6.9	8.0	8.4	8.6	7.8	8.2	11.8	10.8	5.7	4.9	91.6	60	-29
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.2	0.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	10	3231
MEAN NO DYS W/OCLR VSBY LES 1/2 MI	3.2	4.4	1.9	1.4	2.3	1.5	1.1	1.9	0.5	1.6	1.9	5.2	26.9	10	3230
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.3	0.0	0.1	1.1	0.8	0.2	0.0	0.0	0.0	2.5	10	3245
P FREQ WND SPD ≥ OR GTR 17 KTS	10.5	12.9	14.0	13.7	9.1	7.0	7.2	5.3	5.6	10.4	11.0	8.1	9.6	10	77471
P FREQ WND SPD ≥ OR GTR 28 KTS	0.5	0.9	0.7	0.6	0.2	0.0	0.1	0.2	0.4	0.6	0.6	0.2	0.4	10	77471
P FREQ LES 5000 FT A/O LES 5 MI	44.9	44.5	45.4	42.2	36.9	58.0	39.8	39.6	44.6	48.2	48.3	52.0	45.4	10	77474
P FREQ LES 1500 FT A/O LES 3 MI	26.0	21.3	17.1	16.2	16.1	34.2	24.5	18.4	19.1	22.6	19.9	28.4	22.0	10	9680
FOR 00-02 LST	14.0	15.6	13.5	16.4	22.9	40.9	32.8	28.1	21.4	17.1	8.2	15.3	20.7	10	9686
03-05 LST	35.6	39.4	35.2	37.3	33.5	50.3	41.1	44.8	36.6	28.4	30.5	41.1	37.8	10	9686
06-08 LST	46.0	39.1	30.0	23.7	18.2	35.6	20.5	21.6	23.2	25.3	31.8	52.4	30.6	10	9688
09-11 LST	18.3	18.4	15.8	14.1	9.6	23.2	8.7	8.5	15.3	17.6	17.9	27.2	16.2	10	9688
12-14 LST	13.6	12.3	13.4	14.7	10.2	16.7	7.0	7.4	12.9	15.3	17.2	17.3	13.2	10	9680
15-17 LST	19.1	16.5	13.4	14.1	11.9	20.6	11.1	11.2	15.6	16.7	20.8	29.2	16.7	10	9684
18-20 LST	31.9	24.9	14.9	14.6	15.4	26.4	12.2	14.4	19.2	21.0	27.8	38.8	21.8	10	9684
21-23 LST	3.6	2.9	2.2	2.1	1.7	2.4	1.4	1.0	1.2	1.7	1.3	6.3	2.3	10	9680
FOR 00-02 LST	1.1	1.4	1.3	2.7	4.7	3.9	3.5	3.1	1.2	1.4	0.6	1.9	2.2	10	9686
03-05 LST	9.4	11.5	6.0	6.2	7.3	5.3	6.6	5.6	4.3	3.0	7.8	11.8	7.1	10	9686
06-08 LST	13.0	11.9	3.6	2.5	1.3	2.2	1.8	1.0	1.5	0.8	6.7	19.2	5.5	10	9688
09-11 LST	1.9	2.5	1.0	1.9	0.6	1.3	0.5	0.4	0.6	1.0	2.6	5.7	1.7	10	9688
12-14 LST	2.3	1.7	1.1	1.7	1.3	1.6	0.1	0.5	0.6	1.9	2.9	3.9	1.6	10	9680
15-17 LST	3.2	3.0	2.2	1.7	1.6	2.7	0.4	0.4	0.5	1.3	2.9	8.7	2.4	10	9684
18-20 LST	8.8	6.6	2.3	1.4	1.1	2.5	0.6	0.8	0.6	1.3	4.9	14.6	3.8	10	9684
21-23 LST															

TOKYO INTL., JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	12.4	14.3	20.3	21.8	24.2	19.4	25.2	23.5	22.7	22.8	17.7	11.5	235.8	10	3230
	15 LST	27.7	25.3	27.5	26.3	28.6	25.8	29.5	29.6	27.0	26.9	26.1	26.0	326.3	10	3230
	21 LST	22.7	22.0	26.7	27.1	27.5	24.6	28.9	28.6	25.5	25.1	23.3	19.1	301.1	10	3230
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	03 LST	26.7	24.0	26.9	25.2	26.7	21.3	24.1	26.1	25.6	25.5	27.7	25.8	305.6	10	3230
	09 LST	3.8	5.8	8.6	11.1	14.4	10.9	13.5	14.0	13.1	9.4	5.3	3.5	113.4	10	3230
	15 LST	16.2	13.8	13.4	10.0	9.6	12.3	10.9	11.9	14.0	14.3	15.8	16.8	159.0	10	3230
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	10.9	9.4	10.3	11.9	14.7	11.0	12.8	14.0	14.1	12.6	10.9	9.4	142.0	10	3230
	03 LST	15.9	11.8	11.7	14.4	17.3	11.6	14.9	16.7	16.0	12.8	14.7	16.0	173.8	10	3230
	09 LST	2.9	3.4	3.9	3.5	2.1	1.4	1.1	0.7	1.4	3.3	2.8	3.0	29.5	10	3001
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	3.3	4.0	4.6	5.9	4.8	2.6	4.4	2.5	2.2	2.1	3.5	3.4	43.3	10	3024
	21 LST	3.6	4.1	4.1	1.9	2.4	1.8	1.8	1.6	1.2	2.1	2.8	1.5	28.9	10	3015
	03 LST	2.5	2.8	3.1	3.4	1.5	0.8	0.7	1.1	1.2	2.4	2.6	2.3	24.4	10	2992
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	15.7	13.6	15.7	14.7	17.9	17.5	18.6	19.1	19.5	15.3	14.4	14.7	196.7	10	3001
	15 LST	19.2	17.3	17.1	14.3	13.5	16.2	13.0	13.9	17.0	18.5	18.2	18.7	196.9	10	3024
	21 LST	17.1	13.7	13.4	15.2	17.0	17.3	16.5	18.3	18.6	16.7	15.9	18.0	197.7	10	3015
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	14.6	12.4	15.5	16.2	18.2	16.5	16.0	17.5	17.8	17.0	16.8	17.5	196.0	10	2992
	09 LST	6.0	5.1	5.5	6.0	4.1	1.4	2.5	3.1	2.6	5.1	5.9	4.8	52.1	10	3230
	15 LST	11.1	7.5	6.2	5.0	3.7	1.9	4.4	5.0	4.3	6.0	8.3	11.0	74.4	10	3230
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	11.5	9.7	9.0	7.8	6.3	2.6	6.5	6.4	6.2	5.8	9.3	9.6	90.7	10	3230
	03 LST	14.3	10.9	9.5	8.2	5.5	2.8	5.6	7.1	5.0	6.4	8.9	14.0	98.2	10	3230
	09 LST	12.0	13.7	19.4	20.0	21.9	15.0	21.1	19.2	20.0	21.2	16.9	10.9	211.3	10	3230
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	26.5	23.5	25.4	25.3	25.3	22.1	27.3	27.2	24.0	24.6	25.4	25.4	302.0	10	3230
	21 LST	20.6	20.6	25.2	24.8	25.1	19.7	25.6	25.1	23.0	23.2	21.1	18.3	272.3	10	3230
	03 LST	25.1	22.1	25.0	22.8	23.0	15.7	19.7	21.0	22.2	22.7	25.1	23.9	268.3	10	3230
CIG = GTR 30000 FT AND VSBY = GTR 3 MI	09 LST	9.2	10.4	13.6	16.8	18.0	10.5	16.0	15.5	15.4	15.5	11.5	7.8	160.2	10	3230
	15 LST	21.9	17.8	17.8	19.7	21.5	16.7	23.8	24.5	19.2	19.3	20.3	22.5	245.0	10	3230
	21 LST	16.6	17.1	17.4	19.8	21.9	14.4	21.8	20.8	18.1	16.9	16.3	14.5	215.6	10	3230
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	20.8	17.4	16.6	16.3	20.1	10.8	15.7	17.4	16.4	15.9	18.8	19.4	205.6	10	3230
	09 LST	8.4	8.9	12.0	14.9	15.7	9.0	14.1	14.8	12.0	11.9	8.9	6.8	137.4	10	3230
	15 LST	19.7	16.6	15.5	17.6	19.3	14.5	21.8	22.7	16.9	16.3	16.7	20.3	217.9	10	3230
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	14.4	14.6	15.1	16.5	19.3	12.5	19.7	19.1	15.5	13.0	13.1	12.8	185.6	10	3230
	03 LST	18.4	15.2	14.1	14.0	17.9	8.9	13.0	15.9	12.0	12.6	15.8	17.8	175.6	10	3230

OSHIMA, JAPAN

STA NO. 47675 (IN AREA NUMBER 05) LATITUDE 3445N LONGITUDE 13921E ELEVATION(FT) 00128

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NC. OBS
ABS MAX T/P (F)	64	68	69	73	79	83	89	92	86	79	74	68	92	10	3650
MEAN MAX TMP (F)	49	51	54	62	68	72	79	82	77	67	61	55	65	10	3650
MEAN MIN TMP (F)	39	39	43	51	58	63	70	73	68	59	52	45	55	10	3651
ABS MIN TMP (F)	27	29	30	37	46	51	59	63	56	47	39	31	27	10	3651
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	10	3650
MEAN NO DYS TMP = OR LES 32(F)	1.7	0.6	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	3.5	10	3651
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3651
MEAN DEW PT TMP (F)	30	32	38	48	56	64	71	73	67	57	48	38	52	10	87255
MEAN REL HUM (PCT)	62	64	71	77	83	89	91	89	87	82	75	66	78	10	87237
MEAN PRESS ALT (FT)	-85	-62	-70	-44	30	109	100	107	26	-67	-119	-99	-14	0	-50
MEAN PRECIP (IN)	3.47	4.61	8.91	8.28	13.76	11.48	6.49	7.19	12.22	17.38	8.41	4.99	107.2	10	3637
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.1	5.3	9.7	9.4	12.0	10.0	7.1	7.1	10.3	11.9	8.8	5.3	101.0	10	3637
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.0	2.5	4.3	8.3	10.5	13.8	15.0	9.1	5.7	4.8	2.5	1.1	79.6	10	3650
MEAN NO DYS TSTMS	1.4	0.8	1.2	0.7	0.9	0.7	2.4	4.1	2.3	0.9	1.8	1.4	18.6	10	3650
P FREQ WND SPD = OR GTR 17 KTS	43.6	38.6	44.0	41.5	38.4	35.5	36.7	35.8	33.8	50.8	39.7	36.2	39.6	10	87252
P FREQ WND SPD = OR GTR 28 KTS	15.6	12.5	12.3	10.3	9.2	5.4	6.1	4.5	5.1	11.8	9.0	9.6	9.3	10	87252
P FREQ LES 5000 FT A/O LES 5 MI	30.1	31.4	39.3	34.6	33.0	42.5	42.9	44.4	40.3	47.7	35.1	26.6	37.3	10	71138
P FREQ LES 1500 FT A/O LES 3 MI	7.3	8.0	16.1	16.5	20.2	26.2	28.3	26.8	23.9	25.4	13.2	6.4	18.2	10	9565
FOR 00-02 LST	7.2	10.0	16.4	19.4	22.3	30.0	34.3	33.9	27.4	27.6	12.9	7.5	20.7	10	9524
03-05 LST	7.9	11.1	19.9	19.5	25.4	33.5	39.5	37.4	27.3	27.7	13.6	8.6	22.6	10	9441
06-08 LST	8.6	11.6	18.8	20.4	23.9	34.7	34.6	30.8	25.4	26.2	14.9	7.7	21.5	10	9600
09-11 LST	8.2	9.6	17.5	18.1	21.3	30.0	27.5	22.8	19.6	23.6	15.0	5.8	18.3	10	9601
12-14 LST	8.0	8.9	16.3	15.9	19.1	27.4	27.6	22.1	19.1	20.2	14.6	6.6	17.2	10	9512
15-17 LST	6.3	8.1	17.7	16.8	18.5	24.3	27.3	21.8	17.6	21.0	13.7	5.9	16.6	10	9527
18-20 LST	5.6	7.3	16.6	15.0	19.8	25.2	26.2	24.5	19.1	21.3	12.8	7.4	16.7	10	9571
21-23 LST	0.5	0.5	1.7	2.2	2.0	2.3	1.9	2.1	1.5	2.2	0.2	0.0	1.4	10	9565
FOR 00-02 LST	1.1	0.3	1.2	2.0	3.1	4.1	4.2	1.9	1.0	0.7	0.5	1.0	1.8	10	9524
03-05 LST	0.8	0.4	0.9	1.8	3.4	4.3	5.7	3.2	3.2	2.1	0.2	0.8	2.2	10	9441
06-08 LST	0.7	0.4	1.8	2.1	2.0	5.0	3.6	2.2	0.8	1.7	0.7	0.4	1.8	10	9600
09-11 LST	1.2	0.1	0.7	3.5	1.9	5.1	2.1	1.3	1.1	2.0	1.0	0.0	1.7	10	9601
12-14 LST	0.7	0.3	1.3	2.9	2.4	4.0	1.9	1.5	0.9	1.8	0.8	0.1	1.6	10	9512
15-17 LST	0.3	0.7	2.6	2.9	2.2	3.0	2.7	1.0	0.7	1.5	0.1	0.1	1.5	10	9527
18-20 LST	0.1	0.8	2.0	1.0	2.2	3.0	1.5	1.5	1.3	1.9	0.2	0.6	1.3	10	9571
21-23 LST															

OSHIMA, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		MEAN NUMBER OF DAYS												POR (YRS)	NO. OBS	
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC			ANN
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	29.4	25.6	26.7	24.8	23.4	19.9	19.5	21.5	23.8	25.5	27.0	29.2	296.3	10	3536
	15 LST	28.9	25.9	27.1	25.8	24.7	22.2	23.1	26.0	25.7	26.4	26.3	29.6	311.7	10	3540
	21 LST	29.9	26.7	27.4	26.0	25.8	23.0	23.7	26.8	26.7	26.8	28.3	29.1	320.2	10	3533
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	29.5	26.3	27.3	25.8	24.8	22.4	22.4	24.0	24.7	25.4	28.0	29.6	310.2	10	3516
	09 LST	8.1	7.3	5.3	5.4	6.8	5.4	6.8	6.0	4.9	3.1	4.8	10.1	74.0	10	3536
	15 LST	8.9	9.4	6.4	4.8	6.1	6.8	6.6	7.0	6.7	5.4	8.4	12.3	88.8	10	3540
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	8.3	7.1	5.3	6.1	7.9	7.3	7.5	6.8	8.0	5.3	7.6	8.7	85.9	10	3533
	03 LST	7.2	6.6	6.1	5.4	7.4	7.5	8.2	7.2	6.8	3.6	6.3	8.1	80.4	10	3516
	09 LST	11.6	8.4	10.4	10.0	7.0	6.5	8.2	7.8	7.4	10.4	10.3	8.9	106.9	10	3652
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	12.4	9.2	10.1	10.3	9.0	7.4	11.6	11.2	7.5	8.6	7.7	10.3	115.3	10	3651
	21 LST	11.0	9.1	9.3	8.0	8.0	7.6	10.2	8.7	7.3	8.1	7.2	9.8	104.3	10	3652
	03 LST	11.4	8.4	8.9	6.8	6.1	5.6	8.1	7.6	6.8	9.9	7.8	9.7	97.1	10	3652
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	7.0	7.1	5.5	6.1	6.2	7.7	8.0	8.6	6.4	4.2	6.0	9.0	81.8	10	3652
	15 LST	8.8	8.7	6.4	4.2	6.6	7.0	7.3	7.3	6.4	6.4	7.3	10.4	86.8	10	3651
	21 LST	7.4	7.2	4.8	5.4	6.0	4.6	5.1	5.5	7.0	5.0	6.2	7.9	72.1	10	3652
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	6.2	5.9	6.1	5.4	6.2	6.0	5.9	7.8	6.9	3.5	5.7	7.9	73.5	10	3652
	09 LST	13.7	9.7	8.5	7.5	5.4	2.0	3.1	4.2	3.4	4.6	9.0	13.6	84.9	10	3652
	15 LST	14.5	11.7	10.8	8.5	5.4	3.6	4.5	6.5	6.7	7.0	10.0	15.9	105.1	10	3651
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	17.5	13.7	12.5	10.1	7.6	4.9	6.0	10.5	8.9	8.9	12.2	17.8	130.6	10	3652
	03 LST	16.0	13.9	12.1	9.2	8.8	3.5	5.4	8.0	7.4	7.3	11.8	17.4	120.8	10	3652
	09 LST	26.2	21.7	22.0	21.4	19.4	14.2	14.4	14.9	16.4	17.6	22.5	25.2	236.9	10	3536
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	27.2	23.5	23.5	23.2	21.6	18.2	18.4	20.7	19.8	20.9	23.3	27.6	267.9	10	3540
	21 LST	27.2	23.2	22.1	22.0	22.0	18.3	18.6	20.2	21.2	20.6	22.7	27.2	265.3	10	3533
	03 LST	25.8	22.2	22.0	22.0	20.7	16.0	16.3	15.5	17.3	16.8	21.9	26.8	241.3	10	3516
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	21.3	17.9	17.9	19.1	17.8	12.6	13.1	13.8	14.7	15.5	19.6	21.4	204.7	10	3536
	15 LST	23.5	20.8	20.6	20.9	19.9	16.8	17.0	19.7	18.7	18.4	20.3	24.1	240.7	10	3540
	21 LST	21.6	19.0	18.6	18.3	19.1	15.1	16.7	18.8	18.9	17.7	19.3	23.3	227.4	10	3533
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	20.9	19.7	18.4	16.7	17.5	13.8	13.8	14.4	15.3	13.8	17.9	23.0	205.2	10	3516
	09 LST	21.3	17.9	17.7	19.0	17.7	12.6	13.1	13.7	14.5	15.4	19.5	21.3	203.7	10	3536
	15 LST	23.4	20.7	20.5	20.7	19.8	16.6	16.9	19.6	18.5	18.3	20.2	23.9	239.1	10	3540
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	21.6	19.0	18.6	18.3	19.0	15.9	16.7	18.8	18.8	17.5	19.0	23.3	226.5	10	3533
	03 LST	20.9	19.7	18.4	16.7	17.5	13.8	13.7	14.4	15.2	13.8	17.7	22.9	204.7	10	3516

HACHIJO-JIMA, JAPAN

STA NO. 47678 (IN AREA NUMBER 05)

LATITUDE 3306N

LONGITUDE 13947E

ELEVATION(FT) 00299

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	70	71	72	78	80	84	89	92	90	86	78	76	92	23	-528
MEAN MAX TMP (F)	56	56	59	66	71	75	81	83	81	74	68	60	69	23	-28
MEAN MIN TMP (F)	45	45	48	55	60	67	73	74	72	65	57	49	59	23	-28
ABS MIN TMP (F)	30	31	32	40	47	53	63	65	61	53	46	33	30	23	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.1	0.0	0.0	0.0	0.9	10	3652
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3652
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3652
MEAN DEW PT TMP (F)	39	40	46	53	60	67	73	75	72	63	54	45	57	10	87484
MEAN REL HUM (PCT)	66	67	70	73	79	87	87	83	81	77	73	67	76	30	-100
MEAN PRESS ALT (FT)	199	222	197	209	279	360	343	348	277	196	148	180	247	0	-50
MEAN PRECIP (IN)	7.57	8.12	9.99	9.41	10.50	12.73	7.08	9.39	14.39	20.25	14.84	7.60	131.9	30	-100
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	13.0	13.6	11.0	10.7	11.3	12.3	9.1	10.7	15.9	16.2	13.0	0.0	0.0	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.2	0.8	1.7	1.3	1.4	0.2	0.2	0.2	0.1	0.0	6.1	10	3652
MEAN NO DYS TSTMS	2.1	1.6	1.6	1.1	0.5	0.5	1.5	3.0	2.4	1.4	1.9	1.9	19.5	30	-100
P FREQ WND SPD = OR GTR 17 KTS	52.7	48.3	46.8	33.7	31.5	24.2	17.8	16.7	20.0	38.4	33.5	44.4	34.0	10	87500
P FREQ WND SPD = OR GTR 28 KTS	12.6	9.2	9.0	5.5	5.6	3.5	1.0	1.7	2.2	7.1	4.8	6.6	5.7	10	87500
P FREQ LES 5000 FT A/O LES 5 MI	53.6	47.4	44.6	38.5	40.0	45.4	43.5	38.9	32.7	42.1	38.3	41.9	42.2	10	83998
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	1.5	3.5	5.9	10.6	16.8	25.0	26.2	13.0	11.6	10.7	8.4	2.4	11.3	10	10471
03-05 LST	1.8	3.4	6.2	10.9	18.2	26.4	28.0	13.4	10.9	10.5	7.8	1.8	11.6	10	10484
06-08 LST	2.3	5.1	8.1	12.5	17.5	25.6	26.3	14.1	9.4	12.1	7.3	2.2	11.9	10	10637
09-11 LST	2.3	4.6	8.1	11.9	21.0	23.6	23.9	12.2	9.0	13.4	6.9	2.8	11.6	10	10650
12-14 LST	2.3	4.8	9.4	11.9	21.4	22.2	21.1	13.5	8.3	13.1	7.1	1.9	11.4	10	10710
15-17 LST	2.8	4.4	9.8	13.0	20.8	22.0	21.5	11.3	7.6	13.2	7.0	2.1	11.3	10	10636
18-20 LST	2.3	3.8	9.2	14.2	19.3	23.6	22.4	12.2	8.7	11.7	8.7	1.7	11.5	10	10557
21-23 LST	2.4	3.9	7.1	12.0	17.0	26.8	23.7	12.7	9.2	9.8	7.8	1.5	11.2	10	10496
FOR 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.4	0.6	1.1	0.7	0.0	0.1	0.0	0.2	0.0	0.3	10	10471
03-05 LST	0.0	0.0	0.0	0.6	0.6	0.5	0.5	0.1	0.1	0.0	0.0	0.0	0.2	10	10484
06-08 LST	0.0	0.0	0.0	0.7	0.4	0.4	0.4	0.0	0.1	0.0	0.2	0.0	0.2	10	10637
09-11 LST	0.0	0.0	0.3	0.6	0.8	0.2	0.6	0.0	0.0	0.0	0.0	0.0	0.2	10	10650
12-14 LST	0.0	0.0	0.1	0.2	0.8	0.1	0.5	0.2	0.0	0.0	0.0	0.0	0.2	10	10710
15-17 LST	0.1	0.0	0.1	0.3	1.4	0.5	0.3	0.3	0.1	0.3	0.3	0.0	0.3	10	10636
18-20 LST	0.0	0.0	0.0	0.1	0.6	0.2	0.4	0.0	0.0	0.0	0.5	0.0	0.2	10	10557
21-23 LST	0.0	0.0	0.0	0.4	0.2	0.8	0.3	0.0	0.0	0.0	0.6	0.0	0.2	10	10496

HACHIJO-JIMA, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	31.0	27.9	30.0	27.8	26.8	25.8	30.6	29.5	29.9	29.5	30.9	345.5	10	3643	
	15 LST	30.8	27.7	29.4	27.9	26.2	27.2	30.8	29.6	29.5	29.5	30.9	346.7	10	3640	
	21 LST	30.9	27.5	30.2	28.1	27.8	25.4	26.9	30.5	29.4	30.0	29.3	30.8	346.8	10	3632
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC AND LES 10 KTS	03 LST	30.9	27.8	30.5	29.1	28.1	27.1	26.4	30.8	29.3	29.5	30.8	350.6	10	3641	
	09 LST	4.9	5.7	6.2	7.8	9.0	6.8	10.0	11.4	7.7	9.9	7.4	97.2	10	3643	
	15 LST	4.8	4.5	4.5	5.2	8.6	8.0	7.3	10.5	11.1	7.3	8.1	7.2	87.1	10	3640
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	7.0	7.8	8.5	9.8	12.1	11.5	12.6	14.5	13.8	10.6	10.9	8.8	127.9	10	3632
	03 LST	7.5	7.5	8.4	11.8	11.7	11.0	13.9	12.6	10.4	10.3	8.1	125.3	10	3641	
	09 LST	9.7	8.7	9.8	6.0	5.1	4.2	4.4	3.8	3.4	5.9	9.3	76.0	10	3652	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	11.6	10.2	12.0	7.1	6.2	4.2	4.3	3.9	4.0	4.1	11.9	86.6	10	3652	
	21 LST	10.4	9.8	8.9	5.3	4.0	4.1	3.3	1.8	2.8	4.6	10.3	70.7	10	3652	
	03 LST	10.6	8.5	9.1	5.0	3.8	4.0	3.6	3.3	3.5	5.1	10.4	72.2	10	3652	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	2.5	3.4	4.7	7.0	8.3	6.4	11.8	10.7	10.1	5.4	4.9	82.2	10	3652	
	15 LST	3.1	2.7	3.8	5.5	8.2	7.6	9.6	12.1	9.0	5.9	6.9	79.4	10	3652	
	21 LST	3.6	4.8	5.4	7.3	8.5	7.8	11.3	11.2	10.7	7.0	7.3	6.1	91.0	10	3652
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	4.2	4.1	5.2	7.7	8.1	7.2	10.6	10.6	9.0	6.0	7.1	5.0	84.8	10	3652
	09 LST	3.0	3.1	5.0	5.3	3.4	1.5	3.1	4.7	4.9	3.9	5.4	4.8	48.1	10	3652
	15 LST	3.3	3.6	4.4	5.4	2.8	1.8	2.5	4.5	3.8	3.9	5.6	5.8	47.4	10	3652
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	6.4	6.6	8.4	8.5	6.2	4.3	7.4	10.0	10.3	8.9	9.2	10.0	96.2	10	3652
	03 LST	7.3	6.9	7.7	9.4	6.3	3.2	5.9	9.9	11.2	7.9	8.6	11.8	96.1	10	3652
	09 LST	26.4	23.7	24.1	22.3	20.3	17.7	17.6	20.9	23.5	21.9	23.7	27.0	269.1	10	3643
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	26.2	23.6	23.4	22.3	21.0	20.0	19.3	20.8	23.5	21.5	24.0	27.8	273.4	10	3640
	21 LST	26.1	23.8	24.9	22.0	21.4	17.1	19.8	21.7	23.8	23.6	23.2	26.8	274.2	10	3632
	03 LST	26.6	24.2	24.7	23.1	20.5	16.6	18.2	20.9	21.4	21.9	22.8	26.9	267.6	10	3641
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	13.3	15.0	17.5	18.2	17.9	16.7	16.5	18.8	21.5	18.6	17.9	17.2	209.1	10	3643
	15 LST	14.7	13.6	16.8	19.4	18.7	18.5	17.9	18.7	21.1	17.9	20.3	17.7	215.3	10	3640
	21 LST	14.5	14.9	18.6	18.5	19.2	15.5	18.6	20.1	22.4	20.4	19.4	17.8	219.9	10	3632
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	14.9	14.9	16.9	19.4	17.6	14.1	16.7	18.6	19.2	18.0	18.7	19.2	208.2	10	3641
	09 LST	13.3	14.8	17.5	18.2	17.9	16.7	16.5	18.8	21.5	18.6	17.9	17.2	208.9	10	3643
	15 LST	14.7	13.6	16.8	19.3	18.7	18.5	17.9	18.7	21.1	17.9	20.2	17.7	215.1	10	3640
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	14.5	14.9	18.6	18.5	19.2	15.5	18.6	20.1	22.4	20.4	19.4	17.8	219.9	10	3632
	03 LST	14.9	14.9	16.9	19.4	17.5	14.1	16.7	18.6	19.2	18.0	18.7	19.2	208.2	10	3641
	09 LST	13.3	14.8	17.5	18.2	17.9	16.7	16.5	18.8	21.5	18.6	17.9	17.2	208.9	10	3643
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	14.7	13.6	16.8	19.4	18.7	18.5	17.9	18.7	21.1	17.9	20.3	17.7	215.3	10	3640
	21 LST	14.5	14.9	18.6	18.5	19.2	15.5	18.6	20.1	22.4	20.4	19.4	17.8	219.9	10	3632
	03 LST	14.9	14.9	16.9	19.4	17.5	14.1	16.7	18.6	19.2	18.0	18.7	19.2	208.2	10	3641
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	13.3	14.8	17.5	18.2	17.9	16.7	16.5	18.8	21.5	18.6	17.9	17.2	208.9	10	3643
	15 LST	14.7	13.6	16.8	19.3	18.7	18.5	17.9	18.7	21.1	17.9	20.2	17.7	215.1	10	3640
	21 LST	14.5	14.9	18.6	18.5	19.2	15.5	18.6	20.1	22.4	20.4	19.4	17.8	219.9	10	3632
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	14.9	14.9	16.9	19.4	17.5	14.1	16.7	18.6	19.2	18.0	18.7	19.2	207.9	10	3641

ATSUGI NAS, JAPAN

STA NO. 47679 (IN AREA NUMBER 05)

LATITUDE 3527N LONGITUDE 13927E ELEVATION(FT) 00204

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NG. OBS
ABS MAX TMP (F)	67	77	77	82	89	97	100	102	95	82	76	71	102	13	4383
MEAN MAX TMP (F)	50	52	59	67	73	78	85	84	76	67	58	53	67	13	4383
MEAN MIN TMP (F)	29	32	40	49	57	65	72	71	62	52	41	33	50	13	4383
ABS MIN TMP (F)	9	19	23	33	40	47	59	60	44	35	25	19	9	13	4383
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.5	6.7	6.2	0.7	0.0	0.0	0.0	14.1	13	4383
MEAN NO DYS TMP = OR LES 32(F)	22.3	15.1	5.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	15.6	61.5	13	4383
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	4383
MEAN DEW PT TMP (F)	26	27	35	45	55	62	70	72	66	55	44	33	49	13	104675
MEAN REL HUM (PCT)	62	62	68	71	77	82	84	83	83	80	74	68	75	13	104673
MEAN PRESS ALT (FT)	87	110	108	139	215	297	290	298	212	113	59	74	167	0	-50
MEAN PRECIP (IN)	1.87	2.04	4.42	6.09	5.55	8.12	4.70	6.38	8.81	4.98	2.94	1.98	57.9	13	4353
MEAN SNOW FALL (IN)	2.0	3.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	6.0	13	4352
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.1	5.0	7.7	9.2	9.7	10.3	6.6	9.0	10.4	8.3	5.9	3.5	89.7	13	4353
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.3	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.0	13	4352
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.0	0.6	1.1	1.3	2.0	2.5	4.4	3.2	1.8	1.2	0.7	1.3	21.1	13	4367
MEAN NO DYS TSTMS	0.1	0.0	0.1	0.3	1.1	0.7	1.7	2.1	0.3	0.3	0.2	0.2	7.1	13	4383
P FREQ WND SPD = OR GTR 17 KTS	1.7	2.8	4.2	5.6	3.5	1.7	2.1	2.4	2.4	2.3	1.5	1.3	2.6	13	104443
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.4	0.0	0.1	0.0	0.1	13	104443
P FREQ LES 5000 FT A/O LES 5 MI	27.1	36.2	44.6	42.4	42.4	58.6	63.6	55.4	55.4	49.5	42.2	36.4	46.2	13	104669
P FREQ LES 1500 FT A/O LES 3 MI	FOR 00-02 LST														
	5.8	9.0	10.9	15.0	21.5	31.5	36.1	30.2	25.3	20.3	10.8	7.2	18.6	13	13124
	4.9	8.2	10.1	17.1	24.0	36.9	46.9	33.7	28.8	18.4	8.4	4.9	20.2	13	13131
	4.8	11.4	15.3	21.4	27.2	39.5	49.5	37.8	33.6	18.5	10.6	8.7	23.2	13	13127
	7.5	12.9	15.7	17.6	17.7	31.9	33.2	27.4	24.7	14.4	11.1	13.7	19.0	13	13113
	6.8	11.6	17.6	17.2	16.2	25.3	24.4	20.2	22.7	14.2	10.2	11.5	16.5	13	13069
	15.5	16.8	20.2	15.7	14.4	23.5	21.8	18.0	19.3	17.5	19.7	24.7	18.9	13	13074
	17.4	18.4	21.3	14.5	17.4	26.7	27.5	24.1	22.7	22.0	21.5	28.2	21.8	13	13116
	9.8	12.2	14.1	14.2	17.0	26.4	28.0	23.0	21.2	19.5	15.3	14.2	17.9	13	13127
	FOR 00-02 LST														
	0.8	1.5	1.8	2.4	3.9	4.6	6.2	4.5	3.1	1.8	1.0	1.0	2.7	13	13124
	1.2	1.1	2.3	3.3	5.3	6.7	13.2	7.9	4.9	2.2	0.8	0.6	4.1	13	13131
	0.6	1.6	2.1	3.4	5.5	6.2	9.4	6.7	5.0	2.3	0.8	0.6	3.7	13	13127
	0.6	1.7	0.8	1.4	2.2	1.3	2.7	0.7	1.9	0.6	1.0	0.5	1.3	13	13113
	0.8	2.1	2.3	1.2	2.4	1.9	1.3	1.3	1.9	0.9	0.7	0.5	1.4	13	13069
	2.3	3.0	2.8	2.9	1.4	1.8	1.9	1.3	2.4	1.5	1.9	3.1	2.2	13	13074
	1.8	2.6	2.9	3.3	3.0	4.2	3.0	2.6	3.4	1.1	1.9	2.4	2.7	13	13116
	0.7	1.4	1.6	2.3	2.0	3.0	3.0	2.6	1.8	0.9	1.6	1.3	1.9	13	13127

P FREQ LES 300 FT A/O LES 1 MI

FOR 00-02 LST

03-05 LST

06-08 LST

09-11 LST

12-14 LST

15-17 LST

18-20 LST

21-23 LST

ATSUGI NAS, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	28.4	23.9	26.6	24.8	25.1	20.6	21.5	23.6	22.8	26.8	25.8	296.4	13	4381
	15 LST	27.7	24.2	26.2	25.8	27.0	23.8	25.6	26.2	25.1	27.0	26.5	311.2	13	4367
	21 LST	27.3	24.4	26.8	26.1	26.7	23.1	23.5	25.1	24.9	25.7	25.3	304.4	13	4379
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	03 LST	29.6	26.3	28.4	26.2	25.1	20.8	18.7	22.7	22.1	26.5	27.7	303.7	13	4381
	09 LST	24.0	18.1	17.9	16.4	17.3	15.0	12.3	14.8	15.8	18.4	19.9	212.3	13	4377
	15 LST	18.7	13.7	11.3	10.0	11.7	10.7	11.3	10.4	14.8	18.2	17.9	168.4	13	4360
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	24.3	21.0	19.6	18.6	21.0	17.6	17.7	18.5	19.5	20.6	20.3	240.2	13	4373
	03 LST	26.7	22.5	22.4	20.8	20.5	16.1	14.1	17.1	18.7	20.1	23.3	247.6	13	4377
	09 LST	0.2	0.8	0.8	1.4	0.8	0.3	0.2	0.7	1.1	0.7	0.1	0.4	13	4095
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	1.1	1.4	2.5	3.1	2.1	0.9	1.4	2.2	0.7	0.4	0.6	17.4	13	4094
	21 LST	0.2	0.2	0.7	1.4	0.5	0.2	0.4	0.4	0.6	0.1	0.2	9.2	13	4079
	03 LST	0.2	0.1	0.4	0.8	0.7	0.2	0.3	0.3	0.4	0.4	0.2	4.1	13	4081
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	14.8	16.4	17.2	16.0	16.5	16.9	15.6	16.9	18.5	20.0	18.6	204.6	13	4095
	15 LST	20.5	18.2	18.3	16.1	15.7	19.1	18.1	15.6	20.0	23.4	20.7	226.3	13	4094
	21 LST	16.4	16.4	17.5	16.7	17.1	17.3	17.1	17.5	15.7	18.8	19.6	209.6	13	4079
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	10.4	11.1	18.0	16.3	14.6	14.7	13.4	14.9	16.5	21.7	19.5	187.4	13	4081
	09 LST	14.9	10.8	7.9	6.3	5.2	2.3	1.6	3.0	2.5	4.7	10.5	82.3	13	4381
	15 LST	10.7	7.3	5.1	4.3	3.7	1.4	2.5	3.7	2.6	4.5	7.9	64.9	13	4367
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	16.7	10.8	9.6	7.4	6.1	1.8	3.4	5.6	4.7	5.1	8.6	94.4	13	4379
	03 LST	18.0	13.4	10.7	8.8	6.9	3.5	3.2	6.8	5.3	7.9	11.3	114.0	13	4381
	09 LST	27.8	22.7	24.4	23.0	23.9	18.2	15.9	19.8	19.7	24.9	25.7	270.8	13	4381
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	27.1	23.4	23.7	24.0	25.2	20.9	22.4	23.2	22.0	24.4	24.8	286.9	13	4367
	21 LST	26.3	23.4	24.5	25.0	24.6	21.0	21.1	22.5	21.8	22.6	23.4	280.5	13	4379
	03 LST	29.0	24.8	26.1	24.2	22.8	16.8	15.3	18.9	19.7	23.3	25.6	274.7	13	4381
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	22.5	18.1	17.6	17.7	18.5	13.4	11.2	15.6	13.7	16.2	18.2	202.5	13	4381
	15 LST	22.0	17.4	16.8	17.6	20.2	14.9	17.0	18.3	15.3	17.0	18.3	215.5	13	4367
	21 LST	22.8	18.3	17.5	17.8	19.7	15.7	15.9	18.3	15.8	15.2	15.7	212.9	13	4379
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	24.2	19.8	17.7	16.9	17.8	11.7	10.4	15.2	13.9	15.8	19.6	207.1	13	4381
	09 LST	21.6	17.1	15.7	15.6	15.8	11.9	9.4	13.9	11.3	12.7	16.6	179.8	13	4381
	15 LST	20.4	16.2	15.1	16.0	17.2	13.3	14.7	17.1	12.6	14.3	16.3	192.6	13	4367
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	21.8	16.7	16.1	15.5	17.1	13.3	13.6	16.6	13.5	14.0	19.1	189.6	13	4379
	03 LST	22.2	18.2	16.2	14.7	15.9	10.2	8.4	14.1	10.9	13.5	22.4	184.0	13	4381

CHOFU, JAPAN

STA NO. 47683 (IN AREA NUMBER 05)

LATITUDE 35°0N

LONGITUDE 139°31E

ELEVATION(FT) 00135

POR NO.

(YRS)

ANN

DEC

NOV

OCT

SEP

AUG

JUL

JUN

MAY

APR

MAR

FEB

JAN

PARAMETER DESCRIPTION

ABS MAX TMP (F)

MEAN MAX TMP (F)

MEAN MIN TMP (F)

ABS MIN TMP (F)

MEAN NO DYS TMP = OR GTR 90(F)

MEAN NO DYS TMP = OR LES 32(F)

MEAN NO DYS TMP = OR LES 0(F)

MEAN DEW PT TMP (F)

MEAN REL HUM (PCT)

MEAN PRESS ALT (FT)

MEAN PRECIP (IN)

MEAN SNOW FALL (IN)

MEAN NO DYS PRCP = OR GTR 0.1 IN

MEAN NO DYS SNFL = OR GTR 1.5 IN

MEAN NO DYS W/OCUR VSBY LES 1/2 MI

MEAN NO DYS TSTMS

P FREQ WND SPD = OR GTR 17 KTS

P FREQ WND SPD = OR GTR 28 KTS

P FREQ LES 5000 FT A/O LES 5 MI

P FREQ LES 1500 FT A/O LES 3 MI

FOR 00-02 LST

03-05 LST

06-08 LST

09-11 LST

12-14 LST

15-17 LST

18-20 LST

21-23 LST

P FREQ LES 300 FT A/O LES 1 MI

FOR 00-02 LST

03-05 LST

06-08 LST

09-11 LST

12-14 LST

15-17 LST

18-20 LST

21-23 LST

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
ABS MAX TMP (F)	70	79	76	83	90	93	97	99	96	89	79	74	99	12	-47660
MEAN MAX TMP (F)	48	50	55	65	72	77	84	87	79	69	61	53	67	12	-47660
MEAN MIN TMP (F)	27	29	36	45	54	62	70	72	65	54	43	32	49	12	-47660
ABS MIN TMP (F)	13	16	20	28	36	48	60	60	45	38	25	20	13	12	-47660
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.5	7.2	11.8	1.8	0.0	0.0	0.0	21.4	12	-47660
MEAN NO DYS TMP = OR LES 32(F)	24.6	21.0	9.5	0.8	0.0	0.0	0.0	0.0	0.0	0.0	2.8	16.5	75.2	12	-47660
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-47660
MEAN DEW PT TMP (F)	25	27	34	45	55	62	70	72	66	55	44	32	49	12	-47660
MEAN REL HUM (PCT)	65	65	68	72	77	82	83	82	83	81	77	71	76	12	-47660
MEAN PRESS ALT (FT)	13	36	36	69	145	227	222	230	143	43	-11	1	96	0	-50
MEAN PRECIP (IN)	1.83	1.91	3.61	4.29	5.53	7.12	6.12	6.94	8.13	7.79	3.02	2.18	58.5	12	-47660
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1196
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.6	4.0	7.2	6.8	7.8	9.7	8.5	7.8	9.8	9.7	5.6	3.4	83.9	12	-47660
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1196
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.1	1.1	1.8	1.6	1.7	2.3	4.0	2.3	2.2	1.7	1.0	1.1	21.9	12	-47660
MEAN NO DYS TSTMS	0.1	0.0	0.2	0.4	1.2	1.0	2.7	2.9	1.3	0.2	0.3	0.3	10.6	12	-47660
P FREQ WND SPD = OR GTR 17 KTS	1.8	2.0	2.8	3.0	2.1	0.6	0.5	0.8	1.5	0.5	1.3	1.0	1.5	12	-47660
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	12	-47660
P FREQ LES 5000 FT A/O LES 5 MI	26.1	32.6	40.9	39.9	40.3	61.0	65.5	56.1	56.8	51.9	41.7	31.0	45.3	12	-47660
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														10	7007
06-08 LST	3.0	8.8	11.1	19.0	22.3	39.1	41.7	31.8	24.8	16.2	6.6	3.2	19.0	10	8707
09-11 LST	4.0	9.8	13.4	15.2	21.6	30.3	27.0	21.8	20.4	15.8	7.4	4.6	15.9	10	8139
12-14 LST	3.9	8.5	13.8	16.3	16.5	21.2	20.1	15.2	17.7	12.9	7.5	5.7	13.3	10	7853
15-17 LST	7.5	9.6	15.0	16.7	13.7	19.9	17.7	14.1	16.2	11.9	13.3	9.0	13.7	10	7853
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														10	7007
06-08 LST	0.8	2.6	1.1	5.5	6.0	5.9	10.1	5.2	6.0	2.8	0.5	1.1	4.0	10	8707
09-11 LST	0.8	2.8	1.4	3.0	3.8	3.1	5.0	0.8	2.5	1.4	0.9	0.4	2.2	10	8139
12-14 LST	0.8	2.3	1.0	1.7	2.2	1.6	1.6	0.7	2.4	0.8	1.1	0.0	1.4	10	7853
15-17 LST	1.0	2.6	1.6	4.4	2.3	1.4	3.8	0.6	2.8	0.9	1.1		1.9	10	7853
18-20 LST														0	0
21-23 LST														0	0

CHOFU, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST 29.5	09 LST 25.1	09 LST 28.1	09 LST 25.8	09 LST 24.6	09 LST 21.0	09 LST 21.7	09 LST 24.3	09 LST 23.4	09 LST 26.7	09 LST 27.8	09 LST 29.9	09 LST 307.9	10	904
	15 LST 29.4	15 LST 25.7	15 LST 26.9	15 LST 25.7	15 LST 27.2	15 LST 25.2	15 LST 25.8	15 LST 26.6	15 LST 25.3	15 LST 28.1	15 LST 27.2	15 LST 29.2	15 LST 322.3	10	2620
	21 LST 23.0	21 LST 18.2	21 LST 18.8	21 LST 17.2	21 LST 17.2	21 LST 16.0	21 LST 16.4	21 LST 17.7	21 LST 16.8	21 LST 15.6	21 LST 20.5	21 LST 25.3	21 LST 222.7	10	2903
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	09 LST 18.2	09 LST 12.6	09 LST 12.6	09 LST 7.7	09 LST 11.6	09 LST 10.0	09 LST 11.6	09 LST 11.4	09 LST 14.7	09 LST 17.5	09 LST 19.1	09 LST 18.4	09 LST 165.4	10	2620
	15 LST 0.7	15 LST 0.9	15 LST 1.4	15 LST 1.2	15 LST 0.9	15 LST 0.4	15 LST 0.7	15 LST 1.1	15 LST 1.1	15 LST 1.0	15 LST 0.4	15 LST 0.7	15 LST 10.5	10	2711
SFC WND = GTR 17 KTS AND NO PRECIP.	15 LST 2.5	15 LST 2.8	15 LST 4.1	15 LST 5.6	15 LST 2.9	15 LST 2.9	15 LST 2.6	15 LST 1.1	15 LST 1.1	15 LST 1.1	15 LST 2.9	15 LST 2.9	15 LST 2.9	10	2455
	21 LST 15.3	21 LST 15.3	21 LST 18.7	21 LST 17.2	21 LST 16.7	21 LST 15.4	21 LST 15.4	21 LST 16.1	21 LST 18.6	21 LST 18.8	21 LST 19.3	21 LST 18.7	21 LST 206.8	10	2711
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST 17.9	09 LST 15.7	09 LST 15.6	09 LST 12.5	09 LST 15.2	09 LST 13.5	09 LST 16.0	09 LST 13.9	09 LST 19.4	09 LST 19.7	09 LST 21.0	09 LST 16.7	09 LST 197.1	10	2455
	15 LST 16.3	15 LST 12.0	15 LST 9.0	15 LST 7.7	15 LST 3.8	15 LST 1.7	15 LST 1.5	15 LST 4.3	15 LST 3.2	15 LST 5.6	15 LST 9.8	15 LST 16.8	15 LST 91.7	10	2904
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	15 LST 11.8	15 LST 9.1	15 LST 6.0	15 LST 5.9	15 LST 2.8	15 LST 1.5	15 LST 2.7	15 LST 4.0	15 LST 2.1	15 LST 4.1	15 LST 8.7	15 LST 14.0	15 LST 72.7	10	2620
	21 LST 28.9	21 LST 24.7	21 LST 26.2	21 LST 24.2	21 LST 23.3	21 LST 19.1	21 LST 19.0	21 LST 22.0	21 LST 21.5	21 LST 25.0	21 LST 27.1	21 LST 29.5	21 LST 290.5	10	2904
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST 28.8	09 LST 25.0	09 LST 25.2	09 LST 23.5	09 LST 26.1	09 LST 21.9	09 LST 24.0	09 LST 24.0	09 LST 23.3	09 LST 26.4	09 LST 26.3	09 LST 28.2	09 LST 302.7	10	2620
	15 LST 24.4	15 LST 19.9	15 LST 18.8	15 LST 17.9	15 LST 18.2	15 LST 13.9	15 LST 13.2	15 LST 16.6	15 LST 14.2	15 LST 15.5	15 LST 19.3	15 LST 24.4	15 LST 216.3	10	2904
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	15 LST 22.9	15 LST 18.1	15 LST 15.7	15 LST 17.4	15 LST 16.9	15 LST 13.6	15 LST 16.3	15 LST 18.3	15 LST 13.7	15 LST 17.7	15 LST 18.3	15 LST 23.7	15 LST 212.6	10	2620
	21 LST 23.2	21 LST 17.9	21 LST 16.6	21 LST 15.2	21 LST 15.8	21 LST 11.6	21 LST 9.9	21 LST 14.0	21 LST 10.5	21 LST 11.1	21 LST 17.0	21 LST 23.4	21 LST 186.2	10	2904
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST 22.5	09 LST 17.5	09 LST 14.6	09 LST 15.8	09 LST 14.2	09 LST 10.9	09 LST 13.3	09 LST 16.8	09 LST 10.5	09 LST 14.4	09 LST 16.0	09 LST 22.5	09 LST 189.0	10	2620
	15 LST 0	15 LST 0	15 LST 0	15 LST 0	15 LST 0	15 LST 0	15 LST 0	15 LST 0	15 LST 0	15 LST 0	15 LST 0	15 LST 0	15 LST 0	0	0
	21 LST 0	21 LST 0	21 LST 0	21 LST 0	21 LST 0	21 LST 0	21 LST 0	21 LST 0	21 LST 0	21 LST 0	21 LST 0	21 LST 0	21 LST 0	0	0
	03 LST 0	03 LST 0	03 LST 0	03 LST 0	03 LST 0	03 LST 0	03 LST 0	03 LST 0	03 LST 0	03 LST 0	03 LST 0	03 LST 0	03 LST 0	0	0

TATEYAMA, JAPAN

STA NO. 47688 (IN AREA NUMBER 05)

LATITUDE 34.59N

LONGITUDE 139.50E

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	65	71	73	77	83	85	90	94	91	85	76	70	94	7	-99
MEAN MAX TMP (F)	51	51	56	65	71	76	83	86	80	71	64	55	67	7	-99
MEAN MIN TMP (F)	34	34	40	50	57	63	72	73	67	57	48	38	53	7	-99
ABS MIN TMP (F)	21	22	23	32	40	48	61	57	51	41	27	24	21	7	-99
MEAN NO DYS TMP ≥ OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.3	4.5	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN DEW PT TMP (F)	32	31	38	50	58	65	73	75	69	59	49	36	53	7	-29
MEAN REL HUM (PCT)	69	67	71	78	82	86	87	87	87	84	78	71	79	7	-99
MEAN PRESS ALT (FT)	-55	-50	-33	-20	-7	120	85	118	10	-55	-120	-70	-5	0	-50
MEAN PRECIP (IN)	3.41	5.24	7.86	6.74	8.11	9.89	6.46	6.06	13.01	11.71	5.89	3.73	88.1	7	-99
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				7	-29
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	7.1	10.0	9.8	9.1	10.0	11.0	8.6	8.3	15.1	14.1	8.2	7.6	118.9	7	-29
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				7	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI				0.0	0.0	0.0	0.0	0.0	0.0	0.0				7	-29
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD ≥ OR GTR 17 KTS														0	0
P FREQ WND SPD ≥ OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

TATEYAMA, JAPAN
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0

DATA NOT AVAILABLE

YOKOSUKA FWF, JAPAN

STA NO. 47696 (II) AREA NUMBER 05)

LATITUDE 35.17N

LONGITUDE 139.40E

ELEVATION(FT) 00174

PARAMETER DESCRIPTION

JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC ANN (YRS) OBS

ABS MAX TMP (F) 69 75 74 81 86 92 97 98 96 84 78 71 98 36 -599

MEAN MAX TMP (F) 48 49 54 64 70 75 82 85 78 69 61 53 66 36 -99

MEAN MIN TMP (F) 34 34 39 49 56 65 70 73 67 57 47 39 53 36 -99

ABS MIN TMP (F) 21 20 24 33 40 50 58 60 54 42 32 25 20 36 -599

MEAN NO DYS TMP ≥ OR GTR 90(F) 0.0 0.0 0.0 0.0 0.0 0.0 0.7 2.2 0.1 0.0 0.0 0.0 3.0 12 4324

MEAN NO DYS TMP ≥ OR LES 32(F) 3.8 2.7 1.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.2 7.8 12 4324

MEAN NO DYS TMP ≥ OR LES 0(F) 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 12 4324

MEAN DEW PT TMP (F) 30 32 38 49 57 64 71 73 68 56 46 37 52 12 103749

MEAN REL HUM (PCT) 67 67 71 77 80 85 87 86 85 81 75 68 77 36 -99

MEAN PRESS ALT (FT) 0 0

MEAN PRESS ALT (IN) 2.89 3.69 5.65 6.84 6.99 7.91 6.69 7.98 10.93 9.10 4.74 2.95 76.4 36 -99

MEAN SNOW FALL (IN) 0.6 0.4 0.7 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 1.7 12 4319

MEAN NO DYS PRCP = OR GTR 0.1 IN 6.2 7.6 8.3 9.2 9.3 9.7 8.8 9.8 13.4 11.7 6.8 6.3 107.1 36 -29

MEAN NO DYS SNFL = OR GTR 1.5 IN 0.2 0.1 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.4 12 4319

MEAN NO DYS W/OCUH VSBY LES 1/2 MI 0.4 0.4 1.2 2.6 3.2 1.9 2.7 1.0 1.1 1.2 0.8 1.1 17.6 12 4323

MEAN NO DYS TSTMS 0.3 0.0 0.1 0.2 0.5 1.0 0.9 2.2 1.2 0.1 0.4 0.4 7.3 12 4324

P FREQ WND SPU = OR GTR 17 KTS 11.7 12.7 16.3 13.4 10.0 7.6 6.1 6.5 10.1 17.9 12.6 10.9 11.3 12 103741

P FREQ WND SPU = OR GTR 28 KTS 0.4 1.0 1.5 0.8 0.6 0.2 0.1 0.5 1.0 1.2 0.7 0.4 0.7 12 103741

P FREQ LES 5000 FT A/O LES 5 MI 34.7 40.2 44.8 41.1 41.4 49.5 47.0 42.3 49.4 48.7 47.3 42.5 44.1 12 103749

P FREQ LES 1500 FT A/O LES 3 MI 12.0 13.6 13.1 14.0 14.1 20.7 16.1 14.9 18.2 21.0 19.2 17.1 16.2 12 12967

OR 00-02 LST 9.5 14.0 14.9 18.5 21.6 25.2 23.3 22.5 21.6 23.8 19.2 14.4 19.0 12 12969

03-05 LST 11.7 18.8 24.1 23.3 32.3 33.2 34.3 30.7 35.0 32.1 23.4 17.8 26.4 12 12969

06-08 LST 17.4 26.3 27.9 22.1 26.3 29.3 25.5 22.4 28.6 28.9 30.8 28.3 26.2 12 12968

09-11 LST 12.6 17.6 18.9 15.9 16.9 18.8 13.6 13.7 17.0 19.1 18.4 19.5 16.8 12 12969

12-14 LST 9.8 10.7 14.0 12.6 12.5 14.9 7.3 9.5 14.0 16.8 14.5 10.1 12.2 12 12969

15-17 LST 7.2 10.7 13.4 13.7 14.0 16.2 10.7 11.2 16.5 15.4 13.3 9.9 12.7 12 12969

18-20 LST 9.2 12.1 12.5 12.2 12.0 17.3 13.0 11.4 14.5 17.0 15.6 15.0 13.5 12 12969

21-23 LST 1.6 2.8 1.4 3.0 2.7 2.6 3.7 3.4 1.8 2.4 1.6 1.2 2.1 12 12967

FOR 00-02 LST 0.9 2.1 1.8 4.6 3.0 4.7 5.3 1.3 1.5 2.5 2.0 1.3 2.6 12 12969

03-05 LST 1.0 2.0 3.6 5.6 8.0 7.6 7.2 2.9 5.1 2.8 3.0 2.7 4.3 12 12969

06-08 LST 2.1 2.8 4.6 4.5 4.2 4.1 4.1 1.8 3.3 3.0 3.6 4.2 3.5 12 12968

09-11 LST 1.5 2.0 2.5 2.8 2.1 2.1 1.4 0.6 2.0 1.3 2.1 2.5 1.9 12 12969

12-14 LST 1.4 1.2 2.2 3.4 2.3 1.6 0.5 0.8 1.7 1.8 1.8 2.0 1.7 12 12969

15-17 LST 1.4 1.5 1.7 2.7 3.1 2.0 1.3 0.4 1.3 2.1 1.9 1.3 1.7 12 12969

18-20 LST 2.0 1.8 1.0 1.9 1.6 2.2 1.8 0.4 1.9 2.3 1.5 0.8 1.6 12 12969

21-23 LST

YOKOSUKA FWF, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	26.4	21.5	22.8	23.2	22.2	21.2	23.0	24.1	21.0	22.9	20.9	22.4	12	4323
	15 LST	26.3	25.2	27.5	26.6	27.7	26.0	29.1	28.6	26.5	26.7	25.9	27.7	12	4323
	21 LST	28.5	25.2	28.1	27.0	28.1	26.0	28.5	28.9	26.8	27.2	26.0	27.2	12	4323
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	03 LST	28.1	24.6	26.5	25.7	26.6	24.4	26.3	26.5	25.3	25.4	24.7	26.4	12	4323
	09 LST	13.3	9.9	9.6	11.4	12.2	13.1	13.1	14.1	10.3	8.0	7.6	10.9	12	4323
	15 LST	16.3	15.0	12.9	11.7	12.4	13.7	14.8	13.4	13.6	12.7	13.5	17.1	12	4323
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	13.8	12.6	13.1	13.8	16.2	16.1	16.9	17.0	15.9	13.6	12.7	14.3	12	4323
	03 LST	15.0	12.3	11.1	13.1	16.4	15.5	16.9	17.1	13.4	9.6	10.4	14.2	12	4323
	09 LST	3.2	2.8	4.2	3.6	1.9	1.5	1.1	1.4	3.1	6.3	4.0	3.1	12	4049
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	2.9	2.8	4.4	4.9	3.6	2.8	1.8	2.6	3.2	3.8	2.7	3.7	12	4064
	21 LST	3.6	2.9	5.5	2.7	2.2	2.0	1.7	1.8	2.5	3.2	3.2	3.5	12	4052
	03 LST	2.6	3.1	3.7	3.1	1.9	1.2	1.6	1.3	2.3	5.0	3.7	2.7	12	4037
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	14.6	13.2	13.7	14.9	15.4	14.5	14.8	17.4	16.3	12.2	12.8	14.2	12	4049
	15 LST	16.6	15.3	14.4	12.7	14.2	13.7	16.6	15.8	14.8	14.8	13.1	15.2	12	4064
	21 LST	15.4	12.9	14.4	14.9	17.2	17.1	18.8	17.1	16.1	15.1	12.8	15.3	12	4052
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	15.9	13.6	14.7	15.1	16.8	15.6	16.0	16.4	16.1	13.5	14.6	15.7	12	4037
	09 LST	13.1	8.5	7.5	5.2	4.3	1.4	2.1	2.7	1.8	4.0	6.8	10.3	12	4323
	15 LST	12.4	9.4	6.9	6.2	4.3	2.3	3.1	5.2	3.3	5.5	8.6	12.8	12	4323
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	21 LST	15.3	11.1	9.4	7.2	5.4	2.5	4.3	7.4	5.6	6.3	9.4	13.9	12	4323
	03 LST	14.7	11.5	8.3	7.1	6.5	2.6	4.4	7.1	5.2	6.7	9.4	13.4	12	4323
	09 LST	25.1	20.6	20.2	21.2	20.0	17.8	18.6	19.7	16.7	20.2	19.6	22.0	12	4323
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	15 LST	27.6	24.1	25.1	24.7	25.6	23.4	26.8	25.3	23.6	24.3	24.5	27.0	12	4323
	21 LST	27.7	24.2	25.2	24.7	25.8	23.7	24.3	24.8	22.6	24.2	24.0	26.4	12	4323
	03 LST	26.7	23.2	24.4	24.0	23.5	20.3	22.2	21.6	20.5	21.3	23.7	25.6	12	4323
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST	20.6	15.7	15.2	16.4	15.7	12.3	13.2	14.9	12.6	15.0	15.0	17.8	12	4323
	15 LST	23.2	20.6	19.8	20.0	21.9	19.0	22.1	23.1	18.3	19.3	19.7	22.5	12	4323
	21 LST	22.8	18.3	19.6	18.8	20.3	17.5	18.7	21.4	17.5	18.4	18.2	21.4	12	4323
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	21.4	17.6	17.3	17.6	17.5	14.3	15.5	17.4	14.5	16.4	17.5	21.3	12	4323
	09 LST	18.6	13.7	13.3	13.8	13.1	10.7	10.6	12.8	10.3	11.2	12.7	16.7	12	4323
	15 LST	21.7	18.8	17.1	18.1	18.9	16.4	18.3	21.1	15.7	16.5	17.3	20.8	12	4323
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST	20.6	17.1	17.3	16.0	16.7	14.1	15.6	19.8	14.7	15.6	15.1	19.6	12	4323
	03 LST	19.3	16.2	14.7	14.6	15.1	12.2	12.9	15.4	11.7	13.1	15.3	19.9	12	4323

CAMP MCGILL, JAPAN

LATITUDE 3511N LONGITUDE 13937E ELEVATION(FT) 00120

STA NO. 47718 (IN AREA NUMBER 05)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	69	75	74	81	86	92	97	98	96	84	78	71	98	36	-47696
MEAN MAX TMP (F)	48	49	54	64	70	75	82	85	78	69	61	53	66	36	-47696
MEAN MIN TMP (F)	34	34	39	49	56	65	70	73	67	57	47	39	53	36	-47696
ABS MIN TMP (F)	21	20	24	33	40	50	58	60	54	42	32	25	20	36	-47696
MEAN NO DYS TMP ≥ OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.2	0.1	0.0	0.0	0.0	3.0	12	-47696
MEAN NO DYS TMP ≥ OR LES 32(F)	3.8	2.7	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	7.8	12	-47696
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-47696
MEAN DEW PT TMP (F)	30	32	38	49	57	64	71	73	68	56	46	37	52	12	-47696
MEAN REL HUM (PCT)	67	67	71	77	80	85	87	86	85	81	75	68	77	36	-47696
MEAN PRESS ALT (FT)	6	29	24	53	129	210	202	210	127	30	-23	-7	83	0	-50
MEAN PRECIP (IN)	2.89	3.69	5.65	6.84	6.99	7.91	6.69	7.98	10.93	9.10	4.74	2.95	76.4	36	-47696
MEAN SNOW FALL (IN)	0.6	0.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	12	-47696
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	6.2	7.6	8.3	9.2	9.3	9.7	8.8	9.8	13.4	11.7	6.5	6.3	107.1	36	-29
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	12	-47696
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.4	0.4	1.2	2.6	3.2	1.9	2.7	1.0	1.1	1.2	0.8	1.1	17.6	12	-47696
MEAN NO DYS TSIMS	0.3	0.0	0.1	0.2	0.5	1.0	0.9	2.2	1.2	0.1	0.4	0.4	7.3	12	-47696
P FREQ WND SPU ≥ OR GTR 17 KTS	11.7	12.7	16.3	13.4	10.0	7.6	6.1	6.5	10.1	17.9	12.6	10.9	11.3	12	-47696
P FREQ WND SPU ≥ OR GTR 28 KTS	0.4	1.0	1.5	0.8	0.6	0.2	0.1	0.5	1.0	1.2	0.7	0.4	0.7	12	-47696
P FREQ LES 5000 FT A/O LES 5 MI	34.7	40.2	44.8	41.1	41.4	49.5	47.0	42.3	49.4	48.7	47.3	42.5	44.1	12	-47696
P FREQ LES 1500 FT A/O LES 3 MI	12.0	13.6	13.1	14.0	14.1	20.7	16.1	14.9	18.2	21.0	19.2	17.1	16.2	12	-47696
FOR 00-02 LST	9.5	14.0	14.9	18.5	21.6	25.2	23.3	22.5	21.6	23.8	19.2	14.4	19.0	12	-47696
03-05 LST	11.7	18.8	24.1	23.3	32.3	33.2	34.3	30.7	35.0	32.1	23.4	17.8	26.4	12	-47696
06-08 LST	17.4	26.3	27.9	22.1	26.3	29.3	25.5	22.4	28.6	28.9	30.8	28.3	26.2	12	-47696
09-11 LST	12.6	17.6	18.9	15.9	16.7	18.8	13.6	13.7	17.0	19.1	18.4	19.5	16.8	12	-47696
12-14 LST	9.8	10.2	14.0	12.6	12.5	14.9	7.3	9.5	14.0	16.8	14.5	10.1	12.2	12	-47696
15-17 LST	7.2	10.7	13.4	13.7	14.0	16.2	10.7	11.2	16.5	15.4	13.3	9.9	12.7	12	-47696
18-20 LST	9.2	12.1	12.5	12.2	12.0	17.3	13.0	11.4	14.5	17.0	15.6	15.0	13.5	12	-47696
21-23 LST	1.6	2.8	1.4	3.0	2.7	2.6	3.7	0.4	1.8	2.4	1.6	1.2	2.1	12	-47696
FOR 00-02 LST	0.9	2.1	1.8	4.6	3.0	4.7	5.3	1.3	1.5	2.5	2.0	1.3	2.6	12	-47696
03-05 LST	1.0	2.0	3.6	5.6	8.0	7.6	7.2	2.9	5.1	2.8	3.0	2.7	4.3	12	-47696
06-08 LST	2.1	2.8	4.6	4.5	4.2	4.1	4.1	1.8	3.3	3.0	3.6	4.2	3.5	12	-47696
09-11 LST	1.5	2.0	2.5	2.8	2.1	2.1	1.4	0.6	2.0	1.3	2.1	2.5	1.9	12	-47696
12-14 LST	1.4	1.2	2.2	3.4	2.3	1.6	0.5	0.8	1.7	1.8	1.8	2.0	1.7	12	-47696
15-17 LST	1.4	1.5	1.7	2.7	3.1	2.0	1.3	0.4	1.3	2.1	1.9	1.3	1.7	12	-47696
18-20 LST	2.0	1.8	1.0	1.9	1.8	2.2	1.8	0.4	1.9	2.3	1.5	0.8	1.6	12	-47696
21-23 LST															

CAMP MCGILL, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST 26.4	09 LST 21.5	09 LST 22.8	09 LST 23.2	09 LST 22.2	09 LST 21.2	09 LST 23.0	09 LST 24.1	09 LST 21.0	09 LST 22.9	09 LST 20.9	09 LST 22.4	09 LST 271.6	12	-47696
	15 LST 28.3	15 LST 25.2	15 LST 27.5	15 LST 26.6	15 LST 27.7	15 LST 26.0	15 LST 29.1	15 LST 28.6	15 LST 26.5	15 LST 26.7	15 LST 25.9	15 LST 27.7	15 LST 325.8	12	-47696
	21 LST 28.5	21 LST 25.2	21 LST 28.1	21 LST 27.0	21 LST 28.1	21 LST 26.0	21 LST 28.5	21 LST 28.9	21 LST 26.8	21 LST 27.2	21 LST 26.0	21 LST 27.2	21 LST 327.5	12	-47696
	03 LST 28.1	03 LST 24.6	03 LST 26.5	03 LST 25.7	03 LST 26.6	03 LST 24.4	03 LST 26.3	03 LST 26.5	03 LST 25.3	03 LST 25.4	03 LST 24.7	03 LST 26.4	03 LST 310.5	12	-47696
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	09 LST 13.3	09 LST 9.9	09 LST 9.6	09 LST 11.4	09 LST 12.2	09 LST 13.1	09 LST 13.1	09 LST 14.1	09 LST 10.3	09 LST 8.0	09 LST 7.6	09 LST 10.9	09 LST 133.5	12	-47696
	15 LST 16.3	15 LST 15.0	15 LST 12.9	15 LST 11.7	15 LST 12.4	15 LST 13.7	15 LST 14.8	15 LST 13.4	15 LST 13.6	15 LST 12.7	15 LST 13.5	15 LST 17.1	15 LST 167.1	12	-47696
	21 LST 13.8	21 LST 12.6	21 LST 13.1	21 LST 13.8	21 LST 16.2	21 LST 16.1	21 LST 16.9	21 LST 17.0	21 LST 15.9	21 LST 13.6	21 LST 12.7	21 LST 14.3	21 LST 176.0	12	-47696
	03 LST 15.0	03 LST 12.3	03 LST 11.1	03 LST 13.1	03 LST 16.4	03 LST 15.5	03 LST 16.9	03 LST 17.1	03 LST 13.4	03 LST 9.6	03 LST 10.4	03 LST 14.2	03 LST 165.0	12	-47696
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST 3.2	09 LST 2.8	09 LST 4.2	09 LST 3.6	09 LST 1.9	09 LST 1.5	09 LST 1.1	09 LST 1.4	09 LST 3.1	09 LST 6.3	09 LST 4.0	09 LST 3.1	09 LST 36.2	12	-47696
	15 LST 2.9	15 LST 2.8	15 LST 4.4	15 LST 4.9	15 LST 3.6	15 LST 2.8	15 LST 1.8	15 LST 2.6	15 LST 3.2	15 LST 3.8	15 LST 2.7	15 LST 3.7	15 LST 39.2	12	-47696
	21 LST 3.6	21 LST 2.9	21 LST 5.5	21 LST 2.7	21 LST 2.2	21 LST 2.0	21 LST 1.7	21 LST 1.8	21 LST 2.5	21 LST 3.2	21 LST 3.2	21 LST 3.5	21 LST 34.8	12	-47696
	03 LST 2.6	03 LST 3.1	03 LST 3.7	03 LST 3.1	03 LST 1.9	03 LST 1.2	03 LST 1.6	03 LST 1.3	03 LST 2.3	03 LST 5.0	03 LST 3.7	03 LST 2.7	03 LST 32.2	12	-47696
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST 14.6	09 LST 13.2	09 LST 13.7	09 LST 14.9	09 LST 15.4	09 LST 14.5	09 LST 14.8	09 LST 17.4	09 LST 16.3	09 LST 12.2	09 LST 12.8	09 LST 14.2	09 LST 174.0	12	-47696
	15 LST 16.6	15 LST 15.3	15 LST 14.4	15 LST 12.7	15 LST 14.2	15 LST 13.7	15 LST 16.6	15 LST 15.8	15 LST 14.8	15 LST 14.8	15 LST 13.1	15 LST 15.2	15 LST 177.2	12	-47696
	21 LST 15.4	21 LST 12.9	21 LST 14.4	21 LST 14.9	21 LST 17.2	21 LST 17.1	21 LST 18.8	21 LST 17.1	21 LST 16.1	21 LST 15.1	21 LST 12.8	21 LST 15.3	21 LST 187.1	12	-47696
	03 LST 15.9	03 LST 13.6	03 LST 14.7	03 LST 15.1	03 LST 16.8	03 LST 15.6	03 LST 16.0	03 LST 16.4	03 LST 16.1	03 LST 13.5	03 LST 14.6	03 LST 15.7	03 LST 184.0	12	-47696
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST 13.1	09 LST 8.5	09 LST 7.5	09 LST 5.2	09 LST 4.3	09 LST 1.4	09 LST 2.1	09 LST 2.7	09 LST 1.8	09 LST 4.0	09 LST 6.8	09 LST 10.3	09 LST 67.7	12	-47696
	15 LST 12.4	15 LST 9.4	15 LST 6.9	15 LST 6.2	15 LST 4.3	15 LST 2.3	15 LST 3.1	15 LST 5.2	15 LST 3.3	15 LST 5.5	15 LST 8.6	15 LST 14.5	15 LST 80.0	12	-47696
	21 LST 15.3	21 LST 11.1	21 LST 9.4	21 LST 7.2	21 LST 5.4	21 LST 2.5	21 LST 4.3	21 LST 7.4	21 LST 5.6	21 LST 6.3	21 LST 9.4	21 LST 13.9	21 LST 91.2	12	-47696
	03 LST 14.7	03 LST 11.5	03 LST 8.3	03 LST 7.1	03 LST 6.5	03 LST 2.6	03 LST 4.4	03 LST 7.1	03 LST 5.2	03 LST 6.7	03 LST 9.4	03 LST 13.4	03 LST 96.9	12	-47696
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST 25.1	09 LST 20.6	09 LST 20.2	09 LST 21.2	09 LST 20.0	09 LST 17.8	09 LST 18.6	09 LST 19.7	09 LST 16.7	09 LST 20.2	09 LST 19.6	09 LST 22.0	09 LST 241.7	12	-47696
	15 LST 27.6	15 LST 24.1	15 LST 25.1	15 LST 24.7	15 LST 25.6	15 LST 23.4	15 LST 26.8	15 LST 25.3	15 LST 23.6	15 LST 24.3	15 LST 24.5	15 LST 27.0	15 LST 302.0	12	-47696
	21 LST 27.7	21 LST 24.2	21 LST 25.2	21 LST 24.7	21 LST 25.8	21 LST 23.7	21 LST 24.3	21 LST 24.8	21 LST 22.6	21 LST 24.2	21 LST 24.0	21 LST 26.4	21 LST 297.6	12	-47696
	03 LST 26.7	03 LST 23.2	03 LST 24.4	03 LST 24.0	03 LST 23.5	03 LST 20.3	03 LST 22.2	03 LST 21.6	03 LST 20.5	03 LST 21.3	03 LST 23.7	03 LST 25.6	03 LST 277.0	12	-47696
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST 20.6	09 LST 15.7	09 LST 15.2	09 LST 16.4	09 LST 15.7	09 LST 12.3	09 LST 13.2	09 LST 14.9	09 LST 12.6	09 LST 15.0	09 LST 15.0	09 LST 17.8	09 LST 184.4	12	-47696
	15 LST 23.2	15 LST 20.6	15 LST 19.8	15 LST 20.0	15 LST 21.9	15 LST 19.0	15 LST 22.1	15 LST 23.1	15 LST 18.3	15 LST 19.3	15 LST 19.7	15 LST 22.5	15 LST 249.5	12	-47696
	21 LST 22.8	21 LST 18.3	21 LST 19.6	21 LST 18.8	21 LST 20.3	21 LST 17.5	21 LST 18.7	21 LST 21.4	21 LST 17.5	21 LST 18.4	21 LST 18.2	21 LST 21.4	21 LST 232.9	12	-47696
	03 LST 21.4	03 LST 17.6	03 LST 17.3	03 LST 17.6	03 LST 17.5	03 LST 14.3	03 LST 15.5	03 LST 17.4	03 LST 14.5	03 LST 16.4	03 LST 17.5	03 LST 21.3	03 LST 208.3	12	-47696
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST 18.6	09 LST 13.7	09 LST 13.3	09 LST 13.8	09 LST 13.1	09 LST 10.7	09 LST 10.6	09 LST 12.8	09 LST 10.3	09 LST 11.2	09 LST 12.7	09 LST 16.7	09 LST 157.5	12	-47696
	15 LST 21.7	15 LST 18.8	15 LST 17.1	15 LST 18.1	15 LST 18.9	15 LST 16.4	15 LST 18.3	15 LST 21.1	15 LST 15.7	15 LST 16.5	15 LST 17.3	15 LST 20.8	15 LST 220.7	12	-47696
	21 LST 20.6	21 LST 17.1	21 LST 17.3	21 LST 16.0	21 LST 16.7	21 LST 14.1	21 LST 15.6	21 LST 19.8	21 LST 14.7	21 LST 15.6	21 LST 15.1	21 LST 19.6	21 LST 202.2	12	-47696
	03 LST 19.3	03 LST 16.2	03 LST 14.7	03 LST 14.6	03 LST 15.1	03 LST 12.2	03 LST 12.9	03 LST 15.4	03 LST 11.7	03 LST 13.1	03 LST 15.3	03 LST 19.9	03 LST 180.4	12	-47696

SHIMOFUSA NAB, JAPAN

STA NO. 47727 (IN ARLA NUMBER 05)

LATITUDE 3547N LONGITUDE 14001E ELEVATION(FT) 00098

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	63	70	68	77	82	87	91	98	90	81	73	70	98	8	-47661
MEAN MAX TMP (F)	48	50	55	64	70	75	81	85	79	68	60	53	66	8	-47661
MEAN MIN TMP (F)	32	34	40	49	56	63	71	73	67	56	46	36	52	8	-47661
ABS MIN TMP (F)	20	24	26	30	40	48	59	60	53	42	29	21	20	8	-47661
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	1.3	3.7	0.1	0.0	0.0	0.0	5.1	8	-47661
MEAN NO DYS TMP = OR LES 32(F)	17.0	12.1	3.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.6	9.7	43.1	8	-47661
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-47661
MEAN DEW PT TMP (F)	30	32	38	49	56	64	71	73	68	57	45	36	52	8	-47661
MEAN REL HUM (PCT)	68	69	71	76	80	86	87	85	86	83	76	73	78	8	-47661
MEAN PRESS ALT (FT)	-25	-1	-1	30	107	189	184	193	108	8	-48	-37	59	0	-50
MEAN PRECIP (IN)	2.88	3.32	4.93	4.16	6.33	8.71	5.43	5.16	9.10	9.04	3.82	2.56	65.4	8	-47661
MEAN SNOW FALL (IN)	2.1	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	8	-47661
MEAN NO DYS PKCP = OR GTR 0.1 IN	5.5	6.4	8.3	6.8	9.5	10.0	5.8	7.6	10.6	11.3	6.4	5.0	93.2	8	-47661
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	8	-47661
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.1	1.3	1.5	1.9	1.4	0.2	1.7	1.3	1.6	2.2	1.5	2.1	17.8	8	-47661
MEAN NO DYS TSTMS	0.7	0.0	0.1	0.3	0.3	0.7	1.3	4.0	1.7	0.4	0.3	0.3	10.1	8	-47661
P FREQ WND SPD = OR GTR 17 KTS	13.8	13.1	16.8	16.5	12.3	12.7	15.8	10.4	8.8	10.1	8.6	10.7	12.5	8	-47661
P FREQ WND SPD = OR GTR 28 KTS	0.9	1.1	1.8	2.4	1.8	1.4	2.2	0.6	1.1	1.0	0.7	0.7	1.3	8	-47661
P FREQ LES 5000 FT A/O LES 5 MI	27.8	31.2	36.1	36.4	33.3	45.7	40.6	33.6	40.2	38.9	33.5	34.1	36.0	8	-47661
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	10.3	10.1	15.0	13.2	11.6	22.6	19.8	11.7	16.2	18.5	8.6	14.3	14.3	8	-47661
03-05 LST	9.6	10.8	16.1	14.3	14.4	28.4	27.7	18.0	19.4	19.3	9.1	12.8	16.7	8	-47661
06-08 LST	14.7	15.8	20.3	25.4	22.4	35.9	31.3	24.4	27.2	24.8	20.3	25.7	24.0	8	-47661
09-11 LST	14.9	16.7	16.8	21.0	19.1	31.4	23.7	15.0	23.8	23.1	16.3	25.7	20.6	8	-47661
12-14 LST	10.4	11.0	13.9	13.0	17.0	23.9	12.4	11.2	18.4	17.4	11.9	11.9	14.4	8	-47661
15-17 LST	8.5	10.5	11.5	11.3	14.4	16.6	10.2	7.6	14.6	17.9	11.9	7.2	11.9	8	-47661
18-20 LST	9.9	10.1	13.1	11.7	15.5	18.9	11.8	8.6	11.7	16.0	11.0	11.4	12.5	8	-47661
21-23 LST	7.5	10.0	12.5	10.9	12.0	22.4	11.0	10.4	11.5	15.9	9.8	12.4	12.2	8	-47661
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.9	2.2	1.4	0.2	0.4	0.6	0.6	1.2	1.6	2.0	1.2	2.4	1.2	8	-47661
03-05 LST	0.9	2.4	1.6	2.1	1.7	0.0	2.6	2.1	1.9	2.2	1.2	3.3	1.8	8	-47661
06-08 LST	2.7	2.2	3.0	4.4	2.4	1.3	2.0	1.9	2.6	3.9	4.5	8.6	3.3	8	-47661
09-11 LST	2.4	0.9	0.7	1.0	0.4	0.6	1.0	0.2	0.5	2.6	1.2	4.6	1.3	8	-47661
12-14 LST	1.5	1.2	0.5	0.4	0.0	0.0	0.2	0.3	1.1	1.4	2.4	1.8	0.9	8	-47661
15-17 LST	1.2	2.1	1.9	0.8	0.2	0.9	0.0	0.0	1.0	2.0	1.0	0.8	1.0	8	-47661
18-20 LST	1.2	1.0	0.9	0.8	0.6	1.3	0.4	0.7	0.6	1.9	0.9	1.0	0.9	8	-47661
21-23 LST	1.0	3.3	1.2	0.8	0.4	0.9	0.0	0.7	1.1	0.9	0.7	1.3	1.0	8	-47661

SHIMOFUSA NAB, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST 26.4	23.4	26.6	25.1	26.2	21.3	25.0	27.8	24.5	25.2	24.6	21.6	297.7	8	-47661
	15 LST 28.8	25.5	28.2	27.5	27.6	26.3	28.9	29.7	26.5	27.5	26.7	29.5	332.7	8	-47661
	21 LST 29.1	26.0	28.0	28.1	28.0	26.3	29.3	29.2	28.4	27.7	27.1	27.5	334.7	8	-47661
	03 LST 28.3	25.3	27.1	27.5	28.4	24.8	25.5	28.2	26.2	27.2	27.7	27.1	323.3	8	-47661
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	09 LST 15.3	13.3	12.6	12.6	16.6	11.8	13.6	14.8	12.4	10.6	12.8	13.6	160.0	8	-47661
	15 LST 15.7	14.8	15.3	12.1	11.8	10.2	14.2	11.9	12.8	15.0	16.7	17.8	168.3	8	-47661
	21 LST 17.6	15.7	16.2	17.3	17.6	14.1	15.5	19.6	18.9	19.3	19.6	18.3	209.7	8	-47661
	03 LST 17.6	15.1	15.3	16.2	19.8	13.1	14.8	19.1	17.0	16.4	19.3	18.3	202.0	8	-47661
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST 4.3	3.4	4.8	4.7	3.0	2.8	3.6	2.4	3.2	3.4	1.6	3.1	40.3	8	-47661
	15 LST 3.9	3.8	5.0	5.3	5.4	4.4	6.6	5.3	3.9	2.9	2.1	4.0	52.6	8	-47661
	21 LST 4.2	2.6	4.6	4.9	3.3	6.1	5.6	2.8	2.5	1.9	1.8	2.8	43.1	8	-47661
	03 LST 3.2	3.1	4.7	4.2	2.2	3.2	3.4	2.4	1.4	2.7	2.5	3.0	36.0	8	-47661
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST 11.5	14.0	14.4	14.9	17.9	16.0	17.4	16.2	16.6	15.2	13.8	12.6	180.5	8	-47661
	15 LST 16.2	14.8	16.1	14.4	14.8	15.5	15.9	14.4	15.2	16.1	16.6	15.9	185.9	8	-47661
	21 LST 12.8	12.1	15.3	14.0	14.6	14.4	16.6	15.2	14.3	14.3	16.4	13.6	173.6	8	-47661
	03 LST 9.2	10.2	13.0	13.4	14.0	15.1	15.0	14.3	14.1	15.8	13.4	11.3	158.8	8	-47661
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST 12.2	8.8	7.0	6.0	5.2	2.1	2.0	3.3	2.6	5.5	9.6	9.1	73.4	8	-47661
	15 LST 12.1	10.1	7.0	6.0	4.2	1.9	3.3	4.8	3.6	5.6	10.4	13.3	82.3	8	-47661
	21 LST 15.6	11.3	11.1	8.7	5.8	3.1	6.3	7.7	6.5	7.1	11.1	15.3	109.6	8	-47661
	03 LST 14.9	12.3	10.3	8.5	9.6	2.1	5.1	8.6	5.8	7.7	10.8	15.7	111.4	8	-47661
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST 25.3	21.6	23.9	20.9	23.2	17.0	20.2	21.5	19.7	22.7	23.2	20.1	259.3	8	-47661
	15 LST 27.3	24.5	25.9	25.5	25.8	21.7	25.6	26.0	22.9	24.8	26.0	28.3	304.3	8	-47661
	21 LST 27.8	25.1	25.2	25.3	25.6	22.2	24.3	26.8	24.0	24.9	25.8	26.3	303.3	8	-47661
	03 LST 27.3	23.7	24.7	25.1	25.6	19.0	21.2	24.7	21.8	24.2	26.7	25.4	289.4	8	-47661
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST 19.4	16.2	17.1	16.2	19.2	13.9	14.5	16.1	15.4	17.5	18.1	14.9	198.5	8	-47661
	15 LST 22.9	19.9	18.8	18.8	21.2	18.8	21.8	22.8	18.2	19.3	20.9	23.9	247.3	8	-47661
	21 LST 22.9	20.0	19.3	19.1	20.8	18.0	19.4	23.9	19.4	18.2	20.3	21.9	243.2	8	-47661
	03 LST 21.3	19.6	17.9	18.8	20.6	14.3	17.3	20.1	15.9	19.1	20.3	20.6	225.8	8	-47661
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST 17.9	15.0	15.1	15.3	17.4	11.8	12.1	14.9	12.8	14.6	15.8	13.9	176.6	8	-47661
	15 LST 21.5	18.0	16.1	16.6	19.6	17.0	20.3	20.7	15.7	16.8	19.3	21.5	223.1	8	-47661
	21 LST 20.3	17.4	17.2	16.4	19.4	14.9	18.5	22.0	16.6	15.3	18.4	20.9	217.3	8	-47661
	03 LST 19.2	18.3	16.7	14.7	18.8	11.0	15.0	18.1	13.4	14.6	17.8	19.8	197.4	8	-47661

STA NO. 47728 (IN AREA NUMBER 05)

CAMP SHIMOSHIZU, JAPAN

LATITUDE 3539N LONGITUDE 14008E ELEVATION(FT) 00088

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	63	70	68	77	82	87	91	98	90	81	73	70	98	8	-47661
MEAN MAX TMP (F)	48	50	55	64	70	75	81	85	79	68	60	53	66	8	-47661
MEAN MIN TMP (F)	32	34	40	49	56	63	71	73	67	56	46	36	52	8	-47661
ABS MIN TMP (F)	20	24	26	30	40	48	59	60	53	42	29	21	20	8	-47661
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	1.3	3.7	0.1	0.0	0.0	0.0	5.1	8	-47661
MEAN NO DYS TMP = OR LES 32(F)	17.0	12.1	3.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.6	9.7	43.1	8	-47661
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-47661
MEAN DEW PT TMP (F)	30	32	38	49	56	64	71	73	68	57	45	36	52	8	-47661
MEAN REL HUM (PCT)	68	69	71	76	80	86	87	85	86	83	76	73	78	8	-47661
MEAN PRESS ALT (FT)	-31	-8	-10	20	96	177	171	181	97	-0	-56	-44	49	0	-50
MEAN PRECIP (IN)	2.88	3.32	4.93	4.16	6.33	8.71	5.43	5.16	9.10	9.04	3.82	2.56	65.4	8	-47661
MEAN SNOW FALL (IN)	2.1	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	8	-47661
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.5	6.4	8.3	6.8	9.5	10.0	5.8	7.6	10.6	11.3	6.4	5.0	93.2	8	-47661
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	8	-47661
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	1.1	1.3	1.5	1.9	1.4	0.2	1.7	1.3	1.6	2.2	1.5	2.1	17.8	8	-47661
MEAN NO DYS TSTMS	0.7	0.0	0.1	0.3	0.3	0.7	1.3	4.0	1.7	0.4	0.3	0.3	10.1	8	-47661
P FREQ WND SPD = OR GTR 17 KTS	13.8	13.1	16.8	16.5	12.3	12.7	15.8	10.4	8.8	10.1	8.6	10.7	12.5	8	-47661
P FREQ WND SPD = OR GTR 28 KTS	0.9	1.1	1.8	2.4	1.8	1.4	2.2	0.6	1.1	1.0	0.7	0.7	1.3	8	-47661
P FREQ LES 5000 FT A/O LES 5 MI	27.8	31.2	36.1	36.4	33.3	45.7	40.6	33.6	40.2	38.9	33.5	34.1	36.0	8	-47661
P FREQ LES 1500 FT A/O LES 3 MI	10.3	10.1	15.0	13.2	11.6	22.6	19.8	11.7	16.2	18.5	8.6	14.3	14.3	8	-47661
FOR 00-02 LST	9.6	10.8	16.1	14.3	14.4	28.4	27.7	18.0	19.4	19.3	9.1	12.8	16.7	8	-47661
03-05 LST	14.7	15.8	20.3	25.4	22.4	35.9	31.3	24.4	27.2	24.8	20.3	25.7	24.0	8	-47661
06-08 LST	14.9	16.7	16.8	21.0	19.1	31.4	23.7	15.0	23.8	23.1	16.3	25.7	20.6	8	-47661
09-11 LST	10.4	11.0	13.9	13.0	17.0	23.9	12.4	11.2	18.4	17.4	11.9	11.9	14.4	8	-47661
12-14 LST	8.5	10.5	11.5	11.3	14.4	16.6	10.2	7.6	14.6	17.9	11.9	7.2	11.9	8	-47661
15-17 LST	9.9	10.1	13.1	11.7	15.5	18.9	11.8	8.6	11.7	16.0	11.0	11.4	12.5	8	-47661
18-20 LST	7.5	10.0	12.5	10.9	12.0	22.4	11.0	10.4	11.5	15.9	9.8	12.4	12.2	8	-47661
21-23 LST	0.9	2.2	1.4	0.2	0.4	0.6	0.6	1.2	1.6	2.0	1.2	2.4	1.2	8	-47661
FOR 00-02 LST	0.9	2.4	1.6	2.1	1.7	0.0	2.6	2.1	1.9	2.2	1.2	3.3	1.8	8	-47661
03-05 LST	2.7	2.2	3.0	4.4	2.4	1.3	2.0	1.9	2.6	3.9	4.5	8.6	3.3	8	-47661
06-08 LST	2.4	0.9	0.7	1.0	0.4	0.6	1.0	0.2	0.5	2.6	1.2	4.6	1.3	8	-47661
09-11 LST	1.5	1.2	0.5	0.4	0.0	0.0	0.2	0.3	1.1	1.4	2.4	1.8	0.9	8	-47661
12-14 LST	1.2	2.1	1.9	0.8	0.2	0.9	0.0	0.0	1.0	2.0	1.0	0.8	1.0	8	-47661
15-17 LST	1.2	1.0	0.9	0.8	0.6	1.3	0.4	0.7	0.6	1.9	0.9	1.0	0.9	8	-47661
18-20 LST	1.0	3.3	1.2	0.8	0.4	0.9	0.0	0.7	1.1	0.9	0.7	1.3	1.0	8	-47661
21-23 LST															

CAMP SHIMOSHIZU, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI		09 LST 26.4	23.4	26.6	25.1	26.2	21.3	25.0	27.8	24.5	25.2	24.6	21.6	297.7	8	-47661
		15 LST 28.8	25.5	28.2	27.5	27.6	26.3	28.9	29.7	26.5	27.5	26.7	29.5	332.7	8	-47661
		21 LST 29.1	26.0	28.0	28.1	28.0	26.3	29.3	29.2	28.4	27.7	27.1	27.5	334.7	8	-47661
		03 LST 28.3	25.3	27.1	27.5	28.4	24.8	25.5	28.2	26.2	27.2	27.7	27.1	323.3	8	-47661
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS		09 LST 15.3	13.3	12.6	12.6	16.6	11.8	13.6	14.8	12.4	10.6	12.8	13.6	160.0	8	-47661
		15 LST 15.7	14.9	15.3	12.1	11.8	10.2	14.2	11.9	12.8	15.0	16.7	17.8	168.3	8	-47661
		21 LST 17.6	15.7	16.2	17.3	17.6	14.1	15.5	19.6	18.9	19.3	19.6	18.3	209.7	8	-47661
		03 LST 17.6	15.1	15.3	16.2	19.8	13.1	14.8	19.1	17.0	16.4	19.3	18.3	202.0	8	-47661
SFC WND = GTR 17 KTS AND NO PRECIP.		09 LST 4.3	3.4	4.8	4.7	3.0	2.8	3.6	2.4	3.2	3.4	1.6	3.1	40.3	8	-47661
		15 LST 3.9	3.8	5.0	5.3	5.4	4.4	6.6	5.3	3.9	2.9	2.1	4.0	52.6	8	-47661
		21 LST 4.2	2.6	4.6	4.9	3.3	6.1	5.6	2.8	2.5	1.9	1.8	2.8	43.1	8	-47661
		03 LST 3.2	3.1	4.7	4.2	2.2	3.2	3.4	2.4	1.4	2.7	2.5	3.0	36.0	8	-47661
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.		09 LST 11.5	14.0	14.4	14.9	17.9	16.0	17.4	16.2	16.6	15.2	13.8	12.6	180.5	8	-47661
		15 LST 16.2	14.8	16.1	14.4	14.8	15.5	15.9	14.4	15.2	16.1	16.6	15.9	185.9	8	-47661
		21 LST 12.8	12.1	15.3	14.0	14.6	14.4	16.6	15.2	14.3	14.3	16.4	13.6	173.6	8	-47661
		03 LST 9.2	10.2	13.0	13.4	14.0	15.1	15.0	14.3	14.1	15.8	13.4	11.3	156.8	8	-47661
SKY COVER LES 3/10 AND VSBY = GTR 3 MI		09 LST 12.2	8.8	7.0	6.0	5.2	2.1	2.0	3.3	2.6	5.5	9.6	9.1	73.4	8	-47661
		15 LST 12.1	10.1	7.0	6.0	4.2	1.9	3.3	4.8	3.6	5.6	10.4	13.3	82.3	8	-47661
		21 LST 15.6	11.3	11.1	8.7	5.8	3.1	6.3	7.7	6.5	7.1	11.1	15.3	109.6	8	-47661
		03 LST 14.9	12.3	10.3	8.5	9.6	2.1	5.1	8.6	5.8	7.7	10.8	15.7	111.4	8	-47661
CIG = GTR 2500 FT AND VSBY = GTR 3 MI		09 LST 25.3	21.6	23.9	20.9	23.2	17.0	20.2	21.5	19.7	22.7	23.2	20.1	259.3	8	-47661
		15 LST 27.3	24.5	25.9	25.5	25.8	21.7	25.6	26.0	22.9	24.8	26.0	28.3	304.3	8	-47661
		21 LST 27.8	25.1	25.2	25.3	25.6	22.2	24.3	26.8	24.0	24.0	25.8	26.3	303.3	8	-47661
		03 LST 27.3	23.7	24.7	25.1	25.6	19.0	21.2	24.7	21.5	24.2	26.7	25.4	289.4	8	-47661
CIG = GTR 6000 FT AND VSBY = GTR 3 MI		09 LST 19.4	16.2	17.1	16.2	19.2	13.9	14.5	16.1	15.4	17.5	18.1	14.9	198.5	8	-47661
		15 LST 22.9	19.9	18.8	18.8	21.2	18.8	21.8	22.8	18.2	19.3	20.9	23.9	247.3	8	-47661
		21 LST 22.9	20.0	19.3	19.1	20.8	18.0	19.4	23.9	19.4	18.2	20.3	21.9	243.2	8	-47661
		03 LST 21.3	19.6	17.9	18.8	20.6	14.3	17.3	20.1	15.9	19.1	20.3	20.6	225.8	8	-47661
CIG = GTR 10000 FT AND VSBY = GTR 3 MI		09 LST 17.9	15.0	15.1	15.3	17.4	11.8	12.1	14.9	12.8	14.6	15.8	13.9	176.6	8	-47661
		15 LST 21.5	18.0	16.1	16.6	19.6	17.0	20.3	20.7	15.7	16.8	19.3	21.5	223.1	8	-47661
		21 LST 20.3	17.4	17.2	16.4	19.4	14.9	18.5	22.0	16.6	15.3	18.4	20.9	217.3	8	-47661
		03 LST 19.2	18.3	16.7	14.7	18.8	11.0	15.0	18.1	13.4	14.6	17.8	19.8	197.4	8	-47661

SHIROI, JAPAN

STA NO. 47729 (IN AREA NUMBER 05)

LATITUDE 3548N

LONGITUDE 14001E

ELEVATION(FT) 00096

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	72	77	77	85	90	93	99	101	96	90	81	74	101	60	-47671
MEAN MAX TMP (F)	47	48	54	63	71	76	83	86	79	69	60	52	66	60	-47671
MEAN MIN TMP (F)	29	31	36	46	54	63	70	72	66	55	43	33	50	60	-47671
ABS MIN TMP (F)	17	18	22	30	36	47	55	60	51	36	26	20	17	60	-47671
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.1	3.3	8.3	0.6	0.0	0.0	0.0	12.4	10	-47671
MEAN NO DYS TMP = OR LES 32(F)	13.2	10.4	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4.4	29.7	10	-47671
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-47671
MEAN DEW PT TMP (F)	31	31	38	48	59	64	72	74	67	56	46	36	52	10	-47671
MEAN REL HUM (PCT)	61	60	64	70	74	79	80	79	80	76	71	64	72	65	-47671
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.90	2.90	4.20	5.30	5.80	6.50	5.60	6.00	9.20	8.20	3.80	2.20	61.6	60	-47671
MEAN SNOW FALL (IN)	1.4	5.4	1.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3	10	-47671
MEAN NO DYS PKCP = OR GTR 0.1 IN	4.3	6.2	6.9	8.0	8.4	8.6	7.8	8.2	11.8	10.8	5.7	4.9	91.6	60	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.2	0.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	10	-47671
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.2	4.4	1.9	1.4	2.3	1.5	1.1	1.9	0.5	1.6	1.9	5.2	26.9	10	-47671
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.3	0.0	0.1	1.1	0.8	0.2	0.0	0.0	0.0	2.5	10	-47671
P FREQ WND SPD = OR GTR 17 KTS	10.5	12.9	14.0	13.7	9.1	7.0	7.2	5.3	5.6	10.4	11.0	8.1	9.6	10	-47671
P FREQ WND SPD = OR GTR 28 KTS	0.5	0.9	0.7	0.6	0.2	0.0	0.1	0.2	0.4	0.6	0.6	0.2	0.4	10	-47671
P FREQ LES 5000 FT A/O LES 5 MI	44.9	44.5	45.4	42.2	36.9	58.0	39.8	39.6	44.6	48.2	48.3	52.0	45.4	10	-47671
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	26.0	21.3	17.1	16.2	16.1	34.2	24.5	18.4	19.1	22.6	19.9	28.4	22.0	10	-47671
03-05 LST	14.0	15.6	13.5	18.4	22.9	40.9	32.8	28.1	21.4	17.1	8.2	15.3	20.7	10	-47671
06-08 LST	35.6	39.4	35.2	37.3	33.5	50.3	41.1	44.8	36.6	28.4	30.5	41.1	37.8	10	-47671
09-11 LST	46.0	39.1	30.0	23.7	18.2	35.6	20.5	21.6	23.2	25.3	31.8	52.4	30.6	10	-47671
12-14 LST	18.3	18.4	15.8	14.1	9.6	23.2	8.7	8.5	15.3	17.6	17.9	27.2	16.2	10	-47671
15-17 LST	13.6	12.3	13.4	14.7	10.2	16.7	7.0	7.4	12.9	15.3	17.2	17.3	13.2	10	-47671
18-20 LST	19.1	16.5	13.4	14.1	11.9	20.6	11.1	11.2	15.6	16.7	20.8	29.2	16.7	10	-47671
21-23 LST	31.9	24.9	14.9	14.6	15.4	26.4	12.2	14.4	19.2	21.0	27.8	38.8	21.8	10	-47671
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	3.6	2.9	2.2	2.1	1.7	2.4	1.4	1.0	1.2	1.7	1.3	6.3	2.3	10	-47671
03-05 LST	1.1	1.4	1.3	2.7	4.7	3.9	3.5	3.1	1.2	1.4	0.6	1.9	2.2	10	-47671
06-08 LST	9.4	11.5	6.0	6.2	7.3	5.3	6.6	5.8	4.3	3.0	7.8	11.8	7.1	10	-47671
09-11 LST	13.0	11.9	3.6	2.5	1.3	2.2	1.8	1.0	1.5	0.8	6.7	19.2	5.5	10	-47671
12-14 LST	1.9	2.5	1.0	1.9	0.6	1.3	0.5	0.4	0.6	1.0	2.6	5.7	1.7	10	-47671
15-17 LST	2.3	1.7	1.1	1.7	1.3	1.6	0.1	0.5	0.6	1.9	2.9	3.9	1.6	10	-47671
18-20 LST	3.2	3.0	2.2	1.7	1.6	2.7	0.4	0.4	0.5	1.3	2.9	8.7	2.4	10	-47671
21-23 LST	8.8	6.6	2.3	1.4	1.1	2.5	0.6	0.8	0.6	1.3	4.9	14.6	3.8	10	-47671

SHIROI, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	12.4	14.3	20.3	21.8	24.2	19.4	25.2	23.5	22.7	22.8	17.7	11.5	10	-47671
	15 LST	27.7	25.3	27.5	26.3	28.6	25.8	29.5	29.6	27.0	26.9	26.1	26.0	10	-47671
	21 LST	22.7	22.0	26.7	27.1	27.5	24.6	28.9	28.6	25.5	25.1	23.3	19.1	10	-47671
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	03 LST	26.7	24.0	26.9	25.2	26.7	21.3	24.1	26.1	25.6	25.5	27.7	25.8	10	-47671
	09 LST	3.8	5.8	8.6	11.1	14.4	10.9	13.5	14.0	13.1	9.4	5.3	3.5	10	-47671
	15 LST	16.2	13.8	13.4	10.0	9.6	12.3	10.9	11.9	14.0	14.3	15.8	16.8	10	-47671
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	10.9	9.4	10.3	11.9	14.7	11.0	12.8	14.0	14.1	12.6	10.9	9.4	10	-47671
	03 LST	15.9	11.8	11.7	14.4	17.3	11.6	14.9	16.7	16.0	12.8	14.7	16.0	10	-47671
	09 LST	2.9	3.4	3.9	3.5	2.1	1.4	1.1	0.7	1.4	3.3	2.8	3.0	10	-47671
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	3.3	4.0	4.6	5.9	4.8	2.6	4.4	2.5	2.2	2.1	3.5	3.4	10	-47671
	21 LST	3.6	4.1	4.1	1.9	2.4	1.8	1.8	1.6	1.2	2.1	2.8	1.5	10	-47671
	03 LST	2.5	2.8	3.1	3.4	1.5	0.8	0.7	1.1	1.2	2.4	2.6	2.3	10	-47671
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	15.7	13.6	15.7	14.7	17.9	17.5	18.6	19.1	19.5	15.3	14.4	14.7	10	-47671
	15 LST	19.2	17.3	17.1	14.3	13.5	16.2	13.0	13.9	17.0	18.5	18.2	18.7	10	-47671
	21 LST	17.1	13.7	13.4	15.2	17.0	17.3	16.5	18.3	18.6	16.7	15.9	18.0	10	-47671
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	14.6	12.4	15.5	16.2	18.2	16.5	16.0	17.5	17.8	17.0	16.8	17.5	10	-47671
	09 LST	6.0	5.1	5.5	6.0	4.1	1.4	2.5	3.1	2.6	5.1	5.9	4.8	10	-47671
	15 LST	11.1	7.5	6.2	5.0	3.7	1.9	4.4	5.0	4.3	6.0	8.3	11.0	10	-47671
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	11.5	9.7	9.0	7.8	6.3	2.6	6.5	6.4	6.2	5.8	9.3	9.6	10	-47671
	03 LST	14.3	10.9	9.5	8.2	5.5	2.8	5.6	7.1	5.0	6.4	8.9	14.0	10	-47671
	09 LST	12.0	13.7	19.4	20.0	21.9	15.0	21.1	19.2	20.0	21.2	16.9	10.9	10	-47671
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	26.5	23.5	25.4	25.3	25.3	22.1	27.3	27.2	24.0	24.6	25.4	25.4	10	-47671
	21 LST	20.6	20.6	25.2	24.8	25.1	19.7	25.6	25.1	23.0	23.2	21.1	18.3	10	-47671
	03 LST	25.1	22.1	25.0	22.8	23.0	15.7	19.7	21.0	22.2	22.7	25.1	23.9	10	-47671
	09 LST	9.2	10.4	13.6	16.8	18.0	10.5	16.0	15.5	15.4	15.5	11.5	7.8	10	-47671
	15 LST	21.9	17.8	17.8	19.7	21.5	16.7	23.8	24.5	19.2	19.3	20.3	22.5	10	-47671
	21 LST	16.6	17.1	17.4	19.8	21.9	14.4	21.8	20.8	18.1	16.9	16.3	14.5	10	-47671
	03 LST	20.8	17.4	16.6	16.3	20.1	10.8	15.7	17.4	16.4	15.9	18.8	19.4	10	-47671
	09 LST	8.4	8.9	12.0	14.9	15.7	9.0	14.1	14.8	12.0	11.9	8.9	6.8	10	-47671
	15 LST	19.7	16.6	15.5	17.6	19.3	14.5	21.8	22.7	16.9	16.3	16.7	20.3	10	-47671
	21 LST	14.4	14.6	15.1	16.5	19.3	12.5	19.7	19.1	15.5	13.0	13.1	12.8	10	-47671
	03 LST	18.4	15.2	14.1	14.0	17.9	8.9	13.0	15.9	12.0	12.6	15.8	17.8	10	-47671

AKENO, JAPAN

STA NO. 47730 (IN AREA NUMBER 05)

ELEVATION(FT) 00020

LONGITUDE 13640E

LATITUDE 3431N

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	65	73	72	83	89	96	99	100	96	87	81	70	100	40	-47651
MEAN MAX TMP (F)	48	48	53	63	71	77	85	87	80	70	61	52	66	30	-47651
MEAN MIN TMP (F)	32	33	37	46	54	64	71	73	66	54	44	36	51	30	-47651
ABS MIN TMP (F)	18	19	22	27	38	48	58	58	48	36	30	24	18	40	-47651
MEAN NO DYS TMP = OR 31F 90(F)	0.0	0.0	0.0	0.0	0.0	0.3	5.4	8.6	0.5	0.0	0.0	0.0	14.8	10	-47651
MEAN NO DYS TMP = OR LES 32(F)	14.6	12.0	5.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	36.5	10	-47651
MEAN NO DYS TMP = OF LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-47651
MEAN DEW PT TMP (F)	29	30	35	46	54	63	71	73	67	55	44	34	50	30	-29
MEAN REL HUM (PCT)	69	69	70	75	77	80	81	81	83	79	75	70	76	30	-47651
MEAN PRESS ALT (FT)	-152	-124	-103	-46	39	122	125	135	50	-69	-145	-155	-26	0	-50
MEAN PRECIP (IN)	2.10	2.60	4.38	6.11	6.69	10.06	7.24	8.32	11.83	7.24	3.19	2.21	72.0	30	-47651
MEAN SNOW FALL (IN)	3.9	2.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	7.6	13	-47635
MEAN NO DYS PKCP = OR GTR 0.1 IN	4.7	5.6	7.1	8.7	9.1	11.1	9.2	10.0	14.2	9.8	4.9	4.9	99.3	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.8	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.5	13	-47635
MEAN NO DYS W/O CJH VSBY LES 1/2 MI	0.1	0.0	0.2	0.3	0.5	1.1	3.3	3.8	2.6	0.5	0.1	0.1	12.6	0	0
MEAN NO DYS TSTMS	10.6	7.5	6.7	6.0	3.6	3.6	2.4	6.1	5.6	4.1	1.9	5.6	5.3	30	-47651
P FREQ WND SPD = OR GTR 17 KTS	0.1	0.1	0.2	0.0	0.0	0.0	0.2	0.7	0.6	0.5	0.0	0.2	0.2	10	-47651
P FREQ WND SPD = OR GTR 29 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
P FREQ LES 5000 FT A/O LES 5 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-47651
P FREQ LES 1500 FT A/O LES 3 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
FOR 00-02 LST															
03-05 LST															
06-08 LST															
09-11 LST															
12-14 LST															
15-17 LST															
18-20 LST															
21-23 LST															
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST															
03-05 LST															
06-08 LST															
09-11 LST															
12-14 LST															
15-17 LST															
18-20 LST															
21-23 LST															

AKENO, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		MEAN NUMBER OF DAYS												ANN	DEC	NOV	OCT	SEP	AUG	JUL	JUN	MAY	APR	MAR	FEB	JAN		POR (YRS)	NO. OBS
		09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST																
CIG = GTR 1000 FT AND VSBY = GTR 3 MI		31.0	31.0	30.6	31.0	31.0	31.0	31.0	31.0	30.0	27.5	31.0	29.2	25.7	31.0	30.0	29.4	337.3	10	-47651									
		31.0	31.0	28.0	29.6	29.1	31.0	30.0	31.0	30.0	27.5	31.0	30.0	31.0	31.0	30.0	29.6	357.8	10	-47651									
		30.6	28.0	30.6	30.0	31.0	31.0	31.0	31.0	30.0	31.0	31.0	31.0	29.2	30.5	29.7	30.7	362.3	10	-47651									
		03 LST																	0	0									
CIG = GTR 2000 FT ANL VSBY = GTR 3 MI W/SFC WND LES 10 KTS		18.6	19.0	16.0	24.3	23.9	25.0	22.1	25.5	17.1	25.8	23.7	26.1	267.1	10	-47651													
		10.3	20.5	21.5	14.5	19.4	12.0	17.2	9.3	20.0	17.2	16.5	22.9	201.3	10	-47651													
		20.9	24.4	28.2	28.3	26.2	27.6	27.4	29.3	28.3	28.0	28.7	26.4	321.7	10	-47651													
		03 LST													0	0													
SFC WND = GTR 17 KTS AND NO PRECIP.		2.3	1.6	2.0	2.1	1.2	0.5	0.4	0.3	0.6	1.1	0.7	1.9	14.7	10	-47651													
		3.7	2.3	2.7	2.7	2.8	1.1	1.7	1.7	1.5	1.5	2.0		10	-47651														
		1.6	0.6	0.7	0.5	0.1	0.1	0.2	0.4	0.5	0.3	0.3	1.0	6.3	10	-47651													
		03 LST													8	-47651													
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.		9.2	8.8	9.5	11.5	12.5	14.9	16.8	18.0	11.4	9.4	10.8	11.3	144.1	10	-47651													
		7.4	8.4	9.6	9.4	11.7	12.4	14.7	12.0	12.7	12.3	12.1	10.8	133.5	10	-47651													
		13.9	11.9	15.9	10.9	12.2	11.4	11.5	11.2	10.4	12.6	15.8	18.4	156.1	10	-47651													
		03 LST													8	-47651													
SKY COVER LES 3/10 AND VSBY = GTR 3 MI		14.8	11.2	8.1	7.9	6.4	3.5	5.5	7.6	5.8	8.7	14.3	15.2	109.0	10	-47651													
		9.2	7.8	9.5	9.1	5.5	3.8	6.5	9.9	7.0	9.2	11.5	10.9	99.9	10	-47651													
		16.7	15.7	14.3	11.2	8.9	5.9	9.7	13.0	9.6	12.4	15.3	18.1	150.8	10	-47651													
		03 LST													8	-47651													
CIG = GTR 2500 FT AND VSBY = GTR 3 MI		31.0	23.5	26.0	28.4	31.0	30.0	22.1	29.2	25.7	31.0	30.0	29.4	337.3	10	-47651													
		31.0	28.0	29.6	29.1	31.0	30.0	27.5	31.0	30.0	31.0	30.0	29.6	357.8	10	-47651													
		30.6	28.0	30.6	30.0	31.0	30.0	31.0	31.0	29.2	30.5	29.7	30.7	362.3	10	-47651													
		03 LST													0	0													
CIG = GTR 6000 FT AND VSBY = GTR 3 MI		31.0	23.5	26.0	28.4	31.0	30.0	22.1	29.2	25.7	31.0	30.0	29.4	337.3	10	-47651													
		31.0	28.0	29.6	29.1	31.0	30.0	27.5	31.0	30.0	31.0	30.0	29.6	357.8	10	-47651													
		30.6	28.0	30.6	30.0	31.0	30.0	31.0	31.0	29.2	30.5	29.7	30.7	362.3	10	-47651													
		03 LST													0	0													
CIG = GTR 10000 FT AND VSBY = GTR 3 MI		31.0	23.5	26.0	28.4	31.0	30.0	22.1	29.2	25.7	31.0	30.0	29.4	337.3	10	-47651													
		31.0	28.0	29.6	29.1	31.0	30.0	27.5	31.0	30.0	31.0	30.0	29.6	357.8	10	-47651													
		30.6	28.0	30.6	30.0	31.0	30.0	31.0	31.0	29.2	30.5	29.7	30.7	362.3	10	-47651													
		03 LST													0	0													

KITANOYAMA, JAPAN

STA NO. 47733 (IN AREA NUMBER 05) LATITUDE 3447N LONGITUDE 13922E ELEVATION(FT) 00128

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	OBS
ABS MAX TMP (F)	64	68	69	73	79	83	89	92	86	79	74	68	92	10	-47675
MEAN MAX TMP (F)	49	51	54	62	68	72	79	82	77	67	61	55	65	10	-47675
MEAN MIN TMP (F)	39	39	43	51	58	63	70	73	68	59	52	45	55	10	-47675
ABS MIN TMP (F)	27	29	30	37	46	51	59	63	56	47	39	31	27	10	-47675
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	-47675
MEAN NO DYS TMP = OR LES 32(F)	1.7	0.6	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	3.5	10	-47675
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-47675
MEAN DEW PT TMP (F)	30	32	38	48	56	64	71	73	67	57	48	38	52	10	-47675
MEAN REL HUM (PCT)	62	64	71	77	83	89	91	89	87	82	75	66	78	10	-47675
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.47	4.61	8.91	8.28	13.76	11.48	6.49	7.19	12.22	17.38	8.41	4.99	107.2	10	-47675
MEAN SNOW FALL (IN)		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.1	5.3	9.7	9.4	12.0	10.0	7.1	7.1	10.3	11.9	8.8	5.3	101.0	10	-47675
MEAN NO DYS SNFL = OR GTR 1.5 IN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	2.0	2.5	4.3	8.3	10.5	13.8	15.0	9.1	5.7	4.8	2.5	1.1	79.6	10	-47675
MEAN NO DYS TSTMS	1.4	0.8	1.2	0.7	0.9	0.7	2.4	4.1	2.3	0.9	1.8	1.4	18.6	10	-47675
P FREQ WND SPD = GR GTR 17 KTS	43.6	36.6	44.0	41.5	38.4	35.5	36.7	35.8	33.8	50.8	39.7	36.2	39.6	10	-47675
P FREQ WND SPD = UR GTR 28 KTS	15.6	12.5	12.3	10.3	9.2	5.4	6.1	4.5	5.1	11.8	9.0	9.6	9.3	10	-47675
P FREQ LES 5000 FT A/O LES 5 MI	30.1	31.4	39.3	34.6	33.0	42.5	42.9	44.4	40.3	47.7	35.1	26.6	37.3	10	-47675
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	7.3	6.0	16.1	16.5	20.2	26.2	28.3	26.8	23.9	25.4	13.2	6.4	18.2	10	-47675
03-05 LST	7.2	10.0	16.4	19.4	22.3	30.0	34.3	33.9	27.4	27.6	12.9	7.5	20.7	10	-47675
06-08 LST	7.9	11.1	19.9	19.5	25.4	33.5	39.5	37.4	27.3	27.7	13.6	8.6	22.6	10	-47675
09-11 LST	8.6	11.6	18.8	20.4	23.9	34.7	34.6	30.8	25.4	26.2	14.9	7.7	21.5	10	-47675
12-14 LST	8.2	9.6	17.5	18.1	21.3	30.0	27.5	22.8	19.6	23.6	15.0	5.8	18.3	10	-47675
15-17 LST	8.0	8.9	16.3	15.9	19.1	27.4	27.6	22.1	19.1	20.2	14.6	6.6	17.2	10	-47675
18-20 LST	6.3	8.1	17.7	16.8	18.5	24.3	27.3	21.8	17.6	21.0	13.7	5.9	16.6	10	-47675
21-23 LST	5.6	7.3	16.6	15.0	19.8	25.2	26.2	24.5	19.1	21.3	12.8	7.4	16.7	10	-47675
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.5	0.5	1.7	2.2	2.0	2.3	1.9	2.1	1.5	2.2	0.2	0.0	1.4	10	-47675
03-05 LST	1.1	0.3	1.2	2.0	3.1	4.1	4.2	1.9	1.0	0.7	0.5	1.0	1.8	10	-47675
06-08 LST	0.8	0.4	0.9	1.8	3.4	4.3	5.7	3.2	3.2	2.1	0.2	0.8	2.2	10	-47675
09-11 LST	0.7	0.4	1.8	2.1	2.0	5.0	3.6	2.2	0.8	1.7	0.7	0.4	1.8	10	-47675
12-14 LST	1.2	0.1	0.7	3.5	1.9	5.1	2.1	1.3	1.1	2.0	1.0	0.0	1.7	10	-47675
15-17 LST	0.7	0.3	1.3	2.9	2.4	4.0	1.9	1.5	0.9	1.8	0.8	0.1	1.6	10	-47675
18-20 LST	0.3	0.7	2.6	2.9	2.2	3.0	2.7	1.0	0.7	1.5	0.1	0.1	1.5	10	-47675
21-23 LST	0.1	0.8	2.0	1.0	2.2	3.0	1.5	1.5	1.3	1.9	0.2	0.6	1.3	10	-47675

KITANOYAMA, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI		09 LST 29.4	25.6	26.7	24.8	23.4	19.9	19.5	21.5	23.8	25.5	27.0	29.2	296.3	10	-47675
		15 LST 28.9	25.9	27.1	25.8	24.7	22.2	23.1	26.0	25.7	26.4	26.3	29.6	311.7	10	-47675
		21 LST 29.9	26.7	27.4	26.0	25.8	23.0	23.7	26.8	26.7	26.8	28.3	29.1	320.2	10	-47675
		03 LST 25.5	26.3	27.3	25.8	24.8	22.4	22.4	24.0	24.7	25.4	28.0	29.6	310.2	10	-47675
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS		09 LST 8.1	7.3	5.3	5.4	6.8	5.4	6.8	6.0	4.9	3.1	4.2	10.1	74.0	10	-47675
		15 LST 8.9	9.4	6.4	4.8	6.1	6.8	6.6	7.0	6.7	5.4	8.4	12.3	88.8	10	-47675
		21 LST 8.3	7.1	5.3	6.1	7.9	7.3	7.5	6.8	8.0	5.3	7.6	8.7	85.9	10	-47675
		03 LST 7.2	6.6	6.1	5.4	7.4	7.5	8.2	7.2	6.8	3.6	6.3	8.1	80.4	10	-47675
SFC WND = GTR 17 KTS AND NO PRECIP.		09 LST 11.6	8.4	10.4	10.0	7.0	6.5	8.2	7.8	7.4	10.4	10.3	8.9	106.9	10	-47675
		15 LST 12.4	9.2	10.1	10.3	9.0	7.4	11.6	11.2	7.5	8.6	7.7	10.3	115.3	10	-47675
		21 LST 11.0	9.1	9.3	8.0	8.0	7.6	10.2	8.7	7.3	8.1	7.2	9.8	104.3	10	-47675
		03 LST 11.4	8.4	8.9	6.8	6.1	5.6	8.1	7.6	6.8	9.9	7.8	9.7	97.1	10	-47675
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.		09 LST 7.0	7.1	5.5	6.1	6.2	7.7	8.0	8.6	6.4	4.2	6.0	9.0	81.8	10	-47675
		15 LST 8.8	8.7	6.4	4.2	6.6	7.0	7.3	7.3	6.4	6.4	7.3	10.4	86.8	10	-47675
		21 LST 7.4	7.2	4.8	5.4	6.0	4.6	5.1	5.5	7.0	5.0	6.2	7.9	72.1	10	-47675
		03 LST 6.2	5.9	6.1	5.4	6.2	6.0	5.9	7.8	6.9	3.5	5.7	7.9	73.5	10	-47675
SKY COVER LES 3/10 AND VSBY = GTR 3 MI		09 LST 13.7	9.9	8.5	7.5	5.4	2.0	3.1	4.2	3.4	4.6	9.0	13.6	84.9	10	-47675
		15 LST 14.5	11.7	10.8	8.5	5.4	3.6	4.5	6.5	6.7	7.0	10.0	15.9	105.1	10	-47675
		21 LST 17.5	13.7	12.5	10.1	7.6	4.9	6.0	10.5	8.9	8.9	12.2	17.8	130.6	10	-47675
		03 LST 16.0	13.9	12.1	9.2	8.8	3.5	5.4	8.0	7.4	7.3	11.8	17.4	120.8	10	-47675
CIG = GTR 2500 FT AND VSBY = GTR 3 MI		09 LST 26.2	21.7	22.0	21.4	19.4	14.2	14.4	14.9	16.4	17.6	22.5	26.2	236.9	10	-47675
		15 LST 27.2	23.5	23.5	23.2	21.6	18.2	18.4	20.7	19.8	20.9	23.3	27.6	267.9	10	-47675
		21 LST 27.2	23.2	22.1	22.0	22.0	18.3	18.6	20.2	21.2	20.6	22.7	27.2	265.1	10	-47675
		03 LST 25.8	22.2	22.0	20.0	20.7	16.0	16.3	15.5	17.3	16.8	21.9	26.8	241.3	10	-47675
CIG = GTR 6000 FT AND VSBY = GTR 3 MI		09 LST 21.3	17.9	17.9	19.1	17.8	12.6	13.1	13.8	14.7	15.5	19.6	21.4	204.7	10	-47675
		15 LST 23.5	20.8	20.6	20.9	19.9	16.8	17.0	19.7	18.7	18.4	20.3	24.1	240.7	10	-47675
		21 LST 21.6	19.0	18.6	18.3	19.1	16.1	16.7	18.8	18.9	17.7	19.3	23.3	227.4	10	-47675
		03 LST 20.9	19.7	18.4	16.7	17.5	13.8	13.8	14.4	15.3	13.8	17.9	23.0	205.2	10	-47675
CIG = GTR 10000 FT AND VSBY = GTR 3 MI		09 LST 21.3	17.9	17.7	19.0	17.7	12.6	13.1	13.7	14.5	15.4	19.5	21.3	203.7	10	-47675
		15 LST 23.4	20.7	20.5	20.7	19.8	16.6	16.9	19.6	18.5	18.3	20.2	23.9	239.1	10	-47675
		21 LST 21.6	19.0	18.6	18.3	19.0	15.9	16.7	18.8	18.8	17.3	19.0	23.3	226.5	10	-47675
		03 LST 20.9	19.7	18.4	16.7	17.5	13.8	13.7	14.4	15.2	13.8	17.7	22.9	204.7	10	-47675

AREA NO. 05

JAPAN

SOUTHERN PLAINS

BOUNDARIES 3640N 14040E 3525N 13905E 3520N 13625E 3420N 13640E

LATITUDE 3500N LONGITUDE 13900E

3525N 13905E 3520N 13625E 3520N 13625E 3420N 13640E

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	49	50	55	64	71	76	83	85	79	70	62	54	67
MEAN MIN TMP (F)	33	34	39	49	56	64	71	72	67	56	46	38	52
LARGEST MEAN PRECIP(IN)	7.57	8.12	9.99	9.41	13.76	12.73	8.56	9.39	14.39	20.25	14.84	7.60	136.6
SMALLEST MEAN PRECIP(IN)	1.87	2.04	4.09	4.16	5.55	6.15	4.70	5.16	8.10	4.98	2.94	1.98	51.7
MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	26.5	23.5	26.6	25.4	25.1	22.0	24.4	25.2	24.5	26.3	25.5	24.7 299.7
	15 LST	29.1	25.9	28.0	26.8	27.1	25.9	26.9	27.9	27.1	27.8	27.2	28.7 328.4
	21 LST	28.4	25.6	28.3	27.5	27.5	25.1	27.2	28.4	27.0	27.6	26.9	27.1 326.6
CIG =GTR 2000 FT AND VSBY =GTR 3 MI #/SFC WND LES 10 KTS	03 LST	28.8	25.8	27.9	26.8	26.6	23.6	24.4	27.2	25.6	26.8	27.6	28.2 319.3
	09 LST	14.4	12.3	12.6	13.5	15.3	13.0	13.4	15.2	13.9	13.4	13.8	14.2 165.0
	15 LST	13.0	10.5	10.4	9.3	11.1	10.6	12.2	12.1	14.0	13.7	14.8	15.0 146.7
	21 LST	15.6	14.2	14.3	15.1	17.3	15.0	16.6	18.3	17.2	17.0	16.3	16.1 193.0
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	16.6	14.3	14.4	15.4	16.9	13.9	15.2	18.6	15.7	14.2	15.8	16.6 187.6
	09 LST	3.9	3.3	4.2	3.6	2.5	2.0	2.2	2.0	2.4	3.5	2.8	3.3 35.7
	15 LST	5.1	4.9	5.9	5.5	4.3	3.2	4.0	3.5	2.7	3.0	3.3	4.7 50.1
	21 LST	4.3	3.7	4.3	3.1	2.6	2.8	2.9	2.2	2.2	2.6	2.6	3.7 37.0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	4.4	3.7	4.3	3.3	2.3	2.2	2.2	2.0	2.0	3.2	3.2	4.0 36.8
	09 LST	11.7	11.8	12.8	13.2	14.0	13.5	14.5	14.8	14.9	13.6	13.4	12.9 161.1
	15 LST	13.6	12.0	12.3	11.7	13.2	13.6	13.9	13.1	14.8	15.1	14.6	13.9 161.8
	21 LST	12.6	11.9	12.7	12.5	13.4	13.0	14.5	14.2	13.5	13.3	13.5	14.1 159.2
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	9.7	9.0	11.9	11.8	12.4	11.7	10.4	11.1	12.9	10.8	12.3	11.9 135.9
	09 LST	11.5	8.8	7.8	6.9	4.8	2.1	2.6	4.2	3.5	5.5	9.3	10.7 77.7
	15 LST	10.8	8.4	7.1	6.5	4.3	2.3	3.6	5.4	4.2	5.9	9.2	12.0 79.7
	21 LST	14.3	11.4	11.1	9.0	6.7	3.4	5.7	8.2	7.1	8.0	11.2	14.4 110.5
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	14.1	11.5	10.2	9.0	7.5	3.3	4.6	8.0	5.9	6.9	10.8	14.9 106.7
	09 LST	25.2	22.0	24.1	23.0	22.7	18.4	20.2	20.9	20.9	23.4	23.7	23.4 267.9
	15 LST	27.8	24.5	25.7	24.8	24.9	22.4	23.6	24.4	23.9	25.0	25.7	27.6 300.3
	21 LST	26.8	24.1	25.7	24.9	25.0	21.6	23.5	24.8	23.7	24.6	24.5	25.9 295.1
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	26.9	23.7	25.0	23.7	23.1	18.1	19.7	22.4	21.1	22.4	24.7	26.3 277.1
	09 LST	20.1	17.6	18.9	18.8	19.3	14.9	16.3	17.5	16.9	18.6	19.0	18.8 216.7
	15 LST	22.5	19.5	20.0	20.3	20.9	18.5	19.9	21.5	19.3	20.3	21.3	22.9 246.9
	21 LST	21.8	19.5	20.7	20.3	21.6	17.9	19.9	21.9	20.2	20.1	20.4	21.5 245.8
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	20.8	18.6	18.2	18.2	18.9	13.5	15.3	19.3	16.3	17.3	19.5	21.5 217.4
	09 LST	19.1	16.5	17.6	17.5	17.8	13.7	14.6	16.3	15.1	16.2	17.5	18.0 199.9
	15 LST	21.4	18.5	18.5	19.0	19.3	17.0	18.2	20.4	17.5	18.3	19.6	21.7 229.4
	21 LST	20.5	18.4	19.5	18.5	20.0	16.2	18.6	20.8	18.5	18.1	18.9	20.5 228.5
	03 LST	19.2	17.3	17.0	16.2	17.3	12.0	13.5	18.3	14.1	15.0	17.7	20.4 198.0

IWAKUNI MCAS, JAPAN

STA NO. 47764 (IN AREA NUMBER 06) LATITUDE 3408N LONGITUDE 13214E ELEVATION(FT) 00008

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
ABS MAX TMP (F)	64	70	71	84	86	91	96	98	92	86	79	68	98	11	3760
MEAN MAX TMP (F)	47	49	55	65	71	78	86	88	81	72	63	54	67	11	3760
MEAN MIN TMP (F)	34	35	40	50	57	65	74	75	68	57	47	39	53	11	3760
ABS MIN TMP (F)	23	25	25	33	44	53	65	63	53	41	33	25	23	11	3760
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.7	11.0	1.1	0.0	0.0	0.0	20.9	11	3760
MEAN NO DYS TMP = OR LES 32(F)	12.7	10.5	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	28.1	11	3760
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3760
MEAN DEW PT TMP (F)	31	32	38	48	56	64	73	73	67	55	45	36	52	11	90213
MEAN REL HUM (PCT)	69	69	70	73	76	80	81	78	78	73	72	70	74	11	90213
MEAN PRESS ALT (FT)	-103	-158	-1.2	-52	36	126	136	124	16	-114	-182	-186	-46	0	-50
MEAN PRECIP (IN)	2.48	2.56	3.91	0.31	7.47	10.10	9.27	6.44	7.20	4.56	2.77	1.75	66.8	11	3755
MEAN SNOW FALL (IN)	1.3	2.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	11	3759
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.0	5.1	7.7	9.4	10.1	8.8	8.0	7.7	9.1	5.8	3.7	3.3	83.7	11	3755
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	11	3759
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.4	1.1	0.7	1.4	0.9	1.5	0.3	0.2	0.3	0.2	0.0	0.2	7.2	11	3759
MEAN NO DYS TSTMS	0.1	0.0	0.5	0.6	0.8	1.5	3.8	2.8	1.6	0.6	0.3	0.1	12.7	11	3760
P FREQ WND SPD = OR GTR 17 KTS	0.7	0.6	1.0	0.3	0.2	0.0	0.0	0.7	1.0	0.4	0.3	0.4	0.5	11	90140
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.0	0.0	0.0	0.0	11	90140
P FREQ LES 5000 FT A/O LES 5 MI	30.1	31.5	33.3	36.5	39.1	43.3	35.9	28.9	31.9	22.7	21.1	21.9	31.4	11	90210
P FREQ LES 1500 FT A/O LES 3 MI	6.2	7.1	10.0	13.4	16.5	13.7	8.5	6.0	9.7	5.3	5.2	3.7	8.8	11	11275
FOR 00-02 LST															
03-05 LST	5.1	7.3	11.3	16.4	18.2	17.8	13.1	7.6	8.3	5.2	4.8	2.8	9.8	11	11277
06-08 LST	4.6	7.1	15.1	20.8	20.5	24.0	17.5	9.0	9.8	5.5	5.1	3.2	11.9	11	11277
09-11 LST	6.0	10.7	13.0	17.8	15.8	18.5	9.4	5.8	8.6	5.6	4.4	6.1	10.1	11	11276
12-14 LST	4.3	6.1	6.7	13.8	10.4	12.8	5.9	3.2	5.5	3.6	3.6	4.3	6.7	11	11276
15-17 LST	4.3	5.9	6.7	10.8	9.7	10.9	4.2	2.4	4.3	4.5	3.7	3.7	5.9	11	11277
18-20 LST	6.9	9.3	10.0	12.3	12.0	12.6	3.5	3.0	7.8	6.9	7.1	7.1	8.2	11	11277
21-23 LST	6.9	7.4	10.2	13.4	15.3	12.4	5.4	5.7	8.4	4.6	5.3	3.9	8.2	11	11275
P FREQ LES 300 FT A/O LES 1 MI	0.0	1.6	1.3	1.2	2.7	2.3	0.3	0.2	0.1	0.4	0.5	0.3	0.9	11	11275
FOR 00-02 LST															
03-05 LST	0.1	1.1	0.8	3.0	2.6	2.9	1.9	0.1	0.2	0.1	0.4	0.1	1.1	11	11277
06-08 LST	0.4	1.2	2.9	4.1	3.9	4.7	2.4	1.3	1.0	0.7	0.3	0.1	1.9	11	11277
09-11 LST	1.0	1.6	1.4	1.4	1.9	2.0	1.2	0.6	0.6	0.1	0.2	0.5	1.0	11	11276
12-14 LST	0.1	1.7	1.0	2.6	1.1	1.1	0.2	0.3	0.4	0.1	0.0	0.5	0.8	11	11276
15-17 LST	0.2	1.4	0.8	2.1	1.4	1.8	0.5	0.0	0.4	0.2	0.1	0.9	0.8	11	11277
18-20 LST	0.1	1.3	1.7	2.9	2.0	2.8	0.3	0.0	0.3	0.4	0.6	1.6	1.2	11	11277
21-23 LST	0.3	1.1	0.3	2.7	1.3	2.4	0.1	0.1	0.2	0.1	0.1	0.2	0.7	11	11275

IWAKUNI MCAS, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POB (YRS)	NO. OBS
CIG = GTR 1000 FT AND															
09 LST	29.6	25.3	26.2	24.2	25.0	23.4	27.6	29.4	26.9	29.1	28.8	29.6	325.1	11	3759
15 LST	29.9	26.5	29.3	26.8	29.3	27.2	29.5	30.3	29.0	30.1	29.0	29.9	345.8	11	3759
21 LST	28.8	26.0	28.1	26.5	26.5	26.4	29.4	29.6	27.7	29.6	28.7	29.6	336.9	11	3759
03 LST	29.5	25.8	28.1	25.6	26.3	25.2	27.9	28.9	27.8	29.5	28.5	30.1	333.2	11	3759
CIG = GTR 2000 FT AND VSBY = GTR 3 MI															
09 LST	26.0	22.1	22.5	20.4	23.0	22.0	25.0	27.3	23.4	25.4	26.6	28.3	292.0	11	3759
15 LST	20.4	18.7	19.9	20.0	23.0	22.8	24.2	25.2	25.4	25.8	23.3	24.3	273.0	11	3759
21 LST	26.9	23.9	25.7	24.3	24.9	25.4	27.7	28.1	25.2	27.4	26.0	28.2	313.7	11	3759
03 LST	26.5	24.0	25.1	23.7	24.8	24.1	26.8	27.5	26.0	27.4	26.3	28.4	310.6	11	3759
SFC WND = GTR 17 KTS AND NO PRECIP.															
09 LST	0.0	0.2	0.3	0.1	0.0	0.0	0.0	0.1	0.4	0.0	0.2	0.0	1.3	11	3545
15 LST	1.0	0.3	0.8	0.4	0.1	0.0	0.0	0.4	0.2	0.1	0.3	0.2	3.8	11	3580
21 LST	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.6	11	3573
03 LST	0.0	0.2	0.1	0.1	0.0	0.0	0.0	0.2	0.1	0.0	0.1	0.1	0.9	11	3561
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.															
09 LST	15.3	12.7	14.7	15.3	14.7	13.3	18.5	17.5	14.2	17.1	17.5	19.0	189.8	11	3545
15 LST	19.8	17.0	18.6	20.0	20.1	21.2	19.0	18.3	18.7	19.1	17.7	18.0	227.5	11	3580
21 LST	12.9	12.4	15.7	12.1	10.3	8.9	9.1	10.5	12.8	17.4	17.6	17.0	156.7	11	3573
03 LST	13.9	11.0	15.7	13.7	12.3	9.7	9.5	11.5	13.9	17.9	20.3	17.2	166.6	11	3561
SKY COVER LES 3/10 AND VSBY = GTR 3 MI															
09 LST	7.0	7.5	6.5	7.2	5.0	2.7	4.4	4.7	4.8	9.2	10.8	9.2	79.0	11	3759
15 LST	2.9	4.5	5.6	6.4	5.3	2.7	4.5	5.1	3.8	7.3	7.8	6.7	62.6	11	3759
21 LST	11.0	11.1	11.0	9.0	7.2	4.3	6.0	7.7	7.3	12.4	14.6	16.5	118.1	11	3759
03 LST	12.0	10.9	9.5	9.0	8.1	5.4	8.5	9.1	9.1	11.9	16.3	14.2	124.0	11	3759
CIG = GTR 2500 FT AND VSBY = GTR 3 MI															
09 LST	28.6	24.4	25.3	22.7	23.8	22.0	25.5	27.7	25.2	28.1	28.3	29.5	311.1	11	3759
15 LST	29.6	25.5	28.4	25.8	26.7	25.6	28.5	29.1	27.7	28.9	28.6	29.4	333.8	11	3759
21 LST	28.6	25.3	27.5	25.6	25.3	25.2	28.1	28.8	26.9	28.8	28.0	29.5	327.6	11	3759
03 LST	28.7	24.9	27.1	24.3	24.0	23.3	26.1	27.3	26.5	28.7	28.1	29.8	318.8	11	3759
CIG = GTR 6000 FT AND VSBY = GTR 3 MI															
09 LST	21.5	20.1	20.8	17.9	18.9	17.2	18.8	21.8	20.6	23.4	24.2	22.4	247.6	11	3759
15 LST	16.8	16.6	20.2	21.2	21.9	20.8	22.4	24.1	23.5	23.8	23.3	21.0	255.6	11	3759
21 LST	21.9	20.9	23.1	20.4	21.8	20.4	23.1	24.1	21.8	24.2	24.8	25.1	271.5	11	3759
03 LST	21.7	19.6	21.2	19.4	19.3	17.8	20.8	20.9	19.6	23.2	25.8	24.1	253.4	11	3759
CIG = GTR 10000 FT AND VSBY = GTR 3 MI															
09 LST	17.8	17.1	18.1	16.1	16.5	15.6	16.2	19.2	16.6	20.5	21.4	19.1	214.2	11	3759
15 LST	14.7	15.0	17.8	18.2	19.0	18.6	20.5	22.3	20.4	21.5	21.3	18.4	227.7	11	3759
21 LST	19.2	19.2	21.6	18.2	19.7	17.9	20.7	22.2	18.9	22.3	23.0	22.7	245.6	11	3759
03 LST	19.8	17.3	18.6	17.1	17.5	15.4	18.5	18.7	17.3	20.7	23.7	23.1	227.7	11	3759

HIROSHIMA, JAPAN

STA NO. 47765 (IN AREA NUMBER 06)

LATITUDE 34°21N LONGITUDE 132°25E ELEVATION(FT) 00013

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	65	71	75	81	85	94	99	101	97	88	79	72	101	60	-528
MEAN MAX TMP (F)	48	49	55	64	72	78	85	89	82	73	62	53	68	60	-28
MEAN MIN TMP (F)	31	32	37	45	54	63	72	73	66	53	43	35	50	60	-28
ABS MIN TMP (F)	17	17	19	29	35	44	58	62	48	35	27	17	17	60	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	5.5	12.7	1.7	0.0	0.0	0.0	19.9	7	2293
MEAN NO DYS TMP = OR LES 32(F)	16.4	16.2	4.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4.0	41.9	7	2297
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2297
MEAN DEW PT TMP (F)	30	31	36	47	56	64	72	73	66	54	44	36	51	7	17196
MEAN REL HUM (PCT)	72	71	71	72	75	80	82	79	80	76	75	73	76	30	-100
MEAN PRESS ALT (FT)	-184	-157	-122	-50	38	128	138	127	19	-112	-181	-186	-44	0	-50
MEAN PRECIP (IN)	1.80	2.50	4.20	6.30	5.70	9.60	8.70	4.40	7.80	4.50	2.60	2.00	60.1	60	-28
MEAN SNOW FALL (IN)	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	7	2149
MEAN NO DYS PKCP = OR GTR 0.1 IN	4.1	5.5	6.9	8.8	8.4	10.8	10.3	6.6	10.4	6.6	4.2	4.5	87.1	60	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2149
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.5	0.5	1.1	2.0	2.6	3.4	2.0	0.0	0.5	0.7	1.1	1.1	15.5	7	2154
MEAN NO DYS TSTMS	0.0	0.1	0.3	0.6	0.5	1.1	3.0	2.9	1.5	0.3	0.1	0.0	10.4	30	-100
P FREQ WND SPD = OR GTR 17 KTS	2.6	2.4	2.9	2.2	1.2	1.1	0.2	1.2	1.9	3.4	1.9	1.1	1.8	7	17196
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.1	0.6	0.1	0.1	0.1	0.1	7	17196
P FREQ LES 5000 FT A/O LES 5 MI	32.0	24.4	18.4	23.3	27.4	33.3	28.8	18.7	23.1	15.4	13.9	16.0	22.9	7	17052
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	5.4	9.5	7.0	9.5	13.0	15.8	6.6	3.8	6.1	5.4	5.6	3.2	7.7	8	2146
03-05 LST	5.4	9.7	6.0	11.0	14.4	17.6	10.8	5.9	10.3	4.9	1.7	4.4	8.5	7	2130
06-08 LST	9.2	7.2	5.4	18.1	22.8	25.0	19.7	9.7	13.3	8.6	5.6	1.1	12.1	7	2128
09-11 LST	17.4	12.6	12.4	19.8	22.2	21.6	14.5	7.6	14.0	7.6	7.3	10.2	13.9	7	2140
12-14 LST	10.2	7.7	9.2	10.1	19.1	16.1	8.1	3.8	6.8	5.4	7.8	9.2	9.5	7	2144
15-17 LST	6.5	8.3	5.9	9.4	13.5	17.9	5.4	3.3	7.3	3.8	5.6	5.9	7.7	7	2149
18-20 LST	9.7	11.9	5.4	13.6	13.2	14.0	8.1	3.2	7.4	6.0	6.1	4.9	8.6	7	2140
21-23 LST	7.0	11.8	7.6	8.9	14.9	15.6	5.9	1.6	8.9	5.4	6.1	2.7	8.0	7	2152
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	1.1	2.8	0.6	2.8	0.5	0.0	0.0	1.1	0.0	0.5	0.8	8	2146
03-05 LST	0.0	1.2	0.5	0.6	1.3	2.8	1.1	0.5	0.0	1.1	0.6	0.0	0.8	7	2130
06-08 LST	0.5	1.2	0.0	2.3	4.0	7.1	4.9	0.5	0.6	1.1	0.6	0.0	1.9	7	2128
09-11 LST	1.1	2.4	1.6	2.8	5.9	2.3	3.2	0.0	2.2	2.2	0.6	1.1	2.1	7	2140
12-14 LST	0.5	1.2	1.1	2.8	3.3	2.2	0.0	0.5	1.1	1.1	1.1	0.5	1.3	7	2144
15-17 LST	0.0	1.2	1.1	1.1	5.2	1.1	0.0	0.0	0.0	1.1	1.1	1.6	1.1	7	2149
18-20 LST	0.0	1.6	1.1	2.3	3.3	3.4	0.0	0.0	0.0	1.1	2.2	2.7	1.5	7	2140
21-23 LST	1.1	1.8	1.6	1.7	1.9	3.9	0.5	0.0	0.0	1.1	1.1	1.1	1.3	7	2152

HIROSHIMA, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	19.2	15.1	18.8	18.6	17.7	20.3	23.6	21.3	23.6	19.2	15.0	231.0	7	2140	
	15 LST	28.5	24.8	28.5	26.5	25.4	23.6	29.3	28.0	29.5	27.5	26.8	327.0	7	2149	
	21 LST	27.7	22.8	27.5	24.0	23.7	22.5	28.1	29.0	25.3	26.1	25.1	26.4	308.2	7	2152
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	03 LST	28.1	23.9	26.8	23.2	22.9	20.3	24.5	27.0	25.9	27.5	26.6	303.9	7	2130	
	09 LST	14.1	11.5	12.6	15.2	16.2	15.3	17.3	19.9	16.4	11.6	9.8	172.9	7	2139	
	15 LST	15.7	15.6	18.1	18.5	19.4	19.3	23.2	22.7	21.9	20.4	19.8	17.2	231.8	7	2147
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	23.3	19.7	21.4	20.2	20.7	20.3	26.0	26.2	20.0	17.5	18.6	25.0	258.9	7	2152
	03 LST	22.3	19.2	20.9	17.5	17.6	17.0	22.2	23.5	19.3	15.9	16.2	21.0	232.6	7	2130
	09 LST	0.2	0.0	0.5	0.3	0.0	0.0	0.0	0.2	0.2	0.5	0.2	0.2	2.3	7	2153
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	1.1	1.3	1.2	1.0	1.2	0.0	0.0	0.0	0.2	2.2	1.3	0.8	10.3	7	2154
	21 LST	0.0	0.5	0.7	0.5	0.2	0.2	0.0	0.2	0.0	0.5	0.0	0.2	3.0	7	2157
	03 LST	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.7	0.3	0.0	1.8	7	2147
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	13.6	11.8	13.6	10.1	8.4	8.9	11.0	13.1	12.1	16.2	18.7	20.2	157.7	7	2153
	15 LST	10.1	11.1	16.5	15.8	16.6	15.2	16.8	18.1	18.3	16.5	14.6	12.3	181.9	7	2154
	21 LST	16.3	14.9	16.6	11.8	12.1	8.2	14.1	14.5	17.5	20.4	23.0	24.5	193.9	7	2157
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	13.3	9.4	18.3	17.6	15.1	12.5	13.5	22.3	18.6	20.5	16.7	22.8	202.6	7	2147
	09 LST	4.5	5.0	5.8	4.6	5.0	1.5	2.3	8.0	6.9	9.5	7.7	4.8	66.6	7	2154
	15 LST	3.5	5.3	8.3	7.3	5.8	3.3	5.6	8.6	8.0	10.1	9.3	8.0	83.1	7	2155
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	9.6	11.1	13.3	10.0	9.9	5.2	8.5	12.6	9.2	13.5	14.3	12.7	129.9	7	2157
	03 LST	9.1	12.1	11.0	9.8	8.8	4.3	7.3	10.1	11.3	14.3	15.8	12.4	126.3	7	2149
	09 LST	18.7	14.7	18.6	18.1	17.6	16.7	18.2	22.8	20.3	23.4	18.5	14.5	222.1	7	2140
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	28.0	24.7	28.0	25.7	24.4	22.6	27.7	28.6	26.8	29.0	27.0	26.5	319.0	7	2149
	21 LST	27.2	22.7	27.1	23.3	23.1	21.8	27.3	28.3	24.0	25.4	25.1	25.9	301.2	7	2152
	03 LST	27.8	23.2	26.6	23.0	21.9	19.6	23.3	26.2	24.6	27.0	27.2	26.4	296.8	7	2130
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	12.8	12.6	13.9	15.1	15.0	12.8	13.3	18.9	17.3	20.9	15.2	10.0	177.8	7	2140
	15 LST	16.1	15.9	21.1	21.3	22.0	17.8	21.6	24.7	23.0	24.6	22.6	19.7	250.4	7	2149
	21 LST	17.3	18.0	23.4	20.0	19.1	15.8	20.6	23.7	20.0	22.4	21.9	21.8	244.0	7	2152
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	18.7	18.6	20.7	18.4	18.4	14.5	17.0	20.3	19.8	24.3	24.3	21.3	236.3	7	2130
	09 LST	11.9	11.9	13.5	14.9	14.4	12.4	13.3	18.8	16.7	20.7	15.0	9.8	173.3	7	2140
	15 LST	15.4	15.7	20.8	21.3	21.6	17.3	21.6	24.7	22.6	24.4	22.4	19.7	247.5	7	2149
03 LST	16.6	17.6	23.3	19.8	18.9	15.3	20.5	23.7	20.0	22.4	21.8	21.7	241.6	7	2152	
03 LST	18.5	18.3	20.4	17.9	17.6	14.1	16.6	20.3	19.8	24.1	24.1	21.0	232.7	7	2130	

OKAYAMA, JAPAN

STA NO. 47768 (IN AREA NUMBER 06)

LATITUDE 34.35N LONGITUDE 133.56E ELEVATION(FT) 00003

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
ABS MAX TMP (F)	65	72	75	82	90	93	97	98	94	86	79	71	98	39	-599
MEAN MAX TMP (F)	47	48	54	65	73	79	86	89	81	71	61	52	67	30	-99
MEAN MIN TMP (F)	31	32	36	46	54	63	71	73	66	53	42	34	50	30	-99
ABS MIN TMP (F)	16	17	21	26	37	45	55	59	46	35	29	20	16	39	-599
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.4	10.9	16.7	2.1	0.0	0.0	0.0	30.2	10	3642
MEAN NO DYS TMP = OR LES 32(F)	22.6	18.5	11.8	2.2	0.0	0.0	0.0	0.0	0.0	0.0	2.2	13.2	70.5	10	3648
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3648
MEAN DEW PT TMP (F)	31	31	35	46	54	62	71	72	66	53	44	35	50	0	-50
MEAN REL HUM (PCT)	74	72	71	72	73	77	78	76	78	77	77	75	75	30	-99
MEAN PRESS ALT (FT)	-182	-155	-127	-64	22	111	118	116	15	-112	-180	-186	-51	0	-50
MEAN PRECIP (IN)	1.64	1.78	3.30	3.84	4.36	6.74	5.42	3.61	6.76	3.87	2.00	1.63	44.9	30	-99
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3643
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.8	4.1	5.9	6.5	7.1	8.8	7.7	5.7	9.2	5.8	3.4	3.8	71.8	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3643
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	23
MEAN NO DYS TSTMS	0.1	0.1	0.2	0.7	1.0	1.7	3.1	3.4	1.6	0.3	0.0	0.0	12.2	29	-100
P FREQ WND SPU = OR GTR 17 KTS	2.2	1.1	0.9	0.8	0.2	0.1	0.0	1.4	1.0	0.1	0.1	0.4	0.7	10	27475
P FREQ WND SPU = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	10	27475
P FREQ LES 5000 FT A/O LES 5 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
P FREQ LES 1500 FT A/O LES 3 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
FOR 00-02 LST						0.0	0.0							1	1
03-05 LST						0.0	0.0							1	1
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	623
12-14 LST														0	0
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	318
18-20 LST														0	0
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	1058
P FREQ LES 300 FT A/O LES 1 MI														1	1
FOR 00-02 LST						0.0	0.0							1	1
03-05 LST						0.0	0.0							0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	623
12-14 LST														0	0
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	318
18-20 LST														0	0
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	1058

OKAYAMA, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	27.3	21.1	23.5	26.7	28.6	28.0	24.3	29.5	30.0	28.6	25.1	17.4	310.1	10	623
VSBY = GTR 3 MI	31.0	28.0	31.0	29.1	31.0	30.0	31.0	31.0	30.0	31.0	30.0	30.1	363.2	10	318
	21 LST	27.7	30.7	29.6	31.0	30.0	30.5	31.0	30.0	31.0	29.7	29.5	361.7	10	1058
	03 LST					31.0								1	1
CIG =GTR 2000 FT AND VSBY =GTR 3 MI	20.8	19.3	20.6	25.6	27.0	28.0	24.3	27.9	30.0	28.6	24.8	15.7	292.6	10	623
3 MI W/SFC WND LES 10 KTS	13.8	17.5	21.4	23.1	21.5	24.5	27.4	28.6	27.3	29.2	28.4	28.5	291.2	10	318
	21 LST	29.4	26.9	28.8	29.2	31.0	30.5	30.6	29.6	31.0	29.2	28.8	355.0	10	1058
	03 LST					31.0								1	1
SFC WND = GTR 17 KTS AND NO PRECIP.	0.1	0.1	0.1	0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.6	10	3439
	15 LST	2.4	1.5	0.7	0.8	0.0	0.0	0.1	0.2	0.0	0.1	0.2	6.2	10	3438
	21 LST	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.3	10	3436
	03 LST					0.0	0.0	3.1	3.3	0.0				10	24
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	5.4	6.0	7.2	8.1	10.2	9.0	10.1	10.9	6.8	6.1	4.2	5.8	89.8	10	3439
	15 LST	11.5	13.7	17.9	17.6	18.4	17.7	13.4	11.5	16.4	16.7	16.1	189.2	10	3438
	21 LST	7.2	8.1	8.5	6.8	4.1	5.7	4.7	6.3	5.4	5.6	8.3	78.8	10	3436
	03 LST					0.0	31.0	0.0	0.0	0.0				10	24
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	12.3	9.7	8.4	8.9	6.4	3.5	4.9	8.1	7.7	10.9	13.1	9.0	102.9	10	3439
	15 LST	4.3	5.9	7.0	8.1	5.8	3.7	6.8	10.3	6.7	9.2	8.2	84.1	10	3434
	21 LST	16.8	14.1	14.8	10.9	10.0	6.1	10.8	13.8	10.7	16.7	16.6	154.7	10	3436
	03 LST					0.0	15.5	3.1	0.0	0.0				10	24
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	27.3	21.1	23.5	26.7	28.6	28.0	24.3	29.5	30.0	28.6	25.1	17.4	310.1	10	623
	15 LST	31.0	28.0	31.0	29.1	31.0	30.0	31.0	30.0	31.0	30.0	30.1	363.2	10	318
	21 LST	31.0	27.7	30.7	29.6	31.0	30.5	31.0	30.0	31.0	29.7	29.5	361.7	10	1058
	03 LST					31.0								1	1
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	27.3	21.1	23.5	26.7	28.6	28.0	24.3	29.5	30.0	28.6	25.1	17.4	310.1	10	623
	15 LST	31.0	28.0	31.0	29.1	31.0	30.0	31.0	30.0	31.0	30.0	30.1	363.2	10	318
	21 LST	31.0	27.7	30.7	29.6	31.0	30.5	31.0	30.0	31.0	29.7	29.5	361.7	10	1058
	03 LST					31.0								1	1
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	27.3	21.1	23.5	26.7	28.6	28.0	24.3	29.5	30.0	28.6	25.1	17.4	310.1	10	623
	15 LST	31.0	28.0	31.0	29.1	31.0	30.0	31.0	30.0	31.0	30.0	30.1	363.2	10	318
	21 LST	31.0	27.7	30.7	29.6	31.0	30.5	31.0	30.0	31.0	29.7	29.5	361.7	10	1058
	03 LST					31.0								1	1

MATSUYAMA, JAPAN

STA NO. 47887 (IN AREA NUMBER 06)

LATITUDE 3349N

LONGITUDE 13242E

ELEVATION(FT) 00013

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	76	76	79	81	88	95	98	99	97	92	81	73	99	40	-599
MEAN MAX TMP (F)	50	50	56	66	73	79	86	89	83	73	63	54	69	30	-99
MEAN MIN TMP (F)	33	33	37	45	53	62	71	72	65	53	44	36	50	30	-99
ABS MIN TMP (F)	19	17	21	27	35	42	58	60	48	36	30	22	17	40	-599
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.0	11.1	16.6	2.4	0.0	0.0	0.0	31.1	8	2918
MEAN NO DYS TMP = OR LES 32(F)	10.5	10.8	3.9	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4.1	29.6	8	2918
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2918
MEAN DEW PT TMF (F)	32	33	38	46	54	63	72	72	66	55	45	36	51	8	23352
MEAN REL HUM (PCT)	73	72	73	76	77	80	80	80	82	79	77	73	77	30	-99
MEAN PRESS ALT (FT)	-215	-171	-138	-54	43	131	139	150	59	-79	-174	-209	-42	0	-50
MEAN PRECIP (IN)	2.24	2.29	3.91	4.65	5.35	8.76	6.98	4.25	7.02	4.03	2.95	2.40	54.8	30	-99
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2920
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.0	5.1	6.6	7.4	8.1	10.3	9.0	6.5	9.5	6.0	4.6	5.3	83.4	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2920
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	0.0	0.2	0.2	0.4	1.5	0.9	0.1	0.1	0.0	0.0	0.0	0.1	3.5	8	2922
MEAN NO DYS TSTMS	0.2	0.2	0.5	0.7	0.5	1.1	2.7	2.5	1.5	0.2	0.2	0.5	10.8	30	-100
P FREQ WND SPD = OR GTR 17 KTS	2.3	1.8	1.3	1.3	0.4	0.4	0.2	0.6	1.5	0.4	0.2	1.4	1.0	8	23359
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.0	8	23359
P FREQ LES 5000 FT A/O LES 5 MI	39.0	28.6	27.1	23.8	27.0	28.1	25.9	21.7	28.3	20.0	19.7	27.1	28.4	8	23328
P FREQ LES 1500 FT A/O LES 3 MI	3.6	7.5	5.6	7.1	10.6	14.6	4.8	3.6	6.7	3.6	2.5	1.6	6.0	8	2919
FOR 00-02 LST															
03-05 LST	3.2	7.1	6.0	7.1	10.5	14.2	5.6	4.0	8.4	3.6	2.5	3.2	6.3	8	2916
06-08 LST	2.0	4.0	6.1	9.2	13.5	10.5	6.0	4.0	6.7	4.5	2.5	0.8	5.8	8	2911
09-11 LST	4.9	5.8	6.5	10.5	12.1	12.5	6.1	5.7	6.7	5.6	3.3	2.8	6.9	8	2916
12-14 LST	4.4	5.8	7.3	9.2	9.7	8.3	3.2	2.0	5.8	3.2	2.5	1.2	5.2	8	2920
15-17 LST	2.0	6.2	5.6	8.4	8.9	9.6	2.4	4.0	7.1	2.8	2.5	2.4	5.2	8	2915
18-20 LST	2.0	5.3	4.0	7.9	10.9	12.1	4.8	4.0	6.7	4.4	2.9	2.0	5.6	8	2921
21-23 LST	2.4	7.6	3.6	7.5	10.9	14.6	3.6	4.4	6.7	3.2	2.9	2.0	5.8	8	2916
P FREQ LES 300 FT A/O LES 1 MI	0.4	1.8	0.8	1.7	4.5	4.6	0.4	0.0	1.3	0.8	0.0	0.0	1.4	8	2919
FOR 00-02 LST															
03-05 LST	0.4	2.2	1.6	2.9	4.5	4.6	0.4	0.4	1.3	0.4	0.0	0.4	1.6	8	2916
06-08 LST	0.4	1.8	1.2	3.3	5.3	3.3	1.2	0.4	0.4	0.4	0.4	0.0	1.5	8	2911
09-11 LST	0.4	1.3	1.6	3.3	3.2	5.0	0.8	0.8	0.4	0.0	0.4	0.4	1.5	8	2916
12-14 LST	0.4	0.9	1.2	1.3	2.4	1.7	0.8	0.0	0.4	0.4	0.4	0.0	0.8	8	2920
15-17 LST	0.4	1.3	0.8	2.9	1.6	2.9	0.8	0.0	0.0	0.8	0.4	0.0	1.0	8	2915
18-20 LST	0.0	1.8	0.8	2.1	3.6	5.4	1.2	0.4	0.4	0.8	0.8	0.8	1.5	8	2921
21-23 LST	0.4	2.7	1.6	2.9	4.8	4.6	0.8	0.4	0.8	0.8	0.4	1.2	1.8	8	2916

MATSUYAMA, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST 29.1	26.0	28.4	26.6	26.6	25.1	28.2	28.3	27.8	28.6	28.2	29.4	332.3	8	2916
	15 LST 30.2	25.9	29.1	26.9	28.1	26.0	29.7	29.6	28.0	29.7	28.6	29.7	341.5	8	2915
	21 LST 30.5	25.4	29.2	27.2	27.2	24.8	29.5	29.5	27.6	29.5	28.6	29.7	338.7	8	2916
	03 LST 29.7	25.8	28.6	27.5	27.2	24.3	28.9	29.6	27.7	29.7	28.7	29.9	337.6	8	2916
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	09 LST 23.8	22.9	23.5	22.2	22.9	23.0	27.1	27.6	25.1	27.2	26.9	26.1	298.3	8	2915
	15 LST 18.8	16.7	20.4	17.7	20.5	22.1	25.2	24.3	22.3	22.3	23.8	21.1	255.2	8	2915
	21 LST 26.5	23.6	25.9	25.5	26.1	24.0	29.1	28.6	26.4	28.4	27.5	28.2	319.8	8	2916
	03 LST 25.1	24.0	26.8	25.8	26.4	24.0	28.7	29.0	26.3	28.9	27.8	27.2	320.0	8	2916
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST 0.5	0.1	0.2	0.6	0.2	0.0	0.0	0.1	0.1	0.0	0.0	0.2	2.0	8	2920
	15 LST 1.1	0.6	0.6	0.9	0.1	0.2	0.0	0.0	0.1	0.4	0.1	0.7	4.8	8	2918
	21 LST 0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.1	0.6	8	2920
	03 LST 0.5	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.2	8	2920
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST 10.0	8.4	9.0	12.0	13.4	13.1	13.9	15.7	10.0	6.0	7.3	8.7	127.5	8	2920
	15 LST 15.0	14.8	17.4	16.8	18.8	17.6	17.5	15.7	17.1	19.4	21.6	18.1	209.8	8	2916
	21 LST 10.3	10.9	10.9	9.6	9.5	7.1	7.8	6.9	8.1	10.0	12.8	11.9	115.8	8	2920
	03 LST 9.9	6.3	10.0	7.6	5.7	4.4	5.9	5.9	5.6	7.8	10.0	9.9	89.0	8	2920
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST 5.4	6.9	8.4	8.5	7.0	3.5	6.3	9.7	7.2	10.6	12.9	10.4	96.8	8	2918
	15 LST 7.1	8.0	6.9	8.4	6.5	4.6	6.5	9.1	6.0	10.4	12.4	8.9	96.8	8	2918
	21 LST 10.4	12.6	12.9	11.7	9.4	6.9	9.8	12.1	9.4	13.4	14.4	11.9	134.9	8	2919
	03 LST 9.0	9.4	11.5	11.0	10.6	6.5	9.4	15.6	10.5	14.4	15.5	13.1	136.5	8	2920
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST 27.3	24.3	26.6	25.0	24.2	23.0	26.7	26.9	25.6	27.5	27.4	28.1	312.6	8	2916
	15 LST 28.9	24.5	27.9	25.2	26.6	24.9	26.3	27.8	25.5	28.6	27.7	28.5	324.4	8	2915
	21 LST 29.0	24.6	28.1	26.2	26.1	23.3	28.6	28.6	25.9	28.2	28.1	29.2	325.9	8	2916
	03 LST 28.5	24.9	27.9	26.3	25.5	22.8	28.0	28.7	26.2	28.6	27.9	29.2	324.5	8	2916
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST 16.2	17.6	19.2	19.8	19.6	19.2	20.6	22.7	20.7	22.7	21.6	19.5	239.4	8	2916
	15 LST 16.2	18.1	20.5	22.3	22.6	19.9	22.3	22.4	21.3	23.5	22.6	18.8	250.5	8	2915
	21 LST 17.3	19.3	21.2	21.3	21.2	19.0	21.9	23.3	19.6	23.4	23.0	20.2	250.7	8	2916
	03 LST 15.0	16.9	21.2	21.7	20.3	17.6	20.1	23.0	19.3	24.0	21.9	21.5	242.5	8	2916
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST 15.8	17.4	19.0	19.7	19.4	19.1	20.2	22.4	20.5	22.5	21.6	14.4	237.0	8	2916
	15 LST 16.2	17.8	20.2	22.1	22.6	19.6	22.2	22.4	21.2	23.2	22.6	18.7	248.8	8	2915
	21 LST 17.3	19.3	21.2	21.2	21.0	18.9	21.9	23.3	19.6	23.3	22.9	20.0	249.9	8	2916
	03 LST 14.9	16.8	21.1	21.7	20.2	17.6	20.1	22.8	19.2	24.0	21.6	21.4	241.4	8	2916

TAKAMATSU, JAPAN

STA NO. 47891 (IN AREA NUMBER 06) LATITUDE 34.17N LONGITUDE 134.04E ELEVATION(FT) 00066

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	64	75	72	80	90	92	96	96	93	89	78	70	96	10	3646
MEAN MAX TMP (F)	48	50	55	65	72	79	86	88	81	71	63	54	68	10	3646
MEAN MIN TMP (F)	33	33	38	47	55	65	74	74	67	55	46	38	52	10	3648
ABS MIN TMP (F)	23	22	26	28	40	51	65	60	51	40	32	22	22	10	3648
MEAN NO DYS TMP ≥ OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.4	7.9	9.4	0.6	0.0	0.0	0.0	18.4	10	3646
MEAN NO DYS TMP ≥ OR LES 32(F)	14.5	13.5	7.7	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4.7	41.7	10	3648
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3648
MEAN DEW PT TMP (F)	29	31	36	47	56	64	73	74	67	55	45	37	51	5	13381
MEAN REL HUM (PCT)	67	69	72	75	79	80	82	80	81	78	75	72	76	5	13374
MEAN PRESS ALT (FT)	-110	-83	-55	7	94	183	190	188	87	-37	-108	-113	20	0	-50
MEAN PRECIP (IN)	1.95	1.78	2.90	3.92	4.86	6.81	5.16	4.43	6.85	4.20	2.19	1.21	46.3	10	3652
MEAN SNOW FALL (IN)	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	10	-47895
MEAN NO DYS PKCP ≥ OR GTR 0.1 IN	5.0	4.1	7.4	8.9	9.3	10.3	7.3	5.6	8.3	6.7	4.5	3.3	80.7	10	3652
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-47895
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.2	0.5	1.0	2.0	2.0	1.0	0.6	0.0	0.2	0.2	0.2	7.9	5	1674
MEAN NO DYS TSTMS	0.2	0.0	0.0	0.0	0.5	1.6	4.0	2.2	1.2	0.4	0.0	0.0	10.1	5	1674
P FREQ WND SPD ≥ OR GTR 17 KTS	12.3	8.4	3.0	2.9	2.1	2.5	0.9	1.5	2.3	1.1	1.6	2.0	3.4	5	13382
P FREQ WND SPD ≥ OR GTR 28 KTS	0.5	0.3	0.3	0.1	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.2	5	13382
P FREQ LES 5000 FT A/O LES 5 MI	25.8	16.7	21.1	20.4	24.3	27.6	18.9	12.4	16.8	21.1	12.3	13.4	19.2	5	13284
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	2.4	6.4	5.6	8.4	8.9	17.4	3.9	0.6	2.7	7.7	2.7	3.2	5.8	6	1668
03-05 LST	3.2	5.4	2.5	11.0	10.7	14.2	6.5	1.3	4.7	7.7	3.4	1.9	6.0	5	1662
06-08 LST	3.2	2.7	5.7	10.3	22.5	21.8	15.2	3.9	5.3	7.7	2.7	2.6	8.6	5	1649
09-11 LST	3.2	4.5	10.7	16.0	16.3	22.7	6.5	5.2	7.4	8.4	5.4	3.2	9.1	5	1662
12-14 LST	3.3	7.1	12.1	10.8	12.1	11.3	3.2	1.3	7.4	3.9	4.0	1.9	6.5	5	1668
15-17 LST	4.0	4.5	8.9	7.6	8.9	10.1	2.6	0.0	5.3	5.2	5.3	3.9	5.5	5	1670
18-20 LST	3.2	7.1	5.6	9.2	8.1	14.7	5.2	0.6	6.0	5.8	4.7	2.6	6.1	5	1672
21-23 LST	3.2	6.3	4.8	7.5	7.3	14.8	3.9	0.6	4.0	5.8	3.3	3.2	5.4	5	1673
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.8	1.6	0.0	0.8	0.8	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.6	6	1668
03-05 LST	0.8	1.8	0.0	0.8	3.3	3.4	0.6	0.0	0.0	0.0	0.0	0.0	0.9	5	1662
06-08 LST	0.0	1.8	0.0	0.9	9.2	4.9	2.6	0.7	0.0	0.0	0.0	0.0	1.7	5	1649
09-11 LST	0.0	0.9	1.6	0.8	4.9	0.7	0.0	0.0	0.0	0.6	0.0	0.0	0.8	5	1662
12-14 LST	0.0	1.8	1.6	0.0	2.4	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.6	5	1668
15-17 LST	0.0	0.0	1.6	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	5	1670
18-20 LST	0.0	0.9	1.6	0.8	2.4	2.0	0.6	0.0	0.0	0.6	0.0	1.3	0.9	5	1672
21-23 LST	0.0	0.0	0.8	0.0	0.8	3.4	0.0	0.0	0.0	0.6	0.0	0.6	0.5	5	1673

TAKAMATSU, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST 29.2	25.5	27.2	23.9	23.9	19.4	26.8	29.2	28.2	28.2	27.0	28.6	317.1	5	1662
	15 LST 30.0	26.5	29.0	28.5	28.7	26.4	30.4	31.0	29.2	29.8	28.4	29.8	347.7	5	1670
	21 LST 29.5	25.7	29.0	26.7	28.0	25.0	29.6	30.8	28.8	29.8	27.8	28.6	339.3	5	1673
	03 LST 29.5	26.2	30.5	26.7	26.4	23.5	28.0	30.6	29.0	29.6	29.4	29.6	339.0	5	1662
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	09 LST 15.7	18.3	19.0	17.9	17.6	11.4	22.8	25.4	24.1	24.1	22.7	22.3	241.3	5	1662
	15 LST 9.2	10.3	17.5	19.7	19.5	18.9	22.5	24.4	21.8	24.0	19.6	17.6	225.0	5	1670
	21 LST 20.0	19.7	24.0	23.0	25.5	21.7	28.0	28.6	26.2	26.8	24.8	23.6	291.9	5	1673
	03 LST 20.2	20.4	27.7	22.4	23.0	20.3	25.8	29.0	27.6	26.8	27.0	24.4	294.6	5	1662
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST 3.0	2.2	0.7	1.0	0.0	0.8	0.0	0.2	0.2	0.4	0.0	0.4	8.9	5	1672
	15 LST 4.2	4.0	1.7	1.0	1.5	1.4	0.2	0.4	0.6	0.4	0.8	0.6	16.8	5	1673
	21 LST 1.7	0.0	0.2	0.2	0.2	0.0	0.0	0.0	0.2	0.0	0.4	0.0	2.9	5	1673
	03 LST 1.2	1.0	0.2	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.4	0.8	4.0	5	1671
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST 8.5	8.0	7.8	12.2	11.3	10.6	11.6	10.6	9.8	10.8	8.0	10.4	119.6	5	1672
	15 LST 7.0	10.7	15.7	16.4	15.7	13.8	16.0	14.8	15.8	18.2	16.7	16.4	177.2	5	1672
	21 LST 14.7	12.0	12.0	9.5	8.7	7.6	6.6	8.2	8.8	13.4	13.4	18.4	133.3	5	1673
	03 LST 8.7	5.7	9.8	9.5	9.7	7.4	5.0	6.6	9.5	13.0	16.2	14.9	116.0	5	1671
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST 9.0	11.0	9.1	7.7	5.7	2.6	6.2	8.8	8.0	10.0	11.4	10.4	99.9	5	1672
	15 LST 5.5	7.7	9.0	8.3	5.2	2.8	5.0	10.6	10.2	8.4	11.2	10.6	94.5	5	1673
	21 LST 12.2	12.0	11.7	8.5	7.0	3.8	8.6	14.0	8.2	10.0	13.4	14.8	124.2	5	1673
	03 LST 11.0	13.7	13.1	11.5	8.7	5.6	9.6	12.8	11.9	11.0	15.2	15.6	139.7	5	1672
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST 28.2	23.9	24.9	22.7	21.4	16.4	25.4	28.4	25.1	26.2	26.2	27.2	296.0	5	1662
	15 LST 26.2	25.7	27.2	26.5	26.5	23.9	28.4	30.6	27.4	28.2	27.2	28.6	328.4	5	1670
	21 LST 29.0	24.7	28.2	25.5	26.5	22.3	28.4	29.6	27.4	27.4	26.6	28.2	323.8	5	1673
	03 LST 28.7	24.9	28.5	25.4	24.3	21.9	26.0	29.0	27.5	27.0	28.4	29.2	320.9	5	1662
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST 21.0	20.4	20.1	18.4	17.4	14.2	21.2	25.4	21.5	22.7	22.5	22.1	246.9	5	1662
	15 LST 18.7	20.2	23.3	22.2	23.0	19.5	25.1	27.0	25.0	22.6	23.4	21.6	271.6	5	1670
	21 LST 20.0	21.7	21.2	22.7	20.5	17.3	23.2	24.8	23.0	22.8	23.0	24.0	264.2	5	1673
	03 LST 20.7	20.9	24.6	23.1	19.7	17.2	22.0	24.4	24.4	22.6	25.8	25.2	270.6	5	1662
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST 21.0	19.9	19.6	18.2	17.1	14.2	21.2	25.4	21.5	22.1	22.3	21.7	244.2	5	1662
	15 LST 17.7	19.9	23.0	21.9	23.0	19.5	25.0	27.0	24.4	22.2	22.8	21.6	268.0	5	1670
	21 LST 19.2	21.5	21.0	22.2	20.0	17.1	23.0	24.8	22.8	22.6	22.8	23.6	260.6	5	1673
	03 LST 20.7	20.7	24.4	22.6	19.2	17.0	21.8	24.0	24.4	22.4	25.6	25.0	267.8	5	1662

TOKUSHIMA, JAPAN

STA NO. 47895 (IN AREA NUMBER 06) LATITUDE 3407N LONGITUDE 13436E ELEVATION (FT) 00005

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	70	73	80	83	87	93	99	99	95	89	79	74	99	33	-594
MEAN MAX TMP (F)	49	50	55	65	73	79	86	89	82	72	63	54	68	30	-99
MEAN MIN TMP (F)	34	34	38	48	56	64	72	73	68	57	47	38	52	30	-99
ABS MIN TMP (F)	22	24	26	31	40	49	60	62	53	40	30	24	22	38	-599
MEAN NO DYS TMP ± OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	8.0	14.1	2.3	0.0	0.0	0.0	24.5	10	3629
MEAN NO DYS TMP ± OR LES 32(F)	8.7	7.6	2.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	19.8	10	3642
MEAN NO DYS TMP ± OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3642
MEAN DEN PT TMP (F)	31	32	38	47	56	65	73	74	68	56	46	36	52	10	14618
MEAN REL HUM (PCT)	68	68	71	73	72	80	81	79	82	75	73	69	74	30	-99
MEAN PRESS ALT (FT)	-174	-147	-121	-59	26	115	122	120	20	-106	-173	-178	-45	0	-50
MEAN PRECIP. (IN)	2.01	2.44	3.99	5.06	6.06	7.80	7.60	7.71	12.48	7.37	3.46	2.34	68.3	30	-99
MEAN SNOW FALL (IN)	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	10	3637
MEAN NO DYS PRCP ± OR GTR 0.1 IN	4.5	5.4	6.7	7.8	8.6	9.7	9.5	9.6	14.7	9.9	5.3	5.2	96.9	30	-29
MEAN NO DYS SNFL ± OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3637
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.1	0.2	0.4	0.3	0.4	0.6	0.3	0.3	0.2	0.0	0.0	0.0	2.8	10	3623
MEAN NO DYS TSTMS	0.0	0.0	0.3	0.4	0.4	0.9	2.6	2.5	1.8	0.3	0.2	0.1	9.5	30	-100
P FREQ WND SPD ± OR GTR 17 KTS	8.9	7.3	7.9	12.1	7.8	4.4	3.3	5.4	5.6	2.7	2.4	4.4	6.0	10	29110
P FREQ WND SPD ± OR GTR 28 KTS	0.2	0.1	0.1	0.5	0.2	0.0	0.0	0.9	1.8	0.2	0.0	0.0	0.3	10	29110
P FREQ LES 5000 FT A/O LES 5 MI	26.5	24.1	28.1	27.9	27.6	31.8	27.5	24.8	31.6	28.1	26.3	25.7	27.5	10	14453
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	1.2	2.2	1.5	2.7	2.5	4.6	5.2	2.1	6.2	1.5	2.2	0.8	2.7	10	-30
03-05 LST	1.0	2.5	1.0	2.4	3.0	6.4	7.5	2.3	6.0	1.9	2.3	1.0	3.1	10	3626
06-08 LST	1.5	2.5	1.3	4.5	3.8	6.9	5.9	2.8	5.7	1.8	2.2	1.0	3.3	10	-30
09-11 LST	1.9	2.5	1.6	6.5	4.6	7.4	4.2	3.2	5.4	1.6	2.0	1.0	3.5	10	3630
12-14 LST	2.3	2.5	1.3	5.1	4.6	5.4	2.9	3.2	5.5	1.8	2.0	1.5	3.2	10	-30
15-17 LST	2.6	2.5	1.0	3.7	4.6	3.4	1.6	3.2	5.7	1.9	2.0	1.9	2.8	10	3637
18-20 LST	2.0	2.2	1.5	3.4	3.3	3.1	2.3	2.6	6.1	1.5	2.0	1.3	2.6	10	-30
21-23 LST	1.3	1.8	2.0	3.0	2.0	2.7	2.9	1.9	6.4	1.0	2.0	0.6	2.3	10	3633
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.3	0.0	0.4	0.2	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.2	0.1	10	-30
03-05 LST	0.3	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.0	0.0	0.1	10	3626
06-08 LST	0.3	0.0	0.2	0.2	0.0	0.5	0.2	0.2	0.0	0.0	0.0	0.3	0.2	10	-30
09-11 LST	0.3	0.0	0.3	0.3	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.6	0.2	10	3630
12-14 LST	0.3	0.0	0.2	0.2	0.0	0.9	0.0	0.5	0.2	0.0	0.0	0.6	0.2	10	-30
15-17 LST	0.3	0.0	0.0	0.0	0.0	0.7	0.0	1.0	0.3	0.0	0.0	0.6	0.2	10	3637
18-20 LST	0.3	0.0	0.4	0.2	0.0	0.4	0.0	0.5	0.2	0.0	0.0	0.5	0.2	10	-30
21-23 LST	0.3	0.0	0.7	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	10	3633

TOKUSHIMA, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST 29.8	27.3	30.3	28.6	29.9	27.4	29.3	29.7	28.6	30.5	29.2	30.2	350.8	10	3630
	15 LST 30.2	27.3	30.3	29.0	30.0	28.8	30.4	30.3	28.7	30.4	29.2	30.5	355.1	10	3637
	21 LST 30.3	27.6	30.4	29.3	30.4	28.5	30.6	30.3	28.6	30.5	29.6	30.7	356.8	10	3633
	03 LST 30.1	27.5	30.6	29.4	30.0	27.6	28.6	30.3	28.4	30.2	29.5	30.7	352.9	10	3626
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	09 LST 18.0	18.0	18.5	18.1	20.9	19.9	23.7	24.1	22.7	24.8	23.0	20.5	252.2	10	3629
	15 LST 9.7	8.7	11.2	11.5	14.0	16.0	18.8	16.9	16.4	17.1	16.1	13.1	169.5	10	3637
	21 LST 20.5	20.0	22.1	20.0	20.7	21.2	22.6	23.2	22.1	25.7	24.6	22.7	265.4	10	3633
	03 LST 21.5	21.8	24.0	21.5	23.7	23.7	24.6	26.3	24.1	26.4	24.5	23.8	285.9	10	3625
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST 2.3	1.2	1.7	1.5	1.0	0.4	0.0	0.3	0.8	0.4	0.3	1.0	10.9	10	3643
	15 LST 4.5	4.6	3.9	4.6	3.5	2.4	1.8	2.4	1.0	1.3	1.1	4.9	34.0	10	3641
	21 LST 1.3	0.8	0.9	1.6	0.9	0.2	0.6	0.2	0.4	0.4	0.4	0.3	8.0	10	3640
	03 LST 1.3	0.6	0.7	0.8	0.4	0.2	0.3	0.2	0.3	0.2	0.1	0.7	5.8	10	3643
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST 13.1	12.4	12.2	12.7	12.2	12.2	14.9	14.6	12.5	16.0	18.0	14.4	165.2	10	3643
	15 LST 8.7	8.7	9.9	9.8	12.0	13.3	11.6	10.7	12.8	16.1	14.4	10.9	138.9	10	3641
	21 LST 12.2	12.7	12.4	10.0	9.2	7.6	8.2	10.9	10.2	13.7	14.3	14.8	136.2	10	3640
	03 LST 13.1	12.2	14.1	12.2	9.2	8.2	6.0	8.3	9.3	15.1	16.1	15.9	139.7	10	3642
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST 12.0	10.5	8.6	8.7	6.4	3.1	6.3	10.5	7.3	7.7	12.0	12.7	105.8	10	3642
	15 LST 8.5	7.6	7.0	8.9	5.5	3.5	6.8	8.4	6.9	9.3	9.8	10.3	92.5	10	3637
	21 LST 14.0	12.5	11.5	10.5	8.6	5.3	10.7	13.3	9.3	10.6	12.4	14.7	133.4	10	3638
	03 LST 16.0	12.6	12.7	12.7	11.1	5.5	9.9	14.3	10.6	11.0	16.4	15.6	148.4	10	3641
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST 28.5	25.7	27.8	25.6	26.1	24.3	26.8	27.6	25.7	27.9	27.2	28.6	321.8	10	3630
	15 LST 28.5	25.9	28.0	26.7	27.0	25.8	28.2	28.3	25.2	28.8	27.6	28.8	328.8	10	3637
	21 LST 29.0	26.5	28.1	26.7	27.7	25.3	28.2	28.6	26.1	28.0	28.1	29.3	331.6	10	3633
	03 LST 28.7	26.2	28.5	26.3	26.5	24.7	26.1	28.2	25.7	28.2	27.5	29.6	326.2	10	3626
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST 21.4	20.1	20.4	20.2	21.2	19.6	22.0	23.4	19.7	21.0	21.5	22.4	252.9	10	3630
	15 LST 19.7	19.0	19.6	20.7	21.7	19.7	22.9	23.4	20.8	23.1	20.6	21.0	252.2	10	3637
	21 LST 21.4	21.1	20.9	20.5	21.7	17.8	21.4	22.4	19.9	21.3	20.6	21.3	250.3	10	3633
	03 LST 23.2	20.3	23.1	21.4	22.5	19.2	21.3	23.5	19.3	21.6	22.5	23.3	261.2	10	3626
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST 21.4	20.0	20.3	20.1	21.2	19.6	22.0	23.4	19.7	21.0	21.5	22.4	252.6	10	3630
	15 LST 19.7	19.0	19.5	20.6	21.7	19.6	22.9	23.4	20.6	23.0	20.5	21.0	251.5	10	3637
	21 LST 21.4	20.6	20.8	20.3	21.7	17.7	21.4	22.4	19.9	21.3	20.6	21.2	249.3	10	3633
	03 LST 23.1	20.3	23.1	21.2	22.1	18.8	21.2	23.5	19.3	21.5	22.5	23.3	259.9	10	3626

AREA NO. 06

JAPAN LOWLANDS BOUNDARIES 3425N 13150E 3400N 13200E 3510N 13530E LATITUDE 3420N LONGITUDE 13400E 3400N 13200E 3345N 13230E 3345N 13230E 3410N 13525E

PARAMETER DESCRIPTION
 MEAN MAX TMP (F)
 MEAN MIN TMP (F)
 LARGEST MEAN PRECIP(IN)
 SMALLEST MEAN PRECIP(IN)

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	48	49	55	65	72	79	86	89	82	72	63	54	68
MEAN MIN TMP (F)	33	33	38	47	55	64	72	73	67	55	45	37	52
LARGEST MEAN PRECIP(IN)	2.48	2.56	4.20	8.31	7.47	10.10	9.27	7.71	12.48	7.37	3.44	2.40	77.8
SMALLEST MEAN PRECIP(IN)	1.64	1.78	2.90	3.84	4.36	6.74	5.16	3.61	6.76	3.87	2.00	1.21	43.9

MEAN NUMBER OF DAYS

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
09 LST	27.4	23.4	25.7	24.8	25.4	23.5	26.1	28.3	27.1	28.1	26.3	25.0	311.1
15 LST	30.0	26.5	29.5	27.8	28.6	27.0	29.9	30.3	28.8	30.1	28.8	29.5	346.8
21 LST	29.6	25.9	29.2	27.2	27.8	26.2	29.6	30.0	28.0	29.4	28.3	29.1	340.3
03 LST	29.4	25.8	28.9	26.5	26.6	24.2	28.2	29.3	27.8	29.3	28.7	29.4	334.1
09 LST	19.7	18.7	19.5	19.9	21.3	19.9	23.4	25.4	23.6	23.6	22.8	20.5	258.3
15 LST	14.6	14.6	18.1	18.4	19.7	20.6	23.6	23.7	22.5	23.1	21.8	20.3	241.0
21 LST	24.4	22.3	24.7	23.7	24.8	23.8	27.3	27.6	24.9	26.1	25.1	26.1	300.8
03 LST	23.1	21.9	24.9	22.2	23.1	21.8	26.5	27.1	24.7	25.1	24.4	25.0	289.8
09 LST	1.0	0.6	0.6	0.6	0.2	0.2	0.0	0.2	0.3	0.2	0.1	0.3	4.3
15 LST	2.4	2.1	1.5	1.5	1.1	0.7	0.3	0.6	0.4	0.7	0.6	0.9	12.8
21 LST	0.6	0.3	0.4	0.4	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.1	2.8
03 LST	0.7	0.5	0.2	0.2	0.1	0.0	0.1	0.7	0.6	0.2	0.2	0.4	3.9

CIG ≥GTR 2000 FT AND VSBY ≥GTR 3 MI W/SFC WND LES 10 KTS

SFC WND = GTR 17 KTS AND NO PRECIP.


SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.

SKY COVER LES 3/10 AND VSBY = GTR 3 MI

CIG = GTR 2500 FT AND VSBY = GTR 3 MI

CIG = GTR 6000 FT AND VSBY = GTR 3 MI

CIG = GTR 10000 FT AND VSBY = GTR 3 MI



BLANK PAGE

FUKUI, JAPAN

STA NO. 47616 (IN AREA NUMBER 07)

LATITUDE 3239N

LONGITUDE 12850E

ELEVATION(FT) 00262

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	62	71	76	85	88	93	99	98	96	86	74	69	99	10	3637
MEAN MAX TMP (F)	42	45	53	64	72	77	86	88	81	69	61	50	66	10	3637
MEAN MIN TMP (F)	31	31	36	46	55	63	71	72	65	54	44	37	50	10	3649
ABS MIN TMP (F)	18	16	19	28	38	48	62	56	48	38	31	20	16	10	3649
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.7	10.4	12.9	3.7	0.0	0.0	0.0	27.7	10	3637
MEAN NO DYS TMP = OR LES 32(F)	20.5	18.6	10.8	0.9	0.0	0.0	0.0	0.0	0.0	0.0	1.0	6.6	58.4	10	3649
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3649
MEAN DEW PT TMP (F)						65	71	76	68					8	-29
MEAN REL HUM (PCT)						84	79	87	85					5	71
MEAN PRESS ALT (FT)	7	44	99	194	291	390	407	393	279	121	36	18	190	0	-50
MEAN PRECIP (IN)	15.22	8.12	5.66	6.08	6.32	9.40	7.74	7.97	9.09	6.66	6.34	12.34	100.9	10	3652
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0	0.0			10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	23.0	15.4	12.0	9.1	9.8	11.1	9.3	8.4	10.8	10.1	12.3	20.8	152.1	10	3652
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0	0.0			10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI						0.0	0.0	0.0	0.0					5	12
MEAN NO DYS TSTMS						0.0	0.0	0.0	0.0		0.0			6	14
P FREQ WND SPD = OR GTR 17 KTS	2.5	2.0	2.6	5.3	2.5	0.5	0.1	0.9	3.2	1.8	1.6	2.1	2.1	10	29167
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.0	0.0	0.3	0.0	0.0	0.0	0.1	0.4	0.0	0.0	0.1	0.1	10	29167
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	257
12-14 LST														0	0
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	160
18-20 LST														0	0
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	614
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	257
12-14 LST														0	0
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	160
18-20 LST														0	0
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	614

FUKUI, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	31.0	25.6	31.0	29.1	31.0	30.0	29.7	30.0	27.8	31.0	28.2	29.3	353.7	10	257	
	15 LST	31.0	28.0	31.0	30.0	31.0	31.0	31.0	30.0	31.0	30.0	31.0	365.0	10	160	
	21 LST	27.5	27.2	31.0	30.0	31.0	31.0	31.0	29.5	30.5	29.6	28.7	357.0	10	614	
	03 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	26.6	25.6	28.5	29.1	29.8	30.0	28.4	30.0	27.8	29.5	28.2	29.3	342.8	10	257	
	15 LST	22.1	28.0	16.2	15.0	19.6	7.5	3.4	5.0	15.5	24.5	27.9	190.9	10	160	
	21 LST	27.5	27.2	29.9	29.1	30.4	28.9	31.0	28.5	27.8	29.2	28.7	349.2	10	614	
	03 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	0.1	0.3	0.3	0.8	0.3	0.1	0.0	0.2	0.4	0.0	0.1	0.0	2.6	10	3642	
	15 LST	0.3	0.7	0.8	1.9	1.1	0.2	0.3	1.3	0.9		0.2		10	3649	
	21 LST	0.2	0.0	0.2	0.6	0.2	0.0	0.2	0.2	0.0	0.1	0.2	1.9	10	3648	
	03 LST													6	14	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	5.0	7.7	11.2	13.5	13.3	12.4	11.6	11.4	9.6	11.7	11.4	10.7	129.5	10	3642	
	15 LST	7.5	9.0	11.6	10.9	13.0	13.7	11.3	10.4	14.9	13.1	14.8	7.9	138.1	10	3649
	21 LST	4.5	5.8	10.3	12.3	10.4	8.3	9.9	9.8	9.5	11.7	11.4	8.8	112.7	10	3647
	03 LST													6	14	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	2.2	4.2	6.8	8.6	7.5	3.5	6.3	10.3	7.9	7.9	8.9	5.0	79.1	10	3642	
	15 LST	2.1	4.2	6.3	8.3	6.2	4.7	7.1	10.0	6.5	8.2	4.5	76.7	10	3649	
	21 LST	3.3	5.7	9.7	11.5	9.3	5.7	9.0	13.3	9.5	10.9	12.2	6.6	106.7	10	3647
	03 LST													5	12	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	31.0	25.6	31.0	29.1	31.0	30.0	29.7	30.0	27.8	31.0	28.2	29.3	353.7	10	257	
	15 LST	31.0	28.0	31.0	30.0	31.0	31.0	31.0	30.0	31.0	30.0	31.0	365.0	10	160	
	21 LST	27.5	27.2	31.0	30.0	31.0	31.0	31.0	29.5	30.5	29.6	28.7	357.0	10	614	
	03 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	31.0	25.6	31.0	29.1	31.0	30.0	29.7	30.0	27.8	31.0	28.2	29.3	353.7	10	257	
	15 LST	31.0	28.0	31.0	30.0	31.0	31.0	31.0	30.0	31.0	30.0	31.0	365.0	10	160	
	21 LST	27.5	27.2	31.0	30.0	31.0	31.0	31.0	29.5	30.5	29.6	28.7	357.0	10	614	
	03 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	31.0	25.6	31.0	29.1	31.0	30.0	29.7	30.0	27.8	31.0	28.2	29.3	353.7	10	257	
	15 LST	31.0	28.0	31.0	30.0	31.0	31.0	31.0	30.0	31.0	30.0	31.0	365.0	10	160	
	21 LST	27.5	27.2	31.0	30.0	31.0	31.0	31.0	29.5	30.5	29.6	28.7	357.0	10	614	
	03 LST													0	0	

TSU, JAPAN

STA NO. 47651 (IN AREA NUMBER 07)

LATITUDE 3443N LONGITUDE 13631E ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	65	73	72	83	89	96	99	100	96	87	81	70	100	40	-599
MEAN MAX TMP (F)	48	48	53	63	71	77	85	87	80	70	61	52	66	30	-99
MEAN MIN TMP (F)	32	33	37	46	54	64	71	73	66	54	44	36	51	30	-99
ABS MIN TMP (F)	18	19	22	27	38	48	58	58	48	36	30	24	18	40	-599
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.3	5.4	8.6	0.5	0.0	0.0	0.0	14.8	10	3647
MEAN NO DYS TMP = OR LES 32(F)	14.6	12.0	5.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	36.5	10	3650
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3650
MEAN DEW PT TMP (F)	29	30	35	46	54	63	71	73	67	55	44	34	50	30	-29
MEAN REL HUM (PCT)	69	69	70	75	77	80	81	81	83	79	75	70	76	30	-99
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.10	2.60	4.38	6.11	6.69	10.06	7.24	8.32	11.83	7.24	3.19	2.21	72.0	30	-99
MEAN SNOW FALL (IN)	3.9	2.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	7.6	13	-47635
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.7	5.6	7.1	8.7	9.1	11.1	9.2	10.0	14.2	9.8	4.9	4.9	99.3	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.8	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.5	13	-47635
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														8	14
MEAN NO DYS TSTMS	0.1	0.0	0.2	0.3	0.5	1.1	3.3	3.8	2.6	0.5	0.1	0.1	12.6	30	-100
P FREQ WND SPD = OR GTR 17 KTS	10.6	7.5	6.7	6.0	3.6	3.6	2.4	6.1	5.6	4.1	1.9	5.6	5.3	10	29193
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.1	0.2	0.0	0.0	0.0	0.2	0.7	0.6	0.5	0.0	0.2	0.2	10	29193
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	283
03-05 LST														1	4
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														10	172
15-17 LST														0	0
18-20 LST														10	728
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														10	283
12-14 LST														1	4
15-17 LST														10	173
18-20 LST														0	0
21-23 LST														10	728

TSU, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	31.0	23.5	26.0	28.4	31.0	30.0	22.1	29.2	25.7	31.0	29.4	337.3	10	283	
	15 LST	31.0	28.0	29.6	29.1	31.0	30.0	27.5	31.0	30.0	31.0	29.6	357.8	10	173	
	21 LST	30.6	28.0	30.6	30.0	31.0	30.0	31.0	29.2	30.5	29.7	30.7	362.3	10	728	
	03 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WIND LES 10 KTS	09 LST	18.6	19.0	16.0	24.3	23.9	25.0	22.1	25.5	17.1	25.8	26.1	267.1	10	283	
	15 LST	10.3	20.5	21.5	14.5	19.4	12.0	17.2	9.3	20.0	17.2	16.5	22.9	201.3	10	173
	21 LST	20.9	24.4	28.2	26.3	26.2	27.6	27.4	29.3	28.3	28.0	28.7	26.4	321.7	10	728
	03 LST													0	0	
SFC WIND = GTR 17 KTS AND NO PRECIP.	09 LST	2.3	1.6	2.0	2.1	1.2	0.5	0.4	0.3	0.6	1.1	0.7	1.9	14.7	3650	
	15 LST	3.7	2.3	2.7	2.7	2.8	1.1		1.7	1.5	1.5		2.0	10	3650	
	21 LST	1.6	0.6	0.7	0.5	0.1	0.1	0.2	0.4	0.5	0.3	0.3	1.0	6.3	3650	
	03 LST													8	16	
SFC WIND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST	9.2	8.8	9.5	11.5	12.5	14.9	16.8	18.0	11.4	9.4	10.8	11.3	144.1	3647	
	15 LST	7.4	5.4	9.6	9.4	11.7	12.4	14.7	12.0	12.7	12.3	12.1	10.8	133.5	3649	
	21 LST	13.9	11.9	15.9	10.9	12.2	11.4	11.5	11.2	10.4	12.6	15.8	18.4	156.1	3650	
	03 LST													8	16	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	14.8	11.2	8.1	7.9	6.4	3.5	5.5	7.6	5.8	8.7	14.3	15.2	109.0	3650	
	15 LST	9.2	7.6	9.5	9.1	5.5	3.8	6.5	9.9	7.0	9.2	11.5	10.9	99.9	3649	
	21 LST	16.7	15.7	14.3	11.2	8.9	5.9	9.7	13.0	9.6	12.4	15.3	18.1	150.8	3548	
	03 LST													8	14	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST	31.0	23.5	26.0	28.4	31.0	30.0	22.1	29.2	25.7	31.0	29.4	337.3	10	283	
	15 LST	31.0	28.0	29.6	29.1	31.0	30.0	27.5	31.0	30.0	31.0	29.6	357.8	10	173	
	21 LST	30.6	28.0	30.6	30.0	31.0	30.0	31.0	29.2	30.5	29.7	30.7	362.3	10	728	
	03 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST	31.0	23.5	26.0	28.4	31.0	30.0	22.1	29.2	25.7	31.0	29.4	337.3	10	283	
	15 LST	31.0	28.0	29.6	29.1	31.0	30.0	27.5	31.0	30.0	31.0	29.6	357.8	10	173	
	21 LST	30.6	28.0	30.6	30.0	31.0	30.0	31.0	29.2	30.5	29.7	30.7	362.3	10	728	
	03 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	31.0	23.5	26.0	28.4	31.0	30.0	22.1	29.2	25.7	31.0	29.4	337.3	10	283	
	15 LST	31.0	28.0	29.6	29.1	31.0	30.0	27.5	31.0	30.0	31.0	29.6	357.8	10	173	
	21 LST	30.6	28.0	30.6	30.0	31.0	30.0	31.0	29.2	30.5	29.7	30.7	362.3	10	728	
	03 LST													0	0	

SHIMONOSEKI, JAPAN

STA NO. 47762 (IN AREA NUMBER 07)

LATITUDE 3357N

LONGITUDE 13056E

ELEVATION(FT) 00158

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	66	68	73	81	84	90	96	99	93	85	78	69	99	44	-599
MEAN MAX TMP (F)	48	46	53	63	70	76	83	87	80	71	61	52	66	30	-99
MEAN MIN TMP (F)	37	37	41	49	57	66	71	74	68	58	49	41	54	30	-99
ABS MIN TMP (F)	21	20	22	35	44	49	59	64	56	46	33	24	20	44	-599
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	3.5	8.5	0.8	0.0	0.0	0.0	12.9	10	3633
MEAN NO DYS TMP = OR LES 32(F)	4.8	1.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	7.4	10	3644
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3644
MEAN DEW PT TMP (F)	31	33	38	46	56	64	73	73	67	55	46	37	52	10	29155
MEAN REL HUM (PCT)	70	70	71	75	78	84	84	81	79	74	72	69	76	30	-99
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.82	3.36	4.54	5.64	5.91	10.08	9.15	4.84	7.50	4.56	2.71	3.00	64.1	30	-99
MEAN SNOW FALL (IN)	1.9	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	12	-47803
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.0	7.0	7.3	8.3	8.5	11.1	10.6	7.1	10.0	6.6	4.3	6.4	93.2	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	12	-47803
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.5	1.0	1.1	1.3	0.6	1.3	0.5	0.0	0.1	0.1	0.0	0.3	6.8	10	3649
MEAN NO DYS TSTMS	0.2	0.1	0.6	0.9	0.5	1.3	2.7	2.6	1.9	0.3	0.2	0.2	11.5	30	-100
P FREQ WND SPD = OR GTR 17 KTS	21.9	14.0	12.2	15.9	14.7	10.1	9.8	10.5	7.7	5.0	6.1	13.1	11.8	10	29155
P FREQ WND SPD = OR GTR 28 KTS	0.9	0.6	0.4	1.6	2.0	1.3	0.2	1.9	1.2	0.2	0.3	0.6	0.9	10	29155
P FREQ LES 5000 FT A/O LES 5 MI	57.7	38.2	31.5	23.4	22.8	30.8	31.9	23.0	24.9	17.9	26.0	42.1	30.9	10	28973
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	6.1	7.1	6.5	7.0	9.7	12.1	10.1	4.5	4.0	2.3	2.3	2.9	6.2	10	3642
03-05 LST	6.2	7.1	6.5	8.4	10.7	13.5	11.5	6.2	6.4	2.9	3.7	1.9	7.1	10	3632
06-08 LST	5.5	8.2	10.8	14.1	19.9	22.2	21.1	12.6	14.5	6.1	3.7	2.6	11.8	10	3625
09-11 LST	20.4	16.8	9.1	12.5	16.2	22.5	18.4	10.4	12.1	6.8	7.4	13.0	13.8	10	3625
12-14 LST	9.4	7.5	7.4	11.4	12.6	16.1	11.0	5.8	10.8	3.2	3.7	6.8	9.8	10	3637
15-17 LST	7.8	6.8	6.1	10.0	10.7	16.7	9.4	5.5	8.1	3.2	3.3	4.9	7.7	10	3636
18-20 LST	10.3	9.3	11.0	10.5	12.6	16.2	12.3	7.5	9.1	6.2	3.3	6.0	9.6	10	3628
21-23 LST	7.1	8.2	9.1	8.8	10.3	14.4	9.1	4.5	7.3	3.3	5.0	3.2	7.5	10	3633
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.3	0.7	0.0	0.7	0.3	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.2	10	3642
03-05 LST	0.0	0.4	0.3	0.3	0.3	1.0	0.0	0.0	0.3	0.0	0.0	0.0	0.2	10	3632
06-08 LST	1.0	0.7	0.0	3.7	2.6	2.7	2.3	0.3	0.7	1.3	0.0	0.3	1.3	10	3625
09-11 LST	2.6	1.8	1.3	3.0	2.9	2.3	1.6	0.0	0.7	0.3	0.0	1.9	1.5	10	3625
12-14 LST	0.3	0.4	0.6	0.7	1.0	1.7	1.0	0.3	0.3	0.3	0.0	0.0	0.6	10	3637
15-17 LST	0.3	0.7	0.6	0.7	0.6	1.3	1.3	0.3	0.3	0.3	0.0	0.0	0.5	10	3636
18-20 LST	0.6	1.4	1.6	1.0	1.9	1.0	0.6	0.0	0.0	0.7	0.0	0.3	0.8	10	3628
21-23 LST	0.6	0.7	1.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	10	3633

SHIMONOSEKI, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST 20.6	16.4	20.1	20.7	20.1	18.6	22.4	24.1	24.4	24.4	19.7	18.5	250.0	10	3625
	15 LST 27.7	24.3	28.9	26.5	27.6	25.0	27.6	29.5	28.2	30.1	28.3	27.8	331.5	10	3636
	21 LST 27.6	23.4	27.1	26.3	26.3	26.2	28.5	30.0	29.6	29.0	26.6	27.2	326.8	10	3633
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	03 LST 28.9	25.8	28.4	26.0	26.2	25.6	27.6	29.1	27.8	28.9	27.4	30.0	331.7	10	3632
	09 LST 5.7	4.7	8.3	8.0	7.7	8.3	10.9	12.3	11.4	14.2	11.0	5.7	108.2	10	3625
	15 LST 8.9	6.6	9.6	8.1	8.0	9.6	9.5	12.1	11.9	15.5	12.8	10.2	122.8	10	3636
3 MI W/SFC WND LES 10 KTS	21 LST 14.3	13.1	17.9	17.0	17.0	18.5	17.8	20.6	18.7	22.0	20.0	16.8	213.7	10	3633
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST 12.2	13.8	17.2	14.4	14.8	15.5	17.0	20.0	18.5	21.5	19.4	17.0	201.3	10	3631
	09 LST 2.2	3.0	2.7	3.5	2.9	1.6	2.7	2.4	1.5	0.8	1.0	2.7	27.0	10	3647
	15 LST 3.5	2.8	3.1	3.9	2.7	1.7	2.9	3.2	2.2	1.5	1.4	2.9	31.8	10	3646
	21 LST 3.1	1.6	1.4	1.6	1.1	1.1	2.0	1.5	1.5	0.6	0.6	1.6	17.7	10	3644
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST 3.5	2.1	1.6	1.8	1.6	0.5	1.9	1.8	1.0	0.5	0.9	2.7	19.9	10	3640
	09 LST 6.6	9.2	10.0	8.7	10.1	11.2	12.6	12.6	10.2	14.3	12.1	10.3	127.9	10	3647
	15 LST 8.0	7.0	9.6	8.9	10.1	10.9	8.5	10.6	11.7	13.7	12.5	10.6	122.1	10	3646
	21 LST 11.3	10.9	12.7	14.1	12.7	14.1	13.0	12.0	11.4	14.3	13.5	15.2	155.2	10	3644
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST 10.3	10.1	12.3	12.2	11.8	12.4	10.6	12.8	11.6	15.6	14.7	13.4	147.8	10	3640
	09 LST 1.4	1.5	3.7	6.8	5.1	2.9	3.6	5.8	6.4	9.3	5.9	2.6	55.0	10	3646
	15 LST 2.8	6.3	8.4	8.4	6.7	4.2	6.5	8.9	7.5	9.7	10.1	5.6	85.1	10	3645
	21 LST 4.5	7.1	9.1	10.1	9.6	6.2	9.6	12.8	9.1	12.8	9.4	6.2	106.5	10	3644
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST 4.5	6.5	7.9	8.6	8.5	4.8	7.3	11.7	9.5	11.9	10.5	8.7	100.4	10	3641
	09 LST 16.4	14.1	17.9	18.8	18.0	15.7	19.8	22.0	20.7	22.8	17.8	16.0	220.0	10	3625
	15 LST 23.1	21.9	26.4	24.4	25.0	22.2	24.4	27.5	25.3	28.5	26.5	24.5	299.7	10	3636
	21 LST 23.0	20.6	24.6	23.8	24.8	23.6	24.4	27.1	25.1	26.8	24.5	24.4	292.7	10	3633
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST 24.3	22.5	25.3	23.7	23.2	21.3	23.3	25.8	24.5	27.1	25.3	27.7	294.0	10	3632
	09 LST 7.5	8.1	13.5	16.4	17.3	13.3	16.8	18.9	18.1	20.6	13.8	8.9	173.2	10	3625
	15 LST 12.2	16.5	22.2	22.4	23.2	20.6	20.6	25.0	23.3	25.6	22.0	15.8	249.4	10	3636
	21 LST 11.7	13.8	18.4	20.5	22.3	20.0	20.5	23.6	21.8	23.8	18.7	13.9	229.0	10	3633
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST 11.1	14.4	17.5	19.1	19.4	17.2	17.6	21.0	19.4	22.8	19.6	17.4	216.5	10	3632
	09 LST 7.4	8.0	13.2	16.3	17.1	13.3	16.8	18.9	18.1	20.5	13.6	8.9	172.1	10	3625
	15 LST 12.1	16.1	21.9	22.2	22.8	20.6	20.6	25.0	23.3	25.5	21.9	15.8	247.8	10	3636
	21 LST 11.7	13.7	18.2	20.5	22.0	19.9	20.5	23.5	21.7	23.7	18.5	13.7	227.8	10	3633
	03 LST 10.9	14.4	17.3	19.0	19.3	17.1	17.6	21.0	19.1	22.6	19.4	17.3	215.0	10	3632

HOFU AB, JAPAN

STA NO. 47763 (IN AREA NUMBER 07)

LATITUDE 3401N LONGITUDE 13133E ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	63	66	69	78	86	87	94	94	91	85	75	66	94	10	3627
MEAN MAX TMP (F)	47	50	56	64	71	77	84	86	80	72	63	53	67	10	3627
MEAN MIN TMP (F)	33	34	39	47	56	64	73	73	67	55	45	37	52	10	3638
ABS MIN TMP (F)	21	22	22	31	41	51	64	60	51	36	31	25	21	10	3638
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	2.0	3.7	0.2	0.0	0.0	0.0	5.9	10	3627
MEAN NO DYS TMP = OR LES 32(F)	15.3	13.0	6.5	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.3	5.1	40.9	10	3638
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3638
MEAN DEW PT TMP (F)	27	27	32	42	51	59	68	71	63	52	40	32	47	0	-50
MEAN REL HUM (PCT)	76	76	76	76	78	82	86	84	84	78	78	76	79	10	-100
MEAN PRESS ALT (FT)	-233	-189	-148	-58	39	132	143	147	49	-98	-191	-225	-52	0	-50
MEAN PRECIP (IN)	2.38	2.62	3.77	8.26	7.39	12.75	14.04	6.19	7.55	3.46	2.25	1.56	72.2	10	3643
MEAN SNOW FALL (IN)	1.3	2.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	11	-47764
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.4	5.7	8.5	8.3	8.5	10.4	10.0	7.1	9.3	5.0	4.3	3.9	86.4	10	3643
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	11	-47764
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.2	0.2	0.8	1.1	0.6	1.4	3.0	2.5	1.9	0.3	0.1	0.1	12.2	10	-100
P FREQ WND SPD = OR GTR 17 KTS	4.4	3.9	4.4	6.1	4.5	2.1	2.3	3.6	3.2	1.6	2.5	3.0	3.5	10	29086
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.0	0.3	0.4	0.0	0.0	0.0	0.8	0.9	0.0	0.1	0.1	0.2	10	29086
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														10	313
15-17 LST														0	0
18-20 LST														10	186
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														10	313
12-14 LST														0	0
15-17 LST														10	186
18-20 LST														0	0
21-23 LST														10	806

HOFU AB, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20.6	20.7	25.5	26.2	31.0	27.0	31.0	26.2	30.0	30.4	27.4	25.6	321.6	10	313
	15 LST	31.0	28.0	31.0	30.0	31.0	31.0	31.0	30.0	31.0	30.0	31.0	365.0	10	186
	21 LST	31.0	27.2	30.2	29.3	28.7	26.8	31.0	29.9	28.8	30.7	29.4	352.9	10	808
	03 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	15.5	17.0	23.7	23.0	28.2	27.0	31.0	26.2	30.0	29.2	26.1	24.2	301.1	10	313
	15 LST	19.4	17.2	17.9	11.5	11.4	12.8	20.6	27.5	26.1	21.9	21.2	234.5	10	186
	21 LST	28.1	26.5	27.6	28.2	28.2	23.6	26.4	27.2	27.7	25.0	28.6	324.8	10	808
	03 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	0.6	0.2	0.5	1.0	0.6	0.0	0.4	0.7	0.4	0.2	0.1	0.5	5.2	10	3639
	15 LST	1.2	2.0	2.1	2.2	1.7	0.6	0.5	0.7	0.9		1.2		10	3639
	21 LST	0.0	0.4	0.4	0.2	0.2	0.1	0.5	0.4	0.2	0.3	0.2	3.2	10	3643
	03 LST							3.4	4.3	0.0				9	20
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	12.4	13.5	12.6	10.5	12.0	12.0	13.7	13.3	11.3	18.3	18.3	17.9	165.8	10	3639
	15 LST	11.4	10.2	13.1	13.9	13.7	13.7	16.9	17.3	19.3	17.1	14.2	174.4	10	3639
	21 LST	12.5	13.6	14.1	13.7	12.8	12.5	11.2	13.8	16.3	17.7	18.5	175.4	10	3643
	03 LST							15.5	10.3	0.0	0.0			9	20
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	5.3	5.0	6.6	8.5	6.8	2.9	4.5	6.6	7.5	11.1	11.6	7.6	84.0	10	3639
	15 LST	4.3	6.1	7.0	8.7	7.2	3.8	7.9	6.4	9.7	10.5	7.8	85.6	10	3639
	21 LST	10.8	11.5	11.8	11.1	8.7	5.6	8.9	11.8	9.3	14.1	15.0	132.8	10	3642
	03 LST							0.0	3.4	0.0	0.0			9	20
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20.6	20.7	25.5	26.2	31.0	27.0	31.0	26.2	30.0	30.4	27.4	25.6	321.6	10	313
	15 LST	31.0	28.0	31.0	30.0	31.0	31.0	31.0	30.0	31.0	30.0	31.0	365.0	10	186
	21 LST	31.0	27.2	30.2	29.3	28.7	26.8	31.0	29.9	28.8	30.7	29.4	352.9	10	808
	03 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20.6	20.7	25.5	26.2	31.0	27.0	31.0	26.2	30.0	30.4	27.4	25.6	321.6	10	313
	15 LST	31.0	28.0	31.0	30.0	31.0	31.0	31.0	30.0	31.0	30.0	31.0	365.0	10	186
	21 LST	31.0	27.2	30.2	29.3	28.7	26.8	31.0	29.9	28.8	30.7	29.4	352.9	10	808
	03 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20.6	20.7	25.5	26.2	31.0	27.0	31.0	26.2	30.0	30.4	27.4	25.6	321.6	10	313
	15 LST	31.0	28.0	31.0	30.0	31.0	31.0	31.0	30.0	31.0	30.0	31.0	365.0	10	186
	21 LST	31.0	27.2	30.2	29.3	28.7	26.8	31.0	29.9	28.8	30.7	29.4	352.9	10	808
	03 LST													0	0

OSAKA INTL., JAPAN

STA NO. 47771 (IN AREA NUMBER 07)

LATITUDE 34°7N

LONGITUDE 135°26E

ELEVATION(FT) 00049

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	66	73	76	84	88	94	98	102	95	91	80	75	102	68	-528
MEAN MAX TMP (F)	47	48	54	65	73	80	87	90	83	72	62	52	68	60	-28
MEAN MIN TMP (F)	32	33	37	47	55	64	73	74	67	55	44	37	52	60	-28
ABS MIN TMP (F)	19	20	23	27	38	48	59	57	51	37	28	24	19	68	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	10.9	21.3	3.6	0.0	0.0	0.0	36.2	10	3452
MEAN NO DYS TMP = OR LES 32(F)	19.1	17.1	10.7	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.5	9.5	58.2	10	3452
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3452
MEAN DEW PT TMP (F)	33	33	38	47	55	64	72	73	67	56	46	37	52	10	82623
MEAN REL HUM (PCT)	69	69	69	71	71	75	76	74	75	74	72	70	72	62	-28
MEAN PRESS ALT (FT)	-134	-105	-79	-17	69	156	162	167	73	-53	-126	-136	-1	0	-50
MEAN PRECIP (IN)	1.70	2.30	3.80	5.20	4.90	7.40	5.90	4.40	7.00	5.10	3.00	1.90	52.6	60	-28
MEAN SNOW FALL (IN)	0.2	1.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	10	3452
MEAN NO DYS PRCP = GR GTR 0.1 IN	3.9	5.1	6.5	7.9	7.7	9.4	8.1	6.6	9.5	7.3	4.7	4.3	81.0	60	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	10	3452
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.6	0.6	1.3	1.1	0.5	0.6	0.8	0.1	0.5	0.1	0.9	1.3	9.4	10	3452
MEAN NO DYS TSTMS	0.1	0.1	0.4	0.4	0.9	1.6	4.1	3.7	1.9	0.1	0.3	0.1	13.7	10	3452
P FREQ WND SPD = OR GTR 17 KTS	3.1	3.4	3.1	2.4	2.2	2.8	2.2	1.9	1.4	1.0	1.0	1.3	2.2	10	82825
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.3	0.1	0.0	0.0	0.1	10	82825
P FREQ LES 5000 FT A/O LES 5 MI	33.7	35.1	36.0	31.2	30.4	43.3	39.6	23.6	27.2	20.9	24.3	32.0	31.4	10	82837
P FREQ LES 1500 FT A/O LES 3 MI	5.1	3.1	1.4	3.5	3.8	8.2	8.5	1.1	1.0	2.0	1.6	4.4	3.6	10	10358
FOR 00-02 LST	3.7	3.5	1.4	3.6	5.4	9.4	9.7	1.3	2.3	0.7	1.5	3.5	3.8	10	10357
03-05 LST	7.2	5.6	7.4	6.9	9.5	16.1	14.4	6.6	4.2	2.5	3.6	7.6	7.6	10	10355
06-08 LST	13.7	10.4	9.4	6.5	6.6	13.8	11.9	6.0	4.4	3.6	7.1	15.8	9.1	10	10356
09-11 LST	10.2	7.9	6.9	6.0	6.3	8.7	9.0	3.3	4.4	2.8	5.1	12.8	7.0	10	10355
12-14 LST	9.6	7.2	5.9	8.1	8.3	9.6	6.7	1.9	5.7	3.9	8.2	11.8	7.2	10	10356
15-17 LST	11.9	10.9	5.5	10.0	8.5	13.4	7.3	2.4	6.7	4.3	9.1	14.6	8.7	10	10355
18-20 LST	8.2	7.9	4.1	5.8	4.1	11.1	4.9	0.9	4.0	1.9	4.5	7.0	5.4	10	10354
21-23 LST	1.6	0.0	0.1	0.6	0.3	0.4	0.5	0.0	0.0	0.0	0.0	1.0	0.4	10	10356
FOR 00-02 LST	1.7	0.3	0.0	1.0	1.3	1.2	0.6	0.0	0.1	0.2	0.2	0.4	0.6	10	10357
03-05 LST	2.7	1.2	1.0	1.4	1.3	1.7	1.4	0.3	0.7	0.5	0.6	1.9	1.2	10	10355
06-08 LST	3.3	2.2	1.6	1.0	0.8	0.7	0.9	0.6	0.7	0.2	0.4	2.6	1.3	10	10356
09-11 LST	1.7	2.5	0.8	0.7	0.2	0.4	0.6	0.2	0.1	0.3	0.2	1.8	0.8	10	10355
12-14 LST	2.5	2.2	1.1	0.5	0.4	0.8	1.0	0.4	0.6	0.3	2.0	3.0	1.2	10	10356
15-17 LST	2.0	1.6	0.5	0.7	0.9	0.8	1.1	0.0	0.9	0.1	2.2	3.6	1.2	10	10355
18-20 LST	1.8	0.3	0.2	0.4	0.6	0.0	0.3	0.0	0.1	0.0	1.1	1.0	0.5	10	10354
21-23 LST															

OSAKA INTL., JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		MEAN NUMBER OF DAYS												POR (YRS)	NO. OBS	
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC			ANN
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	27.2	25.3	28.6	28.0	28.7	25.3	27.3	28.6	28.8	29.8	27.9	27.0	332.5	10	3453
	15 LST	28.6	26.0	29.2	28.3	28.4	27.3	29.7	30.5	28.9	29.8	28.0	27.7	342.4	10	3452
	21 LST	28.2	25.8	29.6	28.3	29.4	26.4	29.5	30.8	28.9	30.3	28.7	28.3	344.2	10	3452
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	03 LST	29.9	27.1	30.9	29.2	29.9	28.4	28.9	30.8	29.5	30.9	29.6	30.1	355.2	10	3453
	09 LST	22.8	19.7	21.4	22.3	22.3	19.5	21.5	22.5	23.4	26.4	24.2	23.2	269.2	10	3453
	15 LST	13.8	12.0	12.9	13.3	13.2	13.1	13.0	15.7	18.3	19.6	19.5	17.3	181.7	10	3452
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	23.5	21.4	25.3	23.3	24.7	20.6	24.1	26.4	24.3	27.3	25.6	23.5	290.0	10	3452
	03 LST	25.9	24.1	26.9	26.1	26.2	24.6	24.9	27.4	26.4	28.2	27.9	26.4	315.0	10	3453
	09 LST	0.9	1.0	0.9	0.2	0.6	0.3	0.2	0.5	0.2	0.3	0.1	0.1	5.3	10	3278
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	2.3	1.7	2.9	1.8	2.0	2.1	1.1	2.1	0.6	0.7	0.7	0.9	18.9	10	3255
	21 LST	0.0	0.4	0.1	0.0	0.4	0.1	0.1	0.3	0.2	0.1	0.0	0.3	2.0	10	3262
	03 LST	0.8	0.1	0.2	0.3	0.1	0.3	0.3	0.2	0.0	0.2	0.2	0.3	3.0	10	3251
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	10.4	11.1	13.1	13.8	15.1	13.7	15.2	13.6	14.1	11.6	10.3	10.2	152.2	10	3278
	15 LST	14.8	12.9	15.7	15.4	15.8	14.8	12.1	5.7	16.0	20.6	18.9	17.4	180.1	10	3255
	21 LST	11.4	12.5	14.9	15.5	15.3	15.5	16.8	16.2	15.7	17.9	16.8	15.9	184.4	10	3262
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	7.9	8.4	12.8	14.7	13.7	13.5	12.4	14.0	13.5	14.4	12.5	11.7	149.5	10	3251
	09 LST	7.9	4.4	4.7	6.4	4.4	1.6	2.6	5.6	3.4	7.7	9.8	8.6	67.1	10	3453
	15 LST	2.3	1.7	3.8	4.9	3.0	2.2	3.2	4.4	3.1	4.2	4.7	3.7	41.2	10	3452
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	11.5	10.0	11.3	9.3	7.4	3.0	5.8	8.4	7.8	11.0	13.4	13.8	112.7	10	3452
	03 LST	12.0	8.6	8.6	10.4	8.8	4.1	6.2	11.7	8.9	10.5	13.7	13.9	117.4	10	3453
	09 LST	27.1	25.0	28.0	27.3	27.7	24.3	25.3	28.1	28.0	29.5	27.4	26.7	324.4	10	3453
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	28.3	25.6	28.4	27.7	28.1	26.2	28.1	30.0	28.1	29.6	27.9	27.3	335.3	10	3452
	21 LST	28.1	25.2	28.8	27.3	28.7	25.2	28.5	30.4	28.3	30.1	28.4	28.3	337.3	10	3452
	03 LST	29.0	26.7	29.1	28.5	29.0	26.4	26.5	30.3	28.3	30.6	29.1	29.6	343.1	10	3453
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	21.0	19.1	19.4	19.9	21.5	15.6	17.5	23.2	22.1	25.4	21.7	21.4	247.8	10	3453
	15 LST	14.4	13.1	16.0	20.1	21.2	20.0	21.6	24.5	21.6	23.7	19.1	16.3	231.6	10	3452
	21 LST	23.5	20.4	23.0	21.9	23.6	18.4	20.4	25.6	22.7	25.5	25.0	24.6	274.6	10	3452
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	23.3	20.8	22.9	22.2	22.9	19.1	17.7	24.4	22.4	25.5	25.1	24.2	270.5	10	3453
	09 LST	16.8	15.4	16.0	17.2	19.1	12.9	15.1	21.0	18.1	21.8	19.6	18.9	211.9	10	3453
	15 LST	11.9	10.9	14.4	17.2	18.8	17.0	18.7	23.0	18.1	19.8	16.8	14.5	201.1	10	3452
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	19.5	17.8	20.8	19.2	20.9	15.2	18.1	23.2	18.9	22.5	22.7	21.5	240.3	10	3452
	03 LST	19.7	17.5	19.2	19.1	19.9	16.7	15.0	21.8	19.3	21.4	22.3	21.2	233.1	10	3453

YAO, JAPAN

STA NO. 47779 (IN AREA NUMBER 07)

LATITUDE 3435N

LONGITUDE 13536E

ELEVATION(FT) 00039

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
ABS MAX TMP (F)	66	73	76	84	88	94	98	102	95	91	80	75	102	68	-47771
MEAN MAX TMP (F)	47	48	54	65	73	80	87	90	83	72	62	52	68	60	-47771
MEAN MIN TMP (F)	32	33	37	47	55	64	73	74	67	55	44	37	52	60	-47771
ABS MIN TMP (F)	19	20	23	27	38	48	59	57	51	37	28	24	19	68	-47771
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	10.9	21.3	3.6	0.0	0.0	0.0	36.2	10	-47771
MEAN NO DYS TMP = OR LES 32(F)	19.1	17.1	10.7	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.5	9.5	58.2	10	-47771
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-47771
MEAN DEW PT TMP (F)	33	33	38	47	55	64	72	73	67	56	46	37	52	10	-47771
MEAN REL HUM (PCT)	69	69	69	71	71	75	76	74	75	74	72	70	72	62	-47771
MEAN PRESS ALT (FT)	-145	-117	-93	-33	53	139	144	149	57	-67	-140	-148	-16	0	-50
MEAN PRECIP (IN)	1.70	2.30	3.80	5.20	4.90	7.40	5.90	4.40	7.00	5.10	3.00	1.90	52.6	60	-47771
MEAN SNOW FALL (IN)	0.2	1.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	10	-47771
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.9	5.1	6.5	7.9	7.7	9.4	8.1	6.6	9.5	7.3	4.7	4.3	81.0	60	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	10	-47771
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.6	0.6	1.3	1.1	0.5	0.6	0.8	0.1	0.5	0.1	0.9	1.3	9.4	10	-47771
MEAN NO DYS TSTMS	0.1	0.1	0.4	0.4	0.9	1.6	4.1	3.7	1.9	0.1	0.3	0.1	13.7	10	-47771
P FREQ WND SPD = OR GTR 17 KTS	3.1	3.4	3.1	2.4	2.2	2.8	2.2	1.9	1.4	1.0	1.0	1.3	2.2	10	-47771
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.3	0.1	0.0	0.0	0.1	10	-47771
P FREQ LES 5000 FT A/O LES 5 MI	33.7	35.1	36.0	31.2	30.4	43.3	39.6	23.6	27.2	20.9	24.3	32.0	31.4	10	-47771
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	5.1	3.1	1.4	3.5	3.8	8.2	8.5	1.1	1.0	2.0	1.6	4.4	3.6	10	-47771
03-05 LST	3.7	3.5	1.4	3.6	5.4	9.4	9.7	1.3	2.3	0.7	1.5	3.5	3.8	10	-47771
06-08 LST	7.2	5.6	7.4	6.9	9.5	16.1	14.4	6.6	4.2	2.5	3.6	7.6	7.6	10	-47771
09-11 LST	13.7	10.4	9.4	6.5	6.6	13.8	11.9	6.0	4.4	3.6	7.1	15.8	9.1	10	-47771
12-14 LST	10.2	7.9	6.9	6.0	6.3	8.7	9.0	3.3	4.4	2.8	5.1	12.8	7.0	10	-47771
15-17 LST	9.6	7.2	5.9	8.1	8.3	9.6	6.7	1.9	5.7	3.9	8.2	11.8	7.2	10	-47771
18-20 LST	11.9	10.9	5.5	10.0	8.5	13.4	7.3	2.4	6.7	4.3	9.1	14.6	8.7	10	-47771
21-23 LST	8.2	7.9	4.1	5.8	4.1	11.1	4.9	0.9	4.0	1.9	4.5	7.0	5.4	10	-47771
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	1.6	0.0	0.1	0.6	0.3	0.4	0.5	0.0	0.0	0.0	0.0	1.0	0.4	10	-47771
03-05 LST	1.7	0.3	0.0	1.0	1.3	1.2	0.6	0.0	0.1	0.2	0.2	0.4	0.6	10	-47771
06-08 LST	2.7	1.2	1.0	1.4	1.3	1.7	1.4	0.3	0.7	0.5	0.6	1.9	1.2	10	-47771
09-11 LST	3.3	2.2	1.6	1.0	0.8	0.7	0.9	0.6	0.7	0.2	0.4	2.6	1.3	10	-47771
12-14 LST	1.7	2.5	0.8	0.7	0.2	0.4	0.6	0.2	0.1	0.3	0.2	1.8	0.8	10	-47771
15-17 LST	2.5	2.2	1.1	0.5	0.4	0.8	1.0	0.4	0.6	0.3	2.0	3.0	1.2	10	-47771
18-20 LST	2.0	1.6	0.5	0.7	0.9	0.8	1.1	0.0	0.9	0.1	2.2	3.6	1.2	10	-47771
21-23 LST	1.8	0.3	0.2	0.4	0.6	0.0	0.3	0.0	0.1	0.0	1.1	1.0	0.5	10	-47771

YAO, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		MEAN NUMBER OF DAYS												DEC	ANN	POR (YRS)	NO. OBS
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV					
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	27.2	25.3	28.6	28.0	28.7	25.3	27.3	28.6	28.8	29.8	27.9	27.0	332.5	10	-47771	
	15 LST	28.6	26.0	29.2	28.3	28.4	27.3	29.7	30.5	28.9	29.8	28.0	27.7	342.4	10	-47771	
	21 LST	28.2	25.8	29.6	28.3	29.4	26.4	29.5	30.8	28.9	30.3	28.7	28.5	344.2	10	-47771	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	03 LST	29.9	27.1	30.9	29.2	29.9	28.4	28.9	30.8	29.5	30.9	29.6	30.1	355.2	10	-47771	
	09 LST	22.8	19.7	21.4	22.3	22.3	19.5	21.5	22.5	23.4	26.4	24.2	23.2	269.2	10	-47771	
	15 LST	13.8	12.0	12.9	13.3	13.2	13.1	13.0	15.7	18.3	19.6	19.5	17.3	181.7	10	-47771	
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	23.5	21.4	25.3	23.3	24.7	20.6	24.1	26.4	24.3	27.3	25.6	23.5	290.0	10	-47771	
	09 LST	25.9	24.1	26.9	26.1	26.2	24.6	24.9	27.4	26.4	28.2	27.9	26.4	315.0	10	-47771	
	15 LST	0.9	1.0	0.9	0.2	0.6	0.3	0.2	0.5	0.2	0.3	0.1	0.1	5.3	10	-47771	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST	2.3	1.7	2.9	1.8	2.0	2.1	1.1	2.1	0.6	0.7	0.7	0.9	18.9	10	-47771	
	15 LST	0.0	0.4	0.1	0.0	0.4	0.1	0.1	0.3	0.2	0.1	0.0	0.3	2.0	10	-47771	
	21 LST	0.8	0.1	0.2	0.3	0.1	0.3	0.3	0.2	0.0	0.2	0.2	0.3	3.0	10	-47771	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	10.4	11.1	13.1	13.8	15.1	13.7	15.2	13.6	14.1	11.6	10.3	10.2	152.2	10	-47771	
	15 LST	14.8	12.9	15.7	15.4	15.8	14.8	12.1	5.7	16.0	20.6	18.9	17.4	180.1	10	-47771	
	21 LST	11.4	12.5	14.9	15.5	15.3	15.5	16.8	16.2	15.7	17.9	16.8	15.9	184.4	10	-47771	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST	7.9	8.4	12.8	14.7	13.7	13.5	12.4	14.0	13.5	14.4	12.5	11.7	149.5	10	-47771	
	15 LST	7.9	4.4	4.7	6.4	4.4	1.6	2.6	5.6	3.4	7.7	9.8	8.6	67.1	10	-47771	
	21 LST	2.3	1.7	3.8	4.9	3.0	2.2	3.2	4.4	3.1	4.2	4.7	3.7	41.2	10	-47771	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST	11.5	10.0	11.3	9.3	7.4	3.0	5.8	8.4	7.8	11.0	13.4	13.8	112.7	10	-47771	
	15 LST	12.0	8.6	8.6	10.4	8.8	4.1	6.2	11.7	8.9	10.5	13.7	13.9	117.4	10	-47771	
	21 LST	27.1	25.0	28.0	27.3	27.7	24.3	25.3	28.1	28.0	29.5	27.4	26.7	324.4	10	-47771	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	28.3	25.6	28.4	27.7	28.1	26.2	28.1	30.0	28.1	29.6	27.9	27.3	335.3	10	-47771	
	15 LST	28.1	25.2	28.8	27.3	28.7	25.2	28.5	30.4	28.3	30.1	28.4	28.3	337.3	10	-47771	
	21 LST	29.0	26.7	29.1	28.5	29.0	26.4	26.5	30.3	28.3	30.6	29.1	29.6	343.1	10	-47771	

CAMP OTSU, JAPAN

STA NO. 47785 (IN AREA NUMBER 07)

LATITUDE 3502N

LONGITUDE 13552E

ELEVATION(FT) 00295

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
ABS MAX TMP (F)	65	73	75	82	92	91	100	100	96	90	75	68	100	7	2033	
MEAN MAX TMP (F)	47	50	57	67	76	81	90	91	86	73	64	54	70	7	2033	
MEAN MIN TMP (F)	30	33	38	48	56	64	73	74	68	56	45	37	52	7	2035	
ABS MIN TMP (F)	17	24	23	29	42	50	64	66	51	40	32	23	17	7	2035	
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.8	0.6	19.4	23.0	8.4	0.2	0.0	0.0	52.4	7	2033	
MEAN NO DYS TMP = OR LES 32(F)	21.5	16.0	7.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.3	5.1	50.9	7	2035	
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2035	
MEAN DEW PT TMP (F)	28	31	35	44	53	61	71	72	66	54	45	36	50	7	8157	
MEAN REL HUM (PCT)	70	70	67	56	68	72	75	73	74	74	76	74	72	7	8145	
MEAN PRESS ALT (FT)	124	140	167	222	298	405	402	386	320	181	108	102	238	0	-50	
MEAN PRECIP (IN)	2.41	2.35	3.02	6.60	5.91	10.34	7.95	10.79	7.07	6.00	2.79	2.15	67.4	7	2034	
MEAN SNOW FALL (IN)	0.2	1.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	10	-47771	
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.5	5.0	6.1	9.5	9.2	10.4	8.8	8.2	9.0	8.1	5.5	3.8	88.1	7	2034	
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	10	-47771	
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.3	2.3	1.8	0.0	0.0	0.2	0.0	0.0	0.0	0.0	3.9	7.3	19.8	7	2031	
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.3	0.0	0.4	2.4	2.4	2.2	1.0	0.0	0.0	8.7	7	2031	
P FREQ WND SPD = OR GTR 17 KTS	0.5	0.3	0.3	1.0	0.3	0.2	0.7	1.1	0.7	0.1	0.1	0.4	0.5	7	16263	
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0	7	16263	
P FREQ LES 5000 FT A/O LES 5 MI	38.5	37.2	33.3	31.9	29.4	38.5	46.5	33.5	35.0	29.5	29.2	35.2	34.8	7	8101	
P FREQ LES 1500 FT A/O LES 3 MI	FOR 00-02 LST															
	9.0	8.6	8.1	9.5	11.4	11.4	15.5	7.8	7.7	10.9	9.0	8.9	9.8	7	-30	
	11.4	8.9	10.3	8.9	11.7	12.0	18.7	7.1	8.7	8.7	7.3	10.8	10.4	7	2031	
	8.3	8.5	23.0	13.8	13.8	14.3	11.4	3.6	6.3	8.0	7.3	5.5	10.3	8	2463	
	21.1	15.6	21.7	10.4	9.2	16.0	18.0	9.9	13.0	10.5	20.0	16.6	15.2	10	5076	
	7.9	8.6	10.4	9.6	5.0	8.1	10.4	3.5	4.8	5.9	4.4	7.2	7.2	9	3050	
	8.2	8.3	7.8	9.8	5.3	11.2	9.4	3.9	5.3	6.0	9.7	9.5	7.9	10	5073	
	7.3	7.3	6.9	9.9	8.2	11.0	10.5	6.2	6.0	9.6	10.2	8.3	8.5	7	-30	
	6.5	8.3	5.9	10.0	11.0	10.7	12.3	8.5	6.7	13.1	10.7	7.0	9.2	7	2029	
P FREQ LES 300 FT A/O LES 1 MI	FOR 00-02 LST															
	1.7	2.1	1.7	1.4	0.6	1.4	0.3	0.0	0.0	0.5	0.9	2.7	1.1	7	-30	
	1.1	1.8	2.2	0.6	0.6	2.7	0.6	0.0	0.0	0.5	0.0	3.8	1.2	7	2031	
	3.7	3.0	5.5	0.5	2.8	1.4	1.4	0.5	0.0	0.5	2.2	2.8	2.0	8	2463	
	10.8	7.1	7.7	2.7	0.9	2.1	3.0	0.7	1.0	1.9	11.1	11.4	5.0	10	5076	
	2.2	1.6	1.4	1.5	0.0	0.7	1.1	0.4	0.4	3.2	1.1	0.4	1.2	9	3050	
	2.4	2.6	1.1	1.3	0.7	1.2	1.2	0.7	0.3	1.1	3.3	1.4	1.4	10	5073	
	2.3	2.5	1.1	1.8	0.7	0.6	0.6	0.4	0.2	0.8	2.5	1.5	1.3	7	-30	
	2.2	2.4	1.1	2.2	0.6	0.0	0.0	0.0	0.0	0.5	1.7	1.6	1.0	7	2029	

CAMP OTSU, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	13.4	12.4	13.5	18.7	20.0	19.5	18.8	21.5	18.0	14.5	9.8	11.4	191.5	10	3047
	15 LST	26.6	23.7	26.1	26.3	26.5	23.4	26.5	28.7	27.4	27.6	24.1	25.3	312.2	10	3045
	21 LST	24.8	21.2	25.0	24.0	23.2	22.8	24.8	27.3	26.2	24.6	21.9	21.9	287.7	7	2029
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	25.5	22.7	24.8	25.8	24.3	23.8	21.8	27.4	26.2	25.9	23.1	23.3	294.6	7	2031
	09 LST	9.6	8.3	10.5	14.2	17.5	17.9	15.9	18.6	16.0	13.3	8.4	7.4	197.6	10	3047
	15 LST	16.6	13.9	15.0	15.0	18.9	16.1	19.7	19.7	21.4	21.0	20.1	18.2	215.6	10	3045
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	23.8	20.9	24.6	23.0	22.4	24.0	25.9	26.2	24.4	21.4	21.4	21.3	280.3	7	2029
	03 LST	24.8	22.0	24.5	24.8	23.9	23.2	21.2	26.0	25.2	25.3	23.0	23.1	287.0	7	2031
	09 LST	0.6	0.3	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.5	10	2978
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	0.2	0.2	0.0	1.0	0.5	0.0	0.0	0.4	0.0	0.2	0.1	0.5	3.1	10	2974
	21 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2032
	03 LST	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	7	2036
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	7.3	6.2	8.2	9.8	14.4	13.2	12.4	12.5	10.1	7.9	5.8	8.1	115.9	10	2978
	15 LST	15.4	13.7	16.0	14.3	19.1	17.5	10.5	9.5	18.6	16.8	16.9	16.8	185.1	10	2973
	21 LST	5.0	6.0	8.5	9.2	5.6	11.2	10.0	11.2	5.4	6.3	3.7	5.0	91.1	7	2031
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	2.8	3.3	3.5	3.5	4.0	2.6	3.2	3.2	2.2	1.8	2.2	2.3	34.6	7	2036
	09 LST	3.9	2.7	1.9	4.3	4.0	1.7	2.2	4.7	3.6	2.9	3.1	3.1	38.1	10	3050
	15 LST	3.0	2.3	5.0	7.1	4.5	2.6	4.0	5.4	4.1	6.8	7.1	3.6	55.5	10	3048
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	13.4	10.8	12.0	10.7	8.8	6.0	8.2	11.0	9.4	11.2	12.5	9.8	123.8	7	2032
	03 LST	14.1	8.6	11.0	10.5	10.0	5.4	8.0	13.0	9.2	10.9	12.5	11.5	124.7	7	2036
	09 LST	12.8	11.4	12.1	17.0	18.6	18.1	15.8	19.7	16.4	13.6	9.4	10.5	175.4	10	3047
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	25.2	22.5	24.4	25.1	25.0	21.8	24.9	27.2	25.7	26.5	23.4	24.3	296.0	10	3045
	21 LST	23.8	20.2	24.0	22.3	22.0	21.4	23.8	26.1	24.8	23.7	21.6	21.6	275.3	7	2029
	03 LST	24.5	21.9	23.8	24.7	23.1	21.2	21.2	26.2	24.4	24.7	22.8	22.6	281.1	7	2031
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	8.2	6.7	7.0	11.9	12.4	11.6	9.0	14.8	12.1	9.8	6.9	7.4	117.8	10	3047
	15 LST	10.0	11.1	14.0	19.2	16.8	15.5	16.0	19.6	18.3	17.9	16.4	12.3	187.1	10	3045
	21 LST	18.3	15.7	18.3	16.5	17.4	15.2	16.0	19.8	18.6	18.4	18.5	14.7	207.4	7	2029
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	18.4	13.6	17.7	19.8	18.5	16.0	12.8	19.0	18.0	19.5	17.6	16.1	207.0	7	2031
	09 LST	7.3	6.1	6.7	11.3	10.9	10.7	7.5	13.4	11.2	9.3	6.6	7.3	108.3	10	3047
	15 LST	9.9	10.7	13.4	18.2	16.4	14.3	15.5	18.5	17.1	17.4	16.1	11.8	179.3	10	3045
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	17.9	15.6	18.2	15.8	17.4	15.2	16.0	19.8	18.4	18.3	18.2	14.7	205.5	7	2029
	03 LST	18.4	13.4	17.1	19.3	18.3	15.8	12.6	19.0	18.0	19.0	17.6	16.1	204.6	7	2031

OZUKI, JAPAN

STA NO. 47787 (IN AREA NUMBER 07)

LATITUDE 3402N LONGITUDE 13103E ELEVATION(FT) 00015

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	66	68	73	81	84	90	96	99	93	85	78	69	99	44	-47762
MEAN MAX TMP (F)	48	48	53	63	70	76	83	87	80	71	61	52	66	30	-47762
MEAN MIN TMP (F)	37	37	41	49	57	66	71	74	68	58	49	41	54	30	-47762
ABS MIN TMP (F)	21	20	22	35	44	49	59	64	56	46	33	24	20	44	-47762
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	3.5	8.5	0.8	0.0	0.0	0.0	12.9	10	-47762
MEAN NO DYS TMP = OR LES 32(F)	4.8	1.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	7.4	10	-47762
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-47762
MEAN DEW PT TMP (F)	31	33	38	46	56	64	73	73	67	59	46	37	52	10	-47762
MEAN REL HUM (PCT)	70	70	71	75	78	84	84	81	79	74	72	69	76	30	-47762
MEAN PRESS ALT (FT)	-234	-190	-146	-55	43	137	150	151	49	-100	-192	-225	-50	0	-50
MEAN PRECIP (IN)	2.82	3.36	4.54	5.64	5.91	10.08	9.15	4.84	7.50	4.56	2.71	3.00	64.1	30	-47762
MEAN SNOW FALL (IN)	1.9	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	12	-47803
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.0	7.0	7.3	8.3	8.5	11.1	10.6	7.1	10.0	6.6	4.3	6.4	93.2	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	12	-47803
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.5	1.0	1.1	1.3	0.6	1.3	0.5	0.0	0.1	0.1	0.0	0.3	6.8	10	-47762
MEAN NO DYS TSTMS	0.2	0.1	0.6	0.9	0.5	1.3	2.7	2.6	1.9	0.3	0.2	0.2	11.5	30	-47762
P FREQ WND SPD = OR GTR 17 KTS	21.9	14.0	12.2	15.9	14.7	10.1	9.8	10.5	7.7	5.0	6.1	13.1	11.8	10	-47762
P FREQ WND SPD = OR GTR 28 KTS	0.9	0.6	0.4	1.6	2.0	1.3	0.2	1.9	1.2	0.2	0.3	0.6	0.9	10	-47762
P FREQ LES 5000 FT A/O LES 5 MI	57.7	38.2	31.5	23.4	22.8	30.8	31.9	23.0	24.9	17.9	26.0	42.1	30.9	10	-47762
P FREQ LES 1500 FT A/O LES 3 MI	6.1	7.1	6.5	7.0	9.7	12.1	10.1	4.5	4.0	2.3	2.3	2.9	6.2	10	-47762
FOR 00-02 LST	6.2	7.1	6.5	8.4	10.7	13.5	11.3	6.2	6.4	2.9	3.7	1.9	7.1	10	-47762
03-05 LST	5.5	8.2	10.8	14.1	19.9	22.2	21.1	12.6	14.5	6.1	3.7	2.6	11.8	10	-47762
06-08 LST	20.4	16.8	9.1	12.5	16.2	22.5	18.4	10.4	12.1	6.8	7.4	13.0	13.8	10	-47762
09-11 LST	9.4	7.5	7.4	11.4	12.6	16.1	11.0	5.8	10.8	3.2	3.7	6.8	8.8	10	-47762
12-14 LST	7.8	6.8	6.1	10.0	10.7	16.7	9.4	5.5	8.1	3.2	3.3	4.9	7.7	10	-47762
15-17 LST	10.3	9.3	11.0	10.5	12.6	16.2	12.3	7.5	9.1	6.2	3.3	6.8	9.6	10	-47762
18-20 LST	7.1	8.2	9.1	8.8	10.3	14.4	9.1	4.5	7.3	3.3	5.0	3.2	7.5	10	-47762
21-23 LST	0.3	0.7	0.0	0.7	0.3	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.2	10	-47762
FOR 00-02 LST	0.0	0.4	0.3	0.3	0.3	1.0	0.0	0.0	0.3	0.0	0.0	0.0	0.2	10	-47762
03-05 LST	1.0	0.7	0.0	3.7	2.6	2.7	2.3	0.3	0.7	1.3	0.0	0.3	1.3	10	-47762
06-08 LST	2.6	1.8	1.3	3.0	2.9	2.3	1.6	0.0	0.7	0.3	0.0	1.9	1.5	10	-47762
09-11 LST	0.3	0.4	0.6	0.7	1.0	1.7	1.0	0.3	0.3	0.3	0.0	0.0	0.6	10	-47762
12-14 LST	0.3	0.7	0.6	0.7	0.6	1.3	1.3	0.3	0.3	0.3	0.0	0.0	0.5	10	-47762
15-17 LST	0.6	1.4	1.6	1.0	1.9	1.0	0.6	0.0	0.0	0.7	0.0	0.3	0.8	10	-47762
18-20 LST	0.6	0.7	1.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	10	-47762
21-23 LST														10	-47762

OZUKI, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST 20.6	16.4	20.1	20.7	20.1	18.6	22.4	24.1	24.4	24.4	19.7	18.5	250.0	10	-47762
	15 LST 27.7	24.3	28.9	26.5	27.6	25.0	27.6	29.5	28.2	30.1	28.3	27.8	331.5	10	-47762
	21 LST 27.6	23.4	27.1	26.3	26.3	26.2	28.5	30.0	28.6	29.0	26.6	27.2	326.8	10	-47762
	03 LST 28.9	25.8	28.4	26.0	26.2	25.6	27.6	29.1	27.8	28.9	27.4	30.0	331.7	10	-47762
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	09 LST 5.7	4.7	8.3	8.0	7.7	8.3	10.9	12.3	11.4	14.2	11.0	5.7	108.2	10	-47762
	15 LST 8.9	6.6	9.6	8.1	8.0	9.6	9.5	12.1	11.9	15.5	12.8	10.2	122.8	10	-47762
	21 LST 14.3	13.1	17.9	17.0	17.0	18.5	17.8	20.6	18.7	22.0	20.0	16.8	213.7	10	-47762
	03 LST 12.2	13.8	17.2	14.4	14.8	15.5	17.0	20.0	18.5	21.5	19.4	17.0	201.3	10	-47762
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST 2.2	3.0	2.7	3.5	2.9	1.6	2.7	2.4	1.5	0.8	1.0	2.7	27.0	10	-47762
	15 LST 3.5	2.8	3.1	3.9	2.7	1.7	2.9	3.2	2.2	1.5	1.4	2.9	31.8	10	-47762
	21 LST 3.1	1.6	1.4	1.6	1.1	1.1	2.0	1.5	1.5	0.6	0.6	1.6	17.7	10	-47762
	03 LST 3.5	2.1	1.6	1.8	1.6	0.5	1.9	1.8	1.0	0.5	0.9	2.7	19.9	10	-47762
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST 6.6	9.2	10.0	8.7	10.1	11.2	12.6	12.6	10.2	14.3	12.1	10.3	127.9	10	-47762
	15 LST 8.0	7.0	9.6	8.9	10.1	10.9	8.5	10.6	11.7	13.7	12.5	10.6	122.1	10	-47762
	21 LST 11.3	10.9	12.7	14.1	12.7	14.1	13.0	12.0	11.4	14.3	13.5	15.2	155.2	10	-47762
	03 LST 10.3	10.1	12.3	12.2	11.8	12.4	10.6	12.8	11.6	15.6	14.7	13.4	147.8	10	-47762
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST 1.4	1.5	3.7	6.8	5.1	2.9	3.6	5.8	6.4	9.3	5.9	2.6	55.0	10	-47762
	15 LST 2.8	6.3	8.4	8.4	6.7	4.2	6.5	8.9	7.5	9.7	10.1	5.6	85.1	10	-47762
	21 LST 4.5	7.1	9.1	10.1	9.6	6.2	9.6	12.8	9.1	12.8	9.4	6.2	106.5	10	-47762
	03 LST 4.5	6.5	7.9	8.6	8.5	4.8	7.3	11.7	9.5	11.9	10.5	8.7	100.4	10	-47762
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST 16.4	14.1	17.9	18.8	18.0	15.7	19.8	22.0	20.7	22.8	17.8	16.0	220.0	10	-47762
	15 LST 23.1	21.9	26.4	24.4	25.0	22.2	24.4	27.5	25.3	28.5	26.5	24.5	299.7	10	-47762
	21 LST 23.0	20.6	24.6	23.8	24.8	23.6	24.4	27.1	25.1	26.8	24.5	24.4	292.7	10	-47762
	03 LST 24.3	22.5	25.3	23.7	23.2	21.3	23.3	25.8	24.5	27.1	25.3	27.7	294.0	10	-47762
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST 7.5	8.1	13.5	16.4	17.3	13.3	16.8	18.9	18.1	20.6	13.8	8.9	173.2	10	-47762
	15 LST 12.2	16.5	22.2	22.4	23.2	20.6	20.6	25.0	23.3	25.6	22.0	15.8	249.4	10	-47762
	21 LST 11.7	13.8	18.4	20.5	22.3	20.0	20.5	23.6	21.8	23.8	18.7	13.9	229.0	10	-47762
	03 LST 11.1	14.4	17.5	19.1	19.4	17.2	17.6	21.0	19.4	22.8	19.6	17.4	216.5	10	-47762
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST 7.4	8.0	13.2	16.3	17.1	13.3	16.8	18.9	18.1	20.5	13.6	8.9	172.1	10	-47762
	15 LST 12.1	16.1	21.9	22.2	22.8	20.6	20.6	25.0	23.3	25.5	21.9	15.8	247.8	10	-47762
	21 LST 11.7	13.7	18.2	20.5	22.0	19.9	20.5	23.5	21.7	23.7	18.5	13.9	227.8	10	-47762
	03 LST 10.9	14.4	17.3	19.0	19.3	17.1	17.6	21.0	19.1	22.6	19.4	17.3	215.0	10	-47762

SONE, JAPAN

STA NO. 47798 (IN AREA NUMBER 07) LATITUDE 3350N LONGITUDE 13057E ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	66	68	73	81	84	90	96	99	93	85	78	69	99	44	-47762
MEAN MAX TMP (F)	48	48	53	63	70	76	83	87	80	71	61	52	66	30	-47762
MEAN MIN TMP (F)	37	37	41	49	57	66	71	74	68	58	49	41	54	30	-47762
ABS MIN TMP (F)	21	20	22	35	44	49	59	64	56	46	33	24	20	44	-47762
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	3.5	8.5	0.8	0.0	0.0	0.0	12.9	10	-47762
MEAN NO DYS TMP = OR LES 32(F)	4.8	1.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	7.4	10	-47762
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-47762
MEAN DEW PT TMP (F)	31	33	38	46	56	64	73	73	67	55	46	37	52	10	-47762
MEAN REL HUM (PCT)	70	70	71	75	78	84	84	81	79	74	72	69	76	30	-47762
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.82	3.36	4.54	5.64	5.91	10.08	9.15	4.84	7.50	4.56	2.71	3.00	64.1	30	-47762
MEAN SNOW FALL (IN)	1.9	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	12	-47803
MEAN NO DYS PKCP = OR GTR 0.1 IN	6.0	7.0	7.3	8.3	8.5	11.1	10.6	7.1	10.0	6.6	4.3	6.4	93.2	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	12	-47803
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	0.5	1.0	1.1	1.3	0.6	1.3	0.5	0.0	0.1	0.1	0.0	0.3	6.8	10	-47762
MEAN NO DYS TSTMS	0.2	0.1	0.6	0.9	0.5	1.3	2.7	2.6	1.9	0.3	0.2	0.2	11.5	30	-47762
P FREQ WND SPD = OR GTR 17 KTS	21.9	14.0	12.2	15.9	14.7	10.1	9.8	10.5	7.7	5.0	6.1	13.1	11.8	10	-47762
P FREQ WND SPD = OR GTR 28 KTS	0.9	0.6	0.4	1.6	2.0	1.3	0.2	1.9	1.2	0.2	0.3	0.6	0.9	10	-47762
P FREQ LES 5000 FT A/O LES 5 MI	57.7	38.2	31.5	23.4	22.8	30.8	31.9	23.0	24.9	17.9	26.0	42.1	30.9	10	-47762
P FREQ LES 1500 FT A/O LES 3 MI															
FOP 00-02 LST	6.1	7.1	6.5	7.0	9.7	12.1	10.1	4.5	4.0	2.3	2.3	2.9	6.2	10	-47762
03-05 LST	6.2	7.1	6.5	8.4	10.7	13.5	11.3	6.2	6.4	2.9	3.7	1.9	7.1	10	-47762
06-08 LST	5.5	8.2	10.8	14.1	19.9	22.2	21.1	12.6	14.5	6.1	3.7	2.6	11.8	10	-47762
09-11 LST	20.4	16.8	9.1	12.5	16.2	22.5	18.4	10.4	12.1	6.8	7.4	13.0	13.0	10	-47762
12-14 LST	9.4	7.5	7.4	11.4	12.6	16.1	11.0	5.8	10.8	3.2	3.7	6.8	8.8	10	-47762
15-17 LST	7.8	6.8	6.1	10.0	10.7	16.7	9.4	5.5	8.1	3.2	3.3	4.9	7.7	10	-47762
18-20 LST	10.3	9.3	11.0	10.5	12.6	15.2	12.3	7.5	9.1	6.2	3.3	6.8	9.6	10	-47762
21-23 LST	7.1	8.2	9.1	8.8	10.3	14.4	9.1	4.5	7.3	3.3	5.0	3.2	7.5	10	-47762
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.3	0.7	0.0	0.7	0.3	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.2	10	-47762
03-05 LST	0.0	0.4	0.3	0.3	0.3	1.0	0.0	0.0	0.3	0.0	0.0	0.0	0.2	10	-47762
06-08 LST	1.0	0.7	0.0	3.7	2.6	2.7	2.3	0.3	0.7	1.3	0.0	0.3	1.3	10	-47762
09-11 LST	2.6	1.8	1.3	3.0	2.9	2.3	1.6	0.0	0.7	0.3	0.0	1.9	1.5	10	-47762
12-14 LST	0.3	0.4	0.6	0.7	1.0	1.7	1.0	0.3	0.3	0.3	0.0	0.0	0.6	10	-47762
15-17 LST	0.3	0.7	0.6	0.7	0.6	1.3	1.3	0.3	0.3	0.3	0.0	0.0	0.5	10	-47762
18-20 LST	0.5	1.4	1.6	1.0	1.9	1.0	0.6	0.0	0.0	0.7	0.0	0.3	0.8	10	-47762
21-23 LST	0.6	0.7	1.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	10	-47762

SONE, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	20.6	16.4	20.1	20.7	20.1	18.6	22.4	24.1	24.4	24.4	19.7	18.5	10	-47762
	15 LST	27.7	24.3	28.9	26.5	27.6	25.0	27.6	29.5	28.2	30.1	28.3	27.8	10	-47762
	21 LST	27.6	23.4	27.1	26.3	26.3	26.2	28.5	30.0	28.6	29.0	26.6	27.2	10	-47762
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	28.9	25.8	28.4	26.0	25.6	27.6	29.1	27.8	28.9	27.4	30.0	331.7	10	-47762
	09 LST	5.7	4.7	8.3	8.0	7.7	8.3	10.9	12.3	11.4	14.2	11.0	5.7	10	-47762
	15 LST	8.9	6.6	9.6	8.1	8.0	9.6	9.5	12.1	11.9	15.5	12.8	10.2	10	-47762
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	14.3	13.1	17.9	17.0	17.0	18.5	17.8	20.6	18.7	22.0	20.0	16.8	10	-47762
	03 LST	12.2	13.8	17.2	14.4	14.8	15.5	17.0	20.0	18.5	21.5	19.4	17.0	10	-47762
	09 LST	2.2	3.0	2.7	3.5	2.9	1.6	2.7	2.4	1.5	0.8	1.0	2.7	10	-47762
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	3.5	2.8	3.1	3.9	2.7	1.7	2.9	3.2	2.2	1.5	1.4	2.9	10	-47762
	21 LST	3.1	1.6	1.4	1.6	1.1	1.1	2.0	1.5	1.5	0.6	0.6	1.6	10	-47762
	03 LST	3.5	2.1	1.6	1.8	1.6	0.5	1.9	1.8	1.0	0.5	0.9	2.7	10	-47762
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	6.6	9.2	10.0	8.7	10.1	11.2	12.6	12.6	10.2	14.3	12.1	10.3	10	-47762
	15 LST	8.0	7.0	9.6	8.9	10.1	10.9	8.5	10.6	11.7	13.7	12.5	10.6	10	-47762
	21 LST	11.3	10.9	12.7	14.1	12.7	14.1	13.0	12.0	11.4	14.3	13.5	15.2	10	-47762
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	10.3	10.1	12.3	12.2	11.8	12.4	10.6	12.8	11.6	15.6	14.7	13.4	10	-47762
	09 LST	1.4	1.5	3.7	6.8	5.1	2.9	3.6	5.8	6.4	9.3	5.9	2.6	10	-47762
	15 LST	2.8	6.3	8.4	8.4	6.7	4.2	6.5	8.9	7.5	9.7	10.1	5.6	10	-47762
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	4.5	7.1	9.1	10.1	9.6	6.2	9.6	12.8	9.1	12.8	9.4	6.2	10	-47762
	03 LST	4.5	6.5	7.9	8.6	8.5	4.8	7.3	11.7	9.5	11.9	10.5	8.7	10	-47762
	09 LST	16.4	14.1	17.9	18.8	18.0	15.7	19.8	22.0	20.7	22.8	17.8	16.0	10	-47762
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	23.1	21.9	26.4	24.4	25.0	22.2	24.4	27.5	25.3	28.5	26.5	24.5	10	-47762
	21 LST	23.0	20.6	24.6	23.8	24.8	23.6	24.4	27.1	25.1	26.8	24.5	24.4	10	-47762
	03 LST	24.3	22.5	25.3	23.7	23.2	21.3	23.3	25.8	24.5	27.1	25.3	27.7	10	-47762
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	7.5	8.1	13.5	16.4	17.3	13.3	16.8	18.9	18.1	20.6	13.8	8.9	10	-47762
	15 LST	12.2	16.5	22.2	22.4	23.2	20.6	20.6	25.0	23.3	25.6	22.0	15.8	10	-47762
	21 LST	11.7	13.8	18.4	20.5	22.3	20.0	20.5	23.6	21.8	23.8	18.7	13.9	10	-47762
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	11.1	14.4	17.5	19.1	19.4	17.2	17.6	21.0	19.4	22.8	19.6	17.4	10	-47762
	09 LST	7.4	8.0	13.2	16.3	17.1	13.3	16.8	18.9	18.1	20.5	13.6	8.9	10	-47762
	15 LST	12.1	16.1	21.9	22.2	22.8	20.6	20.6	25.0	23.3	25.5	21.9	15.8	10	-47762
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	11.7	13.7	18.2	20.5	22.0	19.9	20.5	23.5	21.7	23.7	18.5	13.9	10	-47762
	03 LST	10.9	14.4	17.3	19.0	19.3	17.1	17.6	21.0	19.1	22.6	19.4	17.3	10	-47762

ASHIYA AB, JAPAN

STA NO. 47803 (IN AREA NUMBER 07)

LATITUDE 3352N LONGITUDE 13039E ELEVATION(FT) 00097

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	67	74	78	82	86	93	94	98	92	82	78	70	98	12	4381
MEAN MAX TMP (F)	49	50	55	65	72	77	85	87	80	71	62	54	67	12	4381
MEAN MIN TMP (F)	37	38	41	49	57	65	73	74	66	55	47	41	54	12	4381
ABS MIN TMP (F)	25	27	27	35	43	52	62	61	47	40	32	30	25	12	4381
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.2	6.7	9.9	1.1	0.0	0.0	0.0	17.9	12	4381
MEAN NO DYS TMP = OR LES 32(F)	6.8	5.2	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.2	15.2	12	4381
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4381
MEAN DEW PT TMP (F)	35	36	40	48	56	64	73	74	67	55	46	39	53	12	105048
MEAN REL HUM (PCT)	75	74	74	75	77	82	83	82	81	74	74	74	77	12	105048
MEAN PRESS ALT (FT)	-152	-109	-63	28	127	222	235	234	130	-21	-112	-142	31	0	-50
MEAN PRECIP (IN)	3.38	3.97	4.29	6.24	5.63	13.12	12.25	5.21	8.77	3.69	3.42	2.94	72.9	12	4349
MEAN SNOW FALL (IN)	1.9	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	12	4349
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.3	7.9	8.5	7.9	8.2	10.4	9.3	6.0	7.6	5.6	6.1	7.4	93.2	12	4349
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	12	4349
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.4	2.0	2.4	2.9	3.1	3.1	1.8	2.0	2.8	3.2	3.2	2.7	31.6	12	4381
MEAN NO DYS TSTMS	0.4	0.4	0.5	1.0	0.3	0.8	3.2	3.0	1.5	0.2	0.2	0.2	11.7	12	4381
P FREQ WND SPU = OR GTR 17 KTS	15.3	8.3	7.0	3.8	3.4	1.9	3.1	3.6	3.8	2.2	4.4	7.9	5.4	12	105016
P FREQ WND SPU = OR GTR 28 KTS	2.3	0.8	0.8	0.2	0.2	0.1	0.3	0.3	0.4	0.3	0.2	0.6	0.5	12	105016
P FREQ LES 5000 FT A/O LES 5 MI	72.7	68.1	57.9	52.0	45.4	52.8	46.8	34.7	46.5	46.9	57.4	68.5	54.1	12	105092
P FREQ LES 1500 FT A/O LES 3 MI	18.1	22.8	18.9	22.9	20.4	24.1	15.9	7.4	13.5	22.7	27.7	27.2	20.1	12	13110
FOR 00-02 LST	21.2	29.5	30.6	34.8	30.0	36.0	21.5	14.7	29.6	38.7	36.2	29.2	29.3	12	13141
03-05 LST	28.3	38.3	44.4	49.4	50.7	46.0	30.5	28.7	46.2	50.7	47.5	35.8	41.4	12	13142
06-08 LST	30.6	33.5	29.5	30.2	26.3	28.4	17.3	10.5	23.7	31.4	37.9	34.7	27.8	12	13140
09-11 LST	13.2	14.7	10.7	14.7	12.4	15.3	10.5	4.0	8.4	6.0	8.1	11.0	10.8	12	13142
12-14 LST	10.3	11.1	9.3	14.5	10.5	13.8	10.1	4.3	6.8	5.4	6.1	8.2	9.2	12	13142
15-17 LST	11.4	17.1	12.1	16.5	14.1	18.0	11.1	6.1	11.3	7.4	11.9	12.5	12.5	12	13143
18-20 LST	12.5	16.4	13.2	16.7	15.6	19.3	11.9	5.7	9.1	10.0	18.1	17.9	13.9	12	13132
21-23 LST															
P FREQ LES 300 FT A/O LES 1 MI	3.8	3.3	1.0	1.9	3.9	2.1	1.3	0.3	1.3	1.4	1.1	3.8	2.1	12	13110
FOR 00-02 LST	4.4	5.0	4.2	6.0	6.9	6.3	3.8	2.1	5.2	6.8	6.6	5.8	5.3	12	13141
03-05 LST	8.0	12.5	13.3	16.9	12.4	12.2	5.6	7.3	11.7	14.8	17.2	13.0	12.1	12	13142
06-08 LST	7.6	9.1	5.3	3.9	1.7	2.8	1.9	0.4	2.0	2.0	7.7	10.8	4.6	12	13140
09-11 LST	2.8	2.4	0.9	1.1	1.3	1.3	1.1	0.2	0.6	0.1	0.6	2.1	1.2	12	13142
12-14 LST	2.0	1.6	1.3	1.6	2.0	0.7	0.5	0.1	0.8	0.2	0.7	1.3	1.1	12	13142
15-17 LST	2.8	2.6	2.1	2.2	3.2	2.0	0.7	0.5	0.8	0.6	0.9	2.3	1.7	12	13143
18-20 LST	3.0	2.3	1.7	1.0	2.5	0.8	0.7	0.5	0.7	0.9	0.4	2.9	1.5	12	13132
21-23 LST															

ASHIYA AB, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST 20.5	16.8	18.1	18.3	21.0	20.0	25.1	26.2	20.1	16.6	14.7	18.6	236.0	12	4381
	15 LST 28.1	25.3	28.6	26.2	28.5	26.6	28.5	30.1	28.9	29.6	28.4	29.0	337.8	12	4381
	21 LST 27.7	23.6	27.8	25.7	27.0	25.1	28.0	29.4	28.0	28.9	26.0	27.0	324.2	12	4381
	03 LST 25.1	20.6	23.3	21.6	23.8	21.8	26.2	27.5	23.6	20.3	19.3	22.2	275.3	12	4381
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	09 LST 6.5	5.5	7.8	9.0	12.2	13.1	16.2	19.3	13.9	10.8	7.6	6.5	128.4	12	4380
	15 LST 10.1	9.7	10.5	9.8	10.7	10.8	12.0	12.4	15.1	16.4	15.6	14.9	148.0	12	4379
	21 LST 14.7	15.6	18.7	20.0	21.9	19.8	23.4	24.5	22.6	25.1	19.8	16.6	242.7	12	4380
	03 LST 11.0	11.1	14.5	15.6	16.8	17.9	22.1	23.8	19.5	15.4	12.5	10.9	191.1	12	4380
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST 4.8	2.4	1.9	1.1	0.5	0.4	0.6	0.9	1.0	0.2	1.3	2.1	17.2	12	4132
	15 LST 4.9	2.1	3.3	2.3	2.1	1.1	1.7	1.6	1.8	1.1	1.5	3.2	26.7	12	4123
	21 LST 5.1	1.5	1.6	0.2	0.5	0.2	0.5	0.5	0.9	0.6	1.4	1.8	14.8	12	4122
	03 LST 4.1	3.1	1.9	0.5	0.8	0.5	0.8	0.3	0.2	0.3	1.3	2.8	16.6	12	4113
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST 16.1	16.1	20.5	20.4	20.4	18.9	21.0	19.3	21.3	21.3	21.4	19.3	236.1	12	4132
	15 LST 14.9	14.8	15.6	16.5	17.8	17.4	15.3	14.1	18.8	20.1	19.4	17.8	202.5	12	4123
	21 LST 16.5	18.1	17.6	17.2	17.3	16.2	19.2	16.0	15.4	20.4	20.0	20.6	214.5	12	4122
	03 LST 15.5	15.2	19.1	20.2	21.4	17.4	19.4	20.1	20.1	23.7	21.5	19.3	232.9	12	4113
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST 0.7	1.0	2.9	4.2	3.7	2.1	2.1	4.4	2.3	2.8	1.5	1.6	29.3	12	4381
	15 LST 2.5	4.0	5.9	5.3	5.5	3.0	2.6	4.7	4.2	8.1	5.7	3.7	55.2	12	4381
	21 LST 5.1	5.6	7.8	7.8	8.2	4.9	5.1	8.6	7.4	11.6	9.6	6.4	88.1	12	4381
	03 LST 3.7	3.7	5.1	7.0	7.8	4.9	7.2	11.7	6.8	6.8	6.1	5.1	75.9	12	4381
	09 LST 18.4	15.2	15.7	16.0	18.2	16.7	22.0	24.1	18.1	15.7	13.8	17.2	211.1	12	4381
	15 LST 25.4	23.0	26.6	24.3	26.6	24.5	25.6	28.4	26.1	28.5	27.6	27.3	313.9	12	4381
	21 LST 25.9	22.0	25.5	24.0	25.4	21.7	25.7	28.0	25.3	28.1	25.1	26.1	302.8	12	4381
	03 LST 24.1	19.0	21.4	19.4	21.3	19.4	23.7	25.8	21.7	19.8	18.7	21.3	255.6	12	4381
	09 LST 4.3	5.4	8.0	11.1	15.2	12.3	16.5	19.9	14.1	11.4	7.1	6.1	131.4	12	4381
	15 LST 10.1	13.4	18.7	20.6	23.0	19.9	18.5	23.6	21.5	26.0	19.8	14.3	229.4	12	4381
	21 LST 12.6	12.7	17.6	20.1	22.2	18.2	20.4	24.2	20.8	23.7	18.8	15.0	226.3	12	4381
	03 LST 8.9	9.0	12.6	14.5	18.3	15.1	17.6	22.2	17.3	15.7	12.5	10.7	174.4	12	4381
	09 LST 3.9	4.7	7.2	10.1	13.3	11.2	13.6	17.6	11.7	9.7	6.4	5.3	114.7	12	4381
	15 LST 9.5	12.2	16.6	18.7	20.9	18.2	16.5	21.9	19.0	24.2	17.9	12.6	208.2	12	4381
	21 LST 11.7	11.3	16.5	17.6	19.7	15.8	18.2	22.9	18.2	21.5	17.6	13.7	204.7	12	4381
	03 LST 7.6	8.2	11.7	12.9	16.2	12.9	15.7	20.3	15.2	13.9	11.2	9.8	155.6	12	4381

ITAZUKE AB, JAPAN

STA NO. 47808 (IN AREA NUMBER 07)

LATITUDE 3334N

LONGITUDE 13027E

ELEVATION(FT) 00030

POR NO.

(YRS)

ANN

DEC

NOV

OCT

SEP

AUG

JUL

JUN

MAY

APR

MAR

FEB

JAN

PARAMETER DESCRIPTION

ABS MAX TMP (F)

MEAN MAX TMP (F)

MEAN MIN TMP (F)

ABS MIN TMP (F)

MEAN NO DYS TMP = OR GTR 90(F)

MEAN NO DYS TMP = OR LES 32(F)

MEAN NO DYS TMP = OR LES 0(F)

MEAN DEW PT TMP (F)

MEAN REL HUM (PCT)

MEAN PRESS ALT (FT)

MEAN PRECIP (IN)

MEAN SNOW FALL (IN)

MEAN NO DYS PRCP = OR GTR 0.1 IN

MEAN NO DYS SNFL = OR GTR 1.5 IN

MEAN NO DYS W/OCUR VSBY LES 1/2 MI

MEAN NO DYS TSTMS

P FREQ WND SPD = OR GTR 17 KTS

P FREQ WND SPD = OR GTR 28 KTS

P FREQ LES 5000 FT A/O LES 5 MI

P FREQ LES 1500 FT A/O LES 3 MI

FOR 00-02 LST

03-05 LST

06-08 LST

09-11 LST

12-14 LST

15-17 LST

18-20 LST

21-23 LST

P FREQ LES 300 FT A/O LES 1 MI

FOR 00-02 LST

03-05 LST

06-08 LST

09-11 LST

12-14 LST

15-17 LST

18-20 LST

21-23 LST

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
ABS MAX TMP (F)	70	72	78	85	90	94	100	98	95	85	76	69	100	12	4383
MEAN MAX TMP (F)	43	53	59	69	76	81	89	87	78	70	60	52	69	12	4383
MEAN MIN TMP (F)	36	37	42	50	57	68	74	72	62	50	42	37	52	12	4383
ABS MIN TMP (F)	26	25	28	33	42	53	63	57	47	35	28	22	22	12	4383
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	2.0	15.2	9.9	1.1	0.0	0.0	0.0	28.3	12	4383
MEAN NO DYS TMP = OR LES 32(F)	10.0	7.6	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	7.2	27.7	12	4383
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	35	36	40	49	57	65	73	74	67	56	47	38	53	12	105069
MEAN REL HUM (PCT)	76	76	75	77	78	82	82	81	83	80	79	77	79	12	105069
MEAN PRESS ALT (FT)	-217	-175	-129	-37	60	155	168	166	61	-90	-180	-208	-35	0	-50
MEAN PRECIP (IN)	3.51	3.80	3.93	5.77	6.40	13.17	6.67	7.73	7.63	3.01	2.61	2.89	67.7	12	4383
MEAN SNOW FALL (IN)	2.4	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	3.8	12	4383
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.3	7.1	7.8	8.7	9.6	11.3	6.6	9.1	7.7	4.9	6.2	7.8	94.1	12	4383
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.7	12	4383
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.2	0.9	0.9	1.4	1.3	1.2	1.5	0.4	0.2	0.7	0.7	0.7	11.1	12	4382
MEAN NO DYS TSTMS	0.6	0.4	0.6	0.8	0.5	2.6	4.7	3.6	1.2	0.1	0.2	0.2	15.5	12	4383
P FREQ WND SPD = OR GTR 17 KTS	3.2	2.3	1.9	1.2	0.7	0.4	0.5	1.4	1.4	0.5	0.8	2.0	1.4	12	105149
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.2	0.1	0.0	0.0	0.1	12	105149
P FREQ LES 5000 FT A/O LES 5 MI	63.3	56.0	48.6	43.9	38.2	55.6	45.5	31.8	36.6	29.8	43.1	54.5	45.6	12	105154
P FREQ LES 1500 FT A/O LES 3 MI	5.6	5.3	8.2	10.1	11.7	17.1	8.9	4.7	4.8	2.9	6.7	5.3	7.6	12	13144
FOR 00-02 LST	5.6	5.5	7.9	12.3	14.1	21.3	11.4	4.9	5.7	5.1	5.6	3.2	8.6	12	13144
03-05 LST	11.0	15.0	20.2	26.5	24.0	33.5	20.2	14.3	19.4	19.1	19.1	11.2	19.5	12	13145
06-08 LST	14.0	16.3	16.9	14.8	11.7	16.1	9.9	4.9	10.6	9.3	14.8	13.0	12.7	12	13146
09-11 LST	6.6	9.7	8.5	10.6	8.1	10.3	6.5	4.0	5.3	3.9	4.0	5.4	6.9	12	13146
12-14 LST	7.4	9.8	7.8	10.1	8.8	12.7	7.5	4.3	7.8	3.1	6.0	5.4	7.6	12	13140
15-17 LST	12.5	14.7	12.7	16.5	16.3	20.8	8.5	6.2	11.9	9.6	21.5	17.8	14.1	12	13145
18-20 LST	6.5	10.1	8.1	12.1	11.4	20.6	7.3	3.7	4.7	3.3	10.6	8.5	8.9	12	13144
P FREQ LES 300 FT A/O LES 1 MI	0.5	0.8	0.4	0.8	0.9	0.7	0.4	0.0	0.3	0.6	0.6	0.6	0.6	12	13144
FOR 00-02 LST	0.8	1.0	0.8	1.1	1.3	1.9	1.5	0.4	0.3	0.6	0.8	0.8	0.9	12	13144
03-05 LST	1.5	2.2	3.4	5.2	3.1	5.2	1.7	1.3	1.4	1.9	1.5	1.3	2.5	12	13145
06-08 LST	1.9	3.2	1.6	1.2	0.8	2.2	0.7	0.3	0.5	1.3	1.9	1.5	1.4	12	13146
09-11 LST	1.4	2.7	0.1	1.0	0.6	1.1	0.6	0.4	0.3	0.3	0.4	0.3	0.8	12	13146
12-14 LST	1.5	1.6	0.5	0.5	0.9	1.0	0.6	0.5	0.5	0.2	0.5	0.5	0.7	12	13140
15-17 LST	1.4	1.9	1.1	1.9	2.0	3.2	0.5	0.3	0.3	0.4	0.6	1.9	1.3	12	13145
18-20 LST	0.4	0.8	0.4	0.7	1.0	1.4	0.4	0.0	0.0	0.4	0.6	1.2	0.6	12	13144

ITAZUKE AB, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST 25.1	22.0	24.2	24.8	27.7	24.7	27.9	28.8	25.8	26.2	23.3	24.9	305.4	12	4382
	15 LST 29.0	25.3	29.0	27.6	29.1	27.7	29.1	30.2	28.3	30.1	29.2	30.0	344.6	12	4382
	21 LST 28.8	25.2	28.3	26.5	27.9	24.7	29.1	30.3	28.4	29.6	26.0	27.8	332.6	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	03 LST 29.5	26.6	28.9	26.9	28.3	26.0	28.4	30.2	28.7	29.6	28.4	30.1	341.6	12	4382
	09 LST 16.4	14.8	16.1	18.1	19.9	19.6	21.5	23.5	22.1	23.2	19.0	18.1	232.3	12	4382
	15 LST 16.2	11.5	13.1	15.0	16.7	14.8	17.9	18.2	18.8	18.9	19.5	17.8	198.2	12	4382
	21 LST 22.2	22.2	24.4	23.4	25.7	20.5	24.6	27.3	26.3	28.6	24.2	24.0	293.4	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST 21.3	21.4	23.5	24.0	24.3	21.8	23.4	27.8	26.5	28.3	25.5	24.3	292.1	12	4382
	09 LST 1.0	1.0	0.5	0.2	0.1	0.2	0.1	0.0	0.3	0.1	0.2	0.3	4.0	12	4131
	15 LST 1.1	0.7	1.1	0.6	0.5	0.3	0.2	0.3	0.4	0.1	0.2	0.8	6.3	12	4122
	21 LST 0.4	0.3	0.2	0.3	0.1	0.0	0.2	0.2	0.1	0.2	0.1	0.6	2.8	12	4158
	03 LST 0.7	0.4	0.3	0.1	0.0	0.1	0.0	0.1	0.1	0.0	0.2	0.5	2.5	12	4125
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST 15.8	14.9	15.0	15.5	15.8	15.5	16.5	14.0	13.6	12.9	14.4	16.6	180.5	12	4131
	15 LST 17.6	16.6	18.5	19.1	21.3	20.0	17.2	14.2	20.4	21.0	21.0	19.7	226.6	12	4122
	21 LST 12.4	11.9	12.1	9.4	9.9	9.6	13.5	9.8	8.6	8.3	9.5	12.3	127.3	12	4158
	03 LST 12.7	10.0	9.4	9.5	9.8	7.7	12.6	9.4	8.9	7.7	9.8	13.4	120.9	12	4125
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST 1.8	2.3	4.6	5.6	4.4	2.4	3.7	5.1	5.0	7.8	6.5	3.1	52.3	12	4382
	15 LST 3.2	4.1	5.0	5.5	4.5	2.4	2.0	2.9	3.7	7.7	6.5	4.0	51.5	12	4382
	21 LST 5.7	6.0	7.8	7.4	7.6	3.3	4.5	7.9	7.3	12.4	11.2	7.8	88.9	12	4382
	03 LST 5.6	5.7	7.1	9.2	8.5	4.5	7.1	12.2	9.0	13.1	11.9	8.4	102.3	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST 24.5	21.0	23.1	23.2	25.1	22.0	25.3	27.5	24.9	25.6	22.8	24.6	289.6	12	4382
	15 LST 27.6	24.3	27.4	26.5	27.2	25.1	27.0	28.7	26.3	29.6	28.7	29.0	327.4	12	4382
	21 LST 27.8	23.9	27.2	24.9	26.0	21.2	26.6	28.5	26.7	29.0	25.7	27.2	314.7	12	4382
	03 LST 28.7	25.3	27.0	25.3	25.7	22.7	25.4	28.5	27.0	29.2	28.1	29.6	322.5	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST 8.5	9.9	14.7	16.7	20.0	15.1	16.9	22.7	19.6	21.6	15.8	11.1	192.6	12	4382
	15 LST 12.0	14.8	18.1	20.4	22.7	18.2	17.6	19.7	20.1	25.1	21.2	15.8	225.7	12	4382
	21 LST 13.0	14.4	17.8	20.3	21.9	15.9	20.3	24.0	21.7	25.4	19.9	16.2	230.8	12	4382
	03 LST 13.1	13.9	18.2	19.9	20.8	15.7	17.7	23.6	21.7	24.0	21.3	17.9	227.8	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST 7.1	8.6	12.8	15.6	17.3	13.2	15.7	21.1	17.5	20.6	14.2	9.6	173.3	12	4382
	15 LST 10.7	13.4	16.2	18.3	20.7	16.7	16.2	18.5	17.4	23.2	19.3	14.4	205.0	12	4382
	21 LST 11.6	12.5	16.2	18.0	19.4	14.3	18.7	22.4	19.2	23.7	18.6	14.9	209.5	12	4382
	03 LST 11.4	12.4	16.2	18.0	18.4	14.4	16.2	18.9	18.9	21.6	19.3	15.9	204.5	12	4382

OITA, JAPAN

STA NO. 47815 (IN AREA NUMBER 07) LATITUDE 3314N LONGITUDE 13137E ELEVATION(FT) 00016

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	76	75	78	87	89	93	97	97	95	87	80	73	97	33	-599
MEAN MAX TMP (F)	50	50	55	64	71	77	84	87	80	72	63	54	67	30	-99
MEAN MIN TMP (F)	33	34	38	46	54	63	71	72	66	55	45	37	51	30	-99
ABS MIN TMP (F)	19	18	23	28	37	45	57	57	49	36	28	21	18	33	-599
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	9.2	11.1	1.5	0.0	0.0	0.0	22.2	10	3651
MEAN NO DYS TMP = OR LES 32(F)	12.7	10.6	4.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.2	5.0	33.3	10	3651
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3651
MEAN DEW PT TMP (F)	31	33	39	47	56	64	73	73	68	56	46	36	52	10	29145
MEAN REL HUM (PCT)	72	73	75	79	80	85	84	83	84	79	77	72	79	30	-99
MEAN PRESS ALT (FT)	-223	-183	-145	-60	35	126	137	141	44	-99	-188	-217	-52	0	-50
MEAN PRECIP (IN)	1.90	2.66	4.79	5.38	5.91	10.08	9.15	6.35	8.84	5.54	2.54	1.92	65.1	30	-99
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				33	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.3	5.8	7.5	8.1	8.5	11.1	10.6	8.5	11.5	7.8	4.1	4.4	92.2	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				33	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.3	0.8	1.1	0.7	0.9	1.7	1.1	0.7	0.2	0.1	0.1	0.1	7.8	10	3646
MEAN NO DYS TSTMS	0.0	0.1	0.3	0.6	0.3	1.3	3.3	3.2	1.9	0.2	0.1	0.1	11.4	30	-100
P FREQ WND SPD = OR GTR 17 KTS	3.7	2.0	1.7	1.6	0.7	0.4	0.2	1.5	2.9	0.9	0.9	1.7	1.5	10	29145
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	0.0	0.0	0.0	0.1	10	29145
P FREQ LES 5000 FT A/O LES 5 MI	24.3	22.2	26.1	24.7	28.7	34.6	27.2	24.4	28.5	22.7	19.8	19.3	25.2	10	28360
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	3.6	6.1	8.8	8.5	16.3	19.9	6.1	7.8	9.4	6.5	7.0	1.9	8.5	10	3626
03-05 LST	3.5	6.8	10.4	7.9	15.3	19.7	7.8	6.5	9.1	5.5	6.3	2.3	8.4	10	3622
06-08 LST	2.3	5.0	8.4	10.5	15.7	23.3	7.7	8.8	10.4	5.8	4.0	1.0	8.6	10	3615
09-11 LST	3.3	6.7	10.6	10.7	14.2	20.1	7.0	6.2	9.9	4.5	3.6	1.4	8.2	10	3364
12-14 LST	3.9	6.0	5.2	8.8	11.4	14.8	5.5	4.6	8.4	5.2	5.0	0.6	6.6	10	3626
15-17 LST	2.2	4.4	6.9	9.7	10.0	15.2	6.4	4.9	9.1	4.9	4.9	1.4	6.7	10	3398
18-20 LST	5.2	8.2	8.4	12.2	14.5	16.7	7.1	8.1	11.4	7.1	7.0	2.3	9.0	10	3641
21-23 LST	3.2	8.2	8.1	11.8	15.9	19.1	5.8	7.1	10.3	5.8	6.7	1.9	8.7	10	3641
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.6	1.1	1.6	3.4	3.9	3.7	1.3	1.0	1.0	0.6	1.0	0.3	1.6	10	3626
03-05 LST	0.6	0.7	1.3	2.4	2.3	3.1	1.3	0.3	0.7	0.7	0.7	0.6	1.2	10	3622
06-08 LST	0.3	0.7	0.3	3.7	4.6	7.5	1.0	0.3	0.7	1.3	0.0	0.3	1.7	10	3615
09-11 LST	0.4	1.9	0.7	3.0	3.9	6.1	1.4	0.0	1.1	0.7	0.4	0.0	1.6	10	3364
12-14 LST	0.3	1.1	0.3	2.0	2.0	3.7	1.0	0.0	0.7	0.0	0.7	0.3	1.0	10	3626
15-17 LST	0.4	0.4	0.7	2.5	1.4	3.9	1.3	0.0	1.1	0.4	0.4	0.0	1.0	10	3398
18-20 LST	1.3	1.1	1.3	4.1	3.2	3.7	1.0	0.6	1.3	0.6	0.3	0.0	1.5	10	3641
21-23 LST	0.6	1.1	0.6	4.0	2.9	4.4	0.6	0.6	0.7	1.0	0.7	0.0	1.4	10	3641

OITA. JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	30.0	25.9	27.0	25.5	26.1	21.2	27.4	28.3	27.2	29.3	30.7	327.6	10	3364	
	15 LST	30.3	26.7	28.9	26.9	27.6	24.6	28.5	29.5	27.2	29.8	30.4	330.8	10	3398	
	21 LST	29.9	25.5	27.9	25.8	25.9	23.6	28.4	28.6	26.7	29.0	27.6	30.4	329.3	10	3641
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	30.0	26.1	27.7	27.1	25.7	21.9	28.5	28.7	26.8	29.5	30.4	330.5	10	3622	
	09 LST	22.4	19.7	21.8	20.3	23.3	19.2	24.7	26.1	23.8	23.9	24.2	24.3	273.7	10	3364
	15 LST	14.8	13.3	15.1	16.7	20.7	20.1	22.0	23.6	21.7	22.4	19.6	18.9	228.9	10	3398
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	22.8	21.5	21.5	22.6	23.9	21.4	26.8	26.8	25.0	24.9	23.1	25.0	285.7	10	3641
	03 LST	23.5	22.9	24.3	24.8	24.2	20.8	27.1	27.6	24.8	26.8	25.0	26.8	298.6	10	3621
	09 LST	0.7	0.1	0.3	0.3	0.0	0.2	0.0	0.0	0.4	0.2	0.1	0.5	2.8	10	3647
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	2.0	0.9	1.0	1.1	0.6	0.1	0.3	0.2	0.7	0.1	0.6	0.9	8.5	10	3642
	21 LST	0.6	0.3	0.4	0.2	0.0	0.0	0.0	0.1	0.4	0.1	0.2	0.1	2.4	10	3646
	03 LST	0.4	0.0	0.0	0.4	0.2	0.1	0.0	0.1	0.1	0.2	0.3	0.2	2.0	10	3644
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	13.6	13.0	9.3	7.5	9.2	9.6	11.1	9.0	8.6	14.6	17.1	18.9	141.5	10	3647
	15 LST	13.2	14.0	15.1	14.9	17.9	16.4	14.1	16.6	18.2	19.5	17.4	16.8	194.1	10	3642
	21 LST	10.0	13.7	13.1	12.4	9.5	6.9	9.0	9.7	9.7	14.5	15.8	17.4	147.7	10	3646
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	11.5	10.8	13.4	13.6	12.3	7.6	8.3	11.7	13.0	17.3	21.2	19.2	159.9	10	3643
	09 LST	10.2	9.4	9.2	8.6	6.4	2.8	5.2	8.8	7.9	9.3	12.2	12.4	102.4	10	3647
	15 LST	9.1	10.3	8.9	8.4	6.5	4.3	5.9	7.3	7.0	11.3	11.6	11.9	102.5	10	3642
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	15.3	13.5	13.9	11.8	9.2	6.2	10.6	13.8	8.7	13.0	15.5	16.6	148.1	10	3647
	03 LST	16.2	13.6	12.9	11.4	10.5	7.2	11.6	14.3	11.2	13.0	14.9	17.0	153.8	10	3643
	09 LST	28.7	24.9	25.3	24.3	24.1	20.1	25.2	26.7	25.9	27.7	28.0	29.8	310.7	10	3364
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	29.3	25.7	27.5	25.2	25.9	23.4	27.0	27.8	25.9	28.4	27.5	29.7	323.3	10	3398
	21 LST	29.0	24.8	26.9	24.5	24.5	22.2	27.1	27.5	24.9	27.6	26.8	29.5	315.3	10	3641
	03 LST	28.5	25.2	26.1	25.3	24.3	20.7	26.6	27.4	24.8	28.1	27.4	29.6	314.0	10	3622
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	23.9	20.4	20.6	20.4	20.5	17.3	21.0	23.4	23.1	24.5	24.3	24.9	264.3	10	3364
	15 LST	21.6	21.8	23.4	22.2	22.7	20.4	21.5	23.2	21.5	25.2	23.9	23.5	270.9	10	3398
	21 LST	24.7	21.1	22.8	21.5	21.3	18.4	22.0	22.9	20.0	23.0	23.7	24.1	265.5	10	3641
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	22.8	21.7	22.5	22.1	20.2	17.1	21.3	22.3	20.1	23.4	23.1	25.4	262.0	10	3622
	09 LST	23.8	20.2	20.2	20.3	20.5	17.1	20.9	23.3	23.0	24.1	23.9	24.0	262.1	10	3364
	15 LST	21.6	21.3	23.3	22.0	22.0	20.1	21.5	22.9	21.5	24.9	23.6	23.2	268.4	10	3398
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	24.1	20.8	22.6	21.3	20.6	17.9	21.9	22.8	19.8	22.1	23.6	24.1	261.6	10	3641
	03 LST	22.2	21.2	21.6	21.4	19.3	16.6	21.0	22.1	19.7	22.6	22.5	25.3	255.5	10	3622

KUMAMOTO, JAPAN

STA NO. 47819 (IN AREA NUMBER 07) LATITUDE 3248N LONGITUDE 13046E ELEVATION(FT) 00135

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	73	80	79	85	92	95	102	99	97	92	84	75	102	39	-595
MEAN MAX TMP (F)	51	52	59	69	76	80	87	91	84	74	64	54	70	30	-99
MEAN MIN TMP (F)	31	32	38	46	54	62	71	72	66	52	42	33	50	30	-99
ABS MIN TMP (F)	15	15	20	28	34	45	58	60	48	33	25	18	15	39	-599
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	1.7	14.6	19.9	6.0	0.4	0.0	0.0	42.8	10	3631
MEAN NO DYS TMP = OR LES 32(F)	17.2	14.0	5.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	1.2	10.4	49.0	10	3644
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3646
MEAN DEW PT TMP (F)	32	33	39	49	57	65	74	73	67	55	46	36	52	10	29108
MEAN REL HUM (PCT)	77	75	74	76	77	82	82	79	80	78	79	78	78	30	-99
MEAN PRESS ALT (FT)	-98	-59	-18	67	162	256	268	267	165	17	-67	-91	72	0	-50
MEAN PRECIP (IN)	2.56	2.76	5.17	6.35	6.51	14.50	12.35	6.40	6.80	4.39	2.75	2.30	72.8	30	-99
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				39	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.5	7.9	7.9	8.9	9.0	12.9	12.1	8.6	9.3	6.4	4.4	5.1	96.1	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				39	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.2	0.9	0.6	2.1	1.0	1.2	0.9	0.4	0.9	0.7	1.3	0.7	12.9	10	3643
MEAN NO DYS TSTMS	0.2	0.2	0.5	0.9	0.7	1.0	5.1	5.4	1.9	0.5	0.1	0.2	16.7	30	-100
P FREQ WND SPD = OR GTR 17 KTS	1.5	0.7	0.8	0.6	0.5	0.8	0.4	2.2	1.4	0.2	0.0	0.4	0.8	10	29101
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	10	29101
P FREQ LES 5000 FT A/O LES 5 MI	26.6	20.5	21.3	24.7	28.2	30.2	30.0	20.5	19.6	12.1	13.5	17.1	22.0	10	28926
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	3.3	2.8	4.0	5.7	9.2	10.4	8.4	2.3	3.0	1.0	3.7	3.6	4.8	10	3630
03-05 LST	2.9	2.8	4.5	6.7	9.6	11.1	7.1	3.2	3.0	0.6	2.1	3.2	4.8	10	3623
06-08 LST	2.3	2.5	5.8	8.8	17.9	15.6	13.9	6.8	6.4	1.9	2.4	2.6	7.2	10	3603
09-11 LST	13.4	11.1	7.8	11.1	13.1	11.7	12.3	5.5	6.0	4.2	6.1	10.7	9.4	10	3624
12-14 LST	6.8	7.1	6.1	9.1	9.4	10.3	7.4	1.9	3.3	1.6	3.3	6.5	6.1	10	3644
15-17 LST	6.1	3.5	5.2	8.1	7.2	9.7	7.4	3.6	2.3	1.3	3.0	1.6	4.9	10	3638
18-20 LST	8.7	8.6	6.1	10.8	7.8	11.7	7.7	5.2	5.7	6.5	4.4	4.8	7.3	10	3638
21-23 LST	7.1	5.0	5.5	8.1	10.3	10.7	7.7	3.2	2.7	2.3	3.0	5.2	5.9	10	3645
P FREQ LES 300 FT A/O LES 1 MI															
FOF 00-02 LST	1.0	0.0	1.3	0.0	1.0	0.0	0.3	0.3	0.0	0.0	0.3	0.0	0.4	10	3630
03-05 LST	1.0	0.4	1.0	0.3	0.3	1.0	0.0	0.0	0.0	0.0	0.3	0.0	0.4	10	3623
06-08 LST	0.3	0.0	0.3	2.1	4.3	2.0	2.3	1.0	1.3	0.0	0.7	0.0	1.2	10	3603
09-11 LST	3.3	3.6	1.6	4.0	4.9	2.0	0.6	0.0	0.7	0.7	1.0	2.3	2.1	10	3624
12-14 LST	2.5	0.7	0.3	1.3	0.6	1.7	0.3	7.3	0.3	0.3	0.3	1.6	0.9	10	3644
15-17 LST	1.3	0.7	1.3	1.0	1.0	0.3	0.3	1.0	0.0	0.3	0.0	0.0	0.6	10	3638
18-20 LST	2.3	1.4	1.3	2.4	2.0	1.3	0.6	0.0	0.3	0.0	0.3	1.0	1.1	10	3638
21-23 LST	0.6	0.7	0.6	0.7	0.6	0.3	0.0	0.0	0.0	0.0	1.0	0.0	0.4	10	3645

KUMAMOTO, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. ORS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST 18.7	15.7	23.5	23.1	25.3	24.4	28.4	27.6	27.3	27.4	20.8	14.9	277.1	10	3624
	15 LST 28.0	26.6	29.1	27.6	29.3	27.5	29.3	29.6	29.7	30.3	27.9	28.1	343.0	10	3638
	21 LST 26.3	24.5	27.3	26.7	26.5	26.7	29.2	29.2	28.4	28.4	24.4	25.3	322.9	10	3645
	03 LST 29.2	26.2	28.5	27.3	26.3	25.9	28.9	28.8	28.1	29.4	27.3	28.7	334.6	10	3623
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	09 LST 16.4	14.4	20.9	19.9	22.2	21.5	22.7	24.1	25.1	26.2	20.3	14.2	247.9	10	3623
	15 LST 20.6	20.6	21.3	20.4	24.5	21.7	20.9	23.4	25.1	26.6	24.2	24.0	273.3	10	3638
	21 LST 24.1	23.1	25.3	24.7	24.0	24.2	26.9	26.4	27.1	26.9	24.1	24.0	300.8	10	3645
	03 LST 26.9	24.9	26.8	26.1	24.4	24.5	26.2	26.6	26.2	28.7	27.1	27.6	316.1	10	3621
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST 0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.3	10	3645
	15 LST 0.6	0.1	0.0	0.5	0.3	0.4	0.2	0.5	0.3	0.2	0.0	0.1	3.2	10	3645
	21 LST 0.4	0.1	0.1	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.8	10	3646
	03 LST 0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.5	10	3640
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST 4.6	4.6	6.8	6.0	5.3	6.0	9.3	7.2	6.5	9.2	5.9	6.7	78.1	10	3645
	15 LST 13.4	15.1	19.0	16.4	17.5	15.0	9.2	8.1	14.3	21.2	16.6	16.5	182.3	10	3645
	21 LST 5.4	7.5	11.0	7.8	7.7	10.6	12.0	7.6	7.9	12.4	8.8	7.2	105.9	10	3646
	03 LST 5.1	4.8	7.3	4.9	4.2	3.1	4.3	2.7	6.3	9.1	9.5	7.0	68.3	10	3640
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST 4.1	4.3	6.7	6.9	4.1	3.2	4.3	6.9	7.7	12.5	9.5	4.3	74.5	10	3644
	15 LST 5.8	7.5	8.5	6.7	5.0	3.0	3.7	5.7	5.4	10.5	10.5	9.6	81.9	10	3645
	21 LST 11.4	12.0	12.3	10.3	7.0	5.4	8.6	10.4	9.5	15.0	13.7	14.0	129.6	10	3645
	03 LST 10.0	12.7	10.9	11.3	7.7	5.4	7.1	12.7	11.6	14.8	15.6	13.2	133.0	10	3642
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST 17.5	15.0	21.9	21.3	21.9	20.9	23.0	25.4	25.7	26.6	20.0	14.6	253.8	10	3624
	15 LST 25.6	24.8	27.4	25.3	26.4	24.3	26.0	28.2	27.7	29.7	26.8	27.7	319.9	10	3638
	21 LST 24.5	23.7	26.0	24.7	23.5	23.6	26.0	26.8	26.3	27.6	23.5	24.7	300.9	10	3645
	03 LST 27.3	25.2	27.4	25.4	23.4	22.8	25.1	26.9	26.3	28.4	26.7	27.9	312.8	10	3623
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST 13.9	11.9	18.5	18.1	17.8	17.3	19.6	22.7	23.2	24.3	18.1	11.7	217.1	10	3624
	15 LST 17.9	19.5	22.1	20.7	22.5	21.1	22.7	24.0	24.8	27.2	23.0	22.2	267.7	10	3638
	21 LST 18.2	20.2	21.3	20.3	18.5	18.0	20.6	22.3	21.9	24.8	21.4	20.5	248.0	10	3645
	03 LST 19.3	20.6	21.5	20.2	18.6	17.3	19.1	22.2	22.1	23.9	23.5	22.6	250.9	10	3623
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST 13.8	11.6	18.1	17.6	17.8	17.3	19.6	22.5	23.1	24.3	18.1	11.4	215.2	10	3624
	15 LST 17.8	19.3	22.1	20.5	22.3	21.1	22.6	24.0	24.4	26.9	22.7	22.0	265.7	10	3638
	21 LST 17.9	20.0	21.0	20.2	18.5	17.7	20.6	22.3	21.7	24.5	21.3	20.2	245.9	10	3645
	03 LST 19.2	20.5	21.3	20.0	18.4	17.2	19.0	22.2	22.0	23.7	23.3	22.4	249.2	10	3623

KAGOSHIMA, JAPAN

STA NO. 47827 (IN AREA NUMBER: 07)

ELEVATION (FT) 00019

LONGITUDE 13033E

LATITUDE 3133N

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	73	74	78	83	88	91	97	97	94	90	81	75	97	44	-528
MEAN MAX TMP (F)	53	54	60	68	74	76	85	87	83	75	65	56	70	30	-28
MEAN MIN TMP (F)	37	38	43	52	58	66	73	74	69	59	49	40	55	30	-28
ABS MIN TMP (F)	22	20	25	30	41	48	61	62	51	37	29	22	20	44	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.7	15.9	18.2	6.2	0.2	0.0	0.0	41.2	10	3651
MEAN NO DYS TMP = OR LES 32(F)	10.7	7.3	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4.6	25.1	10	3652
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3652
MEAN DEW PT TMP (F)	35	37	44	51	59	67	74	74	70	58	49	40	55	10	86585
MEAN REL HUM (PCT)	76	73	74	77	79	82	82	80	80	76	77	77	78	30	-100
MEAN PRESS ALT (FT)	-215	-165	-133	-46	55	141	153	173	82	-56	-154	-207	-30	0	-50
MEAN PRECIP (IN)	3.40	4.00	6.40	8.70	8.20	17.10	12.20	7.40	8.70	5.20	3.70	3.40	88.4	30	-28
MEAN SNOW FALL (IN)	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	10	3648
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.1	8.1	8.9	10.3	10.0	13.6	12.1	9.4	11.3	7.4	5.6	7.1	110.9	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3648
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.1	0.2	0.1	0.5	0.4	0.0	0.0	0.2	0.0	0.2	0.2	0.0	1.9	10	3621
MEAN NO DYS TSTMS	0.4	0.3	0.9	1.3	0.6	1.8	3.2	4.3	2.5	0.5	0.4	0.5	16.7	30	-100
P FREQ WND SPD = OR GTR 17 KTS	4.0	3.8	4.5	3.6	3.2	2.4	1.9	6.2	5.5	3.3	2.2	2.1	3.6	10	86585
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.0	0.1	0.0	0.1	0.0	1.1	1.1	0.0	0.0	0.0	0.2	10	86585
P FREQ LES 5000 FT A/O LES 5 MI	29.3	24.3	26.8	25.6	30.1	38.5	36.8	26.3	23.0	14.8	13.5	18.1	25.6	10	86475
P FREQ LES 1500 FT A/O LES 3 MI	0.8	0.5	0.8	2.8	3.8	3.7	2.7	1.6	1.6	0.8	0.4	0.1	1.6	10	10818
FOR 00-02 LST	0.5	1.3	0.8	3.8	3.7	4.4	2.2	2.1	0.9	0.4	0.6	0.3	1.8	10	10818
03-05 LST	1.2	1.2	1.2	3.6	5.1	5.9	1.7	1.3	0.8	0.3	0.3	0.2	1.9	10	10813
06-08 LST	1.2	2.1	1.7	4.3	5.8	5.4	1.6	1.0	1.2	0.6	0.1	1.1	2.2	10	10821
09-11 LST	1.1	1.9	2.0	3.4	4.8	4.1	1.4	0.9	1.3	0.5	0.0	0.5	1.8	10	10821
12-14 LST	1.3	1.8	1.7	4.7	4.6	3.7	1.9	0.8	1.8	0.9	0.2	0.3	2.0	10	10811
15-17 LST	0.4	0.8	1.1	4.2	3.4	3.2	2.1	0.8	1.7	0.3	0.7	0.2	1.6	10	10812
18-20 LST	0.7	0.7	0.6	2.6	3.6	3.5	1.8	1.1	1.7	0.4	0.4	0.2	1.4	10	10778
21-23 LST	0.1	0.0	0.0	0.4	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.1	10	10818
FOR 00-02 LST	0.0	0.0	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	10818
03-05 LST	0.1	0.2	0.0	0.9	0.2	0.4	0.0	0.1	0.0	0.0	0.1	0.0	0.2	10	10813
06-08 LST	0.4	0.0	0.0	0.1	0.5	0.4	0.0	0.0	0.0	0.1	0.0	0.0	0.1	10	10821
09-11 LST	0.2	0.0	0.1	0.1	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	10821
12-14 LST	0.2	0.2	0.2	0.3	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1	10	10811
15-17 LST	0.0	0.0	0.0	0.7	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	10	10812
18-20 LST	0.0	0.0	0.0	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	10778
21-23 LST	0.0	0.0	0.0	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	10778

KAGOSHIMA, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	30.6	27.5	30.6	28.2	29.0	28.4	30.7	30.6	29.7	30.8	29.9	30.7	356.7	10	3622
	15 LST	30.7	27.5	30.2	29.0	29.8	29.3	30.6	30.9	29.3	30.9	29.8	30.7	358.7	10	3622
	21 LST	30.7	27.6	30.8	29.2	29.8	29.0	30.5	30.7	29.6	30.8	29.8	30.9	359.4	10	3621
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	30.9	27.6	30.8	28.8	29.9	29.9	30.4	30.2	29.8	30.9	29.9	30.8	358.9	10	3622
	09 LST	23.9	22.2	21.6	20.2	21.3	22.0	23.6	23.2	22.1	22.6	25.6	25.8	274.1	10	3622
	15 LST	13.9	13.6	14.6	13.8	16.3	15.3	13.5	15.4	17.6	19.4	18.5	15.3	187.2	10	3622
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	27.1	24.0	26.1	24.4	24.5	23.8	26.3	25.6	23.1	24.6	26.3	27.8	303.6	10	3621
	03 LST	26.3	24.7	26.4	24.6	24.8	24.7	26.3	25.9	25.2	26.8	26.4	27.6	309.7	10	3622
	09 LST	0.6	0.1	0.3	0.1	0.5	0.2	0.1	0.3	0.6	0.4	0.4	0.2	3.8	10	3622
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	2.7	2.2	2.7	2.3	1.0	0.4	0.5	1.0	1.0	0.8	0.8	1.0	16.4	10	3622
	21 LST	0.1	0.1	0.2	0.1	0.0	0.1	0.3	0.6	0.7	0.7	0.6	0.0	3.5	10	3621
	03 LST	0.2	0.2	0.5	0.0	0.2	0.2	0.0	0.5	0.3	0.4	0.1	0.2	2.8	10	3622
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	15.6	13.4	13.4	14.9	12.2	12.8	15.6	16.3	16.4	17.1	16.6	19.6	183.9	10	3622
	15 LST	9.5	11.0	12.0	10.8	12.7	10.7	6.4	7.7	13.9	16.0	15.8	12.0	138.5	10	3622
	21 LST	17.7	15.6	17.3	14.4	11.3	10.1	11.7	9.6	13.9	18.7	20.3	20.3	180.9	10	3621
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	12.6	13.6	17.9	17.8	15.2	11.2	10.7	14.7	17.7	22.6	21.3	20.5	195.8	10	3622
	09 LST	8.7	8.0	9.3	6.9	4.6	3.1	4.0	9.0	8.5	11.7	13.5	12.6	99.9	10	3622
	15 LST	8.0	9.0	9.3	7.7	5.0	2.4	5.1	5.8	6.4	12.6	12.6	12.8	96.7	10	3622
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	13.3	12.3	12.8	10.8	7.3	5.8	10.1	13.9	12.7	15.6	15.6	17.6	147.8	10	3621
	03 LST	12.1	10.3	11.7	11.0	7.7	6.7	10.2	15.8	14.8	16.4	16.2	15.5	148.4	10	3622
	09 LST	29.0	25.7	27.8	24.9	24.6	22.0	24.1	27.0	26.8	29.2	28.5	29.4	319.0	10	3622
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	28.9	26.2	27.7	25.7	25.5	23.2	25.2	27.3	26.9	29.2	28.8	29.8	324.4	10	3622
	21 LST	29.1	26.3	28.2	25.7	26.0	24.1	26.4	28.4	26.8	29.3	28.5	29.9	328.7	10	3621
	03 LST	28.9	26.0	28.2	26.1	25.3	23.8	25.6	27.8	27.1	29.4	28.6	29.9	326.7	10	3622
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	21.1	19.7	21.9	21.3	20.4	17.6	17.4	22.9	23.9	27.9	25.7	25.6	265.4	10	3622
	15 LST	20.8	20.2	22.7	21.8	21.2	17.6	19.4	21.8	22.4	25.7	26.1	24.5	264.2	10	3622
	21 LST	21.5	21.3	22.8	21.4	21.5	18.2	22.3	24.0	23.0	26.0	25.8	26.1	273.9	10	3621
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	21.0	20.2	23.0	21.8	20.8	18.1	19.7	23.6	23.0	26.6	26.3	24.8	268.9	10	3622
	09 LST	20.8	19.7	21.7	21.0	20.4	17.6	17.3	22.9	23.9	27.7	25.7	25.6	264.3	10	3622
	15 LST	20.7	20.2	22.6	21.7	21.2	17.6	19.4	21.8	22.4	25.7	26.0	24.5	263.8	10	3622
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	21.4	21.0	22.8	21.4	21.4	18.2	22.3	24.0	23.0	26.0	25.7	26.1	273.3	10	3621
	03 LST	21.0	19.9	23.0	21.8	20.6	18.1	19.7	23.6	23.0	26.6	26.2	24.8	268.3	10	3622

MIYAKONOJO, JAPAN

STA NO. 47829 (IN AREA NUMBER 07)

LATITUDE 31.43N LONGITUDE 131.02E ELEVATION(FT) 00505

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	69	72	79	83	89	91	96	95	94	88	82	72	96	10	3645
MEAN MAX TMP (F)	52	55	62	69	75	80	87	88	84	75	67	58	71	10	3645
MEAN MIN TMP (F)	31	33	40	49	58	65	73	72	67	54	44	34	52	10	3650
ABS MIN TMP (F)	16	18	21	27	42	48	64	63	51	33	26	19	16	10	3650
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.6	10.5	11.1	3.4	0.0	0.0	0.0	25.6	10	3645
MEAN NO DYS TMP = OR LES 32(F)	19.9	14.9	7.1	1.4	0.0	0.0	0.0	0.0	0.0	0.0	1.8	14.2	59.3	10	3650
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3650
MEAN DEW PT TMP (F)						69	76	77	71	60				10	-29
MEAN REL HUM (PCT)						89	87	89	86	85				10	222
MEAN PRESS ALT (FT)															
MEAN PRESS ALT (FT)	289	323	359	437	528	621	632	632	532	389	311	293	446	0	-50
MEAN PRECIP (IN)	2.80	3.83	5.44	10.03	10.99	17.05	12.75	14.58	13.95	4.13	4.30	1.80	101.6	10	3652
MEAN SNOW FALL (IN)	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	10	-47827
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.3	6.7	9.4	10.6	11.1	13.0	12.4	12.0	10.4	6.4	5.6	3.9	106.8	10	3652
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-47827
MEAN NO DYS W/OCUR VSBY LES 1/2 MI						0.0	0.0	0.0	3.0	0.0				10	34
MEAN NO DYS TSTMS						0.0	0.0	5.8	0.0	0.0				10	34
P FREQ WND SPD = OR GTR 17 KTS	3.7	3.6	3.5	3.2	1.7	2.0	1.9	4.2	4.7	1.9	1.3	1.6	2.8	10	29178
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.0	0.1	0.2	0.0	0.1	0.0	1.1	1.0	0.0	0.0	0.0	0.2	10	29178
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														1	1
FOR 00-02 LST								0.0						2	2
03-05 LST								0.0						1	1
06-08 LST											0.0			10	698
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	1
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	435
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	1156
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														1	1
FOR 00-02 LST								0.0						2	2
03-05 LST								0.0						1	1
06-08 LST											0.0			10	698
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	1
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	435
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	1156
21-23 LST														0	0

MIYAKONOJO, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	28.5	26.6	30.5	28.0	31.0	30.0	31.0	28.4	29.0	30.7	28.7	28.1	350.5	10	698
	15 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	30.0	31.0	30.0	31.0	31.0	365.0	10	435
	21 LST	30.8	28.0	31.0	28.8	31.0	30.0	31.0	30.3	28.4	30.2	29.5	30.4	359.4	10	1156
	03 LST							31.0							2	2
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	09 LST	26.9	24.8	28.7	25.4	29.8	30.0	31.0	28.4	25.1	27.6	28.0	26.8	332.5	10	698
	15 LST	16.6	14.0	13.7	9.1	12.0	0.0	20.6	21.0	20.6	19.5	20.0	20.0	187.7	10	435
	21 LST	29.0	27.1	29.0	27.5	31.0	30.0	31.0	29.9	27.9	29.6	28.6	30.4	351.0	10	1156
	03 LST							31.0							2	2
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST	0.2	0.2	0.2	0.5	0.1	0.1	0.1	0.0	0.3	0.0	0.1	0.0	1.8	10	3650
	15 LST	3.4	2.9	2.4	1.4	0.6	0.3	1.2	0.3	0.5	0.7	0.4	1.3	15.4	10	3648
	21 LST	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.6	10	3649
	03 LST							0.0							10	34
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST	6.8	5.7	7.2	6.5	6.8	9.1	10.6	8.6	8.8	9.8	5.8	6.8	92.5	10	3649
	15 LST	8.7	9.4	11.4	10.0	10.9	10.0	5.7	9.2	12.0	13.7	12.8	13.4	127.2	10	3648
	21 LST	8.8	9.0	10.0	11.0	10.0	12.2	14.8	10.5	8.0	6.7	6.7	8.2	115.9	10	3649
	03 LST							1.9							10	34
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	14.1	11.5	10.2	7.5	5.1	2.8	5.7	7.9	6.8	13.5	13.3	15.1	113.5	10	3648
	15 LST	11.0	11.4	9.5	7.6	3.9	2.1	3.1	3.8	5.1	11.1	11.9	16.0	96.5	10	3647
	21 LST	18.0	14.9	13.1	8.7	7.5	6.2	9.9	13.3	11.2	14.8	15.9	20.3	153.8	10	3648
	03 LST							0.0							10	34
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST	28.5	26.6	30.5	28.0	31.0	30.0	31.0	28.4	29.0	30.7	28.7	28.1	350.5	10	698
	15 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	30.0	31.0	30.0	31.0	31.0	365.0	10	435
	21 LST	30.8	28.0	31.0	28.8	31.0	30.0	31.0	30.3	28.4	30.2	29.5	30.4	359.4	10	1156
	03 LST							31.0							2	2
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST	28.5	26.6	30.5	28.0	31.0	30.0	31.0	28.4	29.0	30.7	28.7	28.1	350.5	10	698
	15 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	30.0	31.0	30.0	31.0	31.0	365.0	10	435
	21 LST	30.8	28.0	31.0	28.8	31.0	30.0	31.0	30.3	28.4	30.2	29.5	30.4	359.4	10	1156
	03 LST							31.0							2	2
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	28.5	26.6	30.5	28.0	31.0	30.0	31.0	28.4	29.0	30.7	28.7	28.1	350.5	10	698
	15 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	30.0	31.0	30.0	31.0	31.0	365.0	10	435
	21 LST	30.8	28.0	31.0	28.8	31.0	30.0	31.0	30.3	28.4	30.2	29.5	30.4	359.4	10	1156
	03 LST							31.0							2	2

MIYAZAKI, JAPAN

STA NO. 47830 (IN AREA NUMBER 07)

LATITUDE 3152N

LONGITUDE 13126E

ELEVATION(FT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX T(4) (F)	76	76	82	88	90	94	97	100	96	91	83	77	100	44	-599
MEAN MAX TMP (F)	55	55	60	68	74	79	87	91	84	74	64	54	70	30	-99
MEAN MIN TMP (F)	35	36	42	51	58	66	72	73	68	57	46	37	53	30	-99
ABS MIN TMP (F)	19	20	25	29	38	49	61	62	51	37	27	19	19	44	-599
MEAN NO DYS TMP ≥ OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	2.1	12.2	10.8	2.8	0.1	0.0	0.0	28.0	10	3650
MEAN NO DYS TMP ≥ OR LES 32(F)	12.5	7.8	1.9	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.4	4.9	27.6	10	3652
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3652
MEAN DEW PT TMP (F)	34	37	44	52	60	67	74	75	70	59	49	39	55	10	87281
MEAN REL HUM (PCT)	72	71	75	78	80	84	85	84	84	81	79	74	79	30	-99
MEAN PRESS ALT (FT)	-200	-165	-131	-54	37	128	138	142	43	-96	-176	-197	-43	0	-50
MEAN PRECIP (IN)	2.86	4.29	7.50	9.03	9.53	15.56	11.97	10.36	11.70	8.74	5.06	2.78	99.4	30	-99
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3641
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	6.1	8.5	9.6	10.5	10.7	13.2	12.0	11.2	14.1	11.4	7.2	6.0	120.5	30	-29
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3641
MEAN NO DYS #/OCUR VSBY LES 1/2 MI	0.2	0.4	0.5	1.1	0.9	1.1	0.6	1.0	1.4	0.6	0.5	0.3	8.6	10	3651
MEAN NO DYS TSTMS	0.1	0.1	0.7	1.3	0.7	1.7	4.1	4.1	2.4	0.5	0.3	0.3	16.3	30	-100
P FREQ WND SPD ≥ OR GTR 17 KTS	9.1	8.4	6.5	5.9	4.5	4.2	4.1	6.6	5.8	2.6	2.0	5.1	5.4	10	87285
P FREQ WND SPD ≥ OR GTR 28 KTS	0.5	0.3	0.2	0.3	0.0	0.0	0.0	1.2	1.5	0.0	0.0	0.3	0.4	10	87285
P FREQ LES 5000 FT A/O LES 5 MI	15.3	21.0	28.5	32.7	36.6	35.6	25.6	22.8	29.7	23.8	19.8	13.1	25.4	10	87119
P FREQ LES 1500 FT A/O LES 3 MI	1.9	4.5	7.8	9.9	14.9	14.3	7.0	6.9	9.8	6.7	4.1	0.9	7.4	10	10893
FOR 00-02 LST	2.7	5.3	7.5	10.7	14.6	14.4	7.2	7.3	8.7	6.3	3.9	1.1	7.5	10	10880
03-05 LST	2.4	5.0	6.1	10.0	14.0	15.2	7.1	8.1	10.2	4.8	3.6	1.1	7.3	10	10901
06-08 LST	1.9	5.2	6.3	10.1	14.1	14.6	6.0	7.5	7.8	4.2	3.3	0.6	6.8	10	10906
09-11 LST	1.9	3.9	5.9	10.1	12.4	11.8	5.0	7.3	6.2	3.8	3.7	0.6	6.1	10	10912
12-14 LST	1.7	3.6	6.2	12.0	13.5	12.3	5.9	7.2	8.5	4.2	3.1	1.3	6.6	10	10913
15-17 LST	2.4	4.3	6.0	11.9	14.7	12.8	6.3	6.9	10.5	4.8	3.4	1.7	7.2	10	10911
18-20 LST	2.2	4.5	7.6	10.7	15.3	13.4	6.6	7.0	9.1	5.9	4.5	1.4	7.4	10	10884
21-23 LST	0.0	0.1	0.1	0.3	0.0	0.2	0.3	0.3	0.2	0.0	0.0	0.0	0.1	10	10893
FOR 00-02 LST	0.0	0.0	0.2	0.1	0.1	0.3	0.0	0.3	0.2	0.0	0.0	0.0	0.1	10	10880
03-05 LST	0.0	0.0	0.2	0.7	0.5	0.4	0.4	0.1	0.7	0.0	0.2	0.0	0.3	10	10901
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.1	10	10906
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.1	0.1	0.1	0.3	0.0	0.1	10	10912
12-14 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	10913
15-17 LST	0.1	0.0	0.0	0.0	0.2	0.2	0.0	0.2	0.2	0.0	0.0	0.0	0.1	10	10911
18-20 LST	0.1	0.0	0.0	0.1	0.1	0.1	0.0	0.3	0.0	0.0	0.0	0.0	0.1	10	10884
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	10884

MIYAZAKI, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	30.3	26.9	29.8	27.8	27.9	26.5	29.8	29.4	28.6	30.1	30.7	346.9	10	3652
	15 LST	30.5	27.4	29.6	27.3	28.1	27.6	29.6	29.7	28.3	29.4	30.8	348.7	10	3651
	21 LST	30.4	27.0	29.2	26.7	27.5	27.2	29.4	29.6	28.0	29.9	30.7	344.9	10	3651
	03 LST	30.4	26.8	29.0	27.1	27.2	26.7	29.5	28.7	27.4	29.0	30.8	341.9	10	3652
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	09 LST	22.0	19.2	21.2	19.5	19.1	17.6	18.7	20.6	22.1	25.2	24.6	255.3	10	3652
	15 LST	13.0	11.8	11.6	10.8	12.6	10.3	9.5	10.0	12.7	16.8	16.6	155.0	10	3651
	21 LST	22.8	19.2	21.8	21.3	21.6	20.3	23.0	25.1	24.1	26.8	24.7	275.8	10	3651
	03 LST	24.0	19.2	23.2	20.8	21.0	21.0	23.1	24.1	24.0	26.7	25.1	24.7	276.9	10
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST	1.7	1.5	1.8	1.0	1.2	0.7	1.1	0.6	0.9	0.3	0.8	12.0	10	3652
	15 LST	7.3	5.5	5.3	3.0	2.2	2.4	2.7	1.8	0.9	1.7	4.1	38.9	10	3651
	21 LST	0.9	1.2	1.2	1.0	0.3	0.3	0.2	0.6	0.2	0.5	0.5	7.2	10	3651
	03 LST	1.2	0.6	0.4	1.1	0.3	0.3	0.4	0.4	0.2	0.1	0.2	5.8	10	3652
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST	14.4	12.7	12.8	11.3	8.4	8.5	10.8	10.7	10.2	16.3	19.2	154.0	10	3652
	15 LST	10.1	9.7	9.8	10.1	11.3	8.7	6.3	8.1	13.0	15.9	16.8	133.2	10	3651
	21 LST	16.4	13.2	13.4	10.3	8.9	9.8	13.2	10.8	10.4	16.6	16.7	159.2	10	3651
	03 LST	13.1	11.9	13.6	13.4	12.1	10.8	10.8	13.0	12.1	18.7	19.2	169.4	10	3652
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	17.4	12.7	10.3	8.6	5.0	3.1	5.9	8.5	7.0	12.0	17.1	121.1	10	3652
	15 LST	16.0	12.3	11.1	8.3	5.6	3.0	5.3	9.0	7.6	11.8	17.9	121.0	10	3651
	21 LST	19.9	14.7	12.4	9.0	7.0	5.6	9.9	12.4	9.9	12.1	20.4	147.4	10	3651
	03 LST	20.0	14.3	13.0	11.0	8.6	7.1	11.5	14.9	12.0	14.6	19.9	163.7	10	3652
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST	28.5	24.6	25.8	23.6	22.2	21.2	25.3	25.2	24.2	27.7	29.7	305.1	10	3652
	15 LST	28.4	24.9	25.6	23.4	23.1	22.8	25.5	25.9	24.8	27.1	29.4	308.3	10	3651
	21 LST	28.1	24.0	26.1	22.3	21.8	21.2	25.1	25.8	22.9	26.2	26.4	298.8	10	3651
	03 LST	28.0	24.0	24.7	23.1	21.6	21.0	24.4	25.4	23.3	26.2	26.7	297.7	10	3652
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST	25.9	22.8	22.2	20.1	19.2	18.1	22.8	22.8	20.9	24.4	27.0	269.7	10	3652
	15 LST	25.8	22.1	22.6	20.8	20.6	20.1	22.9	24.3	21.7	24.6	27.0	277.1	10	3651
	21 LST	25.9	21.6	22.3	18.8	18.9	18.1	22.7	23.9	19.4	22.3	23.4	268.1	10	3651
	03 LST	25.5	20.7	20.2	19.1	18.1	18.3	21.2	23.7	20.0	22.6	23.5	271.1	10	3652
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	25.9	22.7	22.2	20.0	19.2	17.8	22.8	22.8	20.9	24.2	26.9	268.8	10	3652
	15 LST	25.7	22.1	22.6	20.8	20.6	20.0	22.9	24.3	21.7	24.5	27.0	276.7	10	3651
	21 LST	25.8	21.4	22.3	18.8	18.6	18.1	22.7	23.9	19.3	22.2	23.4	268.263.3	10	3651
	03 LST	25.4	20.6	20.2	19.1	18.0	18.3	21.2	23.7	20.0	22.6	23.5	271.1	10	3652

KANOYA NAB, JAPAN

STA NO. 47833 (IN AREA NUMBER 07)

LATITUDE 3121N

LONGITUDE 13050E

ELEVATION(FT) 00214

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	70	74	78	80	88	91	96	96	95	90	81	75	96	14	4373
MEAN MAX TMP (F)	54	57	62	69	75	80	89	89	86	76	68	59	72	14	4373
MEAN MIN TMP (F)	36	38	44	52	60	67	75	75	70	58	49	39	55	14	4374
ABS MIN TMP (F)	22	24	25	33	44	54	68	66	52	38	31	23	22	14	4374
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.6	14.7	17.3	5.9	0.1	0.0	0.0	38.6	14	4373
MEAN NO DYS TMP = OR LES 32(F)	10.7	7.3	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	5.2	25.6	14	4374
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	4374
MEAN DEW PT TMP (F)	36	37	44	51	59	67	74	74	70	58	49	40	55	14	103899
MEAN REL HUM (PCT)	75	72	73	75	79	82	81	80	79	75	75	74	77	14	103877
MEAN PRESS ALT (FT)	-14	34	64	149	250	334	345	366	279	142	44	-6	166	0	-50
MEAN PRECIP (IN)	3.93	4.78	6.22	11.24	11.19	18.77	11.74	8.69	7.82	5.02	3.67	2.85	95.9	14	4360
MEAN SNOW FALL (IN)	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	10	-47827
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.7	8.2	10.6	18.5	11.3	13.9	11.0	8.6	8.6	6.0	5.8	5.7	107.9	14	4360
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-47827
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.4	0.3	0.1	0.5	0.4	0.4	0.4	0.4	0.2	0.1	0.5	0.1	3.8	14	4343
MEAN NO DYS TSTMS	0.6	0.8	1.4	2.8	0.7	2.8	5.9	7.0	4.2	0.7	0.8	0.7	28.4	14	4343
P FREQ WND SPD = OR GTR 17 KTS	3.6	3.5	4.2	3.4	3.0	2.7	2.5	5.5	4.6	2.7	1.7	2.2	3.3	14	103899
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.0	0.1	0.0	0.1	0.3	0.9	0.9	0.0	0.0	0.0	0.2	14	103899
P FREQ LES 5000 FT A/O LES 5 MI	29.4	24.9	29.0	27.5	31.8	39.7	37.0	26.7	23.4	16.8	14.4	20.1	26.7	14	103789
P FREQ LES 1500 FT A/O LES 3 MI	1.8	0.5	1.5	4.3	4.9	5.1	3.4	2.2	1.7	1.7	1.1	0.8	2.4	14	12986
FOR 00-02 LST	1.4	1.2	1.4	5.1	4.5	5.5	4.2	2.3	1.8	1.9	0.9	0.6	2.6	14	12987
03-05 LST	1.8	1.4	2.3	4.7	5.9	8.5	5.2	2.2	1.4	1.6	0.7	0.4	3.0	14	12980
06-08 LST	2.3	2.5	2.5	4.9	6.9	8.0	2.9	1.3	1.2	1.9	0.4	0.9	3.0	14	12989
09-11 LST	1.6	2.6	3.2	4.3	5.9	6.4	2.0	2.2	1.3	1.8	0.5	0.8	2.7	14	12984
12-14 LST	1.4	2.3	2.7	5.4	5.8	6.4	3.0	1.3	1.6	2.0	0.8	1.0	2.8	14	12977
15-17 LST	0.5	1.4	2.0	5.8	4.7	5.3	2.7	1.3	1.7	1.0	1.0	1.4	2.4	14	12979
18-20 LST	1.2	1.3	1.2	3.9	4.5	5.4	2.4	2.0	1.3	0.9	1.1	1.3	2.2	14	12948
21-23 LST	0.3	0.0	0.0	0.4	0.0	0.3	0.2	0.4	0.3	0.0	0.1	0.2	0.2	14	12986
FOR 00-02 LST	0.3	0.0	0.1	0.7	0.2	0.6	0.5	0.4	0.5	0.0	0.2	0.2	0.3	14	12987
03-05 LST	0.3	0.2	0.1	0.9	0.5	0.6	0.4	0.5	0.0	0.0	0.3	0.2	0.3	14	12980
06-08 LST	0.6	0.0	0.0	0.1	0.5	0.7	0.2	0.3	0.1	0.4	0.0	0.0	0.2	14	12989
09-11 LST	0.2	0.1	0.1	0.1	0.3	0.3	0.1	0.2	0.1	0.2	0.0	0.0	0.1	14	12984
12-14 LST	0.2	0.5	0.2	0.3	0.3	0.2	0.1	0.1	0.0	0.1	0.1	0.0	0.2	14	12977
15-17 LST	0.0	0.3	0.1	0.6	0.2	0.2	0.1	0.0	0.0	0.0	0.3	0.0	0.2	14	12979
18-20 LST	0.0	0.0	0.0	0.3	0.1	0.1	0.1	0.0	0.2	0.0	0.3	0.0	0.2	14	12948
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	12948

KANOKA NAB, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	30.3	27.5	30.6	28.4	28.8	30.5	30.5	29.7	30.5	29.8	30.8	355.2	14	4345	
	15 LST	30.7	27.4	29.9	29.0	29.6	30.5	30.7	29.3	30.6	29.7	30.5	356.6	14	4345	
	21 LST	30.6	27.4	30.6	28.8	29.5	28.6	30.3	30.7	29.7	30.7	29.6	30.5	357.0	14	4345
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	30.7	27.6	30.7	28.4	30.0	30.1	30.1	29.5	30.8	29.8	30.7	357.0	14	4345	
	09 LST	24.1	22.4	21.8	20.4	21.4	21.6	23.5	22.8	23.1	26.3	26.0	277.2	14	4345	
	15 LST	15.4	13.8	15.3	14.4	16.9	15.4	13.8	16.6	17.9	20.2	20.5	196.7	14	4345	
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	27.1	24.1	25.9	24.2	24.5	23.2	26.6	26.1	23.9	26.7	27.4	305.0	14	4345	
	03 LST	26.9	24.7	26.2	24.4	24.6	24.5	25.9	26.3	25.5	27.1	26.8	310.3	14	4345	
	09 LST	0.6	0.1	0.2	0.2	0.4	0.5	0.2	0.2	0.5	0.3	0.2	3.7	14	4304	
SFC WND 4-10 KTS AND TMP 33-80 DEG F AND NO PRECIP.	15 LST	2.5	2.0	2.5	2.1	0.9	0.7	0.8	0.8	0.8	0.7	1.1	15.7	14	4299	
	21 LST	0.2	0.1	0.2	0.2	0.0	0.2	0.3	0.5	0.5	0.5	0.1	3.3	14	4306	
	03 LST	0.2	0.2	0.4	0.1	0.2	0.2	0.2	0.4	0.2	0.3	0.1	2.7	14	4303	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	14.5	13.3	13.9	14.8	12.5	13.3	15.0	16.1	16.4	14.7	17.3	178.6	14	4304	
	15 LST	11.0	11.6	12.6	11.7	13.5	11.8	7.8	9.0	14.5	16.1	16.2	13.0	148.8	14	4299
	21 LST	16.4	15.0	17.4	13.8	11.1	10.1	11.9	10.4	14.4	17.7	17.4	18.2	173.8	14	4306
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	12.0	12.2	18.1	16.8	14.5	10.4	10.2	13.8	19.8	17.9	18.2	181.2	14	4300	
	09 LST	8.7	8.0	9.2	7.1	4.3	2.8	4.1	8.6	8.4	11.3	11.6	97.1	13	4241	
	15 LST	7.9	8.8	8.7	7.2	4.8	2.3	4.8	5.4	6.4	11.7	11.6	91.5	13	4240	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	13.3	12.3	12.0	10.4	7.2	5.3	9.8	13.6	12.9	15.2	15.4	144.5	13	4240	
	03 LST	12.6	10.0	10.9	10.6	7.3	5.9	9.9	15.8	14.4	16.0	15.8	144.0	13	4241	
	09 LST	28.7	25.7	27.4	24.8	24.3	22.0	23.8	26.9	28.9	28.9	28.7	29.5	317.6	14	4345
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	28.7	26.1	27.2	25.5	25.4	23.2	25.4	27.2	29.0	28.8	29.5	323.2	14	4345	
	21 LST	29.2	26.0	27.4	25.5	25.8	23.7	26.7	28.1	26.9	29.2	28.5	29.4	326.4	14	4345
	03 LST	29.0	26.1	27.7	26.0	25.0	23.9	25.4	28.0	26.9	29.0	28.6	29.5	325.1	14	4345
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	20.7	19.6	21.4	20.7	20.0	17.1	17.4	22.5	23.6	26.5	25.7	24.6	259.8	14	4345
	15 LST	20.7	20.2	22.2	21.4	20.3	17.2	19.2	21.7	22.2	24.7	25.8	23.8	259.4	14	4345
	21 LST	21.9	21.2	22.1	21.1	20.7	17.9	22.6	24.0	23.1	25.6	25.7	25.6	271.5	14	4345
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	21.2	20.2	22.3	21.3	20.4	18.0	19.6	23.9	22.6	26.1	26.2	24.7	266.5	14	4345
	09 LST	20.2	19.4	21.2	20.4	20.0	17.1	17.2	22.5	23.5	25.9	25.1	24.2	256.7	14	4345
	15 LST	20.3	20.1	22.0	21.3	20.3	17.1	19.0	21.7	21.9	24.2	25.3	23.5	256.7	14	4345
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	21.1	20.9	22.0	21.1	20.6	17.9	22.5	24.0	22.8	25.1	25.1	25.5	268.6	14	4345
	03 LST	21.0	19.9	22.2	21.2	20.2	17.8	19.1	23.8	22.5	25.2	25.8	24.2	262.9	14	4345

YAKUSHIMA, JAPAN

STA NO. 47836 (IN AREA NUMBER 07) LATITUDE 3022N LONGITUDE 13039E ELEVATION(FT) 00116

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
ABS MAX TMP (F)	75	79	79	84	86	92	92	94	91	86	82	78	94	10	3620
MEAN MAX TMP (F)	57	59	63	70	75	81	88	87	84	76	69	62	73	10	3620
MEAN MIN TMP (F)	48	49	53	58	64	70	77	76	74	67	60	53	62	10	3620
ABS MIN TMP (F)	37	36	38	43	52	60	69	68	62	53	45	38	37	10	3620
MEAN NO DYS TMP ≥ OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	7.0	4.7	1.3	0.0	0.0	0.0	13.4	10	3620
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3620
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3620
MEAN DEW PT TMP (F)	43	44	48	55	61	68	74	74	71	61	54	47	58	8	69770
MEAN REL HUM (PCT)	70	70	71	72	76	80	77	80	79	74	71	69	74	8	69764
MEAN PRESS ALT (FT)	-106	-61	-31	51	149	233	243	262	176	41	-55	-99	67	0	-50
MEAN PRECIP (IN)	9.39	8.09	9.91	11.61	16.50	25.89	7.88	16.76	17.22	12.81	8.46	5.32	149.8	10	3620
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2914
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	14.3	11.2	11.5	11.4	13.5	15.9	8.8	10.0	11.0	11.7	9.5	9.9	138.8	10	3620
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2914
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.1	0.0	0.0	0.1	0.5	0.1	0.0	0.2	0.0	0.0	0.0	1.0	8	2921
MEAN NO DYS TSTMS	1.0	0.8	2.1	2.7	1.5	4.1	6.8	5.2	1.9	1.6	0.8	1.0	29.5	8	2921
P FREQ WND SPD ≥ OR GTR 17 KTS	23.2	20.8	21.9	19.9	22.3	23.6	22.2	18.6	17.5	27.3	13.5	13.1	19.9	8	69769
P FREQ WND SPD ≥ OR GTR 28 KTS	2.2	2.6	2.6	2.2	2.8	4.0	1.8	5.8	5.5	3.4	1.8	1.2	3.1	8	69769
P FREQ LES 5000 FT A/O LES 5 MI	49.4	42.7	39.6	29.3	29.4	28.8	14.1	20.7	25.0	35.2	34.5	43.4	32.7	8	69718
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	1.7	4.1	4.0	4.0	5.4	4.3	0.6	3.1	5.7	5.2	3.2	0.8	3.5	9	8726
03-05 LST	2.0	2.7	3.9	3.1	5.9	3.9	0.7	3.1	4.9	5.0	3.1	1.3	3.3	8	8720
06-08 LST	2.3	3.3	5.5	5.6	7.9	8.3	1.6	4.3	5.0	5.6	2.8	1.2	4.5	8	8723
09-11 LST	3.1	4.1	6.9	7.9	8.9	8.1	1.4	4.2	5.2	7.9	3.2	2.2	5.3	8	8721
12-14 LST	2.4	5.5	7.8	8.2	9.3	7.5	1.8	3.2	4.6	6.7	3.3	1.5	5.2	8	8717
15-17 LST	3.2	4.6	7.8	8.9	8.6	7.9	1.6	4.9	5.7	6.7	3.9	1.3	5.4	8	8709
18-20 LST	3.0	4.0	6.2	8.5	8.9	7.2	1.1	5.4	7.2	6.3	3.5	1.9	5.3	8	8720
21-23 LST	2.2	4.7	5.2	5.4	7.1	5.7	0.6	3.0	6.0	5.6	3.8	1.2	4.2	8	8692
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.1	0.4	0.0	0.5	0.4	0.0	0.0	0.0	0.1	9	8726
03-05 LST	0.0	0.0	0.0	0.0	0.3	1.0	0.1	0.4	0.3	0.1	0.0	0.1	0.2	8	8720
06-08 LST	0.0	0.0	0.0	0.1	0.0	1.3	0.3	0.4	0.6	0.0	0.0	0.0	0.2	8	8723
09-11 LST	0.0	0.0	0.0	0.1	0.7	0.6	0.0	0.7	0.8	0.0	0.0	0.0	0.2	8	8721
12-14 LST	0.0	0.0	0.3	0.1	0.4	0.7	0.0	0.5	0.8	0.0	0.0	0.0	0.2	8	8717
15-17 LST	0.0	0.0	0.0	0.1	0.3	1.0	0.1	0.5	0.8	0.0	0.0	0.0	0.2	8	8709
18-20 LST	0.0	0.0	0.0	0.0	0.3	0.7	0.0	0.9	1.0	0.1	0.0	0.0	0.3	8	8720
21-23 LST	0.0	0.1	0.1	0.0	0.1	0.6	0.0	0.7	0.7	0.0	0.0	0.0	0.2	8	8692

YAKUSHIMA, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG < GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	30.6	27.6	29.7	28.6	29.1	28.7	30.6	29.9	29.1	30.0	29.6	31.0	354.5	8	2921
	15 LST	30.8	27.5	29.7	28.5	29.4	28.5	30.7	29.4	28.9	30.2	29.4	30.8	353.8	8	2921
	21 LST	30.8	27.6	30.0	28.9	30.1	29.4	31.0	30.1	28.9	30.2	29.7	31.0	357.7	8	2922
	03 LST	30.8	27.6	30.6	29.6	30.5	29.6	30.7	30.0	29.7	30.2	29.9	30.8	359.6	8	2922
CIG >GTR 2000 FT AND VSBY >GTR 3 MI W/5FC WND LES 10 KTS	09 LST	13.5	14.1	15.2	13.2	11.3	13.1	15.7	15.6	18.0	15.1	19.1	20.4	184.3	8	2921
	15 LST	13.9	12.1	10.6	10.9	10.1	10.0	11.5	15.0	16.1	11.5	16.4	16.5	154.6	8	2921
	21 LST	15.7	14.8	17.9	17.1	17.5	18.2	20.2	20.9	21.0	19.5	20.6	19.6	223.0	8	2922
	03 LST	15.7	15.8	19.4	18.6	18.1	17.9	20.0	22.0	21.8	19.9	20.1	20.7	230.0	8	2922
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST	2.5	2.6	2.9	2.6	4.7	4.1	6.3	3.7	3.4	4.2	2.6	1.7	41.3	8	2921
	15 LST	2.9	3.3	5.9	5.6	5.0	5.7	8.0	3.9	3.4	5.6	3.4	2.6	55.3	8	2921
	21 LST	2.7	1.0	3.2	2.4	1.7	1.9	3.6	2.6	2.4	3.6	1.1	1.6	27.8	8	2922
	03 LST	2.4	2.2	2.9	1.9	2.9	1.2	3.9	1.6	2.0	2.7	2.0	1.5	27.2	8	2922
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST	6.7	6.8	8.1	8.1	8.7	9.0	11.3	10.9	10.7	9.2	12.0	12.6	114.1	8	2921
	15 LST	8.0	9.0	8.5	7.5	7.6	7.4	8.4	11.0	10.5	9.1	12.0	11.3	110.3	8	2921
	21 LST	10.2	10.6	11.2	11.1	10.6	7.6	9.6	12.7	13.5	14.4	15.5	14.1	141.1	8	2922
	03 LST	10.0	10.1	12.2	12.5	11.1	9.4	10.9	15.0	15.2	12.9	14.5	14.6	148.4	8	2922
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	2.1	3.8	4.7	4.9	4.4	3.1	7.8	9.9	6.6	5.0	5.9	4.5	62.7	8	2921
	15 LST	2.2	2.8	5.4	6.2	4.6	2.7	6.5	7.1	5.5	6.6	5.6	4.7	59.9	8	2921
	21 LST	5.1	6.6	7.3	8.3	6.6	6.1	13.6	15.3	12.9	10.6	9.4	8.6	110.4	8	2922
	03 LST	5.5	6.4	6.9	8.6	7.8	6.4	15.1	16.6	14.4	10.0	9.2	6.7	113.6	8	2922
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST	22.2	21.2	23.9	23.9	24.1	23.7	27.7	26.4	24.1	23.4	24.6	24.2	289.4	8	2921
	15 LST	22.2	22.0	23.7	22.9	24.9	22.9	27.6	25.9	24.6	24.5	24.1	23.4	288.7	8	2921
	21 LST	22.8	22.3	25.5	23.9	24.7	23.9	28.9	27.5	24.9	24.5	24.9	24.5	298.3	8	2922
	03 LST	23.7	21.9	24.6	25.4	23.9	24.0	28.2	27.1	25.4	24.5	25.2	25.6	299.5	8	2922
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST	15.1	15.1	18.2	20.6	21.9	22.0	25.9	24.0	20.7	19.2	19.2	16.9	238.8	8	2921
	15 LST	15.5	16.7	18.8	19.6	22.4	20.5	25.6	23.1	21.8	20.0	19.4	15.3	238.7	8	2921
	21 LST	15.2	16.1	19.6	21.2	21.9	20.9	27.5	25.6	22.9	20.6	19.9	17.2	248.6	8	2922
	03 LST	16.4	16.2	18.5	22.1	20.2	20.6	26.1	25.0	23.3	20.0	20.6	18.6	247.6	8	2922
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	15.1	15.1	18.2	20.6	21.9	21.8	25.9	24.0	20.7	19.2	19.2	16.9	238.6	8	2921
	15 LST	15.5	16.7	18.8	19.6	22.4	20.5	25.6	23.1	21.8	20.0	19.2	15.3	238.5	8	2921
	21 LST	15.2	16.1	19.6	21.2	21.9	20.9	27.5	25.6	22.9	20.6	19.9	17.2	248.6	8	2922
	03 LST	16.4	16.2	18.5	22.1	20.2	20.6	26.1	25.0	23.3	20.0	20.6	18.6	247.6	8	2922

TSUIKI AB, JAPAN

STA NO. 47840 (IN AREA NUMBER 07)

LATITUDE 3340N

LONGITUDE 13102E

ELEVATION(FT) 00057

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	66	69	73	79	84	93	96	99	93	82	73	66	99	8	2434
MEAN MAX TMP (F)	48	49	54	64	72	77	85	88	81	72	62	54	67	8	2434
MEAN MIN TMP (F)	36	36	40	48	56	64	73	74	67	56	46	39	53	8	2434
ABS MIN TMP (F)	26	26	29	34	45	53	61	61	52	46	35	30	26	8	2434
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.8	8.0	14.6	1.0	0.0	0.0	0.0	24.4	8	2434
MEAN NO DYS TMP = OR LES 32(F)	8.4	9.7	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	22.5	8	2434
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2434
MEAN DEW PT TMP (F)	35	34	40	43	56	65	73	73	67	56	47	38	53	8	58380
MEAN REL HUM (PCT)	77	76	77	76	78	83	83	80	81	78	77	75	78	8	58380
MEAN PRESS ALT (FT)	-185	-143	-100	-10	87	180	192	193	92	-56	-147	-177	-5	0	-50
MEAN PRECIP (IN)	2.50	3.78	3.98	6.55	6.37	14.71	15.36	6.25	10.90	3.20	2.43	1.49	77.5	8	2436
MEAN SNOW FALL (IN)	1.0	1.2	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	3.3	8	2438
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.2	6.5	8.7	7.4	9.7	11.6	9.3	6.8	9.0	5.5	4.3	3.8	88.8	8	2436
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.3	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	8	2438
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.2	0.6	1.4	2.3	0.8	1.3	1.5	0.4	0.3	0.6	0.2	0.2	10.8	8	2438
MEAN NO DYS TSTMS	0.1	0.4	0.1	1.0	0.4	2.6	5.3	4.2	2.9	0.4	0.0	0.0	17.4	8	2438
P FREQ WND SPD = OR GTR 17 KTS	1.7	1.8	1.7	0.5	1.1	0.7	0.3	2.0	2.0	0.6	0.5	0.6	1.1	8	58499
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.1	0.0	0.0	0.1	8	58499
P FREQ LES 5000 FT A/O LES 5 MI	53.4	46.9	43.6	34.6	36.2	54.5	40.4	25.0	33.5	23.0	24.3	38.8	37.9	8	58501
P FREQ LES 1500 FT A/O LES 3 MI	4.4	5.6	7.4	6.8	12.0	24.9	12.5	5.1	10.2	3.8	2.8	3.6	8.3	8	7313
FOR 00-02 LST	5.4	4.5	8.8	11.6	14.3	28.4	15.1	6.5	10.6	4.3	3.7	2.3	9.6	8	7314
03-05 LST	8.0	9.4	14.4	15.6	22.4	34.0	20.8	6.0	12.9	6.5	7.0	3.6	13.4	8	7319
06-08 LST	8.6	10.3	10.0	13.3	16.0	29.2	14.3	5.0	9.7	7.1	6.5	3.8	11.2	8	7321
09-11 LST	6.5	9.1	8.6	10.6	10.4	21.9	10.2	5.4	10.0	6.3	5.4	5.6	9.2	8	7320
12-14 LST	7.1	6.9	9.2	12.1	9.7	23.1	11.5	6.0	10.8	6.3	6.5	4.1	9.4	8	7319
15-17 LST	6.6	9.3	9.1	10.3	11.2	24.7	12.9	5.9	12.4	7.4	8.1	5.4	10.3	8	7319
18-20 LST	4.9	7.8	8.0	8.1	12.3	27.9	13.1	5.0	11.4	6.2	3.9	4.3	9.4	8	7318
21-23 LST	1.1	1.5	1.8	3.3	2.2	4.9	0.3	0.2	0.3	0.2	0.0	0.4	1.4	8	7313
FOR 00-02 LST	0.7	1.0	2.3	2.9	2.6	4.8	1.3	0.7	0.8	0.0	0.0	0.2	1.4	8	7314
03-05 LST	1.6	1.5	4.5	3.8	3.1	4.1	3.0	0.3	2.1	1.4	0.0	0.5	2.2	8	7319
06-08 LST	1.9	1.7	1.4	2.5	1.4	3.2	1.6	0.3	0.6	0.0	0.6	0.4	1.3	8	7321
09-11 LST	1.1	1.7	0.9	1.4	0.9	4.0	0.5	0.7	0.8	0.6	0.0	0.7	1.1	8	7320
12-14 LST	0.8	0.5	0.6	2.4	1.8	3.2	1.6	0.3	1.4	1.1	1.5	0.5	1.3	8	7319
15-17 LST	1.5	0.0	0.9	2.5	2.3	5.3	2.5	0.2	1.4	0.6	0.6	0.2	1.5	8	7319
18-20 LST	1.3	0.5	1.1	2.2	2.5	4.8	1.3	0.0	1.0	0.3	0.0	0.0	1.3	8	7318
21-23 LST															

TSUIKI AB, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	27.8	24.9	28.0	26.3	20.6	26.7	29.6	27.8	28.7	28.3	30.2	325.2	8	2441
	15 LST	29.2	26.3	28.7	26.4	28.0	23.5	27.7	29.6	27.3	29.5	30.2	334.7	8	2440
	21 LST	29.5	26.2	29.0	27.3	27.0	21.7	27.2	29.8	26.9	29.7	29.6	332.6	8	2440
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	29.6	26.9	28.6	27.7	27.6	22.7	29.6	27.3	30.1	29.0	30.3	337.1	8	2439
	09 LST	21.0	17.8	20.7	19.4	20.8	16.1	21.1	25.4	23.7	23.5	24.8	259.0	8	2441
	15 LST	17.9	13.1	16.1	18.0	18.3	15.9	20.3	22.1	22.1	22.4	20.0	227.5	8	2440
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	26.0	23.2	25.7	25.4	24.7	19.5	24.8	27.5	25.1	27.5	27.0	303.9	8	2440
	03 LST	25.5	22.8	25.0	25.6	25.3	21.1	24.8	27.3	24.6	28.4	27.2	306.1	8	2439
	09 LST	0.5	0.4	0.6	0.5	0.6	0.0	0.0	0.5	0.3	0.1	0.0	3.8	8	2272
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	0.5	1.2	1.5	0.8	0.8	0.5	0.2	0.8	0.3	0.1	0.2	7.1	8	2269
	21 LST	0.3	0.1	0.3	0.2	0.0	0.0	0.2	0.3	0.2	0.1	0.0	2.2	8	2281
	03 LST	0.5	0.4	0.2	0.0	0.0	0.0	0.0	0.2	0.3	0.1	0.0	1.7	8	2275
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	17.0	17.3	20.8	19.9	21.6	19.0	18.8	15.4	18.2	17.2	17.5	222.4	8	2269
	15 LST	17.3	16.0	17.2	18.4	19.6	17.9	13.7	18.7	17.6	19.6	16.7	210.3	8	2268
	21 LST	17.1	14.8	17.5	17.4	17.6	14.0	12.6	13.3	13.1	18.8	20.1	193.9	8	2280
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	16.0	13.9	14.9	16.7	15.8	11.6	9.3	12.5	13.2	19.3	20.7	184.4	8	2272
	09 LST	3.0	3.0	5.1	5.3	4.6	1.9	3.3	5.9	3.8	6.9	5.8	57.2	8	2441
	15 LST	3.8	4.5	6.3	5.3	4.0	1.7	3.2	5.1	5.0	7.8	6.5	61.8	8	2440
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	8.4	6.4	8.3	8.9	7.1	4.3	7.0	10.3	8.1	13.1	14.3	108.4	8	2440
	03 LST	6.4	7.5	6.7	9.7	8.6	5.3	8.3	15.3	9.4	12.8	15.5	116.5	8	2439
	09 LST	26.5	23.5	26.3	24.4	24.6	18.8	24.3	28.6	25.8	27.7	27.8	307.9	8	2441
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	28.3	24.7	27.0	25.0	26.3	21.4	25.8	28.6	25.6	28.7	29.1	317.8	8	2440
	21 LST	28.6	24.9	26.8	26.4	25.7	19.5	25.8	28.7	25.4	28.6	28.0	317.4	8	2440
	03 LST	28.9	25.5	26.6	25.4	26.4	20.6	25.5	28.9	25.6	28.8	30.0	321.0	8	2439
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	11.3	12.0	15.7	19.7	20.6	14.6	17.6	24.2	19.6	23.0	17.1	215.1	8	2441
	15 LST	13.2	14.6	18.4	20.7	21.9	16.5	19.8	23.1	20.6	23.8	18.3	232.9	8	2440
	21 LST	15.8	17.1	21.1	21.7	21.5	15.6	22.2	24.2	21.3	25.2	20.6	250.6	8	2440
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	12.9	14.0	17.3	20.9	21.3	16.4	19.8	25.2	22.0	24.6	21.6	240.2	8	2439
	09 LST	9.5	10.4	14.4	17.3	18.1	13.2	15.3	22.7	16.8	21.5	15.3	192.1	8	2441
	15 LST	12.0	13.1	17.4	18.6	19.8	13.9	17.8	21.8	17.6	22.4	16.3	212.0	8	2440
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	13.5	16.5	19.4	19.1	19.3	14.5	20.3	22.7	19.3	23.4	19.2	229.9	8	2440
	03 LST	10.6	13.1	16.1	18.8	19.6	15.1	17.3	23.9	18.7	23.3	19.8	219.6	8	2439

KOKURA, JAPAN

STA NO. 47853 (IN AREA NUMBER 07)

LATITUDE 3349N LONGITUDE 13056E

ELEVATION(FT) 0010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
ABS MAX TMP (F)	66	68	73	81	84	90	96	99	93	85	78	69	99	44	-47762
MEAN MAX TMP (F)	48	48	53	63	70	76	83	87	80	71	61	52	66	30	-47762
MEAN MIN TMP (F)	37	37	41	49	57	66	71	74	68	58	49	41	54	30	-47762
ABS MIN TMP (F)	21	20	22	35	44	49	59	64	56	46	33	24	20	44	-47762
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	3.5	8.5	0.8	0.0	0.0	0.0	12.9	10	-47762
MEAN NO DYS TMP = OR LES 32(F)	4.8	1.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	7.4	10	-47762
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-47762
MEAN DEW PT TMP (F)	31	33	38	46	56	64	73	73	67	55	46	37	52	10	-47762
MEAN REL HUM (PCT)	70	70	71	75	78	84	84	81	79	74	72	69	76	30	-47762
MEAN PRESS ALT (FT)	-235	-192	-149	-57	40	134	146	147	45	-104	-195	-226	-53	0	-50
MEAN PRECIP (IN)	2.82	3.36	4.54	5.64	5.91	10.08	9.15	4.84	7.50	4.56	2.71	3.00	64.1	30	-47762
MEAN SNOW FALL (IN)	1.9	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	12	-47803
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.0	7.0	7.3	8.3	8.5	11.1	10.6	7.1	10.0	6.6	4.3	6.4	93.2	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	12	-47803
MEAN NO DYS W/OCUM VSBY LES 1/2 MI	0.5	1.0	1.1	1.3	0.6	1.3	0.5	0.0	0.1	0.1	0.0	0.3	6.8	10	-47762
MEAN NO DYS TSTMS	0.2	0.1	0.6	0.9	0.5	1.3	2.7	2.6	1.9	0.3	0.2	0.2	11.5	30	-47762
P FREQ WND SPU = OR GTR 17 KTS	21.9	14.0	12.2	15.9	14.7	10.1	9.8	10.5	7.7	5.0	6.1	13.1	11.8	10	-47762
P FREQ WND SPU = OR GTR 28 KTS	0.9	0.6	0.4	1.6	2.0	1.3	0.2	1.9	1.2	0.2	0.3	0.6	0.9	10	-47762
P FREQ LES 5000 FT A/O LES 5 MI	57.7	38.2	31.5	23.4	22.8	30.8	31.9	23.0	24.9	17.9	26.0	42.1	30.9	10	-47762
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	6.1	7.1	6.5	7.0	9.7	12.1	10.1	4.5	4.0	2.3	2.3	2.9	6.2	10	-47762
03-05 LST	6.2	7.1	6.5	8.4	10.7	13.0	11.3	6.2	6.4	2.9	3.7	1.9	7.1	10	-47762
06-08 LST	5.5	8.2	10.8	14.1	19.9	22.0	21.1	12.6	14.5	6.1	3.7	2.6	11.8	10	-47762
09-11 LST	20.4	16.8	9.1	12.5	16.2	22.5	18.4	10.4	12.1	6.8	7.4	13.0	13.8	10	-47762
12-14 LST	9.4	7.5	7.4	11.4	12.6	16.1	11.0	5.8	10.8	3.2	3.7	6.8	8.8	10	-47762
15-17 LST	7.8	6.8	6.1	10.0	10.7	16.7	9.4	5.5	8.1	3.2	3.3	4.9	7.7	10	-47762
18-20 LST	10.3	9.3	11.0	10.5	12.6	16.2	12.3	7.5	9.1	6.2	3.3	6.8	9.6	10	-47762
21-23 LST	7.1	8.2	9.1	8.8	10.3	14.4	9.1	4.5	7.3	3.3	5.0	3.2	7.5	10	-47762
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.3	0.7	0.0	0.7	0.3	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.2	10	-47762
03-05 LST	0.0	0.4	0.3	0.3	0.3	1.0	0.0	0.0	0.3	0.0	0.0	0.0	0.2	10	-47762
06-08 LST	1.0	0.7	0.0	3.7	2.6	2.7	2.3	0.3	0.7	1.3	0.0	0.3	1.3	10	-47762
09-11 LST	2.6	1.8	1.3	3.0	2.9	2.3	1.6	0.0	0.7	0.3	0.0	1.9	1.5	10	-47762
12-14 LST	0.3	0.4	0.6	0.7	1.0	1.7	1.0	0.3	0.3	0.3	0.0	0.0	0.6	10	-47762
15-17 LST	0.3	0.7	0.6	0.7	0.6	1.3	1.3	0.3	0.3	0.3	0.0	0.0	0.5	10	-47762
18-20 LST	0.6	1.4	1.6	1.0	1.9	1.0	0.6	0.0	0.0	0.7	0.0	0.3	0.8	10	-47762
21-23 LST	0.6	0.7	1.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	10	-47762

KOKURA, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	20.6	16.4	20.1	20.7	20.1	18.6	22.4	24.1	24.4	19.7	18.5	250.0	10	-47762	
	15 LST	27.7	24.3	28.9	26.5	27.6	25.0	27.6	29.5	30.1	28.3	27.8	331.5	10	-47762	
	21 LST	27.6	23.4	27.1	26.3	26.3	26.2	28.5	30.0	28.6	29.0	26.6	27.2	326.8	10	-47762
	03 LST	28.9	25.8	28.4	26.0	26.2	25.6	27.6	29.1	27.8	28.9	27.4	30.0	331.7	10	-47762
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	09 LST	5.7	4.7	8.3	8.0	7.7	8.3	10.9	12.3	11.4	14.2	11.0	5.7	108.2	10	-47762
	15 LST	8.9	6.6	9.6	8.1	8.0	9.6	9.5	12.1	11.9	15.5	12.8	10.2	122.8	10	-47762
	21 LST	14.3	13.1	17.9	17.0	17.0	18.5	17.8	20.6	18.7	22.0	20.0	16.8	213.7	10	-47762
	03 LST	12.2	13.8	17.2	14.4	14.8	15.5	17.0	20.0	18.5	21.5	19.4	17.0	201.3	10	-47762
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST	2.2	3.0	2.7	3.5	2.9	1.6	2.7	2.4	1.5	0.8	1.0	2.7	27.0	10	-47762
	15 LST	3.5	2.8	3.1	3.9	2.7	1.7	2.9	3.2	2.2	1.5	1.4	2.9	31.8	10	-47762
	21 LST	3.1	1.6	1.4	1.6	1.1	1.1	2.0	1.5	1.5	0.6	0.6	1.6	17.7	10	-47762
	03 LST	3.5	2.1	1.6	1.6	1.6	0.5	1.9	1.8	1.0	0.5	0.9	2.7	19.9	10	-47762
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST	6.6	9.2	10.0	8.7	10.1	11.2	12.6	12.6	10.2	14.3	12.1	10.3	127.9	10	-47762
	15 LST	8.0	7.0	9.6	8.9	10.1	10.9	8.5	10.6	11.7	13.7	12.5	10.6	122.1	10	-47762
	21 LST	11.3	10.9	12.7	14.1	12.7	14.1	13.0	12.0	11.4	14.3	13.5	15.2	155.2	10	-47762
	03 LST	10.3	10.1	12.3	12.2	11.8	12.4	10.6	12.8	11.6	15.6	14.7	13.4	147.8	10	-47762
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	1.4	1.5	3.7	6.8	5.1	2.9	3.6	5.8	6.4	9.3	5.9	2.6	55.0	10	-47762
	15 LST	2.8	6.3	8.4	8.4	6.7	4.2	6.5	8.9	7.5	9.7	10.1	5.6	85.1	10	-47762
	21 LST	4.5	7.1	9.1	10.1	9.6	6.2	9.6	12.8	9.1	12.8	9.4	6.2	106.5	10	-47762
	03 LST	4.5	6.5	7.9	8.6	8.5	4.8	7.3	11.7	9.5	11.9	10.5	8.7	100.4	10	-47762
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST	16.4	14.1	17.9	18.8	18.0	15.7	19.8	22.0	20.7	22.8	17.8	16.0	220.0	10	-47762
	15 LST	23.1	21.9	26.4	24.4	25.0	22.2	24.4	27.5	25.3	28.5	24.5	24.5	299.7	10	-47762
	21 LST	23.0	20.6	24.6	23.8	24.8	23.6	24.4	27.1	25.1	26.8	24.5	24.4	292.7	10	-47762
	03 LST	24.3	22.5	25.3	23.7	23.2	21.3	23.3	25.8	24.5	27.1	25.3	27.7	294.0	10	-47762
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST	7.5	8.1	13.5	16.4	17.3	13.3	16.8	18.9	18.1	20.6	13.8	8.9	173.2	10	-47762
	15 LST	12.2	16.5	22.2	22.4	23.2	20.6	20.6	25.0	23.3	25.6	22.0	15.8	249.4	10	-47762
	21 LST	11.7	13.8	18.4	20.5	22.3	20.0	20.5	23.6	21.8	23.8	18.7	13.9	229.0	10	-47762
	03 LST	11.1	14.4	17.5	19.1	19.4	17.2	17.6	21.0	19.4	22.8	19.6	17.4	216.5	10	-47762
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	7.4	8.0	13.2	16.3	17.1	13.3	16.8	18.9	18.1	20.5	13.6	8.9	172.1	10	-47762
	15 LST	12.1	16.1	21.9	22.2	22.8	20.6	20.6	25.0	23.3	25.5	21.9	15.8	247.8	10	-47762
	21 LST	11.7	13.7	18.2	20.5	22.0	19.9	20.5	23.5	21.7	23.7	18.5	13.9	227.8	10	-47762
	03 LST	10.9	14.4	17.3	19.0	19.3	17.1	17.6	21.0	19.1	22.6	19.4	17.3	215.0	10	-47762

NYUTABARU AB., JAPAN

STA NO. 47854 (IN AREA NUMBER 07)

LATITUDE 3204N

LONGITUDE 13127E

ELEVATION(FT) 00255

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
ABS MAX TMP (F)	76	76	82	88	90	94	97	100	96	91	83	77	100	44	-47830
MEAN MAX TMP (F)	55	55	60	68	74	79	87	91	84	74	64	54	70	30	-47830
MEAN MIN TMP (F)	35	36	42	51	58	66	72	73	68	57	46	37	53	30	-47830
ABS MIN TMP (F)	19	20	25	29	36	49	61	62	51	37	27	19	19	44	-47830
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	2.1	12.2	10.8	2.8	0.1	0.0	0.0	28.0	10	-47830
MEAN NO DYS TMP = OR LES 32(F)	12.5	7.8	1.9	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.4	4.9	27.6	10	-47830
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-47830
MEAN DEW PT TMP (F)	34	37	44	52	60	67	74	75	70	59	49	39	55	10	-47830
MEAN REL HUM (PCT)	72	71	75	78	80	84	85	84	84	81	79	74	79	30	-47830
MEAN PRESS ALT (FT)	39	74	109	187	279	371	381	384	286	145	64	42	197	0	-50
MEAN PREC:P (IN)	2.86	4.29	7.50	9.03	9.53	15.56	11.97	10.36	11.70	8.74	5.06	2.78	99.4	30	-47830
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-47830
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.1	8.5	9.6	10.5	10.7	13.2	12.0	11.2	14.1	11.4	7.2	6.0	120.5	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-47830
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.2	0.4	0.5	1.1	0.9	1.1	0.6	1.0	1.4	0.6	0.5	0.3	8.6	10	-47830
MEAN NO DYS TSTMS	0.1	0.1	0.7	1.3	0.7	1.7	4.1	4.1	2.4	0.5	0.3	0.3	16.3	30	-47830
P FREQ WND SPD = OR GTR 17 KTS	9.1	8.4	6.5	5.9	4.5	4.2	4.1	6.6	5.8	2.6	2.0	5.1	5.4	10	-47830
P FREQ WND SPD = OR GTR 28 KTS	0.5	0.3	0.2	0.3	0.0	0.0	0.0	1.2	1.5	0.0	0.0	0.3	0.4	10	-47830
P FREQ LES 5000 FT A/O LES 5 MI	15.3	21.0	28.5	32.7	36.6	35.6	25.6	22.8	29.7	23.8	19.8	13.1	25.4	10	-47830
P FREQ LES 1500 FT A/O LES 3 MI	1.9	4.5	7.8	9.9	14.9	14.3	7.0	6.9	9.8	6.7	4.1	0.9	7.4	10	-47830
FOR 00-02 LST	2.7	5.3	7.5	10.7	14.6	14.4	7.2	7.3	8.7	6.3	3.9	1.1	7.5	10	-47830
03-05 LST	2.4	5.0	6.1	10.0	14.0	15.2	7.1	8.1	10.2	4.8	3.6	1.1	7.3	10	-47830
06-08 LST	1.9	5.2	6.3	10.1	14.1	14.6	6.0	7.5	7.8	4.2	3.3	0.6	6.8	10	-47830
09-11 LST	1.9	3.9	5.9	10.1	12.4	11.8	5.0	7.3	6.2	3.8	3.7	0.6	6.1	10	-47830
12-14 LST	1.7	4.6	6.2	12.0	13.5	12.3	5.9	7.2	8.5	4.2	3.1	1.3	6.6	10	-47830
15-17 LST	2.4	4.3	6.0	11.9	14.7	12.8	6.3	6.9	10.5	4.8	3.9	1.7	7.2	10	-47830
18-20 LST	2.2	4.5	7.6	10.7	15.3	13.4	6.6	7.0	9.1	5.9	4.5	1.4	7.4	10	-47830
21-23 LST	0.0	0.1	0.1	0.2	0.0	0.2	0.3	0.3	0.2	0.0	0.0	0.0	0.1	10	-47830
FOR 00-02 LST	0.0	0.0	0.2	0.1	0.1	0.3	0.0	0.3	0.2	0.0	0.0	0.0	0.1	10	-47830
03-05 LST	0.0	0.0	0.2	0.7	0.5	0.4	0.4	0.1	0.7	0.0	0.2	0.0	0.3	10	-47830
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.1	10	-47830
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.1	0.1	0.1	0.3	0.0	0.1	10	-47830
12-14 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-47830
15-17 LST	0.1	0.0	0.0	0.0	0.2	0.2	0.0	0.2	0.2	0.0	0.0	0.0	0.1	10	-47830
18-20 LST	0.1	0.0	0.0	0.0	0.1	0.1	0.0	0.3	0.0	0.0	0.0	0.0	0.1	10	-47830
21-23 LST	0.1	0.0	0.0	0.1	0.1	0.1	0.0	0.3	0.0	0.0	0.0	0.0	0.1	10	-47830

NYUTABARU AB, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	30.3	26.9	29.8	27.8	27.9	26.5	29.8	29.4	28.6	30.1	29.1	30.7	346.9	10 -47830
	15 LST	30.5	27.4	29.8	27.3	28.1	27.6	29.6	29.7	28.3	30.2	29.4	30.8	348.7	10 -47830
	21 LST	30.4	27.0	29.2	26.7	27.5	27.2	29.4	29.6	28.0	29.9	29.3	30.7	344.9	10 -47830
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	30.4	26.8	29.0	27.1	27.2	26.7	29.5	28.7	27.4	29.0	29.3	30.8	341.9	10 -47830
	09 LST	22.0	19.2	21.2	19.5	19.1	17.6	18.7	20.6	22.1	25.2	25.5	24.6	255.3	10 -47830
	15 LST	13.0	11.8	11.6	10.8	12.6	10.3	9.5	10.0	12.7	16.8	19.3	16.6	155.0	10 -47830
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	22.8	19.2	21.8	21.3	21.6	20.3	23.0	25.1	24.1	26.8	25.1	24.7	275.8	10 -47830
	03 LST	24.0	19.2	23.2	20.8	21.0	21.0	23.1	24.1	24.0	26.7	25.1	24.7	276.9	10 -47830
	09 LST	1.7	1.5	1.8	1.0	1.2	0.7	1.1	0.6	0.9	0.3	0.4	0.8	12.0	10 -47830
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	7.3	5.5	5.3	3.0	2.2	2.4	2.7	1.8	0.9	1.7	2.0	4.1	38.9	10 -47830
	21 LST	0.9	1.2	1.2	1.0	0.3	0.3	0.2	0.6	0.2	0.5	0.3	0.5	7.2	10 -47830
	03 LST	1.2	0.6	0.4	1.1	0.3	0.3	0.4	0.4	0.2	0.1	0.2	0.6	5.8	10 -47830
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	14.4	12.7	12.8	11.3	8.4	8.5	10.8	10.7	10.2	16.3	18.7	19.2	154.0	10 -47830
	15 LST	10.1	9.7	9.8	10.1	11.3	8.7	6.3	8.1	13.0	15.9	16.8	13.4	133.2	10 -47830
	21 LST	16.4	13.2	13.4	10.3	8.9	9.8	13.2	10.8	10.4	16.6	16.7	19.5	159.2	10 -47830
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	13.1	11.9	13.6	13.4	12.1	10.8	13.0	12.1	12.1	18.7	19.2	20.7	169.4	10 -47830
	09 LST	17.4	12.7	10.3	8.6	5.0	3.1	5.9	8.5	7.0	12.0	13.5	17.1	121.1	10 -47830
	15 LST	16.0	12.3	11.1	8.3	5.6	3.0	5.3	9.0	7.6	11.8	13.1	17.9	121.0	10 -47830
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	19.9	14.7	12.4	9.0	7.0	5.6	9.9	12.4	9.9	12.1	14.1	20.4	147.4	10 -47830
	03 LST	20.0	14.3	13.0	11.0	8.6	7.1	11.5	14.9	12.0	14.6	16.8	19.9	163.7	10 -47830
	09 LST	28.5	24.6	25.8	23.6	22.2	21.2	25.3	25.2	24.2	27.7	27.1	29.7	305.1	10 -47830
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	28.4	24.9	25.6	23.4	23.1	22.8	25.5	25.9	24.8	27.1	27.4	29.4	308.3	10 -47830
	21 LST	28.1	24.0	26.1	22.3	21.8	21.2	25.1	25.8	22.9	26.2	26.4	28.9	298.8	10 -47830
	03 LST	28.0	24.0	24.7	23.1	21.6	21.0	24.4	25.4	23.3	26.2	26.7	29.3	297.7	10 -47830
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	25.9	22.8	22.2	20.1	19.2	18.1	22.8	22.8	20.9	24.4	23.5	27.0	269.7	10 -47830
	15 LST	25.8	22.1	22.6	20.8	20.6	20.1	22.9	24.3	21.7	24.6	24.6	27.0	277.1	10 -47830
	21 LST	25.9	21.6	22.3	18.8	18.9	18.1	22.7	23.9	19.4	22.3	23.4	26.8	264.1	10 -47830
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	25.5	20.7	20.2	19.1	18.1	18.3	21.2	23.7	20.0	22.6	23.5	27.1	260.0	10 -47830
	09 LST	25.9	22.7	22.2	20.0	19.2	17.8	22.8	22.8	20.9	24.2	23.4	26.9	268.8	10 -47830
	15 LST	25.7	22.1	22.6	20.8	20.6	20.0	22.9	24.3	21.7	24.5	24.5	27.0	276.7	10 -47830
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	25.8	21.4	22.3	18.8	18.6	18.1	22.7	23.9	19.3	22.2	23.4	26.8	263.3	10 -47830
	03 LST	25.4	20.6	20.2	19.1	18.0	18.3	21.2	23.7	20.0	22.6	23.5	27.1	259.7	10 -47830

KOCHI, JAPAN

STA NO. 47893 (IN AREA NUMBER 07)

LATITUDE 3332N

LONGITUDE 13340E

ELEVATION(FT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	74	74	78	86	86	93	99	99	97	90	82	74	99	44	-599
MEAN MAX TMP (F)	53	54	59	68	74	78	85	88	83	75	65	57	70	30	-99
MEAN MIN TMP (F)	34	35	40	50	56	65	71	72	67	56	46	37	52	30	-99
ABS MIN TMP (F)	20	19	24	31	41	48	58	61	53	38	29	20	19	44	-599
MEAN NO DYS TMP ≥ OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	8.9	15.2	2.5	0.0	0.0	0.0	26.6	8	2918
MEAN NO DYS TMP ≥ OR LES 32(F)	17.1	11.1	4.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	7.4	39.9	8	2920
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2920
MEAN DEW PT TMP (F)	31	34	40	50	57	66	74	74	69	56	46	36	53	8	9374
MEAN REL HUM (PCT)	68	66	69	74	77	84	85	83	82	76	75	70	76	30	-99
MEAN PRESS ALT (FT)	-151	-126	-102	-43	41	130	135	132	31	-92	-156	-157	-29	0	-50
MEAN PRECIP (IN)	2.76	3.92	7.37	10.63	10.87	13.96	12.88	12.98	15.93	7.95	4.23	2.93	106.4	30	-99
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2916
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	5.9	7.9	9.5	11.4	11.5	12.7	12.3	12.4	16.6	10.5	6.2	6.2	123.1	30	-29
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	8	2916
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.0	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	8	2313
MEAN NO DYS TSTMS	0.1	0.1	0.6	0.8	0.6	1.4	3.5	4.6	3.1	0.6	0.1	0.3	15.8	30	-100
P FREQ WND SPU ≥ OR GTR 17 KTS	1.5	1.7	1.1	1.3	0.5	0.3	0.3	1.9	2.8	0.5	0.5	0.8	1.1	8	23355
P FREQ WND SPU ≥ OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.6	0.0	0.0	0.0	0.1	8	23355
P FREQ LES 5000 FT A/O LES 5 MI	18.2	18.9	24.6	30.9	29.6	32.6	32.8	31.8	36.2	19.7	14.9	12.9	25.3	8	9322
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	3.0	5.7	7.4	8.0	12.0	8.9	5.7	4.4	7.4	3.4	1.6	1.7	5.8	8	-30
03-05 LST	2.7	3.5	9.1	8.4	11.3	7.2	4.8	4.8	8.5	3.2	1.0	1.4	5.5	8	2314
06-08 LST	3.6	4.0	9.0	9.6	10.7	8.4	6.8	5.4	8.7	3.4	1.6	2.3	6.1	8	-30
09-11 LST	4.4	4.4	8.9	10.8	10.1	9.6	8.9	6.0	8.8	3.6	2.1	3.2	6.7	8	2917
12-14 LST	4.8	4.7	7.3	9.2	8.7	11.1	7.7	6.1	10.1	3.6	1.5	2.4	6.4	8	-30
15-17 LST	5.2	4.9	5.6	7.5	7.3	12.5	6.5	6.1	11.3	3.6	0.8	1.6	6.1	8	2916
18-20 LST	4.2	6.3	5.7	7.5	10.0	11.5	6.5	5.1	8.8	3.6	1.5	1.8	6.0	8	-30
21-23 LST	3.2	7.6	5.7	7.5	12.6	10.5	6.5	4.0	6.3	3.6	2.1	2.0	6.0	8	2915
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	1.0	0.5	0.5	0.2	0.2	0.0	0.0	0.3	0.3	0.0	0.0	0.3	8	-30
03-05 LST	0.0	0.6	0.5	0.6	0.0	0.0	0.0	0.0	0.5	0.5	0.0	0.0	0.2	8	2314
06-08 LST	0.2	0.3	0.3	1.0	0.0	0.0	0.2	0.0	0.5	0.7	0.0	0.2	0.3	8	-30
09-11 LST	0.4	0.0	0.0	1.3	0.0	0.0	0.4	0.0	0.4	0.8	0.0	0.4	0.3	8	2917
12-14 LST	0.4	0.0	0.2	1.1	0.0	0.2	0.2	0.0	0.4	0.4	0.0	0.4	0.3	8	-30
15-17 LST	0.4	0.0	0.4	0.8	0.0	0.4	0.0	0.0	0.4	0.0	0.0	0.4	0.2	8	2916
18-20 LST	0.2	0.7	0.4	0.6	0.2	0.4	0.0	0.0	0.2	0.0	0.0	0.2	0.2	8	-30
21-23 LST	0.0	1.3	0.4	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2915

KOCHI, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST 25.2	23.2	27.0	26.5	27.7	27.5	29.0	29.7	28.0	29.7	28.7	26.8	329.0	8	2917
	15 LST 29.2	26.7	29.2	27.5	28.9	28.0	30.1	29.9	28.0	30.2	29.9	30.5	348.1	8	2916
	21 LST 30.0	25.4	29.4	27.6	28.1	27.0	29.5	30.6	28.5	30.0	29.5	30.6	346.6	8	2915
	03 LST 30.5	27.2	28.3	27.2	28.1	27.7	30.0	30.3	28.0	29.9	29.9	30.6	347.7	8	2314
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	09 LST 23.5	22.0	23.4	23.9	25.4	25.7	26.2	27.9	26.1	28.3	28.0	25.6	306.0	8	2917
	15 LST 19.1	17.3	18.7	17.3	21.2	21.5	24.5	22.2	22.6	24.7	25.8	22.2	257.1	8	2916
	21 LST 28.7	24.4	27.8	26.1	25.2	25.6	27.6	28.6	26.2	29.2	28.5	30.0	327.9	8	2914
	03 LST 29.1	26.3	27.3	26.0	27.2	26.6	28.1	28.2	25.6	29.5	29.7	29.8	333.4	8	2313
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST 0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.5	8	2920
	15 LST 1.0	1.5	1.2	1.1	0.1	0.0	0.0	0.0	0.0	0.2	0.2	0.5	5.8	8	2920
	21 LST 0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.2	8	2920
	03 LST 0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.3	8	2314
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST 11.9	11.1	10.2	8.9	6.9	8.0	4.4	4.9	6.1	14.1	16.2	15.2	117.9	8	2920
	15 LST 14.8	14.6	15.0	14.9	18.0	17.6	17.1	15.2	16.7	18.8	19.2	16.7	198.6	8	2920
	21 LST 10.5	6.9	8.0	5.3	4.2	3.6	3.3	2.2	4.7	7.3	10.0	11.3	77.3	8	2920
	03 LST 7.5	8.7	9.1	11.2	10.5	5.2	3.0	5.4	6.5	13.3	14.2	12.8	107.4	8	2314
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST 11.5	9.3	9.0	10.2	6.7	4.1	7.1	10.5	8.4	11.0	14.7	14.1	116.6	8	2921
	15 LST 13.5	10.8	9.0	8.3	5.2	2.9	5.0	7.8	6.1	12.0	12.2	16.1	108.9	8	2917
	21 LST 16.6	13.0	12.9	9.6	7.5	4.0	6.7	9.4	8.1	11.5	16.5	18.1	133.9	8	2921
	03 LST 19.6	14.6	14.0	11.8	9.9	8.0	11.2	13.3	10.1	13.7	18.7	20.3	167.2	8	2315
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST 24.5	22.5	25.5	25.0	25.6	24.3	24.5	27.2	25.2	29.2	27.8	26.6	307.9	8	2917
	15 LST 28.5	25.9	28.2	25.5	26.8	23.5	24.6	26.1	23.5	28.9	29.0	30.0	320.5	8	2916
	21 LST 29.4	24.8	27.6	25.4	24.7	24.0	25.2	26.2	25.1	28.9	28.6	30.0	319.9	8	2915
	03 LST 29.5	26.3	27.7	25.3	25.6	24.8	26.2	27.3	24.6	28.8	29.0	30.4	325.5	8	2314
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST 20.1	18.7	20.9	20.9	20.7	19.8	19.9	23.3	21.3	25.6	24.7	22.8	258.7	8	2917
	15 LST 23.6	21.5	22.1	20.1	21.2	18.5	17.2	20.3	17.7	24.6	24.1	25.9	256.8	8	2916
	21 LST 24.4	21.1	22.2	19.6	19.7	15.8	18.1	19.0	17.3	22.7	23.8	26.0	249.7	8	2915
	03 LST 25.3	22.4	22.0	20.4	20.3	19.3	20.8	22.1	18.6	23.3	24.8	27.0	266.3	8	2314
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST 20.0	18.7	20.7	20.9	20.6	19.7	19.9	23.3	20.9	25.5	24.3	22.8	257.3	8	2917
	15 LST 23.5	21.3	22.0	20.1	21.2	18.5	17.2	20.3	17.6	24.4	24.0	25.8	255.9	8	2916
	21 LST 24.1	20.9	21.8	19.5	19.7	15.7	18.1	18.8	17.2	22.4	23.7	25.9	247.8	8	2915
	03 LST 25.3	22.2	21.6	20.4	20.0	19.3	20.6	21.9	18.6	23.1	24.7	26.7	264.4	8	2314

AREA NO. 07

SOUTHERN SLOPES	LATITUDE 3325N												LONGITUDE 13300E											
	3425N 13150E			3425N 13150E			3400N 13200E			3400N 13200E			3345N 13230E			3345N 13230E								
BOUNDARIES	3415N 13055E	3425N 13150E	3410N 13525E	3410N 13525E	3410N 13525E	3510N 13530E	3510N 13530E	3510N 13530E	3510N 13530E	3510N 13530E	3510N 13530E	3520N 13625E	3520N 13625E	3520N 13625E	3520N 13625E	3520N 13625E								
JAN	50	52	57	66	73	79	86	88	82	73	64	55	69	69	69									
FEB	35	36	41	49	57	65	73	73	67	56	46	38	53	53	53									
MAR	15.22	8.12	9.91	11.61	16.50	25.89	15.36	16.76	17.22	12.81	8.46	12.34	170.2	170.2	170.2									
APR	1.70	2.30	3.02	5.20	4.90	7.40	5.90	4.40	6.80	3.01	2.25	1.49	48.4	48.4	48.4									
MAY																								
JUN																								
JUL																								
AUG																								
SEP																								
OCT																								
NOV																								
DEC																								
ANN																								

PARAMETER DESCRIPTION
 MEAN MAX TMP (F)
 MEAN MIN TMP (F)
 LARGEST MEAN PRECIP(IN)
 SMALLEST MEAN PRECIP(IN)

MEAN NUMBER OF DAYS

CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	26.0	22.9	26.1	25.7	27.2	25.3	27.6	28.2	26.9	27.7	25.6	25.8	315.0	315.0
	15 LST	29.6	26.6	29.4	28.0	29.1	27.5	29.3	30.1	28.8	30.2	28.9	29.7	347.2	347.2
	21 LST	29.1	25.9	29.1	27.6	28.2	26.8	29.4	30.0	28.4	29.6	28.0	28.9	341.0	341.0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	29.3	26.1	28.5	27.1	27.5	26.0	28.4	29.5	27.8	28.9	27.8	29.1	336.0	336.0
	09 LST	18.6	17.1	19.3	19.4	20.9	20.4	22.0	23.1	21.8	22.9	21.7	20.8	248.0	248.0
	15 LST	15.4	14.6	14.9	13.7	15.9	13.3	15.9	17.1	18.5	19.7	19.7	18.8	197.5	197.5
	21 LST	23.4	21.9	24.6	23.7	24.3	22.8	25.4	26.4	25.1	26.2	24.9	24.8	293.5	293.5
	03 LST	22.5	21.1	23.5	22.8	22.7	21.9	23.9	26.0	24.1	25.6	24.3	24.2	282.6	282.6
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST	1.1	0.9	0.9	0.8	0.8	0.5	0.7	0.6	0.6	0.5	0.4	0.7	8.5	8.5
	15 LST	2.4	1.9	2.3	2.0	1.5	1.0	1.4	1.1	1.0	1.0	0.9	1.4	17.9	17.9
	21 LST	0.9	0.5	0.6	0.5	0.3	0.2	0.5	0.5	0.5	0.4	0.3	0.5	5.7	5.7
	03 LST	1.1	0.7	0.6	0.5	0.5	0.2	0.4	0.5	1.4	0.3	0.4	0.7	7.3	7.3
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST	11.1	10.9	11.9	11.9	12.1	12.2	13.4	12.9	11.7	13.7	13.5	14.0	149.3	149.3
	15 LST	11.9	11.9	13.5	13.1	14.8	13.9	11.5	11.3	15.4	16.8	16.4	14.4	164.9	164.9
	21 LST	12.1	11.6	13.2	12.1	11.2	10.8	12.0	11.0	11.1	13.9	14.2	14.6	147.8	147.8
	03 LST	10.5	10.3	12.6	12.8	12.0	7.7	8.9	9.7	9.4	12.3	16.4	14.9	137.5	137.5
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	6.9	6.0	6.6	7.0	5.1	2.8	4.6	7.4	6.3	8.9	9.8	8.5	79.9	79.9
	15 LST	6.3	6.7	7.5	7.2	5.2	3.0	4.7	6.5	5.7	9.4	9.5	8.9	80.6	80.6
	21 LST	11.3	10.5	11.1	9.8	7.9	5.3	8.6	11.7	9.6	12.8	13.5	13.4	125.5	125.5
	03 LST	10.9	9.4	9.7	10.1	8.6	4.7	7.1	11.0	8.3	10.3	13.6	12.8	116.5	116.5
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST	24.5	21.5	24.3	23.9	24.9	22.8	24.7	26.4	25.0	26.5	24.6	24.8	293.9	293.9
	15 LST	27.9	25.3	27.7	26.2	27.1	25.0	26.9	28.4	26.9	29.0	27.9	28.4	326.7	326.7
	21 LST	27.6	24.7	27.5	25.8	26.2	24.2	27.3	28.3	26.4	28.3	27.0	27.8	321.1	321.1
	03 LST	27.3	24.3	26.1	24.9	24.4	22.5	25.2	27.6	25.4	27.3	26.5	27.9	309.4	309.4
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST	18.4	16.8	19.7	20.6	21.9	19.3	20.7	23.5	22.0	24.0	21.2	19.9	248.0	248.0
	15 LST	20.1	19.9	22.6	22.9	23.7	21.5	22.5	24.6	23.4	25.8	24.0	22.2	273.2	273.2
	21 LST	21.6	20.4	23.1	22.5	23.1	20.4	23.5	25.0	23.0	25.2	23.9	23.0	274.7	274.7
	03 LST	18.4	17.5	19.7	20.3	20.0	17.6	19.3	23.5	20.8	22.9	22.2	21.4	243.6	243.6
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	17.8	16.3	19.2	20.0	21.2	18.8	20.1	22.9	21.3	23.4	20.7	19.4	241.1	241.1
	15 LST	19.7	19.4	22.1	22.3	23.2	20.9	22.0	24.2	22.6	25.1	23.4	21.7	266.6	266.6
	21 LST	20.9	19.9	22.6	21.9	22.5	19.9	23.0	24.6	22.3	24.6	23.5	22.6	268.3	268.3
	03 LST	17.6	16.9	18.9	19.5	19.1	16.9	18.5	22.9	19.9	22.0	21.5	20.7	234.4	234.4

TANEGASHIMA, JAPAN

LATITUDE 3032N LONGITUDE 13057E ELEVATION(FT) 00306

STA NO. 47870 (IN AREA NUMBER 08)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	58	60	64	70	75	80	87	88	84	76	70	63	73	10	-100
MEAN MAX TMP (F)	47	49	52	59	64	70	77	77	74	66	60	52	62	10	-100
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)							7.0	10.0	1.1					10	-29
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)	41	43	48	55	62	70	77	77	72	61	54	46	59	10	-29
MEAN REL HUM (PCT)	69	69	72	75	80	85	86	84	81	74	70	68	76	10	-100
MEAN PRESS ALT (FT)	149	109	177	245	326	422	422	463	354	217	122	95	258	0	-50
MEAN PRECIP (IN)	4.93	4.61	6.43	8.52	13.79	19.70	7.66	7.84	11.51	6.54	6.22	3.16	100.9	10	-100
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PKCP = OR GTR 0.1 IN	9.5	9.0	8.9	10.2	13.7	14.2	9.6	9.7	13.9	9.0	8.6	6.6	122.9	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUK VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.9	0.9	0.8	1.8	1.1	2.5	3.3	1.9	2.3	0.7	0.6	0.6	17.4	10	-100
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

TANEGASHIMA, JAPAN
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0

DATA NOT AVAILABLE

AMAMI, JAPAN

STA NO. 47872 (IN AREA NUMBER 08)

LATITUDE 2825N LONGITUDE 12941E ELEVATION(FT) 00076

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	79	80	83	87	92	96	96	95	94	90	88	81	96	33	-47909
MEAN MAX TMP (F)	64	63	67	73	78	84	88	88	86	79	73	67	76	30	-47909
MEAN MIN TMP (F)	52	52	55	61	65	72	76	76	73	67	61	55	64	30	-47909
ABS MIN TMP (F)	40	38	40	44	49	57	66	68	59	54	47	43	38	33	-47909
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.1	10.0	10.0	4.3	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33	-29
MEAN DEW PT TMP (F)	49	48	50	58	64	72	74	75	72	64	57	51	61	23	-29
MEAN REL HUM (PCT)	75	74	71	75	78	84	78	80	80	75	73	72	76	10	-47909
MEAN PRESS ALT (FT)	-135	-108	-53	28	110	192	206	247	137	15	-81	-135	35	0	-50
MEAN PRECIP (IN)	7.90	8.30	8.30	10.30	12.60	16.00	9.70	13.10	10.60	12.00	9.10	6.90	124.8	30	-47909
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	13.4	13.8	10.1	11.2	12.6	13.3	10.9	12.4	13.2	14.3	11.7	12.2	149.1	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	1.0	2.0	2.0	2.0	4.0	3.0	4.0	4.0	1.0	1.0	0.3	24.3	10	-47909
MEAN NO DYS TSTMS															
P FREQ WND SPD = OR GTR 17 KTS															
P FREQ WND SPD = OR GTR 28 KTS															
P FREQ LES 5000 FT A/O LES 5 MI															
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST															
03-05 LST															
06-08 LST															
09-11 LST															
12-14 LST															
15-17 LST															
18-20 LST															
21-23 LST															
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST															
03-05 LST															
06-08 LST															
09-11 LST															
12-14 LST															
15-17 LST															
18-20 LST															
21-23 LST															

AMAMI, JAPAN
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	0
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	0

DATA NOT AVAILABLE

NAZE, JAPAN

STA NO. 47909 (IN AREA NUMBER 08)

LATITUDE 2823N LONGITUDE 12930E ELEVATION(FT) 00013

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	79	80	83	87	92	96	96	95	94	90	88	81	96	33	-28
MEAN MAX TMP (F)	64	63	67	73	78	84	88	88	86	79	73	67	76	30	-28
MEAN MIN TMP (F)	52	52	55	61	65	72	76	76	73	67	61	55	64	30	-28
ABS MIN TMP (F)	40	38	40	44	49	57	66	68	59	54	47	43	38	33	-28
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.1	10.0	10.0	4.3	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33	-29
MEAN DEW PT TMP (F)	49	48	50	58	64	72	74	75	72	64	57	51	61	23	-29
MEAN REL HUM (PCT)	75	74	71	75	78	84	78	80	80	75	73	72	76	10	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	7.90	8.30	8.30	10.30	12.60	16.00	9.70	13.10	10.60	12.00	9.10	6.90	124.8	30	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	13.4	13.8	10.1	11.2	12.6	13.3	10.9	12.4	13.2	14.3	11.7	12.2	149.1	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	1.0	2.0	2.0	2.0	4.0	3.0	4.0	4.0	1.0	1.0	0.3	24.3	10	-24
MEAN NO DYS TSTMS														0	0
P FREQ WND SPU = OR GTR 17 KTS														0	0
P FREQ WND SPU = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

NAZE, JAPAN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0

DATA NOT AVAILABLE

AREA NO. 08

LATITUDE 2930N LONGITUDE 13000E


DETACHED ISLANDS

JAPAN

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	61	62	66	72	77	82	88	88	85	78	72	65	75
MEAN MIN TMP (F)	50	51	54	60	65	71	77	77	74	67	61	54	63
LARGEST MEAN PRECIP(IN)	7.90	8.30	8.30	10.30	13.79	19.70	9.70	13.10	11.51	12.00	9.10	6.90	130.6
SMALLEST MEAN PRECIP(IN)	4.93	4.61	6.43	8.52	12.60	16.00	7.66	7.84	10.60	6.54	6.22	3.16	95.1

MEAN NUMBER OF DAYS

- CIG = GTR 1000 FT AND 09 LST
- VSBY = GTR 3 MI 15 LST
- 21 LST
- 03 LST
- CIG =GTR 2000 FT AND VSBY =GTR 09 LST
- 3 MI W/SFC WND LES 10 KTS 15 LST
- 21 LST
- 03 LST
- SFC WND = GTR 17 KTS AND 09 LST
- NO PRECIP. 15 LST
- 21 LST
- 03 LST
- SFC WND 4-10 KTS AND TMP 33-89 09 LST
- DEG F AND NO PRECIP. 15 LST
- 21 LST
- 03 LST
- SKY COVER LES 3/10 AND 09 LST
- VSBY = GTR 3 MI 15 LST
- 21 LST
- 03 LST
- CIG = GTR 2500 FT AND 09 LST
- VSBY = GTR 3 MI 15 LST
- 21 LST
- 03 LST
- CIG = GTR 6000 FT AND 09 LST
- VSBY = GTP 3 MI 15 LST
- 21 LST
- 03 LST
- CIG = GTR 10000 FT AND 09 LST
- VSBY = GTR 3 MI 15 LST
- 21 LST
- 03 LST



JOHNSTON IS., JOHNSTON IS.

STA NO. 91275 (IN AREA NUMBER 01)

LONGITUDE 16931W ELEVATION(FT) 0007

LATITUDE 1644N

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
ABS MAX TMP (F)	86	85	85	86	86	88	93	92	94	90	90	89	94	11	3757
MEAN MAX TMP (F)	80	80	80	81	82	84	85	86	86	85	83	81	83	11	3757
MEAN MIN TMP (F)	73	73	73	74	75	76	77	78	78	77	76	75	75	11	3757
ABS MIN TMP (F)	63	67	68	68	69	70	71	70	71	68	69	68	63	11	3757
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.6	1.0	0.3	0.2	0.0	4.2	11	3757
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3757
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3757
MEAN DEW PT TMP (F)	68	68	68	69	70	71	72	73	72	72	71	70	70	11	76751
MEAN REL HUM (PCT)	77	77	76	77	77	76	76	76	75	77	76	77	76	11	76748
MEAN PRESS ALT (FT)	-12	-10	-15	-7	-3	-5	2	9	32	26	7	-15	1	0	-50
MEAN PRECIP (IN)	5.62	2.06	2.34	2.63	1.09	0.86	1.31	1.59	2.13	2.71	1.90	3.44	27.7	11	3758
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3762
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.5	3.5	3.7	5.2	3.1	2.8	4.0	4.2	4.4	5.3	4.0	6.4	52.1	11	3758
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3762
MEAN NO DYS W/OCUH VSBY LES 1/2 MI	0.3	0.3	0.4	0.2	0.1	0.0	0.2	0.2	0.1	0.2	0.1	0.1	2.2	11	3757
MEAN NO DYS TSTMS	0.7	0.1	0.4	0.4	0.0	0.1	0.1	0.0	0.1	0.2	0.1	0.4	2.6	11	3770
P FREQ WND SPU = OR GTR 17 KTS	24.8	27.3	36.9	33.8	31.8	27.7	20.2	27.0	27.6	32.5	38.1	42.4	30.8	11	79590
P FREQ WND SPU = OR GTR 28 KTS	0.7	0.6	1.5	0.5	0.1	0.1	0.0	0.4	0.2	0.1	0.4	1.1	0.5	11	79590
P FREQ LES 5000 FT A/O LES 5 MI	17.8	13.7	14.5	12.5	9.2	10.0	8.6	8.6	7.7	8.3	9.6	15.5	11.3	11	79590
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	1.9	0.9	0.1	1.2	0.5	1.4	0.4	0.7	0.5	1.5	0.8	1.6	1.0	11	9952
03-05 LST	2.6	0.7	0.4	0.5	0.2	1.9	0.1	1.1	0.2	1.4	0.8	1.7	1.0	11	9957
06-08 LST	2.1	0.9	1.0	0.8	0.4	1.9	0.8	1.2	0.8	0.7	1.0	1.8	1.1	11	9958
09-11 LST	2.1	1.4	1.5	0.5	0.6	1.7	0.8	0.5	0.6	0.6	0.5	1.9	1.1	11	9946
12-14 LST	2.7	0.3	1.5	0.6	0.4	1.8	0.8	0.7	0.7	0.3	0.1	1.9	1.0	11	9957
15-17 LST	3.1	1.0	2.0	0.5	0.4	1.8	0.3	0.4	0.5	0.1	0.8	1.1	1.0	11	9952
18-20 LST	1.9	1.1	1.9	0.9	0.1	1.9	0.2	0.3	0.3	0.7	0.6	1.1	0.9	11	9961
21-23 LST	2.0	0.8	0.6	0.8	0.4	1.4	0.2	0.2	0.5	0.8	0.1	1.1	0.7	11	9953
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.2	0.1	0.0	0.0	0.0	0.4	0.0	0.2	0.0	0.3	0.0	0.2	0.1	11	9952
03-05 LST	0.9	0.0	0.0	0.0	0.0	0.4	0.0	0.3	0.1	0.1	0.1	0.1	0.2	11	9957
06-08 LST	0.4	0.1	0.1	0.1	0.0	0.3	0.0	0.0	0.3	0.1	0.0	0.4	0.2	11	9958
09-11 LST	0.4	0.4	0.4	0.0	0.1	0.0	0.3	0.2	0.2	0.3	0.0	0.2	0.2	11	9946
12-14 LST	0.2	0.3	0.2	0.1	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.2	0.1	11	9957
15-17 LST	0.0	0.1	0.5	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.1	11	9952
18-20 LST	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	11	9961
21-23 LST	0.4	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.5	0.1	11	9953

JOHNSTON IS. JOHNSON IS.

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	13 LST	30.8	27.9	30.7	29.8	30.9	29.6	30.8	29.5	31.0	30.0	30.8	362.6	11	3759	
	19 LST	30.5	27.9	30.5	29.9	31.0	29.5	31.0	30.0	30.8	29.9	31.0	362.9	11	3759	
	01 LST	30.7	28.0	31.0	29.8	31.0	29.7	31.0	30.0	30.6	30.0	30.8	363.3	11	3761	
	07 LST	30.5	27.9	30.9	30.0	31.0	29.5	30.9	30.8	29.7	30.7	29.6	30.7	362.2	11	3761
CIG = GTR 2000 FT AND VSBY = GTR 3 MI #/SFC WND LES 10 KTS	13 LST	8.2	6.8	5.3	4.1	2.3	3.0	4.1	2.7	4.8	3.8	4.0	50.9	11	3759	
	19 LST	8.5	7.0	4.0	3.6	3.0	3.4	3.0	3.3	5.8	4.5	3.8	52.5	11	3759	
	01 LST	8.0	6.4	5.2	3.5	3.6	3.4	3.5	3.1	5.9	4.9	3.9	54.2	11	3761	
	07 LST	8.7	6.7	4.9	3.7	2.4	4.0	4.2	3.3	5.6	5.0	3.2	4.5	56.2	11	3761
SFC WND = GTR 17 KTS AND NO PRECIP.	13 LST	7.3	6.3	10.0	10.6	8.4	7.7	6.7	8.8	7.2	8.2	10.5	12.2	103.9	11	3735
	19 LST	7.6	7.2	11.2	8.7	9.5	9.1	6.2	9.0	7.4	11.0	11.2	13.8	112.0	11	3735
	01 LST	7.9	7.4	10.7	8.4	9.5	7.5	5.6	6.6	7.1	9.2	11.0	12.0	102.9	11	3735
	07 LST	8.5	7.0	9.5	9.3	9.3	8.0	6.4	7.5	8.3	8.5	10.4	12.6	105.3	11	3731
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	13 LST	10.4	8.8	6.9	6.3	4.2	5.6	6.6	5.3	8.2	7.4	4.9	5.8	80.4	11	3734
	19 LST	10.8	8.6	6.7	6.1	4.5	6.2	6.1	6.8	8.3	8.3	4.4	6.0	82.8	11	3734
	01 LST	9.7	9.7	6.9	5.8	5.8	6.3	6.6	7.8	9.5	9.0	5.5	6.9	89.5	11	3734
	07 LST	10.3	8.6	7.6	6.7	4.6	7.6	6.7	6.6	9.0	8.0	5.6	6.9	88.2	11	3729
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	13 LST	8.6	6.9	6.0	4.1	4.7	6.5	5.7	3.6	3.5	3.5	5.7	5.8	64.6	11	3759
	19 LST	8.4	8.0	6.1	4.0	3.8	4.4	4.7	4.3	4.8	5.2	6.1	6.9	66.7	11	3759
	01 LST	11.2	10.2	9.1	7.0	8.3	8.7	10.4	7.2	7.7	9.9	9.3	7.9	106.9	11	3761
	07 LST	5.7	4.8	4.9	2.6	3.0	3.8	3.3	3.3	3.5	3.8	5.3	5.2	49.2	11	3761
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	13 LST	28.4	26.6	28.6	28.7	29.9	28.9	29.4	29.3	28.6	29.9	28.4	28.2	344.9	11	3759
	19 LST	28.2	26.1	28.9	28.3	29.8	28.8	30.3	29.6	28.9	30.4	28.5	28.9	346.7	11	3759
	01 LST	28.8	26.0	28.5	28.2	29.6	28.6	29.2	28.7	28.3	29.4	28.5	29.0	342.8	11	3761
	07 LST	28.7	26.0	28.8	28.0	29.7	28.5	29.3	29.4	28.7	29.3	28.3	28.3	343.0	11	3761
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	13 LST	24.4	23.6	26.5	25.8	28.2	27.2	28.0	28.0	26.7	28.5	27.1	24.8	318.8	11	3759
	19 LST	24.2	24.0	25.6	25.7	27.5	26.8	29.0	28.6	27.1	29.1	27.3	26.0	320.9	11	3759
	01 LST	25.2	23.7	24.6	25.5	27.0	26.3	28.2	27.7	27.3	27.7	27.5	25.1	315.8	11	3761
	07 LST	22.3	21.5	23.4	24.5	26.8	25.1	27.1	27.2	27.0	27.3	25.8	23.8	301.8	11	3761
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	13 LST	21.9	21.9	23.9	23.2	25.6	25.2	26.2	26.4	24.9	26.7	25.2	21.7	292.8	11	3759
	19 LST	21.4	22.4	24.1	23.8	25.1	25.3	27.4	27.4	24.9	26.4	24.9	23.3	296.9	11	3759
	01 LST	22.8	22.1	22.0	23.9	25.9	24.9	27.2	26.2	25.4	26.1	26.2	23.3	296.0	11	3761
	07 LST	18.9	19.5	21.2	21.3	23.7	23.3	25.2	25.5	24.5	24.8	23.8	20.3	272.0	11	3761

AREA NO. 01

LATITUDE 1644N LONGITUDE 16931W

JOHNSTON ISLAND

JOHNSTON ISLAND

PARAMETER DESCRIPTION

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	80	80	80	81	82	84	85	86	86	85	83	81	83
MEAN MIN TMP (F)	73	73	73	74	75	76	77	78	78	77	76	75	75
LARGEST MEAN PRECIP(IN)	5.62	2.06	2.34	2.63	1.09	0.66	1.31	1.59	2.13	2.71	1.90	3.44	27.7
SMALLEST MEAN PRECIP(IN)	5.62	2.06	2.34	2.63	1.09	0.66	1.31	1.59	2.13	2.71	1.90	3.44	27.7

MEAN NUMBER OF DAYS

CIG = GTR 1000 FT AND VSBY = GTR 3 MI	13 LST	30.8	27.9	30.7	29.8	30.9	29.6	30.8	29.5	31.0	30.0	30.8	362.6
	19 LST	30.5	27.9	30.5	29.9	31.0	29.5	31.0	30.9	30.0	29.9	31.0	362.9
	01 LST	30.7	28.0	31.0	29.8	31.0	29.7	31.0	30.7	30.0	30.6	30.0	363.3
	07 LST	30.5	27.9	30.9	30.0	31.0	29.5	30.9	30.8	29.7	30.7	29.6	362.2
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	13 LST	8.2	6.8	5.3	4.1	2.3	3.0	4.1	2.7	4.8	3.8	1.8	4.0 50.9
	19 LST	8.5	7.0	4.0	3.6	3.0	3.4	3.0	3.3	5.8	4.5	2.6	3.8 52.5
	01 LST	8.0	6.4	5.2	3.5	3.6	3.4	3.1	5.9	4.9	2.8	3.9	54.2
	07 LST	8.7	6.7	4.9	3.7	2.4	4.0	4.2	3.3	5.6	5.0	3.2	4.5 56.2
SFC WND = GTR 17 KTS AND NO PRECIP.	13 LST	7.3	6.3	10.0	10.6	8.4	7.7	6.7	8.8	7.2	8.2	10.5	12.2 103.9
	19 LST	7.6	7.3	11.2	8.7	9.5	9.1	6.2	9.0	7.4	11.0	11.2	13.8 112.0
	01 LST	7.9	7.4	10.7	8.4	9.5	7.5	5.6	6.6	7.1	9.2	11.0	12.0 102.9
	07 LST	8.5	7.0	9.5	9.3	9.3	8.0	6.4	7.5	8.3	8.5	10.4	12.6 105.3
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	13 LST	10.4	8.8	6.9	6.3	4.2	5.6	6.6	5.3	8.2	7.4	4.9	5.8 80.4
	19 LST	10.8	8.6	6.7	6.1	4.5	6.2	6.1	6.8	8.3	8.3	4.4	6.0 82.8
	01 LST	9.7	9.7	6.9	5.8	5.8	6.3	6.6	7.8	9.5	9.0	5.5	6.9 89.5
	07 LST	10.3	8.6	7.6	6.7	4.6	7.6	6.7	6.6	9.0	8.0	5.6	6.9 88.2
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	13 LST	8.6	6.9	6.0	4.1	4.7	6.5	5.7	3.6	3.5	3.5	5.7	5.8 64.6
	19 LST	8.4	8.0	6.1	4.0	3.8	4.4	4.7	4.3	4.8	5.2	6.1	6.9 66.7
	01 LST	11.2	10.2	9.1	7.0	8.3	8.7	10.4	7.2	7.7	9.9	9.3	7.9 106.9
	07 LST	5.7	4.8	4.9	2.6	3.0	3.8	3.3	3.3	3.5	3.8	5.3	5.2 49.2
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	13 LST	28.4	26.6	28.6	28.7	29.9	28.9	29.4	29.3	28.6	29.9	28.4	28.2 344.9
	19 LST	28.2	26.1	28.9	28.3	29.8	28.8	30.3	29.6	28.9	30.4	28.5	28.9 346.7
	01 LST	28.8	26.0	28.5	28.2	29.6	28.6	29.2	28.7	28.3	29.4	28.5	29.0 342.8
	07 LST	28.7	26.0	28.8	28.0	29.7	28.5	29.3	29.4	28.7	29.3	28.3	28.3 343.0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	13 LST	24.4	23.6	26.5	25.8	28.2	27.2	28.0	28.0	26.7	28.5	27.1	24.8 318.8
	19 LST	24.2	24.0	25.6	25.7	27.5	26.8	29.0	28.6	27.1	29.1	27.3	26.0 320.9
	01 LST	25.2	23.7	24.6	25.5	27.0	26.3	28.2	27.7	27.3	27.7	27.5	25.1 315.8
	07 LST	22.3	21.5	23.4	24.5	26.8	25.1	27.1	27.2	27.0	27.3	25.8	23.8 301.8
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	13 LST	21.9	21.9	23.9	23.2	25.6	25.2	26.2	26.4	24.9	26.7	25.2	21.7 292.8
	19 LST	21.4	22.9	24.1	23.8	25.1	25.3	27.4	27.4	24.9	26.4	24.9	23.3 296.9
	01 LST	22.8	22.1	22.0	23.9	25.9	24.9	27.2	26.2	25.4	26.1	26.2	23.3 296.0
	07 LST	18.9	19.5	21.2	21.3	23.7	23.3	25.2	25.5	24.5	24.8	23.8	20.3 272.0

R-401, REP. OF KOREA

STA NO. 47084 (IN AREA NUMBER 01)


LATITUDE 3726N

LONGITUDE 12758E

ELEVATION(FT) 00330

POR NO. (YRS) C35

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR NO.
ABS MAX TMP (F)	65	59	72	84	92	97	95	99	94	82	70	58	99	12 -47118
MEAN MAX TMP (F)	31	38	50	64	76	81	85	87	78	67	54	39	63	12 -47118
MEAN MIN TMP (F)	12	19	29	42	52	61	70	70	58	42	33	22	43	12 -47118
ABS MIN TMP (F)	-21	-6	9	23	37	46	60	59	38	23	9	0	-21	12 -47118
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	2.7	8.4	10.4	0.5	0.0	0.0	0.0	22.1	12 -47118
MEAN NO DYS TMP = OR LES 32(F)	30.7	26.7	22.5	3.6	0.0	0.0	0.0	0.0	0.0	2.9	14.9	28.8	130.1	12 -47118
MEAN NO DYS TMP = OR LES 0(F)	5.9	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	7.3	12 -47118
MEAN DEW PT TMP (F)	15	22	31	42	52	61	72	71	61	46	35	23	44	13 -47118
MEAN REL HUM (PCT)	76	77	73	71	69	74	83	81	80	76	78	78	76	13 -47118
MEAN PRESS ALT (FT)	35	77	159	274	386	479	504	463	328	171	78	52	251	0 -50
MEAN PRECIP (IN)	0.92	1.01	1.95	5.03	2.64	4.86	20.54	7.31	6.07	1.2	1.39	1.21	55.0	12 -47118
MEAN SNOW FALL (IN)	8.5	4.8	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	15.8	13 -47118
MEAN NO DYS PKCP = OR GTR 0.1 IN	3.0	2.7	2.9	6.1	3.9	7.0	12.4	9.2	6.8	3.6	3.5	3.1	64.2	12 -47118
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.1	1.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	3.5	13 -47118
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.6	0.8	0.7	1.3	0.7	0.5	1.8	1.1	2.6	3.5	2.4	1.6	18.6	13 -47118
MEAN NO DYS TSTMS	0.1	0.2	0.1	0.6	0.2	1.1	3.2	1.1	0.8	0.3	0.1	0.0	7.8	12 -47118
P FREQ WND SPD = OR GTR 17 KTS	0.3	0.5	0.6	1.0	0.3	0.1	0.1	0.3	0.1	0.1	0.1	0.1	0.3	13 -47118
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13 -47118
P FREQ LES 5000 FT A/O LES 5 MI	28.6	28.2	32.4	33.7	23.5	36.5	56.1	44.0	31.7	19.2	26.3	31.8	32.7	13 -47118
P FREQ LES 1500 FT A/O LES 3 MI	2.5	3.9	2.4	6.8	2.7	3.1	8.9	2.6	3.7	1.5	1.7	2.8	3.6	12 -47118
FOR 00-02 LST	3.3	5.8	2.9	7.5	3.9	5.0	12.5	5.5	5.6	4.5	4.4	4.1	5.4	13 -47118
FOR 03-05 LST	6.4	6.0	5.4	9.0	6.0	7.5	19.3	12.8	14.1	13.4	10.7	7.0	9.8	13 -47118
FOR 06-08 LST	8.7	7.2	5.7	7.3	4.2	5.6	11.5	4.9	5.6	5.4	5.8	7.1	6.6	13 -47118
FOR 09-11 LST	4.4	4.3	3.8	5.8	2.9	3.6	9.2	2.1	4.0	0.6	1.1	1.7	3.6	13 -47118
FOR 12-14 LST	3.4	3.9	2.8	6.2	3.3	4.1	7.6	2.8	2.4	0.3	0.8	0.9	3.2	13 -47118
FOR 15-17 LST	3.9	3.1	3.5	5.4	2.9	3.5	7.1	3.1	2.2	0.9	1.9	2.3	3.3	13 -47118
FOR 18-20 LST	3.1	3.8	2.9	5.8	2.9	2.3	7.9	1.8	3.1	0.7	0.8	2.8	3.2	13 -47118
FOR 21-23 LST	0.6	1.9	0.9	2.2	0.0	0.0	0.8	0.4	0.4	0.3	0.0	0.0	0.7	12 -47118
P FREQ LES 300 FT A/O LES 1 MI	1.2	1.9	0.6	2.0	0.8	0.5	2.1	1.4	2.0	2.2	2.5	1.6	1.6	13 -47118
FOR 00-02 LST	1.6	2.2	1.3	3.0	2.1	1.2	4.5	5.4	7.3	9.5	6.1	3.3	4.0	13 -47118
FOR 03-05 LST	3.0	1.6	0.9	0.9	0.0	0.4	1.4	0.4	1.4	2.7	3.3	3.2	1.6	13 -47118
FOR 06-08 LST	1.3	0.4	0.6	0.4	0.3	0.2	1.2	0.1	0.6	0.1	0.0	0.3	0.5	13 -47118
FOR 09-11 LST	0.9	1.1	0.7	0.4	0.1	0.4	0.6	0.5	0.1	0.0	0.0	0.4	0.4	13 -47118
FOR 12-14 LST	1.0	1.1	1.3	0.8	0.1	0.5	0.3	0.5	0.0	0.1	0.1	0.2	0.5	13 -47118
FOR 15-17 LST	0.8	1.0	1.0	1.3	0.0	0.2	0.1	0.1	0.2	0.0	0.0	0.2	0.4	13 -47118
FOR 18-20 LST														
FOR 21-23 LST														



R-401, REP. OF KOREA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	MEAN NUMBER OF DAYS												ANN	DEC	NOV	OCT	SEP	AUG	JUL	JUN	MAY	APR	MAR	FEB	JAN	LST	POR (YRS)	NO. OBS
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC																
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09	28.4	26.4	29.1	28.3	30.2	28.7	27.8	29.0	27.8	27.7	27.2	28.4	339.0	13	-47118												
	15	30.0	27.1	30.2	26.8	30.4	29.0	29.4	30.5	29.6	31.0	29.8	30.8	356.6	13	-47118												
	21	30.0	27.2	29.9	28.6	30.3	29.3	29.5	30.4	29.5	30.7	29.8	30.2	355.4	13	-47118												
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	03	29.4	26.2	30.0	28.3	30.2	28.8	28.3	30.0	28.5	29.7	28.8	30.0	348.2	13	-47118												
	09	27.5	24.9	27.1	25.7	27.7	26.6	24.7	26.5	26.3	27.0	26.3	27.3	317.6	13	-47118												
	15	24.0	19.6	21.1	17.8	22.2	24.6	25.1	27.3	25.8	28.1	24.5	26.6	286.7	13	-47118												
SFC WND = GTR 17 KTS AND NO PRECIP.	21	28.4	25.2	27.2	25.0	27.3	27.9	27.6	28.4	28.1	30.1	28.6	29.4	333.2	13	-47118												
	03	28.3	25.1	28.5	26.5	28.9	28.0	25.1	28.8	27.7	29.3	28.1	29.1	333.4	13	-47118												
	09	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	13	-47118												
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15	0.1	0.3	0.6	0.9	0.2	0.0	0.0	0.1	0.0	0.1	0.1	0.1	2.5	13	-47118												
	21	0.1	0.2	0.1	0.3	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.1	1.0	13	-47118												
	03	0.1	0.2	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.6	13	-47118												
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09	0.5	1.4	5.1	8.1	6.1	7.3	6.6	6.4	4.2	3.1	3.6	1.1	53.5	13	-47118												
	15	5.7	9.9	16.7	15.4	17.4	15.1	12.3	10.1	13.7	14.0	11.5	8.2	150.0	13	-47118												
	21	1.1	2.1	8.4	10.1	9.7	8.6	6.5	6.2	5.3	3.8	3.9	1.1	66.8	13	-47118												
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03	0.6	1.0	2.3	5.4	3.2	3.8	4.1	4.2	2.7	2.2	2.2	0.8	32.5	13	-47118												
	09	13.3	10.9	10.8	8.8	8.5	5.7	3.8	5.5	6.6	12.6	9.4	11.9	108.0	13	-47118												
	15	12.9	10.3	7.6	6.2	7.2	4.9	2.1	2.4	5.0	11.5	10.5	12.6	93.2	13	-47118												
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21	16.1	14.4	12.3	10.3	10.6	6.9	6.3	7.1	10.9	16.5	15.5	16.4	143.3	13	-47118												
	03	15.9	14.7	14.5	12.0	12.3	8.1	6.0	8.1	11.3	17.1	14.9	15.7	150.6	13	-47118												
	09	27.8	25.1	27.9	25.8	28.3	26.0	22.0	24.8	25.1	27.1	26.3	27.7	313.9	13	-47118												
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15	29.3	25.9	28.9	26.8	29.1	26.9	25.4	28.6	28.0	30.6	29.1	30.2	338.8	13	-47118												
	21	29.3	26.4	28.5	26.2	29.4	27.7	25.5	27.0	27.9	30.3	29.2	29.5	336.9	13	-47118												
	03	29.0	25.5	28.8	26.8	28.7	26.8	22.4	27.5	26.6	29.0	27.5	29.4	328.0	13	-47118												
	09	20.6	18.1	20.5	19.2	23.2	17.7	11.6	16.7	18.4	22.0	19.5	19.4	226.9	13	-47118												
	15	21.9	19.7	20.2	18.9	23.7	17.6	13.2	17.2	20.7	26.0	22.2	22.3	243.6	13	-47118												
	21	22.8	22.3	21.6	21.5	24.0	19.2	15.3	17.7	22.1	25.6	23.3	22.3	257.7	13	-47118												
	03	21.6	21.0	21.6	20.3	23.1	19.0	12.1	17.5	20.4	25.6	22.3	22.2	246.7	13	-47118												
	09	19.7	17.5	19.2	18.2	21.6	16.7	10.4	15.0	16.1	20.7	17.4	18.2	210.7	13	-47118												
	15	21.0	19.1	19.2	18.2	22.4	16.5	12.3	16.1	18.4	24.9	20.8	20.9	229.8	13	-47118												
	21	21.3	21.0	20.9	20.6	23.1	18.2	14.2	16.9	20.3	24.9	21.8	21.8	245.0	13	-47118												
	03	20.2	19.7	20.9	19.2	21.9	17.3	10.7	16.6	18.8	24.5	21.6	20.7	232.1	13	-47118												

CHUNCHON, REP. OF KOREA

STA NC. 47104 (IN AREA NUMBER 01)

LATITUDE 3753N LONGITUDE 12743E ELEVATION(FT) 00243

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS.
ABS MAX TMP (F)	52	56	67	82	89	95	99	97	88	82	66	60	99	4	1181
MEAN MAX TMP (F)	35	38	50	65	76	80	85	87	77	68	52	39	53	4	1181
MEAN MIN TMP (F)	15	19	30	40	52	60	68	70	57	43	32	21	42	4	1181
ABS MIN TMP (F)	-3	-1	15	28	36	52	51	53	42	29	12	5	-3	4	1181
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	4.0	9.5	12.7	0.0	0.0	0.0	0.0	26.2	4	1181
MEAN NO DYS TMP = OR LES 32(F)	30.6	25.0	23.7	3.3	0.0	0.0	0.0	0.0	0.0	2.0	12.6	29.4	126.6	4	1181
MEAN NO DYS TMP = OR LES 0(F)	2.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	4	1181
MEAN DEW PT TMP (F)	14	17	29	39	51	61	69	71	59	45	33	21	42	10	43526
MEAN REL HUM (PCT)	68	65	68	63	65	73	80	80	78	74	73	71	72	10	43526
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.42	1.88	1.81	2.41	1.64	7.16	15.88	7.24	5.32	2.20	1.02	1.98	49.0	6	1334
MEAN SNOW FALL (IN)	4.2	4.9	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	6.2	20.6	7	1551
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.0	2.6	3.7	4.2	4.1	8.2	12.7	9.0	4.5	4.5	2.6	4.3	62.4	6	1334
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.6	1.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.1	4.3	7	1551
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.5	2.1	2.0	1.4	0.2	0.2	1.0	2.7	5.5	10.6	6.6	3.6	40.4	10	2174
MEAN NO DYS TSTMS	0.0	1.0	0.0	0.3	0.7	3.1	2.2	2.0	0.8	1.1	0.0	0.0	11.2	4	1193
P FREQ WND SPD = OR GTR 17 KTS	0.1	0.1	0.6	0.9	0.3	0.1	0.0	0.1	0.0	0.2	0.2	0.1	0.2	10	43629
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	43629
P FREQ LES 5000 FT A/O LES 5 MI	41.4	29.5	27.1	26.7	21.6	28.5	49.4	38.6	34.1	31.6	36.1	38.6	33.6	10	43630
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	7.2	7.8	2.5	2.2	1.4	2.4	6.2	6.7	5.3	5.1	10.4	13.8	5.9	4	3558
03-05 LST	13.1	7.6	5.7	5.8	2.2	4.1	7.9	16.7	20.4	19.3	18.4	14.5	11.3	10	5515
06-08 LST	22.2	14.4	11.7	15.6	10.6	14.7	29.0	30.3	34.8	43.6	28.6	21.6	23.0	12	9411
09-11 LST	43.1	27.4	13.1	12.5	7.3	9.5	17.3	14.8	24.4	36.4	30.8	31.3	22.3	12	9420
12-14 LST	13.0	8.1	3.8	8.8	3.9	5.4	8.0	4.3	4.3	3.4	10.9	13.4	7.3	12	9422
15-17 LST	5.6	4.3	3.5	9.7	3.5	4.3	6.1	5.3	2.7	1.3	6.1	7.5	5.0	12	9413
18-20 LST	13.3	6.6	3.9	6.9	3.4	2.8	5.2	5.1	1.8	3.7	9.0	14.3	6.3	12	5885
21-23 LST	9.0	9.8	3.6	4.5	4.3	1.0	6.7	4.3	2.8	5.9	8.5	12.1	6.0	4	3555
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	2.1	2.7	1.4	0.0	0.0	0.3	1.1	1.6	0.6	0.3	4.4	3.8	1.5	4	3558
03-05 LST	3.7	3.3	1.7	0.5	0.0	0.5	1.0	3.6	7.6	9.5	10.3	5.4	3.9	10	5515
06-08 LST	8.9	2.5	3.5	4.6	3.4	3.0	4.9	11.4	18.2	30.8	17.5	10.6	9.9	12	9411
09-11 LST	15.5	5.6	3.2	2.2	0.8	0.5	1.7	1.1	4.4	16.7	16.3	15.3	6.9	12	9420
12-14 LST	2.6	2.1	0.8	1.4	0.4	0.0	0.6	0.4	0.1	0.0	3.0	5.0	1.4	12	9422
15-17 LST	2.2	2.4	1.2	1.6	0.2	0.1	0.4	0.8	0.2	0.2	1.4	2.8	1.1	12	9413
18-20 LST	4.4	2.6	1.2	0.8	0.0	0.0	0.4	0.4	0.6	0.9	4.2	5.4	1.7	12	5885
21-23 LST	2.6	3.9	1.8	0.0	0.0	0.3	0.5	0.0	0.8	0.9	4.4	3.8	1.6	4	3555

CHUNGHON, REP. OF KOREA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST 17.5	09 LST 19.3	09 LST 25.1	09 LST 25.5	09 LST 28.4	09 LST 27.2	09 LST 25.8	09 LST 25.5	09 LST 20.0	09 LST 16.3	09 LST 19.1	09 LST 19.6	09 LST 269.3	12	3141
	15 LST 29.5	15 LST 27.0	15 LST 30.1	15 LST 27.6	15 LST 30.3	15 LST 29.2	15 LST 29.2	15 LST 29.1	15 LST 28.9	15 LST 30.8	15 LST 28.3	15 LST 28.6	15 LST 348.6	12	3141
	21 LST 27.2	21 LST 25.8	21 LST 30.0	21 LST 28.7	21 LST 29.7	21 LST 29.8	21 LST 30.0	21 LST 29.8	21 LST 29.2	21 LST 29.6	21 LST 26.8	21 LST 26.5	21 LST 343.1	7	1639
	03 LST 26.0	03 LST 25.5	03 LST 29.2	03 LST 27.4	03 LST 30.4	03 LST 29.0	03 LST 29.0	03 LST 25.0	03 LST 24.7	03 LST 25.0	03 LST 25.3	03 LST 26.5	03 LST 323.0	10	2252
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	09 LST 16.9	09 LST 18.4	09 LST 23.0	09 LST 22.3	09 LST 26.3	09 LST 24.1	09 LST 21.8	09 LST 21.8	09 LST 18.4	09 LST 15.6	09 LST 18.4	09 LST 18.6	09 LST 245.6	12	3140
	15 LST 22.8	15 LST 20.2	15 LST 19.0	15 LST 17.3	15 LST 20.2	15 LST 23.7	15 LST 24.2	15 LST 23.9	15 LST 25.2	15 LST 26.0	15 LST 23.5	15 LST 23.7	15 LST 269.7	12	3141
	21 LST 25.1	21 LST 23.3	21 LST 24.5	21 LST 23.3	21 LST 27.0	21 LST 27.2	21 LST 27.2	21 LST 29.2	21 LST 27.6	21 LST 28.8	21 LST 25.7	21 LST 25.5	21 LST 314.4	7	1639
	03 LST 24.7	03 LST 24.7	03 LST 27.4	03 LST 26.2	03 LST 29.0	03 LST 27.5	03 LST 26.5	03 LST 23.6	03 LST 24.1	03 LST 24.6	03 LST 24.6	03 LST 26.1	03 LST 309.0	10	2252
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST 0.0	09 LST 0.0	09 LST 0.0	09 LST 0.1	09 LST 0.0	09 LST 0.0	09 LST 0.0	09 LST 0.0	09 LST 0.0	09 LST 0.0	09 LST 0.0	09 LST 0.0	09 LST 0.1	12	2985
	15 LST 0.0	15 LST 0.0	15 LST 0.7	15 LST 0.8	15 LST 0.2	15 LST 0.0	15 LST 0.1	15 LST 0.0	15 LST 0.0	15 LST 0.2	15 LST 0.2	15 LST 0.1	15 LST 2.3	12	3015
	21 LST 0.0	21 LST 0.0	21 LST 0.2	21 LST 0.0	21 LST 0.0	21 LST 0.0	21 LST 0.0	21 LST 0.0	21 LST 0.0	21 LST 0.0	21 LST 0.0	21 LST 0.0	21 LST 0.2	7	1551
	03 LST 0.2	03 LST 0.0	03 LST 0.0	03 LST 0.0	03 LST 0.0	03 LST 0.0	03 LST 0.0	03 LST 0.0	03 LST 0.0	03 LST 0.0	03 LST 0.1	03 LST 0.0	03 LST 0.3	10	2109
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST 0.2	09 LST 0.6	09 LST 4.4	09 LST 5.9	09 LST 7.0	09 LST 10.1	09 LST 10.7	09 LST 9.3	09 LST 6.1	09 LST 3.7	09 LST 2.8	09 LST 0.7	09 LST 61.5	12	2985
	15 LST 5.5	15 LST 9.3	15 LST 16.2	15 LST 17.8	15 LST 19.5	15 LST 17.7	15 LST 13.2	15 LST 11.5	15 LST 15.4	15 LST 11.8	15 LST 12.9	15 LST 8.7	15 LST 159.5	12	3015
	21 LST 1.5	21 LST 5.3	21 LST 15.3	21 LST 20.4	21 LST 19.7	21 LST 15.8	21 LST 13.9	21 LST 12.0	21 LST 8.3	21 LST 7.8	21 LST 7.8	21 LST 2.8	21 LST 130.6	7	1550
	03 LST 0.3	03 LST 0.7	03 LST 2.1	03 LST 5.1	03 LST 6.4	03 LST 7.7	03 LST 9.0	03 LST 4.4	03 LST 3.3	03 LST 2.6	03 LST 2.5	03 LST 1.5	03 LST 45.6	10	2109
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST 9.1	09 LST 9.2	09 LST 10.6	09 LST 8.6	09 LST 9.1	09 LST 5.9	09 LST 2.4	09 LST 3.7	09 LST 4.4	09 LST 6.0	09 LST 7.0	09 LST 10.6	09 LST 86.6	12	3141
	15 LST 13.9	15 LST 11.2	15 LST 10.0	15 LST 7.4	15 LST 8.5	15 LST 5.4	15 LST 2.0	15 LST 3.1	15 LST 5.3	15 LST 13.5	15 LST 10.8	15 LST 13.0	15 LST 104.1	12	3141
	21 LST 16.6	21 LST 15.6	21 LST 12.0	21 LST 15.2	21 LST 10.2	21 LST 7.3	21 LST 4.8	21 LST 6.2	21 LST 12.6	21 LST 19.1	21 LST 16.9	21 LST 16.7	21 LST 153.2	7	1639
	03 LST 15.0	03 LST 15.2	03 LST 14.6	03 LST 14.6	03 LST 12.6	03 LST 7.4	03 LST 6.8	03 LST 6.5	03 LST 10.4	03 LST 15.1	03 LST 15.3	03 LST 16.2	03 LST 149.7	10	2252
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST 16.9	09 LST 18.8	09 LST 23.4	09 LST 23.4	09 LST 27.3	09 LST 23.9	09 LST 19.3	09 LST 21.2	09 LST 18.2	09 LST 15.9	09 LST 18.5	09 LST 19.2	09 LST 246.0	12	3141
	15 LST 28.6	15 LST 26.0	15 LST 29.0	15 LST 26.3	15 LST 29.3	15 LST 27.6	15 LST 25.9	15 LST 27.2	15 LST 28.3	15 LST 30.6	15 LST 27.8	15 LST 27.7	15 LST 334.3	12	3141
	21 LST 27.2	21 LST 24.8	21 LST 28.7	21 LST 27.5	21 LST 29.5	21 LST 28.8	21 LST 27.2	21 LST 28.6	21 LST 28.4	21 LST 29.4	21 LST 26.6	21 LST 25.7	21 LST 332.4	7	1639
	03 LST 25.7	03 LST 24.7	03 LST 28.6	03 LST 26.0	03 LST 29.2	03 LST 26.0	03 LST 24.8	03 LST 22.7	03 LST 23.1	03 LST 24.7	03 LST 24.6	03 LST 25.8	03 LST 305.9	10	2252
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST 13.9	09 LST 15.4	09 LST 18.8	09 LST 19.1	09 LST 22.6	09 LST 18.1	09 LST 10.1	09 LST 15.1	09 LST 13.6	09 LST 13.0	09 LST 14.3	09 LST 15.7	09 LST 189.7	12	3141
	15 LST 24.0	15 LST 22.0	15 LST 22.3	15 LST 20.9	15 LST 24.8	15 LST 19.7	15 LST 16.3	15 LST 19.4	15 LST 22.2	15 LST 27.0	15 LST 23.8	15 LST 22.4	15 LST 264.8	12	3141
	21 LST 22.7	21 LST 21.1	21 LST 25.0	21 LST 25.5	21 LST 26.5	21 LST 21.8	21 LST 18.2	21 LST 23.0	21 LST 24.2	21 LST 27.0	21 LST 23.0	21 LST 21.2	21 LST 279.2	7	1639
	03 LST 21.0	03 LST 21.2	03 LST 24.0	03 LST 22.0	03 LST 25.0	03 LST 21.1	03 LST 14.0	03 LST 16.0	03 LST 19.0	03 LST 21.9	03 LST 20.1	03 LST 20.9	03 LST 246.2	10	2252
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST 13.0	09 LST 14.6	09 LST 17.7	09 LST 17.2	09 LST 20.5	09 LST 16.1	09 LST 8.6	09 LST 12.6	09 LST 11.1	09 LST 11.5	09 LST 12.2	09 LST 14.4	09 LST 169.5	12	3141
	15 LST 22.5	15 LST 20.9	15 LST 21.1	15 LST 19.4	15 LST 23.0	15 LST 17.7	15 LST 13.8	15 LST 17.2	15 LST 20.1	15 LST 25.0	15 LST 21.5	15 LST 21.5	15 LST 243.7	12	3141
	21 LST 21.8	21 LST 20.0	21 LST 23.5	21 LST 23.7	21 LST 23.0	21 LST 19.2	21 LST 15.8	21 LST 20.8	21 LST 22.4	21 LST 24.7	21 LST 21.4	21 LST 21.0	21 LST 257.3	7	1639
	03 LST 19.7	03 LST 19.9	03 LST 23.0	03 LST 21.0	03 LST 22.6	03 LST 18.8	03 LST 13.0	03 LST 13.7	03 LST 17.6	03 LST 21.1	03 LST 19.1	03 LST 19.8	03 LST 229.3	10	2252

KANGNUNG, REP. OF KOREA

STA NO. 47107 (IN AREA NUMBER 01)

LATITUDE 37°45'N

LONGITUDE 128°57'E

ELEVATION (FT) 00018

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	62	64	78	88	94	96	101	99	92	89	79	73	101	24	-528
MEAN MAX TMP (F)	38	41	49	62	70	77	83	84	77	68	56	43	62	18	-28
MEAN MIN TMP (F)	23	24	32	43	51	60	69	69	60	49	38	28	46	18	-28
ABS MIN TMP (F)	-4	4	11	26	36	43	52	54	44	29	18	5	-4	24	-528
MEAN NO DYS TMP ≥ OR GTR 90 (F)	0.0	0.0	0.0	0.0	0.6	0.7	6.4	5.5	0.2	0.0	0.0	0.0	13.4	12	4381
MEAN NO DYS TMP ≥ OR LES 32 (F)	28.1	22.8	14.7	1.8	0.0	0.0	0.0	0.0	0.0	0.2	6.0	20.6	94.2	12	4381
MEAN NO DYS TMP ≥ OR LES 0 (F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4381
MEAN DEW PT TMP (F)	19	23	31	40	50	59	68	70	61	48	37	26	44	12	104965
MEAN REL HUM (PCT)	65	67	70	68	68	79	84	84	82	76	71	66	73	12	104960
MEAN PRESS ALT (FT)	-271	-229	-153	-41	66	163	186	151	21	-139	-230	-254	-60	0	-50
MEAN PRECIP (IN)	2.40	2.30	2.10	2.90	3.20	3.90	8.60	8.60	6.90	3.00	2.40	2.40	49.7	18	-28
MEAN SNOW FALL (IN)	15.5	17.1	9.9	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.4	3.7	47.4	12	4382
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	5.3	5.1	4.1	5.3	5.7	6.1	10.8	10.2	9.4	4.7	4.0	5.3	76.0	18	-29
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	2.7	3.0	1.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.6	8.1	12	4382
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.4	1.2	1.0	0.9	1.6	1.8	2.7	1.2	0.5	0.3	0.1	0.3	13.0	12	4380
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.4	0.6	1.0	1.6	0.7	0.2	0.2	0.0	0.0	4.7	12	4382
P FREQ WND SPD ≥ OR GTR 17 KTS	9.3	5.4	5.6	6.2	3.9	1.6	0.9	1.2	1.1	2.2	3.2	4.9	3.8	12	105083
P FREQ WND SPD ≥ OR GTR 28 KTS	0.4	0.4	0.3	0.3	0.1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.2	12	105083
P FREQ LES 5000 FT A/O LES 5 MI	15.6	22.9	29.7	25.4	19.0	39.5	46.7	39.4	27.0	20.9	22.4	16.8	27.1	12	105112
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	5.3	8.3	8.2	9.1	6.7	18.8	23.2	13.4	6.9	3.0	3.6	1.8	9.0	12	13137
03-05 LST	4.8	8.3	8.3	10.4	7.2	21.1	28.5	14.2	7.2	3.2	2.8	1.7	9.8	12	13140
06-08 LST	4.7	7.5	8.7	10.3	8.2	23.7	31.1	16.8	8.9	3.8	3.5	3.6	10.9	12	13139
09-11 LST	6.3	10.4	9.4	11.7	8.2	21.0	26.7	15.9	9.4	5.7	4.4	4.7	11.2	12	13143
12-14 LST	6.1	8.6	7.3	10.2	6.5	14.2	19.4	12.7	8.2	4.0	4.6	4.3	8.8	12	13142
15-17 LST	7.1	8.8	8.3	10.0	6.5	14.0	17.7	11.5	7.4	4.5	4.2	3.7	8.6	12	13143
18-20 LST	7.0	9.9	9.3	10.4	8.0	15.1	19.4	13.3	6.8	4.2	5.1	4.1	9.4	12	13143
21-23 LST	6.3	9.5	9.1	8.8	8.1	16.1	22.0	13.5	6.5	3.5	4.4	2.6	9.2	12	13140
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	1.8	1.6	1.2	1.4	1.6	2.2	4.7	1.5	0.8	0.3	0.5	0.0	1.5	12	13137
03-05 LST	1.3	1.9	0.7	2.1	1.7	3.1	4.7	1.8	0.7	0.0	0.3	0.0	1.5	12	13140
06-08 LST	1.1	2.1	1.3	1.4	1.3	4.8	7.7	3.2	1.8	0.1	0.1	0.3	2.1	12	13139
09-11 LST	1.6	2.7	1.7	1.7	1.4	2.5	4.1	2.4	2.2	0.6	0.3	0.9	1.8	12	13143
12-14 LST	1.3	2.7	1.1	0.9	0.0	0.8	2.2	1.7	1.9	0.6	0.2	0.9	1.2	12	13142
15-17 LST	1.4	2.9	1.3	0.8	0.7	1.2	2.2	1.6	1.7	0.3	0.2	0.4	1.2	12	13143
18-20 LST	1.8	2.9	1.4	1.4	1.4	1.7	2.4	1.3	1.0	0.3	0.3	0.4	1.4	12	13143
21-23 LST	0.6	2.5	1.0	1.1	1.7	1.8	2.9	1.1	0.5	0.4	0.5	0.1	1.2	12	13140

KANGNUNG, REP. OF KOREA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	29.5	25.5	28.7	26.6	28.6	24.1	23.3	26.6	27.7	29.6	29.1	29.8	329.2	12	4381
	15 LST	29.2	26.0	29.5	27.5	29.8	27.1	26.7	28.6	28.2	30.0	29.3	30.1	342.0	12	4381
	21 LST	29.2	25.8	29.2	28.0	28.9	27.2	26.1	28.2	28.6	30.4	29.2	30.4	341.2	12	4381
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	03 LST	29.6	25.7	28.9	27.3	29.3	25.7	24.3	27.9	28.6	30.2	29.5	30.7	337.7	12	4380
	09 LST	15.9	14.9	19.6	17.9	20.7	17.3	16.6	21.4	23.5	25.1	21.4	17.8	232.1	12	4381
	15 LST	14.1	11.7	10.1	7.5	9.4	10.0	14.2	15.3	18.0	16.4	16.1	14.1	156.9	12	4381
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	13.9	13.8	19.3	19.2	22.3	21.2	20.6	24.1	25.7	26.3	20.7	16.0	243.1	12	4381
	03 LST	14.7	14.8	19.3	18.8	21.6	19.6	18.7	23.5	25.0	26.4	20.8	17.5	240.7	12	4379
	09 LST	2.8	1.4	0.9	1.6	1.1	0.7	0.2	0.3	0.6	0.7	0.6	0.9	11.8	12	4113
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	2.9	1.5	3.7	4.0	2.7	1.1	0.4	0.5	0.3	0.5	1.7	2.1	21.4	12	4153
	21 LST	2.9	1.8	1.9	1.4	1.0	0.2	0.2	0.1	0.1	0.4	0.7	2.0	12.7	12	4135
	03 LST	3.3	1.7	1.2	1.7	0.8	0.2	0.1	0.1	0.1	0.5	0.8	2.3	12.8	12	4122
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	4.3	5.5	11.7	13.3	15.6	17.5	15.4	13.2	9.6	10.3	11.9	9.3	137.6	12	4113
	15 LST	12.1	11.4	14.0	12.8	14.6	15.0	19.1	19.3	20.0	20.5	16.2	13.7	188.7	12	4153
	21 LST	4.1	5.7	10.9	11.2	10.9	12.2	11.9	9.5	6.0	7.9	9.8	9.8	109.9	12	4135
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	2.5	3.9	9.0	11.5	10.7	9.9	8.0	7.4	5.9	10.0	9.8	7.2	95.8	12	4122
	09 LST	16.9	13.2	10.7	9.2	9.5	5.3	3.8	4.3	6.7	13.1	13.0	15.0	120.7	12	4381
	15 LST	15.4	11.5	9.3	8.6	8.6	4.8	3.9	4.6	5.7	11.4	11.6	14.6	110.0	12	4381
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	19.3	14.5	11.2	10.3	10.3	5.7	4.6	7.0	9.2	14.1	16.6	19.2	142.0	12	4381
	03 LST	20.5	17.7	14.9	13.3	13.2	8.7	6.8	9.1	10.3	17.5	17.4	20.8	170.2	12	4380
	09 LST	28.6	24.8	27.1	25.0	27.0	20.7	18.7	22.4	25.9	28.5	27.4	29.1	305.2	12	4381
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	28.2	24.7	26.8	25.6	28.0	23.8	22.6	25.8	27.0	28.1	27.7	28.4	316.7	12	4381
	21 LST	28.1	24.4	26.2	26.0	27.4	22.6	22.0	24.4	26.4	28.7	26.2	28.7	311.1	12	4381
	03 LST	28.5	24.8	27.0	26.0	27.8	21.4	20.4	24.1	26.1	28.7	27.2	29.8	311.8	12	4380
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	25.4	20.5	21.4	21.2	24.6	16.7	14.7	17.1	20.8	23.4	22.5	24.9	253.2	12	4381
	15 LST	25.5	19.9	19.2	21.1	25.6	18.2	17.1	18.4	21.4	23.0	21.8	24.5	255.7	12	4381
	21 LST	25.3	20.6	20.3	22.1	24.6	16.9	15.7	18.1	21.0	23.4	22.7	25.4	256.1	12	4381
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	26.5	22.5	22.3	22.6	24.1	17.4	15.2	18.2	21.5	25.2	22.8	26.6	264.9	12	4380
	09 LST	24.1	19.2	19.7	19.7	22.2	15.3	11.4	14.7	18.5	21.4	20.8	23.0	230.0	12	4381
	15 LST	24.6	18.9	18.3	20.1	23.7	16.7	14.3	16.7	18.9	21.9	20.4	23.6	238.1	12	4381
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	24.7	19.9	19.3	20.4	22.7	15.2	13.3	16.5	19.1	22.0	21.8	24.0	238.9	12	4381
	03 LST	25.6	22.2	21.3	21.4	22.5	15.9	13.6	16.1	19.5	24.1	21.8	25.5	249.5	12	4380

HOENGSUNG, REP. OF KOREA

STA NO. 47118 (IN AREA NUMBER 01)

LATITUDE 3727N LONGITUDE 12750E ELEVATION(FT) 00330

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
ABS MAX TMP (F)	65	59	72	84	92	97	95	99	94	82	70	58	99	12	3582
MEAN MAX TMP (F)	31	38	50	64	76	81	85	87	78	67	54	39	63	12	3582
MEAN MIN TMP (F)	12	19	29	42	52	61	70	70	58	42	33	22	43	12	3582
ABS MIN TMP (F)	-21	-6	9	23	37	46	60	59	38	23	9	0	-21	12	3582
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	2.7	8.4	10.4	0.5	0.0	0.0	0.0	22.1	12	3582
MEAN NO DYS TMP = OR LES 32(F)	30.7	26.7	22.5	3.6	0.0	0.0	0.0	0.0	0.0	2.9	14.9	28.8	130.1	12	3582
MEAN NO DYS TMP = OR LES 0(F)	5.9	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	7.3	12	3582
MEAN DEW PT TMP (F)	15	22	31	42	52	61	72	71	61	46	35	23	44	13	97002
MEAN REL HUM (PCT)	76	77	73	71	69	74	83	81	80	76	78	78	76	13	97002
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.92	1.01	1.95	5.03	2.64	4.86	20.54	7.31	6.07	2.12	1.39	1.21	55.0	12	3845
MEAN SNOW FALL (IN)	8.5	4.8	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	15.8	13	3957
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.0	2.7	2.9	6.1	3.9	7.0	12.4	9.2	6.8	3.6	3.5	3.1	64.2	12	3845
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.1	1.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	3.5	13	3957
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.6	0.8	0.7	1.3	0.7	0.5	1.8	1.1	2.6	3.5	2.4	1.6	18.6	13	4333
MEAN NO DYS TSTMS	0.1	0.2	0.1	0.6	0.2	1.1	3.2	1.1	0.8	0.3	0.1	0.0	7.8	12	3583
P FREQ WND SPD = OR GTR 17 KTS	0.3	0.5	0.6	1.0	0.3	0.1	0.1	0.3	0.1	0.1	0.1	0.1	0.3	13	98151
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	98151
P FREQ LES 5000 FT A/O LES 5 MI	28.6	28.2	32.4	33.7	23.5	36.5	56.1	44.0	31.7	19.2	26.3	31.8	32.7	13	98160
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	2.5	3.9	2.4	6.8	2.7	3.1	8.9	2.6	3.7	1.5	1.7	2.8	3.6	12	10771
03-05 LST	3.3	5.8	2.9	7.5	3.9	5.0	12.5	5.5	5.6	4.5	4.4	4.1	5.4	13	11892
06-08 LST	6.4	6.0	5.4	9.0	6.0	7.5	19.3	12.8	14.1	13.4	10.7	7.0	9.8	13	13102
09-11 LST	8.7	7.2	5.7	7.3	4.2	5.6	11.5	4.9	5.6	5.4	5.8	7.1	6.6	13	13104
12-14 LST	4.4	4.3	3.8	5.8	2.9	3.6	9.2	2.1	4.0	0.6	1.1	1.7	3.6	13	13104
15-17 LST	3.4	3.9	2.8	6.2	3.3	4.1	7.6	2.8	2.4	0.3	0.8	0.9	3.2	13	13084
18-20 LST	3.9	3.1	3.5	5.4	2.9	3.5	7.1	3.1	2.2	0.9	1.9	2.3	3.3	13	12187
21-23 LST	3.1	3.8	2.9	5.8	2.9	2.3	7.9	1.8	3.1	0.7	0.8	2.8	3.2	13	11413
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.6	1.9	0.9	2.2	0.0	0.0	0.8	0.4	0.4	0.3	0.0	0.6	0.7	12	10771
03-05 LST	1.2	1.9	0.6	2.0	0.6	0.5	2.1	1.4	2.0	2.2	2.5	1.6	1.6	13	11892
06-08 LST	1.6	2.2	1.3	3.0	2.1	1.2	4.5	5.4	7.3	9.5	6.1	3.3	4.0	13	13102
09-11 LST	3.0	1.6	0.9	0.9	0.0	0.4	1.4	0.4	1.4	2.7	3.3	3.2	1.6	13	13104
12-14 LST	1.3	0.4	0.6	0.4	0.3	0.2	1.2	0.1	0.6	0.1	0.0	0.3	0.5	13	13104
15-17 LST	0.9	1.1	0.7	0.4	0.1	0.4	0.6	0.5	0.1	0.0	0.0	0.4	0.4	13	13084
18-20 LST	1.0	1.1	1.3	0.8	0.1	0.5	0.3	0.5	0.0	0.1	0.1	0.2	0.5	13	12187
21-23 LST	0.8	1.0	1.0	1.3	0.0	0.2	0.1	0.1	0.2	0.0	0.0	0.2	0.4	13	11413

HOENGSUNG, REP. OF KOREA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	28.4	26.4	29.1	28.3	30.2	28.7	27.8	29.0	27.8	27.2	28.4	339.0	13	4369	
	15 LST	30.0	27.1	30.2	28.8	30.4	29.0	29.4	30.5	29.6	31.0	30.8	356.6	13	4368	
	21 LST	30.0	27.2	29.9	28.6	30.3	29.3	29.5	30.4	29.5	30.7	29.8	30.2	355.4	13	3937
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WIND LES 10 KTS	03 LST	29.4	26.2	30.0	28.3	30.2	28.8	28.3	30.0	28.5	27.7	28.8	30.0	348.2	13	4354
	09 LST	27.5	24.9	27.1	25.7	27.7	26.6	24.7	26.5	26.3	27.0	26.3	27.3	317.6	13	4369
	15 LST	24.0	19.6	21.1	17.8	22.2	24.6	25.1	27.3	25.8	28.1	24.5	26.6	286.7	13	4368
SFC WIND = GTR 17 KTS AND NO PRECIP.	21 LST	28.4	25.2	27.2	25.0	27.3	27.9	27.6	28.4	28.1	30.1	28.6	29.4	333.2	13	3937
	03 LST	28.3	25.1	28.5	26.5	28.5	28.0	25.1	28.8	27.7	29.3	28.1	29.1	333.4	13	4354
	09 LST	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	13	4176
SFC WIND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	0.1	0.3	0.6	0.9	0.2	0.0	0.0	0.1	0.0	0.1	0.1	0.1	2.5	13	4192
	21 LST	0.1	0.2	0.1	0.3	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.1	1.0	13	3751
	03 LST	0.1	0.2	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.6	13	4102
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	0.5	1.4	5.1	8.1	6.1	7.3	6.6	6.4	4.2	3.1	3.6	1.1	53.5	13	4174
	15 LST	5.7	9.9	16.7	15.4	17.4	15.1	12.3	10.1	13.7	14.0	11.5	8.2	150.0	13	4190
	21 LST	1.1	2.1	8.4	10.1	9.7	8.6	6.5	6.2	5.3	3.8	3.9	1.1	66.8	13	3748
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	0.6	1.0	2.3	5.4	3.2	3.8	4.1	4.2	2.7	2.2	2.2	0.8	32.5	15	4101
	09 LST	13.3	10.9	10.8	8.8	8.5	5.7	3.8	5.5	6.8	12.6	9.4	11.9	108.0	13	4369
	15 LST	12.9	10.3	7.6	6.2	7.2	4.9	2.1	2.4	5.0	11.5	10.5	12.6	93.2	13	4368
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	16.1	14.4	12.3	10.3	10.6	6.9	6.3	7.1	10.9	16.5	15.5	16.4	143.3	13	3937
	03 LST	15.9	14.7	14.5	12.0	12.3	8.1	6.0	8.1	11.3	17.1	14.9	15.7	150.6	13	4354
	09 LST	27.8	25.1	27.9	25.8	28.3	26.0	22.0	24.8	25.1	27.1	26.3	27.7	313.9	13	4369
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	29.3	25.9	28.9	26.8	29.1	26.9	25.4	28.6	28.0	30.6	29.1	30.2	338.8	13	4368
	21 LST	29.3	26.4	28.5	26.2	29.4	27.7	25.5	27.0	27.9	30.3	29.2	29.5	336.9	13	3937
	03 LST	29.0	25.5	28.8	26.8	28.7	26.8	22.4	27.5	26.6	29.0	27.5	29.4	328.0	13	4354
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	20.6	18.1	20.5	19.2	23.2	17.7	11.6	16.7	18.4	22.0	19.5	19.4	226.9	13	4369
	15 LST	21.9	19.7	20.2	18.9	23.7	17.6	13.2	17.2	20.7	26.0	22.2	22.3	242.6	13	4368
	21 LST	22.8	22.3	21.6	21.5	24.0	19.2	15.3	17.7	22.1	25.6	23.3	22.3	257.7	13	3937
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	21.6	21.0	21.6	20.3	23.1	19.0	12.1	17.5	20.4	25.6	22.3	22.2	246.7	13	4354
	09 LST	19.7	17.5	19.2	18.2	21.6	16.7	10.4	15.0	16.1	20.7	17.4	18.2	210.7	13	4369
	15 LST	21.0	19.1	19.2	18.2	22.4	16.5	12.3	16.1	18.4	24.9	20.8	20.9	229.8	13	4368
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	21.3	21.0	20.9	20.6	23.1	18.2	14.2	16.9	20.3	24.9	21.8	21.8	245.0	13	3937
	03 LST	20.2	19.7	20.9	19.2	21.9	17.3	10.7	16.6	18.8	24.5	21.6	20.7	232.1	13	4354

AREA NO. 01

LATITUDE 3730N LONGITUDE 12830E
 3555N 12820E 3825N 12740E

EASTERN COAST BOUNDARIES 3620N 12925E 3555N 12820E 3825N 12740E

KOREA, REPUBLIC OF

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	35	39	50	64	74	79	84	86	77	68	54	40	63	
MEAN MIN TMP (F)	17	21	30	42	52	60	69	70	58	45	34	24	44	
LARGEST MEAN PRECIP(IN)	2.40	2.30	2.10	5.03	3.20	7.16	20.54	8.60	6.90	3.00	2.40	2.40	66.0	
SMALLEST MEAN PRECIP(IN)	0.42	1.01	1.81	2.41	1.64	3.90	9.60	7.24	5.32	2.12	1.02	1.21	37.7	
MEAN NUMBER OF DAYS														
CIG > GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	25.1	23.8	27.6	26.8	29.1	26.7	25.6	27.0	25.2	24.5	25.1	25.9	312.4
	15 LST	29.6	26.7	29.9	28.0	30.2	28.4	28.4	29.4	28.9	30.6	29.1	29.8	349.0
	21 LST	28.8	26.3	29.7	28.4	29.6	28.8	28.5	29.5	29.1	30.2	28.6	29.0	346.5
	03 LST	28.3	25.8	29.4	27.7	30.0	27.8	27.2	27.6	27.3	28.3	27.9	29.1	336.4
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	09 LST	20.1	19.4	23.2	22.0	24.9	22.7	21.0	23.2	22.7	22.6	22.0	21.2	265.0
	15 LST	20.3	17.2	16.7	14.2	17.3	19.4	21.2	22.2	23.0	23.5	21.4	21.5	237.9
	21 LST	22.5	20.8	23.7	22.5	25.5	25.4	25.1	27.2	27.1	28.4	25.0	23.6	296.8
	03 LST	22.6	21.5	25.1	23.8	26.5	25.0	23.4	25.3	25.6	26.8	24.5	24.2	294.3
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST	0.9	0.5	0.3	0.6	0.4	0.2	0.1	0.1	0.2	0.2	0.3	0.3	4.1
	15 LST	1.0	0.6	1.7	1.9	1.0	0.4	0.2	0.2	0.1	0.3	0.7	0.8	8.9
	21 LST	1.0	0.7	0.7	0.6	0.3	0.1	0.1	0.1	0.0	0.1	0.3	0.7	4.7
	03 LST	1.2	0.6	0.4	0.6	0.3	0.1	0.1	0.0	0.0	0.2	0.3	0.8	4.6
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST	1.7	2.5	7.1	9.1	9.6	11.6	10.9	9.6	6.6	5.7	6.1	3.7	84.2
	15 LST	7.8	10.2	15.6	15.3	17.2	15.9	14.9	13.6	16.4	15.4	13.5	10.2	166.0
	21 LST	2.2	4.4	11.5	13.9	13.4	12.2	10.8	9.2	6.5	6.5	7.2	4.6	102.4
	03 LST	1.1	1.9	4.5	7.3	6.8	7.1	7.0	5.3	4.0	4.9	4.8	3.2	57.9
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	13.1	11.1	10.7	8.9	9.0	5.6	3.3	4.5	6.0	10.6	9.8	12.5	105.1
	15 LST	14.1	11.0	9.0	7.4	8.1	5.0	2.7	3.4	5.3	12.1	11.0	13.4	102.5
	21 LST	17.3	14.8	11.8	11.9	10.4	6.6	5.2	6.8	10.9	16.6	16.3	17.4	146.0
	03 LST	17.1	15.9	14.7	13.3	12.7	8.1	6.5	7.9	10.7	16.6	15.9	17.6	157.0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST	24.4	22.9	26.1	24.7	27.5	23.5	20.0	22.8	23.1	23.8	24.1	25.3	288.2
	15 LST	28.7	25.5	28.2	26.2	28.8	26.1	24.6	27.2	27.8	29.8	28.2	28.8	329.9
	21 LST	28.2	25.2	27.8	26.6	28.8	26.4	24.9	26.7	27.6	29.5	27.3	28.0	327.0
	03 LST	27.7	25.0	28.1	26.3	28.6	24.7	22.5	24.8	25.3	27.5	26.4	28.3	315.2
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST	20.0	18.0	20.2	19.8	23.5	17.5	12.1	16.3	17.6	19.5	18.8	20.0	223.3
	15 LST	23.8	20.5	20.6	20.3	24.7	18.5	15.5	18.3	21.4	25.3	22.6	23.1	254.6
	21 LST	23.6	21.3	22.3	23.0	25.0	19.3	16.4	19.6	22.4	25.3	23.0	23.0	264.2
	03 LST	23.0	21.6	22.6	21.6	24.1	19.2	13.8	17.2	20.3	24.2	21.7	23.2	252.5
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	18.9	17.1	18.9	18.4	21.4	16.0	10.1	14.1	15.2	17.9	16.8	18.5	203.3
	15 LST	22.7	19.6	19.5	19.2	23.0	17.0	13.5	16.7	19.1	23.9	20.9	22.0	237.1
	21 LST	22.6	20.3	21.2	21.6	22.9	17.5	14.4	18.1	20.6	23.9	21.7	22.3	247.1
	03 LST	21.8	20.6	21.7	20.5	22.3	17.3	12.4	15.5	18.6	23.2	20.8	22.0	236.7

CHIPO-RI, REP. OF KOREA

LATITUDE 3809N LONGITUDE 12719E ELEVATION(FT) 00510

STA NO. 47067 (IN AREA NUMBER 02)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	52	58	71	82	92	97	97	99	93	82	70	64	99	13	-47106
MEAN MAX TMP (F)	32	39	50	63	75	81	85	87	78	68	53	39	63	13	-47106
MEAN MIN TMP (F)	12	19	29	40	51	61	70	70	57	43	32	22	42	13	-47106
ABS MIN TMP (F)	-14	-4	10	24	35	50	52	56	39	24	12	-4	-14	13	-47106
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	2.3	6.1	10.7	0.2	0.0	0.0	0.0	19.4	13	-47106
MEAN NO DYS TMP = OR LES 32(F)	30.7	26.2	21.8	3.6	0.0	0.0	0.0	0.0	0.0	1.6	15.4	28.0	127.3	13	-47106
MEAN NO DYS TMP = OR LES 0(F)	5.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	6.4	13	-47106
MEAN DEW PT TMP (F)	11	19	28	40	50	60	71	70	59	45	33	21	42	13	-47106
MEAN REL HUM (PCT)	65	67	68	68	67	73	83	80	78	74	73	71	72	13	-47106
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.67	1.05	2.28	4.32	2.96	7.77	16.83	10.71	6.27	1.96	1.61	1.65	58.1	13	-47106
MEAN SNOW FALL (IN)	6.0	3.8	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.5	13.9	13	-47106
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.8	2.5	4.3	5.5	4.7	7.6	13.5	9.5	6.4	4.0	3.4	3.1	67.3	13	-47106
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.5	1.1	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	3.7	13	-47106
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	2.0	1.3	2.3	2.3	1.1	1.7	1.6	3.5	2.9	3.5	2.4	1.4	26.0	13	-47106
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.6	1.1	2.4	2.8	2.9	1.0	1.2	0.4	0.1	12.5	13	-47106
P FREQ WND SPD = OR GTR 17 KTS	0.2	0.2	0.2	0.7	0.2	0.2	0.1	0.2	0.1	0.1	0.0	0.0	0.2	13	-47106
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-47106
P FREQ LES 5000 FT A/O LES 5 MI	34.9	33.2	33.2	31.7	22.7	35.9	59.1	41.9	25.8	21.5	27.4	32.9	33.4	13	-47106
P FREQ LES 1500 FT A/O LES 3 MI														2	611
FOR 00-02 LST					3.2	11.0	23.1	7.9	0.0	2.2	4.2	0.0			
03-05 LST	9.7	7.1	15.4	0.0	4.8	6.7	25.9	16.1	10.0	12.8	14.2	10.0	11.1	3	1114
06-08 LST	11.8	7.1	18.3	1.1	5.9	8.9	23.6	14.4	11.1	12.1	15.3	6.9	11.4	3	1967
09-11 LST	12.9	13.1	6.5	1.1	3.2	9.4	21.9	7.5	1.9	1.5	1.7	2.0	6.9	3	1970
12-14 LST	9.7	7.1	1.1	1.1	1.6	2.2	18.3	6.8	1.1	0.0	1.1	1.0	4.3	3	1967
15-17 LST	8.6	11.9	0.0	0.0	3.2	1.7	17.4	6.9	3.4	0.0	2.5	4.0	5.0	3	1917
18-20 LST			0.0		4.3	0.0	10.7	6.9	2.7	0.0	3.1	0.0		3	679
21-23 LST					6.5	1.1	15.6	8.1	0.0	0.0	0.0	0.0		2	614
P FREQ LES 300 FT A/O LES 1 MI					0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0		2	611
FOR 00-02 LST					0.0	0.0	0.8	2.2	2.9	4.7	1.8	7.5	2.4		
03-05 LST	0.0	0.0	3.8	0.0	0.0	0.8	2.2	2.9	4.7	1.8	5.3	7.5	2.4	3	1114
06-08 LST	2.2	0.0	3.2	0.0	0.5	1.1	2.3	3.6	6.3	7.6	7.9	2.9	3.1	3	1967
09-11 LST	3.2	3.6	1.1	0.0	0.0	0.0	0.4	0.4	0.4	1.5	1.1	0.0	0.9	3	1970
12-14 LST	2.2	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3	1967
15-17 LST	5.4	6.0	0.0	0.0	1.1	0.0	0.5	0.0	0.0	0.0	0.6	0.0	1.1	3	1917
18-20 LST					0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0		3	679
21-23 LST					1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		2	614

CHIPO-RI, REP. OF KOREA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 27.0	26.0	26.0	29.0	30.0	28.0	26.3	29.3	27.7	28.6	26.4	30.1	334.4	3	657
	14 LST 28.0	26.0	31.0	29.0	30.5	30.0	25.0	29.6	29.6	31.0	29.5	31.0	350.2	3	657
	20 LST		31.0		29.0	30.0	28.8	29.3	30.0	31.0	27.5	31.0		3	260
	02 LST				31.0	26.0	24.8	28.0	30.0	30.0	27.8	20.6		3	259
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	08 LST 27.0	25.0	24.0	28.0	26.0	23.0	20.8	25.6	26.0	28.2	26.4	29.2	309.2	3	657
	14 LST 27.0	23.0	23.0	22.0	20.0	25.5	20.4	25.0	27.3	29.6	27.5	30.1	300.4	3	657
	20 LST		31.0		27.0	28.0	22.1	29.3	30.0	31.0	27.5	31.0		3	260
	02 LST				29.0	25.0	21.2	27.3	30.0	30.0	27.8	20.6		3	259
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	1.3	3	625
	14 LST 0.0	0.0	0.0	2.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	3	622
	20 LST		0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		3	243
	02 LST				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		3	237
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 0.0	0.0	0.0	5.0	8.6	8.4	6.2	4.7	2.0	1.0	1.8	0.9	38.6	3	595
	14 LST 4.2	9.3	16.0	10.7	12.7	17.0	14.4	7.9	9.3	9.2	8.7	1.0	120.4	3	593
	20 LST		24.8		10.7	10.0	7.0	4.0	0.6	1.0	2.7	0.0		3	232
	02 LST				2.0	5.0	3.9	2.0	0.0	1.0	1.2	0.0		3	225
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 11.0	9.0	15.0	9.0	7.0	4.0	2.5	5.0	7.3	13.6	12.2	15.5	111.1	3	657
	14 LST 15.0	13.0	12.0	6.0	8.5	2.0	1.7	1.6	5.0	14.5	11.7	9.1	100.1	3	657
	20 LST		6.2		9.0	3.0	2.2	6.6	10.6	19.4	22.5	31.0		3	260
	02 LST				13.0	16.0	8.0	3.5	8.1	11.0	16.7	20.6		3	259
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 27.0	23.0	24.0	29.0	27.5	22.5	19.1	25.3	25.3	27.2	25.9	29.2	305.0	3	657
	14 LST 27.0	22.0	29.0	28.0	29.5	26.5	19.9	26.3	27.7	31.0	29.0	30.1	326.0	3	657
	20 LST		31.0		27.0	29.0	23.6	27.1	28.2	31.0	27.5	31.0		3	260
	02 LST				29.0	29.0	19.5	26.6	29.0	30.0	27.8	20.6		3	259
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 18.0	13.0	21.0	25.0	24.5	19.5	10.2	19.7	21.0	23.5	21.8	21.0	238.2	3	657
	14 LST 22.0	19.0	23.0	25.0	24.5	15.5	12.7	15.7	21.0	26.3	24.9	21.0	250.6	3	657
	20 LST		24.8		23.0	22.0	15.5	22.1	26.5	29.0	27.5	31.0		3	260
	02 LST				25.0	25.0	21.0	20.6	23.0	27.0	23.3	20.6		3	259
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 17.0	11.0	21.0	21.0	22.0	16.5	8.5	15.7	19.0	21.6	19.8	21.0	214.1	3	657
	14 LST 20.0	16.0	22.0	24.0	22.0	14.0	11.0	15.0	19.3	25.8	22.9	20.1	232.1	3	657
	20 LST		24.8		21.0	19.0	14.0	20.5	25.9	29.0	27.5	31.0		3	260
	02 LST				22.0	22.0	16.0	17.7	23.0	27.0	22.2	20.6		3	259

A-210, REP. OF KOREA

STA NO. 47080 (IN AREA NUMBER 02)

LATITUDE 3744N

LONGITUDE 12702E

ELEVATION(FT) 00174

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
ABS MAX TMP (F)	52	58	71	82	92	97	97	99	93	82	70	54	99	13	-47106
MEAN MAX TMP (F)	32	39	50	63	75	81	85	87	78	68	53	39	63	13	-47106
MEAN MIN TMP (F)	12	19	29	40	51	61	70	70	57	43	32	22	42	13	-47106
ABS MIN TMP (F)	-14	-4	10	24	35	50	52	56	39	24	12	-4	-14	13	-47106
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	2.3	6.1	10.7	0.2	0.0	0.0	0.0	19.4	13	-47106
MEAN NO DYS TMP = OR LES 32(F)	30.7	26.2	21.8	3.6	0.0	0.0	0.0	0.0	0.0	1.6	15.4	28.0	127.3	13	-47106
MEAN NO DYS TMP = OR LES 0(F)	5.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	6.4	13	-47106
MEAN DEW PT TMP (F)	11	19	28	40	50	60	71	70	59	45	33	21	42	13	-47106
MEAN REL HUM (PCT)	65	67	68	68	67	73	83	80	78	74	73	71	72	13	-47106
MEAN PRESS ALT (FT)	-137	-91	-2	120	236	330	357	309	168	10	-86	-116	92	0	-50
MEAN PRECIP (IN)	0.67	1.05	2.28	4.32	2.96	7.77	16.83	10.71	6.27	1.96	1.61	1.65	58.1	13	-47106
MEAN SNOW FALL (IN)	6.0	3.8	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.5	13.9	13	-47106
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.8	2.5	4.3	5.5	4.7	7.6	13.5	9.5	6.4	4.0	3.4	3.1	67.3	13	-47106
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.5	1.1	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	3.7	13	-47106
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.0	1.3	2.3	2.3	1.1	1.7	1.6	3.5	2.9	3.5	2.4	1.4	26.0	13	-47106
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.6	1.1	2.4	2.8	2.9	1.0	1.2	0.4	0.1	12.5	13	-47106
P FREQ WND SPD = OR GTR 17 KTS	0.2	0.2	0.2	0.7	0.2	0.2	0.1	0.2	0.1	0.1	0.0	0.0	0.2	13	-47106
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-47106
P FREQ LES 5000 FT A/O LES 5 MI	34.9	33.2	33.2	31.7	22.7	35.9	59.1	41.9	25.8	21.5	27.4	32.9	33.4	13	-47106
P FREQ LES 1500 FT A/O LES 3 MI	5.7	4.5	7.0	7.7	5.3	11.3	14.7	5.7	6.5	5.0	4.5	4.9	6.9	13	-47106
FOR 00-02 LST	5.9	6.1	10.9	10.7	11.0	18.0	27.9	18.8	14.3	11.3	9.7	4.8	12.5	13	-47106
03-05 LST	18.5	20.1	17.5	19.9	13.0	20.8	31.1	25.8	18.5	17.7	15.4	15.0	19.4	13	-47106
06-08 LST	21.6	15.2	10.7	9.6	5.9	10.8	18.4	7.4	4.4	2.7	7.0	13.8	10.6	13	-47106
09-11 LST	6.2	4.7	6.3	7.5	5.1	7.4	11.0	4.1	2.7	0.8	3.5	5.5	5.4	13	-47106
12-14 LST	6.7	3.8	6.1	6.3	4.3	5.6	8.8	4.0	3.1	1.4	4.5	4.8	5.0	13	-47106
15-17 LST	7.0	5.0	6.5	4.9	3.6	6.0	10.1	5.1	3.1	2.0	4.0	4.1	5.1	13	-47106
18-20 LST	6.3	4.5	6.5	5.5	4.2	9.2	11.6	5.1	3.6	3.0	3.4	3.0	5.5	13	-47106
21-23 LST	1.4	1.1	0.6	2.1	0.3	0.5	0.8	0.4	0.8	1.8	1.1	1.0	1.0	13	-47106
FOR 00-02 LST	1.0	2.0	2.6	3.3	2.7	3.7	4.3	6.3	5.8	5.3	3.9	0.9	3.5	13	-47106
03-05 LST	4.0	3.9	4.7	5.2	3.0	3.2	4.4	7.8	7.5	8.6	6.3	4.3	5.2	13	-47106
06-08 LST	4.5	2.3	2.2	1.4	0.2	1.0	1.2	0.4	0.3	0.7	1.4	3.1	1.6	13	-47106
09-11 LST	2.4	1.4	0.9	1.0	0.2	0.8	0.3	0.0	0.5	0.0	0.6	1.2	0.8	13	-47106
12-14 LST	2.2	1.8	1.1	0.2	0.1	0.7	0.6	0.2	0.6	0.3	0.4	0.4	0.8	13	-47106
15-17 LST	1.8	1.4	1.4	0.3	0.0	0.9	0.3	0.4	0.8	0.1	0.4	0.4	0.7	13	-47106
18-20 LST	1.2	1.0	0.8	0.7	0.0	0.6	0.5	0.7	0.4	0.3	0.4	0.9	0.6	13	-47106
21-23 LST															

A-210, REP. OF KOREA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 21.5	19.4	25.2	26.1	29.2	27.3	25.5	26.8	26.3	26.7	25.1	24.3	303.4	13	-47106
	14 LST 29.6	26.9	29.4	29.0	29.9	29.0	29.4	30.2	29.1	30.9	29.1	30.0	352.5	13	-47106
	20 LST 29.1	26.8	29.4	28.9	30.3	28.8	29.0	29.8	29.2	30.3	29.1	30.2	350.9	13	-47106
	02 LST 29.1	26.9	28.5	27.6	29.7	27.7	27.8	28.9	27.8	29.1	28.4	29.4	341.0	13	-47106
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	08 LST 21.1	17.9	22.2	22.0	25.0	22.5	19.9	23.2	25.2	25.2	23.8	22.9	270.9	13	-47106
	14 LST 24.9	22.1	19.8	16.4	19.7	22.7	23.8	26.1	26.3	27.5	26.1	26.4	281.8	13	-47106
	20 LST 27.2	24.8	25.5	24.3	26.6	25.2	25.5	28.7	28.4	29.5	27.8	28.9	322.4	13	-47106
	02 LST 28.3	25.6	26.9	25.9	28.2	24.2	23.2	27.2	26.6	28.5	27.6	28.2	320.4	13	-47106
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.4	13	-47106
	14 LST 0.1	0.1	0.0	0.2	0.1	0.0	0.0	0.1	0.0	0.2	0.0	0.0	0.8	13	-47106
	20 LST 0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	13	-47106
	02 LST 0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	13	-47106
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 0.3	2.2	8.1	13.7	16.0	14.3	13.8	10.3	7.3	6.6	5.6	2.0	100.2	13	-47106
	14 LST 7.8	14.4	20.6	20.8	22.8	20.8	16.6	12.9	18.6	19.7	19.0	13.7	207.7	13	-47106
	20 LST 1.6	4.5	12.7	18.5	18.8	17.9	14.0	10.0	6.5	5.7	5.9	2.6	118.7	13	-47106
	02 LST 0.5	1.6	3.8	5.1	5.8	4.4	7.8	3.6	4.2	3.6	3.7	2.1	46.2	13	-47106
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 12.4	8.6	10.2	8.8	9.2	5.3	2.4	5.1	8.5	13.8	10.6	11.4	106.3	13	-47106
	14 LST 12.8	10.7	8.5	7.7	8.3	3.6	0.7	2.0	5.9	12.4	9.6	12.3	94.5	13	-47106
	20 LST 18.1	16.9	15.8	13.5	11.2	7.2	5.5	10.0	13.3	20.2	17.9	17.9	167.5	13	-47106
	02 LST 17.4	16.7	15.8	15.1	15.6	9.5	6.4	10.7	13.8	20.0	17.3	15.9	174.2	13	-47106
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 21.0	18.3	23.8	23.3	26.7	22.1	16.7	20.9	24.9	25.7	24.0	22.8	270.2	13	-47106
	14 LST 28.7	25.5	26.9	26.7	28.4	25.9	23.4	27.2	27.8	30.2	28.4	28.1	327.2	13	-47106
	20 LST 28.7	26.1	27.6	27.0	28.5	26.5	23.4	27.7	28.4	30.0	28.3	29.2	331.4	13	-47106
	02 LST 28.5	25.7	26.9	26.0	28.4	23.3	20.6	25.7	26.5	28.6	27.2	28.2	315.6	13	-47106
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 16.9	14.6	18.6	19.4	23.6	17.5	10.8	16.2	21.5	23.1	19.2	18.6	220.1	13	-47106
	14 LST 22.3	20.2	20.2	20.6	25.5	18.1	10.7	16.0	22.8	25.0	22.5	21.9	245.8	13	-47106
	20 LST 24.6	22.8	24.1	23.7	25.7	22.1	16.1	22.4	25.4	28.1	25.1	24.1	284.2	13	-47106
	02 LST 23.6	21.8	22.7	21.8	24.6	20.1	13.1	19.8	24.4	26.9	23.8	22.6	265.4	13	-47106
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 16.1	13.9	18.1	17.3	21.4	16.2	8.7	14.7	19.2	22.1	17.8	17.1	202.6	13	-47106
	14 LST 21.5	19.3	19.3	19.2	23.9	16.3	9.8	14.4	21.2	23.9	20.9	20.2	229.7	13	-47106
	20 LST 23.7	22.1	23.1	23.0	23.7	19.7	15.1	21.3	23.7	27.4	23.7	23.3	269.8	13	-47106
	02 LST 22.2	20.7	21.9	20.8	23.1	18.4	11.5	18.2	23.0	26.0	22.4	21.9	250.1	13	-47106

A-306, REP. OF KOREA

STA NO. 47081 (IN AREA NUMBER 02)

LONGITUDE 12743E ELEVATION (FT) 00250

LATITUDE 3752N

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	52	56	67	82	89	95	99	97	88	82	66	60	99	4	-47104
MEAN MAX TMP (F)	35	38	50	65	76	80	85	87	77	68	52	39	63	4	-47104
MEAN MIN TMP (F)	15	19	30	40	52	50	68	70	57	43	32	21	42	4	-47104
ABS MIN TMP (F)	-3	-1	15	28	36	52	51	53	42	29	12	5	-3	4	-47104
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	4.0	9.5	12.7	0.0	0.0	0.0	0.0	26.2	4	-47104
MEAN NO DYS TMP = OR LES 32(F)	30.6	25.0	23.7	3.3	0.0	0.0	0.0	0.0	0.0	2.0	12.6	29.4	126.6	4	-47104
MEAN NO DYS TMP = OR LES 0(F)	2.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	4	-47104
MEAN DEW PT TMP (F)	14	17	29	39	51	61	69	71	59	45	33	21	42	10	-47104
MEAN REL HUM (PCT)	68	65	68	63	65	73	80	80	78	74	73	71	72	10	-47104
MEAN PRESS ALT (FT)	-62	-17	67	186	300	395	420	377	240	81	-14	-42	161	0	-50
MEAN PRECIP (IN)	0.42	1.88	1.81	2.41	1.64	7.16	15.88	7.24	5.32	2.20	1.02	1.98	49.0	6	-47104
MEAN SNOW FALL (IN)	4.2	4.9	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	6.2	20.6	7	-47104
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.0	2.6	3.7	4.2	4.1	8.2	12.7	9.0	4.5	4.5	2.6	4.3	62.4	6	-47104
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.6	1.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.1	4.3	7	-47104
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.5	2.1	2.0	1.4	0.2	0.2	1.0	2.7	5.5	10.6	6.6	3.6	40.4	10	-47104
MEAN NO DYS TSTMS	0.0	1.0	0.0	0.3	0.7	3.1	2.2	2.0	0.8	1.1	0.0	0.0	11.2	4	-47104
P FREQ WND SPD = OR GTR 17 KTS	0.1	0.1	0.6	0.9	0.3	0.1	0.0	0.1	0.0	0.2	0.2	0.1	0.2	10	-47104
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-47104
P FREQ LES 5000 FT A/O LES 5 MI	41.4	29.5	27.1	26.7	21.6	28.5	49.4	38.6	34.1	31.6	36.1	38.6	33.6	10	-47104
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	7.2	7.8	2.5	2.2	1.4	2.4	6.7	6.7	5.3	5.1	10.4	13.8	5.9	4	-47104
03-05 LST	13.1	7.6	5.7	5.8	2.2	4.1	7.9	16.7	20.4	19.3	18.4	14.5	11.3	10	-47104
06-08 LST	22.2	14.4	11.7	15.6	10.6	14.7	28.0	30.3	34.8	43.6	28.6	21.6	23.0	12	-47104
09-11 LST	43.1	27.4	13.1	12.5	7.3	9.5	17.3	14.8	24.4	36.4	30.8	31.3	22.3	12	-47104
12-14 LST	13.0	8.1	3.8	8.8	3.9	5.4	8.0	4.3	4.3	3.4	10.9	13.4	7.3	12	-47104
15-17 LST	5.6	4.3	3.5	9.7	3.5	4.3	6.1	5.3	2.7	1.3	6.1	7.5	5.0	12	-47104
18-20 LST	13.3	6.6	3.9	6.9	3.4	2.8	5.2	5.1	1.8	3.7	9.0	14.3	6.3	12	-47104
21-23 LST	9.0	9.8	3.6	4.5	4.3	1.0	6.7	4.3	2.8	5.9	8.5	12.1	6.0	4	-47104
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	2.1	2.7	1.4	0.0	0.0	0.3	1.1	1.6	0.6	0.3	4.4	3.8	1.5	4	-47104
03-05 LST	3.7	3.3	1.7	0.5	0.0	0.5	1.0	3.6	7.6	9.5	10.3	5.4	3.9	10	-47104
06-08 LST	8.9	2.5	3.5	4.6	3.4	3.0	4.9	11.4	18.2	30.8	17.5	10.6	9.9	12	-47104
09-11 LST	15.5	5.6	3.2	2.2	0.8	0.5	1.7	1.1	4.4	16.7	16.3	15.3	6.9	12	-47104
12-14 LST	2.6	2.1	0.8	1.4	0.4	0.0	0.6	0.4	0.1	0.0	3.0	5.0	1.4	12	-47104
15-17 LST	2.2	2.4	1.2	1.6	0.2	0.1	0.4	0.8	0.2	0.2	1.4	2.8	1.1	12	-47104
18-20 LST	4.4	2.6	1.2	0.8	0.0	0.0	0.4	0.4	0.5	0.9	4.2	5.4	1.7	12	-47104
21-23 LST	2.6	3.9	1.8	0.0	0.0	0.3	0.5	0.0	0.8	0.9	4.4	3.8	1.6	4	-47104

A-306, REP. OF KOREA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	17.5	19.3	25.1	25.5	28.4	27.2	25.8	25.5	20.0	16.3	19.1	19.6	269.3	12 -47104
	15 LST	29.5	27.0	30.1	27.6	30.3	29.2	29.2	29.1	28.9	30.8	28.3	28.6	348.6	12 -47104
	21 LST	27.2	25.8	30.0	28.7	29.7	29.8	30.0	29.8	29.2	29.6	26.8	26.5	343.1	7 -47104
	03 LST	26.0	25.5	29.2	27.4	30.4	29.0	29.0	25.0	24.7	25.0	25.3	26.5	323.0	10 -47104
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	09 LST	16.9	18.4	23.0	22.3	26.3	24.1	21.8	21.8	18.4	15.6	18.4	18.6	245.6	12 -47104
	15 LST	22.8	20.2	19.0	17.3	20.2	23.7	24.2	23.9	25.2	26.0	23.5	23.7	269.7	12 -47104
	21 LST	25.1	23.3	24.5	23.3	27.0	27.2	27.2	29.2	27.6	28.8	25.7	25.5	314.4	7 -47104
	03 LST	24.7	24.7	27.4	26.2	29.0	27.5	26.5	23.6	24.1	24.6	24.6	26.1	309.0	10 -47104
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12 -47104
	15 LST	0.0	0.0	0.7	0.8	0.2	0.0	0.1	0.0	0.0	0.2	0.2	0.1	2.3	12 -47104
	21 LST	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	7 -47104
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.3	10 -47104
	09 LST	0.2	0.6	4.4	5.9	7.0	10.1	10.7	9.3	6.1	3.7	2.8	0.7	61.5	12 -47104
	15 LST	5.5	9.3	16.2	17.8	19.5	17.7	13.2	11.5	15.4	11.8	12.9	8.7	159.5	12 -47104
	21 LST	1.5	5.3	15.3	20.4	19.7	15.8	13.9	12.0	8.3	7.8	7.8	2.8	130.6	7 -47104
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	0.3	0.7	2.1	5.1	6.4	7.7	9.0	4.4	3.3	2.6	2.5	1.5	45.6	10 -47104
	09 LST	9.1	9.2	10.6	8.6	9.1	5.9	2.4	3.7	4.4	6.0	7.0	10.6	86.6	12 -47104
	15 LST	13.9	11.2	10.0	7.4	8.5	5.4	2.0	3.1	5.3	13.5	10.8	13.0	104.1	12 -47104
	21 LST	16.6	15.6	12.0	15.2	10.2	7.3	4.8	6.2	12.6	19.1	16.9	16.7	153.2	7 -47104
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	15.0	15.2	14.6	14.6	12.6	7.4	6.8	6.5	10.4	15.1	15.3	16.2	149.7	10 -47104
	09 LST	16.9	16.8	23.4	23.4	27.3	23.9	19.3	21.2	18.2	15.0	18.5	19.2	246.0	12 -47104
	15 LST	28.6	26.0	29.0	26.3	29.3	27.6	25.9	27.2	28.3	30.6	27.8	27.7	334.3	12 -47104
	21 LST	27.2	24.8	28.7	27.5	29.5	28.8	27.2	28.6	28.4	29.4	26.6	25.7	332.4	7 -47104
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	25.7	24.7	28.6	26.0	29.2	26.0	24.8	22.7	23.1	24.7	24.6	25.8	305.9	10 -47104
	09 LST	13.9	15.4	18.8	19.1	22.6	18.1	10.1	15.1	13.6	13.0	14.3	15.7	189.7	12 -47104
	15 LST	24.0	22.0	22.3	20.9	24.8	19.7	16.3	19.4	22.2	27.0	23.8	22.4	264.8	12 -47104
	21 LST	22.7	21.1	25.0	25.5	26.5	21.8	18.2	23.0	24.2	27.0	23.0	21.2	279.2	7 -47104
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	21.0	21.2	24.0	22.0	25.0	21.1	14.0	16.0	19.0	21.9	20.1	20.9	246.2	10 -47104
	09 LST	13.0	14.6	17.7	17.2	20.5	16.1	8.6	12.6	11.1	11.5	12.2	14.4	169.5	12 -47104
	15 LST	22.5	20.9	21.1	19.4	23.0	17.7	13.8	17.2	20.1	25.0	21.5	21.5	243.7	12 -47104
	21 LST	21.8	20.0	23.5	23.7	23.0	19.2	15.8	20.8	22.4	24.7	21.4	21.0	257.3	7 -47104
03 LST	19.7	19.9	23.0	21.0	22.6	18.8	13.0	13.7	17.6	21.1	19.1	19.8	229.3	10 -47104	

A-511, REP. OF KOREA

STA NO. 47082 (IN AREA NUMBER 02)

ELEVATION(FT) 00052

LONGITUDE 12702E

LATITUDE 3657N

POR NO.

(YRS) OBS

PARAMETER DESCRIPTION

ABS MAX TMP (F)

MEAN MAX TMP (F)

MEAN MIN TMP (F)

ABS MIN TMP (F)

MEAN NO DYS TMP = OR GTR 90(F)

MEAN NO DYS TMP = OR LES 32(F)

MEAN NO DYS TMP = OR LES 0(F)

MEAN DEW PT TMP (F)

MEAN REL HUM (PCT)

MEAN PRESS ALT (FT)

MEAN PRECIP (IN)

MEAN SNOW FALL (IN)

MEAN NO DYS PRCP = OR GTR 0.1 IN

MEAN NO DYS SNFL = OR GTR 1.5 IN

MEAN NO DYS W/OCUK YSBY LES 1/2 MI

MEAN NO DYS TSTMS

P FREQ WND SPD = OR GTR 17 KTS

P FREQ WND SPD = OR GTR 26 KTS

P FREQ LES 5000 FT A/O LES 5 MI

P FREQ LES 1500 FT A/O LES 3 MI

FOR 00-02 LST

03-05 LST

06-08 LST

09-11 LST

12-14 LST

15-17 LST

18-20 LST

21-23 LST

P FREQ LES 300 FT A/O LES 1 MI

FOR 00-02 LST

03-05 LST

06-08 LST

09-11 LST

12-14 LST

15-17 LST

18-20 LST

21-23 LST

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
ABS MAX TMP (F)	52	59	71	84	89	97	99	98	91	82	69	67	99	6 -47127
MEAN MAX TMP (F)	34	38	49	62	74	80	85	87	78	68	54	40	62	6 -47127
MEAN MIN TMP (F)	18	20	32	42	53	62	71	72	60	46	36	25	45	6 -47127
ABS MIN TMP (F)	-5	-11	17	29	42	51	59	61	45	31	11	9	-11	6 -47127
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.2	8.0	12.4	0.2	0.0	0.0	0.0	21.8	6 -47127
MEAN NO DYS TMP = OR LES 32(F)	30.4	26.0	17.5	0.5	0.0	0.0	0.0	0.0	0.0	0.4	9.8	27.2	111.8	6 -47127
MEAN NO DYS TMP = OR LES 0(F)	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	6 -47127
MEAN DEW PT TMP (F)	18	22	33	42	54	62	72	73	61	49	38	25	46	6 -47127
MEAN REL HUM (PCT)	73	75	77	73	75	78	85	82	80	78	79	77	78	6 -47127
MEAN PRESS ALT (FT)	-245	-203	-116	1	116	206	232	184	44	-107	-199	-228	-25	0 -50
MEAN PRECIP (IN)	0.58	0.99	2.35	2.58	3.01	5.78	11.56	7.14	4.09	1.63	1.74	1.14	42.6	6 -47127
MEAN SNOW FALL (IN)	5.2	3.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	9.8	7 -47127
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.8	2.0	4.7	4.0	5.8	6.7	10.5	7.0	5.8	4.2	4.2	3.6	61.3	6 -47127
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.4	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	7 -47127
MEAN NO DYS W/OCUK YSBY LES 1/2 MI	3.0	1.8	0.7	1.0	1.5	1.7	0.7	2.2	2.0	2.8	3.4	1.0	21.8	6 -47127
MEAN NO DYS TSTMS	0.0	0.2	0.0	0.7	0.3	1.3	3.3	1.3	1.4	0.0	0.4	0.0	8.9	6 -47127
P FREQ WND SPD = OR GTR 17 KTS	2.8	2.9	5.2	5.7	2.4	3.0	1.7	1.7	0.8	1.1	1.3	1.8	2.5	6 -47127
P FREQ WND SPD = OR GTR 26 KTS	0.1	0.1	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.1	6 -47127
P FREQ LES 5000 FT A/O LES 5 MI	27.3	27.3	28.9	22.8	20.8	32.1	45.3	25.4	18.8	16.5	22.6	27.6	26.3	6 -47127
P FREQ LES 1500 FT A/O LES 3 MI	4.9	4.2	6.9	7.6	7.2	14.7	15.4	6.8	4.2	5.2	5.6	5.2	7.3	6 -47127
FOR 00-02 LST	6.5	6.2	9.6	11.7	10.8	14.8	23.7	13.1	7.7	8.3	7.6	4.7	10.4	7 -47127
03-05 LST	12.5	12.0	12.7	10.2	6.9	13.5	23.0	11.1	9.4	8.4	7.8	6.8	11.2	7 -47127
06-08 LST	9.0	7.3	9.5	6.7	4.1	9.5	15.4	5.7	4.5	2.5	1.7	4.7	6.7	7 -47127
09-11 LST	5.2	4.9	4.9	5.7	3.2	7.1	11.4	3.8	4.3	1.3	0.7	2.9	4.6	7 -47127
12-14 LST	7.3	5.5	6.2	3.3	3.1	6.8	8.6	3.5	4.0	2.2	2.6	3.8	4.7	7 -47127
15-17 LST	4.7	6.3	5.2	4.6	5.6	8.8	10.4	2.6	1.5	2.8	3.1	3.0	4.9	6 -47127
18-20 LST	3.2	5.6	6.4	6.7	6.1	10.4	9.9	2.4	1.8	3.9	2.4	4.3	5.3	6 -47127
21-23 LST	2.4	0.7	1.2	2.6	1.6	1.7	0.4	1.3	0.7	2.4	2.0	0.9	1.5	6 -47127
P FREQ LES 300 FT A/O LES 1 MI	2.8	1.9	2.1	3.3	3.2	2.7	2.6	3.9	3.4	4.4	5.5	1.3	3.1	7 -47127
FOR 00-02 LST	4.7	4.5	1.6	1.6	0.3	0.6	1.4	1.4	1.9	2.5	4.8	2.2	2.3	7 -47127
03-05 LST	2.7	1.2	0.8	0.3	0.0	0.3	0.6	0.3	0.2	0.0	0.4	1.1	0.7	7 -47127
06-08 LST	2.5	2.4	0.0	0.0	0.0	0.3	0.3	0.2	0.0	0.0	0.0	0.2	0.5	7 -47127
09-11 LST	3.4	2.9	0.3	0.0	0.2	0.3	0.9	0.5	0.5	0.0	0.6	0.5	0.8	7 -47127
12-14 LST	1.1	3.5	0.0	0.2	0.5	0.6	1.3	0.2	0.0	0.0	0.4	0.6	0.7	6 -47127
15-17 LST	1.1	2.1	0.2	0.9	0.5	1.5	0.4	0.0	0.0	0.6	0.0	0.9	0.7	6 -47127
18-20 LST														
21-23 LST														

A-511, REP. OF KOREA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	26.5	24.7	28.4	28.4	30.0	28.4	27.4	30.0	28.3	29.6	28.7	28.8	339.2	7 -47127
	14 LST	29.5	26.7	30.2	29.1	30.3	28.6	29.7	30.4	29.0	30.7	29.8	30.5	354.5	7 -47127
	20 LST	30.0	26.4	29.5	28.7	30.3	28.0	29.1	30.5	29.5	30.2	29.4	30.6	352.5	6 -47127
	02 LST	29.0	27.3	29.2	28.0	29.1	27.7	26.7	29.0	29.2	29.6	28.7	30.0	343.5	7 -47127
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	08 LST	22.7	20.2	19.7	19.8	22.7	20.6	17.1	19.4	23.9	23.3	23.3	23.3	256.0	7 -47127
	14 LST	17.3	13.2	13.1	12.0	13.7	15.1	15.7	20.0	20.0	20.8	19.0	20.5	200.4	7 -47127
	20 LST	24.2	21.3	23.1	22.8	25.3	22.5	23.8	27.4	27.8	28.6	25.6	26.4	298.8	6 -47127
	02 LST	26.2	23.4	25.4	24.6	25.3	21.8	19.4	24.7	27.0	27.5	26.3	26.7	298.3	7 -47127
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.5	0.3	1.9	1.2	0.4	0.9	0.1	0.3	0.2	0.3	0.3	0.3	6.7	7 -47127
	14 LST	1.7	1.0	3.3	4.2	1.6	2.4	1.3	1.3	1.0	0.7	1.4	1.7	21.6	7 -47127
	20 LST	1.0	1.4	0.9	1.1	0.5	0.0	0.2	0.7	0.0	0.0	0.2	0.6	6.6	6 -47127
	02 LST	0.7	0.2	0.6	0.6	0.4	0.0	0.3	0.3	0.0	0.0	0.2	0.5	3.8	7 -47127
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	2.2	5.2	14.1	16.6	17.9	15.1	17.6	17.9	15.5	18.0	13.1	6.1	161.3	7 -47127
	14 LST	10.4	9.2	13.7	11.6	15.4	13.5	15.6	13.6	18.9	17.5	15.6	12.6	167.6	7 -47127
	20 LST	2.0	3.0	13.9	14.2	15.2	19.2	17.6	14.2	10.9	10.8	8.3	5.1	134.4	6 -47127
	02 LST	1.0	1.7	6.7	13.3	15.0	11.3	13.6	14.4	11.5	10.1	9.0	3.4	111.0	7 -47127
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	11.5	10.4	8.6	9.6	8.8	5.0	1.8	5.1	6.2	13.3	12.5	12.6	105.4	7 -47127
	14 LST	11.5	9.4	7.8	7.7	9.5	5.6	1.0	4.1	6.4	11.2	11.3	11.7	97.2	7 -47127
	20 LST	15.2	14.8	13.6	14.3	12.3	8.8	6.0	12.9	12.8	19.4	17.4	16.2	163.7	6 -47127
	02 LST	14.7	15.6	13.8	13.0	12.4	8.3	5.1	10.9	12.3	17.6	15.7	14.8	154.2	7 -47127
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	26.0	24.0	25.5	25.4	27.6	24.1	19.1	24.4	27.0	28.5	28.0	27.7	307.3	7 -47127
	14 LST	28.8	25.5	28.1	27.4	29.0	26.0	23.8	27.8	27.6	30.2	29.0	29.0	332.2	7 -47127
	20 LST	29.4	25.6	27.7	27.3	28.1	25.7	24.6	28.6	28.4	30.0	28.0	29.6	333.0	6 -47127
	02 LST	28.5	26.5	27.8	26.3	27.0	23.7	20.6	26.3	27.5	28.5	28.0	28.6	319.3	7 -47127
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	20.2	18.9	20.2	21.8	24.6	19.8	13.5	19.1	23.7	26.8	22.3	22.7	253.6	7 -47127
	14 LST	23.0	20.9	21.3	24.1	27.1	20.7	16.8	22.6	23.7	26.5	23.3	22.3	272.3	7 -47127
	20 LST	24.2	21.3	22.6	24.5	25.1	21.8	20.0	26.0	26.3	27.6	24.2	23.6	287.2	6 -47127
	02 LST	21.6	21.4	22.6	22.0	23.3	19.4	14.3	21.4	24.4	26.7	25.2	22.8	263.1	7 -47127
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	18.8	17.3	18.8	20.6	22.8	17.3	11.1	18.1	22.2	25.6	21.0	20.6	234.2	7 -47127
	14 LST	21.5	19.9	20.5	22.0	25.4	19.0	15.3	19.6	22.8	25.6	22.0	21.3	254.9	7 -47127
	20 LST	23.6	20.3	22.2	23.0	23.5	20.6	17.5	24.3	24.1	27.0	23.0	23.2	272.3	6 -47127
	02 LST	20.6	20.4	21.4	20.6	21.7	17.4	11.4	20.1	22.8	26.2	21.8	22.2	246.6	7 -47127

R-237, REP. OF KOREA

STA NO. 47083 (IN AREA NUMBER 02)

LATITUDE 3808N

LONGITUDE 12718E

ELEVATION(FT) 00510

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	52	58	71	82	92	97	97	99	93	82	70	64	99	13	-47106
MEAN MAX TMP (F)	32	39	50	63	75	81	85	87	78	68	53	39	63	13	-47106
MEAN MIN TMP (F)	12	19	29	40	51	61	70	70	57	43	32	22	42	13	-47106
ABS MIN TMP (F)	-14	-4	10	24	35	50	52	56	39	24	12	-4	-14	13	-47106
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	2.3	6.1	10.7	0.2	0.0	0.0	0.0	19.4	13	-47106
MEAN NO DYS TMP = OR LES 32(F)	30.7	26.2	21.8	3.6	0.0	0.0	0.0	0.0	0.0	1.6	15.4	28.0	127.3	13	-47106
MEAN NO DYS TMP = OR LES 0(F)	5.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	6.4	13	-47106
MEAN DEW PT TMP (F)	11	19	28	40	50	60	71	70	59	45	33	21	42	13	-47106
MEAN REL HUM (PCT)	65	67	68	68	67	73	83	80	78	74	73	71	72	13	-47106
MEAN PRESS ALT (FT)	195	242	331	453	570	665	692	646	506	345	247	216	426	0	-50
MEAN PRECIP (IN)	0.67	1.05	2.28	4.32	2.96	7.77	16.83	10.71	6.27	1.96	1.61	1.65	58.1	13	-47106
MEAN SNOW FALL (IN)	6.0	3.8	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.5	13.9	13	-47106
MEAN NO DYS PKCP = OR GTR 0.1 IN	2.8	2.5	4.3	5.5	4.7	7.6	13.5	9.5	6.4	4.0	3.4	3.1	67.3	13	-47106
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.5	1.1	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	3.7	13	-47106
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.0	1.3	2.3	2.3	1.1	1.7	1.6	3.5	2.9	3.5	2.4	1.4	26.0	13	-47106
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.6	1.1	2.4	2.8	2.9	1.0	1.2	0.4	0.1	12.5	13	-47106
P FREQ WND SPD = OR GTR 17 KTS	0.2	0.2	0.2	0.7	0.2	0.2	0.1	0.2	0.1	0.1	0.0	0.0	0.2	13	-47106
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-47106
P FREQ LES 5000 FT A/O LES 5 MI	34.9	33.2	33.2	31.7	22.7	35.9	59.1	41.9	25.8	21.5	27.4	32.9	33.4	13	-47106
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	5.7	4.5	7.0	7.7	5.3	11.3	14.7	5.7	6.5	5.0	4.5	4.9	6.9	13	-47106
03-05 LST	5.9	6.1	10.9	10.7	11.0	18.0	27.9	18.8	14.3	11.3	9.7	4.8	12.5	13	-47106
06-08 LST	18.5	20.1	17.5	19.9	13.0	20.8	31.1	25.8	18.5	17.7	15.4	15.0	19.4	13	-47106
09-11 LST	21.6	15.2	10.7	9.6	5.9	10.8	18.4	7.4	4.4	2.7	7.0	13.8	10.6	13	-47106
12-14 LST	6.2	4.7	6.3	7.5	5.1	7.4	11.0	4.1	2.7	0.8	3.5	5.5	5.4	13	-47106
15-17 LST	6.7	3.8	6.1	6.3	4.3	5.6	8.8	4.0	3.1	1.4	4.5	4.8	5.0	13	-47106
18-20 LST	7.0	5.0	6.5	4.9	3.6	6.0	10.1	5.1	3.1	2.0	4.0	4.1	5.1	13	-47106
21-23 LST	6.3	4.5	6.5	5.5	4.2	9.2	11.6	5.1	3.6	3.0	3.4	3.0	5.5	13	-47106
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	1.4	1.1	0.6	2.1	0.3	0.5	0.8	0.4	0.8	1.8	1.1	1.0	1.0	13	-47106
03-05 LST	1.0	2.0	2.6	3.3	2.7	3.7	4.3	6.3	5.8	5.3	3.9	0.9	3.5	13	-47106
06-08 LST	4.0	3.9	4.7	5.2	3.0	3.2	4.4	7.8	7.5	8.6	6.3	4.3	5.2	13	-47106
09-11 LST	4.5	2.3	2.2	1.4	0.2	1.0	1.2	0.4	0.3	0.7	1.4	3.1	1.6	13	-47106
12-14 LST	2.4	1.4	0.9	1.0	0.2	0.8	0.3	0.0	0.5	0.0	0.6	1.2	0.8	13	-47106
15-17 LST	3.2	1.8	1.1	0.2	0.1	0.7	0.6	0.2	0.6	0.3	0.4	0.4	0.8	13	-47106
18-20 LST	1.8	1.4	1.4	0.3	0.0	0.9	0.3	0.4	0.8	0.1	0.4	0.4	0.7	13	-47106
21-23 LST	1.2	1.0	0.8	0.7	0.0	0.6	0.5	0.7	0.4	0.3	0.4	0.9	0.6	13	-47106

R-237, REP. OF KOREA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 21.5	19.4	25.2	26.1	29.2	27.3	25.5	26.8	26.3	26.7	25.1	24.3	303.4	13	-47106
	14 LST 29.6	26.9	29.4	29.0	29.9	29.0	29.4	30.2	29.1	30.9	29.1	30.0	352.5	13	-47106
	20 LST 29.1	26.8	29.4	28.9	30.3	28.8	29.0	29.8	29.2	30.3	29.1	30.2	350.9	13	-47106
	02 LST 29.1	26.9	28.6	27.6	29.7	27.7	27.8	28.9	27.8	29.1	28.4	29.4	341.0	13	-47106
CIG = GTR 2000 FT AND VSBY = GTR 09 KTS	08 LST 21.1	17.9	22.2	22.0	25.0	22.5	19.9	23.2	25.2	25.2	23.8	22.9	270.9	13	-47106
3 MI W/SFC WND LES 10 KTS	14 LST 24.9	22.1	19.8	16.4	19.7	22.7	23.8	26.1	26.3	27.5	26.1	26.4	281.8	13	-47106
	20 LST 27.2	24.8	25.5	24.3	26.6	25.2	25.5	28.7	28.4	29.5	27.8	28.9	322.4	13	-47106
	02 LST 28.3	25.6	26.9	25.9	28.2	24.2	23.2	27.2	26.6	28.5	27.6	28.2	320.4	13	-47106
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.4	13	-47106
	14 LST 0.1	0.1	0.0	0.2	0.1	0.0	0.0	0.1	0.0	0.2	0.0	0.0	0.8	13	-47106
	20 LST 0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	13	-47106
	02 LST 0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	13	-47106
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 0.3	2.2	8.1	13.7	16.0	14.3	13.8	10.3	7.3	6.6	5.6	2.0	100.2	13	-47106
	14 LST 7.8	14.4	20.6	20.8	22.8	20.8	16.6	12.9	18.6	19.7	19.0	13.7	207.7	13	-47106
	20 LST 1.6	4.5	12.7	18.5	18.8	17.9	14.0	10.0	6.5	5.7	5.9	2.6	118.7	13	-47106
	02 LST 0.5	1.6	3.8	5.1	5.8	4.4	7.8	3.6	4.2	3.6	3.7	2.1	46.2	13	-47106
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 12.4	8.6	10.2	8.8	9.2	5.3	2.4	5.1	8.5	13.8	10.6	11.4	106.3	13	-47106
	14 LST 12.8	10.7	8.5	7.7	8.3	3.6	0.7	2.0	5.9	12.4	9.6	12.3	94.5	13	-47106
	20 LST 18.1	16.9	15.8	13.5	11.2	7.2	5.5	10.0	13.3	20.2	17.9	17.9	167.5	13	-47106
	02 LST 17.4	16.7	15.8	15.1	15.6	9.5	6.4	10.7	13.8	20.0	17.3	15.9	174.2	13	-47106
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 21.0	18.3	23.8	23.3	26.7	22.1	16.7	20.9	24.9	25.7	24.0	22.8	270.2	13	-47106
	14 LST 28.7	25.5	26.9	26.7	28.4	25.9	23.4	27.2	27.8	30.2	28.4	28.1	327.2	13	-47106
	20 LST 28.7	26.1	27.6	27.0	28.5	26.5	23.4	27.7	28.4	30.0	28.3	29.2	331.4	13	-47106
	02 LST 28.5	25.7	26.9	26.0	28.4	23.3	20.6	25.7	26.5	28.6	27.2	28.2	315.6	13	-47106
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 16.9	14.6	18.6	19.4	23.6	17.6	10.8	16.2	21.5	23.1	19.2	18.6	220.1	13	-47106
	14 LST 22.3	20.2	20.2	20.6	25.5	18.1	10.7	16.0	22.8	25.0	22.5	21.9	245.8	13	-47106
	20 LST 24.6	22.8	24.1	23.7	25.7	22.1	16.1	22.4	25.4	28.1	25.1	24.1	284.2	13	-47106
	02 LST 23.6	21.8	22.7	21.8	24.8	20.1	13.1	19.8	24.4	26.9	23.8	22.6	265.4	13	-47106
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 16.1	13.9	18.1	17.3	21.4	16.2	8.7	14.7	19.2	22.1	17.8	17.1	202.4	13	-47106
	14 LST 21.3	19.3	19.3	19.2	23.9	16.3	9.8	14.4	21.2	23.9	20.9	20.2	229.7	13	-47106
	20 LST 23.7	22.1	23.1	23.0	23.7	19.7	15.1	21.3	23.7	27.4	23.7	23.3	269.8	13	-47106
	02 LST 22.2	20.7	21.9	20.8	23.1	18.4	11.5	18.2	23.0	26.0	22.4	21.9	250.1	13	-47106

CHUNGJU WEST, REP. OF KOREA

STA NO. 47088 (IN AREA NUMBER 02)

LATITUDE 3658N LONGITUDE 12755E ELEVATION(FT) 00263

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	56	59	69	82	86	96	96	98	93	83	77	60	98	12	-35
MEAN MAX TMP (F)	33	38	48	64	73	81	85	87	78	68	52	39	62	12	-35
MEAN MIN TMP (F)	14	18	27	38	48	58	68	69	58	42	30	20	41	12	-35
ABS MIN TMP (F)	-18	-4	9	23	35	40	53	57	39	25	14	-6	-18	13	-35
MEAN NO DYS TMP ≥ OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	2.6	7.0		0.0	0.0	0.0		12	-29
MEAN NO DYS TMP ≥ OR LES 32(F)				0.0	0.0	0.0	0.0	0.0	0.0					13	-29
MEAN NO DYS TMP ≥ OR LES 0(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			13	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.90	1.00	1.30	3.60	3.10	5.50	13.60	8.90	5.20	1.60	1.40	1.20	47.3	25	-35
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					13	-29
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	2.3	2.5	2.7	6.2	5.6	7.7	12.6	10.4	7.4	2.9	2.7	2.9	65.9	25	-29
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					13	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD ≥ OR GTR 17 KTS														0	0
P FREQ WND SPD ≥ OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CHUNGJU WEST, REP. OF KOREA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC AND LES 10 KTS	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0

DATA NOT AVAILABLE

UIJONGBU, REP. OF KOREA

STA NO. 47106 (IN AREA NUMBER 02)

LATITUDE 37°44'N
LONGITUDE 127°03'E
ELEVATION (FT) 00174

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	52	58	71	82	92	97	97	99	93	82	70	64	99	13	4208
MEAN MAX TMP (F)	32	39	50	63	75	81	85	87	78	68	53	39	63	13	4208
MEAN MIN TMP (F)	12	19	29	40	51	61	70	70	57	43	32	22	42	13	4208
ABS MIN TMP (F)	-14	-4	10	24	35	50	52	56	39	24	12	-4	-14	13	4208
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	2.3	6.1	10.7	0.2	0.0	0.0	0.0	19.4	13	4208
MEAN NO DYS TMP = OR LES 32(F)	30.7	26.2	21.8	3.6	0.0	0.0	0.0	0.0	0.0	1.6	15.4	28.0	127.3	13	4208
MEAN NO DYS TMP = OR LES 0(F)	5.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	6.4	13	4208
MEAN DEN PT TMP (F)	11	19	28	40	50	60	71	70	59	45	33	21	42	13	100872
MEAN REL HUM (PCT)	65	67	68	68	67	73	83	80	78	74	73	71	72	13	100872
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.67	1.05	2.28	4.32	2.96	7.77	16.83	10.71	6.27	1.96	1.61	1.65	58.1	13	4153
MEAN SNOW FALL (IN)	6.0	3.8	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.5	13.9	13	4152
MEAN NO DYS PKCP = OR GTR 0.1 IN	2.8	2.5	4.3	5.5	4.7	7.6	13.5	9.5	6.4	4.0	3.4	3.1	67.3	13	4153
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.5	1.1	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	3.7	13	4152
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	2.0	1.3	2.3	2.3	1.1	1.7	1.6	3.5	2.9	3.5	2.4	1.4	26.0	13	4243
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.6	1.1	2.4	2.8	2.9	1.0	1.2	0.4	0.1	12.5	13	4208
P FREU WND SPU = OR GTR 17 KTS	0.2	0.2	0.2	0.7	0.2	0.2	0.1	0.2	0.1	0.1	0.0	0.0	0.2	13	101565
P FREU WND SPU = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	101565
P FREU LES 5000 FT A/O LES 5 MI	34.9	33.2	33.2	31.7	22.7	35.9	59.1	41.9	25.8	21.5	27.4	32.9	33.4	13	101571
P FREU LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	5.7	4.5	7.0	7.7	5.3	11.3	14.7	5.7	6.5	5.0	4.5	4.9	6.9	13	12673
03-05 LST	5.9	6.1	10.9	10.7	11.0	18.0	27.9	18.8	14.3	11.3	9.7	4.8	12.5	13	12697
06-08 LST	16.5	20.1	17.5	19.9	13.0	20.8	31.1	25.8	18.5	17.7	15.4	15.0	19.4	13	13045
09-11 LST	21.6	15.2	10.7	9.6	5.9	10.8	18.4	7.4	4.4	2.7	7.0	13.8	10.6	13	13068
12-14 LST	6.2	4.7	6.3	7.5	5.1	7.4	11.0	4.1	2.7	0.8	3.5	5.5	5.4	13	13061
15-17 LST	6.7	3.8	6.1	6.3	4.3	5.6	8.8	4.0	3.1	1.4	4.5	4.8	5.0	13	3060
18-20 LST	7.0	5.0	6.5	4.9	3.6	6.0	10.1	5.1	3.1	2.0	4.0	4.1	5.1	13	12937
21-23 LST	6.3	4.5	6.5	5.5	4.2	9.2	11.6	5.1	3.6	3.0	3.4	3.0	5.5	13	12686
P FREU LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	1.4	1.1	0.6	2.1	0.3	0.5	0.8	0.4	0.8	1.8	1.1	1.0	1.0	13	12673
03-05 LST	1.0	2.0	2.6	3.3	2.7	3.7	4.3	6.3	5.8	5.3	3.9	0.9	3.5	13	12697
06-08 LST	4.0	3.9	4.7	5.2	3.0	3.2	4.4	7.8	7.5	8.6	6.3	4.3	5.2	13	13045
09-11 LST	4.5	2.3	2.2	1.4	0.2	1.0	1.2	0.4	0.3	0.7	1.4	3.1	1.6	13	13068
12-14 LST	2.4	1.4	0.9	1.0	0.2	0.8	0.3	0.0	0.5	0.0	0.6	1.2	0.8	13	13061
15-17 LST	3.2	1.8	1.1	0.2	0.1	0.7	0.6	0.2	0.6	0.3	0.4	0.4	0.8	13	13060
18-20 LST	1.8	1.4	1.4	0.3	0.0	0.9	0.3	0.4	0.8	0.1	0.4	0.4	0.7	13	12937
21-23 LST	1.2	1.0	0.8	0.7	0.0	0.6	0.5	0.7	0.4	0.3	0.4	0.9	0.6	13	12686

UIJONGBU, REP. OF KOREA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 21.5	19.4	25.2	26.1	29.2	27.3	25.5	26.8	26.3	26.7	25.1	24.3	303.4	13	4357
	14 LST 29.6	26.9	29.4	29.0	29.9	29.0	29.4	30.2	29.1	30.9	29.1	30.0	352.5	13	4357
	20 LST 29.1	26.8	29.4	28.9	30.3	28.8	29.0	29.8	27.2	30.3	29.1	30.2	350.9	13	4355
	02 LST 29.1	26.9	28.6	27.6	29.7	27.7	27.8	28.9	27.8	29.1	28.4	29.4	341.0	13	4227
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	08 LST 21.1	17.9	22.2	22.0	25.0	22.5	19.9	23.2	25.2	25.2	23.8	22.9	270.9	13	4357
	14 LST 24.9	22.1	19.8	16.4	19.7	22.7	23.8	26.1	26.3	27.5	26.1	26.4	281.8	13	4357
	20 LST 27.2	24.8	25.5	24.3	26.6	25.2	25.5	28.7	28.4	29.5	27.8	28.9	322.4	13	4355
	02 LST 28.3	25.6	26.9	25.9	28.2	24.2	23.2	27.2	26.6	28.5	27.6	28.2	320.4	13	4227
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.4	13	4173
	14 LST 0.1	0.1	0.0	0.2	0.1	0.0	0.0	0.1	0.0	0.2	0.0	0.0	0.8	13	4200
	20 LST 0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	13	4184
	02 LST 0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	13	4036
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NU PRECIP.	08 LST 0.3	2.2	8.1	13.7	16.0	14.3	13.8	10.3	7.3	6.6	5.5	2.0	100.2	13	4173
	14 LST 7.8	14.4	20.6	20.8	22.8	20.8	16.6	12.9	18.6	19.7	19.0	13.7	207.7	13	4200
	20 LST 1.6	4.5	12.7	18.5	18.8	17.9	14.0	10.0	6.5	5.7	5.9	2.6	118.7	13	4184
	02 LST 0.5	1.6	3.8	5.1	5.8	4.4	7.8	3.6	4.2	3.6	3.7	2.1	46.2	13	4036
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 12.4	8.6	10.2	8.8	9.2	5.3	2.4	5.1	8.5	13.8	10.6	11.4	106.3	13	4357
	14 LST 12.8	10.7	8.5	7.7	8.3	3.6	0.7	2.0	5.9	12.4	9.6	12.3	94.5	13	4357
	20 LST 18.1	16.9	15.8	13.5	11.2	7.2	5.5	10.0	13.3	20.2	17.9	17.9	167.5	13	4355
	02 LST 17.4	16.7	15.8	15.1	15.6	9.5	6.4	10.7	13.8	20.0	17.3	15.9	174.2	13	4227
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 21.0	18.3	23.8	23.3	26.7	22.1	16.7	20.9	24.9	25.7	24.0	22.8	270.2	13	4357
	14 LST 26.7	25.5	26.9	26.7	28.4	25.9	23.4	27.2	27.8	30.2	28.4	28.1	327.2	13	4357
	20 LST 28.7	26.1	27.6	27.0	28.5	26.5	23.4	27.7	28.4	30.0	28.3	29.2	331.4	13	4355
	02 LST 28.5	25.7	26.9	26.0	28.4	23.3	20.6	25.7	26.5	28.6	27.2	28.2	315.6	13	4227
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 16.9	14.6	18.6	19.4	23.6	17.6	10.8	16.2	21.5	23.1	19.2	18.6	220.1	13	4357
	14 LST 22.3	20.2	20.2	20.6	25.5	18.1	10.7	16.0	22.8	25.0	22.5	21.9	245.8	13	4357
	20 LST 24.6	22.8	24.1	23.7	25.7	22.1	16.1	22.4	25.4	28.1	25.1	24.1	284.2	13	4355
	02 LST 23.6	21.8	22.7	21.8	24.8	20.1	13.1	19.8	24.4	26.9	23.8	22.6	265.4	13	4227
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 16.1	13.9	18.1	17.3	21.4	16.2	8.7	14.7	19.2	22.1	17.8	17.1	202.6	13	4357
	14 LST 21.3	19.3	19.3	19.2	23.9	16.3	9.8	14.4	21.2	23.9	20.9	20.2	229.7	13	4357
	20 LST 23.7	22.1	23.1	23.0	23.7	19.7	15.1	21.3	23.7	27.4	23.7	23.3	269.8	13	4355
	02 LST 22.2	20.7	21.9	20.8	23.1	18.4	11.5	18.2	23.0	26.0	22.4	21.9	250.1	13	4227

SEOUL, REP. OF KOREA

STA NO. 47110 (IN AREA NUMBER 02)

LATITUDE 3731N

LONGITUDE 12655E

ELEVATION(FT) 00034

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
ABS MAX TMP (F)	54	61	73	85	90	99	98	99	91	86	74	67	99	22	-528
MEAN MAX TMP (F)	32	37	47	62	72	80	84	87	78	67	51	37	61	22	-28
MEAN MIN TMP (F)	15	20	29	41	51	61	70	71	59	45	32	20	43	22	-28
ABS MIN TMP (F)	-8	-3	5	24	36	49	55	58	38	25	11	-12	-12	22	-528
MEAN NO DYS TMP ≥ OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	2.2	7.5	12.1	0.3	0.0	0.0	0.0	22.2	12	4374
MEAN NO DYS TMP ≥ OR LES 32(F)	30.1	25.8	17.8	1.2	0.0	0.0	0.0	0.0	0.0	0.4	11.3	26.9	113.5	12	4374
MEAN NO DYS TMP ≥ OR LES 0(F)	1.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	12	4374
MEAN DEW PT TMP (F)	16	22	31	43	53	61	71	71	61	47	35	24	45	12	104905
MEAN REL HUM (PCT)	65	62	62	65	69	71	79	76	72	68	68	66	69	25	-28
MEAN PRESS ALI (F1)	-274	-229	-140	-18	98	190	217	168	27	-128	-224	-254	-46	0	-50
MEAN PRECIP (IN)	1.20	0.80	1.50	3.00	3.20	5.10	14.80	10.50	4.70	1.60	1.80	1.00	49.2	22	-28
MEAN SNOW FALL (IN)	4.9	3.8	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.8	12	4372
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	2.9	2.1	3.0	5.5	5.7	7.4	13.0	11.3	6.8	2.9	3.2	2.5	66.3	22	-29
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	1.3	1.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2.7	12	4372
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.9	1.6	1.8	1.9	1.4	1.6	1.5	1.6	2.2	3.7	3.2	3.1	25.5	12	4374
MEAN NO DYS TSTMS	0.0	0.1	0.0	0.7	0.7	1.5	2.9	1.6	0.8	0.6	0.6	0.0	9.5	12	4375
P FREQ WND SPD ≥ UR GTR 17 KTS	1.2	1.8	3.0	2.6	0.9	0.8	0.7	0.6	0.5	0.6	0.9	0.9	1.2	12	104907
P FREQ WND SPD ≥ UR GTR 28 KTS	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	104907
P FREQ LES 5000 FT A/O LES 5 MI	39.4	35.3	37.7	34.0	28.6	43.0	62.3	44.0	30.7	24.2	33.6	39.1	37.7	12	104934
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	5.0	5.0	5.8	8.7	7.5	11.5	22.6	6.5	4.9	3.9	4.1	4.9	7.5	12	13124
03-05 LST	5.7	7.2	10.0	13.7	11.4	18.7	34.8	16.0	11.6	9.6	6.5	7.4	12.7	12	13126
06-08 LST	36.5	33.7	31.4	31.2	20.8	29.3	43.5	27.2	22.9	27.5	29.1	29.1	30.2	12	13129
09-11 LST	29.7	18.8	14.7	13.0	8.1	14.4	25.0	9.2	8.0	6.5	16.0	26.3	15.8	12	13132
12-14 LST	7.9	4.9	7.1	9.4	6.3	8.5	17.0	5.6	4.6	1.0	4.2	6.0	6.9	12	13137
15-17 LST	9.1	5.9	7.6	8.7	6.2	8.1	14.5	4.3	3.3	1.3	5.3	7.0	6.8	12	13135
18-20 LST	7.5	6.1	7.2	7.2	7.2	9.4	17.9	5.2	3.5	1.4	4.3	4.5	6.8	12	13126
21-23 LST	5.6	5.8	6.2	6.1	6.5	10.5	17.9	5.7	2.4	0.9	4.2	4.1	6.3	12	13109
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	1.2	1.1	1.6	2.2	2.5	1.2	2.2	0.5	1.1	1.4	2.0	2.7	1.6	12	13124
03-05 LST	1.9	1.7	3.8	4.5	3.7	3.1	4.7	3.3	4.6	5.3	3.9	4.2	3.7	12	13126
06-08 LST	7.6	5.9	6.9	5.8	3.9	4.3	7.2	4.6	7.7	11.2	8.8	8.5	6.9	12	13129
09-11 LST	4.9	2.3	1.3	2.4	1.0	1.0	1.3	1.1	1.1	0.6	0.9	4.8	1.9	12	13132
12-14 LST	1.3	1.0	1.1	0.6	0.4	0.5	0.6	0.4	0.4	0.0	0.2	0.8	0.6	12	13137
15-17 LST	2.0	1.2	1.5	1.0	0.6	0.6	0.5	0.4	0.4	0.0	0.5	1.2	0.8	12	13135
18-20 LST	1.0	0.9	1.3	1.1	0.9	0.3	0.9	0.0	0.0	0.2	0.6	0.9	0.7	12	13126
21-23 LST	1.1	0.8	1.3	0.6	1.2	0.0	1.5	0.2	0.0	0.2	0.5	2.0	0.8	12	13109

SEOUL, REP. OF KOREA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 14.7	15.2	21.3	22.9	27.3	24.8	22.3	25.0	24.5	23.3	19.5	16.9	257.7	12	4377
	14 LST 29.1	27.1	29.2	27.8	29.6	28.7	28.0	30.2	29.2	30.7	29.2	29.7	348.5	12	4379
	20 LST 29.1	26.7	29.5	28.5	29.6	28.1	27.3	30.2	29.3	30.7	29.2	29.8	348.0	12	4378
	02 LST 29.6	26.6	29.6	27.7	29.0	27.7	25.8	29.9	28.7	29.6	28.7	29.4	342.3	12	4377
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	08 LST 11.6	11.7	14.3	17.0	21.4	17.5	14.3	16.4	20.6	19.2	15.5	13.7	193.2	12	4377
	14 LST 18.6	17.5	16.3	12.8	15.8	18.8	19.1	20.7	21.3	22.2	19.7	21.2	224.0	12	4378
	20 LST 22.1	22.4	22.7	22.2	25.5	23.8	22.0	25.0	26.6	28.3	25.4	25.6	293.6	12	4378
	02 LST 25.0	23.5	25.1	23.9	26.6	23.0	19.4	25.5	25.9	28.1	25.9	26.0	297.9	12	4377
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 0.3	0.1	0.6	0.4	0.2	0.1	0.2	0.2	0.1	0.1	0.2	0.0	2.5	12	4202
	14 LST 0.7	1.4	1.2	1.6	0.8	0.3	0.1	0.3	0.2	0.2	0.8	0.5	8.1	12	4208
	20 LST 0.3	0.8	0.8	0.2	0.2	0.2	0.1	0.2	0.1	0.2	0.1	0.2	3.4	12	4225
	02 LST 0.5	0.3	0.6	0.2	0.2	0.1	0.1	0.2	0.2	0.0	0.1	0.4	2.9	12	4189
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	08 LST 1.5	4.0	13.4	18.5	18.4	19.4	18.1	19.5	19.3	20.0	14.6	5.7	172.4	12	4202
	14 LST 9.2	11.4	18.6	15.9	20.2	21.6	17.4	14.4	19.7	18.3	17.7	14.6	199.0	12	4208
	20 LST 2.1	4.3	12.9	15.5	17.1	18.4	16.7	12.7	9.8	8.4	8.7	4.6	131.2	12	4225
	02 LST 0.8	1.8	6.1	11.0	10.5	11.0	11.0	12.2	11.2	10.9	9.7	3.9	100.1	12	4189
	08 LST 8.2	7.5	8.2	7.1	9.1	4.4	2.5	4.2	6.2	10.4	7.6	7.7	83.1	12	4377
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	14 LST 13.6	10.7	8.4	8.2	8.0	3.8	1.1	2.5	5.8	11.1	9.9	11.8	94.9	12	4379
	20 LST 16.0	16.3	14.3	12.8	11.5	7.1	4.8	9.1	11.2	17.9	16.3	16.5	153.8	12	4378
	02 LST 17.2	15.5	14.7	14.0	13.9	7.2	4.5	9.6	11.9	18.0	15.7	15.1	157.3	12	4377
	08 LST 14.5	14.8	19.7	20.7	24.6	20.2	15.4	20.2	23.0	22.8	19.0	16.5	231.4	12	4377
	14 LST 28.7	26.0	27.9	26.1	28.1	25.7	22.4	26.6	27.6	30.0	28.9	29.1	327.1	12	4379
	20 LST 28.2	26.0	27.9	26.9	27.6	25.2	21.5	26.7	27.9	30.2	28.4	29.5	326.2	12	4378
	02 LST 28.7	25.9	27.8	25.6	27.7	23.1	19.3	26.1	26.7	29.1	28.4	29.2	317.6	12	4377
	08 LST 11.7	12.0	15.5	17.2	20.6	15.1	8.8	14.3	18.6	20.5	15.1	12.6	182.0	12	4377
	14 LST 23.9	20.1	20.7	21.0	24.9	17.6	11.6	14.6	20.9	24.4	22.0	22.8	244.5	12	4379
	20 LST 23.6	22.5	22.9	23.6	24.2	19.4	14.9	20.9	23.3	26.7	23.8	24.7	270.5	12	4378
	02 LST 24.2	21.8	23.2	21.3	23.3	18.4	11.9	19.6	23.0	26.5	23.9	22.6	259.7	12	4377
	08 LST 11.1	11.5	14.7	15.7	19.5	13.3	7.6	12.6	16.9	18.5	13.4	11.8	166.6	12	4377
	14 LST 21.9	19.0	19.7	19.7	23.1	15.8	10.0	13.2	19.3	23.2	19.9	21.1	225.9	12	4379
	20 LST 22.6	21.8	22.4	22.1	22.2	17.5	13.4	19.6	20.9	25.1	22.7	23.3	253.6	12	4378
	02 LST 23.1	20.6	22.3	19.6	21.5	16.6	10.4	17.2	21.3	25.2	22.1	21.0	240.9	12	4377

A-102, REP. OF KOREA

STA NO. 47113 (IN AREA NUMBER 02)

LATITUDE 3730N

LONGITUDE 12642E

ELEVATION(FT) 00060

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
ABS MAX TMP (F)	54	61	73	85	90	99	98	99	91	86	74	67	99	22	-47110
MEAN MAX TMP (F)	32	37	47	62	72	80	84	87	78	67	51	37	61	22	-47110
MEAN MIN TMP (F)	15	20	29	41	51	61	70	70	59	45	32	20	43	22	-47110
ABS MIN TMP (F)	-8	-3	5	24	36	49	55	58	38	25	11	-12	-12	22	-47110
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	2.2	7.5	12.1	0.3	0.0	0.0	0.0	22.2	12	-47110
MEAN NO DYS TMP = OR LES 32(F)	30.1	25.8	17.8	1.2	0.0	0.0	0.0	0.0	0.0	0.4	11.3	26.9	113.5	12	-47110
MEAN NO DYS TMP = OR LES 0(F)	1.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	12	-47110
MEAN DEW PT TMP (F)	16	22	31	43	53	61	71	71	61	47	35	24	45	12	-47110
MEAN REL HUM (PCT)	65	52	62	65	69	71	79	76	72	68	68	66	69	25	-47110
MEAN PRESS ALT (FT)	-261	-234	-152	-26	78	183	199	155	31	-138	-226	-256	-55	0	-50
MEAN PRECIP (IN)	1.20	0.80	1.50	3.00	3.20	5.10	14.80	10.50	4.70	1.50	1.80	1.00	49.2	22	-47110
MEAN SNOW FALL (IN)	4.9	3.8	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	10.8	12	-47110
MEAN NO DYS PKCP = OR GTR 0.1 IN	2.9	2.1	3.0	5.5	5.7	7.4	13.0	11.3	6.8	2.9	3.2	2.5	66.3	22	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.3	1.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2.7	12	-47110
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	1.9	1.6	1.8	1.9	1.4	1.6	1.5	1.6	2.2	3.7	3.2	3.1	25.5	12	-47110
MEAN NO DYS TSTMS	0.0	0.1	0.0	0.7	0.7	1.5	2.9	1.6	0.8	0.6	0.6	0.0	9.5	12	-47110
P FREQ WND SPU = OR GTR 17 KTS	1.2	1.8	3.0	2.6	0.9	0.6	0.7	0.6	0.5	0.6	0.9	0.9	1.2	12	-47110
P FREQ WND SPU = OR GTR 28 KTS	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-47110
P FREQ LES 5000 FT A/O LES 5 MI	39.4	35.3	37.7	34.0	28.6	43.0	62.3	44.0	30.7	24.2	33.6	39.1	37.7	12	-47110
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	5.0	5.0	5.8	8.7	7.5	11.5	22.6	6.5	4.9	3.9	4.1	4.9	7.5	12	-47110
03-05 LST	5.7	7.2	10.0	13.7	11.4	18.7	34.8	16.0	11.6	9.6	6.5	7.4	12.7	12	-47110
06-08 LST	36.5	33.7	31.4	31.2	20.8	29.3	43.5	27.2	22.9	27.5	29.1	29.1	30.2	12	-47110
09-11 LST	25.7	18.8	14.7	13.0	8.1	14.4	25.0	9.2	8.0	6.5	16.0	26.3	15.8	12	-47110
12-14 LST	7.9	4.9	7.1	9.4	6.3	6.5	17.0	5.6	4.6	1.0	4.2	6.0	6.9	12	-47110
15-17 LST	9.1	5.9	7.6	8.7	6.2	8.1	14.5	4.3	3.3	1.3	5.3	7.0	6.8	12	-47110
18-20 LST	7.5	6.1	7.2	7.2	7.2	9.4	17.9	5.2	3.5	1.4	4.3	4.5	6.8	12	-47110
21-23 LST	5.6	5.8	6.2	6.1	6.5	10.5	17.9	5.7	2.4	0.9	4.2	4.1	6.3	12	-47110
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	1.2	1.1	1.6	2.2	2.5	1.2	2.2	0.5	1.1	1.4	2.0	2.7	1.6	12	-47110
03-05 LST	1.9	1.7	3.8	4.5	3.7	3.1	4.7	3.3	0.6	5.3	3.9	4.2	3.7	12	-47110
06-08 LST	7.6	5.9	6.9	5.8	3.9	4.3	7.2	4.6	7.7	11.2	8.8	8.5	6.9	12	-47110
09-11 LST	4.9	2.3	1.3	2.4	1.0	1.0	1.3	1.1	1.1	0.6	0.9	4.8	1.9	12	-47110
12-14 LST	1.3	1.0	1.1	0.6	0.4	0.5	0.6	0.4	0.4	0.0	0.2	0.8	0.6	12	-47110
15-17 LST	2.0	1.2	1.5	1.0	0.6	0.6	0.5	0.4	0.4	0.0	0.5	1.2	0.8	12	-47110
18-20 LST	1.0	0.9	1.3	1.1	0.9	0.3	0.9	0.0	0.0	0.2	0.6	0.9	0.7	12	-47110
21-23 LST	1.1	0.8	1.3	0.6	1.2	0.0	1.5	0.2	0.0	0.2	0.5	2.0	0.8	12	-47110

A-102, REP. OF KOREA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 14.7	15.2	21.3	22.9	27.3	24.8	22.3	25.0	24.5	23.3	19.5	16.9	257.7	12	-47110
	14 LST 29.1	27.1	29.2	27.8	29.6	28.7	28.0	30.2	29.2	30.7	29.2	29.7	348.5	12	-47110
	20 LST 29.1	26.7	29.5	28.5	29.6	28.1	27.5	30.2	29.3	30.7	29.2	29.8	348.0	12	-47110
	02 LST 29.6	26.6	29.6	27.7	29.0	27.7	25.8	29.9	28.7	29.6	28.7	29.4	342.3	12	-47110
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	08 LST 11.6	11.7	14.3	17.0	21.4	17.5	14.3	16.4	20.6	19.2	15.5	13.7	193.2	12	-47110
	14 LST 18.6	17.5	16.3	12.8	15.8	18.8	19.1	20.7	21.3	22.2	19.7	21.2	224.0	12	-47110
	20 LST 24.1	22.4	22.7	22.2	25.5	23.8	22.0	25.0	26.6	28.3	25.4	25.6	293.6	12	-47110
	02 LST 25.0	23.5	25.1	23.9	26.6	23.0	19.4	25.5	25.9	28.1	25.9	26.0	297.9	12	-47110
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 0.3	0.1	0.6	0.4	0.2	0.1	0.2	0.2	0.1	0.1	0.2	0.0	2.5	12	-47110
	14 LST 0.7	1.4	1.2	1.6	0.8	0.3	0.1	0.3	0.2	0.2	0.8	0.5	8.1	12	-47110
	20 LST 0.3	0.8	0.8	0.2	0.2	0.2	0.1	0.2	0.1	0.2	0.1	0.2	3.4	12	-47110
	02 LST 0.5	0.3	0.6	0.2	0.2	0.1	0.1	0.2	0.2	0.0	0.1	0.4	2.9	12	-47110
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 1.5	4.0	13.4	18.5	18.4	19.4	18.1	19.5	19.3	20.0	14.6	5.7	172.4	12	-47110
	14 LST 9.2	11.4	18.6	15.9	20.2	21.6	17.4	14.4	19.7	18.3	17.7	14.6	199.0	12	-47110
	20 LST 2.1	4.3	12.9	15.5	17.1	18.4	16.7	12.7	9.8	8.4	8.7	4.6	131.2	12	-47110
	02 LST 0.8	1.8	6.1	11.0	10.5	11.0	11.0	12.2	11.2	10.9	9.7	3.9	100.1	12	-47110
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 8.2	7.5	8.2	7.1	9.1	4.4	2.5	4.2	6.2	10.4	7.6	7.7	83.1	12	-47110
	14 LST 13.6	10.7	8.4	8.2	8.0	3.8	1.1	2.5	5.8	11.1	9.9	11.8	94.9	12	-47110
	20 LST 16.0	16.3	14.3	12.8	11.5	7.1	4.8	9.1	11.2	17.9	16.3	16.5	153.8	12	-47110
	02 LST 17.2	15.5	14.7	14.0	13.9	7.2	4.5	9.6	11.9	18.0	15.7	15.1	157.3	12	-47110
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 14.5	14.8	19.7	20.7	24.6	20.2	15.4	20.2	23.0	22.8	19.0	16.5	231.4	12	-47110
	14 LST 28.7	26.0	27.9	26.1	28.1	25.7	22.4	26.6	27.6	30.0	28.9	29.1	327.1	12	-47110
	20 LST 28.2	26.0	27.9	26.9	27.8	25.2	21.5	26.7	27.9	30.2	28.4	29.5	326.2	12	-47110
	02 LST 28.7	25.9	27.8	25.6	27.7	23.1	19.3	26.1	26.7	29.1	28.4	29.2	317.6	12	-47110
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 11.7	12.0	15.5	17.2	20.6	15.1	8.8	14.3	18.6	20.5	15.1	12.6	182.0	12	-47110
	14 LST 23.9	20.1	20.7	21.0	24.5	17.6	11.6	14.6	20.9	24.4	22.0	22.8	244.5	12	-47110
	20 LST 23.6	22.5	22.9	23.6	24.2	19.4	14.9	20.9	23.3	26.7	23.3	24.7	270.5	12	-47110
	02 LST 24.2	21.8	23.2	21.3	23.3	18.4	11.9	19.6	23.0	26.5	23.9	22.6	259.7	12	-47110
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 11.1	11.5	14.7	15.7	19.5	13.3	7.6	12.6	16.9	18.5	13.4	11.8	166.6	12	-47110
	14 LST 21.9	19.0	19.7	19.7	23.1	15.8	10.0	13.2	19.3	23.2	19.9	21.1	225.9	12	-47110
	20 LST 22.6	21.8	22.4	22.1	22.2	17.5	13.4	19.6	20.9	25.1	22.7	23.3	253.6	12	-47110
	02 LST 23.1	20.6	22.3	19.6	21.5	16.6	10.4	17.2	21.3	25.2	22.1	21.0	240.9	12	-47110

SUWON AB, REP. OF KOREA

STA NO. 47120 (IN AREA NUMBER 02) LATITUDE 3714N LONGITUDE 12700E ELEVATION(FT) 00086

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	53	59	71	82	92	95	96	97	92	83	70	64	97	12	4382
MEAN MAX TMP (F)	33	39	50	62	74	80	85	87	78	68	53	40	62	12	4382
MEAN MIN TMP (F)	15	21	31	42	52	62	71	71	60	44	33	23	44	12	4382
ABS MIN TMP (F)	-10	-9	15	20	37	49	57	59	40	27	13	-1	-10	12	4382
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	1.7	8.3	12.3	0.1	0.0	0.0	0.0	22.5	12	4382
MEAN NO DYS TMP = OR LES 32(F)	30.2	26.2	21.0	2.8	0.0	0.0	0.0	0.0	0.0	1.2	14.3	28.1	123.9	12	4382
MEAN NO DYS TMP = OR LES 3(F)	1.8	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2.5	12	4382
MEAN DEW PT TMP (F)	17	22	31	43	52	52	72	72	61	48	36	25	45	12	105144
MEAN REL HUM (PCT)	74	75	74	74	72	77	83	81	80	77	78	77	77	12	105143
MEAN PRESS ALT (FT)	-222	-179	-91	28	144	235	261	213	73	-81	-175	-204	0	0	-50
MEAN PRECIP (IN)	1.05	1.00	1.95	4.64	2.80	5.39	13.31	7.20	6.21	1.58	1.10	1.12	47.3	12	4382
MEAN SNOW FALL (IN)	7.2	2.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.2	11.2	12	4382
MEAN NO DYS PKCP = OR GTR 0.1 IN	3.1	2.3	3.9	5.8	4.7	6.1	12.0	7.8	5.3	3.5	2.8	2.7	60.0	12	4382
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.0	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.8	12	4382
MEAN NO DYS W/OCUM VSBY LES 1/2 MI	2.5	1.3	1.9	1.9	1.6	1.8	2.3	3.1	2.6	2.3	2.4	2.7	26.4	12	4382
MEAN NO DYS TSTMS	0.0	0.1	0.0	0.6	0.5	1.1	3.3	2.4	0.9	0.7	0.3	0.0	9.9	12	4383
P FREQ WND SPU = OR GTR 17 KTS	1.5	2.1	3.8	4.6	1.9	0.9	0.9	0.7	0.9	0.6	0.7	1.0	1.6	12	105142
P FREQ WND SPU = OR GTR 28 KTS	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	105142
P FREQ LES 5000 FT A/O LES 5 MI	32.3	29.7	31.5	29.7	22.7	37.1	58.6	40.2	27.3	17.1	25.2	30.7	31.8	12	105146
P FREQ LES 1500 FT A/O LES 3 MI	5.4	4.8	6.3	8.5	7.4	12.8	21.1	7.3	5.4	3.7	4.5	6.1	7.8	12	13146
FOR 00-02 LST	5.7	5.8	7.4	10.6	10.8	18.6	29.7	15.6	12.7	7.5	7.0	6.8	11.5	12	13145
03-05 LST	18.7	21.9	21.1	17.1	14.9	21.4	37.8	22.9	19.3	15.2	16.4	16.0	20.2	12	13146
06-08 LST	19.4	18.3	11.0	11.9	8.3	12.2	24.2	9.3	8.5	2.4	7.8	13.6	12.3	12	13143
09-11 LST	6.1	5.3	6.8	8.6	6.3	9.1	18.3	5.7	5.3	1.6	2.5	3.7	6.6	12	13141
12-14 LST	6.3	5.1	6.5	8.8	4.7	7.6	13.7	4.3	4.7	1.8	3.1	2.7	5.8	12	13144
15-17 LST	5.7	5.0	6.6	8.4	5.2	8.8	14.0	4.7	3.6	1.7	2.5	4.0	5.9	12	13144
16-20 LST	5.8	4.7	5.4	7.8	5.6	8.8	15.8	4.0	3.2	1.0	3.2	5.6	5.9	12	13137
21-23 LST	0.8	0.4	1.0	1.9	1.6	1.3	1.2	1.0	1.6	2.2	1.9	2.5	1.5	12	13146
FOR 00-02 LST	2.0	1.2	1.7	3.3	4.1	4.8	3.9	6.4	6.1	4.1	4.0	2.5	3.7	12	13145
03-05 LST	5.2	5.5	6.9	4.9	3.8	3.4	6.4	6.5	6.9	7.4	6.8	5.4	5.8	12	13146
06-08 LST	4.5	3.2	1.1	1.2	0.4	1.3	1.5	0.9	0.7	0.4	1.6	2.3	1.6	12	13143
09-11 LST	2.0	0.9	0.7	0.6	0.6	0.8	1.7	0.7	0.6	0.0	0.1	0.7	0.8	12	13141
12-14 LST	1.5	1.3	1.5	1.1	0.8	1.0	1.5	0.4	0.3	0.1	0.5	0.6	0.9	12	13144
15-17 LST	0.8	1.4	0.5	1.4	0.9	1.1	1.4	0.4	0.3	0.1	0.1	0.7	0.8	12	13144
18-20 LST	0.9	1.0	0.4	1.9	0.4	0.8	1.6	0.1	0.6	0.1	0.5	1.8	0.8	12	13137
21-23 LST															

SUWON AB, REP. OF KOREA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 21.1	17.8	23.8	26.0	27.9	26.6	24.1	27.1	26.3	27.4	24.3	23.6	296.0	12	4382
	14 LST 29.5	26.9	29.4	27.8	29.6	28.2	28.5	30.4	28.9	30.7	29.6	30.1	349.6	12	4382
	20 LST 29.6	26.7	29.6	28.1	29.6	28.3	28.6	30.2	29.2	30.8	29.4	29.6	349.7	12	4382
	02 LST 29.7	26.7	29.8	27.8	28.9	27.0	26.8	29.3	28.2	29.7	28.8	29.4	342.1	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	08 LST 19.2	15.3	19.4	21.5	24.1	21.2	16.7	21.0	23.4	25.0	21.7	21.4	249.9	12	4382
	14 LST 16.9	14.1	12.6	11.8	14.1	17.2	16.7	20.6	20.0	20.8	19.1	20.2	204.1	12	4382
	20 LST 25.1	23.0	24.6	22.9	26.7	24.2	22.6	27.3	27.4	29.4	27.2	27.1	307.5	12	4382
	02 LST 26.5	24.2	26.7	24.7	27.2	23.6	20.5	25.9	27.1	28.7	27.3	26.6	309.0	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 0.2	0.1	0.4	0.7	0.2	0.0	0.1	0.1	0.2	0.1	0.2	0.1	2.4	12	4213
	14 LST 1.4	2.7	3.3	3.7	1.6	0.5	0.6	0.2	0.8	0.4	0.9	0.8	16.9	12	4215
	20 LST 0.2	0.3	0.7	0.6	0.2	0.2	0.2	0.1	0.0	0.0	0.0	0.2	2.7	12	4210
	02 LST 0.5	0.2	0.2	0.6	0.1	0.2	0.2	0.1	0.1	0.0	0.1	0.2	2.5	12	4195
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 0.6	2.4	7.0	11.6	12.2	12.7	15.3	15.1	11.6	8.0	4.4	2.9	103.8	12	4213
	14 LST 7.8	10.1	14.4	12.7	17.5	15.9	15.7	13.3	18.0	16.4	15.3	11.5	168.6	12	4216
	20 LST 0.9	2.3	9.9	11.9	14.3	13.9	13.8	8.6	6.4	5.3	5.0	2.5	94.8	12	4210
	02 LST 0.7	1.4	3.3	4.8	4.9	4.5	6.3	5.0	2.7	3.5	3.3	1.4	42.2	12	4195
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 10.4	8.2	9.1	9.2	8.7	4.8	2.5	5.0	7.3	12.7	9.9	9.8	97.6	12	4382
	14 LST 13.5	10.3	8.7	8.6	8.8	4.5	1.4	2.5	6.4	11.3	9.8	11.5	97.3	12	4382
	20 LST 16.7	16.3	14.7	12.6	11.7	7.0	5.4	10.1	12.0	18.5	16.7	16.8	158.5	12	4382
	02 LST 16.7	16.4	15.8	14.0	13.7	8.2	5.6	10.6	11.1	18.2	15.1	15.5	160.9	12	4382
	08 LST 20.2	17.0	21.9	23.1	25.6	21.9	15.2	20.7	23.3	26.7	22.9	22.5	261.0	12	4382
	14 LST 28.8	25.7	27.5	25.4	28.0	25.1	20.6	25.6	26.4	30.0	28.7	28.7	320.5	12	4382
	20 LST 28.6	26.0	28.3	26.3	28.5	25.7	21.3	27.5	27.2	30.4	28.8	29.1	327.7	12	4382
	02 LST 28.8	25.8	27.7	26.3	27.3	23.5	19.2	25.6	26.6	29.4	27.9	28.9	317.0	12	4382
	08 LST 15.9	13.4	17.8	18.8	22.4	16.7	8.9	14.8	18.8	24.0	18.8	16.5	206.8	12	4382
	14 LST 23.0	20.0	20.7	21.3	24.8	18.8	12.1	17.0	21.0	26.3	22.7	21.8	249.5	12	4382
	20 LST 23.6	22.7	23.5	22.9	25.2	20.6	15.4	21.8	23.6	27.3	24.7	24.1	275.4	12	4382
	02 LST 23.4	21.6	23.2	20.9	24.1	18.4	12.8	19.3	22.1	26.5	22.6	22.0	256.9	12	4382
	08 LST 14.9	12.5	16.8	17.2	20.3	14.9	8.0	12.9	17.2	22.1	16.9	15.2	188.9	12	4382
	14 LST 22.0	19.3	20.0	20.2	23.0	16.9	11.1	15.6	19.1	24.6	20.6	20.0	232.4	12	4382
	20 LST 22.6	22.0	22.8	21.5	23.2	18.5	14.1	20.5	21.3	26.2	23.1	23.0	258.8	12	4382
	02 LST 22.1	20.9	22.4	20.0	22.5	16.7	11.1	17.3	21.0	25.2	21.5	21.4	242.1	12	4382

OSAN AB, REP. OF KOREA

STA NO. 47122 (IN AREA NUMBER 02)

ELEVATION(FT) 00038

LONGITUDE 12701E

LATITUDE 3705N

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	54	60	71	81	88	96	97	98	91	83	70	65	98	12	4374
MEAN MAX TMP (F)	33	39	49	62	73	79	85	87	78	67	53	40	62	12	4374
MEAN MIN TMP (F)	15	21	31	42	52	62	72	72	60	45	34	23	44	12	4374
ABS MIN TMP (F)	-16	-11	15	24	40	49	58	59	38	27	14	0	-16	12	4374
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.1	6.7	9.9	0.3	0.0	0.0	0.0	18.0	12	4374
MEAN NO DYS TMP = OR LES 32(F)	30.5	25.8	20.3	2.4	0.0	0.0	0.0	0.0	0.0	1.1	14.3	27.7	122.1	12	4374
MEAN NO DYS TMP = OR LES 0(F)	2.3	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	3.0	12	4374
MEAN DEW PT TMP (F)	15	20	30	42	51	61	71	71	61	46	35	24	44	12	104820
MEAN REL HUM (PCT)	71	70	71	72	70	75	82	80	78	74	75	74	74	12	104819
MEAN PRESS ALI (FT)	-261	-219	-132	-13	102	192	218	170	31	-122	-215	-244	-40	0	-50
MEAN PRECIP (IN)	1.04	1.05	2.40	4.96	3.31	5.69	14.79	8.31	7.02	1.81	1.55	1.26	53.2	12	4373
MEAN SNOW FALL (IN)	8.0	2.5	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.4	13.8	12	4373
MEAN NO DYS PKCP = OR GTR 0.1 IN	2.8	2.7	4.2	5.7	5.1	6.8	12.5	7.9	6.5	3.2	3.5	3.1	64.0	12	4373
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.0	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3.3	12	4373
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.7	2.0	2.4	1.7	1.8	2.4	2.5	2.6	2.6	2.2	2.0	1.8	26.7	12	4374
MEAN NO DYS TSTMS	0.0	0.1	0.0	0.8	0.5	0.8	4.8	2.6	1.1	0.2	0.3	0.1	11.3	12	4374
P FREQ WND SPU = OR GTR 17 KTS	1.2	1.5	2.2	2.3	0.8	0.2	0.3	0.4	0.3	0.4	0.5	0.9	0.9	12	104935
P FREQ WND SPU = OR GTR 28 KTS	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	104935
P FREQ LES 5000 FT A/O LES 5 MI	34.5	31.0	30.3	28.1	21.9	34.6	54.2	33.3	23.8	15.3	24.9	29.8	30.1	12	104975
P FREQ LES 1500 FT A/O LES 3 MI	7.8	7.7	9.7	10.6	9.5	16.0	26.0	9.3	8.3	4.3	4.4	5.2	9.9	12	13122
FOR 00-02 LST	7.4	8.8	12.5	16.8	14.9	21.5	33.2	18.4	12.8	7.5	8.6	5.6	14.0	12	13122
03-05 LST	16.2	18.8	20.5	17.9	15.8	25.0	38.1	22.2	16.9	13.8	14.4	11.8	19.3	12	13121
06-08 LST	21.5	16.3	10.7	13.3	8.3	11.9	24.6	7.7	8.3	2.4	6.7	2.2	12.0	12	13122
09-11 LST	5.5	5.6	7.5	8.7	6.1	8.1	14.2	4.5	5.1	1.5	1.9	2.7	6.0	12	13122
12-14 LST	6.0	4.1	6.4	8.3	4.9	7.0	11.6	3.2	4.7	1.9	2.2	2.6	5.2	12	13122
15-17 LST	6.3	5.7	7.6	9.4	5.8	8.2	12.3	3.8	3.2	1.3	2.8	3.2	5.8	12	13122
18-20 LST	6.8	7.6	6.7	9.4	6.9	10.9	19.2	4.6	3.5	1.7	3.5	4.4	7.1	12	13122
21-23 LST	1.7	1.1	1.6	2.4	1.9	1.8	2.2	1.3	2.4	2.1	1.7	2.4	1.9	12	13122
FOR 00-02 LST	2.6	1.9	3.6	4.0	4.1	4.4	4.7	6.2	4.6	3.7	3.5	2.8	3.8	12	13122
03-05 LST	4.9	4.0	5.9	3.1	2.6	2.9	4.0	3.9	4.9	5.3	5.0	4.0	4.2	12	13121
06-08 LST	4.5	2.2	1.6	0.4	0.0	0.2	0.8	0.1	0.6	0.2	1.2	2.3	1.2	12	13122
09-11 LST	1.7	0.3	0.6	0.6	0.0	0.0	0.7	0.2	0.1	0.0	0.1	0.7	0.4	12	13122
12-14 LST	1.8	1.1	0.6	0.3	0.1	0.3	0.3	0.1	0.3	0.0	0.1	0.4	0.5	12	13122
15-17 LST	1.5	1.2	0.6	1.2	0.3	0.6	0.5	0.4	0.2	0.0	0.6	0.5	0.6	12	13122
18-20 LST	1.9	1.3	1.0	1.4	0.9	0.9	1.4	0.4	0.8	0.4	1.2	1.4	1.1	12	13122
21-23 LST															

OSAN AB, REP. OF KOREA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	22.7	20.5	24.5	26.6	28.2	26.8	24.2	27.0	26.8	27.9	25.4	29.7	306.3	12	4374
	14 LST	29.6	27.1	29.3	27.8	29.6	28.7	29.1	30.2	29.1	30.7	29.7	30.6	351.5	12	4374
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	02 LST	29.2	26.5	29.3	27.9	29.9	28.3	28.1	30.2	29.3	30.8	29.2	30.0	348.7	12	4374
	08 LST	28.8	25.9	28.8	27.8	28.0	26.4	25.1	28.2	27.5	29.7	28.6	29.3	334.1	12	4374
CIG = GTR 3000 FT AND VSBY = GTR 3 MI	02 LST	20.5	16.8	19.4	21.0	24.0	20.6	16.2	20.6	23.7	26.0	23.0	23.3	255.1	12	4373
	08 LST	19.2	16.2	16.6	15.3	17.2	19.9	18.5	23.3	22.8	23.7	21.2	21.6	235.5	12	4374
SFC WND = GTR 17 KTS AND NO PRECIP.	14 LST	24.8	23.2	25.1	23.9	27.0	24.8	23.5	28.6	28.1	29.5	27.4	27.9	313.8	12	4374
	20 LST	26.0	23.6	25.9	24.0	26.4	27.8	18.8	24.9	26.0	29.1	27.4	26.7	301.6	12	4373
-FC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	0.2	0.0	0.4	0.5	0.2	0.1	0.0	0.1	0.1	0.1	0.1	0.2	2.0	12	4209
	14 LST	0.8	1.6	1.7	1.8	0.6	0.2	0.2	0.3	0.0	0.4	0.3	0.5	8.4	12	4217
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	0.3	0.4	0.4	0.2	0.1	0.1	0.0	0.0	0.0	0.2	0.0	0.2	1.9	12	4215
	02 LST	0.5	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.4	1.5	12	4188
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	0.9	2.5	9.5	14.6	15.8	16.6	19.0	18.5	14.5	13.5	9.9	4.1	139.4	12	4209
	14 LST	8.9	12.0	17.0	16.6	18.2	19.5	18.0	15.3	18.8	18.1	18.2	13.5	194.1	12	4217
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	2.6	4.2	11.0	14.1	15.2	15.2	17.0	13.0	11.3	13.5	10.3	5.3	132.7	12	4215
	02 LST	1.5	2.4	6.9	12.1	9.8	9.9	12.9	11.8	9.3	10.8	9.5	3.6	100.5	12	4188
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	10.7	9.0	9.2	8.1	8.9	4.7	2.0	4.4	7.1	12.9	9.7	10.9	97.6	12	4374
	14 LST	13.3	10.6	8.1	8.6	8.6	4.6	1.6	3.3	6.5	10.8	9.8	11.3	97.1	12	4374
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	15.1	15.7	14.1	11.8	10.8	6.2	5.6	9.5	11.5	17.4	15.8	16.1	149.6	12	4374
	02 LST	14.9	15.5	15.1	12.8	12.1	7.7	5.4	9.7	10.1	18.0	15.2	15.9	152.4	12	4374
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	21.9	19.2	22.4	23.9	25.3	21.4	15.9	22.3	24.6	26.9	24.3	25.1	273.2	12	4374
	14 LST	28.3	25.4	26.9	26.1	28.2	25.1	22.0	26.9	26.7	29.9	28.7	29.4	323.6	12	4374
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	28.2	25.4	27.5	26.0	27.9	25.7	25.5	28.1	28.5	30.3	28.7	29.5	329.3	12	4374
	02 LST	28.1	24.9	26.4	25.2	26.7	22.7	17.6	24.6	26.1	29.2	27.8	28.3	307.6	12	4374
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	16.8	15.5	18.5	20.6	23.3	17.9	11.0	17.0	20.8	24.8	20.5	19.3	226.0	12	4374
	14 LST	23.6	21.1	21.9	21.8	25.6	20.3	15.0	22.2	23.5	26.6	23.4	22.7	267.7	12	4374
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	23.0	22.4	23.2	23.2	25.1	21.8	17.6	24.1	24.7	27.9	24.7	24.0	281.7	12	4374
	02 LST	22.2	21.0	22.5	20.9	23.6	18.4	12.5	19.7	23.2	27.0	22.6	22.2	255.8	12	4374
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	15.3	14.5	17.3	18.8	21.3	15.6	8.7	15.3	19.5	23.1	18.2	17.3	204.9	12	4374
	14 LST	22.4	19.9	20.8	20.3	23.6	18.4	13.5	20.2	21.7	24.6	21.8	21.1	248.3	12	4374
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	21.9	22.0	22.1	22.0	23.3	19.7	15.9	22.9	23.3	26.3	22.7	22.6	264.7	12	4374
	02 LST	21.2	20.2	21.6	19.9	22.4	16.4	10.7	17.7	20.3	25.5	20.9	21.2	238.0	12	4374

PYONGTAEK, REP. OF KOREA

STA NO. 47127 (IN AREA NUMBER 02)

LATITUDE 3657N LONGITUDE 12702E ELEVATION(FT) 00052

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	52	59	71	84	89	97	99	98	91	82	69	67	99	6	1993
MEAN MAX TMP (F)	34	38	49	62	74	80	85	87	78	68	54	40	62	6	1993
MEAN MIN TMP (F)	18	20	32	42	53	62	71	72	60	46	36	25	45	6	1993
ABS MIN TMP (F)	-5	-11	17	29	42	51	59	61	45	31	11	9	-11	6	1993
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.2	8.0	12.4	0.2	0.0	0.0	0.0	21.8	6	1993
MEAN NO DYS TMP = OR LES 32(F)	30.4	26.0	17.5	0.5	0.0	0.0	0.0	0.0	0.0	0.4	9.8	27.2	111.8	6	1993
MEAN NO DYS TMP = OR LES 0(F)	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	6	1993
MEAN DEW PT TMP (F)	18	22	33	42	54	62	72	73	61	49	38	25	46	6	47821
MEAN REL HUM (PCT)	73	75	77	73	75	78	85	82	80	78	79	77	78	6	47821
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.58	0.99	2.35	2.58	3.01	5.78	11.56	7.14	4.09	1.63	1.74	1.14	42.6	6	1993
MEAN SNOW FALL (IN)	5.2	3.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	9.8	7	2244
MEAN NO DYS PKCP = OR GTR 0.1 IN	2.8	2.0	4.7	4.0	5.8	6.7	10.5	7.0	5.8	4.2	4.2	3.6	61.3	6	1993
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.4	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	7	2244
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	3.0	1.8	0.7	1.0	1.5	1.7	0.7	2.2	2.0	2.8	3.4	1.0	21.8	6	1996
MEAN NO DYS TSTMS	0.0	0.2	0.0	0.7	0.3	1.3	3.3	1.3	1.4	0.0	0.4	0.0	8.9	6	1994
P FREQ WND SPD = OR GTR 17 KTS	2.8	2.9	5.2	5.7	2.4	3.0	1.7	1.7	0.8	1.1	1.3	1.8	2.5	6	47857
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.1	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.1	6	47857
P FREQ LES 5000 FT A/O LES 5 MI	27.3	27.3	28.9	22.8	20.8	32.1	45.3	25.4	18.8	16.5	22.6	27.6	26.3	6	47861
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	4.9	4.2	6.9	7.6	7.2	14.7	15.4	6.8	4.2	5.2	5.6	5.2	7.3	6	5982
03-05 LST	6.5	6.2	9.6	11.7	10.8	14.8	23.7	13.1	7.7	8.3	7.6	4.7	10.4	7	6745
06-08 LST	12.5	12.0	12.7	10.2	6.9	13.5	23.0	11.1	9.4	8.4	7.8	6.8	11.2	7	7123
09-11 LST	9.0	7.3	9.5	6.7	4.1	9.5	15.4	5.7	4.5	2.5	1.7	4.7	6.7	7	7124
12-14 LST	5.2	4.9	4.9	5.7	3.2	7.1	11.4	3.8	4.3	1.3	0.7	2.9	4.6	7	7125
15-17 LST	7.3	5.5	6.2	3.3	3.1	6.8	8.6	3.5	4.0	2.2	2.6	3.8	4.7	7	7123
18-20 LST	4.7	6.3	5.2	4.6	5.6	8.8	10.4	2.6	1.5	2.8	3.1	3.0	4.9	6	5981
21-23 LST	3.2	5.6	6.4	6.7	6.1	10.4	9.9	2.4	1.8	3.9	2.4	4.3	5.3	6	5966
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	2.4	0.7	1.2	2.6	1.6	1.7	0.4	1.3	0.7	2.4	2.0	0.9	1.5	6	5982
03-05 LST	2.8	1.9	2.1	3.3	3.2	2.7	2.6	3.9	3.4	4.4	5.5	1.3	3.1	7	6745
06-08 LST	4.7	4.5	1.6	1.6	0.3	0.6	1.4	1.4	1.9	2.5	4.8	2.2	2.3	7	7123
09-11 LST	2.7	1.2	0.8	0.3	0.0	0.3	0.6	0.3	0.2	0.0	0.4	1.1	0.7	7	7124
12-14 LST	2.5	2.4	0.0	0.0	0.0	0.5	0.3	0.2	0.0	0.0	0.0	0.2	0.5	7	7125
15-17 LST	3.4	2.9	0.3	0.0	0.2	0.3	0.9	0.5	0.5	0.0	0.6	0.5	0.8	7	7123
18-20 LST	1.1	3.5	0.0	0.2	0.5	0.6	1.3	0.2	0.0	0.0	0.4	0.6	0.7	6	5981
21-23 LST	1.1	2.1	0.2	0.9	0.5	1.5	0.4	0.0	0.0	0.6	0.0	0.9	0.7	6	5966

PYONGTAEK, REP. OF KOREA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	26.5	24.7	28.4	28.4	30.0	28.4	27.4	30.0	28.3	29.6	28.7	28.8	339.2	7	2375
	14 LST	29.5	26.7	30.2	29.1	30.3	28.6	29.7	30.4	23.0	30.7	29.8	30.5	354.5	7	2375
	20 LST	30.0	26.4	29.5	28.7	30.3	28.0	29.1	30.5	29.8	30.2	29.4	30.6	352.5	6	1996
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	29.0	27.3	29.2	28.0	29.1	27.7	26.7	29.0	29.2	29.6	28.7	30.0	343.5	7	2375
	08 LST	22.7	20.2	19.7	19.8	22.7	20.6	17.1	19.4	23.9	23.3	23.3	23.3	256.0	7	2375
	14 LST	17.3	13.2	13.1	12.0	13.7	15.1	15.7	20.0	20.0	20.8	19.0	20.5	200.4	7	2375
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	24.2	21.3	23.1	22.8	25.3	22.5	23.8	27.4	27.8	28.6	25.6	26.4	298.8	6	1996
	02 LST	26.2	23.4	25.4	24.6	25.3	21.8	19.4	24.7	27.0	27.5	26.3	26.7	298.3	7	2375
	08 LST	0.5	0.3	1.9	1.2	0.4	0.9	0.1	0.3	0.2	0.3	0.3	0.3	6.7	7	2285
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	14 LST	1.7	1.0	3.3	4.2	1.6	2.4	1.3	1.3	1.0	0.7	1.4	1.7	21.6	7	2286
	20 LST	1.0	1.4	0.9	1.1	0.5	0.0	0.2	0.7	0.0	0.0	0.2	0.6	6.6	6	1905
	02 LST	0.7	0.2	0.6	0.6	0.4	0.0	0.3	0.3	0.0	0.0	0.2	0.5	3.8	7	2256
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	2.2	5.2	14.1	16.6	17.9	15.1	17.6	17.9	15.5	18.0	13.1	8.1	161.3	7	2285
	14 LST	10.4	9.2	13.7	11.6	15.4	13.5	15.6	13.6	18.9	17.5	15.6	12.6	167.6	7	2286
	20 LST	2.0	3.0	13.9	14.2	15.2	19.2	17.6	14.2	10.9	10.8	8.3	5.1	134.4	6	1905
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	1.0	1.7	6.7	13.3	15.0	11.3	13.6	14.4	11.5	10.1	9.0	3.4	111.0	7	2256
	08 LST	11.5	10.4	8.6	9.6	8.8	5.0	1.8	5.1	6.2	13.3	12.5	12.6	105.4	7	2375
	14 LST	11.5	9.4	7.8	7.7	9.5	5.6	1.0	4.1	6.4	11.2	11.3	11.7	97.2	7	2375
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	15.2	14.8	13.6	14.3	12.3	8.8	6.0	12.9	12.8	19.4	17.4	16.2	163.7	6	1996
	02 LST	14.7	15.6	13.8	13.0	12.4	8.3	5.1	10.9	12.3	17.6	15.7	14.8	154.2	7	2375
	08 LST	26.0	24.0	25.5	25.4	27.6	24.1	19.1	24.4	27.0	28.5	28.0	27.7	307.3	7	2375
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	14 LST	28.8	25.5	28.1	27.4	29.0	26.0	23.8	27.8	27.6	30.2	29.0	29.0	332.2	7	2375
	20 LST	29.4	25.6	27.7	27.3	28.1	25.7	24.6	28.6	28.4	30.0	28.0	29.6	333.0	6	1996
	02 LST	28.5	26.5	27.8	26.3	27.0	23.7	20.6	26.3	27.5	28.5	28.0	28.6	319.3	7	2375
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	20.2	18.9	20.2	21.8	24.6	19.8	13.5	19.1	23.7	26.8	22.3	22.7	253.6	7	2375
	14 LST	23.0	20.9	21.3	24.1	27.1	20.7	16.8	22.6	23.7	26.5	23.3	22.3	272.3	7	2375
	20 LST	24.2	21.3	22.6	24.5	25.1	21.8	20.0	26.0	26.3	27.6	24.2	23.6	287.2	6	1996
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	21.6	21.4	22.6	22.0	23.3	19.4	14.3	21.4	24.4	26.7	23.2	22.8	263.1	7	2375
	08 LST	18.8	17.3	18.8	20.6	22.8	17.3	11.1	18.1	22.2	25.6	21.0	20.6	234.2	7	2375
	14 LST	21.5	19.9	20.5	22.0	25.4	19.0	15.3	19.6	22.8	25.6	22.0	21.3	254.9	7	2375
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	23.6	20.3	22.2	23.0	23.5	20.6	17.5	24.3	24.1	27.0	23.0	23.2	272.3	6	1996
	02 LST	20.6	20.4	21.4	20.6	21.7	17.4	11.4	20.1	22.8	26.2	21.8	22.2	246.6	7	2375

TAEJON, REP. OF KOREA

STA NO. 47132 (IN AREA NUMBER 02)

LATITUDE 3620N

LONGITUDE 12723E

ELEVATION(FT) 00132

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	58	61	76	84	95	96	97	99	93	83	82	63	99	11	3836
MEAN MAX TMP (F)	35	41	52	64	75	81	86	87	78	68	55	42	64	11	3836
MEAN MIN TMP (F)	18	24	32	44	53	63	72	72	61	45	35	25	45	11	3836
ABS MIN TMP (F)	-2	4	14	26	40	51	59	58	41	28	15	7	-2	11	3836
MEAN NO DYS TMP ≥ OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	2.5	8.9	12.1	0.6	0.0	0.0	0.0	24.2	11	3836
MEAN NO DYS TMP ≥ OR LES 32(F)	30.3	25.5	18.0	2.1	0.0	0.0	0.0	0.0	0.0	0.7	12.0	27.1	115.7	11	3836
MEAN NO DYS TMP ≥ OR LES 0(F)	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	11	3836
MEAN DEW PT TMP (F)	20	25	34	45	54	63	72	72	62	48	37	27	47	11	92059
MEAN REL HUM (PCT)	78	77	75	74	72	75	83	30	81	78	79	79	78	11	92058
MEAN PRESS ALI (FT)	-187	-122	-49	57	183	276	278	281	125	-25	-106	-160	79	0	-50
MEAN PRECIP (IN)	1.56	1.23	2.34	4.15	3.60	5.27	13.41	7.44	6.52	1.59	1.77	1.43	50.3	11	3835
MEAN SNOW FALL (IN)	6.2	3.4	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	2.6	14.1	11	3834
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	3.9	3.4	4.2	6.3	4.3	6.6	12.7	8.3	7.6	3.3	3.5	3.8	67.9	11	3835
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	1.3	0.7	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.7	3.2	11	3834
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.2	0.6	0.3	1.2	0.6	0.3	0.7	2.0	2.8	3.7	2.6	2.4	18.4	11	3836
MEAN NO DYS TSTMS	0.0	0.0	0.1	0.9	0.1	0.9	2.6	1.5	0.5	0.2	0.0	0.0	6.8	11	3836
P FREQ WND SPI1 ≥ OR GTR 17 KTS	0.3	0.9	0.8	1.0	0.2	0.5	0.1	0.4	0.3	0.3	0.3	0.3	0.5	11	92056
P FREQ WND SPU ≥ OR GTR 28 KTS	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	92056
P FREQ LES 5000 FT A/O LES 5 MI	30.3	21.9	32.0	31.8	24.0	35.0	57.3	39.4	33.0	20.2	25.7	32.4	32.5	11	92060
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	1.5	0.4	3.0	4.3	2.9	2.6	4.8	1.2	1.4	0.6	1.6	1.8	2.2	11	11507
03-05 LST	1.1	0.4	2.3	5.4	3.9	5.9	6.9	4.8	5.6	3.9	3.0	2.4	3.8	11	11507
06-08 LST	4.5	5.4	4.7	9.7	9.2	8.0	13.4	11.5	16.4	19.5	12.8	8.8	10.3	11	11507
09-11 LST	7.8	7.4	3.5	7.8	5.4	4.7	8.3	3.2	6.1	2.6	3.9	10.2	5.9	11	11508
12-14 LST	4.2	3.1	3.1	5.9	4.5	3.7	5.8	2.7	3.7	0.4	1.6	3.0	3.5	11	11508
15-17 LST	1.7	2.5	3.3	5.7	4.7	3.6	5.1	3.0	3.5	1.0	1.4	1.3	3.1	11	11507
18-20 LST	2.2	2.1	3.3	5.1	5.1	4.9	5.8	3.7	2.1	0.8	1.7	1.2	3.2	11	11509
21-23 LST	1.4	1.4	3.0	4.1	3.3	4.4	4.5	2.3	1.8	0.3	2.0	1.2	2.5	11	11511
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	1.4	0.0	0.3	0.4	0.5	0.0	0.2	0.1	0.0	0.1	0.6	1.3	0.4	11	11507
03-05 LST	0.8	0.1	0.0	1.0	0.5	0.9	0.9	1.9	1.8	2.3	1.5	1.9	1.1	11	11507
06-08 LST	1.2	1.5	1.3	2.4	1.3	1.1	1.7	4.0	8.0	11.3	7.2	5.6	3.9	11	11507
09-11 LST	1.8	1.2	0.4	0.2	0.0	0.0	0.5	0.0	0.7	1.0	1.7	3.0	0.9	11	11508
12-14 LST	0.8	0.1	0.0	0.0	0.0	0.0	0.3	0.1	0.1	0.2	0.0	0.5	0.2	11	11508
15-17 LST	0.6	0.0	0.2	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.4	0.1	11	11507
18-20 LST	0.6	0.0	0.3	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.9	0.2	11	11509
21-23 LST	0.9	0.0	0.4	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.1	0.7	0.2	11	11511

TAEJON, REP. OF KOREA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 28.8	25.5	29.6	28.1	29.3	29.0	28.8	29.1	26.5	26.0	26.0	27.1	333.8	11	3836
	14 LST 30.2	27.4	30.4	29.3	30.3	29.6	30.4	30.7	29.8	31.0	30.0	30.8	359.9	11	3836
	20 LST 30.3	27.6	30.4	29.6	30.3	29.5	30.5	30.8	29.8	30.9	29.7	30.6	360.0	11	3837
	02 LST 30.5	27.9	30.5	29.6	30.5	29.6	30.3	30.8	29.9	30.9	29.6	30.4	360.5	11	3836
CIG =GTR 2000 FT AND VSBY =GTR 3 MI	08 LST 27.3	23.7	26.8	23.3	25.7	25.8	23.4	25.4	24.5	25.1	24.5	25.9	301.4	11	3836
3 MI W/SFC WND LES 10 KTS	14 LST 25.4	21.8	21.6	19.8	23.0	25.2	25.1	25.0	24.6	26.0	24.6	26.5	288.6	11	3836
	20 LST 28.0	25.1	26.9	24.9	27.9	25.2	26.4	27.9	27.5	29.8	28.3	28.8	326.7	11	3837
	02 LST 27.9	25.0	27.8	26.6	28.1	27.3	26.4	28.5	28.4	29.9	28.0	28.8	332.7	11	3836
SFC WND = GIR 17 KTS AND NO PRECIP.	08 LST 0.0	0.1	0.0	0.2	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.6	11	3677
	14 LST 0.1	0.4	0.6	0.6	0.3	0.3	0.1	0.1	0.1	0.3	0.2	0.2	3.3	11	3667
	20 LST 0.0	0.4	0.0	0.1	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.1	0.9	11	3677
	02 LST 0.2	0.2	0.1	0.2	0.0	0.1	0.0	0.1	0.0	0.0	0.1	0.1	1.1	11	3675
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 0.5	1.2	4.3	5.5	6.0	7.3	7.5	7.7	6.2	3.7	2.8	1.6	54.3	11	3677
	14 LST 6.9	10.5	14.6	12.6	17.3	14.3	12.0	11.5	14.0	14.5	11.3	7.9	147.4	11	3667
	20 LST 1.1	3.6	10.0	10.4	11.4	10.3	7.8	6.1	4.6	4.3	4.2	2.1	75.9	11	3676
	02 LST 0.6	1.2	3.3	5.0	4.0	3.6	3.8	5.0	3.3	2.6	2.8	0.8	36.0	11	3675
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 10.6	9.4	10.7	9.6	8.7	5.9	2.1	5.3	5.9	10.7	9.5	8.3	96.7	11	3836
	14 LST 10.0	9.2	8.5	7.5	8.9	3.5	2.1	2.8	5.0	10.8	9.7	9.8	87.9	11	3836
	20 LST 13.6	15.4	12.4	10.3	10.4	6.0	4.6	8.4	10.0	16.6	15.6	14.2	137.5	11	3836
	02 LST 14.6	14.7	14.3	13.4	13.6	9.5	6.7	12.0	11.6	18.4	16.7	15.4	160.9	11	3836
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 28.2	24.2	27.3	24.6	26.3	25.8	21.4	24.6	23.4	25.2	24.6	26.0	301.6	11	3836
	14 LST 29.3	26.3	28.2	26.9	28.6	26.8	24.2	27.8	27.0	30.4	28.4	29.9	333.8	11	3836
	20 LST 29.4	26.2	28.7	27.2	28.5	25.7	24.7	27.2	26.9	30.3	28.4	30.2	333.4	11	3837
	02 LST 29.7	26.7	29.0	26.8	28.6	26.8	24.8	27.8	27.9	30.3	28.6	30.1	337.1	11	3836
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 19.8	18.3	20.6	18.6	22.0	18.5	10.6	16.3	18.9	21.3	19.0	17.0	220.9	11	3836
	14 LST 21.1	19.1	20.7	20.1	23.8	19.3	12.1	18.0	19.1	25.5	21.4	20.9	241.1	11	3836
	20 LST 21.8	22.1	20.8	21.4	24.2	18.8	15.1	19.3	20.8	27.2	23.6	21.9	257.0	11	3837
	02 LST 23.8	21.3	21.5	21.1	23.7	19.8	14.4	21.4	21.3	26.5	23.8	22.3	260.9	11	3836
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 17.7	17.4	19.2	17.2	20.8	16.5	9.2	14.8	16.9	19.9	17.2	15.8	202.6	11	3836
	14 LST 19.4	18.6	20.1	19.2	22.5	18.2	10.9	16.5	17.3	24.2	19.7	19.9	226.5	11	3836
	20 LST 20.8	21.1	20.2	20.2	23.4	17.3	14.1	18.0	18.9	25.9	22.4	20.6	242.9	11	3837
	02 LST 22.4	20.9	21.0	20.1	22.6	18.4	13.2	20.2	19.8	25.9	22.3	21.3	248.1	11	3836

KUNSAN AB, REP. OF KOREA

STA NO. 47141 (IN AREA NUMBER 02)

LATITUDE 3554N

LONGITUDE 12637E

ELEVATION(FT) 00033

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	54	63	72	79	82	88	95	97	92	79	73	67	97	12	4383
MEAN MAX TMP (F)	36	40	48	59	68	75	82	85	77	67	55	43	61	12	4383
MEAN MIN TMP (F)	23	27	35	45	55	64	73	74	64	51	40	31	49	12	4383
ABS MIN TMP (F)	4	8	17	27	46	54	62	62	46	36	21	15	4	12	4383
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	2.1	4.9	0.3	0.0	0.0	0.0	7.3	12	4383
MEAN NO DYS TMP = OR LES 32(F)	27.6	22.4	11.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	4.4	18.6	84.3	12	4383
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	23	26	34	45	54	63	73	73	63	50	39	30	48	12	105159
MEAN REL HUM (PCT)	76	75	76	79	79	83	87	82	78	75	75	75	78	12	105156
MEAN PRESS ALI (FT)	-289	-234	-159	-37	73	182	205	182	48	-126	-230	-267	-53	0	-50
MEAN PRECIP (IN)	1.92	1.38	2.27	4.76	3.90	5.35	10.24	5.90	5.91	1.88	1.69	1.79	47.0	12	4382
MEAN SNOW FALL (IN)	14.9	2.8	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	6.7	26.2	12	4382
MEAN NO DYS PKCP = OR GTR 0.1 IN	6.1	3.2	3.4	6.2	4.9	7.4	10.4	6.7	6.4	3.7	4.2	4.7	67.3	12	4382
MEAN NO DYS SNFL = OR GTR 1.5 IN	3.3	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.3	5.7	12	4382
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	4.0	1.3	3.3	3.7	2.3	1.7	2.3	1.1	0.8	0.7	1.7	1.3	24.2	12	4382
MEAN NO DYS TSTMS	0.0	0.1	0.1	0.7	0.8	1.0	3.8	2.1	1.0	0.4	0.3	0.1	10.4	12	4383
P FREQ WND SPD = OR GTR 17 KTS	7.7	5.9	7.2	5.2	2.1	2.4	3.4	2.8	1.9	2.4	3.8	4.8	4.1	12	105161
P FREQ WND SPD = OR GTR 28 KTS	0.5	0.1	0.2	0.2	0.0	0.0	0.1	0.2	0.0	0.0	0.1	0.3	0.1	12	105161
P FREQ LES 5000 FT A/O LES 5 MI	42.6	33.3	27.9	26.3	23.3	35.1	43.1	23.1	15.9	11.0	22.2	36.7	28.4	12	105168
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	11.5	7.5	9.1	11.0	13.6	19.5	17.7	7.1	3.9	2.3	3.2	3.7	9.2	12	13146
03-05 LST	9.5	8.3	11.0	15.4	14.6	23.1	21.1	9.9	6.0	3.0	4.6	5.0	11.0	12	13146
06-08 LST	9.9	8.6	13.5	18.0	14.7	25.8	25.4	11.6	7.6	3.4	5.4	7.2	12.6	12	13146
09-11 LST	10.7	10.1	10.8	13.5	9.1	16.6	16.2	6.6	5.0	2.2	3.4	5.3	9.1	12	13146
12-14 LST	10.5	7.4	9.3	10.8	8.6	12.6	13.0	3.2	2.6	1.6	3.4	3.8	7.2	12	13146
15-17 LST	11.6	8.1	9.1	10.5	10.8	15.3	13.2	3.1	3.4	1.7	3.1	4.6	7.9	12	13146
18-20 LST	12.3	9.0	8.6	10.3	11.6	17.7	15.8	3.7	2.6	1.7	3.4	4.4	8.4	12	13146
21-23 LST	11.5	7.3	7.5	10.5	12.0	18.5	15.9	4.3	1.9	1.9	2.7	3.8	8.2	12	13146
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	3.4	1.0	3.1	4.3	3.6	4.9	3.3	0.1	0.2	0.2	1.0	1.0	2.2	12	13146
03-05 LST	2.8	0.8	4.3	6.2	4.3	3.2	3.6	2.1	1.9	0.8	1.6	1.8	2.8	12	13146
06-08 LST	3.6	2.4	4.5	5.5	2.9	3.0	4.6	1.6	1.7	1.2	2.7	2.8	3.0	12	13146
09-11 LST	3.2	2.0	2.2	2.3	1.4	0.8	2.0	0.1	0.1	0.1	1.0	1.7	1.4	12	13146
12-14 LST	3.5	1.8	2.4	1.4	1.0	0.8	1.2	0.1	0.1	0.0	0.8	1.3	1.2	12	13146
15-17 LST	4.4	1.7	2.6	2.4	1.8	0.7	2.7	0.1	0.2	0.0	0.6	1.4	1.6	12	13146
18-20 LST	3.0	2.2	2.0	2.5	2.2	2.0	3.8	0.1	0.0	0.0	0.3	1.7	1.7	12	13146
21-23 LST	4.6	1.3	2.2	2.9	2.7	3.3	3.0	0.2	0.0	0.1	0.4	1.1	1.8	12	13146

KUNSAN AB, REP. OF KOREA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	27.5	25.3	27.5	25.4	28.2	25.1	26.9	29.5	28.5	30.1	28.5	28.7	331.2	12	4382
	14 LST	28.1	26.1	29.1	27.4	28.5	27.2	28.1	30.5	29.6	30.6	29.3	30.0	344.5	12	4382
	20 LST	27.7	26.1	28.8	27.5	28.0	25.6	27.7	30.4	29.9	30.7	29.5	29.8	341.7	12	4382
	02 LST	28.1	26.6	28.2	27.2	27.4	25.1	26.4	30.2	29.4	30.3	28.8	29.8	337.5	12	4382
CIG =GTR 2000 FT AND VSBY =GTR 3 MI 3 MI W/SFC WND LES 10 KTS	08 LST	21.1	19.2	19.5	15.8	20.5	18.2	15.5	21.2	23.0	25.1	22.6	22.7	244.4	12	4382
	14 LST	16.2	12.1	9.4	10.5	12.8	12.7	15.2	16.9	18.1	17.7	17.6	17.5	176.7	12	4382
	20 LST	19.7	17.0	17.3	18.2	20.5	18.8	18.9	23.7	24.8	26.2	23.3	23.2	251.6	12	4382
	02 LST	21.0	19.3	20.5	20.0	22.7	19.7	19.2	24.1	24.6	26.6	23.8	22.5	264.0	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	1.7	0.8	1.6	1.5	0.1	0.4	0.6	0.7	0.3	0.4	0.6	1.0	9.7	12	4203
	14 LST	2.9	3.0	4.0	2.9	0.9	1.1	1.6	1.4	1.0	1.1	1.5	2.1	23.5	12	4215
	20 LST	2.9	1.7	2.0	1.1	0.4	0.2	0.6	0.2	0.3	0.7	1.0	1.0	12.1	12	4195
	02 LST	2.3	1.3	0.9	1.0	0.4	0.3	1.0	0.5	0.3	0.4	0.9	1.5	10.8	12	4150
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	4.4	7.7	18.1	17.7	20.7	20.7	18.2	21.8	20.5	22.5	20.0	12.7	205.0	12	4203
	14 LST	12.0	12.1	13.7	15.7	18.7	18.6	19.6	17.1	20.4	19.5	16.6	15.9	199.9	12	4215
	20 LST	6.3	9.3	15.2	18.6	20.6	21.0	20.0	19.6	17.9	17.7	14.1	11.8	192.1	12	4195
	02 LST	4.7	6.0	13.3	14.0	15.4	14.9	15.8	15.8	15.2	14.9	14.1	11.1	155.2	12	4150
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	6.9	9.0	8.3	8.6	7.6	3.2	2.4	5.3	6.8	12.6	9.8	7.0	87.5	12	4382
	14 LST	7.8	10.1	9.2	8.6	7.9	5.0	3.5	6.3	8.1	12.6	9.9	8.1	97.1	12	4382
	20 LST	8.8	10.7	12.0	11.3	9.4	4.7	4.2	8.6	11.6	16.4	13.8	9.5	121.0	12	4382
	02 LST	8.6	9.9	10.9	12.8	10.5	6.8	6.0	10.2	11.5	16.1	12.8	10.1	126.2	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	25.7	23.6	25.6	23.0	26.2	20.4	19.6	26.0	26.6	29.2	27.4	27.6	300.9	12	4382
	14 LST	26.2	24.4	27.2	25.7	27.3	24.6	25.1	29.2	28.3	29.8	28.6	28.1	324.5	12	4362
	20 LST	25.5	24.3	27.1	25.6	26.4	22.8	23.2	28.7	28.2	30.2	28.1	28.6	318.7	12	4382
	02 LST	25.9	25.0	26.5	25.3	25.6	21.8	21.7	27.1	27.6	27.8	28.0	28.8	313.1	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	16.7	17.3	21.5	20.2	22.4	16.7	13.7	21.4	23.5	26.9	21.5	17.8	239.6	12	4382
	14 LST	18.9	20.0	23.2	22.8	24.4	21.6	20.2	25.2	25.2	27.4	23.2	19.6	271.7	12	4382
	20 LST	17.6	19.5	22.5	23.3	23.8	18.2	17.8	25.1	25.4	28.4	23.9	18.1	263.6	12	4382
	02 LST	16.7	17.9	20.6	22.0	22.9	18.1	16.2	21.3	24.8	26.7	22.2	18.4	249.8	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	15.4	16.4	19.4	18.0	20.6	14.3	12.1	18.7	21.2	25.5	19.8	16.1	217.5	12	4382
	14 LST	17.6	19.2	21.5	21.1	22.8	19.7	18.5	22.9	23.4	25.7	21.0	18.1	251.5	12	4382
	20 LST	15.7	18.5	21.1	21.3	22.3	16.7	15.9	22.7	22.8	26.9	22.3	16.6	242.8	12	4382
	02 LST	14.9	16.4	19.2	20.6	21.3	16.9	13.9	20.6	22.9	25.7	20.3	16.5	229.2	12	4382

CHUNJU, REP. OF KOREA

STA NO. 47146 (IN AREA NUMBER 02)

LATITUDE 3549N

LONGITUDE 12709E

ELEVATION(FT) 00172

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	59	63	71	83	87	95	98	99	92	82	81	62	99	7	-35
MEAN MAX TMP (F)	39	43	52	65	74	81	86	88	79	70	56	43	65	8	-35
MEAN MIN TMP (F)	22	24	31	42	53	61	71	72	61	47	36	26	46	8	-35
ABS MIN TMP (F)	4	5	19	26	41	48	60	61	42	27	17	7	4	8	-35
MEAN NO DYS TMP ≥ OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	4.5	10.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN DEW PT TMP (F)	22	25	31	43	54	61	71	72	62	50	38	27	46	9	-29
MEAN REL HUM (PCT)	74	73	70	70	74	73	79	79	78	75	76	77	75	11	-35
MEAN PRESS ALT (FT)														0	0
MEAL. PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														8	-29
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN														0	0
MEAN NO DYS W/UCUK VSBY LES 1/2 MI														8	-29
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD ≥ OR GTR 17 KTS														0	0
P FREQ WND SPD ≥ OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CHUNJU, REP. OF KOREA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR. (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST

DATA NOT AVAILABLE

PAENGYONG DO, REP. OF KOREA

STA NO. 47200 (IN AREA NUMBER 02)

LATITUDE 3759N LONGITUDE 12440E ELEVATION(FT) 00585

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
ABS MAX TMP (F)	50	51	59	74	78	90	90	92	86	77	65	58	92	12	4310
MEAN MAX TMP (F)	32	35	42	54	64	70	77	80	74	63	51	39	57	12	4310
MEAN MIN TMP (F)	23	26	32	42	51	59	67	70	63	53	41	30	46	12	4310
ABS MIN TMP (F)	8	7	15	24	40	50	58	61	50	36	20	13	7	12	4310
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.0	0.0	0.0	0.0	0.5	12	4310
MEAN NO DYS TMP = OR LES 32(F)	28.6	24.9	15.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	4.1	18.7	92.5	12	4310
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4310
MEAN DEW PT TMP (F)	20	23	30	39	48	59	69	71	61	48	37	27	44	12	101424
MEAN REL HUM (PCT)	74	75	76	76	76	85	92	88	80	73	73	74	79	12	101423
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.43	0.50	0.95	1.56	1.71	3.10	6.49	5.01	2.61	1.45	1.16	0.98	26.9	12	4363
MEAN SNOW FALL (IN)	13.0	3.9	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	5.5	24.8	12	4366
MEAN NO DYS PKCP = OR GTR 0.1 IN	4.5	1.5	2.0	3.2	2.6	4.4	8.3	6.1	4.4	2.7	2.6	2.7	45.0	12	4363
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.8	0.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.1	5.2	12	4366
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	2.3	2.4	5.8	8.9	10.4	17.3	22.5	12.1	4.1	1.8	1.7	2.4	91.7	12	4372
MEAN NO DYS TSTMS	0.0	0.0	0.1	0.8	0.5	1.4	2.5	1.6	0.9	1.1	0.2	0.1	9.2	12	4370
P FREQ WND SPU = OR GTR 17 KTS	38.7	34.8	28.2	26.8	22.4	13.2	16.5	10.6	17.2	23.4	33.0	33.9	24.9	12	104665
P FREQ WND SPU = OR GTR 28 KTS	8.0	5.8	4.8	3.1	1.5	0.9	1.7	1.1	1.7	3.5	5.2	5.7	3.6	12	104665
P FREQ LES 5000 FT A/O LES 5 MI	54.2	35.1	29.9	28.9	27.4	16.0	66.0	41.3	21.9	19.5	36.2	54.5	38.4	12	104890
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	13.2	8.2	14.6	16.1	18.3	37.9	58.1	31.3	9.8	4.7	5.5	9.8	19.0	12	13113
03-05 LST	12.7	7.8	14.0	17.4	20.8	40.7	62.4	35.4	9.1	5.1	5.8	10.2	20.1	12	13134
06-08 LST	13.8	10.4	15.1	20.5	22.0	43.2	63.3	35.8	12.5	6.1	7.8	10.6	21.8	12	13146
09-11 LST	15.9	11.7	14.0	17.0	16.8	36.8	53.2	27.2	11.5	6.2	9.4	10.1	19.2	12	13145
12-14 LST	16.4	10.7	11.6	14.5	15.0	28.4	46.1	25.3	10.1	4.8	10.1	14.2	17.3	12	13146
15-17 LST	18.5	9.5	11.9	14.4	14.6	25.9	45.7	23.5	9.1	4.0	9.4	15.0	16.8	12	13145
18-20 LST	15.6	8.3	12.9	15.2	17.0	31.8	49.3	25.5	9.1	4.1	7.7	13.0	17.5	12	13109
21-23 LST	12.5	7.3	13.4	14.9	18.1	33.1	53.9	25.7	7.6	4.1	4.8	9.6	17.1	12	13104
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	2.6	2.2	9.1	12.9	14.4	29.6	45.2	20.0	4.4	2.2	2.0	2.3	12.2	12	13113
03-05 LST	2.2	3.0	8.7	13.7	15.9	32.4	48.8	22.8	4.2	1.6	2.0	1.8	13.1	12	13134
06-08 LST	2.3	3.3	8.9	15.8	17.2	33.1	47.0	21.3	4.4	1.8	2.6	1.7	13.3	12	13146
09-11 LST	3.9	4.1	7.8	11.6	12.5	23.6	33.6	12.4	3.5	1.6	1.5	1.9	9.8	12	13145
12-14 LST	3.8	4.4	6.4	9.1	9.6	16.0	28.0	8.2	3.0	1.1	0.8	1.6	7.7	12	13146
15-17 LST	5.0	3.2	6.9	9.9	10.0	15.5	27.6	8.7	2.4	1.0	2.7	1.4	7.9	12	13145
18-20 LST	1.5	2.7	7.5	11.6	13.1	23.8	33.9	10.3	3.1	1.7	2.6	1.6	9.5	12	13109
21-23 LST	2.1	2.6	7.9	12.4	13.3	26.6	40.3	14.6	3.0	2.3	1.9	1.2	10.7	12	13104

PAENGYONG DO, REP. OF KOREA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		MEAN NUMBER OF DAYS												POR (YRS)	NO. OBS	
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC			ANN
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	28.5	25.7	26.6	24.7	24.8	17.5	12.4	21.1	26.7	29.6	28.2	29.6	295.4	12	4382
	14 LST	27.6	26.2	27.9	26.3	26.3	22.7	17.3	25.2	27.6	30.2	28.1	28.3	313.7	12	4382
	20 LST	28.5	26.5	27.6	25.5	25.6	20.4	15.5	24.5	27.9	29.8	28.5	29.6	309.9	12	4372
	02 LST	28.6	26.3	27.2	25.2	25.6	18.9	12.6	21.1	27.4	29.9	28.7	29.3	300.8	12	4381
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	10.6	8.8	9.9	10.4	10.6	10.1	6.8	13.1	13.9	15.0	10.5	10.3	130.0	12	4375
	14 LST	7.5	7.3	7.3	7.1	9.6	11.4	9.0	13.2	11.6	10.3	9.3	7.6	111.2	12	4375
	20 LST	7.9	7.9	8.7	8.5	9.4	10.8	9.3	13.7	12.7	12.8	9.3	9.7	120.7	12	4365
	02 LST	8.5	7.0	7.8	9.3	8.6	10.1	8.0	13.1	13.6	14.2	9.2	7.8	117.2	12	4373
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	11.0	8.7	8.4	7.8	5.5	3.8	4.9	2.9	4.1	7.1	8.7	8.6	81.5	12	4238
	14 LST	13.2	10.2	10.7	9.3	7.2	4.8	5.1	4.3	5.8	8.3	11.7	10.4	101.0	12	4226
	20 LST	13.1	11.0	8.8	9.2	8.8	3.6	5.4	3.3	5.6	8.1	10.6	10.5	98.0	12	4249
	02 LST	13.2	11.2	10.3	8.8	8.9	3.2	4.1	3.3	5.6	7.8	10.6	12.6	99.6	12	4204
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	3.3	2.8	8.3	11.7	12.0	12.8	12.2	14.8	14.2	13.4	10.0	7.6	123.1	12	4182
	14 LST	5.5	5.7	8.6	8.9	11.8	13.9	12.1	14.9	12.2	12.2	10.1	6.9	122.8	12	4169
	20 LST	2.7	3.5	7.9	9.0	10.0	12.9	11.7	13.8	13.3	12.6	9.2	7.2	113.8	12	4195
	02 LST	2.4	2.2	7.0	9.3	9.5	12.2	11.8	13.8	13.4	11.8	9.1	5.8	108.3	12	4151
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	5.2	9.2	10.6	10.0	9.6	4.4	2.7	5.4	9.8	12.2	7.6	5.2	91.9	12	4382
	14 LST	5.4	8.4	10.7	11.7	9.8	5.9	3.7	6.2	9.2	12.6	8.8	5.1	97.5	12	4382
	20 LST	7.3	11.1	13.8	13.4	9.6	5.7	4.5	9.3	13.1	16.1	12.8	8.8	125.5	12	4372
	02 LST	8.4	12.8	15.3	14.7	14.9	7.8	4.9	10.7	14.3	16.7	13.1	9.9	143.5	12	4381
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	19.4	21.4	24.1	22.8	23.2	15.6	10.1	17.9	24.7	26.9	22.9	19.7	248.7	12	4382
	14 LST	19.7	22.3	25.6	24.8	25.6	20.3	15.0	20.6	25.6	27.4	22.3	18.9	268.1	12	4382
	20 LST	21.1	21.8	25.6	24.5	24.4	19.4	13.4	21.6	26.2	27.9	24.8	20.0	270.7	12	4372
	02 LST	19.8	22.2	24.5	23.7	24.6	17.6	11.1	19.2	25.5	27.3	24.4	20.4	260.3	12	4381
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	11.9	17.3	20.6	20.4	21.2	13.1	8.5	15.7	21.9	24.5	16.7	11.8	203.6	12	4382
	14 LST	13.0	17.8	21.8	22.3	24.1	18.3	12.5	18.3	23.3	24.6	18.4	13.0	227.4	12	4382
	20 LST	14.9	17.7	22.2	22.1	22.6	17.2	12.1	19.7	23.3	25.0	20.1	14.5	231.4	12	4372
	02 LST	14.0	17.7	22.1	21.9	22.2	15.8	9.3	17.3	22.7	24.7	19.5	14.8	222.0	12	4381
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	11.2	16.2	19.2	19.1	20.3	12.4	7.6	14.2	20.4	22.7	15.3	10.8	189.4	12	4382
	14 LST	12.2	16.7	20.6	20.7	22.6	17.3	11.9	17.1	22.3	23.2	17.2	12.2	214.0	12	4382
	20 LST	13.7	17.1	21.0	20.7	21.5	15.4	11.5	18.2	22.2	24.3	19.1	13.6	218.3	12	4372
	02 LST	13.5	16.9	21.4	20.4	21.6	14.3	8.6	16.3	21.5	23.3	18.2	13.7	209.7	12	4381

KIMPO INTL., REP. OF KOREA

STA NO. 47208 (IN AREA NUMBER 02)

LATITUDE 3733N

LONGITUDE 12647E

ELEVATION(FT) 00064

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	60	60	66	81	85	96	96	101	91	82	69	59	101	12	4382
MEAN MAX TMP (F)	32	38	48	61	72	78	83	86	78	67	52	39	61	12	4382
MEAN MIN TMP (F)	16	22	31	43	54	63	71	72	60	46	35	24	45	12	4382
ABS MIN TMP (F)	-7	0	11	25	39	51	57	60	42	27	14	1	-7	12	4382
MEAN NO DYS TMP ≥ OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.0	4.4	8.6	0.1	0.0	0.0	0.0	14.1	12	4382
MEAN NO DYS TMP ≥ OR LES 32(F)	30.3	25.9	18.3	1.2	0.0	0.0	0.0	0.0	0.0	0.3	11.3	27.0	114.3	12	4382
MEAN NO DYS TMP ≥ OR LES 0(F)	1.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	12	4382
MEAN DEW PT TMP (F)	15	21	31	42	52	62	71	71	61	47	36	24	44	12	105080
MEAN REL HUM (PCT)	71	73	74	72	72	77	85	81	79	76	76	75	76	12	105079
MEAN PRESS ALT (FT)	-246	-201	-110	11	129	221	248	199	57	-99	-195	-226	-17	0	-50
MEAN PRECIP (IN)	0.75	0.81	1.76	4.22	2.90	6.77	14.25	7.92	6.07	1.81	1.37	0.98	49.6	12	4378
MEAN SNOW FALL (IN)	4.8	3.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.6	10.1	12	4378
MEAN NO DYS PMCP ≥ OR GTR 0.1 IN	2.6	1.8	3.3	5.3	4.2	6.4	11.8	8.6	5.8	3.7	3.0	2.7	59.2	12	4378
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	1.1	0.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	2.4	12	4378
MEAN NO DYS W/OCLUK VSBY LES 1/2 MI	3.4	1.8	3.3	2.2	1.7	2.3	3.2	3.7	3.3	5.2	3.0	2.7	35.8	12	4382
MEAN NO DYS TSTMS	0.1	0.1	0.1	0.8	0.4	1.7	3.4	2.5	1.5	0.9	0.5	0.0	12.0	12	4392
P FREQ WND SPU ≥ UR GTR 17 KTS	0.7	0.8	1.5	2.1	0.7	1.2	2.5	0.9	0.8	0.4	0.5	0.6	1.1	12	105090
P FREQ WND SPU ≥ UR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.1	0.0	12	105090
P FREQ LES 5000 FT A/O LES 5 MI	34.6	31.4	33.2	30.4	23.2	37.8	58.9	38.8	28.4	25.6	32.1	35.3	34.1	12	105126
P FREQ LES 1500 FT A/O LES 3 MI	10.2	8.9	10.1	11.2	8.6	18.0	33.5	11.9	8.1	6.5	8.2	10.2	12.1	12	13138
FOR 00-02 LST	9.9	10.0	11.9	15.5	12.6	25.8	43.1	21.4	14.6	15.9	11.8	11.6	17.0	12	13144
03-05 LST	24.3	24.6	29.3	29.1	22.8	34.8	51.4	33.2	31.1	35.1	26.5	26.2	30.9	12	13146
06-08 LST	30.3	24.3	16.4	15.3	11.6	17.3	31.4	13.8	12.3	13.5	20.6	29.6	19.7	12	13145
09-11 LST	9.7	6.2	8.3	10.7	7.6	12.2	20.8	8.2	5.5	2.2	4.2	7.7	8.6	12	13144
12-14 LST	6.3	5.0	6.8	9.1	6.5	10.0	19.2	6.2	5.4	1.5	3.7	4.9	7.1	12	13146
15-17 LST	7.7	6.3	9.1	9.0	7.0	11.3	21.9	7.7	4.0	0.9	3.9	6.7	8.0	12	13142
18-20 LST	9.7	7.8	8.3	8.0	8.3	13.3	24.3	7.0	3.2	1.6	5.6	7.7	8.7	12	13121
21-23 LST	1.9	1.0	2.1	3.0	2.1	1.9	4.1	1.3	3.6	2.3	2.9	2.4	2.4	12	13138
FOR 00-02 LST	3.1	3.3	3.0	4.3	4.6	5.2	5.9	6.0	6.6	7.9	4.5	3.5	4.8	12	13144
03-05 LST	7.5	5.8	8.4	5.7	3.9	4.4	5.0	6.0	8.1	15.7	9.9	7.3	7.3	12	13146
06-08 LST	7.8	3.5	2.1	1.8	0.2	0.5	1.0	0.6	0.6	1.3	2.7	7.5	2.5	12	13145
09-11 LST	1.7	1.3	1.3	0.9	0.0	0.2	0.6	0.2	0.2	0.0	0.6	1.2	0.7	12	13144
12-14 LST	1.7	1.2	1.5	0.4	0.1	0.3	0.4	0.4	0.2	0.0	0.5	0.6	0.6	12	13146
15-17 LST	1.6	1.1	1.6	0.4	0.2	0.6	1.2	0.1	0.1	0.0	0.7	0.5	0.7	12	13142
18-20 LST	1.9	0.9	1.5	0.9	1.3	0.7	1.7	0.0	0.1	0.5	1.3	1.8	1.1	12	13121
21-23 LST															

KIMPO INTL., REP. OF KOREA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 18.7	16.4	20.2	22.7	25.6	23.5	20.7	24.5	21.8	18.9	19.6	19.2	251.8	12	382
	14 LST 29.1	27.2	29.2	27.5	29.6	28.1	27.7	30.1	29.1	30.6	29.3	29.5	347.0	12	4382
	20 LST 28.7	26.4	29.0	27.9	29.2	27.5	26.9	30.1	29.4	30.8	28.7	28.8	343.4	12	4382
	02 LST 28.3	25.6	28.4	27.0	28.6	25.7	22.5	28.5	27.2	28.6	27.2	27.7	325.3	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST 16.6	13.4	14.8	17.5	19.6	16.9	12.6	16.5	19.0	16.1	16.6	16.4	196.3	12	4382
	14 LST 21.1	18.5	16.7	14.1	16.4	19.9	15.9	20.9	22.0	23.2	21.9	23.0	233.6	12	4382
	20 LST 24.9	23.5	22.7	22.7	25.1	23.0	20.8	25.9	27.6	29.1	25.9	25.9	297.1	12	4382
	02 LST 25.3	23.4	24.7	23.4	26.2	21.9	16.2	23.9	25.4	27.2	25.3	25.1	288.0	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 0.2	0.1	0.2	0.3	0.0	0.1	1.0	0.1	0.2	0.2	0.1	0.2	2.7	12	4195
	14 LST 0.7	0.8	1.0	1.2	0.6	0.3	0.9	0.7	0.3	0.2	0.4	0.3	7.4	12	4237
	20 LST 0.2	0.1	0.2	0.2	0.0	0.2	0.3	0.1	0.4	0.0	0.0	0.1	1.8	12	4231
	02 LST 0.1	0.3	0.1	0.2	0.0	0.2	0.3	0.0	0.1	0.0	0.2	0.1	1.6	12	4187
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NU PRECIP.	08 LST 1.0	2.8	13.0	17.4	18.7	19.1	18.2	19.3	14.4	13.8	10.0	4.3	152.0	12	4195
	14 LST 9.0	13.6	19.9	18.3	21.2	20.6	18.2	16.3	20.7	21.4	19.4	15.6	214.2	12	4237
	20 LST 2.4	5.0	13.8	18.4	18.4	18.5	17.8	14.6	13.9	12.2	12.8	6.1	153.9	12	4231
	02 LST 1.1	2.5	8.5	13.8	14.5	14.3	13.0	13.2	9.6	9.8	9.6	4.4	114.3	12	4187
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 10.9	8.9	8.7	7.7	8.6	4.2	1.9	3.7	7.1	8.2	8.2	9.6	87.7	12	4382
	14 LST 14.4	11.3	9.3	9.0	8.5	4.8	1.8	2.7	6.6	12.0	10.3	12.6	103.3	12	4382
	20 LST 16.9	16.0	14.5	13.7	11.6	6.8	5.3	9.7	12.0	18.6	17.0	17.2	159.3	12	4382
	02 LST 17.3	15.3	14.7	14.3	13.8	7.8	4.6	9.5	10.7	17.8	15.8	15.2	156.8	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 18.4	15.6	18.7	20.6	23.4	18.7	13.5	18.7	20.3	18.6	18.8	18.4	223.7	12	4382
	14 LST 28.3	25.5	27.0	25.6	27.6	24.8	20.8	25.1	27.0	30.1	28.4	28.4	318.6	12	4382
	20 LST 28.1	25.4	26.9	26.2	27.8	24.8	21.2	26.6	27.9	30.3	27.8	28.4	321.4	12	4382
	02 LST 27.2	24.8	25.8	25.1	26.9	22.1	14.8	24.5	25.3	28.1	26.1	27.2	297.9	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 15.7	12.9	15.6	16.6	20.5	15.7	8.6	14.6	17.4	16.6	14.9	14.7	183.8	12	4382
	14 LST 23.7	21.6	21.0	22.0	25.6	20.1	13.1	17.7	23.1	26.0	23.0	22.8	259.7	12	4382
	20 LST 23.9	23.0	23.4	23.6	25.4	20.3	15.8	23.1	25.0	28.3	24.5	24.5	280.8	12	4382
	02 LST 23.7	21.2	22.7	21.4	24.3	18.4	10.0	18.8	21.6	26.1	22.7	21.5	252.4	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 14.7	12.5	15.1	15.2	19.0	13.3	8.0	12.2	15.8	15.3	13.7	14.0	168.8	12	4382
	14 LST 22.7	20.9	19.8	21.3	24.1	18.8	12.6	16.6	21.9	25.0	21.2	21.5	246.4	12	4382
	20 LST 22.6	22.2	23.0	22.4	23.3	18.2	14.7	21.5	23.1	26.8	23.2	23.2	264.2	12	4382
	02 LST 22.8	20.7	21.9	20.3	22.7	16.1	9.1	17.0	20.5	25.1	21.3	20.1	237.6	12	4382

AREA NO. 02

KOREA, REPUBLIC OF WESTERN SLOPES LATITUDE 3630N LONGITUDE 12730E
 BOUNDARIES 3510N 12620E 3555N 12820E 3825N 12740E

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	34	39	49	62	72	79	84	86	78	67	53	40	62	
MEAN MIN TMP (F)	17	22	31	42	52	61	71	71	60	46	35	24	44	
LARGEST MEAN PRECIP(IN)	1.92	1.38	2.40	4.96	3.90	7.77	16.83	10.71	7.02	1.96	1.80	1.79	62.6	
SMALLEST MEAN PRECIP(IN)	0.58	0.50	0.95	1.56	1.71	3.10	6.49	5.01	2.61	1.45	1.10	0.98	26.0	
MEAN NUMBER OF DAYS														
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	23.7	21.7	25.3	26.0	28.1	25.7	23.9	26.9	26.3	26.8	25.2	25.4	305.0
	14 LST	29.0	26.8	29.5	28.1	29.4	28.1	27.3	29.8	29.1	30.7	29.4	30.1	347.3
	20 LST	29.1	26.6	29.4	28.1	29.2	27.5	27.2	29.6	29.4	30.6	29.0	30.0	345.7
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	29.1	26.6	28.9	27.8	28.6	26.2	24.9	28.4	28.5	29.7	28.5	28.5	335.9
	08 LST	19.8	17.2	19.0	19.6	22.0	19.6	16.3	20.2	22.3	22.8	20.8	20.9	240.5
	14 LST	19.4	16.6	15.6	14.2	16.2	18.8	17.9	21.2	21.4	22.2	20.5	21.5	225.6
	20 LST	22.9	20.9	22.8	21.2	24.1	22.6	21.3	25.8	26.1	27.4	24.8	25.5	285.6
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	23.9	21.7	23.4	23.1	24.8	21.9	19.2	24.5	25.5	27.0	24.9	23.9	283.8
	08 LST	1.4	1.0	1.4	1.4	0.7	0.6	0.7	0.5	0.6	0.8	1.0	1.1	11.2
	14 LST	2.2	2.1	2.6	2.8	1.4	1.0	1.0	0.9	0.9	1.2	1.7	1.7	19.5
	20 LST	2.0	1.8	1.4	1.4	1.0	0.5	0.7	0.5	0.6	0.9	1.2	1.3	13.3
	02 LST	2.0	1.5	1.4	1.2	1.0	0.4	0.6	0.5	0.6	0.8	1.2	1.6	12.8
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	1.5	3.1	9.6	13.2	14.6	14.6	14.6	15.0	12.6	12.1	9.2	5.0	125.1
	14 LST	8.2	10.8	15.7	14.4	17.6	17.6	16.0	13.7	17.1	16.7	15.2	11.3	174.3
	20 LST	2.4	4.4	13.2	14.5	15.2	15.7	14.3	11.7	9.5	9.2	8.1	4.7	122.9
	02 LST	1.5	2.3	6.5	9.0	9.4	9.2	10.0	9.7	8.0	7.9	7.2	3.7	84.4
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	9.8	8.9	9.9	8.8	8.6	4.6	2.3	4.9	7.2	12.0	9.8	9.8	96.6
	14 LST	11.7	10.4	9.1	8.4	8.7	4.3	1.9	3.4	6.5	11.9	10.1	10.3	96.7
	20 LST	14.2	14.8	13.1	12.6	10.8	6.3	4.8	9.4	11.8	18.1	16.6	16.4	148.9
	02 LST	14.4	14.7	14.5	13.7	13.7	8.1	5.3	10.2	11.8	18.0	15.4	14.8	154.6
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	22.2	20.1	23.3	23.6	25.6	21.3	16.6	22.1	24.3	25.8	23.8	23.6	272.3
	14 LST	27.4	24.9	27.4	26.3	28.0	25.1	21.7	26.3	27.2	29.9	28.0	28.0	320.2
	20 LST	27.5	25.2	27.8	26.3	27.5	25.1	22.0	27.0	27.8	30.1	27.9	28.5	322.7
	02 LST	27.2	25.3	26.9	25.9	27.2	23.0	18.9	25.4	26.9	29.0	27.4	27.0	310.1
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	16.4	15.3	19.0	19.9	22.5	17.1	10.5	16.9	20.6	23.2	19.0	17.2	217.6
	14 LST	21.5	20.0	21.5	22.1	25.0	19.0	13.7	18.7	22.4	25.9	22.5	20.9	253.2
	20 LST	21.9	21.6	23.0	23.1	24.4	20.2	16.0	22.5	24.4	27.6	24.2	23.1	272.0
	02 LST	21.5	20.6	22.3	21.8	23.7	18.8	12.8	20.1	23.1	26.5	22.8	21.0	255.0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	15.2	14.3	18.0	18.0	20.8	15.0	9.0	14.9	18.8	21.6	17.3	16.0	198.9
	14 LST	20.1	18.9	20.4	20.8	23.3	17.4	12.5	17.1	20.8	24.6	20.7	19.6	236.2
	20 LST	20.8	20.8	22.3	21.8	22.7	18.3	14.6	21.0	22.6	26.5	23.0	22.0	256.4
	02 LST	20.3	19.7	21.5	20.4	22.1	16.7	11.2	18.2	21.6	25.5	21.3	20.0	238.5

R-813, REP. OF KOREA

STA NO. 47085 (IN AREA NUMBER 03) LATITUDE 3508N LONGITUDE 12841E ELEVATION(FT) 00008

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	62	63	68	80	89	93	94	96	97	83	88	70	97	11	-47157
MEAN MAX TMP (F)	42	47	54	63	72	77	83	86	79	71	60	48	65	11	-47157
MEAN MIN TMP (F)	28	31	37	46	55	62	72	74	65	54	43	33	50	11	-47157
ABS MIN TMP (F)	11	13	20	32	45	51	62	62	51	35	23	16	11	11	-47157
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.2	3.8	8.2	0.4	0.0	0.0	0.0	12.6	11	-47157
MEAN NO DYS TMP = OR LES 32(F)	22.7	16.7	6.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.8	13.0	61.1	11	-47157
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-47157
MEAN DEW PT TMP (F)	23	26	35	45	55	62	72	73	64	51	40	29	48	11	-47157
MEAN REL HUM (PCT)	62	62	68	72	75	80	85	81	78	69	68	65	72	11	-47157
MEAN PRESS ALT (FT)	-277	-228	-167	-59	44	147	166	154	36	-130	-226	-261	-66	0	-50
MEAN PRECIP (IN)	0.62	2.30	3.12	5.44	5.42	5.40	7.66	7.34	7.95	2.03	1.55	1.20	50.0	11	-47157
MEAN SNOW FALL (IN)	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.0	11	-47157
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.3	3.0	4.9	6.5	6.8	6.2	9.1	7.2	7.7	3.3	2.6	2.3	61.9	11	-47157
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	11	-47157
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.2	0.2	0.3	0.6	0.7	1.0	1.2	0.2	0.4	0.0	0.0	0.2	5.0	11	-47157
MEAN NO DYS TSTMS	0.0	0.1	0.0	0.1	0.3	0.4	0.9	1.1	0.2	0.1	0.0	0.0	3.2	11	-47157
P FREQ WND SPD = UR GTR 17 KTS	0.6	1.1	0.8	1.0	0.5	0.6	0.3	2.1	1.2	0.4	0.7	0.6	0.8	11	-47157
P FREQ WND SPD = UR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.0	0.1	11	-47157
P FREQ LES 5000 FT A/O LES 5 MI	12.4	19.1	23.0	24.0	26.1	35.3	52.8	35.0	27.2	14.1	13.9	10.4	24.4	11	-47157
P FREQ LES 1500 FT A/O LES 3 MI	0.9	1.5	2.8	4.3	5.7	9.6	17.1	3.3	2.0	0.7	0.7	1.1	4.1	11	-47157
P FREQ LES 1500 FT A/O LES 1 MI	0.7	1.8	2.6	4.3	7.0	9.0	17.3	4.4	1.7	0.8	0.8	0.8	4.3	11	-47157
P FREQ LES 300 FT A/O LES 1 MI	3.3	5.1	6.2	9.2	11.3	10.8	21.1	7.6	6.7	1.2	1.9	3.6	7.3	11	-47157
P FREQ LES 300 FT A/O LES 0.5 MI	2.2	4.7	4.5	6.1	7.5	7.7	13.2	4.4	4.4	1.0	1.2	2.5	5.0	11	-47157
P FREQ LES 300 FT A/O LES 0.25 MI	0.8	3.1	3.4	5.9	4.7	7.1	10.8	3.0	3.0	0.4	1.1	1.2	3.7	11	-47157
P FREQ LES 300 FT A/O LES 0.15 MI	1.3	1.9	3.3	3.9	4.4	6.1	10.1	2.5	1.5	1.3	1.8	2.0	3.3	11	-47157
P FREQ LES 300 FT A/O LES 0.1 MI	1.0	1.4	3.0	5.2	5.1	7.8	9.1	1.0	2.5	1.3	2.0	2.0	3.5	11	-47157
P FREQ LES 300 FT A/O LES 0.05 MI	0.8	1.2	1.8	5.2	6.1	8.2	13.0	2.3	2.0	0.6	1.2	1.6	3.7	11	-47157
P FREQ LES 300 FT A/O LES 0.025 MI	0.0	0.0	0.3	0.7	0.9	0.9	0.7	0.3	0.1	0.0	0.0	0.0	0.3	11	-47157
P FREQ LES 300 FT A/O LES 0.015 MI	0.0	0.2	0.3	0.8	1.3	0.8	1.3	0.9	0.4	0.0	0.0	0.2	0.5	11	-47157
P FREQ LES 300 FT A/O LES 0.01 MI	0.7	0.8	0.8	2.6	1.3	1.3	3.2	0.9	0.7	0.0	0.0	0.3	1.1	11	-47157
P FREQ LES 300 FT A/O LES 0.005 MI	0.4	0.4	0.4	1.0	0.5	1.6	0.7	0.4	0.7	0.0	0.4	0.3	0.6	11	-47157
P FREQ LES 300 FT A/O LES 0.0025 MI	0.0	0.5	0.4	1.0	0.0	1.0	0.5	0.1	0.2	0.1	0.2	0.4	0.4	11	-47157
P FREQ LES 300 FT A/O LES 0.0015 MI	0.3	0.0	0.1	0.8	0.4	0.2	0.5	0.0	0.0	0.1	0.0	0.8	0.3	11	-47157
P FREQ LES 300 FT A/O LES 0.001 MI	0.1	0.0	0.1	0.9	0.4	0.3	0.2	0.0	0.1	0.0	0.0	0.4	0.2	11	-47157
P FREQ LES 300 FT A/O LES 0.0005 MI	0.2	0.0	0.2	0.4	0.6	0.6	0.0	0.3	0.1	0.0	0.0	0.3	0.2	11	-47157

R-813, REP. OF KOREA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	30.3	26.7	30.0	28.4	29.3	28.1	27.9	29.9	28.4	30.7	29.5	29.8	349.0	11 -47157
	15 LST	30.8	27.7	30.2	29.3	30.1	28.4	29.3	30.4	29.5	30.7	29.7	30.5	356.6	11 -47157
	21 LST	30.9	28.0	30.6	28.8	29.6	28.4	28.9	30.5	29.6	30.8	29.8	30.5	356.4	11 -47157
CIG = GTR 2000 FT AND VSBY = GTR 3 MI WIND LES 10 KTS	03 LST	30.8	27.6	30.6	29.1	29.8	28.2	27.5	30.0	29.8	30.9	29.7	30.8	354.8	11 -47157
	09 LST	24.2	19.4	23.9	25.1	25.4	24.4	21.4	25.6	24.0	25.5	22.0	22.2	283.1	11 -47157
	15 LST	22.4	20.2	21.7	20.7	23.1	21.4	19.3	22.3	24.5	25.0	24.3	24.1	269.0	11 -47157
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	24.7	23.0	26.7	25.9	27.2	24.9	24.0	26.4	26.3	27.5	25.7	26.6	308.9	11 -47157
	03 LST	23.9	20.2	24.8	25.2	26.7	24.7	22.4	25.5	26.6	26.5	23.7	23.5	293.7	11 -47157
	09 LST	0.1	0.0	0.2	0.1	0.0	0.1	0.0	0.5	0.0	0.2	0.1	0.2	1.5	11 -47157
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	0.4	0.1	0.4	0.3	0.2	0.0	0.1	0.6	0.3	0.1	0.2	0.1	2.8	11 -47157
	21 LST	0.3	0.3	0.3	0.2	0.0	0.0	0.1	0.4	0.1	0.1	0.1	0.1	2.0	11 -47157
	03 LST	0.1	0.2	0.2	0.1	0.0	0.2	0.1	0.4	0.5	0.3	0.3	0.5	2.9	11 -47157
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	9.0	11.5	15.0	15.2	16.5	17.4	14.4	16.0	16.3	19.6	15.8	12.9	179.6	11 -47157
	15 LST	17.3	20.1	21.3	21.1	21.3	22.6	19.3	17.5	19.7	19.1	18.8	18.1	236.2	11 -47157
	21 LST	7.2	8.5	10.4	6.9	5.5	7.0	9.4	7.3	8.2	10.1	9.7	9.5	99.7	11 -47157
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	5.7	6.1	9.6	7.9	5.1	3.9	6.6	7.1	7.0	13.3	12.9	8.9	96.1	11 -47157
	09 LST	16.2	13.2	12.2	10.2	8.3	4.8	3.3	5.4	6.8	14.8	14.1	17.1	126.4	11 -47157
	15 LST	15.2	10.6	8.9	7.7	6.7	4.6	4.7	5.4	5.4	11.1	12.2	15.6	108.1	11 -47157
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	19.7	15.6	14.3	13.2	10.5	7.7	7.6	11.3	11.3	18.4	19.9	21.7	171.2	11 -47157
	03 LST	19.1	16.7	15.8	13.7	12.8	9.8	6.2	10.8	11.2	18.8	19.5	21.4	175.8	11 -47157
	09 LST	29.9	25.7	28.8	26.4	27.2	24.9	20.4	26.2	26.5	29.8	28.7	29.3	333.8	11 -47157
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	30.2	26.2	29.1	27.4	28.5	25.6	24.5	27.2	27.7	29.8	29.0	30.1	335.3	11 -47157
	21 LST	30.5	26.7	29.3	27.1	28.1	25.6	23.8	28.3	28.4	30.3	29.4	30.2	337.7	11 -47157
	03 LST	30.6	26.6	29.5	27.3	27.3	25.3	21.6	27.0	28.1	30.1	29.3	30.7	333.4	11 -47157

R-914, REP. OF KOREA

STA NO. 47086 (IN AREA NUMBER 03) LATITUDE 3505N LONGITUDE 12304E ELEVATION(FT) 00025

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	59	63	71	80	92	95	97	96	91	84	74	64	97	12	-47161
MEAN MAX TMP (F)	42	46	55	65	74	79	85	87	79	71	60	48	66	12	-47161
MEAN MIN TMP (F)	22	25	34	45	54	63	72	72	63	48	37	27	47	12	-47161
ABS MIN TMP (F)	5	9	18	23	39	49	58	58	44	31	20	12	5	12	-47161
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	0.8	6.4	12.0	0.7	0.0	0.0	0.0	20.1	12	-47161
MEAN NO DYS TMP = OR LES 32(F)	28.9	23.2	14.2	1.4	0.0	0.0	0.0	0.0	0.0	0.2	8.3	26.1	102.3	12	-47161
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-47161
MEAN DEW PT TMP (F)	23	27	36	47	56	64	73	73	65	51	39	29	49	12	-47161
MEAN REL HUM (PCT)	73	74	75	78	77	80	85	84	83	78	77	74	78	12	-47161
MEAN PRESS ALT (FI)	-269	-220	-155	-44	61	165	185	169	47	-121	-218	-252	-53	0	-50
MEAN PRECIP (IN)	0.78	1.77	3.39	6.35	4.82	8.08	10.34	7.24	9.18	2.36	1.59	0.78	56.7	12	-47161
MEAN SNOW FALL (IN)	1.1	1.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	4.5	12	-47161
MEAN NO DYS PKCP = OR GTR 0.1 IN	1.7	2.7	4.3	8.0	5.5	7.1	10.3	7.4	9.0	2.9	2.0	1.6	62.5	12	-47161
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.3	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.9	12	-47161
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.2	0.8	0.9	1.0	1.4	0.9	0.9	1.6	1.4	0.5	0.9	0.1	10.6	12	-47161
MEAN NO DYS TSTMS	0.0	0.0	0.1	0.5	0.3	0.4	2.7	2.0	1.0	0.2	0.0	0.1	7.3	12	-47161
P FREQ WND SPU = OR GTR 17 KTS	1.9	1.9	2.8	2.1	0.7	0.8	1.7	1.9	1.3	0.2	0.7	1.0	1.4	12	-47161
P FREQ WND SPU = OR GTR 28 KTS	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.4	0.1	0.0	0.0	0.0	0.1	12	-47161
P FREQ LES 5000 FI A/O LES 5 MI	12.9	17.6	25.1	34.9	25.7	36.8	54.9	40.6	34.2	13.2	13.4	9.9	26.6	12	-47161
P FREQ LES 150C FI A/O LES 3 MI															
FOR 00-02 LST	0.7	2.7	4.8	8.9	5.4	7.4	12.1	5.3	6.0	1.0	0.9	0.5	4.6	12	-47161
03-05 LST	0.9	2.0	5.1	8.2	6.9	8.8	15.2	7.3	6.5	2.1	1.4	0.8	5.4	12	-47161
06-08 LST	1.1	3.1	7.8	15.8	12.5	15.1	30.1	20.8	9.9	4.0	4.2	1.7	10.5	12	-47161
09-11 LST	3.9	6.3	6.0	13.3	9.2	14.6	24.7	10.7	7.1	3.1	3.5	2.0	8.7	12	-47161
12-14 LST	1.9	4.7	4.1	9.2	6.9	10.9	15.5	6.0	5.7	2.0	1.5	0.6	5.8	12	-47161
15-17 LST	2.1	5.1	4.7	8.8	5.8	9.8	11.6	5.6	5.7	1.7	1.3	1.0	5.3	12	-47161
18-20 LST	2.2	3.5	4.0	10.8	5.3	9.2	13.1	6.5	5.9	1.2	1.2	1.0	5.3	12	-47161
21-23 LST	0.8	2.6	4.6	10.8	6.1	8.7	14.6	6.6	5.7	1.1	0.7	0.8	5.3	12	-47161
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.4	0.3	0.3	0.3	0.0	0.0	0.1	0.0	0.2	0.0	0.0	0.1	12	-47161
03-05 LST	0.3	0.4	0.5	0.3	1.4	0.9	0.5	1.3	0.4	1.0	0.4	0.1	0.6	12	-47161
06-08 LST	0.7	1.5	2.5	4.1	4.0	3.2	4.0	5.1	2.8	1.7	2.4	0.1	2.7	12	-47161
09-11 LST	1.5	1.4	0.9	1.0	0.1	1.0	0.9	0.2	0.9	0.5	0.9	0.1	0.8	12	-47161
12-14 LST	0.3	1.0	0.4	0.3	0.0	0.6	0.3	0.2	0.9	0.0	0.0	0.0	0.3	12	-47161
15-17 LST	0.1	0.5	0.4	0.6	0.3	0.7	0.4	0.3	0.6	0.1	0.1	0.3	0.4	12	-47161
18-20 LST	0.2	0.1	0.1	0.8	0.4	0.6	0.3	0.0	0.1	0.0	0.0	0.5	0.3	12	-47161
21-23 LST	0.0	0.6	0.0	0.4	0.4	0.3	0.3	0.1	0.2	0.0	0.0	0.3	0.2	12	-47161

R-814, REP. OF KOREA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	29.8	26.1	28.8	26.6	28.9	27.6	25.7	28.4	30.0	28.4	30.1	338.5	12	-47161	
	15 LST	30.4	26.7	29.8	28.7	29.8	28.5	29.0	29.1	30.9	29.7	30.6	353.2	12	-47161	
	21 LST	30.8	27.4	30.0	28.1	29.4	28.8	28.7	30.6	29.1	30.7	29.8	30.7	354.1	12	-47161
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	03 LST	30.9	27.4	29.7	28.3	29.8	28.6	28.9	30.2	30.4	29.9	30.9	354.0	12	-47161	
	09 LST	27.4	23.7	25.1	20.8	24.9	22.2	15.2	22.4	24.4	28.2	26.3	27.9	288.5	12	-47161
	15 LST	19.9	16.4	15.3	11.5	14.7	11.9	11.0	17.8	20.8	24.5	23.3	23.1	210.2	12	-47161
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	26.4	24.1	23.8	22.0	24.7	23.3	19.4	24.8	25.7	29.1	27.7	28.3	299.3	12	-47161
	03 LST	28.6	24.9	27.3	24.2	26.5	24.4	20.5	25.3	25.9	29.7	28.4	29.6	315.3	12	-47161
	09 LST	0.3	0.0	0.3	0.2	0.1	0.0	0.1	0.4	0.2	0.0	0.1	0.1	1.8	12	-47161
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	2.0	1.3	1.6	2.0	0.5	0.4	1.2	0.8	0.5	0.1	0.7	0.8	11.9	12	-47161
	21 LST	0.7	0.0	0.3	0.5	0.3	0.2	0.6	0.2	0.2	0.0	0.1	0.2	3.3	12	-47161
	03 LST	0.4	0.3	0.1	0.2	0.4	0.3	0.1	0.5	0.2	0.1	0.0	0.2	2.8	12	-47161
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	2.0	3.9	11.5	14.2	13.2	12.1	14.2	11.6	11.9	12.1	9.9	4.5	121.1	12	-47161
	15 LST	12.5	13.3	14.6	15.3	17.6	17.0	15.2	12.8	18.3	19.3	16.7	15.6	188.2	12	-47161
	21 LST	3.8	5.1	11.2	14.1	13.4	14.3	16.7	9.5	6.7	5.6	6.4	4.9	111.7	12	-47161
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	1.8	2.7	4.2	6.3	4.7	5.6	8.9	5.2	3.6	4.7	4.6	2.3	54.6	12	-47161
	09 LST	16.0	12.3	10.8	9.0	8.6	4.0	2.6	4.2	6.5	15.2	14.3	15.9	119.4	12	-47161
	15 LST	13.9	11.8	8.7	7.1	7.0	3.5	3.3	3.0	4.2	11.3	11.6	15.0	100.4	12	-47161
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	19.3	15.3	12.3	10.0	9.5	5.4	5.7	7.6	8.1	16.2	17.6	19.5	146.5	12	-47161
	03 LST	20.1	16.4	15.2	10.9	12.2	8.6	6.7	11.2	10.7	18.4	18.6	19.2	168.2	12	-47161
	09 LST	29.6	25.5	27.0	22.7	25.9	22.1	15.1	22.5	24.9	29.3	28.0	30.0	302.6	12	-47161
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	30.1	26.3	28.4	24.7	27.7	24.5	21.1	26.9	26.1	30.0	29.1	30.5	325.4	12	-47161
	21 LST	30.2	26.3	28.4	24.6	26.7	24.8	21.7	25.7	25.7	29.9	29.2	30.4	323.6	12	-47161
	03 LST	30.7	27.0	28.4	24.5	27.2	25.0	21.7	25.7	25.2	30.1	29.0	30.8	325.3	12	-47161
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	26.0	22.0	22.4	18.7	22.4	16.3	10.6	15.8	19.2	26.4	24.9	26.9	251.6	12	-47161
	15 LST	26.3	22.4	22.0	19.5	23.5	18.7	14.4	18.4	19.4	26.4	24.9	26.8	262.7	12	-47161
	21 LST	27.2	23.7	22.9	19.8	23.4	19.8	16.2	20.2	19.6	27.2	26.1	27.8	273.9	12	-47161
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	27.3	24.4	23.0	19.2	23.2	20.1	14.1	20.6	19.4	26.8	26.3	27.6	272.0	12	-47161
	09 LST	24.3	20.7	21.0	17.2	20.3	14.8	9.2	14.4	17.0	24.1	22.9	25.2	231.1	12	-47161
	15 LST	24.6	21.8	20.4	18.0	21.7	17.3	13.4	17.1	17.7	24.4	23.3	25.4	245.1	12	-47161
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	26.4	23.2	21.2	18.5	21.5	17.9	15.4	19.3	18.5	25.5	25.3	26.6	259.3	12	-47161
	03 LST	26.2	22.9	21.9	18.0	21.0	18.1	13.2	19.6	18.5	25.5	25.2	26.4	256.5	12	-47161

R-815, REP. OF KOREA

STA NO. 47087 (IN AREA NUMBER 03)

LATITUDE 3559N

LONGITUDE 12925E

ELEVATION(FT) 00070

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	59	66	75	81	90	92	100	98	91	81	78	62	100	7	-47138
MEAN MAX TMP (F)	41	44	51	63	69	75	83	84	76	68	56	44	63	7	-47138
MEAN MIN TMP (F)	24	27	35	45	51	58	68	70	62	48	38	28	46	7	-47138
ABS MIN TMP (F)	4	7	19	33	38	43	51	54	42	33	24	10	4	7	-47138
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.3	1.2	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN DEW PT TMP (F)	23	27	36	45	55	62	71	72	65	52	41	30	48	10	-47154
MEAN REL HUM (PCT)	49	53	58	56	67	77	83	79	73	64	61	57	66	8	-47154
MEAN PRESS ALT (FT)	-182	-148	-83	15	116	206	226	196	72	-75	-156	-173	1	0	-50
MEAN PRECIP (IN)	1.30	1.70	1.70	2.70	2.70	5.10	7.60	6.40	5.60	1.90	1.30	1.50	39.5	20	-47138
MEAN SNOW FALL (IN)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	10	-47154
MEAN NO DYS PKCP = OR GTR 0.1 IN	3.1	3.9	3.4	5.0	5.0	7.4	9.5	8.6	7.9	3.3	2.6	3.5	63.2	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-47154
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.2	0.1	0.2	0.5	1.1	1.8	0.2	0.3	0.0	0.0	0.0	0.0	10	-47154
MEAN NO DYS TSMS	0.1	0.0	0.1	0.2	0.4	0.3	1.8	2.0	0.7	0.2	0.0	0.1	5.9	10	-47154
P FREQ WND SPD = OR GTR 17 KTS	9.9	5.0	5.0	5.1	2.8	2.5	2.1	4.3	3.5	2.3	2.7	4.6	4.2	10	-47154
P FREQ WND SPD = OR GTR 26 KTS	0.5	0.1	0.5	0.4	0.1	0.0	0.1	0.6	0.4	0.1	0.1	0.2	0.3	10	-47154
P FREQ LES 5000 FT A/O LES 5 MI	11.3	15.7	24.9	24.3	22.3	35.1	52.3	34.0	28.2	16.1	13.6	10.2	24.0	10	-47154
P FREQ LES 1500 FT A/O LES 3 MI															
POR 00-02 LST	0.5	0.8	2.6	4.9	7.7	12.8	24.3	7.8	4.8	1.5	1.6	0.6	5.8	10	-47154
03-05 LST	0.5	1.8	2.0	3.7	7.6	14.6	29.8	9.6	5.4	1.5	0.9	0.3	6.6	10	-47154
06-08 LST	0.4	2.1	4.1	9.2	9.6	18.0	34.4	11.3	5.9	1.7	1.1	0.3	8.2	10	-47154
09-11 LST	1.2	3.0	4.6	9.4	9.0	14.3	25.7	9.0	6.8	1.7	2.1	1.1	7.3	10	-47154
12-14 LST	1.6	3.4	5.4	8.3	7.1	13.1	20.3	7.0	4.4	2.3	2.0	0.9	6.3	10	-47154
15-17 LST	1.3	2.2	4.8	7.6	7.6	12.8	19.1	5.2	4.7	2.5	2.2	0.4	5.9	10	-47154
18-20 LST	1.1	2.1	4.7	8.8	7.8	15.9	22.5	4.7	4.1	1.7	1.9	0.8	6.3	10	-47154
21-23 LST	0.6	0.2	2.9	8.4	6.9	15.4	21.4	6.7	4.2	2.0	2.2	0.8	6.0	10	-47154
P FREQ LES 300 FT A/O LES 1 MI															
POR 00-02 LST	0.0	0.0	0.0	0.1	0.6	1.4	1.1	0.6	0.0	0.0	0.0	0.1	0.3	10	-47154
03-05 LST	0.0	0.0	0.0	0.0	0.4	1.4	2.6	0.9	0.2	0.0	0.0	0.0	0.5	10	-47154
06-08 LST	0.0	0.2	0.0	0.6	0.3	1.4	2.3	0.4	0.4	0.0	0.1	0.0	0.6	10	-47154
09-11 LST	0.0	0.0	0.1	1.0	0.4	0.9	1.1	0.0	0.3	0.0	0.0	0.1	0.3	10	-47154
12-14 LST	0.0	0.0	0.4	0.6	1.6	1.1	0.1	0.0	0.3	0.0	0.0	0.0	0.3	10	-47154
15-17 LST	0.2	0.0	0.1	0.7	0.3	1.2	1.3	0.3	0.0	0.0	0.1	0.3	0.4	10	-47154
18-20 LST	0.0	0.1	0.5	0.7	1.5	1.4	1.3	0.0	0.0	0.0	0.0	0.2	0.5	10	-47154
21-23 LST	0.0	0.0	0.0	0.4	0.4	1.0	1.3	0.3	0.1	0.0	0.0	0.0	0.3	10	-47154

R-815, REP. OF KOREA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST 30.9	27.7	30.1	27.8	29.1	27.5	25.0	29.7	28.7	30.5	29.6	30.7	347.3	10	-47154
	15 LST 30.6	27.6	30.4	28.8	29.2	27.3	27.1	30.4	28.9	30.4	29.5	30.8	351.0	10	-47154
	21 LST 30.9	27.8	30.2	28.6	29.7	27.1	26.9	30.5	29.3	30.9	29.8	30.8	352.5	10	-47154
	03 LST 31.0	27.6	30.6	29.4	29.7	27.3	26.0	30.1	29.2	30.7	29.9	30.9	352.4	10	-47154
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	09 LST 10.5	14.9	18.7	17.6	19.9	18.8	15.0	18.4	17.9	18.1	15.3	14.4	199.5	10	-47154
	15 LST 12.5	12.5	10.5	10.1	12.1	11.9	10.3	13.3	15.4	14.1	16.1	14.9	153.7	10	-47154
	21 LST 18.0	19.2	21.6	22.8	24.0	21.3	19.6	23.0	21.4	23.6	21.0	19.3	254.8	10	-47154
	03 LST 15.0	15.4	19.3	21.1	21.8	21.8	17.9	21.6	20.8	19.0	15.4	14.6	223.7	10	-47154
SFC WND = GIR 17 KTS AND NO PRECIP.	09 LST 3.3	1.9	1.8	1.5	0.5	0.1	0.6	1.4	0.4	1.2	1.1	1.8	15.6	10	-47154
	15 LST 3.5	1.6	1.9	2.6	2.4	0.8	1.1	1.2	1.8	0.7	1.0	1.5	20.1	10	-47154
	21 LST 2.0	1.0	0.7	0.4	0.5	0.4	0.6	1.0	1.2	0.4	0.4	0.9	9.5	10	-47154
	03 LST 2.6	1.1	0.7	0.8	0.1	0.6	0.3	0.7	0.7	0.6	0.9	1.3	10.4	10	-47154
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST 9.7	14.3	17.9	18.4	20.6	19.8	18.8	18.5	18.1	20.5	19.1	17.2	212.9	10	-47154
	15 LST 13.6	13.6	13.3	15.1	17.1	18.1	18.8	17.5	18.8	19.0	19.4	16.6	200.9	10	-47154
	21 LST 9.9	11.5	15.0	13.4	11.0	10.7	13.5	12.7	14.3	20.2	19.7	15.6	167.5	10	-47154
	03 LST 7.1	9.0	16.7	16.1	14.0	14.7	14.4	15.2	18.4	19.7	17.6	12.8	175.7	10	-47154
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST 16.0	12.9	10.8	9.4	8.2	3.9	4.1	4.7	4.9	13.5	14.1	17.9	120.4	10	-47154
	15 LST 16.0	11.4	9.4	8.0	7.3	3.5	5.1	6.3	4.4	10.0	12.6	16.4	110.4	10	-47154
	21 LST 19.7	16.3	14.7	12.5	11.1	7.3	6.9	12.3	10.6	16.1	19.1	21.1	167.7	10	-47154
	03 LST 20.1	16.5	14.1	13.7	13.5	9.1	7.7	12.0	11.3	17.5	19.0	20.3	174.8	10	-47154
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST 30.2	26.5	28.3	25.5	27.1	22.4	18.1	24.9	25.7	29.5	28.4	30.4	317.0	10	-47154
	15 LST 29.7	26.4	28.2	26.3	27.1	23.7	22.2	26.7	26.3	29.2	28.7	30.6	325.1	10	-47154
	21 LST 30.5	26.7	28.4	26.3	27.4	24.3	21.3	27.5	26.8	29.6	28.6	30.5	327.9	10	-47154
	03 LST 30.5	27.2	28.7	27.0	27.3	24.0	19.4	25.7	25.5	30.1	29.1	30.8	325.3	10	-47154
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST 27.0	23.4	22.6	22.2	23.1	17.8	12.2	16.4	20.0	24.9	25.1	27.2	261.9	10	-47154
	15 LST 26.2	22.0	20.9	22.4	23.4	19.0	17.5	21.1	21.4	24.9	24.5	26.1	269.4	10	-47154
	21 LST 27.4	23.5	23.6	23.1	24.3	19.8	16.0	22.5	22.1	26.0	26.0	28.1	282.4	10	-47154
	03 LST 27.7	24.3	23.3	23.5	23.9	19.5	14.1	20.2	21.9	26.4	26.3	28.1	279.2	10	-47154
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST 25.4	22.5	21.7	21.3	21.8	16.9	11.2	15.3	18.8	24.3	24.0	26.2	249.4	10	-47154
	15 LST 25.4	20.8	20.2	20.9	22.1	18.0	16.2	19.9	19.8	23.3	23.5	25.4	255.5	10	-47154
	21 LST 26.5	22.5	22.8	22.4	22.9	18.7	15.1	21.8	20.3	24.6	25.3	27.2	270.1	10	-47154
	03 LST 26.7	23.6	22.6	22.6	22.6	18.6	13.1	19.6	20.1	25.4	25.4	27.6	267.9	10	-47154

POHANG DONG, REP. OF KOREA

STA NO. 47138 (IN AREA NUMBER 03) LATITUDE 3559N LONGITUDE 12925E ELEVATION(FT) 00066

PARAMETER DESCRIPTION

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	59	66	75	81	90	92	100	98	91	81	78	62	100	7	-35
MEAN MAX TMP (F)	41	44	51	63	69	75	83	84	76	68	56	44	63	7	-35
MEAN MIN TMP (F)	24	27	35	45	51	58	68	70	62	48	38	28	46	7	-35
ABS MIN TMP (F)	4	7	19	33	38	43	51	54	42	33	24	10	4	7	-35
MEAN NO DYS TMP ≥ OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.3	1.2	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN DEW PT TMP (F)	23	27	36	45	55	62	71	72	65	52	41	30	48	10	-47154
MEAN REL HUM (PCT)	62	63	67	70	74	80	86	82	79	72	70	66	73	10	-47154
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.30	1.70	1.70	2.70	2.70	5.10	7.60	6.40	5.60	1.90	1.30	1.50	39.5	20	-35
MEAN SNOW FALL (IN)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	10	-47154
MEAN NO DYS PKCP = OR GTR 0.1 IN	3.1	3.9	3.4	5.0	5.0	7.4	9.5	8.6	7.9	3.3	2.6	3.5	63.2	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-47154
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.0	0.2	0.1	0.2	0.5	1.1	1.8	0.2	0.3	0.0	0.0	0.0	0.4	10	-47154
MEAN NO DYS TSTMS	0.1	0.0	0.1	0.2	0.4	0.3	1.8	2.0	0.7	0.2	0.0	0.1	5.9	10	-47154
P FREQ WND SPU = UR GTR 17 KTS	9.9	5.0	5.0	5.1	2.8	2.5	2.1	4.3	3.5	2.3	2.7	4.6	4.2	10	-47154
P FREQ WND SPU = OR GTR 28 KTS	0.5	0.1	0.5	0.4	0.1	0.0	0.1	0.6	0.4	0.1	0.1	0.2	0.3	10	-47154
P FREQ LES 5000 FT A/O LES 5 MI	11.3	15.7	24.9	24.3	22.3	35.1	52.3	34.0	28.2	16.1	13.6	10.2	24.0	10	-47154
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.5	0.8	2.6	4.9	7.7	12.8	24.3	7.8	4.8	1.5	1.6	0.6	5.8	10	-47154
03-05 LST	0.5	1.8	2.0	5.7	7.6	14.6	29.8	9.6	5.4	1.5	0.9	0.3	6.6	10	-47154
06-08 LST	0.4	2.1	4.1	9.2	9.6	18.0	34.4	11.3	5.9	1.7	1.1	0.3	8.2	10	-47154
09-11 LST	1.2	3.0	4.6	9.4	9.0	14.3	25.7	9.0	6.8	1.7	2.1	1.1	7.3	10	-47154
12-14 LST	1.6	3.4	5.4	8.3	7.1	13.1	20.3	7.0	4.4	2.3	2.0	0.9	6.3	10	-47154
15-17 LST	1.3	2.2	4.8	7.6	7.6	12.8	19.1	5.2	4.7	2.5	2.2	0.4	5.9	10	-47154
18-20 LST	1.1	2.1	4.7	8.8	7.8	15.9	22.5	4.7	4.1	1.7	1.9	0.8	6.3	10	-47154
21-23 LST	0.6	0.2	2.9	8.4	6.9	15.4	21.4	6.7	4.2	2.0	2.2	0.8	6.0	10	-47154
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.1	0.6	1.4	1.1	0.6	0.0	0.0	0.0	0.1	0.3	10	-47154
03-05 LST	0.0	0.0	0.0	0.0	0.4	1.4	2.6	0.9	0.2	0.0	0.0	0.0	0.5	10	-47154
06-08 LST	0.0	0.2	0.0	0.6	0.3	1.4	3.3	0.4	0.4	0.0	0.1	0.0	0.6	10	-47154
09-11 LST	0.0	0.0	0.1	1.0	0.4	0.9	1.1	0.0	0.3	0.0	0.0	0.1	0.3	10	-47154
12-14 LST	0.0	0.0	0.4	0.6	1.6	1.1	0.1	0.0	0.3	0.0	0.0	0.0	0.3	10	-47154
15-17 LST	0.2	0.0	0.1	0.7	0.3	1.2	1.3	0.3	0.0	0.0	0.1	0.3	0.4	10	-47154
18-20 LST	0.0	0.1	0.5	0.7	1.5	1.4	1.3	0.0	0.0	0.0	0.0	0.2	0.5	10	-47154
21-23 LST	0.0	0.0	0.0	0.4	0.4	1.0	1.3	0.3	0.1	0.0	0.0	0.0	0.3	10	-47154

POHANG DONG, REP. OF KOREA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	30.9	27.7	30.1	27.8	29.1	27.5	25.0	29.7	28.7	30.5	29.6	30.7	10	-47154
	15 LST	30.6	27.6	30.4	28.8	29.2	27.3	27.1	30.4	28.9	30.4	29.5	30.8	10	-47154
	21 LST	30.9	27.8	30.2	28.6	29.7	27.1	26.9	30.5	29.3	30.9	29.8	30.8	10	-47154
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC AND LES 10 KTS	03 LST	31.0	27.6	30.6	29.4	29.7	27.3	26.0	30.1	29.2	30.7	29.9	30.9	10	-47154
	09 LST	10.5	14.9	18.7	17.6	19.9	18.8	15.0	18.4	17.9	18.1	15.3	14.4	10	-47154
	15 LST	12.5	12.5	10.5	10.1	12.1	11.9	10.3	13.3	15.4	14.1	16.1	14.9	10	-47154
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	18.0	19.2	21.6	22.8	24.0	21.3	19.6	23.0	21.4	23.6	21.0	19.3	10	-47154
	03 LST	15.0	15.4	19.3	21.1	21.8	21.8	17.9	21.6	20.8	19.0	15.4	14.6	10	-47154
	09 LST	3.3	1.8	1.8	1.5	0.5	0.1	0.6	1.4	0.4	1.2	1.1	1.8	10	-47154
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NU PRECIP.	15 LST	3.5	1.6	1.9	2.6	2.4	0.8	1.1	1.2	1.8	0.7	1.0	1.5	10	-47154
	21 LST	2.0	1.0	0.7	0.4	0.5	0.4	0.6	1.0	1.2	0.4	0.4	0.9	10	-47154
	03 LST	2.6	1.1	0.7	0.8	0.1	0.6	0.3	0.7	0.7	0.6	0.9	1.3	10	-47154
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	9.7	14.3	17.9	18.4	20.6	19.8	18.8	16.5	18.1	20.5	19.1	17.2	10	-47154
	15 LST	13.6	13.6	13.3	15.1	17.1	18.1	18.8	17.5	18.8	19.0	19.4	16.6	10	-47154
	21 LST	9.9	11.5	15.0	13.4	11.0	10.7	13.5	12.7	14.3	20.2	19.7	15.6	10	-47154
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	7.1	9.0	16.7	16.1	14.0	14.7	14.4	15.2	18.4	19.7	17.6	12.8	10	-47154
	09 LST	16.0	12.9	10.8	9.4	8.2	3.9	4.1	4.7	4.9	13.5	14.1	17.9	10	-47154
	15 LST	16.0	11.4	9.4	8.0	7.3	3.5	5.1	6.3	4.4	10.0	12.6	16.4	10	-47154
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	19.7	16.3	14.7	12.5	11.1	7.3	6.9	12.3	10.6	16.1	19.1	21.1	10	-47154
	03 LST	20.1	16.5	14.1	13.7	13.5	9.1	7.7	12.0	11.3	17.5	19.0	20.3	10	-47154
	09 LST	30.2	26.5	28.3	25.5	27.1	22.4	18.1	24.9	25.7	29.5	28.4	30.4	10	-47154
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	29.7	26.4	28.2	26.3	27.1	23.7	22.2	26.7	26.3	29.2	28.7	30.6	10	-47154
	21 LST	30.5	26.7	28.4	26.3	27.4	24.3	21.3	27.5	26.8	29.6	28.6	30.5	10	-47154
	03 LST	30.5	27.2	28.7	27.0	27.3	24.0	19.4	25.7	25.5	30.1	29.1	30.8	10	-47154
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	27.0	23.4	22.6	22.2	23.1	17.8	12.2	16.4	20.0	24.9	25.1	27.2	10	-47154
	15 LST	26.2	22.0	20.9	22.4	23.4	19.0	17.5	21.1	21.4	24.9	24.5	26.1	10	-47154
	21 LST	27.4	23.5	23.6	23.1	24.3	19.8	16.0	22.5	22.1	26.0	26.0	28.1	10	-47154
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	27.7	24.3	23.3	23.5	23.9	19.5	14.1	20.2	21.9	26.4	26.3	28.1	10	-47154
	09 LST	25.4	22.5	21.7	21.3	21.8	16.9	11.2	15.3	18.8	24.3	24.0	26.2	10	-47154
	15 LST	25.4	20.8	20.2	20.9	22.1	18.0	16.2	19.9	19.8	23.3	23.5	25.4	10	-47154
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	25.5	22.5	22.8	22.4	22.9	18.7	15.1	21.8	20.3	24.6	25.3	27.2	10	-47154
	03 LST	26.7	23.6	22.6	22.6	22.6	18.6	13.1	19.6	20.1	25.4	25.4	27.6	10	-47154

TAEGU, REP. OF KOREA

STA NO. 47142 (IN AREA NUMBER 03)

LATITUDE 3553N

LONGITUDE 12839E

ELEVATION(FT) 00110

NO. OBS
POR (YRS)

PARAMETER DESCRIPTION

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO. OBS
ABS MAX TMP (F)	69	66	78	87	99	101	101	102	95	86	71	70	102	12	4383
MEAN MAX TMP (F)	39	44	55	66	77	82	88	89	80	70	57	46	66	12	4383
MEAN MIN TMP (F)	21	25	34	44	54	62	72	72	62	47	36	27	46	12	4383
ABS MIN TMP (F)	-1	8	19	27	39	47	61	59	43	31	18	13	-1	12	4383
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.9	4.1	14.0	17.2	1.0	0.0	0.0	0.0	37.2	12	4383
MEAN NO DYS TMP = OR LES 32(F)	29.3	24.1	15.5	1.3	0.0	0.0	0.0	0.0	0.0	0.3	10.7	26.2	107.4	12	4383
MEAN NO DYS TMP = OR LES 0(F)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	4383
MEAN DEW PT TMP (F)	20	24	34	44	53	61	72	71	62	49	37	27	46	12	105006
MEAN REL HUM (PCT)	70	69	69	69	68	73	79	77	78	74	75	73	73	12	105006
MEAN PRESS ALI (F1)	-151	-116	-46	56	161	248	270	234	106	-39	-121	-141	38	0	-50
MEAN PRECIP (IN)	0.91	1.32	1.79	3.06	2.56	5.28	9.29	7.24	5.34	1.59	1.13	1.01	40.5	12	4381
MEAN SNOW FALL (IN)	4.0	1.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	6.2	12	4381
MEAN NO DYS PKCP = GR GTR 0.1 IN	2.3	3.0	3.7	5.9	5.6	6.8	9.8	7.7	6.9	3.0	2.8	1.7	59.2	12	4381
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.6	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.0	12	4381
MEAN NO DYS W/OCLK VSBY LES 1/2 MI	1.5	0.7	0.2	0.7	0.2	0.2	0.5	0.8	0.8	2.4	1.7	1.0	10.7	12	4382
MEAN NO DYS TSTMS	0.0	0.0	0.1	0.2	0.6	1.9	4.0	3.7	1.0	0.1	0.0	0.0	11.6	12	4383
P FREQ WND SPU = UR GTR 17 KTS	1.6	1.1	1.5	1.6	0.4	0.3	0.0	0.6	0.3	0.2	0.3	0.8	0.7	12	105131
P FREQ WND SPU = UR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	12	105131
P FREQ LES 5000 FT A/O LES 5 MI	22.6	25.6	25.2	28.7	22.2	34.9	50.1	38.3	31.9	19.5	24.4	20.0	28.6	12	105158
P FREQ LES 1500 FT A/O LES 3 MI	3.7	3.6	2.1	3.8	2.5	3.0	4.6	2.0	3.4	1.9	2.2	1.6	2.9	12	13145
FOR 00-02 LST															
FOR 03-05 LST	2.8	3.8	2.0	4.4	2.7	4.9	5.9	3.6	4.0	3.0	2.6	1.7	3.5	12	13146
FOR 06-08 LST	10.1	13.5	6.9	9.0	5.6	10.3	11.1	9.1	11.8	15.2	15.3	9.2	10.6	12	13146
FOR 09-11 LST	16.5	19.1	4.6	7.2	3.5	3.8	4.5	4.2	6.7	6.6	10.8	13.2	8.1	12	13143
FOR 12-14 LST	6.1	6.3	2.1	5.1	2.1	2.8	2.7	2.2	3.6	1.9	3.1	3.7	3.5	12	13145
FOR 15-17 LST	5.6	5.0	2.6	4.0	1.3	2.7	1.8	2.2	3.5	2.2	2.9	3.0	3.1	12	13145
FOR 18-20 LST	7.1	6.1	2.3	4.3	2.1	2.1	4.2	2.0	4.0	1.5	2.9	2.8	3.5	12	13144
FOR 21-23 LST	5.2	3.9	1.6	3.4	2.1	2.5	3.5	2.1	3.6	1.3	2.1	2.2	2.8	12	13144
P FREQ LES 300 FT A/O LES 1 MI	1.3	1.0	0.4	0.4	0.0	0.0	0.4	0.1	0.0	0.7	0.8	0.4	0.5	12	13145
FOR 00-02 LST															
FOR 03-05 LST	1.1	1.5	0.4	0.7	0.4	0.7	0.8	0.6	0.3	1.0	2.0	0.9	0.9	12	13146
FOR 06-08 LST	3.1	4.3	0.8	1.5	0.4	0.9	1.1	1.9	3.1	6.4	5.8	3.1	2.7	12	13146
FOR 09-11 LST	5.0	3.1	0.3	0.1	0.3	0.1	0.7	0.4	0.2	0.5	2.2	2.8	1.3	12	13143
FOR 12-14 LST	2.0	1.8	0.1	0.1	0.1	0.2	0.1	0.3	0.3	0.0	0.4	0.8	0.5	12	13145
FOR 15-17 LST	1.3	1.2	0.3	0.2	0.0	0.0	0.1	0.1	0.4	0.2	2.5	1.0	0.4	12	13145
FOR 18-20 LST	0.9	0.9	0.2	0.4	0.3	0.0	0.5	0.4	0.2	0.3	0.8	0.4	0.4	12	13144
FOR 21-23 LST	0.7	0.5	0.0	0.2	0.0	0.1	0.3	0.0	0.0	0.4	0.8	0.2	0.3	12	13144

TAEGU, REP. OF KOREA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		MEAN NUMBER OF DAYS												POR (YRS)	NO. OBS	
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC			ANN
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	24.0	22.0	29.4	28.4	29.8	28.8	29.6	29.8	27.7	28.1	25.5	25.7	329.3	12	4382
	15 LST	29.6	26.7	30.0	29.1	30.8	29.3	30.8	30.1	29.6	30.3	29.4	30.3	356.5	12	4382
	21 LST	29.2	26.8	30.6	29.3	30.0	29.6	30.1	30.5	29.4	30.7	29.4	30.4	356.5	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI 3 MI W/SEC WIND LES 10 KTS	03 LST	30.2	27.0	30.6	29.3	30.7	29.3	29.6	30.6	29.3	30.3	29.3	30.6	356.8	12	4382
	09 LST	17.2	17.0	22.7	21.2	25.1	23.0	23.7	25.0	24.4	25.1	21.9	20.2	267.0	12	4381
	15 LST	14.9	15.4	17.0	18.1	21.1	20.9	24.1	21.2	20.9	21.6	20.9	19.2	235.8	12	4382
SFC WIND = GTR 17 KTS AND NO PRECIP.	21 LST	24.1	23.2	25.0	24.4	26.8	25.1	26.4	27.0	26.9	29.6	27.0	27.1	312.6	12	4382
	03 LST	24.7	23.5	27.2	25.6	28.6	27.3	27.7	28.6	27.5	29.4	27.3	27.5	325.1	12	4381
	09 LST	0.2	0.2	0.2	0.4	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.3	1.5	12	4197
SFC WIND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	0.7	0.9	2.0	1.1	0.2	0.2	0.0	0.5	0.2	0.2	0.3	0.4	6.7	12	4213
	21 LST	0.4	0.1	0.1	0.4	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.1	1.5	12	4204
	03 LST	0.4	0.3	0.4	0.2	0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.0	1.6	12	4195
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	2.3	5.7	10.7	13.4	14.4	14.2	16.2	14.6	9.1	6.9	8.1	5.3	120.9	12	4197
	15 LST	11.4	13.7	16.4	17.2	17.0	15.8	10.4	9.1	17.1	16.4	15.7	17.1	177.3	12	4213
	21 LST	2.2	5.7	12.6	13.1	12.3	13.7	13.5	13.7	10.1	6.6	6.8	4.6	114.9	12	4204
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	1.0	2.4	6.2	7.2	6.1	8.0	9.0	6.9	4.2	3.5	4.1	2.8	61.9	12	4195
	09 LST	12.8	11.0	9.9	9.4	8.3	4.1	3.2	4.0	4.4	12.8	11.6	13.2	105.2	12	4382
	15 LST	14.3	12.0	8.8	7.8	7.9	3.1	2.0	3.2	3.9	10.1	12.5	14.4	100.0	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	18.1	15.9	14.2	11.8	11.2	6.7	6.3	10.5	9.5	17.2	17.1	17.9	156.4	12	4382
	03 LST	17.1	15.4	13.6	13.3	11.8	8.7	7.2	11.2	9.9	16.8	17.4	18.3	160.7	12	4382
	09 LST	23.6	22.0	28.0	24.8	28.4	24.9	24.4	26.2	24.3	27.0	24.8	25.5	303.9	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	28.8	25.9	28.8	26.6	28.7	27.3	27.5	28.4	27.2	29.6	28.3	30.0	337.1	12	4382
	21 LST	29.1	25.8	29.1	26.9	28.6	26.1	25.8	28.6	27.4	29.8	28.9	30.1	336.2	12	4382
	03 LST	29.1	26.3	28.6	26.6	29.3	26.3	26.2	27.7	26.6	29.0	28.7	30.3	335.2	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	41.3	19.3	22.0	20.8	23.0	18.6	14.3	18.2	19.8	24.3	21.2	22.3	245.1	12	4382
	15 LST	24.2	21.2	22.2	22.0	23.7	18.8	15.8	18.6	20.9	25.5	24.7	26.0	263.6	12	4382
	21 LST	25.8	22.8	23.5	21.8	24.7	20.7	17.6	21.2	21.8	26.9	24.8	26.8	278.4	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	25.7	22.6	23.6	21.2	23.7	19.6	15.0	20.3	21.2	26.7	24.4	26.0	270.0	12	4382
	09 LST	20.4	18.0	20.6	19.7	22.0	17.3	12.2	16.6	17.9	23.1	20.0	20.9	229.2	12	4382
	15 LST	23.1	20.1	20.9	20.3	22.1	17.2	14.7	17.1	18.9	24.2	23.1	24.3	246.0	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	24.8	22.3	22.2	20.3	23.2	18.8	16.2	19.4	20.3	25.8	24.2	25.4	262.9	12	4382
	03 LST	24.6	21.9	22.3	19.6	22.0	18.1	13.9	19.2	19.7	25.3	23.0	24.8	254.4	12	4382

KIMHAE, REP. OF KOREA

STA NO. 47145 (IN AREA NUMBER 03)

LATITUDE 3510N

LONGITUDE 12856E

ELEVATION(FT) 00012

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	60	63	71	76	90	91	93	97	90	83	74	64	97	12	3272
MEAN MAX TMP (F)	41	47	55	63	72	77	84	86	79	70	60	49	65	12	3272
MEAN MIN TMP (F)	23	29	36	46	55	63	72	73	64	50	40	30	48	12	3272
ABS MIN TMP (F)	8	14	19	29	43	50	64	63	50	32	22	13	8	12	3272
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	0.4	3.8	5.7	0.2	0.0	0.0	0.0	10.3	12	3272
MEAN NO DYS TMP = OR LES 32(F)	28.3	21.0	9.6	0.8	0.0	0.0	0.0	0.0	0.0	0.1	3.4	21.7	84.9	12	3272
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3272
MEAN DEW PT TMP (F)	22	28	36	46	55	62	73	73	64	51	41	30	48	12	78556
MEAN REL HUM (PCT)	68	70	71	75	76	79	86	83	82	75	74	71	76	12	78555
MEAN PRESS ALI (PI)	-272	-224	-164	-57	46	149	167	156	39	-126	-222	-257	-63	0	-50
MEAN PRECIP (IN)	0.39	1.74	2.22	6.56	3.80	7.02	6.60	5.80	8.13	2.08	2.01	0.85	47.2	12	3270
MEAN SNOW FALL (IN)	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.8	12	3413
MEAN NO DYS PMCP = OR GTR 0.1 IN	1.1	2.3	3.3	6.6	5.2	5.9	7.8	5.6	8.4	2.6	1.9	1.8	52.5	12	3270
MEAN NO DYS SNPL = OR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	12	3413
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.1	0.1	0.0	1.2	0.7	0.4	0.2	0.6	0.4	0.1	0.0	0.0	3.8	12	3274
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.2	0.1	0.9	1.6	1.1	0.9	0.1	0.0	0.1	5.0	12	3272
P FREQ WND SFL = OR GTR 17 KTS	5.7	3.7	4.0	3.6	1.8	1.7	1.5	3.9	1.9	1.2	1.6	1.7	2.7	12	78523
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.0	0.1	0.2	0.1	0.0	0.1	0.8	0.2	0.0	0.0	0.0	0.1	12	78523
P FREQ LES 5000 FT A/O LES 5 MI	8.9	14.1	21.9	33.9	24.9	30.5	49.4	35.5	32.9	16.8	13.9	8.1	24.2	12	78555
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.0	0.1	2.2	10.0	7.7	8.2	12.5	3.0	2.4	0.5	0.1	0.6	3.9	12	9816
03-05 LST	0.0	0.1	1.4	9.4	6.6	8.8	14.7	2.5	3.0	1.2	0.2	0.4	4.0	12	9818
06-08 LST	0.3	0.6	1.7	12.5	8.6	13.1	22.2	6.7	5.7	1.4	0.8	0.5	6.2	12	10235
09-11 LST	1.0	1.6	4.2	14.2	8.1	12.4	18.7	6.3	6.7	0.8	1.3	1.1	6.4	12	10239
12-14 LST	0.5	1.5	4.5	11.7	6.3	10.3	14.5	5.1	6.2	0.8	1.0	0.6	5.3	12	10239
15-17 LST	0.6	1.4	4.5	11.1	7.4	11.0	13.2	4.4	4.2	1.5	1.2	0.3	5.1	12	10239
18-20 LST	0.9	1.3	3.0	11.3	7.4	9.9	12.8	2.9	3.6	1.7	1.1	1.0	4.7	12	9959
21-23 LST	0.0	0.3	3.4	10.0	7.7	9.3	13.7	3.1	3.1	0.8	0.6	1.1	4.4	12	9819
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.8	1.1	0.4	0.5	0.3	0.0	0.0	0.0	0.0	0.3	12	9816
03-05 LST	0.0	0.0	0.0	1.1	1.5	0.6	0.5	0.3	0.1	0.3	0.0	0.0	0.4	12	9818
06-08 LST	0.1	0.0	0.0	2.7	1.6	2.8	1.7	2.0	1.0	0.4	0.2	0.1	1.1	12	10235
09-11 LST	0.5	0.2	0.7	1.2	0.7	0.3	0.1	0.3	0.6	0.2	0.0	0.3	0.4	12	10239
12-14 LST	0.0	0.0	0.1	1.1	0.3	0.0	0.4	0.1	0.4	0.0	0.0	0.0	0.2	12	10239
15-17 LST	0.0	0.0	0.2	1.1	0.7	0.1	0.0	0.0	0.1	0.0	0.1	0.3	0.2	12	10239
18-20 LST	0.0	0.0	0.1	0.7	0.9	0.8	0.0	0.0	0.0	0.0	0.0	0.5	0.3	12	9959
21-23 LST	0.0	0.0	0.1	0.1	0.7	0.6	0.5	0.1	0.0	0.0	0.0	0.2	0.2	12	9819

KIMHAE, REP. OF KOREA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	30.8	27.7	30.3	26.8	29.0	27.9	26.9	29.5	28.6	30.6	29.7	30.6	348.4	12	3413
	15 LST	30.5	27.6	30.1	27.9	29.5	27.2	28.4	30.6	29.4	30.7	29.7	30.9	352.9	12	3413
	21 LST	31.0	27.9	30.3	27.9	29.1	28.2	28.8	30.9	29.6	30.7	29.8	30.7	354.9	12	3273
CIG = GTR 2000 FT AND VSBY = GTR 3 MI 3 MI W/SFC WND LES 10 KTS	03 LST	31.0	28.0	30.8	28.9	29.2	28.2	29.1	30.7	29.5	30.8	30.0	30.9	357.1	12	3273
	09 LST	23.6	21.4	23.5	19.9	23.6	22.1	18.1	23.1	23.4	27.3	25.6	26.1	277.7	12	3412
	15 LST	12.6	13.6	13.2	12.0	12.4	11.5	11.3	15.8	18.2	19.5	18.5	17.2	175.8	12	3412
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	23.7	22.1	22.4	20.4	24.1	21.1	21.2	25.5	24.2	26.5	26.6	26.8	284.6	12	3273
	03 LST	23.1	21.7	25.6	20.1	24.7	25.0	22.7	25.1	25.1	27.3	25.8	25.8	292.0	12	3272
	09 LST	0.7	0.3	0.6	0.1	0.0	0.3	0.0	1.0	0.4	0.1	0.1	0.3	3.9	12	3262
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	3.9	1.5	2.3	2.0	1.7	0.8	0.6	1.1	0.6	1.0	0.8	1.1	17.4	12	3276
	21 LST	0.8	0.9	0.6	1.0	0.4	0.1	0.4	1.1	0.4	0.2	0.6	0.2	6.7	12	3140
	03 LST	1.6	1.7	1.2	0.8	0.1	0.4	0.1	0.8	0.5	0.2	0.2	0.5	8.1	12	3133
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	2.0	4.5	8.2	10.9	8.2	8.2	15.2	11.2	9.3	8.5	8.5	6.4	101.1	12	3262
	15 LST	12.4	13.4	14.4	15.5	16.0	15.2	14.6	15.9	17.9	16.6	15.6	15.3	182.8	12	3276
	21 LST	3.3	6.9	9.5	12.8	12.0	15.3	19.1	11.3	11.6	9.9	8.1	6.1	125.9	12	3140
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	1.5	3.4	6.6	6.4	5.6	6.2	10.9	5.9	5.4	4.6	5.4	5.1	67.0	12	3133
	09 LST	17.4	12.9	11.7	9.7	7.9	5.3	3.2	5.7	5.1	14.6	14.6	17.2	125.3	12	3413
	15 LST	15.5	12.5	8.4	7.0	6.1	4.2	4.5	4.8	3.8	9.8	11.4	15.4	103.4	12	3413
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	21.9	16.5	13.7	9.5	9.4	5.6	6.3	9.8	9.6	16.7	18.9	20.4	158.3	12	3273
	03 LST	21.9	17.8	15.1	11.1	11.2	9.9	8.4	12.6	10.4	17.8	18.5	21.1	175.8	12	3273
	09 LST	30.5	26.8	28.4	23.8	26.2	23.9	18.6	24.6	25.0	29.6	28.6	30.5	316.5	12	3413
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	30.3	26.9	28.2	24.9	27.7	24.9	23.3	27.0	26.1	30.0	29.0	30.8	329.1	12	3413
	21 LST	30.3	27.0	29.5	24.8	27.4	25.5	23.3	27.7	26.7	29.7	29.3	30.7	331.9	12	3273
	03 LST	30.5	27.6	29.6	24.6	27.6	26.1	21.9	26.9	26.8	29.9	29.5	30.9	331.9	12	3273
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	28.0	24.0	23.5	19.9	22.8	19.6	11.7	17.3	18.5	25.8	26.0	27.8	264.9	12	3413
	15 LST	26.6	22.3	21.0	20.3	23.1	20.4	16.6	20.0	19.2	24.0	24.2	27.5	265.2	12	3413
	21 LST	28.0	23.7	23.9	20.0	22.7	21.2	18.1	22.0	21.4	26.0	26.1	28.7	281.8	12	3273
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	28.6	24.8	24.2	19.0	22.5	21.2	15.4	21.3	21.0	26.9	26.2	29.0	280.1	12	3273
	09 LST	27.0	23.3	22.4	18.5	21.1	18.1	10.4	15.6	17.2	24.6	25.1	26.0	249.3	12	3413
	15 LST	25.4	21.1	19.4	18.8	21.6	19.5	14.9	18.8	17.2	22.8	22.8	26.6	248.9	12	3413
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	26.9	22.8	22.6	18.8	21.7	19.2	17.5	21.3	20.0	25.0	25.1	27.7	268.6	12	3273
	03 LST	27.5	23.8	23.4	17.6	21.9	19.2	14.2	20.5	19.4	26.1	25.1	27.7	266.4	12	3273

PUSAN, REP. OF KOREA

STA NO. 47154 (IN AREA NUMBER 03)

LATITUDE 3510N LONGITUDE 12907E ELEVATION(FT) 00006

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
ABS MAX TMP (F)	65	64	73	78	92	92	95	97	90	81	75	68	97	29	-528
MEAN MAX TMP (F)	43	45	53	62	69	75	81	85	78	70	59	48	64	36	-28
MEAN MIN TMP (F)	29	31	37	47	55	62	71	73	65	54	43	33	50	36	-28
ABS MIN TMP (F)	7	11	19	29	42	49	57	55	48	34	25	10	7	29	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.2	1.8	3.6	0.0	0.0	0.0	0.0	5.7	10	3652
MEAN NO DYS TMP = OR LES 32(F)	23.8	15.5	6.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	2.7	14.8	63.4	10	3652
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3652
MEAN DEW PT TMP (F)	23	27	36	45	55	62	71	72	65	52	41	30	48	10	87617
MEAN REL HUM (PCT)	62	63	67	70	74	80	86	82	79	72	70	66	73	10	87617
MEAN PRESS ALT (FT)	-276	-227	-169	-63	40	142	159	150	34	-130	-226	-261	-68	0	-50
MEAN PRECIP (IN)	1.70	1.40	2.70	5.50	5.20	7.90	11.60	5.10	6.80	2.90	1.60	1.20	53.6	3.5	-28
MEAN SNOW FALL (IN)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	10	3649
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.9	3.3	5.0	8.2	7.9	9.7	11.8	7.4	9.3	4.6	2.9	2.9	76.9	36	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3649
MEAN NO DYS W/OCUH VSBY LES 1/2 MI	0.0	0.2	0.1	0.2	0.5	1.1	1.8	0.2	0.3	0.0	0.0	0.0	4.4	10	3651
MEAN NO DYS TSTMS	0.1	0.0	0.1	0.2	0.4	0.3	1.8	2.0	0.7	0.2	0.0	0.1	5.9	10	3652
P FREQ WND SPD = OR GTR 17 KTS	9.9	5.0	5.0	5.1	2.8	2.5	2.1	4.3	3.5	2.3	2.7	4.6	4.2	10	87605
P FREQ WND SPD = OR GTR 28 KTS	0.5	0.1	0.5	0.4	0.1	0.0	0.1	0.6	0.4	0.1	0.1	0.2	0.3	10	87605
P FREQ LES 5000 FT A/O LES 5 MI	11.3	15.7	24.9	24.3	22.3	35.1	52.3	34.0	28.2	16.1	13.6	10.2	24.0	10	87619
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.5	0.8	2.6	4.9	7.7	12.8	24.3	7.8	4.8	1.5	1.6	0.6	5.8	10	10952
03-05 LST	0.5	1.8	2.0	5.7	7.6	14.6	29.8	9.6	5.4	1.5	0.9	0.3	6.6	10	10953
06-08 LST	0.4	2.1	4.1	9.2	9.6	18.0	34.4	11.3	5.9	1.7	1.1	0.3	8.2	10	10953
09-11 LST	1.2	3.0	4.6	9.4	9.0	14.3	25.7	9.0	6.8	1.7	2.1	1.1	7.3	10	10953
12-14 LST	1.6	3.4	5.4	8.3	7.1	13.1	20.3	7.0	4.4	2.3	2.0	0.9	6.3	10	10951
15-17 LST	1.3	2.2	4.8	7.6	7.6	12.8	19.1	5.2	4.7	2.5	2.2	0.4	5.9	10	10953
18-20 LST	1.1	2.1	4.7	8.8	7.8	15.9	22.5	4.7	4.1	1.7	1.9	0.8	6.3	10	10953
21-23 LST	0.6	0.2	2.9	8.4	6.9	15.4	21.4	6.7	4.2	2.0	2.2	0.8	6.0	10	10951
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.1	0.6	1.4	1.1	0.6	0.0	0.0	0.0	0.1	0.3	10	10952
03-05 LST	0.0	0.0	0.0	0.0	0.4	1.4	2.6	0.9	0.2	0.0	0.0	0.0	0.5	10	10953
06-08 LST	0.0	0.2	0.0	0.6	0.3	1.4	3.3	0.4	0.4	0.0	0.1	0.0	0.6	10	10953
09-11 LST	0.0	0.0	0.1	1.0	0.4	0.9	1.1	0.0	0.3	0.0	0.0	0.1	0.3	10	10953
12-14 LST	0.0	0.0	0.4	0.6	1.6	1.1	0.1	0.0	0.3	0.0	0.0	0.0	0.3	10	10951
15-17 LST	0.2	0.0	0.1	0.7	0.3	1.2	1.3	0.3	0.0	0.0	0.1	0.3	0.4	10	10953
18-20 LST	0.0	0.1	0.5	0.7	1.5	1.4	1.3	0.0	0.0	0.0	0.0	0.2	0.5	10	10953
21-23 LST	0.0	0.0	0.0	0.4	0.4	1.0	1.3	0.3	0.1	0.0	0.0	0.0	0.3	10	10951

PUSAN, REP. OF KOREA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	30.9	27.7	30.1	27.8	29.1	27.5	25.0	29.7	28.7	30.5	29.6	30.7	347.3	10	3651
	15 LST	30.6	27.6	30.4	28.8	29.2	27.3	27.1	30.4	28.9	30.4	29.5	30.8	351.0	10	3651
	21 LST	30.9	27.8	30.2	28.6	29.7	27.1	26.9	30.5	29.3	30.9	29.8	30.8	352.5	10	3651
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	03 LST	31.0	27.6	30.6	29.4	29.7	27.3	26.0	30.1	29.2	30.7	29.9	30.9	352.4	10	3651
	09 LST	10.5	14.9	18.7	17.6	19.9	18.8	15.0	18.4	17.9	18.1	15.3	14.4	199.5	10	3651
	15 LST	12.5	12.5	10.5	10.1	12.1	11.9	10.3	13.3	15.4	14.1	16.1	14.9	153.7	10	3651
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	18.0	19.2	21.6	22.8	24.0	21.3	19.6	23.0	21.4	23.6	21.0	19.3	254.8	10	3651
	03 LST	15.0	15.4	19.3	21.1	21.8	21.8	17.9	21.6	20.8	19.0	15.4	14.6	223.7	10	3651
	09 LST	3.3	1.9	1.8	1.5	0.5	0.1	0.6	1.4	0.4	1.2	1.1	1.8	15.6	10	3472
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	3.5	1.6	1.9	2.6	2.4	0.8	1.1	1.2	1.8	0.7	1.0	1.5	20.1	10	3477
	21 LST	2.0	1.0	0.7	0.4	0.5	0.4	0.6	1.0	1.2	0.4	0.4	0.9	9.5	10	3470
	03 LST	2.6	1.1	0.7	0.8	0.1	0.6	0.3	0.7	0.7	0.6	0.9	1.3	10.4	10	3476
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	9.7	14.3	17.9	18.4	20.6	19.8	18.8	18.5	18.1	20.5	19.1	17.2	212.9	10	3472
	15 LST	13.6	13.6	13.3	15.1	17.1	18.1	18.8	17.5	18.8	19.0	19.4	16.6	200.9	10	3477
	21 LST	9.9	11.5	15.0	13.4	11.0	10.7	13.5	12.7	14.3	20.2	19.7	15.6	167.5	10	3470
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	7.1	9.0	16.7	16.1	14.0	14.7	14.4	15.2	18.4	19.7	17.6	12.8	175.7	10	3476
	09 LST	16.0	12.9	10.8	9.4	8.2	3.9	4.1	4.7	4.9	13.5	14.1	17.9	120.4	10	3651
	15 LST	16.0	11.4	9.4	8.0	7.3	3.5	5.1	6.3	4.4	10.0	12.6	16.4	110.4	10	3651
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	19.7	16.3	14.7	12.5	11.1	7.3	6.9	12.3	10.6	16.1	19.1	21.1	167.7	10	3651
	03 LST	20.1	16.5	14.1	13.7	13.5	9.1	7.7	12.0	11.3	17.5	19.0	20.3	174.8	10	3651
	09 LST	30.2	26.5	28.3	25.5	27.1	22.4	18.1	24.9	25.7	29.5	28.4	30.4	317.0	10	3651
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	29.7	26.4	28.2	26.3	27.1	23.7	22.2	26.7	26.3	29.2	28.7	30.6	325.1	10	3651
	21 LST	30.5	26.7	28.4	26.3	27.4	24.3	21.3	27.5	26.8	29.6	28.6	30.5	327.9	10	3651
	03 LST	30.5	27.2	28.7	27.0	27.3	24.0	19.4	25.7	25.5	30.1	29.1	30.8	325.3	10	3651
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	27.0	23.4	22.6	22.2	23.1	17.8	12.2	16.4	20.0	24.9	25.1	27.2	261.9	10	3651
	15 LST	26.2	22.0	20.9	22.4	23.4	19.0	17.5	21.1	21.4	24.9	24.5	26.1	269.4	10	3651
	21 LST	27.4	23.5	23.6	23.1	24.3	19.8	16.0	22.5	22.1	26.0	26.0	28.1	282.4	10	3651
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	27.7	24.3	23.3	23.5	23.9	19.5	14.1	20.2	21.9	26.4	26.3	28.1	279.2	10	3651
	09 LST	25.4	22.5	21.7	21.3	21.8	16.9	11.2	15.3	18.8	24.3	24.0	26.2	249.4	10	3651
	15 LST	25.4	20.8	20.2	20.9	22.1	18.0	16.2	19.9	19.8	23.3	23.5	25.4	255.5	10	3651
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	26.5	22.5	22.8	22.4	22.9	18.7	15.1	21.8	20.3	24.6	25.3	27.2	270.1	10	3651
	03 LST	26.7	23.6	22.6	22.6	22.6	18.6	13.1	19.6	20.1	25.4	25.4	27.6	267.9	10	3651

KWANGJU AB, REP. OF KOREA

STA NO. 47156 (IN AREA NUMBER 03)

LATITUDE 3507N LONGITUDE 12648E ELEVATION(FT) 00042

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	59	63	71	83	87	95	98	99	92	82	81	62	99	7	-47146
MEAN MAX TMP (F)	39	43	52	65	74	81	86	88	79	70	56	43	65	8	-47146
MEAN MIN TMP (F)	22	24	31	42	53	61	71	72	61	47	36	26	46	8	-47146
ABS MIN TMP (F)	4	5	19	26	41	48	60	61	42	27	17	7	4	8	-47146
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	4.5	10.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN DEW PT TMP (F)	22	25	31	43	54	61	71	72	62	50	38	27	46	9	-29
MEAN REL HUM (PCT)	74	73	70	70	74	73	79	79	78	75	76	77	75	11	-47146
MEAN PRESS ALT (FT)	-266	-198	-150	-8	88	184	184	184	33	-117	-198	-252	-40	0	-50
MEAN PRECIP (IN)	1.26	0.99	2.37	1.63	2.79	6.61	13.52	7.76	7.40	2.55	1.58	1.21	49.7	6	1642
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1453
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.8	1.7	4.0	4.0	3.5	6.2	11.5	8.7	6.6	3.2	2.8	2.8	58.9	6	1642
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1453
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	1
MEAN NO DYS TSMTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
P FREQ WND SPD = OR GTR 17 KTS	6.5	4.1	7.0	12.8	15.1	20.6	27.4	22.0	15.0	13.4	6.4	2.7	12.8	0	0
P FREQ WND SPD = OR GTR 28 KTS	7.5	7.5	9.3	15.6	10.8	21.1	27.4	18.8	12.6	10.9	8.4	6.5	13.0	7	2181
P FREQ LES 5000 FT A/O LES 5 MI	7.3	5.3	6.3	8.3	4.7	6.5	11.1	5.2	4.6	2.9	3.5	4.1	5.8	7	6543
P FREQ LES 1500 FT A/O LES 3 MI	4.1	4.1	3.8	7.0	3.9	2.8	7.4	3.9	4.6	0.5	1.9	1.8	3.8	7	6542
FOR 00-02 LST	4.8	4.3	3.9	5.9	3.2	3.7	7.7	2.7	3.1	1.1	1.8	1.1	3.6	7	6542
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI	0.5	0.0	0.0	3.3	3.8	5.0	4.8	8.1	6.7	5.4	4.1	1.6	3.6	0	0
FOR 00-02 LST														0	0
03-05 LST	1.1	1.4	1.8	3.0	3.9	4.3	2.0	4.8	5.6	4.3	4.5	1.8	3.2	7	2181
06-08 LST	0.9	0.4	0.7	0.7	0.4	0.6	0.0	0.0	0.0	0.9	1.2	1.3	0.6	7	6543
09-11 LST	0.9	1.2	0.5	0.2	0.0	0.2	0.0	0.0	0.4	0.5	0.0	0.2	0.3	7	6542
12-14 LST	1.1	0.2	0.5	0.0	0.0	0.0	0.2	0.0	0.7	0.2	0.0	0.2	0.3	7	6542
15-17 LST														0	0
16-20 LST														0	0
21-23 LST														0	0

KWANGJU AB, REP. OF KOREA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		MEAN NUMBER OF DAYS												POR (YRS)	NO. OBS	
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC			ANN
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	28.0	25.7	28.8	26.6	29.6	27.2	27.3	28.0	27.3	28.6	27.4	28.8	333.3	7	2181
	14 LST	29.8	26.7	30.0	29.0	30.3	29.6	30.3	30.5	28.8	30.8	29.8	30.5	356.1	7	2181
	20 LST						30.0								1	1
CIG =GTR 2000 FT AND VSBY =GTR 08 LST 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	25.6	22.0	23.2	22.8	25.8	22.7	18.8	23.7	24.8	26.8	24.9	25.8	286.9	7	2181
	14 LST	18.5	16.9	17.3	16.8	19.2	19.1	20.3	24.1	22.0	21.3	19.3	19.4	234.2	7	2181
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														1	1
	02 LST														0	0
	08 LST	0.2	0.3	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	1.5	7	2078
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	14 LST	0.5	1.1	2.0	1.2	0.7	1.1	0.2	0.2	0.3	0.8		0.7		7	2082
	20 LST						0.0								1	1
	02 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	2.8	2.6	7.5	7.9	7.6	9.5	12.3	9.5	6.7	3.2	3.9	5.4	78.9	7	2060
	14 LST	9.2	10.6	13.8	14.5	19.0	16.1	11.7	7.6	15.6	14.5	14.0	12.3	158.9	7	2065
	20 LST						0.0								1	1
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	6.8	8.8	7.7	8.8	7.3	4.7	2.1	4.8	6.8	13.6	11.6	8.7	91.7	7	2181
	14 LST	7.2	7.3	7.3	8.3	7.8	3.2	2.0	2.7	5.5	10.7	10.9	8.0	80.9	7	2181
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														1	1
	02 LST														0	0
	08 LST	26.7	24.7	26.0	24.3	27.0	22.7	17.1	23.0	26.2	28.5	26.6	27.3	300.1	7	2181
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	14 LST	28.5	25.8	28.1	26.8	28.3	27.0	25.0	27.2	26.6	30.3	29.1	29.1	331.8	7	2181
	20 LST														1	1
	02 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	18.0	18.9	19.7	20.6	22.3	16.3	10.0	15.0	19.0	24.0	22.1	18.1	224.0	7	2181
	14 LST	19.7	18.2	21.0	21.8	24.5	18.5	12.5	17.3	20.8	24.8	22.1	21.3	242.5	7	2181
	20 LST														1	1
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	15.0	15.6	17.3	18.5	19.7	14.3	7.3	13.0	16.8	21.8	20.0	15.2	194.5	7	2181
	14 LST	16.8	15.7	18.7	20.3	22.8	16.1	11.0	15.5	18.5	23.2	20.3	19.7	218.6	7	2181
20 LST														1	1	
02 LST														0	0	

CHINHAE, REP. OF KOREA

STA NO. 47157 (IN AREA NUMBER 03)

LATITUDE 3508N LONGITUDE 12842E ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	62	63	68	80	89	93	94	96	97	83	88	70	97	11	3772
MEAN MAX TMP (F)	42	47	54	63	72	77	83	86	79	71	60	48	65	11	3772
MEAN MIN TMP (F)	28	31	37	46	55	62	72	74	65	54	43	33	50	11	3772
ABS MIN TMP (F)	11	13	20	32	45	51	62	62	51	35	23	16	11	11	3772
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.2	3.8	8.2	0.4	0.0	0.0	0.0	12.6	11	3772
MEAN NO DYS TMP = OR LES 32(F)	22.7	16.7	6.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.8	13.0	61.1	11	3772
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3772
MEAN DEW PT TMP (F)	23	26	35	45	55	62	72	73	64	51	40	29	48	11	90443
MEAN REL HUM (PCT)	62	62	68	72	75	80	85	81	78	69	68	65	72	11	90443
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.62	2.30	3.12	5.44	5.42	5.40	7.66	7.34	7.95	2.03	1.55	1.20	50.0	11	3787
MEAN SNOW FALL (IN)	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.0	11	3787
MEAN NO DYS PKCP = OR GTR 0.1 IN	2.3	3.0	4.9	6.5	6.8	6.2	9.1	7.2	7.7	3.3	2.6	2.3	61.9	11	3787
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	11	3787
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.2	0.2	0.3	0.6	0.7	1.0	1.2	0.2	0.4	0.0	0.0	0.2	5.0	11	3771
MEAN NO DYS TSTMS	0.0	0.1	0.0	0.1	0.3	0.4	0.9	1.1	0.2	0.1	0.0	0.0	3.2	11	3772
P FREQ WND SPD = UR GTR 17 KTS	0.6	1.1	0.8	1.0	0.5	0.6	0.3	2.1	1.2	0.4	0.7	0.6	0.8	11	90477
P FREQ WND SPD = UR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.0	0.1	11	90477
P FREQ LES 5000 FT A/O LES 5 MI	12.4	19.1	23.0	24.0	26.1	35.3	52.8	35.0	27.2	14.1	13.9	10.4	24.4	11	90476
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.9	1.5	2.8	4.3	5.7	9.6	17.1	3.3	2.0	0.7	0.7	1.1	4.1	11	11311
03-05 LST	0.7	1.8	2.6	4.3	7.0	9.0	17.3	4.4	1.7	0.8	0.8	0.8	4.3	11	11344
06-08 LST	3.3	5.1	6.2	9.2	11.3	10.8	21.1	7.6	6.7	1.2	1.9	3.6	7.3	11	11360
09-11 LST	2.2	4.7	4.5	6.1	7.5	7.7	13.2	4.4	4.4	1.0	1.2	2.5	5.0	11	11360
12-14 LST	0.8	3.1	3.4	5.9	4.7	7.1	10.8	3.0	3.0	0.4	1.1	1.2	3.7	11	11360
15-17 LST	1.3	1.9	3.3	3.9	4.4	6.1	10.1	2.5	1.5	1.3	1.8	2.0	3.3	11	11358
18-20 LST	1.0	1.4	3.0	5.2	5.1	7.8	9.1	1.0	2.5	1.3	2.0	2.0	3.5	11	11311
21-23 LST	0.8	1.2	1.8	5.2	6.1	8.2	13.0	2.3	2.0	0.6	1.2	1.6	3.7	11	11310
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.3	0.7	0.9	0.9	0.7	0.3	0.1	0.0	0.0	0.0	0.3	11	11311
03-05 LST	0.0	0.2	0.3	0.8	1.3	0.8	1.3	0.9	0.4	0.0	0.0	0.2	0.5	11	11344
06-08 LST	0.7	0.8	0.8	2.6	1.3	1.3	3.2	0.9	0.7	0.0	0.0	0.3	1.1	11	11360
09-11 LST	0.4	0.4	0.4	1.0	0.5	1.6	0.7	0.4	0.7	0.0	0.4	0.3	0.6	11	11360
12-14 LST	0.0	0.5	0.4	1.0	0.0	1.0	0.5	0.1	0.2	0.1	0.2	0.4	0.4	11	11360
15-17 LST	0.3	0.0	0.1	0.8	0.4	0.2	0.5	0.0	0.0	0.1	0.0	0.8	0.3	11	11358
18-20 LST	0.1	0.0	0.1	0.9	0.4	0.3	0.2	0.0	0.1	0.0	0.0	0.4	0.2	11	11311
21-23 LST	0.2	0.0	0.2	0.4	0.6	0.6	0.0	0.3	0.1	0.0	0.0	0.3	0.2	11	11310

CHINHAE, REP. OF KOREA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		MEAN NUMBER OF DAYS												POR (YRS)	NO. OBS	
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC			ANN
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	30.3	26.7	30.0	28.4	29.3	28.1	27.9	29.9	28.4	30.7	29.5	29.8	349.0	11	3788
	15 LST	30.8	27.7	30.2	29.3	30.1	28.4	29.3	30.4	29.5	30.7	29.7	30.5	356.6	11	3788
	21 LST	30.9	28.0	30.6	28.8	29.6	28.4	28.9	30.5	29.6	30.8	29.8	30.5	356.4	11	3771
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	30.8	27.6	30.6	29.1	29.8	28.2	27.5	30.0	29.8	30.9	29.7	30.8	354.8	11	3788
	09 LST	24.2	19.4	23.9	25.1	25.4	24.4	21.4	25.6	24.0	25.5	22.0	22.2	283.1	11	3788
	15 LST	22.4	20.2	21.7	20.7	23.1	21.4	19.3	22.3	24.5	25.0	24.3	24.1	269.0	11	3788
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	24.7	23.0	26.7	25.9	27.2	24.9	24.0	26.4	26.3	27.5	25.7	26.6	308.9	11	3771
	03 LST	23.9	20.2	24.8	25.2	26.7	24.7	22.4	25.5	26.6	26.5	23.7	23.5	293.7	11	3788
	09 LST	0.1	0.0	0.2	0.1	0.0	0.1	0.0	0.5	0.0	0.2	0.1	0.2	1.5	11	3601
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	0.4	0.1	0.4	0.3	0.2	0.0	0.1	0.6	0.3	0.1	0.2	0.1	2.8	11	3610
	21 LST	0.3	0.3	0.3	0.2	0.0	0.0	0.1	0.4	0.1	0.1	0.1	0.1	2.0	11	3592
	03 LST	0.1	0.2	0.2	0.1	0.0	0.2	0.1	0.4	0.5	0.3	0.3	0.5	2.9	11	3603
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	9.0	11.5	15.0	15.2	16.5	17.4	14.4	16.0	16.3	19.6	15.8	12.9	179.6	11	3601
	15 LST	17.3	20.1	21.3	21.1	21.3	22.6	19.3	17.5	19.7	19.1	18.8	18.1	236.2	11	3610
	21 LST	7.2	8.5	10.4	6.9	5.5	7.0	9.4	7.3	8.2	10.1	9.7	9.5	99.7	11	3592
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	5.7	8.1	9.6	7.9	5.1	3.9	6.6	7.1	7.0	13.3	12.9	8.9	96.1	11	3603
	09 LST	16.2	13.2	12.2	10.2	8.3	4.8	3.3	5.4	6.8	14.8	14.1	17.1	126.4	11	3788
	15 LST	15.2	10.6	8.9	7.7	6.7	4.6	4.7	5.4	5.4	11.1	12.2	15.6	108.1	11	3788
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	19.7	15.6	14.3	13.2	10.5	7.7	7.6	11.3	11.3	18.4	19.9	21.7	171.2	11	3771
	03 LST	19.1	16.7	15.8	13.7	12.8	9.8	6.2	10.8	11.2	18.8	19.5	21.4	175.8	11	3788
	09 LST	29.9	25.7	28.8	26.4	27.2	24.9	20.4	26.2	26.5	29.8	28.7	29.3	323.8	11	3788
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	30.2	26.2	29.1	27.4	28.5	25.6	24.5	27.2	27.7	29.8	29.0	30.1	335.3	11	3788
	21 LST	30.5	26.7	29.3	27.1	28.1	25.6	23.8	28.3	28.4	30.3	29.4	30.2	337.7	11	3771
	03 LST	30.6	26.6	29.5	27.3	27.3	25.3	21.6	27.0	28.1	30.1	29.3	30.7	333.4	11	3788
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	26.2	21.6	23.9	22.6	22.1	18.5	12.9	19.3	21.4	26.4	25.3	26.9	267.1	11	3788
	15 LST	26.8	22.0	22.5	23.0	23.8	20.5	17.0	21.4	21.2	24.9	24.7	27.0	274.8	11	3788
	21 LST	27.4	23.3	24.7	23.7	23.5	19.9	16.2	21.9	22.3	27.7	26.9	28.5	286.0	11	3771
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	27.9	23.7	24.9	23.3	23.5	20.2	13.5	20.2	22.6	27.2	26.9	29.0	282.9	11	3788
	09 LST	25.0	20.9	22.2	21.0	20.8	16.3	12.1	17.5	19.0	25.1	23.3	25.7	248.9	11	3788
	15 LST	25.7	21.1	21.6	22.2	22.2	19.6	15.8	19.7	18.9	24.2	23.1	25.7	259.8	11	3788
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	26.5	22.3	23.6	22.4	21.8	18.4	15.3	20.6	20.2	26.1	25.7	27.0	269.9	11	3771
	03 LST	26.6	22.8	23.7	22.5	22.1	19.1	12.3	19.0	20.6	26.3	25.8	27.4	268.2	11	3788

SACHON, REP. OF KOREA

LATITUDE 3505N LONGITUDE 12804E ELEVATION(FT) 00023

STA NO. 47161 (IN AREA NUMBER 03)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	59	63	71	80	92	95	97	96	91	84	74	64	97	12	3896
MEAN MAX TMP (F)	42	46	55	65	74	79	85	87	79	71	60	48	66	12	3896
MEAN MIN TMP (F)	22	25	34	45	54	63	72	72	63	48	37	27	47	12	3896
ABS MIN TMP (F)	5	9	18	23	39	49	58	58	44	31	20	12	5	12	3896
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	0.8	6.4	12.0	0.7	0.0	0.0	0.0	20.1	12	3896
MEAN NO DYS TMP = OR LES 32(F)	28.9	23.2	14.2	1.4	0.0	0.0	0.0	0.0	0.0	0.2	8.3	26.1	102.3	12	3896
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3896
MEAN DEW PT TMP (F)	23	27	36	47	56	64	73	73	65	51	39	29	49	12	93452
MEAN REL HUM (PCT)	73	74	75	78	77	80	85	84	83	78	77	74	78	12	93452
MEAN PRESS ALT (FT)	0.78	1.77	3.39	6.35	4.82	8.08	10.34	7.24	9.18	2.36	1.59	0.78	56.7	12	3864
MEAN PRECIP (IN)	1.1	1.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	4.5	12	3863
MEAN SNOW FALL (IN)	1.7	2.7	4.3	8.0	5.5	7.1	10.3	7.4	9.0	2.9	2.0	1.6	62.5	12	3864
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.3	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.9	12	3863
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.2	0.8	0.9	1.0	1.4	0.9	0.9	1.6	1.4	0.5	0.9	0.1	10.6	12	3895
MEAN NO DYS W/OCUM VSBY LES 1/2 MI	0.0	0.0	0.1	0.5	0.3	0.4	2.7	2.0	1.0	0.2	0.0	0.1	7.3	12	3896
MEAN NO DYS TSMS	1.9	1.9	2.8	2.1	0.7	0.8	1.7	1.9	1.3	0.2	0.7	1.0	1.4	12	93423
P FREQ WND SPU = OR GTR 17 KTS	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.4	0.1	0.0	0.0	0.0	0.1	12	93423
P FREQ WND SPU = OR GTR 28 KTS	12.9	17.6	25.1	34.9	25.7	36.8	54.9	40.6	34.2	13.2	13.4	9.9	26.6	12	93450
P FREQ LES 5000 FT A/O LES 5 MI	0.7	2.7	4.8	8.9	5.4	7.4	12.1	5.3	6.0	1.0	0.9	0.5	4.6	12	11676
P FREQ LES 1500 FT A/O LES 3 MI	0.9	2.0	5.1	8.2	6.9	8.8	15.2	7.3	6.5	2.1	1.4	0.8	5.4	12	11680
FOR 00-02 LST	1.1	3.1	7.8	12.5	15.1	30.1	20.8	9.9	9.9	4.0	4.2	1.7	10.5	12	11682
FOR 03-05 LST	3.9	6.3	6.0	13.3	9.2	14.6	24.7	10.7	7.1	3.1	3.5	2.0	8.7	12	11683
FOR 06-08 LST	1.9	4.7	4.1	9.2	6.9	10.9	15.5	6.0	5.7	2.0	1.5	0.6	5.8	12	11680
FOR 09-11 LST	2.1	5.1	4.7	8.8	5.8	9.8	11.6	5.6	5.7	1.7	1.3	1.0	5.3	12	11682
FOR 12-14 LST	2.2	3.5	4.0	10.8	5.3	9.2	13.1	6.5	5.9	1.2	1.2	1.0	5.3	12	11682
FOR 15-17 LST	0.8	2.6	4.6	10.8	6.1	8.7	14.6	6.6	5.7	1.1	0.7	0.8	5.3	12	11685
FOR 18-20 LST	0.0	0.4	0.3	0.3	0.3	0.0	0.0	0.1	0.0	0.2	0.0	0.0	0.1	12	11676
FOR 21-23 LST	0.3	0.4	0.5	0.3	1.4	0.9	0.5	1.3	0.4	1.0	0.4	0.1	0.6	12	11680
P FREQ LES 300 FT A/O LES 1 MI	0.7	1.5	2.5	4.1	4.0	3.2	4.0	5.1	2.8	1.7	2.4	0.1	2.7	12	11682
FOR 00-02 LST	1.5	1.4	0.9	1.0	0.1	1.0	0.8	0.2	0.9	0.5	0.9	0.1	0.8	12	11683
FOR 03-05 LST	0.3	1.0	0.4	0.3	0.0	0.6	0.3	0.2	0.9	0.0	0.0	0.0	0.3	12	11680
FOR 06-08 LST	0.1	0.5	0.4	0.6	0.3	0.7	0.4	0.3	0.6	0.1	0.1	0.3	0.4	12	11682
FOR 09-11 LST	0.2	0.1	0.1	0.8	0.4	0.6	0.3	0.0	0.1	0.0	0.0	0.5	0.3	12	11682
FOR 12-14 LST	0.0	0.6	0.0	0.4	0.4	0.3	0.3	0.1	0.2	0.0	0.0	0.3	0.2	12	11685
FOR 15-17 LST															
FOR 18-20 LST															
FOR 21-23 LST															

SACHON, REP. OF KOREA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	29.8	26.1	28.8	26.6	28.9	27.6	25.7	25.4	26.1	30.0	28.4	30.1	338.5	12	3895
	15 LST	30.4	26.7	29.8	28.7	29.8	28.5	29.0	30.0	29.1	30.9	29.7	30.6	353.2	12	3895
	21 LST	30.8	27.4	30.0	28.1	29.4	28.8	28.7	30.6	29.1	30.7	29.8	30.7	354.1	12	3895
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	30.9	27.4	29.7	28.3	29.8	28.6	28.9	30.2	29.0	30.4	29.9	30.9	354.0	12	3895
	09 LST	27.4	23.7	25.1	20.8	24.9	22.2	15.2	22.4	24.4	28.2	26.3	27.9	288.5	12	3894
	15 LST	19.9	16.4	15.3	11.5	14.7	11.9	11.0	17.8	20.8	24.5	23.3	23.1	210.2	12	3895
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	26.4	24.1	23.8	22.0	24.7	23.3	19.4	24.8	25.7	29.1	27.7	28.3	299.3	12	3895
	03 LST	28.6	24.9	27.3	24.2	26.5	24.4	20.5	25.3	25.9	29.7	28.4	29.6	315.3	12	3894
	09 LST	0.3	0.0	0.3	0.2	0.1	0.0	0.1	0.4	0.2	0.0	0.1	0.1	1.8	12	3686
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	2.0	1.3	1.6	2.0	0.5	0.4	1.2	0.8	0.5	0.1	0.7	0.8	11.9	12	3714
	21 LST	0.7	0.0	0.3	0.5	0.3	0.2	0.6	0.2	0.2	0.0	0.1	0.2	3.3	12	3705
	03 LST	0.4	0.3	0.1	0.2	0.4	0.3	0.1	0.5	0.2	0.1	0.0	0.2	2.8	12	3688
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	2.0	3.9	11.5	14.2	13.2	12.1	14.2	11.6	11.9	12.1	9.9	4.5	121.1	12	3686
	15 LST	12.5	13.3	14.6	15.3	17.6	17.0	15.2	12.8	18.3	19.3	16.7	15.6	188.2	12	3714
	21 LST	3.8	5.1	11.2	14.1	13.4	14.3	16.7	9.5	6.7	5.6	6.4	4.9	111.7	12	3705
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	1.8	2.7	4.2	6.3	4.7	5.6	8.9	5.2	3.6	4.7	4.6	2.3	54.6	12	3688
	09 LST	16.6	12.3	10.8	9.0	8.6	4.0	2.6	4.2	6.5	15.2	14.3	15.9	119.4	12	3895
	15 LST	13.9	11.8	8.7	7.1	7.0	3.5	3.3	3.0	4.2	11.3	11.6	15.0	100.4	12	3895
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	19.3	15.3	12.3	10.0	9.5	5.4	5.7	7.6	8.1	16.2	17.6	19.5	146.5	12	3895
	03 LST	20.1	16.4	15.2	10.9	12.2	8.6	6.7	11.2	10.7	18.4	18.6	19.2	168.2	12	3895
	09 LST	29.6	25.5	27.0	22.7	25.9	22.1	15.1	22.5	24.9	29.3	28.0	30.0	302.6	12	3895
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	30.1	26.3	28.4	24.7	27.7	24.5	21.1	26.9	26.1	30.0	29.1	30.5	325.4	12	3895
	21 LST	30.2	26.3	28.4	24.6	26.7	24.8	21.7	25.7	25.7	29.9	29.2	30.4	323.6	12	3895
	03 LST	30.7	27.0	28.4	24.5	27.2	25.0	21.7	25.7	25.2	30.1	29.0	30.8	325.3	12	3895
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	26.0	22.0	22.4	18.7	22.4	16.3	10.6	15.8	19.2	26.4	24.9	26.9	251.6	12	3895
	15 LST	26.3	22.4	22.0	19.5	23.5	18.7	14.4	18.4	19.4	26.4	24.9	26.8	262.7	12	3895
	21 LST	27.2	23.7	22.9	19.8	23.4	19.8	16.2	20.2	19.6	27.2	26.1	27.8	273.9	12	3895
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	27.3	24.4	23.0	14.2	23.2	20.1	14.1	20.6	19.4	26.8	26.3	27.6	272.0	12	3895
	09 LST	24.3	20.7	21.0	17.2	20.3	14.8	9.2	14.4	17.0	24.1	22.9	25.2	231.1	12	3895
	15 LST	24.6	21.8	20.4	16.0	21.7	17.3	13.4	17.1	17.7	24.4	23.3	25.4	245.1	12	3895
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	26.4	23.2	21.2	18.5	21.5	17.9	15.4	19.3	18.5	25.5	25.3	26.6	259.3	12	3895
	03 LST	26.2	22.9	21.9	18.0	21.0	18.1	13.2	19.6	18.5	25.5	25.2	26.4	256.5	12	3895

AREA NO. 03

LATITUDE 3525N LONGITUDE 13800E
 SOUTHERN COAST 3555N 12820E 3510N 12620E
 BOUNDARIES 3620N 12925E 3555N 12820E 3510N 12620E

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	41	46	54	64	72	78	84	86	79	70	59	47	65	
MEAN MIN TMP (F)	25	28	36	46	54	62	71	72	64	50	40	30	48	
LARGEST MEAN PRECIP(IN)	1.70	2.30	3.39	6.56	5.42	8.08	13.52	7.76	9.18	2.90	2.01	1.50	4.43	
SMALLEST MEAN PRECIP(IN)	0.39	0.99	1.70	1.63	2.56	5.10	6.60	5.10	5.34	1.59	1.13	0.78	32.9	
MEAN NUMBER OF DAYS														
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	29.0	26.1	29.6	27.4	29.3	27.9	27.1	29.2	28.1	29.8	28.4	29.3	341.2
	15 LST	30.4	27.2	30.2	28.8	30.0	28.4	29.2	30.3	29.2	30.6	29.6	30.6	354.5
	21 LST	30.6	27.6	30.3	28.5	29.7	28.7	28.7	30.6	29.4	30.8	29.7	30.6	355.2
	03 LST	30.8	27.5	30.5	29.0	29.8	28.3	28.2	30.3	29.4	30.6	29.8	30.8	355.0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	09 LST	21.4	19.7	2.9	21.2	24.1	22.3	18.7	23.0	23.2	25.2	22.7	22.8	267.2
	15 LST	16.8	15.8	15.9	14.9	17.1	16.1	16.1	19.1	20.3	21.0	20.4	19.7	213.2
	21 LST	23.4	22.3	23.9	23.1	25.4	24.3	22.1	25.3	24.9	27.3	25.6	25.6	293.2
	03 LST	23.1	21.1	24.8	23.2	25.7	24.6	22.2	25.2	25.2	26.4	24.1	24.2	289.8
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST	0.8	0.5	0.6	0.4	0.1	0.1	0.1	0.6	0.2	0.3	0.3	0.5	4.5
	15 LST	1.8	1.1	1.7	1.5	1.0	0.6	0.6	0.7	0.6	0.5	0.6	0.8	11.5
	21 LST	0.8	0.5	0.4	0.5	0.3	0.1	0.3	0.6	0.4	0.1	0.2	0.3	4.5
	03 LST	1.0	0.7	0.5	0.4	0.2	0.3	0.1	0.5	0.4	0.2	0.3	0.5	5.1
SFC WND 4-10 KTS AND TMP 35-89 DEG F AND NO PRECIP.	09 LST	4.6	7.1	11.8	13.3	13.4	13.5	15.2	13.6	11.9	11.8	10.9	8.6	135.7
	15 LST	12.7	14.1	15.6	16.5	18.0	17.5	15.0	13.4	17.9	17.5	16.7	15.8	190.7
	21 LST	5.3	7.5	11.7	12.1	10.8	10.2	14.4	10.9	10.2	10.5	10.1	8.1	121.8
	03 LST	3.4	5.1	8.7	8.8	7.1	7.5	10.0	8.1	7.7	9.2	8.9	6.4	91.2
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	14.2	11.9	10.5	9.4	8.1	4.5	3.1	4.8	5.8	14.1	13.4	15.0	114.8
	15 LST	13.7	10.9	8.6	7.7	7.1	3.7	3.6	4.2	4.5	10.5	11.9	14.1	100.5
	21 LST	19.7	15.9	13.8	11.4	10.3	5.5	6.6	10.3	9.8	16.9	18.5	20.1	158.8
	03 LST	19.7	16.6	14.8	12.5	12.3	9.2	7.2	11.6	10.7	17.9	18.6	20.1	171.2
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST	28.4	25.2	27.8	24.6	27.0	23.5	19.0	24.6	25.4	29.0	27.5	28.8	310.8
	15 LST	29.6	26.3	28.5	26.1	28.0	25.5	23.9	27.2	26.7	24.8	28.9	30.2	330.7
	21 LST	30.1	26.5	28.9	25.9	27.6	26.1	23.2	27.6	27.0	29.9	29.1	30.4	332.3
	03 LST	30.3	26.9	29.0	26.0	27.7	25.3	22.2	26.6	26.4	29.9	29.1	30.7	330.1
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST	24.4	21.5	22.4	20.8	22.6	17.9	12.0	17.0	19.7	25.3	24.1	24.9	252.6
	15 LST	25.0	21.4	21.6	21.5	23.7	19.3	15.6	19.5	20.5	25.1	24.2	25.8	263.2
	21 LST	27.2	23.4	23.7	21.7	23.7	21.9	16.8	21.6	21.4	26.8	26.0	28.0	282.2
	03 LST	27.4	24.0	23.8	21.2	23.4	20.1	14.4	20.5	21.2	26.8	26.0	27.9	276.7
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	22.9	20.3	20.9	19.4	21.0	16.3	10.4	15.4	17.8	23.8	22.6	23.2	234.0
	15 LST	23.5	20.1	20.2	20.1	22.1	18.0	14.3	18.0	18.5	23.7	22.7	24.5	245.7
	21 LST	26.2	22.6	22.5	20.5	22.2	20.5	15.9	20.5	19.9	25.4	25.1	26.8	268.1
	03 LST	26.3	23.0	22.8	20.1	21.9	18.6	13.3	19.6	19.7	25.7	24.9	26.8	262.7

MOSULPO, REP. OF KOREA

STA NO. 47187 (IN AREA NUMBER 04)

LATITUDE 3312N

LONGITUDE 12613E

ELEVATION(FT) 00043

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	63	64	70	74	84	85	93	93	93	85	74	68	93	12	3867
MEAN MAX TMP (F)	46	49	55	62	69	74	82	86	80	72	62	53	66	12	3867
MEAN MIN TMP (F)	35	36	41	49	56	64	74	75	68	56	47	40	53	12	3867
ABS MIN TMP (F)	24	26	28	31	44	53	63	63	52	42	32	27	24	12	3867
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	1.1	3.4	0.6	0.0	0.0	0.0	5.1	12	3867
MEAN NO DYS TMP = OR LES 32(F)	9.3	6.8	1.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.5	19.3	12	3867
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3867
MEAN DEW PT TMP (F)	34	35	41	50	57	64	74	75	68	56	46	39	53	12	91314
MEAN REL HUM (PCT)	77	75	77	81	83	86	90	84	83	75	74	76	80	12	91314
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.26	1.76	1.79	4.68	4.16	5.26	5.77	5.49	7.09	1.19	1.88	1.39	42.7	12	3867
MEAN SNOW FALL (IN)	11.4	2.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	16.3	12	3867
MEAN NO DYS PKCP = OR GTR 0.1 IN	6.1	4.5	5.1	6.5	6.1	6.2	7.6	6.8	7.2	3.1	3.9	3.6	66.7	12	3867
MEAN NO DYS SNPL = OR GTR 1.5 IN	2.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	3.3	12	3867
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.8	0.3	0.2	2.8	3.0	5.6	5.4	1.0	0.5	0.0	0.1	0.1	19.8	12	3805
MEAN NO DYS TSIMS	0.2	0.0	0.2	0.8	0.3	0.3	1.8	1.4	1.4	0.1	0.1	0.2	6.8	12	3867
P FREU WNU SPU = OR GTR 17 KTS	28.1	20.6	19.9	15.0	7.1	4.0	2.8	7.6	7.1	8.7	12.9	17.6	12.6	12	91261
P FREU WNU SPU = UR GTR 28 KTS	1.1	0.7	0.9	0.4	0.1	0.1	0.0	1.1	0.4	0.0	0.3	0.5	0.5	12	91261
P FREU LES 5000 FT A/O LES 5 MI	61.8	42.8	38.9	34.8	34.2	41.6	59.0	29.7	28.4	17.1	27.2	47.3	38.9	12	91314
P FREU LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	2.5	1.0	1.8	11.9	9.2	16.8	30.9	5.8	2.7	0.3	0.1	0.7	7.0	12	11414
03-05 LST	2.3	1.1	1.9	11.3	10.6	19.3	32.4	6.1	2.2	0.9	0.0	0.2	7.4	12	11415
06-08 LST	2.9	2.0	3.2	16.3	11.4	21.4	34.3	5.8	3.6	1.9	0.5	0.6	8.7	12	11415
09-11 LST	4.2	2.2	3.2	15.8	12.1	18.8	29.5	5.6	2.2	0.6	0.9	0.9	8.0	12	11415
12-14 LST	3.5	1.6	2.3	14.4	11.1	18.4	24.9	6.2	2.4	0.5	1.4	0.6	7.3	12	11414
15-17 LST	4.0	2.3	2.7	13.7	9.8	16.9	26.6	5.8	2.7	0.7	1.3	0.6	7.3	12	11415
18-20 LST	2.2	1.4	2.6	13.7	10.3	17.9	27.6	6.3	2.8	0.4	0.5	0.5	7.2	12	11414
21-23 LST	2.3	1.0	2.5	13.0	8.7	19.4	26.8	5.2	2.2	0.3	0.3	0.7	6.9	12	11412
P FREU LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.9	0.2	0.0	4.4	5.1	11.1	10.7	1.4	0.6	0.0	0.0	0.1	2.9	12	11414
03-05 LST	0.6	0.0	0.1	5.4	5.0	11.2	10.4	1.4	0.7	0.0	0.0	0.1	2.9	12	11415
06-08 LST	0.4	0.1	0.4	6.8	4.7	12.5	11.5	1.0	0.3	0.0	0.0	0.1	3.2	12	11415
09-11 LST	1.3	0.3	0.2	6.4	4.3	11.4	8.3	0.7	0.8	0.0	0.2	0.0	2.8	12	11415
12-14 LST	0.7	0.1	0.3	5.0	3.7	9.4	6.4	0.2	0.7	0.0	0.1	0.1	2.2	12	11414
15-17 LST	1.3	0.1	0.3	4.4	4.2	8.9	6.4	0.2	0.5	0.0	0.2	0.1	2.2	12	11415
18-20 LST	1.0	0.2	0.2	4.4	4.8	11.2	8.1	1.2	0.9	0.0	0.3	0.1	2.7	12	11414
21-23 LST	0.8	0.3	0.0	3.9	5.0	11.2	7.9	1.4	0.4	0.0	0.0	0.1	2.6	12	11412

MOSULPO, REP. OF KOREA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 30.2	27.5	30.2	25.4	28.3	24.0	22.6	30.3	29.6	30.8	29.9	30.8	339.6	12	3805
	14 LST 29.9	27.7	30.4	26.2	28.4	25.2	24.9	30.5	29.3	30.9	29.5	30.9	343.8	12	3805
	20 LST 30.3	27.8	30.3	26.8	28.2	25.2	24.6	30.3	29.4	31.0	29.9	30.9	344.7	12	3805
	02 LST 30.3	27.9	30.6	27.6	28.4	25.3	23.1	30.3	29.3	31.0	30.0	30.7	344.5	12	3805
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	08 LST 9.9	9.7	12.4	12.7	16.9	17.4	13.6	18.9	16.5	16.6	14.0	13.6	172.2	12	3805
	14 LST 5.6	5.3	8.6	8.2	14.0	14.9	11.8	14.0	12.0	10.5	9.4	8.2	122.5	12	3805
	20 LST 11.0	11.6	14.2	14.4	20.0	18.5	16.6	20.7	19.5	19.1	16.1	14.9	195.6	12	3805
	02 LST 9.4	12.0	15.9	15.1	20.0	19.7	16.2	20.7	18.6	18.8	17.0	15.1	198.5	12	3804
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 7.6	4.8	5.2	3.8	1.4	1.2	0.8	2.2	1.6	2.2	4.1	4.9	39.8	12	3664
	14 LST 11.1	9.1	10.1	7.1	2.8	1.4	0.7	2.6	2.7	5.0	6.0	7.9	66.5	12	3662
	20 LST 6.2	4.3	4.7	3.4	1.4	0.6	0.3	1.6	1.7	1.8	2.6	3.3	31.9	12	3668
	02 LST 8.1	4.5	4.4	3.7	1.6	0.7	0.5	2.0	1.8	1.8	3.2	4.9	37.2	12	3650
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 9.1	9.4	11.8	14.5	15.6	16.0	18.9	15.4	12.8	14.0	12.5	12.0	162.0	12	3664
	14 LST 7.4	7.1	11.0	12.8	17.3	19.9	21.0	16.8	15.5	12.0	10.8	8.6	160.2	12	3662
	20 LST 12.6	11.2	14.7	15.4	15.0	15.5	16.2	15.3	16.4	17.9	15.8	14.9	180.9	12	3668
	02 LST 9.3	10.1	13.2	15.7	15.5	14.4	14.1	12.2	15.6	16.5	15.9	14.8	167.3	12	3650
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 2.5	4.4	6.6	5.9	5.0	3.4	3.3	6.5	6.5	11.7	10.2	4.5	70.5	12	3805
	14 LST 2.3	5.3	6.9	5.5	5.2	2.1	2.1	4.9	5.9	10.6	9.2	4.0	64.0	12	3805
	20 LST 4.7	6.5	9.3	7.4	6.0	3.7	4.5	10.6	10.0	14.4	13.4	8.0	98.5	12	3805
	02 LST 5.2	6.9	8.6	8.7	7.2	4.9	5.1	10.9	9.7	14.4	12.6	6.4	100.6	12	3805
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 28.3	26.3	29.0	23.7	25.9	22.3	16.5	27.8	27.4	30.0	29.2	30.3	316.7	12	3805
	14 LST 28.2	26.8	29.5	24.0	26.8	23.2	19.9	27.8	27.9	30.4	29.3	30.4	324.2	12	3805
	20 LST 29.4	26.8	28.8	24.8	25.9	22.8	19.7	27.6	28.4	30.3	29.6	30.5	324.6	12	3805
	02 LST 29.4	27.0	29.1	25.1	25.5	22.6	18.5	27.7	27.9	30.5	29.8	30.6	324.3	12	3805
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 10.5	14.4	17.8	17.6	20.0	17.4	11.8	21.6	20.9	25.8	21.5	13.7	213.0	12	3805
	14 LST 10.6	14.2	18.6	17.9	19.7	18.9	13.2	20.7	20.2	24.6	19.7	13.6	212.1	12	3805
	20 LST 10.3	15.4	18.7	19.1	20.6	17.6	13.6	22.4	21.0	25.3	22.6	16.0	222.6	12	3805
	02 LST 10.2	13.1	15.7	16.4	18.0	15.4	9.8	19.9	18.5	23.4	19.4	13.4	193.2	12	3805
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 9.3	12.9	15.7	15.8	18.0	16.0	10.9	20.3	18.5	24.2	19.8	12.0	193.4	12	3805
	14 LST 9.3	14.8	16.9	16.4	18.2	18.0	12.2	19.3	18.0	22.8	17.8	11.5	193.2	12	3805
	20 LST 9.5	14.3	17.1	17.0	19.1	16.1	13.0	21.7	19.0	23.7	22.0	15.0	207.5	12	3805
	02 LST 9.4	12.1	14.2	15.2	16.2	14.6	9.0	19.0	17.2	22.3	18.5	11.4	179.1	12	3805

AREA NO. 04

LATITUDE 3320N
LONGITUDE 12630E

CHEJU-DO ISLAND


KOREA, REPUBLIC OF

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	46	49	55	62	69	74	82	86	80	72	62	53	66	
MEAN MIN TMP (F)	35	36	41	49	56	64	74	75	58	56	47	40	53	
LARGEST MEAN PRECIP(IN)	2.26	1.76	1.79	4.68	4.16	5.26	5.77	5.49	7.09	1.19	1.88	1.39	42.7	
SMALLEST MEAN PRECIP(IN)	2.26	1.76	1.79	4.68	4.16	5.26	5.77	5.49	7.09	1.19	1.88	1.39	42.7	
MEAN NUMBER OF DAYS														
CIG = GTR 1000 FT AND	08 LST	30.2	27.5	30.2	25.4	28.3	24.0	22.6	30.3	29.6	30.8	29.9	30.8	339.6
VSBY = GTR 3 MI	14 LST	29.9	27.7	30.4	26.2	28.4	25.2	24.9	30.5	25.3	30.9	29.5	30.9	343.8
	20 LST	30.3	27.8	30.3	26.8	28.2	25.2	24.6	30.3	29.4	31.0	29.9	30.9	344.7
	02 LST	30.3	27.9	30.6	27.6	28.4	25.3	23.1	30.3	29.3	31.0	30.0	30.7	344.5
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WIND LES 10 KTS	08 LST	9.9	9.7	12.4	12.7	16.9	17.4	13.6	18.9	16.5	16.6	14.0	13.6	172.2
	14 LST	5.6	5.3	8.6	8.2	14.0	14.9	11.8	14.0	12.0	10.5	9.4	8.2	122.5
	20 LST	11.0	11.6	14.2	14.4	20.0	18.5	16.6	20.7	19.5	19.1	16.1	14.9	196.6
	02 LST	9.4	12.0	15.9	15.1	20.0	19.7	16.2	20.7	18.6	18.8	17.0	15.1	198.5
SFC WIND = GTR 17 KTS AND NO PRECIP.	08 LST	7.6	4.8	5.2	3.8	1.4	1.2	0.8	2.2	1.6	2.2	4.1	4.9	39.8
	14 LST	11.1	9.1	10.1	7.1	2.8	1.4	0.7	2.6	2.7	5.0	6.0	7.9	66.5
	20 LST	6.2	4.3	4.7	3.4	4.4	0.6	0.3	1.6	1.7	1.8	2.5	3.3	31.9
	02 LST	8.1	4.5	4.4	3.7	1.6	0.7	0.5	2.0	1.8	1.8	3.2	4.9	37.2
SFC WIND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	9.1	9.4	11.8	14.5	15.6	16.0	18.9	15.4	12.8	14.0	12.5	12.0	162.0
	14 LST	7.4	7.1	11.0	12.8	17.3	19.9	21.0	16.8	15.5	12.0	10.8	8.6	160.2
	20 LST	12.6	11.2	14.7	15.4	15.0	15.5	16.2	15.3	16.4	17.9	15.8	14.9	180.9
	02 LST	9.3	10.1	13.2	15.7	15.5	14.4	14.1	12.2	15.6	16.5	15.9	14.8	167.3
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	2.5	4.4	6.6	9.9	5.0	3.4	3.3	6.5	6.5	11.7	10.2	4.5	70.5
	14 LST	2.3	5.3	6.9	5.5	5.2	2.1	2.1	4.9	5.9	10.6	9.2	4.0	64.0
	20 LST	4.7	6.2	9.3	7.4	6.0	3.7	4.5	10.6	10.0	14.4	13.4	8.0	98.5
	02 LST	5.2	6.9	8.6	8.7	7.2	4.9	5.1	10.9	9.7	14.4	12.6	6.4	100.6
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	28.3	26.3	29.0	23.7	25.9	22.3	16.5	27.8	27.4	30.0	29.2	30.3	316.7
	14 LST	28.2	26.8	29.5	24.0	26.8	23.2	19.9	27.8	27.9	30.4	29.3	30.4	324.2
	20 LST	29.4	26.8	28.8	24.8	25.9	22.8	19.7	27.6	28.4	30.3	29.6	30.5	324.6
	02 LST	29.4	27.0	29.1	25.1	25.9	22.8	18.5	27.7	27.9	30.5	29.8	30.6	324.3
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	10.5	14.4	17.8	17.6	20.0	17.4	11.8	21.6	20.9	25.8	21.5	13.7	213.0
	14 LST	10.6	14.2	18.8	17.9	19.7	18.9	13.2	20.7	20.2	24.6	19.7	13.6	212.1
	20 LST	10.3	15.4	18.7	19.1	20.6	17.6	13.6	22.4	21.0	25.3	22.6	16.0	222.6
	02 LST	10.2	13.1	15.7	16.4	18.0	15.4	9.8	19.9	18.5	23.4	19.4	13.4	193.2
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	9.3	12.9	15.7	15.8	18.0	16.0	10.9	20.3	18.5	24.2	19.8	12.0	193.4
	14 LST	9.3	12.8	16.9	16.4	18.2	18.0	12.8	19.3	18.0	22.8	17.8	11.5	193.2
	20 LST	9.5	14.3	17.1	17.0	19.1	16.1	13.0	21.7	19.0	23.7	22.0	15.0	207.5
	02 LST	9.4	12.1	14.2	15.2	16.2	14.6	9.0	19.0	17.2	22.3	18.5	11.4	179.1

ENIWETOK AFWTR, MARSHALL IS.

STA NO. 91250 (IN AREA NUMBER 01) LATITUDE 1120N LONGITUDE 16219E ELEVATION(FT) 00013

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	88	88	89	90	91	90	92	91	93	91	94	88	94	12	4374
MEAN MAX TMP (F)	85	85	86	86	86	87	87	87	88	87	86	86	86	12	4374
MEAN MIN TMP (F)	78	78	78	78	78	79	79	79	79	79	79	78	79	12	4374
ABS MIN TMP (F)	71	73	73	72	73	73	71	72	72	71	72	71	71	12	4374
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.1	0.3	1.1	1.1	3.4	4.1	2.2	0.4	0.0	12.7	12	4374
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4374
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4374
MEAN DEW PT TMP (F)	71	71	72	73	75	75	76	76	76	76	75	73	74	12	74066
MEAN REL HUM (PCT)	73	73	75	76	78	79	80	80	79	79	78	76	77	12	74066
MEAN PRESS ALT (FI)	112	92	92	82	92	92	112	112	122	112	132	122	106	0	-50
MEAN PRECIP (IN)	1.03	0.85	1.73	2.47	5.65	4.06	7.12	6.67	6.76	9.76	7.26	3.61	57.0	12	4374
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4375
MEAN NO DYS PKCP = OR GTR 0.1 IN	3.4	2.5	4.3	5.3	9.2	9.6	13.0	13.1	13.1	14.6	13.0	7.2	108.3	12	4374
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4375
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.1	0.1	0.0	0.1	0.2	0.1	0.5	0.3	0.4	0.4	0.3	0.2	2.7	12	4362
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.2	0.4	1.3	0.9	1.4	1.9	0.5	0.2	6.8	12	4374
P FREQ WND SPD = OR GTR 17 KTS	47.4	56.2	49.4	47.9	38.7	27.8	11.4	9.3	7.0	9.1	34.7	47.5	32.2	12	74065
P FREQ WND SPD = OR GTR 28 KTS	0.2	0.3	0.5	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.7	1.5	0.3	12	74065
P FREQ LES 5000 FT A/O LES 5 MI	9.7	10.7	10.7	8.5	11.4	9.1	8.5	8.4	6.9	8.4	9.1	9.9	9.3	12	74066
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.3	0.3	0.4	0.9	1.1	1.0	1.9	1.9	1.4	2.5	2.0	1.7	1.3	12	9185
03-05 LST	0.7	0.1	0.5	1.3	1.2	1.3	2.2	2.2	2.2	2.2	1.9	1.9	1.5	12	9198
06-08 LST	0.5	0.6	0.7	1.7	2.7	1.8	2.3	2.7	1.4	2.6	2.2	1.7	1.7	12	9299
09-11 LST	1.0	1.0	0.6	1.6	3.7	0.5	1.1	1.7	1.2	2.5	2.2	1.5	1.6	12	9367
12-14 LST	1.0	0.4	1.4	1.3	3.2	0.4	2.6	2.3	1.7	1.6	2.3	2.2	1.7	12	9316
15-17 LST	0.4	0.1	0.4	0.8	1.8	1.3	2.6	1.0	0.8	3.2	2.3	1.7	1.4	12	9276
18-20 LST	0.5	0.1	1.3	0.4	1.4	0.8	2.5	2.6	1.4	2.0	2.3	1.6	1.4	12	9239
21-23 LST	0.4	0.3	0.5	0.4	0.5	0.6	1.7	1.0	1.7	0.7	1.6	1.7	0.9	12	9206
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.1	0.1	0.5	0.0	0.0	0.2	0.3	0.0	0.1	12	9185
03-05 LST	0.0	0.1	0.0	0.3	0.1	0.3	0.7	0.1	0.3	0.1	0.0	0.0	0.2	12	9198
06-08 LST	0.0	0.1	0.0	0.1	0.4	0.0	0.1	0.2	0.1	0.4	0.3	0.0	0.1	12	9299
09-11 LST	0.0	0.1	0.0	0.4	0.5	0.0	0.1	0.5	0.1	0.4	0.1	0.1	0.2	12	9367
12-14 LST	0.1	0.0	0.4	0.1	0.2	0.0	0.2	0.0	0.0	0.1	0.5	0.4	0.2	12	9316
15-17 LST	0.0	0.0	0.0	0.1	0.1	0.0	0.4	0.0	0.1	0.5	0.4	0.0	0.1	12	9276
18-20 LST	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.4	0.0	0.1	0.0	0.0	0.1	12	9239
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.1	0.0	0.0	0.1	12	9206



ENIWETOK AFWTR, MARSHALL IS.

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	11 LST	31.0	28.0	30.9	29.6	30.7	29.9	30.9	30.7	29.7	29.6	31.0	362.6	12	4363	
	17 LST	31.0	28.0	31.0	29.9	30.9	29.9	30.9	30.7	30.0	29.8	30.7	363.5	12	4364	
	23 LST	31.0	28.0	31.0	30.0	30.9	30.0	30.9	30.9	29.8	30.6	30.0	30.8	363.9	12	4364
	05 LST	31.0	28.0	31.0	29.9	30.8	30.0	30.8	31.0	29.8	30.7	29.7	30.9	363.6	12	4363
	11 LST	1.6	0.4	1.3	1.7	3.2	4.5	8.4	12.2	14.6	14.5	3.1	2.1	67.6	12	4363
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	1.5	0.6	1.8	2.2	3.2	5.6	9.9	12.5	15.0	3.8	1.6	71.4	12	4364	
	23 LST	2.1	0.6	1.4	2.1	3.3	4.0	7.7	11.1	12.9	4.7	1.7	64.8	12	4364	
	05 LST	1.6	1.0	2.0	1.6	3.1	4.9	9.5	11.7	14.0	3.3	4.1	68.7	12	4363	
	11 LST	14.5	15.7	14.4	13.2	10.5	6.6	3.5	2.6	2.0	2.8	8.4	14.6	108.8	12	4303
	17 LST	13.6	15.3	14.3	12.7	10.8	6.6	2.1	1.9	1.8	1.6	8.3	14.4	103.4	12	4304
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST	13.6	13.9	14.0	12.7	11.0	7.1	2.3	2.4	1.7	2.5	9.0	15.1	105.3	12	4311
	05 LST	13.6	14.9	13.3	13.1	12.2	6.3	2.6	2.0	1.4	2.0	9.6	14.6	105.6	12	4289
	11 LST	2.4	1.5	2.6	2.9	4.4	7.0	11.0	13.7	17.2	16.9	5.6	2.9	88.1	12	4303
	17 LST	2.9	1.3	2.9	3.5	5.3	7.8	13.6	14.6	16.4	16.2	6.2	2.7	93.4	12	4304
	23 LST	3.3	1.8	2.9	2.7	4.5	6.9	10.9	13.7	14.6	14.5	6.7	2.9	85.4	12	4311
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	05 LST	3.1	2.0	3.7	3.4	3.9	7.4	12.6	13.8	16.7	15.0	6.1	2.6	90.3	12	4289
	11 LST	6.1	4.9	4.6	3.4	1.9	3.1	1.6	0.9	1.4	1.6	2.9	5.5	37.9	12	4363
	17 LST	7.2	4.6	4.5	2.7	1.9	2.2	1.2	0.4	1.5	1.3	3.2	4.9	35.6	12	4364
	23 LST	9.6	8.2	7.1	5.9	4.7	6.0	3.7	2.5	3.2	3.7	5.7	8.1	68.4	12	4364
	05 LST	9.0	7.1	6.0	4.9	4.2	5.3	3.0	3.0	2.9	3.0	3.5	7.3	59.2	12	4363
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	11 LST	29.7	26.3	29.3	28.1	28.1	27.9	29.0	28.9	27.7	29.0	28.0	29.5	341.5	12	4363
	17 LST	29.6	26.6	29.1	28.3	28.2	28.1	28.7	28.8	27.9	28.1	27.6	28.6	339.6	12	4364
	23 LST	30.0	26.4	29.5	27.7	29.6	28.5	28.8	29.1	28.3	28.8	27.8	28.9	343.4	12	4364
	05 LST	29.6	26.6	28.6	27.0	28.7	27.5	28.8	27.8	27.5	27.7	27.7	27.9	335.4	12	4363
	11 LST	27.9	24.7	27.9	26.7	26.5	26.9	28.1	28.5	27.0	28.1	27.2	28.7	328.2	12	4363
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	27.7	24.8	27.1	27.3	26.7	26.7	27.9	28.4	27.1	26.9	26.6	27.2	324.4	12	4364
	23 LST	28.5	25.6	28.4	26.5	28.0	27.4	28.1	28.6	27.4	28.4	27.3	27.8	332.0	12	4364
	05 LST	27.5	24.5	26.9	26.5	27.3	26.6	27.9	27.1	27.2	27.1	26.6	26.6	321.8	12	4363
	11 LST	27.3	23.4	26.8	26.1	25.3	26.3	27.1	26.8	25.8	26.3	26.1	27.7	315.0	12	4363
	17 LST	26.4	24.2	25.3	26.6	25.1	25.5	26.3	26.7	26.1	25.4	25.3	26.4	309.3	12	4364
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST	27.7	25.1	27.7	25.7	26.6	26.3	26.8	27.2	26.3	26.7	26.4	27.2	319.7	12	4364
	05 LST	26.7	23.5	26.3	25.1	26.4	25.0	27.2	26.5	26.0	25.7	25.7	25.8	309.9	12	4363

KWAJALEIN KTS, MARSHALL IS.

STA NO. 91366 (IN AREA NUMBER 01) LATITUDE 0843N LONGITUDE 16743E ELEVATION(FT) 00011

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	91	92	91	92	93	92	94	95	93	97	92	90	97	12	4383
MEAN MAX TMP (F)	85	85	85	85	86	86	87	87	87	87	86	85	86	12	4383
MEAN MIN TMP (F)	78	78	78	78	78	78	78	78	78	78	78	78	78	12	4383
ABS MIN TMP (F)	72	71	72	71	72	71	72	72	72	72	72	69	69	12	4383
MEAN NO DYS TMP = OR GTR 90(F)	0.2	0.6	1.6	1.3	2.5	1.6	3.7	4.8	5.0	4.4	0.8	0.2	26.7	12	4383
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	73	73	74	75	76	76	76	76	75	75	75	74	75	12	105156
MEAN REL HUM (PCT)	77	78	78	81	82	82	82	81	81	80	82	80	80	12	105156
MEAN PRESS ALI (FT)	121	121	111	101	101	101	101	121	111	111	131	121	113	0	-50
MEAN PRECIP (IN)	3.20	2.82	5.18	6.75	10.85	10.12	9.67	10.51	10.91	11.73	13.09	7.77	102.6	12	4383
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.0	6.0	9.6	11.1	15.2	14.6	16.8	16.6	16.5	16.8	18.0	11.5	158.7	0	4383
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.0	0.1	0.1	0.1	0.2	0.3	0.3	0.2	0.3	0.3	0.5	0.0	2.4	12	4382
MEAN NO DYS TSTMS	0.0	0.1	0.1	0.0	0.4	0.7	1.5	0.7	1.0	0.6	1.4	0.3	6.8	12	4383
P FREU WND SPD = UR GTR 17 KTS	47.5	52.6	40.3	41.3	34.8	22.9	10.2	6.3	5.5	6.8	18.9	41.5	27.4	12	105141
P FREU WND SPD = UR GTR 28 KTS	1.8	1.0	1.3	0.7	0.5	0.2	0.0	0.0	0.0	0.1	0.5	1.0	0.6	12	105141
P FREU LES 5000 FT A/O LES 5 MI	17.6	16.3	17.3	18.2	21.7	19.0	17.8	15.6	14.5	15.8	20.2	17.0	17.6	12	105154
P FREU LES 1500 FT A/O LES 3 MI	1.3	1.2	3.0	4.1	5.7	6.0	3.2	3.9	4.4	4.7	8.6	3.3	4.1	12	13140
FOR 00-02 LST	1.9	1.1	3.5	5.1	8.1	6.4	4.2	4.7	4.3	5.6	8.0	3.5	4.7	12	13145
03-05 LST	1.8	1.3	3.3	5.3	5.3	5.3	4.8	3.8	5.4	3.5	6.3	4.1	4.2	12	13145
06-08 LST	1.8	2.6	2.3	3.6	4.1	5.5	3.1	3.8	3.8	2.9	5.7	3.8	3.6	12	13146
09-11 LST	1.6	2.2	2.2	4.8	3.5	4.6	3.5	3.2	4.7	3.9	5.3	3.8	3.6	12	13145
12-14 LST	2.0	2.5	2.2	4.4	4.1	5.9	3.9	4.0	4.5	6.0	5.9	5.2	4.2	12	13144
15-17 LST	1.8	2.7	3.9	3.3	4.7	6.0	4.7	5.1	4.8	5.6	5.1	5.3	4.4	12	13144
18-20 LST	1.8	2.7	3.2	3.3	5.3	5.9	4.5	4.1	4.9	4.8	6.3	3.6	4.2	12	13145
21-23 LST	0.0	0.0	0.1	0.3	0.3	0.1	0.0	0.1	0.0	0.1	0.1	0.2	0.1	12	13140
FOR 00-02 LST	0.0	0.0	0.1	0.4	0.2	0.0	0.2	0.1	0.2	0.0	0.3	0.1	0.1	12	13145
03-05 LST	0.0	0.2	0.1	0.1	0.3	0.1	0.4	0.0	0.1	0.3	0.5	0.2	0.2	12	13145
06-08 LST	0.1	0.2	0.3	0.4	0.1	0.3	0.5	0.4	0.4	0.3	0.3	0.4	0.3	12	13146
09-11 LST	0.1	0.0	0.2	0.1	0.3	0.3	0.1	0.3	0.1	0.2	0.2	0.4	0.2	12	13145
12-14 LST	0.0	0.0	0.1	0.1	0.3	0.4	0.2	0.2	0.3	0.7	0.6	0.2	0.3	12	13144
15-17 LST	0.2	0.1	0.1	0.3	0.3	0.1	0.3	0.2	0.2	0.2	0.0	0.0	0.2	12	13144
18-20 LST	0.1	0.0	0.0	0.2	0.1	0.3	0.0	0.0	0.1	0.0	0.2	0.0	0.1	12	13145
21-23 LST	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	13145

KWAJALEIN KTS, MARSHALL IS.

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	11 LST	30.8	27.7	30.7	25.8	30.5	29.6	30.7	30.5	29.7	30.5	29.4	30.9	360.8	12	4382
	17 LST	30.9	27.8	30.8	29.6	30.7	29.6	30.7	30.8	29.7	30.2	29.5	30.7	361.0	12	4382
	23 LST	31.0	27.8	30.8	29.6	30.8	29.9	30.9	30.6	29.7	30.6	29.4	30.8	361.9	12	4382
	05 LST	31.0	28.0	31.0	29.5	30.4	29.7	30.9	30.8	29.8	30.8	29.4	30.9	362.2	12	4382
	11 LST	1.2	0.7	2.2	3.2	4.5	6.2	12.0	14.5	16.4	16.2	8.3	2.1	87.5	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	1.9	1.2	2.0	2.5	5.3	7.1	13.8	15.7	17.7	17.8	7.7	3.3	96.0	12	4382
	23 LST	1.9	1.1	2.3	3.6	6.7	6.2	12.8	15.8	17.5	17.0	8.1	2.7	95.7	12	4382
	05 LST	1.8	1.6	2.5	3.8	5.9	7.1	12.3	14.8	17.2	16.4	7.7	2.6	93.7	12	4382
	11 LST	14.8	14.8	12.9	12.2	10.4	6.8	2.4	2.3	1.3	1.9	5.4	13.8	99.0	12	4333
	17 LST	13.4	13.2	12.2	11.8	9.7	6.6	2.8	1.6	0.9	1.6	5.4	12.4	91.6	12	4323
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST	14.9	15.1	12.3	12.7	11.1	6.6	2.6	1.7	1.7	6.1	12.7	99.2	12	4346	
	05 LST	14.1	14.7	12.3	11.3	11.0	6.5	2.9	1.8	2.2	2.2	5.6	12.2	96.8	12	4324
	11 LST	2.9	2.2	4.1	5.1	7.4	9.6	15.3	17.2	19.0	17.4	11.5	3.8	115.5	12	4333
	17 LST	3.3	2.2	4.3	5.1	7.4	10.5	16.8	17.2	18.5	18.2	11.9	4.3	119.7	12	4323
	23 LST	3.2	2.7	4.1	5.8	8.5	10.4	15.8	17.3	17.6	17.8	11.0	4.3	118.5	12	4346
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	05 LST	4.6	3.3	5.5	5.5	8.2	11.1	16.2	17.8	16.6	17.3	11.3	4.6	122.0	12	4324
	11 LST	2.7	2.7	2.7	1.2	1.1	1.2	0.7	0.7	1.7	1.3	1.1	1.6	18.7	12	4382
	17 LST	2.4	3.5	1.9	1.6	1.1	1.1	0.8	0.3	0.8	0.5	0.5	1.1	15.6	12	4382
	23 LST	3.0	4.0	4.6	2.7	1.4	2.5	1.6	1.9	2.7	1.7	1.8	1.8	29.7	12	4322
	05 LST	4.2	4.5	4.2	2.3	2.1	2.6	2.3	3.4	2.8	2.0	2.1	2.7	35.2	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	11 LST	26.8	24.7	26.7	26.3	26.5	26.0	27.2	27.4	26.7	27.7	25.6	26.5	318.1	12	4382
	17 LST	26.2	24.8	25.9	25.7	24.7	25.8	25.8	26.7	25.9	26.2	25.1	26.6	309.4	12	4382
	23 LST	27.3	23.5	26.6	25.6	25.5	24.8	26.2	27.7	26.3	26.8	24.2	27.0	311.5	12	4382
	05 LST	25.8	23.7	26.4	24.1	23.5	23.8	25.0	26.5	25.7	26.7	22.7	26.4	300.3	12	4382
	11 LST	25.6	23.8	25.2	25.6	24.6	24.4	25.9	26.3	26.2	27.2	24.9	25.8	305.5	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	24.7	23.9	24.6	24.8	23.2	24.0	25.1	26.0	25.5	24.9	24.2	25.8	296.7	12	4382
	23 LST	26.0	23.2	25.1	24.7	23.7	23.9	25.0	27.1	25.3	26.0	23.8	25.9	299.7	12	4382
	05 LST	24.5	23.0	24.6	23.4	22.7	23.3	24.4	25.6	25.0	26.1	22.1	25.4	290.1	12	4382
	11 LST	24.6	22.8	24.0	23.3	21.6	22.4	24.6	25.1	24.1	25.8	22.8	24.1	285.2	12	4382
	17 LST	23.8	23.0	22.1	22.8	20.9	21.6	23.7	24.1	23.5	23.4	21.0	24.5	274.4	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST	25.1	22.3	24.1	23.0	22.3	22.2	24.0	25.5	23.7	24.0	22.2	24.6	283.0	12	4382
	05 LST	23.3	22.5	23.3	22.0	20.8	21.6	23.1	24.1	23.3	24.9	21.2	24.6	274.7	12	4382

AREA NO. 01

LATITUDE 1000N LONGITUDE 16500E

MARSHALL ISLANDS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	85	86	86	86	86	87	87	87	88	87	86	86	86
MEAN MIN TMP (F)	78	78	78	78	78	79	79	79	79	79	79	78	79
LARGEST MEAN PRECIP(IN)	3.20	2.82	5.18	6.75	10.85	10.12	9.67	10.51	10.91	11.73	13.09	7.77	102.6
SMALLEST MEAN PRECIP(IN)	1.03	0.85	1.73	2.47	5.65	4.06	7.12	6.67	6.76	9.76	7.26	3.61	57.0
MEAN NUMBER OF DAYS													
11 LST	30.9	27.9	30.8	29.7	30.6	29.8	30.8	30.6	29.7	30.6	29.5	31.0	361.9
17 LST	31.0	27.9	30.9	29.8	30.8	29.8	30.8	30.8	29.9	30.5	29.7	30.7	362.6
23 LST	31.0	27.9	30.9	29.8	30.9	30.0	30.9	30.8	29.8	30.6	29.7	30.8	363.1
05 LST	31.0	28.0	31.0	29.7	30.6	29.9	30.9	30.9	29.8	30.8	29.6	30.9	363.1
11 LST	1.4	0.6	1.8	2.5	3.9	5.4	10.2	13.4	15.5	15.4	5.7	2.1	77.9
17 LST	1.7	0.9	1.9	2.4	4.3	6.4	11.9	14.1	16.4	15.8	5.8	2.5	84.1
23 LST	2.0	0.9	1.9	2.9	5.0	5.1	10.3	13.5	15.2	15.1	6.4	2.2	80.5
05 LST	1.7	1.3	2.3	2.7	4.5	6.0	10.9	13.3	15.6	14.9	5.9	2.3	81.4
11 LST	14.7	15.3	13.7	12.7	10.5	6.7	3.0	2.5	1.7	2.4	6.9	14.2	104.3
17 LST	13.5	14.3	13.3	12.3	10.3	6.6	2.5	1.8	1.4	1.6	6.9	13.4	97.9
23 LST	14.3	14.5	13.2	12.7	11.1	6.9	2.5	2.1	1.7	2.1	7.6	13.9	102.6
05 LST	13.9	14.8	12.8	12.2	11.6	6.4	2.8	1.9	1.8	2.1	7.6	13.4	101.3
11 LST	2.7	1.9	3.4	4.0	5.9	6.3	13.2	15.5	18.1	17.2	8.6	3.4	102.2
17 LST	3.1	1.8	3.6	4.3	6.4	9.2	15.2	15.9	17.5	17.2	9.1	3.5	106.8
23 LST	3.3	2.3	3.5	4.3	6.5	8.7	13.4	15.5	16.1	16.2	8.9	3.6	102.3
05 LST	3.9	2.7	4.6	4.5	6.1	9.3	14.4	15.8	16.7	16.2	8.7	3.6	106.5
11 LST	4.4	3.8	3.7	2.3	1.5	2.2	1.2	0.8	1.6	1.5	2.0	3.6	28.6
17 LST	4.8	4.1	3.2	2.2	1.5	1.7	1.0	0.4	1.2	0.9	1.9	3.0	25.9
23 LST	6.3	6.1	5.9	4.3	3.1	4.3	2.7	2.2	3.0	2.7	3.8	5.0	49.4
05 LST	6.6	5.8	5.1	3.6	3.2	4.0	2.7	3.2	2.9	2.5	2.8	5.0	47.4
11 LST	28.3	25.5	28.0	27.2	27.3	27.0	28.1	28.2	27.2	28.4	26.8	28.0	330.0
17 LST	27.9	25.7	27.5	27.0	26.5	27.0	27.3	27.8	26.9	27.2	26.4	27.6	324.8
23 LST	28.7	25.0	28.1	26.7	27.6	26.7	27.5	28.4	27.3	27.8	26.0	28.0	327.8
05 LST	27.7	25.2	27.5	25.6	26.1	25.7	26.9	27.2	26.6	27.2	25.2	27.2	318.1
11 LST	26.8	24.3	26.6	26.2	25.6	25.7	27.0	27.4	26.6	27.7	26.1	27.3	317.3
17 LST	26.2	24.4	25.9	26.1	25.0	25.4	26.5	27.2	26.3	25.9	25.4	26.5	310.8
23 LST	27.3	24.4	26.8	25.6	25.9	25.7	26.6	27.9	26.4	27.2	25.6	26.9	316.3
05 LST	26.0	23.8	25.8	25.0	25.0	25.0	26.2	26.4	26.1	26.6	24.4	26.0	306.3
11 LST	26.0	23.1	25.4	24.7	23.5	24.4	25.9	26.0	25.0	26.1	24.5	25.9	300.5
17 LST	25.1	23.6	23.7	24.7	23.0	23.6	25.0	25.4	24.8	24.4	23.2	25.5	292.0
23 LST	26.4	23.7	25.9	24.4	24.5	24.3	25.4	26.4	25.0	25.4	24.3	25.9	301.6
05 LST	25.0	23.0	24.8	23.6	23.6	23.3	25.2	25.3	24.7	25.3	23.5	25.2	292.5

CIG = GTR 1000 FT AND
VSHY = GTR 2 MI

CIG =GTR 2000 FT AND VSBY =GTR
3 MI W/SFC WND LES 10 KTS

SFC WND = GTR 17 KTS AND
NO PRECIP.

SFC WND 4-10 KTS AND TMP 33-89
DEG F AND NO P.M.C.I.P.


SKY COVER LES 3/10 AND
VSBY = GTR 3 MI

CIG = GTR 2500 FT AND
VSBY = GTR 3 MI

CIG = GTR 6000 FT AND
VSBY = GTR 3 MI

CIG = GTR 10000 FT AND
VSBY = GTR 3 MI

MIDWAY IS.



MIDWAY NS, MIDWAY IS.

STA NO. 91066	(IN AREA NUMBER 01)	LATITUDE 2811N	LONGITUDE 17722W	ELEVATION(FT) 00013	POR (YRS)	OBS NO.								
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
ABS MAX TMP (F)		76	76	77	78	81	85	88	89	88	87	82	79	89
MEAN MAX TMP (F)		69	69	69	70	74	79	81	82	82	78	75	72	75
MEAN MIN TMP (F)		62	62	63	64	68	72	74	75	75	72	69	65	68
ABS MIN TMP (F)		54	53	52	53	60	62	67	68	67	60	59	56	52
MEAN NO DYS TMP = OR GTR 90(F)		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MEAN NO DYS TMP = OR LES 32(F)		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MEAN NO DYS TMP = OR LES 0(F)		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MEAN DEW PT TMP (F)		57	57	58	58	63	69	70	71	70	66	64	60	64
MEAN REL HUM (PCT)		74	75	75	75	77	80	78	78	75	75	76	76	76
MEAN PRESS ALI (FT)		-50	-49	-150	-197	-180	-135	-179	-147	-102	-136	-130	-94	-128
MEAN PRECIP (IN)		5.25	4.13	2.23	2.98	2.23	3.40	2.91	4.79	3.47	4.58	2.42	3.41	41.8
MEAN SNOW FALL (IN)		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MEAN NO DYS PKCP = OR GTR 0.1 IN		9.2	6.5	4.6	4.3	3.0	3.6	6.3	7.2	6.9	6.7	4.3	8.0	70.6
MEAN NO DYS SNFL = OR GTR 1.5 IN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MEAN NO DYS W/OZUK VSBY LES 1/2 MI		0.7	0.3	0.2	0.3	0.2	0.2	0.1	0.1	0.3	0.2	0.2	0.3	3.1
MEAN NO DYS TSTMS		0.6	0.1	0.1	0.5	0.2	0.4	0.7	1.3	0.8	0.7	0.3	0.2	5.9
P FREQ WND SPD = UR GTR 17 KTS		29.5	19.8	12.9	6.6	2.5	2.2	3.0	2.6	4.1	8.1	9.5	17.7	9.9
P FREQ WND SPD = UR GTR 25 KTS		2.4	0.9	0.5	0.2	0.0	0.0	0.0	0.0	0.4	0.1	0.1	1.1	0.5
P FREQ LES 5000 FT A/O LES 5 MI		43.9	43.8	54.0	49.6	35.3	30.4	17.9	15.1	18.4	32.6	34.3	40.7	34.7
P FREQ LES 1500 FT A/O LES 3 MI		6.0	5.3	5.8	6.5	3.6	3.9	2.0	2.5	1.6	2.9	4.1	5.7	4.2
FOR 00-02 LST														
03-05 LST		6.5	3.7	6.4	7.1	3.8	3.8	2.2	3.0	2.3	2.5	4.0	6.7	4.3
06-08 LST		6.4	4.3	7.5	7.7	4.3	4.5	3.5	2.2	3.1	4.4	4.9	5.1	4.8
09-11 LST		6.1	6.0	6.9	6.6	3.9	3.4	1.5	2.8	3.2	2.8	5.1	4.5	4.4
12-14 LST		7.3	5.0	6.7	7.0	4.9	3.9	1.0	2.7	2.2	3.0	4.7	4.9	4.4
15-17 LST		8.1	5.8	6.1	6.6	4.1	3.8	1.6	2.2	1.6	4.2	4.9	4.9	4.5
18-20 LST		10.0	7.3	5.2	7.1	3.9	4.2	1.4	2.6	1.7	2.5	4.4	5.8	4.7
21-23 LST		9.6	5.8	4.7	7.2	4.0	4.1	1.5	1.7	1.4	3.0	4.4	4.9	4.4
P FREQ LES 300 FT A/O LES 1 MI		0.3	0.4	0.4	0.1	0.3	0.0	0.0	0.1	0.2	0.1	0.2	0.3	0.2
FOR 00-02 LST														
03-05 LST		0.2	0.1	0.2	0.4	0.6	0.2	0.1	0.2	0.0	0.0	0.1	0.2	0.2
06-08 LST		0.4	0.0	0.3	0.4	0.4	0.3	0.0	0.1	0.5	0.3	0.2	0.3	0.3
09-11 LST		0.4	0.4	0.5	0.4	0.2	0.1	0.0	0.2	0.2	0.1	0.4	0.5	0.3
12-14 LST		0.6	0.4	0.3	0.4	0.1	0.5	0.2	0.3	0.0	0.3	0.1	0.5	0.3
15-17 LST		0.4	0.7	0.6	0.3	0.0	0.5	0.1	0.2	0.1	0.0	0.1	0.4	0.3
18-20 LST		1.1	1.0	0.3	0.2	0.2	0.6	0.0	0.1	0.1	0.1	0.1	0.4	0.4
21-23 LST		0.3	0.3	0.0	0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.2	0.2	0.1

MIDWAY NS, MIDWAY IS.

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. CBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	12 LST 29.8	27.2	30.0	28.5	30.6	29.3	30.8	30.6	29.6	30.8	29.5	30.3	357.0	12	4378
	18 LST 29.5	26.5	30.7	29.3	30.5	29.3	30.7	31.0	29.6	30.7	29.6	29.9	357.3	12	4378
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	00 LST 30.2	27.2	30.1	29.3	30.6	29.6	30.7	30.7	29.9	30.7	29.3	29.9	358.2	12	4381
	06 LST 30.5	27.4	30.1	28.8	30.3	29.3	30.8	30.8	29.9	30.7	29.7	30.5	358.8	12	4378
	12 LST 9.4	8.5	9.6	11.8	14.3	15.3	12.3	16.3	16.9	12.2	11.6	9.4	147.6	12	4378
	18 LST 9.3	8.7	10.6	13.2	15.0	18.1	14.4	18.5	19.1	12.7	14.0	10.9	164.5	12	4377
	00 LST 9.7	9.9	11.7	13.5	16.2	19.2	15.3	17.6	14.8	13.6	13.7	11.0	171.2	12	4380
	06 LST 10.1	9.8	12.1	14.0	17.3	19.5	15.2	18.5	19.5	13.9	12.5	10.2	172.6	12	4378
SFC WND = GTR 17 KTS AND NO PRECIP.	12 LST 9.1	5.9	4.4	2.0	0.8	0.9	1.1	1.1	1.5	3.2	2.9	5.3	38.2	12	4328
	18 LST 9.5	5.4	3.7	1.5	0.7	0.6	1.0	0.7	1.2	2.4	2.3	4.9	33.9	12	4331
	00 LST 8.7	5.3	3.7	2.3	0.4	0.8	0.9	0.9	1.2	2.3	2.8	5.7	35.0	12	4343
	06 LST 8.7	5.3	3.4	1.5	0.7	0.2	0.5	0.8	1.0	2.1	2.9	4.7	31.8	12	4346
	12 LST 10.6	10.4	13.7	16.1	18.3	20.3	18.4	17.7	12.3	15.1	14.6	12.3	185.8	12	4328
	18 LST 11.2	11.6	15.3	16.3	19.6	21.0	19.5	18.7	17.8	14.5	16.7	13.4	195.6	12	4331
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST 11.9	10.9	14.0	16.4	18.5	18.5	18.8	16.9	17.0	16.0	15.2	13.0	187.1	12	4343
	06 LST 10.5	10.8	15.8	16.6	19.3	18.3	18.9	15.9	16.9	15.8	14.9	12.9	186.6	12	4346
	12 LST 3.5	3.8	2.3	3.4	4.3	2.6	2.7	2.8	3.6	4.2	4.3	3.3	40.8	12	4378
	18 LST 3.5	3.4	2.2	2.6	3.8	2.4	2.1	3.3	3.1	3.2	3.2	3.9	36.7	12	4378
	00 LST 5.5	5.1	4.3	4.7	6.9	6.6	9.1	9.6	8.1	6.1	6.7	5.9	78.6	12	4381
	06 LST 5.9	4.8	3.1	2.6	3.2	2.0	2.0	4.7	5.9	6.9	6.7	6.0	53.8	12	4378
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	12 LST 24.0	23.6	25.3	23.5	26.2	25.7	26.7	27.9	25.7	24.8	25.0	26.4	304.8	12	4378
	18 LST 22.9	20.9	24.9	22.6	25.7	25.3	26.8	28.2	25.8	23.3	23.7	24.3	294.4	12	4378
	00 LST 23.6	22.7	24.8	23.7	25.5	25.5	27.7	27.4	27.0	25.2	24.7	23.6	301.4	12	4381
	06 LST 24.4	22.5	23.9	23.3	24.7	24.1	25.0	25.6	25.0	24.1	24.4	24.6	291.6	12	4378
	12 LST 17.8	16.4	14.4	14.3	20.5	21.4	25.2	27.1	23.7	21.6	19.6	19.0	241.0	12	4378
	18 LST 15.8	14.0	14.8	14.4	20.2	19.7	25.1	26.9	24.1	19.2	19.1	18.4	231.7	12	4378
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST 17.2	16.4	13.7	14.6	19.9	21.6	26.2	27.0	26.2	21.9	20.7	17.3	242.7	12	4381
	06 LST 17.7	15.3	13.2	13.4	16.6	18.5	22.9	23.8	23.6	21.1	20.3	17.9	224.3	12	4378
	12 LST 16.2	14.5	12.9	12.9	19.2	20.4	23.7	25.8	22.3	19.1	17.9	17.4	222.3	12	4378
	18 LST 13.3	12.3	12.8	13.3	19.2	17.9	23.7	25.6	22.7	17.5	17.1	15.9	211.3	12	4378
	00 LST 15.3	15.3	12.6	14.3	19.2	20.6	25.3	26.2	25.4	20.7	19.9	16.0	230.8	12	4381
	06 LST 16.4	14.6	11.9	12.2	15.4	14.4	21.6	22.6	22.6	20.2	19.7	16.6	210.2	12	4378

AREA NO. 01

LATITUDE 2011N LONGITUDE 11722W

MIDWAY ISLANDS

MIDWAY ISLANDS


PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	69	69	69	70	74	79	81	82	82	78	75	72	75	
MEAN MIN TMP (F)	62	62	63	64	68	72	74	75	75	72	69	65	68	
LARGEST MEAN PRECIP(IN)	5.25	4.13	2.23	2.98	2.23	3.40	2.91	4.79	3.47	4.58	2.42	3.41	41.8	
SMALLEST MEAN PRECIP(IN)	5.25	4.13	2.23	2.98	2.23	3.40	2.91	4.79	3.47	4.58	2.42	3.41	41.8	
MEAN NUMBER OF DAYS														
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	12 LST	29.8	27.2	30.0	28.5	30.6	29.3	30.8	30.6	29.6	30.8	29.5	30.3	357.0
	18 LST	29.5	26.5	30.7	29.3	30.5	29.3	30.7	31.0	29.6	30.7	29.6	29.9	357.3
	00 LST	30.2	27.2	30.1	29.3	30.6	29.6	30.7	29.9	30.7	29.3	29.3	29.9	358.2
	06 LST	30.5	27.4	30.1	28.8	30.3	29.3	30.8	29.9	30.7	29.7	29.7	30.5	358.8
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC AND LES 10 KTS	12 LST	9.4	8.5	9.6	11.8	14.3	15.3	12.3	16.3	16.9	12.2	11.6	9.4	147.6
	18 LST	9.3	8.7	10.6	13.2	15.0	18.1	14.4	18.5	19.1	12.7	14.0	10.9	164.5
	00 LST	9.7	9.9	11.7	13.5	16.2	19.2	15.3	17.6	19.8	13.6	13.7	11.0	171.2
	06 LST	10.1	9.8	12.1	14.0	17.3	19.5	15.2	18.5	19.5	13.9	12.5	10.2	172.6
SFC WND = GTR 17 KTS AND NO PRECIP.	12 LST	9.1	5.9	4.4	2.0	0.8	0.9	1.1	1.1	1.5	3.2	2.9	5.3	38.2
	18 LST	9.5	5.4	3.7	1.5	0.7	0.6	1.0	0.7	1.2	2.4	2.3	4.9	33.9
	00 LST	8.7	5.3	3.7	2.3	0.4	0.8	0.9	0.9	1.2	2.3	2.8	5.7	35.0
	06 LST	8.7	5.3	3.4	1.5	0.7	0.2	0.5	0.8	1.0	2.1	2.9	4.7	31.8
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	12 LST	10.6	10.4	13.7	16.1	18.3	20.3	18.4	17.7	18.3	15.1	14.6	12.3	185.8
	18 LST	11.2	11.5	15.3	16.3	19.6	21.0	19.5	18.7	17.8	14.5	16.7	13.4	195.6
	00 LST	11.9	10.9	14.0	16.4	18.5	18.5	18.8	16.9	17.0	16.0	15.2	13.0	187.1
	06 LST	10.5	10.8	15.8	16.6	19.3	18.3	18.9	15.9	16.9	15.8	14.9	12.9	186.6
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	12 LST	3.5	3.8	2.3	3.4	4.3	2.6	2.7	2.8	3.6	4.2	4.3	3.3	40.8
	18 LST	3.5	3.4	2.2	2.6	3.8	2.4	2.1	3.3	3.1	3.2	3.2	3.9	36.7
	00 LST	5.5	5.1	4.3	4.7	6.9	6.6	9.1	9.6	8.1	6.1	6.7	5.9	78.6
	06 LST	5.9	4.8	3.1	2.6	3.2	2.0	2.0	4.7	5.9	6.9	6.7	6.0	53.8
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	12 LST	24.0	23.6	25.3	23.5	26.2	25.7	26.7	27.9	25.7	24.8	25.0	26.4	304.8
	18 LST	22.9	20.9	24.9	22.6	25.7	25.3	26.8	28.2	25.8	23.3	23.1	24.3	294.4
	00 LST	23.6	22.7	24.8	23.7	25.5	25.5	27.7	27.4	27.0	25.2	24.7	23.6	301.4
	06 LST	24.4	22.5	23.9	23.3	24.7	24.1	25.0	25.6	25.0	24.1	24.4	24.6	291.6
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	12 LST	17.8	16.6	14.4	14.3	20.5	21.4	25.2	27.1	23.7	21.6	19.6	19.0	241.0
	18 LST	15.8	14.0	14.8	14.4	20.2	19.7	25.1	26.9	24.1	19.2	19.1	18.4	231.7
	00 LST	17.2	16.4	13.7	14.6	19.9	21.6	26.2	27.0	26.2	21.9	20.7	17.3	242.7
	06 LST	17.7	15.3	13.2	13.4	16.6	18.5	22.9	23.8	23.6	21.1	20.3	17.9	224.3
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	12 LST	16.2	14.5	12.9	12.9	19.2	20.4	23.7	25.8	22.3	19.1	17.9	17.4	222.3
	18 LST	13.3	12.3	12.8	13.3	19.2	17.9	23.7	25.6	22.7	17.5	17.1	15.9	211.3
	00 LST	15.3	15.3	12.6	14.3	19.2	20.6	25.3	26.2	25.4	20.7	19.9	16.0	230.8
	06 LST	16.4	14.6	11.9	12.2	15.4	16.4	21.6	22.6	22.6	20.2	19.7	16.6	210.2

PASQUIN, PHILIPPINES

STA NO. 98221 (IN AREA NUMBER 01) LONGITUDE 12040E ELEVATION(FT) 01683

LATITUDE 1824N

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	79	81	84	86	87	86	84	82	82	81	80	80	83	0	0
MEAN MAX TMP (F)														0	-50
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP ≥ OR GTR 90(F)														0	0
MEAN NO DYS TMP ≥ OR LES 32(F)														0	0
MEAN NO DYS TMP ≥ OR LES 0(F)														0	0
MEAN DEW PT TMP (F)	65	64	67	68	71	73	74	73	72	72	70	68	70	0	-50
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	1629	1649	1666	1726	1771	1831	1843	1859	1828	1760	1716	1672	1746	0	-50
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPU ≥ OR GTR 17 KTS														0	0
P FREQ WND SPU ≥ OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0



PHILIPPINE ISLANDS
(Climatic Areas 1 and 2)

PHILIPPINE IS. 1-2

BLANK PAGE

PASUQUIN, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST

DATA NOT AVAILABLE

VIGAN, PHILIPPINES

STA NO. 98222 (IN AREA NUMBER 01) LATITUDE 1734N LONGITUDE 12033E ELEVATION(FT) 00098

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	70	70	72	75	76	77	77	77	76	76	74	71	74	7	1168
MEAN MAX TMP (F)	78	77	76	78	78	85	87	91	89	84	82	81	82	7	1020
MEAN MIN TMP (F)	0.20	0.30	0.30	0.70	0.80	14.40	29.20	29.80	17.40	5.80	1.30	0.50	108.7	36	35
ABS MIN TMP (F)	0.8	1.0	0.6	1.4	10.4	12.9	18.3	18.8	17.0	8.1	2.6	1.4	93.3	36	29
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	3.3	5.3	6.0	4.0	0.0	2.9	0.0	1.7	0.0	23.2	7	314
MEAN NO DYS TMP = OR LES 0(F)	4.6	2.2	0.0	0.0	0.0	2.1	6.2	1.3	1.6	2.5	8.1	3.6	2.7	7	1148
MEAN DEW PT TMP (F)	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.3	0.0	0.0	0.8	0.0	0.3	7	1148
MEAN REL HUM (PCT)	2.1	3.8	3.2	2.8	6.3	22.3	17.9	31.0	30.3	6.0	8.3	6.3	11.7	7	1168
MEAN PRESS ALT (FT)	1.3	1.3	0.0	0.0	1.0	4.3	6.3	7.1	6.7	1.1	1.9	0.9	2.7	7	1069
MEAN SNOW FALL (IN)	0.7	0.7	0.0	0.0	0.5	2.2	4.5	4.5	4.4	0.6	1.4	0.9	1.7	7	30
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	310
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	314
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1148
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1148
P FREQ WND SPU = OR GTR 17 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1148
P FREQ WND SPU = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1148
P FREQ LES 500J FT A/O LES 5 MI	1.0	1.0	0.0	0.9	1.9	9.5	13.9	14.0	13.4	3.8	3.4	1.5	5.4	7	30
P FREQ LES 1500 FT A/O LES 3 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1069
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	30
FOR 03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1369
FOR 06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	30
FOR 09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1543
FOR 12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	30
FOR 15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1910
FOR 18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	30
FOR 21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1069
P FREQ LES 300 FT A/O LES 1 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	30
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1369
FOR 03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	30
FOR 06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1543
FOR 09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	30
FOR 12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1910
FOR 15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	30
FOR 18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1069
FOR 21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	30

VIGAN, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 31.0	28.0	31.0	30.0	31.0	30.0	30.4	31.0	30.0	31.0	30.0	31.0	364.4	7	1369
	14 LST 30.8	27.7	31.0	30.0	31.0	30.0	30.8	30.5	29.8	30.8	30.0	30.8	363.2	7	1543
	20 LST 30.8	28.0	31.0	29.8	30.6	29.1	28.1	29.6	27.7	30.4	29.6	31.0	355.7	7	1910
	02 LST 31.0	28.0	31.0	30.0	30.7	30.0	30.7	31.0	29.6	30.6	30.0	31.0	363.6	7	1069
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	08 LST 29.3	26.2	29.5	29.7	30.4	28.1	28.1	27.2	29.1	30.2	25.4	27.2	341.4	7	1341
	14 LST 21.4	13.9	18.2	17.1	22.9	22.9	22.1	22.3	25.8	25.7	20.4	21.0	253.7	7	1505
	20 LST 25.5	23.5	25.9	25.7	27.3	18.1	16.6	16.3	19.5	24.7	23.1	23.4	269.6	7	1889
	02 LST 27.8	25.1	30.6	30.0	30.3	27.3	26.3	24.0	26.5	29.9	26.3	25.0	329.1	7	1039
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 0.3	0.0	0.0	0.0	0.2	0.0	0.6	0.3	0.3	0.2	0.2	0.0	2.1	7	1349
	14 LST 1.4	1.5	0.5	0.2	0.2	0.8	0.7	0.2	0.5	0.0	2.0	1.9	9.9	7	1526
	20 LST 1.0	0.8	0.0	0.0	0.0	0.5	1.4	0.6	0.6	0.7	1.1	0.0	6.7	7	1905
	02 LST 0.0	0.0	0.3	0.0	0.0	0.3	0.7	0.0	0.3	0.0	0.8	0.3	2.7	7	1047
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 17.0	22.1	22.5	21.4	24.1	20.1	21.4	17.7	16.6	15.3	18.9	20.2	237.3	7	1300
	14 LST 23.5	19.9	23.7	21.9	15.0	22.3	23.2	20.2	22.7	24.7	21.0	22.1	260.2	7	1479
	20 LST 18.8	16.2	24.6	22.4	21.1	15.8	13.8	14.7	14.4	19.2	19.4	22.6	223.6	7	1870
	02 LST 14.9	17.8	14.7	17.6	18.2	14.5	20.4	17.4	15.5	14.8	15.8	21.4	203.0	7	1009
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 17.5	16.0	22.7	21.3	17.0	6.7	8.2	4.7	6.8	12.4	13.3	14.8	161.4	7	1372
	14 LST 18.8	17.0	23.8	23.0	15.0	6.1	6.1	3.3	6.0	10.4	11.3	15.5	156.3	7	1543
	20 LST 23.1	21.5	23.8	23.2	17.1	5.9	5.0	4.7	7.6	15.1	18.8	19.8	185.6	7	1922
	02 LST 20.6	21.0	28.1	24.7	22.6	16.4	14.4	9.0	16.1	18.7	20.2	23.0	234.8	7	1077
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 30.7	27.5	31.0	30.0	30.7	29.0	28.5	28.8	28.2	30.2	28.8	29.5	352.9	7	1369
	14 LST 30.1	27.7	30.5	30.0	30.8	28.5	29.0	28.1	27.9	30.0	28.9	30.8	352.3	7	1543
	20 LST 28.6	26.8	29.3	28.4	26.9	19.3	16.5	15.3	17.5	26.2	25.6	28.7	289.1	7	1910
	02 LST 29.5	25.1	29.9	29.0	28.2	25.7	25.5	24.0	25.3	28.1	26.9	28.7	325.9	7	1069
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 30.7	27.5	31.0	30.0	30.7	28.7	27.7	27.4	27.5	29.9	28.6	29.5	349.3	7	1369
	14 LST 30.1	27.5	30.5	30.0	30.5	28.0	27.6	26.2	26.8	30.0	28.7	30.8	346.7	7	1543
	20 LST 27.3	26.1	28.2	28.0	25.0	17.1	13.5	11.4	14.4	25.1	24.1	27.9	266.1	7	1910
	02 LST 29.0	23.7	29.6	28.6	27.2	24.8	23.5	21.0	24.2	27.8	25.5	27.5	312.4	7	1069
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 30.4	27.5	31.0	30.0	30.7	28.7	27.7	27.4	27.6	29.9	28.6	29.5	349.0	7	1369
	14 LST 30.1	27.5	30.5	30.0	30.5	28.0	27.6	26.2	26.8	30.0	28.7	30.8	346.7	7	1543
	20 LST 27.3	26.1	28.2	28.0	25.0	17.1	13.5	11.4	14.4	25.1	24.1	27.9	268.1	7	1910
	02 LST 29.0	23.7	29.6	28.6	27.2	24.8	23.5	21.0	24.2	27.8	25.5	27.5	312.4	7	1069

LAOAG, PHILIPPINES

STA NO. 98223 (IN AREA NUMBER 01) LATITUDE 1811N LONGITUDE 12031E ELEVATION(FT) 00013

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	96	97	97	100	99	98	95	94	95	97	96	95	100	15	5446
MEAN MAX TMP (F)	86	87	89	91	92	90	88	88	88	89	88	87	89	15	5446
MEAN MIN TMP (F)	66	67	70	74	76	76	75	75	75	73	71	69	72	15	5446
ABS MIN TMP (F)	53	53	55	65	69	66	69	71	69	61	58	57	53	15	5446
MEAN NO DYS TMP = OR GTR 90(F)	3.5	3.9	13.1	25.6	28.8	19.4	11.3	6.4	5.9	12.9	12.1	6.4	149.3	15	5446
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5446
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5446
MEAN DEW PT TMP (F)	66	67	70	73	76	76	76	76	76	73	70	68	72	15	62573
MEAN REL HUM (PCT)	71	70	71	71	74	80	83	84	84	76	73	71	76	15	62378
MEAN PRESS ALT (FT)	-44	-23	-5	55	101	161	175	191	158	88	42	-2	75	0	-50
MEAN PRECIP (IN)	0.15	0.06	0.06	0.35	4.00	16.81	18.14	22.03	12.99	2.97	1.66	0.30	79.5	15	5446
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.4	0.3	0.1	0.7	4.7	12.0	14.1	15.8	11.9	4.3	2.3	0.5	67.1	15	5446
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.5	15	4041
MEAN NO DYS TSMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	4098
P FREQ WND SPD = UR GTR 17 KTS	5.7	3.9	2.0	2.4	1.0	1.5	1.2	2.8	2.1	2.4	5.9	5.6	3.0	15	62467
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.5	0.1	0.0	0.2	0.0	0.1	15	62467
P FREQ LES 5000 FT A/O LES 5 MI	2.2	1.9	1.3	1.8	4.6	9.9	14.0	15.3	13.0	4.2	3.4	1.3	6.1	15	62333
P FREQ LES 1500 FT A/O LES 3 MI	0.0	0.0	0.0	0.3	0.2	2.7	2.0	3.6	1.1	0.5	1.3	0.0	1.0	15	4677
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.7	2.3	2.6	1.3	0.3	0.7	0.0	0.7	10	3638
03-05 LST	0.3	0.0	0.1	0.4	0.1	0.7	2.1	3.9	2.2	0.8	2.4	0.0	1.1	15	9205
06-08 LST	0.1	0.0	0.0	0.2	0.1	2.2	2.6	3.5	2.1	0.5	1.5	0.1	1.1	15	9969
09-11 LST	0.0	0.0	0.0	0.4	0.1	1.7	2.8	4.0	2.9	0.6	1.0	0.3	1.2	15	9612
12-14 LST	0.0	0.0	0.0	0.7	0.6	3.6	4.3	6.0	2.8	0.6	1.3	0.3	1.7	15	10028
15-17 LST	0.0	0.0	0.0	0.0	0.4	3.2	3.4	5.7	2.2	0.3	0.8	0.3	1.4	15	8866
18-20 LST	0.0	0.0	0.0	0.0	0.7	1.0	2.6	3.9	1.7	0.0	0.3	0.0	0.9	10	3646
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.3	0.0	0.0	0.0	0.0	0.1	15	4677
P FREQ LES 300 FT A/O LES 1 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3638
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.4	0.1	0.4	0.0	0.1	15	9205
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.8	0.6	0.1	0.0	0.0	0.2	15	9969
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.6	0.1	0.6	0.3	0.1	0.0	0.1	0.2	15	9612
09-11 LST	0.0	0.0	0.0	0.1	0.0	0.4	0.2	1.4	0.5	0.1	0.0	0.0	0.2	15	10028
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.4	0.3	0.5	0.1	0.1	0.0	0.0	0.1	15	8866
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	15	10028
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.4	0.3	0.5	0.1	0.1	0.0	0.0	0.1	15	8866
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	10	3646

LAOAG, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 30.8	28.0	31.0	30.0	30.9	29.6	30.8	30.3	29.6	30.8	29.5	31.0	362.3	15	4577
	14 LST 31.0	28.0	31.0	29.9	30.9	29.7	30.6	30.4	29.7	30.9	29.9	30.9	362.9	15	4630
	20 LST 31.0	28.0	31.0	30.0	31.0	29.2	30.4	30.0	29.5	30.9	29.9	31.0	361.9	15	5329
	02 LST 31.0	28.0	31.0	30.0	30.9	29.5	30.7	30.4	29.7	30.9	29.7	31.0	362.8	15	4328
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST 27.3	26.0	29.9	29.0	30.6	29.0	28.2	27.6	27.9	28.1	24.0	25.8	333.4	15	4561
	14 LST 14.2	10.6	13.5	10.8	13.5	15.2	18.8	18.3	18.0	16.4	14.5	15.2	179.2	15	4609
	20 LST 25.0	24.8	28.3	26.8	29.1	26.2	27.3	26.4	26.7	25.7	23.9	24.8	315.0	15	5325
	02 LST 26.8	26.1	30.0	29.3	30.6	28.4	29.1	27.1	27.9	27.3	24.2	25.1	331.9	15	4310
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 0.3	0.1	0.1	0.1	0.0	0.0	0.1	0.0	0.2	0.3	0.4	0.6	2.2	15	4593
	14 LST 4.5	3.8	2.4	2.6	1.3	1.6	0.5	0.7	1.0	1.4	2.5	4.4	26.7	15	4620
	20 LST 0.4	0.1	0.1	0.2	0.0	0.1	0.0	0.1	0.0	0.6	0.4	0.7	2.7	15	5328
	02 LST 0.3	0.1	0.1	0.1	0.0	0.0	0.1	0.1	0.0	0.5	1.0	0.7	3.0	15	4324
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 14.0	12.3	13.0	12.1	13.9	14.3	14.8	14.2	14.6	16.5	13.4	14.5	167.6	15	4566
	14 LST 16.4	14.4	17.1	8.0	3.3	8.3	14.8	14.5	14.9	13.4	12.1	15.8	153.0	15	4604
	20 LST 14.3	14.4	17.2	17.0	16.7	13.4	11.4	10.7	11.6	15.6	14.3	15.6	172.2	15	5325
	02 LST 12.1	9.6	8.8	8.3	9.7	12.0	11.2	11.1	9.8	13.9	12.1	11.7	130.3	15	4308
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 15.6	16.6	22.6	22.2	16.8	6.9	6.6	3.0	5.9	13.7	14.6	15.7	160.2	15	4583
	14 LST 18.5	18.9	22.4	20.8	12.4	5.0	4.5	3.0	4.2	10.6	14.5	15.3	150.1	15	4631
	20 LST 18.5	20.0	20.9	20.6	11.9	2.8	1.8	1.9	3.5	12.4	16.3	17.2	147.8	15	5326
	02 LST 18.2	18.7	23.3	23.0	19.5	7.1	5.5	4.8	5.8	15.1	18.0	18.6	177.6	15	4336
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 30.1	27.6	30.8	29.7	30.6	28.7	29.1	28.1	28.2	30.3	28.7	30.7	352.6	15	4577
	14 LST 30.8	28.0	30.8	29.6	30.3	28.5	28.1	27.6	27.4	30.0	29.3	30.5	350.9	15	4630
	20 LST 30.4	27.3	30.3	29.5	29.3	25.5	25.9	25.2	26.3	29.7	29.0	30.5	338.9	15	5329
	02 LST 30.5	27.4	30.7	29.5	30.1	27.4	28.1	27.0	27.2	30.1	29.1	30.9	348.0	15	4328
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 30.0	27.5	30.7	29.7	30.4	28.4	28.4	27.2	27.4	30.2	28.6	30.4	348.9	15	4577
	14 LST 30.7	27.9	30.8	29.6	30.1	28.0	27.2	26.2	26.3	29.5	29.1	30.3	345.7	15	4630
	20 LST 30.0	26.9	29.7	29.0	28.2	23.0	23.1	22.8	24.2	28.8	28.6	30.3	324.6	15	5329
	02 LST 29.3	27.0	30.7	29.2	29.8	26.1	26.7	25.4	25.4	29.7	28.9	30.8	339.0	15	4326
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 30.0	27.5	30.7	29.7	30.4	28.4	28.4	27.0	27.4	30.2	28.6	30.4	348.7	15	4577
	14 LST 30.7	27.9	30.8	29.6	30.1	28.0	27.2	26.1	26.3	29.5	29.1	30.3	345.6	15	4630
	20 LST 30.0	26.9	29.7	28.9	28.2	23.0	23.1	22.8	24.2	28.8	28.6	30.1	324.3	15	5329
	02 LST 29.3	27.0	30.7	29.2	29.8	26.1	26.7	25.4	25.4	29.7	28.9	30.8	339.0	15	4326

DAGUPAN, PHILIPPINES

STA NO. 98325 (IN AREA NUMBER 01) LATITUDE 1603N LONGITUDE 12020E ELEVATION(FT) 00007

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
ABS MAX TMP (F)	96	99	102	104	103	102	101	98	97	97	97	97	104	27	-535
MEAN MAX TMP (F)	89	90	94	96	95	94	90	90	90	91	90	89	92	16	-35
MEAN MIN TMP (F)	69	69	72	74	75	75	75	75	75	74	72	70	73	16	-35
ABS MIN TMP (F)	58	62	64	68	70	71	69	71	70	68	63	62	58	27	-535
MEAN NO DYS TMP = OR GTR 90(F)	4.6	12.9	23.4	26.7	29.2	21.4	15.8	11.7	12.2	16.4	18.2	13.0	205.5	5	1817
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1817
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1817
MEAN DEW P T TMP (F)	67	67	70	73	75	76	76	76	76	74	72	70	73	12	13508
MEAN REL HUM (PCT)	73	70	71	71	75	82	84	85	85	79	76	75	77	12	13420
MEAN PRESS ALT (FT)	0.40	0.60	0.90	2.90	8.80	12.90	23.10	21.50	15.80	7.10	3.10	0.80	97.9	0	0
MEAN PRECIP (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36	-35
MEAN SNOW FALL (IN)	1.2	1.7	1.9	5.3	10.4	12.4	15.2	14.7	16.6	9.6	4.8	2.1	95.9	27	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	2144
MEAN NO DYS TSTMS	0.2	0.2	0.3	2.1	8.0	6.1	7.1	6.7	5.6	2.2	1.1	0.2	39.8	12	2147
P FREQ WND SPD = UR GTR 17 KTS	0.1	0.3	0.8	0.1	0.1	0.4	0.0	0.3	0.1	1.0	0.3	0.6	0.3	12	13481
P FREQ WND SPD = UR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.3	0.0	0.0	0.0	12	13481
P FREQ LES 5000 FT A/D LES 5 MI	5.2	5.0	6.5	7.6	13.0	17.6	23.5	28.0	22.1	9.1	5.3	5.1	12.3	12	13404
P FREQ LES 1500 FT A/D LES 3 MI	0.8	0.8	1.6	1.3	2.4	3.3	2.8	10.9	5.8	2.4	1.5	2.3	3.0	12	2995
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	3.2	4.5	6.6	0.8	0.9	0.0	0.0	1.3	4	1237
03-05 LST	1.9	0.8	1.1	0.0	1.1	3.1	8.2	13.7	7.7	1.9	2.5	2.9	3.7	12	3146
06-08 LST	0.0	0.0	0.0	0.0	0.0	2.1	5.4	9.8	4.2	1.0	0.0	0.0	1.9	4	1239
09-11 LST	0.7	0.4	0.4	0.4	3.0	8.5	4.3	9.9	7.2	2.6	2.2	1.8	3.5	12	3206
12-14 LST	1.1	0.0	0.0	1.1	5.5	6.3	4.5	8.2	3.3	4.8	0.9	0.0	3.4	4	1239
15-17 LST	0.6	2.0	2.1	4.3	8.3	5.8	9.2	11.6	9.1	6.5	1.2	1.1	5.2	12	4003
18-20 LST	0.0	0.0	0.0	0.0	0.0	1.1	2.7	2.5	3.3	2.9	0.0	0.0	1.0	4	1239
21-23 LST	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.8	0.0	0.0	0.4	0.0	0.1	12	2995
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	1237
03-05 LST	0.4	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.1	12	3146
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1239
09-11 LST	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.1	12	3206
12-14 LST	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	1239
15-17 LST	0.0	0.0	0.0	0.0	0.3	0.6	1.2	0.9	0.9	0.6	0.3	0.0	0.4	12	4003
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1239
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1239

DAGUPAN, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 29.2	08 LST 25.9	08 LST 29.8	08 LST 29.4	08 LST 30.8	08 LST 30.0	08 LST 30.3	08 LST 30.3	08 LST 29.3	08 LST 30.9	08 LST 29.7	08 LST 30.8	08 LST 356.4	12	3146
	14 LST 31.0	14 LST 28.0	14 LST 31.0	14 LST 30.0	14 LST 30.6	14 LST 29.0	14 LST 30.8	14 LST 30.6	14 LST 29.9	14 LST 30.6	14 LST 30.0	14 LST 31.0	14 LST 362.5	12	3206
	20 LST 31.0	20 LST 28.0	20 LST 31.0	20 LST 30.0	20 LST 30.2	20 LST 29.6	20 LST 30.3	20 LST 30.0	20 LST 29.5	20 LST 30.4	20 LST 29.9	20 LST 31.0	20 LST 360.9	12	4003
	02 LST 31.0	02 LST 28.0	02 LST 31.0	02 LST 29.7	02 LST 30.6	02 LST 30.0	02 LST 30.8	02 LST 30.2	02 LST 30.0	02 LST 31.0	02 LST 29.6	02 LST 31.0	02 LST 362.9	12	2995
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST 27.9	08 LST 25.0	08 LST 28.6	08 LST 29.0	08 LST 30.2	08 LST 28.6	08 LST 27.1	08 LST 23.1	08 LST 26.0	08 LST 29.5	08 LST 27.2	08 LST 28.7	08 LST 330.9	12	3117
	14 LST 22.5	14 LST 20.0	14 LST 21.4	14 LST 21.9	14 LST 25.5	14 LST 22.3	14 LST 25.7	14 LST 22.2	14 LST 23.0	14 LST 24.9	14 LST 24.9	14 LST 25.6	14 LST 279.9	12	3180
	20 LST 24.5	20 LST 21.6	20 LST 20.8	20 LST 16.8	20 LST 19.5	20 LST 24.9	20 LST 24.8	20 LST 22.9	20 LST 21.9	20 LST 23.2	20 LST 26.4	20 LST 27.0	20 LST 274.3	12	3989
	02 LST 28.5	02 LST 25.9	02 LST 28.9	02 LST 28.7	02 LST 29.3	02 LST 28.4	02 LST 29.2	02 LST 24.9	02 LST 25.4	02 LST 28.6	02 LST 28.0	02 LST 28.2	02 LST 334.0	12	2971
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 0.0	08 LST 0.1	08 LST 0.1	08 LST 0.0	08 LST 0.0	08 LST 0.0	08 LST 0.0	08 LST 0.1	08 LST 0.0	08 LST 0.0	08 LST 0.1	08 LST 0.1	08 LST 0.5	12	3141
	14 LST 0.1	14 LST 0.4	14 LST 0.2	14 LST 0.0	14 LST 0.1	14 LST 0.0	14 LST 0.0	14 LST 0.0	14 LST 0.0	14 LST 0.0	14 LST 0.3	14 LST 0.5	14 LST 1.6	12	3197
	20 LST 0.2	20 LST 0.4	20 LST 0.2	20 LST 0.2	20 LST 0.0	20 LST 0.1	20 LST 0.0	20 LST 0.0	20 LST 0.0	20 LST 0.2	20 LST 0.4	20 LST 0.2	20 LST 1.9	12	4001
	02 LST 0.0	02 LST 0.1	02 LST 0.1	02 LST 0.0	02 LST 0.0	02 LST 0.0	02 LST 0.1	02 LST 0.1	02 LST 0.0	02 LST 0.0	02 LST 0.2	02 LST 0.3	02 LST 0.9	12	2993
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 17.3	08 LST 16.2	08 LST 21.4	08 LST 20.7	08 LST 22.0	08 LST 21.0	08 LST 19.3	08 LST 18.5	08 LST 18.0	08 LST 17.9	08 LST 15.5	08 LST 17.5	08 LST 225.3	12	3123
	14 LST 26.1	14 LST 17.4	14 LST 12.9	14 LST 6.0	14 LST 4.1	14 LST 5.4	14 LST 10.7	14 LST 12.3	14 LST 14.2	14 LST 15.1	14 LST 18.0	14 LST 24.2	14 LST 166.4	12	3170
	20 LST 20.8	20 LST 22.5	20 LST 24.3	20 LST 19.9	20 LST 19.9	20 LST 16.4	20 LST 14.1	20 LST 12.8	20 LST 14.5	20 LST 19.1	20 LST 18.2	20 LST 19.7	20 LST 222.2	12	3985
	02 LST 16.9	02 LST 16.8	02 LST 14.2	02 LST 17.2	02 LST 12.2	02 LST 14.6	02 LST 12.4	02 LST 11.6	02 LST 12.7	02 LST 12.4	02 LST 13.4	02 LST 14.2	02 LST 166.6	12	2957
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 15.4	08 LST 15.2	08 LST 18.7	08 LST 20.5	08 LST 16.6	08 LST 8.7	08 LST 4.3	08 LST 3.7	08 LST 3.9	08 LST 11.7	08 LST 14.3	08 LST 15.0	08 LST 148.0	12	3152
	14 LST 13.7	14 LST 14.9	14 LST 16.8	14 LST 17.0	14 LST 11.2	14 LST 5.0	14 LST 2.1	14 LST 2.7	14 LST 2.3	14 LST 9.7	14 LST 10.7	14 LST 12.1	14 LST 118.2	12	3220
	20 LST 12.6	20 LST 13.2	20 LST 14.3	20 LST 12.0	20 LST 3.7	20 LST 1.5	20 LST 1.1	20 LST 1.1	20 LST 0.6	20 LST 5.5	20 LST 10.8	20 LST 12.2	20 LST 88.6	12	4005
	02 LST 18.0	02 LST 18.4	02 LST 17.2	02 LST 17.5	02 LST 12.9	02 LST 9.7	02 LST 6.5	02 LST 7.1	02 LST 6.5	02 LST 14.0	02 LST 17.9	02 LST 17.6	02 LST 163.3	12	3005
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 27.9	08 LST 24.9	08 LST 28.4	08 LST 28.7	08 LST 29.8	08 LST 27.8	08 LST 25.5	08 LST 21.9	08 LST 24.7	08 LST 29.1	08 LST 27.6	08 LST 28.8	08 LST 325.1	12	3146
	14 LST 29.6	14 LST 27.1	14 LST 30.0	14 LST 29.0	14 LST 28.5	14 LST 24.8	14 LST 25.0	14 LST 22.7	14 LST 23.8	14 LST 29.2	14 LST 27.7	14 LST 29.0	14 LST 326.4	12	3206
	20 LST 28.6	20 LST 25.1	20 LST 27.8	20 LST 25.9	20 LST 23.9	20 LST 22.9	20 LST 21.9	20 LST 20.1	20 LST 19.8	20 LST 24.4	20 LST 27.6	20 LST 28.2	20 LST 296.2	12	4003
	02 LST 29.7	02 LST 27.0	02 LST 29.0	02 LST 27.8	02 LST 28.3	02 LST 26.9	02 LST 27.3	02 LST 23.6	02 LST 26.0	02 LST 29.1	02 LST 28.1	02 LST 29.0	02 LST 331.8	12	2995
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 26.7	08 LST 24.4	08 LST 28.0	08 LST 28.4	08 LST 29.5	08 LST 26.4	08 LST 23.6	08 LST 20.1	08 LST 23.0	08 LST 28.6	08 LST 27.2	08 LST 28.4	08 LST 314.3	12	3146
	14 LST 28.5	14 LST 26.4	14 LST 29.1	14 LST 28.6	14 LST 27.3	14 LST 22.7	14 LST 21.9	14 LST 20.8	14 LST 22.3	14 LST 29.1	14 LST 26.6	14 LST 27.9	14 LST 311.2	12	3206
	20 LST 27.0	20 LST 24.1	20 LST 25.9	20 LST 23.9	20 LST 20.6	20 LST 17.9	20 LST 17.7	20 LST 16.2	20 LST 16.1	20 LST 21.6	20 LST 26.0	20 LST 26.5	20 LST 263.5	12	4003
	02 LST 28.7	02 LST 26.3	02 LST 28.3	02 LST 26.7	02 LST 27.3	02 LST 25.0	02 LST 25.7	02 LST 21.7	02 LST 25.1	02 LST 28.0	02 LST 27.9	02 LST 28.4	02 LST 319.1	12	2995
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 26.4	08 LST 24.4	08 LST 28.0	08 LST 28.2	08 LST 29.5	08 LST 26.3	08 LST 23.6	08 LST 20.1	08 LST 22.8	08 LST 28.0	08 LST 27.1	08 LST 28.3	08 LST 312.7	12	3146
	14 LST 28.4	14 LST 26.4	14 LST 29.1	14 LST 28.6	14 LST 27.3	14 LST 22.7	14 LST 21.9	14 LST 20.7	14 LST 22.3	14 LST 29.0	14 LST 26.6	14 LST 27.9	14 LST 310.9	12	3206
	20 LST 26.7	20 LST 23.9	20 LST 25.8	20 LST 23.9	20 LST 20.3	20 LST 17.9	20 LST 17.6	20 LST 16.0	20 LST 16.1	20 LST 21.5	20 LST 25.9	20 LST 26.4	20 LST 262.0	12	4003
	02 LST 28.5	02 LST 26.3	02 LST 28.3	02 LST 26.7	02 LST 27.3	02 LST 25.0	02 LST 25.6	02 LST 21.7	02 LST 25.1	02 LST 27.7	02 LST 27.6	02 LST 28.3	02 LST 318.1	12	2995

BASA AIR BASE, PHILIPPINES

STA NO. 98326 (IN AREA NUMBER 01) LATITUDE 1459N LONGITUDE 12029E ELEVATION(FT) 00151

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	92	94	97	99	99	97	95	94	93	92	93	92	99	12	-98327
MEAN MAX TMP (F)	85	87	90	92	92	89	87	86	86	87	86	85	88	12	-98327
MEAN MIN TMP (F)	70	70	73	75	76	75	74	74	74	74	73	71	73	12	-98327
ABS MIN TMP (F)	62	63	61	64	70	70	70	70	71	69	66	64	61	12	-98327
MEAN NO DYS TMP ≥ OR GTR 90(F)	2.1	6.4	18.3	25.9	26.4	14.2	7.9	4.3	3.8	4.9	1.6	1.2	117.0	12	-98327
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-98327
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-98327
MEAN DEW PT TMP (F)	64	64	66	68	71	73	73	73	73	71	68	66	69	10	-98327
MEAN REL HUM (PCT)	67	65	64	63	68	79	81	83	84	76	72	70	73	10	-98327
MEAN PRESS ALI (FT)	115	130	142	198	236	294	298	319	295	240	200	158	219	0	-90
MEAN PRECIP (IN)	0.84	0.67	0.91	1.46	3.93	10.79	12.64	16.14	13.05	4.93	2.03	0.93	68.3	11	-98327
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-98327
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	1.2	1.6	1.3	2.3	7.3	11.3	15.7	17.9	17.3	9.0	3.6	1.3	89.8	11	-98327
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-98327
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.3	0.1	0.0	0.1	0.2	2.6	1.5	2.8	2.9	0.8	0.8	0.2	12.4	10	-98327
MEAN NO DYS TSTMS	0.1	0.4	2.3	4.3	9.7	10.3	13.3	10.3	10.5	6.7	1.9	0.2	70.0	12	-98327
P FREQ WND SPD ≥ OR GTR 17 KTS	0.4	0.5	0.4	0.4	0.8	0.9	0.6	0.7	0.3	0.4	0.2	0.2	0.5	10	-98327
P FREQ WND SPD ≥ OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-98327
P FREQ LES 5000 FT A/O LES 5 MI	18.0	18.5	16.9	15.2	17.5	24.5	27.4	33.2	29.0	16.0	13.0	11.9	20.1	10	-98327
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.1	0.2	1.1	1.1	2.3	8.5	10.6	15.9	14.2	4.2	1.7	0.8	5.1	10	-98327
03-05 LST	0.1	0.1	0.6	0.7	3.2	11.0	13.6	21.0	15.2	4.4	2.1	1.0	6.1	10	-98327
06-08 LST	0.5	0.5	0.4	0.2	2.6	10.4	12.1	17.6	12.7	4.8	2.3	1.3	5.5	10	-98327
09-11 LST	0.2	0.1	0.0	0.0	1.6	8.5	10.2	12.5	10.6	3.2	2.2	0.4	4.1	10	-98327
12-14 LST	0.0	0.0	0.0	0.0	1.6	6.7	6.0	8.9	5.2	2.4	2.1	0.6	2.8	10	-98327
15-17 LST	0.1	0.0	0.0	0.2	1.1	4.6	4.5	7.1	3.3	1.7	2.0	0.8	2.1	10	-98327
18-20 LST	0.0	0.0	0.1	0.5	2.3	5.2	3.6	9.4	7.7	4.1	2.2	0.8	3.0	10	-98327
21-23 LST	0.0	0.3	0.8	0.1	2.9	6.7	7.4	12.0	10.6	3.6	1.0	0.5	3.8	10	-98327
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.1	0.0	0.0	0.1	0.8	3.8	2.7	6.3	6.8	1.1	0.3	0.4	1.9	10	-98327
03-05 LST	0.0	0.1	0.0	0.0	1.3	4.2	5.6	7.1	6.8	1.0	1.1	0.2	2.3	10	-98327
06-08 LST	0.2	0.1	0.0	0.0	0.1	2.7	2.7	4.1	4.1	1.0	0.9	0.2	1.3	10	-98327
09-11 LST	0.0	0.1	0.0	0.0	0.1	1.2	0.2	0.5	0.2	0.0	0.2	0.0	0.2	10	-98327
12-14 LST	0.0	0.0	0.0	0.0	0.4	1.4	0.5	0.7	0.0	0.0	0.4	0.1	0.3	10	-98327
15-17 LST	0.1	0.0	0.0	0.0	0.0	1.4	0.8	0.5	0.1	0.1	0.2	0.2	0.3	10	-98327
18-20 LST	0.0	0.0	0.0	0.4	0.6	1.7	0.7	1.6	1.1	0.7	0.4	0.1	0.6	10	-98327
21-23 LST	0.0	0.3	0.0	0.0	1.6	2.2	1.9	3.5	2.8	0.7	0.2	0.2	1.1	10	-98327

BASA AIR BASE, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS (N)
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 30.9	27.9	31.0	30.0	30.3	27.0	28.0	26.6	25.9	29.2	29.4	30.8	347.0	10	-98327
	14 LST 31.0	28.0	31.0	30.0	30.8	28.2	29.8	29.0	29.0	30.3	29.5	30.7	357.3	10	-98327
	20 LST 31.0	28.0	31.0	30.0	30.3	28.3	30.0	27.8	27.1	29.8	29.6	30.9	353.8	10	-98327
	02 LST 31.0	28.0	30.8	29.8	30.3	27.4	27.9	26.1	25.7	29.6	29.8	30.7	347.1	10	-98327
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	08 LST 30.3	27.6	30.2	29.3	29.3	25.9	26.1	23.9	24.8	28.3	28.3	30.2	334.2	10	-98327
	14 LST 22.2	20.8	24.4	19.8	21.5	17.3	21.4	22.0	21.1	25.2	22.9	24.1	262.7	10	-98327
	20 LST 29.8	26.7	28.2	27.9	27.8	26.9	27.3	26.0	25.7	28.6	29.2	30.4	334.5	10	-98327
	02 LST 30.7	27.4	30.2	29.2	29.9	26.8	27.1	24.4	25.2	28.6	29.6	30.4	339.5	10	-98327
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.3	10	-98327
	14 LST 0.3	0.5	0.2	0.2	0.6	0.3	0.2	0.4	0.2	0.3	0.1	0.1	3.4	10	-98327
	20 LST 0.0	0.0	0.0	0.0	0.3	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.6	10	-98327
	02 LST 0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-98327
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 26.5	21.7	19.7	17.9	15.5	12.8	12.3	11.1	13.4	17.7	22.0	23.2	213.8	10	-98327
	14 LST 22.3	19.7	13.4	4.4	4.6	12.2	18.2	18.5	18.5	21.4	23.6	23.5	200.3	10	-98327
	20 LST 20.1	17.4	22.6	20.3	21.2	15.7	15.6	13.9	15.2	15.7	15.0	15.6	208.3	10	-98327
	02 LST 22.1	19.2	17.0	13.7	13.1	10.0	10.8	9.1	10.7	15.8	20.3	22.0	183.8	10	-98327
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 4.9	5.4	7.0	8.6	6.0	0.7	0.2	0.0	0.3	3.2	3.4	4.3	44.0	10	-98327
	14 LST 2.0	1.1	1.6	2.3	1.3	0.0	0.0	0.0	0.1	0.9	0.8	0.8	10.9	10	-98327
	20 LST 5.8	5.2	6.9	8.8	3.5	0.3	0.2	0.2	0.2	2.0	3.4	4.5	41.0	10	-98327
	02 LST 9.3	11.0	11.7	13.7	7.3	4.1	2.7	1.3	1.3	4.5	7.2	8.9	82.4	10	-98327
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 30.8	27.9	31.0	29.6	29.6	26.1	26.7	25.0	24.4	28.8	28.7	30.6	339.2	10	-98327
	14 LST 31.0	28.0	30.9	30.0	30.0	26.8	27.3	25.9	25.9	29.2	29.0	30.6	344.6	10	-98327
	20 LST 31.0	27.8	30.7	30.0	29.9	27.5	28.9	25.8	25.4	28.9	28.9	30.7	345.5	10	-98327
	02 LST 30.8	27.4	29.8	29.1	29.8	26.6	27.0	24.7	24.8	28.9	29.5	30.6	339.0	10	-98327
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 25.1	23.2	27.5	27.0	26.7	24.1	24.3	21.1	22.3	27.1	25.8	27.2	301.4	10	-98327
	14 LST 19.0	15.0	19.3	21.1	23.5	19.1	19.9	18.7	19.9	25.2	22.9	22.6	246.2	10	-98327
	20 LST 23.0	20.3	23.5	24.2	22.8	22.1	21.4	19.6	19.2	22.7	23.9	25.0	267.7	10	-98327
	02 LST 26.0	22.8	24.4	24.3	24.6	22.4	21.9	19.3	20.3	25.3	26.4	27.1	284.8	10	-98327
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 22.0	21.4	25.2	25.5	25.9	21.7	20.1	17.7	18.5	24.2	22.7	24.1	269.0	10	-98327
	14 LST 15.5	13.3	17.8	19.0	21.6	16.1	16.6	15.1	15.4	22.1	19.1	19.2	210.8	10	-98327
	20 LST 19.5	17.8	21.0	22.1	20.6	18.3	17.0	14.7	13.4	19.3	20.4	21.5	225.6	10	-98327
	02 LST 22.7	21.0	23.5	23.0	23.8	20.1	19.3	16.8	17.0	22.5	23.7	24.0	257.4	10	-98327

CLARK AIR BASE, PHILIPPINES

STA NO. 98327 (IN AREA NUMBER 01) LATITUDE 1511N LONGITUDE 12033E ELEVATION(FT) 00478

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	92	94	97	99	99	97	95	94	93	92	93	92	99	12	4382
MEAN MAX TMP (F)	85	87	90	92	92	89	87	86	86	87	86	85	88	12	4382
MEAN MIN TMP (F)	70	70	73	75	76	75	74	74	74	74	73	71	73	12	4382
ABS MIN TMP (F)	62	63	61	64	70	70	70	70	71	69	66	64	61	12	4382
MEAN NO DYS TMP = OR GTR 90(F)	2.1	6.4	18.3	25.9	26.4	14.2	7.9	4.3	3.8	4.9	1.6	1.2	117.0	12	4382
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4382
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4382
MEAN DEW PT TMP (F)	64	64	66	68	71	73	73	73	73	71	68	66	69	10	79751
MEAN REL HUM (PCT)	67	65	64	63	68	79	81	83	84	76	72	70	73	10	79751
MEAN PRESS ALI (FI)	443	458	470	526	565	622	625	646	622	568	528	487	547	0	-50
MEAN PRECIP (IN)	0.84	0.67	0.91	1.46	3.93	10.79	12.64	16.14	13.05	4.93	2.03	0.93	68.3	11	3955
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3957
MEAN NO DYS PKCP = OR GTR 0.1 IN	1.2	1.6	1.3	2.3	7.3	11.3	15.7	17.9	17.3	9.0	3.6	1.3	89.8	11	3955
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3957
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.3	0.1	0.0	0.1	0.2	2.6	1.6	2.8	2.9	0.8	0.8	0.2	12.4	10	3323
MEAN NO DYS TSTMS	0.1	0.4	2.3	4.3	9.7	10.3	13.3	10.3	10.5	6.7	1.9	0.2	70.0	12	4382
P FREQ WND SPD = OR GTR 17 KTS	0.4	0.5	0.4	0.4	0.8	0.9	0.6	0.7	0.3	0.4	0.2	0.2	0.5	10	79752
P FREQ WND SPD = UR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	79752
P FREQ LES 5000 FT A/O LES 5 MI	18.0	18.5	16.9	15.2	17.5	24.5	27.4	33.2	29.0	16.0	13.0	11.9	20.1	10	79752
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.1	0.3	1.1	1.1	2.3	8.5	10.6	15.9	14.2	4.2	1.7	0.8	5.1	10	9969
03-05 LST	0.1	0.1	0.6	0.7	3.2	11.0	13.6	21.0	15.2	4.4	2.1	1.0	6.1	10	9969
06-08 LST	0.5	0.5	0.4	0.2	2.6	10.4	12.1	17.6	12.7	4.8	2.3	1.3	5.5	10	9969
09-11 LST	0.2	0.1	0.0	0.0	1.6	8.5	10.2	12.5	10.6	3.2	2.2	0.4	4.1	10	9969
12-14 LST	0.0	0.0	0.0	0.0	1.6	6.7	6.0	8.9	5.2	2.4	2.1	0.6	2.8	10	9969
15-17 LST	0.1	0.0	0.0	0.2	1.1	4.6	4.5	7.1	3.3	1.7	2.0	0.8	2.1	10	9969
18-20 LST	0.0	0.0	0.1	0.5	2.3	5.2	3.6	9.4	7.7	4.1	2.2	0.8	3.0	10	9969
21-23 LST	0.0	0.3	0.8	0.1	2.9	6.7	7.4	12.0	10.6	3.6	1.0	0.5	3.8	10	9969
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.1	0.0	0.0	0.1	0.8	3.8	2.7	6.3	6.8	1.1	0.3	0.4	1.9	10	9969
03-05 LST	0.0	0.1	0.0	0.0	1.3	4.2	5.6	7.1	6.8	1.0	1.1	0.2	2.3	10	9969
06-08 LST	0.2	0.1	0.0	0.0	0.1	2.7	2.7	4.1	4.1	1.0	0.9	0.2	1.3	10	9969
09-11 LST	0.0	0.1	0.0	0.0	0.1	1.2	0.2	0.5	0.2	0.0	0.2	0.0	0.2	10	9969
12-14 LST	0.0	0.0	0.0	0.0	0.4	1.4	0.5	0.7	0.0	0.0	0.4	0.1	0.3	10	9969
15-17 LST	0.1	0.0	0.0	0.0	0.0	1.4	0.8	0.5	0.1	0.1	0.2	0.2	0.3	10	9969
18-20 LST	0.0	0.0	0.0	0.4	0.6	1.7	0.7	1.6	1.1	0.7	0.4	0.1	0.6	10	9969
21-23 LST	0.0	0.3	0.0	0.0	1.6	2.2	1.9	3.5	2.8	0.7	0.2	0.2	1.1	10	9969

CLARK AIR BASE, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 30.9	27.9	31.0	30.0	30.3	27.0	28.0	26.6	25.9	29.2	29.4	30.8	347.0	10	3323
	14 LST 31.0	28.0	31.0	30.0	30.8	28.2	29.8	29.0	29.0	30.3	29.5	30.7	357.3	10	3323
	20 LST 31.0	28.0	31.0	30.0	30.3	28.3	30.0	27.8	27.1	29.8	29.6	30.9	353.8	10	3323
	02 LST 31.0	28.0	30.8	29.8	30.3	27.4	27.9	26.1	25.7	29.6	29.8	30.7	347.1	10	3323
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	08 LST 30.3	27.6	30.2	29.3	29.3	25.9	26.1	23.9	24.8	28.3	28.3	30.2	334.2	10	3323
3 MI W/SFC WND LES 10 KTS	14 LST 22.2	20.8	24.4	19.8	21.5	17.3	21.4	22.0	21.1	25.2	22.9	24.1	262.7	10	3323
	20 LST 29.8	26.7	28.2	27.9	27.8	26.9	27.3	26.0	25.7	28.6	29.2	30.4	334.5	10	3323
	02 LST 30.7	27.4	30.2	29.2	29.9	26.8	27.1	24.4	25.2	28.6	29.6	30.4	339.5	10	3323
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.3	10	3268
	14 LST 0.3	0.5	0.2	0.2	0.6	0.3	0.2	0.4	0.2	0.3	0.1	0.1	3.4	10	3240
	20 LST 0.0	0.0	0.0	0.0	0.3	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.6	10	3217
	02 LST 0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3238
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 26.5	21.7	19.7	17.9	15.5	12.8	12.3	11.1	13.4	17.7	22.0	23.2	213.8	10	3268
	14 LST 22.3	19.7	13.4	4.4	4.6	12.2	18.2	18.5	18.5	21.4	23.6	23.5	200.3	10	3240
	20 LST 20.1	17.4	22.6	20.3	21.2	15.7	15.6	13.9	15.2	15.7	15.0	15.6	208.3	10	3217
	02 LST 22.1	19.2	17.0	13.7	13.1	10.0	10.8	9.1	10.7	15.8	20.3	22.0	183.8	10	3236
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 4.9	5.4	7.0	8.6	6.0	0.7	0.2	0.0	0.3	3.2	3.4	4.3	44.0	10	3323
	14 LST 2.0	1.1	1.6	2.3	1.3	0.0	0.0	0.0	0.1	0.9	0.8	0.8	10.9	10	3323
	20 LST 5.8	5.2	6.9	8.8	3.5	0.3	0.2	0.2	0.2	2.0	3.4	4.5	41.0	10	3323
	02 LST 9.3	11.0	11.7	13.7	7.3	4.1	2.7	1.3	1.3	4.9	7.2	8.9	83.4	10	3323
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 30.8	27.9	31.0	29.6	29.6	26.1	26.7	25.0	24.4	28.8	28.7	30.6	339.2	10	3323
	14 LST 31.0	28.0	30.9	30.0	30.0	26.8	27.3	25.9	25.9	29.2	29.0	30.6	344.6	10	3323
	20 LST 31.0	27.8	30.7	30.0	29.9	27.5	28.9	25.8	25.4	28.9	28.9	30.7	345.5	10	3323
	02 LST 30.8	27.4	29.8	29.1	29.8	26.6	27.0	24.7	24.8	28.9	29.5	30.6	339.0	10	3323
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 25.1	23.2	27.5	27.0	26.7	24.1	24.3	21.1	22.3	27.1	25.8	27.2	301.4	0	3323
	14 LST 19.0	15.0	19.3	21.1	23.5	19.1	19.9	18.7	19.9	25.2	22.9	22.6	246.2	10	3323
	20 LST 23.0	20.3	23.5	24.2	22.8	22.1	21.4	19.6	19.2	22.7	23.9	25.0	267.7	10	3323
	02 LST 26.0	22.8	24.4	24.3	24.6	22.4	21.9	19.3	20.3	25.3	26.4	27.1	284.8	10	3323
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 22.0	21.4	25.2	25.5	25.9	21.7	20.1	17.7	18.5	24.2	22.7	24.1	269.0	10	3323
	14 LST 15.5	13.3	17.8	19.0	21.6	16.1	16.6	15.1	15.4	22.1	19.1	19.2	210.8	10	3323
	20 LST 19.5	17.8	21.0	22.1	20.6	18.3	17.0	14.7	13.4	19.3	20.4	21.5	225.6	10	3323
	02 LST 22.7	21.0	23.5	23.0	23.6	20.1	19.3	16.8	17.0	22.5	23.7	24.0	257.4	10	3323

BAGUIO, PHILIPPINES

LATITUDE 1625N LONGITUDE 12039E ELEVATION(FT) 0496Z

STA NO. 98328 (IN AREA NUMBER 01)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	79	81	82	84	81	80	80	80	79	81	80	80	84	21	-35
MEAN MAX TMP (F)	72	73	76	77	76	75	71	71	71	73	74	74	74	10	-35
MEAN MIN TMP (F)	55	56	58	60	61	61	60	60	60	60	59	57	59	10	-35
ABS MIN TMP (F)	47	47	52	50	57	53	54	55	57	52	49	46	46	21	-35
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN DEW PT TMP (F)	58	59	61	64	65	55	64	64	63	63	62	60	62	10	-29
MEAN REL HUM (PCT)	83	83	83	85	89	90	93	93	92	89	86	84	88	10	-35
MEAN PRESS ALT (FT)	4942	4942	4963	5015	5078	5106	5141	5128	5130	5037	4969	4742	5032	0	-50
MEAN PRECIP (IN)	0.90	0.90	1.70	4.30	15.80	17.20	42.30	45.70	28.10	15.00	4.90	2.00	178.8	36	-35
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS PKCP = OR GTR 0.1 IN	2.3	2.3	3.4	7.0	16.0	13.6				16.2	7.0	4.5		36	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.3	1.0	3.0	6.0	4.0	3.0	2.0	2.0	1.0	1.0	0.3	23.6	10	-35
MEAN NO DYS TSTMS														0	0
P FREQ WND SPU = OR GTR 17 KTS														0	0
P FREQ WND SPU = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BAGUIO, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST

DATA NOT AVAILABLE

CABANATUAN, PHILIPPINES

STA NO. 98329 (IN AREA NUMBER 01) LATITUDE 1529N LONGITUDE 12058E ELEVATION(FT) 00105

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	65	67	65	69	72	74	75	76	75	75	72	68	71	7	518
MEAN MAX TMP (F)	62	67	59	60	65	76	83	82	82	80	77	73	72	7	473
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PKCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCLR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = UR GTR 17 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	109
P FREQ WND SPD = UR GTR 28 KTS	0.0	4.0	0.0	0.0	12.4	6.0	7.8	6.9	7.5	0.0	0.0	0.0	4.6	7	113
P FREQ LES 5000 FT A/O LES 5 MI	23.9	0.0	0.0	4.4	1.6	0.0	0.0	2.4	0.0	0.0	1.9	0.0	2.9	7	560
P FREQ LES 1500 FT A/O LES 3 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	560
FOR 00-02 LST	10.0	13.5	2.5	10.6	17.1	19.5	22.2	10.3	23.3	6.5	4.4	24.4	13.7	7	483
FOR 03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.9	1.8	1.0	7	1047
FOR 06-08 LST	0.0	0.0	0.5	0.0	0.5	0.5	1.9	2.5	0.0	1.1	0.5	2.3	0.8	7	-30
FOR 09-11 LST	0.0	0.0	1.0	0.0	1.0	1.0	0.0	1.0	0.0	0.9	0.0	2.8	0.6	7	1197
FOR 12-14 LST	0.0	0.0	0.9	0.0	0.0	4.3	3.8	5.2	0.0	0.0	0.7	0.8	1.3	7	1248
FOR 15-17 LST	0.8	0.0	0.7	0.0	0.0	0.0	3.2	3.9	1.6	0.8	0.8	0.0	1.0	7	1472
FOR 18-20 LST	0.0	0.0	0.0	0.0	0.9	2.4	3.5	3.7	0.0	1.6	0.8	3.0	1.3	7	1393
FOR 21-23 LST	0.0	5.6	3.6	0.0	0.0	4.2	4.8	0.0	0.0	0.0	4.2	0.0	1.9	7	270
P FREQ LES 300 FT A/O LES 1 MI	0.0	2.8	1.8	0.0	0.0	2.1	4.3	1.9	0.0	0.7	2.6	0.9	1.4	7	-30
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.3	0.0	0.0	0.0	0.0	0.2	7	1047
FOR 03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.7	0.0	0.5	0.0	0.5	0.2	7	-30
FOR 06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.9	0.2	7	1197
FOR 09-11 LST	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.1	7	1248
FOR 12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.8	0.0	0.0	0.0	0.1	7	1472
FOR 15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.1	7	1393
FOR 18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	0.4	7	270
FOR 21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.7	0.0	0.0	2.1	0.0	0.3	7	-30

CABANATUAN, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	31.0	28.0	31.0	29.6	30.7	29.7	31.0	30.7	30.0	30.7	30.0	30.4	362.8	7	1197
	14 LST	31.0	28.0	31.0	30.0	31.0	30.0	30.8	29.8	31.0	29.8	31.0	30.8	363.7	7	1472
	20 LST	31.0	28.0	31.0	30.0	31.0	30.0	29.5	31.0	30.0	31.0	28.7	31.0	362.2	7	270
	02 LST	31.0	27.7	31.0	30.0	31.0	30.0	29.8	30.6	30.0	31.0	29.7	30.4	362.2	7	1047
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	30.3	27.0	29.4	28.5	30.1	29.1	29.7	30.1	29.8	29.2	28.9	352.1	7	1176	
	14 LST	24.0	22.9	25.4	22.8	26.9	26.6	28.3	26.9	26.9	29.5	25.1	19.9	305.2	7	1456
	20 LST	27.5	26.4	27.4	25.5	28.7	28.7	26.6	29.8	25.9	29.3	28.7	31.0	335.5	7	264
	02 LST	27.3	26.4	29.6	30.0	31.0	28.7	29.5	29.8	29.4	29.8	28.9	25.2	345.6	7	1036
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.0	0.3	0.0	0.3	0.0	0.5	0.0	0.3	0.0	0.0	0.0	0.3	1.7	7	1212
	14 LST	1.0	0.3	0.5	0.8	0.5	0.6	0.5	0.2	0.2	0.0	0.5	0.9	6.0	7	1485
	20 LST	1.7	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	7	266
	02 LST	0.7	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.3	7	1069
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	10.9	6.0	6.0	3.2	3.4	3.8	5.3	5.8	2.8	3.6	7.3	9.6	67.7	7	1179
	14 LST	11.0	6.0	3.7	0.6	1.0	4.5	3.1	7.3	4.3	5.5	9.3	12.5	68.8	7	1446
	20 LST	23.7	9.9	10.7	20.0	14.3	6.5	1.6	5.0	1.4	6.5	13.0	10.3	122.9	7	256
	02 LST	10.9	5.7	3.9	2.1	2.1	2.5	1.8	2.3	1.8	1.9	4.6	7.2	46.8	7	1043
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	17.9	15.5	20.9	19.9	14.4	7.0	4.5	3.1	3.3	8.6	9.8	10.9	135.8	7	1221
	14 LST	10.7	5.7	9.1	8.8	8.2	3.0	3.1	1.6	2.1	5.6	5.6	7.3	71.8	7	1489
	20 LST	10.9	8.2	23.8	18.6	13.8	4.8	2.8	1.2	2.6	3.1	2.6	9.9	102.3	7	272
	02 LST	17.1	19.6	22.6	20.9	18.9	8.9	8.2	5.9	7.2	10.3	12.8	12.7	165.1	7	1079
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	31.0	27.4	30.7	29.3	30.4	28.8	29.8	29.5	28.8	29.2	29.2	29.0	353.1	7	1197
	14 LST	30.0	26.2	29.8	28.9	29.1	27.0	28.3	27.4	28.3	29.0	28.4	29.3	341.7	7	1472
	20 LST	31.0	24.9	28.8	28.5	29.8	27.5	28.0	28.6	25.1	29.3	28.7	28.0	339.2	7	270
	02 LST	30.3	27.4	30.3	30.0	29.9	29.2	28.3	27.9	28.4	29.8	28.3	29.0	348.8	7	1047
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	29.2	25.5	29.4	28.2	28.9	26.3	24.6	25.9	24.2	26.6	26.1	26.6	321.5	7	1197
	14 LST	26.4	21.4	25.7	23.8	26.4	22.2	24.6	23.8	26.0	27.0	26.1	23.6	297.0	7	1472
	20 LST	31.0	23.3	27.7	28.5	26.4	26.3	25.1	26.2	23.5	25.8	25.0	28.0	316.8	7	270
	02 LST	29.6	25.5	28.2	30.0	28.4	27.9	24.9	25.9	25.1	28.6	26.3	26.4	326.8	7	1047
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	28.9	25.5	29.1	27.1	28.9	26.0	24.6	25.3	23.3	26.4	25.3	26.4	316.8	7	1197
	14 LST	26.2	21.4	25.7	23.8	26.4	21.9	24.6	23.5	25.0	27.0	25.9	23.6	295.0	7	1472
	20 LST	31.0	23.3	27.7	28.5	26.4	26.3	25.1	26.2	22.2	25.8	25.0	28.0	315.5	7	270
	02 LST	29.2	25.2	28.2	30.0	28.4	27.5	24.5	25.9	24.7	28.6	26.3	26.2	324.7	7	1047

LOAKAN, PHILIPPINES

STA NO. 98330 (IN AREA NUMBER 01) LATITUDE 1622N LONGITUDE 12037E ELEVATION(FT) 04200

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	79	81	82	84	81	80	80	80	79	81	80	80	84	21	-98328
MEAN MAX TMP (F)	72	73	76	77	76	75	71	71	71	73	74	74	74	10	-98328
MEAN MIN TMP (F)	55	56	58	60	61	61	60	60	60	60	59	57	59	10	-98328
ABS MIN TMP (F)	47	47	52	50	57	53	54	55	57	52	49	46	46	21	-98328
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN DEW PT TMP (F)	59	60	52	65	66	65	64	64	64	64	63	61	63	0	-50
MEAN REL HUM (PCT)	83	83	83	85	89	90	93	93	92	89	86	84	88	10	-98328
MEAN PRESS ALT (FT)	4125	4147	4166	4232	4281	4339	4365	4380	4339	4261	4212	4162	4251	0	-50
MEAN PRECIP (IN)	0.90	0.90	1.70	4.30	15.80	17.20	42.30	45.70	28.10	15.00	4.90	2.00	178.8	36	-98328
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.3	2.3	3.4	7.0	16.0	13.6				16.2	7.0	4.5		36	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.3	1.0	3.0	6.0	4.0	3.0	2.0	2.0	1.0	1.0	0.3	23.6	10	-98328
MEAN NO DYS TSMS															
P FREQ WND SPD = OR GTR 17 KTS															
P FREQ WND SPD = OR GTR 28 KTS															
P FREQ LES 5000 FT A/O LES 5 MI															
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST															
03-05 LST															
06-08 LST															
09-11 LST															
12-14 LST															
15-17 LST															
18-20 LST															
21-23 LST															
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST															
03-05 LST															
06-08 LST															
09-11 LST															
12-14 LST															
15-17 LST															
18-20 LST															
21-23 LST															

LOAKAN, PHILIPPINES

MEAN NUMBER OF DAYS

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
PARAMETER DESCRIPTION:															
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	08 LST													0	0
3 MI W/SFC WND LES 10 KTS	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0

DATA NOT AVAILABLE

SAN FERNANDO, PHILIPPINES

LATITUDE 1635N LONGITUDE 12018E ELEVATION(FT) 00013

STA NO. 98340 (IN AREA NUMBER 01)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	96	98	102	104	103	102	101	98	97	97	97	97	104	27	-98325
MEAN MAX TMP (F)	89	90	94	96	95	94	90	90	90	91	90	89	92	16	-98325
MEAN MIN TMP (F)	69	69	72	74	75	75	75	75	75	74	72	70	73	16	-98325
ABS MIN TMP (F)	58	62	64	68	70	71	69	71	70	68	63	62	58	27	-98325
MEAN NO DYS TMP = OR GTR 90(F)	4.6	12.9	23.4	26.7	29.2	21.4	15.8	11.7	12.2	16.4	18.2	13.0	205.5	5	-98325
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-98325
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-98325
MEAN DEW PT TMP (F)	67	67	70	73	75	76	76	76	76	74	72	70	73	12	-98325
MEAN REL HUM (PCT)	73	70	71	71	75	82	84	85	85	79	76	75	77	12	-98325
MEAN PRESS ALT (FT)	-63	-40	-19	46	95	155	181	195	153	73	24	-26	65	0	-50
MEAN PRECIP (IN)	0.30	0.30	0.40	0.90	7.10	13.00	23.80	26.40	15.90	5.60	1.90	0.80	96.4	38	-35
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.0	1.0	0.8	1.9	9.4	12.4	15.5	16.6	16.6	7.9	3.3	2.1	88.5	38	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.7	12	-98325
MEAN NO DYS TSTMS	0.2	0.2	0.3	2.1	8.0	6.1	7.1	6.7	5.6	2.2	1.1	0.2	39.8	12	-98325
P FREQ WIND SPU = OR GTR 17 KTS	0.1	0.3	0.8	0.1	0.1	0.4	0.0	0.3	0.1	1.0	0.3	0.6	0.3	12	-98325
P FREQ WIND SPU = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.3	0.0	0.0	0.0	12	-98325
P FREQ LES 50 FT A/O LES 5 MI	5.2	5.0	6.5	7.6	13.0	17.6	23.5	28.0	22.1	9.1	5.3	5.1	12.3	12	-98325
P FREQ LES 1500 FT A/O LES 3 MI	0.8	0.8	1.6	1.3	2.4	3.3	2.8	10.9	5.8	2.4	1.5	2.3	3.0	12	-98325
FOR 00-02 LST															
03-05 LST	0.0	0.0	0.0	0.0	0.0	3.2	4.5	6.6	0.8	0.9	0.0	0.0	1.3	4	-98325
06-08 LST	1.9	0.8	1.1	0.0	1.1	3.1	8.2	13.7	7.7	1.9	2.5	2.9	3.7	12	-98325
09-11 LST	0.0	0.0	0.0	0.0	0.0	2.1	5.4	9.8	4.2	1.0	0.0	0.0	1.9	4	-98325
12-14 LST	0.7	0.4	0.4	0.4	3.0	8.5	4.3	9.9	7.2	2.6	2.2	1.8	3.5	12	-98325
15-17 LST	1.1	0.0	0.0	1.1	5.5	6.3	4.5	8.2	8.3	4.8	0.9	0.0	3.4	4	-98325
18-20 LST	0.6	2.0	2.1	4.3	8.3	5.8	9.2	11.6	9.1	6.7	1.2	1.1	5.2	12	-98325
21-23 LST	0.0	0.0	0.0	0.0	0.0	1.1	2.7	2.5	3.3	2.9	0.0	0.0	1.0	4	-98325
P FREQ LES 300 FT A/O LES 1 MI	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.8	0.0	0.0	0.4	0.0	0.1	12	-98325
FOR 00-02 LST															
03-05 LST	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	-98325
06-08 LST	0.4	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.1	12	-98325
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-98325
12-14 LST	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.1	12	-98325
15-17 LST	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	-98325
18-20 LST	0.0	0.0	0.0	0.0	0.3	0.6	1.2	0.9	0.9	0.6	0.3	0.0	0.4	12	-98325
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-98325

SAN FERNANDO, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	MEAN NUMBER OF DAYS												POR (YRS)	NO. OBS		
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC			ANN	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	29.2	25.9	29.8	29.4	30.8	30.0	30.3	30.3	29.3	30.9	29.7	30.8	356.4	12	-98325
	14 LST	31.0	28.0	31.0	30.0	30.6	29.0	30.8	30.6	29.9	30.6	30.0	31.0	362.5	12	-98325
	20 LST	31.0	28.0	31.0	30.0	30.2	29.6	30.3	30.0	29.5	30.4	29.9	31.0	360.9	12	-98325
	02 LST	31.0	28.0	31.0	29.7	30.6	30.0	30.8	30.2	30.0	31.0	29.6	31.0	362.9	12	-98325
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	27.9	25.0	28.6	29.0	30.2	28.6	27.1	23.1	26.0	29.5	27.2	28.7	330.9	12	-98325
	14 LST	22.5	20.0	21.4	21.9	25.5	22.3	25.7	22.2	23.0	24.9	24.9	25.6	279.9	12	-98325
	20 LST	24.5	21.6	20.8	16.8	19.5	24.9	24.8	22.9	21.9	23.2	26.4	27.0	274.3	12	-98325
	02 LST	28.5	25.5	28.9	28.7	29.3	28.4	29.2	24.0	25.4	28.6	28.0	28.2	334.0	12	-98325
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.5	12	-98325
	14 LST	0.1	0.4	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.3	0.5	1.6	12	-98325
	20 LST	0.2	0.4	0.2	0.2	0.0	0.1	0.0	0.0	0.0	0.2	0.4	0.2	1.9	12	-98325
	02 LST	0.0	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.2	0.3	0.9	12	-98325
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	17.3	16.2	21.4	20.7	22.0	21.0	19.3	18.5	18.0	17.9	15.5	17.5	225.3	12	-98325
	14 LST	26.1	17.4	12.9	6.0	4.1	5.4	10.7	12.3	14.2	15.1	18.0	24.2	166.4	12	-98325
	20 LST	20.8	22.5	24.3	19.9	19.9	16.4	14.1	12.8	14.5	19.1	18.2	19.7	222.2	12	-98325
	02 LST	16.9	16.8	14.2	17.2	12.2	14.6	12.4	11.6	12.7	12.4	13.4	14.2	168.6	12	-98325
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	15.4	15.2	18.7	20.5	16.6	8.7	4.3	3.7	3.9	11.7	14.3	15.0	148.0	12	-98325
	14 LST	13.7	14.9	16.8	17.0	11.2	5.0	2.1	2.7	2.3	9.7	10.7	12.1	118.2	12	-98325
	20 LST	12.6	13.2	14.3	12.0	3.7	1.5	1.1	1.1	0.6	5.5	10.8	12.2	88.6	12	-98325
	02 LST	18.0	18.4	17.2	17.5	12.9	9.7	6.5	7.1	6.5	14.0	17.9	17.6	163.3	12	-98325
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	27.9	24.9	28.4	28.7	29.8	27.8	25.5	21.9	24.7	29.1	27.6	28.8	325.1	12	-98325
	14 LST	29.6	27.1	30.0	29.0	28.5	24.8	25.0	22.7	23.8	29.2	27.7	29.0	326.4	12	-98325
	20 LST	28.6	25.1	27.8	25.9	23.9	22.9	21.9	20.1	19.8	24.4	27.6	28.2	296.2	12	-98325
	02 LST	29.7	27.0	29.0	27.8	28.3	26.9	27.3	23.6	26.0	29.1	28.1	29.0	331.8	12	-98325
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	26.7	24.4	28.0	28.4	29.5	26.4	23.6	20.1	23.0	28.6	27.2	28.4	314.3	12	-98325
	14 LST	28.5	26.4	29.1	28.6	27.3	22.7	21.9	20.8	22.3	29.1	26.6	27.9	311.2	12	-98325
	20 LST	27.0	24.1	25.9	23.9	20.6	17.9	17.7	16.2	16.1	21.6	26.0	26.5	263.5	12	-98325
	02 LST	28.7	26.3	28.3	26.7	27.3	25.0	25.7	21.7	25.1	28.0	27.9	28.4	319.1	12	-98325
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	26.4	24.4	28.0	28.2	29.5	26.3	23.6	20.1	22.8	28.0	27.1	28.3	312.7	12	-98325
	14 LST	28.4	26.4	29.1	28.6	27.3	22.7	21.9	20.7	22.3	29.0	25.6	27.9	310.9	12	-98325
	20 LST	26.7	23.9	25.8	23.9	20.3	17.9	17.6	16.0	16.1	21.5	25.9	26.4	262.0	12	-98325
	02 LST	28.5	26.3	28.3	26.7	27.3	25.0	25.6	21.7	25.1	27.7	27.6	28.3	318.1	12	-98325

CUBI POINT NAS, PHILIPPINES

STA NO. 98426 (IN AREA NUMBER 01) LATITUDE 1447N LONGITUDE 12016E ELEVATION(FT) 00055

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
ABS MAX TMP (F)	93	96	98	100	101	98	95	95	96	98	96	94	101	11	2956
MEAN MAX TMP (F)	87	88	91	93	92	88	87	86	86	89	88	87	89	11	2956
MEAN MIN TMP (F)	72	72	74	76	77	76	75	75	75	75	75	73	75	11	2956
ABS MIN TMP (F)	66	62	66	68	73	70	68	68	72	70	69	68	62	11	2956
MEAN NO DYS TMP ≥ OR GTR 90(F)	5.1	10.5	21.1	25.6	24.8	9.9	7.5	5.2	6.2	13.8	10.4	6.2	146.3	11	2956
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	2956
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	2956
MEAN DEW PT TMP (F)	66	67	69	71	74	75	75	75	75	74	71	69	72	10	61229
MEAN REL HUM (PCT)	68	67	68	67	72	82	84	86	86	80	74	71	75	10	61229
MEAN PRESS ALT (FT)	17	32	45	102	142	199	204	224	199	143	102	60	122	0	-50
MEAN PRECIP (IN)	0.08	0.14	0.06	0.79	7.06	25.11	30.46	33.65	29.51	7.77	2.42	0.82	137.9	11	2953
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	2953
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	0.4	0.4	0.1	1.2	6.5	15.8	19.1	21.0	19.1	8.6	3.5	1.1	96.8	11	2953
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	2953
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	1.0	0.5	1.7	0.8	0.2	0.0	0.0	4.2	10	2834
MEAN NO DYS TSTMS	0.0	0.2	0.6	2.1	9.3	8.3	10.0	8.0	8.5	4.4	1.4	0.0	52.8	10	2833
P FREQ WND SPD ≥ OR GTR 17 KTS	3.3	2.4	3.3	2.3	1.1	3.6	5.6	7.1	1.8	1.3	2.3	2.3	3.0	10	61218
P FREQ WND SPD ≥ OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.6	0.0	0.2	0.0	0.2	0.1	10	61218
P FREQ LES 5000 FT A/O LES 5 MI	11.6	10.0	9.0	9.4	16.1	31.5	38.0	44.7	35.4	16.0	10.9	10.5	20.3	10	61222
P FREQ LES 1500 FT A/O LES 3 MI	0.0	0.0	0.0	0.0	0.7	3.6	5.4	4.6	5.9	2.3	0.0	0.0	1.9	10	7648
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.5	2.0	5.6	5.4	4.4	0.6	0.0	0.3	1.6	10	7649
FOR 03-05 LST	0.0	0.0	0.0	0.2	0.8	4.2	6.8	10.5	5.9	1.7	0.1	0.6	2.6	12	10729
FOR 06-08 LST	0.1	0.0	0.0	0.0	1.2	5.5	4.6	7.7	8.7	0.8	0.1	0.3	2.4	12	10730
FOR 09-11 LST	0.1	0.0	0.0	0.0	0.8	6.2	5.6	8.0	9.0	1.5	0.8	0.5	2.7	12	10728
FOR 12-14 LST	0.0	0.0	0.0	0.1	1.6	7.0	6.1	9.5	9.2	2.7	1.0	0.5	3.1	12	10727
FOR 15-17 LST	0.0	0.0	0.0	0.0	0.9	7.5	6.1	7.2	8.8	1.9	0.6	0.2	2.8	12	9504
FOR 18-20 LST	0.0	0.0	0.0	0.1	0.4	6.1	4.6	8.3	5.2	1.4	0.3	0.0	2.2	10	8897
FOR 21-23 LST	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.3	0.3	0.4	0.0	0.0	0.2	10	7648
P FREQ LES 300 FT A/O LES 1 MI	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.6	0.8	0.0	0.0	0.0	0.1	10	7649
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.5	0.7	1.4	0.5	0.0	0.0	0.0	0.3	12	10729
FOR 03-05 LST	0.0	0.0	0.0	0.0	0.0	1.6	1.0	1.1	1.1	0.3	0.0	0.0	0.4	12	10730
FOR 06-08 LST	0.0	0.0	0.0	0.0	0.1	1.8	1.2	1.3	1.2	0.3	0.0	0.2	0.5	12	10728
FOR 09-11 LST	0.0	0.0	0.0	0.0	0.0	1.6	1.0	1.7	1.1	0.1	0.1	0.0	0.5	12	10727
FOR 12-14 LST	0.0	0.0	0.0	0.0	0.0	1.2	0.5	1.2	0.9	0.1	0.0	0.0	0.4	12	9504
FOR 15-17 LST	0.0	0.0	0.0	0.0	0.0	1.2	0.5	1.2	0.9	0.1	0.0	0.0	0.4	12	8897
FOR 18-20 LST	0.0	0.0	0.0	0.0	0.0	0.5	0.3	0.5	0.5	0.0	0.0	0.0	0.2	10	7648
FOR 21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	7649

CUBI POINT NAS, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	31.0	28.0	31.0	29.9	30.8	28.6	29.4	28.8	28.9	30.8	29.9	30.8	357.9	12	3865
	14 LST	31.0	28.0	31.0	30.0	30.7	28.7	29.3	29.4	28.0	30.7	29.9	30.9	357.6	12	3865
	20 LST	31.0	28.0	31.0	30.0	30.9	29.3	30.0	29.7	28.8	30.8	29.9	31.0	360.4	12	3858
CIG = GTR 2000 FT AND VSBY = GTR 3 MI 3 MI W/SFC WND LES 10 KTS	02 LST	31.0	28.0	31.0	30.0	30.8	29.3	30.2	29.4	30.8	30.0	30.0	31.0	361.7	10	2832
	08 LST	23.1	22.2	23.6	21.0	24.1	23.6	24.2	22.0	23.0	26.6	23.9	24.3	281.6	12	3863
	14 LST	11.0	7.6	8.1	6.3	8.5	9.8	13.6	13.6	13.4	15.8	13.3	12.2	133.2	12	3863
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	24.2	20.6	22.0	21.7	24.7	22.9	22.5	21.9	22.9	27.9	24.9	23.0	279.2	12	3855
	02 LST	25.9	23.3	27.8	28.1	28.4	24.6	23.7	23.7	24.0	29.5	27.5	26.4	312.9	10	2832
	08 LST	1.2	0.4	0.9	0.6	0.1	0.2	1.6	1.6	0.6	0.2	0.2	0.4	8.0	12	3737
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	14 LST	3.0	1.6	1.9	2.6	1.6	1.6	2.3	3.4	1.9	0.6	1.3	1.8	23.8	12	3718
	20 LST	0.8	0.2	0.6	0.4	0.1	0.3	1.2	1.6	0.3	0.2	0.5	0.4	6.6	12	3661
	02 LST	0.4	0.0	0.3	0.0	0.0	0.2	1.4	1.4	0.0	0.0	0.4	0.4	4.5	10	2712
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	17.5	16.3	19.8	21.3	19.3	13.0	11.7	11.3	12.7	15.9	17.9	15.7	192.4	12	3737
	14 LST	14.8	10.1	6.3	3.5	4.7	10.9	13.3	15.0	15.8	14.8	12.3	14.6	136.1	12	3718
	20 LST	21.2	19.4	22.7	20.6	20.6	16.3	14.9	15.1	12.8	16.9	18.8	20.2	219.5	12	3661
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	18.6	14.8	19.0	20.2	17.5	12.8	13.1	9.7	8.2	12.9	17.0	16.9	180.7	10	2712
	08 LST	7.1	6.5	8.3	9.8	5.6	1.7	1.0	0.4	0.3	3.7	3.1	4.2	51.7	12	3865
	14 LST	3.6	2.7	3.7	3.5	2.7	0.5	0.2	0.1	0.1	1.6	1.3	1.9	21.9	12	3865
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	6.3	6.2	7.8	6.1	3.5	0.4	0.2	0.0	0.1	2.3	3.9	5.0	43.8	12	3857
	02 LST	12.0	11.9	11.4	13.1	5.1	2.5	1.7	1.0	0.5	4.4	9.0	10.2	82.8	10	2832
	08 LST	31.0	28.0	31.0	29.9	29.9	24.7	25.5	22.4	23.5	29.5	29.7	30.7	335.8	12	3865
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	14 LST	30.8	28.0	31.0	29.9	30.0	25.0	25.9	23.6	21.9	29.0	29.6	30.7	335.4	12	3865
	20 LST	31.0	27.9	31.0	29.7	29.6	24.4	24.8	22.2	21.7	29.3	29.2	30.9	331.7	12	3858
	02 LST	31.0	28.0	31.0	30.0	19.9	26.0	25.2	23.3	22.9	29.4	29.9	30.8	337.4	10	2832
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	26.9	26.1	28.6	28.0	27.9	20.6	21.9	18.7	20.3	26.7	26.6	27.7	300.0	12	3865
	14 LST	22.2	21.7	25.6	23.9	24.6	19.7	18.5	16.7	15.7	22.1	24.1	23.1	257.9	12	3865
	20 LST	25.5	23.9	27.6	26.9	25.1	20.4	17.1	16.1	17.3	23.7	25.8	27.3	276.7	12	3858
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	29.0	26.7	29.0	27.3	26.8	21.0	19.7	18.6	19.7	26.6	27.6	28.9	300.9	10	2832
	08 LST	23.8	24.5	26.7	26.7	26.3	18.4	18.4	16.3	16.6	23.3	23.4	24.7	269.1	12	3865
	14 LST	19.4	20.5	23.9	22.8	23.6	17.4	16.0	13.9	13.6	19.1	20.0	19.9	230.1	12	3865
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	22.4	21.4	25.8	25.4	22.6	16.8	13.2	12.6	13.1	19.4	22.6	23.9	239.2	12	3858
	02 LST	26.5	24.9	27.3	25.8	23.4	17.5	15.9	15.2	16.4	23.4	24.9	26.2	267.4	10	2832

MANILA INTL., PHILIPPINES

STA NO. 98427 (IN AREA NUMBER 01) LATITUDE 1430N LONGITUDE 12101E ELEVATION(FT) 00074

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	96	96	98	100	101	101	97	95	95	95	93	94	101	60	-98429
MEAN MAX TMP (F)	86	88	91	93	93	91	88	87	88	88	87	86	89	61	-98429
MEAN MIN TMP (F)	69	69	71	73	75	75	75	75	75	74	72	70	73	61	-98429
ABS MIN TMP (F)	58	58	61	62	67	68	67	68	66	65	62	60	58	60	-98429
MEAN NO DYS TMP = OR GTR 90(F)	3.3	11.9	26.0	28.4	29.5	21.4	15.7	11.0	9.7	12.6	5.7	2.1	177.2	15	-98429
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-98429
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-98429
MEAN DEW PT TMP (F)	68	68	69	71	73	75	75	75	75	74	72	76	73	15	-98429
MEAN REL HUM (PCT)	77	73	70	68	71	81	84	86	87	84	82	89	79	15	-98429
MEAN PRESS ALI (F1)	41	53	64	120	156	213	217	238	214	163	126	82	141	0	-50
MEAN PRECIP (IN)	0.90	0.50	0.70	1.30	5.10	10.00	17.00	16.60	14.00	7.60	5.70	2.60	82.0	75	-98429
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60	-29
MEAN NO DYS PKCP = OR GTR 0.1 IN	2.3	1.4	1.4	2.7	7.8	11.0	13.6	13.5	15.7	10.2	8.0	5.6	93.2	75	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.1	0.0	0.0	0.0	0.0	0.2	0.4	0.4	0.1	0.2	0.2	0.0	1.6	15	-98429
MEAN NO DYS TSTMS	0.2	0.1	0.2	0.5	4.6	8.5	10.1	8.8	7.9	6.4	1.2	0.4	49.1	15	-98429
P FREQ WND SPD = OR GTR 17 KTS	3.0	5.8	10.5	8.9	7.1	1.4	1.2	1.5	1.2	0.7	1.6	1.0	3.7	15	-98429
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	15	-98429
P FREQ LES 5000 FT A/O LES 5 MI	7.1	5.1	3.2	3.0	2.9	5.8	7.6	10.9	8.0	5.6	6.6	7.6	6.1	15	-98429
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.1	0.1	0.0	0.0	0.1	1.6	1.8	1.6	1.5	0.4	0.6	0.1	0.7	15	-98429
03-05 LST	0.0	0.0	0.0	0.0	0.2	1.0	1.5	1.3	0.6	0.2	0.5	0.1	0.5	15	-98429
06-08 LST	0.2	0.3	0.2	0.0	0.4	1.9	2.2	2.4	1.7	1.4	1.0	0.3	1.0	15	-98429
09-11 LST	0.2	0.1	0.1	0.1	0.7	1.6	2.7	3.7	2.2	1.6	1.3	0.8	1.3	15	-98429
12-14 LST	0.6	0.0	0.3	0.1	0.3	1.7	2.6	4.6	2.8	1.3	1.4	0.4	1.3	15	-98429
15-17 LST	0.4	0.1	0.0	0.0	0.8	2.5	2.0	4.5	3.6	1.6	1.3	0.9	1.5	15	-98429
18-20 LST	0.2	0.1	0.1	0.2	0.9	1.3	2.4	5.5	2.6	1.5	0.8	0.4	1.3	15	-98429
21-23 LST	0.1	0.0	0.1	0.2	0.5	1.5	2.5	2.9	1.8	0.7	0.6	0.2	0.9	15	-98429
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	15	-98429
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.1	0.2	0.0	0.1	15	-98429
06-08 LST	0.1	0.0	0.1	0.0	0.2	0.5	0.0	0.3	0.1	0.2	0.3	0.2	0.2	15	-98429
09-11 LST	0.1	0.0	0.0	0.0	0.1	0.1	0.7	0.5	0.2	0.1	0.1	0.1	0.2	15	-98429
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.2	0.6	0.5	0.2	0.0	0.3	0.0	0.2	15	-98429
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.3	0.5	0.2	0.4	0.1	0.2	15	-98429
18-20 LST	0.1	0.0	0.0	0.0	0.1	0.2	0.1	0.3	0.2	0.2	0.1	0.2	0.1	15	-98429
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	15	-98429

MANILA INTL., PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	08 LST 30.4	27.3	30.8	29.8	30.9	29.3	29.9	30.1	29.3	30.2	29.3	30.4	357.7	15	-98429
	14 LST 30.9	28.0	30.8	30.0	30.8	29.5	30.4	30.1	29.0	30.8	29.6	31.0	360.9	15	-98429
	20 LST 31.0	27.9	31.0	30.0	30.6	29.7	30.6	30.3	29.6	31.0	29.6	30.8	362.3	15	-98429
	02 LST 31.0	28.0	31.0	30.0	31.0	29.5	30.4	30.8	29.7	30.6	29.7	30.9	362.6	15	-98429
CIG ≥GTR 2000 FT AND VSBY ≥GTR 3 MI W/SFC WND LES 10 KTS	08 LST 29.7	26.5	27.7	26.7	28.1	28.5	28.2	28.4	27.4	28.5	28.2	30.1	338.0	15	-98429
	14 LST 16.9	10.9	5.6	7.9	11.1	16.9	20.5	19.5	19.5	26.4	21.6	20.2	197.0	15	-98429
	20 LST 25.8	18.4	14.7	13.8	19.1	25.0	26.7	25.5	27.2	29.0	28.1	29.2	283.5	15	-98429
	02 LST 30.5	26.2	27.9	27.7	29.2	28.8	29.5	28.9	28.0	30.1	29.1	30.5	346.7	15	-98429
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 0.0	0.0	0.2	0.2	0.1	0.1	0.0	0.0	0.1	0.2	0.1	0.0	1.0	15	-98429
	14 LST 3.4	6.4	11.6	9.6	6.5	0.6	0.9	1.1	0.8	0.1	0.7	1.3	43.0	15	-98429
	20 LST 0.2	0.3	0.7	1.2	0.7	0.1	0.2	0.2	0.2	0.1	0.1	0.1	4.1	15	-98429
	02 LST 0.0	0.1	0.0	0.2	0.0	0.1	0.1	0.0	0.1	0.1	0.1	0.0	0.8	15	-98429
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 7.0	7.0	13.5	15.3	15.1	11.3	8.9	8.2	8.0	7.7	7.0	4.3	113.3	15	-98429
	14 LST 15.2	8.9	2.9	1.5	1.5	6.5	10.2	10.9	11.0	14.1	16.2	16.1	115.0	15	-98429
	20 LST 19.4	18.8	17.5	15.9	16.6	14.2	13.7	10.9	11.0	12.5	13.2	17.3	181.0	15	-98429
	02 LST 8.6	11.8	17.3	15.8	13.3	6.6	6.3	6.8	5.1	5.9	6.6	6.3	110.4	15	-98429
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 6.4	8.6	14.2	14.0	9.6	3.1	1.5	1.2	1.3	5.9	6.5	6.3	78.6	15	-98429
	14 LST 3.2	6.1	10.0	9.6	7.5	1.9	1.3	0.7	0.3	2.2	2.0	2.8	47.6	15	-98429
	20 LST 6.8	10.0	14.4	13.4	8.0	1.7	0.6	0.5	0.5	3.0	5.3	7.3	71.5	15	-98429
	02 LST 9.5	11.4	16.6	16.2	10.6	4.3	2.3	1.4	1.4	5.0	7.6	9.6	95.9	15	-98429
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 30.1	27.0	30.8	29.5	30.4	28.8	28.9	28.6	28.5	29.6	28.3	29.9	350.4	15	-98429
	14 LST 29.2	27.1	30.2	29.5	30.2	28.7	29.4	27.5	28.0	29.4	28.6	29.7	347.5	15	-98429
	20 LST 30.7	27.8	30.8	29.6	30.3	28.5	29.1	27.8	28.4	29.8	28.9	30.4	352.1	15	-98429
	02 LST 30.7	27.9	30.8	29.8	30.8	28.9	29.6	29.6	29.2	30.3	29.2	30.8	357.6	15	-98429
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 28.8	25.8	29.8	28.7	30.0	28.2	28.6	27.2	27.5	28.9	27.2	27.6	338.3	15	-98429
	14 LST 25.5	25.2	28.7	29.0	29.7	28.3	28.7	26.1	27.2	28.1	27.0	26.6	330.1	15	-98429
	20 LST 29.6	27.4	30.6	29.5	29.0	27.3	27.4	26.2	27.2	28.6	27.7	28.8	339.3	15	-98429
	02 LST 29.9	27.5	30.0	29.5	30.4	28.2	28.6	27.3	27.8	29.4	28.3	30.0	346.9	15	-98429
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 28.7	25.8	29.8	28.7	30.0	28.2	28.6	27.2	27.5	28.9	27.2	27.6	338.2	15	-98429
	14 LST 25.5	25.2	28.7	28.9	29.7	28.3	28.7	26.1	27.2	28.1	27.0	26.6	330.0	15	-98429
	20 LST 29.6	27.4	30.6	29.5	29.0	27.3	27.4	26.2	27.2	28.6	27.7	28.8	339.2	15	-98429
	02 LST 29.9	27.4	30.0	29.5	30.4	28.1	28.6	27.3	27.8	29.4	28.3	30.0	346.7	15	-98429

SANGLEY POINT NS, PHILIPPINES

STA NO. 98428 (IN AREA NUMBER 01)

LATITUDE 1429N LONGITUDE 12054E ELEVATION(FT) 00008

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	91	92	99	98	104	100	95	94	94	96	94	91	104	12	4383
MEAN MAX TMP (F)	84	86	89	91	92	89	87	86	86	87	86	85	87	12	4383
MEAN MIN TMP (F)	74	74	76	78	80	79	77	77	77	77	77	75	77	12	4383
ABS MIN TMP (F)	68	68	66	69	74	71	70	70	72	72	72	68	66	12	4383
MEAN NO DYS TMP ≥ OR GTR 90(F)	0.3	1.4	12.6	22.9	25.2	13.7	6.0	3.9	2.0	4.0	3.1	0.6	95.7	12	4383
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	69	69	70	72	74	76	75	75	75	74	72	71	73	12	99312
MEAN REL HUM (PCT)	75	72	70	70	70	79	81	83	83	78	77	76	76	12	99312
MEAN PRESS ALT (FT)	-25	-12	-2	54	92	147	152	173	148	97	59	15	75	0	-30
MEAN PRECIP (IN)	0.57	0.27	0.25	0.74	4.68	10.12	12.95	15.17	13.85	5.54	3.87	1.24	69.3	12	4383
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4381
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	1.5	0.5	0.7	1.5	4.7	10.7	14.1	15.9	15.5	8.3	6.6	2.6	82.6	12	4383
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4381
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.1	0.6	0.7	1.1	0.6	0.2	0.2	0.2	3.7	12	4382
MEAN NO DYS TSTMS	0.3	0.0	0.2	1.2	7.6	9.2	12.4	10.3	9.6	6.9	2.8	0.7	61.2	12	4383
P FREQ WND SPD ≥ UR GTR 17 KTS	0.8	0.6	0.7	0.6	0.7	1.5	1.1	3.6	1.4	1.3	1.6	1.3	1.3	12	99303
P FREQ WND SPD ≥ UR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	99303
P FREQ LES 5000 FT A/O LES 5 MI	22.1	16.7	9.8	9.2	12.2	20.0	22.5	28.0	25.3	16.7	18.6	19.3	18.4	12	99311
P FREQ LES 1500 FT A/O LES 3 MI	0.2	0.0	0.0	0.0	0.9	3.1	4.7	3.9	4.1	0.6	1.9	0.4	1.7	12	12409
FOR 00-02 LST	0.1	0.0	0.0	0.0	0.9	2.9	4.1	4.0	3.8	1.2	2.4	0.5	1.7	12	12415
03-05 LST	0.7	0.1	0.1	0.2	1.3	4.2	4.8	5.4	5.0	1.2	1.9	0.7	2.1	12	12416
06-08 LST	0.2	0.3	0.2	0.1	0.9	2.8	3.0	4.1	3.4	1.1	0.3	0.7	1.4	12	12413
09-11 LST	0.4	0.1	0.1	0.3	0.9	2.4	2.6	5.6	4.4	1.3	0.9	0.8	1.7	12	12414
12-14 LST	0.2	0.1	0.0	0.5	1.0	3.0	3.9	5.6	5.5	1.7	1.1	0.6	1.9	12	12415
15-17 LST	0.1	0.0	0.0	0.3	1.7	3.9	6.3	6.3	5.7	1.1	1.4	0.4	2.3	12	12415
18-20 LST	0.0	0.0	0.0	0.0	0.9	2.4	4.4	4.0	4.6	1.2	1.5	0.3	1.6	12	12415
21-23 LST	0.0	0.0	0.0	0.0	0.1	0.6	0.3	0.4	0.1	0.0	0.0	0.0	0.1	12	12409
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.3	0.6	0.7	0.3	0.5	0.2	0.0	0.0	0.2	12	12415
03-05 LST	0.0	0.0	0.0	0.0	0.0	1.4	0.6	0.4	0.3	0.3	0.0	0.0	0.3	12	12416
06-08 LST	0.0	0.1	0.0	0.0	0.1	0.7	0.2	0.5	0.4	0.3	0.0	0.1	0.2	12	12413
09-11 LST	0.0	0.0	0.0	0.0	0.2	0.1	0.3	0.9	0.3	0.3	0.4	0.1	0.2	12	12414
12-14 LST	0.0	0.0	0.0	0.1	0.1	0.4	0.4	0.9	0.4	0.4	0.1	0.0	0.2	12	12415
15-17 LST	0.0	0.0	0.0	0.0	0.1	0.2	0.6	0.9	0.6	0.4	0.3	0.0	0.3	12	12415
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.2	0.6	0.9	0.6	0.4	0.3	0.0	0.3	12	12415
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.6	0.5	0.2	0.0	0.0	0.2	12	12415

SANGLEY POINT NS, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NC. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 30.9	28.0	31.0	29.9	30.7	29.3	30.2	29.6	29.4	30.7	29.7	30.8	360.2	12	4382
	14 LST 30.9	29.0	31.0	30.0	30.7	29.6	30.7	29.6	29.4	30.9	29.6	30.9	361.3	12	4382
	20 LST 31.0	28.0	31.0	30.0	30.8	29.5	30.4	30.5	29.2	31.0	29.7	31.0	362.1	12	4382
	02 LST 31.0	28.0	31.0	30.0	30.8	29.5	30.2	30.5	29.3	30.6	29.6	30.8	361.5	12	4383
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST 25.8	25.2	28.7	28.0	28.5	27.4	27.7	24.5	24.8	28.6	23.8	27.1	320.1	12	4382
	14 LST 23.2	19.0	17.6	16.1	16.2	16.2	20.2	17.4	17.5	25.2	22.7	22.5	233.8	12	4382
	20 LST 21.9	14.1	13.4	14.0	17.1	21.5	23.7	21.5	22.7	27.0	24.2	24.1	245.2	12	4382
	02 LST 26.7	24.0	26.9	25.3	26.4	26.3	26.9	24.8	24.9	28.6	24.8	27.2	312.8	12	4383
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.3	0.3	0.1	0.3	0.2	1.5	12	4272
	14 LST 0.6	0.2	0.2	0.8	0.2	0.7	0.4	1.6	0.8	0.4	0.4	0.7	7.0	12	4290
	20 LST 0.2	0.1	0.2	0.1	0.2	0.2	0.0	0.9	0.3	0.4	0.3	0.2	3.1	12	4255
	02 LST 0.3	0.0	0.1	0.1	0.0	0.2	0.2	0.5	0.2	0.4	0.2	0.3	2.5	12	4270
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NU PRECIP.	08 LST 19.4	17.4	20.2	19.8	19.5	18.8	17.5	16.6	16.1	17.0	19.1	20.5	221.9	12	4272
	14 LST 22.7	18.6	14.9	10.3	7.1	13.1	19.1	18.9	17.4	21.7	20.0	20.4	204.2	12	4290
	20 LST 25.6	20.6	20.6	21.5	21.1	21.9	21.4	21.3	18.8	22.7	23.3	23.5	262.3	12	4255
	02 LST 21.6	21.4	24.5	24.7	24.4	17.7	17.9	16.0	15.4	16.8	16.5	19.8	236.7	12	4270
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 3.2	3.3	6.7	6.1	2.9	0.4	0.3	0.2	0.2	1.4	1.5	1.5	27.7	12	4382
	14 LST 2.3	2.7	3.8	3.8	2.1	0.0	0.2	0.2	0.0	0.3	0.6	0.5	16.5	12	4382
	20 LST 4.1	4.9	7.9	5.7	3.5	0.3	0.2	0.1	0.2	1.0	2.3	3.5	33.7	12	4382
	02 LST 6.7	8.4	9.8	9.0	5.8	1.7	0.7	0.4	0.5	2.8	3.3	5.8	54.9	12	4383
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 30.5	27.7	30.9	29.7	30.2	27.5	27.4	26.1	25.8	30.0	28.7	30.4	344.9	12	4382
	14 LST 30.7	27.9	30.9	29.6	30.4	27.3	28.6	27.1	26.1	28.1	29.0	30.2	345.9	12	4382
	20 LST 30.8	28.0	30.8	29.7	29.4	27.8	27.0	25.8	25.4	30.0	28.6	30.6	343.9	12	4382
	02 LST 30.5	28.0	30.9	30.0	30.2	26.9	27.9	26.4	26.9	29.5	29.0	30.4	346.6	12	4383
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 23.6	22.7	27.6	27.1	28.2	24.2	23.4	21.8	21.8	26.8	23.1	23.9	294.2	12	4382
	14 LST 17.7	19.4	25.4	25.7	26.7	23.0	24.0	22.0	21.7	22.2	20.6	17.7	266.1	12	4382
	20 LST 26.7	25.1	28.5	27.5	25.2	23.0	21.7	19.9	20.7	26.2	24.6	26.4	295.5	12	4382
	02 LST 25.8	24.6	29.2	28.4	27.4	23.1	23.7	21.6	22.4	26.0	25.4	26.9	304.5	12	4383
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 20.6	20.7	25.4	25.7	26.5	21.2	19.5	18.1	17.6	22.7	20.0	20.5	258.5	12	4382
	14 LST 15.7	18.0	23.0	24.7	24.1	20.5	20.0	18.2	16.8	19.1	17.6	15.3	233.0	12	4382
	20 LST 23.7	22.8	26.2	25.6	23.2	19.3	16.9	15.0	15.8	21.6	20.3	23.4	253.8	12	4382
	02 LST 22.9	22.9	26.8	26.7	25.3	20.5	20.0	17.2	17.6	22.3	22.4	24.5	269.1	12	4383

MANILA, PHILIPPINES

STA NO. 98429 (IN AREA NUMBER 01)

LATITUDE 14°31N LONGITUDE 121°00E ELEVATION(FT) 00049

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
ABS MAX TMP (F)	96	96	98	100	101	101	97	95	95	95	93	94	101	60	-520
MEAN MAX TMP (F)	86	88	91	93	93	91	88	87	88	88	87	86	89	61	-28
MEAN MIN TMP (F)	69	69	71	73	75	75	75	75	75	74	72	70	73	61	-28
ABS MIN TMP (F)	58	58	61	62	67	68	67	68	66	65	62	60	58	60	-528
MEAN NO DYS TMP = OR GTR 90(F)	3.3	11.9	26.0	28.4	29.5	21.4	15.7	11.0	9.7	12.6	5.7	2.1	177.3	15	5391
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5394
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5394
MEAN DEW PT TMP (F)	68	68	69	71	73	75	75	75	75	74	72	76	73	15	91166
MEAN REL HUM (PCT)	77	73	70	68	71	81	84	86	87	84	82	89	79	15	90924
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.90	0.50	0.70	1.30	5.10	10.00	17.00	16.60	14.00	7.60	5.70	2.50	82.0	75	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.3	1.4	1.4	2.7	7.8	11.0	13.6	13.5	15.7	10.2	8.0	5.6	93.2	75	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	0.1	0.0	0.0	0.0	0.0	0.2	0.4	0.4	0.1	0.2	0.2	0.0	1.6	15	4387
MEAN NO DYS TSIMS	0.2	0.1	0.2	0.5	4.8	8.5	10.1	8.8	7.9	6.4	1.2	0.4	49.1	15	4411
P FREQ WND SPD = OR GTR 17 KTS	3.0	5.8	10.5	8.9	7.1	1.4	1.2	1.5	1.2	0.7	1.6	1.0	3.7	15	91061
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	15	91061
P FREQ LES 5000 FT A/O LES 5 MI	7.1	5.1	3.2	3.0	2.9	5.8	7.6	10.9	8.0	5.6	6.6	7.6	6.1	15	90144
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.1	0.1	0.0	0.0	0.1	1.6	1.8	1.6	1.5	0.4	0.6	0.1	0.7	15	11747
03-05 LST	0.0	0.0	0.0	0.0	0.2	1.0	1.5	1.3	0.5	0.2	0.7	0.1	0.5	15	11776
06-08 LST	0.2	0.3	0.2	0.0	0.4	1.9	2.2	2.4	1.7	1.4	1.0	0.3	1.0	15	11829
09-11 LST	0.2	0.1	0.1	0.1	0.7	1.6	2.7	3.7	2.2	1.6	1.3	0.8	1.3	15	11939
12-14 LST	0.6	0.0	0.3	0.1	0.3	1.7	2.6	4.6	2.8	1.3	1.4	0.4	1.3	15	11865
15-17 LST	0.4	0.1	0.0	0.0	0.6	2.5	2.0	4.5	3.6	1.6	1.3	0.9	1.5	15	12007
18-20 LST	0.2	0.1	0.1	0.2	0.9	1.3	2.4	5.5	2.6	1.5	0.8	0.4	1.3	15	12597
21-23 LST	0.1	0.0	0.1	0.2	0.5	1.5	2.5	2.9	1.8	0.7	0.6	0.2	0.9	15	11892
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	15	11747
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.1	0.2	0.0	0.1	15	11776
06-08 LST	0.1	0.0	0.1	0.0	0.7	0.5	0.0	0.3	0.1	0.2	0.3	0.2	0.2	15	11829
09-11 LST	0.1	0.0	0.0	0.0	0.1	0.1	0.7	0.5	0.2	0.1	0.1	0.1	0.2	15	11939
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.2	0.6	0.5	0.2	0.0	0.3	0.0	0.2	15	11865
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.3	1.4	0.3	0.5	0.2	0.4	0.1	0.2	15	12007
18-20 LST	0.1	0.0	0.0	0.0	0.1	0.2	0.1	0.3	0.2	0.2	0.1	0.2	0.1	15	12597
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	15	11892

MANILA, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	27.3	30.8	29.8	30.9	29.3	29.9	30.1	29.3	30.2	29.3	30.4	357.7	15	4662
	14 LST	30.9	28.0	30.8	30.0	30.8	29.5	30.4	29.0	30.8	29.6	31.0	360.9	15	4682
	20 LST	31.0	27.9	31.0	30.0	30.8	29.7	30.6	29.6	31.0	29.6	30.8	362.3	15	5421
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	31.0	28.0	31.0	30.0	31.0	29.5	30.4	29.7	30.6	29.7	30.9	362.6	15	4545
	08 LST	29.7	26.5	27.7	26.7	28.1	28.5	28.2	27.4	28.5	28.2	30.1	338.0	15	4649
	14 LST	16.9	10.9	5.6	7.9	11.1	16.9	20.5	19.5	26.4	21.6	20.2	197.0	15	4663
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	25.8	18.4	14.7	13.8	19.1	25.0	26.7	27.2	29.0	28.1	29.2	283.5	15	5420
	02 LST	30.5	26.2	27.9	27.7	29.2	28.8	29.5	28.0	30.1	29.1	30.5	346.4	15	4533
	08 LST	0.0	0.0	0.2	0.2	0.1	0.1	0.0	0.1	0.2	0.1	0.0	1.0	15	4672
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	14 LST	3.4	6.4	11.6	9.6	6.5	0.6	0.9	1.1	0.8	0.1	1.3	43.0	15	4692
	20 LST	0.2	0.3	0.7	1.2	0.7	0.1	0.2	0.2	0.1	0.1	0.1	4.1	15	5442
	02 LST	0.0	0.1	0.0	0.2	0.0	0.1	0.1	0.1	0.1	0.1	0.0	0.8	15	4555
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	7.0	7.0	13.5	15.3	15.1	11.3	8.9	8.2	8.0	7.7	4.3	113.3	15	4656
	14 LST	15.2	8.9	2.9	1.5	1.5	6.5	10.2	10.9	11.0	14.1	16.2	115.0	15	4673
	20 LST	19.4	18.8	17.5	15.9	16.0	14.2	13.7	10.9	11.0	12.5	13.2	181.0	15	5441
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	8.6	11.8	17.3	15.8	13.3	6.6	6.3	6.8	5.1	5.9	6.3	110.4	15	4537
	08 LST	6.4	8.6	14.2	14.0	9.6	3.1	1.5	1.2	1.3	5.9	6.5	78.6	15	4671
	14 LST	3.2	6.1	10.0	9.6	7.5	1.9	1.3	0.7	0.3	2.2	2.0	47.6	15	4687
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	6.8	10.0	14.4	13.4	8.0	1.7	0.6	0.5	0.5	3.0	5.3	71.5	15	5417
	02 LST	9.5	11.4	16.6	16.2	10.6	4.3	2.3	1.4	1.4	5.0	7.6	95.9	15	4542
	08 LST	30.1	27.0	36.8	29.5	30.4	28.8	28.9	28.6	28.5	29.6	28.3	350.4	15	4662
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	14 LST	29.2	27.1	30.2	29.5	30.	28.7	29.4	27.5	28.0	29.4	28.6	347.5	15	4682
	20 LST	30.7	27.8	30.8	29.6	30.3	28.5	29.1	27.8	28.4	29.8	28.9	352.1	15	5421
	02 LST	30.7	27.9	30.8	29.8	30.8	28.9	29.6	29.6	29.2	30.3	29.2	357.6	15	4545
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	28.8	25.8	29.8	28.7	30.0	28.2	28.6	27.2	27.5	28.9	27.2	338.3	15	4662
	14 LST	25.5	25.2	26.7	29.0	29.7	28.3	28.7	26.1	27.2	28.1	27.0	330.1	15	4682
	20 LST	29.6	27.4	30.6	29.5	29.0	27.3	27.4	26.2	27.2	28.6	27.7	339.3	15	5421
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	29.9	27.5	30.0	29.5	30.4	28.2	28.6	27.3	27.8	29.4	28.3	346.9	15	4545
	08 LST	28.7	25.8	29.8	28.7	30.0	28.2	28.6	27.2	27.5	28.9	27.2	338.2	15	4662
	14 LST	25.5	25.2	28.7	28.9	29.7	28.3	28.7	26.1	27.2	28.1	27.0	330.0	15	4682
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	29.6	27.4	30.6	29.5	29.0	27.3	27.4	26.2	27.2	28.5	27.7	339.2	15	5421
	02 LST	29.9	27.4	30.0	29.5	30.4	28.1	28.6	27.3	27.8	29.4	28.3	346.7	15	4545

FERNANDO AIR BASE, PHILIPPINES

STA NO. 98436 (IN AREA NUMBER 01)

LATITUDE 1357N LONGITUDE 12107E ELEVATION(FT) 01220

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	82	84	86	88	89	86	84	83	83	83	83	82	84	0	0
MEAN MAX TMP (F)														0	-50
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP ≥ OR GTR 90(F)														0	0
MEAN NO DYS TMP ≥ OR LES 32(F)														0	0
MEAN NO DYS TMP ≥ OR LES 0(F)														0	0
MEAN DEW PT TMP (F)	69	68	71	71	75	75	76	75	75	74	73	71	73	0	-50
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	1187	1198	1208	1265	1302	1356	1361	1382	1357	1309	1272	1227	1285	0	-50
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PKCP ≥ OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD ≥ OR GTR 17 KTS														0	0
P FREQ WND SPD ≥ OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

FERNANDO AIR BASE, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	0
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	0

DATA NOT AVAILABLE

CORON, PHILIPPINES

STA NO. 98526 (IN AREA NUMBER 01) LATITUDE 1200N LONGITUDE 12012E ELEVATION(FT) 00048

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
ABS MAX TMP (F)	93	89	89	90	91	88	87	86	87	88	89	88	89	15	4881
MEAN MAX TMP (F)	73	73	74	76	77	75	73	74	74	74	74	73	74	15	4881
MEAN MIN TMP (F)	66	63	68	67	70	67	61	62	62	66	67	66	61	15	4881
MEAN NO DYS TMP ≥ OR GTR 90(F)	11.5	13.3	21.5	26.1	23.4	11.4	6.3	4.7	5.1	11.2	14.6	10.0	159.1	15	4881
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	4881
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	4881
MEAN DEW PT TMP (F)	72	71	72	72	74	75	74	74	74	74	74	73	73	5	9720
MEAN REL HUM (PCT)	81	77	75	74	74	84	88	87	86	84	80	80	81	5	9768
MEAN PRESS ALI (FT)														0	0
MEAN PRECIP (IN)	1.31	0.23	0.21	1.04	6.93	16.36	18.58	20.36	18.88	11.44	5.52	4.87	105.7	15	4887
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	1.5	0.8	0.8	1.5	6.4	16.7	17.1	18.8	17.4	12.1	6.2	4.5	103.8	15	4887
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	5	1697
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.8	1.8	2.0	1.1	1.1	0.8	0.5	0.0	9.1	5	1700
P FREQ WND SPU ≥ OR GTR 17 KTS	0.0	0.4	0.2	0.0	0.0	0.0	0.2	0.1	0.0	0.1	0.0	0.3	0.1	5	9919
P FREQ WND SPU ≥ OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	5	9919
P FREQ LES 5000 FT A/O LES 5 MI	2.9	2.6	1.6	1.2	5.3	11.0	15.1	16.1	10.1	9.6	6.3	6.8	7.4	5	9843
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.9	0.0	0.4	0.5	2.2	3.2	4.7	3.7	4.3	3.4	3.9	1.6	2.4	12	2708
03-05 LST	0.0	0.0	0.0	1.1	0.0	0.0	3.4	0.0	5.1	0.0	1.3	1.6	1.0	4	797
06-08 LST	1.2	0.5	0.4	2.1	2.8	2.7	4.2	8.4	7.4	3.4	2.9	2.2	3.2	12	2969
09-11 LST	1.3	1.2	0.0	0.0	0.0	0.0	1.6	0.0	0.0	1.4	2.5	0.0	0.7	4	801
12-14 LST	0.8	1.8	0.8	1.3	3.2	2.9	8.6	9.8	5.8	3.1	3.0	3.8	3.7	12	2998
15-17 LST	0.0	1.2	0.0	0.0	1.5	0.0	3.3	0.0	0.0	2.9	0.0	0.0	0.7	4	801
18-20 LST	0.0	0.0	0.0	0.0	3.5	2.9	5.2	3.3	3.5	1.3	1.7	0.6	1.8	5	1730
21-23 LST	0.0	0.0	0.0	0.0	0.0	2.5	1.6	2.6	0.0	0.0	0.0	0.0	0.6	4	801
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.4	0.0	0.0	0.5	0.0	1.4	1.7	0.0	1.9	0.8	0.9	-0.0	0.6	12	2708
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	1.3	0.0	0.3	4	797
06-08 LST	0.0	0.0	0.0	0.0	0.4	0.4	0.0	0.8	1.6	1.5	0.0	0.0	0.4	12	2969
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	801
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.4	0.0	1.1	1.2	0.0	0.4	1.1	0.4	12	2998
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	801
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.6	0.8	0.0	0.2	5	1730
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0	0.0	0.2	4	801

CORON, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 30.8	28.0	31.0	30.0	30.8	29.6	30.8	29.8	29.1	30.2	29.6	30.8	360.5	12	2969
	14 LST 31.0	28.0	30.9	30.0	30.9	29.7	30.4	30.0	29.4	30.8	29.9	30.5	361.5	12	2998
	20 LST 31.0	28.0	31.0	30.0	30.8	29.8	29.6	29.9	29.4	30.8	29.7	30.4	360.4	5	1730
	02 LST 30.7	28.0	31.0	29.9	30.8	29.6	30.2	30.3	28.8	30.2	29.3	30.7	359.5	12	2708
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST 30.1	27.0	29.7	29.0	29.4	29.0	29.2	27.0	27.0	29.9	28.6	29.4	345.3	12	2931
	14 LST 29.4	25.4	28.6	28.5	29.0	28.1	26.4	25.8	27.1	29.0	27.4	28.6	333.3	12	2974
	20 LST 31.0	27.6	30.8	30.0	29.5	28.9	28.6	29.5	28.5	30.4	29.0	30.4	354.2	5	1730
	02 LST 29.5	27.2	30.2	29.7	29.5	28.5	28.6	29.1	28.2	29.5	28.7	29.8	348.5	12	2688
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.2	12	2962
	14 LST 0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.5	12	2992
	20 LST 0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1732
	02 LST 0.0	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	12	2722
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 5.1	4.8	6.6	6.0	4.3	1.2	1.3	2.1	1.5	2.0	3.8	4.3	43.0	12	2917
	14 LST 9.6	8.1	8.2	3.5	2.4	3.8	3.9	3.9	4.5	4.2	7.6	8.5	69.2	12	2954
	20 LST 2.4	3.4	1.6	0.8	0.9	0.7	0.8	0.2	0.4	0.2	1.7	2.8	15.9	5	1711
	02 LST 5.6	4.1	6.9	3.8	2.5	1.4	2.3	2.3	1.9	2.0	4.3	5.4	42.5	12	2674
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 11.6	11.4	14.1	10.8	6.9	3.0	2.1	2.1	3.1	7.0	8.7	8.4	89.2	12	2990
	14 LST 8.5	6.6	14.2	11.2	6.2	2.3	1.4	1.3	1.4	3.3	5.9	5.8	68.1	12	3001
	20 LST 16.0	14.4	19.4	17.8	14.3	6.6	5.4	3.7	5.6	11.9	16.1	18.4	149.6	5	1731
	02 LST 15.0	12.5	17.2	16.7	12.4	5.4	5.0	4.6	6.0	10.2	9.6	12.3	126.9	12	2730
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 30.4	27.4	30.8	29.1	29.5	28.1	28.1	25.7	26.8	29.5	28.4	29.8	343.6	12	2969
	14 LST 30.2	26.6	30.4	29.3	29.4	27.9	25.6	24.6	25.7	28.3	27.7	28.2	333.9	12	2998
	20 LST 30.3	27.6	30.2	29.6	29.2	27.3	27.9	28.3	27.7	28.6	28.7	29.4	344.8	5	1730
	02 LST 29.8	27.7	30.7	29.6	29.5	27.5	27.8	28.8	27.5	29.1	28.4	29.9	346.3	12	2708
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 29.8	27.0	30.4	29.0	28.7	26.8	26.3	23.6	24.7	28.6	27.6	29.0	331.5	12	2969
	14 LST 29.7	26.4	30.0	29.2	28.6	26.6	22.6	21.0	22.5	26.4	26.0	27.3	316.3	12	2998
	20 LST 29.9	27.4	29.8	29.0	28.6	23.4	26.3	25.6	25.4	26.2	28.0	28.6	328.2	5	1730
	02 LST 28.8	27.3	30.3	29.6	29.1	24.8	25.3	26.3	26.9	28.1	28.1	29.0	333.6	12	2708
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 29.5	26.9	29.7	29.0	28.7	26.8	25.7	23.1	23.7	27.8	27.4	28.5	326.8	12	2969
	14 LST 29.5	26.1	30.0	29.2	28.5	26.3	22.1	20.9	22.4	26.1	25.7	27.1	313.9	12	2998
	20 LST 29.9	27.4	29.8	29.0	28.6	22.7	25.9	25.5	25.0	25.9	28.0	28.6	326.3	5	1730
	02 LST 28.5	27.0	30.3	29.4	29.0	24.3	25.2	26.0	26.6	27.8	28.1	28.6	330.8	12	2708

AREA NO. 01

PHILIPPINE ISLANDS	NORTHWEST SLOPES				LATITUDE 1530N				LONGITUDE 12030E				ANN	
	BOUNDARIES		2100N 11930E	2100N 12100E	2100N 12100E	2100N 12100E	1500N 12100E	1500N 12100E	1500N 12100E	1500N 12100E	1140N 11930E	1140N 11930E		2100N 11930E
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	84	85	88	90	90	88	85	85	85	86	85	84	86	
MEAN MIN TMP (F)	69	69	71	73	75	74	73	73	73	73	72	70	72	
LARGEST MEAN PRECIP(IN)	1.31	0.90	1.70	4.30	15.80	25.11	42.30	45.70	29.51	15.00	5.70	4.87	192.2	
SMALLEST MEAN PRECIP(IN)	0.08	0.06	0.06	0.35	3.93	10.00	12.64	15.17	12.99	2.97	1.30	0.30	59.8	
MEAN NUMBER OF DAYS														
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	30.7	27.7	30.8	29.8	30.8	29.2	30.1	29.7	29.1	30.5	29.7	30.8	358.9
	14 LST	31.0	28.0	31.0	30.0	30.8	29.4	30.4	30.0	29.3	30.8	29.8	30.8	361.3
	20 LST	31.0	28.0	31.0	30.0	30.7	29.4	29.9	29.9	29.0	30.7	29.6	30.9	360.1
	02 LST	31.0	28.0	31.0	29.9	30.8	29.4	30.1	30.0	29.1	30.6	29.7	30.8	360.4
CIG =GTR 2000 FT AND VSBY =GTR 3 MI	08 LST	28.2	25.9	28.6	27.8	29.0	27.7	27.6	26.0	26.7	28.8	26.6	28.0	330.9
3 MI W/5FC WND LES 10 KTS	14 LST	20.5	16.8	18.1	16.8	19.5	19.5	21.9	20.9	21.4	24.2	21.4	21.0	242.0
	20 LST	26.1	22.6	23.5	22.5	24.8	24.8	24.9	24.5	24.6	27.3	26.4	27.0	299.0
	02 LST	28.2	25.7	29.1	28.7	29.4	27.5	27.8	26.3	26.6	29.1	27.5	27.5	333.4
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.2	0.1	0.1	0.1	0.0	0.1	0.3	0.3	0.2	0.1	0.2	0.2	1.9
	14 LST	1.6	1.7	2.0	1.9	1.2	0.7	0.6	0.8	0.6	0.3	0.9	1.3	13.6
	20 LST	0.5	0.2	0.2	0.4	0.1	0.1	0.3	0.4	0.2	0.2	0.3	0.2	3.1
	02 LST	0.2	0.1	0.2	0.0	0.0	0.1	0.3	0.2	0.1	0.1	0.3	0.3	1.9
SFC WND 4-10 KTS AND TMP 33-89	08 LST	15.0	13.8	15.9	15.3	15.2	12.9	12.5	11.7	11.5	12.6	13.9	14.4	164.7
DEG F AND NO PRECIP.	14 LST	18.0	13.7	11.5	6.6	4.9	9.7	12.9	13.5	13.7	15.0	15.6	17.5	152.6
	20 LST	18.5	15.8	18.0	17.6	16.9	13.4	11.9	11.6	11.1	14.3	15.2	16.4	180.7
	02 LST	14.6	13.5	14.0	13.7	12.6	10.2	10.7	9.6	9.0	10.7	12.3	13.9	144.8
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	11.1	10.9	15.0	14.8	10.6	4.2	3.2	2.0	2.8	7.5	8.4	9.0	99.5
	14 LST	9.0	8.4	11.7	11.1	7.4	2.6	2.1	1.4	1.9	5.0	5.9	6.9	73.4
	20 LST	11.6	11.5	15.5	14.2	8.8	2.7	1.9	1.5	2.3	6.3	8.8	10.9	96.0
	02 LST	14.0	14.8	17.5	17.2	12.8	6.7	5.2	3.9	5.0	9.5	11.7	13.2	131.5
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	30.3	27.3	30.6	29.5	30.1	27.7	27.7	26.2	26.5	29.6	28.7	29.9	344.1
	14 LST	30.3	27.4	30.5	29.5	29.9	27.2	27.5	26.1	26.1	29.1	28.7	29.9	342.2
	20 LST	30.3	27.0	30.0	29.0	28.7	25.6	25.6	24.3	24.3	28.5	28.4	29.7	331.4
	02 LST	30.3	27.3	30.3	29.4	29.6	27.2	27.4	26.1	26.5	29.4	28.7	30.0	342.2
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	27.9	25.5	29.2	28.5	29.0	26.0	25.4	23.7	24.3	28.2	26.8	27.8	322.3
	14 LST	25.5	23.4	27.2	26.8	27.5	24.2	23.9	22.4	23.2	26.6	25.7	25.5	301.9
	20 LST	27.8	24.9	27.9	27.4	25.7	22.3	21.5	20.4	20.9	25.4	26.0	27.6	297.8
	02 LST	28.5	25.7	28.9	28.2	27.9	24.8	24.4	23.0	24.1	27.7	27.2	28.3	318.7
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	26.7	24.9	28.4	27.8	28.5	25.1	24.1	22.5	22.8	26.8	25.6	26.7	309.9
	14 LST	24.6	22.9	26.6	26.3	26.9	23.2	22.7	21.2	21.8	25.6	24.4	24.5	290.7
	20 LST	26.7	24.1	27.2	26.8	24.9	21.0	20.0	18.9	19.0	24.0	24.7	26.5	283.8
	02 LST	27.4	25.0	28.3	27.7	27.2	23.8	23.3	21.8	22.8	26.6	26.2	27.3	307.4

CALAYAN, PHILIPPINES

STA NO. 98133 (IN AREA NUMBER 02) LONGITUDE 12128E ELEVATION(FT) 00043

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	89	90	93	95	98	97	97	98	96	95	91	91	98	5	1712
MEAN MAX TMP (F)	77	81	84	87	91	91	90	89	89	87	85	81	86	5	1712
MEAN MIN TMP (F)	66	68	70	73	76	76	77	77	76	74	73	70	73	5	1804
ABS MIN TMP (F)	57	62	60	64	72	66	72	72	72	65	66	62	57	5	1804
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.2	1.8	4.8	23.3	22.5	16.2	16.9	12.9	6.6	0.6	0.6	106.4	5	1712
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1804
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1804
MEAN DEW PT TMP (F)	65	67	71	73	76	78	77	77	76	73	72	69	73	5	11426
MEAN REL HUM (PCT)	83	81	82	82	81	84	84	85	85	81	81	83	83	5	11381
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	9.70	6.01	2.80	2.01	1.76	6.66	14.15	10.13	10.36	8.65	6.96	12.09	91.3	5	1805
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS PKCP = OR GTR 0.1 IN	15.8	11.5	4.6	3.5	2.7	8.4	10.2	11.8	13.1	11.3	11.3	16.3	120.7	5	1805
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1728
MEAN NO DYS TSMS	0.0	0.0	0.2	0.0	0.6	1.2	0.8	0.7	0.4	0.8	0.0	0.2	4.9	5	1729
P FREQ WND SPU = UR GTR 17 KTS	6.1	4.7	1.9	2.0	1.9	2.8	8.7	14.7	5.8	6.7	5.2	7.7	5.7	5	11480
P FREQ WND SPU = UR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.4	0.1	1.0	0.8	0.0	0.3	0.5	0.3	5	11480
P FREQ LES 5000 FT A/O LES 5 MI	62.9	41.2	27.4	20.2	9.3	22.7	33.2	34.7	37.1	30.9	38.6	52.9	34.3	5	11477
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	6.9	7.0	2.0	0.9	0.0	2.7	5.1	4.5	4.7	5.9	6.5	7.3	4.5	12	2835
03-05 LST	4.2	2.8	0.0	0.0	0.0	1.4	4.9	3.8	2.4	1.6	1.7	5.0	2.3	5	1177
06-08 LST	8.5	7.0	2.6	0.4	0.9	1.3	4.4	3.8	5.6	4.7	7.6	12.0	4.9	12	2952
09-11 LST	5.8	1.9	1.0	1.5	0.0	2.9	6.1	3.8	3.5	1.6	2.6	4.2	2.9	5	1179
12-14 LST	6.2	4.0	1.5	1.3	2.2	2.1	4.7	3.9	4.5	5.6	8.3	8.4	4.4	12	3008
15-17 LST	5.0	1.9	0.0	0.0	0.0	1.4	6.0	5.7	2.4	1.6	2.6	3.4	2.5	5	1178
18-20 LST	4.6	2.2	1.3	0.7	0.0	3.4	3.9	3.4	4.1	1.3	2.7	4.0	2.6	5	1773
21-23 LST	5.8	1.9	1.0	0.0	0.0	2.9	6.0	4.8	4.8	1.6	2.6	4.2	3.0	5	1175
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	2.4	2.6	0.8	0.0	0.0	0.0	1.3	0.5	1.3	3.0	1.5	1.8	1.3	12	2835
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1177
06-08 LST	1.5	0.9	0.4	0.0	0.0	0.4	0.4	0.4	0.8	0.8	0.8	1.8	0.7	12	2952
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1179
12-14 LST	0.8	0.4	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.7	1.1	1.1	0.4	12	3008
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.1	5	1178
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1773
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.1	5	1175

CALAYAN, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	30.3	27.2	30.4	30.0	30.8	29.9	30.2	30.7	29.4	30.3	29.6	358.1	12	2952
	14 LST	30.6	27.7	30.9	30.0	30.2	29.6	30.5	30.9	29.9	30.6	29.2	360.3	12	3008
	20 LST	31.0	28.0	31.0	30.0	31.0	29.8	30.6	30.8	29.8	31.0	30.0	363.8	5	1773
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	02 LST	30.2	27.1	30.8	29.7	31.0	29.6	30.2	30.7	29.3	29.9	29.2	358.0	12	2835
	08 LST	22.2	22.4	26.5	27.4	28.5	27.4	25.9	24.5	25.5	24.7	21.9	297.4	12	2932
	14 LST	22.7	21.9	25.5	24.1	26.8	25.7	22.7	23.7	24.8	23.0	21.4	283.6	12	2987
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	21.1	21.4	23.7	24.9	28.1	26.1	24.7	23.4	25.4	23.3	22.2	287.4	5	1772
	02 LST	22.2	20.7	25.2	26.9	28.9	26.8	24.6	21.8	25.6	22.8	22.1	288.4	12	2810
	08 LST	0.6	0.4	0.1	0.4	0.1	0.2	0.8	1.6	0.5	0.7	0.9	6.8	12	2959
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	14 LST	0.2	0.7	0.6	0.0	0.2	0.6	0.8	2.5	0.5	0.9	0.2	7.8	12	3022
	20 LST	2.0	1.6	1.2	0.6	0.2	0.8	3.0	2.3	1.4	2.2	0.4	17.1	5	1773
	02 LST	1.1	0.6	0.7	0.4	0.4	0.5	1.5	3.7	0.9	1.3	1.2	13.9	12	2834
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	9.2	9.6	12.2	12.7	11.9	9.9	10.1	4.1	6.3	10.1	11.4	116.6	12	2920
	14 LST	1.6	13.4	15.9	15.9	8.3	7.0	8.7	8.2	10.7	11.7	15.4	139.7	12	2976
	20 LST	8.1	9.0	9.9	9.8	8.1	4.5	4.2	4.0	4.4	8.1	11.7	91.6	5	1756
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	7.9	7.9	8.5	7.5	5.2	4.6	4.8	2.4	3.5	6.2	9.6	76.1	12	2792
	08 LST	2.2	2.7	5.1	3.5	3.3	0.8	0.9	0.7	1.3	0.5	1.1	23.0	12	2967
	14 LST	1.6	4.0	4.5	5.8	4.5	1.5	1.2	0.5	1.0	0.1	0.7	26.5	12	3034
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	1.6	4.3	5.1	4.9	5.0	1.4	1.0	0.8	1.9	0.2	1.4	29.0	5	1773
	02 LST	2.5	3.4	6.3	5.6	7.8	2.6	3.4	1.8	3.1	1.0	2.9	42.2	12	2842
	08 LST	19.1	20.1	24.7	26.5	29.0	26.4	25.0	23.6	22.4	22.8	21.1	279.1	12	2952
CIG = GTR 10000 FT AND VSBY = GTR 3 MI:	14 LST	19.8	21.5	26.9	27.0	28.2	26.9	25.2	24.0	22.5	22.9	19.9	285.6	12	3008
	20 LST	18.3	21.0	25.5	25.7	28.5	24.1	24.1	24.0	23.2	25.5	22.8	282.9	5	1773
	02 LST	19.0	20.3	25.1	25.5	28.6	25.7	25.0	23.7	23.3	24.8	21.1	282.0	12	2835
CIG = GTR 10000 FT AND VSBY = GTR 3 MI:	08 LST	13.9	16.3	20.9	24.2	27.6	24.3	21.9	19.7	18.8	18.7	17.2	237.0	12	2952
	14 LST	14.1	18.3	24.5	25.1	27.3	25.4	22.9	20.5	19.1	19.4	16.0	248.4	12	3008
	20 LST	11.5	16.7	22.3	23.2	26.8	21.5	20.9	20.9	19.7	22.5	18.9	239.2	5	1773
CIG = GTR 10000 FT AND VSBY = GTR 3 MI:	02 LST	13.4	16.6	21.5	23.1	27.2	23.3	22.2	20.2	19.8	21.9	16.8	240.9	12	2835
	08 LST	13.9	16.3	20.9	24.1	27.6	24.3	21.9	19.7	18.8	18.7	17.2	236.9	12	2952
	14 LST	14.1	18.3	24.5	25.1	27.3	25.4	22.9	20.5	19.1	19.4	16.0	248.4	12	3008
CIG = GTR 10000 FT AND VSBY = GTR 3 MI:	20 LST	11.5	16.7	22.3	23.2	26.8	21.5	20.9	20.9	19.7	22.5	18.9	239.2	5	1773
	02 LST	13.4	16.6	21.5	23.1	27.2	23.3	22.2	20.2	19.8	21.9	16.8	240.9	12	2835
	08 LST	13.9	16.3	20.9	24.1	27.6	24.3	21.9	19.7	18.8	18.7	17.2	236.9	12	2952
CIG = GTR 10000 FT AND VSBY = GTR 3 MI:	14 LST	14.1	18.3	24.5	25.1	27.3	25.4	22.9	20.5	19.1	19.4	16.0	248.4	12	3008
	20 LST	11.5	16.7	22.3	23.2	26.8	21.5	20.9	20.9	19.7	22.5	18.9	239.2	5	1773
	02 LST	13.4	16.6	21.5	23.1	27.2	23.3	22.2	20.2	19.8	21.9	16.8	240.8	12	2835

BASCO, PHILIPPINES

STA NO. 98135 (IN AREA NUMBER 02) LATITUDE 2027N LONGITUDE 12158E ELEVATION(FT) 00036

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
ABS MAX TMP (F)	86	87	90	94	97	93	97	98	92	90	89	88	98	15	5427
MEAN MAX TMP (F)	76	78	81	84	88	88	88	88	87	84	81	78	83	15	5427
MEAN MIN TMP (F)	67	69	71	75	77	78	78	77	76	75	73	70	74	15	5425
ABS MIN TMP (F)	53	56	61	62	63	69	70	68	70	64	63	60	53	15	5425
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.1	1.4	6.9	8.7	10.6	6.6	3.3	0.2	0.0	0.0	37.8	15	5427
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5425
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5425
MEAN DEW PT TMP (F)	65	67	70	73	77	78	78	76	77	73	71	68	73	15	27276
MEAN REL HUM (PCT)	82	81	81	82	82	84	83	84	84	81	81	81	82	15	27032
MEAN PRESS ALT (FT)	7.90	5.92	4.89	3.80	5.07	11.83	10.28	16.23	14.60	11.77	11.63	11.08	115.0	15	5431
MEAN PRECIP (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN SNOW FALL (IN)	14.3	9.4	8.0	6.2	7.0	10.8	11.3	14.8	15.4	14.9	13.2	15.4	140.7	15	5431
MEAN NO DYS PKCP = OR GTR 0.1 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.5	0.4	0.2	0.2	0.0	1.7	15	3819
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.8	0.6	0.2	0.9	0.8	0.5	0.2	0.1	4.6	15	3825
MEAN NO DYS TSTMS	4.1	1.5	2.5	2.0	1.3	4.8	6.0	12.7	7.2	8.5	15.8	8.2	6.2	15	29631
P FREQ WND SPU = OR GTR 17 KTS	0.0	0.1	0.0	0.0	0.1	0.2	0.1	0.8	1.7	0.3	0.7	0.3	0.4	15	29631
P FREQ WND SPU = OR GTR 28 KTS	80.6	71.5	69.0	66.4	48.6	53.3	55.1	67.2	67.8	75.7	80.0	77.4	67.7	15	29335
P FREQ LES 5000 FT A/O LES 5 MI	13.1	14.7	7.0	5.4	4.1	8.2	6.3	9.2	8.6	12.7	13.2	13.4	9.7	15	4555
P FREQ LES 1500 FT A/O LES 3 MI	8.1	3.5	5.7	2.1	2.0	3.0	1.1	5.0	5.4	3.9	9.7	6.1	4.6	10	3264
FOR 00-02 LST	6.8	6.5	5.7	4.2	2.4	4.5	3.5	4.4	6.5	4.6	10.0	8.4	5.6	15	4916
FOR 03-05 LST	8.9	5.4	4.8	3.3	2.3	5.5	3.3	8.1	5.0	3.7	8.6	9.3	5.7	15	4825
FOR 06-08 LST	10.0	5.6	5.7	3.4	2.5	4.8	4.2	6.8	5.5	5.4	9.6	7.3	5.9	15	4996
FOR 09-11 LST	13.8	7.5	7.8	4.5	3.4	6.8	4.9	8.1	5.5	6.0	11.4	9.0	7.4	15	4998
FOR 12-14 LST	10.2	7.8	6.5	3.6	3.3	5.3	4.5	9.9	5.4	5.6	8.5	7.2	6.5	15	5656
FOR 15-17 LST	7.8	8.2	5.7	5.0	3.8	6.7	4.7	8.4	6.2	8.4	9.8	6.6	6.8	13	3707
FOR 18-20 LST	0.0	0.3	0.0	0.0	0.8	0.5	0.0	0.5	0.6	0.5	0.5	1.0	0.4	15	4555
FOR 21-23 LST	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.4	0.0	0.0	0.7	0.0	0.1	10	3264
FOR 00-02 LST	0.5	0.0	0.0	0.0	0.2	0.3	0.0	0.2	0.3	0.0	0.7	0.5	0.2	15	4916
FOR 03-05 LST	0.0	0.0	0.0	0.0	0.3	0.5	0.0	0.7	0.5	0.0	0.0	0.5	0.2	15	4825
FOR 06-08 LST	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.5	0.2	0.0	0.2	0.0	0.1	15	4996
FOR 09-11 LST	0.2	0.0	0.0	0.0	0.0	0.5	0.0	0.5	0.5	0.2	1.0	0.7	0.3	15	4998
FOR 12-14 LST	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.6	0.6	0.4	1.1	0.2	0.3	15	5656
FOR 15-17 LST	0.0	0.0	0.0	0.0	0.7	0.4	0.0	0.6	0.9	0.6	1.0	0.0	0.4	13	3707
FOR 18-20 LST															
FOR 21-23 LST															

BASCO, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	MEAN NUMBER OF DAYS												NO. OBS			
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		ANN		
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	29.5	27.3	29.6	29.3	30.7	29.0	30.2	29.9	28.4	29.9	27.7	29.4	350.9	15	4492
	14 LST	29.3	27.5	30.1	29.8	30.5	28.8	29.9	29.7	29.0	30.3	27.8	29.9	352.6	15	4568
	20 LST	28.8	27.0	29.9	29.5	30.4	28.7	30.1	29.1	28.7	30.1	28.1	29.9	350.3	15	5323
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST	29.2	26.3	30.2	29.5	30.5	28.7	30.0	29.2	28.5	29.0	28.1	29.5	348.7	15	4155
	08 LST	20.1	19.2	22.7	22.2	26.2	23.5	21.8	22.2	21.8	16.3	15.6	16.1	247.7	15	4476
	14 LST	18.0	18.0	19.9	19.8	23.6	21.1	21.2	20.7	21.6	14.8	14.4	15.7	228.8	15	4553
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	19.4	18.5	21.5	22.1	25.8	23.3	21.9	21.2	22.9	16.7	16.1	17.3	246.7	15	5314
	02 LST	19.7	17.9	21.1	21.4	25.9	21.8	23.3	20.7	21.6	16.5	15.8	16.4	242.1	15	4142
	08 LST	1.0	0.4	0.3	0.5	0.2	0.7	1.4	1.8	1.1	2.0	2.2	1.3	12.9	15	4498
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	14 LST	1.0	0.2	0.7	0.4	0.5	0.9	2.2	2.3	0.7	1.7	2.5	1.8	14.9	15	4560
	20 LST	0.6	0.5	0.8	0.5	0.2	0.6	2.7	2.2	1.0	2.0	1.6	1.3	14.0	15	5330
	02 LST	0.6	0.3	0.4	0.7	0.0	0.7	1.7	2.8	1.3	2.0	2.3	1.7	14.5	15	4166
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	16.4	17.8	20.0	21.2	23.9	20.9	20.1	18.2	18.1	16.9	15.9	15.9	225.3	15	4457
	14 LST	18.8	19.9	21.5	22.9	24.2	19.2	19.7	18.6	20.8	17.8	16.8	18.3	238.5	15	4532
	20 LST	16.3	17.1	18.9	18.3	20.1	16.4	13.4	13.4	16.5	16.0	14.6	15.0	196.0	15	5311
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	15.2	16.0	19.4	17.4	20.1	15.1	14.4	12.3	14.0	14.1	14.8	12.5	185.3	15	4124
	08 LST	1.4	1.3	2.9	2.0	2.4	1.0	1.3	0.7	1.5	1.1	1.0	0.9	17.5	15	4497
	14 LST	1.1	1.6	2.6	2.1	2.2	0.3	0.8	0.2	0.6	0.5	0.5	0.6	13.1	15	4567
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	2.5	3.6	5.2	5.3	5.9	3.4	3.9	2.4	3.4	1.7	1.4	1.6	40.3	15	5326
	02 LST	1.2	1.6	1.6	2.3	1.8	1.3	2.9	1.2	1.0	0.9	1.0	0.6	17.4	15	4169
	08 LST	20.5	17.8	21.7	21.4	25.4	23.2	23.6	22.0	20.3	19.6	18.0	18.9	252.4	15	4492
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	14 LST	18.9	19.0	21.3	22.2	26.2	23.3	24.4	21.5	21.4	20.6	18.0	18.7	255.5	15	4568
	20 LST	18.6	18.1	21.1	22.3	25.0	23.3	23.5	21.1	20.6	19.2	17.4	17.9	248.1	15	5323
	02 LST	17.1	16.7	19.4	20.1	24.6	20.7	22.7	18.9	18.3	17.6	15.5	16.9	228.5	15	4155
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	12.0	10.1	14.0	13.0	17.2	15.5	15.4	13.9	12.2	11.1	10.2	11.0	155.6	15	4492
	14 LST	8.2	9.0	10.7	12.3	17.7	15.5	16.0	12.2	12.9	9.6	7.2	8.1	139.4	15	4568
	20 LST	9.9	10.1	13.4	14.9	18.3	17.4	16.7	14.4	13.2	9.6	7.7	8.4	153.0	15	5323
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	6.0	7.5	9.0	7.9	14.9	12.0	13.0	8.8	8.5	7.1	5.6	6.1	106.4	15	4155
	08 LST	12.0	10.1	13.7	13.0	17.2	15.5	15.2	13.9	12.2	10.8	10.1	11.0	154.7	15	4492
	14 LST	8.1	9.0	10.6	12.3	17.7	15.4	16.0	12.2	12.9	9.6	7.2	8.1	139.1	15	4568
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	8.9	9.9	13.3	14.9	18.1	17.3	16.7	14.3	13.2	9.6	7.6	8.4	152.2	15	5323
	02 LST	6.0	7.4	9.0	7.9	14.8	11.9	13.0	8.8	8.5	7.1	5.6	6.1	106.1	15	4155

APARRI, PHILIPPINES

STA NO. 98232 (IN AREA NUMBER 02) LATITUDE 1822N LONGITUDE 12138E ELEVATION(FT) 00013

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	90	93	95	99	100	102	99	98	95	94	93	90	102	15	5380
MEAN MAX TMP (F)	79	82	86	89	93	93	92	91	89	87	83	81	87	15	5380
MEAN MIN TMP (F)	69	69	72	74	76	77	76	76	76	75	73	71	74	15	5379
ABS MIN TMP (F)	60	57	59	61	70	70	72	72	70	69	65	61	57	15	5379
MEAN NO DYS TMP ± OR GTR 90(F)	0.1	0.8	5.1	16.8	28.3	26.4	26.1	23.7	16.7	7.4	1.4	0.1	152.9	15	5380
MEAN NO DYS TMP ± OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5379
MEAN NO DYS TMP ± OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5379
MEAN DEW PT TMP (F)	68	69	71	73	75	76	75	76	75	74	72	70	73	15	27699
MEAN REL HUM (PCT)	84	82	80	79	76	78	79	81	83	83	84	85	81	15	27537
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	6.00	3.30	2.40	1.80	4.90	6.70	8.50	9.50	11.30	14.10	12.80	8.20	89.5	36	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS PRCP ± OR GTR 0.1 IN	11.0	6.9	4.6	3.6	7.7	8.8	10.1	10.8	13.8	15.8	14.9	13.7	121.7	36	-29
MEAN NO DYS SNFL ± OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.2	1.1	0.2	0.4	0.2	0.5	0.6	0.6	0.9	0.9	1.8	1.2	9.6	15	3744
MEAN NO DYS TSTMS	0.1	0.2	0.8	2.1	6.5	7.0	6.1	4.2	5.0	1.4	0.4	0.4	34.2	15	3763
P FREQ WND SPD ± OR GTR 17 KTS	7.5	4.0	2.2	2.3	0.3	0.3	0.3	1.2	1.1	6.9	11.3	9.4	3.9	15	28060
P FREQ WND SPD ± OR GTR 28 KTS	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.6	1.3	0.2	0.2	15	28060
P FREQ LES 5000 FT A/O LES 5 MI	29.0	21.9	15.5	11.8	6.0	9.6	7.6	13.5	16.6	21.6	27.3	24.0	17.0	15	27733
P FREQ LES 1500 FT A/O LES 3 MI	14.1	10.5	4.2	5.9	0.3	2.9	1.7	5.8	7.3	14.1	17.2	11.2	7.9	15	4720
FOR 00-02 LST	13.2	12.1	4.3	3.5	1.1	1.5	2.1	2.2	5.6	11.6	13.0	7.5	6.5	10	3134
03-05 LST	13.7	12.3	6.6	3.9	1.4	1.8	1.0	3.2	4.6	16.5	19.1	12.6	8.1	15	4935
06-08 LST	12.3	10.9	4.0	2.4	1.4	1.1	0.3	2.5	4.6	11.8	16.7	11.1	6.6	15	4489
09-11 LST	7.3	5.2	2.7	2.2	1.2	1.3	0.5	1.9	4.7	5.4	13.9	9.9	4.7	15	4948
12-14 LST	10.0	5.8	3.7	1.8	2.2	4.0	2.2	5.1	4.7	8.1	16.8	10.9	6.3	15	4552
15-17 LST	11.2	7.7	4.5	4.0	2.7	7.2	5.0	8.6	8.2	9.1	13.3	13.4	7.9	15	5227
18-20 LST	10.9	7.3	5.2	2.0	1.5	2.7	2.1	5.9	6.8	12.7	10.6	5.6	6.1	10	3135
21-23 LST	7.8	3.1	1.5	1.3	0.0	1.1	0.2	1.5	3.0	5.5	8.4	4.4	3.2	15	4720
FOR 00-02 LST	4.4	3.6	1.7	1.2	0.7	0.8	1.6	0.0	2.4	3.5	6.9	1.2	2.3	10	3134
03-05 LST	6.5	5.3	2.7	0.8	0.5	0.3	0.5	0.7	1.8	5.8	9.0	3.7	3.1	15	4935
06-08 LST	5.9	4.9	1.2	0.6	1.1	0.3	0.0	2.0	1.6	3.6	8.2	4.6	2.8	15	4489
09-11 LST	2.8	1.6	0.2	0.2	0.2	0.3	0.2	0.0	1.7	1.6	7.1	3.7	1.6	15	4948
12-14 LST	3.2	1.4	0.9	0.0	0.8	1.7	1.3	1.5	1.6	2.3	6.6	3.6	2.1	15	4552
15-17 LST	4.6	2.9	1.7	0.7	1.3	2.9	2.8	4.4	3.5	2.4	7.3	6.6	3.4	15	5227
18-20 LST	3.6	2.4	0.7	0.4	0.4	1.9	1.2	1.8	3.6	4.6	6.1	1.6	2.4	10	3135
21-23 LST															

APARRI, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	27.2	24.6	29.9	29.1	30.7	29.6	30.5	30.1	28.7	26.9	24.8	27.2	339.3	15	4474
	14 LST	28.7	26.3	30.2	29.6	29.5	30.8	30.5	29.0	28.9	25.7	27.9	347.7	15	4521
	20 LST	27.0	26.1	30.0	28.8	30.1	29.4	28.6	27.5	28.4	25.6	26.7	336.0	15	4854
	02 LST	26.5	25.3	30.2	28.6	30.7	30.6	29.6	28.3	27.8	25.9	27.2	339.7	15	4305
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	21.7	21.6	26.5	26.6	29.6	28.0	29.2	28.3	27.4	22.0	18.8	21.6	301.3	15	4429
	14 LST	22.1	20.3	22.3	21.2	21.8	25.0	25.4	25.7	22.5	17.3	20.2	269.2	15	4491
	20 LST	18.4	19.5	20.9	22.9	27.2	27.0	25.0	24.2	20.4	17.2	18.4	267.0	15	4831
	02 LST	21.1	20.4	25.9	25.7	30.1	29.0	26.9	27.3	22.3	18.5	20.2	295.9	15	4269
SFC WND = GTR 17 KTS AND NO PRECIP.	1.1	0.5	0.2	0.2	0.0	0.1	0.0	0.1	0.0	1.0	1.1	1.2	5.5	15	4476
	14 LST	0.7	0.7	0.7	0.4	0.0	0.1	0.2	0.2	0.9	0.7	0.9	5.7	15	4518
	20 LST	1.3	0.7	0.8	0.8	0.1	0.0	0.1	0.1	1.3	1.2	1.7	8.3	15	4862
	02 LST	1.1	0.7	0.6	0.7	0.0	0.1	0.2	0.1	1.3	1.6	1.4	7.9	15	4315
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	10.8	9.6	14.5	16.4	21.0	20.8	20.5	18.7	14.7	9.5	7.8	11.0	175.3	15	4423
	14 LST	20.3	20.5	22.9	18.0	4.9	5.8	7.0	10.8	17.2	16.4	17.2	165.1	15	4448
	20 LST	16.5	15.9	19.6	18.0	19.5	16.0	16.2	15.9	17.5	14.6	15.1	202.8	15	4813
	02 LST	8.4	9.7	11.4	10.8	12.3	15.8	16.7	14.8	12.7	8.1	10.9	143.8	15	4246
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	4.9	7.5	13.0	16.4	18.4	9.7	9.1	5.8	6.3	6.7	5.9	5.0	108.7	15	4478
	14 LST	6.0	9.0	15.4	17.5	15.2	6.8	7.1	5.7	6.6	7.2	6.1	107.1	15	4525
	20 LST	7.5	11.3	16.4	16.8	16.5	9.8	8.4	9.4	9.4	8.3	7.3	127.7	15	4854
	02 LST	7.2	10.7	14.6	16.4	21.2	13.6	9.1	9.5	9.8	7.6	7.2	140.5	15	4311
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	22.5	22.0	26.8	27.7	30.1	29.0	29.9	29.1	27.1	24.2	21.5	23.5	313.4	15	4474
	14 LST	25.2	24.5	29.0	28.7	30.0	30.3	29.5	27.0	27.2	23.7	24.7	328.3	15	4521
	20 LST	24.1	23.5	27.4	26.8	28.2	26.3	26.5	25.8	26.3	22.9	23.6	309.2	15	4854
	02 LST	23.3	22.6	27.6	26.5	29.8	28.1	29.7	26.3	25.3	22.7	23.6	313.3	15	4305
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18.3	19.5	24.4	25.8	29.5	28.3	28.7	27.7	24.9	21.6	18.6	19.9	287.2	15	4474
	14 LST	22.1	22.8	28.2	28.3	29.8	27.9	28.1	25.6	26.0	22.1	22.3	312.9	15	4521
	20 LST	21.1	20.9	25.5	25.2	26.5	24.5	24.6	24.4	24.7	21.1	21.1	285.5	15	4854
	02 LST	20.1	20.4	25.6	24.8	29.0	26.6	25.4	24.5	23.6	20.8	21.5	291.0	15	4305
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18.1	19.5	24.3	25.8	29.5	28.3	28.7	27.3	24.8	21.6	18.6	19.9	286.4	15	4474
	14 LST	22.1	22.8	28.2	28.3	29.8	27.6	28.0	25.5	26.0	22.0	22.3	312.2	15	4521
	20 LST	21.0	20.8	25.3	25.2	26.5	24.5	24.6	24.4	24.7	21.1	21.1	285.1	15	4854
	02 LST	20.0	20.4	25.6	24.8	29.0	26.5	25.4	24.5	23.6	20.8	21.5	290.8	15	4305

TUGUEGARAO, PHILIPPINES

STA NO. 98233 (IN AREA NUMBER 02)

LONGITUDE 12144E ELEVATION(FT) 00066

LATITUDE 1737N

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	99	99	104	108	106	106	106	102	100	101	98	101	108	16	-35
MEAN MAX TMP (F)	84	87	93	97	98	98	94	94	92	89	86	84	91	16	-35
MEAN MIN TMP (F)	67	66	68	72	74	74	73	73	73	72	70	68	71	16	-35
ABS MIN TMP (F)	54	57	58	63	64	65	66	67	65	65	55	54	54	16	-35
MEAN NO DYS TMP = OR GTR 90(F)	1.2	6.3	31.0	30.0	31.0	30.0	31.0	31.0	25.9	13.4	4.3	1.2	236.3	16	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN DEW PT TMP (F)	68	68	69	73	72	74	74	75	74	73	72	69	72	7	1084
MEAN REL HUM (PCT)	82	76	73	71	72	75	79	79	80	82	84	85	78	10	-35
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.60	1.00	1.30	2.50	6.00	5.80	10.00	8.20	9.50	9.10	10.70	5.40	70.9	35	-35
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.3	2.5	2.7	4.7	8.6	8.0	11.0	9.9	12.1	11.7	13.2	10.2	97.9	35	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.2	1.1	6.0	7	271
MEAN NO DYS TSTMS	0.3	1.0	3.0	9.0	16.0	15.0	14.0	13.0	9.0	4.0	2.0	0.3	86.6	10	-35
P FREQ WND SPU = OR GTR 17 KTS	0.0	0.9	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	4.0	0.0	0.5	7	1022
P FREQ WND SPU = UR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1022
P FREQ LES 5000 FT A/O LES 5 MI	55.0	30.8	30.6	26.3	16.0	25.0	27.8	48.3	37.7	42.7	49.0	55.7	37.1	7	983
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	12.0	5.2	7.7	2.4	4.3	14.5	10.8	5.5	5.7	13.6	16.8	11.1	7.1	7	1087
03-05 LST	15.7	11.5	6.9	3.4	5.3	11.5	11.8	9.4	10.1	20.5	21.9	15.9	12.0	7	-30
06-08 LST	19.4	17.8	6.1	4.4	6.2	8.5	12.7	13.2	14.4	27.3	27.0	20.7	14.8	7	1284
09-11 LST	3.1	1.6	5.4	2.8	3.5	6.9	6.3	7.9	7.3	6.8	6.6	8.6	5.6	7	-30
12-14 LST	1.8	1.7	0.8	2.4	0.0	1.0	5.0	3.4	4.7	4.3	8.2	8.5	3.5	7	1443
15-17 LST	3.9	0.7	5.6	1.6	3.5	5.9	5.0	6.9	5.0	4.7	3.5	6.0	4.4	7	-30
18-20 LST	4.4	1.4	10.0	3.2	6.9	11.7	7.6	12.3	9.9	9.3	5.0	8.6	7.5	7	1815
21-23 LST	8.2	3.3	8.9	2.8	5.6	13.1	9.2	8.9	7.8	11.5	10.9	9.9	8.3	7	-30
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	3.3	0.0	1.1	0.0	0.0	0.0	2.4	1.4	0.0	0.0	1.9	3.4	1.1	7	1087
03-05 LST	4.0	2.4	0.6	0.0	0.0	0.0	1.2	1.7	0.0	0.4	3.0	3.4	1.4	7	-30
06-08 LST	4.6	4.7	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.8	4.0	3.3	1.6	7	1284
09-11 LST	2.3	2.4	0.0	0.0	0.0	0.0	0.4	1.0	0.8	0.9	2.8	1.7	1.0	7	-30
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	1.6	0.9	1.6	0.0	0.4	7	1443
15-17 LST	0.0	0.0	0.9	0.0	1.6	1.7	1.9	2.6	3.5	1.1	1.5	0.4	1.3	7	-30
18-20 LST	0.0	0.0	1.8	0.0	3.1	3.4	3.0	5.2	5.3	1.2	1.4	0.7	2.1	7	1815
21-23 LST	1.7	0.0	1.5	0.0	1.6	1.7	2.7	3.3	2.7	0.6	1.7	2.1	1.6	7	-30

TUGUEGARAO, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
08 LST	25.5	24.1	29.9	29.0	30.3	28.4	28.2	28.6	26.9	24.6	23.3	25.9	324.7	7	1284
14 LST	30.7	28.0	30.8	29.8	31.0	30.0	29.7	29.9	28.6	30.4	27.8	28.9	355.6	7	1443
20 LST	29.8	28.0	29.2	29.6	29.4	27.1	28.9	28.2	27.6	28.9	28.5	29.2	344.4	7	1815
02 LST	27.3	26.8	29.0	30.0	30.0	26.0	28.0	29.3	29.0	28.2	29.2	28.6	337.4	7	1087
08 LST	24.7	22.2	28.3	27.9	28.7	26.8	25.7	25.1	23.7	21.0	20.6	22.5	297.2	7	1265
14 LST	29.9	26.3	30.0	28.8	30.5	28.8	29.1	29.1	27.8	28.0	29.0	27.5	340.8	7	1413
20 LST	28.6	25.6	25.9	26.5	27.4	25.2	27.7	26.4	26.6	27.7	27.2	27.3	322.1	7	1794
02 LST	26.9	25.3	27.9	28.6	29.3	25.1	27.2	29.2	27.2	26.7	24.0	26.4	323.8	7	1065
08 LST	0.0	0.3	0.0	0.3	0.0	0.3	0.0	0.6	0.3	0.5	0.0	0.2	2.5	7	1283
14 LST	0.0	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.2	0.0	0.5	0.0	1.5	7	1434
20 LST	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.4	0.2	0.0	0.0	0.0	1.0	7	1816
02 LST	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.3	0.0	0.3	0.0	1.0	7	1084
08 LST	4.2	4.3	2.0	3.1	3.6	3.8	6.0	3.3	4.1	3.9	5.6	5.0	48.9	7	1247
14 LST	9.7	7.1	2.1	0.5	0.8	0.9	1.6	0.6	1.2	6.7	6.4	6.5	44.1	7	1386
20 LST	10.6	9.5	12.7	13.8	9.9	7.8	6.3	5.1	6.1	9.5	9.9	7.9	109.1	7	1793
02 LST	4.6	3.7	2.4	1.7	1.1	2.9	2.8	1.8	2.1	2.8	4.5	5.0	35.4	7	1052
08 LST	7.0	8.0	13.1	14.6	16.6	9.1	6.3	4.0	4.7	3.8	3.0	2.9	93.1	7	1302
14 LST	3.8	5.9	11.6	10.5	8.1	7.4	6.3	1.6	3.3	2.6	4.1	3.1	66.3	7	1462
20 LST	10.6	14.2	16.1	13.1	11.0	9.0	7.9	6.5	11.4	10.7	9.9	9.8	130.2	7	1840
02 LST	9.4	12.7	18.0	18.7	18.3	14.8	10.8	8.2	10.4	9.2	8.4	6.6	145.5	7	1108
08 LST	21.8	20.7	25.9	27.0	26.6	25.5	23.7	23.4	20.7	17.4	17.1	18.7	268.7	7	1284
14 LST	24.7	23.5	27.5	26.9	28.2	26.5	26.6	25.6	25.5	23.8	21.4	21.2	301.4	7	1443
20 LST	24.2	24.9	25.0	24.8	23.4	21.5	23.0	21.4	22.8	22.9	23.8	23.0	280.7	7	1815
02 LST	23.6	24.8	26.6	28.6	27.6	22.9	23.9	25.0	23.1	23.3	21.0	23.0	293.4	7	1087
08 LST	15.8	15.4	22.1	23.0	25.5	24.2	20.1	19.6	16.1	12.3	10.2	9.5	213.8	7	1284
14 LST	18.6	19.7	23.3	24.2	24.1	24.2	24.0	17.6	22.0	18.4	16.5	13.0	245.6	7	1443
20 LST	18.6	21.8	22.2	21.3	17.5	16.3	18.3	16.2	19.1	19.0	18.2	16.6	225.1	7	1815
02 LST	16.8	21.3	22.1	25.4	27.3	19.3	19.8	19.9	17.9	17.6	16.5	15.3	239.2	7	1087
08 LST	15.8	15.2	22.1	23.0	25.5	24.2	20.1	19.6	16.1	12.3	10.0	9.2	213.1	7	1284
14 LST	18.4	19.7	23.3	24.0	24.1	24.2	24.0	17.6	22.0	18.4	16.5	13.0	245.2	7	1443
20 LST	18.2	21.8	22.0	21.3	17.5	16.3	18.3	16.2	19.1	19.0	18.2	16.6	224.3	7	1815
02 LST	16.5	21.0	22.1	25.4	27.3	19.3	19.4	19.9	17.6	16.6	16.0	15.1	236.2	7	1087

PARAMETER DESCRIPTION

CIG = GTR 1000 FT AND

VSBY = GTR 3 MI

CIG = GTR 2000 FT AND VSBY = GTR 10 KTS

3 MI W/SFC WND LES 10 KTS

SFC WND = GTR 17 KTS AND

NO PRECIP.

SFC WND 4-10 KTS AND TMP 33-89

DEG F AND NO PRECIP.

SKY COVER LES 3/10 AND

VSBY = GTR 3 MI

CIG = GTR 2500 FT AND

VSBY = GTR 3 MI

CIG = GTR 6000 FT AND

VSBY = GTR 3 MI

CIG = GTR 10000 FT AND

VSBY = GTR 3 MI

BALER, PHILIPPINES

STA NO. 98333 (IN AREA NUMBER 02)

LATITUDE 15.46N

LONGITUDE 121.34E

ELEVATION (FT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
ABS MAX TMP (F)	89	94	94	96	99	98	97	99	96	95	96	92	99	16	-35
MEAN MAX TMP (F)	84	85	87	89	92	92	91	92	91	89	87	82	88	18	-35
MEAN MIN TMP (F)	69	69	70	72	74	75	74	75	74	73	72	71	72	19	-35
ABS MIN TMP (F)	59	60	63	64	67	67	71	69	69	64	64	64	59	16	-35
MEAN NO DYS TMP = OR GTR 90(F)	0.0	2.3	7.0	12.9	26.8	25.9	21.8	26.8	21.0	13.4	6.7	0.0	164.6	18	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN DEW PT TMP (F)	70	69	71	74	75	75	75	74	75	75	71	71	73	7	620
MEAN REL HUM (PCT)	83	83	84	84	84	82	81	79	82	83	81	84	83	10	-35
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	8.20	6.90	8.20	11.30	10.80	8.90	11.20	6.80	11.90	15.40	15.10	14.40	129.1	34	-35
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN NO DYS PKCP = OR GTR 0.1 IN	13.7	12.2	10.0	11.7	11.4	10.4	11.6	8.9	14.3	16.4	16.3	18.5	155.4	34	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN NC DYS W/OCCUR VSBY LES 1/2 MI	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	7	133
MEAN NO DYS TSTMS	1.0	1.0	0.3	2.0	9.0	6.0	7.0	5.0	8.0	3.0	1.0	3.0	46.3	5	-35
P FREU WND SPU = UR GTR 17 KTS	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	2.1	1.7	0.5	7	644
P FREU WND SPU = UR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.1	7	644
P FREU LES 5000 FT A/O LES 5 MI	32.7	44.2	23.8	33.3	8.3	25.0	18.2	19.4	5.0	29.2	30.6	47.7	26.5	7	496
P FREU LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	1.5	7.8	4.0	7.5	0.0	4.2	6.8	7.8	3.0	4.1	11.6	6.5	5.4	7	798
03-05 LST	1.2	5.7	4.2	5.5	1.7	2.6	4.4	4.4	3.6	4.0	7.9	5.7	4.2	7	-30
06-08 LST	0.9	3.6	4.4	3.4	3.4	1.0	1.9	1.0	4.1	3.8	4.1	4.8	3.0	7	1249
09-11 LST	2.2	3.2	4.0	2.7	1.7	1.1	1.4	0.9	2.5	2.4	5.6	5.4	2.8	7	-30
12-14 LST	3.4	2.7	3.5	1.9	0.0	1.1	0.9	0.8	0.9	1.0	7.0	6.0	2.4	7	1329
15-17 LST	9.2	8.4	10.9	5.6	4.9	6.0	4.9	9.0	11.3	7.2	11.1	19.1	9.0	7	-30
18-20 LST	15.0	14.1	17.8	9.3	9.8	10.8	8.8	16.9	21.6	13.3	15.2	32.1	15.4	7	1326
21-23 LST	8.3	11.0	10.9	8.4	4.9	7.5	7.8	12.4	12.3	8.7	13.9	18.9	10.4	7	-30
P FREU LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	1.3	1.9	0.0	0.0	0.0	0.0	3.0	0.0	0.0	1.3	0.6	7	798
03-05 LST	0.0	0.0	1.1	1.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.7	0.4	7	-30
06-08 LST	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	7	1249
09-11 LST	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.1	7	-30
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.1	7	1329
15-17 LST	2.9	2.0	3.7	0.8	0.0	2.7	0.4	1.7	2.5	2.6	2.0	8.4	2.5	7	-30
18-20 LST	5.8	4.0	7.4	1.6	0.0	5.4	0.8	3.4	4.9	5.1	3.0	16.7	4.8	7	1326
21-23 LST	2.9	2.0	4.5	1.8	0.0	2.7	0.4	1.7	4.0	2.6	1.5	8.5	2.7	7	-30

BALER, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	31.0	27.7	30.4	29.6	30.3	29.7	31.0	29.7	30.4	29.3	29.8	359.9	7	1249	
	14 LST	30.7	27.5	30.2	29.7	31.0	30.0	31.0	30.7	30.0	27.9	29.9	359.6	7	1329	
	20 LST	25.8	24.0	24.8	27.0	27.7	25.7	28.0	25.5	22.6	23.6	19.1	300.0	7	1326	
	02 LST	30.5	25.4	29.8	27.7	31.0	28.7	30.5	29.0	29.1	30.1	26.9	348.1	7	798	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LEG 10 KTS	08 LST	29.5	26.2	29.0	27.8	29.6	29.1	27.8	28.6	27.2	27.2	26.5	337.1	7	1219	
	14 LST	25.9	25.3	27.6	28.3	30.4	27.7	26.2	24.8	28.7	24.5	24.5	322.6	7	1308	
	20 LST	24.0	19.9	24.1	26.3	27.0	24.8	26.0	23.4	21.4	25.5	16.7	278.5	7	1308	
	02 LST	28.6	24.3	28.4	27.2	31.0	28.7	27.3	26.0	27.7	28.9	27.4	330.5	7	786	
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	7	1225	
	14 LST	0.0	0.0	0.0	0.0	0.0	0.6	0.3	1.0	0.0	0.0	0.0	1.9	7	1315	
	20 LST	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.4	0.0	0.5	0.0	1.1	7	1560	
	02 LST	0.4	0.0	0.4	0.0	0.0	0.0	0.5	0.0	0.0	0.3	0.0	1.6	7	835	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	2.4	2.4	2.0	2.1	2.8	4.1	5.3	6.6	4.7	4.2	3.1	43.1	7	1190	
	14 LST	16.5	14.6	17.8	18.2	11.8	7.8	6.6	5.2	5.2	9.1	10.3	10.9	134.0	7	1285
	20 LST	10.6	8.0	7.1	3.0	3.3	2.7	3.3	4.8	1.3	4.9	7.8	11.0	67.8	7	1530
	02 LST	3.3	2.5	3.3	2.1	2.7	2.2	4.2	6.6	2.5	1.8	1.8	6.0	39.0	7	792
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	8.7	7.5	11.5	11.5	7.0	3.7	7.0	3.2	4.2	5.4	3.9	78.8	7	1255	
	14 LST	5.4	6.8	10.0	11.8	9.3	2.2	2.8	2.0	1.8	3.7	4.9	62.6	7	1324	
	20 LST	3.8	7.8	11.2	11.1	9.1	8.9	7.2	4.7	3.2	6.7	6.9	81.8	7	1329	
	02 LST	7.8	8.9	10.0	11.8	7.9	7.9	7.9	5.5	6.5	10.0	10.8	8.3	103.3	7	806
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	26.4	24.0	26.1	25.2	27.5	26.8	28.6	29.2	27.2	26.5	25.3	24.2	317.0	7	1249
	14 LST	27.3	25.5	28.6	27.5	30.7	28.1	28.7	28.2	28.4	28.5	25.3	25.1	331.9	7	1329
	20 LST	21.2	18.4	20.6	23.3	24.9	23.0	25.8	22.6	19.1	21.8	19.7	15.1	255.5	7	1326
	02 LST	27.7	21.9	24.8	22.1	25.4	25.4	27.3	25.2	26.3	26.8	23.7	25.8	302.4	7	798
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	20.1	19.2	22.0	22.7	25.8	24.5	28.0	25.1	25.4	22.0	21.6	17.7	274.1	7	1249
	14 LST	25.3	23.3	26.9	26.3	30.4	27.4	27.1	25.2	27.1	26.7	22.4	20.6	308.7	7	1329
	20 LST	15.5	14.4	17.7	20.9	22.7	20.3	21.8	20.5	15.6	17.4	15.2	10.3	212.3	7	1326
	02 LST	23.3	17.9	19.4	17.0	23.3	21.2	24.7	21.3	24.1	22.5	20.9	22.5	258.1	7	798
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	20.1	19.0	22.0	22.7	25.4	24.2	27.7	25.1	24.7	22.0	21.6	17.7	272.2	7	1249
	14 LST	25.3	23.3	26.9	26.3	30.4	27.4	26.8	24.9	26.8	26.7	22.1	20.6	307.5	7	1329
	20 LST	15.5	14.4	17.7	20.9	22.7	20.3	21.8	20.5	15.6	17.4	15.2	10.3	212.3	7	1326
	02 LST	23.3	17.9	19.4	17.0	23.3	21.2	24.7	21.3	24.1	22.5	20.9	22.5	258.1	7	798

CASIGURAN, PHILIPPINES

STA NO. 98336 (IN AREA NUMBER 02)

LATITUDE 1617N

LONGITUDE 12207E

ELEVATION(FT) 00013

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	90	90	94	93	95	98	95	96	96	94	94	91	98	15	5406
MEAN MAX TMP (F)	82	83	85	88	90	91	90	90	90	88	86	84	87	15	5406
MEAN MIN TMP (F)	67	67	68	70	72	73	73	73	72	71	70	68	70	15	5406
ABS MIN TMP (F)	60	57	58	60	65	67	67	67	66	60	61	57	57	15	5406
MEAN NO DYS TMP = OR GTR 90(F)	0.1	0.2	2.2	11.1	22.6	22.4	21.6	20.2	19.0	13.5	3.8	0.8	137.5	15	5406
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5406
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5406
MEAN DEW PT TMP (F)	69	69	71	73	75	76	76	76	76	73	73	71	73	12	14672
MEAN REL HUM (PCT)	89	89	87	86	85	85	86	87	89	85	88	87	87	12	14552
MEAN PRESS ALT (FI)														0	0
MEAN PRECIP (IN)	9.43	8.56	10.41	6.46	9.23	9.74	8.34	9.89	12.00	14.18	24.17	19.54	141.9	15	5247
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS PKCP = OR GTR 0.1 IN	12.6	9.6	10.5	9.7	11.1	11.9	11.4	12.6	13.7	13.4	14.4	14.9	145.8	15	5247
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	12	2053
MEAN NO DYS TSTMS	0.2	0.0	0.0	0.4	0.5	1.8	1.1	1.1	1.2	1.4	0.3	0.3	8.3	12	2056
P FREQ WND SPU = OR GTR 17 KTS	0.1	0.2	0.0	0.0	0.2	1.1	0.2	3.8	1.0	0.1	1.1	0.7	0.7	12	14859
P FREQ WND SPU = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.2	0.0	0.1	12	14859
P FREQ LES 5000 FT A/O LES 5 MI	1.6	1.4	1.6	0.4	0.9	0.6	0.5	0.9	0.7	1.1	2.2	2.5	1.2	12	14703
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	3.8	2.4	2.1	1.3	2.2	3.0	0.4	1.7	2.3	1.6	3.3	2.4	2.2	12	2798
03-05 LST	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.1	5	1634
06-08 LST	0.7	0.0	0.4	1.3	0.4	1.2	0.0	0.4	0.4	1.8	1.4	1.1	0.8	12	3068
09-11 LST	0.7	0.0	0.6	0.0	0.0	0.0	1.0	0.0	0.0	0.6	0.6	0.0	0.3	6	1732
12-14 LST	1.6	1.4	0.7	0.4	0.6	0.8	1.8	1.1	1.4	1.5	2.2	1.5	1.3	12	3137
15-17 LST	0.7	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.6	0.7	0.7	0.3	5	1674
18-20 LST	4.7	3.3	2.0	2.4	2.9	2.3	1.9	4.2	2.7	2.0	2.8	8.6	3.3	12	3549
21-23 LST	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1641
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.4	0.0	0.0	0.0	0.4	0.4	0.0	0.9	0.5	0.4	0.4	0.4	0.3	12	2798
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1634
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3068
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1732
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.1	12	3137
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1674
18-20 LST	0.7	0.0	0.0	0.3	0.0	1.0	0.6	0.0	0.7	0.7	0.0	1.0	0.4	12	3549
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1641

CASIGURAN, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 30.9	28.0	30.6	29.7	30.9	29.6	31.0	30.9	30.0	30.7	29.7	30.9	362.9	12	3068
	14 LST 30.6	28.0	30.8	30.0	31.0	30.0	30.8	30.8	29.8	30.9	29.7	30.9	363.3	12	3137
	20 LST 28.6	26.3	27.9	28.4	29.5	28.7	29.9	29.5	28.8	29.9	28.3	27.3	343.1	12	3549
	02 LST 29.5	26.9	29.9	29.6	30.2	29.0	30.6	30.3	29.3	30.4	28.4	30.3	354.4	12	2798
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	08 LST 30.3	27.6	30.5	29.5	30.6	29.2	30.2	29.5	29.3	30.1	28.8	30.2	355.8	12	3054
	14 LST 27.8	24.3	29.4	28.8	30.6	27.5	27.7	26.5	27.6	29.1	26.1	26.6	332.0	12	3117
	20 LST 28.0	25.9	27.5	28.0	29.4	27.7	28.9	27.6	28.1	29.5	27.2	26.5	334.3	12	3534
	02 LST 29.2	26.8	29.8	29.6	29.9	28.3	29.6	27.7	28.6	30.0	27.0	29.1	345.6	12	2783
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 0.1	0.1	0.0	0.0	0.1	0.0	0.2	0.1	0.1	0.0	0.1	0.0	0.8	12	3084
	14 LST 0.0	0.1	0.0	0.0	0.0	0.0	0.0	1.2	0.8	0.1	0.1	0.4	2.7	12	3141
	20 LST 0.0	0.1	0.0	0.0	0.0	0.2	0.0	0.4	0.2	0.0	0.2	0.1	1.2	12	3552
	02 LST 0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.8	0.4	0.0	0.2	0.1	1.8	12	2807
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 6.0	4.5	3.9	3.4	1.6	2.8	2.5	5.0	2.4	4.3	4.9	5.4	46.7	12	3037
	14 LST 17.9	20.5	22.3	16.0	9.7	7.0	9.6	9.4	8.0	14.6	16.2	17.9	169.1	12	3091
	20 LST 6.8	5.7	4.0	3.8	3.0	3.3	3.9	5.1	2.9	6.4	7.7	7.6	60.2	12	3518
	02 LST 6.9	3.8	2.9	1.9	1.1	1.6	2.3	3.5	2.0	4.7	5.6	6.4	42.7	12	2747
	08 LST 6.9	8.3	12.3	13.7	14.0	8.2	7.0	5.8	7.6	11.1	8.6	7.8	111.3	12	3079
	14 LST 4.6	6.4	10.4	12.1	11.3	6.1	4.1	3.6	2.7	4.2	6.8	4.7	77.0	12	3146
	20 LST 9.6	9.3	12.6	14.8	15.7	12.8	10.5	9.6	9.6	12.6	12.9	10.4	140.4	12	3562
	02 LST 9.6	9.4	16.1	16.5	17.8	14.0	14.4	11.9	13.5	15.7	14.9	11.6	165.4	12	2809
	08 LST 30.5	28.0	30.6	29.6	30.9	29.4	31.0	30.5	29.8	30.2	29.1	30.5	360.1	12	3068
	14 LST 29.9	27.0	30.5	29.9	30.8	29.7	30.3	30.5	29.5	30.4	29.2	30.4	358.1	12	3137
	20 LST 28.2	26.3	27.8	28.0	29.4	28.6	29.4	29.1	28.4	29.5	28.0	26.8	339.5	12	3549
	02 LST 29.4	26.5	29.8	29.3	30.0	28.5	30.4	30.2	29.3	30.3	28.4	30.1	352.2	12	2798
	08 LST 28.3	26.3	28.5	28.7	30.6	29.0	30.3	29.5	29.3	28.8	26.4	28.2	343.9	12	3068
	14 LST 28.7	26.1	30.0	29.7	30.5	29.6	30.0	29.6	28.4	29.7	27.7	28.3	348.3	12	3137
	20 LST 25.6	24.4	26.4	27.7	28.4	27.7	28.0	27.8	27.2	27.7	26.0	24.4	321.3	12	3549
	02 LST 25.7	21.6	25.9	26.4	28.2	25.7	27.7	27.6	26.7	26.7	25.6	26.2	314.0	12	2798
	08 LST 26.0	25.3	27.1	28.3	30.1	26.9	27.3	24.9	26.2	27.5	25.2	26.1	320.9	12	3068
	14 LST 28.3	26.0	29.8	29.4	30.1	28.7	28.7	28.1	27.0	29.0	27.1	27.7	339.9	12	3137
	20 LST 20.5	20.1	22.0	24.7	26.5	25.0	24.6	24.3	23.2	24.5	23.3	20.0	278.7	12	3549
	02 LST 19.4	17.2	22.4	23.6	26.8	22.7	23.9	23.4	22.9	24.6	22.7	20.9	270.5	12	2798


AREA NO. 02

PHILIPPINE ISLANDS	NORTHEAST SLOPES		LONGITUDE													
	BOUNDARIES		2100N 12100E		2100N 12250E		1500N 12100E		1600N 12250E		2100N 12100E		1600N 12250E		1310N 12155E	
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN			
PARAMETER DESCRIPTION	80	83	86	89	92	92	91	91	91	90	87	85	82	87		
MEAN MAX TMP (F)	68	68	70	73	75	76	75	75	75	75	73	72	70	73		
MEAN MIN TMP (F)	9.70	8.56	10.41	11.30	10.80	11.83	14.15	16.23	14.60	15.40	15.40	24.17	19.54	166.7		
LARGEST MEAN PRECIP(IN)	1.40	1.00	1.30	1.80	1.76	5.80	8.34	6.80	9.50	8.65	6.96	5.40	5.40	58.7		
SMALLEST MEAN PRECIP(IN)	MEAN NUMBER OF DAYS															
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	29.1	26.5	30.1	29.5	30.6	29.4	30.2	30.2	28.9	28.8	27.4	28.8	28.8	349.5		
	14 LST	30.1	27.5	30.5	29.8	30.7	29.7	30.5	30.4	29.4	30.4	28.0	29.6	356.6		
	20 LST	28.5	26.6	28.8	28.9	29.7	28.0	29.5	28.6	27.5	29.1	27.4	27.2	339.8		
	02 LST	28.9	26.3	30.0	29.2	30.6	28.5	30.0	29.7	28.9	29.2	27.3	29.2	347.8		
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	24.8	23.2	27.3	26.9	28.9	27.3	26.8	26.4	25.8	23.8	22.2	22.9	306.3			
	14 LST	24.4	22.7	25.8	25.2	27.3	26.0	25.3	25.0	26.0	24.4	21.5	22.6	296.2		
	20 LST	23.3	21.8	23.9	25.1	27.5	25.5	26.0	24.5	24.8	23.9	21.6	21.6	289.5		
	02 LST	24.6	22.6	26.4	26.6	29.2	26.5	26.8	25.4	26.3	24.5	22.1	23.3	304.3		
SFC WND = GTR 17 KTS AND NO PRECIP.	0.5	0.3	0.1	0.2	0.1	0.2	0.4	0.7	0.3	0.3	0.7	0.8	0.6	4.9		
	14 LST	0.3	0.3	0.4	0.2	0.2	0.4	0.6	1.2	0.4	0.6	0.7	0.6	5.9		
	20 LST	0.7	0.5	0.5	0.4	0.1	0.3	1.0	1.0	0.5	0.9	0.7	0.8	7.4		
	02 LST	0.5	0.3	0.4	0.3	0.1	0.3	0.7	1.3	0.5	0.8	1.0	0.8	7.0		
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	8.2	8.0	9.1	9.8	10.8	10.4	10.8	9.3	8.4	8.2	8.1	8.3	109.4			
	14 LST	15.8	16.0	17.1	15.3	10.0	7.7	8.7	8.2	9.5	12.9	13.6	14.0	148.8		
	20 LST	11.5	10.9	12.0	11.1	10.7	8.5	8.2	8.1	7.9	10.4	11.1	11.1	121.5		
	02 LST	7.7	7.3	8.0	6.9	7.1	7.0	7.5	6.9	6.1	7.0	7.4	8.1	87.0		
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	5.2	5.9	9.7	10.3	10.3	5.4	5.3	3.4	4.3	4.7	4.2	3.6	72.3			
	14 LST	3.8	5.6	9.1	10.0	8.4	4.1	3.7	2.1	2.5	3.0	4.0	2.9	59.2		
	20 LST	5.9	8.4	11.1	11.0	10.5	7.6	6.5	5.1	6.5	6.9	6.8	5.3	91.6		
	02 LST	6.3	7.8	11.1	11.9	12.5	9.0	8.8	6.3	7.3	7.8	7.6	6.0	102.4		
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23.5	22.1	26.0	26.2	28.3	26.7	27.0	26.3	24.6	23.5	22.0	22.4	298.6			
	14 LST	24.3	23.5	27.3	27.0	29.0	27.2	27.6	26.6	25.7	25.6	22.9	23.5	310.2		
	20 LST	22.4	22.0	24.6	25.2	26.6	24.5	25.6	24.1	23.3	24.2	22.4	21.1	286.0		
	02 LST	23.4	22.1	25.6	25.4	27.7	25.2	26.5	25.1	24.4	24.7	22.1	23.2	295.4		
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18.1	17.8	22.0	22.9	26.0	24.3	24.1	22.6	21.1	19.1	17.4	16.6	252.0			
	14 LST	19.5	19.9	23.9	24.3	26.6	25.0	22.2	22.5	21.6	18.7	18.0	267.2			
	20 LST	16.9	18.1	21.3	22.2	23.4	21.3	21.9	20.7	19.9	20.2	17.9	15.9	239.7		
	02 LST	17.6	17.6	20.6	20.8	25.0	21.4	22.7	20.5	20.3	19.9	17.7	17.8	241.9		
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17.7	17.6	21.7	24.8	25.9	23.9	23.5	21.8	20.5	18.8	17.1	16.2	247.5			
	14 LST	19.4	19.9	23.9	24.2	26.6	24.8	24.7	21.9	22.2	21.5	18.5	17.9	265.5		
	20 LST	15.9	17.3	20.4	21.7	23.0	20.8	21.4	20.1	19.2	19.6	17.4	15.1	231.9		
	02 LST	16.4	16.8	20.0	20.3	24.7	20.8	22.0	19.8	19.4	19.3	17.1	16.8	233.4		

AURORA, PHILIPPINES

STA NO. 98437 (IN AREA NUMBER 03) LATITUDE 1322N LONGITUDE 12231E ELEVATION(FT) 00013

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	CT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	70	70	71	72	73	72	74	73	73	72	72	71	72	7	872
MEAN MAX TMP (F)	79	79	78	75	75	75	78	76	77	78	78	80	77	7	760
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP ≥ OR GTR 90(F)														0	0
MEAN NO DYS TMP ≥ OR LES 32(F)														0	0
MEAN NO DYS TMP ≥ OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUK VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD ≥ UR GTR 17 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	224
P FREQ WND SPD ≥ UR GTR 28 KTS	1.4	1.5	1.6	2.7	10.9	10.7	12.7	8.8	12.3	15.5	3.1	1.2	82.4	7	222
P FREQ LES 5000 FT A/O LES 5 MI	3.4	5.3	0.0	0.0	0.0	10.7	16.2	12.5	2.9	5.8	3.6	0.0	5.1	7	864
P FREQ LES 1500 FT A/O LES 3 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.1	7	864
P FREQ LES 300 FT A/O LES 1 MI	0.0	2.8	4.2	0.0	0.0	0.0	5.4	2.8	2.9	0.0	3.8	4.0	2.3	7	832
FOR 00-02 LST	0.0	0.0	2.1	0.0	0.0	1.5	1.1	0.0	0.0	0.0	2.0	2.2	0.8	7	1011
03-05 LST	1.4	0.0	1.6	0.5	0.0	0.8	0.6	0.4	0.0	0.0	1.4	2.1	0.7	7	-30
06-08 LST	2.7	0.0	0.0	1.0	0.0	0.0	0.0	0.8	0.0	0.0	0.8	1.9	0.6	7	1248
09-11 LST	1.4	0.0	0.4	0.5	0.0	0.8	0.9	0.8	0.5	1.0	0.9	1.4	0.7	7	-30
12-14 LST	0.0	0.0	0.8	0.0	0.0	1.6	1.8	0.8	0.9	1.9	0.9	0.9	0.8	7	1290
15-17 LST	0.4	0.0	0.4	0.0	0.5	0.8	0.9	0.8	1.4	1.4	1.4	0.9	0.7	7	-30
18-20 LST	0.7	0.0	0.0	0.0	0.9	0.0	0.0	0.7	1.8	0.9	1.8	0.9	0.6	7	1481
21-23 LST	0.4	0.0	1.1	0.0	0.5	0.8	0.6	0.4	0.9	0.5	1.9	1.6	0.7	7	-30
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.1	7	1011
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.1	7	-30
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1248
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-30
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1290
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	7	-30
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.1	7	1481
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.5	0.1	7	-30



BLANK PAGE

AURORA, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 30.7	28.0	31.0	30.0	31.0	30.0	31.0	31.0	29.4	31.0	30.0	31.0	364.1	7	1248
	14 LST 31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	30.4	30.0	31.0	364.4	7	1290
	20 LST 30.8	28.0	31.0	30.0	30.4	30.0	30.8	31.0	30.0	30.7	29.7	30.4	362.8	7	1481
	02 LST 31.0	28.0	31.0	30.0	31.0	29.5	31.0	31.0	29.6	31.0	29.4	30.7	363.2	7	1011
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	08 LST 26.1	25.9	29.6	28.8	30.6	26.5	23.9	20.2	25.0	30.0	25.4	26.1	318.1	7	1210
	14 LST 22.9	21.1	21.8	23.3	25.8	23.4	23.3	17.1	24.2	26.2	22.7	24.0	275.8	7	1268
	20 LST 25.0	24.7	28.6	29.0	29.1	26.0	24.1	21.2	26.5	28.3	26.5	27.7	316.7	7	1471
	02 LST 28.3	27.0	28.6	30.0	30.6	26.2	24.1	20.4	26.1	29.0	26.6	28.3	325.2	7	987
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 0.3	0.3	0.0	0.0	0.0	0.8	1.6	3.9	1.4	0.3	0.5	0.3	9.4	7	1235
	14 LST 0.9	0.8	1.3	0.9	0.0	0.0	1.3	3.9	1.1	0.0	0.8	0.6	11.6	7	1281
	20 LST 0.7	0.4	0.0	0.5	0.2	0.9	1.7	3.1	0.5	0.2	0.3	0.0	8.5	7	1475
	02 LST 0.0	0.3	0.0	0.0	0.0	0.5	1.0	2.3	0.4	0.0	0.9	0.0	5.4	7	1000
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 6.9	6.6	10.4	7.1	8.0	9.2	6.3	8.1	9.7	7.6	12.8	10.9	103.6	7	1188
	14 LST 16.7	19.0	19.0	19.7	11.4	14.2	18.3	14.0	18.2	15.9	18.5	18.7	203.6	7	1239
	20 LST 12.7	9.9	11.8	6.1	4.7	6.4	6.8	9.0	5.8	5.9	9.4	12.2	100.7	7	1454
	02 LST 8.4	5.0	3.4	1.7	1.8	4.4	5.5	5.5	4.8	4.1	6.2	6.5	57.3	7	953
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 1.9	1.1	2.9	2.0	1.5	0.4	0.7	0.0	0.0	0.3	0.7	1.2	12.7	7	1258
	14 LST 0.0	0.0	0.2	0.0	0.0	0.0	0.5	0.0	0.2	0.3	0.8	0.6	2.6	7	1298
	20 LST 4.3	5.9	6.5	8.7	5.1	1.5	1.7	0.8	2.2	1.0	3.7	5.6	47.0	7	1489
	02 LST 6.5	6.7	10.1	11.9	11.7	2.3	1.8	2.9	1.5	4.4	5.3	7.0	72.1	7	1013
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 29.9	28.0	31.0	29.7	31.0	29.6	31.0	30.5	29.1	31.0	29.5	29.8	360.1	7	1248
	14 LST 30.8	28.0	30.7	30.0	31.0	29.5	30.2	30.7	29.2	30.4	28.9	30.4	359.8	7	1290
	20 LST 30.3	27.8	30.6	30.0	30.2	29.4	30.3	30.2	28.9	30.7	28.9	29.6	356.9	7	1481
	02 LST 30.7	28.0	30.3	30.0	31.0	29.5	30.3	31.0	29.6	30.6	29.4	30.0	360.4	7	1011
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 29.9	28.0	30.7	29.7	29.9	29.2	30.3	30.5	29.1	31.0	28.9	29.8	357.0	7	1248
	14 LST 29.2	25.2	29.1	26.9	29.7	28.5	29.1	28.9	26.3	29.0	27.6	28.4	337.9	7	1290
	20 LST 30.1	27.8	30.6	29.7	29.9	29.4	30.3	28.5	27.3	29.6	27.4	28.3	348.9	7	1481
	02 LST 30.3	28.0	30.3	30.0	31.0	29.5	29.9	31.0	29.6	30.6	29.4	30.0	359.6	7	1011
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 29.9	28.0	30.7	29.7	29.9	29.2	30.3	30.5	29.1	31.0	28.9	29.8	357.0	7	1248
	14 LST 29.2	25.2	28.9	26.6	29.7	28.5	29.1	28.9	26.3	29.0	27.6	28.1	337.1	7	1290
	20 LST 30.1	27.8	30.6	29.7	29.9	29.4	30.3	28.5	27.3	29.6	27.4	28.3	348.9	7	1481
	02 LST 30.3	28.0	30.3	30.0	31.0	29.5	29.9	31.0	29.6	30.6	29.4	30.0	359.6	7	1011

DAET, PHILIPPINES

STA NO. 98439 (IN AREA NUMBER 03) LATITUDE 1407N LONGITUDE 12257E ELEVATION (FT) 00036

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
ABS MAX TMP (F)	90	90	95	101	97	98	96	96	95	94	92	92	101	15	5463
MEAN MAX TMP (F)	83	84	86	89	91	92	90	90	90	88	86	84	88	15	5463
MEAN MIN TMP (F)	72	72	73	74	75	75	75	75	74	74	74	73	74	15	5463
ABS MIN TMP (F)	63	65	65	61	68	71	70	71	70	68	64	60	60	15	5463
MEAN NO DYS TMP = OR GTR 90(F)	0.1	0.1	1.5	10.6	24.2	24.8	22.2	19.1	17.4	10.8	2.7	0.2	133.7	15	5463
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5463
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5463
MEAN DEW PT TMP (F)	71	71	72	74	75	75	75	75	75	74	74	73	74	12	15245
MEAN REL HUM (PCT)	82	81	81	81	81	80	83	83	84	84	84	84	82	12	14991
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	16.18	7.75	7.00	4.90	5.74	5.89	7.88	9.42	10.52	19.25	22.76	21.65	138.9	15	5447
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	18.2	11.8	9.3	8.3	7.9	9.1	11.9	12.8	12.7	19.1	19.7	20.2	161.0	15	5447
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.0	0.1	0.0	0.0	0.2	0.0	0.0	0.5	0.2	0.0	0.0	0.0	1.0	12	2210
MEAN NO DYS TSTMS	0.3	0.3	0.8	1.1	2.6	3.9	5.3	4.3	3.1	3.5	1.9	0.1	27.2	12	2219
P FREQ WND SPU = OR GTR 17 KTS	0.0	0.0	0.1	0.0	0.3	0.2	0.3	0.1	0.0	0.2	0.8	0.5	0.2	12	15324
P FREQ WND SPU = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.1	0.2	0.0	12	15324
P FREQ LES 5000 FT A/O LES 5 MI	14.0	9.7	6.2	3.2	3.5	3.1	3.2	4.3	6.0	12.3	12.6	18.8	8.1	12	15074
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	6.1	4.5	2.7	0.9	2.6	1.7	1.5	2.9	4.5	4.5	7.7	8.6	4.0	12	2953
03-05 LST	2.5	3.0	2.7	1.5	4.1	0.8	0.8	1.3	2.2	7.4	5.4	7.4	3.3	5	1572
06-08 LST	6.8	3.2	4.1	1.6	1.9	1.2	1.6	2.0	2.4	3.5	7.1	7.3	3.6	12	3133
09-11 LST	5.4	4.1	3.5	1.0	1.1	0.9	0.9	0.9	1.6	4.9	4.8	8.6	3.1	12	2784
12-14 LST	5.6	4.4	3.0	2.1	2.0	2.0	2.2	2.9	1.2	4.8	4.9	7.5	3.6	12	3120
15-17 LST	6.4	3.6	2.6	2.4	3.4	2.4	1.5	3.3	3.9	4.4	7.5	8.5	4.2	12	2962
18-20 LST	5.1	3.5	2.9	1.7	1.0	3.0	1.7	2.2	4.0	5.2	7.0	7.8	3.8	12	3602
21-23 LST	5.0	0.7	2.7	0.8	3.1	1.6	1.5	2.7	4.3	6.8	4.7	5.7	3.3	5	1575
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.4	0.4	0.4	0.0	1.7	0.0	0.4	0.4	0.9	0.0	0.0	0.4	0.4	12	2953
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	0.0	0.0	0.1	5	1572
06-08 LST	0.7	0.0	0.4	0.4	0.0	0.0	0.0	0.0	0.4	0.0	0.4	0.0	0.2	12	3133
09-11 LST	0.0	0.0	0.4	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	2784
12-14 LST	0.4	0.0	0.0	0.4	0.0	0.4	0.4	0.4	0.0	0.7	0.4	0.4	0.3	12	3120
15-17 LST	0.4	0.0	0.0	0.0	0.5	0.8	0.0	0.4	0.4	0.4	0.4	0.0	0.3	12	2962
18-20 LST	0.7	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.0	0.0	1.4	0.3	0.3	12	3602
21-23 LST	0.0	0.0	0.7	0.0	1.0	0.0	0.0	0.7	0.0	0.7	0.0	0.0	0.3	5	1575

DAET, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	30.3	28.0	30.8	29.9	30.6	30.0	31.0	30.7	29.7	31.0	29.8	30.6	362.4	12	3133
	14 LST	30.3	27.8	30.9	29.7	30.9	29.9	30.8	30.8	29.9	30.6	29.6	30.3	361.5	12	3120
	20 LST	30.5	27.9	30.8	29.9	31.0	29.6	31.0	30.5	29.6	30.5	29.3	30.6	361.2	12	3602
	02 LST	30.3	27.7	30.9	30.0	30.3	29.9	30.6	30.2	29.3	31.0	29.1	30.6	359.9	12	2952
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	08 LST	26.0	24.9	28.7	29.0	29.6	29.3	29.9	29.5	28.5	28.9	25.1	25.1	334.7	12	3103
	14 LST	24.1	22.3	27.4	28.0	28.6	26.7	28.4	27.2	28.0	27.4	25.0	23.5	316.6	12	3099
	20 LST	24.2	23.9	28.7	29.2	30.3	28.6	30.3	29.7	28.1	27.9	24.0	23.3	328.2	12	3578
	02 LST	23.7	23.8	27.7	29.3	29.6	28.7	29.7	28.7	28.1	27.1	23.3	22.5	322.2	12	2932
SFC WND = GTR .17 KTS AND NO PRECIP.	08 LST	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.0	0.0	0.0	0.0	0.1	0.4	12	3126
	14 LST	0.1	0.1	0.1	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.6	12	3124
	20 LST	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.1	0.0	0.4	12	3605
	02 LST	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.2	12	2959
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	10.3	10.3	9.3	8.6	5.7	7.5	7.1	9.6	6.2	6.9	10.2	10.6	102.3	12	3070
	14 LST	19.5	20.6	22.0	21.0	11.1	5.3	9.7	11.2	9.5	13.6	17.8	17.2	178.5	12	3078
	20 LST	10.9	11.2	9.1	10.3	5.9	6.2	6.6	7.5	2.8	5.7	10.0	9.6	95.8	12	3562
	02 LST	8.0	7.3	4.8	4.3	1.6	4.4	4.0	6.4	2.3	3.6	8.5	8.3	63.5	12	2898
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	3.1	4.0	7.0	9.5	8.1	7.9	4.1	3.7	3.5	4.4	2.8	2.7	60.8	12	3146
	14 LST	2.9	4.6	9.2	10.4	9.0	3.3	1.2	0.9	1.4	2.8	2.6	1.5	49.8	12	3124
	20 LST	3.2	6.5	9.1	11.2	9.6	4.3	2.0	2.7	2.9	3.4	3.5	2.0	60.6	12	3615
	02 LST	3.5	5.7	11.1	13.6	13.2	9.0	7.0	4.9	4.7	6.4	4.6	3.2	86.9	12	2984
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	28.1	26.8	29.4	29.3	30.3	29.4	30.4	30.1	29.0	28.9	26.4	27.0	345.1	12	3133
	14 LST	28.4	25.4	29.5	29.2	29.9	28.8	29.7	29.6	28.9	28.6	27.0	26.8	341.8	12	3120
	20 LST	28.3	26.4	29.6	29.2	30.6	28.7	30.3	29.8	28.3	28.5	26.9	26.8	343.4	12	3602
	02 LST	27.3	25.8	29.5	29.6	29.9	29.0	30.0	29.6	28.2	28.3	26.3	26.7	340.2	12	2952
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	25.9	24.8	27.4	28.9	29.9	29.4	30.3	30.0	28.7	28.1	25.4	25.9	334.7	12	3133
	14 LST	26.8	24.1	28.1	29.1	29.8	28.5	29.4	29.0	28.1	27.5	26.1	25.1	331.6	12	3120
	20 LST	25.4	24.1	28.2	28.7	29.9	28.3	29.9	29.2	28.0	27.3	25.1	25.0	329.1	12	3602
	02 LST	25.2	23.8	28.3	28.9	29.6	28.7	29.7	29.0	27.5	27.4	25.4	24.8	328.3	12	2952
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	25.6	24.8	27.4	28.9	29.9	29.3	30.3	30.0	28.4	28.1	25.3	25.9	333.9	12	3133
	14 LST	26.7	24.1	28.1	29.0	29.8	28.5	29.4	29.0	28.1	27.5	26.1	25.1	331.6	12	3120
	20 LST	25.4	24.1	28.2	28.7	29.9	28.3	29.9	29.2	28.0	27.3	25.1	25.0	329.1	12	3602
	02 LST	25.2	23.7	28.3	28.9	29.6	28.7	29.7	29.0	27.5	27.4	25.4	24.8	328.2	12	2952

LEGASPI, PHILIPPINES

STA NO. 98444 (IN AREA NUMBER 03)

LATITUDE 1308N

LONGITUDE 12344E

ELEVATION(FT) 00062

PARAMETER DESCRIPTION

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	91	93	95	97	99	100	98	98	97	95	94	92	100	27	535
MEAN MAX TMP (F)	83	84	85	87	89	90	89	89	89	88	86	84	87	15	5420
MEAN MIN TMP (F)	72	73	73	75	76	75	75	75	74	74	74	73	74	15	5419
ABS MIN TMP (F)	63	62	62	62	66	71	69	70	70	65	66	64	62	27	5335
MEAN NO DYS TMP ≥ OR GTR 90(F)	0.0	0.2	0.2	2.3	10.6	18.0	14.7	13.2	13.0	8.1	1.7	0.2	82.2	15	5420
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5419
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5419
MEAN DEW PT TMP (F)	72	72	73	74	76	76	76	76	76	75	74	73	74	15	60286
MEAN REL HUM (PCT)	82	81	81	80	80	80	82	83	83	83	84	84	82	15	60124
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	15.60	11.50	7.70	5.90	6.40	7.90	10.20	7.90	10.20	13.70	18.30	20.30	135.4	36	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	-29
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	19.0	16.7	9.7	8.5	8.9	9.7	11.2	9.7	12.8	15.5	17.1	20.5	159.3	36	-29
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.0	0.2	0.1	0.1	0.2	0.1	0.2	0.2	0.1	0.2	0.7	0.2	2.3	15	4039
MEAN NO DYS TSTMS	0.2	0.1	0.1	0.3	0.7	0.9	0.7	1.6	1.8	1.6	0.9	0.6	9.5	15	4046
P FREQ WND SPU ≥ OR GTR 17 KTS	4.0	2.2	1.3	0.3	0.4	0.8	0.8	2.2	2.0	1.5	2.0	3.3	1.7	15	60653
P FREQ WND SPU ≥ OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.4	0.3	0.7	0.1	15	60653
P FREQ LES 5000 FT A/O LES 5 MI	54.3	45.3	40.4	34.3	34.4	36.3	38.9	49.7	49.1	42.1	48.1	50.6	43.6	15	60483
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	19.7	18.5	20.2	17.4	22.1	19.3	18.9	21.9	20.8	20.9	21.1	23.2	20.3	15	4327
03-05 LST	19.9	16.9	16.0	12.1	15.2	10.8	12.7	14.6	15.7	14.3	20.9	22.0	15.9	12	3693
06-08 LST	15.8	12.8	11.3	9.5	10.9	9.0	9.7	10.5	11.6	9.1	16.8	17.1	12.0	15	10800
09-11 LST	16.9	13.8	12.8	10.9	11.2	13.0	12.0	16.1	15.5	11.8	19.1	18.6	14.3	15	11878
12-14 LST	17.6	16.0	12.1	8.8	11.4	16.1	16.5	20.5	20.5	17.6	18.8	17.5	16.1	15	10883
15-17 LST	17.9	16.0	12.5	8.2	10.1	13.8	14.5	19.2	17.1	15.9	19.1	17.9	15.2	15	12006
18-20 LST	18.0	14.5	13.3	9.5	13.2	12.0	12.1	15.2	14.2	17.1	17.3	17.5	14.5	15	8392
21-23 LST	21.2	21.4	17.1	17.2	21.5	18.4	19.7	22.1	22.1	23.3	23.8	23.0	20.9	10	3636
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	1.4	0.6	0.0	0.6	1.1	0.3	1.1	0.6	0.3	1.6	0.3	0.7	15	4327
03-05 LST	0.0	0.0	0.6	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.6	0.0	0.2	12	3693
06-08 LST	0.2	0.6	0.2	0.1	0.1	0.7	0.2	0.2	0.2	0.1	0.8	0.7	0.3	15	10800
09-11 LST	0.3	0.2	0.2	0.0	0.2	0.2	0.0	0.3	0.0	0.2	1.0	1.0	0.3	15	11878
12-14 LST	0.4	0.5	0.1	0.0	0.0	0.3	0.0	0.6	0.4	0.1	0.8	1.2	0.4	15	10883
15-17 LST	0.1	0.2	0.1	0.1	0.4	0.1	0.0	0.1	0.2	0.5	1.0	0.7	0.3	15	12006
18-20 LST	0.9	0.6	0.1	0.3	0.4	0.1	0.1	0.1	0.3	0.7	1.1	0.6	0.4	15	8392
21-23 LST	0.0	0.0	0.3	0.7	0.7	0.0	0.6	0.0	0.0	0.3	1.0	0.3	0.3	10	3636

LEGASPI, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 30.6	27.2	30.8	29.8	30.6	29.5	30.8	30.7	29.4	30.2	28.7	29.7	358.0	15	4683
	14 LST 30.1	27.6	30.5	29.8	30.6	29.7	30.6	30.1	29.5	30.1	28.5	29.6	356.7	15	4710
	20 LST 30.0	27.2	30.8	29.6	30.6	29.6	30.4	30.7	29.5	30.1	28.7	30.1	357.3	15	5313
	02 LST 30.4	26.9	30.4	29.7	30.4	29.2	30.4	30.0	29.3	30.1	28.8	29.4	355.0	15	4314
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	08 LST 19.0	18.5	20.1	21.4	23.1	23.4	24.7	22.5	22.3	25.8	17.9	17.8	256.5	15	4658
	14 LST 9.2	8.7	10.4	11.3	13.7	14.8	15.5	11.3	12.3	13.1	10.8	11.3	142.4	15	4689
	20 LST 15.9	15.7	19.4	21.9	20.5	22.3	22.6	19.5	20.0	20.6	17.3	16.7	232.4	15	5310
	02 LST 14.2	15.5	16.4	18.9	17.6	19.7	19.4	16.4	17.2	18.7	15.9	13.3	203.2	15	4287
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 0.5	0.1	0.1	0.0	0.1	0.0	0.0	0.4	0.0	0.2	0.0	0.2	1.6	15	4676
	14 LST 2.0	0.8	1.1	0.2	0.2	0.4	0.6	1.2	0.9	0.5	0.7	1.1	9.7	15	4703
	20 LST 0.9	0.4	0.2	0.1	0.0	0.1	0.1	0.4	0.2	0.0	0.4	0.6	3.4	15	5312
	02 LST 0.9	0.4	0.1	0.1	0.0	0.0	0.1	0.3	0.1	0.2	0.3	1.0	3.5	15	4306
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 20.3	19.6	24.5	24.4	21.8	17.0	16.4	18.4	17.2	16.6	18.1	19.9	234.2	15	4610
	14 LST 16.1	16.3	19.2	20.4	20.3	14.7	16.2	16.3	15.0	18.4	17.0	18.8	208.7	15	4647
	20 LST 18.9	18.3	22.4	22.6	22.4	16.7	17.1	18.0	14.9	14.5	16.2	18.6	220.6	15	5274
	02 LST 18.7	17.8	21.5	21.1	19.0	17.6	16.8	17.6	17.9	15.7	16.7	16.8	217.2	15	4245
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 3.7	3.7	5.5	4.6	4.7	4.0	2.8	1.8	1.5	4.1	3.0	2.9	42.3	15	4690
	14 LST 1.1	1.4	4.4	4.5	4.2	1.4	0.4	0.3	0.2	0.6	0.9	1.3	20.7	15	4704
	20 LST 2.2	2.3	5.5	4.7	3.6	2.0	1.5	1.5	0.7	1.7	1.7	1.9	29.3	15	5309
	02 LST 1.5	1.5	2.6	2.6	1.7	0.9	0.9	0.7	0.7	1.2	1.2	1.4	16.9	15	4316
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 21.0	19.9	22.6	22.2	23.5	23.4	25.0	23.2	22.6	25.8	19.4	19.8	268.4	15	4683
	14 LST 17.4	17.1	22.1	23.3	23.0	18.3	18.5	15.9	15.6	18.1	17.8	19.0	226.1	15	4710
	20 LST 17.7	17.3	20.6	22.3	20.2	20.5	20.6	19.0	18.8	18.5	18.4	18.6	232.5	15	5313
	02 LST 15.4	15.8	16.2	16.8	15.5	17.0	17.4	15.0	15.3	16.7	15.9	15.2	192.2	15	4314
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 18.6	18.1	20.6	20.2	21.9	22.4	24.2	21.6	20.9	24.6	17.6	17.5	248.2	15	4683
	14 LST 14.4	14.8	20.3	21.9	21.8	16.5	16.1	13.3	13.1	15.8	15.8	16.6	200.4	15	4710
	20 LST 14.7	14.7	18.8	20.5	18.6	18.2	17.9	16.1	16.4	16.2	16.1	16.0	204.2	15	5313
	02 LST 12.3	13.2	13.8	14.3	13.2	14.9	15.0	12.3	12.4	14.3	13.7	12.2	161.6	15	4314
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 18.6	18.0	20.6	20.2	21.9	22.4	24.2	21.5	20.9	24.6	17.5	17.5	247.9	15	4683
	14 LST 14.4	14.8	20.3	21.8	21.8	16.5	16.1	13.3	13.1	15.8	15.8	16.6	200.3	15	4710
	20 LST 14.7	14.7	18.7	20.5	18.6	18.2	17.9	16.1	16.4	16.2	16.1	16.0	204.1	15	5313
	02 LST 12.3	13.2	13.7	14.3	13.2	14.9	14.9	12.3	12.4	14.3	13.7	12.2	161.4	15	4314

MASBATE BAY, PHILIPPINES

STA NO. 98543 (IN AREA NUMBER 03) LATITUDE 1222N LONGITUDE 12337E ELEVATION(FT) 00036

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	91	92	93	95	97	98	99	95	95	95	93	92	99	15	5400
MEAN MAX TMP (F)	85	86	88	90	92	91	90	90	90	89	87	86	89	15	5400
MEAN MIN TMP (F)	74	74	75	77	78	78	77	77	77	77	76	75	76	15	5398
ABS MIN TMP (F)	68	70	68	70	72	72	72	69	72	72	69	69	68	15	5398
MEAN NO DYS TMP = OR GTR 90(F)	1.0	1.8	8.6	23.3	27.1	24.1	22.4	18.1	16.1	14.1	7.7	1.2	165.5	15	5400
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5398
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5398
MEAN DEN PT TMP (F)	72	72	73	74	76	76	76	76	76	76	75	74	75	12	13193
MEAN REL HUM (PCT)	82	82	80	78	78	80	81	83	83	82	85	84	82	12	13129
MEAN PRESS ALT (FT)	6.65	3.07	3.30	1.61	3.89	5.31	6.55	8.27	7.43	8.97	9.49	7.12	73.7	15	5396
MEAN PRECIP (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN SNOW FALL (IN)	9.2	5.4	5.9	3.4	5.4	9.0	10.3	12.3	11.9	10.4	11.3	11.3	105.8	15	5396
MEAN NO DYS PKCP = OR GTR 0.1 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.2	0.0	0.2	0.0	0.2	0.0	0.3	0.2	0.0	0.0	0.3	0.0	1.4	12	2080
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.2	0.3	0.0	0.2	1.6	4.0	2.1	3.0	2.6	2.7	1.6	0.3	18.6	12	2065
MEAN NO DYS TSTMS	1.9	0.4	0.1	0.0	0.6	1.1	2.2	1.1	2.6	1.3	1.4	2.6	1.3	12	13369
P FREQ WND SPU = OR GTR 17 KTS	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.5	0.3	0.3	0.4	0.1	12	13369
P FREQ WND SPU = OR GTR 28 KTS	26.9	23.3	18.7	11.5	15.3	16.3	19.2	24.3	20.4	17.7	22.1	24.2	20.0	12	13006
P FREQ LES 5000 FT A/O LES 5 MI	14.9	9.8	7.8	4.5	5.8	8.5	8.7	11.4	7.8	9.1	13.9	13.7	9.7	12	2827
P FREQ LES 1500 FT A/O LES 3 MI	4.0	7.2	1.1	3.4	2.8	4.5	0.0	5.4	2.2	1.9	6.7	12.3	4.3	4	1183
FOR 00-02 LST	16.4	11.1	10.8	4.5	4.3	9.0	7.2	7.4	7.4	6.5	12.9	13.5	9.3	12	3085
FOR 03-05 LST	10.4	10.6	2.4	1.7	4.6	4.4	8.4	15.2	11.4	6.7	12.8	13.8	8.5	5	1389
FOR 06-08 LST	13.3	9.1	9.3	3.8	8.4	11.7	14.0	15.3	12.7	15.5	13.5	13.4	11.7	12	3224
FOR 09-11 LST	8.6	8.0	4.2	3.4	2.8	2.2	8.4	11.5	9.1	8.8	12.8	9.9	7.5	5	1383
FOR 12-14 LST	15.8	10.8	12.4	5.7	5.2	11.8	10.4	14.3	11.5	10.1	12.8	14.0	11.2	12	3489
FOR 15-17 LST	2.8	2.4	2.4	3.7	4.7	4.5	3.2	4.3	4.5	8.3	8.1	6.5	4.6	5	1171
FOR 18-20 LST	0.4	0.4	0.8	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.4	1.2	0.3	12	2827
FOR 21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1183
P FREQ LES 300 FT A/O LES 1 MI	0.4	0.4	1.1	0.0	0.0	0.0	0.4	0.4	0.0	0.4	0.0	0.0	0.3	12	3085
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.1	5	1389
FOR 03-05 LST	0.4	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.0	0.2	12	3224
FOR 06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.7	0.2	5	1383
FOR 09-11 LST	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.4	0.2	12	3489
FOR 12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8	0.3	5	1171
FOR 15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.8	0.3	5	1171
FOR 18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.8	0.3	5	1171
FOR 21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.8	0.3	5	1171

MASBATE BAY, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 30.2	08 LST 27.4	08 LST 29.9	08 LST 30.0	08 LST 30.9	08 LST 29.7	08 LST 30.6	08 LST 30.6	08 LST 29.9	08 LST 30.8	08 LST 29.4	08 LST 30.5	08 LST 360.0	12	3085
	14 LST 29.2	14 LST 27.6	14 LST 30.5	14 LST 30.0	14 LST 30.8	14 LST 30.0	14 LST 30.8	14 LST 30.4	14 LST 29.8	14 LST 29.8	14 LST 29.0	14 LST 30.4	14 LST 359.1	12	3224
	20 LST 30.3	20 LST 27.6	20 LST 30.2	20 LST 29.8	20 LST 30.6	20 LST 29.5	20 LST 30.6	20 LST 30.3	20 LST 29.8	20 LST 30.7	20 LST 28.8	20 LST 30.3	20 LST 357.9	12	3489
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	02 LST 20.6	02 LST 21.6	02 LST 25.6	02 LST 27.5	02 LST 28.7	02 LST 24.5	02 LST 26.2	02 LST 25.2	02 LST 24.6	02 LST 26.9	02 LST 22.1	02 LST 21.9	02 LST 295.4	12	3054
	08 LST 20.5	08 LST 20.7	08 LST 25.2	08 LST 27.1	08 LST 25.4	08 LST 20.8	08 LST 19.3	08 LST 19.7	08 LST 21.0	08 LST 20.3	08 LST 21.5	08 LST 20.8	08 LST 262.3	12	3204
	14 LST 21.3	14 LST 20.2	14 LST 24.2	14 LST 27.2	14 LST 27.6	14 LST 22.3	14 LST 23.3	14 LST 21.3	14 LST 22.5	14 LST 24.1	14 LST 21.8	14 LST 21.0	14 LST 276.8	12	3466
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST 18.8	02 LST 20.6	02 LST 26.5	02 LST 27.4	02 LST 27.4	02 LST 24.6	02 LST 23.6	02 LST 24.0	02 LST 22.8	02 LST 24.2	02 LST 19.9	02 LST 21.2	02 LST 281.0	12	2802
	08 LST 0.2	08 LST 0.0	08 LST 0.0	08 LST 0.0	08 LST 0.1	08 LST 0.1	08 LST 0.5	08 LST 0.1	08 LST 0.1	08 LST 0.2	08 LST 0.0	08 LST 0.0	08 LST 1.3	12	3092
	14 LST 0.5	14 LST 0.2	14 LST 0.0	14 LST 0.0	14 LST 0.0	14 LST 0.1	14 LST 0.4	14 LST 0.0	14 LST 0.3	14 LST 0.1	14 LST 0.0	14 LST 0.4	14 LST 2.0	12	3231
	20 LST 0.6	20 LST 0.0	20 LST 0.1	20 LST 0.1	20 LST 0.1	20 LST 0.2	20 LST 0.4	20 LST 0.0	20 LST 0.4	20 LST 0.2	20 LST 0.1	20 LST 0.1	20 LST 2.3	12	3540
	02 LST 0.4	02 LST 0.1	02 LST 0.1	02 LST 0.0	02 LST 0.1	02 LST 0.1	02 LST 0.2	02 LST 0.1	02 LST 0.5	02 LST 0.1	02 LST 0.2	02 LST 0.3	02 LST 2.2	12	2861
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 14.0	08 LST 13.2	08 LST 11.3	08 LST 12.7	08 LST 14.5	08 LST 11.6	08 LST 14.9	08 LST 14.1	08 LST 11.0	08 LST 12.5	08 LST 12.6	08 LST 13.6	08 LST 156.0	12	3034
	14 LST 16.9	14 LST 15.6	14 LST 17.0	14 LST 7.8	14 LST 4.4	14 LST 6.9	14 LST 7.9	14 LST 11.8	14 LST 10.5	14 LST 13.3	14 LST 14.0	14 LST 18.2	14 LST 144.3	12	3176
	20 LST 15.5	20 LST 13.7	20 LST 13.8	20 LST 13.4	20 LST 14.7	20 LST 10.6	20 LST 11.4	20 LST 14.1	20 LST 10.0	20 LST 12.6	20 LST 14.7	20 LST 14.4	20 LST 158.9	12	3489
	02 LST 14.6	02 LST 11.6	02 LST 9.4	02 LST 8.8	02 LST 9.7	02 LST 9.9	02 LST 10.3	02 LST 14.4	02 LST 8.2	02 LST 9.6	02 LST 10.7	02 LST 14.2	02 LST 131.4	12	2804
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 4.2	08 LST 2.7	08 LST 6.9	08 LST 7.3	08 LST 4.2	08 LST 2.2	08 LST 2.1	08 LST 2.4	08 LST 2.5	08 LST 2.8	08 LST 3.4	08 LST 3.3	08 LST 44.0	12	3095
	14 LST 4.4	14 LST 3.0	14 LST 7.7	14 LST 8.2	14 LST 4.6	14 LST 0.8	14 LST 0.2	14 LST 0.8	14 LST 0.9	14 LST 1.4	14 LST 2.9	14 LST 2.2	14 LST 37.3	12	3232
	20 LST 8.7	20 LST 10.0	20 LST 13.4	20 LST 18.1	20 LST 12.5	20 LST 5.8	20 LST 5.4	20 LST 5.0	20 LST 6.0	20 LST 7.9	20 LST 7.4	20 LST 7.2	20 LST 107.4	12	3511
	02 LST 6.0	02 LST 7.4	02 LST 12.2	02 LST 14.6	02 LST 11.7	02 LST 6.2	02 LST 3.7	02 LST 4.5	02 LST 3.8	02 LST 6.0	02 LST 6.2	02 LST 5.3	02 LST 87.6	12	2833
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 20.7	08 LST 20.8	08 LST 23.6	08 LST 25.9	08 LST 26.5	08 LST 23.9	08 LST 26.2	08 LST 25.3	08 LST 24.9	08 LST 26.0	08 LST 21.5	08 LST 21.8	08 LST 287.1	12	3085
	14 LST 21.5	14 LST 21.2	14 LST 23.8	14 LST 26.4	14 LST 24.8	14 LST 20.8	14 LST 20.7	14 LST 20.8	14 LST 20.8	14 LST 20.5	14 LST 20.9	14 LST 21.7	14 LST 263.9	12	3224
	20 LST 21.5	20 LST 21.4	20 LST 23.0	20 LST 26.5	20 LST 26.8	20 LST 22.8	20 LST 24.8	20 LST 22.1	20 LST 22.5	20 LST 24.3	20 LST 22.8	20 LST 22.3	20 LST 280.8	12	3489
	02 LST 21.8	02 LST 22.4	02 LST 26.2	02 LST 27.1	02 LST 27.0	02 LST 24.8	02 LST 25.7	02 LST 23.5	02 LST 23.8	02 LST 24.4	02 LST 22.0	02 LST 22.9	02 LST 291.6	12	2827
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 19.7	08 LST 19.4	08 LST 22.1	08 LST 24.7	08 LST 24.9	08 LST 22.7	08 LST 24.9	08 LST 24.5	08 LST 24.5	08 LST 24.8	08 LST 20.7	08 LST 21.0	08 LST 273.9	12	3085
	14 LST 19.6	14 LST 19.9	14 LST 22.5	14 LST 25.4	14 LST 23.7	14 LST 19.1	14 LST 19.3	14 LST 19.3	14 LST 18.9	14 LST 18.9	14 LST 19.5	14 LST 20.2	14 LST 246.3	12	3224
	20 LST 20.3	20 LST 20.5	20 LST 22.2	20 LST 26.0	20 LST 26.3	20 LST 22.4	20 LST 24.6	20 LST 21.6	20 LST 21.8	20 LST 23.8	20 LST 22.4	20 LST 21.6	20 LST 273.5	12	3489
	02 LST 21.8	02 LST 21.6	02 LST 25.6	02 LST 26.7	02 LST 26.6	02 LST 24.5	02 LST 25.5	02 LST 22.7	02 LST 22.7	02 LST 23.9	02 LST 21.8	02 LST 22.8	02 LST 286.2	12	2827
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 19.6	08 LST 19.3	08 LST 22.1	08 LST 24.7	08 LST 24.9	08 LST 22.7	08 LST 24.9	08 LST 24.5	08 LST 24.5	08 LST 24.8	08 LST 20.6	08 LST 21.0	08 LST 273.6	12	3085
	14 LST 19.5	14 LST 19.8	14 LST 22.4	14 LST 25.4	14 LST 23.7	14 LST 19.0	14 LST 19.3	14 LST 19.3	14 LST 18.9	14 LST 18.9	14 LST 19.4	14 LST 20.2	14 LST 245.8	12	3224
	20 LST 20.3	20 LST 20.5	20 LST 22.2	20 LST 26.0	20 LST 26.3	20 LST 22.4	20 LST 24.4	20 LST 21.4	20 LST 21.7	20 LST 23.6	20 LST 22.1	20 LST 21.6	20 LST 272.5	12	3489
	02 LST 21.8	02 LST 21.5	02 LST 25.6	02 LST 26.7	02 LST 26.6	02 LST 24.5	02 LST 25.4	02 LST 22.6	02 LST 22.7	02 LST 23.9	02 LST 21.4	02 LST 22.8	02 LST 285.5	12	2827

CATBALOGAN, PHILIPPINES

STA NO. 98548 (IN AREA NUMBER 03) LATITUDE 1149N LONGITUDE 12453E ELEVATION(FT) 00014

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	72	72	73	74	75	76	75	75	75	75	75	74	74	0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALI (FT)														0	0
MEAN PRECIP (IN)	12.30	8.30	6.10	5.80	5.90	8.30	10.40	7.70	10.60	11.60	14.20	15.50	116.7	25	-35
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PKCP = OR GTR 0.1 IN	17.2	13.8	8.7	8.4	8.5	10.0	11.3	9.6	13.2	14.0	15.8	19.0	149.5	25	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUK VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
P FREQ WND SPD = OR GTR 17 KTS	1.0	1.5	1.6	2.4	8.0	9.1	5.4	10.3	9.3	13.0	1.0	5.6	68.2	7	340
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	1.7	0.9	0.0	0.3	7	1308
P FREQ LES 5000 FT A/O LES 5 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1308
P FREQ LES 1500 FT A/O LES 3 MI	14.2	10.3	10.3	5.7	7.7	4.8	1.0	9.5	7.3	9.3	17.6	15.3	9.4	7	1260
FOR 00-02 LST	5.3	0.9	1.9	1.3	2.1	3.0	5.1	3.3	3.0	1.2	6.5	7.6	3.4	7	1167
03-05 LST	5.9	0.9	2.2	0.7	2.0	2.4	3.0	2.9	2.0	1.8	6.4	8.6	3.2	7	-30
06-08 LST	6.4	0.8	2.4	0.0	1.8	1.8	0.9	2.5	0.9	3.3	6.2	9.5	3.0	7	1384
09-11 LST	5.5	1.7	2.9	2.2	1.3	1.4	1.5	3.5	1.6	4.1	6.2	8.3	3.4	7	-30
12-14 LST	4.6	2.5	3.4	4.1	0.7	0.9	2.0	4.5	2.3	4.9	6.1	7.1	3.6	7	1573
15-17 LST	5.3	2.6	3.1	2.2	1.0	2.0	2.3	4.4	3.8	4.0	6.5	9.1	3.9	7	-30
18-20 LST	5.9	2.7	2.8	0.0	1.2	3.0	2.5	4.2	5.2	3.1	6.9	11.0	4.0	7	1930
21-23 LST	5.6	1.8	2.4	0.7	1.7	3.0	3.2	3.8	4.1	2.2	6.7	9.3	3.8	7	-30
P FREQ LES 300 FT A/O LES 1 MI														7	1167
FOR 00-02 LST	1.1	0.9	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.9	1.9	0.5	7	-30
03-05 LST	0.6	0.5	0.0	0.0	0.5	0.0	0.5	0.0	0.0	0.0	0.5	1.4	0.3	7	1384
06-08 LST	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.2	7	-30
09-11 LST	0.4	0.9	0.4	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.3	7	1573
12-14 LST	0.8	1.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.3	7	-30
15-17 LST	0.7	0.9	0.4	0.0	0.0	0.3	0.0	0.3	0.3	0.0	0.4	0.4	0.3	7	1930
18-20 LST	0.6	0.0	0.0	0.0	0.0	0.6	0.0	0.6	0.6	0.0	0.0	0.7	0.3	7	-30
21-23 LST	0.9	0.5	0.0	0.0	0.0	0.3	0.5	0.3	0.3	0.0	0.5	1.3	0.4	7	-30

CATBALOGAN, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 30.0	28.0	30.3	30.0	30.4	29.5	31.0	31.0	29.4	31.0	28.9	30.2	359.7	7	1384
	14 LST 30.3	27.5	30.3	30.0	30.5	30.0	30.8	30.5	29.3	30.5	29.8	30.3	359.8	7	1573
	20 LST 29.5	27.8	30.6	30.0	31.0	29.3	30.8	30.6	28.8	30.6	28.7	29.7	357.4	7	1930
	02 LST 29.7	27.7	30.7	30.0	30.7	30.0	30.0	30.7	30.0	30.6	29.4	30.4	359.9	7	1167
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST 28.7	27.3	29.5	29.7	30.4	28.3	29.6	28.6	28.9	30.0	28.0	26.9	345.9	7	1352
	14 LST 28.6	26.8	29.3	28.0	30.0	28.7	29.2	28.6	28.1	28.1	26.5	27.2	339.4	7	1551
	20 LST 28.4	26.8	29.8	29.6	30.2	28.0	29.6	28.1	27.5	29.2	26.8	26.1	340.1	7	1904
	02 LST 28.4	27.5	30.4	29.6	30.0	28.8	28.4	29.1	28.7	30.6	26.9	28.0	346.4	7	1142
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1373
	14 LST 0.2	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.8	7	1557
	20 LST 0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2	0.0	0.2	0.2	0.0	0.8	7	1933
	02 LST 0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1153
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 5.9	2.0	6.9	9.9	12.1	8.2	6.2	9.4	4.9	6.0	2.9	2.8	77.2	7	1318
	14 LST 14.6	16.0	13.3	8.8	6.9	7.5	9.6	10.2	10.6	11.4	8.3	10.7	127.9	7	1507
	20 LST 6.5	5.8	8.2	9.3	5.6	4.6	6.1	6.7	4.2	4.6	4.0	3.5	69.1	7	1903
	02 LST 2.4	1.3	3.1	4.3	2.5	2.2	5.0	6.9	4.8	1.8	2.6	2.1	39.0	7	1106
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 5.6	4.0	4.9	8.1	4.7	4.3	3.5	1.0	2.4	3.8	4.4	1.9	48.6	7	1393
	14 LST 2.1	1.7	1.5	1.7	1.9	0.0	0.6	0.9	0.9	0.2	1.8	1.1	14.4	7	1572
	20 LST 9.1	8.0	9.9	8.3	6.9	3.0	3.3	3.7	2.9	4.0	4.7	5.7	69.5	7	1944
	02 LST 6.0	7.4	8.2	13.1	9.8	5.2	5.0	5.0	4.6	7.3	5.9	4.4	81.9	7	1164
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 27.8	26.6	28.5	28.4	30.1	28.4	29.9	28.9	28.6	28.2	26.3	25.6	337.3	7	1384
	14 LST 27.7	25.4	27.6	26.3	29.4	28.4	29.7	28.4	28.1	27.7	25.6	25.7	330.0	7	1573
	20 LST 27.3	26.5	29.3	29.6	29.9	27.7	29.2	28.0	27.1	28.3	25.6	25.0	333.5	7	1930
	02 LST 28.7	27.0	30.1	29.6	30.0	27.9	29.1	28.6	28.2	30.6	27.5	27.2	344.5	7	1167
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 27.3	25.7	27.8	26.9	30.1	27.6	29.6	27.9	28.3	27.2	25.2	24.8	328.4	7	1384
	14 LST 26.0	24.0	25.9	25.3	29.1	27.9	29.2	28.0	27.7	26.9	24.3	24.2	318.8	7	1573
	20 LST 26.6	26.1	28.4	29.5	29.7	26.9	29.0	27.3	26.5	27.9	24.8	24.4	327.1	7	1930
	02 LST 28.4	26.7	30.1	29.6	30.0	27.9	28.8	28.3	28.2	30.6	27.5	26.3	342.4	7	1167
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 27.3	25.7	27.8	26.9	30.1	27.6	29.4	27.9	28.3	27.2	25.2	24.8	328.2	7	1384
	14 LST 26.0	24.0	25.9	25.3	29.1	27.9	29.2	28.0	27.7	26.9	24.3	24.2	318.1	7	1573
	20 LST 26.6	26.1	28.4	29.5	29.7	26.9	29.0	27.3	26.5	27.9	24.8	24.4	327.1	7	1930
	02 LST 28.4	26.4	30.1	29.6	30.0	27.9	28.8	28.3	28.2	30.6	27.5	26.0	341.8	7	1167

BORONGAN, PHILIPPINES

STA NO. 98553 (IN AREA NUMBER 03) LATITUDE 1137N LONGITUDE 12526E ELEVATION(FT) 00023

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
ABS MAX TMP (F)	92	88	92	91	96	98	96	100	96	96	94	92	100	5	1792
MEAN MAX TMP (F)	83	83	85	88	89	91	90	90	90	89	87	86	88	5	1792
MEAN MIN TMP (F)	73	73	74	74	75	75	75	74	74	74	74	73	74	5	1790
ABS MIN TMP (F)	65	68	69	65	71	72	71	70	71	69	69	67	65	5	1790
MEAN NO DYS TMP = OR GTR 90(F)	0.2	0.0	0.4	4.5	12.6	21.4	18.4	20.1	18.5	15.5	3.2	1.2	116.0	5	1792
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1790
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1790
MEAN DEW PT TMP (F)	72	72	73	74	75	75	75	74	74	74	75	74	74	12	12286
MEAN REL HUM (PCT)	87	86	85	83	84	82	83	82	84	84	86	86	84	12	12101
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	25.30	17.30	12.90	10.30	9.60	9.50	7.40	5.70	7.20	13.00	21.20	25.30	164.5	36	-35
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	21.5	19.7	12.9	11.2	10.8	10.6	9.4	7.9	9.7	15.1	21.5			36	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.0	0.0	0.0	0.2	0.0	0.4	0.0	0.2	0.2	0.0	0.3	0.2	1.5	12	1890
MEAN NO DYS TSTMS	0.5	0.0	0.5	0.8	3.2	1.1	1.6	2.5	3.6	5.5	1.6	0.2	21.1	12	1894
P FREQ WND SPU = UR GTR 17 KTS	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.7	0.6	0.2	12	12283
P FREQ WND SPU = UR GTR 28 KTS	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.1	12	12283
P FREQ LES 5000 FT A/O LES 5 MI	34.9	32.2	22.5	17.8	14.7	8.3	10.6	12.0	12.4	12.7	19.2	21.5	18.2	12	12083
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	8.4	5.6	6.6	2.4	3.4	2.8	2.3	2.9	1.8	2.6	8.5	9.7	4.8	12	2665
03-05 LST	1.2	1.9	1.0	1.9	1.2	0.0	0.0	0.0	0.0	0.0	0.8	0.8	0.7	5	1247
06-08 LST	3.9	5.3	4.7	1.8	2.6	1.6	1.2	1.2	0.8	2.7	3.8	4.7	2.9	12	3021
09-11 LST	1.2	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.5	0.4	5	1254
12-14 LST	5.6	5.3	4.7	0.8	2.4	2.0	1.9	2.2	3.8	3.0	6.7	8.4	3.9	12	3165
15-17 LST	2.4	2.9	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	1.7	0.8	0.8	5	1252
18-20 LST	10.7	8.4	8.4	4.1	5.2	4.5	4.8	4.9	5.1	5.5	9.2	11.9	6.9	12	3597
21-23 LST	2.3	1.9	0.0	2.0	2.3	1.0	0.0	0.0	0.0	0.7	0.8	2.4	1.1	5	1250
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	4.0	1.9	3.7	2.0	1.5	1.9	0.9	1.5	0.5	0.4	3.8	6.2	2.4	12	2665
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1247
06-08 LST	2.7	0.4	1.1	0.0	0.4	0.8	0.4	0.8	0.4	0.8	0.8	2.2	0.9	12	3021
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.1	5	1254
12-14 LST	3.4	0.4	1.8	0.0	1.2	1.2	1.1	0.4	0.8	0.4	3.0	3.3	1.4	12	3165
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1252
16-20 LST	6.2	2.4	3.2	2.0	2.6	2.6	1.7	1.9	1.4	1.9	3.9	4.6	2.9	12	3597
21-23 LST	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1250

BORONGAN, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	30.1	27.9	30.7	30.0	30.6	29.8	30.8	30.6	29.9	30.5	29.6	30.2	360.7	12	3021
	14 LST	29.7	27.7	30.3	30.0	30.5	29.5	30.6	30.5	29.6	30.9	29.0	29.6	357.9	12	3165
	20 LST	28.3	26.9	30.0	29.4	30.0	28.9	30.4	30.2	29.3	30.1	28.6	28.9	351.0	12	3597
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	29.5	27.3	29.7	29.4	30.5	29.4	30.6	30.5	29.9	30.6	28.6	28.9	354.9	12	2665
	08 LST	28.9	25.0	28.5	29.2	30.0	29.3	30.3	30.3	29.7	29.8	28.1	28.5	347.6	12	2993
	14 LST	28.1	25.0	27.6	27.9	30.0	28.8	29.7	29.3	27.6	28.5	25.7	26.6	334.8	12	3139
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	26.4	23.7	27.2	28.4	28.7	28.4	29.0	28.9	27.5	28.4	26.0	25.3	327.9	12	3589
	02 LST	26.2	24.2	28.3	29.3	29.8	29.1	30.3	29.8	29.4	30.0	26.0	26.5	338.9	12	2653
	08 LST	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.3	12	3002
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	14 LST	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.4	12	3170
	20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3602
	02 LST	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	2686
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	8.8	9.3	11.7	10.4	6.7	4.7	4.5	6.1	4.2	5.4	8.1	7.1	87.0	12	2965
	14 LST	16.9	16.0	20.3	19.6	15.6	10.5	10.4	8.8	6.8	12.4	14.6	17.9	169.8	12	3120
	20 LST	9.0	7.5	6.6	5.7	2.8	1.4	2.4	2.2	1.4	1.0	4.8	6.2	51.0	12	3574
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	9.5	7.1	6.6	6.2	3.2	1.3	1.7	2.5	1.6	1.1	3.9	5.6	50.3	12	2652
	08 LST	2.3	2.4	2.9	6.0	3.7	5.8	5.2	5.0	4.0	5.9	3.3	2.7	49.2	12	3038
	14 LST	2.3	2.5	4.5	6.8	4.7	2.4	1.6	1.3	1.5	2.6	2.7	2.3	35.2	12	3182
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	3.3	3.8	5.0	6.8	5.5	5.9	3.9	5.4	3.2	5.6	4.7	3.3	56.4	12	3610
	02 LST	3.0	2.5	4.1	5.6	7.6	6.7	4.2	3.6	5.8	8.0	4.6	3.5	59.2	12	2691
	08 LST	25.4	22.9	25.8	26.7	28.0	27.8	29.0	29.3	28.5	28.0	25.8	25.4	322.6	12	3021
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	14 LST	25.1	22.3	26.3	27.6	28.2	27.9	28.6	27.4	25.6	27.1	25.3	25.7	317.1	12	3165
	20 LST	22.6	21.3	24.8	26.8	27.0	26.3	26.8	26.4	26.1	26.3	24.1	23.7	302.2	12	3597
	02 LST	22.8	22.4	25.5	26.3	27.9	27.5	28.3	28.1	27.7	28.8	24.7	25.0	315.0	12	2665
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	21.9	20.4	23.7	25.4	25.9	26.6	28.1	28.5	27.8	26.7	23.7	22.4	301.1	12	3021
	14 LST	22.1	20.1	24.4	25.6	26.7	26.3	27.2	26.0	24.0	24.9	23.5	23.9	294.7	12	3165
	20 LST	19.6	19.1	22.7	25.4	25.3	24.4	24.4	24.6	25.0	24.4	22.4	21.9	279.2	12	3597
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	18.8	19.9	23.5	24.7	26.8	26.6	26.5	27.1	26.3	28.0	23.2	23.4	294.8	12	2665
	08 LST	21.9	20.2	23.7	25.2	25.6	26.4	27.9	28.5	27.4	26.5	23.4	22.4	299.1	12	3021
	14 LST	21.9	20.1	24.2	25.5	26.6	26.1	27.0	25.8	24.0	24.8	23.4	23.7	293.2	12	3165
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	19.2	19.0	22.4	25.4	25.3	24.3	24.0	24.6	24.5	24.4	22.4	21.5	277.0	12	3597
	02 LST	18.8	19.9	23.4	24.7	26.8	26.6	26.4	26.9	25.9	27.9	22.8	23.3	293.4	12	2665

CEBU, PHILIPPINES

STA NO. 98645 (IN AREA NUMBER 03) LATITUDE 1019N LONGITUDE 12354E ELEVATION(FT) 00097

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	92	91	94	95	96	96	94	94	94	93	94	92	96	15	5440
MEAN MAX TMP (F)	86	87	89	91	91	89	88	88	88	88	88	87	88	15	5440
MEAN MIN TMP (F)	73	73	74	75	76	76	75	75	75	75	74	73	75	15	5439
ABS MIN TMP (F)	68	67	69	64	69	71	70	71	71	69	67	67	64	15	5439
MEAN NO DYS TMP = OR GTR 90(F)	1.3	1.3	10.9	23.6	23.6	14.6	7.9	8.6	8.0	8.6	7.1	3.9	119.4	15	5440
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5439
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5439
MEAN DEW PT TMP (F)	71	71	72	72	74	74	74	74	74	74	74	72	73	15	68176
MEAN REL HUM (PCT)	76	74	73	70	73	77	79	79	79	81	79	77	76	15	67907
MEAN PRESS ALT (FT)	117	117	117	147	167	177	177	197	177	177	177	147	158	0	-50
MEAN PRECIP (IN)	4.20	2.90	2.00	1.70	4.50	6.40	7.30	5.60	6.90	7.70	6.40	5.00	60.6	36	-35
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.4	6.2	3.9	3.4	7.3	8.6	9.3	7.8	9.4	10.3	8.8	9.6	93.0	36	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.0	0.2	0.0	0.0	0.3	0.1	0.3	0.1	0.1	0.3	0.1	0.1	1.6	15	4197
MEAN NO DYS TSTMS	0.5	0.4	0.5	1.7	5.8	9.8	10.6	8.5	11.0	11.5	3.5	0.8	64.6	15	4197
P FREQ WND SPD = UR GTR 17 KTS	0.2	0.5	0.2	0.1	0.1	0.1	0.1	0.3	0.5	0.2	0.4	0.2	0.2	15	68040
P FREQ WND SPD = UR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	68040
P FREQ LES 5000 FT A/O LES 5 MI	8.2	9.4	9.6	6.1	9.7	9.2	9.2	9.8	10.5	10.8	9.0	7.2	9.1	15	68000
P FREQ LES 1500 FT A/O LES 3 MI	0.8	0.9	1.0	0.8	0.8	1.4	0.8	1.3	1.1	1.0	1.1	0.5	1.0	15	4483
FOR 00-02 LST															
03-05 LST	0.7	0.4	0.6	0.7	0.6	0.3	0.0	0.3	0.3	0.3	0.6	0.3	0.4	11	3727
06-08 LST	0.3	0.9	1.0	0.6	0.5	0.5	0.7	0.6	0.1	0.6	1.0	0.7	0.6	15	11898
09-11 LST	1.0	0.9	1.2	0.3	0.9	0.3	0.6	0.5	0.2	0.2	0.9	0.4	0.6	15	11939
12-14 LST	0.4	0.3	1.0	0.3	0.7	0.7	0.6	1.0	1.2	1.3	0.9	0.9	0.8	15	11952
15-17 LST	0.4	0.5	0.5	0.1	0.5	1.0	1.9	1.4	0.8	1.7	1.1	0.8	0.9	15	11991
18-20 LST	0.7	0.6	0.4	0.0	0.6	0.3	0.7	0.7	1.1	0.7	1.0	0.7	0.6	15	12676
21-23 LST	1.2	0.3	0.8	0.3	2.2	1.6	0.5	1.1	1.1	0.8	1.1	0.9	1.0	15	4345
P FREQ LES 300 FT A/O LES 1 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	4483
FOR 00-02 LST															
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3727
06-08 LST	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.0	0.1	15	11898
09-11 LST	0.4	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	15	11939
12-14 LST	0.0	0.0	0.0	0.0	0.4	0.2	0.1	0.0	0.2	0.1	0.0	0.3	0.1	15	11952
15-17 LST	0.2	0.0	0.0	0.0	0.1	0.0	0.4	0.3	0.1	0.2	0.2	0.2	0.1	15	11991
18-20 LST	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	15	12676
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	4345

CEBU, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	30.8	27.7	30.8	29.9	30.9	29.8	30.8	30.8	29.9	30.7	29.8	30.8	362.7	15	4681
	14 LST	30.8	27.8	30.8	30.0	30.9	29.7	30.8	30.7	29.5	30.8	29.8	30.5	362.1	15	4705
	20 LST	30.9	27.8	31.0	30.0	31.0	29.9	30.9	31.0	29.9	30.8	29.9	30.8	363.9	15	5428
	02 LST	30.9	28.0	31.0	29.9	30.9	29.8	30.9	30.9	29.9	30.8	29.9	31.0	363.9	15	4475
	08 LST	28.8	25.7	29.1	28.4	30.1	29.3	30.3	30.1	29.7	29.9	29.9	27.8	28.9	348.1	15
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	14 LST	18.5	15.8	18.8	20.5	26.4	24.3	25.5	21.4	23.1	26.3	23.7	23.1	267.4	15	4679
	20 LST	29.1	26.3	30.4	29.4	30.5	29.7	30.5	30.4	29.0	30.3	29.3	29.8	354.7	15	5425
	02 LST	29.9	26.2	30.5	29.6	30.7	29.6	30.4	30.4	29.6	30.0	29.3	29.9	356.1	15	4452
	08 LST	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.4	15	4665
	14 LST	0.2	0.1	0.1	0.0	0.0	0.1	0.2	0.4	0.3	0.1	0.1	0.2	1.8	15	4681
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	15	5424
	02 LST	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	15	4461
	08 LST	20.5	18.5	20.6	17.7	14.2	10.0	10.2	13.6	12.5	11.2	14.8	18.0	181.8	15	4649
	14 LST	20.2	19.9	18.8	10.1	10.0	13.1	17.2	15.3	14.1	14.3	18.9	21.3	193.2	15	4655
	20 LST	17.7	15.0	17.9	15.5	10.0	6.6	6.5	8.6	6.3	6.9	10.4	13.0	134.4	15	5420
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	16.9	13.7	13.8	11.0	6.1	5.3	5.5	8.4	7.0	4.9	8.8	12.4	113.8	15	4439
	08 LST	4.2	3.9	6.4	3.2	1.3	1.0	1.8	0.8	1.4	1.6	3.0	3.1	31.7	15	4690
	14 LST	2.3	2.5	4.8	5.0	3.4	1.6	0.9	0.3	0.5	1.3	1.6	1.7	25.9	15	4693
	20 LST	3.0	3.5	6.5	7.2	5.0	1.6	0.8	0.9	0.9	1.8	2.8	2.9	36.5	15	5427
	02 LST	2.8	3.4	4.2	6.2	3.8	1.5	1.2	0.9	0.8	0.8	3.3	2.6	31.5	15	4470
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	29.5	26.3	28.8	27.3	27.8	28.3	30.0	29.8	29.0	29.5	28.2	29.5	344.0	15	4681
	14 LST	29.9	26.7	29.5	28.7	29.3	26.9	28.4	27.7	26.6	27.7	27.6	28.8	337.8	15	4705
	20 LST	29.7	26.5	29.8	29.3	29.9	28.8	29.0	28.6	27.4	29.3	28.1	29.1	345.5	15	5428
	02 LST	29.2	26.1	29.3	28.6	28.9	27.9	28.8	29.4	28.4	29.3	28.6	29.4	343.9	15	4475
	08 LST	28.4	25.1	26.8	25.6	25.4	27.2	29.5	29.3	28.5	28.9	27.2	28.7	330.6	15	4681
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	14 LST	28.9	25.3	28.5	27.9	28.5	24.9	27.2	25.5	24.2	25.7	26.0	27.3	319.9	15	4705
	20 LST	28.0	24.4	28.7	28.7	29.1	27.7	27.6	27.1	25.2	28.1	27.1	27.2	328.9	15	5428
	02 LST	27.7	24.6	27.7	27.6	27.5	26.6	27.6	28.3	27.6	28.3	27.4	28.3	329.2	15	4355
	08 LST	28.4	25.1	26.8	25.6	25.4	27.2	29.5	29.3	28.5	28.9	27.2	28.7	330.6	15	4681
	14 LST	28.9	25.3	28.4	27.8	28.5	24.9	27.2	25.4	24.1	25.6	26.0	27.3	319.4	15	4705
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	28.0	24.3	28.7	28.7	29.1	27.7	27.6	27.1	25.2	28.1	27.1	27.2	328.8	15	5428
	02 LST	27.7	24.6	27.7	27.5	27.5	26.6	27.6	28.3	27.6	28.3	27.3	28.3	329.0	15	4475

MACTAN AIR BASE, PHILIPPINES

STA NO. 98646 (IN AREA NUMBER 03) LATITUDE 1018N LONGITUDE 12358E ELEVATION(FT) 00033

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS
ABS MAX TMP (F)	92	91	94	95	96	96	94	94	94	93	94	92	96	15	-98645
MEAN MAX TMP (F)	86	87	89	91	91	89	88	88	88	88	88	87	88	15	-98645
MEAN MIN TMP (F)	73	73	74	75	76	76	75	75	75	75	74	73	75	15	-98645
ABS MIN TMP (F)	68	67	69	64	69	71	70	71	71	69	67	67	64	15	-98645
MEAN NO DYS TMP ≥ OR GTR 90(F)	1.3	1.3	10.9	23.6	23.6	14.6	7.9	8.6	8.0	8.6	7.1	3.9	119.4	15	-98645
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-98645
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-98645
MEAN DEW PT TMP (F)	71	71	72	72	74	74	74	74	74	74	74	72	73	15	-98645
MEAN REL HUM (P-I)	76	74	73	70	73	77	79	79	79	81	79	77	76	15	-98645
MEAN PRESS ALT (FT)	37	43	41	73	103	103	103	123	108	103	103	73	84	0	-50
MEAN PRECIP (IN)	4.20	2.90	2.00	1.70	4.50	6.40	7.30	5.60	6.90	7.70	6.40	5.00	60.6	36	-98645
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	8.4	6.2	3.9	3.4	7.3	8.6	9.3	7.8	9.4	10.3	8.8	9.6	93.0	36	-29
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.2	0.0	0.0	0.3	0.1	0.3	0.1	0.1	0.3	0.1	0.1	1.6	15	-98645
MEAN NO DYS TSTMS	0.5	0.4	0.5	1.7	5.8	9.8	10.6	8.5	11.0	11.5	3.5	0.8	64.6	15	-98645
P FREQ WND SPD ≥ OR GTR 17 KTS	0.2	0.5	0.2	0.1	0.1	0.1	0.1	0.3	0.5	0.2	0.4	0.2	0.2	15	-98645
P FREQ WND SPD ≥ OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-98645
P FREQ LES 5000 FT A/O LES 5 MI	8.2	9.4	9.6	6.1	9.7	9.2	9.2	9.3	10.5	10.8	9.0	7.2	9.1	15	-98645
P FREQ LES 1500 FT A/O LES 3 MI	0.8	0.9	1.0	0.8	0.8	1.4	0.8	1.3	1.1	1.0	1.1	0.5	1.0	15	-98645
FOR 00-02 LST															
03-05 LST	0.7	0.4	0.6	0.7	0.6	0.3	0.0	0.3	0.3	0.3	0.6	0.3	0.4	15	-98645
06-08 LST	0.3	0.9	1.0	0.6	0.5	0.5	0.7	0.6	0.1	0.6	1.0	0.7	0.6	15	-98645
09-11 LST	1.0	0.9	1.2	0.3	0.9	0.3	0.6	0.5	0.2	0.2	0.9	0.4	0.6	15	-98645
12-14 LST	0.4	0.3	1.0	0.3	0.7	0.7	0.6	1.0	1.2	1.3	0.9	0.9	0.8	15	-98645
15-17 LST	0.4	0.5	0.5	0.1	0.5	1.0	1.9	1.4	0.8	1.7	1.1	0.8	0.9	15	-98645
18-20 LST	0.7	0.6	0.4	0.0	0.6	0.3	0.7	0.7	1.1	0.7	1.0	0.7	0.6	15	-98645
21-23 LST	1.2	0.3	0.8	0.3	2.2	1.6	0.5	1.1	1.1	0.8	1.1	0.9	1.0	15	-98645
P FREQ LES 300 FT A/O LES 1 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-98645
FOR 00-02 LST															
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-98645
06-08 LST	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.0	0.1	15	-98645
09-11 LST	0.4	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	15	-98645
12-14 LST	0.0	0.0	0.0	0.0	0.4	0.2	0.1	0.0	0.2	0.1	0.0	0.3	0.1	15	-98645
15-17 LST	0.2	0.0	0.0	0.0	0.1	0.0	0.4	0.3	0.1	0.2	0.2	0.2	0.1	15	-98645
18-20 LST	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	15	-98645
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-98645

SURIGAO, PHILIPPINES

LATITUDE 0948N LONGITUDE 12530E ELEVATION (FT) 00072

STA NO. 98653 (IN AREA NUMBER 03)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	93	92	92	94	95	97	97	97	99	96	94	94	99	27	-535
MEAN MAX TMP (F)	83	84	85	87	89	89	89	89	89	88	86	84	87	15	5233
MEAN MIN TMP (F)	72	72	73	73	74	74	74	75	75	74	74	73	74	15	5229
ABS MIN TMP (F)	66	65	66	68	69	70	68	70	70	69	67	67	65	27	-535
MEAN NO DYS TMP = OR GTR 90(F)	0.1	0.0	0.4	2.3	10.2	15.4	13.0	14.8	15.5	9.9	2.0	0.2	83.8	15	5233
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5229
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5229
MEAN DEW PT TMP (F)	74	73	74	75	76	75	75	75	75	75	75	74	75	12	12828
MEAN REL HUM (PCT)	91	90	88	85	85	82	83	82	83	84	88	89	86	12	12511
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	21.40	14.80	19.90	10.00	6.20	4.90	7.00	5.10	6.60	10.70	16.80	24.40	147.8	36	-23
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	-29
MEAN NO DYS PKCP = OR GTR 0.1 IN	20.8	18.7		11.0	8.8	7.1	9.1	7.4	9.0	13.2	16.9	21.3		36	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	2.7	1.3	2.0	0.2	0.5	0.4	0.2	0.0	0.6	0.5	1.6	1.3	11.3	12	1825
MEAN NO DYS TSTMS	1.2	0.4	0.4	0.9	1.9	2.0	1.1	2.4	2.4	2.9	1.5	0.3	17.4	12	1821
P FREQ WND SPU = OR GTR 17 KTS	0.9	0.3	0.4	0.0	0.1	0.9	1.7	3.8	2.3	3.4	1.6	0.6	1.3	12	12884
P FREQ WND SPU = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	12	12884
P FREQ LES 5000 FT A/O LES 5 MI	42.2	40.6	30.8	19.7	13.2	8.9	9.9	19.8	16.8	18.5	25.8	29.0	22.9	12	12664
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	29.3	24.9	22.6	13.5	11.4	9.3	9.9	16.0	14.7	13.4	16.5	22.2	17.0	12	2803
03-05 LST	47.5	44.3	28.1	14.0	9.7	8.3	11.7	21.1	16.8	19.3	23.0	25.4	22.4	5	1498
06-08 LST	32.4	26.8	23.3	16.8	10.9	10.5	8.0	13.8	12.2	12.4	19.7	23.7	17.5	12	3004
09-11 LST	39.6	36.4	27.8	18.4	17.1	15.7	13.7	17.0	15.7	18.4	26.1	30.4	23.0	12	2704
12-14 LST	28.7	24.3	18.8	12.7	8.0	3.7	5.2	8.7	6.5	9.4	19.9	19.8	13.8	12	3042
15-17 LST	26.8	24.6	14.8	6.3	6.5	3.2	7.2	6.4	8.2	5.3	14.2	15.7	11.6	12	2875
18-20 LST	26.1	22.2	17.3	8.5	8.0	6.2	8.1	13.1	8.6	10.5	14.0	19.2	13.5	12	3165
21-23 LST	46.1	39.2	24.4	12.1	10.6	7.3	8.3	16.5	13.0	12.9	14.3	24.1	19.1	5	1507
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	6.5	7.1	4.6	1.9	2.2	0.0	0.9	2.2	4.0	2.0	2.3	3.6	3.1	12	2803
03-05 LST	9.1	6.2	3.7	1.7	2.4	0.0	0.8	1.6	0.8	4.1	1.4	5.1	3.1	5	1498
06-08 LST	5.0	5.2	2.6	0.8	0.8	0.0	0.4	0.8	0.4	1.5	1.8	5.2	2.0	12	3004
09-11 LST	5.1	3.9	1.7	1.4	1.5	0.5	0.5	0.9	0.4	1.1	1.7	1.2	1.7	12	2704
12-14 LST	4.5	0.8	1.9	0.8	0.8	0.8	0.4	1.1	0.0	0.7	2.9	1.9	1.4	12	3042
15-17 LST	4.4	2.1	2.7	0.8	0.0	0.0	0.8	0.4	0.0	0.4	0.4	1.6	1.1	12	2875
18-20 LST	4.4	2.1	2.5	1.5	1.1	0.4	0.8	1.1	0.7	1.4	1.9	1.1	1.6	12	3165
21-23 LST	9.8	6.2	8.1	5.6	1.6	0.8	1.7	3.1	0.8	2.0	3.6	2.2	3.8	5	1507

SURIGAO, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	22.0	21.1	25.0	26.3	28.5	28.0	29.0	28.1	27.5	26.2	25.0	315.4	12	3004
	14 LST	23.8	23.4	26.6	27.7	29.5	29.5	30.0	29.6	29.4	30.0	25.9	332.0	12	3042
	20 LST	23.5	23.2	26.8	28.5	29.1	28.6	29.4	28.1	28.1	28.5	27.1	327.4	12	3165
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	22.6	21.4	24.8	26.4	28.4	28.1	29.2	27.5	26.3	28.1	25.9	313.3	12	2803
	08 LST	17.7	16.6	21.6	23.5	25.1	24.8	26.2	22.7	22.9	23.1	21.2	264.7	12	2976
	14 LST	15.6	13.9	20.3	21.7	24.6	22.0	21.4	18.1	20.0	19.9	19.1	236.4	12	3006
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	20.0	19.2	23.8	26.6	27.8	25.6	25.7	22.3	23.5	24.7	23.4	283.9	12	3147
	02 LST	19.4	17.6	22.1	24.4	26.7	24.9	25.5	21.5	22.4	23.2	23.0	272.4	12	2771
	08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.0	1.2	0.3	0.3	3.2	12	3020
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	14 LST	0.4	0.2	0.0	0.2	0.1	0.5	0.7	1.8	0.6	1.2	0.5	6.5	12	3021
	20 LST	0.1	0.0	0.0	0.0	0.0	0.2	0.2	0.3	0.4	0.5	0.0	1.7	12	3164
	02 LST	0.1	0.1	0.0	0.0	0.0	0.0	0.3	0.9	0.8	0.5	0.3	3.1	12	2792
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	10.2	11.6	12.3	11.3	12.6	13.4	13.4	13.9	15.5	14.8	11.1	150.9	12	2974
	14 LST	15.2	15.0	19.0	21.3	19.0	17.0	18.5	13.7	15.0	16.6	15.9	203.1	12	2980
	20 LST	15.5	15.5	18.6	19.6	17.4	14.7	14.9	15.5	17.1	15.2	14.7	191.5	12	3119
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	10.9	9.6	11.2	8.4	9.3	9.0	12.0	12.5	11.3	12.0	11.1	125.7	12	2736
	08 LST	0.8	1.2	2.2	4.1	1.9	2.8	1.6	1.6	0.7	1.9	1.4	21.5	12	3030
	14 LST	1.0	1.5	1.9	5.7	3.0	1.4	1.7	1.4	1.7	2.5	1.4	24.1	12	3054
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	1.3	1.0	3.3	7.8	5.3	3.6	2.5	3.5	2.5	3.3	4.1	40.7	12	3182
	02 LST	0.7	0.4	1.3	3.5	2.3	2.5	1.6	1.5	1.1	2.0	2.1	20.2	12	2812
	08 LST	18.4	17.9	21.9	23.7	26.4	26.1	28.0	25.7	25.3	25.5	21.5	280.6	12	3004
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	14 LST	19.3	18.6	22.7	24.4	27.8	28.1	28.4	27.0	26.8	26.8	22.1	294.2	12	3042
	20 LST	21.1	20.4	23.9	26.7	27.6	27.2	27.5	25.5	25.7	26.8	24.3	298.8	12	3165
	02 LST	20.3	18.6	22.6	24.2	27.0	26.3	27.4	24.8	23.9	25.5	23.8	287.0	12	2803
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	18.2	17.9	21.8	23.7	26.4	26.1	28.0	25.7	25.3	25.1	21.4	279.3	12	3004
	14 LST	19.1	18.4	22.5	24.3	27.6	28.1	28.3	27.0	26.8	26.6	21.9	292.5	12	3042
	20 LST	20.9	20.4	23.7	26.7	27.3	26.9	27.4	25.3	25.5	26.8	24.2	296.7	12	3165
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	20.2	18.6	22.6	24.0	26.9	26.3	27.4	24.8	23.9	25.5	23.8	286.5	12	2803
	08 LST	18.2	17.8	21.8	23.7	26.3	26.0	28.0	25.7	25.3	25.1	21.4	279.0	12	3004
	14 LST	19.1	18.4	22.5	24.3	27.6	28.0	28.3	27.0	26.8	26.6	21.9	292.4	12	3042
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	20.9	20.4	23.7	26.7	27.3	26.9	27.4	25.3	25.5	26.8	24.2	296.7	12	3165
	02 LST	20.2	18.6	22.6	24.0	26.9	26.3	27.4	24.7	23.7	25.5	23.8	286.2	12	2803

CAGAYAN DE ORO, PHILIPPINES

STA NO. 98748 (IN AREA NUMBER 03) LONGITUDE 12436E ELEVATION(FT) 00610

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	94	96	96	94	97	96	97	97	97	96	97	94	97	15	5424
MEAN MAX TMP (F)	87	88	89	91	92	91	90	91	91	90	90	88	90	15	5424
MEAN MIN TMP (F)	70	71	71	72	74	73	72	72	72	72	72	71	72	15	5424
ABS MIN TMP (F)	62	61	65	61	69	67	68	68	68	68	65	63	61	15	5424
MEAN NO DYS TMP = OR GTR 90(F)	4.9	6.3	14.4	26.1	27.6	25.2	23.0	23.9	23.4	24.6	17.9	10.7	228.2	15	5424
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5424
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5424
MEAN DEW PT TMP (F)	73	72	73	73	75	74	74	74	74	74	74	73	74	12	15188
MEAN REL HUM (PCT)	84	83	81	78	80	81	81	82	82	81	81	82	81	12	14969
MEAN PRESS ALI (FT)	630	630	630	660	680	690	690	710	690	690	690	660	671	0	-50
MEAN PRECIP (IN)	3.70	2.30	1.40	1.30	4.90	8.60	8.90	7.90	8.50	7.80	4.80	4.20	64.3	27	-35
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS PKCP = OR GTR 0.1 IN	7.6	5.1	2.8	2.7	7.7	10.2	10.4	9.7	11.1	10.4	6.9	8.4	93.0	27	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.6	0.1	0.1	0.0	0.3	0.3	0.4	0.2	0.2	0.0	0.0	0.0	2.2	12	2305
MEAN NO DYS TSTMS	0.3	1.0	1.8	3.1	6.8	6.2	6.9	5.1	6.1	6.5	2.9	1.9	48.6	12	2311
P FREQ WND SPU = OR GTR 17 KTS	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.1	0.0	0.2	0.1	0.0	0.1	12	15114
P FREQ WND SPU = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	15114
P FREQ LES 5000 FT A/O LES 5 MI	9.8	8.0	6.0	2.7	4.7	5.6	8.4	7.6	5.9	6.9	5.1	7.1	6.5	12	14985
P FREQ LES 1500 FT A/O LES 3 MI	2.6	2.0	1.2	0.4	0.8	2.4	1.9	1.2	1.6	2.0	1.2	2.9	1.7	12	3065
FOR 00-02 LST															
FOR 03-05 LST	2.6	0.7	0.0	0.0	0.7	0.0	0.0	0.0	1.4	0.0	0.0	1.4	0.6	5	1383
FOR 06-08 LST	2.2	1.9	0.7	0.4	0.7	1.1	0.4	0.4	0.4	0.8	1.0	1.4	1.0	12	3255
FOR 09-11 LST	3.8	1.6	0.8	0.0	0.0	1.0	1.6	0.6	0.0	0.9	0.4	1.1	1.0	12	2687
FOR 12-14 LST	1.8	3.9	1.0	1.5	1.8	2.0	1.4	1.0	1.8	1.7	1.5	2.1	1.8	12	3339
FOR 15-17 LST	4.5	3.6	2.6	2.3	4.0	5.4	6.3	1.8	2.2	3.5	6.6	3.3	3.8	12	2691
FOR 18-20 LST	6.4	3.3	4.1	1.8	5.2	7.2	10.6	5.8	9.5	8.6	3.3	5.6	6.0	12	3407
FOR 21-23 LST	0.7	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.2	5	1388
P FREQ LES 300 FT A/O LES 1 MI	0.4	0.0	0.4	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	3065
FOR 00-02 LST															
FOR 03-05 LST	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1383
FOR 06-08 LST	0.4	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	3255
FOR 09-11 LST	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	2687
FOR 12-14 LST	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.1	12	3339
FOR 15-17 LST	0.0	0.4	0.7	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.2	12	2691
FOR 18-20 LST	1.4	0.4	1.0	0.4	1.0	3.2	2.4	0.3	2.5	2.6	0.7	0.7	1.4	12	3407
FOR 21-23 LST	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1388

CAGAYAN DE ORO, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 30.9	27.7	31.0	29.8	30.9	29.8	31.0	31.0	29.9	30.9	29.9	30.9	30.9	12	3255
	14 LST 31.0	27.8	30.9	29.9	30.9	29.9	30.9	30.9	29.8	30.8	29.9	30.7	30.7	12	3339
	20 LST 30.0	27.8	30.6	29.8	30.2	28.5	29.2	30.0	28.4	29.9	29.6	30.5	30.5	12	3407
	02 LST 30.6	28.0	30.8	30.0	30.9	29.7	31.0	30.8	29.9	30.7	30.0	30.5	30.5	12	3065
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST 29.9	27.4	30.8	29.8	30.6	29.5	30.9	30.6	29.5	29.5	29.7	30.6	30.6	12	3226
	14 LST 29.7	26.2	30.4	27.8	29.8	29.3	30.4	30.2	29.2	29.6	29.4	30.1	30.1	12	3300
	20 LST 28.3	26.3	29.2	29.1	28.7	27.2	26.5	28.4	26.1	27.5	28.4	28.6	28.6	12	3390
	02 LST 29.9	27.3	30.4	29.6	30.5	29.3	29.8	30.3	29.3	30.0	29.6	29.6	29.6	12	3036
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	12	3263
	14 LST 0.0	0.0	0.0	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3326
	20 LST 0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	12	3423
	02 LST 0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.3	12	3058
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 2.7	1.9	1.8	1.3	0.5	0.9	1.5	2.1	2.2	1.5	0.4	1.4	1.4	12	3235
	14 LST 16.2	15.7	17.2	10.3	6.7	7.1	11.5	8.8	8.7	9.1	9.5	12.6	133.4	12	3284
	20 LST 2.4	3.2	2.7	2.8	1.6	0.5	0.7	0.4	0.4	0.6	0.4	1.4	17.1	12	3411
	02 LST 2.5	2.3	1.8	1.3	1.8	1.7	1.6	1.6	1.4	0.6	0.7	1.8	19.1	12	3015
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 4.7	5.3	9.2	11.3	6.8	4.8	6.0	3.6	4.9	6.5	6.6	6.1	75.8	12	3248
	14 LST 1.6	3.0	4.8	5.3	1.9	1.0	1.1	0.5	1.0	1.5	2.0	2.9	26.6	12	3351
	20 LST 4.4	3.2	4.8	4.9	0.7	0.2	0.5	0.8	0.6	1.3	2.9	3.2	27.5	12	3432
	02 LST 6.6	6.9	9.0	10.1	5.3	2.9	1.1	2.1	2.0	3.9	4.6	5.0	59.5	12	3081
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 29.3	26.7	30.1	29.4	30.7	29.0	30.3	30.3	29.2	29.8	29.1	29.4	353.3	12	3255
	14 LST 28.7	25.6	29.4	28.5	29.6	28.0	29.7	29.3	28.2	29.3	28.7	29.0	344.0	12	3339
	20 LST 26.7	25.0	27.4	28.4	26.2	24.0	23.9	24.5	22.6	23.7	25.7	26.3	304.4	12	3407
	02 LST 28.4	26.3	29.7	29.4	29.5	27.9	28.5	29.1	28.2	28.9	28.4	28.6	342.9	12	3065
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 28.4	26.1	29.7	29.0	30.3	28.5	29.8	28.9	28.4	29.0	28.4	28.1	344.6	12	3255
	14 LST 27.8	25.0	28.5	28.1	29.2	27.1	29.2	28.5	27.6	28.4	27.4	27.7	334.5	12	3339
	20 LST 24.8	23.4	25.6	27.8	24.2	21.5	20.8	21.2	20.0	20.5	23.5	24.1	277.4	12	3407
	02 LST 27.0	25.8	29.5	29.0	28.9	25.9	27.1	27.9	27.3	27.9	27.6	27.5	331.4	12	3065
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 28.4	26.1	29.7	29.0	30.3	28.4	29.8	28.9	28.4	29.0	28.4	28.0	344.4	12	3255
	14 LST 27.8	25.0	28.5	28.1	29.2	27.1	29.2	28.5	27.6	28.3	27.4	27.7	334.4	12	3339
	20 LST 24.3	23.4	25.6	27.7	24.2	21.5	20.8	21.1	20.0	20.5	23.5	24.1	277.2	12	3407
	02 LST 27.0	25.6	29.3	29.0	28.9	25.3	27.1	27.9	27.3	27.7	27.6	27.4	330.1	12	3065

MALAYBALAY, PHILIPPINES

STA NO. 98751 (IN AREA NUMBER 03)

LATITUDE 0809N LONGITUDE 12505E ELEVATION(FT) 02106

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	91	91	92	93	92	91	88	89	92	90	90	90	93	15	5169
MEAN MAX TMP (F)	82	83	85	87	86	83	83	82	83	84	84	83	84	15	5169
MEAN MIN TMP (F)	64	64	64	65	66	66	66	66	66	66	66	65	65	15	5168
ABS MIN TMP (F)	53	55	54	56	60	55	55	62	62	60	58	58	53	15	5168
MEAN NO DYS TMP = OR GTR 90(F)	0.1	0.4	1.3	4.5	1.3	0.2	0.0	0.0	0.1	0.2	0.1	0.1	8.3	15	5169
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5168
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5168
MEAN DEW PT TMP (F)	66	66	66	67	69	68	68	69	69	68	67	67	68	6	7900
MEAN REL HUM (PCT)	85	85	82	79	85	87	87	88	87	86	83	83	85	6	7909
MEAN PRESS AL1 (FT)														0	0
MEAN PRECIP (IN)	4.62	3.67	4.03	3.72	10.01	13.00	14.09	13.79	14.15	12.63	7.27	6.98	108.0	15	5162
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.3	6.7	6.9	7.8	14.6	17.0	18.0	18.0	19.1	16.0	11.2	10.9	154.5	15	5162
MEAN NO DYS SNPL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	2.1	1.9	1.7	0.5	5.1	4.4	5.8	5.4	6.3	5.6	1.8	3.3	43.9	6	1490
MEAN NO DYS TSTMS	0.0	0.8	0.2	0.2	1.7	1.7	1.6	2.4	3.2	2.6	0.4	0.2	15.0	6	1501
P FREU WND SPU = OR GTR 17 KTS	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.1	0.0	6	7965
P FREU WND SPU = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	7965
P FREU LES 5000 FT A/O LES 5 MI	44.5	48.2	38.3	34.0	48.9	50.8	45.2	58.6	51.3	47.9	37.4	37.1	45.2	6	7909
P FREU LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	10.3	7.4	2.5	1.0	8.1	18.6	12.6	12.9	13.6	10.7	6.1	7.9	9.3	12	2462
03-05 LST	7.7	9.8	10.3	0.0	3.6	30.6	20.4	30.8	29.1	9.1	8.7	6.3	13.9	2	552
06-08 LST	3.2	5.8	4.0	0.5	4.6	7.9	7.5	10.8	9.0	6.6	5.5	3.4	5.7	12	2696
09-11 LST	3.6	2.4	1.7	0.0	5.4	11.4	6.1	10.9	10.9	4.5	6.3	2.1	5.4	2	559
12-14 LST	4.7	3.4	3.2	2.7	5.3	5.1	5.5	9.6	10.0	7.4	4.7	5.4	5.6	12	2789
15-17 LST	11.1	11.9	8.6	2.4	9.1	11.8	20.4	20.0	22.2	11.4	8.3	2.1	11.6	2	555
18-20 LST	7.0	10.0	2.4	4.2	13.3	25.2	22.5	25.9	22.2	16.8	5.6	7.6	13.6	6	1779
21-23 LST	19.2	14.3	6.9	0.0	14.3	20.0	10.2	23.6	21.8	11.4	8.3	8.5	13.2	2	557
P FREU LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	2.4	1.1	0.0	0.5	1.9	6.4	3.0	1.9	1.9	3.3	2.2	3.1	2.3	12	2462
03-05 LST	3.8	0.0	5.2	0.0	1.8	8.3	2.0	3.8	5.5	0.0	4.3	0.0	2.9	2	552
06-08 LST	0.0	0.0	0.4	0.0	0.5	0.0	1.3	0.0	0.9	0.8	0.4	0.0	0.4	12	2696
09-11 LST	0.0	0.0	0.0	0.0	1.8	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.3	2	559
12-14 LST	0.0	0.0	0.0	0.4	0.4	1.5	0.4	1.2	2.3	1.6	0.4	0.8	0.8	12	2789
15-17 LST	0.0	0.0	3.4	0.0	1.8	0.0	6.1	1.8	3.7	4.5	0.0	0.0	1.8	2	555
18-20 LST	2.6	3.1	1.2	0.7	6.3	11.0	7.9	11.4	8.2	5.6	1.2	3.5	5.2	6	1779
21-23 LST	3.8	2.4	3.4	0.0	8.9	5.7	0.0	3.6	1.8	2.3	2.1	2.1	3.0	2	557

MALAYBALAY, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	30.7	27.7	30.4	29.9	30.4	29.5	29.9	29.2	29.9	29.4	30.6	357.8	12	2696
	14 LST	30.7	27.6	30.4	29.6	30.1	29.1	29.7	28.5	30.2	29.3	30.3	355.6	12	2789
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	20 LST	28.3	25.6	29.1	27.9	25.7	22.9	22.2	21.6	26.2	28.5	27.5	306.8	6	1779
	02 LST	28.4	26.4	30.7	29.8	28.9	27.9	28.6	27.7	27.7	27.9	28.7	340.4	12	2462
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WIND LES 10 KTS	08 LST	29.0	25.4	29.3	29.9	29.1	26.5	25.2	26.0	28.0	27.6	29.0	331.6	12	2672
	14 LST	26.7	24.8	27.8	28.5	28.1	27.2	25.5	25.4	26.8	26.7	27.1	322.3	12	2764
SFC WIND = GTR 17 KTS AND NO PRECIP.	20 LST	25.8	23.9	28.9	26.6	23.3	19.8	17.4	17.3	21.7	27.0	26.3	274.8	6	1778
	02 LST	25.9	24.3	29.4	29.5	26.4	21.8	24.4	22.1	24.4	26.5	26.7	305.3	12	2442
SFC WIND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.1	0.0	0.0	0.1	0.9	12	2707
	14 LST	0.2	0.1	0.2	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.2	1.1	12	2779
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	6	1787
	02 LST	0.0	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.1	0.5	12	2461
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	7.3	6.3	6.0	5.0	4.4	4.4	3.9	5.9	8.1	8.6	3.6	67.9	12	2659
	14 LST	18.7	16.2	17.8	16.5	14.2	13.4	17.8	17.2	16.0	15.9	18.3	197.5	12	2740
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	5.8	3.1	1.7	1.7	1.0	0.5	1.8	2.0	3.6	2.5	3.0	31.5	6	1772
	02 LST	4.5	2.5	2.2	0.6	0.6	1.8	2.4	3.1	2.4	3.5	5.2	33.7	12	2419
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	5.4	5.4	11.1	16.7	9.6	6.8	6.9	3.7	5.4	9.4	8.2	95.1	12	2716
	14 LST	1.8	1.2	2.7	2.5	0.7	1.1	0.9	0.5	0.7	1.6	0.8	15.8	12	2802
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	7.3	6.4	11.7	9.2	3.3	2.8	1.4	1.3	0.8	3.3	8.4	62.2	6	1780
	02 LST	7.9	7.5	13.3	15.5	7.4	5.8	4.3	5.1	4.6	6.4	8.8	95.7	12	2475
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	24.2	20.3	25.3	27.2	25.3	23.7	23.3	20.4	22.0	23.8	24.2	284.8	12	2696
	14 LST	22.9	20.7	25.3	25.1	23.4	22.0	23.1	20.6	19.2	21.8	23.8	271.8	12	2789
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	21.5	18.9	25.2	21.7	17.5	15.1	13.1	13.2	13.5	16.0	22.9	220.8	6	1779
	02 LST	21.4	20.8	25.0	25.6	21.0	17.3	19.2	18.6	18.0	20.2	22.7	252.8	12	2462
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	20.1	16.1	22.4	25.2	22.4	21.8	19.8	16.1	18.5	20.7	21.7	246.0	12	2696
	14 LST	13.0	10.6	13.3	12.3	10.8	10.9	13.2	7.0	7.6	10.0	13.1	134.5	12	2789
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	18.5	15.1	22.4	17.7	12.7	10.4	10.3	8.6	9.9	11.5	18.8	174.8	6	1779
	02 LST	17.8	18.1	21.7	22.8	17.2	13.6	15.3	14.0	14.9	17.4	19.8	212.5	12	2462
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	18.1	15.5	21.1	24.8	21.6	20.8	18.6	14.8	17.4	20.4	21.1	234.4	12	2696
	14 LST	12.7	10.1	13.2	12.2	10.4	9.9	13.1	6.9	7.4	10.0	12.9	131.5	12	2789
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	17.9	13.8	21.0	16.9	11.6	7.8	8.6	7.1	9.1	10.4	17.9	160.6	6	1779
	02 LST	17.6	17.1	21.0	22.5	15.8	11.7	12.8	12.1	12.8	15.7	19.0	196.5	12	2462

FRANCISCO BANGYO, PHILIPPINES

STA NO. 98753 (IN AREA NUMBER 03)

LATITUDE 0707N LONGITUDE 12539E

ELEVATION(FT) 00088

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
ABS MAX TMP (F)	94	94	97	97	96	94	94	96	92	94	93	94	97	15	-98754
MEAN MAX TMP (F)	87	88	90	91	90	88	88	88	88	89	89	88	89	15	-98754
MEAN MIN TMP (F)	72	72	72	73	74	73	73	73	73	73	73	72	73	15	-98754
ABS MIN TMP (F)	66	66	67	69	70	69	68	68	69	69	67	65	65	15	-98754
MEAN NO DYS TMP = OR GTR 90(F)	8.6	9.7	20.7	23.3	17.6	8.5	5.4	6.8	7.4	17.2	15.8	10.9	151.9	15	-98754
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-98754
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-98754
MEAN DEW PT TMP (F)	72	72	72	73	74	74	74	74	74	74	74	73	73	12	-98754
MEAN REL HUM (PCT)	81	82	78	79	82	83	84	83	83	82	82	82	82	12	-98754
MEAN PRESS ALT (FT)	178	188	178	188	198	188	178	188	178	178	198	188	186	0	-50
MEAN PRECIP (IN)	4.80	4.50	5.20	5.80	9.20	9.10	6.50	6.50	6.70	7.90	5.30	6.10	77.6	34	-98754
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.3	8.9	7.9	8.4	10.6	10.5	8.6	8.6	9.2	10.5	7.5	11.2	111.2	34	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-98754
MEAN NO DYS TSTMS	1.6	1.3	3.0	5.6	9.1	9.6	10.4	7.4	10.8	1.0	6.5	3.8	80.1	12	-98754
P FREQ WND SPU = OR GTR 17 KTS	0.4	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	-98754
P FREQ WND SPU = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-98754
P FREQ LES 5000 FI A/O LES 5 MI	11.0	14.7	9.7	10.8	12.6	9.3	9.4	6.4	9.1	7.9	6.4	8.4	9.6	12	-98754
P FREQ LES 1500 FI A/O LES 3 MI															
FOR 00-02 LST	4.3	3.9	2.0	1.8	5.5	6.1	6.3	4.7	2.1	2.8	1.1	3.3	3.7	12	-98754
03-05 LST	3.2	3.6	0.9	1.0	2.5	3.0	0.0	0.7	0.0	0.0	0.7	2.0	1.5	5	-98754
06-08 LST	1.6	2.7	1.4	0.8	2.3	1.2	1.6	1.4	0.8	0.4	1.0	1.3	1.4	12	-98754
09-11 LST	3.7	3.0	1.7	0.0	0.4	1.9	0.0	0.4	0.0	0.9	0.7	2.8	1.3	12	-98754
12-14 LST	5.0	3.9	2.8	1.5	2.8	1.3	1.1	1.7	1.1	0.7	1.1	2.4	2.1	12	-98754
15-17 LST	6.4	7.0	3.9	3.2	4.9	3.6	3.7	2.4	5.2	3.4	4.4	3.4	4.3	12	-98754
18-20 LST	7.1	7.1	6.4	8.2	11.6	10.7	13.5	7.4	11.0	9.2	6.6	5.7	8.7	12	-98754
21-23 LST	3.1	4.8	3.7	6.0	10.7	15.4	12.1	9.9	12.2	9.9	6.1	6.3	8.4	12	-98754
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	2.2	0.0	0.8	0.4	0.8	1.3	1.9	1.2	0.8	1.2	0.0	0.7	0.9	12	-98754
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-98754
06-08 LST	0.0	0.4	0.7	0.0	0.0	0.0	0.4	0.4	0.4	0.0	0.3	0.3	0.2	12	-98754
09-11 LST	1.4	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	1.1	0.3	12	-98754
12-14 LST	0.8	0.8	0.7	0.0	0.4	0.0	0.4	0.3	0.0	0.0	0.4	1.0	0.4	12	-98754
15-17 LST	1.7	2.2	1.9	2.3	0.8	0.4	0.0	0.7	0.9	0.4	1.0	0.0	1.0	12	-98754
18-20 LST	0.7	0.6	1.2	2.7	2.6	1.3	2.4	1.7	2.7	0.9	1.5	0.9	1.6	12	-98754
21-23 LST	1.9	0.5	0.9	2.3	4.0	4.1	4.4	2.7	3.9	4.4	2.8	2.5	2.9	12	-98754

FRANCISCO BANGROY, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	30.4	27.8	30.7	29.9	30.5	29.9	30.8	30.9	29.9	31.0	29.7	30.8	362.3	12	-98754
	14 LST	29.8	27.2	30.4	29.8	30.5	29.9	30.9	30.8	29.7	30.9	29.6	30.6	360.1	12	-98754
	20 LST	29.5	27.1	29.7	28.7	29.0	28.3	27.9	29.4	28.1	29.5	29.0	30.3	346.5	12	-98754
	02 LST	30.0	27.2	30.6	29.7	30.3	28.8	29.6	30.1	29.6	30.5	29.8	30.4	356.6	12	-98754
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	29.4	26.0	29.3	29.2	30.0	29.5	30.2	30.5	29.5	30.9	29.3	29.8	353.6	12	-98754
	14 LST	19.9	21.0	23.2	27.3	29.8	29.6	30.3	29.3	28.6	30.3	28.4	25.3	323.0	12	-98754
	20 LST	26.8	24.2	27.9	26.8	25.1	24.9	26.0	27.9	25.5	26.7	26.8	28.1	316.7	12	-98754
	02 LST	29.2	26.1	29.9	29.3	28.9	28.1	28.6	29.5	29.2	29.9	29.6	29.7	348.0	12	-98754
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.2	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.5	12	-98754
	14 LST	0.7	0.1	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	12	-98754
	20 LST	0.0	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	12	-98754
	02 LST	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	12	-98754
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	22.4	18.4	22.4	20.8	14.1	8.0	8.7	7.2	7.3	9.6	17.2	21.1	177.5	12	-98754
	14 LST	15.2	15.8	12.0	8.9	12.7	18.2	20.3	20.4	19.2	12.5	12.5	16.3	184.0	12	-98754
	20 LST	15.8	12.1	11.9	8.8	7.8	7.1	7.0	10.6	8.2	7.9	8.7	12.7	118.6	12	-98754
	02 LST	14.1	11.4	12.6	8.2	5.2	4.0	5.1	6.0	5.8	5.1	8.1	14.0	99.6	12	-98754
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	4.7	4.2	8.8	9.4	6.0	4.0	4.5	3.6	4.7	6.6	6.3	5.9	69.0	12	-98754
	14 LST	2.6	1.1	2.7	3.7	2.0	2.2	2.9	1.6	2.0	2.4	2.1	2.3	27.6	12	-98754
	20 LST	3.4	2.9	4.8	2.6	1.1	0.9	0.9	1.0	1.0	1.1	1.4	2.6	23.7	12	-98754
	02 LST	5.0	5.0	6.9	6.4	2.8	1.3	1.3	1.6	1.2	3.4	5.0	5.3	45.2	12	-98754
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	29.9	26.6	30.4	29.5	29.8	29.1	30.4	30.4	29.2	30.9	29.4	30.2	355.8	12	-98754
	14 LST	27.8	25.3	29.3	28.9	29.2	29.5	30.1	30.3	29.5	30.4	29.3	29.5	349.1	12	-98754
	20 LST	26.5	23.5	27.3	25.1	23.5	23.9	24.4	26.7	24.2	25.5	26.0	27.0	303.6	12	-98754
	02 LST	28.9	26.1	30.0	24.5	28.2	27.5	28.1	29.0	29.0	29.4	29.2	29.7	343.6	12	-98754
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	29.0	25.1	29.8	29.0	29.4	28.7	30.0	30.2	28.8	30.3	29.2	29.2	348.7	12	-98754
	14 LST	26.1	23.7	27.8	27.8	28.1	29.3	29.5	30.1	29.3	29.9	28.8	28.8	339.2	12	-98754
	20 LST	24.3	20.6	23.9	22.0	20.8	21.9	22.6	24.7	21.9	22.8	24.4	25.1	275.0	12	-98754
	02 LST	27.9	24.1	29.0	27.5	26.1	26.5	27.2	28.5	27.8	29.1	29.0	29.2	331.9	12	-98754
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	29.0	24.9	29.8	29.0	29.2	28.5	30.0	30.2	28.8	30.3	29.2	29.2	348.1	12	-98754
	14 LST	26.1	23.6	27.8	27.8	28.1	29.3	29.5	30.1	29.1	29.9	28.8	28.7	338.8	12	-98754
	20 LST	24.1	20.3	23.6	21.9	20.5	21.7	22.5	24.7	21.8	22.8	24.3	25.1	273.3	12	-98754
	02 LST	27.9	23.6	28.9	27.3	26.1	26.2	27.2	28.5	27.6	29.1	29.0	29.0	330.4	12	-98754

DAVAO, PHILIPPINES

LATITUDE 0707N LONGITUDE 12538E ELEVATION(FT) 00080

STA NO. 98754 (IN AREA NUMBER 03)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	94	94	97	97	96	94	94	96	92	94	93	94	97	15	5334
MEAN MAX TMP (F)	87	88	90	91	90	88	88	88	88	89	89	88	89	15	5334
MEAN MIN TMP (F)	72	72	72	73	74	73	73	73	73	73	73	72	73	15	5334
ABS MIN TMP (F)	66	66	67	69	70	69	68	68	69	69	67	65	65	15	5334
MEAN NO DYS TMP = OR GTR 90(F)	8.6	9.7	20.7	23.3	17.6	8.5	5.4	6.8	7.4	17.2	15.8	10.9	151.9	15	5334
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5334
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5334
MEAN DEW PT TMP (F)	72	72	72	73	74	74	74	74	74	74	74	73	73	12	17135
MEAN REL HUM (PCT)	81	82	78	79	82	83	84	83	83	82	82	82	82	12	16742
MEAN PRESS ALI (F)	177	149	177	177	204	204	221	232	259	232	232	204	205	0	-50
MEAN PRECIP (IN)	4.90	4.50	5.20	5.80	9.20	9.10	6.50	6.50	6.70	7.90	5.30	6.10	77.6	34	-35
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS PKCP = OR GTR 0.1 IN	9.3	8.9	7.9	8.4	10.6	10.5	8.6	8.6	9.2	10.5	7.5	11.2	111.2	34	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS W/OCUK V5BY LES 1/2 MI	0.0	0.0	0.0	0.3	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.6	12	2525
MEAN NO DYS TSTMS	1.6	1.3	3.0	5.6	9.1	9.6	10.4	7.4	10.8	11.0	6.5	3.8	80.1	12	2528
P FREQ WND SPD = UR GTR 17 KTS	0.4	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	17113
P FREQ WND SPD = UR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	17113
P FREQ LES 5000 FT A/O LES 5 MI	11.0	14.7	9.7	10.8	12.6	9.3	9.4	6.4	9.1	7.9	6.4	8.4	9.6	12	16809
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	4.3	3.9	2.0	1.8	5.5	6.1	6.3	4.7	2.1	2.8	1.1	3.3	3.7	12	3015
03-05 LST	3.2	3.6	0.9	1.0	2.5	3.0	0.0	0.7	0.0	0.0	0.7	2.0	1.5	5	1474
06-08 LST	1.6	2.7	1.4	0.8	2.3	1.2	1.6	1.4	0.8	0.4	1.0	1.3	1.4	12	3220
09-11 LST	3.7	3.0	1.7	0.0	0.4	1.9	0.0	0.4	0.0	0.9	0.7	2.8	1.3	12	2889
12-14 LST	5.0	3.9	2.8	1.5	2.8	1.3	1.1	1.7	1.1	0.7	1.1	2.4	2.1	12	3292
15-17 LST	6.4	7.0	3.9	3.2	4.9	3.6	3.7	2.4	5.2	3.4	4.4	3.4	4.3	12	3098
18-20 LST	7.1	7.1	6.4	8.2	11.6	10.7	13.5	7.4	11.0	9.2	6.6	5.7	8.7	12	3967
21-23 LST	3.1	4.8	3.7	6.0	10.7	15.4	12.1	9.9	12.2	9.9	6.1	6.3	8.4	12	2680
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	2.2	0.0	0.8	0.4	0.8	1.3	1.9	1.2	0.8	1.2	0.0	0.7	0.9	12	3015
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1474
06-08 LST	0.0	0.4	0.7	0.0	0.0	0.0	0.4	0.4	0.4	0.0	0.3	0.3	0.2	12	3220
09-11 LST	1.4	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	1.1	0.3	12	2889
12-14 LST	0.8	0.8	0.7	0.0	0.4	0.0	0.4	0.3	0.0	0.0	0.4	1.0	0.4	12	3292
15-17 LST	1.7	2.2	1.9	2.3	0.8	0.4	0.0	0.7	0.9	0.4	1.0	0.0	1.0	12	3098
18-20 LST	0.7	0.6	1.2	2.7	2.6	1.3	2.4	1.7	2.7	0.9	1.5	0.9	1.6	12	3967
21-23 LST	1.9	0.5	0.9	2.3	4.0	4.1	4.4	2.7	3.9	4.4	2.8	2.5	2.9	12	2680

DAVAO, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS		
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	30.4	27.8	30.7	29.9	30.5	29.9	30.8	30.9	29.9	29.7	31.0	29.7	30.8	362.3	12	3220
	14 LST	29.8	27.2	30.4	29.8	30.5	29.9	30.9	29.7	30.9	29.6	30.9	29.6	30.6	360.1	12	3292
	20 LST	29.5	27.1	29.7	28.7	29.0	28.3	27.9	29.4	28.1	29.5	29.5	29.0	30.3	346.5	12	3967
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	30.0	27.2	30.6	29.7	30.3	28.8	29.6	30.1	29.6	30.5	29.8	30.4	356.6	12	3015	
	08 LST	29.4	26.0	29.3	29.2	30.0	29.5	30.2	30.5	29.5	29.3	30.9	29.3	29.8	353.6	12	3195
	14 LST	19.9	21.0	23.2	27.3	29.8	29.6	30.3	29.3	28.6	30.3	28.4	25.3	323.0	12	3268	
	20 LST	26.8	24.2	27.9	26.8	25.1	24.9	26.0	27.9	25.5	26.7	26.8	28.1	316.7	12	3961	
	02 LST	29.2	26.1	29.9	29.3	28.9	28.1	28.6	29.5	29.2	29.9	29.6	29.7	348.0	12	2984	
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.2	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.5	12	3250
	14 LST	0.7	0.1	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	12	3275
	20 LST	0.0	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	12	3976
	02 LST	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	12	3010
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	22.4	18.4	22.4	20.8	14.1	8.0	8.7	7.2	7.3	9.6	17.3	21.1	177.5	12	3204	
	14 LST	15.2	15.8	12.0	8.9	12.7	18.2	20.3	20.4	19.2	12.5	12.5	16.3	184.0	12	3241	
	20 LST	15.8	12.1	11.9	8.8	7.6	7.1	7.0	10.6	8.2	7.9	8.7	12.7	118.6	12	3960	
	02 LST	14.1	11.4	12.6	8.2	5.2	4.0	5.1	6.0	5.8	5.1	8.1	14.0	99.6	12	2965	
	08 LST	4.7	4.5	8.8	9.4	6.0	4.0	4.5	3.6	4.7	6.6	6.3	5.9	69.0	12	3255	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	14 LST	2.6	1.1	2.7	3.7	2.0	2.2	2.9	1.6	2.0	2.4	2.1	2.3	27.6	12	3288	
	20 LST	3.4	2.9	4.8	2.6	1.1	0.9	0.9	1.0	1.0	1.1	1.4	2.6	23.7	12	3978	
	02 LST	5.0	5.0	6.9	6.4	2.8	1.3	1.3	1.6	1.2	3.4	5.0	5.3	45.2	12	3039	
	08 LST	29.9	26.6	30.4	29.5	29.8	29.1	30.4	30.4	29.2	30.9	29.4	30.2	355.8	12	3220	
	14 LST	27.8	25.3	29.3	28.9	29.2	29.5	30.1	30.3	29.5	30.4	29.3	29.5	349.1	12	3292	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	26.5	23.5	27.3	25.1	23.5	23.9	24.4	26.7	24.2	25.5	26.0	27.0	303.6	12	3967	
	02 LST	28.9	26.1	30.0	28.5	28.2	27.5	28.1	29.0	29.0	29.4	29.2	29.7	343.6	12	3015	
	08 LST	29.0	25.1	29.8	29.0	29.4	28.7	30.0	30.2	28.8	30.3	29.2	29.2	348.7	12	3220	
	14 LST	26.1	23.7	27.8	27.8	28.1	29.3	29.5	30.1	29.3	29.9	28.8	28.8	339.2	12	3292	
	20 LST	24.3	20.6	23.9	22.0	20.6	21.9	22.6	24.7	21.9	22.8	24.4	25.1	275.0	12	3967	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	27.9	24.1	29.0	27.5	26.1	26.5	27.2	28.5	27.8	29.1	29.0	29.2	331.9	12	3015	
	08 LST	29.0	24.9	29.8	29.0	29.2	28.5	30.0	30.2	28.8	30.3	29.2	29.2	348.1	12	3220	
	14 LST	26.1	23.6	27.8	27.8	28.1	29.3	29.5	30.1	29.1	29.9	28.8	20.7	338.8	12	3292	
	20 LST	24.1	20.3	23.6	21.9	20.5	21.7	22.5	24.7	21.8	22.8	24.3	25.1	273.3	12	3967	
	02 LST	27.9	23.6	28.9	27.3	26.1	26.2	27.2	28.5	27.6	29.1	29.0	29.0	330.4	12	3015	

HINATUAN, PHILIPPINES

STA NO. 98755 (IN AREA NUMBER 03) LATITUDE 0822N LONGITUDE 12620E ELEVATION (FT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	91	91	91	93	94	95	96	96	96	95	95	93	96	15	5076
MEAN MAX TMP (F)	84	84	86	87	88	88	89	89	89	89	88	86	87	15	5076
MEAN MIN TMP (F)	72	72	72	72	73	73	72	73	72	72	72	72	72	15	5052
ABS MIN TMP (F)	65	65	65	65	69	69	68	68	68	69	67	66	65	15	5052
MEAN NO DYS TMP = OR GTR 90(F)	0.7	0.2	0.3	3.1	6.9	10.4	11.6	14.5	14.7	12.5	7.1	2.8	84.8	15	5076
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5052
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5052
MEAN DEW PT TMP (F)	74	74	75	75	76	76	75	75	75	75	75	75	75	5	10647
MEAN REL HUM (PCT)	92	92	91	87	89	86	86	85	87	87	89	90	88	5	10657
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	30.10	21.40	20.01	12.83	12.43	11.04	9.29	7.66	8.52	8.27	14.33	27.40	183.3	15	5047
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS PKCP = OR GTR 0.1 IN	22.3	19.8	19.3	15.9	15.7	14.1	12.4	11.1	11.4	12.5	14.8	21.0	190.3	15	5047
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS W/OCUK VSBY LES 1.2 MI	0.7	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	1.4	5	1584
MEAN NO DYS TSTMS	0.7	0.7	0.2	1.4	4.3	3.7	4.9	3.6	9.9	6.8	2.6	1.1	39.9	5	1585
P FREQ WND SPD = OR GTR 17 KTS	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	11155
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	11155
P FREQ LES 5000 FT A/O LES 5 MI	19.1	19.2	14.6	7.5	7.4	5.6	4.4	4.2	5.0	4.3	8.4	8.6	9.0	5	11146
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	3.7	1.1	1.9	1.5	0.0	0.0	0.0	0.0	0.5	0.5	1.3	2.2	1.1	12	2520
03-05 LST	6.3	2.5	1.9	0.0	0.9	0.0	0.8	0.0	0.0	0.0	0.0	0.0	1.0	5	1279
06-08 LST	1.3	2.3	0.5	0.0	1.3	0.5	0.0	0.0	0.0	0.0	1.1	0.8	0.7	12	2779
09-11 LST	4.9	2.5	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.7	5	1286
12-14 LST	2.2	0.9	0.9	0.0	0.8	0.0	0.8	0.0	0.0	0.0	0.8	0.8	0.6	12	2852
15-17 LST	5.0	2.5	0.9	0.0	0.0	0.0	0.0	0.8	1.7	0.0	0.9	1.0	1.1	5	1285
18-20 LST	1.5	3.2	2.2	0.7	0.0	0.7	0.7	0.7	3.4	1.4	1.4	3.4	1.6	5	1682
21-23 LST	6.2	5.0	0.9	1.9	0.8	0.0	0.0	0.8	1.7	0.0	1.7	1.9	1.7	5	1289
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	1.9	0.0	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.9	0.4	12	2520
03-05 LST	1.3	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	5	1279
06-08 LST	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.2	12	2779
09-11 LST	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	5	1286
12-14 LST	1.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.4	0.3	12	2852
15-17 LST	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1285
18-20 LST	0.7	0.8	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	1.4	0.7	0.6	5	1682
21-23 LST	3.7	1.3	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	1.9	0.7	5	1289

HINATUAN, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 30.6	27.6	31.0	30.0	30.6	30.0	31.0	31.0	29.9	31.0	29.6	30.3	362.6	12	2779
	14 LST 30.4	27.9	30.8	30.0	30.8	30.0	31.0	31.0	30.0	31.0	29.6	30.6	363.1	12	2852
	20 LST 30.8	27.1	30.5	29.8	30.8	30.0	30.8	31.0	29.0	30.6	29.6	30.1	360.1	5	1682
	02 LST 30.4	28.0	30.5	29.6	31.0	29.8	30.8	31.0	29.9	30.6	29.6	30.4	361.6	12	2520
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	08 LST 29.7	26.8	30.4	30.0	30.6	29.7	30.8	31.0	29.9	30.7	29.4	30.2	359.2	12	2756
	14 LST 29.4	26.9	30.0	29.2	30.0	29.9	29.9	30.4	29.5	30.5	29.5	30.3	355.6	12	2837
	20 LST 30.3	26.4	30.1	29.3	30.8	29.3	30.6	30.8	28.7	30.6	29.4	29.7	356.0	5	1681
	02 LST 29.2	27.1	30.1	29.1	31.0	29.8	30.7	31.0	29.7	30.3	29.3	30.0	357.3	12	2505
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.4	12	2759
	14 LST 0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.3	12	2852
	20 LST 0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1685
	02 LST 0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.2	12	2514
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 2.0	2.9	3.0	2.6	1.8	1.5	2.2	3.0	2.7	4.6	1.8	2.3	30.4	12	2716
	14 LST 13.5	11.8	17.0	17.3	14.4	10.9	13.4	13.1	12.4	13.8	14.6	15.6	167.8	12	2829
	20 LST 4.7	5.4	5.0	4.6	3.0	3.8	4.4	4.5	3.9	4.8	3.7	4.0	51.8	5	1683
	02 LST 3.0	3.1	5.0	3.8	1.6	1.0	2.7	3.8	2.1	2.5	1.4	1.4	31.4	12	2477
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 1.4	0.6	1.4	4.3	2.8	2.4	3.4	1.7	1.4	4.2	2.4	2.7	28.7	12	2795
	14 LST 0.5	0.8	1.6	2.8	2.9	0.9	1.1	1.9	1.3	2.3	1.7	1.4	19.2	12	2866
	20 LST 3.2	2.9	5.0	8.2	3.6	2.0	1.7	1.8	0.8	2.9	5.6	6.3	44.0	5	1683
	02 LST 2.6	2.6	5.2	6.5	6.0	5.8	4.6	4.8	3.8	6.4	4.3	4.1	56.7	12	2533
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 29.5	26.1	29.5	28.9	29.9	29.8	30.8	30.8	29.7	30.8	29.0	29.6	354.6	12	2779
	14 LST 28.7	26.4	29.4	29.6	30.2	29.5	30.8	30.4	29.6	30.6	29.0	30.1	354.3	12	2852
	20 LST 29.2	25.3	29.0	29.3	29.5	27.3	29.3	29.4	27.5	29.1	28.5	28.9	342.3	5	1682
	02 LST 28.1	27.0	29.0	28.5	30.4	29.3	30.1	30.5	29.7	30.1	29.1	29.8	351.6	12	2520
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 28.5	25.7	28.2	28.2	29.3	29.7	30.8	30.4	29.9	30.7	28.3	28.7	348.4	12	2779
	14 LST 27.1	25.1	27.9	29.3	30.0	29.3	30.8	30.3	29.5	30.5	28.3	29.7	347.8	12	2852
	20 LST 26.4	22.8	27.4	28.7	28.9	26.0	26.6	28.5	26.0	27.6	27.5	28.0	324.4	5	1682
	02 LST 25.9	25.0	27.8	27.8	30.1	28.8	29.4	30.1	29.3	30.0	28.6	28.9	341.7	12	2520
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 28.3	25.3	28.2	27.9	29.0	29.5	30.8	30.0	29.7	30.7	28.3	28.6	346.3	12	2779
	14 LST 27.1	25.0	27.6	29.1	29.9	29.3	30.8	30.3	29.5	30.5	28.3	29.7	347.1	12	2852
	20 LST 25.5	22.6	26.5	28.7	28.6	25.5	26.4	26.5	25.2	27.0	27.1	27.6	317.2	5	1682
	02 LST 25.5	24.9	26.8	27.6	29.6	27.9	28.8	28.6	28.3	29.0	28.0	28.6	333.6	12	2520

AREA NO. 03

PHILIPPINE ISLANDS SOUTHEAST SLOPES LATITUDE 1100N LONGITUDE 12430E 12530E 12530E

BOUNDARIES 1600N 12530E 1340N 12500E 1340N 12500E 0700N 12800E 0700N 12800E 0550N 12530E

PARAMETER DESCRIPTION

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	84	85	87	89	90	89	89	89	89	88	87	86	88
MEAN MIN TMP (F)	71	72	72	73	74	74	73	74	73	73	73	72	73
LARGEST MEAN PRECIP(IN)	30.10	21.40	20.01	12.83	12.43	13.00	14.09	13.79	14.15	19.25	22.75	27.40	221.2
SMALLEST MEAN PRECIP(IN)	3.70	2.30	1.40	1.30	3.89	4.90	6.50	5.10	6.60	7.70	4.80	4.20	52.4

MEAN NUMBER OF DAYS

CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	29.8	27.2	30.2	29.6	30.5	30.7	30.5	29.5	30.6	29.3	30.1	397.6
	14 LST	29.8	27.3	30.3	29.7	30.6	30.7	30.5	29.6	30.5	27.2	30.0	398.0
	20 LST	29.3	27.0	30.1	29.5	30.0	28.8	29.5	29.6	28.5	29.9	29.0	350.8
	02 LST	29.5	27.0	30.1	29.5	30.3	30.3	30.1	29.3	30.1	29.0	29.6	394.1
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	08 LST	26.2	24.3	27.7	28.0	29.0	27.6	28.3	27.2	27.2	26.0	26.2	326.4
	14 LST	22.8	21.1	24.4	25.1	26.9	25.5	24.0	24.8	25.6	24.1	24.1	294.3
	20 LST	25.1	23.4	27.4	27.8	27.7	26.0	26.3	25.5	25.2	26.7	25.6	312.0
	02 LST	25.3	23.9	27.5	28.0	28.3	26.7	27.0	26.3	26.2	27.3	25.5	317.6
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.1	0.1	0.0	0.0	0.1	0.3	0.5	0.2	0.1	0.1	0.1	1.6
	14 LST	0.4	0.2	0.3	0.2	0.1	0.3	0.6	0.3	0.2	0.2	0.2	3.1
	20 LST	0.2	0.1	0.0	0.1	0.0	0.1	0.2	0.3	0.1	0.1	0.1	1.4
	02 LST	0.1	0.1	0.1	0.0	0.0	0.1	0.2	0.3	0.2	0.1	0.2	1.5
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NU PRECIP.	08 LST	10.9	10.1	11.7	11.0	9.7	8.0	7.9	9.3	8.2	8.7	9.9	115.6
	14 LST	16.6	16.5	17.7	15.1	12.2	11.6	14.2	13.4	13.0	14.8	16.9	175.9
	20 LST	11.3	10.1	10.8	10.0	8.1	6.6	7.1	8.3	6.6	6.9	8.5	103.5
	02 LST	9.5	7.7	8.0	6.6	5.2	5.2	6.1	7.4	5.8	5.4	7.0	82.0
	08 LST	3.5	3.2	5.8	7.2	4.6	3.9	3.6	2.4	2.7	4.3	3.8	48.6
	14 LST	1.9	1.9	3.8	4.7	3.2	1.3	1.1	0.9	1.0	1.6	1.8	24.8
	20 LST	4.5	4.7	7.1	8.1	5.2	2.8	2.1	2.4	2.0	3.1	4.1	50.4
	02 LST	4.3	4.8	7.4	9.1	6.9	4.2	3.1	3.1	2.9	4.7	4.3	59.5
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	26.1	24.1	27.2	27.4	28.3	27.4	28.7	27.9	27.3	28.2	25.9	324.6
	14 LST	25.7	23.6	27.1	27.3	28.0	26.5	27.3	26.5	25.7	26.6	25.5	315.9
	20 LST	25.2	23.4	26.7	27.1	26.6	25.1	25.8	25.3	24.4	25.6	25.2	305.5
	02 LST	25.3	23.9	27.0	27.0	27.2	26.0	26.9	26.4	25.8	26.9	25.6	313.8
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	24.7	22.7	25.9	26.4	27.2	26.7	27.9	27.0	26.6	27.3	24.8	312.0
	14 LST	23.3	21.4	24.9	25.3	26.3	24.7	25.7	24.4	23.6	24.5	23.5	291.5
	20 LST	23.3	21.6	25.2	26.0	25.2	23.7	24.3	23.6	22.8	23.9	23.6	286.7
	02 LST	23.6	22.5	25.8	26.1	26.2	25.0	25.8	25.3	24.8	26.1	24.8	300.7
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	24.4	22.6	25.8	26.3	27.0	26.5	27.8	26.8	26.4	27.2	24.7	310.2
	14 LST	23.3	21.3	24.8	25.3	26.2	24.6	25.7	24.4	23.6	24.5	23.5	291.0
	20 LST	23.1	21.4	25.0	25.9	25.1	23.4	24.1	23.2	22.6	23.7	23.5	284.4
	02 LST	23.6	22.3	25.6	26.0	26.0	24.7	25.5	25.0	24.5	25.8	24.6	298.0

ROXAS, PHILIPPINES

STA NO. 98538 (IN AREA NUMBER 04)

ELEVATION(FT) 00010

LONGITUDE 12245E

LATITUDE 1135N

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
ABS MAX TMP (F)	90	92	94	97	98	97	96	96	95	94	95	92	98	16	-35
MEAN MAX TMP (F)	85	86	88	91	92	91	90	90	90	89	88	86	89	21	-35
MEAN MIN TMP (F)	74	74	75	76	76	76	75	75	75	75	76	75	75	21	-35
ABS MIN TMP (F)	62	63	65	71	70	72	70	68	69	71	67	64	62	16	-35
MEAN NO DYS TMP ≥ OR GTR 90(F)	2.6	4.0	10.0	21.0	26.6	21.0	17.4	17.4	16.8	13.4	9.6	4.5	164.5	21	-29
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN DEW PT TMP (F)	73	73	73	74	76	75	75	74	75	75	74	73	74	7	940
MEAN REL HUM (PCT)	83	81	80	78	81	83	83	83	84	85	84	84	82	10	-35
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	5.70	3.60	1.90	2.00	7.10	10.60	10.90	9.00	10.30	14.80	12.20	9.00	97.1	36	-35
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN NO DYS PKCP ≥ OR GTR 0.1 IN	10.6	7.4	3.7	3.9	9.4	11.4	11.5	10.5	12.9	16.1	14.5	14.5	126.4	36	-29
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN NO DYS W/OCJH VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	1.3	7	231
MEAN NO DYS TSTMS	1.0	1.0	1.0	4.0	14.0	17.0	14.0	14.0	15.0	12.0	5.0	2.0	100.0	10	-35
P FREQ WND SPU ≥ OR GTR 17 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.1	7	936
P FREQ WND SPU ≥ UR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.1	7	936
P FREQ LES 5000 FT A/O LES 5 MI	27.4	10.9	14.6	10.9	12.5	14.6	13.5	12.5	9.6	11.8	22.6	23.5	15.4	7	800
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	1.5	4.1	4.6	5.5	4.8	6.6	5.5	1.6	2.9	7.9	3.4	3.3	4.3	7	879
03-05 LST	2.2	2.6	4.4	6.1	3.9	4.4	2.8	1.3	2.0	4.9	5.3	3.8	3.6	7	-30
06-08 LST	3.8	1.1	4.2	6.7	3.0	3.1	0.0	0.9	1.0	1.8	7.2	4.2	3.1	7	1255
09-11 LST	4.1	1.1	3.4	3.9	3.1	5.5	1.5	3.1	3.9	3.2	5.9	4.7	3.6	7	-30
12-14 LST	4.4	1.1	2.5	0.0	3.2	5.8	3.0	5.3	6.8	4.5	4.6	5.1	3.9	7	1387
15-17 LST	3.7	1.4	2.1	1.2	3.2	3.7	2.6	3.4	4.1	4.5	4.6	4.2	3.2	7	-30
18-20 LST	3.0	1.6	1.6	2.3	3.1	1.5	2.2	1.4	1.4	4.4	3.5	3.4	2.5	7	1646
21-23 LST	2.3	2.9	3.1	3.9	4.0	4.1	3.9	1.5	2.2	6.2	3.5	3.4	3.4	7	-30
P FREQ LES 300 FT A/O LES : MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.2	7	879
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.1	7	-30
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1255
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.5	0.4	0.0	0.1	7	-30
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.9	0.8	0.0	0.2	7	1387
15-17 LST	0.0	0.0	0.0	0.0	0.4	0.0	0.4	0.0	0.0	0.5	0.4	0.0	0.1	7	-30
18-20 LST	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	7	1646
21-23 LST	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.1	7	-30

ROXAS, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	OBS	NO.	MEAN NUMBER OF DAYS															
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN			
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	1255	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	31.0	30.0	31.0	30.0	31.0	30.0	31.0	365.0
	14 LST	1387	31.0	28.0	31.0	30.0	31.0	30.0	31.0	30.8	30.7	29.5	30.2	29.5	30.2	29.5	31.0	362.4
	20 LST	1646	30.5	28.0	31.0	29.8	30.5	29.6	30.5	31.0	31.0	30.0	30.8	30.0	29.8	30.6	30.6	362.1
	02 LST	879	30.5	28.0	30.6	30.0	30.5	29.0	30.6	31.0	31.0	29.1	29.8	29.6	29.6	31.0	359.7	
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	08 LST	1230	28.9	27.7	29.2	26.5	29.1	28.4	30.3	31.0	29.1	30.1	29.1	30.1	26.0	28.5	34.8	
	14 LST	1365	28.7	27.4	28.9	30.0	29.0	27.7	29.3	28.7	26.6	28.4	27.4	27.5	27.5	339.6		
	20 LST	1632	29.5	27.0	29.5	28.8	29.3	28.4	29.4	29.9	29.3	28.2	27.5	28.6	27.5	28.6	345.4	
	02 LST	867	29.5	26.5	29.5	27.8	28.5	26.5	28.9	30.0	28.7	28.1	27.2	28.2	28.2	339.4		
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	1265	0.0	0.0	0.0	0.0	0.0	0.3	0.7	0.0	0.0	0.3	0.0	0.0	0.0	0.0	1.3	
	14 LST	1387	0.0	0.0	0.5	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	
	20 LST	1654	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.4	
	02 LST	879	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	1219	4.0	8.8	9.9	13.1	8.7	2.3	2.1	3.6	3.1	2.8	6.2	6.4	71.0			
	14 LST	1339	11.6	10.6	13.3	11.8	3.0	4.0	4.2	3.2	5.3	5.1	10.8	9.1	92.0			
	20 LST	1627	7.1	6.0	3.4	2.6	0.7	2.1	2.1	3.5	1.3	2.8	5.4	8.1	45.1			
	02 LST	845	8.8	6.4	10.2	10.9	3.5	1.9	2.6	2.2	2.3	1.3	6.1	9.9	66.1			
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	1277	3.4	2.4	4.5	2.9	2.4	3.7	5.1	5.4	3.0	5.0	3.9	2.9	4.6			
	14 LST	1385	4.4	5.3	10.1	17.4	9.7	3.2	3.0	1.9	2.3	2.8	4.8	4.2	69.1			
	20 LST	1658	10.3	10.7	15.6	20.9	15.8	8.0	7.4	5.6	6.4	9.9	9.3	8.3	128.2			
	02 LST	890	10.3	12.9	13.9	16.6	11.4	6.0	9.8	6.4	9.3	11.7	7.6	8.8	124.7			
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	1255	26.0	26.5	26.3	22.6	26.0	27.5	30.3	29.2	28.8	29.1	24.0	26.0	322.3			
	14 LST	1387	25.8	25.6	28.4	30.0	28.5	26.5	28.9	27.2	25.6	26.8	26.1	25.7	325.1			
	20 LST	1646	27.5	25.2	29.0	28.8	29.3	26.9	28.5	29.0	28.7	27.8	26.4	27.6	334.7			
	02 LST	879	27.7	25.7	27.8	27.1	28.0	25.6	28.0	28.0	29.5	26.5	26.1	26.2	325.8			
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	1255	24.0	25.2	24.7	19.5	22.9	26.9	30.3	29.0	28.2	28.0	22.1	23.7	304.5			
	14 LST	1387	24.1	24.0	27.6	30.0	28.0	25.3	28.0	25.5	25.6	26.0	24.7	24.1	312.9			
	20 LST	1646	25.4	23.9	27.6	28.8	29.3	25.8	28.0	28.0	28.5	26.9	24.8	26.3	323.3			
	02 LST	879	25.3	25.3	26.7	27.1	28.0	24.6	27.2	29.5	25.2	24.9	23.8	25.9	313.5			
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	1255	23.1	23.7	24.0	19.2	22.9	24.1	30.3	26.4	26.3	27.2	21.8	23.2	292.2			
	14 LST	1387	22.8	23.4	27.6	30.0	28.0	24.8	28.0	25.0	25.4	26.0	23.8	21.8	306.6			
	20 LST	1646	23.5	22.5	26.1	27.9	29.3	25.4	27.8	27.5	28.1	26.7	23.9	25.3	314.0			
	02 LST	879	24.3	23.4	26.0	26.7	27.1	21.1	25.0	23.9	22.6	23.3	22.7	23.5	289.6			

ILOILO, PHILIPPINES

STA NO. 98637 (IN AREA NUMBER 04)

LATITUDE 1042N

LONGITUDE 12232E

ELEVATION(FT) 00017

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
ABS MAX TMP (F)	92	96	96	98	98	96	95	94	97	94	95	93	98	27	-535
MEAN MAX TMP (F)	83	84	86	88	89	87	86	86	86	86	85	84	86	15	5116
MEAN MIN TMP (F)	73	73	74	76	77	77	76	76	76	76	75	74	75	15	5116
ABS MIN TMP (F)	65	64	67	69	71	71	70	70	70	69	69	65	64	27	-535
MEAN NO DYS TMP = OR GTR 90(F)	0.1	0.3	1.3	9.5	14.4	5.9	2.2	1.2	1.3	1.9	0.0	0.1	38.2	15	5116
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5116
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5116
MEAN DEW PT TMP (F)	71	71	72	73	75	75	75	76	75	75	74	73	74	12	13482
MEAN REL HUM (PCT)	83	80	79	75	77	82	84	85	85	84	84	84	82	12	13151
MEAN PRESS ALT (FT)	47	57	57	87	107	107	117	127	117	107	117	77	94	0	-50
MEAN PRECIP (IN)	2.50	1.80	1.30	1.70	6.20	10.40	17.60	15.20	12.40	10.60	8.30	4.70	92.7	36	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.5	4.1	2.7	3.4	8.8	11.3	13.7	13.1	14.6	13.2	10.9	9.2	110.5	36	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	12	1961
MEAN NO DYS TSTMS	0.7	0.2	0.2	1.7	3.2	5.3	4.1	3.0	2.4	2.1	1.8	0.4	28.1	12	1970
P FREQ WND SPD = OR GTR 17 KTS	21.0	22.6	16.0	10.3	5.2	2.0	4.6	4.7	3.0	2.1	5.7	10.0	8.9	12	13510
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.3	0.1	0.0	0.1	0.0	0.3	0.0	0.0	0.0	0.1	0.1	0.1	12	13510
P FREQ LES 5000 FT A/O LES 5 MI	11.1	10.7	9.3	3.9	10.1	18.4	18.0	20.4	18.0	14.3	10.7	9.1	12.8	12	13299
P FREQ LES 1500 FT A/O LES 3 MI	1.0	0.0	2.0	2.3	7.9	4.0	7.0	8.2	3.6	7.9	6.0	4.1	3.9	12	2633
FOR 00-02 LST	0.9	0.8	0.0	0.0	2.0	2.7	3.8	3.4	3.7	1.3	2.0	1.3	1.8	11	1825
03-05 LST	1.2	0.0	0.0	0.0	0.0	0.4	1.7	1.2	1.3	2.5	1.9	1.1	0.9	12	3003
06-08 LST	0.0	0.9	0.0	0.0	0.5	0.5	2.5	1.2	1.3	1.3	2.0	0.8	0.9	12	2832
09-11 LST	0.4	0.4	0.7	0.0	0.4	1.7	0.8	1.5	2.0	3.5	0.8	0.4	1.1	12	3015
12-14 LST	0.5	0.4	0.0	0.5	0.0	1.3	2.1	2.7	2.5	2.9	1.2	0.4	1.2	12	2901
15-17 LST	0.7	0.4	1.0	0.3	1.3	3.1	4.9	3.7	5.5	3.5	3.0	1.4	2.4	12	3506
18-20 LST	0.7	0.5	0.4	0.9	2.5	3.3	3.4	1.8	2.8	1.8	2.5	1.5	1.8	11	2501
21-23 LST	0.0	0.0	0.4	0.0	0.0	0.9	0.0	0.4	0.0	0.0	0.0	0.0	0.1	12	2633
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	1825
03-05 LST	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.8	0.0	0.1	12	3003
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	12	2832
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3015
12-14 LST	0.0	0.0	0.0	0.5	0.0	0.0	0.4	0.8	0.0	0.0	0.0	0.0	0.1	12	2901
15-17 LST	0.0	0.0	0.3	0.0	0.0	0.7	0.0	0.3	0.3	0.0	0.4	0.0	0.2	12	3506
18-20 LST	0.0	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	11	2501
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	2633

ILOILO, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 30.9	28.0	31.0	30.0	30.9	29.9	30.7	30.9	30.0	30.7	29.8	30.8	30.8	12	3003
	14 LST 31.0	28.0	30.8	30.0	31.0	29.7	30.8	30.9	29.6	30.3	29.8	30.9	30.8	12	3015
	20 LST 30.9	28.0	30.8	29.9	31.0	29.4	30.7	30.8	29.3	30.3	29.5	30.8	30.8	12	3506
	02 LST 31.0	28.0	30.8	29.9	30.8	29.6	30.8	30.3	29.9	30.1	29.4	30.7	30.7	12	2633
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST 9.8	8.3	9.7	10.6	19.5	25.1	25.9	23.0	25.4	26.9	17.9	14.0	216.1	12	2974
	14 LST 3.7	3.1	3.7	4.9	13.6	16.8	17.8	14.0	19.1	19.7	12.2	7.4	136.0	12	2999
	20 LST 13.4	11.9	13.7	16.9	22.1	22.7	21.0	21.1	24.1	25.2	22.3	16.8	231.2	12	3482
	02 LST 13.7	13.0	18.2	21.9	26.5	25.8	23.3	21.4	25.8	25.9	22.7	18.4	256.6	12	2616
	08 LST 2.0	2.7	1.3	1.1	0.3	0.2	0.2	0.7	0.2	0.5	0.6	0.9	10.7	12	2982
SFC WND = GTR 17 KTS AND NO PRECIP.	14 LST 13.7	12.1	12.2	7.2	3.5	0.8	0.8	2.4	0.8	1.2	3.5	8.4	66.6	12	3027
	20 LST 1.9	1.9	1.4	0.5	0.8	0.4	0.5	0.7	0.4	0.3	0.3	1.1	10.2	12	3505
	02 LST 1.6	1.6	1.0	0.0	0.1	0.5	0.6	1.1	0.7	0.6	0.8	0.6	9.2	12	2628
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 15.8	14.6	16.6	19.2	18.8	14.3	15.9	14.4	11.8	16.4	18.9	18.4	195.1	12	2937
	14 LST 6.0	5.7	6.9	6.0	14.0	19.0	20.5	19.7	20.2	19.2	14.4	10.0	161.6	12	2981
	20 LST 19.8	18.1	20.1	20.4	17.1	16.8	15.9	17.2	13.5	14.2	22.1	22.2	217.4	12	3468
	02 LST 20.4	18.6	24.3	24.8	19.5	11.8	13.5	14.0	10.9	14.0	20.6	21.8	214.2	12	2576
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 4.7	5.3	8.1	10.1	3.6	1.6	1.6	1.3	1.1	3.9	4.5	3.8	49.6	12	3003
	14 LST 3.1	3.7	8.4	10.7	4.2	0.8	0.5	0.3	0.8	2.0	4.3	4.0	42.8	12	3019
	20 LST 7.3	6.4	10.9	12.3	4.1	2.2	0.6	1.4	1.2	2.0	5.0	7.2	60.6	12	3512
	02 LST 8.4	7.9	11.2	11.4	6.9	2.0	2.3	1.6	2.3	4.0	7.1	8.0	73.1	12	2630
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 29.8	26.7	29.9	29.6	30.2	28.4	28.6	27.7	27.6	29.2	28.3	29.2	345.2	12	3003
	14 LST 29.0	26.2	29.5	29.7	29.7	27.2	29.1	28.6	26.7	27.6	27.9	28.8	340.0	12	3015
	20 LST 29.0	26.1	29.0	29.0	28.0	25.1	25.9	25.6	24.7	26.0	27.5	28.8	324.7	12	3506
	02 LST 28.6	26.0	28.9	28.7	28.6	26.4	26.3	26.5	26.6	27.4	27.2	28.1	329.3	12	2633
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 29.3	25.7	29.3	29.4	29.8	27.9	28.0	25.8	26.6	28.6	27.3	28.6	336.3	12	3003
	14 LST 27.9	25.1	28.8	29.6	28.9	26.3	28.2	27.4	25.0	26.4	26.7	27.8	328.1	12	3015
	20 LST 28.0	24.9	27.9	28.3	26.0	22.1	23.9	22.8	22.3	23.3	26.1	27.8	303.4	12	3506
	02 LST 27.4	24.7	28.0	28.3	27.4	24.1	24.6	24.6	25.1	25.9	26.1	27.4	313.6	12	2633
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 29.3	25.7	29.3	29.4	29.8	27.9	28.0	25.8	26.6	28.6	27.3	28.6	335.3	12	3003
	14 LST 27.9	25.1	28.8	29.6	28.9	26.3	28.2	27.4	25.0	26.4	26.7	27.8	328.1	12	3015
	20 LST 28.0	24.9	27.9	28.3	26.0	22.1	23.9	22.8	22.3	23.3	26.1	27.8	303.4	12	3506
	02 LST 27.4	24.7	28.0	28.3	27.4	24.1	24.6	24.6	25.1	25.9	26.1	27.4	313.6	12	2633

BACOLOD, PHILIPPINES

STA NO. 98639 (IN AREA NUMBER 04)

LATITUDE 1038N

LONGITUDE 12255E

ELEVATION(FT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	90	91	92	94	96	94	92	91	91	93	89	90	96	15	-98637
MEAN MAX TMP (F)	83	84	86	88	89	87	86	86	86	86	85	84	86	15	-98637
MEAN MIN TMP (F)	73	73	74	76	77	77	76	76	76	76	75	74	75	15	-98637
ABS MIN TMP (F)	67	68	69	69	73	71	70	70	71	71	70	69	67	15	-98637
MEAN NO DYS TMP = OR GTR 90(F)	0.1	0.3	1.3	9.5	14.4	5.9	2.2	1.2	1.3	1.9	0.0	0.1	38.2	15	-98637
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-98637
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-98637
MEAN DEW PT TMP (F)	71	71	72	73	75	75	75	76	75	75	74	73	74	12	-98637
MEAN REL HUM (PCT)	83	80	79	75	77	82	84	85	85	84	84	84	82	12	-98637
MEAN PRESS ALT (FT)	54	54	68	95	136	136	164	164	150	136	123	95	115	0	-50
MEAN PRECIP (IN)	3.90	2.30	1.60	1.50	7.00	8.90	14.80	12.00	11.30	10.30	9.30	6.80	89.7	25	-35
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS PKCP = OR GTR 0.1 IN	7.9	5.1	3.2	3.0	9.3	10.4	13.0	12.0	13.8	12.9	11.9	12.1	114.6	25	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS W/OCUM VSBY LES 1/2 MI	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-98637
MEAN NO DYS TSTMS	0.7	0.2	0.2	1.7	3.2	5.3	4.1	3.0	2.4	5.1	1.8	0.4	28.1	12	-98637
P FREQ WND SPU = OR GTR 17 KTS	21.0	22.6	16.0	10.3	5.2	2.0	4.6	4.7	3.0	2.1	5.7	10.0	8.9	12	-98637
P FREQ WND SPU = OR GTR 28 KTS	0.0	0.3	0.1	0.0	0.1	0.0	0.3	0.0	0.0	0.0	0.1	0.1	0.1	12	-98637
P FREQ LES 5000 FT A/O LES 5 MI	11.1	10.7	9.3	3.9	10.1	18.4	18.0	20.4	18.0	14.3	10.7	9.1	12.8	12	-98637
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	1.0	0.0	2.0	2.3	0.9	4.0	7.0	8.2	3.6	7.9	6.0	4.1	3.9	12	-98637
03-05 LST	0.9	0.8	0.0	0.0	2.0	2.7	3.8	3.4	3.7	1.3	2.0	1.3	1.8	11	-98637
06-08 LST	1.2	0.0	0.0	0.0	0.0	0.4	1.7	1.2	1.3	2.5	1.9	1.1	0.9	12	-98637
09-11 LST	0.0	0.9	0.0	0.0	0.5	0.5	2.5	1.2	1.3	1.3	2.0	0.8	0.9	12	-98637
12-14 LST	0.4	0.4	0.7	0.0	0.4	1.7	0.8	1.5	2.0	3.5	0.8	0.4	1.1	12	-98637
15-17 LST	0.5	0.4	0.0	0.5	0.0	1.3	2.1	2.7	2.5	2.9	1.2	0.4	1.2	12	-98637
18-20 LST	0.7	0.4	1.0	0.3	1.3	3.1	4.9	3.7	5.5	3.5	3.0	1.4	2.4	12	-98637
21-23 LST	0.7	0.5	0.4	0.9	2.5	3.3	3.4	1.3	2.8	1.8	2.5	1.5	1.8	11	-98637
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.4	0.0	0.0	0.9	0.0	0.4	0.0	0.0	0.0	0.0	0.1	12	-98637
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-98637
06-08 LST	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.8	0.0	0.1	12	-98637
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	12	-98637
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-98637
15-17 LST	0.0	0.0	0.0	0.5	0.0	0.0	0.4	0.8	0.0	0.0	0.0	0.0	0.1	12	-98637
18-20 LST	0.0	0.0	0.3	0.0	0.0	0.7	0.0	0.3	0.3	0.0	0.4	0.0	0.2	12	-98637
21-23 LST	0.0	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.1	11	-98637

BACOLOD, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 30.9	28.0	31.0	30.0	30.9	29.9	30.7	30.9	30.0	30.7	29.8	30.8	363.6	12	-98637
	14 LST 31.0	28.0	30.8	30.0	31.0	29.7	30.8	30.9	29.6	30.3	29.8	30.9	362.8	12	-98637
	20 LST 30.9	28.0	30.8	29.9	31.0	29.4	30.7	30.8	29.3	30.3	29.5	30.8	361.4	12	-98637
	02 LST 31.0	28.0	30.8	29.9	30.8	29.6	30.8	30.3	29.9	30.1	29.4	30.7	361.3	12	-98637
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	08 LST 9.8	8.3	9.7	10.6	19.5	25.1	25.9	23.0	25.4	26.9	17.9	14.0	216.1	12	-98637
3 MI W/SFC WND LES 10 KTS	14 LST 3.7	3.1	3.7	4.9	13.6	16.8	17.8	14.0	19.1	19.7	12.2	7.4	136.0	12	-98637
	20 LST 13.4	11.9	13.7	16.9	22.1	22.7	21.0	21.1	24.1	25.2	22.3	16.8	231.2	12	-98637
	02 LST 13.7	13.0	18.2	21.9	26.5	25.8	23.3	21.4	25.8	25.9	22.7	18.4	256.6	12	-98637
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 2.0	2.7	1.3	1.1	0.3	0.2	0.2	0.7	0.2	0.5	0.6	0.9	10.7	12	-98637
	14 LST 13.7	12.1	12.2	7.2	3.5	0.8	0.8	2.4	0.8	1.2	3.5	8.4	66.6	12	-98637
	20 LST 1.9	1.9	1.4	0.5	0.8	0.4	0.5	0.7	0.4	0.3	0.3	1.1	10.2	12	-98637
	02 LST 1.6	1.6	1.0	0.0	0.1	0.5	0.6	1.1	0.7	0.6	0.8	0.6	9.2	12	-98637
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 15.8	14.6	16.6	19.2	18.8	14.3	15.9	14.4	11.8	16.4	18.9	18.4	195.1	12	-98637
	14 LST 6.0	5.7	6.9	6.0	14.0	19.0	20.5	19.7	20.2	19.2	14.4	10.0	161.6	12	-98637
	20 LST 19.8	18.1	20.1	20.4	17.1	16.8	15.9	17.2	13.5	14.2	22.1	22.2	217.4	12	-98637
	02 LST 20.4	18.6	24.3	24.8	19.5	11.8	13.5	14.0	10.9	14.0	20.6	21.8	214.2	12	-98637
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 4.7	5.3	8.1	10.1	3.6	1.6	1.6	1.3	1.1	3.9	4.5	3.8	49.6	12	-98637
	14 LST 3.1	3.7	8.4	10.7	4.2	0.8	0.5	0.3	0.8	2.0	4.3	4.0	42.8	12	-98637
	20 LST 7.3	6.4	10.9	12.3	4.1	2.2	0.6	1.4	1.2	2.0	5.0	7.2	60.6	12	-98637
	02 LST 8.4	7.9	11.2	11.4	6.9	2.0	2.3	1.6	2.3	4.0	7.1	8.0	73.1	12	-98637
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 29.8	26.7	29.9	29.6	30.2	28.4	28.6	27.7	27.6	29.2	28.3	29.2	345.2	12	-98637
	14 LST 29.0	26.2	29.5	29.7	29.7	27.2	29.1	28.6	26.7	27.6	27.9	28.8	340.0	12	-98637
	20 LST 29.0	26.1	29.0	29.0	28.0	25.1	25.9	25.6	24.7	26.0	27.5	28.8	324.7	12	-98637
	02 LST 28.6	26.0	28.9	28.7	28.6	26.4	26.3	26.5	26.6	27.4	27.2	28.1	329.3	12	-98637
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 29.3	25.7	29.3	29.4	29.8	27.9	28.0	25.8	26.6	28.6	27.3	28.6	336.3	12	-98637
	14 LST 27.9	25.1	28.8	29.6	28.9	26.3	28.2	27.4	25.0	26.4	26.7	27.8	328.1	12	-98637
	20 LST 28.0	24.9	27.9	28.3	26.0	22.1	23.9	22.8	22.3	23.3	26.1	27.8	303.4	12	-98637
	02 LST 27.4	24.7	28.0	28.3	27.4	24.1	24.6	24.6	25.1	25.9	26.1	27.4	313.6	12	-98637
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 29.3	25.7	29.3	29.4	29.8	27.9	28.0	25.8	26.6	28.6	27.3	28.6	336.3	12	-98637
	14 LST 27.9	25.1	28.8	29.6	28.9	26.3	28.2	27.4	25.0	26.4	26.7	27.8	328.1	12	-98637
	20 LST 28.0	24.9	27.9	28.3	26.0	22.1	23.9	22.8	22.3	23.3	26.1	27.8	303.4	12	-98637
	02 LST 27.4	24.7	28.0	28.3	27.4	24.1	24.6	24.6	25.1	25.9	26.1	27.4	313.6	12	-98637
	08 LST 29.3	25.7	29.3	29.4	29.8	27.9	28.0	25.8	26.6	28.6	27.3	28.6	336.3	12	-98637
	14 LST 27.9	25.1	28.8	29.6	28.9	26.3	28.2	27.4	25.0	26.4	26.7	27.8	328.1	12	-98637
	20 LST 28.0	24.9	27.9	28.3	26.0	22.1	23.9	22.8	22.3	23.3	26.1	27.8	303.4	12	-98637
	02 LST 27.4	24.7	28.0	28.3	27.4	24.1	24.6	24.6	25.1	25.9	26.1	27.4	313.6	12	-98637

DUMAGUETE, PHILIPPINES

STA NO. 96642 (IN AREA NUMBER 04)

ELEVATION (FT) 00020

LONGITUDE 12318E

LATITUDE 0918N

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	92	90	93	96	98	96	96	96	95	96	94	93	98	15	5143
MEAN MAX TMP (F)	85	86	87	89	90	90	89	89	89	89	88	86	88	15	5143
MEAN MIN TMP (F)	74	74	75	77	77	75	74	74	74	74	75	74	75	15	5144
ABS MIN TMP (F)	68	69	68	67	71	69	70	70	70	69	69	68	67	15	5144
MEAN NO DYS TMP = OR GTR 90(F)	0.2	0.3	4.8	12.7	17.9	15.5	15.3	16.7	15.5	12.6	7.9	2.1	121.5	15	5143
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5144
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5144
MEAN DEW PT TMP (F)	73	72	73	74	76	75	74	74	74	74	74	73	74	10	8794
MEAN REL HUM (PCT)	82	80	80	77	78	79	80	80	80	80	80	80	80	10	8759
MEAN PRESS ALT (F1)	4.50	3.10	2.10	1.80	4.30	5.30	5.60	4.30	5.50	7.70	5.80	5.10	55.1	27	-35
MEAN PRECIP (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN SNOW FALL (IN)	8.9	6.5	4.1	3.6	7.0	7.5	7.8	6.5	7.8	10.3	8.1	9.8	87.9	27	-29
MEAN NO DYS PKCP = OR GTR 0.1 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.3	10	1307
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.0	0.3	0.3	0.8	4.4	3.6	3.6	2.5	4.2	5.8	2.8	0.7	29.0	10	1309
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.4	0.0	0.0	0.2	0.0	0.1	10	8827
P FREQ WND SPD = OR GTR 17 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	10	8827
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	10	8827
P FREQ LES 5000 FT A/O LES 5 MI	17.5	18.7	7.0	1.0	2.8	9.1	11.3	18.3	12.6	9.8	10.0	11.0	10.8	10	8742
P FREQ LES 1500 FT A/O LES 3 MI	3.9	3.8	1.6	0.0	1.1	2.4	5.6	6.6	3.7	3.0	4.6	3.3	3.3	10	2205
FOR 00-02 LST	5.7	3.6	2.2	1.2	0.0	0.0	3.9	6.6	4.4	5.6	2.5	4.6	3.4	5	1171
03-05 LST	2.6	2.2	1.0	1.1	0.0	1.2	3.8	2.4	2.1	3.9	3.1	2.3	2.1	10	2314
06-08 LST	6.8	4.6	3.3	1.1	3.9	1.3	1.3	3.3	1.7	3.3	4.8	2.8	3.2	5	1179
09-11 LST	3.7	2.3	1.5	0.5	0.0	0.5	4.1	3.3	4.0	1.4	1.8	1.7	2.1	10	2426
12-14 LST	9.1	5.7	3.3	0.0	2.6	2.6	2.5	2.5	6.9	3.3	4.0	4.6	3.9	5	1179
15-17 LST	6.5	3.7	2.5	0.0	1.5	3.7	2.5	3.2	2.4	0.8	1.8	2.8	2.6	10	2499
18-20 LST	3.4	5.7	5.5	0.0	1.3	2.6	5.1	6.6	4.3	4.1	4.8	3.7	3.9	5	1179
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.5	0.0	0.1	10	2205
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.1	5	1171
03-05 LST	0.5	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.4	0.0	0.1	10	2314
06-08 LST	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1179
09-11 LST	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.5	0.0	0.2	10	2426
12-14 LST	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.2	5	1179
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	10	2499
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1179
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.9	0.0	0.0	0.0	0.1	5	1179

DUMAGUETE, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSHY = GTR 3 MI	08 LST 30.8	27.8	31.0	30.0	31.0	30.0	30.5	30.7	29.7	30.7	29.9	30.7	362.8	10	2314
	14 LST 30.7	27.8	30.8	30.0	31.0	30.0	30.7	30.8	29.6	30.8	29.7	31.0	362.9	10	2426
	20 LST 30.2	27.8	30.8	30.0	30.6	29.7	30.7	30.7	29.9	31.0	29.5	30.7	361.8	10	2499
	02 LST 30.5	27.8	31.0	30.0	31.0	29.6	30.4	29.8	29.8	30.8	29.2	30.5	360.4	10	2205
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	08 LST 29.0	26.3	29.9	29.3	31.0	29.3	29.1	29.2	29.0	28.8	26.9	28.4	346.2	10	2294
	14 LST 26.8	23.7	29.6	29.3	30.2	29.3	28.7	26.0	27.3	28.4	26.7	28.2	334.2	10	2416
	20 LST 26.8	25.8	29.4	30.0	29.9	28.2	29.3	28.4	28.8	30.7	28.1	28.7	344.1	10	2483
	02 LST 28.1	25.3	29.6	30.0	30.6	28.5	28.5	27.8	28.4	29.7	27.6	28.4	342.5	10	2190
SFC WND = GIR 17 KTS AND NO PRECIP.	08 LST 0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.3	10	2330
	14 LST 0.2	0.1	0.0	0.0	0.0	0.0	0.2	0.3	0.1	0.3	0.1	0.2	1.5	10	2435
	20 LST 0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	10	2501
	02 LST 0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.1	0.0	0.5	10	2214
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 17.9	16.0	16.8	15.2	10.1	5.5	3.3	5.2	5.7	8.8	14.3	15.6	134.4	10	2299
	14 LST 20.4	17.2	17.2	9.8	5.7	7.0	4.9	7.5	7.7	7.8	14.4	18.3	137.9	10	2398
	20 LST 13.0	11.8	9.3	5.7	3.7	2.6	2.8	5.7	3.6	4.4	9.4	11.4	83.4	10	2465
	02 LST 14.6	15.4	12.2	8.0	4.9	2.6	4.1	5.4	4.7	7.2	10.3	11.7	101.1	10	2168
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 1.3	1.9	5.4	5.4	1.9	2.4	2.8	2.4	2.8	3.5	2.5	2.3	34.6	10	2339
	14 LST 1.9	3.3	7.4	9.9	4.2	2.1	1.9	0.7	0.6	2.5	3.6	2.5	40.9	10	2433
	20 LST 4.7	4.1	8.3	10.9	4.8	2.6	2.6	2.1	3.7	3.1	3.0	3.6	53.5	10	2516
	02 LST 3.3	2.3	5.3	5.7	3.2	2.2	1.7	1.0	2.2	2.7	1.2	3.0	33.8	10	2215
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 28.4	26.1	29.9	29.3	30.4	28.7	29.0	28.3	28.7	28.4	27.6	29.0	343.8	10	2314
	14 LST 27.4	25.5	29.6	29.6	30.5	29.0	28.9	28.2	27.8	29.7	28.1	29.0	343.3	10	2426
	20 LST 27.3	25.6	29.3	29.9	30.0	27.6	29.0	28.6	28.0	29.9	28.9	28.4	342.5	10	2499
	02 LST 28.1	25.5	29.8	29.8	30.3	28.2	27.3	27.4	27.8	29.1	27.9	28.5	339.7	10	2205
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 26.5	24.7	29.5	29.3	29.7	28.0	28.8	27.3	28.6	27.6	26.8	28.2	335.0	10	2314
	14 LST 26.3	24.4	29.5	25.6	30.5	28.4	28.4	27.5	27.2	29.1	27.7	28.3	336.9	10	2426
	20 LST 26.8	24.8	28.7	29.6	30.0	27.4	28.5	27.7	27.4	29.5	28.7	27.8	336.9	10	2499
	02 LST 26.7	24.3	29.8	29.5	30.1	27.8	27.0	27.7	27.6	28.6	27.5	27.9	333.3	10	2205
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 26.5	24.7	29.5	29.3	29.7	28.0	28.8	27.3	28.6	27.6	26.8	28.2	335.0	10	2314
	14 LST 26.3	24.4	29.5	29.6	30.5	28.4	28.4	27.5	27.2	29.1	27.7	28.3	336.9	10	2426
	20 LST 26.8	24.8	28.7	29.6	30.0	27.4	28.5	27.7	27.4	29.5	28.7	27.8	336.9	10	2499
	02 LST 26.7	24.3	29.8	29.5	30.1	27.8	27.0	27.7	27.6	28.6	27.5	27.9	333.3	10	2205
	08 LST 26.5	24.7	29.5	29.3	29.7	28.0	28.8	27.3	28.6	27.6	26.8	28.2	335.0	10	2314
	14 LST 26.3	24.4	29.5	29.6	30.5	28.4	28.4	27.5	27.2	29.1	27.7	28.3	336.9	10	2426
	20 LST 26.8	24.8	28.7	29.6	30.0	27.4	28.5	27.7	27.4	29.5	28.7	27.8	336.9	10	2499
	02 LST 26.7	24.3	29.8	29.5	30.1	27.8	27.0	27.7	27.6	28.6	27.5	27.9	333.3	10	2205
	08 LST 26.5	24.7	29.5	29.3	29.7	28.0	28.8	27.3	28.6	27.6	26.8	28.2	335.0	10	2314
	14 LST 26.3	24.4	29.5	29.6	30.5	28.4	28.4	27.5	27.2	29.1	27.7	28.3	336.9	10	2426
	20 LST 26.8	24.8	28.7	29.6	30.0	27.4	28.5	27.7	27.4	29.5	28.7	27.8	336.9	10	2499
	02 LST 26.7	24.3	29.8	29.5	30.1	27.8	27.0	27.7	27.6	28.6	27.5	27.9	333.3	10	2205
	08 LST 26.5	24.7	29.5	29.3	29.7	28.0	28.8	27.3	28.6	27.6	26.8	28.2	335.0	10	2314
	14 LST 26.3	24.4	29.5	29.6	30.5	28.4	28.4	27.5	27.2	29.1	27.7	28.3	336.9	10	2426
	20 LST 26.8	24.8	28.7	29.6	30.0	27.4	28.5	27.7	27.4	29.5	28.7	27.8	336.9	10	2499
	02 LST 26.7	24.3	29.8	29.5	30.1	27.8	27.0	27.7	27.6	28.6	27.5	27.9	333.3	10	2205
	08 LST 26.5	24.7	29.5	29.3	29.7	28.0	28.8	27.3	28.6	27.6	26.8	28.2	335.0	10	2314
	14 LST 26.3	24.4	29.5	29.6	30.5	28.4	28.4	27.5	27.2	29.1	27.7	28.3	336.9	10	2426
	20 LST 26.8	24.8	28.7	29.6	30.0	27.4	28.5	27.7	27.4	29.5	28.7	27.8	336.9	10	2499
	02 LST 26.7	24.3	29.8	29.5	30.1	27.8	27.0	27.7	27.6	28.6	27.5	27.9	333.3	10	2205
	08 LST 26.5	24.7	29.5	29.3	29.7	28.0	28.8	27.3	28.6	27.6	26.8	28.2	335.0	10	2314
	14 LST 26.3	24.4	29.5	29.6	30.5	28.4	28.4	27.5	27.2	29.1	27.7	28.3	336.9	10	2426
	20 LST 26.8	24.8	28.7	29.6	30.0	27.4	28.5	27.7	27.4	29.5	28.7	27.8	336.9	10	2499
	02 LST 26.7	24.3	29.8	29.5	30.1	27.8	27.0	27.7	27.6	28.6	27.5	27.9	333.3	10	2205
	08 LST 26.5	24.7	29.5	29.3	29.7	28.0	28.8	27.3	28.6	27.6	26.8	28.2	335.0	10	2314
	14 LST 26.3	24.4	29.5	29.6	30.5	28.4	28.4	27.5	27.2	29.1	27.7	28.3	336.9	10	2426
	20 LST 26.8	24.8	28.7	29.6	30.0	27.4	28.5	27.7	27.4	29.5	28.7	27.8	336.9	10	2499
	02 LST 26.7	24.3	29.8	29.5	30.1	27.8	27.0	27.7	27.6	28.6	27.5	27.9	333.3	10	2205
	08 LST 26.5	24.7	29.5	29.3	29.7	28.0	28.8	27.3	28.6	27.6	26.8	28.2	335.0	10	2314
	14 LST 26.3	24.4	29.5	29.6	30.5	28.4	28.4	27.5	27.2	29.1	27.7	28.3	336.9	10	2426
	20 LST 26.8	24.8	28.7	29.6	30.0	27.4	28.5	27.7	27.4	29.5	28.7	27.8	336.9	10	2499
	02 LST 26.7	24.3	29.8	29.5	30.1	27.8	27.0	27.7	27.6	28.6	27.5	27.9	333.3	10	2205
	08 LST 26.5	24.7	29.5	29.3	29.7	28.0	28.8	27.3	28.6	27.6	26.8	28.2	335.0	10	2314
	14 LST 26.3	24.4	29.5	29.6	30.5	28.4	28.4	27.5	27.2	29.1	27.7	28.3	336.9	10	2426
	20 LST 26.8	24.8	28.7	29.6	30.0	27.4	28.5	27.7	27.4	29.5	28.7	27.8	336.9	10	2499
	02 LST 26.7	24.3	29.8	29.5	30.1	27.8	27.0	27.7	27.6	28.6	27.5	27.9	333.3	10	2205
	08 LST 26.5	24.7	29.5	29.3	29.7	28.0	28.8	27.3	28.6	27.6	26.8	28.2	335.0	10	2314
	14 LST 26.3	24.4	29.5	29.6	30.5	28.4	28.4	27.5	27.2	29.1	27.7	28.3	336.9	10	2426
	20 LST 26.8	24.8	28.7	29.6	30.0	27.4	28.5	27.7	27.4	29.5	28.7	27.8	336.9	10	2499
	02 LST 26.7	24.3	29.8	29.5	30.1	27.8	27.0	27.7	27.6	28.6	27.5	27.9	333.3	10	2205
	08 LST 26.5	24.7	29.5	29.3	29.7	28.0	28.8	27.3	28.6	27.6	26.8	28.2	335.0	10	2314
	14 LST 26.3	24.4	29.5	29.6	30.5	28.4	28.4	27.5	27.2	29.1	27.7	28.3	336.9	10	2426
	20 LST 26.8	24.8	28.7	29.6	30.0	27.4	28.5	27.7	27.4	29.5	28.7	27.8	336.9	10	2499
	02 LST 26.7	24.3	29.8	29.5	30.1	27.8	27.0	27.7	27.6	28.6	27.5	27.9	333.3	10	2205
	08 LST 26.5	24.7	29.5	29.3	29.7	28.0	28.8	27.3	28.6	27.6	26.8				

DIPOLOG, PHILIPPINES

STA NO. 98741 (IN AREA NUMBER 04) LATITUDE 0836N LONGITUDE 12321E ELEVATION(FT) 00016

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	92	91	94	97	98	100	94	96	96	95	95	95	100	5	1769
MEAN MAX TMP (F)	86	87	89	92	92	91	91	90	91	91	90	89	90	5	1769
MEAN MIN TMP (F)	74	74	74	74	75	74	73	74	73	73	74	74	74	5	1767
ABS MIN TMP (F)	68	69	66	63	70	70	70	71	71	69	69	65	63	5	1767
MEAN NO DYS TMP = OR GTR 90(F)	4.2	6.0	16.6	26.3	28.8	25.3	25.3	22.6	21.8	25.4	20.9	16.1	239.3	5	1769
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1767
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1767
MEAN DEW PT TMP (F)	73	73	74	74	75	75	75	75	75	75	75	74	74	11	8634
MEAN REL HUM (PCT)	85	84	83	80	82	84	84	85	85	84	85	85	84	11	8534
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	6.05	3.44	4.97	2.20	9.13	8.20	8.56	8.71	10.20	9.88	14.12	10.25	95.7	5	1780
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	11.8	7.2	7.0	3.8	10.9	12.1	11.7	12.6	12.8	11.5	17.2	11.8	130.4	5	1780
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS W/OCUM VSBY LES 1/2 MI	1.0	0.0	0.0	0.0	0.0	0.9	0.2	0.4	0.0	0.8	0.8	0.8	4.9	11	1744
MEAN NO DYS TS:MS	0.2	0.0	1.1	1.2	6.2	7.0	5.4	2.7	4.6	4.1	3.5	2.0	38.0	11	1758
P FREQ WND SPD = OR GTR 17 KTS	0.3	0.4	0.1	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.1	11	8705
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	8705
P FREQ LES 5000 FT A/O LES 5 MI	32.9	25.4	28.4	14.1	13.3	14.1	10.7	20.7	12.6	10.1	20.8	24.0	18.9	11	8592
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	6.5	3.1	7.0	3.0	2.7	4.2	4.3	9.0	6.5	6.4	10.7	6.5	5.8	11	2392
03-05 LST	40.0		27.6	6.7	6.5	3.7	5.7	16.4	6.9	7.7	27.1	23.3		3	455
06-08 LST	8.9	8.1	4.9	4.7	3.3	1.7	3.1	2.6	3.9	3.1	6.4	9.8	5.0	12	2933
09-11 LST	13.8	0.0	13.3	3.3	3.2	3.7	0.0	3.6	0.0	0.0	8.6	6.7	4.7	2	458
12-14 LST	3.4	4.0	2.5	0.0	1.1	3.7	4.2	5.8	4.2	1.2	2.7	3.0	3.0	12	3104
15-17 LST	17.2		6.7	0.0	3.1	7.4	7.3	12.7	3.4	0.0	6.9	3.3		3	458
18-20 LST	8.3	4.3	3.6	1.7	2.3	4.4	5.3	9.2	8.1	5.0	7.6	5.7	5.5	12	3550
21-23 LST	21.4		16.7	3.3	6.5	11.1	9.1	14.5	10.3	5.7	15.3	18.3		3	457
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.5	0.0	0.4	0.5	0.0	1.1	0.0	1.1	0.0	3.4	0.5	0.5	0.7	11	2392
03-05 LST	6.7		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		3	455
06-08 LST	0.8	0.9	0.0	0.0	0.4	0.0	0.4	0.4	0.9	1.6	1.1	0.4	0.6	12	2933
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	458
12-14 LST	0.0	0.0	0.4	0.0	0.4	1.2	1.1	2.3	1.1	0.0	0.0	0.4	0.6	12	3104
15-17 LST	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		3	458
18-20 LST	0.7	0.0	1.0	0.3	0.7	1.0	1.8	2.0	1.7	1.0	2.8	0.7	1.1	12	3550
21-23 LST	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7		3	457

DIPOLOG, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 30.1	26.8	30.3	29.1	30.8	29.9	30.3	30.6	29.2	29.9	28.9	30.1	356.0	12	2933
	14 LST 30.6	27.7	30.9	30.0	30.9	29.4	30.2	30.0	29.4	30.6	29.5	30.6	359.8	12	3104
	20 LST 29.5	27.5	30.4	29.8	30.6	29.0	29.7	29.4	28.0	30.3	28.2	30.2	352.6	12	3550
	02 LST 29.9	28.0	30.0	29.4	30.2	28.6	30.2	29.3	28.2	29.0	28.2	29.7	350.7	11	2392
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	08 LST 25.5	24.1	27.8	27.4	29.7	29.3	29.5	29.6	28.1	29.0	26.7	26.3	333.0	12	2907
	14 LST 25.9	23.7	28.1	29.0	29.7	27.5	27.4	27.5	27.6	28.4	28.4	28.5	331.7	12	3078
	20 LST 25.1	24.6	28.9	29.3	29.9	27.2	28.6	26.8	26.3	28.9	27.1	27.6	330.3	12	3528
	02 LST 25.9	24.8	26.4	28.6	29.7	27.2	28.8	26.0	25.8	28.2	25.0	26.3	322.7	11	2373
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.5	12	2944
	14 LST 0.1	0.2	0.1	0.0	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.7	12	3098
	20 LST 0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.4	12	3566
	02 LST 0.0	0.0	0.1	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.3	11	2391
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NU PRECIP.	08 LST 16.4	16.9	16.2	15.5	10.9	12.2	12.9	13.5	10.7	12.5	11.7	11.8	161.2	12	2898
	14 LST 21.9	21.7	19.8	7.4	8.7	10.4	14.7	14.9	14.2	13.5	15.5	19.0	181.7	12	3065
	20 LST 13.3	13.2	11.3	11.5	7.2	7.6	9.4	12.3	8.7	9.7	8.2	8.7	121.1	12	3527
	02 LST 14.6	11.3	9.9	9.5	8.3	6.7	5.9	6.6	4.2	5.3	6.4	7.4	96.1	11	2354
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 3.0	1.3	4.7	3.8	4.1	3.9	4.7	4.7	4.4	6.0	4.4	2.9	47.9	12	2953
	14 LST 4.2	4.4	8.7	9.5	5.1	2.1	3.0	2.3	2.2	3.5	4.0	3.7	52.7	12	3104
	20 LST 7.0	7.4	12.7	11.4	6.8	4.0	3.6	3.8	2.6	5.5	6.2	6.3	77.3	12	3562
	02 LST 4.0	4.6	8.0	6.3	3.8	4.1	2.8	4.6	2.6	5.2	5.2	4.2	55.4	11	2389
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 20.5	19.5	23.5	23.6	26.8	27.7	28.6	28.3	27.3	27.6	23.4	22.1	298.9	12	2933
	14 LST 24.6	23.9	27.6	29.3	28.9	26.5	27.9	26.9	26.8	28.8	26.6	26.8	324.6	12	3104
	20 LST 24.3	23.3	27.3	28.3	28.8	25.8	26.7	24.7	24.2	26.9	25.8	25.7	311.8	12	3550
	02 LST 24.3	23.2	24.2	27.1	28.5	26.2	27.8	24.4	25.0	26.7	23.6	24.6	305.6	11	2392
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 15.4	14.5	17.7	18.3	24.0	25.4	27.8	27.5	26.6	26.0	20.7	17.7	261.6	12	2933
	14 LST 20.2	21.2	24.3	28.4	26.6	24.1	25.6	24.6	24.8	26.4	24.9	23.4	294.5	12	3104
	20 LST 22.1	20.9	25.7	27.6	27.1	23.4	23.8	22.4	22.1	24.6	24.3	23.4	287.4	12	3550
	02 LST 21.7	20.4	21.1	24.1	27.3	24.6	27.3	23.3	24.6	25.9	22.2	22.7	285.2	11	2392
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 15.4	14.5	17.7	18.3	23.9	25.1	27.8	27.1	26.3	26.0	20.6	17.5	260.2	12	2933
	14 LST 20.2	21.2	24.3	28.4	26.4	23.9	25.6	24.5	24.8	26.4	24.9	23.4	294.0	12	3104
	20 LST 22.1	20.9	25.1	27.3	27.1	22.7	23.8	22.0	22.0	24.4	24.2	23.4	285.0	12	3550
	02 LST 21.7	20.2	21.0	24.1	27.2	24.3	27.2	22.6	24.6	25.6	22.1	22.6	283.2	11	2392

COTABATO, PHILIPPINES

STA NO. 98746 (IN AREA NUMBER 04)

LATITUDE 0714N LONGITUDE 12415E ELEVATION(FT) 00056

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	96	98	99	98	98	97	95	95	95	97	96	96	99	15	5447
MEAN MAX TMP (F)	91	91	93	92	92	90	90	89	90	90	91	90	91	15	5447
MEAN MIN TMP (F)	70	71	71	72	73	72	72	72	72	72	72	71	72	15	5447
ABS MIN TMP (F)	61	63	65	66	67	68	67	67	63	66	64	64	61	15	5447
MEAN NO DYS TMP = OR GTR 90(F)	23.3	22.2	28.1	28.1	27.4	21.2	17.5	16.1	17.6	20.4	21.8	21.6	265.3	15	5447
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5447
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5447
MEAN DEW PT TMP (F)	73	73	74	75	76	75	75	74	74	75	75	74	74	6	8851
MEAN REL HUM (PCT)	83	82	80	81	84	86	86	86	86	86	85	84	84	6	8850
MEAN PRESS ALT (FT)	2.45	3.44	3.64	5.08	9.30	8.78	8.99	12.85	9.80	9.99	7.03	3.72	85.1	15	5452
MEAN PRECIP (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN SNOW FALL (IN)	6.1	6.3	6.6	8.7	13.6	13.4	14.7	14.8	13.8	14.8	11.5	7.0	131.3	15	5452
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.8	6	1566
MEAN NO DYS W/OCUM VSBY LES 1/2 MI	0.9	0.7	3.0	2.8	3.9	4.1	4.1	3.0	2.1	3.4	6.4	1.2	35.6	6	1573
MEAN NO DYS TSIMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.5	0.0	0.0	0.1	6	8886
P FREQ WND SPD = UR GTR 17 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	8886
P FREQ WND SPD = UR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	8886
P FREQ LES 5000 FT A/O LES 5 MI	1.9	3.7	3.1	3.2	6.3	5.1	6.0	6.4	8.0	6.7	5.4	4.5	5.0	6	8902
P FREQ LES 1500 FT A/O LES 3 MI	0.4	0.9	0.4	1.5	4.0	1.8	3.7	5.6	4.1	1.7	2.9	0.0	2.3	12	2688
FOR 00-02 LST	0.0	0.0	0.0	2.1	0.0	3.2	2.7	8.1	6.5	4.0	3.6	0.0	2.5	5	726
03-05 LST	2.0	0.9	1.6	0.5	5.1	5.1	4.8	4.0	4.2	5.7	4.1	3.7	3.5	12	2936
06-08 LST	3.0	0.0	0.0	0.0	0.0	1.1	2.7	0.0	2.1	1.4	0.0	0.0	0.6	5	729
09-11 LST	0.0	1.3	0.0	0.0	0.4	0.4	1.1	1.1	0.8	0.8	1.6	0.4	0.7	12	3107
12-14 LST	0.0	0.0	0.0	2.2	0.0	3.2	3.6	3.3	2.1	5.6	0.0	4.1	2.0	5	725
15-17 LST	2.1	2.3	4.4	3.0	10.2	5.0	3.4	7.8	10.6	3.7	2.5	3.6	4.9	6	1744
18-20 LST	0.0	5.3	1.5	0.0	6.7	5.3	6.4	3.3	12.8	0.0	1.8	0.0	3.6	5	728
21-23 LST	0.0	0.0	0.0	0.0	1.0	0.5	0.0	0.9	0.5	0.0	0.8	0.0	0.3	12	2688
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	726
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	12	2936
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	729
09-11 LST	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.1	12	3107
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	725
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1744
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	728
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.2	5	728

COTABATO, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 30.5	27.9	31.0	29.7	30.7	29.7	30.6	30.6	30.0	30.3	29.8	30.4	361.2	12	2936
	14 LST 30.9	27.6	31.0	30.0	31.0	30.0	30.6	30.6	29.9	30.8	29.5	31.0	362.9	12	3107
	20 LST 30.3	27.3	29.9	29.3	28.1	28.3	29.9	28.6	26.8	29.9	29.2	30.1	347.7	6	1744
	02 LST 30.7	27.9	31.0	29.6	29.9	29.7	30.6	29.7	29.2	30.4	29.4	31.0	359.1	12	2688
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	08 LST 30.3	27.6	30.4	29.3	28.7	27.8	29.0	29.3	27.8	28.0	27.9	29.6	345.7	12	2904
	14 LST 30.9	27.3	30.5	28.9	29.5	29.1	30.2	29.1	28.1	29.8	29.3	30.5	353.2	12	3080
	20 LST 30.3	27.1	29.6	28.9	27.8	28.1	29.9	28.6	26.2	29.7	29.0	29.9	345.1	6	1741
	02 LST 30.7	27.6	30.8	29.4	29.6	29.6	29.5	28.9	28.3	30.2	29.1	30.9	354.6	12	2658
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 0.0	0.0	0.1	0.1	0.0	0.2	0.1	0.0	0.0	0.1	0.0	0.0	0.6	12	2936
	14 LST 0.0	0.1	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.3	12	3100
	20 LST 0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	6	1745
	02 LST 0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	12	2683
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 15.9	12.7	16.4	14.9	16.9	11.4	10.4	10.6	11.9	15.2	17.5	16.3	170.1	12	2898
	14 LST 12.2	9.3	8.2	5.5	7.8	14.7	16.9	17.7	18.4	15.5	11.6	14.8	152.6	12	3065
	20 LST 5.0	7.0	6.1	7.5	4.7	3.6	4.5	3.9	4.7	4.8	3.7	3.3	58.8	6	1739
	02 LST 5.5	4.9	4.1	2.5	3.3	3.7	1.9	2.5	1.2	2.7	2.1	4.4	38.8	12	2644
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 4.3	3.2	8.0	6.4	2.4	1.6	1.6	1.4	2.5	2.2	3.2	3.3	40.1	12	2954
	14 LST 2.0	0.9	3.4	4.5	1.5	2.3	1.4	1.0	1.7	1.3	1.4	0.8	22.2	12	3126
	20 LST 1.5	2.2	1.1	3.2	0.2	1.1	0.2	0.7	1.7	2.1	1.7	1.5	17.2	6	1745
	02 LST 4.1	3.1	3.9	4.8	2.0	1.4	1.0	1.1	1.4	1.3	2.2	3.1	29.4	12	2705
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 30.0	26.7	30.0	28.8	28.4	26.8	27.8	28.4	26.3	27.7	27.2	29.1	337.2	12	2936
	14 LST 30.4	27.4	30.5	29.6	30.4	29.3	29.7	29.5	29.3	30.4	28.6	30.3	355.4	12	3107
	20 LST 29.9	26.9	29.4	28.4	27.1	27.8	29.9	28.3	26.3	29.1	28.3	29.1	340.5	6	1744
	02 LST 30.7	27.3	30.7	28.5	28.5	28.3	29.0	28.1	27.8	29.6	28.4	30.4	347.3	12	2688
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 29.5	25.2	29.8	28.2	28.4	25.7	26.7	27.4	24.8	26.9	26.1	28.1	326.8	12	2936
	14 LST 28.7	26.0	29.5	28.9	30.3	28.3	28.4	28.9	28.8	29.8	28.0	29.5	345.1	12	3107
	20 LST 29.7	26.7	29.0	27.9	25.9	27.4	29.9	28.1	25.7	28.7	27.7	28.4	335.1	6	1744
	02 LST 29.9	26.0	29.5	27.3	27.4	27.0	27.4	26.9	27.0	29.2	27.2	29.1	333.9	12	2688
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 29.3	25.2	29.4	28.0	28.4	25.7	26.7	27.4	24.7	26.9	26.0	28.1	325.8	12	2936
	14 LST 28.7	26.0	29.3	28.9	30.3	28.3	28.4	28.9	28.7	29.8	28.0	29.5	344.8	12	3107
	20 LST 29.7	26.7	29.0	27.9	25.9	27.0	27.7	27.0	25.3	28.5	27.7	28.4	332.8	6	1744
	02 LST 29.9	26.0	29.5	27.3	27.4	27.0	27.3	26.5	26.3	29.1	27.0	28.9	332.2	12	2688

ZAMBOANGA, PHILIPPINES

STA NO. 98836 (IN AREA NUMBER 04)

LATITUDE 0655N

LONGITUDE 12203E

ELEVATION(FT) 00017

POR (YRS)

OBS NO.

PARAMETER DESCRIPTION

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN		
ABS MAX TMP (F)	95	94	96	96	95	95	95	95	95	95	95	94	96	27	-535
MEAN MAX TMP (F)	89	89	90	90	89	88	88	88	88	88	89	88	89	15	5445
MEAN MIN TMP (F)	71	71	72	73	74	74	73	73	73	73	72	71	73	15	5444
ABS MIN TMP (F)	62	60	64	68	70	69	68	66	68	68	65	62	60	27	-535
MEAN NO DYS TMP = OR GTR 90(F)	11.7	11.3	19.0	17.2	14.5	7.3	3.6	5.0	4.5	7.1	8.7	8.0	117.9	15	5445
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5444
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5444
MEAN DEW PT TMP (F)	72	72	73	73	74	74	74	74	74	74	74	73	73	15	55033
MEAN REL HUM (PCT)	78	76	76	77	79	80	80	80	80	81	80	79	79	15	54734
MEAN PRESS ALT (FT)	107	117	107	117	127	117	107	117	107	107	127	117	115	0	-50
MEAN PRECIP (IN)	2.10	2.20	1.50	2.00	3.50	4.20	4.90	4.00	4.70	5.60	4.20	3.40	42.3	38	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.7	4.9	3.0	3.9	6.1	6.4	7.1	6.2	6.8	7.9	6.2	7.1	70.3	38	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.0	0.1	0.0	0.0	0.4	0.4	0.4	0.2	0.1	0.7	0.4	0.0	2.7	15	3818
MEAN NO DYS TSTMS	0.5	0.1	1.6	3.5	5.1	2.3	1.8	1.1	2.0	2.9	3.2	1.5	25.6	15	3819
P FREQ WND SPD = UR GTR 17 KTS	0.4	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.3	0.5	0.5	0.1	0.2	15	55141
P FREQ WND SPD = UR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	55141
P FREQ LES 5000 FT A/O LES 5 MI	8.3	8.0	8.1	7.2	9.5	8.9	9.6	12.4	12.0	11.7	11.2	7.6	9.5	15	54900
P FREQ LES 1500 FT A/O LES 3 MI	1.4	0.0	1.1	0.9	1.1	4.0	4.0	2.9	4.3	4.6	3.5	1.5	2.4	15	4105
FOR 00-02 LST															
FOR 03-05 LST	1.3	0.4	0.6	1.0	0.0	2.3	0.0	2.9	1.9	3.3	2.7	0.7	1.4	10	3364
FOR 06-08 LST	0.6	0.1	0.7	0.5	0.7	1.2	0.4	2.0	1.6	2.8	2.6	0.6	1.2	15	9813
FOR 09-11 LST	0.9	0.2	0.6	0.7	0.9	0.7	1.2	1.0	2.2	1.6	1.5	0.5	1.0	15	10522
FOR 12-14 LST	0.7	0.6	0.3	0.9	1.2	1.5	1.0	2.0	1.9	2.1	1.5	0.7	1.2	15	10202
FOR 15-17 LST	0.8	0.3	0.5	0.4	0.9	1.5	1.3	1.4	3.0	2.6	1.3	0.6	1.2	15	10631
FOR 18-20 LST	1.4	0.2	0.3	0.0	0.8	1.4	1.5	2.2	3.9	1.8	1.6	0.6	1.3	15	8030
FOR 21-23 LST	1.8	0.7	0.9	0.6	0.9	0.9	2.4	2.2	2.2	2.5	2.8	0.6	1.5	15	3864
P FREQ LES 300 FT A/O LES 1 MI	0.3	0.0	0.0	0.0	0.0	0.6	0.0	0.3	0.0	0.3	0.3	0.0	0.2	15	4105
FOR 00-02 LST															
FOR 03-05 LST	0.0	0.0	0.0	0.3	0.0	0.4	0.0	0.7	0.0	0.7	0.4	0.4	0.2	10	3364
FOR 06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.4	0.4	0.0	0.1	15	9813
FOR 09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	15	10522
FOR 12-14 LST	0.1	0.0	0.0	0.0	0.2	0.1	0.0	0.2	0.2	0.1	0.0	0.1	0.1	15	10202
FOR 15-17 LST	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.4	0.0	0.1	15	10631
FOR 18-20 LST	0.4	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.5	0.0	0.0	0.0	0.1	15	8030
FOR 21-23 LST	0.3	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.0	0.0	0.0	0.2	15	3864

ZAMBOANGA, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 30.9	27.9	30.8	30.0	30.8	29.8	31.0	30.7	29.6	30.4	29.7	30.9	362.5	15	4431
	14 LST 30.9	27.9	30.9	29.8	30.9	29.6	30.8	30.5	29.6	30.7	29.8	30.7	362.1	15	4448
	20 LST 30.8	27.9	31.0	29.9	30.8	29.3	30.8	30.7	29.3	30.8	29.9	30.8	362.0	15	5164
	02 LST 30.8	27.9	30.8	29.8	30.9	29.3	30.5	30.7	29.5	30.4	29.5	30.3	360.9	15	4095
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	08 LST 30.3	27.8	30.6	29.7	30.5	29.2	30.7	29.9	29.0	29.2	28.8	30.3	356.0	15	4404
	14 LST 29.8	26.0	28.2	28.1	28.5	27.6	28.8	27.2	27.3	27.0	26.8	29.1	334.4	15	4421
	20 LST 30.4	27.7	30.8	29.9	30.6	29.0	30.1	29.6	28.2	30.1	29.0	30.5	355.9	15	5160
	02 LST 30.5	27.5	30.4	29.5	30.3	25.4	28.9	29.7	28.2	28.8	28.3	30.2	350.7	15	4075
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.3	15	4421
	14 LST 0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.4	15	4425
	20 LST 0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.5	15	5165
	02 LST 0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.5	15	4100
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 5.3	6.7	5.8	4.9	5.0	5.1	5.0	6.5	4.8	4.8	4.8	4.1	62.8	15	4382
	14 LST 23.4	21.2	21.6	20.1	18.5	20.0	21.0	22.2	20.8	19.9	19.8	21.6	250.1	15	4386
	20 LST 2.0	2.6	3.5	3.6	2.5	3.2	3.1	5.0	3.4	2.0	2.5	2.3	35.7	15	5154
	02 LST 2.3	3.1	2.1	1.0	2.0	2.3	2.1	2.7	1.7	1.9	1.7	1.8	24.7	15	4057
	08 LST 6.4	5.5	8.2	7.4	2.8	1.4	3.1	2.4	4.4	6.8	6.3	4.7	59.4	15	4433
	14 LST 3.6	2.6	5.1	2.5	1.1	1.2	1.2	2.0	1.5	1.9	1.7	2.8	27.2	15	4449
	20 LST 8.2	7.3	12.2	9.1	6.3	3.6	2.2	2.4	2.7	4.6	6.1	7.9	72.6	15	5165
	02 LST 7.8	4.8	7.6	7.3	4.5	2.0	2.4	2.1	2.6	3.7	5.1	5.1	55.0	15	4100
	08 LST 29.7	27.2	29.4	28.7	29.7	28.4	30.0	29.1	28.3	28.8	27.9	29.9	347.1	15	4431
	14 LST 28.5	26.1	29.0	27.7	28.1	27.1	29.0	27.6	26.9	28.2	27.4	28.3	333.9	15	4448
	20 LST 29.5	27.0	30.3	29.1	29.5	27.5	28.7	27.5	26.3	29.0	28.1	29.7	342.2	15	5164
	02 LST 29.0	25.7	28.6	27.7	27.5	26.4	26.9	26.4	25.3	26.4	25.9	27.9	323.7	15	4095
	08 LST 28.7	26.9	28.1	27.7	29.0	27.9	29.5	28.6	27.5	28.2	27.2	29.3	338.6	15	4431
	14 LST 27.0	25.0	28.2	26.6	26.4	25.5	27.7	26.5	25.4	26.8	26.2	26.9	318.2	15	4448
	20 LST 28.9	26.2	29.5	28.8	28.8	26.2	27.8	25.7	25.0	28.1	27.0	29.0	331.0	15	5164
	02 LST 28.0	24.5	27.3	26.2	25.7	24.8	25.3	23.9	23.3	24.4	24.0	26.2	303.6	15	4095
	08 LST 28.7	26.9	28.1	27.5	29.0	27.8	29.3	28.6	27.5	28.2	27.1	24.3	338.0	15	4431
	14 LST 26.9	25.0	28.1	26.6	26.3	25.5	27.7	26.5	25.4	26.8	26.2	26.9	317.9	15	4448
	20 LST 28.9	26.2	29.5	28.8	28.8	26.2	27.7	25.5	25.0	28.1	27.0	29.0	330.7	15	5164
	02 LST 28.0	24.5	27.3	26.2	25.7	24.8	25.3	23.9	23.3	24.4	24.0	26.2	303.6	15	4095

DADIANGAS, PHILIPPINES

STA NO. 98851 (IN AREA NUMBER 04)

LATITUDE 0607N

LONGITUDE 12514E

ELEVATION(FT) 00049

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	0.0	0.0	3.3	0.0	2.1	0.0	2.8	1.6	0.0	1.3	0.0	0.0	0.9	7	822
MEAN MAX TMP (F)	0.0	1.2	1.7	0.0	1.1	0.0	2.0	1.9	0.0	0.7	0.4	0.0	0.8	7	-30
MEAN MIN TMP (F)	0.0	2.3	0.0	0.0	0.0	0.0	1.2	2.1	0.0	0.0	0.8	0.0	0.5	7	1056
ABS MIN TMP (F)	0.5	1.2	0.5	0.6	0.0	0.7	1.1	1.2	0.9	0.4	0.4	0.8	0.7	7	-30
MEAN NO DYS TMP = OR GTR 90(F)	0.9	0.0	1.0	1.1	0.0	1.3	1.0	0.0	1.8	0.8	0.0	1.6	0.8	7	1266
MEAN NO DYS TMP = OR LES 32(F)															
MEAN NO DYS TMP = OR LES 0(F)															
MEAN DEW PT TMP (F)															
MEAN REL HUM (PCT)															
MEAN PRESS ALT (FT)															
MEAN PRECIP (IN)															
MEAN SNOW FALL (IN)															
MEAN NO DYS PKCP = OR GTR 0.1 IN															
MEAN NO DYS SNFL = OR GTR 1.5 IN															
MEAN NO DYS W/OCUK VSBY LES 1/2 MI															
MEAN NO DYS TSTMS															
P FREQ WND SPD = OR GTR 17 KTS															
P FREQ WND SPD = OR GTR 28 KTS															
P FREQ LES 5000 FT A/O LES 5 MI															
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST															
03-05 LST															
06-08 LST															
09-11 LST															
12-14 LST															
15-17 LST															
18-20 LST															
21-23 LST															
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	7	822
03-05 LST	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.1	7	-30
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.1	7	1056
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.4	0.4	0.1	7	-30
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.8	0.1	7	1266
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

DADIANGAS, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	31.0	27.7	30.3	30.0	31.0	30.0	31.0	31.0	30.0	31.0	29.7	31.0	363.7	7	1056
	30.4	28.0	31.0	29.3	31.0	29.6	31.0	31.0	29.5	31.0	30.0	30.5	362.3	7	1266
	31.0	28.0	30.0	30.0	30.3	29.5	30.6	30.5	30.0	30.6	30.0	31.0	361.5	7	822
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	29.9	24.0	28.0	28.8	29.6	30.0	30.2	30.0	30.0	29.3	29.0	29.5	348.3	7	1032
	10.3	8.9	11.2	7.6	11.6	12.0	10.2	9.4	7.8	10.3	11.4	14.0	124.7	7	1240
	29.9	25.9	29.0	28.7	30.3	28.3	29.1	28.9	30.0	29.8	29.7	28.7	348.3	7	799
SFC WND = GTR 17 KTS AND NO PRECIP.	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.3	0.0	0.3	0.0	0.3	1.3	7	1051
	4.7	3.8	3.4	7.9	6.5	4.1	4.1	4.5	4.1	2.6	2.6	2.2		7	1256
	0.0	0.0	0.0	0.6	0.0	0.5	0.4	0.5	0.0	0.8	0.0	0.0	2.8	7	810
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	26.9	22.7	25.2	28.2	23.5	24.0	21.1	18.0	22.3	23.8	21.2	24.5	281.4	7	1030
	4.9	6.3	5.3	4.6	8.8	10.0	11.2	9.9	8.3	6.0	11.2	12.1	98.6	7	1220
	26.2	23.7	25.9	24.0	22.1	22.2	23.3	20.5	24.1	22.6	20.6	20.1	275.3	7	790
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	14.5	10.7	16.4	16.5	9.7	8.9	10.4	11.2	11.7	16.4	12.7	11.9	151.0	7	1064
	5.4	3.1	5.7	6.8	2.5	2.3	2.0	0.5	2.1	4.2	1.8	3.7	40.1	7	1269
	18.6	13.8	23.0	15.6	14.3	10.4	13.4	15.5	13.1	16.8	11.9	13.0	179.4	7	828
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	30.7	27.0	29.9	30.0	31.0	29.6	29.2	30.0	30.0	31.0	29.5	30.4	358.3	7	1056
	30.4	27.4	30.4	28.6	30.7	29.2	29.5	30.7	29.5	30.5	29.7	29.7	356.3	7	1266
	30.5	27.6	30.0	30.0	29.0	27.8	29.7	30.0	29.6	30.6	29.7	31.0	355.5	7	822
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	30.3	25.7	28.8	30.0	31.0	29.2	28.5	29.0	29.0	30.7	29.2	29.8	351.2	7	1056
	28.4	25.7	28.3	26.5	30.0	26.9	28.9	28.9	27.6	28.7	29.2	28.2	337.4	7	1266
	28.5	26.7	30.0	30.0	27.7	26.8	29.3	30.0	29.2	30.6	29.1	30.0	347.9	7	822
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	28.6	25.4	28.4	29.4	31.0	28.8	28.5	28.7	29.0	30.7	29.0	29.5	347.0	7	1056
	28.4	25.7	28.3	26.6	30.0	26.9	28.9	28.9	27.6	28.7	29.2	28.2	337.4	7	1266
	27.9	25.9	30.0	29.3	27.7	25.2	28.0	28.0	28.0	29.0	28.5	29.0	336.5	7	822


AREA NO. 04

PHILIPPINE ISLANDS	SOUTHWEST SLOPES		LONGITUDE											
	BOUNDARIES		1310N 12155E	0550N 12530E	0550N 12530E	0430N 12300E	0430N 12300E	0430N 12300E	0700N 12130E	1310N 12130E	1310N 12155E	0700N 12130E	12300E	12130E
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	87	87	89	91	91	90	89	89	89	89	89	87	89	
MEAN MIN TMP (F)	73	73	74	75	75	75	74	74	74	74	74	73	74	
LARGEST MEAN PRECIP(IN)	6.05	3.60	4.97	5.08	9.30	10.60	17.60	15.20	12.40	14.80	14.12	10.25	12.40	
SMALLEST MEAN PRECIP(IN)	2.10	1.80	1.30	1.50	3.50	4.20	4.90	4.00	4.70	5.60	4.20	3.40	4.12	
	MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	30.7	27.7	30.8	29.8	30.9	29.9	30.7	30.8	29.8	30.6	27.7	30.7	362.1
	14 LST	30.8	27.9	30.9	29.9	31.0	29.7	30.7	30.6	29.6	30.6	29.7	30.8	362.2
	20 LST	30.4	27.8	30.7	29.8	30.3	29.2	30.4	30.2	28.9	30.5	29.4	30.5	358.1
	02 LST	30.6	27.9	30.6	29.8	30.5	29.3	30.5	30.2	29.4	30.2	29.3	30.7	359.0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	08 LST	26.2	23.7	26.5	25.9	28.3	28.4	29.2	28.9	28.3	28.8	26.2	26.7	327.1
	14 LST	22.3	20.0	22.9	22.5	24.6	24.3	24.6	23.1	23.4	24.6	23.2	23.6	279.1
	20 LST	25.9	24.0	27.0	27.3	28.3	27.3	28.1	27.4	27.2	28.8	27.2	27.0	325.5
	02 LST	26.9	24.4	27.7	28.0	29.4	27.8	28.1	27.5	27.9	28.7	27.1	27.3	330.8
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.3	0.4	0.2	0.2	0.1	0.1	0.2	0.2	0.1	0.2	0.1	0.2	2.3
	14 LST	2.7	2.3	2.3	2.2	1.5	0.2	0.8	1.0	0.7	0.3	0.9	1.6	16.5
	20 LST	0.4	0.3	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	2.1
	02 LST	0.2	0.2	0.2	0.1	0.0	0.2	0.1	0.3	0.1	0.2	0.1	0.1	1.8
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	14.6	14.1	15.3	15.9	13.4	10.7	10.1	10.3	10.0	12.0	13.5	13.9	153.8
	14 LST	14.3	13.1	13.2	9.3	9.5	12.2	13.3	13.6	13.6	12.4	14.0	15.0	153.5
	20 LST	10.0	9.8	9.0	8.6	6.0	6.0	6.3	7.9	5.9	6.3	8.6	9.3	93.7
	02 LST	13.2	11.9	12.7	11.5	9.1	7.3	7.6	7.7	7.0	7.9	9.7	11.0	116.6
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	5.4	4.3	7.9	7.5	3.6	3.4	4.2	4.1	4.3	6.3	5.4	4.5	61.1
	14 LST	3.5	3.3	7.0	8.8	4.0	2.0	1.9	1.2	1.6	2.6	3.1	3.1	42.1
	20 LST	6.5	6.4	10.1	11.3	6.3	3.6	2.8	2.7	3.1	4.5	5.2	5.8	68.3
	02 LST	8.1	7.1	10.4	9.7	6.6	4.0	4.8	4.6	4.8	6.5	5.8	6.5	78.9
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	27.9	25.7	28.4	27.5	28.9	28.2	29.1	28.7	28.1	28.6	26.8	28.0	336.1
	14 LST	28.0	26.0	29.3	29.2	29.5	27.8	29.0	28.4	27.5	28.9	27.8	28.4	339.8
	20 LST	27.9	25.7	29.1	28.9	28.8	26.8	28.1	27.3	26.4	28.1	27.5	28.2	332.8
	02 LST	28.4	25.9	28.6	28.4	28.6	27.0	27.9	27.5	26.9	28.0	27.0	28.3	332.5
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	26.2	24.0	26.8	26.1	27.8	27.3	28.5	27.8	27.3	28.0	25.6	26.5	321.9
	14 LST	26.1	24.5	28.0	29.5	28.7	26.4	27.9	27.0	26.3	27.6	26.8	26.9	324.7
	20 LST	26.8	24.6	28.1	28.5	27.9	25.4	27.0	25.8	25.2	26.9	26.4	27.1	319.7
	02 LST	26.8	24.6	27.5	27.5	27.7	25.7	26.9	26.4	26.0	27.1	25.7	27.0	318.9
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	25.8	23.7	26.6	25.9	27.6	26.8	28.5	27.3	27.0	27.9	25.5	26.3	319.1
	14 LST	25.9	24.4	28.0	28.5	28.6	26.3	27.9	27.0	26.3	27.6	26.6	26.6	323.7
	20 LST	26.5	24.3	27.7	28.3	27.9	25.1	26.9	25.4	25.0	26.8	26.3	27.0	317.2
	02 LST	26.6	24.1	27.4	27.3	27.5	24.9	26.3	25.2	25.4	26.6	25.4	26.5	313.2

PUERTO PRINCESA, PHILIPPINES

STA NO. 98618 (IN AREA NUMBER 05) LATITUDE 0944N LONGITUDE 11845E ELEVATION(FT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	92	95	95	96	95	95	92	93	94	93	92	93	96	15	5433
MEAN MAX TMP (F)	87	88	89	91	90	88	87	87	87	88	88	87	88	15	5433
MEAN MIN TMP (F)	73	73	74	75	76	75	74	74	74	74	74	74	74	15	5433
ABS MIN TMP (F)	65	67	70	71	70	67	65	68	71	71	70	68	65	15	5433
MEAN NO DYS TMP = OR GTR 90(F)	2.8	7.1	17.1	26.3	21.9	9.2	3.0	3.3	5.6	8.5	6.7	5.1	116.6	15	5433
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5433
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5433
MEAN DEW PT TMP (F)	74	73	74	75	76	76	75	75	75	75	75	75	75	15	27873
MEAN REL HUM (PCT)	84	82	82	81	84	87	87	88	87	87	87	86	85	15	27858
MEAN PRESS ALT (FT)	-12	4	16	72	112	170	168	192	168	113	73	33	92	0	-50
MEAN PRECIP (IN)	1.37	0.99	2.19	1.49	5.73	6.70	7.27	7.83	7.76	7.56	7.49	5.25	61.6	15	5392
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS PKCP = OR GTR 0.1 IN	2.1	1.5	2.7	3.2	9.3	11.1	12.0	12.3	12.3	11.9	9.2	5.9	93.5	15	5392
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	15	3802
MEAN NO DYS TSTMS	0.1	0.0	0.3	0.9	2.3	0.4	0.8	1.2	0.7	0.7	0.9	0.8	9.1	15	3819
P FREQ WND SPU = OR GTR 17 KTS	0.0	0.0	0.1	0.0	0.0	0.0	0.2	0.0	0.1	0.4	0.3	0.1	0.1	15	27897
P FREQ WND SPU = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	15	27897
P FREQ LES 5000 FT A/O LES 5 MI	7.4	5.8	8.6	7.7	10.5	8.7	8.7	11.9	8.6	10.1	9.4	8.0	8.6	15	27825
P FREQ LES 1500 FT A/O LES 3 MI	0.8	0.9	1.1	1.5	3.4	2.4	1.4	2.1	0.8	1.6	1.1	1.3	1.5	15	4275
FOR 00-02 LST															
03-05 LST	0.7	0.8	1.2	2.0	2.7	2.3	0.7	2.2	2.0	2.4	1.8	1.0	1.7	10	3175
06-08 LST	1.9	0.9	2.2	1.4	2.4	2.0	1.6	1.8	1.6	1.8	2.4	2.8	1.9	15	4471
09-11 LST	1.1	2.6	2.5	1.9	2.6	1.9	1.7	0.3	2.6	1.5	3.3	2.3	2.0	15	4138
12-14 LST	0.5	0.8	1.6	1.6	2.4	2.9	3.8	2.7	3.3	3.0	2.3	2.1	2.3	15	4571
15-17 LST	1.4	1.5	1.5	2.7	2.2	2.8	3.6	2.6	2.6	2.3	2.7	2.6	2.4	15	4254
18-20 LST	1.6	1.2	2.3	3.5	1.6	1.6	2.0	2.2	1.6	3.3	1.4	2.6	2.1	15	5248
21-23 LST	1.7	1.1	2.4	1.3	2.4	3.0	1.9	2.1	1.0	1.7	0.9	1.2	1.7	14	3675
P FREQ LES 300 FT A/O LES 1 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	4275
FOR 00-02 LST															
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3175
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	15	4471
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	15	4138
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	4571
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	4254
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.2	0.1	15	5248
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	14	3675



BLANK PAGE

PUERTO PRINCESA, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	31.0	28.0	30.9	30.0	30.9	29.8	31.0	31.0	30.0	31.0	29.8	31.0	364.4	4471
	14 LST	31.0	28.0	31.0	30.0	31.0	30.8	30.9	30.0	30.9	29.8	29.8	31.0	364.4	4571
	20 LST	30.8	27.9	30.7	29.8	31.0	29.9	30.8	29.7	30.5	29.6	30.7	30.7	362.2	5248
CIG = GTP 2000 FT AND VSBY = GTR 3 MI	02 LST	31.0	27.9	30.7	30.0	31.0	29.9	31.0	29.8	30.7	29.9	30.9	30.9	363.7	4275
	08 LST	29.5	27.3	29.1	29.1	29.6	29.0	30.0	29.3	29.9	28.2	29.4	351.2	4441	
	14 LST	27.7	24.1	27.5	28.3	29.8	28.1	28.4	29.0	27.4	28.4	27.4	28.2	334.3	4536
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	27.8	26.1	29.1	28.2	30.0	29.0	29.8	29.4	28.9	29.5	28.7	28.7	345.2	5242
	02 LST	30.5	27.4	30.2	29.4	29.1	29.0	30.2	29.8	29.3	29.6	28.7	30.2	353.4	4252
	08 LST	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.2	4473
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.2	4544
	20 LST	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.4	5246
	02 LST	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.4	4267
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	3.1	3.3	3.7	2.0	1.1	1.4	2.0	1.2	2.0	2.1	2.3	3.5	27.7	4434
	14 LST	17.0	13.3	13.6	7.1	6.5	11.0	12.2	12.3	10.6	7.6	11.5	14.6	137.3	4505
	20 LST	9.1	6.6	5.7	3.1	1.4	2.6	3.8	3.9	3.2	2.4	5.3	7.3	54.4	5217
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	4.0	3.0	3.1	0.9	1.4	0.8	1.9	1.9	2.0	1.5	1.7	2.5	24.7	4232
	08 LST	7.6	5.8	10.5	10.3	6.4	3.6	5.9	3.1	3.8	5.6	6.1	6.1	72.8	4490
	14 LST	4.8	4.1	5.4	7.6	3.9	1.1	0.7	0.3	0.7	2.0	2.3	3.0	37.4	4561
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	9.1	9.1	9.6	8.6	7.2	3.1	3.2	2.9	3.8	5.0	7.3	6.6	75.5	5250
	02 LST	6.9	6.9	8.8	6.4	5.3	2.6	3.3	1.7	2.5	2.9	3.6	4.0	54.9	4273
	08 LST	26.9	26.9	28.9	28.3	28.5	28.1	29.5	29.0	28.7	28.8	27.5	28.1	341.2	4471
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	14 LST	29.7	26.6	28.7	28.0	28.0	26.7	26.9	27.6	26.0	27.0	27.0	28.7	350.9	4571
	20 LST	28.2	26.5	28.5	27.1	28.6	27.7	28.3	27.1	27.4	27.6	27.2	28.4	332.6	5248
	02 LST	29.9	27.2	29.9	29.3	28.2	28.8	29.9	29.4	29.0	29.6	28.7	30.0	349.9	4275
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	27.9	26.5	28.2	27.5	27.6	27.6	29.1	28.3	28.2	28.2	26.7	27.3	333.3	4471
	14 LST	28.8	25.8	27.4	27.3	26.8	25.2	25.0	25.3	24.2	25.5	26.0	27.9	315.2	4571
	20 LST	27.3	25.8	27.5	26.3	27.2	26.5	26.9	25.3	25.9	26.1	26.1	27.0	317.9	5248
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	29.7	27.0	29.7	29.3	27.8	28.7	29.6	29.0	28.8	29.3	28.5	29.9	347.3	4275
	08 LST	27.8	26.3	28.0	27.5	27.5	27.5	29.0	28.1	28.0	28.1	26.5	27.2	331.5	4471
	14 LST	28.7	25.8	27.3	27.3	26.8	25.0	24.8	23.6	25.0	25.0	25.9	27.9	312.9	4571
20 LST	27.1	25.7	27.4	26.3	27.0	26.3	26.4	24.6	25.2	25.6	25.8	26.8	314.2	5248	
02 LST	29.7	26.9	29.6	29.3	27.6	28.5	29.6	28.8	28.8	29.3	28.4	29.9	346.4	4275	

CUYO, PHILIPPINES

STA NO. 98630 (IN AREA NUMBER 05) LATITUDE 1051N LONGITUDE 12102E ELEVATION(FT) 00013

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	88	90	93	94	95	93	92	92	92	92	91	89	95	15	5398
MEAN MAX TMP (F)	84	85	87	89	90	88	87	87	87	87	86	85	87	15	5398
MEAN MIN TMP (F)	77	76	77	78	78	76	76	76	76	76	78	77	77	15	5396
ABS MIN TMP (F)	68	67	69	71	71	71	71	70	71	70	70	59	67	15	5396
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.3	1.5	10.7	20.1	10.1	3.7	2.5	2.7	1.7	1.0	0.0	54.3	15	5398
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5396
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5396
MEAN DEW PT TMP (F)	73	73	74	76	77	77	77	77	77	77	77	75	76	5	13201
MEAN REL HUM (PCT)	82	81	80	78	81	83	84	83	85	83	82	82	82	10	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.70	0.40	0.30	0.80	7.90	12.50	16.90	14.70	14.50	10.60	5.50	2.90	87.7	35	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS PKCP = OR GTR 0.1 IN	1.9	1.2	0.6	1.7	9.9	12.2	13.6	13.0	16.0	13.2	7.8	6.2	97.3	35	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.0	0.0	0.0	0.2	0.0	0.2	0.2	0.7	0.0	0.2	0.0	0.0	1.5	5	1728
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.4	1.7	3.2	2.2	2.0	2.3	1.3	0.4	0.0	13.5	5	1728
P FREQ WND SPD = UR GTR 17 KTS	61.2	38.8	25.8	15.5	6.0	8.7	12.4	18.4	8.1	23.2	47.4	51.6	26.4	5	13212
P FREQ WND SPD = UR GTR 28 KTS	12.5	8.2	1.9	0.5	0.1	0.3	0.7	1.5	0.0	2.4	2.6	6.4	3.1	5	13212
P FREQ LES 5000 FT A/O LES 5 MI	12.1	8.4	7.5	6.4	15.9	26.4	32.1	34.2	29.3	22.7	19.8	14.7	19.1	5	13186
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	4.8	1.7	0.8	1.3	8.0	16.3	14.3	16.7	16.4	9.7	8.8	6.9	8.8	12	2999
03-05 LST	2.5	2.3	0.0	0.7	1.7	8.0	7.8	10.2	8.1	6.9	7.5	4.8	5.0	5	1594
06-08 LST	4.9	1.2	1.0	1.9	5.6	12.0	15.2	15.5	14.0	13.0	6.9	5.8	8.1	12	3233
09-11 LST	3.5	2.9	4.3	4.6	9.4	15.4	15.4	16.9	16.7	10.7	10.8	9.4	10.0	12	2770
12-14 LST	3.5	1.6	2.8	3.7	8.3	10.0	12.6	14.5	12.0	10.8	6.9	5.2	7.7	12	3290
15-17 LST	1.7	0.7	0.0	0.0	2.5	5.1	8.4	10.2	6.7	3.8	2.5	0.8	3.5	5	1601
18-20 LST	1.4	2.2	0.0	0.7	5.3	9.5	11.0	18.2	7.5	10.8	4.1	2.6	6.1	5	1759
21-23 LST	0.0	0.7	0.0	0.7	4.1	7.9	10.3	11.0	10.4	7.5	7.5	3.2	5.3	5	1607
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.4	0.4	0.8	0.4	0.8	0.0	0.0	0.0	0.2	12	2999
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.1	5	1594
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	12	3233
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.0	0.1	12	2770
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3290
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1601
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.7	0.0	0.0	0.0	0.0	0.1	5	1759
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.7	1.5	0.0	0.0	0.0	0.2	5	1603

CUYO, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	30.8	28.0	31.0	29.8	30.8	29.5	30.3	30.3	29.0	29.9	29.6	30.9	359.9	12	3233
	14 LST	30.9	28.0	30.8	29.6	30.8	29.6	30.6	30.2	29.4	30.3	29.9	30.9	361.0	12	3290
	20 LST	31.0	28.0	31.0	29.6	30.4	28.6	30.2	29.2	29.6	29.9	29.8	31.0	358.3	5	1759
	02 LST	30.6	28.0	31.0	29.9	30.4	28.7	30.0	29.8	28.8	30.3	29.4	30.5	357.4	12	2999
	08 LST	10.0	13.7	16.6	19.6	24.9	20.5	19.5	17.7	19.1	17.2	12.5	10.3	201.6	12	3216
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	14 LST	5.3	7.8	11.5	14.9	19.2	19.2	17.3	14.4	16.8	14.5	9.5	7.1	157.5	12	3257
	20 LST	6.8	8.1	16.8	19.1	24.2	22.7	20.8	14.7	22.4	14.6	9.8	7.6	187.6	5	1758
	02 LST	9.1	11.4	16.4	17.4	22.7	18.2	19.0	16.5	16.9	17.0	13.1	8.9	186.6	12	2966
	08 LST	10.4	9.9	4.8	2.7	0.4	1.2	1.8	2.6	1.2	3.3	6.6	8.6	49.5	12	3254
	14 LST	14.0	9.3	8.9	3.7	1.9	1.4	2.3	2.8	2.0	4.2	9.8	13.0	73.3	12	3268
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	16.0	8.8	6.6	3.1	1.0	1.0	2.8	3.1	1.2	5.4	11.6	15.7	76.3	5	1759
	02 LST	12.5	7.4	7.0	4.0	1.6	1.1	1.9	3.3	0.6	4.8	8.0	10.5	59.7	12	2991
	08 LST	9.9	11.3	13.6	11.2	9.8	5.0	7.8	8.5	8.5	8.0	8.0	9.5	110.9	12	3216
	14 LST	7.6	9.7	11.5	9.2	7.7	8.5	9.8	9.9	11.4	8.3	7.7	8.8	110.1	12	3234
	20 LST	7.0	7.9	7.9	8.6	5.1	4.1	7.8	5.4	6.9	9.2	7.1	6.6	83.6	5	1758
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	10.0	11.6	12.3	8.6	6.9	6.0	6.3	9.1	7.0	7.6	9.4	9.0	103.8	12	2941
	08 LST	2.9	3.3	4.9	5.3	0.7	0.2	0.1	0.3	0.2	1.0	1.6	1.5	22.0	12	3255
	14 LST	2.4	3.7	4.9	3.4	0.7	0.0	0.2	0.1	0.0	1.2	1.5	3.0	21.1	12	3289
	20 LST	3.4	5.6	7.0	6.8	3.5	1.2	0.0	0.0	0.0	1.0	0.8	2.6	31.9	5	1760
	02 LST	1.0	2.7	3.8	3.8	1.9	0.1	0.6	0.0	0.0	0.2	0.2	0.3	1.1	15.7	12
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	26.8	26.0	29.1	28.1	26.4	21.4	20.0	20.1	20.2	21.9	24.2	26.2	290.4	12	3233
	14 LST	28.1	27.0	29.0	27.8	24.3	23.3	22.9	22.1	22.1	24.4	25.2	27.6	303.8	12	3290
	20 LST	29.9	26.7	30.3	29.4	28.3	24.5	25.0	20.6	24.9	24.3	24.9	28.4	317.2	5	1759
	02 LST	27.2	26.1	29.7	29.0	26.0	20.5	21.3	20.5	20.4	24.3	24.7	27.0	296.7	12	2999
	08 LST	25.4	24.9	27.4	27.5	25.2	19.2	17.7	17.8	18.1	19.8	22.7	24.5	270.2	12	3233
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	14 LST	26.9	27.0	28.5	27.2	22.4	22.1	21.9	21.1	20.8	23.6	24.3	27.0	292.8	12	3290
	20 LST	29.5	26.5	30.1	29.4	28.1	23.5	24.0	19.4	23.0	23.3	23.3	26.4	306.5	5	1759
	02 LST	26.0	25.3	29.1	28.7	25.3	19.4	19.7	19.5	19.4	23.3	24.2	26.4	286.3	12	2999
	08 LST	25.4	24.9	27.4	27.3	25.1	19.2	17.7	17.8	18.1	19.8	22.6	24.5	269.8	12	3233
	14 LST	26.9	27.0	28.3	27.2	22.4	22.0	21.9	21.0	20.8	23.6	24.3	27.0	292.4	12	3290
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	29.5	26.5	30.1	29.4	27.9	23.5	24.0	19.0	23.0	23.3	23.0	26.4	305.6	5	1759
	02 LST	25.9	25.1	29.0	28.7	25.3	19.3	19.7	19.3	19.2	23.2	24.2	26.4	285.3	12	2999

JOLO BAY, PHILIPPINES

STA NO. 98030 (IN AREA NUMBER 05)

LATITUDE 0605N
LONGITUDE 12100E
ELEVATION(FT) 00043

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
ABS MAX TMP (F)	93	91	96	92	95	95	95	94	95	93	93	92	96	15	5319
MEAN MAX TMP (F)	86	86	87	88	89	89	88	89	89	88	87	87	88	15	5319
MEAN MIN TMP (F)	72	72	72	72	72	73	72	73	73	72	72	73	72	15	5319
ABS MIN TMP (F)	63	66	65	65	67	66	65	69	68	68	67	64	63	15	5319
MEAN NC DYS TMP = OR GTR 90(F)	0.6	0.3	1.9	3.8	10.6	10.3	10.0	11.9	9.8	6.1	3.1	1.2	69.6	15	5319
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5319
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	5319
MEAN DEW PT TMP (F)	74	74	75	75	76	75	74	75	75	75	75	75	75	10	20840
MEAN REL HUM (PCT)	87	87	87	87	87	87	86	85	86	88	88	88	87	10	20929
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.80	4.10	4.20	5.40	7.50	8.50	6.30	6.80	7.10	8.90	7.90	6.70	78.2	41	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.3	8.2	6.9	8.1	9.6	10.1	8.5	8.9	9.6	11.5	10.5	11.9	113.1	41	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	2881
MEAN NO DYS TSTMS	0.1	0.0	0.0	0.0	0.7	0.1	0.1	0.7	0.2	0.0	0.5	0.2	2.6	10	2912
P FREQ WND SPU = OR GTR 17 KTS	0.1	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.1	10	20937
P FREQ WND SPU = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	20937
P FREQ LES 5000 FI A/O LES 5 MI	24.6	21.9	16.6	12.3	13.3	10.8	10.0	10.0	10.8	10.8	13.7	17.6	14.4	10	20659
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	13.6	12.2	9.8	3.8	3.2	3.1	2.4	2.2	4.9	4.3	4.0	9.9	6.1	15	4306
03-05 LST	18.7	15.6	8.9	7.2	3.5	4.6	2.7	3.1	5.7	4.8	7.5	7.6	7.5	10	2616
06-08 LST	10.3	12.6	7.6	5.0	1.9	2.3	2.4	3.0	2.9	4.8	5.8	6.6	5.4	15	4570
09-11 LST	13.8	11.5	11.1	8.8	15.8	12.0	9.9	6.4	12.0	11.8	10.2	10.9	11.2	15	3941
12-14 LST	12.4	10.7	11.5	12.0	15.0	14.0	10.5	10.0	11.5	11.9	10.8	13.8	12.0	15	4605
15-17 LST	14.3	10.7	10.1	8.9	7.6	7.1	7.8	5.6	7.5	8.2	9.9	11.3	9.1	15	4045
18-20 LST	12.2	10.3	8.4	4.5	3.9	3.5	2.9	3.6	3.5	3.6	6.9	6.2	5.8	10	3228
21-23 LST	14.9	12.0	8.4	4.7	2.2	2.1	2.1	1.3	2.8	2.9	4.0	7.5	5.4	10	2618
P FREQ LES 300 FT A/O LE' 1 MI															
FOR 00-02 LST	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.1	15	4306
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	2616
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	15	4570
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.3	0.0	0.0	0.3	0.1	15	3941
12-14 LST	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.0	0.0	0.2	0.0	0.0	0.1	15	4605
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.3	0.1	15	4045
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.4	0.0	0.0	0.0	0.1	10	3228
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	2618

JOLO BAY, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	30.2	27.3	30.6	29.6	30.9	29.8	30.8	30.7	29.6	30.2	29.4	30.3	359.4	15	4169
	14 LST	30.2	27.4	30.5	28.8	29.5	29.0	30.0	30.3	29.3	29.7	29.3	30.0	354.0	15	4231
	20 LST	30.1	27.4	30.3	29.8	30.5	29.9	30.8	30.9	29.7	30.8	29.1	30.4	359.7	10	3228
	02 LST	29.2	26.6	29.8	29.7	30.4	29.4	30.7	30.7	29.2	30.4	29.5	29.7	355.3	15	3975
	08 LST	25.1	21.5	27.0	27.8	29.8	29.1	29.7	29.9	28.8	28.9	27.9	27.9	333.4	15	4148
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	14 LST	23.2	20.9	24.0	25.0	22.9	23.5	25.2	25.8	24.5	24.5	24.2	23.7	287.4	15	4206
	20 LST	24.1	23.5	26.9	28.5	29.5	28.5	29.8	29.7	28.7	29.8	27.1	28.1	334.2	10	3224
	02 LST	24.6	23.0	27.2	28.3	29.9	28.9	30.0	30.3	28.7	29.6	28.4	27.2	336.1	15	3957
	08 LST	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.2	15	4204
	14 LST	0.1	0.1	0.1	0.0	0.1	0.2	0.1	0.0	0.1	0.0	0.0	0.0	0.8	15	4227
SFC WND = GIR 17 KTS AND NO PRECIP.	20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3232	
	02 LST	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.1	15	3989	
	08 LST	7.6	5.5	4.5	2.7	2.3	4.2	4.0	5.1	3.6	4.3	5.3	6.5	55.6	15	4166
	14 LST	22.8	19.7	19.3	18.5	12.0	12.3	14.1	15.5	14.5	15.2	17.4	19.6	200.9	15	4204
	20 LST	7.8	6.6	3.7	0.9	0.7	1.6	2.2	2.7	2.2	2.5	5.1	5.1	41.1	10	3217
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	8.3	5.1	1.9	0.4	0.7	1.3	2.6	3.8	2.1	4.5	3.3	6.3	38.3	15	3949
	08 LST	2.7	2.1	2.2	2.9	2.7	1.6	2.4	1.7	2.0	4.9	1.6	1.1	25.9	15	4173
	14 LST	0.8	1.1	1.1	0.4	0.9	0.4	0.3	0.2	0.6	0.6	0.3	0.2	6.9	15	4236
	20 LST	4.4	3.4	4.9	4.1	4.6	2.6	2.8	2.5	2.7	4.2	2.9	2.7	39.8	10	3230
	02 LST	4.5	3.0	4.4	4.7	5.4	4.2	5.4	2.2	2.5	5.2	3.5	3.3	49.2	15	3988
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	25.0	21.5	26.8	27.7	29.8	28.8	29.8	30.0	28.8	28.9	27.9	27.5	332.5	15	4169
	14 LST	23.3	21.2	23.5	23.6	21.9	22.8	23.6	24.6	23.7	24.3	22.9	22.9	278.3	15	4231
	20 LST	24.4	23.6	26.9	28.4	29.5	28.4	29.5	29.5	28.7	29.8	27.0	27.7	333.4	10	3228
	02 LST	24.3	23.0	27.1	28.1	29.7	29.1	29.9	30.3	28.5	29.4	28.4	26.9	334.7	15	3975
	08 LST	24.9	21.3	26.6	27.5	29.8	28.4	29.6	30.0	28.5	28.8	27.9	27.3	330.6	15	4169
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	14 LST	22.6	20.4	22.8	22.7	21.2	22.1	22.3	23.4	22.9	23.8	22.2	22.3	268.7	15	4231
	20 LST	24.4	23.5	26.9	28.4	29.4	28.7	29.3	29.3	28.7	29.6	26.9	27.6	332.4	10	3228
	02 LST	24.1	22.8	27.1	28.0	29.5	28.9	29.7	30.3	28.1	29.0	28.1	26.7	332.3	15	3975
	08 LST	24.9	21.2	26.4	27.1	29.5	28.3	29.5	29.7	28.4	28.6	27.8	27.3	328.7	15	4169
	14 LST	22.6	20.4	22.7	22.7	21.1	21.9	22.3	23.3	22.9	23.6	22.2	22.3	268.0	15	4231
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	24.1	23.5	26.8	28.4	29.3	28.1	29.3	29.1	28.6	29.4	26.9	27.5	331.0	10	3228
	02 LST	24.1	22.7	27.0	28.0	29.4	28.6	29.5	29.9	28.0	29.6	27.9	26.7	330.6	15	3975

SANGA SANGA, PHILIPPINES

STA NO. 98855 (IN AREA NUMBER 05) LATITUDE 0502N LONGITUDE 11944E ELEVATION(FT) 00015

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
ABS MAX TMP (F)	93	91	96	92	95	95	95	94	95	93	93	92	96	15	-98830
MEAN MAX TMP (F)	86	86	87	88	89	89	88	89	89	88	87	87	88	15	-98830
MEAN MIN TMP (F)	72	72	72	72	72	73	72	73	73	72	72	73	72	15	-98830
ABS MIN TMP (F)	63	66	65	65	67	66	65	69	68	68	67	64	63	15	-98830
MEAN NO DYS TMP ≥ OR GTR 90(F)	0.6	0.3	1.9	3.8	10.6	10.3	10.0	11.9	9.8	6.1	3.1	1.2	69.6	15	-98830
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-98830
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-98830
MEAN DEW PT TMP (F)	74	74	75	75	76	75	74	75	75	75	75	75	75	10	-98830
MEAN REL HUM (PCT)	87	87	87	87	87	87	86	85	86	88	88	88	87	10	-98830
MEAN PRESS ALT (FT)	105	115	105	115	125	115	105	115	105	105	125	115	113	0	-50
MEAN PRECIP (IN)	4.80	4.10	4.20	5.40	7.50	8.50	6.30	6.80	7.10	8.90	7.90	6.70	78.2	41	-98830
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS PKCP ≥ OR GTR 0.1 IN	9.3	8.2	6.9	8.1	9.6	10.1	8.5	8.9	9.6	11.5	10.5	11.9	113.1	41	-29
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	-98830
MEAN NO DYS TSMS	0.1	0.0	0.0	0.0	0.7	0.1	0.1	0.7	0.2	0.0	0.0	0.0	0.0	10	-98830
P FREQ WND SPU ≥ OR GTR 17 KTS	0.1	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.1	10	-98830
P FREQ WND SPU ≥ OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-98830
P FREQ LES 5000 FT A/O LES 5 MI	24.6	21.9	16.6	12.3	13.3	10.8	10.0	10.0	10.8	10.8	13.7	17.6	14.4	10	-98830
P FREQ LES 1500 FT A/O LES 3 MI	13.6	12.2	9.8	3.8	3.2	3.1	2.4	2.2	4.9	4.3	4.0	9.9	6.1	15	-98830
FOR 00-02 LST	18.7	15.6	8.9	7.2	3.5	4.6	2.7	3.1	5.7	4.8	7.5	7.6	7.5	10	-98830
03-05 LST	10.3	12.6	7.6	5.0	1.9	2.3	2.4	3.0	2.9	4.8	5.8	6.6	5.4	15	-98830
06-08 LST	13.8	11.5	11.1	8.8	15.8	12.0	9.9	6.4	12.0	11.9	10.2	10.9	11.2	15	-98830
09-11 LST	12.4	10.7	11.5	12.0	15.0	14.0	10.5	10.0	11.5	11.9	10.8	13.8	12.0	15	-98830
12-14 LST	14.3	10.7	10.1	8.9	7.6	7.1	7.8	5.6	7.5	8.3	9.9	11.3	9.1	15	-98830
15-17 LST	12.2	10.3	8.4	4.5	3.9	3.5	2.9	3.6	3.5	3.6	6.9	6.2	5.8	10	-98830
18-20 LST	14.9	12.0	8.4	4.7	2.2	2.1	2.1	1.3	2.8	2.9	4.0	7.5	5.4	10	-98830
21-23 LST	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.1	15	-98830
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-98830
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	15	-98830
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-98830
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.3	0.0	0.0	0.3	0.1	15	-98830
12-14 LST	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.0	0.0	0.2	0.0	0.0	0.1	15	-98830
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.3	0.1	15	-98830
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.4	0.0	0.0	0.0	0.1	10	-98830
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-98830

SANGA SANGA, PHILIPPINES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 30.2	27.3	30.6	29.6	30.9	29.8	30.8	30.7	29.6	30.2	29.4	30.3	359.4	15	-98830
	14 LST 30.2	27.4	30.5	28.8	29.5	29.0	30.0	30.3	29.3	29.7	29.3	30.0	354.0	15	-98830
	20 LST 30.1	27.4	30.3	29.8	30.5	29.9	30.8	30.9	29.7	30.8	29.1	30.4	359.7	10	-98830
	02 LST 29.2	26.6	29.8	29.7	30.4	29.4	30.7	30.7	29.2	30.4	29.5	29.7	355.3	15	-98830
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	08 LST 25.1	21.5	27.0	27.8	29.8	29.1	29.7	29.9	28.8	28.9	27.9	27.9	333.4	15	-98830
	14 LST 23.2	20.9	24.0	25.0	22.9	23.5	25.2	25.8	24.5	24.5	24.2	23.7	287.4	15	-98830
	20 LST 24.1	23.5	26.9	28.5	29.5	28.5	29.8	29.7	28.7	29.8	27.1	28.1	334.2	10	-98830
	02 LST 24.6	23.0	27.2	28.3	29.9	28.9	30.0	30.3	28.7	29.6	28.4	27.2	336.1	15	-98830
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.2	15	-98830
	14 LST 0.1	0.1	0.1	0.0	0.1	0.2	0.1	0.0	0.1	0.0	0.0	0.0	0.8	15	-98830
	20 LST 0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-98830
	02 LST 0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.4	15	-98830
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 7.6	5.5	4.5	2.7	2.3	4.2	4.0	5.1	3.6	4.3	5.3	6.5	55.6	15	-98830
	14 LST 22.8	19.7	19.3	18.5	12.0	12.3	14.1	15.5	14.5	15.2	17.4	19.6	200.9	15	-98830
	20 LST 7.3	6.6	3.7	0.9	0.7	1.6	2.2	2.7	2.2	2.5	5.1	5.1	41.1	10	-98830
	02 LST 8.3	5.1	1.9	0.4	0.7	1.3	2.6	3.8	2.1	4.5	3.3	6.3	38.3	15	-98830
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 2.7	2.1	2.2	2.9	2.7	1.6	2.4	1.7	2.0	2.9	1.6	1.1	25.9	15	-98830
	14 LST 0.8	1.1	1.1	0.4	0.9	0.4	0.3	0.2	0.6	0.6	0.3	0.2	6.9	15	-98830
	20 LST 4.4	3.4	2.9	4.1	4.6	2.6	2.8	2.5	2.7	4.2	2.9	2.7	39.8	10	-98830
	02 LST 4.5	3.0	4.4	4.7	5.4	4.2	5.4	2.8	2.8	5.2	3.5	3.3	49.2	15	-98830
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 25.0	21.5	26.8	27.7	29.8	28.8	29.8	30.0	28.8	28.9	27.9	27.5	332.5	15	-98830
	14 LST 23.3	21.2	23.5	23.6	21.9	22.8	23.6	24.6	23.7	24.3	22.9	22.9	279.3	15	-98830
	20 LST 24.4	23.6	26.9	28.4	29.5	28.4	29.5	29.5	28.7	29.8	27.0	27.7	333.4	10	-98830
	02 LST 24.3	23.0	27.1	28.1	29.7	29.1	29.9	30.3	28.5	29.4	28.4	26.9	334.7	15	-98830
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 24.9	21.3	26.6	27.5	29.8	28.4	29.6	30.0	28.5	28.8	27.9	27.3	330.6	15	-98830
	14 LST 22.6	20.4	22.8	22.7	21.2	22.1	22.3	23.4	22.9	23.8	22.2	22.3	268.7	15	-98830
	20 LST 24.4	23.5	26.9	28.4	29.4	28.4	29.3	29.3	28.7	29.6	26.9	27.6	332.4	10	-98830
	02 LST 24.1	22.8	27.1	28.0	29.5	28.9	29.7	30.3	28.1	29.0	28.1	26.7	332.3	15	-98830
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 24.9	21.2	26.4	27.1	29.5	28.3	29.5	29.7	28.4	28.6	27.8	27.3	328.7	15	-98830
	14 LST 22.6	20.4	22.7	22.7	21.1	21.9	22.3	23.3	22.9	23.6	22.2	22.3	268.0	15	-98830
	20 LST 24.1	23.5	26.8	28.4	29.3	28.1	29.3	29.1	28.6	29.4	26.9	27.5	331.0	10	-98830
	02 LST 24.1	22.7	27.0	28.0	29.4	28.8	29.5	29.9	28.0	28.6	27.9	26.7	330.6	15	-98830


AREA NO. 05

PHILIPPINE ISLANDS SULJ SEA ISLANDS LATITUDE 0800N LONGITUDE 12000E 0430N 12300E 0430N 11900E
 BOUNDARIES 1130N 12130E 0700N 12130E 0700N 12130E 0430N 12300E 0430N 12300E 0810N 11640E 0810N 11640E 1140N 11930E
 0430N 11900E 0600N 12000E 0600N 12000E 0810N 11640E 0810N 11640E 0810N 11640E 0810N 11640E 1140N 11930E
 1140N 11930E 1130N 12130E

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	86	86	88	89	90	88	87	88	88	88	87	86	88
MEAN MIN TMP (F)	74	74	74	75	75	75	74	74	74	74	75	75	74
LARGEST MEAN PRECIP(IN)	4.80	4.10	4.20	5.40	7.90	12.50	16.90	14.70	14.50	10.60	7.90	6.70	110.2
SMALLEST MEAN PRECIP(IN)	0.70	0.40	0.30	0.80	5.73	6.70	6.50	6.80	7.10	7.56	5.50	2.90	50.8

MEAN NUMBER OF DAYS

CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	30.7	27.8	30.8	29.8	30.9	29.7	30.7	29.5	30.4	29.6	30.7	361.3
	14 LST	30.7	27.8	30.8	29.5	30.4	29.5	30.5	29.6	30.3	29.7	30.6	359.9
	20 LST	30.6	27.8	30.7	29.7	30.6	29.5	30.6	29.7	30.4	29.5	30.7	360.1
	02 LST	30.3	27.5	30.5	29.9	30.6	29.3	30.6	29.3	30.5	29.6	30.4	359.0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WIND LES 10 KTS	08 LST	21.5	20.8	24.4	25.5	28.1	26.2	26.4	25.9	25.7	22.9	22.5	295.2
	14 LST	18.7	17.6	21.0	22.7	24.0	23.6	23.6	23.1	22.9	20.4	19.7	259.8
	20 LST	19.6	19.2	24.3	25.3	27.9	26.7	26.8	24.6	26.7	21.9	21.5	289.1
	02 LST	21.4	20.6	24.6	25.0	27.2	25.4	26.4	25.5	25.0	23.4	22.1	292.0
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	3.5	2.0	1.6	0.9	0.1	0.4	0.6	0.9	0.4	1.2	2.2	2.9
	14 LST	4.7	3.1	3.0	1.2	0.7	0.5	0.8	0.9	0.7	1.4	3.3	4.3
	20 LST	5.4	2.9	2.2	1.0	0.4	0.3	0.9	1.0	0.4	1.8	3.9	5.3
	02 LST	4.2	2.5	1.4	1.3	0.5	0.4	0.6	1.1	0.2	1.7	2.7	3.5
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NU PRECIP.	08 LST	6.9	6.7	7.3	5.3	4.4	3.5	4.6	4.9	4.7	4.8	5.2	64.8
	14 LST	15.8	14.2	14.8	11.6	8.7	10.6	12.0	12.6	12.2	10.4	12.2	149.4
	20 LST	8.0	7.0	5.8	4.2	2.4	2.8	4.6	4.0	4.1	4.7	5.8	59.7
	02 LST	7.4	6.6	5.8	3.3	3.0	2.7	3.6	4.9	3.7	3.9	4.8	55.6
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	4.4	3.7	5.9	6.2	3.3	1.8	2.1	1.7	2.0	3.2	3.1	2.9
	14 LST	2.7	3.0	4.1	3.8	1.8	0.5	0.4	0.4	0.4	1.3	1.4	2.1
	20 LST	5.6	6.0	6.5	6.5	5.1	2.3	2.0	1.8	2.2	3.4	3.7	4.0
	02 LST	4.1	4.2	5.7	5.0	4.2	2.3	3.1	1.5	1.8	2.8	2.5	2.8
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	26.9	24.8	28.3	28.0	28.2	26.1	26.4	26.4	25.9	26.5	27.3	321.3
	14 LST	27.0	24.9	27.1	26.5	24.7	24.3	24.5	24.8	23.9	25.2	25.0	304.3
	20 LST	27.5	25.6	28.6	28.3	28.8	26.9	27.6	25.7	27.0	26.4	28.2	327.8
	02 LST	27.1	25.4	28.9	28.8	28.0	26.1	27.0	26.7	26.0	27.8	27.3	327.1
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	26.1	24.2	27.4	27.5	27.6	25.1	25.5	25.4	24.9	25.6	25.8	311.5
	14 LST	26.1	24.4	26.2	25.7	23.5	23.1	23.1	23.3	22.6	24.3	24.2	292.2
	20 LST	27.1	25.3	28.2	28.0	28.2	26.1	26.7	24.7	25.9	26.3	25.4	318.9
	02 LST	26.6	25.0	28.6	28.7	27.5	25.7	26.3	26.3	25.4	27.2	26.9	321.9
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	26.0	24.1	27.3	27.3	27.4	25.0	25.4	25.2	24.8	25.5	25.6	309.9
	14 LST	26.1	24.4	26.1	25.7	23.4	23.0	23.0	22.4	24.1	24.1	25.7	291.0
	20 LST	26.9	25.2	28.1	28.0	28.1	24.0	26.6	24.2	25.6	26.1	25.2	316.9
	02 LST	26.6	24.9	28.5	28.7	27.4	25.5	26.3	26.0	25.3	27.0	26.8	320.7



BLANK PAGE

YONAGUNI-JIMA, RYUKYU IS.

STA NO. 47912 (IN AREA NUMBER 01) LONGITUDE 12259E ELEVATION(FT) 00070

LATITUDE 2428N

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PKCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCLUK VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

YONAGUNI-JIMA, RYUKYU IS.

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST

DATA NOT AVAILABLE

ISHIGAKI, RYUKYU IS.

STA NO. 47918 (IN AREA NUMBER 01) LATITUDE 2420N LONGITUDE 12411E ELEVATION(FT) 00078

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	82	84	85	91	93	93	94	95	96	92	88	82	96	33	-99
MEAN MAX TMP (F)	70	70	73	78	82	86	88	88	87	82	77	72	79	30	-99
MEAN MIN TMP (F)	59	58	62	67	71	76	77	77	74	71	66	61	68	30	-99
ABS MIN TMP (F)	43	43	45	50	52	62	68	63	63	57	45	44	43	33	-99
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	4.3	10.0	10.0	6.7	0.0	0.0	0.0		30	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33	-29
MEAN DEW PT TMP (F)	57	56	61	66	71	75	76	76	73	68	63	58	67	30	-29
MEAN REL HUM (PCT)	78	78	80	82	83	84	81	82	80	78	76	77	80	30	-99
MEAN PRESS ALT (FT)	-104	-60	-26	52	139	216	251	273	180	56	-17	-76	74	0	-50
MEAN PRECIP (IN)	5.84	5.03	4.82	5.08	8.03	7.88	7.98	9.27	10.17	9.11	6.75	6.72	86.7	30	-99
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33	-29
MEAN NO DYS PKCP = OR GTR 0.1 IN	10.8	9.7	7.6	7.8	9.9	9.7	9.8	10.6	12.8	11.7	9.2	12.0	121.6	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.4	0.6	1.7	3.4	4.0	3.4	1.8	2.4	2.3	1.0	0.3	0.1	21.4	0	0
MEAN NO DYS TSTMS	1.2	2.3	0.3	1.0	0.3	1.8	1.5	4.7	2.6	0.8	3.4	1.2	1.8	4	-35
P FREQ WND SPD = OR GTR 17 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	4	-35
P FREQ WND SPD = OR GTR 28 KTS	8.9	7.6	7.3	8.4	9.0	2.5	2.4	9.1	6.7	5.2	8.4	6.9	6.9	4	-35
P FREQ LES 5000 FT A/O LES 5 MI	8.5	6.6	8.6	12.5	14.3	5.8	5.3	10.5	6.3	6.8	7.6	5.6	8.2	4	-35
P FREQ LES 1500 FT A/O LES 3 MI	11.7	5.8	6.5	14.2	14.0	11.7	6.8	10.2	7.5	4.9	6.7	13.1	9.4	4	-35
FOR 00-02 LST	6.9	9.6	5.4	12.2	12.2	5.5	6.4	13.7	7.9	5.7	8.8	7.2	8.5	4	-35
03-05 LST	13.5	7.2	10.4	14.1	12.6	6.1	5.9	9.0	9.0	5.1	9.6	6.3	9.1	4	-35
06-08 LST	8.2	7.3	9.0	25.6	8.6	7.8	3.7	9.3	7.1	4.9	8.4	9.3	9.1	4	-35
09-11 LST	9.8	11.5	9.2	14.0	10.6	7.8	6.1	7.7	7.5	6.1	7.9	5.2	8.6	4	-35
12-14 LST	8.5	8.1	7.0	10.6	10.9	6.7	5.2	8.4	9.6	6.1	12.5	9.3	8.6	4	-35
15-17 LST	0.0	0.9	0.0	0.0	0.8	0.0	0.0	1.6	0.0	0.8	0.0	0.8	0.4	4	-35
18-20 LST	0.0	0.9	0.0	1.7	0.8	0.0	0.0	0.0	0.8	0.8	0.0	0.0	0.4	4	-35
21-23 LST	0.0	0.0	0.8	0.9	0.9	0.9	0.0	0.0	0.8	0.0	0.0	0.0	0.3	4	-35
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.4	4	-35
03-05 LST	0.0	0.9	0.0	1.7	0.8	0.0	0.0	0.0	0.8	0.8	0.0	0.0	0.4	4	-35
06-08 LST	0.0	0.0	0.8	0.9	0.9	0.9	0.0	0.0	0.8	0.0	0.0	0.0	0.4	4	-35
09-11 LST	0.8	0.0	0.0	0.9	0.9	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.3	4	-35
12-14 LST	0.0	0.0	0.0	0.0	1.7	0.9	0.0	1.6	0.0	0.0	0.0	0.0	0.4	4	-35
15-17 LST	0.8	0.0	0.0	1.7	0.0	2.6	0.0	0.8	0.0	0.0	0.0	0.8	0.6	4	-35
18-20 LST	0.0	0.0	0.0	0.8	0.0	0.9	0.0	0.8	0.0	0.8	0.0	0.8	0.3	4	-35
21-23 LST	0.0	0.9	0.0	0.0	0.0	0.0	0.8	0.8	0.0	0.8	0.0	0.0	0.3	4	-35

ISHIGAKI, RYUKYU IS.

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	08 LST 30.5	27.5	30.5	29.0	29.9	29.7	30.5	29.8	29.8	30.8	29.0	30.0	30.0	4	-35
	14 LST 30.2	27.5	30.5	28.7	30.7	29.2	31.0	30.5	30.0	30.7	29.7	29.8	358.5	4	-35
	20 LST 30.5	27.3	30.7	29.5	30.3	29.5	30.0	30.5	29.8	30.5	29.0	30.8	358.4	4	-35
	02 LST 31.0	27.0	29.7	29.3	29.5	30.0	30.5	30.5	29.5	30.0	29.5	30.5	357.0	4	-35
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI	08 LST 18.7	16.8	21.0	19.3	21.3	16.4	22.8	17.8	20.0	16.0	13.8	19.5	223.4	4	-35
	14 LST 13.2	10.9	18.5	16.1	20.1	16.0	21.2	15.3	13.5	11.3	7.8	11.5	175.4	4	-35
	20 LST 18.5	17.3	21.3	21.4	25.0	20.3	24.0	19.0	22.0	23.4	15.3	20.0	247.5	4	-35
	02 LST 21.0	19.6	22.9	21.3	22.7	14.8	21.4	19.5	22.3	23.0	17.8	21.5	247.8	4	-35
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	08 LST 0.8	1.0	0.5	0.8	0.3	2.0	1.3	3.5	2.0	0.8	1.3	0.8	15.1	4	-35
	14 LST 2.0	3.0	0.3	1.0	0.3	1.8	2.0	3.8	2.3	1.3	3.8	0.8	22.4	4	-35
	20 LST 1.3	1.0	0.0	0.3	0.3	1.0	1.5	3.5	1.8	0.5	1.5	1.3	14.0	4	-35
	02 LST 0.3	1.7	0.5	0.3	0.5	2.3	1.8	3.3	1.8	0.3	0.8	1.0	14.6	4	-35
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 11.8	10.7	16.3	13.5	15.8	15.0	18.8	14.0	14.3	12.0	11.3	15.0	168.5	4	-35
	14 LST 10.1	9.2	15.0	12.8	15.9	11.3	6.5	8.3	9.3	9.6	7.0	10.3	125.3	4	-35
	20 LST 13.9	13.4	14.8	14.0	17.8	16.3	20.0	14.0	14.3	19.5	11.8	16.3	186.1	4	-35
	02 LST 14.3	13.6	18.3	14.3	14.9	12.9	17.8	14.0	15.5	19.0	14.3	17.5	186.4	4	-35
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	08 LST 2.8	3.0	4.0	4.3	1.8	2.3	6.8	5.0	4.3	7.8	3.3	5.3	50.7	4	-35
	14 LST 2.5	3.7	4.3	2.8	2.0	3.3	5.5	4.3	3.8	2.3	2.0	3.5		4	-35
	20 LST 5.0	5.7	6.8	5.8	6.3	9.5	11.0	12.3	9.8	10.5	5.8	6.0	94.5	4	-35
	02 LST 4.5	7.2	6.5	5.5	5.3	8.5	12.3	11.5	13.5	14.0	8.5	6.8	104.1	4	-35
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	08 LST 25.6	22.0	27.0	23.4	24.1	26.2	26.8	22.3	23.6	26.4	24.2	26.3	297.9	4	-35
	14 LST 25.0	22.5	23.9	20.7	24.2	24.4	26.0	24.5	23.1	24.8	22.8	24.0	285.9	4	-35
	20 LST 24.1	23.4	25.3	22.7	24.4	25.6	27.5	25.4	24.1	25.6	21.8	24.5	294.4	4	-35
	02 LST 24.9	23.6	26.2	22.8	22.5	25.4	26.8	23.8	25.5	27.0	25.1	26.4	300.0	4	-35
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	08 LST 21.5	17.6	21.5	21.3	22.9	25.1	26.0	20.5	21.3	23.0	20.0	20.6	261.3	4	-35
	14 LST 19.4	16.8	18.8	17.7	22.2	22.0	23.2	23.0	20.5	20.5	17.6	19.3	241.0	4	-35
	20 LST 18.2	18.6	18.5	19.9	22.8	24.8	26.3	24.6	23.5	22.2	18.7	19.3	257.4	4	-35
	02 LST 18.8	15.3	18.1	21.3	20.4	23.5	25.5	22.3	23.8	25.0	21.7	23.2	258.9	4	-35
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	08 LST 21.0	16.6	20.0	18.5	22.4	23.8	26.0	19.5	20.8	22.3	18.7	20.1	249.7	4	-35
	14 LST 18.9	15.8	17.8	16.2	21.1	22.0	23.2	22.0	19.7	19.7	17.2	18.8	232.4	4	-35
	20 LST 17.0	17.6	16.4	17.6	22.3	23.5	25.0	24.1	23.3	21.2	18.2	18.0	244.2	4	-35
	02 LST 18.8	15.3	18.1	21.3	19.2	22.3	25.0	21.5	20.8	22.6	18.7	22.7	246.3	4	-35

NAHA AB, RYUKYU IS.

STA NO. 47930 (IN AREA NUMBER 01)

LATITUDE 2611N

LONGITUDE 12738E

ELEVATION(FT) 00014

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
ABS MAX TMP (F)	80	81	82	87	91	94	96	95	93	92	89	82	96	39	-528
MEAN MAX TMP (F)	67	67	70	76	80	85	89	88	87	81	75	70	79	30	-28
MEAN MIN TMP (F)	56	55	59	64	68	75	77	77	75	69	64	58	66	30	-28
ABS MIN TMP (F)	43	41	43	48	52	59	69	71	63	59	47	44	41	39	-528
MEAN NO DYS TMP ≥ OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.4	9.4	7.5	4.4	0.1	0.0	0.0	22.8	12	3987
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3987
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3987
MEAN DEW PT TMF (F)	53	55	59	65	71	77	77	77	75	69	63	56	66	12	95503
MEAN REL HUM (PCT)	73	76	77	81	85	88	84	85	82	77	76	73	80	23	-100
MEAN PRESS ALT (FT)	-172	-128	-101	-23	67	142	165	194	109	-11	-90	-147	0	0	-50
MEAN PRECIP (IN)	5.30	5.40	6.10	6.10	8.90	10.00	7.10	10.00	7.10	6.60	5.90	4.30	82.8	30	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3994
MEAN NO DYS PKCP ≥ OR GTR 0.1 IN	10.1	10.2	8.7	8.7	10.4	11.0	9.1	11.0	9.6	9.0	8.2	8.5	114.5	30	-29
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3994
MEAN NO DYS W/UCUM VSBY LES 1/2 MI	0.2	0.0	0.3	1.6	1.4	1.3	0.6	1.0	1.0	0.7	0.5	0.0	8.6	12	3992
MEAN NO DYS TSTMS	0.2	0.8	2.2	2.2	2.5	3.0	2.6	2.7	1.3	0.2	0.4	0.5	18.6	23	-100
P FREQ WND SPD ≥ OR GTR 17 KTS	20.5	16.9	12.3	9.1	4.9	6.1	8.6	11.0	10.1	13.2	14.2	16.1	11.9	12	95780
P FREQ WND SPD ≥ OR GTR 28 KTS	1.6	0.9	0.3	0.2	0.1	0.3	0.4	3.7	2.6	1.5	1.3	1.2	1.2	12	95780
P FREQ LES 5000 FT A/O LES 5 MI	56.0	54.0	50.6	47.9	40.9	29.4	15.8	22.6	19.6	24.0	32.7	40.6	36.5	12	95804
P FREQ LES 1500 FT A/O LES 3 MI	5.3	5.9	8.9	15.2	17.6	11.9	4.0	8.6	4.1	5.3	4.4	2.2	7.8	12	11978
FOR 00-02 LST	5.5	6.2	9.6	17.8	20.7	13.9	4.9	8.2	4.2	5.4	4.0	2.5	8.6	12	11979
03-05 LST	5.7	8.4	9.1	19.7	20.4	13.5	7.1	8.5	5.1	6.1	6.4	4.3	9.5	12	11976
06-08 LST	6.5	10.0	10.8	20.1	19.3	16.1	7.7	10.9	7.0	6.9	6.8	5.8	10.7	12	11976
09-11 LST	7.1	12.5	11.6	17.8	17.3	13.7	7.1	9.8	6.3	8.3	8.1	5.5	10.4	12	11976
12-14 LST	8.9	9.9	12.0	17.7	14.9	14.1	7.4	8.1	6.6	8.2	7.8	4.6	10.0	12	11976
15-17 LST	7.1	10.1	13.1	18.5	15.7	12.4	7.0	7.5	5.7	6.5	8.6	4.9	9.8	12	11977
18-20 LST	5.0	6.5	8.9	17.4	15.7	10.3	4.1	6.6	4.6	4.6	5.8	3.8	7.8	12	11976
21-23 LST	0.0	0.2	0.2	1.2	1.6	1.4	0.8	1.6	1.3	0.6	0.5	0.0	0.8	12	11978
FOR 00-02 LST	0.0	0.0	0.1	1.4	2.2	1.2	0.1	1.6	1.1	1.0	0.5	0.1	0.8	12	11979
03-05 LST	0.1	0.1	0.0	1.2	2.1	1.0	0.4	1.3	0.8	0.8	0.4	0.0	0.7	12	11976
06-08 LST	0.2	0.7	0.8	1.0	0.9	1.1	1.1	1.8	0.8	0.8	0.5	0.2	0.8	12	11976
09-11 LST	0.2	0.7	0.2	1.0	1.2	0.7	0.5	1.7	0.7	0.4	0.5	0.3	0.7	12	11976
12-14 LST	0.5	0.0	0.6	0.5	1.5	0.8	0.5	1.7	0.7	0.7	0.6	0.0	0.7	12	11976
15-17 LST	0.6	0.2	0.5	0.5	0.9	1.0	0.5	1.5	1.1	1.0	0.2	0.4	0.7	12	11977
18-20 LST	0.1	0.0	0.2	0.4	1.1	0.5	0.3	1.8	0.7	0.7	0.2	0.0	0.5	12	11976
21-23 LST															

NAHA AB, RYUKYU IS.

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	29.8	26.5	29.5	26.3	26.9	27.1	29.9	29.2	29.0	29.7	29.9	30.1	342.9	12	3992
	15 LST	29.1	26.5	29.3	27.1	27.9	27.0	29.5	29.7	29.2	29.4	29.6	30.3	343.6	12	3992
	21 LST	30.3	27.1	29.4	26.9	27.9	27.8	30.3	29.6	29.0	30.3	29.8	30.3	347.7	12	3993
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	30.4	27.6	29.2	26.9	26.9	26.4	30.3	29.2	28.9	30.1	29.3	30.6	345.8	12	3993
	09 LST	14.8	12.6	13.8	11.1	12.1	11.1	12.8	15.7	15.2	11.4	12.8	15.8	159.2	12	3991
	15 LST	8.6	6.9	8.0	7.3	7.2	5.8	6.6	9.0	9.1	6.6	7.5	8.3	90.9	12	3991
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	14.3	12.4	16.1	14.7	17.1	16.3	19.3	20.5	20.0	17.8	14.0	15.5	198.6	12	3992
	03 LST	15.3	14.0	18.0	15.6	17.1	15.3	18.7	20.2	20.7	18.0	16.2	16.7	205.8	12	3992
	09 LST	5.7	3.8	3.8	3.0	1.3	2.0	2.6	2.1	3.2	3.3	3.5	4.0	38.3	12	3821
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	6.4	5.7	4.6	3.5	2.6	2.9	3.5	2.8	4.0	5.6	5.3	5.9	52.8	12	3807
	21 LST	6.5	3.8	4.0	1.9	1.0	1.0	1.7	1.4	2.4	3.4	3.7	4.6	35.4	12	3819
	03 LST	4.8	4.1	3.0	1.3	0.6	1.5	2.0	1.8	1.7	2.4	3.4	4.1	30.7	12	3821
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	14.8	14.9	15.7	16.0	18.9	16.7	15.5	18.8	16.8	14.0	15.2	17.2	194.5	12	3821
	15 LST	11.4	9.6	13.5	11.4	13.2	11.6	9.2	12.7	12.4	11.3	10.9	11.6	138.8	12	3807
	21 LST	15.1	14.2	18.3	17.8	20.9	19.1	19.2	18.5	17.3	17.2	16.0	17.2	210.8	12	3819
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	15.3	13.5	17.9	17.6	18.6	18.1	17.3	16.4	14.6	17.3	15.1	17.5	199.2	12	3821
	09 LST	2.4	3.7	3.2	2.2	1.5	0.9	2.0	2.2	2.9	4.7	5.3	2.4	33.4	12	3992
	15 LST	2.4	1.8	1.7	2.3	1.0	1.1	1.9	1.3	1.8	3.7	2.6	2.9	24.5	12	3992
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	3.9	3.7	4.3	4.6	2.8	3.4	5.7	6.5	7.4	8.3	7.4	5.5	63.5	12	3993
	03 LST	5.5	4.8	5.1	3.9	4.5	6.5	8.8	9.4	12.2	10.2	8.5	7.0	86.4	12	3993
	09 LST	25.2	22.2	23.6	21.4	21.0	22.4	26.9	24.1	25.6	27.2	25.5	26.8	291.9	12	3992
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	24.2	20.9	22.4	21.0	22.4	24.3	22.7	23.3	25.5	24.2	26.4	279.7	12	3992	
	21 LST	25.6	22.4	25.2	21.0	23.9	24.4	29.0	27.2	26.7	28.0	26.8	27.8	308.0	12	3993
	03 LST	27.0	25.5	24.5	22.2	22.3	23.2	27.6	26.3	26.5	27.6	26.2	28.4	305.4	12	3993
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	12.2	12.1	14.6	14.6	16.4	19.4	26.1	23.6	24.1	21.1	20.1	17.2	221.5	12	3992
	15 LST	11.7	11.3	13.4	13.7	17.0	20.0	22.7	21.7	21.8	19.6	17.3	15.5	207.7	12	3992
	21 LST	12.3	12.2	15.8	15.7	19.4	22.3	27.7	26.5	25.8	22.8	20.2	17.1	237.8	12	3993
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	13.4	12.7	14.6	15.4	18.0	20.3	26.6	25.0	25.4	22.9	20.5	17.1	231.9	12	3993
	09 LST	8.2	9.1	10.3	10.6	13.6	16.5	24.8	21.9	22.5	18.0	15.8	10.8	182.1	12	3992
	15 LST	8.3	7.8	9.4	11.5	12.3	16.6	21.5	20.4	19.4	17.1	13.9	11.8	170.0	12	3992
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	9.5	9.3	11.7	12.1	14.0	18.1	25.9	24.9	24.5	20.2	16.5	12.8	199.5	12	3993
	03 LST	9.8	8.9	11.4	11.1	14.0	17.1	25.0	23.4	24.1	20.2	16.8	13.3	195.1	12	3993

KADENA AB, RYUKYU IS.

STA NO. 47931 (IN AREA NUMBER 01)

LATITUDE 26ZON LONGITUDE 12746E ELEVATION(FT) 00142

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	78	80	80	84	88	90	93	94	91	90	86	79	94	12	4378
MEAN MAX TMP (F)	65	66	70	75	80	84	88	87	86	81	75	69	77	12	4378
MEAN MIN TMP (F)	55	56	60	65	71	75	79	78	77	71	65	60	68	12	4378
ABS MIN TMP (F)	41	42	45	52	59	62	71	69	69	59	53	46	41	12	4378
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	6.4	4.5	1.7	0.1	0.0	0.0	13.1	12	4378
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4378
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4378
MEAN DEW PT TMP (F)	51	52	57	63	69	74	77	76	75	67	61	55	65	12	105033
MEAN REL HUM (PCT)	73	75	78	81	84	85	82	83	82	76	74	73	79	12	105033
MEAN PRESS ALT (FT)	-42	1	28	105	196	270	293	323	238	118	40	-16	130	0	-50
MEAN PRECIP (IN)	3.95	4.77	5.07	5.58	8.27	10.78	7.62	8.84	10.41	6.12	4.67	4.41	80.3	12	4377
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN NO DYS PKCP = OR GTR 0.1 IN	7.4	7.9	8.1	7.7	10.9	10.4	6.8	8.5	7.5	6.2	6.0	6.1	93.5	12	4377
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN NO DYS W/OCUM VSBY LES 1/2 MI	0.2	0.1	0.2	0.6	0.8	1.3	0.4	0.7	0.5	0.4	0.3	0.2	5.7	12	4382
MEAN NO DYS TSIMS	0.6	0.4	0.7	1.9	2.2	3.5	2.7	2.8	1.9	1.2	0.5	0.2	18.6	12	4383
P FREQ WND SPU = OR GTR 17 KTS	9.5	6.4	5.7	4.7	3.9	6.3	6.6	10.7	10.1	9.7	8.5	5.5	7.3	12	105168
P FREQ WND SPU = OR GTR 28 KTS	0.2	0.2	0.0	0.0	0.0	0.0	0.4	2.2	1.8	0.8	0.3	0.0	0.5	12	105168
P FREQ LES 5000 FT A/O LES 5 MI	57.5	54.2	50.5	45.6	42.3	32.0	17.1	25.0	20.7	25.9	31.8	40.1	36.9	12	105168
P FREQ LES 1500 FT A/O LES 3 MI	4.0	4.0	7.5	16.9	19.4	15.2	6.2	10.3	6.2	5.2	5.7	2.6	8.6	12	13146
FOR 00-02 LST	3.9	5.0	10.9	18.2	22.0	17.2	7.7	12.0	6.4	4.8	5.4	2.2	9.6	12	13146
03-05 LST	3.4	7.5	11.4	18.2	24.2	21.0	7.4	13.2	7.4	5.6	5.5	3.5	10.7	12	13146
06-08 LST	5.3	9.7	11.6	19.3	23.3	19.7	8.2	12.5	10.6	6.7	6.2	6.6	11.6	12	13146
09-11 LST	5.3	8.9	11.8	16.1	22.1	17.0	7.7	12.2	8.1	6.7	7.5	6.5	10.8	12	13146
12-14 LST	5.1	7.7	12.6	15.4	19.8	16.3	9.0	11.6	7.2	6.2	6.7	6.0	10.3	12	13146
15-17 LST	4.7	7.5	12.3	17.1	19.6	15.1	6.9	11.4	7.2	5.6	6.6	4.8	9.9	12	13146
18-20 LST	3.3	5.1	7.3	15.4	18.4	13.5	7.6	8.9	5.6	4.9	5.3	3.5	8.2	12	13146
21-23 LST	0.0	0.2	0.0	0.6	0.3	0.4	0.0	0.4	0.6	0.5	0.2	0.1	0.3	12	13146
FOR 00-02 LST	0.3	0.2	0.3	1.0	1.2	1.2	0.0	1.0	0.9	0.5	0.3	0.3	0.6	12	13146
03-05 LST	0.3	0.3	0.2	0.9	1.0	0.9	0.1	0.4	0.7	0.3	0.3	0.0	0.5	12	13146
06-08 LST	0.0	0.1	0.4	0.2	0.4	0.6	0.6	0.7	0.9	0.1	0.1	0.2	0.4	12	13146
09-11 LST	0.1	0.1	0.2	0.1	0.5	0.9	0.4	1.2	0.4	0.3	0.3	0.3	0.4	12	13146
12-14 LST	0.3	0.2	0.3	0.1	0.1	0.8	0.2	0.4	0.2	0.3	0.4	0.0	0.3	12	13146
15-17 LST	0.4	0.1	0.3	0.1	0.9	0.6	0.3	0.5	0.2	0.4	0.1	0.0	0.3	12	13146
18-20 LST	0.1	0.1	0.2	0.1	1.1	0.3	0.1	0.2	0.2	0.5	0.1	0.0	0.3	12	13146
21-23 LST														12	13146

KADENA AB, RYUKYU IS.

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
09 LST	30.4	26.9	29.1	27.1	26.2	26.6	29.9	29.6	28.5	29.8	29.2	29.7	343.0	12	4382
15 LST	30.0	26.7	29.2	27.8	27.9	27.4	30.3	29.6	29.2	29.9	28.9	30.2	347.1	12	4382
21 LST	30.6	27.2	30.1	27.5	27.4	28.6	30.3	29.9	29.4	30.5	29.6	30.4	351.5	12	4382
03 LST	30.5	27.4	29.4	26.8	26.2	26.4	30.5	29.6	29.5	30.5	29.6	30.7	347.1	12	4382
09 LST	15.7	14.0	16.6	12.3	10.9	11.5	14.4	15.7	15.8	10.8	13.6	18.4	169.7	12	4382
15 LST	8.0	7.3	10.3	7.1	7.8	7.4	9.1	11.7	9.8	5.4	6.9	9.1	99.9	12	4382
21 LST	17.9	16.7	19.9	18.2	18.3	18.3	21.7	20.6	20.6	19.2	18.3	20.6	230.3	12	4382
03 LST	19.7	18.3	20.6	19.9	18.1	18.6	22.4	21.3	21.8	20.9	19.1	22.2	242.9	12	4382
09 LST	2.6	1.6	1.5	0.7	0.7	2.3	1.8	2.6	2.1	3.2	2.7	1.5	23.3	12	4205
15 LST	4.8	3.4	3.5	3.6	2.4	4.3	3.2	4.6	4.1	5.8	3.8	3.3	46.8	12	4219
21 LST	2.4	1.5	1.2	0.7	0.8	0.7	1.1	2.0	1.8	2.0	2.0	0.8	17.0	12	4221
03 LST	1.7	0.8	1.0	0.2	0.1	0.9	1.0	1.9	1.7	1.4	1.4	1.0	13.1	12	4216
09 LST	15.7	14.8	18.0	15.3	17.8	16.1	16.1	18.6	17.8	14.5	15.8	17.8	199.3	12	4204
15 LST	11.6	10.3	13.8	12.9	14.0	13.3	12.5	13.6	14.3	10.0	10.6	14.0	150.9	12	4219
21 LST	15.7	16.3	18.4	17.3	20.5	20.1	19.0	16.7	15.2	18.9	16.2	18.9	213.2	12	4221
03 LST	16.9	16.7	16.6	17.9	18.9	18.0	17.0	14.8	12.6	17.5	15.8	19.1	201.8	12	4214
09 LST	2.9	3.8	3.2	2.2	0.7	0.2	0.4	1.1	2.1	4.0	5.3	2.9	28.8	12	4382
15 LST	1.8	2.2	1.6	2.2	0.8	0.3	1.4	1.1	0.9	2.5	2.3	2.4	19.5	12	4382
21 LST	4.0	4.4	4.4	4.6	4.3	2.4	4.3	5.2	5.7	7.9	7.3	5.7	60.2	12	4382
03 LST	4.8	5.3	4.1	4.8	4.2	4.8	9.0	8.9	10.7	10.8	8.0	6.9	82.3	12	4382
09 LST	25.7	22.3	23.7	21.4	19.0	21.2	25.4	23.3	24.2	27.6	26.3	26.8	286.9	12	4382
15 LST	25.8	21.1	22.9	21.8	20.8	21.4	24.6	23.1	22.9	25.6	25.2	26.6	281.8	12	4382
21 LST	27.0	23.0	24.2	21.4	23.2	23.3	27.2	25.4	26.2	27.6	26.4	28.1	303.0	12	4382
03 LST	26.5	23.4	24.3	21.2	21.4	22.1	27.1	25.1	25.3	27.0	26.5	28.1	298.0	12	4382
09 LST	12.2	12.9	14.1	15.2	14.4	18.2	24.6	22.6	23.1	22.7	20.9	16.8	217.7	12	4382
15 LST	11.7	11.6	13.6	15.3	16.7	19.3	24.0	21.9	21.7	20.2	18.2	17.4	212.6	12	4382
21 LST	11.7	12.9	15.5	17.3	19.2	21.8	26.4	24.8	24.8	22.6	20.2	17.0	234.2	12	4382
03 LST	12.6	12.2	14.1	15.1	17.4	19.6	26.4	23.9	24.0	22.2	19.7	17.1	224.3	12	4382
09 LST	8.5	9.1	10.1	12.2	11.2	14.9	24.0	21.1	20.7	18.7	16.5	11.7	178.7	12	4382
15 LST	8.7	7.9	10.9	13.3	14.0	16.1	23.0	20.9	19.2	16.2	14.5	14.0	178.7	12	4382
21 LST	9.7	9.9	12.6	15.1	14.6	17.3	25.4	23.7	23.7	19.6	15.8	13.5	201.1	12	4382
03 LST	10.8	9.3	10.5	12.6	13.3	16.7	25.7	23.5	22.5	20.3	16.7	13.4	195.3	12	4382

FUTEMA MCAF, RYUKYU IS.

ELEVATION(FT) 00247

LONGITUDE 12745E

LATITUDE 2616N

STA NO. 47933 (IN AREA NUMBER 01)

POR NO.
(YRS) OBS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	UCT	NOV	DEC	ANN	POR	NO.
ABS MAX TMP (F)	78	80	79	84	84	90	93	94	91	90	86	77	94	9	3208
MEAN MAX TMP (F)	64	65	69	75	80	84	88	87	87	81	75	69	77	9	3208
MEAN MIN TMP (F)	55	56	59	65	71	75	79	78	77	71	66	59	68	9	3208
ABS MIN TMP (F)	42	43	42	52	59	64	71	72	69	63	54	46	42	9	3208
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.2	8.7	6.0	2.7	0.1	0.0	0.0	17.7	9	3208
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	3208
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	3208
MEAN DEW PT TMP (F)	50	51	57	63	69	74	77	76	75	67	61	55	65	9	76991
MEAN REL HUM (PCT)	72	73	77	79	83	85	82	82	81	76	73	73	78	9	76991
MEAN PRESS ALT (FT)	62	105	133	210	300	374	398	428	343	223	144	88	234	0	-50
MEAN PRECIP (IN)	3.45	4.73	4.91	5.13	8.40	10.91	6.59	8.65	11.94	6.45	4.06	4.96	80.2	9	3269
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	3272
MEAN NO DYS PKCP = OR GTR 0.1 IN	7.7	7.4	7.8	7.6	10.4	10.4	5.5	8.2	7.1	6.8	5.1	6.8	90.8	9	3269
MEAN NO DYS SNPL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	3272
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.2	0.1	0.4	0.6	1.0	1.3	0.1	0.7	0.4	0.5	0.4	0.2	5.9	9	3214
MEAN NO DYS TSTMS	0.4	0.4	0.7	1.7	2.1	3.0	2.4	3.2	1.8	1.0	0.4	0.2	17.3	9	3272
P FREQ WND SPU = OR GTR 17 KTS	10.9	6.4	6.5	4.4	1.6	5.2	7.0	10.5	11.4	10.2	8.5	3.9	7.2	9	77124
P FREQ WND SPU = OR GTR 28 KTS	0.2	0.1	0.0	0.0	0.0	0.1	0.6	1.7	1.9	0.9	0.5	0.0	0.5	9	77124
P FREQ LES 5000 FT A/O LES 5 MI	59.4	55.9	53.1	45.5	41.8	35.6	17.3	25.4	23.2	28.2	31.7	41.1	38.2	9	77124
P FREQ LES 1500 FT A/O LES 3 MI	4.8	4.3	9.2	16.9	17.9	17.3	5.1	10.8	7.2	6.3	6.2	2.7	9.1	9	9638
FOR 00-02 LST	5.0	5.6	13.6	18.2	20.8	20.6	7.5	11.1	7.3	5.7	5.1	2.7	10.3	9	9639
03-05 LST	4.9	7.5	12.3	18.4	22.7	24.2	8.0	13.9	8.6	6.8	5.4	4.4	11.4	9	9779
06-08 LST	6.6	9.6	11.7	17.9	21.4	22.5	7.8	12.1	10.7	7.4	5.3	6.7	11.6	9	9840
09-11 LST	6.3	9.6	12.1	15.4	20.0	21.9	6.8	9.9	7.4	7.0	6.2	7.2	10.8	9	9827
12-14 LST	5.7	7.5	11.6	14.3	17.9	19.1	8.6	10.5	7.5	5.6	5.6	6.0	10.0	9	9790
15-17 LST	5.4	7.3	11.1	16.0	19.1	17.2	7.3	11.1	8.0	6.1	5.4	4.7	9.9	9	9683
18-20 LST	3.3	5.7	8.6	16.6	18.4	14.6	7.4	9.3	7.8	5.0	5.6	3.9	8.9	9	9647
21-23 LST	0.0	0.1	0.0	0.7	0.4	0.4	0.4	0.1	0.7	0.7	0.2	0.1	0.3	9	9638
FOR 00-02 LST	0.4	0.1	0.4	1.0	1.2	1.6	0.0	0.5	1.2	0.7	0.4	0.1	0.6	9	9639
03-05 LST	0.2	0.3	0.3	0.9	0.8	1.1	0.2	0.4	1.1	0.4	0.1	0.0	0.5	9	9779
06-08 LST	0.0	0.1	0.2	0.2	0.4	0.9	0.2	0.7	1.0	0.0	0.1	0.5	0.4	9	9840
09-11 LST	0.1	0.0	0.1	0.1	1.0	0.9	0.1	0.7	0.5	0.4	0.2	0.7	0.4	9	9827
12-14 LST	0.4	0.1	0.5	0.1	0.2	1.4	0.1	0.8	0.0	0.2	0.5	0.4	0.4	9	9790
15-17 LST	0.5	0.0	0.1	0.0	1.3	0.6	0.2	0.8	0.0	0.5	0.1	0.1	0.4	9	9683
18-20 LST	0.1	0.0	0.3	0.1	1.2	0.7	0.5	0.1	0.2	0.7	0.1	0.0	0.3	9	9647
21-23 LST															

FUTEMA MCAF, RYUKYU IS.

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
		(YRS)	(YRS)	(YRS)	(YRS)	(YRS)	(YRS)	(YRS)	(YRS)	(YRS)	(YRS)	(YRS)	(YRS)	(YRS)	(YRS)	(YRS)
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	30.1	26.8	28.7	27.3	26.4	26.4	30.0	29.4	28.2	29.6	29.1	29.8	341.8	9	3285
	15 LST	29.8	26.8	29.9	27.9	28.8	26.6	30.3	29.4	29.3	30.0	29.3	30.0	348.1	9	3278
	21 LST	30.4	27.3	30.0	27.5	27.7	28.0	30.4	30.1	29.2	30.4	29.6	30.2	350.8	9	3227
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	30.4	27.2	28.9	26.6	26.9	26.2	30.4	29.5	29.4	30.4	29.8	30.7	346.4	9	3213
	09 LST	14.4	13.8	15.8	11.8	12.2	11.9	13.6	14.9	14.6	11.2	14.9	19.3	168.4	9	3285
	15 LST	8.2	7.8	9.9	7.0	8.5	7.5	8.8	10.5	8.8	5.8	8.2	9.9	100.9	9	3278
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	17.4	16.5	20.0	17.7	18.9	17.3	20.2	20.6	19.1	19.4	19.4	20.6	227.1	9	3227
	03 LST	17.9	17.7	18.8	18.8	18.2	18.2	22.0	20.9	20.6	20.0	19.5	22.7	235.6	9	3213
	09 LST	3.3	1.3	1.4	0.8	0.3	2.2	2.1	2.5	2.7	3.8	2.7	0.8	23.9	9	3173
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	5.3	3.1	2.9	2.9	1.0	2.9	3.5	4.1	4.6	5.3	3.7	2.9	42.2	9	3171
	21 LST	3.2	1.3	1.7	0.7	0.5	0.8	1.2	2.4	2.1	2.0	2.0	0.6	18.5	9	3123
	03 LST	2.0	0.9	1.3	0.4	0.0	1.0	0.9	2.2	2.0	1.5	1.4	0.7	14.3	9	3107
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	16.3	15.7	18.6	16.7	19.8	16.7	16.0	18.4	16.6	13.9	16.2	18.8	203.7	9	3172
	15 LST	11.8	11.6	13.8	13.1	16.1	14.3	11.7	13.1	12.4	10.2	13.7	14.9	156.7	9	3171
	21 LST	15.1	16.9	18.7	18.8	21.3	20.2	21.0	18.3	16.2	18.4	15.9	20.4	221.2	9	3123
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	16.9	16.1	17.5	18.6	19.1	18.7	19.9	15.8	14.1	17.4	15.7	19.1	208.9	9	3105
	09 LST	3.0	3.4	3.2	2.2	0.5	0.3	0.9	0.9	1.7	3.7	5.1	3.0	28.4	9	3285
	15 LST	1.8	2.1	1.9	2.6	0.8	0.2	1.1	1.4	1.2	1.8	2.6	2.7	20.2	9	3278
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	4.1	4.0	4.4	5.6	4.9	2.6	5.1	6.1	5.8	8.4	7.9	5.4	64.3	9	3227
	03 LST	5.3	4.7	3.1	5.9	4.7	4.9	10.1	8.5	8.9	10.7	9.0	6.3	82.1	9	3213
	09 LST	25.5	22.6	23.9	21.2	20.0	20.4	25.8	23.8	24.1	26.7	26.4	27.1	287.5	9	3285
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	25.5	21.5	23.3	22.5	21.1	20.3	24.0	23.4	21.9	25.0	25.1	26.8	280.4	9	3278
	21 LST	26.0	23.1	24.5	21.5	22.9	22.7	26.7	25.3	25.5	28.0	26.9	28.1	301.2	9	3227
	03 LST	26.0	23.2	23.5	20.9	21.5	21.2	26.8	24.8	25.1	26.1	26.6	28.4	294.1	9	3213
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	12.2	13.3	13.8	15.0	15.5	17.6	25.1	23.1	24.8	22.2	20.2	16.9	217.7	9	3285
	15 LST	11.9	11.5	13.4	17.3	17.0	18.5	23.7	22.2	20.4	18.9	17.3	16.9	209.0	9	3278
	21 LST	11.5	12.3	14.7	17.4	19.5	21.0	26.2	24.6	24.0	23.5	20.2	17.1	232.0	9	3227
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	12.1	11.3	12.6	14.3	17.8	18.2	26.4	23.8	23.9	22.0	19.8	16.6	218.8	9	3213
	09 LST	8.3	8.6	10.6	11.9	12.0	13.9	24.4	21.5	20.3	18.9	16.5	11.3	178.2	9	3285
	15 LST	9.0	7.4	10.4	14.4	13.8	15.0	23.1	21.2	18.7	15.1	13.8	13.3	175.2	9	3278
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	9.5	9.2	11.7	15.5	15.5	17.0	25.3	23.7	23.2	21.1	16.1	14.0	201.8	9	3227
	03 LST	10.7	9.2	9.5	12.2	13.3	15.7	25.9	23.3	22.7	20.8	16.5	13.0	192.8	9	3213

HAMBY AAF, RYUKYU IS.

STA NO. 47935 (IN AREA NUMBER 01)

ELEVATION(FT) 00017

LONGITUDE 12745E

LATITUDE 2617N

POR NO.

(YRS) OBS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
ABS MAX TMP (F)	78	80	79	84	88	90	93	94	91	90	86	77	94	9	-47933
MEAN MAX TMP (F)	64	65	69	75	80	84	88	87	87	81	75	69	77	9	-47933
MEAN MIN TMP (F)	55	56	59	65	71	75	79	78	77	71	66	59	68	9	-47933
ABS MIN TMP (F)	42	43	42	52	59	64	71	72	69	63	54	46	42	9	-47933
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.2	6.7	6.0	2.7	0.1	0.0	0.0	17.7	9	-47933
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-47933
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-47933
MEAN DEW PT TMP (F)	50.	51	57	63	69	74	77	76	75	67	61	55	65	9	-47933
MEAN REL HUM (PCT)	72	73	77	79	83	85	82	82	81	76	73	73	78	9	-47933
MEAN PRESS ALI (FT)	-168	-124	-96	-19	70	145	168	198	113	-7	-85	-142	4	0	-50
MEAN PRECIP (IN)	3.45	4.73	4.91	5.13	8.40	10.91	6.59	8.65	11.94	6.45	4.06	4.96	80.2	9	-47933
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-47933
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.7	7.4	7.8	7.6	10.4	10.4	5.5	8.2	7.1	6.8	5.1	6.8	90.8	9	-47933
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-47933
MEAN NO DYS W/OCUM VSBY LES 1/2 MI	0.2	0.1	0.4	0.6	1.0	1.3	0.1	0.7	0.4	0.5	0.4	0.2	5.9	9	-47933
MEAN NO DYS TSTMS	0.4	0.4	0.7	1.7	2.1	3.0	2.4	3.2	1.8	1.0	0.4	0.2	17.3	9	-47933
P FREQ WND SPD = UR GTR 17 KTS	10.9	6.4	6.5	4.4	1.6	5.2	7.0	10.5	11.4	10.2	8.5	3.9	7.2	9	-47933
P FREQ WND SPD = OR GTR 28 KTS	0.2	0.1	0.0	0.0	0.0	0.1	0.6	1.7	1.9	0.9	0.5	0.0	0.5	9	-47933
P FREQ LES 5000 FT A/O LES 5 MI	59.4	55.9	53.1	45.5	41.8	35.6	17.3	25.4	23.2	28.2	31.7	41.1	38.2	9	-47933
P FREQ LES 1500 FT A/O LES 3 MI	4.8	4.3	9.2	16.9	17.9	17.3	5.1	10.8	7.2	6.3	6.2	2.7	9.1	9	-47933
FOR 00-02 LST															
03-05 LST	5.0	5.6	13.6	18.2	20.8	20.6	7.5	11.1	7.3	5.7	5.1	2.7	10.3	9	-47933
06-08 LST	4.9	7.5	12.3	18.4	22.7	24.2	8.0	13.9	8.6	6.8	5.4	4.4	11.4	9	-47933
09-11 LST	6.6	9.6	11.7	17.9	21.4	22.5	7.8	12.1	10.7	7.4	5.3	6.7	11.6	9	-47933
12-14 LST	6.3	9.6	12.1	15.4	20.0	21.9	6.8	9.9	7.4	7.0	6.2	7.2	10.8	9	-47933
15-17 LST	5.7	7.5	11.6	14.3	17.9	19.1	8.6	10.5	7.5	5.6	5.6	6.0	10.0	9	-47933
18-20 LST	5.4	7.3	11.1	16.0	19.1	17.2	7.3	11.1	8.0	6.1	5.4	4.7	9.9	9	-47933
21-23 LST	3.3	5.7	8.6	16.6	18.4	14.6	7.4	9.3	7.8	5.0	5.6	3.9	8.9	9	-47933
P FREQ LES 300 FT A/O LES 1 MI	0.0	0.1	0.0	0.7	0.4	0.4	0.4	0.1	0.7	0.7	0.2	0.1	0.3	9	-47933
FOR 00-02 LST															
03-05 LST	0.4	0.1	0.4	1.0	1.2	1.6	0.0	0.5	1.2	0.7	0.4	0.1	0.6	9	-47933
06-08 LST	0.2	0.3	0.3	0.9	0.8	1.1	0.2	0.4	1.1	0.4	0.1	0.0	0.5	9	-47933
09-11 LST	0.0	0.1	0.2	0.2	0.4	0.9	0.2	0.7	1.0	0.0	0.1	0.5	0.4	9	-47933
12-14 LST	0.1	0.0	0.1	0.1	1.0	0.9	0.1	0.7	0.5	0.4	0.2	0.7	0.4	9	-47933
15-17 LST	0.4	0.1	0.5	0.1	0.2	1.4	0.1	0.8	0.0	0.2	0.5	0.4	0.4	9	-47933
18-20 LST	0.5	0.0	0.1	0.0	1.3	0.6	0.2	0.8	0.0	0.5	0.1	0.1	0.4	9	-47933
21-23 LST	0.1	0.0	0.3	0.1	1.2	0.7	0.5	0.1	0.2	0.7	0.1	0.0	0.3	9	-47933

HAMBY AAF, RYUKYU IS.

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	30.1	26.8	28.7	27.3	26.4	30.0	29.4	28.2	29.6	29.1	29.8	341.8	9	-47933	
	15 LST	29.8	26.8	29.9	27.9	28.8	30.3	29.4	29.3	30.0	29.3	30.0	348.1	9	-47933	
	21 LST	30.4	27.3	30.0	27.5	27.7	28.0	30.1	29.2	30.4	29.6	30.2	350.8	9	-47933	
CIG = GTR 2000 FT AND VSBY = GTR 10 KTS 3 MI W/SFC WND LES 10 KTS	03 LST	30.4	27.2	28.9	26.6	26.9	30.4	29.5	29.4	30.4	29.8	30.7	346.4	9	-47933	
	09 LST	14.4	13.8	15.8	11.8	12.2	11.9	14.9	14.6	11.2	14.9	19.3	168.4	9	-47933	
	15 LST	8.2	7.8	9.9	7.0	8.5	7.5	8.8	8.8	5.8	8.2	9.9	100.9	9	-47933	
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	17.4	16.5	20.0	17.7	18.9	17.3	20.2	19.1	19.4	19.4	20.6	227.1	9	-47933	
	03 LST	17.9	17.7	18.8	18.8	18.5	18.2	22.0	20.6	20.0	19.5	22.7	235.6	9	-47933	
	09 LST	3.3	1.3	1.4	0.8	0.3	2.2	2.1	2.5	2.7	3.8	2.7	0.8	23.9	9	-47933
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	5.3	3.1	2.9	2.9	1.0	2.9	3.5	4.1	4.6	3.7	2.9	42.2	9	-47933	
	21 LST	3.2	1.3	1.7	0.7	0.5	0.8	1.2	2.4	2.1	2.0	0.6	18.5	9	-47933	
	03 LST	2.0	0.9	1.3	0.4	0.0	1.0	0.9	2.2	2.0	1.5	0.7	14.3	9	-47933	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	16.3	15.7	18.6	16.7	19.8	16.7	16.0	16.6	13.9	16.2	18.8	203.7	9	-47933	
	15 LST	11.8	11.6	13.8	13.1	16.1	14.3	11.7	13.1	12.4	10.2	13.7	14.9	156.7	9	-47933
	21 LST	15.1	16.9	18.7	18.8	21.3	20.2	21.0	18.3	16.2	18.4	15.9	20.4	221.2	9	-47933
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	16.9	16.1	17.5	18.6	19.1	18.7	19.9	14.1	17.4	15.7	19.1	208.8	9	-47933	
	09 LST	3.0	3.4	3.2	2.2	0.5	0.3	0.9	0.9	1.7	3.7	5.6	3.0	28.4	9	-47933
	15 LST	1.8	2.1	1.9	2.6	0.8	0.2	1.1	1.4	1.2	1.8	2.6	2.7	20.2	9	-47933
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	4.1	4.0	4.4	5.6	4.9	2.6	5.1	6.1	5.8	8.4	7.9	64.3	9	-47933	
	03 LST	5.3	4.7	3.1	3.9	4.7	4.9	10.1	8.5	8.9	10.7	9.0	6.3	82.1	9	-47933
	09 LST	25.5	22.6	23.9	21.2	20.0	20.4	25.8	23.8	24.1	26.7	26.4	27.1	287.5	9	-47933
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	25.5	21.5	23.3	22.5	21.1	20.3	24.0	23.4	21.9	25.0	25.1	26.8	280.4	9	-47933
	21 LST	26.0	23.1	24.5	21.5	22.9	22.7	26.7	25.3	25.5	28.0	26.9	28.1	301.2	9	-47933
	03 LST	26.0	23.2	23.5	20.9	21.5	21.2	26.8	24.8	25.1	26.1	26.6	28.4	294.1	9	-47933
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	12.2	13.3	13.8	15.0	15.5	17.6	25.1	23.1	22.8	22.2	20.2	16.9	217.7	9	-47933
	15 LST	11.9	11.5	13.4	17.3	17.0	18.5	23.7	22.2	20.4	18.9	17.3	16.9	209.0	9	-47933
	21 LST	11.5	12.3	14.7	17.4	19.5	21.0	26.2	24.6	24.0	23.5	20.2	17.1	232.0	9	-47933
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	12.1	11.3	12.6	14.3	17.8	18.2	26.4	23.8	23.9	22.0	19.8	16.6	218.8	9	-47933
	09 LST	8.3	8.6	10.6	11.9	12.0	13.9	24.4	21.5	20.3	18.9	16.5	11.3	178.2	9	-47933
	15 LST	9.0	7.4	10.4	14.4	13.8	15.0	23.1	21.2	18.7	15.1	13.8	13.3	175.2	9	-47933
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	9.5	9.2	11.7	15.5	15.5	17.0	23.7	23.2	21.1	16.1	14.0	201.8	9	-47933	
	03 LST	10.7	9.2	9.5	12.2	13.3	15.7	23.3	22.7	20.8	16.5	13.0	192.8	9	-47933	

AREA NO. 01

RYUKYU ISLANDS LATITUDE 2530N LONGITUDE 12630E

RYUKYU ISLANDS


PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	67	67	71	76	81	85	88	88	87	81	76	70	78
MEAN MIN TMP (F)	56	56	60	65	70	75	78	78	76	71	65	60	68
LARGEST MEAN PRECIP(IN)	5.84	5.40	6.10	6.10	8.90	10.91	7.98	10.00	11.94	9.11	6.75	6.72	95.8
SMALLEST MEAN PRECIP(IN)	3.45	4.73	4.82	5.08	8.03	7.88	6.59	8.65	7.10	6.12	4.06	4.30	70.8
MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 29.8	26.9 26.9	29.5 29.7	27.4 27.9	27.4 28.8	27.5 27.6	30.1 30.3	29.5 29.8	28.9 29.4	30.0 30.0	29.1 29.1	29.9 30.1	346.4 349.4
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	20 LST 30.6	27.2 27.3	30.1 29.3	27.9 27.4	28.3 27.4	28.5 27.3	30.3 30.4	30.0 29.7	29.4 29.3	30.4 30.3	29.3 29.6	30.4 30.6	352.3 349.2
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST 17.0	14.3 5.7	16.8 19.3	13.6 18.0	14.1 19.8	12.7 18.1	15.9 21.3	16.0 20.2	16.4 20.4	12.4 20.0	13.8 16.9	7.6 9.7	116.8 225.9
SFC WND 4-10 KTS AND TMP 33-89 AND DEG F AND NO PRECIP.	02 LST 18.5	17.4 18.5	20.1 18.9	18.9 19.1	16.7 16.7	21.1 21.1	20.5 20.5	21.4 20.5	21.4 20.5	20.5 18.2	18.2 20.8	233.2 233.2	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 14.7	14.0 3.5	17.2 3.4	15.6 2.7	18.1 1.1	16.1 0.9	16.6 2.5	17.5 2.3	16.4 2.8	13.6 5.1	14.6 4.9	17.2 3.4	191.6 35.4
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	14 LST 25.1	21.5 21.5	23.1 21.5	21.5 22.1	22.1 22.1	22.1 22.1	24.7 24.7	23.4 23.4	22.8 22.8	25.2 25.2	24.3 24.3	26.0 26.0	281.8 281.8
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST 25.7	23.0 23.5	24.8 24.6	21.7 21.8	23.6 21.9	24.0 23.0	27.6 27.1	25.8 25.0	25.6 25.6	27.3 22.3	25.5 20.3	27.1 17.9	301.7 229.7
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 14.5	14.0 12.8	16.0 14.8	16.5 16.8	17.3 18.2	20.1 20.0	25.5 23.4	22.5 22.2	22.8 21.1	20.3 19.8	20.3 17.6	17.9 17.3	217.7 217.7
	20 LST 13.4	14.0 12.9	16.1 14.9	17.6 16.5	20.2 18.4	22.5 20.4	26.7 26.2	25.1 23.8	24.5 24.3	22.8 23.0	19.8 20.4	17.6 18.5	240.3 233.5
	08 LST 11.5	10.9 9.7	12.8 12.1	13.3 13.9	14.8 15.3	17.3 17.4	24.8 22.7	21.0 21.1	21.1 19.3	19.5 17.0	16.9 14.9	13.5 14.5	197.4 189.1
	20 LST 11.4	11.5 10.7	13.1 12.4	15.1 14.3	16.7 15.0	19.0 18.0	25.4 25.4	24.1 22.9	23.7 22.5	20.5 21.0	16.7 17.2	14.6 15.6	211.8 207.5

TAIPEI INTL., REP. OF CHINA

STA NO. 46696 (IN AREA NUMBER 01)

LATITUDE 2504N LONGITUDE 12132E ELEVATION(FT) 00021

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	84	86	89	95	98	98	99	99	97	91	90	86	99	12	4370
MEAN MAX TMP (F)	66	67	71	77	84	88	92	91	88	80	75	69	79	12	4370
MEAN MIN TMP (F)	53	55	58	64	69	73	76	76	74	68	63	58	66	12	4369
ABS MIN TMP (F)	34	37	45	50	57	61	70	70	60	54	48	33	33	12	4369
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	1.7	6.5	16.0	27.0	24.8	13.8	1.6	0.1	0.0	91.5	12	4370
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4369
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4369
MEAN DEW PT TMP (F)	54	56	59	65	71	75	76	76	74	68	63	58	66	12	17480
MEAN REL HUM (PCT)	84	86	86	85	85	85	82	82	83	84	84	84	84	12	17480
MEAN PRESS ALT (FI)	-201	-151	-103	-12	85	175	218	229	111	-31	-116	-176	2	0	-50
MEAN PRECIP (IN)	3.75	5.34	4.26	5.25	6.92	8.77	8.77	8.71	8.18	5.47	4.19	2.86	72.5	12	4198
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3728
MEAN NO DYS PKCP = OR GTR 0.1 IN	6.7	8.6	8.6	9.0	8.2	10.6	9.7	9.5	7.3	7.5	7.9	7.0	100.6	12	4198
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3728
MEAN NO DYS W/UCUR VSBY LES 1/2 MI	4.2	3.2	2.9	2.4	0.7	0.8	0.9	0.2	0.9	1.0	2.3	3.2	22.7	12	4363
MEAN NO DYS TSTMS	0.0	0.1	0.0	0.4	0.5	0.9	1.6	1.2	0.6	0.0	0.0	0.0	5.3	12	4372
P FREQ WND SPD = OR GTR 17 KTS	5.6	7.9	10.8	6.5	5.7	4.2	4.3	6.4	8.7	9.7	10.4	7.7	7.3	12	17472
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.2	0.0	0.2	0.1	0.7	1.0	1.3	0.5	0.3	0.1	0.4	12	17472
P FREQ LES 5000 FT A/O LES 5 MI	39.7	45.4	44.2	38.9	32.5	33.7	22.5	19.9	22.2	30.4	31.6	36.8	33.2	12	16596
P FREQ LES 1500 FT A/O LES 3 MI	33.3	39.8	39.3	32.2	24.1	24.1	13.2	12.7	12.9	22.6	21.6	29.5	25.4	12	4323
FOR 00-02 LST	33.0	38.3	37.5	30.1	23.9	21.9	10.1	10.7	13.4	19.8	20.2	26.8	23.8	12	-30
03-05 LST	32.7	36.7	35.9	28.0	23.6	19.8	7.0	8.7	13.8	16.9	18.6	24.1	22.2	12	4280
06-08 LST	23.9	21.7	22.1	22.0	16.4	16.4	8.2	7.5	9.4	13.3	13.9	17.8	16.1	12	-30
09-11 LST	15.2	16.7	18.3	16.1	9.2	12.9	9.4	6.2	5.0	9.6	9.2	10.7	11.5	12	4288
12-14 LST	21.2	25.6	25.7	22.7	16.8	18.8	12.3	8.7	8.6	13.6	15.4	19.1	17.4	12	-30
15-17 LST	27.1	34.5	33.1	29.3	24.3	24.7	15.2	11.2	12.1	17.5	21.5	27.5	23.2	12	4318
18-20 LST	30.2	37.2	36.7	30.8	24.2	24.4	14.2	11.9	12.5	20.0	21.6	28.0	24.3	12	-30
21-23 LST	4.3	3.6	3.3	2.8	0.8	1.1	0.3	0.0	0.0	0.6	2.0	1.9	1.7	12	4323
FOR 00-02 LST	5.9	5.7	5.2	3.4	1.9	1.4	0.3	0.3	1.0	0.9	2.2	2.8	2.6	12	-30
03-05 LST	7.4	7.7	7.1	4.0	3.1	1.7	0.3	0.6	2.0	1.1	2.5	3.6	3.4	12	4280
06-08 LST	3.9	4.2	3.7	2.4	1.7	1.0	0.7	0.6	1.2	0.6	1.3	2.0	1.9	12	-30
09-11 LST	0.5	0.6	0.3	0.8	0.3	0.3	1.1	0.6	0.3	0.0	0.0	0.3	0.4	12	4288
12-14 LST	0.8	1.4	0.7	1.1	0.6	0.7	0.6	0.5	0.2	0.3	0.3	0.6	0.7	12	-30
15-17 LST	1.1	2.1	1.1	1.4	0.8	1.1	0.0	0.3	0.0	0.5	0.6	0.8	0.8	12	4318
18-20 LST	2.7	2.9	2.2	2.1	0.8	1.1	0.2	0.2	0.0	0.6	1.3	1.4	1.3	12	-30
21-23 LST															



BLANK PAGE

TAIPEI INTL., REP. OF CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	14.2	11.0	12.0	12.7	13.0	11.8	15.4	14.5	16.4	19.3	17.7	16.5	174.5	12	4280
	14 LST	26.6	23.4	25.2	28.3	25.5	28.1	29.1	28.5	28.0	27.4	27.7	323.0	12	4288
	20 LST	16.5	14.1	15.9	16.7	17.7	18.4	21.0	22.1	22.0	19.4	19.0	220.6	12	4318
	02 LST	15.3	13.3	14.5	14.3	15.1	15.2	17.5	18.7	19.1	19.2	17.7	195.4	12	4323
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	4.8	4.5	3.6	4.8	6.1	7.9	12.7	10.1	9.1	7.2	6.0	5.7	82.5	12	4279
	08 LST	8.4	7.3	8.2	8.5	10.1	9.7	11.0	11.2	8.0	5.4	6.9	98.9	12	4287
	14 LST	7.6	6.5	6.4	8.9	11.1	13.9	14.4	14.3	11.6	7.1	7.3	124.8	12	4316
	20 LST	6.6	6.9	6.9	7.5	10.4	12.7	13.6	12.4	10.1	8.0	8.1	117.4	12	4321
SFC WND = GTR 17 KTS AND NO PRECIP.	0.5	1.1	1.7	1.1	0.8	0.2	0.6	1.2	0.6	1.1	1.6	0.7	11.2	12	4373
	14 LST	3.4	3.9	6.0	3.6	4.0	3.4	3.4	4.3	3.7	5.8	4.6	50.1	12	4372
	20 LST	1.1	1.6	2.2	0.8	0.8	0.5	0.8	1.1	0.8	0.9	1.0	12.3	12	4372
	02 LST	1.2	1.5	2.1	0.8	0.7	0.2	0.5	0.8	1.3	1.0	1.5	12.1	12	4370
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	9.9	8.1	7.4	7.3	6.4	7.1	7.1	7.8	9.1	11.4	10.0	9.4	101.5	12	4372
	14 LST	10.6	8.7	11.5	10.6	9.5	6.6	4.2	6.6	6.5	6.1	9.3	93.8	12	4372
	20 LST	10.4	8.7	10.9	10.1	10.9	12.2	9.6	13.0	14.1	10.4	11.2	134.8	12	4371
	02 LST	8.8	7.3	7.0	7.7	6.4	7.7	5.0	6.8	8.9	10.5	9.2	94.8	12	4370
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	1.3	1.3	0.9	1.8	2.6	1.5	4.2	4.4	4.2	3.5	3.0	2.1	30.8	12	4371
	14 LST	3.9	3.7	3.5	2.9	2.4	1.3	1.9	3.7	3.7	4.6	4.0	40.9	12	4371
	20 LST	3.3	2.5	2.6	3.7	2.7	3.3	3.0	3.6	3.7	4.7	4.0	53.4	12	4370
	02 LST	1.8	2.1	1.9	2.7	4.5	5.0	7.0	7.9	6.1	4.2	3.2	55.3	12	4372
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	12.1	9.4	9.9	11.0	11.4	11.2	15.0	13.3	14.8	16.6	15.7	14.2	154.6	12	4280
	14 LST	23.4	20.2	22.1	21.8	23.6	21.5	22.8	25.1	25.2	24.1	24.7	279.8	12	4288
	20 LST	14.6	12.3	13.6	14.9	15.5	16.7	17.2	19.7	20.5	17.4	16.6	199.7	12	4318
	02 LST	12.7	11.3	11.8	12.3	13.3	14.5	14.6	16.4	17.4	16.8	15.7	173.9	12	4323
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	9.9	7.7	8.2	9.2	10.1	10.1	14.8	12.6	13.7	14.0	13.5	11.4	135.2	12	4280
	14 LST	19.1	16.2	18.5	17.8	18.5	17.5	21.2	20.9	20.9	20.5	19.9	226.5	12	4288
	20 LST	12.6	10.3	11.3	12.6	13.3	13.4	15.0	18.2	18.6	17.1	14.9	171.8	12	4318
	02 LST	10.4	8.8	9.8	10.1	11.6	12.3	13.4	15.1	15.6	14.3	13.8	148.4	12	4323
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	9.8	7.6	8.2	9.2	10.1	10.1	14.8	12.6	13.6	14.0	13.3	11.1	134.4	12	4280
	14 LST	19.1	16.0	18.1	17.5	18.3	15.2	21.2	20.9	20.8	20.4	19.8	224.7	12	4288
	20 LST	12.6	10.2	11.3	12.5	13.2	13.4	14.7	18.2	18.5	17.1	14.9	171.0	12	4318
	02 LST	10.3	8.7	9.7	10.1	11.6	12.3	13.4	15.1	15.6	14.3	13.1	148.0	12	4323

TAOYUAN, REP. OF CHINA

STA NO. 46697 (IN AREA NUMBER 01)

LATITUDE 2503N LONGITUDE 12114E ELEVATION(FT) 00165

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	84	86	89	95	96	98	99	99	97	91	90	86	99	12	3981
MEAN MAX TMP (F)	66	67	71	77	84	87	92	91	88	80	74	69	79	12	3981
MEAN MIN TMP (F)	54	55	58	64	69	73	76	76	74	68	63	58	66	12	3980
ABS MIN TMP (F)	34	37	45	50	57	61	70	70	60	54	45	33	33	12	3680
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	1.6	5.7	14.2	26.5	24.5	13.1	1.4	0.1	0.0	87.1	12	3981
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3980
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3980
MEAN DEN PT TMP (F)	54	56	59	64	71	75	76	76	74	68	63	58	66	12	17203
MEAN REL HUM (PCT)	85	86	86	85	85	86	82	82	83	84	84	84	84	12	17161
MEAN PRESS ALT (FT)	-77	-26	22	115	215	306	350	360	239	94	7	-53	129	0	-50
MEAN PRECIP (IN)	3.99	5.79	4.62	5.58	7.90	9.50	8.98	6.82	7.75	5.85	3.89	3.21	75.9	11	3588
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3119
MEAN NO DYS PHCP = OR GTR 0.1 IN	7.0	9.3	9.4	9.5	9.0	11.3	9.3	9.4	7.8	7.6	8.0	7.8	105.4	11	3588
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3119
MEAN NO DYS W/OCUM VSBY LES 1/2 MI	4.3	3.2	2.6	2.2	0.7	0.8	0.2	0.3	0.7	0.7	2.1	2.2	20.0	12	4094
MEAN NO DYS TSTMS	0.0	0.2	0.1	0.3	0.5	0.9	1.5	1.3	0.7	0.0	0.2	0.0	5.7	12	4101
P FREQ WIND SPD = OR GTR 17 KTS	8.0	9.3	11.5	7.5	6.4	5.2	7.3	7.5	10.5	11.4	11.6	9.9	8.8	12	17229
P FREQ WIND SPD = OR GTR 28 KTS	0.1	0.0	0.2	0.0	0.3	0.3	1.1	1.4	1.4	0.4	0.3	0.2	0.5	12	17229
P FREQ LES 5000 FT A/O LES 5 MI	41.7	48.4	47.0	40.2	33.0	31.4	21.2	21.3	23.5	31.0	31.8	39.6	34.2	12	16328
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	36.4	41.5	43.7	33.7	26.1	24.7	13.6	13.5	14.8	24.8	24.6	32.3	27.5	12	4143
03-05 LST	23.8	36.8	42.9	8.3	18.8	4.8	4.2	5.6	12.0	12.2	12.2	27.0	17.4	2	387
06-08 LST	33.7	39.3	39.4	28.8	22.4	19.8	6.5	8.7	14.0	17.4	19.4	26.8	23.0	12	4067
09-11 LST	30.8	38.1	45.5	10.5	15.2	7.1	6.5	7.7	3.1	17.1	16.3	28.3	18.9	2	410
12-14 LST	17.6	19.1	20.8	17.7	9.9	13.7	9.7	6.8	6.2	10.9	11.3	13.5	13.1	12	4071
15-17 LST	24.0	44.4	28.0	12.0	13.5	7.0	2.2	8.1	12.5	11.1	16.3	9.8	15.7	12	424
18-20 LST	29.7	36.9	35.0	30.6	24.9	25.6	15.0	11.6	13.1	19.1	22.2	29.9	24.5	12	4150
21-23 LST	31.6	42.1	33.3	14.3	25.0	6.8	0.0	4.7	10.5	4.9	15.9	23.3	17.7	12	402
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	4.9	4.3	4.2	2.6	0.9	1.2	0.3	0.3	0.0	0.6	2.1	0.8	1.9	12	4143
03-05 LST	4.8	15.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	2	387
06-08 LST	6.7	7.9	7.2	3.5	2.1	1.5	0.0	0.3	0.9	0.9	2.4	2.9	3.0	12	4067
09-11 LST	0.0	4.8	0.0	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.6	2	410
12-14 LST	0.6	0.9	0.3	0.9	0.3	0.3	1.2	0.9	0.3	0.3	0.0	0.0	0.5	12	4071
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	424
18-20 LST	1.1	2.1	1.1	1.4	0.6	0.9	0.0	3.3	0.0	0.6	0.6	0.8	0.8	12	4150
21-23 LST	0.0	0.0	5.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.7	2	408

TAOYUAN, REP. OF CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		MEAN NUMBER OF DAYS												NOV	DEC	ANN	PUR (YRS)	NO. OBS
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT							
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	19.6	16.5	18.8	19.9	21.0	20.9	24.0	23.8	22.7	25.3	23.3	22.6	258.6	12	4233		
	14 LST	22.9	20.3	20.6	22.4	25.6	22.8	25.7	27.2	27.1	25.8	24.8	25.0	289.2	12	4212		
	20 LST	15.0	13.7	14.4	15.1	14.6	16.1	17.0	19.5	20.2	20.1	18.9	17.5	202.1	12	4214		
	02 LST	13.1	10.2	11.7	12.1	13.5	13.0	15.4	14.6	16.7	17.1	16.1	15.1	168.6	12	4226		
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	6.8	5.3	6.0	6.8	9.4	10.9	13.1	11.8	8.2	6.3	6.5	7.5	98.6	12	4231		
	14 LST	8.3	7.8	8.7	10.5	12.3	13.6	17.2	15.3	13.7	9.0	8.0	9.3	133.7	12	4209		
	20 LST	6.0	6.5	5.8	7.3	8.6	10.5	12.1	13.0	11.8	8.2	6.4	6.1	102.3	12	4211		
	02 LST	4.0	4.1	4.6	5.0	7.2	8.1	11.6	9.5	9.1	6.7	5.2	5.2	80.3	12	4221		
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	2.1	2.7	3.9	2.8	2.8	2.9	1.3	2.4	3.6	4.2	4.2	3.6	36.5	12	4303		
	14 LST	2.4	2.9	3.9	1.6	2.4	1.8	1.7	2.8	2.2	2.7	2.6	1.9	26.9	12	4302		
	20 LST	1.6	1.5	2.1	1.3	1.2	1.2	2.1	0.9	1.2	2.0	1.9	1.8	18.8	12	4269		
	02 LST	1.7	1.7	2.4	1.3	1.0	0.8	1.6	1.1	1.4	1.8	1.5	1.6	17.9	12	4282		
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NU PRECIP.	08 LST	10.3	8.5	9.2	8.6	7.9	7.5	6.7	6.3	7.4	9.7	8.9	9.3	100.3	12	4300		
	14 LST	10.4	9.2	11.7	11.1	10.5	10.9	9.0	9.5	10.4	11.3	8.8	10.3	123.1	12	4298		
	20 LST	9.5	8.1	9.3	9.2	7.8	10.5	6.9	9.8	11.6	11.3	9.5	9.5	113.0	12	4264		
	02 LST	8.8	7.7	7.3	7.2	9.0	7.4	7.8	8.3	9.4	10.0	9.7	9.3	101.9	12	4279		
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	2.8	2.4	2.3	3.0	3.3	2.9	4.3	4.2	5.9	5.1	6.0	4.9	47.1	12	4306		
	14 LST	4.4	3.2	3.0	3.5	3.1	2.6	5.1	6.0	7.8	5.5	5.1	4.3	53.6	12	4302		
	20 LST	2.4	2.8	2.1	2.9	2.6	3.8	5.4	8.2	8.0	5.3	4.8	4.1	53.1	12	4274		
	02 LST	1.4	2.0	1.3	1.9	3.1	2.0	4.4	5.1	4.9	4.7	3.7	2.9	37.4	12	4282		
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	16.7	13.9	16.1	17.2	18.6	19.0	21.5	20.8	20.9	22.6	20.5	20.2	228.0	12	4233		
	14 LST	20.2	17.6	17.6	19.4	21.5	20.2	23.3	24.5	24.5	23.3	21.4	21.8	255.3	12	4212		
	20 LST	12.6	11.6	11.6	13.2	12.6	15.0	15.7	18.0	18.2	17.8	16.8	14.6	177.9	12	4214		
	02 LST	10.8	8.8	9.6	10.2	12.2	12.3	14.6	13.0	15.2	15.3	14.5	13.2	149.7	12	4226		
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	13.8	11.6	14.0	14.9	15.0	15.4	18.8	18.4	18.7	19.3	18.5	16.5	194.9	12	4233		
	14 LST	16.0	13.5	13.8	14.9	16.9	16.0	19.3	21.0	20.5	19.1	17.5	16.7	205.2	12	4212		
	20 LST	10.9	9.4	9.3	10.7	11.5	13.4	13.9	16.5	16.2	15.2	14.4	12.9	154.3	12	4214		
	02 LST	9.0	7.6	7.9	8.8	11.5	10.8	13.9	12.2	14.2	13.9	12.8	10.9	133.5	12	4226		
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	13.7	11.5	13.9	14.8	15.0	15.4	18.8	18.4	18.6	19.3	18.4	16.3	194.1	12	4233		
	14 LST	15.9	13.4	13.5	14.6	16.7	15.7	18.9	21.0	20.5	19.0	17.4	16.6	203.2	12	4212		
	20 LST	10.8	9.2	9.2	10.6	11.4	13.4	13.8	16.5	16.1	15.1	14.4	12.7	153.2	12	4214		
	02 LST	9.0	7.6	7.8	8.8	11.5	10.8	13.9	12.2	14.2	13.9	12.8	10.7	133.2	12	4226		

HSIN-CHU, REP. OF CHINA

LATITUDE 2449N LONGITUDE 11556E ELEVATION(FT) 00025

STA NO. 46757 (IN AREA NUMBER 01)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	81	84	86	89	91	95	103	99	95	92	89	85	103	12	4380
MEAN MAX TMP (F)	64	65	69	75	83	87	90	89	87	81	75	69	78	12	4380
MEAN MIN TMP (F)	54	55	58	65	71	75	77	77	74	69	63	58	66	12	4380
ABS MIN TMP (F)	38	38	45	49	56	62	71	71	60	56	51	43	38	12	4380
MEAN NO DYS TMP ≥ OR GTR 90(F)	0.0	0.0	0.0	0.0	1.2	4.3	18.5	15.6	6.8	0.6	0.0	0.0	51.0	12	4380
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4380
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4380
MEAN DEW PT TMP (F)	53	54	58	64	71	74	76	76	73	67	62	56	65	12	17044
MEAN REL HUM (PCT)	84	85	86	86	83	81	78	80	81	79	79	81	82	12	17044
MEAN PRESS ALT (FT)	-210	-158	-107	-12	88	182	226	235	110	-37	-125	-187	0	0	-50
MEAN PRECIP (IN)	2.18	4.00	4.04	5.18	8.16	8.68	4.53	6.45	4.22	1.35	1.52	1.52	51.8	12	4334
MEAN SNOW FALL (IN)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	1460
MEAN NO DYS PMCP ≥ OR GTR 0.1 IN	4.6	6.5	7.7	7.8	7.0	7.6	4.4	6.3	4.2	2.7	3.9	3.8	66.5	12	4334
MEAN NO DYS SNPL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1460
MEAN NO DYS W/OCUM VSBY LES 1/2 MI	2.3	3.3	3.5	0.5	0.6	0.6	0.2	0.1	0.2	0.0	0.7	1.3	13.3	12	4252
MEAN NO DYS TSTMS	0.0	0.5	0.1	0.6	0.4	0.8	1.1	0.6	0.1	0.0	0.0	0.0	4.2	12	4261
P FREQ WND SPU ≥ UR GTR 17 KTS	39.4	34.9	31.9	23.5	15.0	23.4	23.2	15.4	19.2	41.2	45.4	42.7	29.6	12	17044
P FREQ WND SPU ≥ UR GTR 28 KTS	6.0	9.6	6.4	3.2	1.3	3.9	3.8	3.0	3.8	7.3	13.5	9.9	6.0	12	17044
P FREQ LES 5000 FT A/O LES 5 MI	37.4	43.8	46.5	36.5	25.3	20.7	10.1	13.3	13.8	15.2	20.7	28.4	26.0	12	16952
P FREQ LES 1500 FT A/O LES 3 MI	35.4	44.5	46.3	37.5	21.6	17.5	5.9	10.2	8.6	11.9	15.3	23.7	23.2	12	4250
FOR 00-02 LST	35.2	43.3	45.8	35.0	21.4	15.6	5.5	9.3	9.6	10.8	16.1	24.4	22.7	12	-30
FOR 03-05 LST	34.9	42.0	45.3	32.4	21.1	13.6	5.1	8.3	10.6	9.7	16.9	25.0	22.1	12	4373
FOR 06-08 LST	29.4	38.9	40.7	28.5	17.2	12.4	4.6	6.6	8.1	8.8	16.9	22.6	19.6	12	-30
FOR 09-11 LST	23.8	35.7	36.0	24.6	13.2	11.1	4.0	4.9	5.6	7.8	16.9	20.2	17.0	12	4372
FOR 12-14 LST	27.8	36.5	38.6	27.8	14.8	13.6	6.2	7.3	7.5	9.2	15.3	19.8	18.7	12	-30
FOR 15-17 LST	31.8	37.3	41.1	31.0	16.4	16.1	8.4	9.7	9.4	10.5	13.6	19.4	20.4	12	4258
FOR 18-20 LST	33.6	40.9	43.7	34.3	19.0	16.8	7.2	10.0	9.0	11.2	14.5	21.6	21.8	12	-30
FOR 21-23 LST	3.2	7.5	10.9	1.8	0.8	2.8	0.8	1.1	0.3	1.1	1.4	3.0	2.9	12	4250
FOR 00-02 LST	6.4	11.7	12.3	4.4	1.9	3.2	0.6	1.9	0.7	1.1	1.3	3.8	4.1	12	-30
FOR 03-05 LST	9.5	14.5	13.7	7.0	3.0	3.6	0.3	2.7	1.1	1.1	1.1	3.5	5.1	12	4373
FOR 06-08 LST	6.1	10.1	8.9	5.1	2.3	3.1	0.3	1.8	0.6	0.7	1.5	2.3	3.6	12	-30
FOR 09-11 LST	2.7	5.6	4.0	3.1	1.6	2.5	0.3	0.8	0.0	0.3	1.9	1.1	2.0	12	4372
FOR 12-14 LST	2.7	5.7	5.1	3.1	1.2	2.5	0.7	1.0	0.3	0.3	1.8	1.7	2.2	12	-30
FOR 15-17 LST	2.6	5.8	6.2	3.0	0.8	2.5	1.1	1.1	0.6	0.3	1.7	2.2	2.3	12	4258
FOR 18-20 LST	2.9	6.7	8.6	2.4	0.8	2.7	1.0	1.1	0.5	0.7	1.6	2.6	2.6	12	-30
FOR 21-23 LST															

HSIN-CHU, REP. OF CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
08 LST CIG = GTR 1000 FT P'D VSBY = GTR 3 MI	13.3	10.7	10.1	12.6	18.8	21.6	25.1	22.4	20.7	24.1	19.0	18.2	216.6	12	4373
14 LST	24.0	17.9	19.2	23.0	26.3	26.3	29.9	29.6	28.2	29.4	25.6	25.6	305.0	12	4372
20 LST	19.6	14.5	15.7	18.2	24.9	24.2	28.2	27.5	25.1	27.2	24.3	24.2	273.6	12	4258
02 LST	16.8	12.7	13.0	15.7	19.9	22.6	26.6	25.0	24.8	25.6	23.4	22.6	248.7	12	4250
08 LST CIG = GTR 2000 FT AND VSBY = GTR 3 MI	2.8	2.6	2.7	4.9	11.1	11.4	14.5	16.6	13.7	6.5	4.1	4.7	95.6	12	4373
14 LST	6.1	4.8	5.1	7.1	9.8	6.7	7.1	9.3	8.9	3.7	4.4	4.5	77.5	12	4372
20 LST	7.1	6.9	8.3	10.3	16.6	13.0	17.0	18.7	15.7	8.5	8.6	9.1	139.8	12	4258
02 LST	7.1	5.5	7.3	9.7	14.7	14.2	19.6	19.9	17.8	10.9	9.6	9.6	145.9	12	4250
08 LST SFC WND = GTR 17 KTS AND NO PRECIP.	7.5	5.7	5.1	3.8	2.7	4.7	5.1	2.1	2.3	8.7	8.0	8.5	64.2	12	4381
14 LST	12.2	10.1	9.6	8.3	7.8	11.0	12.1	7.7	9.2	17.3	15.1	14.9	135.3	12	4381
20 LST	8.3	6.9	7.3	5.9	3.1	5.4	5.7	3.7	4.9	10.3	10.9	9.5	81.9	12	4261
02 LST	9.5	6.0	6.1	4.5	2.2	4.7	3.8	3.0	2.9	9.7	10.7	9.2	72.3	12	4261
08 LST SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	7.3	5.8	8.2	9.5	10.8	9.4	11.0	13.4	11.5	7.8	7.5	8.0	110.2	12	4380
14 LST	7.5	6.7	7.9	9.8	10.6	6.2	5.3	7.3	8.6	4.7	5.6	5.7	85.9	12	4381
20 LST	8.0	7.4	8.4	9.6	11.4	10.3	12.0	11.9	9.8	8.2	7.9	8.6	113.5	12	4261
02 LST	6.0	5.1	7.3	7.2	9.1	8.0	10.4	8.2	9.9	9.6	7.7	7.0	95.5	12	4261
08 LST	1.9	2.1	1.0	2.8	2.9	2.6	6.5	5.7	5.8	10.7	6.8	5.7	54.5	12	4377
14 LST	6.4	5.0	4.8	4.4	4.9	3.1	6.6	7.2	8.8	11.7	10.4	7.6	80.9	12	4377
20 LST	6.0	4.8	4.4	5.7	6.2	3.6	5.6	7.4	11.4	16.2	12.4	11.0	94.7	12	4260
02 LST	4.6	3.5	3.0	5.1	5.1	6.8	13.4	10.9	11.6	15.1	11.5	10.1	100.7	12	4257
08 LST CIG = GTR 2500 FT AND VSBY = GTR 3 MI	11.8	9.7	9.3	11.3	17.6	20.6	24.5	21.6	19.6	22.4	17.8	16.6	202.8	12	4373
14 LST	21.1	15.8	16.6	20.4	24.3	25.0	28.4	28.2	26.7	26.5	22.9	22.8	278.8	12	4372
20 LST	17.2	13.7	14.5	17.0	23.1	22.7	27.2	25.7	24.0	25.8	23.3	22.5	256.7	12	4258
02 LST	15.1	11.7	11.8	13.8	18.1	21.2	25.2	23.5	23.6	24.7	21.9	20.3	230.9	12	4250
08 LST CIG = GTR 6000 FT AND VSBY = GTR 3 MI	10.9	8.4	8.2	10.4	16.3	19.3	24.1	21.1	19.1	21.9	17.1	15.3	192.1	12	4373
14 LST	20.0	15.0	15.5	19.1	23.1	24.5	28.1	27.9	26.2	26.0	22.2	21.9	269.5	12	4372
20 LST	15.7	13.0	12.7	15.1	20.9	21.3	25.8	24.4	23.2	24.4	22.1	21.1	239.7	12	4258
02 LST	13.4	10.9	10.3	12.2	16.0	19.2	24.3	21.8	21.9	23.2	20.9	19.2	213.3	12	4250
08 LST CIG = GTR 10000 FT AND VSBY = GTR 3 MI	10.9	8.3	8.2	10.4	16.3	19.3	24.1	21.1	19.1	21.9	17.1	15.3	192.0	12	4373
14 LST	19.8	15.0	15.5	19.1	23.1	24.5	28.1	27.9	26.2	26.0	22.2	21.9	269.3	12	4372
20 LST	15.6	13.0	12.5	15.0	20.9	21.2	25.8	24.4	23.2	24.4	22.1	21.1	239.2	12	4258
02 LST	13.4	10.9	10.3	12.2	15.9	19.1	24.3	21.8	21.8	23.2	20.9	19.0	212.8	12	4250

AREA NO. 01

CHINA, REPUBLIC OF NORTHERN PLAINS LATITUDE 2510N LONGITUDE 12110E
 BOUNDARIES 2500N 12150E 2440N 12100E 2440N 12100E 2430N 12030E

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	65	66	70	76	84	87	91	90	88	80	75	69	78
MEAN MIN TMP (F)	54	55	58	64	70	74	76	76	74	68	63	58	66
LARGEST MEAN PRECIP(IN)	3.99	5.79	4.62	5.58	8.16	9.50	8.98	8.82	8.18	5.85	4.19	3.21	76.9
SMALLEST MEAN PRECIP(IN)	2.18	4.00	4.04	5.18	6.92	8.68	4.53	6.45	4.22	1.35	1.52	1.52	50.6
MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND	15.7	12.7	13.6	15.1	17.6	18.1	21.5	20.2	19.9	22.9	20.0	19.2	216.5
VSBY = GTR 3 MI	24.5	20.5	21.7	23.5	26.4	24.9	27.9	28.6	27.9	27.7	25.9	26.1	305.6
20 LST	17.0	14.1	15.3	16.7	19.1	19.4	21.2	22.7	22.5	23.1	20.9	20.2	232.2
02 LST	15.1	12.1	13.1	14.0	16.2	17.0	19.1	19.0	20.1	20.6	19.6	18.5	204.4
CIG = GTR 2000 FT AND VSBY = GTR 08 LST	4.8	4.1	4.1	5.5	8.9	10.1	13.4	12.8	10.3	6.7	5.5	6.0	92.2
3 MI W/SFC WND LES 10 KTS	7.6	6.6	7.3	8.7	10.7	10.0	11.8	11.9	10.2	5.6	5.9	6.9	103.2
20 LST	6.9	6.6	6.8	8.8	12.1	12.5	14.9	15.4	13.9	9.4	7.4	7.5	122.2
02 LST	5.9	5.5	6.3	7.4	10.8	11.7	15.1	14.3	13.1	9.2	7.6	7.6	114.5
08 LST	3.4	3.2	3.6	2.6	2.1	2.6	2.3	1.9	2.2	4.7	4.6	4.3	37.5
SFC WND = GTR 17 KTS AND NO PRECIP.	6.0	5.6	6.5	4.5	4.7	5.4	5.2	4.6	5.2	8.6	7.8	7.2	71.3
20 LST	3.7	3.3	3.9	2.7	1.7	2.4	2.8	1.8	2.4	4.4	4.6	4.1	37.8
02 LST	4.1	3.1	3.5	2.2	1.3	1.9	2.0	1.5	1.7	4.3	4.4	4.1	34.1
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	9.2	7.5	8.3	8.5	8.5	8.0	8.3	9.2	9.3	9.6	8.8	8.9	104.1
14 LST	9.5	8.2	10.4	10.5	10.2	7.9	6.0	7.0	8.5	7.5	6.8	8.4	100.9
20 LST	9.3	8.1	9.5	9.6	10.0	11.0	9.5	11.6	11.6	11.2	9.3	9.8	120.5
02 LST	7.9	6.7	7.2	7.4	8.2	7.7	7.7	7.8	9.4	10.0	8.9	8.6	97.5
08 LST	2.0	1.9	1.4	2.5	2.9	2.3	5.0	4.8	5.3	6.4	5.3	4.2	44.0
14 LST	4.9	4.0	3.8	3.6	3.5	2.3	4.5	5.6	7.3	7.0	6.7	5.3	58.5
20 LST	3.9	3.3	3.0	4.1	3.9	3.6	5.5	7.7	9.3	9.1	7.3	6.4	67.1
02 LST	2.6	2.5	2.1	3.2	4.2	4.6	8.6	8.0	8.1	8.6	6.5	5.4	64.4
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	13.5	11.0	11.8	13.2	15.9	16.9	20.3	18.6	18.4	20.5	18.0	17.0	195.1
14 LST	21.6	17.9	18.8	20.5	23.1	22.2	24.8	25.9	25.5	25.0	22.8	23.1	271.2
20 LST	14.8	12.5	13.2	15.0	17.1	18.1	20.0	21.1	20.9	21.4	19.2	17.9	211.2
02 LST	12.9	10.6	11.1	12.1	14.5	16.0	18.1	17.6	18.7	18.9	17.8	16.4	184.7
08 LST	11.5	9.2	10.1	11.5	13.8	14.9	19.2	17.4	17.2	18.4	16.4	14.4	174.0
14 LST	18.4	14.9	15.9	17.3	19.5	18.7	21.6	23.4	22.5	22.0	20.1	19.5	233.8
20 LST	13.1	10.9	11.1	12.8	15.2	16.0	18.2	19.7	19.3	18.9	17.1	16.2	188.5
02 LST	10.9	9.1	9.3	10.4	13.0	14.1	17.2	16.4	17.2	17.1	15.8	14.4	164.9
08 LST	11.5	9.1	10.1	11.5	13.8	14.9	19.2	17.4	17.1	18.4	16.3	14.2	173.5
14 LST	18.3	14.8	15.7	17.1	19.4	18.5	21.5	23.4	22.5	21.9	20.0	19.4	232.5
20 LST	13.0	10.8	11.0	12.7	15.2	16.0	18.1	19.7	19.3	18.9	17.1	16.1	187.9
02 LST	10.9	9.1	9.3	10.4	13.0	14.1	17.2	16.4	17.2	17.1	15.8	14.3	164.8

TAINAN, REP. OF CHINA

STA NO. 46741 (IN AREA NUMBER 02)

ELEVATION(FT) 00053

LONGITUDE 12012E

LATITUDE 2257N

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	88	86	90	93	94	95	94	95	93	93	91	86	95	13	4747
MEAN MAX TMP (F)	72	74	79	82	87	87	89	88	88	86	80	75	82	13	4747
MEAN MIN TMP (F)	55	56	61	67	73	76	77	76	75	70	63	58	67	13	4747
ABS MIN TMP (F)	39	39	47	53	59	67	70	71	65	57	48	43	39	13	4747
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.1	1.1	7.9	9.4	15.5	11.7	8.1	2.2	0.2	0.0	56.2	13	4747
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	4747
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	4747
MEAN DEW PT TMP (F)	56	57	61	68	73	76	77	77	75	70	64	59	68	13	18484
MEAN REL HUM (PCT)	81	81	80	81	81	85	83	85	84	81	81	82	82	13	18492
MEAN PRESS ALT (FT)	-118	-77	-34	49	132	211	257	264	-70	40	-33	-91	64	0	-50
MEAN PRECIP (IN)	0.71	0.65	1.13	3.21	6.30	15.58	16.03	15.79	8.42	1.15	0.93	0.61	70.5	13	4746
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4105
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.6	1.8	2.2	4.1	5.2	11.4	9.9	11.7	6.8	1.8	1.3	1.3	59.1	13	4746
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4105
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	2.8	2.7	1.4	0.2	0.4	0.6	0.7	1.1	0.2	0.7	1.5	2.7	15.0	13	4599
MEAN NO DYS TSTMS	0.0	0.1	0.2	0.3	0.5	1.0	1.4	1.0	0.5	0.2	0.0	0.0	5.2	13	4623
P FREQ WND SPD = UR GTR 17 KTS	8.7	8.2	7.0	3.3	1.9	2.4	3.5	3.3	4.5	1.8	5.1	4.4	4.5	13	18416
P FREQ WND SPD = UR GTR 28 KTS	0.1	0.3	0.1	0.1	0.1	0.2	0.6	0.8	0.8	0.1	0.2	0.1	0.3	13	18416
P FREQ LES 5000 FT A/O LES 5 MI	26.4	29.7	24.7	26.4	20.7	28.4	22.0	26.6	21.0	13.9	17.4	23.2	23.4	13	17864
P FREQ LES 1500 FT A/O LES 3 MI	19.4	29.1	18.7	21.3	13.8	18.6	13.2	15.5	9.3	9.0	13.2	21.8	16.9	13	4585
FOR 00-02 LST	23.5	30.2	20.2	20.5	12.7	17.3	11.6	13.8	10.8	10.2	12.8	22.3	17.2	13	-30
03-05 LST	27.5	31.3	21.7	20.3	11.5	15.9	10.0	12.0	12.2	11.3	12.3	22.8	17.4	13	4685
06-08 LST	16.2	18.9	13.4	13.7	9.4	15.3	10.0	11.2	9.9	7.2	8.4	13.8	12.3	13	-30
09-11 LST	5.1	6.6	5.1	7.0	7.3	14.6	10.0	10.3	7.5	3.0	4.5	4.8	7.2	13	4673
12-14 LST	8.8	11.6	9.6	10.9	10.3	17.9	13.2	15.2	10.2	5.4	6.8	8.9	10.7	13	-30
15-17 LST	12.4	16.5	14.0	14.8	13.2	21.1	16.4	20.1	12.9	7.8	9.0	13.0	14.3	13	4592
18-20 LST	15.9	22.8	16.4	18.1	13.5	19.9	14.8	17.8	11.1	8.4	11.1	17.4	15.6	13	-30
21-23 LST	3.6	5.3	2.2	1.1	0.5	0.5	3.0	0.2	0.3	0.3	0.6	4.3	2.0	13	4585
FOR 00-02 LST	5.4	7.4	3.2	0.9	0.5	1.3	2.0	0.9	0.8	1.7	2.1	5.6	2.7	13	-30
03-05 LST	6.9	9.4	4.2	0.8	0.5	2.1	1.0	1.5	1.3	3.0	1.6	6.8	3.3	13	4685
06-08 LST	3.7	4.7	2.3	0.6	0.5	1.7	1.5	1.8	0.7	1.5	0.8	3.6	2.0	13	-30
09-11 LST	0.5	0.0	0.3	0.3	0.5	1.3	2.0	1.0	0.0	0.0	0.0	0.3	0.5	13	4673
12-14 LST	0.4	0.5	0.7	0.9	0.4	1.1	2.6	1.4	0.5	0.3	0.4	0.6	0.8	13	-30
15-17 LST	0.3	0.9	1.1	1.4	0.2	0.8	3.5	1.8	1.0	0.5	0.8	0.8	1.1	13	4592
18-20 LST	2.0	3.1	1.7	1.3	0.4	0.7	3.3	1.0	0.7	0.4	1.7	2.6	1.6	13	-30
21-23 LST															

TAINAN, REP. OF CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 15.1	08 LST 13.8	08 LST 14.8	08 LST 19.5	08 LST 25.9	08 LST 24.8	08 LST 27.3	08 LST 26.1	08 LST 23.3	08 LST 21.8	08 LST 18.1	08 LST 18.3	08 LST 248.8	13	4685
	14 LST 27.3	14 LST 23.9	14 LST 26.2	14 LST 27.0	14 LST 28.5	14 LST 28.0	14 LST 28.0	14 LST 27.7	14 LST 28.1	14 LST 28.7	14 LST 27.3	14 LST 28.3	14 LST 326.8	13	4673
	20 LST 22.9	20 LST 19.9	20 LST 21.7	20 LST 22.9	20 LST 23.2	20 LST 22.0	20 LST 23.7	20 LST 22.4	20 LST 23.1	20 LST 24.1	20 LST 22.7	20 LST 23.0	20 LST 271.6	13	4592
	02 LST 21.0	02 LST 17.3	02 LST 21.1	02 LST 21.3	02 LST 22.3	02 LST 20.9	02 LST 23.1	02 LST 22.3	02 LST 23.3	02 LST 23.6	02 LST 21.2	02 LST 20.1	02 LST 257.5	13	4585
CIG = GTR 2000 FT AND VSBY = GTR 10 KTS 3 MI W/SFC WND LES 10 KTS	08 LST 6.4	08 LST 7.1	08 LST 10.0	08 LST 16.2	08 LST 23.1	08 LST 22.6	08 LST 24.2	08 LST 23.8	08 LST 20.6	08 LST 19.1	08 LST 12.9	08 LST 11.0	08 LST 197.0	13	4678
	14 LST 8.8	14 LST 6.6	14 LST 7.0	14 LST 8.7	14 LST 8.3	14 LST 10.7	14 LST 9.2	14 LST 11.8	14 LST 13.3	14 LST 14.0	14 LST 11.6	14 LST 11.3	14 LST 121.3	13	4665
	20 LST 12.0	20 LST 10.5	20 LST 13.0	20 LST 16.7	20 LST 19.3	20 LST 19.1	20 LST 20.2	20 LST 19.5	20 LST 19.7	20 LST 19.4	20 LST 15.2	20 LST 14.4	20 LST 199.0	13	4588
	02 LST 13.4	02 LST 10.4	02 LST 15.3	02 LST 18.5	02 LST 20.9	02 LST 19.2	02 LST 21.3	02 LST 20.4	02 LST 21.4	02 LST 21.7	02 LST 17.6	02 LST 15.7	02 LST 215.8	13	4582
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 1.9	08 LST 1.3	08 LST 0.6	08 LST 0.3	08 LST 0.1	08 LST 0.0	08 LST 0.2	08 LST 0.4	08 LST 0.6	08 LST 0.3	08 LST 0.8	08 LST 1.1	08 LST 7.6	13	4739
	14 LST 4.1	14 LST 4.0	14 LST 5.1	14 LST 2.8	14 LST 1.9	14 LST 1.4	14 LST 2.3	14 LST 1.0	14 LST 1.5	14 LST 1.3	14 LST 2.7	14 LST 2.4	14 LST 30.5	13	4740
	20 LST 2.1	20 LST 1.9	20 LST 1.3	20 LST 0.4	20 LST 0.1	20 LST 0.4	20 LST 0.1	20 LST 0.5	20 LST 0.5	20 LST 0.4	20 LST 1.1	20 LST 1.0	20 LST 9.8	13	4623
	02 LST 2.2	02 LST 1.1	02 LST 0.9	02 LST 0.2	02 LST 0.1	02 LST 0.2	02 LST 0.1	02 LST 0.2	02 LST 0.6	02 LST 0.1	02 LST 0.8	02 LST 0.7	02 LST 7.2	13	4623
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 17.6	08 LST 16.0	08 LST 18.8	08 LST 15.2	08 LST 13.9	08 LST 14.8	08 LST 13.9	08 LST 11.8	08 LST 10.1	08 LST 16.1	08 LST 15.9	08 LST 17.3	08 LST 183.4	13	4739
	14 LST 13.7	14 LST 10.3	14 LST 12.2	14 LST 11.8	14 LST 11.1	14 LST 12.1	14 LST 11.1	14 LST 12.9	14 LST 15.9	14 LST 18.8	14 LST 16.5	14 LST 15.7	14 LST 162.1	13	4740
	20 LST 17.8	20 LST 15.9	20 LST 17.1	20 LST 17.9	20 LST 16.9	20 LST 14.6	20 LST 15.0	20 LST 13.8	20 LST 13.3	20 LST 16.9	20 LST 17.8	20 LST 20.2	20 LST 197.2	13	4623
	02 LST 20.3	02 LST 17.4	02 LST 19.0	02 LST 15.1	02 LST 10.8	02 LST 12.1	02 LST 13.2	02 LST 10.4	02 LST 8.6	02 LST 12.6	02 LST 16.7	02 LST 19.2	02 LST 175.4	13	4620
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 3.8	08 LST 5.2	08 LST 4.5	08 LST 6.2	08 LST 5.0	08 LST 2.1	08 LST 6.8	08 LST 4.7	08 LST 5.6	08 LST 9.5	08 LST 7.2	08 LST 5.2	08 LST 65.8	13	4737
	14 LST 12.4	14 LST 11.8	14 LST 12.8	14 LST 10.0	14 LST 7.4	14 LST 1.7	14 LST 5.0	14 LST 2.6	14 LST 5.4	14 LST 10.4	14 LST 12.5	14 LST 11.9	14 LST 103.9	13	4736
	20 LST 10.3	20 LST 10.3	20 LST 9.5	20 LST 9.6	20 LST 8.1	20 LST 3.7	20 LST 5.0	20 LST 3.1	20 LST 6.8	20 LST 13.0	20 LST 12.1	20 LST 12.3	20 LST 104.0	13	4614
	02 LST 9.0	02 LST 7.9	02 LST 8.6	02 LST 10.5	02 LST 11.3	02 LST 8.3	02 LST 13.0	02 LST 9.5	02 LST 11.1	02 LST 14.4	02 LST 11.9	02 LST 11.1	02 LST 126.9	13	4615
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 14.3	08 LST 12.6	08 LST 13.4	08 LST 18.4	08 LST 23.5	08 LST 22.1	08 LST 25.2	08 LST 23.4	08 LST 21.7	08 LST 20.6	08 LST 17.1	08 LST 15.8	08 LST 229.1	13	4685
	14 LST 26.2	14 LST 23.4	14 LST 25.5	14 LST 25.6	14 LST 26.8	14 LST 22.3	14 LST 25.4	14 LST 24.1	14 LST 24.2	14 LST 27.4	14 LST 25.9	14 LST 27.6	14 LST 304.4	13	4673
	20 LST 21.7	20 LST 19.0	20 LST 20.6	20 LST 21.5	20 LST 21.4	20 LST 20.2	20 LST 21.6	20 LST 20.2	20 LST 21.0	20 LST 23.1	20 LST 21.5	20 LST 22.0	20 LST 253.8	13	4592
	02 LST 19.4	02 LST 15.5	02 LST 20.0	02 LST 19.7	02 LST 20.7	02 LST 19.0	02 LST 21.6	02 LST 20.2	02 LST 22.0	02 LST 22.8	02 LST 19.9	02 LST 19.1	02 LST 239.9	13	4585
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 10.6	08 LST 10.3	08 LST 11.2	08 LST 16.2	08 LST 20.2	08 LST 19.6	08 LST 23.8	08 LST 21.8	08 LST 20.7	08 LST 19.0	08 LST 15.2	08 LST 13.8	08 LST 202.4	13	4685
	14 LST 23.4	14 LST 21.9	14 LST 24.0	14 LST 22.9	14 LST 25.6	14 LST 20.3	14 LST 23.4	14 LST 21.9	14 LST 21.9	14 LST 25.9	14 LST 24.0	14 LST 25.8	14 LST 281.0	13	4673
	20 LST 16.1	20 LST 15.5	20 LST 15.7	20 LST 17.5	20 LST 18.9	20 LST 18.2	20 LST 19.3	20 LST 17.5	20 LST 18.4	20 LST 21.0	20 LST 18.4	20 LST 18.5	20 LST 215.0	13	4592
	02 LST 13.6	02 LST 11.5	02 LST 14.6	02 LST 15.1	02 LST 17.4	02 LST 16.6	02 LST 20.2	02 LST 18.4	02 LST 19.5	02 LST 20.9	02 LST 17.2	02 LST 15.9	02 LST 200.9	13	4585
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 10.2	08 LST 10.1	08 LST 10.7	08 LST 16.0	08 LST 20.0	08 LST 19.4	08 LST 23.8	08 LST 21.5	08 LST 20.6	08 LST 18.8	08 LST 14.8	08 LST 13.4	08 LST 199.3	13	4685
	14 LST 22.8	14 LST 21.4	14 LST 23.7	14 LST 22.7	14 LST 25.4	14 LST 20.3	14 LST 23.4	14 LST 21.9	14 LST 21.9	14 LST 25.9	14 LST 23.9	14 LST 24.9	14 LST 278.2	13	4673
	20 LST 15.6	20 LST 15.5	20 LST 15.4	20 LST 17.1	20 LST 18.9	20 LST 18.2	20 LST 19.3	20 LST 17.4	20 LST 18.4	20 LST 20.8	20 LST 18.2	20 LST 18.0	20 LST 212.8	13	4592
	02 LST 13.4	02 LST 11.5	02 LST 14.4	02 LST 14.8	02 LST 17.2	02 LST 16.5	02 LST 20.1	02 LST 18.3	02 LST 19.5	02 LST 20.7	02 LST 17.0	02 LST 15.5	02 LST 198.9	13	4585

KAO-HSIUNG, REP. OF CHINA

STA NO. 46744 (IN AREA NUMBER 02)

LATITUDE 2234N LONGITUDE 12020E ELEVATION (FT) 00030

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	72	73	76	80	84	86	86	85	85	83	79	74	80	0	0
MEAN MAX TMP (F)														10	-34
MEAN MIN TMP (F)	58	57	62	68	74	76	77	77	75	71	66	61	69	10	-34
ABS MIN TMP (F)					1.2	4.3	4.5	2.6	2.5	0.3				0	0
MEAN NO DYS TMP = OR GTR 90(F)														10	-29
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	-132	-111	-58	25	108	180	233	240	136	16	-57	-115	39	0	-50
MEAN SNOW FALL (IN)	0.69	0.67	1.35	1.80	6.35	11.78	13.53	16.28	5.63	1.75	0.94	0.30	61.1	20	-34
MEAN NO DYS PKCP = OR GTR 0.1 IN	1.8	1.8	2.8	3.6	8.9	11.9	12.6	13.4	7.9	3.1	2.1	1.0	70.9	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUK VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KAO-HSIUNG, REP. OF CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	MEAN NUMBER OF DAYS												NO. OBS		
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		ANN	POR (YRS)
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST													0	0
	02 LST													0	0
	08 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	14 LST													0	0
	20 LST													0	0
	02 LST													0	0

DATA NOT AVAILABLE

KANG-SHAN, REP. OF CHINA

LATITUDE 2247N LONGITUDE 12015E ELEVATION(FT) 00034

STA NO. 46745 (IN AREA NUMBER 02)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
ABS MAX TMP (F)	88	86	90	93	94	95	94	95	93	93	91	86	95	13	-46741
MEAN MAX TMP (F)	72	74	79	82	87	87	89	88	88	86	80	75	82	13	-46741
MEAN MIN TMP (F)	55	56	61	67	73	76	77	76	75	70	63	58	67	13	-46741
ABS MIN TMP (F)	39	39	47	53	59	67	70	71	65	57	48	43	39	13	-46741
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.1	1.1	7.9	9.4	15.5	11.7	8.1	2.2	0.2	0.0	56.2	13	-46741
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-46741
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-46741
MEAN DEW PT TMP (F)	56	57	61	68	73	76	77	77	75	70	64	59	68	13	-46741
MEAN REL HUM (PCT)	81	81	80	81	81	85	83	85	84	81	81	82	82	13	-46741
MEAN PRESS ALT (F1)	-141	-99	-56	26	110	190	235	243	148	18	-56	-113	42	0	-50
MEAN PRECIP (IN)	0.71	0.65	1.13	3.21	6.30	15.58	16.03	15.79	8.42	1.15	0.93	0.61	70.5	13	-46741
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-46741
MEAN NO DYS PKCP = OR GTR 0.1 IN	1.6	1.8	2.2	4.1	5.2	11.4	9.9	11.7	6.8	1.8	1.3	1.3	59.1	13	-46741
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-46741
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.8	2.7	1.4	0.2	0.4	0.6	0.7	1.1	0.2	0.7	1.5	2.7	15.0	13	-46741
MEAN NO DYS TSMTS	0.0	0.1	0.2	0.3	0.5	1.0	1.4	1.0	0.5	0.2	0.0	0.0	5.2	13	-46741
P FREQ WND SPD = UR GTR 17 KTS	8.7	8.2	7.0	3.3	1.9	2.4	3.5	3.3	4.5	1.8	5.1	4.4	4.5	13	-46741
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.3	0.1	0.1	0.1	0.2	0.6	0.8	0.8	0.1	0.2	0.1	0.3	13	-46741
P FREQ LES 5000 FT A/O LES 5 MI	26.4	29.7	24.7	26.4	20.7	28.4	22.0	26.6	21.0	13.9	17.4	23.2	23.4	13	-46741
P FREQ LES 1500 FT A/O LES 3 MI	19.4	29.1	18.7	21.3	13.8	18.6	13.2	15.5	9.3	9.0	13.2	21.8	16.9	13	-46741
FOR 00-02 LST	23.5	30.2	20.2	20.5	12.7	17.3	11.6	13.8	10.8	10.2	12.8	22.3	17.2	13	-46741
03-05 LST	27.5	31.3	21.7	20.3	11.5	15.9	10.0	12.0	12.2	11.3	12.3	22.8	17.4	13	-46741
06-08 LST	16.2	18.9	13.4	13.7	9.4	15.3	10.0	11.2	9.9	7.2	8.4	13.8	12.3	13	-46741
09-11 LST	5.1	6.6	5.1	7.0	7.3	14.6	10.0	10.3	7.5	3.0	4.5	4.8	7.2	13	-46741
12-14 LST	8.8	11.6	9.6	10.9	10.3	17.9	13.2	15.2	10.2	5.4	6.8	8.9	10.7	13	-46741
15-17 LST	12.4	16.5	14.0	14.8	13.2	21.1	16.4	20.1	12.9	7.8	9.0	13.0	14.3	13	-46741
18-20 LST	15.9	22.8	16.4	18.1	13.5	19.9	14.8	17.8	11.1	8.4	11.1	17.4	15.6	13	-46741
21-23 LST	3.6	5.3	2.2	1.1	0.5	0.5	3.0	0.2	0.3	0.3	2.6	4.3	2.0	13	-46741
FOR 00-02 LST	5.4	7.4	3.2	0.9	0.5	1.3	2.0	0.9	0.8	1.7	2.1	5.6	2.7	13	-46741
03-05 LST	6.9	9.4	4.2	0.8	0.5	2.1	1.0	1.5	1.3	3.0	1.6	6.8	3.3	13	-46741
06-08 LST	3.7	4.7	2.3	0.6	0.5	1.7	1.5	1.8	0.7	1.5	0.8	3.6	2.0	13	-46741
09-11 LST	0.5	0.0	0.3	0.3	0.5	1.3	2.0	1.0	0.0	0.0	0.0	0.3	0.5	13	-46741
12-14 LST	0.4	0.5	0.7	0.9	0.4	1.1	2.8	1.4	0.5	0.3	0.4	0.6	0.8	13	-46741
15-17 LST	0.3	0.9	1.1	1.4	0.2	0.8	3.5	1.8	1.0	0.5	0.8	0.8	1.1	13	-46741
18-20 LST	2.0	3.1	1.7	1.3	0.4	0.7	3.3	1.0	0.7	0.4	1.7	2.6	1.6	13	-46741
21-23 LST															

KANG-SHAN, REP. OF CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	15.1	13.8	14.8	19.5	25.9	24.8	27.3	26.1	23.3	21.8	18.1	18.3	13	-46741
	14 LST	27.3	23.9	26.2	27.0	28.5	25.8	28.0	27.7	28.1	28.7	27.3	28.3	13	-46741
	20 LST	22.9	19.9	21.7	22.9	23.2	22.0	23.7	22.4	23.1	24.1	22.7	23.0	13	-46741
	02 LST	21.0	17.3	21.1	21.3	22.3	20.9	23.1	22.3	23.3	23.6	21.2	20.1	13	-46741
CIG =GTR 2000 FT AND VSBY =GTR 08 LST 3 MI W/SFC WND LES 10 KTS	08 LST	6.4	7.1	10.0	16.2	23.1	22.6	24.2	23.8	20.6	19.1	12.9	11.0	13	-46741
	14 LST	8.8	6.6	7.0	8.7	8.3	10.7	9.2	11.8	13.3	14.0	11.6	11.3	13	-46741
	20 LST	12.0	10.5	13.0	16.7	19.3	19.1	20.2	19.5	19.7	19.4	15.2	14.4	13	-46741
	02 LST	13.4	10.4	15.3	18.5	20.9	19.2	21.3	20.4	21.4	21.7	17.6	15.7	13	-46741
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	1.9	1.3	0.6	0.3	0.1	0.0	0.2	0.4	0.6	0.3	0.8	1.1	13	-46741
	14 LST	4.1	4.0	5.1	2.8	1.9	1.4	2.3	1.0	1.5	1.3	2.7	2.4	13	-46741
	20 LST	2.1	1.9	1.3	0.4	0.1	0.4	0.1	0.5	0.5	0.4	1.1	1.0	13	-46741
	02 LST	2.2	1.1	0.9	0.2	0.1	0.2	0.1	0.2	0.6	0.1	0.8	0.7	13	-46741
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	17.6	16.0	18.8	15.2	15.9	14.8	13.9	11.8	10.1	16.1	15.9	17.3	13	-46741
	14 LST	13.7	10.3	12.2	11.8	11.1	12.1	11.1	12.9	15.9	18.8	16.5	15.7	13	-46741
	20 LST	17.8	15.9	17.1	17.9	16.9	14.6	15.0	13.8	13.3	16.9	17.8	20.2	13	-46741
	02 LST	20.3	17.4	19.0	15.1	10.8	12.1	13.2	10.4	6.6	12.6	16.7	19.2	13	-46741
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	3.8	5.2	4.5	6.2	5.0	2.1	6.8	4.7	5.6	9.5	7.2	5.2	13	-46741
	14 LST	12.4	11.8	12.8	10.0	7.4	1.7	5.0	2.6	5.4	10.4	12.5	11.9	13	-46741
	20 LST	10.3	10.5	9.5	9.6	8.1	3.7	5.0	3.1	6.8	13.0	12.1	12.3	13	-46741
	02 LST	9.3	7.9	8.6	10.5	11.3	8.3	13.0	9.5	11.1	14.4	11.9	11.1	13	-46741
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	14.3	12.6	13.4	18.4	23.5	22.1	25.2	23.4	21.7	20.6	17.1	16.0	13	-46741
	14 LST	26.2	23.4	25.5	25.6	26.8	22.3	25.4	24.1	24.2	27.4	25.9	27.6	13	-46741
	20 LST	21.7	19.0	20.6	21.5	21.4	20.2	21.6	20.2	21.0	23.1	21.5	22.0	13	-46741
	02 LST	19.4	15.5	20.0	19.7	20.7	19.0	21.6	20.2	22.0	22.8	19.9	19.1	13	-46741
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	10.6	10.3	11.2	16.2	20.2	19.6	23.8	21.8	20.7	19.0	15.2	13.8	13	-46741
	14 LST	23.4	21.9	24.0	22.9	25.6	20.3	23.4	21.9	21.9	25.9	24.0	25.8	13	-46741
	20 LST	16.1	15.5	15.7	17.5	18.9	18.2	19.3	17.5	18.4	21.0	18.4	18.5	13	-46741
	02 LST	13.6	11.5	14.6	15.1	17.4	16.6	20.2	18.4	19.5	20.9	17.2	15.9	13	-46741
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	10.2	10.1	10.7	16.0	20.0	19.4	23.8	21.5	20.6	18.8	14.8	13.4	13	-46741
	14 LST	22.8	21.4	23.7	22.7	25.4	20.3	23.4	21.9	21.9	25.9	23.9	24.9	13	-46741
	20 LST	15.6	15.5	15.4	17.1	18.9	18.2	19.3	17.4	18.4	20.8	18.2	18.0	13	-46741
	02 LST	13.4	11.5	14.4	14.8	17.2	16.5	20.1	18.3	19.5	20.7	17.0	15.5	13	-46741

CHIA-I, REP. OF CHINA

STA NO. 46745 (IN AREA NUMBER 02)

LATITUDE 2327N

LONGITUDE 12022E

ELEVATION(FT) 00082

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
ABS MAX TMP (F)	91	90	93	95	97	97	98	95	97	96	93	86	98	12	4323
MEAN MAX TMP (F)	71	72	78	82	87	89	90	89	89	85	80	74	82	12	4323
MEAN MIN TMP (F)	54	55	60	66	72	75	76	76	75	69	63	57	67	12	4323
ABS MIN TMP (F)	38	39	47	51	59	64	71	69	67	57	48	39	38	12	4323
MEAN NO DYS TMP = OR GTR 90(F)	0.1	0.1	1.0	4.9	13.6	16.6	23.2	19.8	15.5	3.7	0.2	0.0	98.7	12	4323
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4323
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4323
MEAN DEW PT TMP (F)	55	57	61	67	73	76	76	76	75	70	64	58	67	12	17280
MEAN REL HUM (PCT)	83	84	82	83	82	85	83	85	84	82	82	82	83	12	17280
MEAN PRESS ALT (FT)	-102	-75	-20	89	157	239	281	297	209	48	-47	-102	81	0	-50
MEAN PRECIP (IN)	1.00	1.24	1.73	3.40	8.84	13.16	15.32	17.10	10.05	1.49	0.78	0.74	74.8	12	4314
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3681
MEAN NO DYS PKCP = OR GTR 0.1 IN	2.2	3.0	2.5	5.2	7.3	12.8	12.1	14.1	8.0	1.9	1.7	1.6	72.4	12	4314
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3681
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	2.9	3.5	1.9	0.7	0.5	0.7	0.7	0.3	0.4	1.0	1.7	3.7	18.0	12	4274
MEAN NO DYS TSTMS	0.0	0.0	0.2	0.2	0.7	1.0	1.0	1.1	0.7	0.0	0.0	0.0	4.9	12	4321
P FREQ WND SPU = OR GTR 17 KTS	5.0	6.3	3.9	3.5	1.4	1.1	1.9	2.3	2.0	1.6	3.5	3.2	3.0	12	17288
P FREQ WND SPU = OR GTR 28 KTS	0.0	0.3	0.1	0.0	0.1	0.1	0.3	0.3	0.5	0.1	0.3	0.3	0.2	12	17268
P FREQ LES 5000 FT A/O LES 5 MI	34.9	41.9	36.6	39.7	27.7	28.2	27.1	30.5	27.2	25.1	23.3	29.8	31.0	12	16796
P FREQ LES 1500 FT A/O LES 3 MI	30.4	41.1	30.0	30.4	17.8	16.4	10.5	14.6	10.6	16.0	17.6	22.9	21.5	12	4279
FOR 00-02 LST	33.6	42.4	32.0	31.0	15.9	16.1	8.9	12.7	10.7	17.1	17.6	26.8	22.1	12	-30
03-05 LST	36.8	43.8	34.1	31.6	14.1	15.8	7.3	10.8	10.9	18.2	17.6	29.8	22.6	12	4285
06-08 LST	21.4	23.3	20.9	21.6	11.9	14.7	9.0	11.8	10.1	12.5	12.0	19.1	15.7	12	-30
09-11 LST	8.0	12.9	7.8	11.7	10.8	13.7	10.8	12.9	9.4	6.8	6.4	8.4	10.0	12	4294
12-14 LST	13.5	14.6	12.3	11.9	8.7	9.3	7.9	10.0	6.5	6.8	7.2	10.2	9.9	12	-30
15-17 LST	19.1	26.0	20.0	20.4	16.4	16.9	15.9	19.5	12.5	11.8	11.1	16.0	17.1	12	4298
18-20 LST	24.7	33.5	25.0	25.4	17.1	16.6	13.2	17.1	11.8	13.9	14.3	19.4	19.3	12	-30
21-23 LST	3.9	8.1	4.6	3.4	1.1	1.7	0.0	0.5	0.6	1.9	3.4	4.5	2.8	12	4279
FOR 00-02 LST	5.5	10.8	5.9	2.9	1.2	2.1	0.6	0.4	1.0	2.1	2.8	5.7	3.4	12	-30
03-05 LST	7.1	13.6	7.3	2.5	1.4	2.5	1.3	0.3	1.4	2.4	2.2	6.9	4.1	12	4285
06-08 LST	3.5	6.8	4.0	1.4	1.2	1.6	1.6	0.4	1.1	1.2	1.1	3.4	2.3	12	-30
09-11 LST	0.0	0.0	0.8	0.3	1.1	0.8	1.9	0.5	0.8	0.0	0.0	0.0	0.5	12	4294
12-14 LST	0.4	0.5	0.6	0.7	0.8	1.1	1.3	0.6	0.8	0.0	0.0	0.4	0.6	12	-30
15-17 LST	0.9	1.0	0.5	1.1	0.5	1.4	0.8	0.8	0.8	0.0	0.0	0.8	0.7	12	4298
18-20 LST	2.4	4.5	2.5	2.2	0.8	1.5	0.4	0.6	0.7	0.9	1.7	2.6	1.7	12	-30
21-23 LST															

CHIA-I, REP. OF CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 11.0	9.6	12.1	15.2	23.3	24.0	27.7	24.7	22.1	15.5	14.3	11.6	211.3	12	4285
	14 LST 27.5	22.4	25.4	26.0	27.7	26.0	28.0	27.3	27.2	26.8	25.8	26.8	316.9	12	4294
	20 LST 21.8	18.7	21.2	21.0	22.3	21.7	23.6	23.2	23.1	23.4	22.6	22.7	265.3	12	4298
	02 LST 18.1	15.5	18.6	18.6	21.3	21.8	23.0	23.4	22.2	21.9	20.8	19.8	245.0	12	4279
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	08 LST 7.6	7.0	9.5	12.5	21.2	22.4	26.2	23.2	21.0	14.6	12.5	9.4	187.1	12	4284
	14 LST 14.5	10.6	13.1	13.0	12.4	13.4	11.3	14.4	16.5	18.3	16.2	16.4	170.1	12	4294
	20 LST 12.8	10.7	13.4	16.7	19.9	20.4	20.9	20.8	21.3	20.9	17.9	17.3	213.0	12	4298
	02 LST 13.2	11.8	14.5	16.1	19.9	21.0	21.8	21.9	21.0	20.9	18.1	16.6	216.8	12	4276
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 0.5	0.3	0.2	0.0	0.0	0.0	0.1	0.2	0.0	0.1	0.2	0.2	1.8	12	4323
	14 LST 2.4	3.1	2.6	3.5	1.4	0.9	1.4	1.3	0.6	1.3	2.5	2.0	23.0	12	4324
	20 LST 1.6	1.8	1.4	0.3	0.1	0.0	0.1	0.2	0.1	0.2	0.6	0.7	7.1	12	4322
	02 LST 1.0	1.5	0.7	0.1	0.1	0.0	0.1	0.2	0.2	0.2	0.2	0.7	5.0	12	4320
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 13.9	10.8	11.5	9.5	9.3	12.1	10.2	7.2	5.6	10.7	10.7	11.9	123.4	12	4323
	14 LST 16.3	12.2	14.7	13.9	10.3	8.5	4.7	7.0	12.9	20.0	14.8	15.7	151.0	12	4324
	20 LST 16.0	14.2	14.8	14.6	12.6	10.9	10.6	10.1	10.5	16.5	13.7	16.6	161.1	12	4322
	02 LST 11.8	11.6	11.5	9.8	7.2	7.0	6.5	5.9	5.5	8.2	8.6	10.7	174.3	12	4320
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 1.5	1.6	3.1	5.0	4.9	2.9	6.3	5.1	4.9	5.0	4.8	2.3	47.4	12	4313
	14 LST 9.1	8.0	7.8	4.4	3.2	1.0	0.9	0.5	2.0	5.6	9.7	9.4	41.6	12	4310
	20 LST 8.7	8.7	7.6	8.3	6.9	4.1	4.8	4.9	7.2	11.7	12.2	11.4	96.3	12	4306
	02 LST 6.5	6.2	5.3	7.4	8.3	9.0	13.4	9.5	9.2	10.9	10.0	8.2	103.9	12	4308
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 9.5	7.8	10.0	13.5	21.7	22.9	26.5	23.5	20.9	14.3	13.4	10.1	194.1	12	4285
	14 LST 25.1	20.3	22.9	21.5	22.8	20.9	20.2	19.6	20.0	22.1	23.5	24.8	263.7	12	4294
	20 LST 19.5	16.4	18.4	18.9	20.6	20.0	21.4	20.4	21.2	21.8	21.3	20.5	240.4	12	4298
	02 LST 15.6	13.4	15.9	16.1	19.7	20.6	21.5	22.2	20.7	20.5	18.7	17.3	222.2	12	4279
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 7.2	6.4	8.6	12.3	19.8	21.6	25.8	22.1	19.8	13.0	11.8	8.0	176.4	12	4285
	14 LST 22.3	18.6	20.2	16.0	19.8	17.4	14.6	14.9	15.2	18.8	21.4	22.6	221.8	12	4294
	20 LST 15.4	14.1	13.7	15.2	17.2	17.4	19.0	17.5	18.8	18.9	16.1	17.8	203.1	12	4298
	02 LST 11.7	10.8	11.0	13.0	16.8	18.5	20.0	19.7	17.9	18.0	15.9	13.7	187.0	12	4279
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 6.9	6.2	8.1	12.1	19.7	21.6	25.8	22.0	19.8	12.9	11.4	7.7	174.2	12	4285
	14 LST 22.0	18.5	19.8	16.0	19.6	17.4	14.6	14.9	15.2	18.8	21.0	22.1	219.9	12	4294
	20 LST 15.2	14.0	13.4	14.7	17.2	17.4	18.9	17.5	18.7	18.8	17.9	17.6	201.3	12	4298
	02 LST 11.5	10.6	10.6	12.8	16.6	18.5	19.9	19.5	17.8	17.8	15.6	13.6	184.8	12	4279

TAICHUNG, REP. OF CHINA

STA NO. 46749 (IN AREA NUMBER 02) LATITUDE 2411N LONGITUDE 12038E ELEVATION(FT) 00369

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	UCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	84	86	89	92	93	94	95	97	96	92	90	85	97	13	4278
MEAN MAX TMP (F)	68	69	74	79	85	87	89	89	88	84	78	72	80	13	4278
MEAN MIN TMP (F)	52	54	58	64	71	74	76	75	73	67	61	56	65	13	4278
ABS MIN TMP (F)	34	39	45	48	56	61	71	70	59	56	47	38	34	13	4278
MEAN NO DYS TMP = OR GTH 90(F)	0.0	0.0	0.0	1.1	5.2	9.8	18.7	15.1	9.9	2.5	0.1	0.0	62.4	13	4278
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	4278
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	4278
MEAN DEW PT TMP (F)	51	55	59	65	71	74	75	75	74	67	61	50	65	13	17292
MEAN MEL. HJM (PCT)	82	84	83	84	83	84	82	84	83	80	79	82	83	13	17296
MEAN PRESS ALT (FT)	120	174	226	324	428	526	569	576	447	295	205	141	336	0	-50
MEAN PRECIP (IN)	1.49	2.26	1.94	4.30	7.10	12.60	8.25	15.72	5.79	0.72	0.59	0.78	61.8	13	4271
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2571
MEAN NO DYS PKCP = OR GTR 0.1 IN	2.7	4.6	3.7	6.4	6.4	10.6	8.2	9.5	4.4	1.3	1.5	2.2	61.5	13	4271
MEAN NO DYS SHFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2571
MEAN NO DYS W/OCCUM VSBY LES 1/2 MI	2.1	2.8	2.3	0.6	0.4	0.9	0.3	0.6	0.9	0.4	1.2	1.1	13.6	13	3797
MEAN NO DYS TSTMS	0.2	0.1	0.1	0.2	0.5	0.8	0.8	0.9	0.6	0.0	0.0	0.2	4.4	13	4324
P FREQ WND SPD = OR GTR 17 KTS	16.4	15.7	12.8	8.8	0.9	1.9	2.0	2.6	6.5	12.7	15.7	16.5	9.4	13	17256
P FREQ WND SPD = OR GTR 28 KTS	1.7	0.7	1.1	0.0	0.0	0.1	0.3	0.5	0.6	0.6	2.4	1.6	0.8	13	17256
P FREQ LES 5000 FT A/O LES 5 MI	28.4	32.4	32.4	34.3	24.1	29.8	25.6	25.3	19.2	11.1	14.0	18.6	24.6	13	14508
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	21.4	29.8	28.3	33.6	19.0	23.3	16.3	18.1	15.7	10.4	14.7	16.3	20.6	13	3991
03-05 LST	24.1	29.2	27.6	31.8	16.7	19.5	12.2	12.9	13.3	9.1	10.8	13.9	18.4	13	-30
06-08 LST	26.8	28.5	26.8	24.9	14.4	15.6	8.0	7.7	10.9	7.8	6.9	11.5	16.2	13	3908
09-11 LST	21.4	22.2	19.9	23.8	12.5	16.9	9.3	10.4	8.9	5.3	5.5	9.1	13.8	13	-30
12-14 LST	15.9	15.9	13.1	17.7	10.5	18.2	10.6	13.1	6.9	2.5	4.0	6.7	11.3	13	3835
15-17 LST	16.4	20.6	18.1	21.5	13.4	20.5	15.9	17.0	8.9	5.2	5.9	8.7	14.3	13	-30
18-20 LST	18.9	25.2	23.0	25.2	16.3	22.8	21.3	20.9	10.8	7.9	7.8	10.6	17.6	13	3991
21-23 LST	20.2	27.5	25.7	29.4	17.7	23.1	18.8	19.5	13.3	9.2	11.3	13.5	19.1	13	-30
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	2.3	6.9	3.9	4.3	1.8	4.0	4.1	0.9	1.9	0.9	1.6	2.0	2.7	13	3991
03-05 LST	4.2	7.3	5.0	4.3	2.0	2.8	1.8	0.6	1.8	0.6	1.5	1.9	2.8	13	-30
06-08 LST	6.0	7.6	6.1	4.2	2.1	1.6	1.5	0.3	1.6	0.3	1.3	1.7	2.9	13	3908
09-11 LST	4.0	4.7	3.2	2.6	1.4	2.9	1.7	1.3	1.6	0.6	0.7	1.9	2.2	13	-30
12-14 LST	2.0	1.7	0.3	0.9	0.6	4.2	1.9	2.2	1.6	0.9	0.0	2.0	1.5	13	3835
15-17 LST	2.6	3.3	1.7	1.9	0.9	4.4	2.6	3.0	1.9	0.7	0.3	1.6	2.1	13	-30
18-20 LST	3.1	4.9	3.0	2.9	1.2	4.6	3.3	3.7	2.2	0.6	0.6	1.1	2.6	13	3991
21-23 LST	2.7	5.9	3.5	3.6	1.5	4.3	2.7	2.3	2.1	0.8	1.1	1.6	2.7	13	-30

TAICHUNG, REP. OF CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16.6	15.6	14.6	16.7	23.2	23.8	27.4	25.4	22.2	23.7	23.5	23.3	256.0	13	3908
	14 LST	24.7	22.4	24.9	27.0	24.3	27.7	26.8	27.1	28.9	27.8	27.8	313.1	13	3835
	20 LST	18.8	16.4	18.7	17.6	19.6	21.1	21.0	21.0	22.1	21.2	22.5	239.0	13	3991
	02 LST	17.8	15.9	18.1	16.6	19.4	20.8	19.7	19.2	20.9	19.2	21.6	227.5	13	3991
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	9.9	9.7	10.9	12.6	21.4	20.6	24.9	23.9	20.1	17.0	15.3	15.7	202.0	13	3904
	14 LST	10.6	9.1	12.4	13.8	16.5	12.2	13.7	16.0	14.9	12.8	11.7	157.0	13	3831
	20 LST	9.6	8.7	11.9	12.8	17.8	15.8	17.9	17.2	11.9	12.2	12.6	166.1	13	3985
	02 LST	10.6	9.9	12.5	13.3	18.2	17.1	19.1	17.6	17.3	15.2	14.5	179.2	13	3984
SFC WND = GTR 17 KTS AND NO PRECIP.	3.3	3.0	2.0	1.3	0.1	0.2	0.1	0.0	0.6	2.5	3.3	3.6	20.0	13	4323
	14 LST	6.6	6.1	5.2	3.3	0.7	1.4	0.7	3.2	6.2	7.4	7.1	49.0	13	4323
	20 LST	4.5	3.5	3.6	1.8	0.2	0.2	0.4	1.5	4.1	3.9	4.9	28.8	13	4318
	02 LST	4.4	3.6	3.5	2.2	0.0	0.1	0.0	0.8	2.8	2.9	3.8	24.2	13	4320
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	8.6	9.0	10.7	10.9	12.0	13.1	14.3	10.6	9.3	10.9	9.2	10.5	129.1	13	4321
	14 LST	11.5	10.9	15.0	15.3	17.1	12.4	12.6	13.7	13.1	12.5	10.6	155.2	13	4323
	20 LST	10.9	10.1	12.0	11.1	12.3	13.4	15.1	12.2	12.6	12.6	12.4	145.9	13	4318
	02 LST	8.6	8.0	9.6	7.5	7.8	10.5	8.1	7.1	9.1	8.7	10.3	107.1	13	4319
	14 LST	5.1	4.5	3.8	4.4	3.6	2.1	5.4	5.3	5.2	11.3	10.0	8.7	13	3995
	20 LST	9.0	8.7	8.0	6.8	4.3	1.6	1.4	7.6	14.2	14.0	12.1	90.1	13	3886
	02 LST	7.4	5.9	5.5	7.1	5.9	1.6	5.3	4.8	9.5	14.2	13.1	10.1	13	4058
	14 LST	6.6	5.7	4.8	5.7	6.4	6.0	8.9	7.2	8.4	11.7	10.0	10.0	13	4072
	20 LST	16.2	14.2	13.9	15.5	21.1	22.8	23.9	20.9	22.9	22.6	21.7	242.0	13	3908
	02 LST	23.5	21.6	23.8	21.8	23.5	20.0	21.6	23.6	28.0	27.1	26.3	281.8	13	3835
	14 LST	17.4	15.5	16.9	16.6	18.1	17.4	18.8	19.0	19.9	21.6	20.3	21.5	13	3991
	20 LST	16.5	14.4	16.2	15.4	18.3	17.2	19.3	17.8	17.9	19.9	18.4	20.1	13	3991
	02 LST	12.4	12.0	12.0	13.2	18.4	21.4	23.1	19.0	21.5	20.7	18.4	217.5	13	3908
	14 LST	21.4	19.5	21.3	19.7	21.1	16.8	18.6	21.6	26.5	26.1	24.8	253.8	13	3835
	20 LST	14.0	12.3	12.0	13.2	14.9	15.1	17.3	18.2	19.3	17.9	18.0	189.5	13	3991
	02 LST	12.5	11.0	10.3	11.4	15.7	14.8	15.3	15.1	18.0	15.1	15.6	172.2	13	3991
	14 LST	11.8	11.8	11.6	13.1	18.2	21.2	23.0	19.0	21.3	20.4	18.0	214.6	13	3908
	20 LST	20.7	19.0	21.3	19.3	21.1	16.8	16.4	18.6	21.6	26.3	25.9	24.3	13	3835
	02 LST	13.9	12.1	11.9	13.1	14.9	15.0	17.2	17.1	18.2	19.1	17.7	17.9	13	3991
	14 LST	12.4	10.9	10.2	11.1	15.6	14.7	17.4	15.3	15.0	17.9	14.9	15.6	13	3991
	20 LST	12.4	10.9	10.2	11.1	15.6	14.7	17.4	15.3	15.0	17.9	14.9	15.6	13	3991

PING TUNG SOUTH, REP. OF CHINA

STA NO. 46750 (IN AREA NUMBER 02)

LATITUDE 22°40N LONGITUDE 120°27E

ELEVATION(FT) 00080

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
ABS MAX TMP (F)	88	91	93	96	99	97	95	95	96	93	92	90	99	10	3653
MEAN MAX TMP (F)	76	78	83	85	89	89	90	89	89	87	83	79	85	10	3653
MEAN MIN TMP (F)	57	58	63	68	73	75	76	76	75	71	65	60	68	10	3653
ABS MIN TMP (F)	39	43	50	57	63	69	71	69	68	59	52	46	39	10	3653
MEAN NO DYS TMP ≥ OR GTR 90(F)	0.0	0.2	1.8	6.8	17.2	18.7	23.0	18.7	15.1	4.5	0.9	0.1	107.0	10	3653
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3653
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3653
MEAN DEW PT TMP (F)	58	59	64	69	73	76	76	76	75	71	66	61	69	10	14612
MEAN REL HUM (PCT)	80	79	77	79	79	84	83	86	85	82	81	81	81	10	14612
MEAN PRESS ALI (FT)	-92	-50	-9	73	156	235	279	288	195	67	-6	-64	89	0	-50
MEAN PRECIP (IN)	1.11	0.46	1.46	3.21	6.95	19.06	16.48	22.32	9.67	1.34	1.27	0.50	84.0	10	3648
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	3011
MEAN NO DYS PRC? ≥ OR GTR 0.1 IN	1.7	1.0	1.8	3.6	5.7	11.8	12.0	15.9	9.2	2.7	1.5	1.0	67.9	10	3648
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	3011
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	1.5	0.6	0.7	0.4	0.2	0.5	0.5	0.9	0.2	0.2	0.3	2.0	8.0	10	3646
MEAN NO DYS TSTMS	0.1	0.0	0.2	0.3	0.4	1.2	1.0	1.2	0.6	0.7	0.1	0.0	5.3	10	3653
P FREQ WND SPD ≥ OR GTR 17 KTS	0.3	0.6	0.7	1.0	0.9	1.7	2.1	3.2	2.8	0.2	0.6	0.1	1.2	10	14608
P FREQ WND SPD ≥ OR GTR 28 KTS	0.0	0.2	0.0	0.0	0.0	0.1	0.2	0.4	0.5	0.0	0.1	0.0	0.1	10	14608
P FREQ LES 5000 FT A/O LES 5 MI	27.2	24.4	28.7	30.2	24.0	27.5	28.0	34.6	31.3	30.8	22.5	21.7	27.6	10	14524
P FREQ LES 1500 FT A/O LES 3 MI	3.2	2.1	2.3	5.0	4.5	8.0	4.5	5.2	5.0	1.3	1.0	1.9	3.7	10	3652
FOR 00-02 LST	8.8	5.0	5.6	7.2	4.7	9.2	5.0	6.7	5.5	3.4	3.7	7.2	6.0	10	-30
03-05 LST	14.3	7.8	8.8	9.3	4.8	10.3	5.5	8.1	6.0	5.5	6.5	12.5	8.3	10	3640
06-08 LST	8.3	5.2	5.7	6.5	4.8	11.8	6.2	9.1	5.9	3.6	4.8	7.2	6.6	10	-30
09-11 LST	2.3	2.5	2.6	3.7	4.8	13.3	6.8	10.0	5.7	1.6	3.3	1.9	4.9	10	3649
12-14 LST	2.1	2.0	4.6	3.5	5.3	11.0	7.9	8.4	5.7	2.0	3.0	2.0	4.8	10	-30
15-17 LST	1.9	1.4	6.5	3.3	5.8	8.7	9.0	6.8	5.7	2.3	2.7	2.0	4.7	10	3649
18-20 LST	2.6	1.8	4.4	4.2	5.2	8.4	6.8	6.0	5.4	1.8	1.9	2.0	4.2	10	-30
21-23 LST	0.3	0.0	0.0	0.3	0.3	0.3	0.0	0.3	0.0	0.0	0.0	0.6	0.2	10	3652
FOR 00-02 LST	2.0	0.9	0.8	1.2	0.5	0.7	0.7	1.0	0.2	0.5	0.7	2.0	0.9	10	-30
03-05 LST	3.6	1.8	1.6	2.0	0.6	1.0	1.3	1.6	0.3	1.0	1.3	3.3	1.6	10	3640
06-08 LST	1.8	0.9	0.8	1.0	0.5	1.7	1.2	1.1	0.3	0.7	0.7	1.8	1.0	10	-30
09-11 LST	0.0	0.0	0.0	0.0	0.3	2.2	1.0	0.6	0.3	0.3	0.0	0.3	0.4	10	3649
12-14 LST	0.0	0.0	0.2	0.2	0.2	1.7	0.5	0.5	0.3	0.3	0.0	0.2	0.3	10	-30
-15-17 LST	0.0	0.0	0.3	0.3	0.4	1.0	0.0	0.3	0.3	0.3	0.0	0.0	0.2	10	3649
18-20 LST	0.2	0.0	0.2	0.3	0.2	0.7	0.0	0.3	0.2	0.2	0.0	0.3	0.2	10	-30
21-23 LST	0.2	0.0	0.2	0.3	0.2	0.7	0.0	0.3	0.2	0.2	0.0	0.3	0.2	10	3649

PING TUNG SOUTH, REP. OF CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
08 LST	20.1	21.1	23.7	25.0	29.2	27.3	29.1	26.2	28.4	27.6	24.8	20.0	306.5	10	3640
14 LST	30.7	27.5	30.3	29.2	29.5	26.4	29.1	28.8	29.1	30.8	29.5	30.5	351.4	10	3649
20 LST	30.4	27.1	29.2	29.4	29.4	28.0	28.9	29.7	29.1	30.4	29.4	30.4	351.4	10	3649
02 LST	30.1	27.4	30.6	28.9	29.7	28.4	30.0	29.8	28.7	30.6	29.7	29.8	353.7	10	3652
08 LST	19.6	20.8	23.3	24.5	28.4	26.0	27.7	26.0	26.7	27.3	24.2	19.6	294.1	10	3640
14 LST	26.4	20.5	20.1	18.4	15.1	16.5	19.0	20.4	21.9	23.8	25.3	27.6	255.0	10	3649
20 LST	29.7	26.3	28.2	27.7	28.6	25.6	26.8	26.5	26.9	30.1	28.8	30.0	335.2	10	3649
02 LST	29.5	27.1	29.8	27.9	29.3	26.6	28.0	27.2	27.4	30.4	29.4	29.6	342.2	10	3652
08 LST	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.3	0.2	0.0	0.2	0.0	0.8	10	3653
14 LST	0.3	0.7	0.9	1.2	0.9	1.0	1.1	0.8	0.7	0.1	0.0	0.1	7.8	10	3652
20 LST	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.2	0.1	0.0	0.0	0.9	10	3653
02 LST	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.3	0.1	0.0	0.0	1.0	10	3653
08 LST	3.7	4.8	3.7	3.0	5.5	5.8	5.0	5.5	5.0	4.0	3.1	3.4	52.5	10	3653
14 LST	19.7	20.0	19.8	15.5	10.9	6.0	6.9	8.5	14.4	21.7	20.4	21.8	185.6	10	3652
20 LST	10.0	12.3	12.4	11.0	11.8	8.2	8.9	7.1	7.9	8.2	6.7	8.9	113.4	10	3653
02 LST	5.5	5.0	4.9	2.7	3.1	3.1	3.4	3.3	2.8	1.8	3.8	4.2	43.6	10	3653
08 LST	7.1	9.6	9.6	9.5	8.9	4.7	9.7	5.3	7.2	14.7	11.7	8.0	106.0	10	3650
14 LST	10.9	11.8	11.3	7.3	5.0	1.3	1.9	0.7	1.0	3.6	7.4	9.8	72.0	10	3652
20 LST	13.7	11.5	11.3	9.3	9.7	6.1	8.0	4.3	5.6	8.2	11.4	12.6	111.7	10	3650
02 LST	14.8	13.9	13.2	13.4	16.0	12.9	17.4	11.9	13.1	16.0	16.2	15.3	174.1	10	3653
08 LST	18.7	20.1	22.3	23.2	27.8	24.4	26.7	24.8	26.3	27.1	24.0	19.1	284.5	10	3640
14 LST	28.7	25.1	28.3	24.7	24.8	21.8	20.9	18.8	20.3	21.7	25.2	27.6	287.9	10	3649
20 LST	28.6	25.5	26.8	26.2	26.5	25.3	25.1	24.3	24.5	26.9	27.3	28.6	315.6	10	3649
02 LST	28.5	25.8	28.1	25.7	28.1	25.4	27.6	27.1	26.9	29.5	28.3	28.1	329.1	10	3652
08 LST	13.0	15.8	17.3	20.2	25.3	22.5	25.0	22.4	24.1	24.8	21.1	15.3	246.8	10	3640
14 LST	24.3	20.9	24.8	20.7	21.2	19.0	16.0	13.2	14.8	14.8	20.6	24.3	234.6	10	3649
20 LST	19.3	16.6	18.3	17.2	19.9	21.1	21.4	18.7	17.5	17.6	20.4	21.0	229.0	10	3649
02 LST	20.0	19.4	18.5	18.5	22.6	21.5	24.4	22.0	22.2	23.3	22.8	21.3	256.5	10	3652
08 LST	12.5	15.8	17.1	20.2	25.1	22.5	25.0	22.4	24.1	24.7	20.8	15.2	245.4	10	3640
14 LST	24.2	20.8	24.6	20.7	21.2	19.0	16.0	13.2	14.8	14.8	20.6	24.1	234.0	10	3649
20 LST	19.0	16.5	18.1	17.1	19.7	21.1	21.4	18.6	17.5	17.6	20.0	21.0	227.6	10	3649
02 LST	20.0	19.3	18.4	18.5	22.5	21.5	24.3	21.8	22.2	23.2	22.8	21.1	295.6	10	3652

PING TUNG NORTH, REP. OF CHINA

STA NO. 46758 (IN AREA NUMBER 02)

LATITUDE 22°2'N LONGITUDE 120°28'E ELEVATION(FT) 00096

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POF (YR)	NO. OBS
ABS MAX TMP (F)	88	91	93	96	99	97	95	95	96	93	92	90	99	10	-46750
MEAN MAX TMP (F)	76	78	83	85	89	89	90	89	89	87	83	79	85	10	-46750
MEAN MIN TMP (F)	57	58	63	68	73	75	76	76	75	71	65	60	68	10	-46750
ABS MIN TMP (F)	39	43	50	57	63	69	71	69	68	59	52	46	39	10	-46750
MEAN NO DYS TMP ≥ OR GTR 90(F)	0.0	0.2	1.8	6.8	17.2	18.7	23.0	18.7	15.1	4.5	0.9	0.1	107.0	10	-46750
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-46750
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-46750
MEAN DEW PT TMP (F)	58	59	64	69	73	76	76	76	75	71	66	61	69	10	-46750
MEAN REL HUM (PCT)	80	79	77	79	79	84	83	86	85	82	81	81	81	10	-46750
MEAN PRESS ALT (FT)	-82	-40	1	84	166	245	289	298	205	77	3	-53	99	0	-50
MEAN PRECIP (IN)	1.11	0.46	1.46	3.21	6.95	19.06	16.48	22.32	9.87	1.34	1.27	0.50	84.0	10	-46750
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-46750
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	1.7	1.0	1.8	3.6	5.7	11.8	12.0	15.9	9.2	2.7	1.5	1.0	67.9	10	-46750
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-46750
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.5	0.6	0.7	0.4	0.2	0.5	0.5	0.9	0.2	0.2	0.3	2.0	8.0	10	-46750
MEAN NO DYS TSTMS	0.1	0.0	0.2	0.3	0.4	1.2	1.0	1.2	0.6	0.2	0.1	0.0	5.3	10	-46750
P FREQ WND SPU ≥ OR GTR 17 KTS	0.3	0.6	0.7	1.0	0.9	1.7	2.1	3.2	2.8	0.2	0.6	0.1	1.2	10	-46750
P FREQ WND SPU ≥ OR GTR 28 KTS	0.0	0.2	0.0	0.0	0.0	0.1	0.2	0.4	0.5	0.0	0.1	0.0	0.1	10	-46750
P FREQ LES 5000 FT A/O LES 5 MI	27.2	24.4	28.7	30.2	24.0	27.5	28.0	34.6	31.3	30.8	22.5	21.7	27.6	10	-46750
P FREQ LES 1500 FT A/O LES 3 MI	3.2	2.1	2.3	5.0	4.5	8.0	4.5	5.2	5.0	1.3	1.0	1.9	3.7	10	-46750
FOR 00-02 LST	8.8	5.0	5.6	7.2	4.7	9.2	5.0	6.7	5.5	3.4	3.7	7.2	6.0	10	-46750
03-05 LST	14.3	7.8	8.8	9.3	4.8	10.3	5.5	8.1	6.0	5.5	6.3	12.5	8.3	10	-46750
06-08 LST	8.3	5.2	5.7	6.5	4.8	11.8	6.2	9.1	5.9	3.6	4.8	7.2	6.6	10	-46750
09-11 LST	2.3	2.5	2.6	3.7	4.8	13.3	6.8	10.0	5.7	1.6	3.3	1.9	4.9	10	-46750
12-14 LST	2.1	2.0	4.6	3.5	5.3	11.0	7.9	8.4	5.7	2.0	3.0	2.0	4.8	10	-46750
15-17 LST	1.9	1.4	6.5	3.3	5.8	8.7	9.0	6.8	5.7	2.3	2.7	2.0	4.7	10	-46750
18-20 LST	2.6	1.8	4.4	4.2	5.2	8.4	6.8	6.0	5.4	1.8	1.9	2.0	4.2	10	-46750
21-23 LST	0.3	0.0	0.0	0.3	0.3	0.3	0.0	0.3	0.0	0.0	0.0	0.6	0.2	10	-46750
FOR 00-02 LST	2.0	0.9	0.8	1.2	0.5	0.7	0.7	1.0	0.2	0.5	0.7	2.0	0.9	10	-46750
03-05 LST	3.6	1.8	1.6	2.0	0.6	1.0	1.3	1.6	0.3	1.0	1.3	3.3	1.6	10	-46750
06-08 LST	1.8	0.9	0.8	1.0	0.5	1.7	1.2	1.1	0.3	0.7	0.7	1.8	1.0	10	-46750
09-11 LST	0.0	0.0	0.0	0.0	0.0	2.3	1.0	0.6	0.3	0.3	0.0	0.3	0.4	10	-46750
12-14 LST	0.0	0.0	0.2	0.2	0.2	1.7	0.5	0.5	0.3	0.3	0.0	0.2	0.3	10	-46750
15-17 LST	0.0	0.0	0.3	0.3	0.0	1.0	0.0	0.3	0.3	0.3	0.0	0.0	0.2	10	-46750
18-20 LST	0.2	0.0	0.2	0.3	0.0	0.0	0.0	0.3	0.3	0.3	0.0	0.0	0.2	10	-46750
21-23 LST	0.0	0.0	0.2	0.3	0.2	0.7	0.0	0.3	0.2	0.2	0.0	0.3	0.2	10	-46750

PING TUNG NORTH, REP. OF CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 20.1	21.1	23.7	25.0	29.2	27.3	29.1	28.2	28.4	27.6	24.8	20.0	304.5	10	-46750
	14 LST 30.7	27.5	30.3	29.2	29.5	26.4	29.1	28.8	29.2	30.8	29.5	30.5	351.4	10	-46750
	20 LST 30.4	27.1	29.2	29.4	29.4	28.0	28.9	29.7	29.1	30.4	29.4	30.4	351.4	10	-46750
	02 LST 30.1	27.4	30.6	28.9	29.7	28.4	30.0	29.8	28.7	30.6	29.7	29.8	353.7	10	-46750
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST 19.6	20.8	23.3	24.5	28.4	26.0	27.7	26.0	26.7	27.3	24.2	19.6	294.1	10	-46750
	14 LST 26.4	20.5	20.1	18.4	15.1	16.5	19.0	20.4	21.9	23.8	25.3	27.6	255.0	10	-46750
	20 LST 29.7	26.3	28.2	27.7	25.6	25.6	26.8	26.5	26.9	30.1	28.8	30.0	335.2	10	-46750
	02 LST 29.5	27.1	29.8	27.9	29.3	26.6	28.0	27.2	27.4	30.4	29.4	29.6	342.2	10	-46750
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.3	0.2	0.0	0.2	0.0	0.8	10	-46750
	14 LST 0.3	0.7	0.9	1.2	0.9	1.0	1.1	0.8	0.7	0.1	0.0	0.1	7.8	10	-46750
	20 LST 0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.2	0.1	0.0	0.0	0.9	10	-46750
	02 LST 0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.3	0.1	0.0	0.0	1.0	10	-46750
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 3.7	4.8	3.7	3.0	5.5	5.8	5.0	5.5	5.0	4.0	3.1	3.4	52.5	10	-46750
	14 LST 19.7	20.0	19.8	15.5	10.9	6.0	6.9	8.5	14.4	21.7	20.4	21.8	185.6	10	-46750
	20 LST 10.0	12.3	17.4	11.0	11.8	8.2	8.9	7.1	7.9	8.2	6.7	8.9	113.4	10	-46750
	02 LST 5.5	5.0	4.4	2.7	3.1	3.1	3.4	3.3	2.8	1.8	3.8	4.2	43.6	10	-46750
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 7.1	9.6	9.6	9.5	8.9	4.7	9.7	5.3	7.2	14.7	11.7	8.0	106.0	10	-46750
	14 LST 10.9	11.8	11.3	7.3	5.0	1.3	1.9	0.7	1.0	3.6	7.4	9.8	72.0	10	-46750
	20 LST 13.7	11.5	11.3	9.3	9.7	6.1	8.0	4.3	5.6	8.2	11.4	12.6	111.7	10	-46750
	02 LST 14.8	13.9	13.2	13.4	16.0	12.9	17.4	11.9	13.1	16.0	16.2	15.3	174.1	10	-46750
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 18.7	20.1	22.3	23.2	27.8	24.4	26.7	24.8	26.3	27.1	24.0	19.1	284.5	10	-46750
	14 LST 28.7	25.1	28.3	24.7	24.8	21.8	20.9	18.8	20.3	21.7	25.2	27.6	287.9	10	-46750
	20 LST 28.6	25.5	26.8	26.2	26.5	25.3	25.1	24.3	24.5	26.9	27.3	28.6	315.6	10	-46750
	02 LST 28.5	25.8	28.1	25.7	28.1	25.4	27.6	27.1	26.9	29.5	28.3	28.1	329.1	10	-46750
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 13.0	15.8	17.3	20.2	25.3	22.5	25.0	22.4	24.1	24.8	21.1	15.3	246.8	10	-46750
	14 LST 24.3	20.9	24.8	20.7	21.2	19.0	16.0	13.2	14.8	14.8	20.6	24.3	234.6	10	-46750
	20 LST 19.3	16.6	18.3	17.2	19.9	21.1	21.4	18.7	17.5	17.6	20.4	21.0	229.0	10	-46750
	02 LST 20.0	19.4	18.5	18.5	22.6	21.5	24.4	22.0	22.2	23.3	22.8	21.3	256.5	10	-46750
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 12.5	15.8	17.1	20.2	25.1	22.5	25.0	22.4	24.1	24.7	20.8	15.2	245.4	10	-46750
	14 LST 24.2	20.8	24.6	20.7	21.2	19.0	16.0	13.2	14.8	14.8	20.6	24.1	234.0	10	-46750
	20 LST 19.0	16.5	18.1	17.1	19.7	21.1	21.4	18.6	17.5	17.6	20.0	21.0	227.6	10	-46750
	02 LST 20.0	19.3	18.4	18.5	22.5	21.5	24.3	21.8	22.2	23.2	22.8	21.1	255.6	10	-46750

AREA NO. 02

CHINA, REPUBLIC OF WESTERN PLAINS LATITUDE 2400N LONGITUDE 12025E
 BOUNDARIES 2430N 12030E 2440N 12100E 2440N 12100E 2300N 12030E 2300N 12030E 2200N 12045E

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	72	73	78	82	86	88	89	88	88	85	80	75	82	
MEAN MIN TMP (F)	55	56	61	67	73	75	76	75	75	70	64	58	67	
LARGEST MEAN PRECIP(IN)	1.49	2.26	1.94	4.30	8.84	19.06	16.48	22.32	10.05	1.75	1.27	0.78	90.5	
SMALLEST MEAN PRECIP(IN)	0.69	0.46	1.13	1.80	6.30	11.78	8.55	15.72	5.63	0.72	0.59	0.30	53.7	
MEAN NUMBER OF DAYS														
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	15.7	15.0	16.3	19.1	25.4	25.0	27.9	26.1	24.0	22.2	20.2	18.4	255.3
	14 LST	27.6	24.1	25.7	26.5	28.2	25.6	28.2	27.7	27.9	28.8	27.6	28.4	327.3
	20 LST	23.5	20.5	22.7	22.7	23.6	22.7	24.3	24.1	24.1	25.0	24.0	24.7	281.9
CIG = GTR 2000 FT AND VSBY = GTR 10 KTS 3 MI W/SFC WND LES 10 KTS	02 LST	21.8	19.0	22.1	21.4	23.2	22.4	24.2	23.8	23.4	24.3	22.7	22.8	271.1
	08 LST	10.9	11.2	13.4	16.5	23.5	22.9	25.8	24.2	22.1	19.5	16.2	13.9	230.1
	14 LST	15.1	11.7	13.2	13.5	13.1	13.2	13.3	15.7	16.7	17.2	16.6	16.8	176.1
	20 LST	16.0	14.1	16.6	18.5	21.4	20.2	21.5	21.1	21.3	20.6	18.5	18.6	228.4
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	16.7	14.8	18.0	19.0	22.1	21.0	22.6	21.8	21.8	22.1	19.8	19.1	238.8
	08 LST	1.4	1.2	0.7	0.4	0.1	0.1	0.1	0.2	0.4	0.7	1.1	1.2	7.6
	14 LST	3.4	3.5	3.5	2.7	1.2	1.2	1.4	1.1	1.5	2.2	3.2	2.9	27.8
	20 LST	2.1	1.8	1.6	0.6	0.1	0.2	0.1	0.4	0.6	1.2	1.4	1.7	11.8
	02 LST	1.9	1.6	1.3	0.6	0.1	0.1	0.1	0.2	0.5	0.8	1.0	1.3	9.5
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	11.0	10.2	11.2	9.7	10.7	11.5	10.9	8.8	7.5	10.4	9.7	10.8	122.4
	14 LST	15.3	13.4	15.4	14.1	12.4	9.8	8.3	10.3	14.2	18.4	16.1	16.0	163.7
	20 LST	13.7	13.1	14.1	13.7	13.4	11.8	12.4	10.8	10.7	13.6	12.7	14.5	154.5
	02 LST	11.6	10.5	11.3	8.8	7.2	8.2	8.7	6.9	6.0	7.9	9.5	11.1	107.7
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	4.4	5.2	5.3	6.3	5.6	3.0	7.1	5.1	5.7	10.1	8.4	6.4	72.3
	14 LST	10.4	10.1	10.0	7.1	5.0	1.4	2.6	1.5	4.0	8.5	10.9	10.8	82.1
	20 LST	10.0	9.2	8.5	8.6	7.7	3.9	5.8	4.3	7.3	11.8	12.2	11.6	100.9
	02 LST	9.3	8.4	8.0	9.3	10.5	9.1	13.2	9.5	10.5	13.3	12.0	11.2	124.3
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	14.7	13.7	14.9	17.7	23.5	23.1	26.2	23.9	22.5	21.2	19.3	16.9	237.6
	14 LST	25.9	22.6	25.1	23.4	24.5	21.3	21.9	21.0	22.0	24.8	25.4	26.6	284.5
	20 LST	21.8	19.1	20.7	20.8	21.7	20.7	21.7	21.0	21.7	23.4	22.6	23.2	258.4
	02 LST	20.0	17.3	20.1	19.2	21.7	20.6	22.5	21.8	21.9	23.2	21.3	21.2	250.8
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	10.8	11.1	12.3	15.5	20.9	21.3	25.0	22.4	20.9	19.6	17.2	13.9	210.9
	14 LST	22.9	20.2	22.6	19.8	21.9	18.4	17.6	17.2	18.4	21.5	23.0	24.4	247.9
	20 LST	16.2	14.6	14.9	15.8	17.7	18.0	19.3	17.8	19.2	19.2	18.7	18.8	209.2
	02 LST	14.5	13.2	13.6	14.5	18.1	17.9	20.5	18.9	19.7	20.1	17.8	16.6	204.4
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	10.4	11.0	11.9	15.4	20.8	21.2	25.0	22.2	20.9	19.4	16.9	13.6	208.7
	14 LST	22.4	19.9	22.4	19.7	21.8	18.4	17.6	17.2	18.4	21.5	22.9	23.9	246.1
	20 LST	15.9	14.5	14.7	15.5	17.7	17.9	19.2	17.7	18.2	19.1	19.5	18.6	207.5
	02 LST	14.3	13.1	13.4	14.3	18.0	17.8	20.4	18.7	18.6	19.9	17.6	16.5	202.6

HUA-LIEN, REP. OF CHINA

ELEVATION(FT) 00042

LONGITUDE 12136E

LATITUDE 2401N

STA NO. 46763 (IN AREA NUMBER 03)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	85	82	84	87	92	92	94	95	94	89	85	83	95	8	-34
MEAN MAX TMP (F)	71	70	73	77	83	86	89	88	86	82	77	73	80	8	-24
MEAN MIN TMP (F)	59	58	61	65	70	73	74	74	72	68	63	60	66	9	-34
ABS MIN TMP (F)	49	48	51	54	60	64	69	69	65	54	47	44	44	8	-34
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.3	4.3	13.4	10.0	4.3	0.0	0.0	0.0	32.3	8	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN DEW PT TMP (F)	57	58	60	65	71	74	75	75	72	66	61	58	66	8	-29
MEAN REL HUM (PCT)	78	81	80	82	84	84	81	82	80	76	76	76	80	8	-34
MEAN PRESS ALT (FT)	-153	-118	-120	22	127	214	214	272	152	2	-113	-163	28	0	-50
MEAN PRECIP (IN)	2.31	4.56	4.13	7.66	10.68	7.02	10.28	8.66	12.77	8.69	3.34	2.19	82.6	8	-34
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PKCP = OR GTR 0.1 IN	5.1	9.0	6.9	9.7	11.4	9.1	11.3	10.2	14.9	11.3	5.1	4.9	108.9	8	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPU = OR GTR 17 KTS	7.9	5.4	5.7	3.9	14.0	2.2	2.4	1.3	3.0	6.6	8.9	8.1	5.8	13	-35
P FREQ WND SPU = OR GTR 28 KTS	0.3	0.1	0.2	0.1	0.0	0.1	0.2	0.3	0.6	0.5	1.1	0.2	0.3	13	-35
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST															
03-05 LST															
06-08 LST															
09-11 LST															
12-14 LST															
15-17 LST															
18-20 LST															
21-23 LST															
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST															
03-05 LST															
06-08 LST															
09-11 LST															
12-14 LST															
15-17 LST															
18-20 LST															
21-23 LST															

HUA-LIEN, REP. OF CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	0
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	0

DATA NOT AVAILABLE

TAITUNG, REP. OF CHINA

STA NO. 46766 (IN AREA NUMBER 03)

LATITUDE 2245N LONGITUDE 12109E ELEVATION(FT) 00031

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	90	86	96	97	95	100	100	98	95	89	88	84	100	12	4176
MEAN MAX TMP (F)	73	74	78	81	85	87	90	88	86	82	79	75	82	12	4176
MEAN MIN TMP (F)	59	60	63	67	71	73	74	74	73	70	66	62	68	12	4176
ABS MIN TMP (F)	48	48	52	54	61	64	70	67	65	61	55	51	48	12	4176
MEAN NO DYS TMP = OR GTR 90(F)	0.1	0.0	0.3	1.4	4.8	8.6	19.4	11.4	4.6	0.0	0.0	0.0	50.6	12	4176
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4176
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4176
MEAN DEW PT TMP (F)	58	59	63	67	72	75	75	75	74	69	64	59	68	12	16752
MEAN REL HUM (PCT)	77	78	79	81	82	84	80	83	84	80	77	77	80	12	16756
MEAN PRESS ALT (FT)	1.08	1.16	1.14	2.96	5.26	9.96	6.36	11.72	12.43	4.84	5.43	2.34	64.7	12	4168
MEAN PRECIP (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3566
MEAN SNOW FALL (IN)	2.2	3.5	3.2	4.7	7.3	8.7	4.7	8.5	8.7	5.3	3.2	3.8	63.8	12	4168
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3566
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4183
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.0	0.0	0.1	0.0	0.1	0.2	0.4	0.2	0.3	0.2	0.2	0.0	1.8	12	4189
MEAN NO DYS TSYMS	0.0	0.0	0.2	0.5	0.9	0.9	0.3	0.2	0.5	0.1	0.1	0.0	3.7	12	4189
P FREQ WND SPD = OR GTR 17 KTS	8.0	5.9	5.6	4.2	1.7	1.9	2.1	3.0	3.5	7.5	12.5	9.1	5.4	12	16756
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.1	0.1	0.1	0.1	0.3	0.6	0.5	0.5	0.0	0.9	0.1	0.3	12	16756
P FREQ LES 5000 FT A/O LES 5 MI	33.4	38.1	39.5	40.4	29.8	23.7	12.9	21.6	23.2	25.6	25.0	29.3	28.5	12	16368
P FREQ LES 1500 FT A/O LES 3 MI	5.9	8.8	7.0	9.8	8.0	10.4	5.4	9.8	8.6	6.2	7.3	8.9	8.0	12	4173
FOR 00-02 LST	4.6	6.1	5.5	7.8	5.8	8.6	5.1	7.9	7.6	5.1	6.2	7.0	6.4	12	-30
03-05 LST	3.3	3.5	4.1	5.9	3.6	6.9	4.9	7.1	6.7	4.1	5.1	5.1	5.0	12	4150
06-08 LST	4.9	4.8	6.3	6.9	6.4	8.2	5.4	8.3	7.5	4.5	7.3	5.9	6.4	12	-30
09-11 LST	6.5	6.1	8.5	8.0	9.2	9.6	6.0	9.5	8.4	4.9	9.6	6.8	7.8	12	4160
12-14 LST	7.8	8.7	10.4	10.5	10.2	10.7	7.0	10.2	10.4	7.5	10.2	8.1	9.3	12	-30
15-17 LST	9.1	11.3	12.3	13.1	11.2	11.8	8.1	11.2	12.5	10.1	10.9	11.4	11.1	12	4179
18-20 LST	7.5	10.0	9.6	11.4	9.6	11.1	6.7	10.5	10.5	8.1	9.1	11.1	9.6	12	-30
21-23 LST	0.3	0.7	0.6	0.3	0.3	2.8	1.3	0.6	0.6	1.1	0.3	0.3	0.6	12	4173
FOR 00-02 LST	0.3	0.5	0.4	0.7	0.1	1.7	1.2	0.6	0.7	0.5	0.1	0.4	0.6	12	-30
03-05 LST	0.3	0.3	0.3	1.2	0.0	0.6	1.1	0.6	0.8	0.0	0.0	0.5	0.5	12	4150
06-08 LST	0.1	0.1	0.3	0.6	0.4	1.0	1.1	0.6	0.5	0.1	0.4	0.6	0.5	12	-30
09-11 LST	0.0	0.0	0.3	0.0	0.9	1.4	1.1	0.6	0.3	0.3	0.8	0.8	0.5	12	4160
12-14 LST	0.0	0.0	0.4	0.3	0.7	2.1	0.9	0.7	0.5	0.9	0.8	0.8	0.7	12	-30
15-17 LST	0.0	0.0	0.6	0.6	0.6	2.8	0.8	0.9	0.8	1.6	0.8	0.8	0.9	12	4179
18-20 LST	0.1	0.3	0.6	0.4	0.4	2.8	1.0	0.7	0.7	1.3	0.5	0.5	0.8	12	-30
21-23 LST															

TAITUNG, REP. OF CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 100J FT AND VSBY = GTR 3 MI	08 LST 30.1	27.3	30.1	28.2	30.2	28.1	29.6	29.0	28.4	29.9	28.7	29.7	349.3	12	4150
	14 LST 29.5	26.8	28.8	28.3	28.6	27.7	29.3	28.4	27.7	28.5	27.0	28.7	339.3	12	4160
	20 LST 27.8	25.1	27.7	26.1	27.6	25.7	26.5	26.4	25.0	27.4	26.6	27.6	319.5	12	4179
	02 LST 28.1	25.4	28.4	27.0	28.2	25.5	27.6	25.8	26.1	27.8	27.5	27.9	325.3	12	4173
CIG =GTR 2000 FT AND VSBY =GTR 08 LST	08 LST 21.1	20.2	24.0	24.4	28.0	26.6	28.5	27.0	25.4	21.5	18.0	17.6	282.3	12	4150
	14 LST 15.6	15.0	17.8	16.7	18.0	18.5	21.6	20.5	19.5	13.1	10.0	13.3	199.6	12	4160
	20 LST 19.0	18.2	21.8	21.2	25.4	24.0	25.3	23.7	22.2	19.9	17.2	18.5	256.4	12	4178
	02 LST 17.2	17.5	22.6	22.6	25.9	24.7	26.4	24.0	22.7	17.8	15.4	16.0	252.8	12	4173
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 1.5	0.6	1.0	0.4	0.1	0.2	0.2	0.2	0.3	0.9	2.6	1.9	9.9	12	4195
	14 LST 2.3	2.2	2.2	2.5	1.4	1.4	0.7	1.5	1.7	4.7	4.4	2.7	27.7	12	4196
	20 LST 2.1	1.2	1.3	0.9	0.1	0.1	0.4	0.4	0.3	1.3	2.3	1.9	12.3	12	4194
	02 LST 3.5	2.3	2.3	1.1	0.2	0.0	0.5	0.2	0.5	2.1	3.7	3.8	20.2	12	4193
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 14.4	12.1	13.3	13.4	11.5	7.3	9.1	8.4	10.6	14.6	12.8	13.4	140.9	12	4195
	14 LST 15.3	12.9	15.3	14.2	14.3	11.1	9.4	10.1	12.8	10.1	10.2	12.7	148.4	12	4196
	20 LST 12.3	9.4	10.2	9.6	10.4	6.7	7.3	6.4	7.8	11.3	8.3	12.2	111.9	12	4193
	02 LST 12.2	10.3	11.8	12.6	11.3	8.9	7.2	7.9	10.2	12.2	9.4	12.2	126.2	12	4193
	08 LST 4.1	5.1	4.5	5.1	6.1	3.0	10.7	7.8	7.1	8.8	6.8	4.7	73.8	12	4193
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	14 LST 2.6	3.1	2.9	3.5	2.8	2.7	7.5	5.1	5.3	4.2	4.4	3.9	48.0	12	4192
	20 LST 3.3	3.1	2.9	3.5	4.3	4.9	9.6	6.8	5.2	4.8	4.8	3.4	56.6	12	4194
	02 LST 4.7	5.5	6.7	6.2	9.0	8.5	16.7	10.9	10.7	8.4	8.9	7.0	103.2	12	4191
	08 LST 28.2	25.3	27.2	26.5	28.2	26.6	29.0	27.5	27.2	28.8	26.9	28.1	329.5	12	4150
	14 LST 26.8	23.5	25.3	24.3	25.3	24.6	27.7	25.2	25.2	25.9	24.5	26.7	305.0	12	4160
	20 LST 24.5	21.9	23.5	22.1	24.3	23.7	25.1	24.2	22.9	24.5	23.9	25.2	285.8	12	4179
	02 LST 25.6	23.3	25.2	23.8	25.8	23.7	26.6	23.7	24.2	25.9	25.6	25.7	299.1	12	4173
	08 LST 18.1	16.5	17.6	19.4	24.1	24.2	28.0	25.8	24.4	25.4	23.0	20.9	267.4	12	4150
	14 LST 20.7	17.9	19.8	18.4	21.8	22.1	26.6	22.9	22.8	22.2	21.5	22.3	259.0	12	4160
	20 LST 12.1	10.3	10.7	11.4	16.4	19.5	22.3	19.8	16.6	13.4	14.5	13.9	180.9	12	4179
	02 LST 12.9	11.7	13.0	12.5	17.5	17.9	23.2	19.3	18.5	16.3	17.8	15.0	195.6	12	4173
	08 LST 16.9	15.7	17.2	18.9	23.8	24.0	27.6	25.5	24.3	24.8	21.9	19.7	260.3	12	4150
	14 LST 20.1	17.6	19.3	18.1	21.3	22.1	26.4	22.8	22.4	21.9	20.6	21.6	254.2	12	4160
	20 LST 11.7	9.7	10.4	11.4	16.4	19.2	21.9	19.5	16.5	12.9	13.7	12.7	176.0	12	4179
	02 LST 12.6	11.5	12.4	12.2	17.0	17.7	23.1	19.0	18.2	15.7	17.4	14.2	191.0	12	4173

AREA NO. 03

CHINA, REPUBLIC OF
 COASTAL STRIP
 BOUNDARIES 2450N 12150E 2250N 12100E

LATITUDE 2325N
 LONGITUDE 12130E

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	72	72	76	79	84	87	90	88	86	82	78	74	81
MEAN MIN TMP (F)	59	59	62	66	71	73	74	74	73	69	65	61	67
LARGEST MEAN PRECIP(IN)	2.31	4.56	4.13	7.66	10.68	9.96	10.58	11.72	12.77	8.69	5.43	2.34	90.8
SMALLEST MEAN PRECIP(IN)	1.08	1.16	1.14	2.96	5.26	7.02	6.36	8.66	12.43	4.84	3.34	2.19	56.4
MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 14 LST 20 LST	30.1 29.5 27.8	27.3 26.8 25.1	30.1 28.8 27.7	28.2 28.3 26.1	30.2 28.6 27.6	28.1 27.7 25.7	29.6 29.3 26.5	29.0 28.4 26.4	28.4 27.7 25.0	28.7 27.0 26.6	28.7 27.0 26.6	29.7 28.7 27.6
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	08 LST 14 LST 20 LST	28.1 21.1 15.6	25.4 20.2 15.0	28.4 24.0 17.8	27.0 24.4 16.7	28.2 28.0 18.0	25.5 26.6 18.5	27.6 28.5 21.6	25.8 27.0 20.5	26.1 25.4 19.5	27.8 25.4 19.5	27.5 18.0 10.0	325.3 282.3 199.6
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 14 LST 20 LST	1.5 2.3 2.1	0.6 2.2 1.2	1.0 2.2 1.3	0.4 2.5 0.9	0.1 1.4 0.1	0.2 1.4 0.1	0.2 0.7 0.4	0.2 1.5 0.4	0.2 1.7 0.3	0.3 1.7 0.3	0.9 4.4 2.3	9.9 27.7 12.3
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 14 LST 20 LST	14.4 15.3 12.3	12.1 12.9 9.4	13.3 15.3 10.2	13.4 14.2 9.6	11.5 14.3 10.4	7.3 11.1 6.7	9.1 9.4 7.3	8.4 10.1 6.4	10.6 12.8 7.8	14.6 10.1 11.3	8.3 10.2 12.2	140.9 148.4 111.9
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 14 LST 20 LST	4.1 2.6 3.3	5.1 3.1 3.1	4.5 2.9 2.9	5.1 3.5 3.5	6.1 2.8 4.3	3.0 2.7 4.9	10.7 7.5 9.6	7.8 5.1 6.8	7.1 5.3 5.2	8.4 4.2 4.8	6.8 4.4 4.8	73.8 48.0 56.6
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 14 LST 20 LST	28.2 26.8 24.5	25.3 23.5 21.9	27.2 25.3 23.5	26.5 24.3 22.1	28.2 25.3 24.3	26.6 24.6 23.7	29.0 27.7 25.1	27.5 25.2 24.2	28.8 25.9 24.5	26.9 24.5 23.9	28.1 26.7 25.2	329.5 305.0 285.8
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 14 LST 20 LST	18.1 20.7 12.1	16.5 17.9 10.3	17.6 19.8 10.7	19.4 18.4 11.4	24.1 21.8 16.4	24.2 22.1 19.5	28.0 26.6 22.3	25.8 22.9 19.8	24.4 22.8 16.6	23.0 21.5 14.5	20.9 22.3 13.9	267.4 259.0 180.9
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 14 LST 20 LST	16.9 20.1 11.7	15.7 17.6 9.7	17.2 19.3 10.4	18.9 18.1 11.4	23.8 21.3 16.4	24.0 22.1 19.2	27.6 26.4 21.9	25.5 22.8 19.5	24.3 22.4 16.5	21.9 20.6 13.7	19.7 21.6 12.7	260.3 254.2 176.0
02 LST	12.6	11.5	12.4	12.2	17.0	17.7	23.1	19.0	18.2	15.7	17.4	14.2	191.0

ALI-SHAW, REP. OF CHINA

STATION NO. 46753

IN AREA NUMBER 04)

LATITUDE 2328N

LONGITUDE 12052E

ELEVATION(FT) 07891

PARAMETER DESCRIPTION

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	64	70	70	73	68	72	75	73	72	72	72	70	75	4	1187
MEAN MAX TMP (F)	53	53	58	60	62	64	65	66	66	64	60	55	61	4	1187
MEAN MIN TMP (F)	35	36	40	44	47	51	49	50	47	45	40	37	43	4	1187
ABS MIN TMP (F)	23	21	28	32	32	45	41	43	41	30	25	19	19	4	1187
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1187
MEAN NO DYS TMP = OR LES 32(F)	10.7	9.5	3.0	0.3	0.3	0.0	0.0	0.0	0.0	0.5	2.5	7.2	34.0	4	1187
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1187
MEAN DEW PT TMP (F)	37	39	43	47	51	54	54	55	53	50	43	39	47	4	4744
MEAN REL HUM (PCT)	78	84	82	86	90	91	90	92	89	87	79	80	86	4	4744
MEAN PRESS ALT (FT)	3.69	3.37	2.99	12.85	35.92	28.23	25.28	29.85	8.49	6.40	3.83	1.76	152.7	4	1125
MEAN PRECIP (IN)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	1184
MEAN SNOW FALL (IN)	6.0	7.6	4.0	9.3	18.0	18.7	18.2	20.6	12.3	10.0	5.3	3.3	133.3	4	1125
MEAN NO DYS PKCP = OR GTR 0.1 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1184
MEAN NO DYS SNFL = OR GTR 1.5 IN	8.7	12.8	8.0	10.0	11.0	13.0	9.0	10.4	2.0	5.2	4.5	5.7	100.3	4	1185
MEAN NO DYS W/O CUM VSBY LES 1/2 MI	0.0	0.0	0.3	0.3	1.3	0.7	1.0	1.0	0.7	0.0	0.0	0.0	5.3	4	1186
MEAN NO DYS TSTMS	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.2	0.0	0.1	4	4704
P FREQ WND SPD = UR GTR 17 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	4704
P FREQ WND SPD = UR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	4704
P FREQ LES 5000 FT A/O LES 5 MI	46.2	54.6	52.2	60.3	56.9	67.3	60.1	58.7	42.2	41.7	36.5	41.9	51.6	4	4644
P FREQ LES 1500 FT A/O LES 3 MI	33.7	45.2	39.1	45.6	34.4	40.4	38.7	34.8	11.1	23.4	19.2	22.6	32.4	4	1183
FOR 00-02 LST	33.1	40.6	36.4	43.2	35.7	43.5	38.9	34.2	10.0	19.9	16.8	21.4	31.1	4	-30
03-05 LST	32.6	36.1	33.7	40.9	37.0	46.7	39.1	33.7	8.9	16.5	14.4	20.2	30.0	4	1171
06-08 LST	41.2	49.5	50.7	57.5	59.9	75.5	65.8	64.7	45.0	50.2	35.5	35.5	52.6	4	-30
09-11 LST	53.8	72.9	67.7	74.2	82.8	94.4	92.5	95.7	81.1	83.9	56.7	50.8	75.5	4	1184
12-14 LST	46.9	51.5	52.1	58.9	63.1	75.3	73.6	75.0	55.0	54.8	38.8	40.4	57.1	4	-30
15-17 LST	38.0	38.1	36.6	43.3	43.5	56.2	54.8	54.3	28.9	25.8	19.3	30.1	39.1	4	1181
18-20 LST	35.8	41.6	37.8	44.4	48.0	48.3	44.7	44.5	20.0	24.6	19.2	26.3	36.3	4	-30
21-23 LST	12.0	20.2	16.3	23.3	22.6	23.6	10.8	15.2	1.1	8.1	5.0	4.8	13.6	4	1183
FOR 00-02 LST	14.1	21.5	14.6	20.1	23.2	24.0	8.6	14.3	1.1	4.9	4.6	4.8	13.0	4	-30
03-05 LST	16.3	22.9	13.0	17.0	23.9	24.4	6.5	13.5	1.1	1.7	4.2	4.8	12.4	4	1171
06-08 LST	18.0	28.6	17.6	19.7	25.0	34.4	20.4	28.5	7.2	23.3	9.2	13.3	20.4	4	-30
09-11 LST	19.8	36.5	22.6	22.5	44.1	44.4	34.4	43.5	13.3	25.0	14.2	21.8	28.5	4	1184
12-14 LST	18.6	30.1	19.9	22.9	34.5	38.9	27.9	34.8	8.3	18.3	10.0	14.5	23.2	4	-30
15-17 LST	17.4	23.8	17.2	23.3	25.0	32.6	21.5	26.1	3.3	9.7	5.9	7.3	17.8	4	1181
18-20 LST	14.7	22.0	16.7	23.3	23.8	28.1	16.1	20.6	2.2	8.9	5.4	6.0	15.7	4	-30
21-23 LST															

ALI-SHAW, REP. OF CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	MO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 22.2	19.2	21.5	19.4	20.9	17.3	20.6	22.3	28.3	26.6	26.2	29.2	269.7	4	1171
	14 LST 17.4	9.9	13.6	10.4	7.0	3.7	5.3	3.3	8.3	7.8	15.0	17.7	119.4	4	1184
	20 LST 6.4	7.6	10.7	10.0	7.1	8.1	7.7	8.1	13.0	10.5	11.8	11.8	112.8	4	1181
	02 LST 8.1	7.3	10.1	9.3	9.6	9.8	8.3	10.4	16.0	12.0	11.3	12.2	124.4	4	1183
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	08 LST 20.1	16.9	18.2	15.3	19.3	15.0	17.5	18.1	26.0	25.1	23.6	24.0	237.1	4	1166
	14 LST 11.0	5.6	6.7	4.7	3.1	0.7	0.0	0.3	3.0	2.7	9.8	12.2	59.8	4	1179
	20 LST 6.4	7.3	9.3	9.0	7.1	6.4	6.7	6.7	11.6	9.7	10.6	9.8	100.6	4	1180
	02 LST 7.8	7.3	9.8	8.6	8.6	8.9	8.0	9.8	16.0	11.2	11.0	11.2	118.2	4	1180
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1181
	14 LST 0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1182
	20 LST 0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.2	0.0	0.5	4	1185
	02 LST 0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.3	4	1184
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 4.4	2.6	4.0	3.3	2.7	1.4	2.7	2.4	1.7	3.0	3.8	2.0	34.0	4	1181
	14 LST 5.7	3.6	5.6	2.3	1.0	1.7	2.0	2.4	1.0	1.5	2.7	3.5	33.0	4	1182
	20 LST 4.7	4.3	1.3	3.0	0.3	1.3	2.3	1.0	2.3	1.2	2.5	4.0	28.2	4	1185
	02 LST 3.3	4.9	1.6	2.0	2.0	1.7	1.3	3.7	1.7	1.5	2.7	4.5	30.9	4	1184
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 14.8	13.2	15.3	6.0	10.3	4.0	5.3	9.1	14.3	15.7	15.8	14.7	138.5	4	1186
	14 LST 7.4	2.9	2.3	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3.5	7.0	24.3	4	1186
	20 LST 5.4	6.2	7.0	7.3	4.7	4.0	5.3	6.4	10.0	8.7	9.3	8.2	82.5	4	1185
	02 LST 6.4	7.2	8.3	7.0	6.7	5.0	5.6	8.1	13.7	10.2	9.0	9.2	96.7	4	1186
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 19.2	15.8	17.9	13.3	17.9	14.0	17.2	17.4	25.0	24.8	23.9	20.7	227.1	4	1171
	14 LST 10.2	4.6	5.3	3.4	1.3	0.3	0.0	0.0	1.3	2.2	8.7	11.0	48.3	4	1184
	20 LST 5.7	7.0	8.3	8.6	6.4	6.1	6.3	6.7	11.3	9.5	10.3	9.8	96.0	4	1181
	02 LST 7.4	7.3	9.8	8.3	8.0	8.4	8.0	9.4	15.7	11.0	10.2	10.7	114.2	4	1183
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 18.8	15.2	16.8	12.3	16.8	11.6	17.2	17.1	23.3	24.3	21.8	19.2	214.4	4	1171
	14 LST 8.8	3.9	4.3	1.7	0.3	0.0	0.0	0.0	0.3	1.7	7.5	9.2	37.7	4	1184
	20 LST 5.7	6.7	8.3	8.6	6.4	5.7	6.3	6.7	10.3	9.2	9.8	9.1	92.8	4	1181
	02 LST 7.1	7.3	9.8	8.3	8.0	7.7	8.0	9.4	15.0	11.0	9.5	10.0	111.1	4	1183
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 17.9	14.5	16.8	11.3	15.8	11.0	17.2	16.7	23.0	23.6	21.3	19.0	208.1	4	1171
	14 LST 8.8	3.9	4.3	1.3	0.3	0.0	0.0	0.0	0.3	1.7	6.8	9.2	36.6	4	1184
	20 LST 5.7	6.7	8.0	8.6	6.4	5.7	6.0	6.7	10.3	9.2	9.8	8.8	91.9	4	1181
	02 LST 7.1	7.3	9.8	8.3	8.0	7.7	8.0	9.4	15.0	11.0	9.5	10.0	111.1	4	1183
	08 LST 17.9	14.5	16.8	11.3	15.8	11.0	17.2	16.7	23.0	23.6	21.3	19.0	208.1	4	1171
	14 LST 8.8	3.9	4.3	1.3	0.3	0.0	0.0	0.0	0.3	1.7	6.8	9.2	36.6	4	1184
	20 LST 5.7	6.7	8.0	8.6	6.4	5.7	6.0	6.7	10.3	9.2	9.8	8.8	91.9	4	1181
	02 LST 7.1	7.3	9.8	8.0	8.0	7.7	8.0	9.1	14.3	11.0	9.5	9.7	109.5	4	1183

AREA NO. 04

CHINA, REPUBLIC OF

CENTRAL MOUNTAIN BOUNDARIES

LATITUDE 2400N 2440N 12100E 2440N 12100E 2300N 12030E 2300N 12030E 2700N 12045E

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANH
MEAN MAX TMP (F)	53	53	58	60	62	64	65	66	66	64	60	55	61
MEAN MIN TMP (F)	35	36	40	44	47	51	49	50	47	45	40	37	43
LARGEST MEAN PRECIP(IN)	3.69	3.37	2.99	12.85	35.92	28.23	25.28	29.85	8.49	6.40	3.83	1.76	162.7
SMALLEST MEAN PRECIP(IN)	3.69	3.37	2.99	12.85	35.92	28.23	25.28	29.85	8.49	6.40	3.83	1.76	162.7

MEAN NUMBER OF DAYS

CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	22.2	19.2	21.5	19.4	20.9	17.3	20.6	22.3	28.3	26.6	26.2	25.2	269.7
	14 LST	17.4	9.9	13.6	10.4	7.0	3.7	5.3	3.3	8.3	7.8	15.0	17.7	119.4
	20 LST	6.4	7.6	10.7	10.0	7.1	8.1	7.7	8.1	13.0	10.5	11.8	11.8	112.8
	02 LST	8.1	7.3	10.1	9.3	9.6	9.8	8.3	10.4	16.0	12.0	11.3	12.2	124.4
CIG = GTR 2000 FT AND VSBY = GTR 10 KTS	08 LST	20.1	16.9	18.2	15.3	19.3	15.0	17.5	18.1	26.0	25.1	23.6	22.0	237.1
	14 LST	11.0	5.6	6.7	4.7	3.1	0.7	0.0	0.3	3.0	2.7	9.8	12.2	59.8
	20 LST	6.4	7.3	9.3	9.0	7.1	6.4	6.7	6.7	11.6	9.7	10.6	9.8	100.6
	02 LST	7.8	7.3	9.8	8.6	8.6	8.9	8.0	9.8	16.0	11.2	11.0	11.2	118.2
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.2	0.0	0.5
	02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.3
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	4.4	2.6	4.0	3.3	2.7	1.4	2.7	2.4	1.7	3.0	3.8	2.0	34.0
	14 LST	5.7	3.6	5.6	2.3	1.0	1.7	2.0	2.4	1.0	1.5	2.7	3.5	33.0
	20 LST	4.7	4.3	1.3	3.0	0.3	1.3	2.3	1.0	2.3	1.2	2.5	4.0	28.2
	02 LST	3.3	4.9	1.6	2.0	2.0	1.7	1.3	3.7	1.7	1.5	2.7	4.5	30.9
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	14.8	13.2	15.3	6.0	10.3	4.0	5.3	9.1	14.3	15.7	15.8	14.7	138.5
	14 LST	7.4	2.9	2.3	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3.5	7.0	24.3
	20 LST	5.4	6.2	7.0	7.3	4.7	4.0	5.3	6.4	10.0	8.7	9.3	8.2	82.5
	02 LST	6.4	7.2	8.3	7.0	6.7	5.0	5.6	8.1	13.7	10.5	9.0	9.2	96.7
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	19.2	15.8	17.9	13.3	17.9	14.0	17.2	17.4	25.0	24.8	23.9	20.7	227.1
	14 LST	10.2	4.6	5.3	3.4	1.3	0.3	0.0	0.0	1.3	2.2	8.7	11.0	48.3
	20 LST	5.7	7.0	8.3	8.6	6.4	6.1	6.3	6.7	11.3	9.5	10.3	9.8	96.0
	02 LST	7.4	7.3	9.8	8.3	8.0	8.4	8.0	9.4	15.7	11.0	10.2	10.7	114.2
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	18.8	15.2	16.8	12.3	16.8	11.6	17.2	17.1	23.3	24.3	21.8	19.2	214.4
	14 LST	8.8	3.9	4.3	1.7	0.3	0.0	0.0	0.0	0.3	1.7	7.5	9.2	37.7
	20 LST	5.7	6.7	8.3	8.6	6.4	5.7	6.3	6.7	10.3	9.2	9.8	9.1	92.8
	02 LST	7.1	7.3	9.8	8.3	8.0	7.7	8.0	9.4	15.0	11.0	9.5	10.0	111.1
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	17.9	14.5	16.8	11.3	15.8	11.0	17.2	16.7	23.0	23.6	21.3	19.0	208.1
	14 LST	8.8	3.9	4.3	1.3	0.3	0.0	0.0	0.0	0.3	1.7	6.8	9.2	36.6
	20 LST	5.7	6.7	8.0	8.6	6.4	5.7	6.0	6.7	10.3	9.2	9.8	8.8	91.9
	02 LST	7.1	7.3	9.8	8.0	8.0	7.7	8.0	9.4	15.0	11.0	9.5	10.0	111.1

TAIWU, REP. OF CHINA

STA NO. 46733

(IN AREA NUMBER 05)

LATITUDE 2334N

LONGITUDE 11937E

ELEVATION(FT) 00103

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	80	82	84	88	89	93	95	91	90	88	89	80	95	11	-46734
MEAN MAX TMP (F)	66	66	71	77	82	85	87	86	86	81	75	69	78	11	-46734
MEAN MIN TMP (F)	58	58	62	68	74	77	79	78	78	74	68	62	70	11	-46734
ABS MIN TMP (F)	49	44	48	57	63	67	72	72	72	64	57	52	44	11	-46734
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.8	6.1	3.6	1.3	0.0	0.0	0.0	12.8	11	-46734
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-46734
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-46734
MEAN DEW PT TMP (F)	56	56	61	67	73	76	78	78	75	69	64	59	68	11	-46734
MEAN REL HUM (PCT)	82	83	83	84	86	88	86	87	84	78	78	81	83	11	-46734
MEAN PRESS ALT (FT)	-69	-27	16	102	186	267	313	317	221	90	14	-42	116	0	-50
MEAN PRECIP (IN)	1.02	1.51	1.19	3.04	4.28	6.99	5.46	9.24	5.08	2.23	0.47	0.41	40.9	11	-46734
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-46734
MEAN NO DYS PKCP = OR GTR 0.1 IN	2.1	3.9	2.7	5.4	6.3	8.1	4.9	6.6	2.9	1.6	1.2	1.6	47.3	11	-46734
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-46734
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.2	0.2	0.3	0.1	0.1	0.2	0.2	0.3	0.3	0.0	0.0	0.0	0.0	11	-46734
MEAN NO DYS TSTMS	0.0	0.0	0.2	0.5	0.5	0.5	0.2	0.6	0.0	0.0	0.0	0.0	0.0	11	-46734
P FREQ WND SPU = UR GTR 17 KTS	56.5	54.3	38.8	27.2	11.9	5.4	5.6	8.1	23.0	60.2	63.9	65.8	35.1	11	-46734
P FREQ WND SPU = UR GTR 28 KTS	10.9	9.1	6.3	2.9	0.2	0.6	1.0	0.9	4.3	13.1	18.2	15.7	6.9	11	-46734
P FREQ LES 5000 FT A/O LES 5 MI	43.7	44.7	43.5	33.5	23.0	20.8	10.1	15.4	16.1	24.1	34.3	37.6	28.9	11	-46734
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	29.7	33.1	34.2	24.4	12.6	18.2	6.8	11.3	8.2	8.7	18.5	20.1	18.8	11	-46734
03-05 LST	31.6	33.8	36.5	24.2	14.7	15.6	6.5	10.2	8.4	9.7	16.9	20.6	19.1	11	-46734
06-08 LST	33.6	34.5	38.8	24.0	16.8	13.1	6.3	9.2	8.6	10.8	15.4	21.1	19.4	11	-46734
09-11 LST	31.0	31.8	33.6	20.7	14.5	12.3	6.3	8.5	8.0	10.7	15.7	20.7	17.8	11	-46734
12-14 LST	28.5	29.2	28.4	17.4	12.3	11.6	6.3	7.9	7.3	10.7	16.0	20.4	16.3	11	-46734
15-17 LST	28.9	32.5	31.6	20.2	11.8	12.4	7.3	8.0	7.7	10.0	17.6	21.7	17.5	11	-46734
18-20 LST	29.4	35.9	34.8	23.0	11.3	14.2	8.3	8.1	8.2	9.4	19.2	23.0	18.7	11	-46734
21-23 LST	29.5	34.5	34.5	23.7	11.9	16.2	7.0	9.7	8.2	9.0	18.8	21.5	18.7	11	-46734
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.4	0.6	0.7	0.0	0.9	0.0	0.6	0.3	0.3	0.0	0.0	0.3	11	-46734
03-05 LST	1.0	0.2	0.9	0.5	0.6	1.2	0.1	0.9	0.4	0.3	0.0	0.0	0.5	11	-46734
06-08 LST	2.0	0.0	1.3	0.3	1.3	1.5	0.3	1.3	0.6	0.3	0.0	0.0	0.7	11	-46734
09-11 LST	1.1	0.2	0.6	0.1	0.8	1.0	0.4	1.1	0.4	0.1	0.0	0.0	0.5	11	-46734
12-14 LST	0.3	0.4	0.0	0.0	0.3	0.6	0.6	1.0	0.3	0.0	0.0	0.0	0.3	11	-46734
15-17 LST	0.1	0.9	0.0	0.1	0.1	0.7	0.6	1.0	0.4	0.0	0.0	0.0	0.3	11	-46734
18-20 LST	0.0	1.4	0.0	0.3	0.0	0.9	0.6	1.0	0.6	0.0	0.0	0.3	0.4	11	-46734
21-23 LST	0.0	0.9	0.3	0.5	0.0	0.9	0.3	0.8	0.4	0.1	0.0	0.1	0.4	11	-46734

TAIWU, REP. OF CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	OBS	MEAN NUMBER OF DAYS												ANN	DEC	NOV	OCT	SEP	AUG	JUL	JUN	MAY	APR	MAR	FEB	JAN	POR (YRS)	NO.
		14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST	14 LST	20 LST	02 LST	08 LST															
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	22.3	20.5	20.0	23.5	26.9	26.6	29.2	28.1	28.3	29.1	27.4	26.8	308.7	11	-46734												
	14 LST	24.4	21.7	23.1	25.3	27.7	27.1	29.1	28.8	28.5	29.8	27.0	27.7	320.2	11	-46734												
	20 LST	21.9	18.7	19.0	22.8	26.3	23.7	25.4	25.6	25.5	28.1	24.4	25.5	286.9	11	-46734												
	02 LST	22.0	19.5	20.1	22.7	26.0	22.7	24.6	24.1	24.7	28.1	24.8	25.5	284.8	11	-46734												
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	4.7	4.9	8.7	12.0	16.5	18.9	22.9	22.3	15.8	6.0	4.1	3.3	140.1	11	-46734												
	14 LST	3.6	4.1	7.7	8.9	13.4	15.4	18.2	19.1	11.8	3.8	3.1	1.7	110.8	11	-46734												
	20 LST	3.7	5.4	8.2	11.2	16.2	16.8	20.4	18.7	12.3	4.1	4.0	2.4	123.4	11	-46734												
	02 LST	4.3	5.1	8.4	11.8	17.6	16.4	20.7	18.1	14.8	6.2	4.7	4.2	132.3	11	-46734												
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	14.4	12.0	9.9	6.6	2.7	0.8	1.2	1.4	5.3	16.3	16.2	17.8	104.6	11	-46734												
	14 LST	17.9	15.3	11.9	8.2	4.3	2.0	1.5	2.0	7.8	20.7	19.4	21.4	132.4	11	-46734												
	20 LST	15.4	13.6	10.3	6.6	2.9	1.4	1.1	1.2	5.8	19.2	18.0	17.7	113.2	11	-46734												
	02 LST	14.9	13.6	10.5	6.6	2.3	0.9	0.8	1.4	4.9	16.4	17.6	19.1	109.0	11	-46734												
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	5.7	6.0	9.6	11.7	13.7	16.5	16.5	14.4	13.0	5.6	4.4	4.7	121.8	11	-46734												
	14 LST	3.8	5.9	8.8	10.3	14.6	16.0	18.8	16.8	12.8	4.3	2.6	2.4	117.1	11	-46734												
	20 LST	6.2	6.9	10.2	11.2	13.0	14.7	15.3	13.4	10.7	4.6	4.0	4.2	114.4	11	-46734												
	02 LST	5.7	5.5	7.4	9.1	12.8	14.6	14.6	11.5	10.3	5.7	4.7	4.5	106.4	11	-46734												
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	4.2	5.5	4.0	6.6	4.6	2.9	9.6	6.8	6.3	9.9	6.8	6.1	73.3	11	-46734												
	14 LST	6.3	6.0	6.8	7.6	5.1	3.6	9.1	6.6	8.2	7.3	6.5	5.2	78.3	11	-46734												
	20 LST	6.7	7.7	7.4	9.8	9.7	4.9	8.6	8.3	12.1	15.9	10.6	9.5	111.2	11	-46734												
	02 LST	7.0	7.6	6.0	9.3	10.6	9.2	15.9	11.6	14.0	16.3	11.0	10.9	129.4	11	-46734												
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	18.2	15.4	16.2	20.2	23.9	24.4	27.8	26.4	25.4	24.4	21.1	21.0	264.4	11	-46734												
	14 LST	17.9	16.3	19.4	21.9	24.5	24.9	27.6	26.0	25.5	21.5	20.3	19.5	265.3	11	-46734												
	20 LST	17.5	15.1	16.4	19.7	23.7	22.4	24.5	24.4	23.5	25.4	20.4	19.9	252.9	11	-46734												
	02 LST	17.7	15.2	16.9	19.4	23.7	21.1	24.2	22.6	23.4	25.2	20.9	21.2	251.5	11	-46734												
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	16.7	14.6	13.7	18.6	22.0	23.0	27.5	24.8	24.1	23.3	19.1	19.5	246.9	11	-46734												
	14 LST	16.0	15.1	18.2	20.0	22.7	23.5	26.9	24.6	23.9	19.0	17.9	17.0	244.8	11	-46734												
	20 LST	15.3	14.1	14.6	17.7	22.2	21.0	23.9	23.4	22.4	24.5	18.8	17.7	235.6	11	-46734												
	02 LST	15.6	13.9	14.9	17.0	22.2	20.0	23.3	21.0	22.7	24.0	19.1	19.4	233.1	11	-46734												
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	16.7	14.6	13.5	18.6	21.8	22.9	27.5	24.8	24.1	23.3	18.9	19.3	246.0	11	-46734												
	14 LST	15.9	15.1	18.1	19.6	22.7	23.5	26.8	24.6	23.8	19.0	17.8	17.0	243.9	11	-46734												
	20 LST	15.3	14.1	14.6	17.6	21.9	20.4	23.9	23.4	22.4	24.5	18.6	17.6	234.3	11	-46734												
	02 LST	15.4	13.9	14.8	16.7	22.0	20.0	23.3	21.0	22.7	23.9	19.1	19.4	232.2	11	-46734												

MA-KUNG AB, REP. OF CHINA

STA NO. 46734 (IN AREA NUMBER 05)

LATITUDE 2334N

LONGITUDE 11937E

ELEVATION(FT) 00103

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	80	82	84	88	89	93	95	91	90	88	89	80	95	11	3771
MEAN MAX TMP (F)	66	66	71	77	82	85	87	86	86	81	75	69	78	11	3771
MEAN MIN TMP (F)	58	58	62	68	74	77	79	78	78	74	68	62	70	11	3771
ABS MIN TMP (F)	49	44	48	57	63	67	72	72	72	64	57	52	44	11	3771
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.8	6.1	3.6	1.3	0.0	0.0	0.0	12.8	11	3771
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3771
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3771
MEAN DEW PT TMP (F)	56	56	61	67	73	76	78	78	75	69	64	59	68	11	15076
MEAN REL HUM (PCT)	82	83	83	84	86	88	86	87	84	78	78	81	83	11	15076
MEAN PRESS ALT (F1)	-72	-72	18	103	188	273	303	333	233	103	18	-52	117	0	-50
MEAN PRECIP (IN)	1.02	1.51	1.19	3.04	4.28	6.99	5.46	9.24	5.08	2.23	0.47	0.41	40.9	11	3769
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3160
MEAN NO DYS PKCP = OR GTR 0.1 IN	2.1	3.9	2.7	5.4	6.3	8.1	4.9	6.6	2.9	1.6	1.2	1.6	47.3	11	3769
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3160
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.2	0.2	0.3	0.1	0.1	0.2	0.2	0.3	0.3	0.0	0.0	0.0	1.9	11	3770
MEAN NO DYS TSTMS	0.0	0.0	0.2	0.5	0.5	0.5	0.2	0.6	0.0	0.0	0.0	0.0	2.5	11	3771
P FREQ WND SPU = OR GTR 17 KTS	56.5	54.3	38.8	27.2	11.9	5.4	5.6	8.1	23.0	60.2	63.9	65.8	35.1	11	15076
P FREQ WND SPU = OR GTR 28 KTS	10.9	9.1	6.3	2.9	0.2	0.6	1.0	0.9	4.3	13.1	18.2	15.7	6.9	11	15076
P FREQ LES 5000 FT A/O LES 5 MI	43.7	44.7	43.5	33.5	23.0	20.8	10.1	15.4	16.1	24.1	34.3	37.6	28.9	11	14860
P FREQ LES 1500 FT A/O LES 3 MI	29.7	33.1	34.2	24.4	12.6	18.2	6.8	11.3	8.2	8.7	18.5	20.1	18.8	11	3767
FOR 00-02 LST	31.6	33.8	36.5	24.2	14.7	15.6	6.5	10.2	8.4	9.7	16.9	20.6	19.1	11	-30
03-05 LST	33.6	34.5	38.8	24.0	16.8	13.1	6.3	9.2	8.6	10.8	15.4	21.1	19.4	11	3738
06-08 LST	31.0	31.8	33.6	20.7	14.5	12.3	6.3	8.5	8.0	10.7	15.7	20.7	17.8	11	-30
09-11 LST	28.5	29.2	28.4	17.4	12.3	11.6	6.3	7.9	7.3	10.7	16.0	20.4	16.3	11	3755
12-14 LST	28.9	32.5	31.6	20.2	11.8	12.4	7.3	8.0	7.7	10.0	17.6	21.7	17.5	11	-30
15-17 LST	29.4	35.9	34.8	23.0	11.3	14.2	8.3	8.1	8.2	9.4	19.2	23.0	18.7	11	3764
18-20 LST	29.5	34.5	34.5	23.7	11.9	16.2	7.0	9.7	8.2	9.0	18.8	21.5	18.7	11	-30
21-23 LST	0.0	0.4	0.6	0.7	0.0	0.9	0.0	0.6	0.3	0.3	0.0	0.0	0.3	11	3767
FOR 00-02 LST	1.0	0.2	0.9	0.5	0.6	1.2	0.1	0.9	0.4	0.3	0.0	0.0	0.5	11	-30
03-05 LST	2.0	0.0	1.3	0.3	1.3	1.5	0.3	1.3	0.6	0.3	0.0	0.0	0.7	11	3738
06-08 LST	1.1	0.2	0.6	0.1	0.8	1.0	0.4	1.1	0.4	0.1	0.0	0.0	0.5	11	-30
09-11 LST	0.3	0.4	0.0	0.0	0.3	0.6	0.6	1.0	0.3	0.0	0.0	0.0	0.3	11	3755
12-14 LST	0.1	0.9	0.0	0.1	0.1	0.7	0.6	1.0	0.4	0.0	0.0	0.0	0.3	11	-30
15-17 LST	0.0	1.4	0.0	0.3	0.0	0.9	0.6	1.0	0.6	0.0	0.0	0.3	0.4	11	3764
18-20 LST	0.0	0.9	0.3	0.5	0.0	0.9	0.3	0.8	0.4	0.1	0.0	0.1	0.4	11	-30
21-23 LST															

MA-KUNG AB, REP. OF CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	LST	MEAN NUMBER OF DAYS												ANN	DEC	NOV	OCT	SEP	AUG	JUL	JUN	MAY	APR	MAR	FEB	JAN	POR (YRS)	NO. OBS
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC															
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	22.3	20.5	20.0	23.5	26.9	26.6	29.2	28.1	28.3	29.1	27.4	26.8	308.7	11	3738												
	14 LST	24.4	21.7	23.1	25.3	27.7	27.1	29.1	28.8	28.5	29.8	27.0	27.7	320.2	11	3755												
	20 LST	21.9	18.7	19.0	22.8	26.3	23.7	25.4	25.6	25.5	28.1	24.4	25.5	286.9	11	3764												
	02 LST	22.0	19.5	20.1	22.7	26.0	22.7	24.6	24.1	24.7	28.1	24.8	25.5	284.8	11	3767												
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	08 LST	4.7	4.9	8.7	12.0	16.5	18.9	22.9	22.3	15.8	6.0	4.1	3.3	140.1	11	3738												
	14 LST	3.6	4.1	7.7	8.9	13.4	15.4	18.2	19.1	11.8	3.8	3.1	1.7	110.8	11	3754												
	20 LST	3.7	5.4	8.2	11.2	16.2	16.8	20.4	18.7	12.3	4.1	4.0	2.4	123.4	11	3764												
	02 LST	4.3	5.1	8.4	11.8	17.6	16.4	20.7	18.1	14.8	6.2	4.7	4.2	122.3	11	3766												
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	14.4	12.0	9.9	6.6	2.7	0.8	1.2	1.4	5.3	16.3	16.2	17.8	104.6	11	3771												
	14 LST	17.9	15.3	11.9	8.2	4.3	2.0	1.5	2.0	7.8	20.7	19.4	21.4	132.4	11	3770												
	20 LST	15.4	13.6	10.3	6.6	2.9	1.4	1.1	1.2	5.8	19.2	18.0	17.7	113.2	11	3771												
	02 LST	14.9	13.6	10.5	6.6	2.3	0.9	0.8	1.4	4.9	16.4	17.6	19.1	109.0	11	3770												
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	5.7	6.0	9.6	11.7	13.7	16.5	16.5	14.4	13.0	5.6	4.4	4.7	121.8	11	3769												
	14 LST	3.8	5.9	8.8	10.3	14.6	16.0	18.8	16.8	12.8	4.2	2.6	2.4	117.1	11	3770												
	20 LST	6.2	6.9	10.2	11.2	13.0	14.7	15.3	13.4	10.7	4.6	4.0	4.2	114.4	11	3771												
	02 LST	5.7	5.5	7.4	9.1	12.8	14.6	14.6	11.5	10.3	5.7	4.7	4.5	106.4	11	3770												
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	4.2	5.5	4.0	6.6	4.6	2.9	9.6	6.8	6.3	9.9	6.8	6.1	73.3	11	3770												
	14 LST	6.3	6.0	6.8	7.6	5.1	3.6	9.1	6.6	8.2	7.3	6.5	5.2	78.3	11	3771												
	20 LST	6.7	7.7	7.4	9.8	9.7	4.9	8.6	8.3	12.1	15.9	10.6	9.5	111.2	11	3771												
	02 LST	7.0	7.6	6.0	9.3	10.6	9.2	15.9	11.6	14.0	16.3	11.0	10.9	129.4	11	3771												
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	18.2	15.4	16.2	20.2	23.9	24.4	27.8	26.4	25.4	24.4	21.1	21.0	264.4	11	3738												
	14 LST	17.9	16.3	19.4	21.9	24.5	24.9	27.6	26.0	25.5	21.5	20.3	19.5	265.3	11	3755												
	20 LST	17.5	15.1	16.4	19.7	23.7	22.4	24.5	24.4	23.5	25.4	20.4	19.9	252.9	11	3764												
	02 LST	17.7	15.2	16.9	19.4	23.7	21.1	24.2	22.6	23.4	25.2	20.9	21.2	251.5	11	3767												
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	16.7	14.6	13.7	18.6	22.0	23.0	27.5	24.8	24.1	23.3	19.1	19.5	246.9	11	3738												
	14 LST	16.0	15.1	18.2	20.0	22.7	23.5	26.9	24.6	23.9	19.0	17.9	17.0	244.8	11	3755												
	20 LST	15.3	14.1	14.6	17.7	22.2	21.0	23.9	23.4	22.4	24.5	18.8	17.7	235.6	11	3764												
	02 LST	15.6	13.9	14.9	17.0	22.2	20.0	23.3	21.0	22.7	24.0	19.1	19.4	233.1	11	3767												
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	16.7	14.6	13.5	18.6	21.8	22.9	27.5	24.8	24.1	23.3	18.9	19.3	246.0	11	3738												
	14 LST	15.9	15.1	18.1	19.6	22.7	23.5	26.8	24.6	23.8	19.0	17.8	17.0	243.9	11	3755												
	20 LST	15.3	14.1	14.6	17.6	21.9	20.4	23.9	23.4	22.4	24.5	18.6	17.6	234.3	11	3764												
	02 LST	15.4	13.9	14.8	16.7	22.0	20.0	23.3	21.0	22.7	23.9	19.1	19.4	232.2	11	3767												

PRATAS IS., REP. OF CHINA

STA NO. 46810 (IN AREA NUMBER 05)

LONGITUDE 11643E ELEVATION(FT) 00010

LATITUDE 2042N

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	-120	-90	-30	35	120	195	250	240	165	10	-63	-105	52	0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP ≥ OR GTR 90(F)														0	0
MEAN NO DYS TMP ≥ OR LES 32(F)														0	0
MEAN NO DYS TMP ≥ OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD ≥ UR GTR 17 KTS														0	0
P FREQ WND SPD ≥ UR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

PRATAS IS., REP. OF CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	08 LST													0	0
3 MI W/SFC WND LES 10 KTS	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0

DATA NOT AVAILABLE

AREA NO. 05

LATITUDE 2330N
LONGITUDE 11930E

PESCADORES ISLES

CHINA, REPUBLIC OF

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	66	66	71	77	82	85	87	86	86	81	75	69	78
MEAN MIN TMP (F)	58	58	62	68	74	77	79	78	78	74	68	62	70
LARGEST MEAN PRECIP(IN)	1.02	1.51	1.19	3.04	4.28	6.99	5.46	9.24	5.08	2.23	0.47	0.41	40.9
SMALLEST MEAN PRECIP(IN)	1.02	1.51	1.19	3.04	4.28	6.99	5.46	9.24	5.08	2.23	0.47	0.41	40.9
MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND	22.3	20.5	20.0	23.5	26.9	26.6	29.2	28.1	28.3	29.1	27.4	26.8	308.7
VSBY = GTR 3 MI	14 LST	24.4	21.7	23.1	25.3	27.7	27.1	28.8	28.5	29.8	27.0	27.7	320.2
	20 LST	21.9	18.7	19.0	22.8	26.3	23.7	25.4	25.6	25.5	24.4	25.5	286.9
	02 LST	22.0	19.5	20.1	22.7	26.0	22.7	24.6	24.1	24.7	24.8	25.5	284.8
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	4.7	4.9	8.7	12.0	16.5	18.9	22.9	22.3	15.8	6.0	4.1	3.3	140.1
	14 LST	3.6	4.1	7.7	8.9	13.4	15.4	18.2	19.1	11.8	3.8	3.1	110.8
	20 LST	3.7	5.4	8.2	11.2	16.2	16.8	20.4	18.7	12.3	4.1	4.0	123.4
	02 LST	4.3	5.1	8.4	11.8	17.6	16.4	20.7	18.1	14.8	6.2	4.7	132.3
SFC WND = GTR 17 KTS AND NO PRECIP.	14.4	12.0	9.9	6.6	2.7	0.8	1.2	1.4	5.3	16.3	16.2	17.8	104.6
	14 LST	17.9	15.3	11.9	8.2	4.3	2.0	1.5	2.0	7.8	20.7	19.4	132.4
	20 LST	15.4	13.6	10.3	6.6	2.9	1.4	1.2	5.8	19.2	18.0	17.7	113.2
	02 LST	14.9	13.6	10.5	6.6	2.3	0.9	1.4	4.9	16.4	17.6	19.1	109.0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	5.7	6.0	9.6	11.7	13.7	16.5	16.5	14.4	13.0	5.6	4.4	4.7	121.8
	14 LST	3.8	5.9	8.8	10.3	14.6	16.0	18.8	16.8	12.8	4.3	2.6	117.1
	20 LST	6.2	6.9	10.2	11.2	13.0	14.7	15.3	13.4	10.7	4.6	4.0	114.4
	02 LST	5.7	5.5	7.4	9.1	12.8	14.6	14.6	11.5	10.3	5.7	4.7	106.4
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	4.2	5.5	4.0	6.6	4.6	2.9	9.6	6.8	6.3	9.9	6.8	6.1	73.3
	14 LST	6.3	6.0	6.8	7.6	5.1	3.6	9.1	6.6	8.2	7.3	6.5	78.3
	20 LST	6.7	7.7	7.4	9.8	9.7	4.5	8.6	8.3	12.1	15.9	10.6	111.2
	02 LST	7.0	7.6	6.0	9.3	10.6	9.2	15.9	11.6	14.0	16.3	11.0	129.4
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18.2	15.4	16.2	20.2	23.9	24.4	27.8	26.4	25.4	24.4	21.1	21.0	264.4
	14 LST	17.9	16.3	19.4	21.9	24.5	24.9	27.6	26.0	25.5	20.3	19.5	265.3
	20 LST	17.5	15.1	16.4	19.7	23.7	22.4	24.5	24.4	23.5	20.4	19.9	252.9
	02 LST	17.7	15.2	16.9	19.4	23.7	21.1	24.2	22.6	23.4	20.9	21.2	251.5
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16.7	14.6	13.7	18.6	22.0	23.0	27.5	24.8	24.1	23.3	19.1	19.5	246.9
	14 LST	16.0	15.1	18.2	20.0	22.7	23.5	26.9	24.6	23.9	19.0	17.9	244.8
	20 LST	15.3	14.1	14.6	17.7	22.2	21.0	23.9	23.4	22.4	24.5	18.8	235.6
	02 LST	15.6	13.9	14.9	17.0	22.2	20.0	23.3	21.0	22.7	24.0	19.1	233.1
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16.7	14.6	13.5	18.6	21.8	22.9	27.5	24.8	24.1	23.3	18.9	19.3	246.0
	14 LST	15.9	15.1	18.1	19.6	22.7	23.5	26.8	24.6	23.8	19.0	17.8	243.9
	20 LST	15.3	14.1	14.6	17.6	21.9	20.4	23.9	23.4	22.4	24.5	18.6	234.3
	02 LST	15.4	13.9	14.8	16.7	22.0	20.0	23.3	21.0	22.7	23.9	19.1	232.2

MATSU, REP. OF CHINA

STA NO. 46689 (IN AREA NUMBER 06) LATITUDE 2610N LONGITUDE 11956E ELEVATION(FT) 00298

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	OBS NO.
ABS MAX TMP (F)	71	72	75	84	83	92	92	96	94	87	80	76	96	10	3468
MEAN MAX TMP (F)	56	55	59	66	73	80	86	87	84	77	69	61	71	10	3468
MEAN MIN TMP (F)	48	47	51	58	65	74	78	79	76	69	61	53	63	10	3468
ABS MIN TMP (F)	36	33	38	45	55	63	73	74	65	53	47	41	33	10	3468
MEAN NO DYS TMP ≥ OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.3	1.8	7.0	2.7	0.0	0.0	0.0	11.8	10	3468
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3468
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3468
MEAN DEW PT TMP (F)	44	45	50	57	65	73	77	77	73	63	57	50	61	10	13872
MEAN REL HUM (PCT)	78	83	86	84	88	89	86	85	81	73	76	78	82	10	13872
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.31	3.79	3.79	3.51	7.46	5.41	2.59	5.02	6.33	1.31	1.11	1.37	43.0	8	2818
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2309
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	3.7	8.4	8.3	7.6	11.1	8.7	2.9	4.6	5.8	2.0	2.6	2.9	68.6	8	2818
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2309
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.7	1.9	5.1	6.5	7.2	2.5	0.3	0.1	0.1	0.2	0.3	0.6	26.5	10	3450
MEAN NO DYS TSTMS	0.0	0.3	0.7	1.3	0.8	0.5	0.3	0.2	0.3	0.0	0.0	0.0	4.4	10	3469
P FREQ WND SPD ≥ OR GTR 17 KTS	32.9	30.8	25.1	24.3	16.1	20.3	21.3	14.0	20.1	36.2	43.9	41.8	27.2	10	13876
P FREQ WND SPD ≥ OR GTR 28 KTS	2.0	2.0	2.2	0.7	0.3	0.8	1.5	2.2	3.8	5.5	8.2	4.8	2.8	10	13876
P FREQ LES 5000 FT A/O LES 5 MI	42.2	45.3	50.0	44.3	52.6	42.8	17.6	24.4	32.3	27.4	33.0	33.1	37.1	10	13740
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	20.5	30.3	32.0	25.7	37.8	25.3	6.8	11.2	14.7	6.5	13.3	12.3	19.7	10	3463
03-05 LST	22.5	24.5	31.2	26.5	38.3	26.9	10.5	11.0	15.7	9.7	14.3	13.8	20.8	10	-30
06-08 LST	24.6	28.6	30.5	27.3	38.8	28.3	14.2	10.8	16.6	12.9	15.2	15.3	21.9	11	3714
09-11 LST	22.5	24.6	27.4	21.3	32.8	23.0	9.5	8.2	14.1	10.8	13.2	14.2	18.5	11	-30
12-14 LST	20.5	20.4	24.3	15.4	26.9	17.7	4.9	5.4	11.7	8.8	11.2	13.1	15.0	11	3712
15-17 LST	21.4	24.6	25.9	18.6	31.8	20.5	5.3	7.9	13.7	8.5	11.1	12.8	16.8	10	-30
18-20 LST	22.3	28.9	27.6	21.9	36.7	23.3	5.8	10.4	15.7	8.1	11.0	12.6	18.7	10	3463
21-23 LST	21.4	29.6	28.6	23.8	37.2	24.3	6.3	10.8	15.2	7.3	12.6	12.4	19.1	10	-30
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	3.2	3.9	8.6	10.4	11.5	4.3	0.0	0.4	1.0	0.0	0.3	0.6	3.7	10	3463
03-05 LST	3.0	3.9	9.3	11.7	11.4	4.5	0.5	0.5	0.6	0.4	0.4	0.7	3.9	10	-30
06-08 LST	2.9	3.9	10.1	13.0	11.4	4.7	1.0	0.7	0.3	0.9	0.6	0.9	4.2	11	3714
09-11 LST	3.0	3.2	8.7	8.2	8.6	3.2	0.6	0.3	0.3	0.4	0.3	0.9	3.1	11	-30
12-14 LST	3.2	2.5	7.4	5.4	3.9	1.7	0.3	0.0	0.3	0.0	0.0	0.9	2.1	11	3712
15-17 LST	3.7	4.0	8.2	5.8	6.8	2.3	0.4	0.0	0.5	0.0	0.1	0.7	2.7	10	-30
18-20 LST	4.3	5.5	9.0	6.3	9.7	3.0	0.6	0.0	0.7	0.0	0.3	0.6	3.3	10	3463
21-23 LST	3.7	4.7	8.8	6.3	10.6	3.6	0.3	0.2	0.8	0.0	0.3	0.6	3.5	10	-30

MATSU, REP. OF CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 24.5	21.6	22.0	22.7	19.3	22.0	27.9	28.4	26.3	28.1	26.5	26.5	296.2	11	3714
	14 LST 25.5	23.7	24.9	26.1	23.7	25.4	30.1	29.5	27.4	29.1	27.5	27.3	320.2	11	3712
	20 LST 26.0	21.1	23.4	24.5	19.9	23.7	29.9	28.6	26.1	29.4	28.1	28.2	308.9	10	3463
	02 LST 26.1	20.7	22.1	22.5	19.8	23.0	29.6	28.5	26.3	29.8	27.9	28.0	304.3	10	3463
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST 9.2	8.4	10.0	11.4	12.9	13.0	14.6	17.8	13.7	10.5	7.7	6.4	135.6	11	3714
	14 LST 10.4	11.1	11.7	12.8	13.6	12.9	13.2	17.1	13.7	11.0	8.2	8.6	144.3	11	3712
	20 LST 10.9	9.4	11.0	11.8	10.6	11.7	12.7	17.2	13.9	10.9	8.8	8.9	137.8	10	3463
	02 LST 7.8	6.7	8.2	10.1	10.1	11.0	12.1	16.0	12.8	9.0	6.1	5.9	115.8	10	3463
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST 7.5	5.3	4.6	5.6	2.3	3.8	3.2	2.9	3.2	8.8	10.3	9.1	66.6	11	3725
	14 LST 6.2	5.4	4.3	5.2	3.9	6.3	6.5	3.3	4.0	10.0	10.5	9.5	75.1	11	3726
	20 LST 6.5	4.3	4.1	5.1	3.2	5.3	6.9	3.0	4.2	10.7	11.6	10.5	75.4	10	3470
	02 LST 10.9	8.3	7.3	6.2	3.3	5.1	6.7	4.9	5.2	11.0	13.8	14.2	96.9	10	3469
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 10.9	7.6	8.3	9.4	11.2	9.4	10.8	14.3	11.0	11.1	7.8	8.0	119.8	11	3725
	14 LST 11.4	10.0	10.3	12.1	11.0	10.1	10.3	12.0	11.6	11.1	8.0	10.3	128.2	11	3726
	20 LST 11.3	9.5	10.7	9.5	9.3	10.2	9.5	12.6	10.7	10.0	8.7	8.3	120.3	10	3470
	02 LST 8.1	7.3	6.9	9.0	9.2	9.9	8.3	12.6	9.4	8.1	6.5	6.2	101.5	10	3469
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 5.2	5.2	2.4	4.0	2.6	2.2	5.8	7.0	5.3	6.9	7.1	7.0	60.7	11	3720
	14 LST 8.0	7.0	4.9	5.1	4.3	4.2	10.8	11.2	9.5	11.8	9.8	10.3	96.9	11	3718
	20 LST 7.4	6.4	4.4	6.7	4.1	4.1	11.2	13.8	9.7	12.2	10.0	10.4	100.4	10	3464
	02 LST 6.7	5.9	3.9	5.8	3.8	5.5	14.4	12.0	8.6	11.1	8.8	9.7	96.2	10	3465
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 20.2	17.5	18.1	18.9	15.7	18.7	24.0	24.6	21.4	23.9	22.0	22.5	247.5	11	3714
	14 LST 21.3	20.4	20.6	22.1	20.3	23.0	28.8	27.5	24.0	26.0	23.7	24.1	281.8	11	3712
	20 LST 20.6	17.9	19.0	20.1	16.8	20.5	28.0	25.9	22.4	26.3	24.2	24.9	266.6	10	3463
	02 LST 21.6	16.7	17.8	18.9	16.6	19.7	27.3	25.0	23.0	26.7	22.9	24.6	260.8	10	3463
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 15.6	13.1	12.3	13.0	11.6	14.4	21.9	21.3	18.2	18.5	18.1	16.9	194.9	11	3714
	14 LST 16.6	15.9	14.9	16.8	16.2	20.5	28.0	25.4	21.0	23.3	19.1	18.8	236.5	11	3712
	20 LST 15.6	13.7	13.3	14.3	12.6	15.9	25.4	23.0	19.4	21.4	18.8	20.2	213.6	10	3463
	02 LST 16.2	11.1	11.6	12.9	11.7	13.9	24.7	21.0	18.7	20.2	17.4	18.4	197.8	10	3463
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 15.4	12.8	12.1	12.7	11.6	14.2	21.3	21.3	18.2	18.3	18.1	16.5	193.1	11	3714
	14 LST 16.4	15.4	14.7	16.4	15.8	20.3	26.0	25.4	20.9	23.3	19.1	18.8	234.5	11	3712
	20 LST 14.9	13.6	12.9	14.0	12.2	15.9	25.4	22.9	19.3	21.2	18.8	20.2	211.3	10	3463
	02 LST 16.2	11.1	11.3	12.8	11.7	13.8	24.5	21.0	18.7	20.1	17.2	18.4	196.8	10	3463

KINMEN, REP. OF CHINA

STA NO. 46736 (IN AREA NUMBER 06) LATITUDE 2425N LONGITUDE 11820E ELEVATION(FT) 00036

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	74	78	81	85	89	94	97	101	96	89	88	82	101	10	3406
MEAN MAX TMP (F)	60	59	63	70	78	83	87	88	86	79	73	65	74	10	3406
MEAN MIN TMP (F)	50	50	54	60	68	75	78	78	76	69	62	55	65	10	3406
ABS MIN TMP (F)	38	38	39	47	58	64	69	70	68	56	48	43	38	10	3406
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.8	5.5	5.9	2.8	0.0	0.0	0.0	15.0	10	3406
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3406
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3406
MEAN DEW PT TMP (F)	47	48	53	59	68	75	77	77	74	64	57	51	63	10	12248
MEAN REL HUM (PCT)	77	81	83	84	87	89	86	81	81	73	73	75	81	10	12248
MEAN PRESS ALI (FT)														0	0
MEAN PRECIP (IN)	0.67	2.58	1.73	2.39	4.03	4.22	4.28	3.11	3.67	0.17	0.61	0.33	27.8	10	3145
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2154
MEAN NO DYS PKCP = OR GTR 0.1 IN	1.9	4.7	3.7	5.5	6.2	6.8	3.3	3.6	3.1	0.5	1.4	1.2	41.9	10	3145
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2154
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	1.2	1.8	4.9	5.9	3.8	1.1	0.3	0.1	0.1	0.0	0.3	0.2	19.7	10	3604
MEAN NO DYS TSMS	0.0	0.0	0.3	0.4	0.8	0.2	0.3	0.1	0.6	0.0	0.0	0.1	2.9	10	3406
P FREQ WND SPD = OR GTR 17 KTS	52.5	49.9	41.7	30.7	25.0	26.6	19.6	16.5	29.7	51.0	52.7	51.6	37.3	10	13624
P FREQ WND SPD = OR GTR 28 KTS	14.7	12.3	11.4	6.5	4.1	2.8	1.9	1.6	4.9	12.8	18.5	11.4	8.6	10	13624
P FREQ LES 5000 FT A/O LES 5 MI	29.6	34.1	41.5	40.9	31.6	25.8	12.8	14.2	14.7	12.7	18.7	21.2	24.8	10	13580
P FREQ LES 1500 FT A/O LES 3 MI	10.0	16.1	25.4	28.3	28.0	13.3	5.7	4.8	3.7	2.6	2.7	4.8	12.1	10	3406
FOR 00-02 LST	11.2	15.7	24.8	25.7	25.1	15.3	6.9	5.4	4.0	2.1	3.3	5.3	12.1	10	-30
03-05 LST	12.5	15.3	24.2	23.1	22.3	17.4	8.2	6.0	4.3	1.6	4.0	5.8	12.1	10	3402
06-08 LST	9.5	11.9	19.3	18.5	16.5	12.7	6.8	4.1	3.6	0.9	3.1	4.8	9.3	10	-30
09-11 LST	6.5	8.6	14.7	14.0	10.8	8.1	5.4	2.4	2.0	0.3	2.3	3.9	6.6	10	3402
12-14 LST	8.6	10.2	17.4	17.7	13.4	10.0	4.3	3.2	2.8	0.9	3.1	3.2	7.9	10	-30
15-17 LST	10.8	11.8	20.1	21.5	16.1	11.9	3.2	4.0	3.7	1.6	4.0	4.5	9.4	10	3402
18-20 LST	10.4	13.9	22.7	24.9	23.0	12.6	4.4	4.4	3.7	2.1	3.3	4.6	10.8	10	-30
21-23 LST	2.2	2.7	9.3	13.3	9.3	2.2	0.0	0.0	0.3	0.0	0.7	0.0	3.3	10	3406
FOR 00-02 LST	2.3	2.5	9.5	14.3	9.1	3.1	0.2	0.0	0.3	0.0	0.7	0.1	3.5	10	-30
03-05 LST	2.5	2.4	9.7	15.4	9.0	4.1	0.4	0.0	0.3	0.0	0.7	0.3	3.7	10	3402
06-08 LST	1.4	2.0	7.0	10.5	5.6	2.6	0.5	0.0	0.3	0.0	0.3	0.3	2.5	10	-30
09-11 LST	0.4	1.6	4.3	5.7	2.2	1.1	0.7	0.0	0.3	0.0	0.0	0.3	1.4	10	3402
12-14 LST	0.9	2.1	5.5	8.5	1.8	1.6	0.3	0.0	0.5	0.0	0.1	0.1	1.8	10	-30
15-17 LST	1.4	2.7	6.8	11.4	1.4	2.2	0.0	0.0	0.7	0.0	0.3	0.0	2.2	10	3402
18-20 LST	1.1	2.7	8.0	12.4	5.4	2.2	0.0	0.0	0.5	0.0	0.5	0.0	2.7	10	-30
21-23 LST															

KINMEN, REP. OF CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST 28.0	23.7	22.9	22.7	21.9	24.2	28.6	29.5	29.0	30.8	28.9	29.8	320.0	10	3402
	14 LST 29.3	25.2	26.5	25.6	27.3	27.5	29.2	30.3	29.2	30.8	29.1	30.2	340.2	10	3402
	20 LST 27.9	24.5	25.0	23.4	25.8	26.9	30.2	29.7	29.1	30.9	28.9	29.8	332.1	10	3402
	02 LST 27.8	23.4	23.4	21.2	22.5	25.5	29.3	29.9	29.1	30.7	29.3	29.4	321.5	10	3406
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	08 LST 8.0	7.1	8.6	10.9	11.3	11.1	16.6	19.6	14.6	8.2	8.2	9.7	133.9	10	3402
	14 LST 6.4	5.5	8.0	7.9	10.3	9.9	11.1	11.3	9.5	4.0	5.1	4.2	93.2	10	3402
	20 LST 7.2	6.4	9.1	9.7	11.5	10.2	13.5	15.6	12.5	6.6	6.2	7.3	115.8	10	3402
	02 LST 7.0	6.0	8.6	9.6	11.1	12.7	15.9	18.7	14.5	7.9	8.8	7.5	128.3	10	3406
SFC WND = GIR 17 KTS AND NO PRECIP.	08 LST 13.9	10.0	9.4	6.8	5.3	5.0	2.1	2.4	6.4	11.7	12.7	13.3	99.0	10	3406
	14 LST 16.3	13.2	11.9	9.4	7.7	9.3	7.3	7.5	9.8	18.8	16.7	17.7	145.6	10	3406
	20 LST 15.2	11.3	11.0	8.5	7.2	6.0	6.0	4.6	8.8	17.4	15.6	15.7	127.8	10	3406
	02 LST 15.3	11.3	11.5	8.3	6.5	6.2	5.1	4.1	6.2	14.5	15.1	14.7	120.8	10	3406
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST 6.5	5.9	6.6	8.6	11.3	10.5	15.3	12.8	11.4	8.0	6.8	8.6	112.3	10	3062
	14 LST 7.1	5.4	8.9	8.1	9.8	8.5	9.4	7.8	8.8	4.2	4.7	5.1	87.8	10	3062
	20 LST 6.1	5.2	8.6	8.6	9.1	7.6	10.4	10.0	11.6	5.4	5.0	6.1	93.7	10	3062
	02 LST 4.2	4.9	7.5	7.4	8.7	9.0	11.6	12.0	9.0	7.0	7.2	6.4	94.9	10	3062
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST 7.0	5.6	2.1	3.9	2.5	1.7	5.4	5.5	7.9	13.9	10.4	9.3	75.2	10	3406
	14 LST 10.2	8.1	5.6	7.3	5.4	3.7	9.7	9.6	9.5	16.2	13.6	13.1	112.0	10	3405
	20 LST 10.1	9.1	5.5	8.8	6.0	3.8	8.6	10.1	12.5	19.3	14.7	15.1	123.6	10	3405
	02 LST 8.4	7.0	4.4	5.4	4.9	5.9	14.0	12.2	11.6	17.8	13.7	12.4	117.7	10	3406
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST 24.1	20.0	19.6	19.7	20.2	22.5	27.2	27.5	27.2	29.5	26.9	26.8	291.2	10	3402
	14 LST 26.5	23.4	23.8	23.7	25.8	26.3	28.3	29.2	28.2	30.0	28.1	28.3	321.6	10	3402
	20 LST 24.6	22.0	21.2	20.3	23.2	24.7	28.9	28.7	27.5	29.2	27.0	27.8	305.1	10	3402
	02 LST 24.1	19.7	19.7	18.2	19.7	23.2	27.7	28.4	26.9	28.4	26.9	26.5	289.4	10	3406
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST 19.9	14.8	14.8	14.0	17.1	19.7	26.0	25.0	24.2	25.2	21.8	22.0	244.5	10	3402
	14 LST 23.3	20.0	19.7	19.6	23.4	23.9	27.7	28.2	26.6	27.7	25.0	25.1	290.2	10	3402
	20 LST 20.6	17.6	15.9	15.5	19.9	20.8	27.1	25.2	24.7	26.7	23.0	23.0	260.4	10	3402
	02 LST 19.5	15.4	14.0	14.0	16.1	18.9	24.8	24.4	23.4	25.5	21.9	22.5	240.4	10	3406
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST 19.9	14.8	14.8	14.0	17.1	19.7	26.0	25.0	24.2	25.1	21.7	22.0	244.3	10	3402
	14 LST 23.2	19.9	19.6	19.6	23.4	23.8	27.5	28.2	26.6	27.6	25.0	25.1	289.5	10	3402
	20 LST 20.6	17.6	15.9	15.9	19.9	20.8	27.1	25.2	24.7	26.7	23.0	23.0	260.4	10	3402
	02 LST 19.5	15.4	14.0	13.9	16.1	18.9	24.8	24.4	23.4	25.5	21.9	22.5	240.3	10	3406

SHA-T-OU, REP. OF CHINA

STA NO. 46737 (IN AREA NUMBER 06)

ELEVATION(FT) 00030

LONGITUDE 11821E

LATITUDE 2426N

POR NO.
(YRS) OBS

PARAMETER DESCRIPTION

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
ABS MAX TMP (F)	74	78	81	85	89	94	97	101	96	89	88	82	101	10 -46736
MEAN MAX TMP (F)	60	59	63	70	78	83	87	88	86	79	73	65	74	10 -46736
MEAN MIN TMP (F)	50	50	54	60	68	75	78	78	76	69	62	55	65	10 -46736
ABS MIN TMP (F)	38	38	39	47	58	64	69	70	68	56	48	43	38	10 -46736
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.8	5.5	5.9	2.8	0.0	0.0	0.0	15.0	10 -46736
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10 -46736
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10 -46736
MEAN DEW PT TMP (F)	47	48	53	59	68	75	77	77	74	64	57	51	63	10 -46736
MEAN REL HUM (PCT)	77	81	83	84	87	89	86	84	81	73	73	75	81	10 -46736
MEAN PRESS ALT (FT)	-147	-104	-55	34	123	207	254	253	150	14	-67	-123	45	0 -50
MEAN PRECIP (IN)	0.67	2.58	1.73	2.39	4.03	4.22	4.28	3.11	3.67	0.17	0.61	0.33	27.8	10 -46736
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8 -46736
MEAN NO DYS PKCP = OR GTR 0.1 IN	1.9	4.7	3.7	5.5	6.2	6.8	3.3	3.6	3.1	0.5	1.4	1.2	41.9	10 -46736
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8 -46736
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	1.2	1.8	4.9	5.9	3.8	1.1	0.3	0.1	0.1	0.0	0.3	0.2	19.7	10 -46736
MEAN NO DYS TSTMS	0.0	0.1	0.3	0.4	0.8	0.2	0.3	0.1	0.6	0.0	0.0	0.1	2.9	10 -46736
P FREQ WND SPU = OR GTR 17 KTS	52.5	49.9	41.7	30.7	25.0	26.6	19.6	16.5	29.7	51.0	52.7	51.6	37.3	10 -46736
P FREQ WND SPU = OR GTR 28 KTS	14.7	2.3	11.4	6.5	4.1	2.8	1.9	1.6	4.9	12.8	18.5	11.4	8.6	10 -46736
P FREQ LES 5000 FT A/O LES 5 MI	29.6	34.1	41.5	40.9	31.6	25.8	12.8	14.2	14.7	12.7	18.7	21.2	24.8	10 -46736
P FREQ LES 1500 FT A/O LES 3 MI	10.0	16.1	25.4	28.3	28.0	13.3	5.7	4.8	3.7	2.6	2.7	4.8	12.1	10 -46736
FOR 00-02 LST														
03-05 LST	11.2	15.7	24.8	25.7	25.1	15.3	6.9	5.4	4.0	2.1	3.3	5.3	12.1	10 -46736
06-08 LST	12.5	15.3	24.2	23.1	22.3	17.4	8.2	6.0	4.3	1.6	4.0	5.8	12.1	10 -46736
09-11 LST	9.5	11.9	19.3	18.5	16.5	12.7	6.8	4.1	3.6	0.9	3.1	4.8	9.3	10 -46736
12-14 LST	6.5	8.6	14.7	14.0	10.8	8.1	5.4	2.4	2.0	0.3	2.3	3.9	6.6	10 -46736
15-17 LST	8.6	10.2	17.4	17.7	13.4	10.0	4.3	3.2	2.8	0.9	3.1	3.2	7.9	10 -46736
18-20 LST	10.8	11.8	20.1	21.5	16.1	11.9	3.2	4.0	3.7	1.6	4.0	4.5	9.4	10 -46736
21-23 LST	10.4	13.9	22.7	24.9	23.0	12.6	4.4	4.4	3.7	2.1	3.3	4.6	10.8	10 -46736
P FREQ LES 300 FT A/O LES 1 MI														
FOR 00-02 LST														
03-05 LST	2.2	2.7	9.3	13.3	9.3	2.2	0.0	0.0	0.3	0.0	0.7	0.0	3.3	10 -46736
06-08 LST	2.3	2.5	9.5	14.3	9.1	3.1	0.2	0.0	0.3	0.0	0.7	0.1	3.5	10 -46736
09-11 LST	2.5	2.4	9.7	15.4	9.0	4.1	0.4	0.0	0.3	0.0	0.7	0.3	3.7	10 -46736
12-14 LST	1.4	2.0	7.0	10.5	5.6	2.6	0.5	0.0	0.3	0.0	0.3	0.3	2.5	10 -46736
15-17 LST	0.4	1.6	4.3	5.7	2.2	1.1	0.7	0.0	0.3	0.0	0.0	0.3	1.4	10 -46736
18-20 LST	0.9	2.1	5.5	8.5	1.8	1.6	0.3	0.0	0.5	0.0	0.1	0.1	1.8	10 -46736
21-23 LST	1.4	2.7	6.8	11.4	1.4	2.2	0.0	0.0	0.7	0.0	0.3	0.0	2.2	10 -46736
	1.1	2.7	8.0	12.4	5.4	2.2	0.0	0.0	0.5	0.0	0.5	0.0	2.7	10 -46736

SHA-T-OU, REP. OF CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	MEAN NUMBER OF DAYS												DEC	ANN	POR (YRS)	NO. OBS
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC				
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	28.0	23.7	22.9	22.7	21.9	24.2	28.6	29.5	29.0	30.8	28.9	29.8	320.0	10	-46736
	14 LST	29.3	25.2	26.5	25.6	27.3	27.5	29.2	30.3	29.2	30.8	29.1	30.2	340.2	10	-46736
	20 LST	27.9	24.5	25.0	23.4	25.8	26.9	30.2	29.7	29.1	30.9	28.9	29.8	332.1	10	-46736
	02 LST	27.8	23.4	23.4	21.2	22.5	25.5	29.3	29.9	29.1	30.7	29.3	29.4	321.5	10	-46736
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	8.0	7.1	8.6	10.9	11.3	11.1	16.6	19.6	14.6	8.2	8.2	9.7	133.9	10	-46736
	14 LST	6.4	5.5	8.0	7.9	10.3	9.9	11.1	11.3	9.5	4.0	5.1	4.2	93.2	10	-46736
	20 LST	7.2	6.4	9.1	9.7	11.5	10.2	13.5	15.6	12.5	6.6	6.2	7.3	115.8	10	-46736
	02 LST	7.0	6.0	8.6	9.6	11.1	12.7	15.9	18.7	14.5	7.9	8.8	7.5	128.3	10	-46736
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	13.9	10.0	9.4	6.8	5.3	5.0	2.1	2.4	6.4	11.7	12.7	13.3	59.0	10	-46736
	14 LST	16.3	13.2	11.9	9.4	7.7	9.3	7.3	7.5	9.8	18.8	16.7	17.7	145.6	10	-46736
	20 LST	15.2	11.3	11.0	8.5	6.5	7.2	6.0	4.6	8.8	17.4	15.6	15.7	127.8	10	-46736
	02 LST	15.3	11.3	11.5	8.3	6.5	6.2	5.1	4.1	8.2	14.5	15.1	14.7	120.8	10	-46736
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	6.5	5.9	6.6	8.6	11.3	10.5	15.3	12.8	11.4	8.0	6.8	8.6	112.3	10	-46736
	14 LST	7.1	5.4	8.9	8.1	9.8	8.5	9.4	7.8	8.8	4.2	4.7	5.1	87.8	10	-46736
	20 LST	6.1	5.2	8.6	8.6	9.1	7.6	10.4	10.0	11.6	5.4	5.0	6.1	93.7	10	-46736
	02 LST	4.2	4.9	7.5	7.4	8.7	9.0	11.6	12.0	9.0	7.0	7.2	6.4	94.9	10	-46736
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	7.0	5.6	2.1	3.9	2.5	1.7	5.4	5.5	7.9	13.9	10.4	9.3	75.2	10	-46736
	14 LST	10.2	8.1	5.6	7.3	5.4	3.7	9.7	9.6	9.5	16.2	13.6	13.1	112.0	10	-46736
	20 LST	10.1	9.1	5.5	8.8	6.0	3.8	8.6	10.1	12.5	19.3	14.7	15.1	123.6	10	-46736
	02 LST	8.4	7.0	4.4	5.4	4.9	5.9	14.0	12.2	11.6	17.8	13.7	12.4	117.7	10	-46736
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	24.1	20.0	19.6	19.7	20.2	22.5	27.2	27.5	27.2	29.5	26.9	26.8	291.2	10	-46736
	14 LST	26.5	23.4	23.8	23.7	25.8	26.3	28.3	29.2	28.2	30.0	28.1	28.3	321.6	10	-46736
	20 LST	24.6	22.0	21.2	20.3	23.2	24.7	28.9	28.7	27.5	29.2	27.0	27.8	305.1	10	-46736
	02 LST	24.1	19.7	19.7	18.2	19.7	23.2	27.7	28.4	26.9	28.4	26.9	26.5	289.4	10	-46736
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	19.9	14.8	14.8	14.0	17.1	19.7	26.0	25.0	24.2	25.2	21.8	22.0	244.5	10	-46736
	14 LST	23.3	20.0	19.7	19.6	23.4	23.9	27.7	28.2	26.6	27.7	25.0	25.1	290.2	10	-46736
	20 LST	20.6	17.6	15.9	15.9	19.9	20.8	27.1	25.2	24.7	26.7	23.0	23.0	260.4	10	-46736
	02 LST	19.5	15.4	14.0	14.0	16.1	18.9	24.8	24.4	23.4	25.5	21.9	22.5	240.4	10	-46736
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	19.9	14.8	14.8	14.0	17.1	19.7	26.0	25.0	24.2	25.1	21.7	22.0	244.3	10	-46736
	14 LST	23.2	19.9	19.6	19.6	23.4	23.8	27.5	28.2	26.6	27.6	25.0	25.1	289.5	10	-46736
	20 LST	20.6	17.6	15.9	15.9	19.9	20.8	27.1	25.2	24.7	26.7	23.0	23.0	260.4	10	-46736
	02 LST	19.5	15.4	14.0	13.9	16.1	18.9	24.8	24.4	23.4	25.5	21.9	22.5	240.3	10	-46736

CHING-CHUAN KANG, REP. OF CHINA

ELEVATION(FT) 00663

LONGITUDE 12036E

LATITUDE 2416N

STA NO. 46770 (IN AREA NUMBER 06)

POR NO.

(YRS) OBS

PARAMETER DESCRIPTION

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
ABS MAX TMP (F)	84	86	89	92	93	94	95	97	96	92	90	85	97	13 -46749
MEAN MAX TMP (F)	68	69	74	79	85	87	89	89	88	84	78	72	80	13 -46749
MEAN MIN TMP (F)	52	54	58	64	71	74	76	75	73	67	61	56	65	13 -46749
ABS MIN TMP (F)	34	39	45	48	58	61	71	70	59	56	47	38	34	13 -46749
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	1.1	5.2	9.8	18.7	15.1	9.9	2.5	0.1	0.0	62.4	13 -46749
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13 -46749
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13 -46749
MEAN DEW PT TMP (F)	51	55	59	65	71	74	75	75	74	67	61	50	65	13 -46749
MEAN REL HUM (PCT)	82	84	83	84	83	84	82	84	83	80	79	82	83	13 -46749
MEAN PRESS AL1 (FT)	414	468	520	618	722	820	863	870	741	589	499	435	630	0 -50
MEAN PRECIP (IN)	1.49	2.24	1.94	4.30	7.10	12.60	8.25	15.72	5.79	0.72	0.59	0.78	61.8	13 -46749
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9 -46749
MEAN NO DYS PKCP = OR GTR 0.1 IN	2.7	4.6	3.7	6.4	6.4	10.6	8.2	9.5	4.4	1.3	1.5	2.2	61.5	13 -46749
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9 -46749
MEAN NO DYS W/GCJH VSBY LES 1/2 MI	2.1	2.8	2.3	0.6	0.4	0.9	0.3	0.6	0.9	0.4	1.2	1.1	13.6	13 -46749
MEAN NO DYS TSTMS	0.2	0.1	0.1	0.2	0.5	0.8	0.8	0.9	0.6	0.0	0.0	0.2	4.4	13 -46749
P FREQ WND SPD = UR GTR 17 KTS	16.4	15.7	12.8	8.8	0.9	1.9	2.0	2.6	6.5	12.7	15.7	16.5	7.4	13 -46749
P FREQ WND SPD = OR GTR 28 KTS	1.7	0.7	1.1	0.0	0.0	0.1	0.3	0.5	0.6	0.6	2.4	1.6	0.8	13 -46749
P FREQ LES 5000 FT A/O LES 5 MI	28.4	32.4	32.4	34.3	24.1	29.8	25.6	25.3	19.2	11.1	14.0	18.6	24.6	13 -46749
P FREQ LES 1500 FT A/O LES 3 MI														
FOR 00-02 LST	21.4	29.8	28.3	33.6	19.0	23.3	16.3	18.1	15.7	10.4	14.7	16.3	20.6	13 -46749
03-05 LST	24.1	29.2	27.6	31.8	16.7	19.5	12.2	12.9	13.3	9.1	10.8	13.9	18.4	13 -46749
06-08 LST	26.8	28.5	26.8	29.9	14.4	15.6	8.0	7.7	10.9	7.8	6.9	11.5	16.2	13 -46749
09-11 LST	21.4	22.2	19.9	23.8	12.5	16.9	9.3	10.4	8.9	5.3	5.5	9.1	13.8	13 -46749
12-14 LST	15.9	15.9	13.1	17.7	10.5	18.2	10.6	13.1	6.9	2.5	4.0	6.7	11.3	13 -46749
15-17 LST	16.4	20.6	18.1	21.5	13.4	20.5	15.9	17.0	8.9	5.2	5.9	8.7	14.3	13 -46749
18-20 LST	18.9	25.2	23.0	25.2	16.3	22.8	21.3	20.9	10.8	7.9	7.8	10.6	17.6	13 -46749
21-23 LST	20.2	27.5	25.7	29.4	17.7	23.1	18.8	19.5	13.3	9.2	11.3	13.5	19.1	13 -46749
P FREQ LES 300 FT A/O LES 1 MI														
FOR 00-02 LST	2.3	6.9	3.9	4.3	1.8	4.0	2.1	0.9	1.9	0.9	1.6	2.0	2.7	13 -46749
03-05 LST	4.2	7.3	5.0	4.3	2.0	2.8	1.8	0.6	1.8	0.6	1.5	1.9	2.8	13 -46749
06-08 LST	6.0	7.6	6.1	4.2	2.1	1.6	1.5	0.3	1.6	0.3	1.3	1.7	2.9	13 -46749
09-11 LST	4.0	4.7	3.2	2.6	1.4	2.9	1.7	1.3	1.6	0.6	0.7	1.9	2.2	13 -46749
12-14 LST	2.0	1.7	0.3	0.9	0.6	4.2	1.9	2.2	1.6	0.9	0.0	2.0	1.5	13 -46749
15-17 LST	2.6	3.3	1.7	1.9	0.9	4.4	2.6	3.0	1.9	0.7	0.3	1.6	2.1	13 -46749
18-20 LST	3.1	4.9	3.0	2.9	1.2	4.6	3.3	3.7	2.2	0.6	0.6	1.1	2.6	13 -46749
21-23 LST	2.7	5.9	3.5	3.6	1.5	4.3	2.7	2.3	2.1	0.8	1.1	1.6	2.7	13 -46749

CHING-CHUAN KANG, REP. OF CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	16.6	15.6	14.6	16.7	23.2	23.8	27.4	25.4	22.2	23.7	23.5	23.3	256.0	13	-46749
	14 LST	24.7	22.4	24.9	23.7	27.0	24.3	27.7	26.8	27.1	28.9	27.8	27.8	313.1	13	-46749
	20 LST	18.8	16.4	18.7	17.6	19.6	19.0	21.1	21.0	21.0	22.1	21.2	22.5	239.0	13	-46749
	02 LST	17.8	15.9	18.1	16.6	19.4	18.3	20.8	19.7	19.2	20.9	19.2	21.6	227.5	13	-46749
	08 LST	9.9	9.7	10.9	12.6	21.4	20.6	24.9	23.9	20.1	17.0	15.3	15.7	202.0	13	-46749
	14 LST	10.6	9.1	12.4	13.8	16.5	12.2	13.7	16.0	14.9	12.8	13.3	11.7	157.0	13	-46749
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	9.6	8.7	11.9	12.8	17.8	15.8	17.9	17.2	11.9	12.2	12.6	166.1	13	-46749	
	02 LST	10.6	9.9	12.5	13.3	18.2	17.1	19.1	17.6	17.3	15.2	13.9	179.2	13	-46749	
	08 LST	3.3	3.0	2.0	1.3	0.1	0.2	0.1	0.0	0.6	2.5	3.3	3.6	20.0	13	-46749
	14 LST	6.6	6.1	5.2	3.3	0.7	1.4	0.7	1.1	3.2	6.2	7.4	7.1	49.0	13	-46749
	20 LST	4.5	3.5	3.6	1.8	0.2	0.2	0.2	0.4	1.5	4.1	3.9	4.9	28.8	13	-46749
	02 LST	4.4	3.6	3.5	2.2	0.0	0.1	0.1	0.0	0.8	2.8	2.9	3.8	24.2	13	-46749
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	8.6	9.0	10.7	10.9	12.0	13.1	14.3	10.6	9.3	10.9	9.2	10.5	129.1	13	-46749
	14 LST	11.5	10.9	15.0	15.3	17.1	12.4	10.5	12.6	13.7	13.1	12.5	10.6	155.2	13	-46749
	20 LST	10.9	10.1	12.0	11.1	12.3	13.4	15.1	12.2	11.2	12.6	12.6	12.4	145.9	13	-46749
	02 LST	8.6	8.0	9.6	7.5	7.8	10.5	11.8	8.1	7.1	9.1	8.7	10.5	107.1	13	-46749
	08 LST	5.1	4.5	3.8	4.4	3.6	2.1	5.4	5.3	5.2	11.3	10.0	8.7	69.4	13	-46749
	14 LST	9.0	8.7	8.0	6.8	4.3	1.6	7.4	1.4	7.6	14.2	14.0	12.1	90.1	13	-46749
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	7.4	5.9	5.5	7.1	5.9	1.6	5.3	4.8	9.5	14.2	13.1	10.1	90.4	13	-46749
	02 LST	6.6	5.7	4.8	5.7	6.4	6.0	8.9	7.2	8.4	11.7	10.0	10.0	91.4	13	-46749
	08 LST	16.2	14.2	13.9	15.5	21.1	22.8	26.3	23.9	20.9	22.9	22.6	21.7	242.0	13	-46749
	14 LST	23.5	21.6	23.8	21.8	23.5	20.0	21.0	21.6	23.6	28.0	27.1	26.3	281.8	13	-46749
	20 LST	17.4	15.5	16.9	16.6	18.1	17.4	18.8	19.0	19.9	21.6	20.3	21.5	223.0	13	-46749
	02 LST	16.5	14.4	16.2	15.4	18.3	17.2	19.3	17.8	17.9	19.9	18.1	20.1	211.1	13	-46749
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	12.4	12.0	12.0	13.2	18.4	21.4	25.4	23.1	19.0	21.5	20.7	18.4	217.5	13	-46749
	14 LST	21.4	19.5	21.3	19.7	21.1	16.8	16.4	18.6	21.6	26.5	26.1	24.8	253.8	13	-46749
	20 LST	14.0	12.3	12.0	13.2	14.9	15.1	17.3	17.3	18.2	19.3	17.9	18.0	189.5	13	-46749
	02 LST	12.5	11.0	10.3	11.4	15.7	14.8	17.4	15.3	15.1	18.0	15.1	15.6	172.2	13	-46749
	08 LST	11.6	11.8	11.6	13.1	18.2	21.2	25.2	23.0	19.0	21.3	20.4	18.0	214.6	13	-46749
	14 LST	20.7	19.0	21.3	19.3	21.1	16.8	16.4	18.6	21.6	26.3	25.9	24.3	251.3	13	-46749
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	13.9	12.1	11.9	13.1	14.9	15.0	17.2	17.1	18.2	19.1	17.7	17.9	188.1	13	-46749
	02 LST	12.4	10.9	10.2	11.1	15.6	14.7	17.4	15.3	15.0	17.9	14.9	15.6	171.0	13	-46749

WAKE IS., WAKE IS.

STA NO. 91245 (IN AREA NUMBER 01)


ELEVATION(FT) 00012

LATITUDE 1516N

LONGITUDE 16638E

POR NO.

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	OBS
ABS MAX TMP (F)	87	86	88	87	89	90	90	92	91	91	88	88	92	12	4383
MEAN MAX TMP (F)	82	82	83	83	84	87	87	88	88	86	85	83	85	12	4383
MEAN MIN TMP (F)	73	72	73	73	75	77	77	77	78	77	76	74	75	12	4383
ABS MIN TMP (F)	65	65	67	68	70	71	69	68	70	68	68	64	64	12	4383
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.2	0.6	3.3	2.6	0.6	0.0	0.0	7.3	12	4383
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	67	67	68	69	71	73	74	75	75	74	72	69	71	12	105125
MEAN REL HUM (PCT)	71	71	74	74	77	77	77	78	77	78	76	73	75	12	105125
MEAN PRESS ALI (FT)														0	0
MEAN PRECIP (IN)	0.98	1.14	1.79	1.92	1.54	2.71	3.78	5.61	4.66	5.54	3.14	1.66	34.5	12	4383
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN NO DYS PKCP = OR GTR 0.1 IN	3.2	3.1	4.2	5.9	4.4	5.7	7.9	10.2	9.9	10.6	5.8	3.7	74.6	12	4383
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN NO DYS W/OCUM VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.1	0.0	0.0	0.4	12	4382
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.2	0.1	0.9	0.9	1.4	1.5	2.0	0.2	0.2	7.4	12	4383
P FREQ WND SPU = OR GTR 17 KTS	16.4	19.0	22.3	29.7	25.2	6.7	6.3	7.3	6.3	17.3	29.9	20.7	17.3	12	105126
P FREQ WND SPU = OR GTR 28 KTS	0.4	0.3	1.3	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.2	0.2	12	105126
P FREQ LES 5000 F1 A/O LES 5 MI	20.8	23.5	20.1	20.1	14.7	11.3	9.6	10.2	9.4	13.0	13.4	16.1	15.2	12	105119
P FREQ LES 1500 F1 A/O LES 3 MI															
FOR 00-02 LST	0.3	0.2	0.8	0.5	0.2	0.0	0.5	0.4	0.8	1.2	0.4	1.2	0.5	12	13140
03-05 LST	0.4	0.5	1.3	0.8	0.7	0.4	0.8	0.5	0.5	0.9	0.8	0.4	0.7	12	13142
06-08 LST	0.8	1.2	1.3	0.6	0.6	0.2	0.9	0.8	0.6	0.9	0.7	0.5	0.8	12	13142
09-11 LST	1.3	0.9	0.9	0.6	0.4	0.4	0.2	0.7	0.9	0.8	0.6	0.6	0.7	12	13142
12-14 LST	1.4	0.5	0.2	0.4	0.2	0.6	0.4	0.6	0.3	0.8	0.6	0.4	0.5	12	13140
15-17 LST	1.1	0.7	0.6	0.5	0.0	0.6	0.2	0.8	0.7	0.6	0.6	0.5	0.6	12	13141
18-20 LST	0.5	1.1	1.1	0.5	0.4	0.6	0.3	0.9	0.5	1.4	0.8	0.6	0.7	12	13140
21-23 LST	0.3	0.4	0.4	0.6	0.2	0.2	0.1	0.6	0.4	0.4	0.5	0.5	0.4	12	13132
P FREQ LES 300 F1 A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.0	12	13140
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.2	0.0	0.1	12	13142
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	12	13142
09-11 LST	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.1	0.2	0.0	0.1	12	13142
12-14 LST	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	13140
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.0	12	13141
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	12	13140
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0	12	13132



WAKE IS., WAKE IS.

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	11 LST	30.8	27.9	30.9	29.8	30.8	29.9	31.0	30.8	29.8	31.0	29.7	30.9	363.3	12	4382
	17 LST	30.9	27.8	30.9	29.9	31.0	29.9	31.0	30.6	29.8	30.7	29.7	30.8	363.0	12	4382
	23 LST	31.0	28.0	30.9	29.8	30.9	30.0	30.9	30.8	29.9	31.0	29.9	31.0	364.1	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI 3 MI W/SFC WND LES 10 KTS	05 LST	30.8	27.9	30.7	29.6	30.9	29.9	30.9	31.0	30.0	30.7	29.7	31.0	363.1	12	4382
	11 LST	10.1	8.5	7.6	6.0	7.6	10.2	10.3	9.6	10.3	8.6	5.8	9.0	361.2	12	4382
	17 LST	11.8	8.8	8.8	5.6	7.3	11.2	10.3	11.0	10.4	10.1	5.9	9.9	111.1	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST	11.6	8.2	8.0	4.9	7.0	10.1	9.7	11.2	10.7	9.2	5.7	9.0	105.3	12	4382
	05 LST	11.7	8.9	8.9	5.7	8.2	11.5	10.5	11.7	12.0	10.2	7.1	9.2	115.6	12	4382
	11 LST	5.0	4.9	6.7	8.7	8.2	1.9	1.7	2.4	1.5	4.8	6.3	6.4	60.5	12	4356
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	5.0	4.8	5.9	8.0	7.2	1.7	1.9	2.1	1.5	4.8	9.5	6.1	58.5	12	4356
	23 LST	5.7	6.3	7.0	10.0	9.4	2.4	2.0	1.8	1.6	5.7	9.7	7.0	68.6	12	4362
	05 LST	5.1	5.7	7.0	8.3	6.9	1.2	1.2	2.2	1.4	4.7	8.8	5.3	57.8	12	4350
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	11 LST	13.1	11.7	11.7	7.7	10.3	14.3	14.0	14.4	14.3	12.9	8.1	11.6	144.1	12	4356
	17 LST	14.4	11.3	12.1	7.7	9.1	14.2	14.8	15.4	14.3	13.2	7.7	12.0	146.2	12	4356
	23 LST	12.5	9.4	9.7	6.8	7.8	12.4	13.6	14.6	14.3	12.3	7.6	10.5	131.5	12	4362
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	05 LST	13.0	9.9	10.6	7.7	8.7	12.2	14.8	15.8	14.9	13.1	9.5	11.0	141.2	12	4350
	11 LST	11.4	10.7	11.1	8.2	9.2	7.4	4.3	4.8	5.7	5.9	9.0	12.6	100.3	12	4382
	17 LST	11.3	12.1	10.0	7.0	7.6	6.7	3.2	3.5	5.1	5.9	8.0	10.5	90.9	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST	14.2	12.5	14.5	10.6	11.7	11.7	6.8	7.9	8.8	8.6	10.8	14.9	133.0	12	4382
	05 LST	10.5	10.4	11.8	8.6	9.6	8.6	5.6	7.1	8.2	8.1	11.4	13.8	113.7	12	4382
	11 LST	28.6	26.0	28.6	27.8	28.9	27.5	28.6	28.8	28.1	27.4	26.7	28.8	335.8	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	29.0	25.5	27.8	27.2	28.1	27.8	29.6	28.4	28.3	27.8	27.6	28.8	335.9	12	4382
	23 LST	25.7	26.4	29.3	27.4	29.2	27.8	29.6	28.8	28.0	28.8	28.2	29.2	342.4	12	4382
	05 LST	28.9	26.2	27.9	27.9	27.4	28.6	28.0	27.7	28.0	27.9	27.8	28.3	335.1	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	11 LST	23.5	20.2	23.9	24.4	27.0	26.4	27.7	27.7	26.8	26.4	25.1	25.2	304.3	12	4382
	17 LST	24.9	21.6	23.7	23.4	25.6	25.7	28.5	27.5	27.4	26.3	25.7	25.0	305.3	12	4382
	23 LST	24.8	20.1	25.1	23.9	27.2	26.6	28.5	27.6	27.1	27.1	25.2	26.6	309.8	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	05 LST	21.6	19.7	22.3	22.8	24.2	26.3	26.5	26.5	26.6	26.2	25.0	25.2	292.7	12	4382
	11 LST	22.1	18.6	22.9	22.6	25.0	25.5	26.7	26.8	26.2	24.4	24.2	23.7	288.7	12	4382
	17 LST	23.6	20.7	22.7	21.8	25.1	24.8	26.8	26.7	26.6	25.2	24.9	24.1	293.0	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST	23.1	19.3	24.2	23.1	26.2	27.7	27.1	26.7	26.2	24.2	24.2	25.7	299.7	12	4382
	05 LST	20.2	19.0	21.7	21.4	23.1	24.8	25.5	25.5	25.8	24.6	24.2	24.1	279.9	12	4382

AREA NO. 01

WAKE ISLAND WAKE ISLAND

LATITUDE 1917N LONGITUDE 16639E

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	82	82	83	83	84	87	87	88	88	86	85	83	85
MEAN MIN TMP (F)	73	72	73	73	75	77	77	77	78	77	76	74	75
LARGEST MEAN PRECIP(IN)	0.98	1.14	1.79	1.92	1.54	2.71	3.78	5.61	4.66	5.54	3.14	1.66	34.5
SMALLEST MEAN PRECIP(IN)	0.98	1.14	1.79	1.92	1.54	2.71	3.78	5.61	4.66	5.54	3.14	1.66	34.5

MEAN NUMBER OF DAYS

CIG = GTR 1000 FT AND VSBY = GTR 3 MI	11 LST	30.8	27.9	30.9	29.8	30.8	29.9	31.0	30.8	29.2	31.0	29.7	30.9	363.3
	17 LST	30.9	27.8	30.9	29.9	31.0	29.9	31.0	30.6	29.8	30.7	29.7	30.8	363.0
	23 LST	31.0	28.0	30.9	29.8	30.9	30.0	30.9	30.8	29.9	31.0	29.9	31.0	364.1
	05 LST	30.8	27.9	30.7	29.6	30.9	29.9	31.0	30.0	30.0	30.7	29.7	31.0	363.1

CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	11 LST	10.1	8.5	7.6	6.0	7.6	10.2	10.3	9.6	10.3	8.6	5.8	9.0	103.6
	17 LST	11.8	8.8	8.8	5.6	7.3	11.2	10.3	11.0	10.4	10.1	5.9	9.9	111.1
	23 LST	11.6	8.2	8.0	4.9	7.0	10.1	9.7	11.2	10.7	9.2	5.7	9.0	105.3
	05 LST	11.7	8.9	8.9	5.7	8.2	11.5	10.5	11.7	12.0	10.2	7.1	9.2	115.6

SFC WND = GTR 17 KTS AND NO PRECIP.	11 LST	5.0	4.9	6.7	8.7	8.2	1.9	1.7	2.4	1.5	4.8	8.3	6.4	60.5
	17 LST	5.0	4.8	5.9	8.0	7.2	1.7	1.9	2.1	1.5	4.8	9.5	6.1	58.5
	23 LST	5.7	6.3	7.0	10.0	9.4	2.4	2.0	1.8	1.6	5.7	9.7	7.0	68.6
	05 LST	5.1	5.7	7.0	8.3	6.9	1.2	1.2	2.2	1.4	4.7	8.8	5.3	57.8

SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	11 LST	13.1	11.7	11.7	7.7	10.3	14.3	14.0	14.4	14.3	12.9	8.1	11.6	144.1
	17 LST	14.4	11.3	12.1	7.7	9.1	14.2	14.8	15.4	14.3	13.2	7.7	12.0	146.2
	23 LST	12.5	9.4	9.7	6.8	7.8	12.4	13.6	14.4	14.3	12.3	7.6	10.5	131.5
	05 LST	13.0	9.9	10.6	7.7	8.7	12.2	14.8	15.8	14.9	13.1	9.5	11.0	141.2

SKY COVER LES 3/10 AND VSBY = GTR 3 MI	11 LST	11.4	10.7	11.1	8.2	9.2	7.4	4.3	4.8	5.7	5.9	9.0	12.6	100.3
	17 LST	11.3	12.1	10.0	7.0	7.6	6.7	3.2	3.5	5.1	5.9	8.0	10.5	90.9
	23 LST	14.2	12.5	14.5	10.6	11.7	11.7	6.8	7.9	8.8	8.6	10.8	14.9	133.0
	05 LST	10.5	10.4	11.8	8.6	9.6	8.6	5.6	7.1	8.2	8.1	11.4	13.8	113.7

CIG = GTR 2000 FT AND VSBY = GTR 3 MI	11 LST	28.6	26.0	28.6	27.8	28.9	27.5	28.6	28.8	28.1	27.4	26.7	28.8	335.8
	17 LST	29.0	25.5	27.8	27.2	28.1	27.8	29.6	28.4	28.3	27.8	27.6	28.8	335.9
	23 LST	29.7	26.4	29.3	27.4	29.2	27.8	29.6	28.8	28.0	28.8	28.2	29.2	342.4
	05 LST	28.9	26.2	27.9	27.9	27.4	28.6	28.0	27.7	28.0	27.9	27.8	28.8	335.1

CIG = GTR 6000 FT AND VSBY = GTR 3 MI	11 LST	23.5	20.2	23.9	24.4	27.0	26.4	27.7	27.7	26.8	26.4	25.1	25.2	304.3
	17 LST	24.9	21.6	23.7	23.4	25.6	25.7	28.5	27.5	27.4	26.3	25.7	25.0	305.3
	23 LST	24.8	20.1	25.1	23.9	27.2	26.6	28.5	27.6	27.1	27.1	25.2	26.6	309.8
	05 LST	21.6	19.7	22.3	22.8	24.2	26.3	26.5	26.5	26.6	26.2	25.0	25.2	292.7

CIG = GTR 10000 FT AND VSBY = GTR 3 MI	11 LST	22.1	18.6	22.9	22.6	25.0	25.5	26.7	26.8	26.2	24.4	24.2	23.7	288.7
	17 LST	23.6	20.7	22.7	21.8	25.1	24.8	26.8	26.7	26.6	25.2	24.9	24.1	293.0
	23 LST	23.1	19.3	24.2	23.1	26.2	26.2	27.7	27.1	26.7	26.2	24.2	25.7	299.7
	05 LST	20.2	19.0	21.7	21.4	23.1	24.8	25.5	25.5	25.8	24.6	24.2	24.1	279.9