

AD-664 828

**U. S. NAVAL WEATHER SERVICE  
WORLD-WIDE AIRFIELD SUMMARIES**

**VOLUME VI PART 1**

**South America  
(Argentina, Brazil, Uruguay)**



THIS DOCUMENT HAS BEEN APPROVED FOR  
PUBLIC RELEASE & SALE: ITS DISTRIBUTION IS  
UNLIMITED.

79 07 23 003  
January 1968

INFORMATION SHEET

WORLD WIDE AIRFIELD SUMMARIES Vols. I - VII

The paragraphs below should be inserted in the World Wide Airfield Summaries, Vols. I - VII following the Introduction, or any prominent, conspicuous place.

1. Quality Control checks of the World Wide Airfield Summaries have revealed discrepancies in the bi-variate percentiles of ceiling vs visibility. It is not known how extensive these discrepancies are except that in most stations the percent of occurrences of ceiling versus visibility (5000" and/or 5 mi., 1500' and/or 3 mi. and 300' and/or 1 mi.) are too low. The cause has been determined to be in the computer programing which rejected, in many cases, a low visibility when it occurred with no ceiling. The discrepancies are most apparent in areas with high radiational cooling which produces low visibilities and high or no ceilings such as occur in Southeast Asia.
2. Investigations are currently underway to determine the magnitude of the discrepancies. All efforts will be made to correct the summaries by reprograming the data and issuing addendums where necessary.
3. Until the problem is resolved, it is recommended that the percentiles in question be used with caution. Areas of high radiational cooling will have the greatest errors, while coastal or maritime areas will have more nearly correct data.

Encl (1) to NAVWEASERVCOM ltr

Ser 80/1611 of 21 NOV 1968

WORLD-WIDE AIRFIELD SUMMARIES - - VOLUME VI

SOUTH AMERICA

FOREWORD

This volume is part of a series of compilations which is world-wide in scope. It consists of climatological summaries for selected airfields and for the climatic areas in which they are located. When complete, the series will include data for approximately 3000 stations.

The summaries were prepared by the Environmental Technical Applications Center, Air Weather Service, U.S. Air Force, and were provided in the form of magnetic tape. These are being compiled in book form, by country or geographical area, for promulgation to Naval Weather Service units.

Copies of excerpts of this document are available to the public from the National Weather Records Center, Federal Building, Asheville, N. C. 28801, for the cost of duplication.



WORLD-WIDE AIRFIELD SUMMARIES - - VOLUME VI

SOUTH AMERICA

INTRODUCTION

This volume provides climatological summaries for airfields and climatic areas in South America. The summaries are presented by country (in alphabetical order, using a two-letter code) as shown in the Index. Within the countries, the summaries are arranged according to numbered climatic areas, and by increasing WMO Station Index Numbers within the climatic areas. An arbitrary station number (indicated by "/" ) is used where WMO Index Numbers are not assigned. Maps are included to delineate areas and station locations.

Climatic areas have been selected as being nearly homogeneous climatologically, but considerable variation may exist between locations in an area at a specific time because of topography and other factors. Climatological summaries for these areas follow those for the included airfields.

The latitudes and longitudes of the approximate centers of the climatic areas are indicated in the summary headings. Where more than one climatic area lies within a country, these are delineated by straight line segments and the positions of the end points are listed.

Blank values in the tables indicate that no data are available, and "0" indicates that the period of record is unknown. Local Standard Time is that of the standard time zone, and no adjustment has been made where local deviations exist. Data sources are listed in detail by means of a number system described on the following pages.

The first page of each station summary provides data for the station, and the second page contains information for the airfield area. The values are in mean

INTRODUCTION, CONT'D

number of days. Where observations were not available, the information consists of climatological estimates based on data for surrounding stations. In some instances tables may be based on relatively few observations or on somewhat doubtful data, and these should be used with caution.

## GLOSSARY OF GENERAL TERMS

### AIRFIELD DATA AND AIRFIELD AREA DATA

Climatological data applicable only to a specified airfield. The data consists of statistical parameters based on actual weather observations made at the airfield. If actual weather observations are not available the data consist of estimates of the statistical parameters, prepared by a climatologist, based on actual meteorological data from surrounding weather stations.

### CLIMATIC AREA DATA

Climatological data representative of a nearly homogeneous climatic area. The data are average (or representative) values based on a sample of climatological data available from weather stations within the area. The area data do not imply that the specific condition simultaneously exists at all locations within a country or large climatic area. In rolling and mountainous terrain there may be considerable variation in the data from one location to another within the climatic area.

### LOCAL STANDARD TIME

Standard time applicable to a 15 deg. meridional zone. (Zones proceed east and west from the zone centered on the prime meridian and extending from 00730E to 00730W.) No consideration is given to local deviations from the 15 deg. zone boundaries.

### AIRFIELD PARAMETERS

#### ABSOLUTE MAXIMUM (MINIMUM) TEMPERATURE-DEG. F.

The highest (lowest) temperature observed in the specified month during the whole period for which observations are available.

MEAN DAILY MAXIMUM (MINIMUM) TEMPERATURE-DEG. F.

The average of all the daily maximum (minimum) temperatures observed in the specified month.

MEAN NO. DAYS WITH MAXIMUM TEMPERATURE GREATER THAN 90 DEG. F.

The average of the number of days in the specified month on which the maximum temperature was observed to be equal to or greater than 90 deg. F.

MEAN NO. DAYS WITH MINIMUM TEMPERATURE LESS THAN 32 DEG. F (LESS THAN 0 DEG. F.).

The average of the number of days in the specified month on which the minimum temperature was observed to be equal to or less than 32 deg.F.(0 deg.F.).

MEAN DEW POINT TEMPERATURE-DEG. F.

The average of all hourly dew point temperatures observed in the specified month.

MEAN RELATIVE HUMIDITY-PERCENT

The average of all hourly relative humidity values observed in a specified month.

MEAN PRESSURE ALTITUDE-FEET

The average station pressure observed at the airfield in the specified month converted to an altitude by using the U. S. Standard Atmosphere.

MEAN MONTHLY PRECIPITATION-INCHES

The average of the monthly total amount of all forms of precipitation, reduced to its liquid equivalent, observed in the specified month.

MEAN MONTHLY SNOWFALL-INCHES

The average of the monthly total amount of snowfall observed in the specified month.

MEAN NO. DAYS WITH PRECIPITATION GREATER THAN 0.1 INCH (SNOWFALL GREATER THAN 1.5 INCHES)

The average of the number of days in the specified month on which the daily amount of precipitation (snowfall) was observed to be equal to or greater than 0.1 inch (1.5 inches).

MEAN NO. DAYS WITH AN OCCURRENCE OF VISIBILITY LESS THAN 0.5 MILE

The average of the number of days in the specified month on which there was at least one observation of visibility less than 0.5 mile.

MEAN NO. DAYS WITH THUNDERSTORMS

The average of the number of days in the specified month on which the weather observer heard thunder.

PERCENT FREQUENCY SURFACE WIND SPEED GREATER THAN 16 KNOTS (GREATER THAN 27 KNOTS)

The frequency, expressed as a percent of the total number of hourly weather observations considered, during the specified month, in which the surface wind speed was observed to be greater than 16 knots (27 knots).

PERCENT FREQUENCY CEILING LESS THAN 5,000 FEET OR VISIBILITY LESS THAN 5 MILES

The frequency, expressed as a percent of the total number of hourly weather observations considered, during the specified month, in which the ceiling was observed to be less than 5,000 feet and/or the visibility was observed to be less than 3 miles (less than 1 mile).

PERCENT FREQUENCY CEILING LESS THAN 1,500 FEET (LESS THAN 300 FEET) OR VISIBILITY LESS THAN 3 MILES (LESS THAN 1 MILE)

The frequency, expressed as a percent of all the hourly weather observations considered, in a specified three-hourly period during the day for a specified month in which the ceiling was observed to be less than 1,500 feet (300 feet) and/or the visibility was observed to be less than three miles (one mile).

PARAMETERS FOR AIRFIELD AREA AND CLIMATIC AREA

MEAN NO. DAYS WITH CEILING GREATER THAN 1,000 FEET (GREATER THAN 2,500 FEET, GREATER THAN 6,000 FEET, ETC.) AND VISIBILITY GREATER THAN 3 MILES

The average of the number of days when, at a specified hour during the day in the specified month, the ceiling was observed to be equal to or greater than 1,000 feet (2,500 feet, 6,000 feet, etc.) and the visibility was observed to be equal to or greater than three miles.

MEAN NO. DAYS WITH SKY COVER LESS THAN 0.3 AND VISIBILITY GREATER THAN 3 MILES

The average of the number of days when, at a specified hour during the day in the specified month, the portion of the sky covered with clouds was observed to be less than 0.3 and the visibility was observed to be equal to or greater than three miles.

MEAN NO. DAYS WITH CEILING GREATER THAN 2,000 FEET AND VISIBILITY GREATER THAN 3 MILES AND SURFACE WIND LESS THAN 10 KNOTS

The average of the number of days when, at a specified hour during the day in the specified month, the ceiling was observed to be equal to or greater than 2,000 feet, the visibility was observed to be equal to or greater than three miles, and the surface wind speed less than ten knots.

MEAN NO. DAYS WITH SURFACE WIND GREATER THAN 16 KNOTS AND NO PRECIPITATION

The average of the number of days when, at a specified hour during the day in the specified month, the surface wind speed was observed to be greater than 16 knots, and there was no precipitation.

MEAN NO. DAYS WITH SURFACE WIND 4-10 KNOTS AND TEMPERATURE 33-89 DEG. F. AND NO PRECIPITATION

The average of the number of days when, at a specified hour during the day in the specified month, the surface wind speed was equal to or greater than four knots, but not greater than ten knots, the temperature was equal to or greater than 33 deg.F. but not greater than 89 deg.F. and there was no precipitation.

AREA PARAMETERS (CLIMATIC AREA ONLY)

MEAN DAILY TEMPERATURE RANGE-DEG. F.

Two temperatures for the specified month: (1) a representative mean daily maximum temperature observed in the area; (2) a representative mean daily minimum temperature observed in the area.

RANGE OF MEAN MONTHLY PRECIPITATION-INCHES

Two mean monthly precipitation amounts for the specified month: (1) the largest mean amount observed in the area; (2) the smallest mean amount observed in the area.

## DATA SOURCES

The source from which values were taken can be determined from the column labeled "No. Obs."

(1) If the number in that column is positive, the data for that line were computer-summarized, and the number given is the number of observations used in the summarization.

(2) If the number is negative and of three digits or less, the data were hand-copied or estimated as indicated in the following source list.

(3) If the number is less than minus 500, part of the data are derived from computer-summarized data, and part from the source list number plus 500. For example, if the number is "-528," the source is the extreme of the computer-summarized data compared to source "-28."

(4) If the number is minus and a four or five digit number, the data were substituted from a representative station nearby and this number is the number of the source station.

(5) Statistical methods or meteorological relationships were used whenever possible to provide data not available at the National Weather Records Center or in yearbooks and summaries.

SOURCE LIST

- |    |  |    |   |
|----|--|----|---|
| 1  | French Equatorial Africa Service Meteorologique - 1950 - 1959                      | 14 | Climat Normals of Egypt and Sudan(Bock)   |
| 2  | Madagascar Service Meteorologique, Resum du Temps - 1947 - 1956                    | 15 | Metro Summary Tables (in summ. file)  |
| 3  | Angola Servico Meteorologico Elmento Meteorologicos - 1942 - 1952                  | 16 | Egypt Meteorological Dept. Metro Report   |
| 4  | Algiers, Universite, Institute de Meteorologie, le Climat de L'Algerie             | 17 | So. Africa Meteorological Services. (Wx on the coasts of So.Africa-Vol.II)  |
| 5  | Algeria Service Meteorologique Bulletin Climatologique Mensual - 1952 - 1960       | 18 | Weather on the west coast of Africa 7 to 20 years   |
| 6  | Algeria, Institut de Meteorologie - 1939-1954                                      | 19 | Sudan-Meteorological Service Annual Met Report - 1950 - 1957  |
| 7  | Pt. 1 - Algiers Universite Annuaire du Nord - 1945 - 1950                          | 20 | Tunisia Service Meteorologique Buletin Annual - 1952 - 1956   |
| 8  | Pt. 2 - Algiers Universite Annuaire Sahara - 1945 - 1950                           | 21 | Republique Francaise du Maroc Annales - 1945 - 1953   |
| 9  | Algeria, Service Meteorologique Resume Mensuel du Temps - 1951 - 1960              | 22 | French West Africa Service Meteorologique Resume Mensuel des Observations - 1953 - 1954; 1955 - 1957              |
| 10 | Verslag Report - 1949 - 1958   | 23 | Belgian Congo Service Meteorologique  |
| 11 | Portugese East Africa, Servico Meteorologico Annuaire de Observacoes - 1951 - 1960 | 24 | World Distribution of Thunderstorm Days   |
| 12 | Climatologica Summaries-Northern Rhodesia - 1938 - 1948                            | 25 | WMO Model "A"   |
| 13 | Rhodesia Met. Service Climatologica Studies - 1948 - 1960                          | 26 | Portugal Servico Meteorologico Nacional (Dynamic Climatology of Southern Africa and the Air Routes in the Region) |
|    |  | 27 | Air France, Climatology of Africa   |

- |  |  |
|--|--|
| <p>28 British Meteorological Tables</p> <p>29 Statistical Estimate</p> <p>30 Professional Subjective Estimate</p> <p>31 Interpolation</p> <p>32 Climatic Norms (Clino) WMO</p> <p>33 CB Climatological Briefs</p> <p>34 CDC WB Climatic Data Card</p> <p>35 N Summary</p> <p>36 Computed from Accepted Meteorological Relationships</p> <p>37 Cape Verdi Islands Servicios de Estadistica Meteorologia E. Climatologia</p> <p>38 Malaya-Meteorological Service Summary of Observations</p> <p>39 Revolutionary Government of the Union of Burma Meteorological Department Climatological Summary</p> <p>40 Vietnam - Direction de La Meteorologie Resume Mensuel du Temps</p> <p>41 Afghanistan Meteorological Institute Monthly Weather Bulletins</p> <p>42 Lebanon - Service de Climatologie Bulletin Climatologique Mensuel</p> <p>43 Climatological Tables of Observations in India (red book)</p> | <p>44 India Meteorological Department India Weather Review</p> <p>45 Batavia - Rainfall in Indonesia (Verhandelingen No. 37)</p> <p>46 Turkey-Yillik Meteoroloji Bulteni</p> <p>47 Rainfall Statistics of the British Borneo Territories</p> <p>48 Ceylon Meteorological Report - December 1938 - 1949</p> <p>49 Kuwait, Arabia - Climatological Data Annual</p> <p>50 Ace Data, computed, derived or substituted from data available 1964</p> <p>51 Promedios Climatologicos de Venes Uela Perido - 1951 - 1960</p> <p>52 Chile Servicio Meteorologico, Anu Ario Meteorologico, Publication No. 73</p> <p>53 Climate of Ecuador</p> <p>54 Peru Direction General de Meteorologia Boletin Annual Meteorologico</p> <p>55 Brazil Normais Climatologicas da Area da Sudene</p> <p>56 Climatologia de Caile, Fasciculo Valores Normales de 36 Estaciones Seleceionadas, Perido - 1916 - 1945</p> <p>57 H. O. Pub. No. 527 Weather Summary-Brazil</p> <p>58 H. O. Pub. No. 529 Weather Summary-South America - - Southern Part</p> |
|--|--|

- 59 Datos Detallados de Climatologia de Venezuela
- 60 Paraguay File
- 61 H.O. Publication No. 530 Weather Summary
- 62 Climatological Summary, Valley of Mexico (Mexico City)
- 63 Argentine Republic Servicio Meteorologico
- 64 Climatological Studies-Weather and Climate of Central America and Mexico-2WG
- 65 Climatological Studies Weather and Climate of West Indies-2WG
- 66 H. O. Pub. No. 528 Weather Summary-South America - - Northern Part
- 67 Climatological Studies-Weather and Climat South America-2WG
- 68 Professional Notes British Meteorological Office
- 69 Geografiska Annaler 37-38 - 1955 - 1956
- 70 H. O. Pub. No. 531 Weather Summary Central America-For Use w/Naval Air Pilot Supplement '8' Northwest Africa
- 71 Meteorological Yearbook Iranian Met. Dept.
- 72 H. O. Pub. No. 532 Weather Summary Mexico
- 73 H. O. Pub. No. 264 Weather Summary-South Africa
- 74 H. O. Pub No. 261 Weather Summary-Supplement 'C' West Central Africa
- 75 H. O. Pub. No. 263 Weather Summary-Supplement 'B' East Central Africa
- 76 H. O. Pub. No. 260 Weather Summary
- 77 Meteorological Data for certain Australian localities
- 78 New Zealand-Meteorological Service Climatological Table - 1951 - 1958
- 79 Ministerie Van Openbare Werken en Verkeer Meteorologische Dienst
- 80 Climate and Meteorology of Australia-1919 - 1951
- 81 Authentic Data, but source unknown
- 82 Summaries of Climatological Observations at New Zealand Stations to 1960
- 83 Relative Humidity at 0900 LST only - reference is the same as 82 above
- 84 Climatological Division Summary (CDC) for Canada, No. 1 thru 13-years 1962 thru 1966
- 85 Climate of British Columbia and the Yukon Territory by W. G. Kendrew and D. Kerr - 1955
- 86 The Climate of Central Canada by W. G. Kendrew and B. W. Currie - 1955

- 87 The Climate of Newfoundland Circular 4019  
Cli 30, April 1964
- 88 Servicio Meteorologico Nacional Estadisticas Climatologicas - 1901 - 1950  
Pub. B No. 1 and 1941 - 1950 Pub B No. 3
- 89 Anuario Meteorologico 1952, 53, 54  
Ministerio de Agricultura Oct. 1955
- 90 Las Precipitaciones en El Uruguay, 1965
- 91 Revista Meteorologica, Sumario, Anos 1944  
al 1956 Montevideo 1957
- 92 Climatological Data for Sonora, Northern  
Sinaloa, Baja. Calif., Univ. of Ariz.,  
Tech. Rpt. Nos. 14, 15, 1 Oct 1964
- 93 Avg. Climatic Water Balance Data of the  
Continents, Part IV, Australia, New Zealand  
and Oceania, 1963
- 94 Book of Normals - No. 1, Rainfall,  
Melbourne, 1951
- 95 Climatological Studies, Wea. and Clim.  
Pacific Islands. Hqs, 2nd Wea Gp F-8
- 96 Climate of the Horow Henua Lowlands New
- 97 Weather Summaries, Pacific and Alaska, Hydrographic Office H.O. Nos. W-270,  
W-271, 272, 273, 275, 276, 526, yrs. 1943-4
- 98 Climatic Table for Japan Area Parts I-II
- 99 The Climate of Japan Vol. IV No. 2, 1931
- 100 Climatic Tables of Japan, Parts 1-5 1931-60
- 101 Climatological Data for Antarctic Stations No. 1-8, 1962-66. (Mean monthly precip ETAC computed from mean monthly snowfall with water equivalent basis of 10 ins of snow equal 1 in of precip).
- 102 Anare Data Reports, Series D, Meteorology,  
No. 81, XIII, XII, Melbourne, 1963-5.
- 103 Meteorological and Radiational Regimes of Antarctica, U.S. Dept. of Commerce 1964
- 104 Data from Polar Meteorology Section W.B.
- 105 Climatic Summaries for Canada 1947-1954
- 106 Climatic Summaries for Canada, Vol. II,  
1948
- 107 Climate of the Canadian Arctic Archipelago, 1951
- 108 Temperature Normals, Averages and Extremes in the Northwest Territories during the period 1931 to 1960
- 109 Averages and Extremes of Climatic Data during 1951-1960 for selected Canadian Arctic stations, 1963
- 110 Canada Met. Branch, Temperature Extremes,  
1966
- 111 Avg. Climatic Water Balance Data of the Continents, Part VI No. America, 1964

- 112 Canada Met. Branch, Monthly Record 1955-1965
- 113 Climatic Summary of the United States Supplement for 1951 through 1960
- 114 Climat. Studies, Hdqs. 14th AF, Alaska CD, 1960
- 115 Climatological Summary, WB, Alaska, Means and Extremes for period of record thru 1958.
- 116 Local Climatological Data. Annual Summary w/Comparative Data, ESSA, 1966
- 117 Uniform Summary of Surface Wea. Obs.
- 118 Macro and Micro Climatology of the Arctic Slope of Alaska. US Army Tech Report EP-133, Natick Labs, 1960
- 119 Temperatures of Northern America, Hdqs. Quartermaster. US Army, Research Report RER-9, Natick Labs, 1956
- 120 Supplement to Bulletin W, Climatic Summary of the U.S. for 1931 thru 1952

INDEX

INDEX

WORLD-WIDE AIRFIELD SUMMARIES, VOLUME VI

SOUTH AMERICA (ARGENTINA, BRAZIL, URUGUAY) PART I

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
<u>ARGENTINA</u> (AR)			
		87345/	Escuela De Artillery 48
		87346/	Inst Aerotecnico 50
		87347/	Escuela Aviacion 52
		87348/	Reg 13 De Infantry 54
		87418	El Plumerillo 56
		87420	Mendoza 58
		87436	San Luis 60
		87447/	Villa Mercedes 62
		87448	Coronel Pringles 64
		87453	Taller Rio Cuarto 66
		87504/	El Sosneado 68
		87506	Malarque 70
		87509	San Rafael 72
		87707/	La Angostura 74
		87712/	Plaza Huincul 76
		87715	Neuquen 78
		87719/	Cipolletti 80
		87733	Choele-Choel 82
		87765	San Carlos De Bariloche 84
		87803	Esquel 86
		87807	Gobernador Costa 88
		87855/	Las Heras 90
		87903	Lago Argentino 92
			Climat 94
			(Climatic Area 3)
		87784	San Antonio Oeste 95
		87790	Carmen Patagones 97
		87825	Puerto Madryn Naval 99
87020/	Tartagal 1		
87065	Rivadavia 3		
87129	Santiago del Estero 5		
87149	Pres. Roque Saenz Pena 7		
87157	Resistencia 9		
87160	Formosa 11		
87166	Corrientes 13		
87178	Posadas New 15		
87270	Reconquista 17		
87272/	Goya 19		
87289	Paso De Los Libres 21		
87393	Monte Caseros 23		
87395	Concordia 25		
	Climat 27		
	(Climatic Area 1)		
87007	La Quiaca 28		
87042/	Jujuy 30		
87045/	El Cadillal 32		
87047	Salta 34		
87113	Andalgala 36		
87120	Tucuman 38		
87217	La Rioja 40		
87220	Catamarca 42		
87312	San Juan 44		
87344	Cordoba 46		

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
<u>ARGENTINA (AR)</u>		87595/	Fuerte Barragan 158
	(Climatic Area 3) (cont.)	87596	Punta del Indio 160
87828	Trelew 101	87616/	Victoria 162
87860	Comodoro Rivadavia 103	87637	Coronel Suarez 164
87896	Puerto Deseado 105	87638/	Santo Domingo 166
87912	Santa Cruz 107	87642	Azul 168
87913/	Com Piedrabuena 109	87645	Tandil 170
87925	Rio Gallegos Apt 111	87648	Dolores 172
87926	Rio Gallegos Naval 113	87696	Mar Del Plata 174
87927/	Rio Gallegos 115	87747/	Aero Talleres 176
87928	Faro Cabo Virgenes 117	87748	Comandante Espora 178
87938	Ushuaia Naval 119	87749/	Puerto Belgrano 180
	Climat 121	87750	Bahia Blanca 182
	(Climatic Area 4)	87751/	Los Chanares 184
87257	Ceres 122		Climat 186
87373/	General Urquiza 124	<u>BRAZIL (BL)</u>	
87374	Parana 126		(Climatic Area 1)
87398/	Guarnicion Rosar 128	82017	Oiapoque 187
87480	Rosario 130	82018/	Clevelandia 189
87494/	Concepcion Del Uruguay 132	82029	Amapa 191
87538/	Gen Villegas 134	82190/	Julio Cesar 193
87548	Junin 136	82191	Belem 195
87568	Don Torcuato 138	82193	Val De Cas 197
87570/	Dr Mariano Moren 140	82243	Santarem 199
87571	El Palomar 142	82280	Sao Luiz 201
87574	Moron 144	82282/	Tirirical 203
87576	Ezeiza 146	82287	Parnaiba 205
87578/	Quilmes 148	82331	Manaus 207
87580	Martin Garcia 150	82334/	Ponta Pelada 209
87582	Aeroparque 152	82476	Caxias 211
87585	Buenos Aires 154	82568	Grajau 213
87593	La Plata 156	82571	Barra Do Corda 215

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.	
<u>BRAZIL (BR)</u>				
(Climatic Area 1) (cont.)				
82765	Carolina	217		
82913/	Sena Madureira	219		
82915	Rio Branco	221		
	Climat	223		
(Climatic Area 2)				
82392	Sobral	224		
82578	Teresina	226		
82586	Quixeramobim	228		
82979	Remanso	230		
82984	Petrolina	232		
83064	Porto Nacional	234		
83262	Utiariti	236		
	Climat	238		
(Climatic Area 3)				
83074/	Barro Do Rio Grande	239		
83236	Barreiras	241		
83289	Bom Jesus Da Lapa	243		
83339	Caetite	245		
83361	Cuiaba New	247		
83365	Sangradouro	249		
83376	Pirenopolis	251		
83377	Brasilia	253		
83386	Januaria	255		
83423	Santa Genoveva	257		
83437	Montes Claros	259		
83483	Pirapora	261		
83492	Teofilo Otoni	263		
83525	Uberlandia	265		
83526	Catalao	267		
83538	Diamantina	269		
		83577	Uberaba	271
		83587	Belo Horizonte	273
		83588/	Pampulha	275
		83611	Campo Grande	277
		83618	Tres Lagoas	279
		83672	Aracatuba	281
		83689	Barbacena New	283
		83716	Presidente Prudente	285
		83722	Bauru	287
		83729	Campinas	289
		83766	Londrina	291
		83777/	Vira Copos	293
		83778	Cumbica	295
		83779/	Marte	297
		83780/	Congonhinhas	299
		83781	Sao Paulo	301
		83842	Curitiba	303
		83843/	Afonso Pena	305
			Climat	307
			(Climatic Area 4)	
		83405	Caceres	308
			Climat	310
			(Climatic Area 5)	
		83936	Santa Maria	311
		83961/	Gravatani	313
		83962/	Canoas	315
		83967	Porto Alegre	317
		83968/	Salgado Filho	319
			Climat	321
			(Climatic Area 6)	
		83690/	Santos Dumont	322
		83697/	Bonsucesso	324

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
<u>BRAZIL (BR)</u>		83648	Vitoria 383
(Climatic Area 6) (cont.)		83649/	Goiateiras 385
83698	Campos 326		Climat 387
83741	Santa Cruz Br. Air Force 328	(Climatic Area 8)	
83743	Rio De Janeiro 330	82400	Fernando De Noronha 388
83746	Galeao 332		Climat 390
83748	Afonso 334	<u>URUGUAY (UY)</u>	
83782	Santos 336	(Climatic Area 1)	
83874	Sao Francisco Do Sul 338	86330	Artigas 391
83876/	Joinville 340	86350	Rivera 393
83897	Florianopolis 342	86359/	Nueva Hesperides 395
83898/	Hercilio Luz 344	86360	Salto 397
83975/	Pelotas 346	86440	Melo 399
83995	Rio Grande 348	86460	Paso de los Toros 401
	Climat 350	86465/	Teniente Paralla 403
(Climatic Area 7)		86490	Mercedes 405
82397	Fortaleza Br. Air Force 351	86500	Tridenta y Tres 407
82398/	Pinto Martins 353	86550	San Jose 409
82598	Natal 355	86555/	Minas 411
82599/	Augusto Severo 357	86560	Colonia 413
82798	Joao Pessoa 359	86565	Rocha 415
82800	Santa Rita 361	86566/	Capitan Curbelo 417
82893	Garanhuns 363	86568/	General Artigas 419
82897/	Guararapes 365	86579/	Capitan Boisa La 421
82898	Recife 367	86580	Carrasco 423
82994	Palmares 369	86582/	Angel S Adami 425
82996/	Pilar/Manguaba 371	86585	Montevideo/Prado 427
83096	St Maria-Aracaju 373		Climat 429
83247/	Dois De Julho 375		
83248	Sao Salvador 377		
83348	Ilheus 379		
83490	Caravelas 381		

# SOUTH AMERICA WORLD AIRFIELD SUMMARIES





ARGENTINA

# TARTAGAL, ARGENTINA

STA NO. 87020/ (IN AREA NUMBER 01)

LATITUDE 22315

LONGITUDE 0634PW

ELEVATION(FT) 01673

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	95	91	90	82	75	73	75	81	86	91	93	95	86	0	-50
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)	74	73	73	69	61	57	55	55	56	64	69	72	65	0	-50
MEAN REL HUM (PCT)	66	72	76	77	74	74	64	54	50	49	55	66	65	3	-85365
MEAN PRESS ALT (FT)	1850	1850	1800	1700	1700	1650	1600	1650	1700	1750	1850	1850	1746	0	-50
MEAN PRECIP (IN)	5.50	5.78	4.52	1.70	0.67	0.44	0.12	0.26	0.24	2.12	3.57	4.48	29.4	16	-85365
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.7	6.4	4.8	4.2	2.3	1.7	0.3	0.6	0.8	3.6	5.2	5.4	42.0	16	-85365
MEAN NO DYS SNFL = OR GTR 1.5 IN							0.0							0	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	3.0	3.0	2.0	1.0	0.3	0.0	0.0	0.0	1.0	4.0	4.0	3.0	21.3	5	-85365
P FREQ WND SPD = OR GTR 17 KTS	3.4	0.2	1.8	1.5	0.6	0.9	2.0	3.2	4.7	5.5	4.8	3.8	2.7	10	-85365
P FREQ WND SPD = OR GTR 28 KTS	0.6	0.0	0.4	0.0	0.2	0.2	0.0	0.0	0.4	0.7	0.9	0.3	0.3	10	-85365
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT 1/0 LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	15.7	19.1	23.6	23.1	23.0	23.5	13.0	3.4	8.9	11.8	18.5	14.9	16.5	10	-85365
09-11 LST	12.0	15.0	20.0	22.0	20.0	20.0	11.0	3.0	7.0	10.0	15.0	12.0	13.9	6	-85365
12-14 LST	7.5	11.0	16.6	21.6	6.7	10.9	7.4	0.7	3.6	4.1	5.7	6.8	8.6	6	-85365
15-17 LST	6.5	10.0	14.0	20.2	6.7	11.0	7.0	1.0	4.4	4.7	5.7	6.2	8.1	6	-85365
18-20 LST	5.5	7.4	12.0	19.0	6.7	11.6	6.8	1.4	5.1	4.9	5.8	5.6	7.7	6	-85365
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	1.2	3.1	3.7	2.9	4.6	6.1	3.1	0.7	1.5	0.4	1.7	2.5	2.6	10	-85365
09-11 LST	1.0	2.0	3.0	2.0	3.0	4.0	2.0	0.5	1.0	0.6	1.6	2.0	1.9	6	-85365
12-14 LST	0.0	0.0	0.0	0.9	0.0	0.0	1.4	0.0	0.0	0.7	1.4	1.4	0.5	6	-85365
15-17 LST	1.0	0.0	0.0	1.0	0.4	0.3	1.5	0.0	0.0	0.7	2.0	1.4	0.7	6	-85365
18-20 LST	1.4	0.0	0.0	1.7	0.8	0.7	2.0	0.0	0.0	0.7	2.2	1.4	0.9	6	-85365
21-23 LST														0	0

# TARTAGAL, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	29.9	26.7	29.3	26.0	29.9	27.5	29.5	29.9	28.8	30.5	28.4	29.7	346.1	6	-85365
	02 LST														0	0
	08 LST	27.9	24.3	26.0	24.8	25.0	24.5	28.5	30.1	28.1	29.3	26.2	27.5	322.2	10	-85365
	14 LST	30.3	27.0	29.1	26.4	29.9	28.2	29.5	30.8	29.3	30.6	28.9	29.5	349.5	6	-85365
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	25.5	22.8	25.3	21.3	27.5	24.1	26.3	24.0	19.1	22.8	22.8	24.0	285.5	6	-85365
	02 LST														0	0
	08 LST	22.1	21.1	21.6	21.5	21.6	19.7	24.0	26.6	22.1	21.5	18.2	21.9	261.9	10	-85365
	14 LST	19.1	16.9	15.4	15.2	21.4	20.3	19.0	18.8	16.3	19.0	18.3	19.7	219.4	6	-85365
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	0.9	0.0	0.2	0.2	0.0	0.0	0.6	1.1	2.3	1.6	0.9	1.1	8.9	6	-85365
	02 LST														0	0
	08 LST	0.5	0.2	0.2	0.0	0.0	0.3	0.3	0.6	0.8	1.6	0.8	0.7	6.0	10	-85365
	14 LST	1.5	0.0	0.4	0.8	0.5	0.2	1.0	1.7	1.7	1.7	1.9	1.9	13.3	6	-85365
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	10.0	12.5	14.8	10.3	14.4	13.9	16.4	17.7	14.2	15.5	13.1	13.4	166.2	6	-85365
	02 LST														0	0
	08 LST	10.5	7.8	6.8	6.3	6.6	5.9	7.4	7.7	13.6	14.6	13.7	12.3	113.2	10	-85365
	14 LST	11.0	14.0	16.8	15.5	17.2	20.0	18.0	18.3	13.6	14.0	12.1	10.5	181.0	6	-85365
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	3.1	4.3	5.0	6.8	7.5	11.0	15.2	13.9	14.4	6.0	5.0	3.7	95.9	6	-85365
	02 LST														0	0
	08 LST	6.1	5.9	8.7	8.6	9.4	7.7	12.2	15.5	14.1	7.8	7.4	8.5	111.9	10	-85365
	14 LST	4.0	4.3	4.5	3.6	9.6	10.1	15.3	16.9	15.8	6.6	5.7	5.7	102.1	6	-85365
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	25.3	22.4	24.7	20.0	24.6	23.2	26.9	28.8	26.7	27.4	25.8	25.9	301.7	6	-85365
	02 LST														0	0
	08 LST	22.5	19.6	21.4	20.7	20.1	18.9	23.8	28.0	25.1	22.9	21.5	23.2	267.7	10	-85365
	14 LST	24.4	20.4	20.5	18.4	24.0	23.2	26.4	29.7	26.9	26.9	25.5	27.4	293.7	6	-85365
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	21.6	20.4	22.0	17.1	19.7	18.9	23.7	27.5	23.9	23.0	21.0	21.5	260.3	6	-85365
	02 LST														0	0
	08 LST	20.7	18.3	20.4	19.0	18.4	15.7	22.0	25.8	23.5	19.7	19.7	21.5	244.7	10	-85365
	14 LST	19.1	17.5	16.8	14.5	21.1	18.6	22.8	28.0	23.0	20.5	18.7	22.5	243.1	6	-85365
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	21.6	20.4	22.0	17.1	19.7	18.9	23.7	27.5	23.9	23.0	20.8	21.5	260.1	6	-85365
	02 LST														0	0
	08 LST	20.7	17.9	20.3	18.3	17.8	15.0	20.8	25.3	22.4	19.0	19.3	21.0	237.8	10	-85365
	14 LST	19.1	17.5	16.8	14.5	21.1	18.4	22.8	28.0	23.0	20.5	18.7	22.5	242.9	6	-85365

# RIVADAVIA, ARGENTINA

STA NO. 87065 (IN AREA NUMBER 01)

LATITUDE 24105

LONGITUDE 06254W

ELEVATION(FT) 00676

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO.
ABS MAX TMP (F)	120	118	117	108	109	104	104	111	117	117	120	120	120	50	-588
MEAN MAX TMP (F)	100	99	93	86	82	77	79	84	90	93	97	100	90	50	-88
MEAN MIN TMP (F)	70	70	66	61	54	50	48	50	57	63	55	70	60	50	-88
ABS MIN TMP (F)	46	50	48	36	25	23	19	21	27	37	45	46	19	50	-588
MEAN NO DYS TMP = OR GTR 90(F)	25.4	22.7	11.7	5.5	5.2	1.9	3.8	10.9	14.3	19.3	21.1	22.9	164.7	6	1076
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0		2.6	1.9	1.2	1.1	0.0	0.0	0.0		50	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50	-29
MEAN DEW PT TMP (F)	68	69	67	62	57	51	48	47	52	59	53	67	58	50	-29
MEAN REL HUM (PCT)	61	64	68	70	70	68	62	54	52	56	50	59	61	50	-88
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.97	3.94	3.54	1.50	0.33	0.17	0.12	0.15	0.64	1.48	2.35	3.14	21.3	50	-88
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		50	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.4	6.4	5.5	2.9	1.3	0.6	0.5	0.6	1.7	3.1	4.4	5.4	38.8	50	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0			0.0			0.0	0.0	0.0		50	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	5.0	3.0	2.0	1.0	0.3	0.3	0.3	0.3	1.0	2.0	2.0	4.0	21.2	39	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	33.3	11.7	23.1	60.0	43.5	32.4	14.8	6.0	3.7	12.2	60.0	42.9	28.6	5	361
09-11 LST	14.7	14.3	25.8	24.5	21.2	28.0	13.0	15.0	5.0	11.6	20.2	14.6	17.3	6	784
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	5.6	15.4	24.0	17.4	23.5	9.3	2.4	1.9	2.4	20.0	28.6	12.5	5	361
09-11 LST	4.0	4.8	9.1	4.9	3.8	6.1	1.9	5.0	0.0	1.4	2.1	2.1	3.8	6	784
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# RIVADAVIA, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	27.0	19.6	21.6	20.1	20.6	20.2	23.5	22.2	21.8	26.2	23.3	23.7	269.8	6	1145
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	23.0	17.7	16.1	16.3	13.0	16.2	18.9	19.0	18.2	21.3	18.5	16.9	215.1	6	1142
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	1.1	0.0	0.0	0.5	1.5	1.8	2.1	1.7	1.3	1.7	0.6	1.6	13.9	6	1179
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	9.5	11.1	11.7	11.8	15.5	8.7	12.6	9.7	15.8	15.6	14.7	13.5	150.2	6	1148
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	10.6	6.3	6.5	5.1	7.5	6.6	8.3	10.9	13.7	9.4	10.5	8.7	103.9	6	1181
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	23.8	18.2	14.5	13.9	13.6	14.2	18.6	19.5	19.7	21.7	19.4	19.2	216.3	6	1145
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	23.8	18.2	13.7	11.3	12.0	12.4	17.8	18.0	18.7	18.9	18.8	16.6	202.2	6	1145
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	23.8	18.2	13.7	11.1	12.0	12.4	17.8	18.0	18.7	18.9	18.8	18.6	202.0	6	1145
	14 LST														0	0

# SANTIAGO DEL ESTERO, ARGENTINA

STA NO. 87129 (IN AREA NUMBER 01)

LATITUDE 2746S

LONGITUDE 06418W

ELEVATION(FT) 00652

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	115	113	112	104	94	88	96	102	108	109	114	116	116	23	-528
MEAN MAX TMP (F)	97	94	89	82	75	69	70	75	82	87	92	94	84	28	-28
MEAN MIN TMP (F)	69	68	65	59	51	44	44	46	53	59	64	67	57	28	-28
ABS MIN TMP (F)	52	50	43	33	25	19	19	19	25	32	34	48	19	24	-528
MEAN NO DYS TMP = OR GTR 90(F)	24.8	17.9	10.3	4.6	1.2	0.0	0.9	4.2	5.8	11.9	16.4	22.1	120.1	7	2226
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	1.0	3.8	4.6	2.3	0.8	0.0	0.0	0.0	12.5	24	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN DEW PT TMP (F)	67	67	67	61	54	48	47	45	52	57	63	67	58	0	-50
MEAN REL HUM (PCT)	60	62	69	74	69	68	62	55	54	56	55	55	62	9	-28
MEAN PRESS ALT (FT)	800	800	750	650	650	550	550	600	650	650	750	800	683	0	-50
MEAN PRECIP (IN)	3.40	3.00	3.00	1.30	0.60	0.30	0.20	0.20	0.50	1.40	2.30	4.10	20.5	20	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		24	-29
MEAN NO DYS PHCP = OR GTR 0.1 IN	5.7	5.2	4.8	2.6	1.7	0.8	0.6	0.6	1.4	3.0	4.6	6.6	37.6	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0						0.0	0.0	0.0		24	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	3.0	2.0	2.0	1.0	0.3	0.3	0.3	1.0	1.0	2.0	3.0	4.0	19.9	48	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.5	0.0	10.9	10.3	26.7	18.5	24.6	4.3	9.8	4.8	14.3	6.7	11.3	4	604
09-11 LST	8.1	9.2	12.1	13.3	26.9	14.0	7.3	5.8	2.8	9.2	4.5	5.4	9.9	7	1630
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	1.8	3.4	10.0	3.1	13.1	1.1	1.6	0.0	0.0	0.0	2.8	4	604
09-11 LST	0.0	0.7	0.7	0.7	5.4	8.8	2.0	0.0	0.7	0.8	0.0	0.8	1.7	7	1630
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# SANTIAGO DEL ESTERO, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	29.0	26.7	28.3	26.1	23.7	25.4	27.2	29.4	28.8	29.5	29.0	29.9	333.0	7 2234
	14 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	20 LST													0	0
	02 LST													0	0
	08 LST	26.9	24.2	26.1	23.3	21.3	24.0	25.3	26.9	24.6	22.6	25.1	25.4	295.7	7 2228
	14 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST													0	0
	02 LST													0	0
	08 LST	0.8	0.6	0.5	0.7	0.6	0.1	1.0	0.7	2.6	3.4	1.2	2.1	14.3	7 2236
	14 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST													0	0
	02 LST													0	0
	08 LST	14.6	11.3	9.5	8.6	9.5	8.0	6.9	9.1	12.8	15.0	14.9	15.1	135.3	7 2234
	14 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	15.5	12.8	13.0	9.5	8.9	10.2	12.9	16.8	14.0	14.7	15.9	16.4	160.6	7 2241
	14 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	27.2	24.5	24.6	23.5	20.6	23.3	25.4	27.8	27.1	26.7	26.1	28.2	305.0	7 2234
	14 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	22.8	18.5	16.1	15.7	14.8	16.1	19.2	21.9	21.0	20.2	19.9	22.7	228.9	7 2234
	14 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	22.1	17.7	16.1	14.9	13.8	15.7	18.6	21.2	20.5	19.4	19.3	21.6	220.9	7 2234
	14 LST													0	0

# PRES. ROQUE SAENZ PENA, ARGENTINA

STA NO. 87144 (IN AREA NUMBER 01)

LATITUDE 26495

LONGITUDE 06027W

ELEVATION(FT) 00295

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	111	111	102	99	93	90	91	104	102	106	106	108	111	7	2139
MEAN MAX TMP (F)	95	91	86	81	77	72	72	78	80	84	88	93	83	7	2139
MEAN MIN TMP (F)	68	68	65	60	58	51	51	53	55	59	62	66	60	7	2173
ABS MIN TMP (F)	50	50	45	37	30	23	25	30	32	39	45	48	23	7	2173
MEAN NO DYS TMP = OR GTR 90(F)	25.4	18.3	11.4	6.7	2.2	0.2	1.5	8.5	6.1	10.0	13.7	21.5	125.5	7	2139
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.4	2.2	1.8	0.7	0.3	0.0	0.0	0.0	5.4	7	2173
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2173
MEAN DEW PT TMP (F)	66	67	66	62	60	54	51	50	52	56	60	61	59	8	-29
MEAN REL HUM (PCT)	63	68	75	76	78	79	72	61	62	62	64	58	68	10	-88
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	5.34	6.26	9.46	2.38	1.81	1.27	0.95	1.44	1.95	3.20	5.07	2.40	41.5	7	1581
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0	0.0		7	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.9	7.1	7.5	4.1	3.0	2.3	2.1	2.6	3.8	5.7	6.6	4.5	55.2	7	1581
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0	0.0		7	-29
MEAN NO DYS W/O CUR VS BY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	23.8	5.1	16.1	29.8	47.3	34.4	14.3	6.5	20.4	10.0	21.4	13.3	20.2	4	590
09-11 LST	3.2	9.6	10.6	14.1	8.0	13.5	13.3	7.0	6.5	2.7	8.1	4.1	8.4	7	1551
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	9.5	5.1	1.8	12.3	16.4	15.6	9.5	1.1	13.0	0.0	0.0	0.0	7.0	4	590
09-11 LST	0.6	2.7	1.4	5.6	1.1	6.3	9.1	3.5	1.4	0.0	0.8	1.6	2.8	7	1551
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# PRES. ROQUE SAENZ PENA, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI														0	0
20 LST														0	0
02 LST														0	0
08 LST	28.3	24.2	26.6	23.8	24.3	22.4	24.6	25.0	24.5	28.8	27.4	29.6	309.5	7	2139
14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS														0	0
20 LST														0	0
02 LST														0	0
08 LST	27.4	23.2	24.5	22.7	21.9	20.8	23.8	23.5	22.7	26.6	25.6	27.8	290.5	7	2138
14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.														0	C
20 LST														0	0
02 LST														0	0
08 LST	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.2	0.4	0.0	1.3	7	2169
14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.														0	0
20 LST														0	0
02 LST														0	0
08 LST	18.7	17.9	15.0	13.9	14.8	11.0	15.9	18.2	19.9	24.9	17.9	20.8	208.9	7	2165
14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI														0	0
20 LST														0	0
02 LST														0	0
08 LST	14.4	12.9	13.5	12.0	10.9	7.4	12.0	12.3	10.4	13.2	13.3	14.4	146.7	7	2174
14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI														0	0
20 LST														0	0
02 LST														0	0
08 LST	27.3	22.7	24.1	21.8	21.5	20.5	23.1	24.1	22.4	26.6	25.2	28.7	288.0	7	2139
14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI														0	0
20 LST														0	0
02 LST														0	0
08 LST	24.8	21.0	21.1	20.3	18.2	16.6	19.3	20.5	20.2	23.9	21.5	25.4	252.8	7	2139
14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI														0	0
20 LST														0	0
02 LST														0	0
08 LST	24.4	21.0	21.1	20.0	17.5	15.6	18.5	20.4	19.4	23.7	21.5	25.1	248.2	7	2139
14 LST														0	0

# RESISTENCIA, ARGENTINA

STA NO. 87157 (IN AREA NUMBER 01)

LATITUDE 27285

LONGITUDE 05859W

ELEVATION(FT) 00164

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	108	106	99	97	90	88	90	102	102	104	102	108	108	9	2812
MEAN MAX TMP (F)	93	91	86	80	75	71	71	74	76	82	85	90	81	9	2812
MEAN MIN TMP (F)	71	70	67	61	59	55	53	54	57	62	64	69	62	9	2753
ABS MIN TMP (F)	54	54	50	43	34	30	30	34	34	43	48	54	30	9	2753
MEAN NO DYS TMP = OR GTR 90(F)	22.2	17.9	11.5	6.0	1.2	0.0	0.2	4.4	4.0	7.2	10.6	18.4	103.6	9	2812
MEAN NO DYS TMP ± OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	9	2753
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2753
MEAN DEW PT TMP (F)	70	68	66	61	57	57	52	47	55	60	63	70	61	2	2192
MEAN REL HUM (PCT)	72	67	76	78	81	79	77	66	74	68	71	77	74	2	2188
MEAN PRESS ALT (FT)	377	274	203	132	107	66	34	85	118	156	238	274	172	0	-50
MEAN PRECIP (IN)	7.14	4.23	6.41	4.60	3.90	2.45	2.12	2.19	2.95	4.15	5.68	5.17	51.0	9	2705
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.0	4.9	6.6	5.1	5.2	4.9	3.8	3.2	5.9	5.8	5.9	6.1	63.4	9	2705
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	2.0	2.0	2.0	2.5	1.0	0.5	0.0	0.0	0.5	10.5	2	548
MEAN NO DYS TSTMS	3.0	8.0	2.0	5.0	1.0	1.0	1.5	2.5	5.1	3.0	7.0	10.0	49.1	2	548
P FREQ WND SPD = OR GTR 17 KTS	0.8	0.0	0.0	0.0	0.8	0.0	1.6	3.6	5.5	3.2	0.8	0.4	1.4	2	2192
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	2192
P FREQ LES 5000 FT A/O LES 5 MI	11.3	23.2	29.0	20.8	29.8	27.5	22.6	25.4	35.2	25.0	18.3	25.4	24.5	2	2192
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	3.2	3.6	16.1	13.3	22.6	23.3	8.1	11.3	20.3	11.3	6.7	6.5	12.2	2	548
03-05 LST	7.9	6.6	18.1	15.1	22.0	25.9	16.1	13.5	22.0	15.6	7.8	9.4	15.2	2	-30
06-08 LST	12.6	9.7	20.2	16.9	21.4	28.5	23.2	15.7	23.7	19.9	13.0	12.4	18.1	9	2709
09-11 LST	7.9	8.4	14.9	10.1	25.2	22.6	18.0	11.9	22.7	14.8	9.8	11.8	14.8	2	-30
12-14 LST	3.2	7.1	9.7	3.3	29.0	16.7	12.9	8.1	21.7	9.7	6.7	11.3	11.6	2	549
15-17 LST	1.6	7.1	9.7	5.0	25.8	16.7	10.5	8.1	18.3	8.1	5.8	7.2	10.3	2	-30
18-20 LST	0.0	7.1	9.7	6.7	22.6	16.7	8.1	8.1	15.0	6.5	5.0	3.2	9.1	2	549
21-23 LST	1.6	5.3	12.8	10.0	22.6	20.0	8.1	9.7	17.6	8.9	5.8	4.8	10.6	2	-30
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	3.3	3.2	6.7	0.0	1.6	1.7	0.0	1.7	0.0	1.5	2	548
03-05 LST	0.2	1.2	2.3	2.7	4.6	7.8	4.8	2.8	3.4	1.5	1.9	0.7	2.8	2	-30
06-08 LST	0.5	2.4	4.6	2.2	6.0	8.8	9.6	3.0	5.1	3.0	2.0	1.4	4.1	9	2709
09-11 LST	0.2	1.2	2.3	1.1	4.6	4.4	5.6	1.5	2.5	1.5	1.0	0.7	2.2	2	-30
12-14 LST	0.0	0.0	0.0	0.0	3.2	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.4	2	549
15-17 LST	0.0	1.8	0.0	0.0	3.2	3.3	0.8	0.0	0.8	0.0	0.8	0.0	0.9	2	-30
18-20 LST	0.0	3.6	0.0	0.0	3.2	6.7	0.0	0.0	1.7	0.0	1.7	0.0	1.4	2	549
21-23 LST	0.0	1.8	0.0	1.7	3.2	6.7	0.0	0.8	1.7	0.0	1.7	0.0	1.5	2	-30

# RESISTENCIA, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	31.0	26.0	29.0	29.0	25.0	26.0	29.0	29.5	26.0	30.0	29.0	29.5	339.0	2	549
	02 LST	31.0	27.0	27.0	26.0	25.0	24.0	28.0	28.0	25.4	28.0	29.5	30.0	328.9	2	548
	08 LST	22.4	23.2	24.9	25.3	25.2	19.6	20.8	21.4	18.5	23.6	25.5	23.0	273.4	9	2709
	14 LST	30.0	27.0	29.0	30.0	23.0	26.0	28.0	30.0	26.5	29.0	29.0	29.0	336.5	2	549
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	31.0	26.0	27.0	25.0	23.0	25.0	27.5	27.5	25.0	27.0	28.5	29.5	322.0	2	549
	02 LST	29.0	26.0	25.0	24.0	24.0	22.0	26.5	26.5	22.9	24.0	26.5	28.5	304.9	2	548
	08 LST	20.2	21.8	22.0	22.6	21.8	16.2	18.8	19.3	17.1	19.3	23.8	21.4	244.3	9	2708
	14 LST	25.0	23.0	27.0	28.0	19.0	21.0	19.0	20.0	16.5	21.5	26.5	25.0	271.5	2	549
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.5	0.0	1.0	2	549
	02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.5	0.5	0.0	0.0	2.5	2	548
	08 LST	0.3	0.0	0.0	0.5	0.5	0.1	0.1	0.5	0.3	0.4	0.3	0.1	3.1	9	2751
	14 LST	0.0	0.0	0.0	0.0	0.0	0.0	1.5	3.5	2.5	1.5	0.5	0.5	10.0	2	549
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	3.0	5.0	6.0	0.0	5.0	4.0	6.5	9.5	9.5	7.0	3.5	4.5	63.5	2	549
	02 LST	5.0	5.0	8.0	2.0	6.0	11.0	6.5	10.0	8.6	8.0	4.5	4.0	78.6	2	548
	08 LST	16.5	15.7	14.8	10.5	13.6	10.7	15.9	18.0	14.6	18.2	17.6	16.8	182.9	9	2751
	14 LST	8.0	9.0	9.0	9.0	18.0	20.0	15.5	16.0	17.0	16.5	13.0	9.5	160.5	2	549
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	13.0	14.5	14.0	14.0	14.0	13.0	19.0	19.0	15.0	18.5	15.0	12.0	181.0	2	548
	02 LST	14.0	15.0	16.0	18.0	14.0	12.0	20.0	17.5	15.8	16.0	16.5	14.0	188.8	2	548
	08 LST	11.0	11.4	14.1	12.8	10.7	6.8	9.8	10.3	9.6	9.8	10.2	9.4	125.9	9	2749
	14 LST	4.0	9.0	4.0	7.0	7.0	6.0	12.5	14.5	10.5	9.5	6.0	2.5	92.5	2	549
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	31.0	26.0	27.0	26.0	23.0	24.0	27.0	27.0	23.0	27.0	27.0	28.5	316.5	2	549
	02 LST	29.0	26.0	25.0	24.0	24.0	22.0	27.0	25.0	21.8	25.5	27.0	27.5	303.8	2	548
	08 LST	21.1	22.0	22.9	23.1	22.1	16.7	19.0	19.6	17.4	20.9	24.3	22.0	251.1	9	2709
	14 LST	27.0	23.0	24.0	25.0	22.0	24.0	25.0	26.5	20.0	24.5	26.0	23.0	290.0	2	549
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	30.0	25.0	24.0	25.0	22.0	23.0	25.0	24.5	20.0	25.5	26.5	24.5	295.0	2	549
	02 LST	27.0	25.0	23.0	23.0	23.0	21.0	23.5	20.5	20.8	23.5	26.0	25.0	281.3	2	548
	08 LST	19.6	20.8	21.2	21.4	19.2	14.5	17.4	17.8	16.1	19.3	22.4	21.1	230.8	9	2709
	14 LST	24.0	18.0	18.0	21.0	19.0	23.0	21.5	23.0	17.5	21.5	20.0	15.5	242.0	2	549
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	29.0	25.0	24.0	25.0	22.0	23.0	24.5	24.5	20.0	25.5	26.5	24.5	293.5	2	549
	02 LST	27.0	25.0	23.0	23.0	23.0	21.0	23.5	20.5	20.8	23.5	26.0	25.0	281.3	2	548
	08 LST	19.6	20.4	21.2	21.0	18.7	13.9	17.4	17.8	16.1	19.3	22.2	20.8	228.4	9	2709
	14 LST	23.0	18.0	18.0	21.0	19.0	23.0	21.5	23.0	17.5	21.5	20.0	15.5	241.0	2	549

# FORMOSA, ARGENTINA

STA NO. 87160 (IN AREA NUMBER 01)

LATITUDE 2614S

LONGITUDE 05814W

ELEVATION(FT) 00220

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	111	111	108	104	99	98	103	102	106	106	108	111	111	50	-588
MEAN MAX TMP (F)	95	93	90	82	75	72	72	75	81	84	88	93	83	50	-88
MEAN MIN TMP (F)	72	72	68	63	59	55	54	54	59	61	66	70	63	50	-88
ABS MIN TMP (F)	54	52	46	41	34	27	28	30	30	38	43	46	27	50	-588
MEAN NO DYS TMP = OR GTR 90(F)	24.7	20.8	13.2	7.7	0.2	0.2	0.5	7.7	5.9	8.6	12.5	21.6	123.6	7	2000
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0		50	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50	-29
MEAN DEW PT TMP (F)	71	71	69	65	60	57	54	54	59	61	65	69	63	50	-29
MEAN REL HUM (PCT)	69	72	75	79	80	80	76	71	72	71	70	69	74	50	-88
MEAN PRESS ALT (FT)	423	320	249	178	153	112	80	131	164	202	284	320	218	0	-50
MEAN PRECIP (IN)	4.81	4.99	5.64	5.54	4.15	2.59	1.89	1.28	3.05	4.77	6.00	4.78	49.5	50	-88
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0	0.0		50	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.5	7.7	8.2	8.1	6.3	4.6	3.5	2.4	5.3	7.1	8.2	7.4	76.3	50	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0	0.0		50	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	3.0	3.0	2.0	2.0	1.0	1.0	0.3	1.0	1.0	2.0	2.0	3.0	21.3	43	-24
P FREQ WND SPD = OR GTR 17 KTS	0.6	0.0	1.1	1.0	0.7	0.5	1.0	1.0	1.0	1.2	2.2	0.7	0.9	7	-35
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-35
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	4.0	10.0	3.4	5.1	2.0	3.7	6.9	0.0	0.0	2.9	5	298
09-11 LST	9.0	11.8	8.7	8.4	2.1	19.0	6.7	13.8	10.5	8.1	6.0	3.3	9.0	7	1071
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	10.0	0.0	2.6	0.0	0.0	3.4	0.0	0.0	1.3	5	298
09-11 LST	1.6	2.0	3.3	1.1	0.0	6.0	1.1	6.9	5.7	0.0	0.0	1.1	2.4	7	1071
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# FORMOSA, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI														0	0
20 LST														0	0
02 LST														0	0
08 LST	26.2	24.4	28.9	27.0	29.1	24.9	28.3	24.9	24.1	28.0	29.0	27.2	322.0	7	1369
14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS														0	0
20 LST														0	0
02 LST														0	0
08 LST	25.3	23.5	28.3	26.3	28.7	23.6	27.6	23.9	23.6	27.1	27.4	26.9	312.2	7	1367
14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.														0	0
20 LST														0	0
02 LST														0	0
08 LST	0.3	0.0	0.5	0.3	0.2	0.2	0.3	0.3	0.3	0.2	0.4	0.2	3.2	7	2110
14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.														0	0
20 LST														0	0
02 LST														0	0
08 LST	11.0	8.3	8.2	8.1	9.7	8.2	9.7	11.9	10.7	12.1	8.9	10.0	116.8	7	2106
14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI														0	0
20 LST														0	0
02 LST														0	0
08 LST	17.8	13.9	15.9	15.1	13.1	11.8	16.7	14.4	12.8	15.5	16.7	16.7	180.4	7	2105
14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI														0	0
20 LST														0	0
02 LST														0	0
08 LST	25.8	23.8	28.6	26.7	28.2	23.6	28.3	24.6	23.4	27.7	28.0	26.6	315.3	7	1369
14 LST														0	0
CIG = GTR 5000 FT AND VSBY = GTR 3 MI														0	0
20 LST														0	0
02 LST														0	0
08 LST	25.3	23.5	27.8	26.7	27.7	23.3	27.8	24.2	22.7	26.5	27.4	26.6	309.5	7	1369
14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI														0	0
20 LST														0	0
02 LST														0	0
08 LST	25.3	23.5	27.5	26.7	27.7	23.1	27.8	24.2	22.3	26.2	27.1	26.2	307.6	7	1369
14 LST														0	0

# CORRIENTES, ARGENTINA

STA NO. 87166 (IN AREA NUMBER 01)

LATITUDE 2726S

LONGITUDE 05845W

ELEVATION(FT) 00203

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	112	108	104	101	96	89	93	102	102	105	106	109	112	47	-528
MEAN MAX TMP (F)	93	92	89	81	75	70	71	73	78	82	87	91	82	39	-28
MEAN MIN TMP (F)	71	71	69	63	57	53	53	53	57	60	65	69	62	39	-28
ABS MIN TMP (F)	54	50	50	43	33	30	30	34	34	43	39	51	30	47	-528
MEAN NO DYS TMP = OR GTR 90(F)	22.8	17.6	11.8	6.8	0.8	0.0	0.3	4.4	3.8	6.4	10.7	19.8	105.2	7	2193
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47	-29
MEAN DEW PT TMP (F)	67	67	67	62	57	55	52	49	55	57	62	64	60	0	-50
MEAN REL HUM (PCT)	71	69	73	75	76	78	78	72	71	69	70	69	73	11	-28
MEAN PRESS ALT (FT)	300	300	250	200	150	100	100	150	150	200	300	300	208	0	-50
MEAN PRECIP (IN)	4.70	4.50	5.30	5.60	3.30	1.90	1.70	1.50	2.80	4.70	5.20	5.20	46.4	40	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.4	7.1	7.8	8.1	5.2	3.5	3.1	2.8	5.0	7.1	7.5	7.9	72.5	40	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	2.0	2.0	3.0	2.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	3.0	22.0	45	-24
P FREQ WND SFD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	28.6	7.7	20.0	21.6	27.3	28.6	21.9	15.2	26.2	20.7	35.7	20.0	22.8	5	583
09-11 LST	12.2	9.3	21.2	15.5	15.1	28.9	28.1	16.8	19.4	21.6	12.7	9.8	17.6	7	1572
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	7.3	6.3	3.1	1.1	4.9	0.0	0.0	0.0	1.9	5	583
09-11 LST	0.6	4.3	6.6	2.7	1.1	9.6	14.4	5.3	4.5	4.5	2.4	0.0	4.7	7	1572
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# CORRIENTES, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	21.2	23.1	24.5	25.0	25.9	19.1	19.5	19.8	17.7	22.5	24.4	21.5	264.2	7	2155
	14 LST													0	0	
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	20 LST													0	0	
	02 LST													0	0	
	08 LST	18.5	21.4	21.7	22.0	21.8	15.8	17.1	17.8	16.7	18.1	22.4	19.7	233.0	7	2154
	14 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST													0	0	
	02 LST													0	0	
	08 LST	0.3	0.0	0.0	0.6	0.6	0.1	0.1	0.4	0.5	0.3	0.4	0.2	3.5	7	2203
	14 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST													0	0	
	02 LST													0	0	
	08 LST	17.7	16.0	15.1	11.8	14.5	11.0	16.9	17.8	15.2	18.5	18.3	17.9	190.7	7	2203
	14 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	10.7	11.3	14.5	12.5	10.8	7.1	8.4	9.3	9.0	9.9	11.8	10.4	125.7	7	2205
	14 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	19.6	21.9	22.7	22.7	22.2	16.1	17.4	18.1	16.6	20.0	23.6	20.5	241.4	7	2155
	14 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	18.5	20.6	21.0	20.9	18.8	13.8	15.8	16.6	15.4	18.3	21.4	19.5	220.6	7	2155
	14 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	18.5	20.2	21.0	20.5	18.2	13.3	15.8	16.6	15.4	18.3	21.2	19.0	218.0	7	2155
	14 LST													0	0	

# POSADAS NEW, ARGENTINA

STA NO. 87178 (IN AREA NUMBER 01)

LATITUDE 2723S

LONGITUDE 05558W

ELEVATION(FT) 00423

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	109	106	104	100	93	91	93	102	102	104	106	111	111	50	-588
MEAN MAX TMP (F)	93	91	90	82	77	72	72	75	79	82	88	91	83	50	-88
MEAN MIN TMP (F)	68	68	66	61	55	52	52	52	55	57	63	66	60	50	-88
ABS MIN TMP (F)	48	48	46	39	28	27	27	27	32	37	43	46	27	50	-588
MEAN NO DYS TMP = OR GTR 90(F)	23.4	19.7	12.9	6.3	0.8	0.0	0.2	3.3	3.6	8.6	12.0	19.9	110.7	9	2835
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0		0.9	0.7	0.3	0.0	0.0	0.0	0.0		50	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50	-29
MEAN DEW PT TMP (F)	67	67	67	62	57	55	52	49	55	57	62	64	60	0	-50
MEAN REL HUM (PCT)	70	73	75	79	82	82	79	74	74	71	69	69	75	50	-88
MEAN PRESS ALT (FT)	600	550	500	450	400	350	350	350	400	450	550	600	463	0	-50
MEAN PRECIP (IN)	4.88	5.39	5.41	6.90	6.31	4.90	3.76	3.52	5.06	6.47	5.03	5.46	63.1	50	-88
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0		50	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.6	8.2	7.9	9.7	9.0	8.5	6.6	6.2	7.4	8.6	7.4	8.3	95.4	50	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0		50	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	8.0	6.0	6.0	4.0	3.0	3.0	3.0	3.0	5.0	5.0	5.0	6.0	57.0	39	-24
P FREQ WND SPD = OR GTR 17 KTS	0.3	2.4	1.0	0.0	1.6	1.4	2.3	2.3	1.6	0.5	1.6	0.6	1.3	8	-35
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-35
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	20.5	17.6	25.9	21.5	25.5	37.8	24.1	27.7	28.1	24.8	22.3	13.6	24.1	9	2804
09-11 LST	10.0	10.0	12.0	15.0	20.5	25.0	18.0	22.7	26.0	19.6	16.0	8.3	16.9	2	-30
12-14 LST	3.3	3.7	6.5	10.0	16.1	10.0	11.3	17.7	23.3	14.5	8.3	3.3	10.7	2	546
15-17 LST	2.0	3.6	4.5	8.0	12.0	8.0	13.5	19.0	21.0	13.0	4.0	2.0	9.2	2	-30
18-20 LST	0.0	3.6	3.2	6.7	9.7	6.7	16.1	19.4	18.3	11.3	0.0	1.6	8.1	2	545
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	2.3	4.8	2.1	7.6	12.6	9.1	8.0	7.3	4.1	2.5	0.0	5.0	9	2804
09-11 LST	0.0	1.0	2.0	1.0	4.0	6.0	7.0	4.0	3.0	3.0	2.0	0.0	2.8	2	-30
12-14 LST	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	1.7	1.6	1.7	0.0	0.7	2	546
15-17 LST	0.0	0.0	0.0	0.0	1.0	2.0	3.0	0.0	1.0	1.0	1.0	0.0	0.8	2	-30
18-20 LST	0.0	0.0	0.0	0.0	0.0	3.3	4.8	0.0	0.0	0.0	0.0	0.0	0.7	2	545
21-23 LST														0	0

# POSADAS NEW, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. CBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	31.0	28.0	30.0	29.0	29.0	28.0	27.0	26.0	25.5	28.0	30.0	31.0	342.5	2	545
	02 LST														0	0
	08 LST	27.4	22.3	22.8	24.0	22.7	18.5	22.4	17.7	18.3	21.8	21.8	24.0	258.7	9	2804
	14 LST	29.9	28.0	30.0	27.0	27.0	28.0	28.0	27.0	25.5	27.5	28.0	30.5	336.4	2	546
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	28.9	24.0	29.0	28.0	26.8	27.0	24.0	21.5	20.5	27.0	29.0	29.0	314.7	2	544
	02 LST														0	0
	08 LST	18.4	18.4	19.2	21.1	18.5	14.3	18.7	14.5	14.2	16.6	19.1	20.6	213.6	9	2801
	14 LST	22.7	20.7	18.0	22.0	15.0	14.0	18.0	16.0	17.5	22.0	23.5	23.9	233.3	2	546
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	1.5	0.0	0.5	0.0	2.5	2	545
	02 LST														0	0
	08 LST	0.0	0.1	0.2	0.0	0.2	0.2	0.3	0.4	0.2	0.1	0.1	0.0	1.8	9	2807
	14 LST	0.0	3.0	1.0	0.0	2.0	0.0	2.5	1.0	0.5	0.5	0.5	0.5	11.5	2	547
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	11.0	6.0	10.0	6.0	15.5	10.0	5.5	15.5	8.5	13.0	4.1	9.6	114.7	2	545
	02 LST														0	0
	08 LST	16.1	14.8	12.8	12.0	13.1	11.7	12.0	13.1	12.6	16.4	15.7	17.0	167.3	9	2803
	14 LST	5.1	2.0	12.0	20.0	15.0	15.0	11.5	13.0	9.0	14.5	11.5	8.6	137.2	2	547
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	9.0	11.0	12.0	17.0	14.0	15.0	15.5	15.5	13.5	16.0	9.3	9.6	157.4	2	546
	02 LST														0	0
	08 LST	8.7	10.4	11.0	12.3	6.9	6.4	10.3	7.6	8.0	10.0	10.6	10.4	112.6	9	2805
	14 LST	4.1	4.0	4.0	6.0	3.0	6.0	11.7	11.5	7.5	8.5	3.0	3.0	72.3	2	546
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	31.0	25.0	28.0	28.0	26.0	28.0	25.0	23.5	23.5	27.0	28.4	29.5	322.9	2	545
	02 LST														0	0
	08 LST	18.3	18.7	18.9	20.3	18.2	14.2	19.0	15.2	15.7	17.7	19.4	21.4	217.0	7	2804
	14 LST	27.9	22.8	25.0	26.0	23.0	25.0	26.0	23.5	19.5	25.5	26.5	25.4	296.1	2	546
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	28.9	22.0	25.0	28.0	26.0	28.0	23.5	22.5	21.5	26.5	25.9	26.4	304.2	7	545
	02 LST														0	0
	08 LST	16.6	17.0	17.4	19.4	16.2	13.2	17.5	13.7	14.5	17.1	18.2	20.6	201.4	9	2804
	14 LST	21.7	16.6	17.0	21.0	19.0	22.0	24.5	22.0	17.5	27.0	19.5	17.3	240.1	2	546
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	28.9	22.0	25.0	28.0	26.0	28.0	23.5	22.5	21.5	26.0	25.9	25.9	303.2	2	545
	02 LST														0	0
	08 LST	16.6	16.8	17.3	19.4	16.2	13.2	17.4	13.5	14.5	17.1	18.2	20.6	200.8	9	2804
	14 LST	21.7	16.6	17.0	21.0	19.0	22.0	24.5	22.0	17.5	22.0	18.5	17.3	239.1	2	546

# RECONQUISTA, ARGENTINA

STA NO. 87270 (IN AREA NUMBER 01)

LATITUDE 2911S

LONGITUDE 05442W

ELEVATION(FT) 00164

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	115	108	106	100	95	91	95	102	104	109	106	109	115	50	-87272
MEAN MAX TMP (F)	93	91	88	79	73	70	70	72	77	81	86	91	81	50	-87272
MEAN MIN TMP (F)	70	68	57	59	54	50	50	50	54	57	63	68	58	50	-87272
ABS MIN TMP (F)	52	45	48	34	30	25	27	32	28	37	41	45	25	50	-87272
MEAN NO DYS TMP = OR GTR 90(F)	19.1	16.7	10.5	4.2	0.0	0.0	0.1	2.0	2.3	6.6	12.2	16.5	90.2	7	-87272
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.8	1.0	0.0	0.0	0.0	0.0	0.0	0.0	50	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50	-29
MEAN DEW PT TMP (F)	67	67	67	62	57	55	52	49	55	57	62	64	60	0	-10
MEAN REL HUM (PCT)	66	69	74	79	82	81	79	73	73	68	68	68	73	50	-87272
MEAN PRESS ALT (FT)	250	250	200	150	100	50	50	100	100	150	250	250	158	0	-50
MEAN PRECIP (IN)	4.44	4.04	6.32	5.55	2.67	1.84	1.84	1.47	2.84	4.22	4.72	4.90	44.8	50	-87272
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.0	6.5	9.0	8.1	4.4	3.4	3.4	2.8	5.0	6.6	7.1	7.6	70.9	50	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	3.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	3.0	22.0	36	-87272
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	C
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.8	4.9	0.0	4.8	0.0	4.7	10.0	14.6	20.3	23.7	42.9	7.1	11.5	6	-87272
09-11 LST	13.2	8.7	18.1	11.7	14.3	27.6	16.3	17.5	15.7	14.3	7.0	4.5	14.1	7	-87272
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	0.0	2.3	0.0	3.7	5.1	5.1	0.0	0.0	1.4	6	-87272
09-11 LST	0.7	2.9	2.2	2.8	3.3	6.0	2.0	3.3	4.3	4.2	0.8	0.0	2.7	7	-87272
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# RECONQUISTA, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI														0	0
20 LST														0	0
08 LST	27.0	25.8	26.4	26.8	26.8	22.4	26.3	25.6	24.6	25.0	26.6	29.3	312.6	7	-87272
14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS														0	0
20 LST														0	0
08 LST	24.5	23.0	24.1	25.1	23.9	19.1	22.3	20.2	18.8	18.6	21.8	24.8	266.2	7	-87272
14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.														0	0
20 LST														0	0
08 LST	1.8	1.6	1.1	0.6	2.0	2.4	2.5	4.3	3.7	3.4	2.5	2.1	28.0	7	-87272
14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.														0	0
20 LST														0	0
08 LST	15.6	11.1	11.7	11.5	11.8	11.4	13.0	14.8	12.5	14.5	12.9	14.3	155.1	7	-87272
14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI														0	0
20 LST														0	0
08 LST	13.8	13.6	13.8	14.5	8.3	9.3	11.2	12.6	12.1	12.5	14.1	14.5	150.3	7	-87272
14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI														0	0
20 LST														0	0
08 LST	25.6	25.2	24.8	24.4	24.4	21.3	24.9	25.0	23.2	24.0	25.6	27.6	296.0	7	-87272
14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI														0	0
20 LST														0	0
08 LST	21.0	20.6	20.9	19.6	18.1	15.1	18.4	17.6	17.0	18.8	20.5	22.5	230.1	7	-87272
14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI														0	0
20 LST														0	0
08 LST	21.0	20.6	20.9	19.6	17.8	15.1	18.2	17.6	16.7	18.8	20.5	22.5	229.3	7	-87272
14 LST														0	0

# GOYA, ARGENTINA

STA NO. 87272/ (IN AREA NUMBER 01)

LATITUDE 2909S

LONGITUDE 05916W

ELEVATION(FT) 00121

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	115	108	106	100	95	91	75	102	104	109	106	109	115	50	-588
MEAN MAX TMP (F)	93	91	88	79	73	70	70	72	77	81	86	91	81	50	-88
MEAN MIN TMP (F)	70	68	57	59	54	50	50	50	54	57	63	68	58	50	-88
ABS MIN TMP (F)	52	45	48	34	30	25	27	32	28	37	41	45	25	50	-588
MEAN NO DYS TMP = OR GTR 90(F)	19.1	16.7	10.5	4.2	0.0	0.0	0.1	2.0	2.3	6.6	12.2	16.5	90.2	7	2173
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.8	1.0	0.0		0.0	0.0	0.0		50	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50	-29
MEAN DEW PT TMP (F)	67	67	63	62	57	54	53	51	56	57	62	67	60	50	-29
MEAN REL HUM (PCT)	66	69	74	79	82	81	75	73	73	68	68	68	73	50	-88
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.44	4.04	6.32	5.55	2.67	1.84	1.84	1.47	2.84	4.22	4.72	4.90	44.8	50	-88
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0			0.0		0.0	0.0	0.0		50	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.0	6.5	9.0	8.1	4.4	3.4	3.4	2.8	5.0	6.6	7.1	7.6	70.9	50	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0			0.0		0.0	0.0	0.0		50	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	3.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	3.0	22.0	36	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 3 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.8	4.9	0.0	4.8	0.0	4.7	10.0	14.6	20.3	23.7	42.9	7.1	11.5	6	503
09-11 LST	13.2	6.7	18.1	11.7	14.3	27.6	16.3	17.5	15.7	14.3	7.0	4.5	14.1	7	1584
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	0.0	2.3	0.0	3.7	5.1	5.1	0.0	0.0	1.4	6	503
09-11 LST	0.7	2.9	2.2	2.8	3.3	6.0	2.0	3.3	4.3	4.2	0.8	0.0	2.7	7	1584
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# GOYA, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	27.0	25.8	26.4	26.8	26.8	22.4	26.3	25.6	24.6	25.0	26.6	29.3	312.6	7	2087
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	24.5	23.0	24.1	25.1	23.9	19.1	22.3	20.2	18.8	18.6	21.8	24.8	266.2	7	2085
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	1.8	1.6	1.1	0.6	2.0	2.4	2.5	4.3	3.7	3.4	2.5	2.1	28.0	7	2214
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	15.6	11.1	11.7	11.5	11.8	11.4	13.0	14.8	12.5	14.5	12.9	14.3	155.1	7	2213
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	13.8	13.6	13.8	14.5	8.3	9.3	11.2	12.6	12.1	12.5	14.1	14.5	150.3	7	2216
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	25.6	25.2	24.8	24.4	24.4	21.3	24.9	25.0	23.2	24.0	25.6	27.6	296.0	7	2087
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	21.0	20.6	20.9	19.6	18.1	15.1	18.4	17.6	17.0	18.8	20.5	22.5	230.1	7	2087
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	21.0	20.6	20.9	19.6	17.8	15.1	18.2	17.6	16.7	18.8	20.5	22.5	229.3	7	2087
	14 LST														0	0

# PASO DE LOS LIBRES, ARGENTINA

STA NO. 87289 (IN AREA NUMBER 01)

LATITUDE 29435

LONGITUDE 05706W

ELEVATION(FT) 00217

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	114	114	107	98	91	87	88	94	97	103	106	112	114	21	-558
MEAN MAX TMP (F)	94	94	90	80	72	67	67	70	75	80	87	91	81	24	-58
MEAN MIN TMP (F)	67	67	65	59	52	48	48	49	53	56	61	65	58	24	-58
ABS MIN TMP (F)	49	50	47	39	30	27	28	28	32	38	45	48	27	21	-558
MEAN NO DYS TMP = OR GTR 90(F)	18.9	16.7	8.2	3.9	0.0	0.0	0.0	0.0	0.9	3.8	6.9	16.2	75.5	7	2059
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	1.7	0.7	0.4	0.0	0.0	0.0	0.0	2.8	21	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN DEW PT TMP (F)	66	68	67	61	54	51	50	51	55	57	61	64	59	20	-29
MEAN REL HUM (PCT)	65	68	72	77	78	80	79	75	75	70	67	66	73	12	-58
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.70	4.50	6.30	6.30	4.90	3.90	2.80	3.60	4.80	5.70	4.60	4.90	56.0	28	-58
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		21	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.1	7.1	9.0	9.0	7.3	6.8	5.0	6.3	7.2	8.0	7.0	7.6	86.4	28	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		21	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.5	6.8	7.0	4.5	3.2	4.2	3.2	4.2	8.0	3.0	4.8	8.8	62.2	20	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	9.4	0.0	0.0	0.0	14.3	14.8	5.7	11.1	0.0	0.0	0.0	4.6	4	238
09-11 LST	13.2	6.9	11.0	4.8	18.0	22.9	13.3	13.1	19.6	13.1	9.1	3.0	12.3	7	1202
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	0.0	14.3	14.8	1.9	0.0	0.0	0.0	0.0	2.6	4	238
09-11 LST	0.9	1.0	0.0	1.0	1.6	7.3	1.9	1.0	0.9	0.0	0.0	0.0	1.3	7	1202
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# PASO DE LOS LIBRES, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	26.3	24.4	28.3	28.0	26.7	25.4	25.4	23.8	22.3	26.7	28.2	28.3	313.8	7	1440
	14 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST													0	0	
	02 LST													0	0	
	08 LST	24.4	22.3	24.6	25.9	20.6	20.4	22.1	20.8	20.5	24.2	24.6	26.8	277.2	7	1439
	14 LST													0	0	
SFC WND = GTR 17 K.S AND NO PRECIP.	20 LST													0	0	
	02 LST													0	0	
	08 LST	0.3	0.4	0.0	0.3	0.2	0.2	0.0	0.7	0.3	0.3	0.0	0.0	2.7	7	2132
	14 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST													0	0	
	02 LST													0	0	
	08 LST	16.5	14.7	12.7	12.6	10.7	8.7	12.5	16.1	17.3	20.4	17.0	18.7	177.9	7	2125
	14 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	2.1	3.5	2.9	5.1	2.8	2.6	2.8	3.8	3.9	3.5	5.0	4.2	42.2	7	2125
	14 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	24.1	23.0	23.4	26.2	20.6	19.4	21.8	21.8	19.4	25.7	25.2	26.8	277.4	7	1440
	14 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	22.8	22.3	21.7	25.4	20.2	18.3	20.6	20.4	18.2	23.3	24.0	26.3	263.5	7	1440
	14 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	22.8	22.3	21.7	25.4	20.2	18.3	20.6	20.4	18.2	23.3	24.0	26.3	263.5	7	1440
	14 LST													0	0	

# MONTE CASEROS, ARGENTINA

STA NO. 87393 (IN AREA NUMBER 01)

LATITUDE 30165

LONGITUDE 05738W

ELEVATION(FT) 00164

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	111	108	104	97	91	84	86	90	95	100	104	111	111	10	-88
MEAN MAX TMP (F)	93	91	86	79	72	66	66	72	73	79	84	90	79	10	-88
MEAN MIN TMP (F)	66	66	63	57	52	48	46	48	52	55	59	63	56	10	-88
ABS MIN TMP (F)	48	48	46	37	32	23	27	27	30	34	39	48	23	10	-88
MEAN NO DYS TMP = OR GTR 90(F)	18.9	16.7	8.2	3.9	0.0	0.0	0.0	0.0	0.9	3.8	6.9	16.2	75.5	7	-87289
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	1.7	0.7	0.4	0.0	0.0	0.0	0.0	2.8	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	66	66	62	61	50	50	50	50	55	57	57	64	57	0	-50
MEAN REL HUM (PCT)	62	65	72	75	81	84	80	74	75	73	67	61	72	10	-88
MEAN PRESS ALT (FT)	250	250	200	150	100	50	50	100	100	150	250	250	158	0	-50
MEAN PRECIP (IN)	3.29	3.68	4.82	5.56	4.87	3.85	2.54	2.09	5.50	4.94	3.94	3.97	49.0	10	-88
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.6	6.1	7.2	8.1	7.2	6.8	4.6	3.8	7.8	7.3	6.3	6.4	77.2	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.5	6.8	7.0	4.5	3.2	4.2	3.2	4.2	8.0	3.0	4.8	8.8	62.2	20	-87289
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	9.4	0.0	0.0	0.0	14.3	14.8	5.7	11.1	0.0	0.0	0.0	4.6	4	-87289
09-11 LST	13.2	6.9	11.0	4.8	18.0	22.9	13.3	13.1	19.6	13.1	9.1	3.0	12.3	7	-87289
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	0.0	14.3	14.8	1.9	0.0	0.0	0.0	0.0	2.6	4	-87289
09-11 LST	0.9	1.0	0.0	1.0	1.6	7.3	1.9	1.0	0.9	0.0	0.0	0.0	1.3	7	-87289
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# MONTE CASEROS, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	26.3	24.4	28.3	28.0	26.7	25.4	25.4	23.8	22.3	26.7	28.2	28.3	7	-87289
	14 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	20 LST													0	0
	02 LST													0	0
	08 LST	24.4	22.3	24.6	25.9	20.6	20.4	22.1	20.8	20.5	24.2	24.6	26.8	7	-87289
	14 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST													0	0
	02 LST													0	0
	08 LST	0.3	0.4	0.0	0.3	0.2	0.2	0.0	0.7	0.3	0.3	0.0	0.0	7	-87289
	14 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST													0	0
	02 LST													0	0
	08 LST	16.5	14.7	12.7	12.6	10.7	8.7	12.5	16.1	17.3	20.4	17.0	18.7	7	-87289
	14 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	2.1	3.5	2.9	5.1	2.8	2.6	2.8	3.8	3.9	3.5	5.0	4.2	7	-87289
	14 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	24.1	23.0	23.4	26.2	20.6	19.4	21.8	21.8	19.4	25.7	25.2	26.8	7	-87289
	14 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	22.8	22.3	21.7	25.4	20.2	18.3	20.6	20.4	18.2	23.3	24.0	26.3	7	-87289
	14 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	22.8	22.3	21.7	25.4	20.2	18.3	20.6	20.4	18.2	23.3	24.0	26.3	7	-87289
	14 LST													0	0

# CONCORDIA, ARGENTINA

STA NO. 87395 (IN AREA NUMBER 01)

LATITUDE 31185

LONGITUDE 05801W

ELEVATION(FT) 00125

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	113	106	106	99	93	88	88	93	97	104	102	111	113	50	-588
MEAN MAX TMP (F)	93	91	86	79	72	66	66	68	72	77	84	90	79	50	-88
MEAN MIN TMP (F)	64	64	63	55	50	45	45	46	50	52	57	63	55	50	-88
ABS MIN TMP (F)	43	43	41	37	23	19	19	23	30	34	36	43	19	50	-588
MEAN NO DYS TMP = OR GTR 90(F)	17.5	15.0	8.1	3.1	0.0	0.0	0.0	0.4	0.3	3.8	7.7	14.1	70.0	7	2185
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.2	1.8	2.8	1.1	0.0	0.0	0.0	0.0	0.0	50	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50	-29
MEAN DEW PT TMP (F)	62	63	63	58	54	49	49	48	52	53	57	61	56	50	-29
MEAN REL HUM (PCT)	61	64	70	76	79	81	80	75	74	70	65	63	72	50	-88
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.93	3.91	5.52	5.03	3.43	2.69	2.30	2.30	3.57	3.64	3.54	4.24	44.1	50	-88
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0		50	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.4	6.4	8.0	7.4	5.4	4.8	4.2	4.2	5.9	6.0	5.9	6.8	71.4	50	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0		50	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.0	4.0	5.0	3.0	3.0	3.0	3.0	3.0	3.0	4.0	4.0	4.0	43.0	21	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	2.5	18.9	19.3	30.0	26.7	23.4	14.3	9.1	6.9	14.3	0.0	13.8	5	589
09-11 LST	3.8	4.5	5.0	8.2	5.4	12.5	11.1	9.0	6.1	10.7	3.9	6.0	7.2	7	1591
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	7.0	13.3	18.3	7.8	4.4	1.8	1.7	0.0	0.0	4.5	5	589
09-11 LST	0.0	1.3	1.4	2.1	4.3	7.4	4.9	4.1	1.5	1.0	0.0	0.8	2.4	7	1591
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# CONCORDIA, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	30.1	25.8	28.4	26.1	25.5	23.9	25.0	26.5	27.6	28.7	29.2	29.5	7	2180
	14 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	20 LST													0	0
	02 LST													0	0
	08 LST	26.9	23.4	25.4	24.7	23.7	21.7	23.3	22.4	25.0	24.6	27.3	26.6	7	2178
	14 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST													0	0
	02 LST													0	0
	08 LST	0.3	0.1	0.2	0.1	0.0	0.0	0.6	0.3	0.5	0.2	0.0	0.2	7	2209
	14 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST													0	0
	02 LST													0	0
	08 LST	18.8	17.4	15.2	14.0	15.2	13.4	17.0	15.4	18.3	20.5	20.0	20.0	7	2206
	14 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	15.2	14.1	15.4	13.9	8.6	7.7	9.2	12.7	11.6	15.0	12.5	15.2	7	2206
	14 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	28.1	23.9	26.2	24.2	22.6	21.1	22.8	24.4	25.1	26.0	26.9	27.4	7	2180
	14 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	23.4	21.6	22.4	21.7	16.3	16.1	18.6	20.4	21.8	21.2	22.2	23.5	7	2180
	14 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	23.4	21.5	21.9	21.3	16.1	15.5	18.2	20.1	21.1	21.2	22.2	23.5	7	2180
	14 LST													0	0

# AREA NO. 01

ARGENTINA

NORTHERN PLAINS

LATITUDE 27305

LONGITUDE 06030W

BOUNDARIES 22005 06400W 28005 06440W 28005 06440E 32005 05820W

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)		95	92	89	81	75	70	71	75	79	84	88	92	83	
MEAN MIN TMP (F)		69	68	65	60	55	50	49	50	55	58	62	67	59	
LARGEST MEAN PRECIP(IN)		7.14	6.26	9.46	6.90	6.31	4.90	3.76	3.60	5.50	6.47	6.00	5.46	71.8	
SMALLEST MEAN PRECIP(IN)		3.29	3.00	3.00	1.30	0.33	0.17	0.12	0.15	0.50	1.40	2.35	2.40	18.0	
		MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND	20 LST	31.0	27.0	29.5	29.0	27.0	27.0	28.0	27.8	25.8	29.0	29.5	30.3	340.9	
VSBY = GTR 3 MI	02 LST	31.0	27.0	27.0	26.0	25.0	24.0	28.0	28.0	25.4	28.0	29.5	30.0	328.9	
	08 LST	26.0	24.0	26.1	25.2	25.1	22.2	24.3	23.6	22.8	26.1	26.4	26.6	298.4	
	14 LST	30.0	27.5	29.5	28.5	25.0	27.0	28.0	28.5	26.0	28.3	28.5	29.8	336.6	
CIG = GTR 2000 FT AND VSBY = GTR	20 LST	30.0	25.0	28.0	26.5	24.9	26.0	25.8	24.5	22.8	27.0	28.8	29.3	318.6	
3 MI W/SFC WND LES 10 KTS	02 LST	29.0	26.0	25.0	24.0	24.0	22.0	26.5	26.5	22.9	24.0	26.5	28.5	304.9	
	08 LST	23.6	21.9	23.2	23.0	21.5	19.2	21.8	20.8	20.1	21.9	23.6	23.7	264.3	
	14 LST	23.9	21.9	22.5	25.0	17.0	17.5	18.5	18.0	17.0	21.8	25.0	24.5	252.6	
SFC WND = GTR 17 KTS AND	20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.8	0.0	0.5	0.0	1.8	
NO PRECIP.	02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.5	0.5	0.0	0.0	2.5	
	08 LST	0.5	0.3	0.3	0.4	0.6	0.5	0.7	0.9	1.0	1.0	0.6	0.7	7.5	
	14 LST	0.0	1.5	0.5	0.0	1.0	0.0	2.0	2.3	1.5	1.0	0.5	0.5	10.8	
SFC WND 4-10 KTS AND TMP 33-89	20 LST	7.0	5.5	8.0	3.0	10.3	7.0	6.0	12.5	9.0	10.0	3.8	7.1	89.2	
DEG F AND NO PRECIP.	02 LST	5.0	5.0	8.0	2.0	6.0	11.0	6.5	10.0	8.6	8.0	4.5	4.0	78.6	
	08 LST	15.5	13.8	12.7	11.5	12.8	10.3	13.2	14.4	15.0	17.6	15.8	16.4	169.0	
	14 LST	6.6	5.5	10.5	14.5	16.5	17.5	13.5	14.5	13.0	15.5	12.3	9.1	149.0	
SKY COVER LES 3/10 AND	20 LST	11.0	12.8	13.0	15.5	14.0	14.0	17.3	17.3	14.3	17.3	12.2	10.8	169.5	
VSBY = GTR 3 MI	02 LST	14.0	15.0	16.0	18.0	14.0	12.0	20.0	17.5	15.8	16.0	16.5	14.0	188.8	
	08 LST	12.0	11.0	12.1	11.3	8.9	7.6	10.2	11.1	10.5	11.4	12.1	12.0	130.2	
	14 LST	4.1	6.5	4.0	6.5	5.0	6.0	12.1	13.0	9.0	9.0	4.5	2.8	82.5	
CIG = GTR 2500 FT AND	20 LST	31.0	25.5	27.5	27.0	24.5	26.0	26.0	25.3	23.3	27.0	27.7	29.0	319.8	
VSBY = GTR 3 MI	02 LST	29.0	26.0	25.0	24.0	24.0	22.0	27.0	25.0	21.8	25.5	27.0	27.5	303.8	
	08 LST	24.1	22.4	23.1	22.7	21.4	19.0	22.0	22.0	21.0	23.7	24.4	24.8	270.6	
	14 LST	27.5	22.9	24.5	25.5	22.5	24.5	25.5	25.0	19.8	25.0	26.3	24.2	293.2	
CIG = GTR 6000 FT AND	20 LST	29.5	23.5	24.5	26.5	24.0	25.5	24.3	23.5	20.8	26.0	26.2	25.5	299.8	
VSBY = GTR 3 MI	02 LST	27.0	25.0	23.0	23.0	23.0	21.0	23.5	20.5	20.8	23.5	26.0	25.0	281.3	
	08 LST	21.9	20.4	20.3	20.2	18.2	15.9	19.2	19.1	18.6	20.8	21.6	22.7	238.9	
	14 LST	22.9	17.3	17.5	21.0	19.0	22.5	23.0	22.5	17.5	21.8	19.8	16.4	241.2	
CIG = GTR 10000 FT AND	20 LST	29.0	23.5	24.5	26.5	24.0	25.5	24.0	23.5	20.8	25.8	26.2	25.2	298.5	
VSBY = GTR 3 MI	02 LST	27.0	25.0	23.0	23.0	23.0	21.0	23.5	20.5	20.8	23.5	26.0	25.0	281.3	
	08 LST	21.8	20.2	20.2	20.0	17.8	15.6	19.0	19.0	18.3	20.6	21.5	22.4	236.4	
	14 LST	22.4	17.3	17.5	21.0	19.0	22.5	23.0	22.5	17.5	21.8	19.3	16.4	240.2	

# LA QUIACA, ARGENTINA

STA NO. 87007 (IN AREA NUMBER 02)

LATITUDE 2206S

LONGITUDE 06536W

ELEVATION(FT) 11355

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. CBS
ABS MAX TMP (F)	84	90	90	91	84	82	79	78	84	95	93	93	95	25	-528
MEAN MAX TMP (F)	70	69	70	69	63	60	60	64	68	71	73	72	67	23	-28
MEAN MIN TMP (F)	41	41	39	32	22	16	16	20	26	32	37	40	30	23	-28
ABS MIN TMP (F)	30	30	30	16	9	0	0	12	12	13	22	30	0	25	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.7	0.4	0.5	2.2	7	2037
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	16.6	27.9	29.3	30.2	30.1	23.7	12.7	3.3	0.0	174.0	25	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN DEW PT TMP (F)	41	40	40	30	17	11	8	10	17	28	35	40	26	22	-29
MEAN REL HUM (PCT)	63	62	62	51	40	38	34	32	35	45	51	59	48	20	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.50	2.60	1.80	0.30	0.05	0.00	0.05	0.05	0.10	0.30	1.00	2.70	12.4	25	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0									0.0		25	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.8	4.6	3.3	1.3	0.9	0.0	0.4	0.4	0.7	1.1	2.3	4.7	25.5	25	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0			0.0		25	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														25	-29
MEAN NO DYS TSTMS	7.0	7.0	6.0	2.0	0.3	0.3	0.3	1.0	1.0	3.0	6.0	8.0	41.9	34	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	9.5	7.5	10.3	6.9	3.2	4.9	4.8	1.1	1.8	5.1	0.0	7.1	5.2	5	595
09-11 LST	7.3	6.0	1.9	4.4	4.5	1.7	2.1	5.6	0.8	2.1	3.3	2.6	3.5	7	1381
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	5.0	1.7	0.0	1.6	4.9	4.8	0.0	0.0	0.0	0.0	7.1	2.1	5	595
09-11 LST	1.8	0.9	0.0	0.7	1.1	0.8	1.4	4.6	0.0	0.0	0.0	0.9	1.0	7	1381
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# LA QUIACA, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	29.1	27.1	30.4	29.2	30.2	29.3	30.2	30.2	29.6	30.8	30.0	30.0	356.1	7	1976
	14 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	26.2	25.1	28.5	28.1	29.1	28.4	29.6	29.5	28.7	29.4	27.7	28.8	339.1	7	1975
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	0.2	0.1	0.0	0.0	0.2	0.0	0.1	0.1	0.2	0.2	0.0	0.0	1.1	7	2095
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	2.4	1.8	3.0	2.5	1.0	0.6	0.6	1.0	3.1	4.0	3.7	3.3	27.0	7	2092
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	10.0	8.8	11.1	15.8	21.6	22.9	26.0	23.1	19.7	17.9	13.4	10.8	201.1	7	2092
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	24.8	22.4	26.9	26.7	28.7	28.8	29.8	29.0	28.3	28.2	28.0	27.1	328.7	7	1976
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	20.0	16.1	21.0	23.6	27.5	28.5	29.6	28.4	27.0	26.0	24.1	22.3	294.1	7	1976
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	20.0	16.1	21.0	23.6	27.5	28.5	29.6	28.4	27.0	26.0	24.1	22.3	294.1	7	1976
	14 LST														0	0

# JUJUY, ARGENTINA

STA NO. 87042/ (IN AREA NUMBER 02)

LATITUDE 24145      LONGITUDE 06516W      ELEVATION(FT) 04049

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	99	97	96	95	99	91	96	98	100	102	102	101	102	18	-87047
MEAN MAX TMP (F)	85	82	79	74	70	65	66	72	76	78	84	85	76	12	-34
MEAN MIN TMP (F)	61	60	58	54	47	40	40	43	50	53	57	60	52	12	-34
ABS MIN TMP (F)	42	44	40	29	24	18	15	22	22	30	38	44	15	18	-87047
MEAN NO DYS TMP = OR GTR 90(F)	8.7	3.0	1.5	1.3	0.8	0.5	0.6	4.1	3.7	6.2	5.7	8.8	44.9	7	-87047
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	1.6	6.7	6.2	3.5	1.5	0.0	0.0	0.0	19.5	18	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN DEW PT TMP (F)	62	62	61	56	49	44	41	41	45	51	56	60	52	0	-50
MEAN REL HUM (PCT)	73	77	80	79	75	72	67	61	59	65	64	71	70	11	-34
MEAN PRESS ALT (FT)	4000	4000	3950	3900	3900	3900	3900	3900	3900	3950	4000	4000	3942	0	-50
MEAN PRECIP (IN)	6.54	5.51	5.43	1.26	0.51	0.16	0.16	0.12	0.35	1.54	2.56	5.20	29.3	20	-34
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		18	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.4	8.3	7.9	2.6	1.6	0.6	0.6	0.5	1.2	3.2	4.7	7.9	48.5	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0				0.0		0.0	0.0			18	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	8.0	6.0	51.5	1.0	0.3	0.3	0.3	0.3	1.0	3.0	5.0	7.0	83.7	44	-87047
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	15.8	12.8	45.5	35.6	23.7	20.6	6.7	5.5	5.3	10.0	23.1	30.8	19.6	5	-87047
09-11 LST	12.9	21.1	27.6	28.7	31.5	15.2	16.9	16.4	8.5	16.2	15.0	11.9	18.5	7	-87047
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	10.5	5.1	7.3	5.1	10.2	11.1	0.0	0.0	0.0	1.7	0.0	7.7	4.9	5	-87047
09-11 LST	2.9	2.0	5.5	2.1	4.5	1.6	4.1	4.3	1.4	1.7	2.4	1.6	2.8	7	-87047
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# JUJUY, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	27.3	22.6	21.9	21.7	22.8	23.9	22.9	25.0	23.9	26.1	26.6	26.5	291.2	7	-87047
	14 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI w/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	25.9	20.7	18.2	17.4	19.7	21.8	21.5	24.4	23.2	24.5	23.8	26.1	267.2	7	-87047
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.4	7	-87047
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	1.9	1.5	1.0	1.7	0.2	1.2	1.8	3.5	1.7	3.5	2.8	1.6	22.4	7	-87047
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	11.7	6.5	5.6	5.0	7.3	9.2	10.5	13.6	11.7	12.0	12.1	11.1	116.3	7	-87047
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	25.1	18.5	16.0	15.3	18.2	20.6	19.8	23.0	22.3	23.6	22.3	24.1	248.8	7	-87047
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	20.5	12.9	10.7	9.3	10.3	13.9	14.7	18.7	17.2	17.5	19.7	21.0	186.4	7	-87047
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	19.3	12.9	10.7	8.9	10.0	13.7	14.6	18.7	16.4	17.3	19.3	20.1	181.9	7	-87047
	14 LST														0	0

# EL CADILLAL, ARGENTINA

STA NO. 87045/ (IN AREA NUMBER 02)

LATITUDE 24235

LONGITUDE 06505W

ELEVATION(FT) 03117

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	99	97	96	95	99	91	96	98	100	102	102	101	102	18	-87047
MEAN MAX TMP (F)	83	82	79	74	70	69	70	70	77	79	80	81	76	10	-87047
MEAN MIN TMP (F)	59	60	59	53	45	41	39	42	49	53	58	60	52	10	-87047
ABS MIN TMP (F)	42	44	40	29	24	18	15	22	22	30	38	44	15	18	-87047
MEAN NO DYS TMP = OR GTR 90(F)	8.7	3.0	1.5	1.3	0.8	0.5	0.6	4.1	3.7	6.2	5.7	8.8	44.9	7	-87047
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	1.6	6.7	6.2	3.5	1.5	0.0	0.0	0.0	19.5	18	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN DEW PT TMP (F)	61	62	62	55	48	43	41	39	46	49	54	58	52	11	-29
MEAN REL HUM (PCT)	74	76	79	76	73	68	64	58	58	58	62	67	68	12	-87047
MEAN PRESS ALT (FT)	3058	3055	3022	2994	2997	2982	2964	2988	3013	3038	3077	3083	3023	0	-50
MEAN PRECIP (IN)	6.50	6.20	4.00	1.30	0.40	0.10	0.00	0.20	0.30	1.20	2.40	5.20	27.8	20	-87047
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		18	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.4	9.1	6.1	2.6	1.4	0.5	0.0	0.6	1.1	2.7	4.4	7.9	45.8	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0		0.0	0.0			0.0	0.0	0.0		18	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	8.0	6.0	51.5	1.0	0.3	0.3	0.3	0.3	1.0	3.0	5.0	7.0	83.7	44	-87047
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 26 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	15.8	12.8	45.5	35.6	23.7	20.6	6.7	5.5	5.3	10.0	23.1	30.8	19.6	5	-87047
09-11 LST	12.9	21.1	27.6	28.7	31.5	15.2	16.9	16.4	8.5	16.2	15.0	11.9	18.5	7	-87047
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	10.5	5.1	7.3	5.1	10.2	11.1	0.0	0.0	0.0	1.7	0.0	7.7	4.9	5	-87047
09-11 LST	2.9	2.0	5.5	2.1	4.5	1.6	4.1	4.3	1.4	1.7	2.4	1.6	2.8	7	-87047
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# EL CADILLAL, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSDY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	27.3	22.6	21.9	21.7	22.8	23.9	22.9	25.0	23.9	26.1	26.6	26.5	291.2	7	-87047
	14 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 K15	20 LST														0	0
	02 LST														0	0
	08 LST	25.9	20.7	18.2	17.4	19.7	21.8	21.5	24.4	23.2	24.5	23.8	26.1	267.2	7	-87047
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.4	7	-87047
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	1.9	1.5	1.0	1.7	0.2	1.2	1.8	3.5	1.7	3.5	2.8	1.6	22.4	7	-87047
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	11.7	6.5	5.6	5.0	7.3	9.2	10.5	13.6	11.7	12.0	12.1	11.1	116.3	7	-87047
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	25.1	18.5	16.0	15.3	18.2	20.6	19.8	23.0	22.3	23.6	22.3	24.1	248.8	7	-87047
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	20.5	12.9	10.7	9.3	10.3	13.9	14.7	18.7	17.2	17.5	19.7	21.0	186.4	7	-87047
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	19.3	12.9	10.7	8.9	10.0	13.7	14.6	18.7	16.4	17.3	19.3	20.1	181.9	7	-87047
	14 LST														0	0

# SALTA, ARGENTINA

STA NO. 87047 (IN AREA NUMBER 02)

LATITUDE 24515

LONGITUDE 06529W

ELEVATION(FT) 04062

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	99	97	96	95	99	91	96	98	100	102	102	101	102	18	-528
MEAN MAX TMP (F)	83	82	79	74	70	69	70	70	77	79	80	81	76	10	-28
MEAN MIN TMP (F)	59	60	59	53	45	41	39	42	49	53	58	60	52	10	-28
ABS MIN TMP (F)	42	44	40	29	24	18	15	22	22	30	38	44	15	18	-28
MEAN NO DYS TMP ≥ OR GTR 90(F)	8.7	3.0	1.5	1.3	0.8	0.5	0.6	4.1	3.7	6.2	5.7	8.8	44.9	7	2118
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.0	0.0	1.6	6.7	6.2	3.5	1.5	0.0	0.0	0.0	19.5	18	-29
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN DEW PT TMP (F)	62	62	61	56	49	44	41	41	45	51	56	60	52	0	-50
MEAN REL HUM (PCT)	74	76	79	76	73	68	64	58	58	58	62	67	68	12	-28
MEAN PRESS ALT (FT)	4000	4000	4000	3950	3950	3900	3900	3950	3950	3950	4050	4050	3971	0	-50
MEAN PRECIP (IN)	6.50	6.20	4.00	1.30	0.40	0.10	0.00	0.20	0.30	1.20	2.40	5.20	27.8	20	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		18	-29
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	9.4	9.1	6.1	2.6	1.4	0.5	0.0	0.6	1.1	2.7	4.4	7.9	45.8	20	-29
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0		0.0	0.0			0.0	0.0	0.0		18	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	8.0	6.0	51.5	1.0	0.3	0.3	0.3	0.3	1.0	3.0	5.0	7.0	83.7	44	-24
P FREQ WND SPD ≥ OR GTR 17 KTS														0	0
P FREQ WND SPD ≥ OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	15.8	12.8	45.5	35.6	23.7	20.6	6.7	5.5	5.3	10.0	23.1	30.8	19.6	5	588
09-11 LST	12.9	21.1	27.6	28.7	31.5	15.2	16.9	16.4	8.5	16.2	15.0	11.9	18.5	7	1547
12-14 LST														0	J
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	10.5	5.1	7.3	5.1	10.2	11.1	0.0	0.0	0.0	1.7	0.0	7.7	4.9	5	588
09-11 LST	2.9	2.0	5.5	2.1	4.5	1.6	4.1	4.3	1.4	1.7	2.4	1.6	2.8	7	1547
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# SALTA, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	27.3	22.6	21.9	21.7	22.8	23.9	22.9	25.0	23.9	26.1	26.6	26.5	291.2	7	2135
	14 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/5FC WND LES 10 KTS	20 LST													0	0	
	02 LST													0	0	
	08 LST	25.9	20.7	18.2	17.4	19.7	21.8	21.5	24.4	23.2	24.5	23.8	26.1	267.2	7	2133
	14 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST													0	0	
	02 LST													0	0	
	08 LST	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.4	7	2156	
	14 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST													0	0	
	02 LST													0	0	
	08 LST	1.9	1.5	1.0	1.7	0.2	1.2	1.8	3.5	1.7	3.5	2.8	1.6	22.4	7	2150
	14 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	11.7	6.5	5.6	5.0	7.3	9.2	10.5	13.6	11.7	12.0	12.1	11.1	116.3	7	2154
	14 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	25.1	18.5	16.0	15.3	18.2	20.6	19.8	23.0	22.3	23.6	22.3	24.1	248.8	7	2135
	14 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	20.5	12.9	10.7	9.3	10.3	13.9	14.7	18.7	17.2	17.5	19.7	21.0	186.4	7	2135
	14 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	19.3	12.9	10.7	8.9	10.0	13.7	14.6	18.7	16.4	17.3	19.3	20.1	181.9	7	2135
	14 LST													0	0	

# ANDALGALA, ARGENTINA

STA NO. 87113 (IN AREA NUMBER 02)

LATITUDE 27365

LONGITUDE 06620W

ELEVATION(FT) 03504

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	111	111	106	102	99	95	100	104	106	109	108	111	111	50	-588
MEAN MAX TMP (F)	93	90	86	79	72	64	66	72	79	84	90	93	81	50	-88
MEAN MIN TMP (F)	64	64	61	54	45	39	39	41	48	55	61	63	53	50	-88
ABS MIN TMP (F)	46	48	41	27	27	23	21	21	27	36	36	39	21	50	-588
MEAN NO DYS TMP = OR GTR 90(F)	19.3	13.5	6.0	3.5	0.0	0.0	0.0	1.3	3.6	9.1	12.2	18.0	86.5	6	1445
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0		1.5	5.9	4.9	2.1	0.4	0.0	0.0	0.0		50	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50	-29
MEAN DEW PT TMP (F)	58	60	58	52	45	38	35	34	40	47	53	56	48	50	-29
MEAN REL HUM (PCT)	53	60	63	64	64	63	55	48	47	50	50	52	56	50	-88
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.99	2.55	1.72	0.65	0.30	0.16	0.19	0.18	0.20	0.58	0.67	1.41	11.6	50	-88
MEAN SNOW FALL (IN)	0.0	0.0	0.0							0.0	0.0	0.0		50	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.1	4.5	3.2	1.7	1.3	0.6	0.6	0.6	0.9	1.6	1.8	2.9	24.8	50	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0							0.0	0.0	0.0		50	-29
MEAN NO DYS W/OCUP VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST		4.0				0.0	9.7	0.0	0.0	0.0				4	150
09-11 LST	5.6	11.1	4.8	2.9	4.8	3.1	4.4	1.8	1.5	1.1	7.1	5.6	4.5	6	1369
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST		4.0				0.0	3.2	0.0	0.0	0.0				4	150
09-11 LST	2.1	5.1	1.6	1.4	1.2	1.6	1.8	0.0	1.5	0.0	2.7	2.2	1.8	6	1369
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# ANDALGALA, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	29.2	25.5	29.8	28.9	30.6	29.3	29.3	30.1	26.5	29.4	28.4	29.2	346.2	6	1518
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	29.2	24.8	29.3	28.7	28.8	28.6	28.9	29.7	26.5	28.9	27.0	28.9	339.3	6	1516
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.7	0.9	6	1524
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	0.4	1.3	0.7	0.2	0.7	0.9	0.8	1.3	1.3	1.3	0.8	1.4	11.1	6	1521
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	16.6	14.6	18.1	16.8	17.7	17.7	18.4	21.5	19.4	22.2	20.2	20.9	224.1	6	1522
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	28.6	24.1	27.5	27.6	28.0	28.2	28.4	29.5	26.1	28.6	26.8	28.9	332.3	6	1518
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	23.8	20.1	21.6	22.3	25.8	23.9	24.6	27.1	24.1	25.9	23.3	26.8	289.3	6	1518
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	23.1	19.6	21.1	22.1	25.5	23.4	23.9	26.9	23.8	25.6	23.1	26.4	284.5	6	1518
	14 LST														0	0

# TUCUMAN, ARGENTINA

STA NO. 87120 (IN AREA NUMBER 02)

LATITUDE 2650S

LONGITUDE 06512W

ELEVATION(FT) 01385

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	118	111	100	95	90	97	99	102	106	108	110	108	118	48	-558
MEAN MAX TMP (F)	90	88	83	77	70	66	67	71	79	82	86	87	79	40	-58
MEAN MIN TMP (F)	67	67	64	58	52	45	44	45	52	58	62	65	57	40	-58
ABS MIN TMP (F)	50	50	46	36	27	25	25	27	30	36	43	44	25	48	-558
MEAN NO DYS TMP ≥ OR GTR 90(F)	21.0	11.9	6.9	3.2	0.2	0.0	0.0	2.2	4.5	9.5	14.3	16.1	89.8	7	2137
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.8	3.2	2.5	1.8	0.0	0.0	0.0	0.0	8.3	48	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	48	-29
MEAN DEW PT TMP (F)	67	67	64	59	53	46	44	42	49	57	59	64	56	31	-29
MEAN REL HUM (PCT)	70	72	75	77	77	73	69	60	60	66	64	69	69	12	-58
MEAN PRESS ALT (FT)	1537	1520	1457	1395	1359	1305	1280	1332	1375	1439	1515	1567	1423	0	-50
MEAN PRECIP (IN)	7.10	6.70	5.90	2.70	1.10	0.60	0.40	0.50	0.70	2.30	3.70	6.60	38.3	40	-58
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0		48	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.0	9.6	8.5	4.4	2.3	1.3	1.0	1.1	1.8	4.3	6.0	9.5	59.8	40	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0		48	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI									0.0	0.0	0.0	0.0		48	-29
MEAN NO DYS TSTMS	8.0	7.0	6.0	2.0	0.3	0.3	0.3	0.3	1.0	4.0	6.0	7.0	42.2	50	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	14.3	7.5	25.5	15.8	25.8	26.2	9.7	7.7	7.4	8.3	42.9	14.3	17.1	5	595
09-11 LST	10.4	16.4	22.3	24.8	22.5	15.5	12.1	7.8	4.9	11.5	13.4	5.0	13.9	7	1550
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.8	5.0	5.5	1.8	3.2	7.7	9.7	5.5	1.9	5.0	28.6	14.3	7.8	5	595
09-11 LST	6.9	5.5	13.1	17.9	10.1	5.4	8.7	4.3	1.4	6.2	7.1	1.7	7.4	7	1550
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# TUCUMAN, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	27.8	24.1	23.6	23.2	22.8	23.8	27.0	26.4	27.2	27.7	25.1	29.1	307.8	7	2145
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	27.0	23.3	23.3	22.9	22.6	23.6	26.9	26.4	26.9	27.4	24.2	27.7	302.2	7	2145
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	7	2164
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	8.1	4.8	4.0	4.4	5.0	4.6	3.6	7.3	7.0	7.1	8.8	7.4	72.1	7	2162
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	15.2	10.4	10.5	10.0	10.7	11.7	14.5	14.6	14.8	13.9	14.7	14.1	155.1	7	2162
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	27.0	23.2	22.8	22.6	22.8	23.5	26.7	26.4	26.6	27.2	24.5	28.4	301.7	7	2145
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	22.7	19.5	17.1	18.0	19.7	20.7	23.1	23.0	22.7	21.7	21.1	23.8	253.1	7	2145
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	22.0	17.9	16.1	17.4	17.6	19.3	22.2	22.0	21.9	21.3	20.4	21.7	239.8	7	2145
	14 LST														0	0

# LA RIOJA, ARGENTINA

STA NO. 87217 (IN AREA NUMBER 02)

LATITUDE 29255

LONGITUDE 06652W

ELEVATION(FT) 01696

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	114	108	109	101	95	86	91	111	117	105	108	116	117	18	-558
MEAN MAX TMP (F)	94	92	88	82	73	66	67	73	80	84	90	93	82	10	-58
MEAN MIN TMP (F)	68	66	63	56	48	39	40	44	51	56	62	66	55	10	-58
ABS MIN TMP (F)	53	54	41	38	28	21	23	27	30	39	46	49	21	16	-558
MEAN NO DYS TMP = OR GTR 90(F)	25.5	18.2	12.6	4.4	0.0	0.0	0.0	1.6	3.7	10.9	16.4	22.7	116.0	7	2161
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.8	3.2	2.0	0.9	0.0	0.0	0.0	0.0	6.9	16	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN DEW PT TMP (F)	62	63	60	54	46	36	36	34	41	49	53	58	49	11	-29
MEAN REL HUM (PCT)	57	61	63	63	63	58	56	45	45	52	49	53	55	12	-58
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.60	2.70	2.20	0.80	0.50	0.20	0.10	0.20	0.20	0.80	1.40	1.80	13.5	20	-58
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0		16	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.6	4.7	3.8	1.9	1.5	0.6	0.5	0.6	0.9	2.0	3.0	3.5	27.6	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0			0.0		0.0	0.0	0.0	0.0		16	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.2	0.8	0.2	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.5	1.5	4.6	4	-58
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	7.5	10.5	5.4	13.3	6.3	3.6	4.4	0.0	0.0	7.7	12.5	5.9	4	591
09-11 LST	5.6	6.7	10.1	9.8	5.7	5.3	2.7	0.0	1.4	3.4	2.3	1.6	4.6	7	1597
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	2.5	8.8	3.6	6.7	4.7	3.6	0.0	0.0	0.0	7.7	12.5	4.2	4	591
09-11 LST	1.9	0.7	0.7	0.7	2.3	0.8	0.0	0.0	0.7	0.0	0.0	0.0	0.7	7	1597
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# LA RIOJA, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	29.1	26.1	27.7	27.4	28.3	28.1	29.9	30.3	29.4	30.5	29.4	30.1	346.3	7	2188
	14 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	28.4	24.9	27.5	27.1	27.4	28.0	29.8	29.8	29.1	29.6	28.5	29.0	339.1	7	2187
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	0.2	0.1	0.0	0.0	0.2	0.0	0.0	0.1	0.1	0.2	0.0	0.9	1.8	7	2195
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NU PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	7.2	7.5	9.7	5.9	3.1	3.7	3.2	4.8	11.3	9.9	11.2	8.2	85.7	7	2195
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	16.3	14.8	14.6	15.1	13.0	13.9	13.5	18.2	17.4	17.6	17.4	17.8	189.6	7	2195
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	28.1	24.6	26.4	26.2	27.0	27.2	29.6	29.9	28.8	29.9	27.7	29.5	334.9	7	2188
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	23.3	20.7	20.8	21.2	20.3	22.4	24.9	25.6	25.1	25.1	23.2	23.5	276.1	7	2188
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	22.7	20.0	20.0	20.3	19.7	21.8	24.5	25.2	24.8	24.4	23.0	23.5	269.9	7	2 88
	14 LST														0	0

# CATAMARCA, ARGENTINA

STA NO. 87220 (IN AREA NUMBER 02)

LATITUDE 2826S

LONGITUDE 06546W

ELEVATION(FT) 01762

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	113	113	109	108	97	90	99	104	109	108	113	118	118	50	-88
MEAN MAX TMP (F)	93	91	88	82	75	68	70	75	81	86	90	93	83	50	-88
MEAN MIN TMP (F)	70	68	64	57	50	41	41	45	52	59	64	68	57	50	-88
ABS MIN TMP (F)	48	50	41	30	25	23	23	21	28	36	32	41	21	50	-88
MEAN NO DYS TMP ≥ OR GTR 90(F)	25.5	18.2	12.6	4.4	0.0	0.0	0.0	1.6	3.7	10.9	16.4	22.7	116.0	7	-87217
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.0	0.0	0.8	3.2	2.0	0.9	0.1	0.0	0.0	0.0	7.0	50	-29
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50	-29
MEAN DEW PT TMP (F)	65	65	65	58	51	45	45	42	50	55	60	65	56	0	-50
MEAN REL HUM (PCT)	54	59	62	66	67	68	62	51	47	48	51	52	57	50	-88
MEAN PRESS ALT (FT)	1950	1900	1850	1800	1750	1700	1650	1750	1750	1850	1800	1950	1808	0	-50
MEAN PRECIP (IN)	2.76	2.74	1.89	0.89	0.49	0.19	0.17	0.23	0.28	1.06	1.39	0.21	12.3	50	-88
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		50	-29
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	4.8	4.8	3.4	2.1	1.5	0.6	0.6	0.7	1.0	2.4	3.0	1.0	23.9	50	-29
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0						0.0	0.0	0.0		50	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.0	3.0	2.0	1.0	0.3	0.3	0.3	0.3	0.3	2.0	3.0	4.0	20.5	48	-24
P FREQ WND SPD ≥ OR GTR 17 KTS														0	0
P FREQ WND SPD ≥ OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	7.5	10.5	5.4	13.3	6.3	3.6	4.4	0.0	0.0	7.7	12.5	5.9	4	-87217
09-11 LST	5.6	6.7	10.1	9.8	5.7	5.3	2.7	0.0	1.4	3.4	2.3	1.6	4.6	7	-87217
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	2.5	8.8	3.6	6.7	4.7	3.6	0.0	0.0	0.0	7.7	12.5	4.2	4	-87217
09-11 LST	1.9	0.7	0.7	0.7	2.3	0.8	0.0	0.0	0.7	0.0	0.0	0.0	0.7	7	-87217
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# CATAMARCA, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	29.1	26.1	27.7	27.4	28.3	28.1	29.9	30.3	29.4	30.5	29.4	30.1	346.3	7	-87217
	14 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	28.4	24.9	27.5	27.1	27.4	28.0	29.8	29.8	29.1	29.6	28.5	29.0	339.1	7	-87217
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	0.2	0.1	0.0	0.0	0.2	0.0	0.0	0.1	0.1	0.2	0.0	0.9	1.8	7	-87217
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	7.2	7.5	9.7	5.9	3.1	3.7	3.2	4.8	11.3	9.9	11.2	8.2	85.7	7	-87217
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	16.3	14.8	14.6	15.1	13.0	13.9	13.5	18.2	17.4	17.6	17.4	17.8	189.6	7	-87217
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	28.1	24.6	26.4	26.2	27.0	27.2	29.6	29.9	28.8	29.9	27.7	29.5	334.9	7	-87217
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	23.3	20.7	20.8	21.2	20.3	22.4	24.9	25.6	25.1	25.1	23.2	23.5	276.1	7	-87217
	14 LST														0	0
CIG = GTR 100 M FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	22.7	20.0	20.0	20.3	19.7	21.8	24.5	25.2	24.8	24.4	23.0	23.5	269.9	7	-87217
	14 LST														0	0

# SAN JUAN, ARGENTINA

STA NO. 87312 (IN AREA NUMBER 02)

LATITUDE 31365

LONGITUDE 06833W

ELEVATION(FT) 02087

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	111	108	105	100	94	95	92	97	100	107	109	115	115	47	-558
MEAN MAX TMP (F)	92	90	85	77	67	62	63	66	73	79	86	90	78	39	-58
MEAN MIN TMP (F)	63	62	58	49	42	35	35	38	44	51	56	62	50	39	-58
ABS MIN TMP (F)	42	44	32	27	23	17	18	22	27	30	36	36	17	47	-558
MEAN NO DYS TMP = OR GTR 90(F)	21.4	15.3	8.5	1.9	0.2	0.3	0.0	0.6	2.2	6.9	9.6	20.9	87.8	7	2152
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	1.4	3.6	12.8	13.7	8.0	1.6	0.0	0.0	0.0	41.1	47	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47	-29
MEAN DEW PT TMP (F)	60	60	58	50	42	36	35	33	37	46	49	57	47	0	-50
MEAN REL HUM (PCT)	46	49	54	57	59	60	59	46	43	45	43	45	51	8	-58
MEAN PRESS ALT (FT)	2150	2100	2050	2050	2000	1950	1950	1950	2000	2050	2100	2150	2042	0	-50
MEAN PRECIP (IN)	0.80	0.70	0.40	0.10	0.00	0.00	0.30	0.10	0.10	0.20	0.20	0.40	3.3	20	-58
MEAN SNOW FALL (IN)	0.0	0.0	0.0							0.0	0.0	0.0		47	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.9	1.8	1.4	1.0	0.0	0.0	0.8	0.5	0.7	0.9	0.9	1.3	11.2	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0		47	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	6.0	4.0	2.0	0.3	0.0	0.0	0.0	0.3	0.3	1.0	3.0	3.0	19.9	20	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	3.4	4.8	6.6	6.7	6.5	0.0	0.0	7.1	2.9	4	580
09-11 LST	0.0	0.7	0.0	1.4	1.1	3.6	1.3	0.0	0.7	0.8	0.8	0.8	0.9	7	1602
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	1.7	3.2	3.3	4.4	1.6	0.0	0.0	0.0	1.2	4	580
09-11 LST	0.0	0.0	0.0	0.7	1.1	2.2	1.3	0.0	0.0	0.0	0.0	0.8	0.5	7	1602
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# SAN JUAN, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	31.0	27.5	30.5	29.9	29.9	28.1	29.5	29.4	28.7	30.6	29.5	30.3	354.9	7	2182
	13 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	19 LST														0	0
	01 LST														0	0
	07 LST	29.2	27.5	29.4	29.3	29.8	27.6	29.2	28.5	27.0	29.0	27.5	29.5	343.5	7	2179
	13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	0.7	0.1	0.3	0.3	0.2	0.1	0.3	0.6	0.7	0.2	0.0	0.2	3.7	7	2189
	13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	18.7	11.6	9.8	7.9	7.1	6.9	9.7	12.7	14.6	19.7	20.2	20.4	159.3	7	2187
	13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	23.8	18.8	19.0	18.0	13.8	13.1	13.5	18.0	16.4	20.6	22.3	22.6	219.9	7	2190
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	30.6	27.4	30.0	29.0	29.4	27.3	28.9	29.0	28.3	29.9	29.3	30.1	349.2	7	2182
	13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	27.9	24.4	24.9	24.5	24.4	22.1	24.4	25.2	25.4	26.8	27.5	26.8	304.3	7	2182
	13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	27.7	24.4	24.7	24.2	24.0	22.1	24.1	25.2	25.2	26.8	27.3	26.8	302.5	7	2182
	13 LST														0	0

# CORDOBA, ARGENTINA

STA NO. 87344 (IN AREA NUMBER 02)

LATITUDE 31195

LONGITUDE 06412W

ELEVATION(FT) 01988

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NC. OBS
ABS MAX TMP (F)	114	111	100	97	92	89	95	99	100	105	105	109	114	49	-528
MEAN MAX TMP (F)	88	86	82	75	69	64	65	69	73	77	82	86	76	41	-28
MEAN MIN TMP (F)	61	60	58	51	44	38	38	40	45	51	56	60	50	41	-28
ABS MIN TMP (F)	42	38	33	31	20	17	13	19	21	30	36	39	13	49	-28
MEAN NO DYS TMP = OR GTR 90(F)	16.9	9.6	6.6	2.8	0.2	0.0	0.0	1.3	2.4	4.7	6.0	12.8	63.3	7	2156
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	2.2	5.3	6.1	4.0	1.7	0.0	0.0	0.0	19.3	49	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49	-29
MEAN DEW PT TMP (F)	61	60	59	53	47	41	39	39	43	50	54	59	50	0	-50
MEAN REL HUM (PCT)	61	63	70	67	65	65	61	56	54	56	58	60	61	28	-28
MEAN PRESS ALT (FT)	1600	1600	1550	1500	1500	1500	1450	1500	1500	1550	1600	1650	1542	0	-50
MEAN PRECIP (IN)	4.10	4.50	3.50	1.90	1.30	0.30	0.50	0.50	0.80	2.40	3.70	4.80	28.3	40	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		49	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.6	7.1	5.5	3.4	2.6	0.8	1.1	1.1	2.0	4.4	6.0	7.5	48.1	40	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0						0.0	0.0	0.0		49	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	9.0	8.0	6.0	3.0	1.0	1.0	0.3	1.0	2.0	5.0	8.0	9.0	53.3	51	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	2.6	0.0	4.2	6.3	7.1	10.0	12.2	11.9	0.0	0.0	12.5	5.6	5	492
09-11 LST	11.0	6.6	7.1	16.0	25.3	21.6	13.7	10.1	11.0	11.1	8.9	8.8	12.6	7	1592
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	2.1	6.3	7.1	5.0	6.1	2.4	0.0	0.0	12.5	3.5	5	492
09-11 LST	1.9	1.5	4.3	5.6	13.2	8.2	7.6	6.4	4.1	2.6	1.6	0.0	4.8	7	1592
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# CORDOBA, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	27.6	23.8	26.6	23.6	19.4	20.4	24.0	23.0	20.9	27.5	27.3	27.5	291.6	7	2004
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	25.5	22.3	25.2	22.2	18.6	19.8	22.1	22.2	18.8	24.9	24.8	25.2	271.6	7	2003
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	0.5	0.0	0.5	0.6	0.0	0.3	0.1	0.4	1.2	1.0	0.6	0.6	5.8	7	2212
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	8.8	6.3	4.1	4.2	5.5	4.8	6.9	7.2	7.7	12.1	10.0	9.5	87.1	7	2212
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	11.7	11.4	11.0	10.3	5.7	6.2	7.0	9.5	7.7	9.9	10.6	12.9	113.9	7	2217
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	26.1	22.5	25.7	21.9	18.6	19.9	22.2	21.6	19.8	25.3	25.7	25.6	274.9	7	2004
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	23.4	20.1	21.9	19.2	17.6	17.9	19.9	19.5	18.5	22.4	22.7	23.3	246.4	7	2004
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	22.7	19.3	20.1	18.8	17.6	17.4	19.5	19.0	17.9	20.8	21.4	23.1	237.6	7	2004
	14 LST														0	0

# ESCUELA DE ARTILLERY, ARGENTINA

STA NO. 87345/ (IN AREA NUMBER 02)

LATITUDE 31245

LONGITUDE 06415W

ELEVATION(FT) 01312

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	114	111	100	97	92	89	95	99	100	105	105	109	114	49	-87344
MEAN MAX TMP (F)	88	86	82	75	69	64	65	69	73	77	82	86	76	41	-87344
MEAN MIN TMP (F)	61	60	58	51	44	38	38	40	45	51	56	60	50	41	-87344
ABS MIN TMP (F)	42	38	33	31	20	17	13	19	21	30	36	39	13	49	-87344
MEAN NO DYS TMP = OR GTR 90(F)	16.9	9.6	6.6	2.8	0.2	0.0	0.0	1.3	2.4	4.7	6.0	12.8	63.3	7	-87344
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	2.2	5.3	6.1	4.0	1.7	0.0	0.0	0.0	19.3	49	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49	-29
MEAN DLW PT TMP (F)	58	58	59	50	43	38	37	37	40	46	52	56	48	37	-29
MEAN REL HUM (PCT)	61	63	70	67	65	65	61	56	54	56	58	60	61	28	-87344
MEAN PRESS ALT (FT)	1412	1401	1330	1281	1259	1210	1180	1212	1240	1294	1373	1431	1302	0	-90
MEAN PRECIP (IN)	4.10	4.50	3.50	1.90	1.30	0.30	0.50	0.50	0.80	2.40	3.70	4.80	28.3	40	-87344
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		49	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.6	7.1	5.5	3.4	2.6	0.8	1.1	1.1	2.0	4.4	6.0	7.5	48.1	40	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0						0.0	0.0	0.0		49	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	9.0	8.0	6.0	3.0	1.0	1.0	0.3	1.0	2.0	5.0	8.0	9.0	53.3	51	-87344
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	2.6	0.0	4.2	6.3	7.1	10.0	12.2	11.9	0.0	0.0	12.5	5.6	5	-87344
09-11 LST	11.0	6.6	7.1	16.0	25.3	21.6	13.7	10.1	11.0	11.1	8.9	8.8	12.6	7	-87344
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	2.1	6.3	7.1	5.0	6.1	2.4	0.0	0.0	12.5	3.5	5	-87344
09-11 LST	1.9	1.5	4.3	5.6	13.2	8.2	7.6	6.4	4.1	2.6	1.6	0.0	4.8	7	-87344
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# ESCUELA DE ARTILLERY, ARGENTINA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	27.6	23.8	26.6	23.6	19.4	20.4	24.0	23.0	20.9	27.5	27.3	27.5	291.6	7	-87344
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	25.5	22.3	25.2	22.2	18.6	19.8	22.1	22.2	18.8	24.9	24.8	25.2	271.6	7	-87344
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	0.5	0.0	0.5	0.6	0.0	0.3	0.1	0.4	1.2	1.0	0.6	0.6	5.8	7	-87344
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	8.8	6.3	4.1	4.2	5.5	4.8	6.9	7.2	7.7	12.1	10.0	9.5	87.1	7	-87344
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	11.7	11.4	11.0	10.3	5.7	6.2	7.0	9.5	7.7	9.9	10.6	12.9	113.9	7	-87344
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	26.1	22.5	25.7	21.9	18.6	19.9	22.2	21.6	19.8	25.3	25.7	25.6	274.9	7	-87344
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	23.4	20.1	21.9	19.2	17.6	17.9	19.9	19.5	18.5	22.4	22.7	23.3	246.4	7	-87344
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	22.7	19.3	20.1	18.8	17.6	17.4	19.5	19.0	17.9	20.8	21.4	23.1	237.6	7	-87344
	14 LST														0	0

# INST AEROTECNICO, ARGENTINA

STA NO. 87346/ (IN AREA NUMBER 02)

LATITUDE 3126S

LONGITUDE 06416W

ELEVATION(FT) 01575

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	114	111	100	97	92	89	95	99	100	105	105	109	114	49	-87344
MEAN MAX TMP (F)	88	86	82	75	69	64	65	69	73	77	82	86	76	41	-87344
MEAN MIN TMP (F)	61	60	58	51	44	38	38	40	45	51	56	60	50	41	-87344
ABS MIN TMP (F)	42	38	33	31	20	17	13	19	21	30	36	39	13	49	-87344
MEAN NO DYS TMP = OR GTR 90(F)	16.9	9.6	6.6	2.8	0.2	0.0	0.0	1.3	2.4	4.7	6.0	12.8	63.3	7	-87344
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	2.2	5.3	6.1	4.0	1.7	0.0	0.0	0.0	19.3	49	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49	-29
MEAN DEW PT TMP (F)	61	60	60	57	44	38	37	38	43	48	53	58	50	0	-50
MEAN REL HUM (PCT)	61	63	70	67	65	65	61	56	54	56	58	60	61	28	-87344
MEAN PRESS ALT (FT)	1600	1600	1550	1500	1500	1450	1450	1450	1450	1550	1600	1650	1529	0	-50
MEAN PRECIP (IN)	4.10	4.50	3.50	1.90	1.30	0.30	0.50	0.50	0.80	2.40	3.70	4.80	28.3	40	-87344
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		49	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.6	7.1	5.5	3.4	2.6	0.8	1.1	1.1	2.0	4.4	6.0	7.5	48.1	40	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0						0.0	0.0	0.0		49	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	9.0	8.0	6.0	3.0	1.0	1.0	0.3	1.0	2.0	5.0	8.0	9.0	53.3	51	-87344
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	2.6	0.0	4.2	6.3	7.1	10.0	12.2	11.9	0.0	0.0	12.5	5.6	5	-87344
09-11 LST	11.0	6.6	7.1	16.0	23.3	21.6	13.7	10.1	11.0	11.1	8.9	8.8	12.6	7	-87344
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	2.1	6.3	7.1	5.0	6.1	2.4	0.0	0.0	12.5	3.5	5	-87344
09-11 LST	1.9	1.5	4.3	5.6	13.2	8.2	7.6	6.4	4.1	2.6	1.6	0.0	4.8	7	-87344
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# INST AEROTECNICO, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	27.6	23.8	26.6	23.6	19.4	20.4	24.0	23.0	20.9	27.5	27.3	27.5	291.6	7	-87344
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	25.5	22.3	25.2	22.2	18.6	19.8	22.1	22.2	18.8	24.9	24.8	25.2	271.6	7	-87344
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	0.5	0.0	0.5	0.6	0.0	0.3	0.1	0.4	1.2	1.0	0.6	0.6	5.8	7	-87344
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	8.8	6.3	4.1	4.2	5.5	4.8	6.9	7.2	7.7	12.1	10.0	9.5	87.1	7	-87344
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	11.7	11.4	11.0	10.3	5.7	6.2	7.0	9.5	7.7	9.9	10.6	12.9	113.9	7	-87344
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	26.1	22.5	25.7	21.9	18.6	19.9	22.2	21.6	19.8	25.3	25.7	25.6	274.9	7	-87344
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	23.4	20.1	21.9	19.2	17.6	17.9	19.9	19.5	18.5	22.4	22.7	23.3	246.4	7	-87344
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	22.7	19.3	20.1	18.8	17.6	17.4	19.5	19.0	17.9	20.8	21.4	23.1	237.6	7	-87344
	14 LST														0	0

# ESCUELA AVIACION, ARGENTINA

STA NO. 87347/ (IN AREA NUMBER 02)

LATITUDE 31275

LONGITUDE 06416W

ELEVATION(FT) 01575

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	107	104	101	97	96	88	91	99	102	101	105	109	109	10	-88
MEAN MAX TMP (F)	89	88	80	76	70	65	64	68	74	79	83	90	77	10	-88
MEAN MIN TMP (F)	60	59	55	49	43	38	36	38	44	48	54	58	49	10	-88
ABS MIN TMP (F)	42	37	32	27	22	15	10	17	19	28	37	36	10	10	-88
MEAN NO DYS TMP = OR GTR 90(F)	16.9	9.6	6.6	2.8	0.2	0.0	0.0	1.3	2.4	4.7	6.0	12.8	63.3	7	-87344
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.4	2.2	5.3	6.1	4.0	1.7		0.0	0.0		10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	61	60	59	55	47	41	39	39	43	50	54	59	50	0	-50
MEAN REL HUM (PCT)	59	63	71	72	74	74	68	62	57	60	59	54	64	10	-88
MEAN PRESS ALT (FT)	1600	1600	1550	1500	1500	1450	1450	1450	1450	1550	1600	1650	1529	0	-50
MEAN PRECIP (IN)	3.36	3.19	3.49	1.03	1.15	0.40	0.60	0.54	0.93	3.17	2.82	2.90	23.6	10	-88
MEAN SNOW FALL (IN)	0.0	0.0	0.0								0.0	0.0		10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.6	5.4	5.5	2.2	2.4	1.0	1.3	1.2	2.2	5.4	5.0	5.0	42.2	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0								0.0	0.0		10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	9.0	8.0	6.0	3.0	1.0	1.0	0.3	1.0	2.0	5.0	8.0	9.0	53.3	51	-87344
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	2.6	0.0	4.2	6.3	7.1	10.0	12.2	11.9	0.0	0.0	12.5	5.6	5	-87344
09-11 LST	11.0	6.6	7.1	16.0	25.7	21.6	13.7	10.1	11.0	11.1	8.9	8.8	12.6	7	-87344
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	2.1	6.3	7.1	5.0	6.1	2.4	0.0	0.0	12.5	3.5	5	-87344
09-11 LST	1.9	1.5	4.3	5.6	13.2	8.2	7.6	6.4	4.1	2.6	1.6	0.0	4.8	7	-87344
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# ESCUELA AVIACION, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	27.6	23.8	26.6	23.6	19.4	20.4	24.0	23.0	20.9	27.5	27.3	27.5	291.6	7 -87344
	14 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	20 LST													0	0
	02 LST													0	0
	08 LST	25.5	22.3	25.2	22.2	18.6	19.8	22.1	22.2	18.8	24.9	24.8	25.2	271.6	7 -87344
	14 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST													0	0
	02 LST													0	0
	08 LST	0.5	0.0	0.5	0.6	0.0	0.3	0.1	0.4	1.2	1.0	0.6	0.6	5.8	7 -87344
	14 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST													0	0
	02 LST													0	0
	08 LST	8.8	6.3	4.1	4.2	5.5	4.8	6.9	7.2	7.7	12.1	10.0	9.5	87.1	7 -87344
	14 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	11.7	11.4	11.0	10.3	5.7	6.2	7.0	9.5	7.7	9.9	10.6	12.9	113.9	7 -87344
	14 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	26.1	22.5	25.7	21.9	18.6	19.9	22.2	21.6	19.8	25.3	25.7	25.6	274.9	7 -87344
	14 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	23.4	20.1	21.9	19.2	17.6	17.9	19.9	19.5	18.5	22.4	22.7	23.3	246.4	7 -87344
	14 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	22.7	19.3	20.1	18.8	17.6	17.4	19.5	19.0	17.9	20.8	21.4	23.1	237.6	7 -87344
	14 LST													0	0

# REG 13 DE INFANTRY, ARGENTINA

STA NO. 87348/ (IN AREA NUMBER 02)

LATITUDE 31225

LONGITUDE 06414W

ELEVATION(FT) 01312

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	114	111	100	97	92	89	95	99	100	105	105	109	114	49	-87344
MEAN MAX TMP (F)	88	86	82	75	69	64	65	69	73	77	82	86	76	41	-87344
MEAN MIN TMP (F)	61	60	58	51	44	38	38	40	45	51	56	60	50	41	-87344
ABS MIN TMP (F)	42	38	33	31	20	17	13	19	21	30	36	39	13	49	-87344
MEAN NO DYS TMP = OR GTR 90(F)	16.9	9.6	6.6	2.8	0.2	0.0	0.0	1.3	2.4	4.7	6.0	12.8	63.3	7	-87344
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	2.2	5.3	6.1	4.0	1.7	0.0	0.0	0.0	19.3	49	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49	-29
MEAN DEW PT TMP (F)	58	58	59	50	43	38	37	37	40	46	52	56	48	37	-29
MEAN REL HUM (PCT)	61	63	70	67	65	65	61	56	54	56	58	60	61	28	-87344
MEAN PRESS ALT (FT)	1412	1401	1330	1281	1259	1210	1180	1212	1240	1294	1374	1431	1302	0	-50
MEAN PRECIP (IN)	4.10	4.50	3.50	1.90	1.30	0.30	0.50	0.50	0.80	2.40	3.70	4.80	28.3	40	-87344
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		49	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.6	7.1	5.5	3.4	2.6	0.8	1.1	1.1	2.0	4.4	6.0	7.5	48.1	40	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0						0.0	0.0	0.0		49	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	9.0	8.0	6.0	3.0	1.0	1.0	0.3	1.0	2.0	5.0	8.0	9.0	53.3	51	-87344
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	2.6	0.0	4.2	6.3	7.1	10.0	12.2	11.9	0.0	0.0	12.5	5.6	5	-87344
09-11 LST	11.0	6.6	7.1	16.0	25.3	21.6	13.7	10.1	11.0	11.1	8.9	8.8	12.6	7	-87344
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	2.1	6.3	7.1	5.0	6.1	2.4	0.0	0.0	12.5	3.5	5	-87344
09-11 LST	1.9	1.5	4.3	5.6	13.2	8.2	7.6	6.4	4.1	2.6	1.6	0.0	4.8	7	-87344
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# REG 13 DE INFANTRY, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	MEAN NUMBER OF DAYS												ANN	POR (YRS)	NO. OBS	
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC				
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	27.6	23.8	26.6	23.6	19.4	20.4	24.0	23.0	20.9	27.5	27.3	27.5	291.6	7	-87344
	14 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST													0	0	
	02 LST													0	0	
	08 LST	25.5	22.3	25.2	22.2	18.6	19.8	22.1	22.2	18.8	24.9	24.8	25.2	271.6	7	-87344
	14 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST													0	0	
	02 LST													0	0	
	08 LST	0.5	0.0	0.5	0.6	0.0	0.3	0.1	0.4	1.2	1.0	0.6	0.6	5.8	7	-87344
	14 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST													0	0	
	02 LST													0	0	
	08 LST	8.8	6.3	4.1	4.2	5.5	4.8	6.9	7.2	7.7	12.1	10.0	9.5	87.1	7	-87344
	14 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	11.7	11.4	11.0	10.3	5.7	6.2	7.0	9.5	7.7	9.9	10.6	12.9	113.9	7	-87344
	14 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	26.1	22.5	25.7	21.9	18.6	19.9	22.2	21.6	19.8	25.3	25.7	25.6	274.9	7	-87344
	14 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	23.4	20.1	21.9	19.2	17.6	17.9	19.9	19.5	18.5	22.4	22.7	23.3	246.4	7	-87344
	14 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	22.7	19.3	20.1	18.8	17.6	17.4	19.5	19.0	17.9	20.8	21.4	23.1	237.6	7	-87344
	14 LST													0	0	

# EL PLUMERILLO, ARGENTINA

STA NO. 87418 (IN AREA NUMBER 02)

LATITUDE 3249S

LONGITUDE 06847W

ELEVATION(FT) 02313

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	108	102	95	94	75	76	83	83	90	98	102	103	108	10	-88
MEAN MAX TMP (F)	90	87	85	74	66	59	58	62	71	79	85	90	76	10	-88
MEAN MIN TMP (F)	63	59	55	47	39	33	32	35	41	48	55	60	47	10	-88
ABS MIN TMP (F)	49	44	37	27	21	21	19	20	26	32	35	40	19	10	-88
MEAN NO DYS TMP = OR GTR 90(F)	18.6	10.0	6.7		0.0	0.0	0.0	0.0	0.0		6.4	18.6		10	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0							0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	57	57	54	47	41	34	31	33	38	44	49	54	45	0	-50
MEAN REL HUM (PCT)	50	56	63	69	72	71	68	60	55	50	52	47	59	10	-88
MEAN PRESS ALT (FT)	2350	2350	2300	2250	2250	2200	2200	2200	2200	2300	2350	2350	2275	0	-50
MEAN PRECIP (IN)	0.83	0.82	0.62	0.29	0.43	0.17	0.32	0.22	0.60	0.64	0.58	0.32	5.8	10	-88
MEAN SNOW FALL (IN)	0.0	0.0	0.0							0.0	0.0	0.0		10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.0	2.0	1.7	1.3	1.4	0.6	0.8	0.7	1.6	1.7	1.6	1.2	16.6	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0							0.0	0.0	0.0		10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	6.0	4.2	2.6	1.0	0.2	0.1	0.1	0.1	0.7	1.5	4.0	6.5	27.0	40	-87420
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	9.8	1.8	1.7	4.9	6.2	4.9	6.7	8.3	1.6	0.0	12.5	4.9	4	-87420
09-11 LST	1.3	2.1	0.8	3.4	4.3	6.6	9.8	3.5	3.4	3.4	0.8	0.8	3.4	7	-87420
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	1.8	0.0	1.6	1.5	1.6	0.0	0.0	0.0	0.0	6.3	1.1	4	-87420
09-11 LST	0.0	0.0	0.0	0.7	0.0	5.1	4.6	0.0	1.4	0.8	0.0	0.0	1.1	7	-87420
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# EL PLUMERILLO, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	31.0	26.8	29.8	29.1	29.8	27.6	28.2	29.2	28.5	29.9	29.2	30.3	349.4	7	-87420
	13 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST														0	0
	01 LST														0	0
	07 LST	24.2	24.3	26.8	28.5	29.0	26.4	27.2	27.5	24.9	25.8	23.5	24.1	312.2	7	-87420
	13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	1.8	0.6	1.1	0.0	0.0	0.1	0.3	0.6	1.2	1.7	0.8	2.4	10.6	7	-87420
	13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	15.4	12.8	8.1	7.3	7.1	6.6	8.1	10.2	9.3	15.9	14.5	14.6	129.9	7	-87420
	13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	18.9	15.7	16.2	13.5	12.6	10.6	11.4	12.0	14.1	15.3	16.6	19.3	176.2	7	-87420
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	29.7	26.3	28.1	28.5	28.4	26.4	27.7	28.1	27.4	28.6	28.3	29.9	337.4	7	-87420
	13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	25.5	21.5	22.2	21.9	23.9	21.9	25.3	23.8	24.5	25.1	24.3	26.3	286.2	7	-87420
	13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	24.9	21.2	22.2	21.4	23.9	21.8	25.2	23.4	24.0	24.6	23.9	26.3	282.8	7	-87420
	13 LST														0	0

# MENDOZA, ARGENTINA

STA NO. 87420 (IN AREA NUMBER 02)

LATITUDE 32535

LONGITUDE 06850W

ELEVATION(FT) 02523

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	109	105	100	93	86	86	83	92	93	97	106	108	109	31	-558
MEAN MAX TMP (F)	90	87	82	73	65	59	59	63	69	76	84	88	75	23	-58
MEAN MIN TMP (F)	60	59	55	47	41	36	35	38	44	50	54	58	48	23	-58
ABS MIN TMP (F)	41	41	29	28	23	15	16	21	25	32	36	36	15	31	-558
MEAN NO DYS TMP ≥ OR GTR 90(F)	17.6	10.2	3.4	0.9	0.0	0.0	0.0	0.0	0.0	1.9	3.7	13.6	51.3	7	2130
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.0	1.2	2.3	7.7	9.6	4.2	1.7	0.0	0.0	0.0	26.7	31	-29
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31	-29
MEAN DEW PT TMP (F)	53	53	51	45	39	33	32	33	32	37	42	48	42	27	-29
MEAN REL HUM (PCT)	51	54	58	62	63	62	60	55	44	43	43	46	53	34	-58
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.90	1.30	1.10	0.50	0.40	0.40	0.20	0.30	0.50	0.80	0.70	0.80	7.9	20	-58
MEAN SNOW FALL (IN)	0.0	0.0	0.0							0.0	0.0	0.0		31	-29
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	2.1	2.7	2.3	1.5	1.4	1.0	0.6	0.8	1.4	2.0	1.8	1.9	19.5	20	-29
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0							0.0	0.0	0.0		31	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	6.0	4.2	2.6	1.0	0.2	0.1	0.1	0.1	0.7	1.5	4.0	6.5	27.0	40	-58
P FREQ WND SPD ≥ OR GTR 17 KTS														0	0
P FREQ WND SPD ≥ OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	9.8	1.8	1.7	4.9	6.2	4.9	6.7	8.3	1.6	0.0	12.5	4.9	4	602
09-11 LST	1.3	2.1	0.8	3.4	4.3	6.6	9.8	3.5	3.4	3.4	0.8	0.8	3.4	7	1580
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	1.8	0.0	1.6	1.5	1.6	0.0	0.0	0.0	0.0	6.3	1.1	4	602
09-11 LST	0.0	0.0	0.0	0.7	0.0	5.1	4.6	0.0	1.4	0.8	0.0	0.0	1.1	7	1580
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# MENDOZA, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	31.0	26.8	29.8	29.1	29.8	27.6	28.2	29.2	28.5	29.9	29.2	30.3	349.4	7	2182
	13 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST														0	0
	01 LST														0	0
	07 LST	24.2	24.3	26.8	28.5	29.0	26.4	27.2	27.5	24.9	25.8	23.5	24.1	312.2	7	2179
	13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	1.8	0.6	1.1	0.0	0.0	0.1	0.3	0.6	1.2	1.7	0.8	2.4	10.6	7	2179
	13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	15.4	12.8	8.1	7.3	7.1	6.6	8.1	10.2	9.3	15.9	14.5	14.6	129.9	7	2173
	13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	18.9	15.7	16.2	13.5	12.6	10.6	11.4	12.0	14.1	15.3	16.6	19.3	176.2	7	2184
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	29.7	26.3	28.1	28.5	28.4	26.4	27.7	28.1	27.4	28.4	28.3	29.9	337.4	7	2182
	13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	25.5	21.5	22.2	21.9	23.9	21.9	25.3	23.8	24.5	25.1	24.3	26.3	286.2	7	2182
	13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	24.9	22.2	22.2	21.4	23.9	21.8	25.2	23.4	24.0	24.6	23.9	26.3	282.8	7	2182
	13 LST														0	0

# SAN LUIS, ARGENTINA

STA NO. 87436 (IN AREA NUMBER 02)

LATITUDE 3316S

LONGITUDE 06621W

ELEVATION(FT) 02343

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	107	103	102	96	89	80	87	88	95	98	101	107	107	18	-58
MEAN MAX TMP (F)	91	88	84	74	68	60	61	66	72	77	83	88	76	10	-58
MEAN MIN TMP (F)	62	62	59	51	45	38	38	42	47	52	57	61	51	10	-58
ABS MIN TMP (F)	45	47	40	32	24	14	18	23	24	33	38	45	14	18	-58
MEAN NO DYS TMP ≥ OR GTR 90(F)	21.0	12.1	5.0		0.0	0.0	0.0	0.0			3.4	13.5		10	-29
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		18	-29
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN DEW PT TMP (F)	56	56	54	50	44	37	35	34	40	46	56	55	47	0	-50
MEAN REL HUM (PCT)	56	60	62	62	64	62	63	53	52	55	50	54	58	12	-58
MEAN PRESS ALT (FT)	2450	2400	2400	2350	2350	2350	2300	2350	2350	2400	2400	2450	2379	0	-50
MEAN PRECIP (IN)	4.20	4.10	2.30	1.50	0.80	0.20	0.40	0.40	0.70	1.30	2.00	3.60	22.3	20	-58
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		18	-29
MEAN NO DYS PR. ≥ OR GTR 0.1 IN	6.7	6.6	3.9	2.9	1.9	0.6	1.0	1.0	1.8	2.8	5.0	6.0	40.2	20	-29
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0						0.0	0.0	0.0		18	-29
MEAN NO DYS W/OCLR VSPY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	6.0	4.0	3.0	1.0	0.3	0.3	0.3	0.3	0.3	3.0	4.0	4.0	26.5	19	-24
P FREQ WND SPD ≥ OR GTR 17 KTS														0	0
P FREQ WND SPD ≥ OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	20.0	2.5	16.1	5.3	22.8	21.3	19.7	15.1	28.6	25.8	21.4	25.0	18.6	5	-87447
09-11 LST	13.0	17.1	16.2	12.8	20.4	15.1	15.3	15.0	13.3	16.7	11.5	12.2	14.9	7	-87447
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	10.0	0.0	3.6	1.8	10.5	14.8	16.4	6.5	8.9	16.1	7.1	12.5	9.0	5	-87447
09-11 LST	3.7	4.6	11.0	6.8	16.1	12.9	10.7	10.0	7.3	12.5	2.3	2.3	8.4	7	-87447
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# SAN LUIS, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	26.9	24.1	25.8	26.9	23.3	24.2	24.5	25.5	24.0	24.7	27.1	26.4	303.4	7	-87447
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	23.0	22.7	25.2	26.3	23.1	23.7	23.9	24.3	21.7	23.0	23.2	24.0	284.1	7	-87447
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	0.3	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.3	0.3	0.0	0.6	1.8	7	-87447
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	6.8	5.5	5.0	5.0	3.4	2.5	3.4	4.2	5.2	8.0	9.1	10.0	68.1	7	-87447
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	14.3	14.9	16.4	15.0	7.9	10.1	8.7	11.6	12.8	12.9	14.9	16.9	156.4	7	-87447
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	25.0	23.5	25.0	26.5	22.7	23.4	23.8	24.4	22.9	23.8	26.0	25.9	292.9	7	-87447
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	23.5	22.9	23.1	23.0	20.2	21.2	21.3	22.1	21.1	22.1	23.4	25.1	269.0	7	-87447
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	22.5	21.6	21.3	21.8	18.8	20.6	20.4	20.8	19.8	21.3	22.5	23.8	255.2	7	-87447
	14 LST														0	0

# VILLA MERCEDES, ARGENTINA

STA NO. 87447/ (IN AREA NUMBER 02)

LATITUDE 3341S

LONGITUDE 06529W

ELEVATION(FT) 01686

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	108	104	100	97	90	84	86	88	99	99	100	106	108	7	2193
MEAN MAX TMP (F)	91	88	82	76	70	63	64	67	72	77	83	88	77	7	2193
MEAN MIN TMP (F)	62	60	55	50	45	39	38	40	45	50	55	60	50	7	2209
ABS MIN TMP (F)	45	43	32	28	25	18	16	21	25	34	37	45	16	7	2209
MEAN NO DYS TMP = OR GTR 90(F)	19.6	13.6	9.3	3.1	0.2	0.0	0.0	0.0	1.7	5.4	7.3	16.3	76.5	7	2193
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.2	0.7	1.0	6.0	8.3	5.8	3.2	0.0	0.0	0.0	25.2	7	2209
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2209
MEAN DEW PT TMP (F)	57	56	55	51	47	41	39	38	39	44	48	51	47	8	-29
MEAN REL HUM (PCT)	56	57	66	68	71	71	67	59	53	53	51	49	60	10	-88
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.75	3.38	2.24	1.69	0.50	0.89	1.27	0.46	1.41	2.39	2.23	3.17	22.4	7	1635
MEAN SNOW FALL (IN)	0.0	0.0	0.0							0.0	0.0	0.0		7	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.5	5.5	4.7	3.2	1.7	2.4	2.4	1.3	1.8	3.9	4.4	5.2	42.0	7	1635
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0							0.0	0.0	0.0		7	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	20.0	2.5	16.1	5.3	22.8	21.3	19.7	15.1	28.6	25.8	21.4	25.0	18.6	5	593
09-11 LST	13.0	17.1	16.2	12.8	20.4	15.1	15.3	15.0	13.3	16.7	11.5	12.2	14.9	7	1632
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	10.0	0.0	3.6	1.8	10.5	14.8	16.4	6.5	8.9	16.1	7.1	12.5	9.0	5	593
09-11 LST	3.7	4.6	11.0	6.8	16.1	12.9	10.7	10.0	7.3	12.5	2.3	2.3	8.4	7	1632
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# VILLA MERCEDES, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	26.9	24.1	25.8	26.9	23.3	24.2	24.5	25.5	24.0	24.7	27.1	26.4	303.4	7	222
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	23.0	22.7	25.2	26.3	23.1	23.7	23.9	24.3	21.7	23.0	23.2	24.0	284.1	7	2224
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	0.3	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.3	0.3	0.0	0.6	1.8	7	2237
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	6.8	5.5	5.0	5.0	3.4	2.5	3.4	4.2	5.2	8.0	9.1	10.0	68.1	7	2232
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	14.3	14.9	16.4	15.0	7.9	10.1	8.7	11.6	12.8	12.9	14.9	16.9	156.4	7	2236
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	25.0	23.5	25.0	26.5	22.7	23.4	23.8	24.4	22.9	23.8	26.0	25.9	292.9	7	2225
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	23.5	22.9	23.1	23.0	20.2	21.2	21.3	22.1	21.1	22.1	23.4	25.1	269.0	7	2225
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	22.5	21.6	21.3	21.8	18.8	20.6	20.4	20.8	19.8	21.3	22.5	23.8	255.2	7	2225
	14 LST														0	0

# CORONEL PRINGLES, ARGENTINA

STA NO. 87448 (IN AREA NUMBER 02)

LATITUDE 33445

LONGITUDE 06523W

ELEVATION(FT) 01591

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	108	104	100	97	90	84	86	88	99	99	100	106	108	7	-87447
MEAN MAX TMP (F)	91	88	82	76	70	63	64	67	72	77	83	88	77	7	-87447
MEAN MIN TMP (F)	62	60	55	50	45	39	38	40	45	50	55	60	50	7	-87447
ABS MIN TMP (F)	45	43	32	28	25	18	16	21	25	34	37	45	16	7	-87447
MEAN NO DYS TMP = OR GTR 90(F)	19.6	13.6	9.3	3.1	0.2	0.0	0.0	0.0	1.7	5.4	7.3	16.3	76.5	7	-87447
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.7	1.0	6.0	8.3	5.8	3.2	0.0	0.0	0.0	25.0	7	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN DEW PT TMP (F)	60	57	55	52	46	43	39	39	39	40	52	55	49	0	-50
MEAN REL HUM (PCT)	56	57	66	68	71	71	67	59	53	53	51	49	60	10	-87447
MEAN PRESS ALT (FT)	1700	1700	1600	1550	1550	1500	1450	1500	1500	1600	1650	1700	1583	0	-50
MEAN PRECIP (IN)	2.75	3.38	2.24	1.69	0.50	0.89	1.27	0.46	1.41	2.39	2.23	3.17	22.4	7	-87447
MEAN SNOW FALL (IN)	0.0	0.0	0.0							0.0	0.0	0.0		7	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.5	5.5	4.7	3.2	1.7	2.4	2.4	1.3	1.8	3.9	4.4	5.2	42.0	7	-87447
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0							0.0	0.0	0.0		7	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	20.0	2.5	16.1	5.3	22.8	21.3	19.7	15.1	28.6	25.8	21.4	25.0	18.6	5	-87447
09-11 LST	13.0	17.1	16.2	12.8	20.4	15.1	15.3	15.0	13.3	16.7	11.5	12.2	14.9	7	-87447
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	10.0	0.0	3.6	1.8	10.5	14.8	16.4	6.5	8.9	16.1	7.1	12.5	9.0	5	-87447
09-11 LST	3.7	4.6	11.0	6.8	16.1	12.9	10.7	10.0	7.3	12.5	2.3	2.3	8.4	7	-87447
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# CORONEL PRINGLES, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	26.9	24.1	25.8	26.9	23.3	24.2	24.5	25.5	24.0	24.7	27.1	26.4	303.4	7 -87447
	14 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST													0	0
	02 LST													0	0
	08 LST	23.0	22.7	25.2	26.3	23.1	23.7	23.9	24.3	21.7	23.0	23.2	24.0	284.1	7 -87447
	14 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST													0	0
	02 LST													0	0
	08 LST	0.3	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.3	0.3	0.0	0.6	1.8	7 -87447
	14 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST													0	0
	02 LST													0	0
	08 LST	6.8	5.5	5.0	5.0	3.4	2.5	3.4	4.2	5.2	8.0	9.1	10.0	68.1	7 -87447
	14 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	14.3	14.9	16.4	15.0	7.9	10.1	8.7	11.6	12.8	12.9	14.9	16.9	156.4	7 -87447
	14 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	25.0	23.5	25.0	26.5	22.7	23.4	23.8	24.4	22.9	23.8	26.0	25.9	292.9	7 -87447
	14 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	23.5	22.9	23.1	23.0	20.2	21.2	21.3	22.1	21.1	22.1	23.4	25.1	269.0	7 -87447
	14 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	22.5	21.6	21.3	21.8	18.8	20.6	20.4	20.8	19.8	21.3	22.5	23.8	255.2	7 -87447
	14 LST													0	0

# TALLER RIO CUARTO, ARGENTINA

STA NO. 87453 (IN AREA NUMBER 02)

LATITUDE 33055

LONGITUDE 06416w

ELEVATION(FT) 01382

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	108	104	99	98	91	83	81	101	94	100	104	111	111	10	-88
MEAN MAX TMP (F)	90	88	80	75	67	62	61	65	71	78	83	90	76	10	-88
MEAN MIN TMP (F)	61	60	56	50	44	38	37	39	45	50	55	60	50	10	-88
ABS MIN TMP (F)	44	38	36	34	27	20	19	19	23	30	37	38	19	10	-88
MEAN NO DYS TMP = OR GTR 90(F)	19.6	13.6	9.3	3.1	0.2	0.0	0.0	0.0	1.7	5.4	7.3	16.3	76.5	7	-87447
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	1.0	6.0	8.3	5.8	3.2	0.0	0.0	0.0	24.3	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	58	58	57	51	47	41	38	38	41	48	52	54	49	10	-29
MEAN REL HUM (PCT)	59	62	70	70	75	73	69	63	58	60	58	53	64	10	-88
MEAN PRESS ALT (FT)	1482	1471	1400	1351	1329	1280	1250	1282	1310	1364	1443	1501	1372	0	-50
MEAN PRECIP (IN)	4.52	3.67	5.34	2.64	0.98	0.65	1.04	0.42	0.95	3.59	4.15	3.59	31.5	10	-88
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.1	6.1	7.8	4.4	2.2	1.4	2.0	1.0	2.2	5.9	6.5	6.0	52.6	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0						0.0	0.0	0.0		10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	5.0	4.0	4.0	1.0	0.3	0.3	0.3	0.3	1.0	3.0	5.0	6.0	30.2	51	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	20.0	2.5	16.1	5.3	22.8	21.3	19.7	15.1	28.6	25.8	21.4	25.0	18.6	5	-87447
09-11 LST	13.0	17.1	16.2	12.8	20.4	15.1	15.3	15.0	13.3	16.7	11.5	12.2	14.9	7	-87447
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	10.0	0.0	3.6	1.8	10.5	14.8	16.4	6.5	8.9	16.1	7.1	12.5	9.0	5	-87447
09-11 LST	3.7	4.6	11.0	6.8	16.1	12.9	10.7	10.0	7.3	12.5	2.3	2.3	8.0	7	-87447
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# TALLER RIO CUARTO, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	26.9	24.1	25.8	26.9	23.3	24.2	24.5	25.5	24.0	24.7	27.1	26.4	303.4	7	-87447
	14 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	23.0	22.7	25.2	26.3	23.1	23.7	23.9	24.3	21.7	23.0	23.2	24.0	284.1	7	-87447
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	0.3	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.3	0.3	0.0	0.6	1.8	7	-87447
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	6.8	5.5	5.0	5.0	3.4	2.5	3.4	4.2	5.2	8.0	9.1	10.0	68.1	7	-87447
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	14.3	14.9	16.4	15.0	7.9	10.1	8.7	11.6	12.8	12.9	14.9	16.9	156.4	7	-87447
	14 LST														0	0
LIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	25.0	23.5	25.0	26.5	22.7	23.4	23.8	24.4	22.9	23.8	26.0	25.9	292.9	7	-87447
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	23.5	22.9	23.1	23.0	20.2	21.2	21.3	22.1	21.1	22.1	23.4	25.1	269.0	7	-87447
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	22.5	21.6	21.3	21.8	16.8	20.6	20.4	20.8	19.8	21.3	22.5	23.8	255.2	7	-87447
	14 LST														0	0

# EL SOSNEADO, ARGENTINA

STA NO. 87504/ (IN AREA NUMBER 02)

LATITUDE 35075

LONGITUDE 06934W

ELEVATION(FT) 04999

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP ≥ OR GTR 90(F)														0	0
MEAN NO DYS TMP ≥ OR LES 32(F)														0	0
MEAN NO DYS TMP ≥ OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD ≥ OR GTR 17 KTS	0.0	0.0	0.0	7.0	8.1	3.0	2.5	5.1	3.4	1.5	3.3	2.5	3.0	2	-35
P FREQ WND SPD ≥ OR GTR 28 KTS	0.0	0.0	0.0	0.8	3.8	0.0	0.4	0.7	0.0	0.0	0.0	0.0	0.5	2	-35
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	3.2	6.8	10.9	7.6	8.1	6.5	13.5	6.5	3.3	0.0	5.5	4	947
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	4.2	4.4	5.9	5.6	7.4	7.0	3.3	2.2	0.0	3.3	4	938
15-17 LST	0.0	0.0	0.0	4.8	11.3	5.6	7.7	4.4	7.8	2.2	1.1	0.0	3.7	4	789
18-20 LST				3.3	6.5	13.3	6.5	9.7						1	153
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	4.1	6.5	5.9	4.9	6.5	10.1	1.1	0.0	0.0	3.3	4	947
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	2.8	1.1	2.5	3.2	3.3	3.5	0.0	1.1	0.0	1.5	4	938
15-17 LST	0.0	0.0	0.0	4.8	3.2	4.5	2.2	3.3	3.3	0.0	0.0	0.0	1.8	4	789
18-20 LST				3.3	3.2	10.0	3.2	9.7						1	153
21-23 LST														0	0

# EL SOSNEADO, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST				29.0	30.0	27.0	29.0	28.0						1	152
	01 LST														0	0
	07 LST	31.0	28.0	31.0	27.5	28.3	27.7	29.0	29.0	26.0	29.6	29.6	31.0	347.7	4	947
	13 LST	31.0	28.0	31.0	29.2	30.7	28.2	29.7	29.5	27.7	30.0	29.3	30.4	354.7	4	949
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST				25.9	27.0	26.0	24.0	28.0						1	152
	01 LST														0	0
	07 LST	31.0	28.0	30.0	26.3	25.3	26.0	26.4	25.7	24.9	27.7	26.7	26.6	328.6	4	947
	13 LST	31.0	27.0	31.0	23.8	25.6	25.0	26.2	24.2	24.0	25.9	26.3	25.8	315.8	4	949
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST				2.0	0.0	1.0	0.0	0.0						1	152
	01 LST														0	0
	07 LST	0.0	0.0	0.0	0.4	1.3	0.2	1.2	1.0	0.7	0.0	0.0	0.6	5.4	4	947
	13 LST	0.0	0.0	0.0	1.6	1.7	1.5	1.2	1.5	1.0	0.3	1.0	1.1	10.9	4	949
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST				8.3	4.0	2.0	3.0	6.0						1	152
	01 LST														0	0
	07 LST	1.0	2.0	2.0	4.1	5.1	4.0	3.5	1.7	3.7	4.3	5.0	1.2	37.6	4	945
	13 LST	2.0	9.0	7.0	3.7	5.1	4.0	5.7	3.5	5.6	5.7	7.0	3.4	61.7	4	949
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST				13.4	16.0	20.0	19.0	18.0						1	152
	01 LST														0	0
	07 LST	27.0	24.0	26.0	14.6	9.6	11.6	12.6	13.0	11.8	15.0	18.7	24.0	208.1	4	947
	13 LST	21.0	22.0	25.0	13.1	10.8	10.7	11.2	12.0	12.7	11.1	14.6	17.8	182.0	4	949
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST				29.0	28.0	27.0	26.0	28.0						1	152
	01 LST														0	0
	07 LST	31.0	28.0	30.0	26.7	26.9	26.7	28.2	28.2	25.6	28.3	28.7	31.0	339.3	4	947
	13 LST	31.0	28.0	30.0	27.9	28.0	27.8	28.7	28.0	27.0	29.3	29.3	29.8	344.8	4	949
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST				29.0	25.0	25.0	23.0	26.0						1	152
	01 LST														0	0
	07 LST	30.0	28.0	29.0	25.5	24.2	26.0	25.5	27.2	23.9	26.0	28.3	30.4	324.0	4	947
	13 LST	30.0	28.0	29.0	25.9	25.6	26.5	26.7	26.2	25.7	26.6	28.0	29.3	327.5	4	949
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST				26.9	24.0	25.0	23.0	26.0						1	152
	01 LST														0	0
	07 LST	30.0	28.0	29.0	24.7	22.9	25.2	24.7	26.2	23.9	25.0	28.0	30.4	318.0	4	947
	13 LST	29.0	28.0	29.0	25.5	25.3	25.2	26.0	25.7	24.3	25.6	27.3	29.3	320.2	4	949

# MALARQUE, ARGENTINA

STA NO. 87506 (IN AREA NUMBER 02)      LATITUDE 35285      LONGITUDE 06935W      ELEVATION(FT) 04652

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	100	95	90	88	81	84	88	81	88	88	93	95	100	7	2074
MEAN MAX TMP (F)	84	81	75	70	62	54	54	56	64	70	76	81	69	7	2074
MEAN MIN TMP (F)	47	46	-1	36	32	25	25	27	32	39	40	46	36	7	2198
ABS MIN TMP (F)	34	28	25	18	5	-11	-2	1	16	21	23	34	-11	7	2198
MEAN NO DYS TMP = OR GTR 90(F)	8.0	3.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	2.1	13.8	7	2074
MEAN NO DYS TMP = OR LES 32(F)	0.0	1.2	3.5	10.6	19.5	25.5	25.8	24.8	17.0	7.9	5.6	0.0	141.4	7	2198
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.7	7	2198
MEAN DEW PT TMP (F)	44	44	43	39	33	25	26	27	30	32	33	37	34	8	-29
MEAN REL HUM (PCT)	50	53	61	62	62	61	62	60	54	47	43	42	55	10	-88
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.29	0.79	1.16	0.55	0.96	0.74	1.44	0.69	0.98	0.89	0.23	1.78	10.5	7	1624
MEAN SNOW FALL (IN)	0.0											0.0		7	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.8	1.7	2.0	1.4	2.7	1.8	3.3	1.6	1.4	2.8	0.9	1.6	22.0	7	1624
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0											0.0		7	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	2.6	7.1	0.0	3.3	10.9	3.2	10.9	4.9	10.0	0.0	6.3	4.9	5	600
09-11 LST	1.3	0.7	4.3	5.4	6.7	15.7	12.8	6.8	3.5	2.5	1.6	3.0	5.4	7	1611
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	1.8	0.0	0.0	9.4	3.2	5.4	1.6	1.7	0.0	0.0	1.9	5	600
09-11 LST	0.0	0.0	0.7	2.0	3.3	13.4	8.1	5.9	0.7	0.0	0.0	0.0	2.8	7	1611
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# MALARQUE, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI														0	0
19 LST														0	0
01 LST														0	0
07 LST	30.5	27.6	29.6	28.8	29.5	25.4	26.8	28.8	28.8	29.8	30.0	30.3	345.9	7	2211
13 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS														0	0
19 LST														0	0
01 LST														0	0
07 LST	28.9	26.2	28.8	27.6	27.7	23.5	24.3	26.0	26.4	25.6	27.9	27.9	320.8	7	2211
13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.														0	0
19 LST														0	0
01 LST														0	0
07 LST	0.2	0.1	0.5	0.7	0.6	1.6	1.5	1.0	1.2	1.3	1.0	0.2	9.9	7	2221
13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.														0	0
19 LST														0	0
01 LST														0	0
07 LST	7.7	5.2	5.5	3.2	3.7	2.1	1.9	1.9	3.4	10.5	13.0	9.6	67.7	7	2209
13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI														0	0
19 LST														0	0
01 LST														0	0
07 LST	23.7	19.2	18.1	16.8	10.3	9.3	9.9	11.3	14.0	15.2	19.5	23.7	191.0	7	2226
13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI														0	0
19 LST														0	0
01 LST														0	0
07 LST	29.6	25.8	28.1	27.8	28.1	24.8	26.4	28.2	27.5	28.4	28.3	29.5	332.5	7	2211
13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI														0	0
19 LST														0	0
01 LST														0	0
07 LST	27.3	24.4	24.7	24.9	24.4	20.7	22.3	23.2	23.8	23.5	26.4	27.7	293.3	7	2211
13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI														0	0
19 LST														0	0
01 LST														0	0
07 LST	27.3	23.4	23.7	23.7	22.7	18.6	20.5	21.4	21.9	22.2	25.8	27.7	278.9	7	2211
13 LST														0	0

# SAN RAFAEL, ARGENTINA

STA NO. 87509 (IN AREA NUMBER 02)

LATITUDE 3435S

LONGITUDE 06824W

ELEVATION(FT) 02444

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	86	83	79	72	66	56	58	62	67	72	80	84	72	0	-50
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)	56	56	54	50	44	37	35	34	40	46	56	55	47	0	-50
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (F1)	2500	2450	2450	2400	2400	2350	2350	2350	2350	2400	2450	2500	2413	0	-50
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# SAN RAFAEL, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0

DATA NOT AVAILABLE

# LA ANGOSTURA, ARGENTINA

STA NO. 87707/ (IN AREA NUMBER 02)

LATITUDE 3852S

LONGITUDE 07112W

ELEVATION(FT) 03281

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	3261	3220	3206	3206	3233	3220	3179	3152	3152	3097	3206	3220	3196	0	-50
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# LA ANGOSTURA, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST													0	0
	13 LST													0	0

DATA NOT AVAILABLE

# PLAZA HUINCUL, ARGENTINA

STA NO. 87712/ (IN AREA NUMBER 02)

LATITUDE 38545

LONGITUDE 06912W

ELEVATION(FT) 01798

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	102	102	93	90	74	77	77	79	84	90	97	100	102	10	-88
MEAN MAX TMP (F)	88	84	77	68	59	54	52	55	63	72	79	84	70	10	-88
MEAN MIN TMP (F)	59	57	52	45	34	36	32	34	39	45	50	55	45	10	-88
ABS MIN TMP (F)	39	41	34	28	23	18	12	16	23	30	32	37	12	10	-88
MEAN NO DYS TMP = OR GTR 90(F)	14.8	9.7	4.2	0.1	0.0	0.0	0.0	0.0	0.0	0.9	3.0	16.9	49.6	7	-87719
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	5.1	7.6	16.0	17.1	15.0	5.7	0.0	0.0	0.0	66.7	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	44	44	43	38	35	31	31	31	31	35	38	40	37	0	-50
MEAN REL HUM (PCT)	32	34	39	46	55	58	57	52	46	37	32	28	43	10	-88
MEAN PRESS ALT (FT)	1900	1900	1850	1800	1800	1750	1700	1700	1750	1800	1900	1950	1817	0	-50
MEAN PRECIP (IN)	0.80	0.26	0.38	0.46	0.89	0.36	0.46	0.50	0.37	0.32	0.13	0.27	5.2	10	-88
MEAN SNOW FALL (IN)	0.0	0.0	0.0							0.0	0.0	0.0		10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.9	1.1	1.4	1.5	2.1	0.9	1.1	1.1	1.2	1.1	0.8	1.1	15.3	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0							0.0	0.0	0.0		10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	3.0	3.0	3.0	1.0	0.3	0.3	0.3	0.3	1.0	2.0	2.0	3.0	19.2	41	-87719
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	2.4	0.0	0.0	6.1	18.2	7.0	7.0	15.7	0.0	0.0	0.0	4.7	6	-87719
09-11 LST	0.6	1.5	1.5	1.4	2.3	15.2	16.6	3.4	2.7	5.2	0.0	0.0	4.2	7	-87719
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	0.0	5.5	5.3	1.2	2.0	0.0	0.0	0.0	1.2	6	-87719
09-11 LST	0.0	0.0	0.0	0.7	1.2	6.8	4.8	0.0	0.0	0.0	0.0	0.0	1.1	7	-87719
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# PLAZA HUINCUL, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	30.6	26.9	30.7	29.4	29.6	24.8	26.2	29.2	28.9	29.9	29.8	31.0	347.0	7 -87719
	13 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	19 LST													0	0
	01 LST													0	0
	07 LST	26.4	25.3	29.5	28.2	28.0	22.9	24.4	26.8	26.0	25.8	25.2	24.6	313.1	7 -87719
	13 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST	1.2	0.4	0.2	0.4	0.4	0.2	0.1	0.3	0.4	1.7	2.2	1.4	8.9	7 -87719
	13 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST	9.9	7.4	5.7	5.2	4.6	3.7	4.5	7.1	7.6	9.6	12.8	13.2	91.3	7 -87719
	13 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	17.1	15.3	14.3	12.2	8.9	6.3	6.9	10.6	10.8	10.3	15.0	19.6	147.3	7 -87719
	13 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	29.9	26.5	30.7	29.1	26.8	22.3	25.1	28.1	27.5	28.5	29.4	31.0	334.9	7 -87719
	13 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	27.8	25.9	29.3	27.3	23.2	20.7	22.4	26.7	25.9	26.0	27.9	31.0	314.1	7 -87719
	13 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	27.4	24.9	28.8	26.4	22.3	19.9	20.9	25.5	25.6	25.1	27.3	31.0	305.1	7 -87719
	13 LST													0	0

# NEUQUEN, ARGENTINA

STA NO. 87715 (IN AREA NUMBER 02)

LATITUDE 3857S

LONGITUDE 06808W

ELEVATION(FT) 00886

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	085
ABS MAX TMP (F)	107	107	100	93	85	79	78	83	93	98	102	105	107	25	-87719
MEAN MAX TMP (F)	89	86	81	72	62	54	55	61	66	72	80	85	72	9	-87719
MEAN MIN TMP (F)	56	53	48	40	34	30	29	31	36	43	49	54	42	9	-87719
ABS MIN TMP (F)	36	33	26	19	12	12	9	12	19	24	32	37	9	25	-87719
MEAN NO DYS TMP = OR GTR 90(F)	14.8	9.7	4.2	0.1	0.0	0.0	0.0	0.0	0.0	0.9	3.0	16.9	49.6	7	-87719
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.7	5.1	7.8	16.0	17.1	15.0	5.7	1.2	0.0	0.0	68.6	25	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN DFW PT TMP (F)	43	46	46	40	35	31	30	30	28	32	35	39	36	8	-29
MEAN REL HUM (PCT)	40	47	56	59	64	68	67	58	46	43	38	37	52	7	-87719
MEAN PRESS ALT (FT)	980	983	909	857	841	803	767	784	795	866	950	1005	878	0	-50
MEAN PRECIP (IN)	0.40	0.40	0.70	0.40	0.60	0.60	0.50	0.30	0.60	0.90	0.50	0.50	6.4	24	-87719
MEAN SNOW FALL (IN)	0.0	0.0									0.0	0.0		25	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.3	1.3	1.8	1.4	1.7	1.3	1.1	0.8	1.6	2.2	1.4	1.5	17.4	24	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0									0.0	0.0		25	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	3.0	3.0	3.0	1.0	0.3	0.3	0.3	0.3	1.0	2.0	2.0	3.0	19.2	41	-87719
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	2.4	0.0	0.0	6.1	18.2	7.0	7.0	15.7	0.0	0.0	0.0	4.7	6	-87719
09-11 LST	0.6	1.5	1.5	1.4	2.3	15.2	16.6	3.4	2.7	5.2	0.0	0.0	4.2	7	-87719
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	0.0	5.5	5.3	1.2	2.0	0.0	0.0	0.0	1.2	6	-87719
09-11 LST	0.0	0.0	0.0	0.7	1.2	6.8	4.8	0.0	0.0	0.0	0.0	0.0	1.1	7	-87719
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# NEUQUEN, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	30.6	26.9	30.7	29.4	29.6	24.8	26.2	29.2	28.9	29.9	29.8	31.0	347.0	7	-87719
	13 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST														0	0
	01 LST														0	0
	07 LST	26.4	25.3	29.5	28.2	28.0	22.9	24.4	26.8	26.0	25.8	25.2	24.6	313.1	7	-87719
	13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	1.2	0.4	0.2	0.4	0.4	0.2	0.1	0.3	0.4	1.7	2.2	1.4	8.9	7	-87719
	13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	9.9	7.4	5.7	5.2	4.6	3.7	4.5	7.1	7.6	9.6	12.8	13.2	91.3	7	-87719
	13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	17.1	15.3	14.3	12.2	8.9	6.3	6.9	10.6	10.8	10.3	15.0	19.6	147.3	7	-87719
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	29.9	26.5	30.7	29.1	26.8	22.3	25.1	28.1	27.5	28.5	29.4	31.0	334.9	7	-87719
	13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	27.8	25.9	29.3	27.3	23.2	20.7	22.4	26.7	25.9	26.0	27.9	31.0	314.1	7	-87719
	13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	27.4	24.9	28.8	26.4	22.3	19.9	20.9	25.5	25.6	25.1	27.3	31.0	305.1	7	-87719
	13 LST														0	0

# CIPOLLETTI, ARGENTINA

STA NO. 87719/ (IN AREA NUMBER 02)

LATITUDE 3856S

LONGITUDE 06801W

ELEVATION(FT) 00869

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	107	107	100	93	85	79	78	83	93	96	102	105	107	25	-528
MEAN MAX TMP (F)	89	86	81	72	62	54	55	61	66	72	80	85	72	9	-28
MEAN MIN TMP (F)	56	53	48	40	34	30	29	31	36	43	49	54	42	9	-28
ABS MIN TMP (F)	36	33	26	19	12	12	9	12	19	24	32	37	9	25	-528
MEAN NO DYS TMP = OR GTR 90(F)	14.8	9.7	4.2	0.1	0.0	0.0	0.0	0.0	0.0	0.9	3.0	16.9	49.6	7	2102
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.7	5.1	7.8	16.0	17.1	15.0	5.7	1.2	0.0	0.0	68.6	25	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN DEW PT TMP (F)	43	46	46	40	35	31	30	30	28	32	35	39	36	8	-29
MEAN REL HUM (PCT)	40	47	56	59	64	68	67	58	46	43	38	37	52	7	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.40	0.40	0.70	0.40	0.60	0.60	0.50	0.30	0.60	0.90	0.50	0.50	6.4	24	-28
MEAN SNOW FALL (IN)	0.0	0.0									0.0	0.0		25	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.3	1.3	1.8	1.4	1.7	1.3	1.1	0.8	1.6	2.2	1.4	1.5	17.4	24	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0									0.0	0.0		25	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	3.0	3.0	3.0	1.0	0.3	0.3	0.3	0.3	1.0	2.0	2.0	3.0	19.2	41	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 24 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	2.4	0.0	0.0	6.1	18.2	7.0	7.0	15.7	0.0	0.0	0.0	4.7	6	544
09-11 LST	0.6	1.5	1.5	1.4	2.3	15.2	16.6	3.4	2.7	5.2	0.0	0.0	4.2	7	1499
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	0.0	5.5	5.3	1.2	2.0	0.0	0.0	0.0	1.2	6	544
09-11 LST	0.0	0.0	0.0	0.7	1.2	6.8	4.8	0.0	0.0	0.0	0.0	0.0	1.1	7	1499
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# CHIPOLLETTI, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	30.6	26.9	30.7	29.4	29.6	24.8	26.2	29.2	28.9	29.9	29.8	31.0	347.0	7	2043
	13 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/5/10 WND LES 10 KTS	19 LST														0	0
	01 LST														0	0
	07 LST	26.4	25.3	29.5	28.2	28.0	22.9	24.4	26.8	26.0	25.8	25.2	24.6	313.1	7	2042
	13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	1.2	0.4	0.2	0.4	0.4	0.2	0.1	0.3	0.4	1.7	2.2	1.4	8.9	7	2110
	13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	9.9	7.4	5.7	5.2	4.6	3.7	4.5	7.1	7.6	9.6	12.8	13.2	91.3	7	2108
	13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	17.1	15.3	14.3	12.2	8.9	6.3	6.9	10.6	10.8	10.3	15.0	19.6	147.3	7	2108
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	29.9	26.5	30.7	29.1	26.8	22.3	25.1	28.1	27.5	28.5	29.4	31.0	334.9	7	2043
	13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	27.8	25.9	29.3	27.3	23.2	20.7	22.4	26.7	25.9	26.0	27.9	31.0	314.1	7	2043
	13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	27.4	24.9	28.8	26.4	22.3	19.9	20.9	25.5	25.6	25.1	27.3	31.0	305.1	7	2043
	13 LST														0	0

# CHOELE-CHOEL, ARGENTINA

STA NO. 87733 (IN AREA NUMBER 02)

LATITUDE 3917S

LONGITUDE 06539W

ELEVATION(FT) 00436

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	113	111	106	99	88	79	81	82	95	100	106	111	113	50	-508
MEAN MAX TMP (F)	93	90	84	75	64	57	57	61	68	75	82	90	75	50	-88
MEAN MIN TMP (F)	59	57	54	46	34	36	34	36	41	46	52	57	46	50	-88
ABS MIN TMP (F)	37	36	30	21	17	9	-2	12	19	16	30	36	-2	50	-588
MEAN NO DYS TMP = OR GTR 90(F)	18.3	13.6	5.2	1.1	0.0	0.0	0.0	0.0	0.2	1.5	4.5	12.9	57.3	7	1950
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	2.4	3.5	7.7	9.8	7.3	3.7	0.7	0.0	0.0	39.1	50	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50	-29
MEAN DEW PT TMP (F)	44	45	45	41	38	35	32	31	34	39	39	42	39	50	-29
MEAN REL HUM (PCT)	37	41	47	54	64	67	64	56	51	50	41	37	51	50	-88
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.79	0.79	0.99	0.74	1.10	0.58	0.63	0.61	0.90	1.17	0.65	0.75	0.7	50	-88
MEAN SNOW FALL (IN)	0.0	0.0	0.0								0.0	0.0		50	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.9	1.9	2.2	1.9	2.3	1.3	1.3	1.3	2.2	2.6	1.7	1.9	22.5	50	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0								0.0	0.0		50	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.0	3.0	3.0	1.0	1.0	0.3	0.3	0.3	1.0	2.0	3.0	3.0	21.9	47	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	0.0	3.2	5.0	1.1	0.0	0.0	0.0	0.0	0.8	4	577
09-11 LST	0.0	0.0	0.0	0.0	1.1	3.9	2.1	0.0	0.0	0.0	0.0	0.0	0.6	7	1417
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	1.7	1.1	0.0	0.0	0.0	0.0	0.2	4	577
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.8	1.4	0.0	0.0	0.0	0.0	0.0	0.2	7	1417
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# CHOELE-CHOEL, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	30.8	27.8	30.6	30.0	30.6	28.2	29.8	30.8	29.8	30.8	30.0	30.7	360.1	7	1994
	14 LST														0	0
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	29.6	27.0	30.6	29.8	30.1	28.2	29.8	30.1	29.2	29.9	28.9	29.2	352.6	7	1991
	14 LST														0	0
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.3	0.0	0.0	0.2	0.5	7	2001
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	20.3	15.1	16.1	9.7	9.9	7.4	9.4	14.2	18.0	21.4	20.1	22.1	183.7	7	1998
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	19.2	16.9	16.7	13.2	9.4	6.9	8.6	12.5	11.5	11.4	15.0	15.6	156.9	7	2002
	14 LST														0	0
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	30.8	27.8	30.8	29.8	29.9	27.8	29.8	30.8	29.8	30.4	29.8	30.5	358.0	7	1994
	14 LST														0	0
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	29.0	26.4	27.1	25.5	23.1	20.3	24.4	27.9	27.2	27.7	28.3	27.3	314.2	7	1994
	14 LST														0	0
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	29.0	26.4	27.1	25.5	22.8	20.3	24.4	27.9	27.2	27.7	28.0	27.3	313.6	7	1994
	14 LST														0	0

# SAN CARLOS DE BARILOCHE, ARGENTINA

STA NO. 87765

(IN AREA NUMBER 02)

LATITUDE 41095

LONGITUDE 07110W

ELEVATION(FT) 02772

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	100	99	86	79	73	66	64	68	73	81	90	93	100	50	-588
MEAN MAX TMP (F)	70	70	64	57	50	45	43	46	50	52	61	64	56	50	-88
MEAN MIN TMP (F)	46	46	43	39	36	34	32	32	34	37	41	45	39	50	-88
ABS MIN TMP (F)	32	30	25	18	16	0	10	12	18	21	23	30	0	50	-588
MEAN NO DYS TMP = OR GTR 90(F)	1.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	7	1983
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	1.1	5.1	7.1	11.7	17.7	18.1	10.7	4.6	1.7	0.0	77.8	50	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50	-29
MEAN DEW PT TMP (F)	45	45	45	40	36	32	31	32	32	34	38	41	38	0	-50
MEAN REL HUM (PCT)	62	64	67	73	80	82	81	78	72	68	67	65	72	50	-88
MEAN PRESS ALT (FT)	2750	2750	2750	2750	2800	2750	2700	2700	2700	2700	2750	2750	2738	0	-50
MEAN PRECIP (IN)	1.26	1.23	2.34	3.16	6.37	7.32	6.08	4.91	2.98	1.75	1.80	1.55	40.8	50	-88
MEAN SNOW FALL (IN)	0.0	0.0										0.0		50	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.6	2.6	4.0	5.0	9.1	12.1	10.3	8.5	5.2	3.5	3.6	3.1	69.6	50	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0										0.0		50	-29
MEAN NO DYS W/OCUP VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	1.0	1.0	0.3	0.3	0.0	0.3	0.0	0.3	1.0	0.3	0.3	5.8	37	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	10.0	7.5	7.3	28.8	49.2	46.7	40.0	29.5	18.5	20.0	14.3	6.3	23.2	6	585
09-11 LST	4.6	9.7	7.9	19.4	35.3	36.5	41.0	38.5	17.9	14.2	8.0	4.7	19.8	7	1446
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	6.8	8.5	16.7	13.3	11.4	0.0	3.3	0.0	0.0	5.0	6	585
09-11 LST	0.0	3.5	1.8	2.2	11.8	10.3	15.1	20.2	7.6	3.5	0.8	0.0	6.4	7	1446
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# SAN CARLOS DE BARILOCHE, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	29.8	26.0	29.7	25.9	20.9	20.6	20.4	23.0	25.6	27.9	28.1	30.2	7	2031
	13 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST													0	0
	01 LST													0	0
	07 LST	20.7	16.9	19.8	14.7	10.3	9.7	11.2	13.5	16.7	16.3	15.5	20.8	7	2029
	13 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST	3.0	3.9	2.0	3.3	1.5	1.4	0.8	1.7	2.7	3.7	4.9	3.0	7	2045
	13 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST	12.7	8.5	8.3	6.1	4.1	3.1	4.1	4.5	7.7	7.9	8.1	9.9	7	2042
	13 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	13.7	10.4	10.0	5.6	2.1	1.9	2.0	3.9	5.4	6.0	8.3	9.4	7	2042
	13 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	27.7	23.2	25.9	19.7	14.0	14.0	14.8	16.8	21.8	22.9	24.8	28.0	7	2031
	13 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	25.2	19.0	23.1	17.1	11.6	11.6	12.5	14.0	18.4	19.2	20.5	24.4	7	2031
	13 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	25.0	18.8	22.9	17.0	11.6	11.6	12.5	13.7	18.2	18.8	20.5	24.2	7	2031
	13 LST													0	0

# ESQUEL, ARGENTINA

STA NO. 87803 (IN AREA NUMBER 02)

LATITUDE 42565

LONGITUDE 07109W

ELEVATION(FT) 02674

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	102	95	90	81	72	66	70	66	75	86	91	95	102	50	-88
MEAN MAX TMP (F)	73	73	68	59	52	46	45	48	55	61	64	70	60	50	-88
MEAN MIN TMP (F)	45	43	41	36	34	30	28	30	34	36	39	43	37	50	-88
ABS MIN TMP (F)	25	23	19	14	10	-4	0	0	9	19	19	25	-4	50	-88
MEAN NO DYS TMP = OR GTR 90(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				50	-29
MEAN NO DYS TMP = OR LES 32(F)							0.0	0.0	0.0	0.0	0.0	0.0		0	0
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0		50	-29
MEAN DEW PT TMP (F)	38	47	40	37	32	32	37	32	31	33	37	37	36	0	-50
MEAN REL HUM (PCT)	55	55	60	67	73	76	75	71	65	60	56	55	64	50	-88
MEAN PRESS ALT (FT)	2650	2700	2650	2650	2700	2700	2650	2650	2650	2650	2700	2700	2671	0	-50
MEAN PRECIP (IN)	0.56	0.82	1.35	1.92	2.72	3.87	2.53	2.48	1.28	0.73	0.85	0.74	19.8	50	-88
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.6	2.0	2.7	3.4	4.5	6.8	4.5	4.5	2.8	1.9	2.1	1.8	38.6	50	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	0.3	0.3	0.3	0.3	0.0	0.3	0.0	0.3	0.3	0.3	0.3	3.7	45	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# ESQUEL, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0

DATA NOT AVAILABLE

# GOBERNADOR COSTA, ARGENTINA

STA NO. 87807 (IN AREA NUMBER 02)

LATITUDE 4404S

LONGITUDE 07037W

ELEVATION(FT) 02395

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	95	90	82	82	64	57	68	72	72	79	84	84	95	4	631
MEAN MAX TMP (F)	71	71	67	57	49	46	46	49	53	59	65	68	58	4	631
MEAN MIN TMP (F)	44	43	39	34	30	33	30	29	32	35	39	42	36	4	777
ABS MIN TMP (F)	34	28	23	14	12	14	9	16	16	19	28	32	9	4	777
MEAN NO DYS TMP = OR GTR 90(F)	1.5	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	4	631
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.8	8.4	13.4	20.5	15.9	20.0	22.0	16.1	12.7	4.7	2.4	136.9	4	777
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	777
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.16	1.46	0.37	2.84	3.11	1.53	1.24	0.33	0.44	0.25	0.65	0.45	12.8	4	420
MEAN SNOW FALL (IN)	0.0											0.0		4	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.5	0.4	1.4	9.1	3.9	1.7	3.9	1.2	1.9	2.7	1.6	2.0	30.3	4	420
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0											0.0		4	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	33.3	6.1	10.9	17.9	28.2	28.1	30.8	16.7	11.1	25.0	20.0	19.0	3	223
09-11 LST	7.4	11.1	4.7	10.5	15.0	23.1	13.0	12.5	8.7	9.1	25.0	16.0	13.0	4	384
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	33.3	6.1	10.9	17.9	28.2	28.1	30.8	16.7	11.1	25.0	20.0	19.0	3	323
09-11 LST	7.4	11.1	4.7	10.5	15.0	23.1	13.0	12.5	8.7	9.1	25.0	16.0	13.0	4	384
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# GOBERNADOR COSTA, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	28.4	23.9	29.0	26.8	25.2	21.9	23.7	23.1	26.7	27.8	22.5	23.0	302.0	4	707
	13 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	19 LST														0	0
	01 LST														0	0
	07 LST	22.7	18.3	25.3	21.2	23.1	18.5	21.4	19.2	20.6	22.4	14.3	18.6	245.6	4	707
	13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	1.6	0.8	2.3	0.4	0.9	0.9	0.9	0.4	0.9	0.9	3.2	1.6	14.8	4	795
	13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	18.4	9.6	12.0	10.8	9.5	11.2	9.7	7.6	10.4	14.1	11.7	14.7	139.7	4	792
	13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	9.8	10.6	10.6	10.0	8.2	6.8	7.1	7.5	10.0	13.2	9.1	11.6	114.5	4	793
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	28.4	23.9	29.0	26.8	25.2	21.9	23.7	23.1	26.7	27.8	22.5	23.0	302.0	4	707
	13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	28.4	23.9	28.6	26.8	25.2	21.9	23.7	23.1	26.7	27.8	22.5	22.1	300.7	4	707
	13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	28.4	23.5	28.6	26.8	25.2	21.9	23.7	23.1	26.3	27.8	22.5	22.1	299.9	4	707
	13 LST														0	0

# LAS HERAS, ARGENTINA

STA NO. 87855/ (IN AREA NUMBER 02)

LATITUDE 4633S

LONGITUDE 06857W

ELEVATION(FT) 01247

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	100	93	86	82	68	63	61	63	72	77	88	90	100	7	1156
MEAN MAX TMP (F)	77	75	68	60	50	45	46	48	55	63	70	74	61	7	1156
MEAN MIN TMP (F)	50	49	44	38	32	31	31	32	35	40	45	48	40	7	1449
ABS MIN TMP (F)	32	34	19	19	1	0	9	7	23	23	30	32	0	7	1449
MEAN NO DYS TMP = OR GTR 90(F)	1.7	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	3.8	7	1156
MEAN NO DYS TMP = OR LES 32(F)	0.2	0.0	1.5	7.5	17.4	18.3	17.8	18.3	10.7	3.2	0.3	0.3	95.5	7	1449
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	7	1449
MEAN DEW PT TMP (F)	35	37	37	35	31	29	31	29	29	30	35	37	33	8	-29
MEAN REL HUM (PCT)	40	44	54	62	70	72	76	69	58	48	48	45	57	10	-88
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.20	0.64	0.59	1.12	0.53	0.36	0.41	0.29	0.29	0.31	1.29	0.23	6.3	7	1032
MEAN SNOW FALL (IN)	0.0	0.0									0.0	0.0		7	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.8	0.8	1.0	3.0	2.8	1.0	2.9	1.6	1.4	0.8	1.0	0.7	17.8	7	1032
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0									0.0	0.0		7	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	10.7	7.1	7.1	14.3	11.1	1.9	9.8	0.0	0.0	0.0	5.2	6	311
09-11 LST	5.5	3.1	4.5	13.3	7.4	12.6	9.5	10.3	6.4	7.5	3.4	2.4	7.2	7	1015
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	3.6	0.0	3.6	10.7	11.1	1.9	0.0	0.0	0.0	0.0	2.6	6	311
09-11 LST	1.8	1.5	0.0	2.0	0.0	2.3	0.0	1.3	0.0	2.5	1.1	0.0	1.0	7	1015
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# LAS HERAS, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	.9 LST														0	0
	01 LST														0	0
	07 LST	29.4	26.5	28.9	28.1	29.5	26.6	27.9	30.0	29.0	29.3	29.3	30.0	344.5	7	1326
	13 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST														0	0
	01 LST														0	0
	07 LST	16.5	15.4	21.1	17.5	20.0	18.0	18.9	21.7	17.6	16.3	14.7	18.0	215.7	7	1324
	13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	4.9	4.5	2.6	4.1	2.3	3.1	4.9	2.9	4.2	4.8	5.7	6.0	50.0	7	1459
	13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	13.4	12.5	15.1	9.7	6.8	7.1	8.5	8.8	12.7	14.7	11.9	13.3	134.5	7	1451
	13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	14.2	13.1	16.3	13.0	16.4	13.0	13.7	13.2	14.5	15.9	16.3	17.3	176.9	7	1457
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	26.3	24.3	25.1	23.6	26.4	22.2	24.6	26.0	24.4	26.6	25.7	27.3	302.5	7	1326
	13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	26.0	22.1	23.0	22.4	25.7	20.6	23.9	25.3	23.6	24.3	23.1	25.0	285.0	7	1326
	13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	26.0	22.1	23.0	22.4	25.7	20.3	23.9	25.3	23.6	24.3	23.1	25.0	284.7	7	1326
	13 LST														0	0

## LAGO ARGENTINO, ARGENTINA

STA NO. 87903 (IN AREA NUMBER 02)

LATITUDE 50205

LONGITUDE 07216W

ELEVATION(FT) 00730

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	81	81	82	66	64	66	63	61	63	81	82	81	82	10	1210
MEAN MAX TMP (F)	66	67	61	55	47	43	41	44	51	59	62	66	55	10	1210
MEAN MIN TMP (F)	44	44	40	35	31	28	27	28	32	36	39	43	36	13	1870
ABS MIN TMP (F)	28	32	28	16	18	14	12	9	19	27	30	32	9	13	1820
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	1210
MEAN NO DYS TMP = OR LES 32(F)	0.8	0.8	2.5	9.2	20.6	24.3	28.4	25.9	17.4	8.0	2.3	1.2	141.4	13	1820
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	1820
MEAN DEW PT TMP (F)	33	36	34	32	30	26	24	25	28	29	30	32	30	11	-29
MEAN REL HUM (PCT)	48	52	57	64	73	72	71	67	62	53	50	48	60	10	-88
MEAN PRESS ALT (FT)	1000	1000	1000	950	950	950	950	900	900	950	1000	1000	963	0	-50
MEAN PRECIP (IN)	0.66	0.64	0.92	0.97	1.00	0.41	0.56	0.52	0.61	0.46	0.44	0.45	7.6	10	-88
MEAN SNOW FALL (IN)		0.0									0.0	0.0		13	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.7	1.7	2.1	2.2	2.2	1.0	1.2	1.2	1.6	1.4	1.3	1.4	19.0	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN		0.0									0.0	0.0		13	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS	30.3	36.1	19.4	15.5	8.1	1.3	6.5	12.8	13.9	23.9	29.5	33.3	19.2	4	-35
P FREQ WND SPD = OR GTR 28 KTS	4.5	1.2	0.9	0.0	0.0	1.3	0.0	0.0	4.0	0.0	3.3	2.2	1.5	4	-35
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														1	1
FOR 00-02 LST			0.0											0	0
03-05 LST														10	665
06-08 LST	6.4	0.0	3.2	7.3	8.7	12.9	29.3	9.5	1.4	5.1	2.6	7.7	7.8	10	766
09-11 LST	1.4	4.1	3.4	1.2	2.0	7.6	15.3	9.5	5.8	2.1	0.0	5.9	4.9	10	766
12-14 LST	4.5	0.0	2.8	8.3	0.0	18.5	12.5	15.0	5.7	0.0	6.7	4.2	6.5	3	289
15-17 LST	2.0	0.0	2.0	6.0	10.0	17.0	10.0	8.0	4.0	0.0	7.0	4.0	5.8	2	-30
18-20 LST	0.0	0.0	0.0	10.0	15.4	16.7	0.0	0.0	0.0	0.0	7.1	0.0	4.1	3	174
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														1	1
FOR 00-02 LST			0.0											0	0
03-05 LST														10	665
06-08 LST	4.3	0.0	0.0	0.0	4.3	8.6	24.1	3.2	0.0	1.7	0.0	1.9	4.0	10	766
09-11 LST	0.0	0.0	1.7	1.2	2.0	6.1	15.3	2.7	0.0	2.1	0.0	0.0	2.6	10	766
12-14 LST	0.0	0.0	0.0	4.2	0.0	7.4	0.0	0.0	0.0	0.0	0.0	0.0	1.0	3	289
15-17 LST	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2	-30
18-20 LST	0.0	0.0	0.0	0.0	7.7	8.3	0.0	0.0	0.0	0.0	0.0	0.0	1.3	3	174
21-23 LST														0	0

# LAGO ARGENTINO, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	31.0	28.0	31.0	25.7	27.9	22.5	31.0	21.0	30.0	31.0	30.0	31.0	350.1	3	140
	01 LST		28.0												1	1
	07 LST	30.4	27.4	30.2	29.3	29.0	24.4	21.9	27.1	29.0	29.5	29.7	29.8	337.7	13	1413
	13 LST	31.0	28.0	30.1	28.7	31.0	24.4	27.1	27.7	28.3	31.0	30.0	29.6	346.9	3	282
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	7.8	8.7	6.2	17.1	18.6	18.8	23.3	31.0	18.3	0.0	6.9	3.3	160.0	3	140
	01 LST		0.0												1	1
	07 LST	21.8	21.2	25.0	25.2	25.5	21.4	18.3	22.9	25.3	22.8	19.8	16.6	265.8	13	1408
	13 LST	7.0	6.1	9.1	14.3	18.9	20.0	19.4	14.7	17.1	9.1	4.0	5.4	145.1	3	281
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	5.1	12.2	7.4	4.3	3.4	0.0	0.0	0.0	3.3	12.4	9.2	13.1	70.4	3	139
	01 LST		0.0												1	1
	07 LST	2.9	2.2	0.3	0.9	0.7	1.2	1.6	2.6	1.3	2.9	4.0	3.3	23.9	13	1898
	13 LST	16.9	13.1	10.9	6.5	1.7	1.1	0.0	4.9	7.5	5.5	12.0	12.1	92.2	3	282
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	5.6	7.0	5.0	8.6	3.4	4.3	7.8	31.0	3.3	0.0	2.3	0.0	78.3	3	137
	01 LST		0.0												1	1
	07 LST	6.0	8.0	7.0	6.6	4.9	3.4	2.8	1.9	4.8	5.7	6.1	6.4	63.6	13	1885
	13 LST	7.0	4.5	4.6	7.8	8.6	0.0	11.6	4.9	10.3	3.6	2.0	6.7	71.6	3	279
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	0.0	5.2	2.5	0.0	9.3	11.3	23.3	10.3	10.0	6.2	11.5	1.6	91.2	3	140
	01 LST		0.0												1	1
	07 LST	12.3	10.2	11.3	14.4	11.3	11.0	11.4	13.4	12.2	13.9	12.0	10.9	144.3	13	1882
	13 LST	1.5	3.5	1.8	1.3	8.2	4.4	5.8	6.5	8.3	5.5	6.0	0.0	52.8	3	282
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	28.4	26.2	29.8	25.7	24.8	22.5	31.0	31.0	28.3	31.0	25.4	27.7	331.8	3	140
	01 LST		28.0												1	1
	07 LST	28.6	26.3	28.4	27.4	27.7	22.8	20.7	26.0	28.0	28.6	28.4	27.6	320.5	13	1413
	13 LST	28.2	26.2	30.1	24.8	27.7	22.2	25.2	24.5	25.7	31.0	28.0	26.9	320.5	3	282
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	25.8	26.2	29.8	25.7	21.7	22.5	31.0	20.6	26.6	31.0	25.4	22.8	309.1	3	140
	01 LST		28.0												1	1
	07 LST	27.5	25.3	27.9	25.7	27.1	21.9	20.5	24.0	27.2	26.9	27.4	26.7	309.1	13	1413
	13 LST	25.4	24.5	29.2	22.2	26.1	21.1	25.2	27.8	24.0	27.3	28.0	24.2	300.0	3	282
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	25.8	26.2	29.8	25.7	21.7	22.5	31.0	20.6	26.6	31.0	25.4	22.8	309.1	3	140
	01 LST		28.0												1	1
	07 LST	26.7	23.6	27.3	25.5	25.2	21.5	19.3	24.6	25.8	26.3	26.8	26.4	299.0	13	1413
	13 LST	25.4	24.5	29.2	22.2	26.1	21.1	25.2	22.8	24.0	27.3	28.0	24.2	300.0	3	282

## AREA NO. 02

PARAMETER DESCRIPTION	ANDES MOUNTAINS													
	BOUNDARIES		22005 06400W		28005 06440W		28005 06440W		33005 06320W		33005 06320W		37005 06700W	
			37005 06700W		38205 06500W		38205 06500W		51505 07020W					
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		85	83	78	71	64	58	58	62	68	74	79	83	72
MEAN MIN TMP (F)		57	56	53	46	40	35	34	36	42	47	52	56	46
LARGEST MEAN PRECIP(IN)		7.10	6.70	5.90	3.16	6.37	7.32	8.08	4.91	2.98	3.59	4.15	6.60	64.9
SMALLEST MEAN PRECIP(IN)		0.16	0.26	0.37	0.10	0.00	0.00	0.00	0.05	0.10	0.20	0.13	0.21	1.6
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	31.0	28.0	31.0	27.4	29.0	24.8	30.0	29.5	30.0	31.0	30.0	31.0	352.7
	01 LST		28.0											
	07 LST	29.4	26.0	28.6	27.4	27.0	25.5	26.5	27.7	27.2	28.9	28.3	29.1	331.6
	13 LST	31.0	28.0	30.6	29.0	30.9	26.3	28.4	28.6	28.0	30.5	29.7	30.0	351.0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	7.8	8.7	6.2	21.5	22.8	22.4	23.7	29.5	18.3	0.0	6.9	3.3	171.1
	01 LST		0.0											
	07 LST	25.7	23.2	26.1	24.8	24.6	23.3	24.3	25.2	24.3	25.3	23.8	25.2	295.8
	13 LST	19.0	16.6	20.1	19.1	22.3	22.5	22.8	19.5	20.6	17.5	15.2	15.6	230.8
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	5.1	12.2	7.4	3.2	1.7	0.5	0.0	0.0	3.3	12.4	9.2	13.1	68.1
	01 LST		0.0											
	07 LST	1.0	0.8	0.6	0.7	0.5	0.6	0.7	0.7	0.9	1.1	1.3	1.3	10.2
	13 LST	8.5	6.6	5.5	4.1	1.7	1.3	0.6	3.2	4.3	2.9	6.5	6.6	51.8
SFC WND 4-10 KTS AND TMP DEG F AND NO PRECIP.	19 LST	5.6	7.0	5.0	8.5	3.7	3.2	5.4	18.5	3.3	0.0	2.3	0.0	62.5
	01 LST		0.0											
	07 LST	9.4	7.1	6.9	5.6	4.8	4.3	4.9	5.9	7.6	10.0	10.0	9.8	86.3
	13 LST	4.5	6.8	5.8	5.8	6.9	2.0	8.7	4.2	8.0	4.7	4.5	5.1	67.0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	0.0	5.2	2.5	6.7	12.7	15.7	21.2	14.2	10.0	6.2	11.5	1.6	107.5
	01 LST		0.0											
	07 LST	16.2	13.9	14.5	12.9	11.0	10.7	11.5	13.4	13.2	14.3	15.1	16.4	163.1
	13 LST	11.3	12.8	13.4	7.2	9.5	7.6	8.5	9.3	10.5	8.3	10.3	8.9	117.6
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	28.4	26.2	29.8	27.4	26.4	24.8	28.5	29.5	28.3	31.0	25.4	27.7	333.4
	01 LST		28.0											
	07 LST	28.1	24.6	26.8	25.6	25.2	24.0	25.3	26.4	26.0	27.4	26.8	28.1	314.3
	13 LST	29.6	27.1	30.1	26.4	27.9	25.0	27.0	26.3	26.4	30.2	28.7	28.4	333.1
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	25.8	26.2	29.8	27.4	23.4	23.8	27.0	23.3	26.6	31.0	25.4	22.8	312.5
	01 LST		28.0											
	07 LST	25.4	22.0	23.3	22.2	22.0	21.0	22.5	23.9	23.7	24.4	24.3	25.5	280.2
	13 LST	27.7	26.3	29.1	24.1	25.9	23.8	26.0	24.5	24.9	27.0	28.0	26.8	314.1
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	25.8	26.2	29.8	26.3	22.9	23.8	27.0	23.3	26.6	31.0	25.4	22.8	310.9
	01 LST		28.0											
	07 LST	25.0	21.4	22.8	21.8	21.4	20.5	22.0	23.4	23.1	23.8	23.9	25.2	274.3
	13 LST	27.2	26.3	29.1	23.9	25.7	23.2	25.6	24.3	24.2	26.5	27.7	26.8	310.5

# SAN ANTONIO OESTE, ARGENTINA

STA NO. 87784 (IN AREA NUMBER 03)

LATITUDE 4044S

LONGITUDE 06457W

ELEVATION(FT) 00023

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	106	106	100	93	77	82	72	82	86	93	100	106	106	7	2079
MEAN MAX TMP (F)	85	83	76	71	61	57	56	59	64	71	77	83	70	7	2079
MEAN MIN TMP (F)	61	61	56	49	44	40	39	40	44	50	54	60	50	7	2122
ABS MIN TMP (F)	41	41	36	30	25	19	21	23	25	34	39	43	19	7	2122
MEAN NO DYS TMP = OR GTR 90(F)	11.5	8.8	4.3	0.8	0.0	0.0	0.0	0.0	0.0	0.5	2.7	8.9	37.5	7	2079
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.3	1.1	5.3	6.4	6.0	3.1	0.0	0.0	0.0	22.2	7	2122
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2122
MEAN DEW PT TMP (F)	49	47	46	47	38	36	34	34	36	38	41	46	41	8	-29
MEAN REL HUM (PCT)	47	46	53	56	61	65	64	59	56	48	45	45	54	10	-88
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.25	1.60	0.78	0.66	1.55	0.28	0.98	0.54	0.28	0.75	0.65	0.43	8.8	7	1552
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		7	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.6	2.0	2.3	1.3	3.5	1.0	1.7	1.3	1.0	2.1	1.2	1.0	19.0	7	1552
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0						0.0	0.0	0.0		7	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	2.9	3.9	1.7	6.8	23.8	8.2	10.0	5.3	8.5	10.0	7.1	7.4	4	576
09-11 LST	1.9	6.4	4.7	5.7	11.5	11.3	9.9	3.4	3.5	7.7	3.2	3.2	6.0	7	1543
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	1.6	2.2	0.0	0.0	0.0	0.0	0.3	4	576
09-11 LST	0.0	0.0	0.0	0.0	1.1	1.6	2.1	0.0	0.0	0.0	0.0	0.0	0.4	7	1543
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# SAN ANTONIO OESTE, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	30.1	27.5	30.1	28.6	29.5	26.3	28.9	29.3	29.4	29.4	29.1	29.9	348.1	7	2119
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	22.9	21.8	23.9	24.9	24.8	22.1	24.4	25.6	24.8	23.6	22.9	22.7	284.4	7	2119
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	3.7	2.2	2.9	1.8	1.1	1.6	1.6	1.8	1.2	2.8	3.8	4.5	29.0	7	2135
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	10.3	12.3	10.8	9.8	10.7	11.5	12.6	11.9	11.9	12.8	9.7	11.4	135.7	7	2134
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	16.0	13.1	14.3	11.2	8.8	7.2	6.9	9.8	9.0	8.6	11.9	14.6	131.4	7	2133
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	29.2	25.6	28.9	27.7	25.7	23.9	27.0	28.3	27.3	27.7	28.0	28.7	328.0	7	2119
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	27.7	24.6	27.5	25.2	22.3	21.8	23.0	24.8	24.9	25.7	27.5	27.6	302.6	7	2119
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	27.6	24.3	27.4	25.7	21.2	21.5	22.6	24.4	24.3	24.8	27.3	27.4	298.0	7	2119
	14 LST														0	0

# CARMEN PATAGONES, ARGENTINA

STA NO. 87790 (IN AREA NUMBER 03)      LATITUDE 40475      LONGITUDE 06259W      ELEVATION(FT) 00131

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	102	104	99	91	75	73	70	79	84	95	99	100	104	7	2126
MEAN MAX TMP (F)	83	82	76	69	61	55	56	58	63	69	74	83	69	7	2126
MEAN MIN TMP (F)	59	59	55	49	44	40	39	39	43	48	52	57	49	7	2191
ABS MIN TMP (F)	41	41	39	30	25	23	19	23	30	34	37	37	19	7	2191
MEAN NO DYS TMP = OR GTR 90(F)	8.3	7.1	2.1	0.2	0.6	0.0	0.0	0.0	0.0	0.3	1.3	7.9	27.2	7	2126
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.1	1.2	4.1	6.0	5.1	2.3	0.0	0.0	0.0	18.8	7	2191
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	-50
MEAN PRESS ALT (FT)	258	253	187	127	106	81	34	72	89	135	217	266	152	0	-50
MEAN PRECIP (IN)	0.27	3.12	1.61	0.59	0.54	0.52	1.23	0.41	0.67	5.06	0.87	0.59	16.3	7	1606
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0		7	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.6	4.1	2.7	1.4	2.3	1.7	2.5	1.3	2.2	3.5	3.2	2.3	28.8	7	1606
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0		7	-29
MEAN NO DYS W/OCUR VSB LES 1/2 MI	1.0	1.0	1.0	1.0	0.3	0.3	0.3	0.3	1.0	1.0	2.0	2.0	11.2	21	-24
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	12.7	6.8	38.3	24.6	23.4	25.3	32.1	27.1	30.8	50.0	22.6	5	597
09-11 LST	5.8	6.1	4.3	7.7	12.9	17.8	13.8	5.1	7.4	12.3	6.1	5.7	8.8	7	1599
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	6.7	4.6	6.3	5.5	1.8	8.5	7.7	6.3	4.0	5	597
09-11 LST	0.0	0.7	1.4	0.0	0.0	4.4	6.2	3.4	2.0	2.5	0.0	0.8	1.8	7	1599
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# CARMEN PATAGONES, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	25.0	26.0	26.8	25.4	21.3	19.7	27.8	25.2	25.3	25.5	26.7	26.1	295.8	7	2196
	14 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI = SFC WND LES 10 KTS	20 LST													0	0	
	02 LST													0	0	
	08 LST	16.7	19.3	19.6	18.4	15.6	14.0	16.7	19.8	19.7	18.7	16.5	17.1	212.1	7	2194
	14 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST													0	0	
	02 LST													0	0	
	08 LST	5.6	2.4	2.4	3.0	2.2	1.9	1.3	2.2	1.4	3.2	3.9	3.6	33.1	7	2205
	14 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST													0	0	
	02 LST													0	0	
	08 LST	13.4	13.5	16.1	15.0	14.9	13.1	13.9	17.0	15.1	15.7	12.6	14.7	175.0	7	2202
	14 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	14.6	14.6	13.7	12.6	7.2	6.8	8.0	10.5	9.4	10.9	12.6	14.0	134.9	7	2206
	14 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	23.6	24.5	25.9	24.0	19.4	17.3	20.9	23.7	23.0	23.6	25.0	25.6	276.8	7	2196
	14 LST													0	0	
CIG = GTR 8000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	22.3	23.2	24.4	22.9	18.0	15.5	18.5	20.7	20.9	22.8	23.4	25.2	257.8	7	2196
	14 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	21.9	23.0	23.4	22.7	17.6	15.3	18.2	20.7	20.2	22.6	23.2	25.0	253.8	7	2196
	14 LST													0	0	

# PUERTO MADRYN NAVAL, ARGENTINA

STA NO. 87825 (IN AREA NUMBER 03)

LATITUDE 42475

LONGITUDE 06501W

ELEVATION(FT) 00026

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	104	102	100	95	82	77	77	84	86	95	97	102	104	50	-88
MEAN MAX TMP (F)	81	81	75	70	61	55	55	59	63	68	75	81	69	50	-88
MEAN MIN TMP (F)	57	55	52	46	41	37	36	37	41	45	50	54	46	50	-88
ABS MIN TMP (F)	39	36	28	23	21	14	10	14	21	21	28	36	10	50	-88
MEAN NO DYS TMP = OR GTR 90(F)	6.9	6.4	3.2	0.2	0.0	0.0	0.0	0.0	0.0	0.3	1.0	6.4	24.4	7	-87828
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.3	2.0	6.4	10.7	12.4	10.4	4.4	1.7		0.0		50	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50	-29
MEAN DEW PT TMP (F)	46	48	44	40	37	34	32	32	36	40	42	44	40	50	-29
MEAN REL HUM (PCT)	49	53	54	56	63	66	63	59	58	59	51	48	57	50	-88
MEAN PRESS ALT (FT)	200	150	150	100	100	50	50	0	0	50	150	200	100	0	-50
MEAN PRECIP (IN)	0.39	0.56	0.65	0.50	0.93	0.56	0.65	0.42	0.56	0.70	0.40	0.59	6.9	50	-88
MEAN SNOW FALL (IN)	0.0	0.0										0.0		50	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.3	1.6	1.7	1.5	2.1	1.2	1.4	1.0	1.6	1.8	1.3	1.6	18.1	50	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0										0.0		50	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	1.0	1.0	0.3	0.3	0.3	0.3	0.3	0.3	1.0	1.0	1.0	7.8	46	-87828
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	5.0	2.7	0.0	3.3	6.9	16.1	4.8	10.6	3.6	5.6	7.7	26.7	7.8	5	-87828
09-11 LST	2.5	3.8	3.1	6.7	4.6	6.7	4.5	2.9	5.9	3.3	3.8	1.7	4.1	7	-87828
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	0.0	3.2	1.6	3.5	0.0	0.0	0.0	0.0	0.7	5	-87828
09-11 LST	0.0	0.0	0.0	3.7	2.3	1.7	1.5	1.9	0.0	0.0	0.0	0.0	0.9	7	-87828
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# PUERTO MADRYN NAVAL, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	29.9	27.5	30.1	28.6	29.5	26.9	29.4	28.9	28.6	30.3	28.7	29.4	347.8	7	-87828
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	16.4	19.3	22.7	22.7	25.2	22.6	23.7	24.1	21.1	18.2	15.1	16.9	248.0	7	-87828
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	7.9	3.7	3.8	2.4	2.5	2.1	1.6	2.4	3.3	6.6	8.1	7.8	52.2	7	-87828
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	12.6	9.6	10.6	9.3	8.8	6.4	7.1	10.5	12.0	9.9	12.1	10.1	119.0	7	-87828
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	10.0	10.9	11.4	9.0	9.6	5.4	7.4	9.7	10.5	10.2	11.3	11.5	116.9	7	-87828
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	28.6	26.5	29.0	28.3	29.0	25.9	28.6	28.4	27.5	28.9	27.5	28.5	336.7	7	-87828
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	28.2	25.8	27.6	26.6	27.1	25.1	27.3	26.6	26.6	28.1	26.9	27.6	323.5	7	-87828
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	28.2	25.5	27.6	26.5	26.5	24.5	26.8	26.1	26.6	27.6	26.9	27.3	320.1	7	-87828
	14 LST														0	0

# TRELEW, ARGENTINA

STA NO. 87828 (IN AREA NUMBER 03)

LATITUDE 43145

LONGITUDE 06519W

ELEVATION(FT) 00131

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	102	104	104	95	75	73	70	75	81	93	93	106	106	7	2085
MEAN MAX TMP (F)	83	83	77	68	60	55	55	58	64	71	75	82	69	7	2085
MEAN MIN TMP (F)	57	56	51	45	39	36	35	37	40	45	50	55	46	7	2102
ABS MIN TMP (F)	37	39	32	23	16	18	16	19	21	28	36	37	16	7	2102
MEAN NO DYS TMP = OR GTR 90(F)	6.9	6.4	3.2	0.2	0.0	0.0	0.0	0.0	0.0	0.3	1.0	6.4	24.4	7	2085
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.3	2.0	6.4	10.7	12.4	10.4	4.4	1.7	0.0	0.0	48.3	7	2102
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2102
MEAN DEW PT TMP (F)	41	42	43	38	36	33	32	31	34	31	36	39	36	8	-29
MEAN REL HUM (PCT)	40	42	51	54	64	66	65	57	54	40	42	39	51	10	-88
MEAN PRESS ALT (FT)	277	258	223	173	190	162	138	118	91	151	234	277	191	0	-90
MEAN PRECIP (IN)	0.20	1.10	1.09	1.02	0.49	0.44	2.05	0.33	1.15	0.33	0.46	0.34	9.0	7	1515
MEAN SNOW FALL (IN)	0.0	0.0	0.0								0.0	0.0		7	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.6	2.3	2.9	2.0	1.8	1.7	2.6	0.9	1.3	1.3	1.6	1.0	20.0	7	1515
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0								0.0	0.0		7	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	1.0	1.0	0.3	0.3	0.3	0.3	0.3	0.3	1.0	1.0	1.0	7.8	46	-24
P FREQ WND SPD = OR GTR 17 KTS														C	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	5.0	2.7	0.0	3.3	6.9	16.1	4.8	10.6	3.6	5.6	7.7	26.7	7.8	5	577
09-11 LST	2.5	3.8	3.1	6.7	4.6	6.7	4.5	2.9	5.9	3.3	3.8	1.7	4.1	7	1504
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 00 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	0.0	3.2	1.6	3.5	0.0	0.0	0.0	0.0	0.7	5	577
09-11 LST	0.0	0.0	0.0	3.7	2.3	1.7	1.5	1.9	0.0	0.0	0.0	0.0	0.9	7	1504
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														C	0

# TRELEW, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	29.9	27.5	30.1	28.6	29.5	26.9	29.4	28.6	30.3	28.7	29.4	347.8	7	2081
	14 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST													0	0
	02 LST													0	0
	08 LST	16.4	19.3	22.7	22.7	25.2	22.6	23.7	24.1	21.1	18.2	15.1	16.9	7	2081
	14 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST													0	0
	02 LST													0	0
	08 LST	7.9	3.7	3.8	2.4	2.5	2.1	1.6	2.4	3.3	6.6	8.1	7.8	7	2115
	14 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST													0	0
	02 LST													0	0
	08 LST	12.6	9.6	10.6	9.3	8.8	6.4	7.1	10.5	12.0	9.9	12.1	10.1	7	2113
	14 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	10.0	10.9	11.4	9.0	9.6	5.4	7.4	9.7	10.5	10.2	11.3	11.5	7	2114
	14 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	28.6	26.5	29.0	28.3	29.0	25.9	28.6	28.4	27.5	28.9	27.5	28.5	7	2081
	14 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	28.2	25.8	27.6	26.6	27.1	25.1	27.3	26.6	26.6	28.1	26.9	27.6	7	2081
	14 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	28.2	25.5	27.6	26.5	26.5	24.5	26.8	26.1	26.6	27.6	26.9	27.3	7	2081
	14 LST													0	0

# COMODORO RIVADAVIA, ARGENTINA

LATITUDE 45475

LONGITUDE 06728W

ELEVATION(FT) 00190

STA NO. 87860 (IN AREA NUMBER 03)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	91	100	84	77	64	68	63	63	70	81	91	90	100	3	181
MEAN MAX TMP (F)	78	78	72	67	56	54	56	53	58	71	73	75	66	3	181
MEAN MIN TMP (F)	55	56	51	46	42	39	39	39	41	46	52	56	47	6	487
ABS MIN TMP (F)	46	37	39	28	32	21	27	28	32	34	43	45	21	6	487
MEAN NO DYS TMP = OR GTR 90(F)	4.7	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.5	9.5	3	181
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	2.6	0.8	4.4	6.6	8.1	0.5	0.0	0.0	0.0	23.0	6	487
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	10
MEAN DEW PT TMP (F)	39										47			2	10
MEAN REL HUM (PCT)	38										58			0	-50
MEAN PRESS ALT (FT)	369	353	325	284	298	276	265	238	189	260	339	367	297	6	496
MEAN PRECIP (IN)	0.50	0.64	0.05	0.68	1.07	0.12	0.74	1.10	0.86	0.29	0.88	0.41	7.3	6	-29
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	496
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.5	0.6	0.6	1.8	2.3	0.0	0.7	3.5	2.2	1.1	4.6	2.1	21.0	6	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	2
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0													28	-24
MEAN NO DYS TSTMS	1.0	1.0	0.3	0.3	0.0	0.0	0.0	0.3	0.3	0.3	0.3	1.0	4.8	2	10
P FREQ WND SPD = OR GTR 17 KTS	100.0										20.0			2	10
P FREQ WND SPD = OR GTR 28 KTS	0.0										0.0			2	10
P FREQ LES 5000 FT A/O LES 5 MI	20.0										0.0				
P FREQ LES 1500 FT A/O LES 3 MI											33.3	0.0	2.8	3	-30
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	11.1	4.8	3	-30
03-05 LST	0.0	10.0	0.0	0.0	16.7	0.0	0.0	0.0	0.0	0.0	20.0	11.1	4.8	3	-30
06-08 LST	2.0	7.1	3.0	0.0	11.1	3.8	4.3	12.5	6.8	3.1	2.5	0.0	4.7	6	646
09-11 LST	0.0	3.2	4.3	0.0	0.0	0.0	3.0	24.1	15.8	0.0	6.7	0.0	4.8	3	-30
12-14 LST	0.0	2.0	4.6	0.0	6.9	5.7	0.0	19.1	4.4	0.0	0.0	0.0	3.6	3	485
15-17 LST	16.7	0.0	0.0	0.0	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	3	-30
18-20 LST	0.0	2.4	1.9	0.0	4.5	0.0	0.0	23.8	0.0	0.0	2.9	5.3	3.4	3	339
21-23 LST	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	12.5	3.0	1.5	3	-30
P FREQ LES 300 FT A/O LES 1 MI											0.0	0.0	0.0	3	-30
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-30
03-05 LST	0.0	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	3	-30
06-08 LST	0.0	1.4	0.0	0.0	2.2	0.0	0.0	7.8	0.0	0.0	0.0	0.0	1.0	6	646
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.3	0.0	0.0	0.0	0.0	0.9	3	-30
12-14 LST	0.0	2.0	0.0	0.0	0.0	0.0	0.0	4.3	2.2	0.0	0.0	0.0	0.7	3	485
15-17 LST	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	3	-30
18-20 LST	16.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3	339
21-23 LST	0.0	2.4	1.9	0.0	0.0	0.0	0.0	9.5	0.0	0.0	0.0	0.0	0.5	3	-30
	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0	0.0	0.0	0.0	0.0	0.5		

# COMODORO RIVADAVIA, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APP	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	31.0	27.2	30.3	30.0	31.0	30.0	31.0	22.4	30.0	31.0	30.0	31.0	354.9	3	291
	02 LST	31.0	28.0	31.0	30.0	31.0	30.0			30.0	31.0	30.0	31.0		3	63
	08 LST	31.0	27.0	30.0	30.0	28.2	29.3	31.0	27.8	29.1	29.9	29.2	31.0	353.5	6	588
	14 LST	31.0	27.4	29.8	30.0	28.9	29.2	31.0	27.0	29.3	31.0	30.0	31.0	355.6	3	443
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	1.3	2.4	7.8	17.6	9.8	12.3	8.2	8.6	18.4	10.3	10.4	5.6	112.7	3	288
	02 LST	0.0	9.3	0.0	0.0	11.6	0.0			22.5	13.8	6.0	8.8		3	63
	08 LST	5.6	5.1	6.3	7.1	9.6	9.5	5.4	10.7	9.7	7.2	9.2	5.1	90.5	6	582
	14 LST	1.1	1.7	2.5	2.1	4.2	11.3	5.7	7.9	5.9	2.7	1.7	2.9	49.7	3	443
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	20.6	13.2	14.8	10.6	9.8	5.3	11.1	8.6	6.8	6.9	8.1	16.9	132.7	3	288
	02 LST	20.6	17.2	24.1	18.0	11.6	30.0			7.5	6.2	12.0	13.3		3	65
	08 LST	19.3	14.4	17.1	14.6	10.8	7.5	13.2	11.2	11.4	17.0	11.3	19.0	166.8	6	594
	14 LST	21.8	13.7	21.7	16.5	18.2	8.7	15.1	11.1	15.0	16.2	13.2	19.2	190.4	3	445
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	1.3	3.4	9.1	5.6	8.6	14.1	8.8	5.1	8.7	10.3	9.2	5.6	89.8	3	282
	02 LST	10.3	2.1	3.4	6.0	0.0	0.0			0.0	12.4	6.0	17.7		3	64
	08 LST	4.9	4.6	4.3	6.8	7.2	8.4	5.9	8.0	6.3	7.2	8.3	6.6	78.5	6	587
	14 LST	2.3	3.5	6.8	5.2	2.2	6.5	6.5	9.5	5.2	2.7	6.2	2.2	58.8	3	441
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	3.9	5.4	14.1	10.6	4.9	10.6	17.4	12.0	15.5	9.3	6.9	4.4	115.0	3	293
	02 LST	20.6	10.8	13.8	18.0	3.9	30.0			7.5	13.8	6.0	13.3		3	64
	08 LST	9.9	10.2	11.7	11.2	6.9	8.5	11.4	4.8	9.1	13.0	7.5	10.1	114.3	6	597
	14 LST	9.2	8.0	10.5	12.8	4.2	9.5	11.9	3.2	7.8	14.8	3.5	2.9	98.3	3	444
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	31.0	26.4	28.9	30.0	27.7	30.0	28.9	22.4	28.1	27.9	28.8	29.2	339.3	3	291
	02 LST	31.0	25.6	31.0	30.0	27.1	30.0			30.0	31.0	24.0	31.0		3	63
	08 LST	30.3	26.1	29.5	28.5	26.8	27.3	29.6	25.1	26.5	29.9	27.7	31.0	338.3	6	588
	14 LST	29.9	26.9	28.5	28.9	27.8	27.5	31.0	23.0	27.4	28.3	29.1	28.8	337.1	3	443
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	23.3	24.0	28.9	28.2	27.7	30.0	28.9	22.4	27.1	24.8	24.2	27.4	316.9	3	291
	02 LST	31.0	23.3	31.0	24.0	23.3	30.0			30.0	31.0	24.0	31.0		3	63
	08 LST	28.2	26.1	28.1	27.8	23.9	22.7	29.0	21.9	24.7	28.9	26.9	31.0	319.2	6	588
	14 LST	22.1	25.1	25.4	26.8	27.8	26.7	30.2	20.6	24.8	26.9	24.7	26.6	307.7	3	443
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	23.3	24.0	28.2	28.2	27.7	30.0	28.9	22.4	27.1	24.8	24.2	27.4	316.2	3	291
	02 LST	31.0	23.3	31.0	24.0	23.3	30.0			30.0	31.0	24.0	31.0		3	63
	08 LST	28.2	26.1	28.1	27.8	23.9	22.7	29.0	21.9	24.7	28.9	26.9	31.0	319.2	6	588
	14 LST	22.1	25.1	25.4	26.8	27.8	26.7	30.2	20.6	24.8	26.9	24.7	26.6	307.7	3	443

# PUERTO DESEADO, ARGENTINA

STA NO. 87896 (IN AREA NUMBER 03)

LATITUDE 47455

LONGITUDE 06554W

ELEVATION(FT) 00066

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	99	99	91	79	72	66	57	66	70	79	90	97	99	10	1877
MEAN MAX TMP (F)	71	71	66	60	52	47	47	50	55	62	65	70	60	10	1877
MEAN MIN TMP (F)	51	52	48	42	37	35	34	34	37	42	46	51	42	13	2186
ABS MIN TMP (F)	37	34	34	25	19	19	16	23	25	32	36	37	16	13	2186
MEAN NO DYS TMP = OR GTR 90(F)	1.1	0.9	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	2.8	10	1877
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	3.2	9.3	11.4	11.8	12.1	5.0	1.3	0.0	0.0	54.1	13	2186
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	2186
MEAN DEW PT TMP (F)	43	44	42	39	36	34	33	33	34	35	38	42	38	11	-29
MEAN REL HUM (PCT)	56	57	62	66	75	77	77	72	66	56	56	55	65	10	-88
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.37	1.01	0.76	0.78	1.33	0.45	0.27	0.61	0.24	0.60	0.18	0.31	6.9	7	1250
MEAN SNOW FALL (IN)	0.0	0.0	0.0							0.0	0.0	0.0		13	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.2	2.0	2.2	2.8	3.7	1.8	0.3	2.0	0.8	1.0	0.3	0.9	19.0	7	1250
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0							0.0	0.0	0.0		13	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST													0.0	1	2
03-05 LST				0.0				0.0					0.0	2	4
06-08 LST	1.7	12.2	15.7	18.7	14.9	27.9	21.6	18.5	14.6	17.1	13.3	6.3	15.2	11	1077
09-11 LST	7.8	14.0	15.8	14.9	26.7	24.2	17.8	21.3	25.8	13.0	11.3	10.4	16.9	10	1287
12-14 LST	0.0	2.9	5.0	8.0	11.1	15.6	11.1	21.4	10.3	6.3	6.3	2.9	8.4	3	341
15-17 LST			0.0			33.3	0.0	66.7	50.0		33.3	0.0		2	17
18-20 LST	0.0	3.2	0.0	10.0	6.3	13.3	0.0	21.4	8.0	10.0	4.5	0.0	6.4	3	237
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														1	2
FOR 00-02 LST				0.0									0.0	2	4
03-05 LST				0.0				0.0					0.0	2	4
06-08 LST	0.0	2.4	2.0	3.3	4.0	11.5	14.7	7.3	3.3	7.3	0.0	0.0	4.7	11	1077
09-11 LST	0.8	1.8	2.6	7.4	9.3	7.1	9.9	6.4	7.0	5.4	0.9	1.7	5.0	10	1287
12-14 LST	0.0	0.0	0.0	0.0	0.0	3.1	0.0	3.6	2.6	0.0	0.0	2.9	1.0	3	341
15-17 LST			0.0			0.0	0.0	33.3	25.0		0.0	0.0		2	17
18-20 LST	0.0	3.2	0.0	0.0	0.0	13.3	0.0	7.1	0.0	0.0	0.0	0.0	2.0	3	237
21-23 LST														0	0

# PUERTO DESEADO, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	31.0	25.8	31.0	30.0	31.0	25.7	31.0	27.1	28.8	27.9	28.2	31.0	348.5	3	206
	02 LST				30.0								31.0		1	3
	08 LST	28.3	24.1	25.9	24.5	23.2	21.7	24.1	24.5	24.2	26.1	25.5	28.0	300.1	13	2302
	14 LST	31.0	27.2	31.0	28.8	29.3	27.3	30.1	24.1	27.8	31.0	27.8	30.0	345.4	3	338
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	7.8	3.2	5.4	15.0	5.8	12.8	12.4	11.6	10.8	6.2	8.8	3.0	102.8	3	205
	02 LST				15.0								31.0		1	3
	08 LST	16.0	12.8	13.8	16.1	13.2	15.2	14.3	15.0	13.4	13.4	15.9	12.6	171.7	13	2293
	14 LST	5.6	1.6	3.8	7.2	5.1	5.4	6.9	1.2	3.8	1.9	6.4	1.0	49.9	3	337
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	18.1	8.6	13.5	7.5	3.9	4.3	9.7	3.9	4.8	18.6	8.8	10.0	111.7	3	206
	02 LST				0.0								0.0		1	3
	08 LST	5.4	5.1	4.4	3.2	5.1	3.0	4.3	4.3	6.2	8.3	5.3	7.1	61.7	13	217
	14 LST	9.9	12.0	12.8	8.4	9.8	5.4	10.0	8.3	12.4	18.2	8.0	15.0	130.2	3	342
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	8.4	3.4	4.0	15.0	11.1	12.8	11.6	8.8	13.2	6.2	8.0	4.0	106.5	3	199
	02 LST				30.0								31.0		1	3
	08 LST	13.5	10.5	10.9	10.3	9.7	9.4	8.9	10.8	11.3	9.9	13.2	10.3	128.7	13	2302
	14 LST	5.6	1.6	3.0	7.2	8.6	8.2	6.9	6.2	4.4	0.0	10.0	2.0	63.7	3	338
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	10.3	8.6	10.3	7.5	7.3	15.0	19.4	11.6	12.0	9.3	0.0	5.1	116.4	3	207
	02 LST				0.0								0.0		1	3
	08 LST	10.0	9.3	10.8	11.0	9.9	9.5	10.0	10.2	10.2	12.5	12.2	10.1	125.7	13	2320
	14 LST	1.4	5.7	6.8	10.8	4.9	5.4	11.7	4.6	5.9	14.6	6.0	7.0	84.8	3	342
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	31.0	24.8	31.0	26.3	25.2	23.6	31.0	15.5	25.2	27.9	28.2	29.0	318.7	3	206
	02 LST				0.0								31.0		1	3
	08 LST	26.7	23.2	24.1	23.4	21.6	19.7	22.1	22.4	22.0	24.0	23.9	27.0	280.1	13	2302
	14 LST	29.6	26.4	26.4	26.4	25.8	23.6	25.8	19.5	23.3	29.0	25.7	29.0	310.5	3	338
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	25.8	23.7	31.0	26.3	23.3	23.6	31.0	15.5	25.2	27.9	26.5	28.0	307.8	3	206
	02 LST				0.0								31.0		1	3
	08 LST	22.3	20.0	20.1	19.7	18.4	16.5	18.6	18.8	19.1	20.2	21.3	23.4	238.4	13	2302
	14 LST	22.5	24.8	21.1	26.4	25.8	23.6	25.8	17.2	21.8	29.0	25.7	24.0	287.7	3	338
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	25.8	23.7	31.0	26.3	23.3	23.6	31.0	15.5	25.2	27.9	26.5	28.0	307.8	3	206
	02 LST				0.0								31.0		1	3
	08 LST	22.1	20.0	20.1	19.7	18.2	16.5	18.6	18.8	19.1	20.2	21.3	23.3	237.9	13	2302
	14 LST	22.5	24.8	20.4	26.4	25.6	23.6	25.8	17.2	21.0	29.0	25.7	24.0	286.2	3	338

# SANTA CRUZ, ARGENTINA

STA NO. 87912 (IN AREA NUMBER 03)

LATITUDE 50015

LONGITUDE 06834W

ELEVATION(FT) 00364

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	93	94	90	78	68	63	59	67	72	85	90	91	94	17	-528
MEAN MAX TMP (F)	70	70	65	57	51	42	41	47	53	58	62	65	57	12	-28
MEAN MIN TMP (F)	48	48	44	39	33	29	28	31	34	39	42	46	38	12	-28
ABS MIN TMP (F)	32	32	28	23	12	1	9	6	21	20	28	34	1	17	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.8	7	1914
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.3	5.9	17.0	22.9	22.3	20.8	10.7	3.5	0.9	0.0	104.3	17	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN DEW PT TMP (F)	36	38	35	33	31	27	24	26	28	29	30	33	31	9	-29
MEAN REL HUM (PCT)	47	51	52	60	69	73	68	63	58	51	48	47	57	4	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.60	0.30	0.30	0.60	0.40	0.50	0.40	0.50	0.30	0.30	0.40	0.70	5.3	20	-28
MEAN SNOW FALL (IN)	0.0	0.0										0.0		17	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.6	1.1	1.3	1.7	1.4	1.1	1.0	1.1	1.1	1.1	1.3	1.8	15.6	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0										0.0		17	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	0.3	0.3	0.3	0.0	0.3	0.0	0.0	0.3	0.3	1.0	1.0	4.8	41	-24
P FREQ WND SPD = OR GTR 17 KTS	41.8	26.4	38.1	16.3	15.1	10.6	20.3	20.5	16.8	36.2	39.6	49.1	27.6	3	-35
P FREQ WND SPD = OR GTR 28 KTS	18.2	1.9	12.7	2.0	0.0	1.3	5.4	4.1	5.9	5.6	8.6	27.5	7.8	3	-35
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	6.9	0.0	6.1	6.1	10.2	8.1	2.4	15.4	0.0	4.6	6	372
09-11 LST	0.7	1.0	0.0	3.2	4.0	3.8	3.3	5.7	6.1	3.5	0.9	0.0	2.7	7	1372
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	3.4	0.0	6.1	6.1	8.5	8.1	2.4	0.0	0.0	2.9	6	372
09-11 LST	0.7	1.0	0.0	2.4	0.0	1.0	0.8	1.9	2.3	1.8	0.9	0.0	1.1	7	1372
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# SANTA CRUZ, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	30.4	27.3	30.6	28.2	29.6	28.7	29.2	28.2	27.8	29.0	30.8	349.6	7	1744
	13 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST													0	0
	01 LST													0	0
	07 LST	14.9	16.8	22.1	19.4	18.1	19.6	21.0	18.4	18.6	16.2	14.0	14.4	7	1729
	13 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST	10.3	6.5	4.4	5.7	4.4	5.2	4.1	4.3	5.2	8.0	11.0	11.1	7	1957
	13 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST	9.9	10.8	12.8	9.7	7.3	5.7	6.0	7.4	10.0	10.4	9.8	10.4	7	1940
	13 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	6.1	4.7	6.8	7.7	9.1	8.6	10.1	8.9	7.3	8.7	7.9	8.2	7	1961
	13 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	30.3	27.3	30.6	27.3	28.7	27.8	28.4	27.4	27.5	29.4	28.4	30.8	7	1744
	13 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	21.9	16.6	21.4	20.0	23.6	20.4	23.3	22.9	19.3	22.4	20.0	23.7	7	1744
	13 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	21.5	16.4	21.4	19.3	23.6	20.2	22.8	22.7	18.9	22.4	18.8	22.4	7	1744
	13 LST													0	0

# COM PIEDRABUENA, ARGENTINA

STA NO. 87913/ (IN AREA NUMBER 03)

LATITUDE 5005

LONGITUDE 06056W

ELEVATION(FT) 00066

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	93	94	90	78	68	63	59	67	72	85	90	91	94	17	-87912
MEAN MAX TMP (F)	70	70	65	57	51	42	41	47	53	58	62	65	57	12	-87912
MEAN MIN TMP (F)	48	48	44	39	33	29	28	31	34	39	42	46	38	12	-87912
ABS MIN TMP (F)	32	32	28	23	12	1	9	6	21	20	28	34	1	17	-87912
MEAN NO DYS TMP = OR GTR 90(F)	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.8	7	-87912
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.3	5.9	17.0	22.9	22.3	20.8	10.7	3.5	0.9	0.0	104.3	17	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN DEW PT TMP (F)	37	44	39	37	30	30	34	31	34	42	43	40	37	0	-50
MEAN REL HUM (PCT)	47	51	52	60	69	73	68	63	58	51	48	47	57	4	-87912
MEAN PRESS ALT (FT)	350	400	300	350	350	350	250	250	250	350	350	400	329	0	-50
MEAN PRECIP (IN)	0.60	0.30	0.30	0.60	0.40	0.50	0.40	0.50	0.30	0.30	0.40	0.70	5.3	20	-87912
MEAN SNOW FALL (IN)	0.0	0.0										0.0		17	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.6	1.1	1.3	1.7	1.4	1.1	1.0	1.1	1.1	1.1	1.3	1.8	15.6	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0										0.0		17	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	0.3	0.3	0.3	0.0	0.3	0.0	0.0	0.3	0.3	1.0	1.0	4.8	41	-87912
P FREQ WND SPD = OR GTR 17 KTS	41.8	26.4	38.1	16.3	15.1	10.6	20.3	20.5	16.8	36.2	39.6	49.1	27.6	3	-87912
P FREQ WND SPD = OR GTR 28 KTS	18.2	1.9	12.7	2.0	0.0	1.3	5.4	4.1	5.9	5.6	8.6	27.5	7.8	3	-87912
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	6.9	0.0	6.1	6.1	10.2	8.1	2.4	15.4	0.0	4.6	6	-87912
09-11 LST	0.7	1.0	0.0	3.2	4.0	3.8	3.3	5.7	6.1	3.5	0.9	0.0	2.7	7	-87912
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	3.4	0.0	6.1	6.1	8.5	8.1	2.4	0.0	0.0	2.9	6	-87912
09-11 LST	0.7	1.0	0.0	2.4	0.0	1.0	0.8	1.9	2.3	1.8	0.9	0.0	1.1	7	-87912
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# COM PIEDRABUENA, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	30.4	27.3	30.6	28.2	29.6	28.7	29.2	28.2	27.8	29.8	29.0	30.8	349.6	7	-87912
	13 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	19 LST														0	0
	01 LST														0	0
	07 LST	14.9	16.8	22.1	19.4	18.1	19.6	21.0	18.4	18.6	16.2	14.0	14.4	213.5	7	-87912
	13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	10.3	6.5	4.4	5.7	4.4	5.2	4.1	4.3	5.2	6.0	11.0	11.1	80.2	7	-87912
	13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	9.9	10.8	12.8	9.7	7.3	5.7	6.0	7.4	10.0	10.4	9.8	10.4	110.2	7	-87912
	13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	6.1	4.7	6.8	7.7	9.1	8.6	10.1	8.9	7.3	8.7	7.9	8.2	94.1	7	-87912
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	30.3	27.3	30.6	27.3	28.7	27.8	28.4	27.4	27.5	29.4	28.4	30.8	343.9	7	-87912
	13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	21.9	16.6	21.4	20.0	23.6	20.4	23.3	22.9	19.3	22.4	20.0	23.7	255.5	7	-87912
	13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	21.5	16.4	21.4	19.3	23.6	20.2	22.8	22.7	18.9	22.4	18.8	22.4	250.4	7	-87912
	13 LST														0	0

# RIO GALLEGOS APT, ARGENTINA

STA NO. 87925 (IN AREA NUMBER 03)

LATITUDE 51375

LONGITUDE 06918W

ELEVATION(FT) 00082

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	91	84	90	74	68	60	56	58	65	77	81	82	91	10	-87927
MEAN MAX TMP (F)	66	66	60	55	45	40	40	44	50	58	60	65	54	10	-87927
MEAN MIN TMP (F)	43	41	38	35	30	28	28	28	32	34	38	41	35	10	-87927
ABS MIN TMP (F)	30	28	23	19	11	5	3	3	17	22	18	23	3	10	-87927
MEAN NO DYS TMP = OR GTR 90(F)		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.7	8.1	13.7	19.1	21.0	19.6	20.6	13.5	1.2	1.1	0.6	119.2	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	37	44	39	37	30	30	34	31	34	42	43	40	37	0	-50
MEAN REL HUM (PCT)	57	59	67	72	81	80	81	78	73	62	60	56	69	10	-87927
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.96	0.71	1.24	0.96	1.43	0.59	0.50	0.51	0.65	0.51	0.99	0.98	10.0	10	-87927
MEAN SNOW FALL (IN)	0.0													10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.2	1.8	2.5	2.2	2.8	1.3	1.1	1.1	1.7	1.5	2.3	2.2	22.7	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0													10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	0.3	0.3	0.3	0.0	0.3	0.0	0.0	0.3	0.3	1.0	1.0	4.8	41	-87912
P FREQ WND SPD = OR GTR 17 KTS	54.4	39.8	44.5	22.2	25.0	9.7	15.5	23.4	23.3	29.2	51.2	36.2	31.2	4	-87927
P FREQ WND SPD = OR GTR 28 KTS	22.8	10.2	12.9	1.4	1.9	1.6	2.2	1.2	3.9	12.0	11.5	14.6	8.0	4	-87927
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST													0.0		1 -87927
03-05 LST	0.0	0.0	0.0	3.0	6.0	10.5	6.0	0.0	0.0	0.0	0.0	28.6	4.5	3	-87927
06-08 LST	2.7	1.7	3.0	4.2	9.4	17.6	7.1	17.0	6.8	3.3	0.0	6.3	6.6	6	-87927
09-11 LST	14.3	0.0	0.0	10.0	6.0	20.0	8.0	25.0	0.0	4.0	0.0	5.9	7.8	3	-87927
12-14 LST	4.5	0.0	2.3	14.3	4.8	22.2	8.6	19.4	14.9	4.8	3.1	2.5	8.5	3	-87927
15-17 LST	0.0	0.0	0.0	10.0	2.0	15.0	6.0	0.0	33.3	3.0	0.0	0.0	5.8	3	-87927
18-20 LST	0.0	5.9	10.0	6.0	2.0	0.0	0.0	33.3	7.7	0.0	4.3	0.0	5.8	3	-87927
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST													0.0		1 -87927
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-87927
06-08 LST	0.0	0.0	1.5	4.2	3.1	0.0	4.8	8.5	0.0	3.3	0.0	1.6	2.3	6	-87927
09-11 LST	0.0	0.0	0.0	2.0	1.0	4.0	3.0	25.0	0.0	2.0	0.0	0.0	3.1	3	-87927
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	2.1	0.0	0.0	0.0	0.4	3	-87927
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.2	3	-87927
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-87927
21-23 LST														0	0

# RIO GALLEGOS APT, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	31.0	28.0	27.9			30.0	31.0	25.4	27.6	27.9	30.0	31.0		3	-87927
	01 LST											30.0			1	-87927
	07 LST	29.1	28.0	30.0	27.4	29.0	27.3	28.8	26.7	28.1	29.9	30.0	29.8	344.2	6	-87927
	13 LST	31.0	28.0	31.0	27.8	31.0	23.9	29.2	25.8	26.7	31.0	30.0	31.0	345.8	3	-87927
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	11.6	9.3	9.3			15.0	27.5	9.3	15.6	6.2	1.5	11.3		3	-87927
	01 LST											30.0			1	-87927
	07 LST	5.6	10.1	11.9	15.6	17.0	15.5	19.7	15.1	15.2	13.3	9.4	12.0	160.4	6	-87927
	13 LST	0.0	6.0	7.5	6.4	13.3	13.3	11.8	9.5	11.1	10.3	3.2	6.9	99.3	3	-87927
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	11.6	11.2	12.4			0.0	0.0	12.4	3.6	12.4	21.0	12.0		3	-87927
	01 LST											0.0			1	-87927
	07 LST	14.5	8.0	9.1	1.2	6.8	2.6	4.3	4.3	5.5	6.6	8.6	7.6	79.1	6	-87927
	13 LST	24.1	11.3	17.0	10.7	7.4	2.2	6.2	9.5	8.5	10.3	15.0	12.9	135.1	3	-87927
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	3.9	10.0	7.8			0.0	11.6	6.2	12.0	9.3	3.0	7.0		3	-87927
	01 LST											0.0			1	-87927
	07 LST	5.8	6.4	5.6	11.3	6.0	5.3	5.9	6.6	8.0	8.0	6.2	12.0	87.1	6	-87927
	13 LST	1.7	6.0	5.9	4.3	15.5	13.3	8.8	7.3	12.4	8.8	2.2	3.4	89.6	3	-87927
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	0.0	9.3	4.7			15.0	13.8	2.8	10.8	3.1	9.0	2.0		3	-87927
	01 LST											30.0			1	-87927
	07 LST	5.6	5.1	7.2	10.0	10.6	5.3	8.4	10.1	9.4	7.8	7.5	4.2	91.2	6	-87927
	13 LST	1.6	5.2	2.2	2.1	7.4	6.7	6.2	6.9	2.6	1.5	2.1	0.8	45.3	3	-87927
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	27.1	24.2	27.9			30.0	27.5	19.7	27.6	24.8	30.0	29.9		3	-87927
	01 LST											30.0			1	-87927
	07 LST	28.2	26.8	29.0	26.3	26.1	22.1	28.8	25.2	27.1	29.9	28.3	29.2	327.0	6	-87927
	13 LST	26.1	26.5	26.4	23.6	26.6	21.1	28.7	22.4	22.2	28.0	28.9	28.4	308.4	3	-87927
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	27.1	24.2	27.9			30.0	27.5	16.9	25.2	21.7	28.5	27.9		3	-87927
	01 LST											30.0			1	-87927
	07 LST	26.3	26.8	26.4	26.3	23.3	22.1	23.6	24.5	26.2	28.8	24.2	27.9	306.4	6	-87927
	13 LST	14.7	22.8	23.4	21.4	23.6	20.0	28.2	20.6	19.6	25.1	18.2	21.5	259.1	3	-87927
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	27.1	22.4	26.4			30.0	27.5	16.9	25.2	21.7	28.5	27.9		3	-87927
	01 LST											30.0			1	-87927
	07 LST	26.3	26.2	26.4	26.3	23.3	22.1	23.6	24.5	26.2	28.8	24.2	27.9	305.8	6	-87927
	13 LST	14.7	22.8	23.4	21.4	23.6	20.0	28.2	20.6	19.6	25.1	18.2	21.5	259.1	3	-87927

# RIO GALLEGOS NAVAL, ARGENTINA

STA NO. 87926 (IN AREA NUMBER 03)

LATITUDE 5138S

LONGITUDE 06912W

ELEVATION(FT) 00089

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	91	84	90	74	68	60	56	58	65	77	81	82	91	10	-87927
MEAN MAX TMP (F)	66	66	60	55	45	40	40	44	50	58	60	65	54	10	-87927
MEAN MIN TMP (F)	43	41	38	35	30	28	28	28	32	34	38	41	35	10	-87927
ABS MIN TMP (F)	30	28	23	19	11	5	3	3	17	22	18	23	3	10	-87927
MEAN NO DYS TMP = OR GTR 90(F)		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.7	8.1	13.7	19.1	21.0	19.6	20.6	13.5	1.2	1.1	0.6	119.2	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	37	44	39	37	30	30	34	31	34	42	43	40	37	0	-90
MEAN REL HUM (PCT)	57	59	67	72	81	80	81	78	73	62	60	56	69	10	-87927
MEAN PRESS ALT (FT)	350	350	300	300	300	300	250	250	250	350	350	400	313	0	-90
MEAN PRECIP (IN)	0.96	0.71	1.24	0.96	1.43	0.59	0.50	0.51	0.65	0.51	0.99	0.98	10.0	10	-87927
MEAN SNOW FALL (IN)	0.0													10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.2	1.8	2.5	2.2	2.8	1.3	1.1	1.1	1.7	1.5	2.3	2.2	22.7	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0													10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	0.3	0.3	0.3	0.0	0.3	0.0	0.0	0.3	0.3	1.0	1.0	4.8	41	-87912
P FREQ WND SPD = OR GTR 17 KTS	54.4	39.8	44.5	22.2	25.0	9.7	15.5	23.4	23.3	29.2	51.2	36.2	31.2	4	-87927
P FREQ WND SPD = OR GTR 28 KTS	22.8	10.2	12.9	1.4	1.9	1.6	2.2	1.2	3.9	12.0	11.5	14.6	8.0	4	-87927
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST											0.0			1	-87927
03-05 LST	0.0	0.0	0.0	3.0	6.0	10.5	6.0	0.0	0.0	0.0	0.0	28.6	4.5	3	-87927
06-08 LST														0	0
09-11 LST	14.3	0.0	0.0	10.0	6.0	20.0	8.0	25.0	0.0	4.0	0.0	5.9	7.8	3	-87927
12-14 LST														0	0
15-17 LST	0.0	0.0	0.0	10.0	2.0	15.0	6.0	0.0	33.3	3.0	0.0	0.0	5.8	3	-87927
18-20 LST	0.0	5.9	10.0	6.0	2.0	0.0	0.0	33.3	7.7	0.0	4.3	0.0	5.8	3	-87927
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST											0.0			1	-87927
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-87927
06-08 LST	0.0	0.0	1.5	4.2	3.1	0.0	4.8	8.5	0.0	3.3	0.0	1.6	2.3	6	-87927
09-11 LST	0.0	0.0	0.0	2.0	1.0	4.0	3.0	25.0	0.0	2.0	0.0	0.0	3.1	3	-87927
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	2.1	0.0	0.0	0.0	0.4	3	-87927
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.2	3	-87927
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-87927
21-23 LST														0	0

# RIO GALLEGOS NAVAL, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	31.0	28.0	27.9			30.0	31.0	25.4	27.6	27.9	30.0	31.0		3	-87927
	01 LST											30.0			1	-87927
	07 LST	29.1	28.0	30.0	27.5	29.0	27.3	28.8	26.7	28.1	29.9	30.0	29.8	344.2	6	-87927
	13 LST	31.0	28.0	31.0	27.8	31.0	23.3	29.2	25.8	26.7	31.0	30.0	31.0	345.8	3	-87927
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	19 LST	11.6	9.3	9.3			15.0	27.5	9.3	15.6	6.2	1.5	11.3		3	-87927
	01 LST											30.0			1	-87927
	07 LST	5.6	10.1	11.9	15.6	17.0	15.5	19.7	15.1	15.2	13.3	9.4	12.0	160.4	6	-87927
	13 LST	0.0	6.0	7.5	6.4	13.3	13.3	11.8	9.5	11.1	10.3	3.2	6.9	99.3	3	-87927
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	11.6	11.2	12.4			0.0	0.0	12.4	3.6	12.4	21.0	12.0		3	-87927
	01 LST											0.0			1	-87927
	07 LST	14.5	8.0	9.1	1.2	6.8	2.6	4.3	4.3	5.5	6.6	8.6	7.6	79.1	6	-87927
	13 LST	24.1	11.3	17.0	10.7	7.4	2.2	6.2	9.5	8.5	10.3	15.0	12.9	135.1	3	-87927
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	3.9	10.0	7.8			0.0	11.6	6.2	12.0	9.3	3.0	7.0		?	-87927
	01 LST											0.0			1	-87927
	07 LST	5.8	6.4	5.6	11.3	6.0	5.3	5.9	6.6	8.0	8.0	6.2	12.0	67.1	6	-87927
	13 LST	1.7	6.0	5.9	4.3	15.5	13.3	8.8	7.3	12.4	8.8	2.2	3.4	89.6	3	-87927
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	0.0	9.3	4.7			15.0	13.8	2.8	10.8	3.1	9.0	2.0		3	-87927
	01 LST											30.0			1	-87927
	07 LST	5.6	5.1	7.2	10.0	10.6	5.3	8.4	10.1	9.4	7.8	7.5	4.2	91.2	6	-87927
	13 LST	1.6	5.2	2.2	2.1	7.4	6.7	6.2	6.9	2.6	1.5	2.1	0.8	45.3	3	-87927
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	27.1	24.2	27.9			30.0	27.5	19.7	27.6	24.8	30.0	29.9		3	-87927
	01 LST											30.0			1	-87927
	07 LST	28.2	26.8	29.0	26.3	26.1	22.1	28.8	25.2	27.1	29.9	28.3	29.2	327.0	6	-87927
	13 LST	26.1	26.5	26.4	23.6	26.6	21.1	28.2	22.4	22.2	28.0	28.9	28.4	308.4	3	-87927
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	27.1	24.2	27.9			30.0	27.5	16.9	25.2	21.7	28.5	27.9		3	-87927
	01 LST											30.0			1	-87927
	07 LST	26.3	26.8	26.4	26.3	23.3	22.1	23.6	24.5	26.2	28.8	24.2	27.9	306.4	6	-87927
	13 LST	14.7	22.8	23.4	21.4	23.6	20.0	28.2	20.6	19.6	25.1	18.2	21.5	259.1	3	-87927
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	27.1	22.4	26.4			30.0	27.5	16.9	25.2	21.7	28.5	27.9		3	-87927
	01 LST											30.0			1	-87927
	07 LST	26.3	26.2	26.4	26.3	23.3	22.1	23.6	24.5	26.2	28.8	24.2	27.9	305.8	6	-87927
	13 LST	14.7	22.8	23.4	21.4	23.6	20.0	28.2	20.6	19.6	25.1	18.2	21.5	259.1	3	-87927

# RIO GALLEGOS, ARGENTINA

STA NO. 87927/ (IN AREA NUMBER 03)

LATITUDE 5146S

LONGITUDE 06916W

ELEVATION (FT) 00072

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
ABS MAX TMP (F)	91	94	90	74	68	60	56	58	65	77	81	82	91	10	-588	
MEAN MAX TMP (F)	66	66	60	55	45	40	40	44	50	58	60	65	54	10	-88	
MEAN MIN TMP (F)	43	41	38	35	30	28	28	28	32	34	38	41	35	10	-88	
ABS MIN TMP (F)	30	28	23	19	11	5	3	3	17	22	18	23	3	10	-588	
MEAN NO DYS TMP = OR GTR 90 (F)		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		10	-29	
MEAN NO DYS TMP = OR LES 32 (F)	0.0	0.7	8.1	13.7	19.1	21.0	19.6	20.6	13.5	1.2	1.1	0.6	119.2	10	-29	
MEAN NO DYS TMP = OR LES 0 (F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29	
MEAN DEW PT TMP (F)	37	38	37	35	32	28	28	29	32	32	34	36	33	10	-29	
MEAN REL HUM (PCT)	57	59	67	72	81	80	81	78	73	62	60	56	69	10	-88	
MEAN PRESS ALT (FT)														0	0	
MEAN PRECIP (IN)	0.96	0.71	1.24	0.96	1.43	0.59	0.50	0.51	0.65	0.51	0.99	0.98	10.0	10	-88	
MEAN SNOW FALL (IN)	0.0													10	-29	
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.2	1.8	2.5	2.2	2.8	1.3	1.1	1.1	1.7	1.5	2.3	2.2	22.7	10	-29	
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0													10	-29	
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0	
MEAN NO DYS TSTMS	1.0	0.3	0.3	0.3	0.0	0.3	0.0	0.0	0.3	0.3	1.0	1.0	4.8	41	-87912	
P FREQ WND SPD = OR GTR 17 KTS	54.4	39.8	44.5	22.2	25.0	9.7	15.5	23.4	23.3	29.2	51.2	36.2	31.2	4	-35	
P FREQ WND SPD = OR GTR 16 KTS	22.8	10.2	12.9	1.4	1.9	1.6	2.2	1.2	3.9	12.0	11.5	14.6	8.0	4	-35	
P FREQ LES 5000 FT A/O LES 5 MI														0	0	
P FREQ LES 1500 FT A/O LES 3 MI																
FOR 00-02 LST														0.0	1	1
03-05 LST	0.0	0.0	0.0	3.0	6.0	10.5	6.0	0.0	0.0	0.0	0.0	28.6	4.5	3	-30	
06-08 LST	2.7	1.7	3.0	4.2	9.4	17.6	7.1	17.0	6.8	3.3	0.0	6.3	6.6	6	549	
09-11 LST	14.3	0.0	0.0	10.0	6.0	20.0	8.0	25.0	0.0	4.0	0.0	5.9	7.8	3	-30	
12-14 LST	4.5	0.0	2.3	14.3	4.8	22.2	8.6	19.4	14.9	4.8	3.1	2.5	8.5	3	378	
15-17 LST	0.0	0.0	0.0	10.0	2.0	15.0	6.0	0.0	33.3	3.0	0.0	0.0	5.8	3	-30	
18-20 LST	0.0	5.9	10.0	6.0	2.0	0.0	0.0	33.3	7.7	0.0	4.3	0.0	5.8	3	-30	
21-23 LST														0	0	
P FREQ LES 300 FT A/O LES 1 MI																
FOR 00-02 LST														0.0	1	1
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-30	
06-08 LST	0.0	0.0	1.5	4.2	3.1	0.0	4.8	8.5	0.0	3.3	0.0	1.6	2.3	6	549	
09-11 LST	0.0	0.0	0.0	2.0	1.0	4.0	3.0	25.0	0.0	2.0	0.0	0.0	3.1	3	-30	
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	2.1	0.0	0.0	0.0	0.4	3	378	
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.2	3	-30	
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-30	
21-23 LST														0	0	

# RIO GALLEGOS, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	31.0	28.0	27.9			30.0	31.0	25.4	27.6	27.9	30.0	31.0		3	150
	01 LST											30.0			1	1
	07 LST	29.1	28.0	30.0	27.5	29.0	27.3	28.8	26.7	28.1	29.9	30.0	29.8	344.2	6	494
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	13 LST	31.0	28.0	31.0	27.8	31.0	23.3	29.2	25.8	26.7	31.0	30.0	31.0	345.8	3	361
	19 LST	11.6	9.3	9.3			15.0	27.5	9.3	15.6	6.2	1.5	11.3		3	149
	01 LST											30.0			1	1
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	5.6	10.1	11.9	15.6	17.0	15.5	19.7	15.1	15.2	13.3	9.4	12.0	160.4	6	486
	13 LST	0.0	6.0	7.5	6.4	13.3	13.3	11.8	9.5	11.1	10.3	3.2	6.9	99.3	3	359
	19 LST	11.6	11.2	12.4			0.0	0.0	12.4	3.6	12.4	21.0	12.0		3	149
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST											0.0			1	1
	07 LST	14.5	8.0	9.1	1.2	6.8	2.6	4.3	4.3	5.5	6.6	8.6	7.6	79.1	6	495
	13 LST	24.1	11.3	17.0	10.7	7.4	2.2	6.2	9.5	8.5	10.3	15.0	12.9	135.1	3	361
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	3.9	10.0	7.8			0.0	11.6	6.2	12.0	9.3	3.0	7.0		3	148
	01 LST											0.0			1	1
	07 LST	5.8	6.4	5.6	11.3	6.0	5.3	5.6	6.6	8.0	8.0	6.2	12.0	87.1	6	488
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	13 LST	1.7	6.0	5.9	4.3	15.5	13.3	8.8	7.3	12.4	8.8	2.2	3.6	89.6	3	357
	19 LST	0.0	9.3	4.7			15.0	13.8	2.8	10.8	3.1	9.0	2.0		3	151
	01 LST											30.0			1	1
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	5.6	5.1	7.2	10.0	10.6	5.3	8.4	10.1	9.4	7.8	7.5	4.2	91.2	6	501
	13 LST	1.6	5.2	2.2	2.1	7.4	6.7	6.2	6.9	2.6	1.5	2.1	0.8	45.3	3	363
	19 LST	27.1	24.2	27.9			30.0	27.5	19.7	27.6	24.8	30.0	29.9		3	150
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST											30.0			1	1
	07 LST	28.2	26.8	29.0	26.3	26.1	22.1	28.8	25.2	27.1	29.9	28.3	29.2	327.0	6	494
	13 LST	26.1	26.5	26.4	23.6	26.6	21.1	28.2	22.4	22.2	28.0	28.9	28.4	308.4	3	361
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	27.1	24.2	27.9			30.0	27.5	16.9	25.2	21.7	28.5	27.9		3	150
	01 LST											30.0			1	1
	07 LST	26.3	26.8	26.4	26.3	23.3	22.1	23.6	24.5	26.2	28.8	24.2	27.9	306.4	6	494
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	13 LST	14.7	22.8	23.4	21.4	23.6	20.0	28.2	20.6	19.6	25.1	18.2	21.5	259.1	3	361
	19 LST	27.1	22.4	26.4			30.0	27.5	16.9	25.2	21.7	28.5	27.9		3	150
	01 LST											30.0			1	1
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	26.3	26.2	26.4	26.3	23.3	22.1	23.6	24.5	26.2	28.8	24.2	27.9	305.8	6	494
	13 LST	14.7	22.8	23.4	21.4	23.6	20.0	28.2	20.6	19.6	25.1	18.2	21.5	259.1	3	361

# FARO CABO VIRGENES, ARGENTINA

STA NO. 87928 (IN AREA NUMBER 03)

LATITUDE 52215

LONGITUDE 06821W

ELEVATION(FT) 00141

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	79	81	81	72	63	59	61	55	64	66	73	86	86	7	1810
MEAN MAX TMP (F)	59	59	56	50	44	42	41	42	46	51	55	59	50	7	1810
MEAN MIN TMP (F)	44	45	43	38	35	33	32	32	34	37	40	43	38	7	1846
ABS MIN TMP (F)	34	34	34	27	19	12	19	19	18	25	30	30	12	7	1846
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1810
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	4.7	9.3	16.3	15.0	18.4	8.7	2.9	0.7	1.1	77.1	7	1846
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1846
MEAN DEW PT TMP (F)	45	43	43	38	35	34	33	33	34	38	41	43	38	8	-29
MEAN REL HUM (PCT)	79	74	79	80	84	86	87	86	81	80	79	76	81	10	-88
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.92	1.43	1.39	1.32	1.22	0.92	0.42	0.73	0.48	0.83	1.13	2.10	13.9	7	1365
MEAN SNOW FALL (IN)	0.0	0.0	0.0								0.0	0.0		7	-29
MEAN NO DYS PRC = OR GTR 0.1 IN	4.9	3.2	2.4	3.7	4.4	2.2	1.7	2.1	1.8	2.9	3.6	4.2	37.1	7	1365
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0								0.0	0.0		7	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	7.1	3.2	27.0	0.0	6.5	0.0	0.0	0.0	3.7	4	349
09-11 LST	9.2	10.7	7.3	10.7	7.9	6.5	10.0	8.1	7.9	11.2	4.8	7.3	8.5	7	1316
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	7.1	3.2	27.0	0.0	3.2	0.0	0.0	0.0	3.4	4	349
09-11 LST	1.4	3.6	2.7	5.7	1.3	3.7	5.5	4.0	4.0	5.6	1.6	0.9	3.3	7	1316
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# FARO CABO VIRGENES, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	29.8	26.1	29.2	28.0	29.2	28.7	27.0	29.6	27.7	29.0	29.1	29.5	342.9	7	1665
	13 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	19 LST														0	0
	01 LST														0	0
	07 LST	15.3	17.9	22.0	18.6	21.0	20.0	17.9	18.6	19.4	17.9	16.9	11.4	216.9	7	1661
	13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	9.8	5.9	6.6	6.6	4.8	4.0	4.2	6.5	4.8	6.0	7.9	13.2	80.3	7	1915
	13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST	11.3	12.9	13.5	11.3	11.1	10.1	9.6	8.3	14.3	14.0	13.3	8.1	137.8	7	1909
	13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	4.9	5.5	6.0	8.2	7.8	10.0	8.0	10.7	7.9	8.6	6.8	7.2	91.6	7	1910
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	26.1	23.9	27.4	25.8	26.8	26.7	23.8	28.5	26.2	26.3	26.6	25.9	314.0	7	1665
	13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	14.0	13.2	15.0	17.4	15.5	17.2	14.5	19.5	17.6	15.5	16.2	17.5	193.1	7	1665
	13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	14.0	12.9	15.0	17.2	15.5	17.0	14.5	19.1	16.8	15.5	16.0	17.5	191.0	7	1665
	13 LST														0	0

# USHUAIA NAVAL, ARGENTINA

STA NO. 87938 (IN AREA NUMBER 03)

LATITUDE 54495

LONGITUDE 06819W

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	85	79	79	68	66	60	63	57	66	70	79	80	85	16	-528
MEAN MAX TMP (F)	57	58	55	48	43	39	39	42	46	52	54	56	49	16	-28
MEAN MIN TMP (F)	41	41	38	33	29	26	25	27	31	35	36	39	33	16	-28
ABS MIN TMP (F)	28	27	27	18	-4	-1	-6	6	17	24	21	27	-6	16	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1982
MEAN NO DYS TMP = OR LES 32(F)	0.5	0.8	2.4	9.3	16.6	22.9	21.3	22.3	14.2	6.7	5.2	0.4	122.6	7	2112
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN DEW PT TMP (F)	38	37	36	33	30	30	31	30	29	35	35	37	33	0	-50
MEAN REL HUM (PCT)	72	70	74	78	80	79	78	78	76	69	65	70	74	10	-88
MEAN PRESS ALT (FT)	300	300	300	250	250	250	250	200	200	250	300	300	263	0	-50
MEAN PRECIP (IN)	2.00	2.60	1.90	2.10	1.50	1.20	1.20	1.10	1.30	1.60	1.50	1.90	19.9	21	-28
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.8	4.6	3.4	3.7	2.9	2.3	2.3	2.1	2.8	3.3	3.1	3.6	37.9	21	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.3	0.3	0.3	0.3	0.0	0.3	0.3	0.0	0.0	0.3	0.3	0.3	2.7	29	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	50.0	39.1	66.7	89.6	86.0	87.8	81.4	69.4	52.6	55.6	92.3	50.0	68.4	4	427
09-11 LST	26.8	46.7	33.8	42.6	36.4	33.7	34.0	41.6	32.7	18.9	38.8	27.5	34.5	7	934
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	4.3	20.0	33.3	74.0	87.8	79.1	59.2	31.6	20.0	53.8	12.5	39.6	4	427
09-11 LST	3.1	14.1	11.3	8.2	27.3	19.8	26.6	22.1	6.9	5.7	10.4	2.5	13.2	7	934
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# USHUAIA NAVAL, ARGENTINA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	22.5	16.8	15.7	10.4	10.6	13.0	14.5	12.8	17.9	19.6	16.5	22.6	192.9	7 1361
	13 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	19 LST													0	0
	01 LST													0	0
	07 LST	20.0	13.6	15.1	9.6	8.8	11.6	12.7	11.8	16.1	18.7	14.6	19.4	172.0	7 1358
	13 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST	0.3	0.4	0.3	0.0	0.4	0.3	0.6	0.3	0.6	0.5	0.0	0.0	3.7	7 2138
	13 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST	4.5	2.7	4.2	3.3	2.3	2.9	3.5	3.4	3.0	4.2	6.2	4.9	45.1	7 2127
	13 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	2.1	4.2	3.4	3.0	1.4	3.2	4.6	2.8	3.9	3.4	4.7	3.5	40.2	7 1802
	13 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	18.1	12.9	13.6	8.8	9.1	12.3	13.3	12.5	16.6	18.0	14.3	18.4	167.9	7 1361
	13 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	12.9	9.0	9.1	6.9	6.5	10.1	9.0	9.1	12.9	11.7	9.8	13.2	120.2	7 1361
	13 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	8.5	8.0	8.8	6.3	5.6	9.7	8.4	7.8	11.2	11.1	9.0	11.3	105.7	7 1361
	13 LST													0	0

## AREA NO. 03

ARGENTINA

SOUTHEAST COAST

LATITUDE 4430S

LONGITUDE 0660GW

BOUNDARIES 5150S 07020W 3820S 06500W 3020S 06500W 3045S 06225W

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		73	73	68	62	53	49	49	51	56	63	67	72	61
MEAN MIN TMP (F)		52	51	48	42	37	34	34	34	38	42	46	50	42
LARGEST MEAN PRECIP(IN)		2.00	3.12	1.90	2.10	1.55	1.20	2.05	1.10	1.30	5.86	1.50	2.10	25.8
SMALLEST MEAN PRECIP(IN)		0.20	0.30	0.05	0.50	0.40	0.12	0.27	0.33	0.24	0.29	0.18	0.31	3.2
MEAN NUMBER OF DAYS														
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	31.0	27.0	29.7	30.0	31.0	28.6	31.0	25.0	28.8	28.9	29.4	31.0	351.4
	02 LST	31.0	28.0	31.0	30.0	31.0	30.0			30.0	31.0	30.0	31.0	
	08 LST	28.5	25.6	27.6	25.7	25.6	24.6	26.2	25.9	26.5	27.7	27.1	28.6	319.6
	14 LST	31.0	27.5	30.6	28.9	29.7	26.6	30.1	25.6	27.9	31.0	29.3	30.7	348.9
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	20 LST	6.9	5.0	7.5	16.3	7.8	13.4	16.0	9.8	14.9	7.6	6.9	6.6	118.7
	02 LST	0.0	9.3	0.0	7.5	11.6	0.0			22.5	13.8	18.0	19.9	
	08 LST	14.8	15.2	17.5	16.9	17.0	16.7	17.3	17.7	17.6	16.4	14.9	14.6	196.6
	14 LST	2.2	3.1	4.6	5.2	7.5	10.0	8.1	6.2	6.9	5.0	3.8	3.6	66.2
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	16.8	11.0	13.6	9.1	6.9	3.2	6.9	8.3	5.1	12.6	12.6	13.0	119.1
	02 LST	20.6	17.2	24.1	9.0	11.6	30.0			7.5	6.2	6.0	6.7	
	08 LST	8.5	5.4	5.7	4.3	4.2	3.1	3.9	4.1	4.4	6.6	6.7	8.2	65.1
	14 LST	18.6	12.3	17.2	11.9	11.8	5.4	10.4	9.6	12.0	14.9	12.1	15.7	151.9
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	4.5	5.6	7.0	10.3	9.9	9.0	10.7	6.7	11.3	8.6	6.7	5.5	95.8
	02 LST	10.3	2.1	3.4	18.0	0.0	0.0			0.0	12.4	3.0	24.4	
	08 LST	9.6	9.3	9.9	9.6	8.7	8.1	8.2	9.3	10.2	10.2	10.2	9.8	113.1
	14 LST	3.2	3.7	5.2	5.6	8.8	9.3	7.4	7.7	7.3	3.8	6.1	2.5	70.6
SKY COVEF LES 3/10 AND VSBY = GTR 3 MI	20 LST	4.7	7.8	9.7	9.1	6.1	13.5	16.9	8.8	12.8	7.2	5.3	3.8	105.7
	02 LST	20.6	10.8	13.8	9.0	3.9	30.0			7.5	13.8	18.0	6.7	
	08 LST	8.8	8.6	9.5	9.3	7.9	7.2	8.3	8.6	8.5	9.3	9.2	9.3	104.5
	14 LST	4.1	6.3	6.5	8.6	5.5	7.2	9.9	4.9	5.4	10.3	3.9	3.6	76.2
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	29.7	25.1	29.3	28.2	26.5	27.9	29.1	19.2	27.0	26.9	29.0	29.4	327.3
	02 LST	31.0	25.6	31.0	15.0	27.1	30.0			30.0	31.0	27.0	31.0	
	08 LST	26.8	24.1	26.4	24.5	23.7	22.6	24.7	24.6	24.9	26.4	25.5	27.3	301.5
	14 LST	28.5	26.6	27.1	26.3	26.7	24.1	28.3	21.6	24.3	28.4	27.9	28.7	318.5
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	25.4	24.0	29.3	27.3	25.5	27.9	29.1	18.3	25.8	24.8	26.4	27.8	311.6
	02 LST	31.0	23.3	31.0	12.0	23.3	30.0			30.0	31.0	27.0	31.0	
	08 LST	22.6	20.6	22.2	21.4	19.8	19.0	20.8	21.0	21.4	22.7	21.8	24.1	257.4
	14 LST	19.8	24.2	23.3	24.9	25.7	23.4	28.1	19.5	22.1	27.0	22.9	24.0	284.9
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	25.4	23.4	28.5	27.3	25.5	27.9	29.1	18.3	25.8	24.8	26.4	27.8	310.2
	02 LST	31.0	23.3	31.0	12.0	23.3	30.0			30.0	31.0	27.0	31.0	
	08 LST	22.0	20.3	22.0	21.2	19.5	18.8	20.5	20.7	20.9	22.4	21.5	23.7	253.5
	14 LST	19.8	24.2	23.1	24.9	25.7	23.4	28.1	19.5	21.8	27.0	22.9	24.0	284.4

# CERES, ARGENTINA

STA NO. 87257 (IN AREA NUMBER 04)

LATITUDE 29535

LONGITUDE 06157W

ELEVATION(FT) 00289

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	117	115	108	104	98	89	96	101	111	111	110	118	118	24	-558
MEAN MAX TMP (F)	95	93	89	80	74	68	68	71	77	82	88	92	81	16	-58
MEAN MIN TMP (F)	64	63	61	55	49	44	42	42	48	53	56	62	53	16	-58
ABS MIN TMP (F)	44	38	39	34	21	19	18	19	24	28	39	42	18	24	-558
MEAN NO DYS TMP = OR GTR 90(F)	18.4	14.2	8.0	3.7	0.4	0.0	0.1	3.7	3.1	4.7	6.8	15.7	78.8	7	2050
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.4	3.0	3.9	2.0	1.3		0.0	0.0		24	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN DEW PT TMP (F)	65	65	65	60	54	48	46	45	50	56	59	63	56	14	-29
MEAN REL HUM (PCT)	64	67	73	78	78	76	75	68	68	69	66	66	71	11	-58
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.50	4.80	4.80	4.10	1.50	0.50	0.80	0.60	1.80	2.80	4.20	4.50	34.9	20	-92
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0							0.0	0.0		24	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.1	7.5	7.1	6.2	2.9	1.1	1.6	1.3	3.6	5.0	6.6	7.1	57.1	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0							0.0	0.0		24	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	6.0	6.0	6.0	4.0	2.0	1.0	1.0	1.0	3.0	5.0	7.0	7.0	49.0	50	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LFS 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	28.6	17.9	17.9	12.1	43.3	39.4	24.2	12.9	31.5	27.1	53.8	37.3	28.9	4	597
09-11 LST	13.2	6.2	14.4	17.1	17.8	27.6	25.2	22.3	12.7	16.0	16.8	9.8	16.6	7	1615
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.8	0.0	3.6	1.7	11.7	3.0	11.3	1.1	0.0	3.4	0.0	0.0	3.4	4	597
09-11 LST	1.3	0.7	1.4	2.1	4.4	9.0	1.4	6.6	2.0	0.0	0.0	0.0	2.4	7	1615
12-14 LST														0	C
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# CERES, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	26.7	25.3	25.1	24.7	21.5	18.9	20.3	20.4	24.1	23.8	23.9	26.8	281.5	7	2212
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	25.8	24.8	24.3	24.0	20.2	18.3	18.1	18.7	21.1	20.9	22.9	25.2	264.3	7	2211
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	0.0	0.0	0.3	0.0	0.2	0.1	0.4	0.7	1.2	0.5	0.0	0.4	3.8	7	2222
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	10.3	9.8	6.9	6.3	7.5	8.9	11.7	13.3	15.6	13.4	10.6	9.1	123.4	7	2220
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	15.0	16.7	13.9	13.0	8.9	9.2	8.8	10.4	12.8	13.9	14.6	15.2	152.4	7	2223
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	25.0	24.2	23.8	23.1	19.6	17.1	18.5	19.0	21.9	21.6	22.1	24.1	260.0	7	2212
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	21.3	20.9	18.9	18.7	14.3	13.4	15.0	15.5	18.7	18.4	19.8	20.4	215.3	7	2212
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	21.2	20.9	18.9	18.7	14.3	13.4	15.0	15.5	18.7	18.4	19.8	20.4	215.2	7	2212
	14 LST														0	0

# GENERAL URQUIZA, ARGENTINA

STA NO. 87373/ (IN AREA NUMBER 04)

LATITUDE 31475

LONGITUDE 06029W

ELEVATION(FT) 00249

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	113	106	101	97	91	85	86	94	106	97	99	112	113	12	-87374
MEAN MAX TMP (F)	91	89	82	77	69	62	62	66	71	75	83	89	76	12	-87374
MEAN MIN TMP (F)	67	67	64	58	52	45	45	47	51	54	60	65	56	12	-87374
ABS MIN TMP (F)	46	43	41	36	28	21	21	25	25	32	39	41	21	12	-87374
MEAN NO DYS TMP = OR GTR 90(F)	18.2	14.7	8.7	2.3	0.2	0.0	0.0	1.2	1.7	2.6	7.7	17.3	74.6	7	-87374
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.7	3.5	5.3	3.5	1.3	0.0	0.0	0.0	14.3	12	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN DEW PT TMP (F)	63	62	58	62	51	47	44	43	51	51	55	61	54	0	-50
MEAN REL HUM (PCT)	63	69	75	79	82	82	77	74	74	73	70	65	74	10	-87374
MEAN PRESS ALT (FT)	350	300	250	150	150	100	50	150	150	150	300	350	204	0	-50
MEAN PRECIP (IN)	3.10	3.10	3.90	4.90	2.60	1.20	1.20	1.60	2.40	2.80	3.70	4.50	35.0	23	-87374
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		12	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.3	5.3	6.0	7.3	4.3	2.3	2.3	3.0	4.4	5.0	6.0	7.1	58.3	23	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0						0.0	0.0	0.0		12	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	2.5	18.4	15.0	26.2	31.7	21.2	16.7	27.1	2.3	0.0	14.3	14.6	6	-87374
09-11 LST	8.8	7.2	8.7	14.1	17.8	28.8	18.4	19.5	12.1	15.3	5.9	7.7	13.7	7	-87374
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	5.0	14.3	14.6	5.8	10.7	8.3	0.0	0.0	0.0	4.9	6	-87374
09-11 LST	1.5	3.2	0.8	2.2	8.9	15.2	9.2	7.1	5.0	4.2	3.4	0.0	5.1	7	-87374
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# GENERAL URQUIZA, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	MEAN NUMBER OF DAYS												ANN	POR	NO.	
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		(YRS)	OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	27.2	24.9	27.0	25.7	23.5	19.6	22.9	23.9	24.3	27.1	27.1	27.9	301.1	7	-87374
	14 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST													0	0	
	02 LST													0	0	
	08 LST	22.6	20.4	24.6	22.4	20.2	16.1	20.2	19.8	19.5	19.8	23.4	23.2	252.2	7	-87374
	14 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST													0	0	
	02 LST													0	0	
	08 LST	0.4	0.5	0.6	0.7	1.1	2.2	1.1	2.2	2.5	1.1	1.0	0.6	14.0	7	-87374
	14 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST													0	0	
	02 LST													0	0	
	08 LST	15.8	12.1	11.4	9.6	10.4	7.0	11.8	12.6	13.7	17.5	18.0	18.1	158.0	7	-87374
	14 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	14.1	13.6	14.2	13.4	8.6	8.1	7.3	12.8	12.7	15.1	12.9	16.7	149.5	7	-87374
	14 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	25.9	23.7	26.1	24.0	22.5	18.2	21.7	23.1	23.3	24.2	26.8	27.1	286.6	7	-87374
	14 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	25.8	23.2	25.0	23.1	21.1	17.5	21.0	22.2	22.2	23.3	26.3	26.8	277.5	7	-87374
	14 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	25.3	23.2	25.0	23.0	20.6	17.5	20.6	22.0	22.1	23.3	26.3	26.8	275.7	7	-87374
	14 LST													0	0	

# PARANA, ARGENTINA

STA NO. 87374 (IN AREA NUMBER 04)

LATITUDE 31-75

LONGITUDE 06029W

ELEVATION(FT) 00203

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	113	106	101	97	91	85	86	94	106	97	99	112	113	12	-528
MEAN MAX TMP (F)	91	89	82	77	69	62	62	66	71	75	83	89	76	12	-28
MEAN MIN TMP (F)	67	67	64	58	52	45	45	47	51	54	60	65	56	12	-28
ABS MIN TMP (F)	46	43	41	36	28	21	21	25	25	32	39	41	21	12	-28
MEAN NO DYS TMP = OR GTR 90(F)	18.2	14.7	8.7	2.3	0.2	0.0	0.0	1.2	1.7	2.6	7.7	17.3	74.6	7	1735
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.7	3.5	5.3	3.5	1.3	0.0	0.0	0.0	14.3	12	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN DEW PT TMP (F)	64	66	64	60	55	48	46	47	52	55	60	63	57	11	-29
MEAN REL HUM (PCT)	63	69	75	79	82	82	77	74	74	73	70	65	74	10	-88
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.10	3.10	3.90	4.90	2.60	1.20	1.20	1.60	2.40	2.80	3.70	4.50	35.0	23	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		12	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.3	5.3	6.0	7.3	4.3	2.3	2.3	3.0	4.4	5.0	6.0	7.1	58.3	23	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0						0.0	0.0	0.0		12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	2.5	18.4	15.0	26.2	31.7	21.2	16.7	27.1	2.3	0.0	14.3	14.6	6	450
09-11 LST	8.8	7.2	8.7	14.1	17.8	28.8	18.4	19.5	12.1	15.3	5.9	7.7	13.7	7	1482
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	5.0	14.3	14.6	5.8	10.7	8.3	0.0	0.0	0.0	4.9	6	450
09-11 LST	1.5	3.2	0.8	2.2	8.9	15.2	9.2	7.1	5.0	4.2	3.4	0.0	5.1	7	1482
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# PARANA, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	27.2	24.9	27.0	25.7	23.5	19.6	22.9	23.9	24.3	27.1	27.1	27.9	301.1	7	1932
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	22.6	20.4	24.6	22.4	20.2	16.1	20.2	19.8	19.5	19.8	23.4	23.2	252.2	7	1932
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	0.4	0.5	0.6	0.7	1.1	2.2	1.1	2.2	2.5	1.1	1.0	0.6	14.0	7	1947
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	15.8	12.1	11.4	9.6	10.4	7.0	11.8	12.6	13.7	17.5	18.0	18.1	158.0	7	1941
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	14.1	13.6	14.2	13.4	8.6	8.1	7.3	12.8	12.7	15.1	12.9	16.7	149.5	7	1946
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	25.9	23.7	26.1	24.0	22.5	18.2	21.7	23.1	23.3	24.2	26.8	27.1	286.6	7	1932
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	25.8	23.2	25.0	23.1	21.1	17.5	21.0	22.2	22.2	23.3	26.3	26.8	277.5	7	1932
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	25.3	23.2	25.0	23.0	20.6	17.5	20.6	22.0	22.1	23.3	26.3	26.8	275.7	7	1932
	14 LST														0	0

# GUARNICION ROSAR, ARGENTINA

STA NO. 87398/ (IN AREA NUMBER 04)

LATITUDE 3219S

LONGITUDE 05911W

ELEVATION(FT) 00105

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	113	108	106	99	93	88	88	93	97	104	102	111	113	50	-87395
MEAN MAX TMP (F)	93	91	86	79	72	66	66	68	72	77	84	90	79	50	-87395
MEAN MIN TMP (F)	64	64	63	55	50	45	45	46	50	52	57	63	55	50	-87395
ABS MIN TMP (F)	43	43	41	37	23	19	19	23	30	34	36	43	19	50	-87395
MEAN NO DYS TMP = OR GTR 90(F)	25.2	18.9	8.8			0.0	0.0				4.8	18.6		50	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0		50	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50	-29
MEAN DEW PT TMP (F)	62	63	63	58	54	49	49	48	52	53	57	61	56	50	-29
MEAN REL HUM (PCT)	61	64	70	76	79	81	80	75	74	70	65	63	72	50	-87395
MEAN PRESS ALT (FT)	191	164	112	67	11	-14	-41	-14	11	52	125	180	70	0	-50
MEAN PRECIP (IN)	3.93	3.91	5.52	5.03	3.43	2.69	2.30	2.30	3.57	3.64	3.54	4.24	44.1	50	-87395
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0		50	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.4	6.4	8.0	7.4	5.4	4.8	4.2	4.2	5.9	6.0	5.9	6.8	71.4	50	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0		50	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.0	4.0	5.0	3.0	3.0	3.0	3.0	3.0	3.0	4.0	4.0	4.0	43.0	21	-87395
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	2.5	18.9	19.3	30.0	26.7	23.4	14.3	9.1	6.9	14.3	0.0	13.8	5	-87395
09-11 LST	3.8	4.5	5.0	8.2	5.4	12.5	11.1	9.0	6.1	10.7	3.9	6.0	7.2	7	-87395
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	7.0	13.3	18.3	7.8	4.4	1.8	1.7	0.0	0.0	4.5	5	-87395
09-11 LST	0.0	1.3	1.4	2.1	4.3	7.4	4.9	4.1	1.5	1.0	0.0	0.8	2.4	7	-87395
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# GUARNICION ROSAR, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	30.1	25.8	28.4	26.1	25.5	23.9	25.0	26.5	27.6	28.7	29.2	29.5	326.3	7	-87395
	14 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	26.9	23.4	25.4	24.7	23.7	21.7	23.3	22.4	25.0	24.6	27.3	26.6	295.0	7	-87395
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	0.3	0.1	0.2	0.1	0.0	0.0	0.6	0.3	0.5	0.2	0.0	0.2	2.5	7	-87395
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	18.8	17.4	15.2	14.0	15.2	13.4	17.0	15.4	18.3	20.5	20.0	20.0	205.2	7	-87395
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	15.2	14.1	15.4	13.9	8.6	7.7	9.2	12.7	11.6	15.0	12.5	15.2	151.1	7	-87395
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	28.1	23.9	26.2	24.2	22.6	21.1	22.8	24.4	27.1	26.0	26.9	27.4	298.7	7	-87395
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	23.4	21.6	22.4	21.7	16.3	16.1	18.6	20.4	21.8	21.2	22.2	23.5	249.2	7	-87395
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	23.4	21.5	21.9	21.3	16.1	15.5	18.2	20.1	21.1	21.2	22.2	23.5	246.0	7	-87395
	14 LST														0	0

# ROSARIO, ARGENTINA

STA NO. 87480 (IN AREA NUMBER 04)

LATITUDE 3255S

LONGITUDE 06047W

ELEVATION(FT) 00082

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	108	111	99	94	89	84	84	90	104	100	101	108	111	24	-528
MEAN MAX TMP (F)	89	87	81	74	66	60	61	63	69	74	81	86	74	16	-28
MEAN MIN TMP (F)	64	65	61	55	48	41	43	44	46	51	57	63	53	16	-28
ABS MIN TMP (F)	41	39	32	30	24	12	14	19	21	27	31	39	12	12	-528
MEAN NO DYS TMP = OR GTR 90(F)	14.5	9.7	5.1	2.3	0.0	0.0	0.0	0.1	0.8	1.2	3.5	11.0	48.2	7	2237
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	2.0	5.5	6.1	6.6	2.2	0.5	0.0	0.0	22.9	12	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN DEW PT TMP (F)	50	53	62	56	50	45	45	44	47	51	49	68	52	0	-50
MEAN REL HUM (PCT)	65	69	72	76	78	78	78	71	70	69	67	67	72	12	-58
MEAN PRESS ALT (FT)	150	150	100	0	0	-50	-50	-50	0	50	100	150	46	0	-50
MEAN PRECIP (IN)	3.30	3.30	4.30	3.60	1.90	1.30	1.30	1.60	2.10	3.40	3.60	4.50	34.2	40	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0							0.0	0.0		12	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.6	5.6	6.5	5.6	3.4	2.5	2.5	3.0	4.0	5.7	5.9	7.1	57.4	40	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0							0.0	0.0		12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	2.8	1.9	2.0	1.7	1.0	0.9	0.9	2.5	0.8	1.9	2.5	4.3	23.2	11	-58
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	17.6	8.3	12.2	19.6	30.6	43.2	34.7	10.5	19.1	17.0	0.0	15.4	19.0	4	472
09-11 LST	7.1	9.7	13.2	14.1	17.0	32.6	18.5	18.1	10.0	11.5	6.4	9.1	13.9	7	1534
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	7.3	8.7	22.2	29.5	28.6	3.5	6.4	0.0	0.0	0.0	8.9	4	472
09-11 LST	0.0	1.5	1.5	7.0	10.2	21.5	9.6	7.8	5.7	0.9	0.0	1.7	5.6	7	1534
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# ROSARIO, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	27.0	23.5	25.0	21.8	18.2	15.4	19.2	21.0	22.6	26.7	26.0	26.1	272.5	7	2006
	14 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	22.8	19.7	22.2	19.4	15.5	13.7	16.8	16.2	14.0	15.7	21.4	19.4	216.8	7	2006
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	0.8	1.0	0.5	0.7	0.8	1.0	0.6	2.3	2.4	3.5	1.4	1.9	16.9	7	2254
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	19.0	12.7	12.9	11.0	10.6	9.5	10.0	14.1	13.5	11.9	14.9	18.0	158.1	7	2253
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	13.0	11.3	11.8	10.6	5.2	4.6	5.8	9.0	9.9	11.5	10.5	13.7	116.9	7	2253
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	25.4	22.9	24.3	20.7	17.7	14.9	17.8	20.2	22.0	25.0	25.2	25.0	261.1	7	2006
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	24.6	22.4	22.9	19.0	16.0	13.4	16.8	18.3	20.2	23.8	24.7	25.0	247.1	7	2006
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	24.5	22.2	22.2	19.0	15.5	13.1	15.9	17.9	19.9	23.6	23.7	25.0	242.5	7	2006
	14 LST														0	0

# CONCEPCION DEL URUGUAY, ARGENTINA

STA NO. 87494/ (IN AREA NUMBER 04)

LATITUDE 32285

LONGITUDE 05816W

ELEVATION(FT) 00066

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	110	108	104	98	91	82	88	94	97	100	104	105	110	19	-58
MEAN MAX TMP (F)	92	91	86	77	69	62	62	66	71	76	83	88	77	23	-58
MEAN MIN TMP (F)	64	65	62	56	49	44	44	45	49	53	58	63	54	23	-58
ABS MIN TMP (F)	49	48	39	37	29	25	25	28	30	32	39	43	25	19	-58
MEAN NO DYS TMP = OR GTR 90(F)	23.2	18.9	8.8			0.0	0.0				3.4	13.5		23	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		19	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN DEW PT TMP (F)	63	63	65	56	52	48	47	48	50	54	54	57	55	0	-50
MEAN REL HUM (PCT)	67	70	73	80	81	82	82	77	77	74	69	69	75	10	-58
MEAN PRESS ALT (FT)	150	100	50	0	-50	-50	-100	-50	-50	0	100	150	21	0	-50
MEAN PRECIP (IN)	2.90	2.80	4.50	5.10	2.40	2.00	2.40	2.90	3.30	3.30	3.40	4.00	39.0	26	-58
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		19	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.0	4.9	6.8	7.5	4.1	3.6	4.3	5.2	5.6	5.6	5.7	6.5	64.8	26	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		19	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TS TMS	4.0	4.0	5.0	3.0	3.0	3.0	3.0	3.0	3.0	4.0	4.0	4.0	43.0	21	-87395
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	2.5	18.9	19.3	30.0	26.7	23.4	14.3	9.1	6.9	14.3	0.0	13.8	5	-87395
09-11 LST	3.8	4.5	5.0	8.2	5.4	12.5	11.1	9.0	6.1	10.7	3.9	6.0	7.2	7	-87395
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	7.0	13.3	18.3	7.8	4.4	1.8	1.7	0.0	0.0	4.5	5	-87395
09-11 LST	0.0	1.3	1.4	2.1	4.3	7.4	4.9	4.1	1.5	1.0	0.0	0.8	2.4	7	-87395
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# CONCEPCION DEL URUGUAY, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	30.1	25.8	28.4	26.1	25.5	23.9	25.0	26.5	27.6	28.7	29.2	29.5	326.3	7	-87395
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														7	-87395
	08 LST	26.9	23.4	25.4	24.7	23.7	21.7	23.3	22.4	25.0	24.6	27.3	26.6	295.0	0	0
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														7	-87395
	08 LST	0.3	0.1	0.2	0.1	0.0	0.0	0.6	0.3	0.5	0.2	0.0	0.2	2.5	0	0
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														7	-87395
	08 LST	18.8	17.4	15.2	14.0	15.2	13.4	17.0	15.4	18.3	20.5	20.0	20.0	205.2	0	0
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														7	-87395
	08 LST	15.2	14.1	15.4	13.9	8.6	7.7	9.2	12.7	11.6	15.0	12.5	15.2	151.1	0	0
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														7	-87395
	08 LST	28.1	23.9	26.2	24.2	22.6	21.1	22.8	24.4	25.1	26.0	26.9	27.4	298.7	0	0
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														7	-87395
	08 LST	23.4	21.6	22.4	21.7	16.3	16.1	18.6	20.4	21.8	21.2	22.2	23.5	249.2	0	0
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														7	-87395
	08 LST	23.4	21.5	21.9	21.3	16.1	15.5	18.2	20.1	21.1	21.2	22.2	23.5	246.0	0	0
	14 LST														0	0

# GEN VILLEGAS, ARGENTINA

STA NO. 87538/ (IN AREA NUMBER 00)

LATITUDE 35015

LONGITUDE 06301W

ELEVATION(FT) 00387

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	108	109	97	91	82	82	82	81	99	95	100	106	109	7	2166
MEAN MAX TMP (F)	89	87	79	74	66	60	60	62	68	73	78	87	74	7	2166
MEAN MIN TMP (F)	60	59	54	47	44	39	39	39	42	49	51	58	48	7	2232
ABS MIN TMP (F)	41	36	32	27	25	14	12	18	19	30	34	34	12	7	2232
MEAN NO DYS TMP ≥ OR GTR 90(F)	17.3	9.8	4.4	1.3	0.0	0.0	0.0	0.0	0.6	1.3	1.7	13.6	50.0	7	2166
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.3	1.9	4.1	7.8	8.4	7.8	4.9	0.8	0.0	0.0	36.0	7	2232
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2232
MEAN DEW PT TMP (F)	54	52	54	48	45	41	41	38	38	44	44	49	46	8	-29
MEAN REL HUM (PCT)	54	52	68	68	73	76	74	67	58	57	52	48	62	10	-88
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.70	4.30	2.58	2.24	1.12	0.78	0.94	1.08	0.67	2.77	3.27	3.07	26.5	7	1629
MEAN SNOW FALL (IN)	0.0	0.0	0.0							0.0	0.0	0.0		7	-29
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	5.1	5.6	4.3	3.2	1.7	1.3	1.9	2.2	1.9	5.9	4.7	6.0	43.8	7	1629
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0							0.0	0.0	0.0		7	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD ≥ OR GTR 17 KTS														0	0
P FREQ WND SPD ≥ OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.8	0.0	7.0	10.3	19.6	28.8	23.1	12.5	7.0	8.3	6.7	18.8	12.2	4	598
09-11 LST	5.1	6.0	6.4	7.3	8.3	20.4	13.3	16.3	2.9	9.3	4.5	4.4	8.7	7	1609
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	3.4	1.8	18.2	12.3	8.0	0.0	1.7	0.0	0.0	3.8	4	598
09-11 LST	0.6	0.7	0.7	4.0	3.6	16.1	8.4	13.0	0.7	1.7	0.0	0.0	4.1	7	1609
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# GEN VILLEGAS, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	29.9	25.9	29.6	27.8	27.2	22.3	26.1	26.3	28.1	29.1	29.2	29.8	331.3	7	2207
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														7	2207
	08 LST	18.0	18.3	22.0	21.8	23.0	18.8	21.1	20.7	16.8	13.9	17.6	17.0	229.0	0	0
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														7	2239
	08 LST	4.7	2.9	2.5	1.3	0.4	0.7	1.1	1.1	3.5	6.4	5.0	5.5	35.1	0	0
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														7	2238
	08 LST	13.1	13.8	18.0	18.8	20.5	16.7	18.9	19.7	11.2	11.9	12.8	14.0	192.4	0	0
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														7	2238
	08 LST	12.4	10.7	14.6	12.0	8.2	6.6	8.0	9.4	11.9	10.0	13.2	14.0	131.0	0	0
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														7	2207
	08 LST	27.8	24.3	27.1	26.0	24.3	20.8	24.1	25.0	27.1	26.1	26.1	26.5	305.2	0	0
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														7	2207
	08 LST	24.1	19.3	23.6	20.6	16.6	14.0	16.4	19.5	19.3	19.7	22.1	22.4	237.6	0	0
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														7	2207
	08 LST	24.1	19.3	23.4	20.6	16.6	14.0	16.4	19.5	19.3	19.7	22.1	22.4	237.4	0	0
	14 LST														0	0

# JUNIN, ARGENTINA

STA NO. 87548 (IN AREA NUMBER 04)

LATITUDE 3435S

LONGITUDE 06056W

ELEVATION(FT) 00262

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	108	104	97	97	82	84	81	88	97	93	99	102	108	7	2230
MEAN MAX TMP (F)	87	85	80	73	67	61	60	63	68	73	79	85	73	7	2230
MEAN MIN TMP (F)	61	59	55	49	46	42	42	42	44	50	53	59	50	7	2245
ABS MIN TMP (F)	43	41	37	30	30	19	23	23	28	32	39	41	19	7	2245
MEAN NO DYS TMP = OR GTR 90(F)	13.5	9.2	4.2	1.7	0.0	0.0	0.0	0.0	0.4	1.2	3.3	11.6	45.1	7	2230
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.4	1.0	4.9	5.9	3.3	1.6	0.2	0.0	0.0	17.3	7	2245
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2245
MEAN DEW PT TMP (F)	59	60	59	53	50	46	44	44	47	51	53	58	52	8	-29
MEAN REL HUM (PCT)	64	69	76	77	81	82	79	75	74	71	66	65	73	10	-88
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.35	8.21	2.94	2.84	1.53	1.63	1.18	2.20	1.59	4.62	3.31	4.28	38.7	7	1643
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0					0.0	0.0	0.0		7	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.5	5.6	4.1	5.2	1.6	2.0	2.5	3.3	2.0	4.9	5.4	5.3	47.4	7	1643
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0					0.0	0.0	0.0		7	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	14.3	5.0	20.7	15.3	39.7	49.2	34.9	21.3	32.2	28.3	7.1	12.5	23.4	5	607
09-11 LST	9.9	16.9	16.9	19.7	25.0	27.2	23.3	24.4	14.6	22.5	9.8	13.4	18.6	7	1628
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	3.4	8.5	17.2	23.1	17.5	14.9	6.8	3.3	0.0	6.3	8.4	5	607
09-11 LST	1.2	5.2	7.0	8.2	10.2	19.1	14.4	13.8	3.5	2.5	0.8	3.0	7.4	7	1628
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# JUNIN, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	28.5	21.2	23.1	21.2	18.3	15.7	20.7	21.3	22.9	23.6	27.3	26.7	270.5	7	2235
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	23.9	18.3	21.4	20.2	17.0	15.1	18.9	18.8	18.0	17.8	23.6	22.3	235.3	7	2233
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	0.5	0.1	0.1	0.0	0.2	0.0	0.0	0.4	0.4	0.8	0.6	0.6	3.7	7	2258
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	14.7	13.3	14.0	13.6	11.3	11.1	11.8	15.0	14.8	14.8	14.5	16.2	165.1	7	2256
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	13.2	11.6	10.9	10.5	5.6	5.2	5.3	8.6	8.7	9.1	12.5	13.7	114.9	7	2257
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	26.4	19.9	21.9	20.5	17.2	14.6	19.0	19.7	21.1	22.2	25.7	25.2	253.4	7	2235
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	23.7	19.0	20.0	18.6	15.5	12.2	16.5	18.1	19.8	20.2	23.0	24.2	230.8	7	2235
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	23.7	18.9	19.5	18.6	15.1	11.8	15.7	17.9	19.4	20.0	22.8	24.0	227.4	7	2235
	14 LST														0	0

# DON TORCUATO, ARGENTINA

STA NO. 87568 (IN AREA NUMBER 04)

LATITUDE 3429S

LONGITUDE 05837W

ELEVATION(FT) 00026

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	104	103	99	97	84	77	84	87	93	91	95	102	104	75	-87585
MEAN MAX TMP (F)	85	83	79	72	64	57	57	60	64	69	76	82	71	23	-87585
MEAN MIN TMP (F)	63	63	60	53	47	41	42	43	46	50	56	61	52	23	-87585
ABS MIN TMP (F)	43	40	39	28	25	23	22	27	28	28	36	39	22	75	-87585
MEAN NO DYS TMP = OR GTR 90(F)	12.2	6.6	2.4	1.0	0.0	0.0	0.0	0.0	0.3	0.0	1.8	5.5	29.8	75	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0		0.2	2.2	2.6	1.6	0.4		0.0	0.0	0.0	75	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	-50
MEAN DEW PT TMP (F)	62	62	62	56	50	45	46	45	48	52	58	66	54	45	-87585
MEAN REL HUM (PCT)	71	73	78	80	82	85	86	82	77	74	70	71	77	0	-50
MEAN PRESS ALT (FT)	50	50	0	-50	-100	-100	-150	-100	-100	-50	50	100	-32	70	-87585
MEAN PRECIP (IN)	3.10	2.80	4.30	3.50	3.00	2.40	2.20	2.40	3.10	3.40	3.30	3.90	37.4	75	-29
MEAN SNOW FALL (IN)	0.0	0.0	0.0								0.0	0.0		70	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.3	4.9	6.5	5.5	4.8	4.3	4.0	4.3	5.3	5.7	5.6	6.4	62.6	75	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0								0.0	0.0		0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.0	3.0	4.0	3.0	3.0	2.0	2.0	3.0	3.0	3.0	4.0	5.0	39.0	45	-87585
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	14.3	7.3	25.5	17.5	31.0	40.6	27.4	23.9	31.7	24.2	13.3	14.3	22.6	4	-87585
09-11 LST	7.3	11.6	18.4	16.1	17.4	32.6	24.2	25.0	17.9	25.8	11.2	13.9	18.5	7	-87585
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.8	0.0	5.5	1.8	10.3	17.2	14.5	13.0	11.7	3.2	0.0	0.0	6.8	4	-87585
09-11 LST	3.7	1.3	7.5	8.1	8.1	21.0	13.7	12.1	6.2	5.0	0.0	2.9	7.5	7	-87585
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# DON TORCUATO, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	25.9	22.8	21.2	20.2	18.3	15.0	20.3	20.2	20.0	22.1	25.4	25.6	257.0	7	-87585
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	22.8	19.4	18.8	19.2	17.0	13.6	18.3	17.9	16.1	17.5	20.1	21.5	222.2	7	-87585
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	0.5	0.4	0.0	0.1	0.0	0.3	0.2	0.6	0.5	0.5	1.1	0.5	4.7	12	-87585
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	18.9	16.8	16.5	14.2	14.0	11.1	14.1	15.6	15.8	15.5	15.9	17.0	185.4	12	-87585
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	13.7	12.7	10.4	11.4	6.7	5.2	5.6	8.0	9.4	10.7	11.7	14.9	120.4	10	-87585
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	25.0	21.3	19.8	19.5	16.6	13.2	18.7	19.1	18.4	20.8	23.3	23.0	238.7	7	-87585
	14 LST														0	0
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	23.6	20.6	18.4	18.6	15.1	11.3	16.3	17.1	18.0	20.2	22.5	21.7	223.4	7	-87585
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	23.4	20.4	18.3	18.3	14.4	10.7	15.7	17.1	17.9	20.2	22.3	21.3	220.0	7	-87585
	14 LST														0	0

# DR MARIANO MOREN, ARGENTINA

STA NO. 87570/ (IN AREA NUMBER 04)

LATITUDE 3433S

LONGITUDE 05847W

ELEVATION(FT) 00098

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	104	103	99	97	84	77	84	87	93	91	95	102	104	75	-87585
MEAN MAX TMP (F)	85	83	79	72	64	57	57	60	64	69	76	82	71	23	-87585
MEAN MIN TMP (F)	63	63	60	53	47	41	42	43	46	50	56	61	52	23	-87585
ABS MIN TMP (F)	43	40	39	28	25	23	22	27	28	28	36	39	22	75	-87585
MEAN NO DYS TMP = OR GTR 90(F)	12.2	6.6	2.4	1.0	0.0	0.0	0.0	0.0	0.3	0.0	1.8	5.5	29.8	7	-87585
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0		0.2	2.2	2.6	1.6	0.4		0.0	0.0		75	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	75	-29
MEAN DEW PT TMP (F)	62	62	62	56	50	45	46	45	48	52	58	66	54	0	-50
MEAN REL HUM (PCT)	71	73	78	80	82	85	86	82	77	74	70	71	77	45	-87585
MEAN PRESS ALT (FT)	150	150	100	50	0	-50	-100	-50	-50	50	100	150	42	0	-50
MEAN PRECIP (IN)	3.10	2.80	4.30	3.50	3.00	2.40	2.20	2.40	3.10	3.40	3.30	3.90	37.4	70	-87585
MEAN SNOW FALL (IN)	0.0	0.0	0.0								0.0	0.0		75	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.3	4.9	6.5	5.5	4.8	4.3	4.0	4.3	5.3	5.7	5.6	6.4	62.6	70	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0								0.0	0.0		75	-29
MEAN NO DYS W/OCUH VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.0	3.0	4.0	3.0	3.0	2.0	2.0	3.0	3.0	3.0	4.0	5.0	39.0	45	-87585
P FREQ WND SPD = OR GTR 17 KTS														J	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	14.3	7.3	25.5	17.5	31.0	40.6	27.5	23.9	31.7	24.2	13.3	14.3	22.6	4	-87585
09-11 LST	7.3	11.6	18.4	16.1	17.4	32.6	24.2	25.0	17.4	25.8	11.2	13.9	18.5	7	-87585
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.8	0.0	5.5	1.8	10.3	17.2	14.5	13.0	11.7	3.2	0.0	0.0	6.8	4	-87585
09-11 LST	3.7	1.3	7.5	8.1	8.1	21.0	13.7	12.1	6.2	5.0	0.0	2.9	7.5	7	-87585
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# DR MARIANO MOREN, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	25.9	22.8	21.2	20.2	18.5	15.0	20.3	20.2	20.0	22.1	25.4	25.6	257.0	7 -87585
	14 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	20 LST													0	0
	02 LST													0	0
	08 LST	22.8	19.4	18.8	19.2	17.0	13.6	18.3	17.9	16.1	17.5	20.1	21.5	222.2	7 -87585
	14 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST													0	0
	02 LST													0	0
	08 LST	0.5	0.4	0.0	0.1	0.0	0.3	0.2	0.6	0.5	0.5	1.1	0.5	4.7	12 -87585
	14 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST													0	0
	02 LST													0	0
	08 LST	18.9	16.8	16.5	14.2	14.0	11.1	14.1	15.6	15.8	15.5	15.9	17.0	185.4	12 -87585
	14 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	13.7	12.7	10.4	11.4	6.7	5.2	5.6	8.0	9.4	10.	1.7	14.9	120.4	10 -87585
	14 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	25.0	21.3	19.8	19.5	16.6	13.2	18.7	19.1	18.4	20.8	23.3	23.0	238.7	7 -87585
	14 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	23.6	20.6	18.4	18.6	15.1	11.3	16.3	17.1	18.0	20.2	22.5	21.7	223.4	7 -87585
	14 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	23.4	20.4	18.3	18.3	14.4	10.7	15.7	17.1	17.9	20.2	22.3	21.3	220.0	7 -87585
	14 LST													0	0

# EL PALOMAR, ARGENTINA

STA NO. 87571 (IN AREA NUMBER 04)

LATITUDE 3436S

LONGITUDE 05837W

ELEVATION(FT) 00058

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	105	104	97	93	87	78	78	86	93	90	97	102	103	10	-88
MEAN MAX TMP (F)	86	85	78	73	66	60	58	61	66	72	77	83	72	10	-88
MEAN MIN TMP (F)	61	62	56	51	46	41	40	41	46	51	54	58	51	10	-88
ABS MIN TMP (F)	40	45	37	31	26	19	17	20	28	29	38	37	17	10	-88
MEAN NO DYS TMP = OR GTR 90(F)	12.2	6.6	2.4	1.0	0.0	0.0	0.0	0.0	0.3	0.0	1.8	5.5	29.8	7	-87585
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.2	2.2	2.5	1.6	0.4	0.0	0.0	0.0	7.0	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	60	61	59	55	50	47	43	45	48	53	56	59	53	0	-50
MEAN REL HUM (PCT)	65	68	76	78	83	84	81	79	77	76	71	67	75	10	-88
MEAN PRESS ALT (FT)	150	100	100	0	0	-50	-50	-50	-50	0	50	100	25	0	-30
MEAN PRECIP (IN)	3.64	2.79	4.28	3.13	2.88	1.81	1.52	2.37	3.09	3.37	2.89	2.90	34.7	10	-88
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.0	4.9	6.5	5.0	4.7	3.3	2.8	4.3	5.3	5.7	5.1	5.0	58.6	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0						0.0	0.0	0.0		10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.0	3.0	4.0	3.0	3.0	2.0	2.0	3.0	3.0	3.0	4.0	5.0	39.0	45	-87585
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	14.3	7.3	25.5	17.5	31.0	40.6	27.4	23.9	31.7	24.2	13.3	14.3	22.6	4	-87585
09-11 LST	7.3	11.6	18.4	16.1	17.4	32.6	24.2	25.0	17.9	25.8	11.2	13.9	18.5	7	-87585
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.8	0.0	5.5	1.8	10.3	17.2	14.5	13.0	11.7	3.2	0.0	0.0	6.8	4	-87585
09-11 LST	3.7	1.3	7.5	8.1	8.1	21.0	13.7	12.1	6.2	5.0	0.0	2.9	7.5	7	-87585
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# EL PALOMAR, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	MEAN NUMBER OF DAYS												POR (YRS)	NO. OBS		
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC			ANN	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	25.9	22.8	21.2	20.2	18.3	15.0	20.3	20.2	20.0	22.1	25.4	25.6	257.0	7	-87585
	14 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST													0	0	
	02 LST													0	0	
	08 LST	22.8	19.4	18.8	19.2	17.0	13.6	18.3	17.9	16.1	17.5	20.1	21.5	222.2	7	-87585
	14 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST													0	0	
	02 LST													0	0	
	08 LST	0.5	0.4	0.0	0.1	0.0	0.3	0.2	0.6	0.5	0.5	1.1	0.5	4.7	12	-87585
	14 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AM NO PRECIP.	20 LST													0	0	
	02 LST													0	0	
	08 LST	18.9	16.8	16.5	14.2	14.0	11.1	14.1	15.6	15.8	15.5	15.9	17.0	185.4	12	-87585
	14 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	13.7	12.7	10.4	11.4	6.7	5.2	5.6	8.0	9.4	10.7	11.7	14.9	120.4	10	-87585
	14 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	25.0	21.3	19.8	19.5	16.6	13.2	18.7	19.1	18.4	20.8	23.3	23.0	238.7	7	-87585
	14 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	23.6	20.6	18.4	18.6	15.1	11.3	16.3	17.1	18.0	20.2	22.5	21.7	223.4	7	-87585
	14 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	23.4	20.4	18.3	18.3	14.4	10.7	15.7	17.1	17.9	20.2	22.3	21.3	220.0	7	-87585
	14 LST													0	0	

# MORON, ARGENTINA

STA NO. 87574 (IN AREA NUMBER 04)

LATITUDE 3405

LONGITUDE 05837W

ELEVATION(FT) 00098

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	104	103	99	97	84	77	84	87	93	91	95	102	104	75	-87585
MEAN MAX TMP (F)	85	83	79	72	64	57	57	60	64	69	76	82	71	23	-87585
MEAN MIN TMP (F)	63	63	60	53	47	41	42	43	46	50	56	61	52	23	-87585
ABS MIN TMP (F)	43	40	39	28	25	23	22	27	28	28	36	39	22	75	-87585
MEAN NO DYS TMP = OR GTR 90(F)	12.2	6.6	2.4	1.0	0.0	0.0	0.0	0.0	0.3	0.0	1.8	5.5	29.8	7	-87585
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0		0.2	2.2	2.6	1.6	0.4		0.0	0.0		75	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	75	-29
MEAN DEW PT TMP (F)	59	61	60	53	49	46	42	45	47	51	56	59	52	0	-50
MEAN REL HUM (PCT)	71	73	78	80	82	85	86	82	77	74	70	71	77	45	-87585
MEAN PRESS ALT (FT)	200	150	150	50	50	0	0	0	0	50	100	150	75	0	-50
MEAN PRECIP (IN)	3.10	2.80	4.30	3.50	3.00	2.40	2.20	2.40	3.10	3.40	3.30	3.90	37.4	70	-87585
MEAN SNOW FALL (IN)	0.0	0.0	0.0								0.0	0.0		75	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.3	4.9	6.5	5.5	4.8	4.3	4.0	4.3	5.3	5.7	5.6	6.4	62.6	70	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0								0.0	0.0		75	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.0	3.0	4.0	3.0	3.0	2.0	2.0	3.0	3.0	3.0	4.0	5.0	39.0	45	-87585
P FREQ WND SPD = OR GTR 17 KTS	0.7	1.1	1.2	1.3	1.5	1.0	1.0	3.5	2.4	3.8	1.9	1.7	1.8	9	-35
P FREQ WND SPD = OR GTR 28 KTS	0.3	0.0	0.1	0.0	0.2	0.1	0.0	0.4	0.3	0.0	0.0	0.0	0.1	9	-35
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	14.3	7.3	25.5	17.5	31.0	40.6	27.4	23.9	31.7	24.2	13.3	14.3	22.6	4	-87585
09-11 LST	4.1	6.0	10.2	13.8	20.1	28.6	26.1	22.1	14.4	14.2	7.4	9.3	14.4	9	2750
12-14 LST	2.5	4.5	8.0	12.8	12.0	20.9	17.7	14.6	11.1	10.1	4.3	5.0	10.3	9	2786
15-17 LST	3.4	2.6	6.1	10.3	13.7	20.1	16.8	13.2	8.8	8.9	6.9	2.5	9.4	9	2402
18-20 LST				3.3	35.5	13.3	3.2	12.9						1	153
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.8	0.0	5.5	1.8	10.3	17.2	14.5	13.0	11.7	3.2	0.0	0.0	6.8	4	-87585
09-11 LST	0.0	0.0	1.2	3.7	9.6	12.9	7.4	4.3	3.2	0.9	0.5	0.0	3.6	9	2750
12-14 LST	0.0	0.0	0.4	1.2	2.1	4.6	3.7	2.0	0.5	0.0	0.9	0.0	1.3	9	2786
15-17 LST	0.5	0.0	0.5	0.5	2.6	4.0	2.5	2.0	0.5	0.5	1.0	0.0	1.2	9	2402
18-20 LST				0.0	12.9	3.3	0.0	0.0						1	153
21-23 LST														0	0

# MORON, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST				30.0	21.0	26.0	31.0	30.0						1	152
	02 LST														0	0
	08 LST	30.8	27.3	29.5	27.1	26.2	22.7	24.2	24.5	27.2	28.4	28.5	30.0	326.4	9	2902
	14 LST	30.8	27.5	29.8	27.9	28.6	25.2	27.1	27.8	28.6	29.0	29.1	30.3	341.7	9	2823
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST				29.0	16.0	24.0	26.0	19.0						1	152
	02 LST														0	0
	08 LST	26.6	24.6	25.8	23.6	22.3	18.5	21.4	20.2	21.1	23.1	25.3	26.8	279.3	9	2902
	14 LST	26.2	24.3	25.7	22.7	23.8	20.5	19.8	19.6	22.7	22.6	24.7	26.1	278.7	9	2823
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST				0.0	1.0	0.0	0.0	1.0						1	152
	02 LST														0	0
	08 LST	0.2	0.3	0.3	0.2	0.7	0.1	0.0	0.8	0.7	1.5	0.3	0.5	5.6	9	2907
	14 LST	0.1	0.2	0.3	0.5	0.4	0.4	0.7	1.6	0.7	1.1	0.4	0.4	6.8	9	2828
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST				19.7	19.0	15.0	13.0	14.0						1	152
	02 LST														0	0
	08 LST	22.2	19.4	19.7	17.7	17.3	16.8	22.0	21.1	20.9	22.5	21.3	21.4	242.3	7	2126
	14 LST	17.1	19.5	19.4	20.8	21.3	20.0	20.5	19.4	22.5	22.0	21.2	19.4	243.1	7	2141
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST				22.7	9.0	15.0	16.0	18.0						1	152
	02 LST														0	0
	08 LST	16.7	15.7	16.2	17.0	11.2	8.0	9.7	12.2	11.6	13.6	15.1	14.7	161.7	9	2902
	14 LST	16.1	14.7	13.6	14.1	9.3	7.3	9.1	11.2	10.7	11.1	12.0	14.0	143.2	9	2823
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST				29.0	19.0	25.0	28.0	25.0						1	152
	02 LST														0	0
	08 LST	28.5	25.3	26.4	24.8	23.6	18.7	21.7	21.6	24.0	24.8	26.8	28.0	294.2	9	2902
	14 LST	29.1	25.5	27.2	24.5	25.5	21.1	23.3	23.8	24.5	25.6	27.2	28.3	305.6	9	2823
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST				27.9	18.0	21.0	20.0	22.0						1	152
	02 LST														0	0
	08 LST	26.3	23.3	24.2	23.0	20.7	15.8	19.5	19.6	21.4	22.8	24.4	25.1	266.1	9	2902
	14 LST	27.4	23.7	25.1	22.6	21.7	19.1	19.8	21.2	22.4	23.3	22.7	25.1	274.1	9	2823
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST				27.9	18.0	21.0	19.0	22.0						1	152
	02 LST														0	0
	08 LST	25.9	22.8	24.1	22.9	19.8	15.6	19.0	19.0	21.0	22.8	24.2	24.6	261.7	9	2902
14 LST	26.8	23.2	24.4	22.3	21.5	18.6	19.6	20.7	22.2	23.2	22.6	25.0	270.1	9	2823	

# EZEIZA, ARGENTINA

STA NO. 87576 (IN AREA NUMBER 04)

LATITUDE 3449S

LONGITUDE 05831W

ELEVATION(FT) 00066

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	104	103	99	97	84	77	84	87	93	91	95	102	104	75	-87585
MEAN MAX TMP (F)	85	83	79	72	64	57	57	60	64	69	76	82	71	23	-87585
MEAN MIN TMP (F)	63	63	60	53	47	41	42	43	46	50	56	61	52	23	-87585
ABS MIN TMP (F)	43	40	39	28	25	23	22	27	28	28	36	39	22	75	-87585
MEAN NO DYS TMP = OR GTR 90(F)	12.2	6.6	2.4	1.0	0.0	0.0	0.0	0.0	0.3	0.0	1.8	5.5	29.8	7	-87585
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0		0.2	2.2	2.6	1.6	0.4		0.0	0.0		75	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	75	-29
MEAN DEW PT TMP (F)	59	61	60	53	48	45	42	45	47	51	56	59	52	0	-50
MEAN REL HUM (PCT)	71	73	78	80	82	85	86	82	77	74	70	71	77	45	-87585
MEAN PRESS ALT (FT)	150	100	100	0	0	-50	-50	-50	-50	0	50	100	25	0	-50
MEAN PRECIP (IN)	3.10	2.80	4.30	3.50	3.00	2.40	2.20	2.40	3.10	3.40	3.30	3.90	37.4	70	-87585
MEAN SNOW FALL (IN)	0.0	0.0	0.0								0.0	0.0		75	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.3	4.9	6.5	5.5	4.8	4.3	4.0	4.3	5.3	5.7	5.6	6.4	62.6	70	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0								0.0	0.0		75	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.0	3.0	4.0	3.0	3.0	2.0	2.0	3.0	3.0	3.0	4.0	5.0	39.0	45	-87585
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	14.3	7.3	25.5	17.5	31.0	40.6	27.4	23.9	31.7	24.2	13.3	14.3	22.6	4	-87585
09-11 LST	7.3	11.6	18.4	16.1	17.4	32.6	24.2	25.0	17.9	25.8	11.2	13.9	18.5	7	-87585
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.8	0.0	5.5	1.0	10.3	17.2	14.5	13.0	11.7	3.2	0.0	0.0	6.8	4	-87585
09-11 LST	3.7	1.3	7.5	8.1	8.1	21.0	13.7	12.1	6.2	5.0	0.0	2.9	7.5	7	-87585
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# EZEIZA, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	25.9	22.8	21.2	20.2	18.3	15.0	20.3	20.2	20.0	22.1	25.4	25.6	257.0	7	-87585
	14 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	22.8	19.4	18.8	19.2	17.0	13.6	18.3	17.9	16.1	17.5	20.1	21.5	222.2	7	-87585
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	0.5	0.4	0.0	0.1	0.0	0.3	0.2	0.6	0.5	0.5	1.1	0.5	4.7	12	-87585
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	18.9	16.8	16.5	14.2	14.0	11.1	14.1	15.6	15.8	15.5	15.9	17.0	185.4	12	-87585
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	13.7	12.7	10.4	11.4	6.7	5.2	5.6	8.0	9.4	10.7	11.7	14.9	120.4	10	-87585
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	25.0	21.3	19.8	19.5	16.6	13.2	18.7	19.1	18.4	20.8	23.3	23.0	238.7	7	-87585
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	23.6	20.6	18.4	18.6	15.1	11.3	16.3	17.1	18.0	20.2	22.5	21.7	223.4	7	-87585
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	23.4	20.4	18.3	18.3	14.4	10.7	15.7	17.1	17.9	20.2	22.3	21.3	220.0	7	-87585
	14 LST														0	0

# QUILMES, ARGENTINA

STA NO. 87578/ (IN AREA NUMBER 04)

LATITUDE 3442S

LONGITUDE 05815W

ELEVATION(FT) 00007

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	104	103	99	97	84	77	84	87	93	91	95	102	104	75	-87585
MEAN MAX TMP (F)	85	83	79	72	64	57	57	60	64	69	76	82	71	23	-87585
MEAN MIN TMP (F)	63	63	60	53	47	41	42	43	46	50	56	61	52	23	-87585
ABS MIN TMP (F)	43	40	39	28	25	23	22	27	28	28	36	39	22	75	-87585
MEAN NO DYS TMP = OR GTR 90(F)	12.2	6.6	2.4	1.0	0.0	0.0	0.0	0.0	0.3	0.0	1.8	5.5	29.8	7	-87585
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0		0.2	2.2	2.6	1.6	0.4		0.0	0.0		75	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	75	-29
MEAN DEW PT TMP (F)	62	62	62	56	50	45	46	45	48	52	58	66	54	0	-50
MEAN REL HUM (PCT)	71	73	78	80	82	85	86	82	77	74	70	71	77	45	-87585
MEAN PRESS ALT (FT)	50	50	0	-50	-100	-150	-200	-150	-150	-50	0	100	-53	0	-50
MEAN PRECIP (IN)	3.10	2.80	4.30	3.50	3.00	2.40	2.20	2.40	3.10	3.40	3.30	3.90	37.4	70	-87585
MEAN SNOW FALL (IN)	0.0	0.0	0.0								0.0	0.0		75	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.3	4.9	6.5	5.5	4.8	4.3	4.0	4.3	5.3	5.7	5.6	6.4	62.6	70	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0								0.0	0.0		75	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.0	3.0	4.0	3.0	3.0	2.0	2.0	3.0	3.0	3.0	4.0	5.0	39.0	45	-87585
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	14.3	7.3	25.5	17.5	11.0	40.6	27.4	23.9	31.7	24.2	13.3	14.3	22.6	4	-87585
09-11 LST	7.3	11.5	18.4	16.1	17.4	32.6	24.2	25.0	17.9	25.8	11.2	13.9	18.5	7	-87585
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.8	0.0	5.5	1.8	10.3	17.2	14.5	13.0	11.7	3.2	0.0	0.0	6.8	4	-87585
09-11 LST	3.7	1.3	7.5	8.1	8.1	21.0	13.7	12.1	6.2	5.0	0.0	2.9	7.5	7	-87585
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# QUILMES, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	25.9	22.8	21.2	20.2	18.3	15.0	20.3	20.2	20.0	22.1	25.4	25.6	257.0	7	-87585
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	22.8	19.4	18.8	19.2	17.0	13.6	18.3	17.9	16.1	17.5	20.1	21.5	222.2	7	-87585
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	0.5	0.4	0.0	0.1	0.0	0.3	0.2	0.6	0.5	0.5	1.1	0.5	4.7	12	-87585
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	16.9	16.8	16.5	14.2	14.0	11.1	14.1	15.6	15.8	15.5	15.9	17.0	185.4	12	-87585
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	13.7	12.7	10.4	11.4	6.7	5.2	5.6	8.0	9.4	10.7	11.7	14.9	120.4	10	-87585
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	25.0	21.3	19.8	19.5	16.6	13.2	18.7	19.1	18.4	20.8	23.3	23.0	238.7	7	-87585
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	23.6	20.6	18.4	18.6	15.1	11.3	16.3	17.1	18.0	20.2	22.5	21.7	223.4	7	-87585
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	23.4	20.4	18.3	18.3	14.4	10.7	15.7	17.1	17.9	20.2	22.3	21.3	220.0	7	-87585
	14 LST														0	0

# MARTIN GARCIA, ARGENTINA

STA NO. 87580 (IN AREA NUMBER 04)

LATITUDE 34115

LONGITUDE 05814W

ELEVATION(FT) 00004

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	102	100	95	90	88	75	77	82	90	88	93	99	102	10	-88
MEAN MAX TMP (F)	84	84	77	73	66	61	59	61	66	72	77	82	72	10	-88
MEAN MIN TMP (F)	66	66	63	57	54	48	46	46	50	55	59	63	56	10	-88
ABS MIN TMP (F)	52	55	48	45	39	32	32	34	36	43	46	50	32	10	-88
MEAN NO DYS TMP = OR GTR 90(F)	12.2	6.6	2.4	1.0	0.0	0.0	0.0	0.0	0.3	0.0	1.0	5.5	29.8	7	-87585
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	62	63	62	56	50	45	45	33	48	52	56	66	93	0	-50
MEAN REL HUM (PCT)	69	71	78	79	83	84	81	78	78	74	70	68	76	10	-88
MEAN PRESS ALT (FT)	50	50	0	-50	-100	-150	-200	-150	-150	-50	0	50	-57	0	-50
MEAN PRECIP (IN)	3.59	3.11	4.30	3.81	3.50	2.82	1.37	2.74	3.41	2.98	3.48	2.81	37.9	10	-88
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.0	5.3	6.5	5.9	5.5	5.0	2.6	4.9	5.7	5.2	5.8	4.9	63.3	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.0	3.0	4.0	3.0	3.0	2.0	2.0	3.0	3.0	3.0	4.0	5.0	39.0	45	-87585
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	14.3	7.3	25.5	17.5	31.0	40.6	27.4	23.9	31.7	24.2	13.3	14.3	22.6	4	-87585
09-11 LST	7.3	11.6	18.4	16.1	17.4	32.6	24.2	25.0	17.9	25.8	11.2	13.9	18.5	7	-87585
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.8	0.0	5.5	1.8	10.3	17.2	14.5	13.0	11.7	3.2	0.0	0.0	6.8	4	-87585
09-11 LST	3.7	1.3	7.5	8.1	8.1	21.0	13.7	12.1	6.2	5.0	0.0	2.9	7.5	7	-87585
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# MARTIN GARCIA, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	MEAN NUMBER OF DAYS												ANN	POR (YRS)	NO. OBS	
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC				
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	25.9	22.8	21.2	20.2	18.3	15.0	20.3	20.2	20.0	22.1	25.4	25.6	257.0	7	-87585
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	22.8	19.4	18.8	19.2	17.0	13.6	18.3	17.9	16.1	17.5	20.1	21.5	222.2	7	-87585
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	0.5	0.4	0.0	0.1	0.0	0.3	0.2	0.6	0.5	0.5	1.1	0.5	4.7	12	-87585
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	18.9	16.8	16.5	14.2	14.0	11.1	14.1	15.6	15.8	15.5	15.9	17.0	185.4	12	-87585
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	13.7	12.7	10.4	11.4	6.7	5.2	5.6	8.0	9.4	10.7	11.7	14.9	120.4	10	-87585
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	25.0	21.3	19.8	19.5	16.6	13.2	18.7	19.1	18.4	20.8	23.3	23.0	238.7	7	-87585
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	23.6	20.6	18.4	18.6	15.1	11.3	16.3	17.1	18.0	20.2	22.5	21.7	223.4	7	-87585
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	23.4	20.4	18.3	18.3	14.4	10.7	15.7	17.1	17.9	20.2	22.3	21.3	220.0	7	-87585
	14 LST														0	0

# AEROPARQUE, ARGENTINA

STA NO. 87582 (IN AREA NUMBER 04)

LATITUDE 34335

LONGITUDE 05824W

ELEVATION(FT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	104	103	99	97	84	77	84	87	93	91	95	102	104	75	-87585
MEAN MAX TMP (F)	85	83	79	72	64	57	57	60	64	69	76	82	71	23	-87585
MEAN MIN TMP (F)	63	63	60	53	47	41	42	43	46	50	56	61	52	23	-87585
ABS MIN TMP (F)	43	40	39	28	25	23	22	27	28	28	36	39	22	75	-87585
MEAN NO DYS TMP = OR GTR 90(F)	12.2	6.6	2.4	1.0	0.0	0.0	0.0	0.0	0.3	0.0	1.8	5.5	29.8	7	-87585
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0		0.2	2.2	2.6	1.6	0.4		0.0	0.0		75	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	75	-29
MEAN DEW PT TMP (F)	63	63	62	56	50	44	45	46	47	50	55	60	53	30	-29
MEAN REL HUM (PCT)	71	73	78	80	82	85	86	82	77	74	70	71	77	45	-87585
MEAN PRESS ALT (FT)	100	50	0	-50	-100	-100	-150	-100	-100	-50	50	100	-28	0	-50
MEAN PRECIP (IN)	3.10	2.80	4.30	3.50	3.00	2.40	2.20	2.40	3.10	3.40	3.30	3.90	37.4	70	-87585
MEAN SNOW FALL (IN)	0.0	0.0	0.0								0.0	0.0		75	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.3	4.9	6.5	5.5	4.8	4.3	4.0	4.3	5.3	5.7	5.6	6.4	62.6	70	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0								0.0	0.0		75	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.0	3.0	4.0	3.0	3.0	2.0	2.0	3.0	3.0	3.0	4.0	5.0	39.0	45	-87585
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	14.3	7.3	25.5	17.5	31.0	40.6	27.4	23.9	31.7	24.2	13.3	14.3	22.6	4	-87585
09-11 LST	7.3	11.6	18.4	16.1	17.4	32.6	24.2	25.0	17.9	25.8	11.2	13.9	18.5	7	-87585
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.8	0.0	5.5	1.8	10.3	17.2	14.5	13.0	11.7	3.2	0.0	0.0	6.8	4	-87585
09-11 LST	3.7	1.3	7.5	8.1	8.1	21.0	13.7	12.1	6.2	5.0	0.0	2.9	7.5	7	-87585
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# AEROPARQUE, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	25.9	22.8	21.2	20.2	18.3	15.0	20.3	20.2	20.0	22.1	25.4	25.6	257.0	7	-87585
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	22.8	19.4	18.8	19.2	17.0	13.6	18.3	17.9	16.1	17.5	20.1	21.5	222.2	7	-87585
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	0.5	0.4	0.0	0.1	0.0	0.3	0.2	0.6	0.5	0.5	1.1	0.5	4.7	12	-87585
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	18.9	16.8	16.5	14.2	14.0	11.1	14.1	15.6	15.8	15.5	15.9	17.0	185.4	12	-87585
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	13.7	12.7	10.4	11.6	6.7	5.2	5.6	8.0	9.4	10.7	11.7	14.9	120.4	10	-87585
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	25.0	21.3	19.8	19.5	16.6	13.2	18.7	19.1	18.4	20.8	23.3	23.0	238.7	7	-87585
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	23.6	20.6	18.4	18.6	15.1	11.3	16.3	17.1	18.0	20.2	22.5	21.7	223.4	7	-87585
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	23.4	20.4	18.3	18.3	14.4	10.7	15.7	17.1	17.9	20.2	22.3	21.3	220.0	7	-87585
	14 LST														0	0

# BUENOS AIRES, ARGENTINA

STA NO. 87585 (IN AREA NUMBER 04)

LATITUDE 3435S

LONGITUDE 05829W

ELEVATION(FT) 00082

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	104	103	99	97	84	77	84	87	93	91	95	102	104	75	-928
MEAN MAX TMP (F)	85	83	79	72	64	57	57	60	64	69	76	82	71	23	-28
MEAN MIN TMP (F)	63	63	60	53	47	41	42	43	46	50	56	61	52	23	-28
ABS MIN TMP (F)	43	40	39	28	25	23	22	27	28	28	36	39	22	75	-928
MEAN NO DYS TMP = OR GTR 90(F)	12.2	6.6	2.4	1.0	0.0	0.0	0.0	0.0	0.3	0.0	1.8	9.5	29.8	7	2282
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0		0.2	2.2	2.6	1.6	0.4		0.0	0.0		75	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	75	-29
MEAN DEW PT TMP (F)	63	63	62	56	50	44	45	46	47	50	55	60	53	30	-29
MEAN REL HUM (PCT)	71	73	78	80	82	85	86	82	77	74	70	71	77	45	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.10	2.80	4.30	3.50	3.00	2.40	2.20	2.40	3.10	3.40	3.30	3.90	37.4	70	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0								0.0	0.0		75	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.3	4.9	6.5	5.5	4.8	4.3	4.0	4.3	5.3	5.7	5.6	6.4	62.6	70	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0								0.0	0.0		75	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.0	3.0	4.0	3.0	3.0	2.0	2.0	3.0	3.0	3.0	4.0	5.0	39.0	45	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	14.3	7.3	25.5	17.5	31.0	40.6	27.4	23.9	31.7	24.2	13.3	14.3	22.6	4	601
09-11 LST	7.3	11.6	18.4	16.1	17.4	32.6	24.2	25.0	17.9	29.8	11.2	13.9	18.5	7	1652
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.8	0.0	5.5	1.8	10.3	17.2	14.5	13.0	11.7	3.2	0.0	0.0	6.8	4	601
09-11 LST	3.7	1.3	7.5	8.1	8.1	21.0	13.7	12.1	6.2	5.0	0.0	2.9	7.5	7	1652
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# BUENOS AIRES, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	25.9	22.8	21.2	20.2	18.3	15.0	20.3	20.2	20.0	22.1	25.4	25.6	257.0	7	2253
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	22.8	19.4	18.8	19.2	17.0	13.6	18.3	17.9	16.1	17.5	20.1	21.5	222.2	7	2252
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	0.5	0.4	0.0	0.1	0.0	0.3	0.2	0.6	0.5	0.5	1.1	0.5	4.7	12	3711
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	18.9	16.8	16.5	14.2	14.0	11.1	14.1	15.6	15.8	15.5	15.9	17.0	185.4	12	3705
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	13.7	12.7	10.4	11.4	6.7	5.2	5.6	8.0	9.4	10.7	11.7	14.9	120.4	10	2955
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	25.0	21.3	19.8	19.5	16.6	13.2	18.7	19.1	18.4	20.8	23.3	23.0	238.7	7	2253
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	23.6	20.6	18.4	18.6	15.1	11.3	16.3	17.1	18.0	20.2	22.5	21.7	223.4	7	2253
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	23.4	20.4	18.3	18.3	14.4	10.7	15.7	17.1	17.9	20.2	22.3	21.3	220.0	7	2253
	14 LST														0	0

# LA PLATA, ARGENTINA

STA NO. 87593 (IN AREA NUMBER 04)

LATITUDE 3458S

LONGITUDE 05753W

ELEVATION(FT) 00069

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	104	103	99	97	84	77	84	87	93	91	95	102	104	75	-87585
MEAN MAX TMP (F)	85	83	79	72	64	57	57	60	64	69	76	82	71	23	-87585
MEAN MIN TMP (F)	63	63	60	53	47	41	42	43	46	50	56	61	52	23	-87585
ABS MIN TMP (F)	43	40	39	28	25	23	22	27	28	28	36	39	22	75	-87585
MEAN NO DYS TMP = OR GTR 90(F)	12.2	6.6	2.4	1.0	0.0	0.0	0.0	0.0	0.3	0.0	1.8	5.5	29.8	7	-87585
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0		0.2	2.2	2.6	1.6	0.4		0.0	0.0		75	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	75	-29
MEAN DEW PT TMP (F)	60	61	59	56	50	46	44	45	48	52	55	59	53	0	-50
MEAN REL HUM (PCT)	71	73	78	80	82	85	86	82	77	74	70	71	77	45	-87585
MEAN PRESS ALT (FT)	150	150	50	0	0	-50	-50	-50	-50	0	50	200	33	0	-50
MEAN PRECIP (IN)	3.10	2.80	4.30	3.50	3.00	2.40	2.20	2.40	3.10	3.40	3.30	3.90	37.4	70	-87585
MEAN SNOW FALL (IN)	0.0	0.0	0.0								0.0	0.0		75	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.3	4.9	6.5	5.5	4.8	4.3	4.0	4.3	5.3	5.7	5.6	6.4	62.6	70	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0								0.0	0.0		75	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.0	3.0	4.0	3.0	3.0	2.0	2.0	3.0	3.0	3.0	4.0	5.0	39.0	45	-87585
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	14.3	7.3	25.5	17.5	31.0	40.6	27.4	23.9	31.7	24.2	13.3	14.3	22.6	4	-87585
09-11 LST	7.3	11.6	18.4	16.1	17.4	32.6	24.2	25.0	17.9	25.8	11.2	13.9	18.5	7	-87585
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.8	0.0	5.5	1.8	10.3	17.2	14.5	13.0	11.7	3.0	0.0	0.0	6.8	4	-87585
09-11 LST	3.7	1.3	7.5	8.1	8.1	21.0	13.7	12.1	6.2	5.0	0.0	2.9	7.5	7	-87585
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# LA PLATA, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO, OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	25.9	22.8	21.2	20.2	18.3	15.0	20.3	20.2	20.0	22.1	25.4	25.6	257.0	7 -87585
	14 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST													0	0
	02 LST													0	0
	08 LST	22.8	19.4	18.8	19.2	17.0	13.6	18.3	17.9	16.1	17.5	20.1	21.5	222.2	7 -87585
	14 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST													0	0
	02 LST													0	0
	08 LST	0.5	0.4	0.0	0.1	0.0	0.3	0.2	0.6	0.5	0.5	1.1	0.5	4.7	12 -87585
	14 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST													0	0
	02 LST													0	0
	08 LST	18.9	16.8	16.5	14.2	14.0	11.1	14.1	15.6	15.8	15.5	15.9	17.0	185.4	12 -87585
	14 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	13.7	12.7	10.4	11.4	6.7	5.2	5.6	8.0	9.4	10.7	11.7	14.9	120.4	10 -87585
	14 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	25.0	21.3	19.8	19.5	16.6	13.2	18.7	19.1	18.4	20.8	23.3	23.0	238.7	7 -87585
	14 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	23.6	20.6	18.4	18.6	15.1	11.3	16.3	17.1	18.0	20.2	22.5	21.7	223.4	7 -87585
	14 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	23.4	20.4	18.3	18.3	14.4	10.7	15.7	17.1	17.9	20.2	22.3	21.3	220.0	7 -87585
	14 LST													0	0

# FUERTE BARRAGAN, ARGENTINA

STA NO. 87595/ (IN AREA NUMBER 04)

LATITUDE 3450S

LONGITUDE 05759W

ELEVATION(FT) 00007

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	104	103	99	97	84	77	84	87	93	91	95	102	104	75	-37585
MEAN MAX TMP (F)	85	83	79	72	64	57	57	60	64	69	76	82	71	23	-87585
MEAN MIN TMP (F)	63	63	60	53	47	41	42	43	46	50	56	61	52	23	-87585
ABS MIN TMP (F)	43	40	39	28	25	23	22	27	28	28	36	39	22	75	-87585
MEAN NO DYS TMP = OR GTR 90(F)	12.2	6.6	2.4	1.0	0.0	0.0	0.0	0.0	0.3	0.0	1.8	5.5	29.8	7	-87585
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0		0.2	2.2	2.6	1.6	0.4		0.0	0.0		75	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	75	-29
MEAN DEW PT TMP (F)	62	62	62	56	50	45	46	45	48	52	58	66	54	0	-50
MEAN REL HUM (PCT)	71	73	78	80	82	85	86	82	77	74	70	71	77	45	-87585
MEAN PRESS ALT (FT)	50	50	0	-50	-100	-150	-200	-150	-150	-50	0	100	-93	0	-50
MEAN PRECIP (IN)	3.10	2.80	4.30	3.50	3.00	2.40	2.20	2.40	3.10	3.40	3.30	3.90	37.4	70	-87585
MEAN SNOW FALL (IN)	0.0	0.0	0.0								0.0	0.0		75	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.3	4.9	6.5	5.5	4.8	4.3	4.0	4.3	5.3	5.7	5.6	6.4	62.6	70	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0								0.0	0.0		75	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTM	4.0	3.0	4.0	3.0	3.0	2.0	2.0	3.0	3.0	3.0	4.0	5.0	39.0	45	-87585
P FREQ WND SPD = OR CTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	14.3	7.3	25.5	17.5	31.0	40.6	27.4	23.9	31.7	24.2	13.3	14.3	22.6	4	-87585
09-11 LST	7.3	11.6	18.4	16.1	17.4	32.6	24.2	25.0	17.9	25.8	11.2	13.9	18.5	7	-87585
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.8	0.0	5.5	1.8	10.3	17.2	14.5	13.0	11.7	3.2	0.0	0.0	6.8	4	-87585
09-11 LST	3.7	1.3	7.5	8.1	8.1	21.0	13.7	12.1	6.2	5.0	0.0	2.9	7.5	7	-87585
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# FUERTE BARRAGAN, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	085
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	25.9	22.8	21.2	20.2	18.3	15.0	20.3	20.2	20.0	22.1	25.4	25.6	257.0	7	-87585
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	22.8	19.4	18.8	19.2	17.0	13.6	18.3	17.9	16.1	17.5	20.1	21.5	222.2	7	-87585
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	0.5	0.4	0.0	0.1	0.0	0.3	0.2	0.6	0.5	0.5	1.1	0.5	4.7	12	-87585
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	18.9	16.8	16.5	14.2	14.0	11.1	14.1	15.6	15.8	15.5	15.9	17.0	185.4	12	-87585
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	13.7	12.7	10.4	11.4	6.7	5.2	5.6	8.0	9.4	10.7	11.7	14.9	120.4	10	-87585
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	25.0	21.3	19.8	19.5	16.6	13.2	18.7	19.1	18.4	20.8	23.3	23.0	238.7	7	-87585
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	23.6	20.6	18.4	18.6	15.1	11.3	16.3	17.1	18.0	20.2	22.5	21.7	223.4	7	-87585
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	23.4	20.4	18.3	18.3	14.4	10.7	15.7	17.1	17.9	20.2	22.3	21.3	220.0	7	-87585
	14 LST														0	0

# PUNTA DEL INDIO, ARGENTINA

STA NO. 87596 (IN AREA NUMBER 04)

LATITUDE 35215

LONGITUDE 05710W

ELEVATION(FT) 00050

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	106	104	97	90	81	75	73	79	82	84	91	100	106	10	-88
MEAN MAX TMP (F)	84	82	75	72	63	59	57	59	63	68	73	81	70	10	-88
MEAN MIN TMP (F)	61	61	57	52	46	41	39	41	45	50	54	59	51	10	-88
ABS MIN TMP (F)	39	41	36	32	28	23	21	23	25	30	34	39	21	10	-88
MEAN NO DYS TMP = OR GTR 90(F)	8.9	6.7	1.9	0.7	0.0	0.0	0.0	0.0	0.0	0.0	1.2	4.5	23.9	7	-87648
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	2.6	5.9	7.4	4.3	1.9	0.0	0.0	0.0	22.1	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	60	61	59	56	50	46	44	45	48	52	55	59	53	0	-50
MEAN REL HUM (PCT)	69	72	80	83	86	88	85	85	83	81	75	70	80	10	-88
MEAN PRESS ALT (FT)	100	100	50	0	-50	-50	-100	-50	-50	0	100	100	13	0	-50
MEAN PRECIP (IN)	2.08	2.68	3.68	3.15	3.29	2.50	1.72	2.54	3.86	2.82	2.92	2.52	33.8	10	-88
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.9	4.7	5.7	5.0	5.2	4.5	3.2	4.6	6.2	5.0	5.1	4.5	57.6	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0						0.0	0.0	0.0		10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.0	4.0	3.0	2.0	1.0	1.0	1.0	1.0	1.0	2.0	3.0	4.0	27.0	47	-87648
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	19.0	2.4	23.5	18.3	29.5	30.2	26.6	22.0	11.7	19.4	0.0	6.3	17.4	4	-87648
09-11 LST	6.8	12.5	17.7	13.5	28.7	25.2	15.4	14.0	11.5	5.8	9.8	13.2	14.5	7	-87648
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	21.6	16.7	23.0	20.6	12.5	7.7	0.0	3.2	0.0	6.3	9.3	4	-87648
09-11 LST	0.0	1.6	3.5	6.8	16.1	15.1	6.7	3.3	4.1	0.0	3.0	5.1	5.4	7	-87648
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# PUNTA DEL INDIO, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YR5)	QBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	27.8	24.4	22.8	20.6	19.7	19.1	22.1	24.6	25.7	28.3	27.5	27.3	289.9	7	-87648
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	19.5	18.1	19.0	18.5	18.8	17.2	18.2	19.1	18.6	17.5	17.7	17.7	219.9	7	-87648
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	2.5	2.3	1.1	0.6	0.0	0.6	0.8	1.4	1.1	4.4	3.1	2.4	20.3	7	-87648
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	18.8	17.9	17.7	16.8	20.4	18.5	15.1	19.5	17.8	16.1	16.5	17.5	212.6	7	-87648
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	13.4	10.0	11.7	11.3	6.8	7.9	6.6	9.0	9.4	11.6	10.2	12.8	120.7	7	-87648
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	26.8	22.5	20.8	19.6	18.4	17.4	20.1	21.9	23.8	24.3	24.9	25.7	266.2	7	-87648
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	26.4	21.2	20.0	18.5	16.7	15.4	18.3	20.2	22.9	22.6	23.7	24.1	250.0	7	-87648
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	26.4	21.2	20.0	18.5	16.7	15.4	18.3	20.0	22.9	22.5	23.5	23.7	249.1	7	-87648
	14 LST														0	0

# VICTORIA, ARGENTINA

STA NO. 87616/ (IN AREA NUMBER 04)

LATITUDE 36135

LONGITUDE 06525W

ELEVATION(FT) 01024

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	112	109	102	98	89	81	82	85	97	106	105	110	112	24	-528
MEAN MAX TMP (F)	93	90	83	75	66	59	59	64	68	75	83	89	75	9	-28
MEAN MIN TMP (F)	59	58	54	46	38	32	37	34	40	46	51	57	46	11	-28
ABS MIN TMP (F)	36	34	30	21	16	0	9	13	20	26	28	36	0	24	-528
MEAN NO DYS TMP = OR GTR 90(F)	18.5	10.2	4.3	1.0	0.0	0.0	0.0	0.0	0.3	2.4	4.0	14.6	55.3	7	2173
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	1.6	2.8	8.3	8.6	8.4	3.4	0.2		0.0		24	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN DEW PT TMP (F)	53	55	53	46	39	35	37	32	35	43	45	50	44	11	-29
MEAN REL HUM (PCT)	49	55	61	63	66	70	69	57	54	56	50	49	58	12	-58
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.80	2.80	2.80	1.20	1.00	0.70	0.60	0.70	1.10	3.00	2.50	3.00	22.2	25	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0									0.0		24	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.9	4.9	4.6	2.5	2.2	1.5	1.3	1.5	2.5	5.2	4.6	5.2	40.9	25	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0									0.0		24	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	10.0	9.0	7.0	3.0	1.0	0.3	0.3	0.3	2.0	6.0	8.0	11.0	57.9	46	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	14.3	12.2	17.5	8.3	50.8	46.9	42.6	18.5	23.8	17.7	7.7	31.3	24.3	5	618
09-11 LST	8.1	10.5	10.8	13.6	20.0	24.2	23.8	16.9	10.1	15.8	9.3	10.0	14.4	7	1576
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	5.3	1.7	19.7	29.7	25.0	12.0	7.9	3.2	0.0	0.0	8.7	5	618
09-11 LST	0.0	1.5	0.0	2.0	10.0	11.7	8.4	5.9	0.7	1.7	0.8	1.5	3.7	7	1576
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# VICTORIA, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	30.0	26.7	29.1	28.4	21.9	21.1	24.2	27.7	28.4	28.1	29.1	29.1	323.8	7	2194
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	13.3	15.6	17.9	20.3	15.0	15.8	14.5	17.3	14.2	13.3	11.6	11.0	179.8	7	2192
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	8.3	3.5	3.6	1.7	1.2	0.6	1.3	3.1	4.4	7.0	6.9	8.0	49.6	7	2208
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	13.6	16.5	17.6	18.6	18.3	14.4	14.4	14.5	14.9	15.3	13.4	12.4	183.9	7	2207
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	20.2	16.6	17.3	13.1	6.7	7.8	6.0	11.1	10.5	10.9	14.9	17.3	152.4	7	2202
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	25.7	22.5	24.5	23.0	15.2	16.1	16.2	21.1	22.2	23.5	24.9	25.5	260.4	7	2194
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	25.7	22.5	24.0	22.0	14.0	15.5	14.8	20.1	20.9	22.8	24.3	25.3	251.9	7	2194
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	25.7	22.5	24.0	22.0	14.0	15.5	14.8	20.1	20.9	22.8	24.3	25.3	251.9	7	2194
	14 LST														0	0

# CORONEL SUAREZ, ARGENTINA

STA NO. 87637 (IN AREA NUMBER 04)

LATITUDE 3730S

LONGITUDE 06157W

ELEVATION(FT) 00760

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	102	102	97	88	73	75	72	75	86	91	95	99	102	7	2129
MEAN MAX TMP (F)	86	84	75	69	61	55	55	58	63	68	75	83	69	7	2129
MEAN MIN TMP (F)	55	55	49	43	40	36	36	36	38	45	47	54	45	7	2217
ABS MIN TMP (F)	37	32	34	21	21	16	14	18	16	27	28	34	14	7	2217
MEAN NO DYS TMP = OR GTR 90(F)	10.5	8.4	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.6	7.0	29.2	7	2129
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.1	0.0	3.6	6.6	11.0	13.2	11.1	7.6	2.0	0.8	0.0	56.0	7	2217
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2217
MEAN DEW PT TMP (F)	51	54	52	49	45	41	40	38	41	47	48	50	46	8	-29
MEAN REL HUM (PCT)	54	61	72	78	83	84	81	74	73	73	65	56	71	10	-88
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.60	3.53	3.06	1.43	1.56	1.32	0.39	1.93	0.86	5.17	1.99	2.82	25.7	7	1622
MEAN SNOW FALL (IN)	0.0	0.0	0.0									0.0		7	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.2	5.9	4.9	2.7	2.3	1.8	1.7	3.1	2.2	7.9	4.2	3.5	44.4	7	1622
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0									0.0		7	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	5.1	16.3	12.0	34.6	43.9	46.8	26.4	22.0	14.8	0.0	13.3	19.6	4	539
09-11 LST	6.4	10.2	14.5	12.0	23.6	37.6	20.7	25.2	12.2	13.7	7.1	8.7	16.0	7	1553
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	7.0	8.0	21.2	24.6	35.5	19.5	8.0	3.7	0.0	0.0	10.6	4	539
09-11 LST	0.0	1.5	3.1	2.8	12.4	26.3	15.0	18.3	1.4	3.4	0.0	0.8	7.1	7	1553
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

## CORONEL SUAREZ, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	28.5	25.5	26.0	25.9	21.1	17.0	19.6	22.1	24.1	27.0	28.0	28.1	292.9	7	2092
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	19.8	17.0	19.0	21.4	17.1	14.5	16.1	17.2	17.6	18.4	18.8	16.5	213.4	7	2091
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	3.9	3.1	2.5	0.9	1.0	1.4	1.0	2.2	2.8	4.8	4.7	3.3	31.6	7	2228
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	13.1	12.8	13.7	12.9	12.0	8.1	9.0	11.9	12.3	13.4	14.9	12.2	146.3	7	2222
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	17.4	14.4	15.7	13.2	5.2	6.5	5.9	10.4	9.4	10.7	12.0	15.4	136.2	7	2224
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	27.8	24.5	24.7	23.9	18.4	16.1	18.8	20.7	23.5	25.4	27.2	27.2	278.2	7	2092
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	26.6	23.5	23.5	22.7	17.1	15.5	17.6	19.5	23.2	24.1	26.0	27.0	266.3	7	2092
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	26.6	23.2	23.2	22.5	16.9	15.5	17.3	19.0	23.0	24.1	25.8	26.8	263.9	7	2092
	14 LST														0	0

# SANTO DOMINGO, ARGENTINA

LATITUDE 36545

LONGITUDE 06213W

ELEVATION(FT) 00384

STA NO. 87638/ (IN AREA NUMBER 04)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	102	102	97	88	73	75	72	75	86	91	95	99	102	7	-87637
MEAN MAX TMP (F)	86	84	75	69	61	55	55	58	63	68	75	83	69	7	-87637
MEAN MIN TMP (F)	55	55	49	43	40	36	36	36	38	45	47	54	45	7	-87637
ABS MIN TMP (F)	37	32	34	21	21	16	14	18	16	27	28	34	14	7	-87637
MEAN NO DYS TMP = OR GTR 90(F)	10.5	8.4	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.6	7.0	29.2	7	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	3.6	6.6	11.0	13.2	11.1	7.6	2.0	0.8	0.0	0.0	7	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN DEW PT TMP (F)	51	54	52	49	45	41	40	38	41	47	48	50	46	10	-87637
MEAN REL HUM (PCT)	54	61	72	78	83	84	81	74	73	73	65	56	71	0	-50
MEAN PRESS ALT (FT)	511	506	440	380	361	334	287	325	342	388	470	519	405	7	-87637
MEAN PRECIP (IN)	1.60	3.53	3.06	1.43	1.56	1.32	0.39	1.93	0.86	5.17	1.99	2.82	25.7	7	-29
MEAN SNOW FALL (IN)	0.0	0.0	0.0									0.0		7	-87637
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.2	5.9	4.9	2.7	2.3	1.8	1.7	3.1	2.2	7.9	4.2	3.5	44.4	7	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0									0.0		0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														4	-87637
06-08 LST	0.0	5.1	16.3	12.0	34.6	43.9	46.8	26.4	22.0	14.8	0.0	13.3	19.6	7	-87637
09-11 LST	6.4	10.2	14.5	12.0	23.6	37.6	20.7	25.2	12.2	13.7	7.1	8.7	16.0	0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														4	-87637
06-08 LST	0.0	0.0	7.0	8.0	21.2	24.6	35.5	19.5	8.0	3.7	0.0	0.0	10.6	7	-87637
09-11 LST	0.0	1.5	3.1	2.8	12.4	26.3	15.0	18.3	1.4	3.4	0.0	0.8	7.1	0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# SANTO DOMINGO, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	28.5	25.5	26.0	25.9	21.1	17.0	19.6	22.1	24.1	27.0	28.0	28.1	292.9	7	-87637
	14 LST														0	0
	20 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														7	-87637
	08 LST	19.8	17.0	19.0	21.4	17.1	14.5	16.1	17.2	17.6	18.4	18.8	16.5	213.4	0	0
	14 LST														0	0
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														7	-87637
	08 LST	3.9	3.1	2.5	0.9	1.0	1.4	1.0	2.2	2.8	4.8	4.7	3.3	31.6	0	0
	14 LST														0	0
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														7	-87637
	08 LST	13.1	12.8	13.7	12.9	12.0	8.1	9.0	11.9	12.3	13.4	14.9	12.2	146.3	0	0
	14 LST														0	0
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														7	-87637
	08 LST	17.4	14.4	15.7	13.2	5.2	6.5	5.9	10.4	9.4	10.7	12.0	15.4	136.2	0	0
	14 LST														0	0
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														7	-87637
	08 LST	27.8	24.5	24.7	23.9	18.4	16.1	18.8	20.7	23.5	25.4	27.2	27.2	278.2	0	0
	14 LST														0	0
	20 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														7	-87637
	08 LST	26.6	23.5	23.5	22.7	17.1	15.5	17.6	19.5	23.2	24.1	26.0	27.0	266.3	0	0
	14 LST														0	0
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														7	-87637
	08 LST	26.6	23.2	23.2	22.5	16.9	15.5	17.3	19.0	23.0	24.1	25.8	26.8	263.9	0	0
	14 LST														0	0

# AZUL, ARGENTINA

LATITUDE 36445

LONGITUDE 059950W

ELEVATION(FT) 00433

STA NO. 07642 (IN AREA NUMBER 04)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	108	108	100	90	86	77	81	73	86	93	99	106	108	50	-88
MEAN MAX TMP (F)	86	84	79	70	63	55	55	59	63	70	75	73	69	50	-88
MEAN MIN TMP (F)	55	55	52	46	41	37	36	37	41	45	50	54	46	50	-88
ABS MIN TMP (F)	36	34	32	25	19	14	16	19	21	23	30	30	14	50	-29
MEAN NO DYS TMP = OR GTR 90(F)	8.8	4.5		0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0		50	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0										0.0	50	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50	-29
MEAN DEW PT TMP (F)	55	57	56	50	46	41	40	40	43	48	51	49	48	50	-88
MEAN REL HUM (PCT)	62	67	74	78	82	83	82	76	75	74	69	63	74	0	-50
MEAN PRESS ALT (FT)	481	475	410	347	331	301	257	295	309	358	432	489	374	50	-88
MEAN PRECIP (IN)	2.64	3.17	3.80	3.15	2.48	1.87	1.53	1.53	2.59	3.32	3.21	2.85	32.1	50	-29
MEAN SNOW FALL (IN)	0.0	0.0	0.0								0.0	0.0		50	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.7	5.4	5.9	5.0	4.2	3.4	2.9	2.9	4.7	5.6	5.5	5.0	55.2	50	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0											0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.0	3.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	3.0	21.0	49	-24
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

**AZUL, ARGENTINA**  
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEC F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST														0	0
	14 LST														0	0

DATA NOT AVAILABLE

# TANDIL, ARGENTINA

STA NO. 87645 (IN AREA NUMBER 04)

LATITUDE 37145

LONGITUDE 05914W

ELEVATION(FT) 00577

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	108	108	100	90	86	77	81	73	86	93	99	106	108	50	-87642
MEAN MAX TMP (F)	86	84	79	70	63	55	55	59	63	70	75	73	69	50	-87642
MEAN MIN TMP (F)	55	55	52	46	41	37	36	37	41	45	50	54	46	50	-87642
ABS MIN TMP (F)	36	34	32	25	19	14	16	19	21	23	30	30	14	50	-87642
MEAN NO DYS TMP = OR GTR 90(F)	8.8	4.5		0.0	0.0	0.0	0.0	0.0	0.0					50	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0								0.0	0.0		50	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50	-29
MEAN DEW PT TMP (F)	55	57	56	50	46	41	40	40	43	48	51	49	48	50	-29
MEAN REL HUM (PCT)	66	67	74	78	82	83	82	76	75	74	69	63	74	50	-87642
MEAN PRESS ALT (FT)	611	611	543	505	501	475	437	453	450	505	587	636	526	0	-50
MEAN PRECIP (IN)	2.64	3.17	3.80	3.15	2.48	1.87	1.53	1.53	2.59	2.32	3.21	2.85	31.1	50	-87642
MEAN SNOW FALL (IN)	0.0	0.0	0.0								0.0	0.0		50	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.7	5.4	5.9	5.0	4.2	3.4	2.9	2.9	4.7	4.3	5.5	5.0	53.9	50	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0								0.0	0.0		50	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	3.0	3.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	3.0	21.0	49	-87642
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

**TANDIL, ARGENTINA**  
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR	20	LST												0	0
3 MI W/SFC WND LES 10 KTS	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SFC WND = GTR 17 KTS AND	20	LST												0	0
NO PRECIP.	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SFC WND 4-16 KTS AND TMP 33-89	20	LST												0	0
DEG F AND NO PRECIP.	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SKY COVER LES 3/10 AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 2500 FT AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 6000 FT AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 10000 FT AND	20	LST												0	0
VSBY = GTR 3 MI	02	LST												0	0
	08	LST												0	0
	14	LST												0	0

DATA NOT AVAILABLE

# DOLORES, ARGENTINA

STA NO. 87648 (IN AREA NUMBER 04)

LATITUDE 36165

LONGITUDE 05710W

ELEVATION(FT) 00030

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	104	106	100	91	88	81	79	82	88	95	100	104	106	50	-588
MEAN MAX TMP (F)	86	84	79	72	64	57	57	59	64	70	77	82	71	50	-88
MEAN MIN TMP (F)	57	59	55	50	45	39	39	41	45	48	52	55	49	50	-88
ABS MIN TMP (F)	32	39	27	27	23	18	18	25	25	27	30	36	18	50	-588
MEAN NO DYS TMP = OR GTR 90(F)	8.9	6.7	1.9	0.7	0.0	0.0	0.0	0.0	0.0	0.0	1.2	4.5	23.9	7	2211
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.2	0.7	2.6	5.9	7.4	4.3	1.9	0.7	0.0	0.0	23.7	50	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50	-29
MEAN DEW PT TMP (F)	58	60	58	54	48	43	43	43	47	50	53	57	51	50	-29
MEAN REL HUM (PCT)	67	71	76	79	81	84	83	79	77	74	69	69	76	50	-88
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.48	2.98	4.08	3.44	2.87	2.56	2.14	2.17	2.88	2.50	2.88	3.02	34.0	50	-88
MEAN SNOW FALL (IN)	0.0	0.0									0.0	0.0		50	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.4	5.1	6.2	5.4	4.7	4.6	3.9	3.9	5.1	4.6	5.1	5.2	58.2	50	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0									0.0	0.0		50	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTM	4.0	4.0	3.0	2.0	1.0	1.0	1.0	1.0	1.0	2.0	3.0	4.0	27.0	47	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	19.0	2.4	23.5	18.3	29.5	31.2	26.6	22.0	11.7	19.4	0.0	6.3	17.4	4	605
09-11 LST	6.8	12.5	17.7	13.5	28.7	23.2	15.4	14.0	11.5	5.8	9.8	13.2	14.5	7	1612
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	21.6	16.7	23.0	20.6	12.5	7.7	0.0	3.2	0.0	6.3	9.3	4	605
09-11 LST	0.0	1.6	3.5	6.8	16.1	15.1	6.7	3.3	4.1	0.0	3.0	5.1	5.4	7	1612
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# DOLORES, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	27.8	24.4	22.8	20.6	19.7	19.1	22.1	24.6	25.7	28.3	27.5	27.3	289.9	7	2217
	14 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	19.5	18.1	19.0	18.5	18.8	17.2	18.2	19.1	18.6	17.5	17.7	17.7	219.9	7	2215
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	2.5	2.3	1.1	0.6	0.0	0.6	0.8	1.4	1.1	4.4	3.1	2.4	20.3	7	2235
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	18.8	17.9	17.7	16.8	20.4	18.5	15.1	19.5	17.8	16.1	16.5	17.5	212.6	7	2234
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	13.4	10.0	11.7	11.3	6.8	7.9	6.6	9.0	9.4	11.6	10.2	12.8	120.7	7	2233
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	26.8	22.5	20.8	19.6	18.4	17.4	20.1	21.9	23.8	24.3	24.9	25.7	266.2	7	2217
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	26.4	21.2	20.0	18.5	16.7	15.4	18.3	20.2	22.9	22.6	23.7	24.1	250.0	7	2217
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	26.4	21.2	20.0	18.5	16.7	15.4	18.3	20.0	22.9	22.5	23.5	23.7	249.1	7	2217
	14 LST														0	0

# MAR DEL PLATA, ARGENTINA

STA NO. 87696 (IN AREA NUMBER 04)

LATITUDE 3756S

LONGITUDE 05735W

ELEVATION(FT) 00066

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	102	103	97	90	82	81	73	76	84	91	95	100	103	17	-558
MEAN MAX TMP (F)	78	78	75	69	62	55	55	56	58	61	69	75	66	10	-58
MEAN MIN TMP (F)	58	59	56	50	43	39	38	39	42	46	50	55	48	9	-58
ABS MIN TMP (F)	34	32	36	30	27	21	21	25	27	31	30	34	21	17	-558
MEAN NO DYS TMP = OR GTR 90(F)	5.0	3.5	1.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.5	12.2	7	2202
MEAN NO DYS TM. = OR LES 32(F)	0.0	0.0	0.0	0.0	2.5	5.2	5.9	4.7	4.5	0.0	0.0	0.0	22.8	17	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN DEW PT TMP (F)	58	59	57	51	45	41	39	39	42	46	50	54	48	10	-29
MEAN REL HUM.(PCT)	72	75	76	76	78	80	79	76	77	78	74	71	76	10	-58
MEAN PRESS ALT (FT)	100	100	32	-6	-9	-36	-74	-58	-61	-6	76	129	15	0	-50
MEAN PRECIP (IN)	2.10	3.20	3.10	3.10	1.90	2.40	2.10	1.80	2.60	2.40	2.60	2.70	30.0	20	-58
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		17	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.9	5.4	5.0	5.0	3.4	4.3	3.8	3.3	4.7	4.4	4.7	4.7	52.6	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0						0.0	0.0	0.0		17	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.0	4.0	4.0	2.0	2.0	1.0	2.0	2.0	2.0	3.0	5.0	5.0	38.0	48	-24
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	33.3	2.6	14.0	15.8	16.4	25.4	16.5	6.6	8.2	18.6	6.7	12.5	14.9	5	599
09-11 LST	1.9	8.5	0.7	5.6	14.4	18.2	13.7	14.4	11.6	8.3	1.6	7.6	8.9	7	1588
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	9.5	0.0	0.0	0.0	1.8	12.7	15.4	3.3	6.6	6.8	0.0	0.0	4.7	5	599
09-11 LST	0.0	0.0	0.0	3.5	12.2	9.1	5.5	9.3	6.1	5.0	0.8	1.5	4.4	7	1588
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# MAR DEL PLATA, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	28.9	26.3	29.7	26.9	25.9	22.1	25.1	25.8	26.5	26.1	28.9	28.0	320.2	7	2187
	14 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST													0	0	
	02 LST													0	0	
	08 LST	18.4	15.5	21.6	18.6	21.4	16.0	16.9	16.7	16.6	17.8	16.9	18.8	215.2	7	2187
	14 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST													0	0	
	02 LST													0	0	
	08 LST	3.8	3.2	1.9	2.9	1.0	1.7	2.3	3.5	3.6	4.1	4.9	3.5	36.3	7	2245
	14 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST													0	0	
	02 LST													0	0	
	08 LST	17.0	12.9	15.7	15.6	17.9	15.7	16.6	15.3	14.9	16.8	12.5	16.3	187.2	7	2243
	14 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	11.2	8.0	8.6	8.6	4.9	4.7	4.3	7.2	7.1	7.3	10.4	9.2	91.5	7	2242
	14 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	28.0	24.0	27.5	24.5	23.7	20.5	22.3	23.3	23.9	23.4	27.7	27.2	296.0	7	2187
	14 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	24.2	19.3	20.8	19.7	19.4	16.9	16.0	18.8	20.6	18.4	21.3	21.7	237.1	7	2187
	14 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	24.1	19.3	20.6	19.5	19.0	16.0	16.0	18.7	20.3	18.4	21.3	21.3	234.5	7	2187
	14 LST													0	0	

# AERO TALLERES, ARGENTINA

STA NO. 87747/ (IN AREA NUMBER 04)

LATITUDE 38415

LONGITUDE 06219W

ELEVATION(FT) 00128

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	085
ABS MAX TMP (F)	107	109	100	90	85	76	79	85	91	96	101	105	109	31	-87750
MEAN MAX TMP (F)	88	84	79	71	63	57	57	60	65	71	78	85	72	33	-87750
MEAN MIN TMP (F)	62	60	57	51	45	39	39	40	44	48	54	59	50	33	-87750
ABS MIN TMP (F)	41	36	34	27	25	18	19	18	23	25	30	30	18	31	-87750
MEAN NO DYS TMP = OR GTR 90(F)	15.4	10.2	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.9	11.3	43.1	7	-87750
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.6	2.0	5.9	8.0	7.0	4.4	0.8	0.0	0.0	28.7	31	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31	-29
MEAN DEW PT TMP (F)	54	53	53	48	43	40	37	38	39	40	45	48	45	31	-29
MEAN REL HUM (PCT)	52	56	62	65	69	75	68	67	61	54	51	47	61	28	-87750
MEAN PRESS ALT 9FT	755	250	184	124	105	78	31	69	86	132	214	263	149	0	-50
MEAN PRECIP (IN)	1.70	2.20	2.50	2.30	1.20	0.90	1.00	1.00	1.60	2.20	2.10	1.90	20.6	46	-87750
MEAN SNOW FALL (IN)	0.0	0.0	0.0								0.0	0.0		31	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.3	4.0	4.2	3.9	2.5	1.8	2.0	2.0	3.3	4.2	4.0	3.6	38.8	46	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0								0.0	0.0		0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.1	2.0	1.7	1.2	0.6	0.4	0.4	0.5	0.6	1.8	1.9	3.3	16.5	21	-87750
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	3.4	2.3	10.5	27.9	15.0	11.0	10.0	14.8	0.0	0.0	7.9	5	-87750
09-11 LST	2.5	5.0	5.2	4.2	11.9	17.6	10.3	14.4	6.2	8.2	3.8	5.4	7.9	7	-87750
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	3.5	16.4	5.0	5.5	3.3	3.3	0.0	0.0	3.1	5	-87750
09-11 LST	0.0	1.7	0.0	0.0	4.8	10.3	5.5	6.7	3.4	2.5	0.0	1.5	3.0	7	-87750
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# AERO TALLERES, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	28.9	26.9	29.5	29.3	27.7	23.6	26.3	26.7	27.8	28.3	28.5	29.3	332.8	7	-87750
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	16.5	14.5	17.4	18.8	16.9	14.2	17.3	17.6	17.7	14.4	16.0	13.1	194.4	7	-87750
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	8.9	6.9	4.5	4.7	5.5	4.7	4.5	4.9	5.0	7.8	7.1	8.5	73.0	7	-87750
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	13.4	11.3	13.1	13.4	10.1	10.8	11.3	11.7	13.0	11.2	13.5	8.3	141.1	7	-87750
	14 LST														0	0
SKY COVER LES 3'10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	16.9	14.7	14.8	12.5	7.9	7.0	6.8	10.9	9.5	9.6	13.7	12.8	137.1	7	-87750
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	28.2	26.2	28.1	28.5	26.1	22.1	25.0	25.3	26.5	26.6	28.1	28.6	319.3	7	-87750
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	27.5	24.8	27.0	27.9	22.4	20.6	22.6	23.5	25.0	24.9	26.6	27.7	300.5	7	-87750
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	27.5	24.4	27.0	27.7	21.3	20.1	22.3	23.2	24.1	24.9	26.0	27.5	296.0	7	-87750
	14 LST														0	0

# COMANDANTE ESPORA, ARGENTINA

STA NO. 87748 (IN AREA NUMBER 04)

LATITUDE 3843S

LONGITUDE 06209W

ELEVATION(FT) 00230

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	107	109	100	90	85	76	79	85	91	96	101	105	109	31	-87750
MEAN MAX TMP (F)	88	84	79	71	63	57	57	60	65	71	78	85	72	33	-87750
MEAN MIN TMP (F)	62	60	57	51	45	39	39	40	44	48	54	59	50	33	-87750
ABS MIN TMP (F)	41	36	34	27	25	18	19	18	23	25	30	30	18	31	-87750
MEAN NO DYS TMP = OR GTR 90(F)	15.4	10.2	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.9	11.3	43.1	7	-87750
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.6	2.0	5.9	8.0	7.0	4.4	0.8	0.0	0.0	28.7	31	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31	-29
MEAN DEW PT TMP (F)	54	53	53	48	43	40	37	38	39	40	45	48	45	31	-29
MEAN REL HUM (PCT)	52	56	62	65	69	75	68	67	61	54	51	47	61	28	-87750
MEAN PRESS ALT (FT)	300	300	200	200	200	150	100	150	150	200	250	350	213	0	-50
MEAN PRECIP (IN)	1.70	2.20	2.50	2.30	1.20	0.90	1.00	1.00	1.60	2.20	2.10	1.90	20.6	46	-87750
MEAN SNOW FALL (IN)	0.0	0.0	0.0								0.0	0.0		31	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.3	4.0	4.2	3.9	2.5	1.8	2.0	2.0	3.3	4.2	4.0	3.6	38.8	46	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0								0.0	0.0		31	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS YSTMS	2.1	2.0	1.7	1.2	0.6	0.4	0.4	0.5	0.6	1.8	1.9	3.3	16.5	21	-87750
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	3.4	2.3	10.5	27.9	15.0	11.0	10.0	14.8	0.0	0.0	7.9	5	-87750
09-11 LST	2.5	5.0	5.2	4.2	11.9	17.6	10.3	14.4	6.2	8.2	3.8	5.4	7.9	7	-87750
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	3.5	16.4	5.0	5.5	3.3	3.3	0.0	0.0	3.1	5	-87750
09-11 LST	0.0	1.7	0.0	0.0	4.8	10.3	5.5	6.7	3.4	2.5	0.0	1.5	3.0	7	-87750
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# COMANDANTE ESPORA, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	28.9	26.9	29.5	29.3	27.7	23.6	26.3	26.7	27.8	28.3	28.5	29.3	332.8	7	-87750
	14 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	16.5	14.5	17.4	18.8	16.9	14.2	17.3	17.6	17.7	14.4	16.0	13.1	194.4	7	-87750
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	8.9	6.9	4.5	4.7	5.5	4.7	4.5	4.9	5.0	7.8	7.1	8.5	73.0	7	-87750
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	13.4	11.3	13.1	13.4	10.1	10.8	11.3	11.7	13.0	11.2	13.5	8.3	141.1	7	-87750
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	16.9	14.7	14.8	12.5	7.9	7.0	6.8	10.9	9.5	9.6	13.7	12.8	137.1	7	-87750
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	28.2	26.2	28.1	28.5	26.1	22.1	25.0	25.3	26.5	26.6	28.1	28.6	311.3	7	-87750
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	27.5	24.8	27.0	27.9	22.4	20.6	22.6	23.5	25.0	24.9	26.6	27.7	300.5	7	-87750
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	27.5	24.4	27.0	27.7	21.3	20.1	22.3	23.2	24.1	24.9	26.0	27.5	296.0	7	-87750
	14 LST														0	0

# PUERTO BELGRANO, ARGENTINA

STA NO. 87749/ (IN AREA NUMBER 04)

LATITUDE 38535

LONGITUDE 06205W

ELEVATION(FT) 00082

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	107	109	100	90	85	76	79	85	91	96	101	105	109	31	-87750
MEAN MAX TMP (F)	88	84	79	71	63	57	57	60	65	71	78	85	72	33	-87750
MEAN MIN TMP (F)	62	60	57	51	45	39	39	40	44	48	54	59	50	33	-87750
ABS MIN TMP (F)	41	36	34	27	25	18	19	18	23	25	30	30	18	31	-87750
MEAN NO DYS TMP = OR GTR 90(F)	15.4	10.2	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.9	11.3	43.1	7	-87750
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.6	2.0	5.9	8.0	7.0	4.4	0.8	0.0	0.0	28.7	31	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31	-29
MEAN DEW PT TMP (F)	54	53	53	48	43	40	37	38	39	40	45	48	45	31	-29
MEAN REL HUM (PCT)	52	56	62	65	69	75	68	67	61	54	51	47	61	28	-87750
MEAN PRESS ALT (FT)	209	204	138	78	59	32	-15	23	40	86	168	217	103	0	-50
MEAN PRLCIP (IN)	1.70	2.20	2.50	2.30	1.20	0.90	1.00	1.60	2.20	2.90	1.90	20.6	4.6	46	-87750
MEAN SNOW FALL (IN)	0.0	0.0	0.0											31	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.3	4.0	4.2	3.9	2.5	1.8	2.0	2.0	3.3	4.2	4.0	3.6	38.8	46	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0											31	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	2.1	2.0	1.7	1.2	0.6	0.4	0.4	0.5	0.6	1.8	1.9	3.3	16.5	21	-87750
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	3.4	2.3	10.5	27.9	15.0	11.0	10.0	14.8	0.0	0.0	7.9	5	-87750
09-11 LST	2.5	5.0	5.2	4.2	11.9	17.6	10.3	14.4	6.2	8.2	3.8	5.4	7.9	7	-87750
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	3.5	16.4	5.0	5.5	3.3	3.3	0.0	0.0	3.1	5	-87750
09-11 LST	0.0	1.7	0.0	0.0	4.8	10.3	5.5	6.7	3.4	2.5	0.0	1.5	3.0	7	-87750
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# PUERTO BELGRANO, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	28.9	26.5	29.5	29.3	27.7	23.6	26.3	26.7	27.8	28.3	28.5	29.3	332.8	7	-87750
	14 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	16.5	14.5	17.4	18.8	16.9	14.2	17.3	17.6	17.7	14.4	16.0	13.1	194.4	7	-87750
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	8.9	6.9	4.5	4.7	5.5	4.7	4.5	4.9	5.0	7.8	7.1	8.5	73.0	7	-87750
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	13.4	11.3	13.1	13.4	10.1	10.8	11.3	11.7	13.0	11.2	13.5	8.3	141.1	7	-87750
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	16.9	14.7	14.8	12.5	7.9	7.0	6.8	10.9	9.5	9.6	13.7	12.8	137.1	7	-87750
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	28.2	26.2	26.1	28.5	26.1	22.1	25.0	25.3	26.5	26.6	28.1	28.6	319.3	7	-87750
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	27.5	24.8	27.0	27.9	22.4	20.6	22.6	23.5	25.0	24.9	26.6	27.7	300.5	7	-87750
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	27.5	24.4	27.0	27.7	21.3	20.1	22.3	23.2	24.1	24.9	26.0	27.4	296.0	7	-87750
	14 LST														0	0

# BAHIA BLANCA, ARGENTINA

STA NO. 87750 (IN AREA NUMBER 04)

LATITUDE 38435

LONGITUDE 06210W

ELEVATION(FT) 00240

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	107	109	100	90	85	76	79	85	91	96	101	105	109	31	-28
MEAN MAX TMP (F)	88	84	79	71	63	57	57	60	65	71	78	85	72	33	-28
MEAN MIN TMP (F)	62	60	57	51	45	39	39	40	44	48	54	59	50	33	-28
ABS MIN TMP (F)	41	36	34	27	25	18	19	18	23	25	30	30	18	31	-528
MEAN NO DYS TMP = OR GTR 90(F)	15.4	10.2	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.9	11.3	43.1	7	1997
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.6	2.0	5.9	8.0	7.0	4.4	0.8	0.0	0.0	28.7	31	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31	-29
MEAN DEW PT TMP (F)	54	53	53	48	43	40	37	38	39	40	45	48	45	31	-29
MEAN REL HUM (PCT)	52	56	62	65	69	75	68	67	61	54	51	47	61	28	-28
MEAN PRESS ALT (FT)	367	362	296	236	217	190	143	181	198	244	326	375	261	0	-50
MEAN PRECIP (IN)	1.70	2.20	2.50	2.30	1.20	0.90	1.00	1.00	1.60	2.20	2.10	1.90	20.6	46	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0								0.0	0.0		31	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.3	4.0	4.2	3.9	2.5	1.8	2.0	2.0	3.3	4.2	4.0	3.6	38.8	46	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0								0.0	0.0		31	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	2.1	2.0	1.7	1.2	0.6	0.4	0.4	0.5	0.6	1.8	1.9	3.3	16.5	21	-58
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	3.4	2.3	10.5	27.9	15.0	11.0	10.0	14.8	0.0	0.0	7.9	5	549
09-11 LST	2.5	5.0	5.2	4.2	11.9	17.6	10.3	14.4	6.2	8.2	3.8	5.4	7.9	7	1553
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	3.5	16.4	5.0	5.5	3.3	3.3	0.0	0.0	3.1	5	549
09-11 LST	0.0	1.7	0.0	0.0	4.8	10.3	5.5	6.7	3.4	2.5	0.0	1.5	3.0	7	1553
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# BAHIA BLANCA, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	28.9	26.9	29.5	29.3	27.7	23.6	26.3	26.7	27.8	28.3	28.5	29.3	332.8	7	2102
	14 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST													0	0	
	02 LST													0	0	
	08 LST	16.5	14.5	17.4	18.8	16.9	14.2	17.3	17.6	17.7	14.4	16.0	13.1	194.4	7	2101
	14 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST													0	0	
	02 LST													0	0	
	08 LST	8.9	6.9	4.5	4.7	5.5	4.7	4.5	4.9	5.0	7.8	7.1	8.5	73.0	7	2106
	14 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST													0	0	
	02 LST													0	0	
	08 LST	13.4	11.3	13.1	13.4	10.1	10.8	11.3	11.7	13.0	11.2	13.5	8.3	141.1	7	2103
	14 LST													0	0	
SH COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	16.9	14.7	14.8	12.5	7.9	7.0	6.8	10.9	9.5	9.6	13.7	12.8	137.1	7	2107
	14 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	28.2	26.2	28.1	28.5	26.1	22.1	25.0	25.3	26.5	26.6	28.1	28.6	319.3	7	2102
	14 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	27.5	24.8	27.0	27.9	22.4	20.6	22.6	23.5	25.0	24.9	26.6	27.7	300.5	7	2102
	14 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	27.5	24.4	27.0	27.7	21.3	20.1	22.3	23.2	24.1	24.9	26.0	27.5	296.0	7	2102
	14 LST													0	0	

# LOS CHANARES, ARGENTINA

STA NO. 87751/ (IN AREA NUMBER 04)

LATITUDE 38415

LONGITUDE 06220W

ELEVATION(FT) 00049

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	107	109	100	90	85	76	79	85	91	96	101	105	109	31	-87750
MEAN MAX TMP (F)	88	84	79	71	63	57	57	60	65	71	78	85	72	33	-87750
MEAN MIN TMP (F)	62	60	57	51	45	39	39	40	44	48	54	59	50	33	-87750
ABS MIN TMP (F)	41	36	34	27	25	18	19	18	23	25	30	30	18	31	-87750
MEAN NO DYS TMP = OR GTR 90(F)	15.4	10.2	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.9	11.3	43.1	7	-87750
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.6	2.0	5.9	8.0	7.0	4.4	0.8	0.0	0.0	28.7	31	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31	-29
MEAN DEW PT TMP (F)	54	53	53	48	43	40	37	38	39	40	45	48	45	31	-29
MEAN REL HUM (PCT)	52	56	62	65	69	75	68	67	61	54	51	47	61	28	-87750
MEAN PRESS ALT (FT)	176	171	105	45	26	99	-48	-10	7	53	135	184	79	0	-50
MEAN PRECIP (IN)	1.70	2.20	2.50	2.30	1.20	0.90	1.00	1.00	1.60	2.20	2.10	1.90	20.6	46	-87750
MEAN SNOW FALL (IN)	0.0	0.0	0.0								0.0	0.0		31	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.3	4.0	4.2	3.9	2.5	1.8	2.0	2.0	3.3	4.2	4.0	3.6	38.8	46	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0								0.0	0.0		31	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	2.1	2.0	1.7	1.2	0.6	0.4	0.4	0.5	0.6	1.8	1.9	3.3	16.5	7	-87750
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	3.4	2.3	10.5	27.9	15.0	11.0	10.0	14.8	0.0	0.0	7.9	5	-87750
09-11 LST	2.5	5.0	5.2	4.2	11.9	17.6	10.3	14.4	6.2	8.2	3.8	5.4	7.9	7	-87750
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	3.5	16.4	5.0	5.5	3.3	3.3	0.0	0.0	3.1	5	-87750
09-11 LST	0.0	1.7	0.0	0.0	4.8	10.3	5.5	6.7	3.4	2.5	0.0	1.5	3.0	7	-87750
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0


# LOS CHANARES, ARGENTINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI															
20 LST														0	0
02 LST														0	0
08 LST	28.9	26.9	29.5	29.3	27.7	23.6	26.3	26.7	27.8	28.3	28.5	29.3	332.8	7	-87750
14 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS															
20 LST														0	0
02 LST														0	0
08 LST	16.5	14.5	17.4	18.8	16.9	14.2	17.3	17.6	17.7	14.4	16.0	13.1	194.4	7	-87750
14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.															
20 LST														0	0
02 LST														0	0
08 LST	8.9	6.9	4.5	4.7	5.5	4.7	4.5	4.9	5.0	7.8	7.1	8.5	73.0	7	-87750
14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.															
20 LST														0	0
02 LST														0	0
08 LST	13.4	11.3	13.1	13.4	10.1	10.8	11.3	11.7	13.0	11.2	13.5	8.3	141.1	7	-87750
14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI															
20 LST														0	0
02 LST														0	0
08 LST	16.9	14.7	14.8	12.5	7.9	7.0	6.8	10.9	9.5	9.6	13.7	12.8	137.1	7	-87750
14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI															
20 LST														0	0
02 LST														0	0
08 LST	28.2	26.2	28.1	28.5	26.1	22.1	25.0	25.3	26.5	26.6	28.1	28.6	319.3	7	-87750
14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI															
20 LST														0	0
02 LST														0	0
08 LST	27.5	24.8	27.0	27.9	22.4	20.6	22.6	23.5	25.0	24.9	26.6	27.7	300.5	7	-87750
14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI															
20 LST														0	0
02 LST														0	0
08 LST	27.5	24.4	27.0	27.7	21.3	20.1	22.3	23.2	24.1	24.9	26.0	27.5	296.0	7	-87750
14 LST														0	0

## AREA NO. 04

PARAMETER DESCRIPTION	ARGENTINA		PAMPAS		LATITUDE 3400S				LONGITUDE 06100W					
	BOUNDARIES	3200S 05820W	2800S 06440W	2800S 06440W	3300S 06320W	3300S 06320W	3700S 06700W	3700S 06700W	3700S 06700W	3820S 06500W	3820S 06500W	3845S 06225W	3845S 06225W	
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		87	86	80	73	66	59	59	62	67	72	78	84	73
MEAN MIN TMP (F)		61	61	57	51	46	41	40	41	45	50	54	59	51
LARGEST MEAN PRECIP(IN)		4.50	8.21	4.80	5.10	3.50	2.82	2.40	2.90	3.86	5.17	4.20	4.50	52.0
SMALLEST MEAN PRECIP(IN)		1.60	2.70	2.50	1.20	1.00	0.50	0.39	0.60	0.67	2.20	1.99	1.90	16.8
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST				30.0	21.0	26.0	31.0	30.0					
	02 LST													
	08 LST	28.3	25.1	26.5	25.0	22.5	19.4	22.6	23.7	25.1	26.6	27.5	27.9	300.2
	14 LST	30.8	27.5	29.8	27.9	28.6	25.2	27.1	27.8	28.6	29.0	29.1	30.3	341.7
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST				29.0	16.0	24.0	26.0	19.0					
	02 LST													
	08 LST	20.8	18.9	21.2	20.7	18.7	16.0	18.2	18.4	17.6	17.5	19.6	19.4	227.0
	14 LST	26.2	24.3	25.7	22.7	23.8	20.5	19.8	19.6	22.7	22.6	24.7	26.1	278.7
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST				0.0	1.0	0.0	0.0	1.0					
	02 LST													
	08 LST	2.9	2.0	1.5	1.2	1.0	1.1	1.1	1.9	2.3	3.5	3.0	3.0	24.5
	14 LST	0.1	0.2	0.3	0.5	0.4	0.4	0.7	1.6	0.7	1.1	0.4	0.4	6.8
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST				19.7	19.0	15.0	13.0	14.0					
	02 LST													
	08 LST	15.8	14.1	14.8	14.0	14.2	12.4	13.9	15.4	15.0	15.0	15.0	15.0	174.6
	14 LST	17.1	19.5	19.4	20.8	21.3	20.0	20.5	19.4	22.5	22.0	21.2	19.4	243.1
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST				22.7	9.0	15.0	16.0	18.0					
	02 LST													
	08 LST	14.8	13.0	13.3	12.2	7.2	6.7	6.7	9.9	10.2	11.2	12.6	14.2	132.0
	14 LST	16.1	14.7	13.6	14.1	9.3	7.3	9.1	11.2	10.7	11.1	12.0	14.0	143.2
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST				29.0	19.0	25.0	28.0	25.0					
	02 LST													
	08 LST	26.7	23.4	24.6	23.2	20.3	17.5	20.3	21.7	23.1	24.0	25.7	26.1	276.6
	14 LST	29.1	25.5	27.2	24.5	25.5	21.1	23.3	23.8	24.5	25.6	27.2	28.3	305.6
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST				27.9	18.0	21.0	20.0	22.0					
	02 LST													
	08 LST	25.0	21.7	22.4	21.0	17.4	15.1	17.6	19.4	21.0	21.8	23.7	24.3	250.4
	14 LST	27.4	23.7	25.1	22.6	21.7	19.1	19.8	21.2	22.4	23.3	22.7	25.1	274.1
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST				27.9	18.0	21.0	19.0	22.0					
	02 LST													
	08 LST	24.9	21.5	22.2	20.9	17.0	14.9	17.3	19.2	20.8	21.7	23.5	24.1	248.0
	14 LST	26.8	23.2	24.4	22.3	21.5	18.6	19.6	20.7	22.2	23.2	22.6	25.0	270.1



# OIAPOQUE, BRAZIL

STA NO. 82017 (IN AREA NUMBER 01)

LATITUDE 0350N

LONGITUDE 05150W

ELEVATION(FT) 00128

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	90	88	90	89	91	90	91	93	93	96	96	92	96	3	-82018
MFAN MAX TMP (F)	85	83	86	84	85	86	88	90	91	92	91	87	87	3	-82018
MEAN MIN TMP (F)	70	70	70	71	71	70	69	69	68	66	67	69	69	7	-82018
ABS MIN TMP (F)	64	64	66	65	67	64	64	64	57	62	59	64	57	7	-82018
MFAN NO DYS TMP = OR GTR 90(F)	0.5	0.0	2.5	0.0	2.5	1.0	5.0	22.0	25.5	29.6	23.0	8.0	119.6	3	-82018
MFAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN DFW PT TMP (F)	73	73	73	74	74	74	73	73	71	70	72	73	73	3	-82018
MEAN REL HUM (PCT)	92	93	90	92	92	92	89	84	83	81	84	89	88	3	-82018
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	14.74	12.97	10.98	22.58	20.21	13.04	8.63	3.90	2.19	0.42	4.79	9.51	124.0	3	-82018
MFAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MFAN NO DYS PRCP = OR GTR 0.1 IN	22.0	20.1	16.0	22.0	24.0	19.5	15.5	5.5	4.0	1.4	9.5	14.5	174.0	3	-82018
MFAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MFAN NO DYS W/OCUR VSBY LES 1/2 MI	3.5	2.0	3.5	1.5	3.5	3.0	4.0	8.0	5.5	10.9	14.0	10.0	69.4	3	-82018
MFAN NO DYS TSTMS	1.5	1.0	1.5	2.0	3.5	0.5	3.5	2.5	2.0	1.8	3.0	3.5	26.3	3	-82018
P FREQ WND SPD = OR GTR 17 KTS	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	3	-82018
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-82018
P FREQ LES 5000 FT A/O LES 5 MI	59.1	59.0	53.9	60.0	56.8	51.4	36.9	35.4	39.4	34.4	43.3	53.1	48.6	3	-82018
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	10.8	11.7	15.1	8.3	12.9	14.5	13.5	10.8	13.9	10.3	19.0	17.7	13.2	3	-82018
03-05 LST	21.5	12.3	21.5	8.4	24.7	21.1	20.4	37.1	39.4	36.0	48.3	33.9	27.1	3	-82018
06-08 LST	17.2	12.9	13.4	12.2	16.7	10.6	14.0	18.4	11.1	16.7	23.3	20.4	15.6	3	-82018
09-11 LST	13.4	20.6	23.7	11.7	11.8	5.6	1.1	0.0	0.0	1.5	2.8	5.4	8.1	3	-82018
12-14 LST	19.9	32.7	22.6	21.7	7.0	5.0	2.7	1.1	1.1	0.0	5.0	10.2	10.8	3	-82018
15-17 LST	12.4	25.1	16.1	21.7	14.0	3.3	1.1	1.1	0.0	0.0	6.1	4.3	8.8	3	-82018
18-20 LST	7.0	11.7	7.5	13.3	6.5	0.6	1.1	1.1	0.0	0.0	0.0	2.7	4.3	3	-82018
21-23 LST	3.2	7.0	11.4	7.2	7.0	5.0	4.8	1.6	2.2	0.0	5.6	4.3	4.9	3	-82018
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	3.8	2.3	3.8	1.1	5.9	8.4	8.1	3.8	5.0	8.8	11.7	9.1	6.0	3	-82018
03-05 LST	7.0	2.3	3.8	0.0	7.0	7.8	9.1	19.4	19.4	24.6	32.8	19.4	12.7	3	-82018
06-08 LST	4.3	2.3	2.2	2.8	2.2	4.4	4.8	9.7	7.8	11.8	17.2	13.4	6.9	3	-82018
09-11 LST	0.0	0.0	0.5	1.7	0.5	0.0	0.5	0.0	0.0	0.0	0.6	0.0	0.3	3	-82018
12-14 LST	1.6	0.6	0.5	0.0	1.1	0.0	0.5	0.0	0.0	0.0	1.1	2.7	0.7	3	-82018
15-17 LST	0.0	0.0	0.0	0.0	0.0	1.1	0.5	0.0	0.0	0.0	2.2	0.5	0.4	3	-82018
18-20 LST	0.5	0.0	0.0	0.0	1.6	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.2	3	-82018
21-23 LST	0.5	0.0	1.6	1.1	3.7	1.7	3.2	0.0	0.6	0.0	1.1	1.6	1.2	3	-82018

# OIAPOQUE, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST	31.0	27.5	31.0	29.5	30.5	29.5	31.0	31.0	30.0	31.0	29.0	30.0	361.0	3	-82018
	03 LST	25.0	25.5	28.0	29.5	26.5	23.5	27.5	23.5	20.5	24.1	17.5	21.5	292.6	3	-82018
	09 LST	30.0	26.0	31.0	29.0	29.0	28.5	31.0	31.0	30.0	30.5	29.0	29.5	354.5	3	-82018
	15 LST	29.5	25.5	29.5	27.5	29.5	30.0	31.0	30.5	30.0	31.0	28.0	30.5	352.5	3	-82018
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST	28.5	21.6	27.0	24.5	26.5	27.5	30.5	30.0	30.0	31.0	29.0	29.0	335.1	3	-82018
	03 LST	23.0	21.6	21.0	23.0	22.0	21.0	25.5	23.5	20.5	24.1	17.5	20.5	263.2	3	-82018
	09 LST	23.0	18.2	17.5	17.0	20.5	23.5	25.5	29.0	22.0	26.9	23.0	24.0	274.1	3	-82018
	15 LST	17.0	15.2	19.5	12.0	19.5	24.0	28.5	22.0	21.5	27.3	19.0	20.5	246.0	3	-82018
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-82018
	03 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-82018
	09 LST	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	7	-82018
	15 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-82018
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	0.4	0.0	0.3	0.7	1.3	0.3	0.0	0.3	0.0	0.0	0.0	0.0	3.3	5	-82018
	03 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-82018
	09 LST	10.3	8.5	11.6	8.4	6.9	7.3	7.6	12.3	18.2	16.4	13.8	8.7	130.0	7	-82018
	15 LST	17.1	16.7	20.2	15.0	18.8	13.7	21.5	21.0	18.5	14.8	15.5	18.1	211.0	3	-82018
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	0.0	2.7				0.0	6.4	10.3	8.6	8.2	8.2	3.2		3	-82018
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST	25.0	18.2	24.5	21.0	25.5	26.0	30.5	28.5	30.0	31.0	28.5	27.5	316.2	3	-82018
	03 LST	17.5	19.6	18.5	18.5	19.0	19.5	24.0	23.0	20.0	23.7	16.5	20.0	239.8	3	-82018
	09 LST	14.0	14.2	16.5	10.5	8.5	16.0	18.0	11.0	14.5	16.4	13.0	17.0	169.6	3	-82018
	15 LST	13.0	10.8	17.5	11.0	12.0	16.0	20.0	22.5	25.5	26.4	18.5	16.5	209.7	3	-82018
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	21.5	13.7	22.0	20.5	24.0	24.5	30.0	28.5	30.0	31.0	28.5	25.5	299.7	3	-82018
	03 LST	14.0	15.7	15.5	16.0	16.5	17.5	23.5	23.0	20.0	23.7	16.0	17.5	218.9	3	-82018
	09 LST	6.0	8.3	10.5	5.5	5.5	9.5	17.5	9.0	7.5	10.9	7.5	8.0	105.7	3	-82018
	15 LST	6.5	6.5	9.0	5.5	5.5	11.5	18.5	20.5	21.0	19.6	12.0	9.5	146.0	3	-82018
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	21.5	13.2	21.5	19.0	23.5	24.0	29.5	28.5	30.0	31.0	27.0	23.5	292.2	3	-82018
	03 LST	12.0	15.7	15.5	14.5	15.5	16.5	22.0	22.5	20.0	23.7	16.0	17.0	210.9	3	-82018
	09 LST	6.0	7.8	10.5	5.5	5.0	9.0	17.0	9.0	7.5	10.9	7.0	7.0	102.2	3	-82018
	15 LST	6.0	5.4	9.0	5.0	5.5	11.5	17.0	20.5	21.0	19.6	10.5	8.5	139.5	3	-82018

# CLEVELANDIA, BRAZIL

STA NO. 82018/ (IN ARFA NUMBER 01)

LATITUDE 0348N

LONGITUDE 05151W

ELEVATION(FT) 00030

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	90	88	90	89	91	90	91	93	93	96	96	92	96	3	737
MEAN MAX TMP (F)	85	83	86	84	85	86	88	90	91	92	91	87	87	3	737
MEAN MIN TMP (F)	70	70	70	71	71	70	69	69	68	66	67	69	69	7	1227
ABS MIN TMP (F)	64	64	66	66	67	64	64	64	57	62	59	64	57	7	1227
MEAN NO DYS TMP = OR GTR 90(F)	0.5	0.0	2.5	0.0	2.5	1.0	5.0	22.0	25.5	29.6	23.0	8.0	119.6	3	737
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1227
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1227
MEAN DEW PT TMP (F)	73	73	73	74	74	74	73	73	71	70	72	73	73	3	17670
MEAN RFL HUM (PCT)	92	93	90	92	92	92	89	84	83	81	84	85	88	3	17661
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	14.74	12.97	10.98	22.58	20.21	13.04	8.63	3.90	2.19	0.42	4.79	9.51	124.0	3	737
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	22.0	20.1	16.0	22.0	24.0	19.5	15.5	5.5	4.0	1.4	9.5	14.5	174.0	3	737
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	3.5	2.0	3.5	1.5	3.5	3.0	4.0	8.0	5.5	10.9	14.0	10.0	69.4	3	737
MEAN NO DYS TSTMS	1.5	1.0	1.5	2.0	3.5	0.5	3.5	2.5	2.0	1.8	3.0	3.5	26.3	3	737
P FREQ WND SPD = OR GTR 17 KTS	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	3	17672
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	17672
P FREQ LES 5000 FT A/O LES 5 MI	59.1	59.0	53.9	60.0	56.8	51.4	36.9	35.4	19.4	34.4	43.3	53.1	48.6	3	17666
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	10.8	11.7	15.1	8.3	12.9	14.5	13.5	10.8	13.9	10.3	19.0	17.7	13.7	3	2208
03-05 LST	21.5	12.3	21.5	8.4	24.7	21.1	20.4	37.1	19.4	36.0	48.3	33.9	27.1	3	2209
06-08 LST	17.2	12.9	13.4	12.2	16.7	10.6	14.0	18.4	11.1	16.7	23.3	20.4	15.6	3	2209
09-11 LST	13.4	20.6	23.7	11.7	11.8	5.6	1.1	0.0	0.0	1.5	2.8	5.4	6.1	3	2206
12-14 LST	19.9	32.7	22.6	21.7	7.0	5.0	2.7	1.1	1.1	0.0	5.0	10.2	10.8	3	2211
15-17 LST	12.4	25.1	16.1	21.7	14.0	3.3	1.1	1.1	0.0	0.0	6.1	4.3	8.8	3	2209
18-20 LST	7.0	11.7	7.5	13.3	6.5	0.6	1.1	1.1	0.0	0.0	0.0	2.7	4.3	3	2208
21-23 LST	3.2	7.0	11.4	7.2	7.0	5.0	4.8	1.6	2.2	0.0	5.6	4.3	4.9	3	2209
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	3.8	2.3	3.8	1.1	5.9	8.4	8.1	3.8	5.0	8.8	11.7	9.1	6.0	3	2208
03-05 LST	7.0	2.3	3.8	0.0	7.0	7.8	9.1	19.4	19.4	24.6	32.8	19.4	12.7	3	2209
06-08 LST	4.3	2.3	2.2	2.8	2.2	4.4	4.8	9.7	7.8	11.8	17.2	13.4	6.9	3	2209
09-11 LST	0.0	0.0	0.5	1.7	0.5	0.0	0.5	0.0	0.0	0.0	0.6	0.0	0.3	3	2206
12-14 LST	1.6	0.6	0.5	0.0	1.1	0.0	0.5	0.0	0.0	0.0	1.1	2.7	0.7	3	2211
15-17 LST	0.0	0.0	0.0	0.0	0.0	1.1	0.5	0.0	0.0	0.0	2.2	0.5	0.4	3	2209
18-20 LST	0.5	0.0	0.0	0.0	1.6	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.2	3	2208
21-23 LST	0.0	0.0	1.6	1.1	3.2	1.7	3.2	0.0	0.6	0.0	1.1	1.6	1.2	3	2209

# CLEVELANDIA, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST	31.0	27.5	31.0	29.5	30.5	29.5	31.0	31.0	30.0	31.0	29.0	30.0	361.0	3	738
	03 LST	25.0	25.5	28.0	29.5	26.5	23.5	27.5	23.5	20.5	24.1	17.5	21.5	292.6	3	737
	09 LST	30.0	26.0	31.0	29.0	29.0	28.5	31.0	31.0	30.0	30.5	29.0	29.5	354.5	3	737
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	15 LST	29.5	25.5	29.5	27.5	29.5	30.0	31.0	30.5	30.0	31.0	28.0	30.5	352.5	3	737
	21 LST	28.5	21.6	27.0	24.5	26.5	27.5	30.5	30.0	30.0	31.0	29.0	29.0	335.1	3	738
	03 LST	23.0	21.6	21.0	23.0	22.0	21.0	25.5	23.5	20.5	24.1	17.5	20.5	263.2	3	737
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST	23.0	18.2	17.5	17.0	20.5	23.5	29.5	29.0	22.0	26.9	23.0	24.0	274.1	3	737
	15 LST	17.0	15.2	19.5	12.0	19.5	24.0	28.5	22.0	21.5	27.3	19.0	20.5	246.0	3	737
	21 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1000
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	728
	09 LST	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	7	1224
	15 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	716
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST	0.4	0.0	0.3	0.7	1.3	0.3	0.0	0.3	0.0	0.0	0.0	0.0	3.3	5	999
	03 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	728
	09 LST	10.3	8.5	11.6	8.4	6.9	7.3	7.6	12.3	18.2	16.4	13.8	8.7	130.0	7	1215
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	15 LST	17.1	16.7	20.3	15.0	18.8	13.7	21.5	21.0	18.5	14.8	15.5	18.1	211.0	3	716
	21 LST														0	0
	03 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST	0.0	2.7				0.0	6.4	10.3	8.6	8.2	6.2	3.2		3	260
	15 LST														0	0
	21 LST	25.0	18.2	24.5	21.0	25.5	26.0	30.5	28.5	30.0	31.0	28.5	27.5	316.2	3	738
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	17.5	19.6	18.5	18.5	19.0	19.5	24.0	23.0	20.0	23.7	16.5	20.0	239.8	3	737
	09 LST	14.0	14.2	16.5	10.5	8.5	16.0	18.0	11.0	14.5	16.4	13.0	17.0	169.6	3	737
	15 LST	13.0	10.8	17.5	11.0	12.0	16.0	20.0	22.5	25.5	26.4	18.5	16.5	209.7	3	737
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	21.5	13.7	22.0	20.5	24.0	24.5	30.0	28.5	30.0	31.0	28.5	25.5	299.7	3	738
	03 LST	14.0	15.7	15.5	16.0	16.5	17.5	23.5	23.0	20.0	23.7	16.0	17.5	218.9	3	737
	09 LST	6.0	8.3	10.5	5.5	5.5	9.5	17.5	9.0	7.5	10.9	7.5	8.0	105.7	3	737
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	6.5	6.9	9.0	5.5	5.5	11.5	18.5	20.5	21.0	19.6	12.0	9.5	146.0	3	737
	21 LST	21.5	13.2	21.5	19.0	23.5	24.0	29.5	28.5	30.0	31.0	27.0	23.5	292.2	3	738
	03 LST	12.0	15.7	15.5	14.5	15.5	16.5	22.0	22.5	20.0	23.7	16.0	17.0	210.9	3	737
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	6.0	7.8	10.5	5.5	5.0	9.0	17.0	9.0	7.5	10.9	7.0	7.0	102.2	3	737
	15 LST	6.0	5.4	9.0	5.0	5.5	11.5	17.0	20.5	21.0	19.6	10.5	8.5	139.5	3	737

# AMAPA, BRAZIL

STA NO. 82029 (IN AREA NUMBER 01)

LATITUDE 0204N

LONGITUDE 05051W

ELEVATION(FT) 00033

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	84	83	84	85	86	87	87	89	91	91	91	87	87	0	-50
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DFW PT TMP (F)	74	74	74	75	74	74	73	73	72	72	73	73	73	0	-50
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	113	103	103	103	93	63	53	63	73	103	133	133	95	0	-50
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# AMAPA, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0

DATA NOT AVAILABLE

# JULIO CESAR, BRAZIL

STA NO. 82190/ (IN AREA NUMBER 01)

LATITUDE 0124S

LONGITUDE 04827W

ELEVATION(FT) 00049

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	95	94	95	95	94	94	95	95	96	98	97	97	98	16	-82191
MEAN MAX TMP (F)	87	86	87	87	86	88	88	88	89	89	90	89	88	16	-82191
MEAN MIN TMP (F)	72	72	73	73	73	72	71	71	71	71	71	72	72	16	-82191
ABS MIN TMP (F)	61	68	66	69	68	68	64	67	65	63	67	66	61	18	-82191
MEAN NO DYS TMP = OR GTR 90(F)	11.1	7.9	11.1	10.7	13.5	13.0	13.5	13.5	15.5	16.1	18.0	16.1	160.0	16	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN DFW PT TMP (F)	74	74	74	74	74	73	72	73	73	73	73	73	73	5	-82191
MEAN RFL HUM (PCT)	88	89	90	90	86	83	81	82	82	82	81	84	85	5	-82191
MEAN PRFSS ALT (FT)	132	121	121	113	105	78	64	78	91	113	146	143	109	0	-50
MEAN PRECIP (IN)	12.50	14.10	14.10	12.60	10.20	6.70	5.90	4.40	3.50	3.30	2.60	6.10	96.0	20	-82191
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	14.5	15.5		16.3	13.6	11.3	10.1	7.7	5.8	5.6	4.7	9.0		20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS W/OCUR VS BY LES 1/2 MI	2.0	0.7	2.7	3.8	2.0	0.2	0.0	0.0	0.5	0.6	1.0	1.0	14.5	5	-82191
MEAN NO DYS TSTMS	8.0	6.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.0	5.0	7.0	80.0	20	-82191
P FREQ WND SPD = OR GTR 17 KTS	1.9	1.7	1.5	1.3	0.8	0.8	0.5	0.9	1.8	2.8	3.9	2.3	1.7	5	-82191
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	5	-82191
P FREQ LES 5000 FT A/O LES 5 MI	39.3	40.4	44.2	45.5	29.8	27.5	26.5	30.2	35.5	33.2	29.1	31.4	34.4	5	-82191
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	3.8	2.7	6.8	2.5	3.6	1.4	0.3	0.0	0.3	0.0	0.0	1.1	1.9	5	-82191
03-05 LST	6.5	4.1	8.3	8.1	6.1	1.1	0.0	0.8	0.8	0.0	2.2	3.0	3.4	5	-82191
06-08 LST	6.7	6.2	13.7	16.1	9.0	0.8	0.8	0.8	0.3	0.0	0.8	5.1	5.0	5	-82191
09-11 LST	7.0	12.2	17.8	18.6	8.7	0.0	1.0	3.6	2.4	0.9	0.6	7.2	6.7	9	-82191
12-14 LST	8.9	19.2	20.4	21.1	11.8	1.1	1.4	1.3	2.2	0.9	2.2	4.8	7.9	5	-82191
15-17 LST	10.5	18.3	15.1	11.2	10.8	3.3	1.9	3.8	4.7	3.9	2.8	3.5	7.5	5	-82191
18-20 LST	7.0	8.6	9.4	7.5	6.1	3.6	2.2	1.6	2.2	0.2	1.1	1.1	4.2	5	-82191
21-23 LST	4.6	2.4	4.1	4.3	1.4	1.4	1.1	1.1	0.8	0.0	0.0	0.3	1.8	5	-82191
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.3	0.6	1.1	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	5	-82191
03-05 LST	1.1	0.3	2.4	2.8	1.1	0.3	0.0	0.3	0.0	0.0	0.3	0.0	0.7	5	-82191
06-08 LST	1.9	1.5	1.9	3.9	1.1	0.3	0.0	0.3	0.0	0.0	0.3	1.1	1.0	5	-82191
09-11 LST	0.3	0.9	0.0	0.6	0.3	0.0	0.0	0.3	0.5	0.2	0.3	0.3	0.3	9	-82191
12-14 LST	1.9	2.1	1.9	2.5	1.1	0.3	0.3	0.3	0.3	0.2	0.6	0.5	1.0	5	-82191
15-17 LST	1.1	0.9	2.4	2.0	2.2	0.3	0.3	0.5	0.8	1.1	0.6	1.1	1.1	5	-82191
18-20 LST	0.5	0.3	0.3	0.0	0.4	0.6	0.3	0.0	0.0	0.0	0.0	0.0	0.2	5	-82191
21-23 LST	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.1	5	-82191

# JULIO CESAR, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PUR	NO.
															YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST	30.7	28.0	30.2	29.7	30.7	29.7	30.7	31.0	29.7	31.0	30.0	31.0	362.4	5	-82191
	03 LST	30.2	27.2	29.2	29.0	30.0	29.7	31.0	31.0	30.0	31.0	29.7	31.0	359.0	5	-82191
	09 LST	30.2	26.7	29.0	28.7	30.0	30.0	31.0	30.7	30.0	31.0	29.7	29.7	356.7	5	-82191
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST	27.2	25.3	27.7	26.7	28.3	27.8	25.7	25.7	25.2	25.1	24.8	29.0	318.5	5	-82191
	03 LST	29.0	26.5	27.2	28.2	29.6	29.0	30.0	30.5	29.0	30.6	29.5	30.0	349.1	5	-82191
	09 LST	17.7	16.1	18.7	19.0	18.7	20.7	22.0	17.0	8.5	9.2	9.5	14.2	191.3	5	-82191
SFC WND = GTR 17 KTS AND NO PRFCIP.	21 LST	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.4	7	-82191
	03 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-82191
	09 LST	0.3	0.0	0.0	0.0	0.2	0.0	0.1	0.3	0.9	1.0	2.0	1.0	5.8	8	-82191
SFC WND 4-10 KTS AND YMP 33-89 DEG F AND NO PRECIP.	21 LST	14.9	12.6	11.4	10.8	11.1	16.8	17.4	20.2	21.5	21.8	22.7	18.3	199.5	7	-82191
	03 LST	5.5	6.4	7.3	5.5	3.3	8.3	14.0	16.5	11.5	8.0	7.2	6.7	100.2	5	-82191
	09 LST	19.6	18.7	22.4	22.5	23.1	25.4	25.5	24.9	20.5	19.8	19.7	22.7	264.8	8	-82191
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST	0.0	0.0	1.0	0.0		2.0	2.0	3.0	5.0	10.3				1	-82191
	03 LST	4.0	2.0	2.0	1.0		16.0	15.0	23.0	25.0	21.7				1	-82191
	09 LST	0.0	1.5	1.0	0.0		13.0	15.0	9.6	2.6	0.5	1.0	1.1		3	-82191
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST	26.7	24.5	26.5	23.5	27.7	27.5	25.7	26.5	26.5	30.8	29.3	29.5	324.7	5	-82191
	03 LST	27.5	25.0	25.7	27.2	29.6	29.0	30.0	31.0	30.0	31.0	29.7	30.0	345.7	5	-82191
	09 LST	21.2	16.8	14.7	16.2	23.0	27.2	28.7	27.2	21.0	20.7	23.5	22.5	262.7	5	-82191
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	23.3	22.3	23.3	19.2	24.6	22.0	22.0	22.0	24.0	28.0	27.2	25.7	283.6	5	-82191
	03 LST	25.2	24.0	24.2	26.0	29.3	27.0	29.7	30.2	29.3	30.6	29.3	28.5	333.3	5	-82191
	09 LST	14.5	12.6	12.0	13.2	19.3	25.0	27.2	24.0	12.4	11.7	12.0	12.5	196.8	5	-82191
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	21.5	18.3	20.0	16.7	24.0	20.7	20.0	20.2	23.5	27.2	25.7	23.3	261.1	5	-82191
	03 LST	24.2	21.5	21.5	24.8	29.0	26.0	28.7	29.2	29.3	29.6	28.7	26.7	319.2	5	-82191
	09 LST	12.0	11.9	10.7	11.7	17.6	23.7	26.2	22.7	12.0	11.3	11.0	11.7	182.5	5	-82191
	15 LST	8.5	7.4	8.5	8.7	15.7	13.7	17.2	13.2	10.7	9.1	13.0	14.2	139.9	5	-82191

# BELEM, BRAZIL

STA NO. 82191 (IN AREA NUMBFR 01)

LATITUDE 0128S

LONGITUDE 04827W

ELEVATION(FT) 00033

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	95	94	95	95	94	94	95	95	96	98	97	97	98	18	-528
MEAN MAX TMP (F)	87	86	87	87	86	88	88	88	89	89	90	89	88	16	-28
MEAN MIN TMP (F)	72	72	73	73	73	72	71	71	71	71	71	72	72	16	-28
ABS MIN TMP (F)	61	68	66	69	68	68	64	67	65	63	67	66	61	18	-528
MEAN NO DYS TMP = OR GTR 90(F)	9.0	4.5	5.4	7.4	13.6	16.3	15.9	18.8	15.5	19.2	19.9	17.5	163.0	8	2156
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN DEW PT TMP (F)	74	74	74	74	74	73	72	73	73	73	73	73	73	5	34907
MEAN REL HUM (PCT)	88	89	90	90	86	83	81	82	82	82	81	84	85	5	34900
MEAN PRESS ALT (FT)	102	108	103	92	80	58	34	58	67	102	142	133	90	5	34200
MEAN PRECIP (IN)	12.50	14.10	14.10	12.60	10.20	6.70	5.90	4.40	3.50	3.30	2.60	6.10	96.0	20	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	14.5	15.5		16.3	13.6	11.3	10.1	7.7	5.8	5.6	4.7	9.0		20	-29
MEAN NO DYS SNFL = OR CLR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	2.0	0.7	2.7	3.8	2.0	0.2	0.0	0.0	0.5	0.6	1.0	1.0	14.5	5	1460
MEAN NO DYS TSTMS	8.0	6.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.0	5.0	7.0	80.0	20	-24
P FREQ WND SPD = OR GTR 17 KTS	1.9	1.7	1.5	1.3	0.8	0.8	0.5	0.9	1.8	2.8	3.9	2.3	1.7	5	34760
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	5	34760
P FREQ LES 5000 FT A/O LES 5 MI	39.3	40.4	44.2	45.5	29.6	27.5	26.5	30.2	35.5	33.2	29.1	31.4	34.4	5	34915
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	3.8	2.7	6.8	2.5	3.6	1.4	0.3	0.0	0.3	0.0	0.0	1.1	1.9	5	4359
03-05 LST	6.5	4.1	8.3	8.1	6.1	1.1	0.0	0.8	0.8	0.0	2.2	3.0	3.4	5	4373
06-08 LST	6.7	6.2	13.7	16.1	9.0	0.8	0.8	0.8	0.3	0.0	0.8	5.1	5.0	5	4375
09-11 LST	7.0	12.2	17.8	18.6	8.7	0.0	1.0	3.6	2.4	0.9	0.6	7.2	6.7	9	4476
12-14 LST	8.9	19.2	20.4	21.1	11.8	1.1	1.4	1.3	2.2	0.9	2.2	4.8	7.9	5	4371
15-17 LST	10.5	18.3	15.1	11.2	10.8	3.3	1.9	3.8	4.7	3.9	2.8	3.5	7.5	5	4374
18-20 LST	7.0	8.6	9.4	7.5	6.1	3.6	2.2	1.6	2.2	0.2	1.1	1.1	4.2	5	4366
21-23 LST	4.6	2.4	4.1	4.3	1.4	1.4	1.1	1.1	0.8	0.0	0.0	0.3	1.8	5	4325
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.3	0.6	1.1	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	5	4359
03-05 LST	1.1	0.3	2.4	2.8	1.1	0.3	0.0	0.3	0.0	0.0	0.3	0.0	0.7	5	4373
06-08 LST	1.9	1.5	1.9	3.9	1.1	0.3	0.0	0.3	0.0	0.0	0.3	1.1	1.0	5	4375
09-11 LST	0.3	0.9	0.0	0.6	0.3	0.0	0.0	0.3	0.5	0.2	0.3	0.3	0.3	9	4476
12-14 LST	1.9	2.1	1.9	2.5	1.1	0.3	0.3	0.3	0.3	0.2	0.6	0.5	1.0	5	4371
15-17 LST	1.1	0.9	2.4	2.0	.2	0.3	0.3	0.5	0.8	1.1	0.6	1.1	1.1	5	4374
18-20 LST	0.5	0.3	0.3	0.0	0.4	0.6	0.3	0.0	0.0	0.0	0.0	0.0	0.2	5	4366
21-23 LST	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.1	5	4325

# BELEM, BRAZIL

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST	30.7	28.0	30.2	29.7	30.7	29.7	30.7	31.0	29.7	31.0	30.0	31.0	362.4	5	1460
	03 LST	30.2	27.2	29.2	29.0	30.0	29.7	31.0	31.0	30.0	31.0	29.7	31.0	359.0	5	1460
	09 LST	30.2	26.7	29.0	28.7	30.0	30.0	31.0	30.7	30.0	31.0	29.7	29.7	356.7	5	1460
	15 LST	29.5	26.0	28.7	28.5	30.3	29.5	30.7	31.0	29.5	30.2	29.5	30.2	353.6	5	1460
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST	27.2	25.3	27.7	26.7	28.3	27.8	25.7	25.7	25.2	25.1	24.8	29.0	318.5	5	1460
	03 LST	29.0	26.5	27.2	28.2	29.6	29.0	30.0	30.5	29.0	30.6	29.5	30.0	349.1	5	1457
	09 LST	17.7	16.1	18.7	19.0	18.7	20.7	22.0	17.0	8.5	9.2	9.5	14.2	191.3	5	1460
	15 LST	13.7	9.7	15.0	12.8	17.3	18.0	24.5	15.5	11.7	5.6	7.2	10.7	161.7	5	1460
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.4	7	1871
	03 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1435
	09 LST	0.3	0.0	0.0	0.0	0.2	0.0	0.1	0.3	0.9	1.0	2.0	1.0	5.8	8	2166
	15 LST	3.0	1.8	1.8	1.3	1.0	1.2	0.5	0.7	1.7	4.2	4.7	3.0	24.9	5	1437
SFC WND 4-10 KTS AND TMP 33-89 DFG F AND NO PRECIP.	21 LST	14.9	12.6	11.4	10.8	11.1	16.8	17.4	20.2	21.5	21.8	22.7	18.3	199.5	7	1966
	03 LST	5.5	6.4	7.3	5.5	3.3	8.3	14.0	16.5	11.5	8.0	7.2	6.7	100.2	5	1435
	09 LST	19.6	18.7	22.4	22.5	23.1	25.4	25.5	24.9	20.5	19.8	19.7	22.7	264.8	8	2162
	15 LST	17.0	15.4	19.6	18.4	21.0	16.5	22.2	16.2	13.4	8.9	8.5	11.2	188.3	5	1437
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST	0.0	0.0	1.0	0.0		2.0	2.0	3.0	5.0	10.3				1	272
	03 LST	4.0	2.0	2.0	1.0		16.0	15.0	23.0	25.0	21.7				1	272
	09 LST	0.0	1.5	1.0	0.0		13.0	15.0	9.6	2.6	0.5	1.0	1.1		3	900
	15 LST	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0				1	272
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST	26.7	24.5	26.5	23.5	27.7	27.5	25.7	26.5	26.5	30.8	29.3	29.5	324.7	5	1460
	03 LST	27.5	25.0	25.7	27.2	29.6	29.0	30.0	31.0	30.0	31.0	29.7	30.0	345.7	5	1460
	09 LST	21.2	16.3	14.7	16.2	23.0	27.2	28.7	27.2	21.0	20.7	23.5	22.5	262.7	5	1460
	15 LST	17.7	14.4	17.7	14.5	21.0	21.0	22.5	21.0	19.0	20.3	26.0	25.0	240.1	5	1460
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	23.3	22.3	23.3	19.2	24.6	22.0	22.0	22.0	24.0	28.0	27.2	25.7	283.6	5	1460
	03 LST	25.2	24.0	24.2	26.0	29.3	27.0	29.7	30.2	29.3	30.6	29.3	28.5	333.3	5	1460
	09 LST	14.5	12.6	12.0	13.2	19.3	25.0	27.2	24.0	12.8	11.7	12.0	12.5	196.8	5	1460
	15 LST	10.7	8.9	10.7	10.5	16.3	15.0	18.0	13.7	11.7	10.7	15.5	16.5	158.2	5	1460
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	21.5	18.3	20.0	16.7	24.0	20.7	20.0	20.2	23.5	27.2	25.7	23.3	261.1	5	1460
	03 LST	24.2	21.5	21.5	24.8	29.0	26.0	28.7	29.2	29.3	29.6	28.7	26.7	319.2	5	1460
	09 LST	12.0	11.9	10.7	11.7	17.6	23.7	26.2	22.7	12.0	11.3	11.0	11.7	182.5	5	1460
	15 LST	8.5	7.4	8.5	8.7	15.7	13.7	17.2	13.2	10.7	9.1	13.0	14.2	139.9	5	1460

# VAL DE CAS, BRAZIL

STA NO. 82193 (IN AREA NUMBER 01)

LATITUDE 0122S

LONGITUDE 04828W

ELEVATION(FT) 00042

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	95	94	95	95	94	94	95	95	96	98	97	97	98	18	-82191
MEAN MAX TMP (F)	87	86	87	87	86	88	88	88	89	89	90	89	88	16	-82191
MEAN MIN TMP (F)	72	72	73	73	73	72	71	71	71	71	71	72	72	16	-82191
ABS MIN TMP (F)	61	68	66	69	68	68	64	67	65	63	67	66	61	18	-82191
MEAN NO DYS TMP = OR GTR 90(F)	11.1	7.9	11.1	10.7	13.5	13.0	13.5	13.5	15.5	16.1	18.0	16.1	160.0	16	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN DEW PT TMP (F)	74	74	74	74	74	73	72	73	73	73	73	73	73	5	-82191
MEAN REL HUM (PCT)	88	89	90	90	86	83	81	82	82	82	81	84	85	5	-82191
MEAN PRESS ALT (FT)	125	114	114	106	98	71	57	71	84	106	139	136	102	0	-50
MEAN PRECIP (IN)	12.50	14.10	14.10	12.60	10.20	6.70	5.90	4.40	3.50	3.30	2.60	6.10	96.0	20	-82191
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	14.5	15.5		16.3	13.6	11.3	10.1	7.7	5.8	5.6	4.7	9.0		20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.0	0.7	2.7	3.8	2.0	0.2	0.0	0.0	0.5	0.6	1.0	1.0	14.5	5	-82191
MEAN NO DYS TSTMS	8.0	6.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.0	5.0	7.0	80.0	20	-82191
P FREQ WND SPD = OR GTR 17 KTS	1.9	1.7	1.5	1.3	0.8	0.8	0.5	0.9	1.8	7.8	3.9	2.3	1.7	5	-82191
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	5	-82191
P FREQ LES 5000 FT A/O LES 5 MI	39.3	40.4	44.2	45.5	29.8	27.5	26.5	30.2	35.5	33.2	29.1	31.4	34.4	5	-82191
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	3.8	2.7	6.8	2.5	3.6	1.4	0.3	0.0	0.3	0.0	0.0	1.1	1.9	5	-82191
03-05 LST	6.5	4.1	8.3	8.1	6.1	1.1	0.0	0.8	0.8	0.0	2.2	3.0	3.4	5	-82191
06-08 LST	6.7	5.2	13.7	16.1	9.0	0.8	0.8	0.8	0.3	0.0	0.8	5.1	5.0	5	-82191
09-11 LST	7.0	12.2	17.8	18.6	8.7	0.0	1.0	3.6	2.4	0.9	0.6	7.2	6.7	9	-82191
12-14 LST	8.9	19.2	20.4	21.1	11.8	1.1	1.4	1.3	2.2	0.9	2.2	4.8	7.9	5	-82191
15-17 LST	10.5	18.3	15.1	11.2	10.8	3.3	1.9	3.8	4.7	3.9	2.8	3.5	7.5	5	-82191
18-20 LST	7.0	8.6	9.4	7.5	6.1	3.6	2.2	1.6	2.2	0.2	1.1	1.1	4.2	5	-82191
21-23 LST	4.6	2.4	4.1	4.3	1.4	1.4	1.1	1.1	0.8	0.0	0.0	0.3	1.8	5	-82191
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.3	0.6	1.1	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	5	-82191
03-05 LST	1.1	0.3	2.4	2.8	1.1	0.3	0.0	0.3	0.0	0.0	0.3	0.0	0.7	5	-82191
06-08 LST	1.9	1.5	1.9	3.9	1.1	0.3	0.0	0.3	0.0	0.0	0.3	1.1	1.0	5	-82191
09-11 LST	0.3	0.9	0.0	0.6	0.3	0.0	0.6	0.3	0.5	0.2	0.3	0.3	0.3	9	-82191
12-14 LST	1.9	2.1	1.9	2.5	1.1	0.3	0.3	0.3	0.3	0.2	0.6	0.5	1.0	5	-82191
15-17 LST	1.1	0.9	2.4	2.0	2.7	0.3	0.3	0.5	0.8	1.1	0.6	1.1	1.1	5	-82191
18-20 LST	0.5	0.3	0.3	0.0	0.4	0.6	0.3	0.0	0.0	0.0	0.0	0.0	0.2	5	-82191
21-23 LST	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.1	5	-82191

# VAL DE CAS, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST	30.7	28.0	30.2	29.7	30.7	29.7	30.7	31.0	29.7	31.0	30.0	31.0	362.4	5	-82191
	03 LST	30.2	27.2	29.2	29.0	30.0	29.7	31.0	31.0	30.0	31.0	29.7	31.0	359.0	5	-82191
	09 LST	30.2	26.7	29.0	28.7	30.0	30.0	31.0	30.7	30.0	31.0	29.7	29.7	356.7	5	-82191
	15 LST	29.5	26.0	28.7	28.5	30.3	29.5	30.7	31.0	29.5	30.2	29.5	30.2	353.6	5	-82191
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LFS 10 KTS	21 LST	27.2	25.3	27.7	26.7	28.3	27.8	25.7	25.7	25.2	25.1	24.8	29.0	318.5	5	-82191
	03 LST	29.0	26.5	27.2	28.2	29.6	29.0	30.0	30.5	29.0	30.6	29.5	30.0	349.1	5	-82191
	09 LST	17.7	16.1	18.7	19.0	18.7	20.7	22.0	17.0	8.5	9.2	9.5	14.2	191.3	5	-82191
	15 LST	13.7	9.7	15.0	12.8	17.3	18.0	24.5	15.5	11.7	5.6	7.2	10.7	161.7	5	-82191
SFC WND = GTR 17 KTS AND NO PRFCIP.	21 LST	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.4	7	-82191
	03 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-82191
	09 LST	0.3	0.0	0.0	0.0	0.2	0.0	0.1	0.3	0.9	1.0	2.0	1.0	5.8	8	-82191
	15 LST	3.0	1.8	1.8	1.3	1.0	1.2	0.5	0.7	1.7	4.2	4.7	3.0	24.9	5	-82191
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	14.9	12.6	11.4	10.8	11.1	16.8	17.4	20.2	21.5	21.8	22.7	18.3	199.5	7	-82191
	03 LST	5.5	6.4	7.3	5.5	3.3	8.3	14.0	16.5	11.5	8.0	7.2	6.7	100.2	5	-82191
	09 LST	19.6	18.7	22.4	22.5	23.1	25.4	25.5	24.9	20.5	19.8	19.7	22.7	264.8	8	-82191
	15 LST	17.0	15.4	19.6	18.4	21.0	16.5	22.2	16.2	13.4	8.9	8.5	11.2	188.3	5	-82191
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST	0.0	0.0	1.0	0.0		2.0	2.0	3.0	5.0	10.3				1	-82191
	03 LST	4.0	2.0	2.0	1.0		16.0	15.0	23.0	25.0	21.7				1	-82191
	09 LST	0.0	1.5	1.0	0.0		13.0	15.0	9.6	2.6	0.5	1.0	1.1		3	-82191
	15 LST	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0				1	-82191
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST	26.7	24.5	26.5	23.5	27.7	27.5	25.7	26.5	26.5	30.8	29.3	29.5	324.7	5	-82191
	03 LST	27.5	25.0	25.7	27.2	29.6	29.0	30.0	31.0	30.0	31.0	29.7	30.0	345.7	5	-82191
	09 LST	21.2	16.8	14.7	16.2	23.0	27.2	28.7	27.2	21.0	20.7	23.5	22.5	262.7	5	-82191
	15 LST	17.7	14.4	17.7	14.5	21.0	21.0	22.5	21.0	19.0	20.3	26.0	25.0	240.1	5	-82191
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	23.3	22.3	23.3	19.2	24.6	22.0	22.0	22.0	24.0	28.0	27.2	25.7	283.6	5	-82191
	03 LST	25.2	24.0	24.2	26.0	29.3	27.0	29.7	30.2	29.3	30.6	29.3	28.5	333.3	5	-82191
	09 LST	14.5	12.6	12.0	13.2	19.3	25.0	27.2	24.0	12.8	11.7	12.0	12.5	196.8	5	-82191
	15 LST	10.7	8.9	10.7	10.5	16.3	15.0	18.0	13.7	11.7	10.7	15.5	16.5	158.2	5	-82191
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	21.5	18.3	20.0	16.7	24.0	20.7	20.0	20.2	23.5	27.2	25.7	23.3	261.1	5	-82191
	03 LST	24.2	21.5	21.5	24.8	29.0	26.0	28.7	29.2	29.3	29.6	28.7	26.7	319.2	5	-82191
	09 LST	12.0	11.9	10.7	11.7	17.6	23.7	26.2	22.7	12.0	11.3	11.0	11.7	182.5	5	-82191
	15 LST	8.5	7.4	8.5	8.7	15.7	13.7	17.2	13.2	10.7	9.1	13.0	14.2	139.9	5	-82191

# SANTAREM, BRAZIL

STA NO. 82243 (IN AREA NUMBER 011)

LATITUDE 02255

LONGITUDE 05442W

ELEVATION(FT) 00240

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	96	92	90	91	94	94	95	96	99	97	97	96	99	19	-528
MEAN MAX TMP (F)	86	85	85	85	85	86	87	89	91	91	91	89	88	22	-28
MEAN MIN TMP (F)	73	73	73	73	73	72	71	72	73	73	73	73	73	22	-28
ABS MIN TMP (F)	68	68	69	69	69	67	65	66	68	69	69	68	65	22	-528
MEAN NO DYS TMP = OR GTR 90 (F)	8.8	6.0	6.7	6.4	6.7	8.5	11.1	16.1	20.3	21.0	20.3	16.1	148.0	22	-29
MEAN NO DYS TMP = OR LES 32 (F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN NO DYS TMP = OR LES 0 (F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN DEW PT TMP (F)	74	75	75	76	76	75	73	73	74	73	73	74	74	18	-29
MEAN REL HUM (PCT)	85	88	88	89	90	87	84	80	78	76	76	80	83	11	-28
MEAN PRFSS ALT (FT)	304	311	301	296	280	260	247	274	285	307	334	329	293	0	-50
MEAN PRFCIP (IN)	6.80	10.90	13.20	12.90	11.30	6.90	4.10	1.70	1.50	1.90	2.30	4.10	77.6	22	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.7	13.4	17.0	16.7	14.9	11.6	7.2	3.1	3.1	3.7	4.3	6.6	111.3	22	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	7.0	8.0	11.0	11.0	12.0	11.0	8.0	7.0	6.0	6.0	6.0	7.0	100.0	29	-74
P FRFQ WND SPD = OR GTR 17 KTS														0	0
P FRFQ WND SPD = OR GTR 28 KTS														0	0
P FRFQ LES 5000 FT A/O LES 5 MI														0	0
P FRFQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	5.6	11.1	0.0	0.0	0.0	1.8	0.0	0.0	3.5	1.8	4	486
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FRFQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	486
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# SANTAREM, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	31.0	27.2	31.0	28.3	29.8	30.0	31.0	31.0	28.9	30.5	30.0	31.0	359.7	4	486
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	31.0	27.2	31.0	28.3	27.5	30.0	31.0	30.5	28.9	30.4	30.0	29.4	355.2	4	482
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	4	1078
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	7.8	6.0	2.7	3.1	2.2	0.5	2.8	13.4	12.1	14.2	8.8	14.0	87.6	4	1065
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	3.3	1.2	1.1	1.1	2.4	8.9	10.0	16.0	12.0	8.6	7.8	9.1	81.5	4	1081
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	31.0	27.2	31.0	28.3	27.5	30.0	31.0	31.0	28.9	30.5	30.0	29.9	356.3	4	486
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	31.0	27.2	31.0	28.3	27.5	30.0	31.0	31.0	28.9	30.5	30.0	29.9	356.3	4	486
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	31.0	27.2	31.0	28.3	27.5	30.0	31.0	31.0	28.9	30.5	30.0	29.9	356.3	4	486
	14 LST														0	0

# SAO LUIZ, BRAZIL

STA NO. 82280 (IN AREA NUMBFR 01)

LATITUDE 02355

LONGITUDE 04414W

ELEVATION(FT) 00174

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	93	93	99	91	93	91	92	94	95	100	97	94	100	19	2280
MEAN MAX TMP (F)	87	86	86	87	88	88	87	88	88	88	88	88	87	19	2280
MEAN MIN TMP (F)	74	74	74	74	74	74	73	73	74	74	75	75	74	19	3491
ABS MIN TMP (F)	67	68	68	68	68	70	68	59	66	69	68	68	59	19	3491
MEAN NO DYS TMP = OR GTR 90(F)	4.2	2.1	2.2	4.4	7.9	5.4	5.3	8.5	11.7	8.6	9.4	10.3	80.0	19	2280
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	3491
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	3491
MEAN DEW PT TMP (F)	73	74	74	74	74	74	73	72	71	71	72	72	73	4	25655
MEAN RFL HUM (PCT)	81	83	83	85	83	81	82	80	78	77	76	78	81	11	-28
MEAN PRESS ALT (FT)	233	240	233	230	272	184	156	179	186	228	265	263	222	4	26428
MEAN PRCP (IN)	7.70	12.00	17.70	16.00	11.60	6.50	5.10	1.30	0.40	0.40	0.90	2.60	82.2	19	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.6	14.2			15.2	11.0	8.8	2.5	1.3	1.3	2.2	4.6		19	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	0.0	0.6	0.7	0.9	0.7	0.3	0.0	0.0	0.0	0.0	0.0	0.3	3.5	4	1071
MEAN NO DYS TSTMS	3.0	3.0	4.0	6.0	5.0	4.0	3.0	1.0	1.0	0.0	1.0	1.0	32.0	31	-24
P FREQ WND SPD = OR GTR 17 KTS	1.3	1.6	0.3	0.0	0.5	0.6	0.6	1.9	3.9	6.3	5.0	4.9	2.2	4	25658
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	25658
P FREQ LES 5000 FT A/O LES 5 MI	36.2	36.4	35.8	39.3	34.7	31.1	24.0	25.6	28.7	33.5	30.0	30.7	32.2	4	25658
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	4.3	7.1	2.9	4.5	1.1	1.1	1.1	0.4	0.4	0.0	0.0	1.4	2.0	4	3212
03-05 LST	3.9	8.6	5.4	6.9	2.5	2.6	1.5	1.4	1.5	1.1	0.4	2.5	3.2	4	3211
06-08 LST	5.4	7.1	5.0	4.4	3.6	0.8	2.4	1.1	1.5	0.0	0.7	3.9	3.0	4	3554
09-11 LST	6.0	8.5	6.4	6.3	3.3	1.4	2.1	0.4	1.0	1.8	1.1	2.4	3.4	8	4678
12-14 LST	3.2	8.6	7.5	5.2	2.5	4.4	3.0	0.0	0.4	0.0	0.4	1.4	2.6	4	3557
15-17 LST	3.2	4.3	3.6	3.7	6.1	3.1	2.7	0.0	0.0	0.0	0.0	0.7	2.3	4	3553
18-20 LST	1.8	3.1	0.4	4.5	3.2	1.1	0.4	0.7	0.0	0.0	0.4	0.4	1.3	4	3208
21-23 LST	3.9	4.7	2.9	2.5	2.5	0.0	0.4	0.7	0.7	0.0	0.4	1.1	1.7	4	3198
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	1.1	0.0	0.0	1.0	0.4	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.2	4	3212
03-05 LST	0.0	1.2	0.4	0.5	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4	3211
06-08 LST	0.0	0.4	0.0	0.4	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.4	0.1	4	3554
09-11 LST	0.0	0.3	0.0	0.6	0.3	0.0	0.0	0.0	0.0	0.5	0.3	0.0	0.2	8	4678
12-14 LST	0.4	1.2	0.0	0.4	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4	3557
15-17 LST	0.0	0.4	0.0	0.4	0.0	0.6	0.5	0.0	0.0	0.0	0.0	0.0	0.2	4	3553
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	4	3208
21-23 LST	0.4	0.4	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	3198

# SAO LUIZ, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST	30.7	27.7	31.0	30.0	30.3	30.0	31.0	31.0	30.0	31.0	30.0	30.3	363.0	4	1072
	03 LST	30.7	26.3	30.7	29.1	30.3	30.0	30.7	31.0	30.0	31.0	30.0	30.7	360.5	4	1076
	09 LST	30.0	26.8	29.6	29.3	30.7	29.6	30.8	30.8	29.7	30.4	29.6	30.3	357.6	8	2309
	15 LST	30.3	27.7	30.7	30.0	29.0	30.0	30.5	31.0	30.0	31.0	30.0	31.0	361.2	4	1186
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST	29.3	24.4	29.3	27.3	29.0	28.7	30.7	30.0	28.0	29.3	27.0	29.0	342.0	4	1072
	03 LST	28.0	24.0	28.0	25.4	29.0	28.3	29.3	29.3	24.3	26.7	26.6	29.0	327.9	4	1076
	09 LST	18.4	19.0	21.8	21.0	23.2	17.7	14.0	12.5	8.7	7.5	10.9	14.9	189.6	8	2306
	15 LST	11.7	12.8	14.0	19.7	22.3	19.5	20.6	10.6	6.7	5.3	3.7	7.7	154.6	4	1186
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	6	1987
	03 LST	0.0	0.0	0.0	0.0	0.3	0.0	0.7	0.0	0.0	0.3	0.0	0.0	1.3	4	1054
	09 LST	1.4	1.8	2.7	2.5	3.4	3.0	3.6	4.1	4.1	4.8	4.4	3.4	39.2	19	3605
	15 LST	0.7	1.7	0.3	0.0	1.0	0.2	0.2	1.2	1.7	5.3	4.0	4.0	20.3	4	1180
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	13.6	11.0	8.6	4.5	7.1	6.6	9.4	14.5	18.1	19.7	17.4	16.6	147.1	6	1583
	03 LST	8.2	7.7	5.6	4.1	9.3	10.1	15.2	19.0	23.0	16.0	12.3	11.2	141.7	4	1054
	09 LST	18.4	12.7	12.4	12.2	14.1	16.2	16.6	18.3	15.8	14.7	14.9	17.8	184.1	19	3577
	15 LST	15.3	17.8	15.3	19.5	21.5	18.8	21.7	13.1	13.0	9.6	8.6	11.8	186.0	4	1180
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST	0.0	0.0	0.0	0.0					0.0					1	97
	03 LST	0.0	0.0	1.0	0.0										1	101
	09 LST	0.2	0.0	0.2	0.0	2.0	3.0	0.0	1.4	0.7	0.2	0.2	0.2	8.1	10	1737
	15 LST	0.0	0.0	0.0	0.0		0.0	0.0	0.0						1	211
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST	29.0	23.4	28.0	25.9	25.6	28.0	29.3	30.7	29.3	30.7	29.0	30.0	338.9	4	1072
	03 LST	24.3	22.7	24.6	23.6	27.0	27.7	30.0	30.7	25.3	29.0	28.0	28.3	321.2	4	1076
	09 LST	19.2	16.9	17.8	19.7	23.7	20.6	20.2	19.7	18.9	19.1	17.3	18.0	231.1	8	2309
	15 LST	23.7	15.1	20.6	19.3	20.6	13.7	18.1	25.5	29.3	30.3	29.6	28.0	273.8	4	1186
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	27.3	22.7	27.0	24.1	22.0	25.7	28.6	30.7	28.7	29.6	28.0	28.3	322.7	4	1072
	03 LST	22.3	22.1	23.3	21.5	26.0	26.3	30.0	30.7	24.3	25.6	26.3	23.3	301.7	4	1076
	09 LST	12.7	12.2	12.5	16.9	20.1	18.0	17.2	14.1	13.4	10.6	8.0	8.9	164.8	8	2309
	15 LST	17.0	12.2	17.0	16.7	16.3	10.2	14.8	21.9	27.3	26.3	24.7	25.0	228.7	4	1186
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	25.3	20.4	27.0	22.7	21.0	25.3	28.3	30.7	28.7	29.6	27.7	26.7	313.4	4	1072
	03 LST	21.3	20.1	22.0	20.3	25.0	25.7	30.0	30.7	24.0	25.6	25.7	21.3	291.7	4	1076
	09 LST	12.4	11.3	12.2	16.2	19.7	18.0	17.1	14.1	13.3	10.4	8.0	8.7	161.4	8	2309
	15 LST	15.0	10.9	14.7	16.0	14.7	10.0	13.3	21.4	27.0	26.0	24.0	24.0	217.0	4	1186

# TIRIRICAL, BRAZIL

STA NO. 82282/ (IN AREA NUMBR 01)

LATITUDE 02385

LONGITUDE 04416W

ELEVATION(FT) 00174

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	93	93	99	91	93	91	92	94	95	100	97	94	100	15	-82280
MEAN MAX TMP (F)	87	86	86	87	88	88	87	88	88	88	88	88	87	15	-82280
MEAN MIN TMP (F)	74	74	74	74	74	74	73	73	74	74	75	75	74	19	-82280
ABS MIN TMP (F)	67	68	68	68	68	70	68	59	68	69	68	68	59	19	-82280
MEAN NO DYS TMP = OR GTR 90(F)	4.2	2.1	2.2	4.4	7.9	5.4	5.3	8.5	11.7	8.6	9.4	10.3	80.0	15	-82280
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN DFW PT TMP (F)	73	74	74	74	74	74	73	72	71	71	72	72	73	4	-82280
MEAN RFL HUM (PCT)	81	83	83	85	83	81	82	80	78	77	76	78	81	11	-82280
MEAN PRESS ALT (FT)	250	250	250	250	250	200	200	200	200	250	300	300	242	0	-50
MEAN PRFCIP (IN)	7.70	12.00	17.70	16.00	11.60	6.50	5.10	1.30	0.40	0.40	0.90	2.60	82.2	19	-82280
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.6	14.2			15.2	11.0	8.8	2.5	1.3	1.3	2.2	4.6		19	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.6	0.7	0.9	0.7	0.3	0.0	0.0	0.0	0.0	0.0	0.3	3.5	4	-82280
MEAN NO DYS TSTMS	3.0	3.0	4.0	6.0	5.0	4.0	3.0	1.0	1.0	0.0	1.0	1.0	32.0	31	-82280
P FREQ WND SPD = OR GTR 17 KTS	1.3	1.6	0.3	0.0	0.5	0.6	0.6	1.9	3.9	6.3	5.0	4.9	2.2	4	-82280
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-82280
P FREQ LES 5000 FT A/O LES 5 MI	36.2	36.4	35.8	39.3	34.7	31.1	24.0	25.6	28.7	33.5	30.0	30.7	32.2	4	-82280
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	4.3	7.1	2.9	4.5	1.1	1.1	1.1	0.4	0.4	0.0	0.0	1.4	2.0	4	-82280
03-05 LST	3.9	8.6	5.4	6.9	2.5	2.6	1.5	1.4	1.5	1.1	0.4	2.5	3.2	4	-82280
06-08 LST	5.4	7.1	5.0	4.4	3.6	0.8	2.4	1.1	1.5	0.0	0.7	3.9	3.0	4	-82280
09-11 LST	6.0	8.5	6.4	6.3	3.3	1.4	2.1	0.4	1.0	1.8	1.1	2.4	3.4	8	-82280
12-14 LST	3.2	8.6	2.5	5.2	2.5	4.4	3.0	0.0	0.4	0.0	0.4	1.4	2.6	4	-82280
15-17 LST	3.2	4.3	3.6	3.7	6.1	3.1	2.7	0.0	0.0	0.0	0.0	0.7	2.3	4	-82280
18-20 LST	1.8	3.1	0.4	4.5	3.2	1.1	0.4	0.7	0.0	0.0	0.4	0.4	1.3	4	-82280
21-23 LST	3.9	4.7	2.9	2.5	2.5	0.0	0.4	0.7	0.7	0.0	0.4	1.1	1.7	4	-82280
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	1.1	0.0	0.0	1.0	0.4	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.2	4	-82280
03-05 LST	0.0	1.2	0.4	0.5	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4	-82280
06-08 LST	0.0	0.4	0.0	0.4	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.4	0.1	4	-82280
09-11 LST	0.0	0.3	0.0	0.6	0.3	0.0	0.0	0.0	0.0	0.5	0.3	0.0	0.2	8	-82280
12-14 LST	0.4	1.2	0.0	0.4	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4	-82280
15-17 LST	0.0	0.4	0.0	0.4	0.0	0.6	0.5	0.0	0.0	0.0	0.0	0.0	0.2	4	-82280
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	4	-82280
21-23 LST	0.4	0.4	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	-82280

# TIRIRICAL, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST	30.7	27.7	31.0	30.0	30.3	30.0	31.0	31.0	30.0	31.0	30.0	30.3	363.0	4	-82280
	03 LST	30.7	26.3	30.7	29.1	30.3	30.0	30.7	31.0	30.0	31.0	30.0	30.7	300.5	4	-82280
	09 LST	30.0	26.8	29.6	29.3	30.7	29.6	30.8	30.8	29.7	30.4	25.6	30.3	357.6	8	-82280
	15 LST	30.3	27.7	30.7	30.0	29.0	30.0	30.5	31.0	30.0	31.0	30.0	31.0	361.2	4	-82280
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST	29.3	24.4	29.3	27.3	29.0	28.7	30.7	30.0	28.0	29.3	27.0	29.0	342.0	4	-82280
	03 LST	28.0	24.0	28.0	25.4	29.0	28.3	29.3	29.3	24.3	26.7	26.6	29.0	327.9	4	-82280
	09 LST	18.4	19.0	21.8	21.0	23.2	17.7	14.0	12.5	8.7	7.5	10.9	14.9	189.6	8	-82280
	15 LST	11.7	12.8	14.0	19.7	22.3	19.5	20.6	10.6	6.7	5.3	3.7	7.7	154.6	4	-82280
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	6	-82280
	03 LST	0.0	0.0	0.0	0.0	0.3	0.0	0.7	0.0	0.0	0.3	0.0	0.0	1.3	4	-82280
	09 LST	1.4	1.8	2.7	2.5	3.4	3.0	3.6	4.1	4.1	4.8	4.4	3.4	39.2	19	-82280
	15 LST	0.7	1.7	0.3	0.0	1.0	0.2	0.2	1.2	1.7	5.3	4.0	4.0	20.3	4	-82280
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	13.6	11.0	8.6	4.5	7.1	6.6	9.4	14.5	18.1	19.7	17.4	16.6	147.1	6	-82280
	03 LST	8.2	7.7	5.6	4.1	9.3	10.1	15.2	19.0	23.0	16.0	12.3	11.2	141.7	4	-82280
	09 LST	18.4	12.7	12.4	12.2	14.1	16.2	16.6	18.3	15.8	14.7	14.9	17.8	184.1	19	-82280
	15 LST	15.3	17.8	15.3	19.5	21.5	18.8	21.7	13.1	13.0	9.6	8.6	11.8	186.0	4	-82280
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST	0.0	0.0	0.0	0.0				0.0						1	-82280
	03 LST	0.0	0.0	1.0	0.0										1	-82280
	09 LST	0.2	0.0	0.2	0.0	2.0	3.0	0.0	1.4	0.7	0.2	0.2	0.2	8.1	10	-82280
	15 LST	0.0	0.0	0.0	0.0		0.0	0.0	0.0						1	-82280
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST	29.0	23.4	28.0	25.9	25.6	28.0	29.3	30.7	29.3	30.7	29.0	30.0	338.9	4	-82280
	03 LST	24.3	22.7	24.6	23.6	27.0	27.7	30.0	30.7	25.3	29.0	28.0	28.3	321.2	4	-82280
	09 LST	19.2	16.9	17.8	19.7	23.7	20.6	20.2	19.7	18.9	19.1	17.3	18.0	231.1	8	-82280
	15 LST	23.7	15.1	20.6	19.3	20.6	13.7	18.1	25.5	29.9	30.3	29.6	28.0	273.8	4	-82280
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	27.3	22.7	27.0	24.1	22.0	25.7	28.6	30.7	28.7	29.6	28.0	28.3	322.7	4	-82280
	03 LST	22.3	22.1	23.3	21.5	26.0	26.3	30.0	30.7	24.3	25.6	26.3	23.3	301.7	4	-82280
	09 LST	12.9	12.2	12.5	16.9	20.1	18.0	17.2	14.1	13.4	10.6	8.0	8.9	164.8	8	-82280
	15 LST	17.0	12.2	17.0	16.7	16.3	10.2	14.8	21.9	27.3	26.3	24.0	25.0	228.7	4	-82280
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	25.3	20.4	27.0	22.7	21.0	25.3	28.3	30.7	28.7	29.6	27.7	26.7	313.4	4	-82280
	03 LST	21.3	20.1	22.0	20.3	25.0	25.7	30.0	30.7	24.0	25.6	25.7	21.3	291.7	4	-82280
	09 LST	12.4	11.3	12.2	16.2	19.7	18.0	17.1	14.1	15.3	10.4	8.0	8.7	161.4	8	-82280
	15 LST	15.0	10.9	14.7	16.0	14.7	10.0	13.3	21.4	27.0	26.0	24.0	24.0	217.0	4	-82280

# PARNAIBA, BRAZIL

STA NO. 82287 (IN AREA NUMBER 01)

LATITUDE 02545

LONGITUDE 04145W

ELEVATION(FT) 00016

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	100	100	99	97	100	99	99	100	104	102	100	102	104	9	-82392
MEAN MAX TMP (F)	95	93	91	90	91	92	93	96	97	98	98	97	94	9	-82392
MEAN MIN TMP (F)	75	75	74	74	73	72	71	72	73	74	74	74	73	13	-82392
ABS MIN TMP (F)	68	68	64	70	68	66	66	66	66	68	63	66	63	13	-82392
MEAN NO DYS TMP = OR GTR 90(F)	28.4	23.5	23.1	22.4	24.2	22.4	27.7	29.1	28.6	29.5	29.3	29.9	318.1	9	-82392
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN DEW PT TMP (F)	72	76	76	76	75	72	69	68	68	69	69	69	72	15	-29
MEAN REL HUM (PCT)	69	78	83	84	80	75	68	62	61	60	61	62	70	23	-82392
MEAN PRESS ALT (FT)	132	127	121	105	83	50	23	50	72	105	132	132	94	0	-50
MEAN PRECIP (IN)	2.89	6.60	10.04	8.27	4.15	1.59	0.47	0.06	0.07	0.12	0.08	0.51	34.8	23	-82392
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.0	9.5	13.5	11.4	6.3	3.0	1.1	0.4	0.6	0.7	0.7	1.5	53.7	23	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	2.0	3.0	5.0	3.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	15.0	23	-82392
P FREQ WND SPD = OR GTR 17 KTS	0.0	3.0	1.0	0.0	4.0	4.0	3.0	22.0	22.0	18.0	2.0	0.0	6.6	2	-82392
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	2.0	1.0	0.0	0.0	0.5	2	-82392
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	10.0	0.0	7.7	0.0	0.0	6.7	50.0	0.0	6.2	4	-82392
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	7.7	0.0	0.0	0.0	0.0	0.0	0.6	4	-82392
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# PARNAIBA, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	31.0	28.0	31.0	30.0	31.0	30.0	28.6	29.9	30.0	31.0	30.0	31.0	361.5	4	-82392
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	31.0	28.0	31.0	30.0	27.9	30.0	28.6	28.9	28.6	28.9	15.0	31.0	338.9	4	-82392
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-82392
	03 LST														0	0
	09 LST	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.7	0.0	0.6	0.8	0.1	2.4	13	-82392
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	21.3	19.6	5.4	4.3	10.4	18.3	20.4	27.5	28.5	31.0	27.2	21.5	235.4	4	-82392
	03 LST														0	0
	09 LST	6.9	2.9	2.1	0.7	4.3	6.5	12.4	18.8	22.5	19.7	15.8	12.2	124.8	13	-82392
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	0.4	0.8	0.3	0.8	2.5	2.3	3.8	6.2	6.1	3.3	0.8	0.6	27.9	9	-82392
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	31.0	28.0	15.5	30.0	27.9	30.0	28.6	29.9	30.0	28.9	15.0	31.0	325.8	4	-82392
	15 LST														0	0
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	31.0	28.0	0.0	30.0	27.9	30.0	28.6	29.9	30.0	28.9	15.0	31.0	310.3	4	-82392
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	31.0	28.0	0.0	30.0	27.9	30.0	28.6	29.9	30.0	28.9	15.0	31.0	310.3	4	-82392
	15 LST														0	0

# MANAUS, BRAZIL

STA NO. 82331 (IN AREA NUMBR 01)

LATITUDE 03G85

LONGITUDE 06001W

ELEVATION (FT) 00144

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	99	100	97	97	95	95	95	98	99	100	99	101	101	21	-528
MEAN MAX TMP (F)	87	86	87	86	88	88	89	90	91	91	90	89	89	11	1449
MEAN MIN TMP (F)	74	74	74	74	75	74	74	74	75	75	75	75	74	15	2587
ABS MIN TMP (F)	65	68	66	66	68	65	64	66	64	68	67	63	63	21	-528
MEAN NO DYS TMP = OR GTR 90(F)	8.1	8.0	9.4	9.2	12.5	13.4	18.9	23.2	23.5	23.3	20.8	17.8	188.1	11	1449
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN DFW PT TMP (F)	73	73	73	73	74	72	72	71	71	72	72	74	73	13	-29
MEAN REL HUM (PCT)	79	80	80	81	80	77	75	72	70	72	74	78	77	13	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	9.80	9.10	10.30	8.70	6.70	3.30	2.30	1.50	1.80	4.20	5.60	8.00	71.3	25	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	12.5	11.9	13.8	11.9	9.5	5.8	4.2	2.8	3.6	6.6	7.9	10.9	101.4	25	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.0	3.0	4.0	5.0	3.0	4.0	3.0	4.0	5.0	7.0	7.0	6.0	55.0	32	-24
P FREQ WND SPD = OR GTR 17 KTS	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2	-34
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-34
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	54.5	45.9	61.1	58.1	41.1	25.9	22.2	18.6	21.5	31.9	38.1	42.7	38.5	4	1044
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	7.9	5.9	2.8	8.1	7.4	14.8	0.0	1.8	0.9	0.0	4.8	6.7	5.1	4	1044
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# MANAUS, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	15.6	16.8	14.6	13.4	18.9	22.2	25.2	24.7	23.6	23.0	20.3	19.8	238.1	4	1044
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	13.2	13.8	9.9	11.7	16.0	21.1	19.5	22.4	21.9	17.8	16.1	15.8	199.2	4	1036
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	0.6	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	4	793
	02 LST														0	0
	08 LST	0.3	0.0	0.0	0.2	0.3	0.0	0.1	0.2	0.1	0.4	0.1	0.0	1.7	15	2564
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	12.0	12.2	18.8	13.9	17.2	14.4	19.2	16.6	18.1	22.2	19.1	16.2	199.9	4	786
	02 LST														0	0
	08 LST	9.8	9.3	11.4	9.0	9.5	6.2	9.0	9.5	13.0	13.5	12.8	10.1	123.1	15	2531
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	0.0	0.5	0.7	0.0	0.5	2.9	4.0	2.9	1.7	1.1	2.0	1.2	17.5	9	1508
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	12.6	12.5	7.3	10.9	15.3	20.0	19.5	22.5	22.1	17.4	15.3	15.3	190.7	4	1044
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	11.7	11.2	5.1	9.3	13.7	19.4	19.5	21.4	21.6	16.3	14.3	13.9	177.4	4	1044
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	11.3	11.2	5.1	9.3	13.7	19.4	19.5	21.4	21.6	16.0	14.3	13.9	176.7	4	1044
	14 LST														0	0

# PONTA PELADA, BRAZIL

STA NO. 82336/ (IN AREA NUMBER 01)

LATITUDE 0308S

LONGITUDE 05959W

ELEVATION(FT) 00276

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	99	100	97	97	95	95	95	98	99	100	99	101	101	21	-82331
MEAN MAX TMP (F)	87	86	87	86	88	88	89	90	91	91	90	89	89	11	-82331
MEAN MIN TMP (F)	74	74	74	74	75	74	74	74	75	75	75	75	74	15	-82331
ABS MIN TMP (F)	65	68	66	66	68	65	64	66	64	68	67	63	63	21	-82331
MEAN NO DYS TMP = OR GTR 90(F)	8.1	8.0	9.4	9.2	12.5	13.4	18.9	23.2	23.5	23.3	20.8	17.8	188.1	11	-82331
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN DEW PT TMP (F)	73	73	73	73	74	72	72	71	71	72	72	74	73	13	-29
MEAN REL HUM (PCT)	79	80	80	81	80	77	75	72	70	72	74	78	77	13	-82331
MEAN PRESS ALT (FT)	365	359	362	337	332	310	296	314	337	368	387	381	346	0	-50
MEAN PRECIP (IN)	9.80	9.10	10.30	8.70	6.70	3.30	2.30	1.50	1.80	4.20	5.60	8.00	71.3	25	-82331
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	12.5	11.4	13.8	11.9	9.5	5.8	4.2	2.8	3.6	6.6	7.9	10.9	101.4	25	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.0	3.0	4.0	5.0	3.0	4.0	3.0	4.0	5.0	7.0	7.0	6.0	55.0	32	-82331
P FREQ WND SPD = OR GTR 17 KTS	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2	-82331
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-82331
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	54.5	45.9	61.1	58.1	41.1	25.9	22.2	18.6	21.5	31.9	38.1	42.7	38.5	4	-82331
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	7.9	5.9	2.8	8.1	7.4	14.8	0.0	1.8	0.9	0.0	4.8	6.7	5.1	4	-82331
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# PONTA PELADA, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	15.6	16.8	14.6	13.4	18.9	22.2	25.2	24.7	23.6	23.0	20.3	19.8	238.1	4	-82331
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	13.2	13.8	9.9	11.7	16.0	21.1	19.5	22.4	21.9	17.8	16.1	15.8	199.2	4	-82331
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	0.6	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	4	-82331
	02 LST														0	0
	08 LST	0.3	0.0	0.0	0.2	0.3	0.0	0.1	0.2	0.1	0.4	0.1	0.0	1.7	15	-82331
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	12.0	12.2	18.8	13.9	17.2	14.4	19.2	16.6	18.1	22.2	19.1	16.2	199.9	4	-82331
	02 LST														0	0
	08 LST	9.8	9.3	11.4	9.0	9.5	6.2	9.0	9.5	13.0	13.5	12.8	10.1	123.1	15	-82331
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	0.0	0.5	0.7	0.0	0.5	2.9	4.0	2.9	1.7	1.1	2.0	1.2	17.5	9	-82331
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	12.6	12.5	7.3	10.9	15.3	20.0	19.5	22.5	22.1	17.4	15.3	15.3	190.7	4	-82331
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	11.7	11.2	5.1	9.3	13.7	19.4	19.5	21.4	21.6	16.3	14.3	13.9	177.4	4	-82331
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	11.3	11.2	5.1	9.3	13.7	19.4	19.5	21.4	21.6	16.0	14.3	13.9	176.7	4	-82331
	14 LST														0	0

# CAXIAS, BRAZIL

STA NO. 82476 (IN AREA NUMBFR 01)

LATITUDE 0452S

LONGITUDE 04321W

ELEVATION(FT) 00253

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	104	99	95	97	95	97	97	100	102	104	102	100	104	20	-55
MFAN MAX TMP (F)	91	90	90	90	90	90	91	93	95	97	95	93	92	20	-55
MFAN MIN TMP (F)	72	72	72	72	72	70	68	68	72	73	73	73	71	20	-55
ABS MIN TMP (F)	68	66	68	66	63	61	57	59	61	64	66	66	57	20	-555
MFAN NO DYS TMP = OR GTR 90(F)	21.0	16.0	18.6	18.0	18.6	18.0	21.0	25.2	27.2	31.0	27.2	25.2	267.8	20	-29
MFAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MFAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN DFW PT TMP (F)	73	75	75	75	75	72	69	67	69	70	70	72	72	20	-29
MFAN REL HUM (PCT)	78	83	84	84	82	78	72	66	65	64	67	72	75	20	-55
MFAN PRESS ALT (FT)														0	0
MFAN PRFCIP (IN)	8.51	10.15	11.74	11.17	3.38	1.16	0.39	0.15	0.73	0.95	1.85	3.17	93.3	20	-55
MFAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MFAN NO DYS PRCP = OR GTR 0.1 IN	11.4	12.8	15.4	14.8	5.3	2.2	1.0	0.6	1.9	2.2	3.7	5.4	76.7	20	-29
MFAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MFAN NO DYS TSTMS	5.0	5.0	6.0	3.0	1.0	0.0	0.0	0.0	1.0	2.0	2.0	3.0	28.0	20	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.0	5.3		0.0	0.0	0.0	0.0	25.0		1	73
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.0	5.3		0.0	0.0	0.0	0.0	25.0		1	73
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# CAXIAS, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	31.0	28.0	31.0	30.0	31.0	28.4		31.0	30.0	31.0	30.0	23.3		1	73
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	31.0	28.0	31.0	30.0	31.0	28.9		31.0	30.0	31.0	30.0	23.3		1	73
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRFCIP.	21 LST	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	2	190
	03 LST														0	0
	09 LST	0.5	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.3	0.0	0.0	0.0	1.4	5	886
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	0.0	1.7	1.9	2.1	1.6	2.0	1.7	0.0	0.0	2.2	1.5	1.6	16.3	2	188
	03 LST														0	0
	09 LST	11.9	8.1	7.0	5.2	10.3	19.6	18.1	19.3	21.1	20.1	21.1	14.6	176.4	5	881
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	0.0	0.0	0.0	0.0	2.9	12.7	1.1	12.5	10.2	8.8	3.7	3.3	55.2	4	506
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	31.0	28.0	31.0	30.0	31.0	28.4		31.0	30.0	31.0	30.0	23.3		1	73
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	31.0	28.0	31.0	30.0	31.0	28.4		31.0	30.0	31.0	30.0	23.3		1	73
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	31.0	28.0	31.0	15.0	31.0	28.4		31.0	30.0	31.0	30.0	23.3		1	73
	15 LST														0	0

# GRAJAU, BRAZIL

STA NO. 82568 (IN AREA NUMBER 01)

LATITUDE 05485

LONGITUDE 04627W

ELEVATION(FT) 00489

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	%OBS
ABS MAX TMP (F)	98	96	99	95	96	96	103	101	100	101	101	99	103	29	-55
MEAN MAX TMP (F)	88	88	89	90	90	91	92	94	94	93	91	90	91	29	-55
MEAN MIN TMP (F)	68	69	69	69	68	66	65	65	68	69	69	69	68	29	-55
ABS MIN TMP (F)	58	50	59	58	57	56	53	52	48	57	58	59	48	29	-555
MEAN NO DYS TMP = OR GTR 90(F)	13.5	12.1	16.1	18.0	18.6	20.3	23.2	26.9	26.0	25.2	20.3	18.6	238.8	29	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29	-29
MEAN DFW PT TMP (F)	72	73	73	74	73	71	70	70	71	72	73	73	72	29	-29
MEAN REL HUM (PCT)	84	85	84	84	82	79	77	75	75	77	80	82	80	29	-55
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	10.60	11.71	12.04	7.84	3.47	0.38	0.26	0.23	1.19	3.22	5.91	7.86	64.7	29	-55
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	13.2	14.0	15.7	10.9	5.4	0.9	0.7	0.7	2.6	5.5	8.1	10.8	88.5	29	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.0	3.0	5.0	4.0	1.0	0.0	0.0	1.0	2.0	4.0	5.0	4.0	33.0	30	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	16.7	0.0	42.9	10.0	0.0	0.0	0.0	5.3	0.0		0.0		4	100
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	14.3	10.0	0.0	0.0	0.0	0.0	0.0		0.0		4	100
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# GRAJAU, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	15.5	23.3	31.0	4.3	12.4	7.5	6.2	2.6	4.7	17.2		31.0		4	100
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	15.5	18.6	31.0	4.3	9.3	7.5	6.2	1.8	3.2	13.8		31.0		4	99
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRFCIP.	21 LST														0	0
	03 LST														0	0
	09 LST	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	7	1350
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST														0	0
	03 LST														0	0
	09 LST	0.2	2.2	0.0	0.4	0.0	1.1	1.5	1.6	1.1	3.5	2.6	3.1	17.3	7	1338
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	1.4	0.0	0.0	1.7	1.1	0.0	1.1	1.4	0.6	1.2	0.0	0.0	8.5	7	393
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	15.5	18.6	31.0	4.3	12.4	7.5	6.2	2.6	4.7	17.2		31.0		4	100
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	15.5	14.0	0.0	0.0	9.3	0.0	6.2	2.6	3.2	17.2		31.0		4	100
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	15.5	14.0	0.0	0.0	9.3	0.0	6.2	2.6	3.2	17.2		31.0		4	100
	15 LST														0	0

# BARRA DO CORDA, BRAZIL

STA NO. 82571 (IN AREA NUMBER 01)

LATITUDE 0530S

LONGITUDE 04516W

ELEVATION(FT) 00269

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO.
ABS MAX TMP (F)	97	99	91	91	97	95	97	99	100	99	99	99	100	7	508
MFAN MAX TMP (F)	89	89	87	88	89	90	90	93	95	94	93	92	91	7	508
MFAN MIN TMP (F)	71	71	71	70	68	66	64	64	70	72	72	72	69	10	1497
ABS MIN TMP (F)	66	63	59	45	50	50	54	52	55	66	64	66	45	10	1497
MEAN NO DYS TMP = OR GTR 90(F)	17.0	19.1	11.3	12.0	18.8	21.1	23.3	28.3	28.2	27.7	26.8	24.8	258.4	7	508
MFAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	1497
MFAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	1497
MFAN DEW PT TMP (F)	73	74	73	73	71	69	68	66	69	71	72	74	71	9	-29
MFAN REL HUM. (PCT)	81	82	82	82	80	75	75	69	68	70	73	78	76	11	-28
MFAN PRESS ALT (FT)														0	0
MFAN PRFCIP (IN)	7.60	8.69	12.22	7.00	1.48	3.33	0.99	0.06	17.63	3.43	2.55	7.40	67.4	10	1516
MFAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MFAN NO DYS PRCP = OR GTR 0.1 IN	9.4	8.3	13.1	10.2	4.5	2.9	1.7	0.2	2.1	3.7	3.9	7.5	67.5	10	1516
MFAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MFAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MFAN NO DYS TSTMS	16.0	13.0	15.0	12.0	4.0	1.0	1.0	1.0	3.0	7.0	10.0	13.0	96.0	31	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	49.4	67.5	79.2	65.4	58.0	51.7	26.2	26.4	61.6	50.5	56.4	36.7	52.4	3	815
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	5.1	11.7	15.1	19.2	21.0	31.0	6.6	9.9	8.1	4.4	0.0	0.0	11.0	3	815
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# BARRA DO CORDA, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST	1.1	0.0	0.0	1.1	0.4	0.0	0.5	0.3	0.3	0.3	0.0	0.5	4.5	3 815
	15 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	21 LST													0	0
	03 LST													0	0
	09 LST	0.8	0.0	0.0	1.1	0.0	0.0	0.5	0.3	0.3	0.0	0.0	0.5	3.5	3 813
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST													0	0
	03 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	389
	09 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	10	1535
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST													0	0
	03 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0	0
	09 LST	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.7	0.0	1.4	0.0	2	387
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST	0.0	0.0	0.0	0.5	0.0	0.0	3.7	2.2	0.2	0.2	0.8	1.3	8.9	7 1142
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST	0.8	0.0	0.0	0.6	0.0	0.0	0.5	0.3	0.3	0.0	0.0	0.5	3.0	3 815
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST	0.8	0.0	0.0	0.6	0.0	0.0	0.5	0.3	0.3	0.0	0.0	0.5	3.0	3 815
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST	0.8	0.0	0.0	0.6	0.0	0.0	0.5	0.3	0.3	0.0	0.0	0.5	3.0	3 815
15 LST													0	0	

# CAROLINA, BRAZIL

STA NO. 82765 (IN AREA NUMBFR 01)

LATITUDE 0720S

LONGITUDE 04728W

ELEVATION(FT) 00640

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	97	97	97	95	99	99	100	102	102	100	97	97	102	6	534
MEAN MAX TMP (F)	88	90	90	91	95	92	94	96	95	91	91	90	92	6	534
MEAN MIN TMP (F)	72	72	72	72	71	68	67	68	72	73	72	72	71	10	1912
ABS MIN TMP (F)	68	63	68	68	64	63	55	59	50	68	61	64	50	10	1912
MEAN NO DYS TMP = OR GTR 90(F)	17.6	17.3	21.3	22.9	29.6	23.3	27.8	28.2	25.7	21.5	23.7	20.0	278.9	6	534
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	1912
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	1912
MEAN DEW PT TMP (F)	75	77	76	76	74	67	64	64	71	74	75	76	72	14	-29
MEAN REL HUM (PCT)	85	87	86	84	77	68	61	58	69	79	83	85	77	25	-55
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	7.52	7.08	13.06	6.92	1.62	0.63	1.20	0.38	1.19	3.80	6.15	5.59	55.1	10	1917
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	12.2	10.8	16.1	9.8	3.7	0.9	1.6	0.4	3.3	5.4	9.4	9.4	83.0	10	1917
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	5.0	5.0	8.0	4.0	1.0	1.0	0.0	1.0	3.0	5.0	6.0	6.0	45.0	30	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	14.3	25.0	0.0	14.3	3.7	0.0	0.0	1.5	3.4	15.4	0.0	25.0	8.6	4	245
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	14.3	0.0	0.0	0.0	3.7	0.0	0.0	0.0	3.4	7.7	0.0	12.5	3.5	4	245
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# CAROLINA, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	26.6	21.0	31.0	30.0	29.8	30.0	31.0	30.5	29.0	28.6	30.0	27.1	344.6	4	245
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LES 10 KTS	26.6	21.0	31.0	25.7	29.8	30.0	31.0	30.0	29.0	26.2	30.0	23.3	333.6	4	245
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	358
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	0.4	0.5	0.7	1.2	2.6	10.0	10.2	9.7	7.4	1.5	0.7	0.9	45.8	10	1900
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	1.5	1.3	0.3	4.7	10.7	22.2	20.8	20.0	8.6	4.5	2.1	3.4	100.1	7	1394
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	17.7	21.0	0.0	25.7	29.8	30.0	31.0	30.0	29.0	26.2	30.0	23.3	293.7	4	245
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	17.7	21.0	0.0	21.4	29.8	30.0	31.0	30.0	29.0	26.2	20.0	23.3	279.4	4	245
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	13.3	21.0	0.0	21.4	29.8	30.0	31.0	30.0	29.0	26.2	20.0	23.3	275.0	4	245

# SENA MADUREIRA, BRAZIL

STA NO. 82913/ (IN AREA NUMBER 01)

LATITUDE 09045

LONGITUDE 06839W

ELEVATION(FT) 00443

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PER	NO.
														(YRS)	OBS
ABS MAX TMP (F)	99	99	99	99	98	98	99	99	99	99	100	99	100	12	-28
MEAN MAX TMP (F)	92	92	91	91	90	90	91	93	93	93	93	93	92	12	-28
MEAN MIN TMP (F)	69	69	69	68	67	65	63	65	68	69	69	70	68	17	-28
ABS MIN TMP (F)	61	59	60	57	54	45	47	41	46	57	57	63	41	12	-29
MEAN NO DYS TMP = OR GTR 90(F)	23.2	20.9	21.0	20.3	18.6	18.0	21.0	25.2	24.3	25.2	24.3	25.2	267.2	17	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN DFW PT TMP (F)			80				77	79		81	81		98	2	-28
MEAN REL HUM (PCT)	98	98	98	98	98	98	97	98	98	98	98	98	98	0	0
MEAN PRESS ALT (FT)									0.40	0.70	0.75	1.17	8.1	17	-28
MEAN PRECIP (IN)	1.12	1.13	1.02	0.94	0.41	0.22	0.11	0.15	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.4	2.4	2.2	2.1	1.4	0.7	0.5	0.6	1.3	1.8	1.9	2.5	19.8	17	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	7.0	6.0	7.0	5.0	4.0	3.0	2.0	4.0	7.0	8.0	7.0	6.0	66.0	28	-24
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# SENA MADUREIRA, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 2000 FT AND VSBY = GTR														0	0
3 MI W/SFC WND LES 10 KTS														0	0
														0	0
														0	0
SFC WND = GTR 17 KTS AND														0	0
NO PRFCIP.														0	0
														0	0
														0	0
SFC WND 4-10 KTS AND TMP 33-89														0	0
DEG F AND NO PRECIP.														0	0
														0	0
														0	0
														0	0
SKY COVER LES 3/10 AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG = GTR 2500 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG = GTR 6000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG = GTR 10000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0

DATA NOT AVAILABLE

# RIO BRANCO, BRAZIL

STA NO. 82915 (IN AREA NUMBER 01)

LATITUDE 09585

LONGITUDE 06748W

ELEVATION (FT) 00466

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	100	100	95	95	95	97	97	99	102	102	104	102	104	3	459
MEAN MAX TMP (F)	93	91	92	90	90	91	89	91	95	95	94	92	92	3	459
MEAN MIN TMP (F)	70	70	71	68	66	62	60	64	66	68	70	71	67	7	1327
ABS MIN TMP (F)	55	57	57	52	54	48	48	48	50	50	55	66	48	7	1327
MFAN NO DYS TMP = OR GTR 90(F)	26.4	21.4	28.6	20.9	23.8	25.0	18.9	23.9	28.7	27.4	25.0	23.9	293.9	3	459
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1327
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1327
MEAN DFW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRFCIP (IN)	6.72	12.15	2.51	4.53	0.44	0.33	0.68	0.11	0.69	0.68	3.12	7.71	39.7	7	1354
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.0	7.3	5.7	2.9	1.1	0.7	1.7	0.5	1.3	1.2	2.9	5.1	36.4	7	1354
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	46.7	39.8	40.3	34.2	30.9	44.2	14.8	3.6	10.5	20.7	25.9	34.5	28.8	4	848
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	5.0	2.4	6.5	6.3	13.6	28.8	3.7	0.0	1.2	3.7	1.9	1.8	6.2	4	848
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# RIO BRANCO, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	23.7	23.9	24.1	24.3	20.3	11.5	13.8	17.2	19.9	28.0	27.8	28.2	262.7	4	848
	13 LST														3	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST														0	0
	01 LST														0	0
	07 LST	7.3	7.8	10.0	11.8	13.5	6.9	9.2	16.1	14.3	20.0	17.2	11.5	145.6	4	846
	13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	164
	01 LST														0	0
	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.3	0.7	7	1369
	13 LST														0	0
SFC WND 4-10 KTS AND TMR 33-89 DFG F AND NO PRECIP.	19 LST	2.4	3.7	7.3	10.7	5.6	6.7	17.7	17.4	5.0	10.3	8.6	20.6	116.0	2	163
	01 LST														0	0
	07 LST	6.4	4.4	5.2	6.7	8.4	9.6	15.1	9.9	10.0	13.2	11.4	3.8	104.1	7	1746
	13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	0.0	0.5	0.0	1.5	1.5	1.9	3.9	9.8	4.1	3.7	1.4	1.0	29.7	7	1105
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	5.7	7.1	8.8	11.0	12.4	6.3	9.2	15.7	13.2	18.1	16.7	10.7	134.9	4	848
	13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	5.7	6.7	7.6	11.0	11.8	6.3	9.2	15.3	13.2	17.4	15.0	10.1	129.3	4	848
	13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST	5.7	6.7	7.6	11.0	11.8	6.3	9.2	15.3	13.2	17.4	15.0	10.1	129.3	4	848
	13 LST														0	0

# AREA NO. 01

BRAZIL	RAIN FOREST				LATITUDE 0500S				LONGITUDE 05800W					
	BOUNDARIES	1000S 06315W	1000S 05100W	1000S 05100W	0300S 04000W	0300S 04000W	0300S 04000W	0300S 04000W	0300S 04000W	0300S 04000W	0300S 04000W	0300S 04000W	0300S 04000W	
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		88	87	88	88	89	89	89	91	92	92	92	90	90
MEAN MIN TMP (F)		71	71	72	71	71	69	68	68	71	71	71	72	71
LARGST MEAN PRECIP(IN)		14.74	14.10	17.70	22.58	20.21	13.04	8.63	4.40	12.63	4.20	6.15	9.51	147.9
SMALLEST MEAN PRECIP(IN)		1.12	1.13	1.02	0.94	0.41	0.22	0.11	0.06	0.40	0.40	0.75	1.17	7.7
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST	30.8	27.7	30.7	29.7	30.5	29.7	30.9	31.0	29.9	31.0	29.7	30.4	362.0
	03 LST	28.6	26.3	29.3	29.2	28.9	27.7	29.7	28.5	26.8	28.7	25.7	27.7	337.1
	09 LST	23.5	22.0	25.2	21.8	23.2	21.8	22.3	23.0	22.6	25.1	25.2	25.0	280.7
	15 LST	29.8	26.4	29.6	28.7	29.6	29.8	30.7	30.8	29.8	30.7	29.2	30.6	355.7
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	21 LST	28.3	23.8	28.0	26.2	27.9	28.0	29.0	28.6	27.7	28.5	26.9	29.0	331.9
	03 LST	26.7	24.0	25.4	25.5	26.9	26.1	28.3	27.8	24.6	27.1	24.5	26.5	313.4
	09 LST	18.5	17.0	20.2	17.0	19.0	17.6	18.1	19.1	16.7	18.3	18.5	18.8	218.8
	15 LST	14.1	12.6	16.2	14.8	19.7	20.5	24.5	16.0	13.3	12.7	10.0	13.0	187.4
SFC WND = GTR 17 KTS AND NO PRFCIP.	21 LST	0.1	0.0	0.3	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
	03 LST	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.0	0.0	0.1	0.0	0.0	0.4
	09 LST	0.3	0.2	0.3	0.4	0.4	0.4	0.4	0.5	0.6	0.7	0.8	0.6	5.6
	15 LST	1.2	1.2	0.7	0.4	0.7	0.5	0.2	0.6	1.1	3.2	2.9	2.3	15.0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	5.4	5.2	6.3	5.3	5.6	5.9	8.2	8.6	8.1	9.5	8.8	9.4	86.3
	03 LST	4.6	4.7	4.3	3.2	4.2	6.1	9.7	11.8	11.5	8.0	6.5	6.0	80.6
	09 LST	9.0	7.4	7.9	7.3	8.2	10.2	11.3	12.8	13.3	13.0	11.9	10.7	123.0
	15 LST	16.5	16.5	18.4	17.6	20.4	16.3	21.8	16.8	15.0	11.1	10.9	13.7	195.1
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST	0.0	0.0	0.5	0.0		2.0	2.0	1.5	5.0	10.3			
	03 LST	2.0	1.0	1.5	0.5		16.0	15.0	23.0	25.0	21.7			
	09 LST	0.6	0.8	0.4	1.1	2.6	6.5	6.6	8.6	4.9	3.7	2.5	2.4	40.7
	15 LST	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0			
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST	26.9	22.0	26.3	23.5	26.3	27.2	28.5	28.6	26.6	30.8	28.9	29.0	326.6
	03 LST	23.1	22.4	22.9	23.1	25.2	25.4	28.0	28.2	25.1	27.9	24.7	26.1	302.1
	09 LST	16.9	16.2	15.8	15.7	18.4	18.6	18.3	19.1	18.3	19.7	19.5	19.2	215.7
	15 LST	18.1	13.4	18.6	14.9	17.9	16.9	20.2	23.0	24.6	25.7	24.7	23.2	241.2
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	24.0	19.6	24.1	21.3	23.5	24.1	26.9	27.1	27.6	29.9	27.9	26.5	302.1
	03 LST	20.5	20.6	21.0	21.2	23.9	23.6	27.7	28.0	24.5	26.6	23.9	23.1	284.6
	09 LST	14.7	14.1	11.0	13.6	16.8	16.7	17.7	17.9	16.0	17.2	15.2	16.1	187.0
	15 LST	11.4	9.3	12.2	10.9	12.7	12.2	17.1	18.7	20.0	18.9	17.2	17.0	177.4
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	22.8	17.3	22.8	19.5	22.8	23.3	25.9	26.5	27.4	29.3	26.8	24.5	288.9
	03 LST	19.2	19.1	19.7	19.9	23.2	22.7	26.9	27.5	24.4	26.3	23.5	21.7	274.1
	09 LST	13.9	13.9	10.8	11.9	16.5	16.5	17.5	17.7	15.9	17.1	15.0	15.9	182.6
	15 LST	9.8	7.9	10.7	9.9	12.0	11.7	15.8	18.4	19.6	18.2	15.8	15.6	165.4

# SOBRAL, BRAZIL

STA NO. 82392 (IN AREA NUMBER 02)      LATITUDE 03425      LONGITUDE 04021W      ELEVATION(FT) 00210

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PUR (YRS)	NO. OBS
ABS MAX TMP (F)	100	100	99	97	100	99	99	100	104	102	100	102	104	9	1401
MFAN MAX TMP (F)	95	93	91	90	91	92	93	96	97	98	98	97	94	9	1401
MEAN MIN TMP (F)	75	75	74	74	73	72	71	72	73	74	74	74	73	13	2676
ABS MIN TMP (F)	68	68	64	70	68	66	66	66	66	68	63	66	63	13	2676
MFAN NO DYS TMP = OR GTR 90(F)	28.4	23.5	23.1	22.4	24.2	22.4	27.7	29.1	28.6	29.5	29.3	29.9	318.1	9	1401
MFAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	2676
MFAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	2676
MFAN DEW PT TMP (F)	72	76	76	76	75	72	69	68	68	69	69	69	72	15	-29
MFAN REL HUM (PCT)	69	78	83	84	80	75	68	62	61	60	61	62	70	23	-55
MFAN PRESS ALT (FT)														0	0
MFAN PRECIP (IN)	2.89	6.60	10.04	8.27	4.15	1.59	0.47	0.06	0.07	0.12	0.08	0.51	34.8	23	-55
MFAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.0	9.5	13.5	11.4	6.3	3.0	1.1	0.4	0.6	0.7	0.7	1.5	53.7	23	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MFAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	2.0	5.0	5.0	3.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	15.0	23	-24
P FREQ WND SPD = OR GTR 17 KTS	0.0	3.0	1.0	0.0	4.0	4.0	3.0	22.0	22.0	18.0	2.0	0.0	6.6	2	-34
P FREQ WND SPD = UR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	2.0	1.0	0.0	0.0	0.9	2	-34
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	10.0	0.0	7.7	0.0	0.0	6.7	50.0	0.0	6.2	4	104
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	7.7	0.0	0.0	0.0	0.0	0.0	0.6	4	104
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# SOBRAL, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	31.0	28.0	31.0	30.0	31.0	30.0	28.6	29.9	30.0	31.0	30.0	31.0	361.5	4	104
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	31.0	28.0	31.0	30.0	27.9	30.0	28.6	28.9	28.6	28.9	15.0	31.0	338.9	4	104
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	800
	03 LST														0	0
	09 LST	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.7	0.0	0.6	0.8	0.1	2.4	13	2694
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	21.3	19.6	5.1	4.3	10.4	18.3	20.4	27.5	28.5	31.0	27.2	21.5	235.4	4	793
	03 LST														0	0
	09 LST	6.9	2.9	2.1	0.7	4.3	6.5	12.4	18.8	22.5	19.7	15.8	12.2	124.8	13	2667
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	0.4	0.8	0.3	0.8	2.5	2.3	3.8	6.2	6.1	3.3	0.8	0.6	27.9	9	1622
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	31.0	28.0	15.5	30.0	27.9	30.0	28.6	29.9	30.0	28.9	15.0	31.0	325.8	4	104
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	31.0	28.0	0.0	30.0	27.9	30.0	28.6	29.9	30.0	28.9	15.0	31.0	310.3	4	104
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	31.0	28.0	0.0	30.0	27.9	30.0	28.6	29.9	30.0	28.9	15.0	31.0	310.3	4	104
	15 LST														0	0

# TERESINA, BRAZIL

STA NO. 82578 (IN AREA NUMBR 02)

LATITUDE 0503S

LONGITUDE 04248W

ELEVATION(FT) 00328

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	100	99	93	97	95	97	102	100	100	102	102	100	102	9	1500
MEAN MAX TMP (F)	90	90	89	90	90	91	92	95	97	96	95	94	92	9	1500
MEAN MIN TMP (F)	73	73	73	73	72	70	68	68	71	73	74	74	72	13	2701
ABS MIN TMP (F)	64	64	68	64	66	64	61	55	63	66	66	68	55	13	2701
MEAN NO DYS TMP = OR GTR 90(F)	20.3	20.0	20.4	21.7	22.8	22.5	27.4	30.2	28.6	28.7	28.4	27.4	298.4	9	1900
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	2701
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	2701
MEAN DFW PT TMP (F)	75	77	77	77	75	72	69	67	69	69	71	73	73	14	-29
MEAN REL HUM (PCT)	81	86	87	86	83	78	72	66	64	64	68	72	76	20	-55
MEAN PRESS ALT (FT)	444	439	433	417	395	362	335	362	384	417	444	444	406	0	-50
MEAN PRECIP (IN)	5.20	8.51	8.68	4.56	3.81	3.62	3.50	4.62	1.03	4.32	4.70	7.95	60.5	13	2581
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.3	9.3	13.0	9.6	5.7	1.7	1.6	0.8	0.9	2.0	3.5	4.6	60.0	13	2581
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	11.0	10.0	11.0	10.0	3.0	1.0	1.0	1.0	1.0	3.0	3.0	5.0	60.0	24	-24
P FRQ WND SPD = OR GTR 17 KTS														0	0
P FRQ WND SPD = OR GTR 28 KTS														0	0
P FRQ LES 5000 FT A/O LES 5 MI														0	0
P FRQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	33.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	5.3	3.9	4	373
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FRQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	373
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# TERESINA, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	LTC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	31.0	28.0	20.6	30.0	30.1	30.0	31.0	30.7	29.5	31.0	30.0	29.4	351.3	4	373
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	31.0	24.5	20.6	30.0	30.1	29.2	31.0	28.9	28.6	31.0	27.7	29.4	342.0	4	373
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	882
	03 LST														0	0
	09 LST	0.0	0.0	0.1	0.3	0.0	0.3	0.9	0.4	0.3	0.1	0.0	0.1	2.5	13	2707
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	3.9	4.2	4.2	2.3	1.4	0.7	1.8	0.3	1.8	3.2	4.7	3.1	31.6	4	877
	03 LST														0	0
	09 LST	4.3	5.3	5.2	5.2	11.1	14.1	15.9	12.5	12.2	15.3	11.2	7.7	120.0	13	2679
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	7.5	5.2	1.6	7.0	13.8	20.0	21.0	27.7	20.9	18.7	14.4	15.2	173.0	10	1681
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	31.0	24.5	20.6	30.0	30.1	30.0	30.3	30.7	29.5	31.0	27.7	29.4	344.8	4	373
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	31.0	17.5	10.3	30.0	30.1	30.0	30.3	30.7	29.5	31.0	27.7	29.4	327.5	4	373
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	26.6	17.5	10.3	30.0	30.1	30.0	30.3	30.7	29.5	31.0	27.7	29.4	323.1	4	373
	15 LST														0	0

# QUIXERAMOBIM, BRAZIL

STA NO. 82586 (IN AREA NUMBER 02)

LATITUDE 05125

LONGITUDE 03918W

ELEVATION(FT) 00653

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	100	97	95	93	93	91	91	100	100	100	99	100	100	9	1124
MFAN MAX TMP (F)	92	91	88	86	86	85	88	90	92	93	93	94	90	9	1124
MFAN MIN TMP (F)	74	79	77	76	75	74	74	75	76	77	77	78	76	13	2483
ABS MIN TMP (F)	72	70	68	68	70	68	63	70	71	70	68	63	63	13	2483
MFAN NO DYS TMP = OR GTR 90(F)	26.8	16.5	12.4	5.4	5.0	5.0	13.5	27.4	29.5	28.7	29.4	30.3	231.9	9	1124
MFAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	2483
MFAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	2483
MFAN DFW PT TMP (F)	68	70	70	70	66	65	63	63	63	64	64	66	66	15	-29
MFAN KFL HUM (PCT)	60	65	70	71	69	64	59	56	54	53	54	55	61	24	-34
MFAN PRESS ALY (FT)														0	0
MFAN PRFCIP (IN)	0.74	4.97	6.01	4.99	7.02	1.73	0.74	0.62	0.39	0.58	0.70	0.64	29.7	13	2488
MFAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MFAN NO DYS PRCP = OR GTR 0.1 IN	2.2	4.7	11.1	9.3	6.4	4.5	1.6	0.9	0.9	1.4	0.8	1.4	45.2	13	2488
MFAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MFAN NO DYS W/OCLR VSBY LES 1/2 MI														0	0
MFAN NO DYS TSMTS	6.0	10.0	12.0	10.0	4.0	1.0	0.0	0.0	0.0	0.0	1.0	2.0	46.0	32	-24
P FREQ WND SPD = OR GTR 17 KTS	5.0	1.0	4.0	1.0	1.0	5.0	4.0	30.0	30.0	22.0	15.0	16.0	11.2	2	-34
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-34
P FREQ LES 3000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.9	8.8	9.2	15.3	6.8	3.5	0.0	0.8	4.3	2.6	4.6	1.2	4.8	4	1137
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	2.0	0.0	5.9	0.8	0.0	0.0	0.0	0.9	1.8	1.1	1.2	1.1	4	1137
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# QUIXERAMOBIM, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	30.4	25.8	28.1	26.5	29.7	29.5	31.0	30.5	28.4	29.9	29.6	30.3	349.7	4	1137
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	16.8	14.5	20.2	20.0	23.4	19.3	17.9	14.8	9.8	11.5	9.7	12.1	190.0	4	1044
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.0	1.1	0.0	0.0	0.0	0.0	0.0	1.2	1.1	2.2	2.6	1.2	9.4	2	482
	03 LST														0	0
	09 LST	1.6	1.0	0.9	0.3	0.1	0.6	1.1	2.0	4.6	5.2	3.8	3.6	24.8	13	2404
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	11.9	12.2	12.2	6.0	6.5	9.0	13.4	13.4	18.1	14.4	11.7	13.6	142.4	2	480
	03 LST														0	0
	09 LST	19.5	16.4	17.2	17.2	18.1	20.4	21.1	16.3	12.6	12.8	11.3	11.9	194.8	13	2381
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	2.1	0.8	1.6	1.4	2.5	4.9	8.6	13.7	9.4	7.3	2.6	2.9	57.8	9	1633
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	29.9	24.7	25.6	24.0	27.3	27.9	29.9	29.9	28.2	28.0	25.5	29.5	330.4	4	1137
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	16.2	12.3	11.7	11.3	14.7	19.5	23.3	22.0	19.8	19.0	14.1	15.7	199.6	4	1137
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	15.9	12.1	11.7	11.3	14.7	19.5	23.3	22.0	19.8	19.0	13.4	15.3	198.0	4	1137
	15 LST														0	0

# REMANSO, BRAZIL

STA NO. 82979 (IN AREA NUMBER 02)

LATITUDE 0941S

LONGITUDE 04206W

ELEVATION(FT) 01348

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	102	101	102	102	100	100	100	101	101	103	102	103	103	15	-555
MEAN MAX TMP (F)	95	95	95	96	95	94	94	95	96	98	97	95	95	15	-55
MEAN MIN TMP (F)	68	68	68	68	67	66	65	65	67	69	69	68	67	15	-55
ABS MIN TMP (F)	51	62	60	61	60	57	54	59	59	62	58	50	50	15	-555
MEAN NO DYS TMP = OR GTR 90(F)	28.2	25.4	28.2	27.9	28.2	26.0	26.9	28.2	27.9	31.0	30.0	28.2	336.1	15	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN DEW PT TMP (F)	60	58	58	58	57	55	55	55	56	58	58	58	57	15	-29
MEAN REL HUM (PCT)	52	49	50	49	49	47	48	47	46	46	47	49	48	15	-55
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.07	3.31	3.47	1.38	0.87	0.39	0.43	0.39	0.28	0.56	2.21	3.62	20.0	15	-55
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.3	5.6	5.4	2.7	2.0	1.0	1.0	1.0	1.0	1.6	4.2	6.0	36.8	15	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS W/OCUR V5BY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.0	2.0	3.0	1.0	0.0	0.0	0.0	0.0	1.0	1.0	2.0	2.0	16.0	15	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	7.1	0.0	0.0	0.0	33.3	0.0	5.0	0.0	0.0	12.5	0.0	4.8	4	129
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	129
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# REMANSO, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	365.0	4	129
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	26.6	26.0	31.0	30.0	31.0	20.0	25.8	29.5	27.1	24.5	18.8	28.2	318.5	4	129
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST														0	0
	03 LST														0	0
	09 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.6	1.0	9	1529
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST														0	0
	03 LST														0	0
	09 LST	13.8	10.9	10.4	12.2	15.7	19.4	14.0	17.5	16.7	15.0	11.2	12.0	168.8	9	1516
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	9.9	9.5	5.8	9.0	12.7	13.5	23.2	22.3	19.6	15.8	12.5	10.8	164.6	9	1514
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	31.0	26.0	31.0	30.0	31.0	20.0	31.0	29.5	30.0	31.0	22.5	31.0	344.0	4	129
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	31.0	24.0	31.0	30.0	20.6	20.0	31.0	29.5	30.0	31.0	22.5	28.2	328.8	4	129
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	31.0	24.0	31.0	30.0	20.6	20.0	31.0	29.5	30.0	31.0	22.5	28.2	328.8	4	129
	15 LST														0	0

# PETROLINA, BRAZIL

STA NO. 82984 (IN AREA NUMBER 02)

LATITUDE 0923S

LONGITUDE 04030W

ELEVATION(FT) 01233

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	103	102	101	100	100	96	94	99	100	102	102	102	103	10	-55
MEAN MAX TMP (F)	93	91	91	90	88	87	84	87	91	93	92	91	90	10	-55
MEAN MIN TMP (F)	72	72	72	71	69	67	64	65	68	71	72	71	70	10	-55
ABS MIN TMP (F)	59	59	64	63	62	54	58	54	55	63	65	64	54	10	-555
MFAN NO DYS TMP = OR GTR 90(F)	25.2	18.9	21.0	18.0	13.5	10.7	5.0	11.1	20.3	25.2	22.4	21.0	212.3	10	-29
MFAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MFAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DFW PT TMP (F)	74	74	75	76	73	71	70	68	68	69	72	74	72	0	-50
MEAN REL HUM (PCT)	61	66	67	64	67	65			59	58	57	62		10	-55
MEAN PRESS ALT (FT)	1250	1250	1300	1250	1200	1150	1150	1150	1200	1250	1250	1250	1221	0	-50
MEAN PRECIP (IN)	0.00	0.05	4.81	0.04	0.29	0.20	0.05	0.00	0.09	0.04	1.46	1.47	8.5	2	297
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.0	0.0	4.1	0.0	1.2	1.2	0.0	0.0	0.0	0.0	3.5	4.4	14.4	2	297
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	3.0	4.0	4.0	1.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	3.0	17.0	15	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# PETROLINA, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.0	0.0	0.0	0.0	3.6	1.9	2.2	0.0	7.1	0.0	3.0	0.0	17.8	2	199
	03 LST														0	0
	09 LST	4.1	3.8	5.1	4.0	2.4	2.5	5.1	0.0	5.6	3.3	1.1	1.1	38.1	2	299
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	18.6	20.0	17.4	16.1	20.1	18.8	24.3	16.9	17.1	10.3	7.5	13.5	200.6	2	199
	03 LST														0	0
	09 LST	14.4	17.8	16.5	26.0	23.8	27.5	22.7	22.9	16.7	24.3	25.5	19.5	257.6	2	298
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0

# PORTO NACIONAL, BRAZIL

STA NO. 83064 (IN AREA NUMBR 02)

LATITUDE 10435

LONGITUDE 04825W

ELEVATION(FT) 00781

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	93	102	93	95	97	99	100	102	99	99	95	95	102	3	300
MEAN MAX TMP (F)	88	90	88	91	93	94	93	95	93	91	89	91	91	3	300
MEAN MIN TMP (F)	71	71	71	71	69	63	62	63	69	71	71	71	69	7	1617
ABS MIN TMP (F)	64	68	64	59	57	52	55	48	57	57	57	59	48	7	1617
MEAN NO DYS TMP ≥ OR GTR 90(F)	14.8	20.0	14.0	23.3	25.8	30.0	27.7	29.1	25.0	23.3	15.7	23.3	272.0	3	300
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1617
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1617
MEAN DFW PT TMP (F)	76	76	76	76	74	69	65	64	65	71	74	75	72	5	-29
MEAN REL HUM (PCT)	88	87	88	85	80	74	68	63	62	75	82	83	78	4	-57
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	13.30	12.99	13.81	8.47	1.59	0.00	0.04	0.51	4.08	9.81	7.49	14.93	87.0	7	1606
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	13.9	10.5	13.3	10.3	3.4	0.0	0.0	0.5	2.5	8.4	11.2	15.1	89.1	7	1606
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	20.0	16.0	16.0	12.0	4.0	0.0	1.0	2.0	8.0	18.0	19.0	18.0	134.0	28	-24
P FREQ WND SPD ≥ OR GTR 17 KTS														0	0
P FREQ WND SPD ≥ OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	5.9	4.2	6.7	0.0	0.0	0.0	0.0	0.0	3.7	2.6	5.0	10.3	3.2	4	609
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	5.9	4.2	6.7	0.0	0.0	0.0	0.0	0.0	1.2	1.3	0.0	2.6	1.6	4	609
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# PORTO NACIONAL, BRAZIL

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	30.1	26.8	28.9	30.0	30.5	30.0	30.4	26.4	17.4	30.2	30.0	29.4	340.1	4	609
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	28.2	26.8	28.9	30.0	30.5	30.0	29.2	22.9	13.8	29.4	26.3	27.0	323.0	4	605
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRFCIP.	21 LST	0.0		0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0		2	135
	03 LST														0	0
	09 LST	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.2	0.2	0.2	0.5	2.1	7	1619
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	7.1		0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	2.7	0.0		2	132
	03 LST														0	0
	09 LST	3.3	3.3	3.1	1.9	3.8	5.4	3.7	7.3	6.5	4.5	2.3	0.8	45.9	7	1591
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	1.1	0.8	0.7	1.4	5.7	12.8	17.2	11.4	7.0	4.6	0.7	1.0	64.4	7	1445
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	29.2	26.8	28.9	30.0	30.5	30.0	30.4	26.4	17.4	30.2	26.3	23.8	329.9	4	609
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	29.2	25.6	28.9	28.6	30.1	30.0	30.4	26.4	17.4	29.0	24.8	22.2	322.6	4	609
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	29.2	25.6	28.9	28.6	30.1	30.0	30.4	26.4	17.4	29.0	24.8	22.2	322.6	4	609
	15 LST														0	0

# UTIARITI, BRAZIL

STA NO. 83262 (IN AREA NUMBER 02)

LATITUDE 13025

LONGITUDE 05814W

ELEVATION(FT) 01263

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)					91	91	95	97	94	93	95	90		2	181
MEAN MAX TMP (F)					89	84	87	93	93	85	90	84		2	181
MEAN MIN TMP (F)	70	70	70	69	65	60	57	58	65	67	68	69	66	3	524
ABS MIN TMP (F)	66	66	68	63	57	52	50	50	55	59	61	61	50	3	524
MEAN NO DYS TMP = OR GTR 90(F)					14.6	15.0	15.5	25.1	26.8	8.1	10.0	3.7		2	181
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	524
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	524
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	5.80	8.15	14.78	2.07	0.14	0.24	0.37	0.00	3.23	5.52	7.69	11.25	59.2	3	531
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.3	12.3	12.8	3.2	0.6	0.7	0.4	0.0	4.3	6.9	7.3	9.6	68.4	3	531
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS W/CCUK VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	2.0	3.0	5.0	4.0	1.0	1.0	0.0	1.0	7.0	8.0	10.0	6.0	48.0	9	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	0.8	1	176
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	176
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# UTIARITI, BRAZIL

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	31.0	28.0	31.0	30.0	31.0	28.6	31.0	29.9	28.6	31.0	30.0	31.0	361.1	1	176
	14 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST													0	0	
	02 LST													0	0	
	08 LST	31.0	28.0	31.0	30.0	29.6	27.1	29.5	27.7	28.6	31.0	30.0	25.4	348.9	1	176
	14 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST													0	0	
	02 LST													0	0	
	08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	532	
	14 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST													0	0	
	02 LST													0	0	
	08 LST	1.1	4.5	2.1	5.2	5.1	12.7	11.5	11.2	3.0	5.4	3.3	2.2	67.3	3	523
	14 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	5.3	3.4	2.1	3.0	3.9	6.0	7.8	11.2	7.3	2.6	0.0	3.6	56.2	3	529
	14 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	31.0	28.0	31.0	30.0	31.0	28.6	31.0	29.9	28.6	31.0	30.0	28.2	358.3	1	176
	14 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	31.0	28.0	31.0	30.0	31.0	28.6	31.0	29.9	28.6	31.0	30.0	28.2	358.3	1	176
	14 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	31.0	28.0	31.0	30.0	31.0	28.6	31.0	29.9	28.6	31.0	30.0	28.2	358.3	1	176
	14 LST													0	0	

## AREA NO. 02

BRAZIL	CFNTRAL PLATEAU		LATITUDE 1130S					LONGITUDE 05100W					
	BOUNDARIES	1330S 06030W	1450S 05630W	1450S 05630W	1000S 04100W	1000S 04100W	0630S 03630W	0630S 03630W	0300S 04000W	0300S 04000W	1000S 05100W	1000S 05100W	1000S 06515W
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	92	92	90	91	90	90	90	93	94	93	93	92	92
MEAN MIN TMP (F)	73	73	72	72	70	67	66	67	70	72	72	72	71
LARGFST MEAN PRECIP(IN)	13.30	12.99	14.78	8.47	7.02	3.62	3.30	4.62	4.08	9.81	7.69	14.93	104.8
SMALLEST MEAN PRECIP(IN)	0.00	0.05	3.47	0.04	0.14	0.00	0.04	0.00	0.07	0.04	0.08	0.00	4.4
	MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST												
	03 LST												
	09 LST	30.8	27.4	28.4	29.4	30.6	29.7	30.5	29.7	27.3	30.7	29.9	30.4 354.8
	15 LST												
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	21 LST												
	03 LST												
	09 LST	27.4	24.6	27.1	28.3	28.8	25.9	27.0	25.5	22.8	26.1	21.3	25.5 310.3
	15 LST												
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.0	0.3	0.0	0.0	0.7	0.4	0.4	0.2	2.0	0.4	1.1	0.2 5.7
	03 LST												
	09 LST	0.8	0.7	0.9	0.7	0.4	0.5	1.0	0.6	1.6	1.4	0.8	0.9 10.3
	15 LST												
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	12.6	14.0	7.8	5.7	7.7	9.4	12.0	11.6	13.4	11.8	10.8	10.3 127.1
	03 LST												
	09 LST	9.0	8.7	8.1	9.8	11.7	15.1	14.5	15.2	12.9	13.9	11.5	9.5 129.9
	15 LST												
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST												
	03 LST												
	09 LST	4.4	3.4	2.0	3.8	6.9	9.9	13.6	15.4	11.7	8.7	5.2	5.7 90.7
	15 LST												
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST												
	03 LST												
	09 LST	30.5	26.3	25.4	29.0	29.6	27.8	30.2	29.4	27.3	30.0	24.5	28.8 338.8
	15 LST												
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST												
	03 LST												
	09 LST	28.2	22.6	18.8	26.7	25.7	26.4	29.1	28.1	25.9	28.3	22.4	25.8 308.0
	15 LST												
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST												
	03 LST												
	09 LST	27.5	22.5	18.8	26.7	25.7	26.4	29.1	28.1	25.9	28.3	22.2	25.7 306.9
	15 LST												

# BARRO DO RIO GRANDE, BRAZIL

STA NO. 83074/ (IN AREA NUMBER 09)

LATITUDE 11055

LONGITUDE 04310W

ELEVATION(FT) 01339

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	95	100	97	97	97	95	100	99	102	102	106	102	106	10	1121
MEAN MAX TMP (F)	90	91	90	91	90	90	89	92	94	95	94	92	92	10	1121
MEAN MIN TMP (F)	69	70	70	69	65	61	61	62	67	70	72	71	67	14	2337
ABS MIN TMP (F)	54	57	63	61	50	43	50	50	50	50	61	63	43	14	2337
MEAN NO DYS TMP = OR GTR 90(F)	21.7	22.3	23.9	25.7	19.5	23.0	18.6	26.7	26.8	28.4	26.0	22.9	285.5	10	1121
MEAN NO DYS TMP = O( LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	2337
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	2337
MEAN DFW PT TMP (F)	67	68	68	66	61	56	55	54	57	56	66	67	62	14	-29
MEAN REL HUM (PCT)	68	69	69	65	60	56	54	49	49	45	61	66	59	18	-55
MEAN PRESS ALT (FT)														0	0
MEAN PRFCIP (IN)	2.37	3.15	3.50	1.08	0.79	1.14	0.00	0.03	0.62	0.55	2.36	5.05	20.6	14	2354
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.9	5.9	5.0	2.7	1.2	1.1	0.0	0.1	1.4	1.2	4.7	6.5	33.7	14	2354
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TS1MS	9.0	8.0	8.0	3.0	0.0	0.0	0.0	0.0	1.0	4.0	6.0	7.0	46.0	18	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	3.3	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.7	4	484
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	4	484
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# BARRO DO RIO GRANDE, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	28.9	28.0	31.0	30.0	30.1	30.0	31.0	31.0	29.6	31.0	30.0	31.0	361.6	4	484
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	28.9	26.7	31.0	28.6	30.1	30.0	31.0	31.0	29.3	28.4	25.9	30.3	351.7	4	482
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.7	0.6	0.4	0.0	0.0	0.0	0.9	0.4	0.0	0.0	0.0	0.9	3.9	4	637
	03 LST														0	0
	09 LST	0.0	0.0	0.0	0.3	0.0	0.0	0.2	0.7	0.4	1.0	0.2	0.5	3.3	14	2354
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	16.2	17.3	16.4	21.1	22.4	19.2	23.9	17.3	18.3	17.0	17.8	11.5	218.4	4	634
	03 LST														0	0
	09 LST	11.9	13.9	13.5	9.9	11.5	11.6	14.5	14.9	17.9	19.4	18.0	13.9	170.9	14	2336
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	11.3	7.9	5.4	12.8	11.6	20.7	22.3	22.3	21.9	17.1	10.5	9.3	173.1	9	1623
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	28.9	28.0	31.0	27.3	30.1	30.0	31.0	31.0	29.6	31.0	29.5	29.6	357.0	4	484
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	28.9	28.0	31.0	27.3	30.1	30.0	31.0	31.0	29.6	31.0	29.0	29.6	356.5	4	484
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	28.9	28.0	31.0	27.3	30.1	30.0	31.0	31.0	29.6	31.0	29.0	29.6	356.5	4	484
	15 LST														0	0

# BARREIRAS, BRAZIL

STA NO. 83276 (IN AREA NUMBER 03)

LATITUDE 1204S

LONGITUDE 04500W

ELEVATION(FT) 02493

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	100	97	99	99	97	95	95	101	100	100	103	100	103	8	-55
MEAN MAX TMP (F)	88	88	88	90	90	90	89	91	95	93	90	88	90	8	-55
MEAN MIN TMP (F)	67	68	68	66	62	57	56	57	63	67	68	68	64	8	-55
ABS MIN TMP (F)	61	62	55	57	51	47	47	45	52	55	60	61	45	8	-55
MEAN NO DYS TMP ≥ OR GTR 90(F)	13.5	12.1	13.5	18.0	18.6	18.0	16.1	21.0	27.2	25.2	18.0	13.5	214.7	8	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN DFW PT TMP (F)	70	71	72	70	65	59	55	53	56	62	69	70	64	8	-29
MEAN REL HUM (PCT)	80	81	82	78	71	65	59	53	50	59	74	78	69	8	-55
MEAN PRESS ALT (FT)	2596	2596	2593	2576	2533	2467	2445	2483	2516	2571	2587	2587	2546	0	-50
MEAN PRECIP (IN)	6.54	7.72	5.75	2.32	0.32	0.00	0.00	0.00	0.63	4.37	5.28	7.21	40.1	8	-55
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.4	10.7	8.3	4.0	1.3	0.0	0.0	0.0	1.7	6.7	7.6	10.1	59.8	8	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MEAN NO DYS TSTMS	7.0	5.0	5.0	3.0	0.3	0.3	0.3	0.3	1.0	5.0	4.0	6.0	37.2	10	-24
P FRFQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# BARREIRAS, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	21	LST												0	0
VSBY = GTR 3 MI	03	LST												0	0
	09	LST												0	0
	15	LST												0	0
CIG = GTR 2000 FT AND VSBY = GTR	21	LST												0	0
3 MI W/SFC WND LES 10 KTS	03	LST												0	0
	09	LST												0	0
	15	LST												0	0
SFC WND = GTR 17 KTS AND	21	LST												0	0
NO PRECIP.	03	LST												0	0
	09	LST												0	0
	15	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	21	LST												0	0
DEG F AND NO PRECIP.	03	LST												0	0
	09	LST												0	0
	15	LST												0	0
SKY COVER LES 3/10 AND	21	LST												0	0
VSBY = GTR 3 MI	03	LST												0	0
	09	LST												0	0
	15	LST												0	0
CIG = GTR 2500 FT AND	21	LST												0	0
VSBY = GTR 3 MI	03	LST												0	0
	09	LST												0	0
	15	LST												0	0
CIG = GTR 6000 FT AND	21	LST												0	0
VSBY = GTR 3 MI	03	LST												0	0
	09	LST												0	0
	15	LST												0	0
CIG = GTR 10000 FT AND	21	LST												0	0
VSBY = GTR 3 MI	03	LST												0	0
	09	LST												0	0
	15	LST												0	0

DATA NOT AVAILABLE

# BOM JESUS DA LAPA, BRAZIL

STA NO. 83289 (IN AREA NUMBER 03)

LATITUDE 13155

LONGITUDE 04326W

ELEVATION(FT) 01411

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	91	95	95	88	88	91	91	95	97	99	97	91	99	2	183
MEAN MAX TMP (F)	88	91	92	86	83	87	84	89	90	92	89	84	88	2	183
MEAN MIN TMP (F)	64	67	67	66	62	59	57	58	63	68	68	67	64	2	306
ABS MIN TMP (F)	63	63	63	64	57	50	50	54	55	61	66	63	50	2	306
MEAN NO DYS TMP = OR GTR 90(F)	11.6	18.6	27.1	0.0	0.0	2.5	3.9	17.7	17.5	20.1	20.6	2.2	141.8	2	183
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	306
MEAN NO DYS TMP = OR LES 50(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	306
MEAN DFW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.14	3.77	0.33	1.87	2.44	0.00	0.25	0.00	0.11	2.19	6.24	13.54	31.9	2	305
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.9	4.8	1.0	1.7	1.2	0.0	1.1	0.0	0.0	3.3	10.4	13.3	38.7	2	305
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# BOM JESUS DA LAPA, BRAZIL

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	21 LST														0	0
VSBY = GTR 3 MI	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR	21 LST														0	0
3 MI W/SFC WND LES 10 KTS	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
SFC WND = GTR 17 KTS AND	21 LST	0.0	0.0	0.0	0.0	1.8	0.0	1.8	0.0	0.0	0.0	0.0	0.0	3.6	2	203
NO PRECIP.	03 LST														0	0
	09 LST	0.0	0.0	0.0	1.7	0.0	0.0	3.2	0.0	1.1	0.0	0.0	0.0	6.0	2	308
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89	21 LST	6.9	0.0	15.5	10.0	10.9	6.4	10.9	16.2	16.7	18.9	14.1	13.5	140.0	2	202
DEG F AND NO PRECIP.	03 LST														0	0
	09 LST	25.2	21.9	26.8	21.7	16.1	12.0	22.4	12.4	17.1	23.5	21.6	23.5	244.2	2	307
	15 LST														0	0
SKY COVER LES 3/10 AND	21 LST														0	0
VSBY = GTR 3 MI	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 2500 FT AND	21 LST														0	0
VSBY = GTR 3 MI	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 6000 FT AND	21 LST														0	0
VSBY = GTR 3 MI	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 10000 FT AND	21 LST														0	0
VSBY = GTR 3 MI	03 LST														0	0
	09 LST														0	0
	15 LST														0	0

# CAETITE, BRAZIL

STA NO. 83339 (IN AREA NUMBER 03)

LATITUDE 1404S

LONGITUDE 04229W

ELEVATION(FT) 02851

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	95	91	93	97	93	88	99	95	95	102	93	95	102	11	2174
MEAN MAX TMP (F)	82	84	83	82	79	77	77	79	83	85	83	83	81	11	2174
MEAN MIN TMP (F)	62	63	63	63	60	57	55	56	59	62	63	63	61	11	2270
ABS MIN TMP (F)	52	50	55	52	48	41	39	48	50	52	54	55	39	11	2270
MEAN NO DYS TMP = OR GTR 90(F)	2.3	3.1	2.4	2.1	1.9	0.0	0.4	0.7	3.5	8.6	4.4	3.3	32.7	11	2174
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	2270
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	2270
MEAN DFW PT TMP (F)	64	65	64	64	60	57	56	55	58	60	63	64	61	18	-29
MEAN RFL HUM (PCT)	77	77	76	77	74	74	72	67	66	67	74	76	73	32	-55
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.45	3.28	2.82	2.08	2.13	0.96	0.56	0.59	0.37	1.60	4.80	3.28	26.9	11	2254
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.1	5.3	5.1	3.4	3.0	0.8	0.8	0.8	1.0	2.6	5.4	5.5	39.8	11	2254
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	8.0	8.0	6.0	3.0	0.0	0.0	0.0	0.0	1.0	5.0	8.0	8.0	47.0	32	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# CAETITE, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST													0	0	
	03 LST													0	0	
	09 LST													0	0	
	15 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST													0	0	
	03 LST													0	0	
	09 LST													0	0	
	15 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRFCIP.	21 LST	1.2	4.3	1.9	1.8	11.1	4.1	8.8	10.1	7.2	0.0	3.3	1.1	94.9	2	488
	03 LST													0	0	
	09 LST	7.9	8.3	10.6	10.7	14.3	9.9	10.0	11.7	12.8	9.9	8.1	3.4	117.6	11	2119
	15 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	2.4	1.1	4.4	8.4	6.4	5.3	8.3	7.8	7.2	12.1	2.4	5.5	71.3	2	485
	03 LST													6	0	
	09 LST	13.1	9.8	10.9	11.3	11.0	13.0	12.9	12.5	11.8	12.0	8.9	11.5	138.7	11	2101
	15 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST													0	0	
	03 LST													0	0	
	09 LST	3.4	3.5	0.0	3.5	4.0	1.7	2.4	4.7	9.2	3.3	4.7	5.3	45.7	9	449
	15 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST													0	0	
	03 LST													0	0	
	09 LST													0	0	
	15 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST													0	0	
	03 LST													0	0	
	09 LST													0	0	
	15 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST													0	0	
	03 LST													0	0	
	09 LST													0	0	
	15 LST													0	0	

# GUIABA NEW, BRAZIL

STA NO. 83361 (IN ARFA NUMBER 03)

LATITUDE 15385

LONGITUDE 05606W

ELEVATION(FT) 00623

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	100	100	102	100	100	100	100	104	104	108	102	111	111	13	2787
MEAN MAX TMP (F)	91	91	90	90	88	88	90	92	93	93	91	90	91	13	2787
MEAN MIN TMP (F)	72	73	72	70	66	63	61	64	69	72	72	73	69	17	4048
ABS MIN TMP (F)	66	59	64	54	46	45	43	45	50	50	55	55	43	17	4048
MEAN NO DYS TMP = OR GTR 90(F)	22.7	20.2	22.0	20.1	19.1	21.0	22.6	22.7	22.0	22.7	21.5	20.5	257.1	13	2787
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	4048
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	4048
MEAN DEW PT TMP (F)	75	73	72	74	67	63	61	61	63	71	71	72	69	0	-50
MEAN RFL HUM (PCT)	78	80	80	79	75	72	64	60	59	68	74	77	72	10	-57
MEAN PRESS ALT (FT)	850	850	800	750	750	700	700	750	750	800	850	850	783	0	-50
MEAN PRECIP (IN)	10.00	8.60	8.10	4.00	7.20	0.50	0.30	1.10	1.80	5.20	6.00	8.10	55.9	29	-57
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	12.7	11.5	11.2	6.1	3.8	1.1	0.8	2.1	3.6	7.5	8.2	11.0	79.6	29	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	13.0	13.0	15.0	11.0	3.0	1.0	1.0	2.0	7.0	11.0	13.0	13.0	103.0	32	-24
P FRQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	7.7	0.0	5.6	0.0	12.7	2.9	4.2	7.2	10.3	2.9	4.5	4	664
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	3.8	0.0	1.4	0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.6	4	664
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# CUIABA NEW, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	31.0	28.0	28.6	30.0	29.7	29.2	25.9	26.8	15.5	27.6	26.9	29.2	4	664
	14 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST													0	0
	02 LST													0	0
	08 LST	29.5	27.3	28.6	30.0	29.3	29.2	25.9	26.0	14.0	26.9	26.9	29.2	4	663
	14 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.0	0.0	0.0	0.8	4	738
	02 LST													0	0
	08 LST	0.1	0.1	0.1	0.3	0.1	0.0	0.1	0.1	0.2	0.1	0.1	1.5	17	3991
	14 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	0.7	1.2	2.4	1.2	3.3	3.3	2.0	5.0	4.9	2.5	2.3	0.8	4	737
	02 LST													0	0
	08 LST	15.1	11.6	11.7	10.8	6.8	7.1	7.5	9.2	13.9	15.5	16.1	15.7	17	3959
	14 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	4.2	4.1	4.5	8.8	13.7	18.0	18.1	15.8	8.9	8.3	7.6	3.0	9	1960
	14 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	31.0	28.0	28.6	30.0	29.3	29.2	25.9	26.3	15.2	27.6	26.1	29.2	4	664
	14 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	29.5	26.7	28.6	29.1	29.3	28.4	25.9	26.3	15.2	27.6	26.1	28.2	4	664
	14 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	29.5	26.0	28.6	29.1	29.3	27.6	24.8	26.3	15.2	27.2	26.1	28.2	4	664
	14 LST													0	0

# SANGRADOURO, BRAZIL

STA NO. 83365 (IN AREA NUMBER 03)

LATITUDE 1538S

LONGITUDE 05355W

ELEVATION(FT) 01575

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	91	91	91	93	95	90	91	99	97	100	97	93	100	5	697
MEAN MAX TMP (F)	85	86	85	86	86	86	85	90	90	89	86	85	87	5	697
MEAN MIN TMP (F)	67	67	67	62	59	54	51	54	59	64	67	67	62	10	2047
ABS MIN TMP (F)	61	63	57	45	43	41	39	39	43	50	54	57	39	10	2047
MEAN NO DYS TMP = OR GTR 90(F)	6.3	4.0	3.1	12.1	9.9	3.1	7.8	24.7	21.8	17.7	9.5	6.4	126.4	5	697
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	2047
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	2047
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	6.28	7.62	7.71	1.07	0.54	0.25	0.34	0.21	1.66	3.66	8.29	9.35	47.0	10	2053
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.1	8.0	10.7	1.5	1.5	0.5	0.8	0.5	2.6	4.9	10.7	10.4	61.2	10	2053
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	18.0	15.0	14.0	11.0	4.0	2.0	1.0	2.0	11.0	18.0	19.0	18.0	133.0	8	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	7.7	12.1	12.5	6.4	0.0	2.1	0.0	1.0	17.1	8.0	2.9	3.6	6.1	4	653
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	5.1	9.1	6.3	6.4	0.0	2.1	0.0	1.0	17.1	8.0	2.9	3.6	5.1	4	653
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# SANGRADOURO, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	28.6	25.7	26.1	27.4	29.6	29.4	30.4	27.3	10.3	25.2	29.1	27.9	4	653
	14 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST													0	0
	02 LST													0	0
	08 LST	28.6	21.9	26.1	28.7	28.9	28.7	30.4	27.0	10.3	24.8	27.4	29.9	4	650
	14 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	589
	02 LST													0	0
	08 LST	0.3	0.5	0.0	0.0	0.2	0.2	0.2	0.0	0.2	0.3	0.2	0.2	10	2060
	14 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	3.3	4.5	2.6	4.7	4.0	5.2	4.8	8.0	7.0	4.0	7.9	0.0	4	581
	02 LST													0	0
	08 LST	7.6	4.5	4.6	3.8	2.7	5.0	4.5	6.2	4.7	4.9	10.1	7.3	10	2035
	14 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	5.0	3.1	3.2	9.1	14.3	22.4	20.5	18.8	3.8	6.7	4.6	4.4	7	1421
	14 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	28.6	22.9	26.1	27.4	29.6	29.4	30.4	27.3	10.3	25.2	29.1	29.9	4	653
	14 LST													0	0
CIG = GTR 5000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	28.6	22.9	26.1	27.4	29.6	29.4	30.4	27.3	10.3	24.8	29.1	28.8	4	653
	14 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	28.6	22.9	26.1	27.4	29.6	29.4	30.4	27.3	10.3	24.8	29.1	28.8	4	653
	14 LST													0	0

# PIRENOPOLIS, BRAZIL

STA NO. 83376 (IN AREA NUMBER 03)

LATITUDE 1551S

LONGITUDE 04850W

ELEVATION(FT) 02395

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	91	88	95	90	88	88	90	93	97	95	99	93	99	5	703
MEAN MAX TMP (F)	81	82	83	85	84	83	83	87	89	86	85	83	84	5	703
MEAN MIN TMP (F)	64	64	65	63	58	55	54	56	60	63	64	65	61	5	709
ABS MIN TMP (F)	52	63	61	57	54	45	43	45	50	52	50	50	43	5	709
MFAN NO DYS TMP = OR GTR 90(F)	2.6	0.0	2.6	3.6	0.0	0.0	0.8	8.5	18.5	11.5	3.8	4.4	56.3	5	703
MFAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	709
MFAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	709
MEAN DFW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	7.67	3.03	9.87	2.24	2.56	0.33	1.15	0.00	1.23	5.35	10.72	13.08	57.2	5	708
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MFAN NO DYS PHCP = OR GTR 0.1 IN	16.7	11.2	14.0	6.6	3.5	0.7	1.2	0.0	2.0	7.2	14.6	18.8	96.5	5	708
MFAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MFAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MFAN NO DYS YSTMS	24.0	11.0	12.0	9.0	2.0	1.0	1.0	1.0	7.0	13.0	14.0	0.0	95.0	30	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# PIRENOPOLIS, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS														0	0
														0	0
														0	0
														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.														0	0
														0	0
														0	0
														0	0
	0.0	0.0	0.0	0.0	0.0	0.0	2.6	1.3	0.0	1.4	0.0	0.0	5.3	5	699
														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.														0	0
														0	0
														0	0
														0	0
	2.5	2.8	2.5	8.0	9.1	16.6	11.2	11.1	11.2	8.8	4.0	5.1	92.9	5	686
														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
	3.7	5.1	3.5	13.6	16.9	25.5	23.6	22.2	14.2	7.8	2.9	4.0	143.0	5	694
														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0

# BRASILIA, BRAZIL

STA NO. 03377 (IN AREA NUMBER 03)

LATITUDE 15515

LONGITUDE 04756W

ELEVATION(FT) 03481

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	85	86	89	87	84	82	81	87	93	92	89	86	93	3	-34
MEAN MAX TMP (F)	80	81	82	82	79	77	78	82	87	82	82	78	81	3	-34
MEAN MIN TMP (F)	65	64	64	62	56	52	51	55	60	64	66	64	60	3	-34
ABS MIN TMP (F)	61	61	58	57	49	47	46	48	55	59	59	61	46	3	-34
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.7	2.7	0.0	0.0	13.4	3	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN DFW PT TMP (F)	65	65	63	62	56	51	50	51	52	61	64	66	59	0	-50
MEAN REL HUM (PCT)	80	78	71	72	70	63	61	54	48	66	71	84	68	3	-34
MEAN PRFSS ALT (FT)	3700	3700	3700	3650	3600	3600	3550	3600	3600	3650	3700	3700	3646	0	-50
MEAN PRFCIP (IN)	9.00	7.80	4.80	3.40	1.40	0.01	0.00	0.04	1.30	4.90	9.70	11.70	54.0	3	-34
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	11.8	10.7	7.1	5.4	2.7	0.3	0.0	0.4	2.8	7.2	11.1	14.0	73.5	3	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.2	1.2	1.4	0.8	0.3	0.2	0.1	0.3	0.6	0.6	1.2	1.2	9.1	3	-34
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# BRASILIA, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	21	LST												0	0
VSBY = GTR 3 MI	03	LST												0	0
	09	LST												0	0
	15	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR	21	LST												0	0
3 MI W/SFC WND LES 10 KTS	03	LST												0	0
	09	LST												0	0
	15	LST												0	0
SFC WND = GTR 17 KTS AND	21	LST												0	0
NO PRECIP.	03	LST												0	0
	09	LST												0	0
	15	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	21	LST												0	0
DEG F AND NO PRECIP.	03	LST												0	0
	09	LST												0	0
	15	LST												0	0
SKY COVER LES 3/10 AND	21	LST												0	0
VSBY = GTR 3 MI	03	LST												0	0
	09	LST												0	0
	15	LST												0	0
CIG = GTR 2500 FT AND	21	LST												0	0
VSBY = GTR 3 MI	03	LST												0	0
	09	LST												0	0
	15	LST												0	0
CIG = GTR 6000 FT AND	21	LST												0	0
VSBY = GTR 3 MI	03	LST												0	0
	09	LST												0	0
	15	LST												0	0
CIG = GTR 10000 FT AND	21	LST												0	0
VSBY = GTR 3 MI	03	LST												0	0
	09	LST												0	0
	15	LST												0	0

DATA NOT AVAILABLE

# JANUARIA, BRAZIL

STA NO. 83386 (IN AREA NUMBER 03)

LATITUDE 1530S

LONGITUDE 04421W

ELEVATION(FT) 01440

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	102	97	97	99	93	91	95	97	100	100	102	99	102	10	1706
MFAN MAX TMP (F)	87	88	88	87	85	84	84	89	91	93	89	87	88	10	1706
MEAN MIN TMP (F)	67	67	68	66	63	58	59	60	64	68	69	67	65	14	2917
ABS MIN TMP (F)	50	46	50	54	50	43	48	45	39	50	50	50	39	14	2917
MFAN NO DYS TMP = OR GTR 90(F)	7.8	10.0	11.9	10.6	5.6	3.5	3.8	16.2	22.6	25.2	15.2	10.4	142.8	10	1706
MFAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	2917
MFAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	2917
MEAN DEW PT TMP (F)	75	74	74	73	69	66	66	67	69	74	75	75	71	10	-29
MEAN REL HUM (PCT)	93	90	88	88	85	84	83	80	78	82	88	92	86	7	-34
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	5.10	8.65	6.97	2.96	1.70	0.23	0.45	0.24	1.23	3.04	10.85	10.76	52.2	14	2897
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.2	6.2	9.0	4.1	1.6	0.2	0.8	0.3	1.8	3.5	10.2	10.9	56.8	14	2897
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	5.0	5.0	4.0	2.0	1.0	0.0	0.0	1.0	1.0	5.0	5.0	5.0	34.0	31	-24
P FREQ WND SPD = OR GTR 17 KTS	12.0	16.0	18.0	18.0	13.0	12.0	27.0	47.0	29.0	28.0	19.0	15.0	21.2	6	-34
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	1.0	1.0	1.0	1.0	4.0	5.0	4.0	2.0	1.0	0.0	1.7	6	-34
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	11.8	9.1	0.0	0.0	2.6	0.0	0.0	0.0	0.0	7.1	0.0	0.0	2.6	4	325
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	11.8	9.1	0.0	0.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	4	325
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# JANUARIA, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST	25.5	20.4	31.0	30.0	29.4	30.0	31.0	31.0	28.3	28.8	22.0	31.0	338.4	4 325
	15 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST													0	0
	03 LST													0	0
	09 LST	21.9	20.4	28.9	30.0	27.0	28.9	29.4	26.7	18.8	19.9	20.0	28.8	300.7	4 324
	15 LST													0	0
SFC WND = GTR 17 KTS AND NO PRFCIP.	21 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.5	4	792
	03 LST													0	0
	09 LST	1.6	1.8	2.8	1.1	0.7	1.9	3.1	2.8	3.5	2.7	2.0	0.8	24.8	14 2903
	15 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	4.1	3.2	3.9	4.7	7.6	7.6	11.3	8.0	9.1	7.6	5.1	1.3	72.5	4 746
	03 LST													0	0
	09 LST	11.4	8.9	14.1	15.8	16.7	14.0	15.1	18.9	15.7	15.6	12.9	13.1	171.7	14 2881
	15 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST	8.4	4.4	7.8	9.6	15.8	19.5	22.7	20.3	13.7	9.5	4.6	5.5	141.8	9 1738
	15 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST	21.9	20.4	31.0	30.0	29.4	30.0	31.0	31.0	28.3	27.7	22.0	31.0	333.7	4 325
	15 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST	20.1	20.4	31.0	30.0	29.4	30.0	31.0	31.0	28.3	27.7	22.0	26.6	327.5	4 325
	15 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST	20.1	15.3	31.0	30.0	29.4	30.0	31.0	31.0	28.3	27.7	22.0	26.6	322.4	4 325
	15 LST													0	0

# SANTA GENOVEVA, BRAZIL

STA NO. 83423 (IN AREA NUMBER 03)

LATITUDE 16385

LONGITUDE 04913W

ELEVATION(FT) 02451

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	91	88	95	90	88	88	90	93	97	95	99	93	99	5	-83376
MEAN MAX TMP (F)	81	82	83	85	84	83	83	87	89	86	85	83	84	5	-83376
MEAN MIN TMP (F)	64	64	65	63	58	55	54	56	60	63	64	65	61	5	-83376
ABS MIN TMP (F)	52	63	61	57	54	45	43	45	50	52	50	50	43	5	-83376
MEAN NO DYS TMP = OR GTR 90(F)	2.6	0.0	2.6	3.6	0.0	0.0	0.8	8.5	18.5	11.5	3.8	4.4	56.3	5	-83376
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN DFW PT TMP (F)	71	69	71	67	63	58	57	55	61	67	69	71	65	0	-50
MEAN RFL HUM (PCT)	94	87	90	80	78	71	70	60	66	79	84	90	79	3	-29
MEAN PRESS ALT (FT)	2550	2550	2550	2450	2450	2400	2350	2350	2450	2500	2550	2550	2475	0	-50
MEAN PRECIP (IN)	7.67	3.03	9.67	2.24	2.56	0.33	1.15	0.00	1.23	5.35	10.72	13.08	57.2	5	-83376
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	16.7	11.2	14.0	6.6	3.5	0.7	1.2	0.0	2.0	7.2	14.6	18.8	96.5	5	-83376
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	24.0	11.0	12.0	9.0	2.0	1.0	1.0	1.0	7.0	13.0	14.0	0.0	95.0	30	-83376
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# SANTA GENOVEVA, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRFCIP.	21 LST														0	0
	03 LST														0	0
	09 LST	0.0	0.0	0.0	0.0	0.0	0.0	2.6	1.3	0.0	1.4	0.0	0.0	5.3	5	-83376
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST														0	0
	03 LST														0	0
	09 LST	2.5	2.8	2.5	8.0	9.1	16.6	11.2	11.1	11.2	8.8	4.0	5.1	92.9	5	-83376
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	3.7	5.1	3.5	13.6	16.9	25.5	23.6	22.2	14.2	7.8	2.9	4.0	143.0	5	-83376
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0

# MONTES CLAROS, BRAZIL

STA NO. 83437 (IN AREA NUMBR 03)

LATITUDE 1643S

LONGITUDE 04349W

ELEVATION(FT) 02146

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	102	100	100	102	103	91	91	99	99	99	100	100	103	25	-555
MEAN MAX TMP (F)	87	86	86	86	83	82	81	84	88	88	86	85	85	25	-55
MEAN MIN TMP (F)	64	64	64	62	57	53	52	53	58	63	64	65	60	25	-55
ABS MIN TMP (F)	52	55	50	43	43	43	39	40	45	48	50	52	39	25	-555
MEAN NO DYS TMP = OR GTR 90(F)	11.1	7.9	8.8	8.5	3.6	2.6	2.4	5.0	13.0	13.5	8.5	6.7	91.6	25	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN DEW PT TMP (F)	69	68	67	67	62	57	54	56	59	63	67	68	63	0	-50
MEAN REL HUM (PCT)	77	79	77	76	73	70	68	64	62	66	75	77	72	25	-55
MEAN PRESS ALT (FT)	2400	2400	2400	2350	2300	2300	2250	2300	2300	2350	2400	2400	2346	0	-50
MEAN PRECIP (IN)	6.69	5.75	4.84	1.77	0.24	0.16	0.12	0.24	0.87	2.87	6.65	7.76	38.0	25	-55
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.6	8.6	7.2	3.2	1.2	0.6	0.5	0.7	2.1	5.1	8.7	10.7	58.2	25	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	2.0	2.0	1.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	3.0	2.0	12.0	25	-55
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# MONTES CLAROS, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI w/SFC WND LES 10 KTS	21 LST													0	0
	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST													0	0
	03 LST													0	0
	09 LST	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.9	0.5	0.0	3.4	5	606
	15 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST													0	0
	03 LST													0	0
	09 LST	11.7	7.4	18.9	20.4	16.6	9.5	15.2	18.8	16.4	22.0	12.8	16.7	5	600
	15 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST	7.8	6.8	6.8	12.5	17.4	17.3	14.4	22.7	14.6	7.1	3.7	3.9	5	622
	15 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST													0	0
	15 LST													0	0

# PIRAPORA, BRAZIL

STA NO. 03483 (IN AREA NUMBER 03)

LATITUDE 17215

LONGITUDE 04456W

ELEVATION(FT) 01643

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	97	100	95	95	95	90	90	97	97	100	95	93	100	6	599
MEAN MAX TMP (F)	89	89	90	90	87	85	83	87	89	90	88	85	88	6	599
MEAN MIN TMP (F)	68	69	67	64	59	53	53	55	61	66	68	68	63	11	2080
ABS MIN TMP (F)	63	50	48	52	50	43	32	43	39	50	57	55	32	11	2080
MEAN NO DYS TMP = OR GTR 90(F)	19.6	17.0	22.5	22.7	8.2	6.0	2.0	11.5	19.6	20.8	15.3	7.8	173.0	6	599
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	11	2080
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	2080
MEAN DEW PT TMP (F)	70	69	68	68	63	58	55	57	60	64	68	69	64	0	-50
MEAN REL HUM (PCT)	81	76	77	78	76	73	69	63	58	63	74	79	72	8	-57
MEAN PRESS ALT (FT)	1900	1900	1900	1850	1800	1800	1750	1800	1800	1850	1900	1900	1846	0	-80
MEAN PRECIP (IN)	9.40	7.70	6.70	2.90	0.0	0.20	0.10	0.40	1.30	4.00	7.90	9.90	50.0	18	-57
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	12.2	10.6	9.5	4.7	1.3	0.6	0.5	1.0	2.8	6.4	9.4	12.3	71.3	18	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSYS	4.0	2.0	3.0	1.0	0.0	0.0	0.0	0.0	1.0	2.0	3.0	3.0	19.0	25	-24
P FREQ WND SPD = OR GTR 17 KTS	0.0	2.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.5	2	-34
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-74
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	10.0	10.0	7.1	0.0	3.3	1.8	1.8	0.0	0.0	14.3	4.0	4	267
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	10.0	7.1	0.0	0.0	0.0	1.8	0.0	0.0	14.3	2.8	4	267
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# PIRAPORA, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	31.0	28.0	27.9	27.0	28.8	30.0	27.9	30.4	16.4	13.0	30.0	26.6	317.0	4	267
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	31.0	28.0	27.9	27.0	28.8	30.0	26.8	28.3	16.4	12.0	30.0	26.6	312.8	4	267
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST														0	0
	03 LST														0	0
	09 LST	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.1	0.3	0.0	0.0	0.9	11	2078
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST														0	0
	03 LST														0	0
	09 LST	3.4	1.6	3.2	2.6	3.2	1.7	3.3	7.1	9.8	10.1	6.5	2.4	34.9	11	2056
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	4.2	3.6	5.7	11.0	11.8	19.7	19.3	19.7	7.4	4.7	2.4	2.8	112.3	9	1391
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	31.0	28.0	27.9	27.0	28.8	30.0	27.9	29.9	16.4	13.0	30.0	26.6	316.5	4	267
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	31.0	28.0	27.9	27.0	28.8	30.0	27.9	29.9	16.4	13.0	30.0	26.6	316.5	4	267
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	31.0	28.0	27.9	27.0	28.8	30.0	27.9	29.9	16.4	13.0	30.0	26.6	316.5	4	267
	15 LST														0	0

# TEOFILO OTONI, BRAZIL

STA NO. 83492 (IN AREA NUMBFR 03)

LATITUDE 1746S

LONGITUDE 04126W

ELEVATION(FT) 01079

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	99	97	97	93	90	88	88	93	93	99	95	97	99	8	1163
MEAN MAX TMP (F)	88	89	87	84	80	79	77	80	83	86	85	85	84	8	1163
MEAN MIN TMP (F)	69	70	69	68	63	60	59	59	63	67	69	69	65	12	2077
ABS MIN TMP (F)	54	57	54	48	48	36	48	34	32	52	55	52	32	12	2077
MEAN NO DYS TMP = OR GTR 90(F)	15.0	15.9	13.1	5.4	0.3	0.0	0.0	1.2	4.7	11.3	11.3	11.2	89.4	8	1163
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	12	2077
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	2077
MEAN DEW PT TMP (F)	73	74	72	72	67	65	63	65	67	70	70	72	69	10	-29
MEAN REL HUM (PCT)	83	83	84	87	86	87	86	86	82	82	80	85	84	9	-57
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	7.07	5.34	4.80	3.07	1.23	1.66	0.96	1.99	4.46	2.45	7.33	7.51	47.9	12	2192
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.3	7.8	8.7	7.2	3.8	4.2	2.4	3.1	4.1	1.9	7.1	11.7	70.3	12	2192
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI														0	0
MEAN NO DYS TS/TMS	10.0	7.0	7.0	3.0	1.0	0.0	0.0	1.0	1.0	4.0	7.0	9.0	50.0	25	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	12.5	0.0	12.5	0.0	0.0	0.0	9.8	13.3	2.8	0.0	16.7	5.6	4	238
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	6.7	0.0	0.0	16.7	2.1	4	238
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

**TEOFILO OTONI, BRAZIL**  
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	31.0	24.5	31.0	26.3	31.0	30.0	31.0	27.9	26.0	26.7	17.1	25.8	326.3	4	238
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	31.0	21.0	31.0	26.3	31.0	30.0	31.0	27.9	25.0	25.8	17.1	25.8	322.9	4	237
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.0	0.0	0.1		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		2	95
	03 LST														0	0
	09 LST	0.3	0.0	0.6	0.2	0.3	0.2	0.2	0.1	0.1	0.0	0.2	0.0	2.2	12	2195
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	0.0	0.0	0.0		0.0	0.0	0.0	0.0	2.3	2.6	0.0	0.0		2	95
	03 LST														0	0
	09 LST	13.1	12.6	15.2	14.0	10.6	10.3	10.2	7.5	10.2	8.5	9.0	10.9	132.1	12	2173
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	2.3	0.9	1.8	1.7	3.3	0.8	1.3	2.0	2.0	1.6	1.6	0.6	19.9	9	1249
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	31.0	17.5	31.0	26.3	30.3	30.0	19.1	25.4	19.0	25.0	17.1	25.8	297.5	4	238
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	28.2	10.5	31.0	26.3	16.8	30.0	11.9	9.1	12.0	11.2	17.1	20.6	224.7	4	238
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	28.2	10.5	31.0	26.3	16.8	30.0	11.9	9.1	12.0	11.2	17.1	15.5	219.6	4	238
	15 LST														0	0

# UBERLANDIA, BRAZIL

STA NO. 82525 (IN AREA NUMBER 03)

LATITUDE 1853S

LONGITUDE 04814W

ELEVATION(FT) 03025

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	91	104	88	95	97	95	99	100	99	102	93	90	104	7	-83526
MEAN MAX TMP (F)	82	82	82	81	79	79	79	83	84	85	82	81	82	7	-83526
MEAN MIN TMP (F)	65	66	65	63	59	57	56	59	63	65	66	66	63	11	-83526
ABS MIN TMP (F)	50	50	52	46	45	45	43	45	43	45	43	52	43	11	-83526
MEAN NO DYS TMP = OR GTR 90(F)	1.6	1.0	0.0	0.3	0.3	0.8	0.5	2.3	5.7	5.0	2.2	1.7	21.4	7	-83526
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN DEW PT TMP (F)	70	68	71	70	61	57	57	58	64	67	67	68	65	0	-50
MEAN REL HUM (PCT)	72	78	71	69	72	68	63	61	57	68	75	79	69	10	-83526
MEAN PRESS ALT (FT)	3100	3100	3100	3000	3000	2950	2900	2900	3000	3050	3100	3100	3025	0	-50
MEAN PRECIP (IN)	7.30	7.50	7.97	5.73	0.54	0.18	0.17	0.04	1.43	3.67	6.05	11.76	52.3	11	-83526
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.3	10.8	11.0	6.3	1.5	0.4	0.5	0.1	1.9	6.2	6.8	11.6	67.4	11	-83526
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	13.0	10.0	10.0	5.0	1.0	1.0	1.0	1.0	4.0	8.0	11.0	11.0	76.0	31	-83526
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	1.9	0.0	0.0	3.1	0.0	0.0	0.0	0.0	1.1	1.3	0.0	0.0	0.6	4	-83526
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.1	4	-83526
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# UBERLANDIA, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	29.8	28.0	31.0	28.1	30.5	30.0	30.3	30.7	28.3	30.2	27.7	31.0	359.6	4	-83526
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	23.7	27.2	29.7	25.3	21.8	21.1	24.1	18.2	17.7	23.6	22.3	29.8	284.5	4	-83526
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.0	0.0	0.0	0.0	0.9	4	-83526
	03 LST														0	0
	09 LST	1.1	0.3	0.0	0.2	0.9	0.6	1.7	2.5	1.0	0.9	0.5	0.5	10.2	11	-83526
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DFG F AND NO PRECIP.	21 LST	4.7	2.5	4.6	3.5	5.1	3.9	5.5	8.4	8.8	6.4	6.8	4.7	64.9	4	-83526
	03 LST														0	0
	09 LST	18.4	17.6	19.1	20.7	22.7	20.5	21.0	19.6	19.6	19.2	17.2	19.1	234.7	11	-83526
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	8.2	6.2	10.0	18.9	18.7	24.5	25.3	25.7	19.4	14.3	7.5	4.6	182.9	8	-83526
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	29.8	28.0	31.0	28.1	30.5	30.0	30.3	30.7	28.3	30.2	27.7	31.0	355.6	4	-83526
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	29.8	28.0	31.0	27.2	30.5	30.0	30.3	30.7	28.3	30.2	27.7	31.0	354.7	4	-83526
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	29.8	28.0	31.0	27.2	30.5	30.0	30.3	30.7	28.3	30.2	27.7	29.8	353.5	4	-83526
	15 LST														0	0

# CATALAO, BRAZIL

STA NO. 83926 (IN AREA NUMEFR 03)

LATITUDE 18105

LONGITUDE 04758W

ELEVATION(FT) 02756

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	91	104	88	95	97	95	99	100	99	102	93	90	104	7	1136
MEAN MAX TMP (F)	82	82	82	81	76	79	79	83	84	85	82	81	82	7	1136
MEAN MIN TMP (F)	65	66	65	63	59	57	56	59	63	65	66	66	63	11	2274
ABS MIN TMP (F)	50	50	52	46	45	45	43	45	43	45	43	52	43	11	2274
MEAN NO DYS TMP = OR GTR 90(F)	1.6	1.0	0.0	0.3	0.3	0.8	0.5	2.3	5.7	5.0	2.2	1.7	21.4	7	1136
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	2274
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	2274
MEAN DFW PT TMP (F)	63	66	62	60	56	56	53	55	55	62	65	66	60	9	-29
MEAN RFL HUM (PCT)	72	78	71	69	72	68	63	61	57	68	75	79	69	10	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRFCIP (IN)	7.30	7.50	7.97	5.73	0.54	0.18	0.17	0.04	1.43	3.67	6.05	11.76	52.3	11	2266
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.3	10.8	11.0	6.3	1.5	0.4	0.5	0.1	1.9	6.2	6.8	11.6	67.4	11	2266
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	13.0	10.0	10.0	5.0	1.0	1.0	1.0	1.0	4.0	8.0	11.0	11.0	76.0	31	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	1.9	0.0	0.0	3.1	0.0	0.0	0.0	0.0	1.1	1.3	0.0	0.0	0.6	4	632
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.1	4	632
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# CATALAO, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST	29.8	28.0	31.0	28.1	30.5	30.3	30.7	28.3	30.2	27.7	31.0	355.6	4	632
	15 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST													0	0
	03 LST													0	0
	09 LST	23.7	27.2	29.7	25.3	21.8	21.1	24.1	18.2	17.7	23.6	22.3	29.8	4	631
	15 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.0	0.0	0.0	0.0	0.9	4	637
	03 LST													0	0
	09 LST	1.1	0.3	0.0	0.2	0.9	0.6	1.7	2.5	1.0	0.9	0.5	10.2	11	2270
	15 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	4.7	2.5	4.6	3.5	5.1	3.9	5.5	8.4	8.8	6.4	6.8	4.7	4	633
	03 LST													0	0
	09 LST	18.4	17.6	19.1	20.7	22.7	20.5	21.0	19.6	19.6	19.2	17.2	19.1	11	2246
	15 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST	8.2	6.2	10.0	18.5	18.7	24.5	25.3	25.7	19.4	14.3	7.5	4.6	8	1380
	15 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST	29.8	28.0	31.0	28.1	30.5	30.0	30.3	30.7	28.3	30.2	27.7	31.0	4	632
	15 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST	29.8	28.0	31.0	27.2	30.5	30.0	30.3	30.7	28.3	30.2	27.7	31.0	4	632
	15 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST	29.8	28.0	31.0	27.2	30.5	30.0	30.3	30.7	28.3	30.2	27.7	29.8	4	632
	15 LST													0	0

# DIAMANTINA, BRAZIL

STA NO. 83538 (IN AREA NUMBER 03)

LATITUDE 18145

LONGITUDE 04334W

ELEVATION (FT) 04183

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	86	97	95	82	90	81	93	91	86	100	90	84	100	8	1479
MEAN MAX TMP (F)	79	79	78	74	73	70	69	73	74	75	75	75	75	8	1479
MEAN MIN TMP (F)	62	63	62	60	56	53	52	53	56	59	60	61	58	12	2888
ABS MIN TMP (F)	50	52	50	52	41	43	41	39	41	41	50	52	39	12	2888
MEAN NO DYS TMP = OR GTR 90 (F)	0.0	0.6	0.6	0.0	0.3	0.0	0.2	0.2	0.0	0.2	0.2	0.0	2.3	8	1479
MEAN NO DYS TMP = OR LES 32 (F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	2888
MEAN NO DYS TMP = OR LES 0 (F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	2888
MEAN DEW PT TMP (F)	63	64	63	60	57	53	52	52	55	58	61	62	58	15	-29
MEAN REL HUM (PCT)	80	80	80	81	79	75	75	71	72	76	81	83	78	25	55
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	8.05	6.71	9.76	2.89	2.71	0.93	0.71	1.16	2.88	4.27	9.62	13.70	63.4	12	2853
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	12.6	12.2	11.3	7.6	2.6	1.4	1.2	1.9	3.5	6.7	12.3	16.9	90.2	12	2853
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	5.0	4.0	4.0	3.0	1.0	0.0	0.0	0.0	2.0	4.0	5.0	6.0	34.0	25	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	14.3	11.1	16.7	14.0	4.2	8.1	6.6	4.7	17.6	21.9	19.1	37.0	14.6	4	855
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	1.6	0.0	0.0	3.5	0.0	2.7	0.0	0.9	2.9	9.6	4.3	14.8	3.4	4	855
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# DIAMANTINA, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	27.5	22.8	26.7	27.4	29.4	27.5	28.5	27.5	10.3	9.2	13.4	20.3	270.5	4	855
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	04 LST	24.6	21.8	23.3	24.2	28.7	27.5	28.5	26.3	10.3	9.2	13.4	14.1	231.9	4	854
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.0	0.7	1.1	0.0	1.7	1.4	0.8	0.0	3.6	0.6	0.6	0.0	10.5	4	693
	03 LST														0	0
	09 LST	0.9	0.6	0.8	0.7	1.8	2.3	1.5	1.9	2.1	1.2	1.8	1.2	16.8	12	2842
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	7.8	9.5	8.2	15.9	13.8	9.5	10.9	10.2	15.4	12.9	8.1	13.7	135.9	4	691
	03 LST														0	0
	09 LST	15.1	16.1	16.0	18.2	19.8	16.4	15.2	17.4	16.0	17.2	11.2	14.0	192.6	12	2815
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	1.4	0.8	1.3	0.2	2.9	5.5	6.7	5.4	0.7	0.5	0.2	0.0	25.6	9	1962
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	22.6	19.7	18.1	16.8	21.9	24.3	19.8	21.4	7.4	8.4	8.9	10.3	199.6	4	855
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	19.7	17.6	14.6	12.1	17.4	21.9	13.2	16.5	5.0	8.2	6.4	7.6	160.2	4	855
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	19.7	17.6	14.6	12.1	17.1	21.9	13.2	16.5	5.0	8.2	6.4	7.6	159.9	4	855
															0	0

# UBERABA, BRAZIL

STA NO. 83577 (IN AREA NUMBER 03)

LATITUDE 1945S

LONGITUDE 04757W

ELEVATION(FT) 02657

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	93	93	93	90	95	88	88	100	95	99	95	93	100	7	1014
MEAN MAX TMP (F)	86	86	86	84	82	80	79	85	86	86	85	83	84	7	1014
MEAN MIN TMP (F)	65	66	66	63	58	53	53	56	59	64	65	66	61	8	1776
ABS MIN TMP (F)	61	54	59	48	43	32	37	37	32	48	52	57	32	8	1776
MEAN NO DYS TMP ≥ OR GTR 90(F)	10.0	7.7	6.3	2.0	0.7	0.0	0.0	4.8	13.3	11.6	5.3	2.7	64.4	7	1014
MEAN NO DYS TMP ≥ OR LFS 32(F)	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.4	8	1776
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	1776
MEAN DEW PT TMP (F)	66	66	66	65	59	55	51	52	56	63	64	66	61	0	-50
MEAN REL HUM (PCT)	81	77	78	77	74	70	61	58	58	67	73	76	71	7	-57
MEAN PRESS ALT (FT)	2750	2750	2750	2650	2650	2600	2550	2550	2650	2700	2750	2750	2675	0	-50
MEAN PRECIP (IN)	9.13	8.88	6.85	2.71	2.02	1.56	0.88	0.18	1.34	4.27	9.89	11.13	58.8	8	1768
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	13.4	12.6	10.5	4.9	2.7	1.4	2.2	0.3	2.8	6.7	13.0	17.0	87.5	8	1768
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	9.0	9.0	7.0	4.0	1.0	1.0	0.0	1.0	3.0	5.0	6.0	8.0	54.0	25	-24
P FREQ WND SPD ≥ OR GTR 17 KTS	2.0	1.0	0.0	2.0	2.0	2.0	2.0	12.0	3.0	3.0	3.0	2.0	2.8	2	-34
P FREQ WND SPD ≥ OR GTR 28 KTS	0.0	0.0	0.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.3	2	-34
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-0 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# UBERABA, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRFCIP.	21 LST	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		2	266
	03 LST														0	0
	09 LST	0.0	0.4	0.2	1.3	0.9	1.1	1.0	3.8	2.8	1.4	0.6	0.2	13.7	8	1753
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	2.3	3.4	2.0		0.0	0.0	0.0	2.2	14.3	6.4	6.4	0.0		2	265
	03 LST														0	0
	09 LST	12.0	7.8	11.3	12.1	11.1	9.4	10.4	10.5	10.2	10.9	11.9	12.1	129.7	8	1733
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0

# BELO HORIZONTE, BRAZIL

STA NO. 83587 (IN AREA NUMBFR 03)

LATITUDE 19575

LONGITUDE 04356W

ELEVATION(FT) 01812

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PER (YRS)	NO.
ABS MAX TMP (F)	95	91	95	89	87	84	85	88	94	92	93	91	95	10	-57
MEAN MAX TMP (F)	81	81	82	81	76	76	76	78	81	81	80	79	79	18	-57
MEAN MIN TMP (F)	65	65	64	62	56	52	52	55	59	62	63	64	60	18	-57
ABS MIN TMP (F)	58	57	55	49	41	36	36	42	41	49	54	55	36	10	-57
MEAN NO DYS TMP = OR GTR 90(F)	2.4	2.1	2.7	0.0	0.0	0.0	0.0	0.0	2.3	2.4				18	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	65	64	64	63	56	52	53	55	58	60	60	62	59	15	-29
MEAN REL HUM (PCT)	77	76	76	76	72	69	70	69	68	71	71	75	73	10	-57
MEAN PRESS ALT (F)														0	0
MEAN PRECIP (IN)	11.50	7.50	4.90	4.00	0.90	0.40	0.50	0.80	1.60	5.10	9.10	12.50	58.9	18	-57
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	13.8	10.5	7.3	6.1	2.1	1.0	1.1	1.6	3.3	7.4	10.6	14.5	79.3	18	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	8.0	6.0	6.0	3.0	1.0	0.0	0.0	1.0	2.0	5.0	7.0	7.0	44.0	31	-24
P FREQ WND SPD = OR GTR 17 KTS	3.0	2.0	5.0	3.0	4.0	2.0	6.0	8.0	7.0	5.0	4.0	1.0	4.2	8	-34
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-34
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# BELO HORIZONTE, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
		DATA NOT AVAILABLE														
CIG = GTR 1000 FT AND	21 LST														0	0
VSBY = GTR 3 MI	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR	21 LST														0	0
3 MI W/SFC WND LES 10 KTS	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
SFC WND = GTR 17 KTS AND	21 LST														0	0
NO PRFCIP.	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89	21 LST														0	0
DEG F AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
SKY COVER LES 3/10 AND	21 LST														0	0
VSBY = GTR 3 MI	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 2500 FT AND	21 LST														0	0
VSBY = GTR 3 MI	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 6000 FT AND	21 LST														0	0
VSBY = GTR 3 MI	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 1000 FT AND	21 LST														0	0
VSBY = GTR 3 MI	03 LST														0	0
	09 LST														0	0
	15 LST														0	0

# PAMPULHA, BRAZIL

STA NO. 83588/ (IN AREA NUMPR 03)

LATITUDE 19505

LONGITUDE 04357W

ELEVATION(FT) 02575

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	95	91	95	89	87	84	85	88	94	92	93	91	95	10	-83587
MEAN MAX TMP (F)	81	81	82	81	76	76	76	78	81	81	80	79	79	18	-83587
MEAN MIN TMP (F)	65	65	64	62	56	52	52	55	59	62	63	64	60	18	-83587
ABS MIN TMP (F)	58	57	55	49	41	36	36	42	41	49	54	55	36	10	-83587
MEAN NO DYS TMP = OR GTR 90(F)	2.4	2.1	2.7	0.0	0.0	0.0	0.0	0.0	2.3	2.4				18	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DFW PT TMP (F)	65	65	64	62	60	53	53	55	58	60	60	63	60	0	-50
MEAN REL HUM (PCT)	77	76	76	76	72	69	70	69	68	71	71	75	73	10	-83587
MEAN PRESS ALT (FT)	2400	2450	2450	2400	2350	2300	2250	2300	2350	2400	2500	2500	2388	0	-50
MEAN PRFCIP (IN)	11.50	7.60	4.90	4.00	0.90	0.40	0.50	0.80	1.60	5.10	9.10	12.50	58.9	18	-83587
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PHCP = OR GTR 0.1 IN	13.8	10.5	7.3	6.1	2.1	1.0	1.1	1.6	3.3	7.4	10.6	14.5	79.3	18	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	8.0	6.0	6.0	3.0	1.0	0.0	0.0	1.0	2.0	5.0	7.0	7.0	46.0	31	-83587
P FREQ WND SPD = OR GTR 17 KTS	3.0	2.0	5.0	3.0	4.0	2.0	6.0	8.0	7.0	5.0	4.0	1.0	4.2	8	-83587
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-83587
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# PAMPUIHA, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DFG F AND NO PRECIP.	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0

DATA NOT AVAILABLE

# CAMPO GRANDE, BRAZIL

STA NO. 83611 (IN AREA NUMBER 03)

LATITUDE 20285

LONGITUDE 05440W

ELEVATION(FT) 01847

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	100	97	97	102	97	100	90	95	100	102	97	102	102	8	1452
MEAN MAX TMP (F)	87	87	87	85	81	81	80	84	85	87	87	87	85	8	1452
MEAN MIN TMP (F)	68	68	67	62	60	57	57	60	62	65	66	66	63	12	2721
ABS MIN TMP (F)	50	57	55	43	36	32	37	37	36	45	48	50	32	12	2721
MEAN NO DYS TMP = OR GTR 90(F)	11.8	10.1	12.6	7.9	1.1	0.6	0.5	11.3	14.0	13.2	10.7	10.7	104.5	8	1452
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	12	2721
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	2721
MEAN DFW PT TMP (F)	74	73	72	68	63	58	55	58	59	64	68	72	65	0	-50
MEAN REL HUM (PCT)	89	86	85	84	79	71	66	65	64	69	77	86	77	7	-29
MEAN PRESS ALT (FT)	2000	1950	1950	1850	1850	1800	1800	1800	1850	1950	1950	2000	1896	0	-50
MEAN PRECIP (IN)	9.72	5.79	3.71	2.33	3.56	1.99	1.37	1.21	2.30	4.63	6.10	4.79	47.5	12	2714
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS PHCP = OR GTR 0.1 IN	7.8	7.0	7.2	4.5	4.5	3.9	2.1	1.5	3.2	6.1	7.1	7.8	62.7	12	2714
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	14.0	13.0	15.0	8.0	4.0	2.0	1.0	2.0	5.0	10.0	11.0	12.0	97.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	25.0	11.8	8.3	5.9	0.0	0.0	0.0	1.3	5.8	8.3	11.1	6.3	7.0	4	413
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	8.3	5.9	0.0	5.9	0.0	0.0	0.0	0.0	3.8	4.2	5.6	0.0	2.8	4	413
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# CAMPO GRANDE, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	20.6	24.7	28.4	21.2	14.4	22.1	15.5	10.6	11.0	21.9	22.5	29.0	241.9	4	413
	14 LST													0	0	
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LES 10 KTS	20 LST													0	0	
	02 LST													0	0	
	08 LST	18.1	24.7	23.3	14.1	13.7	20.3	10.0	6.9	9.2	15.5	17.5	28.0	201.3	4	412
	14 LST													0	0	
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	20 LST	1.3	1.8	0.0	0.4	0.0	0.4	0.7	0.0	0.4	0.0	0.6	0.7	6.3	4	795
	02 LST													0	0	
	08 LST	1.0	1.9	0.3	1.0	1.4	1.7	2.1	2.1	2.3	1.8	0.7	0.1	16.4	12	2630
	14 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	6.0	3.6	2.4	4.9	6.5	6.7	7.4	9.7	8.8	3.0	4.4	5.4	68.8	4	789
	02 LST													0	0	
	08 LST	11.7	4.9	10.5	10.1	12.6	12.0	11.3	11.6	11.2	12.2	10.9	11.8	132.8	12	2994
	14 LST													0	0	
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	3.5	5.3	4.7	9.5	10.0	11.4	11.9	9.8	6.3	6.8	8.2	10.9	98.3	9	1651
	14 LST													0	0	
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	18.1	24.7	25.8	21.2	14.4	22.1	15.5	10.6	11.0	21.9	22.5	28.1	235.9	4	413
	14 LST													0	0	
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	15.5	24.7	25.8	21.2	14.4	22.1	15.5	10.6	11.0	21.9	22.5	28.1	233.3	4	413
	14 LST													0	0	
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	15.5	24.7	25.8	21.2	14.4	22.1	15.5	10.6	11.0	21.9	22.5	28.1	233.3	4	413
	14 LST													0	0	

# TRES LAGOAS, BRAZIL

STA NO. 83618 (IN AREA NUMBER 03)

LATITUDE 20475

LONGITUDE 05142W

ELEVATION(FT) 01030

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	104	102	102	102	102	98	96	99	106	103	103	104	106	14	-28
MFAN MAX TMP (F)	90	90	90	87	83	81	81	84	87	89	90	89	87	8	-28
MFAN MIN TMP (F)	71	71	69	66	59	57	55	57	62	66	68	70	64	8	-28
ABS MIN TMP (F)	55	59	50	46	40	31	35	38	42	47	50	45	31	14	-28
MFAN NO DYS TMP = OR GTR 90(F)	18.6	16.8	18.6	10.7	3.6	2.3	2.4	5.0	10.7	16.1	18.0	16.1	138.9	8	-29
MFAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	14	-29
MFAN DFW PT TMP (F)	76	74	75	70	66	64	63	64	66	67	71	73	69	6	-29
MFAN RFL HUM (PCT)	86	82	86	81	84	86	85	81	76	73	79	81	82	2	-28
MFAN PRESS ALT (FT)														0	0
MFAN PRECIP (IN)	8.50	6.40	5.40	3.80	2.80	2.10	0.90	1.90	3.20	4.40	5.50	8.00	52.9	14	-28
MFAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MFAN NO DYS PRCP = OR GTR 0.1 IN	11.4	9.3	7.9	5.9	4.6	3.8	1.8	3.5	5.5	6.8	7.8	10.9	79.2	14	-29
MFAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MFAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MFAN NO DYS TSTMS	6.0	5.0	5.0	2.0	1.0	2.0	0.0	2.0	3.0	5.0	4.0	6.0	41.0	30	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# TRES LAGOAS, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (FRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
	15	LST												0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
	15	LST												0	0
SFC WND = GTR 17 KTS AND NO PRFCIP.	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
	15	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
	15	LST												0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
	15	LST												0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
	15	LST												0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
	15	LST												0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21	LST												0	0
	03	LST												0	0
	09	LST												0	0
	15	LST												0	0

DATA NOT AVAILABLE

# ARACATUBA, BRAZIL

STA NO. 83672 (IN AREA NUMBER 03)

LATITUDE 21075

LONGITUDE 05027W

ELEVATION(FT) 01312

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	104	102	102	102	102	98	96	99	106	103	103	104	106	14	-83618
MEAN MAX TMP (F)	90	90	90	87	83	81	81	84	87	89	90	89	87	8	-83618
MEAN MIN TMP (F)	69	70	68	59	59	57	55	57	61	65	67	67	63	4	1051
ABS MIN TMP (F)	63	61	57	41	45	41	43	48	43	54	54	55	41	4	1051
MEAN NO DYS TMP = OR GTR 90(F)	18.6	16.8	18.6	10.7	3.6	2.3	2.4	5.0	10.7	16.1	18.0	16.1	138.9	8	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1051
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1051
MEAN DEW PT TMP (F)	75	74	74	66	66	64	63	64	65	67	71	71	68	5	-29
MEAN REL HUM (PCT)	86	82	86	81	84	86	85	81	76	73	79	81	82	2	-83618
MEAN PRFSS ALT (FT)	1434	1428	1417	1360	1286	1226	1204	1281	1335	1401	1456	1461	1357	0	-50
MEAN PRECIP (IN)	8.68	4.71	8.00	1.78	2.57	2.20	0.05	0.49	1.01	4.54	2.38	5.92	42.3	4	1042
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	11.2	8.0	9.0	2.6	4.4	3.6	0.0	1.3	2.7	6.1	3.9	9.0	61.8	4	1042
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	10.0	10.0	8.0	3.0	2.0	2.0	1.0	1.0	4.0	8.0	8.0	9.0	66.0	8	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	15.8	25.8	9.6	7.4	11.2	7.5	3.4	1.8	7.2	8.7	4.2	7.5	9.2	4	895
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	1.9	1.1	2.5	0.0	0.0	0.0	0.0	0.0	1.3	0.6	4	895
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# ARACATUBA, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST	29.4	25.9	31.0	28.3	29.9	29.3	30.5	30.2	24.0	29.5	30.0	30.6	4	895
	15 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST													0	0
	03 LST													0	0
	09 LST	23.9	17.0	25.0	25.5	25.0	27.0	27.8	25.5	21.1	24.9	28.3	25.2	4	894
	15 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST													0	0
	03 LST													0	0
	09 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	4	1066
	15 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST													0	0
	03 LST													0	0
	09 LST	11.6	10.8	13.0	17.3	12.6	14.4	15.0	17.3	21.5	20.5	21.6	17.5	4	1056
	15 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST	8.7	8.4	9.5	20.0	16.6	15.9	21.3	21.8	12.2	11.4	13.1	14.1	4	1062
	15 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST	22.3	16.5	25.0	26.6	25.0	26.3	29.4	28.8	21.6	24.4	27.0	24.8	4	895
	15 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST	21.2	16.1	25.0	26.6	25.0	26.3	28.9	28.8	21.3	23.5	26.2	23.3	4	895
	15 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST	21.2	16.1	25.0	26.6	25.0	26.3	28.9	28.8	21.3	23.2	26.2	23.3	4	895
	15 LST													0	0

# BARBACENA NEW, BRAZIL

STA NO. 83689 (IN AREA NUMBER 03)

LATITUDE 21155

LONGITUDE 04346W

ELEVATION(FT) 03635

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	3517	3500	3465	3418	3383	3331	3308	3331	3381	3441	3526	3523	3427	0	-50
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR W3BY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# BARBACENA NEW, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	21	LST												0	0
VSBY = GTR 3 MI	03	LST												0	0
	09	LST												0	0
	15	LST												0	0
CIG = GTR 2000 FT AND VSBY = GTR	21	LST												0	0
3 MI W/SFC WND LES 10 KTS	03	LST												0	0
	09	LST												0	0
	15	LST												0	0
SFC WND = GTR 17 KTS AND	21	LST												0	0
NO PRECIP.	03	LST												0	0
	09	LST												0	0
	15	LST												0	0
SFC WND 4-10 KTS AND TMP 33-49	21	LST												0	0
DEG F AND NO PRECIP.	03	LST												0	0
	09	LST												0	0
	15	LST												0	0
SKY COVER LES 3/10 AND	21	LST												0	0
VSBY = GTR 3 MI	03	LST												0	0
	09	LST												0	0
	15	LST												0	0
CIG = GTR 2500 FT AND	21	LST												0	0
VSBY = GTR 3 MI	03	LST												0	0
	09	LST												0	0
	15	LST												0	0
CIG = GTR 6000 FT AND	21	LST												0	0
VSBY = GTR 3 MI	03	LST												0	0
	09	LST												0	0
	15	LST												0	0
CIG = GTR 10000 FT AND	21	LST												0	0
VSBY = GTR 3 MI	03	LST												0	0
	09	LST												0	0
	15	LST												0	0

DATA NOT AVAILABLE

# PRESIDENTE PRUDENTE, BRAZIL

STA NO. 83716 (IN AREA NUMBER 03)

LATITUDE 2206S

LONGITUDE 05127W

ELEVATION(FT) 01492

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	104	102	102	102	102	98	96	99	106	103	103	104	106	14	-83618
MEAN MAX TMP (F)	90	90	90	87	83	81	81	84	87	89	90	89	87	8	-83618
MEAN MIN TMP (F)	71	71	69	66	59	57	55	57	62	66	68	70	6	8	-83618
ABS MIN TMP (F)	55	59	50	46	40	31	35	38	42	47	50	45	31	14	-83618
MEAN NO DYS TMP ≥ OR GTR 90(F)	18.6	16.8	18.6	10.7	3.6	2.3	2.4	5.0	10.7	16.1	18.0	16.1	138.9	8	-29
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN DFW PT TMP (F)	76	74	75	70	65	64	63	64	66	67	71	73	69	6	-29
MEAN REL HUM (PCT)	86	82	86	81	84	86	85	81	76	73	79	81	82	2	-83618
MEAN PRESS ALT (FT)	1614	1608	1597	1540	1466	1406	1384	1461	1515	1581	1616	1641	1537	0	-50
MEAN PRECIP (IN)	8.50	6.40	5.40	3.80	2.80	2.10	0.90	1.90	3.20	4.40	5.50	8.00	52.9	14	-83618
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	11.4	9.3	7.9	5.9	4.6	3.8	1.8	3.5	5.5	6.8	7.8	10.9	79.2	14	-29
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	5.0	6.0	3.0	2.0	2.0	3.0	2.0	3.0	1.0	4.0	2.0	3.0	36.0	6	-24
P FREQ WND SPD ≥ OR GTR 17 KTS														0	0
P FREQ WND SPD ≥ OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# PRESIDENTE PRUDENTE, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI														0	0
3 MI W/5FC WND LES 10 KTS														0	0
														0	0
														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.														0	0
														0	0
														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.														0	0
														0	0
														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI														0	0
														0	0
														0	0

DATA NOT AVAILABLE

# BAUPU, BRIZIL

STA NO. 83722 (IN AREA NUMBER 03)

LATITUDE 22205

LONGITUDE 04903W

ELEVATION(FT) 02004

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MFAN MAX TMP (F)	81	83	81	79	75	74	74	77	79	80	81	81	79	0	450
MFAN MIN TMP (F)	65	66	65	57	57	53	53	55	58	61	64	62	60	3	737
ABS MIN TMP (F)	52	59	54	45	45	46	45	45	43	50	57	54	43	3	737
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	737
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	737
MEAN DFW PT TMP (F)	59	59	57	52	49	48	47	48	47	42	55	57	52	0	-50
MEAN REL HUM (PCT)	65	62	61	61	59	61	59	57	51	40	58	64	58	1	-29
MEAN PRESS ALT (FT)	1850	1850	1850	1750	1750	1750	1700	1700	1750	1800	1850	1850	1788	0	-50
MEAN PRECIP (IN)	6.56	5.93	6.41	1.31	0.64	0.94	0.07	0.29	1.35	7.4	11.00	7.51	44.9	3	737
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS PKCP = OR GTR 0.1 IN	11.8	8.1	9.6	1.5	1.8	3.2	0.0	0.9	4.2	6.9	6.5	5.7	60.2	3	737
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS 1STMS	5.0	3.0	2.0	1.0	0.0	1.0	1.0	0.0	2.0	3.0	4.0	3.0	25.0	6	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	26.6	28.0	17.5	7.1	5.8	25.0	3.2	7.9	11.8	12.6	11.8	16.4	14.1	3	731
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	3.8	1.3	1.8	1.8	0.0	7.1	0.0	1.4	1.2	0.0	0.0	1.6	1.7	3	731
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# BAURU, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	24.7	20.9	26.6	27.8	29.6	22.5	29.0	29.2	25.1	24.6	25.6	27.4	313.0	3	731
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	18.6	17.5	23.9	25.1	25.1	22.5	28.0	24.2	21.9	18.9	23.0	21.7	270.4	3	719
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST														0	0
	03 LST														0	0
	09 LST	0.4	0.4	0.5	0.0	0.9	0.0	0.0	0.4	0.3	1.4	1.0	0.5	5.8	3	730
	15 LST														0	0
SFC WND 4-16 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST														0	0
	03 LST														0	0
	09 LST	13.7	11.7	16.8	17.3	20.6	17.1	27.0	21.1	17.6	17.3	13.0	19.1	212.3	3	727
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	4.2	3.0	4.4	14.7	18.4	15.0	20.0	16.4	13.9	8.2	6.8	8.1	133.1	3	730
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	19.6	19.8	25.5	27.8	28.7	22.5	29.0	29.2	24.3	23.2	24.7	24.4	298.7	3	731
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	19.6	19.8	25.5	27.8	28.7	22.5	29.0	29.2	24.3	22.8	23.8	24.4	297.4	3	731
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	19.6	19.8	25.5	27.8	28.7	22.5	29.0	29.2	24.3	22.8	23.8	24.4	297.4	3	731
	15 LST														0	0

# CAMPINAS, BRAZIL

STA NO. 83729 (IN AREA NUMBFR 03)

LATITUDE 22545

LONGITUDE 04704W

ELEVATION(FT) 02182

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	102	95	93	91	90	84	88	97	102	99	93	95	102	10	2203
MEAN MAX TMP (F)	84	85	85	81	78	77	76	79	80	81	83	83	81	10	2203
MEAN MIN TMP (F)	66	66	65	60	57	54	53	55	58	61	62	64	60	14	3688
ABS MIN TMP (F)	54	54	55	41	39	39	34	39	36	45	43	48	34	14	3688
MEAN NO DYS TMP ≥ OR GTR 90(F)	7.8	6.0	3.3	1.6	0.5	0.0	0.0	0.7	2.7	5.1	5.1	5.1	37.9	10	2203
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	3688
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	3688
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.14	5.45	3.14	1.52	1.47	0.86	0.39	1.33	2.45	3.83	4.19	5.66	34.4	14	3690
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	7.7	8.4	6.5	2.8	2.0	1.7	1.1	2.4	4.4	5.8	5.6	7.5	55.9	14	3690
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	11.0	9.0	6.0	2.0	1.0	1.0	1.0	2.0	4.0	5.0	8.0	7.0	57.0	11	-24
P FREQ WND SPD ≥ OR GTR 17 KTS														0	0
P FREQ WND SPD ≥ OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	2.5	0.0	0.0	1.0	0.0	0.0	0.0	1.9	0.0	2.4	0.0	0.7	4	1006
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1006
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# CAMPINAS, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	30.6	27.3	30.4	30.0	30.7	28.8	31.0	31.0	27.5	30.4	28.6	30.6	356.9	4	1006
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LFS 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	30.6	26.9	30.4	29.0	29.8	28.8	31.0	30.2	27.2	29.9	28.6	29.6	352.0	4	1004
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.0	5.8	2.0	2.0	1.1	2.7	0.0	1.3	0.9	3.0	1.4	1.0	21.2	4	906
	03 LST														0	0
	09 LST	0.3	0.4	0.2	0.4	0.2	0.3	0.4	0.7	0.2	0.4	0.7	0.1	4.3	14	3691
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DFG F A.D NO PRECIP.	21 LST	5.0	8.1	8.5	7.4	3.3	3.4	9.9	12.1	10.0	7.5	11.4	4.8	91.4	4	502
	03 LST														0	0
	09 LST	13.4	11.8	11.4	11.3	9.5	10.0	12.0	11.3	12.7	14.1	15.6	14.0	147.1	14	3672
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	6.4	6.0	8.9	15.7	17.4	17.3	22.0	20.3	13.4	9.6	11.7	7.5	156.2	9	2169
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	30.2	27.3	30.4	30.0	30.4	27.8	31.0	31.0	27.5	30.4	28.6	30.3	355.0	4	1006
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	19.5	19.1	21.9	24.9	27.3	26.0	28.9	29.1	24.6	27.2	24.3	21.3	294.1	4	1006
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	19.1	19.1	21.9	24.9	27.3	26.0	28.9	28.4	24.3	27.0	23.6	21.3	291.8	4	1006
	15 LST														0	0

# LONDRINA, BRAZIL

STA NO. 83766 (IN AREA NUMBR 03)

LATITUDE 23205

LONGITUDE 05108W

ELEVATION(FT) 01870

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	85	93	87	82	77	71	74	77	76	81	82	85	81	0	-50
MEAN MIN TMP (F)	68	68	65	60	59	57	54	57	61	60	63	63	61	2	324
ABS MIN TMP (F)	63	61	61	52	48	45	36	46	50	52	54	50	36	2	324
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	324
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	324
MEAN DEW PT TMP (F)	65	72	66	61	56	53	52	54	56	59	61	64	60	0	-50
MEAN REL HUM (PCT)	71	77	74	73	69	71	68	67	68	70	70	74	71	1	-29
MEAN PRESS ALT (FT)	1750	1750	1750	1650	1650	1650	1600	1600	1650	1700	1750	1750	1688	0	-50
MEAN PRECIP (IN)	6.60	1.62	1.01	1.47	11.09	2.72	2.27	0.00	0.87	1.57	0.00	4.08	33.3	2	325
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS PNCP = OR GTR 0.1 IN	2.6	3.4	3.3	4.1	9.5	5.8	2.8	0.0	4.0	3.3	0.0	4.9	43.7	2	325
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS W/OCLUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	16.7	30.4	14.3	3.4	44.4	4.5	5.0	3.2	14.8	17.4	3.7	17.5	14.6	2	303
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	4.3	0.0	3.4	22.2	0.0	5.0	0.0	3.7	4.3	0.0	0.0	3.6	2	303
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# LONDRINA, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	29.7	23.1	28.8	27.9	17.2	27.3	27.9	23.0	15.5	17.5	22.2	28.7	288.8	2	303
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	19.4	15.8	21.0	23.6	10.3	21.8	26.4	18.6	10.4	6.7	8.1	17.2	199.3	2	295
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST														0	0
	03 LST														0	0
	09 LST	1.3	1.1	2.2	0.0	0.0	1.1	1.4	2.0	1.0	3.4	13.8	2.3	29.6	2	318
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST														0	0
	03 LST														0	0
	09 LST	7.8	10.1	7.8	11.8	4.7	6.0	5.6	3.4	5.2	6.9	8.1	16.3	93.7	2	314
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	7.8	7.0	11.1	13.4	0.0	4.6	14.8	11.0	6.0	6.9	13.9	9.4	105.9	2	323
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	21.9	17.0	25.5	26.9	17.2	23.2	27.9	22.0	12.2	16.2	21.1	22.5	253.6	2	303
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	21.9	17.0	25.5	26.9	17.2	21.8	27.9	22.0	12.2	13.5	21.1	22.5	249.5	2	303
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	21.9	17.0	25.5	26.9	17.2	21.8	27.9	21.0	12.2	13.5	20.0	21.7	246.6	2	303
	15 LST														0	0

# VIRA COPOS, BRAZIL

STA NO. 83777/ (IN AREA NUMBR 03)

LATITUDE 23005

LONGITUDE 04708W

ELEVATION(FT) 02126

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	102	95	93	91	90	84	88	97	102	99	93	95	102	10	-83729
MEAN MAX TMP (F)	84	85	85	81	78	77	76	79	80	81	83	83	81	10	-83729
MEAN MIN TMP (F)	66	66	65	60	57	54	53	55	58	61	62	64	60	14	-83729
ABS MIN TMP (F)	54	54	55	41	39	39	34	39	36	45	43	48	34	14	-83729
MEAN NO DYS TMP = OR GTR 90(F)	7.8	6.0	3.3	1.6	0.5	0.0	0.0	0.7	2.7	5.1	5.1	5.1	37.9	10	-83729
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN DFW PT TMP (F)	63	64	62	59	55	53	51	51	55	56	60	60	57	0	-50
MEAN RFL HUM (PCT)	69	70	67	70	68	67	65	61	65	63	68	66	67	8	-29
MEAN PRESS ALT (FT)	2050	2000	2000	1950	1900	1850	1850	1850	1900	1950	2050	2050	1950	0	-50
MEAN PRECIP (IN)	4.14	5.45	3.14	1.52	1.47	0.88	0.39	1.33	2.45	3.83	4.19	5.66	34.4	14	-83729
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.7	8.4	6.5	2.8	2.0	1.7	1.1	2.4	4.4	5.8	5.6	7.5	55.9	14	-83729
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	11.0	9.0	6.0	2.0	1.0	1.0	1.0	2.0	4.0	5.0	8.0	7.0	57.0	11	-83729
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	2.5	0.0	0.0	1.0	0.0	0.0	0.0	1.9	0.0	2.4	0.0	0.7	4	-83729
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-83729
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# VIRA COPOS, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	30.6	27.3	30.4	30.0	30.7	28.8	31.0	31.0	27.5	30.4	28.6	30.6	306.9	4	-83729
	15 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI w/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	30.6	26.9	30.4	29.0	29.8	28.8	31.0	30.2	27.2	29.9	28.6	29.6	392.0	4	-83729
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.0	5.8	2.0	2.0	1.1	2.7	0.0	1.3	0.9	3.0	1.4	1.0	21.2	4	-83729
	03 LST														0	0
	09 LST	0.3	0.4	0.2	0.4	0.2	0.3	0.4	0.7	0.2	0.4	0.7	0.1	4.3	14	-83729
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	5.0	8.1	8.5	7.4	3.3	3.4	9.9	12.1	10.0	7.5	11.4	4.8	91.4	4	-83729
	03 LST														0	0
	09 LST	13.4	11.8	11.4	11.3	9.5	10.0	12.0	11.3	12.7	14.1	15.6	14.0	147.1	14	-83729
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	6.4	6.0	8.9	15.7	17.4	17.3	22.0	20.3	13.4	9.6	11.7	7.5	156.2	9	-83729
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	30.2	27.3	30.4	30.0	30.4	28.8	31.0	31.0	27.5	30.4	28.6	30.3	355.9	4	-83729
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	19.5	19.1	21.9	24.9	27.3	26.0	28.9	29.1	24.6	27.2	24.3	21.3	294.1	4	-83729
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	19.1	19.1	21.9	24.9	27.3	26.0	28.9	28.4	24.3	27.0	23.6	21.3	291.8	4	-83729
	15 LST														0	0

# CUMBICA, BRAZIL

STA NO. 83778 (IN AREA NUMBER 03)

LATITUDE 23275

LONGITUDE 04628W

ELEVATION(FT) 02457

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	97	100	91	91	100	86	88	90	90	95	95	99	100	44	-83781
MEAN MAX TMP (F)	77	79	76	73	66	66	66	67	67	68	72	75	71	44	-83781
MEAN MIN TMP (F)	63	64	62	59	54	54	53	53	55	57	59	62	58	44	-83781
ABS MIN TMP (F)	50	52	50	41	36	34	32	36	32	39	45	48	32	44	-83781
MEAN NO DYS TMP = OR GTR 90(F)	10.5	6.5	3.3	1.1	0.1	0.0	0.0	0.3	0.5	3.1	3.2	5.6	34.2	10	-83781
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN DFW PT TMP (F)	62	63	61	58	54	52	50	50	54	55	59	59	56	0	-50
MEAN RFL HUM (PCT)	82	83	81	82	80	79	75	73	77	78	80	80	79	16	-83781
MEAN PRESS ALT (FT)	2400	2350	2350	2300	2250	2200	2200	2200	2250	2300	2400	2400	2300	0	-50
MEAN PRECIP (IN)	8.20	7.81	6.05	2.25	2.95	2.36	1.51	2.14	3.45	4.59	6.01	9.37	57.3	24	-83781
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	11.7	10.7	8.7	3.9	4.8	4.3	2.8	3.9	5.7	7.0	8.2	12.2	83.9	24	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN NO DYS W/OCUR V5BY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	8.0	7.0	5.0	1.0	0.0	0.0	0.0	0.0	0.0	3.0	3.0	6.0	33.0	7	-83781
P FREQ WND SPD = OR GTR 17 KTS	6.0	7.0	5.0	4.0	3.0	3.0	0.0	3.0	6.0	10.0	8.0	6.0	5.1	8	-83781
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-83781
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	47.7	53.8	54.7	60.0	58.8	50.0	45.8	41.1	58.7	48.7	45.8	36.8	50.2	4	-83781
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	23.9	29.2	27.9	27.1	24.4	25.0	20.3	25.0	22.1	13.3	16.9	4.6	21.6	4	-83781
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# CUMBICA, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	16.2	12.7	14.4	10.6	6.5	5.2	12.6	12.2	10.1	13.1	16.6	19.9	150.1	4	-83781
	15 LST														0	0
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	13.6	10.3	11.9	9.2	5.5	4.0	10.9	10.0	6.9	10.4	13.0	15.5	121.2	4	-83781
	15 LST														0	0
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	21 LST	0.5	0.0	1.0	0.3	0.0	0.0	0.0	0.7	0.4	0.0	0.0	0.0	2.9	4	-83781
	03 LST														0	0
	09 LST	0.5	0.8	1.0	0.7	0.2	0.4	0.6	1.1	0.8	0.6	1.0	0.7	8.4	14	-83781
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	11.6	9.3	11.8	6.9	9.6	6.9	6.3	11.1	9.5	12.1	13.9	16.0	125.0	4	-83781
	03 LST														0	0
	09 LST	16.8	15.0	16.8	17.6	15.9	15.2	14.2	13.2	15.4	15.9	16.6	19.6	192.2	14	-83781
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	3.0	1.3	2.4	1.7	1.0	2.0	5.1	6.8	3.2	3.5	3.7	4.7	38.4	8	-83781
	15 LST														0	0
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	14.8	10.3	11.5	9.2	5.7	4.6	10.5	10.0	7.5	10.9	12.6	15.7	123.3	4	-83781
	15 LST														0	0
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	13.6	9.5	10.4	7.1	5.2	4.0	10.5	9.4	6.9	9.6	10.8	13.9	110.9	4	-83781
	15 LST														0	0
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	13.6	9.5	10.4	7.1	5.2	4.0	10.0	9.4	6.9	9.6	10.8	13.9	110.4	4	-83781
	15 LST														0	0

# MARTE, BRAZIL

STA NO. 83779/ (IN AREA NUMBR 03)

LATITUDE 23315

LONGITUDE 04638W

ELEVATION(FT) 02362

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	97	100	91	91	100	86	88	90	90	95	95	99	100	44	-83781
MEAN MAX TMP (F)	77	79	76	73	68	66	66	67	67	68	72	75	71	44	-83781
MEAN MIN TMP (F)	63	64	62	59	54	54	53	53	55	57	59	62	58	44	-83781
ABS MIN TMP (F)	50	52	50	41	36	34	32	36	32	39	45	48	32	44	-83781
MEAN NO DYS TMP = OR GTR 90(F)	10.5	6.5	3.3	1.1	0.1	0.0	0.0	0.3	0.5	3.1	3.2	5.6	34.2	10	-83781
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN DFW PT TMP (F)	62	63	61	58	54	52	50	50	54	55	59	59	56	0	-50
MEAN REL HUM (PCT)	82	83	81	82	80	79	75	73	77	78	80	80	79	16	-83781
MEAN PRESS ALT (FT)	2300	2250	2250	2200	2150	2100	2100	2100	2150	2200	2300	2300	2200	0	-50
MEAN PRECIP (IN)	8.80	7.81	6.05	2.25	2.95	2.36	1.51	2.14	3.45	4.59	6.01	9.37	57.3	24	-83781
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN NO DYS PKCP = OR GTR 0.1 IN	11.7	10.7	8.7	3.9	4.8	4.3	2.8	3.9	5.7	7.0	8.2	12.2	83.9	24	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	8.0	7.0	5.0	1.0	0.0	0.0	0.0	0.0	0.0	3.0	3.0	6.0	33.0	7	-83781
P FREQ WND SPD = OR GTR 17 KTS	6.0	7.0	5.0	4.0	3.0	3.0	0.0	3.0	6.0	10.0	8.0	6.0	5.1	8	-83781
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-83781
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	47.7	53.8	54.7	60.0	58.8	50.0	45.8	41.1	58.7	48.7	45.8	36.8	50.2	4	-83781
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	23.9	29.2	27.9	27.1	24.4	25.0	20.3	24.0	22.1	13.3	16.9	4.6	21.6	4	-83781
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# MARTE, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	16.2	12.7	14.4	10.6	6.5	5.2	12.6	12.2	10.1	13.1	16.6	19.9	150.1	4	-83781
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	13.6	10.3	11.9	9.2	5.5	4.0	10.9	10.0	6.9	10.4	13.0	15.5	121.2	4	-83781
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.5	0.0	1.0	0.3	0.0	0.0	0.0	0.7	0.4	0.0	0.0	0.0	2.9	4	-83781
	03 LST														0	0
	09 LST	0.5	0.8	1.0	0.7	0.2	0.4	0.6	1.1	0.8	0.6	1.0	0.7	8.4	14	-83781
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	11.6	9.3	11.8	6.9	9.6	6.9	6.3	11.1	9.5	12.1	13.9	16.0	125.0	4	-83781
	03 LST														0	0
	09 LST	16.8	15.0	16.8	17.6	15.9	15.2	14.2	13.2	15.4	15.9	16.6	19.6	192.2	14	-83781
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	3.0	1.3	2.4	1.7	1.0	2.0	5.1	6.8	3.2	3.5	3.7	4.7	38.4	8	-83781
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	14.8	10.3	11.5	9.2	5.7	4.6	10.5	10.0	7.5	10.9	12.6	15.7	123.3	4	-83781
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	13.6	9.5	10.4	7.1	5.2	4.0	10.5	9.4	6.9	9.6	10.8	13.9	110.9	4	-83781
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	13.6	9.5	10.4	7.1	5.2	4.0	10.0	9.4	6.9	9.6	10.8	13.9	110.4	4	-83781
	15 LST														0	0

# CONGONHINHAS, BRAZIL

STA NO. 83780/ (IN AREA NUMBR 03)

LATITUDE 23385

LONGITUDE 04639W

ELEVATION(FT) 02631

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	97	100	91	91	100	86	88	90	90	95	95	99	100	44	-83781
MEAN MAX TMP (F)	77	79	76	73	68	66	66	67	67	68	72	75	71	44	-83781
MEAN MIN TMP (F)	63	64	62	59	54	54	53	53	55	57	59	62	58	44	-83781
ABS MIN TMP (F)	50	52	50	41	36	34	32	36	32	39	45	48	32	44	-83781
MEAN NO DYS TMP = OR GTR 90(F)	10.5	6.5	3.3	1.1	0.1	0.0	0.0	0.3	0.5	3.1	3.2	5.6	34.2	10	-83781
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN DEW PT TMP (F)	62	63	61	58	54	52	50	50	54	53	59	59	56	0	-50
MEAN RFL HUM (PCT)	82	83	81	82	80	79	75	73	77	78	80	80	79	16	-83781
MEAN PRESS ALT (FT)	2550	2500	2500	2450	2400	2350	2350	2350	2400	2450	2550	2550	2450	0	-50
MEAN PRECIP (IN)	8.80	7.81	5.05	2.25	2.95	2.36	1.51	2.14	3.45	4.59	6.01	9.37	57.3	24	-83781
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	11.7	10.7	8.7	3.9	4.8	4.3	2.8	3.9	5.7	7.0	8.2	12.2	83.9	24	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	8.0	7.0	5.0	1.0	0.0	0.0	0.0	0.0	0.0	3.0	3.0	6.0	33.0	7	-83781
P FREQ WND SPD = OR GTR 17 KTS	6.0	7.0	5.0	4.0	3.0	3.0	0.0	3.0	6.0	10.0	8.0	6.0	5.1	8	-83781
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-83781
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	47.7	53.8	54.7	60.0	58.8	50.0	45.8	41.1	58.7	48.7	45.8	36.8	50.7	4	-83781
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	23.9	29.2	27.9	27.1	24.4	25.0	20.3	25.0	22.1	13.3	16.9	4.6	21.6	4	-83781
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# CONGONHINHAS, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	16.2	12.7	14.4	10.6	6.5	5.2	12.6	12.2	10.1	13.1	16.6	19.9	150.1	4	-83781
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	13.6	10.3	11.9	9.2	5.5	4.0	10.9	10.0	6.9	10.4	13.0	15.5	121.2	4	-83781
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.5	0.0	1.0	0.3	0.0	0.0	0.0	0.7	0.4	0.0	0.0	0.0	2.9	4	-83731
	03 LST														0	0
	09 LST	0.5	0.8	1.0	0.7	0.2	0.4	0.6	1.1	0.8	0.6	1.0	0.7	8.4	14	-83781
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DFG F AND NO PRECIP.	21 LST	11.6	9.3	11.8	6.9	9.6	6.9	6.3	11.1	9.5	12.1	13.9	16.0	125.0	4	-83781
	03 LST														0	0
	09 LST	16.8	15.0	16.8	17.6	15.9	15.2	14.2	13.2	15.4	15.9	16.6	19.6	192.2	14	-83781
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	3.0	1.3	2.4	1.7	1.0	2.0	5.1	6.8	3.2	3.5	3.7	4.7	38.4	8	-83781
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	14.8	10.3	11.5	9.2	5.7	4.6	10.5	10.0	7.5	10.9	12.6	15.7	123.3	4	-83781
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	13.6	9.5	10.4	7.1	5.2	4.0	10.5	9.4	6.9	9.6	10.8	13.9	110.9	4	-83781
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	13.6	9.5	10.4	7.1	5.2	4.0	10.0	9.4	6.9	9.6	10.8	13.9	110.4	4	-83781
	15 LST														0	0

# SAO PAULO, BRAZIL

STA NO. 83781 (IN AREA NUMBFR 03)

LATITUDE 23375

LONGITUDE 04639W

ELEVATION(FT) 02628

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	97	100	91	91	100	86	88	90	90	95	95	99	100	44	-535
MEAN MAX TMP (F)	77	79	76	73	68	66	66	67	67	68	72	75	71	44	-35
MEAN MIN TMP (F)	63	64	62	59	54	54	53	53	55	57	59	62	58	44	-35
ABS MIN TMP (F)	50	52	50	41	36	34	32	36	32	39	45	48	32	44	-535
MEAN NO DYS TMP = OR GTR 90(F)	10.5	6.5	3.3	1.1	0.1	0.0	0.0	0.3	0.5	3.1	3.2	5.6	34.2	10	2724
MEAN NO DYS TMP = OR LFS 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN DEW PT TMP (F)	64	66	62	60	54	53	51	50	53	55	59	62	57	35	-29
MEAN RFL HUM (PCT)	82	83	81	82	80	79	75	73	77	78	80	80	79	16	-35
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	8.80	7.81	6.05	2.25	2.95	2.36	1.51	2.14	3.45	4.59	6.01	9.37	57.3	24	-34
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN NO DYS PKCP = OR GTR 0.1 IN	11.7	10.7	8.7	3.9	4.8	4.3	2.8	3.9	5.7	7.0	8.2	12.2	63.9	24	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	8.0	7.0	5.0	1.0	0.0	0.0	0.0	0.0	0.0	3.0	3.0	6.0	33.0	7	-24
P FREQ WND SPD = OR GTR 17 KTS	6.0	7.0	5.0	4.0	3.0	3.0	0.0	3.0	6.0	10.0	8.0	6.0	5.1	8	-34
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-34
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	47.7	53.8	54.7	60.0	58.8	50.0	45.8	41.1	58.7	48.7	45.8	36.8	50.2	4	1115
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	23.9	29.2	27.9	27.1	24.4	25.0	20.3	25.0	22.1	13.3	16.9	4.6	21.6	4	1115
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# SAO PAULO, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	16.2	12.7	14.4	10.6	6.5	5.2	12.6	12.2	10.1	13.1	16.6	19.9	150.1	4	1115
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	13.6	10.3	11.9	9.2	5.5	4.0	10.9	10.0	6.9	10.4	13.0	15.5	121.2	4	1108
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.5	0.0	1.0	0.3	0.0	0.0	0.0	0.7	0.4	0.0	0.0	0.0	2.9	4	871
	03 LST														0	0
	09 LST	0.5	0.8	1.0	0.7	0.2	0.4	0.6	1.1	0.8	0.6	1.0	0.7	8.4	14	3916
	15 LST														2	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	11.6	9.3	11.8	6.9	9.6	6.9	6.3	11.1	9.5	12.1	13.9	16.0	125.0	4	863
	03 LST														0	0
	09 LST	16.8	15.0	16.8	17.6	15.9	15.2	14.2	13.2	15.4	15.9	16.6	19.6	192.2	14	3898
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	3.0	1.3	2.4	1.7	1.0	2.0	5.1	6.8	3.2	3.5	3.7	4.7	38.4	8	1191
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	14.8	10.3	11.5	9.2	5.7	4.6	10.5	10.0	7.5	10.9	12.6	15.7	123.3	4	1115
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	13.6	9.5	10.4	7.1	5.2	4.0	10.5	9.4	6.9	9.6	10.8	13.9	110.9	4	1115
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	13.6	9.5	10.4	7.1	5.2	4.0	10.0	9.4	6.9	9.6	10.8	13.9	110.4	4	1115
	15 LST														0	0

# CURITIBA, BRAZIL

STA NO. 83842 (IN AREA NUMBR 03)

LATITUDE 2531S

LONGITUDE 04910W

ELEVATION(FT) 02979

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	95	93	95	87	102	81	86	91	88	91	94	94	102	18	-557
MFAN MAX TMP (F)	81	80	78	73	68	65	67	68	69	73	77	80	73	34	-57
MFAN MIN TMP (F)	61	61	59	54	49	45	45	46	50	53	56	54	53	34	-57
ABS MIN TMP (F)	46	45	42	33	25	21	21	24	29	35	41	43	21	18	-557
MEAN NO DYS TMP = OR GTR 90(F)	1.1	0.3	0.5	0.0	0.1	0.0	0.0	0.1	0.0	0.3	0.0	1.5	3.9	10	2355
MEAN NO DYS TMP = CR LES 32(F)	0.0	0.0	0.0	0.0	0.2	0.2	0.6	0.3	0.0	0.0	0.0	0.0	1.3	18	-29
MFAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MFAN DFW PT TMP (F)	64	64	63	58	53	50	50	50	54	57	60	60	57	32	-29
MFAN RFL HUM (PCT)	81	82	83	83	83	84	82	80	82	81	80	80	82	27	-57
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	6.90	6.60	4.20	3.20	3.90	3.90	2.50	3.30	4.70	5.30	5.00	5.70	55.2	48	-57
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0		18	-29
MFAN NO DYS PRCP = OR GTR 0.1 IN	9.8	9.5	6.4	5.1	6.0	6.8	4.5	5.8	7.1	7.6	7.3	8.5	84.4	48	-29
MFAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0		18	-29
MFAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MFAN NO DYS TSTMS	12.0	8.0	7.0	3.0	3.0	2.0	2.0	5.0	6.0	7.0	7.0	8.0	70.0	19	-57
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	47.1	59.2	65.2	55.6	61.0	57.6	55.0	46.7	68.1	72.1	64.8	60.7	59.4	4	1180
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	4.2	8.7	5.6	10.0	23.6	32.2	31.7	15.6	31.9	15.6	9.1	5.6	16.2	4	1180
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# CURITIBA, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	13.6	11.1	10.8	10.0	3.3	4.1	4.7	2.0	4.1	6.3	6.5	13.6	90.3	4	1180
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	7.0	5.7	4.9	5.3	1.7	2.0	1.6	0.5	1.5	3.8	4.1	5.5	43.6	4	1179
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.0	0.5	0.0	0.0	0.3	0.0	0.7	0.3	0.0	0.0	0.0	0.5	2.3	4	884
	03 LST														0	0
	09 LST	1.2	0.4	0.5	0.3	0.5	0.2	0.4	0.7	1.3	0.9	0.9	0.7	8.0	14	3597
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	20.8	19.7	20.9	21.5	19.7	21.6	22.6	20.6	22.7	23.5	20.2	21.7	255.5	4	877
	03 LST														0	0
	09 LST	18.3	18.2	20.0	17.8	14.0	13.2	13.7	15.3	17.3	19.7	20.1	19.0	206.6	14	3582
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	2.0	1.0	1.0	1.9	0.6	0.7	1.9	2.1	1.7	2.9	2.5	1.8	20.1	9	1877
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	8.6	6.0	5.9	6.3	2.0	4.1	3.6	1.2	2.8	4.3	4.1	6.9	55.8	4	1180
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	8.6	5.7	5.9	6.3	1.7	4.1	3.6	1.2	2.8	4.3	4.1	6.6	54.9	4	1180
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	8.6	5.7	5.9	6.3	1.7	4.1	3.6	1.2	2.8	4.3	4.1	6.6	54.9	4	1180
	15 LST														0	0

# AFONSO PENA, BRAZIL

STA NO. 83843/ (IN AREA NUMBER 03)

LATITUDE 25325

LONGITUDE 04911W

ELEVATION(FT) 02986

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	95	93	95	87	102	81	86	91	88	91	94	94	102	18	-83842
MEAN MAX TMP (F)	81	80	78	73	68	65	67	68	69	73	77	80	73	34	-83842
MEAN MIN TMP (F)	61	61	59	54	49	45	45	46	50	53	56	54	53	34	-83842
ABS MIN TMP (F)	46	45	42	33	25	21	21	24	29	35	41	43	21	18	-83842
MEAN NO DYS TMP = OR GTR 90(F)	1.1	0.3	0.5	0.0	0.1	0.0	0.0	0.1	0.0	0.3	0.0	1.5	3.9	10	-83842
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.2	0.2	0.6	0.3	0.0	0.0	0.0	0.0	1.3	18	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN DFW PT TMP (F)	63	64	63	57	52	49	48	50	53	55	57	61	56	0	-50
MEAN RFL HUM (PCT)	81	82	83	83	83	84	82	80	82	81	80	80	82	27	-83842
MEAN PRESS ALT (FT)	2850	2850	2850	2750	2750	2750	2700	2700	2750	2800	2850	2850	2788	0	-50
MEAN PRECIP (IN)	6.90	6.60	4.20	3.20	3.90	3.90	2.50	3.30	4.70	5.30	5.00	5.70	55.2	48	-83842
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0		18	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.8	9.5	6.4	5.1	6.0	6.8	4.5	5.8	7.1	7.6	7.3	8.5	84.4	48	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0		18	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	12.0	8.0	7.0	3.0	3.0	2.0	2.0	5.0	6.0	7.0	7.0	8.0	70.0	19	-83842
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	47.1	59.2	65.2	55.6	61.0	57.6	55.0	46.7	68.1	72.1	64.8	60.7	59.4	4	-83842
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	4.7	8.7	5.6	10.0	23.6	32.2	31.7	15.6	31.9	15.6	9.1	5.6	16.2	4	-83842
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# AFONSO PENA, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST	13.8	11.1	10.8	10.0	3.3	4.1	4.7	2.0	4.1	6.3	6.5	13.6	90.3	4 -83842
	15 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	21 LST													0	0
	03 LST													0	0
	09 LST	7.0	5.7	4.9	5.3	1.7	2.0	1.6	0.5	1.5	3.8	4.1	5.5	43.6	4 -83842
	15 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.0	0.5	0.0	0.0	0.3	0.0	0.7	0.3	0.0	0.0	0.5	2.3	4 -83842	
	03 LST													0	0
	09 LST	1.2	0.4	0.5	0.3	0.5	0.2	0.4	0.7	1.3	0.9	0.9	0.7	8.0	14 -83842
	15 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	20.8	19.7	20.9	21.5	19.7	21.6	22.6	20.6	22.7	23.5	20.2	21.7	255.5	4 -83842
	03 LST													0	0
	09 LST	18.3	18.2	20.0	17.8	14.0	13.2	13.7	15.3	17.3	19.7	20.1	19.0	206.6	14 -83842
	15 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST	2.0	1.0	1.0	1.9	0.6	0.7	1.9	2.1	1.7	2.9	2.5	1.8	20.1	9 -83842
	15 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST	8.6	6.0	5.9	6.3	2.0	4.1	3.6	1.2	2.8	4.3	4.1	6.9	55.8	4 -83842
	15 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST	8.6	5.7	5.9	6.3	1.7	4.1	3.6	1.2	2.8	4.3	4.1	6.6	54.9	4 -83842
	15 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST	8.6	5.7	5.9	6.3	1.7	4.1	3.6	1.2	2.8	4.3	4.1	6.6	54.9	4 -83842
	15 LST													0	0

### AREA NO. 03

PARAMETER DESCRIPTION	LATITUDE 2000S    LONGITUDE 04800W															
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN			
MEAN MAX TMP (F)	85	86	85	83	81	79	79	82	84	85	84	84	83			
MEAN MIN TMP (F)	66	67	66	63	59	55	54	56	60	64	65	66	62			
LARGFST MFAN PRECIP(IN)	11.50	8.88	9.87	5.73	11.09	3.90	2.50	3.30	4.70	7.86	11.00	13.70	94.0			
SMALFST MEAN PRECIP(IN)	1.14	1.62	0.33	1.07	0.24	0.00	0.00	0.00	0.11	0.55	0.00	2.51	7.6			
	MEAN NUMBER OF DAYS															
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST	03 LST	09 LST	26.6	23.3	26.9	25.5	24.7	25.0	25.8	24.7	18.8	22.3	23.2	27.0	293.8
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST	03 LST	09 LST	23.4	20.8	24.5	23.5	22.4	23.5	24.2	21.8	16.0	18.7	20.4	23.8	263.0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	03 LST	09 LST	0.3	1.0	0.8	0.4	1.1	0.6	1.0	1.0	0.9	0.3	0.4	0.3	8.1
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	03 LST	09 LST	6.6	6.0	7.4	9.2	8.0	7.1	8.8	9.8	11.0	9.8	8.6	7.1	99.4
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST	03 LST	09 LST	5.3	4.4	5.1	9.9	10.8	13.5	15.2	14.9	9.6	7.2	6.1	5.6	107.6
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST	03 LST	09 LST	24.0	20.9	25.0	24.1	23.6	24.3	24.2	23.7	17.4	21.3	22.1	24.4	275.0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	03 LST	09 LST	22.4	19.6	24.1	23.1	22.1	23.8	23.1	22.1	16.5	19.8	21.3	22.6	260.5
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	03 LST	09 LST	22.4	19.2	24.1	23.1	22.1	23.7	23.0	22.0	16.5	19.7	21.2	22.1	259.1

# CACERES, BRAZIL

STA NO. 83405 (IN AREA NUMBER 04)

LATITUDE 16035

LONGITUDE 05741W

ELEVATION(FT) 00387

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	102	99	100	97	102	100	102	102	102	104	100	97	104	6	957
MFAN MAX TMP (F)	90	90	91	89	88	87	88	91	91	91	91	90	90	6	957
MFAN MIN TMP (F)	72	73	72	68	66	62	60	61	68	71	72	73	68	10	2156
ABS MIN TMP (F)	52	63	61	50	41	45	43	46	48	52	54	63	41	10	2156
MFAN NO DYS TMP = OR GTR 90(F)	21.7	18.8	23.8	20.3	21.1	14.4	18.0	21.0	20.3	20.6	20.8	20.3	241.1	6	957
MFAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	2156
MFAN NO DYS TMP = OR LES 50(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	2156
MFAN DEW PT TMP (F)	74	75	75	71	69	66	64	63	65	70	74	75	70	7	-29
MFAN REL HUM (PCT)	81	82	82	80	78	78	74	68	65	72	79	81	77	6	-28
MFAN PRESS ALT (FT)														0	0
MFAN PRECIP (IN)	10.20	7.40	6.80	3.60	1.70	1.00	0.40	0.50	1.90	4.20	7.20	8.10	53.0	18	-28
MFAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MFAN NO DYS PRCP = OR GTR 0.1 IN	12.9	10.3	9.6	5.6	3.1	2.0	1.0	1.1	3.7	6.6	9.2	11.0	76.1	18	-29
MFAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MFAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MFAN NO DYS TSTMS	14.0	13.0	13.0	10.0	5.0	2.0	2.0	3.0	7.0	10.0	12.0	13.0	104.0	31	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	14.3	11.1	0.0	3.1	6.4	3.3	4.2	1.6	0.0	4.1	12.9	11.1	6.0	4	394
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	7.1	5.6	0.0	3.1	4.3	0.0	4.2	0.0	0.0	4.1	3.2	5.6	3.1	4	394
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# CACERES, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	24.3	26.4	31.0	28.1	28.3	30.0	29.7	26.0	22.1	29.7	27.1	29.3	332.0	4	394
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	24.3	24.9	31.0	28.1	27.7	29.0	28.4	25.5	21.4	29.1	26.1	25.8	321.3	4	393
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.4	4	698
	02 LST														0	0
	08 LST	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.3	0.5	10	2192
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	0.0	0.0	0.4	0.0	0.4	0.0	0.0	0.8	1.8	0.7	0.0	0.0	4.1	4	690
	02 LST														0	0
	08 LST	1.6	2.0	1.8	3.8	3.3	4.0	3.4	2.9	4.1	4.2	4.7	6.7	42.5	10	2164
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	4.2	3.4	1.6	8.9	12.9	16.7	17.8	17.7	13.4	12.0	8.6	5.3	122.5	7	1940
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	24.3	24.9	31.0	28.1	27.7	29.0	29.7	25.5	22.1	29.1	26.1	25.8	323.3	4	394
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	24.3	23.3	31.0	28.1	27.7	29.0	29.7	25.5	22.1	28.5	26.1	25.8	321.1	4	394
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	24.3	23.3	31.0	28.1	27.7	29.0	29.7	25.5	22.1	28.5	26.1	25.8	321.1	4	394
	14 LST														0	0

# AREA NO. 04

PARAMETER DESCRIPTION	BRAZIL		MARSH BOUNDARIES		LATITUDE 1830S				LONGITUDE 05700W				DEC	ANN
	1930S	06030W	1450S	05630W	1450S	05630W	2230S	05530W	1450S	05630W	2230S	05530W		
MEAN MAX TMP (F)	90	90	91	89	88	87	88	91	91	91	91	91	90	90
MEAN MIN TMP (F)	72	73	72	68	66	62	60	61	68	71	72	73	73	68
LARGEST MEAN PRECIP(IN)	10.20	7.40	6.80	3.60	1.70	1.00	0.40	0.50	1.90	4.20	7.20	8.10	93.0	
SMALLEST MEAN PRECIP(IN)	10.20	7.40	6.80	3.60	1.70	1.00	0.40	0.50	1.90	4.20	7.20	8.10	93.0	
	MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST													
	02 LST													
	08 LST	24.3	26.4	31.0	28.1	28.3	30.0	29.7	26.0	22.1	29.7	27.1	29.3	332.0
	14 LST													
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST													
	02 LST													
	08 LST	24.3	24.9	31.0	28.1	27.7	29.0	28.4	25.5	21.4	29.1	26.1	25.8	321.3
	14 LST													
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.4
	02 LST													
	08 LST	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.3	0.5
	14 LST													
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	0.0	0.0	0.4	0.0	0.4	0.0	0.0	0.8	1.8	0.7	0.0	0.0	4.1
	02 LST													
	08 LST	1.6	2.0	1.8	3.8	3.3	4.0	3.4	2.9	4.1	4.2	4.7	6.7	42.5
	14 LST													
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST													
	02 LST													
	08 LST	4.2	3.4	1.6	8.9	12.9	16.7	17.8	17.7	19.4	12.0	8.6	5.3	127.5
	14 LST													
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST													
	02 LST													
	08 LST	24.3	24.9	31.0	28.1	27.7	29.0	29.7	25.5	22.1	29.1	26.1	25.8	323.3
	14 LST													
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST													
	02 LST													
	08 LST	24.3	23.3	31.0	28.1	27.7	29.0	29.7	25.5	22.1	28.5	26.1	25.8	321.1
	14 LST													
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST													
	02 LST													
	08 LST	24.3	23.3	31.0	28.1	27.7	29.0	29.7	25.5	22.1	28.5	26.1	25.8	321.1
	14 LST													

# SANTA MARIA, BRAZIL

STA NO. 83936 (IN AREA NUMBER 05)

LATITUDE 29435

LONGITUDE 05343W

ELEVATION(FT) 00279

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	MOOR (YRS)	NO. OBS
ABS MAX TMP (F)	100	100	99	91	88	88	93	91	95	99	95	100	100	8	1313
MEAN MAX TMP (F)	85	86	82	77	71	69	68	69	71	77	80	86	77	8	1313
MEAN MIN TMP (F)	66	65	63	57	55	53	50	51	53	56	58	63	58	12	2580
ABS MIN TMP (F)	52	52	48	36	36	34	32	32	34	41	45	46	32	12	2580
MEAN NO DYS TMP = OR GTR 90(F)	8.9	10.0	5.4	2.3	0.0	0.0	0.2	2.1	1.9	3.2	2.1	10.1	46.2	8	1313
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.3	12	2580
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	2580
MEAN DFW PT TMP (F)	68	67	69	61	56	50	50	51	54	58	62	64	59	0	50
MEAN REL HUM (PCT)	75	75	80	80	81	80	78	77	79	79	76	73	78	7	-57
MEAN PRESS ALT (FT)	300	300	300	200	200	150	150	150	200	200	250	300	225	0	-50
MEAN PRECIP (IN)	5.10	6.60	3.64	5.42	5.26	5.17	3.96	4.32	5.44	4.37	4.76	3.49	57.5	12	2590
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.1	4.8	4.3	5.7	3.9	6.2	5.0	4.9	7.1	6.0	4.3	4.2	62.5	12	2590
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	5.0	5.0	4.0	3.0	3.0	3.0	3.0	4.0	4.0	4.0	4.0	4.0	46.0	31	-24
P FRFQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	1.4	3.3	0.0	0.0	3.7	0.0	0.0	5.6	0.0	2.1	0.0	0.0	1.3	4	428
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	1.4	0.0	0.0	0.0	3.7	0.0	0.0	2.8	0.0	0.0	0.0	0.0	0.7	4	428
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# SANTA MARIA, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	30.1	22.4	23.8	22.7	21.2	24.0	27.1	23.3	24.5	28.4	29.2	31.0	307.7	4	428
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	28.7	21.4	22.6	21.7	16.6	13.5	27.1	15.5	20.9	25.2	25.0	29.4	267.6	4	427
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRFCIP.	20 LST	1.2	0.0	1.3	1.3	0.9	1.9	2.8	1.1	1.9	2.7	1.1	2.7	18.9	4	782
	02 LST														0	0
	08 LST	0.3	0.8	0.8	0.8	1.4	2.2	2.7	1.9	1.4	1.1	1.1	0.3	14.8	12	2574
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	10.3	11.6	11.2	13.1	10.8	10.1	8.8	13.4	12.2	10.7	9.4	12.1	133.7	4	778
	02 LST														0	0
	08 LST	20.4	14.0	13.1	14.6	9.8	9.9	9.6	13.4	14.9	15.4	17.1	20.1	172.3	12	2552
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	7.6	5.9	3.2	4.1	4.6	3.5	3.2	3.0	3.1	7.9	5.8	7.8	59.7	9	1768
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	30.1	22.4	23.8	22.7	21.2	22.5	27.1	23.3	24.5	27.7	29.2	31.0	305.5	4	428
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	30.1	22.4	23.8	22.7	21.2	22.5	27.1	23.3	24.5	27.7	29.2	31.0	305.5	4	428
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	30.1	22.4	23.8	22.7	21.2	22.5	27.1	23.3	24.5	27.7	29.2	31.0	305.5	4	428
	14 LST														0	0

# GRAVATAI, BRAZIL

STA NO. 83961/ (IN AREA NUMBFR 05)

LATITUDE 2956S

LONGITUDE 05108W

ELEVATION(FT) 00026

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	103	105	102	97	91	89	91	92	97	100	100	103	105	22	-83967
MEAN MAX TMP (F)	87	87	83	78	71	66	66	68	70	74	80	85	76	22	-83967
MEAN MIN TMP (F)	67	68	65	60	54	49	49	50	54	57	60	64	58	22	-83967
ABS MIN TMP (F)	50	52	48	39	30	28	25	30	32	39	41	46	25	22	-83967
MEAN NO DYS TMP ≥ OR GTR 90(F)	9.0	8.0	1.0	0.4	0.4	0.0	0.0	0.4	0.4	0.4	1.0	5.0	26.0	22	-83967
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.0	0.0	0.0		0.1	0.0	0.0	0.0	0.0	0.0		22	-29
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN DEW PT TMP (F)	65	67	64	62	57	52	52	51	55	57	61	60	59	0	-50
MEAN REL HUM (PCT)	67	70	72	76	78	79	79	79	76	72	67	66	73	19	-83967
MEAN PRESS ALT (FT)	50	0	0	-100	-100	-200	-250	-200	-150	-100	0	0	-87	0	-50
MEAN PRECIP (IN)	3.50	3.20	3.90	4.10	4.50	5.10	4.50	5.00	5.20	3.40	3.10	3.50	49.0	22	-83967
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0	0.0		22	-29
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	5.8	5.4	6.0	6.2	6.8	8.8	7.8	8.6	7.5	5.7	5.3	5.8	79.7	22	-29
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0	0.0		22	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSMS	4.0	3.0	3.0	2.0	2.0	3.0	3.0	4.0	4.0	3.0	3.0	4.0	38.0	33	-83967
P FREQ WND SPD ≥ OR GTR 17 KTS														0	0
P FREQ WND SPD ≥ OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	3.4	2.2	2.4	0.0	3.3	0.0	10.3	0.0	2.4	2.6	0.0	0.0	2.2	4	-83967
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	3.4	0.0	2.4	0.0	3.3	0.0	10.3	0.0	2.4	0.0	0.0	0.0	1.8	4	-83967
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# GRAVATAI, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	27.8	21.9	22.1	24.3	14.7	14.3	16.0	13.4	13.6	27.8	27.3	29.4	252.6	4	-83967
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	26.8	21.9	22.1	24.3	14.7	14.3	16.0	13.4	12.8	24.6	27.3	29.4	247.6	4	-83967
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	1.1	2.4	1.5	0.0	0.4	0.0	0.3	0.7	0.4	3.3	1.7	2.3	14.1	4	-83967
	03 LST														0	0
	09 LST	0.9	0.0	0.5	0.3	0.1	0.1	0.1	0.5	0.7	0.4	0.4	0.2	4.2	14	-83967
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	15.5	17.3	14.0	10.4	8.7	9.6	12.2	11.8	11.0	14.4	16.4	14.9	156.2	4	-83967
	03 LST														0	0
	09 LST	11.2	10.4	10.7	6.2	4.6	6.5	5.5	6.3	9.5	10.5	11.9	11.3	104.6	14	-83967
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	10.4	8.8	8.8	7.4	5.0	3.4	6.4	7.4	5.9	7.6	9.3	10.7	91.1	9	-83967
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	27.3	21.9	22.1	24.3	14.7	14.3	16.0	13.4	13.6	27.0	27.3	29.4	251.3	4	-83967
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	27.3	21.9	22.1	24.3	14.7	14.3	16.0	13.4	13.6	27.0	27.3	28.6	250.5	4	-83967
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	27.3	21.9	21.4	24.3	14.7	13.0	16.0	13.4	13.6	27.0	27.3	28.6	248.5	4	-83967
	15 LST														0	0

# CANOAS, BRAZIL

STA NO. 83962/ (IN AREA NUMBR 05)

LATITUDE 2955S

LONGITUDE 05111W

ELEVATION(FT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	103	105	102	97	91	89	91	92	97	100	100	103	105	22	-83967
MEAN MAX TMP (F)	87	87	83	78	71	66	66	68	70	74	80	85	76	22	-83967
MEAN MIN TMP (F)	67	68	65	60	54	49	49	50	54	57	60	64	58	22	-83967
ABS MIN TMP (F)	50	52	48	39	30	28	25	30	32	39	41	46	25	22	-83967
MEAN NO DYS TMP = OR GTR 90(F)	9.0	8.0	1.0	0.4	0.4	0.0	0.0	0.4	0.4	0.4	1.0	5.0	26.0	22	-83967
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0		0.1	0.0	0.0	0.0	0.0	0.0		22	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN DEW PT TMP (F)	65	67	64	62	57	52	52	51	55	57	61	60	59	0	-50
MEAN REL HUM (PCT)	67	70	72	76	78	79	79	79	76	72	67	66	73	19	-83967
MEAN PRES ALT (FT)	100	50	50	50	50	50	0	50	50	50	100	100	58	0	-50
MEAN PRECIP (IN)	3.50	3.20	3.90	4.10	4.50	5.10	4.50	5.00	5.20	3.40	3.10	3.50	49.0	22	-83967
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0	0.0		22	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.8	5.4	6.0	6.2	6.8	8.8	7.8	8.6	7.5	5.7	5.3	5.8	79.7	22	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0	0.0		22	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.0	3.0	3.0	2.0	2.0	3.0	3.0	4.0	4.0	3.0	3.0	4.0	38.0	33	-83967
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	3.4	2.2	2.4	0.0	3.3	0.0	10.3	0.0	2.4	2.6	0.0	0.0	2.2	4	-83967
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	3.4	0.0	2.4	0.0	3.3	0.0	10.3	0.0	2.4	0.0	0.0	0.0	1.8	4	-83967
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# CANOAS, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	27.8	21.9	22.1	24.3	14.7	14.3	16.0	13.4	13.6	27.8	27.3	29.4	252.6	4	-83967
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	26.8	21.9	22.1	24.3	14.7	14.3	16.0	13.4	12.8	24.6	27.3	29.4	247.6	4	-83967
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	1.1	2.4	1.5	0.0	0.4	0.0	0.3	0.7	0.4	3.3	1.7	2.3	14.1	4	-83967
	03 LST														0	0
	09 LST	0.9	0.0	0.5	0.3	0.1	0.1	0.1	0.5	0.7	0.4	0.4	0.2	4.2	14	-83967
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	15.5	17.3	14.0	10.4	8.7	9.6	12.2	11.8	11.0	14.4	16.4	14.9	156.2	4	-83967
	03 LST														0	0
	09 LST	11.2	10.4	10.7	6.2	4.6	6.5	5.5	6.3	9.5	10.5	11.9	11.3	104.6	14	-83967
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	10.4	8.8	8.8	7.4	5.0	3.4	6.4	7.4	5.9	7.6	9.3	10.7	91.1	9	-83967
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	27.3	21.9	22.1	24.3	14.7	14.3	16.0	13.4	13.6	27.0	27.3	29.4	251.3	4	-83967
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	27.3	21.9	22.1	24.3	14.7	14.3	16.0	13.4	13.6	27.0	27.3	28.6	250.5	4	-83967
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	27.3	21.9	21.4	24.3	14.7	13.0	16.0	13.4	13.6	27.0	27.3	28.6	248.5	4	-83967
	15 LST														0	0

# PORTO ALEGRE, BRAZIL

STA NO. 83967 (IN AREA NUMBER 05)

LATITUDE 3000S

LONGITUDE 05111W

ELEVATION(FT) 07010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	103	105	102	97	91	89	91	92	97	100	100	103	105	22	-528
MEAN MAX TMP (F)	87	87	83	78	71	66	66	68	70	74	80	85	76	22	-28
MEAN MIN TMP (F)	67	68	65	60	54	49	49	50	54	57	60	64	58	22	-28
ABS MIN TMP (F)	50	52	48	39	30	28	25	30	32	39	41	46	25	22	-528
MEAN NO DYS TMP = OR GTR 90(F)	9.0	8.0	1.0	0.4	0.4	0.0	0.0	0.4	0.4	0.4	1.0	5.0	26.0	22	-67
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0		0.1	0.0	0.0	0.0	0.0	0.0		22	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN DFW PT TMP (F)	64	66	63	60	55	50	50	52	54	55	57	61	57	21	-29
MEAN RFL HUM (PCT)	67	70	72	76	78	79	79	79	76	72	67	66	70	19	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRCP (IN)	3.50	3.20	3.90	4.10	4.50	5.10	4.50	5.00	5.20	3.40	3.10	3.50	49.0	22	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0	0.0		22	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.8	5.4	6.0	6.2	6.8	8.8	7.8	8.0	7.5	5.7	5.3	5.8	79.7	22	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0	0.0		22	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.0	3.0	3.0	2.0	2.0	3.0	3.0	4.0	4.0	3.0	3.0	4.0	38.0	33	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	3.4	2.2	2.4	0.0	3.3	0.0	10.3	0.0	2.4	2.6	0.0	0.0	2.2	4	516
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	3.4	0.0	2.4	0.0	3.3	0.0	10.3	0.0	2.4	0.0	0.0	0.0	1.8	4	516
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# PORTO ALEGRE, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	27.8	21.9	22.1	24.3	14.7	14.3	16.0	13.4	13.6	27.0	27.3	29.4	252.6	4	516
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	26.8	21.9	22.1	24.3	14.7	14.3	16.0	13.4	12.8	24.6	27.3	29.4	247.6	4	516
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	1.1	2.4	1.5	0.0	0.4	0.0	0.3	0.7	0.4	3.3	1.7	2.3	14.1	4	819
	03 LST														0	0
	09 LST	0.9	0.0	0.5	0.3	0.1	0.1	0.1	0.5	0.7	0.4	0.4	0.2	4.2	14	3827
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	19.5	17.3	14.0	10.4	8.7	9.6	12.2	11.8	11.0	14.4	16.4	14.9	156.2	4	817
	03 LST														0	0
	09 LST	11.2	10.4	10.7	6.2	4.6	6.5	5.5	6.3	9.5	10.5	11.9	11.3	104.6	14	3807
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	10.4	8.8	8.8	7.4	5.0	3.4	6.4	7.4	5.9	7.6	9.3	10.7	91.1	9	2130
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	27.3	21.9	22.1	24.3	14.7	14.3	16.0	13.4	13.6	27.0	27.3	29.4	251.3	4	516
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	27.3	21.9	22.1	24.3	14.7	14.3	16.0	13.4	13.6	27.0	27.3	28.6	250.5	4	516
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	27.3	21.9	21.4	24.3	14.7	13.0	16.0	13.4	13.6	27.0	27.3	28.6	248.5	4	516
	15 LST														0	0

# SALGADO FILHO, BRAZIL

STA NO. 83968/ (IN AREA NUMBFR 05)

LATITUDE 3000S

LONGITUDE 0511W

ELEVATION(FT) 00013

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	103	105	102	97	91	89	91	92	97	100	100	103	105	22	-83967
MEAN MAX TMP (F)	87	87	83	78	71	66	66	68	70	74	80	85	76	22	-83967
MEAN MIN TMP (F)	67	68	65	60	54	49	49	50	54	57	60	64	58	22	-83967
ABS MIN TMP (F)	50	52	48	39	30	28	25	30	32	39	41	46	25	22	-83967
MEAN NO DYS TMP = OR GTR 90(F)	9.0	8.0	1.0	0.4	0.4	0.0	0.0	0.4	0.4	0.4	1.0	5.0	26.0	22	-83967
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0		0.1	0.0	0.0	0.0	0.0	0.0		22	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN DFW PT TMP (F)	66	66	63	59	55	50	50	50	53	57	61	64	58	0	-50
MEAN REL HUM (PCT)	67	70	72	76	78	79	79	79	76	72	67	66	73	19	-83967
MEAN PRESS ALT (FT)	50	0	0	-100	-100	-200	-250	-200	-150	-100	0	0	-87	0	-50
MEAN PRECIP (IN)	3.50	3.20	3.90	4.10	4.50	5.10	4.50	5.00	5.20	3.40	3.10	3.50	4.90	22	-83967
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0	0.0		22	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.8	5.4	6.0	6.2	6.8	8.8	7.8	8.6	7.5	5.7	5.3	5.8	7.7	22	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0	0.0		22	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.0	3.0	3.0	2.0	2.0	3.0	3.0	4.0	4.0	3.0	3.0	4.0	38.0	33	-83967
P FRFQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	3.4	2.2	2.4	0.0	3.3	0.0	10.3	0.0	2.4	2.6	0.0	0.0	2.2	4	-83967
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	3.4	0.0	2.4	0.0	3.3	0.0	10.3	0.0	2.4	0.0	0.0	0.0	1.8	4	-83967
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# SALGADO FILHO, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST	27.8	21.9	22.1	24.3	14.7	14.3	16.0	13.4	13.6	27.0	27.3	29.4	252.6	4 -83967
	15 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	21 LST													0	0
	03 LST													0	0
	09 LST	26.8	21.9	22.1	24.3	14.7	14.3	16.0	13.4	12.8	24.6	27.3	29.4	247.6	4 -83967
	15 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	1.1	2.4	1.5	0.0	0.4	0.0	0.3	0.7	0.4	3.3	1.7	2.3	14.1	4 -83967
	03 LST													0	0
	09 LST	0.9	0.0	0.5	0.3	0.1	0.1	0.1	0.5	0.7	0.4	0.4	0.2	4.2	14 -83967
	15 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DFG F AND NO PRECIP.	21 LST	15.5	17.3	14.0	10.4	8.7	9.6	12.2	11.8	11.0	14.4	16.4	14.9	156.2	4 -83967
	03 LST													0	0
	09 LST	11.2	10.4	10.7	6.2	4.6	6.5	5.5	6.3	9.5	10.5	11.9	11.3	104.6	14 -83967
	15 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST	10.4	8.8	8.8	7.4	5.0	3.4	6.4	7.4	5.9	7.6	9.3	10.7	91.1	9 -83967
	15 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST	27.3	21.9	22.1	24.3	14.7	14.3	16.0	13.4	13.6	27.0	27.3	29.4	251.3	4 -83967
	15 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST	27.3	21.9	22.1	24.3	14.7	14.3	16.0	13.4	13.6	27.0	27.3	28.6	250.5	4 -83967
	15 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST													0	0
	03 LST													0	0
	09 LST	27.3	21.9	21.4	24.3	14.7	13.0	16.0	13.4	13.6	27.0	27.3	28.6	248.5	4 -83967
	15 LST													0	0

## AREA NO. 05

BRAZIL

SOUTHERN PLAINS

LATITUDE 3000S

LONGITUDE 05330W

BOUNDARIES 2800S 05515W 2910S 05000W 2910S 05000W 3230S 05315W

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	86	87	83	78	71	68	67	69	71	76	80	86	77
MEAN MIN TMP (F)	67	67	64	59	55	51	50	51	54	57	59	64	58
LARGST MEAN PRECIP(IN)	5.10	6.60	3.90	5.42	5.26	5.17	4.50	5.00	5.44	4.37	4.76	3.50	59.0
SMALLEST MEAN PRECIP(IN)	3.50	3.20	3.64	4.10	4.50	5.10	3.96	4.32	5.20	3.40	3.10	3.49	47.5
	MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST												
	03 LST												
	09 LST	29.0	22.2	23.0	23.5	18.0	19.2	21.6	18.4	19.1	28.1	28.3	30.2 280.6
	15 LST												
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LFS 10 KTS	21 LST												
	03 LST												
	09 LST	27.8	21.7	22.4	23.0	15.7	13.9	21.6	14.5	16.9	24.9	26.2	29.4 258.0
	15 LST												
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	1.2	1.2	1.4	0.7	0.7	1.0	1.6	0.9	1.2	3.0	1.4	2.5 16.8
	03 LST												
	09 LST	0.6	0.4	0.7	0.6	0.8	1.2	1.4	1.2	1.1	0.8	0.8	0.3 9.9
	15 LST												
SFC WND 4-10 KTS AND TMP 53-89 DEG F AND NO PRECIP.	21 LST	12.9	14.5	12.6	11.8	9.8	9.9	10.5	12.6	11.6	12.6	12.9	13.5 145.2
	03 LST												
	09 LST	15.8	12.2	11.9	10.4	7.2	8.2	7.6	9.9	12.2	13.0	14.5	15.7 138.6
	15 LST												
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST												
	03 LST												
	09 LST	9.0	7.4	6.0	5.8	4.8	3.5	4.8	5.2	4.5	7.8	7.6	9.3 75.7
	15 LST												
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST												
	03 LST												
	09 LST	28.7	22.2	23.0	23.5	18.0	18.4	21.6	18.4	19.1	27.4	28.3	30.2 278.8
	15 LST												
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST												
	03 LST												
	09 LST	28.7	22.2	23.0	23.5	18.0	18.4	21.6	18.4	19.1	27.4	28.3	29.8 278.4
	15 LST												
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST												
	03 LST												
	09 LST	28.7	22.2	22.6	23.5	18.0	17.8	21.6	18.4	19.1	27.4	28.3	29.8 277.4
	15 LST												

# SANTOS DUMONT, BRAZIL

STA NO. 83690/ (IN AREA NUMBER 06)

LATITUDE 2254S

LONGITUDE 04309W

ELEVATION(FT) 00016

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	102	99	97	94	95	90	91	93	100	102	100	102	102	49	-83743
MEAN MAX TMP (F)	84	85	83	80	77	76	75	76	75	77	79	82	79	38	-83743
MEAN MIN TMP (F)	73	73	72	69	66	64	63	64	65	66	68	71	68	38	-83743
ABS MIN TMP (F)	60	61	64	60	46	46	52	53	50	54	59	56	46	49	-83743
MEAN NO DYS TMP = OR GTR 90(F)	4.0	6.0	2.0	1.0	0.4	0.4	0.4	0.4	0.4	0.4	1.0	1.0	17.4	49	-83743
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49	-29
MEAN DFW PT TMP (F)	70	70	71	68	65	62	67	61	63	65	67	69	67	0	-50
MEAN RFL HUM (PCT)	74	78	81	80	79	78	77	75	78	78	78	78	78	12	-83743
MEAN PRFSS ALT (FT)	50	50	0	-100	-150	-200	-250	-200	-150	-100	0	0	-87	0	-50
MEAN PRECIP (IN)	4.90	4.80	5.10	4.20	3.10	2.10	1.60	1.70	2.60	3.10	4.10	5.40	42.7	84	-83743
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.6	7.5	7.5	6.4	5.0	3.8	3.0	3.1	4.7	5.3	6.5	8.2	68.6	84	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	7.0	5.0	5.0	2.0	1.0	0.0	0.0	1.0	2.0	3.0	4.0	5.0	35.0	42	-83743
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-83743
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-83743
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# SANTOS DUMONT, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	30.3	25.9	27.7	30.0	30.0	30.0	27.3	26.9	21.2	24.3	22.5	28.3	324.4	4	-83743
	15 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	30.3	25.9	27.7	30.0	30.0	30.0	27.3	26.9	21.2	24.3	22.5	25.6	321.7	4	-83743
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.0	1.3	4	-83743
	03 LST														0	0
	09 LST	0.3	0.1	0.0	0.4	0.3	0.4	0.1	0.4	0.7	0.3	0.4	0.6	4.0	14	-83743
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	4.9	2.9	7.4	9.2	9.3	5.9	6.8	6.7	8.8	8.1	7.7	5.1	82.8	4	-83743
	03 LST														0	0
	09 LST	11.2	10.0	13.2	14.0	15.9	14.7	15.5	13.6	11.1	11.3	11.9	11.6	154.0	14	-83743
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	6.3	4.9	8.3	5.0	5.5	8.1	8.7	9.7	6.2	6.9	3.8	3.6	77.0	9	-83743
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	30.3	25.9	27.7	30.0	30.0	30.0	27.3	26.9	21.2	24.3	22.5	28.3	324.4	4	-83743
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	30.3	25.9	27.7	30.0	30.0	30.0	27.3	26.9	21.2	24.3	22.5	28.3	324.4	4	-83743
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	30.3	25.9	27.7	30.0	30.0	30.0	27.3	26.9	21.2	24.3	22.5	28.3	324.4	4	-83743
	15 LST														0	0

# BONSUCESSO, BRAZIL

STA NO. 83697/ (IN AREA NUMBER 06)

LATITUDE 2142S

LONGITUDE 04110W

ELEVATION(FT) 00069

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	99	102	97	95	97	91	95	91	91	97	99	100	102	10	-83698
MEAN MAX TMP (F)	89	89	88	85	83	80	79	80	80	82	82	86	84	10	-83698
MEAN MIN TMP (F)	71	72	71	68	64	62	60	61	63	67	68	70	66	14	-83698
ABS MIN TMP (F)	64	59	63	59	41	52	50	52	48	50	57	55	41	14	-83698
MEAN NO DYS TMP = OR GTR 90(F)	16.1	17.4	13.6	7.7	4.0	1.4	0.3	1.8	1.9	4.0	4.4	10.2	82.8	10	-83698
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN DEW PT TMP (F)	72	74	72	69	65	63	62	63	65	68	68	71	68	0	-50
MEAN REL HUM (PCT)	82	81	84	84	83	82	80	81	80	83	81	82	82	10	-83698
MEAN PRESS ALT (FT)	150	150	100	0	-50	-100	-150	-100	-50	0	100	100	13	0	-50
MEAN PRECIP (IN)	5.22	4.34	3.89	3.66	2.43	1.39	1.33	1.10	2.59	3.02	4.19	7.86	41.0	14	-83698
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.6	6.3	5.7	6.2	4.1	2.5	3.1	2.6	5.1	6.1	7.2	10.4	65.9	14	-83698
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	7.0	6.0	5.0	2.0	1.0	0.0	0.0	0.0	2.0	3.0	4.0	6.0	36.0	32	-83698
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	21.9	26.2	18.8	25.3	20.7	12.5	31.7	30.6	69.6	65.3	64.7	40.7	35.7	4	-83698
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	1.1	0.0	0.0	1.7	4.8	40.2	22.0	25.9	0.0	8.0	4	-83698
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# BONSUCCESSO, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	1.0	1.0	0.0	0.3	0.3	0.0	0.7	1.1	1.1	1.6	1.0	2.8	10.9	4	-83698
	03 LST														0	0
	09 LST	0.1	0.0	0.1	0.2	0.1	0.0	0.0	0.4	0.3	0.6	0.0	0.0	1.8	10	-83698
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	11.9	8.8	8.7	10.3	10.0	11.4	11.9	15.3	11.4	14.7	15.2	14.6	144.2	4	-83698
	03 LST														0	0
	09 LST	19.6	14.8	15.2	13.6	12.8	11.5	13.1	16.1	15.3	14.1	14.7	14.6	175.4	10	-83698
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	8.6	9.2	9.6	6.0	15.5	13.9	11.7	17.1	4.0	3.3	1.4	1.8	102.1	5	-83698
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0

# CAMPOS, BRAZIL

STA NO. 83698 (IN AREA NUMBFR 06)

LATITUDE 21455

LONGITUDE 04120W

ELEVATION(FT) 00043

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	99	102	99	95	97	91	95	91	91	97	99	100	102	10	2734
MEAN MAX TMP (F)	89	89	88	85	83	80	79	80	80	82	82	86	84	10	2734
MEAN MIN TMP (F)	71	72	71	68	64	62	60	61	63	67	68	70	66	14	3980
ABS MIN TMP (F)	64	59	63	59	41	52	50	52	48	50	57	55	41	14	3980
MEAN NO DYS TMP = OR GTR 90(F)	16.1	17.4	13.6	7.7	4.0	1.4	0.3	1.8	1.9	4.0	4.4	10.2	82.8	10	2734
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	3980
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	3980
MEAN DFW PT TMP (F)	74	74	74	71	68	65	62	64	64	69	68	72	69	11	-29
MEAN RFL HUM (PCT)	82	81	84	84	8.	82	80	81	80	83	81	82	82	10	-57
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	5.22	4.34	3.89	3.66	2.43	1.39	1.33	1.10	2.59	3.02	4.18	7.86	41.0	14	3891
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.6	6.3	5.7	6.2	4.1	2.5	3.1	2.6	5.1	6.1	7.2	10.4	65.9	14	3891
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	7.0	6.0	5.0	2.0	1.0	0.0	0.0	0.0	2.0	3.0	4.0	6.0	36.0	32	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	21.9	26.2	18.8	25.3	20.7	12.5	31.7	30.6	69.6	65.3	64.7	40.7	35.7	4	1160
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	1.1	0.0	0.0	1.7	4.8	40.2	22.0	25.9	0.0	8.0	4	1160
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# CAMPOS, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST													0	0	
	03 LST													0	0	
	09 LST													0	0	
	15 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST													0	0	
	03 LST													0	0	
	09 LST													0	0	
	15 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	1.0	1.0	0.0	0.3	0.3	0.0	0.7	1.1	1.1	1.6	1.0	2.8	10.9	4	884
	03 LST													0	0	
	09 LST	0.1	0.0	0.1	0.2	0.1	0.0	0.0	0.4	0.3	0.6	0.0	1.8	10	2764	
	15 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	11.9	8.8	8.7	10.3	10.0	11.4	11.9	15.3	11.4	14.7	15.2	14.6	144.2	4	881
	03 LST													0	0	
	09 LST	19.6	14.8	15.2	13.6	12.8	11.5	13.1	16.1	15.3	14.1	14.7	14.6	175.4	10	2756
	15 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST													0	0	
	03 LST													0	0	
	09 LST	8.6	9.2	9.6	6.0	15.5	13.9	11.7	17.1	4.0	3.3	1.4	1.8	102.1	5	987
	15 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST													0	0	
	03 LST													0	0	
	09 LST													0	0	
	15 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST													0	0	
	03 LST													0	0	
	09 LST													0	0	
	15 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST													0	0	
	03 LST													0	0	
	09 LST													0	0	
	15 LST													0	0	

# SANTA CRUZ BR. AIR FORCE, BRAZIL

STA NO. 83741 (IN AREA NUMBER 06)

LATITUDE 2256S

LONGITUDE 04344W

ELEVATION(FT) 00012

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	102	99	97	94	95	90	91	93	100	102	100	102	102	49	-83743
MEAN MAX TMP (F)	84	85	83	80	77	76	75	76	75	77	79	82	79	38	-83743
MEAN MIN TMP (F)	73	73	72	69	66	64	63	64	65	66	68	71	68	38	-83743
ABS MIN TMP (F)	60	61	64	60	46	46	52	53	50	54	59	56	46	49	-83743
MEAN NO DYS TMP = OR GTR 90(F)	4.0	6.0	2.0	1.0	0.4	0.4	0.4	0.4	0.4	0.4	1.0	1.0	1.4	49	-83743
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49	-29
MEAN DEW PT TMP (F)	70	70	71	68	65	62	67	61	63	65	67	69	67	0	-50
MEAN REL HUM (PCT)	74	78	81	80	79	78	77	75	78	78	78	78	78	12	-83743
MEAN PRESS ALT (FT)	50	50	0	-100	-150	-200	-250	-200	-150	-100	0	0	-87	0	-50
MEAN PRECIP (IN)	4.90	4.80	5.10	4.20	3.10	2.10	1.60	1.70	2.60	3.10	4.10	5.40	42.7	84	-83743
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.6	7.5	7.5	6.4	5.0	3.8	3.0	3.1	4.7	5.3	6.5	8.2	68.6	84	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	7.0	5.0	5.0	2.0	1.0	0.0	0.0	1.0	2.0	3.0	4.0	5.0	35.0	42	-83743
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-83743
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-83743
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# SANTA CRUZ BR. AIR FORCE, BRAZIL

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST															
	03 LST														0	0
	09 LST	30.3	25.9	27.7	30.0	30.0	30.0	27.3	26.9	21.2	24.3	22.5	28.3	324.4	4	-83743
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	30.3	25.9	27.7	30.0	30.0	30.0	27.3	26.9	21.2	24.3	22.5	25.6	321.7	4	-83743
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.0	1.3	4	-83743
	03 LST														0	0
	09 LST	0.3	0.1	0.0	0.4	0.3	0.4	0.1	0.4	0.7	0.3	0.4	0.6	4.0	14	-83743
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	4.9	2.9	7.4	9.2	9.3	5.9	6.8	6.7	8.8	8.1	7.7	5.1	82.8	4	-83743
	03 LST														0	0
	09 LST	11.2	10.0	13.2	14.0	15.9	14.7	15.5	13.6	11.1	11.3	11.9	11.6	154.0	14	-83743
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	6.3	4.9	8.3	5.0	5.5	8.1	8.7	9.7	6.2	6.9	3.8	3.6	77.0	9	-83743
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	30.3	25.9	27.7	30.0	30.0	30.0	27.3	26.9	21.2	24.3	22.5	28.3	324.4	4	-83743
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	30.3	25.9	27.7	30.0	30.0	30.0	27.3	26.9	21.2	24.3	22.5	28.3	324.4	4	-83743
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	30.3	25.9	27.7	30.0	30.0	30.0	27.3	26.9	21.2	24.3	22.5	28.3	324.4	4	-83743
	15 LST														0	0

# RIO DE JANEIRO, BRAZIL

STA NO. 83743 (IN ARFA NUMBR 06)

LATITUDE 2254S

LONGITUDE 04310W

ELEVATION(FT) 00089

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	102	99	97	94	95	90	91	93	100	102	100	102	102	49	-528
MFAN MAX TMP (F)	84	85	83	80	77	76	75	76	75	77	79	82	79	38	-28
MEAN MIN TMP (F)	73	73	72	69	66	64	63	64	65	66	68	71	68	38	-28
ABS MIN TMP (F)	60	61	64	60	46	46	52	53	50	54	59	56	46	49	-528
MFAN NO DYS TMP = OR GTR 90(F)	4.0	6.0	2.0	1.0	0.4	0.4	0.4	0.4	0.4	0.4	1.0	1.0	17.4	49	-67
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49	-29
MFAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49	-29
MEAN DEW PT TMP (F)	69	71	71	67	64	62	61	61	62	64	66	68	66	29	-29
MEAN REL HUM (PCT)	74	78	81	80	79	78	77	75	78	78	78	78	78	12	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.90	4.80	5.10	4.20	3.10	2.10	1.60	1.70	2.60	3.10	4.10	5.40	42.7	84	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49	-29
MFAN NO DYS PRCP = OR GTR 0.1 IN	7.6	7.5	7.5	6.4	5.0	3.8	3.0	3.1	4.7	5.3	6.5	8.2	68.6	84	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49	-29
MFAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MFAN NO DYS TSTMS	7.0	5.0	5.0	2.0	1.0	0.0	0.0	1.0	2.0	3.0	4.0	5.0	35.0	42	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	355
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	355
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# RIO DE JANEIRO, BRAZIL

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	30.3	25.9	27.7	30.0	30.0	30.0	27.3	26.9	21.2	24.3	22.5	28.3	324.4	4	355
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	30.3	25.9	27.7	30.0	30.0	30.0	27.3	26.9	21.2	24.3	22.5	25.6	321.7	4	355
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.0	1.3	4	919
	03 LST														0	0
	09 LST	0.3	0.1	0.0	0.4	0.3	0.4	0.1	0.4	0.7	0.3	0.4	0.6	4.0	4	4080
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	4.9	2.9	7.4	9.2	9.3	5.9	6.8	6.7	8.8	8.1	7.7	5.1	82.8	4	918
	03 LST														0	0
	09 LST	11.2	10.0	13.2	14.0	15.9	14.7	15.5	13.6	11.1	11.3	11.9	11.6	154.0	14	4071
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	6.3	4.9	8.3	5.0	5.5	8.1	8.7	9.7	6.2	6.9	3.8	3.6	77.0	9	2258
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	30.3	25.9	27.7	30.0	30.0	30.0	27.3	26.9	21.2	24.3	22.5	28.3	324.4	4	355
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	30.3	25.9	27.7	30.0	30.0	30.0	27.3	26.9	21.2	24.3	22.5	28.3	324.4	4	355
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	30.3	25.9	27.7	30.0	30.0	30.0	27.3	26.9	21.2	24.3	22.5	28.3	324.4	4	355
	15 LST														0	0

# GALEAO, BRAZIL

STA NO. 83746 (IN AREA NUMBER 06)

LATITUDE 2249S

LONGITUDE 04314W

ELEVATION(FT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	102	99	97	94	95	90	91	93	100	102	100	102	102	49	-83743
MEAN MAX TMP (F)	84	85	83	80	77	76	75	76	75	77	79	82	79	38	-83743
MEAN MIN TMP (F)	73	73	72	69	66	64	63	64	65	66	68	71	68	38	-83743
ABS MIN TMP (F)	60	61	64	60	46	46	52	53	50	54	59	56	46	49	-83743
MEAN NO DYS TMP = OR GTR 90(F)	4.0	6.0	2.0	1.0	0.4	0.4	0.4	0.4	0.4	0.4	1.0	1.0	17.4	49	-83743
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49	-29
MEAN DEW PT TMP (F)	69	70	69	67	64	62	61	61	62	63	66	68	65	0	-50
MEAN REL HUM (PCT)	74	76	81	80	79	78	77	75	78	78	78	78	78	12	-83743
MEAN PRESS ALT (FT)	50	50	0	-100	-150	-200	-250	-200	-150	-100	0	0	-87	0	-50
MEAN PRECIP (IN)	4.90	4.80	5.10	4.20	3.10	2.10	1.60	1.70	2.60	3.10	4.10	5.40	42.7	84	-83743
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.6	7.5	7.5	6.4	5.0	3.8	3.0	3.1	4.7	5.3	6.5	8.2	68.6	84	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49	-29
MEAN NO DYS W/OCUP VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	7.0	5.0	5.0	2.0	1.0	0.0	0.0	1.0	2.0	3.0	4.0	5.0	35.0	42	-83743
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-83743
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-83743
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# GALEAO, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	30.3	25.9	27.7	30.0	30.0	30.0	27.3	26.9	21.2	24.3	22.5	28.3	324.4	4	-83743
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	30.3	25.9	27.7	30.0	30.0	30.0	27.3	26.9	21.2	24.3	22.5	25.6	321.7	4	-83743
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.0	1.3	4	-83743
	03 LST														0	0
	09 LST	0.3	0.1	0.0	0.4	0.3	0.4	0.1	0.4	0.7	0.3	0.4	0.6	4.0	14	-83743
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	4.9	2.9	7.4	9.2	9.3	5.9	6.8	6.7	8.8	8.1	7.7	5.1	82.8	4	-83743
	03 LST														0	0
	09 LST	11.2	10.0	13.2	14.0	15.9	14.7	15.5	13.6	11.1	11.3	11.9	11.6	154.0	14	-83743
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	6.3	4.9	8.3	5.0	5.5	8.1	8.7	9.7	6.2	6.9	3.8	3.6	77.0	9	-83743
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	30.3	25.9	27.7	30.0	30.0	30.0	27.3	26.9	21.2	24.3	22.5	28.3	324.4	4	-83743
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	30.3	25.9	27.7	30.0	30.0	30.0	27.3	26.9	21.2	24.3	22.5	28.3	324.4	4	-83743
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	30.3	25.9	27.7	30.0	30.0	30.0	27.3	26.9	21.2	24.3	22.5	28.3	324.4	4	-83743
	15 LST														0	0

# AFONSOS, BRAZIL

STA NO. 83748 (IN AREA NUMBFR 06)

LATITUDE 2252S

LONGITUDE 04322W

ELEVATION(FT) 00102

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	102	99	97	94	95	90	91	93	100	102	100	102	102	49	-83743
MEAN MAX TMP (F)	84	85	83	80	77	76	75	76	75	77	79	82	79	38	-83743
MEAN MIN TMP (F)	73	73	72	69	66	64	63	64	65	66	68	71	68	38	-83743
ABS MIN TMP (F)	60	61	64	60	46	46	52	53	50	54	59	56	46	49	-83743
MEAN NO DYS TMP = OR GTR 90(F)	4.0	6.0	2.0	1.0	0.4	0.4	0.4	0.4	0.4	0.4	1.0	1.0	17.4	49	-83743
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49	-29
MEAN DEW PT TMP (F)	69	71	71	67	64	62	61	61	62	64	66	68	66	29	-29
MEAN REL HUM (PCT)	74	78	81	80	79	78	77	75	78	78	78	78	78	12	-83743
MEAN PRESS ALT (FT)	150	144	109	41	-14	-55	-98	-66	-11	20	91	124	36	0	-50
MEAN PRECIP (IN)	4.90	4.70	5.10	4.20	3.10	2.10	1.60	1.70	2.60	3.10	4.10	5.40	42.7	84	-83743
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.6	7.5	7.5	6.4	5.0	3.8	3.0	3.1	4.7	5.3	6.5	8.2	68.6	84	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	7.0	5.0	5.0	2.0	1.0	0.0	0.0	1.0	2.0	3.0	4.0	5.0	35.0	42	-83743
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-83743
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-83743
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# AFONSOS, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	30.3	25.9	27.7	30.0	30.0	30.0	27.3	26.9	21.2	24.3	22.5	28.3	324.4	4	-83743
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	30.3	25.9	27.7	30.0	30.0	30.0	27.3	26.9	21.2	24.3	22.5	25.6	321.7	4	-83743
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.0	1.3	4	-83743
	03 LST														0	0
	09 LST	0.3	0.1	0.0	0.4	0.3	0.4	0.1	0.4	0.7	0.3	0.4	0.6	4.0	14	-83743
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	4.9	2.9	7.4	9.2	9.3	5.9	6.8	6.7	8.8	8.1	7.7	5.1	82.8	4	-83743
	03 LST														0	0
	09 LST	11.2	10.0	13.2	14.0	15.9	14.7	15.5	13.6	11.1	11.3	11.9	11.6	154.0	14	-83743
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	6.3	4.9	8.3	5.0	5.5	8.1	8.7	9.7	6.2	6.9	3.8	3.6	77.0	9	-83743
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	30.3	25.9	27.7	30.0	30.0	30.0	27.3	26.9	21.2	24.3	22.5	28.3	324.4	4	-83743
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	30.3	25.9	27.7	30.0	30.0	30.0	27.3	26.9	21.2	24.3	22.5	28.3	324.4	4	-83743
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	30.3	25.9	27.7	30.0	30.0	30.0	27.3	26.9	21.2	24.3	22.5	28.3	324.4	4	-83743
	15 LST														0	0

# SANTOS, BRAZIL

STA NO. 83782 (IN AREA NUMBR 06)

LATITUDE 23565

LONGITUDE 04617W

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	107	102	104	104	99	96	96	99	103	104	102	104	107	47	-28
MEAN MAX TMP (F)	84	85	83	81	77	75	74	73	75	76	79	82	79	34	-28
MEAN MIN TMP (F)	72	72	71	68	64	61	60	60	63	65	68	70	66	34	-28
ABS MIN TMP (F)	59	60	60	56	50	41	44	44	47	51	53	58	41	47	-28
MEAN NO DYS TMP = OR GTR 90(F)	12.9	7.8	9.2	4.8	2.0	1.2	1.2	2.4	0.5	0.8	1.6	4.1	48.5	9	2121
MEAN NO DYS TMP = OR LFS 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47	-29
MEAN NO DYS TMP = OR LFS 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47	-29
MEAN DEW PT TMP (F)	70	71	70	67	63	61	59	59	63	63	65	67	65	28	-29
MEAN REL HUM (PCT)	78	80	81	86	79	77	79	82	80	77	76	79	79	15	-28
MEAN PRESS ALT (FT)	33	3	-40	-87	-204	-204	-215	-193	-139	-95	-24	6	-97	0	-50
MEAN PRECIP (IN)	11.00	9.80	12.30	7.30	6.10	5.70	4.30	4.10	5.70	6.40	7.70	7.80	88.2	47	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	13.5	12.5	16.0	10.2	8.8	9.8	7.5	7.2	8.0	8.5	9.5	10.7	122.2	47	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSMS	6.0	6.0	6.0	2.0	1.0	1.0	1.0	2.0	2.0	3.0	2.0	4.0	36.0	33	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	8.0	9.3	15.7	10.1	17.2	20.7	16.4	19.7	31.6	26.7	17.9	10.1	17.0	4	1171
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	3.6	4.6	4.5	0.0	9.8	6.9	4.9	3.3	13.7	14.2	7.1	3.4	6.3	4	1171
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# SANTOS, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	28.5	24.9	26.1	26.6	24.1	20.7	22.8	20.8	17.7	22.2	24.6	27.8	286.8	4	1171
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	26.8	24.1	24.4	25.3	22.6	18.6	21.3	19.0	14.9	19.9	22.8	27.5	267.2	4	1171
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.6	0.0	0.0	0.0	0.7	0.4	0.3	0.7	1.8	0.5	0.0	0.0	5.0	4	861
	03 LST														0	0
	09 LST	0.1	0.2	0.1	0.3	0.3	0.1	0.3	0.7	1.4	0.6	0.5	0.7	5.3	13	3445
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	4.0	1.5	3.3	4.5	0.7	2.4	3.5	2.8	3.9	4.3	8.6	3.6	43.1	4	857
	03 LST														0	0
	09 LST	4.0	2.6	2.9	2.2	2.3	2.1	4.1	2.9	4.1	6.6	8.8	7.3	49.9	13	3387
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	3.5	2.1	3.8	6.4	8.6	9.8	9.7	9.6	4.1	2.8	1.6	1.6	63.6	9	2214
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	26.0	22.3	21.9	24.2	21.6	17.6	20.3	18.3	13.3	18.1	19.6	24.7	247.9	4	1171
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	19.4	12.7	16.7	18.9	17.0	15.5	15.2	13.5	7.9	10.1	8.9	16.4	172.2	4	1171
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	19.4	12.7	16.7	18.9	17.0	15.5	15.2	13.5	7.9	9.8	8.9	16.4	171.9	4	1171
	15 LST														0	0

# SAO FRANCISCO DO SUL, BRAZIL

STA NO. 83874 (IN AREA NUMBFR 06)

LATITUDE 26155

LONGITUDE 04838W

ELEVATION(FT) 00036

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	98	99	98	95	95	90	90	89	91	100	95	96	100	31	-555
MEAN MAX TMP (F)	88	88	88	85	82	80	79	80	82	85	86	88	84	31	-55
MEAN MIN TMP (F)	71	71	71	71	69	67	66	68	67	69	70	71	69	31	-55
ABS MIN TMP (F)	55	50	55	45	45	36	37	45	46	46	52	52	36	31	-555
MEAN NO DYS TMP = OR GTR 90(F)	3.0	2.6	1.6	0.5	0.0	0.2	0.0	0.0	0.2	0.0	0.5	2.3	10.9	10	1788
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31	-29
MEAN DEW PT TMP (F)	73	74	74	74	72	70	69	70	69	71	72	73	72	31	-29
MEAN REL HUM (PCT)	82	84	84	87	89	90	89	87	85	84	83	82	86	31	-55
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.30	4.06	5.08	11.02	11.85	8.50	9.25	4.72	3.78	4.72	4.33	4.06	74.7	31	-55
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.6	6.6	7.5	14.6	15.5	13.7	14.6	8.2	6.1	7.1	6.7	6.6	112.8	31	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	8.0	6.0	5.0	4.0	2.0	2.0	1.0	2.0	5.0	4.0	4.0	4.0	47.0	20	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	16.7	24.2	22.9	23.5	28.1	34.6	41.1	35.0	40.7	40.7	24.4	25.0	29.7	4	1111
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.9	2.0	0.0	3.5	7.9	9.6	25.0	14.5	13.3	8.5	0.0	0.0	7.1	4	1111
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# SAO FRANCISCO DO SUL, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	29.3	24.6	28.7	26.1	25.0	22.5	19.4	22.8	20.7	21.8	25.7	27.5	294.1	4	1111
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	22.3	18.0	19.8	19.1	19.3	16.7	16.0	15.6	14.1	13.9	19.2	17.9	211.9	4	1109
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	1.4	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.5	0.0	2.3	4	771
	03 LST														0	0
	09 LST	0.3	0.1	0.2	0.6	0.4	0.4	0.0	0.1	0.3	0.1	0.1	0.1	2.7	14	3080
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DFG F AND NO PRECIP.	21 LST	13.1	7.8	11.8	8.5	7.8	8.7	13.7	12.9	12.3	11.8	17.7	13.4	139.5	4	768
	03 LST														0	0
	09 LST	15.7	14.5	14.4	16.2	16.9	13.4	16.7	15.3	14.7	13.0	15.3	15.0	181.1	14	3056
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	5.6	4.1	5.4	9.4	7.8	6.7	6.3	4.3	2.9	2.9	3.3	4.3	63.0	9	1707
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	20.1	15.8	16.1	17.3	14.4	13.3	12.2	11.4	9.8	10.0	15.0	15.5	171.9	4	1111
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	16.9	12.4	12.7	16.9	10.9	11.0	8.8	7.1	5.8	6.5	10.7	13.0	132.7	4	1111
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	16.9	12.4	12.7	16.6	10.9	11.0	8.8	7.1	5.8	6.5	10.7	13.0	132.4	4	1111
	15 LST														0	0

# JOINVILLE, BRAZIL

STA NO. 83876/ (IN AREA NUMBER 06)

LATITUDE 26125

LONGITUDE 04848W

ELEVATION(FT) 00007

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	98	99	98	95	95	90	90	89	91	100	95	96	100	31	-83874
MEAN MAX TMP (F)	88	88	88	85	82	80	79	80	82	85	86	88	84	31	-83874
MEAN MIN TMP (F)	71	71	71	71	69	67	66	68	67	69	70	71	69	31	-83874
ABS MIN TMP (F)	55	50	55	45	45	36	37	45	46	46	52	52	36	31	-83874
MEAN NO DYS TMP = OR GTR 90(F)	3.0	2.6	1.6	0.5	0.0	0.2	0.0	0.0	0.2	0.0	0.5	2.3	10.9	10	-83874
MEAN NO DYS TMP = OR LFS 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31	-29
MEAN NO DYS TMP = OR LFS 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31	-29
MEAN DFW PT TMP (F)	71	70	70	65	62	59	59	59	62	66	67	70	65	0	-50
MEAN REL HUM (PCT)	82	84	84	87	89	90	89	87	85	84	83	82	86	31	-83874
MEAN PRESS ALT (FT) * * *	-150	-150	-150	-250	-250	-250	-300	-300	-250	-200	-150	-150	-212	0	-50
MEAN PRECIP (IN)	3.30	4.06	5.08	11.02	11.85	8.50	9.25	4.72	3.78	4.72	4.33	3.06	74.7	31	-83874
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.6	6.6	7.5	14.6	15.5	13.7	14.6	8.2	6.1	7.1	6.7	6.6	112.8	31	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/OCUP VSBY LES 1/2 MI	8.0	6.0	5.0	4.0	2.0	2.0	1.0	2.0	5.0	4.0	4.0	4.0	47.0	20	-83874
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	16.7	24.2	22.9	23.5	28.1	34.6	41.1	35.0	40.7	40.7	24.4	25.0	29.7	4	-83874
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.9	2.0	0.0	3.5	7.9	9.6	25.0	14.5	13.3	8.5	0.0	0.0	7.1	4	-83874
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# JOINVILLE, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	29.3	24.6	28.7	26.1	25.0	22.5	19.4	22.8	20.7	21.8	25.7	27.5	294.1	4	-83874
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	22.3	18.0	19.8	19.1	19.3	16.7	16.0	15.6	14.1	13.9	19.2	17.9	211.9	4	-83874
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	1.4	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.5	0.0	2.3	4	-83874
	03 LST														0	0
	09 LST	0.3	0.1	0.2	0.6	0.4	0.4	0.0	0.1	0.3	0.1	0.1	0.1	2.7	14	-83874
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	13.1	7.8	11.8	8.5	7.8	8.7	13.7	12.9	12.3	11.8	17.7	13.4	139.5	4	-83874
	03 LST														0	0
	09 LST	15.7	14.5	14.4	16.2	16.9	13.4	16.7	15.3	14.7	13.0	15.3	15.0	181.1	14	-83874
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	5.6	4.1	5.4	9.4	7.8	6.7	6.3	4.3	2.9	2.9	3.3	4.3	63.0	9	-83874
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	20.1	15.8	16.1	18.3	14.4	13.3	12.2	11.4	9.8	10.0	15.0	15.5	171.9	4	-83874
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	16.9	12.4	12.7	16.9	10.9	11.0	8.8	7.1	5.8	6.5	10.7	13.0	132.7	4	-83874
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	16.9	12.4	12.7	16.6	10.9	11.0	8.8	7.1	5.8	6.5	10.7	13.0	132.4	4	-83874
	15 LST														0	0

# FLORIANOPOLIS, BRAZIL

STA NO. 83897 (IN AREA NUMBER 06)

LATITUDE 27355

LONGITUDE 04833W

ELEVATION(FT) 00095

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	97	95	97	91	88	86	84	90	93	88	90	102	102	10	2614
MFAN MAX TMP (F)	83	82	82	78	75	73	70	70	70	73	76	80	76	10	2614
MEAN MIN TMP (F)	71	71	71	65	63	61	58	58	60	63	65	69	65	14	3896
ABS MIN TMP (F)	50	50	54	52	43	41	43	41	32	43	50	55	32	14	3896
MFAN NO DYS TMP = OR GTR 90(F)	4.2	2.0	1.2	0.7	0.0	0.0	0.0	0.3	0.2	0.0	0.2	2.3	11.1	10	2614
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2	14	3896
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	3896
MEAN DEW PT TMP (F)	69	69	69	64	62	60	57	57	59	61	63	66	63	12	-29
MEAN REL HUM (PCT)	78	79	80	80	80	81	80	79	81	80	79	78	80	11	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRESS ALT (FT)														25	-28
MEAN PRECIP (IN)	7.60	5.60	6.30	4.10	3.60	3.50	2.20	3.70	4.30	5.10	3.50	4.50	54.0	14	-29
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.5	8.4	9.0	6.2	5.6	6.2	4.0	6.5	6.7	7.4	5.8	7.1	83.4	25	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	7.0	6.0	5.0	3.0	2.0	2.0	2.0	3.0	4.0	4.0	4.0	5.0	47.0	30	-24
P FREQ WND SPD = OR GTR 17 KTS	8.0	6.0	5.0	4.0	5.0	5.0	6.0	8.0	8.0	14.0	13.0	8.0	7.5	9	-34
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	1.0	0.3	9	-34
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	11.9	8.3	11.2	7.0	12.4	12.3	19.4	10.6	14.9	21.0	8.1	5.6	11.9	4	1174
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	1.7	0.9	2.2	1.2	5.0	1.8	3.2	5.7	7.0	8.4	1.2	0.0	3.2	4	1174
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# FLORIANOPOLIS, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	29.1	26.7	28.6	28.6	27.9	28.4	27.0	27.5	25.0	26.0	28.2	30.6	333.6	4	1174
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	20.5	21.3	21.6	20.9	22.0	19.5	19.0	17.7	13.9	15.1	18.8	19.3	229.6	4	1172
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.0	0.0	0.3	1.8	1.5	1.5	3.4	2.4	2.6	3.1	2.3	1.2	20.1	4	856
	03 LST														0	0
	09 LST	0.6	0.7	0.6	0.8	1.1	0.5	0.8	1.7	1.0	1.1	2.1	0.7	11.7	14	3860
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	15.5	13.7	14.2	13.9	15.7	13.9	9.4	10.4	11.0	11.0	13.0	18.5	160.2	4	856
	03 LST														0	0
	09 LST	17.3	15.6	16.6	14.6	14.6	12.8	15.8	15.7	13.3	14.0	15.0	15.1	180.7	14	3840
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	5.2	4.6	4.7	9.6	8.7	8.6	8.1	9.6	5.2	3.9	5.4	5.3	78.4	9	2218
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	23.9	22.3	23.3	25.4	23.8	21.6	20.0	23.4	20.5	19.5	21.6	24.4	269.7	4	1174
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	18.6	19.3	16.7	20.2	20.7	17.3	17.0	18.1	12.1	12.0	14.0	15.5	201.5	4	1174
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	18.6	19.3	16.7	20.2	20.7	17.3	17.0	17.9	12.1	12.0	13.6	15.5	200.9	4	1174
	15 LST														0	0

# HERCILIO LUZ, BRAZIL

STA NO. 83898/ (IN AREA NUMBR 06)

LATITUDE 2740S

LONGITUDE 04834W

ELEVATION(FT) 00016

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	97	95	97	91	88	86	84	90	93	88	90	102	102	10	-83897
MEAN MAX TMP (F)	83	82	82	78	75	73	70	70	70	72	76	80	76	10	-83897
MEAN MIN TMP (F)	71	71	71	65	63	61	58	58	60	63	65	69	65	14	-83897
ABS MIN TMP (F)	50	50	54	52	43	41	43	41	32	43	50	55	32	14	-83897
MFAN NO DYS TMP = OR GTR 90(F)	4.2	2.0	1.2	0.7	0.0	0.0	0.0	0.3	0.2	0.0	0.2	2.3	11.1	10	-83897
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN DFW PT TMP (F)	69	70	69	67	62	57	57	57	60	62	66	68	64	0	-50
MFAN RFL HUM (PCT)	78	79	80	80	80	81	80	79	81	80	79	78	80	11	-83897
MFAN PRESS ALT (FT)	50	0	0	-100	-100	-200	-250	-200	-150	-100	0	0	-87	0	-50
MFAN PRFCIP (IN)	7.60	5.60	6.30	4.10	3.60	3.50	2.20	3.70	4.30	5.10	3.50	4.50	54.0	25	-83897
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.5	8.4	9.0	6.2	5.6	6.2	4.0	6.5	6.7	7.4	5.8	7.1	83.4	25	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MFAN NO DYS TSTMS	7.0	6.0	5.0	3.0	2.0	2.0	2.0	3.0	4.0	4.0	4.0	5.0	47.0	30	-83897
P FREQ WND SPD = OR GTR 17 KTS	8.0	6.0	5.0	4.0	5.0	5.0	6.0	8.0	8.0	14.0	13.0	8.0	7.5	9	-83897
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	1.0	0.3	9	-83897
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	11.9	8.3	11.2	7.0	12.4	12.3	19.4	10.6	14.9	21.0	8.1	5.6	11.9	4	-83897
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	1.7	0.9	2.2	1.2	5.0	1.8	3.2	5.7	7.0	8.4	1.2	0.0	3.2	4	-83897
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# HERCILIO LUZ, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	29.1	26.7	28.6	28.6	27.9	28.4	27.0	27.5	25.0	26.0	28.2	30.6	333.6	4	-83897
	15 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	20.5	21.3	21.6	20.9	22.0	19.5	19.0	17.7	13.9	15.1	18.8	19.3	229.6	4	-83897
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.0	0.0	0.3	1.8	1.5	1.5	3.4	2.4	2.6	3.1	2.3	1.2	20.1	4	-83897
	03 LST														0	0
	09 LST	0.6	0.7	0.6	0.8	1.1	0.5	0.8	1.7	1.0	1.1	2.1	0.7	11.7	14	-83897
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	15.5	13.7	14.2	13.9	15.7	13.9	9.4	10.4	11.0	11.0	13.0	18.5	160.2	4	-83897
	03 LST														0	0
	09 LST	17.3	15.6	16.6	14.6	14.9	12.8	15.8	15.7	13.3	14.0	15.0	15.1	180.7	14	-83897
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	5.2	4.6	4.7	9.6	8.7	8.6	8.1	9.6	5.2	3.9	5.4	5.3	78.9	9	-83897
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	23.9	22.3	23.3	25.4	23.8	21.6	20.0	23.4	20.5	19.5	21.6	24.4	269.7	4	-83897
	15 LST														0	0
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	18.6	19.3	16.7	20.2	20.7	17.3	17.0	18.1	12.1	12.0	14.0	15.5	201.5	4	-83897
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	18.6	19.3	16.7	20.2	20.7	17.3	17.0	17.9	12.1	12.0	13.6	15.5	200.9	4	-83897
	15 LST														0	0

# PELOTAS, BRAZIL

STA NO. 83975/ (IN AREA NUMBER 06)

LATITUDE 31415

LONGITUDE 05210W

ELEVATION(FT) 00056

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	91	86	90	88	91	86	86	91	90	90	93	95	95	8	-83995
MEAN MAX TMP (F)	79	79	77	74	69	65	64	63	64	70	73	78	71	8	-83995
MEAN MIN TMP (F)	69	69	67	61	58	54	52	52	54	58	61	65	60	12	-83995
ABS MIN TMP (F)	50	55	50	43	41	36	34	34	37	43	46	46	34	12	-83995
MEAN NO DYS TMP = OR GTR 90(F)	1.0	0.0	0.9	0.0	0.5	0.0	0.0	0.2	0.2	0.3	0.6	1.8	5.5	8	-83995
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN DEW PT TMP (F)	65	66	63	60	54	48	52	49	52	55	58	61	57	0	-50
MEAN REL HUM (PCT)	76	78	78	79	82	81	83	82	81	79	76	74	79	10	-83995
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.07	1.74	9.93	2.82	6.35	2.41	2.88	4.18	2.73	3.58	2.29	3.39	44.0	12	-83995
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.2	3.2	5.1	4.1	4.2	5.3	4.5	5.3	4.1	4.1	3.6	3.4	51.1	12	-83995
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	3.5	2.8	1.5	1.4	1.5	2.7	1.7	1.2	1.8	2.0	1.9	2.2	24.2	11	-83995
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	4	-83995
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	4	-83995
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# PELOTAS, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	29.7	28.0	31.0	30.0	29.8	28.3	31.0	29.5	28.7	31.0	28.6	29.8	355.4	4	-83995
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	28.4	29.2	31.0	28.0	29.8	25.0	31.0	25.2	24.8	27.4	27.1	27.4	330.3	4	-83995
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.0	1.3	0.8	0.9	0.5	0.0	2.3	1.5	3.0	3.9	4.2	0.0	18.4	4	-83995
	03 LST														0	0
	09 LST	0.3	0.3	0.3	0.9	0.7	0.2	0.2	1.1	1.4	1.5	1.1	0.3	8.3	12	-83995
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	18.6	16.3	12.3	15.0	12.2	10.3	9.9	13.3	10.6	14.4	13.8	15.2	162.4	4	-83995
	03 LST														0	0
	09 LST	17.6	16.5	17.1	16.4	13.9	14.0	15.4	15.2	17.4	17.9	17.8	19.1	198.3	12	-83995
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	16.9	14.0	14.7	14.6	9.7	6.7	12.1	12.9	10.1	11.3	13.7	16.6	153.3	9	-83995
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	29.7	28.0	31.0	30.0	29.8	28.3	31.0	29.5	28.7	31.0	28.6	29.8	355.4	4	-83995
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	29.7	28.0	31.0	30.0	29.8	28.3	31.0	29.5	28.7	31.0	28.6	29.8	355.4	4	-83995
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	29.7	28.0	31.0	30.0	29.8	28.3	31.0	29.5	28.7	31.0	28.6	29.8	355.4	4	-83995
	15 LST														0	0

# RIO GRANDE, BRAZIL

STA NO. 83995 (IN AREA NUMBER 06)

LATITUDE 3202S    LONGITUDE 05206W    ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	91	86	90	88	91	86	86	91	90	90	93	95	95	8	986
MFAN MAX TMP (F)	79	79	77	74	69	65	64	63	64	70	73	78	71	8	986
MFAN MIN TMP (F)	69	69	67	61	58	54	52	52	54	58	61	65	60	12	2300
ABS MIN TMP (F)	50	55	50	43	41	36	34	34	37	43	46	46	34	12	2300
MFAN NO DYS TMP = OR GTR 90(F)	1.0	0.0	0.9	0.0	0.5	0.0	0.0	0.2	0.2	0.3	0.6	1.8	5.5	8	986
MFAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	2300
MFAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	2300
MFAN DFW PT TMP (F)	65	66	64	60	57	53	52	52	53	57	58	62	58	10	-29
MFAN REL HUM (PCT)	76	78	78	79	82	81	83	82	81	79	76	74	79	10	-57
MFAN PRESS ALT (FT)														0	0
MFAN PRECIP (IN)	2.07	1.74	9.93	2.82	6.35	2.41	2.88	4.18	2.73	3.58	2.29	3.39	44.4	12	2298
MFAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MFAN NO DYS PRCP = OR GTR 0.1 IN	4.2	3.2	5.1	4.1	4.2	5.3	4.5	5.3	4.1	4.1	3.6	3.4	51.1	12	2298
MFAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MFAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MFAN NO DYS TSTMS	3.5	2.8	1.5	1.4	1.5	2.7	1.7	1.2	1.8	2.0	1.9	2.2	24.2	11	-57
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	4	272
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	4	272
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# RIO GRANDE, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	29.7	28.0	31.0	30.0	29.8	28.3	31.0	29.5	28.7	31.0	28.6	29.8	355.4	4	272
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST	28.4	25.2	31.0	28.0	29.8	25.0	31.0	25.2	24.8	27.4	27.1	27.4	330.3	4	270
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.0	1.3	0.8	0.9	0.5	0.0	2.3	1.5	3.0	3.9	4.2	0.0	18.4	4	753
	03 LST														0	0
	09 LST	0.3	0.3	0.3	0.9	0.7	0.2	0.2	1.1	1.4	1.5	1.1	0.3	8.3	12	2297
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DFG F AND NO PRECIP.	21 LST	18.6	16.3	12.3	15.0	12.2	10.8	9.9	13.3	10.6	14.4	13.8	15.2	162.4	4	748
	03 LST														0	0
	09 LST	17.6	16.5	17.1	16.4	13.9	14.0	15.4	15.2	17.4	17.9	17.8	19.1	198.3	12	2280
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	16.9	14.0	14.7	14.6	9.7	6.7	12.1	12.9	10.1	11.3	13.7	16.6	153.3	9	1581
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	29.7	28.0	31.0	30.0	29.8	28.3	31.0	29.5	28.7	31.0	28.6	29.8	355.4	4	272
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	29.7	28.0	31.0	30.0	29.8	28.3	31.0	29.5	28.7	31.0	28.6	29.8	355.4	4	272
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	29.7	28.0	31.0	30.0	29.8	28.3	31.0	29.5	28.7	31.0	28.6	29.8	355.4	4	272
	15 LST														0	0

## AREA NO. 06

PARAMETER DESCRIPTION	SOUTHEAST COAST													
	BOUNDARIES				LATITUDE 1900S								LONGITUDE 04000W	
	3230S 05315W	2910S 05000W	2910S 05000W	2500S 04845W	2500S 04845W	2045S 04100W	2045S 04100W	2100S 04050W	2100S 04050W	2100S 04050W	2100S 04050W	2100S 04050W	2100S 04050W	
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	85	85	84	81	77	75	74	74	74	77	79	83	79	
MEAN MIN TMP (F)	71	71	71	67	64	62	60	61	62	65	67	69	66	
LARGEST MEAN PRECIP(IN)	11.00	9.80	12.30	11.02	11.85	8.50	9.25	4.72	5.70	6.40	7.70	7.86	106.1	
SMALLEST MEAN PRECIP(IN)	2.07	1.74	3.89	2.82	2.43	1.39	1.33	1.10	2.59	3.02	2.29	3.39	28.1	
	MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST													
	03 LST													
	09 LST	29.4	26.0	28.4	28.3	27.4	26.0	25.5	25.5	22.7	25.1	25.9	28.8	
	15 LST													
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LFS 10 KTS	21 LST													
	03 LST													
	09 LST	25.7	22.9	24.9	24.7	24.7	22.0	22.9	20.9	17.8	20.1	22.1	23.5	
	15 LST													
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.5	0.4	0.3	0.5	0.6	0.3	1.1	1.0	1.5	1.5	1.3	0.7	
	03 LST													
	09 LST	0.3	0.2	0.2	0.5	0.5	0.3	0.2	0.7	0.9	0.7	0.7	0.4	
	15 LST													
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	11.3	8.5	9.6	10.2	9.3	8.9	9.2	10.2	9.7	10.7	12.7	11.7	
	03 LST													
	09 LST	14.2	12.3	13.2	12.8	12.8	11.4	13.4	13.1	12.7	12.8	13.9	13.8	
	15 LST													
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST													
	03 LST													
	09 LST	7.7	6.5	7.8	8.5	9.3	9.0	9.4	10.5	5.4	5.2	4.9	5.5	
	15 LST													
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST													
	03 LST													
	09 LST	26.0	22.9	24.0	25.6	23.9	22.2	22.2	21.9	18.7	20.6	21.5	24.5	
	15 LST													
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST													
	03 LST													
	09 LST	22.0	19.7	21.0	23.2	21.7	20.4	19.9	19.0	15.1	16.8	16.9	20.6	
	15 LST													
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST													
	03 LST													
	09 LST	23.0	19.7	21.0	23.1	21.7	20.4	19.9	19.0	15.1	16.7	16.9	20.6	
	15 LST													

# FORTALEZA BR. AIR FORCE, BRAZIL

STA NO. 82397 (IN AREA NUMBER 07)

LATITUDE 03475

LONGITUDE 03832W

ELEVATION(FT) 00082

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	OR (YRS)	NO. OBS
ABS MAX TMP (F)	93	95	93	91	91	90	91	97	99	95	93	100	100	9	1806
MEAN MAX TMP (F)	87	87	87	86	86	86	86	86	87	87	87	88	87	9	1806
MEAN MIN TMP (F)	76	76	75	74	74	72	71	72	74	75	76	76	74	13	2929
ABS MIN TMP (F)	61	59	61	64	59	55	63	57	59	57	68	68	55	13	2929
MEAN NO DYS TMP = OR GTR 90(F)	2.0	3.4	4.1	2.0	0.6	0.7	2.6	1.5	4.0	6.7	4.5	7.3	39.4	9	1806
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	2929
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	2929
MEAN DEW PT TMP (F)	73	73	74	74	74	72	69	69	69	70	71	72	72	4	24562
MEAN REL HUM (PCT)	79	85	83	86	86	82	77	73	70	71	72	73	78	4	24551
MEAN PRESS ALT (FT)	141	140	155	149	124	83	52	65	70	117	156	163	120	4	27468
MEAN PRECIP (IN)	7.73	10.29	10.46	11.25	8.75	3.40	0.93	0.41	0.21	0.23	0.58	1.74	56.0	4	1228
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	11.0	11.5	14.7	18.3	12.8	7.0	2.7	1.0	1.0	0.7	1.7	3.7	86.1	4	1228
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS W/OCLD VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	4	1028
MEAN NO DYS TSTMS	2.0	2.6	5.0	2.3	6.5	0.4	0.0	0.0	0.0	0.0	0.0	0.0	18.8	4	1027
P FREQ WND SPD = OR GTR 17 KTS	8.7	6.4	2.2	1.0	0.9	2.6	7.0	14.0	26.4	19.2	22.2	15.1	10.5	4	24617
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	4	24617
P FREQ LES 5000 FT A/G LES 5 MI	41.8	37.5	36.4	31.3	28.6	24.6	18.9	23.8	25.0	33.4	37.3	38.0	31.4	4	24615
P FREQ LES 1500 FT A/G LES 3 MI															
FOR 00-02 LST	3.2	1.6	2.5	3.3	5.1	3.0	0.4	1.1	1.1	0.4	0.0	0.4	1.8	4	3251
03-05 LST	3.2	2.7	2.9	3.8	4.7	3.3	1.0	1.3	2.3	0.0	1.5	1.1	2.3	4	3392
06-08 LST	3.6	5.5	3.6	4.5	4.3	5.0	2.2	0.5	2.3	0.7	1.9	2.5	3.1	4	3685
09-11 LST	11.5	13.9	9.8	11.0	11.6	4.6	2.8	3.5	6.4	10.1	7.0	7.3	8.3	8	4855
12-14 LST	2.2	2.0	2.2	2.6	1.1	1.1	0.8	0.0	0.0	0.0	0.0	0.0	1.0	4	3687
15-17 LST	0.0	1.6	1.1	0.3	0.4	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.3	4	3632
18-20 LST	0.7	0.8	0.4	0.5	0.5	3.4	0.0	0.0	0.0	0.0	0.0	0.4	0.6	4	3078
21-23 LST	0.7	1.6	0.0	3.6	6.5	2.1	0.0	0.4	0.7	0.0	0.0	0.0	1.3	4	3068
P FREQ LES 300 FT A/G LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	4	3251
03-05 LST	0.4	0.4	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4	3392
06-08 LST	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	3685
09-11 LST	0.8	0.5	0.0	0.5	0.6	0.0	0.0	0.0	0.2	0.3	0.0	0.0	0.3	8	4855
12-14 LST	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	3687
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	3632
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	3078
21-23 LST	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	3068

# FORTALEZA BR. AIR FORCE, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST	31.0	28.0	31.0	29.5	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	364.5	4	1028
	03 LST	30.3	27.7	30.3	29.7	31.0	30.0	31.0	31.0	29.7	31.0	30.0	31.0	362.7	4	1231
	09 LST	30.8	27.1	30.8	29.7	29.9	30.0	31.0	30.7	29.5	30.8	30.0	31.0	361.3	8	2397
	15 LST	31.0	28.0	31.0	30.0	31.0	29.7	31.0	31.0	30.0	31.0	30.0	31.0	364.7	4	1231
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	21 LST	19.7	21.7	28.3	27.7	28.5	23.0	26.5	17.7	11.8	16.3	15.7	19.0	247.6	4	1231
	03 LST	19.7	22.1	25.6	24.2	26.0	23.0	26.5	17.7	11.8	16.3	15.7	19.0	247.6	4	1231
	09 LST	9.5	7.3	12.3	13.4	11.4	10.4	8.8	9.0	6.4	5.6	5.7	7.3	107.1	8	2393
	15 LST	5.3	4.9	10.0	14.1	15.7	8.3	5.0	1.5	2.5	0.0	0.0	0.3	67.6	4	1231
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	1.5	1.7	2.1	2.3	0.2	0.2	1.4	2.9	6.3	3.1	3.0	3.6	28.3	6	1562
	03 LST	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.5	1.3	0.3	0.3	0.3	3.0	4	1215
	09 LST	2.1	1.9	1.5	1.7	2.1	1.1	3.7	4.4	7.9	6.0	6.4	4.0	42.8	13	3198
	15 LST	6.0	4.3	0.7	0.6	0.7	1.0	2.7	11.5	12.6	10.0	13.7	11.0	74.8	4	1227
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	16.5	14.1	14.6	13.5	11.0	14.6	17.3	18.4	11.5	14.3	11.1	17.1	174.0	6	1560
	03 LST	16.5	14.6	13.8	15.4	14.8	18.0	21.4	22.2	17.9	23.0	17.0	21.0	215.6	4	1215
	09 LST	17.8	15.9	19.6	19.6	21.4	17.3	14.1	13.9	12.8	15.5	13.3	18.2	199.4	13	3166
	15 LST	8.3	5.7	17.4	18.8	19.9	12.2	11.2	4.2	3.8	2.7	0.3	1.0	105.5	4	1227
SKY COVER LES 3/10 AND VSPY = GTR 3 MI	21 LST	3.0	3.0	4.0	0.0										1	95
	03 LST	1.0	2.0	3.0	3.0		3.0	1.0	8.0	5.2					1	241
	09 LST	0.0	0.3	0.0	0.0	2.3	3.7	8.2	14.4	5.7	2.0	0.8	0.8	38.2	9	1751
	15 LST	1.0	0.0	0.0	1.0		6.0	16.0	22.0	24.8					1	241
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST	27.3	26.0	29.3	25.8	28.0	25.7	28.3	25.6	24.7	29.6	29.0	28.6	327.9	4	1028
	03 LST	23.0	23.4	24.0	19.0	23.7	22.5	26.2	24.0	22.2	27.7	26.6	25.0	287.3	4	1231
	09 LST	14.3	13.0	13.9	14.6	17.0	21.1	26.2	24.6	21.2	17.5	19.4	19.6	222.4	8	2397
	15 LST	29.6	24.7	27.0	24.8	30.0	28.2	30.7	30.2	29.7	30.7	30.0	30.0	345.6	4	1231
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	24.3	23.7	27.3	24.0	24.5	24.2	25.3	22.0	21.0	22.7	23.3	26.3	288.6	4	1028
	03 LST	17.0	17.4	19.3	15.6	21.6	20.3	23.7	21.5	19.4	20.6	21.7	22.3	240.4	4	1231
	09 LST	7.7	5.7	7.5	11.0	13.7	17.6	23.0	21.2	18.0	11.2	9.8	9.5	155.9	8	2397
	15 LST	25.3	21.7	23.3	23.3	27.0	26.5	29.2	30.0	29.0	29.6	27.7	25.3	317.9	4	1211
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	23.3	21.1	26.0	21.7	24.5	21.9	23.3	21.0	21.0	22.7	23.3	25.6	275.4	4	1028
	03 LST	16.6	15.1	17.6	13.8	20.6	18.2	22.5	20.2	18.9	20.3	21.3	22.0	227.1	4	1231
	09 LST	7.2	4.8	6.7	9.6	12.8	16.5	22.7	21.1	18.0	11.1	9.8	9.1	149.4	8	2397
	15 LST	23.3	21.1	22.7	21.9	23.7	25.2	27.0	30.0	28.7	29.3	26.6	24.6	304.1	4	1231

# PINTO MARTINS, BRAZIL

STA NO. 82398/ (IN AREA NUMBR 07)

LATITUDE 0346S

LONGITUDE 03832W

ELEVATION(FT) 00082

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	ORBS
ABS MAX TMP (F)	93	95	93	91	91	90	91	97	99	95	93	100	100	9	-82397
MEAN MAX TMP (F)	87	87	87	86	86	86	86	86	87	87	87	88	87	9	-82397
MEAN MIN TMP (F)	76	76	75	74	74	72	71	72	74	75	76	76	74	13	-82397
ABS MIN TMP (F)	61	59	61	64	59	55	63	57	59	57	68	68	55	13	-82397
MEAN NO DYS TMP = OR GTR 90(F)	2.0	3.4	4.1	2.0	0.6	0.7	2.6	1.5	4.0	6.7	4.5	7.3	39.4	9	-82397
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN DEW PT TMP (F)	73	73	74	74	74	72	69	69	69	70	71	72	72	4	-82397
MEAN REL HUM (PCT)	79	81	83	86	86	82	77	73	70	71	72	73	78	4	-82397
MEAN PRESS ALT (FT)	150	150	150	150	100	100	50	100	100	150	200	200	133	0	-50
MEAN PRECIP (IN)	7.73	10.29	10.46	11.25	8.75	3.40	0.93	0.41	0.21	0.23	0.50	1.74	56.0	4	-82397
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	11.0	11.5	14.7	18.3	12.8	7.0	2.7	1.0	1.0	0.7	1.7	3.7	86.1	4	-82397
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS W/OCUR V5BY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.3	4	-82397
MEAN NO DYS TSTMS	2.0	2.6	5.0	2.3	6.5	0.4	0.0	0.0	0.0	0.0	0.0	0.0	18.8	4	-82397
P FREQ WND SPD = OR GTR 17 KTS	8.7	6.4	2.2	1.0	0.9	2.6	7.0	14.0	26.4	19.2	22.2	15.1	10.5	4	-82397
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	4	-82397
P FREQ LES 5000 FT A/O LES 5 MI	41.8	37.5	36.4	31.3	28.6	24.6	18.9	23.8	25.0	33.4	37.3	38.0	31.4	4	-82397
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	3.2	1.6	2.5	3.3	5.1	3.0	0.4	1.1	1.1	0.4	0.0	0.4	1.8	4	-82397
03-05 LST	3.2	2.7	2.9	3.8	4.7	3.3	1.0	1.3	2.3	0.0	1.5	1.1	2.3	4	-82397
06-08 LST	3.6	5.5	3.6	4.5	4.3	5.0	2.2	0.5	2.3	0.7	1.9	2.5	3.1	4	-82397
09-11 LST	11.5	13.9	9.8	11.0	11.6	4.6	2.6	3.5	6.4	10.1	7.0	7.3	8.3	8	-82397
12-14 LST	2.2	2.0	2.2	2.6	1.1	1.1	0.8	0.0	0.0	0.0	0.0	0.0	1.0	4	-82397
15-17 LST	0.0	1.6	1.1	0.3	0.4	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.3	4	-82397
18-20 LST	0.7	0.8	0.4	0.5	0.5	3.4	0.0	0.0	0.0	0.0	0.0	0.4	0.6	4	-82397
21-23 LST	0.7	1.6	0.0	3.6	6.5	2.1	0.0	0.4	0.7	0.0	0.0	0.0	1.3	4	-82397
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	4	-82397
03-05 LST	0.4	0.4	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4	-82397
06-08 LST	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-82397
09-11 LST	0.8	0.5	0.0	0.5	0.8	0.7	0.0	0.0	0.2	0.3	0.0	0.0	0.3	8	-82397
12-14 LST	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-82397
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-82397
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-82397
21-23 LST	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-82397

# PINTO MARTINS, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		MEAN NUMBER OF DAYS												ANN	POR (YRS)	NO. OBS
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC			
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST	31.0	28.0	31.0	29.5	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	364.5	4	-82397
	03 LST	30.3	27.7	30.3	29.7	31.0	30.0	31.0	31.0	29.7	31.0	30.0	31.0	362.7	4	-82397
	09 LST	30.8	27.1	30.8	29.7	29.9	30.0	31.0	30.7	29.5	30.8	30.0	31.0	361.3	8	-82397
	15 LST	31.0	28.0	31.0	30.0	31.0	29.7	31.0	31.0	30.0	31.0	30.0	31.0	364.7	4	-82397
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST	19.7	21.7	28.3	27.7	28.5	23.8	24.3	15.3	8.0	14.3	8.6	14.7	234.9	4	-82397
	03 LST	19.7	22.1	25.6	24.2	26.0	23.0	26.5	17.7	11.8	16.3	15.7	19.0	247.6	4	-82397
	09 LST	9.5	7.3	12.3	13.4	11.4	10.4	8.8	9.0	6.4	5.6	5.7	7.3	107.1	8	-82397
	15 LST	5.3	4.9	10.0	14.1	15.7	8.3	5.0	1.5	2.5	0.0	0.0	0.3	67.6	4	-82397
SFC WND = GTR 17 KTS AND NO PRFCIP.	21 LST	1.5	1.7	2.1	2.3	0.2	0.2	1.4	2.9	6.3	3.1	3.0	3.6	28.3	6	-82397
	03 LST	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.5	1.3	0.3	0.3	0.3	3.0	4	-82397
	09 LST	2.1	1.9	1.5	1.7	2.1	1.1	3.7	4.4	7.9	6.0	6.4	4.0	42.8	13	-82397
	15 LST	6.0	4.3	0.7	0.6	0.7	1.0	2.7	11.5	12.6	10.0	13.7	11.0	74.8	4	-82397
SFC WND 4-10 KTS AND TMP 33-89 DFG F AND NO PRFCIP.	21 LST	16.5	14.1	14.6	13.5	11.0	14.6	17.3	18.4	11.5	14.3	11.1	17.1	174.0	6	-82397
	03 LST	16.5	14.6	13.8	15.4	14.8	18.0	21.4	22.2	17.9	23.0	17.0	21.0	215.6	4	-82397
	09 LST	17.8	15.9	19.6	19.6	21.4	17.3	14.1	13.9	12.8	15.5	13.3	18.2	199.4	13	-82397
	15 LST	8.3	5.7	17.4	18.8	19.9	12.2	11.2	4.2	3.8	2.7	0.3	1.0	105.5	4	-82397
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST	3.0	3.0	4.0	0.0										1	-82397
	03 LST	1.0	2.0	3.0	3.0		3.0	1.0	8.0	5.2					1	-82397
	09 LST	0.0	0.3	0.0	0.0	2.3	3.7	8.2	14.4	5.7	2.0	0.8	0.8	38.2	9	-82397
	15 LST	1.0	0.0	0.0	1.0		6.0	16.0	22.0	24.8					1	-82397
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST	27.3	26.0	29.3	25.8	28.0	25.7	28.3	25.6	24.7	29.6	29.0	28.6	327.9	4	-82397
	03 LST	23.0	23.4	24.0	19.0	23.7	22.5	26.2	24.0	22.2	27.7	26.6	25.0	287.3	4	-82397
	09 LST	14.3	13.0	13.9	14.6	17.0	21.1	26.2	24.6	21.2	17.5	19.4	19.6	222.4	8	-82397
	15 LST	29.6	24.7	27.0	24.8	30.0	28.2	30.7	30.2	29.7	30.7	30.0	30.0	345.6	4	-82397
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	24.3	23.7	27.3	24.0	24.5	24.2	25.3	22.0	21.0	22.7	23.3	26.3	288.6	4	-82397
	03 LST	17.0	17.4	19.3	15.6	21.6	20.3	23.7	21.5	19.4	20.6	21.7	22.3	240.4	4	-82397
	09 LST	7.7	5.7	7.5	11.0	13.7	17.6	23.0	21.2	18.0	11.2	9.8	9.5	155.9	8	-82397
	15 LST	25.3	21.7	23.3	23.3	27.0	26.5	29.2	30.0	29.0	29.6	27.7	25.3	317.9	4	-82397
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	23.3	21.1	26.0	21.7	24.5	21.9	23.3	21.0	21.0	22.7	23.3	25.6	275.4	4	-82397
	03 LST	16.6	15.1	17.6	13.8	20.6	18.2	22.5	20.2	18.9	20.3	21.3	22.0	227.1	4	-82397
	09 LST	7.2	4.8	6.7	9.6	12.8	16.5	22.7	21.1	18.0	11.1	9.8	9.1	149.4	8	-82397
	15 LST	23.3	21.1	22.7	21.9	23.7	25.2	27.0	30.0	28.7	29.3	26.6	24.6	304.1	4	-82397

# NATAL, BRAZIL

STA NO. 82598 (IN AREA NUMBER 07)

LATITUDE 05465

LONGITUDE 03512W

ELEVATION(FT) 00026

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	100	91	93	90	95	90	90	90	97	95	91	99	100	11	3048
MFAN MAX TMP (F)	87	87	87	86	85	83	82	82	83	85	86	86	85	11	3048
MEAN MIN TMP (F)	76	76	75	74	72	71	69	69	71	74	75	76	73	15	4315
ABS MIN TMP (F)	64	68	68	66	66	64	63	61	63	66	68	68	61	15	4315
MFAN NO DYS TMP = OR GTR 90(F)	5.0	3.3	4.2	0.8	0.3	0.1	0.3	0.1	0.1	0.7	1.4	2.0	18.3	11	3048
MFAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	4315
MFAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	4315
MFAN DFW PT TMP (F)	71	72	73	73	72	71	68	68	68	69	70	70	70	4	26407
MFAN REL HUM (PCT)	78	79	80	83	84	83	84	81	80	80	78	77	81	7	-28
MFAN PRESS ALT (FT)	57	76	72	62	46	-10	-39	-41	-31	24	65	74	30	4	26964
MFAN PRFCIP (IN)	1.80	4.80	7.00	9.20	7.16	8.70	7.70	3.80	1.40	0.80	0.70	1.10	54.1	18	-28
MFAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MFAN NO DYS PRCP = OR GTR 0.1 IN	3.5	7.5	9.9	12.5	10.6	13.9	12.7	6.7	3.0	2.0	1.8	2.4	85.9	18	-29
MFAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MFAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	4	1126
MFAN NO DYS TSTMS	0.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	6.0	29	-24
P FREQ WND SPD = OR GTR 17 KTS	0.8	0.6	0.1	0.1	0.6	0.4	2.2	3.6	3.6	0.9	0.4	0.9	1.2	4	26988
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	4	26988
P FREQ LES 5000 FT A/O LES 5 MI	37.7	30.4	28.0	36.5	34.8	39.6	37.1	35.0	40.2	34.7	38.1	36.8	35.7	4	26984
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	2.9	0.0	4.3	8.9	5.9	10.4	7.2	7.5	2.2	0.7	0.4	0.7	4.3	4	3374
03-05 LST	2.9	0.8	2.9	6.3	7.0	15.2	8.6	5.9	3.9	1.4	1.5	1.1	4.8	4	3373
06-08 LST	3.9	2.0	3.2	3.7	6.5	17.4	12.5	8.4	5.3	2.5	1.5	3.2	5.8	4	3376
09-11 LST	3.8	4.2	4.1	5.6	7.5	15.2	9.8	6.9	3.4	2.0	1.4	1.1	5.4	8	4530
12-14 LST	1.1	1.2	2.2	3.3	7.0	11.6	10.4	4.6	1.4	1.1	0.7	0.0	3.7	4	3370
15-17 LST	1.1	2.0	1.1	3.0	5.9	12.2	7.5	1.6	0.3	0.4	0.0	0.0	2.9	4	3374
18-20 LST	0.4	2.0	1.4	3.3	5.4	11.5	5.0	1.6	0.8	0.4	0.0	0.4	2.7	4	3377
21-23 LST	1.1	0.4	0.7	5.9	4.3	10.8	6.8	4.8	1.7	0.4	0.4	0.0	3.1	4	3366
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.4	0.0	0.0	0.0	1.1	0.4	0.7	0.0	0.3	0.0	0.0	0.0	0.2	4	3374
03-05 LST	0.4	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	3373
06-08 LST	0.4	0.0	0.0	0.0	0.0	1.1	0.7	0.3	0.0	0.0	0.0	0.0	0.2	4	3376
09-11 LST	0.3	0.6	0.3	0.3	0.7	0.6	0.3	0.0	0.0	0.0	0.0	0.5	0.3	8	4530
12-14 LST	0.0	0.4	0.0	0.0	0.0	0.4	0.0	0.5	0.0	0.4	0.0	0.0	0.1	4	3370
15-17 LST	0.0	0.0	0.0	0.0	0.5	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	3374
18-20 LST	0.0	0.4	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	3377
21-23 LST	0.0	0.0	0.0	0.0	0.5	0.4	0.4	0.0	0.3	0.0	0.0	0.0	0.1	4	3366

# NATAL, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	22 LST	30.7	28.0	31.0	29.3	30.5	27.3	29.3	30.5	29.7	31.0	30.0	31.0	358.3	4	1126
	04 LST	30.7	28.0	31.0	29.0	30.5	28.0	29.3	30.5	29.3	31.0	30.0	31.0	358.3	4	1126
	10 LST	30.1	27.6	29.2	28.3	29.5	27.7	29.5	29.9	29.3	30.6	29.8	30.5	352.0	8	2282
	16 LST	31.0	28.0	31.0	29.6	30.5	28.0	30.3	31.0	30.0	31.0	30.0	31.0	361.4	4	1126
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	22 LST	27.3	24.4	27.7	26.0	24.0	25.0	22.0	25.2	25.0	28.6	26.6	28.6	310.4	4	1126
	04 LST	27.7	26.0	25.0	24.7	26.5	24.7	25.0	25.7	23.7	26.7	23.3	26.0	305.0	4	1126
	10 LST	8.4	12.4	10.6	15.1	15.3	10.8	9.8	6.5	3.7	3.2	4.1	7.7	107.6	8	2279
	16 LST	12.6	9.2	15.0	12.7	16.0	15.7	9.0	5.5	7.0	13.6	16.7	15.3	148.3	4	1126
SFC WND = GTR 17 KTS AND NO PRECIP.	22 LST	3.3	2.0	3.1	3.6	3.2	3.5	4.6	4.2	5.8	4.3	2.3	0.0	42.9	6	1759
	04 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1112
	16 LST	6.1	3.6	2.9	2.9	2.9	4.4	8.1	9.6	12.1	10.5	9.3	8.0	80.4	15	4277
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	22 LST	0.7	0.0	0.0	0.0	0.5	0.0	0.3	3.2	2.3	1.0	0.0	0.0	8.0	4	1122
	22 LST	20.0	18.8	15.4	12.3	15.0	14.4	15.7	19.3	18.4	20.2	19.4	17.9	206.8	6	1753
	04 LST	21.0	17.6	17.9	17.9	19.0	17.6	20.5	25.2	26.0	21.3	22.0	16.0	242.0	4	1112
	10 LST	12.3	12.4	15.3	12.5	13.3	11.2	9.5	8.6	4.8	5.9	6.4	8.5	120.7	15	4256
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST	20.0	16.1	23.3	23.6	22.5	24.8	20.2	13.7	14.3	23.0	23.0	25.3	249.8	4	1122
	22 LST	3.0	2.0	3.0	5.0		7.0	6.0	13.0	9.0			0.0		2	243
	04 LST	2.0	6.0	3.0	3.0		2.0	3.0	4.0	8.0					1	242
	10 LST	1.6	0.7	1.8	1.1	2.0	2.5	3.9	5.3	5.2	5.1	2.4	2.5	34.1	10	2351
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST	1.0	0.0	2.0	1.0		3.0	2.0	7.0	7.0					1	242
	22 LST	25.0	25.0	28.0	24.7	23.5	23.3	24.3	26.5	24.5	28.0	27.3	29.0	309.1	4	1126
	04 LST	22.7	23.0	23.7	21.3	24.5	20.0	22.3	23.7	21.0	24.0	19.0	22.3	267.5	4	1126
	10 LST	18.5	19.6	19.8	19.4	23.5	15.0	19.6	20.1	19.1	23.2	21.2	19.8	238.8	8	2282
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST	25.0	25.3	27.3	19.7	23.5	23.0	24.6	25.5	24.2	26.0	26.3	25.3	295.7	4	1126
	22 LST	24.0	24.7	26.7	24.3	21.0	19.7	21.3	24.5	23.0	25.6	25.0	27.3	287.1	4	1126
	04 LST	20.3	21.1	23.3	19.7	21.0	17.0	19.3	21.5	17.0	22.3	17.3	20.6	240.4	4	1126
	10 LST	13.8	14.3	17.6	15.4	19.7	13.3	15.7	16.6	13.1	15.8	12.4	13.4	181.1	8	2282
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST	23.0	23.4	26.7	19.0	22.0	21.3	23.0	22.7	22.2	24.0	24.7	24.3	276.3	4	1126
	22 LST	23.7	24.4	26.3	23.0	20.0	17.3	19.0	22.7	22.5	25.6	24.7	27.3	276.5	4	1126
	04 LST	19.3	20.4	23.0	19.0	20.0	14.6	16.0	19.7	16.0	22.0	17.3	19.7	277.0	4	1126
	10 LST	13.6	13.6	16.7	14.4	19.2	12.5	14.5	15.9	12.9	15.8	12.2	12.9	174.2	8	2282
16 LST	22.0	23.4	25.3	18.0	19.0	18.3	20.6	21.5	20.5	23.3	24.0	24.3	260.2	4	1126	

# AUGUSTO SEVERO, BRAZIL

STA NO. 82599/ (IN AREA NUMBER 07)

LATITUDE 0554S

LONGITUDE 03514W

ELEVATION(FT) 00161

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	100	91	93	90	95	90	90	90	97	95	91	99	100	11	-82598
MEAN MAX TMP (F)	87	87	87	86	85	83	82	82	83	85	86	86	85	11	-82598
MEAN MIN TMP (F)	76	76	75	74	72	71	69	69	71	74	75	76	73	15	-82598
ABS MIN TMP (F)	64	68	68	66	66	64	63	61	63	66	68	68	61	15	-82598
MEAN NO DYS TMP = OR GTR 90(F)	5.0	3.3	4.2	0.8	0.3	0.1	0.3	0.1	0.1	0.7	1.4	2.0	18.3	11	-82598
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN DEW PT TMP (F)	71	72	73	73	72	71	68	68	68	69	70	70	70	4	-82598
MEAN REL HUM (PCT)	78	79	80	83	84	83	84	81	80	80	78	77	81	7	-82598
MEAN PRESS ALT (FT)	192	201	209	195	168	127	97	97	116	143	187	190	160	0	-50
MEAN PRECIP (IN)	1.80	4.80	7.00	9.20	7.10	8.70	7.70	3.80	1.40	0.80	0.70	1.10	54.1	18	-82598
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.5	7.5	9.9	12.5	10.0	13.9	12.7	6.7	3.0	2.0	1.8	2.4	85.9	18	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	4	-82598
MEAN NO DYS TSTMS	0.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	6.0	29	-82598
P FREQ WND SPD = OR GTR 17 KTS	0.8	0.6	0.1	0.1	0.6	0.4	2.2	3.6	3.6	0.9	0.4	0.9	1.2	4	-82598
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	4	-82598
P FREQ LES 5000 FT A/O LES 5 MI	37.7	30.4	28.0	36.5	34.8	39.6	37.1	35.0	40.2	34.7	38.1	36.8	35.7	4	-82598
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	2.9	0.0	4.3	8.9	5.9	10.4	7.2	7.5	2.2	0.7	0.4	0.7	4.3	4	-82598
03-05 LST	2.9	0.8	2.9	6.3	7.0	15.2	8.6	5.9	3.9	1.4	1.5	1.1	4.8	4	-82598
06-08 LST	3.9	2.0	3.2	3.7	6.5	17.4	12.5	8.4	5.3	2.5	1.5	3.2	5.8	4	-82598
09-11 LST	3.8	4.2	4.1	5.6	7.5	15.2	9.8	6.9	3.4	2.0	1.4	1.1	5.4	8	-82598
12-14 LST	1.1	1.2	2.2	3.3	7.0	11.6	10.4	4.6	1.4	1.1	0.7	0.0	3.7	4	-82598
15-17 LST	1.1	2.0	1.1	3.0	5.9	12.2	7.5	1.6	0.3	0.4	0.0	0.0	2.9	4	-82598
18-20 LST	0.4	2.0	1.4	3.3	5.4	11.5	5.0	1.6	0.8	0.4	0.0	0.4	2.7	4	-82598
21-23 LST	1.1	0.4	0.7	5.9	4.3	10.8	6.8	4.8	1.7	0.4	0.4	0.0	3.1	4	-82598
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.4	0.0	0.0	0.0	1.1	0.4	0.7	0.0	0.3	0.0	0.0	0.0	0.2	4	-82598
03-05 LST	0.4	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	-82598
06-08 LST	0.4	0.0	0.0	0.0	0.0	1.1	0.7	0.3	0.0	0.0	0.0	0.0	0.2	4	-82598
09-11 LST	0.3	0.6	0.3	0.3	0.7	0.6	0.3	0.0	0.0	0.0	0.0	0.5	0.3	8	-82598
12-14 LST	0.0	0.4	0.0	0.0	0.0	0.4	0.0	0.5	0.0	0.4	0.0	0.0	0.1	4	-82598
15-17 LST	0.0	0.0	0.0	0.0	0.5	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	-82598
18-20 LST	0.0	0.4	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	-82598
21-23 LST	0.0	0.0	0.0	0.0	0.5	0.4	0.4	0.0	0.3	0.0	0.0	0.0	0.1	4	-82598

# AUGUSTO SEVERO, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	22 LST	30.7	28.0	31.0	29.3	30.5	27.3	29.3	30.5	29.7	31.0	30.0	31.0	358.3	4	-82598
	04 LST	30.7	28.0	31.0	29.0	30.5	28.0	29.3	30.5	29.3	31.0	30.0	31.0	358.3	4	-82598
	10 LST	30.1	27.6	29.2	28.3	29.5	27.7	29.5	29.9	29.3	30.6	29.8	30.5	352.0	8	-82598
	16 LST	31.0	28.0	31.0	29.6	30.5	28.0	30.3	31.0	30.0	31.0	30.0	31.0	361.4	4	-82598
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	22 LST	27.3	24.4	27.7	26.0	24.0	25.0	22.0	25.2	25.0	28.6	26.6	28.6	310.4	4	-82598
	04 LST	27.7	26.0	25.0	24.7	26.5	24.7	25.0	25.7	23.7	26.7	23.3	26.0	305.0	4	-82598
	10 LST	8.4	12.4	10.6	15.1	15.3	10.8	9.8	6.5	3.7	3.2	4.1	7.7	107.6	8	-82598
	16 LST	12.6	9.2	15.0	12.7	16.0	15.7	9.0	5.5	7.0	13.6	16.7	15.3	148.3	4	-82598
SFC WND = GTR 17 KTS AND NO PRECIP.	22 LST	3.3	2.0	3.1	3.6	3.2	3.5	4.6	4.2	5.8	4.3	2.3	3.0	42.9	6	-82598
	04 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-82598
	10 LST	6.1	3.6	2.9	2.9	2.9	4.4	8.1	9.6	12.1	10.5	9.3	8.0	80.4	15	-82598
	16 LST	0.7	0.0	0.0	0.0	0.5	0.0	0.3	3.2	2.3	1.0	0.0	0.0	8.0	4	-82598
SFC WND 4-10 KTS AND TMP 33-89 DFG F AND NO PRECIP.	22 LST	20.0	18.8	15.4	12.3	15.0	14.4	15.7	19.3	18.4	20.2	19.4	17.9	206.8	6	-82598
	04 LST	21.0	17.6	17.9	17.9	19.0	17.6	20.5	25.2	26.0	21.3	22.0	16.0	242.0	4	-82598
	10 LST	12.3	12.4	15.3	17.5	13.3	11.2	9.5	8.6	4.8	5.9	6.4	8.5	120.7	15	-82598
	16 LST	20.0	16.1	23.3	23.6	22.5	24.8	20.2	13.7	14.3	23.0	23.0	25.3	249.8	4	-82598
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	22 LST	3.0	2.0	3.0	5.0		7.0	6.0	13.0	9.0			0.0		2	-82598
	04 LST	2.0	6.0	3.0	3.0		2.0	3.0	4.0	8.0					1	-82598
	10 LST	1.6	0.7	1.8	1.1	2.0	2.5	3.9	5.3	5.2	5.1	2.4	2.5	34.1	10	-82598
	16 LST	1.0	0.0	2.0	1.0		3.0	2.0	7.0	7.0					1	-82598
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	22 LST	25.0	25.0	28.0	24.7	23.5	23.3	24.3	26.5	24.5	28.0	27.3	29.0	309.1	4	-82598
	04 LST	22.7	23.0	23.7	21.3	24.5	20.0	22.3	23.7	21.0	24.0	19.0	22.3	267.5	4	-82598
	10 LST	18.5	19.6	19.8	19.4	23.5	15.0	19.6	20.1	19.1	23.2	21.2	19.8	238.8	8	-82598
	16 LST	25.0	25.3	27.3	19.7	23.5	23.0	24.6	25.5	24.2	26.0	26.3	25.3	295.7	4	-82598
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	22 LST	24.0	24.7	26.7	24.3	21.0	19.7	21.3	24.5	23.0	25.6	25.0	27.3	287.1	4	-82598
	04 LST	20.3	21.1	23.3	19.7	21.0	17.0	19.3	21.5	17.0	22.3	17.3	20.6	240.4	4	-82598
	10 LST	13.8	14.3	17.6	15.4	19.7	13.3	15.7	16.6	13.1	15.8	12.4	13.4	181.1	8	-82598
	16 LST	23.0	23.4	26.7	19.0	22.0	21.3	23.0	22.7	22.2	24.0	24.7	24.3	276.3	4	-82598
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	22 LST	23.7	24.4	26.3	23.0	20.6	17.3	19.0	22.7	22.5	25.6	24.7	27.3	276.5	4	-82598
	04 LST	19.3	20.4	23.0	19.0	20.0	14.6	16.0	19.7	16.0	22.0	17.3	19.7	227.0	4	-82598
	10 LST	13.6	13.6	16.7	14.4	19.2	12.5	14.5	15.9	12.9	15.8	12.2	12.9	174.2	8	-82598
	16 LST	22.0	23.4	25.3	18.0	19.0	18.3	20.6	21.5	20.5	23.3	24.0	24.3	260.2	4	-82598

# JOAO PESSOA, BRAZIL

STA NO. 82798 (IN AKA NUMBER 07)

LATITUDE 07065

LONGITUDE 03453W

ELEVATION(FT) 00092

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	93	97	94	94	91	87	87	86	89	91	91	92	97	31	-555
MEAN MAX TMP (F)	87	87	87	86	85	83	82	82	84	85	86	86	85	31	-55
MEAN MIN TMP (F)	72	73	72	72	71	69	68	68	69	70	71	72	71	31	-55
ABS MIN TMP (F)	63	64	64	66	64	64	57	61	63	65	63	65	57	31	-555
MEAN NO DYS TMP = OR GTR 90(F)	11.1	10.0	11.1	8.5	6.7	0.0	0.0	0.0	0.0	6.7	8.5	8.8	71.4	31	-29
MEAN NO DYS TMP = OR LFS 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31	-29
MEAN DFW PT TMP (F)	72	74	74	74	74	72	70	70	71	71	71	72	72	31	-29
MEAN REL HUM (PCT)	80	82	83	85	87	87	86	86	83	81	80	80	83	31	-55
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.70	4.88	7.43	9.86	10.87	12.34	8.23	5.61	2.79	0.97	1.24	1.67	68.0	31	-55
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.7	7.6	10.4	13.3	14.4	17.1	13.4	9.6	4.3	2.3	2.7	3.3	103.1	31	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	31	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	10.3	2.8	6.7	6.9	21.3	42.4	17.7	15.6	4.2	1.7	9.0	1.1	11.6	4	1182
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LFS 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	1.1	0.0	4.1	11.9	0.0	1.6	0.0	0.0	1.1	1.1	1.7	4	1182
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# JOAO PESSOA, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	22 LST														0	0
	04 LST														0	0
	10 LST	28.3	27.5	28.9	27.9	24.4	17.3	25.5	26.2	29.0	30.7	27.3	30.3	323.3	4	1182
	16 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	22 LST														0	0
	04 LST														0	0
	10 LST	18.4	20.7	21.9	23.4	18.8	15.8	12.5	12.2	10.9	13.8	13.1	19.3	200.8	4	1182
	16 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	22 LST	0.0	0.5	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	4	872
	04 LST														0	0
	10 LST	0.7	0.4	0.7	0.4	0.4	0.6	0.6	0.8	1.4	0.7	0.8	1.1	8.6	13	2973
	16 LST														0	0
SFC WND 4-10 KTS AND TMP 43-89 DEG F AND NO PRECIP.	22 LST	22.1	18.1	18.4	17.9	14.6	17.6	17.0	15.7	18.5	27.4	21.8	20.2	229.3	4	864
	04 LST														0	0
	10 LST	23.4	22.8	21.9	22.2	18.8	18.7	19.6	17.1	20.7	23.5	23.5	25.6	257.8	13	2959
	16 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	22 LST														0	0
	04 LST														0	0
	10 LST	0.3	0.5	0.5	0.0	0.8	1.6	2.3	1.0	1.8	2.4	1.3	1.3	13.8	9	1867
	16 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	22 LST														0	0
	04 LST														0	0
	10 LST	27.2	27.2	28.6	27.6	24.4	14.7	20.5	23.6	28.5	29.9	27.3	29.9	309.4	4	1182
	16 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	22 LST														0	0
	04 LST														0	0
	10 LST	12.0	12.5	13.6	11.4	11.4	10.7	9.5	11.9	12.7	16.4	14.8	18.2	155.1	4	1182
	16 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	22 LST														0	0
	04 LST														0	0
	10 LST	11.7	12.5	13.6	11.0	11.2	10.1	9.5	11.9	12.7	16.4	14.8	18.2	153.6	4	1182
	16 LST														0	0

# SANTA RITA, BRAZIL

STA NO. 82800 (IN AREA NUMBR 07)

LATITUDE 07G95

LONGITUDE 03457W

ELEVATION(FT) 00197

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	085
ABS MAX TMP (F)	93	97	94	94	91	87	87	86	89	91	91	92	97	31	-82798
MFAN MAX TMP (F)	87	87	87	86	85	83	82	82	84	85	86	86	85	31	-82798
MEAN MIN TMP (F)	72	73	72	72	71	69	68	68	69	70	71	72	71	31	-82798
ABS MIN TMP (F)	63	64	64	66	64	64	57	61	63	65	63	65	57	31	-82798
MFAN NO DYS TMP = OR GTR 90(F)	11.1	10.0	11.1	8.5	6.7	0.0	0.0	0.0	0.0	6.7	8.5	8.8	71.4	31	-29
MFAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31	-29
MFAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31	-29
MFAN DEW PT TMP (F)	72	74	74	74	74	72	70	70	71	71	71	72	72	31	-29
MFAN REL HUM (PCT)	80	82	83	85	87	87	86	86	85	81	80	80	83	31	-82798
MFAN PRESS ALT (FT)	204	215	220	204	179	129	99	94	113	160	212	206	170	0	-50
MFAN PRECIP (IN)	2.70	4.88	7.43	9.86	10.82	12.34	8.23	5.61	2.29	0.97	1.24	1.67	68.0	31	-82798
MFAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31	-29
MFAN NO DYS PRCP = OR GTR 0.1 IN	4.7	7.6	10.4	13.3	14.4	17.1	13.4	9.6	4.3	2.3	2.7	3.3	103.1	31	-29
MFAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MFAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MFAN NO DYS TSTMS	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	31	-82798
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	10.3	2.8	6.7	6.9	21.3	42.4	17.7	15.6	4.2	1.7	9.0	1.1	11.6	4	-82798
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	1.1	0.0	4.1	11.9	0.0	1.6	0.0	0.0	1.1	1.1	1.7	4	-82798
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# SANTA RITA, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	22 LST														0	0
	04 LST														0	0
	10 LST	28.3	27.5	28.9	27.9	24.4	17.3	25.5	26.2	29.0	30.7	27.3	30.3	323.3	4	-82798
	16 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	22 LST														0	0
	04 LST														0	0
	10 LST	18.4	20.7	21.9	23.4	18.8	15.8	17.5	12.2	10.9	13.8	13.1	19.3	200.8	4	-82798
	16 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	22 LST	0.0	0.5	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	4	-82798
	04 LST														0	0
	10 LST	0.7	0.4	0.7	0.4	0.4	0.6	0.6	0.8	1.4	0.7	0.8	1.1	8.6	13	-82798
	16 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	22 LST	22.1	18.1	18.4	17.9	14.6	17.6	17.0	15.7	18.5	27.4	21.8	20.2	229.3	4	-82798
	04 LST														0	0
	10 LST	23.4	22.8	21.9	22.2	18.8	18.7	19.6	17.1	20.7	23.5	23.5	25.6	257.8	13	-82798
	16 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	22 LST														0	0
	04 LST														0	0
	10 LST	0.3	0.5	0.5	0.0	0.8	1.6	2.3	1.0	1.8	2.4	1.3	1.3	13.8	9	-82798
	16 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	22 LST														0	0
	04 LST														0	0
	10 LST	27.2	27.2	28.6	27.6	24.4	14.7	20.5	23.6	28.5	29.9	27.3	29.9	309.4	4	-82798
	16 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	22 LST														0	0
	04 LST														0	0
	10 LST	12.0	12.5	13.6	11.4	11.4	10.7	9.5	11.9	12.7	16.4	14.8	18.2	155.1	4	-82798
	16 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	22 LST														0	0
	04 LST														0	0
	10 LST	11.7	12.5	13.6	11.0	11.2	10.1	9.5	11.9	12.7	16.4	14.8	18.2	153.6	4	-82798
	16 LST														0	0

# GARANHUNS, BRAZIL

STA NO. 82893 (IN AREA NUMBFR 07)

LATITUDE 08535

LONGITUDE 03631W

ELEVATION(FT) 02782

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	97	91	91	91	91	84	84	82	88	91	95	91	97	11	1206
MEAN MAX TMP (F)	85	85	84	81	77	73	72	73	77	81	84	86	80	11	1206
MEAN MIN TMP (F)	63	64	64	63	62	61	60	58	61	62	62	63	67	15	2346
ABS MIN TMP (F)	54	59	57	59	55	54	52	54	54	54	57	55	57	15	2346
MEAN NO DYS TMP = OR GTR 90(F)	4.4	2.1	2.9	1.2	0.3	0.0	0.0	0.0	0.0	2.1	3.2	4.8	21.0	11	1206
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	2346
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	2346
MEAN DEW PT TMP (F)	66	67	68	67	66	64	63	62	64	64	65	66	65	19	-29
MEAN REL HUM (PCT)	78	80	82	84	86	91	91	89	85	80	78	78	84	30	-55
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.07	2.46	4.41	4.01	7.39	9.97	5.82	5.08	1.65	0.84	1.15	1.52	45.4	15	2701
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.4	3.5	7.2	7.2	16.5	17.2	12.9	11.2	4.7	2.9	3.5	2.6	93.8	15	2701
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS W/OCUM VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	2.0	3.0	3.0	1.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	12.0	30	-24
P FREQ WND SPD = OR GTR 17 KTS	2.0	6.0	1.0	0.0	0.0	4.0	2.0	4.0	10.0	1.0	0.0	2.0	2.7	2	-34
P FREQ WND SPD = OR GTR 28 KTS	0.0	2.0	1.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.3	2	-34
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	1.9	0.0	0.0	3.7	5.3	26.7	4.8	17.6	2.7	0.8	1.5	0.0	5.4	4	1112
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.9	0.0	0.0	1.2	1.8	13.3	0.0	16.0	1.8	0.0	0.0	0.0	2.9	4	1112
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# GARANHUNS, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI														0	0
														0	0
	30.4	28.0	31.0	28.9	29.3	22.0	29.5	25.5	29.2	30.7	29.5	31.0	345.0	4	1112
														0	0
														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LFS 10 KTS														0	0
														0	0
	30.2	27.2	31.0	28.9	28.6	22.0	29.5	25.0	28.9	29.4	29.1	30.6	340.6	4	1112
														0	0
														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.														4	771
														0	0
	1.0	2.4	4.1	3.3	1.3	2.9	0.9	2.4	3.3	2.0	1.7	1.1	26.4	15	2705
														0	0
														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.														2	444
														0	0
	29.8	24.8	22.8	22.9	17.3	14.7	14.8	18.8	24.5	27.4	27.4	28.6	273.8	15	2329
														0	0
	26.5	21.7	22.8	21.3	16.2	14.3	17.2	17.0	21.8	24.5	24.1	26.8	254.2	0	0
														0	0
														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI														9	1695
														0	0
	2.2	3.0	1.2	4.1	0.7	0.0	0.8	0.5	2.2	2.9	7.1	6.0	30.7	0	0
														0	0
														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI														0	0
														0	0
	30.4	28.0	30.6	28.9	29.3	21.3	29.5	25.3	28.9	30.7	29.5	30.6	343.0	4	1112
														0	0
														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI														0	0
														0	0
	10.4	9.7	9.5	9.9	4.1	4.0	6.5	7.8	9.5	15.9	20.8	17.1	125.2	4	1112
														0	0
														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI														0	0
														0	0
	10.4	9.7	9.5	9.9	4.1	4.0	6.5	7.5	9.5	15.9	20.8	17.1	124.9	4	1112
														6	0
														0	0

# GUARARAPES, BRAZIL

STA NO. 82897/ (IN AREA NUMBER 07)

LATITUDE 08075

LONGITUDE 03455W

ELEVATION (FT) 00036

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	94	93	94	93	91	93	90	93	90	91	91	92	94	26	-82898
MFAN MAX TMP (F)	86	86	86	85	83	82	80	81	82	84	85	85	84	27	-82898
MFAN MIN TMP (F)	77	77	76	75	74	73	71	71	73	75	76	77	75	27	-82898
ABS MIN TMP (F)	66	67	59	57	59	63	63	59	52	50	63	66	50	26	-82898
MFAN NO DYS TMP = OR GTR 90(F)	0.7	1.1	1.0	0.0	0.1	0.1	0.1	0.4	0.0	0.0	0.5	0.5	4.5	11	-82898
MFAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26	-29
MFAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26	-29
MEAN DFW PT TMP (F)	71	72	72	73	73	71	69	69	69	70	70	71	71	4	-82898
MFAN REL HUM (PCT)	73	76	76	78	79	80	79	78	74	71	71	72	76	11	-82898
MFAN PRFSS ALT (FT)	50	50	50	50	50	0	50	50	50	0	50	50	42	0	-50
MFAN PRFCIP (IN)	2.10	3.30	6.30	8.70	10.50	10.90	10.00	6.00	2.50	1.00	1.00	1.10	63.4	56	-82898
MFAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26	-29
MEAN NO DYS PKCP = OR GTR 0.1 IN	3.9	5.6	9.0	11.9	14.0	16.2	15.4	10.2	4.6	2.3	2.3	2.4	97.8	56	-29
MFAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	0.3	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	4	-82898
MFAN NO DYS TSTMS	0.0	0.3	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	4	-82898
P FREQ WND SPD = OR GTR 17 KTS	0.4	0.9	0.5	0.6	0.8	4.0	5.7	3.8	1.3	0.4	1.8	0.7	1.7	4	-82898
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-82898
P FREQ LES 5000 FT A/O LES 5 MI	35.0	30.9	31.5	37.8	46.6	50.2	50.9	44.1	42.9	36.7	36.5	33.1	39.7	4	-82898
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.0	0.0	0.4	1.9	9.0	16.8	8.3	6.8	4.1	0.7	0.4	0.4	4.1	4	-82898
03-05 LST	0.4	0.4	0.7	5.6	8.2	23.3	12.3	9.0	2.2	2.2	1.1	1.8	5.6	4	-82898
06-08 LST	0.7	2.7	1.8	5.2	8.4	18.8	13.5	8.3	4.1	2.2	0.4	0.4	5.5	4	-82898
09-11 LST	4.1	4.4	5.5	8.4	13.0	13.1	12.0	9.5	4.4	3.3	2.0	0.5	6.7	8	-82898
12-14 LST	0.0	1.6	0.0	1.9	7.2	5.6	11.8	8.6	5.2	0.7	0.4	0.4	3.6	4	-82898
15-17 LST	2.2	2.0	0.7	0.4	6.5	8.1	8.2	9.7	5.2	0.7	0.7	0.4	3.7	4	-82898
18-20 LST	0.4	0.8	1.1	1.1	8.0	9.2	8.2	2.5	1.5	0.7	1.5	0.7	3.0	4	-82898
21-23 LST	0.4	1.2	0.4	0.7	6.8	12.3	4.9	5.4	1.1	1.4	0.7	0.0	2.9	4	-82898
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-82898
03-05 LST	0.4	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.4	0.1	4	-82898
06-08 LST	0.4	0.0	0.0	0.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	-82898
09-11 LST	0.8	1.4	0.5	1.7	3.2	2.4	2.1	1.0	0.0	0.3	0.3	0.0	1.1	8	-82.98
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.1	4	-82898
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	4	-82898
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.1	4	-82898
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-82898

# GUARARAPES, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	22 LST	31.0	27.7	31.0	29.6	29.6	29.5	31.0	30.3	30.0	31.0	30.0	31.0	361.7	4	-82898
	04 LST	30.7	28.0	31.0	30.0	29.9	29.0	30.5	31.0	30.0	30.7	29.6	30.7	361.1	4	-82898
	10 LST	28.6	26.0	26.7	25.8	25.0	25.7	27.4	27.7	28.5	29.5	28.7	30.7	330.3	8	-82898
	16 LST	30.3	28.0	31.0	30.0	29.0	29.3	30.7	30.7	29.6	30.7	30.0	31.0	360.3	4	-82898
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	22 LST	19.7	14.1	17.0	20.0	18.4	14.5	12.6	18.7	20.6	22.0	16.7	20.6	214.9	4	-82898
	04 LST	24.0	20.4	22.3	21.0	18.1	12.0	13.2	20.0	19.7	22.3	19.3	22.0	234.3	4	-82898
	10 LST	19.7	17.5	17.1	17.8	17.2	11.9	13.0	17.6	19.4	21.9	17.7	17.8	208.6	8	-82898
	16 LST	12.6	11.5	10.3	13.3	12.6	11.3	7.3	15.0	14.0	20.0	14.0	13.3	155.2	4	-82898
SFC WND = GTR 17 KTS AND NO PRECIP.	22 LST	0.2	0.0	0.2	1.6	2.1	3.5	2.4	3.3	1.4	0.2	2.3	0.0	17.2	6	-82898
	04 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.3	4	-82898
	10 LST	0.9	2.0	0.3	0.8	0.6	1.9	2.6	2.8	1.2	0.8	0.8	0.9	14.6	15	-82898
	16 LST	0.0	1.0	0.3	0.0	0.3	0.7	1.7	0.7	0.0	0.0	0.3	0.0	5.0	4	-82898
SFC WND 4-10 KTS AND TMP 33-89 DFG F AND NO PRECIP.	22 LST	23.3	18.1	18.9	15.8	17.0	12.1	14.2	17.5	20.3	25.4	21.9	20.6	225.1	6	-82898
	04 LST	21.6	16.5	17.6	19.0	19.4	16.7	21.9	22.6	22.6	25.0	21.3	17.6	241.8	4	-82898
	10 LST	22.5	18.6	21.1	16.9	18.3	13.4	14.4	15.6	18.3	21.7	18.8	18.5	218.1	15	-82898
	16 LST	20.6	15.5	18.3	16.5	19.4	18.1	16.5	22.3	23.3	25.3	22.7	21.0	239.5	4	-82898
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	22 LST	3.0	0.0	2.0	2.0	0.0		4.4							1	-82898
	04 LST	0.0	1.0	2.0	1.0	0.0		0.0							1	-82898
	10 LST	0.5	0.4	0.3	0.7	1.4	1.3	2.5	1.0	2.3	1.2	1.4	1.7	14.7	10	-82898
	16 LST	0.0	0.0	0.0	1.0	1.0	1.0	2.0							1	-82898
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	22 LST	21.3	21.7	22.0	23.0	16.7	16.5	22.0	21.3	21.7	22.0	22.7	23.3	254.2	4	-82898
	04 LST	20.6	18.4	20.0	15.7	13.9	16.5	16.9	18.3	13.7	19.7	15.3	16.0	205.0	4	-82898
	10 LST	23.4	21.3	21.9	20.3	19.4	17.8	19.8	24.5	24.8	26.3	24.8	27.4	271.7	8	-82898
	16 LST	23.3	22.1	29.0	23.6	21.6	18.7	20.0	23.3	21.7	25.3	22.7	22.7	274.0	4	-82898
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	22 LST	19.3	20.4	20.3	21.0	15.3	12.0	14.4	17.3	15.7	18.7	20.0	22.3	216.7	4	-82898
	04 LST	16.0	17.8	18.3	14.6	11.6	14.0	12.7	13.6	10.7	15.3	12.7	13.3	170.8	4	-82898
	10 LST	15.4	13.6	16.9	14.4	10.4	11.6	10.8	11.4	11.9	14.5	16.2	19.8	166.9	8	-82898
	16 LST	22.3	21.4	28.3	23.0	21.0	18.0	17.3	20.0	19.3	22.7	20.6	21.3	255.2	4	-82898
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	22 LST	18.3	20.1	20.3	20.3	14.3	10.0	13.5	16.3	14.6	16.0	17.3	21.0	202.0	4	-82898
	04 LST	15.0	17.1	17.0	13.7	10.8	11.0	10.9	12.0	9.7	12.6	10.0	10.3	150.1	4	-82898
	10 LST	14.2	13.2	16.2	13.7	9.5	9.7	9.8	9.6	10.9	12.6	15.5	18.4	153.3	8	-82898
	16 LST	19.3	20.7	27.0	21.3	19.7	13.0	14.3	15.7	16.7	20.3	19.0	18.7	226.7	4	-82898

# RECIFE, BRAZIL

STA NO. 82898 (IN ARFA NUMBER 07)

LATITUDE 08015

LONGITUDE 03451W

ELEVATION (FT) 00197

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	94	93	94	93	91	93	90	93	90	91	91	92	94	26	-528
MEAN MAX TMP (F)	86	86	86	85	83	82	80	81	82	84	85	85	84	27	-28
MEAN MIN TMP (F)	77	77	76	75	74	73	71	71	73	75	76	77	75	27	-28
ABS MIN TMP (F)	66	67	59	57	59	63	63	59	52	50	63	66	50	26	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.7	1.1	1.0	0.0	0.1	0.1	0.1	0.4	0.0	0.0	0.5	0.5	4.5	11	3048
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26	-29
MEAN DEW PT TMP (F)	71	72	72	73	73	71	69	69	69	70	70	71	71	4	24789
MEAN REL HUM (PCT)	73	76	76	78	79	80	79	78	74	71	71	72	76	11	-28
MEAN PRESS ALT (FT)	205	224	224	216	192	142	106	110	100	157	213	223	176	4	25606
MEAN PRECIP (IN)	2.10	3.30	6.30	8.70	10.50	10.90	10.00	6.00	2.50	1.00	1.00	1.10	63.4	56	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.9	5.6	9.0	11.9	14.0	16.2	15.4	10.2	4.6	2.3	2.3	2.4	97.8	56	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.3	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	4	1037
MEAN NO DYS TSTM'S	0.0	0.3	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	4	1033
P FREQ WND SPD = OR GTR 17 KTS	0.4	0.9	0.5	0.6	0.6	4.0	5.7	3.8	1.3	0.4	1.8	0.7	1.7	4	24839
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	24839
P FREQ LES 5000 FT A/O LES 5 MI	35.0	30.9	31.5	37.8	46.6	50.2	50.9	44.1	42.9	36.7	36.5	33.1	39.7	4	24830
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.0	0.0	0.4	1.9	9.0	16.8	8.3	6.8	4.1	0.7	0.4	0.4	4.1	4	3105
03-05 LST	0.4	0.4	0.7	5.6	8.2	23.3	12.3	9.0	2.2	2.2	1.1	1.8	5.6	4	3109
06-08 LST	0.7	2.7	1.8	5.2	8.4	18.8	13.5	8.3	4.1	2.2	0.4	0.4	5.5	4	3221
09-11 LST	4.1	4.4	5.5	8.4	13.0	13.1	12.0	9.5	4.4	3.3	2.0	0.5	6.7	8	4454
12-14 LST	0.0	1.6	0.0	1.9	7.2	5.6	11.8	8.6	5.2	0.7	0.4	0.4	3.6	4	3285
15-17 LST	2.2	2.0	0.7	0.4	6.5	8.1	8.2	9.7	5.2	0.7	0.7	0.4	3.7	4	3285
18-20 LST	0.4	0.8	1.1	1.1	8.0	9.2	8.2	2.5	1.5	0.7	1.5	0.7	3.0		3223
21-23 LST	0.4	1.2	0.4	0.7	6.8	12.3	4.9	5.4	1.1	1.4	0.7	0.0	2.9	4	3094
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	3105
03-05 LST	0.4	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.4	0.1	4	3109
06-08 LST	0.4	0.0	0.0	0.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	3221
09-11 LST	0.8	1.4	0.5	1.7	3.2	2.4	2.1	1.0	0.0	0.3	0.3	0.0	1.1	8	4454
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.1	4	3285
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	4	3285
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.1	4	3223
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	3094

# RECIFE, BRAZIL

MEAN NUMBER OF DAYS

WATER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
GTR 1000 FT AND VSBY = GTR 3 MI	22 LST	31.0	27.7	31.0	29.6	29.6	29.5	31.0	30.3	30.0	31.0	30.0	31.0	361.7	4	1038
	04 LST	30.7	28.0	31.0	30.0	29.9	29.0	30.5	31.0	30.0	30.7	29.6	30.7	361.1	4	1037
	10 LST	28.6	26.0	26.7	25.8	25.0	25.7	27.4	27.7	28.5	29.5	28.7	30.7	330.3	8	2271
	16 LST	30.3	28.0	31.0	30.0	29.0	29.3	30.7	30.7	29.6	30.7	30.0	31.0	360.3	4	1096
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	22 LST	19.7	14.1	17.0	20.0	18.4	14.5	12.6	18.7	20.6	22.0	16.7	20.6	214.9	4	1038
	04 LST	24.0	20.4	22.3	21.0	18.1	12.0	13.2	20.0	19.7	22.3	19.3	22.0	234.3	4	1037
	10 LST	19.7	17.5	17.1	17.8	17.2	11.9	13.0	17.6	19.4	21.9	17.7	17.8	208.6	8	2270
	16 LST	12.6	11.5	10.3	13.3	12.6	11.3	7.3	15.0	14.0	20.0	14.0	13.3	155.2	4	1096
SFC WND = GTR 17 KTS AND NO PRECIP.	22 LST	0.2	0.0	0.2	1.6	2.1	3.5	2.4	3.3	1.4	0.2	2.3	0.0	17.2	6	1676
	04 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.3	4	1017
	10 LST	0.9	1.0	0.3	0.8	0.6	1.9	2.6	2.8	1.2	0.8	0.8	0.9	14.6	15	4349
	16 LST	0.0	1.0	0.3	0.0	0.3	0.7	1.7	0.7	0.0	0.0	0.3	0.0	5.0	4	1089
SFC WND 4-10 KTS AND TMP 33-89 DFG F AND NO PRECIP.	22 LST	23.3	18.1	18.9	15.8	17.0	12.1	14.2	17.5	20.3	25.4	21.9	20.6	225.1	6	1675
	04 LST	21.6	16.5	17.6	19.0	19.4	16.7	21.9	22.6	22.6	25.0	21.3	17.6	241.8	4	1017
	10 LST	22.5	18.6	21.1	16.9	18.3	13.4	14.4	15.6	18.3	21.7	18.8	18.5	218.1	15	4328
	16 LST	20.6	15.5	18.3	16.5	19.4	18.1	16.5	22.3	23.3	25.3	22.7	21.0	239.5	4	1089
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	22 LST	3.0	0.0	2.0	2.0	0.0		4.4							1	154
	04 LST	0.0	1.0	2.0	1.0	0.0		0.0							1	153
	10 LST	0.5	0.4	0.3	0.7	1.4	1.3	2.5	1.0	2.3	1.2	1.4	1.7	14.7	10	2362
	16 LST	0.0	0.0	0.0	1.0	1.0	1.0	2.0							1	212
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	22 LST	21.3	21.7	22.0	23.0	16.7	16.5	22.0	21.3	21.7	22.0	22.7	23.3	254.2	4	1038
	04 LST	20.6	18.4	20.0	15.7	13.9	16.5	16.9	18.3	13.7	19.7	15.3	16.0	205.0	4	1037
	10 LST	23.4	21.3	21.9	20.3	19.4	17.8	19.8	24.5	24.8	26.3	24.8	27.4	271.7	8	2271
	16 LST	23.3	22.1	29.0	23.6	21.6	18.7	20.0	23.3	21.7	25.3	22.7	22.7	274.0	4	1096
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	22 LST	19.3	20.4	20.3	21.0	15.3	12.0	14.4	17.3	15.7	18.7	20.0	22.3	216.7	4	1038
	04 LST	16.0	17.8	18.3	14.6	11.8	14.0	12.7	13.6	10.7	15.3	12.7	13.3	170.8	4	1037
	10 LST	15.4	13.6	16.9	14.4	10.4	11.6	10.8	11.4	11.9	14.5	16.2	14.8	166.9	8	2271
	16 LST	22.3	21.4	28.3	23.0	21.0	18.0	17.3	20.0	19.3	22.7	20.6	21.3	255.2	4	1096
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	22 LST	18.3	20.1	20.3	20.3	14.3	10.0	13.5	16.3	14.6	16.0	17.3	21.0	202.0	4	1038
	04 LST	15.0	17.1	17.0	13.7	10.6	11.0	10.9	12.0	9.7	12.6	10.0	10.3	150.1	4	1037
	10 LST	14.2	13.2	16.2	13.7	9.5	9.7	9.8	9.6	10.9	12.6	15.5	18.4	153.3	8	2271
	16 LST	19.3	20.7	27.0	21.3	19.7	13.0	14.3	15.7	16.7	20.3	19.0	19.7	226.7	4	1096

# PALMARES, BRAZIL

STA NO. 82994 (IN ARFA NUMBER 07)

LATITUDE 09315

LONGITUDE 03547W

ELEVATION(FT) 00377

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	93	94	92	92	90	87	85	87	88	90	91	90	94	20	-55
MEAN MAX TMP (F)	86	86	86	85	83	82	80	80	82	84	85	85	84	20	-55
MEAN MIN TMP (F)	73	74	74	73	73	71	70	69	71	72	72	73	72	20	-55
ABS MIN TMP (F)	67	68	69	67	66	64	64	63	63	64	66	67	63	20	-55
MEAN NO DYS TMP = OR GTR 90(F)	8.8	7.9	8.8	6.4	3.6	0.0	0.0	0.0	0.0	5.0	6.4	6.7	53.6	20	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN DFW PT TMP (F)	71	72	73	73	73	71	69	69	69	70	70	71	71	0	-50
MEAN REL HUM (PCT)	78	78	80	81	82	82	80	79	78	78	77	77	79	20	-55
MEAN PRESS ALT (FT)	350	350	400	350	350	300	250	250	250	300	350	350	321	0	-50
MEAN PRECIP (IN)	7.32	2.69	4.65	7.17	9.67	9.25	8.07	4.57	2.96	2.23	1.03	1.32	55.9	20	-55
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.2	4.7	6.9	10.1	13.0	14.6	13.2	7.9	5.2	4.2	2.4	2.7	89.1	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	2.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	20	-24
P FREQ WND SPD = OR GTR 17 KTS	2.0	3.0	2.0	1.0	1.0	2.0	3.0	3.0	2.0	5.0	11.0	0.0	2.9	2	-34
P FREQ WND SPD = OR GTR 28 KTS	1.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.2	2	-34
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# PALMARES, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
														0	0
CIG = GTR 1000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 2000 FT AND VSBY = GTR														0	0
3 MI w/SFC WND LES 10 KTS														0	0
														0	0
														0	0
SFC WND = GTR 17 KTS AND														0	0
NO PRECIP.														0	0
														0	0
														0	0
SFC WND 4-10 KTS AND TMP 33-89														0	0
DEG F AND NO PRECIP.														0	0
														0	0
														0	0
SKY COVER LES 3/10 AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 2500 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 6000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 10000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0

DATA NOT AVAILABLE

# PILAR/MANGUABA, BRAZIL

STA NO. 82996/ (IN AREA NUMBFR 07)

LATITUDE 09355

LONGITUDE 03554W

ELEVATION(FT) 00400

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	085
ABS MAX TMP (F)	98	98	98	94	92	88	86	88	91	94	96	98	98	15	-55
MEAN MAX TMP (F)	89	89	88	86	84	81	80	81	83	85	89	90	85	15	-55
MEAN MIN TMP (F)	68	69	69	69	66	66	65	64	65	66	67	68	67	15	-55
ABS MIN TMP (F)	61	63	63	62	59	56	57	45	51	54	61	55	45	15	-555
MEAN NO DYS TMP = OR GTR 90(F)	16.1	14.5	13.5	8.5	5.0	0.0	0.0	0.0	3.4	6.7	15.5	18.6	101.8	15	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN DFW PT TMP (F)	70	72	73	72	72	69	68	67	69	69	70	71	70	15	-29
MEAN REL HUM (PCT)	78	80	83	84	87	87	87	85	84	81	79	79	83	15	-55
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.24	3.11	4.49	6.85	12.52	11.06	10.55	6.18	3.78	2.72	1.26	1.30	66.1	15	-55
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.1	5.3	6.7	9.7	16.2	16.3	15.9	10.5	6.1	4.9	2.8	2.7	101.2	15	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	2.0	3.0	2.0	2.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	12.0	15	-55
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 1 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FCR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
11-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FCR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# PILAR/MANGUABA, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI w/SFC WND LES 10 KTS														0	0
														0	0
														0	0
														0	0
SFC WND ≥ GTR 17 KTS AND NO PRECIP.														0	0
														0	0
	1.2	0.0	0.0	0.0	0.8	1.0	0.5	2.9	3.2	3.8	3.8	6.8	24.0	0	677
														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.														0	0
														0	0
	21.7	14.6	17.4	16.4	9.0	10.3	11.2	16.0	14.6	15.1	15.0	12.3	173.6	6	672
														0	0
														0	0
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI														0	0
														0	0
	0.0	0.0	0.0				0.0	1.1	2.0	0.5	0.5	0.0		3	328
														0	0
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI														0	0
														0	0
														0	0
														0	0

# ST MARIA-ARACAJU, BRAZIL

STA NO. 83096 (IN AREA NUMBER 07)

LATITUDE 1059S

LONGITUDE 03704W

ELEVATION(FT) 00050

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	97	102	99	97	88	91	86	93	90	100	90	93	102	13	3085
MEAN MAX TMP (F)	85	86	86	85	83	81	80	80	81	83	84	85	83	13	3085
MEAN MIN TMP (F)	74	75	75	74	72	71	70	69	71	73	73	73	73	17	4439
ABS MIN TMP (F)	66	57	59	64	48	54	48	50	55	61	54	64	48	17	4439
MEAN NO DYS TMP ≥ OR GTR 90(F)	0.5	2.2	1.7	0.9	0.0	0.2	0.0	0.1	0.3	0.2	0.1	0.4	6.6	13	3085
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	4439
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	4439
MEAN DEW PT TMP (F)	72	73	73	73	74	66	69	69	69	70	71	73	71	0	-50
MEAN REL HUM (PCT)	80	79	80	80	83	74	82	80	79	79	79	81	80	9	-57
MEAN PRESS ALT (FT)	50	50	50	0	-50	-100	-100	-100	-100	0	50	50	-17	0	-50
MEAN PRFCIP (IN)	1.49	1.76	3.47	6.03	10.24	9.53	6.17	5.00	3.43	2.43	2.03	1.54	53.1	17	4372
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	3.5	4.2	7.3	11.0	15.0	15.6	16.1	11.8	6.1	4.8	2.5	3.3	101.2	17	4372
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	5.0	33	-24
P FREQ WND SPD ≥ OR GTR 17 KTS														0	0
P FREQ WND SPD ≥ OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	9.7	14.8	19.5	19.5	34.1	17.2	26.2	18.6	11.4	10.9	19.3	17.2	18.2	4	1153
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	1.2	1.1	0.0	1.7	8.2	0.0	0.9	0.0	2.4	0.0	1.3	4	1153
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# ST MARIA-ARACAJU, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI														0	0
22 LST														0	0
04 LST														0	0
10 LST	30.7	27.5	29.9	29.0	25.5	27.7	23.4	29.1	28.7	30.7	29.3	31.0	342.7	4	1153
16 LST														0	0
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LES 10 KTS														0	0
22 LST														0	0
04 LST														0	0
10 LST	24.4	20.5	20.0	19.3	13.6	17.0	16.2	19.4	23.4	24.0	17.0	19.9	234.7	4	1153
16 LST														0	0
SFC WND ≥ GTR 17 KTS AND NO PRFCIP.														4	857
22 LST	0.6	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.4	0.6	0.0	0.0	1.9	0	0
04 LST														0	0
10 LST	4.4	2.8	3.7	2.4	2.3	3.0	2.9	2.9	2.9	3.9	3.0	3.7	37.9	17	4435
16 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DFG F AND NO PRECIP.														4	855
22 LST	27.5	22.7	23.9	23.0	14.3	17.0	19.8	21.4	24.2	27.0	24.7	26.0	272.5	0	0
04 LST														0	0
10 LST	15.8	15.0	15.3	15.3	11.6	14.7	16.3	14.8	16.7	16.9	18.7	16.8	189.9	17	4396
16 LST														0	0
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI														0	0
22 LST														0	0
04 LST														0	0
10 LST	3.4	2.9	1.8	2.7	3.2	5.5	3.3	6.7	3.5	5.0	4.4	4.4	46.8	9	2174
16 LST														0	0
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI														0	0
22 LST														0	0
04 LST														0	0
10 LST	25.2	20.5	20.4	19.3	13.6	18.1	16.2	19.2	24.7	25.0	20.2	21.0	243.4	4	1153
16 LST														0	0
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI														0	0
22 LST														0	0
04 LST														0	0
10 LST	24.1	19.4	17.4	19.0	12.8	18.1	15.2	18.9	17.1	21.9	19.1	19.9	222.9	4	1153
16 LST														0	0
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI														0	0
22 LST														0	0
04 LST														0	0
10 LST	24.1	19.4	17.4	19.0	12.8	18.1	15.2	18.9	17.1	21.6	19.1	19.9	222.6	4	1153
16 LST														0	0

# DOIS DE JULHO, BRAZIL

STA NO. 83247/ (IN AREA NUMBER 07)

LATITUDE 12555

LONGITUDE C3820W

ELEVATION(FT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	D.F.C	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	94	100	100	94	97	90	85	90	90	99	97	92	100	25	-83248
MEAN MAX TMP (F)	86	86	86	84	82	80	79	79	81	83	84	84	83	25	-83248
MEAN MIN TMP (F)	74	74	74	74	72	71	69	69	70	71	72	73	72	25	-83248
ABS MIN TMP (F)	68	52	6.	68	64	50	54	54	54	59	55	66	50	25	-83248
MEAN NO DYS TMP = OR GTR 90(F)	0.9	3.0	0.4	0.2	0.3	0.1	0.0	0.1	0.1	1.0	0.2	0.5	7.3	13	-83248
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN DEW PT TMP (F)	74	77	74	74	73	70	70	70	71	71	71	74	72	0	-50
MEAN REL HUM (PCT)	79	80	81	83	83	83	82	80	80	80	80	76	81	13	-83248
MEAN PRESS ALT (FT)	50	50	50	0	-50	-100	-100	-100	-100	0	50	50	-16	0	-50
MEAN PRECIP (IN)	2.60	5.30	6.10	11.20	10.80	9.40	7.20	4.80	3.30	4.00	4.50	5.60	74.8	20	-83248
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.6	8.1	8.8	14.8	14.3	14.7	12.0	8.3	5.6	6.4	6.9	8.4	112.9	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	3.0	4.0	4.0	2.0	1.0	0.0	0.0	0.0	0.0	1.0	2.0	3.0	20.0	32	-83248
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# DOIS DE JULHO, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.0	0.6	0.3	0.0	0.7	0.7	1.7	0.3	1.9	0.0	0.0	1.1	7.3	4	-83248
	03 LST														0	0
	09 LST	0.1	0.1	0.1	0.7	1.1	0.8	1.0	1.8	1.6	2.1	1.3	1.1	11.8	13	-83248
	15 LST														0	0
SFC WND 4-10 KTS ANL TMP 33-89 DFG F AND NO PRECIP.	21 LST	16.7	18.3	19.6	20.6	20.8	19.0	14.8	18.2	15.0	13.4	17.9	22.6	216.9	4	-83248
	03 LST														0	0
	09 LST	20.6	17.1	16.4	14.3	15.3	15.4	14.0	16.8	17.8	14.9	16.4	18.2	197.2	13	-83248
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	0.5	1.5	0.5	2.0	1.0	1.6	1.5	2.2	2.1	2.1	0.0	0.7	15.7	6	-83248
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0

# SAO SALVADOR, BRAZIL

STA NO. 83248 (IN AREA NUMBER 07)

LATITUDE 12555

LONGITUDE 03820W

ELEVATION(FT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	94	100	100	94	97	90	85	90	90	99	97	92	100	25	-528
MEAN MAX TMP (F)	86	86	86	84	82	80	79	79	81	83	84	84	83	25	-28
MEAN MIN TMP (F)	74	74	74	74	72	71	69	69	70	71	72	73	72	25	-28
A35 MIN TMP (F)	68	52	63	68	64	50	54	54	54	59	55	66	50	25	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.9	3.0	0.9	0.2	0.3	0.1	0.0	0.1	0.1	1.0	0.2	0.5	7.3	13	3345
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN DFW PT TMP (F)	72	73	73	73	71	70	68	67	68	70	71	69	70	21	-29
MEAN REL HUM (ACT)	79	80	81	83	83	83	82	80	80	80	80	76	81	13	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.60	5.30	6.10	11.20	10.80	9.40	7.20	4.80	3.30	4.00	4.50	5.60	74.8	20	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.6	8.1	8.8	14.8	14.3	14.7	12.0	8.3	5.6	6.4	6.9	8.4	112.9	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	3.0	4.0	4.0	2.0	1.0	0.0	0.0	0.0	0.0	1.0	2.0	3.0	20.0	32	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# SAO SALVADOR, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LFS 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.0	0.6	0.3	0.0	0.7	0.7	1.7	0.3	1.9	0.0	0.0	1.1	7.3	4	865
	03 LST														0	0
	09 LST	0.1	0.1	0.1	0.7	1.1	0.8	1.0	1.8	1.6	2.1	1.3	1.1	11.8	13	3335
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	16.7	18.3	19.6	20.6	20.8	19.0	14.8	18.2	15.0	13.4	17.9	22.6	216.9	4	880
	03 LST														0	0
	09 LST	20.6	17.1	16.4	14.3	15.3	15.4	14.0	16.8	17.8	14.9	16.4	18.2	197.2	13	3308
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	0.5	1.5	0.5	2.0	1.0	1.6	1.5	2.2	2.1	2.1	0.0	0.7	15.7	6	922
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0

# ILHEUS, BRAZIL

STA NO. 83348 (IN AREA NUMBR 07)

LATITUDE 14505

LONGITUDE 03902W

ELEVATION(FT) 00016

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	101	95	93	92	91	90	90	91	93	93	93	104	104	31	-555
MFAN MAX TMP (F)	87	87	86	85	83	82	80	80	82	83	84	86	84	31	-55
MFAN MIN TMP (F)	73	73	72	71	67	65	65	67	70	71	71	70	70	31	-55
ABS MIN TMP (F)	64	63	65	58	55	55	46	48	58	52	54	54	46	31	-555
MFAN NO DYS TMP = OR GTR 90(F)	8.0	10.7	8.6	5.1	1.2	0.4	0.3	0.2	0.2	0.2	1.0	3.0	38.9	10	1786
MFAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31	-29
MFAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31	-29
MFAN DEW PT TMP (F)	76	76	76	76	72	71	71	70	72	75	75	76	74	0	-50
MFAN REL HUM (PCT)	86	87	87	87	88	88	88	85	85	84	86	87	87	31	-55
MFAN PRESS ALT (FT)	50	50	50	0	-50	-100	-100	-100	-100	0	50	50	-16	0	-50
MFAN PRECIP (IN)	5.87	7.36	10.32	11.30	8.27	6.46	6.85	5.32	4.45	4.53	7.24	5.98	83.9	31	-55
MFAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31	-29
MFAN NO DYS PRCP = OR GTR 0.1 IN	8.7	10.3	13.8	14.9	11.7	10.9	11.5	9.2	6.8	6.9	9.2	8.8	122.4	31	-29
MFAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31	-29
MFAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MFAN NO DYS TSTMS	2.0	4.0	2.0	1.0	0.0	0.0	0.0	0.0	0.0	1.0	2.0	2.0	14.0	32	-24
P FREQ WND SPD = OR GTR 17 KTS	7.0	6.0	3.0	5.0	4.0	2.0	7.0	7.0	9.0	9.0	11.0	5.0	6.3	13	-34
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.1	13	-34
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	10.6	22.6	0.0	0.0	5.0	4.8	15.8	10.6	11.5	4.9	8.8	15.8	9.2	4	445
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	4.3	9.7	0.0	0.0	2.5	4.8	5.3	2.1	1.9	1.6	5.9	10.5	4.1	4	445
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# ILHEUS, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	0.6	0.0	0.0	0.4	0.7	0.0	1.6	2.1	2.1	0.6	1.2	0.6	9.9	4	812
	03 LST														0	0
	09 LST	1.5	0.0	0.2	0.2	1.1	1.2	0.9	0.8	1.2	1.1	0.7	0.5	9.4	10	1890
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DFG F AND NO PRECIP.	21 LST	15.2	17.6	20.2	14.1	13.3	12.0	17.3	15.5	15.8	21.8	17.4	16.7	196.9	4	811
	03 LST														0	0
	09 LST	18.2	16.4	15.9	16.0	16.3	14.2	17.0	14.4	14.8	15.9	16.4	19.7	195.2	10	1883
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	0.7	0.8	0.0	2.4	4.1	8.3	2.0	2.4	0.4	0.0	0.4	0.0	21.5	5	611
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0

# CARAVELAS, BRAZIL

STA NO. 83498 (IN AREA NUMBER 07)

LATITUDE 1739S

LONGITUDE 03915W

ELEVATION (FT) 00013

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YR)	NO. OBS	
ABS MAX TMP (F)	91	95	97	91	90	88	99	84	86	88	104	90	104	10	2479	
MFAN MAX TMP (F)	86	87	85	84	81	79	77	79	80	82	83	85	82	10	2479	
MEAN MIN TMP (F)	71	71	71	70	67	64	63	63	65	68	70	71	68	14	3715	
ABS MIN TMP (F)	54	52	52	55	52	48	45	54	50	52	52	45	14	3715	10	2479
MFAN NO DYS TMP = OR GTR 90 (F)	3.2	7.4	2.2	1.4	0.7	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	14	3715	
MFAN NO DYS TMP = OR LES 32 (F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	3715	
MFAN NO DYS TMP = OR LES 0 (F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	-50	
MFAN DEW PT TMP (F)	73	74	73	72	69	66	65	66	68	69	68	72	70	10	-55	
MFAN REL HUM (PCT)	82	83	84	84	85	88	85	83	82	81	81	82	83	0	-50	
MFAN PRESS ALT (FT)	100	50	50	50	0	-50	-100	-100	-50	0	50	100	8	0	-50	
MFAN PRECIP (IN)	4.19	4.73	7.92	8.66	5.79	5.29	4.91	2.79	4.45	4.37	8.38	8.61	70.1	14	3656	
MFAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29	
MFAN NO DYS PRCP = OR GTR 0.1 IN	6.0	5.1	10.6	12.1	10.2	12.4	11.3	7.5	6.5	5.8	8.7	8.4	104.6	14	3656	
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	
MFAN NO DYS W/O CUR VSBY LES 1/2 MI	3.0	3.0	3.0	2.0	0.0	0.0	1.0	0.0	1.0	1.0	2.0	3.0	19.0	11	-24	
MFAN NO DYS TSTMS														0	0	
P FREQ WND SPD = OR GTR 17 KTS														0	0	
P FREQ WND SPD = OR GTR 28 KTS														0	0	
P FREQ LES 5000 FT A/O LES 5 MI														0	0	
P FREQ LES 1500 FT A/O LES 3 MI														0	0	
FOR 00-02 LST														0	0	
03-05 LST														0	0	
06-08 LST														0	0	
09-11 LST	47.7	45.7	46.0	55.2	51.7	42.9	50.8	50.0	50.0	45.4	52.9	51.1	49.1	4	1149	
12-14 LST														0	0	
15-17 LST														0	0	
18-20 LST														0	0	
21-23 LST														0	0	
P FREQ LES 300 FT A/O LES 1 MI														0	0	
FOR 00-02 LST														0	0	
03-05 LST														0	0	
06-08 LST														0	0	
09-11 LST	0.9	1.0	3.4	2.3	9.3	7.1	3.3	3.3	8.8	3.4	2.3	3.4	4.0	4	1149	
12-14 LST														0	0	
15-17 LST														0	0	
18-20 LST														0	0	
21-23 LST														0	0	

# CARAVELAS, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI														0	0
														0	0
	24.9	22.7	23.2	18.3	20.2	21.4	21.3	22.7	21.8	26.3	23.8	23.9	270.5	4	1149
														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS														0	0
														0	0
	4.3	4.6	8.5	7.6	7.1	8.7	6.7	7.5	5.3	5.2	1.4	3.2	70.1	4	1144
														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.														4	751
														0	0
	0.4	0.8	0.0	0.6	0.3	0.5	0.7	0.2	0.9	0.5	0.7	0.8	6.4	14	3657
														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.														4	745
														0	0
	23.1	21.2	21.2	19.2	19.1	18.5	20.0	21.0	18.2	21.1	17.6	19.6	239.8	14	3637
														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI														0	0
														0	0
	0.3	0.1	0.2	0.4	2.3	3.6	4.1	3.6	2.0	0.2	0.1	0.6	17.5	9	2191
														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI														0	0
														0	0
	7.2	6.9	11.0	8.9	9.2	11.8	8.6	8.8	8.4	7.5	5.2	6.0	99.5	4	1149
														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI														0	0
														0	0
	6.4	6.9	10.7	8.6	9.2	11.8	8.6	8.5	8.1	7.0	5.2	5.6	96.6	4	1149
														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI														0	0
														0	0
	6.4	6.9	10.3	8.6	9.2	11.8	8.6	8.5	8.1	6.8	5.2	5.6	96.0	4	1149
														0	0

# VITORIA, BRAZIL

STA NO. 83648 (IN ARFA NUMBFR 07)

LATITUDE 20165

LONGITUDE 04017W

ELEVATION(FT) 00013

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	97	97	97	102	93	90	88	88	90	95	93	95	102	10	2749
MEAN MAX TMP (F)	86	87	86	83	81	79	77	78	78	80	81	84	82	10	2749
MEAN MIN TMP (F)	73	73	73	71	68	66	65	65	67	69	70	72	69	14	3894
ABS MIN TMP (F)	66	55	68	61	48	59	54	43	46	59	63	64	43	14	3894
MEAN NO DYS TMP = OR GTR 90(F)	8.0	10.8	7.2	2.6	0.9	0.2	0.0	0.0	0.2	1.1	1.9	6.4	39.3	10	2749
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	3894
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	3894
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.70	2.96	5.16	3.87	2.26	3.37	2.19	2.13	2.72	4.22	5.70	6.31	44.6	14	3876
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.8	5.1	7.6	6.8	4.6	4.7	5.2	3.7	4.4	7.0	8.8	8.8	73.5	14	3876
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.0	4.0	4.0	2.0	0.0	0.0	0.0	0.0	1.0	2.0	3.0	4.0	26.0	20	-24
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	4.9	4.3	9.2	5.9	9.4	9.3	11.9	8.7	13.3	16.0	11.3	15.9	10.0	4	1066
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	1.9	1.1	1.3	1.2	2.6	0.0	5.1	0.0	1.9	3.8	1.4	1.2	1.8	4	1066
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# VITORIA, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI														0	0
														0	0
	29.8	27.1	29.0	28.9	29.1	28.9	28.4	29.4	25.1	22.8	22.8	28.3	329.6	4	1066
														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS														0	0
														0	0
	23.6	21.9	24.5	20.1	21.6	22.2	18.9	22.9	18.2	13.4	16.1	15.7	243.1	4	1061
														0	0
SFC WND = GTR 17 KTS AND NO PRFCIP.														0	0
														0	0
	2.2	1.5	0.7	0.7	0.7	1.1	1.1	2.0	2.0	2.8	1.5	1.6	17.9	4	872
														0	0
	1.5	0.7	1.0	1.7	1.4	1.1	1.8	1.8	2.6	2.5	2.1	2.0	20.2	14	3859
														0	0
SFC WND 4-10 KTS AND TMP 33-89 DFG F AND NO PRECIP.														0	0
														0	0
	14.1	12.4	14.8	10.6	13.3	13.2	12.8	12.9	11.9	11.6	14.2	16.6	158.4	4	871
														0	0
	19.1	16.0	15.1	11.8	13.1	15.2	15.3	15.7	15.4	15.3	14.6	15.4	182.0	14	3836
														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI														0	0
														0	0
	5.9	6.0	7.0	8.2	11.7	13.0	9.6	12.2	5.5	2.5	2.2	2.4	86.2	10	2161
														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI														0	0
														0	0
	22.6	21.1	24.1	21.5	24.1	25.0	21.5	22.4	16.0	14.9	15.6	15.9	244.7	4	1066
														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI														0	0
														0	0
	17.7	17.1	21.6	16.9	21.7	23.9	16.3	18.6	10.6	9.3	10.6	9.1	193.4	4	1066
														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI														0	0
														0	0
	17.1	16.9	21.6	16.9	21.7	23.3	16.3	18.6	10.6	9.3	10.6	9.1	192.0	4	1066
														0	0

# GOIABEIRAS, BRAZIL

STA NO. 83649/ (IN AREA NUMBER 07)

LATITUDE 20155

LONGITUDE 04170W

ELEVATION(FT) 0010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	97	97	97	102	93	90	88	88	90	95	93	95	102	10	-83648
MEAN MAX TMP (F)	86	87	86	83	81	79	77	78	78	80	81	84	82	10	-83648
MEAN MIN TMP (F)	73	73	73	71	68	66	65	65	67	69	70	72	69	14	-83648
ABS MIN TMP (F)	66	55	66	61	48	59	54	43	46	59	63	64	43	14	-83648
MEAN NO DYS TMP = OR GTR 90(F)	8.0	10.8	7.2	2.6	0.9	0.2	0.0	0.0	0.2	1.1	1.9	6.4	39.3	10	-83648
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN DFW PT TMP (F)	73	74	74	72	68	67	65	66	68	69	71	73	70	0	-50
MEAN REL HUM (PCT)	82	83	84	85	82	84	83	84	86	84	86	85	84	8	-29
MEAN PRESS ALT (FT)	100	50	50	50	0	-50	-100	-100	-50	0	50	100	8	0	-50
MEAN PRFCIP (IN)	3.70	2.96	5.16	3.87	2.26	3.37	2.19	2.13	7.72	4.22	5.70	6.31	44.6	14	-83648
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.8	5.1	7.6	6.8	4.6	4.7	5.2	3.7	4.4	7.0	8.8	8.8	73.5	14	-83648
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MEAN NO DYS TSTMS	6.0	4.0	4.0	2.0	0.0	0.0	0.0	0.0	1.0	2.0	3.0	4.0	26.0	20	-83648
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	4.9	4.3	9.2	5.9	9.4	9.3	11.9	8.7	13.3	16.0	11.3	15.9	10.0	4	-83648
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	1.9	1.1	1.3	1.2	2.6	0.0	5.1	0.0	1.9	3.8	1.4	1.2	1.8	4	-83648
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# GOIABEIRAS, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI															0	0
	21 LST														0	0
	03 LST														0	0
	09 LST	29.8	27.1	29.0	28.9	29.1	28.9	28.4	29.4	25.1	22.8	22.8	28.3	329.6	4	-83648
	15 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS															0	0
	21 LST														0	0
	03 LST														0	0
	09 LST	23.6	21.9	24.5	20.1	21.6	22.2	18.9	22.9	18.2	13.4	14.1	19.7	243.1	4	-83648
	15 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.															4	-83648
	21 LST	2.2	1.5	0.7	0.7	0.7	1.1	1.1	2.0	2.0	2.8	1.5	1.6	17.9	0	0
	03 LST														0	0
	09 LST	1.5	0.7	1.0	1.7	1.4	1.1	1.8	1.8	2.6	2.5	2.1	2.0	20.2	14	-83648
	15 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.															4	-83648
	21 LST	14.1	12.4	14.8	10.6	13.3	13.2	12.8	12.9	11.9	11.6	14.2	16.6	158.4	0	0
	03 LST														0	0
	09 LST	19.1	16.0	15.1	11.8	13.1	15.2	15.3	15.7	15.4	15.3	14.6	15.4	182.0	14	-83648
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI															0	0
	21 LST														0	0
	03 LST														0	0
	09 LST	5.9	6.0	7.0	8.2	11.7	13.0	9.6	12.2	5.5	2.5	2.2	2.4	86.2	10	-83648
	15 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI															0	0
	21 LST														0	0
	03 LST														0	0
	09 LST	22.6	21.1	24.1	21.5	24.1	25.0	21.5	22.4	16.0	14.9	15.6	15.9	244.7	4	-83648
	15 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI															0	0
	21 LST														0	0
	03 LST														0	0
	09 LST	17.7	17.1	21.6	16.9	21.7	23.9	16.3	18.6	10.6	9.3	10.6	9.1	193.4	4	-83648
	15 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI															0	0
	21 LST														0	0
	03 LST														0	0
	09 LST	17.1	16.9	21.6	16.9	21.7	23.3	16.3	18.4	10.6	9.3	10.6	9.1	192.0	4	-83648
	15 LST														0	0

## AREA NO. 07

PARAMETER DESCRIPTION	BRAZIL EAST COAST													
	BOUNDARIES				LATITUDE 1000S				LONGITUDE 03630W					
	2100S 04050W	2045S 04100W	2045S 04100W	1145S 03900W	1145S 03900W	0750S 03600W	0750S 03600W	0630S 03630W	0630S 03630W	0300S 04000W	0300S 04000W	0300S 04000W		
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	86	87	86	85	83	81	80	80	82	84	85	86	86	
MEAN MIN TMP (F)	73	73	73	72	70	68	67	67	69	71	71	72	71	
LARGEST MEAN PRECIP(IN)	7.73	10.29	10.46	11.30	12.52	12.34	10.55	6.18	4.45	4.53	8.38	8.61	107.3	
SMALLEST MEAN PRECIP(IN)	1.07	1.76	3.47	3.87	2.76	3.37	0.93	0.41	0.21	0.23	0.58	1.10	19.3	
	MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	22 LST	30.9	27.9	31.0	29.5	30.4	28.9	30.4	30.6	29.9	31.0	30.0	31.0	361.5
	04 LST	30.6	27.9	30.8	29.6	30.5	29.0	30.3	30.8	29.7	30.9	29.9	30.9	360.9
	10 LST	29.2	26.7	28.6	27.1	26.6	25.1	27.0	27.6	29.0	27.7	29.6	331.9	
	16 LST	30.8	28.0	31.0	29.9	30.2	29.0	30.7	30.9	29.9	30.9	30.0	31.0	362.3
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	22 LST	22.2	20.1	24.3	24.6	23.6	21.1	19.6	19.7	17.9	21.6	17.3	21.3	253.7
	04 LST	23.8	22.8	24.3	23.3	23.5	19.9	21.6	21.1	18.4	21.8	19.4	22.3	262.2
	10 LST	17.3	16.5	18.2	18.2	16.7	14.9	14.4	15.0	14.5	14.6	13.0	15.7	189.0
	16 LST	10.2	8.5	11.8	13.4	14.8	11.8	7.1	7.3	7.8	11.2	10.2	9.6	123.7
SFC WND = GTR 17 KTS AND NO PRECIP.	22 LST	0.9	0.6	0.7	0.9	0.8	0.9	1.4	1.5	2.0	1.2	1.1	1.0	13.0
	04 LST	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.1	0.1	0.1	1.1
	10 LST	1.8	1.2	1.3	1.3	1.3	1.7	2.2	2.8	3.5	3.1	2.8	2.7	25.7
	16 LST	2.2	1.8	0.3	0.2	0.5	0.6	1.6	5.1	5.0	3.7	4.7	3.7	29.4
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	22 LST	20.1	17.7	18.7	16.6	15.2	14.6	15.7	17.3	18.0	20.8	19.1	20.8	214.6
	04 LST	19.7	16.2	16.4	17.4	17.7	17.4	21.3	21.3	22.2	23.1	20.1	18.2	233.0
	10 LST	20.1	17.4	18.4	16.9	15.9	14.8	15.3	15.5	16.0	17.3	16.8	18.1	202.5
	16 LST	16.3	12.4	19.7	19.6	20.6	18.4	16.1	13.4	13.8	17.0	15.3	15.8	198.3
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	22 LST	3.0	1.7	3.0	2.3	0.0	7.0	5.2	13.0	9.0			0.0	
	04 LST	1.0	3.0	2.7	2.3	0.0	2.5	1.3	6.0	6.6				
	10 LST	1.4	1.5	1.2	2.2	3.0	4.1	3.5	4.6	3.0	2.2	1.9	1.9	30.5
	16 LST	0.7	0.0	0.7	1.0	1.0	3.3	6.7	14.5	15.9				
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	22 LST	24.5	24.2	26.4	24.5	22.7	21.8	24.9	24.5	23.6	26.5	26.3	27.0	296.9
	04 LST	22.1	21.6	22.6	18.7	20.7	19.7	21.8	22.0	19.0	23.8	20.3	21.1	253.4
	10 LST	21.1	19.7	21.3	20.1	20.1	18.1	20.2	21.1	21.5	21.9	20.4	21.3	246.8
	16 LST	26.0	24.0	27.8	22.7	25.0	23.3	25.1	26.3	25.2	27.3	26.3	26.0	305.0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	22 LST	22.5	22.9	24.8	23.1	20.3	18.6	20.3	21.3	19.9	22.3	22.8	25.3	264.1
	04 LST	17.8	18.8	20.3	16.6	18.1	17.1	18.6	18.9	15.7	19.4	17.2	18.7	217.2
	10 LST	13.4	12.4	14.4	13.3	12.9	13.9	13.2	14.4	12.6	14.0	13.6	14.1	162.2
	16 LST	23.5	22.2	26.1	21.8	23.3	21.9	23.2	24.2	23.5	25.4	24.3	23.6	283.0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	22 LST	21.8	21.9	24.2	21.7	19.6	16.4	18.6	20.0	19.4	21.4	21.8	24.6	251.4
	04 LST	17.0	17.5	19.2	15.5	17.1	14.6	16.5	17.3	14.9	18.3	16.2	17.3	201.6
	10 LST	13.1	12.1	14.0	12.9	12.6	13.3	12.9	14.0	12.5	13.7	13.5	13.8	158.4
	16 LST	21.5	21.7	25.0	20.4	20.8	18.8	20.6	22.4	22.0	24.3	23.2	22.9	263.6

# FERNANDO DE NORONHA, BRAZIL

STA NO. 82400 (IN AREA NUMBER OR)

LATITUDE 03515

LONGITUDE 03225W

ELEVATION(FT) 00148

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	90	90	90	90	93	90	86	86	88	93	87	88	93	32	-555
MEAN MAX TMP (F)	84	84	84	82	82	81	81	81	81	82	82	82	82	32	-55
MEAN MIN TMP (F)	75	75	75	75	75	75	73	73	73	75	75	75	75	32	-55
ABS MIN TMP (F)	68	63	70	68	68	68	68	64	64	68	66	63	63	32	-555
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.1	0.1	0.0	0.1	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.7	11	2823
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32	-29
MEAN DEW PT TMP (F)	73	73	73	74	74	72	71	70	69	70	72	71	72	3	11676
MEAN REL HUM (PCT)	82	83	83	85	84	83	82	80	79	78	79	81	82	32	-55
MEAN PRESS ALT (FT)	188	207	218	209	209	168	128	128	125	168	212	201	180	0	-50
MEAN PRECIP (IN)	1.73	4.69	7.44	17.47	10.47	7.28	5.39	1.93	0.67	0.32	0.43	0.51	51.3	32	-55
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.4	7.3	10.4	14.0	14.0	12.1	9.3	3.5	1.8	1.1	1.3	1.5	79.7	32	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	487
MEAN NO DYS TSTMS	1.0	1.0	2.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0	32	-24
P FREQ WND SPD = OR GTR 17 KTS	4.2	0.6	0.0	0.0	1.3	3.3	6.2	5.6	1.6	0.7	2.7	7.5	2.8	3	11676
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	11676
P FREQ LES 3000 FT A/O LES 5 MI	19.9	25.3	19.6	27.9	31.2	26.5	48.8	29.4	33.8	27.6	39.1	18.5	29.0	3	11673
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.0	1.1	0.0	10.1	18.0	8.9	12.9	5.9	0.0	1.1	0.0	0.0	4.8	3	1460
03-05 LST	0.0	2.3	2.2	18.9	18.0	8.9	14.5	4.3	0.8	0.0	0.0	0.0	5.8	3	1460
06-08 LST	3.3	3.5	3.9	12.7	12.7	6.3	18.8	0.5	3.6	1.1	0.6	0.5	5.6	4	2134
09-11 LST	3.6	4.5	4.5	9.2	9.4	4.1	12.9	0.7	0.9	0.4	0.0	0.0	4.7	8	3192
12-14 LST	3.3	3.5	1.6	13.9	13.4	4.1	16.1	1.1	0.9	0.0	0.0	0.5	4.9	4	2281
15-17 LST	3.3	4.1	3.8	5.0	14.0	3.4	12.9	3.2	0.0	0.0	0.0	0.0	4.1	4	2242
18-20 LST	0.0	1.1	0.0	13.3	15.3	8.9	14.0	3.2	0.9	0.0	0.0	0.0	4.7	3	1715
21-23 LST	0.0	0.0	0.0	7.9	11.2	6.7	10.3	0.0	0.6	0.0	0.0	0.0	3.1	3	1541
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	1460
03-05 LST	0.0	0.0	0.0	1.1	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.1	3	1460
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	4	2134
09-11 LST	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	3192
12-14 LST	0.0	0.0	0.0	0.6	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	2281
15-17 LST	0.0	0.0	0.0	0.6	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4	2242
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	1715
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	1541

# FERNANDO DE NORONHA, BRAZIL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	22 LST	31.0	28.0	31.0	30.0	30.4	30.0	31.0	31.0	30.0	31.0	30.0	31.0	364.4	3	573
	04 LST	31.0	28.0	31.0	29.0	31.0	29.5	30.0	31.0	30.0	30.5	30.0	31.0	362.0	3	613
	10 LST	30.5	27.6	30.8	29.8	29.9	29.7	30.0	31.0	30.0	31.0	30.0	31.0	361.3	8	1673
	16 LST	31.0	28.0	31.0	29.0	29.8	29.6	29.5	31.0	30.0	31.0	30.0	31.0	360.9	4	761
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	22 LST	14.0	22.2	26.0	24.0	20.1	14.5	12.0	11.0	10.1	7.0	1.8	5.0	167.7	3	573
	04 LST	13.0	15.4	20.0	17.0	17.4	14.0	8.0	10.0	10.5	9.5	3.5	9.0	147.3	3	613
	10 LST	3.3	4.9	6.7	7.1	5.5	5.0	3.3	2.0	1.3	1.1	0.2	0.4	40.8	8	1666
	16 LST	9.1	10.8	20.0	18.5	18.6	13.8	6.0	5.0	6.5	9.5	3.5	2.5	123.8	4	761
SFC WND = GTR 17 KTS AND NO PRFCIP.	22 LST	5.1	3.4	7.5	7.2	5.9	7.4	6.5	8.2	5.6	6.2	6.2	7.8	77.0	5	1052
	04 LST	0.0	1.0	0.0	0.0	0.6	1.0	1.6	1.5	0.0	0.5	0.5	1.0	7.7	3	604
	10 LST	15.8	10.6	11.5	9.0	10.6	12.8	16.4	17.5	16.0	15.9	18.2	18.4	172.7	15	3810
	16 LST	0.5	0.0	0.0	0.0	0.6	1.4	1.5	1.0	0.4	0.5	0.5	1.0	7.4	4	759
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	22 LST	12.4	15.4	10.2	9.0	13.9	12.0	10.4	10.9	10.9	11.3	7.4	9.3	133.1	5	1052
	04 LST	16.0	22.2	19.0	13.0	17.1	19.5	19.4	18.5	17.5	16.5	9.5	16.7	204.9	3	604
	10 LST	4.8	5.6	8.7	8.6	5.5	6.9	4.9	3.1	2.1	1.5	1.4	1.8	54.9	15	3800
	16 LST	20.3	19.6	23.5	23.5	19.6	20.1	16.0	14.5	15.4	16.5	8.5	8.5	206.0	4	759
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	22 LST														0	0
	04 LST														0	0
	10 LST	11.6	13.0	12.0	14.3	14.9	13.1	13.0	17.7	15.2	14.6	14.2	11.6	165.2	10	2108
	16 LST	0.0	1.0	0.0	0.0		5.2								1	148
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	22 LST	29.0	22.2	25.0	24.0	21.9	23.5	20.0	23.0	23.1	26.5	23.4	28.0	289.6	3	573
	04 LST	25.0	22.2	21.0	18.0	20.5	22.5	18.5	26.0	23.9	25.0	20.5	26.0	269.1	3	613
	10 LST	25.1	22.5	24.1	23.6	25.4	23.2	19.3	26.5	26.3	26.9	26.0	25.6	294.5	8	1673
	16 LST	22.4	18.2	24.0	21.5	22.9	22.6	18.0	22.0	22.3	26.5	23.0	22.0	265.4	4	761
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	22 LST	29.0	22.2	25.0	23.0	21.9	22.0	19.5	21.5	20.7	24.0	22.8	28.0	279.6	3	573
	04 LST	25.0	22.2	20.0	16.0	20.5	22.5	17.5	25.0	21.9	22.0	18.5	25.5	256.6	3	613
	10 LST	24.4	21.6	23.0	22.7	22.9	22.4	17.6	25.0	24.4	24.2	25.0	24.9	278.1	8	1673
	16 LST	21.8	17.7	24.0	21.5	22.3	21.9	16.5	21.5	19.9	25.0	21.0	20.0	253.1	4	761
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	22 LST	29.0	22.2	24.0	23.0	20.1	22.0	19.5	21.0	19.9	23.0	22.2	28.0	273.9	3	573
	04 LST	24.0	22.2	20.0	16.0	19.8	22.5	17.5	25.0	19.9	19.5	18.0	24.0	248.4	3	613
	10 LST	24.4	21.6	22.8	22.5	22.5	21.9	17.0	24.3	24.1	24.0	24.1	24.1	273.3	8	1673
	16 LST	21.8	17.7	22.5	21.0	21.1	21.6	15.5	20.0	17.8	22.0	20.0	20.0	241.0	4	761


# AREA NO. 08

BRAZIL

OFFSHORE ISLAND

LATITUDE 0351S LONGITUDE 03225W

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		84	84	84	82	82	81	81	81	81	82	82	82	82
MEAN MIN TMP (F)		75	75	75	75	75	75	73	73	73	75	75	75	75
LARGST MEAN PRECIP(IN)		1.73	4.69	7.44	10.47	10.47	7.28	5.39	1.93	0.67	0.32	0.43	0.51	51.3
SMALLEST MEAN PRECIP(IN)		1.73	4.69	7.44	10.47	10.47	7.28	5.39	1.93	0.67	0.32	0.43	0.51	51.3
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	27 LST	31.0	28.0	31.0	30.0	30.4	30.0	31.0	31.0	30.0	31.0	30.0	31.0	364.4
	04 LST	31.0	28.0	31.0	29.0	31.0	29.5	30.0	31.0	30.0	30.5	30.0	31.0	362.0
	10 LST	30.5	27.6	30.8	29.8	29.9	29.7	30.0	31.0	30.0	31.0	30.0	31.0	361.3
	16 LST	31.0	28.0	31.0	29.0	29.8	29.6	29.5	31.0	30.0	31.0	30.0	31.0	360.9
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	27 LST	14.0	22.2	26.0	24.0	20.1	14.5	12.0	11.0	10.1	7.0	1.8	5.0	167.7
	04 LST	13.0	15.4	20.0	17.0	7.4	14.0	8.0	10.0	10.5	9.5	3.5	9.0	147.3
	10 LST	3.3	4.9	6.7	7.1	5.5	5.0	3.3	2.0	1.3	1.1	0.2	0.4	40.8
	16 LST	9.1	10.8	20.0	18.5	18.6	13.8	6.0	5.0	6.5	9.5	3.5	2.5	123.8
SFC WND = GTR 17 KTS AND NO PRECIP.	27 LST	5.1	3.4	7.5	7.2	5.9	7.4	6.5	8.2	5.6	6.2	6.2	7.8	77.0
	04 LST	0.0	1.0	0.0	0.0	0.6	1.0	1.6	1.5	0.0	0.5	0.5	1.0	7.7
	10 LST	15.8	10.6	11.5	9.0	10.6	12.8	16.4	17.5	16.0	15.9	18.2	18.4	172.7
	16 LST	0.5	0.0	0.0	0.0	0.6	1.4	1.5	1.0	0.4	0.5	0.5	1.0	7.4
SFC WND 4-10 KTS AND TMP DEG F AND NO PRECIP.	27 LST	12.4	15.4	10.2	9.0	13.9	12.0	10.4	10.9	10.9	11.3	7.4	9.3	133.1
	04 LST	16.0	22.2	19.0	13.0	17.1	19.5	19.4	18.5	17.5	16.5	9.5	16.7	204.9
	10 LST	4.8	5.6	8.7	8.6	5.5	6.9	4.9	3.1	2.1	1.5	1.4	1.8	54.9
	16 LST	20.3	19.6	23.5	23.5	19.6	20.1	16.0	14.5	15.4	16.5	8.5	8.5	206.0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	27 LST													
	04 LST													
	10 LST	11.6	13.0	12.0	14.3	14.9	13.1	13.0	17.7	15.2	14.6	14.2	11.6	165.2
	16 LST	0.0	1.0	0.0	0.0		5.2							
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	27 LST	29.0	22.2	25.0	24.0	21.9	23.5	20.0	23.0	23.1	26.5	23.4	24.0	289.6
	04 LST	25.0	22.2	21.0	18.0	20.5	22.5	18.5	26.0	23.9	25.0	20.5	26.0	269.1
	10 LST	25.1	22.5	24.1	23.6	25.4	23.2	19.3	26.5	26.3	26.9	26.0	25.6	294.5
	16 LST	22.4	18.2	24.0	21.5	22.9	22.6	18.0	22.0	22.3	26.5	23.0	22.0	265.4
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	27 LST	29.0	22.2	25.0	23.0	21.9	22.0	19.5	21.5	20.7	24.0	22.8	28.0	279.6
	04 LST	25.0	22.2	20.0	16.0	20.5	22.5	17.5	25.0	21.9	22.0	18.5	25.5	256.6
	10 LST	24.4	21.6	27.0	22.7	22.9	22.4	17.6	25.0	24.4	24.2	25.0	24.9	278.1
	16 LST	21.8	17.7	24.0	21.5	22.3	21.9	16.5	21.5	19.9	23.0	21.0	20.0	253.1
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	27 LST	29.0	22.2	24.0	23.0	20.1	22.0	19.5	21.0	19.9	23.0	22.2	28.0	273.9
	04 LST	24.0	22.2	20.0	16.0	19.8	22.5	17.5	25.0	19.9	19.5	18.0	24.0	248.4
	10 LST	24.4	21.6	22.8	22.5	22.5	21.9	17.0	24.3	24.1	24.0	24.1	24.1	273.3
	16 LST	21.8	17.7	22.5	21.0	21.1	21.6	15.5	20.0	17.8	22.0	20.0	20.0	241.0



# ARTIGAS, URUGUAY

STA NO. 86330 (IN AREA NUMBER 01)

LATITUDE 3024S

LONGITUDE 05623W

ELEVATION(FT) 00384

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	106	104	105	97	87	85	85	91	93	93	103	107	107	13	-91
MFAN MAX TMP (F)	91	90	85	77	71	66	65	70	72	75	84	89	78	13	-91
MFAN MIN TMP (F)	65	65	62	55	50	48	45	49	52	54	58	62	55	13	-91
ABS MIN TMP (F)	47	48	43	36	30	24	25	25	30	34	42	43	24	13	-591
MFAN NO DYS TMP = OR GTR 90(F)	21.0	16.8	6.7		0.0	0.0	0.0				4.8	16.1		13	-29
MFAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	1.6	1.3	0.3	0.0	0.0	0.0	0.0	3.2	13	-29
MFAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MFAN DFW PT TMP (F)	61	62	61	56	53	51	47	49	52	54	55	56	55	13	-29
MFAN REL HUM (PCT)	60	63	68	72	78	81	77	71	73	71	61	56	69	13	-91
MFAN PRESS ALT (FT)														0	0
MFAN PRECIP (IN)	4.34	3.85	4.69	5.05	4.15	4.11	2.76	2.98	4.01	4.70	3.83	4.10	48.6	50	-90
MFAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		13	-29
MFAN NO DYS PRCP = OR GTR 0.1 IN	6.9	6.3	7.0	7.5	6.3	7.2	4.9	5.3	6.4	7.1	6.2	6.6	77.7	50	-29
MFAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		13	-29
MFAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MFAN NO DYS TSTMS	3.0	3.0	2.0	1.0	2.0	2.0	1.0	2.0	2.0	2.0	1.0	3.0	24.0	8	-35
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.6	1.3	10.6	12.9	9.6	20.4	13.0	6.3	11.6	4.9	6.3	2.9	8.7	5	1012
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	3.5	4.7	4.6	4.1	7.0	2.1	1.2	2.5	0.0	0.0	2.5	5	1012
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# ARTIGAS, URUGUAY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	30.6	28.0	28.8	28.2	28.7	24.8	28.2	29.4	26.9	29.8	30.0	30.5	343.9	5	1012
	14 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST													0	0	
	02 LST													0	0	
	08 LST	23.7	24.7	25.3	25.6	26.4	20.1	24.4	25.6	19.5	19.7	21.8	22.0	278.8	5	992
	14 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST													0	0	
	02 LST													0	0	
	08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	1.3	1.7	5	993
	14 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST													0	0	
	02 LST													0	0	
	08 LST	9.2	6.3	7.8	4.8	5.8	6.5	6.8	8.2	9.6	10.9	11.0	8.2	95.1	5	975
	14 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	18.7	18.8	15.8	15.0	8.1	9.4	11.2	13.1	10.3	14.9	20.5	19.5	175.3	5	1014
	14 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	28.1	26.9	25.9	25.1	24.3	19.6	24.5	27.1	21.6	26.0	27.6	28.3	305.0	5	1012
	14 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	27.1	25.5	24.1	22.9	19.4	17.4	22.9	25.1	18.1	21.0	26.6	25.2	275.3	5	1012
	14 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	27.1	25.5	24.1	22.9	19.4	17.4	22.9	25.1	18.1	21.0	26.6	25.2	275.3	5	1012
	14 LST													0	0	

# RIVERA, URUGUAY

STA NO. 86350 (IN AREA NUMBER 01)

LATITUDE 3053S

LONGITUDE 05547W

ELEVATION(FT) 00820

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	63	62	62	53	52	46	45	46	48	50	55	60	54	5	1132
MEAN MIN TMP (F)	50	46	50	32	37	32	30	30	32	37	41	45	30	5	1132
ABS MIN TMP (F)														0	0
MFAN NO DYS TMP = OR GTR 90(F)													3.5	5	1132
MFAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.3	0.0	0.3	1.4	0.0	0.6	0.0	0.0	0.0	0.0	5	1132
MFAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN DFW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	4.12	3.82	4.75	4.76	4.47	4.35	3.52	3.84	4.78	4.51	3.39	3.41	59.7	50	-90
MEAN PRECIP (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN SNOW FALL (IN)														50	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.6	6.2	7.1	7.1	6.7	7.6	6.2	6.7	7.1	6.9	5.7	5.7	79.6	5	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														5	1152
06-08 LST	5.1	5.1	19.6	17.5	25.6	41.2	24.8	20.4	19.4	14.9	4.5	3.2	16.8	0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														5	1152
06-08 LST	1.0	0.0	3.3	8.2	13.3	19.6	11.9	9.3	0.0	2.1	0.0	0.0	5.7	0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# RIVERA, URUGUAY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	29.7	27.6	26.3	26.0	23.4	18.8	24.1	26.4	26.8	27.7	30.0	31.0	5	1152
	14 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	20 LST													0	0
	02 LST													0	0
	08 LST	28.1	25.4	23.3	23.7	22.1	17.2	21.5	22.7	19.6	22.2	25.4	29.6	5	1129
	14 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST													0	0
	02 LST													0	0
	08 LST	0.0	0.0	0.3	0.3	0.0	0.0	0.0	0.6	0.7	0.3	0.3	2.5	5	1157
	14 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST													0	0
	02 LST													0	0
	08 LST	15.0	12.6	12.5	9.9	9.1	9.4	9.9	11.3	12.3	11.8	16.4	13.4	5	1148
	14 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	11.6	13.0	9.7	11.7	7.3	4.7	9.6	10.2	7.6	12.6	12.7	12.2	5	1161
	14 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	28.5	25.5	22.9	23.8	22.0	16.5	21.6	22.9	21.0	24.4	27.3	29.6	5	1152
	14 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	26.6	23.7	21.5	21.6	21.3	15.6	21.3	22.7	20.1	23.1	23.9	27.0	5	1152
	14 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	26.2	23.7	21.5	21.6	21.3	15.6	21.3	22.7	20.1	23.1	23.9	27.0	5	1152
	14 LST													0	0

# NUEVA HESPERIDES, URUGUAY

STA NO. 86359/ (IN AREA NUMBER 01)

LATITUDE 31265

LONGITUDE 05758W

ELEVATION(FT) 00169

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	106	104	104	99	88	84	82	91	96	101	102	104	106	13	-86360
MEAN MAX TMP (F)	89	87	83	75	69	63	63	67	70	74	82	87	76	13	-86360
MEAN MIN TMP (F)	65	67	61	54	50	46	44	47	58	53	57	62	55	13	-86360
ABS MIN TMP (F)	47	49	43	37	30	25	23	26	30	34	39	45	23	13	-86360
MEAN NO DYS TMP = OR GTR 90(F)	19.9	14.2	9.8	0.4	0.0	0.0	0.0	0.0	0.2	1.0	5.4	13.3	64.2	5	-86360
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	1.1	3.3	1.2	0.0	0.0	0.0	0.0	5.6	13	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN DEW PT TMP (F)	61	61	60	57	50	48	47	48	52	54	56	60	55	0	-50
MEAN REL HUM (PCT)	57	61	65	69	73	77	72	68	68	66	59	53	66	12	-86360
MEAN PRESS ALT (FT)	250	200	200	100	100	50	50	50	100	150	200	250	142	0	-50
MEAN PRECIP (IN)	3.91	3.76	5.30	5.11	3.60	2.53	2.76	2.95	3.75	4.09	2.34	3.59	43.7	50	-86360
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		13	-29
MEAN NO DYS PKCP = OR GTR 0.1 IN	6.4	6.2	7.8	7.5	5.6	4.5	4.9	5.3	6.1	6.4	4.4	6.0	71.1	50	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		13	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	2.8	2.1	7.9	9.5	10.4	17.3	13.2	11.3	11.6	4.0	1.6	1.4	7.8	5	-86360
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST	3.3	0.8	2.8	2.1	5.8	3.4	6.7	4.3	7.4	3.4	0.0	1.1	3.4	5	-86360
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	2.6	5.4	3.7	9.4	7.9	6.7	2.1	0.7	0.0	0.0	3.2	5	-86360
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST	0.8	0.0	0.0	1.4	0.0	0.0	0.7	0.7	1.5	0.7	0.0	0.0	0.6	5	-86360
21-23 LST														0	0

# NUEVA HESPERIDES, URUGUAY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	30.0	27.7	30.6	29.3	30.3	28.7	29.9	29.9	26.2	30.6	30.0	30.7	355.9	5	-86360
	02 LST														0	0
	08 LST	30.1	27.6	28.9	27.8	28.4	25.4	27.3	28.1	26.3	30.2	29.8	30.8	340.7	5	-86360
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	20 LST	24.6	23.6	26.0	25.4	22.4	22.8	21.8	22.8	17.7	23.5	24.1	23.7	278.4	5	-86360
	02 LST														0	0
	08 LST	20.2	16.6	18.0	19.9	19.7	17.7	17.0	18.4	13.6	15.3	15.8	20.0	212.2	5	-86360
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRFCIP.	20 LST	0.9	1.0	0.4	0.8	0.4	0.5	0.4	1.1	1.9	1.0	1.7	0.6	10.7	5	-86360
	02 LST														0	0
	08 LST	1.1	0.4	1.2	1.6	1.0	1.5	1.2	2.7	4.1	3.5	2.6	0.2	21.1	5	-86360
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	6.9	7.0	6.0	8.2	9.0	8.5	11.5	11.7	14.7	9.7	4.9	10.7	108.8	5	-86360
	02 LST														0	0
	08 LST	14.8	12.4	11.7	13.7	13.8	9.3	7.9	9.6	9.2	13.2	12.8	16.6	145.0	5	-86360
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	17.1	17.1	17.8	20.6	18.8	18.2	17.9	19.9	16.2	18.4	20.1	18.0	220.1	5	-86360
	02 LST														0	0
	08 LST	18.2	17.2	17.1	17.7	11.6	9.7	14.3	16.1	11.8	16.7	19.4	18.8	188.6	5	-86360
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	29.7	27.5	29.3	28.9	28.7	27.7	27.9	28.3	26.6	28.9	30.0	29.7	343.2	5	-86360
	02 LST														0	0
	08 LST	29.0	26.6	26.5	25.9	25.9	22.4	25.5	26.2	23.0	28.1	28.8	30.1	318.0	5	-86360
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	29.0	25.9	25.6	25.7	24.7	22.8	23.9	24.6	21.2	23.5	26.7	28.0	301.4	5	-86360
	02 LST														0	0
	08 LST	26.9	24.4	23.6	24.1	22.7	16.8	22.8	23.7	19.1	25.0	26.6	28.1	283.8	5	-86360
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	28.2	24.3	24.9	25.0	23.3	21.5	22.0	24.4	21.0	22.7	26.0	27.3	290.6	5	-86360
	02 LST														0	0
	08 LST	26.9	23.6	22.8	23.3	20.9	15.8	20.3	22.3	18.7	24.2	25.9	27.4	272.1	5	-86360
	14 LST														0	0

# SALTO, URUGUAY

STA NO. 86360 (IN AREA NUMBER 01)

LATITUDE 31235

LONGITUDE 05758W

ELEVATION(FT) 00151

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	106	104	104	99	88	84	88	91	96	101	102	104	106	13	-591
MEAN MAX TMP (F)	89	87	83	75	69	63	63	67	70	74	82	87	76	13	-91
MEAN MIN TMP (F)	65	67	61	54	50	46	44	47	58	53	57	62	55	13	-91
ABS MIN TMP (F)	47	49	43	37	30	25	23	26	30	34	39	45	23	13	-591
MEAN NO DYS TMP = OR GTR 90(F)	19.9	14.2	9.8	0.4	0.0	0.0	0.0	0.0	0.2	1.0	5.4	13.3	64.2	5	1574
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	1.1	3.3	1.2	0.0	0.0	0.0	0.0	5.6	13	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN DEW PT TMP (F)	58	61	58	53	50	47	44	45	52	50	53	54	52	13	-29
MEAN REL HUM (PCT)	57	61	65	69	73	77	72	68	68	66	59	53	66	12	-91
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.91	3.76	5.30	5.11	3.60	2.53	2.76	2.95	3.75	4.09	2.34	3.59	43.7	50	-90
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		13	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.4	6.2	7.8	7.5	5.6	4.5	4.9	5.3	6.1	6.4	4.4	6.0	71.1	50	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		13	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	2.8	2.1	7.9	9.5	10.4	17.3	13.2	11.3	11.6	4.0	1.6	1.4	7.8	5	1737
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST	3.3	0.8	2.8	2.1	5.8	3.4	6.7	4.3	7.4	3.4	0.0	1.1	3.4	5	1527
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	2.6	5.4	3.2	9.4	7.9	6.7	2.1	0.7	0.0	0.0	3.2	5	1737
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST	0.8	0.0	0.0	1.4	0.0	0.9	0.7	0.7	1.5	0.7	0.0	0.0	0.6	5	1527
21-23 LST														0	0

# SALTO, URUGUAY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	30.0	27.7	30.6	29.3	30.3	28.7	29.9	29.9	28.2	30.6	30.0	30.7	355.9	5	1525
	02 LST														0	0
	08 LST	30.1	27.6	28.9	27.8	28.4	25.4	27.3	28.1	26.3	30.2	29.8	30.8	340.7	5	1737
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	24.6	23.6	20.0	25.4	22.4	22.8	21.8	22.8	17.7	23.5	24.1	23.7	278.4	5	1523
	02 LST														0	0
	08 LST	20.2	16.6	18.0	19.9	19.7	17.7	17.0	18.4	13.6	15.3	15.8	20.0	212.2	5	1733
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	0.9	1.0	0.4	0.8	0.4	0.5	0.4	1.1	1.9	1.0	1.7	0.6	10.7	5	1593
	02 LST														0	0
	08 LST	1.1	0.4	1.2	1.6	1.0	1.5	1.2	2.7	4.1	3.5	2.6	0.2	21.1	5	1737
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	6.9	7.0	6.0	8.2	9.0	8.5	11.5	11.7	14.7	9.7	4.9	10.7	108.8	5	1593
	02 LST														0	0
	08 LST	14.8	12.4	11.7	13.7	13.8	9.3	7.9	9.6	9.2	13.2	12.8	16.6	145.0	5	1728
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	17.1	17.1	17.8	20.6	18.8	18.2	17.9	19.9	16.2	18.4	20.1	18.0	220.1	5	1589
	02 LST														0	0
	08 LST	18.2	17.2	17.1	17.7	11.6	9.7	14.3	16.1	11.8	16.7	19.4	18.8	188.6	5	1735
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	29.7	27.5	29.3	28.9	28.7	27.7	27.9	28.3	26.6	28.9	30.0	29.7	343.2	5	1525
	02 LST														0	0
	08 LST	29.0	26.6	26.5	25.9	25.9	22.4	25.5	26.2	23.0	28.1	28.8	30.1	318.4	5	1737
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	29.0	25.9	25.6	25.7	24.5	22.8	23.9	24.6	21.2	23.5	26.7	28.0	301.4	5	1525
	02 LST														0	0
	08 LST	26.9	24.4	23.6	24.1	22.7	16.8	22.8	23.7	19.1	25.0	26.6	28.1	283.8	5	1737
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	28.2	24.3	24.9	25.0	23.3	21.5	22.0	24.4	21.0	22.7	26.0	27.3	290.6	5	1525
	02 LST														0	0
	08 LST	26.9	23.6	22.8	23.3	20.9	15.8	20.3	22.3	18.7	24.2	25.9	27.4	272.1	5	1737
	14 LST														0	0

# MELO, URUGUAY

STA NO. 86440 (IN AREA NUMBR 01)

LATITUDE 3225

LONGITUDE 05412W

ELEVATION(FT) 00361

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	109	104	104	100	86	86	82	90	92	98	99	105	109	7	-535
MFAN MAX TMP (F)	90	88	83	77	69	64	64	67	69	75	81	86	76	7	-35
MEAN MIN TMP (F)	62	62	61	54	49	46	43	47	49	52	56	59	53	7	-35
ABS MIN TMP (F)	46	45	38	36	30	27	20	27	30	33	38	40	20	7	-535
MFAN NO DYS TMP = OR GTR 90(F)	18.6	12.1	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	8.8	7.0	7	-29
MFAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.9	3.7	2.4	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MFAN DEW PT TMP (F)	60	61	60	56	51	48	46	49	49	52	55	57	54	7	-35
MEAN REL HUM (PCT)	62	65	70	74	78	80	78	77	73	69	66	63	71	7	-35
MEAN PRESS ALT (FT)														0	0
MFAN PRECIP (IN)	4.30	5.50	4.70	5.20	3.80	5.20	2.90	5.50	3.20	2.70	3.30	3.30	49.6	8	-35
MFAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MFAN NO DYS PRCP = OR GTR 0.1 IN	6.9	8.3	7.0	7.6	5.9	9.0	5.2	9.4	5.5	4.8	5.6	5.6	80.8	8	-29
MFAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MFAN NO DYS W/OCUR VSBY LES 1/2 MI	2.0	2.0	2.0	2.0	2.0	2.0	2.0	3.0	2.0	2.0	2.0	2.0	25.0	7	-35
MFAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	8.0	5.0	13.9	7.5	17.7	20.3	18.8	18.2	26.2	13.1	8.3	7.1	13.7	3	764
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST	4.9	5.9	9.1	2.9	6.5	5.8	7.5	4.6	14.6	6.8	4.8	0.0	6.0	3	700
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	2.5	1.3	8.9	8.7	8.7	7.6	4.9	1.6	0.0	0.0	3.7	3	764
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST	0.0	0.0	2.6	0.0	2.6	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.6	3	700
21-23 LST														0	0

# MELO, URUGUAY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	30.2	26.3	28.9	29.0	29.0	28.3	26.2	30.5	27.0	30.0	30.0	31.0	346.4	3	657
	02 LST														0	0
	08 LST	28.5	27.5	27.1	28.1	25.1	21.3	20.6	25.4	24.1	27.9	29.4	29.5	314.5	3	764
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	14.7	15.9	22.2	20.5	22.8	21.3	19.7	22.0	14.3	18.8	13.4	21.3	226.9	3	657
	02 LST														0	0
	08 LST	18.6	21.4	21.9	22.5	20.8	15.9	15.7	18.6	15.2	18.1	16.9	20.6	226.2	3	761
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	0.0	0.4	0.0	0.5	0.4	0.0	0.0	0.5	1.4	1.4	0.8	1.9	7.3	3	664
	02 LST														0	0
	08 LST	0.6	0.8	0.4	0.4	0.8	0.0	0.0	0.5	1.0	2.6	3.7	1.5	12.3	3	771
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DFG F AND NO PRECIP.	20 LST	13.1	13.6	19.4	15.2	16.1	16.7	18.5	20.5	15.4	16.4	14.2	20.3	199.4	3	661
	02 LST														0	0
	08 LST	17.7	18.8	18.4	22.5	20.5	15.7	15.0	21.8	19.2	18.1	16.5	18.9	223.1	3	766
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	13.1	12.4	16.5	19.5	18.8	15.9	14.9	21.0	12.4	18.3	15.0	15.5	193.3	3	663
	02 LST														0	0
	08 LST	15.5	12.0	9.4	14.6	7.3	5.6	7.5	10.0	9.3	13.2	12.8	17.7	134.9	3	771
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	26.9	23.8	26.4	25.7	26.5	23.1	23.8	26.8	22.5	25.4	26.0	29.0	305.9	3	657
	02 LST														0	0
	08 LST	25.4	22.8	23.5	24.8	21.9	17.0	17.5	21.1	18.2	23.4	21.9	28.0	265.5	3	764
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	26.1	21.7	23.0	24.3	24.9	19.6	20.2	25.2	21.8	23.0	26.0	25.2	281.0	3	657
	02 LST														0	0
	08 LST	24.8	19.1	18.0	22.5	17.2	13.5	13.9	19.7	16.7	21.3	19.4	27.3	233.4	3	764
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	26.1	21.7	23.0	24.3	24.9	19.6	20.2	25.2	21.8	23.0	26.0	25.2	281.0	3	657
	02 LST														0	0
	08 LST	24.8	19.1	18.0	22.5	17.2	13.5	13.9	19.7	16.7	21.3	19.4	27.3	233.4	3	764
	14 LST														0	0

# PASO DE LOS TOROS, URUGUAY

STA NO. 86460 (IN AREA NUMBER 01)

LATITUDE 3246S

LONGITUDE 05632W

ELEVATION(FT) 00259

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)	63	63	62	51	52	47	44	48	48	50	54	60	54	4	758
ABS MIN TMP (F)	50	50	32	37	36	30	27	28	32	36	37	41	27	4	758
MEAN NO DYS TMP ≥ OR GTR 90(F)														0	0
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.6	0.0	0.0	1.4	6.1	1.0	0.5	0.0	0.0	0.0	9.6	4	758
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	758
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0		4	-29
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0		4	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD ≥ OR GTR 17 KTS														0	0
P FREQ WND SPD ≥ OR GTR 24 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	2.0	0.0	8.8	6.2	12.7	6.1	4.7	0.0	1.2	0.0	1.4	3.6	4	777
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 100 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	5.9	3.1	9.5	4.5	1.6	0.0	0.0	0.0	0.0	2.1	4	777
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# PASO DE LOS TOROS, URUGUAY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	31.0	28.0	31.0	27.8	29.5	27.1	28.2	30.0	30.0	31.0	30.0	30.6	354.2	4	777
	14 LST													0	0	
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LFS 10 KTS	20 LST													0	0	
	02 LST													0	0	
	08 LST	28.4	27.4	26.5	25.6	27.5	24.7	24.7	26.5	27.2	27.2	26.9	27.6	320.2	4	754
	14 LST													0	0	
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	20 LST													0	0	
	02 LST													0	0	
	08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.4	0.0	0.9	4	764	
	14 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DFG F AND NO PRECIP.	20 LST													0	0	
	02 LST													0	0	
	08 LST	13.4	12.7	14.2	12.3	11.9	5.8	10.3	11.7	15.2	16.7	15.4	18.8	158.4	4	746
	14 LST													0	0	
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	12.2	14.0	14.0	13.2	11.4	5.1	8.2	10.9	9.7	13.6	18.8	10.9	142.0	4	788
	14 LST													0	0	
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	26.9	24.0	24.5	23.4	22.4	18.1	21.6	25.7	22.4	25.4	26.1	26.3	286.8	4	777
	14 LST													0	0	
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	23.9	22.3	20.6	20.7	17.6	12.4	17.4	23.3	17.0	20.5	24.0	23.3	243.0	4	777
	14 LST													0	0	
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	23.9	22.3	20.6	20.7	17.6	12.4	17.4	23.3	17.0	20.5	24.0	23.3	243.0	4	777
	14 LST													0	0	

# TENIENTE PARALLA, URUGUAY

STA NO. 86465/ (IN AREA NUMFR 01)

LATITUDE 3323S

LONGITUDE 05629W

ELEVATION(FT) 00289

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	84	82	78	72	67	63	60	62	65	69	75	81	77	0	-50
MEAN MIN TMP (F)	62	63	61	53	52	47	44	48	48	49	54	59	53	5	-86550
ABS MIN TMP (F)	48	55	43	36	37	28	25	30	36	37	41	50	25	5	-86550
MEAN NO DYS TMP ≥ OR GTR 90(F)														0	0
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	2.6	2.9	0.0	0.0	0.0	0.0	0.0	5.5	5	-29
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN DEW PT TMP (F)	59	59	59	56	53	51	46	47	45	51	53	56	53	0	-50
MEAN REL HUM (PCT)	65	66	72	81	81	87	81	77	76	77	69	65	75	2	-29
MEAN PRESS ALI (FT)	350	300	250	200	200	150	150	150	100	200	250	250	213	0	-50
MEAN PRECIP (IN)	4.44	2.98	4.10	3.82	3.26	3.55	2.67	3.12	3.51	2.97	3.24	3.01	40.6	50	-86550
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0	0.0		5	-29
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	7.0	5.1	6.2	5.9	5.1	6.3	4.8	5.5	5.8	5.2	5.5	5.2	17.6	50	-29
MEAN NO DYS SHFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0	0.0		5	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD ≥ OR GTR 17 KTS														0	0
P FREQ WND SPD ≥ OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	16.2	23.8	22.0	32.5	39.5	32.4	30.2	35.7	33.3	21.1	16.7	15.0	26.5	5	-86550
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	2.7	0.0	0.0	15.0	23.7	13.5	7.0	16.7	2.4	0.0	0.0	0.0	6.8	5	-86550
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# TENIENTE PARALLA, URUGUAY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	27.6	24.0	24.9	21.0	19.6	20.3	23.1	21.4	25.7	27.2	26.9	27.9	289.6	5	-86550
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	12.9	13.3	15.5	15.4	15.9	16.7	16.6	14.8	11.4	16.0	10.0	13.4	171.9	5	-86550
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	1.7	0.0	2.1	1.5	0.0	1.7	0.7	2.2	3.5	0.5	0.6	4.1	18.6	5	-86550
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DFG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	10.9	14.6	15.9	11.5	11.7	5.8	11.3	11.1	11.2	13.5	11.1	14.7	143.3	5	-86550
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	12.0	14.6	15.1	10.2	6.7	7.3	9.1	11.1	4.3	9.8	15.6	12.4	128.2	5	-86550
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	25.1	20.0	23.4	17.3	17.9	18.6	20.9	17.0	14.3	21.7	23.1	23.7	243.0	5	-86550
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	24.3	20.0	23.4	16.5	15.5	17.8	18.7	17.0	11.4	21.2	23.1	23.3	232.2	5	-86550
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	24.3	20.0	23.4	16.5	15.5	17.8	18.7	17.0	11.4	21.2	23.1	23.3	232.2	5	-86550
	14 LST														0	0

# MERCEDES, URUGUAY

STA NO. 86490 (IN AREA NUMBER 01)

LATITUDE 3.135

LONGITUDE 05804W

ELEVATION(FT) 00069

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)	64	64	62	54	52	46	45	46	48	50	37	60	54	5	1048
ABS MIN TMP (F)	36	46	46	36	32	27	25	18	32	36	41	32	18	5	1048
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.3	3.6	2.2	2.0	1.3	0.0	0.0	0.4	9.8	5	1048
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1048
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.46	2.05	2.87	3.98	2.40	2.40	2.17	2.60	2.32	3.94	2.44	3.54	34.2	15	-34
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		5	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.3	3.8	4.7	6.1	4.1	4.3	3.9	4.7	4.3	6.3	4.5	5.9	58.4	15	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		5	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	3.8	8.8	17.2	9.5	20.7	30.9	18.6	13.6	16.5	12.0	5.2	4.1	13.4	5	1071
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	1.3	2.9	5.1	1.1	7.6	11.3	7.8	1.8	5.2	1.2	1.3	0.0	3.9	5	1071
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# MERCEDES, URUGUAY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	26.2	23.9	21.6	23.7	21.9	16.4	21.0	16.1	22.9	26.1	28.4	28.4	276.6	5	1071
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	19.8	16.0	14.2	19.6	18.6	12.9	17.2	12.2	14.4	20.5	20.3	19.2	204.9	5	1047
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	0.8	1.6	0.3	0.9	0.0	0.3	0.9	0.9	1.2	0.4	0.0	0.0	7.3	5	1054
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	25.2	19.7	23.9	25.8	25.5	20.2	23.6	24.8	21.9	24.8	23.8	22.4	281.6	5	1040
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	11.7	9.3	9.6	13.7	6.0	4.4	5.3	6.4	5.5	11.9	14.8	12.7	115.3	5	1072
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	25.0	21.4	18.4	22.1	19.2	13.0	17.6	15.2	18.8	24.3	27.3	27.6	249.9	5	1071
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	25.0	20.6	17.8	21.8	18.2	12.4	17.0	14.9	18.5	22.8	26.5	27.6	243.1	5	1071
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	25.0	20.6	17.8	21.8	18.2	12.4	17.0	14.9	18.5	22.8	26.5	27.2	242.7	5	1071
	14 LST														0	0

# TRIENTA Y TRES, URUGUAY

STA NO. 86500 (IN AREA NUMBER 01)

LATITUDE 33155

LONGITUDE 05428W

ELEVATION(FT) 00187

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	106	104	96	97	87	81	80	87	86	91	97	100	106	9	-35
MFAN MAX TMP (F)	86	84	79	74	67	62	61	63	65	71	76	82	73	9	-35
MFAN MIN TMP (F)	62	63	59	55	51	46	45	46	46	52	55	60	53	9	-35
ABS MIN TMP (F)	43	43	37	32	32	24	25	26	30	32	32	34	24	9	-535
MFAN NO DYS TMP = OR GTR 90(F)	8.8	4.5			0.0	0.0	0.0	0.0	0.0			2.7		9	-29
MEAN NO DYS TMP = OR LFS 32(F)	0.0	0.0	0.0	0.0	0.0	0.7	1.7	2.0	0.0	0.0	0.0	0.0	4.4	9	-29
MFAN NO DYS TMP = OR LFS 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MFAN DFW PT TMP (F)	58	60	57	54	51	47	46	46	46	51	52	56	52	9	-29
MFAN REL HUM (PCT)	62	66	69	72	78	79	80	75	73	72	65	63	71	9	-35
MFAN PRESS ALT (FT)														0	0
MFAN PRECIP (IN)	3.61	3.35	3.94	4.31	3.84	4.42	3.45	3.87	4.48	3.52	2.67	2.82	44.1	50	-90
MFAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		9	-29
MFAN NO DYS PRCP = OR GTR 0.1 IN	6.0	5.6	6.0	6.5	5.9	7.7	6.1	6.8	6.8	5.8	4.8	4.9	72.9	50	-29
MFAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		9	-29
MFAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MFAN NO DYS TSTMS	5.0	6.0	5.0	5.0	5.0	4.0	4.0	5.0	4.0	5.0	5.0	8.0	61.0	9	-35
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.9	2.1	10.8	6.8	12.0	16.5	8.3	10.4	8.1	2.5	0.0	1.2	6.6	5	1121
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LFS 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	1.1	6.7	3.4	6.0	9.9	4.2	6.3	1.2	0.0	0.0	0.0	3.3	5	1121
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# TRIENTA Y TRES, URUGUAY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	31.0	27.4	28.2	28.0	27.6	26.4	28.4	26.8	29.0	31.0	30.0	30.6	5	1121
	14 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST													0	0
	02 LST													0	0
	08 LST	25.4	24.9	26.7	25.6	25.2	22.3	24.2	24.1	22.9	26.1	26.1	27.3	5	1096
	14 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST													0	0
	02 LST													0	0
	08 LST	0.8	0.6	0.0	0.2	0.3	0.3	0.7	0.3	0.7	1.2	0.9	0.3	5	1117
	14 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST													0	0
	02 LST													0	0
	08 LST	10.5	7.3	6.4	6.5	5.8	4.0	5.0	5.3	7.3	9.4	10.6	10.4	5	1098
	14 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	15.3	13.2	15.3	16.3	10.0	9.1	11.5	10.6	10.5	12.4	13.2	13.0	5	1134
	14 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	28.4	24.4	23.7	23.4	22.3	18.5	22.9	21.3	22.7	25.2	26.3	25.8	5	1121
	14 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	24.1	20.6	20.3	20.8	18.6	14.5	20.0	17.7	18.5	21.3	22.0	22.1	5	1121
	14 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	24.1	20.6	20.3	20.8	18.6	14.5	19.7	17.7	18.5	20.9	22.0	21.8	5	1121
	14 LST													0	0

# SAN JOSE, URUGUAY

STA NO. 86550 (IN AREA NUMBER 01)

LATITUDE 3421S

LONGITUDE 05643W

ELEVATION(FT) 00135

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)	62	63	61	53	52	47	44	48	48	49	54	59	53	5	494
ABS MIN TMP (F)	48	55	43	36	37	28	25	30	36	37	41	50	25	5	494
MEAN NO DYS TMP ≥ OR GTR 90(F)														0	0
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	2.6	2.9	2.3	0.0	0.0	0.0	0.0	7.8	5	494
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	494
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.44	2.98	4.10	3.82	3.20	3.55	2.67	3.12	3.51	2.97	3.24	3.01	40.6	50	490
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0	0.0		5	29
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	7.0	5.1	6.2	5.9	5.1	6.3	4.8	5.5	5.8	5.2	5.5	5.2	67.6	50	29
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0	0.0		5	29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD ≥ OR GTR 17 KTS														0	0
P FREQ WND SPD ≥ OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	16.2	23.8	22.0	32.5	39.5	32.4	30.2	35.7	33.7	21.1	16.7	15.0	26.5	5	506
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	2.7	0.0	0.0	15.0	23.7	13.5	7.0	16.7	2.4	0.0	0.0	0.0	6.8	5	506
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# SAN JOSE, URUGUAY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	27.6	24.0	24.9	21.0	19.6	20.3	23.1	21.4	25.7	27.2	26.9	27.9	289.6	5	506
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	12.9	13.3	15.5	15.4	15.9	16.7	16.6	14.8	11.4	16.0	10.0	13.4	171.9	5	497
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	1.7	0.0	2.1	1.5	0.0	1.7	0.7	2.2	3.5	0.5	0.6	4.1	18.6	5	504
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	10.9	14.6	15.9	11.5	11.7	5.8	11.3	11.1	11.2	13.5	11.1	14.7	143.3	5	494
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	12.0	14.6	15.1	10.2	6.7	7.3	9.1	11.1	4.3	9.8	15.6	12.4	128.2	5	508
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	25.1	20.0	23.4	17.3	17.9	18.6	20.9	17.0	14.3	21.7	23.1	23.7	243.0	5	506
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	24.3	20.0	23.4	16.5	15.5	17.8	18.7	17.0	11.4	21.2	23.1	23.3	232.2	5	506
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	24.3	20.0	23.4	16.5	15.5	17.8	18.7	17.0	11.4	21.2	23.1	23.3	232.2	5	506
	14 LST														0	0

# MINAS, URUGUAY

STA NO. 86555/ (IN A FA NUMBR 01)

LATITUDE 34235

LONGITUDE 05514W

ELEVATION(FT) 00436

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	97	102	95	89	95	78	79	74	92	88	94	94	102	3	-35
MFAN MAX TMP (F)	83	84	76	71	66	63	62	62	65	68	75	81	71	3	-35
MFAN MIN TMP (F)	64	64	63	56	52	50	46	48	50	51	57	60	55	5	692
ARS MIN TMP (F)	48	50	50	41	32	34	27	30	36	37	41	45	27	5	692
MFAN NO DYS TMP = OR GTR 90(F)	3.6	4.5		0.0		0.0	0.0	0.0		0.0		2.4		3	-29
MFAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.6	0.0	1.4	1.0	0.0	0.0	0.0	0.0	3.0	5	692
MFAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	692
MFAN DFW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MFAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.40	5.20	4.90	7.50	5.80	4.60	4.90	5.10	5.50	5.10	2.60	6.30	60.9	3	-35
MFAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MFAN NO DYS PRCP = OR GTR 0.1 IN	5.7	7.9	7.3	10.5	8.4	8.0	8.5	8.8	7.8	7.4	4.7	9.2	94.2	3	-29
MFAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MFAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MFAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	2.1	1.7	6.9	7.1	18.8	10.4	7.8	5.6	0.0	1.6	1.6	5.3	5	699
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 100 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	3.4	3.6	13.0	4.5	4.7	5.6	0.0	0.0	0.0	2.9	5	699
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# MINAS, URUGUAY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	31.0	28.0	30.5	28.4	28.2	25.2	27.7	28.6	25.3	31.0	29.0	30.5	346.4	5	699
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	25.1	24.9	27.2	25.8	25.5	21.6	24.9	23.3	24.9	27.2	24.4	24.1	298.9	5	685
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO FRFCIP.	20 LST														0	0
	02 LST														0	0
	08 LST	0.0	0.6	0.0	0.7	0.0	0.0	0.5	0.5	0.5	0.0	0.0	0.0	2.1	5	498
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DFG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	20.4	12.2	13.4	8.9	6.5	7.1	7.5	7.1	8.5	14.0	14.5	19.0	139.1	5	694
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	13.9	8.9	11.7	10.5	4.3	7.8	7.4	7.5	6.7	9.4	12.0	10.6	110.7	5	706
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	29.4	26.2	27.3	25.9	23.8	20.9	24.1	26.6	22.8	28.4	27.6	28.6	311.6	5	699
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	27.7	22.7	24.1	21.2	20.5	16.1	20.3	22.3	15.0	23.7	23.7	27.6	264.9	5	499
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	27.7	22.7	24.1	21.2	20.5	16.1	20.3	22.3	15.0	23.7	23.7	27.6	264.9	5	699
	14 LST														0	0

# COLONIA, URUGUAY

STA NO. 86560 (IN ARFA NUMBER 01)

LATITUDE 34285

LONGITUDE 05751W

ELEVATION(FT) 00046

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	99	95	98	89	86	79	80	83	85	86	94	94	99	13	-91
MEAN MAX TMP (F)	82	81	77	71	65	59	58	61	64	68	75	80	70	13	-91
MEAN MIN TMP (F)	66	66	64	58	53	49	46	48	51	55	59	63	57	13	-91
ARS MIN TMP (F)	46	50	50	45	37	31	31	32	32	38	36	37	31	13	-591
MEAN NO DYS TMP ≥ OR GTR 90(F)	2.7	2.1		0.0	0.0	0.0	0.0	0.0	0.0	0.0				13	-29
MEAN NO DYS TMP ≥ OR LFS 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS TMP ≥ OR LFS 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN DEW PT TMP (F)	60	61	60	55	51	47	44	46	48	50	54	57	53	13	-29
MEAN REL HUM (PCT)	66	69	72	73	77	79	77	75	74	70	56	64	72	13	-91
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.54	2.93	4.06	4.15	3.21	2.88	2.46	2.84	3.33	2.94	3.31	2.93	38.6	10	190
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	5.9	5.1	6.2	6.3	5.1	5.1	4.4	5.1	5.6	5.1	5.6	5.1	64.6	50	-29
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS W/OCUP VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	3.0	2.0	2.0	2.0	3.0	2.0	1.0	2.0	2.0	3.0	3.0	3.0	28.0	10	-33
P FREQ WND SPD ≥ OR GTR 17 KTS														0	0
P FREQ WND SPD ≥ OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	6.9	4.7	10.5	7.6	13.5	19.5	14.1	20.6	18.4	12.9	10.1	3.2	11.9	5	1476
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.8	0.9	0.0	0.0	1.7	4.9	1.5	3.2	1.6	0.0	0.0	0.0	1.2	5	1476
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# COLONIA, URUGUAY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	29.3	27.5	29.2	29.5	28.0	25.6	28.0	26.3	26.4	28.9	28.7	31.0	338.4	5	1476
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LFS 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	12.1	9.2	9.8	10.9	7.4	9.8	7.1	8.6	6.6	8.0	9.9	10.5	109.9	5	1427
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	8.8	7.6	9.5	8.0	8.2	7.2	8.2	10.6	9.1	7.5	6.4	8.4	99.5	5	1451
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DFG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	10.8	7.7	9.6	9.8	7.3	11.8	7.3	8.1	6.3	7.3	10.0	8.5	104.5	5	1414
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	13.1	9.4	10.3	10.7	6.4	6.4	8.2	10.8	5.9	9.0	13.6	10.9	114.7	5	1488
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	26.9	23.2	24.7	24.7	23.4	20.2	23.2	22.1	21.4	22.7	24.2	27.3	284.0	5	1476
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	22.4	17.4	18.7	19.9	16.4	13.4	16.7	19.9	15.4	18.4	20.2	20.9	219.7	5	1476
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	22.4	17.4	18.7	19.7	16.4	13.4	16.7	19.9	15.4	18.4	20.2	20.9	219.5	5	1476
	14 LST														0	0

# ROCHA, URUGUAY

STA NO. 86565 (IN AREA NUMBER 01)

LATITUDE 3430S

LONGITUDE 05420W

ELEVATION(FT) 00072

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	100	101	91	93	89	78	75	81	81	85	90	89	101	2	-35
MEAN MAX TMP (F)	83	84	78	75	66	62	60	62	65	71	75	77	72	2	-35
MEAN MIN TMP (F)	59	61	61	54	49	47	44	47	46	49	54	58	52	5	699
ABS MIN TMP (F)	37	46	43	37	36	30	27	28	34	34	39	43	27	5	699
MEAN NO DYS TMP ≥ OR GTH 90(F)	3.6	4.5			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		2	-29
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	1.7	4.1	0.9	0.0	0.0	0.0	0.0	6.7	5	699
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	699
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRFCIP (IN)	3.15	3.26	4.07	3.84	3.55	4.45	3.28	3.60	3.87	3.14	2.63	2.61	41.4	50	-90
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0		5	-29
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	5.4	5.5	6.2	5.9	5.5	7.8	5.8	6.3	6.2	5.4	4.7	4.6	69.3	50	-29
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0		5	-29
MEAN NO DYS W/OCUP VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD ≥ OR GTH 17 KTS														0	0
P FREQ WND SPD ≥ OR GTH 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	1.6	0.0	3.5	0.0	1.8	8.6	5.1	8.5	6.5	4.7	2.5	1.5	3.7	5	702
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	3.5	0.0	0.0	5.7	1.7	2.8	1.6	1.6	0.0	0.0	1.4	5	702
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# ROCHA, URUGUAY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	07 LST													0	0	
	08 LST	31.0	28.0	29.9	30.0	30.4	26.6	29.4	27.5	27.6	29.5	30.0	31.0	350.9	5	702
	14 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	20 LST													0	0	
	02 LST													0	0	
	08 LST	22.7	21.2	24.9	24.4	27.0	22.6	25.2	23.1	19.4	23.1	20.3	18.2	272.1	5	692
	14 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST													0	0	
	07 LST													0	0	
	08 LST	0.5	1.3	2.1	0.5	0.0	0.4	1.5	0.9	0.0	1.4	2.8	1.4	12.8	5	715
	14 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST													0	0	
	02 LST													0	0	
	08 LST	19.2	18.2	14.7	8.2	9.9	6.2	4.6	11.5	11.6	13.1	14.6	17.4	149.2	5	707
	14 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	14.8	13.4	12.1	13.1	10.1	9.0	13.2	10.2	8.7	9.2	10.4	11.1	135.3	5	716
	14 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	07 LST													0	0	
	08 LST	30.5	28.0	28.8	30.0	29.9	26.1	28.9	27.1	26.6	29.5	28.5	29.6	343.5	5	702
	14 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	02 LST													0	0	
	08 LST	20.0	20.0	19.6	21.1	20.6	17.6	21.5	18.3	20.3	17.9	16.5	20.2	235.8	5	702
	14 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST													0	0	
	07 LST													0	0	
	08 LST	21.5	18.6	17.9	20.0	20.3	16.7	18.9	17.5	19.4	16.9	15.0	19.7	222.4	5	702
	14 LST													0	0	

# CAPITAN CURBELO, URUGUAY

STA NO. 86566/ (IN AREA NUMBER 01)

LATITUDE 3452S

LONGITUDE 05505W

ELEVATION(FT) 00072

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	100	101	91	93	89	78	75	81	81	85	90	89	101	2	-86565
MEAN MAX TMP (F)	83	84	78	75	68	62	60	62	65	71	75	77	72	2	-86565
MEAN MIN TMP (F)	59	61	61	54	49	47	44	47	46	49	54	58	52	5	-86565
ABS MIN TMP (F)	37	46	43		36	30	27	28	34	34	39	43	27	5	-86565
MEAN NO DYS TMP ≥ OR GTR 90(F)	3.6	4.5			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	2	-29
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	4.1	0.9	0.0	0.0	0.0	0.0	5.0	5	-29
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN DEW PT TMP (F)	61	61	59	56	52	48	46	46	49	51	54	58	53	0	-50
MEAN REL HUM (PCT)	73	70	72	76	81	80	81	75	80	75	72	74	76	2	-29
MEAN PRESS ALT (FT)	100	100	50	0	0	0	-50	-50	-50	0	100	100	25	0	-50
MEAN PRECIP (IN)	3.15	3.26	4.07	3.84	3.55	4.45	3.28	3.60	3.87	3.14	2.63	2.61	41.4	50	-86565
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0		5	-29
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	5.4	5.5	6.2	5.9	5.5	7.8	5.8	6.3	6.2	5.4	4.7	4.6	67.3	50	-29
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0		5	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD ≥ OR GTR 17 KTS														0	0
P FREQ WND SPD ≥ OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	1.6	0.0	3.5	0.0	1.8	8.0	5.1	8.5	6.5	4.7	2.5	1.5	3.7	5	-86565
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	3.5	0.0	0.0	5.7	1.7	2.8	1.6	1.6	0.0	0.0	1.4	5	-86565
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# CAPITAN CURBELO, URUGUAY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	31.0	28.0	29.9	30.0	30.4	26.6	29.4	27.5	27.6	29.5	30.0	31.0	350.9	5	-86565
	14 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	22.7	21.2	24.9	24.4	27.0	22.6	25.2	23.1	19.4	23.1	20.3	18.2	272.1	5	-86565
	14 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	0.5	1.3	2.1	0.5	0.0	0.4	1.5	0.9	0.0	1.4	2.8	1.4	12.8	5	-86565
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	19.2	18.2	14.7	8.2	9.9	6.2	4.6	11.5	11.6	13.1	14.6	17.4	149.2	5	-86565
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	14.8	13.4	12.1	13.1	10.1	9.0	13.2	10.2	8.7	9.2	10.4	11.1	135.3	5	-86565
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	30.5	28.0	28.8	30.0	29.9	26.1	28.9	27.1	26.6	29.5	28.5	29.6	343.5	5	-86565
	14 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	22.0	20.0	19.6	21.1	20.8	17.6	21.5	18.3	20.3	17.9	16.5	20.2	235.8	5	-86565
	14 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	21.5	18.6	17.9	20.0	20.3	16.7	18.9	17.5	19.4	16.9	15.0	19.7	222.4	5	-86565
	14 LST														0	0

# GENERAL ARTIGAS, URUGUAY

STA NO. 86568/ (IN AREA NUMBER 01)      LATITUDE 34455      LONGITUDE 65558W      ELEVATION(FT) 00032

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	109	105	101	98	87	81	83	79	86	94	98	102	109	56	-86585
MFAN MAX TMP (F)	83	82	78	71	64	59	58	59	63	68	74	79	70	56	-86585
MFAN MIN TMP (F)	62	61	59	53	48	43	43	46	46	49	54	59	52	56	-86585
ABS MIN TMP (F)	46	46	40	36	29	28	26	25	29	29	38	41	25	56	-86585
MFAN NO DYS TMP ≥ OR GTR 90(F)	3.6	2.4			0.0	0.0	0.0	0.0	0.0				2.5	56	-29
MFAN NO DYS TMP ≥ OR LFS 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.7	0.0	0.0	0.0	0.0	0.0	56	-29
MFAN NO DYS TMP ≥ OR LFS 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	-50
MEAN DFW PT TMP (F)	58	59	59	53	51	49	46	46	48	50	54	55	52	19	-86585
MEAN REL HUM (PCT)	65	70	73	76	79	77	79	76	76	72	65	64	73	0	-50
MFAN PRESS ALT (FT)	100	50	0	-50	-50	-100	-100	-100	-150	-50	0	50	-32	0	-50
MFAN PRECIP (IN)	2.90	2.60	3.90	3.90	3.30	3.20	2.90	3.10	3.00	2.60	2.90	3.10	37.4	56	-86585
MFAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		56	-29
MFAN NO DYS PRCP ≥ OR GTR 0.1 IN	5.0	4.6	6.0	6.0	5.2	5.7	5.2	5.5	5.2	4.7	5.1	5.3	63.5	56	-29
MFAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		56	-29
MFAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MFAN NO D/S TSTMS	4.0	3.0	3.0	3.0	3.0	2.0	2.0	3.0	3.0	2.0	4.0	5.0	37.0	19	-86585
P FREQ WND SPD ≥ OR GTR 17 KTS														0	0
P FREQ WND SPD ≥ OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.4	5.6	6.6	7.5	8.3	27.2	12.1	16.9	15.0	13.0	3.7	5.5	10.5	5	-86585
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	2.2	4.1	12.0	5.0	6.9	5.5	0.9	0.0	0.0	3.1	5	-86585
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# GENERAL ARTIGAS, URUGUAY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	30.1	27.5	30.2	28.9	27.9	22.8	27.7	26.0	26.9	28.8	29.7	31.0	337.5	5	-86585
	14 LST														0	0
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LES 10 KTS	20 LST														0	0
	02 LST														0	0
	08 LST	15.3	14.3	16.0	18.7	18.9	16.2	17.3	15.1	14.3	14.1	17.6	16.6	194.4	5	-86585
	14 LST														0	0
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	2.8	0.8	1.2	1.1	0.7	0.7	1.1	2.1	2.5	1.9	1.3	1.2	17.4	5	-86585
	14 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DFG F AND NO PRECIP.	20 LST														0	0
	02 LST														0	0
	08 LST	15.0	12.4	13.8	12.1	15.9	14.4	14.0	12.5	9.6	13.0	16.1	14.5	163.3	5	-86585
	14 LST														0	0
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	14.5	14.0	13.2	11.8	6.3	6.3	8.4	11.3	8.4	12.2	13.4	14.6	134.4	5	-86585
	14 LST														0	0
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	28.3	23.8	26.2	24.2	23.3	17.8	22.6	21.9	21.7	23.7	25.6	26.9	286.0	5	-86585
	14 LST														0	0
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	27.6	22.3	25.1	22.1	21.0	15.6	20.4	21.0	20.6	22.6	23.9	25.7	267.9	5	-86585
	14 LST														0	0
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST	27.6	22.3	25.1	22.1	21.0	15.6	20.4	21.0	20.6	22.4	23.9	25.7	267.7	5	-86585
	14 LST														0	0

# CAPITAN BOISA LA, URUGUAY

STA NO. 86579/ (IN AREA NUMBFR 01)

LATITUDE 3449S

LONGITUDE 05610W

ELEVATION(FT) 00156

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	109	105	101	98	87	81	83	79	86	94	98	102	109	56	-86585
MEAN MAX TMP (F)	83	82	78	71	64	59	58	59	63	68	74	79	70	56	-86585
MEAN MIN TMP (F)	62	61	59	53	48	43	43	43	46	49	54	59	52	56	-86585
ABS MIN TMP (F)	46	46	40	36	29	28	26	25	29	29	38	41	25	56	-86585
MEAN NO DYS TMP = OR GTR 90(F)	3.6	2.4			0.0	0.0	0.0	0.0	0.0				2.5	56	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.5	1.3	0.7	0.0	0.0	0.0	0.0	0.0	56	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	56	-29
MEAN DEW PT TMP (F)	58	59	59	53	51	49	46	46	48	50	54	55	52	0	-50
MEAN REL HUM (PCT)	65	70	73	76	74	79	79	76	76	72	65	64	73	19	-86585
MEAN PRESS ALT (FT)	200	200	150	100	100	100	50	50	50	100	200	200	125	0	-50
MEAN PRECIP (IN)	2.90	2.60	3.90	3.90	3.30	3.20	2.90	3.10	3.00	2.60	2.90	3.10	37.4	56	-86585
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		56	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.0	4.6	6.0	6.0	5.2	5.7	5.2	5.5	5.2	4.7	5.1	5.3	63.5	56	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		56	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.0	3.0	3.0	3.0	3.0	2.0	2.0	3.0	3.0	2.0	4.0	5.0	37.0	19	-86585
P FRQ WND SPD = OR GTR 17 KTS														0	0
P FRQ WND SPD = OR GTR 28 KTS														0	0
P FRQ LES 5000 FT A/O LES 5 MI														0	0
P FRQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.4	5.6	6.6	7.5	8.3	27.2	12.1	16.9	15.0	13.0	3.7	5.5	10.5	5	-86585
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FRQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	7.2	4.1	12.0	5.0	6.9	5.5	0.9	0.0	0.0	3.1	5	-86585
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# CAPITAN BOISA LA, URUGUAY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	30.1	27.5	30.2	28.9	27.5	22.8	27.7	26.0	26.9	28.8	29.7	31.0	337.5	5 -86585
	14 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI w/SFC WND Lts 10 KTS	20 LST													0	0
	02 LST													0	0
	08 LST	15.3	14.3	16.0	18.7	18.9	16.2	17.3	15.1	14.3	14.1	17.6	16.6	194.4	5 -86585
	14 LST													0	0
SFC WND = GTR 17 KTS AND NO PRFCIP.	20 LST													0	0
	02 LST													0	0
	08 LST	2.8	0.8	1.2	1.1	0.7	0.7	1.1	2.1	2.5	1.9	1.3	1.2	17.4	5 -86585
	14 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PR'CIP.	20 LST													0	0
	02 LST													0	0
	08 LST	15.0	12.4	13.8	12.1	15.9	14.4	14.0	12.5	9.6	13.0	16.1	14.5	163.3	5 -86585
	14 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	14.5	14.0	13.2	11.8	6.3	6.3	8.4	11.3	8.4	12.2	13.4	14.6	134.4	5 -86585
	14 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	28.3	23.8	26.2	24.2	23.3	17.8	22.6	21.9	21.7	23.7	25.6	26.9	286.0	5 -86585
	14 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	27.6	22.3	25.1	22.1	21.0	15.6	20.4	21.0	20.6	22.6	23.9	25.7	267.9	5 -86585
	14 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	27.6	22.3	25.1	22.1	21.0	15.6	20.4	21.0	20.6	22.4	23.9	25.7	267.7	5 -86585
	14 LST													0	0

# CARRASCO, URUGUAY

LATITUDE 3450S

LONGITUDE 05602W

ELEVATION(FT) 00079

STA NO. 86580 (IN AREA NUMBER 01)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	109	105	101	98	87	81	83	79	86	94	98	102	109	56	-86585
MFAN MAX TMP (F)	83	82	78	71	64	59	58	59	63	68	74	79	70	56	-86585
MFAN MIN TMP (F)	62	61	59	53	46	43	43	43	46	49	54	59	52	56	-86585
ABS MIN TMP (F)	46	46	40	36	29	28	26	25	29	29	38	41	25	56	-29
MFAN NO DYS TMP = OR GTR 90(F)	3.6	2.4			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	56	-29
MFAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.5	1.3	0.7	0.0	0.0	0.0	0.0	0.0	56	-29
MFAN NO DYS TMP = OR LFS 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MFAN DEW PT TMP (F)	58	60	58	54	49	44	44	43	46	48	50	55	51	19	-86585
MFAN REL HUM (PCT)	65	70	73	76	79	79	79	76	76	72	65	64	73	0	-50
MFAN PRESS ALT (FT)	130	110	72	18	7	-15	-56	-42	-26	7	89	132	36	56	-86585
MFAN PRECIP (IN)	2.90	2.60	3.90	3.90	3.30	3.20	2.90	3.10	3.00	2.60	2.90	3.10	37.4	56	-29
MFAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0									56	-29
MFAN NO DYS PRCP = OR GTR 0.1 IN	5.0	4.6	6.0	6.0	5.2	5.7	5.2	5.5	5.2	4.7	5.1	5.3	63.5	56	-29
MFAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		0	0
MFAN NO DYS W/OCUR VSBY LES 1/2 MI	4.0	3.0	3.0	3.0	3.0	2.0	2.0	3.0	3.0	2.0	4.0	5.0	37.0	19	-86585
MFAN NO DYS TSMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST															
03-05 LST														5	-86585
06-08 LST	4.4	5.6	6.6	7.5	8.3	7.2	12.1	16.9	15.0	13.0	3.7	5.5	10.5	0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LFS 1 MI														0	0
FOR 00-02 LST															
03-05 LST														5	-86585
06-08 LST	0.0	0.0	0.0	2.2	4.1	12.0	5.0	6.9	5.5	0.9	0.0	0.0	3.1	0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# CARRASCO, URUGUAY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI														0	0
														0	0
	30.1	27.5	30.2	28.9	27.9	22.8	27.7	26.0	26.9	28.8	29.7	31.0	337.5	5	-86585
														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS														0	0
	15.3	14.3	16.0	18.7	18.9	16.2	17.3	15.1	14.3	14.1	17.6	16.6	194.4	5	-86585
														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.														0	0
	2.8	0.8	1.2	1.1	0.7	0.7	1.1	2.1	2.5	1.9	1.3	1.2	17.4	5	-86585
														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.														0	0
	15.0	12.4	13.8	12.1	15.9	14.4	14.0	12.5	9.6	13.0	10.1	14.5	163.3	5	-86585
														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI														0	0
	14.5	14.0	13.2	11.8	8.3	6.3	8.4	11.3	8.4	12.2	13.4	14.6	134.4	5	-86585
														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI														0	0
	28.3	23.8	26.2	24.2	23.3	17.8	22.6	21.9	21.7	23.7	25.6	26.9	286.0	5	-86585
														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI														0	0
	27.6	22.3	25.1	22.1	21.0	15.6	20.4	21.0	20.6	22.6	23.9	25.7	267.9	5	-86585
														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI														0	0
	27.6	22.3	25.1	22.1	21.0	15.6	20.4	21.0	20.6	22.4	23.9	25.7	267.7	5	-86585
														0	0

# ANGEL S ADAMI, URUGUAY

STA NO. 86582/ (IN ARFA NUMBR 01)

LATITUDE 3447S

LONGITUDE 05615W

ELEVATION(FT) 00177

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	109	105	101	98	87	81	83	79	86	94	98	102	109	56	-86585
MEAN MAX TMP (F)	83	82	78	71	64	59	58	59	63	68	74	79	70	56	-86585
MEAN MIN TMP (F)	62	61	59	53	48	43	43	43	46	49	54	59	52	56	-86585
ABS MIN TMP (F)	46	46	40	36	29	28	26	25	29	29	38	41	25	56	-86585
MEAN NO DYS TMP = OR GTR 90(F)	3.6	2.4			0.0	0.0	0.0	0.0	0.0					56	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.5	1.3	0.7	0.0	0.0	0.0	0.0	2.5	56	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	56	-29
MEAN DFW PT TMP (F)	58	59	59	53	52	49	46	46	48	50	54	55	52	0	-50
MEAN REL HUM (PCT)	65	70	73	76	79	79	79	76	76	72	65	64	73	19	-86585
MEAN PRESS ALT (FT)	200	200	150	100	100	100	50	50	50	100	200	200	125	0	-50
MEAN PRECIP (IN)	2.90	2.60	3.90	3.90	3.30	3.20	2.90	3.10	3.00	2.60	2.90	3.10	37.4	56	-86585
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		56	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.0	4.6	6.0	6.0	5.2	5.7	5.2	5.5	5.2	4.7	5.1	5.3	63.5	56	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		56	-29
MEAN NO DYS W/OCUR VSRV LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.0	3.0	3.0	3.0	3.0	2.0	2.0	3.0	3.0	2.0	4.0	5.0	37.0	19	-86585
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.4	5.6	6.6	7.5	8.3	27.2	12.1	16.9	15.0	13.0	3.7	5.5	10.5	5	-86585
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	2.2	4.1	12.0	5.0	6.9	5.5	0.9	0.0	0.0	3.1	5	-86585
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# ANGEL S ADAMI, URUGUAY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	30.1	27.5	30.2	28.9	27.9	22.8	27.7	26.0	26.9	28.8	29.7	31.0	337.5	5 -86585
	14 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	20 LST													0	0
	02 LST													0	0
	08 LST	15.3	14.3	16.0	18.7	18.9	16.2	17.3	15.1	14.3	14.1	17.6	16.6	194.4	5 -86585
	14 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST													0	0
	02 LST													0	0
	08 LST	2.8	0.8	1.2	1.1	0.7	0.7	1.1	2.1	2.5	1.9	1.3	1.2	17.4	5 -86585
	14 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST													0	0
	02 LST													0	0
	08 LST	15.0	12.4	13.8	12.1	15.9	14.4	14.0	12.5	9.6	13.0	16.1	14.5	163.3	5 -86585
	14 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	14.5	14.0	13.2	11.8	6.3	6.3	8.4	11.3	8.4	12.2	13.4	14.6	134.4	5 -86585
	14 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	28.3	23.8	26.2	24.2	23.3	17.8	22.6	21.9	21.7	23.7	25.6	26.9	286.0	5 -86585
	14 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	27.6	22.3	25.1	22.1	21.0	15.6	20.4	21.0	20.6	22.6	23.9	25.7	267.9	5 -86585
	14 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	27.6	22.3	25.1	22.1	21.0	15.6	20.4	21.0	20.6	22.4	23.9	25.7	267.7	5 -86585
	14 LST													0	0

# MONTEVIDEO/PRADO, URUGUAY

STA NO. 86585 (IN AREA NUMBER 01)

LATITUDE 34525

LONGITUDE 05612W

ELEVATION(FT) 00072

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	109	105	101	98	87	81	83	79	86	94	98	102	109	56	-28
MEAN MAX TMP (F)	63	82	78	71	64	59	58	59	63	68	74	79	70	56	-28
MEAN MIN TMP (F)	62	61	59	53	48	43	43	43	46	49	54	59	52	56	-28
ABS MIN TMP (F)	46	46	40	36	29	28	26	25	29	29	38	41	25	56	-528
MEAN NO DYS TMP ≥ OR GTR 90(F)	3.6	2.4			0.0	0.0	0.0	0.0	0.0				2.5	56	-29
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.5	1.3	0.7	0.0	0.0	0.0	0.0	0.0	56	-29
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	56	-29
MEAN DFW PT TMP (F)	58	60	58	54	49	44	44	43	46	48	50	55	51	44	-29
MEAN REL HUM (PCT) ***	65	70	73	76	79	79	79	76	76	77	65	64	73	19	-58
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.90	2.60	3.90	3.90	3.30	3.20	2.90	3.10	3.00	2.60	2.90	3.10	37.4	56	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		56	-29
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	5.0	4.6	6.0	6.0	5.7	5.7	5.2	5.5	5.2	4.7	5.1	5.3	63.5	56	-29
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		0	0
MEAN NO DYS W/OCUH VSBY LES 1/2 MI	4.0	3.0	3.0	3.0	3.0	2.0	2.0	3.0	3.0	2.0	4.0	5.0	37.0	19	-58
MEAN NO DYS TSTMS														0	0
P FREQ WNL SPD ≥ OR GTR 17 KTS														0	0
P FREQ WND SPL ≥ OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 FT														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.4	5.6	6.6	7.5	8.3	27.2	12.1	16.9	15.0	13.0	3.7	5.5	10.5	5	1496
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	2.2	4.1	12.0	5.0	6.9	5.5	0.9	0.0	0.0	3.1	5	1496
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# MONTEVIDEO/PRADO, URUGUAY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	30.1	27.5	30.2	28.9	27.9	22.8	27.7	26.0	26.9	28.8	29.7	31.0	337.5	5 1496
	14 LST													0	0
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC AND LES 10 KTS	20 LST													0	0
	02 LST													0	0
	08 LST	15.3	14.3	16.0	18.7	18.9	16.2	17.3	15.1	14.3	14.1	17.6	16.6	196.4	5 145E
	14 LST													0	0
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	20 LST													0	0
	02 LST													0	0
	08 LST	7.8	0.8	1.2	1.1	0.7	0.7	1.1	2.1	2.5	1.9	1.3	1.2	17.4	5 1478
	14 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST													0	0
	02 LST													0	0
	08 LST	15.0	12.4	13.8	12.1	15.9	14.4	14.0	12.5	9.6	13.0	16.1	14.5	163.3	5 1451
	14 LST													0	0
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	14.5	14.0	13.2	11.8	6.3	6.3	8.4	11.3	8.4	12.2	13.4	14.6	134.4	5 1508
	14 LST													0	0
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	28.3	23.8	26.2	24.2	23.3	17.8	22.6	21.9	21.7	23.7	25.6	26.9	286.0	5 1496
	14 LST													0	0
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	27.6	22.3	25.1	22.1	21.0	15.6	20.4	21.0	20.6	22.6	23.9	25.7	267.9	5 1496
	14 LST													0	0
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST	27.6	22.3	25.1	22.1	21.0	15.6	20.4	21.0	20.6	22.4	23.9	25.7	267.7	5 1496
	14 LST													0	0

# AREA NO. 01

URUGUAY

LOWLAND PLAINS

LATITUDE 33005

LONGITUDE 06200W

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		86	85	80	74	67	62	61	64	66	71	77	82	73
MEAN MIN TMP (F)		63	63	61	54	51	47	45	47	49	51	56	60	54
LARGEST MEAN PRECIP (IN)		4.44	5.50	5.30	7.50	5.80	5.20	4.90	5.50	5.50	5.10	3.83	6.30	64.9
SMALLEST MEAN PRECIP (IN)		2.90	2.05	2.87	3.82	2.40	2.40	2.17	2.60	2.32	2.60	2.34	2.61	31.1
MEAN NUMBER OF DAYS														
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	30.1	27.0	29.6	29.2	29.7	28.5	28.1	30.2	27.6	30.3	30.0	30.9	351.4
	02 LST													
	08 LST	29.7	27.1	28.1	27.3	26.6	23.4	26.1	26.0	26.7	29.1	29.3	30.2	329.6
	14 LST													
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC AND LFS 10 KTS	20 LST	19.7	19.6	24.1	23.0	22.6	22.1	20.8	22.4	16.0	21.2	18.8	22.5	253.0
	02 LST													
	08 LST	21.0	19.9	20.8	21.5	21.3	18.1	19.7	19.4	17.4	19.8	19.6	20.8	239.3
	14 LST													
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	0.5	0.7	0.2	0.7	0.4	0.3	0.2	0.8	1.7	1.2	1.3	1.3	9.3
	02 LST													
	08 LST	1.4	1.1	1.4	1.2	0.9	1.0	1.3	1.7	1.9	1.7	1.6	1.6	16.8
	14 LST													
SFC WND 4-17 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	10.0	10.2	12.7	11.7	12.6	12.6	15.0	16.1	15.1	13.1	9.6	15.5	154.3
	02 LST													
	08 LST	15.2	12.9	13.5	12.2	12.0	9.7	10.3	11.9	11.8	13.8	14.4	15.2	152.9
	14 LST													
SKY COVER LLS 3/10 AND VSBY = GTR 3 MI	20 LST	15.1	14.6	17.2	20.1	18.8	17.1	16.4	20.5	14.3	18.4	17.6	16.8	207.1
	02 LST													
	08 LST	14.3	13.2	12.8	13.2	8.0	7.1	9.8	10.7	8.2	12.1	14.8	13.7	137.9
	14 LST													
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	27.3	25.7	27.9	27.3	27.6	25.4	25.9	27.6	24.6	27.2	28.0	29.4	324.9
	02 LST													
	08 LST	27.5	24.4	24.7	24.2	23.0	19.1	22.6	22.9	21.2	25.2	26.2	27.7	288.8
	14 LST													
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	27.6	23.8	24.3	25.0	24.7	21.2	22.1	24.9	21.5	23.3	26.4	26.6	291.4
	02 LST													
	08 LST	25.2	21.6	21.4	21.3	19.1	15.3	19.4	20.5	17.6	21.6	23.0	24.9	250.9
	14 LST													
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	27.2	23.0	24.0	24.7	24.1	20.6	21.1	24.8	21.4	22.4	26.0	26.3	286.1
	02 LST													
	08 LST	25.1	21.4	21.2	21.1	18.9	15.1	19.0	20.3	17.5	21.4	22.9	24.7	248.6
	14 LST													