

AD-671845

U. S. NAVAL WEATHER SERVICE  
WORLD-WIDE AIRFIELD SUMMARIES

VOLUME VII

Central America



THIS DOCUMENT HAS BEEN APPROVED FOR  
PUBLIC RELEASE & SALE: ITS DISTRIBUTION IS  
UNLIMITED.

February 1968  
79 07 23 001

INFORMATION SHEET

WORLD WIDE AIRFIELD SUMMARIES Vols. I - VII

The paragraphs below should be inserted in the World Wide Airfield Summaries, Vols. I - VII following the Introduction, or any prominent, conspicuous place.

1. Quality Control checks of the World Wide Airfield Summaries have revealed discrepancies in the bi-variate percentiles of ceiling vs visibility. It is not known how extensive these discrepancies are except that in most stations the percent of occurrences of ceiling versus visibility (5000' and/or 5 mi., 1500' and/or 3 mi. and 300' and/or 1 mi.) are too low. The cause has been determined to be in the computer programing which rejected, in many cases, a low visibility when it occurred with no ceiling. The discrepancies are most apparent in areas with high radiational cooling which produces low visibilities and high or no ceilings such as occur in Southeast Asia.
2. Investigations are currently underway to determine the magnitude of the discrepancies. All efforts will be made to correct the summaries by reprograming the data and issuing addendums where necessary.
3. Until the problem is resolved, it is recommended that the percentiles in question be used with caution. Areas of high radiational cooling will have the greatest errors, while coastal or maritime areas will have more nearly correct data.

Encl (1) to NAVWEASERVCOM ltr

Ser 50/1611 of 21 NOV 1963

WORLD-WIDE AIRFIELD SUMMARIES - - VOLUME VII

CENTRAL AMERICA

FOREWORD

This volume is part of a series of compilations which is world-wide in scope. It consists of climatological summaries for selected airfields and for the climatic areas in which they are located. When complete, the series will include data for approximately 3000 stations.

The summaries were prepared by the Environmental Technical Applications Center, Air Weather Service, U.S. Air Force, and were provided in the form of magnetic tape. These are being compiled in book form, by country or geographical area, for promulgation to Naval Weather Service units.

Copies of excerpts of this document are available to the public from the National Weather Records Center, Federal Building, Asheville, N. C. 28801, for the cost of duplication.



WORLD-WIDE AIRFIELD SUMMARIES - - VOLUME VII

CENTRAL AMERICA

INTRODUCTION

This volume provides climatological summaries for airfields and climatic areas in Central America. The summaries are presented by country (in alphabetical order, using a two-letter code) as shown in the Index. Within the countries, the summaries are arranged according to numbered climatic areas, and by increasing WMO Station Index Numbers within the climatic areas. An arbitrary station number (indicated by "/") is used where WMO Index Numbers are not assigned. Maps are included to delineate areas and station locations.

Climatic areas have been selected as being nearly homogeneous climatologically, but considerable variation may exist between locations in an area at a specific time because of topography and other factors. Climatological summaries for these areas follow those for the included airfields.

The latitudes and longitudes of the approximate centers of the climatic areas are indicated in the summary headings. Where more than one climatic area lies within a country, these are delineated by straight line segments and the positions of the end points are listed.

Blank values in the tables indicate that no data are available, and "0" indicates that the period of record is unknown. Local Standard Time is that of the standard time zone, and no adjustment has been made where local deviations exist. Data sources are listed in detail by means of a number system described on the following pages.

The first page of each station summary provides data for the station, and the second page contains information for the airfield area. The values are in mean

INTRODUCTION, CONT'D

number of days. Where observations were not available, the information consists of climatological estimates based on data for surrounding stations. In some instances tables may be based on relatively few observations or on somewhat doubtful data, and these should be used with caution.

## GLOSSARY OF GENERAL TERMS

### AIRFIELD DATA AND AIRFIELD AREA DATA

Climatological data applicable only to a specified airfield. The data consists of statistical parameters based on actual weather observations made at the airfield. If actual weather observations are not available the data consist of estimates of the statistical parameters, prepared by a climatologist, based on actual meteorological data from surrounding weather stations.

### CLIMATIC AREA DATA

Climatological data representative of a nearly homogeneous climatic area. The data are average (or representative) values based on a sample of climatological data available from weather stations within the area. The area data do not imply that the specific condition simultaneously exists at all locations within a country or large climatic area. In rolling and mountainous terrain there may be considerable variation in the data from one location to another within the climatic area.

### LOCAL STANDARD TIME

Standard time applicable to a 15 deg. meridional zone. (Zones proceed east and west from the zone centered on the prime meridian and extending from 00730E to 00730W.) No consideration is given to local deviations from the 15 deg. zone boundaries.

### AIRFIELD PARAMETERS

#### ABSOLUTE MAXIMUM (MINIMUM) TEMPERATURE-DEG. F.

The highest (lowest) temperature observed in the specified month during the whole period for which observations are available.

**MEAN DAILY MAXIMUM (MINIMUM) TEMPERATURE-DEG. F.**

The average of all the daily maximum (minimum) temperatures observed in the specified month.

**MEAN NO. DAYS WITH MAXIMUM TEMPERATURE GREATER THAN 90 DEG. F.**

The average of the number of days in the specified month on which the maximum temperature was observed to be equal to or greater than 90 deg. F.

**MEAN NO. DAYS WITH MINIMUM TEMPERATURE LESS THAN 32 DEG. F (LESS THAN 0 DEG. F.).**

The average of the number of days in the specified month on which the minimum temperature was observed to be equal to or less than 32 deg.F.(0 deg.F.).

**MEAN DEW POINT TEMPERATURE-DEG. F.**

The average of all hourly dew point temperatures observed in the specified month.

**MEAN RELATIVE HUMIDITY-PERCENT**

The average of all hourly relative humidity values observed in a specified month.

**MEAN PRESSURE ALTITUDE-FEET**

The average station pressure observed at the airfield in the specified month converted to an altitude by using the U. S. Standard Atmosphere.

**MEAN MONTHLY PRECIPITATION-INCHES**

The average of the monthly total amount of all forms of precipitation, reduced to its liquid equivalent, observed in the specified month.

**MEAN MONTHLY SNOWFALL-INCHES**

The average of the monthly total amount of snowfall observed in the specified month.

MEAN NO. DAYS WITH PRECIPITATION GREATER THAN 0.1 INCH (SNOWFALL GREATER THAN 1.5 INCHES)

The average of the number of days in the specified month on which the daily amount of precipitation (snowfall) was observed to be equal to or greater than 0.1 inch (1.5 inches).

MEAN NO. DAYS WITH AN OCCURRENCE OF VISIBILITY LESS THAN 0.5 MILE

The average of the number of days in the specified month on which there was at least one observation of visibility less than 0.5 mile.

MEAN NO. DAYS WITH THUNDERSTORMS

The average of the number of days in the specified month on which the weather observer heard thunder.

PERCENT FREQUENCY SURFACE WIND SPEED GREATER THAN 16 KNOTS (GREATER THAN 27 KNOTS)

The frequency, expressed as a percent of the total number of hourly weather observations considered, during the specified month, in which the surface wind speed was observed to be greater than 16 knots (27 knots).

PERCENT FREQUENCY CEILING LESS THAN 5,000 FEET OR VISIBILITY LESS THAN 5 MILES

The frequency, expressed as a percent of the total number of hourly weather observations considered, during the specified month, in which the ceiling was observed to be less than 5,000 feet and/or the visibility was observed to be less than 3 miles (less than 1 mile).

PERCENT FREQUENCY CEILING LESS THAN 1,500 FEET (LESS THAN 300 FEET) OR VISIBILITY LESS THAN 3 MILES (LESS THAN 1 MILE)

The frequency, expressed as a percent of all the hourly weather observations considered, in a specified three-hourly period during the day for a specified month in which the ceiling was observed to be less than 1,500 feet (300 feet) and/or the visibility was observed to be less than three miles (one mile).

PARAMETERS FOR AIRFIELD AREA AND CLIMATIC AREA

MEAN NO. DAYS WITH CEILING GREATER THAN 1,000 FEET (GREATER THAN 2,500 FEET, GREATER THAN 6,000 FEET, ETC.) AND VISIBILITY GREATER THAN 3 MILES

The average of the number of days when, at a specified hour during the day in the specified month, the ceiling was observed to be equal to or greater than 1,000 feet (2,500 feet, 6,000 feet, etc.) and the visibility was observed to be equal to or greater than three miles.

MEAN NO. DAYS WITH SKY COVER LESS THAN 0.3 AND VISIBILITY GREATER THAN 3 MILES

The average of the number of days when, at a specified hour during the day in the specified month, the portion of the sky covered with clouds was observed to be less than 0.3 and the visibility was observed to be equal to or greater than three miles.

MEAN NO. DAYS WITH CEILING GREATER THAN 2,000 FEET AND VISIBILITY GREATER THAN 3 MILES AND SURFACE WIND LESS THAN 10 KNOTS

The average of the number of days when, at a specified hour during the day in the specified month, the ceiling was observed to be equal to or greater than 2,000 feet, the visibility was observed to be equal to or greater than three miles, and the surface wind speed less than ten knots.

MEAN NO. DAYS WITH SURFACE WIND GREATER THAN 16 KNOTS AND NO PRECIPITATION

The average of the number of days when, at a specified hour during the day in the specified month, the surface wind speed was observed to be greater than 16 knots, and there was no precipitation.

MEAN NO. DAYS WITH SURFACE WIND 4-10 KNOTS AND TEMPERATURE 33-89 DEG. F. AND NO PRECIPITATION

The average of the number of days when, at a specified hour during the day in the specified month, the surface wind speed was equal to or greater than four knots, but not greater than ten knots, the temperature was equal to or greater than 33 deg.F. but not greater than 89 deg.F. and there was no precipitation.

AREA PARAMETERS (CLIMATIC AREA ONLY)

MEAN DAILY TEMPERATURE RANGE-DEG. F.

Two temperatures for the specified month: (1) a representative mean daily maximum temperature observed in the area; (2) a representative mean daily minimum temperature observed in the area.

RANGE OF MEAN MONTHLY PRECIPITATION-INCHES

Two mean monthly precipitation amounts for the specified month: (1) the largest mean amount observed in the area; (2) the smallest mean amount observed in the area.

## DATA SOURCES

The source from which values were taken can be determined from the column labeled "No. Obs."

(1) If the number in that column is positive, the data for that line were computer-summarized, and the number given is the number of observations used in the summarization.

(2) If the number is negative and of three digits or less, the data were hand-copied or estimated as indicated in the following source list.

(3) If the number is less than minus 500, part of the data are derived from computer-summarized data, and part from the source list number plus 500. For example, if the number is "-528," the source is the extreme of the computer-summarized data compared to source "-28."

(4) If the number is minus and a four or five digit number, the data were substituted from a representative station nearby and this number is the number of the source station.

(5) Statistical methods or meteorological relationships were used whenever possible to provide data not available at the National Weather Records Center or in yearbooks and summaries.

SOURCE LIST

- 1 French Equatorial Africa Service Meteorologique - 1950 - 1959
- 2 Madagascar Service Meteorologique, Resum du Temps - 1947 - 1956
- 3 Angola Servico Meteorologico Elmento Meteorologicos - 1942 - 1952
- 4 Algiers, Universite, Institute de Meteorologie, le Climat de L'Algerie
- 5 Algeria Service Meteorologique Bulletin Climatologique Mensual - 1952 - 1960
- 6 Algeria, Institut de Meteorologie - 1939-1954
- 7 Pt. 1 - Algiers Universite Annuaire du Nord - 1945 - 1950
- 8 Pt. 2 - Algiers Universite Annuaire Sahara - 1945 - 1950
- 9 Algeria, Service Meteorologique Resume Mensuel du Temps - 1951 - 1960
- 10 Verslag Report - 1949 - 1958
- 11 Portugese East Africa, Servico Meteorologico Annuaire de Observacoes - 1951 - 1960
- 12 Climatologica Summaries-Northern Rhodesia - 1938 - 1948
- 13 Rhodesia Met. Service Climatologica Studies - 1948 - 1960
- 14 Climat Normals of Egypt and Sudan(Bock)
- 15 Metro Summary Tables (in summ. file)
- 16 Egypt Meteorological Dept. Metro Report
- 17 So. Africa Meteorological Services. (Wx on the coasts of So.Africa-Vol.II)
- 18 Weather on the west coast of Africa 7 to 20 years
- 19 Sudan-Meteorological Service Annual Met Report - 1950 - 1957
- 20 Tunisia Service Meteorologique Buletin Annual - 1952 - 1956
- 21 Republique Francaise du Maroc Annales - 1945 - 1953
- 22 French West Africa Service Meteorologique Resume Mensuel des Observations - 1953 - 1954; 1955 - 1957
- 23 Belgian Congo Service Meteorologique
- 24 World Distribution of Thunderstorm Days
- 25 WMO Model "A"
- 26 Portugal Servico Meteorologico Nacional (Dynamic Climatology of Southern Africa and the Air Routes in the Region)
- 27 Air France, Climatology of Africa

- |    |   |    |   |
|----|---|----|---|
| 28 | British Meteorological Tables   | 44 | India Meteorological Department -<br>India Weather Review   |
| 29 | Statistical Estimate  | 45 | Batavia - Rainfall in Indonesia<br>(Verhandelingen No. 37)  |
| 30 | Professional Subjective Estimate  | 46 | Turkey-Yillik Meteoroloji Bulteni   |
| 31 | Interpolation   | 47 | Rainfall Statistics of the British Borneo<br>Territories  |
| 32 | Climatic Norms (Clino) WMO  | 48 | Ceylon Meteorological Report - December<br>1938 - 1949  |
| 33 | CB Climatological Briefs  | 49 | Kuwait, Arabia - Climatological Data Annual   |
| 34 | CDC WB Climatic Data Card   | 50 | Ace Data, computed, derived or substituted<br>from data available 1964  |
| 35 | N Summary   | 51 | Promedios Climatologicos de Venes Uela<br>Perido - 1951 - 1960  |
| 36 | Computed from Accepted Meteorological<br>Relationships  | 52 | Chile Servicio Meteorologico, Anu Ario<br>Meteorologico, Publication No. 73                                   |
| 37 | Cape Verdi Islands Servicos de Estatistica<br>Meteorologia E. Climatologia                              | 53 | Climate of Ecuador  |
| 38 | Malaya-Meteorological Service Summary of<br>Observations  | 54 | Peru Direction General de Meteorologia<br>Boletin Annual Meteorologico  |
| 39 | Revolutionary Government of the Union of<br>Burma Meteorological Department Climato-<br>logical Summary | 55 | Brazil Normais Climatologicas da Area da<br>Sudene  |
| 40 | Vietnam - Direction de La Meteorologie<br>Resume Mensuel du Temps                                       | 56 | Climatologia de Caille, Fasciculo Valores<br>Normales de 36 Estaciones Seleceionadas,<br>Perido - 1916 - 1945 |
| 41 | Afghanistan Meteorological Institute<br>Monthly Weather Bulletins                                       | 57 | H. O. Pub. No. 527 Weather Summary-Brazil   |
| 42 | Lebanon - Service de Climatologie Bulletin<br>Climatologique Mensuel                                    | 58 | H. O. Pub. No. 529 Weather Summary-South<br>America - - Southern Part   |
| 43 | Climatological Tables of Observations in<br>India (red book)  |    |   |

- 59 Datos Detallados de Climatologia de Venezuela
- 60 Paraguay File
- 61 H.O. Publication No. 530 Weather Summary
- 62 Climatological Summary, Valley of Mexico (Mexico City)
- 63 Argentine Republic Servicio Meteorologico
- 64 Climatological Studies-Weather and Climate of Central America and Mexico-2WG
- 65 Climatological Studies Weather and Climate of West Indies-2WG
- 66 H. O. Pub. No. 528 Weather Summary-South America - - Northern Part
- 67 Climatological Studies-Weather and Climate South America-2WG
- 68 Professional Notes British Meteorological Office
- 69 Geografiska Annaler 37-38 - 1955 - 1956
- 70 H. O. Pub. No. 531 Weather Summary Central America-For Use w/Naval Air Pilot Supplement '8' Northwest Africa
- 71 Meteorological Yearbook Iranian Met. Dept.
- 72 H. O. Pub. No. 532 Weather Summary Mexico
- 73 H. O. Pub. No. 264 Weather Summary-South Africa
- 74 H. O. Pub No. 261 Weather Summary-Supplement 'C' West Central Africa
- 75 H. O. Pub. No. 263 Weather Summary-Supplement 'B' East Central Africa
- 76 H. O. Pub. No. 260 Weather Summary
- 77 Meteorological Data for certain Australian localities
- 78 New Zealand-Meteorological Service Climatological Table - 1951 - 1958
- 79 Ministerie Van Openbare Werken en Verkeer Meteorologische Dienst
- 80 Climate and Meteorology of Australia-1919 - 1951
- 81 Authentic Data, but source unknown
- 82 Summaries of Climatological Observations at New Zealand Stations to 1960
- 83 Relative Humidity at 0900 LST only - reference is the same as 82 above
- 84 Climatological Division Summary (CDC) for Canada, No. 1 thru 13-years 1962 thru 1966
- 85 Climate of British Columbia and the Yukon Territory by W. G. Kendrew and D. Kerr - 1955
- 86 The Climate of Central Canada by W. G. Kendrew and B. W. Currie - 1955

- 87 The Climate of Newfoundland Circular 4019  
Cli 30, April 1964
- 88 Servicio Meteorologico Nacional Estadisticas Climatologicas - 1901 - 1950  
Pub. B No. 1 and 1941 - 1950 Pub B No. 3
- 89 Anuario Meteorologico 1952, 53, 54  
Ministerio de Agricultura Oct. 1955
- 90 Las Precipitaciones en El Uruguay, 1965
- 91 Revista Meteorologica, Sumario. Anos 1944  
al 1956 Montevideo 1957
- 92 Climatological Data for Sonora, Northern  
Sinaloa, Baja, Calif., Univ. of Ariz.,  
Tech. Rpt. Nos. 14, 15, 1 Oct 1964
- 93 Avg. Climatic Water Balance Data of the  
Continents, Part IV, Australia, New Zealand  
and Oceania, 1963
- 94 Book of Normals - No. 1, Rainfall,  
Melbourne, 1951
- 95 Climatological Studies, Wea. and Clim.  
Pacific Islands, Hqs, 2nd Wea Gp F-8
- 96 Climate of the Horow Henua Lowlands New
- 97 Weather Summaries, Pacific and Alaska, Hydrographic Office H.O. Nos. W-270,  
W-271, 272, 273, 275, 276, 526, yrs.1943-4
- 98 Climatic Table for Japan Area Parts I-II
- 99 The Climate of Japan Vol. IV No. 2, 1931
- 100 Climatic Tables of Japan, Parts 1-5 1931-60
- 101 Climatological Data for Antarctic Stations No. 1-8, 1962-66. (Mean monthly precip ETAC computed from mean monthly snowfall with water equivalent basis of 10 ins of snow equal 1 in of precip).
- 102 Anare Data Reports, Series D, Meteorology, No. 81, XIII, XII, Melbourne, 1963-5.
- 103 Meteorological and Radiational Regimes of Antarctica, U.S. Dept. of Commerce 1964
- 104 Data from Polar Meteorology Section W.B.
- 105 Climatic Summaries for Canada 1947-1954
- 106 Climatic Summaries for Canada, Vol. II, 1948
- 107 Climate of the Canadian Arctic Archipelago, 1951
- 108 Temperature Normals, Averages and Extremes in the Northwest Territories during the period 1931 to 1960
- 109 Averages and Extremes of Climatic Data during 1951-1960 for selected Canadian Arctic stations, 1965
- 110 Canada Met. Branch, Temperature Extremes, 1966
- 111 Avg. Climatic Water Balance Data of the Continents, Part VI No. America, 1964

- 112 Canada Met. Branch, Monthly Record 1955-1965
- 113 Climatic Summary of the United States Supplement for 1951 through 1960
- 114 Climat. Studies, Hdqs. 19th AF, Alaska G-4, 1960
- 115 Climatological Summary, WB, Alaska, Means and Extremes for period of record thru 1952.
- 116 Local Climatological Data, Annual Summary w/Comparative Data. ESSA, 1966
- 117 Uniform Summary of Surface Wea. Obs.
- 118 Macro and Micro Climatology of the Arctic Slope of Alaska. US Army Tech Report EP-139, Natick Labs, 1960
- 119 Temperatures of Northern America, Hdqs. Quartermaster, US Army, Research Report RER-9, Natick Labs, 1956
- 120 Supplement to Bulletin W, Climatic Summary of the U.S. for 1931 thru 1952

INDEX

STATION INDEX  
WORLD-WIDE AIRFIELD SUMMARIES - VOLUME VII

CENTRAL AMERICA

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
<u>MEXICO (MX)</u>			
(Climatic Area 1)			
76049/ Tijuana	1	76382 Torreon	45
76050 Ensenada Military	3	76491 Ciudad Victoria	47
76401 Puerto Cortes	5	76539 San Luis Potosi	49
76405 La Paz	7	76610/ Zapopan	51
Climat	9	76612 Las Animas	53
		76775 Oaxaca	55
		Climat	57
(Climatic Area 2)			
76005/ Mexicali	10	(Climatic Area 4)	
76061 Punta Penasco	12	76678/ Santa Lucia	58
76160 Hermosillo	14	76680 Mexico City Intl	60
76255 Guaymas	16	76685 Puebla Military	62
76258 Ciudad Obregon	18	Climat	64
76261/ Navojoa	20	(Climatic Area 5)	
76361 Los Mochis	22	76286/ Nuevo Laredo	65
76412 Culiacan New	24	76342 Monclova	67
76458 Mazatlan	26	76394 Monterrey	69
76601 Pt Vallarta New	28	76398/ Reynosa	71
Climat	30	76399/ Matamoros Intl	73
(Climatic Area 3)			
76075/ Ciudad Juarez	31	76499 Soto La Marina	75
76113/ Altar Sonora	33	76549 Rihl/Tampico	77
76118/ Palares De Nacozari	35	76640 Tuxpan	79
76122 Nuevo Casas Grandes	37	76691 Veracruz	81
76125/ Cananea	39	76741 Coatzacoalcos	83
76126/ Nogales Federal	41	76743/ Villahermosa	85
76225 Chihuahua Federal	43	76748/ Carmen	87
		76781 Minatitlan	89
		Climat	91


STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
<u>MEXICO (MX) (cont.)</u>		<u>COSTA RICA (CS)</u>	
76844	(Climatic Area 6) Francisco Sarabia Climat	78760/	(Climatic Area 1) Puntarenas Climat
	92		129
	94		131
76645	(Climatic Area 7) Merida	78762	(Climatic Area 2) El Coco Intl
76648	Cozumel	78763/	La Sabana
76695	Campeche		Climat
76750	Chetumal		132
	Climat		134
	101		136
	103	78767/	(Climatic Area 3) Limon
76654	(Climatic Area 8) Manzanillo		Climat
76805	Acapulco Intl		137
76806/	Pie De La Cuesta		139
76830	Ixtepec Military		
76831/	Ixtepec New		<u>EL SALVADOR (ES)</u>
76833	Salina Cruz	78663	(Climatic Area 1) San Salvador
76855	Puerto Angel	78664/	Ilopango
76904	Tapachula		Climat
	Climat		140
	120		142
			144
<u>CENTRAL AMERICA</u>			<u>GUATEMALA (GT)</u>
<u>BRITISH HONDURAS U.K. (BN)</u>		78635/	(Climatic Area 1) Lalibertad
	(Climatic Area 1) Stanley Intl		Climat
78583	Belize/Landiuav		145
78584	Climat		147
	121	78641	(Climatic Area 2) Guatemala City
	123	78642/	La Aurora
	125		Climat
			148
			150
			152
78585/	(Climatic Area 2) El Cayo	78645/	(Climatic Area 3) Retalhuleu
	Climat		Climat
	126		153
	128		155

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
<u>CENTRAL AMERICA (cont.)</u>			
<u>HONDURAS (HO)</u>			
78706	(Climatic Area 1) Tela Climat	156 158	
78720	(Climatic Area 2) Toncotin Intl Climat	159 161	
	(Climatic Area 3) Climat	162	
<u>NICARAGUA (NU)</u>			
78741	(Climatic Area 1) Las Mercedes Climat	163 165	
	(Climatic Area 2) Climat	166	
78725/ 78730 78745	(Climatic Area 3) Cape Gracias Puerto Cabezas Bluefields Climat	167 169 171 173	
<u>PANAMA (PN)</u>			
78783	(Climatic Area 1) Colon Climat	174 176	
			(Climatic Area 2) David 177 Rio Hato 179 Tocumen National 181 Marcos A Gelaber 183 Climat 185
			<u>PANAMA CANAL ZONE (PZ)</u>
			(Climatic Area 1) Howard AFB 186 Albrook AFB 188 Climat 190
			<u>GREATER ANTILLES</u>
			<u>CUBA (CU)</u>
			(Climatic Area 1) Playa Baracoa 191 Managua 193 Jose Marti Intl 195 Havana/Rancho Boyeros 197 Campo Libertad 199 San Antonio Banos 201 Kawama 203 Jaime Gonzales 205 Cienfuegos 207 Camaguey Intl 209 Holguin 211 Santiago 213 McCalla Field 215 Guantanamo NAS 217 Leeward Point 219- Los Canos 221

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
<u>CUBA (CU)</u>		(Climatic Area 2) Climat	265
(Climatic Area 1)(cont.)		<u>JAMAICA (JM)</u>	
78310	223	(Climatic Area 1)	
78312/	225	78388 Montego Bay Intl	266
78315/	227	78395/ Kingston/Vernam	268
78318	229	78397 Palisadoes Intl	270
78319/	231	Climat	272
78345/	233		
78366/	235	<u>FUERTO RICO (PR)</u>	
78369	237	(Climatic Area 1)	
	239	78510/ Ponce/Santa Isabel	273
<u>DOMINICAN REPUBLIC (DR)</u>		78514 Ramey AFB	275
(Climatic Area 1)		78521/ Mercedita	277
78455/	240	78523/ San Juan/Isla Verde	279
78460	242	78524/ Isla Grande	281
78478	244	78525 San Juan	283
78482	246	78526 Puerto Rico Intl	285
78483/	248	78534/ Vieques	287
78484	250	78535 Roosevelt Roads	289
78585	252	78536/ Losey	291
78486	254	Climat	293
	256		
(Climatic Area 2)		<u>VIRGIN ISLAND, U.S. (VU)</u>	
78452/	257	(Climatic Area 1)	
	259	78543 C. Amalie, St. Thomas	294
<u>HAITI (HA)</u>		(Harry Truman Field)	
(Climatic Area 1)		78547 Christiansted, St Croix	296
78400/	260	(Alexander Hamilton Field)	
78439	262	Climat	298
	264		

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
<u>LESSER ANTILLES</u>		<u>OTHER ISLANDS</u>	
<u>BARBADOS ISLANDS U.K. (BB)</u>		<u>BAHAMA ISLANDS U.K. (BF)</u>	
			(Climatic Area 1)
78953/	(Climatic Area 1)	78063	Grand Bahama Aux AF 323
	Bridgetown	78073	Nassau Intl 325
78954	Seawell	78076	Eleuthera Aux AF 327
	Climat	78089	San Salvador Aux AF 329
		78107/	Mayaguana Aux AF 331
		78119	Grand Turk 333
			Climat 335
<u>FRENCH WEST INDIES (FW)</u>		<u>BERMUDA ISLANDS U.K. (BD)</u>	
			(Climatic Area 1)
78897	(Climatic Area 1)	78016	Kindley AFB/St George 336
	Le Raizet		Climat 338
78925	Lamentin		
	Climat		
<u>LEEWARD ISLAND GROUP (LW)</u>		<u>NETHERLANDS ANTILLES (NN)</u>	
			(Climatic Area 1)
78861	(Climatic Area 1)	78982	Princess Beatrix 339
	Coolidge	78988	Dr Albert Flesman 341
78866	Juliana Apt		Climat 343
78873	Oranjestad		
	Climat		
<u>WINDWARD ISLANDS (WI)</u>		<u>TRINIDAD/TOBAGO ISLANDS (TD)</u>	
			(Climatic Area 1)
78946	(Climatic Area 1)	78967	Chaguaramas 344
	Castries	78970	Piarco 346
78947	Vigie		Climat 348
78949/	St Lucia		
	Climat		





# TIJUANA, MEXICO

STA NO. 76049/ (IN AREA NUMBER 01)

LATITUDE 3232N

LONGITUDE 11659W

ELEVATION(FT) 00500

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	81	82	92	86	88	96	85	84	102	99	98	87	102	12	-76050
MEAN MAX TMP (F)	64	65	66	66	66	71	74	75	75	72	71	67	70	12	-76050
MEAN MIN TMP (F)	45	46	48	52	54	57	61	62	60	55	49	46	53	12	-76050
ABS MIN TMP (F)	29	28	35	35	41	46	52	50	42	33	31	31	26	12	-76050
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.2	0.0	0.0	0.1	0.0	0.0	0.6	0.6	0.7	0.0	2.2	12	-76050
MEAN NO DYS TMP = OR LES 32(F)	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	1.2	12	-76050
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-76050
MEAN DEW PT TMP (F)	48	48	50	53	55	58	62	63	62	57	51	48	55	12	-76050
MEAN REL HUM (PCT)	79	78	79	81	80	81	82	83	83	82	75	75	80	12	-76050
MEAN PRESS ALT (FT)	341	375	430	469	504	542	536	533	534	464	373	342	454	0	-50
MEAN PRECIP (IN)	2.18	1.91	1.36	0.85	0.49	0.08	0.01	0.07	0.13	0.64	0.81	1.80	10.3	30	-92
MEAN SNOW FALL (IN)	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		12	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.7	3.0	3.4	2.3	1.5	0.0	0.0	0.0	2.2	2.4	2.5	2.8	23.8	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.9	1.9	1.6	1.6	0.3	1.2	0.7	0.4	2.6	3.3	2.3	1.9	19.7	12	-76050
MEAN NO DYS TSTMS	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.1	0.0	0.8	12	-76050
P FREQ WND SPD = OR GTR 17 KTS	0.0	0.2	0.3	0.4	0.2	0.0	0.0	0.0	0.0	0.2	0.7	0.9	0.2	12	-76050
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-76050
P FREQ LES 5000 FT A/O LES 5 MI	30.5	25.4	31.3	39.3	36.2	38.4	41.7	41.4	34.1	28.8	20.1	18.6	32.2	12	-76050
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	16.9	16.0	22.7	23.0	20.7	21.4	19.4	19.2	21.4	21.6	15.1	10.9	19.0	12	-76050
03-05 LST	17.4	15.3	27.3	27.6	25.6	26.8	27.8	29.4	30.1	24.6	15.9	13.6	23.5	12	-76050
06-08 LST	19.2	16.2	30.0	29.4	30.2	37.4	36.5	42.1	37.6	29.6	19.8	14.6	28.6	12	-76050
09-11 LST	16.5	15.5	21.5	25.7	20.6	21.6	21.0	24.8	25.0	20.4	13.9	11.1	19.8	12	-76050
12-14 LST	14.1	12.1	17.6	14.8	12.0	9.0	6.6	10.1	9.5	9.0	8.4	10.7	11.2	12	-76050
15-17 LST	14.5	11.8	15.2	13.8	8.9	5.0	7.0	6.6	6.2	8.1	7.3	11.6	9.7	12	-76050
18-20 LST	16.0	14.2	17.8	15.8	11.2	5.4	6.3	6.7	8.7	10.3	9.9	9.5	11.0	12	-76050
21-23 LST	16.7	17.1	21.5	19.3	17.7	15.8	13.5	13.4	15.3	15.0	13.1	10.6	15.8	12	-76050
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	3.8	3.8	6.7	6.4	2.5	6.3	2.9	0.8	9.3	9.7	5.4	2.1	5.0	12	-76050
03-05 LST	5.0	4.7	9.9	9.0	4.4	7.3	4.3	2.7	13.6	11.8	4.4	3.2	6.7	12	-76050
06-08 LST	4.5	3.9	11.2	10.3	5.2	9.3	6.2	7.3	19.2	13.0	6.0	1.8	8.2	12	-76050
09-11 LST	2.1	2.1	5.6	6.7	1.0	3.6	4.6	4.7	11.1	7.1	1.7	0.7	4.3	12	-76050
12-14 LST	1.2	1.3	3.1	3.2	0.4	0.0	0.8	0.7	2.3	1.3	0.6	0.3	1.3	12	-76050
15-17 LST	2.0	1.3	2.3	2.2	0.0	0.0	0.0	0.0	1.3	1.3	0.3	1.4	1.0	12	-76050
18-20 LST	3.3	3.1	3.2	2.6	0.0	0.5	0.4	0.0	2.7	2.3	2.6	1.8	1.9	12	-76050
21-23 LST	4.6	3.0	6.5	4.8	1.5	3.4	1.7	0.4	5.9	6.6	3.9	2.1	3.7	12	-76050

# TIJUANA, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST	29.3	26.6	27.4	26.5	30.6	28.3	30.3	30.4	28.4	29.5	28.9	28.5	344.7	12	-76050
	22 LST	28.3	26.2	26.6	26.9	29.0	27.3	29.1	29.5	26.6	27.1	27.8	28.5	332.9	12	-76050
	04 LST	28.3	26.0	25.0	24.7	28.1	25.3	28.3	27.0	22.7	25.2	27.1	28.1	315.8	12	-76050
	10 LST	28.6	26.5	25.7	25.4	29.0	25.3	28.8	27.2	24.3	27.1	27.5	28.9	324.3	12	-76050
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST	22.8	19.7	22.4	20.0	21.8	24.9	26.2	25.9	25.5	25.8	24.6	22.9	282.5	12	-76050
	22 LST	23.3	20.7	22.3	20.6	22.4	23.3	25.0	24.6	23.8	23.4	24.4	25.2	279.0	12	-76050
	04 LST	22.3	21.0	19.0	17.8	18.1	17.7	16.8	17.1	17.5	19.8	23.4	24.1	234.6	12	-76050
	10 LST	23.1	20.9	21.6	19.3	20.7	22.1	21.7	20.5	20.4	21.9	24.0	24.9	261.1	12	-76050
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST	0.0	0.2	0.2	0.5	0.1	0.1	0.0	0.0	0.1	0.1	0.2	0.4	1.9	12	-76050
	22 LST	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.3	12	-76050
	04 LST	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.6	12	-76050
	10 LST	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.8	12	-76050
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST	14.1	14.4	16.6	19.7	23.7	24.9	23.4	24.0	22.5	22.9	19.3	16.2	241.7	12	-76050
	22 LST	2.9	3.6	4.1	4.9	5.7	6.0	5.8	4.8	2.0	2.0	2.5	3.3	47.6	12	-76050
	04 LST	2.0	1.8	2.5	1.4	1.3	0.9	1.2	1.3	0.9	1.0	1.0	1.9	17.2	12	-76050
	10 LST	4.1	6.0	11.9	13.5	15.7	17.5	16.0	13.5	13.4	11.3	6.8	7.3	139.0	12	-76050
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST	14.4	14.5	16.0	15.0	19.2	21.5	20.2	19.7	23.0	21.6	19.9	17.2	222.2	12	-76050
	22 LST	17.1	16.5	16.6	11.3	15.1	15.0	17.3	17.9	18.4	17.4	21.8	20.6	205.0	12	-76050
	04 LST	17.2	15.6	14.8	9.3	10.6	7.3	7.3	9.7	11.6	13.3	18.8	18.9	154.6	12	-76050
	10 LST	14.5	13.9	14.2	10.2	10.9	11.9	9.5	11.3	13.9	14.9	18.8	17.7	161.7	12	-76050
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST	23.0	21.7	24.4	22.7	26.0	27.1	27.3	26.4	26.9	26.8	26.3	24.6	303.2	12	-76050
	22 LST	22.6	20.7	22.2	19.8	21.7	21.6	23.1	22.7	22.3	22.5	24.5	25.3	269.0	12	-76050
	04 LST	21.8	20.9	19.0	16.9	17.1	14.9	14.0	14.4	15.5	18.5	22.8	24.1	219.9	12	-76050
	10 LST	22.6	20.8	22.0	18.1	20.7	20.2	19.9	18.5	19.0	21.6	23.9	25.0	252.3	12	-76050
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST	22.3	21.4	24.1	21.5	25.5	26.7	26.4	25.7	26.8	26.6	26.0	24.2	297.2	12	-76050
	22 LST	22.0	20.6	21.7	18.7	21.0	20.6	21.7	21.3	21.1	21.9	24.4	24.9	259.9	12	-76050
	04 LST	21.4	20.6	18.7	15.5	16.0	13.0	12.3	12.4	14.0	17.7	22.3	23.7	207.6	12	-76050
	10 LST	21.7	20.6	21.1	16.4	19.4	18.8	18.2	16.9	17.9	20.8	23.3	24.5	239.6	12	-76050
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST	22.3	21.4	24.1	21.5	25.5	26.7	26.4	25.7	26.7	26.6	26.0	24.2	297.1	12	-76050
	22 LST	22.0	20.6	21.7	18.7	21.0	20.6	21.7	21.3	21.1	21.9	24.4	24.8	259.8	12	-76050
	04 LST	21.4	20.6	18.7	15.5	16.0	13.0	12.3	12.4	14.0	17.7	22.3	23.7	207.6	12	-76050
	10 LST	21.7	20.6	21.1	16.4	19.4	18.8	18.2	16.8	17.9	20.8	23.3	24.5	239.5	12	-76050

# ENSENADA MILITARY, MEXICO

STA NO. 76050 (IN AREA NUMBER 01)      LATITUDE 3147N      LONGITUDE 11636W      ELEVATION(FT) 00050

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	81	82	92	86	88	96	85	84	102	99	98	87	102	12	3796
MEAN MAX TMP (F)	64	65	66	66	68	71	74	75	75	72	71	67	70	12	3796
MEAN MIN TMP (F)	45	46	48	52	54	57	61	62	60	55	49	46	53	12	3796
ABS MIN TMP (F)	29	28	35	35	41	46	52	50	42	33	31	31	28	12	3796
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.2	0.0	0.0	0.1	0.0	0.0	0.6	0.6	0.7	0.0	2.2	12	3796
MEAN NO DYS TMP = OR LES 32(F)	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	1.2	12	3796
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	30131
MEAN DEW PT TMP (F)	48	48	50	53	55	58	62	63	62	57	51	48	55	12	30057
MEAN REL HUM (PCT)	79	78	79	81	80	81	82	83	83	82	75	75	80	0	-50
MEAN PRESS ALT (FT)	-116	-82	-27	10	52	82	78	75	76	4	-86	-115	-3	0	-50
MEAN PRECIP (IN)	2.48	2.21	1.67	0.91	0.27	0.08	0.06	0.08	0.18	0.52	0.84	1.85	11.1	50	-92
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.6	3.8	4.0	2.4	1.0	0.0	0.0	0.0	2.2	2.4	2.6	2.9	25.9	50	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.9	1.9	1.6	1.6	0.3	1.2	0.7	0.4	2.6	3.3	2.3	1.9	19.7	12	3787
MEAN NO DYS TSTMS	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.1	0.0	0.8	12	3789
P FREQ WND SPD = OR GTR 17 KTS	0.0	0.2	0.3	0.4	0.2	0.0	0.0	0.0	0.0	0.2	0.7	0.9	0.2	12	30143
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	30143
P FREQ LES 5000 FT A/O LES 5 MI	30.5	25.4	31.3	39.3	36.2	38.4	41.7	41.4	34.1	28.8	20.1	18.6	32.2	12	20468
P FREQ LES 1500 FT A/O LES 3 MI														12	2978
FOR 00-02 LST	16.9	16.0	22.7	23.0	20.7	21.4	19.4	19.2	21.4	21.6	15.1	10.9	19.0	12	2942
03-05 LST	17.4	15.3	27.3	27.6	25.6	26.8	27.8	29.4	30.1	24.6	15.9	13.6	23.5	12	2892
06-08 LST	19.2	16.2	30.0	29.4	30.2	37.4	36.5	42.1	37.6	29.6	19.8	14.6	28.6	12	2970
09-11 LST	16.5	15.5	21.5	25.7	20.6	21.6	21.0	24.8	25.0	20.4	13.9	11.1	19.8	12	3098
12-14 LST	14.1	12.1	17.6	14.8	12.0	9.0	6.6	10.1	9.5	9.0	8.4	10.7	11.2	12	3130
15-17 LST	14.5	11.8	15.2	13.8	8.9	5.0	7.0	6.6	6.2	8.1	7.3	11.6	9.7	12	3092
18-20 LST	16.0	14.2	17.8	15.8	11.2	5.4	6.3	6.7	8.7	10.3	9.9	9.5	11.0	12	2986
21-23 LST	16.7	17.1	21.5	19.3	17.7	15.8	13.5	13.4	15.3	15.0	13.1	10.6	15.8	12	2986
P FREQ LES 300 FT A/O LES 1 MI														12	2978
FOR 00-02 LST	3.8	3.8	6.7	6.4	2.5	6.3	2.9	0.8	9.3	9.7	5.4	2.1	5.0	12	2942
03-05 LST	5.0	4.7	9.9	9.0	4.4	7.3	4.3	2.7	13.6	11.8	4.4	3.2	6.7	12	2892
06-08 LST	4.5	3.9	11.2	10.3	5.7	9.3	6.2	7.3	19.2	13.0	6.0	1.8	8.2	12	2970
09-11 LST	2.1	2.1	5.6	6.7	1.0	3.6	4.6	4.7	11.1	7.1	1.7	0.7	4.3	12	3098
12-14 LST	1.2	1.3	3.1	3.2	0.9	0.0	0.8	0.7	2.3	1.3	0.6	0.3	1.3	12	3130
15-17 LST	2.0	1.3	2.3	2.2	0.0	0.0	0.0	0.0	1.3	1.3	0.3	1.4	1.0	12	3092
18-20 LST	3.3	3.1	3.2	2.6	0.0	0.5	0.4	0.0	2.7	2.3	2.6	1.8	1.9	12	2986
21-23 LST	4.6	3.0	6.5	4.8	1.3	3.4	1.7	0.4	5.9	6.6	3.9	2.1	3.7	12	2986

## ENSENADA MILITARY, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANA	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST	29.3	26.6	27.4	26.5	30.6	28.3	30.3	30.4	28.4	29.5	28.9	28.5	344.7	12	3223
	22 LST	28.3	26.2	26.6	26.9	29.0	27.3	29.1	29.5	26.6	27.1	27.8	28.5	332.9	12	3092
	04 LST	28.3	26.0	25.0	24.7	28.1	25.3	28.3	27.0	22.7	25.2	27.1	28.1	315.8	12	2998
	10 LST	28.6	26.5	25.7	25.4	29.0	25.3	28.8	27.2	24.3	27.1	27.5	28.9	324.3	12	3151
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	16 LST	22.8	19.7	22.4	20.0	21.8	24.9	26.2	25.9	25.5	25.8	24.6	22.9	282.5	12	3218
	22 LST	23.3	20.7	22.3	20.6	22.4	23.3	25.0	24.6	23.8	23.4	24.4	25.2	279.0	12	3089
	04 LST	22.3	21.0	19.0	17.8	18.1	17.7	16.8	17.1	17.5	19.8	23.4	24.1	234.6	12	2996
	10 LST	23.1	20.9	21.6	19.3	20.7	22.1	21.7	20.5	20.4	21.9	24.0	24.9	261.1	12	3149
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST	0.0	0.2	0.2	0.5	0.1	0.1	0.0	0.0	0.1	0.1	0.2	0.4	1.9	12	3802
	22 LST	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.3	12	3794
	04 LST	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.6	12	3786
	10 LST	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.8	12	3803
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST	14.1	14.4	16.6	19.7	23.7	24.9	23.4	24.0	22.5	22.9	19.3	16.2	241.7	12	3799
	22 LST	2.9	3.6	4.1	4.9	5.7	6.0	5.8	4.8	2.0	2.0	2.5	3.3	47.6	12	3791
	04 LST	2.0	1.8	2.5	1.4	1.3	0.9	1.2	1.3	0.9	1.0	1.0	1.9	17.2	12	3781
	10 LST	4.1	8.0	11.9	13.5	15.7	17.5	16.0	13.5	13.4	11.3	6.8	7.3	139.0	12	3801
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST	14.4	14.5	16.0	15.0	19.2	21.5	20.2	19.7	23.0	21.6	19.9	17.2	222.2	12	3808
	22 LST	17.1	16.5	16.6	11.3	15.1	15.0	17.3	17.9	18.4	17.4	21.8	20.6	205.0	12	3791
	04 LST	17.2	15.6	14.8	9.3	10.8	7.3	7.3	9.7	11.6	13.3	18.8	18.9	154.6	12	3782
	10 LST	14.5	13.9	14.2	10.2	10.9	11.9	9.5	11.3	13.9	14.9	18.8	17.7	161.7	12	3802
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST	23.0	21.7	24.4	22.7	26.0	27.1	27.3	26.4	26.9	26.8	26.3	24.6	303.2	12	3223
	22 LST	22.6	20.7	22.2	19.8	21.7	21.6	23.1	22.7	22.3	22.5	24.5	25.3	269.0	12	3092
	04 LST	21.8	20.9	19.0	16.9	17.1	14.9	14.0	14.4	15.5	18.5	22.8	24.1	219.9	12	2998
	10 LST	22.6	20.8	22.0	18.1	20.7	20.2	19.9	18.5	19.0	21.6	23.9	25.0	252.3	12	3151
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST	22.3	21.4	24.1	21.5	25.5	26.7	26.4	25.7	26.8	26.6	26.0	24.2	297.2	12	3223
	22 LST	22.0	20.6	21.7	18.7	21.0	20.6	21.7	21.3	21.1	21.9	24.4	24.9	259.9	12	3092
	04 LST	21.4	20.6	18.7	15.5	16.0	13.0	12.3	12.4	14.0	17.7	22.3	23.7	207.6	12	2998
	10 LST	21.7	20.6	21.1	16.4	19.4	18.8	18.2	16.9	17.9	20.8	23.3	24.5	239.6	12	3151
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST	22.3	21.4	24.1	21.5	25.5	26.7	26.4	25.7	26.7	26.6	26.0	24.2	297.1	12	3223
	22 LST	22.0	20.6	21.7	18.7	21.0	20.6	21.7	21.3	21.1	21.9	24.4	24.8	259.8	12	3092
	04 LST	21.4	20.6	18.7	15.5	16.0	13.0	12.3	12.4	14.0	17.7	22.3	23.7	207.6	12	2998
	10 LST	21.7	20.6	21.1	16.4	19.4	18.8	18.2	16.8	17.9	20.8	23.3	24.5	239.5	12	3151

# PUERTO CORTES, MEXICO

STA NO. 76401 (IN AREA NUMBER 01)

LATITUDE 2428N

LONGITUDE 11151W

ELEVATION(FT) 00039

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)		93	83	80	81	100	98	89	95					3	102
MEAN MAX TMP (F)		71	73	69	69	78	84	82	88					3	102
MEAN MIN TMP (F)	60	59	58	59	62	63	68	72	74	69	66	62	64	3	248
ABS MIN TMP (F)	55	49	52	56	54	54	60	59	67	63	64	54	49	3	248
MEAN NO DYS TMP = OR GTR 90(F)		5.6	0.0	0.0	0.0	1.5	4.4	0.0	20.0					3	102
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	248
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	248
MEAN DEW PT TMP (F)	56	58	59	58	57	62	67	69	74	64	63	57	62	3	2185
MEAN REL HUM (PCT)	76	80	86	80	80	79	78	77	82	74	73	70	78	3	2150
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.1	3.4	6.6	0.0	0.0	2.6	2.9	4.1	1.9	2.4	5.3	2.4	32.7	3	394
MEAN NO DYS TSMS	0.0	0.0	0.0	1.0	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.4	3	395
P FREQ WND SPD = OR GTR 17 KTS	10.6	4.3	14.7	17.0	9.2	18.5	10.0	7.7	7.7	19.7	4.6	7.7	11.0	3	2177
P FREQ WND SPD = OR GTR 28 KTS	1.8	0.0	0.0	1.3	1.4	0.8	0.8	0.5	0.8	0.7	1.1	1.3	0.9	3	2177
P FREQ LES 5000 FT A/O LES 5 MI	0.0			0.0	6.1				23.6				0.0	2	193
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	10.0	9.1	42.9	50.0	41.7	15.4	14.3		31.3	0.0	0.0	0.0		3	144
06-08 LST	8.3	0.0	5.9	33.3	21.7	0.0	11.8	0.0	17.9	0.0	0.0	0.0	8.2	3	179
09-11 LST	0.0	0.0	0.0	40.0	6.7	17.4	9.1	0.0	8.3		0.0	0.0		3	156
12-14 LST	0.0	0.0	0.0	16.7	5.9	3.6	8.7	0.0	10.5	0.0	0.0	0.0	3.8	3	182
15-17 LST	7.1	0.0	0.0	16.7	6.3	0.0	8.3	0.0	12.8	0.0	0.0	0.0	4.3	3	178
18-20 LST	0.0	0.0	0.0	14.3	6.3	11.8	7.1	0.0	15.6	0.0	0.0	0.0	4.6	3	140
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0		3.1	0.0	0.0	0.0		3	144
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0	0.2	3	179
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.6		0.0	0.0		3	156
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0	0.2	3	182
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.1	0.0	0.0	0.0	0.4	3	178
18-20 LST	0.0	0.0	0.0	0.0	0.0	5.9	0.0	0.0	3.1	0.0	0.0	0.0	0.8	3	140
21-23 LST														0	0

# PUERTO CORTES, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	31.0	28.0	31.0	25.0	29.0	30.0	28.4	31.0	26.1	31.0	30.0	31.0	351.5	3	178
	23 LST														0	0
	05 LST	31.0	28.0	26.6	18.8	18.1	25.4	26.6		20.6	31.0	30.0	31.0		3	144
	11 LST	31.0	28.0	31.0	18.0	28.9	24.8	28.2	31.0	27.5		30.0	31.0		3	156
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	17 LST	22.1	14.8	14.3	15.0	19.4	17.6	19.4	23.3	16.1	15.5	15.0	11.1	203.6	3	178
	23 LST														0	0
	05 LST	18.6	22.9	13.3	15.0	14.2	20.8	24.3		18.8	31.0	30.0	22.1		3	144
	11 LST	28.8	22.9	15.5	18.0	22.7	20.9	25.4	26.6	22.5		18.0	24.3		3	156
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	1.3	3.6	3.9	8.6	9.6	10.4	4.7	3.2	1.4	8.2	3.6	2.0	60.5	3	655
	23 LST														0	0
	05 LST	1.9	1.3	1.5	2.4	2.2	0.8	0.8	0.0	1.1	1.0	1.1	1.0	15.1	3	746
	11 LST	2.0	0.9	2.9	1.4	3.1	3.5	0.5	2.7	1.2	3.6	0.0	2.2	24.0	3	437
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	15.2	12.5	16.1	11.4	10.0	9.1	18.9	13.9	14.8	14.4	10.8	14.4	161.5	3	654
	23 LST														0	0
	05 LST	19.0	15.3	17.2	17.4	19.0	17.4	16.1	19.7	13.7	20.6	20.0	22.0	217.4	3	743
	11 LST	18.6	19.0	16.2	20.4	17.1	13.5	17.8	15.8	13.0	9.1	20.8	22.1	203.4	3	435
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	17.1	17.3	13.0	13.1	21.3	26.8	20.2	20.8	20.8	27.9	21.6	11.3	231.2	3	654
	23 LST														0	0
	05 LST	6.6	11.2	9.6	7.4	8.1	10.5	12.6	13.1	10.9	16.5	9.6	11.0	127.1	3	744
	11 LST	11.4	17.1	10.3	6.8	21.7	21.8	17.4	24.1	21.0	27.3	11.5	12.2	202.6	3	437
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	28.8	28.0	31.0	25.0	29.0	30.0	28.4	31.0	26.1	31.0	30.0	31.0	349.3	3	178
	23 LST														0	0
	05 LST	24.8	25.5	13.3	15.0	18.1	25.4	24.3		20.6	31.0	30.0	31.0		3	144
	11 LST	28.8	28.0	31.0	18.0	28.9	24.8	28.2	31.0	27.5		30.0	31.0		3	156
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	28.8	28.0	31.0	25.0	29.0	30.0	28.4	31.0	26.1	31.0	30.0	28.8	347.1	3	178
	23 LST														0	0
	05 LST	24.8	25.5	13.3	15.0	18.1	25.4	24.3		20.6	31.0	30.0	26.6		3	144
	11 LST	28.8	28.0	31.0	18.0	28.9	24.8	28.2	31.0	27.5		30.0	28.8		3	156
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	28.8	28.0	31.0	25.0	29.0	30.0	28.4	31.0	26.1	31.0	30.0	28.8	347.1	3	178
	23 LST														0	0
	05 LST	24.8	25.5	13.3	15.0	18.1	25.4	24.3		20.6	31.0	30.0	26.6		3	144
	11 LST	28.8	28.0	31.0	18.0	28.9	24.8	28.2	31.0	27.5		30.0	28.8		3	156

# LA PAZ, MEXICO

STA NO. 76405 (IN AREA NUMBER 01)

LATITUDE 2401N

LONGITUDE 11017W

ELEVATION(FT) 00085

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. CRS
ABS MAX TMP (F)	89	94	96	101	104	107	106	106	108	102	95	90	108	14	-528
MEAN MAX TMP (F)	74	77	81	86	89	94	96	95	94	90	83	77	86	9	2682
MEAN MIN TMP (F)	54	55	56	58	61	66	73	75	75	68	63	58	64	9	2682
ABS MIN TMP (F)	36	31	35	43	50	54	61	63	62	57	50	41	31	15	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.3	0.7	8.1	17.1	26.9	30.0	30.4	27.3	17.8	2.4	0.1	161.1	9	2682
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	9	2682
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2682
MEAN DEW PT TMP (F)	55	55	55	57	60	64	70	73	73	68	62	57	62	9	19917
MEAN REL HUM (PCT)	70	68	65	62	60	61	65	68	70	69	69	71	67	9	19818
MEAN PRESS ALT (FT)	14	28	67	105	133	171	150	149	163	125	72	31	101	0	-50
MEAN PRECIP (IN)	0.20	1.10	0.00	0.00	0.00	0.20	0.40	1.20	1.40	0.60	0.50	1.10	6.7	12	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.5	1.6	0.0	0.0	0.0	0.0	0.0	2.2	3.0	2.4	2.3	1.6	14.6	12	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2587
MEAN NO DYS TSTMS	0.2	0.0	0.1	0.1	0.0	0.4	0.9	1.2	1.6	0.7	0.2	0.5	5.9	12	-72
P FREQ WND SPD = OR GTR 17 KTS	1.8	1.8	1.4	1.0	0.6	1.6	1.6	0.9	1.0	1.0	1.0	1.3	1.3	9	19933
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.0	0.1	0.1	0.1	0.2	0.1	0.4	0.3	0.0	0.1	0.1	9	19933
P FREQ LES 5000 FT A/O LES 5 MI	0.9	0.6	0.0	0.1	0.0	0.3	0.7	1.1	1.3	1.2	0.6	0.8	0.6	9	19520
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.4	0.0	0.1	9	2510
03-05 LST	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.1	9	2558
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.4	0.1	9	2582
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2602
12-14 LST	0.9	0.0	0.5	0.0	0.0	0.6	0.6	0.5	1.0	0.0	0.0	0.0	0.3	9	2408
15-17 LST	0.5	0.0	0.0	0.5	0.0	0.5	0.0	0.5	0.9	0.4	0.0	0.0	0.3	9	2576
18-20 LST	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.0	0.5	0.5	0.5	0.3	8	2465
21-23 LST	0.5	0.0	0.0	0.0	0.0	0.5	0.5	0.0	0.4	0.0	0.0	0.0	0.2	9	2561
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	9	2510
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	9	2558
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2582
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2602
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2408
15-17 LST	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	9	2576
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2465
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2561

# LA PAZ, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	30.7	28.0	31.0	29.9	31.0	30.0	31.0	30.8	29.6	31.0	30.0	30.8	363.8	9	2669
	23 LST	30.8	28.0	31.0	30.0	31.0	30.0	31.0	31.0	29.9	31.0	29.9	30.8	364.4	9	2629
	05 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	30.8	30.0	30.8	364.6	9	2674
	11 LST	30.8	28.0	31.0	30.0	31.0	29.9	31.0	31.0	29.6	31.0	30.0	31.0	364.3	9	2667
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	17 LST	23.7	20.9	23.8	25.0	27.2	25.7	27.7	27.7	26.7	27.6	25.4	25.3	306.7	9	2669
	23 LST	28.7	26.9	29.9	28.8	30.1	28.3	30.2	30.6	29.7	30.5	28.7	28.9	351.3	9	2628
	05 LST	30.6	27.6	30.3	29.6	30.7	29.7	30.7	30.8	29.7	30.6	29.2	29.7	359.2	9	2674
	11 LST	27.3	24.0	26.5	25.6	26.6	24.7	30.1	30.1	27.8	29.3	27.3	26.7	326.2	9	2667
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	0.6	0.7	0.4	0.0	0.0	0.0	0.0	0.6	0.0	0.2	0.2	0.5	3.2	9	2696
	23 LST	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.4	9	2651
	05 LST	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	9	2693
	11 LST	0.0	0.6	0.4	0.1	0.1	0.0	0.0	0.1	0.4	0.2	0.1	0.0	2.0	9	2680
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	19.3	17.8	22.1	21.1	17.8	7.6	4.0	3.0	3.9	12.6	19.5	21.3	170.0	9	2694
	23 LST	18.1	18.3	19.0	21.4	25.5	26.4	23.4	22.7	18.2	16.9	16.4	19.1	245.4	9	2648
	05 LST	12.5	12.6	16.3	21.1	23.7	25.4	21.6	19.8	12.9	12.0	13.7	13.1	204.7	9	2690
	11 LST	16.9	12.9	17.4	16.8	19.5	19.4	16.8	16.3	12.5	14.2	15.9	15.6	194.2	9	2680
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	13.0	14.1	15.1	17.7	23.1	22.4	10.2	5.7	11.6	17.6	15.1	14.3	179.9	9	2696
	23 LST	17.0	20.2	18.6	21.7	24.9	24.8	18.5	15.8	19.2	22.2	19.4	18.9	241.2	9	2651
	05 LST	15.8	16.8	19.2	19.7	23.0	23.3	16.3	15.1	18.8	20.6	15.4	15.7	219.7	9	2692
	11 LST	13.2	13.2	14.4	17.9	22.7	21.1	10.9	12.1	14.9	19.2	14.8	13.2	187.6	9	2683
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	30.7	28.0	31.0	29.9	31.0	30.0	31.0	30.7	29.6	30.7	30.0	30.8	363.4	9	2669
	23 LST	30.7	28.0	31.0	30.0	31.0	29.9	30.8	31.0	29.7	30.8	30.0	31.0	363.9	9	2561
	05 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	30.8	30.0	30.8	364.6	9	2674
	11 LST	30.8	28.0	30.8	30.0	31.0	29.9	31.0	31.0	29.5	31.0	30.0	31.0	364.0	9	2657
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	30.7	28.0	31.0	29.9	31.0	30.0	31.0	30.8	29.5	30.6	30.0	30.8	362.4	9	2669
	23 LST	30.8	28.0	31.0	30.0	31.0	30.0	31.0	30.8	29.9	31.0	29.9	30.8	364.2	9	2629
	05 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	30.8	30.0	30.8	364.6	9	2674
	11 LST	30.8	28.0	30.8	30.0	31.0	29.9	31.0	31.0	29.3	31.0	30.0	31.0	363.8	9	2667
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	30.7	28.0	31.0	29.9	31.0	30.0	30.8	30.1	29.5	30.6	30.0	30.8	362.4	9	2669
	23 LST	30.8	28.0	31.0	30.0	31.0	30.0	30.8	30.8	29.9	31.0	29.9	30.8	364.0	9	2629
	05 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	30.8	30.0	30.8	364.6	9	2674
	11 LST	30.8	28.0	30.8	30.0	31.0	29.9	31.0	31.0	29.3	31.0	30.0	31.0	363.8	9	2667

## AREA NO. 01

MEXICO	BAJA BOUNDARIES		LATITUDE 2730N LONGITUDE 11300W												
	3240N 11600W	3100N 11450W	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
PARAMETER DESCRIPTION															
MEAN MAX TMP (F)			69	71	73	74	75	81	85	84	86	81	77	72	77
MEAN MIN TMP (F)			53	53	54	56	59	62	67	70	70	64	59	55	60
LARGEST MEAN PRECIP(IN)			2.48	2.21	1.67	0.91	0.49	0.20	0.40	1.20	1.40	0.64	0.84	1.85	14.3
SMALLEST MEAN PRECIP(IN)			0.20	1.10	0.00	0.00	0.00	0.08	0.01	0.07	0.13	0.52	0.50	1.10	3.7
			MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST	30.3	27.5	29.8	27.1	30.2	29.4	29.9	30.7	28.0	30.5	29.6	30.1	353.1	
	22 LST	29.6	27.1	28.8	28.5	30.0	28.7	30.1	30.3	28.3	29.1	28.9	29.7	349.1	
	04 LST	30.1	27.3	27.5	24.5	25.7	26.9	28.6	29.0	24.4	29.0	29.0	30.0	332.0	
	10 LST	30.1	27.5	29.2	24.5	29.6	26.7	29.3	29.7	27.1	29.1	29.2	30.3	342.3	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	16 LST	22.9	18.5	20.2	20.0	22.8	22.7	24.4	25.6	27.8	23.0	21.7	19.8	264.4	
	22 LST	26.0	23.8	26.1	24.7	26.3	25.8	27.6	27.6	26.8	27.0	26.6	27.1	315.4	
	04 LST	23.8	23.8	20.9	20.8	21.0	22.7	23.9	24.0	22.0	27.1	27.5	25.3	282.8	
	10 LST	26.4	22.6	21.2	21.0	23.4	22.6	25.7	25.7	23.6	25.6	23.1	25.3	286.2	
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST	0.6	1.5	1.5	3.0	3.2	3.5	1.6	1.3	0.5	2.8	1.3	1.0	21.8	
	22 LST	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.7	
	04 LST	0.6	0.5	0.5	0.8	0.7	0.3	0.3	0.0	0.4	0.3	0.4	0.5	5.3	
	10 LST	0.7	0.5	1.1	0.5	1.1	1.2	0.2	0.9	0.5	1.3	0.1	0.8	8.9	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST	16.2	14.9	18.3	17.4	17.2	13.9	15.4	13.6	13.7	16.6	16.5	17.3	191.0	
	22 LST	10.5	11.0	11.6	13.2	15.6	16.2	14.6	13.8	10.1	9.5	9.5	11.2	146.8	
	04 LST	11.2	9.9	12.0	13.3	14.7	14.6	13.0	13.6	9.2	11.2	11.6	12.3	146.6	
	10 LST	13.2	13.3	15.2	16.9	17.4	16.8	16.9	15.2	13.0	11.5	14.5	15.0	178.9	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST	14.8	15.3	14.7	15.3	21.2	23.6	16.9	15.4	18.5	22.4	18.9	14.3	211.3	
	22 LST	17.1	18.4	17.6	16.5	20.0	19.9	17.9	16.9	18.8	19.8	20.8	19.8	223.3	
	04 LST	13.2	14.5	14.5	12.1	14.0	13.7	12.1	12.6	13.8	16.8	14.6	15.2	167.1	
	10 LST	13.0	14.7	13.0	11.6	18.4	18.3	12.6	15.8	16.6	20.5	15.0	14.4	183.9	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST	27.5	25.9	28.8	25.9	28.7	29.0	28.9	29.4	27.5	29.5	28.8	28.8	338.7	
	22 LST	26.7	24.4	26.6	24.9	26.4	25.8	27.0	26.9	26.0	26.7	27.3	28.2	316.9	
	04 LST	25.9	24.8	21.1	20.6	22.1	23.4	23.1	22.7	22.0	26.8	27.6	28.6	288.7	
	10 LST	27.4	25.6	27.9	27.0	26.9	25.0	26.4	26.8	25.3	26.3	28.0	29.0	316.6	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST	27.3	25.8	28.7	25.5	28.5	28.9	28.5	28.9	27.5	29.4	28.7	27.9	335.6	
	22 LST	26.4	24.3	26.4	24.4	26.0	25.3	26.4	26.1	25.5	26.5	27.2	27.9	312.4	
	04 LST	25.7	24.7	21.0	20.2	21.7	22.8	22.5	21.7	21.5	26.5	27.4	27.0	282.7	
	10 LST	27.1	25.5	27.6	21.5	26.4	24.5	25.8	26.3	24.9	25.9	27.8	28.1	311.4	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST	27.3	25.8	28.7	25.5	28.5	28.9	28.5	28.9	27.4	29.4	28.7	27.9	335.5	
	22 LST	26.4	24.3	26.4	24.4	26.0	25.3	26.3	26.1	25.5	26.5	27.2	27.8	312.2	
	04 LST	25.7	24.7	21.0	20.2	21.7	22.8	22.5	21.7	21.5	26.5	27.4	27.0	282.7	
	10 LST	27.1	25.5	27.6	21.5	26.4	24.5	25.8	26.3	24.9	25.9	27.8	28.1	311.4	

# MEXICALI, MEXICO

LATITUDE 3238N

LONGITUDE 11526W

ELEVATION(FT) 00010

STA NO. 76005/ (IN AREA NUMBER 02)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. CBS
ABS MAX TMP (F)	86	94	100	107	120	120	120	119	115	108	98	86	120	69	-72280
MEAN MAX TMP (F)	67	72	79	86	93	102	106	104	100	88	76	68	87	67	-72280
MEAN MIN TMP (F)	42	46	50	54	60	68	77	77	70	58	49	43	58	67	-72280
ABS MIN TMP (F)	22	25	31	38	39	50	61	58	50	38	29	22	22	69	-72280
MEAN NO DYS TMP = OR GTR 90(F)	0.0	1.0	3.1	13.9	23.4	28.8	31.0	30.9	29.1	20.8	2.3	0.0	184.3	10	-72280
MEAN NO DYS TMP = OR LES 32(F)	1.1	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	2.3	10	-72280
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-72280
MEAN DEW PT TMP (F)	27	28	27	30	36	43	56	62	54	45	31	28	39	57	-72280
MEAN REL HUM (PCT)	46	45	40	38	37	37	44	49	46	44	45	48	43	0	-50
MEAN PRESS ALT (FT)	-152	-111	-47	-6	40	70	57	54	48	-27	-123	-154	-28	32	-92
MEAN PRECIP (IN)	0.42	0.27	0.28	0.12	0.02	0.02	0.11	0.46	0.17	0.29	0.24	0.53	2.9	69	-29
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.3	1.4	1.0	0.7	0.4	0.0	0.0	0.0	2.2	2.2	2.2	1.3	12.7	69	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-72280
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.5	0.2	0.4	0.1	0.1	0.0	0.2	0.4	0.0	0.0	0.3	0.6	2.8	24	-72280
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.0	0.0	0.0	3.0	5.0	2.0	1.0	0.0	1.0	13.0	10	-72280
P FREQ WND SPD = OR GTR 17 KTS	1.5	3.6	2.7	3.8	2.3	2.6	3.6	3.0	0.9	1.1	2.0	1.5	2.4	10	-72280
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-72280
P FREQ LES 5000 FT A/O LES 5 MI	3.1	1.9	1.3	1.5	0.8	0.6	0.7	1.3	0.7	1.1	1.8	2.7	1.5	10	-72280
P FREQ LES 1500 FT A/O LES 3 MI														10	-72280
FOR 00-02 LST	0.6	0.2	0.5	0.2	0.1	0.2	0.6	0.8	0.4	0.3	0.0	0.6	0.4	10	-72280
03-05 LST	1.3	0.4	0.4	0.2	0.1	0.4	0.1	0.2	0.4	0.1	0.4	1.0	0.4	10	-72280
06-08 LST	1.4	0.1	0.1	0.1	0.2	0.0	0.6	0.4	0.0	0.4	0.1	1.7	0.4	10	-72280
09-11 LST	0.5	0.8	0.8	0.7	0.0	0.1	0.0	0.2	0.0	0.2	1.8	1.8	0.6	10	-72280
12-14 LST	0.3	1.2	0.9	0.8	0.3	0.0	0.1	0.2	0.2	0.1	2.0	1.1	0.6	10	-72280
15-17 LST	0.1	1.2	1.0	1.6	1.0	0.4	0.1	0.2	0.0	0.5	1.2	0.4	0.6	10	-72280
18-20 LST	0.2	0.2	0.8	1.3	1.3	1.0	0.2	0.9	0.2	0.4	0.1	0.6	0.6	10	-72280
21-23 LST	0.2	0.1	0.3	0.3	0.2	0.2	0.1	0.1	0.0	0.1	0.1	0.5	0.2	10	-72280
P FREQ LES 300 FT A/O LES 1 MI														10	-72280
FOR 00-02 LST	0.5	0.1	0.3	0.0	0.1	0.1	0.0	0.3	0.0	0.1	0.0	0.5	0.2	10	-72280
03-05 LST	0.5	0.0	0.2	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.3	0.2	0.1	10	-72280
06-08 LST	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.9	0.1	10	-72280
09-11 LST	0.1	0.2	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.2	0.1	10	-72280
12-14 LST	0.1	0.4	0.4	0.1	0.0	0.0	0.1	0.1	0.0	0.1	0.8	0.3	0.2	10	-72280
15-17 LST	0.0	0.2	0.8	0.2	0.2	0.0	0.1	0.0	0.2	0.3	0.0	0.0	0.2	10	-72280
18-20 LST	0.0	0.1	0.1	0.1	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.1	10	-72280
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.2	0.0	10	-72280

**MEXICALI, MEXICO**  
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST	31.0	27.7	30.7	29.5	30.7	29.8	31.0	31.0	30.0	30.8	29.7	31.0	362.9	10	-72280
	22 LST	31.0	28.0	30.9	29.9	31.0	30.0	31.0	31.0	30.0	31.0	30.0	30.8	364.6	10	-72280
	04 LST	30.6	27.8	30.9	30.0	30.9	29.9	30.9	30.9	29.8	31.0	29.8	30.7	363.2	10	-72280
	10 LST	30.9	27.8	30.7	29.8	31.0	30.0	31.0	30.9	30.0	31.0	29.5	30.4	363.0	10	-72280
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	16 LST	19.9	18.2	18.8	16.4	19.1	20.6	19.3	20.2	23.8	25.3	20.8	21.4	245.8	10	-72280
	22 LST	29.0	24.8	26.2	23.3	22.4	21.7	20.2	22.4	25.7	28.0	27.5	28.9	300.1	10	-72280
	04 LST	28.1	25.5	26.8	25.9	26.7	24.7	22.2	23.1	26.0	29.1	27.8	27.5	313.4	10	-72280
	10 LST	22.5	18.0	18.9	19.8	22.3	20.3	17.4	19.2	21.7	22.2	19.7	21.4	243.4	10	-72280
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST	0.7	1.3	1.6	2.3	1.2	0.7	0.6	0.8	0.3	0.8	0.9	0.7	11.9	10	-72280
	22 LST	0.0	0.2	0.2	0.9	0.6	0.5	1.0	0.4	0.2	0.0	0.1	0.2	4.3	10	-72280
	04 LST	0.1	0.7	0.4	0.1	0.3	0.8	1.6	1.0	0.4	0.0	0.3	0.5	6.2	10	-72280
	10 LST	0.9	2.1	1.8	2.0	0.6	1.1	1.3	0.9	0.4	1.5	1.3	1.3	15.2	10	-72280
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST	20.1	18.0	18.4	11.0	6.3	1.6	0.0	0.6	1.3	8.6	20.8	20.2	126.9	10	-72280
	22 LST	18.1	18.6	23.4	22.9	22.1	15.2	5.6	7.4	18.1	19.9	16.0	16.2	203.5	10	-72280
	04 LST	21.2	16.6	18.7	19.2	20.6	20.3	18.3	19.5	17.9	19.3	18.7	19.8	230.1	10	-72280
	10 LST	21.0	17.5	17.5	17.0	19.1	9.9	1.8	3.3	9.8	19.0	18.1	21.0	175.0	10	-72280
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST	15.8	15.5	16.8	19.7	23.0	24.8	22.6	20.3	24.0	21.0	17.8	17.0	238.3	10	-72280
	22 LST	18.0	19.3	22.4	24.0	25.0	26.6	24.4	21.6	25.2	25.7	22.1	21.8	276.1	10	-72280
	04 LST	20.5	20.4	22.1	23.5	26.3	26.8	23.1	21.8	26.7	25.7	23.5	23.5	283.9	10	-72280
	10 LST	16.0	15.8	19.6	21.4	24.3	25.4	20.8	16.5	24.1	23.2	19.6	18.1	246.8	10	-72280
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST	30.9	27.7	30.7	29.5	30.7	29.8	31.0	31.0	30.0	30.8	29.6	30.7	362.4	10	-72280
	22 LST	30.8	28.0	30.8	29.9	31.0	30.0	31.0	31.0	30.0	30.9	30.0	30.6	364.0	10	-72280
	04 LST	30.2	27.8	30.9	30.0	30.9	29.9	30.9	30.9	29.8	31.0	29.8	30.6	362.7	10	-72280
	10 LST	30.7	27.8	30.6	29.8	31.0	30.0	31.0	30.9	30.0	30.7	29.4	30.1	362.0	10	-72280
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST	29.1	26.7	29.8	29.2	30.6	29.8	30.7	30.5	29.8	30.6	29.2	30.1	356.1	10	-72280
	22 LST	30.1	27.8	30.7	29.9	31.0	30.0	31.0	31.0	30.0	30.8	29.7	30.5	362.5	10	-72280
	04 LST	29.4	27.7	30.8	30.0	30.9	29.9	30.9	30.8	29.8	30.9	29.6	30.4	361.1	10	-72280
	10 LST	29.7	27.6	30.2	29.6	30.9	30.0	30.8	30.4	29.3	30.4	28.9	29.6	357.4	10	-72280
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST	27.9	25.7	28.3	28.5	30.2	29.5	30.5	30.0	29.2	29.5	28.5	29.5	347.3	10	-72280
	22 LST	28.3	26.6	30.0	29.6	30.8	30.0	30.9	30.7	29.8	30.1	29.0	29.7	355.5	10	-72280
	04 LST	28.2	27.2	30.3	29.9	30.9	29.8	30.9	30.6	29.7	30.0	29.3	29.6	356.4	10	-72280
	10 LST	28.0	26.5	29.3	29.4	30.8	30.0	30.3	30.0	29.1	29.7	27.8	28.7	349.6	10	-72280

# PUNTA PENASCO, MEXICO

STA NO. 76061 (1<sup>st</sup> AREA NUMBER 02)

LATITUDE 3119N

LONGITUDE 11320W

ELEVATION(FT) 00011

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	76	79	83	92	92	96	100	104	105	100	96	83	105	3	1064
MEAN MAX TMP (F)	67	68	73	79	84	89	95	97	95	88	79	70	82	3	1064
MEAN MIN TMP (F)	45	47	52	58	61	68	78	77	72	61	54	47	60	3	1062
ABS MIN TMP (F)	30	33	40	46	48	54	70	62	58	41	40	30	30	3	1062
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	3.3	16.3	30.3	30.0	28.3	13.6	0.7	0.0	122.8	3	1064
MEAN NO DYS TMP = OR LES 32(F)	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.3	3	1062
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	1062
MEAN DEW PT TMP (F)	46	48	52	58	62	68	77	76	75	65	56	49	61	3	8371
MEAN REL HUM (PCT)	76	73	72	71	68	66	73	71	73	70	72	74	72	3	8327
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.35	0.16	0.21	0.05	0.00	0.01	0.13	0.32	0.46	0.46	0.24	0.50	2.9	14	-92
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.4	1.5	0.9	0.5	0.0	0.0	0.0	0.0	2.3	2.3	2.2	1.3	12.4	14	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	1.0	0.0	0.0	0.3	0.3	0.0	0.3	1.0	0.7	0.7	1.3	1.7	7.3	3	1051
MEAN NO DYS TSMS	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.7	0.0	0.3	0.0	0.0	3.3	3	1051
P FREQ WND SPD = OR GTR 17 KTS	1.4	0.6	5.5	4.2	1.4	1.4	1.3	2.3	0.4	1.5	2.5	2.5	2.1	3	8369
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.8	0.7	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.4	0.2	3	8369
P FREQ LES 5000 FT A/O LES 5 MI	2.3	2.7	1.0	0.4	0.0	0.3	2.2	2.2	1.7	2.2	0.1	3.7	1.6	3	8362
P FREQ LES 1500 FT A/O LES 3 MI															
FCR 00-02 LST	0.0	0.0	1.1	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	2.2	0.4	3	1047
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.1	1.1	0.0	2.2	0.5	3	1054
06-08 LST	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.3	3	1060
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.1	3	1064
12-14 LST	1.6	1.2	0.0	0.0	0.0	0.0	0.0	1.1	1.1	0.0	0.0	0.0	0.4	3	1059
15-17 LST	1.6	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.3	3	1051
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.1	3	1047
21-23 LST	0.0	1.2	0.0	0.0	0.0	0.0	0.0	2.2	0.0	1.1	0.0	2.3	0.6	3	1057
P FREQ LES 300 FT A/O LES 1 MI															
FCR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.1	3	1047
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	1.1	0.2	3	1054
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	1060
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	1064
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	1059
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	1051
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	1047
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	1.1	0.2	3	1057

# PUNTA PENASCO, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	16 LST	30.5	28.0	31.0	30.0	31.0	29.6	31.0	31.0	30.0	31.0	30.0	31.0	364.1	3	1063
	22 LST	30.5	28.0	30.7	29.3	31.0	30.0	31.0	30.7	30.0	31.0	30.0	30.3	362.5	3	1060
	04 LST	30.5	27.7	30.3	29.6	31.0	30.0	31.0	30.7	29.3	30.7	29.0	30.3	360.1	3	1063
	10 LST	31.0	27.7	31.0	30.0	31.0	30.0	30.7	31.0	30.0	31.0	30.0	31.0	364.4	3	1064
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	16 LST	24.0	25.0	24.3	25.0	27.0	25.3	26.0	27.7	26.3	27.3	25.7	24.9	308.5	3	1063
	22 LST	26.5	26.3	27.3	25.3	29.0	27.0	28.3	30.0	29.0	27.7	28.0	28.2	332.6	3	1060
	04 LST	28.5	25.6	27.7	26.3	27.7	26.3	23.7	26.0	26.6	29.3	27.3	28.6	323.6	3	1063
	10 LST	29.0	26.0	27.7	26.3	26.0	25.0	26.7	28.3	27.3	29.0	27.0	28.3	326.6	3	1064
SFC WND = GTR 17 KTS AND NO PRECIP.	16 LST	0.0	0.3	2.7	0.7	0.3	1.0	0.0	0.3	0.0	0.7	0.7	1.7	8.4	3	1063
	22 LST	0.0	0.0	1.6	2.3	0.3	0.0	0.3	0.3	0.0	0.3	1.0	1.0	7.1	3	1060
	04 LST	0.5	0.6	1.3	1.7	1.3	0.7	0.7	0.3	0.3	0.3	1.0	0.0	8.7	3	1063
	10 LST	0.5	0.0	1.0	0.7	0.3	0.3	0.3	1.0	0.0	0.7	0.7	0.7	6.2	3	1064
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	16 LST	19.5	23.0	20.3	19.3	22.0	15.7	6.0	1.0	4.3	16.0	15.0	15.0	180.1	3	1062
	22 LST	21.5	16.9	15.0	12.0	14.0	16.7	15.3	8.6	8.6	12.0	15.3	14.4	170.3	3	1060
	04 LST	26.9	23.0	27.0	20.0	22.7	22.3	11.0	12.0	9.3	20.0	21.0	22.0	237.2	3	1063
	10 LST	23.0	21.3	17.3	16.7	20.3	19.7	7.7	2.3	8.0	16.6	14.0	13.6	180.5	3	1064
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST	20.5	17.6	16.0	19.3	24.0	26.3	19.7	22.3	24.0	23.3	19.3	17.9	250.2	3	1063
	22 LST	24.0	19.2	22.3	22.0	28.0	27.3	18.3	25.0	25.7	26.0	24.7	23.1	285.6	3	1060
	04 LST	19.8	20.7	20.6	26.3	27.0	26.0	16.3	23.7	26.6	26.3	24.0	22.7	280.0	3	1063
	10 LST	18.0	17.3	17.0	20.0	23.7	25.7	14.3	21.3	24.0	21.6	21.7	19.3	245.9	3	1064
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	16 LST	30.5	27.3	31.0	30.0	31.0	29.6	30.7	31.0	30.0	30.7	30.0	30.3	362.1	3	1063
	22 LST	30.5	27.6	30.7	29.3	31.0	30.0	31.0	30.3	30.0	30.7	30.0	29.9	361.0	3	1060
	04 LST	30.0	27.7	30.3	29.6	31.0	30.0	30.3	29.6	28.7	30.3	29.0	29.6	356.1	3	1063
	10 LST	31.0	27.3	31.0	30.0	31.0	30.0	30.0	30.7	30.0	30.7	30.0	30.0	361.7	3	1064
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	16 LST	29.5	26.3	30.0	29.6	30.3	29.6	29.3	29.6	29.3	30.7	29.3	29.0	352.5	3	1063
	22 LST	28.5	26.3	29.6	28.0	30.7	29.3	30.0	29.0	29.3	30.3	29.3	28.2	348.5	3	1060
	04 LST	28.5	25.6	29.3	29.3	30.7	29.0	28.0	28.6	28.7	29.6	29.0	29.0	345.3	3	1063
	10 LST	28.0	25.6	30.0	29.6	30.3	29.6	29.3	29.3	29.3	30.3	29.6	28.0	348.9	3	1064
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	16 LST	27.5	25.6	28.0	28.3	30.3	29.3	28.6	29.3	29.0	30.0	29.0	26.9	341.8	3	1063
	22 LST	28.0	25.6	29.0	27.7	30.7	29.3	28.6	28.3	29.0	30.3	28.7	27.9	343.1	3	1060
	04 LST	28.5	25.0	29.0	29.0	30.7	29.0	27.7	27.7	28.3	29.6	28.7	28.3	341.5	3	1063
	10 LST	27.5	25.3	28.0	28.0	29.6	29.6	28.6	28.6	29.0	29.6	28.7	26.7	339.2	3	1064

# HERMOSILLO, MEXICO

STA NO. 76160 (IN AREA NUMBER 02)

LATITUDE 2905N

LONGITUDE 11102W

ELEVATION(FT) 00615

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	92	100	97	100	105	113	113	113	112	109	97	95	113	6	1796
MEAN MAX TMP (F)	77	81	81	88	96	102	102	103	102	97	85	77	91	6	1794
MEAN MIN TMP (F)	46	47	50	56	54	67	73	73	73	65	55	47	59	6	1794
ABS MIN TMP (F)	32	34	39	43	46	50	47	55	59	45	37	36	32	6	1794
MEAN NO DYS TMP = OR GTR 90(F)	1.0	2.4	4.5	16.1	27.3	29.8	30.8	30.6	29.6	25.9	11.1	1.6	210.7	6	1796
MEAN NO DYS TMP = OR LES 32(F)	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	6	1794
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1794
MEAN DELW PT TMP (F)	40	40	40	43	44	52	68	66	64	55	45	42	50	3	7826
MEAN REL HUM (PCT)	50	44	40	36	32	33	55	51	51	45	42	49	44	3	7802
MEAN PRESS ALT (FT)	504	544	598	645	677	722	686	686	686	630	549	505	619	0	-50
MEAN PRNCIP (IN)	0.53	0.30	0.16	0.10	0.04	0.21	2.37	3.07	1.17	0.66	0.31	0.54	9.5	30	-92
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.3	1.4	0.8	0.6	0.5	0.0	5.3	6.9	2.8	2.4	2.2	1.3	25.5	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.5	0.0	0.0	0.3	0.0	0.3	0.7	0.0	0.0	0.0	0.0	0.0	1.8	3	987
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	1.0	2.4	1.0	2.0	0.0	0.0	0.0	6.4	3	987
P FREQ WND SPD = OR GTR 17 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.0	0.1	0.0	0.0	0.0	3	7841
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	3	7841
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST				0.0	0.0	0.0	0.0	0.0	0.0				0.0	1	8
03-05 LST				0.0	0.0	0.0	0.0	0.0					0.0	3	9
06-08 LST	0.0			0.0		0.0	0.0	0.0		0.0				3	11
09-11 LST				0.0		0.0	0.0				0.0			2	5
12-14 LST				0.0			0.0					0.0		2	3
15-17 LST				0.0		0.0								2	3
18-20 LST				0.0	0.0	0.0		0.0		0.0				3	7
21-23 LST				0.0										1	1
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST				0.0	0.0	0.0	0.0	0.0	0.0				0.0	1	8
03-05 LST				0.0	0.0	0.0	0.0	0.0					0.0	3	9
06-08 LST	0.0			0.0		0.0	0.0	0.0		0.0				3	11
09-11 LST				0.0		0.0	0.0				0.0			2	5
12-14 LST				0.0			0.0					0.0		2	3
15-17 LST				0.0		0.0								2	3
18-20 LST				0.0	0.0	0.0		0.0		0.0				3	7
21-23 LST				0.0										1	1

# HERMOSILLO, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST				30.0		30.0								2	3
	23 LST				30.0										1	1
	05 LST				30.0	31.0	30.0	31.0	31.0				31.0		3	9
	11 LST				30.0		30.0	31.0				30.0			2	5
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST				30.0		30.0								2	3
	23 LST				30.0										1	1
	05 LST				30.0	31.0	30.0	31.0	31.0				31.0		3	9
	11 LST				30.0		30.0	31.0				30.0			2	5
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1779
	23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.4	6	1767
	05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	984
	11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.2	6	1782
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	1.4	3.0	5.5	4.7	2.6	0.2	0.2	0.4	0.0	1.0	1.1	2.8	22.9	6	1777
	23 LST	0.6	1.6	0.2	0.8	0.3	0.2	0.6	1.7	2.4	1.2	1.8	1.4	12.8	6	1764
	05 LST	4.0	5.1	1.5	2.0	2.7	1.0	0.7	0.3	1.4	7.1	5.7	4.4	35.4	3	984
	11 LST	10.3	7.4	12.2	10.1	4.2	2.6	2.4	3.6	3.2	5.2	10.4	10.4	82.2	6	1781
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	16.2	17.0	15.6	19.2	23.6	23.4	7.4	12.6	17.6	21.3	18.3	18.4	210.6	6	1779
	23 LST	22.0	20.1	22.4	20.9	27.1	25.7	7.9	15.6	25.1	25.7	23.1	22.7	258.3	6	1766
	05 LST	24.5	20.9	25.9	21.4	25.9	26.0	10.4	21.5	24.5	25.6	26.6	24.8	278.0	3	983
	11 LST	15.6	17.1	19.7	18.7	24.0	25.0	13.5	18.2	22.0	22.5	20.5	21.8	238.1	6	1778
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST				30.0		30.0								2	3
	23 LST				30.0										1	1
	05 LST				30.0	31.0	30.0	31.0	31.0				31.0		3	9
	11 LST				30.0		30.0	31.0				30.0			2	5
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST				30.0		30.0								2	3
	23 LST				30.0										1	1
	05 LST				30.0	31.0	30.0	15.5	31.0				31.0		3	9
	11 LST				30.0		30.0	31.0				30.0			2	5
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST				30.0		30.0								2	3
	23 LST				30.0										1	1
	05 LST				30.0	31.0	30.0	15.5	31.0				31.0		3	9
	11 LST				30.0		30.0	31.0				30.0			2	5

# GUAYMAS, MEXICO

STA NO. 76255 (IN AREA NUMBER 02)

LATITUDE 2757N

LONGITUDE 11055W

ELEVATION(FT) 00058

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	92	102	95	104	111	109	111	117	109	108	100	100	117	20	-572
MEAN MAX TMP (F)	74	76	79	84	84	94	96	95	96	91	82	76	86	9	2924
MEAN MIN TMP (F)	57	58	60	65	70	78	82	81	81	75	64	58	69	9	2953
ABS MIN TMP (F)	44	41	49	52	58	62	69	69	65	55	49	45	41	20	-572
MEAN NO DYS TMP = OR GTR 90(F)	0.1	0.6	0.8	4.9	14.7	26.8	30.1	30.1	28.9	19.1	2.0	0.0	158.1	9	2924
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2953
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2953
MEAN DELW PT TMP (F)	45	43	44	51	53	66	74	75	72	63	52	45	57	7	10486
MEAN REL HUM (PCT)	52	53	50	48	50	57	63	64	66	67	70	72	59	14	-28
MEAN PRESS ALT (FT)	-24	0	47	89	119	159	127	125	133	91	31	-14	74	0	-50
MEAN PRECIP (IN)	0.51	0.23	0.15	0.07	0.04	0.09	1.67	2.67	2.10	0.72	0.33	0.80	9.4	41	-92
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.3	1.4	0.7	0.6	0.5	0.0	3.5	6.0	3.7	2.5	2.3	1.4	23.9	41	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS W/OCUK VSRY LES 1/2 MI	0.1	0.4	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.5	0.7	1.9	9	2849
MEAN NO DYS TSTMS	0.2	0.0	0.4	0.0	0.0	0.4	2.7	0.7	1.0	1.5	0.0	0.4	7.3	14	-72
P FREQ WND SPD = OR GTR 17 KTS	1.1	1.3	1.4	0.4	0.7	0.1	0.2	0.3	0.2	0.7	1.2	0.8	0.7	9	22317
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.1	0.0	0.1	0.3	0.0	0.1	0.1	0.0	0.1	0.0	0.2	0.1	9	22317
P FREQ LES 5000 FT A/O LES 5 MI	6.6	3.4	5.4	1.6	2.2	5.6	15.4	16.0	8.4	7.1	4.9	3.9	6.7	9	20736
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	6.3	1.6	3.1	0.0	0.5	4.9	17.6	15.6	7.2	4.2	1.4	2.5	5.4	9	2496
03-05 LST	3.7	1.5	3.5	1.6	2.0	5.3	7.2	12.3	4.9	3.5	1.8	3.1	4.2	9	2462
06-08 LST	5.3	5.8	7.7	4.8	5.1	12.4	10.1	13.4	9.1	8.9	6.3	4.4	7.8	9	2744
09-11 LST	5.2	3.5	4.4	1.4	2.8	2.9	6.5	6.5	6.3	4.9	5.0	4.0	4.5	9	2745
12-14 LST	3.6	3.1	1.6	0.0	0.0	1.0	4.2	6.5	2.3	3.2	2.5	2.8	2.6	9	2754
15-17 LST	2.0	1.8	2.0	0.0	0.0	0.0	0.9	3.2	1.4	2.0	1.3	1.2	1.3	9	2746
18-20 LST	1.6	1.8	2.0	0.5	0.5	0.5	1.4	1.9	1.4	2.0	2.1	2.1	1.5	9	2708
21-23 LST	2.9	1.8	2.9	0.5	0.5	2.0	4.9	6.5	3.7	3.3	1.7	2.1	2.7	9	2664
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	1.0	0.2	9	2496
03-05 LST	1.4	0.5	0.4	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.0	0.4	9	2462
06-08 LST	1.2	1.8	1.2	1.0	0.0	0.5	0.0	0.0	0.0	0.4	1.3	0.8	0.7	9	2744
09-11 LST	0.0	0.0	0.4	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	9	2745
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2754
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.4	0.4	0.1	9	2746
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	9	2708
21-23 LST	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.1	9	2664

# GUAYMAS, MEXICO

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	30.6	27.6	30.7	30.0	31.0	30.0	30.8	30.6	29.9	30.8	29.9	30.5	362.4	9	2746
	23 LST	30.5	27.6	30.7	30.0	31.0	30.0	31.0	31.0	30.0	30.5	29.6	30.5	362.4	9	2664
	05 LST	30.4	27.7	30.3	29.7	30.5	29.5	30.8	30.8	30.0	31.0	29.3	30.3	360.3	9	2462
	11 LST	29.7	27.4	30.1	29.7	30.6	29.4	30.1	30.1	28.9	30.5	29.6	29.9	356.0	9	2745
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	28.8	25.0	27.6	24.0	27.1	21.8	20.3	22.8	23.9	28.2	28.7	29.1	307.3	9	2745
	23 LST	23.5	21.3	25.4	27.7	28.1	28.7	27.7	26.4	26.4	25.4	22.9	22.8	306.3	9	2664
	05 LST	28.2	25.0	27.6	28.9	29.1	27.6	27.0	24.1	27.3	28.6	27.4	28.0	328.8	9	2462
	11 LST	28.1	25.6	28.5	29.1	29.1	27.8	28.3	28.4	27.1	28.5	26.8	28.1	335.4	9	2745
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.4	9	2933
	23 LST	1.2	0.9	1.0	0.2	0.5	0.0	0.1	0.1	0.1	0.4	0.5	0.2	5.2	9	2845
	05 LST	0.4	0.3	0.3	0.1	0.1	0.1	0.2	0.0	0.0	0.1	0.3	0.5	2.4	9	2669
	11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.2	9	2949
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	16.1	20.6	22.6	22.9	19.8	5.8	3.3	3.3	2.6	15.1	19.8	16.7	168.6	9	2930
	23 LST	7.5	8.5	6.6	7.0	5.6	8.1	8.3	6.4	4.0	4.3	9.0	8.1	83.6	9	2829
	05 LST	5.2	6.6	5.4	4.7	4.1	5.5	5.0	4.7	4.4	5.1	4.0	4.2	58.9	9	2650
	11 LST	4.7	5.9	7.0	6.6	7.9	4.9	3.1	3.0	2.3	4.6	4.1	4.1	60.2	9	2948
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	16.4	17.1	16.8	20.4	25.6	28.2	19.4	18.4	22.4	23.9	19.7	18.2	246.5	9	2942
	23 LST	18.8	19.9	20.3	23.2	26.6	22.3	9.9	11.9	22.2	25.3	23.0	22.8	246.2	9	2847
	05 LST	20.8	20.9	20.6	21.9	23.3	19.3	9.4	13.4	20.6	24.2	22.9	24.4	241.7	9	2657
	11 LST	16.4	16.5	16.8	20.4	24.7	24.1	16.7	16.7	21.8	22.1	20.2	18.8	235.2	9	2947
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	29.9	27.4	29.9	30.0	30.8	30.0	30.0	29.4	29.0	30.0	29.0	30.1	355.5	9	2746
	23 LST	29.9	27.4	29.5	29.9	30.8	29.1	27.3	27.4	28.0	29.5	29.0	29.8	347.6	9	2664
	05 LST	29.0	27.3	29.0	29.0	30.2	27.3	26.2	23.2	27.0	28.4	28.9	29.2	334.7	9	2462
	11 LST	29.0	26.6	29.4	29.6	30.0	28.8	27.7	28.0	27.1	28.3	27.3	29.5	341.3	9	2745
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	29.9	27.4	29.7	30.0	30.8	30.0	29.4	29.0	28.9	29.9	29.0	29.7	353.7	9	2746
	23 LST	29.2	27.2	29.1	29.9	30.7	28.7	25.9	26.2	27.5	29.1	28.7	29.7	341.9	9	2664
	05 LST	28.1	27.2	28.6	28.7	29.4	25.7	23.8	21.9	25.7	27.8	28.6	28.6	324.1	9	2462
	11 LST	28.6	26.5	29.2	29.6	29.9	28.7	27.2	28.0	27.0	28.2	27.2	29.2	339.3	9	2745
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	29.3	27.4	29.5	29.6	30.8	30.0	29.4	29.0	28.9	29.7	28.6	29.4	351.6	9	2746
	23 LST	29.2	27.2	28.9	29.4	30.7	28.2	25.5	26.2	27.5	29.1	28.7	29.4	340.0	9	2664
	05 LST	27.9	27.0	28.4	28.6	29.3	25.4	23.3	21.6	25.7	27.6	28.5	28.6	321.9	9	2462
	11 LST	28.5	26.4	29.2	29.4	29.9	28.7	27.2	27.8	26.9	28.2	27.1	28.5	337.8	9	2745

# CIUDAD OBREGON, MEXICO

STA NO. 76258 (IN AREA NUMBER 02)

LATITUDE 2723N

LONGITUDE 10950W

ELEVATION(FT) 00226

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	92	102	95	104	111	109	111	117	109	108	100	100	117	20	-76255
MEAN MAX TMP (F)	74	76	79	84	84	94	96	95	96	91	82	76	86	9	-76255
MEAN MIN TMP (F)	57	58	60	65	70	78	82	81	81	75	64	58	69	9	-76255
ABS MIN TMP (F)	44	41	49	52	58	62	69	69	65	55	49	45	41	20	-76255
MEAN NO DYS TMP = OR GTR 90(F)	0.1	0.6	0.8	4.9	14.7	26.8	30.1	30.1	28.9	19.1	2.0	0.0	158.1	9	-76255
MEAN NO DYS TMP = OR LTR 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-76255
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-76255
MEAN DEW PT TMP (F)	45	43	44	51	53	64	74	75	72	63	52	45	57	7	-76255
MEAN REL HUM (PCT)	52	53	50	48	50	57	63	64	66	67	70	72	59	14	-76255
MEAN PRESS ALT (FT)	135	167	217	262	292	333	296	295	300	255	189	143	240	0	-50
MEAN PRECIP (IN)	0.71	0.76	0.84	0.97	1.09	1.24	1.31	1.26	1.26	1.14	0.91	0.78	12.3	33	-92
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.3	1.4	2.3	2.6	2.8	2.3	2.5	2.4	2.9	2.8	2.6	1.4	27.3	33	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	0.1	0.4	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.5	0.7	1.9	9	-76255
MEAN NO DYS TSMS	0.2	0.0	0.4	0.0	0.0	0.4	2.7	0.7	1.0	1.5	0.0	0.4	7.3	14	-76255
P FREQ WND SPD = OR GTR 17 KTS	1.1	1.3	1.4	0.4	0.7	0.1	0.2	0.3	0.2	0.7	1.2	0.8	0.7	9	-76255
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.1	0.0	0.1	0.3	0.0	0.1	0.1	0.0	0.1	0.0	0.2	0.1	9	-76255
P FREQ LES 5000 FT A/O LES 5 MI	6.6	3.4	5.4	1.6	2.2	5.6	15.4	16.0	8.4	7.1	4.9	3.9	6.7	9	-76255
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	6.3	1.8	3.1	0.0	0.5	4.9	17.6	15.6	7.2	4.2	1.4	2.5	5.4	9	-76255
03-05 LST	3.7	1.5	3.5	1.6	2.0	5.3	7.2	12.3	4.9	3.5	1.8	3.1	4.2	9	-76255
06-08 LST	5.3	5.8	7.7	4.8	5.1	12.4	10.1	13.4	9.1	8.9	6.3	4.4	7.8	9	-76255
09-11 LST	5.2	3.5	4.4	1.4	2.6	2.9	6.5	6.5	6.3	4.9	5.0	4.0	4.5	9	-76255
12-14 LST	3.6	3.1	1.6	0.0	0.0	1.0	4.2	6.5	2.3	3.2	2.5	2.8	2.6	9	-76255
15-17 LST	2.0	1.8	2.0	0.0	0.0	0.0	0.9	3.2	1.4	2.0	1.3	1.2	1.3	9	-76255
18-20 LST	1.6	1.8	2.0	0.5	0.5	0.5	1.4	1.9	1.4	2.0	2.1	2.1	1.5	9	-76255
21-23 LST	2.9	1.8	2.9	0.5	0.5	2.0	4.9	6.5	3.7	3.3	1.7	2.1	2.7	9	-76255
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	1.0	0.2	9	-76255
03-05 LST	1.4	0.5	0.4	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.0	0.4	9	-76255
06-08 LST	1.2	1.8	1.2	1.0	0.0	0.5	0.0	0.0	0.0	0.4	1.3	0.8	0.7	9	-76255
09-11 LST	0.0	0.0	0.4	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.8	1.2	0.2	9	-76255
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-76255
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.4	0.4	0.1	9	-76255
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	9	-76255
21-23 LST	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.1	9	-76255

# CIUDAD OBREGON, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	30.6	27.6	30.7	30.0	31.0	30.0	30.8	30.6	29.9	30.8	29.9	30.5	362.4	9	-76255
	23 LST	30.5	27.6	30.7	30.0	31.0	30.0	31.0	31.0	30.0	30.5	29.6	30.5	362.4	9	-76255
	05 LST	30.4	27.7	30.3	29.7	30.5	29.5	30.8	30.8	30.0	31.0	29.3	30.3	360.3	9	-76255
	11 LST	29.7	27.4	30.1	29.7	30.6	29.4	30.1	30.1	28.9	30.5	29.6	29.9	356.0	9	-76255
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	17 LST	28.8	25.0	27.6	24.0	27.1	21.8	20.3	22.8	23.9	28.2	28.7	29.1	307.3	9	-76255
	23 LST	23.5	21.3	25.4	27.7	28.1	28.7	27.7	26.4	26.4	23.4	22.9	22.8	308.3	9	-76255
	05 LST	28.2	25.0	27.6	28.9	29.1	27.6	27.0	24.1	27.3	28.6	27.4	28.0	328.8	9	-76255
	11 LST	28.1	25.6	28.5	29.1	29.1	27.8	28.3	28.4	27.1	28.5	26.8	28.1	335.4	9	-76255
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.4	9	-76255
	23 LST	1.2	0.9	1.0	0.2	0.5	0.0	0.1	0.1	0.1	0.4	0.5	0.2	5.2	9	-76255
	05 LST	0.4	0.3	0.3	0.1	0.1	0.1	0.2	0.0	0.0	0.1	0.3	0.5	2.4	9	-76255
	11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.2	9	-76255
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	16.1	20.6	22.6	22.9	19.8	5.8	3.3	3.3	2.6	15.1	19.8	16.7	168.6	9	-76255
	23 LST	7.5	8.5	6.6	7.0	5.8	8.1	8.3	6.4	4.0	4.3	9.0	8.1	83.6	9	-76255
	05 LST	5.2	6.6	5.4	4.7	4.1	5.5	5.0	4.7	4.4	5.1	4.0	4.2	58.9	9	-76255
	11 LST	4.7	5.9	7.0	8.6	7.9	4.9	3.1	3.0	2.3	4.6	4.1	4.1	60.2	9	-76255
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	16.4	17.1	16.8	20.4	25.6	28.2	19.4	18.4	22.4	23.9	19.7	18.2	246.5	9	-76255
	23 LST	18.8	19.9	20.3	23.2	26.6	22.3	9.9	11.9	22.2	25.3	25.0	22.8	246.2	9	-76255
	05 LST	20.8	20.7	20.6	21.9	23.3	19.3	9.4	13.4	20.6	24.2	22.9	24.4	241.7	9	-76255
	11 LST	16.4	16.5	16.8	20.4	24.7	24.1	16.7	16.7	21.8	22.1	20.2	18.8	235.2	9	-76255
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	29.9	27.4	29.9	30.0	30.8	30.0	30.0	29.4	29.0	30.0	29.0	30.1	355.5	9	-76255
	23 LST	29.9	27.4	29.5	29.9	30.8	29.1	27.3	27.4	28.0	29.5	29.0	29.8	347.6	9	-76255
	05 LST	29.0	27.3	29.0	29.0	30.2	27.3	26.2	23.2	27.0	28.4	28.9	29.2	334.7	9	-76255
	11 LST	29.0	26.6	29.4	29.6	30.0	28.8	27.7	28.0	27.1	28.3	27.3	29.5	341.3	9	-76255
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	29.9	27.4	29.7	30.0	30.8	30.0	29.4	29.0	28.9	29.9	29.0	29.7	353.7	9	-76255
	23 LST	29.2	27.2	29.1	29.9	30.7	28.7	25.9	26.2	27.5	29.1	28.7	29.7	341.9	9	-76255
	05 LST	28.1	27.2	28.6	28.7	29.4	25.7	23.8	21.9	25.7	27.8	28.6	28.6	324.1	9	-76255
	11 LST	28.6	26.5	29.2	29.6	29.9	28.7	27.2	28.0	27.0	28.2	27.2	29.2	339.3	9	-76255
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	29.3	27.4	29.5	29.6	30.6	30.0	29.4	29.0	28.9	29.7	28.6	29.4	351.6	9	-76255
	23 LST	29.2	27.2	28.9	29.4	30.7	28.2	25.5	26.2	27.5	29.1	28.7	29.4	340.0	9	-76255
	05 LST	27.9	27.0	28.4	28.6	29.3	25.4	23.3	21.6	25.7	27.6	28.5	28.6	321.9	9	-76255
	11 LST	28.5	26.4	29.2	29.4	29.9	28.7	27.2	27.8	26.9	28.2	27.1	28.5	337.8	9	-76255

# NAVOJOA, MEXICO

STA NO. 76261/ (IN AREA NUMBER 02)

LATITUDE 2704N    LONGITUDE 10925W    ELEVATION(FT) 00124

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	92	102	95	104	111	109	111	117	109	108	100	100	117	20	-76255
MEAN MAX TMP (F)	74	76	79	84	89	94	96	95	96	91	82	76	86	9	-76255
MEAN MIN TMP (F)	57	56	60	65	70	78	82	81	81	75	64	58	69	9	-76255
ABS MIN TMP (F)	44	41	49	52	58	62	69	69	65	55	49	45	41	20	-76255
MEAN NO DYS TMP = OR GTR 90(F)	0.1	0.6	0.8	4.9	14.7	26.8	30.1	30.1	28.9	19.1	2.0	0.0	158.1	9	-76255
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-76255
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-76255
MEAN DEW PT TMP (F)	45	43	44	51	53	66	74	75	72	63	52	45	57	14	-76255
MEAN REL HUM (PCT)	52	53	50	48	50	57	63	64	66	67	70	72	59	0	-50
MEAN PRESS ALT (FT)	30	65	115	161	192	234	195	194	198	151	83	37	138	41	-92
MEAN PRECIP (IN)	0.71	0.75	0.82	0.92	1.05	1.20	1.28	1.26	1.23	1.10	0.90	0.76	17.0	20	-29
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	41	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.3	1.4	2.2	2.5	2.7	2.2	2.4	2.3	2.9	2.8	2.6	1.4	26.7	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-76255
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.1	0.4	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.5	0.7	1.9	14	-76255
MEAN NO DYS TSMS	0.2	0.0	0.4	0.0	0.0	0.4	2.7	0.7	1.0	1.5	0.0	0.4	7.3	9	-76255
P FREQ WND SPD = OR GTR 17 KTS	1.1	1.3	1.4	0.4	0.7	0.1	0.2	0.3	0.2	0.7	1.2	0.8	0.7	9	-76255
P FREQ WND SPD = OR GTR 26 KTS	0.1	0.1	0.0	0.1	0.3	0.0	0.1	0.1	0.0	0.1	0.0	0.2	0.1	9	-76255
P FREQ LES 5000 FT A/O LES 5 MI	6.6	3.4	5.4	1.6	2.2	5.6	15.4	16.0	8.4	7.1	4.9	3.9	6.7	9	-76255
P FREQ LES 1500 FT A/O LES 3 MI														9	-76255
FOR 00-02 LST	6.3	1.8	3.1	0.0	0.5	4.9	17.6	15.6	7.2	4.2	1.4	2.5	5.4	9	-76255
03-05 LST	3.7	1.5	3.5	1.6	2.0	5.3	7.2	12.3	4.9	3.5	1.8	3.1	4.2	9	-76255
06-08 LST	5.3	5.8	7.7	4.8	5.1	12.4	10.1	13.4	9.1	8.9	6.3	4.4	7.8	9	-76255
09-11 LST	5.2	3.5	4.4	1.4	2.8	2.9	6.5	6.5	6.3	4.9	5.0	4.0	4.5	9	-76255
12-14 LST	3.6	3.1	1.6	0.0	0.0	1.0	4.2	6.5	2.3	3.2	2.5	2.8	2.6	9	-76255
15-17 LST	2.0	1.8	2.0	0.0	0.0	0.0	0.9	3.2	1.4	2.0	1.3	1.2	1.3	9	-76255
18-20 LST	1.6	1.8	2.0	0.5	0.5	0.5	1.4	1.9	1.4	2.0	2.1	2.1	1.5	9	-76255
21-23 LST	2.9	1.8	2.9	0.5	0.5	2.0	4.9	6.5	3.7	3.3	1.7	2.1	2.7	9	-76255
P FREQ LES 300 FT A/O LES 1 MI														9	-76255
FOR 00-02 LST	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	1.0	0.2	9	-76255
03-05 LST	1.4	0.5	0.4	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.0	0.4	9	-76255
06-08 LST	1.2	1.8	1.2	1.0	0.0	0.5	0.0	0.0	0.0	0.4	1.3	0.8	0.7	9	-76255
09-11 LST	0.0	0.0	0.4	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.6	1.2	0.2	9	-76255
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-76255
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.4	0.4	0.1	9	-76255
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	9	-76255
21-23 LST	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.1	9	-76255

# NAVOJOA, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	30.6	27.6	30.7	30.0	31.0	30.0	30.8	30.6	29.9	30.8	29.9	30.5	362.4	9	-76255
	23 LST	30.5	27.6	30.7	30.0	31.0	30.0	31.0	31.0	30.0	30.5	29.6	30.5	362.4	9	-76255
	05 LST	30.4	27.7	30.3	29.7	30.5	29.5	30.8	30.8	30.0	31.0	29.3	30.3	360.3	9	-76255
	11 LST	29.7	27.4	30.1	29.7	30.6	29.4	30.1	30.1	28.9	30.5	29.6	29.9	356.0	9	-76255
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	28.8	25.0	27.6	24.0	27.1	21.8	20.3	22.6	23.9	28.2	28.7	29.1	307.3	9	-76255
	23 LST	23.5	21.3	25.4	27.7	28.1	28.7	27.7	26.4	26.4	25.4	22.9	22.8	306.3	9	-76255
	05 LST	28.2	25.0	27.6	28.9	29.1	27.6	27.0	24.1	27.3	28.6	27.4	28.0	328.8	9	-76255
	11 LST	28.1	25.6	28.5	29.1	29.1	27.8	28.3	28.4	27.1	28.5	26.8	28.1	335.4	9	-76255
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.4	9	-76255
	23 LST	1.2	0.9	1.0	0.2	0.5	0.0	0.1	0.1	0.1	0.4	0.5	0.2	5.2	9	-76255
	05 LST	0.4	0.3	0.3	0.1	0.1	0.1	0.2	0.0	0.0	0.1	0.3	0.5	2.4	9	-76255
	11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.2	9	-76255
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	16.1	20.6	22.6	22.9	19.8	5.8	3.3	3.3	2.6	15.1	19.8	16.7	168.6	9	-76255
	23 LST	7.5	8.5	6.6	7.0	5.8	8.1	8.3	6.4	4.0	4.3	9.0	8.1	83.6	9	-76255
	05 LST	5.2	6.6	5.4	4.7	4.1	5.5	5.0	4.7	4.4	5.1	4.0	4.2	58.9	9	-76255
	11 LST	4.7	5.9	7.0	8.6	7.9	4.9	3.1	3.0	2.3	4.6	4.1	4.1	60.2	9	-76255
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	16.4	17.1	16.8	20.4	25.6	28.2	19.4	18.4	22.4	23.9	19.7	18.2	246.5	9	-76255
	23 LST	18.8	19.9	20.3	23.2	26.6	27.3	9.9	11.9	22.7	25.3	23.0	22.8	246.2	9	-76255
	05 LST	20.8	20.9	20.6	21.9	23.3	19.3	9.4	13.4	20.6	24.2	22.9	24.4	241.7	9	-76255
	11 LST	16.4	16.5	16.8	20.4	24.7	24.1	16.7	16.7	21.8	22.1	20.2	18.8	235.2	9	-76255
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	29.9	27.4	29.9	30.0	30.8	30.0	30.0	29.4	29.0	30.0	29.0	30.1	355.5	9	-76255
	23 LST	29.9	27.4	29.5	29.9	30.8	29.1	27.3	27.4	28.0	29.5	29.0	29.8	347.6	9	-76255
	05 LST	29.0	27.3	29.0	29.0	30.2	27.3	26.2	23.2	27.0	28.4	28.9	29.2	334.7	9	-76255
	11 LST	29.0	26.6	29.4	29.6	30.0	28.6	27.7	28.0	27.1	28.3	27.3	29.5	341.3	9	-76255
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	29.9	27.4	29.7	30.0	30.8	30.0	29.4	29.0	28.9	29.9	29.0	29.7	353.7	9	-76255
	23 LST	29.2	27.2	29.1	29.9	30.7	28.7	25.9	26.2	27.5	29.1	28.7	29.7	341.9	9	-76255
	05 LST	28.1	27.2	28.6	28.7	29.4	25.7	23.8	21.9	25.7	27.8	28.6	28.6	324.1	9	-76255
	11 LST	28.6	26.5	29.2	29.6	29.4	28.7	27.7	28.0	27.0	28.2	27.2	29.2	339.3	9	-76255
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	29.3	27.4	29.5	29.6	30.6	30.0	29.4	29.0	28.4	29.7	28.6	29.4	351.6	9	-76255
	23 LST	29.2	27.2	28.9	29.4	30.7	28.2	25.5	26.2	27.5	29.1	28.7	29.4	340.0	9	-76255
	05 LST	27.9	27.0	28.4	28.6	29.3	25.4	23.3	21.6	25.7	27.6	28.5	28.6	321.9	9	-76255
	11 LST	28.5	26.4	29.2	29.4	29.9	28.7	27.7	27.8	26.9	28.2	27.1	28.5	337.8	9	-76255

# LOS MOCHIS, MEXICO

STA NO. 76361 (IN AREA NUMBER 02)

LATITUDE 2549N

LONGITUDE 10850W

ELEVATION(FT) 00055

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	95	96	103	105	106	104	104	104	104	102	103	98	106	5	-76412
MEAN MAX TMP (F)	82	84	87	91	93	95	93	92	92	92	87	82	89	23	-76412
MEAN MIN TMP (F)	53	51	54	59	65	75	76	75	75	70	62	55	64	23	-76412
ABS MIN TMP (F)	38	40	40	45	52	62	63	66	67	56	42	42	38	5	-76412
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	6.4	18.5	25.1	28.3	25.1	22.3	21.5	22.3	6.1	0.0	175.6	23	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN DEW PT TMP (F)	50	50	49	50	56	65	71	73	73	66	57	52	59	0	-50
MEAN REL HUM (PCT)	64	61	57	54	55	60	70	76	77	69	65	67	65	23	-76412
MEAN PRESS ALT (FT)	-15	4	51	92	120	155	120	121	129	94	40	-1	76	0	-50
MEAN PRECIP (IN)	0.88	0.19	0.13	0.04	0.02	0.41	1.86	3.34	3.34	1.89	0.31	0.58	13.0	16	-92
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.4	1.5	0.7	0.5	0.4	0.0	4.0	7.5	5.1	3.5	2.2	1.3	28.1	16	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.1	0.0	0.0	0.1	0.2	1.8	4.8	6.7	4.2	0.5	0.5	0.5	19.4	19	-76412
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# LOS MOCHIS, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANA	POR	NO.
														(YRS)	OBS
CIG = GTR 1000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG = GTR 2000 FT AND VSBY = GTR														0	0
3 MI W/SFC WND LES 10 KTS														0	0
														0	0
														0	0
														0	0
SFC WND = GTR 17 KTS AND														0	0
NO PRECIP.														0	0
														0	0
														0	0
SFC WND 4-10 KTS AND TMP 33-89														0	0
DEG F AND NO PRECIP.														0	0
														0	0
														0	0
														0	0
SKY COVER LES 3/10 AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG = GTR 2500 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG = GTR 6000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG = GTR 10000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0

DATA NOT AVAILABLE

# CULIACAN NEW, MEXICO

STA NO. 76412 (IN AREA NUMBER 02)

LATITUDE 2445N

LONGITUDE 10728W

ELEVATION(FT) 00107

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	95	96	103	105	106	104	104	104	104	102	103	98	106	5	-35
MEAN MAX TMP (F)	82	84	87	91	93	95	93	92	92	92	87	82	89	23	-72
MEAN MIN TMP (F)	53	51	54	59	65	75	76	75	75	70	62	55	64	23	-72
ABS MIN TMP (F)	38	40	40	45	52	62	63	66	67	56	42	42	38	5	-35
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	6.4	18.5	25.1	28.3	25.1	22.3	21.5	22.3	6.1	0.0	175.6	23	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN DEW PT TMP (F)	53	53	53	55	60	68	73	75	75	69	60	57	63	0	-50
MEAN REL HUM (PCT)	64	61	57	54	55	60	70	76	77	69	65	67	65	23	-72
MEAN PRESS ALT (FT)	26	53	105	149	178	215	174	174	179	140	80	34	126	0	-50
MEAN PRECIP (IN)	0.30	0.80	0.20	0.00	0.00	1.00	4.70	6.50	4.60	1.30	0.70	1.20	21.3	23	-72
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.4	1.4	0.9	0.0	0.0	1.6	9.9	12.1	6.9	2.9	2.5	1.7	41.3	23	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS W/OCUM VSBY LES 1/2 MI	0.1	0.0	0.0	0.1	0.2	1.8	4.8	6.7	4.2	0.5	0.5	0.5	19.4	19	-72
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# CULIACAN NEW, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG =GTR 2000 FT AND VSBY =GTR														0	0
3 MI W/SFC WND LES 10 KTS														0	0
														0	0
														0	0
														0	0
SFC WND = GTR 17 KTS AND														0	0
NO PRECIP.														0	0
														0	0
														0	0
														0	0
SFC WND 4-10 KTS AND TMP 33-89														0	0
DEG F AND NO PRECIP.														0	0
														0	0
														0	0
														0	0
SKY COVER LES 3/10 AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG = GTR 2500 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG = GTR 6000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG = GTR 10000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0

DATA NOT AVAILABLE

# MAZATLAN, MEXICO

STA NO. 76458 (IN AREA NUMBER 02)

LATITUDE 2313N

LONGITUDE 10625W

ELEVATION(FT) 00019

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	79	80	84	87	87	91	91	91	92	89	85	84	92	20	-72
MEAN MAX TMP (F)	71	71	73	76	80	84	86	86	85	85	80	75	79	10	-28
MEAN MIN TMP (F)	61	62	63	65	70	76	77	77	77	76	71	65	70	10	-28
ABS MIN TMP (F)	52	52	55	55	59	69	69	68	67	67	59	54	52	20	-72
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	3.7	3.7	1.3	0.0	0.0	0.0	8.7	10	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN DEW PT TMP (F)	59	59	60	63	66	71	73	74	74	71	65	61	66	0	-50
MEAN REL HUM (PCT)	76	77	77	78	77	76	78	79	80	78	75	75	77	40	-34
MEAN PRESS ALT (FT)	-45	-26	22	60	87	116	81	82	89	58	5	-30	42	0	-50
MEAN PRECIP (IN)	0.79	0.51	0.24	0.08	0.12	1.46	5.94	8.27	7.99	2.60	0.87	1.26	30.1	46	-34
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.4	1.3	0.9	0.6	0.7	2.9	11.5	13.7	12.4	4.2	2.6	1.8	54.0	46	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.2	0.2	0.1	0.1	0.1	2.2	8.0	9.5	6.4	1.4	0.3	0.3	28.8	35	-34
MEAN NO DYS TSMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# MAZATLAN, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR	17	LST												0	0
3 MI W/SFC WND LES 10 KTS	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
SFC WND = GTR 17 KTS AND	17	LST												0	0
NO PRECIP.	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	17	LST												0	0
DEG F AND NO PRECIP.	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
SKY COVER LES 3/10 AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
CIG = GTR 2500 FT AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
CIG = GTR 6000 FT AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
CIG = GTR 10000 FT AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0

DATA NOT AVAILABLE

# PT VALLARTA NEW, MEXICO

STA NO. 76601/ (IN AREA NUMBER 02)

LATITUDE 2041N

LONGITUDE 10515W

ELEVATION(FT) 00015

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	95	97	98	98	101	103	103	103	102	101	100	95	103	17	-76654
MEAN MAX TMP (F)	86	85	86	87	89	91	93	93	90	91	89	87	89	17	-76654
MEAN MIN TMP (F)	68	67	66	67	71	76	76	76	76	76	73	70	72	17	-76654
ABS MIN TMP (F)	57	58	54	56	62	68	70	67	67	66	65	61	54	17	-76654
MEAN NO DYS TMP = OR GTR 90(F)	3.7	1.2	3.7	6.1	12.6	18.5	25.1	25.1	15.3	19.2	12.1	6.4	149.0	17	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN DEW PT TMP (F)	65	63	63	64	68	75	77	76	76	77	71	67	70	0	-50
MEAN REL HUM (PCT)	77	77	77	76	75	78	76	78	82	79	79	78	78	10	-76654
MEAN PRESS ALT (FT)	-37	-23	22	53	79	102	75	75	86	58	9	-18	40	0	-50
MEAN PRECIP (IN)	0.10	0.20	0.03	0.00	0.10	4.70	5.70	6.40	14.50	5.10	0.90	1.80	39.5	17	-76654
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.5	1.5	0.5	0.0	0.6	9.9	11.2	12.0	20.1	7.7	2.6	2.8	70.4	17	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	2.0	5.0	5.0	4.0	2.0	0.0	0.0	18.0	10	-76654
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# PT VALLARTA NEW, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	17 LST														0	0
	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST														0	0
	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST														0	0
	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST														0	0
	11 LST														0	0

DATA NOT AVAILABLE

## AREA NO. 02

MEXICO	WESTERN COAST		LATITUDE 2600N					LONGITUDE 10830W						
	BOUNDARIES	3100N 11450W	3240N 11600W	3200N 11300W	2000N 10330W	2000N 10330W	2000N 10330W	2000N 10330W	2000N 10330W	2000N 10330W	2000N 10330W	2000N 10330W	2000N 10330W	
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		74	76	79	84	88	93	94	95	94	91	83	76	86
MEAN MIN TMP (F)		52	53	56	61	65	73	77	77	76	69	61	54	65
LARGEST MEAN PRECIP (IN)		0.88	0.80	0.84	0.97	1.09	1.46	5.94	8.27	7.99	2.60	0.91	1.26	33.0
SMALLEST MEAN PRECIP (IN)		0.30	0.16	0.13	0.00	0.00	0.01	0.11	0.32	0.17	0.29	0.24	0.50	2.2
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	30.6	27.8	30.9	30.0	31.0	29.9	30.9	30.8	30.0	30.9	30.0	30.8	363.6
	23 LST	30.5	27.8	30.7	29.8	31.0	30.0	31.0	30.9	30.0	30.8	29.8	30.4	362.7
	05 LST	30.5	27.7	30.3	29.8	30.8	29.8	30.9	30.8	29.7	30.9	29.2	30.5	360.9
	11 LST	30.4	27.6	30.6	29.9	30.8	29.8	30.6	30.6	29.5	30.8	29.9	30.5	361.0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	26.4	25.0	26.0	26.3	27.1	25.7	23.7	25.3	25.1	27.8	27.2	27.0	312.1
	23 LST	25.0	23.8	26.4	27.7	28.6	27.9	28.0	28.2	27.7	26.6	25.5	25.5	320.9
	05 LST	28.4	25.3	27.7	28.4	29.3	28.0	27.2	27.0	27.0	29.0	27.4	29.2	333.9
	11 LST	28.6	25.8	28.1	28.5	27.6	27.6	28.7	28.4	27.2	28.8	27.9	28.2	335.4
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	0.0	0.1	1.0	0.2	0.1	0.3	0.0	0.1	0.0	0.2	0.2	0.6	2.8
	23 LST	0.4	0.3	0.9	0.8	0.3	0.0	0.2	0.1	0.0	0.3	0.5	0.4	4.2
	05 LST	0.3	0.3	0.5	0.6	0.5	0.3	0.3	0.1	0.1	0.1	0.4	0.2	3.7
	11 LST	0.2	0.0	0.3	0.2	0.1	0.1	0.1	0.4	0.0	0.2	0.3	0.2	2.1
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	12.3	15.5	16.1	15.6	14.8	8.2	3.2	1.6	2.3	10.7	12.0	11.5	123.8
	23 LST	9.9	9.0	7.3	6.6	6.7	8.3	8.1	5.6	5.0	5.8	8.7	8.0	89.0
	05 LST	12.0	11.6	11.3	6.9	9.8	9.6	5.6	5.7	5.0	10.7	10.2	10.2	110.6
	11 LST	12.7	11.5	12.2	11.8	10.6	9.1	4.4	3.0	4.5	8.8	9.6	9.4	107.8
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	17.7	17.2	16.1	19.6	24.4	26.0	15.5	17.8	21.3	22.8	19.1	18.2	235.7
	23 LST	21.6	19.7	21.7	22.0	27.2	25.1	12.0	17.5	24.3	25.7	23.6	22.9	263.3
	05 LST	21.7	20.8	22.4	23.2	25.4	23.8	12.0	19.5	23.9	25.4	24.5	24.0	266.6
	11 LST	16.7	17.0	17.7	19.7	24.1	24.9	15.5	18.7	22.6	22.1	20.8	20.0	239.8
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	30.2	27.4	30.5	30.0	30.9	29.9	30.4	30.2	29.5	30.4	29.5	30.2	359.1
	23 LST	30.2	27.5	30.1	29.7	30.9	29.6	29.2	28.9	29.0	30.1	29.5	29.9	354.6
	05 LST	29.5	27.5	29.7	29.5	30.7	29.1	29.2	27.9	27.9	29.4	29.0	29.9	349.3
	11 LST	30.0	27.0	30.2	29.9	30.5	29.6	29.6	29.4	28.6	29.5	29.1	29.8	351.2
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	29.7	26.9	29.9	29.9	30.6	29.9	29.4	29.3	29.1	30.3	29.2	29.4	353.6
	23 LST	28.9	26.8	29.4	29.3	30.7	29.0	28.0	27.6	28.4	29.7	29.0	29.0	345.8
	05 LST	28.3	26.4	29.0	29.3	30.4	28.2	22.4	27.2	27.2	28.7	28.6	29.5	335.4
	11 LST	28.3	26.1	29.6	29.7	30.1	29.4	29.2	28.7	28.2	29.3	28.9	28.6	346.1
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	28.4	26.5	28.8	29.3	30.6	29.8	29.0	29.2	29.0	29.9	28.6	28.2	347.5
	23 LST	28.6	26.4	29.0	29.0	30.7	28.8	27.1	27.3	28.3	29.7	28.7	28.7	342.3
	05 LST	28.7	26.0	28.7	29.2	30.3	28.1	22.2	26.8	27.0	28.6	28.6	29.3	333.0
	11 LST	28.0	25.9	28.6	29.1	29.6	29.4	28.9	28.2	28.0	28.9	28.6	27.6	341.0

# CIUDAD JUAREZ, MEXICO

STA NO. 76075/ (IN AREA NUMBER 03)

LATITUDE 3140N

LONGITUDE 10626W

ELEVATION(FT) 03830

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	77	86	93	95	102	109	109	103	101	94	85	77	109	60	-72270
MEAN MAX TMP (F)	57	62	69	77	86	94	93	91	86	77	66	57	76	60	-72270
MEAN MIN TMP (F)	32	37	42	50	57	67	70	68	63	52	40	33	51	67	-72270
ABS MIN TMP (F)	-8	5	14	26	34	46	56	52	41	26	11	-5	-6	67	-72270
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	1.7	13.7	27.2	26.2	25.9	12.4	0.5	0.0	0.0	107.6	10	-72270
MEAN NO DYS TMP = OR LES 32(F)	17.8	10.6	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.1	7.4	17.1	56.9	10	-72270
MEAN NO DYS TMP = OR LES 0(F)	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	10	-72270
MEAN DEW PT TMP (F)	22	22	21	23	30	41	54	54	49	39	28	25	34	10	-72270
MEAN REL HUM (PCT)	46	41	33	28	27	31	45	49	49	46	48	51	41	53	-72270
MEAN PRESS ALT (FT)	3694	3749	3824	3860	3910	3941	3878	3876	3862	3807	3723	3684	3819	0	-50
MEAN PRECIP (IN)	0.40	0.50	0.30	0.20	0.30	0.60	1.80	1.60	1.30	0.70	0.50	0.50	8.7	70	-72270
MEAN SNOW FALL (IN)	0.4	1.6	0.6		0.0	0.0	0.0	0.0	0.0		1.3	1.2		67	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.4	1.3	1.1	0.9	1.1	0.3	3.9	3.3	2.9	2.5	2.3	1.3	22.3	70	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.1	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	1.3	67	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.6	0.4	0.6	0.0	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.8	3.3	10	-72270
MEAN NO DYS TSTMS	0.2	0.2	0.2	1.0	2.0	4.0	8.0	8.0	3.0	2.0	0.2	0.2	29.0	73	-72270
P FREQ WND SPD = OR GTR 17 KTS	10.5	14.7	21.2	21.4	16.0	10.0	6.7	4.2	4.3	6.2	8.2	7.6	10.9	10	-72270
P FREQ WND SPD = OR GTR 26 KTS	0.9	2.0	1.9	2.0	0.6	0.4	0.2	0.1	0.0	0.4	0.5	0.6	0.8	10	-72270
P FREQ LES 5000 FT A/O LES 5 MI	7.1	6.2	4.8	4.4	1.4	1.2	1.8	1.2	4.2	6.5	6.3	6.9	4.3	10	-72270
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	1.0	1.8	1.0	0.2	0.0	0.7	0.3	0.0	0.4	1.5	1.2	2.8	0.9	10	-72270
03-05 LST	2.5	2.7	1.1	0.0	0.0	0.0	0.8	0.0	0.7	1.0	2.0	3.3	1.2	10	-72270
06-08 LST	3.1	2.1	1.5	0.2	0.0	0.1	0.1	0.1	0.7	1.4	1.7	3.3	1.2	10	-72270
09-11 LST	3.0	2.0	1.9	1.0	0.0	0.0	0.2	0.0	1.0	1.3	1.9	2.9	1.3	10	-72270
12-14 LST	1.8	2.1	1.9	2.2	0.6	0.0	0.2	0.1	0.7	0.3	0.6	2.3	1.1	10	-72270
15-17 LST	1.8	2.4	3.0	2.9	2.4	0.3	0.2	0.2	0.0	0.2	1.1	2.4	1.4	10	-72270
18-20 LST	0.9	1.4	2.0	2.0	1.5	1.1	0.4	0.1	0.0	0.0	0.6	1.8	1.0	10	-72270
21-23 LST	0.2	0.9	1.1	0.6	0.3	0.9	0.0	0.1	0.0	0.6	0.9	2.3	0.7	10	-72270
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.5	0.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	1.3	0.3	10	-72270
03-05 LST	0.8	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.6	1.4	0.3	10	-72270
06-08 LST	0.8	0.4	0.4	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.4	1.5	0.3	10	-72270
09-11 LST	0.9	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	1.3	0.3	10	-72270
12-14 LST	0.3	0.6	0.4	0.7	0.0	0.0	0.0	0.1	0.0	0.3	0.0	0.6	0.3	10	-72270
15-17 LST	0.2	0.9	0.8	0.3	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.3	10	-72270
18-20 LST	0.0	0.0	0.3	0.0	0.3	0.6	0.1	0.1	0.0	0.0	0.0	0.3	0.1	10	-72270
21-23 LST	0.0	0.1	0.2	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.1	1.0	0.1	10	-72270

# CIUDAD JUAREZ, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	ALG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	30.8	27.7	30.8	29.9	31.0	29.8	31.0	31.0	30.0	30.7	29.8	30.4	362.9	10	-72270
	23 LST	30.5	27.7	30.9	29.9	31.0	30.0	30.9	31.0	30.0	30.9	29.7	30.3	362.8	10	-72270
	05 LST	30.8	27.8	30.3	29.6	31.0	30.0	31.0	31.0	29.8	30.9	29.9	30.4	362.5	10	-72270
	11 LST	30.6	27.3	30.1	29.2	30.3	29.6	30.8	31.0	30.0	30.9	29.8	30.4	360.2	10	-72270
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	17 LST	20.2	15.4	15.8	13.4	16.6	16.3	18.8	21.2	21.9	23.9	19.8	22.0	225.3	10	-72270
	23 LST	19.0	17.0	18.6	18.5	22.7	22.9	24.5	24.2	24.1	24.0	20.2	19.7	255.4	10	-72270
	05 LST	16.6	12.7	11.1	9.1	13.4	16.4	19.5	23.0	19.2	17.9	17.7	19.4	196.0	10	-72270
	11 LST	19.6	13.6	10.7	8.7	12.2	12.9	12.4	16.7	17.9	20.1	20.7	20.3	185.8	10	-72270
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	2.9	3.4	5.3	6.4	5.0	3.6	2.4	1.0	0.9	1.6	2.6	1.9	37.8	10	-72270
	23 LST	2.4	2.5	3.1	3.1	1.7	1.0	0.6	0.4	0.3	0.6	1.8	2.0	19.5	10	-72270
	05 LST	4.1	5.0	7.4	7.3	4.7	1.7	0.6	0.8	1.7	2.9	3.3	2.9	42.4	10	-72270
	11 LST	3.2	4.7	7.9	8.9	8.5	4.8	4.5	2.3	1.8	2.7	2.7	2.6	54.6	10	-72270
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	13.5	13.0	14.0	12.7	15.0	16.4	17.6	20.2	16.2	15.7	14.9	13.6	182.8	10	-72270
	23 LST	9.7	11.7	14.6	17.0	18.0	16.3	19.8	18.8	18.6	16.4	13.8	8.3	183.0	10	-72270
	05 LST	15.0	12.8	12.6	11.8	13.6	6.4	9.2	13.4	15.8	15.7	15.3	16.3	157.9	10	-72270
	11 LST	18.0	14.0	13.4	11.2	10.4	2.4	5.9	8.6	17.3	19.0	16.7	17.0	153.9	10	-72270
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	19.4	18.1	19.8	21.0	22.0	20.5	13.7	14.3	18.7	22.3	20.7	20.8	231.3	10	-72270
	23 LST	17.4	17.7	17.9	17.6	19.1	19.2	11.5	13.5	17.9	20.6	19.2	19.6	211.2	10	-72270
	05 LST	13.8	14.2	14.7	17.2	19.9	21.6	14.3	15.6	19.5	19.5	17.3	16.9	204.5	10	-72270
	11 LST	14.5	13.8	14.7	16.1	17.6	15.9	9.4	10.2	16.6	19.8	18.6	17.0	184.2	10	-72270
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	30.5	27.1	30.7	29.9	31.0	29.8	31.0	31.0	29.7	29.9	29.3	29.7	359.6	10	-72270
	23 LST	29.8	27.0	30.4	29.6	31.0	30.0	30.7	31.0	29.5	29.5	29.0	29.2	356.7	10	-72270
	05 LST	30.1	27.3	30.3	29.6	31.0	30.0	30.9	31.0	29.6	29.9	29.2	29.7	358.6	10	-72270
	11 LST	30.1	26.9	30.0	29.2	30.3	29.8	30.8	31.0	29.9	30.5	29.3	30.1	357.9	10	-72270
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	29.4	26.7	30.1	29.7	31.0	29.8	30.6	30.4	29.0	29.1	28.5	28.5	352.8	10	-72270
	23 LST	28.3	26.0	29.9	28.7	30.7	29.8	30.7	30.3	27.8	28.3	27.8	27.9	345.7	10	-72270
	05 LST	28.3	25.7	28.6	28.6	30.9	29.6	29.5	30.0	27.6	28.0	28.1	28.1	343.0	10	-72270
	11 LST	28.8	25.8	29.3	29.0	30.3	29.6	30.5	30.9	29.1	29.8	28.6	29.4	351.1	10	-72270
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	28.4	25.6	29.1	29.0	30.4	28.7	27.9	28.2	26.9	28.1	27.1	26.8	336.2	10	-72270
	23 LST	27.3	24.9	27.9	28.3	30.4	29.3	28.6	29.2	26.7	27.1	27.0	26.4	333.1	10	-72270
	05 LST	27.1	24.9	27.3	27.6	29.8	29.2	28.4	28.8	26.5	27.3	27.1	26.6	330.6	10	-72270
	11 LST	27.2	24.8	27.7	28.4	29.4	26.8	26.4	28.5	27.6	29.0	27.7	28.2	331.7	10	-72270

# ALTAR SONORA, MEXICO

STA NO. 76113/ (IN AREA NUMBER 03)

LATITUDE 3043N

LONGITUDE 11144W

ELEVATION(FT) 01302

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. CBS
ABS MAX TMP (F)	88	94	98	102	114	115	115	112	112	109	96	91	115	3	1003
MEAN MAX TMP (F)	71	76	82	91	96	104	103	103	102	95	88	77	91	3	1003
MEAN MIN TMP (F)	39	43	48	55	57	66	76	73	71	61	50	42	57	3	990
ABS MIN TMP (F)	27	28	35	39	44	55	65	63	58	43	43	27	27	3	990
MEAN NO DYS TMP = OR GTR 90(F)	0.0	1.0	3.0	19.0	27.0	30.0	29.6	30.3	30.0	24.0	13.0	0.5	207.4	3	1003
MEAN NO DYS TMP = OR LES 32(F)	4.5	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	7.7	3	990
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	990
MEAN DEW PT TMP (F)	34	36	34	37	36	43	63	60	59	47	35	34	43	3	8012
MEAN REL HUM (PCT)	55	52	40	35	30	27	50	47	47	42	37	48	43	3	8001
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.63	0.39	0.36	0.15	0.04	0.46	2.52	2.23	1.60	0.58	0.50	0.72	10.2	33	-92
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			3	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.3	1.4	1.2	0.7	0.5	0.0	5.7	5.0	3.2	2.4	2.3	1.3	25.0	33	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			3	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3	1003
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.6	1.0	0.3	0.0	0.0	3.6	3	1003
P FREQ WND SPD = OR GTR 17 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.1	0.0	0.0	0.0	0.1	3	8006
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.1	0.0	0.0	0.0	0.0	3	8006
P FREQ LES 5000 FT A/O LES 5 MI	0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0		3	2516
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	596
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	584
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	532
09-11 LST	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3	501
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	398
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	362
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	491
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	565
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	596
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	584
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	532
09-11 LST	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3	501
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	398
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	362
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	491
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	565

# ALTAR SONORA, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	31.0	28.0	29.7	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	363.7	3	362
	23 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	365.0	3	565
	05 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	365.0	3	584
	11 LST	29.8	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	363.8	3	501
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	31.0	27.2	28.4	27.5	29.0	29.4	31.0	31.0	30.0	31.0	30.0	31.0	356.5	3	362
	23 LST	30.1	28.0	30.2	30.0	31.0	29.6	31.0	31.0	30.0	31.0	30.0	31.0	362.9	3	565
	05 LST	31.0	28.0	30.3	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	364.3	3	584
	11 LST	29.8	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	363.8	3	501
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	1001
	23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	1002
	05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.3	3	998
	11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	1000
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	10.0	14.0	15.7	9.3	6.0	0.0	1.0	0.7	1.7	6.3	6.0	9.5	80.2	3	1001
	23 LST	2.5	1.7	3.0	1.3	0.7	2.0	4.0	5.3	2.3	0.0	0.0	1.0	23.8	3	1002
	05 LST	7.0	7.3	10.3	4.7	2.3	3.0	2.0	5.0	5.5	7.7	6.5	9.5	70.8	3	998
	11 LST	0.0	1.0	3.0	3.0	4.7	0.7	1.3	1.0	2.0	2.7	1.5	2.0	22.9	3	1000
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	19.5	16.3	13.0	18.3	23.6	23.3	8.4	18.3	18.0	22.0	22.0	18.0	220.7	3	1001
	23 LST	22.0	19.3	19.7	20.0	24.0	26.0	10.0	19.3	22.7	24.2	23.0	23.5	256.7	3	1002
	05 LST	24.0	22.0	20.0	22.0	25.6	25.6	16.3	23.3	25.5	26.0	27.0	23.5	280.8	3	999
	11 LST	17.0	18.6	15.3	20.0	24.6	26.6	15.7	21.0	23.6	24.6	24.5	20.0	251.5	3	1001
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	31.0	28.0	29.7	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	363.7	3	362
	23 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	365.0	3	565
	05 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	365.0	3	584
	11 LST	29.8	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	363.8	3	501
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	31.0	28.0	29.7	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	363.7	3	362
	23 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	365.0	3	565
	05 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	365.0	3	584
	11 LST	29.8	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	363.8	3	501
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	31.0	28.0	29.7	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	363.7	3	362
	23 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	365.0	3	565
	05 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	365.0	3	584
	11 LST	29.8	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	363.8	3	501

# PALARES DE NACUZARI, MEXICO

STA NO. 76118/ (IN AREA NUMBER 03)

LATITUDE 3023N

LONGITUDE 10939W

ELEVATION(FT) 04876

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	80	86	91	93	104	108	104	104	104	98	88	84	108	3	997
MEAN MAX TMP (F)	63	64	69	76	85	94	90	91	91	84	75	67	79	3	997
MEAN MIN TMP (F)	35	40	44	51	53	60	64	63	60	52	43	35	50	3	1011
ABS MIN TMP (F)	21	27	25	32	31	45	60	54	49	41	31	24	21	3	1011
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.7	0.8	8.0	20.1	16.6	20.3	17.6	11.0	0.0	0.0	95.1	3	997
MEAN NO DYS TMP = OR LES 32(F)	11.2	5.0	1.7	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.3	11.3	30.4	3	1011
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	1011
MEAN DEW PT TMP (F)	34	31	32	33	36	50	63	62	56	52	40	36	44	3	6208
MEAN REL HUM (PCT)	55	46	40	35	32	39	65	61	53	52	54	57	49	3	6204
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.45	1.03	0.96	0.53	0.16	1.22	5.81	5.04	2.08	1.93	0.65	1.95	22.8	23	-92
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		3	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.1	1.5	2.5	1.6	0.6	2.2	11.4	10.4	3.6	3.5	2.4	3.1	45.1	23	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		3	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.9	1.1	0.0	0.0	0.0	0.0	2.4	0.4	1.0	0.0	0.0	1.1	9.9	3	793
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.8	0.5	7.2	19.6	12.0	5.8	2.7	0.0	0.0	48.6	3	811
P FREQ WND SPD = OR GTR 17 KTS	0.5	1.0	1.4	0.5	0.6	0.0	0.1	0.0	0.0	0.0	0.5	0.6	0.5	3	6187
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	6187
P FREQ LES 5000 FT A/O LES 5 MI	6.0	14.3	9.5	12.0		14.6	13.7	3.4	2.1	6.9	2.8	3.7		2	2469
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	14.3	8.6	4.1	0.0	7.1	5.6	2.9	3.6	3	274
03-05 LST	8.0	0.0	0.0	0.0	0.0	5.9	8.8	0.0	0.0	2.5	2.1	0.0	2.3	3	294
06-08 LST	6.7	0.0	14.3	0.0	0.0	10.0	11.4	3.5	3.3	5.0	8.3	3.3	5.5	3	394
09-11 LST	3.3	0.0	0.0	0.0	0.0	4.2	5.3	1.7	0.0	3.2	3.3	4.8	2.2	3	417
12-14 LST	0.0	0.0	0.0	0.0	0.0	6.3	1.8	3.3	0.0	4.8	1.7	2.5	1.7	3	418
15-17 LST	3.2	0.0	0.0	0.0	0.0	3.3	3.3	0.0	0.0	1.6	1.6	3.3	1.4	3	462
18-20 LST	3.2	0.0	0.0	0.0	0.0	5.9	5.5	6.6	0.0	1.7	0.0	2.4	2.1	3	419
21-23 LST	3.4	0.0	0.0	0.0	0.0	8.3	11.6	5.3	0.0	4.8	3.4	0.0	3.1	3	408
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	5.7	0.0	0.0	7.1	2.8	2.9	1.5	3	274
03-05 LST	4.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	2.5	2.1	0.0	1.0	3	294
06-08 LST	6.7	0.0	14.3	0.0	0.0	0.0	8.6	1.8	1.7	5.0	5.0	3.3	3.9	3	394
09-11 LST	3.3	0.0	0.0	0.0	0.0	0.0	2.6	1.7	0.0	1.6	3.3	4.8	1.4	3	417
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	1.8	1.7	0.0	3.2	1.7	2.5	0.9	3	418
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	1.6	1.6	3.3	0.7	3	462
18-20 LST	3.2	0.0	0.0	0.0	0.0	0.0	3.6	4.9	0.0	1.7	0.0	2.4	1.3	3	419
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	4.7	3.5	0.0	4.8	1.7	0.0	1.2	3	408

## PALARES DE NACAZARI, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	30.0	28.0	31.0	30.0	31.0	30.0	29.9	31.0	30.0	30.5	29.5	30.0	360.9	3	462
	23 LST	31.0	28.0	31.0	30.0	31.0	28.7	28.1	29.4	30.0	29.5	29.0	31.0	356.7	3	408
	05 LST	29.8	28.0	31.0	30.0	31.0	30.0	28.2	31.0	30.0	30.2	29.4	31.0	359.6	3	294
	11 LST	29.9	28.0	31.0	30.0	31.0	30.0	30.2	30.4	30.0	30.0	29.0	29.5	359.0	3	417
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	17 LST	27.0	16.8	24.8	23.1	22.5	26.0	27.9	31.0	28.5	29.5	27.0	25.9	310.0	3	462
	23 LST	29.9	28.0	27.1	30.0	20.6	26.3	26.7	27.7	30.0	29.5	28.5	28.3	332.6	3	408
	05 LST	26.0	16.8	25.8	30.0	31.0	28.2	27.3	31.0	29.2	29.5	26.9	26.2	327.9	3	294
	11 LST	19.6	28.0	24.8	17.8	25.8	27.5	28.6	28.9	28.0	27.0	21.5	23.1	295.6	3	417
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	0.0	0.4	1.0	0.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.5	3	991
	23 LST	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.9	3	899
	05 LST	0.0	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	3	702
	11 LST	0.5	0.0	0.3	0.3	0.5	0.0	0.0	0.0	0.3	0.3	0.3	0.0	2.5	3	1014
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	25.6	19.8	24.9	25.1	20.4	10.5	11.9	8.5	11.1	20.9	23.6	20.4	223.1	3	991
	23 LST	15.5	10.3	16.7	15.6	13.0	11.3	9.0	8.3	7.1	7.5	9.5	9.1	132.9	3	899
	05 LST	17.3	12.5	12.5	11.0	11.9	4.5	5.9	7.9	6.4	8.5	12.5	9.8	120.7	3	702
	11 LST	23.0	20.6	23.8	23.5	25.4	15.9	15.3	22.7	18.7	24.9	21.6	22.0	257.4	3	1012
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	14.4	16.1	11.3	11.5	20.0	16.9	2.7	7.4	14.1	13.6	16.8	18.0	162.8	3	999
	23 LST	21.3	20.2	18.7	18.8	25.5	19.0	2.4	11.0	18.4	23.0	21.5	22.4	227.2	3	874
	05 LST	19.8	20.3	20.6	27.8	28.0	21.8	8.2	14.9	24.9	24.8	25.0	21.9	253.0	3	682
	11 LST	15.2	17.3	14.3	16.5	26.5	22.7	10.5	19.0	20.6	19.2	19.3	17.3	218.4	3	1020
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	30.0	28.0	31.0	30.0	31.0	29.0	29.5	31.0	30.0	30.5	29.5	30.0	359.5	3	462
	23 LST	29.9	28.0	27.1	30.0	31.0	27.5	27.4	29.4	30.0	29.5	29.0	31.0	349.8	3	408
	05 LST	28.5	28.0	31.0	30.0	31.0	28.2	27.3	31.0	30.0	30.2	29.4	31.0	355.6	3	294
	11 LST	29.9	21.0	24.8	25.7	31.0	27.5	27.7	29.9	30.0	29.5	29.0	29.5	335.5	3	417
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	28.0	16.8	9.3	11.5	28.2	26.0	20.6	29.5	26.9	27.4	29.0	28.5	281.7	3	462
	23 LST	28.9	9.3	7.8	20.0	10.3	25.0	18.0	26.1	28.0	27.5	28.5	29.9	259.3	3	408
	05 LST	28.5	16.8	15.5	22.5	31.0	24.7	15.5	26.9	29.2	28.7	29.4	31.0	299.7	3	294
	11 LST	28.9	14.0	0.0	0.0	31.0	27.5	26.1	25.9	29.5	28.0	28.0	29.0	271.9	3	417
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	28.0	16.8	9.3	11.5	28.2	24.0	20.6	29.5	26.9	26.9	29.0	28.5	279.2	3	462
	23 LST	28.9	9.3	7.8	20.0	10.3	23.7	17.3	21.7	27.5	27.5	28.5	29.9	252.4	3	408
	05 LST	28.5	16.8	15.5	22.5	31.0	22.9	15.5	26.9	29.2	28.7	29.4	31.0	297.9	3	294
	11 LST	28.9	14.0	0.0	0.0	31.0	27.5	26.1	29.9	29.5	28.0	28.0	29.0	271.9	3	417

# NUEVO CASAS GRANDES, MEXICO

STA NO. 76122 (IN AREA NUMBER 03)

LATITUDE 3023N

LONGITUDE 10752W

ELEVATION(FT) 04850

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	65	88	98	101	114	119	119	118	118	106	96	90	119	5	-35
MEAN MAX TMP (F)	66	71	75	80	91	98	99	93	89	79	70	61	81	5	-35
MEAN MIN TMP (F)	33	37	43	51	62	67	71	66	62	51	38	31	51	5	-35
ABS MIN TMP (F)	5	7	14	16	21	39	39	41	36	16	13	3	3	5	-35
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0			19.2	30.0	31.0	25.1	12.1			0.0		5	-29
MEAN NO DYS TMP = OR LES 32(F)	18.0	7.0	4.3	0.7	0.0	0.0	0.0	0.0	0.0	0.0	4.5	15.5	50.0	3	946
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	946
MEAN DEW PT TMP (F)	29	30	30	30	33	41	56	55	52	45	33	29	39	3	7619
MEAN REL HUM (PCT)	52	51	39	32	27	29	50	50	51	51	47	52	44	3	7615
MEAN PRESS ALT (FT)	4723	4777	4846	4900	4932	4969	4912	4912	4900	4842	4757	4716	4849	0	-50
MEAN PRECIP (IN)	0.20	1.10	0.60	0.40	0.20	0.60	3.90	3.20	2.00	1.10	1.10	0.70	15.1	11	-35
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					5	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.5	1.6	1.8	1.3	0.9	0.3	8.5	7.2	3.6	2.8	2.8	1.3	33.6	11	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0	0.0					5	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	1.5	0.5	1.3	0.3	0.3	0.7	0.0	0.0	0.7	0.0	0.0	1.0	6.3	3	970
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.7	1.7	8.5	3.7	1.0	1.0	0.0	0.0	16.6	3	970
P FREQ WND SPD = OR GTR 17 KTS	0.8	0.7	1.2	0.1	0.7	0.1	0.0	0.1	0.1	0.0	0.0	0.8	0.4	3	7619
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.2	0.0	0.0	0.3	0.1	0.0	0.1	0.0	0.0	0.0	0.2	0.1	3	7619
P FREQ LES 5000 FT A/O LES 5 MI	11.5	13.3	13.4	12.5	8.6	19.4	47.5	30.4	24.3	15.5	5.4	5.4	17.3	3	6385
P FREQ LES 1500 FT A/O LES 3 MI														3	736
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	813
03-05 LST	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.6	0.4	3	816
06-08 LST	3.2	3.6	3.2	0.0	0.0	0.0	0.0	0.0	1.1	1.1	0.0	1.6	1.2	3	816
09-11 LST	1.6	3.6	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.1	0.0	1.6	0.8	3	815
12-14 LST	0.0	3.6	3.2	0.0	0.0	1.8	0.0	1.1	2.2	1.1	0.0	0.0	1.1	3	816
15-17 LST	1.6	1.8	1.6	3.3	1.6	0.0	0.0	1.1	2.2	1.1	0.0	0.0	1.2	3	815
18-20 LST	0.0	0.0	0.0	1.7	0.0	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.4	3	798
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	813
P FREQ LES 300 FT A/O LES 1 MI														3	736
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	813
03-05 LST	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.3	3	816
06-08 LST	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	3	816
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	815
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.1	3	816
15-17 LST	0.0	0.0	0.0	3.3	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.4	3	815
18-20 LST	0.0	0.0	0.0	1.7	0.0	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.4	3	798
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	813

## NUEVO CASAS GRANDES, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	31.0	28.0	31.0	29.0	31.0	30.0	31.0	31.0	29.6	31.0	30.0	30.5	363.1	3	815
	23 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	365.0	3	813
	05 LST	30.5	27.5	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	30.5	363.5	3	813
	11 LST	31.0	27.5	30.0	30.0	30.5	30.0	31.0	31.0	30.0	31.0	30.0	30.5	362.5	3	815
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	27.5	25.0	25.9	28.5	29.0	29.5	31.0	30.7	28.7	30.0	30.0	29.0	344.8	3	815
	23 LST	31.0	27.5	31.0	30.0	31.0	30.0	30.0	30.7	29.6	31.0	29.3	30.5	361.6	3	813
	05 LST	29.5	27.5	30.5	29.5	31.0	29.5	31.0	31.0	30.0	31.0	29.3	30.0	359.8	3	813
	11 LST	26.5	24.9	26.5	29.5	30.0	29.0	31.0	30.7	29.0	30.0	29.3	28.5	344.9	3	815
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	0.0	0.0	0.3	0.0	0.3	0.0	0.0	0.0	0.3	0.0	0.0	1.0	1.9	3	968
	23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	968
	05 LST	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3	964
	11 LST	0.5	0.5	1.0	0.0	0.3	0.0	0.0	0.3	0.0	0.0	0.0	0.5	3.1	3	968
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	21.0	15.5	21.2	17.3	17.3	6.1	5.1	6.3	6.0	6.0	9.9	12.0	143.7	3	968
	23 LST	3.0	3.0	11.7	7.0	6.7	6.1	10.3	5.1	3.0	5.6	3.7	7.0	72.2	3	968
	05 LST	2.0	0.5	7.8	1.7	1.0	1.7	4.0	1.3	3.0	2.7	2.3	3.5	31.5	3	964
	11 LST	20.3	12.7	17.6	13.0	9.1	7.1	5.0	8.3	6.7	5.1	5.3	11.0	120.7	3	968
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	18.5	16.5	14.5	12.3	16.3	7.8	0.5	6.0	10.7	16.6	19.4	20.5	159.6	3	968
	23 LST	22.5	17.0	18.6	18.0	23.7	16.8	8.3	9.6	14.5	19.0	23.9	22.5	214.6	3	968
	05 LST	20.6	16.9	16.7	20.6	21.3	18.5	8.0	13.1	17.0	19.0	23.6	22.8	220.1	3	964
	11 LST	21.5	18.8	15.3	17.6	20.6	20.8	9.0	18.3	22.0	20.9	21.7	24.5	231.0	3	969
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	29.0	26.5	27.9	26.0	28.0	23.8	16.0	23.0	24.0	27.6	28.3	28.5	308.6	3	815
	23 LST	29.5	26.0	29.9	28.0	29.5	25.9	19.4	24.9	27.3	28.6	29.3	30.5	328.8	3	813
	05 LST	26.8	24.3	29.0	28.5	29.5	27.0	24.0	27.2	27.7	29.0	29.3	29.0	331.3	3	813
	11 LST	29.5	24.4	27.5	28.5	30.0	29.0	29.0	30.3	28.7	28.6	28.7	30.0	344.2	3	815
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	28.5	26.0	25.9	24.0	26.5	19.7	6.0	16.0	18.7	25.3	27.3	27.0	270.9	3	815
	23 LST	28.0	24.5	28.9	27.0	28.5	23.4	11.6	19.7	22.8	26.7	29.0	30.0	300.1	3	813
	05 LST	24.8	22.2	27.5	27.5	28.5	25.5	19.0	21.5	22.7	26.7	29.0	27.9	302.8	3	813
	11 LST	29.5	23.4	26.0	27.5	30.0	27.9	27.0	29.0	27.7	27.3	28.0	30.0	333.3	3	815
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	28.5	26.0	25.9	24.0	26.5	19.7	6.0	16.0	18.7	25.3	27.3	27.0	270.9	3	815
	23 LST	28.0	24.0	28.9	27.0	28.5	23.4	11.6	19.7	22.8	26.7	29.0	30.0	299.6	3	813
	05 LST	24.8	22.2	27.5	27.5	28.0	25.5	19.0	21.5	22.7	26.7	29.0	27.9	302.3	3	813
	11 LST	29.5	23.4	26.0	27.5	30.0	27.9	27.0	29.0	27.7	27.3	28.0	30.0	333.3	3	815

# CANANEA, MEXICO

STA NO. 76125/ (IN AREA NUMBER 03)

LATITUDE 3059N

LONGITUDE 11016W

ELEVATION(FT) 05128

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	GBS
ABS MAX TMP (F)	80	86	91	93	100	108	104	104	104	98	88	84	106	3	-76118
MEAN MAX TMP (F)	63	64	69	76	85	94	90	91	91	84	75	67	79	3	-76118
MEAN MIN TMP (F)	35	40	44	51	53	60	64	63	60	52	43	35	50	3	-76118
ABS MIN TMP (F)	21	27	25	32	31	45	60	54	49	41	31	24	21	3	-76118
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.7	0.8	8.0	20.1	16.6	20.3	17.6	11.0	0.0	0.0	95.1	3	-76118
MEAN NO DYS TMP = OR LES 32(F)	11.2	5.0	1.7	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.3	11.3	30.4	3	-76118
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-76118
MEAN DEW PT TMP (F)	34	31	32	33	36	50	63	62	56	52	40	36	44	3	-76118
MEAN REL HUM (PCT)	55	46	40	35	32	39	65	61	53	52	54	57	49	3	-76118
MEAN PRESS ALT (FT)	5091	5139	5197	5249	5279	5327	5272	5272	5269	5215	5138	5091	5211	0	-50
MEAN PRECIP (IN)	1.11	1.47	1.09	0.54	0.31	1.06	4.71	4.83	2.52	1.41	0.92	1.95	21.9	38	-92
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			3	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.6	2.1	2.8	1.6	1.1	1.7	9.9	10.1	4.1	3.0	2.6	3.1	43.7	38	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			3	-29
MEAN NO DYS W/OCUR V5BY LES 1/2 MI	3.9	1.1	0.0	0.0	0.0	0.0	2.4	0.4	1.0	0.0	0.0	1.1	9.9	3	-76118
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.8	0.5	7.2	19.6	12.0	5.8	2.7	0.0	0.0	48.6	3	-76118
P FREQ WND SPD = OR GTR 17 KTS	0.5	1.0	1.4	0.5	0.6	0.0	0.1	0.0	0.0	0.0	0.5	0.8	0.5	3	-76118
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-76118
P FREQ LES 5000 FT A/O LES 5 MI	6.0	14.3	9.5	12.0		14.6	13.7	3.4	2.1	6.9	2.8	3.7		2	-76118
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	14.3	8.6	4.1	0.0	7.1	5.6	2.9	3.6	3	-76118
03-05 LST	8.0	0.0	0.0	0.0	0.0	5.9	8.8	0.0	0.0	2.5	2.1	0.0	2.3	3	-76118
06-08 LST	6.7	0.0	14.3	0.0	0.0	10.0	11.4	3.5	3.3	5.0	8.3	3.3	5.5	3	-76118
09-11 LST	3.3	0.0	0.0	0.0	0.0	4.2	5.3	1.7	0.0	3.2	3.3	4.8	2.2	3	-76118
12-14 LST	0.0	0.0	0.0	0.0	0.0	6.3	1.8	3.3	0.0	4.8	1.7	2.5	1.7	3	-76118
15-17 LST	3.2	0.0	0.0	0.0	0.0	3.3	3.3	0.0	0.0	1.6	1.6	3.3	1.4	3	-76118
18-20 LST	3.2	0.0	0.0	0.0	0.0	5.9	5.5	6.6	0.0	1.7	0.0	2.4	2.1	3	-76118
21-23 LST	3.4	0.0	0.0	0.0	0.0	8.3	11.6	5.3	0.0	4.8	3.4	0.0	3.1	3	-76118
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	5.7	0.0	0.0	7.1	2.8	2.9	1.5	3	-76118
03-05 LST	4.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	2.5	2.1	0.0	1.0	3	-76118
06-08 LST	6.7	0.0	14.3	0.0	0.0	0.0	8.6	1.6	1.7	5.0	5.0	3.3	3.9	3	-76118
09-11 LST	3.3	0.0	0.0	0.0	0.0	0.0	2.6	1.7	0.0	1.6	3.3	4.8	1.4	3	-76118
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	1.8	1.7	0.0	3.2	1.7	2.5	0.9	3	-76118
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	1.6	1.6	3.3	0.7	3	-76118
18-20 LST	3.2	0.0	0.0	0.0	0.0	0.0	3.6	4.9	0.0	1.7	0.0	2.4	1.3	3	-76118
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	4.7	3.5	0.0	4.8	1.7	0.0	1.2	3	-76118

# CANANEA, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	30.0	28.0	31.0	30.0	31.0	30.0	29.9	31.0	30.0	30.5	29.5	30.0	360.9	3	-76118
	23 LST	31.0	28.0	31.0	30.0	31.0	28.7	28.1	29.4	30.0	29.5	29.0	31.0	356.7	3	-76118
	05 LST	29.8	28.0	31.0	30.0	31.0	30.0	28.2	31.0	30.0	30.2	29.4	31.0	359.6	3	-76118
	11 LST	29.9	28.0	31.0	30.0	31.0	30.0	30.2	30.4	30.0	30.0	29.0	29.5	359.0	3	-76118
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	27.0	16.8	24.8	23.1	22.5	26.0	27.9	31.0	28.5	29.5	27.0	25.9	310.0	3	-76118
	23 LST	29.9	28.0	27.1	30.0	20.6	26.3	26.7	27.7	30.0	29.5	28.5	28.3	332.6	3	-76118
	05 LST	26.0	16.8	25.8	30.0	31.0	28.2	27.3	31.0	29.2	29.5	26.9	26.2	327.9	3	-76118
	11 LST	19.6	28.0	24.8	12.8	25.8	27.5	28.6	28.9	28.0	27.0	21.5	23.1	295.6	3	-76118
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	0.0	0.4	1.0	0.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.5	3	-76118
	23 LST	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.9	3	-76118
	05 LST	0.0	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	3	-76118
	11 LST	0.5	0.0	0.3	0.3	0.5	0.0	0.0	0.0	0.3	0.3	0.3	0.0	2.5	3	-76118
SFC WND 4-10 KTS AND TMP 33-89 DLG F AND NO PRECIP.	17 LST	25.6	19.8	24.9	25.1	20.8	10.5	11.9	8.5	11.1	20.9	23.6	20.4	223.1	3	-76118
	23 LST	15.5	10.3	16.7	15.6	13.0	11.3	9.0	8.3	7.1	7.5	9.5	9.1	132.9	3	-76118
	05 LST	17.3	12.5	12.5	11.0	11.9	4.5	5.9	7.9	6.4	8.5	12.5	9.8	120.7	3	-76118
	11 LST	23.0	20.6	23.8	23.5	25.4	15.9	15.3	22.7	18.7	24.9	21.6	22.0	257.4	3	-76118
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	14.4	16.1	11.3	11.5	20.0	16.9	2.7	7.4	14.1	13.6	16.8	18.0	162.8	3	-76118
	23 LST	21.3	20.2	18.7	18.8	25.5	19.0	2.4	11.0	18.4	23.0	21.5	22.4	222.2	3	-76118
	05 LST	19.8	20.3	20.6	22.8	28.0	21.8	8.2	14.9	24.9	24.8	25.0	21.9	253.0	3	-76118
	11 LST	15.2	17.3	14.3	16.5	26.5	22.7	10.5	19.0	20.6	19.2	19.3	17.3	218.4	3	-76118
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	30.0	28.0	31.0	30.0	31.0	29.0	29.5	31.0	30.0	30.5	29.5	30.0	359.5	3	-76118
	23 LST	29.9	28.0	27.1	30.0	31.0	27.5	27.4	29.4	30.0	29.5	29.0	31.0	349.8	3	-76118
	05 LST	28.5	28.0	31.0	30.0	31.0	28.2	27.3	31.0	30.0	30.2	29.4	31.0	355.6	3	-76118
	11 LST	29.9	21.0	24.8	25.7	31.0	27.5	27.7	29.9	30.0	29.5	29.0	29.5	335.5	3	-76118
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	28.0	16.8	9.3	11.5	28.2	26.0	20.6	29.5	26.9	27.4	29.0	28.5	281.7	3	-76118
	23 LST	28.9	9.3	7.8	20.0	10.3	25.0	18.0	26.1	28.0	27.5	28.5	29.9	259.3	3	-76118
	05 LST	28.5	16.8	15.5	22.5	31.0	24.7	15.5	26.9	29.2	28.7	29.4	31.0	299.7	3	-76118
	11 LST	28.9	14.0	0.0	0.0	31.0	27.5	26.1	29.9	29.5	28.0	28.0	29.0	271.9	3	-76118
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	28.0	16.8	9.3	11.5	28.2	24.0	20.6	29.5	26.9	26.9	29.0	28.5	279.2	3	-76118
	23 LST	28.9	9.3	7.8	20.0	10.3	23.7	17.3	21.7	27.5	27.5	28.5	29.9	252.4	3	-76118
	05 LST	28.5	16.8	15.5	22.5	31.0	22.9	15.5	26.9	29.2	28.7	29.4	31.0	297.9	3	-76118
	11 LST	28.9	14.0	0.0	0.0	31.0	27.5	26.1	29.9	29.5	28.0	28.0	29.0	271.9	3	-76118

# NOGALES FEDERAL, MEXICO

STA NO. 70126/ (IN AREA NUMBER 03)

LATITUDE 3113N

LONGITUDE 11058W

ELEVATION(FT) 04064

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	GBS
ABS MAX TMP (F)	75	84	84	91	100	101	101	97	98	90	81	79	101	12	-72273
MEAN MAX TMP (F)	58	61	66	74	82	90	89	86	85	77	66	60	75	12	-72273
MEAN MIN TMP (F)	35	36	41	48	55	65	67	65	62	53	41	37	50	12	-72273
ABS MIN TMP (F)	9	14	23	31	35	50	58	55	49	31	18	18	9	12	-72273
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.4	2.7	17.0	13.5	6.3	5.3	0.2	0.0	0.0	45.4	12	-72273
MEAN NO DYS TMP = OR LES 32(F)	10.2	9.4	4.3	0.3	0.0	0.0	0.0	0.0	0.0	0.4	3.7	7.3	35.6	12	-72273
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72273
MEAN DEW PT TMP (F)	25	23	21	23	26	36	54	57	48	38	29	26	34	12	-72273
MEAN REL HUM (PCT)	49	41	34	26	22	25	50	59	45	43	44	48	41	12	-72273
MEAN PRESS ALT (FT)	3960	4006	4060	4112	4142	4186	4138	4138	4138	4085	4011	3963	4078	0	-50
MEAN PRECIP (IN)	0.98	1.30	0.83	0.53	0.26	0.69	3.61	4.38	1.62	0.67	0.59	1.42	16.9	25	-92
MEAN SNOW FALL (IN)	0.6	1.2	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.3	4.5	12	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.5	1.8	2.3	1.6	1.0	0.6	8.0	9.4	3.2	2.5	2.4	2.0	36.3	25	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.2	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	1.1	12	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	0.2	0.2	0.2	0.1	0.0	0.0	0.2	0.2	0.0	0.3	0.2	0.7	2.3	12	-72273
MEAN NO DYS TSTMS	0.2	0.1	0.2	0.6	0.6	5.6	20.1	21.0	7.7	2.0	0.5	0.3	58.9	12	-72273
P FREQ WND SPD = OR GTR 17 KTS	2.6	3.4	5.7	5.3	3.8	2.7	1.2	0.6	0.6	0.6	1.1	1.0	2.4	12	-72273
P FREQ WND SPD = OR GTR 28 KTS	0.2	0.1	0.3	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	-72273
P FREQ LES 5000 FT A/O LES 5 MI	6.7	4.7	5.3	1.6	0.2	0.3	2.0	3.2	2.7	4.2	4.6	7.4	3.6	12	-72273
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.8	0.1	0.4	0.1	0.0	0.0	0.3	0.1	0.0	0.6	0.5	1.6	0.4	12	-72273
03-05 LST	0.5	0.7	0.5	0.2	0.0	0.0	0.3	0.2	0.1	0.9	0.6	2.0	0.5	12	-72273
06-08 LST	0.8	0.6	0.7	0.2	0.0	0.0	0.0	0.1	0.1	1.2	1.4	1.5	0.6	12	-72273
09-11 LST	0.6	0.9	0.3	0.0	0.1	0.0	0.1	0.0	0.0	1.2	1.4	1.4	0.5	12	-72273
12-14 LST	0.8	0.4	0.2	0.0	0.0	0.0	0.1	0.0	0.0	1.3	0.8	1.0	0.4	12	-72273
15-17 LST	1.4	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.3	1.3	0.7	1.5	0.5	12	-72273
18-20 LST	0.9	0.4	0.4	0.0	0.0	0.0	0.5	0.8	0.2	1.2	0.2	1.5	0.5	12	-72273
21-23 LST	0.9	0.5	0.3	0.1	0.0	0.0	0.4	0.2	0.2	1.0	0.1	1.5	0.4	12	-72273
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.5	0.1	0.1	0.0	0.0	0.0	0.2	0.1	0.0	0.1	0.1	0.9	0.2	12	-72273
03-05 LST	0.3	0.0	0.4	0.2	0.0	0.0	0.1	0.1	0.0	0.0	0.3	1.2	0.2	12	-72273
06-08 LST	0.0	0.3	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.3	0.9	0.5	0.2	12	-72273
09-11 LST	0.1	0.2	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.6	0.3	0.1	12	-72273
12-14 LST	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.1	0.1	12	-72273
15-17 LST	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.2	0.1	12	-72273
18-20 LST	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.2	0.1	0.0	0.1	12	-72273
21-23 LST	0.1	0.1	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.1	0.6	0.1	12	-72273

# NOGALES FEDERAL, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	30.7	28.0	31.0	30.0	31.0	30.0	31.0	30.9	29.9	30.8	29.8	30.6	363.7	12	-72273
	23 LST	31.0	27.9	31.0	30.0	31.0	30.0	30.9	31.0	30.0	30.7	30.0	30.5	364.0	12	-72273
	05 LST	30.7	28.0	30.9	29.9	31.0	30.0	31.0	31.0	30.0	30.7	29.6	30.3	363.1	12	-72273
	11 LST	30.9	28.0	30.9	30.0	31.0	30.0	30.9	31.0	30.0	30.9	29.8	30.8	364.2	12	-72273
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	23.2	17.2	13.0	11.1	10.9	11.7	19.3	22.7	22.3	26.3	26.8	27.7	315.6	12	-72273
	23 LST	27.2	23.2	26.5	23.8	25.8	23.9	25.5	27.3	28.5	28.4	27.8	27.7	342.1	12	-72273
	05 LST	28.0	24.6	27.5	26.7	30.0	28.7	30.1	30.4	29.7	29.4	28.3	28.7	279.9	12	-72273
	11 LST	24.9	20.8	19.1	18.4	19.4	21.5	28.1	29.2	25.0	24.1	23.5	25.9	279.9	12	-72273
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	0.5	1.3	3.3	3.4	2.5	1.7	1.2	0.4	0.4	0.2	0.2	0.1	15.2	12	-72273
	23 LST	0.8	0.6	1.0	0.6	0.6	0.5	0.1	0.0	0.0	0.2	0.1	0.2	4.7	12	-72273
	05 LST	0.2	0.5	0.5	0.7	0.2	0.0	0.0	0.1	0.0	0.0	0.1	0.2	2.5	12	-72273
	11 LST	1.1	1.3	2.4	2.1	1.7	1.4	0.1	0.0	0.3	0.5	1.0	0.5	12.4	12	-72273
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	17.8	15.6	15.6	14.2	12.5	9.8	14.7	18.6	18.4	22.3	17.5	17.3	194.3	12	-72273
	23 LST	13.5	13.4	20.2	19.9	23.1	23.0	19.2	18.1	20.6	20.9	16.3	14.1	222.3	12	-72273
	05 LST	9.7	10.1	13.5	16.4	18.4	19.4	13.7	11.5	14.1	14.6	11.4	9.2	162.0	12	-72273
	11 LST	14.9	15.0	16.4	15.6	17.0	15.8	16.6	17.2	17.6	18.5	16.5	16.8	197.9	12	-72273
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	12.1	11.8	11.5	15.8	16.7	14.0	2.4	2.3	12.4	17.4	17.2	14.5	148.1	12	-72273
	23 LST	17.9	18.3	19.4	21.0	23.5	21.4	7.3	9.4	19.8	24.4	22.2	20.1	224.7	12	-72273
	05 LST	19.0	19.1	20.8	20.8	22.1	20.5	9.1	12.7	22.7	24.7	22.4	21.9	235.8	12	-72273
	11 LST	13.8	15.3	14.8	17.8	19.0	20.1	9.4	10.0	19.8	18.6	17.4	16.0	192.0	12	-72273
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	30.3	27.7	30.8	30.0	31.0	30.0	31.0	30.9	29.8	30.5	29.6	29.9	361.5	12	-72273
	23 LST	30.4	27.5	30.9	29.9	31.0	30.0	30.8	31.0	29.9	30.5	29.7	30.1	361.7	12	-72273
	05 LST	30.5	27.8	30.6	29.9	31.0	30.0	30.9	31.0	30.0	30.6	29.3	30.0	361.6	12	-72273
	11 LST	30.3	27.7	30.8	30.0	31.0	30.0	30.9	30.9	30.0	30.3	29.2	30.3	361.4	12	-72273
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	28.9	25.6	28.3	29.2	30.6	29.3	27.6	24.3	26.6	28.1	27.8	27.7	334.0	12	-72273
	23 LST	29.1	26.9	29.5	29.4	30.8	29.8	28.1	28.6	28.8	29.9	29.1	28.6	348.6	12	-72273
	05 LST	28.6	26.8	29.4	29.4	30.9	29.7	30.1	30.3	29.4	29.9	28.4	28.6	351.5	12	-72273
	11 LST	28.1	25.7	28.4	28.8	30.8	29.3	29.6	28.0	28.5	28.1	27.9	28.6	341.8	12	-72273
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	27.6	24.7	27.3	27.7	28.1	22.4	15.6	18.4	23.7	26.4	27.0	27.0	295.9	12	-72273
	23 LST	27.8	26.2	29.3	29.1	30.3	27.7	21.5	26.0	27.3	28.9	28.4	28.3	330.8	12	-72273
	05 LST	27.4	26.1	29.0	29.2	30.7	28.5	25.5	28.6	28.0	29.2	27.7	28.3	338.2	12	-72273
	11 LST	27.6	25.0	27.9	28.1	30.3	28.8	26.8	27.1	27.4	27.5	27.5	27.5	331.5	12	-72273

# CHIHUAHUA FEDERAL, MEXICO

STA NO. 76225 (IN AREA NUMBER 03)

LATITUDE 2842N

LONGITUDE 10557W

ELEVATION(FT) 04429

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	84	86	88	99	99	100	102	96	96	88	85	84	102	9	2952
MEAN MAX TMP (F)	65	69	74	81	87	92	89	88	85	79	69	64	79	9	2952
MEAN MIN TMP (F)	36	40	44	51	56	67	66	65	60	51	41	35	51	9	2952
ABS MIN TMP (F)	20	17	24	26	41	51	55	54	49	27	23	14	12	9	2952
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	1.7	10.5	22.9	14.8	10.4	5.9	0.0	0.0	0.0	66.2	9	2952
MEAN NO DYS TMP = OR LES 32(F)	10.9	6.0	2.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1	3.6	12.1	35.0	9	2952
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2952
MEAN DEW PT TMP (F)	31	31	31	37	41	50	57	56	53	45	35	31	42	9	23358
MEAN REL HUM (PCT)	50	45	36	36	33	37	52	56	52	51	49	52	46	9	23300
MEAN PRESS ALT (FT)	4329	4378	4443	4499	4526	4561	4500	4499	4496	4447	4370	4325	4448	0	-50
MEAN PRECIP (IN)	0.20	0.40	0.30	0.20	0.20	1.70	3.60	3.70	3.30	0.90	0.50	0.40	15.4	22	-72
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.5	1.4	1.1	0.9	0.9	3.6	8.0	8.2	5.1	2.6	2.3	1.4	37.0	22	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.0	0.1	0.1	0.1	0.0	0.0	0.1	0.4	0.0	0.1	0.2	0.4	1.5	9	2941
MEAN NO DYS TSTMS	0.1	0.0	0.4	1.1	2.7	6.3	7.3	7.3	7.6	3.3	1.0	0.0	37.1	15	-72
P FREQ WND SPD = OR GTR 17 KTS	6.9	11.9	14.9	14.4	11.7	6.1	4.4	3.6	1.8	3.6	5.9	6.1	7.6	9	23371
P FREQ WND SPD = OR GTR 28 KTS	2.0	4.2	5.3	5.1	3.0	1.1	0.7	0.9	0.4	0.7	1.6	1.5	2.2	9	23371
P FREQ LES 5000 FT A/O LES 5 MI	7.3	5.5	3.3	5.1	5.5	13.3	22.5	19.0	14.4	12.0	7.4	5.0	10.0	9	23354
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.0	0.9	0.4	0.8	0.0	0.4	0.8	2.4	0.0	1.6	1.7	1.2	0.9	9	2911
03-05 LST	0.0	0.9	0.0	0.0	0.0	0.0	1.2	0.0	2.1	2.0	2.1	0.4	0.7	9	2916
06-08 LST	1.2	0.9	0.0	0.4	0.4	0.0	0.8	0.4	2.5	2.8	0.8	0.8	0.9	9	2941
09-11 LST	1.6	0.9	0.4	0.4	0.8	0.0	0.4	0.4	4.6	4.9	0.8	1.6	1.4	9	2945
12-14 LST	1.2	0.4	0.7	0.4	0.0	0.0	0.4	0.4	1.3	3.2	0.8	0.8	0.8	9	2925
15-17 LST	0.8	1.3	0.4	0.0	0.0	0.0	0.4	0.0	1.7	2.4	0.8	1.2	0.8	9	2944
18-20 LST	1.2	1.8	0.7	0.4	0.4	0.4	0.4	0.4	1.3	2.8	1.7	1.6	1.1	9	2936
21-23 LST	0.0	0.5	0.0	0.4	0.0	0.4	0.8	0.8	0.4	2.1	1.7	1.7	0.7	9	2901
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.4	0.4	0.0	0.0	0.0	0.4	0.0	0.0	1.2	0.4	0.8	0.3	9	2911
03-05 LST	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.2	0.4	0.0	0.2	9	2916
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	1.3	0.0	0.0	0.4	0.2	9	2941
09-11 LST	0.0	0.0	0.4	0.0	0.0	0.0	0.4	0.4	2.5	1.2	0.0	0.8	0.5	9	2945
12-14 LST	0.0	0.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.4	0.2	9	2925
15-17 LST	0.0	0.9	0.4	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.4	0.2	9	2944
18-20 LST	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.4	0.0	0.2	9	2936
21-23 LST	0.0	0.5	0.0	0.0	0.0	0.4	0.4	0.8	0.4	1.6	0.4	0.0	0.4	9	2901

# CHIHUAHUA FEDERAL, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	30.8	27.7	30.7	29.6	31.0	30.0	30.8	31.0	29.4	30.5	29.6	30.7	361.8	9	2949
	23 LST	31.0	27.7	30.9	29.6	31.0	29.7	30.7	30.7	30.0	30.3	29.6	30.7	361.9	9	2939
	05 LST	30.7	27.7	30.9	29.9	31.0	30.0	30.8	30.8	29.1	30.3	29.7	30.8	361.7	9	2928
	11 LST	30.7	27.9	30.7	29.5	30.5	29.6	31.0	30.8	29.7	30.3	29.9	30.7	361.3	9	2946
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	16.4	12.7	12.0	12.6	16.0	17.4	18.7	21.9	20.1	18.7	16.7	17.3	200.5	9	2948
	23 LST	26.6	20.7	21.9	21.2	22.4	22.5	22.3	23.8	26.0	26.4	26.0	27.5	287.3	9	2938
	05 LST	28.0	24.2	26.9	26.5	28.6	28.1	29.9	30.1	28.0	27.8	27.2	28.9	334.2	9	2928
	11 LST	25.3	20.5	19.5	18.0	20.9	23.1	27.5	28.5	26.1	24.7	24.9	25.0	284.0	9	2946
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	4.2	6.2	9.1	8.7	6.2	3.6	2.0	1.1	0.6	1.9	3.9	4.4	51.9	9	2950
	23 LST	1.2	3.1	3.8	2.6	2.9	3.0	2.1	1.5	0.8	0.2	0.9	1.1	23.2	9	2940
	05 LST	0.7	0.7	1.6	1.2	0.4	0.4	0.0	0.1	0.1	0.5	0.5	0.6	6.8	9	2932
	11 LST	2.4	3.7	4.5	3.6	3.6	1.2	0.7	0.4	0.2	1.2	1.7	2.6	25.8	9	2947
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	15.0	13.9	11.8	12.0	9.7	3.5	8.5	10.9	15.2	17.7	15.9	16.2	150.3	9	2949
	23 LST	10.5	10.2	10.0	11.7	12.2	11.3	8.5	8.4	8.5	9.3	7.8	9.0	117.4	9	2939
	05 LST	4.4	5.3	6.3	5.8	6.8	7.0	5.6	3.9	3.2	3.5	4.0	3.1	59.3	9	2930
	11 LST	7.2	6.4	11.7	11.9	16.0	12.9	12.6	10.6	11.9	9.9	8.3	5.6	125.0	9	2945
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	14.9	13.1	13.0	13.4	16.1	9.6	3.1	5.0	13.7	17.6	18.1	17.1	154.7	9	2950
	23 LST	22.4	20.8	24.1	20.7	23.0	14.1	9.3	8.5	17.6	21.5	21.9	25.0	228.9	9	2941
	05 LST	22.1	20.2	22.9	23.8	25.7	19.6	15.6	15.8	23.0	23.5	21.9	25.1	259.2	9	2924
	11 LST	16.9	16.8	16.8	17.3	21.7	20.3	14.7	14.2	20.0	19.3	19.1	20.6	217.7	9	2942
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	30.5	27.4	30.5	29.6	30.7	29.7	30.7	30.8	29.4	29.6	29.4	30.2	358.5	9	2949
	23 LST	30.8	27.7	30.7	29.5	31.0	29.6	30.6	30.6	29.6	30.1	29.3	30.3	359.8	9	2901
	05 LST	30.6	27.6	30.9	29.9	31.0	30.0	30.6	30.8	29.1	29.6	29.3	30.7	360.1	9	2928
	11 LST	30.3	27.7	30.7	29.4	30.5	29.6	30.7	30.7	29.0	29.0	29.4	30.3	357.3	9	2946
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	27.9	25.5	28.6	27.1	27.5	23.3	21.9	25.0	25.0	27.5	27.8	29.1	316.2	9	2949
	23 LST	29.1	25.9	30.2	27.5	28.7	22.1	18.6	19.3	23.1	25.8	27.1	29.1	306.5	9	2939
	05 LST	29.2	26.7	30.5	28.9	30.5	28.6	25.3	27.5	27.4	28.0	27.7	29.8	340.1	9	2928
	11 LST	28.9	27.0	29.5	28.5	29.2	27.8	26.7	27.7	26.2	27.4	28.0	29.2	335.6	9	2946
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	25.7	24.4	27.5	26.3	27.1	23.1	21.9	25.0	24.6	26.8	27.0	27.8	307.2	9	2949
	23 LST	27.8	24.6	28.7	26.3	27.1	21.0	17.4	17.7	22.1	24.9	25.5	28.1	291.2	9	2939
	05 LST	28.2	25.7	29.3	28.5	30.1	27.1	23.6	24.3	26.1	26.2	26.2	28.6	323.9	9	2928
	11 LST	26.4	25.5	28.1	27.4	28.6	27.5	25.5	27.4	26.0	25.9	26.1	27.8	322.2	9	2946

# TORREON, MEXICO

STA NO. 76382 (IN AREA NUMBER 03)

LATITUDE 2554N

LONGITUDE 10324W

ELEVATION(FT) 03750

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	100	101	108	112	117	116	113	109	109	104	101	96	118	12	4030
MEAN MAX TMP (F)	80	83	90	94	99	100	99	97	94	88	82	77	90	12	4030
MEAN MIN TMP (F)	41	43	46	52	58	60	60	61	59	53	44	40	52	12	4030
ABS MIN TMP (F)	19	15	30	38	40	49	47	50	49	38	19	16	15	12	4030
MEAN NO DYS TMP = OR GTR 90(F)	4.2	6.9	17.1	22.2	29.1	28.5	29.8	28.2	23.4	15.6	5.9	1.9	212.8	12	4030
MEAN NO DYS TMP = OR LES 32(F)	2.4	2.8	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.5	9.5	12	4030
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4030
MEAN DEW PT TMP (F)	44	45	46	52	56	61	61	61	60	55	47	43	53	12	28857
MEAN REL HUM (PCT)	57	53	49	47	46	48	51	52	56	58	56	59	53	12	28816
MEAN PRESS ALT (FT)	3666	3592	3747	3792	3817	3834	3789	3789	3796	3764	3705	3673	3756	0	-50
MEAN PRECIP (IN)														12	-29
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				12	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN															
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.9	2.0	1.6	1.7	1.6	2.3	1.6	1.3	0.5	0.3	1.3	2.0	17.1	12	3955
MEAN NO DYS TSTMS	0.0	0.2	0.2	0.2	0.6	0.7	1.0	0.8	0.5	0.3	0.2	0.1	4.8	12	4016
P FREQ WND SPD = OR GTR 17 KTS	0.7	0.6	1.3	0.6	0.0	0.5	0.2	0.3	0.2	0.1	0.2	0.3	0.4	12	29763
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.2	0.1	0.2	0.0	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.1	12	29763
P FREQ LES 5000 FT A/O LES 5 MI	8.3	9.7	6.6	7.2	8.6	14.0	17.6	18.0	16.7	15.8	8.1	10.4	11.8	12	29044
P FREQ LES 1500 FT A/O LES 3 MI														10	2967
FOR 00-02 LST	8.8	11.1	4.3	5.0	7.5	13.8	19.9	17.0	11.7	15.4	9.1	9.3	11.1	12	3962
03-05 LST	5.8	8.1	2.4	2.7	5.3	10.6	15.1	12.9	9.1	12.1	7.4	5.6	8.1	12	3789
06-08 LST	5.9	4.3	3.5	3.4	2.6	4.6	7.4	4.5	8.7	10.4	5.0	8.8	5.8	12	3956
09-11 LST	4.8	3.9	2.4	3.4	1.2	2.7	4.1	3.9	10.1	11.5	5.0	7.1	5.0	12	2965
12-14 LST	6.6	6.3	5.4	3.8	2.9	6.3	7.6	8.9	13.4	12.1	6.7	9.3	7.4	12	3936
15-17 LST	5.5	6.5	4.7	5.3	5.0	7.7	12.0	9.7	9.7	10.9	3.7	6.2	7.2	12	3782
18-20 LST	6.5	10.6	6.2	7.4	10.3	15.3	17.2	15.8	13.3	13.2	4.7	9.4	10.8	12	3782
21-23 LST	8.5	10.3	4.9	7.1	9.1	14.3	17.5	15.5	12.4	12.9	4.4	8.5	10.5	12	3944
P FREQ LES 300 FT A/O LES 1 MI														10	2967
FOR 00-02 LST	0.0	0.0	0.4	0.0	0.0	0.0	0.4	0.4	0.4	1.2	1.4	0.4	0.4	12	3962
03-05 LST	0.3	0.0	0.0	0.3	0.3	0.0	0.9	0.0	0.0	1.2	1.0	0.3	0.4	12	3789
06-08 LST	0.0	0.7	0.9	0.0	0.0	0.3	0.9	0.3	1.0	2.9	1.0	1.8	0.9	12	3956
09-11 LST	0.9	1.0	0.5	0.6	0.0	0.6	0.0	0.0	0.0	2.1	1.7	1.8	0.8	12	2965
12-14 LST	0.5	1.3	1.8	1.7	0.4	0.7	0.0	0.0	0.4	2.8	1.9	1.2	1.1	10	2965
15-17 LST	1.2	2.0	0.8	2.2	1.5	2.2	1.5	1.6	1.2	2.1	1.7	0.3	1.5	12	3936
18-20 LST	0.3	0.7	0.9	2.3	1.5	2.8	1.5	0.6	0.3	0.3	1.0	0.3	1.0	12	3782
21-23 LST	0.0	0.3	0.5	0.6	1.2	0.9	0.3	0.6	0.0	0.9	1.0	0.0	0.5	12	3944

# TORREON, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	28.5	25.8	28.4	27.8	28.8	27.7	28.0	29.0	28.2	28.3	28.3	29.0	337.8	12	3936
	23 LST	28.6	24.9	29.3	27.1	27.6	26.5	27.0	26.8	27.3	27.6	28.3	28.2	329.2	12	3944
	05 LST	29.2	25.5	30.2	28.4	29.0	27.4	27.5	28.1	28.3	27.6	27.7	29.2	338.1	12	3962
	11 LST	27.0	24.6	27.7	28.0	29.5	29.4	30.1	30.2	27.9	27.6	25.4	26.2	333.6	12	3956
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	27.4	24.3	27.1	26.1	28.3	26.1	26.2	27.0	25.4	27.0	27.9	27.8	320.6	12	3935
	23 LST	27.3	23.5	28.4	26.6	26.5	24.6	24.0	25.1	25.3	26.0	27.9	26.8	312.0	12	3944
	05 LST	28.1	24.7	29.7	28.4	28.6	26.1	25.5	26.2	26.5	26.8	27.0	28.8	326.4	12	3960
	11 LST	26.0	23.5	26.9	27.2	28.8	28.8	29.1	29.2	26.0	26.4	25.0	25.1	322.0	12	3955
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	0.7	0.5	1.0	0.5	0.0	0.5	0.1	0.3	0.0	0.1	0.0	0.2	3.9	12	4021
	23 LST	0.1	0.1	0.3	0.2	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.1	1.1	12	4025
	05 LST	0.1	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.5	12	4026
	11 LST	0.2	0.1	0.5	0.2	0.0	0.2	0.2	0.0	0.0	0.1	0.1	0.1	1.7	12	4021
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	7.3	7.2	7.6	5.7	2.4	1.8	2.7	3.3	5.6	6.7	4.7	4.5	59.5	12	4017
	23 LST	2.8	3.4	4.3	6.6	7.7	7.6	7.0	4.3	4.9	2.8	2.3	2.1	55.8	12	4020
	05 LST	4.5	4.3	7.3	5.5	5.4	5.3	4.9	7.0	4.5	4.8	5.3	5.0	63.8	12	4023
	11 LST	6.6	7.6	7.4	6.3	7.0	4.4	6.3	6.0	5.6	7.2	6.8	6.5	77.7	12	4018
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	13.9	11.6	12.2	11.4	15.7	12.2	7.4	8.6	12.6	17.2	16.7	15.2	154.7	12	3951
	23 LST	19.5	16.6	19.1	17.6	20.6	17.8	14.1	15.3	18.8	21.4	21.6	20.2	222.6	12	3957
	05 LST	20.2	18.6	21.8	22.8	23.3	19.5	17.1	19.1	19.1	21.0	21.6	21.8	245.9	12	3964
	11 LST	14.6	14.1	16.0	16.0	22.5	18.8	16.5	17.2	17.3	20.0	16.1	15.7	204.8	12	3955
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	27.7	25.1	27.6	26.9	28.2	26.0	25.7	26.3	25.1	26.8	27.6	28.0	321.0	12	3936
	23 LST	27.4	24.0	28.9	26.7	26.3	24.5	23.8	24.3	24.8	25.6	27.5	26.8	310.6	12	3944
	05 LST	28.3	24.8	29.6	28.0	28.3	25.6	24.7	25.8	25.8	26.3	26.8	28.6	322.6	12	3962
	11 LST	26.4	24.0	27.3	27.4	29.0	28.5	29.1	28.7	25.7	26.6	24.8	25.1	322.6	12	3956
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	27.4	24.7	27.2	26.5	27.2	24.9	24.6	25.0	24.3	26.3	27.3	27.5	312.9	12	3936
	23 LST	27.3	23.7	28.3	26.3	25.7	24.2	23.3	23.5	24.3	25.4	26.9	26.8	305.7	12	3944
	05 LST	27.8	24.4	28.9	27.5	27.6	24.6	24.4	24.7	25.0	25.9	26.6	28.1	315.5	12	3962
	11 LST	26.2	23.6	27.1	27.2	28.9	27.9	29.0	27.9	24.7	26.0	24.5	24.3	317.3	12	3956
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	27.3	24.7	27.1	26.5	27.2	24.9	24.6	25.0	24.3	26.3	27.2	27.4	312.5	12	3936
	23 LST	27.3	23.5	28.3	26.3	25.7	24.2	23.3	23.5	24.3	25.4	26.9	24.7	305.4	12	3944
	05 LST	27.7	24.4	28.9	27.5	27.6	24.6	24.4	24.7	25.0	25.9	26.6	28.1	315.4	12	3962
	11 LST	26.1	23.6	27.1	27.2	28.9	27.9	29.0	27.9	24.7	25.9	24.5	24.3	317.1	12	3956

# CIUDAD VICTORIA, MEXICO

STA NO. 76491 (IN AREA NUMBER 03)

LATITUDE 2344N

LONGITUDE 09908W

ELEVATION(FT) 01040

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	93	96	102	107	102	104	101	101	100	97	98	92	107	3	877
MEAN MAX TMP (F)	78	81	86	89	94	96	97	96	93	87	82	79	88	3	877
MEAN MIN TMP (F)	53	57	59	61	64	70	71	71	71	63	54	53	63	3	877
ABS MIN TMP (F)	21	26	35	43	58	66	63	64	64	53	37	34	21	3	877
MEAN NO DYS TMP = OR GTR 90(F)	1.3	5.0	13.0	17.6	27.0	29.0	31.0	31.0	24.8	13.0	5.0	1.0	198.7	3	877
MEAN NO DYS TMP = OR LES 32(F)	1.3	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	3	877
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	877
MEAN DEW PT TMP (F)	50	53	57	60	67	68	67	66	68	63	50	50	60	3	6909
MEAN REL HUM (PCT)	63	62	64	62	62	62	58	58	64	65	56	61	62	3	6896
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.70	1.10	1.30	1.60	4.20	4.50	2.40	3.10	5.00	2.20	1.00	0.80	27.9	7	-72
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		3	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.3	1.6	3.2	3.8	7.9	9.5	5.4	7.0	7.5	3.8	2.7	1.4	55.1	7	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		3	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	1.3	0.3	1.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.5	0.0	3.6	3	873
MEAN NO DYS TSTMS	0.1	0.2	0.5	3.1	4.0	2.4	1.6	2.8	1.5	0.7	0.3	0.0	17.2	7	-72
P FREQ WND SPD = OR GTR 17 KTS	0.1	0.2	0.8	0.6	0.3	0.0	0.0	0.2	0.4	0.2	0.4	0.4	0.3	3	6909
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.2	0.2	0.0	0.4	0.0	0.1	3	6909
P FREQ LES 5000 FT A/O LES 5 MI	23.7	24.1	27.6	33.6	27.6	18.6	9.9	11.9	24.5	20.4	7.2	23.4	21.1	3	6896
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	12.1	22.4	18.5	24.1	17.0	8.5	5.0	4.9	21.8	15.3	8.5	10.3	14.7	3	847
03-05 LST	16.1	14.5	16.1	16.7	15.1	6.9	0.0	0.0	13.6	9.8	3.3	13.1	10.4	3	875
06-08 LST	16.1	11.9	18.3	11.1	14.0	3.4	1.6	1.6	13.6	12.9	3.3	16.1	10.3	3	879
09-11 LST	8.7	7.1	9.5	4.5	6.5	3.3	5.0	0.0	0.0	4.8	3.3	9.7	5.2	3	875
12-14 LST	13.0	8.4	9.7	3.4	3.2	6.7	5.0	3.2	1.7	4.8	1.7	3.2	5.3	3	874
15-17 LST	6.7	14.3	13.0	13.6	9.9	10.2	6.6	6.6	3.3	5.0	1.8	3.3	7.9	3	864
18-20 LST	9.1	16.7	15.1	16.9	10.0	6.8	6.7	11.7	10.0	8.1	0.0	8.1	9.9	3	867
21-23 LST	12.2	19.5	21.5	16.1	22.6	16.7	5.0	4.8	22.0	16.1	5.0	18.0	15.0	3	868
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	4.4	2.6	2.2	3.4	0.0	0.0	0.0	0.0	0.0	1.7	1.7	6.7	1.9	3	847
03-05 LST	8.6	1.2	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.1	3	875
06-08 LST	4.3	1.2	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	1.0	3	879
09-11 LST	2.2	1.2	1.1	0.0	1.1	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.6	3	875
12-14 LST	1.1	2.4	1.1	0.0	1.1	0.0	1.7	1.6	1.7	0.0	0.0	0.0	0.9	3	874
15-17 LST	0.0	1.2	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	3	864
18-20 LST	1.1	2.4	4.3	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	3	867
21-23 LST	1.1	2.4	3.2	1.1	1.1	0.0	0.0	1.6	0.0	0.0	1.7	4.9	1.4	3	868

# CIUDAD VICTORIA, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	29.6	25.6	28.3	28.3	29.3	28.5	29.5	30.0	29.5	30.5	30.0	31.0	350.1	3	864
	23 LST	28.6	24.6	25.6	27.2	26.9	27.0	29.9	30.0	25.4	28.0	29.0	27.9	330.1	3	868
	05 LST	27.0	25.6	27.0	27.3	29.0	28.4	31.0	31.0	26.4	29.5	29.5	27.9	339.6	3	875
	11 LST	29.6	27.3	29.6	29.6	30.7	29.5	30.5	31.0	30.0	29.5	29.5	29.0	356.3	3	875
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	17 LST	26.5	22.0	24.2	23.9	26.6	25.9	28.5	28.5	27.5	29.5	27.9	25.9	316.9	3	864
	23 LST	25.5	20.5	22.0	22.1	20.6	23.5	28.9	29.0	21.8	24.5	28.0	22.4	288.8	3	868
	05 LST	24.6	22.3	22.7	23.0	23.7	27.9	31.0	31.0	24.4	26.9	28.5	26.9	312.9	3	875
	11 LST	26.3	23.0	24.2	25.6	27.7	28.0	29.5	29.5	27.5	27.5	27.0	26.5	322.3	3	875
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3	865
	23 LST	0.0	0.0	0.0	0.3	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	3	870
	05 LST	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	3	875
	11 LST	0.0	0.3	0.7	0.3	0.0	0.0	0.0	0.5	0.5	0.0	0.5	0.0	2.8	3	876
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	7.8	9.3	6.4	5.4	3.0	1.5	6.1	2.5	2.0	5.7	4.7	5.1	59.5	3	865
	23 LST	4.1	4.4	4.0	3.1	4.0	4.0	5.7	2.0	2.5	1.5	5.0	4.1	44.4	3	869
	05 LST	7.0	3.0	2.3	2.6	2.7	2.0	2.0	0.5	1.5	1.5	2.0	1.0	28.1	3	875
	11 LST	8.2	7.3	6.1	4.8	4.3	4.0	2.0	1.5	4.5	6.5	2.0	3.0	54.2	3	872
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	15.0	13.7	15.8	10.2	12.2	10.1	13.2	12.2	4.5	18.1	24.2	15.7	164.9	3	865
	23 LST	19.4	16.7	19.3	18.8	14.5	20.5	23.7	18.5	13.7	19.5	24.5	15.7	224.8	3	870
	05 LST	17.0	18.2	18.0	15.0	16.6	16.0	19.5	22.0	20.3	23.4	26.5	19.3	231.8	3	875
	11 LST	14.5	15.7	14.0	9.1	13.3	9.5	8.6	11.5	12.5	20.0	25.0	16.5	170.2	3	876
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	26.8	22.3	24.9	23.5	25.5	23.9	27.9	27.4	28.0	27.9	28.9	27.4	314.4	3	864
	23 LST	25.1	20.1	22.3	21.7	19.5	23.0	28.4	28.0	20.3	23.0	28.0	21.3	280.7	3	868
	05 LST	23.7	22.3	24.6	21.0	23.3	26.9	30.5	31.0	23.9	26.9	28.0	25.4	307.5	3	875
	11 LST	25.9	24.6	25.2	26.0	25.6	28.0	29.5	30.5	28.5	28.0	29.0	27.0	327.8	3	875
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	23.1	20.0	21.5	18.1	19.7	19.3	23.4	23.4	19.5	26.4	28.9	23.9	267.2	3	864
	23 LST	21.7	19.8	21.3	20.0	17.9	22.5	27.9	27.5	16.3	21.5	27.0	19.8	263.2	3	868
	05 LST	21.6	22.3	22.7	18.3	22.3	26.4	30.0	30.5	23.9	26.4	27.0	23.9	295.3	3	875
	11 LST	23.6	23.7	22.1	21.6	22.7	26.5	28.4	28.5	23.5	26.5	29.0	25.5	299.6	3	875
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	22.4	20.0	21.5	17.4	19.4	18.3	21.3	20.3	17.5	26.4	28.9	23.9	257.3	3	864
	23 LST	21.3	19.8	21.0	20.0	17.9	22.5	27.9	27.5	16.3	21.5	27.0	19.8	262.5	3	868
	05 LST	21.6	22.3	22.7	18.3	22.3	26.4	30.0	30.5	23.9	26.4	27.0	23.9	295.3	3	875
	11 LST	23.6	23.7	22.1	20.9	22.3	25.5	27.4	26.0	23.5	26.5	29.0	25.0	295.5	3	875

# SAN LUIS POTOSI, MEXICO

STA NO. 76539 (IN AREA NUMBER 03)

LATITUDE 2210N

LONGITUDE 10059W

ELEVATION(FT) 06100

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	85	86	93	95	99	97	91	91	87	86	85	82	99	5	-35
MEAN MAX TMP (F)	68	74	79	85	86	82	79	79	76	75	71	69	77	5	-35
MEAN MIN TMP (F)	42	46	51	55	58	59	58	56	56	52	47	45	52	5	-35
ABS MIN TMP (F)	22	27	29	35	45	48	51	49	39	39	30	28	22	5	-35
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0		1.3	3.7	0.0			0.0	0.0	0.0	0.0		5	-29
MEAN NO DYS TMP = OR LES 32(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		5	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN DEW PT TMP (F)	40	43	47	50	53	56	55	54	53	51	46	44	49	0	-50
MEAN REL HUM (PCT)	61	58	56	53	54	62	66	66	66	67	65	65	62	22	-34
MEAN PRESS ALT (FT)	6016	6042	6097	6137	6163	6175	6132	6132	6145	6111	6051	6026	6102	0	-50
MEAN PRECIP (IN)	0.28	0.59	0.51	0.47	1.06	2.80	1.85	2.01	2.09	1.14	0.63	0.51	13.9	31	-34
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			5	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.4	1.3	1.6	1.5	2.7	6.3	4.0	4.4	3.7	2.8	2.4	1.3	33.4	31	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			5	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.1	0.4	0.9	1.7	3.6	3.8	2.1	1.9	1.9	0.9	0.4	0.3	18.2	16	-34
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# SAN LUIS POTOSI, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	17 LST														0	0
	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST														0	0
	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST														0	0
	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
	05 LST														0	0
	11 LST														0	0

DATA NOT AVAILABLE

# ZAPOPAN, MEXICO

STA NO. 78610/ (IN AREA NUMBER 03)

LATITUDE 2045N

LONGITUDE 10227W

ELEVATION(FT) 05333

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR NO.	
														(YRS)	(CBS)
ABS MAX TMP (F)	85	89	94	97	101	97	91	93	92	93	87	84	101	26	-76612
MEAN MAX TMP (F)	73	77	81	85	87	84	79	78	78	78	76	74	79	26	-76612
MEAN MIN TMP (F)	45	46	50	53	56	61	60	60	60	56	50	46	54	26	-76612
ABS MIN TMP (F)	26	27	28	32	42	46	52	51	44	35	27	28	26	26	-76612
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	1.3	6.4	0.0					0.0	0.0		26	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	3	-76612
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-76612
MEAN DEW PT TMP (F)	40	39	40	41	46	58	60	59	60	55	45	42	49	3	-76612
MEAN REL HUM (PCT)	56	52	45	40	47	67	73	79	75	68	62	61	60	32	-76612
MEAN PRESS ALT (FT)	5266	5287	5338	5375	5401	5421	5386	5386	5395	5364	5311	5281	5351	0	-50
MEAN PRECIP (IN)	0.40	0.20	0.20	0.20	1.10	8.80	9.40	8.50	7.20	2.20	0.80	0.70	39.7	33	-76612
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				26	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.4	1.5	0.9	0.9	2.8	14.1	14.5	13.9	11.1	3.8	2.5	1.3	68.7	33	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				26	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.5	0.0	0.5	0.0	0.7	0.4	0.7	0.0	0.0	2.8	3	-76612
MEAN NO DYS TSTMS	0.0	0.0	0.3	0.1	0.7	2.0	1.8	3.0	1.5	0.5	0.4	0.1	10.4	21	-76612
P FREQ WND SPD = OR GTR 17 KTS	0.9	0.0	0.7	1.7	0.0	0.5	0.6	0.3	0.0	0.5	0.0	0.0	0.4	3	-76612
P FREQ WND SPD = OR GTR 28 KTS	0.9	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.3	0.0	0.0	0.1	3	-76612
P FREQ LES 5000 FT A/O LES 5 MI	3.1	0.9	5.3	4.2	6.9	38.5	42.8	40.8	45.6	19.8	3.4	8.6	18.3	3	-76612
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	1.7	1.8	2.4	0.0	3.3	12.8	8.1	6.7	9.0	6.5	3.6	0.0	4.7	3	-76612
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	1.1	3.6	4.4	4.3	5.9	2.2	0.0	0.0	1.8	3	-76612
12-14 LST														0	0
15-17 LST	0.0	0.0	0.0	1.1	3.3	6.7	7.7	17.6	14.8	1.1	0.0	7.5	5.0	3	-76612
18-20 LST														0	0
21-23 LST	0.0	0.0	0.0	0.0	0.0	6.9	8.9	3.3	1.1	0.0	0.0	0.0	1.7	3	-76612
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	0.0	0.0	0.0	0.0	2.2	7.0	1.2	0.0	1.1	0.0	1.2	0.0	1.1	3	-76612
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-76612
12-14 LST														0	0
15-17 LST	0.0	0.0	0.0	0.0	0.0	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.2	3	-76612
18-20 LST														0	0
21-23 LST	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.1	3	-76612

# ZAPOPAN, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	31.0	28.0	31.0	29.3	30.0	29.0	29.6	28.3	25.6	30.7	30.0	31.0	353.5	3	-76612
	23 LST	31.0	28.0	31.0	30.0	30.6	27.9	29.3	29.6	27.9	31.0	30.0	31.0	357.3	3	-76612
	05 LST	26.8	20.5	25.3	20.5	22.2	25.8	29.5	28.9	28.3	28.3	28.2	31.0	315.3	3	-76612
	11 LST	31.0	28.0	31.0	28.7	27.7	29.3	30.6	30.3	28.6	30.3	30.0	31.0	356.5	3	-76612
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	17 LST	30.0	26.3	27.7	18.0	24.5	24.5	26.2	21.8	22.8	28.3	29.3	23.7	303.1	3	-76612
	23 LST	31.0	24.0	29.0	29.3	28.0	24.3	25.8	29.0	27.3	30.0	29.6	31.0	342.3	3	-76612
	05 LST	29.9	20.4	24.9	20.5	22.2	23.7	26.7	25.4	25.6	26.3	27.5	31.0	304.1	3	-76612
	11 LST	30.0	28.0	29.5	26.0	27.0	27.5	27.6	25.7	29.0	28.3	31.0	337.1	3	-76612	
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	0.0	0.0	0.3	1.7	0.0	0.3	0.3	0.3	0.0	0.0	0.0	0.0	2.9	3	-76612
	23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.3	3	-76612
	05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-76612
	11 LST	1.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	3	-76612
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	18.0	18.5	24.0	14.1	13.3	13.6	17.0	17.5	18.8	21.0	19.1	18.6	213.5	3	-76612
	23 LST	15.0	9.1	16.3	11.9	14.4	14.7	11.7	14.3	10.8	12.9	9.3	6.6	147.0	3	-76612
	05 LST	3.2	1.1	2.3	0.5	1.0	3.4	2.5	1.3	1.3	3.7	0.7	1.0	22.0	3	-76612
	11 LST	15.0	15.7	18.0	12.3	13.0	20.6	22.4	23.3	23.9	22.3	18.6	11.6	216.7	3	-76612
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	15.7	14.0	14.0	15.7	11.6	2.7	0.0	1.3	2.4	9.6	15.9	10.1	113.0	3	-76612
	23 LST	22.6	17.8	23.5	20.6	21.4	9.2	5.1	7.8	7.7	20.8	26.0	22.2	204.7	3	-76612
	05 LST	21.7	16.5	20.0	10.5	15.2	8.1	2.5	4.4	3.3	14.0	20.0	17.1	153.3	3	-76612
	11 LST	19.5	19.5	20.5	17.6	19.7	8.4	2.0	4.4	1.7	11.0	20.0	12.4	156.7	3	-76612
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	30.5	27.5	29.9	28.0	26.6	20.6	20.8	16.7	19.1	27.7	28.9	24.8	301.1	3	-76612
	23 LST	31.0	28.0	31.0	30.0	29.9	22.7	24.1	26.6	23.9	30.3	30.0	31.0	338.5	3	-76612
	05 LST	26.4	20.0	24.9	19.5	21.9	20.9	23.1	21.2	20.2	24.0	26.8	31.0	279.9	3	-76612
	11 LST	30.5	28.0	29.9	28.7	27.3	23.2	19.3	22.2	16.9	23.3	29.6	29.5	308.4	3	-76612
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	29.0	27.5	27.3	27.3	24.5	15.2	15.7	12.2	15.0	26.0	28.6	24.0	272.3	3	-76612
	23 LST	29.9	28.0	30.6	30.0	29.1	19.7	21.7	24.2	20.1	29.3	30.0	31.0	323.6	3	-76612
	05 LST	26.4	20.0	24.2	19.0	21.2	17.8	20.5	18.8	16.5	22.3	26.4	30.2	263.3	3	-76612
	11 LST	30.0	28.0	29.2	28.7	27.3	18.9	12.4	17.2	8.8	19.0	29.6	28.7	277.8	3	-76612
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	29.0	27.5	27.3	27.3	24.5	15.2	15.7	12.2	15.0	26.0	28.6	24.0	272.3	3	-76612
	23 LST	29.9	28.0	30.2	30.0	29.1	19.7	20.6	23.8	19.8	29.3	30.0	31.0	321.4	3	-76612
	05 LST	26.4	20.0	24.2	19.0	21.2	17.4	20.5	18.8	16.5	22.3	26.4	30.2	262.9	3	-76612
	11 LST	30.0	28.0	29.2	28.7	27.3	18.6	12.4	17.2	8.8	19.0	29.6	28.7	277.5	3	-76612

# LAS ANIMAS, MEXICO

STA NO. 76612 (IN AREA NUMBER 03)

LATITUDE 2031N

LONGITUDE 10318W

ELEVATION(FT) 05007

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	85	89	94	97	101	97	91	93	92	93	87	84	101	26	-564
MEAN MAX TMP (F)	73	77	81	85	87	84	79	78	78	78	76	74	79	26	-64
MEAN MIN TMP (F)	45	46	50	53	58	61	60	60	60	56	50	46	54	26	-64
ABS MIN TMP (F)	26	27	28	32	42	46	52	51	44	35	27	28	26	26	-564
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	1.3	6.4	0.0					0.0	0.0		26	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	3	974
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	974
MEAN DEW PT TMP (F)	40	39	40	41	46	58	60	59	60	55	45	42	49	3	3404
MEAN REL HUM (PCT)	56	52	45	40	47	67	73	79	75	68	62	61	60	32	-64
MEAN PRESS ALT (FT)	4939	4960	5011	5049	5075	5096	5060	5060	5068	5038	4984	4953	5024	0	-50
MEAN PRECIP (IN)	0.40	0.20	0.20	0.20	1.10	9.80	9.40	8.50	7.20	2.20	0.80	0.70	39.7	33	-72
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				26	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.4	1.5	0.9	0.9	2.8	14.1	14.5	13.9	11.1	3.8	2.5	1.3	68.7	33	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				26	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.5	0.0	0.5	0.0	0.7	0.4	0.7	0.0	0.0	2.8	3	843
MEAN NO DYS TSTMS	0.0	0.0	0.3	0.1	0.7	2.0	1.8	3.0	1.5	0.5	0.4	0.1	10.4	21	-72
P FREQ WND SPD = OR GTR 17 KTS	0.9	0.0	0.7	1.7	0.0	0.5	0.6	0.3	0.0	0.5	0.0	0.0	0.4	3	3220
P FREQ WND SPD = OR GTR 28 KTS	0.9	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.3	0.0	0.0	0.1	3	3220
P FREQ LES 5000 FT A/O LES 5 MI	3.1	0.9	5.3	4.2	6.9	38.5	42.8	40.8	45.6	19.8	3.4	8.6	18.3	3	3332
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST														0	0
03-05 LST	1.7	1.8	2.4	0.0	3.3	12.8	8.1	6.7	9.0	6.5	3.6	0.0	4.7	3	917
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	1.1	3.6	4.4	4.3	5.9	2.2	0.0	0.0	1.8	3	958
12-14 LST														0	0
15-17 LST	0.0	0.0	0.0	1.1	3.3	6.7	7.7	17.6	14.8	1.1	0.0	7.5	5.0	3	959
18-20 LST														0	0
21-23 LST	0.0	0.0	0.0	0.0	0.0	6.9	8.9	3.3	1.1	0.0	0.0	0.0	1.7	3	902
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST														0	0
03-05 LST	0.0	0.0	0.0	0.0	2.2	7.0	1.2	0.0	1.1	0.0	1.2	0.0	1.1	3	917
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	958
12-14 LST														0	0
15-17 LST	0.0	0.0	0.0	0.0	0.0	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.2	3	959
18-20 LST														0	0
21-23 LST	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.1	3	902

## LAS ANIMAS, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	31.0	28.0	31.0	29.3	30.0	29.0	29.6	28.3	25.6	30.7	30.0	31.0	353.5	3	959
	23 LST	31.0	28.0	31.0	30.0	30.6	27.9	29.3	29.6	27.9	31.0	30.0	31.0	357.3	3	903
	05 LST	26.8	20.5	25.3	20.5	22.2	25.8	29.5	28.9	28.3	28.3	28.2	31.0	315.3	3	917
	11 LST	31.0	26.0	31.0	28.7	27.7	29.3	30.6	30.3	28.6	30.3	30.0	31.0	356.5	3	958
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/DFC WND LES 10 KTS	17 LST	30.0	26.3	27.7	18.0	24.5	24.5	26.2	21.8	22.8	28.3	29.3	23.7	303.1	3	912
	23 LST	31.0	26.0	29.0	29.3	28.0	24.3	25.8	29.0	27.3	30.0	29.6	31.0	342.3	3	858
	05 LST	29.9	20.4	24.9	20.5	22.2	23.7	26.7	25.4	25.6	26.3	27.5	31.0	304.1	3	869
	11 LST	30.0	26.0	29.5	26.0	27.0	27.5	27.5	27.6	25.7	29.0	28.3	31.0	337.1	3	911
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	0.0	0.0	0.3	1.7	0.0	0.3	0.3	0.3	0.0	0.0	0.0	0.0	2.9	3	914
	23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.3	3	861
	05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	876
	11 LST	1.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	3	918
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	18.0	18.5	24.0	14.1	13.3	13.6	17.0	17.5	18.8	21.0	19.1	18.6	213.5	3	912
	23 LST	15.0	9.1	16.3	11.9	14.4	14.7	11.7	14.3	10.8	12.9	9.3	6.6	147.0	3	860
	05 LST	3.2	1.1	2.3	0.5	1.0	3.4	2.5	1.3	1.3	3.7	0.7	1.0	22.0	3	876
	11 LST	15.0	15.7	18.0	12.3	13.0	20.6	22.4	23.3	23.9	22.3	18.6	11.6	216.7	3	918
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	15.7	14.0	14.0	15.7	11.6	2.7	0.0	1.3	2.4	9.6	15.9	10.1	113.0	3	959
	23 LST	22.6	17.8	23.5	20.6	21.4	9.2	5.1	7.8	7.7	20.8	26.0	22.2	204.7	3	905
	05 LST	21.7	16.5	20.0	10.5	15.2	8.1	2.5	4.4	3.3	14.0	20.0	17.1	153.3	3	924
	11 LST	19.5	19.5	20.5	17.6	19.7	8.4	2.0	4.4	1.7	11.0	20.0	12.4	156.7	3	960
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	30.5	27.5	29.9	28.0	28.6	20.6	20.8	16.7	19.1	27.7	28.9	24.8	301.1	3	959
	23 LST	31.0	28.0	31.0	30.0	29.9	22.7	24.1	26.6	23.9	30.3	30.0	31.0	338.5	3	903
	05 LST	26.4	20.0	24.9	19.5	21.9	20.9	23.1	21.2	20.2	24.0	26.8	31.0	279.9	3	917
	11 LST	30.5	28.0	29.9	28.7	27.3	23.2	19.3	22.2	16.9	23.3	29.6	29.5	308.4	3	958
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	29.0	27.5	27.3	27.3	24.5	15.2	15.7	12.2	15.0	26.0	28.6	24.0	272.3	3	959
	23 LST	29.9	28.0	30.6	30.0	29.1	19.7	21.7	24.2	20.1	29.3	30.0	31.0	323.6	3	903
	05 LST	26.4	20.0	24.2	19.0	21.2	17.8	20.5	18.8	16.5	22.3	26.4	30.2	263.3	3	917
	11 LST	30.0	28.0	29.2	28.7	27.3	18.9	12.4	17.2	8.8	19.0	29.6	28.7	277.8	3	958
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	29.0	27.5	27.3	27.3	24.5	15.2	15.7	12.2	15.0	26.0	28.6	24.0	272.3	3	959
	23 LST	29.9	28.0	30.2	30.0	29.1	19.7	20.6	23.8	19.8	29.3	30.0	31.0	321.4	3	903
	05 LST	26.4	20.0	24.2	19.0	21.2	17.4	20.5	18.8	16.5	22.3	26.4	30.2	262.9	3	917
	11 LST	30.0	28.0	29.2	28.7	27.3	18.6	12.4	17.2	8.8	19.0	29.6	28.7	277.5	3	958

# OAXACA, MEXICO

STA NO. 76775 (IN AREA NUMBER 03)

LATITUDE 1659N

LONGITUDE 09643W

ELEVATION(FT) 05012

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO.
ABS MAX TMP (F)	90	93	98	100	99	96	95	94	89	90	91	91	100	5	-535
MEAN MAX TMP (F)	77	81	85	88	87	83	82	81	80	79	79	77	82	26	-72
MEAN MIN TMP (F)	47	50	54	57	59	60	59	59	58	56	52	48	55	26	-72
ABS MIN TMP (F)	36	36	38	41	42	50	50	51	49	45	37	34	34	5	-535
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	1.4	9.0	6.4	0.0	0.0	0.0	0.0	0.0				26	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	624
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	624
MEAN DEW PT TMP (F)	46	43	49	51	57	56	57	57	59	55	51	47	53	2	1580
MEAN REL HUM (PCT)	59	58	55	56	62	72	72	71	75	70	64	62	65	26	-35
MEAN PRESS ALT (FT)	5015	5037	5087	5086	5116	5118	5070	5090	5123	5092	5062	5034	5078	0	-50
MEAN PRECIP (IN)	0.10	0.20	0.60	1.50	3.20	6.70	3.50	4.10	4.90	2.00	0.60	0.20	27.4	30	-35
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.5	1.5	1.8	3.6	6.6	12.4	7.8	8.9	7.4	3.6	2.3	1.5	58.9	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	396
MEAN NO DYS TSTMS	0.2	1.2	2.7	6.7	8.7	7.6	5.7	6.1	5.1	3.1	1.0	0.3	48.4	28	-72
P FREQ WND SPD = OR GTR 17 KTS	0.0	0.9	0.8	0.6	0.0	0.0	0.0	0.0	0.0	1.7	0.0	1.1	0.4	2	1584
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.1	2	1584
P FREQ LES 5000 FT A/O LES 5 MI	0.9	0.0	1.6	0.0	7.7	22.5	15.3	8.3	45.0	11.2	2.5	2.2	9.8	2	1564
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	4.2	13.9	9.7	0.0	26.7	3.2	0.0	0.0	4.8	2	413
03-05 LST	0.0	0.0	0.0	0.0	4.9	12.1	10.0	1.0	27.0	8.4	0.0	1.0	5.4	2	-30
06-08 LST	0.0	0.0	0.0	0.0	5.6	10.2	10.3	1.6	27.1	13.6	0.0	1.7	5.8	2	589
09-11 LST	0.0	0.0	0.0	0.0	4.6	10.5	6.3	1.6	21.0	11.3	0.0	1.0	4.7	2	-30
12-14 LST	0.0	0.0	0.0	0.0	3.6	10.9	1.8	1.7	15.0	8.8	0.0	0.0	3.5	2	590
15-17 LST	0.0	0.0	0.0	0.0	4.6	10.9	4.3	2.5	18.0	11.2	3.0	0.0	4.5	2	-30
18-20 LST	0.0	0.0	0.0	0.0	5.6	10.9	6.8	3.3	20.4	12.3	3.6	0.0	5.2	2	591
21-23 LST	0.0	0.0	0.0	0.0	4.9	12.4	8.3	3.0	23.6	8.2	3.0	0.0	5.3	2	-30
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	2.1	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.4	2	413
03-05 LST	0.0	0.0	0.0	0.0	2.0	4.0	0.0	0.0	3.0	3.0	0.0	0.0	1.0	2	-30
06-08 LST	0.0	0.0	0.0	0.0	1.9	6.1	0.0	0.0	6.8	6.8	0.0	0.0	1.8	2	589
09-11 LST	0.0	0.0	0.0	0.0	1.8	9.0	0.0	0.0	4.2	3.0	0.0	0.0	1.2	2	-30
12-14 LST	0.0	0.0	0.0	0.0	1.8	3.6	0.0	0.0	1.7	0.0	0.0	0.0	0.6	2	590
15-17 LST	0.0	0.0	0.0	0.0	1.6	2.6	0.0	0.0	1.8	1.0	0.0	0.0	0.6	2	-30
18-20 LST	0.0	0.0	0.0	0.0	1.9	1.8	0.0	0.0	1.9	1.8	0.0	0.0	0.6	2	591
21-23 LST	0.0	0.0	0.0	0.0	2.0	2.3	0.0	0.0	1.0	1.0	0.0	0.0	0.5	2	-30

## OAXACA, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	31.0	28.0	31.0	30.0	29.8	27.3	27.8	31.0	25.5	30.4	30.0	31.0	352.8	2	591
	00 LST	29.9	28.0	30.0	30.0	29.7	21.7	24.0	28.0	15.0	30.0	30.0	31.0	327.3	2	413
	06 LST	31.0	28.0	31.0	30.0	29.8	25.1	25.6	29.5	21.8	27.8	30.0	31.0	340.6	2	589
	12 LST	31.0	28.0	31.0	30.0	29.3	28.4	29.9	31.0	26.5	31.0	30.0	31.0	357.1	2	590
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	28.9	27.0	25.0	23.1	26.4	24.0	25.2	28.4	21.1	20.1	25.6	28.4	303.2	2	591
	00 LST	27.8	25.9	30.0	26.4	29.7	21.7	24.0	27.0	13.0	28.0	25.0	27.0	305.5	2	413
	06 LST	31.0	28.0	31.0	30.0	27.5	25.1	25.6	29.5	19.3	24.1	29.5	28.9	329.5	2	589
	12 LST	31.0	27.0	28.0	29.3	29.3	25.6	29.9	29.9	23.5	26.1	28.9	30.5	339.0	2	590
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.5	0.5	0.0	0.5	2.1	2	591
	00 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	415
	06 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.5	1.0	2	593
	12 LST	0.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	2	593
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	14.4	19.0	19.0	19.6	15.8	15.8	18.7	22.2	16.1	16.3	16.4	14.0	207.3	2	585
	00 LST	8.5	5.2	15.0	20.0	15.8	6.7	15.0	12.0	10.0	18.0	16.0	9.7	151.9	2	410
	06 LST	1.0	4.0	7.0	9.3	8.6	10.6	5.3	8.0	3.5	7.9	6.8	4.1	76.1	2	590
	12 LST	5.1	3.0	11.3	11.4	9.7	12.9	13.1	9.3	8.5	13.9	11.1	6.9	116.2	2	582
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	22.7	23.0	14.0	11.9	3.4	1.6	1.0	0.0	0.5	3.3	16.9	23.3	121.6	2	591
	00 LST	29.9	25.9	18.0	22.1	8.2	7.5	1.0	8.0	5.0	11.0	26.0	30.3	192.9	2	415
	06 LST	26.0	24.0	24.0	24.3	9.0	8.0	4.2	8.0	5.0	14.2	20.0	26.4	193.1	2	593
	12 LST	24.8	26.0	23.0	21.6	10.7	7.6	2.7	5.1	3.5	12.8	21.8	26.9	186.5	2	593
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	31.0	28.0	31.0	30.0	28.7	24.0	25.2	29.9	21.7	24.5	28.9	31.0	333.9	2	591
	00 LST	29.9	28.0	30.0	30.0	29.0	21.7	23.0	28.0	13.0	30.0	30.0	31.0	323.6	2	413
	06 LST	30.0	28.0	31.0	30.0	29.3	25.1	25.1	29.5	19.3	24.7	30.0	30.5	332.5	2	589
	12 LST	31.0	28.0	31.0	30.0	28.7	24.5	28.8	29.9	23.5	26.1	30.0	31.0	342.5	2	590
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	31.0	28.0	31.0	30.0	25.8	19.1	22.0	24.8	15.0	21.7	28.9	29.9	307.2	2	591
	00 LST	29.9	28.0	30.0	30.0	28.4	20.0	22.0	26.0	12.0	29.0	30.0	31.0	316.3	2	413
	06 LST	30.0	27.0	30.0	29.3	28.7	22.7	24.0	28.5	15.8	24.1	29.5	30.5	320.1	2	589
	12 LST	31.0	28.0	31.0	29.3	28.2	22.4	25.0	26.8	19.5	23.9	29.4	30.5	325.0	2	590
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	31.0	28.0	26.0	26.9	16.1	13.1	13.6	18.6	9.4	17.4	28.4	29.5	258.0	2	591
	00 LST	29.9	26.9	29.0	30.0	25.2	19.1	19.0	23.0	10.0	29.0	30.0	31.0	302.1	2	413
	06 LST	30.0	27.0	29.0	27.8	28.1	21.4	23.5	28.5	14.7	24.1	29.5	30.5	314.1	2	589
	12 LST	31.0	28.0	31.0	29.3	28.2	21.8	25.0	26.8	19.0	23.9	28.9	30.5	323.4	2	590

### AREA NO. 03

MEXICO	PLATEAU BOUNDARIES	LATITUDE 2400N					LONGITUDE 10300W							
		3200N 11300W	1800N 10200W	1800N 10200W	1600N 09600W	1600N 09600W	1700N 09500W	1700N 09500W	1900N 10000W	2100N 10100W	2100N 10100W	2030N 09900W		
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		71	75	80	85	90	93	91	90	88	83	77	72	83
MEAN MIN TMP (F)		41	45	49	54	59	63	65	64	62	55	47	42	54
LARGEST MEAN PRECIP(IN)		1.45	1.47	1.30	1.60	4.20	8.80	9.40	8.50	7.20	2.20	1.10	1.95	49.2
SMALLEST MEAN PRECIP(IN)		0.10	0.20	0.20	0.15	0.04	0.46	1.85	2.01	1.60	0.58	0.40	0.20	7.8
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	30.4	27.4	30.1	29.3	30.2	29.1	29.7	30.3	28.5	30.4	29.7	30.5	355.6
	23 LST	30.3	27.2	30.0	29.2	29.9	27.7	28.9	29.6	27.0	29.8	29.5	30.2	349.3
	05 LST	29.5	26.4	29.7	28.3	29.3	28.3	29.3	30.2	28.0	29.5	29.3	30.3	348.1
	11 LST	30.0	27.4	30.3	29.5	30.0	29.5	30.5	30.7	29.1	30.2	29.2	29.9	356.3
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	26.8	22.7	24.4	22.9	25.3	25.4	26.8	27.5	25.5	26.8	26.8	26.1	307.0
	23 LST	28.7	25.3	27.5	27.0	26.2	25.3	26.6	27.9	25.4	28.3	28.0	28.1	324.3
	05 LST	28.5	24.0	27.7	27.2	28.0	27.3	28.5	29.4	26.6	27.9	28.2	29.0	332.3
	11 LST	26.8	25.4	26.3	24.8	27.6	27.4	29.3	29.4	27.0	27.7	26.9	27.6	326.2
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	0.7	0.9	1.5	1.5	0.9	0.6	0.3	0.2	0.2	0.3	0.5	0.8	8.4
	23 LST	0.2	0.4	0.5	0.4	0.5	0.4	0.3	0.2	0.1	0.1	0.1	0.2	3.4
	05 LST	0.1	0.1	0.4	0.2	0.1	0.1	0.1	0.0	0.0	0.1	0.1	0.1	1.4
	11 LST	0.6	0.7	1.0	0.6	0.6	0.2	0.1	0.2	0.1	0.2	0.3	0.4	5.0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	14.9	14.7	16.3	13.6	11.0	6.6	8.9	9.0	9.6	12.6	12.5	12.5	142.2
	23 LST	7.7	5.9	10.1	9.7	9.3	8.0	8.9	7.5	6.1	7.2	6.7	6.1	93.2
	05 LST	5.8	4.8	7.0	5.1	5.0	4.7	4.0	4.4	3.6	5.1	5.0	4.6	59.1
	11 LST	10.7	9.2	12.4	10.8	11.2	9.8	9.8	10.3	10.2	11.6	9.4	8.6	124.0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	16.8	15.5	13.5	15.1	14.9	10.5	4.5	7.4	9.6	14.8	18.8	17.2	156.6
	23 LST	22.5	19.3	20.1	19.6	20.1	16.4	9.2	12.3	14.8	20.1	23.9	22.7	221.0
	05 LST	21.4	19.6	20.8	20.2	20.6	17.1	11.4	15.1	17.3	20.7	23.2	22.2	229.6
	11 LST	18.0	18.4	16.9	17.0	20.0	16.8	10.0	13.8	15.2	18.5	20.9	19.2	204.7
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	29.6	26.6	29.1	28.0	28.7	25.9	25.9	27.0	25.9	28.2	28.9	28.9	332.7
	23 LST	29.3	26.2	28.9	28.2	28.4	25.6	26.0	27.9	24.9	28.5	29.1	29.1	332.1
	05 LST	28.2	25.4	29.0	27.1	28.2	26.7	27.0	28.4	25.8	27.7	28.7	29.7	331.9
	11 LST	29.2	25.7	28.4	28.2	29.1	27.5	28.1	29.2	26.5	27.8	28.8	29.2	337.7
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	28.2	24.6	25.1	24.3	26.3	22.2	20.7	23.4	21.8	26.5	28.5	27.6	299.2
	23 LST	28.2	23.4	26.0	26.4	25.0	23.4	21.8	24.7	22.1	27.0	28.6	28.6	305.2
	05 LST	27.4	23.4	26.3	25.4	27.6	25.0	23.7	26.2	23.6	26.6	28.2	29.1	312.7
	11 LST	28.5	24.5	24.5	24.1	28.5	26.1	25.6	27.0	23.7	26.1	28.3	28.5	315.4
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	27.9	24.4	24.3	23.7	25.0	21.0	19.3	22.2	20.8	25.8	28.3	27.4	290.1
	23 LST	28.0	23.0	25.6	26.2	24.4	23.0	21.0	23.5	21.6	26.9	28.4	28.4	300.0
	05 LST	27.3	23.3	26.0	25.1	27.4	24.4	23.4	25.8	23.5	26.4	28.0	26.4	309.5
	11 LST	28.2	24.3	24.3	23.9	28.4	25.8	25.4	26.9	23.7	25.9	28.0	28.3	313.1

# SANTA LUCIA, MEXICO

STA NO. 76678/ (IN AREA NUMBER 04)

LATITUDE 1944N

LONGITUDE 09900W

ELEVATION(FT) 07300

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	74	81	85	89	92	87	84	84	78	80	80	84	92	42	-76680
MEAN MAX TMP (F)	66	70	75	78	79	76	74	74	72	70	68	66	72	42	-76680
MEAN MIN TMP (F)	42	44	48	52	54	55	54	54	54	50	47	43	50	42	-76680
ABS MIN TMP (F)	27	24	32	40	40	43	46	47	34	36	30	29	24	42	-76680
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0		42	-29
MEAN NO DYS TMP = OR LES 32(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		42	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	42	-29
MEAN DEW PT TMP (F)	35	36	38	40	44	50	52	50	52	46	43	41	44	0	-50
MEAN REL HUM (PCT)	53	48	45	45	51	62	67	66	70	65	61	58	58	29	-76680
MEAN PRESS ALT (FT)	7223	7251	7304	7333	7361	7366	7328	7331	7347	7312	7255	7238	7304	0	-50
MEAN PRECIP (IN)	0.24	0.28	0.47	0.71	1.89	4.06	4.49	4.29	4.06	1.57	0.47	0.28	22.8	48	-76680
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		42	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.4	1.4	1.5	2.0	4.4	8.8	9.5	9.2	6.1	3.2	2.3	1.4	51.2	48	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		42	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSIMS	0.2	0.5	1.2	1.8	3.0	3.3	5.5	5.2	3.5	1.3	0.8	0.2	26.5	40	-76680
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# SANTA LUCIA, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	ALG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI w/SFC WND LES 10 KTS	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0

DATA NOT AVAILABLE

# MEXICO CITY INTL, MEXICO

STA NO. 76680 (IN AREA NUMBER 04)

LATITUDE 1926N

LONGITUDE 09904W

ELEVATION(FT) 07340

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	74	81	85	89	92	87	84	84	78	80	80	84	92	42	-34
MEAN MAX TMP (F)	66	70	75	78	79	76	74	74	72	70	68	66	72	42	-34
MEAN MIN TMP (F)	42	44	48	52	54	55	54	54	54	50	47	43	50	42	-34
ABS MIN TMP (F)	27	24	32	40	40	43	46	47	34	36	30	29	24	42	-34
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		42	-29
MEAN NO DYS TMP = OR LES 32(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		42	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	42	-29
MEAN DEW PT TMP (F)	35	35	37	40	45	50	51	52	52	47	42	38	44	38	-29
MEAN REL HUM (PCT)	53	48	45	45	51	62	67	68	70	65	61	58	58	29	-34
MEAN PRESS ALT (FT)	7261	7289	7342	7373	7400	7407	7368	7371	7386	7352	7294	7276	7343	0	-50
MEAN PRECIP (IN)	0.24	0.28	0.47	0.71	1.89	4.06	4.49	4.29	4.06	1.57	0.47	0.28	22.8	48	-34
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		42	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.4	1.4	1.5	2.0	4.4	8.8	9.5	9.2	6.1	3.2	2.3	1.4	51.2	48	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		42	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TS TMS	0.2	0.5	1.2	1.8	3.0	3.3	5.5	5.2	3.5	1.3	0.8	0.2	26.5	40	-62
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# MEXICO CITY INTL, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
CIG = GTR 2000 FT AND VSBY = GTR	17	LST												0	0
3 MI W/SFC WND LES 10 KTS	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
SFC WND = GTR 17 KTS AND	17	LST												0	0
NO PRECIP.	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	17	LST												0	0
DEG F AND NO PRECIP.	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
SKY COVER LES 3/10 AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
CIG = GTR 2500 FT AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
CIG = GTR 6000 FT AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
CIG = GTR 10000 FT AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0

DATA NOT AVAILABLE

# PUEBLA MILITARY, MEXICO

STA NO. 76685 (IN AREA NUMBER 04)

LATITUDE 1901N

LONGITUDE 09810W

ELEVATION(FT) 07093

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	82	82	85	88	87	85	82	80	81	82	81	79	88	5	-35
MEAN MAX TMP (F)	68	71	75	77	77	74	72	66	72	72	72	70	72	22	-72
MEAN MIN TMP (F)	42	44	47	51	54	54	53	53	53	50	46	43	49	22	-72
ABS MIN TMP (F)	30	33	29	32	46	47	46	46	41	36	32	32	29	5	-35
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN DEW PT TMP (F)	39	39	40	43	46	54	52	53	53	48	46	43	47	0	-50
MEAN REL HUM (PCT)	57	53	46	49	58	70	69	70	72	67	63	61	61	42	-72
MEAN PRESS ALT (FT)	7065	7090	7137	7147	7177	7179	7137	7149	7178	7143	7102	7081	7132	0	-50
MEAN PRECIP (IN)	0.32	0.35	0.43	0.98	3.27	6.77	7.05	5.63	6.06	2.48	0.98	0.35	34.7	49	-34
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.4	1.4	1.4	2.6	6.7	12.4	12.7	11.2	9.2	4.1	2.7	1.4	67.2	49	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.1	0.3	0.6	1.8	3.4	3.7	4.3	4.4	3.3	1.4	0.6	0.1	24.0	30	-72
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# PUEBLA MILITARY, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	17													0	0
VSBY = GTR 3 MI	23													0	0
	05													0	0
	11													0	0
CIG =GTR 2000 FT AND VSBY =GTR	17													0	0
3 MI W/SFC WND LES 10 KTS	23													0	0
	05													0	0
	11													0	0
SFC WND = GTR 17 KTS AND	17													0	0
NO PRECIP.	23													0	0
	05													0	0
	11													0	0
SFC WND 4-10 KTS AND TMP 33-89	17													0	0
DEG F AND NO PRECIP.	23													0	0
	05													0	0
	11													0	0
SKY COVER LES 3/10 AND	17													0	0
VSBY = GTR 3 MI	23													0	0
	05													0	0
	11													0	0
CIG = GTR 2500 FT AND	17													0	0
VSBY = GTR 3 MI	23													0	0
	05													0	0
	11													0	0
CIG = GTR 6000 FT AND	17													0	0
VSBY = GTR 3 MI	23													0	0
	05													0	0
	11													0	0
CIG = GTR 10000 FT AND	17													0	0
VSBY = GTR 3 MI	23													0	0
	05													0	0
	11													0	0

DATA NOT AVAILABLE

**AREA NO. 04**

PARAMETER DESCRIPTION	SOUTHERN MTNS		LATITUDE 2000N				LONGITUDE 09930W				ANN		
	BOUNDARIES	2100N 10100W 2000N 09800W	1900N 10000W 2030N 09900W	1900N 10000W 2030N 09900W	1900N 10000W 2030N 09900W	1900N 09700W 2100N 10100W	1900N 09700W 2100N 10100W	1900N 09700W 2100N 10100W	2000N 09800W				
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	67	71	75	78	78	75	73	71	72	71	70	68	72
MEAN MIN TMP (F)	42	44	48	52	54	55	54	54	54	50	47	43	50
LARGEST MEAN PRECIP(IN)	0.32	0.35	0.47	0.98	3.27	6.77	7.05	5.63	6.06	2.48	0.98	0.35	34.7
SMALLEST MEAN PRECIP(IN)	0.24	0.28	0.43	0.71	1.89	4.06	4.49	4.29	4.06	1.57	0.47	0.28	22.8

MEAN NUMBER OF DAYS

- CIG = GTR 1000 FT AND VSBY = GTR 3 MI
  - 17 LST
  - 23 LST
  - 05 LST
  - 11 LST
- CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS
  - 17 LST
  - 23 LST
  - 05 LST
  - 11 LST
- SFC WND = GTR 17 KTS AND NO PRECIP.
  - 17 LST
  - 23 LST
  - 05 LST
  - 11 LST
- SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.
  - 17 LST
  - 23 LST
  - 05 LST
  - 11 LST
- SKY COVER LES 3/10 AND VSBY = GTR 3 MI
  - 17 LST
  - 23 LST
  - 05 LST
  - 11 LST
- CIG = GTR 2500 FT AND VSBY = GTR 3 MI
  - 17 LST
  - 23 LST
  - 05 LST
  - 11 LST
- CIG = GTR 6000 FT AND VSBY = GTR 3 MI
  - 17 LST
  - 23 LST
  - 05 LST
  - 11 LST
- CIG = GTR 10000 FT AND VSBY = GTR 3 MI
  - 17 LST
  - 23 LST
  - 05 LST
  - 11 LST

**DATA NOT AVAILABLE**

# NUEVO LAREDO, MEXICO

STA NO. 70286/ (IN AREA NUMBER 05)

LATITUDE 2727N

LONGITUDE 09930W

ELEVATION(FT) 00410

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	92	98	101	109	108	108	110	108	106	103	94	91	110	10	-72252
MEAN MAX TMP (F)	86	73	80	88	94	98	100	100	94	87	75	68	35	10	-72252
MEAN MIN TMP (F)	44	50	56	64	71	75	76	77	73	65	54	47	63	10	-72252
ABS MIN TMP (F)	18	26	33	45	58	59	71	69	58	42	31	27	18	10	-72252
MEAN NO DYS TMP = OR GTR 90(F)	0.2	2.1	6.1	14.9	24.6	28.4	30.7	30.1	25.4	11.9	1.4	0.1	175.9	10	-72252
MEAN NO DYS TMP = OR LES 32(F)	3.5	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	5.8	10	-72252
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-72252
MEAN DEW PT TMP (F)	40	45	49	57	64	67	67	67	67	60	50	44	56	10	-72252
MEAN REL HUM (PCT)	65	64	57	59	60	59	56	56	64	63	65	67	61	10	-72252
MEAN PRESS ALT (FT)	249	295	369	424	449	460	401	404	402	355	279	247	361	0	-50
MEAN PRECIP (IN)	1.03	1.51	0.19	1.33	1.86	1.67	0.91	1.70	2.29	1.71	1.47	1.05	16.7	10	-72252
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.1	3.1	0.4	2.4	2.3	1.9	1.8	2.7	4.0	3.0	2.6	2.6	28.9	10	-72252
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	4.7	2.4	1.0	0.4	0.5	0.0	0.0	0.0	0.4	0.3	1.2	3.9	14.8	10	-72252
MEAN NO DYS TSTMS	0.5	1.1	1.2	2.8	3.7	4.8	3.1	3.6	5.5	2.3	1.1	0.2	29.9	10	-72252
P FREQ WND SPD = OR GTR 17 KTS	4.0	7.2	8.2	11.7	15.1	14.5	18.6	11.8	6.4	4.0	4.1	2.6	9.0	10	-72252
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	10	-72252
P FREQ LES 5000 FT A/O LES 5 MI	32.3	33.9	25.0	28.2	21.9	12.9	3.7	4.1	14.6	18.0	31.1	32.9	21.6	10	-72252
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	20.3	18.7	7.5	8.0	3.9	1.1	0.0	0.2	3.0	6.0	11.2	17.3	8.1	10	-72252
03-05 LST	26.1	26.3	15.7	15.0	8.1	3.3	0.8	1.8	6.9	10.2	19.0	23.7	13.1	10	-72252
06-08 LST	32.7	32.8	22.3	22.3	12.4	8.9	2.9	4.0	11.9	12.0	22.9	32.4	18.1	10	-72252
09-11 LST	29.8	27.2	13.1	12.0	5.1	2.1	0.5	1.2	6.0	8.1	20.6	26.8	12.7	10	-72252
12-14 LST	20.2	16.3	4.7	5.9	1.4	0.4	0.0	0.1	2.6	4.8	11.9	14.0	6.9	10	-72252
15-17 LST	14.1	10.8	3.7	4.3	0.0	0.0	0.2	0.1	2.3	2.5	8.8	10.6	4.8	10	-72252
18-20 LST	13.8	9.5	2.4	3.6	0.9	0.4	0.2	0.0	2.1	2.8	7.7	9.8	4.4	10	-72252
21-23 LST	17.6	12.5	3.1	4.7	0.9	0.3	0.1	0.0	1.9	3.2	7.3	12.8	5.4	10	-72252
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	5.4	2.8	1.0	0.9	0.3	0.1	0.0	0.0	0.1	0.4	0.9	5.0	1.4	10	-72252
03-05 LST	9.8	3.8	1.8	0.9	0.1	0.0	0.0	0.0	0.6	0.4	2.5	7.6	2.3	10	-72252
06-08 LST	12.7	7.3	3.4	0.9	0.6	0.2	0.0	0.3	0.6	1.1	2.9	9.0	3.3	10	-72252
09-11 LST	6.0	2.4	1.0	0.2	0.1	0.0	0.0	0.0	0.3	0.1	1.2	5.3	1.4	10	-72252
12-14 LST	1.1	0.1	0.0	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.3	1.2	0.3	10	-72252
15-17 LST	0.8	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.2	0.0	0.5	1.0	0.2	10	-72252
18-20 LST	1.9	0.6	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.8	0.8	0.4	10	-72252
21-23 LST	3.1	0.7	0.6	0.3	0.1	0.2	0.0	0.0	0.0	0.0	0.5	1.7	0.6	10	-72252

# NUEVO LAREDO, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. GBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	28.5	25.9	30.4	29.2	31.0	30.0	31.0	31.0	29.8	30.6	28.6	29.3	355.3	10	-72252
	23 LST	26.9	24.8	30.1	28.8	30.8	29.8	31.0	31.0	29.9	30.6	28.5	27.7	349.9	10	-72252
	05 LST	23.4	22.3	27.6	27.9	29.9	29.6	30.7	30.4	28.4	29.3	25.3	24.8	329.6	10	-72252
	11 LST	24.8	23.3	29.5	28.5	30.7	29.8	31.0	30.9	29.7	29.7	26.9	26.1	340.9	10	-72252
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	14.6	10.2	10.0	9.3	7.3	5.9	4.6	7.3	9.5	13.6	14.8	16.8	123.9	10	-72252
	23 LST	17.3	11.6	11.1	7.5	5.5	5.8	4.1	5.1	14.3	15.2	16.9	19.4	133.8	10	-72252
	05 LST	16.9	12.7	14.7	12.9	13.3	13.8	14.7	16.9	20.5	20.6	16.8	16.9	190.7	10	-72252
	11 LST	12.5	7.9	11.4	8.9	9.6	9.8	9.7	15.2	14.9	13.6	11.6	13.7	138.8	10	-72252
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	1.2	3.4	3.4	5.3	5.6	5.8	9.2	4.9	2.9	1.6	1.1	0.7	45.1	10	-72252
	23 LST	0.8	1.9	2.2	4.7	6.4	6.0	9.5	7.9	2.6	1.5	1.5	0.8	45.8	10	-72252
	05 LST	0.5	0.6	1.3	1.4	1.1	0.8	0.5	0.2	0.1	0.2	0.5	0.3	7.5	10	-72252
	11 LST	1.8	2.9	3.6	4.0	3.4	2.5	3.3	0.6	1.0	1.4	2.0	0.9	27.4	10	-72252
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	18.4	13.0	10.6	6.4	3.7	1.1	0.8	1.6	5.0	12.9	17.8	20.3	111.6	10	-72252
	23 LST	20.7	15.7	14.9	10.1	9.2	7.5	4.9	7.0	16.2	17.5	18.7	23.2	165.6	10	-72252
	05 LST	20.0	20.0	21.6	19.8	20.2	19.4	20.5	22.0	23.7	21.7	20.3	21.3	250.5	10	-72252
	11 LST	17.3	13.0	15.1	12.1	11.2	8.7	5.0	5.3	14.9	16.4	16.1	17.8	152.9	10	-72252
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	10.4	11.6	11.2	9.2	10.2	9.3	8.9	8.5	8.5	13.8	11.0	12.0	124.6	10	-72252
	23 LST	12.1	14.4	16.4	13.3	15.5	20.6	23.6	22.4	18.1	20.0	15.1	14.6	206.1	10	-72252
	05 LST	11.7	11.4	11.6	9.7	9.7	15.6	21.7	20.8	17.4	16.5	11.8	11.2	169.1	10	-72252
	11 LST	9.3	10.3	10.0	9.6	8.9	11.8	16.4	15.8	9.9	11.9	9.2	9.8	132.9	10	-72252
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	25.6	23.6	29.4	28.3	30.7	29.8	30.9	30.8	29.3	29.6	26.0	26.6	340.6	10	-72252
	23 LST	24.1	22.5	27.8	26.2	29.5	29.4	30.8	30.9	28.9	29.4	25.7	25.4	330.6	10	-72252
	05 LST	20.9	17.7	22.1	21.6	22.2	25.3	29.7	29.9	25.1	25.9	21.7	20.5	282.6	10	-72252
	11 LST	21.5	18.9	24.5	24.1	27.6	28.7	30.8	30.4	27.8	27.8	22.8	21.5	306.4	10	-72252
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	23.6	20.9	26.2	24.7	28.3	28.4	30.1	29.8	26.4	27.1	23.2	23.2	311.9	10	-72252
	23 LST	21.8	20.9	25.4	23.4	27.8	28.5	30.4	30.3	26.8	27.5	22.4	22.3	307.5	10	-72252
	05 LST	18.3	15.3	19.0	18.9	19.5	24.3	29.4	29.7	23.9	23.5	18.5	17.6	257.9	10	-72252
	11 LST	19.2	16.5	21.1	19.8	21.4	23.4	28.9	28.6	22.8	23.1	18.2	18.0	261.0	10	-72252
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	22.7	20.1	25.2	24.2	27.6	27.0	28.4	27.6	24.5	25.9	22.1	22.2	297.5	10	-72252
	23 LST	21.2	20.6	25.0	22.7	27.0	28.3	30.3	29.9	26.5	27.0	21.7	21.5	301.7	10	-72252
	05 LST	17.7	15.0	18.4	18.3	18.9	23.8	29.3	28.8	23.8	22.6	17.4	17.1	251.1	10	-72252
	11 LST	18.0	16.4	20.0	19.4	20.5	22.9	28.9	28.2	22.6	21.9	17.5	16.4	252.7	10	-72252

# MONCLOVA, MEXICO

STA NO. 76342 (IN AREA NUMBER 05)

LATITUDE 2654N

LONGITUDE 10125W

ELEVATION(FT) 01923

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OHS
ABS MAX TMP (F)	94	96	102	107	111	112	111	106	107	104	96	96	112	12	4101
MEAN MAX TMP (F)	71	74	81	88	94	98	98	97	91	84	75	71	85	12	4101
MEAN MIN TMP (F)	44	47	53	61	67	74	74	74	69	61	50	46	60	12	4101
ABS MIN TMP (F)	16	16	28	44	48	57	66	65	55	44	30	26	16	12	4101
MEAN NO DYS TMP = OR GTR 90(F)	1.1	2.3	7.2	14.8	22.7	28.0	29.7	28.2	20.3	9.0	2.2	1.0	166.5	12	4101
MEAN NO DYS TMP = OR LES 32(F)	1.7	1.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.1	5.0	12	4101
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4101
MEAN DEW PT TMP (F)	40	42	44	50	59	64	64	64	63	55	44	39	57	12	32380
MEAN REL HUM (PCT)	59	58	50	50	53	52	51	52	60	60	58	57	55	12	32377
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.60	0.60	0.30	0.70	1.40	1.40	2.00	1.20	4.30	1.40	0.60	0.60	15.1	15	-35
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			12	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.3	1.3	1.1	2.0	3.4	2.7	4.4	2.2	6.5	3.0	2.4	1.3	31.6	15	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.6	1.5	1.0	0.3	0.2	0.0	0.0	0.1	0.2	1.3	1.1	1.2	8.5	12	4085
MEAN NO DYS TSTMS	0.0	0.2	0.4	0.3	1.6	1.3	1.0	0.7	0.2	0.4	0.0	0.1	6.2	12	4085
P FREQ WND SPD = OR GTR 17 KTS	0.1	0.3	0.3	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.1	12	32088
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	32088
P FREQ LES 5000 FT A/O LES 5 MI	12.1	20.3	15.9	18.1	19.7	17.5	14.5	14.0	23.1	23.6	15.2	14.2	17.4	12	32265
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	7.6	9.3	5.5	6.1	4.9	1.3	0.9	1.8	4.6	10.5	7.5	5.1	5.4	12	3974
03-05 LST	8.2	11.8	6.8	5.8	4.5	2.4	1.0	4.5	6.9	10.3	7.8	4.8	6.2	12	3951
06-08 LST	9.8	13.9	8.4	7.6	7.1	2.7	2.6	4.7	11.2	15.3	8.5	7.9	8.3	12	4083
09-11 LST	7.2	12.8	7.6	5.8	5.6	3.0	2.1	2.6	10.3	11.8	6.4	4.7	6.7	12	4083
12-14 LST	5.0	9.5	5.4	4.5	2.9	2.4	2.1	2.1	8.5	10.3	5.5	4.4	5.2	12	4094
15-17 LST	4.7	7.4	4.9	4.6	3.5	3.6	2.9	3.2	4.9	7.4	4.3	3.7	4.6	12	4071
18-20 LST	4.9	9.2	3.8	5.5	3.5	3.0	1.5	1.5	4.9	8.8	5.2	4.4	4.7	12	4087
21-23 LST	5.8	10.1	3.5	4.6	2.7	1.2	0.3	2.7	4.6	10.0	5.8	4.1	4.6	12	4083
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	2.2	3.0	2.5	0.9	0.6	0.0	0.0	0.0	0.0	3.3	2.2	2.7	1.5	12	3974
03-05 LST	2.5	4.1	2.2	1.0	0.3	0.0	0.0	0.3	1.3	3.6	3.1	1.2	1.6	12	3951
06-08 LST	3.9	5.9	2.7	1.5	1.2	0.0	0.0	0.3	2.1	3.5	3.3	2.1	2.2	12	4083
09-11 LST	2.5	5.1	3.5	0.9	0.9	0.0	0.0	0.0	1.5	3.0	3.0	0.6	1.8	12	4083
12-14 LST	1.4	2.7	1.9	1.2	0.6	0.0	0.0	0.3	0.6	3.5	1.2	0.6	1.2	12	4094
15-17 LST	0.8	1.8	2.4	1.2	0.6	0.0	0.0	0.0	0.0	2.1	0.6	0.9	0.9	12	4071
18-20 LST	1.4	2.7	2.2	0.9	0.3	0.0	0.0	0.0	0.0	2.6	1.5	1.8	1.1	12	4087
21-23 LST	1.7	4.2	1.9	1.2	0.3	0.0	0.0	0.0	0.0	3.2	1.8	2.1	1.4	12	4083

# MONCLOVA, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	29.5	26.2	30.1	29.0	30.6	29.9	31.0	30.8	29.1	29.2	29.1	30.3	355.0	12	4073
	23 LST	29.5	26.0	29.9	29.0	30.5	29.8	31.0	30.4	29.3	28.9	28.7	29.9	352.9	12	4083
	05 LST	29.1	24.8	29.5	28.4	30.0	29.8	30.4	30.2	28.8	28.1	28.0	29.7	346.8	12	3953
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	11 LST	29.3	25.6	29.1	28.9	30.5	30.0	30.8	30.8	28.7	28.8	28.6	30.4	351.5	12	4086
	17 LST	28.8	24.8	28.7	26.5	29.1	28.1	29.2	29.5	27.8	27.0	27.6	29.6	336.7	12	4052
	23 LST	28.6	24.0	28.0	26.6	29.0	28.9	30.5	30.0	27.9	27.2	26.8	29.0	336.5	12	4058
SFC WND = GTR 17 KTS AND NO PRECIP.	05 LST	26.9	22.6	26.4	25.9	27.7	28.7	29.4	28.7	26.0	26.3	25.9	27.8	322.3	12	3930
	11 LST	28.4	23.7	26.7	26.4	29.0	28.3	30.4	30.1	26.0	26.3	27.1	28.2	330.6	12	4062
	17 LST	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	4053
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	12	4060
	05 LST	0.1	0.2	0.2	0.4	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.0	12	3935
	11 LST	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	4069
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	15.3	18.0	19.2	13.3	8.3	2.5	2.2	2.3	9.1	16.0	13.5	12.1	131.8	12	4053
	23 LST	7.5	7.1	10.9	10.0	13.3	12.6	10.6	9.4	9.1	9.5	8.6	7.3	115.9	12	4060
	05 LST	14.3	13.7	14.7	14.6	14.3	12.9	17.1	14.4	11.0	11.9	14.6	15.1	168.6	12	3935
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	11 LST	8.4	10.7	13.6	12.8	11.0	8.8	6.5	5.4	10.2	11.0	11.8	10.4	120.6	12	4069
	17 LST	14.0	12.7	11.5	12.2	14.0	10.8	8.2	12.3	12.3	16.5	16.6	15.3	156.4	12	4074
	23 LST	19.3	16.5	19.7	19.3	20.2	22.1	25.5	23.3	21.7	20.4	20.6	19.7	248.3	12	4085
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	05 LST	18.0	16.8	17.7	15.4	17.7	16.8	20.6	21.0	19.2	19.1	19.3	19.4	221.0	12	3957
	11 LST	13.6	12.2	13.0	12.9	16.5	14.5	15.8	16.7	14.3	17.1	16.9	16.2	179.7	12	4089
	17 LST	28.4	24.1	27.7	26.1	26.7	24.6	25.2	27.5	24.8	25.7	26.7	28.1	315.6	12	4073
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST	27.7	23.2	28.5	26.6	27.6	28.1	30.2	28.7	26.5	25.6	26.9	28.2	327.8	12	4083
	05 LST	26.1	22.2	26.3	25.2	26.4	27.2	29.1	28.0	24.9	24.3	25.6	26.4	311.7	12	3953
	11 LST	27.6	22.6	26.2	25.4	25.7	24.6	27.4	27.5	22.1	24.6	26.3	27.2	307.2	12	4086
CIG = GTR 3000 FT AND VSBY = GTR 3 MI	17 LST	28.2	23.2	26.3	24.8	24.6	22.1	22.3	26.0	22.6	24.4	24.0	27.4	297.9	12	4073
	23 LST	26.6	22.2	27.0	25.4	25.9	26.9	29.7	28.2	25.8	25.0	25.2	26.9	314.8	12	4083
	05 LST	24.9	21.4	24.8	23.5	25.0	26.3	28.8	27.2	24.2	23.0	24.5	25.0	298.6	12	3953
CIG = GTR 5000 FT AND VSBY = GTR 3 MI	11 LST	26.9	21.6	25.1	23.5	23.1	21.9	25.5	25.8	19.5	23.1	25.5	26.5	288.0	12	4086
	17 LST	28.2	23.2	26.3	24.8	24.6	22.1	22.3	26.0	22.6	24.4	26.0	27.4	297.9	12	4073
	23 LST	26.6	22.2	27.0	25.4	25.9	26.9	29.7	28.2	25.5	25.0	25.2	26.9	314.5	12	4083
CIG = GTR 7000 FT AND VSBY = GTR 3 MI	05 LST	24.9	21.4	24.8	23.5	25.0	26.3	28.8	27.2	24.2	23.0	24.5	25.0	298.6	12	3953
	11 LST	26.9	21.6	25.1	23.5	23.1	21.9	25.5	25.8	19.5	23.1	25.5	26.5	288.0	12	4086

# MONTERREY, MEXICO

STA NO. 76394 (IN AREA NUMBER 05)

LATITUDE 2551N

LONGITUDE 10014W

ELEVATION(FT) 01474

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	91	95	101	105	107	102	101	102	100	96	94	94	107	20	-72
MEAN MAX TMP (F)	68	72	76	84	87	91	90	92	86	80	71	65	80	11	-28
MEAN MIN TMP (F)	48	52	57	62	68	71	71	72	70	64	55	50	62	11	-28
ABS MIN TMP (F)	25	26	30	42	51	63	66	66	57	41	34	22	22	20	-72
MEAN NO DYS TMP = OR GTR 90(F)				0.0	6.4	18.5	15.9	22.3	3.5					11	-29
MEAN NO DYS TMP = OR LES 32(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			20	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN DEW PT TMP (F)	43	47	52	57	64	66	69	68	67	61	53	46	58	0	-50
MEAN REL HUM (PCT)	58	58	58	59	64	62	62	62	69	69	69	67	63	28	-72
MEAN PRESS ALT (FT)	1357	1390	1450	1502	1526	1537	1483	1483	1499	1498	1390	1359	1453	0	-50
MEAN PRECIP (IN)	0.60	0.70	0.80	1.30	1.30	3.00	2.30	2.40	5.20	3.00	1.50	0.80	22.9	33	-28
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			20	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.3	1.3	2.2	3.2	3.2	6.8	5.1	5.4	7.8	4.7	3.1	1.4	45.5	33	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			20	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.1	0.3	0.9	1.6	3.2	2.5	3.0	3.4	3.0	2.0	0.4	0.0	20.4	30	-72
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# MONTERREY, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0

DATA NOT AVAILABLE

# REYNOSA, MEXICO

STA NO. 76398/ (IN AREA NUMBER 05)

LATITUDE 2600N

LONGITUDE 09813W

ELEVATION(FT) 00128

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	085
ABS MAX TMP (F)	90	94	102	100	102	103	102	104	102	99	98	93	104	63	-72250
MEAN MAX TMP (F)	69	72	77	82	87	91	92	93	90	85	76	71	82	63	-72250
MEAN MIN TMP (F)	51	54	59	66	71	74	76	75	73	66	59	53	65	63	-72250
ABS MIN TMP (F)	18	12	30	39	41	56	57	63	51	38	27	18	12	63	-72250
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.2	0.5	2.6	6.1	20.5	27.9	29.0	17.0	5.6	0.5	0.0	109.9	10	-72250
MEAN NO DYS TMP = OR LES 32(F)	1.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.8	10	-72250
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-72250
MEAN DEN PT TMP (F)	51	55	58	65	70	73	74	74	73	66	59	53	64	10	-72250
MEAN REL HUM (PCT)	77	77	70	75	76	76	75	73	77	75	73	78	75	22	-72250
MEAN PRESS ALT (FT)	9	45	106	159	183	190	135	136	157	111	38	11	107	0	-50
MEAN PRECIP (IN)	1.80	1.50	1.60	1.70	2.60	3.20	2.30	2.90	5.80	3.60	2.30	1.90	31.2	74	-72250
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			63	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.8	2.2	3.8	4.0	5.6	7.2	5.1	6.5	8.8	5.5	3.9	3.0	58.4	74	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	63	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.0	4.5	3.1	1.7	0.9	0.6	0.0	0.0	0.1	0.8	2.0	5.8	25.5	10	-72250
MEAN NO DYS TSTMS	0.3	1.0	1.0	2.0	4.0	3.0	4.0	4.0	5.0	2.0	1.0	1.0	28.3	29	-72250
P FREQ WND SPD = OR GTR 17 KTS	15.0	17.7	21.8	28.0	25.0	18.0	15.8	12.8	7.3	8.6	14.5	11.8	16.4	10	-72250
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.3	0.3	0.1	0.0	0.0	0.0	0.1	0.0	0.2	0.1	0.1	10	-72250
P FREQ LES 5000 FT A/O LES 5 MI	41.6	43.7	41.1	46.6	31.8	19.1	6.8	7.6	16.1	17.0	33.1	40.5	28.8	10	-72250
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	27.0	24.9	26.7	36.6	19.5	6.6	0.0	0.2	3.9	4.2	13.4	24.0	15.6	10	-72250
03-05 LST	31.6	31.6	27.3	36.3	14.7	5.6	0.4	0.6	3.9	4.9	19.6	28.2	17.1	10	-72250
06-08 LST	29.5	32.9	29.3	35.3	13.8	5.8	0.6	1.0	6.1	7.8	19.2	32.5	17.8	10	-72250
09-11 LST	23.3	27.6	18.3	15.9	3.6	2.6	0.5	1.0	5.3	5.4	14.8	23.9	11.9	10	-72250
12-14 LST	17.5	19.0	10.3	6.4	2.4	1.8	0.2	0.8	3.4	3.7	11.2	18.4	7.9	10	-72250
15-17 LST	13.2	16.6	6.3	7.2	1.3	1.1	0.1	0.1	1.8	3.3	10.8	14.9	6.6	10	-72250
18-20 LST	18.0	21.0	16.9	24.3	9.0	1.2	0.3	0.0	1.9	2.8	12.2	16.8	10.4	10	-72250
21-23 LST	23.1	22.9	23.7	35.3	18.6	5.1	0.0	0.0	3.1	4.5	12.4	20.8	14.1	10	-72250
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	9.9	9.1	5.2	3.0	0.6	0.0	0.0	0.0	0.3	0.9	4.8	7.3	3.4	10	-72250
03-05 LST	13.8	12.4	6.8	4.9	1.7	0.2	0.0	0.1	0.3	1.2	5.5	11.3	4.9	10	-72250
06-08 LST	13.7	11.3	6.8	5.0	1.9	0.7	0.0	0.1	0.6	2.7	4.9	13.7	5.1	10	-72250
09-11 LST	5.3	2.8	0.9	0.4	0.0	0.2	0.0	0.0	0.2	0.1	1.2	4.2	1.3	10	-72250
12-14 LST	1.4	1.3	0.2	0.2	0.0	0.4	0.0	0.0	0.0	0.1	0.6	1.1	0.4	10	-72250
15-17 LST	1.6	0.7	0.2	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.3	10	-72250
18-20 LST	3.4	1.6	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.9	0.7	10	-72250
21-23 LST	5.4	3.8	2.4	1.6	0.0	0.0	0.0	0.0	0.1	0.3	1.7	5.5	1.7	10	-72250

# REYNOSA, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	28.1	25.1	29.6	29.0	30.6	30.0	31.0	31.0	29.7	30.5	28.2	27.9	350.7	10	-72250
	23 LST	24.4	22.8	25.5	23.1	29.6	29.8	31.0	31.0	29.2	30.0	27.0	25.6	329.0	10	-72250
	05 LST	22.0	19.9	24.1	22.5	28.2	29.3	30.8	31.0	29.1	29.6	25.4	23.5	315.4	10	-72250
	11 LST	26.6	23.8	28.4	28.7	30.7	29.7	30.9	31.0	29.4	29.9	27.5	25.6	342.2	10	-72250
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	4.3	1.8	1.6	0.8	1.0	2.2	0.6	0.6	2.1	4.0	4.3	5.9	29.2	10	-72250
	23 LST	14.7	12.3	12.7	9.5	13.3	17.8	18.4	22.5	23.6	22.6	17.9	16.7	202.0	10	-72250
	05 LST	12.4	10.6	11.7	9.9	17.1	22.9	28.8	29.1	25.5	23.5	14.9	14.1	220.5	10	-72250
	11 LST	6.5	4.5	3.5	3.0	5.3	5.5	5.0	9.8	9.8	7.7	6.0	6.2	72.8	10	-72250
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	6.3	9.6	12.8	15.3	15.6	14.2	14.7	14.2	5.5	5.4	5.3	5.0	123.9	10	-72250
	23 LST	1.8	1.7	2.5	5.1	3.2	0.9	0.2	0.4	0.2	0.7	1.5	0.9	19.1	10	-72250
	05 LST	2.6	2.1	2.7	2.3	1.7	0.2	0.0	0.1	0.2	0.7	2.2	1.4	16.2	10	-72250
	11 LST	8.4	8.8	11.1	13.8	12.8	7.8	6.4	3.7	2.9	5.3	8.1	7.2	96.3	10	-72250
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	9.8	4.8	9.2	2.1	1.7	2.1	1.1	1.5	5.7	7.7	10.1	11.5	62.3	10	-72250
	23 LST	18.7	15.8	17.6	13.9	17.4	19.3	22.4	22.8	22.3	22.6	20.8	20.3	253.9	10	-72250
	05 LST	19.6	16.6	17.4	17.6	19.0	20.6	22.7	21.4	20.0	21.1	18.5	18.5	233.0	10	-72250
	11 LST	11.3	8.7	7.6	5.3	7.6	6.4	4.8	5.3	11.1	11.4	9.7	11.3	100.5	10	-72250
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	8.0	8.9	8.2	8.2	9.9	8.9	13.0	12.9	8.5	13.0	9.7	8.9	118.1	10	-72250
	23 LST	9.9	11.8	11.0	7.7	10.8	17.1	23.8	23.9	17.0	20.1	13.3	10.8	177.2	10	-72250
	05 LST	10.3	9.6	9.7	6.5	12.7	16.5	24.7	23.7	18.9	19.9	13.2	9.4	175.1	10	-72250
	11 LST	6.8	7.6	5.4	5.4	4.1	2.1	4.4	4.4	2.8	6.4	6.2	6.7	62.3	10	-72250
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	23.9	21.4	25.6	24.4	27.7	28.4	30.8	30.8	28.8	29.3	24.6	24.5	320.2	10	-72250
	23 LST	21.6	19.2	20.7	16.2	22.4	26.8	30.8	30.8	27.1	28.5	24.7	22.0	290.8	10	-72250
	05 LST	19.6	17.6	19.4	16.5	24.6	27.9	30.5	30.5	28.1	28.3	22.6	19.5	285.1	10	-72250
	11 LST	20.6	17.9	20.4	20.2	25.6	25.6	29.5	29.5	25.4	27.0	22.0	20.7	284.6	10	-72250
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	19.7	17.0	22.8	21.4	25.3	27.0	30.4	30.1	27.6	27.7	21.3	20.4	290.7	10	-72250
	23 LST	17.9	15.9	18.2	13.9	21.6	26.5	30.7	30.6	26.8	27.2	20.9	18.0	268.2	10	-72250
	05 LST	15.4	14.9	17.4	14.0	22.9	27.5	30.4	30.2	26.6	26.5	19.7	16.1	261.6	10	-72250
	11 LST	16.2	13.6	15.4	15.0	16.0	16.6	22.9	23.2	17.1	18.5	17.0	16.9	208.4	10	-72250
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	18.3	16.6	21.8	21.2	24.9	26.5	30.7	30.1	26.7	26.8	20.5	19.6	283.2	10	-72250
	23 LST	17.0	15.2	17.1	13.2	21.1	26.3	30.6	30.5	26.6	26.3	19.4	17.5	260.8	10	-72250
	05 LST	14.1	14.2	15.8	13.3	22.4	27.1	30.4	30.1	26.1	25.8	18.5	15.1	252.9	10	-72250
	11 LST	15.1	12.7	13.9	14.6	15.6	16.3	22.6	23.0	16.4	18.0	15.4	15.7	199.3	10	-72250

# MATAMOROS INTL, MEXICO

STA NO. 76399/ (IN AREA NUMBER 05)

LATITUDE 2546N

LONGITUDE 09731W

ELEVATION(FT) 00024

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	90	94	102	100	102	103	102	104	102	99	98	93	104	63	-72250
MEAN MAX TMP (F)	69	72	77	82	87	91	92	93	90	85	76	71	82	63	-72250
MEAN MIN TMP (F)	51	54	59	66	71	74	76	75	73	66	59	53	65	63	-72250
ABS MIN TMP (F)	18	12	30	39	41	56	57	63	51	38	27	18	12	63	-72250
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.2	0.5	2.6	6.1	20.5	27.9	29.0	17.0	5.6	0.5	0.0	109.9	10	-72250
MEAN NO DYS TMP = OR LES 32(F)	1.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.8	10	-72250
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-72250
MEAN DEW PT TMP (F)	51	55	58	65	70	73	74	74	73	66	59	53	64	10	-72250
MEAN REL HUM (PCT)	77	77	70	75	76	76	75	73	77	75	73	78	75	22	-72250
MEAN PRESS ALT (FT)	-124	-88	-25	27	52	57	3	5	23	-22	-96	-123	-25	0	-50
MEAN PRECIP (IN)	1.80	1.50	1.60	1.70	2.60	3.20	2.30	2.90	5.80	3.60	2.30	1.90	31.2	74	-72250
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				63	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.8	2.2	3.8	4.0	5.6	7.2	5.1	6.5	8.8	5.5	3.9	3.0	58.4	74	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	63	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.0	4.5	3.1	1.7	0.9	0.6	0.0	0.0	0.1	0.8	2.0	5.8	25.5	10	-72250
MEAN NO DYS TSTMS	0.3	1.0	1.0	2.0	4.0	3.0	4.0	4.0	5.0	2.0	1.0	1.0	28.3	29	-72250
P FREQ WND SPD = OR GTR 17 KTS	15.0	17.7	21.8	28.0	25.0	18.0	15.8	12.8	7.3	8.6	14.5	11.8	16.4	10	-72250
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.3	0.3	0.1	0.0	0.0	0.0	0.1	0.0	0.2	0.1	0.1	10	-72250
P FREQ LES 5000 FT A/O LES 5 MI	41.6	43.7	41.1	46.6	31.8	19.1	6.8	7.6	16.1	17.0	33.1	40.5	28.8	10	-72250
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	27.0	24.9	26.7	36.6	19.5	6.6	0.0	0.2	3.9	4.2	13.4	24.0	15.6	10	-72250
03-05 LST	31.6	31.6	27.3	36.3	14.7	5.6	0.4	0.6	3.9	4.9	19.6	28.2	17.1	10	-72250
06-08 LST	29.5	32.9	29.3	35.3	13.8	5.8	0.6	1.0	6.1	7.8	19.2	32.5	17.8	10	-72250
09-11 LST	23.3	27.6	18.3	15.9	3.6	2.6	0.5	1.0	5.3	5.4	14.8	23.9	11.9	10	-72250
12-14 LST	17.5	19.0	10.3	6.4	2.4	1.8	0.2	0.8	3.4	3.7	11.2	18.4	7.9	10	-72250
15-17 LST	13.2	16.6	8.3	7.2	1.3	1.1	0.1	0.1	1.8	3.3	10.8	14.9	6.6	10	-72250
18-20 LST	18.0	21.0	16.9	24.3	9.0	1.2	0.3	0.0	1.9	2.8	12.2	16.8	10.4	10	-72250
21-23 LST	23.1	22.9	23.7	35.3	18.6	5.1	0.0	0.0	3.1	4.5	12.4	20.8	14.1	10	-72250
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	9.9	9.1	5.2	3.0	0.6	0.0	0.0	0.0	0.3	0.9	4.8	7.3	3.4	10	-72250
03-05 LST	13.8	12.4	6.8	4.9	1.7	0.2	0.0	0.1	0.3	1.2	5.5	11.3	4.9	10	-72250
06-08 LST	13.7	11.3	6.8	5.0	1.9	0.7	0.0	0.1	0.6	2.7	4.9	13.7	5.1	10	-72250
09-11 LST	5.3	2.8	0.9	0.4	0.0	0.2	0.0	0.0	0.2	0.1	1.2	4.2	1.3	10	-72250
12-14 LST	1.4	1.3	0.2	0.2	0.0	0.4	0.0	0.0	0.0	0.1	0.6	1.1	0.4	10	-72250
15-17 LST	1.6	0.7	0.2	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.3	10	-72250
18-20 LST	3.4	1.6	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.9	0.7	10	-72250
21-23 LST	5.4	3.8	2.4	1.6	0.0	0.0	0.0	0.0	0.1	0.3	1.7	5.5	1.7	10	-72250

# MATAMOROS INTL, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	28.1	25.1	29.6	29.0	30.6	30.0	31.0	31.0	29.7	30.5	28.2	27.9	350.7	10	-72250
	23 LST	24.4	22.8	25.5	23.1	29.6	29.8	31.0	31.0	29.2	30.0	27.0	25.6	329.0	10	-72250
	05 LST	22.0	19.9	24.1	22.5	28.2	29.3	30.8	31.0	29.1	29.6	25.4	23.5	315.4	10	-72250
	11 LST	26.6	23.8	28.4	28.7	30.7	29.7	30.9	31.0	29.4	29.9	27.5	25.6	342.2	10	-72250
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	17 LST	4.3	1.8	1.6	0.8	1.0	2.2	0.6	0.6	2.1	4.0	4.3	5.9	29.2	10	-72250
	23 LST	14.7	12.3	12.7	9.5	13.3	17.8	18.4	22.5	23.6	22.6	17.9	16.7	202.0	10	-72250
	05 LST	12.4	10.6	11.7	9.9	17.1	22.9	28.8	27.1	25.5	23.5	14.9	14.1	220.5	10	-72250
	11 LST	6.5	4.5	3.5	3.0	5.3	5.5	5.0	9.8	9.8	7.7	6.0	6.2	72.8	10	-72250
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	6.3	9.6	12.8	15.3	15.5	14.2	14.7	14.2	5.5	5.4	5.3	5.0	123.9	10	-72250
	23 LST	1.8	1.7	2.5	5.1	3.2	0.9	0.2	0.4	0.2	0.7	1.5	0.9	19.1	10	-72250
	05 LST	2.6	2.1	2.7	2.3	1.7	0.2	0.0	0.1	0.2	0.7	2.2	1.4	16.2	10	-72250
	11 LST	8.4	8.8	11.1	13.8	12.8	7.8	6.4	3.7	2.9	5.3	8.1	7.2	96.3	10	-72250
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	9.8	4.8	4.2	2.1	1.7	2.1	1.1	1.5	5.7	7.7	10.1	11.5	62.3	10	-72250
	23 LST	18.7	15.8	17.6	13.9	17.4	19.3	22.4	22.8	22.3	22.6	20.8	20.3	233.9	10	-72250
	05 LST	19.6	16.6	17.4	17.6	19.0	20.6	22.7	21.4	20.0	21.1	18.5	18.5	233.0	10	-72250
	11 LST	11.3	8.7	7.6	5.3	7.6	6.4	4.8	5.3	11.1	11.4	9.7	11.3	100.5	10	-72250
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	8.0	8.9	8.2	8.2	9.9	8.9	13.0	12.9	8.5	13.0	9.7	8.9	118.1	10	-72250
	23 LST	9.9	11.8	11.0	7.7	10.8	17.1	23.8	23.9	17.0	20.1	13.3	10.8	177.2	10	-72250
	05 LST	10.3	9.6	9.7	6.5	12.7	16.5	24.7	23.7	18.9	19.9	13.2	9.4	175.1	10	-72250
	11 LST	6.8	7.6	5.4	5.4	4.1	2.1	4.4	4.4	2.8	6.4	6.2	6.7	62.3	10	-72250
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	23.9	21.4	25.6	24.4	27.7	28.4	30.8	30.8	28.8	29.3	24.6	24.5	320.2	10	-72250
	23 LST	21.6	19.2	20.7	16.2	22.4	26.8	30.8	30.8	27.1	28.5	24.7	22.0	290.8	10	-72250
	05 LST	19.6	17.6	19.4	16.5	24.6	27.9	30.5	30.5	28.1	28.3	22.6	19.5	285.1	10	-72250
	11 LST	20.6	17.9	20.4	20.2	25.8	25.6	29.5	29.5	25.4	27.0	22.0	20.7	284.6	10	-72250
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	19.7	17.0	22.8	21.4	25.3	27.0	30.4	30.1	27.6	27.7	21.3	20.4	290.7	10	-72250
	23 LST	17.9	15.9	18.2	13.9	21.6	26.5	30.7	30.6	26.8	27.2	20.9	18.0	268.2	10	-72250
	05 LST	15.4	14.9	17.4	14.0	22.9	27.5	30.4	30.2	26.6	26.5	19.7	16.1	261.6	10	-72250
	11 LST	16.2	13.6	15.4	15.0	16.0	16.6	22.9	23.2	17.1	18.5	17.0	16.9	208.4	10	-72250
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	18.3	16.6	21.8	21.2	24.9	26.5	30.2	30.1	26.7	26.8	20.5	19.6	283.2	10	-72250
	23 LST	17.0	15.2	17.1	13.2	21.1	26.3	30.6	30.5	26.6	26.3	19.4	17.5	260.8	10	-72250
	05 LST	14.1	14.2	15.8	13.3	22.4	27.1	30.4	30.1	26.1	25.8	18.5	15.1	252.9	10	-72250
	11 LST	15.1	12.7	13.9	14.6	15.6	16.3	22.6	23.0	16.4	18.0	15.4	15.7	199.3	10	-72250

# SOTO LA MARINA, MEXICO

STA NO. 76499 (IN AREA NUMBER 05)

LATITUDE 2346N

LONGITUDE 09812W

ELEVATION(FT) 00082

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	OR (RS)	OR5
ABS MAX TMP (F)	97	104	112	119	112	107	107	109	106	104	97	95	114	12	3801
MEAN MAX TMP (F)	81	83	87	92	96	97	96	99	95	90	82	79	90	12	3801
MEAN MIN TMP (F)	48	51	56	62	67	70	68	69	69	61	51	48	60	12	3792
ABS MIN TMP (F)	17	13	32	41	47	58	55	56	50	36	17	10	10	12	3792
MEAN NO DYS TMP = OR GTR 90(F)	3.5	7.6	14.7	20.0	27.9	27.1	28.4	30.1	25.5	18.8	5.1	2.7	211.4	12	3801
MEAN NO DYS TMP = OR LES 32(F)	3.0	1.9	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.5	8.4	12	3792
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3792
MEAN DEW PT TMP (F)	57	59	62	67	72	74	73	73	73	67	60	56	66	12	25795
MEAN REL HUM (PCT)	78	78	76	75	76	76	76	74	78	79	79	79	77	12	25768
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				12	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														12	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	4.2	3.7	3.4	2.0	3.8	1.3	0.7	0.7	0.7	2.2	2.9	2.2	27.8	12	3719
MEAN NO DYS TSTMS	0.2	0.5	1.1	1.2	3.6	3.7	4.8	7.1	5.6	2.5	0.5	0.2	31.0	12	3719
P FREQ WND SPD = OR GTR 17 KTS	0.9	1.7	3.6	4.3	3.1	2.2	1.0	1.1	0.4	0.3	0.5	0.6	1.6	12	25900
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	12	25900
P FREQ LES 5000 FT A/O LES 5 MI	47.6	48.7	50.1	52.2	46.2	39.6	28.9	24.7	43.3	43.8	48.7	51.7	43.8	12	23588
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	9.0	7.5	11.4	14.1	14.9	3.6	2.6	1.7	2.4	4.4	4.1	7.6	6.9	9	2537
03-05 LST	26.1	19.4	9.3	16.4	13.8	8.7	1.7	5.0	7.1	9.2	16.8	25.5	13.3	12	3524
06-08 LST	21.3	12.8	14.0	11.0	12.7	6.2	5.4	2.2	5.0	8.6	12.8	9.5	10.1	9	2626
09-11 LST	10.4	5.4	5.4	4.0	6.1	2.4	2.6	0.3	3.8	4.6	5.3	10.5	5.1	12	3622
12-14 LST	5.6	4.7	2.2	4.2	4.1	2.1	2.4	1.6	3.8	1.7	1.7	1.8	3.0	9	2741
15-17 LST	7.1	7.8	3.6	4.6	4.8	1.7	1.6	2.3	2.0	1.7	4.7	8.8	4.2	12	3627
18-20 LST	10.5	9.7	4.8	7.1	2.2	1.7	1.2	2.1	0.9	2.2	2.2	5.8	4.2	9	2707
21-23 LST	13.9	11.6	9.1	15.0	14.1	4.4	3.0	4.7	5.5	8.2	9.6	17.7	9.7	12	3624
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	6.2	6.1	9.6	9.9	12.4	3.0	1.3	0.4	0.5	2.9	3.6	6.7	5.2	9	2537
03-05 LST	21.9	15.3	7.6	11.9	12.4	6.6	0.7	4.0	5.4	8.9	15.6	20.6	10.9	12	3524
06-08 LST	18.7	11.4	11.7	7.1	11.2	3.5	4.2	0.9	3.2	8.1	11.9	8.6	8.4	9	2626
09-11 LST	8.3	4.8	4.1	1.8	5.1	0.0	0.6	0.3	2.1	4.2	4.7	9.3	3.8	12	3622
12-14 LST	4.7	3.3	1.3	3.7	4.1	0.4	0.4	0.0	1.3	0.4	1.3	1.3	1.9	9	2741
15-17 LST	5.5	6.5	3.2	3.5	4.6	1.0	0.0	0.7	0.3	0.7	4.7	7.9	3.2	12	3627
18-20 LST	9.6	7.8	4.3	6.1	2.2	0.0	0.0	0.4	0.0	0.4	1.8	4.9	3.1	9	2707
21-23 LST	11.2	7.2	7.3	10.8	12.1	2.7	0.7	4.1	4.1	6.9	8.3	15.3	7.6	12	3624

# SOTO LA MARINA, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	29.0	28.1	30.0	28.7	29.6	29.8	30.8	30.7	29.7	30.7	28.4	28.5	352.1	12	3650
	23 LST	24.8	24.5	27.8	25.8	26.2	27.8	30.1	29.5	28.7	28.5	26.9	25.4	326.0	12	3648
	05 LST	21.4	22.1	27.0	24.6	25.5	27.3	30.2	29.4	28.2	27.4	24.7	23.2	311.0	12	3585
	11 LST	29.1	27.1	30.2	29.4	29.3	29.5	30.6	30.9	29.2	29.9	28.9	28.4	352.5	12	3666
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	16.3	11.9	10.6	8.7	10.9	9.4	9.4	8.7	17.3	17.5	18.8	20.1	159.6	12	3650
	23 LST	22.3	21.1	22.8	21.1	23.3	25.3	27.9	28.4	27.5	27.4	25.2	24.4	296.7	12	3648
	05 LST	20.4	21.0	25.9	23.0	24.6	26.6	29.9	29.2	27.5	26.9	23.7	22.1	300.8	12	3585
	11 LST	23.1	22.2	19.7	17.2	18.2	18.8	19.1	22.6	23.0	25.3	23.3	24.2	256.7	12	3666
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	1.0	1.7	3.8	4.5	3.4	2.0	1.2	1.6	0.3	0.3	0.4	0.6	20.8	12	3791
	23 LST	0.0	0.3	1.0	0.6	0.2	0.3	0.0	0.2	0.0	0.0	0.0	0.0	2.6	12	3725
	05 LST	0.1	0.2	0.2	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.1	1.4	12	3685
	11 LST	0.3	0.7	1.9	2.1	2.2	1.7	0.6	0.4	0.1	0.3	0.5	0.2	11.0	12	3799
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	18.7	14.4	12.9	9.9	8.3	5.5	4.8	4.6	11.6	17.6	19.4	20.3	148.0	12	3789
	23 LST	13.4	15.5	16.1	16.5	19.6	17.0	17.0	17.1	9.2	8.1	12.0	10.4	171.9	12	3725
	05 LST	7.2	5.6	8.4	8.1	8.5	4.5	2.6	1.7	5.5	5.2	6.1	5.5	68.9	12	3685
	11 LST	16.0	15.8	16.5	14.8	11.8	8.4	9.6	6.5	11.2	17.5	17.7	18.0	163.8	12	3799
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	8.0	7.5	7.3	5.0	7.9	8.7	8.6	11.4	6.8	9.9	9.4	6.8	97.3	12	3784
	23 LST	11.6	11.6	10.4	8.2	9.3	12.8	17.5	17.9	13.1	13.5	12.1	11.3	149.3	12	3723
	05 LST	8.9	10.0	10.5	7.7	9.2	12.4	16.6	18.9	13.1	13.6	11.1	8.9	140.9	12	3633
	11 LST	8.9	7.6	5.8	5.6	5.3	5.2	7.3	9.2	6.4	8.7	9.2	7.3	86.5	12	3784
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	25.7	23.1	27.1	24.1	27.3	26.6	27.8	26.9	25.7	26.4	25.5	25.3	311.5	12	3650
	23 LST	21.9	21.4	24.0	20.6	23.4	26.2	28.5	28.1	25.3	26.3	24.1	22.9	292.7	12	3624
	05 LST	17.4	19.1	23.7	20.1	22.2	25.2	28.2	27.7	25.0	25.4	22.3	20.2	276.5	12	3585
	11 LST	25.5	23.7	26.0	23.6	25.6	25.4	27.0	28.0	25.0	25.5	26.1	24.7	306.1	12	3666
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	17.3	15.8	16.6	14.1	18.0	17.3	19.0	20.9	15.0	17.1	16.0	15.4	202.5	12	3650
	23 LST	16.3	14.9	15.2	14.0	17.0	21.2	26.5	25.1	18.9	19.5	16.2	14.7	219.5	12	3648
	05 LST	11.8	12.9	15.0	12.1	15.7	20.0	24.9	25.8	20.3	18.9	14.6	12.9	204.9	12	3585
	11 LST	17.1	14.3	12.9	13.3	13.1	13.1	16.5	19.6	13.8	17.2	16.1	14.8	181.8	12	3666
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	17.3	15.8	16.6	14.1	18.0	17.3	19.0	20.9	15.0	17.1	16.0	15.4	202.5	12	3650
	23 LST	16.3	14.9	15.2	14.0	17.0	21.2	26.5	25.1	18.9	19.5	16.2	14.7	219.5	12	3648
	05 LST	11.7	12.9	15.0	12.1	15.7	20.0	24.9	25.8	20.2	18.9	14.6	12.9	204.7	12	3585
	11 LST	17.1	14.3	12.9	13.3	13.1	13.1	16.5	19.6	13.8	17.2	16.1	14.8	181.8	12	3666

# RIHL/TAMPICO, MEXICO

STA NO. 76549 (IN AREA NUMBER 05)

LATITUDE 2216N

LONGITUDE 09751W

ELEVATION(FT) 00078

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	92	97	103	104	99	100	95	98	95	94	91	95	104	12	-64
MEAN MAX TMP (F)	75	75	76	83	86	88	89	89	87	85	77	73	82	12	-64
MEAN MIN TMP (F)	59	61	64	69	74	75	75	75	75	71	64	60	69	12	-64
ABS MIN TMP (F)	34	37	40	52	57	69	67	67	58	53	47	37	34	12	-64
MEAN NO DYS TMP = OR GTR 90(F)				0.0	3.7	9.0	12.6	12.6	6.1	1.4				12	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN DEW PT TMP (F)	56	61	64	69	73	75	74	75	73	69	63	58	68	0	-50
MEAN REL HUM (PCT)	78	78	77	78	78	78	79	78	79	77	77	78	78	12	-64
MEAN PRESS ALT (FT)	-41	-9	47	96	121	128	76	76	102	59	-10	-37	51	0	-50
MEAN PRECIP (IN)	1.50	1.20	1.00	1.50	1.90	8.70	4.90	4.80	10.80	5.00	2.00	1.60	44.9	12	-64
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.2	1.7	2.6	3.6	4.4	14.0	10.2	10.0	16.7	7.5	3.6	2.3	78.8	12	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.4	0.4	0.4	1.0	2.0	3.0	3.0	3.0	4.0	1.0	0.4	0.4	19.0	12	-64
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# RIHL/TAMPICO, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	17													0	0
VSBY = GTR 3 MI	23													0	0
	05													0	0
	11													0	0
CIG = GTR 2000 FT AND VSBY = GTR	17													0	0
3 MI w/SFC WND LES 10 KTS	23													0	0
	05													0	0
	11													0	0
SFC WND = GTR 17 KTS AND	17													0	0
NO PRECIP.	23													0	0
	05													0	0
	11													0	0
SFC WND 4-10 KTS AND TMP 33-89	17													0	0
DEG F AND NO PRECIP.	23													0	0
	05													0	0
	11													0	0
SKY COVER LES 3/10 AND	17													0	0
VSBY = GTR 3 MI	23													0	0
	05													0	0
	11													0	0
CIG = GTR 2500 FT AND	17													0	0
VSBY = GTR 3 MI	23													0	0
	05													0	0
	11													0	0
CIG = GTR 6000 FT AND	17													0	0
VSBY = GTR 3 MI	23													0	0
	05													0	0
	11													0	0
CIG = GTR 10000 FT AND	17													0	0
VSBY = GTR 3 MI	23													0	0
	05													0	0
	11													0	0

DATA NOT AVAILABLE

# TUXPAN, MEXICO

STA NO. 76640 (IN AREA NUMBER 05)

LATITUDE 2057N

LONGITUDE 09722W

ELEVATION(FT) 00009

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	73	77	80	87	90	91	89	90	88	86	78	73	84	4	-72
MEAN MIN TMP (F)	57	60	64	69	72	74	74	72	71	68	62	59	67	4	-72
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)				6.1	15.9	18.5	12.6	15.9	9.0	3.7				4	-29
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)	61	63	66	70	72	74	73	73	73	70	64	61	68	0	-50
MEAN REL HUM (PCT)	82	85	84	82	82	82	85	82	85	86	87	86	84	4	-72
MEAN PRESS ALT (FT)	-77	-46	3	32	60	60	23	25	50	11	-49	-64	2	0	-50
MEAN PRECIP (IN)	1.59	0.76	1.89	1.60	2.65	5.91	7.73	5.50	10.11	8.10	3.50	2.78	52.1	7	-34
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.3	1.4	4.4	3.8	5.7	11.5	13.3	11.0	15.7	12.6	5.3	5.6	92.6	7	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	1.0	1.0	1.0	2.0	4.0	4.0	3.0	4.0	2.0	1.0	0.0	23.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# TUXPAN, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 2000 FT AND VSBY = GTR														0	0
3 MI w/SFC WND LES 10 KTS														0	0
														0	0
														0	0
SFC WND = GTR 17 KTS AND														0	0
NO PRECIP.														0	0
														0	0
														0	0
SFC WND 4-10 KTS AND TMP 33-89														0	0
DEG F AND NO PRECIP.														0	0
														0	0
														0	0
SKY COVER LES 3/10 AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 2500 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 6000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 10000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0

DATA NOT AVAILABLE

# VERACRUZ, MEXICO

STA NO. 76691 (IN AREA NUMBER 05)

LATITUDE 1908N

LONGITUDE 09611W

ELEVATION(FT) 00069

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	86	91	98	96	96	97	92	92	92	92	92	89	98	10	-28
MEAN MAX TMP (F)	77	78	79	83	86	87	87	87	86	85	80	78	83	10	-28
MEAN MIN TMP (F)	66	67	68	72	75	75	74	74	74	73	69	67	71	10	-28
ABS MIN TMP (F)	54	55	53	61	66	68	66	69	65	64	55	55	53	10	-28
MEAN NO DYS TMP = OR GTR 90(F)	0.0			0.0	3.7	6.1	6.4	6.4	3.5	1.4		0.0		10	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	63	66	69	70	72	73	72	72	72	70	67	64	69	0	-50
MEAN REL HUM (PCT)	81	83	83	81	80	81	81	79	80	77	78	80	80	25	-28
MEAN PRESS ALT (FT)	18	46	93	109	139	136	96	107	137	102	50	34	89	0	-50
MEAN PRECIP (IN)	0.90	0.60	0.30	0.80	2.10	9.60	9.70	11.80	13.60	6.00	3.50	1.00	59.9	15	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.4	1.3	1.1	2.2	4.8	14.6	14.6	15.9	19.6	9.1	5.3	1.5	91.4	15	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.1	0.9	0.4	1.3	3.8	5.4	4.6	3.6	0.9	0.3	0.0	21.3	25	-72
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# VERACRUZ, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI w/SFC WND LES 10 KTS	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0

DATA NOT AVAILABLE

# COATZACOALCOS, MEXICO

STA NO. 76741 (IN AREA NUMBER 05)

LATITUDE 1809N

LONGITUDE 09424W

ELEVATION(FT) 00046

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	93	95	103	104	106	106	102	96	97	74	95	91	106	5	-35
MEAN MAX TMP (F)	76	80	83	86	89	87	86	86	85	83	79	76	83	7	-72
MEAN MIN TMP (F)	66	67	69	70	73	73	74	73	73	71	68	67	70	7	-72
ABS MIN TMP (F)	51	50	53	55	54	68	68	67	66	61	59	54	50	5	-35
MEAN NO DYS TMP = OR GTR 90(F)			0.0	3.5	12.6	6.1	3.7	3.7	1.3	0.0				7	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN DEW PT TMP (F)	68	70	71	72	75	75	76	75	75	73	70	69	72	7	-29
MEAN REL HUM (PCT)	90	88	85	82	82	86	87	87	86	87	88	90	87	8	-72
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.90	2.50	2.30	1.10	5.00	10.40	10.00	14.90	21.00	18.70	14.60	9.60	115.0	8	-72
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	14.9	4.6	5.1	2.8	8.8	15.1	14.8	18.5			20.1	34.7		8	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.5	1.8	4.9	5.1	7.9	5.5	2.2	0.2	0.1	28.2	7	-72
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# COATZACOALCOS, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
CIG = GTR 1000 FT AND														0	0
VSBY = GTR 3 MI														0	0
	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR	18 LST													0	0
3 MI w/SFC WND LES 10 KTS	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND = GTR 17 KTS AND	18 LST													0	0
NO PRECIP.	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89	18 LST													0	0
DEG F AND NO PRECIP.	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SKY COVER LES 3/10 AND	18 LST													0	0
VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2500 FT AND	18 LST													0	0
VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 6000 FT AND	18 LST													0	0
VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 10000 FT AND	18 LST													0	0
VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0

DATA NOT AVAILABLE

# VILLAHERMOSA, MEXICO

STA NO. 76743/ (IN AREA NUMBER 05)

LATITUDE 1800N

LONGITUDE 09256W

ELEVATION(FT) 00055

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	93	95	103	104	106	106	102	96	97	94	95	91	106	5	-76741
MEAN MAX TMP (F)	76	80	83	86	89	87	86	86	85	83	79	76	83	7	-76741
MEAN MIN TMP (F)	66	67	69	70	73	73	74	73	73	71	68	67	70	7	-76741
ABS MIN TMP (F)	51	50	53	55	59	68	68	67	66	61	59	54	50	5	-76741
MEAN NO DYS TMP = OR GTR 90(F)			0.0	3.5	12.6	6.1	3.7	3.7	1.3	0.0				7	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN DEW PT TMP (F)	68	70	71	72	75	75	76	75	75	73	70	69	72	7	-29
MEAN REL HUM (PCT)	90	88	85	82	82	86	87	87	88	87	88	90	87	8	-76741
MEAN PRESS ALT (FT)	34	56	109	118	143	141	97	111	149	128	84	57	102	0	-50
MEAN PRECIP (IN)	3.63	2.64	1.92	2.83	3.26	10.36	5.23	0.50	13.14	10.55	9.36	3.79	67.2	7	-34
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.9	5.1	4.4	6.0	6.7	15.0	10.6	0.0	19.2	16.3	14.6	9.6	116.4	7	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.1	0.0	0.0	0.9	2.1	2.6	2.9	5.4	4.9	3.6	0.6	0.0	23.1	7	-34
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# VILLAHERMOSA, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0

DATA NOT AVAILABLE

# CARMEN, MEXICO

STA NO. 76748/ (IN AREA NUMBER 05)

LATITUDE 1839N

LONGITUDE 09148W

ELEVATION(FT) 00005

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	90	92	95	99	98	95	94	91	91	91	90	89	99	5	-76695
MEAN MAX TMP (F)	78	81	84	85	87	86	86	86	85	83	80	78	83	5	-76695
MEAN MIN TMP (F)	68	69	74	74	79	76	75	76	76	74	70	66	73	5	-76695
ABS MIN TMP (F)	54	54	56	62	62	67	70	70	69	64	60	59	54	5	-76695
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	1.3	6.4	3.5	3.7	3.7	1.3	0.0	0.0	0.0	19.9	5	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN DEW PT TMP (F)	70	71	71	73	74	76	74	74	76	73	70	71	73	0	-50
MEAN REL HUM (PCT)	77	74	71	70	72	76	78	76	80	75	76	79	75	5	-76695
MEAN PRESS ALT (FT)	-97	-67	-27	0	32	25	-8	-5	37	3	-67	-86	-21	0	-50
MEAN PRECIP (IN)	2.48	1.20	1.20	2.12	3.29	6.00	4.16	7.70	10.88	8.40	4.82	1.73	54.0	7	-34
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.6	1.7	3.0	4.8	6.7	11.6	9.0	13.3	16.8	13.1	7.2	2.6	94.4	7	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.2	0.5	4.2	1.8	1.7	2.5	1.2	0.0	0.2	12.3	7	-34
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# CARMEN, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0

DATA NOT AVAILABLE

# MINATITLAN, MEXICO

STA NO. 76781 (IN AREA NUMBER 05)

LATITUDE 1759N

LONGITUDE 09431W

ELEVATION(FT) 00090

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	93	95	103	104	106	106	102	96	97	94	95	91	106	5	-76741
MEAN MAX TMP (F)	76	80	83	86	89	87	86	86	85	83	79	76	83	7	-76741
MEAN MIN TMP (F)	66	67	69	70	73	73	74	73	73	71	68	67	70	7	-76741
ABS MIN TMP (F)	51	50	53	55	59	68	68	67	66	61	59	54	50	5	-76741
MEAN NO DYS TMP = OR GTR 90(F)			0.0	3.5	12.6	6.1	3.7	3.7	1.3	0.0				7	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN DEW PT TMP (F)	68	68	72	75	74	75	74	74	74	71	69	69	72	0	-50
MEAN REL HUM (PCT)	90	88	85	82	82	86	87	87	88	87	88	90	87	8	-76741
MEAN PRESS ALT (FT)	3	35	80	105	136	129	96	99	130	93	29	16	79	0	-50
MEAN PRECIP (IN)	3.40	2.52	1.53	1.92	3.70	9.41	10.73	12.12	19.97	14.94	17.60	4.07	101.9	7	-34
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.0	4.7	3.7	4.4	7.3	14.5	15.3	16.1		20.2		10.9		7	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.5	0.0	0.0	0.2	1.5	4.1	4.1	4.3	3.9	1.1	0.5	0.0	20.2	7	-34
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# MINATITLAN, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	18	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
CIG = GTR 2000 FT AND VSBY = GTR	18	LST												0	0
3 MI W/SFC WND LES 10 KTS	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
SFC WND = GTR 17 KTS AND	18	LST												0	0
NO PRECIP.	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	18	LST												0	0
DEG F AND NO PRECIP.	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
SKY COVER LES 3/10 AND	18	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
CIG = GTR 2500 FT AND	18	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
CIG = GTR 6000 FT AND	18	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
CIG = GTR 10000 FT AND	18	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
	06	LST												0	0
	12	LST												0	0

DATA NOT AVAILABLE

## AREA NO. 05

MEXICO	GULF COAST													
	BOUNDARIES													
	2925N 10350W	2400N 09400W	2400N 09900W	2030N 09900W	2030N 09900W	2030N 09900W	2000N 09800W	2000N 09800W	1900N 09700W	1900N 10000W	1900N 10000W	1700N 09500W		
	2000N 09800W	1900N 09700W	1900N 09700W	1900N 10000W	1900N 10000W	1900N 10000W	1700N 09500W	1700N 09110W	1750N 09100W	1905N 09100W	1905N 09100W			
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	74	77	81	86	90	91	91	91	88	85	77	74	84	
MEAN MIN TMP (F)	55	58	62	66	71	73	73	73	72	67	60	57	66	
LARGEST MEAN PRECIP(IN)	4.90	2.64	2.30	2.83	5.00	10.40	10.73	14.90	21.00	18.70	17.60	9.60	120.6	
SMALLEST MEAN PRECIP(IN)	0.60	0.60	0.30	0.70	1.30	1.40	2.00	0.50	4.30	1.40	0.60	0.60	14.3	
	MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.3	26.2	30.1	28.9	30.1	29.9	30.9	30.8	29.5	30.0	28.8	29.5	354.0
	00 LST	27.2	25.3	28.9	27.4	28.4	28.8	30.6	30.0	29.0	28.7	27.8	27.7	339.8
	06 LST	25.3	23.5	28.3	26.5	27.8	28.6	30.3	29.8	28.5	27.8	26.4	26.5	329.3
	12 LST	29.2	26.4	29.7	29.2	29.0	29.8	30.7	30.9	29.0	29.4	28.8	29.4	352.4
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	22.6	18.4	19.7	17.6	20.0	18.8	19.3	19.1	22.6	22.3	23.2	24.9	248.5
	00 LST	25.5	22.6	25.4	23.9	26.2	27.1	29.2	29.2	27.7	27.3	26.0	26.7	316.8
	06 LST	23.7	21.8	26.2	24.5	26.2	27.7	29.7	29.0	26.8	26.6	24.8	25.0	312.0
	12 LST	25.8	23.0	23.2	21.8	23.6	23.6	24.8	26.4	24.5	25.8	25.2	26.2	293.9
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.5	0.9	1.9	2.3	1.7	1.0	0.6	0.8	0.2	0.2	0.2	0.3	10.6
	00 LST	0.0	0.2	0.6	0.3	0.1	0.2	0.0	0.1	0.0	0.0	0.0	0.0	1.5
	06 LST	0.1	0.2	0.2	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	1.3
	12 LST	0.2	0.4	1.0	1.1	1.1	0.9	0.3	0.2	0.1	0.2	0.3	0.1	5.9
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	17.0	16.2	16.1	11.6	8.3	4.0	3.5	3.5	10.4	16.8	16.5	16.2	140.1
	00 LST	10.5	11.3	13.5	13.3	16.5	14.8	13.8	13.3	9.2	8.8	10.3	8.9	144.2
	06 LST	10.8	9.7	11.6	11.4	11.4	8.7	9.9	8.1	8.3	8.6	10.4	10.3	119.2
	12 LST	12.2	13.3	15.1	13.8	11.4	8.6	8.1	6.0	10.7	14.3	14.8	14.2	142.5
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	11.0	10.1	9.4	8.6	11.0	9.8	8.4	11.9	9.6	13.2	13.0	11.1	127.1
	00 LST	15.5	14.1	15.1	13.8	14.8	17.5	21.5	20.6	17.4	17.0	16.4	15.5	199.2
	06 LST	13.5	13.4	14.1	11.6	13.5	14.6	18.6	20.0	16.2	16.4	15.2	14.2	181.3
	12 LST	11.3	9.9	9.4	9.3	10.9	9.9	11.6	13.0	10.4	12.9	13.1	11.8	133.5
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	27.1	23.6	27.4	25.1	27.0	25.6	26.5	27.2	25.3	26.1	26.1	26.7	313.7
	00 LST	24.8	22.3	26.3	23.6	25.5	27.2	29.4	28.4	25.9	26.0	25.5	25.6	310.5
	06 LST	21.8	20.7	25.0	22.7	24.3	26.2	28.7	27.9	25.0	24.9	24.0	23.3	294.5
	12 LST	26.6	23.2	26.1	24.5	25.7	25.0	27.2	27.8	23.6	25.1	26.2	26.0	307.0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	22.8	19.5	21.5	19.5	21.3	19.7	20.7	23.5	18.8	20.8	21.0	21.4	250.5
	00 LST	21.5	18.6	21.1	19.7	21.5	24.1	28.1	26.7	22.4	22.3	20.7	20.8	267.5
	06 LST	18.4	17.2	19.9	17.8	20.4	23.2	26.9	26.5	22.3	21.0	19.6	19.0	252.2
	12 LST	22.0	18.0	19.0	18.4	18.1	17.5	21.0	22.7	16.7	20.2	20.8	20.7	235.1
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	22.8	19.5	21.5	19.5	21.3	19.7	20.7	23.5	18.8	20.8	21.0	21.4	250.5
	00 LST	21.5	18.6	21.1	19.7	21.5	24.1	28.1	26.7	22.2	22.3	20.7	20.8	267.3
	06 LST	18.3	17.2	19.9	17.8	20.4	23.2	26.9	26.5	22.2	21.0	19.6	19.0	252.0
	12 LST	22.0	18.0	19.0	18.4	18.1	17.5	21.0	22.7	16.7	20.2	20.8	20.7	235.1

# FRANCISCO SARABIA, MEXICO

STA NO. 76844 (IN AREA NUMBER 06)

LATITUDE 1644N

LONGITUDE 09310W

ELEVATION(FT) 01902

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	91	94	100	100	101	100	93	94	94	93	93	95	101	5	-35
MEAN MAX TMP (F)	82	85	88	90	90	86	86	86	85	84	82	81	85	7	-72
MEAN MIN TMP (F)	62	64	67	69	71	71	70	70	70	68	64	62	67	7	-72
ABS MIN TMP (F)	49	52	52	58	56	63	63	63	64	53	54	49	49	5	-35
MEAN NO DYS TMP = OR GTR 90(F)	0.0	1.2	9.4	15.3	15.9	3.5	3.7	3.7	1.3	0.0	0.0	0.0	54.0	7	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN DEN PT TMP (F)	61	62	63	64	67	69	69	69	70	67	63	61	65	8	-29
MEAN REL HUM (PCT)	71	68	65	63	66	76	76	76	79	76	74	72	72	11	-72
MEAN PRESS ALT (FT)	1865	1890	1938	1951	1979	1975	1934	1946	1982	1957	1906	1884	1934	0	-50
MEAN PRECIP (IN)	0.10	0.10	0.03	1.00	2.60	8.90	6.00	6.20	6.40	2.90	0.60	0.20	35.0	11	-35
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.5	1.5	0.5	2.6	5.6	14.1	11.6	11.8	9.8	4.6	2.4	1.5	67.5	11	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS TSMS	0.5	0.0	0.6	3.4	8.5	12.1	13.9	15.7	10.8	5.3	1.0	0.1	71.9	10	-72
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# FRANCISCO SARABIA, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	18	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR	18	LST												0	0
3 MI W/SFC WND LES 10 KTS	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
SFC WND = GTR 17 KTS AND	18	LST												0	0
NO PRECIP.	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	18	LST												0	0
DEG F AND NO PRECIP.	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
SKY COVER LES 3/10 AND	18	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
CIG = GTR 2500 FT AND	18	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
CIG = GTR 6000 FT AND	18	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
CIG = GTR 10000 FT AND	18	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
	06	LST												0	0
	12	LST												0	0

DATA NOT AVAILABLE

### AREA NO. 06

MEXICO

ISTHMUS MTNS      LATITUDE 1630N      LONGITUDE 09230W  
 BOUNDARIES    1700N 09110W    1700N 09500W    1700N 09500W    1510N 09210W

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	82	85	88	90	90	86	86	86	85	84	82	81	85
MEAN MIN TMP (F)	62	64	67	69	71	71	70	70	70	68	64	62	67
LARGEST MEAN PRECIP(IN)	0.10	0.10	0.03	1.00	2.60	8.90	6.00	6.20	6.40	2.90	0.60	0.20	35.0
SMALLEST MEAN PRECIP(IN)	0.10	0.10	0.03	1.00	2.60	8.90	6.00	6.20	6.40	2.90	0.60	0.20	35.0

MEAN NUMBER OF DAYS

- CIG = GTR 1000 FT AND      18 LST
- VSBY = GTR 3 MI        00 LST
- 06 LST
- 12 LST
- CIG =GTR 2000 FT AND VSBY =GTR 18 LST
- 3 MI W/SFC WND LES 10 KTS 00 LST
- 06 LST
- 12 LST
- SFC WND = GTR 17 KTS AND    18 LST
- NO PRECIP.                00 LST
- 06 LST
- 12 LST
- SFC WND 4-10 KTS AND TMP 33-89 18 LST
- DEG F AND NO PRECIP.    00 LST
- 06 LST
- 12 LST
- SKY COVER LES 3/10 AND     18 LST
- VSBY = GTR 3 MI        00 LST
- 06 LST
- 12 LST
- CIG = GTR 2500 FT AND     18 LST
- VSBY = GTR 3 MI        00 LST
- 06 LST
- 12 LST
- CIG = GTR 6000 FT AND     18 LST
- VSBY = GTR 3 MI        00 LST
- 06 LST
- 12 LST
- CIG = GTR 10000 FT AND    18 LST
- VSBY = GTR 3 MI        00 LST
- 06 LST
- 12 LST

DATA NOT AVAILABLE

# MERIDA, MEXICO

STA NO. 76645 (IN AREA NUMBER 07)

LATITUDE 2056N

LONGITUDE 08939W

ELEVATION(FT) 00030

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	92	95	98	106	104	103	97	100	96	94	91	92	106	21	-28
MEAN MAX TMP (F)	83	85	89	92	94	92	92	91	90	87	85	82	89	22	-28
MEAN MIN TMP (F)	62	63	66	69	72	73	73	73	73	71	67	64	69	22	-28
ABS MIN TMP (F)	53	51	52	58	63	69	64	67	68	63	56	55	51	21	-28
MEAN NO DYS TMP = OR GTR 90(F)	0.0	1.2	12.6	21.5	27.4	21.5	22.3	19.2	15.3	6.4	1.3	0.0	148.7	22	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN DEW PT TMP (F)	62	61	63	65	69	73	73	74	74	71	67	63	68	25	-29
MEAN REL HUM (PCT)	72	68	65	63	66	75	76	77	79	78	75	74	72	31	-34
MEAN PRESS ALT (FT)	-53	-32	5	30	54	56	22	28	74	55	-14	-40	16	0	-50
MEAN PRECIP (IN)	1.06	0.67	1.02	0.87	2.64	7.05	4.53	5.39	5.32	3.31	1.57	1.10	34.5	31	-34
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.6	1.3	2.7	2.3	5.7	12.7	9.6	10.8	8.0	5.1	3.2	1.6	64.6	31	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.1	0.1	0.3	0.8	1.5	2.3	2.5	0.9	0.3	0.0	0.1	8.9	31	-34
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

**MERIDA, MEXICO**  
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0

**DATA NOT AVAILABLE**

# COZUMEL, MEXICO

STA NO. 76648 (IN AREA NUMBER 07)

LATITUDE 2031N

LONGITUDE 08656W

ELEVATION(FT) 00015

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	89	89	95	95	95	94	96	95	97	97	89	89	97	3	-64
MEAN MAX TMP (F)	82	84	85	87	86	87	87	89	87	86	83	82	85	3	-64
MEAN MIN TMP (F)	68	68	68	72	73	74	74	74	74	73	71	68	71	3	-64
ABS MIN TMP (F)	44	43	46	48	53	65	63	60	61	57	57	43	43	3	-64
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	1.4	6.1	3.7	6.1	6.4	12.6	6.1	3.7	0.0	0.0	46.1	3	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN DEW PT TMP (F)	69	68	69	72	75	77	77	77	77	77	71	70	73	0	-50
MEAN REL HUM (PCT)	87	85	81	81	85	89	86	87	90	86	84	86	86	3	-64
MEAN PRESS ALT (FT)	-89	-70	-37	-10	20	21	-13	-4	45	30	-43	-75	-18	0	-50
MEAN PRECIP (IN)	3.80	4.80	2.00	6.80	8.20	14.90	5.70	4.80	14.20	3.70	3.50	2.50	74.9	3	-64
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.7	14.4	4.6	9.9		18.5	11.2	10.0	19.9	5.6	5.3	4.6		3	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	1.0	2.0	2.0	3.0	5.0	6.0	5.0	4.0	2.0	2.0	32.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

**COZUMEL, MEXICO**  
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	18	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR	18	LST												0	0
3 MI w/SFC WND LES 10 KTS	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
SFC WND = GTR 17 KTS AND	18	LST												0	0
NO PRECIP.	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	18	LST												0	0
DEG F AND NO PRECIP.	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
SKY COVER LES 3/10 AND	18	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
CIG = GTR 2500 FT AND	18	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
CIG = GTR 6000 FT AND	18	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
CIG = GTR 10000 FT AND	18	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
	06	LST												0	0
	12	LST												0	0

**DATA NOT AVAILABLE**

# CAMPECHE, MEXICO

STA NO. 76695 (IN AREA NUMBER 07)

LATITUDE 1950N

LONGITUDE 09030W

ELEVATION(FT) 00030

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	90	92	95	99	98	95	94	91	91	91	90	89	99	5	-35
MEAN MAX TMP (F)	78	81	84	85	87	86	86	86	85	83	80	78	83	5	-72
MEAN MIN TMP (F)	68	69	74	74	74	76	75	76	76	74	70	66	73	5	-72
ABS MIN TMP (F)	54	54	56	62	62	67	70	70	69	64	60	59	54	5	-35
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	1.3	6.4	3.5	3.7	3.7	1.3	0.0	0.0	0.0	19.9	5	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN DEW PT TMP (F)	65	67	70	72	74	75	76	77	77	74	69	70	72	0	-50
MEAN REL HUM (PCT)	77	74	71	70	72	76	78	76	80	75	76	79	75	5	-72
MEAN PRESS ALT (FT)	-85	-40	-1	24	56	50	16	22	67	41	-30	-53	7	0	-50
MEAN PRECIP (IN)	1.10	0.30	0.80	0.04	3.20	7.20	6.40	5.10	5.20	3.10	1.40	1.20	35.0	7	-72
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.6	1.4	2.2	0.5	6.6	12.8	12.0	10.4	7.8	4.8	3.0	1.7	64.8	7	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.0	0.0	0.2	0.0	1.3	3.0	4.0	4.2	1.6	0.4	0.0	0.0	14.7	5	-72
MEAN NO DYS TSTMS	0.0	0.0	0.2	0.0	1.3	3.0	4.0	4.2	1.6	0.4	0.0	0.0	14.7	0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# CAMPECHE, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI w/SFC WND LES 10 KTS	18 LST														0	0
	09 LST														0	0
	06 LST														0	0
	12 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
SFC WND 4-10 KTS ANL TMP 33-89 DEG F AND NO PRECIP.	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0

DATA NOT AVAILABLE

# CHETUMAL, MEXICO

STA NO. 76750 (IN AREA NUMBER 07)

LATITUDE 1828N

LONGITUDE 08819W

ELEVATION(FT) 00022

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	91	91	94	95	96	95	98	97	99	99	98	97	99	5	-35
MEAN MAX TMP (F)	81	85	85	86	88	87	88	89	88	87	84	83	86	5	-35
MEAN MIN TMP (F)	66	68	72	75	76	77	76	75	75	73	67	67	72	5	-35
ABS MIN TMP (F)	49	49	50	56	57	67	68	67	67	61	56	52	49	5	-35
MEAN NO DYS TMP = OR GTR 90(F)	0.0	1.2	1.4	3.5	9.4	6.1	9.4	12.6	9.0	6.4	0.0	0.0	59.0	5	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN DEW PT TMP (F)	68	69	70	72	75	76	75	76	76	75	70	70	73	5	-29
MEAN REL HUM (PCT)	84	80	78	78	80	82	81	82	84	85	84	85	82	6	-35
MEAN PRESS ALT (FT)	-27	-11	33	49	74	75	37	45	93	81	21	-5	39	0	-50
MEAN PRECIP (IN)	3.20	1.00	1.20	1.40	4.10	7.30	4.90	3.80	4.70	7.40	4.10	4.10	47.2	11	-35
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.2	1.5	3.0	3.4	7.8	12.9	10.2	8.4	7.1	11.4	6.2	11.1	90.2	11	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.3	0.2	0.2	0.2	2.8	1.8	4.2	4.8	5.0	3.2	0.7	0.3	23.7	6	-35
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# CHETUMAL, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG =GTR 2000 FT AND VSBY =GTR														0	0
3 MI W/SFC WND LES 10 KTS														0	0
														0	0
														0	0
SFC WND = GTR 17 KTS AND														0	0
NO PRECIP.														0	0
														0	0
														0	0
SFC WND 4-10 KTS AND TMP 33-89														0	0
DEG F AND NO PRECIP.														0	0
														0	0
														0	0
SKY COVER LES 3/10 AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 2500 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 6000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 10000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0

**DATA NOT AVAILABLE**

## AREA NO. 07

MEXICO

YUCATAN

LATITUDE 2000N

LONGITUDE 08900W

BOUNDARIES 1750N 09100W 1905N 09100W

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	81	84	86	88	89	88	88	89	88	86	83	81	86
MEAN MIN TMP (F)	66	67	70	73	75	75	75	75	75	73	69	66	72
LARGEST MEAN PRECIP(IN)	3.80	4.80	2.00	6.80	8.20	14.90	6.40	5.39	14.20	7.40	4.10	4.10	82.1
SMALLEST MEAN PRECIP(IN)	1.06	0.30	0.80	0.04	2.64	7.05	4.53	3.80	4.70	3.10	1.40	1.10	30.5
	MEAN NUMBER OF DAYS												

- CIG = GTR 1000 FT AND 18 LST
- VSBY = GTR 3 MI 00 LST
- 06 LST
- 12 LST
- CIG = GTR 2000 FT AND VSBY = GTR 18 LST
- 3 MI W/SFC WND LES 10 KTS 00 LST
- 06 LST
- 12 LST
- SFC WND = GTR 17 KTS AND 18 LST
- NO PRECIP. 00 LST
- 06 LST
- 12 LST
- SFC WND 4-10 KTS AND TMP 33-89 18 LST
- DEG F AND NO PRECIP. 00 LST
- 06 LST
- 12 LST
- SKY COVER LES 3/10 AND 18 LST
- VSBY = GTR 3 MI 00 LST
- 06 LST
- 12 LST
- CIG = GTR 2500 FT AND 18 LST
- VSBY = GTR 3 MI 00 LST
- 06 LST
- 12 LST
- CIG = GTR 6000 FT AND 18 LST
- VSBY = GTR 3 MI 00 LST
- 06 LST
- 12 LST
- CIG = GTR 10000 FT AND 18 LST
- VSBY = GTR 3 MI 00 LST
- 06 LST
- 12 LST

DATA NOT AVAILABLE

# MANZANILLO, MEXICO

STA NO. 76654 (IN AREA NUMBER 08)

LATITUDE 1904N

LONGITUDE 10420W

ELEVATION(FT) 00026

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PER (YRS)	NO. OBS
ABS MAX TMP (F)	95	97	98	98	101	103	103	103	102	101	100	95	103	17	-28
MEAN MAX TMP (F)	86	85	86	87	89	91	93	93	90	91	89	87	89	17	-28
MEAN MIN TMP (F)	68	67	66	67	71	76	76	76	76	76	73	70	72	17	-28
ABS MIN TMP (F)	57	58	54	56	62	68	70	67	67	66	65	61	54	17	-28
MEAN NO DYS TMP ≥ OR GTR 90(F)	3.7	1.2	3.7	6.1	12.6	18.5	25.1	25.1	15.3	19.2	12.1	6.4	149.0	17	-29
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN DEN PT TMP (F)	68	67	67	68	70	75	75	76	76	76	73	70	72	15	-29
MEAN REL HUM (PCT)	77	77	77	76	75	78	76	78	82	79	79	78	78	10	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.10	0.20	0.03	0.00	0.10	4.70	5.70	6.40	14.50	5.10	0.90	1.80	39.5	17	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	1.5	1.5	0.5	0.0	0.6	9.9	11.2	12.0	20.1	7.7	2.6	2.8	70.4	17	-29
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS W/OCUL VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	2.0	5.0	5.0	4.0	2.0	0.0	0.0	18.0	10	-24
P FREQ WND SPD ≥ OR GTR 17 KTS														0	0
P FREQ WND SPD ≥ OR GTR 29 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# MANZANILLO, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0

**DATA NOT AVAILABLE**

# ACAPULCO INTL, MEXICO

STA NO. 76805 (IN AREA NUMBER 08)

LATITUDE 1645N

LONGITUDE 09946W

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	95	94	92	94	96	96	95	96	95	97	94	93	97	8	-35
MEAN MAX TMP (F)	85	87	87	87	89	89	89	89	88	88	88	87	88	8	-77
MEAN MIN TMP (F)	70	70	70	71	74	76	75	75	75	74	72	70	73	8	-72
ABS MIN TMP (F)	62	60	63	64	67	69	70	70	69	68	68	66	60	8	-35
MEAN NO DYS TMP = OR GTR 90(F)	1.4	5.7	6.4	6.1	12.6	12.1	12.6	12.6	9.0	9.4	9.0	6.4	103.3	8	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN DEW PT TMP (F)	68	69	69	69	71	74	73	73	74	73	71	69	71	19	-29
MEAN REL HUM (PCT)	75	75	75	75	74	77	77	77	80	79	77	75	76	40	-32
MEAN PRESS ALT (FT)	-24	-4	43	55	83	93	58	65	87	51	8	-8	42	0	-50
MEAN PRECIP (IN)	3.20	0.04	0.00	0.04	1.42	12.80	9.06	9.29	13.90	6.69	1.18	0.35	58.0	40	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.2	1.6	0.0	0.5	3.5	16.6	14.2	14.4	19.8	10.2	2.8	1.4	92.2	40	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	1.0	1.0	2.0	1.0	0.0	0.0	0.0	5.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# ACAPULCO INTL, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST														0	0
	23 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
	23 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
	23 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
	23 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
	23 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
	23 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
	23 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
	23 LST														0	0

DATA NOT AVAILABLE

## PIE DE LA CUESTA, MEXICO

STA NO. 76806/ (IN AREA NUMBER 08)

LATITUDE 1655N

LONGITUDE 10001W

ELEVATION(FT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	95	94	92	94	96	96	95	96	95	97	94	93	97	8	-76805
MEAN MAX TMP (F)	85	87	87	87	89	89	89	89	88	88	88	87	88	8	-76805
MEAN MIN TMP (F)	71	70	70	71	74	76	75	75	75	74	72	70	73	8	-76805
AES MIN TMP (F)	62	60	63	64	67	69	70	70	69	68	68	66	60	8	-76805
MEAN NO DYS TMP ≥ OR GTR 90(F)	1.4	5.7	6.4	6.1	12.6	12.1	12.6	12.6	9.0	9.4	9.0	6.4	103.3	8	-29
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS TMP ≥ OR LES 01(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN DEW PT TMP (F)	70	69	69	72	73	74	75	75	74	73	72	71	72	0	-50
MEAN REL HUM (PCT)	75	75	75	75	74	77	77	77	80	79	77	75	76	40	-76805
MEAN PRESS ALT (FT)	-10	8	56	67	95	105	70	78	100	64	23	5	55	0	-50
MEAN PRECIP (IN)	3.20	0.04	0.00	0.04	1.42	12.80	9.06	9.29	13.90	6.69	1.18	0.35	58.0	40	-76805
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	7.2	1.6	0.0	0.5	3.5	16.6	14.2	14.4	19.8	10.2	2.8	1.4	92.2	40	-29
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	1.0	1.0	2.0	1.0	0.0	0.0	0.0	5.0	10	-76805
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD ≥ OR GTR 17 KTS														0	0
P FREQ WND SPD ≥ OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

**PIE DE LA CUESTA, MEXICO**  
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0

**DATA NOT AVAILABLE**

# IXTEPEC MILITARY, MEXICO

STA NO. 76830 (IN AREA NUMBER 06)

LATITUDE 1627N

LONGITUDE 09505W

ELEVATION(FT) 00083

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	91	92	95	97	96	97	95	97	95	93	94	93	98	10	-76833
MEAN MAX TMP (F)	85	85	86	88	91	88	84	89	87	87	86	85	87	10	-76833
MEAN MIN TMP (F)	72	72	74	76	74	77	76	77	75	75	74	72	75	10	-76833
ABS MIN TMP (F)	62	63	63	65	70	66	68	68	68	66	62	63	62	10	-76833
MEAN NO DYS TMP = OR GTR 90(F)	1.4	1.2	3.7	9.0	19.2	9.0	12.6	12.6	6.1	6.4	3.5	1.4	86.1	10	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	62	63	65	68	72	73	71	71	70	67	62	62	67	13	-29
MEAN REL HUM (PCT)	60	63	64	67	70	76	71	71	73	66	59	61	67	19	-76833
MEAN PRESS ALT (FT)	63	88	137	144	173	172	127	144	176	147	105	82	130	0	-50
MEAN PRECIP (IN)	0.04	0.39	0.63	0.47	3.27	11.59	4.49	5.51	7.05	4.02	0.94	0.12	38.5	22	-76833
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PHCP = OR GTR 0.1 IN	1.6	1.4	1.8	1.5	6.7	15.8	9.5	11.0	10.8	6.1	2.6	1.5	70.3	22	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TSTMS	0.1	0.3	0.2	1.0	3.5	8.0	7.8	7.7	5.3	1.7	0.3	0.0	35.9	0	0
P FREQ WND SPD = OR GTR 17 KTS														22	-76833
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# IXTEPEC MILITARY, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0

DATA NOT AVAILABLE

# IXTEPEC NEW, MEXICO

STA NO. 76831/ (IN AREA NUMBER 0P)

LATITUDE 1634N

LONGITUDE 09506W

ELEVATION(FT) 00200

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	91	92	95	97	98	97	95	97	95	93	94	93	98	10	-76833
MEAN MAX TMP (F)	85	85	86	88	91	88	89	89	87	87	86	85	87	10	-76833
MEAN MIN TMP (F)	72	72	74	76	78	77	76	77	75	75	74	72	75	10	-76833
ABS MIN TMP (F)	62	63	63	65	70	66	68	68	68	66	62	63	62	10	-76833
MEAN NO DYS TMP = OR GTR 90(F)	1.4	1.2	3.7	9.0	19.2	9.0	12.6	12.6	6.1	6.4	3.5	1.4	86.1	10	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DLW PT TMP (F)	61	64	65	69	71	71	71	71	69	66	62	62	67	0	-50
MEAN REL HUM (PCT)	60	63	64	67	70	76	71	71	73	66	59	61	67	19	-76833
MEAN PRESS ALT (FT)	182	206	255	263	292	291	245	262	295	266	225	201	249	0	-50
MEAN PRECIP (IN)	0.04	0.39	0.63	0.47	3.27	11.59	4.49	5.51	7.05	4.02	0.94	0.12	38.5	22	-76833
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.6	1.4	1.8	1.5	6.7	15.8	9.5	11.0	10.8	6.1	2.6	1.5	70.3	22	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUM VSHY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.1	0.3	0.2	1.0	3.5	8.0	7.8	7.7	5.3	1.7	0.3	0.0	35.9	22	-76833
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# IXTEPEC NEW, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0

DATA NOT AVAILABLE

# SALINA CRUZ, MEXICO

STA NO. 76833 (IN AREA NUMBER 08)

LATITUDE 1612N

LONGITUDE 09512W

ELEVATION(FT) 00184

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	91	92	95	97	98	97	95	97	95	93	94	93	98	10	-28
MEAN MAX TMP (F)	85	85	86	88	91	88	89	89	87	87	86	85	87	10	-28
MEAN MIN TMP (F)	72	72	74	76	76	77	76	77	75	75	74	72	75	10	-28
ABS MIN TMP (F)	62	63	63	65	70	66	68	68	68	66	62	63	62	10	-28
MEAN NO DYS TMP = OR GTR 90(F)	1.4	1.2	3.7	9.0	19.2	9.0	12.6	12.6	6.1	6.4	3.5	1.4	86.1	10	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	62	63	65	68	72	73	71	71	70	67	62	62	67	13	-29
MEAN REL HUM (PCT)	60	63	64	67	70	76	71	71	73	66	59	61	67	19	-34
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.04	0.39	0.63	0.47	3.27	11.59	4.49	5.51	7.05	4.02	0.94	0.12	38.5	22	-34
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PKCP = OR GTR 0.1 IN	1.6	1.4	1.8	1.5	6.7	15.8	9.5	11.0	10.8	6.1	2.6	1.5	70.3	22	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUM VSBY LES 1/2 MI	0.1	0.3	0.2	1.0	3.5	8.0	7.8	7.7	5.3	1.7	0.3	0.0	35.9	22	-34
MEAN NO DYS TSTMS														0	0
P FREQ WND SPU = OR GTR 17 KTS														0	0
P FREQ WND SPU = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# SALINA CRUZ, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0

DATA NOT AVAILABLE

# PUERTO ANGEL, MEXICO

STA NO. 76855 (IN AREA NUMBER 06)

LATITUDE 1544N

LONGITUDE 09628W

ELEVATION(FT) 00535

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	96		98	98	99	99	97	99	95	97	100	93		2	509
MEAN MAX TMP (F)	92		94	95	93	91	91	93	90	91	92	89		2	509
MEAN MIN TMP (F)	60		66	68	72	71	70	70	69	67	62	60		2	509
ABS MIN TMP (F)	51		63	63	64	63	66	66	65	62	52	52		2	509
MEAN NO DYS TMP = OR GTR 90(F)	26.0		30.0	30.0	25.7	19.5	21.5	25.9	19.0	24.0	26.0	15.0		2	509
MEAN NO DYS TMP = OR LES 32(F)	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		2	509
MEAN NO DYS TMP = OR LES 0(F)	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		2	509
MEAN DEW PT TMP (F)	64		67	68	72	72	73	73	73	72	65	65		2	1888
MEAN REL HUM (PCT)	67		66	68	71	80	82	79	82	81	69	71		2	1884
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		2	-29
MEAN NO DYS PNCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		2	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.0		0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0		2	473
MEAN NO DYS TSTMS	0.0		0.0	0.0	2.2	0.5	0.5	7.5	0.0	0.5	0.0	0.0		2	474
P FREQ WND SPD = OR GTR 17 KTS	24.2		0.9	1.8	0.6	0.0	0.4	0.6	0.0	0.0	17.2	0.8		2	1892
P FREQ WND SPD = OR GTR 28 KTS	22.6		0.0	1.3	0.6	0.0	0.4	0.6	0.0	0.0	16.7	0.8		2	1892
P FREQ LES 5000 FT A/O LES 5 MI			4.8	3.6	10.7	26.7	19.8	19.4	39.0	16.1				1	908
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST			3.6	0.0	13.2	36.7	13.3	16.1	34.5	12.9	0.0			1	239
03-05 LST														0	0
06-08 LST			3.2	3.3	9.7	13.8	13.3	6.5	7.4	3.2	0.0			2	241
09-11 LST														0	0
12-14 LST			3.3	0.0	6.9	6.7	16.1	6.5	10.3	6.5	0.0			1	241
15-17 LST														0	0
18-20 LST			0.0	0.0	3.4	3.3	12.9	6.5	34.5	9.7				1	241
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST			0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0	0.0			1	239
03-05 LST														0	0
06-08 LST			0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0			2	241
09-11 LST														0	0
12-14 LST			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			1	241
15-17 LST														0	0
18-20 LST			0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0				1	241
21-23 LST														0	0

# PUERTO ANGEL, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	WOR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST			28.9	30.0	29.9	30.0	27.0	31.0	22.7	28.0				1	241
	00 LST			11.1	10.3	9.3	3.0	0.0	0.0	2.0	0.0	0.0			1	239
	06 LST			16.0	21.0	29.0	29.0	25.8	31.0	30.0	30.0	30.0			2	241
	12 LST			27.9	30.0	29.9	30.0	27.0	30.0	30.0	30.0	30.0			1	241
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST			28.9	29.0	29.9	28.0	24.0	28.0	16.5	23.0				1	241
	00 LST			11.1	10.3	9.3	3.0	0.0	0.0	2.0	0.0	0.0			1	239
	06 LST			15.0	21.0	28.0	22.7	24.8	28.0	25.5	29.0	30.0			2	241
	12 LST			26.8	29.0	26.7	27.0	26.0	28.0	23.8	29.0	30.0			1	241
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	17.0		1.0	1.0	0.0	0.0	0.0	0.7	0.0	0.0	9.4	1.0		2	497
	00 LST	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		2	492
	06 LST	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		2	498
	12 LST	13.0		0.0	1.0	0.7	0.0	0.0	0.7	0.0	0.0	10.6	0.0		2	504
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	9.0		11.0	13.0	15.1	15.5	12.0	11.8	10.3	13.2	8.1	11.0		2	497
	00 LST	0.0		2.1	2.0	4.2	0.5	0.0	0.7	0.0	0.5	0.0	0.0		2	492
	06 LST	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0		2	497
	12 LST	6.0		13.4	10.3	9.6	16.0	14.0	10.1	17.0	11.0	8.2	14.0		2	504
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	0.0		19.0	18.0	8.9	0.5	0.0	0.0	0.0	0.5	0.0	0.0		2	498
	00 LST	0.0		14.7	10.3	3.5	1.0	0.0	0.0	0.5	0.0	0.0	0.0		2	493
	06 LST	0.0		14.0	20.0	14.8	5.5	4.6	11.3	3.3	11.2	0.6	0.0		2	496
	12 LST	0.0		22.7	25.4	9.9	1.0	2.5	0.7	0.5	2.0	0.6	0.0		2	503
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST			27.9	30.0	29.9	27.0	23.0	27.0	14.5	23.0				1	241
	00 LST			11.1	10.3	9.3	3.0	0.0	0.0	2.0	0.0	0.0			1	239
	06 LST			15.0	21.0	28.0	22.7	24.8	28.0	25.5	29.0	30.0			2	241
	12 LST			25.8	30.0	26.7	25.0	25.0	27.0	22.7	26.0	30.0			1	241
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST			26.8	29.0	29.9	23.0	23.0	24.0	11.4	23.0				1	241
	00 LST			11.1	10.3	9.3	3.0	0.0	0.0	2.0	0.0	0.0			1	239
	06 LST			15.0	21.0	28.0	22.7	24.8	28.0	25.5	29.0	30.0			2	241
	12 LST			24.8	27.9	24.6	21.0	22.0	22.0	16.5	22.0	30.0			1	241
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST			26.8	29.0	29.9	23.0	23.0	24.0	11.4	23.0				1	241
	00 LST			11.1	10.3	9.3	3.0	0.0	0.0	2.0	0.0	0.0			1	239
	06 LST			15.0	21.0	28.0	22.7	24.8	28.0	25.5	29.0	30.0			2	241
	12 LST			24.8	27.9	24.6	21.0	22.0	21.0	16.5	22.0	30.0			1	241

# TAPACHULA, MEXICO

STA NO. 76904 (IN AREA NUMBER 0K)

LATITUDE 1454N

LONGITUDE 09215W

ELEVATION(FT) 00356

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	97	99	99	100	99	95	95	94	94	94	95	98	100	5	-35
MEAN MAX TMP (F)	91	92	93	94	92	88	89	89	88	87	89	90	90	7	-72
MEAN MIN TMP (F)	63	64	66	68	69	67	67	67	67	66	64	63	66	7	-72
ABS MIN TMP (F)	56	54	57	62	63	59	60	61	60	60	54	55	54	5	-35
MEAN NO DYS TMP = OR GTR 90(F)	19.2	20.1	25.1	26.5	22.3	9.0	12.6	12.6	9.0	6.4	12.1	15.9	190.8	7	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN DEW PT TMP (F)	64	65	66	70	71	71	70	70	70	70	67	66	68	0	-50
MEAN REL HUM (PCT)	68	66	67	71	77	82	79	80	82	82	76	72	75	7	-72
MEAN PRESS ALT (FT)	347	368	423	428	453	450	407	422	460	442	402	373	415	0	-50
MEAN PRECIP (IN)	0.20	0.20	0.90	2.30	11.10	17.50	13.50	12.10	18.50	15.60	2.60	0.50	96.6	9	-72
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.5	1.5	2.4	5.1		22.4	17.2	16.1			4.0	1.3		9	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.2	0.4	2.4	8.3	8.3	10.3	9.8	9.0	6.4	2.4	0.8	58.3	7	-72
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# TAPACHULA, MEXICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
		CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST 00 LST 06 LST 12 LST													
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST 00 LST 06 LST 12 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST 00 LST 06 LST 12 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST 00 LST 06 LST 12 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST 00 LST 06 LST 12 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST 00 LST 06 LST 12 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST 00 LST 06 LST 12 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST 00 LST 06 LST 12 LST														0	0

DATA NOT AVAILABLE

### AREA NO. 08

PARAMETER DESCRIPTION	SOUTHERN COAST		LATITUDE 1830N					LONGITUDE 10300W					
	BOUNDARIES		2000N 10330W	2000N 10330W	2000N 10330W	1800N 10200W	1800N 10200W	1800N 10200W	1600N 09600W	1600N 09600W	1600N 09600W	ANN	
	2000N 09600W	1600N 09600W	1700N 09500W	1700N 09500W	1700N 09500W	1510N 09210W	1510N 09210W	1510N 09210W	1510N 09210W	1510N 09210W	1510N 09210W		
MEAN MAX TMP (F)	JAN 88	FEB 87	MAR 89	APR 90	MAY 91	JUN 89	JUL 90	AUG 91	SEP 89	OCT 89	NOV 89	DEC 88	ANN 89
MEAN MIN TMP (F)	67	68	68	70	73	73	73	73	72	72	69	67	70
LARGEST MEAN PRECIP (IN)	3.20	0.39	0.90	2.30	11.10	17.50	13.50	12.10	18.50	15.40	2.40	1.80	99.1
SMALLEST MEAN PRECIP (IN)	0.04	0.04	0.00	0.00	0.10	4.70	4.49	5.51	7.05	4.02	0.90	0.12	27.0
MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST		28.9	30.0	29.9	30.0	27.0	31.0	22.7	28.0			
	23 LST		11.1	10.3	9.3	3.0	0.0	0.0	2.0	0.0	0.0		
	05 LST		16.0	21.0	29.0	29.0	25.8	31.0	30.0	30.0	30.0		
	11 LST		27.9	30.0	29.9	30.0	27.0	30.0	30.0	30.0	30.0		
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST		28.9	29.0	29.9	28.0	24.0	28.0	16.5	23.0			
	23 LST		11.1	10.3	9.3	3.0	0.0	0.0	2.0	0.0	0.0		
	05 LST		15.0	21.0	28.0	22.7	24.8	28.0	25.5	29.0	30.0		
	11 LST		26.8	29.0	26.7	27.0	26.0	28.0	23.8	29.0	30.0		
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	17.0	1.0	1.0	0.0	0.0	0.0	0.7	0.0	0.0	9.4	1.0	
	23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	11 LST	13.0	0.0	1.0	0.7	0.0	0.0	0.7	0.0	0.0	10.6	0.0	
SFC WND 4-10 KTS AND TMP DEG F AND NO PRECIP.	17 LST	9.0	11.0	13.0	15.1	15.5	12.0	11.8	10.3	13.2	8.1	11.0	
	23 LST	0.0	2.1	2.0	4.2	0.5	0.0	0.7	0.0	0.5	0.0	0.0	
	05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	
	11 LST	6.0	13.4	10.3	9.6	16.0	14.0	10.1	17.0	11.0	8.2	14.0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	0.0	19.0	18.0	8.9	0.5	0.0	0.0	0.0	0.5	0.0	0.0	
	23 LST	0.0	11.7	10.3	3.5	1.0	0.0	0.0	0.5	0.0	0.0	0.0	
	05 LST	0.0	14.0	20.0	14.8	5.5	4.6	11.3	3.3	11.2	0.6	0.0	
	11 LST	0.0	22.7	25.9	9.9	1.0	2.5	0.7	0.5	2.0	0.6	0.0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST		27.9	30.0	29.9	27.0	23.0	27.0	14.5	23.0			
	23 LST		11.1	10.3	9.3	3.0	0.0	0.0	2.0	0.0	0.0		
	05 LST		15.0	21.0	28.0	22.7	24.8	28.0	25.5	29.0	30.0		
	11 LST		25.8	30.0	26.7	25.0	25.0	27.0	22.7	26.0	30.0		
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST		26.8	29.0	29.9	23.0	23.0	24.0	11.4	23.0			
	23 LST		11.1	10.3	9.3	3.0	0.0	0.0	2.0	0.0	0.0		
	05 LST		15.0	21.0	28.0	22.7	24.8	28.0	25.5	29.0	30.0		
	11 LST		24.8	27.9	24.6	21.0	22.0	22.0	16.5	22.0	30.0		
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST		26.8	29.0	29.9	23.0	23.0	24.0	11.4	23.0			
	23 LST		11.1	10.3	9.3	3.0	0.0	0.0	2.0	0.0	0.0		
	05 LST		15.0	21.0	28.0	22.7	24.8	28.0	25.5	29.0	30.0		
	11 LST		24.8	27.9	24.6	21.0	22.0	21.0	16.5	22.0	30.0		

CENTRAL AMERICA



# STANLEY INTL, BRITISH HONDURAS U.K.

STA NO. 78583 (IN AREA NUMBER 01)

LATITUDE 1732N

LONGITUDE 08818W

ELEVATION(FT) 00016

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	90	93	95	97	96	97	95	96	97	96	95	92	97	29	-78584
MEAN MAX TMP (F)	81	82	84	86	87	87	87	88	87	86	83	81	85	27	-78584
MEAN MIN TMP (F)	67	69	71	74	75	75	75	75	74	72	68	68	72	32	-78584
ABS MIN TMP (F)	49	49	54	59	60	64	62	60	60	58	52	49	49	32	-78584
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	3.5	6.4	6.1	6.4	9.4	6.1	3.7	0.0	0.0	41.6	27	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-78584
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-78584
MEAN DEW PT TMP (F)	73	73	76	80	79	80	80	79	80	76	74	73	77	4	-78584
MEAN REL HUM (PCT)	80	80	80	79	81	83	81	81	80	78	82	81	81	12	-78584
MEAN PRESS ALT (FT)	-49	-30	9	29	56	55	20	27	75	61	-3	-31	18	0	-50
MEAN PRECIP (IN)	6.60	2.80	1.80	2.80	5.80	9.80	7.70	7.80	9.20	13.20	10.50	7.70	85.7	42	-78584
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	23.6	5.7	4.2	6.0	9.4	14.7	13.3	13.3	14.3	19.3	16.3	28.6	168.7	42	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32	-29
MEAN NO DYS W/OCUK VSPY LES 1/2 MI	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	4	-78584
MEAN NO DYS TSTMS	0.0	1.0	0.0	0.0	1.0	1.0	1.0	1.0	0.0	1.0	0.0	0.0	6.0	5	-78584
P FREQ WND SPD = OR GTR 17 KTS	1.0	0.0	3.3	1.9	3.9	0.0	2.6	1.0	0.9	0.0	1.6	0.0	1.4	4	-78584
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-78584
P FREQ LES 5000 FT A/O LES 5 MI	36.4	35.2	30.0	42.3	48.7	32.4	24.1	26.1	33.3	32.3	27.6	36.3	33.7	4	-78584
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	18.0	17.9	13.6	16.4	17.9	21.2	11.3	10.8	15.6	18.2	14.7	11.1	15.6	4	-78584
03-05 LST	18.0	17.4	13.6	15.1	17.2	18.4	11.8	12.3	18.8	17.8	17.0	13.1	15.9	4	-30
06-08 LST	17.6	16.9	13.6	13.9	16.5	14.9	12.2	13.6	21.3	17.3	19.3	15.1	16.0	4	-78584
09-11 LST	10.0	11.5	10.4	15.9	11.5	15.6	11.2	13.8	18.8	16.5	15.7	13.5	13.7	4	-30
12-14 LST	5.9	6.3	6.9	18.2	6.1	16.5	10.3	13.9	15.5	14.9	12.2	12.2	11.6	4	-78584
15-17 LST	10.9	6.6	6.6	16.2	9.4	12.5	8.2	11.3	13.1	10.4	12.7	13.4	10.9	4	-30
18-20 LST	15.4	6.8	6.3	14.3	12.9	9.4	6.2	8.8	10.6	5.4	13.0	14.5	10.3	4	-78584
21-23 LST	17.0	11.9	9.8	15.4	15.4	15.4	8.7	9.8	13.1	12.1	13.8	12.6	12.9	4	-30
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	1.8	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.3	4	-78584
03-05 LST	1.0	0.0	0.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.3	4	-30
06-08 LST	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	-78584
09-11 LST	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	-30
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-78584
15-17 LST	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.2	4	-30
18-20 LST	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.2	4	-78584
21-23 LST	0.0	0.0	0.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	1.0	0.0	0.3	4	-30

# STANLEY INTL, BRITISH HONDURAS U.K.

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	30.5	28.0	31.0	28.6	31.0	29.6	31.0	31.0	30.0	31.0	29.7	30.6	362.0	4	-78584
	00 LST	24.4	20.0	27.5	24.5	29.3	28.2	24.4	25.3	28.1	25.8	25.1	27.5	310.1	4	-78584
	06 LST	29.7	27.7	31.0	29.6	30.2	29.6	30.6	31.0	29.6	30.0	27.6	30.7	357.3	4	-78584
	12 LST	31.0	28.0	31.0	30.0	31.0	29.2	31.0	30.6	29.6	31.0	30.0	31.0	363.4	4	-78584
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	18 LST	17.1	20.8	12.6	11.9	11.5	12.0	16.4	20.2	19.3	24.6	21.2	21.1	208.7	4	-78584
	00 LST	14.7	12.9	9.1	8.2	6.6	9.1	10.4	13.3	17.1	15.9	15.0	17.7	150.0	4	-78584
	06 LST	15.5	13.8	14.0	15.4	13.7	15.2	18.5	17.8	15.8	18.7	19.8	19.3	197.5	4	-78584
	12 LST	17.8	17.4	14.6	13.1	15.0	11.8	16.0	14.5	15.7	19.6	19.4	17.6	192.5	4	-78584
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.0	0.0	1.4	0.9	0.9	0.3	0.7	0.0	0.7	0.0	0.3	0.0	5.2	4	-78584
	00 LST	0.0	0.8	1.3	1.7	0.0	0.0	1.1	0.5	0.0	0.4	0.0	0.5	6.3	4	-78584
	06 LST	0.0	0.0	1.6	0.0	0.8	0.7	0.0	0.0	0.3	0.0	0.3	0.0	3.7	4	-78584
	12 LST	0.4	0.0	0.8	0.0	0.9	1.5	0.0	0.0	0.3	0.0	0.0	0.0	3.9	4	-78584
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	22.9	21.2	20.0	22.6	18.6	16.1	20.9	24.0	18.8	17.9	19.0	20.2	242.2	4	-78584
	00 LST	19.6	19.6	18.1	16.7	18.3	17.5	20.2	24.9	21.8	19.0	19.4	22.3	237.4	4	-78584
	06 LST	17.4	19.0	16.3	22.1	19.5	14.3	19.2	17.0	16.0	16.1	21.0	18.6	216.5	4	-78584
	12 LST	20.4	21.5	16.3	24.0	13.6	14.8	17.8	14.5	10.0	19.4	24.0	21.5	217.8	4	-78584
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.9	11.9	16.5	7.7	1.8	1.4	5.3	1.9	2.9	4.9	8.3	4.9	77.4	4	-78584
	00 LST	12.2	12.7	12.2	8.2	5.6	4.9	6.3	9.9	6.1	8.0	10.1	10.2	106.4	4	-78584
	06 LST	5.8	6.6	7.6	4.1	1.6	0.7	0.4	0.7	0.7	2.8	6.5	6.3	43.8	4	-78584
	12 LST	3.1	8.1	10.3	2.2	2.3	1.1	1.4	1.1	1.8	2.1	6.8	5.8	46.1	4	-78584
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	21.0	22.3	27.6	23.3	23.5	23.3	27.2	25.6	23.6	27.0	21.2	20.0	285.6	4	-78584
	00 LST	19.3	16.3	22.5	16.9	15.5	16.4	19.0	20.5	22.0	17.7	19.0	21.1	226.2	4	-78584
	06 LST	20.5	17.9	21.8	19.6	18.0	20.3	22.3	21.8	17.9	19.9	20.4	21.0	241.4	4	-78584
	12 LST	24.1	23.4	24.1	19.1	24.4	19.0	23.2	22.4	20.0	21.7	20.7	22.2	264.3	4	-78584
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.5	20.4	27.1	22.4	22.1	22.6	26.4	25.6	23.3	26.0	19.9	17.9	273.2	4	-78584
	00 LST	19.3	16.3	22.5	16.9	13.3	16.4	19.2	20.5	21.5	17.3	19.0	21.1	222.3	4	-78584
	06 LST	19.7	16.7	19.5	15.8	14.5	18.6	21.5	20.3	17.2	18.0	19.4	19.7	220.9	4	-78584
	12 LST	21.0	20.6	20.2	16.4	21.6	17.8	21.7	21.6	19.3	20.6	19.4	19.3	239.5	4	-78584
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.5	20.4	27.1	22.4	22.1	22.6	26.4	25.6	23.3	26.0	19.9	17.9	273.2	4	-78584
	00 LST	19.3	16.3	22.5	16.9	13.3	16.4	18.2	20.5	21.5	17.3	19.0	21.1	222.3	4	-78584
	06 LST	18.8	16.4	19.5	15.8	14.5	18.6	21.5	20.3	17.2	17.7	19.4	19.7	219.4	4	-78584
	12 LST	21.0	19.8	20.2	16.4	21.6	17.8	21.7	21.6	19.3	20.3	19.4	19.3	238.7	4	-78584

## BELIZE/LANDIUV, BRITISH HONDURAS U.K.

STA NO. 78584/ (IN AREA NUMBER 01)

LATITUDE 1732N

LONGITUDE 08818W

ELEVATION(FT) 00016

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	90	93	95	97	96	97	95	96	97	96	95	92	97	29	-28
MEAN MAX TMP (F)	81	82	84	86	87	87	87	88	87	86	83	81	85	27	-28
MEAN MIN TMP (F)	67	69	71	74	75	75	75	75	74	72	68	68	72	32	-28
ABS MIN TMP (F)	49	49	54	59	60	64	62	60	60	50	52	49	49	32	-28
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	3.5	6.4	6.1	6.4	9.4	6.1	3.7	0.0	0.0	41.6	27	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	1024
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	1024
MEAN DEW PT TMP (F)	73	73	76	80	79	80	80	79	80	76	74	73	77	4	1248
MEAN REL HUM (PCT)	80	80	80	79	81	83	81	81	80	78	82	81	81	12	-70
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	6.60	2.80	1.80	2.80	5.80	9.80	7.70	7.80	9.20	13.20	10.50	7.70	85.7	42	-70
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	23.6	5.7	4.2	6.0	9.4	14.7	13.3	13.3	14.3	19.3	16.3	28.6	168.7	42	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	4	312
MEAN NO DYS TSTMS	0.0	1.0	0.0	0.0	1.0	1.0	1.0	1.0	0.0	1.0	0.0	0.0	6.0	5	-64
P FREQ WND SPD = OR GTR 17 KTS	1.0	0.0	3.3	1.9	3.9	0.0	2.6	1.0	0.9	0.0	1.6	0.0	1.4	4	1244
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1244
P FREQ LES 5000 FT A/O LES 5 MI	36.4	35.2	30.0	42.3	48.7	32.4	24.1	26.1	33.3	32.3	27.6	36.3	33.7	4	1204
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	18.0	17.9	13.6	16.4	17.9	21.2	11.3	10.8	15.6	18.2	14.7	11.1	15.6	4	766
03-05 LST	18.0	17.4	13.6	15.1	17.2	18.4	11.8	12.3	18.8	17.8	17.0	13.1	15.9	4	-30
06-08 LST	17.6	16.9	13.6	13.9	16.5	14.9	12.2	13.6	21.3	17.3	19.3	15.1	16.0	4	1013
09-11 LST	10.0	11.5	10.4	15.9	11.5	15.6	11.2	13.8	18.8	16.5	15.7	13.5	13.7	4	-30
12-14 LST	5.9	6.3	6.9	18.2	6.1	16.5	10.3	13.9	15.5	14.9	12.2	12.2	11.6	4	904
15-17 LST	10.9	8.6	8.6	16.2	9.4	12.5	8.2	11.3	13.1	10.4	12.7	13.4	10.9	4	-30
18-20 LST	15.4	6.8	6.3	14.3	12.9	9.4	6.2	8.8	10.6	5.4	13.0	14.5	10.3	4	928
21-23 LST	17.0	11.9	9.8	15.4	15.4	15.4	8.7	9.8	13.1	12.1	13.8	12.6	12.9	4	-30
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	1.8	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.3	4	766
03-05 LST	1.0	0.0	0.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.3	4	-30
06-08 LST	1.4	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	1013
09-11 LST	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	-30
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	904
15-17 LST	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.2	4	-30
18-20 LST	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.2	4	928
21-23 LST	0.0	0.0	0.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	1.0	0.0	0.3	4	-30

## BELIZE/LANDIUV, BRITISH HONDURAS U.K.

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	30.5	28.0	31.0	28.6	31.0	29.6	31.0	31.0	30.0	31.0	29.7	30.6	362.0	4	928
	00 LST	24.4	20.0	27.5	24.5	29.3	28.2	24.4	25.3	28.1	25.8	25.1	27.5	310.1	4	766
	06 LST	29.7	27.7	31.0	29.6	30.2	29.6	30.6	31.0	29.6	30.0	27.6	30.7	357.3	4	1013
	12 LST	31.0	28.0	31.0	30.0	31.0	29.2	31.0	30.6	29.6	31.0	30.0	31.0	363.4	4	904
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	17.1	20.8	12.6	11.9	11.5	12.0	16.4	20.2	19.3	24.6	21.2	21.1	208.7	4	926
	00 LST	14.7	12.9	9.1	8.2	6.6	9.1	10.4	13.3	17.1	15.9	15.0	17.7	150.0	4	764
	06 LST	15.5	13.8	14.0	15.4	13.7	15.2	18.5	17.8	15.8	18.7	19.8	19.3	197.5	4	1011
	12 LST	17.8	17.4	14.6	13.1	15.0	11.8	16.0	14.5	15.7	19.6	19.4	17.6	192.5	4	904
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.0	0.0	1.4	0.9	0.9	0.3	0.7	0.0	0.7	0.0	0.3	0.0	5.2	4	937
	00 LST	0.0	0.8	1.3	1.7	0.0	0.0	1.1	0.5	0.0	0.4	0.0	0.5	6.3	4	769
	06 LST	0.0	0.0	1.6	0.0	0.8	0.7	0.0	0.0	0.3	0.0	0.3	0.0	3.7	4	1021
	12 LST	0.4	0.0	0.8	0.0	0.9	1.5	0.0	0.0	0.3	0.0	0.0	0.0	3.9	4	910
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	22.9	21.2	20.0	22.6	18.6	16.1	20.9	24.0	18.8	17.9	19.0	20.2	242.2	4	932
	00 LST	19.6	19.6	18.1	16.7	18.3	17.5	20.2	24.9	21.8	19.0	19.4	22.3	237.4	4	765
	06 LST	17.4	19.0	16.3	22.1	19.5	14.3	19.2	17.0	16.0	16.1	21.0	18.6	216.5	4	1014
	12 LST	20.4	21.5	16.3	24.0	13.6	14.8	17.8	14.5	10.0	19.4	24.0	21.5	217.8	4	903
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.9	11.9	16.5	7.7	1.8	1.4	5.3	1.9	2.9	4.9	8.3	4.9	77.4	4	931
	00 LST	12.2	12.7	12.2	8.2	5.6	4.9	6.3	9.9	6.1	8.0	10.1	10.2	106.4	4	770
	06 LST	5.8	6.6	7.6	4.1	1.6	0.7	0.4	0.7	0.7	2.8	6.5	6.3	43.8	4	1012
	12 LST	3.1	8.1	10.3	2.2	2.3	1.1	1.4	1.1	1.8	2.1	6.8	5.8	46.1	4	908
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	21.0	22.3	27.6	23.3	23.5	23.3	27.2	25.6	23.6	27.0	21.2	20.0	285.6	4	928
	00 LST	19.3	16.3	22.5	16.9	15.5	16.4	19.0	20.5	22.0	17.7	19.0	21.1	226.2	4	766
	06 LST	20.5	17.9	21.8	19.6	18.0	20.3	22.3	21.8	17.9	19.9	20.4	21.0	241.4	4	1013
	12 LST	24.1	23.4	24.1	19.1	24.4	19.0	23.2	22.4	20.0	21.7	20.7	22.2	264.3	4	904
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.5	20.4	27.1	22.4	22.1	22.6	26.4	25.6	23.3	26.0	19.9	17.9	273.2	4	928
	00 LST	19.3	16.3	22.5	16.9	13.3	16.4	18.2	20.5	21.5	17.3	19.0	21.1	222.3	4	766
	06 LST	19.7	16.7	19.5	15.8	14.5	18.6	21.5	20.3	17.2	18.0	19.4	19.7	220.9	4	1013
	12 LST	21.0	20.6	20.2	16.4	21.6	17.8	21.7	21.6	19.3	20.6	19.4	19.3	239.5	4	904
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.5	20.4	27.1	22.4	22.1	22.6	26.4	25.6	23.3	26.0	19.9	17.9	273.2	4	928
	00 LST	19.3	16.3	22.5	16.9	13.3	16.4	18.2	20.5	21.5	17.3	19.0	21.1	222.3	4	766
	06 LST	18.8	16.4	19.5	15.8	14.5	18.6	21.5	20.3	17.2	17.7	19.4	19.7	219.4	4	1013
	12 LST	21.0	19.8	20.2	16.4	21.6	17.8	21.7	21.6	19.3	20.6	19.4	19.3	238.7	4	904

### AREA NO. 01

BRITISH HONDURAS U.K.		LOWLANDS				LATITUDE 1730N			LONGITUDE 08830W						
BOUNDARIES		1710N 08910W	1710N 08830W	1710N 08830W	1600N 08915W										
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)		81	82	84	86	87	87	87	88	87	86	83	81	85	
MEAN MIN TMP (F)		67	69	71	74	75	75	75	75	74	72	68	68	72	
LARGEST MEAN PRECIP(IN)		6.60	2.80	1.80	2.80	5.80	9.80	7.70	7.80	9.20	13.20	10.50	7.70	85.7	
SMALLEST MEAN PRECIP(IN)		6.60	2.80	1.80	2.80	5.80	9.80	7.70	7.80	9.20	13.20	10.50	7.70	85.7	
		MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI		18 LST	30.5	28.0	31.0	28.6	31.0	29.6	31.0	31.0	30.0	31.0	29.7	30.6	362.0
		00 LST	24.4	20.0	27.5	24.5	29.3	28.2	24.4	25.3	28.1	25.8	25.1	27.5	310.1
		06 LST	29.7	27.7	31.0	29.6	30.2	29.6	30.6	31.0	29.6	30.0	27.6	30.7	357.3
		12 LST	31.0	28.0	31.0	30.0	31.0	29.2	31.0	30.6	29.6	31.0	30.0	31.0	363.4
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS		18 LST	17.1	20.8	12.6	11.9	11.5	12.0	16.4	20.2	19.3	24.6	21.2	21.1	208.7
		00 LST	14.7	12.9	9.1	8.2	6.6	9.1	10.4	13.3	17.1	15.9	15.0	17.7	150.0
		06 LST	15.5	13.8	14.0	15.4	13.7	15.2	18.5	17.8	15.8	18.7	19.8	19.3	197.5
		12 LST	17.8	17.4	14.6	13.1	15.0	11.8	16.0	14.5	15.7	19.6	19.4	17.6	192.5
SFC WND = GTR 17 KTS AND NO PRECIP.		18 LST	0.0	0.0	1.4	0.9	0.9	0.3	0.7	0.0	0.7	0.0	0.3	0.0	5.2
		00 LST	0.0	0.8	1.3	1.7	0.0	0.0	1.1	0.5	0.0	0.4	0.0	0.5	6.3
		06 LST	0.0	0.0	1.6	0.0	0.8	0.7	0.0	0.0	0.3	0.0	0.3	0.0	3.7
		12 LST	0.4	0.0	0.8	0.0	0.9	1.5	0.0	0.0	0.3	0.0	0.0	0.0	3.9
SFC WND 4-10 KTS AND TMP DEG F AND NO PRECIP.		18 LST	22.9	21.2	20.0	22.6	18.6	16.1	20.9	24.0	18.8	17.9	19.0	20.2	242.2
		00 LST	19.6	19.6	16.1	16.7	18.3	17.5	20.2	24.9	21.6	19.0	19.4	22.3	237.4
		06 LST	17.4	19.0	16.3	22.1	19.5	14.3	19.2	17.0	16.0	16.1	21.0	18.6	216.5
		12 LST	20.4	21.5	16.3	24.0	13.6	14.8	17.8	14.5	10.0	19.4	24.0	21.5	217.8
SKY COVER LES 3/10 AND VSBY = GTR 3 MI		18 LST	9.9	11.9	16.5	7.7	1.6	1.4	5.3	1.9	2.9	4.9	8.3	4.9	77.4
		00 LST	12.2	12.7	12.2	8.2	5.6	4.9	6.3	9.9	6.1	8.0	10.1	10.2	106.4
		06 LST	5.0	6.6	7.6	4.1	1.6	0.7	0.4	0.7	0.7	2.8	6.5	6.3	43.8
		12 LST	3.1	8.1	10.3	2.2	2.3	1.1	1.4	1.1	1.8	2.1	6.8	5.8	46.1
CIG = GTR 2500 FT AND VSBY = GTR 3 MI		18 LST	21.0	22.3	27.6	23.3	23.5	23.3	27.2	25.6	23.6	27.0	21.2	20.0	285.6
		00 LST	19.3	16.3	22.5	16.9	15.5	16.4	19.0	20.5	22.0	17.7	19.0	21.1	226.2
		06 LST	20.5	17.9	21.8	19.6	18.0	20.3	22.3	21.8	17.9	19.9	20.4	21.0	241.4
		12 LST	24.1	23.4	24.1	19.1	24.4	19.0	23.2	22.4	20.0	21.7	20.7	22.2	264.3
CIG = GTR 6000 FT AND VSBY = GTR 3 MI		18 LST	19.5	20.4	27.1	22.4	22.1	22.6	26.4	25.6	23.3	26.0	19.9	17.9	273.2
		00 LST	19.3	16.3	22.5	16.9	13.3	16.4	18.2	20.5	21.5	17.3	19.0	21.1	222.3
		06 LST	19.7	16.7	19.5	15.8	14.5	18.6	21.5	20.3	17.2	18.0	19.4	19.7	220.9
		12 LST	21.0	20.6	20.2	16.4	21.6	17.8	21.7	21.6	19.3	20.6	19.4	19.3	239.5
CIG = GTR 10000 FT AND VSBY = GTR 3 MI		18 LST	19.5	20.4	27.1	22.4	22.1	22.6	26.4	25.6	23.3	26.0	19.9	17.9	273.2
		00 LST	19.3	16.3	22.5	16.9	13.3	16.4	18.2	20.5	21.5	17.3	19.0	21.1	222.3
		06 LST	18.8	16.4	19.5	15.8	14.5	18.6	21.5	20.3	17.2	17.7	19.4	19.7	219.4
		12 LST	21.0	19.8	20.2	16.4	21.6	17.8	21.7	21.6	19.3	20.6	19.4	19.3	238.7

# EL CAYO, BRITISH HONDURAS U.K.

STA NO. 78585/ (IN AREA NUMBER 02)

LATITUDE 1710N

LONGITUDE 08904W

ELEVATION (FT) 00200

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	79	83	85	88	91	92	88	90	86	86	83	78	86	3	-35
MEAN MIN TMP (F)	63	66	69	70	73	74	73	71	74	72	70	66	70	3	-35
AHS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)		0.0	1.4	9.0	19.2	21.5	9.4	15.9	3.5	3.7	0.0			3	-29
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)	65	68	70	70	75	76	74	71	74	74	71	67	71	3	-29
MEAN REL HUM (PCT)	63	62	60	77	81	80	82	76	82	85	84	86	82	3	-35
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.90	2.00	1.50	1.60	0.38	0.62	0.69	0.42	0.75	0.72	0.53	0.53	12.06	20	-35
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS DWCP = OR GTR 0.1 IN	6.0	3.2	3.6	3.8	1.3	0.3	0.6	0.0	2.5	2.5	2.4	1.3	27.5	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSPY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 26 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# EL CAYO, BRITISH HONDURAS U.K.

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0

DATA NOT AVAILABLE

### AREA NO. 02

BRITISH HONDURAS L.K.

HIGHLANDS

LATITUDE 1630N LONGITUDE 08900W

BOUNDARIES 1710N 08910W 1710N 08630W 1710N 08830W 1600N 08915W

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	79	83	85	88	91	92	88	90	86	86	83	78	86
MEAN MIN TMP (F)	63	66	69	70	73	74	73	71	74	72	70	66	70
LARGEST MEAN PRECIP(IN)	2.90	2.00	1.50	1.60	0.36	0.62	0.69	0.42	0.75	0.72	0.53	0.53	12.6
SMALLEST MEAN PRECIP(IN)	2.90	2.00	1.50	1.60	0.36	0.62	0.69	0.42	0.75	0.72	0.53	0.53	12.6

MEAN NUMBER OF DAYS

- CIG = GTR 1000 FT AND 18 LST
- VSBY = GTR 3 MI 00 LST
- 06 LST
- 12 LST
- CIG =GTR 2000 FT AND VSBY =GTR 18 LST
- 3 MI W/SFC WND LES 10 KTS 00 LST
- 06 LST
- 12 LST
- SFC WND = GTR 17 KTS AND 18 LST
- NO PRECIP. 00 LST
- 06 LST
- 12 LST
- SFC WND 4-10 KTS AND TMP 33-89 18 LST
- DEG F AND NO PRECIP. 00 LST
- 06 LST
- 12 LST
- SKY COVER LES 3/10 AND 18 LST
- VSBY = GTR 3 MI 00 LST
- 06 LST
- 12 LST
- CIG = GTR 2500 FT AND 18 LST
- VSBY = GTR 3 MI 00 LST
- 06 LST
- 12 LST
- CIG = GTR 6000 FT AND 18 LST
- VSBY = GTR 3 MI 00 LST
- 06 LST
- 12 LST
- CIG = GTR 10000 FT AND 18 LST
- VSBY = GTR 3 MI 00 LST
- 06 LST
- 12 LST

DATA NOT AVAILABLE

# PUNTARENAS, COSTA RICA

STA NO. 78760/ (IN AREA NUMBER 01)

LATITUDE 0958N

LONGITUDE 08449W

ELEVATION(FT) 00055

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OP LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)	66	67	66	69	80	83	83	83	82	83	82	75	77	3	-35
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	2.0	3	-35
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 26 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	1.3	0.0	3.3	1.8	0.0	8.5	2.6	0.0	1.5	4	808
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	1.4	2.6	0.0	0.0	5.1	0.0	0.0	0.8	4	501
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	808
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	501
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# PUNTARENAS, COSTA RICA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST	31.0	28.0	31.0	30.0	31.0	30.0	30.5	31.0	30.0	28.9	29.6	31.0	362.0	4	808
	12 LST	31.0	26.0	31.0	30.0	31.0	30.0	30.2	31.0	30.0	29.4	30.0	31.0	362.6	4	501
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST														0	0
	00 LST														0	0
	06 LST	30.6	27.5	30.0	29.2	29.6	30.0	29.5	30.4	30.0	28.4	29.2	31.0	355.6	4	806
	12 LST	19.9	11.9	14.3	9.5	15.1	27.9	26.9	25.0	28.4	27.8	30.0	28.0	264.7	4	498
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST														0	0
	00 LST														0	0
	06 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	881
	12 LST	0.0	0.0	0.5	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	4	529
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST														0	0
	00 LST														0	0
	06 LST	4.2	4.6	4.2	2.5	0.0	0.8	0.5	0.0	0.0	0.0	1.1	0.9	18.8	4	773
	12 LST	15.5	12.4	7.0	4.4	23.0	16.3	19.7	21.5	16.8	18.6	25.3	20.6	201.1	4	434
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST	18.1	17.4	20.5	9.3	3.1	3.8	2.9	1.1	1.9	2.3	4.1	8.9	93.4	4	871
	12 LST	23.7	12.5	16.2	5.3	0.7	2.1	0.0	1.1	0.0	1.6	2.6	12.0	77.8	4	523
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST	31.0	26.0	30.5	29.6	29.6	29.6	28.9	29.9	29.0	27.8	28.1	30.4	352.6	4	808
	12 LST	31.0	26.0	29.8	29.3	31.0	27.9	30.2	29.8	30.0	27.8	30.0	31.0	355.8	4	501
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST	31.0	26.0	30.5	29.6	27.1	29.1	27.9	29.3	28.0	27.8	25.7	30.4	344.4	4	808
	12 LST	31.0	26.0	29.8	28.6	31.0	26.6	30.2	29.8	29.2	27.0	28.1	31.0	350.3	4	501
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST	31.0	28.0	30.5	29.6	27.1	29.1	27.9	29.3	26.4	25.7	24.6	29.9	339.1	4	808
	12 LST	31.0	27.2	29.8	28.6	31.0	26.6	30.2	29.8	29.2	27.0	27.2	29.5	347.1	4	501

## AREA NO. 01

COSTA RICA

SOUTHWEST COAST

LATITUDE 1030N

LONGITUDE 08530W

BOUNDARIES 1110N 08540W 0920N 08400W

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)													
MEAN MIN TMP (F)													
LARGEST MEAN PRECIP(IN)													
SMALLEST MEAN PRECIP(IN)													
	MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST												
	00 LST												
	06 LST	31.0	28.0	31.0	30.0	31.0	30.0	30.5	31.0	30.0	28.9	29.6	31.0 362.0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	12 LST	31.0	28.0	31.0	30.0	31.0	30.0	30.2	31.0	30.0	29.4	30.0	31.0 362.6
	18 LST												
	00 LST												
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	30.6	27.5	30.0	29.2	29.8	30.0	29.5	30.4	30.0	28.4	29.2	31.0 355.6
	12 LST	19.9	11.9	14.3	9.5	15.1	27.9	26.9	25.0	28.4	27.8	30.0	28.0 264.7
	18 LST												
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST												
	06 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	12 LST	0.0	0.0	0.5	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST												
	00 LST												
	06 LST	4.2	4.6	4.2	2.5	0.0	0.8	0.5	0.0	0.0	1.1	0.9	18.8
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	12 LST	15.5	12.4	7.0	4.4	23.0	16.3	19.7	21.5	16.8	18.6	25.3	2.6 201.1
	18 LST												
	00 LST												
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	18.1	17.4	20.5	9.3	3.1	3.8	2.9	1.1	1.9	2.3	4.1	8.9 93.4
	12 LST	23.7	12.5	16.2	5.3	0.7	2.1	0.0	1.1	0.0	1.6	2.6	12.0 77.8
	18 LST												
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST												
	06 LST	31.0	28.0	30.5	29.6	29.6	29.6	28.9	29.9	29.0	27.8	28.1	30.4 352.6
	12 LST	31.0	28.0	29.8	29.3	31.0	27.9	30.7	29.8	30.0	27.8	30.0	31.0 355.8
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST												
	00 LST												
	06 LST	31.0	28.0	30.5	29.6	27.1	29.1	27.9	29.3	28.0	27.8	25.7	30.4 344.4
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	12 LST	31.0	28.0	29.8	28.6	31.0	26.6	30.2	29.8	29.2	27.0	28.1	31.0 350.3
	18 LST												
	00 LST												
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	31.0	28.0	30.5	29.6	27.1	29.1	27.9	29.3	26.4	25.7	24.6	29.9 339.1
	12 LST	31.0	27.2	29.8	28.6	31.0	26.6	30.2	29.8	29.2	27.0	27.2	29.5 347.1
	18 LST												

# EL COCO INTL, COSTA RICA

STA NO. 78762 (IR AREA NUMBER 0.)

LATITUDE 0959N

LONGITUDE 08412W

ELEVATION(FT) 03021

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	87	88	91	89	86	92	84	85	86	85	84	87	92	14	-78763
MEAN MAX TMP (F)	75	76	79	79	80	79	77	78	79	77	77	75	78	12	-78763
MEAN MIN TMP (F)	58	58	59	62	62	62	62	61	61	60	60	58	60	8	-78763
ABS MIN TMP (F)	49	51	50	53	54	56	54	56	56	55	52	49	49	14	-78763
MEAN NO DYS TMP = CR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS TMP = CR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-78763
MEAN NO DYS TMP = CR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-78763
MEAN DEW PT TMP (F)	58	58	59	60	63	65	64	64	64	63	62	61	62	2	-78763
MEAN REL HUM (PCT)	73	69	68	70	76	83	82	81	84	85	79	76	77	6	-78763
MEAN PRESS ALT (FT)	3091	3111	3141	3151	3161	3161	3151	3151	3161	3151	3131	3101	3139	0	-50
MEAN PRECIP (IN)	0.60	0.20	0.80	1.80	9.00	9.50	8.30	9.50	12.00	11.80	5.70	1.60	70.8	34	-78763
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS PRCP = CR GTR 0.1 IN	1.3	1.5	2.2	4.2	14.5	13.7	14.5	18.1	17.9	8.6	2.3	0.0	0.0	34	-29
MEAN NO DYS SNFL = CR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS W/OCUR VSPY LES 1/2 MI	0.0	0.0	0.0	0.0	1.0	2.0	1.0	1.0	0.6	0.0	0.0	0.0	5.6	2	-78763
MEAN NO DYS TSMS	0.3	0.3	2.0	2.0	6.0	8.0	5.0	5.0	10.0	6.0	2.0	0.3	46.9	18	-78763
P FREQ WND SPD = CR GTR 17 KTS	3.7	7.2	4.3	5.1	0.0	0.7	2.6	0.0	0.0	2.2	0.4	7.5	2.8	2	-78763
P FREQ WND SPD = CR GTR 24 KTS	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-78763
P FREQ LES 5000 FT A/O LES 5 MI	27.3	23.9	35.7	39.4	37.4	43.8	35.5	41.3	42.7	58.2	50.9	34.2	39.2	2	-78763
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.0	0.0	0.0					0.0	0.0	22.6	0.0	0.0		2	-78763
03-05 LST	0.0	0.0	0.0	0.0	4.8	8.8	1.7	1.9	1.6	20.1	4.0	0.0	3.6	3	-78763
06-08 LST	1.8	1.2	0.0	0.4	4.2	5.3	0.4	1.4	1.0	9.8	3.9	0.4	2.5	8	-78763
09-11 LST	0.0	0.0	0.0	0.0	2.5	4.1	0.4	0.0	0.8	2.2	2.2	0.0	1.0	4	-78763
12-14 LST	0.4	0.4	0.0	0.6	5.5	4.2	2.6	4.9	6.3	8.7	7.9	2.4	3.7	8	-78763
15-17 LST	0.5	0.0	0.0	1.6	13.3	19.6	10.2	29.4	33.3	42.5	13.9	3.8	14.0	4	-78763
18-20 LST	0.0	0.0	0.9	3.2	14.5	22.0	13.7	30.1	38.6	36.4	20.0	4.2	15.3	7	-78763
21-23 LST				0.0	11.8	30.0	22.2							1	-78763
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0					0.0	0.0	6.5	0.0	0.0		2	-78763
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	4.5	1.3	0.0	0.6	3	-78763
06-08 LST	0.0	0.0	0.0	0.0	1.9	1.5	0.0	0.9	0.0	1.9	2.0	0.0	0.7	8	-78763
09-11 LST	0.0	0.0	0.0	0.0	0.4	3.7	0.4	0.0	0.0	0.0	0.6	0.0	0.4	4	-78763
12-14 LST	0.0	0.0	0.0	0.0	0.6	0.6	0.0	0.6	0.0	0.4	0.4	0.0	0.2	8	-78763
15-17 LST	0.5	0.0	0.0	0.0	2.5	2.1	0.0	7.9	7.5	4.3	1.1	0.0	2.2	4	-78763
18-20 LST	0.0	0.0	0.0	1.9	6.9	9.3	6.2	9.7	18.4	19.2	7.5	2.1	6.8	7	-78763
21-23 LST				0.0	2.2	7.8	3.2							1	-78763

# EL COCO INTL, COSTA RICA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	31.0	28.0	31.0	29.0	25.7	22.7	26.7	23.8	20.7	21.9	26.7	30.3	317.5	8	-78763
	00 LST	31.0	28.0	31.0	30.0	27.0	22.0	22.1	31.0	30.0	26.0	30.0	31.0	339.1	3	-78763
	06 LST	31.0	28.0	31.0	30.0	29.6	28.7	31.0	30.2	29.6	28.3	29.1	30.7	357.2	8	-78763
	12 LST	30.7	28.0	31.0	30.0	30.2	29.2	30.8	31.0	29.6	29.3	29.4	31.0	360.2	8	-78763
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	6.9	1.5	6.2	9.2	11.8	13.4	15.3	15.5	15.8	11.4	12.8	9.9	129.7	8	-78763
	00 LST	14.0	7.7	10.8	10.9	17.0	14.0	14.8	28.0	28.0	21.0	20.0	20.6	204.8	3	-78763
	06 LST	6.5	4.9	6.4	10.0	18.1	18.4	18.4	14.8	19.1	14.6	12.0	10.6	153.8	8	-78763
	12 LST	3.4	2.1	3.6	4.6	8.3	14.8	11.0	11.8	11.2	7.3	8.6	4.2	90.9	8	-78763
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.8	1.9	1.5	2.0	1.4	0.5	0.2	0.2	0.0	0.0	0.3	0.8	9.6	8	-78763
	00 LST	1.0	0.0	0.0	6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	3	-78763
	06 LST	1.9	0.6	1.1	0.8	0.0	0.4	0.0	0.2	0.0	0.0	0.5	0.2	5.7	8	-78763
	12 LST	4.0	5.7	5.5	4.0	0.6	0.4	1.5	0.2	0.4	1.2	0.8	1.0	25.3	8	-78763
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	14.8	8.8	12.9	14.2	11.8	10.1	15.4	12.3	11.0	12.1	15.9	18.2	157.5	8	-78763
	00 LST	21.0	21.2	17.5	13.5	13.8	17.1	29.0	27.0	29.0	21.8	22.5	24.6	258.0	3	-78763
	06 LST	13.1	14.0	19.0	19.8	20.2	18.8	23.3	23.1	24.2	18.9	17.2	20.1	231.7	8	-78763
	12 LST	5.8	3.7	7.0	9.3	12.4	15.0	14.5	13.0	16.8	14.0	15.3	9.8	136.6	8	-78763
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	5.1	3.0	1.8	1.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.4	14.5	4	-78763
	00 LST														0	0
	06 LST	5.0	8.2	10.9	2.3	0.7	0.0	0.0	0.0	1.7	0.8	2.3	2.9	34.8	4	-78763
	12 LST	4.9	3.5	8.4	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	20.4	4	-78763
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	25.6	22.2	24.4	22.0	18.5	17.0	20.0	17.1	13.7	11.9	18.3	22.9	233.6	8	-78763
	00 LST	31.0	28.0	31.0	30.0	22.0	16.0	19.2	30.0	29.0	23.0	30.0	31.0	320.2	3	-78763
	06 LST	25.7	24.8	28.7	27.5	27.8	26.3	28.6	28.7	29.0	25.0	25.5	26.7	324.3	8	-78763
	12 LST	25.0	21.5	28.3	25.2	22.5	22.3	24.2	24.7	21.2	16.2	20.0	23.3	274.4	8	-78763
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.5	14.5	17.1	13.2	11.1	8.4	14.7	12.7	9.0	8.8	11.7	19.2	159.9	8	-78763
	00 LST	27.0	25.1	29.6	17.7	7.0	11.0	8.8	29.0	28.0	23.0	28.0	29.9	264.1	3	-78763
	06 LST	22.4	23.1	26.4	24.5	25.5	25.0	26.6	27.8	28.0	22.8	22.0	23.2	297.3	8	-78763
	12 LST	19.8	15.7	23.7	19.2	16.5	13.6	13.8	11.8	11.9	8.0	11.9	18.9	184.8	8	-78763
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.0	14.3	16.6	12.4	10.5	8.0	13.8	12.0	8.8	8.3	10.9	19.2	153.8	8	-78763
	00 LST	26.0	25.1	29.6	13.6	1.0	7.0	7.4	29.0	28.0	22.0	28.0	29.9	246.6	3	-78763
	06 LST	22.4	23.1	26.0	24.1	23.5	23.6	25.7	27.2	27.8	22.4	21.1	22.9	289.8	8	-78763
	12 LST	18.8	15.5	23.7	18.8	15.1	13.2	13.6	11.6	11.7	7.5	11.4	18.7	179.6	8	-78763

# LA SABANA, COSTA RICA

STA NO. 78763/ (IN AREA NUMBER 07)

LATITUDE 0956N

LONGITUDE 08406W

ELEVATION(FT) 03773

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	87	88	91	89	88	92	84	85	86	85	84	87	92	14	-28
MEAN MAX TMP (F)	75	76	79	79	80	79	77	78	79	77	77	75	78	12	-28
MEAN MIN TMP (F)	58	58	59	62	62	62	62	61	61	60	60	58	60	8	-28
ABS MIN TMP (F)	49	51	50	53	54	56	54	56	56	55	52	49	49	14	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0		0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0		12	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	773
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	773
MEAN DEW PT TMP (F)	58	58	59	60	63	65	64	64	64	63	62	61	62	2	6235
MEAN REL HUM (PCT)	76	72	72	73	81	84	83	84	86	87	80	80	80	12	-70
MEAN PRESS ALT (FT)	3786	3806	3834	3846	3856	3856	3846	3846	3856	3846	3826	3796	3833	0	-50
MEAN PRECIP (IN)	0.60	0.20	0.80	1.80	9.00	9.50	8.30	9.50	12.00	11.80	5.70	1.60	70.8	34	-26
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.3	1.5	2.2	4.2		14.5	13.7	14.5	18.1	17.9	8.6	2.3		34	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS W/OCUP VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	1.0	2.0	1.0	1.0	0.6	0.0	0.0	0.0	5.6	2	416
MEAN NO DYS TSMS	0.3	0.3	2.0	2.0	6.0	8.0	5.0	5.0	10.0	6.0	2.0	0.3	46.9	18	-24
P FREQ WND SPD = OR GTR 17 KTS	3.7	7.2	4.3	5.1	0.0	0.7	2.6	0.0	0.0	2.2	0.4	7.5	2.6	2	6234
P FREQ WND SPD = OR GTR 28 KTS	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	6234
P FREQ LES 5000 FT A/O LES 5 MI	27.3	23.9	35.7	39.4	37.4	43.8	35.5	41.3	42.7	58.2	50.9	34.2	39.2	2	6235
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.0	0.0	0.0					0.0	0.0	22.6	0.0	0.0		2	235
03-05 LST	0.0	0.0	0.0	0.0	4.6	8.8	1.7	1.9	1.6	20.1	4.0	0.0	3.6	3	1606
06-08 LST	1.8	1.2	0.0	0.4	4.2	5.3	0.4	1.4	1.0	9.8	3.9	0.4	2.5	8	3330
09-11 LST	0.0	0.0	0.0	0.0	2.5	4.1	0.4	0.0	0.8	2.2	2.2	0.0	1.0	4	2585
12-14 LST	0.4	0.4	0.0	0.6	5.5	4.2	2.6	4.9	6.3	8.7	7.9	2.4	3.7	8	3363
15-17 LST	0.5	0.0	0.0	1.6	13.3	19.6	10.2	29.4	33.3	42.5	13.9	3.8	14.0	4	2619
18-20 LST	0.0	0.0	0.9	3.2	14.5	22.0	13.7	30.1	38.8	36.4	20.0	4.2	15.3	7	1456
21-23 LST				0.0	11.6	30.0	22.2							1	292
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0					0.0	0.0	6.5	0.0	0.0		2	235
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	4.5	1.3	0.0	0.6	3	1606
06-08 LST	0.0	0.0	0.0	0.0	1.9	1.5	0.0	0.9	0.0	1.9	2.0	0.0	0.7	8	3330
09-11 LST	0.0	0.0	0.0	0.0	0.4	3.7	0.4	0.0	0.0	0.0	0.6	0.0	0.4	4	2585
12-14 LST	0.0	0.0	0.0	0.0	0.6	0.6	0.0	0.6	0.0	0.4	0.4	0.0	0.2	8	3363
15-17 LST	0.5	0.0	0.0	0.0	2.5	2.1	0.0	7.9	7.5	4.3	1.1	0.0	2.2	4	2619
18-20 LST	0.0	0.0	0.0	1.9	6.9	9.3	6.2	9.7	18.4	19.2	7.5	2.1	6.8	7	1456
21-23 LST				0.0	2.2	7.8	3.2							1	292

# LA SABANA, COSTA RICA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	31.0	28.0	31.0	29.0	25.7	22.7	26.7	23.8	20.7	21.9	26.7	30.3	317.5	4	1603
	00 LST	31.0	28.0	31.0	30.0	27.0	22.0	22.1	31.0	30.0	26.0	30.0	31.0	339.1	3	339
	06 LST	31.0	28.0	31.0	30.0	29.6	28.7	31.0	30.2	29.6	28.3	29.1	30.7	357.2	8	1783
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	12 LST	30.7	28.0	31.0	30.0	30.2	29.2	30.8	31.0	29.6	29.3	29.4	31.0	360.2	8	1611
	18 LST	6.9	1.5	6.2	9.2	11.8	13.4	15.3	15.5	15.8	11.4	12.8	9.9	129.7	8	1598
	00 LST	14.0	7.7	10.8	10.9	17.0	14.0	14.8	28.0	26.0	21.0	20.0	20.6	204.8	3	339
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	6.5	4.9	6.4	10.0	18.1	18.4	18.4	14.8	19.1	14.6	12.0	10.6	153.8	8	1780
	12 LST	3.4	2.1	3.6	4.6	8.3	14.8	11.0	11.8	11.2	7.3	8.6	4.2	90.9	8	1608
	18 LST	0.8	1.9	1.5	2.0	1.4	0.5	0.2	0.2	0.0	0.0	0.3	0.8	9.6	8	1466
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	1.0	0.0	0.0	6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	3	303
	06 LST	1.9	0.6	1.1	0.8	0.0	0.4	0.0	0.2	0.0	0.0	0.5	0.2	5.7	8	1779
	12 LST	4.0	5.7	5.5	4.0	0.6	0.4	1.5	0.2	0.4	1.2	0.8	1.0	25.3	8	1604
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	14.8	8.8	12.9	14.2	11.8	10.1	15.4	12.3	11.0	12.1	15.9	18.2	157.5	8	1457
	00 LST	21.0	21.2	17.5	13.5	13.6	17.1	29.0	27.0	29.0	21.8	22.5	24.6	258.0	3	303
	06 LST	13.1	14.0	19.0	19.8	20.2	18.8	23.3	23.1	24.2	18.9	17.2	20.1	231.7	8	1772
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	12 LST	5.8	3.7	7.0	9.3	12.4	15.0	14.5	13.0	16.8	14.0	15.3	9.8	136.6	8	1597
	18 LST	5.1	3.0	1.8	1.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.4	14.5	4	741
	00 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	5.0	8.2	10.9	2.3	0.7	0.0	0.0	0.0	1.7	0.8	2.3	2.9	34.8	4	940
	12 LST	4.9	3.5	8.4	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	20.4	4	738
	18 LST	25.6	22.2	24.4	22.0	18.5	17.0	20.0	17.1	13.7	11.9	18.3	22.9	233.6	8	1603
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	31.0	28.0	31.0	30.0	22.0	16.0	19.2	30.0	29.0	23.0	30.0	31.0	320.2	3	339
	06 LST	25.7	24.8	28.7	27.5	27.6	26.3	28.6	28.7	29.0	25.0	25.5	26.7	324.3	8	1783
	12 LST	25.0	21.5	28.3	25.2	22.5	22.3	24.2	24.7	21.2	16.2	20.0	23.3	274.4	8	1611
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.5	14.5	17.1	13.2	11.1	8.4	14.7	12.7	9.0	8.8	11.7	19.2	159.9	8	1603
	00 LST	27.0	25.1	29.6	17.7	7.0	11.0	8.8	29.0	28.0	23.0	28.0	29.9	264.1	3	339
	06 LST	22.4	23.1	26.4	24.5	25.5	25.0	26.6	27.8	28.0	22.8	22.0	23.2	297.3	8	1783
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	12 LST	19.8	15.7	23.7	19.2	16.5	13.6	13.8	11.8	11.9	8.0	11.9	18.9	184.8	8	1611
	18 LST	19.0	14.3	16.6	12.4	10.5	8.0	13.8	12.0	8.8	8.3	10.9	19.2	153.8	8	1603
	00 LST	26.0	25.1	29.6	13.6	1.0	7.0	7.4	29.0	28.0	22.0	28.0	29.9	246.6	3	339
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	22.4	23.1	26.0	24.1	23.5	23.6	25.7	27.2	27.8	22.4	21.1	22.9	289.8	8	1783
	12 LST	18.8	15.5	23.7	18.8	15.1	13.2	13.6	11.6	11.7	7.5	11.4	18.7	179.6	8	1611

## AREA NO. 02

COSTA RICA		MOUNTAINS				LATITUDE 0930N		LONGITUDE 08330W							
BOUNDARIES		1110N 08540W	0920N 08400W	1115N 08535W	1000N 08320W	1000N 08320W	1000N 08320W	0930N 08250W							
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)		75	76	79	79	80	79	77	78	79	77	77	75	78	
MEAN MIN TMP (F)		58	58	59	62	62	62	62	61	61	60	60	58	60	
LARGEST MEAN PRECIP (IN)		0.60	0.20	0.80	1.80	9.00	9.50	8.30	9.50	12.00	11.80	5.70	1.60	70.8	
SMALLEST MEAN PRECIP (IN)		0.60	0.20	0.80	1.80	9.00	9.50	8.30	9.50	12.00	11.80	5.70	1.60	70.8	
		MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI		18 LST	31.0	28.0	31.0	29.0	25.7	22.7	26.7	23.8	20.7	21.9	26.7	30.3	317.5
		00 LST	31.0	28.0	31.0	30.0	27.0	22.0	22.1	31.0	30.0	26.0	30.0	31.0	339.1
		06 LST	31.0	28.0	31.0	30.0	29.6	28.7	31.0	30.2	29.6	28.3	29.1	30.7	357.2
		12 LST	30.7	28.0	31.0	30.0	30.2	29.2	30.8	31.0	29.6	29.3	29.4	31.0	360.2
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS		18 LST	6.9	1.5	6.2	9.2	11.6	13.4	15.3	15.5	15.8	11.4	12.8	9.9	129.7
		00 LST	14.0	7.7	10.8	10.9	17.0	14.0	14.8	28.0	26.0	21.0	20.0	20.6	204.8
		06 LST	6.5	4.9	6.4	10.0	18.1	18.4	18.4	14.8	19.1	14.6	12.0	10.6	153.8
		12 LST	3.4	2.1	3.6	4.6	8.3	14.8	11.0	11.6	11.2	7.3	8.6	4.2	90.9
SFC WND = GTR 17 KTS AND NO PRECIP.		18 LST	0.8	1.9	1.5	2.0	1.4	0.5	0.2	0.2	0.0	0.0	0.3	0.8	9.6
		00 LST	1.0	0.0	0.0	6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0
		06 LST	1.9	0.6	1.1	0.8	0.0	0.4	0.0	0.2	0.0	0.0	0.5	0.2	5.7
		12 LST	4.0	5.7	5.5	4.0	0.6	0.4	1.5	0.2	0.4	1.2	0.8	1.0	25.3
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.		18 LST	14.8	8.8	12.9	14.2	11.8	10.1	15.4	12.3	11.0	12.1	15.9	18.2	157.5
		00 LST	21.0	21.2	17.5	13.5	13.8	17.1	29.0	27.0	29.0	21.8	22.5	24.6	258.0
		06 LST	13.1	14.0	19.0	19.8	20.2	18.8	23.3	23.1	24.2	18.9	17.2	20.1	231.7
		12 LST	5.8	3.7	7.0	9.3	12.4	15.0	14.5	13.0	16.8	14.0	15.3	9.8	136.6
SKY COVER LES 3/10 AND VSBY = GTR 3 MI		18 LST	5.1	3.0	1.8	1.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.4	14.5
		00 LST													
		06 LST	5.0	6.2	10.9	2.3	0.7	0.0	0.0	0.0	1.7	0.8	2.3	2.9	34.8
		12 LST	4.9	3.5	8.4	2.6	0.0	0.0	0.0	0.0	0.0	0.0	1.0	20.4	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI		18 LST	25.6	22.2	24.4	22.0	18.5	17.0	20.0	17.1	13.7	11.9	18.3	22.9	233.6
		00 LST	31.0	28.0	31.0	30.0	22.0	16.0	19.2	30.0	29.0	23.0	30.0	31.0	320.2
		06 LST	25.7	24.8	28.7	27.5	27.8	26.3	28.6	28.7	29.0	25.0	25.5	26.7	324.3
		12 LST	25.0	21.5	28.3	25.2	22.5	22.3	24.2	24.7	21.2	16.2	20.0	23.3	274.4
CIG = GTR 6000 FT AND VSBY = GTR 3 MI		18 LST	19.5	14.5	17.1	13.2	11.1	8.4	14.7	12.7	9.0	8.8	11.7	19.2	159.9
		00 LST	27.0	25.1	29.6	17.7	7.0	11.0	8.8	29.0	28.0	23.0	28.0	29.9	264.1
		06 LST	22.4	23.1	26.4	24.5	25.5	25.0	26.6	27.8	28.0	22.8	22.0	23.2	297.3
		12 LST	19.8	15.7	23.7	19.2	16.5	13.6	13.8	11.8	11.9	8.0	11.9	18.9	184.8
CIG = GTR 10000 FT AND VSBY = GTR 3 MI		18 LST	19.0	14.3	16.6	12.4	10.5	8.0	13.8	12.0	8.8	8.3	10.9	19.2	153.8
		00 LST	26.0	25.1	29.6	13.6	1.0	7.0	7.4	29.0	28.0	22.0	28.0	29.9	246.6
		06 LST	22.4	23.1	26.0	24.1	23.5	23.6	25.7	27.2	27.6	22.4	21.1	22.9	289.8
		12 LST	18.8	15.5	23.7	18.8	15.1	13.2	13.6	11.6	11.7	7.5	11.4	18.7	179.6

# LIMON, COSTA RICA

STA NO. 78767/ (IN AREA NUMBER 03)

LATITUDE 0958N

LONGITUDE 08301W

ELEVATION(FT) 00007

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)	93	83	85	82	94	85	90	91	85	86	87	87	87	3	-35
MEAN PRESS ALT														0	0
MEAN PRECIP (IN)	12.80	7.20	7.20	10.60	11.90	10.40	17.30	12.10	5.60	8.30	11.90	19.60	134.9	15	-35
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN		26.4	10.0			15.1	22.0	16.1	8.5	12.9	18.0			15	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.0	4.0	6.0	8.0	7.0	3.0	2.0	0.0	2.0	33.0	3	-35
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	6.7	2.9	3.4	1.5	2.4	6.3	4.9	5.5	0.0	1.4	4.1	10.1	4.1	4	812
09-11 LST														0	0
12-14 LST	10.8	4.8	3.3	4.3	0.0	1.6	3.0	3.7	2.7	2.5	6.7	7.5	4.2	4	499
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	812
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	499
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# LIMON, COSTA RICA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST													0	0	
	00 LST													0	0	
	06 LST	10.6	28.0	30.4	30.0	31.0	28.6	30.0	29.3	30.0	31.0	29.2	29.6	357.7	4	812
	12 LST	31.0	27.3	30.5	29.3	31.0	30.0	31.0	29.8	30.0	30.2	30.0	30.2	360.3	4	499
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST													0	0	
	00 LST													0	0	
	06 LST	24.0	25.1	28.9	28.7	30.2	28.1	27.9	29.3	30.0	30.5	25.4	26.0	334.1	4	810
	12 LST	13.4	13.0	18.3	17.6	28.0	28.6	26.1	27.4	26.7	26.2	24.0	27.9	277.2	4	495
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST													0	0	
	00 LST													0	0	
	06 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	817
	12 LST	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	4	506
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST													0	0	
	00 LST													0	0	
	06 LST	11.7	6.5	9.6	8.0	10.0	8.7	5.3	10.3	9.4	8.0	7.9	8.4	105.8	4	785
	12 LST	23.4	11.9	19.8	22.0	18.4	18.8	24.6	17.9	27.5	20.2	17.8	15.5	237.8	4	493
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST													0	0	
	00 LST													0	0	
	06 LST	2.0	4.5	6.2	0.4	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.2	4	817
	12 LST	3.3	3.3	5.5	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.1	4	508
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST													0	0	
	00 LST													0	0	
	06 LST	22.6	22.7	26.2	25.1	26.9	27.2	20.8	23.1	26.6	27.0	23.0	23.3	294.5	4	812
	12 LST	23.4	24.0	27.4	24.8	27.3	27.6	24.4	22.9	27.5	28.7	23.0	20.9	301.9	4	499
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST													0	0	
	00 LST													0	0	
	06 LST	18.4	19.1	24.0	21.6	23.5	24.8	13.7	17.5	22.6	22.1	17.7	17.9	242.9	4	812
	12 LST	21.8	22.0	25.4	22.8	24.3	25.3	20.6	16.1	26.7	23.3	21.0	14.7	264.0	4	499
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST													0	0	
	00 LST													0	0	
	06 LST	18.4	19.1	24.0	21.6	23.5	24.8	13.7	17.5	22.6	22.1	17.7	17.9	242.9	4	812
	12 LST	21.8	22.0	25.4	22.8	24.3	25.3	20.6	16.1	26.7	23.3	21.0	14.7	264.0	4	499

### AREA NO. 03

COSTA RICA

NORTHEAST COAST  
 BOUNDARIES 1115N 08535W 1000N 08320W 1000N 08320W 0930N 08250W  
 LATITUDE 1025N LONGITUDE 08350W

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)													
MEAN MIN TMP (F)													
LARGEST MEAN PRECIP(IN)	12.80	7.20	7.20	10.60	11.90	10.40	17.30	12.10	5.60	8.30	11.90	19.60	134.9
SMALLEST MEAN PRECIP(IN)	12.80	7.20	7.20	10.60	11.90	10.40	17.30	12.10	5.60	8.30	11.90	19.60	134.9
	MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST												
	00 LST												
	06 LST	30.6	28.0	30.4	30.0	31.0	28.6	30.0	29.3	30.0	31.0	29.2	29.6 357.7
	12 LST	31.0	27.3	30.5	29.3	31.0	30.0	31.0	29.8	30.0	30.2	30.0	30.2 360.3
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST												
	00 LST												
	06 LST	24.0	25.1	28.9	28.7	30.2	28.1	27.9	29.3	30.0	30.5	25.4	26.0 334.1
	12 LST	13.4	13.0	18.3	17.6	28.0	28.6	26.1	27.4	26.7	26.2	24.0	27.9 277.2
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST												
	00 LST												
	06 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	12 LST	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.5
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST												
	00 LST												
	06 LST	11.7	8.5	9.6	8.0	10.0	8.7	5.3	10.3	9.4	8.0	7.9	8.4 105.8
	12 LST	23.4	11.9	19.8	22.0	18.4	18.8	24.6	17.9	27.5	20.2	17.8	15.5 237.8
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST												
	00 LST												
	06 LST	2.0	4.5	6.2	0.4	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0 14.2
	12 LST	3.3	3.3	5.5	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 14.1
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST												
	00 LST												
	06 LST	22.6	22.7	26.2	25.1	26.9	27.2	20.8	23.1	26.6	27.0	23.0	23.3 294.5
	12 LST	23.4	24.0	27.4	24.8	27.3	27.6	24.4	22.9	27.5	28.7	23.0	20.9 301.9
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	18 LST												
	00 LST												
	06 LST	18.4	19.1	24.0	21.6	23.5	24.8	13.7	17.5	22.6	22.1	17.7	17.9 242.9
	12 LST	21.8	22.0	25.4	22.8	24.3	25.3	20.6	16.1	26.7	23.3	21.0	14.7 264.0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST												
	00 LST												
	06 LST	18.4	19.1	24.0	21.6	23.5	24.8	13.7	17.5	22.6	22.1	17.7	17.9 242.9
	12 LST	21.8	22.0	25.4	22.8	24.3	25.3	20.6	16.1	26.7	23.3	21.0	14.7 264.0

## SAN SALVADOR, EL SALVADOR

STA NO. 78663 (IN AREA NUMBER 01)

LATITUDE 1340N

LONGITUDE 08905W

ELEVATION(FT) 02014

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	101	103	105	104	103	98	98	98	99	101	102	101	105	33	-28
MEAN MAX TMP (F)	90	92	94	93	91	87	89	89	89	87	87	89	90	39	-28
MEAN MIN TMP (F)	60	60	62	63	67	66	65	66	66	65	63	61	64	39	-28
ABS MIN TMP (F)	45	49	45	34	38	36	38	60	53	54	49	47	45	33	-28
MEAN NO DYS TMP = OR GTR 90(F)	15.9	20.1	27.4	24.2	19.2	6.1	12.6	12.6	12.1	6.4	6.1	12.6	175.3	39	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33	-29
MEAN DEW PT TMP (F)	60	60	62	63	69	68	68	68	70	67	62	61	65	37	-29
MEAN REL HUM (PCT)	63	62	62	65	73	78	75	76	80	77	68	66	70	33	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.30	0.20	0.40	1.70	7.70	12.90	11.50	11.70	12.10	9.50	1.60	0.40	70.0	39	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.4	1.5	1.3	4.0	10.1	16.7	15.7	15.9	18.3	14.8	3.2	1.4	104.3	39	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33	-29
MEAN NO DYS W/OCUH VSHY LES 1/2 MI														0	0
MEAN NO DYS TSMS	0.3	0.3	2.0	7.0	17.0	17.0	18.0	18.0	18.0	10.0	5.0	2.0	114.6	7	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	2.6	3.8	11.5	3.2	3.2	7.7	1.4	0.0	0.0	2.8	4	851
09-11 LST	0.0	0.0	0.0	1.3	2.6	9.3	1.6	4.0	9.7	5.0	1.0	0.0	2.9	4	-30
12-14 LST	0.0	0.0	0.0	0.0	1.4	7.0	0.0	4.8	11.7	10.9	2.1	0.0	3.2	4	899
15-17 LST	1.0	0.0	1.2	0.8	1.0	6.5	9.5	2.4	10.8	9.7	1.0	1.8	3.8	4	-30
18-20 LST	2.0	0.0	2.4	1.6	3.4	6.1	19.0	0.0	10.0	8.6	0.0	3.6	4.7	4	680
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	1.3	5.1	3.2	1.6	6.2	1.4	0.0	0.0	1.6	4	851
09-11 LST	0.0	0.0	0.0	0.0	0.7	2.7	1.6	2.0	3.9	0.7	0.0	0.0	1.0	4	-30
12-14 LST	0.0	0.0	0.0	0.0	0.0	1.4	0.0	2.4	1.7	0.0	0.0	0.0	0.5	4	899
15-17 LST	0.0	0.0	0.0	0.0	0.0	1.4	2.6	1.2	2.1	0.0	0.0	0.0	0.6	4	-30
18-20 LST	0.0	0.0	0.0	0.0	0.0	1.5	5.2	0.0	2.5	0.0	0.0	0.0	0.8	4	680
21-23 LST														0	0

# SAN SALVADOR, EL SALVADOR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	31.0	28.0	31.0	29.0	30.5	28.6	27.2	31.0	28.5	29.9	30.0	31.0	355.7	4	680
	00 LST														0	0
	06 LST	31.0	27.6	31.0	28.8	29.8	27.3	29.5	30.5	25.4	30.1	29.6	31.0	351.6	4	851
	12 LST	31.0	28.0	31.0	30.0	30.6	29.1	31.0	29.5	28.0	30.4	30.0	31.0	359.6	4	699
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	18 LST	14.9	10.3	8.6	9.4	18.9	22.7	17.1	28.0	20.3	18.5	18.1	16.1	202.9	4	678
	00 LST														0	0
	06 LST	10.1	14.6	24.2	24.0	28.7	25.3	24.0	25.0	23.5	25.1	14.1	14.8	253.4	4	845
	12 LST	13.6	13.2	12.8	15.5	22.4	22.8	27.8	25.8	23.5	18.6	15.0	20.3	231.3	4	694
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.8	0.8	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.5	0.0	2.1	5.9	4	733
	00 LST														0	0
	06 LST	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.9	4.8	4	884
	12 LST	2.8	0.4	0.8	1.3	0.8	0.0	0.0	0.0	0.0	1.9	1.7	0.8	10.5	4	765
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	22.1	17.1	20.1	19.1	19.2	18.8	16.0	20.0	18.8	16.9	20.6	19.7	228.4	4	727
	00 LST														0	0
	06 LST	21.6	19.0	16.6	17.7	17.5	17.4	22.8	23.6	14.8	19.2	20.1	19.1	229.4	4	878
	12 LST	20.8	18.6	18.9	16.3	22.9	18.2	21.9	24.0	14.7	18.6	19.8	22.1	236.8	4	751
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	26.2	17.3	21.0	14.5	2.4	1.3	1.0	0.0	0.0	5.8	13.3	16.0	118.8	4	715
	00 LST														0	0
	06 LST	29.5	18.5	19.1	11.4	4.2	3.7	4.4	5.6	0.8	4.1	16.7	22.9	140.9	4	874
	12 LST	28.7	20.1	19.4	15.5	2.6	2.0	3.2	5.9	0.5	6.7	17.6	21.9	144.1	4	749
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	30.4	28.0	29.9	28.1	29.4	28.2	21.9	31.0	27.0	25.6	29.4	29.9	338.8	4	680
	00 LST														0	0
	06 LST	31.0	27.2	31.0	28.8	29.5	26.1	29.5	30.0	24.5	30.1	29.6	31.0	348.3	4	851
	12 LST	31.0	28.0	30.5	28.6	28.0	25.4	30.2	29.5	24.5	25.9	29.4	31.0	342.0	4	699
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	30.4	28.0	29.1	27.6	26.8	27.7	19.7	30.0	26.3	25.1	28.7	28.7	328.1	4	680
	00 LST														0	0
	06 LST	31.0	27.2	31.0	28.4	29.5	25.0	29.0	30.0	23.5	29.2	29.6	31.0	344.4	4	851
	12 LST	31.0	27.5	27.9	27.7	26.3	24.1	30.2	28.8	22.5	24.8	28.7	30.5	330.0	4	699
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	30.4	28.0	28.7	27.6	26.8	27.7	19.7	30.0	26.3	25.1	28.7	28.2	327.2	4	680
	00 LST														0	0
	06 LST	31.0	27.2	31.0	28.0	29.0	25.0	29.0	30.0	23.5	29.2	29.6	31.0	343.5	4	851
	12 LST	31.0	27.0	27.9	27.7	26.3	24.1	30.2	28.8	22.5	24.8	28.7	30.5	329.5	4	699

# ILOPANGO, EL SALVADOR

STA NO. 78664/ (IN AREA NUMBER 01)

LATITUDE 1341N

LONGITUDE 08907W

ELEVATION(FT) 02021

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	101	103	105	104	103	98	98	98	99	101	102	101	105	33	-78663
MEAN MAX TMP (F)	90	92	94	93	91	87	89	89	89	87	87	89	90	39	-78663
MEAN MIN TMP (F)	60	60	62	65	67	66	65	66	66	65	63	61	64	39	-78663
ABS MIN TMP (F)	45	49	45	54	56	56	58	60	53	54	49	47	45	33	-78663
MEAN NO DYS TMP = OR GTR 90(F)	15.9	20.1	27.4	24.2	19.2	6.1	12.6	12.6	12.1	6.4	6.1	12.6	175.3	39	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33	-29
MEAN DEW PT TMP (F)	61	61	63	65	68	68	68	68	67	66	62	61	65	0	-50
MEAN REL HUM (PCT)	63	62	62	65	73	78	75	76	80	77	68	66	70	33	-78663
MEAN PRESS ALT (FT)	2011	2024	2081	2086	2110	2108	2068	2078	2122	2114	2067	2040	2076	0	-50
MEAN PRECIP (IN)	0.30	0.20	0.40	1.70	7.70	12.90	11.50	11.70	12.10	9.50	1.60	0.40	70.0	39	-78663
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.4	1.5	1.3	4.0	10.1	16.7	15.7	15.9	18.3	14.8	3.2	1.4	104.3	39	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.3	0.3	2.0	7.0	17.0	17.0	18.0	18.0	18.0	10.0	5.0	2.0	114.6	7	-78663
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	2.6	3.8	11.5	3.2	3.2	7.7	1.4	0.0	0.0	2.8	4	-78663
09-11 LST	0.0	0.0	0.0	1.3	2.6	9.3	1.6	4.0	9.7	5.0	1.0	0.0	2.9	4	-78663
12-14 LST	0.0	0.0	0.0	0.0	1.4	7.0	0.0	4.8	11.7	10.9	2.1	0.0	3.2	4	-78663
15-17 LST	1.0	0.0	1.2	0.8	1.0	6.5	9.5	2.4	10.8	9.7	1.0	1.8	3.8	4	-78663
18-20 LST	2.0	0.0	2.4	1.6	3.4	6.1	19.0	0.0	10.0	8.6	0.0	3.6	4.7	4	-78663
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	1.3	5.1	3.2	1.6	6.2	1.4	0.0	0.0	1.6	4	-78663
09-11 LST	0.0	0.0	0.0	0.0	0.7	2.7	1.6	2.0	3.9	0.7	0.0	0.0	1.0	4	-78663
12-14 LST	0.0	0.0	0.0	0.0	0.0	1.4	0.0	2.4	1.7	0.0	0.0	0.0	0.5	4	-78663
15-17 LST	0.0	0.0	0.0	0.0	0.0	1.4	2.6	1.2	2.1	0.0	0.0	0.0	0.6	4	-78663
18-20 LST	0.0	0.0	0.0	0.0	0.0	1.5	5.2	0.0	2.5	0.0	0.0	0.0	0.8	4	-78663
21-23 LST														0	0

# ILOPANGO, EL SALVADOR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	31.0	28.0	31.0	29.0	30.5	28.6	27.2	31.0	28.5	29.9	30.0	31.0	355.7	4 -78663
	00 LST													0	0
	06 LST	31.0	27.6	31.0	28.8	29.8	27.3	29.5	30.5	25.4	30.1	29.6	31.0	351.6	4 -78663
	12 LST	31.0	28.0	31.0	30.0	30.6	29.1	31.0	29.5	28.0	30.4	30.0	31.0	359.6	4 -78663
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	14.9	10.3	8.6	9.4	18.9	22.7	17.1	28.0	20.3	18.5	18.1	16.1	202.9	4 -78663
	00 LST													0	0
	06 LST	10.1	14.6	24.2	24.0	28.7	25.3	24.0	25.0	23.5	25.1	14.1	14.8	253.4	4 -78663
	12 LST	13.6	13.2	12.8	15.5	22.4	22.8	27.8	25.8	23.5	18.6	15.0	20.3	231.3	4 -78663
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.8	0.8	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.5	0.0	2.1	5.9	4 -78663
	00 LST													0	0
	06 LST	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.9	4.8	4 -78663
	12 LST	2.8	0.4	0.8	1.3	0.8	0.0	0.0	0.0	0.0	1.9	1.7	0.8	10.5	4 -78663
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	22.1	17.1	20.1	19.1	19.2	18.8	16.0	20.0	18.8	16.9	20.6	19.7	228.4	4 -78663
	00 LST													0	0
	06 LST	21.6	19.0	16.6	17.7	17.5	17.4	22.8	23.6	14.8	19.2	20.1	19.1	229.4	4 -78663
	12 LST	20.8	18.6	18.9	16.3	22.9	18.2	21.9	24.0	14.7	18.6	19.8	22.1	236.8	4 -78663
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	26.2	17.3	21.0	14.5	2.4	1.3	1.0	0.0	0.0	5.8	13.3	16.0	118.8	4 -78663
	00 LST													0	0
	06 LST	29.5	18.5	19.1	11.4	4.2	3.7	4.4	5.6	0.8	4.1	16.7	22.9	140.9	4 -78663
	12 LST	28.7	20.1	19.4	15.5	2.6	2.0	3.2	5.9	0.5	6.7	17.6	21.9	144.1	4 -78663
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	30.4	28.0	29.9	28.1	29.4	28.2	21.9	31.0	27.0	25.6	29.4	29.9	338.8	4 -78663
	00 LST													0	0
	06 LST	31.0	27.2	31.0	28.8	29.5	26.1	29.5	30.0	24.5	30.1	29.6	31.0	348.3	4 -78663
	12 LST	31.0	28.0	30.5	28.6	28.0	25.4	30.7	29.5	24.5	25.9	29.4	31.0	342.0	4 -78663
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	30.4	28.0	29.1	27.6	26.8	27.7	19.7	30.0	26.3	25.1	28.7	28.7	328.1	4 -78663
	00 LST													0	0
	06 LST	31.0	27.2	31.0	28.4	29.5	25.0	29.0	30.0	23.5	29.2	29.6	31.0	344.4	4 -78663
	12 LST	31.0	27.5	27.9	27.7	26.3	24.1	30.2	28.8	22.5	24.8	28.7	30.5	330.0	4 -78663
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	30.4	28.0	28.7	27.6	26.8	27.7	19.7	30.0	26.3	25.1	28.7	28.2	327.2	4 -78663
	00 LST													0	0
	06 LST	31.0	27.2	31.0	28.0	29.0	25.0	29.0	30.0	23.5	29.2	29.6	31.0	343.5	4 -78663
	12 LST	31.0	27.0	27.9	27.7	26.3	24.1	30.2	28.8	22.5	24.8	28.7	30.5	329.5	4 -78663

## AREA NO. 01

EL SALVADOR

MOUNTAINS

LATITUDE 1330N

LONGITUDE 08830W

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		90	92	94	93	91	87	89	89	89	87	87	89	90
MEAN MIN TMP (F)		60	60	62	65	67	66	65	66	66	65	63	61	64
LARGEST MEAN PRECIP(IN)		0.30	0.20	0.40	1.70	7.70	12.90	11.50	11.70	12.10	9.50	1.60	0.40	70.0
SMALLEST MEAN PRECIP(IN)		0.30	0.20	0.40	1.70	7.70	12.90	11.50	11.70	12.10	9.50	1.60	0.40	70.0
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	31.0	28.0	31.0	29.0	30.5	28.6	27.2	31.0	28.5	29.9	30.0	31.0	355.7
	00 LST													
	06 LST	31.0	27.6	31.0	28.8	29.8	27.3	29.5	30.5	25.4	30.1	29.6	31.0	351.6
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	12 LST	31.0	28.0	31.0	30.0	30.6	29.1	31.0	29.5	28.0	30.4	30.0	31.0	359.6
	18 LST	14.9	10.3	8.6	9.4	18.9	22.7	17.1	28.0	20.3	18.5	18.1	16.1	202.9
	00 LST													
06 LST	10.1	14.6	24.2	24.0	28.7	25.3	24.0	25.0	23.5	25.1	14.1	14.8	253.4	
SFC WND = GTR 17 KTS AND NO PRECIP.	12 LST	13.6	13.2	12.8	15.5	22.4	22.8	27.8	25.8	23.5	18.6	15.0	20.3	231.3
	18 LST	1.8	0.8	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.5	0.0	2.1	5.9
	00 LST													
06 LST	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.9	4.8	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	12 LST	2.8	0.4	0.8	1.3	0.8	0.0	0.0	0.0	0.0	1.9	1.7	0.8	10.5
	18 LST	22.1	17.1	20.1	19.1	19.2	18.8	16.0	20.0	18.8	16.9	20.6	19.7	228.4
	00 LST													
06 LST	21.6	19.0	16.6	17.7	17.5	17.4	22.8	23.6	14.8	19.2	20.1	19.1	229.4	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	12 LST	20.8	18.6	18.9	16.3	22.9	18.2	21.9	24.0	14.7	18.6	19.8	22.1	236.8
	18 LST	26.2	17.3	21.0	14.5	2.4	1.3	1.0	0.0	0.0	5.8	13.3	16.0	118.8
	00 LST													
06 LST	29.5	18.5	19.1	11.4	4.2	3.7	4.4	5.6	0.8	4.1	16.7	22.9	140.9	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	12 LST	28.7	20.1	19.4	15.5	2.6	2.0	3.2	5.9	0.5	6.7	17.6	21.9	144.1
	18 LST	30.4	28.0	29.9	28.1	29.4	28.2	21.9	31.0	27.0	25.6	29.4	29.9	338.8
	00 LST													
06 LST	31.0	27.2	31.0	28.8	29.5	26.1	29.5	30.0	24.5	30.1	29.6	31.0	348.3	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	12 LST	31.0	28.0	30.5	28.6	28.0	25.4	30.2	29.5	24.5	25.9	29.4	31.0	342.0
	18 LST	30.4	28.0	29.1	27.6	26.8	27.7	19.7	30.0	26.3	25.1	28.7	28.7	328.1
	00 LST													
06 LST	31.0	27.2	31.0	28.4	29.5	25.0	29.0	30.0	23.5	29.2	29.6	31.0	344.4	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	12 LST	31.0	27.5	27.9	27.7	26.3	24.1	30.2	28.8	22.5	24.8	28.7	30.5	330.0
	18 LST	30.4	28.0	28.7	27.6	26.8	27.7	19.7	30.0	26.3	25.1	28.7	28.2	327.2
	00 LST													
06 LST	31.0	27.2	31.0	28.0	29.6	25.0	29.0	30.0	23.5	29.2	29.6	31.0	343.5	
12 LST	31.0	27.0	27.9	27.7	26.3	24.1	30.2	28.8	22.5	24.8	28.7	30.5	329.5	

# LALIBERTAD, GUATEMALA

STA NO. 78635/ (IN AREA NUMBER 01)

LATITUDE 1647N

LONGITUDE 09006W

ELEVATION(FT) 00700

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 9000 FT A/O LES 3 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	8.8	11.5	7.1	0.0	0.0	3.4	0.0	0.0	7.1	16.7	16.7	17.6	7.4	4	302
15-17 LST														0	0
18-20 LST	0.0	4.8	13.3	0.0	0.0	4.0	0.0	0.0	0.0	0.0	0.0	14.3	3.0	3	160
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	302
15-17 LST														0	0
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	160
21-23 LST														0	0

# LALIBERTAD, GUATEMALA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	31.0	26.7	28.9	30.0	31.0	28.8	31.0	31.0	30.0	31.0	30.0	31.0	360.4	3	160
	00 LST														0	0
	06 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	12 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	29.3	30.0	30.1	362.4	4	302
	18 LST	29.0	26.7	26.8	27.7	31.0	28.8	27.9	31.0	30.0	31.0	30.0	26.6	346.5	3	160
	00 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST														0	0
	12 LST	22.8	20.4	27.7	30.0	29.8	29.0	31.0	31.0	27.8	24.1	23.3	21.0	317.9	4	301
	18 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	171
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	4	302
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.7	0.0	4.1	6.4	5.1	2.5	2.9	0.0	1.7	0.0	0.0	0.0	32.4	3	168
	00 LST														0	0
	06 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	12 LST	11.8	16.8	7.4	3.3	1.1	3.2	7.8	5.8	4.4	10.3	5.0	11.8	89.2	4	292
	18 LST	5.8	6.4	14.4	8.6	0.0	1.2	0.0	3.1	0.0	0.0	12.0	4.4	55.9	3	170
	00 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST														0	0
	12 LST	1.8	4.3	10.0	6.2	7.1	0.0	0.0	0.0	0.0	0.0	0.0	4.6	34.0	4	302
	18 LST	21.3	20.0	24.8	25.4	23.3	22.8	18.6	27.9	19.4	23.3	22.5	13.3	262.6	3	160
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	12.7	14.0	22.1	19.6	20.6	13.4	10.9	12.7	15.0	12.0	11.6	13.7	178.3	4	302
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	11.6	13.3	20.6	20.8	15.5	12.0	9.3	24.8	14.1	15.5	22.5	4.4	184.4	3	160
	00 LST														0	0
	06 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	12 LST	2.7	6.4	16.6	12.7	13.8	3.1	0.0	0.0	2.1	1.7	3.3	7.3	69.7	4	302
	18 LST	11.6	13.3	20.6	20.8	15.5	12.0	9.3	24.8	14.1	15.5	22.5	4.4	184.4	3	160
	00 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST														0	0
	12 LST	2.7	6.4	16.6	12.7	13.8	3.1	0.0	0.0	2.1	1.7	3.3	7.3	69.7	4	302

## AREA NO. 01

GUATEMALA

NORTHERN LOWLAND

LATITUDE 1700N

LONGITUDE 09000W

BOUNDARIES 1610N 09100W 1555N 08915W

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)														
MEAN MIN TMP (F)														
LARGEST MEAN PRECIP(IN)														
SMALLEST MEAN PRECIP(IN)														
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	31.0	26.7	28.9	30.0	31.0	28.8	31.0	31.0	30.0	31.0	30.0	31.0	360.4
	00 LST													
	06 LST													
	12 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	29.3	30.0	30.1	362.4
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	29.0	26.7	26.8	27.7	31.0	28.8	27.9	31.0	30.0	31.0	30.0	26.6	346.5
	00 LST													
	06 LST													
	12 LST	22.8	20.4	27.7	30.0	29.8	29.0	31.0	31.0	27.8	24.1	23.3	21.0	317.9
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	00 LST													
	06 LST													
	12 LST	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	9.7	0.0	4.1	6.4	5.1	2.5	2.9	0.0	1.7	0.0	0.0	0.0	32.4
	00 LST													
	06 LST													
	12 LST	11.8	16.8	7.4	3.8	1.1	3.2	7.8	5.8	4.4	10.3	5.0	11.8	89.2
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	5.8	6.4	14.4	8.6	0.0	1.2	0.0	3.1	0.0	0.0	12.0	4.4	55.9
	00 LST													
	06 LST													
	12 LST	1.8	4.3	10.0	6.2	7.1	0.0	0.0	0.0	0.0	0.0	0.0	4.6	34.0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	21.3	20.0	24.8	25.4	23.3	22.8	18.6	27.9	19.4	23.3	22.5	13.3	262.6
	00 LST													
	06 LST													
	12 LST	12.7	14.0	22.1	19.6	20.6	13.4	10.9	12.7	15.0	12.0	11.6	13.7	178.3
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	11.6	13.3	20.6	20.8	15.5	12.0	9.3	24.8	14.1	15.5	22.5	4.4	184.4
	00 LST													
	06 LST													
	12 LST	2.7	6.4	16.6	12.7	13.8	3.1	0.0	0.0	2.1	1.7	3.3	7.3	69.7
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	11.6	13.3	20.6	20.8	15.5	12.0	9.3	24.8	14.1	15.5	22.5	4.4	184.4
	00 LST													
	06 LST													
	12 LST	2.7	6.4	16.6	12.7	13.8	3.1	0.0	0.0	2.1	1.7	3.3	7.3	69.7

# GUATEMALA CITY, GUATEMALA

STA NO. 78641 (IN AREA NUMBER 02)

LATITUDE 1435N

LONGITUDE 09032W

ELEVATION(FT) 04885

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	80	82	84	85	87	82	83	86	81	80	81	81	88	4	1236
MEAN MAX TMP (F)	72	74	77	80	79	76	77	77	75	72	72	71	75	4	1236
MEAN MIN TMP (F)	52	53	55	58	60	59	59	59	59	57	55	54	57	4	1236
ABS MIN TMP (F)	43	47	48	51	52	55	55	53	55	49	49	41	41	4	1236
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1236
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1236
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1236
MEAN DEW PT TMP (F)	53	52	56	57	59	61	59	61	61	58	55	54	57	5	19182
MEAN REL HUM (PCT)	75	72	74	73	74	81	77	81	84	80	78	77	77	5	19176
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.08	0.01	0.67	0.79	4.49	10.02	11.03	8.96	10.36	4.11	0.57	0.59	51.7	6	1416
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.0	0.0	2.2	1.3	7.8	14.3	11.0	16.5	16.0	4.2	1.0	1.0	75.3	6	1416
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.6	5.5	2.5	4.5	0.2	4.3	1.9	3.0	5.3	2.9	2.6	5.3	41.6	5	1276
MEAN NO DYS TSMS	0.4	0.0	0.9	2.9	9.3	10.7	7.3	17.4	19.0	3.8	1.5	2.4	75.6	4	687
P FREQ WND SPD = OR GTR 17 KTS	16.8	15.8	9.1	8.0	4.3	2.2	3.1	0.5	1.1	7.4	8.9	17.0	7.9	5	25693
P FREQ WND SPD = OR GTR 28 KTS	1.2	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.0	0.3	5	25693
P FREQ LES 5000 FT A/O LES 5 MI	29.3	29.6	33.9	48.8	46.7	48.0	38.8	43.7	48.7	36.4	31.5	32.3	39.0	5	25685
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	33.8	28.7	23.3	24.4	26.3	42.2	18.1	19.5	35.6	32.4	23.3	33.9	28.5	5	2333
03-05 LST	39.7	31.7	39.5	41.9	33.4	32.8	23.9	22.9	31.3	24.5	17.9	33.1	31.1	5	3534
06-08 LST	31.4	27.9	23.6	32.3	18.4	22.7	15.0	21.4	26.5	73.5	19.7	24.0	24.0	9	5042
09-11 LST	5.4	2.0	2.9	4.7	1.1	7.3	2.7	5.9	11.9	6.5	0.8	4.0	4.6	5	4197
12-14 LST	0.9	0.0	1.1	1.2	2.0	5.5	2.4	2.0	9.2	5.0	0.2	1.3	2.6	9	4940
15-17 LST	0.3	0.4	1.1	4.9	3.8	8.7	4.0	4.0	16.4	5.9	2.1	0.3	4.3	5	4076
18-20 LST	1.1	2.2	4.1	9.3	5.5	9.2	3.9	4.1	23.1	10.5	5.0	4.5	6.9	8	3492
21-23 LST	10.9	8.2	12.2	13.9	13.1	19.4	10.6	11.8	26.7	17.8	13.9	14.1	14.4	4	2279
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	3.9	3.9	5.4	2.4	0.0	5.6	1.6	0.5	7.2	4.4	2.2	6.8	3.7	5	2333
03-05 LST	7.9	9.7	8.9	10.5	2.2	6.7	3.5	3.9	11.3	4.5	3.0	10.0	6.8	5	3534
06-08 LST	7.4	7.7	5.4	7.2	1.9	3.4	2.5	3.1	5.0	4.7	4.6	6.5	5.0	9	5042
09-11 LST	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.8	0.3	0.0	0.0	0.1	5	4197
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.5	0.2	0.2	1.2	0.2	0.0	0.0	0.2	9	4940
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.8	0.3	0.5	1.4	0.6	0.0	0.0	0.3	5	4076
18-20 LST	0.0	0.4	0.0	0.3	0.0	0.3	1.1	0.0	1.4	1.4	0.0	0.3	0.4	8	3492
21-23 LST	0.0	3.5	2.1	0.0	0.0	0.6	1.1	0.0	2.2	1.6	1.1	3.1	1.3	4	2279

# GUATEMALA CITY, GUATEMALA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	30.8	27.6	29.9	26.6	29.9	28.7	30.5	31.0	27.8	29.8	30.0	30.5	353.1	9	2115
	00 LST	26.2	24.1	26.9	23.5	26.8	24.5	31.0	29.5	25.0	28.5	27.5	24.7	318.2	5	820
	06 LST	21.9	19.9	21.8	17.5	24.8	22.8	26.8	24.6	22.3	23.2	24.1	24.1	273.8	9	2255
	12 LST	30.8	28.0	31.0	29.7	30.8	29.4	31.0	30.8	28.9	30.0	30.0	31.0	361.4	9	2147
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	8.8	6.7	7.7	8.9	13.9	15.4	15.2	21.5	17.8	14.8	10.5	9.6	150.8	9	2111
	00 LST	9.6	11.8	14.7	17.3	18.7	13.0	16.7	16.5	15.5	16.5	14.0	9.7	174.0	5	820
	06 LST	8.3	7.3	11.1	11.0	14.4	15.0	13.1	16.3	16.1	10.2	8.8	8.0	139.6	9	2251
	12 LST	5.7	6.2	5.9	8.5	10.4	10.7	9.5	14.3	12.7	9.7	7.1	6.9	107.6	9	2142
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	6.1	9.5	10.8	7.2	3.8	2.0	3.1	0.2	0.4	4.7	5.6	8.5	61.9	9	2079
	00 LST	3.7	3.5	1.2	0.6	0.0	0.0	0.5	0.0	0.0	0.0	1.5	2.4	13.4	5	808
	06 LST	4.2	2.4	1.9	1.6	0.4	0.3	1.3	0.7	0.0	2.1	3.3	2.5	20.7	9	2247
	12 LST	10.5	11.5	12.0	8.8	6.4	4.0	6.3	2.8	0.4	6.6	9.0	11.4	89.7	9	2138
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	12.6	8.8	9.7	11.9	14.2	13.4	12.9	15.3	13.9	12.5	10.7	9.8	145.7	9	1949
	00 LST	14.0	10.9	12.2	10.3	11.9	11.5	17.0	10.9	13.4	11.1	14.2	14.0	151.4	5	719
	06 LST	13.2	12.5	15.5	12.1	17.2	15.7	14.2	17.8	17.3	13.6	14.7	12.9	176.7	9	2140
	12 LST	8.2	6.7	8.3	11.9	13.2	11.4	13.1	17.2	16.1	10.7	9.8	7.3	133.9	9	2041
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	17.0	19.3	19.3	10.8	0.9	1.4	0.0	2.9	0.0	5.2	18.2	16.4	111.4	5	740
	00 LST	9.9	20.0	15.5	9.2	0.0									1	57
	06 LST	10.1	8.2	11.6	5.1	1.7	1.1	0.0	2.4	0.0	1.6	8.0	10.1	59.9	5	882
	12 LST	18.2	21.2	22.0	17.6	4.7	1.9	2.3	5.0	1.4	6.6	10.0	14.0	124.9	5	766
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	28.0	26.8	27.3	24.7	25.0	23.8	27.8	23.9	19.0	25.1	25.4	27.7	304.5	9	2115
	00 LST	17.7	19.2	22.8	19.2	16.1	11.5	18.7	14.5	14.5	15.0	18.5	15.5	203.2	5	820
	06 LST	17.0	15.4	18.6	14.3	19.8	19.4	22.4	20.6	17.7	19.1	19.5	19.9	223.7	9	2255
	12 LST	28.1	27.1	27.9	28.4	27.8	24.8	28.2	24.6	20.6	24.4	25.7	27.2	314.8	9	2147
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	26.6	24.9	26.1	21.8	21.5	21.2	24.0	19.8	18.4	22.8	24.0	26.3	277.4	9	2115
	00 LST	15.8	18.4	22.4	17.9	12.3	10.0	14.8	11.5	12.0	14.0	18.0	14.0	181.1	5	820
	06 LST	16.4	14.8	17.6	13.7	18.2	18.5	20.8	19.4	16.6	18.0	18.3	18.8	211.1	9	2255
	12 LST	25.0	23.4	22.3	24.0	20.8	18.6	22.0	15.9	16.7	21.7	21.6	24.4	256.4	9	2147
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	26.4	24.4	24.6	20.8	19.7	18.6	22.5	17.6	16.8	22.3	23.5	25.8	263.0	9	2115
	00 LST	15.8	18.4	22.4	17.0	11.0	9.0	13.3	11.0	9.0	12.5	17.5	13.1	170.0	5	820
	06 LST	16.0	14.8	17.3	12.8	17.7	17.0	19.1	18.7	15.0	16.9	17.6	18.1	201.0	9	2255
	12 LST	25.0	23.3	22.3	24.0	20.3	17.6	21.5	15.7	16.2	21.2	21.1	24.2	252.4	9	2147

# LA AURORA, GUATEMALA

STA NO. 78642/ (IN AREA NUMBER 02)

LATITUDE 1434N

LONGITUDE 09031W

ELEVATION(FT) 04958

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	80	82	84	85	87	82	83	88	81	80	81	81	88	4	-78641
MEAN MAX TMP (F)	72	74	77	80	79	76	77	77	75	72	72	71	75	4	-78641
MEAN MIN TMP (F)	52	53	55	58	60	59	59	59	59	57	55	54	57	4	-78641
ABS MIN TMP (F)	43	47	48	51	52	55	55	53	55	49	49	41	41	4	-78641
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-78641
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-78641
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-78641
MEAN DEW PT TMP (F)	53	52	56	57	59	61	59	61	61	58	55	54	57	5	-78641
MEAN REL HUM (PCT)	75	72	74	73	74	81	77	81	84	80	78	77	77	5	-78641
MEAN PRESS ALT (FT)	4944	4963	5016	5025	5050	5047	5005	5017	5058	5044	4996	4969	5011	0	-50
MEAN PRECIP (IN)	0.08	0.01	0.67	0.79	4.49	10.02	11.03	8.96	10.36	4.11	0.57	0.59	51.7	6	-78641
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.0	0.0	2.2	1.3	7.8	14.3	11.0	16.5	16.0	4.2	1.0	1.0	75.3	6	-78641
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.6	5.5	2.5	4.5	0.2	4.3	1.9	3.0	5.3	2.9	2.6	5.3	41.6	5	-78641
MEAN NO DYS TSTMS	0.4	0.0	0.9	2.9	9.3	10.7	7.3	17.4	19.0	3.8	1.5	2.4	75.6	4	-78641
P FREQ WND SPD = OR GTR 17 KTS	16.8	15.8	9.1	8.0	4.3	2.2	3.1	0.5	1.1	7.4	8.9	17.0	7.9	5	-78641
P FREQ WND SPD = OR GTR 28 KTS	1.2	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.0	0.3	5	-78641
P FREQ LES 5000 FT A/O LES 5 MI	29.3	29.6	33.9	48.8	46.7	48.0	38.8	43.7	48.7	36.4	31.5	32.3	39.0	5	-78641
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	33.8	28.7	23.3	24.4	26.3	42.2	18.1	19.5	35.6	32.4	23.3	33.9	28.5	5	-78641
03-05 LST	39.7	31.7	39.5	41.9	33.4	32.8	23.9	22.9	31.3	24.5	17.9	33.1	31.1	5	-78641
06-08 LST	31.4	27.9	23.6	32.3	18.4	22.7	15.0	21.4	26.5	25.5	19.7	24.0	24.0	9	-78641
09-11 LST	5.4	2.0	2.9	4.7	1.1	7.3	2.7	5.9	11.9	6.5	0.8	4.0	4.6	5	-78641
12-14 LST	0.9	0.0	1.1	1.2	2.0	5.5	2.4	2.0	9.2	5.0	0.2	1.3	2.6	9	-78641
15-17 LST	0.3	0.4	1.1	4.9	3.8	8.7	4.0	4.0	16.4	5.9	2.1	0.3	4.3	5	-78641
18-20 LST	1.1	2.2	4.1	9.3	5.5	9.2	3.9	4.1	23.1	10.5	5.0	4.5	6.9	8	-78641
21-23 LST	10.9	8.2	12.2	13.9	13.1	19.4	10.6	11.8	26.7	17.8	13.9	14.1	14.4	4	-78641
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	3.9	3.9	5.4	2.4	0.0	5.6	1.6	0.5	7.2	4.4	2.2	6.8	3.7	5	-78641
03-05 LST	7.9	9.7	8.9	10.5	2.2	6.7	3.5	3.9	11.3	4.5	3.0	10.0	6.8	5	-78641
06-08 LST	7.4	7.7	5.4	7.2	1.9	3.4	2.5	3.1	5.0	4.7	4.6	6.5	5.0	9	-78641
09-11 LST	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.8	0.3	0.0	0.0	0.1	5	-78641
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.5	0.2	0.2	1.2	0.2	0.0	0.0	0.2	9	-78641
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.8	0.3	0.5	1.4	0.6	0.0	0.0	0.3	5	-78641
18-20 LST	0.0	0.4	0.0	0.3	0.0	0.3	1.1	0.0	1.4	1.4	0.0	0.3	0.4	8	-78641
21-23 LST	0.0	3.5	2.1	0.0	0.0	0.6	1.1	0.0	2.2	1.6	1.1	3.1	1.3	4	-78641

## LA AURORA, GUATEMALA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	30.8	27.6	29.9	26.6	29.9	28.7	30.5	31.0	27.8	29.8	30.0	30.5	353.1	9	-78641
	00 LST	26.2	24.1	26.9	23.5	26.8	24.5	31.0	29.5	25.0	28.5	27.5	24.7	318.2	5	-78641
	06 LST	21.9	19.9	21.8	17.5	24.8	22.8	26.8	24.6	22.3	23.2	24.1	24.1	273.8	9	-78641
	12 LST	30.8	28.0	31.0	29.7	30.8	29.4	31.0	30.8	28.9	30.0	30.0	31.0	361.4	9	-78641
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	8.8	6.7	7.7	8.9	13.9	15.4	15.2	21.5	17.8	14.8	10.5	9.6	150.8	9	-78641
	00 LST	9.6	11.8	14.7	17.3	18.7	13.0	16.7	16.5	15.5	16.5	14.0	9.7	174.0	5	-78641
	06 LST	8.3	7.3	11.1	11.0	14.4	15.0	13.1	16.3	16.1	10.2	8.8	8.0	139.6	9	-78641
	12 LST	5.7	6.2	5.9	8.5	10.4	10.7	9.5	14.3	12.7	9.7	7.1	6.9	107.6	9	-78641
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	6.1	9.5	10.8	7.2	3.8	2.0	3.1	0.2	0.4	4.7	5.6	8.5	61.9	9	-78641
	00 LST	3.7	3.5	1.2	0.6	0.0	0.0	0.5	0.0	0.0	0.0	1.5	2.4	13.4	5	-78641
	06 LST	4.2	2.4	1.9	1.6	0.4	0.3	1.3	0.7	0.0	2.1	3.3	2.5	20.7	9	-78641
	12 LST	10.5	11.5	12.0	8.8	6.4	4.0	6.3	2.8	0.4	6.6	9.0	11.4	89.7	9	-78641
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	12.6	8.8	9.7	11.9	14.2	13.4	12.9	15.3	13.9	12.5	10.7	9.8	145.7	9	-78641
	00 LST	14.0	10.9	12.2	10.3	11.9	11.5	17.0	10.9	13.4	11.1	14.2	14.0	151.4	5	-78641
	06 LST	13.2	12.5	15.5	12.1	17.2	15.7	14.2	17.8	17.3	13.6	14.7	12.9	176.7	9	-78641
	12 LST	8.2	6.7	8.3	11.9	13.2	11.4	13.1	17.2	16.1	10.7	9.8	7.3	133.9	9	-78641
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	17.0	19.3	19.3	10.8	0.9	1.4	0.0	2.9	0.0	5.2	18.2	16.4	111.4	5	-78641
	00 LST	9.9	20.0	15.5	9.2	0.0									1	-78641
	06 LST	10.1	8.2	11.6	5.1	1.7	1.1	0.0	2.4	0.0	1.6	8.0	10.1	59.9	5	-78641
	12 LST	18.2	21.2	22.0	17.6	4.7	1.9	2.3	5.0	1.4	6.6	10.0	14.0	124.9	5	-78641
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	28.0	26.8	27.3	24.7	25.0	23.8	27.8	23.9	19.0	25.1	25.4	27.7	304.5	9	-78641
	00 LST	17.7	19.2	22.8	19.2	16.1	11.5	18.7	14.5	14.5	15.0	18.5	15.5	203.2	5	-78641
	06 LST	17.0	15.4	18.6	14.3	19.8	19.4	22.4	20.6	17.7	19.1	19.5	19.9	223.7	9	-78641
	12 LST	28.1	27.1	27.9	28.4	27.8	24.8	28.2	24.6	20.6	24.4	25.7	27.2	314.8	9	-78641
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	26.6	24.9	26.1	21.8	21.5	21.2	24.0	19.8	18.4	22.8	24.0	26.3	277.4	9	-78641
	00 LST	15.8	18.4	22.4	17.9	12.3	10.0	14.8	11.5	12.0	14.0	18.0	14.0	181.1	5	-78641
	06 LST	16.4	14.8	17.6	13.7	14.2	18.5	20.8	19.4	16.6	18.0	18.3	18.8	211.1	9	-78641
	12 LST	25.0	23.4	22.3	24.0	20.8	18.6	22.0	15.9	16.7	21.7	21.6	24.4	256.4	9	-78641
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	26.4	24.4	24.6	20.8	19.7	18.6	22.5	17.6	16.8	22.3	23.5	25.8	263.0	9	-78641
	00 LST	15.8	18.4	22.4	17.0	11.0	9.0	13.3	11.0	9.0	12.5	17.5	13.1	170.0	5	-78641
	06 LST	16.0	14.8	17.3	12.8	17.7	17.0	19.1	18.7	15.0	16.9	17.6	18.1	201.0	9	-78641
	12 LST	25.0	23.3	22.3	24.0	20.3	17.6	21.5	15.7	16.2	21.2	21.1	24.2	252.4	9	-78641

## AREA NO. 02

GUATEMALA	INTERIOR MTNS		LATITUDE 1500N				LONGITUDE 09030W							
	BOUNDARIES		1610N 09100W	1555N 08915W	1500N 09210W	1400N 08955W								
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	72	74	77	80	79	76	77	77	75	72	72	71	75	
MEAN MIN TMP (F)	52	53	55	58	60	59	59	59	59	57	55	54	57	
LARGEST MEAN PRECIP(IN)	0.08	0.01	0.67	0.79	4.49	10.02	11.03	8.96	10.36	4.11	0.57	0.59	51.7	
SMALLEST MEAN PRECIP(IN)	0.08	0.01	0.67	0.79	4.49	10.02	11.03	8.96	10.36	4.11	0.57	0.59	51.7	
MEAN NUMBER OF DAYS														
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	30.8	27.6	29.9	26.6	29.9	28.7	30.5	31.0	27.8	29.8	30.0	30.5	353.1
	00 LST	26.2	24.1	26.9	23.5	26.8	24.5	31.0	29.5	25.0	28.5	27.5	24.7	318.2
	06 LST	21.9	19.9	21.8	17.5	24.8	22.8	26.8	24.6	22.3	23.2	24.1	24.1	273.8
	12 LST	30.8	28.0	31.0	29.7	30.8	29.4	31.0	30.8	28.9	30.0	30.0	31.0	361.4
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	18 LST	8.8	6.7	7.7	8.9	13.9	15.4	15.2	21.5	17.8	14.8	10.5	9.6	150.8
	00 LST	9.6	11.8	14.7	17.3	18.7	13.0	16.7	16.5	15.5	16.5	14.0	9.7	174.0
	06 LST	8.3	7.3	11.1	11.0	14.4	15.0	13.1	16.3	16.1	10.2	8.8	8.0	139.6
	12 LST	5.7	6.2	5.9	8.5	10.4	10.7	9.5	14.3	12.7	9.7	7.1	6.9	107.6
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	6.1	9.5	10.8	7.2	3.8	2.0	3.1	0.2	0.4	4.7	5.6	8.5	61.9
	00 LST	3.7	3.5	1.2	0.6	0.0	0.0	0.5	0.0	0.0	0.0	1.5	2.4	13.4
	06 LST	4.2	2.4	1.9	1.6	0.4	0.3	1.3	0.7	0.0	2.1	3.3	2.5	20.7
	12 LST	10.5	11.5	12.0	8.8	6.4	4.0	6.3	2.8	0.4	6.6	9.0	11.4	89.7
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	12.6	8.8	9.7	11.9	14.2	13.4	12.9	15.3	13.9	12.5	10.7	9.8	145.7
	00 LST	14.0	10.9	12.2	10.3	11.9	11.5	17.0	10.9	13.4	11.1	14.2	14.0	151.4
	06 LST	13.2	12.5	15.5	12.1	17.2	15.7	14.7	17.8	17.3	13.6	14.7	12.9	176.7
	12 LST	8.2	6.7	8.3	11.9	13.2	11.4	13.1	17.2	16.1	10.7	9.8	7.3	133.9
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	17.0	19.3	19.3	10.8	0.9	1.4	0.0	2.9	0.0	5.2	18.2	16.4	111.4
	00 LST	9.9	20.0	15.5	9.2	0.0								
	06 LST	10.1	8.2	11.6	5.1	1.7	1.1	0.0	2.4	0.0	1.6	8.0	10.1	59.9
	12 LST	18.2	21.2	22.0	17.6	4.7	1.9	2.3	5.0	1.4	6.6	10.0	14.0	124.9
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	28.0	26.8	27.3	24.7	25.0	23.8	27.8	23.9	19.0	25.1	25.4	27.7	304.5
	00 LST	17.7	19.2	22.8	19.2	16.1	11.5	18.7	14.5	14.5	15.0	18.5	15.5	203.2
	06 LST	17.0	15.4	18.6	14.3	19.6	19.4	22.4	20.6	17.7	19.1	19.5	19.9	223.7
	12 LST	28.1	27.1	27.9	28.4	27.6	24.8	28.2	24.6	20.6	24.4	25.7	27.2	314.8
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	26.6	24.9	26.1	21.8	21.5	21.2	24.0	19.8	18.4	22.8	24.0	26.3	277.4
	00 LST	15.8	18.4	22.4	17.9	12.3	10.0	14.8	11.5	12.0	14.0	18.0	14.0	181.1
	06 LST	16.4	14.8	17.6	13.7	18.2	18.5	20.8	19.4	16.6	18.0	18.3	18.8	211.1
	12 LST	25.0	23.4	22.3	24.0	20.8	18.4	22.0	15.9	16.7	21.7	21.6	24.4	256.4
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	26.4	24.4	24.6	20.8	19.7	18.6	22.5	17.6	16.8	22.3	23.5	25.8	263.0
	00 LST	15.8	18.4	22.4	17.0	11.0	9.0	13.3	11.0	9.0	12.5	17.5	13.1	170.0
	06 LST	16.0	14.8	17.3	12.8	17.7	17.0	19.1	13.7	15.0	16.9	17.6	18.1	201.0
	12 LST	25.0	23.3	22.3	24.0	20.3	17.6	21.5	15.7	16.2	21.2	21.1	24.2	252.4

# RETALHULEU, GUATEMALA

STA NO. 78645/ (IN AREA NUMBER 03)

LATITUDE 1431N

LONGITUDE 09141W

ELEVATION(FT) 00689

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	80	82	84	85	87	82	83	88	81	80	81	81	88	4	-78641
MEAN MAX TMP (F)	72	74	77	80	79	76	77	77	75	72	72	71	75	4	-78641
MEAN MIN TMP (F)	52	53	55	58	60	59	59	59	59	57	55	54	57	4	-78641
ABS MIN TMP (F)	43	47	48	51	52	55	55	53	55	49	49	41	41	4	-78641
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-78641
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-78641
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-78641
MEAN DEW PT TMP (F)	53	52	56	57	59	61	59	61	61	58	55	54	57	5	-78641
MEAN REL HUM (PCT)	75	72	74	73	74	81	77	81	84	80	78	77	77	0	-50
MEAN PRESS ALT (FT)	675	695	750	757	781	779	736	750	788	771	728	700	743	0	-50
MEAN PRECIP (IN)	0.0R	0.01	0.67	0.79	4.49	10.02	11.03	8.96	10.36	4.11	0.57	0.59	51.7	6	-78641
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.0	0.0	2.2	1.3	7.8	14.3	11.0	16.5	16.0	4.2	1.0	1.0	75.3	6	-78641
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.6	5.5	2.5	4.5	0.2	4.3	1.9	3.0	5.3	2.9	2.6	5.3	41.6	5	-78641
MEAN NO DYS TSTMS	0.4	0.0	0.9	2.9	9.3	10.7	7.3	17.4	19.0	3.8	1.5	2.4	75.6	4	-78641
P FREQ WND SPD = OR GTR 17 KTS	16.8	15.8	9.1	8.0	4.3	2.2	3.1	0.5	1.1	7.4	8.9	17.0	7.9	5	-78641
P FREQ WND SPD = OR GTR 28 KTS	1.2	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.0	0.3	5	-78641
P FREQ LES 5000 FT A/O LES 5 MI	29.3	29.6	33.9	48.8	46.7	48.0	38.8	43.7	48.7	36.4	31.5	32.3	39.0	5	-78641
P FREQ LES 1500 FT A/O LES 3 MI														5	-78641
FOR 00-02 LST	33.8	28.7	23.3	24.4	26.3	42.2	18.1	19.5	35.6	32.4	23.3	33.9	28.5	5	-78641
03-05 LST	39.7	31.7	39.5	41.9	33.4	32.8	23.9	22.9	31.3	24.5	17.9	33.1	31.1	5	-78641
06-08 LST	31.4	27.9	23.6	32.3	18.4	22.7	15.0	21.4	26.5	25.5	19.7	24.0	24.0	9	-78641
09-11 LST	5.4	2.0	2.9	4.7	1.1	7.3	2.7	5.9	11.9	6.5	0.8	4.0	4.6	9	-78641
12-14 LST	0.9	0.0	1.1	1.2	2.0	5.5	2.4	2.0	9.2	5.0	0.2	1.3	2.6	9	-78641
15-17 LST	0.3	0.4	1.1	4.9	3.8	8.7	4.0	4.0	16.4	5.9	2.1	0.3	4.3	5	-78641
18-20 LST	1.1	2.2	4.1	9.3	5.5	9.2	3.9	4.1	23.1	10.5	5.0	4.5	6.9	8	-78641
21-23 LST	10.9	8.2	12.2	13.9	13.1	19.4	10.6	11.8	26.7	17.8	13.9	14.1	14.4	4	-78641
P FREQ LES 300 FT A/O LES 1 MI														5	-78641
FOR 00-02 LST	3.9	3.9	5.4	2.4	0.0	5.6	1.6	0.5	7.2	4.4	2.2	6.8	3.7	5	-78641
03-05 LST	7.9	9.7	8.9	10.5	2.2	6.7	3.5	3.9	11.3	4.5	3.0	10.0	6.8	5	-78641
06-08 LST	7.4	7.7	5.4	7.2	1.9	3.4	2.5	3.1	5.0	4.7	4.6	6.5	5.0	9	-78641
09-11 LST	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.8	0.3	0.0	0.0	0.1	5	-78641
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.5	0.2	0.2	1.2	0.2	0.0	0.0	0.2	9	-78641
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.8	0.3	0.5	1.4	0.6	0.0	0.0	0.3	5	-78641
18-20 LST	0.0	0.4	0.0	0.3	0.0	0.3	1.1	0.0	1.4	1.4	0.0	0.3	0.4	8	-78641
21-23 LST	0.0	3.5	2.1	0.0	0.0	0.6	1.1	0.0	2.2	1.6	1.1	3.1	1.3	4	-78641

# RETALHULEU, GUATEMALA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	30.8	27.6	29.9	26.6	29.9	28.7	30.5	31.0	27.8	29.8	30.0	30.5	353.1	9	-78641
	00 LST	26.2	24.1	26.9	23.5	26.8	24.5	31.0	29.5	25.0	28.5	27.5	24.7	318.2	5	-78641
	06 LST	21.9	19.9	21.8	17.5	24.8	22.8	26.8	24.6	22.3	23.2	24.1	24.1	273.8	9	-78641
	12 LST	30.8	28.0	31.0	29.7	30.8	29.4	31.0	30.8	28.9	30.0	30.0	31.0	361.4	9	-78641
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	8.8	6.7	7.7	8.9	13.9	15.4	15.2	21.5	17.8	14.8	10.5	9.6	150.6	9	-78641
	00 LST	9.6	11.8	14.7	17.3	18.7	13.0	16.7	16.5	15.5	16.5	14.0	9.7	174.0	5	-78641
	06 LST	8.3	7.3	11.1	11.0	14.4	15.0	13.1	16.3	16.1	10.2	8.8	8.0	139.6	9	-78641
	12 LST	5.7	6.2	5.9	8.5	10.4	10.7	9.5	14.3	12.7	9.7	7.1	6.9	107.6	9	-78641
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	6.1	9.5	10.8	7.2	3.6	2.0	3.1	0.2	0.4	4.7	5.6	8.5	61.9	9	-78641
	00 LST	3.7	3.5	1.2	0.6	0.0	0.0	0.5	0.0	0.0	0.0	1.5	2.4	13.4	5	-78641
	06 LST	4.2	2.4	1.9	1.6	0.4	0.3	1.3	0.7	0.0	2.1	3.3	2.5	20.7	9	-78641
	12 LST	10.5	11.5	12.0	8.8	6.4	4.0	6.3	2.8	0.4	6.6	9.0	11.4	89.7	9	-78641
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	12.6	8.8	9.7	11.9	14.2	13.4	12.9	15.3	13.9	12.5	10.7	9.8	145.7	9	-78641
	00 LST	14.0	10.9	12.2	10.3	11.9	11.5	17.0	10.9	13.4	11.1	14.2	14.0	151.4	5	-78641
	06 LST	13.2	12.5	15.5	12.1	17.2	15.7	14.2	17.8	17.3	13.6	14.7	12.9	176.7	9	-78641
	12 LST	8.2	6.7	8.3	11.9	13.2	11.4	13.1	17.2	16.1	10.7	9.8	7.3	133.9	9	-78641
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	17.0	19.3	19.3	10.8	0.9	1.4	0.0	2.9	0.0	5.2	18.2	16.1	111.4	5	-78641
	00 LST	9.9	20.0	15.5	9.2	0.0									1	-78641
	06 LST	10.1	8.2	11.6	5.1	1.7	1.1	0.0	2.4	0.0	1.6	8.0	10.1	59.9	5	-78641
	12 LST	18.2	21.2	22.0	17.6	4.7	1.9	2.3	5.0	1.4	6.6	10.0	14.0	124.9	5	-78641
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	28.0	26.8	27.3	24.7	25.0	23.8	27.8	23.9	19.0	25.1	25.4	27.7	304.5	9	-78641
	00 LST	17.7	19.2	22.8	19.2	16.1	11.5	18.7	14.5	14.5	15.0	18.5	15.5	203.2	5	-78641
	06 LST	17.9	15.4	18.6	14.3	19.8	19.4	22.4	20.6	17.7	19.1	19.5	19.9	223.7	9	-78641
	12 LST	28.1	27.1	27.9	28.4	27.8	24.8	28.2	24.6	20.6	24.4	25.7	27.2	314.8	9	-78641
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	26.6	24.9	26.1	21.8	21.5	21.2	24.0	19.8	18.4	22.8	24.0	26.3	277.4	9	-78641
	00 LST	15.8	18.4	22.4	17.9	12.3	10.0	14.8	11.5	12.0	14.0	18.0	14.0	181.1	5	-78641
	06 LST	16.4	14.8	17.6	13.7	18.2	18.5	20.8	19.4	16.6	18.0	18.3	18.8	211.1	9	-78641
	12 LST	25.0	23.4	22.3	24.0	20.8	18.4	22.0	15.9	16.7	21.7	21.6	24.4	256.4	9	-78641
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	26.4	24.4	24.6	20.8	19.7	18.6	22.5	17.6	16.8	22.3	23.5	25.8	263.0	9	-78641
	00 LST	15.8	18.4	22.4	17.0	11.0	9.0	13.3	11.0	9.0	12.5	17.5	13.1	170.0	5	-78641
	06 LST	16.0	14.8	17.3	12.8	17.7	17.0	19.1	18.7	15.0	16.9	17.6	18.1	201.0	9	-78641
	12 LST	25.0	23.3	22.3	24.0	20.3	17.6	21.5	15.7	16.2	21.2	21.1	24.2	252.4	9	-78641

## AREA NO. 03

GUATEMALA

PACIFIC LOWLANDS

LATITUDE 1430N

LONGITUDE 09130W

BOUNDARIES 1500N 09210W 1400N 08455W

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)													
MEAN MIN TMP (F)													
LARGEST MEAN PRECIP(IN)													
SMALLEST MEAN PRECIP(IN)													
	MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST												
	06 LST												
	12 LST												
	18 LST												
CIG =GTR 2000 FT AND VSBY =GTR 3 MI w/SFC WND LES 10 KTS	00 LST												
	06 LST												
	12 LST												
	18 LST												
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST												
	06 LST												
	12 LST												
	18 LST												
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST												
	06 LST												
	12 LST												
	18 LST												
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST												
	06 LST												
	12 LST												
	18 LST												
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST												
	06 LST												
	12 LST												
	18 LST												
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST												
	06 LST												
	12 LST												
	18 LST												
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST												
	06 LST												
	12 LST												
	18 LST												

DATA NOT AVAILABLE

# TELA, HONDURAS

STA NO. 76706 (IN AREA NUMBER 01)

LATITUDE 1546N

LONGITUDE 0872W

ELEVATION(FT) 00041

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	87	93	92	96	94	93	91	92	92	93	92	88	96	4	1426
MEAN MAX TMP (F)	82	82	85	87	88	89	88	88	90	86	84	82	86	4	1426
MEAN MIN TMP (F)	67	67	69	72	74	74	73	73	74	71	70	68	71	4	1426
ABS MIN TMP (F)	60	58	63	66	66	62	70	68	71	60	64	60	58	4	1426
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.3	1.0	3.3	7.6	8.3	2.3	2.8	18.1	4.1	0.8	0.0	48.8	4	1426
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1426
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1426
MEAN DEW PT TMP (F)	68	68	70	74	75	75	75	75	75	73	71	71	73	4	1528
MEAN REL HUM (PCT)	84	83	81	83	83	83	83	84	83	85	86	87	84	4	1492
MEAN PRESS ALT (FT)														4	0
MEAN PRECIP (IN)	15.12	11.47	11.37	30.86	24.31	7.46	15.86	17.25	17.77	33.63	25.66	24.81	235.6	4	489
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	25.0	19.7	24.1	18.0	24.5	14.1	20.9	21.3	18.8	22.8	23.8	23.6	256.6	4	489
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	4	385
MEAN NO DYS TSTMS	0.9	1.1	0.0	1.4	1.4	7.5	12.2	13.8	12.2	3.9	0.0	1.1	55.5	4	385
P FREQ WND SPD = OR GTR 17 KTS	0.8	4.2	4.8	0.0	1.1	0.0	0.0	0.0	0.7	0.6	3.7	2.7	1.6	4	1524
P FREQ WND SPD = OR GTR 28 KTS	0.0	1.0	1.2	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.6	0.9	0.4	4	1524
P FREQ LES 5000 FT A/O LES 5 MI	13.6	17.9	8.3	4.8	6.6	9.3	11.0	10.7	15.5	28.2	18.1	22.3	13.9	4	1508
P FREQ LES 1500 FT A/O LES 3 MI														4	863
FOR 00-02 LST	6.3	4.8	5.7	6.5	8.5	13.3	12.6	13.3	8.3	13.8	20.5	14.3	10.7	4	863
03-05 LST														0	0
06-08 LST	4.4	2.3	2.2	1.9	1.0	1.0	0.0	0.0	1.0	7.5	6.9	5.9	2.8	4	1167
09-11 LST														0	0
12-14 LST	2.5	1.5	0.0	0.0	2.6	0.0	0.0	0.0	1.2	6.6	4.7	9.6	2.4	4	939
15-17 LST														0	0
18-20 LST	3.2	1.4	3.4	0.0	2.4	5.3	8.7	3.2	3.2	10.1	6.2	12.8	5.0	4	1052
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														4	863
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	3.8	5.1	0.0	1.0	4	863
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1167
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	939
15-17 LST														0	0
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1052
21-23 LST														0	0

# TELA, HONDURAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	18 LST	31.0	28.0	30.6	30.0	31.0	29.7	30.3	30.7	29.0	29.2	28.4	29.0	356.9	4	1052
	00 LST	24.3	22.7	23.9	20.8	20.0	19.0	24.6	24.6	24.6	24.0	19.6	23.9	272.0	4	863
	06 LST	30.7	28.0	30.7	28.5	30.3	29.7	31.0	31.0	30.0	29.8	28.5	30.1	358.3	4	1167
	12 LST	31.0	27.6	31.0	29.6	30.6	30.0	31.0	31.0	30.0	29.6	29.3	29.3	360.0	4	939
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LES 10 KTS	18 LST	28.3	26.8	28.1	25.1	26.8	27.2	24.9	28.4	29.0	26.1	26.9	25.0	322.6	4	1049
	00 LST	23.9	22.2	22.1	19.7	20.0	17.5	23.5	24.6	24.6	24.0	18.1	23.0	263.2	4	862
	06 LST	28.6	26.3	29.3	28.2	30.3	29.1	31.0	31.0	29.4	28.1	26.2	27.0	344.5	4	1164
	12 LST	20.8	16.9	18.6	18.0	20.8	19.7	17.7	14.7	19.1	21.5	20.7	17.0	225.5	4	938
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	18 LST	0.0	0.0	0.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.3	0.0	1.1	4	1055
	00 LST	0.0	0.4	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.0	2.1	4	870
	06 LST	0.7	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	1.6	4	1171
	12 LST	0.0	0.8	1.2	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.0	2.6	4	949
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	5.7	7.8	14.3	13.3	14.4	11.0	8.8	7.5	3.5	5.1	3.1	6.5	101.0	4	1053
	00 LST	1.6	2.2	1.8	6.9	3.1	2.5	3.9	3.3	1.3	1.9	2.3	2.1	32.9	4	866
	06 LST	0.0	0.3	1.0	0.9	1.6	1.5	0.3	0.9	0.3	1.1	0.6	1.2	9.7	4	1169
	12 LST	17.8	16.0	21.2	19.7	20.5	20.5	19.2	19.9	16.6	13.8	18.0	17.6	220.8	4	943
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	18 LST	11.3	12.0	18.7	12.5	2.6	2.2	2.4	2.6	4.2	5.5	5.9	8.7	88.6	4	1053
	00 LST	12.8	13.6	16.8	10.1	8.9	6.1	9.2	6.6	8.3	6.1	8.1	13.3	119.9	4	868
	06 LST	13.6	12.3	20.4	11.6	7.8	3.6	5.8	6.1	3.1	4.6	6.7	9.4	105.0	4	1171
	12 LST	16.1	13.8	25.7	17.6	7.8	6.6	8.2	11.5	5.4	5.4	7.8	12.0	137.9	4	945
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	18 LST	27.3	26.0	28.1	29.3	28.3	25.9	25.3	27.1	26.8	23.7	25.4	23.0	316.2	4	1052
	00 LST	22.8	20.4	22.1	19.4	18.9	17.0	22.1	22.8	22.1	22.5	16.5	21.7	248.3	4	863
	06 LST	27.6	25.1	29.0	26.5	29.4	27.8	29.6	31.0	28.1	25.7	24.7	26.1	330.6	4	1167
	12 LST	28.6	25.9	29.8	29.6	30.2	29.6	30.2	30.6	29.3	26.2	26.8	25.5	342.3	4	939
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	18 LST	25.3	24.8	27.4	28.9	27.2	24.9	23.9	25.8	25.1	20.5	23.8	21.0	298.6	4	1052
	00 LST	21.9	19.1	21.2	19.4	18.9	16.5	21.4	20.9	20.0	20.2	15.0	20.4	234.9	4	863
	06 LST	26.6	23.1	28.6	25.3	28.7	26.9	29.3	31.0	26.9	23.4	22.9	24.6	317.3	4	1167
	12 LST	27.5	25.1	29.3	29.6	30.2	29.6	30.2	30.2	29.3	24.5	25.7	24.6	335.8	4	939
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	18 LST	25.3	24.8	27.4	28.9	27.2	24.9	23.9	25.8	25.1	20.5	23.5	21.0	298.3	4	1052
	00 LST	21.9	19.1	21.2	19.4	18.9	16.5	21.4	20.9	20.0	20.2	15.0	20.4	234.9	4	863
	06 LST	26.6	22.8	28.6	25.3	28.7	26.6	29.3	31.0	26.9	23.4	22.9	24.6	316.7	4	1167
	12 LST	27.5	25.1	29.3	29.6	30.2	29.6	30.2	30.2	29.3	24.5	25.7	24.6	335.8	4	939

### AREA NO. 01

PARAMETER DESCRIPTION	NORTHERN LOWLAND													
	BOUNDARIES	1550N 08800W	1500N 08800W	1500N 08800W	1545N 08730W	1545N 08730W	1550N 08700W							
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		82	82	85	87	88	89	88	88	90	86	84	82	86
MEAN MIN TMP (F)		67	67	69	72	74	74	73	73	74	71	70	68	71
LARGEST MEAN PRECIP(IN)		15.12	11.47	11.37	30.86	24.31	7.46	15.86	17.25	17.77	33.63	25.66	24.81	235.6
SMALLEST MEAN PRECIP(IN)		15.12	11.47	11.37	30.86	24.31	7.46	15.86	17.25	17.77	33.63	25.66	24.81	235.6
MEAN NUMBER OF DAYS														
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	31.0	28.0	30.6	30.0	31.0	29.7	30.3	30.7	29.0	29.2	28.4	29.0	356.9
	00 LST	24.3	22.7	23.9	20.8	20.0	19.0	24.6	24.6	24.6	24.0	19.6	23.9	272.0
	06 LST	30.7	28.0	30.7	28.5	30.3	29.7	31.0	31.0	30.0	29.8	28.5	30.1	358.3
	12 LST	31.0	27.6	31.0	29.6	30.6	30.0	31.0	31.0	30.0	29.6	29.3	29.3	360.0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	28.3	26.8	28.1	25.1	26.8	27.2	24.9	28.4	29.0	26.1	26.9	25.0	322.6
	00 LST	23.9	22.2	22.1	19.7	20.0	17.5	23.5	24.6	24.6	24.0	18.1	23.0	263.2
	06 LST	28.6	26.3	29.3	28.2	30.3	29.1	31.0	31.0	29.4	28.1	26.2	27.0	344.5
	12 LST	20.8	16.9	18.6	18.0	20.8	19.7	17.7	14.7	19.1	21.5	20.7	17.0	225.5
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.0	0.0	0.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.3	0.0	1.1
	00 LST	0.0	0.4	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.0	2.1
	06 LST	0.7	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	1.6
	12 LST	0.0	0.8	1.2	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.0	2.6
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	5.7	7.8	14.3	13.3	14.4	11.0	8.8	7.5	3.5	5.1	3.1	6.5	101.0
	00 LST	1.6	2.2	1.8	6.9	3.1	2.5	3.9	3.3	1.3	1.9	2.3	2.1	32.9
	06 LST	0.0	0.3	1.0	0.9	1.6	1.5	0.3	0.9	0.3	1.1	0.6	1.2	9.7
	12 LST	17.8	16.0	21.2	19.7	20.5	20.5	19.2	19.9	16.6	13.8	18.0	17.6	220.8
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	11.3	12.0	18.7	12.5	2.6	2.2	2.4	2.6	4.2	5.5	5.9	8.7	88.6
	00 LST	12.8	13.6	16.8	10.1	8.9	6.1	9.2	6.6	8.3	6.1	8.1	13.3	119.9
	06 LST	13.6	12.3	20.4	11.6	7.8	3.6	5.8	6.1	3.1	4.6	6.7	9.4	105.0
	12 LST	16.1	13.8	25.7	17.6	7.8	6.6	8.2	11.5	5.4	5.4	7.8	12.0	137.9
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	27.3	26.0	28.1	29.3	28.3	25.9	25.3	27.1	26.8	23.7	25.4	23.0	316.2
	00 LST	22.8	20.4	22.1	19.4	18.9	17.0	22.1	22.8	22.1	22.5	16.5	21.7	248.3
	06 LST	27.6	25.1	29.0	26.5	29.4	27.8	29.6	31.0	28.1	25.7	24.7	26.1	330.6
	12 LST	28.6	25.9	29.8	29.6	30.2	29.6	30.2	30.6	29.3	26.2	26.8	25.5	342.3
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	25.3	24.8	27.4	28.9	27.7	24.9	23.9	25.8	25.1	20.5	23.8	21.0	298.6
	00 LST	21.9	19.1	21.2	19.4	18.9	16.5	21.4	20.9	20.0	20.2	15.0	20.4	234.9
	06 LST	26.6	23.1	28.6	25.3	28.7	26.9	29.3	31.0	26.9	23.4	22.9	24.6	317.3
	12 LST	27.5	25.1	29.3	29.6	30.2	29.6	30.2	30.2	29.3	24.5	25.7	24.6	335.8
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	25.3	24.8	27.4	28.9	27.7	24.9	23.9	25.8	25.1	20.5	23.5	21.0	298.3
	00 LST	21.9	19.1	21.2	19.4	18.9	16.5	21.4	20.9	20.0	20.2	15.0	20.4	234.9
	06 LST	26.6	22.8	28.6	25.3	28.7	26.6	29.3	31.0	26.9	23.4	22.9	24.6	316.7
	12 LST	27.5	25.1	29.3	29.6	30.2	29.6	30.2	30.2	29.3	24.5	25.7	24.6	335.8

# TONCOTIN INTL, HONDURAS

STA NO. 78720 (IN AREA NUMBER 02)

LATITUDE 1403N

LONGITUDE 08713W

ELEVATION (FT) 03294

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	87	90	92	92	91	90	87	88	87	86	86	88	92	5	-64
MEAN MAX TMP (F)	78	81	82	88	91	85	85	87	87	86	84	84	85	1	-64
MEAN MIN TMP (F)	43	40	41	50	54	58	52	51	53	53	66	48	51	1	-64
ABS MIN TMP (F)	39	40	35	41	41	46	50	51	39	48	48	47	35	5	-64
MEAN NO DYS TMP = OR GTR 90 (F)	0.0	0.5	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	2.5	5	-64
MEAN NO DYS TMP = OR LES 32 (F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS TMP = OR LES 0 (F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN DEW PT TMP (F)	51	48	47	54	61	64	61	60	63	63	67	58	58	4	-29
MEAN REL HUM (PCT)	74	66	63	63	70	79	78	76	80	81	79	77	74	10	-32
MEAN PRESS ALT (FT)														0	0
MEAN PRESS ALT (FT)														20	-32
MEAN PRECIP (IN)	0.55	0.20	0.43	1.10	6.14	6.54	3.62	4.37	6.93	5.55	1.58	0.59	37.6	5	-29
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.3	1.5	1.4	2.8	9.6	12.2	8.0	9.3	10.6	8.4	3.2	1.3	69.6	5	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.2	1.6	2.0	0.2	0.1	0.3	0.2	0.0	0.1	4.7	5	-70
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.2	1.6	2.0	0.2	0.1	0.3	0.2	0.0	0.1	4.7	0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	18.7	10.3	3.0	4.8	19.0	23.3	18.1	14.9	18.6	30.8	21.3	13.4	16.4	4	914
09-11 LST	9.5	5.2	1.5	4.7	9.5	11.5	11.2	8.5	14.8	19.8	13.8	10.2	10.0	4	-30
12-14 LST	0.0	0.0	0.0	4.5	0.0	1.4	3.7	2.0	11.3	9.8	5.6	7.0	3.8	4	765
15-17 LST	4.0	1.5	0.0	5.1	3.0	2.9	6.6	6.0	12.2	8.8	5.9	6.7	5.2	4	-30
18-20 LST	7.7	2.8	0.0	5.7	6.1	4.2	10.0	9.7	13.2	7.8	6.1	6.3	6.6	4	730
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	1.2	1.2	1.4	2.7	1.4	5.1	0.0	0.0	1.1	4	914
09-11 LST	0.0	0.0	0.0	0.0	1.0	1.0	1.0	2.0	1.0	3.5	0.0	0.0	0.8	4	-30
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.1	4	765
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.1	4	-30
18-20 LST	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.3	4	730
21-23 LST														0	0

## TONCOTIN INTL, HONDURAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANA	POR	NO.
															(YRS)	ORBS
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	18 _LT	30.4	28.0	31.0	25.3	30.0	29.6	30.5	29.0	27.7	30.0	30.0	31.0	352.5	4	730
	00 _LT														0	0
	06 _LT	30.7	28.0	31.0	28.9	29.5	27.2	28.8	28.9	24.8	25.8	28.4	30.1	342.1	4	914
	12 _LT	31.0	28.0	31.0	27.3	30.5	30.0	31.0	31.0	27.6	29.5	29.4	30.5	356.8	4	765
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LES 10 KTS	18 _LT	14.9	11.4	14.5	13.5	20.2	22.7	20.2	21.0	20.4	20.3	23.5	20.6	223.2	0	0
	00 _LT														0	0
	06 _LT	17.4	19.3	25.3	26.0	21.4	18.8	21.5	22.2	19.7	16.5	14.4	17.6	240.1	4	911
	12 _LT	11.4	8.5	12.8	11.3	17.7	18.2	19.3	13.3	20.8	11.5	7.8	9.4	162.0	4	754
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	18 _LT	2.9	6.0	6.0	2.6	0.5	0.0	0.5	0.0	0.0	0.5	0.0	0.5	19.5	4	743
	00 _LT														0	0
	06 _LT	0.7	0.4	1.8	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.8	0.9	5.0	4	921
	12 _LT	6.9	8.3	7.8	4.8	1.3	0.8	0.0	8.2	0.5	3.0	6.0	6.9	54.5	4	768
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 _LT	13.7	14.4	16.1	15.9	16.4	10.6	11.3	10.0	10.7	10.8	12.2	13.1	155.2	4	737
	00 _LT														0	0
	06 _LT	11.2	12.8	9.9	8.3	5.1	3.8	8.2	5.4	3.1	9.6	4.8	6.6	88.8	4	913
	12 _LT	11.4	8.8	11.4	13.7	18.1	10.8	18.1	11.4	15.2	10.1	11.3	9.9	150.2	4	764
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	18 _LT	7.3	10.2	18.0	7.2	0.5	0.4	0.5	0.0	0.5	0.9	9.0	6.8	61.3	4	739
	00 _LT														0	0
	06 _LT	7.1	7.0	15.0	5.8	1.1	0.7	0.4	0.6	0.4	0.8	2.4	5.6	47.1	4	920
	12 _LT	10.5	11.1	15.5	7.1	0.4	0.4	0.0	0.0	0.5	2.0	3.8	4.2	55.5	4	777
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	18 _LT	25.0	25.3	29.4	24.0	25.6	22.8	24.3	25.0	20.9	22.8	23.3	22.8	291.4	4	730
	00 _LT														0	0
	06 _LT	17.0	18.9	27.7	25.3	19.5	16.7	17.6	20.9	16.7	14.3	14.8	18.0	227.4	4	914
	12 _LT	25.0	24.7	29.0	25.1	26.1	21.1	20.1	21.7	21.3	20.3	24.4	21.4	280.2	4	765
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	18 _LT	22.0	22.1	26.6	21.4	21.6	19.0	22.7	20.0	16.4	18.4	20.8	17.9	248.9	4	730
	00 _LT														0	0
	06 _LT	15.0	16.5	26.8	24.2	18.1	15.0	14.6	19.7	14.6	11.1	11.6	14.3	201.5	4	914
	12 _LT	17.9	18.5	23.3	21.0	18.1	12.2	10.3	15.5	12.1	13.7	13.3	14.0	189.9	4	765
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	18 _LT	22.0	22.1	26.6	21.0	21.6	19.0	22.7	20.0	16.4	18.4	20.8	17.9	248.5	4	730
	00 _LT														0	0
	06 _LT	15.0	16.5	26.8	24.2	18.1	15.0	14.6	19.7	14.6	11.1	11.6	14.3	201.5	4	914
	12 _LT	17.9	18.5	23.3	21.0	18.1	12.2	10.3	14.9	12.1	13.7	13.3	13.5	188.8	4	765

### AREA NO. 02

PARAMETER DESCRIPTION	MOUNTAINS		LATITUDE 1500N							LONGITUDE 08630W				
	BOUNDARIES	1550N 08800W	1500N 08800W	1500N 08800W	1545N 08730W	1545N 08730W	1550N 08700W	1500N 08430W	1500N 08430W	1500N 08430W	1445N 08445W	ANN		
		1550N 08700W	1555N 08500W	1555N 08500W	1500N 08500W	1500N 08430W	1500N 08430W	1500N 08430W	1500N 08430W	1500N 08430W	1500N 08430W	1500N 08430W		
MEAN MAX TMP (F)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MIN TMP (F)	78	81	82	88	91	85	85	87	87	86	84	84	85	
LARGEST MEAN PRECIP(IN)	43	40	41	50	54	58	52	51	53	53	66	48	51	
SMALLEST MEAN PRECIP(IN)	0.55	0.20	0.43	1.10	6.14	6.54	3.62	4.37	6.93	5.55	1.58	0.59	37.6	
	0.55	0.20	0.43	1.10	6.14	6.54	3.62	4.37	6.93	5.55	1.58	0.59	37.6	
	MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	30.4	28.0	31.0	25.3	30.0	29.6	30.5	29.0	27.7	30.0	31.0	352.5	
	00 LST													
	06 LST	30.7	28.0	31.0	28.9	29.5	27.2	28.8	28.9	24.8	25.8	28.4	30.1	342.1
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	12 LST	31.0	28.0	31.0	27.3	30.5	30.0	31.0	31.0	27.6	29.5	29.4	30.5	356.8
	18 LST	14.9	11.4	14.5	13.5	20.2	22.7	20.2	21.0	20.4	20.3	23.5	20.6	223.2
	00 LST													
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	17.4	19.3	25.3	26.0	21.4	18.8	21.5	22.2	19.7	16.5	14.4	17.6	240.1
	12 LST	11.4	8.5	12.8	11.3	17.7	18.2	19.3	13.3	20.6	11.5	7.8	9.4	162.0
	18 LST	2.9	6.0	6.0	2.6	0.5	0.0	0.5	0.0	0.0	0.5	0.0	0.5	19.5
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST													
	06 LST	0.7	0.4	1.8	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.8	0.9	5.0
	12 LST	6.9	8.3	7.8	4.8	1.3	0.8	0.0	8.2	0.5	3.0	6.0	6.9	54.5
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	13.7	14.4	16.1	15.9	16.4	10.6	11.3	10.0	10.7	10.8	12.2	13.1	155.2
	00 LST													
	06 LST	11.2	12.8	9.9	8.3	5.1	3.8	8.2	5.4	3.1	9.6	4.8	6.6	88.8
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	12 LST	11.4	8.8	11.4	13.7	18.1	10.8	18.1	11.4	15.2	10.1	11.3	9.9	150.2
	18 LST	7.3	10.2	18.0	7.2	0.5	0.4	0.5	0.0	0.5	0.9	9.0	6.8	61.3
	00 LST													
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	7.1	7.0	15.0	5.8	1.1	0.7	0.4	0.8	0.4	0.8	2.4	5.6	47.1
	12 LST	10.5	11.1	15.5	7.1	0.4	0.4	0.0	0.0	0.5	2.0	3.8	4.2	55.5
	18 LST	25.0	25.3	29.4	24.0	25.8	22.8	24.3	25.0	20.9	22.8	23.3	22.8	291.4
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST													
	06 LST	17.0	18.9	27.7	25.3	19.5	16.7	17.6	20.9	16.7	14.3	14.8	18.0	227.4
	12 LST	25.0	24.7	29.0	25.1	26.1	21.1	20.1	21.7	21.3	20.3	24.4	21.4	280.2
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	22.0	22.1	26.6	21.4	21.6	19.0	22.7	20.0	16.4	18.4	20.8	17.9	248.9
	00 LST													
	06 LST	15.0	16.5	26.8	24.2	18.1	15.0	14.6	19.7	14.6	11.1	11.6	14.3	201.5
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	12 LST	17.9	18.5	23.3	21.0	18.1	12.2	10.3	15.5	12.1	13.7	13.3	14.0	189.9
	18 LST	22.0	22.1	26.6	21.0	21.6	19.0	22.7	20.0	16.4	18.4	20.8	17.9	249.5
	00 LST													
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	15.0	16.5	26.8	24.2	18.1	15.0	14.6	19.7	14.6	11.1	11.6	14.3	201.5
	12 LST	17.9	18.5	23.3	21.0	18.1	12.2	10.3	14.9	12.1	13.7	13.3	13.5	188.8
	18 LST	22.0	22.1	26.6	21.0	21.6	19.0	22.7	20.0	16.4	18.4	20.8	17.9	249.5

### AREA NO. 03

HONDURAS

NORTHEAST LOWLAND      LATITUDE 1530N      LONGITUDE 08400W  
 BOUNDARIES    1555N 08500W    1500N 08430W    1500N 08430W    1445N 08445W

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)													
MEAN MIN TMP (F)													
LARGEST MEAN PRECIP(IN)													
SMALLEST MEAN PRECIP(IN)													
	MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST												
	06 LST												
	12 LST												
	18 LST												
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST												
	06 LST												
	12 LST												
	18 LST												
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST												
	06 LST												
	12 LST												
	18 LST												
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST												
	06 LST												
	12 LST												
	18 LST												
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST												
	06 LST												
	12 LST												
	18 LST												
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST												
	06 LST												
	12 LST												
	18 LST												
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST												
	06 LST												
	12 LST												
	18 LST												
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST												
	06 LST												
	12 LST												
	18 LST												

DATA NOT AVAILABLE

# LAS MERCEDES, NICARAGUA

STA NO. 78741 (IN AREA NUMBER 01)

LATITUDE 1208N

LONGITUDE 08610W

ELEVATION(FT) 00180

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	92	93	94	98	98	95	92	93	94	94	92	91	98	5	1278
MEAN MAX TMP (F)	88	89	91	94	93	88	88	89	89	88	88	87	89	5	1278
MEAN MIN TMP (F)	69	70	72	73	74	73	73	73	73	72	71	70	72	5	1278
ABS MIN TMP (F)	62	63	67	68	65	69	70	70	69	66	64	59	59	5	1278
MEAN NO DYS TMP = OR GTR 90(F)	5.7	11.5	27.0	29.7	28.7	11.6	11.7	18.0	15.3	9.0	4.0	2.5	174.7	5	1278
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1278
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1278
MEAN DEW PT TMP (F)	65	64	65	66	69	73	73	74	73	71	69	66	69	4	20010
MEAN REL HUM (PCT)	69	63	61	59	66	82	81	84	84	80	79	70	73	4	20007
MEAN PRESS ALT (FT)	170	210	250	280	290	270	230	250	280	260	220	180	241	0	-50
MEAN PRECIP (IN)	0.08	0.05	0.02	0.13	3.06	8.23	3.65	5.15	6.81	6.32	1.24	0.33	35.1	5	1274
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS PKCP = OR GTR 0.1 IN	0.2	0.3	0.0	0.5	5.2	12.7	11.0	10.0	10.7	9.5	3.0	0.7	63.8	5	1274
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NG DYS W/OCUK VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.5	4	854
MEAN NO DYS TSTMS	0.0	0.0	0.5	0.0	5.0	12.5	12.5	10.0	14.0	6.7	1.0	0.5	62.5	4	823
P FREQ WND SPD = OR GTR 17 KTS	6.1	14.7	15.5	11.1	7.6	1.5	1.1	1.1	0.6	0.8	1.0	2.7	5.3	4	20010
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.1	0.3	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.1	4	20010
P FREQ LES 5000 FT A/O LES 5 MI	9.9	12.5	11.9	5.9	16.3	26.7	16.8	15.4	22.2	17.0	12.2	10.7	14.8	4	20003
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	1.4	0.0	0.0	0.2	4	3122
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.4	0.0	0.0	0.0	0.1	4	3218
06-08 LST	0.0	0.0	0.0	0.0	1.0	0.8	0.6	0.0	1.2	0.7	0.0	0.5	0.4	9	4552
09-11 LST	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.4	0.8	0.0	0.0	0.2	5	3706
12-14 LST	0.0	0.3	0.0	0.0	0.5	2.6	0.6	0.6	1.5	1.1	0.0	0.7	0.7	9	4418
15-17 LST	0.0	0.4	0.0	0.0	0.4	2.2	1.1	1.1	1.9	2.2	0.3	0.0	0.8	4	3556
18-20 LST	0.0	0.0	0.0	0.0	0.4	2.2	0.9	0.0	0.5	1.0	1.2	0.0	0.5	9	3296
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.3	0.0	0.1	4	2709
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	3122
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	4	3318
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	4552
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	5	3706
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.3	0.0	0.0	0.0	0.1	9	4418
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.4	0.7	0.3	0.0	0.0	0.2	4	3556
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	3296
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	2709

# LAS MERCEDES, NICARAGUA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	31.0	28.0	31.0	29.8	31.0	28.9	30.8	31.0	30.0	31.0	29.5	31.0	363.0	9	1758	
	00 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	30.7	30.0	31.0	364.7	5	1189	
	06 LST	31.0	28.0	30.8	30.0	30.7	29.8	30.8	31.0	29.6	31.0	29.8	30.8	363.3	9	2213	
	12 LST	31.0	28.0	31.0	30.0	31.0	29.5	31.0	30.8	29.4	30.7	30.0	30.8	363.2	9	2050	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	18.8	9.0	6.2	8.0	13.9	19.4	22.9	22.4	23.7	24.5	24.7	23.3	216.8	9	1753	
	00 LST	27.2	19.1	18.0	15.7	22.7	28.3	30.0	31.0	29.6	28.5	29.7	27.7	307.5	5	1189	
	12 LST	29.1	23.7	27.2	26.6	28.6	29.0	30.1	30.4	29.4	30.1	29.7	29.7	343.6	9	2211	
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	6.4	1.5	2.9	7.5	13.4	14.8	10.9	13.3	17.4	20.6	18.0	13.0	140.2	9	2044	
	00 LST	1.3	2.3	3.2	2.8	5.0	1.1	0.2	1.2	1.4	0.0	0.0	0.4	18.9	9	1762	
	06 LST	0.2	1.6	2.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	5.5	5	1174	
	12 LST	0.1	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.5	9	2216	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	5.3	7.1	7.3	4.2	1.6	0.5	2.0	1.9	1.2	0.3	0.7	1.3	33.4	9	2055	
	00 LST	21.2	14.4	11.8	11.9	10.6	15.5	17.9	18.4	13.4	13.0	16.0	21.6	185.9	9	1762	
	06 LST	19.2	17.4	17.6	15.3	20.4	12.0	13.3	8.3	5.1	9.4	13.5	16.2	167.7	5	1173	
	12 LST	18.9	18.7	23.0	21.3	18.1	9.2	11.8	9.3	5.4	4.4	6.4	12.9	159.4	9	2208	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	12.0	7.1	5.2	3.9	5.3	14.4	16.1	16.4	13.8	12.6	16.4	15.9	139.1	9	2049	
	00 LST	10.2	14.6	18.4	10.0	3.7	0.0	0.7	1.8	0.0	0.7	7.2	12.5	79.8	5	577	
	06 LST	15.0													1	31	
	12 LST	19.3	20.4	25.5	12.8	4.5	3.8	5.2	6.7	3.8	3.1	13.6	12.9	131.6	5	1037	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	3.9	7.0	6.0	6.8	0.9	0.4	0.0	0.0	0.0	1.4	2.3	4.4	33.1	5	867	
	00 LST	29.6	26.7	31.0	29.5	30.1	26.6	28.1	30.0	26.7	28.4	27.9	28.0	342.6	9	1758	
	06 LST	21.0	27.7	31.0	30.0	30.3	29.3	31.0	31.0	28.3	29.0	29.5	30.2	358.3	5	1189	
	12 LST	30.1	27.6	30.4	29.7	29.6	28.1	29.3	29.7	27.0	28.8	29.2	30.2	349.9	9	2213	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	29.1	27.0	30.3	29.8	28.7	25.7	28.1	29.0	26.6	28.2	28.9	28.6	340.0	9	2050	
	00 LST	18 LST	23.6	22.0	28.3	27.9	24.1	18.5	21.3	23.2	22.0	21.9	23.8	23.4	280.0	9	1758
	06 LST	29.5	25.3	28.5	27.3	24.6	22.3	26.3	28.3	25.3	25.5	27.2	27.2	317.3	5	1189	
	12 LST	28.0	2.6	28.6	27.5	25.4	22.4	23.5	26.2	22.0	24.2	25.9	27.1	306.4	9	2213	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.6	20.0	19.7	24.9	19.2	15.0	19.1	19.4	18.3	22.8	22.6	21.0	241.6	9	2050	
	00 LST	18 LST	22.8	22.0	28.3	27.7	22.4	15.9	19.7	21.9	20.1	20.1	21.5	22.7	265.6	9	1758
	06 LST	28.5	25.3	27.6	27.0	24.0	19.3	26.0	27.7	23.6	23.9	25.5	26.6	305.0	5	1189	
	12 LST	27.7	24.4	28.6	26.6	23.4	21.3	22.5	25.4	21.4	22.5	25.2	25.5	294.5	9	2213	
	18 LST	18.9	19.6	19.6	24.1	17.3	14.1	18.5	19.2	17.9	22.3	21.8	70.9	234.2	9	2050	

### AREA NO. 01

NICARAGUA	PACIFIC COAST				LATITUDE 1200N				LONGITUDE 08600W					
	BOUNDARIES	1310N 08700W	1200N 08525W	1200N 08525W	1100N 08430W									
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		88	89	91	94	93	88	88	84	89	88	88	87	89
MEAN MIN TMP (F)		69	70	72	73	74	73	73	73	73	72	71	70	72
LARGEST MEAN PRECIP(IN)		0.08	0.05	0.02	0.13	3.06	8.23	3.65	5.15	6.81	6.32	1.24	0.33	35.1
SMALLEST MEAN PRECIP(IN)		0.08	0.05	0.02	0.13	3.06	8.23	3.65	5.15	6.81	6.32	1.24	0.33	35.1
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	31.0	28.0	31.0	27.8	31.0	28.9	30.8	31.0	30.0	31.0	29.5	31.0	363.0
	00 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	30.7	30.0	31.0	364.7
	06 LST	31.0	28.0	30.8	30.0	30.7	29.8	30.8	31.0	29.6	31.0	29.8	30.8	363.3
	12 LST	31.0	28.0	31.0	30.0	31.0	29.5	31.0	30.8	29.4	30.7	30.0	30.8	363.2
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	18 LST	18.8	9.0	6.2	8.0	13.9	19.4	22.9	22.4	23.7	24.5	24.7	23.3	216.8
	00 LST	27.2	19.1	18.0	15.7	22.7	28.3	30.0	31.0	29.6	28.5	29.7	27.7	307.5
	06 LST	29.1	23.7	27.2	26.6	28.6	29.0	30.1	30.4	29.4	30.1	29.7	29.7	343.6
	12 LST	6.4	1.5	2.9	7.5	13.9	14.8	10.9	13.3	17.4	20.6	18.0	13.0	140.2
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.3	2.3	3.2	2.8	5.0	1.1	0.2	1.2	1.4	0.0	0.0	0.4	18.9
	00 LST	0.2	1.6	2.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	5.5
	06 LST	0.1	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.5
	12 LST	5.3	7.1	7.3	4.2	1.6	0.5	2.0	1.9	1.2	0.3	0.7	1.3	33.4
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	21.2	14.4	11.8	11.9	10.8	15.5	17.9	18.4	13.4	13.0	16.0	21.6	185.9
	00 LST	19.2	17.4	17.6	15.3	20.4	12.0	13.3	8.3	5.1	9.4	13.5	16.2	167.7
	06 LST	18.9	18.7	23.0	21.3	18.1	9.2	11.8	9.3	5.4	4.4	6.4	12.9	159.4
	12 LST	12.0	7.1	5.2	3.9	5.3	14.4	16.1	16.4	13.8	12.6	16.4	15.9	139.1
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.2	14.6	18.4	10.0	3.7	0.0	0.7	1.8	0.0	0.7	7.2	12.5	79.8
	00 LST	15.0												
	06 LST	19.3	20.4	25.5	12.8	4.5	3.8	5.2	6.7	3.8	3.1	13.6	12.9	131.6
	12 LST	3.9	7.0	6.0	6.8	0.9	0.4	0.0	0.0	0.0	1.4	2.3	4.4	33.1
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	29.6	26.7	31.0	29.5	30.1	26.6	28.1	30.0	26.7	28.4	27.9	28.0	342.6
	00 LST	31.0	27.7	31.0	30.0	30.3	29.3	31.0	31.0	28.3	29.0	29.5	30.2	358.3
	06 LST	30.1	27.6	30.4	29.7	29.8	28.1	29.3	29.7	27.0	28.8	29.2	30.2	349.9
	12 LST	29.1	27.0	30.3	29.8	28.7	25.7	28.1	29.0	26.6	28.2	28.9	28.6	340.0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	23.6	22.0	28.3	27.9	24.1	18.5	21.3	23.2	22.0	21.9	23.8	23.4	280.0
	00 LST	29.5	25.3	28.5	27.3	24.6	22.3	26.3	28.3	25.3	25.5	27.2	27.2	317.3
	06 LST	28.0	25.6	28.6	27.5	25.4	22.4	23.5	26.2	22.0	24.2	25.9	27.1	306.4
	12 LST	19.6	20.0	19.7	24.9	19.2	15.0	19.1	19.4	18.3	22.8	22.6	21.0	241.6
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	22.8	22.0	28.3	27.7	22.9	15.9	19.7	21.9	20.1	20.1	21.5	22.7	265.6
	00 LST	28.5	25.3	27.6	27.0	24.0	19.3	26.0	27.7	23.6	23.9	25.5	26.6	305.0
	06 LST	27.7	24.4	28.6	26.6	23.4	21.3	22.5	27.4	21.4	22.5	25.2	25.5	294.5
	12 LST	18.9	19.6	19.6	24.1	17.3	14.1	18.5	19.2	17.9	22.3	21.8	20.9	234.2

## AREA NO. 02

NICARAGUA HIGHLANDS	BOUNDARIES		LATITUDE 1330N		LONGITUDE 08530W								
	1310N 08700W	1200N 08525W	1200N 08525W	1100N 08430W	1440N 08400W	1400N 08400W							
PARAMETER DESCRIPTION	1400N 08400W	1300N 08440W	1300N 08440W	1200N 08440W	1200N 08440W	1040N 08400W							
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)													
MEAN MIN TMP (F)													
LARGEST MEAN PRECIP(IN)													
SMALLEST MEAN PRECIP(IN)													
	MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND	00	LST											
VSBY = GTR 3 MI	06	LST											
	12	LST											
	18	LST											
CIG =GTR 2000 FT AND VSBY =GTR	00	LST											
3 MI W/SFC WND LES 10 KTS	06	LST											
	12	LST											
	18	LST											
SFC WND = GTR 17 KTS AND	00	LST											
NO PRECIP.	06	LST											
	12	LST											
	18	LST											
SFC WND 4-10 KTS AND TMP 33-89	00	LST											
DEG F AND NO PRECIP.	06	LST											
	12	LST											
	18	LST											
SKY COVER LES 3/10 AND	00	LST											
VSBY = GTR 3 MI	06	LST											
	12	LST											
	18	LST											
CIG = GTR 2500 FT AND	00	LST											
VSBY = GTR 3 MI	06	LST											
	12	LST											
	18	LST											
CIG = GTR 6000 FT AND	00	LST											
VSBY = GTR 3 MI	06	LST											
	12	LST											
	18	LST											
CIG = GTR 10000 FT AND	00	LST											
VSBY = GTR 3 MI	06	LST											
	12	LST											
	18	LST											

DATA NOT AVAILABLE

# CAPE GRACIAS, NICARAGUA

STA NO. 78725/ (IN AREA NUMBER 03)

LATITUDE 1500N

LONGITUDE 08310W

ELEVATION(FT) 00013

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	95	86	90	92	93	91	90	92	93	95	91	89	95	4	1319
MEAN MAX TMP (F)	84	84	87	88	88	87	88	89	89	87	85	85	87	4	1319
MEAN MIN TMP (F)	71	70	71	73	74	74	74	75	73	72	72	73	73	4	1320
ABS MIN TMP (F)	64	61	63	63	63	66	64	67	63	62	67	65	61	4	1320
MEAN NO DYS TMP = OR GTR 90(F)	0.3	0.0	0.5	2.4	7.1	2.4	1.6	6.2	17.8	6.6	2.3	0.0	47.2	4	1319
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1320
MEAN NO DYS TMP = OR LES 01(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1320
MEAN DEN PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	9.90	7.80	3.14	5.32	15.95	25.10	11.70	7.93	16.98	19.76	20.55	10.69	154.8	4	673
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS PKCP = OR GTR 0.1 IN	21.3	17.7	11.3	16.8	22.0	24.5	23.6	20.6	24.5	26.7	26.2	21.1	256.3	4	673
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	7.9	4.9	2.7	3.4	9.7	5.7	2.7	11.8	7.0	7.7	9.4	1.4	6.2	4	1237
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST	1.2	0.0	0.0	0.0	4.5	1.0	1.0	3.4	2.7	1.1	5.1	4.5	2.0	4	1136
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	2.7	0.9	0.9	2.0	0.0	0.0	1.9	0.0	0.7	4	1237
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1136
21-23 LST														0	0

## CAPE GRACIAS, NICARAGUA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	30.6	26.6	31.0	30.0	29.3	25.7	26.2	27.8	28.6	28.1	25.1	29.1	340.1	4	1136
	00 LST														0	0
	06 LST	18.4	14.9	23.0	18.2	22.8	20.4	25.7	23.7	24.2	22.9	19.2	23.4	256.8	4	1237
	12 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	18 LST	20.8	20.9	21.7	20.7	21.1	17.1	21.6	23.4	26.7	21.5	20.8	23.5	259.8	4	1135
	00 LST														0	0
	06 LST	13.5	13.7	19.7	15.8	18.1	15.8	21.5	19.1	22.7	20.0	17.1	20.5	217.5	4	1235
	12 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	0.5	0.3	0.0	0.0	0.0	0.3	0.0	0.0	2.9	0.3	0.5	5.5	4	1143
	00 LST														0	0
	06 LST	0.9	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.4	0.8	5.2	4	1250
	12 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	20.9	21.1	26.0	22.6	20.3	19.2	19.2	21.5	16.7	14.4	13.4	17.4	232.7	4	1140
	00 LST														0	0
	06 LST	17.4	11.3	20.8	20.4	15.6	14.2	16.6	17.8	5.9	9.0	11.6	17.2	177.8	4	1247
	12 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	5.7	4.9	9.0	6.5	4.0	1.4	0.3	0.3	0.5	0.6	1.2	5.2	39.6	4	1135
	00 LST														0	0
	06 LST	2.5	3.4	2.2	0.7	1.4	1.7	0.3	0.0	0.2	0.0	0.5	0.0	12.9	4	1245
	12 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	29.9	26.6	31.0	29.6	28.7	25.7	26.3	26.7	27.8	27.1	24.5	28.2	332.1	4	1136
	00 LST														0	0
	06 LST	17.8	14.7	22.8	17.5	21.9	19.8	24.3	22.2	22.4	21.7	19.0	23.0	247.1	4	1237
	12 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	29.1	26.1	28.7	28.4	26.8	24.8	25.4	24.6	26.5	26.1	23.6	26.8	316.9	4	1136
	00 LST														0	0
	06 LST	16.9	13.9	20.6	15.2	20.0	19.5	23.7	21.6	21.1	21.1	18.1	21.8	233.5	4	1237
	12 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	29.1	25.8	28.4	28.4	26.8	24.8	25.4	24.2	26.5	26.1	23.0	26.8	315.3	4	1136
	00 LST														0	0
	06 LST	16.6	13.9	20.6	15.2	20.0	19.5	23.7	21.6	21.1	21.1	17.8	21.8	232.9	4	1237
	12 LST														0	0

# PUERTO CABEZAS, NICARAGUA

STA NO. 78730 (IN AREA NUMBER 03)

LATITUDE 1403N

LONGITUDE 08323W

ELEVATION(FT) 00050

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	92	90	93	94	97	93	91	97	94	97	91	89	97	10	3368
MEAN MAX TMP (F)	84	85	87	88	89	88	86	88	89	89	86	85	87	10	3358
MEAN MIN TMP (F)	69	69	72	73	74	72	72	73	73	72	71	70	72	10	3368
ABS MIN TMP (F)	59	61	64	64	61	58	58	61	65	67	65	61	58	10	3368
MEAN NO DYS TMP = OR GTR 90(F)	0.2	0.4	5.0	8.6	9.6	5.9	0.6	3.9	12.7	12.6	1.2	0.0	60.9	10	3368
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3368
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3368
MEAN DEW PT TMP (F)	73	73	75	76	77	77	75	77	77	77	76	74	76	0	-50
MEAN REL HUM (PCT)	88	87	84	84	87	89	89	89	89	87	88	89	88	9	-64
MEAN PRESS ALT (FT)	49	51	103	102	126	133	102	107	156	151	106	79	106	0	-50
MEAN PRECIP (IN)	6.60	3.60	1.20	2.10	10.60	16.50	18.90	12.80	11.70	12.50	12.90	10.50	119.9	9	-64
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	23.6	8.8	3.0	4.8		20.6	25.5	16.6	17.8	18.7	19.0	35.7		9	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	1.0	2.0	2.0	1.0	1.0	0.0	0.0	7.0	9	-34
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 3 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	25.5	23.6	15.4	19.0	25.8	34.3	38.4	27.4	21.1	27.2	31.5	30.6	26.7	10	3361
09-11 LST	29.0	24.1	14.2	18.0	30.3	37.3	49.7	34.8	28.0	29.0	31.3	35.1	30.1	6	1825
12-14 LST	16.7	12.1	4.7	7.9	20.1	27.4	29.3	20.4	16.2	19.1	24.6	21.3	18.3	10	3340
15-17 LST	20.0	17.7	5.8	8.7	25.2	30.7	43.2	27.1	24.0	31.6	28.0	23.9	23.8	6	1826
18-20 LST	17.7	15.1	5.7	8.6	21.0	29.8	35.9	23.1	17.8	29.1	26.4	24.5	21.2	10	3350
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	3.2	1.3	0.4	1.1	0.7	2.1	2.3	1.9	0.0	2.2	1.9	0.7	1.5	10	3361
09-11 LST	0.6	0.7	0.0	0.0	1.3	2.0	3.2	2.6	0.0	0.6	2.7	1.9	1.3	6	1825
12-14 LST	0.4	0.4	0.0	0.0	1.4	1.1	0.7	1.6	0.3	1.4	0.4	0.0	0.6	10	3340
15-17 LST	0.6	1.4	0.0	0.0	0.6	0.0	3.9	1.9	0.7	0.6	0.0	1.3	0.9	6	1826
18-20 LST	1.1	0.4	0.0	0.0	1.1	1.8	2.3	1.3	0.3	0.7	0.7	0.0	0.8	10	3350
21-23 LST														0	0

# PUERTO CABEZAS, NICARAGUA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.1	26.1	30.8	29.9	29.0	26.7	25.6	27.8	27.4	27.4	26.3	28.3	334.4	10	3350
	00 LST														0	0
	06 LST	27.3	26.4	29.5	28.0	29.1	26.4	25.4	27.2	27.8	26.9	25.5	28.0	327.5	10	3361
	12 LST	29.6	27.1	30.9	29.9	28.9	27.0	26.9	28.3	28.5	28.8	27.4	29.2	342.5	10	3340
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	5.6	5.1	5.4	5.4	4.4	5.1	3.5	4.5	11.6	9.7	9.8	7.1	77.2	10	3349
	00 LST														0	0
	06 LST	14.0	11.2	11.1	10.4	9.8	6.6	4.2	12.0	17.5	17.3	14.2	12.2	140.5	10	3361
	12 LST	4.3	6.3	5.7	5.5	4.2	5.0	3.1	4.2	11.9	11.5	5.1	3.2	70.0	10	3357
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.4	1.2	1.1	0.7	0.9	1.8	2.0	1.3	0.4	0.2	0.1	0.2	11.3	10	3355
	00 LST														0	0
	06 LST	1.6	1.7	0.8	0.8	1.1	2.2	2.1	1.0	0.2	0.1	0.0	0.2	11.8	10	3365
	12 LST	2.4	2.9	2.4	0.8	1.3	2.2	2.6	1.9	1.0	0.5	1.8	1.3	21.1	10	3342
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	13.8	13.4	13.9	12.6	12.4	11.8	10.6	15.4	19.0	20.2	18.3	16.6	178.0	10	3355
	00 LST														0	0
	06 LST	19.3	16.1	17.5	16.3	18.1	11.7	9.4	16.9	19.9	21.3	20.3	21.8	208.6	10	3365
	12 LST	11.5	11.5	15.0	14.2	13.0	12.2	8.4	12.8	19.4	19.2	17.8	11.1	161.1	10	3341
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	5.0	5.8	3.8	5.9	3.0	1.2	0.7	1.5	1.6	0.9	2.2	4.0	40.6	10	3355
	00 LST														0	0
	06 LST	4.4	2.8	3.9	2.4	1.4	0.6	0.8	1.1	1.8	1.4	2.1	2.4	25.1	10	3365
	12 LST	2.4	2.9	5.8	3.2	1.8	0.5	0.7	1.0	1.0	0.9	1.2	1.9	23.3	10	3346
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	19.8	18.3	25.1	22.1	16.7	12.8	12.7	17.4	19.4	15.2	15.7	16.7	211.9	10	3350
	00 LST														0	0
	06 LST	15.9	13.3	18.1	15.0	13.8	10.4	11.4	14.3	16.6	16.9	14.6	13.7	174.0	10	3361
	12 LST	19.0	18.7	23.2	21.0	16.0	13.7	14.6	18.2	17.9	18.2	15.1	16.0	211.6	10	3340
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.1	16.0	23.0	19.8	14.1	10.8	11.5	15.7	17.2	14.0	14.0	15.2	189.4	10	3350
	00 LST														0	0
	06 LST	13.9	11.1	14.4	11.3	11.3	8.4	10.1	11.9	14.4	15.7	13.3	12.8	148.6	10	3361
	12 LST	17.0	16.0	19.7	17.9	12.8	11.5	12.7	16.0	14.9	15.7	12.8	13.4	180.4	10	3340
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.1	16.0	22.9	19.8	14.1	10.8	11.5	15.7	17.2	14.0	13.9	15.2	189.2	10	3350
	00 LST														0	0
	06 LST	13.9	10.9	14.4	11.3	11.3	8.3	10.1	11.9	14.4	15.7	13.3	12.8	148.3	10	3361
	12 LST	17.0	16.0	19.7	17.9	12.8	11.5	12.7	16.0	14.9	15.7	12.8	13.4	180.4	10	3340

# BLUEFIELDS, NACARAGUA

STA NO. 78745 (IN AREA NUMBER 03)

LATITUDE 1200N

LONGITUDE 08343W

ELEVATION(FT) 00028

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	90	90	91	93	94	94	93	92	94	94	93	93	94	11	3649
MEAN MAX TMP (F)	85	85	87	88	88	87	85	87	89	88	86	85	87	11	3649
MEAN MIN TMP (F)	69	69	71	72	73	73	73	73	72	71	70	69	71	11	3650
ABS MIN TMP (F)	60	61	62	62	61	66	67	62	66	64	62	62	60	11	3650
MEAN NO DYS TMP = OR GTR 90(F)	0.4	0.5	2.9	7.0	8.8	7.3	2.5	7.6	14.8	10.3	4.6	1.8	68.5	11	3649
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3650
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3650
MEAN DEL PT TMP (F)	69	68	70	71	73	73	73	74	73	72	71	70	71	9	-29
MEAN REL HUM (PCT)	78	77	76	76	79	80	83	82	79	79	80	81	79	5	-34
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	10.50	5.10	3.20	2.90	13.60	19.80	26.20	21.50	12.30	13.60	15.30	15.70	159.7	18	-35
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	35.7	16.0	6.6	6.1					18.5	19.6				18	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.6	5	-34
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.7	0.4	0.0	0.0	0.7	1.1	1.0	0.7	0.4	1.8	0.0	0.7	0.6	11	3367
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.6	0.1	6	1789
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	0.0	0.1	6	1783
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.1	6	1791
18-20 LST	0.3	0.7	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.2	11	3646
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.4	0.0	0.0	0.0	0.3	0.7	1.0	0.3	0.0	1.4	0.0	0.7	0.4	11	3367
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1789
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.1	6	1783
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1791
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3646
21-23 LST														0	0

# BLUEFIELDS, NACARAGUA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	30.5	27.9	31.0	29.9	30.8	29.1	30.4	30.5	29.9	30.9	29.5	30.7	361.6	11	3646
	00 LST														0	0
	06 LST	30.1	27.8	31.0	29.7	29.8	28.9	28.3	29.0	29.2	30.1	29.3	30.0	353.2	11	3367
	12 LST	31.0	28.0	31.0	30.0	30.4	29.2	30.6	30.8	29.7	30.8	29.4	30.8	361.7	6	1783
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	18 LST	23.5	19.8	26.4	26.7	27.8	26.6	27.8	28.2	29.2	29.9	27.5	27.4	320.8	11	3646
	00 LST														0	0
	06 LST	27.7	24.5	27.3	27.2	27.4	26.1	24.6	27.3	29.1	30.1	28.8	29.1	329.2	11	3367
	12 LST	25.2	19.2	24.6	24.0	25.4	23.8	23.9	27.4	27.8	29.5	25.0	27.0	302.8	6	1783
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.1	0.1	0.3	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.1	0.1	1.1	11	3646
	00 LST														0	0
	06 LST	0.1	0.2	0.1	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.8	11	3367
	12 LST	0.2	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.2	6	1783
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	16.9	15.3	14.8	9.2	6.2	5.5	7.5	7.2	2.4	3.7	6.8	12.2	107.7	11	3646
	00 LST														0	0
	06 LST	4.0	4.0	6.5	4.3	2.8	1.9	3.8	2.7	0.7	2.0	2.7	3.3	38.7	11	3366
	12 LST	13.4	14.9	14.6	12.2	10.2	8.2	13.4	9.0	4.2	7.3	12.1	13.0	132.5	6	1782
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	3.0	5.6	6.9	7.0	2.4	0.9	0.4	0.8	1.3	1.4	0.9	2.3	30.9	11	3646
	00 LST														0	0
	06 LST	1.7	1.7	2.4	1.1	0.6	0.4	0.2	0.3	1.0	1.2	0.5	1.7	13.0	11	3367
	12 LST	2.8	1.2	3.0	2.2	1.0	0.4	0.0	0.2	0.8	0.4	1.4	1.0	14.4	6	1783
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	30.5	27.7	30.9	29.9	30.7	28.9	30.9	30.5	29.8	30.9	29.5	30.7	360.9	11	3646
	00 LST														0	0
	06 LST	30.0	27.7	30.9	29.7	29.8	28.7	28.3	28.8	29.1	30.1	29.3	30.0	352.4	11	3367
	12 LST	31.0	28.0	31.0	30.0	30.2	29.2	30.6	30.8	29.5	30.8	29.4	30.8	361.3	6	1783
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	30.1	27.0	30.4	29.9	30.4	28.1	29.9	29.9	29.7	30.6	29.5	30.6	356.1	11	3646
	00 LST														0	0
	06 LST	29.7	26.5	30.4	29.4	29.6	28.2	27.8	28.2	29.0	30.1	29.2	29.8	347.9	11	3367
	12 LST	30.8	28.0	31.0	30.0	30.2	29.2	30.6	30.8	29.5	30.8	29.4	30.8	361.1	6	1783
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	30.1	26.9	30.4	29.9	30.4	28.1	29.9	29.9	29.7	30.6	29.5	30.6	356.0	11	3646
	00 LST														0	0
	06 LST	29.7	26.4	30.4	29.4	29.6	28.2	27.8	28.2	29.0	30.1	29.2	29.8	347.8	11	3367
	12 LST	30.8	28.0	31.0	30.0	30.2	29.2	30.6	30.8	29.5	30.8	29.4	30.8	361.1	6	1783

### AREA NO. 03

PARAMETER DESCRIPTION	EASTERN COAST BOUNDARIES	LATITUDE 1300N LONGITUDE 08400W												
		1440N 08400W		1400N 08400W		1400N 08400W		1300N 08440W		1300N 08440W		1200N 08440W		
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		84	85	87	88	88	87	86	88	89	88	86	85	87
MEAN MIN TMP (F)		70	69	71	73	74	73	73	74	73	72	71	71	72
LARGEST MEAN PRECIP(IN)		10.50	7.80	3.20	5.32	15.95	25.10	26.20	21.50	16.98	19.76	20.55	15.70	188.6
SMALLEST MEAN PRECIP(IN)		6.60	3.60	1.20	2.10	10.60	16.50	11.70	7.93	11.70	12.50	12.90	10.50	107.8
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	30.1	26.9	30.9	29.9	29.7	27.2	28.2	28.7	28.6	28.8	27.0	29.4	345.4
	00 LST													
	06 LST	25.3	23.0	27.8	25.3	27.2	25.2	26.5	26.6	27.1	26.6	24.7	27.1	312.4
	12 LST	30.3	27.6	31.0	30.0	29.7	28.1	28.8	29.6	29.1	29.8	28.4	30.0	352.4
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	16.6	15.3	17.8	17.6	17.8	16.3	17.6	18.7	22.5	20.4	19.4	19.3	214.3
	00 LST													
	06 LST	18.4	16.5	19.4	17.8	18.4	16.2	16.8	19.5	23.1	22.5	20.0	20.6	229.2
	12 LST	14.8	12.8	15.2	14.8	14.8	14.4	13.5	15.8	19.9	20.5	15.1	15.1	186.7
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	0.6	0.6	0.2	0.3	0.6	0.8	0.5	0.1	1.0	0.2	0.3	5.9
	00 LST													
	06 LST	0.9	1.1	0.3	0.3	0.4	0.8	0.7	0.3	0.1	0.3	0.5	0.4	6.1
	12 LST	1.3	1.8	1.3	0.4	0.7	1.1	1.3	1.0	0.5	0.3	0.9	0.8	11.4
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	17.2	16.6	18.2	14.8	13.0	12.2	12.4	14.7	12.7	12.8	12.8	15.4	172.8
	00 LST													
	06 LST	13.6	10.5	14.9	13.7	12.2	9.3	9.9	12.5	8.8	10.8	11.5	14.1	141.8
	12 LST	12.5	13.2	14.8	13.2	11.6	10.2	10.9	10.9	11.8	13.3	12.5	12.1	147.0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	4.6	5.4	8.2	5.8	3.1	1.2	0.5	0.9	1.1	1.0	1.4	3.8	37.0
	00 LST													
	06 LST	2.9	2.8	2.8	1.4	1.2	0.9	0.4	0.5	1.0	0.9	1.0	1.4	17.0
	12 LST	2.6	2.1	4.4	2.7	1.4	0.5	0.4	0.6	0.9	0.7	1.3	1.5	19.1
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	26.7	24.2	29.0	27.2	25.4	22.5	23.3	24.9	25.7	24.4	23.2	25.2	301.7
	00 LST													
	06 LST	21.2	18.6	23.9	20.7	21.8	19.6	21.3	21.8	22.7	22.9	21.0	22.2	257.7
	12 LST	25.0	23.4	27.1	25.5	23.1	21.5	22.6	24.5	23.7	24.5	22.3	23.4	286.6
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	25.8	23.0	27.4	26.0	23.8	21.2	22.3	23.4	24.5	23.6	22.4	24.2	287.6
	00 LST													
	06 LST	20.2	17.2	21.8	18.6	20.3	18.7	20.5	20.6	21.5	22.3	20.2	21.5	243.4
	12 LST	23.9	22.0	25.4	24.0	21.5	20.4	21.7	23.4	22.2	23.3	21.1	22.1	271.0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	25.8	22.9	27.2	26.0	23.8	21.2	22.3	23.3	24.5	23.6	22.1	24.2	286.9
	00 LST													
	06 LST	20.1	17.1	21.8	18.6	20.3	18.7	20.5	20.6	21.5	22.3	20.1	21.5	243.1
	12 LST	23.9	22.0	25.4	24.0	21.5	20.4	21.7	23.4	22.2	23.3	21.1	22.1	271.0

# COLON, PANAMA

STA NO. 78783 (IN AREA NUMBER 01)

LATITUDE 0922N

LONGITUDE 07954W

ELEVATION(FT) 00013

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	89	87	94	97	95	93	94	93	95	94	92	89	97	11	3580
MEAN MAX TMP (F)	84	84	85	86	87	86	85	85	87	86	84	84	85	11	3580
MEAN MIN TMP (F)	76	76	76	77	76	75	75	75	75	74	74	75	75	11	3580
ABS MIN TMP (F)	66	67	66	67	69	71	69	70	71	71	70	67	66	11	3580
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.2	0.6	5.1	2.5	0.5	1.8	5.9	5.6	0.8	0.0	23.0	11	3580
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3580
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3580
MEAN DLW PT TMP (F)	72	72	72	74	76	76	75	76	75	75	75	74	74	11	83846
MEAN REL HUM (PCT)	79	78	77	79	86	87	88	88	87	88	89	85	84	11	83846
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.29	1.96	1.41	3.72	10.76	14.51	16.46	16.40	11.53	18.41	24.41	12.61	136.5	11	3541
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS PKCP = OR GTR 0.1 IN	7.1	4.8	3.7	5.3	15.3	16.8	19.4	17.9	17.6	19.0	21.9	16.2	165.0	11	3541
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS W/GCUM VSBY LES 1/2 MI	0.0	0.0	0.0	0.1	0.1	0.3	0.5	0.5	0.4	0.6	0.8	0.1	3.4	11	3316
MEAN NO DYS TSTMS	0.7	0.1	0.1	2.4	14.0	20.9	26.0	23.7	22.4	20.6	14.0	4.4	149.3	11	3323
P FREQ WND SPD = OR GTR 17 KTS	2.6	4.2	4.5	2.8	0.7	0.2	0.7	0.3	0.1	0.4	0.7	0.9	1.5	11	79360
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	79360
P FREQ LES 5000 FT A/O LES 5 MI	29.4	27.4	27.0	29.0	38.1	35.9	40.4	38.9	28.5	30.0	43.3	31.6	33.3	11	79508
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	5.9	3.6	2.8	4.2	4.9	4.4	5.5	5.1	1.6	4.5	8.4	7.9	4.9	11	9944
03-05 LST	8.0	5.0	3.0	3.4	5.9	3.6	7.5	6.3	2.3	4.0	9.0	6.6	5.4	11	9944
06-08 LST	6.2	4.7	4.7	3.0	6.1	4.3	6.0	6.9	3.6	6.7	11.5	10.2	6.2	11	10137
09-11 LST	4.0	3.8	3.1	3.0	5.3	4.6	5.8	6.8	5.8	6.0	9.3	7.9	5.5	11	10155
12-14 LST	3.4	3.6	2.5	2.4	6.5	5.3	7.2	5.6	7.3	8.2	9.5	8.2	5.8	11	10139
15-17 LST	3.7	3.4	2.8	2.5	6.6	6.0	8.4	9.4	6.9	9.8	13.9	8.5	6.8	11	10025
18-20 LST	4.8	1.7	2.4	3.4	7.2	6.9	9.2	6.9	5.0	9.3	11.7	9.0	6.5	11	9937
21-23 LST	4.0	1.8	1.6	2.5	6.1	5.6	5.1	5.3	3.7	4.2	6.8	6.8	4.5	11	9936
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.3	0.1	0.1	0.1	11	9944
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	0.0	0.0	0.2	0.4	0.1	11	9944
06-08 LST	0.0	0.0	0.0	0.1	0.0	0.4	0.0	0.1	0.0	0.2	0.7	0.1	0.1	11	10137
09-11 LST	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.1	0.2	0.1	0.5	0.4	0.1	11	10155
12-14 LST	0.0	0.0	0.1	0.0	0.0	0.1	0.7	0.1	0.2	0.3	0.1	0.2	0.2	11	10139
15-17 LST	0.0	0.0	0.0	0.0	0.2	0.4	0.4	0.5	0.1	0.2	0.1	0.2	0.2	11	10025
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.3	0.1	0.4	0.1	0.1	11	9937
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.1	11	9936

# COLON, PANAMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.7	28.0	31.0	29.8	30.5	29.3	30.5	30.4	29.4	30.0	29.3	30.4	359.3	11	3349
	01 LST	30.5	28.0	30.8	30.0	31.0	29.8	30.7	30.9	30.0	30.6	29.3	30.9	362.5	11	3321
	07 LST	30.8	27.8	30.7	29.8	30.7	29.5	31.0	31.0	30.0	30.6	29.6	30.4	361.9	11	3387
	13 LST	30.7	27.9	30.9	29.9	30.4	29.6	30.6	30.6	29.5	30.6	29.2	30.5	360.4	11	3387
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	10.4	6.6	5.3	6.2	16.6	19.1	15.3	18.3	22.4	21.1	16.5	16.1	173.9	11	3347
	01 LST	13.3	10.2	10.4	12.9	22.5	23.9	22.4	23.1	26.4	26.4	21.9	20.4	233.8	11	3319
	07 LST	12.9	10.3	11.9	13.6	23.1	25.0	24.6	23.5	26.7	25.9	21.5	20.3	239.3	11	3386
	13 LST	2.1	2.3	2.1	4.2	10.9	14.6	13.3	15.1	16.6	17.0	13.3	9.8	121.3	11	3385
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.8	0.7	0.4	0.1	0.2	0.0	0.5	0.0	0.0	0.1	0.3	0.0	3.1	11	3287
	01 LST	0.1	0.3	0.1	0.2	0.0	0.0	0.2	0.0	0.0	0.1	0.2	0.0	1.2	11	3293
	07 LST	0.4	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	1.2	11	3341
	13 LST	2.4	3.6	5.3	2.1	0.4	0.1	0.4	0.1	0.1	0.0	0.1	0.9	15.5	11	3331
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	17.5	14.3	13.1	15.2	22.0	23.4	21.7	20.4	18.8	19.4	18.8	21.5	226.1	11	3287
	01 LST	17.8	16.5	16.7	17.6	20.7	18.6	18.9	16.2	15.2	14.8	14.8	19.7	207.5	11	3293
	07 LST	17.6	14.5	16.0	16.4	20.9	18.5	16.3	16.2	16.0	15.4	14.2	18.9	200.9	11	3341
	13 LST	8.4	6.0	5.2	8.1	17.6	20.9	20.4	20.8	19.8	18.4	20.0	14.7	180.3	11	3331
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	3.0	2.5	4.1	1.0	0.1	0.0	0.0	0.0	0.0	0.2	0.1	1.5	12.5	9	2892
	01 LST	5.1	5.0	6.7	5.2	4.9	3.1	3.0	2.4	2.6	3.3	1.9	4.9	48.1	9	2862
	07 LST	3.4	2.8	2.6	0.9	0.5	0.1	0.2	0.4	0.4	1.5	0.4	1.5	14.7	9	2930
	13 LST	4.0	3.8	4.9	0.9	0.1	0.0	0.0	0.0	0.0	0.0	0.4	2.1	16.2	9	2930
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	25.5	23.0	25.0	23.9	21.3	20.8	19.7	19.4	22.5	22.4	18.7	22.4	264.6	11	3349
	01 LST	23.2	21.6	25.0	23.5	24.0	22.9	20.9	21.8	24.5	24.7	21.5	23.4	277.0	11	3321
	07 LST	21.5	21.0	22.1	20.7	22.3	22.9	22.2	21.2	24.9	25.5	20.2	22.0	266.5	11	3387
	13 LST	26.4	23.8	26.9	25.5	22.5	21.5	21.3	20.9	21.6	22.8	20.4	23.7	277.3	11	3387
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	23.0	20.9	23.0	22.1	17.6	18.1	15.7	17.5	19.4	19.0	14.6	19.9	231.1	11	3349
	01 LST	21.5	19.6	23.5	21.8	20.6	21.4	19.7	20.3	23.4	23.2	18.7	21.0	254.7	11	3321
	07 LST	19.4	18.8	18.7	17.0	17.9	20.1	19.1	18.3	22.9	22.6	16.1	19.4	230.3	11	3387
	13 LST	23.4	22.4	24.1	23.5	18.8	18.7	17.3	14.6	19.7	20.7	17.1	22.2	246.5	11	3387
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	21.2	19.1	21.2	20.0	13.8	14.0	12.1	15.2	16.5	15.4	12.8	18.0	199.3	11	3349
	01 LST	19.7	18.9	21.2	20.7	17.1	18.8	17.4	18.8	22.0	20.9	16.1	19.0	230.6	11	3321
	07 LST	17.7	16.4	16.2	14.9	13.5	15.9	16.8	16.3	20.8	19.8	13.2	16.4	197.9	11	3387
	13 LST	21.3	19.6	22.0	20.5	14.8	15.5	14.4	16.4	18.1	17.9	15.4	19.2	215.1	11	3387

### AREA NO. 01

PARAMETER DESCRIPTION	BOUNDARIES	NORTHERN SLOPES												
		0840N 0825W	0830N 0810W	0830N 0810W	0830N 0810W	0840N 0800W	0840N 0800W	0840N 0800W	0900N 0795W	0900N 0795W	0920N 0790W	0920N 0790W	0920N 0790W	
		LATITUDE 0850N				LONGITUDE 08020W								
		0920N 0790W	0850N 0780W	0850N 0780W	0850N 0780W	0830N 07730W								
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		84	84	85	86	87	86	85	85	87	86	84	84	85
MEAN MIN TMP (F)		76	76	76	77	76	75	75	75	75	74	74	75	75
LARGEST MEAN PRECIP(IN)		4.29	1.96	1.41	3.72	10.76	14.51	16.46	16.40	11.53	18.41	24.41	12.61	136.5
SMALLEST MEAN PRECIP(IN)		4.29	1.96	1.41	3.72	10.76	14.51	16.46	16.40	11.53	18.41	24.41	12.61	136.5
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.7	28.0	31.0	29.8	30.5	29.3	30.5	30.4	29.4	30.0	29.3	30.4	35.3
	01 LST	30.5	28.0	30.8	30.0	31.0	29.8	30.7	30.9	30.0	30.6	29.3	30.9	362.5
	07 LST	30.8	27.8	30.7	29.8	30.7	29.5	31.0	31.0	30.0	30.6	29.6	30.4	361.9
	13 LST	30.7	27.9	30.9	29.9	30.4	29.6	30.6	30.6	29.5	30.6	29.2	30.5	360.4
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC AND LES 10 KTS	19 LST	10.4	6.6	5.3	6.2	16.6	19.1	15.3	18.3	22.4	21.1	16.5	16.1	173.9
	01 LST	13.3	10.2	10.4	12.9	22.5	23.9	22.4	23.1	26.4	26.4	21.9	20.4	233.8
	07 LST	12.9	10.3	11.9	13.6	23.1	25.0	24.6	23.5	26.7	25.9	21.5	20.3	239.3
	13 LST	2.1	2.3	2.1	4.2	10.4	14.6	13.3	15.1	16.6	17.0	13.3	9.8	121.3
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.8	0.7	0.4	0.1	0.2	0.0	0.5	0.0	0.0	0.1	0.3	0.0	3.1
	01 LST	0.1	0.3	0.1	0.2	0.0	0.0	0.2	0.0	0.0	0.1	0.2	0.0	1.2
	07 LST	0.4	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	1.2
	13 LST	2.4	3.6	5.3	2.1	0.4	0.1	0.4	0.1	0.1	0.0	0.1	0.9	15.5
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	17.5	14.3	13.1	15.2	22.0	23.4	21.7	20.4	18.8	19.4	18.8	21.5	226.1
	01 LST	17.8	16.5	16.7	17.6	20.7	18.6	18.9	16.2	15.2	14.8	14.8	19.7	207.5
	07 LST	17.6	14.5	16.0	16.4	20.9	18.5	16.3	16.2	16.0	15.4	14.2	18.9	200.9
	13 LST	8.4	6.0	5.2	8.1	17.6	20.9	20.4	20.8	19.8	18.4	20.0	14.7	180.3
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	3.0	2.5	4.1	1.0	0.1	0.0	0.0	0.0	0.0	0.2	0.1	1.5	12.5
	01 LST	5.1	5.0	6.7	5.2	4.4	3.1	3.0	2.4	2.6	3.3	1.9	4.9	48.1
	07 LST	3.4	2.8	2.6	0.9	0.5	0.1	0.2	0.4	0.4	1.5	0.4	1.5	14.7
	13 LST	4.0	3.8	4.9	0.9	0.1	0.0	0.0	0.0	0.0	0.4	2.1	16.2	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	25.5	23.0	25.0	23.9	21.3	20.8	19.7	19.4	22.5	22.4	18.7	22.4	264.6
	01 LST	23.2	21.6	25.0	23.5	24.0	22.9	20.9	21.8	24.5	24.7	21.5	23.4	277.0
	07 LST	21.5	21.0	22.1	20.7	22.3	22.9	22.2	21.2	24.9	25.5	20.2	22.0	266.5
	13 LST	26.4	23.8	26.9	25.5	22.5	21.5	21.3	20.9	21.6	22.8	20.4	23.7	277.3
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	23.0	20.9	23.3	22.1	17.6	18.1	15.7	17.5	19.4	19.0	14.6	19.9	231.1
	01 LST	21.5	19.6	23.5	21.8	20.6	21.4	19.7	20.3	23.4	23.2	18.7	21.0	254.7
	07 LST	19.4	18.8	18.7	17.0	17.9	20.1	19.1	18.3	22.9	22.6	16.1	19.4	230.3
	13 LST	23.4	22.4	24.1	23.5	18.8	18.7	17.3	18.6	19.7	20.7	17.1	22.2	246.5
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	21.2	19.1	21.2	20.0	13.8	14.0	12.1	15.2	16.5	15.4	12.8	18.0	199.3
	01 LST	19.7	18.9	21.2	20.7	17.1	18.8	17.4	18.8	22.0	20.9	16.1	19.0	230.6
	07 LST	17.7	16.4	16.2	14.9	13.5	15.9	16.8	16.3	20.8	19.8	13.2	16.4	197.9
	13 LST	21.3	19.6	22.0	20.5	14.8	15.5	14.4	16.4	18.1	17.9	15.4	19.2	215.1

# DAVID, PANAMA

STA NO. 78793 (IN AREA NUMBER 02)

LATITUDE 0823N

LONGITUDE 08226W

ELEVATION(FT) 00089

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	96	98	99	100	96	93	93	94	97	99	93	93	100	6	1798
MEAN MAX TMP (F)	91	93	94	93	90	88	88	88	88	86	87	88	90	6	1798
MEAN MIN TMP (F)	67	68	69	72	71	71	71	71	70	70	70	69	70	6	1798
ABS MIN TMP (F)	60	61	64	65	65	67	65	67	64	66	65	64	60	6	1798
MEAN NO DYS TMP = OR GTR 90(F)	24.1	27.2	30.1	27.3	18.8	9.8	8.8	8.5	10.7	5.2	5.4	11.4	187.3	6	1798
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1798
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1798
MEAN DEW PT TMP (F)	70	68	69	72	74	74	74	74	74	73	73	73	72	5	30775
MEAN REL HUM (PCT)	78	67	68	77	85	88	88	88	88	90	89	86	83	5	30758
MEAN PRESS ALT (FT)	106	106	116	116	146	146	136	136	146	146	156	146	134	0	-50
MEAN PRECIP (IN)	0.38	0.42	1.02	3.10	10.85	13.82	11.31	12.55	12.19	18.89	10.16	4.46	99.1	6	1993
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.2	1.0	1.8	3.8	13.3	15.5	13.0	14.1	14.6	17.2	13.6	7.6	116.7	6	1993
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS W/OCLUM VSBY LES 1/2 MI	1.0	0.0	0.0	0.0	0.7	1.5	1.0	1.2	1.5	1.9	3.0	1.0	12.8	5	1342
MEAN NO DYS TSTMS	1.0	0.7	3.0	14.1	17.8	16.7	22.2	22.2	22.2	8.1	8.6	5.6	142.2	6	1358
P FREQ WND SPD = OR GTR 17 KTS	1.2	6.2	2.4	1.3	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.4	1.0	5	31480
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	31480
P FREQ LES 5000 FT A/O LES 5 MI	9.0	5.1	3.5	16.3	29.3	34.5	30.9	33.6	29.6	46.4	42.4	26.3	25.6	5	31607
FOR 00-02 LST	0.4	0.0	0.3	0.0	1.9	4.3	0.7	2.9	1.7	9.0	14.1	4.3	3.3	6	4420
03-05 LST	0.0	0.0	0.5	0.0	1.7	3.3	2.3	2.4	3.6	7.6	10.3	2.2	2.8	6	5479
06-08 LST	1.1	0.0	0.0	0.2	2.3	2.2	2.9	4.1	3.2	9.4	9.1	3.2	3.1	6	5894
09-11 LST	0.0	0.0	0.0	0.0	1.1	4.3	1.6	3.9	2.2	14.8	8.6	1.4	3.2	6	5646
12-14 LST	0.0	0.0	0.0	0.8	3.0	3.0	3.8	3.0	3.1	19.5	13.6	2.4	4.4	6	5243
15-17 LST	0.6	0.3	0.3	3.0	10.1	10.9	7.1	11.3	11.7	29.1	20.1	8.6	9.4	6	4822
18-20 LST	0.0	0.4	0.0	0.9	15.1	17.5	11.3	14.9	15.5	23.5	20.7	6.8	10.6	5	3885
21-23 LST	0.0	0.0	0.0	0.3	6.2	7.5	4.3	8.4	7.5	14.0	17.1	6.1	6.0	4	3810
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.4	0.0	0.3	0.0	0.0	0.5	0.2	0.8	0.0	0.6	3.7	0.4	0.6	6	4420
03-05 LST	0.0	0.0	0.2	0.0	0.2	1.6	0.8	0.9	1.2	0.5	4.1	0.2	0.8	6	5479
06-08 LST	0.9	0.0	0.0	0.0	0.5	0.4	1.3	1.5	1.0	2.8	2.0	1.1	1.0	6	5894
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.2	0.0	0.1	6	5646
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	1.1	0.8	0.0	0.2	6	5243
15-17 LST	0.0	0.0	0.0	0.6	1.0	1.3	0.2	1.5	1.1	1.9	1.1	0.3	0.8	6	4822
18-20 LST	0.0	0.0	0.0	0.0	0.8	1.1	0.3	0.3	0.8	1.7	0.3	0.4	0.5	5	3885
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.4	0.4	0.0	0.1	4	3810

# DAVID, PANAMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	19 LST	31.0	28.0	31.0	30.0	28.7	28.2	30.5	30.0	29.5	27.7	27.2	30.2	352.0	6	1413
	01 LST	31.0	28.0	31.0	30.0	30.4	29.6	31.0	30.1	30.0	29.2	28.0	30.7	359.0	6	1566
	07 LST	30.4	28.0	31.0	30.0	30.7	29.3	30.0	30.5	29.3	28.2	28.0	30.0	355.4	6	1996
	13 LST	31.0	28.0	31.0	30.0	30.8	29.8	31.0	30.8	29.4	29.0	29.3	31.0	361.1	6	1822
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LES 10 KTS	19 LST	28.7	17.8	23.7	26.9	23.7	20.9	23.3	21.2	20.5	19.2	20.7	25.7	272.3	6	1412
	01 LST	30.3	26.0	29.2	29.4	29.6	27.8	29.4	28.5	28.0	26.4	26.0	28.3	338.9	6	1564
	07 LST	30.4	26.1	30.6	29.6	30.5	29.2	29.5	29.3	29.2	26.8	24.8	29.9	345.9	6	1945
	13 LST	24.9	19.9	22.7	22.5	27.3	26.3	26.2	23.6	23.1	20.2	19.0	26.0	277.7	6	1821
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	19 LST	0.0	1.2	1.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	6	1282
	01 LST	0.0	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	6	1533
	07 LST	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	6	1935
	13 LST	1.5	5.3	1.4	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	9.5	6	1805
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	8.9	12.2	8.3	8.3	6.6	6.1	6.8	8.5	4.6	6.4	2.3	6.5	85.7	6	1280
	01 LST	2.3	6.7	6.2	5.0	3.7	2.7	1.8	1.6	2.4	2.3	1.0	1.7	39.4	6	1533
	07 LST	2.0	6.2	4.4	3.1	4.6	1.8	2.7	4.2	2.7	1.3	1.0	0.7	34.9	6	1935
	13 LST	15.5	4.1	4.0	8.0	15.7	17.3	19.6	21.1	20.7	21.5	20.0	18.5	186.0	6	1805
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	19 LST	7.8	6.0		0.0										2	45
	01 LST		18.0	22.0	15.0	7.0	3.0	2.0	2.9	3.0	4.4				2	292
	07 LST	13.4	12.9	17.5	8.5	2.0	1.5	0.5	0.5	0.5	0.0	1.0	6.0	64.3	2	629
	13 LST	5.3	8.6	14.0	3.0	0.0	0.0	0.5	0.0	0.0					2	454
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	19 LST	29.6	25.8	30.7	27.2	21.0	16.7	20.5	18.5	17.7	16.5	19.2	24.0	267.4	6	1413
	01 LST	31.0	28.0	31.0	30.0	28.7	26.8	28.6	26.8	26.8	26.4	23.6	27.0	334.2	6	1566
	07 LST	30.2	27.8	31.0	30.0	30.3	28.3	28.6	29.5	29.0	26.0	24.6	29.4	344.7	6	1996
	13 LST	29.5	27.2	29.6	29.6	27.0	24.2	23.0	21.0	23.1	18.7	16.2	23.5	292.6	6	1822
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	19 LST	27.6	25.3	27.7	21.6	14.7	11.3	17.2	14.7	16.0	11.5	15.2	23.0	225.8	6	1413
	01 LST	30.0	26.0	31.0	27.5	26.4	25.4	25.6	25.2	24.4	21.1	21.0	25.3	310.9	6	1566
	07 LST	30.0	27.4	30.6	28.4	29.0	26.3	27.0	28.1	28.3	24.8	23.6	29.0	332.5	6	1996
	13 LST	24.1	25.1	28.4	25.4	17.5	18.8	17.6	15.4	17.4	13.5	11.7	18.0	233.9	6	1822
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	19 LST	27.6	25.3	27.0	19.3	12.2	8.0	14.7	13.0	14.3	9.7	14.7	21.7	207.5	6	1413
	01 LST	30.0	28.0	31.0	26.6	23.6	20.6	24.2	25.0	24.0	21.1	20.3	24.6	299.0	6	1566
	07 LST	30.0	27.4	30.0	26.9	25.1	22.8	25.0	26.8	27.5	23.0	23.2	28.6	316.3	6	1996
	13 LST	24.1	25.1	27.9	23.7	15.5	16.8	16.6	15.5	17.9	13.5	11.3	17.7	225.6	6	1822

# RIO HATO, PANAMA

STA NO. 74802/ (IN AREA NUMBER 02)

LATITUDE 0822N

LONGITUDE 08007W

ELEVATION(FT) 00100

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	97	96	97	97	95	94	96	94	93	92	96	96	97	8	2375
MEAN MAX TMP (F)	90	91	91	91	88	87	87	87	87	86	87	88	88	8	2375
MEAN MIN TMP (F)	72	74	74	75	74	73	74	73	73	72	73	73	73	8	2375
ABS MIN TMP (F)	66	68	67	68	71	69	67	66	68	69	67	67	66	8	2375
MEAN NO DYS TMP = OR GTR 90(F)	17.9	20.2	22.1	21.1	9.0	5.0	6.8	5.3	3.6	3.6	4.1	8.6	127.3	8	2375
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2375
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2375
MEAN DEW PT TMP (F)	70	69	70	72	74	75	74	74	74	74	74	73	73	7	50632
MEAN REL HUM (PCT)	74	70	71	73	81	86	85	85	86	88	86	83	81	7	50616
MEAN PRESS ALT (FT)	140	140	150	150	180	180	170	170	180	180	190	180	168	0	-50
MEAN PRECIP (IN)	0.28	0.02	0.04	0.41	3.99	5.39	4.66	4.87	4.48	7.72	6.02	2.93	40.8	7	2360
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PHCP = OR GTR 0.1 IN	0.7	0.0	0.2	1.0	6.6	9.7	8.3	9.5	7.6	12.0	11.3	5.9	73.0	7	2360
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/OCUM VSBY LES 1/2 MI	0.0	0.2	0.0	0.2	0.4	0.0	0.2	0.2	0.7	0.7	1.0	0.0	3.6	8	2122
MEAN NO DYS TSTMS	0.2	0.0	0.2	1.6	7.8	13.0	16.0	14.9	13.7	9.5	6.9	3.4	87.2	7	2111
P FREQ WND SPD = OR GTR 17 KTS	4.5	7.9	8.0	7.6	2.1	0.4	1.1	0.8	0.4	0.5	1.0	2.5	3.1	8	50764
P FREQ WND SPD = OR GTR 20 KTS	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	50764
P FREQ LES 5000 FT A/O LES 5 MI	7.0	4.9	6.6	10.5	18.1	17.3	14.9	15.0	15.1	24.2	20.2	15.0	14.1	8	50803
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.0	0.2	0.0	0.0	0.0	0.2	0.0	0.4	0.0	1.2	0.5	0.6	0.3	7	6347
03-05 LST	0.0	1.1	0.0	0.0	0.0	0.6	0.2	0.0	0.0	2.0	0.8	0.5	0.4	9	6498
06-08 LST	0.0	0.5	0.0	0.0	1.1	1.9	1.1	1.1	1.1	2.8	2.0	0.6	1.0	9	7953
09-11 LST	0.1	0.0	0.0	0.0	1.2	2.2	1.4	1.2	3.4	1.8	2.2	0.1	1.1	9	7967
12-14 LST	0.2	0.0	0.0	0.0	2.6	2.4	1.7	2.2	2.7	2.0	2.8	1.3	1.5	9	7777
15-17 LST	0.0	0.0	0.0	0.3	2.2	4.1	2.9	2.5	2.8	7.6	3.1	1.6	2.3	9	7600
18-20 LST	0.0	0.0	0.2	0.0	0.9	2.7	2.5	2.5	3.7	6.5	3.2	1.2	2.0	8	6731
21-23 LST	0.0	0.2	0.0	0.0	0.4	0.2	0.2	0.7	0.7	2.7	0.3	0.5	0.5	7	6377
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	7	6347
03-05 LST	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.5	0.0	0.2	9	6498
06-08 LST	0.0	0.2	0.0	0.0	0.2	0.2	0.6	0.0	0.0	0.6	1.1	0.0	0.2	9	7953
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.2	0.0	0.2	0.1	0.1	9	7967
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.2	0.3	0.3	0.2	0.0	0.1	9	7777
15-17 LST	0.0	0.0	0.0	0.2	0.6	0.2	0.3	0.5	0.5	0.8	0.3	0.0	0.3	9	7600
18-20 LST	0.0	0.0	0.0	0.0	0.2	0.3	0.3	0.2	0.4	0.4	0.5	0.0	0.2	8	6731
21-23 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	7	6377

# RIO HATO, PANAMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	31.0	28.0	31.0	30.0	30.8	29.4	30.3	30.6	29.6	30.1	29.7	30.7	361.2	9	2500
	01 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	30.8	29.9	31.0	364.7	7	2119
	07 LST	31.0	27.9	31.0	30.0	30.8	29.7	30.8	31.0	29.9	30.8	29.6	30.8	363.3	9	2673
	13 LST	31.0	28.0	31.0	30.0	30.6	29.6	30.7	30.7	30.0	30.7	29.4	30.8	362.5	9	2661
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/ SFC WND LES 10 KTS	19 LST	19.9	17.2	15.5	14.6	21.7	23.8	23.1	24.3	26.4	24.3	22.7	21.1	308.5	9	2500
	01 LST	24.5	23.1	23.2	24.4	26.6	27.0	25.0	27.0	28.0	28.8	25.4	25.1	308.1	7	2118
	07 LST	28.1	26.1	27.7	26.9	27.8	27.8	27.8	29.0	28.0	28.7	25.7	27.0	330.6	9	2672
	13 LST	12.4	10.8	12.0	14.1	21.3	23.4	23.1	25.1	22.4	20.0	19.5	18.5	222.6	9	2660
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	1.4	1.4	4.2	3.2	0.1	0.3	0.1	0.1	0.0	0.1	0.1	0.4	11.4	9	2461
	01 LST	0.2	0.6	0.2	0.6	0.6	0.0	0.0	0.2	0.0	0.0	0.3	0.4	2.5	7	2110
	07 LST	0.1	0.0	0.5	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.8	9	2660
	13 LST	6.2	6.0	7.3	3.5	1.0	0.0	0.4	0.1	0.4	0.3	0.5	2.0	27.7	9	2644
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	21.9	16.4	15.1	13.3	15.6	16.6	17.2	17.5	16.1	18.8	17.8	21.9	208.6	8	2436
	01 LST	18.5	14.3	16.6	13.6	15.6	15.1	19.2	19.5	15.8	19.5	19.2	18.8	205.7	7	2109
	07 LST	13.3	9.8	9.4	10.0	11.5	13.8	17.9	18.0	16.1	17.4	17.4	15.9	170.5	8	2565
	13 LST	12.1	11.0	12.5	14.4	20.6	21.1	21.7	23.1	21.9	21.2	21.4	19.0	220.0	9	2563
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	17.0	13.0	17.0	6.0	1.0	0.5	1.5	0.5	0.0	0.5	1.0	2.5	60.5	2	729
	01 LST	21.9	16.0	27.0	21.0	13.0	4.5	4.5	7.5	4.5	5.0	6.0	10.7	143.6	2	595
	07 LST	18.0	10.5	18.5	9.5	1.0	0.5	0.5	1.5	1.5	0.5	0.5	2.5	65.0	2	729
	13 LST	4.0	3.5	9.5	1.0	0.5	0.0	0.0	0.0	0.5	1.0	0.0	1.0	21.0	2	729
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	30.7	28.0	31.0	29.7	28.4	26.7	29.1	28.4	26.9	24.9	26.8	29.3	339.4	9	2500
	01 LST	30.6	27.6	30.8	29.8	30.0	29.0	30.3	30.5	29.3	28.8	28.6	30.6	355.9	7	2119
	07 LST	30.3	27.4	30.8	30.0	30.3	28.7	29.7	30.6	28.8	29.7	28.9	30.2	355.4	9	2673
	13 LST	29.3	26.9	30.1	28.9	28.1	26.7	28.8	28.8	25.8	25.9	24.6	28.0	331.9	9	2661
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	30.2	27.2	30.5	27.7	24.2	21.7	25.1	23.8	23.6	20.6	21.8	26.1	302.5	9	2500
	01 LST	30.6	27.4	30.2	29.4	25.8	26.8	27.5	28.1	26.8	25.7	26.7	28.1	333.1	7	2119
	07 LST	29.1	26.1	29.2	28.1	26.7	25.1	25.7	27.7	27.5	26.8	25.4	28.5	325.9	9	2673
	13 LST	24.8	22.2	25.1	19.9	20.8	20.7	23.1	25.7	23.8	21.1	19.5	21.2	267.9	9	2661
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	29.2	26.8	30.5	27.2	22.2	18.4	23.4	21.7	21.9	18.2	20.0	25.0	284.5	9	2500
	01 LST	30.4	27.4	30.0	28.8	25.6	24.5	26.5	27.7	25.8	24.0	26.4	27.4	324.5	7	2119
	07 LST	28.5	25.9	27.5	27.3	24.4	22.7	23.3	24.3	25.3	25.5	23.6	27.5	305.8	9	2673
	13 LST	24.4	22.1	24.5	19.2	19.6	18.7	20.8	23.7	22.2	20.3	18.8	20.7	255.0	9	2661

### TOCUMEN NATIONAL, PANAMA

STA NO. 78803/ (IN AREA NUMBER 02)

LATITUDE 0905N

LONGITUDE 07922W

ELEVATION(FT) 00135

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	94	94	95	96	97	94	94	94	94	93	95	94	97	10	-78807
MEAN MAX TMP (F)	89	90	91	92	89	88	88	88	87	87	87	88	89	10	-78807
MEAN MIN TMP (F)	73	74	74	75	76	75	75	75	74	74	74	74	74	10	-78807
ABS MIN TMP (F)	65	67	68	69	72	70	70	70	70	70	70	69	65	10	-78807
MEAN NO DYS TMP = OR GTR 90(F)	13.8	14.1	25.1	24.8	13.1	7.7	8.9	10.6	7.1	3.7	4.4	8.2	145.5	10	-78807
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-78807
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-78807
MEAN DEW PT TMP (F)	71	71	71	72	75	75	75	75	74	74	74	73	73	10	-78807
MEAN REL HUM (PCT)	78	75	73	74	84	86	86	86	86	86	87	83	82	10	-78807
MEAN PRESS ALT (FT)	157	157	167	167	197	197	187	187	197	197	207	197	185	0	-50
MEAN PRECIP (IN)	1.98	0.85	0.29	2.05	9.31	8.16	8.65	8.53	7.91	12.18	10.92	6.55	77.4	10	-78807
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.2	1.6	0.6	3.2	11.7	13.2	13.6	13.9	10.5	13.5	16.2	10.4	111.6	10	-78807
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUM VSBY LES 1/2 MI	0.0	0.1	0.0	0.1	0.1	0.1	0.1	0.0	0.4	0.3	0.2	0.0	1.4	10	-78807
MEAN NO DYS TSTMS	1.2	0.6	0.1	3.8	15.7	16.8	21.0	21.5	19.6	16.2	14.0	5.1	135.6	10	-78807
P FREQ WND SPD = OR GTR 17 KTS	0.1	0.2	0.3	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	-78807
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-78807
P FREQ LES 5000 FT A/O LES 5 MI	11.8	10.4	13.1	15.7	20.7	17.5	12.5	13.3	12.8	16.1	16.4	12.8	14.4	10	-78807
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.1	0.1	0.2	0.7	1.5	2.2	1.2	1.0	1.2	2.5	2.7	0.3	1.1	10	-78807
03-05 LST	0.0	0.6	0.8	0.2	2.0	4.6	2.0	1.7	3.9	3.8	4.6	1.5	2.1	10	-78807
06-08 LST	0.3	0.4	0.6	0.0	2.0	4.2	1.8	3.8	2.1	4.0	3.6	0.8	2.0	10	-78807
09-11 LST	0.1	0.2	0.4	0.0	2.0	3.2	1.1	1.8	1.3	2.2	1.7	0.3	1.2	10	-78807
12-14 LST	0.3	0.1	0.5	0.3	2.5	2.7	1.7	1.7	2.1	2.9	3.1	1.1	1.6	10	-78807
15-17 LST	0.3	0.2	0.0	0.4	3.1	2.3	2.3	1.4	2.1	4.4	3.3	1.9	1.8	10	-78807
18-20 LST	0.2	0.0	0.1	0.2	1.8	2.0	1.3	1.7	0.8	2.9	2.7	1.6	1.3	10	-78807
21-23 LST	0.0	0.0	0.1	0.3	1.2	1.3	0.9	1.0	1.1	1.1	0.8	0.5	0.7	10	-78807
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.2	0.1	0.1	10	-78807
03-05 LST	0.0	0.2	0.0	0.0	0.0	0.1	0.2	0.1	0.4	0.4	0.9	0.1	0.2	10	-78807
06-08 LST	0.0	0.2	0.1	0.0	0.0	0.2	0.2	0.1	0.4	0.9	0.7	0.1	0.2	10	-78807
09-11 LST	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.0	0.1	10	-78807
12-14 LST	0.0	0.1	0.0	0.1	0.4	0.2	0.3	0.0	0.0	0.2	0.1	0.2	0.1	10	-78807
15-17 LST	0.1	0.1	0.0	0.1	0.1	0.3	0.1	0.0	0.1	0.4	0.6	0.2	0.2	10	-78807
18-20 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.1	10	-78807
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	10	-78807

# TOCUMEN NATIONAL, PANAMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	31.0	28.0	31.0	30.0	30.8	29.7	31.0	30.7	30.0	30.3	29.6	31.0	363.1	10	-78807
	01 LST	31.0	28.0	30.9	30.0	30.9	29.7	30.9	30.7	29.9	30.4	29.6	30.9	362.9	10	-78807
	07 LST	30.9	27.9	30.8	30.0	30.9	29.5	30.7	30.4	29.7	30.3	29.4	30.7	361.2	10	-78807
	13 LST	30.9	27.9	31.0	29.9	30.7	29.4	30.4	30.7	30.0	30.5	29.5	30.9	361.6	10	-78807
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	29.4	25.8	27.3	25.4	28.9	28.2	29.4	29.0	28.6	28.8	28.3	29.9	339.0	10	-78807
	01 LST	30.7	27.4	30.7	29.4	29.5	28.8	30.5	30.2	29.6	29.1	29.1	30.7	355.7	10	-78807
	07 LST	30.6	27.5	30.3	29.8	29.9	27.7	30.1	29.4	28.8	28.8	28.6	30.4	351.9	10	-78807
	13 LST	19.2	15.7	14.5	17.1	23.9	25.8	26.8	26.8	25.5	24.3	25.4	25.3	270.3	10	-78807
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-78807
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-78807
	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-78807
	13 LST	0.1	0.4	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	1.3	10	-78807
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	24.3	24.4	27.6	25.3	18.4	14.4	18.4	17.9	12.8	10.9	14.7	18.1	227.2	10	-78807
	01 LST	17.8	18.6	21.7	19.1	11.2	7.7	8.9	10.3	6.4	6.5	8.3	12.2	148.7	10	-78807
	07 LST	13.5	14.5	16.8	16.0	10.0	7.4	7.2	9.1	4.9	5.4	7.3	8.7	120.8	10	-78807
	13 LST	16.4	11.8	8.3	8.1	15.3	13.4	18.7	17.9	18.1	20.2	19.4	18.4	192.0	10	-78807
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	11.4	10.7	11.0	4.9	0.3	0.0	0.0	0.2	0.0	0.3	1.1	5.9	45.8	10	-78807
	01 LST	19.9	19.2	19.5	14.5	6.5	3.8	3.1	4.0	2.2	4.0	2.9	12.6	112.2	10	-78807
	07 LST	11.7	8.9	7.6	4.3	0.9	0.2	0.7	0.7	0.1	0.8	1.7	6.5	44.1	10	-78807
	13 LST	1.7	1.5	0.7	0.2	0.0	0.1	0.0	0.0	0.0	0.2	0.1	0.6	5.1	10	-78807
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	30.5	28.0	30.9	29.3	28.9	27.6	29.1	29.0	27.8	27.4	27.4	29.4	345.3	10	-78807
	01 LST	30.7	28.0	30.9	29.7	28.7	28.2	29.9	30.0	29.1	29.0	28.4	30.7	353.3	10	-78807
	07 LST	30.3	27.7	30.3	29.8	29.8	27.0	29.4	29.0	28.4	28.5	28.1	29.5	347.8	10	-78807
	13 LST	29.0	26.0	29.6	28.5	27.4	27.0	26.9	27.7	26.9	27.5	24.1	26.5	327.1	10	-78807
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	27.7	26.5	28.9	27.3	25.0	24.5	26.7	27.2	25.6	24.7	25.0	26.8	315.9	10	-78807
	01 LST	29.0	27.0	28.9	27.5	25.3	25.8	29.2	28.5	27.5	27.4	26.6	29.1	331.8	10	-78807
	07 LST	28.0	26.1	27.6	27.0	25.7	24.5	28.2	26.7	27.0	26.4	26.6	27.8	321.6	10	-78807
	13 LST	22.1	18.8	21.6	17.0	20.7	23.0	23.2	24.5	24.6	24.6	20.2	22.4	262.7	10	-78807
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	26.9	26.1	28.7	26.9	22.7	22.3	26.1	25.8	24.1	23.3	23.1	25.7	301.7	10	-78807
	01 LST	28.3	26.2	28.8	26.4	24.2	24.5	28.6	28.1	26.7	26.6	25.4	27.6	321.4	10	-78807
	07 LST	27.3	25.4	27.1	25.9	23.6	22.1	27.2	25.4	25.4	24.7	25.1	25.8	305.0	10	-78807
	13 LST	20.9	18.2	20.0	16.1	18.7	22.0	22.3	23.8	23.2	23.3	18.6	21.4	248.5	10	-78807

### MARCOS A GELABER, PANAMA

STA NO. 78804/ (IN AREA NUMBER 02)

LATITUDE 0858N

LONGITUDE 07930W

ELEVATION(FT) 00030

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	94	94	95	96	97	94	94	94	94	93	95	94	97	10	-78807
MEAN MAX TMP (F)	89	90	91	92	89	88	88	88	87	87	87	88	89	10	-78807
MEAN MIN TMP (F)	73	74	74	75	76	75	75	75	74	74	74	74	74	10	-78807
ABS MIN TMP (F)	65	67	68	69	72	70	70	70	70	70	70	69	65	10	-78807
MEAN NO DYS TMP = OR GTR 90(F)	13.8	18.1	25.1	24.8	13.1	7.7	8.9	10.6	7.1	3.7	4.4	8.2	145.5	10	-78807
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-78807
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-78807
MEAN DEW PT TMP (F)	71	71	71	72	75	75	75	75	74	74	74	73	73	10	-78807
MEAN REL HUM (PC7)	78	75	73	74	84	86	86	86	86	86	87	83	82	10	-78807
MEAN PRESS ALT (FT)	60	60	70	70	100	100	90	90	100	100	110	100	88	0	-50
MEAN PRECIP (IN)	1.98	0.85	0.29	2.05	9.31	8.16	8.65	8.53	7.91	12.18	10.92	6.55	77.4	10	-78807
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PHCP = OR GTR 0.1 IN	3.2	1.6	0.6	3.2	11.7	13.2	13.6	13.9	10.5	13.5	16.2	10.4	111.6	10	-78807
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.0	0.1	0.0	0.1	0.1	0.1	0.1	0.0	0.4	0.3	0.2	0.0	1.4	10	-78807
MEAN NO DYS TSTMS	1.2	0.5	0.1	3.8	15.7	16.8	21.0	21.5	19.6	16.2	14.0	5.1	135.6	10	-78807
P FREQ WND SPD = OR GTR 17 KTS	0.1	0.2	0.3	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	-78807
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-78807
P FREQ LES 5000 FT A/D LES 5 MI	11.8	10.4	13.1	15.7	20.7	17.5	12.5	13.3	12.8	16.1	16.4	12.8	14.4	10	-78807
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.1	0.1	0.2	0.7	1.5	2.2	1.7	1.0	1.2	2.5	2.7	0.3	1.1	10	-78807
03-05 LST	0.0	0.6	0.8	0.2	2.0	4.6	2.0	1.7	3.9	3.8	4.6	1.5	2.1	10	-78807
06-08 LST	0.3	0.4	0.6	0.0	2.0	4.2	1.8	3.8	2.1	4.0	3.6	0.8	2.0	10	-78807
09-11 LST	0.1	0.2	0.4	0.0	2.0	3.7	1.1	1.8	1.3	2.2	1.7	0.3	1.2	10	-78807
12-14 LST	0.3	0.1	0.5	0.3	2.5	2.7	1.7	1.7	2.1	2.9	3.1	1.1	1.6	10	-78807
15-17 LST	0.3	0.2	0.0	0.4	3.1	2.3	2.3	1.4	2.1	4.4	3.3	1.9	1.8	10	-78807
18-20 LST	0.2	0.0	0.1	0.2	1.8	2.0	1.3	1.7	0.8	2.9	2.7	1.6	1.3	10	-78807
21-23 LST	0.0	0.0	0.1	0.3	1.2	1.3	0.9	1.0	1.1	1.1	0.8	0.5	0.7	10	-78807
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.2	0.0	0.1	10	-78807
03-05 LST	0.0	0.2	0.0	0.0	0.0	0.1	0.2	0.1	0.4	0.4	0.9	0.1	0.2	10	-78807
06-08 LST	0.0	0.2	0.1	0.0	0.0	0.2	0.2	0.1	0.4	0.9	0.7	0.1	0.2	10	-78807
09-11 LST	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.0	0.1	10	-78807
12-14 LST	0.0	0.1	0.0	0.1	0.4	0.2	0.3	0.0	0.0	0.2	0.1	0.2	0.1	10	-78807
15-17 LST	0.1	0.1	0.0	0.1	0.1	0.3	0.1	0.0	0.1	0.4	0.6	0.2	0.2	10	-78807
18-20 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.1	10	-78807
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	10	-78807

## MARCOS A GELABER, PANAMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	31.0	28.0	31.0	30.0	30.0	29.7	31.0	30.7	30.0	30.3	29.6	31.0	363.1	10	-78807
	01 LST	31.0	28.0	30.9	30.0	30.9	29.7	30.9	30.7	29.9	30.4	29.6	30.9	362.9	10	-78807
	07 LST	30.9	27.9	30.8	30.0	30.9	29.5	30.7	30.4	29.7	30.3	29.4	30.7	361.2	10	-78807
	13 LST	30.9	27.9	31.0	29.9	30.7	29.4	30.4	30.7	30.0	30.5	29.5	30.9	361.8	10	-78807
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	19 LST	29.4	25.8	27.3	25.4	28.4	28.2	29.4	29.0	28.6	28.8	28.3	29.9	339.0	10	-78807
	01 LST	30.7	27.4	30.7	29.4	29.5	28.8	30.5	30.2	29.6	29.1	29.1	30.7	355.7	10	-78807
	07 LST	30.6	27.5	30.3	29.8	29.9	27.7	30.1	29.4	28.8	28.8	28.6	30.4	351.9	10	-78807
	13 LST	19.2	15.7	14.5	17.1	23.9	25.8	26.0	26.8	25.5	24.3	25.4	25.3	270.3	10	-78807
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-78807
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-78807
	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-78807
	13 LST	0.1	0.4	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	1.3	10	-78807
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NU PRECIP.	19 LST	24.3	24.4	27.6	25.3	18.4	14.4	18.4	17.9	12.8	10.9	14.7	18.1	227.2	10	-78807
	01 LST	17.8	18.6	21.7	19.1	11.2	7.7	8.9	10.3	6.4	6.5	8.3	12.2	148.7	10	-78807
	07 LST	13.5	14.5	16.8	16.0	10.0	7.4	7.2	9.1	4.9	5.4	7.3	8.7	120.8	10	-78807
	13 LST	16.4	11.8	8.3	8.1	15.3	19.4	18.7	17.9	18.1	20.2	19.4	18.4	192.0	10	-78807
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	11.4	10.7	11.0	4.9	0.3	0.0	0.0	0.2	0.0	0.3	1.1	5.9	45.8	10	-78807
	01 LST	14.9	19.2	19.5	14.5	6.5	3.8	3.1	4.0	2.2	4.0	2.9	12.6	112.2	10	-78807
	07 LST	11.7	8.9	7.6	4.3	0.9	0.2	0.7	0.7	0.1	0.8	1.7	6.5	44.1	10	-78807
	13 LST	1.7	1.5	0.7	0.2	0.0	0.1	0.0	0.0	0.0	0.2	0.1	0.6	5.1	10	-78807
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	30.5	28.0	30.9	29.3	28.9	27.6	29.1	29.0	27.8	27.4	27.4	29.4	345.3	10	-78807
	01 LST	30.7	28.0	30.9	29.7	28.7	28.2	29.9	30.0	29.1	29.0	28.4	30.7	353.3	10	-78807
	07 LST	30.3	27.7	30.3	29.8	29.8	27.0	29.4	29.0	28.4	28.5	28.1	29.5	347.8	10	-78807
	13 LST	29.0	26.0	29.6	28.5	27.4	27.0	26.9	27.7	26.9	27.5	24.1	26.5	327.1	10	-78807
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	27.7	26.5	28.9	27.3	25.0	24.5	26.7	27.2	25.6	24.7	25.0	26.8	315.9	10	-78807
	01 LST	29.0	27.0	28.9	27.5	25.3	25.8	29.2	28.5	27.5	27.4	26.6	29.1	331.8	10	-78807
	07 LST	28.0	26.1	27.6	27.0	25.7	24.5	28.2	26.7	27.0	26.4	26.6	27.8	321.6	10	-78807
	13 LST	22.1	18.8	21.6	17.0	20.7	23.0	23.2	24.5	24.6	24.6	20.2	22.4	262.7	10	-78807
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	28.9	26.1	28.7	26.9	22.7	22.3	26.1	25.8	24.1	23.3	23.1	25.7	301.7	10	-78807
	01 LST	28.3	26.2	28.8	26.4	24.2	24.5	28.6	28.1	26.7	26.6	25.4	27.6	321.4	10	-78807
	07 LST	27.3	25.4	27.1	25.9	23.6	22.1	27.2	25.4	25.4	24.7	25.1	25.8	305.0	10	-78807
	13 LST	20.9	18.2	20.0	16.1	18.7	22.0	22.3	23.8	23.2	23.3	18.6	21.4	248.5	10	-78807

### AREA NO. 02

PANAMA	SOUTHERN SLOPES												LATITUDE 0800N		LONGITUDE 08040W	
	BOUNDARIES	0840N 08250W	0630N 08100W	0830N 08100W	0900N 07930W	0905N 07925W	0915N 07940W	0915N 07940W	0920N 07900W	0850N 07800W	0850N 07800W	0830N 07730W	0900N 07950W	0920N 07900W		
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN			
MEAN MAX TMP (F)	91	92	93	92	89	88	88	88	88	86	87	88	89			
MEAN MIN TMP (F)	70	71	72	74	73	72	73	72	72	71	72	71	72			
LARGEST MEAN PRECIP(IN)	0.38	0.42	1.02	3.10	10.85	13.82	11.31	12.55	12.19	18.89	10.16	4.46	99.1			
SMALLEST MEAN PRECIP(IN)	0.28	0.02	0.04	0.41	3.99	5.39	4.86	4.87	4.48	7.72	6.02	2.93	40.8			
MEAN NUMBER OF DAYS																
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	31.0	28.0	31.0	30.0	29.8	28.8	30.4	30.3	29.6	28.9	28.5	30.5	356.8		
	01 LST	31.0	28.0	31.0	30.0	30.7	29.8	31.0	30.6	30.0	30.0	29.0	30.9	362.0		
	07 LST	30.7	28.0	31.0	30.0	30.8	29.5	30.4	30.8	29.6	29.5	28.8	30.4	359.5		
	13 LST	31.0	28.0	31.0	30.0	30.7	29.7	30.9	30.8	29.7	29.9	29.4	30.9	362.0		
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	24.3	17.5	14.6	20.8	27.7	22.4	23.2	22.8	23.5	21.8	21.7	23.4	263.7		
	01 LST	27.4	24.6	26.2	26.9	28.1	27.4	27.2	27.8	28.0	27.6	25.7	26.7	323.6		
	07 LST	29.3	26.1	29.2	28.3	29.2	28.5	28.7	29.2	28.6	27.8	25.3	28.5	338.7		
	13 LST	18.7	13.4	17.4	18.3	24.3	24.9	24.7	24.4	22.8	20.1	19.3	22.3	250.6		
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.7	1.3	2.6	2.0	0.1	0.2	0.1	0.1	0.0	0.1	0.1	0.2	7.5		
	01 LST	0.1	0.4	0.2	0.4	0.0	0.0	0.0	0.1	0.0	0.0	0.2	0.2	1.6		
	07 LST	0.1	0.2	0.3	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.8		
	13 LST	3.9	5.7	4.4	2.2	0.5	0.0	0.2	0.1	0.2	0.2	0.3	1.3	19.0		
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	15.4	14.3	11.7	10.8	11.1	11.4	12.0	13.2	10.5	12.6	10.1	14.2	147.3		
	01 LST	10.4	11.5	11.4	9.3	9.7	8.9	10.5	10.6	9.1	10.9	10.1	10.3	122.7		
	07 LST	7.7	8.0	6.9	6.6	8.2	7.8	10.3	11.1	9.4	9.4	9.2	8.3	102.9		
	13 LST	13.8	7.6	8.3	11.2	18.2	19.2	20.7	22.1	21.3	21.4	20.7	18.8	203.2		
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	12.4	10.5	17.0	3.0	1.0	0.5	1.5	0.5	0.0	0.5	1.0	2.5	50.4		
	01 LST	21.9	18.0	24.5	18.0	10.0	3.8	3.3	5.2	3.8	4.7	6.0	10.7	129.9		
	07 LST	15.7	11.7	18.0	9.0	1.5	1.0	0.5	1.0	1.0	0.3	0.8	4.3	64.8		
	13 LST	4.7	6.1	11.8	2.0	0.3	0.0	0.3	0.0	0.3	1.0	0.0	1.0	27.5		
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	30.2	26.9	30.9	28.5	24.7	21.7	24.8	23.5	22.3	20.7	23.0	26.7	303.9		
	01 LST	30.8	27.8	30.9	29.9	29.1	27.9	29.5	28.7	28.1	27.6	26.1	28.8	345.2		
	07 LST	30.3	27.6	30.9	30.0	30.3	28.5	29.2	30.1	28.9	27.9	26.8	29.8	350.3		
	13 LST	29.4	27.1	29.9	29.3	27.6	25.5	25.9	24.9	24.5	22.3	20.4	25.8	312.6		
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	28.9	26.3	29.1	24.7	19.5	16.5	21.2	19.3	19.8	16.1	18.5	24.6	264.5		
	01 LST	30.3	27.7	30.6	28.5	26.1	26.1	26.6	26.7	25.6	23.4	23.9	26.7	322.2		
	07 LST	29.6	26.8	29.9	28.3	27.9	25.7	26.4	27.9	27.9	25.8	24.5	28.8	329.5		
	13 LST	24.5	23.7	26.8	22.7	19.2	19.8	20.4	20.8	20.9	17.3	15.6	19.6	251.3		
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	28.4	26.1	28.8	23.3	17.2	13.2	19.1	17.4	18.1	14.0	17.4	23.4	246.4		
	01 LST	30.2	27.7	30.5	27.7	24.6	22.6	25.4	26.4	24.9	22.6	23.4	26.0	312.0		
	07 LST	29.3	26.7	28.8	27.1	24.8	22.8	24.2	25.6	26.4	24.3	23.4	28.1	311.5		
	13 LST	24.3	23.6	26.2	21.5	17.6	17.8	18.7	19.6	20.1	16.9	15.1	19.2	240.6		

## HOWARD AFB, PANAMA CANAL ZONE

STA NO. 76806 (IN AREA NUMBER 01)

LATITUDE 0654N

LONGITUDE 07936W

ELEVATION(FT) 00051

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO.
ABS MAX TMP (F)	94	95	96	97	95	95	94	93	93	91	91	92	97	11	2659
MEAN MAX TMP (F)	89	90	91	91	86	87	87	87	86	85	86	87	88	11	2659
MEAN MIN TMP (F)	74	74	75	75	76	75	75	75	74	74	74	74	75	11	2659
ABS MIN TMP (F)	66	68	69	69	70	69	70	71	70	70	68	67	66	11	2659
MEAN NO DYS TMP = OR GTR 90(F)	12.8	16.5	24.2	21.3	10.3	6.8	7.6	6.3	1.8	1.6	1.6	4.7	115.5	11	2659
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	2659
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	2659
MEAN DEW PT TMP (F)	71	71	70	72	74	74	74	74	74	74	74	73	73	11	60083
MEAN REL HUM (PCT)	75	74	71	74	81	82	83	84	86	86	85	81	80	11	60082
MEAN PRESS ALT (FT)	91	91	101	101	131	131	121	121	131	131	141	131	119	0	-50
MEAN PRECIP (IN)	0.90	0.89	0.48	3.20	7.66	6.25	6.38	5.41	5.29	7.79	9.78	5.03	59.3	12	2709
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS PHCP = OR GTR 0.1 IN	1.9	0.9	0.7	5.1	12.6	12.0	12.0	10.4	10.5	13.1	13.4	7.6	100.2	12	2709
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.3	0.1	0.6	12	2795
MEAN NO DYS TSTMS	0.2	0.4	0.3	4.1	13.8	15.5	17.0	15.5	13.4	13.0	14.5	4.5	112.2	11	2539
P FREQ WND SPD = OR GTR 17 KTS	2.8	8.8	7.2	4.5	0.6	0.2	0.3	0.8	0.3	0.2	0.3	0.3	2.2	12	66517
P FREQ WND SPD = OR GTR 26 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	66517
P FREQ LES 3000 FT A/D LES 3 MI	4.2	6.7	10.9	15.0	18.3	17.6	12.0	12.6	14.8	15.3	15.9	7.2	12.5	12	66625
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	0.1	0.4	0.7	0.9	0.5	0.3	0.5	1.1	0.8	1.1	0.0	0.5	12	8678
03-05 LST	0.0	0.0	0.4	1.1	0.3	0.4	0.6	0.9	1.0	0.6	0.3	0.1	0.5	12	8675
06-08 LST	0.0	0.1	0.1	1.0	1.1	1.1	0.6	0.7	0.8	0.9	0.6	0.0	0.6	12	8735
09-11 LST	0.3	0.0	0.1	0.8	0.9	1.4	1.3	0.7	0.7	1.8	1.4	0.1	0.8	12	8707
12-14 LST	0.1	0.1	0.0	0.8	1.9	1.6	1.0	1.0	1.7	0.8	1.3	0.3	0.9	12	8693
15-17 LST	0.0	0.0	0.0	0.8	1.9	0.9	1.3	1.4	0.8	1.5	1.7	0.3	0.9	12	8611
18-20 LST	0.0	0.0	0.3	0.1	0.9	1.5	1.3	1.4	0.9	1.7	1.3	0.1	0.8	12	8368
21-23 LST	0.0	0.0	0.1	0.1	0.7	0.3	0.1	0.3	0.3	0.3	0.6	0.0	0.2	12	8397
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	12	8678
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	12	8675
06-08 LST	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	8735
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.3	0.0	0.0	0.2	0.0	0.1	12	8707
12-14 LST	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.1	0.3	0.0	0.0	0.1	0.1	12	8693
15-17 LST	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.3	0.1	0.0	0.3	0.1	0.1	12	8611
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.2	0.4	0.0	0.1	12	8368
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	8397

## HOWARD AFB, PANAMA CANAL ZONE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POP	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	31.0	28.0	31.0	30.0	31.0	29.6	30.8	30.8	30.0	30.6	29.8	30.8	363.4	12	2844
	01 LST	31.0	28.0	30.8	29.7	30.8	30.0	31.0	31.0	29.7	30.8	29.7	31.0	363.5	12	2907
	07 LST	31.0	28.0	31.0	29.9	30.8	29.8	30.9	30.8	29.7	30.8	29.7	31.0	363.4	12	2940
	13 LST	30.8	28.0	31.0	29.6	30.5	29.8	30.8	30.8	29.7	30.7	29.7	31.0	362.4	12	2938
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	19 LST	21.1	15.2	16.4	17.1	24.4	24.3	24.3	22.1	25.7	25.6	24.8	25.2	266.2	12	2843
	01 LST	21.7	17.9	21.0	22.6	28.5	27.8	29.2	27.7	28.1	29.0	26.6	27.5	307.6	12	2904
	07 LST	24.7	20.3	24.2	23.3	28.4	27.4	28.5	29.0	28.1	28.4	27.7	28.3	318.3	12	2940
	13 LST	11.2	9.1	11.2	14.8	23.1	24.5	25.3	23.6	22.9	23.5	20.0	22.3	231.5	12	2937
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.1	0.7	1.6	1.4	0.5	0.0	0.1	0.5	0.1	0.1	0.0	0.1	5.2	12	2810
	01 LST	0.1	0.7	0.7	0.2	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	2.1	12	2898
	07 LST	0.1	1.1	0.2	0.1	0.1	0.0	0.0	0.0	0.1	0.2	0.0	0.1	2.0	12	2925
	13 LST	3.2	6.2	4.5	2.4	0.4	0.0	0.1	0.2	0.2	0.2	0.0	0.3	17.7	12	2923
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	22.3	17.4	20.6	15.6	17.7	12.0	13.8	16.0	11.3	12.9	15.2	19.6	194.4	11	2542
	01 LST	22.8	18.3	21.3	15.6	16.6	7.9	12.7	14.0	7.7	6.4	8.9	16.7	168.9	11	2627
	07 LST	18.4	16.7	19.0	14.6	12.7	7.9	10.1	11.2	9.5	7.4	9.4	14.9	151.8	11	2651
	13 LST	10.0	6.7	6.9	8.3	16.5	16.7	16.9	17.7	19.5	21.8	20.7	18.3	180.0	11	2651
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	18.2	12.9	14.6	5.5	1.6	0.1	0.3	0.4	0.4	0.2	1.0	7.6	63.0	9	2302
	01 LST	25.7	21.2	19.5	14.0	7.2	4.4	5.7	4.6	3.3	3.0	5.3	16.6	130.5	9	2380
	07 LST	17.3	13.8	11.3	5.5	1.3	0.4	0.6	1.0	0.4	0.8	1.7	8.8	62.9	9	2394
	13 LST	3.7	3.4	1.7	1.0	0.0	0.0	0.3	0.0	0.0	0.2	0.3	0.9	11.5	9	2395
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	31.0	27.9	30.8	29.6	28.7	26.6	28.8	28.6	27.6	25.8	27.0	30.0	342.4	12	2844
	01 LST	31.0	27.9	30.8	29.3	30.1	28.4	30.3	30.5	28.1	29.7	28.0	30.4	354.5	12	2907
	07 LST	31.0	27.9	30.8	29.1	29.6	28.0	30.0	29.2	28.2	28.2	28.4	30.2	350.6	12	2940
	13 LST	29.9	26.6	30.0	28.4	25.7	26.1	27.7	25.9	24.6	26.1	23.3	27.7	322.0	12	2938
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	30.4	26.2	29.5	27.4	24.9	24.3	26.5	26.7	26.1	24.0	23.2	28.7	317.9	12	2844
	01 LST	30.7	27.4	29.9	27.5	27.2	26.6	28.7	28.6	26.6	27.6	27.1	30.0	337.9	12	2907
	07 LST	29.5	26.9	28.8	25.2	25.5	24.7	28.3	26.5	26.1	26.9	26.6	28.6	323.6	12	2940
	13 LST	25.2	22.1	20.9	18.5	20.3	23.2	24.9	23.4	22.1	24.5	21.3	24.7	271.1	12	2938
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	29.7	25.8	28.5	25.6	21.9	21.4	24.6	24.3	22.4	22.7	21.7	27.4	296.0	12	2844
	01 LST	30.6	27.2	29.5	26.4	25.4	24.7	27.4	26.7	25.0	26.3	25.8	30.0	325.0	12	2907
	07 LST	29.0	26.5	27.2	24.0	22.0	20.9	25.0	24.3	24.0	25.5	25.1	27.4	300.9	12	2940
	13 LST	24.6	21.0	19.9	17.1	18.7	20.1	22.5	21.8	21.1	23.4	19.8	24.0	254.0	12	2938

## ALBROOK AFB, PANAMA CANAL ZONE

STA NO. 78807/ (IN ARLA NUMBER 01)

LATITUDE 0858N

LONGITUDE 07933W

ELEVATION(FT) 00031

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	94	94	95	96	97	94	94	94	94	93	95	94	97	10	3636
MEAN MAX TMP (F)	89	90	91	92	84	88	88	88	87	87	87	88	89	10	3636
MEAN MIN TMP (F)	73	74	74	75	76	75	75	75	74	74	74	74	74	10	3636
ABS MIN TMP (F)	65	67	68	69	72	70	70	70	70	70	70	69	65	10	3636
MEAN NO DYS TMP = OR GTR 90(F)	13.8	18.1	25.1	24.8	13.1	7.7	8.9	10.6	7.1	3.7	4.4	8.2	145.5	10	3636
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3636
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3636
MEAN DLW PT TMP (F)	71	71	71	72	75	75	75	75	74	74	74	73	73	10	87259
MEAN REL HUM (PCT)	78	75	73	74	64	86	86	86	86	86	87	83	82	10	87259
MEAN PRESS ALT (FT)	71	71	81	81	111	111	101	101	111	111	121	111	99	0	-50
MEAN PRECIP (IN)	1.98	0.85	0.29	2.05	9.31	8.16	8.65	8.53	7.91	12.18	10.92	6.55	77.4	10	3636
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-79
MEAN NO DYS PNCP = OR GTR 0.1 IN	3.2	1.6	0.6	3.2	11.7	13.2	13.6	13.9	10.5	13.5	16.2	10.4	111.6	10	3636
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUM VSBY LES 1/2 MI	0.0	0.1	0.0	0.1	0.1	0.1	0.1	0.0	0.4	0.3	0.2	0.0	1.4	10	3636
MEAN NO DYS TSTMS	1.2	0.6	0.1	3.8	15.7	16.8	21.0	21.5	19.6	16.2	14.0	5.1	135.6	10	3636
P FREQ WND SPD = OR GTR 17 KTS	0.1	0.2	0.3	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	87255
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	87255
P FREQ LES 5000 FT A/O LES 5 MI	11.8	10.4	13.1	15.7	20.7	17.5	12.5	13.3	12.8	16.1	16.4	12.8	14.4	10	87260
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.1	0.1	0.2	0.7	1.5	2.2	1.2	1.0	1.2	2.5	2.7	0.3	1.1	10	10908
03-05 LST	0.0	0.6	0.8	0.2	2.0	4.6	2.0	1.7	3.9	3.8	4.6	1.5	2.1	10	10907
06-08 LST	0.3	0.4	0.6	0.0	2.0	4.2	1.8	3.8	2.1	4.0	3.6	0.8	2.0	10	10908
09-11 LST	0.1	0.2	0.4	0.0	2.0	3.2	1.1	1.8	1.3	2.2	1.7	0.3	1.2	10	10907
12-14 LST	0.3	0.1	0.5	0.3	2.5	2.7	1.7	1.7	2.1	2.9	3.1	1.1	1.6	10	10908
15-17 LST	0.3	0.2	0.0	0.4	3.1	2.3	2.3	1.4	2.1	4.4	3.3	1.9	1.8	10	10907
18-20 LST	0.2	0.0	0.1	0.2	1.8	2.0	1.3	1.7	0.8	2.9	2.7	1.6	1.3	10	10907
21-23 LST	0.0	0.0	0.1	0.3	1.2	1.3	0.9	1.0	1.1	1.1	0.8	0.5	0.7	10	10908
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.2	0.0	0.1	10	10908
03-05 LST	0.0	0.2	0.0	0.0	0.0	0.1	0.2	0.1	0.4	0.4	0.9	0.1	0.2	10	10907
06-08 LST	0.0	0.2	0.1	0.0	0.0	0.2	0.2	0.1	0.4	0.9	0.7	0.1	0.2	10	10908
09-11 LST	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.0	0.1	10	10907
12-14 LST	0.0	0.1	0.0	0.1	0.4	0.2	0.3	0.0	0.0	0.2	0.1	0.2	0.1	10	10908
15-17 LST	0.1	0.1	0.0	0.1	0.1	0.3	0.1	0.0	0.1	0.4	0.6	0.2	0.2	10	10907
18-20 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.1	10	10907
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	10	10908

# ALBROOK AFB, PANAMA CANAL ZONE


MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	31.0	28.0	31.0	30.0	30.6	29.7	31.0	30.7	30.0	30.3	29.6	31.0	363.1	10	3636
	01 LST	31.0	28.0	30.9	30.0	30.9	29.7	30.9	30.7	29.9	30.4	29.6	30.9	362.4	10	3637
	07 LST	30.9	27.9	30.8	30.0	30.9	29.5	30.7	30.4	29.7	30.3	29.4	30.7	361.2	10	3636
	13 LST	30.9	27.9	31.0	24.9	30.7	29.4	30.4	30.7	30.0	30.5	29.5	30.9	361.8	10	3636
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	19 LST	29.4	25.8	27.3	25.4	28.9	28.2	29.4	29.0	28.6	28.8	28.3	29.9	339.0	10	3636
	01 LST	30.7	27.4	30.7	29.4	29.5	28.8	30.5	30.2	29.6	29.1	29.1	30.7	355.7	10	3637
	07 LST	30.6	27.5	30.3	29.8	29.9	27.7	30.1	29.4	28.8	28.8	28.6	30.4	351.9	10	3636
	13 LST	19.2	15.7	14.5	17.1	23.9	25.8	26.8	26.8	25.5	24.3	25.4	25.3	270.3	10	3636
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3591
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3620
	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3612
	13 LST	0.1	0.4	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	1.3	10	3609
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	24.3	24.4	27.6	25.3	18.4	14.4	18.4	17.9	12.8	10.9	14.7	18.1	227.2	10	3591
	01 LST	17.8	18.6	21.7	19.1	11.2	7.7	8.9	10.3	6.4	6.5	8.3	12.2	148.7	10	3620
	07 LST	13.5	14.5	16.8	16.0	10.0	7.4	7.2	9.1	4.9	5.4	7.3	8.7	120.8	10	3612
	13 LST	16.4	11.8	8.3	8.1	15.3	19.4	18.7	17.9	18.1	20.2	19.4	18.4	192.0	10	3609
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	11.4	10.7	11.0	4.9	0.3	0.0	0.0	0.2	0.0	0.3	1.1	5.9	45.8	10	3636
	01 LST	19.9	19.2	19.5	14.5	6.5	3.8	3.1	4.0	2.2	4.0	2.9	12.6	112.2	10	3637
	07 LST	11.7	8.9	7.6	4.3	0.9	0.2	0.7	0.7	0.1	0.8	1.7	6.5	44.1	10	3636
	13 LST	1.7	1.5	0.7	0.2	0.0	0.1	0.0	0.0	0.0	0.2	0.1	0.6	5.1	10	3636
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	30.5	28.0	30.9	29.3	28.9	27.6	29.1	29.0	27.8	27.4	27.4	29.4	345.3	10	3636
	01 LST	30.7	26.0	30.9	29.7	28.7	28.2	29.9	30.0	29.1	29.0	28.4	30.7	353.3	10	3637
	07 LST	30.3	27.7	30.3	29.8	29.8	27.0	29.4	29.0	28.4	28.5	28.1	29.5	347.8	10	3636
	13 LST	29.0	26.0	29.6	28.5	27.4	27.0	26.9	27.7	26.9	27.5	24.1	26.5	327.1	10	3636
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	27.7	26.5	28.9	27.3	25.0	24.5	26.7	27.2	25.6	24.7	25.0	26.8	315.4	10	3637
	01 LST	29.0	27.0	28.9	27.5	25.3	25.8	29.2	28.5	27.5	27.4	26.6	29.1	331.8	10	3636
	07 LST	28.0	26.1	27.6	27.0	25.7	24.5	28.2	26.7	27.0	26.4	26.6	27.8	321.6	10	3636
	13 LST	22.1	18.8	21.6	17.0	20.7	23.0	23.2	24.5	24.6	24.6	20.2	22.4	262.7	10	3636
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	26.9	26.1	28.7	26.9	22.7	22.3	26.1	25.8	24.1	23.3	23.1	25.7	301.7	10	3636
	01 LST	28.3	26.2	28.8	26.4	24.2	24.5	28.6	28.1	26.7	26.6	25.4	27.6	321.4	10	3637
	07 LST	27.3	25.4	27.1	25.9	23.6	22.1	27.2	25.4	25.4	24.7	25.1	25.8	305.0	10	3636
	13 LST	20.9	18.2	20.0	16.1	18.7	22.0	22.3	23.8	23.2	23.3	18.6	21.4	248.5	10	3636

### AREA NO. 01

PANAMA CANAL ZONE	CANAL ZONE	LATITUDE 0920N												LONGITUDE 08020W												
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN												
MEAN MAX TMP (F)		89	90	91	92	89	88	88	88	87	86	87	88	89												
MEAN MIN TMP (F)		74	74	75	75	76	75	75	75	74	74	74	74	75												
LARGEST MEAN PRECIP(IN)		1.98	0.89	0.68	3.20	9.31	8.16	8.65	8.53	7.91	17.18	10.92	6.55	79.0												
SMALLEST MEAN PRECIP(IN)		0.90	0.85	0.29	2.05	7.66	6.25	6.38	5.41	5.29	7.79	9.78	5.03	57.7												
MEAN NUMBER OF DAYS																										
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	31.0	28.0	31.0	30.0	30.9	29.7	30.9	30.8	30.0	30.5	29.7	30.9	363.4												
	01 LST	31.0	28.0	30.9	29.9	30.9	29.9	31.0	30.9	29.8	30.6	29.7	31.0	363.6												
	07 LST	31.0	28.0	30.9	30.0	30.9	29.7	30.8	30.6	29.7	30.6	29.6	30.9	362.7												
	13 LST	30.9	28.0	31.0	29.8	30.6	29.6	30.6	30.8	29.9	30.6	29.6	31.0	362.4												
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	25.3	20.5	21.9	21.3	26.7	26.3	26.9	25.6	27.2	27.2	26.6	27.6	303.1												
	01 LST	26.2	22.7	25.9	26.0	29.0	28.3	29.9	29.0	28.9	29.1	27.9	29.1	332.0												
	07 LST	27.7	23.9	27.3	26.6	29.7	27.6	29.3	29.2	28.5	28.6	28.2	29.4	335.5												
	13 LST	15.2	12.4	12.9	16.0	23.5	25.2	26.1	25.2	24.2	23.9	22.7	23.4	251.1												
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.1	0.4	0.8	0.7	0.3	0.0	0.1	0.3	0.1	0.1	0.0	0.1	3.0												
	01 LST	0.1	0.4	0.4	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	1.3												
	07 LST	0.1	0.6	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.0	0.1	1.3												
	13 LST	1.7	3.3	2.5	1.4	0.2	0.0	0.1	0.1	0.1	0.1	0.1	0.2	9.8												
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	23.3	20.9	24.1	20.5	18.1	13.2	16.1	17.0	12.1	11.9	15.0	18.9	211.1												
	01 LST	20.3	18.5	21.3	17.4	13.9	7.8	10.8	12.2	7.1	6.5	8.6	14.5	159.1												
	07 LST	16.0	15.6	17.9	15.3	11.4	7.7	8.7	10.2	7.2	6.4	8.4	11.8	136.6												
	13 LST	13.2	9.3	7.6	8.2	15.9	18.1	17.8	17.8	18.8	21.0	20.1	18.4	186.2												
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	14.8	11.8	12.8	5.2	1.0	0.1	0.2	0.4	0.2	0.3	1.1	6.8	54.7												
	01 LST	22.8	20.2	19.5	14.3	6.9	4.1	4.4	4.3	2.8	3.5	4.1	14.6	121.5												
	07 LST	14.5	11.4	9.5	4.7	1.1	0.3	0.7	0.9	0.3	0.8	1.7	7.7	53.8												
	13 LST	2.7	2.5	1.2	0.6	0.0	0.1	0.2	0.0	0.0	0.2	0.2	0.0	8.5												
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	30.8	28.0	30.9	29.5	28.8	27.1	29.0	28.8	27.7	26.6	27.2	29.7	344.1												
	01 LST	30.9	28.0	30.9	29.5	29.4	28.3	30.1	30.3	28.6	29.4	28.2	30.6	354.2												
	07 LST	30.7	27.8	30.6	29.5	29.7	27.5	29.7	29.1	28.3	28.4	28.3	29.9	349.5												
	13 LST	29.5	26.3	29.8	28.5	26.6	26.6	27.3	26.8	25.8	26.8	23.7	27.1	324.8												
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	29.1	26.4	29.2	27.4	25.0	24.4	26.6	27.0	25.9	24.4	24.1	27.8	317.3												
	01 LST	29.9	27.2	29.4	27.5	26.3	26.2	29.0	28.6	27.1	27.5	26.9	29.6	335.2												
	07 LST	28.8	26.5	28.2	26.1	25.6	24.6	28.3	26.6	26.6	26.7	26.6	28.2	322.8												
	13 LST	23.7	20.5	21.3	17.8	20.5	23.1	24.1	24.0	23.4	24.6	20.8	23.6	267.4												
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	28.3	26.0	28.6	26.3	22.3	21.9	25.4	25.1	23.3	23.0	22.4	26.6	299.2												
	01 LST	29.5	26.7	29.2	26.4	24.8	24.6	28.0	27.4	25.9	26.5	25.6	28.8	323.4												
	07 LST	28.2	26.0	27.2	25.0	22.8	21.5	26.1	24.9	24.7	25.1	25.1	26.6	303.2												
	13 LST	22.8	19.6	20.0	16.6	18.7	21.1	22.4	22.8	22.2	23.4	19.2	22.7	251.5												

GREATER ANTILLES



# PLAYA BARACOA, CUBA

STA NO. 78221/ (IN AREA NUMBER 01)

LATITUDE 2302N

LONGITUDE 08234W

ELEVATION (FT) 00066

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	93	93	104	104	97	99	97	95	100	100	93	90	104	25	-78224
MEAN MAX TMP (F)	79	79	81	84	86	88	89	89	88	85	81	79	84	25	-78224
MEAN MIN TMP (F)	65	65	67	69	72	74	75	75	75	73	69	67	71	25	-78224
ABS MIN TMP (F)	43	46	46	43	57	63	64	63	63	52	45	45	43	25	-78224
MEAN NO DYS TMP = OR GTR 90(F)	0.4	0.6	5.0	10.7	15.1	21.8	26.5	26.6	20.4	5.6	2.2	0.4	135.3	5	-78224
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-78224
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-78224
MEAN DEW PT TMP (F)	62	62	65	66	70	72	73	73	73	71	66	63	68	5	-78224
MEAN REL HUM (PCT)	75	73	71	71	74	76	75	76	78	78	75	74	75	43	-78224
MEAN PRESS ALT (FT)	-87	-66	-39	-12	27	32	-13	13	56	43	-30	-67	-11	0	-50
MEAN PRECIP (IN)	2.80	1.80	1.80	2.30	4.70	6.50	4.90	5.30	5.90	6.80	3.10	2.30	48.2	72	-78224
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.7	2.8	4.2	5.1	8.5	12.1	10.2	10.7	8.9	10.4	4.8	4.0	87.4	72	-29
MEAN NO DYS SNFL = OR GTR 1.0 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.6	1.2	0.4	0.4	0.6	0.0	0.8	0.0	1.0	0.2	0.8	1.4	7.4	5	-78224
MEAN NO DYS TSTMS	0.2	0.8	0.8	2.4	3.8	6.3	14.4	12.8	7.8	4.2	0.4	0.2	54.1	5	-78224
P FREQ WND SPD = OR GTR 17 KTS	5.7	6.4	5.9	8.1	4.1	2.0	1.3	2.1	1.9	2.0	3.6	2.6	3.8	5	-78224
P FREQ WND SPD = OR GTR 28 KTS	0.2	0.5	0.1	0.6	0.1	0.1	0.2	0.5	0.1	0.1	0.1	0.0	0.2	5	-78224
P FREQ LES 5000 FT A/O LES 5 MI	15.6	16.7	13.4	15.1	13.6	11.6	9.5	10.3	12.2	16.5	17.9	14.3	13.9	5	-78224
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	2.6	2.4	1.7	1.3	0.9	2.0	0.2	1.5	0.9	2.4	2.2	2.4	1.7	5	-78224
03-05 LST	2.0	3.1	1.5	0.9	1.6	1.4	0.0	1.1	1.4	2.4	1.6	3.7	1.7	5	-78224
06-08 LST	3.3	3.8	2.5	1.4	1.7	1.7	0.0	0.9	1.9	2.5	3.3	3.6	2.2	11	-78224
09-11 LST	2.2	1.9	1.7	0.9	2.0	2.3	0.7	1.3	1.6	3.1	2.4	3.0	1.9	5	-78224
12-14 LST	3.3	3.0	2.8	3.2	2.1	3.6	4.2	3.7	3.9	3.5	4.3	3.4	3.4	10	-78224
15-17 LST	2.8	3.0	2.6	2.6	4.3	6.1	7.5	4.9	5.7	4.6	3.7	3.1	4.2	9	-78224
18-20 LST	1.8	2.2	3.5	3.8	2.6	3.2	2.3	2.6	2.7	3.9	4.0	3.0	3.0	5	-78224
21-23 LST	1.3	2.1	2.4	2.0	0.9	2.1	0.7	1.6	1.4	1.7	1.3	1.1	1.6	5	-78224
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	5	-78224
03-05 LST	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.1	5	-78224
06-08 LST	0.3	0.0	0.3	0.2	0.0	0.0	0.0	0.0	0.2	0.2	0.5	0.5	0.2	11	-78224
09-11 LST	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	5	-78224
12-14 LST	0.7	0.0	0.2	0.2	0.0	0.2	0.2	0.3	0.0	0.3	0.2	0.3	0.2	10	-78224
15-17 LST	0.4	0.4	0.0	0.0	0.2	0.4	1.5	0.5	0.9	0.0	0.0	0.3	0.4	9	-78224
18-20 LST	0.0	0.0	0.2	0.7	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	-78224
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	5	-78224

# PLAYA BARACOA, CUBA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	30.8	27.5	30.8	29.4	30.6	29.4	30.3	30.3	29.3	30.0	29.3	31.0	358.7	9	-78224
	00 LST	30.4	27.4	30.8	29.8	30.8	29.6	30.8	30.6	29.6	30.4	29.2	29.8	359.2	5	-78224
	06 LST	28.4	26.6	30.3	29.2	30.3	29.6	31.0	30.6	29.4	29.8	28.6	28.0	351.8	11	-78224
	12 LST	30.2	27.8	30.5	29.4	30.6	29.6	30.3	29.9	29.3	30.6	29.5	30.6	358.5	10	-78224
CIG =GTR 2000 FT AND VSBY =GTR 3 MI w/SFC WND LES 10 KTS	18 LST	18.0	18.0	16.9	13.3	18.2	21.4	22.4	14.7	25.1	22.9	20.5	23.1	244.5	9	-78224
	00 LST	22.0	21.8	25.0	25.0	29.0	28.0	30.2	29.2	27.5	27.2	26.2	25.4	316.5	5	-78224
	06 LST	23.3	21.7	25.0	24.2	28.3	27.8	29.4	29.5	27.3	27.7	23.0	24.0	311.2	11	-78224
	12 LST	14.5	12.7	12.7	12.3	14.6	17.6	21.4	21.5	17.9	16.5	12.9	15.4	190.0	10	-78224
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.0	1.4	1.8	2.1	3.3	0.0	0.2	0.3	0.4	0.9	1.3	0.9	13.6	9	-78224
	00 LST	0.4	0.4	0.4	0.8	0.2	0.2	0.2	0.0	0.0	0.0	0.2	0.2	3.0	5	-78224
	06 LST	0.4	0.4	0.2	0.4	0.1	0.0	0.0	0.0	0.0	0.1	0.5	0.6	2.7	11	-78224
	12 LST	2.1	3.4	5.2	3.2	2.9	1.0	0.2	0.6	0.9	1.9	3.3	3.1	28.0	10	-78224
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	21.8	19.5	20.9	14.9	18.3	19.2	17.2	15.4	16.0	19.4	19.7	21.6	225.8	9	-78224
	00 LST	19.8	13.7	17.3	14.8	12.7	13.2	11.5	9.3	12.5	10.4	12.5	15.6	163.3	5	-78224
	06 LST	16.3	14.3	14.1	14.9	14.1	13.2	13.8	9.3	11.3	10.9	11.4	15.2	158.8	11	-78224
	12 LST	18.1	15.0	16.2	14.1	14.3	13.7	14.1	14.0	14.8	17.6	17.0	19.6	188.5	10	-78224
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	13.5	13.0	12.2	10.1	7.2	3.6	3.4	3.0	2.6	8.9	10.4	11.9	95.8	9	-78224
	00 LST	23.7	21.0	24.3	22.1	21.1	20.7	20.7	19.9	14.9	16.4	18.6	21.2	244.6	5	-78224
	06 LST	14.7	14.0	17.4	15.2	14.6	13.0	12.6	14.4	10.1	12.4	10.4	12.5	161.3	11	-78224
	12 LST	5.5	6.0	8.0	5.5	4.2	2.6	2.1	2.3	1.9	2.4	4.1	4.5	49.1	10	-78224
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	27.2	25.2	26.8	26.2	28.0	25.5	26.9	28.3	25.9	26.6	26.1	27.9	320.6	9	-78224
	00 LST	28.3	26.4	29.4	28.4	29.6	28.4	30.6	30.0	29.4	29.2	27.4	28.4	345.5	5	-78224
	06 LST	24.2	23.5	28.0	27.5	29.2	28.4	30.8	30.5	28.7	28.1	25.4	25.3	330.6	11	-78224
	12 LST	25.0	23.0	25.5	25.4	26.6	25.0	25.9	25.3	22.5	24.3	23.9	25.4	297.8	10	-78224
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	24.6	22.7	24.3	24.3	25.4	23.6	24.6	27.1	23.7	25.0	24.4	25.7	295.9	9	-78224
	00 LST	27.3	25.4	29.2	28.0	29.0	27.8	30.4	30.0	29.2	28.6	25.8	27.6	338.3	5	-78224
	06 LST	23.3	21.9	26.8	27.0	28.2	27.8	30.5	30.4	28.2	27.0	23.4	23.6	318.1	11	-78224
	12 LST	21.5	19.7	21.7	22.3	23.2	21.8	23.6	22.1	18.3	20.3	20.4	21.2	256.1	10	-78224
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	24.6	22.5	24.3	24.3	25.9	23.6	24.6	27.0	23.6	25.0	24.4	25.7	295.5	9	-78224
	00 LST	27.3	25.2	29.2	28.0	29.0	27.8	30.4	30.0	29.2	28.6	25.8	27.6	338.1	5	-78224
	06 LST	23.3	21.9	26.8	27.0	28.1	27.8	30.5	30.4	28.2	27.0	23.4	23.6	318.0	11	-78224
	12 LST	21.5	19.7	21.7	22.3	23.2	21.7	23.6	22.1	18.3	20.3	20.4	21.2	256.0	10	-78224

# MANAGUA, CUBA

STA NO. 78222/ (IN AREA NUMBER 01)

LATITUDE 2258N

LONGITUDE 08216W

ELEVATION(FT) 00377

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	93	93	104	104	97	99	97	95	100	100	93	90	104	25	-78224
MEAN MAX TMP (F)	79	79	81	84	86	88	89	89	88	85	81	79	84	25	-78224
MEAN MIN TMP (F)	65	65	67	69	72	74	75	75	75	73	69	67	71	25	-78224
ABS MIN TMP (F)	43	46	46	43	57	63	64	63	63	52	45	45	43	25	-78224
MEAN NO DYS TMP = OR GTR 90(F)	0.4	0.6	5.0	10.7	15.1	21.8	26.5	26.6	20.4	5.6	2.2	0.4	135.3	5	-78224
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-78224
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-78224
MEAN DEW PT TMP (F)	62	62	65	66	70	72	73	73	73	71	66	63	68	5	-78224
MEAN REL HUM (PCT)	75	73	71	71	74	76	75	76	78	78	75	74	75	43	-78224
MEAN PRESS ALT (FT)	222	243	268	295	335	340	294	322	367	353	279	242	297	0	-50
MEAN PRECIP (IN)	2.80	1.80	1.80	2.30	4.70	6.50	4.90	5.30	5.90	6.80	3.10	2.30	48.2	72	-78224
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.7	2.8	4.2	5.1	8.5	12.1	10.2	10.7	8.9	10.4	4.8	4.0	87.4	72	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.6	1.2	0.4	0.4	0.6	0.0	0.8	0.0	1.0	0.2	0.8	1.4	7.4	5	-78224
MEAN NO DYS TSTMS	0.2	0.8	0.8	2.4	3.8	6.3	14.4	12.8	7.8	4.2	0.4	0.2	54.1	5	-78224
P FREQ WND SPD = OR GTR 17 KTS	5.7	6.4	5.9	8.1	4.1	2.0	1.3	2.1	1.9	2.0	3.6	2.6	3.8	5	-78224
P FREQ WND SPD = OR GTR 28 KTS	0.2	0.5	0.1	0.6	0.1	0.1	0.2	0.5	0.1	0.1	0.1	0.0	0.2	5	-78224
P FREQ LES 5000 FT A/O LES 5 MI	15.6	16.7	13.4	15.1	13.6	11.6	9.5	10.3	12.2	16.5	17.9	14.3	13.9	5	-78224
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	2.6	2.4	1.7	1.3	0.9	2.0	0.2	1.5	0.9	2.4	2.2	2.4	1.7	5	-78224
03-05 LST	2.0	3.1	1.5	0.9	1.6	1.4	0.0	1.1	1.4	2.4	1.6	3.7	1.7	5	-78224
06-08 LST	3.3	3.8	2.5	1.4	1.7	1.7	0.0	0.9	1.9	2.5	3.3	3.6	2.2	11	-78224
09-11 LST	2.2	1.9	1.7	0.9	2.0	2.3	0.7	1.3	1.6	3.1	2.4	3.0	1.9	5	-78224
12-14 LST	3.3	3.0	2.8	3.2	2.1	3.6	4.2	3.7	3.9	3.5	4.3	3.4	3.4	10	-78224
15-17 LST	2.8	3.0	2.6	2.6	4.3	6.1	7.5	4.9	5.7	4.6	3.7	3.1	4.2	9	-78224
18-20 LST	1.8	2.2	3.5	3.8	2.6	3.2	2.3	2.6	2.7	3.9	4.0	3.0	3.0	5	-78224
21-23 LST	1.3	2.1	2.4	2.0	0.9	2.1	0.7	1.8	1.4	1.7	1.3	1.1	1.6	5	-78224
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	5	-78224
03-05 LST	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.1	5	-78224
06-08 LST	0.3	0.0	0.3	0.2	0.0	0.0	0.0	0.0	0.2	0.2	0.5	0.5	0.2	11	-78224
09-11 LST	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	5	-78224
12-14 LST	0.7	0.0	0.2	0.2	0.0	0.2	0.2	0.3	0.0	0.3	0.2	0.3	0.2	10	-78224
15-17 LST	0.4	0.4	0.0	0.0	0.2	0.4	1.5	0.5	0.9	0.0	0.0	0.3	0.4	9	-78224
18-20 LST	0.0	0.0	0.2	0.7	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	-78224
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	5	-78224

# MANAGUA, CUBA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		MONTHS												ANN	POR (YRS)	NO. OBS
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC			
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.8	27.5	30.8	29.4	30.6	29.4	30.3	30.3	29.3	30.0	29.3	31.0	358.7	9	-78224
	01 LST	30.4	27.4	30.8	29.8	30.8	29.6	30.8	30.6	29.6	30.4	29.2	29.8	359.2	5	-78224
	07 LST	28.4	26.6	30.3	29.2	30.3	29.6	31.0	30.6	29.4	29.8	28.6	28.0	351.8	11	-78224
	13 LST	30.2	27.8	30.5	29.4	30.8	29.6	30.3	29.9	29.3	30.6	29.5	30.6	358.5	10	-78224
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	18.0	18.0	16.9	13.3	16.2	21.4	22.4	24.7	25.1	22.9	20.5	23.1	244.5	9	-78224
	01 LST	22.0	21.8	25.0	25.0	29.0	28.0	30.2	29.2	27.5	27.2	26.2	25.4	316.5	5	-78224
	07 LST	23.3	21.7	25.0	24.2	28.3	27.8	29.4	29.5	27.7	21.7	23.0	24.0	311.2	11	-78224
	13 LST	14.5	12.7	12.7	12.3	14.6	17.6	21.4	21.5	17.9	16.5	12.9	15.4	190.0	10	-78224
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	1.0	1.4	1.8	2.1	3.3	0.0	0.2	0.3	0.4	0.9	1.3	0.9	13.6	9	-78224
	01 LST	0.4	0.4	0.4	0.8	0.2	0.2	0.2	0.0	0.0	0.0	0.2	0.2	3.0	5	-78224
	07 LST	0.4	0.4	0.2	0.4	0.1	0.0	0.0	0.0	0.0	0.1	0.5	0.6	2.7	11	-78224
	13 LST	2.1	3.4	5.2	3.2	2.9	1.0	0.2	0.8	0.9	1.9	3.3	3.1	28.0	10	-78224
SFC WND 4-10 KTS AND TMP DEG F AND NO PRECIP.	19 LST	21.8	19.5	20.9	16.8	18.3	19.2	17.2	15.4	16.0	19.4	19.7	21.6	225.8	9	-78224
	01 LST	19.8	13.7	17.3	14.8	12.7	13.2	11.5	9.3	12.5	10.4	12.5	15.6	163.3	5	-78224
	07 LST	16.3	14.3	14.1	14.9	14.1	13.2	13.8	9.3	11.3	10.9	11.4	15.2	158.8	11	-78224
	13 LST	18.1	15.0	16.2	14.1	14.3	13.7	14.1	14.0	14.8	17.6	17.0	19.6	188.5	10	-78224
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	13.5	13.0	12.2	10.1	7.2	3.6	3.4	3.0	2.6	8.9	10.4	11.9	99.8	9	-78224
	01 LST	23.7	21.0	24.3	22.1	21.1	20.7	20.7	19.9	14.9	16.4	18.6	21.2	244.6	5	-78224
	07 LST	14.7	14.0	17.4	15.2	14.6	13.0	12.6	14.4	10.1	12.4	10.4	12.5	161.3	11	-78224
	13 LST	5.5	6.0	8.0	5.5	4.2	2.6	2.1	2.3	1.9	2.4	4.1	4.5	49.1	10	-78224
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	27.2	25.2	26.8	26.2	28.0	25.5	26.9	28.3	25.9	26.6	26.1	27.9	320.6	9	-78224
	01 LST	28.3	26.4	29.4	28.4	29.6	28.4	30.6	30.0	29.4	29.2	27.4	28.4	345.5	5	-78224
	07 LST	25.2	23.5	28.0	27.5	23.2	28.4	30.8	30.5	28.7	28.1	25.4	25.3	330.6	11	-78224
	13 LST	25.0	23.0	25.5	25.4	26.6	25.0	25.9	25.3	22.5	24.3	23.9	25.4	297.8	10	-78224
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.6	22.7	24.3	24.3	25.9	23.6	24.6	27.1	23.7	25.0	24.4	25.7	295.9	9	-78224
	01 LST	27.3	25.4	29.2	28.0	29.0	27.8	30.4	30.0	29.2	28.6	25.8	27.6	338.3	5	-78224
	07 LST	23.3	21.9	26.8	27.0	28.2	27.8	30.5	30.4	28.2	27.0	23.4	23.6	318.1	11	-78224
	13 LST	21.5	19.7	21.7	22.3	23.2	21.8	23.6	22.1	18.3	20.3	20.4	21.2	256.1	10	-78224
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	24.6	22.5	24.3	24.3	25.9	23.6	24.6	27.0	23.6	25.0	24.4	25.7	295.5	9	-78224
	01 LST	27.3	25.2	29.2	28.0	29.0	27.8	30.4	30.0	29.2	28.6	25.8	27.6	338.1	5	-78224
	07 LST	23.3	21.9	26.8	27.0	28.1	27.8	30.5	30.4	28.2	27.0	23.4	23.6	318.0	11	-78224
	13 LST	21.5	19.7	21.7	22.3	23.2	21.7	23.6	22.1	18.3	20.3	20.4	21.2	256.0	10	-78224

# JOSE MARTI INTL, CUBA

STA NO. 78223/ (IN AREA NUMBER 01)

LATITUDE 2259N

LONGITUDE 08224W

ELEVATION(FT) 00210

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	93	93	104	104	97	99	97	95	100	100	93	90	104	25	-78224
MEAN MAX TMP (F)	79	79	81	84	86	88	89	89	88	85	81	79	84	25	-78224
MEAN MIN TMP (F)	65	65	67	69	72	74	75	75	75	73	69	67	71	25	-78224
ABS MIN TMP (F)	43	46	46	43	57	63	64	63	63	52	45	45	43	25	-78224
MEAN NO DYS TMP = OR GTR 90(F)	0.4	0.6	5.0	10.7	15.1	21.8	26.5	26.6	20.4	5.6	2.2	0.4	135.3	5	-78224
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-78224
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-78224
MEAN DEW PT TMP (F)	62	62	65	66	70	72	73	73	73	71	66	63	68	5	-78224
MEAN REL HUM (PCT)	75	73	71	71	74	76	75	76	78	78	75	74	75	43	-78224
MEAN PRESS ALT (FT)	42	63	89	116	156	162	115	142	188	173	99	62	117	0	-50
MEAN PRECIP (IN)	2.80	1.80	1.80	2.30	4.70	6.50	4.90	5.30	5.90	6.80	3.10	2.30	48.2	72	-78224
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.7	2.8	4.2	5.1	8.5	12.1	10.2	10.7	8.9	10.4	4.8	4.0	87.4	72	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.6	1.2	0.4	0.4	0.6	0.0	0.8	0.0	1.0	0.2	0.8	1.4	7.4	5	-78224
MEAN NO DYS TSTMS	0.2	0.8	0.8	2.4	3.8	6.3	14.4	12.8	7.8	4.2	0.4	0.2	54.1	5	-78224
P FREQ WND SPD = OR GTR 17 KTS	5.7	6.4	5.9	8.1	4.1	2.0	1.3	2.1	1.9	2.0	3.6	2.6	3.8	5	-78224
P FREQ WND SPD = OR GTR 28 KTS	0.2	0.5	0.1	0.6	0.1	0.1	0.2	0.5	0.1	0.1	0.1	0.0	0.2	5	-78224
P FREQ LES 5000 FT A/O LES 5 MI	15.6	16.7	13.4	15.1	13.6	11.6	9.5	10.3	12.2	16.5	17.9	14.3	13.9	5	-78224
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	2.6	2.4	1.7	1.3	0.9	2.0	0.2	1.5	0.9	2.4	2.2	2.4	1.7	5	-78224
03-05 LST	2.0	3.1	1.5	0.9	1.6	1.4	0.0	1.1	1.4	2.4	1.6	3.7	1.7	5	-78224
06-08 LST	3.3	3.8	2.5	1.4	1.7	1.7	0.0	0.9	1.9	2.5	3.3	3.6	2.2	11	-78224
09-11 LST	2.2	1.9	1.7	0.9	2.0	2.3	0.7	1.3	1.6	3.1	2.4	3.0	1.9	5	-78224
12-14 LST	3.3	3.0	2.8	3.2	2.1	3.6	4.2	3.7	3.9	3.5	4.3	3.4	3.4	10	-78224
15-17 LST	2.8	3.0	2.6	2.6	4.3	6.1	7.5	4.9	5.7	4.6	2.7	3.1	4.2	9	-78224
18-20 LST	1.8	2.2	3.5	3.8	2.6	3.2	2.3	2.6	2.7	3.9	4.0	3.0	3.0	5	-78224
21-23 LST	1.3	2.1	2.4	2.0	0.9	2.1	0.7	1.8	1.4	1.7	1.3	1.1	1.6	5	-78224
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	5	-78224
03-05 LST	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.1	5	-78224
06-08 LST	0.3	0.0	0.3	0.2	0.0	0.0	0.0	0.0	0.2	0.2	0.5	0.5	0.2	11	-78224
09-11 LST	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	5	-78224
12-14 LST	0.7	0.0	0.2	0.2	0.0	0.2	0.2	0.3	0.0	0.3	0.2	0.3	0.2	10	-78224
15-17 LST	0.4	0.4	0.0	0.0	0.2	0.4	1.5	0.5	0.9	0.0	0.0	0.3	0.4	9	-78224
18-20 LST	0.0	0.0	0.2	0.7	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	-78224
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	5	-78224

# JOSE MARTI INTL, CUBA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.2	27.5	30.8	29.4	30.6	29.4	30.3	30.3	29.3	30.0	29.3	31.0	358.7	9	-78224
	01 LST	30.4	27.4	30.8	29.8	30.8	29.6	30.8	30.6	29.6	30.4	29.2	29.8	359.2	5	-78224
	07 LST	28.4	26.6	30.3	29.2	30.3	29.6	31.0	30.6	29.4	29.8	28.6	28.0	351.8	11	-78224
	13 LST	30.2	27.8	30.5	29.4	30.8	29.6	30.3	29.9	29.3	30.6	29.5	30.6	358.5	10	-78224
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	18.0	18.0	16.9	13.3	18.2	21.4	22.4	24.7	25.1	22.9	20.5	23.1	244.5	9	-78224
	01 LST	22.0	21.8	25.0	25.0	29.0	28.0	30.2	29.2	27.5	27.2	26.2	25.4	316.5	5	-78224
	07 LST	23.3	21.7	25.0	24.2	28.3	27.8	29.4	29.5	27.3	27.7	23.0	24.0	311.2	11	-78224
	13 LST	14.5	12.7	12.7	12.3	14.6	17.6	21.4	21.5	17.9	16.5	12.9	15.4	190.0	10	-78224
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	1.0	1.4	1.8	2.1	3.3	0.0	0.2	0.3	0.4	0.9	1.3	0.9	13.6	9	-78224
	01 LST	0.4	0.4	0.4	0.8	0.2	0.2	0.2	0.0	0.0	0.0	0.2	0.2	3.0	5	-78224
	07 LST	0.4	0.4	0.2	0.4	0.1	0.0	0.0	0.0	0.0	0.1	0.5	0.6	2.7	11	-78224
	13 LST	2.1	3.4	5.2	3.2	2.9	1.0	0.2	0.8	0.9	1.9	3.3	3.1	28.0	10	-78224
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	21.8	19.5	20.9	16.8	18.3	19.2	17.2	15.4	16.0	19.4	19.7	21.6	225.8	9	-78224
	01 LST	19.8	13.7	17.3	14.8	12.7	13.2	11.5	9.3	12.5	10.4	12.5	15.6	163.3	5	-78224
	07 LST	16.3	14.3	14.1	14.9	14.1	13.2	13.8	9.3	11.3	10.9	11.4	15.2	158.8	11	-78224
	13 LST	18.1	15.0	16.2	14.1	14.3	13.7	14.1	14.0	14.8	17.6	17.0	19.6	188.5	10	-78224
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	13.5	13.0	12.2	10.1	7.2	3.6	3.4	3.0	2.6	8.9	10.4	11.9	99.8	9	-78224
	01 LST	23.7	21.0	24.3	22.1	21.1	20.7	20.7	19.9	14.9	16.4	18.6	21.2	244.6	5	-78224
	07 LST	14.7	14.0	17.4	15.2	14.6	13.0	12.6	14.4	10.1	12.4	10.4	12.5	161.3	11	-78224
	13 LST	5.5	6.0	8.0	5.5	4.2	2.6	2.1	2.3	1.9	2.4	4.1	4.5	49.1	10	-78224
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	27.2	25.2	26.8	26.2	28.0	25.5	26.9	28.3	25.9	26.6	26.1	27.9	320.6	9	-78224
	01 LST	28.3	26.4	29.4	28.4	29.6	28.4	30.6	30.0	29.4	29.2	27.4	28.4	345.5	5	-78224
	07 LST	25.2	23.5	28.0	27.5	29.2	28.4	30.8	30.5	28.7	28.1	25.4	25.3	330.6	11	-78224
	13 LST	25.0	23.0	25.5	25.4	26.6	25.0	25.9	25.3	22.5	24.3	23.9	25.4	297.8	10	-78224
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.6	22.7	24.3	24.3	25.9	23.6	24.6	27.1	23.7	25.0	24.4	25.7	295.9	9	-78224
	01 LST	27.3	25.4	29.2	28.0	29.0	27.8	30.4	30.0	29.2	28.6	25.8	27.6	338.3	5	-78224
	07 LST	23.3	21.9	26.8	27.0	28.2	27.8	30.5	30.4	28.2	27.0	23.4	23.6	318.1	11	-78224
	13 LST	21.5	19.7	21.7	22.3	23.2	21.8	23.6	22.1	18.3	20.3	20.4	21.2	256.1	10	-78224
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	24.6	22.5	24.3	24.3	25.9	23.6	24.6	27.0	23.6	25.0	24.4	25.7	295.5	9	-78224
	01 LST	27.3	25.2	29.2	28.0	29.0	27.8	30.4	30.0	29.2	28.6	25.8	27.6	338.1	5	-78224
	07 LST	23.3	21.9	26.8	27.0	28.1	27.8	30.5	30.4	28.2	27.0	23.4	23.6	318.0	11	-78224
	13 LST	21.5	19.7	21.7	22.3	23.2	21.7	23.6	22.1	18.3	20.3	20.4	21.2	256.0	10	-78224

## HAVANA/RANCHO BOYEROS, CUBA

STA NO. 78224 (IN AREA NUMBER 01)

LATITUDE 2301N

LONGITUDE 08224W

ELEVATION(FT) 00225

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	93	93	104	104	97	99	97	95	100	100	93	90	104	25	-528
MEAN MAX TMP (F)	79	79	81	84	86	88	89	89	88	85	81	79	84	25	-28
MEAN MIN TMP (F)	65	65	67	69	72	74	75	75	75	73	69	67	71	25	-28
AGS MIN TMP (F)	43	46	46	43	57	63	64	63	63	52	45	45	43	25	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.4	0.6	5.0	10.7	15.1	21.8	26.5	26.6	20.4	5.6	2.2	0.4	135.3	5	1717
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1720
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1720
MEAN DEW PT TMP (F)	62	62	65	66	70	72	73	73	73	71	66	63	68	5	40130
MEAN REL HUM (PCT)	75	73	71	71	74	76	75	76	78	78	75	74	75	43	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.80	1.80	1.80	2.30	4.70	6.50	4.90	5.30	5.90	6.80	3.10	2.30	48.2	72	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.7	2.8	4.2	5.1	8.5	12.1	10.2	10.7	8.9	10.4	4.8	4.0	87.4	72	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.6	1.2	0.4	0.4	0.6	0.0	0.8	0.0	1.0	0.2	0.8	1.4	7.4	5	1806
MEAN NO DYS TSTMS	0.2	0.8	0.8	2.4	3.8	6.3	14.4	12.8	7.8	4.2	0.4	0.2	54.1	5	1806
P FREQ WND SPD = OR GTR 17 KTS	5.7	6.4	5.9	8.1	4.1	2.0	1.3	2.1	1.9	2.0	3.6	2.6	3.8	5	43296
P FREQ WND SPD = OR GTR 28 KTS	0.2	0.5	0.1	0.6	0.1	0.1	0.2	0.5	0.1	0.1	0.1	0.0	0.2	5	43296
P FREQ LES 5000 FT A/O LES 5 MI	15.6	16.7	13.4	15.1	13.6	11.6	9.5	10.3	12.2	16.5	17.9	14.3	13.9	5	42936
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	2.6	2.4	1.7	1.3	0.9	2.0	0.2	1.5	0.9	2.4	2.2	2.4	1.7	5	5382
03-05 LST	2.0	3.1	1.5	0.9	1.6	1.4	0.0	1.1	1.4	2.4	1.6	3.7	1.7	5	5371
06-08 LST	3.3	3.8	2.5	1.4	1.7	1.7	0.0	0.9	1.9	2.5	3.3	3.6	2.2	11	7460
09-11 LST	2.2	1.9	1.7	0.9	2.0	2.3	0.7	1.3	1.6	3.1	2.4	3.0	1.9	5	5407
12-14 LST	3.3	3.0	2.8	3.2	2.1	3.6	4.2	3.7	3.9	3.5	4.3	3.4	3.4	10	7151
15-17 LST	2.8	3.0	2.6	2.6	4.3	6.1	7.5	4.9	5.7	4.6	3.7	3.1	4.2	9	6544
18-20 LST	1.8	2.2	3.5	3.8	2.6	3.2	2.3	2.6	2.7	3.9	4.0	3.0	3.0	5	5361
21-23 LST	1.3	2.1	2.4	2.0	0.9	2.1	0.7	1.8	1.4	1.7	1.3	1.1	1.6	5	5381
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	5	5382
03-05 LST	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.1	5	5371
06-08 LST	0.3	0.0	0.3	0.2	0.0	0.0	0.0	0.0	0.2	0.2	0.5	0.5	0.2	11	7460
09-11 LST	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	5	5407
12-14 LST	0.7	0.0	0.2	0.2	0.0	0.2	0.2	0.3	0.0	0.3	0.2	0.3	0.2	10	7151
15-17 LST	0.4	0.4	0.0	0.0	0.2	0.4	1.5	0.5	0.9	0.0	0.0	0.3	0.4	9	6544
18-20 LST	0.0	0.0	0.2	0.7	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	5361
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	5	5381

## HAVANA/RANCHO BOYEROS, CUBA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.8	27.5	30.8	29.4	30.6	29.4	30.3	30.3	29.3	30.0	29.3	31.0	358.7	9	2955
	01 LST	30.4	27.4	30.8	29.8	30.6	29.6	30.8	30.6	29.6	30.4	29.2	29.8	359.2	5	1810
	07 LST	28.4	26.6	30.3	29.2	30.3	29.6	31.0	30.6	29.4	29.8	28.6	28.0	351.8	11	3894
	13 LST	30.2	27.8	30.5	29.4	30.8	29.6	30.3	29.9	29.3	30.6	29.5	30.6	358.5	10	3546
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	18.0	18.0	16.9	13.3	18.2	21.4	22.4	24.7	25.1	22.9	20.5	23.1	244.5	9	2955
	01 LST	22.0	21.8	25.0	25.0	29.0	28.0	30.2	29.2	27.5	27.2	26.2	25.4	316.5	5	1810
	07 LST	23.3	21.7	25.0	24.2	28.3	27.8	29.4	29.5	27.3	27.7	23.0	24.0	311.2	11	3894
	13 LST	14.5	12.7	12.7	12.3	14.6	17.6	21.4	21.5	17.9	16.5	12.9	15.4	190.0	10	3545
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	1.0	1.4	1.8	2.1	3.3	0.0	0.2	0.3	0.4	0.9	1.3	0.9	13.6	9	2956
	01 LST	0.4	0.4	0.4	0.8	0.2	0.2	0.2	0.0	0.0	0.0	0.2	0.2	3.0	5	1812
	07 LST	0.4	0.4	0.2	0.4	0.1	0.0	0.0	0.0	0.0	0.1	0.5	0.6	2.7	11	3897
	13 LST	2.1	3.4	5.2	3.2	2.9	1.0	0.2	0.8	0.9	1.9	3.3	3.1	28.0	10	3546
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	21.8	19.5	20.9	16.8	18.3	19.2	17.2	15.4	16.0	19.4	19.7	21.6	225.8	9	2934
	01 LST	19.8	13.7	17.3	14.8	12.7	13.2	11.5	9.3	12.5	10.4	12.5	15.6	163.3	5	1803
	07 LST	16.3	14.3	14.1	14.9	14.1	13.2	13.8	9.3	11.3	10.9	11.4	15.2	158.8	11	3886
	13 LST	18.1	15.0	15.2	14.1	14.3	13.7	14.1	14.0	14.8	17.6	17.0	19.6	188.5	10	3534
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	13.5	13.0	12.2	10.1	7.2	3.6	3.4	3.0	2.6	8.9	10.4	11.9	99.8	9	2954
	01 LST	23.7	21.0	24.3	22.1	21.1	20.7	20.7	19.9	14.9	16.4	18.6	21.2	244.6	5	1812
	07 LST	14.7	14.0	17.4	15.2	14.6	13.0	12.6	14.4	10.1	12.4	10.4	12.5	161.3	11	3895
	13 LST	5.5	6.0	8.0	5.5	4.2	2.6	2.1	2.3	1.9	2.4	4.1	4.5	49.1	10	3545
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	27.2	25.2	26.8	26.2	28.0	25.5	26.9	28.3	25.9	26.6	26.1	27.9	320.6	9	2955
	01 LST	28.3	26.4	29.4	28.4	29.6	28.4	30.6	30.0	29.4	29.2	27.4	28.4	345.5	5	1810
	07 LST	25.2	23.5	28.0	27.5	29.2	28.4	30.8	30.5	28.7	28.1	25.4	25.3	330.6	11	3894
	13 LST	25.0	23.0	25.5	25.4	26.6	25.0	25.9	25.3	22.5	24.3	23.9	25.4	297.8	10	3546
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.6	22.7	24.3	24.3	25.9	23.6	24.6	27.1	23.7	25.0	24.4	25.7	295.9	9	2955
	01 LST	27.3	25.4	29.2	28.0	29.0	27.8	30.4	30.0	29.2	28.6	25.8	27.6	338.3	5	1810
	07 LST	23.3	21.9	26.8	27.0	28.2	27.8	30.5	30.4	28.2	27.0	23.4	23.6	316.1	11	3894
	13 LST	21.5	19.7	21.7	22.3	23.2	21.8	23.6	22.1	18.3	20.3	20.4	21.2	256.1	10	3546
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	24.6	22.5	24.3	24.3	25.9	23.6	24.6	27.0	23.6	25.0	24.4	25.7	295.5	9	2955
	01 LST	27.3	25.2	29.2	28.0	29.0	27.8	30.4	30.0	29.2	28.6	25.8	27.6	338.1	5	1810
	07 LST	23.3	21.9	26.8	27.0	28.1	27.8	30.5	30.4	28.2	27.0	23.4	23.6	318.0	11	3894
	13 LST	21.5	19.7	21.7	22.3	23.2	21.7	23.6	22.1	18.3	20.3	20.4	21.2	256.0	10	3546

# CAMPO LIBERTAD, CUBA

STA NO. 78225/ (IN AREA NUMBER 01)

LATITUDE 2305N

LONGITUDE 08225W

ELEVATION(FT) 00098

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	93	93	104	104	97	99	97	95	100	100	93	90	104	25	-78224
MEAN MAX TMP (F)	79	79	81	84	86	88	89	89	89	85	81	79	84	25	-78224
MEAN MIN TMP (F)	65	65	67	69	72	74	75	75	75	73	69	67	71	25	-78224
ABS MIN TMP (F)	43	46	46	43	57	63	64	63	63	52	45	45	43	25	-78224
MEAN NO DYS TMP = OR GTR 90(F)	0.4	0.6	5.0	10.7	15.1	21.8	26.5	26.6	20.4	5.6	2.2	0.4	135.3	5	-78224
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-78224
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-78224
MEAN DEW PT TMP (F)	62	62	65	66	70	72	73	73	73	71	66	63	68	43	-78224
MEAN REL HUM (PCT)	75	73	71	71	74	76	75	76	78	78	75	74	75	0	-50
MEAN PRESS ALT (FT)	-55	-33	-8	18	58	63	18	44	90	75	2	-35	20	0	-50
MEAN PRECIP (IN)	2.80	1.80	1.80	2.30	4.70	6.50	4.90	5.30	5.90	6.80	3.10	2.30	48.2	72	-78224
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.7	2.8	4.2	5.1	8.5	12.1	10.2	10.7	8.9	10.4	4.8	4.0	87.4	72	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS W/OCUR VSTRY LES 1/2 MI	0.6	1.2	0.4	0.4	0.6	0.0	0.8	0.0	1.0	0.2	0.8	1.4	7.4	5	-78224
MEAN NO DYS TSMS	0.2	0.8	0.8	2.4	3.8	6.3	14.4	12.8	7.8	4.2	0.4	0.2	54.1	5	-78224
P FREQ WND SPD = OR GTR 17 KTS	5.7	6.4	5.9	8.1	4.1	7.0	1.3	2.1	1.9	2.0	3.6	2.6	3.8	5	-78224
P FREQ WND SPD = OR GTR 28 KTS	0.2	0.5	0.1	0.6	0.1	0.1	0.2	0.5	0.1	0.1	0.1	0.0	0.2	5	-78224
P FREQ LES 5000 FT A/O LES 5 MI	15.6	16.7	13.4	15.1	13.6	11.6	9.5	10.3	12.2	16.5	17.9	14.3	13.9	5	-78224
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	2.6	2.4	1.7	1.3	0.9	2.0	0.2	1.5	0.9	2.4	2.2	2.4	1.7	5	-78224
03-05 LST	2.0	3.1	1.5	0.9	1.6	1.4	0.0	1.1	1.4	2.4	1.6	3.7	1.7	5	-78224
06-08 LST	3.3	3.8	2.5	1.4	1.7	1.7	0.0	0.9	1.9	2.1	3.3	3.6	2.2	11	-78224
09-11 LST	2.2	1.9	1.7	0.9	2.0	2.3	0.7	1.3	1.6	3.1	2.4	3.0	1.9	5	-78224
12-14 LST	3.3	3.0	2.8	3.2	2.1	3.6	4.2	3.7	3.9	3.5	4.3	3.4	3.4	10	-78224
15-17 LST	2.8	3.0	2.6	2.6	4.3	6.1	7.5	4.9	5.7	4.6	3.7	3.1	4.2	9	-78224
18-20 LST	1.8	2.2	3.5	3.8	2.6	3.2	2.3	2.6	2.7	3.9	4.0	3.0	3.0	5	-78224
21-23 LST	1.3	2.1	2.4	2.0	0.9	2.1	0.7	1.8	1.4	1.7	1.3	1.1	1.6	5	-78224
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	5	-78224
03-05 LST	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.1	5	-78224
06-08 LST	0.3	0.0	0.3	0.2	0.0	0.0	0.0	0.0	0.2	0.2	0.5	0.5	0.2	11	-78224
09-11 LST	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	5	-78224
12-14 LST	0.7	0.0	0.2	0.2	0.0	0.2	0.2	0.3	0.0	0.3	0.2	0.3	0.2	10	-78224
15-17 LST	0.4	0.4	0.0	0.0	0.2	0.4	1.5	0.5	0.9	0.0	0.0	0.3	0.4	9	-78224
18-20 LST	0.0	0.0	0.2	0.7	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	-78224
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	5	-78224

# CAMPO LIBERTAD, CUBA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.8	27.5	30.8	29.4	30.6	29.4	30.3	30.3	29.3	30.0	29.3	31.0	358.7	9	-78224
	01 LST	30.4	27.4	30.8	29.8	30.6	29.6	30.8	30.6	29.6	30.4	29.2	29.8	359.2	5	-78224
	07 LST	28.4	26.6	30.3	29.2	30.3	29.6	31.0	30.6	29.4	29.8	28.6	28.0	351.8	11	-78224
	13 LST	30.2	27.8	30.5	29.4	30.8	29.6	30.3	29.9	29.3	30.6	29.5	30.6	358.5	10	-78224
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	18.0	18.0	16.9	13.3	18.2	21.4	22.4	24.7	25.1	22.9	20.5	23.1	244.5	9	-78224
	01 LST	22.0	21.8	25.0	25.0	29.0	28.0	30.2	29.2	27.5	27.2	26.2	25.4	316.5	5	-78224
	07 LST	23.3	21.7	25.0	24.2	28.3	27.8	29.4	29.5	27.3	27.7	23.0	24.0	311.2	11	-78224
	13 LST	14.5	12.7	14.7	12.3	14.6	17.6	21.4	21.5	17.9	16.5	12.9	15.4	190.0	10	-78224
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	1.0	1.4	1.8	2.1	3.3	0.0	0.2	0.3	0.4	0.9	1.3	0.9	13.6	9	-78224
	01 LST	0.4	0.4	0.4	0.8	0.2	0.2	0.2	0.0	0.0	0.0	0.2	0.2	3.0	5	-78224
	07 LST	0.4	0.4	0.2	0.4	0.1	0.0	0.0	0.0	0.0	0.1	0.5	0.6	2.7	11	-78224
	13 LST	2.1	3.4	5.2	3.2	2.4	1.0	0.2	0.8	0.9	1.9	3.3	3.1	28.0	10	-78224
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	21.8	19.5	20.9	16.8	18.3	19.2	17.2	15.4	16.0	19.4	19.7	21.6	225.8	9	-78224
	01 LST	19.8	13.7	17.3	14.8	12.7	13.2	11.5	9.3	12.5	10.4	12.5	15.6	163.3	5	-78224
	07 LST	16.3	14.3	14.1	14.9	14.1	13.2	13.8	9.3	11.3	10.9	11.4	15.2	158.8	11	-78224
	13 LST	18.1	15.0	16.2	14.1	14.3	13.7	14.1	14.0	14.8	17.6	17.0	19.6	188.5	10	-78224
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	13.5	13.0	12.2	10.1	7.2	3.6	3.4	3.0	2.6	8.9	10.4	11.9	99.8	9	-78224
	01 LST	23.7	21.0	24.3	22.1	21.1	20.7	20.7	19.9	14.9	16.4	18.6	21.2	244.6	5	-78224
	07 LST	14.7	14.0	17.4	15.2	14.6	13.0	12.6	14.4	10.1	12.4	10.4	12.5	161.3	11	-78224
	13 LST	5.5	6.0	8.0	5.5	4.2	2.6	2.1	2.3	1.9	2.4	4.1	4.5	49.1	10	-78224
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	27.2	25.2	26.8	26.2	28.0	25.5	26.9	28.3	25.9	26.6	26.1	27.9	320.6	9	-78224
	01 LST	28.3	26.4	29.4	28.4	29.6	28.4	30.6	30.0	29.4	29.2	27.4	28.4	345.5	5	-78224
	07 LST	25.2	23.5	28.0	27.5	29.2	28.4	30.8	30.5	28.7	28.1	25.4	25.3	330.6	11	-78224
	13 LST	25.0	23.0	25.5	25.4	26.6	25.0	25.9	25.3	22.5	24.3	23.9	25.4	297.8	10	-78224
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.6	22.7	24.3	24.3	25.9	23.6	24.6	27.1	23.7	25.0	24.4	25.7	295.9	9	-78224
	01 LST	27.3	25.4	29.2	28.0	29.0	27.8	30.4	30.0	29.2	28.6	25.8	27.6	338.3	5	-78224
	07 LST	23.3	21.9	26.8	27.0	28.2	27.8	30.5	30.4	28.2	27.0	23.4	23.6	318.1	11	-78224
	13 LST	21.5	19.7	21.7	22.3	23.2	21.8	23.6	22.1	18.3	20.3	20.4	21.2	256.1	10	-78224
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	24.6	22.5	24.3	24.3	25.9	23.6	24.6	27.0	23.6	25.0	24.4	25.7	295.5	9	-78224
	01 LST	27.3	25.2	29.2	28.0	29.0	27.8	30.4	30.0	29.2	28.6	25.8	27.6	338.1	5	-78224
	07 LST	23.3	21.9	26.8	27.0	28.1	27.8	30.5	30.4	28.2	27.0	23.4	23.6	318.0	11	-78224
	13 LST	21.5	19.7	21.7	22.3	23.2	21.7	23.6	22.1	18.3	20.3	20.4	21.2	256.0	10	-78224

# SAN ANTONIO BANOS, CUBA

STA NO. 78226 (IN AREA NUMBER 01)

LATITUDE 2252N

LONGITUDE 09230W

ELEVATION(FT) 08230

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	87	90	93	95	93	96	97	99	94	94	90	88	99	4	-78318
MEAN MAX TMP (F)	80	84	86	88	89	90	92	92	90	87	83	80	87	4	-78318
MEAN MIN TMP (F)	60	62	65	68	69	72	71	72	71	69	64	61	67	4	-78318
ABS MIN TMP (F)	46	45	46	56	54	61	59	64	67	55	52	47	45	4	-78318
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.6	3.3	10.1	13.5	20.0	28.6	27.7	23.6	11.3	0.3	0.0	139.0	4	-78318
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-78318
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-78318
MEAN DEW PT TMP (F)	62	63	65	67	66	72	73	73	73	71	65	63	68	4	-78318
MEAN REL HUM (PCT)	79	75	73	73	73	78	78	80	82	84	80	79	78	0	-50
MEAN PRESS ALT (FT)	7	29	55	82	123	128	82	109	155	138	64	27	83	0	-50
MEAN PRECIP (IN)	1.04	0.44	1.63	2.09	3.87	8.70	6.24	8.44	9.10	5.93	1.77	1.42	50.7	4	-78318
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.6	1.0	1.6	3.4	6.9	11.3	11.0	10.0	15.7	8.4	3.7	3.3	77.9	4	-78318
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS W/OCUH VSBY LES 1/2 MI	1.6	2.3	1.0	0.0	0.6	0.7	0.3	0.7	1.7	1.0	1.7	4.0	15.6	4	-78318
MEAN NO DYS TSTMS	0.3	0.3	1.6	3.9	10.1	18.7	25.3	23.7	23.3	7.3	0.7	0.7	115.9	4	-78318
P FREQ WND SPD = OR GTR 17 KTS	4.6	5.3	6.9	6.5	3.0	1.1	1.1	1.0	0.8	6.1	5.1	6.4	4.0	4	-78318
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.1	4	-78318
P FREQ LES 5000 FT A/O LES 5 MI	26.0	23.7	19.5	21.3	20.9	21.0	17.3	17.2	21.9	23.0	24.4	31.0	22.3	4	-78318
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	5.0	6.3	0.0	0.3	0.0	1.5	0.0	0.0	0.0	1.4	1.1	3.2	1.6	4	-78318
03-05 LST	5.4	9.8	2.7	0.3	0.7	1.1	1.1	0.4	0.4	3.6	6.0	9.7	3.4	4	-78318
06-08 LST	7.6	7.5	6.5	0.9	1.9	2.2	0.7	0.7	1.5	3.2	6.7	10.8	4.2	4	-78318
09-11 LST	3.6	2.4	1.4	2.1	1.5	2.2	0.0	0.7	1.1	2.2	4.5	7.2	2.4	4	-78318
12-14 LST	2.5	1.2	0.7	1.5	2.5	1.9	1.4	0.7	3.3	3.6	3.7	2.9	2.2	4	-78318
15-17 LST	1.8	2.7	0.4	2.4	2.2	4.1	2.9	0.7	4.5	6.5	4.5	2.2	2.9	4	-78318
18-20 LST	2.6	3.5	2.3	1.0	1.0	1.9	0.4	0.0	3.0	4.0	1.9	1.4	1.9	4	-78318
21-23 LST	2.5	1.6	0.4	1.4	0.0	2.6	0.7	0.0	1.9	1.1	0.4	1.8	1.2	4	-78318
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	1.8	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.2	0.7	4	-78318
03-05 LST	3.6	5.5	0.0	0.0	0.0	0.0	0.4	0.0	0.0	2.9	4.9	7.5	2.1	4	-78318
06-08 LST	3.6	5.9	2.9	0.0	0.6	0.0	0.0	0.4	0.0	1.8	2.6	8.6	2.2	4	-78318
09-11 LST	0.7	0.8	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.4	0.3	4	-78318
12-14 LST	0.4	0.0	0.4	0.0	0.6	0.4	0.7	0.7	0.7	0.7	0.0	0.0	0.4	4	-78318
15-17 LST	0.0	0.0	0.0	0.0	0.6	1.9	0.7	0.4	1.9	0.0	0.0	0.0	0.5	4	-78318
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.4	0.0	0.4	0.0	0.1	4	-78318
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	4	-78318

# SAN ANTONIO BANOS, CUBA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	30.7	27.0	30.3	30.0	30.4	28.7	31.0	31.0	29.0	30.3	29.6	30.7	358.7	4	-78318
	00 LST	29.6	27.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	30.3	361.9	4	-78318
	06 LST	29.0	26.0	28.3	30.0	30.1	30.0	30.3	31.0	30.0	29.6	27.6	28.0	349.9	4	-78318
	12 LST	30.0	27.7	31.0	29.7	31.0	29.3	31.0	31.0	30.0	30.3	29.6	30.3	360.9	4	-78318
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	18 LST	20.6	17.8	13.3	13.6	17.5	23.6	24.6	26.0	24.7	22.3	21.2	21.0	246.2	4	-78318
	00 LST	23.0	22.1	25.6	25.9	29.8	28.3	31.0	30.0	28.7	27.0	26.0	24.3	321.7	4	-78318
	06 LST	24.3	21.4	23.0	27.3	28.4	25.7	29.3	29.3	27.7	26.3	21.9	22.3	306.9	4	-78318
	12 LST	9.6	11.8	7.3	7.1	16.1	20.0	22.3	19.3	18.7	14.7	10.0	10.0	166.9	4	-78318
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.3	1.3	1.6	2.2	1.7	0.0	0.7	0.7	0.0	0.7	1.0	1.0	11.2	4	-78318
	00 LST	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3	1.2	4	-78318
	06 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	1.0	1.3	4	-78318
	12 LST	4.4	2.9	5.0	3.0	1.7	0.3	0.7	1.0	0.7	3.7	4.0	4.7	32.1	4	-78318
SFC WND 4-10 KTS ANL TMP 33-89 DEG F AND NO PRECIP.	18 LST	19.9	15.8	16.6	14.3	16.1	18.4	18.8	15.7	19.2	19.2	21.8	20.2	216.0	4	-78318
	00 LST	16.6	13.2	15.3	16.1	16.5	15.2	15.5	12.3	13.5	11.8	13.3	16.2	175.5	4	-78318
	06 LST	18.5	14.8	20.0	16.4	17.5	13.7	12.6	14.3	14.1	13.4	12.8	17.9	186.0	4	-78318
	12 LST	14.5	13.5	10.7	7.4	14.6	14.5	14.0	9.6	12.7	11.1	13.3	11.8	147.7	4	-78318
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.0	10.0	15.0	12.0	2.0									1	-78318
	00 LST	19.0	19.0	24.0	27.0	23.3									1	-78318
	06 LST	17.0	16.0	20.0	21.0	4.1									1	-78318
	12 LST	3.0	3.0	5.0	8.0	2.0									1	-78318
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	29.0	24.4	29.3	28.1	29.3	27.0	29.3	29.3	26.0	27.3	28.0	28.0	335.0	4	-78318
	00 LST	27.7	25.7	30.0	29.4	30.7	29.6	30.7	30.3	29.0	28.6	29.6	26.3	349.6	4	-78318
	06 LST	28.6	24.7	28.0	29.4	29.5	29.3	30.3	31.0	29.3	29.3	26.3	27.0	342.7	4	-78318
	12 LST	25.0	22.4	29.0	26.4	27.2	27.3	30.0	28.6	27.3	26.3	27.0	27.3	323.8	4	-78318
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	24.3	21.4	26.3	23.7	25.8	24.0	25.0	27.7	22.0	23.7	22.9	21.0	287.8	4	-78318
	00 LST	24.6	25.3	28.3	27.8	30.1	28.3	30.7	30.0	28.3	26.7	26.6	25.3	332.0	4	-78318
	06 LST	26.0	24.0	26.0	29.1	27.8	28.0	30.0	30.7	29.3	26.7	22.6	21.0	320.2	4	-78318
	12 LST	13.0	12.5	15.0	12.3	12.0	13.3	14.7	12.3	11.6	14.0	13.0	12.3	156.0	4	-78318
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	22.0	20.7	25.3	22.9	22.9	22.0	24.6	26.3	20.3	22.0	21.9	19.3	270.2	4	-78318
	00 LST	23.3	24.0	28.3	27.5	28.6	28.0	30.3	30.0	27.7	26.7	25.3	23.7	323.4	4	-78318
	06 LST	24.3	23.4	25.6	26.2	26.4	26.0	29.6	30.3	29.0	24.3	20.9	18.7	304.7	4	-78318
	12 LST	12.0	12.5	15.0	12.3	12.0	13.3	14.7	12.3	11.3	12.6	12.0	11.7	151.7	4	-78318

# KAWAMA, CUBA

STA NO. 78240/ (IN AREA NUMBER 01)

LATITUDE 2307N

LONGITUDE 08117W

ELEVATION(FT) 00009

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR	NO.
														(YRS)	OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	-144	-123	-102	-76	-37	-32	-78	-46	-3	-12	-82	-122	-70	0	-50
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# KAWAMA, CUBA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0

DATA NOT AVAILABLE

# JAIME GONZALES, CUBA

STA NO. 78243/ (IN AREA NUMBER 01)

LATITUDE 2209N

LONGITUDE 08024W

ELEVATION(FT) 00100

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	88	91	92	92	94	95	95	96	95	93	91	89	96	12	-78244
MEAN MAX TMP (F)	81	82	84	85	87	89	90	90	89	88	83	82	86	12	-78244
MEAN MIN TMP (F)	63	62	64	67	69	71	72	72	71	71	67	64	66	12	-78244
ABS MIN TMP (F)	46	45	45	50	56	66	69	67	68	60	52	48	45	12	-78244
MEAN NO DYS TMP = OR GTR 90°F	0.0	0.0	0.0	1.3	6.4	12.1	15.9	15.9	12.1	9.4	0.0	0.0	73.1	12	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-78244
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-78244
MEAN DEW PT TMP (F)	63	63	64	66	69	72	73	73	72	72	67	65	68	0	-50
MEAN REL HUM (PCT)	73	72	71	72	74	77	76	76	78	79	76	75	75	12	-78244
MEAN PRESS ALT (FI)	-67	-43	-27	-0	38	43	-7	31	75	65	-3	-43	5	1	-50
MEAN PRECIP (IN)	0.70	1.00	1.30	1.80	4.70	6.00	4.80	6.30	6.80	6.30	1.60	0.90	42.2	33	-78244
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.3	1.5	3.2	4.2	8.5	11.6	10.0	11.9	10.4	9.6	3.2	1.4	76.8	33	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7			5	-78244
MEAN NO DYS TSMS	0.2	1.3	2.4	3.7	9.6	16.2	19.6	18.9	15.7	9.1	1.4	0.5	98.6	17	-78244
P FREQ WND SPD = OR GTR 17 KTS	0.0	2.9	3.4	5.5	1.6	0.3	0.8	0.4	0.6	1.5	0.0			5	-78244
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0			5	-78244
P FREQ LES 5000 FT A/O LES 5 MI	23.5	6.1	4.2	7.3	10.4	3.0	8.8	6.0	13.6	8.4	6.3			5	-78244
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.9	0.9	0.0	0.0	2.4	0.0	2.6	0.0	0.0	0.6	7	-78244
03-05 LST	0.8	1.8	1.7	0.0	0.0	2.5	0.0	0.9	1.4	5.0	1.3	0.0	1.3	6	-78244
06-08 LST	1.8	1.2	0.7	0.7	0.5	1.8	0.5	0.4	1.3	2.3	1.5	0.5	1.1	11	-78244
09-11 LST	1.3	0.9	0.5	0.5	0.2	3.0	0.7	0.0	1.1	1.4	0.2	0.2	0.8	6	-78244
12-14 LST	1.5	1.1	0.8	0.0	1.5	2.1	0.7	1.4	1.3	2.9	1.1	0.9	1.3	12	-78244
15-17 LST	1.5	0.7	1.1	0.8	3.1	2.7	1.7	3.0	4.2	3.7	1.5	1.0	2.1	11	-78244
18-20 LST	1.8	1.1	1.6	1.8	3.2	4.2	1.7	3.9	2.6	2.2	1.6	1.2	2.2	6	-78244
21-23 LST	0.9	0.7	1.6	0.0	0.7	1.7	0.9	0.3	0.7	1.8	0.9	0.9	0.9	6	-78244
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-78244
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.1	6	-78244
06-08 LST	0.4	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.0	0.2	0.1	11	-78244
09-11 LST	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.4	0.0	0.0	0.0	0.1	6	-78244
12-14 LST	0.0	0.0	0.0	0.0	0.2	0.3	0.2	0.2	0.3	1.0	0.0	0.2	0.2	12	-78244
15-17 LST	0.0	0.0	0.2	0.0	0.5	0.4	0.4	0.4	0.6	0.2	0.0	0.0	0.2	11	-78244
18-20 LST	0.3	0.0	0.3	0.0	0.3	0.3	0.0	0.9	0.0	0.0	0.0	0.2	0.2	6	-78244
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.3	0.0	0.0	0.1	6	-78244

# JAIME GONZALES, CUBA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		MONTHS												ANN	PDR (YRS)	NO. OBS
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC			
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.7	28.0	30.6	29.7	30.4	29.4	30.4	29.9	29.4	30.1	29.8	30.6	359.0	11	-78244
	01 LST	31.0	28.0	31.0	29.6	31.0	30.0	31.0	31.0	30.0	30.4	30.0	31.0	364.0	7	-78244
	07 LST	30.4	27.9	30.9	30.0	30.9	29.8	31.0	30.9	29.9	30.5	29.6	30.6	362.4	11	-78244
	13 LST	30.8	27.9	30.9	30.0	30.8	29.6	30.9	30.8	29.8	30.4	29.9	30.8	362.6	11	-78244
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	17.9	15.6	16.6	14.8	19.4	21.6	21.0	21.5	22.5	21.6	18.8	21.4	232.7	7	-78244
	01 LST	22.8	21.1	23.7	23.6	26.8	27.0	24.0	26.2	26.3	27.2	23.8	24.5	297.0	11	-78244
	07 LST	26.1	23.8	27.2	24.7	28.4	27.5	27.3	28.5	27.3	28.4	26.1	26.8	322.1	11	-78244
	13 LST	17.4	15.5	16.1	13.6	20.6	21.0	21.7	24.1	20.9	21.5	16.7	18.8	227.9	12	-78244
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.9	1.3	2.3	1.2	0.5	0.5	0.6	0.2	0.5	0.4	0.6	0.7	9.7	11	-78244
	01 LST	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.8	11	-78244
	07 LST	0.0	0.3	0.1	0.4	0.0	0.2	0.2	0.0	0.1	0.0	0.0	0.3	1.6	12	-78244
	13 LST	1.6	1.9	2.6	2.0	1.0	0.8	0.4	0.2	0.4	0.5	1.1	0.9	13.4	11	-78244
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	18.2	14.6	14.1	14.7	15.2	13.0	14.4	12.2	14.2	17.3	19.6	20.7	188.2	7	-78244
	01 LST	26.0	20.1	20.3	18.9	17.3	18.5	24.8	19.2	18.4	19.7	21.3	22.0	246.5	11	-78244
	07 LST	19.8	17.8	18.5	18.2	17.0	16.4	19.1	14.4	14.9	17.0	19.7	21.0	213.8	12	-78244
	13 LST	16.5	14.1	17.1	12.2	12.5	10.9	11.4	9.9	8.2	14.1	15.7	17.9	160.5	11	-78244
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	18.8	15.7	18.0	12.1	6.5	3.2	3.0	3.4	3.4	8.5	14.4	16.7	123.7	7	-78244
	01 LST	26.4	23.4	22.7	22.7	23.9	18.0	18.0	17.0	11.3	16.3	17.6	24.0	341.3	11	-78244
	07 LST	22.3	19.2	22.8	20.0	17.0	15.6	15.7	15.4	10.8	16.3	17.5	17.9	210.5	12	-78244
	13 LST	15.7	13.9	17.1	14.3	9.5	6.8	9.2	7.1	4.8	8.9	9.8	13.5	130.6	11	-78244
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.2	26.2	28.4	26.6	26.3	26.0	26.8	25.8	26.9	27.0	27.9	28.9	326.0	7	-78244
	01 LST	30.3	27.0	30.0	28.7	30.7	28.3	30.2	29.7	27.5	29.6	29.0	30.0	351.0	11	-78244
	07 LST	29.6	26.6	30.3	29.4	30.4	29.1	30.6	30.8	29.2	29.4	28.8	29.9	354.1	12	-78244
	13 LST	28.5	25.9	28.9	28.1	28.2	26.4	28.5	28.3	26.4	27.3	28.1	29.7	334.3	11	-78244
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	26.8	24.6	26.6	23.5	23.6	24.0	24.0	23.5	25.4	25.3	26.6	27.2	301.1	7	-78244
	01 LST	30.0	26.7	29.3	27.7	30.7	26.3	29.1	28.8	25.0	28.1	26.6	28.0	336.3	11	-78244
	07 LST	28.9	25.4	29.7	28.8	29.8	28.6	30.5	30.8	29.2	29.1	27.8	29.2	347.8	12	-78244
	13 LST	26.4	24.2	27.2	25.8	25.5	24.2	26.4	26.0	23.5	25.2	26.0	27.5	307.9	11	-78244
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	26.7	24.6	26.6	23.5	23.4	24.0	24.0	23.5	25.4	25.3	26.4	26.8	300.2	7	-78244
	01 LST	29.7	26.7	28.6	27.0	30.3	26.3	29.1	28.6	25.0	28.1	26.6	27.5	333.5	11	-78244
	07 LST	28.7	25.0	29.6	28.7	29.5	28.6	30.4	30.7	29.2	29.1	27.6	29.2	346.3	12	-78244
	13 LST	26.3	23.7	27.0	25.4	25.4	23.9	26.2	25.9	23.1	24.9	26.0	27.4	305.2		

# CIENFUEGOS, CUBA

STA NO. 78244 (IN AREA NUMBER 01)

LATITUDE 2209N

LONGITUDE 08024W

ELEVATION(FT) 00098

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PUR (YRS)	NO. OBS
ABS MAX TMP (F)	88	91	92	92	94	95	95	96	95	93	91	89	96	12	-528
MEAN MAX TMP (F)	81	82	84	85	87	89	90	90	89	88	83	82	86	12	-28
MEAN MIN TMP (F)	63	62	64	67	69	71	72	72	71	71	67	64	66	12	-28
ABS MIN TMP (F)	46	45	45	50	54	66	69	67	68	60	52	48	45	12	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	1.3	6.4	12.1	15.9	15.9	12.1	9.4	0.0	0.0	73.1	12	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	802
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	802
MEAN DEW PT TMP (F)	69	60	64	69	65	71	73	74	75	71	70	64	69	12	-29
MEAN REL HUM (PCT)	73	72	71	72	74	77	76	76	78	79	76	75	75	12	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.70	1.00	1.30	1.80	4.70	6.00	4.80	6.30	6.80	6.30	1.60	0.90	42.2	33	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.3	1.5	3.2	4.2	8.5	11.6	10.0	11.9	10.4	9.6	3.2	1.4	76.8	33	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7			5	280
MEAN NO DYS TSTMS	0.2	1.3	2.4	3.7	9.6	16.2	19.6	18.9	15.7	9.1	1.4	0.5	98.6	17	-61
P FREQ WND SPD = OR GTR 17 KTS	0.0	2.9	3.4	5.5	1.8	0.3	0.8	0.4	0.6	1.5	0.0			5	4307
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0			5	4307
P FREQ LES 5000 FT A/O LES 5 MI	23.5	6.1	4.2	7.3	10.4	3.0	8.8	6.0	13.6	8.4	6.3			5	3761
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.9	0.9	0.0	0.0	2.4	0.0	2.6	0.0	0.0	0.6	7	1093
03-05 LST	0.8	1.8	1.7	0.0	0.0	2.5	0.0	0.9	1.4	5.0	1.3	0.0	1.3	6	1314
06-08 LST	1.8	1.2	0.7	0.7	0.5	1.8	0.5	0.4	1.3	2.3	1.5	0.5	1.1	11	6435
09-11 LST	1.3	0.9	0.5	0.5	0.2	3.0	0.7	0.0	1.1	1.4	0.2	0.2	0.8	6	4802
12-14 LST	1.5	1.1	0.8	0.0	1.5	2.1	0.9	1.4	1.3	2.9	1.1	0.9	1.3	12	4840
15-17 LST	1.5	0.7	1.1	0.8	3.1	2.7	1.7	3.0	4.2	3.7	1.5	1.0	2.1	11	6182
18-20 LST	1.8	1.1	1.6	1.8	3.2	4.2	1.7	3.9	2.6	2.2	1.6	1.2	2.2	6	4739
21-23 LST	0.9	0.7	1.6	0.0	0.7	1.7	0.9	0.3	0.7	1.8	0.9	0.9	0.9	6	3542
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1093
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.1	6	1314
06-08 LST	0.4	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.0	0.2	0.1	11	6435
09-11 LST	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.4	0.0	0.0	0.0	0.1	6	4802
12-14 LST	0.0	0.0	0.0	0.0	0.2	0.3	0.2	0.2	0.3	1.0	0.0	0.2	0.2	12	4840
15-17 LST	0.0	0.0	0.2	0.0	0.5	0.4	0.4	0.4	0.6	0.2	0.0	0.0	0.2	11	6182
18-20 LST	0.3	0.0	0.3	0.0	0.3	0.3	0.0	0.9	0.0	0.0	0.0	0.2	0.2	6	4739
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.3	0.0	0.0	0.1	6	3542

# CIENFUEGOS, CUBA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.7	28.0	30.6	29.7	30.4	29.4	30.4	29.9	29.4	30.1	29.8	30.6	359.0	11	3142
	01 LST	31.0	28.0	31.0	29.6	31.0	30.0	31.0	31.0	30.0	30.4	30.0	31.0	364.0	7	1154
	07 LST	30.4	27.9	30.9	30.0	30.9	29.8	31.7	30.9	29.9	30.5	29.6	30.6	362.4	11	3659
	13 LST	30.8	27.9	30.9	30.0	30.8	29.6	30.9	30.8	29.8	30.4	29.9	30.8	362.6	12	4319
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	17.9	15.6	16.6	14.8	19.4	21.6	21.0	21.5	22.5	21.6	18.8	21.4	232.7	11	3142
	01 LST	22.8	21.1	23.7	23.6	26.6	27.0	24.0	26.2	26.3	27.2	23.8	24.5	297.0	7	1154
	07 LST	26.1	23.8	27.2	24.7	28.4	27.5	27.3	28.5	27.3	28.4	26.1	26.8	322.1	11	3659
	13 LST	17.4	15.5	16.1	13.6	20.6	21.0	21.7	24.1	20.9	21.5	16.7	18.8	227.9	12	4318
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.9	1.3	2.3	1.2	0.5	0.5	0.6	0.2	0.5	0.4	0.6	0.7	9.7	11	3146
	01 LST	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.8	7	1174
	07 LST	0.0	0.3	0.1	0.4	0.0	0.2	0.2	0.0	0.1	0.0	0.0	0.3	1.6	11	3675
	13 LST	1.1	1.9	2.6	2.0	1.0	0.8	0.4	0.2	0.4	0.5	1.1	0.9	13.4	12	4336
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	18.2	14.6	14.1	14.7	15.2	13.0	14.4	12.2	14.2	17.3	19.6	20.7	188.2	11	3145
	01 LST	26.0	20.1	20.3	18.9	17.3	18.5	24.8	19.2	18.4	19.7	21.3	22.0	246.5	7	1165
	07 LST	19.8	17.8	18.5	18.2	17.0	16.4	19.1	14.4	14.9	17.0	19.7	21.0	213.8	11	3669
	13 LST	16.5	14.1	17.1	12.2	12.5	10.9	11.4	9.9	8.2	14.1	15.7	17.9	160.5	12	4324
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	18.8	15.7	18.0	12.1	6.5	3.2	3.0	3.4	3.4	8.5	14.4	16.7	123.7	11	3144
	01 LST	26.4	23.4	22.7	22.7	23.9	18.0	18.0	17.0	11.3	16.3	17.6	24.0	241.3	7	1174
	07 LST	22.3	19.2	22.8	20.0	17.0	15.6	15.7	15.4	10.8	16.3	17.5	17.9	210.5	11	3675
	13 LST	15.7	13.9	17.1	14.3	9.5	6.8	9.7	7.1	4.8	8.9	9.8	13.5	130.6	12	4337
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.2	26.2	28.4	26.6	26.3	26.0	26.8	25.8	26.9	27.0	27.9	28.9	326.0	11	3112
	01 LST	30.3	27.0	30.0	28.7	30.7	28.3	30.7	29.7	27.5	29.6	29.0	30.0	351.0	7	1154
	07 LST	29.6	26.6	30.3	29.4	30.4	29.1	30.6	30.8	29.2	29.4	28.8	29.9	354.1	11	3659
	13 LST	28.5	25.9	28.9	28.1	28.2	26.4	28.5	28.3	26.4	27.3	28.1	29.7	334.3	12	4319
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	26.8	24.6	26.6	23.5	23.6	24.0	24.0	23.5	25.4	25.3	26.6	27.2	301.1	11	3142
	01 LST	30.0	26.7	29.3	27.7	30.7	26.3	29.1	28.8	25.0	28.1	26.6	28.0	336.3	7	1154
	07 LST	28.9	25.4	29.7	28.8	29.8	28.6	30.5	30.8	29.2	29.1	27.8	29.2	347.8	11	3659
	13 LST	26.4	24.2	27.2	25.8	25.5	24.2	26.4	26.0	23.5	25.2	26.0	27.5	307.9	12	4319
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	26.7	24.6	26.6	23.5	23.4	24.0	24.0	23.5	25.4	25.3	26.4	26.8	300.2	11	3142
	01 LST	29.7	26.7	28.6	27.0	30.3	26.3	29.1	28.6	25.0	28.1	26.6	27.5	333.5	7	1154
	07 LST	28.7	25.0	29.6	28.7	29.5	28.6	30.4	30.7	29.2	29.1	27.6	29.2	346.3	11	3659
	13 LST	26.3	23.7	27.0	25.4	25.4	23.9	26.2	25.9	23.1	24.9	26.0	27.4	305.2	12	4319

# CAMAGUEY INTL, CUBA

STA NO. 78255 (IN AREA NUMBER 01)

LATITUDE 2125N

LONGITUDE 07750W

ELEVATION(FT) 00+13

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	91	94	98	100	102	101	100	102	98	97	93	93	102	13	-561
MEAN MAX TMP (F)	81	83	86	89	89	89	91	91	90	87	84	82	87	13	-61
MEAN MIN TMP (F)	63	64	66	68	70	71	72	72	71	70	67	64	68	13	-61
ABS MIN TMP (F)	46	48	52	57	56	62	66	66	64	60	50	45	45	13	-561
MEAN NO DYS TMP = OR GTR 90(F)	0.4	2.0	12.0	22.0	17.0	23.0	30.0	27.0	18.0	13.0	1.0	1.0	166.4	10	-65
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2835
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2835
MEAN DEW PT TMP (F)	64	63	65	67	70	72	73	73	73	72	68	66	69	9	66290
MEAN REL HUM (PCT)	80	76	75	75	76	80	79	79	81	83	83	83	80	9	65768
MEAN PRESS ALT (FT)	318	324	349	362	392	385	359	392	429	439	400	351	375	0	-50
MEAN PRECIP (IN)	1.50	1.40	2.40	3.60	7.60	10.50	5.60	5.50	7.30	5.40	3.10	2.00	55.9	20	-61
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.2	2.0	5.3	7.2	10.1	15.1	11.1	11.0	11.2	8.1	4.8	3.2	91.3	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	2.6	3.0	1.7	1.5	2.0	1.4	0.9	0.7	0.5	0.6	1.6	2.8	19.3	9	2891
MEAN NO DYS TSMTS	0.2	0.1	1.0	1.4	4.7	7.3	7.4	9.1	7.9	2.5	0.8	0.1	42.5	9	2890
P FREQ WND SPD = OR GTR 17 KTS	7.5	7.5	7.9	6.6	4.3	3.4	7.3	3.6	3.9	3.0	3.5	4.9	5.3	9	69201
P FREQ WND SPD = OR GTR 28 KTS	0.2	0.0	0.1	0.0	0.0	0.1	0.1	0.2	0.0	0.1	0.1	0.1	0.1	9	69201
P FREQ LES 5000 FT A/O LES 5 MI	24.3	24.5	22.3	29.0	28.3	24.2	23.6	22.8	22.3	24.7	25.1	27.3	24.9	9	68687
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	4.2	1.5	2.2	1.5	2.2	3.9	0.4	0.0	0.7	1.8	2.2	7.3	2.3	9	8586
03-05 LST	6.4	4.5	5.4	4.2	6.0	4.3	2.9	1.2	0.4	4.0	4.5	9.3	4.4	9	8567
06-08 LST	8.0	7.4	3.7	3.9	5.6	4.0	2.7	3.9	1.2	4.2	4.6	6.4	5.2	10	8968
09-11 LST	3.5	2.5	1.4	1.4	1.3	0.5	0.8	2.3	1.1	3.3	4.5	5.0	2.3	9	8645
12-14 LST	3.3	1.9	1.2	1.4	1.6	1.1	1.4	2.0	0.9	3.4	4.6	3.4	2.2	9	8641
15-17 LST	2.3	1.8	1.1	3.3	3.5	3.0	2.2	2.4	3.8	4.3	5.3	4.2	3.1	9	8643
18-20 LST	1.6	1.8	1.4	1.4	3.1	4.0	1.7	1.9	2.9	3.4	4.6	3.7	2.6	9	8544
21-23 LST	1.7	1.0	1.1	0.7	1.6	0.9	0.1	0.7	0.7	2.2	2.5	3.5	1.4	9	8548
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	1.5	0.1	0.5	0.6	0.1	0.3	0.1	0.0	0.3	0.1	0.4	2.0	0.5	9	8586
03-05 LST	3.8	2.0	1.9	2.1	3.1	0.9	1.2	0.3	0.0	1.0	2.2	3.5	1.8	9	8567
06-08 LST	4.3	3.6	2.2	1.6	1.6	0.9	0.5	0.4	0.3	0.7	0.9	1.8	1.6	10	8968
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	9	8645
12-14 LST	0.0	0.0	0.1	0.1	0.1	0.0	0.1	0.0	0.4	0.1	0.4	0.1	0.1	9	8641
15-17 LST	0.0	0.0	0.0	0.0	0.1	0.2	0.5	0.4	0.4	0.3	0.0	0.1	0.2	9	8643
18-20 LST	0.0	0.1	0.0	0.0	0.1	0.0	0.3	0.0	0.1	0.4	0.1	0.0	0.1	9	8544
21-23 LST	0.3	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.1	0.3	0.1	9	8548

# CAMAGUEY INTL, CUBA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	31.0	27.5	30.8	29.9	30.3	29.4	30.7	30.8	29.7	30.3	29.5	30.5	360.4	9	2891
	01 LST	29.9	27.9	30.5	29.7	30.6	29.3	31.0	30.8	29.9	30.6	29.6	28.0	357.8	9	2893
	07 LST	27.6	24.9	29.1	29.1	29.6	29.1	30.2	30.1	29.4	29.8	28.4	27.2	344.5	10	3244
	13 LST	30.6	27.7	30.7	29.9	30.7	29.9	30.6	30.5	29.9	30.2	29.4	30.8	360.9	9	2892
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	19 LST	21.0	16.0	12.4	14.5	16.6	17.9	15.7	20.4	20.6	25.9	23.3	21.8	226.1	9	2892
	01 LST	23.7	23.0	25.2	25.4	26.8	26.4	27.1	29.4	27.3	28.3	26.7	22.3	311.6	9	2892
	07 LST	21.9	20.7	24.1	19.8	20.4	17.9	17.8	24.0	26.5	27.1	24.3	22.1	266.6	10	3244
	13 LST	8.0	7.8	13.1	12.9	15.1	16.1	11.8	16.7	15.9	16.4	10.9	7.9	152.6	9	2892
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.1	0.5	1.5	1.6	1.1	0.4	0.7	0.6	0.0	0.4	0.1	0.2	7.2	9	2880
	01 LST	0.0	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.8	9	2889
	07 LST	0.0	0.1	0.1	0.3	0.7	0.6	0.8	0.1	0.0	0.3	0.0	0.1	3.1	10	3241
	13 LST	6.0	4.1	4.7	3.5	1.9	0.8	4.0	1.7	2.8	1.6	3.0	4.2	38.3	9	2890
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	26.4	21.5	18.3	18.5	19.1	18.4	18.2	21.5	17.9	22.7	24.6	26.4	253.5	9	2878
	01 LST	25.5	23.8	25.9	24.0	20.9	23.6	22.7	22.8	19.1	18.3	24.6	23.9	276.1	9	2887
	07 LST	22.6	21.1	22.8	20.6	20.3	21.5	19.8	24.0	19.8	17.9	21.2	22.5	254.1	10	3241
	13 LST	11.9	11.3	11.9	7.0	7.5	6.0	2.4	1.9	4.7	11.1	13.7	13.7	103.1	9	2888
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	21.4	16.9	17.7	11.2	7.8	3.6	5.7	6.6	6.4	8.6	15.8	20.7	142.4	5	1821
	01 LST	24.6	22.0	25.8	23.8	21.4	17.8	20.1	21.2	18.0	17.3	20.6	21.3	253.9	5	1822
	07 LST	17.6	14.8	20.8	15.7	14.7	7.1	13.4	13.6	9.3	10.4	11.8	10.9	160.0	6	2173
	13 LST	2.0	2.8	5.2	1.6	1.4	0.8	0.6	1.4	0.0	0.2	0.6	1.6	18.2	5	1822
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.5	26.5	28.5	26.1	26.4	24.8	28.1	27.6	26.3	27.2	27.4	28.3	324.7	9	2891
	01 LST	29.1	26.6	29.4	28.7	30.0	28.2	30.6	30.3	29.2	30.0	28.1	25.6	345.8	9	2893
	07 LST	25.7	23.2	28.0	28.2	27.9	27.6	29.3	29.8	29.1	28.6	25.9	24.1	327.4	10	3244
	13 LST	21.0	20.7	24.1	20.9	22.7	21.8	21.9	22.6	22.2	22.4	20.9	21.5	262.2	9	2892
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	28.0	24.6	25.0	21.4	22.1	22.1	24.7	24.4	24.0	24.2	25.9	26.5	292.9	9	2891
	01 LST	28.1	26.1	28.7	27.8	29.0	27.9	30.3	30.1	28.8	29.5	27.5	24.6	338.4	9	2893
	07 LST	24.5	22.1	27.1	27.4	27.2	26.7	29.7	29.4	29.0	28.3	24.4	21.9	317.2	10	3244
	13 LST	8.9	9.7	12.0	6.0	9.1	11.0	8.9	11.1	9.7	9.9	9.8	11.7	117.8	9	2892
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	27.7	24.5	25.0	21.0	21.6	21.5	23.6	23.9	23.6	23.6	25.6	26.1	287.2	9	2891
	01 LST	27.9	25.9	28.6	27.4	28.7	27.8	30.2	29.9	28.6	29.4	27.1	24.2	335.7	9	2893
	07 LST	24.1	21.8	27.1	27.0	26.9	26.6	29.1	29.2	29.0	27.7	24.3	21.4	314.2	10	3244
	13 LST	8.2	9.5	11.9	5.9	9.1	11.0	8.8	10.9	9.6	9.5	9.5	11.2	115.1	9	2892

# HOLGUIN, CUBA

STA NO. 78262 (IN AREA NUMBER 01)

LATITUDE 20°47'N

LONGITUDE 076°19'W

ELEVATION (FT) 00361

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)													86	0	0
MEAN MAX TMP (F)	81	82	84	85	87	88	90	90	89	88	84	82	86	0	-50
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP ≥ OR GTR 90(F)														0	0
MEAN NO DYS TMP ≥ OR LES 32(F)														0	0
MEAN NO DYS TMP ≥ OR LES 0(F)														0	0
MEAN DEW PT TMP (F)	70	66	69	71	71	75	77	76	74	76	72	72	73	0	-50
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	243	250	272	246	315	304	279	314	353	362	326	276	298	0	-50
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD ≥ OR GTR 17 KTS														0	0
P FREQ WND SPD ≥ OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# HOLGUIN, CUBA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19	01	07	13	19	01	07	13	19	01	07	13	19	0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC AND LES 10 KTS	19	01	07	13	19	01	07	13	19	01	07	13	19	0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19	01	07	13	19	01	07	13	19	01	07	13	19	0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19	01	07	13	19	01	07	13	19	01	07	13	19	0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19	01	07	13	19	01	07	13	19	01	07	13	19	0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19	01	07	13	19	01	07	13	19	01	07	13	19	0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19	01	07	13	19	01	07	13	19	01	07	13	19	0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19	01	07	13	19	01	07	13	19	01	07	13	19	0	0

DATA NOT AVAILABLE

# SANTIAGO, CUBA

STA NO. 78264 (IN AREA NUMBER 01)

LATITUDE 2002N

LONGITUDE 07551W

ELEVATION(FT) 00120

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	97	88	90	90	93	97	99	97	97	95	93	97	99	6	1020
MEAN MAX TMP (F)	82	82	84	84	84	88	89	89	89	87	85	84	86	6	1020
MEAN MIN TMP (F)	65	63	66	68	70	72	73	73	73	71	69	68	69	6	978
ABS MIN TMP (F)	54	50	52	53	55	66	68	63	61	61	57	61	50	6	978
MEAN NO DYS TMP = OR GTR 90(F)	1.0	0.0	0.9	1.3	4.0	10.4	23.3	19.6	17.7	13.3	5.1	3.9	100.5	6	1020
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	978
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	978
MEAN DEW PT TMP (F)	66	67	69	70	72	74	74	75	75	74	71	69	71	6	36553
MEAN REL HUM (PCT)	76	76	74	75	76	78	77	78	79	80	80	78	77	6	36410
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.20	0.70	1.50	2.80	6.00	5.10	2.20	3.80	6.00	8.50	3.90	1.20	42.9	21	-61
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.7	1.3	3.6	6.0	9.6	10.4	4.9	8.4	9.1	13.2	5.9	1.7	75.8	21	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.2	0.4	0.0	0.0	0.2	0.3	0.0	0.2	0.2	1.5	6	1807
MEAN NO DYS TSTMS	0.2	0.0	0.0	0.2	0.8	1.5	2.2	2.0	1.7	2.4	0.4	0.0	11.4	6	1807
P FREQ WND SPD = OR GTR 17 KTS	1.8	2.0	1.8	3.2	1.3	1.1	2.4	1.3	1.7	1.9	0.9	3.3	1.9	6	38449
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.2	0.0	0.1	0.2	0.0	0.1	0.1	0.0	0.1	0.1	6	38449
P FREQ LES 5000 FT A/O LES 5 MI	2.6	5.0	3.8	4.6	6.9	8.8	4.9	5.0	5.5	7.0	2.3	3.8	5.0	6	32527
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.0	0.7	0.0	0.9	0.4	1.1	0.9	2.1	1.4	2.5	0.0	0.0	0.8	6	2609
03-05 LST	0.0	0.0	0.5	0.4	1.2	2.0	0.4	2.2	1.7	3.3	0.3	0.3	1.0	6	2888
06-08 LST	1.7	2.3	0.6	0.5	2.0	1.7	0.2	0.6	1.6	3.1	0.7	0.9	1.3	11	6795
09-11 LST	0.5	0.7	0.3	0.3	1.4	1.3	0.0	0.4	0.9	2.3	0.0	0.5	0.7	6	4790
12-14 LST	1.3	1.7	0.6	0.8	2.6	1.9	0.5	1.3	1.8	3.3	0.7	0.9	1.5	11	6561
15-17 LST	0.8	1.1	0.7	1.7	1.7	2.5	1.0	2.0	1.5	3.7	0.6	1.0	1.5	10	5866
18-20 LST	0.5	2.4	0.9	2.3	2.4	3.5	1.4	1.5	4.0	3.4	1.0	0.7	2.0	6	4935
21-23 LST	0.0	0.7	0.0	0.3	1.0	1.8	0.5	1.6	2.9	1.6	0.2	0.2	0.9	6	4819
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.7	1.4	0.8	0.0	0.0	0.4	6	2609
03-05 LST	0.0	0.0	0.0	0.0	0.8	0.7	0.4	1.9	0.8	0.4	0.0	0.0	0.4	6	2888
06-08 LST	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.3	0.7	0.3	0.4	0.0	0.2	11	6795
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.4	0.4	0.4	0.0	0.0	0.1	6	4790
12-14 LST	0.0	0.2	0.0	0.0	0.6	0.0	0.0	0.6	0.2	0.2	0.2	0.2	0.2	11	6561
15-17 LST	0.0	0.3	0.0	0.4	0.2	0.2	0.0	0.5	0.2	0.2	0.0	0.2	0.2	10	5866
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.3	0.7	0.4	1.9	0.4	0.2	0.0	0.3	6	4935
21-23 LST	0.0	0.0	0.0	0.0	0.2	0.3	0.2	1.6	2.6	0.0	0.2	0.0	0.4	6	4819

# SANTIAGO, CUBA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.6	27.7	31.0	29.5	30.6	29.7	31.0	30.5	29.3	30.2	29.8	31.0	360.9	10	3046
	01 LST	31.0	28.0	31.0	30.0	31.0	29.7	31.0	30.6	29.8	30.6	30.0	31.0	363.7	6	1688
	07 LST	30.7	27.7	30.9	30.0	30.5	29.8	31.0	30.9	29.9	30.3	29.7	31.0	362.4	11	3645
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	23.6	20.9	25.1	20.6	23.8	25.0	26.9	26.3	25.8	26.7	26.0	24.9	295.6	10	3045
	01 LST	21.1	21.9	27.3	21.8	26.0	26.3	26.7	25.5	27.9	26.6	25.0	23.4	299.0	6	1686
	07 LST	24.6	23.8	27.8	24.5	26.4	27.7	26.7	26.9	27.2	27.4	25.9	25.6	314.5	11	3643
SFC WND = GTR 17 KTS AND NO PRECIP.	13 LST	19.0	17.3	16.9	14.5	17.2	19.7	20.0	16.9	20.3	21.9	22.0	20.9	226.6	11	3404
	19 LST	0.7	0.8	0.3	0.8	0.3	0.1	0.6	0.1	0.4	0.3	0.1	0.4	4.9	10	3046
	01 LST	0.2	0.3	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.2	0.2	0.6	1.7	6	1811
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.1	0.2	0.5	0.1	0.0	0.0	0.2	0.1	0.1	0.0	0.1	0.4	1.8	11	3650
	13 LST	0.5	1.4	2.5	2.0	1.0	0.6	1.2	1.1	0.5	0.7	0.4	0.8	12.7	11	3410
	19 LST	15.5	15.0	19.3	17.8	15.2	11.7	11.9	11.0	11.2	9.5	14.8	16.7	169.6	10	3032
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	19.0	14.1	15.2	16.7	15.3	14.1	13.7	11.6	12.6	12.9	18.6	17.9	181.7	6	1786
	07 LST	14.6	11.2	13.3	11.8	12.4	10.0	12.2	11.1	9.3	8.7	13.4	13.2	141.2	11	3626
	13 LST	19.8	18.5	19.9	15.4	14.1	10.0	5.6	4.8	8.1	12.1	18.8	19.4	166.5	11	3343
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	19.5	16.2	14.8	7.9	4.7	2.7	3.7	3.6	4.4	6.6	11.3	15.4	110.8	10	3047
	01 LST	27.6	22.4	24.7	21.9	16.9	16.6	21.3	20.8	16.6	17.3	22.6	24.6	253.3	6	1813
	07 LST	23.9	18.8	24.2	19.6	16.2	15.8	19.0	18.4	15.5	16.0	19.1	21.4	227.9	11	3652
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	13 LST	17.9	14.0	18.1	12.5	7.1	6.5	7.8	7.9	5.6	6.9	9.1	12.0	125.4	11	3411
	19 LST	29.3	25.5	28.3	25.7	25.9	25.7	29.4	28.2	27.5	27.4	28.7	29.9	331.5	10	3046
	01 LST	30.6	26.9	30.2	28.7	30.1	29.3	30.6	30.2	29.2	30.1	29.4	30.8	356.1	6	1688
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	29.5	26.2	30.2	28.8	28.9	28.8	30.9	30.4	29.1	29.3	29.2	29.7	351.0	11	3645
	13 LST	29.4	26.3	29.9	28.3	27.8	27.9	29.2	29.2	28.6	27.7	28.9	29.4	342.6	11	3405
	19 LST	27.8	23.8	26.0	23.2	24.2	23.3	27.0	25.0	25.6	24.9	26.5	28.2	305.5	10	3046
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	30.6	26.6	29.9	28.2	29.9	29.0	30.6	30.2	29.0	29.9	28.7	30.6	353.2	6	1688
	07 LST	29.0	24.9	29.2	27.8	28.0	27.9	30.8	30.3	28.4	28.7	28.5	29.4	342.9	11	3645
	13 LST	28.5	25.1	28.4	26.7	25.9	26.1	27.8	27.8	26.4	26.0	27.8	27.6	324.1	11	3405
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	27.8	23.4	26.0	23.0	24.1	23.3	26.9	25.0	25.4	24.6	26.5	28.0	304.0	10	3046
	01 LST	30.6	26.6	29.9	28.2	29.9	29.0	30.6	30.2	29.0	29.9	28.7	30.6	353.2	6	1688
	07 LST	29.0	24.7	29.1	27.7	27.8	27.8	30.8	30.2	28.4	28.7	28.5	29.2	341.9	11	3645
	13 LST	28.5	24.8	28.2	26.6	25.9	26.1	27.8	27.8	26.4	25.9	27.8	27.6	323.4	11	3405

# MCCALLA FIELD, CUBA

STA NO. 78266/ (IN AREA NUMBER 01)

LATITUDE 1954N

LONGITUDE 07509W

ELEVATION(FT) 00051

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	95	92	92	94	95	98	100	98	97	96	93	93	100	11	-78267
MEAN MAX TMP (F)	84	84	86	88	89	90	92	92	91	89	88	85	88	11	-78267
MEAN MIN TMP (F)	68	68	70	72	75	76	76	76	76	75	73	70	72	11	-78267
ABS MIN TMP (F)	57	57	61	64	66	70	72	71	71	70	65	59	57	11	-78267
MEAN NO DYS TMP = OR GTR 90(F)	0.8	1.0	1.5	7.6	15.3	17.3	23.3	24.7	22.3	15.6	9.5	1.4	140.3	11	-78267
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-78267
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-78267
MEAN DEW PT TMP (F)	65	66	67	69	72	73	73	73	74	73	71	68	70	10	-78267
MEAN REL HUM (PCT)	73	73	72	72	74	75	71	72	75	77	76	76	74	0	-50
MEAN PRESS ALT (FT)	-79	-70	-50	-34	-7	-20	-46	-9	33	41	4	-46	-23	0	-50
MEAN PRECIP (IN)	0.89	0.70	1.06	1.59	2.43	1.48	1.03	1.74	3.97	6.68	0.84	1.04	23.4	11	-78267
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.6	2.1	2.1	2.6	3.9	2.7	2.3	2.8	5.4	6.6	2.3	2.0	36.4	11	-78267
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS W/OCUR-VSBY LES 1/2 MI	0.2	0.0	0.2	0.2	0.1	0.2	0.0	0.0	0.2	0.3	0.0	0.2	1.6	11	-78267
MEAN NO DYS TSTMS	0.5	0.2	0.5	1.4	3.9	5.2	4.5	5.5	8.7	7.3	1.4	0.5	39.6	11	-78267
P FREQ WND SPD = OR GTR 17 KTS	3.3	4.0	5.0	4.3	2.3	1.5	4.0	2.8	2.3	0.8	0.7	1.4	2.7	10	-78267
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	10	-78267
P FREQ LES 5000 FT A/O LES 5 MI	7.7	10.1	6.7	8.0	7.8	8.0	3.1	4.4	7.2	8.8	6.8	7.1	7.1	10	-78267
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.1	0.2	0.2	0.2	0.3	0.3	0.0	0.1	0.3	1.4	0.4	0.1	0.3	10	-78267
03-05 LST	0.4	0.1	0.2	0.1	0.5	0.4	0.0	0.0	0.4	0.9	0.2	0.2	0.3	10	-78267
06-08 LST	0.4	0.4	0.9	1.2	1.3	0.8	0.2	0.0	1.2	1.4	0.2	0.1	0.7	10	-78267
09-11 LST	0.9	0.5	0.5	0.4	1.2	0.3	0.0	0.0	0.8	1.4	0.1	0.0	0.5	10	-78267
12-14 LST	0.6	0.1	0.0	0.0	0.8	0.4	0.0	0.1	0.0	1.1	0.2	0.2	0.3	10	-78267
15-17 LST	0.5	0.0	0.1	0.4	1.1	1.1	0.1	0.3	0.9	1.6	0.2	0.4	0.6	10	-78267
18-20 LST	0.2	0.6	0.3	0.4	0.6	1.4	0.1	0.4	0.9	2.2	0.1	0.0	0.6	10	-78267
21-23 LST	0.1	0.4	0.1	0.1	0.1	0.8	0.1	0.0	0.6	0.9	0.1	0.2	0.3	10	-78267
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	10	-78267
03-05 LST	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	10	-78267
06-08 LST	0.0	0.0	0.3	0.3	0.0	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.0	10	-78267
09-11 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	10	-78267
12-14 LST	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-78267
15-17 LST	0.0	0.0	0.1	0.0	0.2	0.2	0.0	0.0	0.4	0.3	0.0	0.1	0.1	10	-78267
18-20 LST	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.0	0.2	0.1	0.0	0.0	0.1	10	-78267
21-2 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	10	-78267

# MCCALLA FIELD, CUBA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	085
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.9	27.8	31.0	29.8	30.7	29.6	31.0	30.9	29.9	30.5	30.0	31.0	363.1	10	-78267
	01 LST	31.0	28.0	30.9	30.0	30.9	29.9	31.0	30.9	29.9	30.7	29.9	31.0	364.1	10	-78267
	07 LST	30.9	27.9	30.9	29.6	30.8	29.8	30.9	31.0	29.8	30.7	30.0	30.9	363.2	10	-78267
	13 LST	30.8	27.9	31.0	30.0	30.9	29.9	31.0	30.9	30.0	30.9	29.9	30.9	364.1	10	-78267
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	19.5	16.8	17.6	19.1	24.8	24.2	21.2	23.8	24.5	26.7	25.1	22.4	265.7	10	-78267
	01 LST	27.0	26.1	28.1	27.5	29.1	29.1	30.3	29.7	28.6	29.3	28.0	27.9	340.7	10	-78267
	07 LST	27.3	25.3	28.4	27.7	29.6	29.0	30.4	30.7	28.9	29.6	28.4	28.2	343.5	10	-78267
	13 LST	11.5	8.7	6.2	5.7	8.8	8.3	3.3	4.2	10.1	15.3	14.5	13.7	110.3	10	-78267
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.5	0.5	0.9	0.7	0.5	0.1	0.8	0.2	0.1	0.1	0.0	0.2	4.6	10	-78267
	01 LST	0.3	0.2	0.2	0.1	0.0	0.1	0.2	0.0	0.0	0.0	0.1	0.1	1.3	10	-78267
	07 LST	0.1	0.1	0.0	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.2	1.0	10	-78267
	13 LST	2.7	3.4	4.9	4.5	2.9	1.6	5.5	3.6	2.1	0.8	1.3	1.4	34.7	10	-78267
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	21.9	19.0	21.1	23.1	23.6	23.0	22.6	25.7	23.6	23.4	24.3	24.1	275.6	10	-78267
	01 LST	23.8	21.0	21.1	20.8	22.3	23.0	24.4	24.5	21.1	23.6	24.3	23.3	273.2	10	-78267
	07 LST	23.4	22.0	23.7	24.0	24.6	24.5	26.2	27.0	23.1	25.1	24.9	24.5	293.2	10	-78267
	13 LST	15.7	13.2	10.9	9.8	10.2	8.8	2.9	2.8	6.9	13.5	17.9	18.2	130.8	10	-78267
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	18.3	13.6	14.5	6.4	2.1	1.1	2.8	3.9	2.0	3.6	10.3	14.8	93.4	10	-78267
	01 LST	24.0	21.6	24.2	18.2	14.5	11.3	15.7	16.6	12.5	12.2	19.1	21.2	211.1	10	-78267
	07 LST	18.6	16.9	20.5	15.2	8.5	4.7	9.1	8.2	5.5	7.4	14.4	15.9	144.9	10	-78267
	13 LST	12.0	11.9	16.6	11.2	5.0	3.5	5.2	4.6	2.5	3.8	6.4	7.7	90.4	10	-78267
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	30.5	27.7	29.8	29.1	29.6	28.8	30.8	30.2	29.1	28.9	29.6	30.8	354.9	10	-78267
	01 LST	30.7	27.8	30.8	29.7	30.3	29.4	30.8	30.5	29.6	30.2	29.6	30.9	360.3	10	-78267
	07 LST	30.7	27.1	30.4	29.4	30.2	29.0	30.8	30.9	28.9	30.2	29.9	30.9	358.4	10	-78267
	13 LST	30.5	27.7	30.7	29.6	30.4	29.4	31.0	30.8	29.6	29.6	29.2	30.5	359.0	10	-78267
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	28.0	23.5	26.1	24.7	26.7	27.2	30.0	28.8	26.8	26.9	27.5	28.2	324.4	10	-78267
	01 LST	28.9	26.5	30.0	27.5	29.2	28.0	30.5	29.7	28.4	29.1	29.2	29.9	346.9	10	-78267
	07 LST	29.0	24.4	29.3	28.3	28.1	27.1	30.0	29.6	27.4	29.0	29.5	29.6	341.3	10	-78267
	13 LST	25.9	23.8	28.4	28.5	28.9	28.6	30.7	30.1	28.0	27.5	25.1	26.4	331.9	10	-78267
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	26.4	22.7	25.1	22.8	23.9	25.3	29.1	27.7	25.6	25.4	26.5	27.0	307.7	10	-78267
	01 LST	28.1	25.7	28.4	26.8	28.0	26.8	30.5	29.4	28.0	28.2	28.9	28.7	337.5	10	-78267
	07 LST	27.2	23.7	28.1	26.8	26.4	26.1	29.5	28.9	26.9	27.8	28.7	28.8	328.9	10	-78267
	13 LST	24.5	23.3	27.2	27.7	27.7	27.3	30.1	29.4	27.0	26.8	24.2	24.8	320.0	10	-78267

## GUANTANAMO NAS, CUBA

STA NO. 78267 (IN AREA NUMBER 01)

LATITUDE 1954N

LONGITUDE 07509W

ELEVATION(FT) 00054

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	95	92	92	94	95	98	100	98	97	96	93	93	100	11	3867
MEAN MAX TMP (F)	84	84	86	88	89	90	92	92	91	89	88	85	88	11	3867
MEAN MIN TMP (F)	68	68	70	72	75	76	76	76	76	75	70	70	73	11	3867
ABS MIN TMP (F)	57	57	61	64	66	70	72	71	71	70	65	59	57	11	3867
MEAN NO DYS TMP = OR GTR 90(F)	0.8	1.0	1.5	7.6	15.3	17.3	23.3	24.7	22.3	15.6	9.5	1.4	140.3	11	3867
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3867
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3867
MEAN DEW PT TMP (F)	65	66	67	69	72	73	73	73	74	73	71	68	70	10	87595
MEAN REL HUM (PCT)	73	73	72	72	74	75	71	72	75	77	76	76	74	10	87592
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.89	0.70	1.06	1.59	2.43	1.48	1.03	1.74	3.97	6.68	0.84	1.04	23.4	11	3641
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.6	2.1	2.1	2.6	3.9	2.7	2.3	2.8	5.4	6.6	2.3	2.0	36.4	11	3641
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.2	0.0	0.2	0.2	0.1	0.2	0.0	0.0	0.2	0.3	0.0	0.2	1.6	10	3651
MEAN NO DYS TSTMS	0.5	0.2	0.5	1.4	3.9	5.2	4.5	5.5	8.7	7.3	1.4	0.5	39.6	11	3867
P FREQ WND SPD = OR GTR 17 KTS	3.3	4.0	5.0	4.3	2.3	1.5	4.0	2.8	2.3	0.8	0.7	1.4	2.7	10	87522
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	10	87522
P FREQ LES 3000 FT A/O LES 5 MI	7.7	10.1	6.7	8.0	7.8	8.0	3.1	4.4	7.2	8.8	6.8	7.1	7.1	10	87570
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.1	0.2	0.2	0.2	0.3	0.3	0.0	0.1	0.3	1.4	0.4	0.1	0.3	10	10951
03-05 LST	0.4	0.1	0.2	0.1	0.5	0.4	0.0	0.0	0.4	0.9	0.2	0.2	0.3	10	10952
06-08 LST	0.4	0.4	0.9	1.2	1.3	0.8	0.2	0.0	1.2	1.4	0.2	0.1	0.7	10	10950
09-11 LST	0.9	0.5	0.5	0.4	1.2	0.3	0.0	0.0	0.8	1.4	0.1	0.0	0.5	10	10951
12-14 LST	0.6	0.1	0.0	0.0	0.8	0.4	0.0	0.1	0.0	1.1	0.2	0.2	0.3	10	10943
15-17 LST	0.5	0.0	0.1	0.4	1.1	1.1	0.1	0.3	0.9	1.6	0.2	0.4	0.6	10	10946
18-20 LST	0.2	0.6	0.3	0.4	0.6	1.4	0.1	0.4	0.9	2.2	1.1	0.0	0.6	10	10950
21-23 LST	0.1	0.4	0.1	0.1	0.1	0.8	0.1	0.0	0.6	0.9	0.1	0.2	0.3	10	10945
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	10	10951
03-05 LST	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	10	10952
06-08 LST	0.0	0.0	0.3	0.3	0.0	0.2	0.0	0.0	0.7	0.0	0.0	0.0	0.1	10	10950
09-11 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	10	10951
12-14 LST	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	10943
15-17 LST	0.0	0.0	0.1	0.0	0.2	0.2	0.0	0.0	0.4	0.3	0.0	0.1	0.1	10	10946
18-20 LST	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.0	0.3	0.1	0.0	0.0	0.1	10	10950
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	10	10945

# GUANTANAMO NAS, CUBA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.9	27.8	31.0	29.8	30.7	29.6	31.0	30.9	29.9	30.5	30.0	31.0	363.1	10	3652
	01 LST	31.0	28.0	30.9	30.0	30.9	29.9	31.0	30.9	29.9	30.7	29.9	31.0	364.1	10	3653
	07 LST	30.9	27.9	30.9	29.6	30.8	29.8	30.9	31.0	29.8	30.7	30.0	30.9	363.2	10	3652
	13 LST	30.8	27.9	31.0	30.0	30.9	29.9	31.0	30.9	30.0	30.9	29.9	30.9	364.1	10	3652
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	19.5	16.8	17.6	19.1	24.8	24.2	21.2	23.8	24.5	26.7	25.1	22.4	265.7	10	3652
	01 LST	27.0	26.1	28.1	27.5	29.1	29.1	30.3	29.7	28.6	29.3	28.0	27.9	340.7	10	3653
	07 LST	27.3	25.3	28.4	27.7	29.6	29.0	30.4	30.7	28.9	29.6	28.4	28.2	343.5	10	3652
	13 LST	11.5	8.7	6.2	5.7	8.8	8.3	3.3	4.7	10.1	15.3	14.5	13.7	110.3	10	3652
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.5	0.5	0.9	0.7	0.5	0.1	0.8	0.2	0.1	0.1	0.0	0.2	4.6	10	3639
	01 LST	0.3	0.2	0.2	0.1	0.0	0.1	0.2	0.0	0.0	0.0	0.1	0.1	1.3	10	3642
	07 LST	0.1	0.1	0.0	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.2	1.0	10	3638
	13 LST	2.7	3.4	4.9	4.5	2.9	1.6	5.5	3.6	2.1	0.8	1.3	1.4	34.7	10	3642
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	21.9	19.0	21.1	23.1	23.6	23.0	22.6	25.7	23.6	23.4	24.3	24.1	275.6	10	3639
	01 LST	23.8	21.0	21.1	20.8	22.3	23.0	24.4	24.5	21.1	23.6	24.3	23.3	273.2	10	3642
	07 LST	23.4	22.0	23.7	24.0	24.8	24.5	26.2	27.0	23.1	25.1	24.9	24.5	293.2	10	3638
	13 LST	15.7	13.2	10.9	9.8	10.2	8.8	2.9	2.8	6.9	13.5	17.9	18.2	130.8	10	3642
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	18.3	13.6	14.5	6.4	2.1	1.1	2.8	3.9	2.0	3.6	10.3	14.8	93.4	10	3652
	01 LST	24.0	21.4	24.2	18.2	14.5	11.3	15.7	16.6	12.5	12.2	19.1	21.2	211.1	10	3653
	07 LST	18.6	16.9	20.5	15.2	8.5	4.7	9.1	8.7	5.5	7.4	14.4	15.9	144.9	10	3652
	13 LST	12.0	11.9	16.6	11.2	5.0	3.5	5.2	4.6	2.5	3.8	6.4	7.7	90.4	10	3652
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	30.5	27.7	29.8	29.1	29.8	28.8	30.8	30.2	29.1	28.9	29.6	30.8	354.9	10	3653
	01 LST	30.7	27.8	30.8	29.7	30.3	29.4	30.8	30.5	29.6	30.2	29.6	30.9	360.3	10	3652
	07 LST	30.7	27.1	30.4	29.4	30.2	29.0	30.8	30.9	28.9	30.2	29.9	30.9	358.4	10	3652
	13 LST	30.5	27.7	30.7	29.6	30.4	29.4	31.0	30.8	29.6	29.6	29.2	30.5	359.0	10	3652
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	28.0	23.5	26.1	24.7	26.7	27.2	30.0	28.8	26.8	26.9	27.5	28.2	324.4	10	3652
	01 LST	28.9	26.5	30.0	27.5	29.2	28.0	30.5	29.7	28.4	29.1	29.2	29.9	346.9	10	3653
	07 LST	29.0	24.4	29.3	28.3	28.1	27.1	30.0	29.6	27.4	29.0	29.5	29.6	341.3	10	3652
	13 LST	25.9	23.8	28.4	28.5	28.9	28.6	30.7	30.1	28.0	27.5	25.1	26.4	331.9	10	3652
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	26.6	22.7	25.1	22.8	23.9	25.3	29.1	27.7	25.6	25.4	26.5	27.0	307.7	10	3652
	01 LST	28.1	25.7	28.4	26.8	28.0	26.8	30.5	29.4	28.0	28.2	28.9	28.7	337.5	10	3653
	07 LST	27.2	23.7	28.1	26.8	26.4	26.1	29.5	28.9	26.9	27.8	28.7	28.8	328.9	10	3652
	13 LST	24.5	23.3	27.2	27.7	27.7	27.3	30.1	29.4	27.0	26.8	24.2	24.8	320.0	10	3652

# LEEWARD POINT, CUBA

STA NO. 78269/ (IN AREA NUMBER 01)

LATITUDE 1954N

LONGITUDE 07512W

ELEVATION(FT) 00047

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	085
ABS MAX TMP (F)	95	92	92	94	95	98	100	98	97	96	93	93	100	11	-78267
MEAN MAX TMP (F)	84	84	86	88	89	90	92	92	91	89	88	85	88	11	-78267
MEAN MIN TMP (F)	68	68	70	72	75	76	76	76	76	75	73	70	73	11	-78267
ABS MIN TMP (F)	57	57	61	64	66	70	72	71	71	70	65	59	57	11	-78267
MEAN NO DYS TMP = OR GTR 90(F)	0.8	1.0	1.5	7.6	15.3	17.3	23.3	24.7	22.3	15.6	9.5	1.4	140.3	11	-78267
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-78267
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-78267
MEAN DEW PT TMP (F)	65	66	67	69	72	73	73	73	74	73	71	68	70	10	-78267
MEAN REL HUM (PCT)	73	73	72	72	74	75	71	72	75	77	76	76	74	10	-78267
MEAN PRESS ALT (FT)	-83	-74	-54	-38	-11	-23	-50	-13	29	37	0	-50	-27	0	-50
MEAN PRECIP (IN)	0.89	0.70	1.06	1.59	2.43	1.48	1.03	1.74	3.97	6.68	0.84	1.04	23.4	11	-78267
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.6	2.1	2.1	2.6	3.9	2.7	2.3	2.6	5.4	6.6	2.3	2.0	36.4	11	-78267
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS W/OCUH VSBY LES 1/2 MI	0.2	0.0	0.2	0.2	0.1	0.2	0.0	0.0	0.2	0.3	0.0	0.2	1.6	10	-78267
MEAN NO DYS TSTMS	0.5	0.2	0.5	1.4	3.9	5.2	4.5	5.5	8.7	7.3	1.4	0.5	39.6	11	-78267
P FREQ WND SPD = OR GTR 17 KTS	3.3	4.0	5.0	4.3	2.3	1.5	4.0	2.8	2.3	0.8	0.7	1.4	2.7	10	-78267
P FREQ WND SPD = OR GTR 24 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	10	-78267
P FREQ LES 5000 FT A/O LES 5 MI	7.7	10.1	6.7	8.0	7.8	8.0	3.1	4.4	7.2	8.8	6.8	7.1	7.1	10	-78267
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.1	0.2	0.2	0.2	0.3	0.3	0.0	0.1	0.3	1.4	0.4	0.1	0.3	10	-78267
03-05 LST	0.4	0.1	0.2	0.1	0.5	0.4	0.0	0.0	0.4	0.9	0.2	0.2	0.3	10	-78267
06-08 LST	0.4	0.4	0.9	1.2	1.3	0.8	0.2	0.0	1.7	1.4	0.2	0.1	0.7	10	-78267
09-11 LST	0.9	0.5	0.5	0.4	1.2	0.3	0.0	0.0	0.8	1.4	0.1	0.0	0.5	10	-78267
12-14 LST	0.6	0.1	0.0	0.0	0.8	0.4	0.0	0.1	0.0	1.1	0.2	0.2	0.3	10	-78267
15-17 LST	0.5	0.0	0.1	0.4	1.1	1.1	0.1	0.3	0.9	1.6	0.2	0.4	0.6	10	-78267
18-20 LST	0.2	0.6	0.3	0.4	0.6	1.4	0.1	0.4	0.9	2.2	0.1	0.0	0.6	10	-78267
21-23 LST	0.1	0.4	0.1	0.1	0.1	0.8	0.1	0.0	0.6	0.9	0.1	0.2	0.3	10	-78267
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	10	-78267
03-05 LST	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	10	-78267
06-08 LST	0.0	0.0	0.3	0.3	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.1	10	-78267
09-11 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	10	-78267
12-14 LST	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-78267
15-17 LST	0.0	0.0	0.1	0.0	0.2	0.2	0.0	0.0	0.4	0.3	0.0	0.1	0.1	10	-78267
18-20 LST	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.0	0.3	0.1	0.0	0.0	0.1	10	-78267
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	10	-78267

# LEEWARD POINT, CUBA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.9	27.8	31.0	29.8	30.7	29.6	31.0	30.9	29.9	30.5	30.0	31.0	363.1	10	-78267
	01 LST	31.0	28.0	30.9	30.0	30.9	29.9	31.0	30.9	29.9	30.7	29.9	31.0	364.1	10	-78267
	07 LST	30.9	27.9	30.9	29.6	30.8	29.8	30.5	31.0	29.8	30.7	30.0	30.9	363.2	10	-78267
	13 LST	30.8	27.9	31.0	30.0	30.9	29.9	31.0	30.9	30.0	30.7	29.9	30.9	364.1	10	-78267
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC AND LES 10 KTS	19 LST	19.5	16.8	17.6	19.1	24.8	24.7	21.2	23.8	24.5	26.7	25.1	22.4	265.7	10	-78257
	01 LST	27.0	26.1	28.1	27.5	29.1	29.1	30.3	29.7	28.6	29.3	28.0	27.9	340.7	10	-78267
	07 LST	27.3	25.3	28.4	27.7	29.6	29.0	30.4	30.7	28.9	29.6	28.4	28.2	343.5	10	-78267
	13 LST	11.5	8.7	6.2	5.7	8.8	8.3	3.3	4.2	10.1	15.3	14.5	13.7	110.3	10	-78257
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.5	0.5	0.9	0.7	0.5	0.1	0.8	0.2	0.1	0.1	0.0	0.2	4.6	10	-78267
	01 LST	0.3	0.2	0.2	0.1	0.0	0.1	0.2	0.0	0.0	0.0	0.1	0.1	1.3	10	-78267
	07 LST	0.1	0.1	0.0	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.2	1.0	10	-78267
	13 LST	2.7	3.4	4.9	4.5	2.9	1.6	5.5	3.6	2.1	0.8	1.3	1.4	34.7	10	-78267
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	21.9	19.0	21.1	23.1	23.8	23.0	22.6	25.7	23.6	23.4	24.3	24.1	275.6	10	-78267
	01 LST	23.8	21.0	21.1	20.8	22.3	23.0	24.4	24.5	21.1	23.6	24.3	23.3	273.2	10	-78267
	07 LST	23.4	22.0	23.7	24.0	24.8	24.5	26.7	27.0	23.1	25.1	24.9	24.5	293.2	10	-78267
	13 LST	15.7	15.2	10.9	9.8	10.2	8.8	2.9	2.8	6.9	13.5	17.9	18.2	130.8	10	-78267
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	18.3	13.6	14.5	6.4	2.1	1.1	2.8	3.9	2.0	3.5	10.3	14.8	93.4	10	-78267
	01 LST	24.0	21.6	24.2	18.2	14.5	11.3	15.7	16.6	12.5	12.2	19.1	21.2	211.1	10	-78267
	07 LST	18.6	16.9	20.5	15.2	8.5	4.7	9.1	8.2	5.5	7.4	14.4	15.9	144.9	10	-78267
	13 LST	12.0	11.9	16.6	11.2	5.0	3.5	5.2	4.6	2.5	3.8	6.4	7.7	90.4	10	-78267
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	30.5	27.7	29.8	29.1	29.6	28.8	30.8	30.2	29.1	28.9	29.6	30.8	354.9	10	-78267
	01 LST	30.7	27.8	30.8	29.7	30.3	29.4	30.8	30.5	29.6	30.2	29.6	30.9	360.3	10	-78267
	07 LST	30.7	27.1	30.4	29.4	30.2	29.0	30.8	30.9	28.9	30.2	29.9	30.9	358.4	10	-78267
	13 LST	30.5	27.7	30.7	29.6	30.4	29.4	31.0	30.8	29.6	29.6	29.2	30.5	359.0	10	-78267
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	28.0	23.5	26.1	24.7	26.7	27.2	30.0	28.8	26.8	26.9	27.5	28.2	324.4	10	-78267
	01 LST	28.9	26.5	30.0	27.5	29.2	28.0	30.5	29.7	28.4	29.1	29.2	29.9	346.9	10	-78267
	07 LST	29.0	24.4	29.3	28.3	28.1	27.1	30.0	29.6	27.4	29.0	29.5	29.6	341.3	10	-78267
	13 LST	25.9	23.8	28.4	28.5	28.9	28.6	30.7	30.1	28.0	27.5	25.1	26.4	331.9	10	-78267
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	26.6	22.7	25.1	22.8	23.9	25.3	29.1	27.7	25.6	25.4	26.5	27.0	307.7	10	-78267
	01 LST	28.1	25.7	28.4	26.8	28.0	26.8	30.5	29.4	28.0	28.2	28.9	28.7	337.5	10	-78267
	07 LST	27.2	23.7	28.1	26.8	26.4	26.1	29.5	28.9	26.9	27.8	28.7	28.8	328.9	10	-78267
	13 LST	24.5	23.3	27.2	27.7	27.7	27.3	30.1	29.4	27.0	26.8	24.2	24.8	320.0	10	-78267

# LOS CANOS, CUBA

STA NO. 78270/ (IN AREA NUMBER 01)

LATITUDE 2005N

LONGITUDE 07509W

ELEVATION(FT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	95	92	92	94	95	98	100	98	97	96	93	93	100	11	-78267
MEAN MAX TMP (F)	84	84	86	88	89	90	92	92	91	89	88	85	88	11	-78267
MEAN MIN TMP (F)	68	68	70	72	75	76	76	76	76	75	73	70	73	11	-78267
ABS MIN TMP (F)	57	57	61	64	66	70	72	71	71	70	65	59	57	11	-78267
MEAN NO DYS TMP = OR GTR 90(F)	0.8	1.0	1.5	7.6	15.3	17.3	23.3	24.7	22.3	15.6	9.5	1.4	140.3	11	-78267
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-78267
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-78267
MEAN DEW PT TMP (F)	65	66	67	69	72	73	73	73	74	73	71	68	70	10	-78267
MEAN REL HUM (PCT)	73	73	72	72	74	75	71	72	75	77	76	76	74	10	-78267
MEAN PRESS ALT (FT)	-94	-85	-65	-50	-22	-35	-61	-24	17	25	-10	-61	-38	0	-50
MEAN PRECIP (IN)	0.89	0.70	1.06	1.59	2.43	1.48	1.03	1.74	3.97	6.66	0.84	1.04	23.4	11	-78267
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.6	2.1	2.1	2.6	3.9	2.7	2.3	2.8	5.4	6.6	2.3	2.0	36.4	11	-78267
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.2	0.0	0.2	0.2	0.1	0.2	0.0	0.0	0.2	0.3	0.0	0.2	1.6	10	-78267
MEAN NO DYS TSTMS	0.5	0.2	0.5	1.4	3.9	5.2	4.5	5.5	8.7	7.3	1.4	0.5	39.6	11	-78267
P FREQ WND SPD = OR GTR 17 KTS	3.3	4.0	5.0	4.3	2.3	1.5	4.0	2.8	2.3	0.8	0.7	1.4	2.7	10	-78267
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	10	-78267
P FREQ LES 5000 FT A/O LES 5 MI	7.7	10.1	6.7	8.0	7.8	8.0	3.1	4.4	7.2	8.8	6.8	7.1	7.1	10	-78267
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.1	0.2	0.2	0.2	0.3	0.3	0.0	0.1	0.3	1.4	0.4	0.1	0.3	10	-78267
03-05 LST	0.4	0.1	0.2	0.1	0.5	0.4	0.0	0.0	0.4	0.9	0.2	0.2	0.3	10	-78267
06-08 LST	0.4	0.4	0.9	1.2	1.3	0.8	0.2	0.0	1.2	1.4	0.2	0.1	0.7	10	-78267
09-11 LST	0.9	0.5	0.5	0.4	1.2	0.3	0.0	0.0	0.8	1.4	0.1	0.0	0.5	10	-78267
12-14 LST	0.6	0.1	0.0	0.0	0.8	0.4	0.0	0.1	0.0	1.1	0.2	0.2	0.3	10	-78267
15-17 LST	0.5	0.0	0.1	0.4	1.1	1.1	0.1	0.3	0.9	1.6	0.2	0.4	0.6	10	-78267
18-20 LST	0.2	0.6	0.3	0.4	0.6	1.4	0.1	0.4	0.9	2.2	0.1	0.0	0.6	10	-78267
21-23 LST	0.1	0.4	0.1	0.1	0.1	0.8	0.1	0.0	0.6	0.9	0.1	0.2	0.3	10	-78267
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	10	-78267
03-05 LST	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	10	-78267
06-08 LST	0.0	0.0	0.3	0.3	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.1	10	-78267
09-11 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	10	-78267
12-14 LST	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-78267
15-17 LST	0.0	0.0	0.1	0.0	0.2	0.2	0.0	0.0	0.4	0.3	0.0	0.1	0.1	10	-78267
18-20 LST	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.0	0.3	0.1	0.0	0.0	0.1	10	-78267
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	10	-78267

# LOS CANOS, CUBA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.9	27.8	31.0	29.8	30.7	29.6	31.0	30.9	29.9	30.5	30.0	31.0	363.1	10	-78267
	01 LST	31.0	28.0	30.9	30.0	30.9	29.9	31.0	30.9	29.9	30.7	29.9	31.0	364.1	10	-78267
	07 LST	30.9	27.9	30.9	29.6	30.6	29.8	30.9	31.0	29.8	30.7	30.0	30.9	363.2	10	-78267
	13 LST	30.8	27.9	31.0	30.0	30.9	29.9	31.0	30.9	30.0	30.9	29.9	30.9	364.1	10	-78267
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	19.5	16.8	17.0	19.1	24.8	24.7	21.7	23.8	24.5	26.7	25.1	22.4	265.7	10	-78267
	01 LST	27.0	26.1	28.1	27.5	29.1	29.1	30.3	29.7	28.6	29.3	28.0	27.9	340.7	10	-78267
	07 LST	27.3	25.3	28.4	27.7	29.6	29.0	30.4	30.7	28.9	29.6	28.4	28.2	343.5	10	-78267
	13 LST	11.5	6.7	6.2	5.7	8.8	8.3	3.3	4.2	10.1	15.3	14.5	13.7	110.3	10	-78267
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.5	0.5	0.9	0.7	0.5	0.1	0.8	0.2	0.1	0.1	0.0	0.2	4.6	10	-78267
	01 LST	0.3	0.2	0.2	0.1	0.0	0.1	0.2	0.0	0.0	0.0	0.1	0.1	1.3	10	-78267
	07 LST	0.1	0.1	0.0	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.2	1.0	10	-78267
	13 LST	2.7	3.4	4.9	4.5	2.9	1.6	5.5	3.6	2.1	0.8	1.3	1.4	34.7	10	-78267
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	21.9	19.0	21.1	23.1	23.8	23.0	22.6	25.7	23.6	23.4	24.3	24.1	275.6	10	-78267
	01 LST	23.8	21.0	21.1	20.8	22.3	23.0	24.4	24.5	21.1	23.6	24.3	23.3	273.2	10	-78267
	07 LST	23.4	22.0	23.7	24.0	24.8	24.5	26.2	27.0	23.1	25.1	24.9	24.5	293.2	10	-78267
	13 LST	15.7	13.2	10.9	9.8	10.2	8.8	2.9	2.8	6.9	13.5	17.9	18.2	130.8	10	-78267
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	18.3	13.6	14.5	6.4	2.1	1.1	2.8	3.9	2.0	3.6	10.3	14.8	93.4	10	-78267
	01 LST	24.0	21.6	24.2	18.2	14.5	11.3	15.7	16.6	12.5	12.2	19.1	21.2	211.1	10	-78267
	07 LST	18.6	16.9	20.5	15.2	8.5	4.7	9.1	8.2	5.5	7.4	14.4	15.9	144.9	10	-78267
	13 LST	12.0	11.9	16.6	11.2	5.0	3.5	5.2	4.6	2.5	3.8	6.4	7.7	90.4	10	-78267
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	30.5	27.7	29.8	29.1	29.6	28.8	30.8	30.2	29.1	28.9	29.6	30.8	354.9	10	-78267
	01 LST	30.7	27.8	30.8	29.7	30.3	29.4	30.8	30.5	29.6	30.2	29.6	30.9	360.3	10	-78267
	07 LST	30.7	27.1	30.4	29.4	30.2	29.0	30.8	30.9	28.9	30.2	29.9	30.9	358.4	10	-78267
	13 LST	30.5	27.7	30.7	29.6	30.4	29.4	31.0	30.8	29.6	29.6	29.2	30.5	359.0	10	-78267
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	28.0	23.5	26.1	24.7	26.7	27.2	30.0	28.8	26.8	26.9	27.5	28.2	324.4	10	-78267
	01 LST	28.9	26.5	30.0	27.5	29.2	28.0	30.5	29.7	28.4	29.1	29.2	25.9	346.9	10	-78267
	07 LST	29.0	24.4	29.3	28.3	28.1	27.1	30.0	29.6	27.4	29.0	29.5	29.6	341.3	10	-78267
	13 LST	25.9	23.8	28.4	28.5	28.9	28.6	30.7	30.1	28.0	27.5	25.1	26.4	331.9	10	-78267
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	26.6	22.7	25.1	27.8	23.9	25.3	29.1	27.7	23.6	25.4	26.5	27.0	307.7	10	-78267
	01 LST	28.1	25.7	28.4	26.8	28.0	26.8	30.5	29.4	28.0	28.2	28.9	28.7	337.5	10	-78267
	07 LST	27.2	23.7	28.1	26.8	26.4	26.1	29.5	28.9	26.9	27.8	28.7	28.8	328.9	10	-78267
	13 LST	24.5	23.3	27.2	27.7	27.7	27.3	30.1	29.4	27.0	26.8	24.2	24.8	320.0	10	-78267

# CABO DE SAN ANTONIO, CUBA

STA NO. 78310 (IN AREA NUMBER 01)

LATITUDE 2152N

LONGITUDE 0845W

ELEVATION(FT) 00029

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR	NO.
														(YRS)	OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (-)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														6	1863
06-08 LST	0.7	0.8	0.0	0.8	0.0	0.0	0.0	0.0	0.6	1.1	0.0	0.0	0.3	0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														6	1863
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# CABO DE SAN ANTONIO, CUBA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	30.8	29.6	30.5	30.0	31.0	363.9	6	1863
	12 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST														0	0
	00 LST														0	0
	06 LST	20.5	19.7	26.2	24.9	30.3	28.7	30.7	29.0	27.5	25.1	24.4	23.4	310.4	6	1862
	12 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST														0	0
	00 LST														0	0
	06 LST	1.9	0.9	0.0	0.5	0.4	0.4	0.0	0.0	0.2	0.8	1.2	2.3	8.6	6	1862
	12 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST														0	0
	00 LST														0	0
	06 LST	20.9	19.5	21.7	17.3	18.1	17.0	23.5	21.7	16.3	18.2	22.7	22.0	238.9	6	1862
	12 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST	19.0	16.9	19.2	13.9	14.9	12.7	11.6	15.1	8.2	12.8	14.1	17.1	175.0	6	1863
	12 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST	29.5	26.6	30.2	28.3	30.3	29.3	30.7	30.6	28.8	29.8	27.7	29.4	351.2	6	1863
	12 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST	26.2	24.4	28.5	25.8	28.9	27.8	30.3	30.1	27.5	28.3	25.4	26.5	329.7	6	1863
	12 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST	26.0	24.4	28.5	25.6	28.7	27.8	30.3	30.1	27.5	28.3	25.4	26.1	328.7	6	1863
	12 LST														0	0

# SAN JULIAN, CUBA

STA NO. 78312/ (IN AREA NUMBER 01)

LATITUDE 2205N    LONGITUDE 08409W    ELEVATION(FT) 00098

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	50
MEAN PRESS ALT (FT)	-66	-42	-12	14	57	63	14	37	86	60	-15	-49	17	8	-61
MEAN PRECIP (IN)	1.12	1.27	1.97	2.14	7.46	10.37	3.99	6.03	7.32	5.26	1.20	0.89	49.0	0	0
MEAN SNOW FALL (IN)														8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.6	1.8	4.5	4.8	10.1	15.0	8.7	11.6	11.3	7.9	2.8	1.4	81.5	0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUP VSBY LES 1/2 MI	2.7	0.7	0.0	4.0	9.0	12.7	9.3	13.0	3.3	6.3	0.3	2.0	63.3	3	-61
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														6	1536
06-08 LST	8.2	6.0	4.1	5.1	5.2	8.3	3.4	2.2	5.2	3.7	9.3	3.1	5.3	6	-30
09-11 LST	6.0	6.3	5.1	6.6	7.4	5.7	5.4	5.0	8.5	3.0	6.7	2.4	5.9	6	893
12-14 LST	4.1	6.6	6.2	8.1	9.5	9.0	7.4	7.1	11.7	2.3	4.0	1.4	6.5	6	882
15-17 LST	10.9	5.8	6.6	7.2	11.8	16.2	7.8	9.0	16.7	9.6	4.4	4.4	9.2	0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														6	1536
06-08 LST	1.6	1.7	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.5	6	-30
09-11 LST	1.0	1.0	0.4	1.0	1.0	0.0	0.0	0.0	1.0	0.0	1.0	0.0	0.5	6	893
12-14 LST	0.0	0.0	0.0	1.6	1.4	0.0	0.0	0.0	2.1	0.0	0.0	0.0	0.4	6	882
15-17 LST	1.6	0.0	0.0	0.0	0.0	2.9	0.0	0.0	2.4	3.2	0.0	0.0	0.8	0	0
18-20 LST														0	0
21-23 LST														0	0

## SAN JULIAN, CUBA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.4	28.0	31.0	30.0	30.5	28.6	31.0	31.0	28.1	29.9	30.0	31.0	358.5	6	827
	00 LST														0	0
	06 LST	28.2	26.8	30.2	29.7	30.4	28.6	30.8	31.0	29.6	31.0	29.5	30.3	356.1	6	1536
	12 LST	30.6	27.5	30.5	29.5	30.6	30.0	30.6	30.6	28.7	31.0	30.0	31.0	360.6	6	893
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	24.7	21.5	24.2	23.1	23.1	22.4	25.5	25.0	21.1	24.4	24.5	24.1	283.6	6	827
	00 LST														0	0
	06 LST	23.4	23.7	26.7	25.1	26.2	26.3	28.6	29.6	27.3	27.5	23.9	26.4	314.7	6	1536
	12 LST	22.9	18.8	21.0	16.0	23.4	24.2	25.2	26.2	24.2	27.1	20.4	22.0	271.4	6	893
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.0	0.8	0.4	0.9	0.5	0.0	0.0	0.0	0.0	0.0	0.7	0.5	3.8	6	827
	00 LST														0	0
	06 LST	0.0	0.2	0.7	0.8	0.0	0.2	0.0	0.2	0.7	0.2	0.0	0.7	3.7	6	1543
	12 LST	1.7	0.9	2.4	2.9	2.1	0.0	0.0	0.0	0.6	0.0	1.6	3.1	15.3	6	894
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	24.1	21.1	23.3	22.1	25.6	17.1	16.0	12.0	19.6	22.6	21.8	22.6	247.9	6	826
	00 LST														0	0
	06 LST	18.1	16.3	17.6	19.3	16.3	17.5	16.8	20.3	17.3	20.9	19.7	22.1	224.2	6	1543
	12 LST	23.3	18.3	17.1	16.0	19.3	19.7	13.0	11.1	19.4	24.4	20.4	20.2	222.2	6	894
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	5.8	3.0	4.2	3.7	2.0	1.9	0.0	0.5	1.1	4.5	6.9	6.9	40.5	6	827
	00 LST														0	0
	06 LST	11.2	10.1	14.7	14.7	12.8	10.0	11.4	13.2	10.0	17.4	14.0	17.8	157.3	6	1540
	12 LST	4.7	4.6	4.7	1.4	4.2	0.5	0.7	1.8	1.6	3.5	5.2	7.6	40.5	6	893
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.7	23.2	25.9	23.1	23.1	20.5	22.5	22.5	18.1	25.4	24.1	27.5	280.6	6	827
	00 LST														0	0
	06 LST	24.4	23.9	26.7	26.4	27.0	25.7	28.6	29.1	26.2	28.2	24.6	28.4	319.2	6	1536
	12 LST	25.9	22.0	25.7	22.7	25.1	23.7	22.6	24.3	22.0	27.1	24.4	28.7	294.2	6	893
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	23.6	22.0	24.2	21.2	22.1	19.0	20.5	19.5	15.9	24.0	22.3	27.1	261.4	6	827
	00 LST														0	0
	06 LST	23.6	23.0	25.4	25.9	26.7	24.8	28.2	28.9	25.1	28.2	24.2	28.1	312.1	6	1536
	12 LST	24.6	19.7	23.8	21.3	23.9	21.5	20.3	22.1	20.1	25.4	22.0	28.7	273.4	6	893
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	23.6	22.0	24.2	21.2	22.1	19.0	20.5	19.5	15.9	24.0	22.3	27.1	261.4	6	827
	00 LST														0	0
	06 LST	23.4	23.0	25.4	25.9	26.7	24.8	28.2	28.9	25.1	28.2	24.2	28.1	311.9	6	1536
	12 LST	24.6	19.7	23.8	21.3	23.9	21.5	20.3	22.1	19.8	25.4	22.0	28.7	273.1	6	893

# SANTA LUCIA, CUBA

STA NO. 78315/ (IN AREA NUMBER 01)

LATITUDE 2225N

LONGITUDE 08340W

ELEVATION(FT) 00164

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	89	92	94	99	104	101	104	100	98	96	91	89	104	20	-35
MEAN MAX TMP (F)	79	80	84	86	89	89	91	91	89	86	82	80	86	20	-35
MEAN MIN TMP (F)	64	64	66	68	72	74	75	75	74	73	68	65	70	20	-35
ABS MIN TMP (F)	46	48	49	51	57	66	66	68	64	62	52	47	46	20	-35
MEAN NO DYS TMP = OR GTR 90(F)	0.0		0.0	3.5	12.6	12.1	19.2	19.2	12.1	3.7	0.0	0.0		20	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN DEW PT TMP (F)	64	65	66	68	73	76	75	75	77	74	68	68	71	0	-90
MEAN REL HUM (PCT)	79	80	76	76	80	84	79	79	87	84	80	86	81	13	-29
MEAN PRESS ALT (FT)	2	26	55	82	124	130	82	106	154	131	55	20	81	0	-50
MEAN PRECIP (IN)	1.80	1.70	2.50	2.60	7.00	10.30	6.60	7.00	10.70	7.70	2.50	1.40	61.8	25	-35
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.8	2.5	5.5	5.6	10.0	15.0	12.2	12.6	16.5	11.9	4.1	1.0	100.7	25	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSMS	2.7	0.7	0.0	4.0	9.0	12.7	9.3	13.0	3.3	6.3	0.3	2.0	63.3	3	-78312
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	8.2	6.0	4.1	5.1	5.2	8.3	3.4	2.2	5.2	3.7	9.3	3.1	5.3	6	-78312
09-11 LST	6.0	6.3	5.1	6.6	7.4	8.7	5.4	5.0	8.5	3.0	6.7	2.4	5.9	6	-78312
12-14 LST	4.1	6.6	6.2	8.1	9.5	9.0	7.4	7.1	11.7	2.3	4.0	1.4	6.5	6	-78312
15-17 LST	10.9	5.8	6.6	7.2	11.8	16.2	7.8	9.0	16.7	9.6	4.4	4.4	9.2	6	-78312
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	1.6	1.7	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.5	6	-78312
09-11 LST	1.0	1.0	0.4	1.0	1.0	0.0	0.0	0.0	1.0	0.0	1.0	0.0	0.5	6	-78312
12-14 LST	0.0	0.0	0.0	1.6	1.4	0.0	0.0	0.0	2.1	0.0	0.0	0.0	0.4	6	-78312
15-17 LST	1.6	0.0	0.0	0.0	0.0	2.9	0.0	0.0	2.4	3.2	0.0	0.0	0.8	6	-78312
18-20 LST														0	0
21-23 LST														0	0

# SANTA LUCIA, CUBA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.4	28.0	31.0	30.0	30.5	28.6	31.0	31.0	28.1	29.9	30.0	31.0	358.5	6	-78312
	00 LST														0	0
	06 LST	28.2	26.8	30.2	29.7	30.4	28.6	30.8	31.0	29.6	31.0	29.5	30.3	356.1	6	-78312
	12 LST	30.6	27.5	30.5	29.5	30.6	30.0	30.6	30.6	28.7	31.0	30.0	31.0	360.6	6	-78312
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	18 LST	24.7	21.5	24.2	23.1	23.1	22.4	25.5	25.0	21.1	24.4	24.5	24.1	283.6	6	-78312
	00 LST														0	0
	06 LST	23.4	23.7	26.7	25.1	26.2	26.3	28.6	29.6	27.3	27.5	23.9	26.4	314.7	6	-78312
	12 LST	22.9	18.8	21.0	16.0	23.4	24.2	25.2	26.2	24.2	27.1	20.4	22.0	271.4	6	-78312
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.0	0.8	0.4	0.9	0.5	0.0	0.0	0.0	0.0	0.0	0.7	0.5	3.8	6	-78312
	00 LST														0	0
	06 LST	0.0	0.2	0.7	0.8	0.0	0.2	0.0	0.2	0.7	0.2	0.0	0.7	3.7	6	-78312
	12 LST	1.7	0.9	2.4	2.9	2.1	0.0	0.0	0.0	0.6	0.0	1.6	3.1	15.3	6	-78312
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	24.1	21.1	23.3	22.1	25.6	17.1	16.0	12.0	19.6	22.6	21.8	22.6	247.9	6	-78312
	00 LST														0	0
	06 LST	18.1	18.3	17.6	19.3	16.3	17.5	16.8	20.3	17.3	20.9	19.7	22.1	224.2	6	-78312
	12 LST	23.3	18.3	17.1	16.0	19.3	19.7	13.0	11.1	19.4	24.4	20.4	20.2	222.2	6	-78312
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	5.8	3.0	4.2	3.7	2.0	1.9	0.0	0.5	1.1	4.5	6.9	6.9	40.5	6	-78312
	00 LST														0	0
	06 LST	11.2	10.1	14.7	14.7	12.8	10.0	11.4	13.2	10.0	17.4	14.0	17.8	157.3	6	-78312
	12 LST	4.7	4.6	4.7	1.4	4.2	0.5	0.7	1.8	1.6	3.5	5.2	7.6	40.5	6	-78312
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.7	23.2	25.9	23.1	23.1	20.5	22.5	22.5	18.1	25.4	24.1	27.5	280.6	6	-78312
	00 LST														0	0
	06 LST	24.4	23.9	26.7	26.4	27.0	25.7	28.6	29.1	26.2	28.2	24.6	28.4	310.2	6	-78312
	12 LST	25.9	22.0	25.7	22.7	25.1	23.7	22.6	24.3	22.0	27.1	24.4	28.7	294.2	6	-78312
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	23.6	22.0	24.2	21.2	22.1	19.0	20.5	19.5	15.9	24.0	22.3	27.1	261.4	6	-78312
	00 LST														0	0
	06 LST	23.6	23.0	25.4	25.9	26.7	24.8	28.2	28.9	25.1	28.2	24.2	28.1	312.1	6	-78312
	12 LST	24.6	19.7	23.8	21.3	23.9	21.5	20.3	22.1	20.1	25.4	22.0	28.7	273.4	6	-78312
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	23.6	22.0	24.2	21.2	22.1	19.0	20.5	19.5	15.9	24.0	22.3	27.1	261.4	6	-78312
	00 LST														0	0
	06 LST	23.4	23.0	25.4	25.9	26.7	24.8	28.2	28.9	25.1	28.2	24.2	28.1	311.9	6	-78312
	12 LST	24.6	19.7	23.8	21.3	23.9	21.5	20.3	22.1	19.8	25.4	22.0	28.7	273.1	6	-78312

# SAN ANTONIO BATISTA, CUBA

STA NO. 78318/ (IN AREA NUMBER 01)

LATITUDE 2253N

LONGITUDE 08230W

ELEVATION(FT) 00156

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	87	90	93	95	93	96	97	99	94	94	90	88	99	4	1131
MEAN MAX TMP (F)	80	84	86	88	89	90	92	92	90	87	83	80	87	4	1131
MEAN MIN TMP (F)	60	62	65	68	69	72	71	72	71	69	64	61	67	4	1131
ABS MIN TMP (F)	46	45	46	56	56	61	59	64	67	55	52	47	45	4	1131
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.6	3.3	10.1	13.5	20.0	28.6	27.7	23.6	11.3	0.3	0.0	139.0	4	1131
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1131
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1131
MEAN DEW PT TMP (F)	62	63	65	67	68	72	73	73	73	71	65	63	68	4	26660
MEAN REL HUM (PCT)	79	75	73	73	73	78	78	80	82	84	80	79	78	4	26654
MEAN PRESS ALT (FT)	7	29	55	82	123	128	82	109	155	138	64	27	83	0	-50
MEAN PRECIP (IN)	1.04	0.44	1.63	2.09	3.87	8.70	6.24	8.44	9.10	5.93	1.77	1.42	50.7	4	1125
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.6	1.0	1.6	3.4	6.9	11.3	11.0	10.0	15.7	8.4	3.7	3.3	77.9	4	1125
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.6	2.3	1.0	0.0	0.6	0.7	0.3	0.7	1.7	1.0	1.7	4.0	15.6	4	1127
MEAN NO DYS TSMS	0.3	0.3	1.6	3.9	10.1	18.7	25.3	23.7	23.3	7.3	0.7	0.7	115.9	4	1124
P FREQ WND SPD = OR GTR 17 KTS	4.5	5.3	6.9	6.5	3.0	1.1	1.1	1.0	0.8	6.1	5.1	6.4	4.0	4	26665
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.1	4	26665
P FREQ LES 5000 FT A/O LES 5 MI	26.0	23.7	19.5	21.3	20.9	21.0	17.3	17.2	21.9	23.0	24.4	31.0	22.3	4	26650
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	5.0	6.3	0.0	0.3	0.0	1.5	0.0	0.0	0.0	1.4	1.1	3.2	1.6	4	3284
03-05 LST	5.4	9.8	2.7	0.3	0.7	1.1	1.1	0.4	0.4	3.6	6.0	9.7	3.4	4	3290
06-08 LST	7.6	7.5	6.5	0.9	1.9	2.2	0.7	0.7	1.5	3.2	6.7	10.8	4.2	4	3379
09-11 LST	3.6	2.4	1.4	2.1	1.5	2.2	0.0	0.7	1.1	2.2	4.5	7.2	2.4	4	3388
12-14 LST	2.5	1.2	0.7	1.5	2.5	1.9	1.4	0.7	3.3	3.6	3.7	2.9	2.2	4	3375
15-17 LST	1.8	2.7	0.4	2.4	2.2	4.1	2.9	0.7	4.5	6.5	4.5	2.2	2.9	4	3370
18-20 LST	2.6	3.5	2.3	1.0	1.0	1.9	0.4	0.0	3.0	4.0	1.9	1.4	1.9	4	3319
21-23 LST	2.5	1.6	0.4	1.4	0.0	2.6	0.7	0.0	1.9	1.1	0.4	1.8	1.2	4	3282
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	1.8	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.2	0.7	4	3284
03-05 LST	3.6	5.5	0.0	0.0	0.0	0.0	0.4	0.0	0.0	2.9	4.9	7.5	2.1	4	3290
06-08 LST	3.6	5.9	2.9	0.0	0.6	0.0	0.0	0.4	0.0	1.8	2.6	8.6	2.2	4	3379
09-11 LST	0.7	0.8	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.4	0.3	4	3388
12-14 LST	0.4	0.0	0.4	0.0	0.6	0.4	0.7	0.7	0.7	0.7	0.0	0.0	0.4	4	3375
15-17 LST	0.0	0.0	0.0	0.0	0.6	1.9	0.7	0.4	1.9	0.0	0.0	0.0	0.5	4	3370
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.4	0.0	0.4	0.0	0.1	4	3319
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	4	3282

# SAN ANTONIO BATISTA, CUBA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	30.7	27.0	30.3	30.0	30.4	28.7	31.0	31.0	29.0	30.3	29.6	30.7	358.7	4	1130
	00 LST	29.6	27.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	30.3	361.9	4	1128
	06 LST	29.0	26.0	28.3	30.0	30.1	30.0	30.3	31.0	30.0	29.6	27.6	28.0	349.9	4	1130
	12 LST	30.0	27.7	31.0	29.7	31.0	29.3	31.0	31.0	30.0	30.3	29.6	30.3	360.9	4	1131
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	18 LST	20.6	17.8	13.3	13.6	17.5	23.6	24.6	26.0	24.7	22.3	21.2	21.0	246.2	4	1130
	00 LST	23.0	22.1	25.6	25.9	29.2	28.3	31.0	30.0	28.7	27.0	26.0	24.3	321.7	4	1128
	06 LST	24.3	21.4	23.0	27.3	28.4	25.7	29.3	29.3	27.7	26.3	21.9	22.3	306.9	4	1130
	12 LST	9.6	11.8	7.3	7.1	16.1	20.0	22.3	19.3	18.7	14.7	10.0	10.0	166.9	4	1131
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.3	1.3	1.6	2.2	1.7	0.0	0.7	0.7	0.0	0.7	1.0	1.0	11.2	4	1116
	00 LST	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3	1.2	4	1121
	06 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	1.0	1.3	4	1124
	12 LST	4.4	2.9	5.0	3.0	1.7	0.3	0.7	1.0	0.7	3.7	4.0	4.7	32.1	4	1127
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	19.9	15.8	16.6	14.3	16.1	18.4	18.8	15.7	19.2	19.2	21.8	20.2	216.0	4	1116
	00 LST	16.6	13.2	15.3	16.1	16.5	15.2	15.5	12.3	13.5	11.8	13.3	16.2	175.5	4	1121
	06 LST	18.5	14.8	20.0	16.4	17.5	13.7	12.6	14.3	14.1	13.4	12.8	17.9	186.0	4	1124
	12 LST	14.5	13.5	10.7	7.4	14.6	14.5	14.0	9.6	12.7	11.1	13.3	11.8	147.7	4	1127
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.0	10.0	15.0	12.0	2.0									1	135
	00 LST	19.0	19.0	24.0	27.0	23.3									1	132
	06 LST	17.0	16.0	20.0	21.0	4.1									1	135
	12 LST	3.0	3.0	5.0	8.0	2.0									1	135
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	29.0	24.4	29.3	28.1	29.3	27.0	29.3	29.3	26.0	27.3	28.0	28.0	335.0	4	1130
	00 LST	27.7	25.7	30.0	29.4	30.7	29.6	30.7	30.3	29.0	28.6	29.6	28.3	349.6	4	1128
	06 LST	28.6	24.7	28.0	29.4	29.5	29.3	30.3	31.0	29.3	29.3	26.3	27.0	342.7	4	1130
	12 LST	25.0	22.4	29.0	26.4	27.2	27.3	30.0	28.6	27.3	26.3	27.0	27.3	323.8	4	1131
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	24.3	21.4	26.3	23.7	25.8	24.0	25.0	27.7	22.0	23.7	22.9	21.0	287.8	4	1130
	00 LST	24.6	25.3	28.3	27.8	30.1	28.3	30.7	30.0	28.3	26.7	26.6	25.3	332.0	4	1128
	06 LST	26.0	24.0	26.0	28.1	27.8	28.0	30.0	30.7	29.3	26.7	22.6	21.0	320.2	4	1130
	12 LST	13.0	12.5	15.0	12.3	12.0	13.3	14.7	12.3	11.6	14.0	13.0	12.3	156.0	4	1131
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	22.0	20.7	25.3	22.9	22.9	22.0	24.6	26.3	20.3	22.0	21.9	19.3	270.2	4	1130
	00 LST	23.3	24.0	28.3	27.5	28.6	28.0	30.3	30.0	27.7	26.7	25.3	23.7	323.4	4	1128
	06 LST	24.3	23.4	25.6	26.2	26.4	26.0	29.6	30.3	29.0	24.3	20.9	18.7	304.7	4	1130
	12 LST	12.0	12.5	15.0	12.3	12.0	13.3	14.7	12.3	11.3	12.6	12.0	11.7	151.7	4	1131

# MARIEL CNAS, CUBA

STA NO. 78319/ (IN AREA NUMBER 01)

LATITUDE 2300N

LONGITUDE 08246W

ELEVATION(FT) 00033

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. CBS
ABS MAX TMP (F)	93	93	104	104	97	99	97	95	100	100	93	90	104	25	-78224
MEAN MAX TMP (F)	79	79	81	84	86	88	89	89	88	85	81	79	84	25	-78224
MEAN MIN TMP (F)	65	65	67	69	72	74	75	75	75	73	69	67	71	25	-78224
ABS MIN TMP (F)	43	46	46	43	57	63	64	63	63	52	45	45	43	25	-78224
MEAN NO DYS TMP = OR GTR 90(F)	0.4	0.6	5.0	10.7	15.1	21.8	26.5	26.6	20.4	5.6	2.2	0.4	135.3	5	-78224
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-78224
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-78224
MEAN DEW PT TMP (F)	62	62	65	66	70	72	73	73	73	71	66	63	68	5	-78224
MEAN REL HUM (PCT)	75	73	71	71	74	76	75	76	78	78	75	74	75	43	-78224
MEAN PRESS ALT (FT)	-120	-99	-72	-44	-4	0	-45	-19	26	9	-65	-101	-44	0	-50
MEAN PRECIP (IN)	2.80	1.80	1.80	2.30	4.70	6.50	4.90	5.30	5.90	6.80	3.10	2.30	48.2	72	-78224
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.7	2.8	4.2	5.1	8.5	12.1	10.2	10.7	8.9	10.4	4.8	4.0	87.4	72	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	0.6	1.2	0.4	0.4	0.6	0.0	0.8	0.0	1.0	0.2	0.8	1.4	7.4	5	-78224
MEAN NO DYS TSTMS	0.2	0.8	0.8	2.4	3.6	6.3	14.4	12.6	7.8	4.2	0.4	0.2	54.1	5	-78224
P FREQ WND SPD = OR GTR 17 KTS	5.7	6.4	5.9	8.1	4.1	2.0	1.3	2.1	1.9	2.0	3.6	2.6	3.8	5	-78224
P FREQ WND SPD = OR GTR 28 KTS	0.2	0.5	0.1	0.6	0.1	0.1	0.2	0.5	0.1	0.1	0.1	0.0	0.2	5	-78224
P FREQ LES 5000 FT A/O LES 5 MI	15.6	16.7	13.4	15.1	13.6	11.6	9.5	10.3	12.2	16.5	17.9	14.3	13.9	5	-78224
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	2.6	2.4	1.7	1.3	0.9	2.0	0.2	1.5	0.9	2.4	2.2	2.4	1.7	5	-78224
03-05 LST	2.0	3.1	1.5	0.9	1.6	1.4	0.0	1.1	1.4	2.4	1.6	3.7	1.7	5	-78224
06-08 LST	3.3	3.8	2.5	1.4	1.7	1.7	0.0	0.9	1.9	2.5	3.3	3.6	2.2	11	-78224
09-11 LST	2.2	1.9	1.7	0.9	2.0	2.3	0.7	1.3	1.6	3.1	2.4	3.0	1.9	5	-78224
12-14 LST	3.3	3.0	2.6	3.2	2.1	3.6	4.2	3.7	3.9	3.5	4.3	3.4	3.4	10	-78224
15-17 LST	2.8	3.0	2.6	2.6	4.3	6.1	7.5	4.9	5.7	4.6	3.7	3.1	4.2	9	-78224
18-20 LST	1.8	2.2	3.5	3.8	2.6	3.2	2.3	2.6	2.7	3.9	4.0	3.0	3.0	5	-78224
21-23 LST	1.3	2.1	2.4	2.0	0.9	2.1	0.7	1.8	1.4	1.7	1.3	1.1	1.6	5	-78224
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	5	-78224
03-05 LST	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.1	5	-78224
06-08 LST	0.3	0.0	0.3	0.2	0.0	0.0	0.0	0.0	0.2	0.2	0.5	0.5	0.2	11	-78224
09-11 LST	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	5	-78224
12-14 LST	0.7	0.0	0.2	0.2	0.0	0.2	0.2	0.3	0.0	0.3	0.2	0.3	0.2	10	-78224
15-17 LST	0.4	0.4	0.0	0.0	0.2	0.4	1.5	0.5	0.9	0.0	0.0	0.3	0.4	9	-78224
18-20 LST	0.0	0.0	0.2	0.7	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	-78224
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	5	-78224

## MARIEL CNAS, CUBA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	30.8	27.5	30.8	29.4	30.6	29.4	30.3	30.3	29.3	30.0	29.3	31.0	358.7	9	-78224
	00 LST	30.4	27.4	30.8	29.8	30.8	29.6	30.8	30.6	29.6	30.4	29.2	29.8	359.2	5	-78224
	06 LST	28.4	26.6	30.3	29.2	30.3	29.6	31.0	30.6	29.4	29.8	28.6	28.0	351.8	11	-78224
	12 LST	30.2	27.8	30.5	29.4	30.8	29.6	30.3	29.9	29.3	30.6	29.5	30.6	358.5	10	-78224
CIG = GTR 2000 FT AND VSBY = GTR 3 MI * /SFC WND LES 10 KTS	18 LST	18.0	18.0	16.9	13.3	18.2	21.4	22.4	24.7	25.1	22.9	20.5	23.1	244.5	9	-78224
	00 LST	22.0	21.8	25.0	25.0	29.0	28.0	30.7	29.2	27.5	27.2	26.2	25.4	316.5	5	-78224
	06 LST	23.3	21.7	25.0	24.2	28.3	27.8	29.4	29.5	27.3	27.7	23.0	24.0	311.2	11	-78224
	12 LST	14.5	12.7	12.7	12.3	14.6	17.6	21.4	21.5	17.9	16.5	12.9	15.4	190.0	10	-78224
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.0	1.4	1.8	2.1	3.1	0.0	0.2	0.3	0.4	0.9	1.3	0.9	13.6	9	-78224
	00 LST	0.4	0.4	0.4	0.8	0.2	0.2	0.2	0.0	0.0	0.0	0.2	0.2	3.0	5	-78224
	06 LST	0.4	0.4	0.2	0.4	0.1	0.0	0.0	0.0	0.0	0.1	0.5	0.6	2.7	11	-78224
	12 LST	2.1	3.4	5.2	3.2	2.9	1.0	0.2	0.8	0.9	1.9	3.3	3.1	28.0	10	-78224
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	21.8	19.5	20.9	16.8	18.3	19.2	17.2	15.4	16.0	19.4	19.7	21.6	225.8	9	-78224
	00 LST	19.8	13.7	17.3	14.8	12.7	13.2	11.5	9.3	12.5	10.4	12.5	15.6	163.3	5	-78224
	06 LST	16.3	14.3	14.1	14.9	14.1	13.2	13.8	9.3	11.3	10.9	11.4	15.2	158.8	11	-78224
	12 LST	18.1	15.0	16.2	14.1	14.3	13.7	14.1	14.0	14.8	17.6	17.0	19.6	188.5	10	-78224
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	13.5	13.0	12.2	10.1	7.2	3.6	3.4	3.0	2.6	8.9	10.4	11.9	99.8	9	-78224
	00 LST	23.7	21.0	24.3	22.1	21.1	20.7	20.7	19.9	14.9	16.4	18.6	21.2	244.6	5	-78224
	06 LST	14.7	14.0	17.4	15.2	14.6	13.0	12.6	14.4	10.1	12.4	10.4	12.5	161.3	11	-78224
	12 LST	5.5	6.0	8.0	5.5	4.2	2.6	2.1	2.3	1.9	2.4	4.1	4.5	49.1	10	-78224
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	27.2	25.2	26.8	26.2	28.0	25.5	26.0	28.3	25.9	26.6	26.1	27.9	320.6	9	-78224
	00 LST	28.3	26.4	29.4	28.4	29.6	28.4	30.6	30.0	29.4	29.2	27.4	28.4	345.5	5	-78224
	06 LST	25.2	23.5	24.0	27.5	29.2	28.4	30.8	30.5	28.7	28.1	25.4	25.3	330.6	11	-78224
	12 LST	25.0	23.0	25.5	25.4	26.6	25.0	25.9	25.3	22.5	24.3	23.9	25.4	297.8	10	-78224
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	24.6	22.7	24.3	24.3	25.9	23.6	24.6	27.1	23.7	25.0	24.4	25.7	295.9	9	-78224
	00 LST	27.3	25.4	29.2	28.0	29.0	27.8	30.4	30.0	29.2	28.6	25.8	27.6	338.3	5	-78224
	06 LST	23.3	21.9	26.8	27.0	28.2	27.8	30.5	30.4	28.2	27.0	23.4	23.6	318.1	11	-78224
	12 LST	21.5	19.7	21.7	22.3	23.2	21.8	23.6	22.1	18.3	20.3	20.4	21.2	256.1	10	-78224
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	24.6	22.5	24.3	24.3	25.9	23.6	24.6	27.0	23.6	25.0	24.4	25.7	295.5	9	-78224
	00 LST	27.3	25.2	29.2	28.0	29.0	27.8	30.4	30.0	29.2	28.6	25.8	27.6	338.1	5	-78224
	06 LST	23.3	21.9	26.8	27.0	28.1	27.8	30.5	30.4	28.2	27.0	23.4	23.6	318.0	11	-78224
	12 LST	21.5	19.7	21.7	22.3	23.2	21.7	23.6	22.1	18.3	20.3	20.4	21.2	256.0	10	-78224

# CAMILO CIENFUEGO, CUBA

STA NO. 78345/ (IN AREA NUMBER 01)

LATITUDE 2229N

LONGITUDE 07956W

ELEVATION(FT) 00329

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	88	91	97	92	94	95	95	96	95	93	91	89	96	12	-78244
MEAN MAX TMP (F)	81	82	84	85	87	89	90	90	89	88	83	82	86	12	-78244
MEAN MIN TMP (F)	63	62	64	67	69	71	72	72	71	71	67	64	68	12	-78244
ABS MIN TMP (F)	46	45	45	50	54	66	69	67	68	60	57	48	45	12	-78244
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	1.3	6.4	12.1	15.9	15.9	12.1	9.4	0.0	0.0	73.1	12	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-78244
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	-50
MEAN DEW PT TMP (F)	63	63	64	66	69	72	73	73	72	72	67	65	68	12	-78244
MEAN REL HUM (PCT)	73	72	71	72	74	77	76	76	78	79	76	75	75	0	-50
MEAN PRESS ALT (FT)	166	169	203	229	267	272	222	262	305	299	232	190	236	0	-50
MEAN PRECIP (IN)	0.70	1.00	1.30	1.80	4.70	6.00	4.80	6.30	6.80	6.30	1.60	0.90	42.2	33	-78244
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.3	1.5	3.2	4.2	8.5	11.6	10.0	11.9	10.4	9.6	3.2	1.4	76.8	33	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7			5	-78244
MEAN NO DYS TSMS	0.2	1.3	2.4	3.7	9.6	16.2	19.6	18.9	15.7	9.1	1.4	0.5	98.6	17	-78244
P FREQ WND SPD = OR GTR 17 KTS	0.0	2.9	3.4	5.5	1.8	0.3	0.8	0.4	0.6	1.5	0.0			5	-78244
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0			5	-78244
P FREQ LES 5000 FT A/O LES 5 MI	23.5	6.1	4.2	7.3	10.4	3.0	8.8	6.0	13.6	8.4	6.3				
P FREQ LES 1500 FT A/O LES 3 MI														7	-78244
FOR 00-02 LST	0.0	0.0	0.0	0.9	0.9	0.0	0.0	2.4	0.0	2.6	0.0	0.0	0.6	6	-78244
03-05 LST	0.8	1.8	1.7	0.0	0.0	2.5	0.0	0.9	1.4	5.0	1.3	0.0	1.3	11	-78244
06-08 LST	1.8	1.2	0.7	0.7	0.5	1.8	0.5	0.4	1.3	2.3	1.5	0.5	1.1	6	-78244
09-11 LST	1.3	0.9	0.5	0.5	0.2	3.0	0.7	0.0	1.1	1.4	0.2	0.2	0.8	6	-78244
12-14 LST	1.5	1.1	0.8	0.0	1.5	2.1	0.9	1.4	1.3	2.9	1.1	0.9	1.3	12	-78244
15-17 LST	1.5	0.7	1.1	0.8	3.1	2.7	1.7	3.0	4.2	3.7	1.5	1.0	2.1	11	-78244
18-20 LST	1.8	1.1	1.6	1.8	3.2	4.2	1.7	3.9	2.6	2.2	1.6	1.2	2.2	6	-78244
21-23 LST	0.9	0.7	1.6	0.0	0.7	1.7	0.9	0.3	0.7	1.8	0.9	0.9	0.9	6	-78244
P FREQ LES 300 FT A/O LES 1 MI														7	-78244
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-78244
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.1	11	-78244
06-08 LST	0.4	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.0	0.0	0.1	6	-78244
09-11 LST	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.4	0.0	0.0	0.0	0.1	6	-78244
12-14 LST	0.0	0.0	0.0	0.0	0.2	0.3	0.2	0.2	0.3	1.0	0.0	0.2	0.2	12	-78244
15-17 LST	0.0	0.0	0.2	0.0	0.5	0.4	0.4	0.4	0.6	0.2	0.0	0.0	0.2	11	-78244
18-20 LST	0.3	0.0	0.3	0.0	0.3	0.3	0.0	0.9	0.0	0.0	0.0	0.2	0.2	6	-78244
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.3	0.0	0.0	0.1	6	-78244

# CAMILO CIENFUEGO, CUBA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		MEAN NUMBER OF DAYS												ANN	POR (YRS)	NO. OBS
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC			
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.7	28.0	30.6	29.7	30.4	29.4	30.4	29.9	29.4	30.1	29.8	30.6	359.0	11	-78244
	01 LST	31.0	28.0	31.0	29.6	31.0	30.0	31.0	31.0	30.0	30.4	30.0	31.0	364.0	7	-78244
	07 LST	30.4	27.9	30.9	30.0	30.9	29.8	31.0	30.9	29.9	30.5	29.6	30.6	362.4	11	-78244
	13 LST	30.8	27.9	30.9	30.0	30.8	29.6	30.9	30.8	29.8	30.4	29.9	30.8	362.6	12	-78244
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	17.9	15.6	16.6	14.8	19.4	21.6	21.0	21.5	22.5	21.6	18.8	21.4	232.7	7	-78244
	01 LST	22.8	21.1	23.7	23.6	26.6	27.0	24.0	26.2	26.3	27.2	23.8	24.5	297.0	11	-78244
	07 LST	26.1	23.8	27.2	24.7	28.4	27.5	27.3	28.5	27.3	28.4	26.1	26.8	322.1	11	-78244
	13 LST	17.4	15.5	16.1	13.6	20.6	21.0	21.7	24.1	20.9	21.5	16.7	18.8	227.9	12	-78244
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.9	1.3	2.3	1.2	0.5	0.5	0.6	0.2	0.5	0.4	0.6	0.7	9.7	11	-78244
	01 LST	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.8	7	-78244
	07 LST	0.0	0.3	0.1	0.4	0.0	0.2	0.2	0.0	0.1	0.0	0.0	0.3	1.6	11	-78244
	13 LST	1.6	1.9	2.6	2.0	1.0	0.8	0.4	0.2	0.6	0.5	1.1	0.9	13.4	12	-78244
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	18.2	14.6	14.1	14.7	15.2	13.0	14.4	12.2	14.2	17.3	19.6	20.7	188.2	7	-78244
	01 LST	26.0	20.1	20.3	18.9	17.3	18.5	24.8	19.2	18.4	19.7	21.3	22.0	246.5	11	-78244
	07 LST	19.8	17.8	18.5	18.2	17.0	16.4	19.1	14.4	14.9	17.0	19.7	21.0	213.8	12	-78244
	13 LST	16.5	14.1	17.1	12.2	12.5	10.9	11.4	9.9	8.2	14.1	15.7	17.9	160.5	11	-78244
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	18.8	15.7	18.0	12.1	6.5	3.2	3.0	3.4	3.4	8.5	14.4	16.7	123.7	7	-78244
	01 LST	26.4	23.4	22.7	22.7	23.9	18.0	18.0	17.0	11.3	16.3	17.6	24.0	241.3	11	-78244
	07 LST	22.3	19.2	22.8	20.0	17.0	15.6	15.7	15.4	10.8	16.3	17.5	17.9	210.5	12	-78244
	13 LST	15.7	13.9	17.1	14.3	9.5	6.8	9.2	7.1	4.8	8.9	9.8	13.5	130.6	11	-78244
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.2	26.2	28.4	26.6	27.3	26.0	26.8	25.8	26.9	27.0	27.9	28.9	326.0	7	-78244
	01 LST	30.3	27.0	30.0	28.7	30.7	28.3	30.2	29.7	27.5	29.6	29.0	30.0	351.0	11	-78244
	07 LST	29.6	26.6	30.3	29.4	30.4	29.1	30.6	30.8	29.2	29.4	28.8	29.9	354.1	12	-78244
	13 LST	28.5	25.9	28.9	28.1	28.2	26.4	28.5	28.3	26.4	27.3	28.1	29.7	334.3	11	-78244
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	26.8	24.6	26.6	23.5	23.6	24.0	24.0	23.5	25.4	25.3	26.6	27.2	301.1	7	-78244
	01 LST	30.0	26.7	29.3	27.7	30.7	26.3	29.1	28.8	25.0	28.1	26.6	28.0	336.3	11	-78244
	07 LST	28.9	25.4	29.7	28.8	29.8	28.6	30.5	30.8	29.2	29.1	27.8	29.2	347.8	12	-78244
	13 LST	26.4	24.2	27.2	25.8	25.5	24.2	26.4	26.0	23.5	25.2	26.0	27.5	307.9	11	-78244
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	26.7	24.6	26.6	23.5	23.4	24.0	24.0	23.5	25.4	25.3	26.4	26.8	300.2	7	-78244
	01 LST	29.7	26.7	28.6	27.0	30.3	26.3	29.1	28.6	25.0	28.1	26.6	27.5	333.5	11	-78244
	07 LST	28.7	25.0	29.6	28.7	29.5	28.6	30.4	30.7	29.2	19.1	27.6	29.2	346.3	12	-78244
	13 LST	26.3	23.7	27.0	25.4	25.4	23.9	26.7	25.9	23.1	24.9	26.0	27.4	305.2	12	-78244

# ANTONIO MACEO, CUBA

STA NO. 78366/ (IN AREA NUMBER 01)

LATITUDE 1958N

LONGITUDE 07550W

ELEVATION(FT) 00215

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	97	88	90	90	93	97	99	97	97	95	93	97	99	6	-78264
MEAN MAX TMP (F)	82	82	84	84	84	88	89	89	89	87	85	84	86	6	-78264
MEAN MIN TMP (F)	65	63	66	68	70	72	73	73	73	71	69	68	69	6	-78264
ABS MIN TMP (F)	54	50	52	55	55	66	68	63	61	61	57	61	50	6	-78264
MEAN NO DYS TMP = OR GTR 90(F)	1.0	0.0	0.9	1.3	4.0	10.4	23.3	19.6	17.7	13.3	5.1	3.9	100.5	6	-78264
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-78264
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-78264
MEAN DEW PT TMP (F)	66	67	69	70	72	74	74	75	75	74	71	69	71	6	-78264
MEAN REL HUM (PCT)	76	76	74	75	76	78	77	78	79	80	80	78	77	6	-78264
MEAN PRESS ALT (FT)	68	77	97	113	141	129	103	140	181	190	151	100	124	0	-50
MEAN PRECIP (IN)	1.20	0.70	1.50	2.80	6.00	5.10	2.20	3.80	6.00	8.50	3.90	1.20	42.9	21	-78264
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.7	1.3	3.6	6.0	9.6	10.4	4.9	8.4	9.1	13.2	5.9	1.7	75.8	21	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.2	0.4	0.0	0.0	0.2	0.3	0.0	0.2	0.2	1.5	6	-78264
MEAN NO DYS TSTMS	0.2	0.0	0.0	0.2	0.6	1.5	2.2	2.0	1.7	2.4	0.4	0.0	11.4	6	-78264
P FREQ WND SPD = OR GTR 17 KTS	1.8	2.0	1.8	3.2	1.3	1.1	2.4	1.3	1.7	1.9	0.9	3.3	1.9	6	-78264
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.2	0.0	0.1	0.2	0.0	0.1	0.1	0.0	0.1	0.1	6	-78264
P FREQ LES 5000 FT A/O LES 3 MI	2.6	5.0	3.8	4.6	6.9	8.8	4.9	5.0	5.5	7.0	2.3	3.8	5.0	6	-78264
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.0	0.7	0.0	0.9	0.4	1.1	0.9	2.1	1.4	2.5	0.0	0.0	0.8	6	-78264
03-05 LST	0.0	0.0	0.5	0.4	1.2	2.0	0.4	2.2	1.7	3.3	0.3	0.3	1.0	6	-78264
06-08 LST	1.7	2.3	0.6	0.5	2.0	1.7	0.2	0.6	1.6	3.1	0.7	0.9	1.3	11	-78264
09-11 LST	0.5	0.7	0.3	0.3	1.4	1.3	0.0	0.4	0.5	2.3	0.0	0.5	0.7	6	-78264
12-14 LST	1.3	1.7	0.6	0.8	2.6	1.9	0.5	1.3	1.8	3.3	0.7	0.9	1.5	11	-78264
15-17 LST	0.8	1.1	0.7	1.7	1.7	2.5	1.0	2.0	1.5	3.7	0.6	1.0	1.5	10	-78264
18-20 LST	0.5	2.4	0.9	2.3	2.4	3.5	1.4	1.5	4.0	3.4	1.0	0.7	2.0	6	-78264
21-23 LST	0.0	0.7	0.0	0.3	1.0	1.8	0.5	1.6	2.9	1.6	0.2	0.2	0.9	6	-78264
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.7	1.4	0.8	0.0	0.0	0.4	6	-78264
03-05 LST	0.0	0.0	0.0	0.0	0.8	0.7	0.4	1.9	0.8	0.4	0.0	0.0	0.4	6	-78264
06-08 LST	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.3	0.7	0.3	0.4	0.0	0.2	11	-78264
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.4	0.4	0.4	0.0	0.0	0.1	6	-78264
12-14 LST	0.0	0.2	0.0	0.0	0.6	0.0	0.0	0.6	0.2	0.2	0.2	0.2	0.2	11	-78264
15-17 LST	0.0	0.3	0.0	0.4	0.2	0.2	0.0	0.5	0.2	0.2	0.0	0.2	0.2	10	-78264
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.3	0.7	0.4	1.9	0.4	0.2	0.0	0.3	6	-78264
21-23 LST	0.0	0.0	0.0	0.0	0.2	0.3	0.7	1.6	2.6	0.0	0.7	0.0	0.4	6	-78264

# ANTONIO MACEO, CUBA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.6	27.7	31.0	29.5	30.6	29.7	31.0	30.5	29.3	30.2	29.8	31.0	360.9	10	-78264
	01 LST	31.0	28.0	31.0	30.0	31.0	29.7	31.0	30.6	29.8	30.6	30.0	31.0	363.7	6	-78264
	07 LST	30.7	27.7	30.9	30.0	30.5	29.8	31.0	30.9	29.9	30.3	29.7	31.0	362.4	11	-78264
	13 LST	30.6	27.9	31.0	29.9	30.4	29.8	31.0	30.9	29.9	30.3	29.8	30.9	362.4	11	-78264
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	23.6	20.9	25.1	20.6	23.8	25.0	26.9	26.3	25.8	26.7	26.0	24.9	295.6	10	-78264
	01 LST	21.1	21.9	27.3	21.8	26.0	26.3	26.7	25.5	27.9	26.6	25.0	23.4	299.0	6	-78264
	07 LST	24.6	23.8	27.8	24.5	26.4	27.7	26.7	26.9	27.2	27.4	25.9	25.6	314.5	11	-78264
	13 LST	19.0	17.3	16.9	14.5	17.2	19.7	20.0	16.9	20.3	21.9	22.0	20.9	226.6	11	-78264
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.7	0.8	0.3	0.8	0.3	0.1	0.6	0.1	0.4	0.3	0.1	0.4	4.9	10	-78264
	01 LST	0.7	0.3	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.6	1.7	6	-78264
	07 LST	0.1	0.2	0.5	0.1	0.0	0.0	0.2	0.1	0.1	0.0	0.1	0.4	1.8	11	-78264
	13 LST	0.5	1.4	2.5	2.0	1.0	0.6	1.2	1.1	0.5	0.7	0.4	0.8	12.7	11	-78264
SFC WND 4-10 KTS AND IMP 33-89 DEG F AND NO PRECIP.	19 LST	15.5	15.0	19.3	17.8	15.2	11.7	11.9	11.0	11.2	9.5	14.8	16.7	169.6	10	-78264
	01 LST	19.0	14.1	15.2	16.7	15.3	14.1	13.7	11.6	12.6	12.9	18.6	17.9	181.7	6	-78264
	07 LST	14.6	11.2	13.3	11.8	12.4	10.0	12.2	11.1	9.3	8.7	13.4	13.2	141.2	11	-78264
	13 LST	19.8	18.5	19.9	15.4	14.1	10.0	5.6	4.8	8.1	12.1	18.8	19.4	166.5	11	-78264
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	19.5	16.2	14.8	7.9	4.7	2.7	3.7	3.6	4.4	6.6	11.3	15.4	110.8	10	-78264
	01 LST	27.6	22.4	24.7	21.9	16.9	16.6	21.3	20.8	16.6	17.3	22.6	24.6	253.3	6	-78264
	07 LST	23.9	18.8	24.2	19.6	16.2	15.8	19.0	18.4	15.5	16.0	19.1	21.4	227.9	11	-78264
	13 LST	17.9	14.0	18.1	12.5	7.1	6.5	7.8	7.9	5.6	6.9	9.1	12.0	125.4	11	-78264
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.3	25.5	28.3	25.7	25.9	25.7	29.4	28.2	27.5	27.4	28.7	29.9	331.5	10	-78264
	01 LST	30.6	26.9	30.2	28.7	30.1	29.3	30.6	30.2	29.2	30.1	29.4	30.8	356.1	6	-78264
	07 LST	29.5	26.7	30.7	28.8	28.9	28.8	30.9	30.4	29.1	29.3	29.7	29.7	351.0	11	-78264
	13 LST	29.4	26.3	29.9	28.3	27.8	27.9	29.2	29.2	28.6	27.7	28.9	29.4	342.6	11	-78264
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	27.8	23.8	26.0	23.2	24.7	23.3	27.0	25.0	25.6	24.9	26.5	28.2	305.5	10	-78264
	01 LST	30.6	26.6	29.9	28.2	29.9	29.0	30.6	30.2	29.0	29.9	28.7	30.6	353.2	6	-78264
	07 LST	29.0	24.9	29.2	27.8	28.0	27.9	30.8	30.3	28.4	28.7	28.5	29.4	342.9	11	-78264
	13 LST	28.5	25.1	28.4	24.7	25.9	26.1	27.8	27.8	26.4	26.0	27.8	27.6	324.1	11	-78264
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	27.8	23.4	26.0	23.0	24.1	23.3	26.9	25.0	25.4	24.6	26.5	28.0	304.0	10	-78264
	01 LST	30.6	26.6	29.9	28.2	29.9	29.0	30.6	30.2	29.0	29.9	28.7	30.6	353.2	6	-78264
	07 LST	29.0	24.7	29.1	27.7	27.8	27.8	30.8	30.2	28.4	28.7	28.5	29.2	341.9	11	-78264
	13 LST	28.5	24.8	28.2	26.6	25.9	26.1	27.8	27.8	26.4	25.9	27.8	27.6	323.4	11	-78264

# PUNTA MAISI, CUBA

STA NO. 78369 (IN AREA NUMBER 01)

LATITUDE 2016N

LONGITUDE 07409W

ELEVATION(FT) 00021

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.6	0.0	0.7	0.0	0.6	0.6	0.0	1.3	1.1	0.4	6	1838
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.6	0.6	0.0	0.0	0.6	0.2	6	1838
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# PUNTA MAISI, CUBA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	31.0	27.7	31.0	29.6	30.4	29.8	31.0	30.6	29.8	31.0	29.8	30.6	6	1838
	13 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST													0	0
	01 LST													0	0
	07 LST	7.7	11.2	16.3	17.0	21.0	19.8	12.3	17.8	20.9	22.4	15.1	9.2	6	1837
	13 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST	7.0	3.4	3.6	3.1	2.0	2.2	4.2	1.9	1.6	1.0	2.6	5.1	6	1838
	13 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST													0	0
	01 LST													0	0
	07 LST	8.6	9.0	12.3	12.4	13.3	11.1	9.7	12.5	10.3	10.0	9.7	9.1	6	1838
	13 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	5.6	7.3	12.5	8.9	6.7	4.9	7.2	6.5	6.1	5.9	6.0	5.3	6	1839
	13 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	27.4	24.8	27.7	23.6	26.8	26.0	26.3	26.9	27.7	28.3	25.6	26.4	6	1838
	13 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	20.6	20.9	24.7	19.0	24.6	22.0	23.1	22.6	25.8	25.7	22.1	20.5	6	1838
	13 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST													0	0
	01 LST													0	0
	07 LST	20.6	20.4	24.7	19.0	24.4	22.0	23.1	22.6	25.8	25.7	22.1	20.5	6	1838
	13 LST													0	0

## AREA NO. 01

CUBA	CUBA	LATITUDE 2200N												LONGITUDE 07900W
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		81	82	84	86	88	89	91	91	89	87	84	82	86
MEAN MIN TMP (F)		64	64	66	69	71	73	73	74	73	72	69	66	69
LARGEST MEAN PRECIP(IN)		2.80	1.80	2.50	3.60	7.60	10.50	6.60	8.44	10.70	8.50	3.90	2.30	69.2
SMALLEST MEAN PRECIP(IN)		0.70	0.44	1.06	1.59	2.43	1.48	1.03	1.74	3.97	5.26	0.84	0.89	21.4
MEAN NUMBER OF DAYS														
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.6	27.6	30.8	29.8	30.5	29.3	30.8	30.6	29.2	30.2	29.7	30.8	359.9
	01 LST	30.5	27.7	30.9	29.9	30.9	29.8	31.0	30.8	29.9	30.6	29.8	30.2	362.0
	07 LST	29.7	27.1	30.3	29.7	30.4	29.6	30.8	30.8	29.7	30.4	29.2	29.7	357.4
	13 LST	30.5	27.8	30.8	29.8	30.7	29.7	30.8	30.7	29.7	30.5	29.7	30.8	361.5
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	20.8	16.1	18.0	17.0	20.5	22.3	22.5	24.0	23.5	24.4	22.8	22.7	256.6
	01 LST	23.3	22.7	25.8	24.9	27.9	27.5	28.1	28.3	27.7	27.6	26.0	24.6	314.4
	07 LST	22.1	21.3	25.0	23.9	26.6	25.6	25.8	27.3	26.7	26.8	23.7	23.1	297.9
	13 LST	14.7	13.2	13.3	11.7	16.5	18.1	18.0	18.4	18.3	19.1	15.3	15.5	192.1
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.5	0.9	1.3	1.4	1.7	0.2	0.5	0.3	0.2	0.4	0.5	0.6	7.9
	01 LST	0.2	0.2	0.1	0.3	0.0	0.1	0.1	0.0	0.0	0.1	0.2	0.2	1.5
	07 LST	1.1	0.6	0.6	0.7	0.4	0.4	0.6	0.3	0.3	0.3	0.5	1.2	7.0
	13 LST	2.7	2.6	3.9	3.0	1.9	0.7	1.7	1.2	1.1	1.3	2.1	2.6	24.8
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	21.1	18.1	19.1	18.2	19.0	17.3	17.0	16.2	17.4	19.2	20.9	21.8	225.3
	01 LST	21.8	17.7	19.2	18.7	17.5	17.9	18.8	16.6	16.2	16.1	19.1	19.8	219.4
	07 LST	18.1	16.4	18.7	17.2	17.1	16.1	17.1	17.2	15.7	15.8	17.3	18.6	204.3
	13 LST	17.1	14.8	14.8	11.7	13.2	11.9	9.1	7.7	10.7	14.8	16.7	17.3	159.8
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	15.3	12.6	13.8	9.1	4.6	2.7	3.1	3.5	3.3	6.8	11.5	14.4	100.7
	01 LST	24.2	21.6	24.3	22.6	20.2	16.9	19.2	19.1	14.7	15.9	19.7	22.5	240.9
	07 LST	16.7	14.9	19.1	16.0	12.2	10.4	12.5	13.1	9.4	12.3	13.4	14.9	164.9
	13 LST	8.7	8.0	10.7	7.8	4.8	3.5	4.3	4.2	2.7	4.3	5.9	7.8	72.7
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	28.5	25.5	28.1	24.4	26.9	25.5	27.7	27.4	25.7	27.1	27.6	28.8	325.0
	01 LST	29.5	26.7	30.0	28.9	30.2	28.9	30.6	30.2	29.0	29.6	28.9	29.0	351.5
	07 LST	27.8	25.2	28.8	27.9	28.9	28.1	29.8	30.0	28.6	29.0	27.0	27.9	339.0
	13 LST	26.5	24.0	27.7	25.9	26.8	25.9	27.0	27.0	25.5	26.4	26.1	27.5	316.3
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	26.2	23.2	25.5	23.1	24.3	23.3	25.1	25.1	23.3	24.9	25.2	26.3	295.5
	01 LST	28.3	26.1	29.2	27.8	29.7	27.9	30.3	29.8	28.1	28.7	27.4	27.7	341.0
	07 LST	25.7	23.4	27.4	26.5	27.7	26.7	29.7	29.2	27.8	27.9	25.3	25.5	322.3
	13 LST	21.3	19.2	22.4	20.4	21.7	20.9	21.8	21.6	19.7	21.2	20.6	22.2	252.5
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	25.5	22.9	25.2	22.7	23.4	22.7	24.8	24.7	22.8	24.3	24.8	25.7	289.5
	01 LST	27.8	25.7	28.8	27.5	29.1	27.6	30.2	29.7	27.9	28.5	27.1	27.1	337.0
	07 LST	25.2	23.1	27.2	26.0	27.2	26.4	29.1	29.0	27.7	27.4	25.0	25.1	318.4
	13 LST	20.8	19.0	22.1	20.2	21.0	20.7	21.6	21.5	19.4	20.8	20.3	21.8	249.2

# DAJABON, DOMINICAN REPUBLIC

STA NO. 78455/ (IN AREA NUMBER 01)

LATITUDE 1933N

LONGITUDE 07140W

ELEVATION(FT) 00205

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ARS MAX TMP (F)														0	0
MEAN MAX TMP (F)	85	85	87	88	90	91	92	92	92	90	88	85	89	0	-50
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)	66	66	69	69	71	71	71	72	72	71	69	97	72	0	-50
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	73	78	99	113	136	114	97	131	180	188	158	107	123	0	-50
MEAN PRECIP (IN)	1.30	1.60	2.30	3.50	9.10	7.30	3.60	5.40	5.40	5.70	4.40	3.10	52.7	19	-35
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.8	2.0	5.1	7.0		12.9	8.0	10.9	8.1	8.6	6.6	6.8		19	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSRY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# DAJABON, DOMINICAN REPUBLIC

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0

DATA NOT AVAILABLE

# SANTIAGO, DOMINICAN REPUBLIC

STA NO. 78460 (IN AREA NUMBER 01)

LATITUDE 1928N      LONGITUDE 07042W      ELEVATION(FT) 00450

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	82	85	87	89	90	91	91	91	91	89	86	83	88	17	-35
MEAN MIN TMP (F)	67	67	69	71	73	74	75	76	75	74	71	68	72	17	-35
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)	0.0	1.2	6.4	12.1	15.9	18.5	19.2	19.2	18.5	12.6	3.5	0.0	127.1	17	-29
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)	68	69	70	72	77	78	79	79	78	77	74	72	74	0	0
MEAN REL HUM (PCT)	82	80	78	78	87	87	88	87	86	87	86	89	85	11.	-29
MEAN PRESS ALT (FT)	319	322	343	357	378	355	340	372	423	432	404	352	366	0	-50
MEAN PRECIP (IN)	2.10	1.70	2.10	3.10	6.10	2.80	2.00	2.40	4.20	3.90	4.10	2.70	37.2	34	-35
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.5	2.5	4.8	6.4	9.6	6.3	4.4	5.4	6.3	5.9	6.2	5.3	66.6	34	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# SANTIAGO, DOMINICAN REPUBLIC

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0

DATA NOT AVAILABLE

# HIGUEY/CABO EGANO, DOMINICAN REPUBLIC

STA NO. 76478 (IN AREA NUMBER 01)

LATITUDE 1837N

LONGITUDE 06842W

ELEVATION(FT) 00349

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	87	88	87	88	89			99	94	91	88	88		2	304
MEAN MAX TMP (F)	82	82	84	85	84			90	90	89	85	84		2	304
MEAN MIN TMP (F)	74	75	75	74	74			79	79	78	76	75		2	304
ABS MIN TMP (F)	66	71	68	68	70			67	72	70	72	66		2	304
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0			19.0	18.0	7.0	0.0	0.0		2	304
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0	0.0		2	304
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0	0.0		2	304
MEAN DELW PT TMP (F)	72	71	72	74	74	76	77	77	77	76	74	74	75	5	4652
MEAN REL HUM (PCT)	87	83	84	83	84	85	84	85	82	83	80	85	84	5	4612
MEAN PRESS ALT (FT)														0	0
MEAN PRESS ALT (FT)								2.62	5.64	13.58	9.98	1.95		2	111
MEAN PRECIP (IN)	7.68	3.28	2.87	9.33	7.82			0.0	0.0	0.0	0.0	0.0		2	-29
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0			13.8	18.0	22.5	21.7	9.8		2	111
MEAN NO DYS PRCP = OR GTR 0.1 IN	17.7	16.8	7.8	16.4	16.4			0.0	0.0	0.0	0.0	0.0		2	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1211
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	1.4	2.2	5.4	4.2	5.7	7.7	5.8	4.9	0.5	37.8	5	1212
MEAN NO DYS TSTMS	6.9	11.8	6.0	8.0	6.4	0.4	1.6	1.8	0.8	1.0	2.9	2.2	4.2	5	4836
P FREQ WND SPD = OR GTR 17 KTS	0.5	0.8	0.2	0.5	0.8	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.3	5	4836
P FREQ WND SPD = OR GTR 28 KTS	22.4	20.3	18.5	18.3	31.2	30.6	14.5	23.2	24.2	26.0	22.0	23.7	22.9	5	4804
P FREQ LES 5000 FT A/O LES 5 MI															
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	1.7	0.0	0.9	0.9	0.0	2.6	1.1	2.5	0.0	1.9	1.7	0.0	1.1	5	1298
03-05 LST														0	0
06-08 LST	0.0	0.9	0.9	0.0	0.6	0.0	1.1	2.5	1.0	0.0	0.0	0.8	0.7	5	1321
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.8	3.7	0.0	1.6	1.0	0.9	0.0	0.0	0.7	5	1342
15-17 LST														0	0
18-20 LST	1.7	0.0	0.0	0.0	0.9	3.4	4.4	3.4	3.7	0.9	1.7	0.8	1.7	5	1330
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1298
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1321
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1342
15-17 LST														0	0
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1330
21-23 LST														0	0

# HIGUEY/CABO EGANO, DOMINICAN REPUBLIC

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	30.7	30.0	31.0	29.7	31.0	364.4	5	1330
	01 LST	31.0	28.0	30.7	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	364.7	5	1298
	07 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	30.7	30.0	31.0	30.0	31.0	364.7	5	1321
	13 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	30.7	30.0	30.7	30.0	31.0	364.4	5	1342
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	19 LST	14.1	9.5	17.7	14.6	15.2	20.7	20.0	19.5	20.7	21.7	14.3	15.6	203.6	5	1327
	01 LST	10.5	5.9	11.1	11.5	14.0	17.3	12.7	16.3	17.7	20.9	10.0	13.8	161.7	5	1298
	07 LST	15.2	14.1	17.9	17.5	22.4	23.5	26.8	23.8	24.0	24.8	19.6	17.5	247.1	5	1319
	13 LST	20.8	15.4	21.0	21.2	24.8	25.6	27.2	24.6	26.3	26.9	21.0	21.1	275.9	5	1340
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	1.0	3.1	1.8	2.4	1.9	0.0	0.0	0.5	0.0	0.6	0.5	1.0	12.8	5	1328
	01 LST	2.9	5.4	3.5	5.5	4.2	0.0	1.4	0.7	0.3	0.3	0.8	1.0	26.0	5	1301
	07 LST	1.3	1.5	1.3	0.8	0.2	0.0	0.0	0.2	0.3	0.3	1.0	0.2	7.1	5	1326
	13 LST	0.5	1.3	0.0	0.0	0.0	0.4	0.0	0.0	0.3	0.0	0.2	0.5	3.2	5	1342
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	15.6	8.5	13.5	13.7	14.1	15.5	20.5	17.9	18.2	18.0	19.3	14.6	189.4	5	1279
	01 LST	10.9	4.9	10.9	8.9	12.8	15.8	15.5	15.3	15.3	14.7	16.0	11.8	152.8	5	1244
	07 LST	15.3	11.0	13.1	16.3	17.8	17.7	22.4	17.6	15.0	17.5	19.3	16.0	199.0	5	1274
	13 LST	20.4	17.1	19.3	20.1	18.8	19.7	21.2	19.3	15.4	19.2	20.0	17.3	227.8	5	1288
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	10.5	9.5	13.9	9.5	1.3	2.0	3.4	2.9	2.2	4.5	4.4	4.7	68.8	5	1328
	01 LST	10.8	7.5	11.7	9.4	5.3	5.4	8.8	4.1	5.6	6.3	6.0	5.6	86.5	5	1301
	07 LST	5.7	5.1	8.1	7.1	2.3	3.1	6.9	3.8	4.0	4.5	3.8	4.1	58.5	5	1326
	13 LST	7.3	8.1	12.7	7.6	3.6	3.7	7.6	4.6	2.3	4.1	3.3	4.3	49.2	5	1342
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	26.4	23.9	27.3	25.8	25.8	22.4	27.6	26.6	23.0	24.8	25.8	26.7	306.1	5	1330
	01 LST	27.5	24.4	27.4	25.6	24.6	24.6	28.9	25.3	25.8	26.1	25.0	27.2	312.4	5	1298
	07 LST	26.4	24.1	27.5	28.2	27.3	27.3	28.9	28.7	26.0	26.5	25.4	27.2	323.5	5	1321
	13 LST	27.9	26.7	29.7	29.0	28.9	27.1	30.6	29.2	27.7	27.2	27.4	27.7	339.1	5	1342
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	23.6	20.8	23.7	22.1	20.1	17.9	23.5	21.9	19.6	20.0	22.4	22.7	258.3	5	1330
	01 LST	25.3	21.0	22.8	21.6	17.3	20.4	27.1	21.9	22.2	22.4	21.5	22.5	266.0	5	1298
	07 LST	22.2	21.3	24.6	25.7	22.7	21.5	25.4	25.6	22.3	23.7	22.6	24.6	282.2	5	1321
	13 LST	24.9	24.9	27.6	27.2	26.6	24.5	29.6	25.4	24.8	23.8	24.9	23.4	307.8	5	1342
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.6	20.8	23.7	22.1	20.1	17.9	23.5	21.9	19.6	20.0	22.4	22.7	258.3	5	1330
	01 LST	25.3	21.0	22.8	21.6	17.3	20.4	27.1	21.9	22.2	22.4	21.5	22.5	266.0	5	1298
	07 LST	22.2	21.3	24.6	25.7	22.7	21.2	25.4	25.6	22.3	23.7	22.6	24.6	281.9	5	1321
	13 LST	24.9	24.9	27.6	27.2	26.6	24.1	29.6	25.4	24.8	23.8	24.9	23.4	307.2	5	1342

## BARAHONA, DOMINICAN REPUBLIC

STA NO. 78482 (IN AREA NUMBER 01)      LATITUDE 1812N      LONGITUDE 07105W      ELEVATION(FT) 00110

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	94	93	94	95	94	96	98	98	98	95	97	95	98	25	-78486
MEAN MAX TMP (F)	83	82	82	83	84	84	90	89	90	87	86	84	85	18	-35
MEAN MIN TMP (F)	69	68	68	71	71	73	76	75	75	74	72	70	72	18	-35
ABS MIN TMP (F)	58	60	60	62	62	67	68	64	68	66	61	55	55	25	-78486
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	15.9	12.6	15.3	6.4	3.5	0.0	53.7	18	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN DEW PT TMP (F)	67	67	67	70	72	73	74	74	74	73	70	68	71	7	-78486
MEAN REL HUM (PCT)	82	80	79	79	83	84	85	85	87	85	84	83	83	7	-78486
MEAN PRESS ALT (FT)	39	42	59	72	92	74	59	90	124	134	125	80	83	0	-50
MEAN PRECIP (IN)	1.00	1.10	1.20	2.20	7.80	5.80	1.50	3.30	5.10	6.80	2.80	1.10	39.7	36	-35
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.5	1.6	3.0	4.9	10.1	11.4	3.0	7.4	7.7	10.4	4.5	1.6	67.1	36	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.3	0.0	0.0	0.0	0.4	0.1	0.1	0.3	0.1	0.7	0.1	0.0	2.1	8	-78486
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	9.0	8.0	15.0	14.0	17.0	8.0	3.0	1.0	75.0	15	-78486
P FREQ WND SPD = OR GTR 17 KTS	0.1	0.8	0.4	0.3	0.9	0.2	0.1	0.3	0.2	0.0	0.0	0.2	0.3	8	-78486
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-78486
P FREQ LES 5000 FT A/O LES 5 MI	23.4	27.0	25.9	25.3	33.2	26.5	25.8	22.3	23.4	16.5	17.9	19.8	23.9	8	-78486
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	2.2	0.4	0.7	0.0	2.2	2.2	0.0	0.9	0.0	0.7	0.0	0.7	0.8	8	-78486
03-05 LST	1.4	0.4	0.7	0.3	1.6	1.4	0.3	2.3	0.3	3.0	0.0	0.0	1.0	8	-78486
06-08 LST	0.7	0.4	0.0	0.0	1.6	1.7	1.5	1.5	1.2	2.3	0.7	0.0	1.0	8	-78486
09-11 LST	0.0	0.4	0.0	0.0	2.4	1.7	0.9	0.6	0.0	1.0	0.4	0.4	0.7	8	-78486
12-14 LST	1.4	0.4	0.0	0.0	2.7	1.9	2.1	1.5	2.4	0.7	0.4	0.0	1.1	8	-78486
15-17 LST	0.4	0.8	0.4	0.3	1.9	2.8	1.8	2.1	1.8	1.7	1.1	1.1	1.4	8	-78486
18-20 LST	0.0	0.8	0.4	0.3	2.7	3.3	1.2	2.1	0.3	0.7	1.1	0.7	1.1	8	-78486
21-23 LST	0.0	1.2	0.7	0.0	2.4	2.8	0.3	0.6	0.9	0.7	0.4	0.0	0.8	8	-78486
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.4	0.0	0.0	0.0	0.3	0.8	0.0	0.0	0.0	0.3	0.0	0.0	0.2	8	-78486
03-05 LST	0.7	0.0	0.0	0.0	0.3	0.0	0.0	0.3	0.0	2.0	0.0	0.0	0.3	8	-78486
06-08 LST	0.7	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	1.3	0.0	0.0	0.2	8	-78486
09-11 LST	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-78486
12-14 LST	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.3	0.6	0.0	0.0	0.0	0.1	8	-78486
15-17 LST	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.9	0.0	0.7	0.0	0.0	0.2	8	-78486
18-20 LST	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.3	0.3	0.0	0.7	0.0	0.2	8	-78486
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-78486

# BARAHONA, DOMINICAN REPUBLIC

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	31.0	28.0	30.8	30.0	30.7	29.9	31.0	30.7	29.9	30.8	29.7	31.0	363.5	8	-78486
	01 LST	30.7	28.0	30.8	30.0	31.0	29.9	31.0	31.0	30.0	30.7	30.0	31.0	364.1	8	-78486
	07 LST	30.8	27.8	31.0	30.0	31.0	29.9	30.8	31.0	30.0	30.7	30.0	31.0	364.0	8	-78486
	13 LST	30.8	29.0	31.0	30.0	30.7	29.7	30.7	31.0	29.9	31.0	29.9	31.0	363.7	8	-78486
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	30.7	27.0	29.7	28.4	29.0	28.2	30.7	30.0	29.3	30.3	29.1	30.7	353.1	8	-78486
	01 LST	30.0	27.3	30.6	29.9	30.2	29.3	30.8	30.1	29.7	30.6	30.0	30.1	358.6	8	-78486
	07 LST	30.3	27.3	31.0	30.0	30.0	29.7	30.4	30.3	29.4	30.4	29.7	30.1	358.6	8	-78486
	13 LST	26.0	25.1	27.1	24.8	26.5	25.2	26.4	27.8	26.7	28.7	26.6	26.8	317.7	8	-78486
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-78486
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-78486
	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-78486
	13 LST	0.1	0.1	0.4	0.1	0.4	0.4	0.0	0.0	0.0	0.1	0.0	0.1	1.7	8	-78486
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	9.4	8.7	11.3	12.0	10.6	7.6	8.6	7.6	4.9	8.6	9.0	11.1	109.4	8	-78486
	01 LST	6.9	5.5	5.8	5.1	4.8	3.1	3.3	4.6	2.6	3.0	5.2	4.8	54.7	8	-78486
	07 LST	6.4	4.5	4.7	4.8	5.2	3.2	4.0	5.3	3.2	4.3	4.6	6.9	57.1	8	-78486
	13 LST	17.6	14.3	18.0	14.3	12.7	10.5	11.6	9.0	10.6	14.0	15.3	15.8	163.7	8	-78486
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	20.9	16.9	18.8	15.0	12.3	12.0	13.8	15.8	11.8	13.2	17.2	18.0	185.7	6	-78486
	01 LST	21.3	18.2	19.3	17.8	15.0	15.8	22.2	21.0	19.0	19.0	21.6	20.6	230.8	6	-78486
	07 LST	17.6	15.4	18.0	13.7	8.8	11.3	13.8	18.6	15.7	15.8	19.0	19.6	187.3	6	-78486
	13 LST	9.3	10.9	17.0	15.5	9.3	8.6	8.6	10.2	7.8	8.8	12.6	11.8	130.4	8	-78486
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	28.3	24.0	26.7	24.8	23.7	25.4	27.4	27.1	24.0	27.1	26.6	27.4	312.5	8	-78486
	01 LST	28.3	24.9	27.3	27.0	26.2	25.9	28.7	29.1	27.6	28.4	27.8	29.3	330.5	8	-78486
	07 LST	27.7	23.7	26.7	25.5	25.5	27.1	28.1	28.6	27.7	28.6	28.1	29.1	326.4	8	-78486
	13 LST	25.0	22.3	26.3	27.0	26.4	25.7	26.0	27.6	25.0	28.0	26.3	25.9	311.5	8	-78486
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.7	19.9	21.4	18.6	17.7	21.6	22.8	24.1	19.8	24.1	23.1	23.4	261.2	8	-78486
	01 LST	25.7	21.9	24.1	23.6	21.9	23.0	26.6	27.4	25.0	26.7	25.6	27.1	298.6	8	-78486
	07 LST	24.0	20.3	22.8	21.5	20.5	23.7	25.4	26.7	25.4	27.1	26.3	26.3	290.0	8	-78486
	13 LST	19.3	17.9	21.1	24.9	22.5	22.6	21.9	23.1	21.4	25.0	22.7	19.8	262.2	8	-78486
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.7	16.9	20.1	17.8	15.9	19.5	20.7	21.4	16.4	21.4	21.4	22.1	239.3	8	-78486
	01 LST	24.8	21.4	23.0	22.0	19.9	21.0	25.0	25.7	23.1	25.3	25.0	25.0	281.2	8	-78486
	07 LST	21.5	19.6	21.7	20.2	18.6	21.1	24.0	25.1	23.7	25.4	24.0	24.0	268.9	8	-78486
	13 LST	18.6	17.1	20.6	24.1	21.1	20.3	20.6	22.0	19.6	22.6	21.8	18.8	247.2	8	-78486

# PRES TRUJILLO, DOMINICAN REPUBLIC

STA NO. 78483/ (IN AREA NUMBER 01)

LATITUDE 1830N

LONGITUDE 06946W

ELEVATION(FT) 00050

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	94	93	94	95	94	96	98	98	98	95	97	95	98	25	-78486
MEAN MAX TMP (F)	84	85	84	85	86	87	88	88	88	87	86	85	86	26	-78486
MEAN MIN TMP (F)	66	66	67	69	71	72	72	72	72	72	70	67	70	26	-78486
ABS MIN TMP (F)	58	60	60	62	62	67	68	64	68	66	61	55	55	25	-78486
MEAN NO DYS TMP = OR GTR 90(F)	0.0	1.2	0.0	1.3	3.7	6.1	9.4	9.4	9.0	6.4	3.5	1.4	51.4	26	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN DEW PT TMP (F)	67	67	67	70	72	73	74	74	74	73	70	68	71	7	-78486
MEAN REL HUM (PCT)	82	80	79	79	83	84	85	85	87	85	84	83	83	7	-78486
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.40	1.40	1.90	3.90	6.80	6.20	6.40	6.30	7.30	6.00	4.80	2.40	55.8	25	-78486
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.3	2.0	4.4	7.6	9.9	11.8	12.0	11.9	11.2	9.1	7.2	4.3	95.7	25	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.3	0.0	0.0	0.0	0.4	0.1	0.1	0.3	0.1	0.7	0.1	0.0	2.1	8	-78486
MEAN NO DYS YSTMS	0.0	0.0	0.0	0.0	9.0	8.0	15.0	14.0	17.0	8.0	3.0	1.0	75.0	15	-78486
P FREQ WND SPD = OR GTR 17 KTS	0.1	0.8	0.4	0.3	0.9	0.2	0.1	0.3	0.2	0.0	0.0	0.2	0.3	8	-78486
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-78486
P FREQ LES 5000 FT A/O LES 5 MI	23.4	27.0	25.9	25.3	33.2	26.5	25.8	22.3	23.4	16.5	17.9	19.8	23.9	8	-78486
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	2.2	0.4	0.7	0.0	2.2	2.2	0.0	0.9	0.0	0.7	0.0	0.7	0.8	8	-78486
03-05 LST	1.4	0.4	0.7	0.3	1.6	1.4	0.3	2.3	0.3	3.0	0.0	0.0	1.0	8	-78486
06-08 LST	0.7	0.4	0.0	0.0	1.6	1.7	1.5	1.5	1.2	2.3	0.7	0.0	1.0	8	-78486
09-11 LST	0.0	0.4	0.0	0.0	2.4	1.7	0.9	0.6	0.0	1.0	0.4	0.4	0.7	8	-78486
12-14 LST	1.4	0.4	0.0	0.0	2.7	1.9	2.1	1.5	2.4	0.7	0.4	0.0	1.1	8	-78486
15-17 LST	0.4	0.8	0.4	0.3	1.9	2.8	1.8	2.1	1.8	1.7	1.1	1.1	1.4	8	-78486
18-20 LST	0.0	0.8	0.4	0.3	2.7	3.3	1.2	2.1	0.3	0.7	1.1	0.7	1.1	8	-78486
21-23 LST	0.0	1.2	0.7	0.0	2.4	2.8	0.3	0.6	0.9	0.7	0.4	0.0	0.8	8	-78486
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.4	0.0	0.0	0.0	0.3	0.8	0.0	0.0	0.0	0.3	0.0	0.0	0.2	8	-78486
03-05 LST	0.7	0.0	0.0	0.0	0.3	0.0	0.0	0.3	0.0	2.0	0.0	0.0	0.3	8	-78486
06-08 LST	0.7	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	1.3	0.0	0.0	0.2	8	-78486
09-11 LST	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-78486
12-14 LST	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.3	0.6	0.0	0.0	0.0	0.1	8	-78486
15-17 LST	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.9	0.0	0.7	0.0	0.0	0.2	8	-78486
18-20 LST	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.3	0.3	0.0	0.7	0.0	0.2	8	-78486
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-78486

# PRES TRUJILLO, DOMINICAN REPUBLIC

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	31.0	28.0	30.8	30.0	30.7	29.9	31.0	30.7	29.9	30.8	29.7	31.0	363.5	8	-78486
	01 LST	30.7	28.0	30.8	30.0	31.0	29.9	31.0	31.0	30.0	30.7	30.0	31.0	364.1	8	-78486
	07 LST	30.8	27.8	31.0	30.0	31.0	29.9	30.8	31.0	30.0	30.7	30.0	31.0	364.0	8	-78486
	13 LST	30.8	28.0	31.0	30.0	30.7	29.7	30.7	31.0	29.9	31.0	29.9	31.0	363.7	8	-78486
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	30.7	27.0	29.7	28.4	29.0	28.2	30.7	30.0	29.3	30.3	29.1	30.7	353.1	8	-78486
	01 LST	30.0	27.3	30.6	29.9	30.2	29.3	30.8	30.1	29.7	30.6	30.0	30.1	358.6	8	-78486
	07 LST	30.3	27.3	31.0	30.0	30.0	29.7	30.4	30.3	29.4	30.4	29.7	30.1	358.6	8	-78486
	13 LST	26.0	25.1	27.1	24.8	26.5	25.2	26.4	27.8	26.7	28.7	26.6	26.8	317.7	8	-78486
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-78486
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-78486
	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-78486
	13 LST	0.1	0.1	0.4	0.1	0.4	0.4	0.0	0.0	0.1	0.0	0.0	0.1	1.7	8	-78486
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	9.4	8.7	11.3	12.0	10.6	7.6	8.6	7.6	4.9	8.6	9.0	11.1	109.4	8	-78486
	01 LST	6.9	5.5	5.8	5.1	4.8	3.1	3.3	4.6	2.6	3.0	5.2	4.8	54.7	8	-78486
	07 LST	6.4	4.5	4.7	4.8	5.2	3.2	4.0	5.3	3.2	4.3	4.6	6.9	57.1	8	-78486
	13 LST	17.6	14.3	18.0	14.3	12.7	10.5	11.6	9.0	10.6	14.0	15.3	15.8	163.7	8	-78486
SKY COVER LES 5/10 AND VSBY = GTR 3 MI	19 LST	20.9	16.9	18.8	15.0	12.3	12.0	13.8	15.8	11.8	13.2	17.2	18.0	185.7	6	-78486
	01 LST	21.3	18.2	19.3	17.8	15.0	15.8	22.2	21.0	19.0	19.0	21.6	20.6	230.8	6	-78486
	07 LST	17.6	15.4	18.0	13.7	8.8	11.3	13.8	18.6	15.7	15.8	19.0	19.6	187.3	6	-78486
	13 LST	9.3	10.9	17.0	15.5	9.3	8.6	8.6	10.2	7.8	8.8	12.6	11.8	130.4	6	-78486
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	28.3	24.0	26.7	24.8	23.7	25.4	27.4	27.1	24.0	27.1	26.6	27.4	312.5	8	-78486
	01 LST	28.3	24.9	27.3	27.0	26.2	25.9	28.7	29.1	27.6	28.4	27.8	29.3	330.5	8	-78486
	07 LST	27.7	23.7	26.7	25.5	25.5	27.1	28.1	28.6	27.7	28.6	28.1	29.1	326.4	8	-78486
	13 LST	25.0	22.3	26.3	27.0	26.4	25.7	26.0	27.6	25.0	28.0	26.3	25.9	311.5	8	-78486
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.7	19.9	21.4	18.6	17.7	21.6	22.8	24.1	19.8	24.1	23.1	23.4	261.2	8	-78486
	01 LST	25.7	21.9	24.1	23.6	21.9	23.0	26.6	27.4	25.0	26.7	25.6	27.1	298.6	8	-78486
	07 LST	24.0	20.3	22.8	21.5	20.5	23.7	25.4	26.7	25.4	27.1	26.3	26.3	290.0	8	-78486
	13 LST	19.3	17.9	21.1	24.9	22.5	22.6	21.9	23.1	21.4	25.0	22.7	19.8	262.2	8	-78486
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.7	18.9	20.1	17.8	15.9	19.5	20.7	21.4	16.4	21.4	21.4	22.1	239.3	8	-78486
	01 LST	24.8	21.4	23.0	22.0	19.9	21.0	25.0	25.7	23.1	25.3	25.0	25.0	281.2	8	-78486
	07 LST	21.5	19.6	21.7	20.2	18.6	21.1	24.0	25.1	23.7	25.4	24.0	24.0	268.9	8	-78486
	13 LST	18.6	17.1	20.6	24.1	21.1	20.3	20.6	22.0	19.6	22.6	21.8	18.8	247.2	8	-78486

## SAN ISIDRO AB, DOMINICAN REPUBLIC

STA NO. 78484 (IN AREA NUMBER 01)

LATITUDE 1830N

LONGITUDE 06945W

ELEVATION(FT) 00111

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	94	93	94	95	96	96	98	98	98	95	97	95	98	25	-78486
MEAN MAX TMP (F)	84	85	84	85	86	87	88	88	88	87	86	85	86	26	-78486
MEAN MIN TMP (F)	66	66	67	69	71	72	72	73	72	72	70	67	70	26	-78486
ABS MIN TMP (F)	58	60	60	62	62	67	68	64	68	66	61	55	55	25	-78486
MEAN NO DYS TMP = OR GTR 90(F)	0.0	1.2	0.0	1.3	3.7	6.1	9.4	9.4	9.0	6.4	3.5	1.4	51.4	26	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN DEW PT TMP (F)	67	67	67	70	72	73	74	74	74	73	70	68	71	7	-78486
MEAN REL HUM (PCT)	62	80	79	79	83	84	85	85	87	85	84	83	83	7	-78486
MEAN PRESS ALT (FT)	49	52	66	82	99	79	66	96	127	141	136	92	90	0	-50
MEAN PRECIP (IN)	2.40	1.40	1.90	3.90	6.80	6.20	6.40	6.30	7.30	6.00	4.80	2.40	55.8	25	-78486
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.3	2.0	4.4	7.6	7.9	11.8	12.0	11.9	11.2	9.1	7.2	4.3	95.7	25	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.3	0.0	0.0	0.0	0.4	0.1	0.1	0.3	0.1	0.7	0.1	0.0	2.1	8	-78486
MEAN NO DYS TSMS	0.0	0.0	0.0	0.0	9.0	8.0	15.0	14.0	17.0	8.0	3.0	1.0	75.0	15	-78486
P FREQ WND SPD = OR GTR 17 KTS	0.1	0.8	0.4	0.3	0.9	0.2	0.1	0.3	0.2	0.0	0.0	0.2	0.3	8	-78486
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-78486
P FREQ LES 5000 FT A/O LES 5 MI	23.4	27.0	25.9	25.3	33.2	26.5	25.8	22.3	23.4	16.5	17.9	19.8	23.9	8	-78486
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	2.2	0.4	0.7	0.0	2.2	2.2	0.0	0.9	0.0	0.7	0.0	0.7	0.8	8	-78486
03-05 LST	1.4	0.4	0.7	0.3	1.6	1.4	0.3	2.3	0.3	3.0	0.0	0.0	1.0	8	-78486
06-08 LST	0.7	0.4	0.0	0.0	1.6	1.7	1.5	1.5	1.2	2.3	0.7	0.0	1.0	8	-78486
09-11 LST	0.0	0.4	0.0	0.0	2.4	1.7	0.9	0.6	0.0	1.0	0.4	0.4	0.7	8	-78486
12-14 LST	1.4	0.4	0.0	0.0	2.7	1.9	2.1	1.5	2.4	0.7	0.4	0.0	1.1	8	-78486
15-17 LST	0.4	0.8	0.4	0.3	1.9	2.8	1.8	2.1	1.8	1.7	1.1	1.1	1.4	8	-78486
18-20 LST	0.0	0.8	0.4	0.3	2.7	3.3	1.2	2.1	0.3	0.7	1.1	0.7	1.1	8	-78486
21-23 LST	0.0	1.2	0.7	0.0	2.4	2.8	0.3	0.6	0.9	0.7	0.4	0.0	0.8	8	-78486
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.4	0.0	0.0	0.0	0.3	0.8	0.0	0.0	0.0	0.3	0.0	0.0	0.2	8	-78486
03-05 LST	0.7	0.0	0.0	0.0	0.3	0.0	0.0	0.3	0.0	2.0	0.0	0.0	0.3	8	-78486
06-08 LST	0.7	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	1.3	0.0	0.0	0.2	8	-78486
09-11 LST	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-78486
12-14 LST	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.3	0.6	0.0	0.0	0.0	0.1	8	-78486
15-17 LST	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.9	0.0	0.7	0.0	0.0	0.2	8	-78486
18-20 LST	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.3	0.3	0.0	0.7	0.0	0.2	8	-78486
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-78486

# SAN ISIDRO AB, DOMINICAN REPUBLIC

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	31.0	28.0	30.8	30.0	30.7	29.9	31.0	30.7	29.9	30.8	29.7	31.0	363.5	8	-78486
	01 LST	30.7	28.0	30.8	30.0	31.0	29.9	31.0	31.0	30.0	30.7	30.0	31.0	364.1	8	-78486
	07 LST	30.8	27.8	31.0	30.0	31.0	29.9	30.8	31.0	30.0	30.7	30.0	31.0	364.0	8	-78486
	13 LST	30.8	28.0	31.0	30.0	30.7	29.7	30.7	31.0	29.9	31.0	29.9	31.0	363.7	8	-78486
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	30.7	27.0	29.7	28.4	29.0	28.2	30.7	30.0	29.3	30.3	29.1	30.7	353.1	8	-78486
	01 LST	30.0	27.3	30.6	29.9	30.2	29.3	30.8	30.1	29.7	30.6	30.0	30.1	358.6	8	-78486
	07 LST	30.3	27.3	31.0	30.0	30.0	29.7	30.4	30.3	29.4	30.4	29.7	30.1	358.6	8	-78486
	13 LST	26.0	25.1	27.1	24.8	26.5	25.2	26.4	27.8	26.7	28.7	26.6	26.8	317.7	8	-78486
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-78486
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-78486
	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-78486
	13 LST	0.1	0.1	0.4	0.1	0.4	0.4	0.0	0.0	0.1	0.0	0.0	0.1	1.7	8	-78486
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	9.4	8.7	11.3	12.0	10.6	7.6	8.6	7.6	4.9	8.6	9.0	11.1	109.4	8	-78486
	01 LST	6.9	5.5	5.8	5.1	4.8	3.1	3.3	4.6	2.6	3.0	5.2	4.8	54.7	8	-78486
	07 LST	6.4	4.5	4.7	4.8	5.2	3.2	4.0	5.3	3.2	4.3	4.6	6.9	57.1	8	-78486
	13 LST	17.6	14.3	18.0	14.3	12.7	10.5	11.6	9.0	10.6	14.0	15.3	15.8	163.7	8	-78486
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	20.9	16.9	18.8	15.0	12.3	12.0	13.8	15.8	11.8	13.2	17.2	18.0	185.7	6	-78486
	01 LST	21.3	18.2	19.3	17.8	15.0	15.8	22.2	21.0	19.0	19.0	21.6	20.6	230.8	6	-78486
	07 LST	17.6	15.4	18.0	13.7	8.8	11.3	13.8	18.6	15.7	15.6	19.0	19.6	187.3	6	-78486
	13 LST	9.3	10.9	17.0	15.5	9.3	8.6	8.6	10.2	7.8	8.8	12.6	11.8	130.4	6	-78486
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	28.3	24.0	26.7	24.8	23.7	25.4	27.4	27.1	24.0	27.1	26.6	27.4	312.5	8	-78486
	01 LST	28.3	24.9	27.3	27.0	26.2	25.9	28.7	29.1	27.6	28.4	27.8	29.3	330.5	8	-78486
	07 LST	27.7	23.7	26.7	25.5	25.5	27.1	28.1	28.6	27.7	28.6	28.1	29.1	326.4	8	-78486
	13 LST	25.0	22.3	26.3	27.0	26.4	25.7	26.0	27.6	25.0	28.0	26.3	25.9	311.5	8	-78486
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.7	19.9	21.4	18.6	17.7	21.6	22.8	24.1	19.8	24.1	23.1	23.4	261.2	8	-78486
	01 LST	25.7	21.9	24.1	23.6	21.9	23.0	26.6	27.4	25.0	26.7	25.6	27.1	298.6	8	-78486
	07 LST	24.0	20.3	22.8	21.5	20.5	23.7	25.4	26.7	25.4	27.1	26.3	26.3	290.0	8	-78486
	13 LST	19.3	17.9	21.1	24.9	22.5	22.6	21.9	23.1	21.4	25.0	22.7	19.8	262.2	8	-78486
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.7	18.9	20.1	17.8	15.9	19.5	20.7	21.4	16.4	21.4	21.4	22.1	239.3	8	-78486
	01 LST	24.8	21.4	23.0	22.0	19.9	21.0	25.0	25.7	23.1	25.3	25.0	25.0	281.2	8	-78486
	07 LST	21.5	19.6	21.7	20.2	18.6	21.1	24.0	25.1	23.7	25.4	24.0	24.0	268.9	8	-78486
	13 LST	18.6	17.1	20.6	24.1	21.1	20.3	20.6	22.0	19.6	22.6	21.8	18.8	247.2	8	-78486

# PUNTA CAUCEDO INTL, DOMINICAN REPUBLIC

STA NO. 78485 (IN AREA NUMBER 01)

LATITUDE 1825N

LONGITUDE 06940W

ELEVATION(FT) 0057

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	94	93	94	95	94	96	98	98	98	95	97	95	98	25	-78486
MEAN MAX TMP (F)	84	85	84	85	86	87	88	88	88	87	86	85	86	26	-78486
MEAN MIN TMP (F)	66	66	67	69	71	72	72	73	72	72	70	67	70	26	-78486
ABS MIN TMP (F)	58	60	60	62	62	67	68	64	68	66	61	55	55	25	-78486
MEAN NO DYS TMP = OR GTR 90(F)	0.0	1.2	0.0	1.3	3.7	6.1	9.4	9.4	9.0	6.4	3.5	1.4	51.4	26	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN DEW PT TMP (F)	67	67	67	70	72	73	74	74	74	73	70	68	71	7	-78486
MEAN REL HUM (PCT)	82	80	79	79	83	84	85	85	87	85	84	83	83	7	-78486
MEAN PRESS ALT (FT)	11	14	28	44	60	41	28	58	89	102	98	53	52	0	-50
MEAN PRECIP (IN)	2.40	1.40	1.90	3.90	6.80	6.20	6.40	6.30	7.30	6.00	4.80	2.40	55.8	25	-78486
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.3	2.0	4.4	7.6	9.9	11.8	12.0	11.9	11.2	9.1	7.2	4.3	95.7	25	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.3	0.0	0.0	0.0	0.4	0.1	0.1	0.3	0.1	0.7	0.1	0.0	2.1	8	-78486
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	9.0	8.0	15.0	14.0	17.0	8.0	3.0	1.0	75.0	15	-78486
P FREQ WND SPD = OR GTR 17 KTS	0.1	0.8	0.4	0.3	0.9	0.2	0.1	0.3	0.2	0.0	0.0	0.2	0.3	8	-78486
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-78486
P FREQ LES 5000 FT A/O LES 5 MI	23.4	27.0	25.9	25.3	33.2	26.5	25.8	22.3	23.4	16.5	17.9	19.8	23.9	8	-78486
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	2.2	0.4	0.7	0.0	2.2	2.2	0.0	0.9	0.0	0.7	0.0	0.7	0.8	8	-78486
03-05 LST	1.4	0.4	0.7	0.3	1.6	1.4	0.3	2.3	0.3	3.0	0.0	0.0	1.0	8	-78486
06-08 LST	0.7	0.4	0.0	0.0	1.6	1.7	1.5	1.5	1.2	2.3	0.7	0.0	1.0	8	-78486
09-11 LST	0.0	0.4	0.0	0.0	2.4	1.7	0.9	0.6	0.0	1.0	0.4	0.4	0.7	8	-78486
12-14 LST	1.4	0.4	0.0	0.0	2.7	1.9	2.1	1.5	2.4	0.7	0.4	0.0	1.1	8	-78486
15-17 LST	0.4	0.8	0.4	0.3	1.9	2.8	1.8	2.1	1.8	1.7	1.1	1.1	1.4	8	-78486
18-20 LST	0.0	0.8	0.4	0.3	2.7	3.3	1.2	2.1	0.3	0.7	1.1	0.7	1.1	8	-78486
21-23 LST	0.0	1.2	0.7	0.0	2.4	2.8	0.3	0.3	0.9	0.7	0.4	0.0	0.8	8	-78486
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.4	0.0	0.0	0.0	0.3	0.8	0.0	0.0	0.0	0.3	0.0	0.0	0.2	8	-78486
03-05 LST	0.7	0.0	0.0	0.0	0.3	0.0	0.0	0.3	0.0	2.0	0.0	0.0	0.3	8	-78486
06-08 LST	0.7	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	1.3	0.0	0.0	0.2	8	-78486
09-11 LST	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-78486
12-14 LST	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.3	0.6	0.0	0.0	0.0	0.1	8	-78486
15-17 LST	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.9	0.0	0.7	0.0	0.0	0.2	8	-78486
18-20 LST	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.3	0.3	0.0	0.7	0.0	0.0	8	-78486
21-23 LST	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-78486

# PUNTA CAUGEDO INTL, DOMINICAN REPUBLIC

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	31.0	28.0	30.8	30.0	30.7	29.9	31.0	30.7	29.9	30.8	29.7	31.0	363.5	8	-78486
	01 LST	30.7	28.0	30.8	30.0	31.0	29.9	31.0	31.0	30.0	30.7	30.0	31.0	364.1	8	-78486
	07 LST	30.8	27.8	31.0	30.0	31.0	29.9	30.8	31.0	30.0	30.7	30.0	31.0	364.0	8	-78486
	13 LST	30.8	28.0	31.0	30.0	30.7	29.7	30.7	31.0	29.9	31.0	29.9	31.0	363.7	8	-78486
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	30.7	27.0	29.7	28.4	29.0	28.2	30.7	30.0	29.3	30.3	29.1	30.7	353.1	8	-78486
	01 LST	30.0	27.3	30.6	29.9	30.2	29.3	30.8	30.1	29.7	30.6	30.0	30.1	358.6	8	-78486
	07 LST	30.3	27.3	31.0	30.0	30.0	29.7	30.4	30.3	29.4	30.4	29.7	30.1	358.6	8	-78486
	13 LST	26.0	25.1	27.1	24.8	26.5	25.2	26.4	27.8	26.7	28.7	26.6	26.8	317.7	8	-78486
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-78486
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-78486
	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-78486
	13 LST	0.1	0.1	0.4	0.1	0.4	0.4	0.0	0.0	0.1	0.0	0.0	0.1	1.7	8	-78486
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	9.4	8.7	11.3	12.0	10.6	7.6	8.6	7.6	4.9	8.6	9.0	11.1	109.4	8	-78486
	01 LST	6.9	5.5	5.8	5.1	4.8	3.1	3.3	4.6	2.6	3.0	5.2	4.8	54.7	8	-78486
	07 LST	6.4	4.5	4.7	4.8	5.2	3.2	4.0	5.3	3.2	4.3	4.6	6.9	57.1	8	-78486
	13 LST	17.6	14.3	18.0	14.3	12.7	10.5	11.6	9.0	10.6	14.0	15.3	15.8	163.7	8	-78486
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	20.9	16.9	18.8	15.0	12.3	12.0	13.8	15.8	11.8	13.2	17.2	18.0	185.7	6	-78486
	01 LST	21.3	18.2	19.3	17.8	15.0	15.8	22.2	21.0	19.0	19.0	21.6	20.6	230.8	6	-78486
	07 LST	17.6	15.4	18.0	13.7	8.8	11.3	13.8	18.6	15.7	15.8	19.0	19.6	187.3	6	-78486
	13 LST	9.3	10.9	17.0	15.5	9.3	8.6	8.6	10.2	7.8	8.8	12.6	11.8	130.4	6	-78486
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	28.3	24.0	26.7	24.8	23.7	25.4	27.4	27.1	24.0	27.1	26.6	27.4	312.5	8	-78486
	01 LST	28.3	24.9	27.3	27.0	26.7	25.9	28.7	29.1	27.6	28.4	27.8	29.3	330.5	8	-78486
	07 LST	27.7	23.7	26.7	25.5	25.5	27.1	28.1	28.6	27.7	28.6	28.1	29.1	326.4	8	-78486
	13 LST	25.0	22.3	26.3	27.0	26.4	25.7	26.0	27.6	25.0	28.0	26.3	25.9	311.5	8	-78486
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.7	19.9	21.4	18.6	17.7	21.6	22.8	24.1	19.8	24.1	23.1	23.4	261.2	8	-78486
	01 LST	25.7	21.9	24.1	23.6	21.4	23.0	26.6	27.4	25.0	26.7	25.6	27.1	298.6	8	-78486
	07 LST	24.0	20.3	22.8	21.5	20.5	23.7	25.4	26.7	25.4	27.1	26.3	26.3	290.0	8	-78486
	13 LST	19.3	17.9	21.1	24.9	22.5	22.6	21.9	23.1	21.4	25.0	22.7	19.8	262.2	8	-78486
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.7	18.9	20.1	17.8	15.9	19.5	20.7	21.4	16.4	21.4	21.4	22.1	239.3	8	-78486
	01 LST	24.8	21.4	23.0	22.0	19.9	21.0	25.0	25.7	23.1	25.3	25.0	25.0	281.2	8	-78486
	07 LST	21.5	19.6	21.7	20.2	18.6	21.1	24.0	25.1	23.7	25.4	24.0	24.0	268.9	8	-78486
	13 LST	18.6	17.1	20.6	24.1	21.1	20.3	20.6	22.0	19.6	22.6	21.8	18.8	247.2	8	-78486

# SANTO DOMINGO, DOMINICAN REPUBLIC

STA NO. 78486 (IN AREA NUMBER 01)      LATITUDE 1826N      LONGITUDE 06940W      ELEVATION(FT) 00057

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	94	93	94	95	94	96	98	98	98	95	97	95	98	25	-528
MEAN MAX TMP (F)	84	85	84	85	86	87	88	88	88	87	86	85	86	26	-28
MEAN MIN TMP (F)	66	66	67	69	71	72	72	73	72	72	70	67	70	26	-29
ABS MIN TMP (F)	58	60	60	62	62	67	68	64	68	66	61	55	55	25	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.0	1.2	0.0	1.3	3.7	6.1	9.4	9.4	9.0	6.4	3.5	1.4	51.4	26	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN DEW PT TMP (F)	67	67	67	70	72	73	74	74	74	73	70	68	71	7	24203
MEAN REL HUM (PCT)	82	80	79	79	83	84	85	85	87	85	84	83	83	7	24197
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.40	1.40	1.90	3.90	6.80	6.20	6.40	6.30	7.30	6.00	4.80	2.40	55.9	25	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.3	2.0	4.4	7.6	9.9	11.8	12.0	11.9	11.2	9.1	7.2	4.3	95.7	25	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	0.3	0.0	0.0	0.0	0.4	0.1	0.1	0.3	0.1	0.7	0.1	0.0	2.1	8	2634
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	9.0	8.0	15.0	14.0	17.0	8.0	3.0	1.0	75.0	15	-65
P FREQ WND SPD = OR GTR 17 KTS	0.1	0.8	0.4	0.3	0.9	0.2	0.1	0.3	0.2	0.0	0.0	0.2	0.3	8	29811
P FREQ WND SPD = OR GTR 24 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	29811
P FREQ LES 5000 FT A/O LES 5 MI	23.4	27.0	25.9	25.3	33.2	26.5	25.8	22.3	23.4	16.5	17.9	19.8	23.9	8	29809
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	2.2	0.4	0.7	0.0	2.2	2.2	0.0	0.9	0.0	0.7	0.0	0.7	0.8	8	3732
03-05 LST	1.4	0.4	0.7	0.3	1.6	1.4	0.3	2.3	0.3	3.0	0.0	0.0	1.0	8	3725
06-08 LST	0.7	0.4	0.0	0.0	1.6	1.7	1.5	1.5	1.2	2.3	0.7	0.0	1.0	8	3732
09-11 LST	0.0	0.4	0.0	0.0	2.4	1.7	0.9	0.6	0.0	1.0	0.4	0.4	0.7	8	3722
12-14 LST	1.4	0.4	0.0	0.0	2.7	1.9	2.1	1.5	2.4	0.7	0.4	0.0	1.1	8	3733
15-17 LST	0.4	0.8	0.4	0.3	1.9	2.8	1.8	2.1	1.8	1.7	1.1	1.1	1.4	8	3725
18-20 LST	0.0	0.8	0.4	0.3	2.7	3.3	1.2	2.1	0.3	0.7	1.1	0.7	1.1	8	3731
21-23 LST	0.0	1.2	0.7	0.0	2.4	2.8	0.3	0.6	0.9	0.7	0.4	0.0	0.8	8	3721
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.4	0.0	0.0	0.0	0.3	0.8	0.0	0.0	0.0	0.3	0.0	0.0	0.2	8	3732
03-05 LST	0.7	0.0	0.0	0.0	0.3	0.0	0.0	0.3	0.0	2.0	0.0	0.0	0.3	8	3725
06-08 LST	0.7	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	1.3	0.0	0.0	0.2	8	3732
09-11 LST	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	3722
12-14 LST	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.3	0.6	0.0	0.0	0.0	0.1	8	3733
15-17 LST	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.9	0.0	0.7	0.0	0.0	0.2	8	3725
18-20 LST	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.3	0.3	0.0	0.7	0.0	0.2	8	3731
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	3721

# SANTO DOMINGO, DOMINICAN REPUBLIC

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	31.0	28.0	30.8	30.0	30.7	29.9	31.0	30.7	29.9	30.8	29.7	31.0	363.5	8	2635
	01 LST	30.7	28.0	30.8	30.0	31.0	29.9	31.0	31.0	30.0	30.7	30.0	31.0	364.1	8	2635
	07 LST	30.8	27.8	31.0	30.0	31.0	29.9	30.8	31.0	30.0	30.7	30.0	31.0	364.0	8	2635
	13 LST	30.8	28.0	31.0	30.0	30.7	29.7	30.7	31.0	29.9	31.0	29.9	31.0	363.7	8	2636
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	30.7	27.0	29.7	28.4	29.0	28.2	30.7	30.0	29.3	30.3	29.1	30.7	353.1	8	2635
	01 LST	30.0	27.3	30.6	29.9	30.2	29.3	30.8	30.1	29.7	30.6	30.0	30.1	358.6	8	2635
	07 LST	30.3	27.3	31.0	30.0	30.0	29.7	30.4	30.3	29.4	30.4	29.7	30.1	358.6	8	2635
	13 LST	26.0	25.1	27.1	24.8	26.5	25.2	26.4	27.8	26.7	28.7	26.6	26.8	317.7	8	2636
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2623
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2626
	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2630
	13 LST	0.1	0.1	0.4	0.1	0.4	0.4	0.0	0.0	0.1	0.0	0.0	0.1	1.7	8	2623
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	9.4	8.7	11.3	12.0	10.6	7.6	8.6	7.6	4.9	8.6	9.0	11.1	109.4	8	2623
	01 LST	6.9	5.5	5.8	5.1	4.8	3.1	3.3	4.6	2.6	3.0	5.2	4.8	54.7	8	2626
	07 LST	6.4	4.5	4.7	4.8	5.2	3.2	4.0	5.3	3.2	4.3	4.6	6.9	57.1	8	2630
	13 LST	17.6	14.3	18.0	14.3	12.7	10.5	11.6	9.0	10.6	14.0	15.3	15.8	163.7	8	2623
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	20.9	16.9	18.8	15.0	12.3	12.0	13.8	15.8	11.8	13.2	17.2	18.0	185.7	6	2006
	01 LST	21.3	18.2	19.3	17.8	15.0	15.8	22.2	21.0	19.0	19.0	21.6	20.6	230.8	6	2006
	07 LST	17.6	15.4	18.0	13.7	8.8	11.3	13.8	18.6	15.7	15.8	19.0	19.6	187.3	6	2006
	13 LST	9.3	10.9	17.0	15.5	9.3	8.6	8.6	10.2	7.8	8.8	12.6	11.8	130.4	6	2007
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	28.3	24.0	26.7	24.8	23.7	25.4	27.4	27.1	24.0	27.1	26.6	27.4	312.5	8	2635
	01 LST	28.3	24.9	27.3	27.0	26.2	25.9	28.7	29.1	27.6	28.4	27.8	29.3	330.5	8	2635
	07 LST	27.7	23.7	26.7	25.5	25.5	27.1	28.1	28.6	27.7	28.6	28.1	29.1	326.4	8	2635
	13 LST	25.0	22.3	26.3	27.0	26.4	25.7	26.0	27.6	25.0	28.0	26.3	25.9	311.5	8	2636
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.7	19.9	21.4	18.6	17.7	21.6	22.8	24.1	19.8	24.1	23.1	23.4	261.2	8	2635
	01 LST	25.7	21.9	24.1	23.6	21.9	23.0	26.6	27.4	25.0	26.7	25.6	27.1	298.6	8	2635
	07 LST	24.0	20.3	22.8	21.5	20.5	23.7	25.4	26.7	25.4	27.1	26.3	26.3	290.0	8	2635
	13 LST	19.3	17.9	21.1	24.9	22.5	22.6	21.9	23.1	21.4	25.0	22.7	19.8	262.2	8	2636
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.7	18.9	20.1	17.8	15.9	19.5	20.7	21.4	16.4	21.4	21.4	22.1	239.3	8	2635
	01 LST	24.8	21.4	23.0	22.0	19.9	21.0	25.0	25.7	23.1	25.3	25.0	25.0	281.2	8	2635
	07 LST	21.5	19.6	21.7	20.2	18.6	21.1	24.0	25.1	23.7	25.4	24.0	24.0	268.9	8	2635
	13 LST	18.6	17.1	20.6	24.1	21.1	20.3	20.6	22.0	19.6	22.6	21.8	18.8	247.2	8	2636

### AREA NO. 01

DOMINICAN REPUBLIC		LOWLANDS		LATITUDE 1845N		LONGITUDE 06930W									
BOUNDARIES		1930N 07145W	1920N 07000W	1920N 07000W	1830N 07000W	1830N 07000W	1830N 07000W	1820N 07145W							
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)		83	84	85	86	87	88	90	90	90	88	86	84	87	
MEAN MIN TMP (F)		69	69	70	71	72	73	74	76	75	75	72	70	72	
LARGEST MEAN PRECIP (IN)		7.68	3.28	2.87	2.33	2.10	2.30	6.40	6.30	7.30	13.58	9.98	3.10	86.2	
SMALLEST MEAN PRECIP (IN)		1.00	1.10	1.20	2.20	6.10	2.80	1.30	2.40	4.20	3.90	2.80	1.10	30.3	
MEAN NUMBER OF DAYS															
CIG = GTR 1000 FT AND VSBY = GTR 3 MI		19 LST	31.0	28.0	30.9	30.0	30.9	30.0	31.0	30.7	30.0	30.9	29.7	31.0	364.1
		01 LST	30.9	28.0	30.8	30.0	31.0	30.0	31.0	31.0	30.0	30.9	30.0	31.0	364.6
		07 LST	30.9	27.9	31.0	30.0	31.0	30.9	30.9	30.0	30.9	30.0	30.0	31.0	364.5
		13 LST	30.9	28.0	31.0	30.0	30.9	29.9	30.9	30.9	30.0	30.9	30.0	31.0	364.4
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS		19 LST	22.4	18.3	23.7	21.5	22.1	24.5	25.4	24.8	25.0	26.0	21.7	23.2	278.6
		01 LST	20.3	16.6	20.9	20.7	22.1	23.3	21.8	23.2	23.7	25.8	20.0	22.0	260.4
		07 LST	22.8	20.7	24.5	23.8	26.2	26.4	28.6	27.1	26.7	27.6	24.7	23.8	303.1
		13 LST	23.4	20.3	24.1	23.0	25.7	25.4	26.8	26.2	26.5	27.8	23.8	24.0	297.0
SFC WND = GTR 17 KTS AND NO PRECIP.		19 LST	0.5	1.6	0.9	1.2	1.0	0.0	0.0	0.3	0.0	0.3	0.3	0.5	6.6
		01 LST	1.5	2.7	1.8	2.8	2.1	0.0	0.7	0.4	0.2	0.2	0.4	0.5	13.3
		07 LST	0.7	0.8	0.7	0.4	0.1	0.0	0.0	0.1	0.2	0.2	0.5	0.1	3.8
		13 LST	0.3	0.7	0.2	0.1	0.2	0.4	0.0	0.0	0.2	0.0	0.1	0.3	2.5
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.		19 LST	12.5	8.6	12.4	12.9	12.4	11.6	14.6	12.8	11.6	13.3	14.2	12.9	149.8
		01 LST	8.9	5.2	8.4	7.0	8.8	9.5	9.4	10.0	9.0	8.9	10.6	8.3	104.0
		07 LST	10.9	7.8	8.9	10.6	11.5	10.5	13.2	11.5	9.1	10.9	12.0	11.5	128.4
		13 LST	19.0	15.7	18.7	17.2	15.8	15.1	16.4	14.2	13.0	16.6	17.7	16.6	196.0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI		19 LST	15.7	13.2	16.4	12.3	6.8	7.0	8.6	9.4	7.0	8.9	10.3	11.4	127.5
		01 LST	16.1	12.9	15.5	13.6	10.2	10.6	15.5	12.6	12.3	12.7	13.8	13.1	158.9
		07 LST	11.7	10.3	13.1	10.4	5.6	7.2	10.4	11.2	9.9	10.2	11.4	11.9	123.3
		13 LST	8.3	9.5	14.9	11.6	6.5	6.2	8.1	7.4	5.1	6.5	8.0	8.1	100.2
CIG = GTR 2500 FT AND VSBY = GTR 3 MI		19 LST	27.4	24.0	27.0	25.3	24.8	23.9	27.5	26.9	23.5	26.0	26.2	27.1	309.6
		01 LST	27.9	24.7	27.4	26.3	25.4	25.3	28.8	27.2	26.7	27.3	26.4	28.3	321.7
		07 LST	27.1	23.9	27.1	26.9	26.4	27.2	28.5	28.7	26.9	27.6	26.8	28.2	325.3
		13 LST	26.5	24.5	28.0	28.0	27.7	26.4	28.3	28.4	26.4	27.6	26.9	26.8	325.5
CIG = GTR 6000 FT AND VSBY = GTR 3 MI		19 LST	24.2	20.4	22.6	20.4	18.9	19.8	23.2	23.0	19.7	22.1	22.8	23.1	260.2
		01 LST	25.5	21.5	23.5	22.6	19.6	21.7	26.9	24.7	23.6	24.6	23.6	24.8	282.6
		07 LST	23.1	20.8	23.7	23.6	21.6	22.6	25.4	26.2	23.9	25.4	24.5	25.5	286.3
		13 LST	22.1	21.4	24.4	26.1	24.7	23.6	25.8	24.3	23.1	24.4	23.8	21.6	285.3
CIG = GTR 10000 FT AND VSBY = GTR 3 MI		19 LST	23.7	19.9	21.9	20.0	18.0	18.7	22.1	21.7	18.0	20.7	21.9	22.4	249.0
		01 LST	25.1	21.2	22.9	21.8	18.6	20.7	26.1	23.8	22.7	23.9	23.3	23.8	273.9
		07 LST	21.9	20.5	23.2	23.0	20.7	21.2	24.7	25.4	23.0	24.6	23.3	24.3	275.8
		13 LST	21.8	21.0	24.1	25.7	23.9	22.2	25.1	23.7	22.2	23.2	23.4	21.1	277.4

## CONSTANZA, DOMINICAN REPUBLIC

STA NO. 78462/ (IN AREA NUMBER 02)

LATITUDE 1854N

LONGITUDE 07043W

ELEVATION(FT) 03529

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	84	88	90	93	93	88	90	86	88	93	86	86	93	10	-35
MEAN MAX TMP (F)	74	74	76	75	76	77	77	78	78	77	75	74	76	19	-35
MEAN MIN TMP (F)	46	47	48	51	53	53	53	54	54	53	51	48	51	19	-35
ABS MIN TMP (F)	32	32	32	37	41	46	40	45	47	46	37	32	32	10	-35
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0			0.0	0.0	0.0	0.0		0.0	0.0		19	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	3472	3475	3490	3505	3523	3506	3490	3520	3551	3563	3558	3515	3514	0	-50
MEAN PRECIP (IN)	2.00	1.60	1.50	3.10	8.40	5.00	3.10	3.60	4.90	5.30	3.10	2.60	44.2	30	-35
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.2	2.3	3.6	6.4		10.3	7.0	8.0	7.4	8.0	4.8	5.0		30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LFS 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/C LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# CONSTANZA, DOMINICAN REPUBLIC

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI w/SFC WND LES 10 KTS	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST														0	0
	01 LST														0	0
	07 LST														0	0
	13 LST														0	0

DATA NOT AVAILABLE

## AREA NO. 02

DOMINICAN REPUBLIC

MOUNTAINS

LATITUDE 1900N    LONGITUDE 07100W

BOUNDARIES    1930N 07145W    1920N 07000W    1920N 07000W    1830N 07000W    1830N 07000W    1820N 07145W

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	74	74	76	75	76	77	77	78	78	77	75	74	76
MEAN MIN TMP (F)	46	47	48	51	53	53	53	54	54	53	51	48	51
LARGEST MEAN PRECIP(IN)	2.00	1.60	1.50	3.10	8.40	5.00	3.10	3.60	4.90	5.30	3.10	2.60	44.2
SMALLEST MEAN PRECIP(IN)	2.00	1.60	1.50	3.10	8.40	5.00	3.10	3.60	4.90	5.30	3.10	2.60	44.2

MEAN NUMBER OF DAYS

CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST 01 LST 07 LST 13 LST
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST 01 LST 07 LST 13 LST
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST 01 LST 07 LST 13 LST
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST 01 LST 07 LST 13 LST
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST 01 LST 07 LST 13 LST
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST 01 LST 07 LST 13 LST
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST 01 LST 07 LST 13 LST
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST 01 LST 07 LST 13 LST

DATA NOT AVAILABLE

# PETIONVILLE, HAITI

STA NO. 78400/ (IN AREA NUMBER 01)

LATITUDE 1831N

LONGITUDE 07217W

ELEVATION(FT) 01312

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	90	90	92	92	93	93	96	97	95	93	91	90	97	11	-35
MEAN MAX TMP (F)	84	84	86	86	86	88	90	89	88	86	84	83	86	11	-35
MEAN MIN TMP (F)	63	64	65	66	66	68	69	69	69	68	67	64	67	11	-35
ABS MIN TMP (F)	57	54	58	58	59	58	64	64	58	63	59	56	54	11	-35
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	3.7	3.5	3.7	9.0	15.9	12.6	9.0	3.7	0.0	0.0	61.1	11	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS TMP = OR LES 6(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.60	1.90	3.50	7.30	10.00	5.00	3.60	5.90	7.50	7.10	3.20	1.30	57.3	56	-35
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.5	3.0	7.0	10.1		10.3	8.0	11.5	11.6	10.9	4.9	1.8		56	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.2	0.2	0.3	0.6	0.6	0.1	0.1	0.1	2.2	1	-35
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

# PETIONVILLE, HAITI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POP (YRS)	NO. OBS
CIG = GTR 1000 FT AND	15 LST													0	0
VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR	19 LST													0	0
3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SFC WND = GTR 17 KTS AND	19 LST													0	0
NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89	19 LST													0	0
DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
SKY COVER LES 3/10 AND	19 LST													0	0
VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 2500 FT AND	19 LST													0	0
VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 6000 FT AND	19 LST													0	0
VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
CIG = GTR 10000 FT AND	19 LST													0	0
VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0

DATA NOT AVAILABLE

# BOWEN, HAITI

STA NO. 78439 (IN AREA NUMBER 01)

LATITUDE 1833N

LONGITUDE 07219W

ELEVATION (FT) 00106

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YFS)	NO. OBS
ABS MAX TMP (F)	95	96	98	98	99	99	101	101	99	98	96	93	101	59	-528
MEAN MAX TMP (F)	87	88	89	89	90	92	94	93	91	90	88	87	90	42	-28
MEAN MIN TMP (F)	68	68	69	71	72	73	74	73	73	72	71	69	71	42	-28
ABS MIN TMP (F)	61	61	60	61	64	66	67	68	67	66	63	58	58	59	-528
MEAN NO DYS TMP = OR GTR 90(F)	6.4	8.4	12.6	12.1	15.9	21.5	27.4	25.1	18.5	15.9	9.0	6.4	179.2	42	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1397
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1397
MEAN DEW PT TMP (F)	66	65	66	69	70	71	71	72	72	73	70	67	69	8	37243
MEAN REL HUM (PCT)	58	58	58	60	65	61	56	61	65	68	65	61	61	56	-28
MEAN PRESS ALT (FT)	34	37	57	68	90	74	57	87	122	130	119	76	79	0	-50
MEAN PRECIP (IN)	1.30	2.30	3.40	6.30	9.10	4.00	2.90	5.70	6.90	6.70	3.40	1.30	53.3	70	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	59	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.8	4.0	6.9	9.7		9.7	6.5	11.2	10.6	10.3	5.2	1.8		70	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	59	-29
MEAN NO DYS W/OCUR VSBY LES .72 MI	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.8	8	2340
MEAN NO DYS TSTMS	0.9	0.9	2.1	5.2	11.9	14.0	14.0	16.9	19.5	14.3	5.4	1.5	106.6	21	-61
P FREQ WND SPD = OR GTR 17 KTS	3.7	2.3	3.3	2.2	2.8	5.1	6.0	3.9	2.3	0.5	0.5	0.7	2.8	8	37420
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.1	0.1	0.1	0.1	0.3	0.3	0.2	0.2	0.0	0.0	0.0	0.1	8	37420
P FREQ LES 3000 FT A/O LES 5 MI	5.6	8.9	11.5	16.0	15.3	10.7	12.5	9.6	10.2	11.1	6.9	4.9	10.3	7	37338
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.1	8	4948
03-05 LST	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	4047
06-08 LST	0.3	0.0	0.1	0.3	0.0	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.1	18	7828
09-11 LST	0.0	0.0	0.0	0.0	0.4	0.0	0.3	0.0	0.0	0.8	0.0	0.0	0.1	5	4165
12-14 LST	0.0	0.0	0.0	0.2	1.1	0.3	0.1	0.0	0.2	0.1	0.0	0.0	0.2	18	7862
15-17 LST	0.2	0.0	0.0	0.0	0.8	0.3	0.4	0.1	0.6	0.3	0.0	0.2	0.2	18	7762
18-20 LST	0.2	0.2	0.0	1.3	2.5	1.2	0.6	1.4	1.7	0.4	0.2	0.0	0.8	8	5361
21-23 LST	0.0	0.0	0.0	0.7	0.4	0.0	0.3	0.5	0.0	0.3	0.0	0.0	0.2	5	3981
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	8	4948
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	4047
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	7828
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	4165
12-14 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	18	7862
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.2	0.0	0.0	0.0	0.0	18	7762
18-20 LST	0.0	0.0	0.0	0.1	0.8	0.2	0.0	0.0	0.4	0.0	0.0	0.0	0.1	8	5361
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	5	3981

## BOWEN, HAITI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANA	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	31.0	28.0	31.0	29.7	29.7	29.6	30.7	30.7	29.3	31.0	30.0	31.0	361.7	8	2653
	01 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	30.8	30.0	30.8	30.0	31.0	364.6	8	2308
	07 LST	31.0	28.0	30.9	29.9	31.0	29.9	31.0	31.0	30.0	31.0	30.0	31.0	364.7	18	5056
	13 LST	30.9	28.0	31.0	29.9	30.6	30.0	30.8	31.0	29.9	30.9	30.0	31.0	364.0	18	5097
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	27.2	23.6	21.7	20.5	21.2	20.5	19.4	22.4	22.8	26.5	27.0	28.1	280.9	8	2650
	01 LST	27.2	22.6	23.7	25.2	25.2	23.9	23.5	26.8	27.4	28.8	27.5	28.1	309.9	8	2307
	07 LST	28.4	24.8	25.6	24.1	24.4	21.0	22.9	24.1	25.1	27.7	27.4	28.3	303.8	18	5055
	13 LST	13.3	12.0	11.7	10.0	11.6	9.8	6.8	8.9	12.5	17.5	17.0	18.3	149.4	18	5095
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.3	0.6	1.3	1.5	0.4	1.0	2.0	1.1	0.5	0.1	0.0	0.0	8.8	8	2669
	01 LST	0.0	0.0	0.0	0.0	0.2	0.3	0.4	0.3	0.3	0.0	0.0	0.0	1.5	8	2312
	07 LST	0.0	0.0	0.1	0.1	0.5	0.2	0.2	0.2	0.1	0.0	0.0	0.0	1.4	18	5143
	13 LST	2.0	1.4	1.8	1.1	1.1	3.4	4.5	1.9	1.0	0.2	0.3	0.5	19.2	18	5132
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	11.5	10.8	18.6	18.2	15.8	15.2	12.5	13.6	13.1	13.4	10.5	11.1	164.3	8	2657
	01 LST	15.9	14.2	19.5	19.4	17.6	19.4	18.6	14.6	12.3	14.4	10.9	12.5	189.3	8	2308
	07 LST	17.9	17.8	21.7	22.3	23.6	23.0	23.2	21.6	20.0	17.2	17.9	18.7	244.9	18	5136
	13 LST	19.6	16.5	15.3	11.8	9.8	5.0	3.8	3.6	4.2	7.6	14.2	20.7	132.1	18	5127
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	14.6	12.0	11.3	7.3	2.8	2.7	4.4	3.5	3.4	4.2	10.7	16.3	93.2	4	1397
	01 LST	24.0	16.8	19.5	15.8	11.8	17.2	20.7	16.6	12.8	14.8	20.6	23.6	213.7	4	1069
	07 LST	22.3	18.2	21.6	16.7	12.4	13.3	17.8	19.3	16.0	15.3	19.1	20.6	212.6	14	3848
	13 LST	16.3	12.3	12.8	8.8	4.2	4.2	7.6	7.9	3.8	7.0	11.5	13.2	109.6	14	3849
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	30.7	27.8	30.3	28.4	27.8	28.7	30.1	29.9	28.2	30.2	29.5	30.6	351.7	8	2653
	01 LST	30.8	27.8	31.0	29.6	30.5	29.3	30.7	30.8	29.9	30.7	30.0	30.7	361.8	8	2308
	07 LST	30.8	27.9	30.8	29.9	30.9	29.9	31.0	30.8	29.9	30.9	30.0	30.9	363.7	18	5056
	13 LST	30.9	27.9	31.0	29.8	30.4	29.9	30.7	30.9	29.8	30.8	29.9	31.0	363.0	18	5097
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	25.5	22.3	20.8	14.9	16.4	20.0	23.3	20.9	18.9	24.5	25.2	27.1	261.8	8	2653
	01 LST	29.4	24.5	27.2	25.0	24.4	27.1	27.5	28.7	28.5	27.4	28.1	29.8	327.6	8	2308
	07 LST	30.0	27.1	29.3	28.7	30.0	29.9	30.7	30.5	29.7	30.1	29.9	30.5	356.4	18	5056
	13 LST	29.8	27.0	29.6	28.3	27.2	27.4	28.3	28.5	28.1	29.0	29.5	30.3	343.0	18	5097
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	25.0	21.6	19.5	15.1	15.1	19.0	22.6	19.9	17.9	23.6	23.7	26.6	249.6	8	2653
	01 LST	28.7	23.8	25.7	23.9	22.7	26.6	27.1	28.1	28.1	27.4	28.1	29.5	319.7	8	2308
	07 LST	29.8	26.8	29.3	28.1	29.3	29.4	30.6	30.3	29.6	29.8	29.6	30.3	352.9	18	5056
	13 LST	29.7	27.0	29.4	28.2	26.4	27.3	28.1	28.0	28.0	28.5	29.1	30.0	339.7	18	5097

### AREA NO. 01

PARAMETER DESCRIPTION	HAITI		VALLEY		LATITUDE 1633N		LONGITUDE 07219W							
	BOUNDARIES		1630N 07240W	1635N 07150W	1835N 07150W	1910N 07245W								
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	86	86	88	88	88	90	92	91	90	88	86	85	88	
MEAN MIN TMP (F)	66	66	67	69	70	71	72	71	71	70	69	67	69	
LARGEST MEAN PRECIP(IN)	1.30	2.30	3.50	7.30	10.00	5.00	3.60	5.90	7.50	7.10	3.40	1.30	58.2	
SMALLEST MEAN PRECIP(IN)	1.00	1.90	3.40	6.30	9.10	4.00	2.90	5.70	6.90	6.70	3.20	1.30	52.4	
	MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	31.0	28.0	31.0	29.7	29.7	29.6	30.7	30.7	29.3	31.0	30.0	31.0	361.7
	01 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	30.8	30.0	30.8	30.0	31.0	364.6
	07 LST	31.0	28.0	30.9	29.9	31.0	29.9	31.0	31.0	30.0	31.0	30.0	31.0	364.7
	13 LST	30.9	28.0	31.0	29.9	30.6	30.0	30.8	31.0	29.9	30.9	30.0	31.0	364.0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	19 LST	27.2	23.6	21.7	20.5	21.2	20.5	19.4	22.4	22.8	26.5	27.0	28.1	280.9
	01 LST	27.2	22.6	23.7	25.2	25.2	23.9	23.5	26.8	27.4	28.8	27.5	28.1	309.9
	07 LST	28.4	24.8	25.6	24.1	24.4	21.0	22.9	24.1	25.1	27.7	27.4	28.3	303.8
	13 LST	13.3	12.0	11.7	10.0	11.6	9.8	6.8	8.9	12.5	17.5	17.0	18.3	149.4
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.3	0.6	1.3	1.5	0.4	1.0	2.0	1.1	0.5	0.1	0.0	0.0	8.8
	01 LST	0.0	0.0	0.0	0.0	0.2	0.3	0.4	0.3	0.3	0.0	0.0	0.0	1.5
	07 LST	0.0	0.0	0.1	0.1	0.5	0.2	0.2	0.2	0.1	0.0	0.0	0.0	1.4
	13 LST	2.0	1.4	1.8	1.1	1.1	3.4	4.5	1.9	1.0	0.2	0.3	0.5	19.2
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	11.5	10.8	18.6	18.2	15.8	15.2	12.5	13.6	13.1	13.4	10.5	11.1	164.3
	01 LST	15.9	14.2	19.5	19.4	17.6	19.4	18.6	14.6	12.3	14.4	10.9	12.5	189.3
	07 LST	17.9	17.8	21.7	22.3	23.6	23.0	23.2	21.6	20.0	17.2	17.9	18.7	244.9
	13 LST	19.6	16.5	15.3	11.8	9.8	5.0	3.8	3.6	4.2	7.6	14.2	20.7	132.1
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	14.6	12.0	11.3	7.3	2.8	2.7	4.4	3.5	3.4	4.2	10.7	16.3	93.2
	01 LST	24.0	16.8	19.5	15.8	11.8	17.2	20.2	16.6	12.8	14.8	20.6	23.6	213.7
	07 LST	22.3	18.2	21.6	16.7	12.4	13.3	17.8	19.3	16.0	15.3	19.1	20.6	212.6
	13 LST	16.3	12.3	12.8	8.8	4.2	4.2	7.6	7.9	3.8	7.0	11.5	13.2	109.6
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	30.7	27.8	30.3	28.4	27.8	28.2	30.1	29.9	28.2	30.2	29.5	30.6	351.7
	01 LST	30.8	27.8	31.0	29.6	30.5	29.3	30.7	30.8	29.9	30.7	30.0	30.7	361.8
	07 LST	30.8	27.9	30.8	29.9	30.9	29.9	31.0	30.8	29.9	30.9	30.0	30.9	363.7
	13 LST	30.9	27.9	31.0	29.8	30.4	29.9	30.7	30.9	29.8	30.8	29.9	31.0	363.0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	25.5	22.3	20.8	16.9	16.4	20.0	23.3	20.9	18.9	24.5	25.2	27.1	261.8
	01 LST	29.4	24.5	27.2	25.0	24.4	27.1	27.5	28.7	28.5	27.4	28.1	29.8	327.6
	07 LST	30.0	27.1	29.3	28.7	30.0	29.9	30.7	30.5	29.7	30.1	29.9	30.5	356.4
	13 LST	29.8	27.0	29.6	28.3	27.2	27.4	28.3	28.5	28.1	29.0	29.5	30.3	343.0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	25.0	21.6	19.5	15.1	15.1	19.0	22.6	19.9	17.9	23.6	23.7	26.6	249.6
	01 LST	28.7	23.8	25.7	23.9	22.7	26.6	27.1	28.1	28.1	27.4	28.1	29.5	319.7
	07 LST	29.8	26.8	29.3	28.1	29.3	29.4	30.6	30.3	29.6	29.8	29.6	30.3	352.9
	13 LST	29.7	27.0	29.4	28.2	26.4	27.3	28.1	28.0	28.0	28.5	29.1	30.0	339.7

**AREA NO. 02**

HAITI

MOUNTAINS  
 BOUNDARIES 1830N 07240W 1835N 07150W 1835N 07150W 1910N 07245W  
 LATITUDE 1930N LONGITUDE 07230W

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)													
MEAN MIN TMP (F)													
LARGEST MEAN PRECIP(IN)													
SMALLEST MEAN PRECIP(IN)													
	MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI													
	00	LST											
	06	LST											
	12	LST											
	18	LST											
CIG =GTR 2000 FT AND VSBY =GTR 3 MI w/SFC WND LES 10 KTS													
	00	LST											
	06	LST											
	12	LST											
	18	LST											
SFC WND = GTR 17 KTS AND NO PRECIP.													
	00	LST											
	06	LST											
	12	LST											
	18	LST											
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.													
	00	LST											
	06	LST											
	12	LST											
	18	LST											
SKY COVER LES 3/10 AND VSBY = GTR 3 MI													
	00	LST											
	06	LST											
	12	LST											
	18	LST											
CIG = GTR 2500 FT AND VSBY = GTR 3 MI													
	00	LST											
	06	LST											
	12	LST											
	18	LST											
CIG = GTR 6000 FT AND VSBY = GTR 3 MI													
	00	LST											
	06	LST											
	12	LST											
	18	LST											
CIG = GTR 10000 FT AND VSBY = GTR 3 MI													
	00	LST											
	06	LST											
	12	LST											
	18	LST											

**DATA NOT AVAILABLE**

# MONTEGO BAY INTL, JAMAICA

STA NO. 7838A (IN AREA NUMBER 01)

LATITUDE 1830N

LONGITUDE 07754W

ELEVATION(FT) 00003

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	84	84	85	85	87	88	88	88	88	87	86	86	86	0	-50
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LLS 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)	66	67	68	69	71	72	72	73	73	73	71	69	70	0	-50
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	-72	-70	-42	-34	-4	-11	-34	-6	28	37	7	-35	-19	0	-50
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

**MONTEGO BAY INTL, JAMAICA**  
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
														(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19	LST												0	0
	01	LST												0	0
	07	LST												0	0
	13	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	19	LST												0	0
	01	LST												0	0
	07	LST												0	0
	13	LST												0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19	LST												0	0
	01	LST												0	0
	07	LST												0	0
	13	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19	LST												0	0
	01	LST												0	0
	07	LST												0	0
	13	LST												0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19	LST												0	0
	01	LST												0	0
	07	LST												0	0
	13	LST												0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19	LST												0	0
	01	LST												0	0
	07	LST												0	0
	13	LST												0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19	LST												0	0
	01	LST												0	0
	07	LST												0	0
	13	LST												0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19	LST												0	0
	01	LST												0	0
	07	LST												0	0
	13	LST												0	0

DATA NOT AVAILABLE

# KINGSTON/VERNAM, JAMAICA

STA NO. 76395/ (IN AREA NUMBER 01)

LATITUDE 1754N

LONGITUDE 07717W

ELEVATION(FT) 00018

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	95	94	94	94	95	95	96	97	96	96	96	96	97	33	-528
MEAN MAX TMP (F)	86	86	86	87	87	89	90	90	89	88	87	87	88	33	-28
MEAN MIN TMP (F)	67	67	66	70	72	74	73	73	73	73	71	69	71	33	-28
ABS MIN TMP (F)	57	56	58	62	60	66	66	68	67	65	57	57	56	33	-528
MEAN NO DYS TMP = CR GTR 90(F)	3.3	3.3	5.8	11.0	15.8	14.3	23.5	22.1	19.1	18.3	13.8	5.0	155.3	9	2760
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2760
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2760
MEAN DEW PT TMP (F)	67	66	67	69	71	72	72	73	73	73	70	68	70	8	61385
MEAN REL HUM (PCT)	73	72	72	72	73	72	71	73	76	79	74	75	74	16	-61
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.90	0.60	0.90	1.20	4.00	3.50	1.50	3.60	3.90	7.10	2.90	1.40	31.5	59	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.4	1.3	2.4	3.0	7.7	7.8	3.0	8.0	5.9	10.9	4.6	2.0	58.0	59	-29
MEAN NO DYS SNFL = CR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33	-29
MEAN NO DYS W/OCUR VSEY LES 1/2 MI	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.2	0.1	0.1	0.1	0.0	0.7	8	2692
MEAN NO DYS TSTMS	0.1	0.1	0.3	1.1	5.5	4.0	7.6	9.1	11.8	8.4	3.3	0.8	52.1	8	2522
P FREQ WND SPD = CR GTR 17 KTS	0.9	1.2	2.4	2.2	1.1	4.4	4.7	3.1	0.9	0.2	0.1	0.4	1.8	8	61470
P FREQ WND SPD = CR GTR 21 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	61470
P FREQ LES 5000 FT A/O LES 5 MI	10.8	14.2	15.9	17.6	18.5	17.4	11.6	12.3	16.4	17.9	10.9	10.8	14.5	8	61444
P FREQ LES 1900 FT A/O LES 3 MI														8	7622
FOR 00-02 LST	0.0	0.0	0.0	0.0	1.5	1.9	0.3	0.4	1.3	0.5	0.3	0.9	0.6	8	7504
03-05 LST	0.0	0.0	0.2	0.0	1.0	2.4	0.2	0.7	1.5	0.9	0.0	0.9	0.7	8	7504
06-08 LST	0.4	0.5	0.9	0.5	1.0	5.1	0.4	0.9	2.8	1.5	0.2	0.1	1.2	9	8135
09-11 LST	0.3	0.3	0.2	0.0	1.9	4.4	0.5	1.9	4.5	1.2	0.8	0.4	1.4	9	8234
12-14 LST	0.0	0.8	0.1	0.5	1.9	4.1	1.2	2.2	3.1	2.3	1.3	0.6	1.5	9	8227
15-17 LST	0.4	1.2	1.1	0.6	3.1	3.9	1.9	2.0	3.5	3.7	0.8	0.9	1.9	9	8198
18-20 LST	0.0	0.7	0.3	0.6	2.0	3.0	1.5	1.8	1.7	2.0	0.8	0.9	1.3	8	7819
21-23 LST	0.0	0.2	0.7	0.0	0.7	2.5	0.3	1.1	1.3	1.5	0.6	0.5	0.7	8	7489
P FREQ LES 300 FT A/O LES 1 MI														8	7622
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	8	7622
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	8	7504
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.3	0.0	0.0	0.0	9	8135
09-11 LST	0.0	0.0	0.0	0.0	0.4	0.1	0.0	0.0	0.3	0.0	0.0	0.0	0.1	9	8234
12-14 LST	0.0	0.0	0.0	0.0	0.4	0.4	0.0	0.4	0.1	0.5	0.3	0.0	0.2	9	8227
15-17 LST	0.0	0.0	0.0	0.0	0.1	0.4	0.0	0.4	0.1	0.0	0.0	0.0	0.1	9	8198
18-20 LST	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.3	0.0	0.2	0.0	0.0	0.1	8	7819
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	8	7489

# KINGSTON/VERNAM, JAMAICA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.8	28.0	31.0	29.9	30.5	29.3	30.7	30.5	30.0	30.6	29.9	30.8	362.0	9	2837
	01 LST	31.0	28.0	31.0	30.0	30.6	29.6	31.0	31.0	29.7	30.8	30.0	31.0	363.9	8	2670
	07 LST	31.0	27.9	31.0	30.0	31.0	28.9	31.0	31.0	29.6	30.6	30.0	31.0	363.0	9	2839
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	19 LST	31.0	27.9	31.0	30.0	30.6	29.4	30.7	30.6	29.7	30.4	29.9	31.0	362.2	9	2838
	01 LST	30.3	26.4	27.9	28.4	28.7	24.6	25.5	28.0	28.4	29.0	29.4	29.9	336.5	9	2837
	07 LST	30.8	28.0	30.7	29.9	30.6	28.7	31.0	30.5	28.9	30.0	29.6	30.3	359.0	8	2670
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	30.6	27.7	30.5	29.7	30.3	27.2	30.7	30.0	28.7	29.9	29.9	30.4	355.1	9	2839
	01 LST	17.5	10.4	6.7	7.1	8.7	6.1	3.7	8.2	10.1	17.4	22.1	20.7	138.7	9	2838
	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2656
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2818
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2810
	07 LST	1.2	1.2	4.0	2.6	2.1	4.9	5.3	3.8	0.9	0.1	0.0	0.9	27.0	9	2810
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	13.4	14.8	17.3	15.1	15.9	15.9	16.6	15.9	13.1	10.9	11.3	12.5	172.7	9	2804
	01 LST	12.7	10.4	10.9	11.9	9.7	11.8	9.3	12.2	11.3	7.4	9.3	11.3	128.2	8	2655
	07 LST	10.7	9.8	9.5	12.2	12.1	10.8	9.6	12.1	10.6	9.9	7.7	9.1	124.1	9	2818
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	19.1	14.2	11.5	10.0	10.9	9.1	4.0	5.0	8.1	15.8	19.2	20.2	147.1	9	2810
	01 LST	16.0	11.9	13.2	9.2	4.1	2.5	4.0	4.0	2.8	4.7	8.3	9.3	90.0	4	1366
	07 LST	25.0	23.5	26.0	22.7	18.5	15.5	19.2	20.2	13.1	16.3	18.7	17.6	236.3	4	1367
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	17.0	17.1	18.0	14.0	8.2	7.0	8.2	9.0	4.5	7.0	11.3	13.0	134.3	4	1368
	01 LST	3.2	3.0	3.2	3.8	2.0	1.7	2.5	2.7	1.3	0.7	2.6	3.3	30.0	4	1367
	07 LST	29.9	26.3	29.7	24.0	28.6	27.4	29.6	29.4	27.1	28.1	28.3	29.8	343.2	9	2837
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	31.0	27.7	30.7	29.9	30.0	28.4	30.3	30.1	28.1	29.5	29.1	30.3	355.1	8	2670
	01 LST	30.7	27.9	30.5	29.4	30.0	27.1	30.3	30.0	28.2	29.0	29.7	30.6	353.4	9	2839
	07 LST	30.6	27.1	30.0	29.4	29.4	27.2	29.9	29.2	26.9	27.0	28.3	28.9	343.9	9	2838
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	25.5	21.9	25.0	22.6	25.2	25.4	27.4	27.5	25.1	26.1	24.8	26.4	302.9	9	2837
	01 LST	30.0	27.4	29.9	27.5	28.4	27.4	29.6	28.9	27.5	28.3	28.8	29.4	343.1	8	2670
	07 LST	29.5	25.4	29.1	26.7	27.4	25.6	29.1	29.0	27.2	27.6	29.1	29.4	335.6	9	2839
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.9	18.3	20.0	22.8	23.0	23.9	26.7	26.2	22.7	22.4	24.7	24.0	278.6	9	2838
	01 LST	24.0	20.0	23.5	21.6	23.7	24.4	26.5	25.9	24.7	25.5	24.3	25.4	289.5	9	2837
	07 LST	27.6	24.5	28.0	25.6	26.5	24.9	28.2	28.5	26.7	26.6	28.7	27.8	323.6	9	2839
13 LST	21.9	16.7	18.7	21.5	22.0	23.5	26.4	25.7	22.0	21.9	24.1	22.7	267.1	9	2838	

# PALISADOES INTL, JAMAICA

STA NO. 78397 (IN AREA NUMBER 01)

LATITUDE 1756N

LONGITUDE 07647W

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	91	91	91	90	91	93	95	93	94	92	93	91	95	10	-28
MEAN MAX TMP (F)	86	85	85	86	87	88	88	88	88	88	87	86	87	10	-28
MEAN MIN TMP (F)	72	72	73	74	76	77	77	77	76	75	73	75	75	10	-28
ABS MIN TMP (F)	67	67	68	69	69	72	71	70	70	70	69	67	67	10	-28
MEAN NO DYS TMP = OR GTR 90(F)	3.7	1.2	1.4	3.5	6.4	9.0	9.4	9.4	9.0	9.4	6.1	3.7	72.2	10	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	69	69	69	70	73	73	73	74	74	74	71	69	72	9	-29
MEAN REL HUM (PCT)	73	74	74	75	77	76	75	77	78	78	75	74	76	8	-28
MEAN PRESS ALT (FT)	-75	-74	-47	-38	-8	-19	-41	-9	25	34	7	-38	-23	0	-50
MEAN PRECIP (IN)	0.50	0.40	0.20	1.20	2.90	4.90	2.10	5.80	6.30	6.20	2.20	1.30	34.0	9	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.3	1.4	0.9	3.0	6.1	10.2	4.6	11.4	9.6	9.4	3.8	1.8	63.5	9	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.2	0.1	0.1	0.1	0.0	0.7	8	-78395
MEAN NO DYS TSTMS	0.3	0.3	0.0	3.0	6.0	7.0	9.0	13.0	13.0	11.0	3.0	1.0	66.6	7	-24
P FREQ WND SPD = OR GTR 17 KTS	0.9	1.2	2.4	2.2	1.1	4.4	4.7	3.1	0.9	0.2	0.1	0.4	1.8	8	-78395
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-78395
P FREQ LES 5000 FT A/O LES 5 MI	10.8	14.2	15.9	17.6	18.5	17.4	11.6	12.3	16.4	17.9	10.9	10.8	14.5	8	-78395
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	1.5	1.9	0.3	0.4	1.3	0.5	0.3	0.9	0.6	8	-78395
03-05 LST	0.0	0.0	0.2	0.0	1.0	2.4	0.2	0.7	1.5	0.9	0.0	0.9	0.7	8	-78395
06-08 LST	0.4	0.5	0.9	0.5	1.0	5.1	0.4	0.9	2.8	1.5	0.2	0.1	1.2	9	-78395
09-11 LST	0.3	0.3	0.2	0.0	1.9	4.4	0.5	1.9	4.5	1.2	0.8	0.4	1.4	9	-78395
12-14 LST	0.3	0.8	0.1	0.5	1.9	4.1	1.2	2.2	3.1	2.3	1.3	0.6	1.5	9	-78395
15-17 LST	0.4	1.2	1.1	0.6	3.1	3.9	1.9	2.0	3.5	3.7	0.8	0.9	1.9	9	-78395
18-20 LST	0.0	0.7	0.3	0.6	2.0	3.0	1.5	1.8	1.7	2.0	0.8	0.9	1.3	8	-78395
21-23 LST	0.0	0.2	0.2	0.0	0.7	2.5	0.3	1.1	1.3	1.5	0.6	0.5	0.7	8	-78395
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	8	-78395
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	8	-78395
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.3	0.0	0.0	0.0	9	-78395
09-11 LST	0.0	0.0	0.0	0.0	0.4	0.1	0.0	0.0	0.3	0.0	0.0	0.0	0.1	9	-78395
12-14 LST	0.0	0.0	0.0	0.0	0.4	0.4	0.0	0.4	0.1	0.5	0.3	0.0	0.2	9	-78395
15-17 LST	0.0	0.0	0.0	0.0	0.1	0.4	0.0	0.4	0.1	0.0	0.0	0.0	0.1	9	-78395
18-20 LST	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.3	0.0	0.2	0.0	0.0	0.1	8	-78395
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	8	-78395

# PALISADOES INTL, JAMAICA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.8	28.0	31.0	29.9	30.5	29.3	30.7	30.5	30.0	30.6	29.9	30.8	362.0	9	-78395
	01 LST	31.0	28.0	31.0	30.0	30.8	29.6	31.0	31.0	29.7	30.8	30.0	31.0	363.9	8	-78395
	07 LST	31.0	27.9	31.0	30.0	31.0	28.9	31.0	31.0	29.6	30.6	30.0	31.0	363.0	9	-78395
	13 LST	31.0	27.9	31.0	30.0	30.8	29.4	30.7	30.6	29.7	30.0	29.9	31.0	362.2	9	-78395
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	19 LST	30.3	26.4	27.9	28.4	28.7	24.6	25.5	28.0	28.4	29.0	29.4	29.9	336.5	9	-78395
	01 LST	30.8	28.0	30.7	29.9	30.6	28.7	31.0	30.5	28.9	30.0	29.6	30.3	359.0	8	-78395
	07 LST	30.6	27.7	30.5	29.7	30.3	27.2	30.2	30.0	28.7	29.9	29.9	30.4	355.1	9	-78395
	13 LST	17.5	10.4	6.7	7.1	8.7	6.1	3.7	8.2	10.1	17.4	22.1	20.7	138.7	9	-78395
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-78395
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-78395
	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	9	-78395
	13 LST	1.2	1.2	4.0	2.6	2.1	4.9	5.3	3.8	0.9	0.1	0.0	0.9	27.0	9	-78395
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	13.4	14.8	17.3	15.1	15.9	15.9	16.6	15.9	13.1	10.9	11.3	12.5	172.7	9	-78395
	01 LST	12.7	10.4	10.9	11.9	9.7	11.8	9.3	12.2	11.3	7.4	9.3	11.3	128.2	8	-78395
	07 LST	10.7	9.8	9.5	12.2	12.1	10.8	9.6	12.1	10.6	9.9	7.7	9.1	124.1	9	-78395
	13 LST	19.1	14.2	11.5	10.0	10.9	9.1	4.0	5.0	8.1	15.8	19.2	20.2	147.1	9	-78395
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	16.0	11.9	13.2	9.2	4.1	2.5	4.0	4.0	2.8	4.7	8.3	9.3	90.0	4	-78395
	01 LST	25.0	23.5	26.0	22.7	18.5	15.5	19.2	20.2	13.1	16.3	18.7	17.6	236.3	4	-78395
	07 LST	17.0	17.1	18.0	14.0	8.2	7.0	8.2	9.0	4.5	7.0	11.3	13.0	134.3	4	-78395
	13 LST	3.2	3.0	3.2	3.8	2.0	1.7	2.5	2.7	1.3	0.7	2.6	3.3	30.0	4	-78395
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.9	26.3	29.7	29.0	28.6	27.4	29.6	29.4	27.1	28.1	28.3	24.8	343.2	9	-78395
	01 LST	31.0	27.7	30.7	29.9	30.0	28.4	30.3	30.1	28.1	29.5	29.1	30.3	355.1	8	-78395
	07 LST	30.7	27.5	30.5	29.4	30.0	27.1	30.3	30.0	28.2	29.0	29.7	30.6	353.4	9	-78395
	13 LST	30.6	27.1	30.0	29.4	29.4	27.2	29.9	29.2	26.9	27.0	28.3	28.9	343.9	9	-78395
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	25.5	21.9	25.0	22.6	25.2	25.4	27.4	27.5	25.1	26.1	24.8	26.4	302.9	9	-78395
	01 LST	30.0	27.4	29.9	27.5	28.4	27.4	29.6	28.9	27.5	28.3	28.8	29.4	343.1	8	-78395
	07 LST	29.5	25.4	29.1	26.7	27.9	25.6	29.1	29.0	27.2	27.6	29.1	29.4	335.6	9	-78395
	13 LST	23.9	18.3	20.0	22.8	23.0	23.9	26.7	26.7	22.7	22.4	24.7	24.0	278.6	9	-78395
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	24.0	20.0	23.5	21.6	23.7	24.4	26.5	25.9	24.7	25.5	24.3	25.4	289.5	9	-78395
	01 LST	28.8	26.9	29.7	27.3	28.1	27.0	29.4	28.2	27.1	27.7	28.6	29.0	337.8	8	-78395
	07 LST	27.6	24.5	28.0	25.6	26.5	24.9	28.2	28.5	26.7	26.6	28.7	27.8	323.6	9	-78395
	13 LST	21.9	16.7	18.7	21.5	22.0	23.5	26.4	25.7	22.0	21.9	24.1	22.7	267.1	9	-78395

## AREA NO. 01

JAMAICA		JAMAICA		LATITUDE 1815N		LONGITUDE 07730W								
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		84	84	85	85	87	88	88	89	88	87	86	85	86
MEAN MIN TMP (F)		71	71	72	73	75	77	77	77	77	76	74	72	74
LARGEST MEAN PRECIP (IN)		1.42	1.34	0.97	1.40	4.00	4.90	2.10	5.80	6.30	7.10	3.68	3.35	42.4
SMALLEST MEAN PRECIP (IN)		0.50	0.40	0.20	1.20	1.16	2.16	1.18	1.59	2.62	2.95	2.20	1.30	17.5
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.9	28.0	31.0	30.0	30.8	29.7	30.9	30.8	30.0	30.8	30.0	30.8	363.7
	01 LST	31.0	28.0	31.0	30.0	30.8	29.7	31.0	31.0	29.9	30.9	30.0	31.0	364.4
	07 LST	31.0	28.0	31.0	30.0	31.0	29.5	31.0	31.0	29.8	30.7	30.0	31.0	364.0
	13 LST	31.0	27.9	30.9	30.0	30.8	29.7	30.9	30.8	29.8	30.7	29.9	30.9	363.3
CIG = GTR 2000 FT AND VSBY = GTR 5 MI W/SFC AND LES 10 KTS	19 LST	19.7	16.8	17.5	17.4	17.6	13.9	13.6	16.9	19.5	20.4	20.0	19.5	212.8
	01 LST	19.5	17.5	19.3	18.2	18.7	16.0	16.4	18.0	18.9	20.8	19.9	16.9	222.1
	07 LST	19.6	17.2	18.6	17.3	17.9	15.0	16.0	17.6	19.2	20.7	20.5	19.3	218.9
	13 LST	12.9	7.2	5.9	5.7	7.1	4.6	2.4	5.9	9.3	13.5	15.5	13.6	102.7
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	3.4	4.0	5.6	4.5	4.4	6.2	5.1	4.1	2.9	3.0	2.1	3.3	48.6
	01 LST	3.8	4.9	4.9	4.5	5.5	6.3	5.8	4.6	3.1	2.8	2.0	3.0	51.2
	07 LST	3.1	5.0	4.8	4.5	4.0	5.8	4.5	3.2	2.4	3.2	1.9	3.1	45.5
	13 LST	4.9	5.6	7.8	6.5	5.8	8.2	8.2	5.5	2.7	2.7	3.0	4.2	65.1
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	11.6	11.5	12.6	11.4	11.8	9.8	9.8	12.0	12.5	11.5	12.0	11.5	138.0
	01 LST	11.4	9.2	9.8	9.8	9.0	7.8	5.9	9.6	10.7	10.5	10.7	10.8	115.2
	07 LST	10.4	9.1	8.4	9.5	9.9	7.4	6.4	9.9	10.9	11.4	10.0	9.1	112.4
	13 LST	14.1	10.0	9.0	7.8	8.9	6.6	3.0	5.1	8.9	13.8	15.5	14.3	117.0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	12.5	11.2	12.4	8.9	4.5	2.8	4.4	4.8	3.8	5.5	7.4	8.2	86.4
	01 LST	17.4	16.6	18.6	15.6	12.8	10.3	13.9	13.8	9.5	11.1	13.9	13.1	166.6
	07 LST	12.2	11.0	12.0	9.3	5.5	4.5	5.4	6.6	3.4	5.1	8.4	8.7	92.1
	13 LST	4.9	5.1	6.1	4.7	2.4	2.2	2.6	2.6	2.0	1.3	3.0	3.5	40.4
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.3	26.2	29.7	28.5	29.0	28.1	30.0	29.6	28.1	28.9	28.0	29.0	344.4
	01 LST	29.6	26.5	29.0	27.9	28.8	27.2	29.6	29.2	28.0	28.8	27.9	28.5	341.0
	07 LST	29.8	26.6	28.7	28.2	28.8	27.6	29.6	29.8	28.5	29.3	28.5	29.0	344.4
	13 LST	29.7	26.1	29.1	28.2	29.6	27.9	29.7	29.4	27.7	27.9	27.3	28.4	341.0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	25.6	22.7	26.3	24.4	27.0	27.0	28.8	28.5	27.1	27.7	25.7	26.2	317.0
	01 LST	27.3	24.7	26.7	25.5	27.2	26.5	29.1	28.5	27.5	28.0	27.3	27.3	325.6
	07 LST	27.3	23.7	26.2	25.7	26.9	26.6	28.8	29.2	28.0	28.3	27.4	27.3	325.4
	13 LST	25.1	20.5	23.3	24.1	25.9	26.2	27.9	27.8	25.5	25.5	24.6	25.0	301.4
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.5	20.8	24.5	23.1	25.4	25.9	28.2	27.3	26.6	27.2	24.2	24.4	301.1
	01 LST	25.6	23.4	25.9	24.5	26.3	26.0	28.8	28.0	27.0	27.1	26.5	26.0	315.1
	07 LST	24.9	21.9	24.3	23.1	25.2	25.8	27.8	28.4	27.3	27.4	25.4	24.9	307.4
	13 LST	22.5	18.9	21.4	22.5	24.3	25.6	27.4	27.1	24.5	24.9	23.4	22.5	285.0

# PONCE/SANTA ISABEL, PUERTO RICO

STA NO. 78510/ (IN AREA NUMBER 01)

LATITUDE 1758N

LONGITUDE 06624W

ELEVATION(FT) 00030

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	88	88	90	91	93	92	95	95	94	92	92	90	95	9	2825
MEAN MAX TMP (F)	84	84	84	85	85	88	89	89	88	88	87	86	87	9	2825
MEAN MIN TMP (F)	66	66	66	69	71	73	73	73	73	72	70	68	70	9	2825
ABS MIN TMP (F)	59	57	58	62	62	67	68	69	68	67	61	58	57	9	2825
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.1	0.2	1.1	3.4	9.6	8.5	7.0	2.9	1.9	0.3	35.0	9	2825
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2825
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2825
MEAN DEW PT TMP (F)	65	65	65	68	70	71	71	72	72	72	70	67	69	9	64865
MEAN REL HUM (PCT)	74	74	72	74	77	76	75	76	79	80	78	74	76	9	64857
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.82	0.72	0.45	3.32	4.33	2.95	3.70	4.57	6.47	4.79	2.51	0.36	34.9	9	2818
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.0	1.7	1.2	4.3	6.1	5.2	6.5	4.7	9.1	8.0	3.6	1.6	54.0	9	2818
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.1	0.0	0.1	0.0	0.0	0.0	9	2755
MEAN NO DYS TSTMS	0.0	0.0	0.1	1.0	6.3	5.7	7.2	8.1	12.4	9.9	2.9	0.4	54.0	9	2733
P FREQ WND SPD = OR GTR 17 KTS	0.9	1.0	2.1	2.3	0.8	0.7	1.7	1.3	0.6	0.5	0.1	0.6	1.1	9	64874
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	64874
P FREQ LES 5000 FT A/O LES 5 MI	10.0	10.4	8.7	11.9	14.8	12.0	9.2	8.6	10.2	12.0	9.3	8.9	10.5	9	64861
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.3	0.8	0.2	0.0	0.3	0.0	0.4	0.0	0.0	0.2	9	8081
03-05 LST	0.0	0.0	0.0	0.3	0.6	0.2	0.0	0.3	0.0	0.4	0.0	0.0	0.2	9	8117
06-08 LST	0.0	0.2	0.0	0.7	0.4	0.5	0.3	0.4	0.7	0.4	0.0	0.0	0.3	9	8287
09-11 LST	0.0	0.0	0.0	0.6	0.9	1.0	0.1	0.9	0.1	0.7	0.0	0.0	0.4	9	8403
12-14 LST	0.2	0.0	0.0	0.7	0.9	0.6	0.3	0.5	1.0	0.6	0.3	0.0	0.4	9	8425
15-17 LST	0.2	0.0	0.0	0.3	0.9	0.3	0.3	0.5	0.6	1.7	0.5	0.0	0.4	9	8235
18-20 LST	0.2	0.0	0.0	0.8	0.4	0.0	0.6	0.5	0.4	1.1	0.3	0.0	0.4	9	8123
21-23 LST	0.2	0.0	0.0	0.2	1.5	0.0	1.0	0.4	0.3	0.8	0.0	0.0	0.4	9	8103
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	8081
03-05 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	8117
06-08 LST	0.0	0.0	0.0	0.3	0.0	0.2	0.0	0.1	0.0	0.3	0.0	0.0	0.1	9	8287
09-11 LST	0.0	0.0	0.0	0.0	0.4	0.4	0.1	0.7	0.0	0.0	0.0	0.0	0.1	9	8403
12-14 LST	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.3	0.1	0.0	0.2	0.0	0.1	9	8425
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	9	8235
18-20 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	9	8123
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	9	8103

## PONCE/SANTA ISABEL, PUERTO RICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	31.0	28.0	31.0	29.9	30.7	30.0	30.8	31.0	30.0	30.8	30.0	31.0	364.2	9	2757
	02 LST	31.0	28.0	31.0	29.9	30.8	29.9	31.0	31.0	30.0	31.0	30.0	31.0	364.6	9	2762
	08 LST	31.0	27.8	31.0	29.7	30.8	29.9	30.8	30.8	30.0	30.8	30.0	31.0	363.6	9	2856
	14 LST	31.0	28.0	31.0	29.9	31.0	30.0	31.0	30.8	29.7	30.8	29.9	31.0	364.1	9	2860
CIG = GTR 1000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	20 LST	30.1	27.0	30.1	28.3	30.0	28.8	29.3	30.1	29.5	30.5	29.6	30.2	353.6	9	2757
	02 LST	30.8	27.7	30.7	29.3	30.0	29.9	30.5	30.6	29.6	30.7	29.6	30.5	359.9	9	2762
	08 LST	30.0	26.3	28.1	24.3	27.0	23.4	25.3	28.2	28.5	30.2	28.7	28.8	328.8	9	2856
	14 LST	11.0	10.2	9.0	11.1	14.0	8.3	6.9	7.5	13.5	17.2	17.4	12.1	140.2	9	2860
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2738
	02 LST	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	9	2745
	08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	9	2845
	14 LST	1.6	1.0	3.6	2.5	1.2	1.3	3.3	2.4	0.9	0.6	0.1	1.4	19.9	9	2844
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	15.3	15.0	18.1	20.8	15.5	19.4	19.2	14.7	9.0	9.4	7.3	12.4	176.1	9	2738
	02 LST	10.9	9.0	9.6	8.3	8.0	7.9	9.0	7.5	8.6	10.8	8.0	9.4	107.0	9	2745
	08 LST	13.5	11.1	17.5	22.8	20.4	24.1	24.6	21.7	16.9	15.4	10.0	13.7	211.7	9	2845
	14 LST	14.1	13.7	12.7	14.2	17.7	11.5	10.3	11.2	16.1	20.4	18.5	14.4	174.3	9	2844
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	17.3	13.8	15.5	13.0	9.0	4.7	6.3	10.7	7.3	7.7	14.3	18.0	137.6	4	1127
	02 LST	23.3	17.8	22.7	20.0	16.6	14.3	14.3	19.3	14.0	18.7	23.6	23.0	227.6	4	1127
	08 LST	19.0	9.5	15.0	12.3	6.0	4.3	5.6	13.3	7.0	10.3	14.3	15.7	132.3	4	1127
	14 LST	7.7	8.2	8.7	11.6	3.0	2.3	4.3	5.6	3.7	4.0	8.6	7.0	74.7	4	1127
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	30.7	27.4	30.7	29.1	29.8	29.4	30.3	30.2	29.3	29.9	29.5	30.5	356.8	9	2757
	02 LST	30.8	27.8	31.0	29.3	30.1	28.7	30.2	30.8	28.9	30.5	30.0	30.7	358.8	9	2762
	08 LST	30.8	27.7	31.0	29.0	29.0	29.3	30.3	30.5	29.1	30.3	29.9	30.8	357.7	9	2856
	14 LST	30.6	27.6	31.0	29.5	30.2	29.4	30.5	30.0	28.9	30.1	29.5	30.6	357.9	9	2860
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	27.7	25.1	28.0	26.6	25.6	27.6	28.8	29.1	26.9	25.5	27.9	28.7	327.7	9	2757
	02 LST	28.8	26.6	29.5	27.0	27.3	25.6	28.8	29.2	27.8	28.9	28.5	29.6	337.6	9	2762
	08 LST	29.1	25.0	29.5	25.6	26.0	27.0	28.9	29.0	28.4	29.1	28.5	30.0	336.1	9	2856
	14 LST	25.4	23.6	26.5	26.3	26.7	26.5	28.1	28.1	25.4	26.2	25.9	25.4	314.1	9	2860
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	25.7	22.0	24.6	23.2	22.5	25.8	26.6	28.1	25.0	23.7	26.4	26.8	300.4	9	2757
	02 LST	27.1	24.9	29.0	25.4	25.1	24.6	27.9	28.6	26.5	27.5	28.0	29.0	323.6	9	2762
	08 LST	26.8	21.5	26.5	22.3	21.9	24.1	25.5	27.7	26.1	27.6	27.2	28.2	305.4	9	2856
	14 LST	21.7	19.3	21.9	23.7	21.9	24.4	25.5	27.1	21.8	24.7	23.3	23.9	279.2	9	2860

# RAMEY AFB, PUERTO RICO

STA NO. 76514 (IN AREA NUMBER 01)

LATITUDE 1829N

LONGITUDE 06707W

ELEVATION(FT) 00237

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	88	86	88	90	90	93	95	91	92	92	90	87	95	10	3653
MEAN MAX TMP (F)	81	81	82	83	84	85	85	86	86	86	84	82	84	10	3653
MEAN MIN TMP (F)	70	69	70	72	73	74	75	75	75	74	72	71	73	10	3653
ABS MIN TMP (F)	63	63	65	65	67	70	71	70	70	68	67	63	63	10	3653
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.3	0.6	0.9	0.1	0.0	2.7	10	3653
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3653
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3653
MEAN DEW PT TMP (F)	67	66	67	69	71	72	73	73	73	72	70	68	70	10	87620
MEAN REL HUM (PCT)	76	74	75	77	78	79	79	80	79	79	76	76	78	10	87620
MEAN PRESS ALT (FT)	100	100	116	132	145	118	111	136	196	208	184	132	140	0	-50
MEAN PRECIP (IN)	3.51	2.45	3.67	6.05	4.17	6.66	4.24	6.60	4.59	5.62	4.25	4.15	56.0	10	3653
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.0	4.1	4.7	7.3	7.7	10.2	8.9	9.1	8.5	9.4	7.6	8.1	91.6	10	3653
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.2	0.1	0.1	0.1	0.3	0.1	0.1	0.1	0.0	1.1	10	3652
MEAN NO DYS TSTMS	0.6	0.2	0.1	2.3	6.4	15.9	12.9	12.9	15.2	13.0	5.6	1.2	86.3	10	3653
P FREQ WND SPD = OR GTR 17 KTS	6.3	8.0	7.5	5.5	3.6	4.9	9.5	5.0	1.6	1.0	3.3	4.0	5.0	10	87609
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	10	87609
P FREQ LES 5000 FT A/O LES 5 MI	15.7	14.2	15.9	16.7	13.2	11.7	11.2	10.4	9.2	8.7	10.3	13.1	12.5	10	87353
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.8	1.2	0.1	0.3	0.2	0.0	0.2	0.0	0.2	0.0	0.6	0.1	0.3	10	10943
03-05 LST	0.5	0.8	0.1	0.3	0.0	0.1	0.1	0.0	0.2	0.4	0.2	0.3	0.3	10	10942
06-08 LST	0.5	0.7	1.1	1.1	0.2	0.1	0.0	0.5	0.1	0.1	0.3	0.0	0.4	10	10929
09-11 LST	0.9	1.2	0.6	1.1	0.0	0.2	0.1	0.9	0.1	0.0	0.6	0.2	0.5	10	10927
12-14 LST	0.4	1.5	0.6	1.0	0.5	1.5	0.5	0.9	0.3	0.5	0.1	0.4	0.7	10	10924
15-17 LST	1.6	0.9	0.8	1.4	1.6	2.2	1.0	2.7	0.7	0.5	1.0	0.8	1.3	10	10933
18-20 LST	1.5	0.7	1.2	1.6	0.3	1.0	0.4	1.2	0.6	0.4	1.1	0.9	0.9	10	10934
21-23 LST	0.8	0.6	1.1	0.1	0.4	0.0	0.3	0.4	0.2	0.2	0.8	0.9	0.5	10	10934
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	10	10943
03-05 LST	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	10942
06-08 LST	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	10	10929
09-11 LST	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	10	10927
12-14 LST	0.0	0.0	0.1	0.3	0.0	0.2	0.1	0.3	0.1	0.1	0.0	0.0	0.1	10	10924
15-17 LST	0.0	0.0	0.0	0.1	0.3	1.0	0.1	0.1	0.0	0.3	0.1	0.0	0.2	10	10933
18-20 LST	0.0	0.0	0.2	0.3	0.0	0.3	0.0	0.2	0.1	0.0	0.1	0.0	0.1	10	10934
21-23 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	10	10934

# RAMEY AFB, PUERTO RICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	30.8	27.9	30.8	29.9	31.0	29.9	31.0	30.9	30.0	31.0	29.9	30.8	363.9	10	3651
	02 LST	30.9	27.9	31.0	29.9	31.0	30.0	30.9	31.0	29.9	31.0	30.0	31.0	364.5	10	3650
	08 LST	31.0	26.0	30.7	29.7	31.0	30.0	31.0	31.0	30.0	31.0	29.9	31.0	364.3	10	3651
	14 LST	31.0	27.9	30.9	29.7	30.5	29.6	30.9	30.7	29.7	30.5	30.0	30.9	362.3	10	3651
CIG =GTR 2000 FT AND VSBY =GTR 3 MI w/SFC WND LES 10 KTS	20 LST	17.4	13.9	16.6	16.4	19.3	16.7	12.9	17.2	22.9	27.3	20.2	19.8	220.6	10	3651
	02 LST	25.3	23.2	25.6	24.8	28.4	28.2	25.0	27.9	28.5	29.8	26.5	26.6	319.8	10	3650
	08 LST	24.5	23.8	22.7	20.6	21.0	20.7	18.4	22.6	26.2	28.8	24.7	25.6	279.6	10	3651
	14 LST	8.1	7.7	8.6	8.6	8.9	7.3	2.3	6.4	11.1	15.0	9.8	10.0	103.6	10	3650
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	1.2	2.0	2.0	1.0	1.0	0.9	3.4	0.9	0.3	0.0	0.5	0.9	14.1	10	3632
	02 LST	0.2	0.5	0.4	0.2	0.1	0.0	0.0	0.1	0.0	0.0	0.2	0.5	2.2	10	3641
	08 LST	0.3	0.5	0.6	0.2	0.2	0.0	0.2	0.2	0.0	0.0	0.2	0.1	2.5	10	3643
	14 LST	4.7	6.1	7.0	5.6	4.3	5.3	9.2	4.7	1.3	1.2	2.9	3.9	56.2	10	3639
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	16.6	13.4	15.8	14.8	16.5	13.5	12.5	16.5	17.3	17.7	17.6	17.7	189.9	10	3632
	02 LST	19.2	16.9	19.2	18.6	19.3	18.8	22.6	20.2	14.8	14.4	15.1	15.7	214.8	10	3641
	08 LST	19.8	18.6	19.1	20.0	20.1	19.2	23.2	22.4	21.1	18.9	21.2	18.1	241.7	10	3643
	14 LST	11.4	9.8	10.1	10.9	12.1	9.2	4.6	8.6	14.1	18.0	13.0	12.1	133.9	10	3639
SKY COVER LLS 3/10 AND VSBY = GTR 3 MI	20 LST	8.4	6.8	6.4	3.5	2.4	1.6	1.7	1.7	1.6	2.4	4.8	6.1	47.4	10	3652
	02 LST	16.0	17.1	18.0	15.3	14.2	11.5	13.5	14.3	12.5	12.8	13.2	14.4	172.8	10	3652
	08 LST	12.3	11.2	13.4	11.0	6.9	6.6	8.9	10.6	6.5	6.5	7.3	9.4	110.6	10	3652
	14 LST	9.4	10.0	10.2	6.0	1.9	2.8	4.0	4.7	1.7	1.9	4.7	6.7	64.0	10	3652
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	28.0	24.9	27.2	25.3	27.3	26.9	27.5	27.4	27.9	29.1	26.8	27.8	326.1	10	3651
	02 LST	29.6	26.8	29.0	28.7	30.3	29.7	29.4	30.2	29.4	30.7	29.2	28.7	351.7	10	3650
	08 LST	28.2	26.3	29.3	28.6	30.6	29.9	30.7	30.1	29.3	30.5	28.9	29.2	351.8	10	3651
	14 LST	29.4	26.5	29.7	27.8	27.3	25.2	27.6	27.8	26.5	27.9	28.9	28.0	332.6	10	3651
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	24.0	21.3	20.3	19.1	21.0	23.4	25.2	25.8	25.7	26.9	24.0	25.3	282.0	10	3651
	02 LST	26.7	25.2	27.1	26.4	29.5	29.4	28.8	29.7	29.1	30.0	28.8	26.9	337.6	10	3650
	08 LST	25.5	24.4	27.5	27.3	30.2	29.7	29.9	29.6	29.1	30.2	28.0	27.1	338.5	10	3651
	14 LST	27.4	24.6	27.1	24.6	24.0	21.0	26.1	25.4	25.0	27.0	27.6	26.9	306.7	10	3651
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	20.4	18.6	17.0	13.2	16.0	19.5	21.7	23.3	23.3	24.8	22.2	22.3	247.8	10	3651
	02 LST	24.8	22.6	25.4	24.3	27.1	27.8	27.7	28.6	28.5	29.4	27.7	25.5	319.6	10	3650
	08 LST	22.1	20.9	24.3	24.5	26.8	28.3	28.0	27.5	27.7	29.4	25.5	24.5	309.5	10	3651
	14 LST	24.2	21.3	23.9	20.7	20.3	18.5	23.8	23.2	23.4	25.7	25.7	24.1	274.8	10	3651

# MERCEDITA, PUERTO RICO

STA NO. 78521/ (IN AREA NUMBER 01)

LATITUDE 1800N

LONGITUDE 06633W

ELEVATION(FT) 00028

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	88	88	90	91	93	92	95	95	94	92	92	90	95	9	-78510
MEAN MAX TMP (F)	84	84	84	85	86	88	89	89	88	88	87	86	87	9	-78510
MEAN MIN TMP (F)	66	66	66	69	71	73	73	73	73	72	70	68	70	9	-78510
ABS MIN TMP (F)	59	57	58	62	62	67	68	69	68	67	61	58	57	9	-78510
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.1	0.2	1.1	3.4	9.6	8.5	7.0	2.9	1.9	0.3	35.0	9	-78510
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-78510
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-78510
MEAN DEW PT TMP (F)	65	65	65	68	70	71	71	72	72	72	70	67	69	9	-78510
MEAN REL HUM (PCT)	74	74	72	74	77	76	75	76	79	80	78	74	76	9	-78510
MEAN PRESS ALT (FT)	-29	-29	-23	-1	5	-14	-23	6	36	53	53	5	3	0	-50
MEAN PRECIP (IN)	0.82	0.72	0.45	3.32	4.33	2.95	3.70	4.57	6.42	4.79	2.51	0.36	34.9	9	-78510
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.0	1.7	1.2	4.3	6.1	5.2	6.5	4.7	9.1	8.0	3.6	1.6	54.0	9	-78510
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.1	0.0	0.1	0.0	0.0	0.5	9	-78510
MEAN NO DYS TSTMS	0.0	0.0	0.1	1.0	6.3	5.7	7.2	8.1	12.4	9.9	2.9	0.4	54.0	9	-78510
P FREQ WND SPD = OR GTR 17 KTS	0.9	1.0	2.1	2.3	0.8	0.7	1.7	1.3	0.6	0.5	0.1	0.6	1.1	9	-78510
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-78510
P FREQ LES 5000 FT A/O LES 5 MI	10.0	10.4	8.7	11.9	14.8	12.0	9.2	8.6	10.2	17.0	9.3	8.9	10.5	9	-78510
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.3	0.8	0.2	0.0	0.3	0.0	0.4	0.0	0.0	0.2	9	-78510
03-05 LST	0.0	0.0	0.0	0.3	0.6	0.2	0.0	0.3	0.0	0.4	0.0	0.0	0.2	9	-78510
06-08 LST	0.0	0.2	0.0	0.7	0.4	0.5	0.3	0.4	0.7	0.4	0.0	0.0	0.3	9	-78510
09-11 LST	0.0	0.0	0.0	0.6	0.9	1.0	0.1	0.9	0.1	0.7	0.0	0.0	0.4	9	-78510
12-14 LST	0.2	0.0	0.0	0.7	0.9	0.6	0.3	0.5	1.0	0.6	0.3	0.0	0.4	9	-78510
15-17 LST	0.2	0.0	0.0	0.3	0.9	0.3	0.3	0.5	0.6	1.7	0.5	0.0	0.4	9	-78510
18-20 LST	0.2	0.0	0.0	0.8	0.4	0.0	0.6	0.5	0.4	1.1	0.3	0.0	0.4	9	-78510
21-23 LST	0.2	0.0	0.0	0.2	1.5	0.0	1.0	0.4	0.3	0.8	0.0	0.0	0.4	9	-78510
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-78510
03-05 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-78510
06-08 LST	0.0	0.0	0.0	0.3	0.0	0.2	0.0	0.1	0.0	0.3	0.0	0.0	0.1	9	-78510
09-11 LST	0.0	0.0	0.0	0.0	0.4	0.4	0.1	0.7	0.0	0.0	0.0	0.0	0.1	9	-78510
12-14 LST	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.3	0.1	0.0	0.2	0.0	0.1	9	-78510
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	9	-78510
18-20 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	9	-78510
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	9	-78510

# MERCEDITA, PUERTO RICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	31.0	28.0	31.0	29.9	30.7	30.0	30.8	31.0	30.0	30.8	30.0	31.0	364.2	9	-78510
	02 LST	31.0	28.0	31.0	29.9	30.6	29.9	31.0	31.0	30.0	31.0	30.0	31.0	364.6	9	-78510
	08 LST	31.0	27.8	31.0	29.7	30.8	29.9	30.8	30.8	30.0	30.8	30.0	31.0	363.6	9	-78510
	14 LST	31.0	26.0	31.0	29.9	31.0	30.0	31.0	30.0	29.7	30.8	29.9	31.0	364.1	9	-78510
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	20 LST	30.1	27.0	30.1	28.3	30.0	28.8	29.3	30.1	29.6	30.5	29.6	30.2	353.6	9	-78510
	02 LST	30.8	27.7	30.7	29.3	30.0	29.9	30.5	30.6	29.6	30.7	29.6	30.5	359.9	9	-78510
	08 LST	30.0	26.3	28.1	24.3	27.0	23.4	25.3	28.2	26.5	30.2	28.7	28.8	328.8	9	-78510
	14 LST	11.0	10.2	9.0	11.1	14.0	8.3	6.9	9.5	13.5	17.2	17.4	12.1	140.2	9	-78510
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-78510
	02 LST	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	9	-78510
	08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	9	-78510
	14 LST	1.6	1.0	3.6	2.5	1.2	1.3	3.3	2.4	0.9	0.6	0.1	1.4	19.9	9	-78510
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	15.3	15.0	18.1	20.8	15.5	19.4	19.2	14.7	9.0	9.4	7.3	12.4	176.1	9	-78510
	02 LST	10.9	9.0	9.6	8.3	8.0	7.9	9.0	7.5	8.6	10.8	8.0	9.4	107.0	9	-78510
	08 LST	13.5	11.1	17.5	22.8	20.4	24.1	24.6	21.7	16.9	15.4	10.0	13.7	211.7	9	-78510
	14 LST	14.1	13.7	12.7	14.2	17.2	11.5	10.3	11.2	16.1	20.4	18.5	14.4	174.3	9	-78510
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	17.3	13.8	15.5	13.0	9.0	4.7	6.3	10.7	7.3	7.7	14.3	18.0	137.6	4	-78510
	02 LST	23.3	17.8	22.7	20.0	16.6	14.3	14.3	19.3	14.0	18.7	23.6	23.0	227.6	4	-78510
	08 LST	19.0	9.5	15.0	12.3	6.0	4.3	5.6	13.3	7.0	10.3	14.3	15.7	132.3	4	-78510
	14 LST	7.7	6.2	8.7	11.6	3.0	2.3	4.3	5.6	3.7	4.0	8.6	7.0	74.7	4	-78510
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	30.7	27.4	30.7	29.1	29.8	29.4	30.3	30.2	29.3	29.9	29.5	30.5	356.8	9	-78510
	02 LST	30.8	27.8	31.0	29.3	30.1	28.7	30.2	30.8	28.9	30.5	30.0	30.7	358.8	9	-78510
	08 LST	30.8	27.7	31.0	29.0	29.0	29.3	30.3	30.5	29.1	30.3	29.9	30.8	357.7	9	-78510
	14 LST	30.6	27.6	31.0	29.5	30.2	29.4	30.5	30.0	28.9	30.1	29.5	30.6	357.9	9	-78510
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	27.7	25.1	28.0	26.6	25.8	27.6	28.8	29.1	26.9	25.5	27.9	28.7	327.7	9	-78510
	02 LST	28.8	26.6	29.5	27.0	27.3	25.6	28.8	29.2	27.8	28.9	28.5	29.6	337.6	9	-78510
	08 LST	29.1	25.0	29.5	25.6	26.0	27.0	28.9	29.0	28.4	29.1	28.5	30.0	336.1	9	-78510
	14 LST	25.4	23.6	26.5	26.3	26.7	26.5	28.1	28.1	25.4	26.2	25.9	25.4	314.1	9	-78510
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	25.7	22.0	24.6	23.2	22.5	25.7	26.6	28.1	25.0	23.7	26.4	26.8	300.4	9	-78510
	02 LST	27.1	24.9	29.0	25.4	25.1	24.6	27.9	28.6	26.5	27.5	28.0	29.0	323.6	9	-78510
	08 LST	28.8	21.5	28.5	22.3	21.9	24.1	25.5	27.7	26.1	27.6	27.2	28.2	305.4	9	-78510
	14 LST	21.7	19.3	21.9	23.7	21.9	24.4	25.5	27.1	21.8	24.7	23.3	23.9	279.2	9	-78510

## SAN JUAN/ISLA VERDE, PUERTO RICO

STA NO. 78523/ (IN AREA NUMBER 01)

LATITUDE 1826N

LONGITUDE 06600W

ELEVATION(FT) 00072

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	90	91	93	93	93	94	92	92	93	93	92	90	94	11	3569
MEAN MAX TMP (F)	82	83	85	85	86	87	87	88	88	87	85	84	86	11	3569
MEAN MIN TMP (F)	68	68	69	71	72	74	75	75	74	73	72	70	72	11	3569
ABS MIN TMP (F)	61	62	60	65	66	69	69	70	60	67	66	63	60	11	3569
MEAN NO DYS TMP ≥ OR GTR 90(F)	0.1	0.4	2.2	2.0	3.7	4.3	2.7	5.9	6.5	5.5	1.0	0.2	34.5	11	3569
MEAN NO DYS TMP ≥ OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3569
MEAN NO DYS TMP ≥ OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3569
MEAN DEW PT TMP (F)	67	67	67	69	71	72	73	73	73	72	70	69	70	11	84566
MEAN REL HUM (PCT)	78	76	75	77	78	79	78	79	80	80	79	79	78	11	84566
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.39	2.20	2.78	4.30	6.63	5.91	5.97	6.29	5.68	5.47	4.53	4.94	58.1	10	3347
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS PRCP ≥ OR GTR 0.1 IN	8.7	4.7	5.4	9.4	10.9	10.9	12.4	12.2	10.7	10.1	10.5	9.6	115.5	10	3347
MEAN NO DYS SNFL ≥ OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.4	11	3564
MEAN NO DYS TSTMS	0.2	0.0	0.3	0.7	4.0	5.4	4.6	5.8	7.3	6.4	2.5	0.1	37.3	11	3569
P FREQ WND SPD ≥ OR GTR 17 KTS	2.1	2.5	3.1	2.4	1.7	1.8	1.6	1.7	0.4	0.3	0.6	1.8	1.7	11	84590
P FREQ WND SPD ≥ OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	84590
P FREQ LES 5000 FT A/O LES 5 MI	20.3	18.0	16.6	18.3	16.8	15.2	16.4	15.7	12.9	12.8	17.7	19.9	16.7	11	84566
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.7	0.4	0.7	0.9	1.3	0.8	0.8	0.4	0.0	0.1	0.4	0.8	0.6	11	10573
03-05 LST	0.7	0.4	0.6	1.0	1.1	0.2	0.3	1.0	0.4	0.1	0.8	0.9	0.6	11	10571
06-08 LST	1.3	0.5	0.5	0.2	0.7	0.0	0.2	1.1	0.1	0.0	0.2	0.8	0.5	11	10573
09-11 LST	1.2	0.0	0.4	0.4	1.1	0.6	0.3	0.5	0.2	0.5	0.2	0.5	0.5	11	10570
12-14 LST	0.5	0.9	0.2	0.5	1.2	0.3	0.5	0.6	0.8	0.6	0.4	0.8	0.6	11	10574
15-17 LST	0.5	0.4	0.7	1.5	1.4	0.7	0.8	1.1	0.3	0.3	0.8	0.8	0.8	11	10578
18-20 LST	0.6	0.5	0.7	1.5	0.6	0.9	1.1	0.8	0.6	0.4	1.0	1.3	0.9	11	10578
21-23 LST	0.3	0.5	0.8	1.1	1.2	0.6	0.8	1.0	0.4	0.5	0.3	0.9	0.7	11	10578
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	10573
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	10571
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	11	10573
09-11 LST	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	10570
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	11	10574
15-17 LST	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	11	10576
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	11	10578
21-23 LST	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	10578

## SAN JUAN/ISLA VERDE, PUERTO RICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	31.0	28.0	31.0	29.8	31.0	29.9	30.8	30.9	30.0	30.9	30.0	33.9	364.2	11	3565
	02 LST	31.0	28.0	31.0	30.0	30.4	30.0	31.0	31.0	30.0	31.0	29.9	31.0	364.8	11	3565
	08 LST	30.8	28.0	31.0	30.0	30.9	30.0	31.0	30.8	30.0	31.0	30.0	30.8	364.3	11	3564
	14 LST	31.0	27.8	31.0	30.0	30.4	29.9	31.0	30.9	29.9	30.4	29.9	31.0	364.2	11	3565
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	22.0	21.0	23.4	20.6	24.1	22.7	20.4	23.2	26.0	24.3	23.1	22.4	278.2	11	3565
	02 LST	25.2	23.1	26.2	26.6	28.1	28.5	25.9	26.8	28.0	29.8	26.5	25.5	320.2	11	3565
	08 LST	25.9	23.5	26.7	24.8	28.2	26.2	25.1	25.2	27.8	30.0	27.0	24.7	315.1	11	3564
	14 LST	5.6	3.9	3.1	5.1	7.0	4.7	3.3	4.5	7.0	10.4	9.6	7.0	71.2	11	3565
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	0.8	0.1	0.3	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.4	1.9	11	3535
	02 LST	0.3	0.2	0.2	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.2	0.8	1.9	11	3537
	08 LST	0.0	0.3	0.3	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.4	1.2	11	3541
	14 LST	1.9	2.9	4.6	2.7	2.3	2.7	2.0	2.2	0.6	0.7	0.6	1.3	24.5	11	3544
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	22.8	21.7	25.7	24.2	26.1	25.0	25.1	24.8	24.1	25.0	22.1	20.5	287.1	11	3535
	02 LST	17.4	15.4	18.1	15.4	18.5	19.1	21.5	19.9	16.7	15.9	16.7	14.5	209.1	11	3536
	08 LST	17.8	16.8	20.1	19.2	23.0	22.7	24.5	22.5	19.2	20.4	18.0	16.6	240.3	11	3541
	14 LST	11.7	9.0	6.6	7.8	10.4	7.4	5.2	7.5	12.0	14.9	15.5	12.4	120.4	11	3544
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	8.8	10.5	11.4	7.5	5.3	3.9	2.8	3.8	2.8	4.5	4.7	7.8	73.8	11	3565
	02 LST	10.3	10.2	14.7	10.5	9.4	6.3	4.3	5.8	9.6	9.2	8.5	9.7	108.5	11	3565
	08 LST	7.6	7.1	9.6	6.2	4.8	3.3	3.9	5.1	4.6	5.3	5.2	5.7	68.4	11	3564
	14 LST	4.1	5.5	5.3	3.8	1.1	1.9	2.8	2.1	0.9	1.9	3.4	3.1	35.9	11	3565
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	26.2	26.1	29.1	27.1	28.9	27.1	27.7	28.4	28.0	29.5	28.2	28.8	337.1	11	3565
	02 LST	26.6	25.4	28.9	27.2	28.5	27.8	26.1	27.2	27.9	29.2	27.9	27.5	330.2	11	3565
	08 LST	26.9	24.6	29.3	27.7	29.0	28.5	28.4	27.8	28.2	30.3	27.9	28.3	336.4	11	3564
	14 LST	28.6	26.2	28.6	27.3	27.4	26.1	28.6	28.7	26.0	28.4	27.3	28.3	331.5	11	3565
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	23.9	22.0	24.8	24.1	25.7	26.0	25.8	26.7	25.9	28.1	25.2	25.6	303.8	11	3565
	02 LST	22.1	20.9	25.5	23.8	25.6	24.9	23.8	24.4	26.6	26.6	24.5	23.0	291.7	11	3565
	08 LST	24.5	20.9	24.9	25.1	27.2	26.7	26.3	26.4	26.7	28.9	25.5	24.4	308.0	11	3564
	14 LST	26.1	23.1	25.8	23.6	24.1	22.9	26.6	27.3	22.9	23.9	21.7	25.0	295.0	11	3565
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	20.8	17.9	20.9	19.3	20.1	23.1	22.4	23.5	23.7	25.6	21.3	21.3	259.9	11	3565
	02 LST	19.3	18.1	22.8	20.3	22.4	22.7	21.2	22.6	24.5	25.4	22.1	20.0	261.4	11	3565
	08 LST	19.4	17.0	21.3	20.6	23.0	24.3	24.1	23.0	25.1	26.1	21.5	19.3	264.7	11	3564
	14 LST	20.8	19.0	21.9	18.7	19.8	20.9	24.3	24.4	21.1	22.3	21.0	20.5	254.7	11	3565

# ISLA GRANDE, PUERTO RICO

STA NO. 78524/ (IN AREA NUMBER 01)

LATITUDE 1827N

LONGITUDE 06605W

ELEVATION (FT) 00009

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	88	86	93	91	92	92	90	92	93	91	89	88	93	12	-78525
MEAN MAX TMP (F)	81	81	82	84	85	86	86	87	87	86	84	82	84	12	-78525
MEAN MIN TMP (F)	70	70	71	72	74	75	76	76	75	74	73	71	73	12	-78525
ABS MIN TMP (F)	63	64	64	66	68	70	69	72	69	69	65	65	63	12	-78525
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.2	0.4	1.7	1.9	0.2	1.1	1.4	0.7	0.0	0.0	0.0	12	-78525
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-78525
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-78525
MEAN DEW PT TMP (F)	68	68	68	70	72	74	74	75	74	74	72	70	72	12	-78525
MEAN REL HUM (PCT)	78	78	76	78	80	80	81	80	81	82	81	81	80	0	-50
MEAN PRESS ALT (FT)	-123	-124	-110	-92	-82	-108	-114	-88	-30	-17	-40	-92	-84	0	-50
MEAN PRECIP (IN)	4.01	3.44	2.23	4.74	7.33	6.24	6.94	7.42	6.33	6.51	6.81	5.97	68.0	12	-78525
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.7	6.3	5.4	8.7	11.8	10.7	13.1	12.9	12.3	11.8	11.5	11.7	125.9	12	-78525
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.1	0.0	0.2	0.2	0.2	0.1	0.0	0.0	0.0	0.8	12	-78525
MEAN NO DYS TSTMS	0.3	0.1	0.3	1.8	6.4	7.1	8.6	9.3	11.8	9.3	3.7	0.7	59.4	12	-78525
P FREQ WND SPD = OR GTR 17 KTS	1.1	1.8	1.2	1.1	1.1	0.8	1.1	0.6	0.2	0.1	0.4	0.7	0.9	12	-78525
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-78525
P FREQ LES 5000 FT A/O LES 5 MI	21.4	19.4	13.8	16.5	14.2	12.3	13.0	11.8	11.7	11.4	15.2	17.4	14.8	12	-78525
P FREQ LES 1500 FT A/O LES 3 MI														12	-78525
FOR 00-02 LST	0.1	0.4	0.0	0.6	0.3	0.1	0.1	0.1	0.3	0.1	0.1	0.4	0.2	12	-78525
03-05 LST	0.4	0.4	0.0	0.2	0.0	0.3	0.1	0.4	0.2	0.0	0.4	0.9	0.3	12	-78525
06-08 LST	0.5	1.4	0.2	0.1	0.1	0.0	0.0	1.2	0.6	0.0	0.7	0.4	0.4	12	-78525
09-11 LST	0.0	0.9	0.3	0.3	0.4	0.1	0.5	0.9	0.4	0.3	0.5	0.4	0.4	12	-78525
12-14 LST	0.4	0.2	0.2	0.6	1.0	0.8	0.4	0.7	0.8	0.4	0.2	0.4	0.5	12	-78525
15-17 LST	0.2	1.1	0.3	1.8	1.6	0.5	0.8	1.0	0.8	0.4	0.3	0.7	0.8	12	-78525
18-20 LST	0.1	0.8	0.2	1.1	0.3	0.1	0.4	0.6	0.0	0.3	0.4	0.7	0.4	12	-78525
21-23 LST	0.3	0.0	0.1	0.6	0.2	0.5	0.3	0.5	0.0	0.1	0.2	0.4	0.3	12	-78525
P FREQ LES 300 FT A/O LES 1 MI														12	-78525
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-78525
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.2	0.0	12	-78525
06-08 LST	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	12	-78525
09-11 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.0	12	-78525
12-14 LST	0.1	0.0	0.0	0.0	0.1	0.5	0.2	0.1	0.3	0.1	0.0	0.0	0.1	12	-78525
15-17 LST	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.2	0.0	0.1	0.0	0.0	0.1	12	-78525
18-20 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	12	-78525
21-23 LST	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	12	-78525

# ISLA GRANDE, PUERTO RICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	31.0	27.9	31.0	29.8	30.9	30.0	30.9	30.8	30.0	31.0	30.0	30.9	364.2	12	-78525
	02 LST	31.0	28.0	31.0	29.9	30.9	30.0	30.9	30.9	30.0	31.0	30.0	30.8	364.4	12	-78525
	08 LST	30.9	27.9	31.0	30.0	30.9	30.0	31.0	30.8	29.9	31.0	29.8	31.0	364.2	12	-78525
	14 LST	30.9	28.0	31.0	29.7	30.8	29.8	30.9	30.9	30.0	30.8	29.9	30.9	363.6	12	-78525
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	23.3	21.8	22.3	22.5	26.1	23.3	21.9	24.6	26.7	29.0	26.8	25.0	293.3	12	-78525
	02 LST	25.5	23.4	26.7	26.8	29.6	27.9	26.2	28.4	28.9	29.7	27.8	26.6	327.5	12	-78525
	08 LST	25.1	23.0	27.5	27.2	27.5	25.7	25.6	27.3	28.5	30.2	28.1	26.5	322.2	12	-78525
	14 LST	15.1	10.9	8.2	10.1	10.2	8.4	7.6	11.2	16.6	15.6	17.4	15.8	147.1	12	-78525
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	0.3	0.6	0.2	0.1	0.0	0.0	0.2	0.1	0.0	0.0	0.1	0.4	2.0	12	-78525
	02 LST	0.4	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.8	12	-78525
	08 LST	0.2	0.4	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.1	12	-78525
	14 LST	0.6	0.8	1.2	0.8	1.2	0.9	1.1	0.4	0.2	0.0	0.2	0.3	7.7	12	-78525
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	19.8	18.9	23.0	21.7	20.7	22.3	22.2	21.1	17.7	16.6	14.6	19.7	238.3	12	-78525
	02 LST	11.3	9.3	11.7	10.2	9.8	11.9	15.3	12.2	5.8	5.5	7.3	9.2	119.5	12	-78525
	08 LST	10.7	10.3	13.7	14.1	17.0	18.4	19.8	15.3	9.1	9.5	8.2	11.0	157.1	12	-78525
	14 LST	21.5	15.6	13.8	14.6	14.9	14.1	12.0	15.5	20.0	20.3	21.2	21.1	204.6	12	-78525
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	9.5	9.2	11.1	8.3	6.7	3.8	3.6	6.1	4.1	5.4	6.7	9.1	83.6	12	-78525
	02 LST	12.0	10.8	14.9	13.0	11.3	9.9	7.4	10.9	10.5	11.7	10.4	11.8	134.6	12	-78525
	08 LST	8.1	6.0	10.1	6.6	4.2	4.3	5.1	7.4	7.0	6.6	7.4	6.3	79.1	12	-78525
	14 LST	7.7	6.6	9.1	5.3	2.2	2.3	4.7	5.2	2.3	2.8	6.1	5.8	60.1	12	-78525
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	27.8	26.6	29.6	28.1	29.5	28.0	29.1	28.8	28.3	29.3	27.2	28.3	340.6	12	-78525
	02 LST	27.6	25.6	29.6	27.9	29.3	28.8	28.5	29.1	28.5	29.1	27.4	27.8	339.2	12	-78525
	08 LST	27.9	24.8	29.1	28.4	29.4	28.7	29.5	29.2	29.1	29.6	28.1	28.6	342.4	12	-78525
	14 LST	29.1	21.8	30.2	28.2	27.5	27.4	29.0	28.7	26.9	28.1	27.3	29.1	337.3	12	-78525
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	23.7	23.0	27.2	25.1	27.3	26.6	26.8	27.3	27.2	27.4	25.1	25.9	312.6	12	-78525
	02 LST	23.3	21.9	26.0	24.2	27.3	27.2	26.3	27.2	27.0	27.7	25.8	24.4	308.3	12	-78525
	08 LST	23.8	20.6	24.2	25.1	27.2	26.9	27.1	27.1	27.6	28.8	25.8	25.0	309.2	12	-78525
	14 LST	25.9	23.0	27.4	24.6	24.1	24.5	27.7	27.6	23.4	25.4	25.7	26.8	305.6	12	-78525
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	21.1	19.3	23.3	21.2	23.3	24.0	24.6	25.3	25.3	25.1	22.9	22.7	278.1	12	-78525
	02 LST	21.1	19.3	23.9	22.5	24.3	25.0	24.6	25.9	26.1	26.2	24.2	22.5	285.6	12	-78525
	08 LST	20.2	16.7	21.1	20.6	22.9	23.8	24.0	24.8	26.5	26.5	22.9	20.6	270.6	12	-78525
	14 LST	21.3	19.3	23.3	20.6	19.2	21.3	24.1	24.7	21.4	22.8	22.8	22.4	263.2	12	-78525

# SAN JUAN, PUERTO RICO

STA NO. 76525 (IN AREA NUMBER 01)

LATITUDE 1828N

LONGITUDE 06607W

ELEVATION(FT) 00982

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	88	86	93	91	92	92	90	92	93	91	89	86	93	12	4377
MEAN MAX TMP (F)	81	81	82	84	85	86	86	87	87	86	84	82	84	12	4377
MEAN MIN TMP (F)	70	70	71	72	74	75	76	76	75	74	73	71	73	12	4377
ABS MIN TMP (F)	63	64	64	66	68	70	69	72	69	69	65	65	63	12	4377
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.2	0.4	1.7	1.9	0.2	1.1	1.4	0.7	0.0	0.0	7.6	12	4377
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4377
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4377
MEAN DEW PT TMP (F)	68	68	68	70	72	74	74	75	74	74	72	70	72	12	104975
MEAN REL HUM (PCT)	78	78	76	78	80	80	81	80	81	82	81	81	80	12	104951
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.01	3.44	2.23	4.74	7.33	6.24	6.94	7.42	6.33	6.51	6.81	5.97	68.0	12	4358
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.7	6.3	5.4	8.7	11.8	10.7	13.1	12.9	12.3	11.8	11.5	11.7	125.9	12	4358
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.1	0.0	0.2	0.2	0.2	0.1	0.0	0.0	0.0	0.8	12	4375
MEAN NO DYS TSTMS	0.3	0.1	0.3	1.8	6.4	7.1	8.6	9.3	11.8	9.3	3.7	0.7	59.4	12	4376
P FREQ WND SPD = OR GTR 17 KTS	1.1	1.8	1.2	1.1	1.1	0.8	1.1	0.6	0.2	0.1	0.4	0.7	0.4	12	104917
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	104917
P FREQ LES 5000 FT A/O LES 5 MI	21.4	19.4	13.6	16.5	14.2	12.3	13.0	11.8	11.7	11.4	15.2	17.4	14.8	12	104963
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.1	0.4	0.0	0.6	0.3	0.1	0.1	0.1	0.3	0.1	0.1	0.4	0.2	12	13120
03-05 LST	0.4	0.4	0.0	0.2	0.0	0.3	0.1	0.4	0.2	0.0	0.4	0.9	0.3	12	13119
06-08 LST	0.5	1.4	0.2	0.1	0.1	0.0	0.0	1.2	0.6	0.0	0.7	0.4	0.4	12	13122
09-11 LST	0.0	0.9	0.3	0.3	0.4	0.1	0.5	0.9	0.4	0.3	0.5	0.4	0.4	12	13129
12-14 LST	0.4	0.2	0.2	0.6	1.0	0.8	0.4	0.7	0.8	0.4	0.2	0.4	0.5	12	13126
15-17 LST	0.2	1.1	0.3	1.8	1.6	0.5	0.8	1.0	0.8	0.4	0.3	0.7	0.8	12	13127
18-20 LST	0.1	0.6	0.2	1.1	0.3	0.1	0.4	0.6	0.0	0.3	0.4	0.7	0.4	12	13126
21-23 LST	0.3	0.0	0.1	0.6	0.2	0.5	0.3	0.5	0.0	0.1	0.2	0.4	0.3	12	13127
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	13120
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.2	0.0	12	13119
06-08 LST	0.0	0.1	0.0	1.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	12	13122
09-11 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.0	12	13129
12-14 LST	0.1	0.0	0.0	0.0	0.1	0.5	0.2	0.1	0.3	0.1	0.0	0.0	0.1	12	13126
15-17 LST	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.2	0.0	0.1	0.0	0.0	0.1	12	13127
18-20 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	12	13126
21-23 LST	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	12	13127

# SAN JUAN, PUERTO RICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	31.0	27.9	31.0	29.8	30.9	30.0	30.9	30.8	30.0	31.0	30.0	30.9	364.2	12	4377
	02 LST	31.0	28.0	31.0	29.9	30.9	30.0	30.9	30.9	30.0	31.0	30.0	30.8	364.4	12	4275
	08 LST	30.9	27.9	31.0	30.0	30.9	30.0	31.0	30.8	29.9	31.0	29.8	31.0	364.2	12	4377
	14 LST	30.9	28.0	31.0	29.7	30.8	29.8	30.9	30.9	30.0	30.8	29.9	30.9	363.6	12	4377
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	20 LST	23.3	21.9	22.3	22.5	26.1	23.3	21.9	24.6	26.7	29.0	26.8	25.0	293.3	12	4377
	02 LST	25.5	23.4	26.7	26.8	29.6	27.9	26.2	28.4	28.9	29.7	27.8	26.6	327.5	12	4375
	08 LST	25.1	23.0	27.5	27.2	27.5	25.7	25.6	27.3	28.5	30.2	28.1	26.5	322.2	12	4377
	14 LST	15.1	10.9	8.2	10.1	10.2	8.4	7.6	11.2	16.6	15.6	17.4	15.8	147.1	12	4377
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	0.3	0.6	0.2	0.1	0.0	0.0	0.2	0.1	0.0	0.0	0.1	0.4	2.0	12	4353
	02 LST	0.4	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.8	12	4360
	08 LST	0.2	0.4	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.1	12	4360
	14 LST	0.6	0.8	1.2	0.8	1.2	0.9	1.1	0.4	0.2	0.0	0.2	0.3	7.7	12	4350
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	19.8	18.9	23.0	21.7	20.7	22.3	22.2	21.1	17.7	16.6	14.6	19.7	238.3	12	4352
	02 LST	11.3	9.3	11.7	10.2	9.8	11.9	15.3	12.2	5.8	5.5	7.3	9.2	119.5	12	4359
	08 LST	10.7	10.3	13.7	14.1	17.0	18.4	19.8	15.3	9.1	9.5	8.2	11.0	157.1	12	4359
	14 LST	21.5	15.6	13.8	14.6	14.9	14.1	12.0	15.5	20.0	20.3	21.2	21.1	204.6	12	4349
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	9.5	9.2	11.1	8.3	6.7	3.8	3.6	6.1	4.1	5.4	6.7	9.1	83.6	12	4376
	02 LST	12.0	10.8	14.9	13.0	11.3	9.9	7.4	10.9	10.5	11.7	10.4	11.8	134.6	12	4374
	08 LST	6.1	6.0	10.1	6.6	4.2	4.3	5.1	7.4	7.0	6.6	7.4	6.3	79.1	12	4376
	14 LST	7.7	6.6	9.1	5.3	2.2	2.3	4.7	5.2	2.3	2.8	6.1	5.8	60.1	12	4376
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	27.8	26.6	29.6	28.1	29.5	28.0	29.1	28.8	28.3	29.3	27.2	28.3	340.6	12	4377
	02 LST	27.6	25.6	29.6	27.9	29.3	28.8	28.5	29.1	28.5	29.1	27.4	27.8	339.2	12	4375
	08 LST	27.9	24.8	29.1	28.4	29.4	28.7	29.5	29.2	29.1	29.6	28.1	28.6	342.4	12	4377
	14 LST	29.1	25.8	30.2	28.2	27.5	27.4	29.0	28.7	26.9	28.1	27.3	29.1	337.3	12	4377
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	23.7	23.0	27.2	25.1	27.3	26.6	26.8	27.3	27.2	27.4	25.1	25.9	312.6	12	4377
	02 LST	23.3	21.9	26.0	24.2	27.3	27.2	26.3	27.2	27.0	27.7	25.8	24.4	308.3	12	4375
	08 LST	23.8	20.6	24.7	25.1	27.2	26.9	27.1	27.1	27.6	28.8	25.8	25.0	309.2	12	4377
	14 LST	23.9	23.0	27.4	24.6	24.1	24.5	27.2	27.6	23.4	25.4	25.7	26.8	305.6	12	4377
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	21.1	19.3	23.3	21.2	23.3	24.0	24.6	25.3	25.3	25.1	22.9	22.7	278.1	12	4377
	02 LST	21.1	19.3	23.9	22.5	24.3	25.0	24.6	25.9	26.1	26.2	24.2	22.5	285.6	12	4375
	08 LST	20.2	16.7	21.1	20.6	22.9	23.8	24.0	24.8	26.5	26.5	22.9	20.6	270.6	12	4377
	14 LST	21.3	19.3	23.3	20.6	19.2	21.3	24.1	24.7	21.4	22.8	22.8	22.4	263.2	12	4377

# PUERTO RICO INTL, PUERTO RICO

STA NO. 78526 (IN AREA NUMBER 01)

LATITUDE 1826N

LONGITUDE 06600W

ELEVATION(FT) 00009

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	90	91	93	93	93	94	92	92	93	93	92	90	94	11	-78523
MEAN MAX TMP (F)	82	83	85	85	86	87	87	88	88	87	85	84	86	11	-78523
MEAN MIN TMP (F)	68	68	69	71	72	74	75	75	74	73	72	70	72	11	-78523
ABS MIN TMP (F)	61	62	60	65	66	69	69	70	69	67	66	63	60	11	-78523
MEAN NO DYS TMP = OR GTR 90(F)	0.1	0.4	2.2	2.0	3.7	4.3	2.7	5.9	6.5	5.5	1.0	0.2	34.5	11	-78523
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-78523
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-78523
MEAN DEW PT TMP (F)	67	67	67	69	71	72	73	73	73	72	70	69	70	11	-78523
MEAN REL HUM (PCT)	78	76	75	77	76	79	78	79	80	80	79	79	78	11	-78523
MEAN PRESS ALT (FT)	-123	-124	-110	-93	-82	-109	-114	-88	-30	-17	-40	-92	-84	0	-50
MEAN PRECIP (IN)	3.39	2.20	2.78	4.30	6.63	5.91	5.97	6.29	5.68	5.47	4.53	4.94	58.1	10	-78523
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.7	4.7	5.4	9.4	10.7	10.9	12.4	12.2	10.7	10.1	10.5	9.6	115.5	10	-78523
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.4	11	-78523
MEAN NO DYS TSTMS	0.2	0.0	0.3	0.7	4.0	5.4	4.6	5.8	7.3	6.4	2.5	0.1	37.3	11	-78523
P FREQ WND SPD = OR GTR 17 KTS	2.1	2.5	3.1	2.4	1.7	1.8	1.6	1.7	0.4	0.3	0.6	1.8	1.7	11	-78523
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-78523
P FREQ LES 5000 FT A/O LES 5 MI	20.3	18.0	16.6	18.3	16.8	15.2	16.4	15.7	12.9	12.8	17.7	19.9	16.7	11	-78523
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.7	0.4	0.7	0.9	1.3	0.8	0.8	0.4	0.0	0.1	0.4	0.8	0.6	11	-78523
03-05 LST	0.7	0.4	0.6	1.0	1.1	0.2	0.3	1.0	0.4	0.1	0.8	0.9	0.6	11	-78523
06-08 LST	1.3	0.5	0.5	0.2	0.7	0.0	0.2	1.1	0.1	0.0	0.2	0.8	0.5	11	-78523
09-11 LST	1.2	0.0	0.4	0.4	1.1	0.6	0.3	0.5	0.2	0.5	0.2	0.5	0.5	11	-78523
12-14 LST	0.5	0.9	0.2	0.5	1.2	0.3	0.5	0.6	0.8	0.6	0.4	0.8	0.6	11	-78523
15-17 LST	0.5	0.4	0.7	1.5	1.4	0.7	0.8	1.1	0.3	0.3	0.8	0.8	0.8	11	-78523
18-20 LST	0.6	0.5	0.7	1.5	0.8	0.9	1.1	0.8	0.6	0.4	1.0	1.3	0.9	11	-78523
21-23 LST	0.3	0.5	0.8	1.1	1.2	0.6	0.8	1.0	0.4	0.5	0.3	0.9	0.7	11	-78523
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-78523
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-78523
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	11	-78523
09-11 LST	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-78523
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	11	-78523
15-17 LST	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	11	-78523
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	11	-78523
21-23 LST	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-78523

# PUERTO RICO INTL, PUEPTO RICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	31.0	28.0	31.0	29.8	31.0	29.9	30.8	30.9	30.0	30.9	30.0	30.9	364.2	11	-78523
	02 LST	31.0	28.0	31.0	30.0	30.9	30.0	31.0	31.0	30.0	31.0	29.9	31.0	364.8	11	-78523
	08 LST	30.8	28.0	31.0	30.0	30.9	30.0	31.0	30.8	30.0	31.0	30.0	30.8	364.3	11	-78523
	14 LST	31.0	27.8	31.0	30.0	30.9	29.9	31.0	30.9	29.9	30.9	29.9	31.0	364.2	11	-78523
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	22.0	21.0	23.4	20.6	24.1	22.7	20.4	23.2	26.0	29.3	23.1	22.4	278.2	11	-78523
	02 LST	25.2	23.1	26.2	26.6	28.1	28.5	25.9	26.8	28.0	29.8	26.5	25.5	320.2	11	-78523
	08 LST	25.9	23.5	26.7	24.8	28.2	26.2	25.1	25.2	27.8	30.0	27.0	24.7	315.1	11	-78523
	14 LST	5.6	3.9	3.1	5.1	7.0	4.7	3.3	4.5	7.0	10.4	9.6	7.0	71.2	11	-78523
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	0.8	0.1	0.3	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.4	1.9	11	-78523
	02 LST	0.3	0.2	0.2	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.2	0.8	1.9	11	-78523
	08 LST	0.0	0.3	0.3	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.4	1.2	11	-78523
	14 LST	1.9	2.9	4.6	2.7	2.3	2.7	2.0	2.2	0.6	0.7	0.6	1.3	24.5	11	-78523
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	22.8	21.7	23.7	24.2	26.1	25.0	25.1	24.8	24.1	25.0	22.1	20.5	287.1	11	-78523
	02 LST	17.4	15.4	18.1	15.4	18.5	19.1	21.5	19.9	16.7	15.9	16.7	14.5	209.1	11	-78523
	08 LST	17.8	16.8	20.1	19.2	23.0	22.2	24.5	22.5	19.2	20.4	18.0	16.6	240.3	11	-78523
	14 LST	11.7	9.0	6.6	7.8	10.4	7.4	5.2	7.5	12.0	14.9	15.5	12.4	120.4	11	-78523
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	8.8	10.5	11.4	7.5	5.3	3.9	2.8	3.4	2.8	4.5	4.7	7.8	73.8	11	-78523
	02 LST	10.3	10.2	14.7	10.5	9.4	6.3	4.3	5.8	9.6	9.2	8.5	9.7	108.5	11	-78523
	08 LST	7.6	7.1	9.6	6.2	4.8	3.3	3.9	5.1	4.6	5.3	5.2	5.7	68.4	11	-78523
	14 LST	4.1	5.5	5.3	3.8	1.1	1.9	2.8	2.1	0.9	1.9	3.4	3.1	35.9	11	-78523
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	28.2	26.1	29.1	27.1	28.9	27.1	27.7	28.4	28.0	29.5	28.2	28.8	337.1	11	-78523
	02 LST	26.6	25.4	28.9	27.2	28.5	27.8	26.1	27.2	27.9	29.2	27.9	27.5	330.2	11	-78523
	08 LST	26.9	24.6	29.3	27.7	29.0	28.5	28.4	27.8	28.2	30.3	27.9	28.3	336.9	11	-78523
	14 LST	28.6	26.2	28.6	27.3	27.4	26.1	28.6	28.7	26.0	28.4	27.3	28.3	331.5	11	-78523
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	23.9	22.0	24.8	24.1	25.7	26.0	25.8	26.7	25.9	28.1	25.2	25.6	303.8	11	-78523
	02 LST	22.1	20.9	25.5	23.8	25.6	24.9	23.8	24.4	26.6	26.7	24.5	23.0	291.7	11	-78523
	08 LST	24.5	20.9	24.9	25.1	27.2	26.7	26.8	26.4	26.7	28.9	25.5	24.4	308.0	11	-78523
	14 LST	26.1	23.1	25.8	23.6	24.1	22.9	26.6	27.3	22.9	23.9	23.7	25.0	295.0	11	-78523
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	20.8	17.9	20.9	19.3	20.1	23.1	22.4	23.5	23.7	25.6	21.3	21.3	259.9	11	-78523
	02 LST	19.3	18.1	22.6	20.3	22.4	22.7	21.2	22.6	24.5	25.4	22.1	20.0	261.4	11	-78523
	08 LST	19.4	17.0	21.3	20.6	23.0	24.3	24.1	23.0	25.1	26.1	21.5	19.3	264.7	11	-78523
	14 LST	20.8	19.0	21.9	18.7	19.8	20.9	24.3	24.4	21.1	22.3	21.0	20.5	254.7	11	-78523

# VIEQUES, PUERTO RICO

STA NO. 78534/ (IN AREA NUMBER 01)

LATITUDE 1806N

LONGITUDE 06525W

ELEVATION(FT) 00040

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	88	90	89	89	91	92	92	91	92	92	93	90	93	12	-78535
MEAN MAX TMP (F)	82	82	83	84	86	87	87	88	88	87	86	84	85	12	-78535
MEAN MIN TMP (F)	72	71	72	74	76	77	77	78	76	75	74	73	75	12	-78535
ABS MIN TMP (F)	64	65	64	66	66	70	71	70	68	69	66	63	63	12	-78535
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.3	0.0	0.0	2.7	3.3	1.3	3.1	3.8	2.8	2.2	0.1	19.6	12	-78535
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-78535
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-78535
MEAN DEW PT TMP (F)	68	68	69	71	72	73	74	74	74	73	71	69	71	8	-78535
MEAN REL HUM (PCT)	75	74	74	76	77	76	76	76	76	77	76	75	76	0	-50
MEAN PRESS ALT (F)	94	96	84	66	56	83	87	62	3	11	12	65	57.3	12	-78535
MEAN PRECIP (IN)	3.82	2.46	2.60	4.61	6.60	4.81	5.30	5.25	6.67	5.27	5.38	4.51	57.3	12	-29
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-78535
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.4	6.7	5.6	9.2	10.3	11.1	11.7	11.1	10.3	10.7	11.0	10.4	117.5	12	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-78535
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.0	0.0	0.0	0.1	0.1	0.0	0.2	0.1	0.2	0.0	0.1	0.0	0.8	12	-78535
MEAN NO DYS TSTMS	0.1	0.5	0.1	0.9	2.2	5.6	5.3	4.8	7.4	4.4	2.9	0.7	34.9	8	-78535
P FREQ WND SPD = OR GTR 17 KTS	2.6	2.3	3.3	4.3	2.1	3.0	3.9	3.9	1.6	0.4	1.1	3.0	2.6	8	-78535
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-78535
P FREQ LES 5000 FT A/O LES 5 MI	19.4	18.4	17.5	23.8	25.6	22.2	23.8	20.4	18.2	16.3	16.4	18.7	20.1	8	-78535
P FREQ LES 1500 FT A/O LES 3 MI														8	-78535
FOR 00-02 LST	0.6	0.5	0.9	1.7	1.4	0.6	0.7	0.8	1.4	0.7	0.3	0.8	0.9	8	-78535
03-05 LST	1.1	0.5	0.0	2.2	2.0	0.5	0.3	0.4	0.8	0.5	0.4	0.8	0.8	8	-78535
06-08 LST	0.9	0.5	0.5	1.3	1.4	0.3	1.6	0.8	0.8	0.9	0.4	0.5	0.8	8	-78535
09-11 LST	1.1	0.8	0.6	0.3	2.3	1.6	0.5	1.9	1.5	0.5	0.4	0.4	1.0	8	-78535
12-14 LST	1.7	1.0	0.6	1.3	2.2	1.6	1.2	1.5	0.7	0.9	0.6	0.9	1.2	8	-78535
15-17 LST	0.5	1.0	1.5	1.6	4.3	2.1	1.2	0.7	1.7	1.2	0.8	0.7	1.4	8	-78535
18-20 LST	1.7	0.8	1.1	2.5	2.3	1.1	1.1	1.3	1.1	0.1	1.1	1.6	1.3	8	-78535
21-23 LST	1.1	0.7	0.9	2.4	1.7	0.8	0.8	1.9	0.6	0.5	0.4	0.5	1.0	8	-78535
P FREQ LES 300 FT A/O LES 1 MI														8	-78535
FO 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	8	-78535
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	8	-78535
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	8	-78535
09-11 LST	0.2	0.0	0.0	0.0	0.2	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.1	8	-78535
12-14 LST	0.0	0.0	0.2	0.2	0.2	0.3	0.1	0.0	0.1	0.1	0.0	0.0	0.1	8	-78535
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.0	0.1	0.1	0.0	0.0	0.1	8	-78535
18-20 LST	0.0	0.0	0.0	0.6	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	8	-78535
21-23 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	8	-78535

# VIEQUES, PUERTO RICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	30.8	27.8	30.8	29.7	30.7	29.9	31.0	30.8	30.0	31.0	29.9	31.0	363.4	8	-78535
	02 LST	30.6	28.0	30.8	29.9	30.3	30.0	31.0	31.0	29.7	31.0	30.0	30.8	363.1	8	-78535
	08 LST	30.7	27.8	30.8	30.0	30.8	30.0	30.8	30.7	29.7	30.8	30.0	30.8	362.9	8	-78535
	14 LST	30.8	28.0	31.0	29.9	30.8	29.6	31.0	30.8	29.7	30.7	29.7	30.6	362.6	8	-78535
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/ SFC WND LES 10 KTS	20 LST	18.8	15.3	18.0	15.7	18.1	15.3	13.4	16.4	21.5	24.7	22.4	19.8	219.4	8	-78535
	02 LST	18.7	17.8	19.7	18.0	18.6	17.1	16.4	18.2	22.7	25.5	24.2	19.7	236.6	8	-78535
	08 LST	18.3	16.5	16.1	13.6	14.4	14.0	12.9	14.6	21.5	22.4	22.1	20.1	206.5	8	-78535
	14 LST	8.1	6.9	5.8	6.0	5.7	6.7	5.1	6.7	11.6	15.9	11.9	10.8	101.2	8	-78535
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	0.1	0.6	0.7	1.0	0.3	0.6	0.5	0.9	0.6	0.0	0.1	0.5	5.9	8	-78535
	02 LST	0.4	0.6	0.8	0.6	0.3	0.3	0.5	0.5	0.2	0.1	0.5	1.0	5.8	8	-78535
	08 LST	0.3	0.4	0.8	0.7	0.0	0.3	0.6	0.5	0.5	0.1	0.1	1.0	5.3	8	-78535
	14 LST	1.6	1.3	1.7	3.0	2.8	2.7	2.6	1.9	0.6	0.2	0.5	1.0	19.9	8	-78535
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	19.2	17.5	20.5	18.6	21.6	21.9	19.6	20.9	16.1	17.0	17.2	16.2	226.4	8	-78535
	02 LST	18.4	16.7	20.3	19.5	20.5	22.4	22.8	20.3	17.1	16.2	15.4	16.3	225.9	8	-78535
	08 LST	18.4	17.4	19.4	18.7	21.4	21.8	19.6	20.4	19.5	18.0	15.0	16.2	225.8	8	-78535
	14 LST	16.3	12.7	12.0	10.3	12.1	12.7	12.5	14.5	18.0	20.4	18.3	19.1	178.9	8	-78535
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	8.4	5.0	8.8	5.7	3.7	1.1	2.9	3.9	3.2	3.5	5.0	6.9	62.1	8	-78535
	02 LST	8.8	10.6	10.1	6.3	3.8	3.6	3.6	6.5	5.0	6.4	6.1	7.5	78.3	8	-78535
	08 LST	4.6	4.1	3.7	2.3	1.4	0.4	1.4	2.2	1.4	2.1	3.4	3.0	30.0	8	-78535
	14 LST	3.8	4.6	5.3	2.9	2.5	1.0	1.2	1.7	1.9	1.2	3.4	2.6	32.1	8	-78535
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	25.0	25.5	26.7	24.0	24.4	24.1	24.1	24.7	24.4	26.7	25.1	28.8	301.5	8	-78535
	02 LST	27.4	24.7	27.3	25.3	25.5	22.4	23.6	25.4	24.0	28.0	25.9	25.6	305.9	8	-78535
	08 LST	26.0	24.4	26.8	22.6	22.8	23.6	23.9	24.1	25.4	25.7	27.1	26.0	298.4	8	-78535
	14 LST	25.5	24.7	27.8	26.0	26.1	25.4	26.0	26.8	26.0	26.1	26.5	26.7	313.6	8	-78535
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	21.9	22.5	24.7	22.4	21.9	23.3	22.6	23.7	24.1	25.7	23.3	25.6	281.7	8	-78535
	02 LST	26.0	22.5	25.4	23.6	24.1	21.6	22.7	24.5	24.4	26.6	24.9	24.6	290.9	8	-78535
	08 LST	22.7	21.1	22.8	19.8	20.8	21.8	21.6	22.8	24.8	25.0	24.8	23.7	271.7	8	-78535
	14 LST	22.6	22.2	25.7	22.6	23.3	24.3	24.4	24.9	24.4	25.4	24.1	26.0	289.9	8	-78535
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	19.0	19.5	21.7	18.3	16.8	18.8	18.5	20.7	21.1	22.1	19.7	21.8	238.0	8	-78535
	02 LST	24.0	20.8	22.8	21.7	20.3	18.6	20.9	22.8	23.0	25.1	22.4	21.6	264.0	8	-78535
	08 LST	19.1	16.5	18.4	14.7	14.4	17.1	18.4	18.2	21.4	21.4	19.6	20.2	219.4	8	-78535
	14 LST	18.3	17.6	21.1	17.6	18.8	20.0	20.6	21.5	20.7	21.6	19.7	21.0	238.1	8	-78535

# ROOSEVELT ROADS, PUERTO RICO

STA NO. 78535 (IN AREA NUMBER 01)

LATITUDE 1815N

LONGITUDE 06538W

ELEVATION(FT) 00039

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	88	90	89	89	91	92	92	91	92	92	93	90	93	12	3733
MEAN MAX TMP (F)	82	82	83	84	86	87	87	88	88	87	86	84	85	12	3733
MEAN MIN TMP (F)	72	71	72	74	76	77	77	78	76	75	74	73	75	12	3733
ABS MIN TMP (F)	64	65	64	66	66	70	71	70	68	69	66	63	63	12	3733
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.3	0.0	0.0	2.7	3.3	1.3	3.1	3.8	2.8	2.2	0.1	19.6	12	3733
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3733
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3733
MEAN DEW PT TMP (F)	68	68	69	71	72	73	74	74	74	73	71	69	71	8	65727
MEAN REL HUM (PCT)	75	74	74	76	77	76	76	76	78	77	76	75	76	8	65727
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.92	2.46	2.60	4.61	6.60	4.81	5.30	5.25	6.67	5.27	5.38	4.51	57.3	12	3623
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.4	6.7	5.6	9.2	10.3	11.1	11.7	11.1	10.3	10.7	11.0	10.4	117.5	12	3623
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.1	0.1	0.0	0.2	0.1	0.2	0.0	0.1	0.0	0.8	8	2740
MEAN NO DYS TSTMS	0.1	0.5	0.1	0.9	2.2	5.6	5.3	4.8	7.4	4.4	2.9	0.7	34.9	12	3720
P FREQ WND SPD = OR GTR 17 KTS	2.6	2.3	3.3	4.3	2.1	3.0	3.9	3.9	1.6	0.4	1.1	3.0	2.6	8	65739
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	65739
P FREQ LES 5000 FT A/O LES 5 MI	19.4	18.4	17.5	23.8	25.6	22.2	23.8	20.4	18.2	16.3	16.4	18.7	20.1	8	65755
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.6	0.5	0.9	1.7	1.4	0.6	0.7	0.8	1.4	0.7	0.3	0.8	0.9	8	8220
03-05 LST	1.1	0.5	0.0	2.2	2.0	0.5	0.3	0.4	0.8	0.5	0.4	0.8	0.8	8	8220
06-08 LST	0.9	0.5	0.5	1.3	1.4	0.3	1.6	0.8	0.8	0.9	0.4	0.5	0.8	8	8220
09-11 LST	1.1	0.8	0.6	0.3	2.3	1.6	0.5	1.9	1.5	0.5	0.4	0.4	1.0	8	8220
12-14 LST	1.7	1.0	0.6	1.3	2.2	1.6	1.2	1.5	0.7	0.9	0.6	0.9	1.2	8	8220
15-17 LST	0.5	1.0	1.5	1.6	4.3	2.1	1.2	0.7	1.7	1.2	0.8	0.7	1.4	8	8220
18-20 LST	1.7	0.8	1.1	2.5	2.3	1.1	1.1	1.3	1.1	0.1	1.1	1.6	1.3	8	8220
21-23 LST	1.1	0.7	0.9	2.4	1.7	0.8	0.8	1.9	0.6	0.5	0.4	0.5	1.0	8	8220
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	8	8220
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	8	8220
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	8	8220
09-11 LST	0.2	0.0	0.0	0.0	0.2	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.1	8	8220
12-14 LST	0.0	0.0	0.2	0.2	0.2	0.3	0.1	0.0	0.1	0.1	0.0	0.0	0.1	8	8220
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.0	0.1	0.1	0.0	0.1	0.1	8	8220
18-20 LST	0.0	0.0	0.0	0.6	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	8	8220
21-23 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	8	8220

# ROOSEVELT ROADS, PUERTO RICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	30.8	27.8	30.8	29.7	30.7	29.9	31.0	30.8	30.0	31.0	29.9	31.0	363.4	8	2740
	02 LST	30.6	28.0	30.8	29.9	30.3	30.0	31.0	31.0	29.7	31.0	30.0	30.8	363.1	8	2740
	08 LST	30.7	27.8	30.8	30.0	30.8	30.0	30.8	30.7	29.7	30.8	30.0	30.8	362.9	8	2740
	14 LST	30.8	28.0	31.0	29.9	30.8	29.6	31.0	30.8	29.7	30.7	29.7	30.6	362.6	8	2740
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	18.8	15.3	18.0	15.7	18.1	15.3	13.4	16.4	21.5	24.7	22.4	19.8	219.4	8	2740
	02 LST	18.7	17.8	19.7	18.0	18.6	17.1	16.4	18.2	22.7	25.5	24.2	19.7	236.6	8	2740
	08 LST	18.3	16.5	16.1	13.6	14.4	14.0	12.9	14.6	21.5	22.4	22.1	20.1	206.5	8	2740
	14 LST	8.1	6.9	5.8	6.0	5.7	6.7	5.1	6.7	11.6	15.9	11.9	10.8	101.2	8	2740
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	0.1	0.6	0.7	1.0	0.3	0.6	0.5	0.9	0.6	0.0	0.1	0.5	5.9	8	2731
	02 LST	0.4	0.6	0.8	0.6	0.3	0.3	0.5	0.5	0.2	0.1	0.5	1.0	5.8	8	2730
	08 LST	0.3	0.4	0.8	0.7	0.0	0.3	0.6	0.5	0.5	0.1	0.1	1.0	5.3	8	2727
	14 LST	1.6	1.3	1.7	3.0	2.8	2.7	2.6	1.9	0.6	0.2	0.5	1.0	19.9	8	2724
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	19.2	17.5	20.6	18.6	21.6	21.9	19.6	20.9	16.1	17.0	17.2	16.2	226.4	8	2731
	02 LST	18.4	16.7	20.3	19.5	20.5	22.4	22.8	20.3	17.1	16.2	15.4	16.3	225.9	8	2730
	08 LST	18.4	17.4	19.4	18.7	21.4	21.8	19.6	20.4	19.5	18.0	15.0	16.2	225.8	8	2727
	14 LST	16.3	12.7	12.0	10.3	12.1	12.7	12.5	14.5	18.0	20.4	18.3	19.1	178.9	8	2740
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	8.4	9.0	8.8	5.7	3.7	1.1	2.9	3.9	3.2	3.5	5.0	6.9	62.1	8	2740
	02 LST	8.8	10.6	10.1	6.3	3.8	3.6	3.6	6.5	5.0	6.4	6.1	7.5	78.3	8	2740
	08 LST	4.6	4.1	3.7	2.3	1.4	0.4	1.4	2.2	1.4	2.1	3.4	3.0	30.0	8	2740
	14 LST	3.8	4.6	5.3	2.9	2.5	1.0	1.2	1.7	1.9	1.2	3.4	2.6	32.1	8	2740
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	25.0	25.5	26.7	24.0	24.4	24.1	24.1	24.7	24.4	26.7	25.1	26.8	301.5	8	2740
	02 LST	27.4	24.7	27.3	25.3	25.5	22.4	23.6	25.4	24.8	28.0	25.9	25.6	305.9	8	2740
	08 LST	26.0	24.4	26.8	22.6	22.8	23.6	23.9	24.1	25.4	25.7	27.1	26.0	298.4	8	2740
	14 LST	25.5	24.7	27.8	26.0	26.1	25.4	26.0	26.8	26.0	26.1	26.5	26.7	313.6	8	2740
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	21.9	22.5	24.7	22.4	21.9	23.3	22.6	23.7	24.1	25.7	23.3	25.6	281.7	8	2740
	02 LST	26.0	22.5	25.4	23.6	24.1	21.6	22.7	24.5	24.4	26.6	24.9	24.6	290.9	8	2740
	08 LST	22.7	21.1	22.8	19.8	20.8	21.8	21.6	22.8	24.8	25.0	24.8	23.7	271.7	8	2740
	14 LST	22.6	22.2	25.7	22.6	23.3	24.3	24.4	24.9	24.4	25.4	24.1	26.0	289.9	8	2740
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	19.0	19.5	21.7	18.3	16.8	18.8	18.5	20.7	21.1	22.1	19.7	21.8	238.0	8	2740
	02 LST	24.0	20.8	22.8	21.7	20.3	18.6	20.9	22.8	23.0	25.1	22.4	21.6	264.0	8	2740
	08 LST	19.1	16.5	18.4	14.7	14.4	17.1	18.4	18.2	21.4	21.4	19.6	20.2	219.4	8	2740
	14 LST	18.3	17.4	21.1	17.4	18.8	20.0	20.6	21.5	20.7	21.6	19.7	21.0	238.1	8	2740

# LOSEY, PUERTO RICO

STA NO. 78536/ (IN AREA NUMBER 01)

LATITUDE 1815N

LONGITUDE 06538W

ELEVATION(FT) 00039

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	88	90	89	89	91	92	92	91	92	92	93	90	93	12	-78535
MEAN MAX TMP (F)	82	82	83	84	86	87	87	88	88	87	86	84	85	12	-78535
MEAN MIN TMP (F)	72	71	72	74	76	77	77	78	76	75	74	73	75	12	-78535
ABS MIN TMP (F)	64	65	64	66	66	70	71	70	68	69	66	63	63	12	-78535
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.3	0.0	0.0	2.7	3.3	1.3	3.1	3.8	2.8	2.2	0.1	19.6	12	-78535
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-78535
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-78535
MEAN DEW PT TMP (F)	68	68	69	71	72	73	74	74	74	73	71	69	71	8	-78535
MEAN REL HUM (PCT)	75	74	74	76	77	76	76	76	78	77	76	75	76	0	-50
MEAN PRESS ALT (FT)	-94	-95	-83	-65	-55	-81	-86	-60	-3	11	-11	-64	-56	0	-50
MEAN PRECIP (IN)	3.62	2.46	2.60	4.61	6.60	4.81	5.30	5.25	6.67	5.27	5.38	4.51	57.3	12	-78535
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.4	6.7	5.6	9.2	10.3	11.1	11.7	11.1	10.3	10.7	11.0	10.4	117.5	12	-78535
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-78535
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.1	0.1	0.0	0.2	0.1	0.2	0.0	0.1	0.0	0.8	8	-78535
MEAN NO DYS TSTMS	0.1	0.5	0.1	0.9	2.2	5.6	5.3	4.8	7.4	4.4	2.9	0.7	34.9	8	-78535
P FREQ WND SPD = OR GTR 17 KTS	2.6	2.3	3.3	4.3	2.1	3.0	3.9	3.9	1.6	0.4	1.1	3.0	2.6	8	-78535
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-78535
P FREQ LES 5000 FT A/O LES 5 MI	19.4	16.4	17.5	23.8	25.6	22.2	23.8	20.4	18.2	16.3	16.4	18.7	20.1	8	-78535
P FREQ LES 1500 FT A/O LES 3 MI														8	-78535
FOR 00-02 LST	0.6	0.5	0.9	1.7	1.4	0.6	0.7	0.8	1.4	0.7	0.3	0.8	0.9	8	-78535
03-05 LST	1.1	0.5	0.0	2.2	2.0	0.5	0.3	0.4	0.8	0.5	0.4	0.8	0.8	8	-78535
06-08 LST	0.9	0.5	0.5	1.3	1.4	0.3	1.6	0.8	0.6	0.9	0.4	0.5	0.8	8	-78535
09-11 LST	1.1	0.8	0.6	0.3	2.3	1.6	0.5	1.9	1.5	0.5	0.4	0.4	1.0	8	-78535
12-14 LST	1.7	1.0	0.6	1.3	2.2	1.6	1.2	1.5	0.7	0.9	0.6	0.9	1.2	8	-78535
15-17 LST	0.5	1.0	1.5	1.6	4.3	2.1	1.2	0.7	1.7	1.2	0.8	0.7	1.4	8	-78535
18-20 LST	1.7	0.8	1.1	2.5	2.3	1.1	1.1	1.3	1.1	0.1	1.1	1.6	1.3	8	-78535
21-23 LST	1.1	0.7	0.9	2.4	1.7	0.8	0.8	1.9	0.6	0.5	0.4	0.5	1.0	8	-78535
P FREQ LES 300 FT A/O LES 1 MI														8	-78535
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	8	-78535
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	8	-78535
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.1	8	-78535
09-11 LST	0.2	0.0	0.0	0.0	0.2	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.1	8	-78535
12-14 LST	0.0	0.0	0.2	0.2	0.2	0.3	0.1	0.0	0.1	0.1	0.0	0.1	0.1	8	-78535
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.0	0.1	0.1	0.0	0.0	0.1	8	-78535
18-20 LST	0.0	0.0	0.0	0.6	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	8	-78535
21-23 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	8	-78535

# LOSEY, PUERTO RICO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	30.8	27.8	30.8	29.7	30.7	29.9	31.0	30.8	30.0	31.0	29.9	31.0	363.4	8	-78535
	02 LST	30.6	28.0	30.8	29.9	30.3	30.0	31.0	31.0	29.7	31.0	30.0	30.8	363.1	8	-78535
	08 LST	30.7	27.8	30.8	30.0	30.8	30.0	30.8	30.7	29.7	30.8	30.0	30.8	362.4	8	-78535
	14 LST	30.8	28.0	31.0	29.9	30.6	29.6	31.0	30.8	29.7	30.7	29.7	30.6	362.6	8	-78535
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	20 LST	18.8	15.3	18.0	15.7	18.1	15.3	13.4	16.4	21.5	24.7	22.4	19.8	219.4	8	-78535
	02 LST	18.7	17.8	19.7	18.0	18.6	17.1	16.4	18.2	22.7	25.5	24.2	19.7	236.6	8	-78535
	08 LST	18.3	16.5	16.1	13.6	14.4	14.0	12.7	14.6	21.5	22.4	22.1	20.1	206.5	8	-78535
	14 LST	8.1	6.9	5.8	6.0	5.7	6.7	5.1	6.7	11.6	15.9	11.9	10.8	101.2	8	-78535
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	0.1	0.6	0.7	1.0	0.3	0.6	0.5	0.9	0.6	0.0	0.1	0.5	5.9	8	-78535
	02 LST	0.4	0.6	0.8	0.6	0.3	0.3	0.5	0.5	0.5	0.1	0.1	1.0	5.8	8	-78535
	08 LST	0.3	0.4	0.8	0.7	0.0	0.3	0.6	0.5	0.5	0.1	0.1	1.0	5.3	8	-78535
	14 LST	1.6	1.3	1.7	3.0	2.6	2.7	2.6	1.0	0.6	0.2	0.5	1.0	19.9	8	-78535
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	19.2	17.5	20.6	18.6	21.6	21.9	15.6	20.9	16.1	17.0	17.2	16.2	226.4	8	-78535
	02 LST	18.4	16.7	20.3	19.5	20.5	22.4	22.8	20.3	17.1	16.2	15.4	16.3	225.9	8	-78535
	08 LST	18.4	17.4	19.4	18.7	21.4	21.8	19.6	20.4	19.5	18.0	15.0	16.2	225.8	8	-78535
	14 LST	16.3	12.7	12.0	10.3	12.1	12.7	12.5	14.5	18.0	20.4	18.3	19.1	178.9	8	-78535
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	8.4	9.0	8.8	5.7	3.7	1.1	2.9	3.9	3.2	3.5	5.0	6.9	62.1	8	-78535
	02 LST	8.8	10.6	10.1	6.3	3.8	3.6	3.6	6.5	5.0	6.4	6.1	7.5	78.3	8	-78535
	08 LST	4.6	4.1	3.7	2.3	1.4	0.4	1.4	2.2	1.4	2.1	3.4	3.0	30.0	8	-78535
	14 LST	3.8	4.6	5.3	2.9	2.5	1.0	1.2	1.7	1.9	1.2	3.4	2.6	32.1	8	-78535
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	25.0	25.5	26.7	24.0	24.4	24.1	24.1	24.7	24.4	26.7	25.1	26.8	301.5	8	-78535
	02 LST	27.4	24.7	27.3	25.3	25.5	22.4	23.6	25.4	24.8	28.0	25.9	25.6	305.9	8	-78535
	08 LST	26.0	24.4	26.8	22.6	22.6	23.6	23.9	24.1	25.4	25.7	27.1	26.0	298.4	8	-78535
	14 LST	25.5	24.7	27.8	26.0	26.1	25.4	26.0	26.8	26.0	26.1	26.5	26.7	313.6	8	-78535
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	21.9	22.5	24.7	22.4	21.9	23.3	22.6	23.7	24.1	25.7	23.3	25.6	281.7	8	-78535
	02 LST	26.0	22.5	25.4	23.6	24.1	21.6	22.7	24.5	24.4	26.6	24.9	24.6	290.9	8	-78535
	08 LST	22.7	21.1	22.8	19.8	20.8	21.8	21.6	22.8	24.8	25.0	24.8	23.7	271.7	8	-78535
	14 LST	22.6	22.2	25.7	22.6	23.3	24.3	24.4	24.9	24.4	25.4	24.1	26.0	289.9	8	-78535
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	19.0	19.5	21.7	15.3	16.8	18.8	18.5	20.7	21.1	22.1	19.7	21.8	238.0	8	-78535
	02 LST	24.0	20.8	22.8	21.7	20.3	18.6	20.9	22.8	23.0	25.1	22.4	21.6	264.0	8	-78535
	08 LST	19.1	18.5	18.4	14.7	14.4	17.1	18.4	18.2	21.4	21.4	19.6	20.2	219.4	8	-78535
	14 LST	18.3	17.6	21.1	17.6	18.8	20.0	20.6	21.5	20.7	21.6	19.7	21.0	238.1	8	-78535

## AREA NO. 01

PUERTO RICO

PUERTO RICO

LATITUDE 1815N

LONGITUDE 06630W

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		82	82	83	84	85	87	87	88	87	87	85	84	85
MEAN MIN TMP (F)		69	69	70	72	73	75	75	75	75	74	72	71	73
LARGEST MEAN PRECIP(IN)		4.01	3.44	3.67	6.05	7.33	6.66	6.94	7.42	6.67	6.51	6.81	5.97	71.5
SMALLEST MEAN PRECIP(IN)		0.82	0.72	0.45	3.32	4.17	2.95	3.70	4.57	4.59	4.79	2.51	0.36	32.9
MEAN NUMBER OF DAYS														
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	30.9	27.9	30.9	29.8	30.9	29.9	30.9	30.9	30.0	30.9	30.0	30.9	363.9
	02 LST	30.9	28.0	31.0	29.9	30.8	30.0	31.0	31.0	29.9	31.0	30.0	30.9	364.4
	08 LST	30.9	27.9	30.9	29.9	30.9	30.0	30.9	30.8	29.9	30.9	29.9	30.9	363.8
	14 LST	30.9	27.9	31.0	29.8	30.8	29.8	31.0	30.8	29.8	30.7	29.9	30.9	363.3
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	20 LST	22.3	19.8	22.1	20.7	23.5	21.4	19.6	22.3	25.3	28.2	24.4	23.4	273.0
	02 LST	25.1	23.0	25.8	25.1	26.9	26.3	24.8	26.4	27.5	29.1	26.9	25.8	312.7
	08 LST	24.8	22.6	24.2	22.1	23.6	22.0	21.5	23.6	26.5	28.3	26.1	25.1	290.4
	14 LST	9.6	7.9	6.9	8.2	9.2	7.1	5.0	7.7	12.0	14.8	13.2	11.1	112.7
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	0.5	0.7	0.6	0.4	0.3	0.3	0.8	0.4	0.2	0.0	0.2	0.4	4.8
	02 LST	0.3	0.3	0.3	0.2	0.1	0.1	0.1	0.1	0.0	0.0	0.1	0.3	2.1
	08 LST	0.2	0.3	0.4	0.2	0.0	0.1	0.2	0.2	0.1	0.0	0.1	0.3	2.1
	14 LST	2.1	2.4	3.6	2.9	2.4	2.6	3.6	2.3	0.7	0.5	0.9	1.6	25.6
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	18.7	17.3	20.6	20.0	20.1	20.4	19.7	19.6	16.8	17.1	15.8	17.3	223.4
	02 LST	15.4	13.5	15.8	14.4	15.2	16.0	18.2	16.0	12.6	12.6	12.5	13.0	175.2
	08 LST	16.0	14.8	18.0	19.0	20.4	21.1	22.3	20.5	17.2	16.4	14.5	15.1	215.3
	14 LST	15.0	12.2	11.0	11.6	13.3	11.0	8.9	11.5	16.0	18.8	17.3	15.8	162.4
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	10.5	9.9	10.6	7.6	5.4	3.0	3.5	5.2	3.8	4.7	7.1	9.6	80.9
	02 LST	14.1	13.3	16.1	13.0	11.1	9.1	8.6	11.4	10.3	11.8	12.4	13.3	144.5
	08 LST	10.3	7.6	10.4	7.7	4.7	3.8	5.0	7.7	5.3	6.2	7.5	8.0	84.2
	14 LST	6.5	7.0	7.7	5.9	2.1	2.1	3.4	3.9	2.1	2.4	5.2	5.0	53.3
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	27.9	26.1	28.7	26.7	28.0	27.1	27.7	27.9	27.6	28.9	27.4	28.4	332.4
	02 LST	28.4	26.1	29.2	27.7	28.7	27.5	27.6	28.5	27.9	29.5	28.1	28.1	337.3
	08 LST	28.0	25.6	29.1	27.3	28.2	28.0	28.6	28.3	28.2	29.3	28.4	28.6	337.6
	14 LST	28.6	26.2	29.5	27.8	27.7	26.7	28.3	28.4	26.9	28.1	27.9	28.5	334.6
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	24.2	22.8	25.0	23.5	24.3	25.4	25.8	26.5	26.0	26.7	25.1	26.2	301.5
	02 LST	25.4	23.4	26.7	25.0	26.8	25.7	26.1	27.0	27.0	28.0	26.5	25.7	313.3
	08 LST	25.1	22.4	25.8	24.6	26.3	26.4	26.9	27.0	27.3	28.4	26.3	26.0	312.7
	14 LST	25.5	23.3	26.5	24.3	24.4	23.8	26.5	26.7	24.2	25.6	25.4	26.0	302.2
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	21.5	19.5	21.5	19.0	19.7	22.2	22.8	24.2	23.7	24.3	22.5	23.0	263.9
	02 LST	23.3	21.2	24.8	22.8	23.6	23.7	24.5	25.7	25.7	26.7	24.9	23.7	290.8
	08 LST	21.5	18.5	22.3	20.5	21.8	23.5	24.0	24.2	25.4	26.2	23.3	22.4	273.8
	14 LST	21.3	19.3	22.4	20.2	20.0	21.0	23.7	24.2	21.7	23.6	22.5	22.4	262.1

## C. AMALIE, ST. THOMAS, VIRGIN IS., U.S.

STA NO. 78543 (IN AREA NUMBER 01)

LATITUDE 1820N

LONGITUDE 06458W

ELEVATION(FT) 00011

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	86	87	88	90	90	91	92	92	92	91	90	88	92	9	3103
MEAN MAX TMP (F)	82	83	84	85	86	87	88	88	88	87	86	84	86	9	3103
MEAN MIN TMP (F)	71	71	72	74	75	77	77	77	76	76	74	73	74	9	3103
ABS MIN TMP (F)	63	65	66	65	69	69	71	67	71	68	67	64	63	9	3103
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.1	0.1	1.9	5.9	8.4	4.2	1.0	0.2	0.0	21.8	9	3103
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	3103
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	3103
MEAN DEW PT TMP (F)	67	67	68	69	71	73	73	74	74	73	72	70	71	9	74427
MEAN REL HUM (PCT)	74	72	72	73	75	75	74	75	77	78	77	76	75	9	74426
MEAN PRESS ALT (FT)	-118	-120	-109	-90	-82	-108	-112	-86	-30	-14	-36	-90	-82	0	-50
MEAN PRECIP (IN)	2.45	1.89	1.66	2.19	4.61	3.19	3.27	4.06	6.91	5.56	3.89	3.87	43.5	9	3092
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.3	4.7	4.3	5.8	7.4	6.9	7.6	8.3	9.4	8.4	7.6	6.9	84.6	9	3092
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.1	0.5	9	3103
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.1	1.0	1.7	1.9	2.0	2.1	2.1	1.1	0.2	12.2	9	3102
P FREQ WND SPD = OR GTR 17 KTS	3.8	4.5	2.7	1.7	1.2	2.1	4.7	3.3	1.0	0.9	2.2	3.3	2.6	9	74455
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	9	74455
P FREQ LES 5000 FT A/O LES 5 MI	10.7	11.5	8.8	9.0	9.9	8.4	8.5	9.0	9.0	6.9	9.4	10.1	9.2	9	74452
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.2	0.0	0.1	0.4	0.4	0.1	0.3	0.4	0.0	0.7	0.0	0.4	0.3	9	9303
03-05 LST	0.1	0.0	0.1	0.2	0.1	0.0	0.1	0.4	0.1	0.1	0.0	0.5	0.1	9	9309
06-08 LST	0.4	0.3	0.1	0.1	0.2	0.2	0.4	1.3	0.7	0.4	0.1	1.1	0.4	9	9309
09-11 LST	0.8	0.4	0.2	0.1	0.4	0.5	0.5	0.8	1.4	0.5	0.3	1.3	0.6	9	9308
12-14 LST	1.0	0.5	0.0	0.2	0.5	0.4	0.1	0.7	0.8	0.9	0.1	1.1	0.5	9	9308
15-17 LST	0.4	0.7	0.2	0.1	0.4	0.0	0.1	0.7	1.1	0.3	0.1	0.4	0.4	9	9308
18-20 LST	0.4	0.3	0.4	0.1	0.5	0.5	0.1	0.1	0.8	0.4	0.0	0.5	0.3	9	9305
21-23 LST	0.0	0.0	0.0	0.5	0.1	0.4	0.0	0.3	1.3	0.4	0.0	0.3	0.3	9	9302
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	9	9303
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	9309
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	9	9309
09-11 LST	0.0	0.3	0.0	0.0	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.1	0.1	9	9308
12-14 LST	0.1	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	9308
15-17 LST	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.7	0.0	0.0	0.1	0.1	9	9308
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	9	9305
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	9	9302

## C. AMALIE, ST. THOMAS, VIRGIN IS., U.S.

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	31.0	28.0	31.0	30.0	31.0	29.8	31.0	31.0	30.0	30.8	30.0	31.0	364.6	9	3103
	02 LST	30.9	28.0	31.0	30.0	30.9	30.0	31.0	31.0	30.0	30.8	30.0	30.8	364.4	9	3103
	08 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	30.7	29.9	31.0	29.9	30.7	364.2	9	3103
	14 LST	30.8	27.8	31.0	30.0	30.9	29.8	31.0	30.8	29.9	30.8	30.0	30.8	363.6	9	3103
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	23.2	18.6	22.8	21.3	23.4	19.2	17.2	22.1	25.1	28.1	24.6	22.5	268.1	9	3103
	02 LST	24.0	22.0	24.6	24.2	25.2	23.9	22.8	24.4	28.0	27.2	26.0	24.7	297.0	9	3103
	08 LST	22.3	19.2	18.2	16.7	15.2	12.7	11.6	14.4	22.9	24.9	23.5	20.5	222.1	9	3103
	14 LST	12.0	9.9	8.9	9.7	10.3	7.1	5.1	7.8	14.6	16.5	15.5	11.6	129.0	9	3103
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	0.5	0.6	0.7	0.1	0.1	0.2	0.7	0.6	0.2	0.0	0.1	0.4	4.2	9	3093
	02 LST	0.3	0.6	0.1	0.0	0.3	0.0	0.1	1.0	0.1	0.0	0.2	0.7	3.6	9	3090
	08 LST	0.5	1.3	0.4	0.2	0.3	0.5	1.0	0.9	0.1	0.0	0.4	0.9	6.5	9	3098
	14 LST	2.9	3.0	1.9	1.2	0.9	1.5	4.2	2.0	0.6	0.5	1.5	2.1	72.3	9	3095
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	21.1	18.6	22.2	22.4	25.0	22.5	20.6	23.0	22.6	20.1	20.7	23.2	262.0	9	3093
	02 LST	19.2	16.7	18.9	19.9	21.3	22.4	22.3	23.0	18.6	18.0	18.1	22.0	240.4	9	3090
	08 LST	19.4	17.7	22.3	21.0	21.3	18.8	19.2	20.4	24.6	24.1	22.0	21.2	252.0	9	3098
	14 LST	16.5	13.9	15.1	14.2	16.3	11.1	9.9	12.8	19.7	20.2	19.1	16.7	185.5	9	3095
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	19.2	16.7	20.1	16.4	12.3	9.8	11.6	14.4	11.3	12.7	13.2	17.1	174.8	9	3103
	02 LST	20.4	17.1	20.1	19.1	15.0	14.4	16.7	16.7	16.7	15.9	19.4	20.4	211.9	9	3103
	08 LST	13.2	11.3	11.5	7.1	4.7	2.8	7.8	11.5	7.6	6.9	12.2	12.5	111.1	9	3103
	14 LST	7.2	6.8	9.4	6.9	4.9	2.1	3.6	3.7	3.4	3.7	4.9	5.4	62.0	9	3103
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	29.0	25.5	30.0	28.2	29.0	28.5	30.0	29.4	29.0	29.9	28.2	28.9	345.6	9	3103
	02 LST	29.2	26.9	28.4	28.5	28.9	28.4	30.0	29.0	27.6	28.7	28.2	29.2	343.0	9	3103
	08 LST	27.9	26.1	29.0	28.2	29.1	27.3	28.5	28.2	27.8	29.5	28.5	28.9	339.0	9	3103
	14 LST	26.1	24.6	27.8	25.9	27.7	26.3	27.0	27.0	26.0	28.2	26.4	27.4	320.4	9	3103
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	28.3	24.7	29.2	27.4	28.3	28.2	29.7	29.0	28.6	29.9	27.6	28.0	338.9	9	3103
	02 LST	28.9	25.3	28.1	27.8	28.3	28.0	29.9	28.6	27.0	28.2	27.9	28.4	336.4	9	3103
	08 LST	27.1	25.2	28.0	27.4	27.9	26.9	28.2	28.0	27.4	29.4	28.1	28.2	331.8	9	3103
	14 LST	25.5	22.5	27.3	25.1	26.6	25.8	26.6	26.7	25.6	27.6	25.9	26.4	311.8	9	3103
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	26.7	23.1	27.2	25.4	25.4	26.8	28.1	27.1	27.1	27.7	26.6	26.5	317.7	9	3103
	02 LST	28.1	23.2	26.3	25.7	26.3	26.3	28.7	27.4	27.6	26.7	27.5	27.5	320.2	9	3103
	08 LST	24.2	20.8	25.5	24.7	24.1	23.2	25.9	25.6	25.9	27.5	25.6	26.2	299.2	9	3103
	14 LST	23.2	19.6	24.3	22.9	22.8	23.2	24.2	24.5	23.7	25.2	22.9	24.0	280.5	9	3103

# CHRISTIANSTED, ST. CROIX, VIRGIN IS., U.S.

STA NO. 78547 (IN AREA NUMBER 01)

LATITUDE 1742N LONGITUDE 06447W ELEVATION(FT) 00060

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	88	89	90	93	92	92	91	93	92	93	93	88	93	11	3775
MEAN MAX TMP (F)	84	84	84	86	87	88	88	89	88	88	86	84	86	11	3775
MEAN MIN TMP (F)	71	71	71	73	74	76	76	76	75	75	73	72	74	11	3775
ABS MIN TMP (F)	61	66	62	63	66	67	68	70	67	67	64	65	61	11	3775
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.1	1.3	0.9	4.3	4.6	8.8	6.9	2.9	0.8	0.0	30.6	11	3775
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3775
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	88991
MEAN DEW PT TMP (F)	68	67	68	70	73	74	74	74	74	74	72	70	72	11	88991
MEAN REL HUM (PCT)	76	75	74	76	78	77	78	79	81	80	80	79	78	0	-50
MEAN PRESS ALT (FT)	-75	-78	-67	-48	-40	-67	-70	-45	13	30	5	-48	-40	0	-50
MEAN PRECIP (IN)	2.05	1.71	1.45	2.82	3.81	3.03	4.04	4.68	6.08	4.77	5.03	3.90	43.4	11	3768
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS PHCP = OR GTR 0.1 IN	5.5	4.5	4.0	5.5	7.3	7.0	9.4	9.4	10.6	8.5	8.5	8.3	88.5	11	3768
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.3	11	3714
MEAN NO DYS TSTMS	0.0	0.1	0.2	0.7	2.1	2.9	3.8	3.7	5.1	3.6	2.5	0.8	25.5	11	3713
P FREQ WND SPD = OR GTR 17 KTS	2.8	4.6	4.2	4.3	5.3	8.8	7.7	5.9	2.3	2.1	1.3	1.4	4.2	11	89113
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	11	89113
P FREQ LES 5000 FT A/O LES 5 MI	12.5	12.1	11.3	11.9	13.5	12.7	15.2	14.4	15.0	10.9	12.0	13.0	12.9	11	89039
P FREQ LES 1500 FT A/O LES 3 MI	0.0	0.6	0.1	0.0	0.4	0.0	0.4	0.5	0.9	0.8	0.2	0.3	0.4	11	11135
FOR 00-02 LST	0.2	0.4	0.1	0.2	0.6	0.1	0.2	0.7	0.7	0.4	0.0	0.0	0.3	11	11140
03-05 LST	0.3	0.1	0.5	0.5	0.2	0.7	0.2	1.0	0.8	0.8	0.1	0.1	0.4	11	11138
06-08 LST	0.5	0.4	0.4	0.8	1.3	0.7	0.3	0.6	1.1	0.4	0.1	0.8	0.6	11	11139
09-11 LST	0.4	0.5	0.5	0.4	1.1	0.1	0.6	0.8	1.1	0.0	0.2	1.1	0.6	11	11140
12-14 LST	0.2	0.6	0.2	0.6	0.4	0.3	0.4	1.1	2.1	0.8	0.7	1.3	0.7	11	11137
15-17 LST	1.0	0.2	0.1	0.4	0.1	0.6	0.3	1.3	1.0	0.8	0.6	0.3	0.6	11	11134
18-20 LST	0.4	0.2	0.3	0.1	0.0	0.1	0.4	1.1	0.9	0.9	0.3	0.5	0.4	11	11130
21-23 LST	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	11	11135
P FREQ LES 300 FT A/O LES 1 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	11140
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	11138
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.0	0.0	0.0	0.1	0.0	11	11139
06-08 LST	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.2	0.0	0.1	0.0	0.1	11	11139
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.2	0.0	0.0	0.1	0.1	11	11140
12-14 LST	0.1	0.0	0.1	0.0	0.1	0.0	0.0	0.1	0.1	0.1	0.0	0.1	0.1	11	11137
15-17 LST	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	11	11134
18-20 LST	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	11	11130
21-23 LST	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.2	0.0	11	11130

# CHRISTIANSTED, ST. CROIX, VIRGIN IS., U.S.

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	30.9	26.0	31.0	30.0	31.0	29.9	31.0	30.9	29.8	31.0	29.9	30.9	364.3	11	3713
	02 LST	31.0	27.9	31.0	30.0	30.9	30.0	31.0	31.0	29.8	31.0	29.9	30.9	364.4	11	3714
	08 LST	31.0	27.9	30.8	29.9	31.0	30.0	31.0	30.9	29.9	30.8	30.0	30.9	364.1	11	3714
	14 LST	31.0	27.9	31.0	29.8	30.7	30.0	30.8	30.8	29.8	31.0	30.0	30.9	363.7	11	3714
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	20 LST	25.5	22.3	25.6	24.4	24.9	19.0	21.5	24.9	25.0	26.3	27.2	25.1	291.7	11	3713
	02 LST	25.8	22.5	26.1	24.5	24.2	19.4	22.3	24.6	25.3	26.4	27.6	26.0	294.7	11	3714
	08 LST	23.1	18.7	17.3	13.4	11.1	6.8	9.5	13.4	19.5	21.0	24.1	23.4	201.3	11	3714
	14 LST	8.3	7.3	7.3	5.3	5.5	1.8	2.2	5.2	10.4	11.8	12.8	11.0	88.9	11	3714
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	0.0	0.0	0.1	0.1	0.4	1.0	0.4	0.1	0.2	0.2	0.1	0.2	2.8	11	3696
	02 LST	0.1	0.1	0.1	0.0	0.0	0.7	0.1	0.5	0.1	0.3	0.1	0.1	2.2	11	3698
	08 LST	0.0	0.5	0.4	1.0	1.2	1.8	0.8	0.9	0.5	0.3	0.2	0.1	7.7	11	3697
	14 LST	2.8	4.6	4.2	3.5	4.1	6.7	7.1	4.0	1.3	1.2	0.8	1.5	41.8	11	3701
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	19.5	18.7	18.9	20.0	21.7	20.8	23.8	23.0	18.7	19.2	20.2	20.1	244.6	11	3696
	02 LST	20.6	19.1	18.1	19.4	21.6	20.6	24.5	22.8	17.0	18.9	19.1	18.8	240.5	11	3698
	08 LST	18.1	17.6	17.7	16.6	15.1	12.0	15.8	17.0	17.6	19.2	18.1	19.7	204.5	11	3697
	14 LST	13.3	11.4	11.1	11.0	9.7	4.2	6.6	9.6	14.7	15.4	18.3	17.3	142.6	11	3701
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	18.3	16.4	18.9	14.1	9.5	6.3	9.9	12.2	8.7	10.8	13.9	15.0	154.0	11	3714
	02 LST	19.0	15.5	20.2	14.7	10.9	9.0	12.0	12.8	11.9	12.6	15.4	15.8	169.8	11	3714
	08 LST	10.3	8.2	8.2	4.6	2.3	2.3	4.2	5.6	2.9	5.5	9.0	8.3	71.4	11	3714
	14 LST	6.5	7.4	8.6	6.4	3.9	3.0	3.3	3.1	1.8	3.0	3.2	4.5	54.7	11	3714
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	28.7	26.5	29.7	28.4	28.6	28.0	28.9	28.2	27.6	28.3	28.0	28.5	339.4	11	3713
	02 LST	28.8	24.9	29.2	27.3	26.9	26.4	28.1	27.5	26.1	28.7	27.3	28.3	329.5	11	3714
	08 LST	27.4	24.4	27.2	25.9	26.2	25.3	26.1	26.2	26.7	28.6	27.3	27.3	318.6	11	3714
	14 LST	26.0	24.8	27.2	27.1	28.5	27.0	24.4	26.4	24.8	27.1	24.8	25.6	313.7	11	3714
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	27.9	26.2	29.4	28.0	28.2	27.9	28.6	27.8	27.3	28.2	27.9	27.5	334.9	11	3713
	02 LST	28.4	23.6	28.4	26.4	26.5	26.2	27.8	27.5	25.8	28.0	27.1	27.7	323.4	11	3714
	08 LST	26.8	23.2	25.6	24.6	25.6	24.9	25.8	24.4	25.5	28.1	26.6	26.6	307.7	11	3714
	14 LST	24.7	24.0	25.9	26.5	27.9	26.5	24.1	25.4	23.7	26.3	23.4	24.0	302.4	11	3714
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	26.4	23.4	28.1	26.3	25.6	26.0	27.0	26.7	25.5	26.1	26.4	25.3	312.8	11	3713
	02 LST	26.4	22.0	26.5	24.9	24.5	24.9	26.6	26.4	25.0	27.1	26.0	24.9	305.2	11	3714
	08 LST	24.2	19.9	22.2	22.0	20.9	21.7	23.3	22.8	23.0	25.7	24.3	22.3	272.3	11	3714
	14 LST	21.0	21.0	23.5	23.5	24.2	24.2	21.8	23.3	21.7	23.7	21.5	21.3	270.7	11	3714

# AREA NO. 01


VIRGIN ISLAND, U.S.

VIRGIN ISLANDS

LATITUDE 1800N LONGITUDE 06445W

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
		83	84	84	86	87	88	88	89	88	88	86	84	86
MEAN MAX TMP (F)		71	71	72	74	75	77	77	77	76	76	74	73	74
MEAN MIN TMP (F)		2.45	1.89	1.66	2.82	4.61	3.19	4.04	4.68	6.91	5.56	5.03	3.90	46.7
LARGEST MEAN PRECIP(IN)		2.05	1.71	1.45	2.19	3.81	3.03	3.27	4.06	6.08	4.77	3.89	3.87	40.2
SMALLEST MEAN PRECIP(IN)														
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	31.0	28.0	31.0	30.0	31.0	29.9	31.0	31.0	29.9	30.9	30.0	31.0	364.7
	02 LST	31.0	28.0	31.0	30.0	30.9	30.0	31.0	31.0	29.9	30.9	30.0	30.9	364.6
	08 LST	31.0	28.0	30.9	30.0	31.0	30.0	31.0	30.8	29.9	30.9	30.0	30.8	364.3
	14 LST	30.9	27.9	31.0	29.9	30.6	29.9	30.9	30.8	29.9	30.9	30.0	30.9	363.8
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	24.4	20.5	24.2	22.9	24.2	19.1	19.4	23.5	25.1	27.2	25.9	23.8	280.2
	02 LST	24.9	22.3	25.4	24.4	24.7	21.7	22.6	24.5	26.7	26.8	26.8	25.4	296.2
	08 LST	22.7	19.0	17.8	15.1	13.2	9.8	10.6	13.9	21.2	23.0	23.6	22.0	212.1
	14 LST	10.2	8.6	8.1	7.5	7.9	4.5	3.7	6.5	12.5	14.2	14.2	11.3	109.2
SFC WND = GT 17 KTS AND NO PRECIP.	20 LST	0.3	0.3	0.4	0.1	0.3	0.6	0.6	0.4	0.2	0.1	0.1	0.3	3.7
	02 LST	0.2	0.5	0.1	0.0	0.2	0.4	0.1	0.8	0.1	0.2	0.2	0.4	3.2
	08 LST	0.3	0.9	0.4	0.6	0.8	1.2	0.9	0.9	0.3	0.2	0.3	0.5	7.3
	14 LST	2.9	3.8	3.1	2.4	2.5	4.1	5.7	3.0	1.0	0.9	1.2	1.8	32.4
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	20.3	18.7	20.6	21.2	23.4	21.7	22.2	23.0	20.7	19.7	20.5	21.7	253.7
	02 LST	19.9	17.9	18.5	19.7	21.5	21.5	23.4	22.9	17.8	18.5	18.6	20.4	240.6
	08 LST	18.8	17.7	20.0	18.8	18.2	15.4	17.5	18.7	21.1	21.7	20.1	20.5	228.5
	14 LST	14.9	12.7	13.1	12.6	13.0	7.7	8.3	11.2	17.2	17.8	18.7	17.0	164.2
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	18.8	16.6	19.5	15.3	10.9	8.1	10.8	13.3	10.0	11.8	13.6	16.1	164.8
	02 LST	19.7	16.3	20.2	16.9	13.0	11.7	14.4	14.8	14.3	14.3	17.4	18.1	191.1
	08 LST	11.8	9.8	9.9	5.9	3.5	2.6	6.0	8.6	3.3	7.2	10.6	10.4	91.6
	14 LST	6.9	7.1	9.0	6.7	4.4	2.6	3.5	3.4	2.6	3.4	4.1	5.0	58.7
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	28.9	26.0	29.9	28.3	28.8	28.3	29.5	28.8	28.3	29.1	28.1	28.7	342.7
	02 LST	29.0	25.9	28.8	27.9	27.9	27.4	29.1	28.3	26.9	28.7	27.8	28.8	336.5
	08 LST	27.7	25.3	28.1	27.1	27.7	26.3	27.3	27.2	27.3	29.1	27.9	28.1	329.1
	14 LST	26.1	24.7	27.5	26.5	28.1	26.7	25.7	26.7	25.4	27.7	25.6	26.5	317.2
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	28.1	25.5	29.3	27.7	28.3	28.1	29.2	28.4	28.0	29.1	27.8	27.8	337.3
	02 LST	28.7	24.5	28.3	27.1	27.4	27.1	28.9	28.1	26.4	28.1	27.5	28.1	330.2
	08 LST	27.0	24.2	26.8	26.0	26.8	25.9	27.0	26.2	26.5	28.8	27.4	27.4	320.0
	14 LST	25.1	23.3	26.6	25.8	27.4	26.2	25.4	26.1	24.7	27.0	24.7	25.7	307.5
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	26.6	23.3	27.7	25.9	25.5	26.4	27.6	26.9	26.3	26.9	26.5	25.9	315.5
	02 LST	27.3	22.6	26.4	25.3	25.4	25.6	27.7	26.9	25.7	27.4	26.4	26.2	312.9
	08 LST	24.2	20.4	23.9	23.4	22.5	22.5	24.6	24.2	24.5	26.6	25.0	24.3	286.1
	14 LST	22.1	20.3	23.9	23.2	23.5	23.7	23.0	23.9	22.7	24.5	22.2	22.7	275.7

LESSER ANTILLES



# BRIDGETOWN, BARBADOS IS. U.K.

STA NO. 78953/ (IN AREA NUMBER 01)

LATITUDE 1308N

LONGITUDE 05936W

ELEVATION(FT) 00181

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	87	87	89	89	91	90	90	95	91	92	89	88	95	35	-28
MEAN MAX TMP (F)	83	83	85	86	87	87	86	87	87	86	85	83	85	35	-28
MEAN MIN TMP (F)	70	69	70	72	73	74	74	74	74	73	73	71	72	35	-28
ABS MIN TMP (F)	61	61	62	64	66	67	68	69	67	67	66	64	61	35	-28
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	6.4	6.1	3.7	6.4	6.1	3.7	0.0	0.0	32.4	35	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35	-29
MEAN DEW PT TMP (F)	66	64	64	65	67	69	70	70	71	71	71	68	68	30	-29
MEAN REL HUM (PCT)	73	69	67	66	68	71	73	74	75	77	79	75	72	20	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.60	1.10	1.30	1.40	2.30	4.40	5.80	5.80	6.70	7.00	8.10	3.80	50.3	22	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35	-29
MEAN NO DYS PKCP = OR GTR 0.1 IN	5.0	1.6	3.2	3.4	5.1	9.4	11.4	11.4	10.3	10.7	12.6	9.7	93.8	22	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.0	5.0	9.0	11.0	19.0	17.0	15.0	1.0	3.0	90.0 81.0	5	-61
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

*highly suspect*

# BRIDGETOWN, BARBADOS IS. U.K.

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20	LST												0	0
	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI w/SFC WND LES 10 KTS	20	LST												0	0
	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	20	LST												0	0
	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20	LST												0	0
	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20	LST												0	0
	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20	LST												0	0
	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20	LST												0	0
	02	LST												0	0
	08	LST												0	0
	14	LST												0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20	LST												0	0
	02	LST												0	0
	08	LST												0	0
	14	LST												0	0

DATA NOT AVAILABLE

# SEAWELL, BARBADOS IS. U.K.

STA NO. 78954 (IN AREA NUMBER 01)

LATITUDE 1304N

LONGITUDE 05929W

ELEVATION(FT) 00165

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	85	86	86	87	88	89	89	89	90	89	89	86	90	3	836
MEAN MAX TMP (F)	83	84	84	85	86	86	86	87	86	86	85	84	85	3	836
MEAN MIN TMP (F)	71	71	72	73	73	76	75	75	75	75	74	73	74	3	836
ABS MIN TMP (F)	65	65	66	70	69	70	72	70	71	70	70	69	65	3	836
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.4	3	836
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	836
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	836
MEAN DEW PT TMP (F)	69	68	68	70	73	74	74	75	74	74	73	72	72	3	19412
MEAN REL HUM (PCT)	76	73	73	76	80	79	81	82	81	82	81	81	79	3	19407
MEAN PRESS ALT (FT)	104	104	104	114	116	87	104	128	158	173	183	126	125	0	-50
MEAN PRECIP (IN)	0.88	1.06	0.60	2.15	5.10	2.77	6.55	6.92	4.39	7.71	7.41	3.42	49.0	3	835
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS PPCP = OR GTR 0.1 IN	2.5	4.4	3.0	5.5	10.5	5.1	12.0	15.0	10.5	10.1	10.3	11.0	99.9	3	835
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.5	1.0	0.5	0.0	1.3	0.3	0.0	3.6	3	825
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.5	0.0	1.0	4.5	5.5	2.7	1.3	0.4	15.9	3	815
P FREQ WND SPD = OR GTR 17 KTS	3.2	13.7	9.0	9.6	4.3	10.1	7.0	3.2	1.2	3.3	2.4	5.0	6.0	3	19413
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.2	0.0	0.0	0.0	3	19413
P FREQ LES 5000 FT A/O LES 5 MI	13.4	17.0	12.0	23.1	25.4	21.6	25.6	31.4	20.4	24.7	23.6	22.1	21.7	3	19405
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.5	0.6	0.5	0.5	0.0	1.1	0.7	2.2	0.5	3	2431
03-05 LST	0.0	0.0	0.0	0.0	0.5	0.0	0.5	1.6	0.0	2.5	0.4	1.3	0.6	3	2422
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.6	1.1	1.1	2.5	3.6	0.4	1.3	0.9	3	2438
09-11 LST	0.0	0.6	0.0	0.0	2.2	0.0	1.6	0.0	0.9	2.9	1.5	0.0	0.8	3	2450
12-14 LST	0.0	0.0	1.1	0.0	1.6	1.1	1.6	1.6	3.6	1.8	1.1	1.3	1.2	3	2458
15-17 LST	0.0	0.6	0.0	0.6	2.2	0.6	2.7	3.8	0.0	2.2	1.9	0.9	1.3	3	2452
18-20 LST	0.0	0.0	0.0	0.0	2.7	2.2	3.2	3.2	0.0	0.7	0.4	0.4	1.1	3	2459
21-23 LST	0.0	0.0	0.0	0.0	0.5	0.0	1.1	0.5	0.0	0.4	0.4	0.9	0.3	3	2423
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	2431
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	3	2422
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	3	2438
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	3	2450
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	3	2458
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.4	0.0	0.1	3	2452
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.4	0.0	0.0	0.1	3	2459
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.4	0.0	0.0	0.1	3	2423

# SEAWELL, BARBADOS IS. U.K.

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	31.0	28.0	31.0	30.0	30.5	30.0	30.5	31.0	30.0	31.0	30.0	31.0	364.0	3	836
	02 LST	31.0	28.0	31.0	30.0	31.0	30.0	30.3	31.0	30.0	31.0	30.0	31.0	364.5	3	826
	08 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	29.6	30.7	30.0	30.7	364.0	3	835
	14 LST	31.0	28.0	31.0	30.0	30.5	30.0	31.0	31.0	30.0	31.0	30.0	31.0	364.5	3	835
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	20 LST	17.5	8.8	5.5	4.0	13.5	5.0	9.5	14.0	19.9	19.0	16.7	11.8	145.2	3	836
	02 LST	14.0	7.8	8.0	3.5	14.0	2.5	9.0	16.5	19.8	17.9	17.3	14.5	144.8	3	826
	08 LST	7.0	6.4	6.0	2.5	6.5	1.5	6.5	9.5	12.2	12.8	10.7	6.7	88.3	3	835
	14 LST	8.0	4.4	2.5	1.5	9.0	2.0	6.0	8.5	10.9	14.1	10.7	6.7	84.3	3	835
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	1.5	2.0	1.0	1.5	0.0	1.5	1.0	0.5	0.8	0.0	0.0	2.0	11.8	3	831
	02 LST	0.0	2.4	4.0	2.0	0.5	2.5	1.5	1.5	0.0	2.0	0.7	1.7	18.8	3	819
	08 LST	1.0	4.9	2.5	3.5	1.5	4.5	2.0	1.0	0.0	1.4	1.0	1.0	24.3	3	828
	14 LST	1.5	5.4	7.0	5.0	2.0	5.5	3.5	0.5	0.8	1.0	1.0	2.7	35.9	3	830
SFC WND 4-10 KTS AND TMP DEG F AND NO PRECIP. 33-89	20 LST	19.5	11.8	8.5	10.5	19.0	7.6	15.0	19.3	19.4	19.7	18.7	18.0	187.0	3	831
	02 LST	18.3	14.2	10.0	5.5	16.7	6.5	14.5	18.5	21.1	20.3	19.0	19.6	185.2	3	819
	08 LST	13.5	11.8	8.0	8.0	17.0	5.0	13.0	15.0	15.6	17.4	17.0	10.9	152.2	3	828
	14 LST	14.5	7.4	2.5	6.5	12.9	2.5	11.2	11.7	16.2	18.2	16.8	11.4	131.8	3	830
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST														0	0
	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	29.0	26.0	27.5	26.0	27.5	25.5	24.0	21.5	27.2	27.0	26.0	25.3	312.5	3	836
	02 LST	27.5	24.6	27.5	23.0	24.0	22.0	24.0	21.5	22.6	23.9	24.3	24.9	289.8	3	826
	08 LST	26.0	22.1	26.5	25.0	22.0	22.5	24.0	23.5	23.9	21.5	21.0	23.3	281.3	3	835
	14 LST	27.5	26.5	28.5	24.0	23.5	23.5	25.5	20.5	25.1	23.9	22.7	25.6	296.8	3	835
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	29.0	26.0	27.0	24.0	27.0	25.0	23.5	21.5	27.2	26.3	25.3	24.6	306.4	3	836
	02 LST	26.5	23.6	27.5	22.0	23.0	20.5	23.5	21.5	22.1	23.6	23.6	24.2	281.6	3	826
	08 LST	25.5	21.6	26.5	22.5	20.0	22.0	24.0	23.5	23.1	19.5	19.7	21.2	269.1	3	835
	14 LST	27.0	26.0	27.5	23.5	22.5	21.5	25.5	19.5	23.9	22.6	22.0	24.9	286.4	3	835
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	29.0	26.0	26.0	22.0	26.0	23.0	22.5	20.0	26.7	25.6	25.1	23.6	295.4	3	836
	02 LST	26.0	23.1	27.0	21.0	21.0	19.5	23.0	20.0	22.1	23.3	23.3	23.6	272.9	3	826
	08 LST	24.5	19.6	26.0	18.5	20.0	21.0	22.5	22.5	22.7	18.8	18.7	19.2	254.0	3	835
	14 LST	26.5	24.1	25.5	20.5	20.5	20.5	23.0	19.0	23.5	22.6	21.3	23.9	270.9	3	835

AREA NO. 01

BARBADOS ISLANDS U.K.

BARBADOS

LATITUDE 1310N

LONGITUDE 05935W

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		83	84	85	86	87	87	86	87	87	86	85	84	86
MEAN MIN TMP (F)		71	70	71	73	73	75	75	75	75	74	74	72	73
LARGEST MEAN PRECIP(IN)		2.60	1.10	1.30	2.15	5.10	4.40	6.55	6.92	6.70	7.71	8.10	3.80	56.4
SMALLEST MEAN PRECIP(IN)		0.88	1.06	0.60	1.40	2.30	2.77	5.80	5.80	4.39	7.00	7.41	3.42	42.8
		MEAN NUMBER OF DAYS												
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	20 LST	31.0	28.0	31.0	30.0	30.5	30.0	30.5	31.0	30.0	31.0	30.0	31.0	364.0
	02 LST	31.0	28.0	31.0	30.0	31.0	30.0	30.5	31.0	30.0	31.0	30.0	31.0	364.5
	08 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	29.6	30.7	30.0	30.7	364.0
	14 LST	31.0	28.0	31.0	30.0	30.5	30.0	31.0	31.0	30.0	31.0	30.0	31.0	364.5
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LES 10 KTS	20 LST	17.5	8.6	5.5	4.0	13.5	5.0	9.5	14.0	19.9	19.0	16.7	11.8	145.2
	02 LST	14.0	7.8	8.0	3.5	14.0	2.5	9.0	16.5	19.8	17.9	17.3	14.5	144.8
	08 LST	7.0	6.4	6.0	2.5	6.5	1.5	6.5	9.5	12.2	12.8	10.7	6.7	88.3
	14 LST	8.0	4.4	2.5	1.5	9.0	2.0	6.0	8.5	10.9	14.1	10.7	6.7	84.3
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	20 LST	1.5	2.0	1.0	1.5	0.0	1.0	1.0	0.5	0.8	0.0	0.0	2.0	11.8
	02 LST	0.0	2.4	4.0	2.0	0.5	2.5	1.5	1.5	0.0	2.0	0.7	1.7	18.8
	08 LST	1.0	4.9	2.5	3.5	1.5	4.5	2.0	1.0	0.0	1.4	1.0	1.0	24.3
	14 LST	1.5	5.4	7.0	5.0	2.0	5.5	3.5	0.5	0.8	1.0	1.0	2.7	35.9
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	19.5	11.8	8.5	10.5	19.0	7.6	15.0	19.3	19.4	19.7	18.7	18.0	187.0
	02 LST	18.3	14.2	10.0	6.5	16.7	6.5	14.5	18.5	21.1	20.3	19.0	19.6	185.2
	08 LST	13.5	11.8	8.0	8.0	17.0	5.0	13.0	15.0	15.6	17.4	17.0	10.9	152.2
	14 LST	14.5	7.4	2.5	6.5	12.9	2.5	11.2	11.7	16.2	18.2	16.8	11.4	131.8
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	20 LST													
	02 LST													
	08 LST													
	14 LST													
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	20 LST	29.0	26.0	27.5	26.0	27.5	25.5	24.0	21.5	27.2	27.0	26.0	25.3	312.5
	02 LST	27.5	24.6	27.5	23.0	24.0	22.0	24.0	21.5	22.6	23.9	24.3	24.9	289.8
	08 LST	26.0	22.1	26.5	25.0	22.0	22.5	24.0	23.5	23.9	21.5	21.0	23.3	281.3
	14 LST	27.5	26.5	28.5	24.0	23.5	23.5	25.5	20.5	25.1	23.9	22.7	25.6	296.8
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	20 LST	29.0	26.0	27.0	24.0	27.0	25.0	23.5	21.5	27.2	26.3	25.3	24.6	306.4
	02 LST	26.5	23.6	27.5	22.0	23.0	20.5	23.5	21.5	22.1	23.6	23.6	24.2	281.6
	08 LST	25.5	21.6	26.5	22.5	20.0	22.0	24.0	23.5	23.1	19.5	19.7	21.2	269.1
	14 LST	27.0	26.0	27.5	23.5	22.5	21.5	25.5	19.5	23.9	22.6	22.0	24.9	286.4
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	20 LST	29.0	26.0	26.0	22.0	26.0	23.0	22.5	20.0	26.7	25.6	25.0	23.6	295.4
	02 LST	26.0	23.1	27.0	21.0	21.0	19.5	23.0	20.0	22.1	23.3	23.3	23.6	272.9
	08 LST	24.5	19.6	26.0	18.5	20.0	21.0	22.5	22.5	22.7	18.8	18.7	19.2	254.0
	14 LST	26.5	24.1	25.5	20.5	20.5	20.5	23.0	19.0	23.5	22.6	21.3	23.9	270.9

# LE RAIZET, FRENCH WEST INDIES

STA NO. 78897 (IN AREA NUMBER 01)

LATITUDE 1616N

LONGITUDE 06131W

ELEVATION(FT) 00036

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	86	86	88	90	90	91	90	90	90	90	88	88	91	13	4554
MEAN MAX TMP (F)	83	83	84	85	86	87	87	88	87	87	85	84	86	13	4554
MEAN MIN TMP (F)	66	66	67	69	71	73	73	73	72	71	70	68	70	12	4178
ABS MIN TMP (F)	58	55	59	60	61	66	67	66	67	66	63	60	55	12	4178
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	0.4	1.0	0.4	0.4	0.0	0.0	2.6	6	-65
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4178
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4178
MEAN DEW PT TMP (F)	68	67	68	70	72	73	73	74	74	73	72	70	71	7	3944
MEAN REL HUM (PCT)	52	81	77	77	81	81	80	83	85	85	85	84	82	7	3912
MEAN PRESS ALT (FT)	-24	-25	-24	-7	-7	-33	-24	1	32	49	54	-1	-0	0	-50
MEAN PRECIP (IN)	3.92	2.54	2.65	3.39	5.47	4.97	7.58	7.93	9.01	9.18	7.76	5.25	69.6	13	4362
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.7	5.9	5.7	7.6	10.7	11.5	13.8	14.3	14.4	14.7	13.8	11.9	135.0	13	4362
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	989
MEAN NO DYS TSTMS	0.0	1.0	0.0	1.0	4.0	5.0	8.0	5.0	15.0	9.0	2.0	2.0	52.0	2	-65
P FREQ WND SPD = OR GTR 17 KTS	0.7	0.0	0.6	0.0	0.0	0.0	0.5	0.6	0.8	0.8	0.0	0.3	0.4	7	3968
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	3968
P FREQ LES 5000 FT A/O LES 5 MI	27.2	27.8	22.1	23.9	36.1	35.9	34.2	31.8	29.1	31.7	32.3	28.8	30.1	7	3944
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	7.1	6.7	5.4	9.8	8.5	6.4	8.7	8.6	7.9	10.3	9.5	10.7	8.3	7	1578
03-05 LST	5.0	4.7	2.5	6.4	5.3	4.7	6.8	5.7	4.2	6.7	6.4	6.5	5.6	7	-30
06-08 LST	3.0	2.7	1.6	3.1	2.1	3.1	4.9	2.9	4.6	3.2	3.3	2.4	3.1	13	4201
09-11 LST	4.9	3.1	2.4	4.2	3.7	3.9	6.8	4.3	5.6	6.8	5.3	3.1	4.5	7	-30
12-14 LST	6.8	3.6	3.1	5.3	5.4	4.7	8.7	5.7	6.7	10.4	7.4	3.8	6.0	7	1553
15-17 LST	5.1	3.9	2.5	4.2	5.1	4.5	6.4	5.6	6.0	8.3	7.2	4.3	5.3	7	-30
18-20 LST	3.4	4.2	2.0	3.1	4.7	4.3	4.1	5.5	5.2	6.2	7.0	4.8	4.5	7	1653
21-23 LST	5.6	5.4	3.7	6.5	6.6	5.3	6.4	7.0	6.5	8.2	8.2	7.7	6.4	7	-30
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.1	7	1578
03-05 LST	0.2	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	7	-30
06-08 LST	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	4201
09-11 LST	0.2	0.0	0.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	7	-30
12-14 LST	0.0	0.0	0.0	0.9	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	7	1553
15-17 LST	0.0	0.0	0.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	7	-30
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1653
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	7	-30

# LE RAIZET, FRENCH WEST INDIES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	30.8	29.8	30.6	29.8	30.8	363.8	7	1653
	02 LST	30.8	28.0	31.0	29.7	31.0	29.8	31.0	30.8	29.8	30.8	30.0	30.8	363.5	7	1578
	08 LST	30.9	28.0	30.9	30.0	30.9	30.0	30.8	31.0	29.7	30.8	29.7	30.8	363.5	13	4201
	14 LST	30.8	28.0	31.0	29.7	30.5	30.0	30.5	31.0	29.8	30.6	30.0	31.0	362.9	7	1553
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	29.4	29.6	29.7	27.4	27.8	26.7	28.2	28.0	26.9	27.8	26.6	28.9	333.0	7	1650
	02 LST	27.1	24.2	27.9	24.9	26.7	26.6	25.6	26.4	26.3	25.6	24.1	25.0	310.4	7	1578
	08 LST	29.1	25.5	28.1	24.9	25.4	23.2	25.7	28.0	27.1	28.4	27.7	28.9	322.0	13	4200
	14 LST	9.3	9.8	9.2	9.7	9.8	9.2	7.2	12.4	14.3	11.4	12.5	12.8	127.6	7	1551
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1652
	02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1583
	08 LST	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.4	13	4201
	14 LST	0.9	0.2	0.5	0.0	0.2	0.2	0.4	0.2	0.4	0.4	0.0	0.0	3.4	7	1553
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	6.1	4.8	10.2	10.4	7.3	9.5	12.1	5.1	3.3	4.2	3.6	4.7	81.3	7	1646
	02 LST	6.6	4.5	4.7	4.6	4.7	5.0	5.6	3.9	0.8	4.5	3.1	3.1	51.1	7	1583
	08 LST	4.2	7.1	10.9	13.6	15.6	17.6	15.3	11.2	6.9	7.6	4.1	4.7	117.8	13	4194
	14 LST	11.9	10.8	12.6	13.1	12.5	10.7	11.1	10.0	11.6	10.9	10.2	11.1	136.5	7	1550
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	16.2	15.7	19.4	15.0	10.6	10.4	9.5	14.7	13.3	11.6	14.1	18.3	168.8	7	1656
	02 LST	15.3	12.7	18.8	11.5	9.7	10.3	9.9	13.5	11.6	11.4	12.7	12.2	149.6	7	1581
	08 LST	8.1	7.2	7.1	4.3	1.9	2.1	3.9	4.4	4.1	6.4	6.8	5.6	61.9	13	4197
	14 LST	1.4	2.7	2.9	1.3	0.0	0.0	0.4	0.2	0.4	0.8	0.2	0.5	10.8	7	1554
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	28.6	24.7	29.3	27.9	27.3	26.3	26.5	26.9	26.3	26.8	25.4	28.2	324.2	7	1653
	02 LST	24.8	22.4	26.9	22.7	24.6	23.5	24.9	25.2	24.8	23.8	23.2	23.5	290.3	7	1578
	08 LST	27.1	25.2	27.8	25.3	24.1	23.7	25.6	27.2	26.4	27.7	26.9	27.0	314.0	13	4201
	14 LST	18.9	18.4	22.0	20.3	18.8	16.9	15.0	17.3	18.8	17.2	17.7	20.3	221.6	7	1553
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	28.3	23.9	28.9	27.4	26.6	25.2	25.0	26.3	25.5	25.9	24.9	28.0	315.9	7	1653
	02 LST	23.6	21.3	26.4	21.0	23.1	21.1	23.3	24.2	24.0	22.2	21.9	22.1	274.2	7	1578
	08 LST	25.4	23.7	25.9	23.2	20.4	20.6	23.6	25.7	25.1	26.6	25.6	25.2	291.0	13	4201
	14 LST	11.2	12.9	15.5	15.5	11.7	9.1	6.7	9.7	12.1	11.4	11.0	13.7	140.5	7	1553
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	28.3	23.9	28.9	27.4	26.6	25.2	25.0	26.3	25.5	25.9	24.9	28.0	315.9	7	1653
	02 LST	23.6	21.3	26.4	21.0	23.1	21.1	23.3	24.2	24.0	22.2	21.9	22.1	274.2	7	1578
	08 LST	25.4	23.7	25.9	23.2	20.4	20.6	23.6	25.7	25.1	26.6	25.6	25.2	291.0	13	4201
	14 LST	11.2	12.9	15.5	15.5	11.7	9.1	6.7	9.7	12.1	11.4	11.0	13.7	140.5	7	1553

# LAMENTIN, FRENCH WEST INDIES

STA NO. 78925 (IN AREA NUMBER 01)

LATITUDE 1435N

LONGITUDE 06100W

ELEVATION(FT) 00013

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	90	91	91	94	93	92	90	94	96	94	92	89	96	22	-28
MEAN MAX TMP (F)	83	84	85	86	87	86	86	87	88	87	86	84	86	22	-28
MEAN MIN TMP (F)	69	69	69	71	73	74	74	74	74	73	72	71	72	22	-28
ABS MIN TMP (F)	58	58	56	63	66	66	68	66	67	65	64	60	56	22	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.1	0.4	0.6	0.1	0.1	0.4	1.3	0.2	0.0	0.0	3.2	11	3669
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3665
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3665
MEAN DEW PT TMP (F)	70	69	69	71	72	74	74	74	74	74	73	72	72	6	1668
MEAN REL HUM (PCT)	75	75	76	79	80	80	80	81	81	80	79	76	79	22	-28
MEAN PRESS ALT (FT)	-66	-66	-64	-52	-49	-78	-66	-41	-4	12	14	-42	-41	0	-50
MEAN PRECIP (IN)	4.70	4.30	2.90	3.90	4.70	7.40	9.40	10.30	9.30	9.70	7.90	5.90	80.4	31	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	13.9	12.0	6.1	7.6	8.5	13.0	14.5	15.0	14.5	15.1	12.2	20.0	152.4	31	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	419
MEAN NO DYS TSTMS	0.1	0.1	0.2	0.1	0.8	2.0	2.9	3.1	3.1	3.3	1.2	0.6	17.5	20	-61
P FREQ WND SPD = OR GTR 17 KTS	5.0	3.7	4.4	1.4	1.3	7.7	4.4	8.3	0.0	1.4	0.0	2.8	3.4	6	1668
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.1	6	1668
P FREQ LES 5000 FT A/O LES 5 MI	20.8	21.4	29.4	31.9	23.2	38.2	29.5	23.8	21.8	22.1	14.0	21.4	24.8	6	1668
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	8.5	8.5	6.8	8.6	5.8	9.5	14.7	10.7	3.9	5.3	1.3	5.1	7.4	6	1005
03-05 LST	7.6	10.0	5.5	8.5	7.0	9.9	11.2	9.4	5.0	5.1	4.0	6.1	7.4	6	-30
06-08 LST	6.8	11.2	3.4	8.4	8.3	10.3	7.7	7.9	6.0	5.0	5.6	7.1	7.3	11	3225
09-11 LST	6.4	10.0	4.6	6.8	7.6	8.9	8.6	6.5	7.0	6.0	5.8	5.9	7.0	6	-30
12-14 LST	6.0	8.8	5.4	4.8	7.1	7.4	9.5	5.1	8.0	7.2	6.1	4.4	6.7	6	994
15-17 LST	4.7	7.2	5.7	5.0	5.5	7.0	7.0	6.0	5.0	4.8	3.7	5.6	5.6	6	-30
18-20 LST	3.4	5.6	5.9	5.1	4.0	6.7	4.7	7.0	2.1	2.3	1.2	6.8	4.6	6	1121
21-23 LST	5.4	7.1	6.4	6.8	4.9	8.2	9.7	8.5	3.0	3.8	1.3	6.0	5.9	6	-30
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1005
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-30
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3225
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-30
12-14 LST	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	6	994
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-30
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1121
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-30

# LAMENTIN, FRENCH WEST INDIES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	31.0	28.0	30.5	29.7	31.0	30.0	31.0	29.9	30.0	31.0	29.6	31.0	362.7	6	1121
	02 LST	30.6	28.0	30.6	30.0	30.7	30.0	29.8	30.4	30.0	31.0	30.0	31.0	362.1	6	1005
	08 LST	30.7	27.4	31.0	29.3	30.5	29.6	30.6	30.0	29.5	30.5	29.6	30.6	359.3	11	3225
	14 LST	30.1	26.9	30.7	29.6	30.0	30.0	30.6	29.8	29.6	30.6	30.0	30.5	358.4	6	994
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	20.1	23.0	22.0	25.1	26.6	17.9	19.7	22.0	27.4	26.4	27.4	24.6	282.2	6	1120
	02 LST	12.2	11.3	12.0	13.9	14.1	9.2	9.1	11.1	17.5	9.5	12.9	11.0	143.8	6	1002
	08 LST	20.6	15.3	17.4	15.5	14.9	11.9	13.5	19.8	23.6	24.2	24.4	21.7	222.8	11	3223
	14 LST	4.0	5.3	6.0	4.3	6.3	2.2	2.5	6.0	12.4	11.9	10.9	9.5	81.3	6	992
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	0.0	0.3	0.5	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	1.1	6	1123
	02 LST	1.1	2.0	0.7	0.6	1.2	2.6	1.2	2.2	0.4	1.0	0.0	1.1	14.1	6	1003
	08 LST	0.1	0.1	0.3	0.0	0.0	0.4	0.1	0.2	0.0	0.0	0.0	0.0	1.2	11	3224
	14 LST	2.5	2.5	1.0	0.0	0.3	3.8	1.2	2.4	0.0	0.0	0.5	0.4	14.6	6	992
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	14.8	14.0	9.8	13.6	13.8	14.6	12.0	10.8	6.4	9.2	8.0	12.0	139.0	6	1120
	02 LST	9.2	9.2	8.1	12.2	8.4	10.0	5.3	6.6	15.8	13.4	15.8	11.6	125.6	6	1003
	08 LST	10.5	9.2	12.4	13.8	14.1	9.7	11.9	11.5	7.8	10.1	8.6	9.3	128.9	11	3224
	14 LST	4.3	6.7	8.6	7.1	7.9	1.9	4.2	6.7	8.0	11.6	12.0	10.0	89.0	6	991
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	16.6	12.7	17.3	12.4	11.8	7.5	9.7	12.4	16.9	12.7	13.2	15.8	159.0	6	1122
	02 LST	10.7	10.2	10.2	10.3	8.7	6.3	5.7	5.6	11.3	11.4	10.5	10.6	111.5	6	1004
	08 LST	8.9	5.7	5.0	2.9	2.0	2.0	1.9	3.9	5.9	6.1	8.1	7.7	60.1	11	3222
	14 LST	1.6	2.1	2.0	0.7	0.3	0.3	0.4	0.8	1.2	2.2	1.4	1.4	14.4	6	993
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	28.5	25.1	27.3	26.0	29.1	26.0	27.3	27.7	28.7	29.9	28.9	27.5	332.0	6	1121
	02 LST	23.8	22.2	24.6	22.6	25.6	20.8	20.6	23.3	26.1	26.1	27.0	25.1	287.8	6	1005
	08 LST	26.3	21.6	27.3	24.3	24.6	21.9	25.2	26.6	26.7	27.8	26.6	26.7	305.6	11	3225
	14 LST	23.3	21.0	23.0	22.8	23.5	19.3	20.2	25.0	22.8	22.4	23.6	24.1	271.3	6	994
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	28.2	24.5	26.3	25.7	29.1	26.0	27.3	27.7	28.4	29.9	28.9	27.5	329.5	6	1121
	02 LST	21.9	21.2	22.2	20.3	23.7	18.0	18.6	21.4	25.7	24.5	25.5	22.8	266.0	6	1005
	08 LST	25.3	20.6	26.2	22.7	23.3	20.0	23.9	26.2	26.4	27.3	26.2	26.4	294.5	11	3225
	14 LST	19.2	17.5	17.6	15.5	17.5	14.2	15.1	20.6	19.6	18.3	20.4	19.6	215.1	6	994
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	28.2	24.5	26.0	25.7	29.1	25.7	27.3	27.7	28.4	29.9	28.9	27.5	328.9	6	1121
	02 LST	21.9	21.2	22.2	20.3	23.7	18.0	18.6	21.6	25.7	24.5	25.1	22.8	265.6	6	1005
	08 LST	25.3	20.6	26.2	22.7	23.3	20.0	23.9	26.2	26.4	27.3	26.2	26.4	294.5	11	3225
	14 LST	19.2	17.5	17.3	15.5	17.5	14.2	15.1	20.6	19.6	18.3	20.4	19.6	214.8	6	994

### AREA NO. 01

FRENCH WEST INDIES

FR WEST INDIES

LATITUDE 1530N

LONGITUDE 06130W

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		83	84	85	86	87	87	87	88	88	87	86	84	86
MEAN MIN TMP (F)		68	68	68	70	72	74	74	74	73	72	71	70	71
LARGEST MEAN PRECIP(IN)		4.70	4.30	2.90	3.90	5.47	7.40	9.40	10.30	9.30	9.70	7.90	5.90	81.2
SMALLEST MEAN PRECIP(IN)		3.92	2.54	2.65	3.39	4.70	4.97	7.58	7.93	9.01	9.18	7.76	5.25	68.9
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	31.0	28.0	30.8	29.9	31.0	30.0	31.0	30.4	29.9	30.8	29.7	30.9	363.4
	02 LST	30.7	28.0	30.8	29.9	30.9	29.9	30.4	30.6	29.9	30.9	30.0	30.9	362.9
	08 LST	30.8	27.7	31.0	29.7	30.7	29.8	30.7	30.5	29.6	30.7	29.7	30.7	361.6
	14 LST	30.5	27.5	30.9	29.7	30.3	30.0	30.6	30.4	29.7	30.6	30.0	30.8	361.0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WIND LES 10 KTS	20 LST	24.8	24.3	25.9	26.3	27.2	22.3	24.0	25.0	27.2	27.1	27.0	26.8	307.9
	02 LST	19.7	17.8	20.0	19.4	20.4	17.9	17.4	18.8	21.9	17.6	18.5	18.0	227.4
	08 LST	24.9	20.4	22.8	20.2	20.2	17.6	19.6	23.9	25.4	26.3	26.1	25.3	272.7
	14 LST	6.7	7.6	7.6	7.0	8.1	5.7	4.9	9.2	13.4	11.7	11.7	11.2	104.8
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	0.0	0.2	0.3	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.7
	02 LST	0.6	1.0	0.4	0.3	0.6	1.3	0.6	1.1	0.2	0.5	0.0	0.6	7.4
	08 LST	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.0	0.0	0.0	0.1	1.2
	14 LST	1.7	1.4	0.8	0.0	0.3	2.0	0.8	1.3	0.2	0.2	0.3	0.2	9.2
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	10.5	9.4	10.0	12.0	10.6	12.1	12.1	8.0	4.9	6.7	5.8	6.4	110.5
	02 LST	7.9	6.9	6.4	8.4	6.6	7.5	5.5	5.3	8.3	9.0	9.5	7.4	88.7
	08 LST	7.4	8.2	11.7	13.7	14.9	13.7	13.6	11.4	7.4	8.4	6.4	7.0	123.8
	14 LST	8.1	8.8	10.6	10.1	10.2	6.3	7.7	8.4	9.8	11.3	11.1	10.6	113.0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	16.4	14.2	18.4	13.7	11.2	9.0	9.6	13.6	15.1	12.2	13.7	17.1	164.2
	02 LST	13.0	11.5	14.5	10.9	9.2	8.3	7.8	9.6	11.5	11.4	11.6	11.4	130.7
	08 LST	8.5	6.5	6.1	3.6	2.0	2.1	2.9	4.2	5.0	6.3	7.5	6.7	61.4
	14 LST	1.5	2.4	2.5	1.0	0.2	0.2	0.4	0.5	0.8	1.5	0.8	1.0	12.8
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	28.6	24.9	28.3	27.0	28.2	26.2	26.9	27.3	27.5	28.4	27.2	27.9	328.4
	02 LST	24.3	22.3	25.8	22.7	25.1	22.2	22.8	24.3	25.5	25.0	25.1	24.3	289.4
	08 LST	26.7	23.4	27.6	24.8	24.4	22.8	25.4	26.9	26.6	27.8	26.8	26.9	310.1
	14 LST	21.1	19.7	22.5	21.6	21.2	18.1	17.8	21.2	20.8	19.8	20.7	22.2	246.7
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	28.3	24.2	27.6	26.6	27.9	25.6	26.2	27.0	27.0	27.9	26.9	27.8	323.0
	02 LST	22.8	21.3	24.3	20.7	23.4	19.6	21.0	22.9	24.9	23.4	23.7	22.5	270.5
	08 LST	25.4	22.2	26.1	23.0	21.9	20.3	23.8	26.0	25.8	27.0	25.9	25.8	293.2
	14 LST	15.2	15.2	16.6	15.5	14.6	11.7	10.9	15.2	15.9	14.9	15.7	16.7	178.1
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	28.3	24.2	27.5	26.6	27.9	25.5	26.2	27.0	27.0	27.9	26.9	27.8	322.8
	02 LST	22.8	21.3	24.3	20.7	23.4	19.6	21.0	22.9	24.9	23.4	23.5	22.5	270.3
	08 LST	25.4	22.2	26.1	23.0	21.9	20.3	23.8	26.0	25.8	27.0	25.9	25.8	293.2
	14 LST	15.2	15.2	16.4	15.5	14.6	11.7	10.9	15.2	15.9	14.9	15.7	16.7	177.9

# COOLIDGE, LEEWARD IS. GROUP

STA NO. 78861 (IN AREA NUMBER 01)

LATITUDE 1707N

LONGITUDE 06147W

ELEVATION(FT) 00062

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	86	86	86	88	92	90	89	90	90	91	90	87	92	9	2641
MEAN MAX TMP (F)	81	81	82	83	84	85	86	86	86	86	84	83	84	9	2641
MEAN MIN TMP (F)	72	72	72	74	75	77	77	77	76	75	75	73	75	9	2641
ABS MIN TMP (F)	61	64	65	67	66	70	70	71	68	65	69	66	61	9	2641
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.7	0.3	0.0	0.1	0.4	0.4	0.1	0.0	2.0	9	2641
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2641
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2641
MEAN DEW PT TMP (F)	69	68	68	69	72	73	74	74	74	74	72	71	72	9	60909
MEAN REL HUM (PCT)	76	74	73	73	77	77	77	78	78	80	79	78	77	9	60892
MEAN PRESS ALT (FT)	-100	-102	-95	-79	-77	-102	-100	-73	-22	-2	-18	-73	-69	9	-50
MEAN PRECIP (IN)	2.36	1.31	1.34	1.80	3.48	3.00	2.48	3.22	4.88	4.10	4.58	2.82	35.4	9	2769
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.2	3.8	2.9	3.2	5.6	6.9	6.6	8.8	7.3	9.3	8.1	6.9	76.6	9	2769
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	9	2709
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.1	0.4	1.2	1.0	1.0	2.4	1.0	0.7	0.4	8.2	9	2549
P FREQ WND SPD = OR GTR 17 KTS	14.1	17.8	14.8	13.0	8.4	8.4	15.8	7.2	3.4	1.6	5.1	14.7	10.4	9	61287
P FREQ WND SPD = OR GTR 28 KTS	0.3	0.4	0.0	0.1	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.1	0.1	9	61287
P FREQ LES 5000 FT A/O LES 5 MI	16.6	12.7	12.3	12.8	14.1	12.1	13.0	12.9	10.1	11.0	14.1	13.7	13.0	9	61341
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.9	0.3	0.0	1.1	0.0	0.3	0.0	0.3	0.0	0.8	0.0	0.3	0.3	9	7647
03-05 LST	1.1	0.0	0.2	1.4	0.3	0.2	0.2	0.5	0.2	0.2	0.0	0.2	0.4	9	7584
06-08 LST	0.6	0.5	0.2	1.1	0.3	0.9	0.1	1.0	0.5	0.5	0.8	0.3	0.6	9	7945
09-11 LST	0.8	0.5	0.2	1.3	0.9	1.1	0.3	0.9	1.1	0.2	1.6	0.7	0.8	9	7822
12-14 LST	0.6	0.2	0.0	1.1	1.1	1.5	0.4	1.0	1.0	0.6	1.3	0.4	0.8	9	7946
15-17 LST	0.5	0.3	0.0	1.6	1.4	1.4	0.5	0.7	1.1	0.5	0.4	0.6	0.8	9	7824
18-20 LST	0.5	0.3	0.5	1.2	0.6	0.5	0.0	1.1	0.0	0.5	0.3	0.1	0.5	9	7761
21-23 LST	0.8	0.2	0.0	1.4	0.0	0.2	0.2	0.8	0.2	0.8	0.0	0.3	0.4	9	7548
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	7647
03-05 LST	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	7584
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	7945
09-11 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	7822
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	9	7946
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.2	0.2	0.3	0.0	0.1	9	7824
18-20 LST	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.1	9	7761
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	7548

## COOLIDGE, LEEWARD IS. GROUP

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	31.0	28.7	31.0	29.9	31.0	30.0	31.0	30.8	30.0	31.0	30.0	31.0	364.7	9	2710
	02 LST	30.8	27.9	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	364.7	9	2675
	08 LST	31.0	27.9	31.0	30.0	30.7	29.9	31.0	30.8	29.7	31.0	29.6	31.0	363.6	9	2771
	14 LST	31.0	28.0	31.0	30.0	30.6	29.9	30.8	30.8	29.7	31.0	29.7	31.0	363.5	9	2768
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	9.7	7.6	8.1	5.5	6.7	4.2	2.1	6.6	14.0	20.0	15.2	11.2	110.9	9	2708
	02 LST	9.6	7.7	8.2	6.1	8.6	6.4	2.0	7.6	12.7	21.3	15.5	11.2	116.9	9	2673
	08 LST	8.2	7.1	5.5	3.6	5.5	3.4	2.7	4.2	10.8	19.0	12.1	10.4	92.5	9	2769
	14 LST	7.0	2.9	4.2	1.5	3.6	1.5	1.4	4.0	6.0	11.7	12.4	9.3	65.5	9	2766
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	4.6	4.6	4.5	3.1	3.0	2.9	5.1	2.2	1.0	0.8	1.1	1.0	36.9	9	2698
	02 LST	5.0	6.1	5.3	4.4	2.9	3.0	4.0	2.5	1.0	0.4	1.7	4.7	41.0	9	2664
	08 LST	5.0	4.4	4.5	3.8	3.0	2.8	3.9	2.5	0.7	0.6	1.3	3.3	35.8	9	2755
	14 LST	3.1	4.5	4.9	4.2	2.4	2.5	5.0	1.9	0.8	0.4	1.3	3.6	34.6	9	2753
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	12.7	8.6	11.4	9.9	10.2	9.5	4.9	10.4	16.4	16.9	15.6	13.0	139.5	9	2697
	02 LST	12.8	7.4	9.9	8.9	12.4	10.3	5.4	11.7	15.2	15.8	13.4	11.3	134.5	9	2664
	08 LST	10.9	9.1	9.2	7.3	9.8	7.8	6.4	10.5	15.3	18.8	15.1	13.1	133.3	9	2755
	14 LST	10.6	8.1	6.8	4.7	6.3	6.3	3.3	7.8	12.2	17.4	17.6	13.3	114.4	9	2753
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	8.3	10.0	13.1	9.8	8.3	4.1	4.3	9.6	8.0	7.3	9.4	12.0	104.2	4	1200
	02 LST	9.3	9.7	11.8	9.2	11.0	6.8	5.6	10.0	8.6	11.7	8.4	15.0	117.1	4	1203
	08 LST	3.5	3.7	4.7	3.5	1.3	2.3	1.5	4.3	2.3	2.0	4.0	3.0	36.1	4	1257
	14 LST	5.8	5.7	6.4	6.2	4.0	2.0	3.0	4.3	1.3	3.0	3.7	3.3	48.7	4	1257
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	29.1	26.4	29.8	28.9	29.1	28.5	29.0	29.3	28.8	29.5	27.5	29.2	345.1	9	2710
	02 LST	28.6	27.0	29.8	28.2	28.0	26.7	29.4	23.7	28.0	28.7	27.6	29.1	339.8	9	2675
	08 LST	27.9	25.8	28.0	27.0	28.0	27.8	29.4	27.8	27.0	27.8	26.6	27.5	330.6	9	2771
	14 LST	28.2	27.1	30.1	28.2	29.0	28.1	29.1	28.4	26.3	27.7	27.3	28.3	337.8	9	2768
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	27.3	24.8	27.8	27.1	26.7	26.9	27.1	28.8	28.0	28.8	26.0	27.4	326.7	9	2710
	02 LST	27.4	24.8	27.0	24.6	25.5	25.7	27.1	27.6	27.7	28.3	26.8	27.7	320.2	9	2675
	08 LST	25.1	22.4	24.1	23.7	25.4	25.2	25.0	26.2	26.6	27.3	24.2	25.6	300.8	9	2771
	14 LST	26.1	24.5	28.0	24.9	25.4	26.1	27.1	26.8	25.4	26.7	25.7	25.9	312.6	9	2768
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	26.1	23.5	27.2	26.6	24.7	25.4	25.7	28.1	26.9	28.1	25.2	26.8	314.3	9	2710
	02 LST	26.6	23.5	25.9	23.6	24.6	24.8	26.1	26.8	27.3	27.8	26.3	27.3	310.6	9	2675
	08 LST	22.9	19.9	21.1	21.2	22.7	23.1	23.3	25.0	25.8	25.9	23.3	24.0	278.2	9	2771
	14 LST	24.8	22.3	25.7	23.6	23.1	24.9	25.6	25.6	25.0	26.0	25.1	25.3	297.0	9	2768

# JULIANA APT, LEEWARD IS. GROUP

STA NO. 78866 (IN AREA NUMBER 01)      LATITUDE 1602N      LONGITUDE 06306W      ELEVATION(FT) 00000

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.6	4.4	5.4	5.0	6.8	11.9	10.5	9.9	9.4	5.9	4.2	6.7	7.1	6	1124
09-11 LST														0	0
12-14 LST	8.9	7.7	2.2	8.6	6.2	6.2	13.3	7.5	3.7	7.0	0.0	6.4	6.5	6	560
15-17 LST														0	0
18-20 LST	7.1	2.6	4.1	10.6	4.1	3.4	4.3	4.3	3.7	0.0	0.0	4.9	4.1	6	418
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.1	6	1124
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	560
15-17 LST														0	0
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	418
21-23 LST														0	0

## JULIANA APT, LEEWARD IS. GROUP

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	31.0	28.0	30.3	30.0	31.0	30.0	31.0	31.0	28.9	31.0	30.0	31.0	363.2	6	418
	02 LST														0	0
	08 LST	31.0	28.0	30.7	29.7	30.4	29.4	31.0	31.0	30.0	31.0	29.6	31.0	362.8	6	1124
	14 LST	31.0	27.3	31.0	29.0	30.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	362.3	6	560
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	18.8	16.9	17.1	18.2	16.1	12.4	12.1	17.5	24.2	16.7	22.8	20.9	213.7	6	414
	02 LST														0	0
	08 LST	14.2	13.0	14.8	12.9	14.6	6.3	8.6	12.2	17.5	15.8	17.3	14.9	162.1	6	1121
	14 LST	5.0	8.6	7.6	6.7	7.3	4.1	1.4	10.1	16.7	11.5	12.0	8.6	99.6	6	559
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	0.0	0.0	0.0	0.6	0.0	2.0	1.3	0.0	0.0	0.8	0.0	0.0	4.7	6	417
	02 LST														0	0
	08 LST	1.1	0.9	0.8	0.9	0.8	0.3	1.2	1.1	0.0	1.6	0.0	0.8	9.5	6	1115
	14 LST	3.3	0.7	2.0	2.0	1.0	1.4	2.0	0.8	0.0	0.7	1.0	2.0	16.9	6	561
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	22.1	20.6	21.1	22.8	23.3	19.0	24.2	22.9	19.6	20.6	21.6	21.5	259.3	6	415
	02 LST														0	0
	08 LST	15.5	15.4	17.2	16.5	17.1	12.3	13.6	13.4	22.0	17.8	18.6	15.7	195.1	6	1112
	14 LST	9.2	12.9	9.6	11.9	12.6	11.1	5.5	14.7	13.8	22.3	16.0	11.2	150.8	6	559
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	14.4	18.1	16.7	9.6	5.1	6.0	2.7	5.4	12.2	9.5	16.8	10.6	127.1	6	419
	02 LST														0	0
	08 LST	9.1	7.4	8.4	4.2	3.2	0.8	0.8	2.7	5.3	4.6	6.8	7.8	61.1	6	1125
	14 LST	6.6	8.6	7.6	4.1	0.9	1.4	1.4	3.1	2.1	6.5	6.0	2.6	90.9	6	561
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	26.6	25.8	28.5	26.2	29.1	29.0	29.6	28.3	28.9	31.0	30.0	29.5	342.5	6	418
	02 LST														0	0
	08 LST	28.1	26.4	28.2	26.7	27.8	23.1	24.1	24.9	24.0	27.0	28.7	27.3	316.3	6	1124
	14 LST	24.9	24.4	30.3	25.9	27.7	25.8	22.7	26.4	26.6	26.7	28.0	27.7	317.1	6	560
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	26.6	25.0	28.5	26.2	29.1	29.0	29.6	28.3	28.9	31.0	30.0	28.7	340.9	6	418
	02 LST														0	0
	08 LST	27.8	26.4	28.2	26.4	27.8	22.6	23.3	24.5	23.6	26.7	28.7	27.3	313.3	6	1124
	14 LST	24.3	23.7	30.3	25.3	27.2	25.8	22.0	25.6	26.6	26.7	26.0	27.7	311.2	6	560
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	26.6	25.0	28.5	26.2	29.1	29.0	29.6	28.3	28.9	31.0	30.0	28.7	340.9	6	418
	02 LST														0	0
	08 LST	27.8	26.4	28.2	26.4	27.8	22.6	23.3	24.1	23.6	26.7	28.7	27.3	312.9	6	1124
	14 LST	24.3	23.7	30.3	25.3	27.2	25.8	22.0	25.6	26.6	26.7	26.0	27.7	311.2	6	560

# ORANJESTAD, LEEWARD IS. GROUP

STA NO. 78873 (IN AREA NUMBER 01)

LATITUDE 1729N

LONGITUDE 06259W

ELEVATION(FT) 00000

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	8.3	3.4	5.5	6.9	7.5	9.2	6.4	6.2	5.9	6.1	2.8	5.2	6.1	9	1626
09-11 LST														0	0
12-14 LST	9.0	5.1	8.8	10.0	13.5	7.7	12.1	8.1	8.6	3.9	6.3	6.9	8.3	6	766
15-17 LST														0	0
18-20 LST	3.8	6.9	5.1	8.3	10.0	12.1	6.5	11.1	3.0	9.3	0.0	4.0	6.7	5	492
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	1526
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	766
15-17 LST														0	0
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	492
21-23 LST														0	0

# ORANJESTAD, LEEWARD IS. GROUP

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POF (YRS)	NO. 35
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	30.3	30.0	31.0	364.3	5	492
	02 LST														0	0
	08 LST	30.6	28.0	31.0	29.8	31.0	30.0	31.0	31.0	30.0	30.8	30.0	31.0	364.2	9	1626
	14 LST	31.0	28.0	31.0	30.0	31.0	30.0	30.4	31.0	30.0	31.0	30.0	31.0	364.4	6	766
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	28.1	24.1	19.4	17.5	21.7	21.8	23.0	22.9	27.3	26.7	30.0	26.7	289.2	5	492
	02 LST														0	0
	08 LST	21.5	22.1	19.8	21.0	24.3	18.8	21.2	22.6	24.4	25.3	25.5	23.2	269.7	9	1625
	14 LST	13.5	14.7	11.9	15.8	10.1	16.5	13.9	17.0	22.6	22.8	21.4	19.8	200.0	6	764
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	0.6	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	2.0	5	494
	02 LST														0	0
	08 LST	0.0	0.0	0.4	0.7	0.2	0.2	0.2	0.0	0.2	0.0	0.0	0.2	2.1	9	1627
	14 LST	0.8	0.0	2.2	0.8	0.0	1.1	0.0	0.5	0.0	0.0	0.0	0.0	5.4	6	763
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	17.2	14.5	21.5	13.3	22.7	24.5	19.0	18.8	14.0	13.7	17.7	18.0	214.9	5	493
	02 LST														0	0
	08 LST	18.8	17.1	18.6	18.9	17.9	19.1	20.0	20.6	18.1	18.7	17.4	17.2	222.4	9	1625
	14 LST	16.3	16.6	16.8	19.2	17.3	17.7	18.7	17.5	22.2	18.8	23.3	21.4	225.8	6	762
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	17.8	14.5	17.3	9.2	7.2	5.4	7.0	6.6	9.1	12.5	16.1	17.4	140.1	5	493
	02 LST														0	0
	08 LST	10.0	11.1	11.0	10.9	6.9	4.8	6.7	9.3	8.9	10.8	8.9	9.5	108.8	9	1603
	14 LST	10.7	10.4	9.2	2.3	1.2	2.3	6.4	7.0	3.9	5.3	5.1	7.8	71.6	6	765
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	28.6	25.1	26.8	25.8	25.8	23.6	26.0	24.1	24.5	25.2	28.4	28.5	312.4	5	492
	02 LST														0	0
	08 LST	26.5	25.7	26.1	24.9	25.9	23.3	26.2	26.2	25.5	27.4	27.8	25.9	311.4	9	1626
	14 LST	25.0	24.2	25.5	24.0	22.0	24.2	23.5	25.5	24.0	27.4	25.2	25.0	295.5	6	766
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	28.1	24.6	26.8	25.0	24.8	23.6	24.0	24.1	22.7	24.5	27.7	27.9	303.8	5	492
	02 LST														0	0
	08 LST	25.4	24.2	23.9	24.0	25.0	21.5	24.8	25.2	24.9	27.0	26.6	23.2	295.7	9	1626
	14 LST	24.2	23.7	25.0	23.3	21.5	23.1	22.4	24.5	22.7	26.6	24.8	23.7	285.5	6	766
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	28.1	24.6	26.8	25.0	24.8	23.6	24.0	24.1	22.7	24.5	27.7	27.9	303.8	5	492
	02 LST														0	0
	08 LST	25.4	24.2	23.9	24.0	25.0	21.5	24.8	25.2	24.9	27.0	26.6	23.2	295.7	9	1626
	14 LST	24.2	23.7	25.0	23.3	21.5	23.1	22.4	24.5	22.7	26.6	24.8	23.7	285.5	6	766

## AREA NO. 01

LEEWARD ISLAND GROUP

LEEWARD ISLANDS

LATITUDE 1730N

LONGITUDE 06230W

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)		81	81	82	83	84	85	86	86	86	86	84	83	84	
MEAN MIN TMP (F)		72	72	72	74	75	77	77	77	76	75	75	73	75	
LARGEST MEAN PRECIP(IN)		2.36	1.31	1.34	1.80	3.48	3.00	2.48	3.22	4.88	4.10	4.58	2.82	35.4	
SMALLEST MEAN PRECIP(IN)		2.36	1.31	1.34	1.80	3.48	3.00	2.48	3.22	4.88	4.10	4.58	2.82	35.4	
		MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	31.0	28.0	30.8	30.0	31.0	30.0	31.0	30.9	29.6	30.8	30.0	31.0	364.1	
	02 LST	30.8	27.9	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	364.7	
	08 LST	30.9	28.0	30.9	29.8	30.7	29.8	31.0	30.9	29.9	30.9	29.7	31.0	363.5	
	14 LST	31.0	27.8	31.0	29.7	30.5	30.0	30.7	30.9	29.9	31.0	29.9	31.0	363.4	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	18.9	16.2	14.9	13.7	14.8	12.8	12.4	15.7	21.8	21.1	22.7	19.6	204.6	
	02 LST	9.6	7.7	8.2	6.1	8.6	6.4	2.0	7.6	12.7	21.3	15.5	11.2	116.9	
	08 LST	14.6	14.1	13.4	12.5	14.8	9.5	10.8	13.0	17.6	20.0	18.3	16.2	174.8	
	14 LST	8.5	8.7	7.9	8.0	7.0	7.4	5.6	10.4	15.1	15.3	15.3	12.6	121.8	
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	1.7	1.5	1.7	1.2	1.0	1.6	2.1	0.7	0.6	0.5	0.4	1.3	14.3	
	02 LST	5.0	6.1	5.3	4.4	2.9	3.0	4.0	2.5	1.0	0.4	1.7	4.7	41.0	
	08 LST	2.0	1.8	1.9	1.8	1.3	1.1	1.8	1.2	0.3	0.7	0.4	1.4	15.7	
	14 LST	2.4	1.7	3.0	2.3	1.1	1.7	2.3	1.1	0.3	0.4	0.8	1.9	19.0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	17.3	14.6	18.0	15.3	18.7	17.7	16.0	17.4	16.7	17.1	18.3	17.5	204.6	
	02 LST	12.8	7.4	9.9	8.9	12.4	10.3	5.4	11.7	15.2	15.8	13.4	11.3	134.5	
	08 LST	15.1	13.9	15.0	14.2	14.9	13.1	13.3	14.8	18.5	18.4	17.0	15.3	183.5	
	14 LST	12.0	12.5	11.1	11.9	12.1	11.7	9.2	13.3	16.1	19.5	19.0	15.3	163.7	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	13.5	14.2	15.7	9.5	6.9	5.2	4.7	7.2	9.8	9.8	14.1	13.3	123.9	
	02 LST	9.3	9.7	11.8	9.2	11.0	6.8	5.6	10.0	8.6	11.7	8.4	15.0	117.1	
	08 LST	7.5	7.4	8.0	6.2	3.8	2.6	3.0	5.4	5.5	5.8	6.6	6.8	68.6	
	14 LST	7.7	8.2	7.7	4.2	2.0	1.9	3.6	4.8	2.4	4.9	4.9	4.6	56.9	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	28.1	25.8	28.4	27.0	28.0	27.0	28.2	27.2	27.4	28.6	28.6	29.1	333.4	
	02 LST	28.6	27.0	29.8	28.2	28.0	26.7	29.4	28.7	28.0	28.7	27.6	29.1	339.8	
	08 LST	27.5	26.0	27.4	26.2	27.2	24.7	26.6	26.3	25.5	27.4	27.7	26.9	319.4	
	14 LST	26.0	25.2	28.6	26.0	26.2	26.0	25.1	26.8	25.6	27.3	26.8	27.0	316.6	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	27.3	24.8	27.7	26.1	26.9	26.5	26.9	27.1	26.5	28.1	27.9	28.0	323.8	
	02 LST	27.4	24.8	27.0	24.6	25.5	25.7	27.1	27.6	27.7	28.3	26.8	27.7	320.2	
	08 LST	26.1	24.3	25.4	24.7	26.1	23.1	24.4	25.3	25.0	27.0	26.5	25.4	303.3	
	14 LST	24.9	24.0	27.8	24.5	24.7	25.0	23.8	25.6	24.9	26.7	25.5	25.8	303.2	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	26.9	24.4	27.5	25.9	26.2	26.0	26.4	26.8	26.2	27.9	27.6	27.8	319.6	
	02 LST	26.6	23.5	25.9	23.6	24.6	24.8	26.1	26.8	27.3	27.8	26.3	27.3	310.6	
	08 LST	25.4	23.5	24.4	23.9	25.2	22.4	23.8	24.8	24.8	26.5	26.2	24.8	295.7	
	14 LST	24.4	23.2	27.0	24.1	23.9	24.6	23.3	25.2	24.8	26.4	25.3	25.6	297.8	

# CASTRIES, WINDWARD IS.

STA NO. 78946 (IN AREA NUMBER 01)

LATITUDE 14°02'N

LONGITUDE 061°01'W

ELEVATION(FT) 00184

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	87	87	85	90	90	91	87	95	90	92	89	87	95	6	2191
MEAN MAX TMP (F)	80	80	82	83	84	84	84	86	86	85	84	81	83	6	2191
MEAN MIN TMP (F)	68	68	69	70	71	72	71	72	72	72	71	69	70	6	2125
ABS MIN TMP (F)	64	62	63	61	67	68	67	67	66	68	67	66	61	6	2125
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.5	0.3	0.2	0.0	0.7	1.3	0.3	0.0	0.0	3.3	6	2191
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	2125
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	2125
MEAN DEW PT TMP (F)	66	65	67	68	69	71	69	72	73	72	72	69	69	6	-29
MEAN REL HUM (PCT)	79	76	77	77	78	80	78	80	82	81	83	82	79	5	-61
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.63	4.11	4.18	7.32	8.32	10.85	11.40	8.07	12.71	10.61	11.12	8.51	103.8	6	2116
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	11.6	10.8	10.3	13.2	14.5	17.0	21.8	15.7	17.6	16.6	17.6	15.9	183.6	6	2116
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.2	0.0	0.0	0.3	0.2	0.2	0.0	0.2	0.2	0.2	0.0	0.0	1.5	6	2119
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.2	0.5	1.7	2.7	3.0	6.5	2.7	1.2	1.0	19.5	6	2119
P FREQ WND SPD = OR GTR 17 KTS	14.6	10.1	9.1	5.5	8.3	17.2	8.8	4.4	1.4	4.1	2.1	9.7	7.8	6	8476
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.2	0.3	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.3	0.1	6	8476
P FREQ LES 5000 FT A/O LES 5 MI	13.3	18.8	13.7	14.8	19.0	21.0	18.1	10.1	11.9	10.6	9.2	13.8	14.5	6	8396
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														6	2185
03-05 LST	1.6	4.8	0.5	4.5	4.3	4.5	1.1	0.5	3.3	2.2	2.8	3.8	2.8	0	0
06-08 LST														6	2187
09-11 LST	1.6	3.0	2.7	1.7	2.7	3.4	1.6	2.7	3.9	2.7	1.1	3.2	2.5	0	0
12-14 LST														6	2162
15-17 LST	0.6	1.8	0.5	1.1	1.6	1.1	0.5	1.1	1.7	3.8	0.6	1.1	1.3	0	0
18-20 LST														6	2136
21-23 LST	1.1	1.2	0.5	2.3	2.2	1.1	1.1	0.0	2.8	1.6	1.7	2.6	1.5	0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														6	2185
03-05 LST	0.0	0.6	0.0	1.7	1.1	1.7	0.0	0.0	2.2	0.5	0.6	1.1	0.8	0	0
06-08 LST														6	2187
09-11 LST	1.1	0.6	1.1	0.6	0.5	1.7	1.1	0.5	2.2	1.1	0.0	0.0	0.9	0	0
12-14 LST														6	2162
15-17 LST	0.0	0.6	0.5	0.0	0.5	1.1	0.5	1.1	1.7	1.6	0.0	0.5	0.7	0	0
18-20 LST														6	2136
21-23 LST	0.5	0.0	0.5	1.1	0.5	0.0	0.5	0.0	1.1	0.5	1.1	1.9	0.6	0	0

# CASTRIES, WINDWARD IS.

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	30.7	27.7	30.7	29.5	30.5	29.6	30.7	31.0	29.6	30.7	29.5	30.4	360.6	6	2136
	02 LST	30.8	27.5	30.8	29.0	30.0	28.8	31.0	31.0	29.0	30.5	29.6	30.3	358.3	6	2185
	08 LST	30.7	27.7	30.5	29.6	30.3	29.3	30.7	30.3	29.2	30.5	30.0	30.7	359.5	6	2187
	14 LST	30.6	27.8	30.8	29.8	30.8	29.6	30.8	30.7	29.5	30.1	30.0	30.8	361.3	6	2162
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	20 LST	9.8	5.5	9.2	9.8	11.3	6.9	10.2	16.1	16.9	17.7	16.4	9.9	139.7	6	2136
	02 LST	10.3	5.3	6.8	6.2	7.0	4.7	6.3	14.5	16.7	16.1	14.5	11.2	119.6	6	2185
	08 LST	5.5	2.3	5.5	3.0	6.5	3.3	5.0	8.6	13.1	13.8	12.5	6.8	85.9	6	2187
	14 LST	9.6	7.7	9.8	7.0	10.4	5.9	9.6	16.5	17.3	14.5	15.2	11.0	134.5	6	2162
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	1.7	2.3	1.8	0.7	0.8	2.2	0.7	0.8	0.2	0.7	0.2	2.2	14.3	6	2141
	02 LST	3.0	1.8	1.8	2.0	2.5	4.7	1.6	1.5	0.2	0.7	0.7	1.6	22.1	6	2184
	08 LST	4.8	3.6	4.7	2.3	3.2	4.9	3.8	1.5	0.7	0.7	0.7	2.7	33.8	6	2187
	14 LST	1.8	0.1	1.3	0.5	1.7	2.5	0.7	0.3	0.0	1.1	0.3	1.6	11.9	6	2179
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	9.8	7.6	10.5	12.0	13.1	8.0	9.6	17.2	16.7	15.8	16.3	9.1	145.7	6	2141
	02 LST	9.6	6.3	7.5	7.5	6.8	4.9	5.0	12.5	13.1	13.9	10.8	8.3	104.2	6	2184
	08 LST	7.0	3.5	6.4	4.4	8.0	3.8	5.5	7.8	11.3	10.7	10.1	4.7	83.2	6	2187
	14 LST	10.1	9.8	12.0	10.4	11.2	5.9	10.0	14.9	16.3	15.9	15.2	10.8	142.5	6	2179
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	17.9	14.6	17.1	15.1	15.7	13.2	15.7	19.4	17.1	18.2	20.3	16.5	200.8	6	2141
	02 LST	15.2	11.0	11.8	8.4	6.5	8.0	10.1	14.8	10.7	10.4	15.7	15.0	137.6	6	2185
	08 LST	10.8	8.1	9.7	6.7	5.6	4.7	5.8	9.8	5.0	7.3	8.6	10.0	92.1	6	2187
	14 LST	20.9	17.2	20.8	20.6	17.4	12.9	18.1	21.4	15.2	17.9	19.5	18.7	220.6	6	2178
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	27.6	24.8	28.0	26.1	27.3	26.4	27.1	29.1	27.3	29.0	27.8	28.2	328.7	6	2136
	02 LST	28.8	24.2	28.5	27.0	26.5	25.5	28.0	29.3	27.5	29.1	28.1	27.7	330.2	6	2185
	08 LST	27.8	24.2	28.3	27.6	26.7	25.5	27.3	28.1	27.0	28.8	27.7	27.0	326.0	6	2187
	14 LST	29.6	26.3	29.5	28.1	28.3	27.1	29.1	29.5	28.5	29.0	28.7	29.5	343.2	6	2162
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	24.6	22.0	25.5	23.4	25.1	23.7	24.3	27.6	26.3	26.9	26.4	25.5	301.3	6	2136
	02 LST	27.2	21.6	26.0	25.6	23.6	23.5	25.8	28.0	26.8	28.1	27.5	25.6	309.5	6	2185
	08 LST	24.8	20.2	25.0	25.5	23.3	21.5	23.7	25.8	24.0	26.7	26.0	24.5	291.0	6	2187
	14 LST	28.2	24.1	28.1	27.1	26.1	24.5	26.9	28.6	27.5	28.1	28.0	26.8	324.0	6	2162
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	24.6	22.0	25.5	23.4	25.1	23.7	24.3	27.6	26.3	26.9	26.4	25.5	301.3	6	2136
	02 LST	27.2	21.6	26.0	25.6	23.6	23.5	25.8	28.0	26.8	28.1	27.3	25.6	309.3	6	2185
	08 LST	24.8	20.2	25.0	25.3	23.3	21.5	23.7	25.8	24.0	26.7	26.0	24.5	290.8	6	2187
	14 LST	28.2	24.1	28.1	27.1	26.1	24.3	26.9	28.5	27.5	28.1	28.0	26.8	323.7	6	2162

# VIGIE, WINDWARD IS.

STA NO. 78947 (IN AREA NUMBER 01)

LATITUDE 1401N

LONGITUDE 06059W

ELEVATION(FT) 00030

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	88	89	90	92	94	91	71	90	92	92	91	89	94	9	-78949
MEAN MAX TMP (F)	84	85	85	86	87	87	86	87	88	88	87	85	86	9	-78949
MEAN MIN TMP (F)	73	73	74	74	76	76	76	77	77	76	76	75	75	9	-78949
ABS MIN TMP (F)	63	62	66	62	70	70	70	70	70	70	70	67	62	9	-78949
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.1	0.7	2.2	1.1	0.3	1.1	3.6	6.0	1.5	0.0	16.6	9	-78949
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-78949
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-78949
MEAN DEW PT TMP (F)	72	71	71	72	75	76	76	76	76	76	76	74	74	0	-50
MEAN REL HUM (PCT)	76	74	73	75	79	80	81	80	80	80	80	78	78	8	-78949
MEAN PRESS ALT (FT)	-26	-26	-25	-12	-9	-36	-25	-1	28	47	52	-4	-2	0	-50
MEAN PRECIP (IN)	2.75	1.96	1.83	1.98	3.97	5.73	9.65	5.55	8.56	8.06	8.26	3.81	61.1	9	-78949
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.0	6.2	4.7	5.1	10.0	13.1	16.6	11.9	13.5	12.4	10.3	10.0	121.8	9	-78949
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.3	0.1	0.4	0.4	0.3	0.4	0.1	0.1	2.1	8	-78949
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.2	0.2	0.7	1.6	1.8	4.0	3.6	1.1	0.3	13.5	8	-78949
P FREQ WND SPD = OR GTR 17 KTS	2.5	3.2	2.5	1.1	2.0	4.3	5.6	2.4	1.9	2.1	1.2	5.3	2.8	8	-78949
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	8	-78949
P FREQ LES 5000 FT A/O LES 5 MI	23.7	22.2	22.0	24.8	29.2	34.3	34.9	27.7	28.8	25.3	24.7	24.6	26.9	8	-78949
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	0.7	0.5	0.4	0.2	0.9	0.7	1.4	0.9	0.8	0.7	0.6	0.4	0.7	9	-78949
06-08 LST														0	0
09-11 LST	0.4	0.7	0.2	0.9	1.5	1.1	1.5	1.4	1.3	1.6	1.5	1.6	1.1	9	-78949
12-14 LST														0	0
15-17 LST	0.6	0.5	0.6	1.1	0.8	1.2	2.0	0.6	2.6	1.8	2.1	1.0	1.2	9	-78949
18-20 LST														0	0
21-23 LST	0.5	0.5	0.5	0.7	1.3	1.2	1.7	0.6	0.3	1.2	1.6	0.2	0.9	9	-78949
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.0	0.0	0.0	0.1	9	-78949
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.1	0.5	0.3	0.1	0.1	9	-78949
12-14 LST														0	0
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.1	0.0	0.3	0.2	0.0	0.1	9	-78949
18-20 LST														0	0
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-78949

# VIGIE, WINDWARD IS.

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	ORBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	30.7	27.7	30.7	29.5	30.5	29.6	30.7	31.0	29.6	30.7	29.5	30.4	360.6	6	-78946
	02 LST	30.8	27.5	30.8	29.0	30.0	28.8	31.0	31.0	29.0	30.5	29.6	30.3	358.3	6	-78946
	08 LST	30.7	27.7	30.5	29.6	30.3	29.3	30.7	30.3	29.2	30.5	30.0	30.7	359.5	6	-78946
	14 LST	30.6	27.8	30.8	29.8	30.6	29.6	30.8	30.7	29.5	30.1	30.0	30.8	361.3	6	-78946
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	9.8	5.5	9.2	9.8	11.3	6.9	10.2	16.1	16.9	17.7	16.4	9.9	139.7	6	-78946
	02 LST	10.3	5.3	6.8	6.2	7.0	4.7	6.3	14.5	16.7	16.1	14.5	11.2	119.6	6	-78946
	08 LST	5.5	2.3	5.5	3.0	6.5	3.3	5.0	8.6	13.1	13.8	12.5	6.8	85.9	6	-78946
	14 LST	9.6	7.7	9.8	7.0	10.4	5.9	9.6	16.5	17.3	14.5	15.2	11.0	134.5	6	-78946
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	1.7	2.3	1.8	0.7	0.8	2.2	0.7	0.8	0.2	0.7	0.2	2.2	14.3	6	-78946
	02 LST	3.0	1.8	1.8	2.0	2.5	4.7	1.6	1.5	0.2	0.7	0.7	1.6	22.1	6	-78946
	08 LST	4.8	3.8	4.7	2.3	3.2	4.9	3.8	1.5	0.7	0.7	0.7	2.7	33.8	6	-78946
	14 LST	1.8	0.1	1.3	0.5	1.7	2.5	0.7	0.3	0.0	1.1	0.3	1.6	11.9	6	-78946
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	9.8	7.6	10.5	12.0	13.1	8.0	9.6	17.2	16.7	15.8	16.3	9.1	145.7	6	-78946
	02 LST	9.6	6.3	7.5	7.5	6.8	4.9	5.0	12.5	13.1	13.9	10.8	8.3	106.2	6	-78946
	08 LST	7.0	3.5	6.4	4.4	8.0	3.8	5.5	7.8	11.3	10.7	10.1	4.7	83.2	6	-78946
	14 LST	10.1	9.8	12.0	10.4	11.2	5.9	10.0	14.9	16.3	15.9	15.2	10.8	142.5	6	-78946
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	17.9	14.6	17.1	15.1	15.7	13.2	15.7	19.4	17.1	18.2	20.3	16.5	200.8	6	-78946
	02 LST	15.2	11.0	11.8	8.4	6.5	8.0	10.1	14.8	10.7	10.4	15.7	15.0	137.6	6	-78946
	08 LST	10.8	8.1	9.7	6.7	5.6	4.7	5.8	9.8	5.0	7.3	8.6	10.0	92.1	6	-78946
	14 LST	20.9	17.2	20.8	20.6	17.4	12.9	18.1	21.4	15.2	17.9	19.5	18.7	220.6	6	-78946
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	27.6	24.8	28.0	26.1	27.3	26.4	27.1	29.1	27.3	29.0	27.8	26.2	328.7	6	-78946
	02 LST	28.8	24.2	28.5	27.0	26.5	25.5	28.0	29.3	27.5	29.1	28.1	27.7	330.2	6	-78946
	08 LST	27.8	24.2	28.3	27.6	26.7	25.5	27.3	28.1	27.0	28.8	27.7	27.0	326.0	6	-78946
	14 LST	29.6	26.3	29.5	28.1	28.3	27.1	29.1	29.5	28.5	29.0	28.7	29.5	343.2	6	-78946
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	24.6	22.0	25.5	23.4	25.1	23.7	24.3	27.6	26.3	26.9	26.4	25.5	301.3	6	-78946
	02 LST	27.2	21.6	26.0	25.6	23.8	23.5	23.8	28.0	26.8	28.1	27.5	25.6	309.5	6	-78946
	08 LST	24.8	20.2	25.0	25.5	23.3	21.5	23.7	25.8	24.0	26.7	26.0	24.5	291.0	6	-78946
	14 LST	28.2	24.1	28.1	27.1	26.1	24.5	26.9	28.6	27.5	28.1	28.0	26.8	324.0	6	-78946
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	24.6	22.0	25.5	23.4	25.1	23.7	24.3	27.6	26.3	26.9	26.4	25.5	301.3	6	-78946
	02 LST	27.2	21.6	26.0	25.6	23.8	23.5	23.8	28.0	26.8	28.1	27.3	25.6	309.3	6	-78946
	08 LST	24.8	20.2	25.0	25.3	23.3	21.5	23.7	25.8	24.0	26.7	26.0	24.5	290.8	6	-78946
	14 LST	28.2	24.1	28.1	27.1	26.1	24.3	26.9	28.5	27.5	28.1	28.0	26.8	323.7	6	-78946

# ST LUCIA, WINDWARD IS.

STA NO. 78949/ (IN AREA NUMBER 01)

LATITUDE 1344N

LONGITUDE 06057W

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	88	89	90	92	94	91	91	90	92	92	91	89	94	9	2722
MEAN MAX TMP (F)	84	85	85	86	87	87	86	87	88	88	87	85	86	9	2722
MEAN MIN TMP (F)	73	73	74	74	76	76	76	77	77	76	76	75	75	9	2722
ABS MIN TMP (F)	63	62	66	62	70	70	70	70	70	70	70	67	62	9	2722
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.1	0.7	2.2	1.1	0.3	1.1	3.6	6.0	1.5	0.0	16.6	9	2722
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2722
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2722
MEAN D L W PT TMP (F)	70	69	69	71	73	74	75	75	75	75	74	72	73	8	58255
MEAN REL HUM (PCT)	76	74	73	75	79	80	81	80	80	80	80	78	78	8	58248
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.75	1.96	1.83	1.98	3.97	5.73	8.65	5.55	8.56	8.06	8.26	3.81	61.1	9	2800
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN NO DYS PKCP = OR GTR 0.1 IN	8.0	6.2	4.7	5.1	10.0	13.1	16.6	11.9	13.5	12.4	10.3	10.0	121.8	9	2800
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.3	0.1	0.4	0.4	0.3	0.4	0.1	0.1	2.1	8	2530
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.2	0.2	0.7	1.6	1.8	4.0	3.6	1.1	0.3	13.5	8	2501
P FREQ WND SPD = OR GTR 17 KTS	2.5	3.2	2.5	1.1	2.0	4.3	5.6	2.4	1.9	2.1	1.2	5.3	2.8	8	58268
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	8	58268
P FREQ LES 5000 FT A/O LES 5 MI	23.7	22.2	22.0	24.8	29.2	34.3	34.9	27.7	28.8	25.3	24.7	24.6	26.9	8	58289
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.0	0.2	0.5	0.2	0.4	1.2	1.2	0.3	0.8	0.5	0.6	0.5	0.5	9	7376
03-05 LST	0.7	0.5	0.4	0.2	0.9	0.7	1.4	0.9	0.8	0.7	0.6	0.4	0.7	9	7404
06-08 LST	0.9	1.3	0.2	0.3	1.3	0.5	2.0	1.6	2.8	1.6	3.1	0.1	1.3	9	7911
09-11 LST	0.4	0.7	0.2	0.9	1.5	1.1	1.5	1.4	1.3	1.6	1.5	1.6	1.1	9	7987
12-14 LST	0.1	0.8	0.1	0.8	0.7	0.9	1.0	1.1	2.4	2.0	1.9	0.8	1.1	9	8030
15-17 LST	0.6	0.5	0.6	1.1	0.8	1.2	2.0	0.6	2.6	1.8	2.1	1.0	1.2	9	7853
18-20 LST	0.4	0.0	0.4	1.8	1.6	1.2	1.7	0.8	1.3	1.4	1.0	0.5	1.0	9	7306
21-23 LST	0.5	0.5	0.5	0.7	1.3	1.2	1.7	0.6	0.3	1.2	1.6	0.2	0.9	9	7260
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.0	0.2	0.2	0.1	9	7376
03-05 LST	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.0	0.0	0.0	0.1	9	7404
06-08 LST	0.1	0.2	0.0	0.0	0.0	0.0	0.2	0.3	0.4	0.1	0.4	0.0	0.1	9	7911
09-11 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.1	0.5	0.3	0.1	0.1	9	7987
12-14 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.3	0.4	0.3	0.1	0.1	0.1	9	8030
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.1	0.0	0.3	0.2	0.0	0.1	9	7853
18-20 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.2	0.0	0.2	0.1	9	7306
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	7260

# ST LUCIA, WINDWARD IS.

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	30.8	28.0	31.0	30.0	31.0	29.9	30.6	31.0	29.9	30.7	29.9	31.0	363.8	9	2535
	02 LST	31.0	28.0	31.0	30.0	31.0	29.7	30.8	31.0	29.9	30.8	30.0	31.0	364.2	9	2585
	08 LST	31.0	27.9	31.0	29.9	30.5	30.0	30.8	31.0	29.9	30.7	29.6	30.8	363.1	9	2764
	14 LST	31.0	27.7	31.0	29.7	31.0	29.9	30.7	30.7	29.6	30.8	29.7	31.0	362.0	9	2804
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	15.4	13.9	11.8	13.3	12.3	8.9	12.7	17.4	19.1	20.7	20.1	15.0	180.6	9	2534
	02 LST	15.7	10.7	10.9	11.9	10.3	6.5	9.1	15.8	18.7	21.0	20.1	13.5	164.2	9	2584
	08 LST	13.7	10.4	9.0	7.1	10.1	6.6	8.1	15.0	16.1	17.5	16.7	13.0	143.3	9	2763
	14 LST	11.0	6.4	6.1	6.5	10.3	6.9	8.7	12.8	15.2	16.9	14.1	12.1	127.0	9	2803
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	0.9	1.0	1.1	0.7	0.5	1.6	1.5	0.4	0.4	0.7	0.3	1.4	10.5	9	2514
	02 LST	2.1	1.3	1.1	0.3	0.7	1.6	1.3	0.4	0.3	0.6	0.4	2.1	12.2	9	2563
	08 LST	0.7	1.3	1.3	0.9	0.3	1.4	2.2	1.3	0.9	0.6	0.2	1.5	12.6	9	2740
	14 LST	0.7	1.4	0.5	0.4	0.8	1.0	1.9	0.4	0.9	0.5	0.4	1.4	10.3	9	2777
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	17.4	16.5	16.6	20.1	17.8	14.0	18.0	19.9	19.1	21.0	20.8	19.7	220.9	9	2514
	02 LST	17.6	14.9	16.3	18.0	16.5	11.5	14.5	19.6	19.4	21.2	19.5	19.5	208.5	9	2563
	08 LST	17.1	16.8	14.4	14.4	17.9	12.8	15.3	20.8	20.1	20.9	19.4	17.5	207.4	9	2740
	14 LST	17.6	12.7	13.2	14.2	18.3	14.3	14.7	19.7	19.4	21.7	19.3	18.6	203.7	9	2777
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	3.0	3.4	5.0	3.4	5.5	0.7	2.0	2.3	5.6	6.0	3.7	3.3	43.9	4	1077
	02 LST	4.7	3.9	3.7	3.3	1.0	0.0	0.3	4.3	4.3	4.7	5.3	3.0	38.5	4	1118
	08 LST	2.7	3.4	2.0	1.3	1.2	0.0	1.0	2.3	1.3	1.6	1.3	0.3	18.4	4	1158
	14 LST	1.0	1.5	3.5	2.0	1.7	1.3	0.3	1.0	2.0	3.3	1.7	2.7	22.0	4	1197
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	27.5	25.8	28.6	27.4	27.3	23.3	25.1	26.8	25.6	26.6	26.3	27.7	318.0	9	2535
	02 LST	27.5	24.3	26.8	27.6	24.1	22.7	22.8	23.4	24.5	26.1	25.1	26.1	301.0	9	2585
	08 LST	23.9	22.7	28.1	26.4	25.1	22.4	24.0	23.5	23.2	24.5	23.5	25.7	293.0	9	2764
	14 LST	27.7	25.1	28.6	27.8	27.2	25.0	25.3	25.3	25.1	25.2	23.9	26.2	312.4	9	2804
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	25.1	23.1	26.2	24.3	23.7	19.7	23.0	25.4	23.6	25.5	23.9	25.5	289.0	9	2535
	02 LST	24.2	22.1	23.4	23.1	20.8	19.3	21.1	21.5	22.7	23.8	23.4	23.5	268.9	9	2585
	08 LST	20.0	18.6	23.4	21.4	21.6	18.7	19.1	20.1	19.4	21.9	20.9	22.4	247.5	9	2764
	14 LST	24.1	22.0	25.2	22.5	23.8	20.6	22.1	21.9	21.2	21.5	20.1	21.9	266.9	9	2804
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	25.0	22.3	25.5	22.2	20.8	18.6	20.7	23.8	22.1	24.4	22.6	24.7	272.7	9	2535
	02 LST	23.4	21.1	22.1	21.0	19.0	18.1	19.4	21.0	22.0	23.1	22.3	22.3	254.8	9	2585
	08 LST	18.6	16.0	21.0	18.2	17.9	16.0	17.4	18.8	18.2	21.4	19.7	20.6	223.8	9	2764
	14 LST	22.5	20.2	22.8	20.3	20.3	18.4	19.6	19.0	20.3	20.1	19.0	21.4	244.8	9	2804

### AREA NO. 01

WINDWARD ISLANDS


WINDWARD ISLANDS

LATITUDE 1350N

LONGITUDE 06100W

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)		62	63	64	65	66	66	65	67	67	67	66	63	65	
MEAN MIN TMP (F)		71	71	72	72	74	74	74	75	75	74	74	72	73	
LARGEST MEAN PRECIP(IN)		3.63	4.11	4.18	7.32	8.32	10.85	11.40	8.07	12.71	10.61	11.12	8.51	100.8	
SMALLEST MEAN PRECIP(IN)		2.75	1.96	1.83	1.98	3.97	5.73	8.65	5.55	8.56	8.06	8.26	3.81	61.1	
		MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	30.8	27.9	30.9	29.8	30.8	29.8	30.7	31.0	29.8	30.7	29.7	30.7	362.6	
	02 LST	30.9	27.8	30.9	29.5	30.5	29.3	30.9	31.0	29.5	30.7	29.8	30.7	361.5	
	08 LST	30.9	27.8	30.8	29.8	30.4	29.7	30.8	30.7	29.6	30.6	29.8	30.8	361.7	
	14 LST	30.8	27.8	30.9	29.8	30.9	29.8	30.8	30.7	29.6	30.5	29.9	30.9	362.4	
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	20 LST	12.6	9.7	10.5	11.6	11.8	7.9	11.5	16.8	18.0	19.2	18.3	12.5	160.4	
	02 LST	13.0	8.0	9.9	9.1	8.7	5.6	7.7	15.2	17.7	18.6	17.3	12.4	142.2	
	08 LST	9.6	6.4	7.3	5.1	8.3	5.0	6.6	11.8	14.6	15.7	14.6	9.9	114.9	
	14 LST	10.3	7.1	8.0	6.8	10.4	6.4	9.2	14.7	16.3	15.7	14.7	11.6	131.2	
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	1.3	1.7	1.5	0.7	0.7	1.9	1.1	0.6	0.3	0.7	0.3	1.8	12.6	
	02 LST	2.6	1.6	1.5	1.2	1.6	3.2	1.5	1.0	0.3	0.7	0.6	1.9	17.7	
	08 LST	2.8	2.6	3.0	1.6	1.8	3.2	3.0	1.4	0.8	0.7	0.5	2.1	23.5	
	14 LST	1.3	0.8	0.9	0.5	1.3	1.8	1.3	0.4	0.5	0.8	0.4	1.5	11.5	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	13.6	12.1	13.6	16.1	15.5	11.0	13.8	18.6	17.9	18.4	18.6	14.4	183.6	
	02 LST	13.6	10.6	11.9	12.8	11.7	8.2	9.8	16.1	16.3	17.6	15.2	13.9	157.7	
	08 LST	12.1	10.2	10.4	9.4	13.0	8.3	10.4	14.3	15.7	15.8	14.8	11.1	145.5	
	14 LST	13.9	11.3	12.6	12.3	14.8	10.1	12.4	17.3	17.9	18.8	17.3	14.7	173.4	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	10.5	9.0	11.1	9.3	10.6	7.0	8.9	10.9	11.4	12.1	12.0	9.9	122.7	
	02 LST	10.0	7.5	7.8	5.9	3.8	4.0	5.2	9.6	7.5	7.6	10.5	9.0	88.4	
	08 LST	6.8	5.8	5.9	4.0	3.4	2.4	3.4	6.1	3.2	4.5	5.0	5.2	55.7	
	14 LST	11.0	9.4	12.2	11.3	9.6	7.1	9.2	11.2	8.6	10.6	10.6	10.7	121.5	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	27.6	25.3	28.3	26.8	27.3	24.9	26.1	28.0	26.5	27.8	27.1	28.0	323.7	
	02 LST	28.2	24.3	27.7	27.3	25.3	24.1	25.4	26.4	26.0	27.6	26.6	26.9	315.8	
	08 LST	25.9	23.5	28.2	27.0	25.9	24.0	25.7	25.8	25.1	26.7	25.6	26.4	309.8	
	14 LST	28.7	25.7	29.1	28.0	27.8	26.1	27.2	27.4	26.8	27.1	26.3	27.9	328.1	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	24.9	22.6	25.9	23.9	24.4	21.7	23.7	26.5	25.0	26.2	25.2	25.5	295.5	
	02 LST	25.7	21.9	24.7	24.4	22.3	21.4	23.5	24.8	24.8	26.0	25.5	24.6	289.6	
	08 LST	22.4	19.4	24.2	23.5	22.5	20.1	21.4	23.0	21.7	24.3	23.5	23.5	269.5	
	14 LST	26.2	23.1	26.7	24.8	25.0	22.6	24.3	25.3	24.4	24.8	24.1	24.4	295.9	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	24.8	22.2	25.5	22.8	23.0	21.2	22.5	25.7	24.2	25.7	24.5	25.1	287.2	
	02 LST	25.3	21.4	24.1	23.3	21.4	20.8	22.6	24.5	24.4	25.6	24.8	24.0	282.2	
	08 LST	21.7	18.1	23.0	21.8	20.6	18.8	20.6	22.3	21.1	24.1	22.9	22.6	257.6	
	14 LST	25.4	22.2	25.5	23.7	23.2	21.4	23.3	24.2	23.9	24.1	23.5	24.1	284.5	

OTHER ISLANDS



## GRAND BAHAMA AUX AF, BAHAMA IS. U.K.

STA NO. 78063 (IN AREA NUMBER 01)

LATITUDE 2637N

LONGITUDE 07821W

ELEVATION(FT) 00008

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	81	82	84	88	90	94	91	91	90	90	86	82	94	10	3574
MEAN MAX TMP (F)	73	74	76	79	83	85	87	88	87	83	79	75	81	10	3578
MEAN MIN TMP (F)	58	61	63	66	71	74	77	76	75	70	65	60	68	10	3578
ABS MIN TMP (F)	39	36	42	49	56	60	69	70	68	52	44	38	36	10	3578
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	0.7	1.1	3.9	0.7	0.1	0.0	0.0	6.7	10	3578
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3578
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3578
MEAN DEW PT TMP (F)	58	60	61	64	69	73	74	75	74	70	64	60	67	10	77415
MEAN REL HUM (PCT)	76	76	75	74	76	79	77	79	81	80	77	75	77	10	77412
MEAN PRESS ALT (FT)	-166	-142	-129	-104	-72	-73	-119	-76	-31	-37	-99	-142	-98	0	-50
MEAN PRECIP (IN)	2.02	3.46	3.96	3.33	4.26	6.44	5.21	7.30	8.70	10.03	2.63	1.74	59.1	10	3605
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.0	3.9	5.1	4.4	6.0	8.0	9.4	11.3	11.6	10.2	4.6	3.5	82.0	10	3605
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.3	0.0	0.4	0.1	0.1	0.3	0.2	0.3	0.1	0.4	0.2	0.1	2.5	10	3587
MEAN NO DYS TSTMS	0.6	1.5	3.0	4.3	5.1	10.5	12.9	15.3	8.2	4.3	1.0	0.9	67.6	10	3558
P FREQ WND SPU = OR GTR 17 KTS	2.9	3.5	2.8	2.2	1.1	0.6	0.6	0.2	1.1	2.0	1.6	2.7	1.8	10	77413
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	77413
P FREQ LES 5000 FT A/O LES 5 MI	20.4	24.6	21.1	22.1	15.6	14.6	11.0	12.2	15.6	19.7	15.8	18.9	17.6	10	77414
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	1.4	1.0	2.0	1.5	0.7	1.7	0.4	0.1	0.7	0.6	0.2	0.2	0.9	10	7918
03-05 LST	2.3	1.3	1.6	1.7	1.7	2.1	0.4	0.1	0.0	0.2	0.8	0.7	1.1	10	9390
06-08 LST	2.2	0.7	1.8	1.7	1.3	0.7	0.5	0.6	0.6	0.9	0.9	1.1	1.1	10	10875
09-11 LST	0.2	1.4	2.3	0.9	1.0	1.1	0.6	0.4	0.6	0.8	0.6	1.2	0.9	10	10892
12-14 LST	0.6	1.6	1.8	0.6	1.3	1.0	0.1	1.2	0.3	1.2	0.9	1.2	1.0	10	10892
15-17 LST	0.9	1.1	1.6	0.4	0.8	0.7	0.2	0.5	0.0	1.6	0.8	0.9	0.8	10	10803
18-20 LST	1.1	1.3	1.1	0.3	0.9	0.4	0.2	0.4	0.1	1.4	0.3	0.6	0.7	10	9309
21-23 LST	1.2	1.2	1.9	0.3	0.3	1.1	0.6	0.0	0.1	0.4	0.5	0.8	0.7	10	7890
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.5	0.0	0.3	0.0	0.0	0.6	0.0	0.0	0.1	0.1	0.0	0.0	0.1	10	7918
03-05 LST	0.8	0.0	0.5	0.1	0.0	0.6	0.1	0.0	0.0	0.2	0.6	0.0	0.2	10	9390
06-08 LST	0.7	0.0	0.3	0.2	0.0	0.3	0.0	0.3	0.0	0.3	0.1	0.2	0.2	10	10875
09-11 LST	0.0	0.0	0.1	0.3	0.0	0.2	0.1	0.0	0.1	0.0	0.1	0.1	0.1	10	10892
12-14 LST	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.2	0.1	0.1	0.0	0.0	0.1	10	10892
15-17 LST	0.2	0.1	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.3	0.0	0.1	0.1	10	10893
18-20 LST	0.0	0.1	0.4	0.0	0.4	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.1	10	9309
21-23 LST	0.2	0.0	0.1	0.0	0.1	0.6	0.1	0.0	0.1	0.0	0.0	0.0	0.1	10	7890

## GRAND BAHAMA AUX AF, BAHAMA IS. U.K.

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	19 LST	30.7	27.8	30.7	30.0	30.6	30.0	31.0	31.0	30.0	30.9	30.0	31.0	363.7	10	3587
	01 LST	30.8	27.8	30.5	29.9	30.9	29.8	31.0	31.0	29.9	31.0	30.0	31.0	363.6	10	3590
	07 LST	30.6	27.9	30.8	29.8	30.9	29.8	30.9	30.8	30.0	30.8	29.8	30.8	362.9	10	3631
	13 LST	30.9	27.8	30.7	30.0	30.6	29.9	31.0	30.9	29.9	30.9	29.9	30.9	363.4	10	3631
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LES 10 KTS	19 LST	25.4	22.5	25.1	24.5	26.2	27.3	28.3	29.5	27.3	27.0	25.7	25.7	314.5	10	3587
	01 LST	25.8	21.6	24.7	24.6	27.0	26.8	27.7	29.1	26.7	27.3	27.2	25.9	314.4	10	3590
	07 LST	24.6	21.3	24.2	22.7	26.7	27.0	26.7	28.7	26.9	27.2	26.0	25.9	307.9	10	3631
	13 LST	13.8	11.1	14.2	13.0	17.0	19.7	21.7	22.5	18.0	19.5	16.1	15.2	201.8	10	3631
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	19 LST	0.3	0.4	0.6	0.5	0.1	0.0	0.1	0.0	0.3	0.7	0.5	0.3	3.8	10	3546
	01 LST	0.2	0.5	0.4	0.3	0.1	0.0	0.1	0.0	0.0	0.1	0.1	0.3	2.1	10	3507
	07 LST	0.4	1.0	0.8	0.1	0.2	0.1	0.1	0.0	0.2	0.2	0.2	0.6	3.9	10	3606
	13 LST	2.6	2.3	1.7	0.8	0.9	0.3	0.1	0.0	0.8	1.1	1.1	1.4	13.1	10	3596
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	14.1	15.7	15.7	18.9	17.5	15.6	16.3	12.6	14.4	13.4	13.7	16.1	184.0	10	3546
	01 LST	13.2	13.6	16.6	18.6	18.4	17.1	18.2	13.4	15.2	13.3	13.4	14.8	186.2	10	3507
	07 LST	14.4	13.6	15.3	18.9	21.2	19.4	19.7	15.9	16.3	14.4	13.2	15.0	197.5	10	3606
	13 LST	16.2	13.4	18.0	16.8	20.3	22.4	22.1	20.0	19.3	21.6	18.2	18.8	227.1	10	3596
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	19 LST	11.6	10.2	10.9	7.9	7.4	4.9	4.3	2.8	4.7	7.8	10.6	11.6	94.7	10	3587
	01 LST	13.4	10.7	13.4	11.3	12.6	10.5	10.8	9.8	9.0	10.1	12.9	12.6	137.1	10	3590
	07 LST	9.2	6.7	7.4	8.4	8.9	4.9	4.0	3.7	4.9	7.1	8.2	7.7	81.1	10	3631
	13 LST	6.6	6.1	6.8	4.9	6.1	2.4	2.7	1.3	1.2	2.3	5.1	5.6	51.1	10	3631
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	19 LST	29.0	26.1	28.9	27.0	29.4	27.9	29.3	28.4	27.9	27.7	28.4	29.3	339.3	10	3587
	01 LST	29.3	26.2	28.4	27.0	28.9	27.9	29.0	29.5	27.2	28.1	27.8	29.4	338.7	10	3590
	07 LST	28.5	25.7	28.2	26.2	28.2	27.9	28.4	29.5	28.0	27.5	27.5	29.0	334.6	10	3631
	13 LST	28.8	25.1	27.8	25.9	27.0	25.3	28.8	26.8	24.2	25.1	26.5	29.4	320.7	10	3631
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	19 LST	24.6	22.5	25.2	24.7	27.1	27.1	28.3	27.5	27.0	25.7	26.1	25.0	310.8	10	3587
	01 LST	24.1	21.4	25.0	23.8	27.6	26.6	28.1	28.4	26.0	25.8	25.7	24.8	307.5	10	3590
	07 LST	24.2	20.3	22.7	22.3	25.5	26.4	27.3	28.7	27.5	26.2	25.0	23.9	300.0	10	3631
	13 LST	23.7	19.0	22.4	21.6	24.5	22.5	26.5	24.5	21.3	21.3	22.9	23.5	273.7	10	3631
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	19 LST	23.5	21.8	24.0	23.3	25.9	26.3	26.9	27.2	26.5	24.9	24.1	23.3	297.7	10	3587
	01 LST	23.5	20.3	24.0	23.1	27.2	25.9	27.4	28.0	25.0	24.6	24.1	23.2	296.3	10	3590
	07 LST	23.0	18.9	21.7	21.0	24.5	25.1	26.5	28.3	26.1	24.3	23.3	21.9	284.6	10	3631
	13 LST	22.6	18.0	21.6	20.2	23.7	21.3	25.8	23.8	20.1	19.9	21.7	22.0	260.7	10	3631

# NASSAU INTL, BAHAMA IS. U.K.

STA NO. 78073 (IN AREA NUMBER 01)

LATITUDE 2502N

LONGITUDE 07728W

ELEVATION(FT) 00007

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	85	86	88	91	92	94	94	94	92	92	89	86	94	35	-28
MEAN MAX TMP (F)	77	77	79	81	84	87	88	89	88	85	81	79	83	35	-28
MEAN MIN TMP (F)	65	64	66	69	71	74	75	76	75	73	70	67	70	35	-28
ABS MIN TMP (F)	41	43	46	53	53	62	67	67	65	54	49	45	41	35	-28
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	6.1	9.4	12.6	9.0	1.4	0.0	0.0	38.5	35	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35	-29
MEAN DEW PT TMP (F)	62	63	62	63	66	70	71	71	72	70	71	64	67	0	-50
MEAN REL HUM (PCT)	76	74	71	71	73	73	72	72	73	74	74	75	73	24	-61
MEAN PRESS ALT (FT)	-176	-152	-136	-112	-83	-91	-133	-90	-47	-52	-115	-154	-111	0	-50
MEAN PRECIP (IN)	1.40	1.50	1.40	2.50	4.60	6.40	5.80	5.30	6.90	6.50	2.80	1.30	46.4	57	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.0	2.2	3.4	5.5	8.4	12.0	11.4	10.7	10.6	9.9	4.5	1.8	82.4	57	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.2	0.2	0.0	0.0	1.0	8	-78076
MEAN NO DYS TSTMS	0.9	0.6	0.9	1.0	3.0	4.7	5.1	4.7	3.3	1.0	0.2	0.1	25.5	21	-61
P FREQ WND SPD = OR GTR 17 KTS	21.4	21.3	8.2	21.4	7.3	5.3	5.7	4.1	9.3	17.5	23.9	26.4	14.3	8	-78076
P FREQ WND SPD = OR GTR 28 KTS	0.6	0.9	0.1	0.2	0.2	0.1	0.0	0.1	0.1	0.8	0.9	3.1	0.3	8	-78076
P FREQ LES 5000 FT A/O LES 5 MI	19.5	20.1	15.2	12.7	10.9	10.7	5.8	7.8	10.8	15.2	18.0	19.0	13.6	8	-78076
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.0	0.0	0.4	0.0	0.4	0.7	0.2	0.0	0.3	2.2	1.1	0.0	0.4	9	-78076
03-05 LST	0.4	1.0	0.4	2.0	0.9	0.9	0.2	1.6	0.0	2.2	0.2	1.4	0.9	9	-78076
06-08 LST	1.4	1.5	0.3	1.1	1.4	1.0	0.3	1.5	1.8	3.6	0.7	0.5	1.3	9	-78076
09-11 LST	1.0	1.4	0.4	0.7	1.1	1.8	0.7	1.2	1.6	2.4	1.5	0.8	1.2	9	-78076
12-14 LST	0.8	0.5	0.6	0.9	0.8	1.9	0.3	0.6	1.0	3.5	1.5	0.6	1.1	9	-78076
15-17 LST	0.9	0.2	0.9	0.0	1.8	0.5	0.3	1.2	1.7	3.5	1.1	1.4	1.1	9	-78076
18-20 LST	0.9	0.6	1.3	0.2	0.8	0.0	0.4	0.0	0.8	1.8	0.0	0.0	0.6	9	-78076
21-23 LST	1.6	0.0	0.9	0.5	0.2	0.7	0.0	0.0	0.3	2.4	0.3	0.0	0.6	9	-78076
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.1	9	-78076
03-05 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	9	-78076
06-08 LST	0.2	0.0	0.0	0.2	0.0	0.0	0.2	0.2	0.0	0.2	0.0	0.0	0.1	9	-78076
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.0	0.0	0.0	0.0	0.0	9	-78076
12-14 LST	0.0	0.3	0.0	0.0	0.1	0.0	0.0	0.3	0.0	0.2	0.0	0.0	0.1	9	-78076
15-17 LST	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.3	0.5	0.0	0.0	0.0	0.1	9	-78076
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.2	0.0	0.0	0.1	9	-78076
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.3	0.2	0.0	0.0	0.1	9	-78076

# NASSAU INTL, BAHAMA IS. U.K.

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.6	27.8	31.0	30.0	31.0	30.0	30.8	31.0	29.8	30.8	30.0	31.0	363.8	9	-78076
	01 LST	31.0	28.0	30.8	30.0	31.0	29.8	31.0	31.0	29.8	30.8	29.7	31.0	363.9	9	-78076
	07 LST	30.6	27.9	31.0	30.0	30.8	29.7	31.0	30.7	29.7	30.7	29.9	30.8	362.8	9	-78076
	13 LST	31.0	27.9	31.0	30.0	31.0	29.6	31.0	30.8	29.9	30.6	29.9	31.0	363.7	9	-78076
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	12.5	12.4	16.5	10.1	15.7	16.5	15.6	19.1	12.8	12.0	10.5	10.2	163.9	9	-78076
	01 LST	15.0	14.5	17.5	11.8	15.5	20.0	21.0	22.8	14.6	14.4	10.4	10.9	188.4	9	-78076
	07 LST	12.7	12.6	15.0	9.8	14.0	17.3	15.3	19.2	15.6	14.0	13.3	12.8	171.6	9	-78076
	13 LST	9.0	7.8	8.7	5.7	11.6	11.4	9.9	12.3	10.8	10.1	10.2	8.1	115.6	9	-78076
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	6.0	5.7	3.0	5.8	3.2	1.9	2.8	1.1	3.6	6.2	9.2	7.8	56.3	9	-78076
	01 LST	6.5	5.9	1.8	4.9	1.5	1.4	1.0	0.7	2.2	5.4	5.6	5.3	42.2	8	-78076
	07 LST	5.6	5.4	2.9	6.3	2.5	1.5	1.6	1.8	2.6	6.0	5.9	7.8	49.9	9	-78076
	13 LST	6.5	5.1	3.6	7.0	2.8	1.2	1.8	1.8	3.4	5.2	6.0	7.5	51.9	9	-78076
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	13.6	12.5	16.6	10.7	15.8	18.5	16.2	18.7	15.6	12.6	11.2	11.3	173.3	9	-78076
	01 LST	13.6	13.3	18.4	13.2	17.5	21.1	21.6	22.4	17.6	14.8	11.6	11.6	196.7	8	-78076
	07 LST	12.6	13.4	15.6	10.5	16.1	18.7	17.6	19.6	15.2	13.8	12.0	12.6	177.7	9	-78076
	13 LST	11.5	10.9	12.5	8.6	13.9	16.3	11.7	15.9	13.1	12.3	13.0	10.8	150.5	9	-78076
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	12.2	12.4	14.6	8.1	6.8	5.0	7.2	6.1	3.3	4.5	7.3	8.3	95.8	9	-78076
	01 LST	13.7	13.7	16.5	13.0	10.0	10.1	11.0	13.2	6.0	8.1	8.5	7.8	131.6	9	-78076
	07 LST	8.0	7.4	8.8	6.5	6.2	3.0	3.7	5.1	3.2	3.6	7.8	4.8	68.1	9	-78076
	13 LST	9.8	7.1	9.4	6.0	5.2	2.3	3.5	2.4	1.7	1.9	6.9	4.8	61.0	9	-78076
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.3	27.2	29.7	27.8	29.5	30.0	30.2	30.1	29.8	28.9	28.8	30.0	350.5	9	-78076
	01 LST	30.2	27.2	30.2	29.0	29.3	28.5	30.8	29.9	28.8	28.5	29.3	30.7	352.4	9	-78076
	07 LST	28.6	25.5	29.5	27.7	29.1	27.6	29.5	28.7	27.5	27.7	28.6	28.5	338.5	9	-78076
	13 LST	29.9	26.8	30.0	28.1	29.0	27.1	29.0	29.5	28.0	27.5	28.4	29.2	342.5	9	-78076
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.3	22.6	26.0	25.7	27.2	28.7	29.0	29.2	28.1	26.7	25.4	25.5	318.4	9	-78076
	01 LST	25.8	22.5	27.0	27.7	27.8	27.3	30.0	29.2	27.4	26.8	25.4	25.4	322.3	9	-78076
	07 LST	22.4	20.8	23.8	23.3	27.4	26.4	28.6	27.8	26.0	25.9	24.6	22.8	299.8	9	-78076
	13 LST	25.2	22.4	25.5	26.0	27.4	29.7	28.3	28.4	26.6	25.4	25.0	24.0	309.9	9	-78076
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.5	20.3	25.7	24.2	25.6	26.1	29.0	29.0	27.4	25.2	23.6	24.3	304.1	9	-78076
	01 LST	23.9	21.4	26.3	26.5	27.3	26.2	29.6	28.8	26.4	25.8	23.7	24.1	310.0	9	-78076
	07 LST	21.3	18.6	22.3	22.3	25.0	24.8	28.1	27.8	25.1	24.2	23.3	20.4	283.2	9	-78076
	13 LST	24.0	20.2	24.3	24.8	25.6	23.5	28.0	27.8	25.8	24.2	23.5	21.3	293.2	9	-78076

ELEUTHERA AUX AF, BAHAMA IS. U.K.

STA NO. 78076

(IN AREA NUMBER 01)

LATITUDE 2517N

LONGITUDE 07619W

ELEVATION(FT) 00015

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	82	83	86	86	89	90	91	91	92	88	87	86	92	8	1752
MEAN MAX TMP (F)	75	76	78	80	83	85	87	88	86	83	80	77	82	8	1752
MEAN MIN TMP (F)	67	68	69	71	74	76	78	78	78	75	73	71	73	8	1752
ABS MIN TMP (F)	58	59	61	63	66	71	71	71	72	67	61	61	58	8	1752
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.2	1.8	5.1	1.0	0.0	0.0	0.0	8.1	8	1752
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	1752
MEAN NO DYS TMP = OR LES 01(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	1752
MEAN DEW PT TMP (F)	61	63	64	66	70	73	74	75	74	72	66	64	69	8	41806
MEAN REL HUM (PCT)	73	76	75	75	79	80	78	78	79	79	74	74	77	8	41806
MEAN PRESS ALT (FT)	-174	-151	-136	-113	-86	-97	-138	-94	-47	-50	-109	-150	-111	0	-50
MEAN PRECIP (IN)	2.29	2.09	1.23	1.96	4.56	5.16	3.15	5.76	4.78	8.68	1.62	1.35	42.6	7	1795
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.2	3.3	2.6	3.4	4.3	6.5	4.6	8.2	9.9	11.6	2.4	3.2	62.2	7	1795
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.2	0.2	0.0	0.0	1.0	8	1778
MEAN NO DYS TSTMS	0.6	1.0	0.9	0.9	3.8	4.0	5.2	7.5	5.2	6.4	0.0	0.0	35.5	8	1748
P FREQ WND SPD = OR GTR 17 KTS	21.4	21.3	8.2	21.4	7.3	5.3	5.7	4.1	9.3	17.5	23.9	26.4	14.3	8	41806
P FREQ WND SPD = OR GTR 28 KTS	0.6	0.9	0.1	0.2	0.2	0.1	0.0	0.1	0.1	0.8	0.9	0.1	0.3	8	41806
P FREQ LES 5000 FT A/O LES 5 MI	19.5	20.1	15.2	12.7	10.9	10.7	5.9	7.8	10.8	15.2	16.0	19.0	13.6	8	41751
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.0	0.0	0.4	0.0	0.4	0.7	0.2	0.0	0.3	2.2	1.1	0.0	0.4	9	5197
03-05 LST	0.4	1.0	0.4	2.0	0.9	0.0	0.2	1.6	0.0	2.2	0.2	1.4	0.9	9	5565
06-08 LST	1.4	1.5	0.3	1.1	1.4	1.0	0.3	1.5	1.8	3.6	0.7	0.5	1.3	9	7315
09-11 LST	1.0	1.4	0.4	0.7	1.1	1.8	0.7	1.2	1.6	2.4	1.5	0.8	1.2	9	7932
12-14 LST	0.8	0.5	0.6	0.9	0.8	1.9	0.3	0.6	1.0	3.5	1.5	0.6	1.1	9	7929
15-17 LST	0.9	0.2	0.9	0.0	1.8	0.5	0.3	1.2	1.7	3.5	1.1	1.4	1.1	9	7105
18-20 LST	0.9	0.6	1.3	0.2	0.8	0.0	0.4	0.0	0.8	1.8	0.0	0.0	0.6	9	5181
21-23 LST	1.6	0.0	0.9	0.5	0.2	0.7	0.0	0.0	0.3	2.4	0.3	0.0	0.6	9	5057
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.1	9	5197
03-05 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	9	5565
06-08 LST	0.2	0.0	0.0	0.2	0.0	0.0	0.2	0.2	0.0	0.2	0.0	0.0	0.1	9	7315
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.0	0.0	0.0	0.0	0.0	9	7932
12-14 LST	0.0	0.3	0.0	0.0	0.1	0.0	0.0	0.3	0.0	0.2	0.0	0.0	0.1	9	7929
15-17 LST	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.3	0.5	0.0	0.0	0.0	0.1	9	7105
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.2	0.0	0.0	0.1	9	5181
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.3	0.2	0.0	0.0	0.1	9	5057

# ELEUTHERA AUX AF, BAHAMA IS. U.K.

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.6	27.8	31.0	30.0	31.0	30.0	30.8	31.0	29.8	30.8	30.0	31.0	363.8	9	1784
	01 LST	31.0	28.0	30.8	30.0	31.0	29.8	31.0	31.0	29.8	30.8	29.7	31.0	363.9	9	1822
	07 LST	30.6	27.9	31.0	30.0	30.8	29.7	31.0	30.7	29.7	30.7	29.9	30.8	362.8	9	2818
	13 LST	31.0	27.9	31.0	30.0	31.0	29.6	31.0	30.8	29.9	30.6	29.9	31.0	363.7	9	2817
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	12.5	12.4	16.5	10.1	15.7	16.5	15.6	19.1	12.8	12.0	10.5	10.2	163.9	9	1784
	01 LST	15.0	14.5	17.5	11.8	15.5	20.0	21.0	22.8	14.6	14.4	10.4	10.9	188.4	9	1822
	07 LST	12.7	12.6	15.0	9.8	14.0	17.3	15.3	19.2	15.6	14.0	13.3	12.8	171.6	9	2818
	13 LST	9.0	7.8	8.7	5.7	11.6	11.4	9.9	12.3	10.8	10.1	10.2	8.1	115.6	9	2817
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	6.0	5.7	3.0	5.8	3.2	1.9	2.8	1.1	3.6	6.2	9.2	7.8	56.3	9	1778
	01 LST	6.5	5.9	1.8	4.9	1.5	1.4	1.0	0.7	2.2	5.4	5.6	5.3	42.2	8	1805
	07 LST	5.6	5.4	2.9	6.3	2.5	1.5	1.6	1.8	2.6	6.0	5.9	7.8	49.9	9	2781
	13 LST	6.5	5.1	3.6	7.0	2.8	1.2	1.6	1.8	3.4	5.2	6.0	7.5	51.9	9	2785
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	13.6	12.5	16.6	10.7	15.8	18.5	16.2	18.7	15.6	12.6	11.2	11.3	173.3	9	1778
	01 LST	13.6	13.3	18.4	13.2	17.5	21.1	21.6	22.4	17.6	14.8	11.6	11.6	196.7	8	1805
	07 LST	12.6	13.4	15.6	10.5	16.1	18.7	17.6	19.6	15.2	13.8	12.0	12.6	177.7	9	2781
	13 LST	11.5	10.9	12.5	8.6	13.9	16.3	11.7	15.9	13.1	12.3	13.0	10.8	150.5	9	2785
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	12.2	12.4	14.6	8.1	6.8	5.0	7.2	6.1	3.3	4.5	7.3	8.3	95.8	9	1784
	01 LST	13.7	13.7	16.5	13.0	10.0	10.1	11.0	13.2	6.0	8.1	8.5	7.8	131.6	9	1822
	07 LST	8.0	7.4	8.8	6.5	6.2	3.0	3.7	5.1	3.2	3.6	7.8	4.8	68.1	9	2818
	13 LST	9.8	7.1	9.4	6.0	5.2	2.3	3.5	2.4	1.7	1.9	6.9	4.8	61.0	9	2817
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.3	27.2	29.7	27.8	29.5	30.0	30.2	30.1	29.0	28.9	28.8	30.0	350.5	9	1784
	01 LST	30.2	27.2	30.2	29.0	29.3	28.5	30.8	29.9	28.8	28.5	29.3	30.7	352.4	9	1822
	07 LST	28.6	25.5	29.5	27.7	29.1	27.6	29.5	28.7	27.5	27.7	28.6	28.5	338.5	9	2818
	13 LST	29.9	26.8	30.0	28.1	29.0	27.1	29.0	29.5	28.0	27.5	28.4	29.2	342.5	9	2817
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.3	22.6	26.0	25.7	27.2	28.7	29.0	29.2	28.1	26.7	25.4	25.5	318.4	9	1784
	01 LST	25.8	22.5	27.0	27.7	27.8	27.3	30.0	29.2	27.4	26.8	25.4	25.4	322.3	9	1822
	07 LST	22.4	20.8	23.8	23.3	27.4	26.4	28.6	27.8	26.0	25.9	24.6	22.8	299.8	9	2818
	13 LST	25.2	22.4	25.5	26.0	27.4	25.7	28.3	28.4	26.6	25.4	25.0	24.0	309.9	9	2817
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.5	20.3	25.7	24.2	25.8	26.1	29.0	29.0	27.4	25.2	23.6	24.3	304.1	9	1784
	01 LST	23.9	21.4	26.3	26.5	27.3	26.2	29.6	28.8	26.4	25.8	23.7	24.1	310.0	9	1822
	07 LST	21.3	18.6	22.3	22.3	25.0	24.8	28.1	27.6	25.1	24.2	23.3	20.4	283.2	9	2818
	13 LST	24.0	20.2	24.3	24.8	25.8	23.5	28.0	27.8	25.8	24.2	23.5	21.3	293.2	9	2817

# SAN SALVADOR AUX AF, BAHAMA IS. U.K.

STA NO. 78089 (IN AREA NUMBER 01)

LATITUDE 2404N

LONGITUDE 07432W

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	83	85	86	87	88	90	92	93	91	91	88	87	93	10	3241
MEAN MAX TMP (F)	77	78	79	81	83	86	88	89	88	85	82	79	83	10	3241
MEAN MIN TMP (F)	68	68	69	71	73	76	77	78	77	75	72	70	73	10	3226
ABS MIN TMP (F)	57	58	57	60	63	68	68	72	70	68	61	58	57	10	3226
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.2	6.0	11.4	3.0	0.7	0.0	0.0	21.3	10	3241
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3226
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3226
MEAN DEW PT TMP (F)	64	64	64	66	69	73	73	74	74	72	68	66	69	10	62141
MEAN REL HUM (PCT)	74	74	72	72	75	78	74	75	78	78	74	75	75	10	62141
MEAN PRESS ALT (FT)	-133	-121	-103	-85	-58	-71	-101	-61	-16	-9	-49	-100	-75	0	-50
MEAN PRECIP (IN)	1.98	1.00	1.13	2.32	4.40	6.09	2.38	5.40	5.34	8.87	2.89	3.56	45.4	10	3231
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS FRCP = OR GTR 0.1 IN	3.0	2.1	3.1	3.1	5.0	6.9	3.4	7.8	7.7	11.1	5.1	5.2	63.5	10	3231
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.1	0.0	0.0	0.2	0.1	0.1	0.0	0.3	0.0	0.5	0.0	0.0	1.3	10	3228
MEAN NO DYS TSTMS	0.3	0.1	0.7	1.0	2.2	4.4	2.9	3.9	4.4	5.0	0.3	0.5	25.7	10	3215
P FREQ WND SPD = OR GTR 17 KTS	14.1	13.3	9.2	11.8	6.8	3.8	4.1	3.3	3.8	7.9	10.5	10.7	8.3	10	62140
P FREQ WND SPD = OR GTR 28 KTS	1.0	0.3	0.2	0.1	0.0	0.0	0.0	0.2	0.0	0.3	0.2	0.0	0.2	10	62140
P FREQ LES 5000 FT A/O LES 5 MI	23.1	22.9	21.4	25.7	25.5	18.2	15.8	15.3	13.5	15.9	18.6	24.9	20.1	10	62141
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.3	0.3	0.3	0.8	1.5	1.8	0.2	1.2	0.3	1.7	0.3	1.2	0.8	10	4574
03-05 LST	0.8	1.0	0.3	0.2	1.5	2.2	0.5	0.6	0.5	2.1	0.2	1.5	1.0	10	7283
06-08 LST	0.7	0.5	0.4	0.7	1.1	1.2	0.6	0.8	0.7	1.7	0.0	0.8	0.8	10	9934
09-11 LST	0.7	0.4	0.5	1.4	1.1	1.7	0.4	0.1	1.1	1.4	0.1	0.6	0.8	10	9945
12-14 LST	1.4	0.9	0.2	1.6	2.0	2.6	0.6	1.2	0.7	1.6	0.0	0.6	1.1	10	9945
15-17 LST	0.4	1.1	0.4	1.6	1.8	1.4	0.6	0.4	0.1	1.7	0.6	0.4	0.9	10	9847
18-20 LST	0.3	0.4	0.2	0.7	0.8	0.3	0.5	0.3	0.8	0.8	1.2	1.1	0.6	10	7135
21-23 LST	0.0	0.3	0.0	0.3	1.7	1.0	0.2	0.7	0.2	1.2	0.5	0.3	0.5	10	4577
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.3	0.2	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.1	10	4574
03-05 LST	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.1	10	7283
06-08 LST	0.1	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	10	9934
09-11 LST	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.2	0.0	0.0	0.0	10	9945
12-14 LST	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.2	0.0	0.0	0.0	10	9945
15-17 LST	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.4	0.0	0.0	0.1	10	9847
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.0	10	7135
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.7	0.0	0.2	0.0	0.0	0.1	10	4577

## SAN SALVADOR AUX AF, BAHAMA IS. U.K.

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	31.0	29.0	31.0	30.0	30.9	29.9	31.0	31.0	29.9	30.9	30.0	31.0	364.6	10	3229
	01 LST	30.9	28.0	30.8	29.9	30.0	30.0	31.0	30.9	30.0	30.8	30.0	30.8	363.9	10	3229
	07 LST	31.0	28.0	31.0	30.0	31.0	29.8	30.9	31.0	29.8	30.8	30.0	31.0	364.3	10	3315
	13 LST	31.0	28.0	30.9	29.8	30.9	29.6	31.0	31.0	29.9	30.8	30.0	31.0	363.9	10	3315
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	19 LST	18.6	16.2	18.6	15.1	17.8	19.8	20.3	24.6	24.5	20.4	17.4	16.1	229.4	10	3229
	01 LST	19.2	17.0	19.9	17.8	21.3	22.7	24.0	25.8	24.5	22.1	18.5	17.0	249.8	10	3229
	07 LST	19.7	16.4	19.1	13.5	15.0	16.3	15.4	19.5	22.8	20.9	17.8	17.5	213.9	10	3315
	13 LST	10.1	6.8	5.8	5.6	9.6	6.9	6.3	7.3	11.2	12.3	8.8	7.4	98.1	10	3315
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	3.3	2.6	2.0	1.5	1.2	0.1	0.2	0.2	0.9	2.0	2.4	2.5	18.9	10	3193
	01 LST	2.3	2.1	1.7	1.8	0.4	0.3	0.0	0.4	0.6	1.6	1.5	1.8	14.5	10	3107
	07 LST	2.7	2.7	2.0	2.2	0.7	0.5	0.2	0.8	0.5	1.8	2.4	2.7	19.2	10	3298
	13 LST	5.7	5.4	3.3	6.2	4.5	2.3	2.9	1.7	1.8	2.6	4.8	4.4	45.6	10	3293
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	18.4	16.4	18.7	16.7	19.9	21.3	22.6	25.7	21.9	18.0	16.1	17.9	233.6	10	3193
	01 LST	19.3	18.0	19.9	18.8	21.5	23.4	23.7	24.3	20.1	18.6	17.3	17.5	242.4	10	3107
	07 LST	18.5	17.0	16.8	13.7	14.9	19.1	19.5	20.8	19.9	17.2	16.9	18.5	212.8	10	3298
	13 LST	11.8	9.2	8.2	8.6	13.4	11.4	6.8	9.0	14.3	16.5	11.1	10.8	131.1	10	3293
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	9.2	9.1	9.7	6.2	5.1	2.1	3.7	4.4	3.9	3.8	6.2	4.8	68.2	10	3229
	01 LST	10.1	12.1	10.2	9.5	9.8	8.3	9.5	10.1	7.4	7.2	7.5	5.2	106.9	10	3229
	07 LST	7.3	7.1	7.0	5.0	3.0	1.5	4.1	4.1	1.4	3.0	3.3	4.5	51.3	10	3315
	13 LST	3.9	3.3	4.7	3.5	2.0	0.3	0.3	0.4	0.2	1.8	3.1	2.5	26.0	10	3315
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	27.9	25.1	28.5	25.6	26.7	27.8	29.2	28.8	28.4	27.5	26.1	27.0	328.6	10	3229
	01 LST	27.5	24.5	28.4	26.9	27.7	27.4	29.1	29.0	27.4	27.8	26.4	25.9	328.0	10	3229
	07 LST	28.7	25.6	29.0	26.9	27.5	27.8	29.6	29.4	28.0	27.8	27.4	26.7	333.8	10	3315
	13 LST	24.0	21.9	27.1	23.1	21.5	21.4	22.1	23.3	23.0	24.0	24.9	24.0	280.3	10	3315
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	24.7	23.8	25.5	23.5	25.5	26.9	29.1	28.6	28.3	27.2	24.4	24.4	311.9	10	3229
	01 LST	24.1	22.8	25.6	24.3	26.3	27.1	29.1	28.6	27.1	26.8	24.0	22.8	308.6	10	3227
	07 LST	23.8	22.0	25.4	23.3	26.3	27.1	29.2	29.3	27.7	27.4	25.2	23.9	310.6	10	3315
	13 LST	18.8	17.8	22.0	19.0	18.0	19.7	20.1	22.1	21.7	23.0	22.7	20.3	245.2	10	3315
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	22.3	21.9	24.1	21.5	23.7	24.4	28.8	27.8	27.2	25.6	22.4	21.4	291.1	10	3229
	01 LST	22.3	21.3	24.1	23.1	24.9	26.0	29.0	27.9	26.2	24.6	22.2	21.6	293.2	10	3229
	07 LST	21.4	19.9	24.2	21.5	24.6	24.1	28.6	28.0	26.0	25.3	22.8	21.6	288.0	10	3315
	13 LST	16.1	14.8	20.4	17.9	16.6	17.2	19.7	21.5	20.9	21.1	20.4	17.9	224.7	10	3315

# MAYAGUANA AUX AF, BAHAMA IS. U.K.

STA NO. 78107/ (IN AREA NUMBER 01)      LATITUDE 2222N      LONGITUDE 07301W      ELEVATION(FT) 00011

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	83	83	86	85	87	88	91	90	91	90	87	85	91	3	829
MEAN MAX TMP (F)	79	79	80	82	84	85	87	88	87	86	82	81	83	3	829
MEAN MIN TMP (F)	68	69	69	70	73	76	76	77	76	75	72	72	73	3	829
ABS MIN TMP (F)	58	64	63	65	66	71	73	73	73	70	68	70	58	3	829
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	1.5	3.5	1.0	1.5	0.0	0.0	7.5	3	829
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	829
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	829
MEAN DEW PT TMP (F)	63	64	65	66	69	73	73	74	73	73	68	68	69	3	19606
MEAN REL HUM (PCT)	72	73	73	73	75	79	77	77	78	80	76	78	76	3	19607
MEAN PRESS ALT (FT)	-153	-139	-122	-104	-80	-96	-129	-88	-33	-26	-68	-119	-95	0	-50
MEAN PRECIP (IN)	1.84	2.35	2.54	1.49	1.80	5.27	1.92	2.07	2.78	6.30	2.52	2.84	33.7	3	829
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.4	5.6	3.7	4.0	3.3	5.0	4.5	5.0	6.0	7.5	5.0	9.2	61.2	3	829
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	1.0	3	841
MEAN NO DYS TSTMS	0.0	0.6	0.0	1.4	1.5	5.4	4.5	4.5	6.5	5.0	0.5	0.8	30.7	3	829
P FREQ WND SPD = OR GTR 17 KTS	6.8	14.4	4.1	6.2	4.8	1.2	2.3	3.3	3.9	3.9	7.3	5.9	5.3	3	19605
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.1	3	19605
P FREQ LES 5000 FT A/O LES 5 MI	14.9	18.5	14.2	12.8	8.9	8.3	5.4	5.4	5.2	11.6	11.2	13.1	10.8	3	19593
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.0	0.0	1.4	0.5	0.0	0.5	0.0	0.0	0.0	0.5	0.6	0.0	0.3	3	2347
03-05 LST	0.0	0.0	0.4	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.1	3	2467
06-08 LST	0.0	0.8	1.1	1.5	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.4	3	2784
09-11 LST	0.0	0.0	0.0	1.9	0.4	2.4	0.0	0.4	0.0	1.0	1.1	0.0	0.6	3	2861
12-14 LST	1.3	0.8	0.4	0.0	0.0	0.4	0.0	0.8	1.2	2.1	1.7	0.5	0.8	3	2856
15-17 LST	1.3	0.0	1.4	1.2	0.0	0.4	0.0	0.0	0.0	3.7	0.0	0.6	0.7	3	2735
18-20 LST	1.3	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.6	0.0	0.4	3	2422
21-23 LST	1.3	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	2.7	0.0	0.9	0.5	3	2330
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.1	3	2347
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	2467
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	2784
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	2861
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	2856
15-17 LST	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.1	3	2735
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.1	3	2422
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	2330

# MAYAGUANA AUX AF, BAHAMA IS. U.K.

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	29.5	31.0	364.5	3	842
	01 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	365.0	3	845
	07 LST	31.0	28.0	30.7	30.0	31.0	30.0	31.0	31.0	30.0	30.5	30.0	31.0	364.2	3	954
	13 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	30.6	30.0	31.0	29.5	31.0	364.1	3	954
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	22.2	14.1	24.6	17.9	21.8	20.0	21.0	23.0	21.0	22.0	21.5	20.6	249.7	3	842
	01 LST	23.0	14.8	25.6	19.1	23.5	19.4	25.0	24.0	22.0	25.0	20.0	20.9	262.3	3	845
	07 LST	18.8	13.2	18.7	12.9	12.2	13.9	6.5	14.4	14.4	21.8	21.5	19.0	187.3	3	954
	13 LST	9.4	4.6	5.6	4.4	7.1	8.8	5.1	8.1	6.3	9.7	13.0	6.5	88.6	3	954
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	1.2	1.3	0.3	0.4	0.3	0.5	0.0	0.0	0.5	1.0	1.5	1.9	8.9	3	840
	01 LST	0.8	2.9	0.7	0.4	0.4	0.0	0.0	0.5	1.0	1.0	2.0	0.6	10.3	3	840
	07 LST	0.0	1.6	0.3	2.4	1.3	0.4	1.8	0.7	1.5	0.0	2.0	0.0	12.0	3	953
	13 LST	5.9	7.9	2.0	3.4	3.7	1.5	3.3	3.7	2.6	2.4	4.0	3.0	43.4	3	951
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	19.9	17.1	25.5	19.4	21.4	22.7	24.0	23.0	24.5	23.0	19.5	20.6	260.6	3	840
	01 LST	19.9	16.1	26.3	20.6	20.5	22.8	25.5	17.5	19.5	23.0	17.5	17.1	246.3	3	840
	07 LST	17.6	15.5	20.6	14.0	16.3	15.0	13.5	18.8	18.5	21.8	18.0	21.5	211.1	3	953
	13 LST	11.4	7.2	9.3	6.1	9.2	11.8	4.4	10.0	10.0	15.0	18.5	10.5	123.4	3	951
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	11.0	10.2	19.7	12.4	5.5	2.7	2.0	1.5	3.0	5.5	7.0	14.2	95.2	3	842
	01 LST	15.1	12.2	17.6	15.2	8.6	5.7	10.0	4.0	5.0	8.5	14.0	9.5	125.4	3	845
	07 LST	9.4	7.6	7.7	4.1	3.0	0.4	1.8	1.5	2.9	2.9	6.5	6.5	54.3	3	954
	13 LST	6.3	4.3	5.3	4.4	1.7	1.1	0.3	1.8	0.4	2.9	2.0	3.0	33.5	3	954
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.4	26.0	30.0	28.2	30.6	29.1	30.5	31.0	29.0	29.0	28.5	31.0	352.3	3	842
	01 LST	28.6	26.7	29.6	28.2	29.9	29.1	31.0	30.0	30.0	29.5	30.0	29.1	351.7	3	845
	07 LST	29.0	25.7	29.0	26.3	29.3	27.8	27.3	29.9	29.6	29.0	28.0	26.0	336.9	3	954
	13 LST	27.8	24.4	27.0	25.2	26.9	27.4	28.1	27.3	24.8	25.7	25.0	22.5	312.1	3	954
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	28.2	22.7	28.0	27.4	29.9	27.7	30.5	31.0	29.0	29.0	26.0	31.0	340.4	3	842
	01 LST	26.6	24.4	28.3	26.7	29.1	28.2	30.5	30.0	29.5	28.5	29.5	27.8	339.1	3	845
	07 LST	26.3	21.1	27.0	25.6	28.3	27.4	27.3	29.5	29.3	28.6	27.0	25.0	322.4	3	954
	13 LST	23.5	19.7	23.3	23.2	25.9	26.3	28.1	26.2	24.8	24.7	23.5	21.0	290.2	3	954
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	26.2	21.7	27.0	27.1	28.8	25.9	30.0	31.0	29.0	27.3	25.5	29.7	329.4	3	842
	01 LST	26.2	22.1	27.3	25.7	28.4	27.3	30.5	30.0	29.0	28.5	28.0	27.8	330.8	3	845
	07 LST	23.9	19.4	26.0	23.9	26.9	25.6	27.0	28.8	28.5	28.1	25.5	22.0	305.6	3	954
	13 LST	21.6	18.8	21.6	22.5	24.5	24.5	27.0	26.2	24.1	24.2	21.0	18.0	274.0	3	954

# GRAND TURK AUX AFB

STA NO. 78119 (IN AREA NUMBER 01)

LATITUDE 2126N

LONGITUDE 07108W

ELEVATION(FT) 00009

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	85	85	87	90	88	89	90	92	91	90	89	87	92	11	3386
MEAN MAX TMP (F)	80	81	82	83	85	86	87	88	88	86	84	82	84	11	3386
MEAN MIN TMP (F)	73	73	74	75	77	79	80	80	80	79	76	75	77	11	3386
ABS MIN TMP (F)	65	62	64	68	68	69	74	73	73	71	68	69	62	11	3386
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.1	0.0	0.0	0.2	1.6	3.1	0.3	0.0	0.0	5.3	11	3386
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3386
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3386
MEAN DEW PT TMP (F)	66	67	67	69	71	74	74	75	74	74	71	69	71	11	68035
MEAN REL HUM (PCT)	72	73	72	73	74	76	73	74	74	75	75	76	74	11	68035
MEAN PRESS ALT (FT)	-91	-89	-68	-56	-33	-55	-68	-36	5	13	-7	-56	-44	0	-50
MEAN PRECIP (IN)	1.42	1.34	0.97	1.40	1.16	2.16	1.18	1.59	2.67	2.95	3.68	3.35	23.8	11	3673
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.3	2.9	2.1	3.0	2.8	3.2	3.0	3.5	4.0	6.3	6.2	6.2	46.5	11	3673
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.2	0.2	0.1	0.2	0.0	1.0	11	3610
MEAN NO DYS TSTMS	0.2	0.1	0.1	1.1	0.4	1.3	1.0	1.0	1.3	2.6	0.9	0.6	10.6	11	3386
P FREQ WND SPD = OR GTR 17 KTS	24.5	35.1	33.3	30.6	29.5	37.8	32.9	23.0	18.1	16.9	16.1	21.2	26.6	11	68035
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.3	0.4	0.1	0.2	0.1	0.1	0.3	0.7	0.5	0.2	0.0	0.2	11	68035
P FREQ LES 5000 FT A/O LES 5 MI	15.6	17.5	15.3	14.6	9.3	6.4	4.4	4.6	5.3	6.8	13.0	16.2	10.8	11	68029
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.2	0.0	0.9	1.9	3.0	3.3	0.5	0.5	0.7	1.1	1.4	1.7	1.3	11	5222
03-05 LST	0.7	0.6	0.7	0.8	1.3	1.8	0.3	0.6	1.2	1.3	1.2	2.2	1.1	11	7661
06-08 LST	0.2	0.7	0.6	0.9	0.8	0.7	0.7	0.9	0.7	0.7	0.8	1.5	0.8	11	10542
09-11 LST	0.1	0.6	1.2	0.3	1.1	0.2	0.3	0.3	0.7	0.3	0.6	1.2	0.6	11	10734
12-14 LST	0.3	1.1	1.2	1.1	0.7	0.2	0.2	0.4	0.5	0.4	0.7	1.7	0.7	11	10790
15-17 LST	0.9	0.6	0.5	0.9	0.6	0.3	0.2	0.3	0.6	0.4	1.3	2.9	0.8	11	10643
18-20 LST	0.6	0.5	0.1	0.6	0.6	0.6	0.2	0.3	0.5	0.9	1.7	2.3	0.7	11	7800
21-23 LST	0.4	0.2	0.2	0.3	1.5	2.8	0.7	0.2	1.0	0.0	1.4	1.5	0.9	11	4999
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	5222
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.2	0.2	0.0	0.1	11	7661
06-08 LST	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.1	0.1	11	10542
09-11 LST	0.0	0.0	0.1	0.0	0.2	0.1	0.0	0.1	0.3	0.0	0.1	0.0	0.1	11	10734
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	11	10790
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.2	0.2	0.1	11	10643
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	11	7800
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	4999

# GRAND TURK AUX AFB

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	30.7	364.7	11	3611
	01 LST	31.0	28.0	31.0	30.0	30.8	30.0	31.0	31.0	30.0	31.0	30.0	30.9	364.7	11	3612
	07 LST	31.0	28.0	30.9	29.9	31.0	30.0	31.0	31.0	29.9	30.8	29.9	31.0	364.4	11	3638
	13 LST	31.0	27.9	30.8	30.0	31.0	30.0	31.0	31.0	29.9	31.0	29.9	30.7	364.2	11	3638
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	9.1	7.2	7.1	6.3	6.4	3.1	1.6	5.7	10.5	11.7	10.5	9.0	88.2	11	3611
	01 LST	8.2	6.9	7.9	6.5	6.8	3.2	1.7	5.5	8.9	11.6	10.2	7.5	84.9	11	3612
	07 LST	8.5	6.7	6.6	4.9	5.5	2.8	1.7	5.1	9.6	11.4	11.1	8.1	82.0	11	3638
	13 LST	6.5	4.0	5.0	4.3	5.4	3.0	1.0	3.6	8.5	9.5	8.8	6.5	66.1	11	3638
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	4.7	8.0	11.1	8.9	8.7	12.3	10.1	8.2	5.7	5.9	4.1	6.6	96.3	11	2580
	01 LST	7.6	9.8	9.7	8.9	10.9	12.5	11.6	9.1	6.1	5.5	4.0	6.0	101.7	11	3526
	07 LST	6.2	9.9	9.5	9.0	8.0	11.6	9.0	6.2	4.7	6.3	3.7	6.1	90.2	11	3617
	13 LST	8.6	10.0	11.5	10.3	9.5	11.4	11.1	7.2	4.5	5.2	6.0	7.5	102.8	11	3620
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	9.8	8.1	7.9	7.7	7.7	3.7	2.9	8.1	11.8	12.0	12.6	10.5	102.8	11	3580
	01 LST	10.1	8.0	8.6	7.6	8.2	3.8	2.5	7.0	10.1	13.5	12.1	10.3	101.8	11	3526
	07 LST	10.1	8.3	7.2	6.8	7.6	3.9	3.2	7.6	11.1	12.9	12.3	9.1	100.1	11	3617
	13 LST	9.0	5.7	6.5	5.6	6.9	4.0	2.0	5.2	9.7	11.7	11.8	8.3	86.4	11	3620
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	9.0	10.4	11.6	8.5	4.9	3.0	4.7	5.5	4.7	6.2	6.5	7.0	82.0	11	3611
	01 LST	9.7	9.6	11.1	8.5	7.1	5.0	8.5	7.3	5.8	5.8	9.1	8.5	96.0	11	3612
	07 LST	7.3	4.8	6.0	4.6	2.8	2.0	2.6	4.1	2.3	3.1	5.4	4.4	49.4	11	3638
	13 LST	6.5	7.2	8.9	5.5	2.7	2.7	2.7	2.4	2.6	1.9	3.3	3.6	50.0	11	3638
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	28.6	26.1	29.6	28.0	29.4	28.8	30.4	29.7	29.1	29.7	27.7	28.1	345.2	11	3611
	01 LST	28.1	25.2	27.2	25.9	27.3	26.0	28.9	28.3	27.8	28.1	26.7	26.7	326.5	11	3612
	07 LST	28.8	25.3	26.8	27.0	27.5	28.0	28.8	29.5	28.8	29.6	27.2	27.3	334.6	11	3638
	13 LST	28.8	25.1	28.1	26.9	29.7	28.6	29.4	29.5	28.4	28.7	26.2	27.9	337.3	11	3638
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	25.7	23.5	27.5	26.1	28.7	28.5	30.2	29.5	29.1	29.3	26.6	26.0	330.7	11	3611
	01 LST	24.6	22.0	23.4	23.5	26.0	25.5	28.6	28.1	27.5	27.6	25.7	25.2	307.7	11	3612
	07 LST	25.0	22.0	23.3	24.6	25.9	27.6	28.4	29.3	28.8	29.0	25.7	25.1	314.7	11	3638
	13 LST	26.3	22.7	26.5	25.3	28.8	28.5	29.1	29.3	28.2	28.5	24.4	26.0	323.6	11	3638
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.0	21.6	25.5	24.5	27.1	27.3	29.8	28.7	28.4	28.8	24.0	23.4	312.1	11	3611
	01 LST	22.3	19.9	22.0	21.6	24.5	24.9	28.1	27.8	26.8	26.5	24.4	22.9	291.7	11	3612
	07 LST	22.1	19.2	20.5	20.6	23.8	26.6	27.4	28.3	27.9	28.1	24.0	22.0	290.5	11	3638
	13 LST	23.0	21.1	24.0	23.5	26.5	27.7	28.4	28.5	26.9	27.8	22.7	22.2	302.3	11	3638

### AREA NO. 01

BAHAMA ISLANDS U.K.

BAHAMAS

LATITUDE 2400N

LONGITUDE 07600W

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		76	77	78	81	83	86	87	88	87	84	81	78	82
MEAN MIN TMP (F)		65	66	67	69	72	75	77	77	76	74	70	68	71
LARGEST MEAN PRECIP(IN)		2.29	3.46	3.96	3.33	4.60	6.44	5.80	7.30	8.70	10.03	2.89	3.56	62.4
SMALLEST MEAN PRECIP(IN)		1.40	1.00	1.13	1.49	1.80	5.16	1.92	2.07	2.78	6.30	1.62	1.30	28.0
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.8	27.9	30.9	30.0	30.9	30.0	31.0	31.0	29.9	30.9	29.9	31.0	364.2
	01 LST	30.9	28.0	30.8	30.0	30.9	29.9	31.0	31.0	29.9	30.9	29.9	31.0	364.2
	07 LST	30.8	28.0	30.9	30.0	30.9	29.8	31.0	30.9	29.9	30.7	29.9	30.9	363.7
	13 LST	31.0	27.9	30.9	30.0	30.9	29.8	31.0	30.8	29.9	30.8	29.8	31.0	363.8
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	19 LST	19.7	16.3	21.2	16.9	20.4	20.9	21.3	24.1	21.4	20.4	18.8	18.2	239.6
	01 LST	20.8	17.0	21.9	18.3	21.8	22.2	24.4	25.4	22.0	22.2	19.0	18.7	253.7
	07 LST	19.0	15.9	19.3	14.7	17.0	18.6	16.0	20.5	19.9	21.0	19.7	18.8	220.4
	13 LST	10.6	7.6	8.6	7.2	11.3	11.7	10.8	12.6	11.6	12.9	12.0	9.3	126.2
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	2.7	2.5	1.5	2.1	1.2	0.6	0.8	0.3	1.3	2.5	3.4	3.1	22.0
	01 LST	2.5	2.9	1.2	1.9	0.6	0.4	0.3	0.4	1.0	2.0	2.3	2.0	17.5
	07 LST	2.2	2.7	1.5	2.8	1.2	0.6	0.9	0.8	1.2	2.0	2.6	2.8	21.3
	13 LST	5.2	5.2	2.7	4.4	3.0	1.3	2.0	1.8	2.2	2.8	4.0	4.1	38.7
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	16.5	15.4	19.1	16.4	18.7	19.5	19.8	20.0	19.1	16.8	15.1	16.5	212.9
	01 LST	16.5	15.3	19.3	17.8	19.6	21.1	22.3	19.4	18.1	17.4	15.0	15.3	218.1
	07 LST	15.8	14.9	17.1	14.3	17.1	18.1	17.6	18.8	17.5	16.8	15.0	16.9	199.9
	13 LST	12.7	10.2	12.0	10.0	14.2	15.5	11.3	13.7	14.2	16.4	15.2	12.7	158.1
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	11.1	10.5	13.7	8.7	6.2	3.7	4.3	3.7	3.7	5.4	7.8	9.7	88.5
	01 LST	13.1	12.2	14.4	12.3	10.3	8.7	10.3	9.3	6.9	8.5	10.7	8.8	125.5
	07 LST	8.5	7.2	7.7	6.0	5.3	2.5	3.4	3.6	3.1	4.2	6.5	5.9	63.9
	13 LST	6.7	5.2	6.6	4.7	3.8	1.5	1.7	1.5	0.9	2.2	4.3	4.0	43.1
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	28.9	26.1	29.3	27.2	29.1	28.7	29.8	29.6	28.6	28.3	28.0	29.3	342.9
	01 LST	28.9	26.2	29.2	27.8	29.0	28.2	30.0	29.6	28.4	28.5	28.4	28.8	343.0
	07 LST	28.6	25.6	28.9	26.8	28.5	27.8	28.7	29.4	28.3	28.0	27.9	27.6	336.1
	13 LST	27.6	24.6	28.0	25.6	26.1	25.3	27.0	26.7	25.0	25.6	26.2	26.3	314.0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	25.5	22.9	26.2	25.3	27.4	27.6	29.2	29.1	28.1	27.2	25.5	26.5	320.5
	01 LST	25.2	22.8	26.5	25.6	27.8	27.3	29.4	29.1	27.5	27.0	26.2	25.2	319.6
	07 LST	24.2	21.1	24.7	23.6	26.9	26.8	28.1	28.8	27.6	27.0	25.5	23.9	308.2
	13 LST	22.8	19.7	23.3	22.5	24.0	23.6	25.8	25.3	23.6	23.6	23.5	22.2	279.9
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	23.9	21.4	25.2	24.0	26.1	25.7	28.7	28.8	27.5	25.8	23.9	24.7	305.7
	01 LST	24.0	21.3	25.4	24.6	27.0	26.4	29.1	28.7	26.7	25.9	24.5	24.2	307.8
	07 LST	22.4	19.2	23.6	22.2	25.3	24.9	27.6	28.2	26.4	25.5	23.7	21.5	290.5
	13 LST	21.1	18.0	22.0	21.4	22.7	21.6	25.1	24.8	22.7	22.4	21.7	19.8	263.3

# KINDLEY AFB/ST GEORGES, BERMUDA IS. U. K.

STA NO. 78016 (IN AREA NUMBER 01)

LATITUDE 3221N

LONGITUDE 06441W

ELEVATION(FT) 00012

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	73	74	75	78	83	87	91	90	90	87	81	76	91	10	3653
MEAN MAX TMP (F)	66	66	67	69	74	79	83	84	83	78	73	69	74	10	3653
MEAN MIN TMP (F)	60	60	60	62	67	72	76	77	76	72	67	63	68	10	3653
ABS MIN TMP (F)	46	48	50	52	60	64	68	68	68	63	55	50	46	10	3653
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.1	0.1	0.0	0.0	0.0	0.6	10	3653
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3653
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3653
MEAN DEW PT TMP (F)	54	53	53	56	63	70	72	72	71	66	60	56	62	10	87614
MEAN REL HUM (PCT)	72	72	70	73	78	82	78	77	76	75	71	71	75	10	87614
MEAN PRESS ALT	-163	-126	-115	-116	-125	-156	-192	-162	-116	-106	-114	-134	-134	0	-50
MEAN PRECIP (IN)	5.28	4.07	4.53	3.31	3.55	5.77	4.49	5.99	5.70	7.07	5.15	5.12	60.0	10	3651
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.9	8.2	9.3	5.5	5.7	8.3	8.4	8.3	9.7	9.8	8.0	10.1	102.2	10	3651
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSRY LES 1/2 MI	0.1	0.2	0.2	0.3	0.1	0.2	0.0	0.3	0.3	0.2	0.1	0.1	2.1	10	3652
MEAN NO DYS TSTMS	2.3	1.0	2.2	1.5	1.6	2.7	4.3	4.6	2.6	2.1	1.4	0.5	26.8	10	3653
P FREQ WND SPD = OR GTR 17 KTS	28.9	27.3	27.9	18.6	7.8	7.3	4.5	3.4	7.7	10.8	14.0	18.4	14.7	10	87644
P FREQ WND SPD = OR GTR 24 KTS	3.0	1.8	1.5	0.8	0.2	0.2	0.0	0.1	0.6	0.6	1.2	0.9	0.9	10	87644
P FREQ LES 5000 FT A/O LES 5 MI	33.5	38.6	36.1	27.8	24.6	21.8	8.3	7.2	9.6	16.2	20.6	26.5	22.6	10	87647
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	2.5	4.4	7.3	7.0	10.0	12.3	1.8	0.4	2.0	3.4	2.3	3.8	4.8	10	10956
03-05 LST	3.0	4.7	8.0	8.7	12.3	13.6	2.7	0.9	1.7	2.7	2.3	3.5	5.3	10	10956
06-08 LST	3.1	5.4	7.8	8.1	9.6	12.6	3.4	1.4	1.3	2.9	2.7	2.5	5.1	10	10956
09-11 LST	3.8	6.5	7.8	5.9	8.0	10.8	2.7	1.8	2.1	4.6	3.2	4.4	5.1	10	10956
12-14 LST	4.9	6.4	8.7	6.2	7.2	8.6	2.6	2.6	2.1	4.5	3.8	5.6	5.3	10	10955
15-17 LST	5.9	6.8	8.8	9.6	7.6	8.9	1.8	3.0	2.4	4.1	4.4	4.7	5.7	10	10956
18-20 LST	4.8	6.8	6.7	9.1	9.6	10.8	1.4	1.6	1.7	3.7	2.9	3.6	5.2	10	10956
21-23 LST	2.0	6.0	6.1	7.0	9.0	10.7	1.4	0.5	1.2	2.4	2.1	2.8	4.3	10	10956
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.1	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.3	0.2	0.0	0.2	0.1	10	10956
03-05 LST	0.1	0.1	0.1	0.2	0.3	0.3	0.0	0.0	0.1	0.2	0.1	0.1	0.1	10	10956
06-08 LST	0.3	0.1	0.5	0.1	0.1	0.7	0.2	0.1	0.2	0.1	0.2	0.0	0.2	10	10956
09-11 LST	0.5	0.0	0.1	0.0	0.1	0.2	0.1	0.2	0.2	0.3	0.2	0.2	0.2	10	10956
12-14 LST	0.1	0.2	0.3	0.2	0.1	0.1	0.2	0.2	0.0	0.3	0.3	0.2	0.2	10	10955
15-17 LST	0.1	0.1	0.4	0.3	0.0	0.0	0.1	0.3	0.2	0.5	0.2	0.2	0.2	10	10956
18-20 LST	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	10	10956
21-23 LST	0.0	0.1	0.2	0.1	0.2	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.1	10	10956

# KINDLEY AFB/ST GEORGES, BERMUDA IS. U. K.

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	30.6	27.0	30.2	28.8	29.6	28.6	30.6	30.9	29.9	30.6	29.4	30.8	357.2	10	3652
	02 LST	30.8	27.5	29.9	28.9	29.0	28.3	31.0	31.0	29.8	30.5	29.9	30.3	356.9	10	3652
	08 LST	30.5	27.0	29.7	28.7	29.2	28.7	30.6	30.8	29.9	30.3	29.5	30.6	355.5	10	3652
	14 LST	29.7	27.2	29.9	28.6	30.1	29.4	30.6	30.4	29.8	30.5	29.7	29.6	355.5	10	3652
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	9.2	8.4	9.8	11.6	17.4	16.1	21.3	19.9	17.8	15.0	12.8	12.7	172.0	10	3652
	02 LST	9.5	9.1	9.3	11.9	16.1	15.7	18.9	19.7	17.6	14.5	12.9	12.7	167.9	10	3652
	08 LST	8.6	8.2	9.4	9.8	15.0	13.5	16.6	17.9	15.9	12.2	12.6	12.1	151.8	10	3652
	14 LST	5.8	6.2	6.6	6.8	10.9	10.4	13.6	13.6	13.6	10.5	9.6	10.2	117.8	10	3652
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	8.5	6.8	7.4	5.5	1.4	1.2	0.6	1.0	1.4	2.5	3.5	4.7	44.5	10	3581
	02 LST	9.3	7.2	8.8	5.0	1.8	1.4	1.1	0.6	1.9	2.6	3.6	5.0	48.3	10	3599
	08 LST	8.9	6.7	8.1	5.3	2.8	2.2	1.4	1.2	1.9	2.9	3.9	4.9	50.2	10	3593
	14 LST	9.9	9.1	8.8	7.0	2.5	3.2	1.8	1.5	2.9	3.9	4.8	6.9	62.3	10	3582
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	10.4	8.7	11.0	12.5	19.2	19.5	21.6	19.2	17.1	15.1	13.5	11.8	179.6	10	3581
	02 LST	9.9	8.5	11.0	11.9	17.6	18.2	18.8	17.5	14.9	14.9	12.1	12.9	168.2	10	3599
	08 LST	9.3	10.0	11.4	13.2	17.4	16.6	18.7	17.5	15.2	14.0	13.1	13.2	169.6	10	3593
	14 LST	8.6	9.1	9.4	10.0	15.1	14.0	17.5	17.9	14.3	12.4	11.6	12.4	152.3	10	3582
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	4.6	2.3	3.3	5.5	5.3	3.7	6.8	7.3	5.5	5.5	6.6	5.5	61.9	10	3652
	02 LST	4.7	3.8	4.7	7.2	9.0	8.3	10.8	13.6	9.4	7.9	7.8	6.0	93.2	10	3652
	08 LST	2.3	1.9	2.8	4.3	4.1	2.7	4.6	7.4	4.7	5.2	3.7	3.0	46.2	10	3652
	14 LST	2.4	2.3	2.7	6.1	5.4	3.2	3.3	7.1	3.2	3.8	3.7	4.5	47.7	10	3652
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	27.7	23.7	26.6	25.5	26.5	25.2	29.3	29.6	28.5	28.4	27.3	28.8	327.1	10	3652
	02 LST	28.4	24.4	26.0	25.9	25.5	25.1	29.9	29.8	28.2	28.1	28.6	28.3	328.2	10	3652
	08 LST	28.1	24.7	26.9	26.1	25.9	25.0	28.3	29.9	28.6	28.9	28.4	28.8	329.6	10	3652
	14 LST	26.9	24.2	27.0	26.4	27.2	26.1	29.4	28.6	28.7	28.4	27.0	28.0	327.9	10	3652
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	18.7	15.0	18.9	21.0	22.7	23.3	28.7	29.2	27.6	25.7	22.2	20.6	273.6	10	3652
	02 LST	20.1	15.6	18.2	20.5	21.8	22.7	29.1	29.2	27.0	24.3	21.9	19.3	269.7	10	3652
	08 LST	18.7	14.9	17.1	19.4	21.1	21.9	27.2	28.8	27.1	25.1	21.3	19.7	262.3	10	3652
	14 LST	18.3	16.1	21.3	22.9	23.5	24.5	28.9	27.7	27.4	25.0	22.0	21.8	279.4	10	3652
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	15.7	12.5	15.8	19.4	21.0	22.1	26.5	27.2	25.8	22.1	18.5	17.7	244.3	10	3652
	02 LST	17.4	12.9	15.5	19.2	20.6	21.5	27.5	28.0	25.8	21.7	19.5	16.2	245.8	10	3652
	08 LST	15.3	11.4	14.8	18.1	19.1	20.0	25.9	27.1	24.9	21.4	17.8	15.3	231.1	10	3652
	14 LST	15.1	13.4	17.6	20.0	22.2	22.0	27.4	25.5	25.0	22.1	18.6	17.6	246.5	10	3652

### AREA NO. 01

BERMUDA ISLANDS U.K.

BERMUDA

LATITUDE 3221N

LONGITUDE 06441W

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		66	66	67	69	74	79	83	84	83	78	73	69	74
MEAN MIN TMP (F)		60	60	60	62	67	72	76	77	76	72	67	63	68
LARGEST MEAN PRECIP(IN)		5.28	4.07	4.53	3.31	3.55	5.77	4.49	5.99	5.70	7.07	5.15	5.12	60.0
SMALLEST MEAN PRECIP(IN)		5.28	4.07	4.53	3.31	3.55	5.77	4.49	5.99	5.70	7.07	5.15	5.12	60.0
MEAN NUMBER OF DAYS														
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	30.6	27.0	30.2	28.8	29.8	28.6	30.6	30.9	29.9	30.6	29.4	30.8	357.2
	02 LST	30.8	27.5	29.9	28.9	29.0	28.3	31.0	31.0	29.8	30.5	29.9	30.3	356.9
	08 LST	30.5	27.0	29.7	28.7	29.2	28.7	30.6	30.8	29.9	30.3	29.5	30.6	355.5
	14 LST	29.7	27.2	29.9	28.6	30.1	29.4	30.6	30.4	29.8	30.5	29.7	29.6	355.5
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	9.2	8.4	9.8	11.6	17.4	16.1	21.3	19.9	17.8	15.0	12.8	12.7	172.0
	02 LST	9.5	9.1	9.3	11.9	16.1	15.7	18.9	19.7	17.6	14.5	12.9	12.7	167.9
	08 LST	8.6	8.2	9.4	9.8	15.0	13.5	16.6	17.9	15.9	12.2	12.6	12.1	151.8
	14 LST	5.8	6.2	6.6	6.8	10.9	10.4	13.6	13.6	13.6	10.5	9.6	10.2	117.8
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	8.5	6.8	7.4	5.5	1.4	1.2	0.6	1.0	1.4	2.5	3.5	4.7	44.5
	02 LST	9.3	7.2	8.8	5.0	1.8	1.4	1.1	0.6	1.9	2.6	3.6	5.0	48.3
	08 LST	8.9	6.7	8.1	5.3	2.8	2.2	1.4	1.2	1.9	2.9	3.9	4.9	50.2
	14 LST	9.9	9.1	8.8	7.0	2.5	3.2	1.8	1.5	2.9	3.9	4.8	6.9	62.3
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	10.4	8.7	11.0	12.5	19.2	19.5	21.6	19.2	17.1	15.1	13.5	11.8	179.6
	02 LST	9.9	8.5	11.0	11.9	17.6	18.2	18.8	17.5	14.9	14.9	12.1	12.9	168.2
	08 LST	9.3	10.0	11.4	13.2	17.4	16.6	18.7	17.5	15.2	14.0	13.1	13.2	169.6
	14 LST	8.6	9.1	9.4	10.0	15.1	14.0	17.5	17.9	14.3	12.4	11.6	12.4	152.3
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	4.6	2.3	3.3	5.5	5.3	3.7	6.8	7.3	5.5	5.5	6.6	5.5	61.9
	02 LST	4.7	3.8	4.7	7.2	9.0	8.3	10.8	13.6	9.4	7.9	7.8	6.0	93.2
	08 LST	2.3	1.9	2.8	4.3	4.1	2.7	4.6	7.4	4.7	5.2	3.2	3.0	46.2
	14 LST	2.4	2.3	2.7	6.1	5.4	3.2	3.3	7.1	3.2	3.8	3.7	4.5	47.7
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	27.7	23.7	26.6	25.5	26.5	25.2	29.3	29.6	28.5	28.4	27.3	28.8	327.1
	02 LST	28.4	24.4	26.0	25.9	25.5	25.1	29.9	29.8	28.2	28.1	28.6	28.3	328.2
	08 LST	28.1	24.7	26.9	26.1	25.9	25.0	28.3	29.9	28.6	28.9	28.4	28.8	329.6
	14 LST	26.9	24.2	27.0	26.4	27.2	26.1	29.4	28.6	28.7	28.4	27.0	28.0	327.9
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	18.7	15.0	18.9	21.0	22.7	23.3	28.7	29.2	27.6	25.7	22.2	20.6	273.6
	02 LST	20.1	15.6	18.2	20.5	21.8	22.7	29.1	29.2	27.0	24.3	21.9	19.3	269.7
	08 LST	18.7	14.9	17.1	19.4	21.1	21.9	27.2	28.8	27.1	25.1	21.3	19.7	262.3
	14 LST	18.3	16.1	21.3	22.9	23.5	24.5	28.9	27.7	27.4	25.0	22.0	21.8	279.4
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	15.7	12.5	15.8	19.4	21.0	22.1	26.5	27.2	25.8	22.1	18.5	17.7	244.3
	02 LST	17.4	12.9	15.5	19.2	20.6	21.5	27.5	28.0	25.8	21.7	19.5	16.2	245.8
	08 LST	15.3	11.4	14.8	18.1	19.1	20.0	25.9	27.1	24.9	21.4	17.8	15.3	231.1
	14 LST	15.1	13.4	17.6	20.0	22.2	22.0	27.4	25.5	25.0	22.1	18.6	17.6	246.5

# PRINCESS BEATRIX, NETHERLANDS ANTILLES

STA NO. 78982 (IN AREA NUMBER 01)

LATITUDE 1230N

LONGITUDE 07000W

ELEVATION(FT) 00060

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	87	87	87	89	91	90	92	94	94	92	90	88	94	2	461
MEAN MAX TMP (F)	85	85	86	87	88	88	88	91	92	89	88	86	86	2	461
MEAN MIN TMP (F)	74	74	74	74	76	76	77	78	80	78	76	75	76	2	461
ABS MIN TMP (F)	69	69	68	69	74	73	71	76	74	72	73	69	68	2	461
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	1.0	2.0	7.0	24.0	28.0	17.0	1.0	0.0	80.0	2	461
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	461
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	461
MEAN DEW PT TMP (F)	71	71	71	72	73	73	74	76	77	74	73	73	73	0	-50
MEAN REL HUM (PCT)	77	77	76	77	76	76	78	78	77	75	76	80	77	1	-29
MEAN PRESS ALT (FT)	29	31	41	61	70	56	40	71	94	110	114	73	66	0	-50
MEAN PRECIP (IN)	0.96	0.47	0.62	0.06	0.01	0.50	0.98	0.38	0.48	5.20	1.36	1.68	12.7	2	461
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.5	2.0	2.0	0.0	0.0	1.0	4.0	1.0	1.0	9.0	3.0	3.0	28.5	2	461
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS	42.4	52.2	67.7	68.2	66.8	84.4	70.4	62.3	52.7	40.4	25.6	35.0	55.7	8	-35
P FREQ WND SPD = OR GTR 28 KTS	0.7	1.3	3.6	3.1	2.2	4.5	1.7	1.3	1.3	0.0	0.5	0.3	1.7	8	-35
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.5	1.7	2.5	2.3	4.6	4.3	1.8	3.2	2.1	3.1	3.9	2.7	3.1	10	2167
09-11 LST	3.2	4.3	1.7	3.0	5.5	4.3	2.6	2.5	2.1	2.5	4.6	2.0	3.0	6	-30
12-14 LST	2.0	3.0	0.8	3.8	6.3	4.4	3.5	1.9	2.1	1.9	5.3	0.0	2.9	6	1203
15-17 LST	0.0	2.0	1.2	3.0	3.0	3.2	2.7	1.4	2.0	1.4	3.2	1.0	2.0	6	-30
18-20 LST	0.0	1.1	1.6	0.0	0.0	2.0	1.0	0.9	0.0	1.0	1.0	1.0	0.8	6	1175
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														10	2167
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-30
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1203
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-30
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1175
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1175
21-23 LST														0	0

# PRINCESS BEATRIX, NETHERLANDS ANTILLES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	31.0	28.0	31.0	30.0	30.6	30.0	31.0	31.0	30.0	31.0	30.0	31.0	364.6	6	1175
	01 LST														0	0
	07 LST	30.7	28.0	31.0	30.0	30.8	29.8	31.0	30.7	30.0	30.8	29.8	31.0	363.6	10	2167
	13 LST	31.0	28.0	31.0	30.0	30.7	30.0	30.6	31.0	30.0	31.0	30.0	31.0	364.3	6	1203
CIG = GTR 2000 FT AND VSBY = GTR 3 MI w/SFC WND LES 10 KTS	19 LST	0.6	0.3	0.0	1.8	1.4	0.0	0.3	1.8	0.3	1.9	6.2	2.8	17.4	6	1168
	01 LST														0	0
	07 LST	3.4	1.9	0.8	1.7	1.4	0.0	0.2	1.5	3.3	5.9	7.5	5.1	32.7	10	2155
	13 LST	0.6	0.6	0.5	1.1	0.6	0.0	0.0	0.6	0.6	4.0	4.5	0.6	13.7	6	1197
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	12.7	13.2	20.6	19.4	20.0	26.9	23.6	20.6	21.2	14.2	7.9	11.3	211.6	6	1166
	01 LST														0	0
	07 LST	7.5	11.3	17.5	19.0	18.9	22.5	17.6	15.4	11.5	8.9	5.3	5.3	160.7	10	2156
	13 LST	22.5	21.4	26.4	23.5	23.6	27.1	25.9	24.0	18.5	15.8	10.1	18.8	257.6	6	1199
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	2.4	2.4	0.7	2.8	3.1	0.0	0.3	1.8	0.6	4.4	7.6	3.8	29.9	6	1167
	01 LST														0	0
	07 LST	7.2	4.8	1.7	1.9	2.5	1.1	1.9	2.3	3.8	6.1	10.7	8.6	52.6	10	2152
	13 LST	0.9	1.1	0.5	1.1	1.3	0.3	0.3	0.6	0.9	5.8	5.6	0.6	19.0	6	1194
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	22.6	22.9	23.3	18.0	10.8	13.3	18.8	20.0	19.9	18.0	16.7	20.6	224.9	6	1169
	01 LST														0	0
	07 LST	10.8	10.1	8.9	4.4	3.6	3.1	8.2	7.1	5.2	5.3	4.4	8.0	79.1	10	2159
	13 LST	3.3	2.9	3.7	5.4	2.2	1.6	5.4	1.8	6.4	4.7	3.5	2.3	43.2	6	1199
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	30.7	27.7	30.2	30.0	30.3	29.4	30.3	30.7	30.0	30.7	29.7	30.0	359.7	6	1175
	01 LST														0	0
	07 LST	28.2	26.3	29.1	27.1	27.8	26.7	29.1	29.0	27.6	28.1	26.5	29.1	334.6	10	2167
	13 LST	26.4	23.5	25.7	25.7	24.5	22.4	24.9	27.5	26.2	28.3	24.4	27.3	306.8	6	1203
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	30.7	27.7	30.2	30.0	30.3	29.4	30.3	30.4	30.0	30.3	29.7	30.0	359.0	6	1175
	01 LST														0	0
	07 LST	27.6	25.5	28.7	26.0	26.9	26.0	28.8	28.8	27.0	27.4	26.0	28.8	327.5	10	2167
	13 LST	23.4	21.5	22.0	24.6	22.3	18.8	21.6	25.4	24.0	27.7	22.6	24.7	278.6	6	1203
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	30.7	27.7	30.2	30.0	30.3	29.4	30.3	30.4	30.0	30.3	29.7	30.0	359.0	6	1175
	01 LST														0	0
	07 LST	27.6	25.5	28.7	26.0	26.9	26.0	28.8	28.8	27.0	27.4	26.0	28.8	327.5	10	2167
	13 LST	23.4	21.5	22.0	24.6	22.3	18.8	21.3	25.4	24.0	27.7	22.6	24.7	278.3	6	1203

## DR ALBERT PLESMAN, NETHERLANDS ANTILLES

STA NO. 78988 (IN AREA NUMBER 01)

LATITUDE 1211N

LONGITUDE 06857W

ELEVATION(FT) 00027

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	88	87	88	89	91	91	92	94	94	94	91	90	94	12	3523
MEAN MAX TMP (F)	84	84	85	86	86	87	88	88	89	88	86	85	86	12	3523
MEAN MIN TMP (F)	75	75	76	77	76	79	79	79	80	79	77	76	78	12	3523
ABS MIN TMP (F)	68	69	68	71	70	70	71	72	72	69	70	70	68	12	3523
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.7	1.9	2.8	7.1	11.1	5.6	0.6	0.1	29.9	12	3523
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3523
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3523
MEAN DEW PT TMP (F)	71	70	71	73	74	74	75	75	75	75	74	73	73	12	83462
MEAN REL HUM (PCT)	76	75	76	77	79	77	78	78	77	78	79	78	77	12	83457
MEAN PRESS ALT (FT)	-6	-5	2	24	31	15	2	33	55	73	77	33	28	0	-50
MEAN PRECIP (IN)	3.15	0.44	0.46	0.58	1.51	0.68	1.19	2.43	0.86	2.88	4.18	2.90	21.3	12	3450
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.5	1.3	1.2	0.7	2.8	2.0	2.8	4.5	1.1	4.9	7.7	6.4	39.9	12	3450
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.4	12	3529
MEAN NO DYS TSTMS	0.2	0.0	0.2	0.3	0.9	1.1	1.6	2.0	2.2	4.7	4.6	1.3	19.1	12	3517
P FREQ WND SPD = OR GTR 17 KTS	23.4	34.2	40.5	40.8	37.1	45.1	36.7	28.8	25.1	19.8	10.9	18.4	30.1	12	83464
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.1	0.3	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1	12	83464
P FREQ LES 5000 FT A/O LES 5 MI	13.1	11.1	11.1	13.2	14.9	15.8	12.3	10.7	9.9	10.9	14.4	16.0	12.8	12	46878
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	1.7	1.5	1.6	1.3	1.3	1.3	1.5	1.7	0.6	1.1	1.6	1.2	1.4	12	5870
03-05 LST	1.4	1.5	1.0	1.8	2.6	2.2	1.1	1.1	0.7	1.4	1.8	1.8	1.5	12	5857
06-08 LST	1.1	3.1	3.0	3.6	4.9	4.2	2.6	2.8	1.1	1.8	2.3	2.8	2.8	12	5872
09-11 LST	2.3	2.2	2.0	1.8	4.3	2.7	3.2	3.7	2.6	2.0	3.3	2.4	2.7	12	5861
12-14 LST	3.4	1.3	2.0	0.2	1.9	1.1	0.4	1.5	0.2	0.9	2.1	2.4	1.5	12	5868
15-17 LST	1.7	1.5	0.6	0.0	1.5	0.2	0.4	0.2	0.2	0.2	0.2	1.6	0.7	12	5860
18-20 LST	1.0	0.2	0.2	0.2	1.1	0.0	0.4	0.2	0.0	0.4	0.4	0.6	0.4	12	5869
21-23 LST	1.5	0.7	0.8	1.1	1.1	0.7	0.6	1.1	0.4	0.2	1.0	1.0	0.9	12	5853
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	5870
03-05 LST	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	5857
06-08 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	5872
09-11 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	12	5861
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.4	0.0	0.1	12	5868
15-17 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	5860
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	5869
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	5853

## DR ALBERT PLESMAN, NETHERLANDS ANTILLES

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	30.9	28.0	31.0	30.0	30.7	30.0	31.0	31.0	30.0	30.9	30.0	30.9	364.4	12	3521
	01 LST	31.0	28.0	31.0	30.0	30.9	30.0	31.0	31.0	30.0	30.9	29.9	31.0	364.7	12	3521
	07 LST	31.0	27.9	31.0	30.0	30.7	30.0	31.0	31.0	30.0	30.9	30.0	30.7	364.2	12	3526
	13 LST	31.0	27.9	31.0	30.0	31.0	29.9	31.0	30.9	30.0	31.0	29.8	30.9	364.4	12	3524
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	4.2	2.9	1.5	1.8	1.9	0.8	1.1	1.9	2.4	6.7	9.2	7.1	41.5	12	3521
	01 LST	7.4	5.2	5.6	5.2	5.1	3.7	6.0	7.1	12.0	15.8	15.5	9.0	97.6	12	3521
	07 LST	8.8	4.9	1.9	2.3	2.0	0.7	1.6	4.2	5.4	8.9	12.1	7.4	60.2	12	3526
	13 LST	1.7	0.5	0.7	0.8	1.4	0.7	0.1	1.3	0.6	3.5	6.9	3.3	21.5	12	3524
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	5.7	9.8	14.1	13.9	13.0	14.9	10.7	9.2	10.5	9.1	3.3	5.9	120.1	12	3528
	01 LST	3.1	4.5	5.3	4.2	3.5	4.3	2.0	0.9	1.5	0.5	0.4	2.0	32.2	12	3525
	07 LST	2.7	4.0	6.4	10.5	9.6	11.8	7.8	3.4	2.5	1.2	1.3	1.5	62.7	12	3523
	13 LST	12.3	13.1	19.4	20.1	19.2	22.8	22.5	18.8	16.0	14.0	6.5	9.6	194.3	12	3528
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	7.1	5.2	2.8	2.8	4.0	3.2	3.4	3.9	4.1	8.9	11.0	9.2	65.6	12	3528
	01 LST	10.5	8.4	9.0	8.0	8.4	8.1	11.1	11.7	15.9	16.3	16.1	13.5	137.0	12	3525
	07 LST	11.6	7.3	4.5	3.5	3.4	2.1	3.1	5.9	8.6	11.1	12.4	11.1	64.6	12	3523
	13 LST	2.6	1.7	1.5	1.2	2.3	1.4	0.4	1.4	2.0	4.9	6.3	5.2	30.9	12	3528
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	19.8	22.8	20.7	15.2	11.2	10.0	16.2	17.1	17.6	16.6	14.8	18.7	200.7	8	2312
	01 LST	18.4	19.2	20.1	16.5	14.8	14.2	19.3	19.3	18.3	18.8	19.3	17.5	215.7	8	2311
	07 LST	11.4	11.7	10.7	4.5	2.8	3.8	6.0	6.0	6.5	6.5	8.2	9.5	87.6	8	2312
	13 LST	9.0	9.7	10.7	9.7	8.8	5.5	7.7	9.5	10.5	8.5	7.1	8.3	105.0	8	2312
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	29.8	27.5	30.4	28.7	29.3	29.3	30.3	30.7	29.4	30.1	28.9	29.6	354.0	12	3521
	01 LST	27.9	25.8	28.3	27.1	28.2	26.4	28.6	28.6	28.5	29.0	26.6	28.5	333.5	12	3521
	07 LST	28.2	24.3	26.9	25.1	24.4	23.1	24.6	25.6	24.9	26.8	26.0	26.9	306.8	12	3526
	13 LST	25.6	24.9	28.3	28.5	28.6	28.1	29.2	29.0	29.1	29.3	27.2	26.8	334.6	12	3524
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	29.6	27.5	30.3	28.5	29.1	29.3	30.2	30.7	29.4	30.1	28.6	29.6	352.9	12	3521
	01 LST	27.5	25.7	28.2	26.8	28.2	26.4	28.6	28.6	28.5	28.8	26.6	28.1	332.0	12	3521
	07 LST	28.0	24.1	26.8	24.8	24.3	23.1	24.6	25.6	24.9	26.5	25.9	26.9	305.5	12	3526
	13 LST	25.3	24.1	28.1	28.4	28.2	28.0	29.2	29.0	29.0	29.3	27.2	26.7	332.5	12	3524
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	29.6	27.4	30.3	28.4	29.1	29.2	30.2	30.4	29.4	30.1	28.5	29.6	352.2	12	3521
	01 LST	27.5	25.6	28.1	26.2	28.1	26.4	28.6	28.6	28.5	28.7	26.5	27.9	330.7	12	3521
	07 LST	27.9	23.9	26.6	24.7	24.3	23.1	24.6	25.5	24.7	26.0	25.8	26.8	303.9	12	3526
	13 LST	25.0	23.9	28.0	28.2	28.7	27.9	29.2	28.9	28.8	29.3	27.1	26.5	331.0	12	3524

## AREA NO. 01

NETHERLANDS ANTILLES

ANTILLES ISLANDS

LATITUDE 1230N

LONGITUDE 06930W

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		85	85	86	87	87	88	88	90	91	89	87	86	87
MEAN MIN TMP (F)		75	75	75	76	77	78	78	79	80	79	77	76	77
LARGEST MEAN PRECIP(IN)		3.15	0.47	0.62	0.58	1.51	0.68	1.19	2.43	0.86	5.20	4.18	2.90	23.8
SMALLEST MEAN PRECIP(IN)		0.96	0.44	0.46	0.06	0.01	0.50	0.98	0.38	0.48	2.88	1.36	1.68	10.2
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	19 LST	31.0	28.0	31.0	30.0	30.7	30.0	31.0	31.0	30.0	31.0	30.0	31.0	364.7
	01 LST	31.0	28.0	31.0	30.0	30.9	30.0	31.0	31.0	30.0	30.9	29.9	31.0	364.7
	07 LST	30.9	28.0	31.0	30.0	30.8	29.9	31.0	30.9	30.0	30.9	29.9	30.9	364.2
	13 LST	31.0	28.0	31.0	30.0	30.9	30.0	30.8	31.0	30.0	31.0	29.9	31.0	364.6
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	19 LST	2.4	1.6	0.8	1.8	1.7	0.4	0.7	1.4	1.4	4.3	7.7	5.0	27.7
	01 LST	7.4	5.2	5.6	5.2	5.1	3.7	6.0	7.1	12.0	15.8	15.5	9.0	97.6
	07 LST	6.1	3.4	1.4	2.0	1.7	0.4	0.9	2.9	4.4	7.4	9.8	6.3	46.7
	13 LST	1.2	0.6	0.6	1.0	1.0	0.4	0.1	1.0	0.6	3.8	5.7	2.0	18.0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	9.2	11.5	17.4	16.7	16.5	20.9	17.2	14.9	15.9	11.7	5.6	8.6	166.1
	01 LST	3.1	4.5	5.3	4.2	3.5	4.3	2.0	0.9	1.5	0.5	0.4	2.0	32.2
	07 LST	5.1	7.7	12.0	14.8	14.3	17.2	12.7	9.4	7.0	5.1	3.3	3.4	112.0
	13 LST	17.4	17.3	22.9	21.8	21.4	25.0	24.2	21.4	17.3	14.9	8.3	14.2	226.1
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	4.8	3.8	1.8	2.8	3.6	1.6	1.9	2.9	2.4	6.7	9.3	6.5	48.1
	01 LST	10.5	8.4	9.0	8.0	8.4	8.1	11.1	11.7	15.9	16.3	16.1	13.5	137.0
	07 LST	9.4	6.1	3.1	2.7	3.0	1.6	2.5	4.1	6.2	8.6	11.6	9.9	68.8
	13 LST	1.8	1.4	1.0	1.2	1.8	0.9	0.4	1.0	1.5	5.4	6.0	2.9	25.3
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	21.2	22.9	22.0	16.6	11.0	11.7	17.5	18.6	18.8	17.3	15.8	19.7	213.1
	01 LST	18.4	19.2	20.1	16.5	14.8	14.2	19.3	19.3	18.3	18.8	19.3	17.5	215.7
	07 LST	11.1	10.9	9.8	4.5	3.2	3.5	7.1	6.6	5.9	5.9	6.3	8.8	83.6
	13 LST	6.2	6.3	7.2	7.6	5.5	3.6	6.6	5.7	8.5	6.6	5.3	5.3	74.4
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	30.3	27.6	30.3	29.4	29.8	29.4	30.3	30.7	29.7	30.4	29.3	29.8	357.0
	01 LST	27.9	25.8	28.3	27.1	28.2	26.4	28.6	28.6	28.5	29.0	26.6	28.5	333.5
	07 LST	28.2	25.3	28.0	26.1	26.1	24.9	26.9	27.3	26.3	27.5	28.3	28.0	320.9
	13 LST	26.0	24.2	27.0	27.1	26.6	25.3	27.1	28.3	27.7	28.8	25.8	27.1	321.0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	30.2	27.6	30.3	29.3	29.7	29.4	30.3	30.6	29.7	30.2	29.2	29.8	356.3
	01 LST	27.5	25.7	28.2	26.8	28.2	26.4	28.6	28.6	28.5	28.8	26.6	28.1	332.0
	07 LST	27.8	24.8	27.8	25.4	25.6	24.6	26.7	27.2	26.0	27.0	26.0	27.9	316.8
	13 LST	24.4	22.8	25.1	26.5	25.3	23.4	25.4	27.2	26.5	28.5	24.9	25.7	305.7
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	30.2	27.6	30.3	29.2	29.7	29.3	30.3	30.4	29.7	30.2	29.1	29.8	355.8
	01 LST	27.5	25.6	28.1	26.2	28.1	26.4	28.6	28.6	28.5	28.7	26.5	27.9	330.7
	07 LST	27.3	24.7	27.7	25.4	25.6	24.6	26.7	27.2	25.9	26.7	25.9	27.8	316.0
	13 LST	24.2	22.7	25.0	26.4	25.3	23.4	25.3	27.2	26.4	28.5	24.9	25.6	304.9

## CHAGUARAMAS, TRINIDAD/TOBAGO IS.

STA NO. 78967 (IN AREA NUMBER 01)      LATITUDE 10°1N      LONGITUDE 06137W      ELEVATION(FT) 00042

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	92	92	96	100	96	95	94	95	96	97	94	94	100	11	3547
MEAN MAX TMP (F)	86	87	87	88	89	87	88	89	90	89	87	88	88	11	3547
MEAN MIN TMP (F)	72	72	73	73	74	74	74	74	75	74	74	73	74	11	3546
ABS MIN TMP (F)	65	68	68	69	70	70	70	67	68	67	70	69	65	11	3546
MEAN NO DYS TMP = OR GTR 90(F)	2.6	3.3	4.3	10.1	14.7	7.2	9.2	12.3	16.5	18.2	12.4	5.1	115.9	11	3547
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3546
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3546
MEAN DEW PT TMP (F)	69	69	69	70	72	72	73	73	74	74	73	71	72	11	77713
MEAN REL HUM (PCT)	75	74	73	74	76	79	80	81	80	80	80	78	78	11	77705
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.60	2.83	1.61	1.94	3.05	8.64	7.86	9.22	6.99	5.79	5.29	5.21	61.0	11	3510
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.9	5.8	4.1	4.6	6.4	13.6	17.0	15.5	13.6	11.9	11.9	10.1	121.4	11	3510
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS W/OCUK VSBY LES 1/2 MI	0.0	0.1	0.0	0.1	0.1	0.4	0.1	0.1	0.2	0.2	0.2	0.1	1.6	11	32-1
MEAN NO DYS TSTMS	0.2	0.8	0.0	0.1	1.5	4.1	9.6	13.5	14.0	11.9	6.3	1.2	63.2	11	3353
P FREQ WND SPD = OR GTR 17 KTS	2.4	3.2	6.6	4.4	6.0	3.5	0.8	0.7	0.9	1.0	1.3	1.3	2.7	11	77610
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	77610
P FREQ LES 5000 FT A/O LES 5 MI	16.9	17.8	18.1	17.4	16.4	22.5	18.3	16.1	12.8	11.6	13.1	16.7	16.5	11	77625
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.0	0.1	0.0	0.0	0.0	0.4	0.0	0.0	0.2	0.0	0.0	0.3	0.1	11	9713
03-05 LST	0.0	0.0	0.0	0.1	0.0	0.5	0.0	0.0	0.1	0.2	0.0	0.0	0.1	11	9715
06-08 LST	0.3	1.1	0.3	0.1	0.4	1.3	0.3	1.0	0.2	0.3	0.1	0.4	0.5	11	10589
09-11 LST	0.3	0.3	0.5	0.3	0.9	2.1	1.2	0.8	0.5	0.4	0.7	0.1	0.7	11	10855
12-14 LST	1.0	0.5	0.6	1.2	1.1	3.3	2.3	1.1	2.6	1.4	2.0	1.3	1.5	11	10791
15-17 LST	0.2	0.8	0.2	0.4	0.6	1.8	0.8	1.1	1.2	0.6	0.9	1.1	0.8	11	10613
18-20 LST	0.0	0.5	0.2	0.1	0.2	0.6	0.0	0.1	0.0	0.0	0.0	0.5	0.2	11	10496
21-23 LST	0.0	0.0	0.1	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.4	0.1	11	10146
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	9713
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	11	9715
06-08 LST	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	11	10589
09-11 LST	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.1	0.1	0.0	0.0	0.0	0.1	11	10855
12-14 LST	0.1	0.0	0.0	0.2	0.2	0.9	0.2	0.2	0.4	0.6	0.8	0.4	0.3	11	10791
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.2	0.2	0.2	0.0	0.0	0.1	11	10613
18-20 LST	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	11	10496
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	10146

# CHAGUARAMAS, TRINIDAD/TOBAGO IS.

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	31.0	27.9	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	30.9	364.8	11	3509
	02 LST	31.0	28.0	31.0	30.0	31.0	29.9	31.0	31.0	30.0	31.0	30.0	30.9	364.8	11	3243
	08 LST	30.9	27.9	31.0	30.0	30.9	29.7	30.9	30.7	30.0	30.9	30.0	30.9	363.8	11	3627
	14 LST	30.9	28.0	30.7	29.8	30.9	29.3	30.5	30.7	29.3	30.7	29.3	30.5	360.6	11	3626
CIG =GTR 2000 FT AND VSBY =GTR 3 MI w/SFC WND LES 10 KTS	20 LST	25.4	23.0	23.5	25.9	25.9	26.3	29.2	28.8	27.2	29.3	28.3	27.9	320.7	11	3509
	02 LST	26.8	24.4	26.6	26.8	30.1	28.4	30.3	30.4	28.0	30.2	29.0	28.9	341.9	11	3242
	08 LST	25.6	23.2	25.3	26.9	27.8	26.2	28.8	28.5	27.1	28.0	28.2	27.5	323.1	11	3626
	14 LST	17.0	15.7	13.6	15.5	16.6	16.6	22.2	23.7	21.2	21.9	21.2	20.2	225.4	11	3624
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	0.3	0.2	0.5	0.3	0.4	0.1	0.0	0.1	0.0	0.1	0.0	0.0	2.0	11	3490
	02 LST	0.1	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.8	11	3235
	08 LST	0.4	0.4	0.5	0.2	0.6	0.1	0.0	0.0	0.1	0.0	0.0	0.1	2.4	11	3612
	14 LST	1.7	1.4	4.5	2.1	3.9	2.6	0.4	0.2	0.2	1.2	0.9	1.1	20.2	11	3601
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	20.8	19.9	23.2	19.2	18.8	17.5	17.3	16.8	17.3	17.5	16.0	20.2	224.5	11	3490
	02 LST	17.8	17.3	17.9	12.0	12.1	10.3	12.0	10.4	10.3	10.8	10.8	16.8	158.5	11	3235
	08 LST	17.6	14.6	15.9	14.1	13.0	11.9	12.1	13.2	12.8	11.9	9.7	13.7	160.5	11	3612
	14 LST	17.4	17.0	14.9	15.6	11.7	14.7	18.8	19.3	15.3	15.9	17.9	17.7	196.2	11	3601
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	8.3	10.4	6.4	7.6	8.2	3.5	7.8	5.7	4.0	4.1	4.6	5.7	76.3	8	2686
	02 LST	10.0	13.8	10.0	8.3	8.6	6.5	9.5	10.7	9.0	9.5	8.0	7.4	111.3	8	2505
	08 LST	6.4	5.9	6.3	4.2	4.9	2.8	5.6	5.7	3.7	3.1	2.9	3.8	55.4	8	2753
	14 LST	1.7	1.2	1.2	0.5	0.4	0.2	0.2	0.2	0.3	0.3	0.1	1.0	7.3	8	2752
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	30.2	27.0	29.7	29.2	30.5	28.7	29.6	30.8	29.6	30.5	29.4	29.6	354.8	11	3509
	02 LST	30.6	27.6	30.5	29.1	30.7	29.1	30.7	30.4	29.3	30.6	29.3	30.3	358.2	11	3243
	08 LST	29.5	26.8	30.0	29.5	29.8	27.7	30.2	29.7	29.2	30.6	29.1	29.9	352.0	11	3627
	14 LST	28.1	24.2	29.4	26.5	28.6	25.1	24.5	25.6	25.1	25.1	25.3	26.4	313.9	11	3626
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	28.5	25.2	27.4	28.2	29.8	27.5	28.9	29.9	29.0	30.4	28.6	28.3	341.7	11	3509
	02 LST	29.2	25.9	28.4	27.9	29.2	26.5	29.3	29.6	29.0	30.4	28.7	29.0	343.1	11	3243
	08 LST	27.0	24.4	27.8	28.2	28.3	24.5	28.2	27.5	28.0	29.9	27.8	27.4	329.5	11	3627
	14 LST	19.8	15.4	18.5	16.9	19.7	15.3	14.9	16.2	17.2	18.9	17.7	17.7	208.2	11	3626
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	27.1	24.9	25.9	27.5	28.9	26.2	28.4	29.2	28.1	29.8	27.9	27.7	331.6	11	3509
	02 LST	28.5	24.5	27.4	27.3	28.4	25.6	28.6	29.2	28.1	29.9	27.9	27.8	333.2	11	3243
	08 LST	25.7	22.6	26.4	27.1	27.6	23.1	26.7	25.4	27.2	29.0	27.0	25.8	314.1	11	3627
	14 LST	18.4	14.3	16.8	16.3	19.3	14.1	12.7	14.8	16.7	18.2	16.9	17.1	195.6	11	3626

# PIARCO, TRINIDAD/TOBAGO IS.

LATITUDE 1035N

LONGITUDE 06120W

ELEVATION(FT) 00045

STA NO. 78970 (IN AREA NUMBER 01)

**PARAMETER DESCRIPTION**

- ABS MAX TMP (F)
- MEAN MAX TMP (F)
- MEAN MIN TMP (F)
- ABS MIN TMP (F)
- MEAN NO DYS TMP = OR GTR 90(F)
- MEAN NO DYS TMP = OR LES 32(F)
- MEAN NO DYS TMP = OR LES 0(F)
- MEAN DEB PT TMP (F)
- MEAN REL HUM (PCT)
- MEAN PRESS ALT (FT)
- MEAN PRECIP (IN)
- MEAN SNOW FALL (IN)
- MEAN NO DYS PRCP = OR GTR 0.1 IN
- MEAN NO DYS SNPL = OR GTR 1.5 IN
- MEAN NO DYS W/O CUR VSBY LES 1/2 MI
- MEAN NO DYS TSTMS
- P FREQ WND SPD = OR GTR 17 KTS
- P FREQ WND SPD = OR GTR 28 KTS
- P FREQ LES 5000 FT A/O LES 5 MI
- P FREQ LES 1500 FT A/O LES 3 MI
- FOR 00-02 LST
- 03-05 LST
- 06-08 LST
- 09-11 LST
- 12-14 LST
- 15-17 LST
- 18-20 LST
- 21-23 LST
- P FREQ LES 300 FT A/O LES 1 MI
- FOR 00-02 LST
- 03-05 LST
- 06-08 LST
- 09-11 LST
- 12-14 LST
- 15-17 LST
- 18-20 LST
- 21-23 LST

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	89	90	93	95	94	94	92	92	93	95	92	90	95	13	-28
MEAN MAX TMP (F)	86	86	88	89	89	87	87	88	89	89	88	86	88	13	-28
MEAN MIN TMP (F)	68	69	69	71	73	73	73	72	73	72	71	70	71	13	-28
ABS MIN TMP (F)	60	61	62	63	66	69	65	68	67	67	64	62	60	13	-29
MEAN NO DYS TMP = OR GTR 90(F)	0.0	3.3	9.4	12.1	12.6	6.1	6.4	9.4	12.1	12.5	9.0	3.7	96.7	13	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	-50
MEAN DEB PT TMP (F)	69	69	75	69	71	72	74	73	74	74	73	72	72	13	-28
MEAN REL HUM (PCT)	78	76	71	68	75	81	81	81	79	80	81	80	78	0	-50
MEAN PRESS ALT (FT)	-11	-11	-11	1	3	-24	-11	12	42	60	67	9	11	13	-28
MEAN PRECIP (IN)	3.40	2.50	1.20	2.40	5.90	11.80	10.20	9.80	6.10	5.70	7.50	6.70	73.2	13	-29
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.0	4.6	3.0	5.3	9.5	15.9	14.9	14.7	9.3	8.6	11.6	24.0	129.4	13	-29
MEAN NO DYS SNPL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-78967
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	0.0	0.1	0.0	0.1	0.1	0.4	0.1	0.1	0.2	0.2	0.2	0.1	1.6	6	-24
MEAN NO DYS TSTMS	0.0	1.0	0.0	1.0	1.0	6.0	4.0	9.0	8.0	9.0	3.0	1.0	43.0	11	-78967
P FREQ WND SPD = OR GTR 17 KTS	2.4	3.2	6.6	4.4	6.0	3.5	0.8	0.7	0.9	1.0	1.3	1.3	2.7	11	-78967
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-78967
P FREQ LES 5000 FT A/O LES 5 MI	16.9	17.8	18.1	17.4	16.4	22.5	18.3	16.1	12.8	11.6	13.1	16.7	16.5	11	-78967
P FREQ LES 1500 FT A/O LES 3 MI	0.0	0.1	0.0	0.0	0.0	0.4	0.0	0.0	0.2	0.0	0.0	0.3	0.1	11	-78967
FOR 00-02 LST	0.0	0.0	0.0	0.1	0.0	0.5	0.0	0.0	0.1	0.2	0.0	0.0	0.1	11	-78967
03-05 LST	0.3	1.1	0.3	0.1	0.4	1.3	0.3	1.0	0.2	0.3	0.1	0.4	0.5	11	-78967
06-08 LST	0.3	0.3	0.5	0.3	0.9	2.1	1.2	0.8	0.5	0.4	0.7	0.1	0.7	11	-78967
09-11 LST	1.0	0.5	0.6	1.2	1.1	3.3	2.3	1.1	2.6	1.4	2.0	1.3	1.5	11	-78967
12-14 LST	0.2	0.8	0.2	0.4	0.6	1.8	0.8	1.1	1.2	0.6	0.9	1.1	0.8	11	-78967
15-17 LST	0.0	0.5	0.2	0.1	0.2	0.6	0.0	0.1	0.0	0.0	0.0	0.5	0.2	11	-78967
18-20 LST	0.0	0.0	0.1	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.4	0.1	11	-78967
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-78967
P FREQ LES 300 FT A/O LES 1 MI	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-78967
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	11	-78967
03-05 LST	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	11	-78967
06-08 LST	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.1	0.1	0.0	0.0	0.0	0.1	11	-78967
09-11 LST	0.1	0.0	0.0	0.2	0.2	0.9	0.2	0.2	0.4	0.6	0.8	0.4	0.3	11	-78967
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.2	0.2	0.2	0.0	0.0	0.1	11	-78967
15-17 LST	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	11	-78967
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-78967
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-78967

# PIARCO, TRINIDAD/TOBAGO IS.

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	20 LST	31.0	27.9	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	30.9	364.8	11	-78967
	02 LST	31.0	28.0	31.0	30.0	31.0	29.9	31.0	31.0	30.0	31.0	30.0	30.9	364.8	11	-78967
	08 LST	30.9	27.9	31.0	30.0	30.9	29.7	30.9	30.7	30.0	30.9	30.0	30.9	363.8	11	-78967
	14 LST	30.9	28.0	30.7	29.8	30.9	29.3	30.5	30.7	29.3	30.7	29.3	30.5	360.6	11	-78967
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	20 LST	25.4	23.0	23.5	25.9	25.9	26.3	29.7	28.8	27.2	29.3	28.3	27.9	320.7	11	-78967
	02 LST	26.8	24.4	26.6	28.8	30.1	28.4	30.3	30.4	28.0	30.2	29.0	28.9	341.9	11	-78967
	08 LST	25.6	23.2	25.3	26.9	27.8	28.2	28.8	28.5	27.1	29.0	28.2	27.5	323.1	11	-78967
	14 LST	17.0	15.7	13.6	15.5	16.6	16.6	22.2	23.7	21.2	21.9	21.2	20.2	225.4	11	-78967
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	0.3	0.2	0.5	0.3	0.4	0.1	0.0	0.1	0.0	0.1	0.0	0.0	2.0	11	-78967
	02 LST	0.1	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.8	11	-78967
	08 LST	0.4	0.4	0.5	0.2	0.6	0.1	0.0	0.0	0.1	0.0	0.0	0.1	2.4	11	-78967
	14 LST	1.7	1.4	4.5	2.1	3.9	2.6	0.4	0.2	0.2	1.2	0.9	1.1	20.2	11	-78967
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST	20.8	19.9	23.2	19.2	18.8	17.5	17.3	16.8	17.3	17.5	16.0	20.2	224.5	11	-78967
	02 LST	17.8	17.3	17.9	12.0	12.1	10.3	12.0	10.4	10.3	10.8	10.8	16.8	158.5	11	-78967
	08 LST	17.6	14.6	15.9	14.1	13.0	11.9	12.1	13.2	12.6	11.9	9.7	13.7	160.5	11	-78967
	14 LST	17.4	17.0	14.9	15.6	11.7	14.7	18.8	19.3	15.3	15.9	17.9	17.7	196.2	11	-78967
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	20 LST	8.3	10.4	6.4	7.6	8.2	3.5	7.8	5.7	4.0	4.1	4.6	5.7	76.3	8	-78967
	02 LST	10.0	13.8	10.0	8.3	8.6	6.5	9.5	10.7	9.0	9.5	8.0	7.4	111.3	8	-78967
	08 LST	6.4	5.9	6.3	4.2	4.9	2.8	5.6	5.7	3.7	3.1	2.9	3.9	55.4	8	-78967
	14 LST	1.7	1.2	1.2	0.5	0.4	0.2	0.2	0.2	0.3	0.3	0.1	1.0	7.3	8	-78967
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	30.2	27.0	29.7	29.2	30.5	28.7	29.6	30.8	29.6	30.5	29.4	29.6	354.8	11	-78967
	02 LST	30.6	27.6	30.5	29.1	30.7	29.1	30.7	30.4	29.3	30.6	29.3	30.3	358.2	11	-78967
	08 LST	29.5	26.8	30.0	29.5	29.8	27.7	30.2	29.7	29.2	30.6	29.1	29.9	352.0	11	-78967
	14 LST	28.1	24.2	29.4	26.5	28.6	25.1	24.5	25.6	25.1	25.1	25.3	26.4	313.9	11	-78967
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	28.5	25.2	27.4	28.2	29.6	27.5	28.9	29.9	29.0	30.4	28.6	28.3	341.7	11	-78967
	02 LST	29.2	25.9	28.4	27.9	29.2	26.5	29.3	29.6	29.0	30.4	28.7	29.0	343.1	11	-78967
	08 LST	27.0	24.4	27.6	28.2	28.3	24.5	28.2	27.5	28.0	29.9	27.8	27.9	329.5	11	-78967
	14 LST	19.8	15.4	18.5	16.9	19.7	15.3	14.9	16.2	17.2	18.9	17.7	17.7	208.2	11	-78967
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	27.1	24.9	25.9	27.5	28.9	26.2	28.4	29.2	28.1	29.8	27.9	27.7	331.6	11	-78967
	02 LST	28.5	24.5	27.4	27.3	28.4	25.6	28.6	29.2	28.1	29.9	27.9	27.8	333.2	11	-78967
	08 LST	25.7	22.6	26.4	27.1	27.6	23.1	26.7	25.9	27.2	29.0	27.0	25.8	314.1	11	-78967
	14 LST	18.4	14.3	16.6	16.3	19.3	14.1	12.7	14.8	16.7	18.2	16.9	17.1	195.6	11	-78967

### AREA NO. 01

TRINIDAD/TOBAGO ISLANDS		TRINIDAD	LATITUDE 1020N LONGITUDE 06120W												
PARAMETER DESCRIPTION			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)			86	87	88	89	89	87	88	84	90	90	89	87	88
MEAN MIN TMP (F)			70	71	71	72	74	74	74	73	74	73	73	72	73
LARGEST MEAN PRECIP(IN)			3.40	2.83	1.61	2.40	5.90	11.80	10.20	9.80	6.99	5.79	7.50	6.70	74.9
SMALLEST MEAN PRECIP(IN)			2.60	2.50	1.20	1.94	3.05	8.64	7.86	9.22	6.10	5.70	5.29	5.21	59.3
MEAN NUMBER OF DAYS															
CIG = GTR 1000 FT AND VSBY = GTR 3 MI		20 LST	31.0	27.9	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	30.9	364.8
		02 LST	31.0	26.0	31.0	30.0	31.0	29.9	31.0	31.0	30.0	31.0	30.0	30.9	364.8
		08 LST	30.9	27.9	31.0	30.0	30.9	29.7	30.9	30.7	30.0	30.0	30.0	30.9	363.8
		14 LST	30.9	26.0	30.7	29.8	30.9	29.3	30.5	30.7	29.3	30.7	29.3	30.5	360.6
CIG = GTR 2000 FT AND VSHY = GTR 3 MI w/SFC WND LES 10 KTS		20 LST	25.4	23.0	23.5	25.9	25.9	26.3	29.2	28.8	27.2	29.3	28.3	27.9	320.7
		02 LST	26.8	24.4	26.6	28.8	30.1	28.4	30.3	30.4	28.0	30.2	29.0	28.9	341.9
		08 LST	25.6	23.2	25.3	26.9	27.6	26.2	28.8	28.5	27.1	28.0	28.2	27.5	323.1
		14 LST	17.0	15.7	13.6	15.5	16.6	16.6	22.7	23.7	21.2	21.9	21.2	20.2	225.4
SFC WND = GTR 17 KTS AND NO PRECIP.		20 LST	0.3	0.2	0.5	0.3	0.4	0.1	0.0	0.1	0.0	0.1	0.0	0.0	2.0
		02 LST	0.1	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.8
		08 LST	0.4	0.4	0.5	0.2	0.6	0.1	0.0	0.0	0.1	0.0	0.0	0.1	2.4
		14 LST	1.7	1.4	4.5	2.1	3.9	2.6	0.4	0.2	0.2	1.2	0.9	1.1	20.2
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.		20 LST	20.8	19.9	23.2	19.2	18.6	17.5	17.3	16.8	17.3	17.5	16.0	20.2	224.5
		02 LST	17.8	17.3	17.9	12.0	12.1	10.3	12.0	10.4	10.3	10.8	10.8	16.8	158.5
		08 LST	17.6	14.6	15.9	14.1	13.0	11.9	12.1	13.2	12.8	11.9	9.7	13.7	160.5
		14 LST	17.4	17.0	14.9	15.6	11.7	14.7	18.8	19.3	15.3	15.9	17.9	17.7	196.2
SKY COVER LES 3/10 AND VSBY = GTR 3 MI		20 LST	6.3	10.4	6.4	7.6	8.2	3.5	7.8	5.7	4.0	4.1	4.6	5.7	76.3
		02 LST	10.0	13.8	10.0	8.3	8.6	6.5	9.5	10.7	9.0	9.5	8.0	7.4	111.3
		08 LST	6.4	5.9	6.3	4.2	4.5	2.8	5.6	5.7	3.7	3.1	2.9	3.9	55.4
		14 LST	1.7	1.2	1.2	0.5	0.4	0.2	0.2	0.2	0.3	0.3	0.1	1.0	7.3
CIG = GTR 2500 FT AND VSBY = GTR 3 MI		20 LST	30.2	27.0	29.7	29.2	30.5	28.7	29.6	30.8	29.6	30.5	29.4	29.6	354.8
		02 LST	30.6	27.6	30.5	29.1	30.7	29.1	30.7	30.4	29.3	30.6	29.3	30.3	358.2
		08 LST	29.5	26.8	30.0	29.5	29.8	27.7	30.2	29.7	29.2	30.6	29.1	29.9	352.0
		14 LST	28.1	24.2	29.4	26.5	28.6	25.1	24.5	25.6	25.1	25.1	25.3	26.4	313.9
CIG = GTR 6000 FT AND VSBY = GTR 3 MI		20 LST	28.5	25.2	27.4	28.2	29.8	27.5	28.9	29.9	29.0	30.4	28.6	28.3	341.7
		02 LST	29.2	25.9	28.4	27.9	29.2	26.5	29.3	29.6	29.0	30.4	28.7	29.0	343.1
		08 LST	27.0	24.4	27.6	28.2	28.3	24.5	28.2	27.5	28.0	29.9	27.8	27.9	329.5
		14 LST	19.8	15.4	18.5	16.9	19.7	15.3	14.9	16.2	17.2	18.9	17.7	17.7	208.2
CIG = GTR 10000 FT AND VSBY = GTR 3 MI		20 LST	27.1	24.9	25.9	27.5	28.9	26.2	28.4	29.2	28.1	29.8	27.9	27.7	331.6
		02 LST	26.5	24.5	27.4	27.3	28.4	25.6	28.6	29.2	28.1	29.9	27.9	27.8	333.2
		08 LST	25.7	22.6	26.4	27.1	27.6	23.1	26.7	25.9	27.2	29.0	27.0	25.8	314.1
		14 LST	18.4	14.3	16.6	16.3	19.3	14.1	12.7	14.8	16.7	18.2	16.9	17.1	195.6