

USAF

Technical Applications Center
ENVIRONMENTAL

ETAC

WORLDWIDE AIRFIELD CLIMATIC DATA

VOLUME IX PART 2

AFRICA (Southern Half)

THIS DOCUMENT HAS BEEN APPROVED FOR
PUBLIC RELEASE AND SALE: ITS DISTRIBUTION
IS UNLIMITED.

79 07 19 060 FEBRUARY 1969

AD-692915

Published Volumes of World-Wide Airfield Summaries are available for the following areas:

<u>Volume</u>	<u>Name</u>	<u>Clearinghouse Accession Number</u>
Volume I	Southeast Asia	AD-656-092
Volume II (Parts 1 & 2)	Middle East <i>A002162 & A002163</i>	AD-662-425 & AD-662-427
Volume III	Far East	AD-662-426
Volume IV	Canada-Greenland-Iceland	AD-662-424
Volume V	Australia-Antarctica (including So. Pacific Isl.)	AD-662-648
Volume VI (Parts 1 & 2)	South America	AD-664-828 & AD-664-829
Volume VII	Central America	AD-671-845
Volume IX (Parts 1 & 2)	Africa	

Additional Volumes are planned for the United States (Vol. VIII) and Europe (Vol. X)

INFORMATION SHEET

WORLD-WIDE AIRFIELD SUMMARIES Vols. I - VII, IX

1. Quality Control checks of the World-wide Airfield Summaries have revealed discrepancies in the bi-variate percentiles of ceiling vs visibility. It is not known how extensive these discrepancies are except that in most stations the percent of occurrences of ceiling versus visibility (5000 feet and/or 5 miles, 1500 feet and/or 3 miles and 300 feet and/or 1 mile) are too low. The cause has been determined to be in the computer programing which rejected, in many cases, a low visibility when it occurred with no ceiling. The discrepancies are most apparent in areas with high radiational cooling which produces low visibilities and high or no Ceilings such as occur in Southeast Asia.
2. Investigations are currently underway to determine the magnitude of the discrepancies. All efforts will be made to correct the summaries by reprograming the data and issuing addendums where necessary.
3. Until the problem is resolved, it is recommended that the percentiles in question be used with caution. Areas of high radiational cooling will have the greatest errors, while coastal or maritime areas will have more nearly correct data.

89 07 18 60

WORLDWIDE AIRFIELD CLIMATIC DATA

FOREWORD

This is a part of a series of compilations which is worldwide in scope. It consists of climatological data for selected airfields and for the climatic areas in which they are located. When complete, the series will include data for several thousand stations.

These data were compiled and prepared by the USAF Environmental Technical Applications Center (ETAC), Building 159, Navy Yard Annex, Washington, D. C. 20333. This series is also being published by the U. S. Naval Weather Service, Navy Yard, Washington, D. C. 20390, under the title "U. S. Naval Weather Service World-Wide Airfield Summaries." Copies of this document are obtainable from the Federal Clearinghouse for Scientific and Technical Information (CFSTI), Springfield, Virginia 22151, at a cost of \$3.00 per copy.

WORLD-WIDE AIRFIELD SUMMARIES - - VOLUME IX

AFRICA (SOUTHERN HALF) PART 2

INTRODUCTION

This volume provides climatological summaries for airfields and climatic areas in Africa (Southern Half). The summaries are presented by country (in alphabetical order, using a two-letter code) as shown in the Index. Within the countries, summaries are arranged according to numbered climatic areas, and by increasing WMO Station Index Numbers within the climatic areas. An arbitrary station number (indicated by "/") is used where WMO Index Numbers are not assigned. Maps are included to delineate areas and station locations.

Climatic areas have been selected as being nearly homogeneous climatologically, but considerable variation may exist between locations in an area at a specific time because of topography and other factors. Climatological summaries for these areas follow those for the included airfields.

The latitudes and longitudes of the approximate centers of the climatic areas are indicated in the summary headings. Where more than one climatic area lies within a country, these are delineated by straight line segments and the positions of the end points are listed.

Blank values in the tables indicate that no data are available, and "0" indicates that the period of record is unknown. Local Standard Time is that of the standard time zone, and no adjustment has been made where local deviations exist. Data sources are listed in detail by means of a number system described on the following pages.

The first page of each station summary provides data for the station, and the second page contains information for the airfield area. The values are in mean number of days. Where observations were not available, the information consists of climatological estimates based on data for surrounding stations. In some instances tables may be based on relatively few observations or on somewhat doubtful data, and these should be used with caution.

GLOSSARY OF GENERAL TERMS

AIRFIELD DATA AND AIRFIELD AREA DATA

Climatological data applicable only to a specified airfield. The data consists of statistical parameters based on actual weather observations made at the airfield. If actual weather observations are not available the data consist of estimates of the statistical parameters, prepared by a climatologist, based on actual meteorological data from surrounding weather stations.

CLIMATIC AREA DATA

Climatological data representative of a nearly homogeneous climatic area. The data are average (or representative) values based on a sample of climatological data available from weather stations within the area. The area data do not imply that the specific condition simultaneously exists at all locations within a country or large climatic area. In rolling and mountainous terrain there may be considerable variation in the data from one location to another within the climatic area.

LOCAL STANDARD TIME

Standard time applicable to a 15 deg. meridional zone. (Zones proceed east and west from the zone centered on the prime meridian and extending from 00730E to 00730W.) No consideration is given to local deviations from the 15 deg. zone boundaries.

AIRFIELD PARAMETERS

ABSOLUTE MAXIMUM (MINIMUM) TEMPERATURE-DEG. F.

The highest (lowest) temperature observed in the specified month during the whole period for which observations are available.

MEAN DAILY MAXIMUM (MINIMUM) TEMPERATURE-DEG. F.

The average of all the daily maximum (minimum) temperatures observed in the specified month.

MEAN NO. DAYS WITH MAXIMUM TEMPERATURE GREATER THAN 90 DEG. F.

The average of the number of days in the specified month on which the maximum temperature was observed to be equal to or greater than 90 deg. F.

MEAN NO. DAYS WITH MINIMUM TEMPERATURE LESS THAN 32 DEG. F (LESS THAN 0 DEG. F.).

The average of the number of days in the specified month on which the minimum temperature was observed to be equal to or less than 32 deg.F.(0 deg.F.).

MEAN DEW POINT TEMPERATURE-DEG. F.

The average of all hourly dew point temperatures observed in the specified month.

MEAN RELATIVE HUMIDITY-PERCENT

The average of all hourly relative humidity values observed in a specified month.

MEAN PRESSURE ALTITUDE-FEET

The average station pressure observed at the airfield in the specified month converted to an altitude by using the U. S. Standard Atmosphere.

MEAN MONTHLY PRECIPITATION-INCHES

The average of the monthly total amount of all forms of precipitation, reduced to its liquid equivalent, observed in the specified month.

MEAN MONTHLY SNOWFALL-INCHES

The average of the monthly total amount of snowfall observed in the specified month.

MEAN NO. DAYS WITH PRECIPITATION GREATER THAN 0.1 INCH (SNOWFALL GREATER THAN 1.5 INCHES)

The average of the number of days in the specified month on which the daily amount of precipitation (snowfall) was observed to be equal to or greater than 0.1 inch (1.5 inches).

MEAN NO. DAYS WITH AN OCCURRENCE OF VISIBILITY LESS THAN 0.5 MILE

The average of the number of days in the specified month on which there was at least one observation of visibility less than 0.5 mile.

MEAN NO. DAYS WITH THUNDERSTORMS

The average of the number of days in the specified month on which the weather observer heard thunder.

PERCENT FREQUENCY SURFACE WIND SPEED GREATER THAN 16 KNOTS (GREATER THAN 27 KNOTS)

The frequency, expressed as a percent of the total number of hourly weather observations considered, during the specified month, in which the surface wind speed was observed to be greater than 16 knots (27 knots).

PERCENT FREQUENCY CEILING LESS THAN 5,000 FEET OR VISIBILITY LESS THAN 5 MILES

The frequency, expressed as a percent of the total number of hourly weather observations considered, during the specified month, in which the ceiling was observed to be less than 5,000 feet and/or the visibility was observed to be less than 5 miles.

PERCENT FREQUENCY CEILING LESS THAN 1,500 FEET (LESS THAN 300 FEET) OR VISIBILITY LESS THAN 3 MILES (LESS THAN 1 MILE)

The frequency, expressed as a percent of all the hourly weather observations considered, in a specified three-hourly period during the day for a specified month in which the ceiling was observed to be less than 1,500 feet (300 feet) and/or the visibility was observed to be less than three miles (one mile).

PARAMETERS FOR AIRFIELD AREA AND CLIMATIC AREA

MEAN NO. DAYS WITH CEILING GREATER THAN 1,000 FEET (GREATER THAN 2,500 FEET, GREATER THAN 6,000 FEET, ETC.) AND VISIBILITY GREATER THAN 3 MILES

The average of the number of days when, at a specified hour during the day in the specified month, the ceiling was observed to be equal to or greater than 1,000 feet (2,500 feet, 6,000 feet, etc.) and the visibility was observed to be equal to or greater than three miles.

MEAN NO. DAYS WITH CEILING GREATER THAN 2,000 FEET AND VISIBILITY GREATER THAN 3 MILES AND SURFACE WIND LESS THAN 10 KNOTS

The average of the number of days when, at a specified hour during the day in the specified month, the ceiling was observed to be equal to or greater than 2,000 feet, the visibility was observed to be equal to or greater than three miles, and the surface wind speed less than ten knots.

MEAN NO. DAYS WITH SURFACE WIND GREATER THAN 16 KNOTS AND NO PRECIPITATION

The average of the number of days when, at a specified hour during the day in the specified month, the surface wind speed was observed to be greater than 16 knots, and there was no precipitation.

MEAN NO. DAYS WITH SURFACE WIND 4-10 KNOTS AND TEMPERATURE 33-89 DEG. F. AND NO PRECIPITATION

The average of the number of days when, at a specified hour during the day in the specified month, the surface wind speed was equal to or greater than four knots, but not greater than ten knots, the temperature was equal to or greater than 33 deg. F. but not greater than 89 deg. F. and there was no precipitation.

MEAN NO. DAYS WITH SKY COVER LESS THAN 0.3 AND VISIBILITY GREATER THAN 3 MILES

The average of the number of days when, at a specified hour during the day in the specified month, the portion of the sky covered with clouds was observed to be less than 0.3 and the visibility was observed to be equal to or greater than three miles.

AREA PARAMETERS (CLIMATIC AREA ONLY)

MEAN DAILY TEMPERATURE RANGE-DEG. F.

Two temperatures for the specified month: (1) a representative mean daily maximum temperature observed in the area; (2) a representative mean daily minimum temperature observed in the area.

RANGE OF MEAN MONTHLY PRECIPITATION-INCHES

Two mean monthly precipitation amounts for the specified month: (1) the largest mean amount observed in the area; (2) the smallest mean amount observed in the area.

DATA SOURCES

The source from which values were taken can be determined from the column labeled "No. Obs."

(1) If the number in that column is positive, the data for that line were computer-summarized, and the number given is the number of observations used in the summarization.

(2) If the number is negative and of three digits or less, the data were hand-copied or estimated as indicated in the following source list.

(3) If the number is less than minus 500, part of the data are derived from computer-summarized data, and part from the source list number plus 500. For example, if the number is "-528," the source is the extreme of the computer-summarized data compared to source "-28."

(4) If the number is minus and a four or five digit number, the data were substituted from a representative station nearby and this number is the number of the source station.

(5) Statistical methods or meteorological relationships were used whenever possible to provide data not available at the National Weather Records Center or in yearbooks and summaries.

SOURCE LIST

- 1 French Equatorial Africa Service Meteorologique - 1950 - 1959
- 2 Climatic Statistics for Selected Stations on Islands of Reunion and Mayotte
- 3 Angola Servico Meteorologico Elemento Meteorologicos - 1942 - 1952
- 4 Algiers, Universite, Institute de Meteorologie, le Climat de L'Algerie
- 5 Algeria Service Meteorologique Bulletin Climatologique Mensual - 1952 - 1960
- 6 World Climatic Data Africa
- 7 Pt. 1 - Algiers Universite Annuaire du Nord - 1945 - 1950
- 8 Climatological Summaries, West Central Africa
- 9 Algeria, Service Meteorologique Resume Mensuel du Temps - 1951 - 1960
- 10 Klimaat Van Suid-Afrika Parts 1 and 9
- 11 Portuguese East Africa Meteorological Data-Mozambique
- 12 Climatologica Summaries-Northern Rhodesia - 1938 - 1948
- 13 Rhodesia Met. Service Climatologica Studies - 1948 - 1960
- 14 Climatological Summaries, Central Africa
- 15 Climatological Normals for Egypt. Cairo - 1950
- 16 Egypt Meteorological Dept. Metro Report
- 17 So. Africa Meteorological Services. (Wx on the coasts of So. Africa-Vol.II)
- 18 Weather on the west coast of Africa 7 to 20 years
- 19 Sudan-Meteorological Service Annual Met Report - 1950 - 1957
- 20 Climatological Summaries. Mali and Mauritania, Africa
- 21 Republique Francaise du Maroc Annales - 1945 - 1953
- 22 French West Africa Service Meteorologique Resume Mensuel des Observations - 1953 - 1954; 1955 - 1957
- 23 Climatological Summaries - Upper Volta Africa
- 24 World Distribution of Thunderstorm Days
- 25 WMD Model "A"
- 26 Climatological Summaries - French Somaliland and Somali Republic, Africa
- 27 Air France, Climatology of Africa

- 28 British Meteorological Tables
- 29 Statistical Estimate
- 30 Interpolation
- 31 Professional Subjective Estimate
- 32 Climatic Norms (Clino) WMO
- 33 CB Climatological Briefs
- 34 CDC WB Climatic Data Card
- 35 N Summary
- 36 Climatological Summaries, Niger, Africa
- 37 Cape Verde Islands Servicos de Estatistica Meteorologia E. Climatologia
- 38 Malaya-Meteorological Service Summary of Observations
- 39 Revolutionary Government of the Union of Burma Meteorological Department Climatological Summary
- 40 Vietnam - Direction de La Meteorologie Resume Mensuel du Temps
- 41 Afghanistan Meteorological Institute Monthly Weather Bulletins
- 42 Lebanon - Service de Climatologie Bulletin Climatologique Mensuel
- 43 Climatological Tables of Observations in India (red book)
- 44 India Meteorological Department - India Weather Review
- 45 Batavia - Rainfall in Indonesia (Verhandelingen No. 37)
- 46 Turkey-Yillik Metecroloji Bulteni
- 47 Rainfall Statistics of the British Borneo Territories
- 48 Ceylon Meteorological Report - December 1938 - 1949
- 49 Kuwait, Arabia - Climatological Data Annual
- 50 Ace Data, computed, derived or substituted from data available 1964
- 51 Promedios Climatologicos de Venes Uela Perido - 1951 - 1960
- 52 Chile Servicio Meteorologico, Anu Ario Meteorologico, Publication No. 73
- 53 Climate of Ecuador
- 54 Peru Direction General de Meteorologia Boletin Annual Meteorologico
- 55 Brazil Normais Climatologicas da Area da Sudene
- 56 Climatologia de Caile, Fasciculo Valores Normales de 36 Estaciones Seleceionadas, Perido - 1916 - 1945
- 57 H. O. Pub No. 527 Weather Summary-Brazil
- 58 H. O. Pub No. 529 Weather Summary-South America - - Southern Part

- 59 Datos Detallados de Climatologia de Venezuela
- 60 Paraguay File
- 61 H.O. Publication No. 530 Weather Summary
- 62 Climatological Summary, Valley of Mexico (Mexico City)
- 63 Argentine Republic Servicio Meteorologico
- 64 Climatological Studies-Weather and Climate of Central America and Mexico-2WG
- 65 Climatological Studies Weather and Climate of West Indies-2WG
- 66 H. O. Pub. No. 528 Weather Summary-South America - - Northern Part
- 67 Climatological Studies-Weather and Climate South America-2WG
- 68 Professional Notes British Meteorological Office
- 69 Geografiska Annaler 37-38 - 1955 - 1956
- 70 H. O. Pub. No. 531 Weather Summary Central America-For Use w/Naval Air Pilot Supplement '8' Northwest Africa
- 71 Meteorological Yearbook Iranian Met. Dept.
- 72 H. O. Pub. No. 532 Weather Summary Mexico
- 73 H. O. Pub. No. 264 Weather Summary-South Africa
- 74 H. O. Pub No. 261 Weather Summary-Supplement 'C' West Central Africa
- 75 H. O. Pub. No. 263 Weather Summary-Supplement 'B' East Central Africa
- 76 H. O. Pub. No. 260 Weather Summary
- 77 Meteorological Data for certain Australian localities
- 78 New Zealand-Meteorological Service Climatological Table - 1951 - 1958
- 79 Ministerie Van Openbare Werken en Verkeer Meteorologische Dienst
- 80 Climate and Meteorology of Australia-1919 - 1951
- 81 Authentic Data, but source unknown
- 82 Summaries of Climatological Observations at New Zealand Stations to 1960
- 83 Relative Humidity at 0900 LST only - reference is the same as 82 above
- 84 Climatological Division Summary (CDC) for Canada, No. 1 thru 13-years 1962 thru 1966
- 85 Climate of British Columbia and the Yukon Territory by W. G. Kendrew and D. Kerr - 1955
- 86 The Climate of Central Canada by W. G. Kendrew and B. W. Currie - 1955

- 87 The Climate of Newfoundland Circular 4019
Cli 30, April 1964
- 88 Servicio Meteorologico Nacional Estadisticas Climatologicas - 1901 - 1950
Pub. B No. 1 and 1941 - 1950 Pub B No. 3
- 89 Anuario Meteorologico 1952, 53, 54
Ministerio de Agricultura Oct. 1955
- 90 Las Precipitaciones en El Uruguay, 1965
- 91 Revista Meteorologica, Sumario, Anos 1944
al 1956 Montevideo 1957
- 92 Climatological Data for Sonora, Northern
Sinaloa, Baja, Calif., Univ. of Ariz.,
Tcch. Rpt. Nos. 14, 15, 1 Oct 1964
- 93 Avg. Climatic Water Balance Data of the
Continents, Part IV, Australia, New Zealand
and Oceania, 1963
- 94 Book of Normals - No. 1, Rainfall,
Melbourne, 1951
- 95 Climatological Studies, Wea. and Clim.
Pacific Islands, Hqs, 2nd Wea Gp F-8
- 96 Climate of the Horow Henua Lowlands New
- 97 Weather Summaries, Pacific and Alaska, Hydrographic Office H.O. Nos. W-270,
W-271, 272, 273, 275, 276, 526, yrs. 1943-4
- 98 Climatic Table for Japan Area Parts I-II
- 99 The Climate of Japan Vol. IV No. 2, 1931
- 100 Climatic Tables of Japan, Parts 1-5 1931-60
- 101 Climatological Data for Antarctic Stations No. 1-8, 1962-66. (Mean monthly precip ETAC computed from mean monthly snowfall with water equivalent basis of 10 ins of snow equal 1 in of precip).
- 102 Anare Data Reports, Series D, Meteorology,
No. 81, XIII, XII, Melbourne, 1963-5.
- 103 Meteorological and Radiational Regimes of
Antarctica, U.S. Dept. of Commerce 1964
- 104 Data from Polar Meteorology Section W.B.
- 105 Climatic Summaries for Canada 1947-1954
- 106 Climatic Summaries for Canada, Vol. II,
1948
- 107 Climate of the Canadian Arctic Archipelago, 1951
- 108 Temperature Normals, Averages and Extremes
in the Northwest Territories during the
period 1931 to 1960
- 109 Averages and Extremes of Climatic Data during
1951-1960 for selected Canadian Arctic
stations, 1963
- 110 Canada Met. Branch, Temperature Extremes,
1966
- 111 Avg. Climatic Water Balance Data of the
Continents, Part VI No. America, 1964

- 112 Canada Met. Branch, Monthly Record 1955-1965
- 113 Climatic Summary of the United States Supplement for 1951-through 1960
- 114 Climat. Studies, Hdqs. 19th AF, Alaska G-4, 1960
- 115 Climatological Summary, WB, Alaska, Means and Extremes for period of record thru 1952
- 116 Local Climatological Data, Annual Summary w/ Comparative Data, ESSA, 1966
- 117 Uniform Summary of Surface Wea. Obs.
- 118 Macro and Micro Climatology of the Arctic Slope of Alaska. US Army Tech Report EP-139, Natick Labs, 1960
- 119 Temperatures of Northern America, Hdqs. Quartermaster, US Army, Research Report RER-9, Natick Labs, 1956
- 120 Supplement to Bulletin W, Climatic Summary of the U.S. for 1931 thru 1952
- 121 Hydrographic Institute of the Yugoslav Navy, Met Division, 1946
- 122 Average Climatic Water Balance Data of the Continents, Part V, Europe N.J., 1964
- 123 Meteorology of the Arctic, OPNAV P03-3. March 1956
- 124 Temperatures in Slovenia, Slovenska Akademija. Ljubljana 1965
- 125 Precipitations en Yougoslovie. 1925-40. Belgrad, 1957
- 126 Prilozi Rosnavanju Klime Jugoslavije 1, Belgrad, 1957
- 127 Great Brit. Aviation Meteorological Report No. 19 (Yugoslavia). 1943
- 128 Ireland Met. Service. Monthly Wea. Report 1949-1952
- 129 Ireland Met. Service. Monthly Wea. Report 1958-1962
- 130 Climatological Summaries, Western Coastal Africa
- 131 Climatological Summaries, Tanganyika, Uganda and Kenya, Africa
- 132 Madagascar Meteorologique Service Publications Nos. 10,12,14,15,17,18,20-28.
- 133 O Clima de Portugal Fasciculo XIV. Lisboa 1965
- 134 Weather and Climate at Addis Ababa, Dire Dawa and Jimma, April 1965
- 135 Rhodesia and Nyasaland Climate Handbook Supplement 2
- 136 Rhodesia and Nyasaland Climate Information Sheets No. 1
- 137 Escuisse Climatographique de la Belgique, Brussels, 1947
- 138 Danmarks Kuima, 1933

- 139 General Climatic Data for Spain 2WW 1955
- 140 Memorial de la Meteorologie Nationale No. 50. Climatologie de la France Paris 1967
- 141 Klimakunde des Deutschen Reiches. Vol II Berlin, 1939
- 142 Statistiche Meteorologiche Relative Alle Principali Localita Italiane, Part 2 Roma, 1962
- 143 Climatological Summaries for Air Navigation in Norway, Vol. No. 6 Bardufoss Airport April 1960
- 144 Klimatabeller for Landbruget, Oslo 1955
- 145 Agricultural Climatology of Sweden and its Agro-Climatic Analogues in North America, No. 11 1950
- 146 Das Klima Der Schweiz, Mauer, Billwiller, Hess 1909
- 147 Averages of Humidity for the British Isles, Met Office, London, M.O. 421, 1938
- 148 Weather in the Home Waters and N.E. Atlantic, Met. Office, London M.O. 446, 1943
- 149 Monographies de la Meteorologie Nationale, No. 55. Valeurs Normales des Hauteurs de Precipitations en France. (1931-1960 and 1901-1950). Paris, 1966
- 150 Monographies de la Meteorologies Nationale. No. 59. Elements Climatologiques Concernant Les Cotes de la France Metropolitaine, Paris 1967
- 151 Averages of Rainfall for Great Britain and Northern Ireland. 1916-1950 M.O. 635, 1958
- 152 Averages of Temperature for Great Britain and Northern Ireland. 1931-60 M.O. 735, 1963
- 153 Etudes Sur le Climat de la France, Vol I Paris, 1904
- 154 Monographies de la Meteorologie Nationale No. 30. Valeurs Normales des Temperatures en France (1921-1950). Paris, 1962

INDEX

STATION INDEX
 WORLD-WIDE AIRFIELD SUMMARIES - VOLUME IX
 AFRICA (SOUTHERN HALF) PART 2

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
<u>(AO) ANGOLA</u>		<u>(BK) BECHUANALAND</u>	
NORTHERN PLATEAU (Climatic Area 1)		ARID PLATEAU (Climatic Area 1)	
66104 Cabinda	1 - 2	68032 Maun	37-38
66135/ Toto	3 - 4	68054 Francistown	39-40
66139/ Maquela Do Zombo	5 - 6	Climat	41
66142/ Negage	7 - 8		
66152 Dundo	9 -10	<u>(BY) BURUNDI-RWANDA</u>	
Climat	11	HIGHLANDS (Climatic Area 1)	
COASTAL STRIP (Climatic Area 2)		64178/ Bujumbura	42-43
66160 Luanda New	12-13	Climat	44
66305 Lobito	14-15		
66390 Sa Da Bandeira	16-17	<u>(CD) CENTRAL AFRICAN REPUBLIC</u>	
66422 Mocamedes	18-19	EASTERN PLATEAU (Climatic Area 1)	
Climat	20	64654 N'Dele	45-46
HIGHLANDS (Climatic Area 3)		Climat	47
66215 Malange	21-22	EQUATORIAL (Climatic Area 2)	
66318 Nova Lisboa	23-24	64600 Berberati	48-49
Climat	25	64601 Bouar	50-51
CENTRAL PLATEAU (Climatic Area 4)		64603 Bouca	52-53
66226 Carvalho De Henrique	26-27	64650 Bangui	54-55
66285 Luso	28-29	64656 Bangassou New	56-57
66325 Silva Porto	30-31	Climat	58
66410 Serpa Pinto	32-33		
66488/ Pereira Desca	34-35		
Climat	36		

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
<u>(CM) CAMEROON, FEDERAL REPUBLIC OF</u>		<u>(CX) CONGO, REP. OF (LEOPOLDVILLE)</u>	
NORTHERN PLAINS (Climatic Area 1)		CONGO BASIN (Climatic Area 1)	
64851 Salak-Maroua	59-60	64005 Coquilhatville/Mbandaka	111-112
64860 Garoua	61-62	64034 Buta	113-114
	63	64040 Stanleyville/Kisangani	115-116
EQUATORIAL (Climatic Area 2)			117
64870 N'Gaoundere	64-65	NORTHEAST HIGHLANDS (Climatic Area 2)	
64893 Koundja	66-67	64076 Bunia	118-119
64900 Yoko	68-69	64184 Goma	120-121
64901 Betare-Oya	70-71		122
64910 Douala	72-73	PLATEAU (Climatic Area 3)	
64911 Nkongsamba	74-75	64155 Kindu	123-124
64922 Nanga-Eboko	76-77	64202/ Banana	125-126
64931 Batouri	78-79	64203 Kitona Base	127-128
64950 Yaounde	80-81	64207 Matadi	129-130
64971 Kribi	82-83	64210 N'Djili/Kinshasa	131-132
	84	64211 Ndolo/Kinshasa	133-134
<u>(CP) CONGO, REP. OF (BRAZZAVILLE)</u>		64235 Lulusabourg	135-136
EQUATORIAL (Climatic Area 1)		64315 Kamina City	137-138
64015 Libenge	85-86		139
64458 Ouesso	87-88	SOUTHEAST MOUNTAINS (Climatic Area 4)	
64459 Impfondo	89-90	64285 Albertville	140-141
64460 Souanke	91-92	64328 Kolwezi	142-143
	93	64360 Elisabethville/Lubumbashi	144-145
COASTAL (Climatic Area 2)			146
64400 Pointe Noire	94-95		
64401 Dolisie	96-97		
64402 Mouyondzi	98-99		
64405 Sibiti	100-101		
64450 Maya Maya	102-103		
64452 M'Pouya	104-105		

STATION NO./NAME PAGE NO.

(DA) DAHOMEY, REPUBLIC OF

INTERIOR PLAINS (Climatic Area 1)

65306	Kandi	147-148
65319	Natitingou	149-150
65333	Tchourou	151-152
65335	Save	153-154
	Climat	155

COASTAL STRIP (Climatic Area 2)

65338	Bohicon	156-157
65344	Cotonou	158-159
	Climat	160

(GC) GABON, REPUBLIC OF

COASTAL TROPICAL FOREST (Climatic Area 1)

64500	Libreville	161-162
64501	Port Gentil	163-164
64503	Mayumba	165-166
64510	Bitam	167-168
64550	Mouila	169-170
64551	Lembarene	171-172
64552	Mitzic	173-174
64553	Franceville	175-176
	Climat	177

(GH) GHANA

INTERIOR PLAINS (Climatic Area 1)

65401	Navrongo	178-179
65418	Tamale	180-181
65437	Kete-Krachi	182-183
	Climat	184

STATION NO./NAME PAGE NO.

COASTAL STRIP (Climatic Area 2)

65442	Kumasi	185-186
65453	Ho	187-188
65467	Takoradi	189-190
65472	Accra	191-192
	Climat	193

(IV) IVORY COAST, REPUBLIC OF

INTERIOR PLAINS (Climatic Area 1)

65528	Odiene	194-195
65539	Ferkessedougou	196-197
65555	Bouake	198-199
	Climat	200

COASTAL STRIP (Climatic Area 2)

65548	Man	201-202
65557	Gagnoa	203-204
65578	Port Bouet	205-206
65592	Tabou	207-208
65599	Sassandra	209-210
	Climat	211

(KE) KENYA

ARID NORTH (Climatic Area 1)

63612	Lodwar	212-213
63619	Moyale	214-215
63624	Mandera	216-217
	Climat	218

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
HIGHLANDS (Climatic Area 2)		EAST COASTAL (Climatic Area 3)	
63661 Kitale	219-220	61986 St. Brandon	265-266
63694 Nanyuki	221-222	61988 Rodriguez	267-268
63708 Kisumu	223-224	67009 Diego Suarez	269-270
63712/ Equator	225-226	67015/ Ambilobe	271-272
63739 Eastleigh	227-228	67023 Sambava South	273-274
63740 Nairobi City	229-230	67090/ Arichart	275-276
63742 Wilson/Nairobi	231-232	67095 Tamatave	277-278
63766 Makindu	233-234	67143 Mananjary	279-280
Climat	235	67197 Ft. Dauphin	281-282
		Climat	283
COASTAL (Climatic Area 3)		(MR) MASCARENE ISLAND GROUPS	
63671 Wajir	236-237	SEYCHELLES ISLAND (Climatic Area 1)	
63723 Garissa	238-239	63980 Mahe(Seychelles)	284-285
63772 Lamu	240-241	Climat	286
63793 Voi	242-243	CHAGOS ISLAND (Climatic Area 2)	
63820 Mombasa	244-245	61967 Diego Garcia	287-288
Climat	246	Climat	289
(MA) MALAGASY REPUBLIC		AGALEGA ISLAND (Climatic Area 3)	
WEST COASTAL (Climatic Area 1)		61974 Agalega	290-291
67005 Dzaoudzi/Pamanzi	247-248	Climat	292
67027 Majunga	249-250	MASCARENE ISLAND (Climatic Area 4)	
67117 Morondava	251-252	61980 Gillot-St. Denis	293-294
67150/ Europa I	253-254	61990 Plaisance/Mauritius	295-296
67161 Tulear	255-256	61993 Royal Alfred Obs.	297-298
Climat	257	Climat	299
INTERIOR HIGHLANDS (Climatic Area 2)			
67083 Ivato/Tananarive	258-259		
67085 Tananarive/S.C.M.	260-261		
67109 Arivonimamo	262-263		
Climat	264		

STATION NO./NAME PAGE NO.

(MZ) MOZAMBIQUE

HIGHLANDS (Climatic Area 1)

67210/	Tenente Valadim	300-301
67217	Vila Cabral	302-303
67231	Nova Freixo	304-305
67247	Chicoa	306-307
	Climat	308

COASTAL (Climatic Area 2)

67206/	Mueda	309-310
67221	Marrupa	311-312
67223	Montepuez	313-314
67237	Nampula	315-316
67240/	Nacala	317-318
67241	Lumbo	319-320
67242/	Geba	321-322
67255/	Milange	323-324
67261	Tete New Military Airfield	325-326
67262/	Chioco	327-328
67279	Mutarara	329-330
67283	Quelimane	331-332
67297	Beira/Sacadura Cabral	333-334
67323	Inhambane	335-336
67341	Lourenco Marques	337-338
	Climat	339

(NI) NIGERIA, FEDERAL REP. OF

INTERIOR PLAINS (Climatic Area 1)

65001	Yelva	340-341
65010	Sokoto	342-343
65019	Kaduna	344-345
65028	Katsina	346-347
65046	Kano City	348-349
65064	Nguru	350-351
65073	Potiskum	352-353

STATION NO./NAME

PAGE NO.

65082	Maiduguri	354-355
65112	Bida	356-357
65134	Jos	358-359
65167	Yola	360-361
	Climat	362

COASTAL STRIP (Climatic Area 2)

65145	Ibi	363-364
65201	Lagos Airport/Ikeja	365-366
65208	Ibadan	367-368
65229	Benin City	369-370
65243	Lokoja	371-372
65250	Port Harcourt	373-374
65264	Calabar	375-376
	Climat	377

(NY) NYASALAND

HIGHLANDS (Climatic Area 1)

67587	Lilongwe New	378-379
	Climat	380

LAKE AREA (Climatic Area 2)

67693	Blantyre/Chileka	381-382
67697	Zomba	383-384
	Climat	385

(RA) RWANDA

HIGHLANDS (Climatic Area 1)

64175	Kamembe	386-387
	Climat	388

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
<u>(RI) RIO MUNI/FERNANDO PO</u>		<u>(TA) TANGANYIKA</u>	
COASTAL (Climatic Area 1)		PLATEAU (Climatic Area 1)	
64810 Santa Isabel	389-390	63729 Bukoba	421-422
64820 Bata	391-392	63733 Musoma	423-424
Climat	393	63756 Mwanza	425-426
<u>(RY) NORTHERN RHODESIA</u>		63789 Arusha	427-428
PLAINS (Climatic Area 1)		63790 Moshi	429-430
67475 Kasama	394-395	63801 Kigoma	431-432
67561 N. Dola	396-397	63816 Saa	433-434
67581 Fort Jameson	398-399	63818 Mombo	435-436
67633 Mongu	400-401	63832 Tabora	437-438
67661 Lusaka	402-403	63862 Dodoma	439-440
67743 Livingstone	404-405	63887 Iringa	441-442
Climat	406	63932 Mbeya	443-444
<u>(RZ) SOUTHERN RHODESIA</u>		63935 Njombe	445-446
HIGHLANDS (Climatic Area 1)		63962 Songea	447-448
67760/ Kariba	407-408	63997 Lyamungu	449-450
67775 Salisbury	409-410	Climat	451
67867 Thornhill	411-412	<u>(TO) TOGO</u>	
67965 Bulawayo	413-414	COASTAL (Climatic Area 2)	
67983 Chipinga	415-416	63844 Tanga	452-453
Climat	417	63866/ Morogoro	454-455
<u>(ST) SAO TOME IS/PRINCIPE IS.</u>		63894 Dar Es Salaam	456-457
SAO TOME ISLAND		63895 Mafia/Kilindoni	458-459
61931 Salazar/Tome	418-419	63969 Nachingwea	460-461
Climat	420	63971 Mtwara	462-463
<u>(TO) TOGO</u>		Climat	464
SAO TOME ISLAND		INTERIOR PLAINS (Climatic Area 1)	
61931 Salazar/Tome	418-419	65352 Mango	465-466
Climat	420	65361 Sokode	467-468
		Climat	469

STATION NO./NAME PAGE NO.

COASTAL STRIP (Climatic Area 2)

65376 Atakpame 470-471
65387 Lome 472-473
Climat 474

(UA) SOUTH AFRICA, REPUBLIC OF

COASTAL STRIP (Climatic Area 1)

68100/ Swakopmund 475-476
68104 Walvis Bay New 477-478
68408 Port Nolloth 479-480
Climat 481

HIGHLANDS (Climatic Area 2)

68110 Windhoek 482-483
68312 Keetmanshoop 484-485
68424 Upington 486-487
68714/ Langebaanweg 488-489
Climat 490

ARID PLATEAU (Climatic Area 3)

68012 Tsumeb 491-492
Climat 493

INTERIOR HIGHLANDS (Climatic Area 4)

68174 Pietersburg 494-495
68260 Swartkop 496-497
68262 Pretoria 498-499
68264/ Waterloo 500-501
68265/ Wonderboom 502-503
68346 Welkom 504-505
68350 Potchefstroom 506-507
68352 Kroonstad 508-509
68353 Dunnottar 510-511
68360/ Rand 512-513

STATION NO./NAME

PAGE NO.

INTERIOR HIGHLANDS (Climatic Area 4) (Cont.)

68367/ Palmietfontein 514-515
68368 Jan Smuts 516-517
68369/ Baragwanath 518-519
68438 Kimberley 520-521
68442 J.B.M. Hertzog/Bloemfontein 522-523
68630 Victoria W. 524-525
Climat 526

SOUTHEAST COAST (Climatic Area 5)


68496 Cape St. Lucia 527-528
68588 Louis Botha/Durban 529-530
68590/ Durban Virginia 531-532
68674 Cape Hermes 533-534
68728 Beaufort W. 535-536
68814/ Ysterplaat 537-538
68816 D.F. Malan/Cape Town 539-540
68818 Matroosberg 541-542
68842 Port Elizabeth 543-544
68858 Collondale E. London 545-546
68920 Cape Agulhas 547-548
Climat 549


(UG) UGANDA

PLATEAU (Climatic Area 1)

63602 Arua 550-551
63630 Gulu 552-553
63635 Moroto 554-555
63682 Jinja 556-557
63684 Tororo 558-559
63702 Mbarara 560-561
63705 Entebbe 562-563
Climat 564

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
HIGHLANDS (Climatic Area 2)			
63676	Fort Portal	565-566	
63726	Kabale	567-568	
	Climat	569	
<u>(ZA) ZANZIBAR</u>			
ZANZIBAR (Climatic Area 1)			
63870	Zanzibar/Kisauni	570-571	
	Climat	572	





ANGOLA - BECHUANALAND

CABINDA, ANGOLA

LATITUDE 0935S

LONGITUDE 01212E

ELEVATION(FT) 00002

STA NO. 00104 (IN AREA NUMBER 01)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	90	91	92	92	91	85	83	84	86	91	92	94	94	13	-20
MEAN MAX TMP (F)	86	87	87	87	84	78	78	78	80	82	84	83	83	13	-20
MEAN MIN TMP (F)	73	73	73	74	73	69	65	67	70	74	74	74	72	13	-20
ABS MIN TMP (F)	68	66	65	67	66	60	56	59	60	67	67	67	56	13	-20
MEAN NO DYS TMP = OR GTR 90(F)	10.7	10.7	11.9	11.5	8.2	0.0	0.0	0.0	0.0	5.9	7.9	7.0	73.8	13	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN DEW PT TMP (F)	72	73	73	74	73	67	64	65	68	71	71	72	70	13	-29
MEAN REL HUM (PCT)	80	81	80	82	84	82	78	80	80	80	79	82	81	13	-20
MEAN PRESS ALT (FT)	102	102	102	102	132	52	22	32	72	112	142	192	115	0	-50
MEAN PRECIP (IN)	2.30	4.30	3.30	4.60	2.20	0.00	0.00	0.05	0.20	1.30	4.90	3.50	20.3	13	-20
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.1	8.6	6.4	7.9	4.8	0.0	0.0	0.2	0.6	2.6	7.6	7.4	51.2	13	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.0	6.0	7.0	5.0	2.0	0.0	0.0	0.0	0.0	1.0	7.0	4.0	38.0	8	-24
MEAN NO DYS TSTM														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	5.9	6.4	7.0	2.5	4.0	8.3	19.5	13.0	13.0	5.8	9.3	4.5	7.8	5	1442
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.8	0.8	0.0	0.8	0.0	0.0	0.0	0.0	0.8	0.9	0.3	5	1442
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CABINDA, ANGOLA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	31.0	27.7	30.0	29.2	31.0	29.5	29.3	29.2	27.0	29.9	28.2	30.4	393.2	5	1442
	19 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0	
	07 LST													0	0	
	13 LST	29.7	22.1	24.5	27.2	27.5	24.5	21.9	24.2	21.7	23.6	23.1	24.5	290.5	5	1438
	19 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0	
	07 LST													0	0	
	13 LST	0.5	0.3	0.0	0.0	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.6	1.0	5	1437
	19 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0	
	07 LST													0	0	
	13 LST	12.2	11.3	11.4	13.5	13.0	13.1	13.3	16.1	15.1	19.5	14.9	16.8	170.2	5	1434
	19 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	1.3	0.3	1.2	0.8	2.0	2.7	2.9	3.5	0.2	0.8	0.0	1.4	17.1	5	1440
	19 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	22.6	21.9	23.3	25.1	23.6	21.3	19.9	20.6	21.0	24.1	22.4	22.6	268.4	5	1442
	19 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	16.3	17.1	18.1	19.3	17.6	14.1	13.5	13.1	12.7	13.3	15.5	15.6	186.2	5	1442
	19 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	16.0	17.1	18.1	19.1	16.9	13.9	13.5	13.1	12.4	12.8	15.5	15.6	184.0	5	1442
	19 LST													0	0	

STA NO. 60135/ (IN AREA NUMBER 01)

TOTO, ANGOLA

LATITUDE 07085

LONGITUDE 01416E

ELEVATION(FT) 01772

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEN PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	1052	1052	1072	1052	1022	1742	1712	1722	1762	1802	1832	1842	1805	0	-50
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPL = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

TOTO, ANGOLA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND 4-10 KTS AND THP 33-89 DEG / AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

BAQUELA 00 Z000, ANGOLA

STA NO. 64139/ (IN AREA NUMBER 01)

LATITUDE 0603S

LONGITUDE 01305E

ELEVATION(FT) 03018

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	3098	3098	3118	3098	3068	2988	2958	2968	3008	3048	3078	3088	3051	0	-50
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BAQUELA DO ZOMBO, ANGOLA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND 4-10 KTS AND /MP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

STA NO. 60142/ (IN AREA NUMBER 01)

WEGAR, ANGOLA

LATITUDE 0745S

LONGITUDE 01510E

ELEVATION(FT) 04000

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TAP (F)														0	0
MEAN REL HUM (PCT)														0	-50
MEAN PRESS ALT (FT)	4080	4080	4100	4080	4090	3970	3940	3950	3990	4030	4060	4070	4033	0	0
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTRS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 20 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

NEGAGE, ANGOLA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND 4-10 KTS AND TNP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	6
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

DUNBO, ANGOLA

STA NO. 66152 (IN AREA NUMBER 01)

LATITUDE 0722S

LONGITUDE 02090E

ELEVATION (T) 02444

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	92	94	93	91	91	94	93	95	94	92	90	89	95	3	-20
MEAN MAX TMP (F)	85	85	86	85	86	88	89	89	87	86	83	84	86	3	-20
MEAN MIN TMP (F)	67	68	68	68	65	60	60	65	67	67	67	67	66	3	-20
ABS MIN TMP (F)	64	65	64	64	57	54	51	56	61	63	63	64	51	3	-20
MEAN NO DYS TMP = OR GTR 90(F)	9.4	8.4	10.7	9.0	10.7	12.7	14.5	14.5	11.5	10.7	6.7	0.0	110.8	3	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN DEW PT TMP (F)	70	69	70	69	66	54	52	62	65	68	68	69	65	3	-29
MEAN REL HUM (PCT)	83	79	81	80	74	54	50	63	70	76	81	82	73	2	-20
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	7.13	5.50	7.35	7.91	1.90	0.12	0.28	1.63	3.59	7.35	0.63	7.73	59.1	13	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.3	9.9	9.6	9.8	4.3	0.4	0.7	3.2	6.3	11.2	12.5	9.8	80.0	13	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 20 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	12.0	4.4	0.2	12.0	4.1	4.0	3.8	20.3	13.2	5.4	6.0	15.6	9.2	3	736
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	2.1	4.4	0.0	2.0	0.0	0.0	0.0	1.4	1.3	0.0	0.0	6.3	1.3	3	736
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BUNDO, ANGOLA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	21.1	21.1	21.9	22.2	20.9	9.7	8.2	9.2	21.3	25.5	27.3	23.3	231.3	3	736
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	19.8	19.9	19.6	21.4	20.2	9.7	7.8	8.8	20.5	24.7	24.8	20.8	220.0	3	734
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.4	3	733
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	8.6	9.0	8.9	8.9	14.5	10.4	10.1	9.2	11.2	9.6	6.4	5.8	116.6	3	732
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	1.3	0.0	0.0	0.0	5.7	8.2	6.4	4.2	3.5	0.4	0.0	0.0	29.7	3	735
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	19.1	20.5	19.0	19.8	19.0	9.7	8.2	8.4	20.1	22.6	22.8	18.9	208.1	3	736
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	14.5	15.5	13.9	16.2	17.7	9.7	8.2	7.9	17.0	18.0	18.8	15.0	172.4	3	736
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	14.5	15.5	13.9	16.2	17.7	9.7	8.2	7.9	17.0	18.0	18.8	15.0	172.4	3	736
	19 LST														0	0

AREA NO. 01

ANGOLA	NORTHERN PLATEAU				LATITUDE 0700S				LONGITUDE 01530E				ANN
	BOUNDARIES	0005S 01225E	0040S 01620E	0040S 01620E	0840S 01620E	0900S 02150E	0900S 02150E	0900S 02150E	0900S 02150E	0900S 02150E	0900S 02150E	0900S 02150E	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	86	86	87	86	85	83	84	84	84	84	84	84	85
MEAN MIN TMP (F)	70	71	71	71	69	65	63	66	69	71	71	71	69
LARGEST MEAN PRECIP(IN)	7.13	5.90	7.39	7.91	2.20	0.12	0.28	1.69	3.59	7.35	8.63	7.73	54.4
SMALLEST MEAN PRECIP(IN)	2.30	4.30	3.30	4.60	1.90	0.00	0.00	0.05	0.20	1.30	4.50	3.50	25.5
	MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	26.1	24.4	25.8	25.7	26.0	19.6	18.8	19.2	24.6	27.7	27.8	26.9
	19 LST												
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST												
	07 LST												
	13 LST	22.8	21.0	22.1	24.3	23.9	17.1	14.9	16.5	21.1	24.2	25.0	22.7
	19 LST												
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST												
	07 LST												
	13 LST	0.3	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.3	0.0	0.0	0.3
	19 LST												
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST												
	07 LST												
	13 LST	10.4	8.2	9.2	10.2	13.8	14.8	14.7	12.7	13.2	14.6	10.7	11.3
	19 LST												
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	1.3	0.2	0.6	0.4	3.9	5.9	4.7	3.9	1.9	0.6	0.0	0.7
	19 LST												
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	20.9	21.2	21.2	22.5	21.3	15.5	14.1	14.5	20.6	23.4	22.6	20.8
	19 LST												
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	15.4	16.3	16.0	17.8	17.7	11.9	10.9	10.5	14.9	15.7	17.2	15.3
	19 LST												
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	15.3	16.3	16.0	17.7	17.3	11.8	10.9	10.5	14.7	15.4	17.2	15.3
	19 LST												

STA NO. 66100 LIN AREA NUMBER 021

LUANDA NEW, ANGOLA
 LATITUDE 08515 LONGITUDE 01314E ELEVATION(FY) 00243

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	91	95	95	94	97	89	82	83	84	89	98	94	98	36	-18
MEAN MAX TMP (F)	83	85	86	85	82	77	74	74	76	79	82	83	81	36	-18
MEAN MIN TMP (F)	74	75	75	75	73	68	65	64	67	71	73	74	71	36	-18
ABS MIN TMP (F)	69	70	70	70	64	59	58	58	62	65	68	67	58	36	-18
MEAN NO DYS TMP - DR GTR 90(F)	7.0	8.4	10.7	9.0	5.9	0.0	0.0	0.0	0.0	0.0	5.7	7.0	53.7	36	-29
MEAN NO DYS TMP - DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36	-29
MEAN NO DYS TMP - DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	-90
MEAN DEW PT TMP (F)	70	71	72	73	70	66	63	63	65	68	66	66	68	22	-28
MEAN REL HUM (PCT)	78	76	77	80	80	79	80	81	80	79	78	77	79	0	-50
MEAN PRESS ALT (FT)	300	300	350	300	300	200	200	200	250	250	300	300	271	59	-18
MEAN PRECIP (IN)	1.00	1.40	3.00	4.60	0.50	0.05	0.00	0.05	0.10	0.20	1.10	0.80	12.8	36	-29
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	59	-29
MEAN NO DYS PRCP - DR GTR 0.1 IN	2.3	3.2	6.0	7.9	1.3	0.2	0.0	0.2	0.4	0.6	2.2	1.9	26.2	36	-29
MEAN NO DYS SNFL - DR GTR 1.2 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	3.0	4.0	9.0	11.0	2.0	0.0	0.0	0.1	0.4	0.8	2.0	2.0	34.3	36	-18
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD - DR GTR 17 KTS														0	0
P FREQ WND SPD - DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST						27.3	32.0	29.2	24.0	29.2	24.0	4.8		1	155
12-14 LST	0.0	0.8	3.8	4.0	2.3	1.6	3.8	6.3	1.6	3.9	2.4	1.7	2.7	5	1511
15-17 LST	0.0	0.0	3.2	2.0	0.0	0.0	1.9	4.0	0.0	0.0	0.0	0.0	0.9	2	931
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST						0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	155
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1511
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	931
18-20 LST														0	0
21-23 LST														0	0

LUANDA NEW, ANGOLA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST	31.0	28.0	30.3	29.5	31.0	30.0	31.0	30.5	29.8	31.0	30.0	31.0	5	1511
	19 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI #/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST	21.9	16.1	19.9	23.6	25.2	27.1	27.0	26.1	25.1	17.3	19.6	23.6	5	1510
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST	2.0	1.9	0.2	0.2	0.2	0.0	0.0	0.0	0.2	0.7	0.5	0.2	5	1510
	19 LST													0	0
SFC WND 4-10 KTS AND TMP 31-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST	21.4	17.6	17.1	21.4	25.7	26.3	27.2	26.9	26.0	21.9	21.9	24.4	5	1509
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST	3.2	4.1	1.6	2.4	10.2	19.0	14.8	9.4	9.8	5.5	2.7	4.5	5	1509
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST	30.0	26.6	28.9	26.6	28.3	27.8	29.6	22.5	25.8	23.3	25.4	27.3	5	1511
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST	28.0	25.4	27.2	25.2	26.6	24.9	20.2	16.7	21.2	18.7	21.9	25.0	5	1511
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST	28.0	25.1	27.2	25.2	26.6	24.9	20.2	16.7	21.2	18.7	21.9	25.0	5	1511
	19 LST													0	0

LOBITO, ANGOLA

LATITUDE 1222S

LONGITUDE 01332E

ELEVATION(FT) 0010

STA NO. 66305 (IN AREA NUMBER 02)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	95	95	94	96	92	92	84	85	83	87	93	91	96	19	-20
MEAN MAX TMP (F)	83	85	87	86	83	78	74	74	76	79	83	83	81	13	-28
MEAN MIN TMP (F)	72	74	75	75	71	66	63	62	65	69	72	72	70	13	-28
ABS MIN TMP (F)	56	61	66	65	57	55	51	53	55	57	61	63	51	18	-29
MEAN NO DYS TMP + DR GTR 90(F)	7.0	8.4	11.9	10.3	7.0		0.0	0.0	0.0	0.0	6.7	7.0	0.0	18	-29
MEAN NO DYS TMP + DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS TMP + DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN DEW PT TMP (F)	69	70	72	73	69	64	62	61	63	67	69	69	67	20	-32
MEAN REL HUM (PCT)	77	75	77	79	78	79	80	81	80	80	78	77	78	0	0
MEAN PRESS ALT (FT)														19	-28
MEAN PRECIP (IN)	0.80	1.50	4.70	2.10	0.10	0.00	0.00	0.05	0.10	1.20	1.00	2.40	13.9	18	-29
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN NO DYS PRCP + DR GTR 0.1 IN	1.9	3.4	8.0	4.6	0.3	0.0	0.0	0.2	0.4	2.4	2.1	5.3	28.6	18	-29
MEAN NO DYS SNF + DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/HUR VSBY LES 1/2 MI	1.0	0.0	3.0	2.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	1.0	10.0	12	-24
MEAN NO DYS TSFM														0	0
P FREQ WND SPD + DR GTR 17 KTS														0	0
P FREQ WND SPD + DR GTR 20 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST						16.7	15.8	4.5	8.3	13.0	24.0	14.3		1	140
12-14 LST	0.9	2.8	0.0	0.0	4.6	2.5	2.3	0.8	2.4	10.2	4.1	2.6	2.7	5	1460
15-17 LST									0.0	6.7	0.0	6.7		1	46
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST						0.0	0.0	0.0	0.0	0.0	0.0	0.0		1	140
12-14 LST	0.9	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	1.6	0.0	0.0	0.3	5	1460
15-17 LST									0.0	0.0	0.0	0.0		1	46
18-20 LST														0	0
21-23 LST														0	0

LOBITO, ANGOLA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	30.2	27.2	30.8	30.0	30.8	29.7	31.0	31.0	30.0	29.3	29.3	31.0	360.3	5	1460
	19 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	29.6	24.8	28.3	26.0	28.0	28.5	29.3	29.7	26.0	24.2	24.8	26.7	325.9	5	1459
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.5	0.0	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.9	5	1462
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	14.9	12.0	10.8	15.0	15.4	12.6	14.3	18.0	15.7	18.8	18.6	18.3	184.4	7	1459
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	8.5	9.4	8.0	10.4	18.8	24.5	16.9	13.0	16.9	12.6	10.9	7.9	157.7	5	1462
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	29.4	29.9	29.5	29.7	28.3	28.5	26.4	27.0	27.6	29.9	27.5	28.8	334.5	5	1460
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	28.3	24.6	28.6	29.0	27.0	26.8	21.2	19.5	24.5	24.9	24.5	27.7	308.6	5	1460
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	28.1	24.6	28.6	29.0	27.0	26.8	21.2	19.5	24.5	24.9	26.5	27.7	308.4	5	1460
	19 LST														0	0

SA DA BANDEIRA, ANGOLA

LATITUDE 1455S

LONGITUDE 01334E

ELEVATION(FT) 09775

STA NO. 66390 IN AREA NUMBER 02)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	86	87	86	84	86	83	82	86	89	94	101	89	101	19	-28
MEAN MAX TMP (F)	78	77	77	78	77	76	76	80	83	83	80	77	79	13	-28
MEAN MIN TMP (F)	54	54	54	53	49	44	44	50	55	55	54	54	52	13	-28
ABS MIN TMP (F)	42	42	36	38	33	30	30	32	40	39	41	39	30	19	-28
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0		0.0		13	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN DEW PT TMP (F)	64	60	59	59	56	55	54	58	63	63	62	59	59	0	-30
MEAN REL HUM (PCT)	66	64	71	64	48	41	34	28	32	48	60	61	51	10	-32
MEAN PRESS ALT (FT)	5600	5600	5550	5500	5500	5450	5450	5500	5500	5550	5550	5550	5525	0	-50
MEAN PRECIP (IN)	5.90	6.20	6.60	3.70	0.10	0.05	0.00	0.00	0.20	2.80	4.40	6.30	36.3	19	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.2	10.3	9.3	6.9	0.3	0.2	0.0	0.0	0.6	5.1	7.5	10.3	60.7	19	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/OCUR VSRY LES 1/2 MI														12	-24
MEAN NO DYS TSTMS	7.0	9.0	10.0	5.0	1.0	0.0	0.0	0.0	2.0	10.0	11.0	0.0	63.0	0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 3 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	1.0	4.2	9.5	1.6	0.0	0.0	0.0	0.0	0.8	0.8	0.8	5.5	2.0	5	1374
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.1	5	1374
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SA DA BANDEIRA, ANGOLA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	31.0	27.2	29.1	29.7	31.0	30.0	31.0	31.0	29.7	30.8	29.7	29.9	340.1	5	1374
	19 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	28.1	26.4	26.4	24.1	28.6	26.8	27.6	27.7	19.6	24.8	25.7	24.8	310.6	5	1371
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.0	0.0	0.2	0.5	0.0	0.2	0.0	0.7	0.0	0.0	0.0	1.6	5	1376
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	13.8	13.4	17.7	19.3	24.0	17.3	17.9	20.3	20.1	18.4	19.7	19.9	218.0	5	1376
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	3.8	0.8	2.1	6.0	18.2	27.1	27.6	28.2	23.2	11.3	4.5	3.9	156.7	5	1373
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	25.6	19.7	20.6	25.4	29.9	30.0	31.0	30.7	29.0	26.3	23.9	23.9	316.0	5	1374
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	19.9	13.8	12.3	16.2	26.6	36.0	31.0	30.2	27.6	21.6	15.9	18.0	263.1	5	1374
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	19.9	13.8	12.3	16.2	26.6	30.0	31.0	30.2	27.6	21.4	15.9	18.0	262.9	5	1374
	19 LST														0	0

BOCANEDES, ANGOLA

STA NO. 66422 (IN AREA NUMBER 02)

LATITUDE 1312S

LONGITUDE 01209E

ELEVATION(FT) 00161

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	91	94	96	102	100	101	85	83	82	88	90	92	102	20	-20
MEAN MAX TMP (F)	79	83	84	82	77	72	68	70	72	74	78	79	77	19	-20
MEAN MIN TMP (F)	65	68	69	66	59	57	56	57	59	61	63	64	62	19	-20
ABS MIN TMP (F)	57	58	54	53	51	47	44	47	48	54	52	54	44	20	-20
MEAN NO DYS TMP = DR GTR 90(F)		6.3	0.2	5.7			0.0	0.0	0.0	0.0	0.0			19	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN DEN PT TMP (F)	63	66	65	67	64	58	54	51	56	60	61	62	61	0	-50
MEAN REL HUM (PC)	77	76	75	77	78	82	82	82	80	80	77	76	79	19	-20
MEAN PRESS ALT (F)	200	200	200	200	190	50	50	50	100	100	190	190	133	0	-50
MEAN PRECIP (IN)	0.30	0.40	0.70	0.50	0.05	0.05	0.05	0.05	0.05	0.05	0.10	0.10	2.4	21	-20
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.8	1.0	1.8	1.3	0.2	0.2	0.2	0.2	0.3	0.3	0.4	3.4	7.1	21	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	00	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSMS	0.0	0.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	22	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	6
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BOCANEDES, ANGOLA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

AREA NO. 02

ANGOLA

COASTAL STRIP
 BOUNDARIES 06095 01225E 06405 01300E 06405 01300E 06405 01300E 09435 01450E 09435 01450E 17035 01960E

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	81	83	84	83	80	76	73	75	77	79	81	81	79
MEAN MIN TMP (F)	66	68	68	67	63	59	57	58	62	64	66	66	64
LARGEST MEAN PRECIP(IN)	5.90	6.20	6.60	4.60	0.50	0.05	0.05	0.05	0.20	2.00	4.40	6.30	37.6
SMALLEST MEAN PRECIP(IN)	0.30	0.40	0.70	0.30	0.05	0.00	0.00	0.00	0.05	0.05	0.10	0.10	2.3
	MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	30.7	27.5	30.1	29.7	30.9	29.9	31.0	30.8	29.8	30.4	29.7	30.6 361.1
	19 LST												
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST												
	07 LST												
	13 LST	26.5	22.4	24.9	24.6	27.3	27.3	28.0	27.8	23.6	22.1	22.0	25.0 301.7
	19 LST												
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST												
	07 LST												
	13 LST	0.7	0.8	0.1	0.1	0.3	0.0	0.1	0.1	0.3	0.2	0.2	0.1 3.0
	19 LST												
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST												
	07 LST												
	13 LST	16.7	14.3	15.2	18.6	21.7	18.7	19.8	21.8	20.6	19.7	20.1	19.5 226.7
	19 LST												
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	5.2	4.8	3.9	6.3	15.7	23.5	19.8	16.9	16.6	9.8	6.0	5.4 133.9
	19 LST												
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	28.3	24.1	26.3	27.2	28.8	28.8	27.7	26.7	27.5	25.2	25.6	26.7 322.9
	19 LST												
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	25.4	21.3	22.7	23.5	26.7	27.2	24.1	22.1	24.4	21.7	21.4	23.6 284.1
	19 LST												
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	25.3	21.2	22.7	23.5	26.7	27.2	24.1	22.1	24.4	21.7	21.4	23.6 289.9
	19 LST												

BALANCE, ANGOLA

LATITUDE 0931S

LONGITUDE 01620E

ELEVATION(FT) 03095

.TA NO. 60215 (IN AREA NUMBER 03)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PER (YRS)	NO. OBS
ABS MAX TMP (F)	90	93	90	88	89	89	90	92	91	91	89	88	93	13	-28
MEAN MAX TMP (F)	82	82	83	82	85	84	85	86	85	83	81	81	83	13	-28
MEAN MIN TMP (F)	62	62	62	61	56	49	49	54	59	61	61	61	58	13	-28
ABS MIN TMP (F)	56	52	48	53	40	40	37	42	51	55	53	53	37	13	-28
MEAN NO DYS TMP = OR GTR 90(F)	5.9	5.3	7.0	0.0	0.0	.0	9.4	10.7	9.0	7.0	0.0	0.0	54.3	13	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN DEW PT TMP (F)	63	61	64	64	56	43	44	51	57	62	64	62	58	12	-29
MEAN REL HUM (PCT)	75	71	76	78	64	48	48	56	63	73	79	76	67	10	-32
MEAN PRESS ALT (FT)	3742	3751	3751	3729	3711	3659	3649	3693	3732	3717	3729	3739	3719	0	-50
MEAN PRECIP (IN)	3.30	5.40	7.60	6.50	0.70	0.05	0.00	0.20	2.00	5.00	0.00	5.90	44.6	13	-29
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.0	9.9	9.7	9.2	1.8	0.2	0.0	0.5	3.8	8.3	11.9	10.2	72.5	13	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	10.0	11.0	14.0	14.0	2.0	0.0	0.0	1.0	0.0	15.0	15.0	12.0	106.0	7	-24
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	13.0	6.5	6.0	5.2	0.0	0.0	0.9	0.0	5.0	13.2	13.2	8.6	6.0	5	1292
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	3.3	3.2	3.0	1.0	0.0	0.0	0.0	0.0	0.0	0.8	1.7	1.7	1.2	5	1292
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BALANCE, ANGOLA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	20.6	26.2	29.8	29.1	31.0	29.7	30.1	31.0	29.4	28.1	27.8	28.6	349.4	5	1292
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	24.9	25.3	28.8	27.5	29.5	26.9	28.6	30.3	27.9	25.2	24.8	28.3	327.7	5	1292
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	5	1292
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	13.8	13.8	11.5	14.4	19.2	15.3	14.8	14.1	11.0	13.2	8.4	10.7	199.4	5	1291
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	7.4	8.4	3.7	5.6	20.8	25.4	23.4	18.8	14.0	6.7	1.7	3.2	139.1	5	1292
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	23.3	22.3	26.0	24.1	29.1	29.7	30.1	31.0	27.0	23.5	21.1	23.8	311.0	5	1292
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	21.2	19.3	22.9	21.9	27.9	29.7	30.1	31.0	26.1	20.4	17.9	19.0	287.4	5	1292
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	21.2	19.3	22.9	21.9	27.9	29.7	30.1	31.0	26.1	20.4	17.9	19.0	287.4	5	1292
	19 LST														0	0

JOVA LISBOA, ANGOLA

STA NO. 06310 (IN AREA NUMBER 03)

LATITUDE 1240S

LONGITUDE 01545E

ELEVATION(FT) 05627

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	88	88	86	84	84	83	83	88	90	90	87	87	90	14	-20
MEAN MAX TMP (F)	78	78	78	78	78	76	77	81	84	81	78	78	79	14	-20
MEAN MIN TMP (F)	58	58	58	57	51	46	47	51	55	58	58	58	55	14	-20
ABS MIN TMP (F)	48	50	50	45	42	36	36	42	46	51	47	49	36	14	-29
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.9	4.8	0.0	0.0	12.7	14	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN DEW PT TMP (F)	55	57	57	52	40	31	26	30	41	54	56	57	46	14	-29
MEAN REL HUM (PCT)	67	71	70	61	45	37	30	30	40	61	69	70	54	13	-20
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	8.70	7.80	9.80	5.70	0.40	0.00	0.05	0.05	0.60	5.50	9.60	8.90	57.1	14	-20
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	14	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN		9.8	10.2	8.8	1.1	0.0	0.2	0.2	1.3	9.0	13.4			14	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS W/OCLR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	9.0	8.0	10.0	4.0	0.0	0.0	0.0	0.0	3.0	14.0	16.0	11.0	75.0	12	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	10.4	5.2	4.6	4.0	0.0	0.0	0.0	0.0	0.0	1.6	4.2	5.2	2.9	5	1492
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1492
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

NOVA LISBOA, ANGOLA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	28.0	27.0	29.0	29.0	31.0	30.0	30.5	31.0	30.0	30.5	29.7	29.9	357.2	5	1492
	19 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0	
	07 LST													0	0	
	13 LST	25.0	26.0	28.4	27.1	29.0	27.0	29.0	27.3	23.7	25.4	23.6	24.0	317.9	5	1492
	19 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0	
	07 LST													0	0	
	13 LST	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.5	0.2	0.2	0.2	1.6	5	1495
	19 LST													0	0	
SFC WND 4-10 KTS AND THP 33-89 DEC F AND NO PRECIP.	01 LST													0	0	
	07 LST													0	0	
	13 LST	7.2	4.6	6.6	7.7	11.2	9.0	10.6	10.2	11.3	10.0	9.9	10.0	108.3	5	1493
	19 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	1.7	2.2	0.7	2.2	16.1	27.3	27.4	26.9	16.2	5.6	0.5	1.1	120.1	5	1496
	19 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	19.0	18.7	18.0	19.4	26.1	29.5	30.0	30.3	29.0	24.6	16.5	18.8	280.7	5	1492
	19 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	12.4	12.9	10.2	13.3	22.7	29.5	29.6	30.0	27.2	19.7	7.9	11.3	226.7	5	1492
	19 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	12.4	12.7	10.2	13.3	22.7	29.5	29.6	30.0	27.2	19.7	7.9	11.3	226.5	5	1492
	19 LST													0	0	

		AREA NO. 03												
ANGOLA		HIGHLANDS				LATITUDE 1100S				LONGITUDE 01930E				
BOUNDARIES		1705S 01300E	0945N 01450E	0945S 01490E	0640S 01300E	0640S 01300E	0835S 01615E	1115S 01705E	1115S 01705E	1720S 01455E	0835S 01615E	0835S 01615E	0835S 01615E	
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		80	80	81	80	82	80	81	84	85	82	80	80	81
MEAN MIN TMP (F)		60	60	60	59	54	48	48	53	57	60	60	60	57
LARGEST MEAN PRECIP(IN)		8.70	7.60	9.00	6.50	0.70	0.05	0.05	0.20	2.00	5.50	9.60	8.90	59.8
SMALLEST MEAN PRECIP(IN)		3.30	5.40	7.60	5.70	0.40	0.00	0.00	0.05	0.60	5.00	8.00	5.90	41.9
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI		01 LST												
		07 LST												
		13 LST	28.7	26.6	29.8	29.1	31.0	29.9	30.3	31.0	29.7	29.3	28.8	29.3 333.5
		19 LST												
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS		01 LST												
		07 LST												
		13 LST	25.0	25.7	28.5	27.3	29.3	27.4	29.2	28.8	25.8	25.3	24.2	26.6 323.1
		19 LST												
SFC WND = GTR 17 KTS AND NO PRECIP.		01 LST												
		07 LST												
		13 LST	0.0	0.0	0.0	0.0	0.4	0.6	0.0	0.0	0.3	0.1	0.1	1.0
		19 LST												
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.		01 LST												
		07 LST												
		13 LST	10.5	9.2	9.1	11.1	15.2	12.2	12.3	12.2	11.2	11.6	9.2	10.4 134.2
		19 LST												
SKY COVER LES 3/10 AND VSBY = GTR 3 MI		01 LST												
		07 LST												
		13 LST	4.6	5.3	2.2	3.9	18.5	26.5	25.4	22.9	15.1	6.2	1.1	2.2 133.9
		19 LST												
CIG = GTR 2500 FT AND VSBY = GTR 3 MI		01 LST												
		07 LST												
		13 LST	21.6	20.5	22.0	21.8	27.6	29.6	30.1	30.7	28.0	24.1	18.8	21.3 296.1
		19 LST												
CIG = GTR 6000 FT AND VSBY = GTR 3 MI		01 LST												
		07 LST												
		13 LST	16.8	16.1	16.6	17.6	25.3	29.6	29.9	30.5	26.7	20.1	12.9	15.2 257.3
		19 LST												
CIG = GTR 10000 FT AND VSBY = GTR 3 MI		01 LST												
		07 LST												
		13 LST	16.8	16.0	16.6	17.6	25.3	29.6	29.9	30.5	26.7	20.1	12.9	15.2 257.2
		19 LST												

CARVALHO DE HENRIQUE, ANGOLA

STA NO. 60225 (IN AREA NUMBER 04)

LATITUDE 09415

LONGITUDE 02025E

ELEVATION(FT) 03609

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	90	91	90	91	91	90	89	93	94	93	90	88	94	9	-3
MEAN MAX TMP (F)	82	83	83	84	85	84	85	88	87	85	82	82	84	9	-3
MEAN MIN TMP (F)	64	64	64	63	58	54	54	59	63	64	64	65	61	9	-3
ABS MIN TMP (F)	58	59	56	56	46	47	47	47	56	59	59	58	46	9	-3
MEAN NO DYS TMP = DR GTR 90(F)	5.9	6.3	7.0	7.9	9.4	7.9	0.0	13.2	11.5	9.4	5.7	0.0	84.2	9	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN DEW PT TMP (F)	67	67	67	67	56	44	45	51	60	62	64	65	60	0	-50
MEAN REL HUM (PCT)	79	77	79	74	50	38	33	36	56	67	76	78	62	9	-32
MEAN PRESS ALT (FT)	3700	3790	3690	3700	3600	3600	3500	3550	3690	3690	3690	3690	3690	0	-90
MEAN PRECIP (IN)	9.37	6.89	9.65	4.88	0.47	0.00	0.00	0.79	3.70	5.00	9.45	7.21	97.4	9	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN		10.3	10.2	8.1	1.2	0.0	0.0	1.7	6.5	8.3	13.3	10.2		9	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTM	12.3	8.9	11.2	10.2	1.0	0.0	0.1	1.7	6.9	11.8	12.3	10.5	86.9	9	-3
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	37.5	17.4	17.4	3.8	0.0	0.0	0.0	14.3	25.5	18.0	27.1	22.7	15.3	2	492
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	0.0	0.0	0.0	0.0	0.3	2	492
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CARVALHO DE HENRIQUE, ANGOLA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	27.1	26.8	28.3	30.0	31.0	30.0	31.0	22.8	20.6	30.4	28.1	28.9	335.0	2	452
	19 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	12.9	20.7	24.2	27.7	31.0	27.5	26.8	17.7	12.9	19.8	15.0	19.7	259.9	2	452
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	453
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	19.4	14.6	10.6	15.0	25.0	23.3	23.4	19.0	16.5	17.4	15.0	14.1	213.5	2	453
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.0	0.0	0.0	8.3	16.7	21.0	15.2	8.2	3.1	0.0	0.7	73.2	2	453
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	11.6	14.6	14.8	18.5	28.6	29.2	30.4	22.1	14.7	18.6	14.4	15.5	233.0	2	452
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	11.6	10.9	9.4	11.5	27.4	28.3	30.4	21.5	13.5	18.0	13.1	12.7	208.3	2	452
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	10.3	10.9	9.4	11.5	27.4	28.3	30.4	21.5	13.5	18.0	12.5	12.7	206.4	2	452
	19 LST														0	0

LUSO, ANGOLA

LATITUDE 11455

LONGITUDE 01951E

ELEVATION(FT) 04957

STA NO. 66285 (IN AREA NUMBER 04)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	91	90	90	92	90	88	86	93	95	94	93	90	95	13	-28
MEAN MAX TMP (F)	81	80	81	81	81	79	79	84	88	85	81	81	82	13	-28
MEAN MIN TMP (F)	62	62	62	60	53	48	47	52	58	62	61	62	57	13	-28
ABS MIN TMP (F)	52	56	53	48	42	38	37	40	48	52	55	53	37	13	-28
MEAN NO DYS TMP = OR GTR 90(F)	4.8	0.0	4.8	4.6	4.8	0.0	0.0	0.2	12.7	9.4	4.6	4.8	58.7	13	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	-50
MEAN DEW PT TMP (F)	59	61	59	63	48	44	38	43	50	59	59	59	54	0	-28
MEAN REL HUM (PCT)	72	76	71	65	52	45	39	41	42	57	70	73	59	0	-50
MEAN PRESS ALT (FT)	4250	4250	4250	4200	4150	4150	4150	4150	4200	4200	4250	4250	4204	0	-28
MEAN PRECIP (IN)	9.10	7.60	7.20	2.90	0.10	0.05	0.00	0.10	0.70	3.00	6.00	8.10	44.8	13	-29
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN		9.9	9.5	5.9	0.3	0.2	0.0	0.3	1.5	5.4	9.6			13	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	9.0	11.0	12.0	6.0	0.0	0.0	0.0	0.0	4.0	11.0	13.0	12.0	78.0	12	-24
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	13.5	9.3	11.5	3.2	0.8	0.0	0.0	0.0	3.1	4.7	6.5	10.2	5.2	5	1503
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.8	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8	2.5	0.4	5	1503
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

LUSO, ANGOLA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	30.0	26.3	28.4	30.0	31.0	30.0	31.0	31.0	29.5	30.5	29.0	29.1	356.0	5	1503
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	24.1	23.7	26.5	28.8	30.5	29.9	30.5	31.0	28.1	28.3	25.8	26.3	333.1	5	1499
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1499
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	8.7	6.2	6.0	10.3	8.8	8.6	8.7	9.0	6.8	6.8	6.6	5.8	92.3	5	1497
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.0	0.2	1.2	4.9	10.4	9.7	11.3	5.9	0.7	0.0	0.0	44.3	5	1500
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	15.0	15.9	18.2	19.2	25.6	29.0	30.5	30.0	24.1	20.8	19.5	19.2	267.0	5	1503
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	8.8	9.7	11.6	11.8	20.7	27.8	30.5	29.3	20.6	13.5	12.4	12.9	209.6	5	1503
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	8.8	9.5	11.6	11.8	20.7	27.8	30.5	29.0	20.6	13.5	12.4	12.9	209.1	5	1503
	19 LST														0	0

SILVA PORTO, ANGOLA

STA NO. 66325 (IN AREA NUMBER 04)

LATITUDE 12235

LONGITUDE 01697E

ELEVATION(FT) 09643

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	85	84	84	85	83	81	82	89	89	89	85	84	89	6	-28
MEAN MAX TMP (F)	77	76	76	76	76	74	76	80	84	80	76	75	77	10	-28
MEAN MIN TMP (F)	58	58	59	56	50	44	46	49	55	57	58	58	54	10	-28
ABS MIN TMP (F)	39	45	42	33	30	23	32	32	38	43	44	41	23	5	-28
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0		5	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN DEW PT TMP (F)	58	59	60	56	45	33	31	30	43	52	57	57	48	9	-29
MEAN REL HUM (PCI)	75	77	79	74	57	42	37	32	43	60	73	75	60	8	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	7.60	7.70	8.00	3.00	0.40	0.00	0.00	0.10	0.90	4.30	7.60	8.70	48.3	10	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0		5	-29
MEAN NO DYS PREP = DR GTR 0.1 IN	9.9	9.9	9.8	6.0	1.1	0.0	0.0	0.3	1.9	7.3	11.4			10	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS W/OCLR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	20.0	22.7	34.8	28.0	7.7	0.0	0.0	0.0	0.0	4.0	19.0	10.6	12.2	2	392
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	392
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SILVA PORTO, ANGOLA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	30.0	31.0	30.0	31.0	365.0	2	392
	19 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST	17.4	15.3	9.4	12.0	16.7	23.7	24.1	26.8	19.4	22.9	17.1	22.4	2	392
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	394
	19 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST	17.4	17.8	12.9	24.2	23.8	22.5	21.8	17.6	19.4	23.6	15.0	16.5	2	394
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST	0.0	1.3	0.0	0.0	7.1	20.0	18.4	23.3	21.9	0.6	0.0	0.7	2	390
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST	18.6	15.3	10.8	13.2	26.2	30.0	31.0	30.3	28.4	23.6	15.7	20.4	2	392
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST	17.4	15.3	10.8	13.2	26.2	30.0	31.0	30.3	27.5	19.2	13.6	17.1	2	392
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST	17.4	15.3	10.8	13.2	26.2	30.0	31.0	30.3	27.5	19.2	13.6	17.1	2	392
	19 LST													0	0

SERPA PINTO, ANBOLA

STA NO. 66410 (IN AREA NUMBER 04)

LATITUDE 1439S

LONGITUDE 01741E

ELEVATION(FT) 04699

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	90	95	91	90	88	86	87	95	98	99	101	91	101	4	-28
MEAN MAX TMP (F)	84	85	83	84	82	79	80	85	91	92	92	85	75	3	-28
MEAN MIN TMP (F)	62	63	65	53	46	39	38	44	51	61	58	61	53	3	-26
ABS MIN TMP (F)	90	54	57	42	32	26	28	32	37	47	48	50	26	4	-28
MEAN NO DYS TMP = OR GTR 90(F)	8.2	8.4	7.0	7.9	0.0	0.0	0.0	9.4	16.6	18.5	17.9	9.4	103.3	3	-29
MEAN NO DYS TMP = OR LFS 32(F)	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0	0.0		4	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN DEW PT TMP (F)	62	64	65	56	48	39	35	32	36	49	60	60	51	4	-29
MEAN REL HUM (PCT)	71	73	75	68	60	53	45	34	32	42	63	68	57	3	-32
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	7.48	6.50	7.13	2.28	0.28	0.00	0.00	0.00	0.32	1.06	3.27	9.87	34.2	3	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0	0.0		4	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.0	10.4	9.5	4.9	0.8	0.0	0.0	0.0	0.8	2.2	5.8	10.2	34.6	3	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/O LES 3 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SERPA PINTO, ANGOLA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST						30.0	31.0	31.0	27.7	31.0	28.8	31.0		1	165
	19 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST						25.4	28.7	29.8	23.1	25.0	26.4	25.6		1	165
	19 LST														0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST						0.0	0.0	0.0	0.0	0.0	0.0	0.0		1	165
	19 LST														0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST						6.9	10.3	16.1	8.1	20.2	12.0	13.5		1	165
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST						27.7	29.2	27.3	23.1	3.6	1.2	5.4		1	165
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST						30.0	29.8	31.0	26.5	27.4	26.4	20.2		1	165
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST						30.0	28.7	31.0	25.4	19.1	22.8	13.5		1	165
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST						30.0	28.7	31.0	25.4	19.1	22.8	13.5		1	165
	19 LST														0	0

PEREIRA BEECA, ANGOA

STA NO. 66488/ (IN AREA NUMBER 04)

LATITUDE 1703S

LONGITUDE 01540E

ELEVATION(FT) 03910

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	101	99	99	97	94	89	90	95	99	102	103	101	105	21	-20
MEAN MAX TMP (F)	90	88	87	87	85	81	81	87	93	95	94	90	88	14	-20
MEAN MIN TMP (F)	65	65	64	61	53	45	43	48	57	63	65	65	58	14	-20
ABS MIN TMP (F)	52	55	49	45	36	28	29	25	35	45	52	46	25	21	-20
MEAN NO DYS TMP = OR GTR 90(F)	15.9	11.9	11.9	11.5	9.4	0.0	4.0	11.9	19.1	22.4	20.4	15.9	195.1	14	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0		0.0		0.0	0.0	0.0	0.0		21	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN DEW PT TMP (F)	61	63	61	55	43	31	28	29	37	47	55	60	48	12	-29
MEAN REL HUM (PCT)	60	67	65	55	44	35	32	28	29	37	48	59	47	9	-28
MEAN PRESS ALT (FT)	3550	3550	3400	3550	3500	3400	3350	3400	3400	3450	3500	3500	3479	0	-30
MEAN PRECIP (IN)	4.00	5.90	5.10	2.30	0.20	0.00	0.05	0.00	0.05	0.70	2.10	5.60	26.0	21	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0		0.0		0.0	0.0	0.0	0.0		21	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.2	10.2	8.3	5.0	0.6	0.0	0.2	0.0	0.3	1.5	4.0	10.0	48.3	21	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS W/NCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTM	4.0	8.0	6.0	3.0	1.0	0.0	0.0	0.0	1.0	3.0	5.0	5.0	36.0	11	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 20 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

PEREIRA BECA, ANGOLA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
		CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

ANGOLA

AREA NO. 84

CENTRAL PLATEAU

LATITUDE 1330S LONGITUDE 01900E

BOUNDARIES 0900S 0215E 0835S 01615E 0835S 01615E 1115S 01705E 1115S 01705E 1720S 01495E

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	83	82	82	82	82	79	80	85	89	87	85	83	83
MEAN MIN TMP (F)	62	62	63	59	52	46	46	50	57	61	61	62	57
LARGEST MEAN PRECI. (IN)	9.37	7.70	9.65	4.88	0.47	0.05	0.05	0.79	3.70	5.00	9.45	0.70	39.8
SMALLEST MEAN PRECI. (IN)	4.00	5.90	5.10	2.28	0.10	0.00	0.00	0.00	0.05	0.70	2.10	5.60	25.0

MEAN NUMBER OF DAYS

CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	29.4	27.0	29.3	30.0	31.0	30.0	31.0	29.0	27.0	30.7	29.3	30.0 399.4
	19 LST												
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST												
	07 LST												
	13 LST	18.1	19.9	20.0	22.8	26.1	26.5	27.5	26.3	20.9	24.0	21.1	23.5 276.7
	19 LST												
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST												
	07 LST												
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	19 LST												
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST												
	07 LST												
	13 LST	15.2	12.9	9.9	16.5	19.2	19.3	16.1	15.4	12.7	17.0	12.2	12.5 174.9
	19 LST												
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	0.0	0.4	0.1	0.4	6.8	10.7	10.6	19.3	14.0	2.0	0.3	1.7 89.1
	19 LST												
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	15.1	15.3	14.6	17.0	26.8	29.6	30.4	28.4	23.4	22.6	19.0	18.0 261.0
	19 LST												
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	12.6	12.0	10.6	12.2	24.8	29.0	30.2	28.0	21.8	17.5	15.5	14.1 228.3
	19 LST												
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	12.2	11.9	10.6	12.2	24.8	29.0	30.2	28.0	21.8	17.5	15.3	14.1 227.6
	19 LST												

BADM, DECUABALAND

STA NO. 40032 (IN AREA NUMBER 01)

LATITUDE 1999S

LONGITUDE 02325E

ELEVATION(FT) 03101

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	104	103	102	99	96	92	90	97	101	109	110	100	110	30	-28
MEAN MAX TMP (F)	90	89	88	87	82	77	77	83	91	95	94	91	87	20	-28
MEAN MIN TMP (F)	66	66	63	58	49	42	42	47	55	64	66	66	57	20	-28
ABS MIN TMP (F)	48	48	50	38	29	25	25	24	31	43	49	52	24	30	-28
MEAN NO DYS TWP - DR GTR 90(F)	15.9	15.0	13.2	11.5	5.9		0.0	7.0	16.6	22.4	20.4	17.2		20	-29
MEAN NO DYS TWP - DR LES 32(F)	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		30	-29
MEAN NO DYS TWP - DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN DEN PT TMP (F)	61	61	59	51	43	38	35	36	38	47	52	57	48	17	-29
MEAN REL HUM (PCT)	60	60	61	52	49	44	45	39	33	36	43	52	48	10	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.30	3.80	3.50	1.10	0.20	0.05	0.00	0.00	0.05	0.50	1.90	2.80	18.2	20	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		30	-29
MEAN NO DYS PRCP - DR GTR 0.1 IN	8.6	7.9	6.7	2.7	0.6	0.2	0.0	0.0	0.3	1.1	3.6	6.1	37.0	20	-29
MEAN NO DYS SNFL - DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD - DR GTR 17 KTS														0	0
P FREQ WND SPD - DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	5.6	6.2	4.9	1.4	1.3	0.0	0.7	0.0	0.0	0.0	1.4	2.1	2.0	9	1717
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1717
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BAUN, BECHUANALAND
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	00S
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	30.5	26.9	29.9	29.8	31.0	30.0	31.0	31.0	30.0	31.0	30.0	30.6	361.7	5	1717
	20 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST														0	0
	14 LST	23.2	23.0	24.8	27.6	27.7	23.4	29.9	29.1	29.1	24.9	23.6	29.0	297.3	5	1715
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	0.7	0.0	0.2	0.2	0.6	0.2	0.0	0.2	0.2	0.4	0.2	0.0	2.9	5	1727
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	6.7	7.0	7.6	8.8	14.3	16.3	16.5	17.5	6.4	3.5	5.5	7.3	117.4	5	1715
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	1.9	2.3	3.5	9.8	20.5	25.6	26.7	26.6	26.3	19.1	5.9	4.9	168.7	5	1726
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	27.0	24.5	28.4	29.3	29.9	30.0	30.8	31.0	30.0	30.8	29.0	29.1	349.8	5	1717
	20 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	21.7	20.2	26.0	27.6	28.7	28.7	30.2	30.1	30.0	29.7	27.1	23.6	323.6	5	1717
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	18.0	14.0	20.3	23.9	27.3	28.7	30.2	30.1	29.8	28.9	23.2	20.8	299.2	5	1717
	20 LST														0	0

FRANCISTOWN, BECHUANALAND

STA NO. 68054 (IN AREA NUMBER 01)

LATITUDE 21135

LONGITUDE 02720E

ELEVATION(FT) 03250

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	104	103	100	96	94	88	89	95	100	105	107	109	107	30	-28
MEAN MAX TMP (F)	88	86	85	83	79	74	75	79	86	90	89	88	84	20	-28
MEAN MIN TMP (F)	65	64	61	56	48	41	41	45	54	61	64	65	55	20	-28
ABS MIN TMP (F)	48	48	48	32	28	24	27	27	31	41	44	50	24	30	-28
MEAN NO DYS TMP = OR GTR 90(F)	13.2	9.6	9.4	6.7		0.0	0.0		10.3	15.9	14.0	13.2		20	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0		30	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN DEW PT TMP (F)	64	63	63	58	51	47	44	46	51	56	61	62	56	20	-29
MEAN REL HUM (PCT)	69	73	74	70	68	70	63	60	55	56	63	65	66	20	-28
MEAN PRESS ALT (FT)	3086	3074	3036	2975	2931	2888	2876	2901	2956	3002	3046	3170	2995	0	-50
MEAN PRECIP (IN)	4.20	3.10	2.80	0.70	0.20	0.10	0.05	0.05	0.05	0.90	2.20	3.40	17.8	28	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0		30	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.5	6.6	5.7	1.8	0.6	0.3	0.2	0.2	0.3	1.9	4.1	7.2	37.4	28	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0		30	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 03-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

FRANCISTOWN, BECHUANALAND
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0

DATA NOT AVAILABLE

AREA NO. 01

BECHUANALAND


ARID PLATEAU
BOUNDARIES

LATITUDE 2200S

LONGITUDE 02400E

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	89	88	87	85	81	76	76	81	89	93	92	90	86
MEAN MIN TMP (F)	66	65	62	57	49	42	42	46	55	63	65	66	57
LARGEST MEAN PRECIP(IN)	4.30	3.80	3.50	1.10	0.20	0.10	0.05	0.05	0.05	0.90	2.20	3.40	19.6
SMALLEST MEAN PRECIP(IN)	4.20	3.10	2.80	0.70	0.20	0.5	0.00	0.00	0.05	0.50	1.90	2.80	16.3
	MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST												
	08 LST												
	14 LST	30.5	26.9	29.9	29.8	31.0	30.0	31.0	31.0	30.0	31.0	30.0	30.6
	20 LST												361.7
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST												
	04 LST												
	14 LST	23.2	23.0	24.0	27.6	27.7	23.4	25.9	25.1	23.1	24.9	23.6	25.0
	20 LST												297.3
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST												
	08 LST												
	14 LST	0.7	0.0	0.2	0.2	0.6	0.2	0.0	0.2	0.2	0.4	0.7	0.0
	20 LST												2.9
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST												
	08 LST												
	14 LST	6.7	7.0	7.6	8.8	14.3	16.3	16.5	17.9	6.4	3.5	5.5	7.3
	20 LST												117.4
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST												
	08 LST												
	14 LST	1.9	2.1	3.5	9.8	20.5	25.6	26.7	26.6	26.3	15.1	5.5	4.9
	20 LST												168.7
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST												
	08 LST												
	14 LST	27.0	24.5	28.4	29.3	29.9	30.0	30.8	31.0	30.0	30.8	29.0	29.1
	20 LST												349.8
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST												
	08 LST												
	14 LST	21.7	20.2	26.0	27.6	28.7	28.7	30.2	30.1	30.0	29.7	27.1	23.6
	20 LST												323.6
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST												
	08 LST												
	14 LST	18.0	14.0	20.3	23.9	27.3	28.7	30.2	30.1	29.8	28.9	23.2	20.8
	20 LST												295.2

BURUNDI-RWANDA
CEN. AFR. REP. - CAMEROON



STA NO. 64178/ (IN AREA NUMBER 01)

BUJUMBURA, BURUNDI-RWANDA

LATITUDE 0320S

LONGITUDE 02919E

ELEVATION(FT) 02566

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	AMN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	90	94	92	93	90	89	89	97	91	92	90	83	97	8	-75
MEAN MAX TMP (F)	82	83	84	83	83	83	83	86	86	85	83	81	84	8	-75
MEAN MIN TMP (F)	66	65	66	66	66	63	62	64	66	66	66	66	65	7	-75
ABS MIN TMP (F)	60	60	60	60	60	58	56	54	59	61	59	59	54	8	-75
MEAN NO DYS TMP = DR GTR 90(F)	5.9	6.3	8.2	6.7	7.6	0.0	0.0	10.7	10.3	9.4	6.7	0.0	71.2	8	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN DEN PT TMP (F)	66	65	67	66	64	58	56	57	58	61	64	66	62	7	-29
MEAN WSL HUM (PCT)	77	76	79	78	73	64	60	57	58	65	73	79	70	5	6515
MEAN PRESS ALT (FT)	2653	2663	2663	2643	2603	2553	2543	2553	2573	2603	2643	2633	2611	0	-50
MEAN PREC'P (IN)	3.69	4.04	4.71	6.51	2.41	0.23	0.13	0.11	1.23	2.77	3.89	3.84	33.6	11	-75
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.7	8.2	8.0	9.2	5.1	0.6	0.4	0.3	2.5	5.0	6.7	7.9	61.6	11	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/OCLR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1046
MEAN NO DYS TSTM	22.2	17.9	20.8	13.3	8.0	2.5	0.4	3.8	8.4	14.8	16.3	16.5	144.9	4	1046
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.4	0.6	0.9	1.1	0.2	0.3	4	6199
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.2	0.1	4	6199
P FREQ LES 3000 FT A/D LES 5 MI	8.1	5.5	5.9	12.0	10.2	5.0	7.8	4.9	6.6	10.7	17.5	9.1	8.6	4	6207
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	0.5	1.1	0.0	1.1	0.0	0.0	0.0	0.0	0.0	1.1	2.2	0.3	5	-30
03-05 LST	0.0	1.6	2.2	0.8	1.7	0.0	0.0	0.0	0.0	0.8	2.3	3.3	1.1	5	1254
06-08 LST	1.6	2.4	0.0	0.8	1.6	0.0	0.0	0.0	0.0	0.8	0.0	1.6	0.7	5	1368
09-11 LST	2.4	2.4	2.2	1.7	0.8	0.0	0.0	0.0	1.7	0.8	2.5	4.1	1.6	5	1398
12-14 LST	1.6	0.0	2.2	1.7	0.8	0.0	0.0	0.0	0.0	1.6	3.4	3.3	1.2	5	1387
15-17 LST	0.0	1.2	2.2	0.9	0.8	0.0	0.0	0.8	0.8	0.8	3.3	0.8	1.0	5	1357
18-20 LST	1.1	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.1	0.4	4	1134
21-23 LST	0.6	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.0	0.3	5	-30
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-30
03-05 LST	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1254
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.1	5	1368
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1398
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1387
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.1	5	1357
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1134
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-30

**BUJUMBURA, BURUNDI-RWANDA
MEAN NUMBER OF DAYS**

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	31.0	27.7	31.0	29.7	30.5	30.0	31.0	31.0	30.0	31.0	30.0	30.7	303.6	5	1368
	14 LST	31.0	27.7	31.0	30.0	31.0	30.0	31.0	31.0	29.7	30.7	29.5	30.7	303.3	5	1387
	20 LST	31.0	28.0	31.0	30.0	31.0	29.3	31.0	31.0	30.0	31.0	30.0	31.0	304.3	4	1134
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	30.5	27.3	31.0	29.5	30.5	30.0	30.7	31.0	30.0	30.7	29.5	30.2	300.9	5	1368
	14 LST	23.9	23.3	25.6	25.7	23.2	14.6	13.4	11.9	13.9	17.0	17.4	21.4	231.3	5	1385
	20 LST	30.0	27.3	29.6	29.0	30.0	28.7	30.6	29.3	27.9	30.0	29.3	30.0	291.7	4	1133
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	5	1368
	14 LST	0.2	0.0	0.0	0.0	0.0	0.2	0.2	0.5	0.2	0.2	0.8	0.2	2.5	5	1385
	20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1132
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST	11.6	8.2	10.3	7.1	8.6	9.3	6.2	11.0	13.5	10.6	13.0	8.0	117.4	5	1327
	14 LST	21.0	21.0	20.6	16.4	21.1	19.9	19.4	17.9	17.1	15.6	12.3	13.0	217.3	5	1343
	20 LST	13.6	10.9	14.1	14.0	12.8	12.1	8.8	14.5	12.6	12.0	14.1	8.1	147.2	4	1093
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	2.5	4.6	2.3	1.2	6.1	11.8	13.7	14.7	5.6	3.2	2.5	1.5	69.7	5	1368
	14 LST	1.0	3.0	1.3	2.8	5.8	16.0	20.2	15.6	10.3	4.0	1.7	1.7	83.4	5	1387
	20 LST	5.3	4.9	4.0	7.8	13.6	20.0	23.7	18.3	16.7	6.0	7.1	4.1	131.5	4	1134
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	29.2	27.0	30.0	28.2	28.5	29.5	30.5	30.2	29.3	30.2	28.7	30.2	331.5	5	1368
	14 LST	29.5	27.3	30.0	28.2	30.0	29.7	31.0	31.0	29.2	28.7	28.2	29.0	331.8	5	1387
	20 LST	29.3	27.0	29.6	29.5	30.7	28.7	30.6	30.3	29.3	30.3	29.3	30.3	334.9	4	1134
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	28.2	27.0	29.3	25.2	24.6	28.7	28.5	29.5	28.0	28.2	27.5	29.5	334.2	5	1368
	14 LST	27.4	25.6	29.6	24.2	27.7	29.7	31.0	30.7	29.0	25.7	23.4	26.4	330.4	5	1387
	20 LST	28.3	26.0	29.3	28.7	29.7	27.3	30.2	30.0	27.6	30.0	28.3	29.3	344.7	4	1134
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	28.2	27.0	29.3	25.2	24.6	28.7	28.2	29.5	28.0	28.0	27.5	29.5	333.7	5	1368
	14 LST	27.4	25.6	29.6	24.2	27.7	29.7	31.0	30.7	29.0	25.7	23.4	26.4	330.4	5	1387
	20 LST	28.3	26.0	29.3	28.7	29.7	27.3	30.2	30.0	27.6	29.3	28.0	28.6	343.0	4	1134

BURUNDI-RWANDA		HIGHLANDS BOUNDARIES		AREA NO. 01											
		LATITUDE 0330S LONGITUDE 03000E													
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)		82	83	84	83	83	83	83	86	86	85	83	81	84	
MEAN MIN TMP (F)		66	65	66	66	66	63	62	64	66	66	66	66	65	
LARGEST MEAN PRECIP(IN)		3.69	4.04	4.71	6.51	2.41	0.23	0.13	0.11	1.23	2.77	3.89	3.84	33.6	
SMALLEST MEAN PRECIP(IN)		3.69	4.04	4.71	6.51	2.41	0.23	0.13	0.11	1.23	2.77	3.89	3.84	33.6	
		MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI		02 LST													
		08 LST	31.0	27.7	31.0	29.7	30.5	30.0	31.0	31.0	30.0	31.0	30.9	30.7 363.6	
		14 LST	31.0	27.7	31.0	30.0	31.0	30.0	31.0	31.0	29.7	30.7	29.5	30.7 363.3	
		20 LST	31.0	28.0	31.0	30.0	31.0	29.3	31.0	31.0	30.0	31.0	30.0	31.0 364.3	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS		02 LST													
		08 LST	30.5	27.3	31.0	29.5	30.5	30.0	30.7	31.0	30.0	30.7	29.5	30.2 360.9	
		14 LST	29.9	29.3	29.6	25.7	23.2	14.6	19.4	11.9	13.9	17.0	17.4	21.4 231.3	
		20 LST	30.0	27.3	29.6	29.0	30.0	28.7	30.6	29.3	27.9	30.0	29.3	30.0 361.7	
SFC WND = GTR 17 KTS AND NO PRECIP.		02 LST													
		08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 0.2	
		14 LST	0.2	0.0	0.0	0.0	0.0	0.2	0.2	0.5	0.2	0.2	0.8	0.2 2.3	
		20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.		02 LST													
		08 LST	11.6	8.2	10.3	7.1	8.6	9.3	6.2	11.0	13.5	10.6	13.0	8.0 117.4	
		14 LST	21.0	21.0	20.6	16.4	21.1	19.9	19.4	17.9	17.1	15.6	12.3	15.0 217.3	
		20 LST	13.6	10.5	14.1	14.0	12.8	12.1	8.8	14.5	12.6	12.0	14.1	8.1 147.2	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI		02 LST													
		08 LST	2.5	4.6	2.3	1.2	6.1	11.8	13.7	14.7	5.6	3.2	2.5	1.5 69.7	
		14 LST	1.0	3.0	1.3	2.8	5.8	16.0	20.2	15.6	10.3	4.0	1.7	1.7 83.4	
		20 LST	5.3	4.9	4.0	7.8	13.6	20.0	23.7	18.3	16.7	6.0	7.1	4.1 131.5	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI		02 LST													
		08 LST	29.2	27.0	30.0	28.1	28.5	29.5	30.4	30.2	29.3	30.2	28.7	30.2 351.5	
		14 LST	29.5	27.3	30.0	28.2	30.0	29.7	31.0	31.0	29.2	28.7	28.2	29.0 351.8	
		20 LST	29.3	27.0	29.6	29.5	30.7	28.7	30.6	30.3	29.3	30.3	29.3	31.3 354.9	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI		02 LST													
		08 LST	28.2	27.0	29.3	25.2	24.6	28.7	28.5	29.5	28.0	28.2	27.5	21.5 334.2	
		14 LST	27.4	25.6	29.6	24.2	27.7	29.7	31.0	30.7	29.0	25.7	23.4	26.4 330.4	
		20 LST	28.3	26.0	29.3	28.7	29.7	27.3	30.2	30.0	27.6	30.0	28.3	29.3 344.7	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI		02 LST													
		08 LST	28.2	27.0	29.3	25.2	24.6	28.7	28.2	29.5	28.0	28.0	27.5	29.5 333.7	
		14 LST	27.4	25.6	29.6	24.2	27.7	29.7	31.0	30.7	29.0	23.7	23.4	26.4 330.4	
		20 LST	28.3	26.0	29.3	28.7	29.7	27.3	30.2	30.0	27.6	29.3	28.0	28.6 343.0	

M'DELE, CENTRAL AFRICAN REPUBLIC

STA NO. 64654 (IN AREA NUMBER 01)

LATITUDE 0824N

LONGITUDE 02039E

ELEVATION(FT) 01969

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	109	104	100	104	99	94	96	94	97	100	104	105	109	3	-28
MEAN MAX TMP (F)	97	98	100	98	92	88	85	85	86	89	93	95	92	5	-14
MEAN MIN TMP (F)	68	69	73	73	72	70	69	69	68	68	65	65	69	5	-14
ABS MIN TMP (F)	61	58	64	66	65	65	65	66	65	64	59	58	58	3	-28
MEAN NO DYS TMP = OR GTR 90(F)	24.9	23.5	31.0	25.2	18.5	12.7	9.4	9.4	10.3	14.5	19.1	22.4	220.9	5	-29
MEAN A.T DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	3	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN DEN PT TMP (F)	47	48	64	69	70	71	71	71	71	70	64	56	64	5	-29
MEAN REL HUM (PCT)	33	34	52	62	71	79	83	84	83	78	64	48	64	5	-32
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.04	0.24	1.34	1.65	5.51	5.51	7.64	10.04	10.16	6.73	0.59	0.08	49.5	30	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.2	0.7	3.2	3.8	8.6	9.0	11.2	13.2	13.9	10.5	1.3	0.3	75.9	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	22.2	0.0	21.4	8.3	6.7	14.3	0.0	0.0	6.1	3	136
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	11.1	0.0	0.0	8.3	0.0	0.0	0.0	0.0	1.6	3	136
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

N'GHELE, CENTRAL AFRICAN REPUBLIC
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	31.0	28.0	31.0	30.0	27.5	30.0	28.8	28.4	28.0	26.6	30.0	31.0	390.3	3	136
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	31.0	23.3	31.0	30.0	23.3	30.0	28.8	19.7	24.0	26.6	27.3	20.6	310.6	3	131
SFC WND = GTR 17 KTS AND NO PRECIP.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0	0.0	0.0	2.8	3	137
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	3.1	0.0	4.7	3.0	23.3	29.7	29.8	6.2	12.8	17.7	8.2	2.4	132.9	3	130
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17.7	12.9	4.7	3.0	0.0	2.0	2.4	0.0	0.0	0.0	18.5	26.6	87.8	3	144
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	31.0	28.0	31.0	26.6	20.6	29.4	17.7	20.6	20.0	22.1	27.5	31.0	301.3	3	136
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	31.0	28.0	28.6	23.3	17.2	23.1	11.1	12.9	14.0	17.7	29.0	31.0	262.9	3	136
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	31.0	28.0	26.2	23.3	17.2	23.1	11.1	12.9	14.0	17.7	29.0	31.0	260.3	3	136

AREA NO. 8,

CENTRAL AFRICAN REPUBLIC EASTERN PLATEAU
 BOUNDARIES 0749N 01790E 0920N 02930E
 LATITUDE 0830N LONGITUDE 02130E

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	97	98	100	98	92	88	85	85	86	89	93	95	92
MEAN MIN TMP (F)	68	69	73	73	72	70	69	69	68	68	65	65	69
LARGEST MEAN PRECIP(IN)	0.04	0.24	1.34	1.65	5.51	5.51	7.64	10.04	10.16	6.73	0.59	0.08	49.5
SMALLEST MEAN PRECIP(IN)	0.04	0.24	1.34	1.65	5.51	5.51	7.64	10.04	10.16	6.73	0.59	0.08	49.5
	MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	31.0	28.0	31.0	30.0	27.5	30.0	28.8	28.4	28.0	26.6	30.0	31.0 350.3
	19 LST												
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST												
	07 LST												
	13 LST	31.0	23.3	31.0	30.0	23.3	30.0	23.8	19.7	24.0	26.6	27.3	20.6 310.6
	19 LST												
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST												
	07 LST												
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0	0.0	2.8
	19 LST												
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST												
	07 LST												
	13 LST	5.1	0.0	4.7	3.0	23.3	25.7	23.8	6.2	12.8	17.7	8.2	2.4 132.9
	19 LST												
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	17.7	12.9	4.7	3.0	0.0	2.0	2.4	0.0	0.0	0.0	18.5	26.6 87.8
	19 LST												
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	31.0	28.0	31.0	26.6	20.6	25.4	17.7	20.6	20.0	22.1	27.5	31.0 301.5
	19 LST												
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	31.0	28.0	28.6	23.3	17.2	23.1	11.1	12.9	14.0	17.7	25.0	31.0 262.9
	19 LST												
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	31.0	28.0	26.2	23.3	17.2	23.1	11.1	12.9	14.0	17.7	25.0	31.0 260.5
	19 LST												

BEBBERATI, CENTRAL AFRICAN REPUBLIC

STA NO. 64600 IN AREA NUMBER 02)

LATITUDE 0413N

LONGITUDE 01547E

ELEVATION(FT) 01916

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	96	97	96	96	95	91	91	91	92	93	93	93	97	5	-20
MEAN MAX TMP (F)	89	89	89	88	87	85	83	82	85	85	87	89	87	5	-20
MEAN MIN TMP (F)	65	66	68	68	68	67	67	66	66	66	63	63	66	5	-20
ABS MIN TMP (F)	55	56	63	63	64	63	61	59	63	63	59	56	55	5	-20
MEAN NO DYS TMP = DR GTR 90(F)	14.5	13.0	14.5	12.7	11.9	9.0	7.0	5.9	9.0	9.4	11.5	14.5	132.9	5	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN DEW PT TMP (F)	68	69	71	71	73	71	70	69	70	70	69	66	70	0	-50
MEAN REL HUM (PCT)	72	74	77	78	82	84	84	85	85	85	81	71	80	10	-32
MEAN PRESS ALT (FT)	1850	1852	1744	1693	1699	1748	1685	1724	1777	1759	1757	1800	1757	0	-50
MEAN PRECIP (IN)	0.83	2.09	3.54	5.28	6.42	6.02	5.39	7.56	8.47	10.55	3.54	0.91	60.6	25	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.9	4.6	6.7	8.5	9.2	9.6	8.8	11.2	12.3	14.2	6.2	2.1	95.3	25	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	2.2	0.0	0.0	2.6	3.3	2.6	0.1	6.6	4.2	4.8	1.7	0.8	3.1	4	1946
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.1	4	1946
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BERBERATI, CENTRAL AFRICAN REPUBLIC
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	31.0	27.3	31.0	30.0	30.5	29.7	30.7	30.2	29.5	30.7	29.7	31.0	301.3	4	1346
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	24.6	22.9	26.3	26.1	27.7	28.2	19.1	23.0	25.9	27.0	28.5	28.5	307.8	4	1346
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1353
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	18.3	15.0	12.6	8.5	9.0	9.9	16.7	19.3	13.1	15.0	17.5	20.6	175.5	4	1353
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	9.6	8.3	4.0	1.5	0.7	0.0	0.0	0.0	0.0	0.2	3.8	10.8	38.9	4	1352
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	28.3	29.6	28.6	23.8	22.8	24.2	19.9	20.0	21.1	23.7	27.5	28.7	294.2	4	1346
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	22.7	22.5	22.6	20.0	15.1	16.2	12.8	10.5	10.9	15.2	24.2	26.2	218.9	4	1346
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	22.7	22.5	22.6	20.0	15.1	16.2	12.8	10.5	10.7	15.2	24.2	26.2	218.7	4	1346
	19 LST														0	0

BOUAR, CENTRAL AFRICAN REPUBLIC

STA NO. 64601 (IN AREA NUMBER 02)

LATITUDE 0550N

LONGITUDE 01530E

ELEVATION(FT) 09360

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	98	99	97	96	100	105	97	91	91	90	92	96	105	4	-28
MEAN MAX TMP (F)	91	91	89	88	86	85	85	81	63	84	88	90	86	4	-28
MEAN MIN TMP (F)	65	67	67	67	66	65	65	65	64	64	65	65	65	4	-28
ABS MIN TMP (F)	58	60	60	60	60	59	61	59	59	60	58	59	58	4	-28
MEAN NO DYS TMP = DR GTR 90(F)	17.2	15.5	14.8	12.7	10.7	6.7	7.0	4.8	6.7	8.2	12.7	15.9	132.6	4	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN DEW PT TMP (F)	52	62	67	68	69	68	68	68	69	68	60	49	64	0	-50
MEAN REL HUM (PC)	38	45	64	73	78	81	83	85	83	80	63	42	68	10	-32
MEAN PRESS ALT (FT)	3254	3257	3106	3144	3155	3190	3167	3200	3233	3206	3211	3226	3203	0	-90
MEAN PRECIP (IN)	0.20	0.60	2.20	4.20	4.80	5.40	6.20	11.20	10.30	6.80	0.90	0.20	52.6	17	-14
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.6	1.4	4.8	7.5	8.1	8.8	9.8	13.9	14.0	10.5	1.1	0.6	81.1	17	-29
MEAN NO DYS SNFL = DR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS W/GCUR VSBY LES 1/2 MI														5	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	9.1	18.2	0.0	0.0	0.0	40.0	20.0	9.1	0.0	0.0	0.0	8.0	3	89
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	9.1	0.0	0.0	0.0	0.0	0.0	0.0	9.0	0.0	0.0	0.0	0.8	3	89
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BOUAR, CENTRAL AFRICAN REPUBLIC
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	6.9	7.6	19.7	30.0	31.0	30.0	24.8	24.8	30.0	31.0	16.4	11.6	263.8	3	89
	19 LST													0	0	
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SPC WND LES 10 KTS	01 LST													0	0	
	07 LST													0	0	
	13 LST	7.8	3.1	19.5	30.0	31.0	30.0	18.6	24.8	13.6	15.5	2.7	8.8	201.4	3	82
	19 LST													0	0	
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0	
	07 LST													0	0	
	13 LST	6.9	6.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.2	3.9	26.2	3	90	
	19 LST													0	0	
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0	
	07 LST													0	0	
	13 LST	15.5	9.3	12.4	6.0	12.4	25.0	6.2	18.6	9.0	31.0	9.2	11.6	166.2	3	88
	19 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	5.9	3	95	
	19 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	6.9	7.6	14.1	22.5	31.0	22.5	12.4	12.4	21.8	25.8	13.6	11.6	202.2	3	89
	19 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	6.9	7.6	11.3	7.5	15.5	15.0	6.2	0.0	16.4	25.8	10.9	11.6	134.7	3	89
	19 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	6.9	7.6	11.3	7.5	15.5	15.0	6.2	0.0	16.4	25.8	10.9	11.6	134.7	3	89
	19 LST													0	0	

BOUCA, CENTRAL AFRICAN REPUBLIC

LATITUDE 0430N

LONGITUDE 01016E

ELEVATION(FT) 01903

STA NO. 64603 (IN AREA NUMBER 02)

PARAMETER DESCRIPTION

ABS MAX TMP (F)

MEAN MAX TMP (F)

MEAN MIN TMP (F)

ABS MIN TMP (F)

MEAN NO DYS TMP = OR GTR 90(F)

MEAN NO DYS TMP = OR LES 32(F)

MEAN NO DYS TMP = OR LES 0(F)

MEAN DEW PT TMP (F)

MEAN REL HUM (PCT)

MEAN PRESS ALT (FT)

MEAN PRECIP (IN)

MEAN SNOW FALL (IN)

MEAN NO DYS PRCP = OR GTR 0.1 IN

MEAN NO DYS SNFL = OR GTR 1.5 IN

MEAN NO DYS W/O/UR VSBY LES 1/2 MI

MEAN NO DYS TSTMS

P FREQ WND SPD = OR GTR 17 KTS

P FREQ WND SPD = OR GTR 28 KTS

P FREQ LES 5000 FT A/O LES 5 MI

P FREQ LES 1500 FT A/O LES 3 MI

FOR 00-02 LST

03-05 LST

06-08 LST

09-11 LST

12-14 LST

15-17 LST

18-20 LST

21-23 LST

P FREQ LES 300 FT A/O LES 1 MI

FOR 00-02 LST

03-05 LST

06-08 LST

09-11 LST

12-14 LST

15-17 LST

18-20 LST

21-23 LST

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	104	100	107	105	104	96	95	93	94	97	98	99	100	4	-28
MEAN MAX TMP (F)	96	99	98	95	91	88	86	85	87	89	91	93	92	4	-28
MEAN MIN TMP (F)	56	64	71	71	70	69	69	69	68	68	69	67	66	4	-28
ABS MIN TMP (F)	49	51	58	63	65	63	64	64	63	63	54	49	49	4	-28
MEAN NO DYS TMP = OR GTR 90(F)	23.7	28.0	26.1	21.6	17.2	12.7	10.7	9.4	11.5	14.5	16.6	19.8	211.9	4	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN DEW PT TMP (F)	55	59	67	70	71	71	72	71	72	72	68	59	67	6	-29
MEAN REL HUM (PCT)	53	51	59	69	75	79	83	84	83	81	73	62	71	10	-32
MEAN PRESS ALT (FT)	0.00	0.28	1.89	3.70	5.35	6.50	9.93	9.49	9.13	7.68	1.34	0.20	55.2	30	-32
MEAN PRECIP (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.3	0.7	4.2	6.9	8.5	10.1	12.8	12.8	13.0	11.5	2.7	0.0	84.1	4	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/O/UR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	10.0	0.0	0.0	0.0	0.0	6.3	10.0	0.0	0.0	2.2	3	154
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	154
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BOUCA, CENTRAL AFRICAN REPUBLIC
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	24.1	23.7	27.5	30.0	28.6	30.0	31.0	31.0	30.0	31.0	30.0	31.0	347.9	3	154
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	17.2	21.5	22.4	20.0	26.2	27.8	31.0	31.0	24.4	27.5	21.8	29.0	299.8	3	145
	19 LST														0	0
SFC WND = GTR 17 KIS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.0	1.7	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	3.6	3	148
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	10.3	7.0	3.9	0.0	13.3	16.9	31.0	15.5	15.0	10.3	10.0	14.4	147.4	3	134
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	10.3	18.6	6.2	9.0	0.0	0.0	0.0	0.0	3.1	10.0	20.1	77.3	3	159	
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	24.1	23.7	27.5	27.0	23.8	28.2	20.6	23.3	24.4	24.8	30.0	31.0	308.4	3	154
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	24.1	23.7	25.8	24.0	23.8	24.7	12.9	15.5	18.8	21.7	30.0	31.0	276.0	3	154
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	24.1	23.7	25.8	24.0	23.8	24.7	12.9	15.5	18.8	21.7	30.0	31.0	276.0	3	154
	19 LST														0	0

BANGUI, CENTRAL AFRICAN REPUBLIC

STA NO. 64650 IN AREA NUMBER 02)

LATITUDE 0423N

LONGITUDE 01833E

ELEVATION(FT) 01200

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	99	102	103	100	103	96	94	94	95	96	98	97	103	22	-14
MEAN MAX TMP (F)	91	93	92	91	89	88	86	86	87	87	89	89	89	22	-14
MEAN MIN TMP (F)	67	68	70	71	70	69	69	70	68	68	68	67	69	22	-14
ABS MIN TMP (F)	55	55	61	64	61	62	59	63	63	63	62	57	55	22	-14
MEAN NO DYS TMP = OR GTR 90(F)	17.2	17.8	18.7	16.6	14.5	12.7	10.7	10.7	11.5	11.9	14.0	14.5	170.6	22	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN DEW PT TMP (F)	69	69	71	73	74	74	73	74	73	73	72	70	72	10	-14
MEAN REL HUM (PCT)	69	66	72	76	78	81	83	83	82	82	81	71	77	10	-32
MEAN PRESS ALT (FT)	1134	1135	1042	995	1020	1060	1023	1054	1094	1055	1055	1090	1063	0	-50
MEAN PRECIP (IN)	0.83	1.85	4.85	5.04	6.81	5.32	7.28	8.86	7.28	7.95	3.98	1.34	61.4	30	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.9	4.1	8.1	8.3	9.4	8.7	10.9	12.3	11.1	11.8	6.9	3.0	96.5	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN NO DYS W/OCLR VSBY LES 1/2 MI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MEAN NO DYS TSMS	4.0	7.0	11.0	13.0	14.0	15.0	15.0	16.0	17.0	19.0	13.0	7.0	151.0	12	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 3 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	2.2	1.7	5.8	6.1	4.8	6.6	1.7	3.3	3.4	0.8	3.0	4	1392
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.9	0.9	0.6	0.0	0.8	0.0	0.0	0.0	1.7	0.0	0.4	4	1392
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BANGUI, CENTRAL AFRICAN REPUBLIC
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	25.6	26.0	30.7	29.5	29.7	29.0	30.0	29.5	29.3	30.5	29.2	31.0	350.2	4	1352
	19 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	20.0	18.5	24.6	24.6	25.4	25.6	27.7	23.9	27.5	27.2	25.2	25.5	295.7	4	1352
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	1.2	4	1352
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	12.6	9.0	10.7	7.7	14.3	14.9	19.7	15.5	14.3	16.4	13.9	12.8	157.8	4	1352
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	6.3	5.0	2.7	0.0	0.7	0.0	0.2	0.0	0.0	0.7	2.3	13.1	31.2	4	1351
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	23.3	24.3	29.0	27.9	25.4	25.6	24.5	23.4	23.7	26.7	27.2	29.0	310.0	4	1352
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	21.0	19.2	26.0	23.3	19.5	19.6	16.2	15.0	17.6	22.7	24.7	27.5	252.3	4	1352
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	21.0	19.2	26.0	23.3	19.5	19.6	16.2	15.0	17.6	22.7	24.7	27.5	252.3	4	1352
	19 LST														0	0

BANGASSOU NEB, CENTRAL AFRICAN REPUBLIC

STA NO. 64656 (IN AREA NUMBER 02)

LATITUDE 0447N

LONGITUDE 02240E

ELEVATION(FT) 01700

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	102	104	103	102	99	93	92	93	96	95	96	96	104	5	-28
MEAN MAX TMP (F)	94	95	94	92	91	89	88	88	89	89	91	91	91	7	-14
MEAN MIN TMP (F)	65	66	68	69	69	69	68	67	67	68	67	65	67	7	-14
ABS MIN TMP (F)	55	56	60	61	65	63	63	62	62	61	57	51	51	5	-28
MEAN NO DYS TMP = DR GTR 90(F)	21.1	20.2	21.1	17.9	17.2	14.0	13.2	13.2	14.0	14.5	16.6	17.2	200.2	7	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN DEW PT TMP (F)	66	66	70	70	72	73	72	72	72	72	71	67	70	10	-32
MEAN REL HUM (PCT)	67	64	71	74	79	82	83	83	82	82	79	72	77	0	-50
MEAN PRESS ALT (FT)	1613	1619	1561	1530	1551	1590	1563	1589	1615	1582	1563	1587	1580	30	-32
MEAN PRECIP (IN)	0.87	1.69	4.69	5.43	9.02	7.24	7.21	8.11	7.64	10.35	3.82	1.46	67.5	5	-29
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.0	3.8	8.0	8.6	10.0	10.9	10.8	11.7	11.5	14.1	6.6	3.3	101.3	5	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	163
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	163
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BANGASSOU NEW, CENTRAL AFRICAN REPUBLIC
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
C G = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	27.5	28.0	31.0	27.0	31.0	30.0	31.0	31.0	30.0	31.0	26.8	31.0	355.3	4	163
	20 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST														0	0
	14 LST	27.5	26.1	31.0	22.5	28.6	30.0	31.0	31.0	30.0	31.0	24.7	29.3	342.7	4	154
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	0.0	0.0	0.0	3.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	1.6	6.8	4	166
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	19.5	6.0	14.4	6.7	17.7	24.0	26.6	24.8	20.0	27.1	13.3	10.3	206.4	4	157
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	2.8	5.2	3.4	0.0	1.9	0.0	0.0	0.0	0.0	0.0	2.9	8.6	24.8	4	176
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	27.5	28.0	31.0	27.0	28.8	28.0	31.0	25.4	27.8	31.0	26.8	29.3	341.6	4	163
	20 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	27.5	26.1	25.8	21.0	24.3	18.0	19.9	19.7	17.1	31.0	26.8	27.5	284.7	4	163
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	27.5	26.1	25.8	21.0	24.3	18.0	19.9	19.7	17.1	31.0	26.8	27.5	284.7	4	163
	20 LST														0	0

AREA NO. 02

CENTRAL AFRICAN REPUBLIC EQUATORIAL BOUNDARIES 0745N 01730E 0520N 02530E LATITUDE 0530N LONGITUDE 01730E

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	92	93	92	91	89	87	85	84	86	87	89	90	89
MEAN MIN TMP (F)	64	66	69	69	69	68	68	67	67	67	66	63	67
LARGEST MEAN PRECIP(IN)	0.87	2.09	4.88	5.43	9.02	7.24	9.53	11.20	10.30	10.55	3.98	1.46	76.5
SMALLEST MEAN PRECIP(IN)	0.08	0.28	1.89	3.70	4.80	5.32	5.39	7.56	7.28	6.80	0.50	0.20	43.8
MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	23.0	22.5	28.0	29.3	30.2	29.7	29.5	29.3	29.8	30.6	26.4	27.1
	19 LST												339.6
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST												
	07 LST												
	13 LST	19.4	18.4	24.0	24.6	27.8	28.3	25.5	26.7	24.3	25.6	20.6	24.2
	19 LST												289.4
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST												
	07 LST												
	13 LST	1.4	1.3	0.3	0.6	0.4	0.4	0.0	0.0	0.0	0.0	1.9	1.1
	19 LST												7.4
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST												
	07 LST												
	13 LST	14.4	8.5	10.8	5.8	13.3	18.1	20.0	18.7	14.3	20.0	12.8	13.9
	19 LST												170.6
SKY COVER LES 5/10 AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	5.8	7.9	3.3	2.1	0.7	0.0	0.0	0.0	0.0	0.8	3.8	11.2
	19 LST												39.6
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	22.0	21.8	26.0	25.6	26.4	25.7	21.7	20.9	23.8	26.4	25.0	25.9
	19 LST												291.2
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	20.4	19.8	22.3	19.2	19.6	18.7	13.6	12.1	16.2	23.3	23.3	24.8
	19 LST												233.3
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	20.4	19.8	22.3	19.2	19.6	18.7	13.6	12.1	16.1	23.3	23.3	24.8
	19 LST												233.2

SALAK-MAROUA, FEDERAL REPUBLIC OF CAMEROON

STA NO. 64051 (IN AREA NUMBER 01)

LATITUDE 1027N

LONGITUDE 01419E

ELEVATION(FT) 01300

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	103	110	112	114	110	106	104	101	100	107	108	103	114	10	-28
MEAN MAX TMP (F)	93	96	102	103	101	96	91	87	90	96	97	93	96	10	-28
MEAN MIN TMP (F)	67	70	73	78	76	73	71	70	71	71	71	67	72	10	-28
ABS MIN TMP (F)	53	55	60	61	64	64	65	65	66	62	60	54	53	10	-28
MEAN NO DYS TMP = OR GTR 90(F)	19.8	21.4	31.0	30.0	31.0	22.9	17.2	11.9	15.3	23.7	24.0	19.8	268.0	10	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEN PT TMP (F)	45	45	48	57	71	72	73	72	70	68	51	48	60	0	-30
MEAN REL HUM (PCT)	29	25	25	31	36	66	76	80	77	60	31	32	49	5	-28
MEAN PRESS ALT (FT)	1320	1299	1260	1262	1264	1267	1286	1292	1311	1311	1282	1292	1287	0	-30
MEAN PRECIP (IN)	0.00	0.00	0.05	0.70	2.70	4.30	6.10	10.30	6.70	0.60	0.05	0.00	33.5	10	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.0	0.0	0.2	1.8	5.6	7.4	11.7	13.4	10.4	1.3	0.3	0.0	52.1	10	-29
MEAN NO DYS SNFL = OR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.0	0.0	0.0	3.0	12.0	23.0	18.0	17.0	23.0	8.0	0.0	0.0	104.0	5	-24
MEAN NO DYS TSTMS	0.0	0.0	0.0	3.0	12.0	23.0	18.0	17.0	23.0	8.0	0.0	0.0	104.0	5	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SALAK-MAROUA, FEDERAL REPUBLIC OF CAMEROON
 MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

GAROUA, FEDERAL REPUBLIC OF CAMEROON

STA NO. 64860 (IN AREA NUMBER 01)

LATITUDE 0920N

LONGITUDE 01322E

ELEVATION(FT) 00791

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	103	110	112	114	110	106	104	101	100	107	108	103	114	10	-64851
MEAN MAX TMP (F)	93	96	102	105	101	96	91	87	90	96	97	93	96	10	-64851
MEAN MIN TMP (F)	67	70	75	78	74	73	71	70	71	71	71	67	72	10	-64851
ABS MIN TMP (F)	53	55	60	61	64	64	65	65	66	62	60	54	53	10	-64851
MEAN NO DYS TMP = DR GTR 10(F)	19.8	21.4	31.0	30.0	31.0	22.9	17.2	11.9	15.3	23.7	24.0	19.8	268.0	10	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	41	42	48	66	70	74	73	75	75	75	55	48	62	0	-50
MEAN REL HUM (PCT)	33	30	33	43	64	74	78	81	81	72	90	38	56	22	-32
MEAN PRESS ALT (FT)	717	707	698	644	643	660	660	679	705	696	686	696	679	0	-50
MEAN PRECIP (IN)	0.00	0.04	0.16	1.38	5.32	6.18	6.26	7.74	8.66	2.99	0.08	0.08	39.0	22	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.0	0.2	0.5	3.3	8.5	9.7	9.8	11.4	12.9	5.4	0.3	0.3	61.9	22	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	7.0	8.0	8.0	16.0	14.0	22.0	12.0	0.3	0.3	87.6	9	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 20 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	7.7	5.0	2.9	1.6	13.6	15.6	14.8	3.3	0.0	0.0	5.4	3	762
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	7.7	5.0	0.0	0.0	0.0	2.6	0.0	1.1	0.0	0.0	1.4	3	762
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

GAROUA, FEDERAL REPUBLIC OF CAMEROON
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	25.2	26.6	26.2	28.0	30.5	30.0	28.9	28.6	28.3	30.6	28.0	28.3	339.4	3	762
	19 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	25.2	17.7	19.9	15.5	25.0	28.1	18.9	18.9	21.5	27.9	26.4	23.9	268.9	3	799
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	1.4	0.8	3.8	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	6.3	3	804
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	1.9	1.8	0.8	0.5	3.6	9.7	18.3	13.8	13.9	5.3	0.0	2.0	73.6	3	801
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	5.8	7.0	9.5	3.4	0.0	1.4	0.0	0.0	0.0	3.8	10.6	14.1	93.6	3	768
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	25.2	26.6	26.2	28.0	30.1	28.6	18.4	16.5	19.2	27.9	28.0	28.3	303.0	3	762
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	25.2	26.6	26.2	27.5	28.7	23.8	12.6	10.0	11.8	23.4	28.0	28.3	272.1	3	762
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	25.2	26.6	26.2	27.5	28.2	23.8	12.6	10.0	11.8	23.4	28.0	28.3	271.6	3	762
	19 LST														0	0

AREA NO. 01

CAMEROON, FEDERAL REP OF NORTHERN PLAINS
 BOUNDARIES 0900N 01255E 0740N 01525E
 LATITUDE 1030N LONGITUDE 01400E

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	93	96	102	105	101	96	91	87	90	96	97	93	96
MEAN MIN TMP (F)	67	70	75	78	76	72	71	70	71	71	71	67	72
LARGEST MEAN PRECIP(IN)	0.00	0.04	0.16	1.30	5.32	6.18	8.10	10.30	8.66	2.99	0.08	0.08	43.3
SMALLEST MEAN PRECIP(IN)	0.00	0.00	0.05	0.70	2.70	4.30	6.26	7.94	6.70	0.60	0.05	0.00	29.2
	MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	25.2	26.6	26.2	28.0	30.5	30.0	28.9	28.6	28.5	30.6	28.0	28.3
	19 LST												339.4
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST												
	07 LST												
	13 LST	25.2	17.7	19.9	15.5	25.0	28.1	18.9	18.9	21.5	27.9	26.4	23.9
	19 LST												268.9
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST												
	07 LST												
	13 LST	0.0	1.4	0.8	3.8	0.0	0.0	0.0	0.3	0.0	0.0	0.0	6.3
	17 LST												
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST												
	07 LST												
	13 LST	1.9	1.8	0.8	0.5	3.6	9.7	18.3	15.8	13.9	5.3	0.0	2.0
	19 LST												73.6
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	5.8	7.0	9.5	3.4	0.0	1.4	0.0	0.0	0.0	3.8	10.6	14.1
	19 LST												55.6
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	25.2	26.6	26.2	28.0	30.1	28.6	18.4	16.5	19.2	27.9	28.0	28.3
	19 LST												303.0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	25.2	26.6	26.2	27.5	28.7	23.8	12.6	10.0	11.8	23.4	28.0	28.3
	19 LST												272.1
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	25.2	26.6	26.2	27.5	28.2	23.8	12.6	10.0	11.8	23.4	28.0	28.3
	19 LST												271.6

N'GAGUNDERE, FEDERAL REPUBLIC OF CAMEROON

STA NO. 64870 (IN AREA NUMBER 02)

LATITUDE 0721N

LONGITUDE 0133E

ELEVATION(FT) 03650

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	93	95	97	102	91	87	89	85	87	90	91	93	102	9	-28
MEAN MAX TMP (F)	87	88	89	87	83	81	82	78	79	82	85	86	84	9	-28
MEAN MIN TMP (F)	55	58	62	64	67	63	63	63	62	61	57	55	61	9	-28
ABS MIN TMP (F)	46	48	49	55	59	58	57	56	56	53	46	46	46	9	-28
MEAN NO DYS TMP = DR GTR 90(F)	11.9	11.9	14.5	11.5	7.0	0.0	0.0	0.0	0.0	0.0	9.0	10.7	82.4	9	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN DEW PT TMP (F)	41	47	60	64	66	65	67	66	66	65	56	45	59	0	-50
MEAN REL HUM (PCT)	38	37	49	69	79	82	84	85	84	79	50	43	66	20	-32
MEAN PRESS ALT (FT)	3563	3563	3498	3475	3473	3502	3483	3511	3539	3524	3525	3542	3517	0	-50
MEAN PRECIP (IN)	0.08	0.12	1.69	5.39	8.07	8.15	10.08	10.63	9.33	9.24	0.63	0.08	99.5	20	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.3	0.4	3.9	8.5	9.8	11.7	13.2	13.6	13.2	8.6	1.4	0.3	84.9	20	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSMS	0.0	1.0	3.0	12.0	13.0	14.0	12.0	8.0	14.0	14.0	0.3	0.3	91.6	9	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	2.2	4.9	1.3	3.8	4.4	7.7	13.9	13.1	1.1	0.0	4.4	3	969
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	2.5	0.0	0.0	0.0	1.1	0.0	1.2	0.0	0.0	0.4	3	969
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

N'GABOUNDERE, FEDERAL REPUBLIC OF CAMEROON

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST	21.3	24.7	27.6	28.1	31.0	28.8	30.7	29.6	28.3	29.5	29.6	29.6	3	969
	19 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST	14.2	18.8	23.8	24.1	27.4	27.3	27.9	25.5	23.3	21.0	19.0	19.7	3	967
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.7	0.3	3	994
	19 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST	20.0	21.7	20.9	20.9	18.8	21.6	22.0	18.2	19.0	20.4	21.0	23.7	3	961
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST	9.6	11.4	5.5	1.8	0.0	0.0	0.0	0.0	0.0	0.0	5.6	14.3	3	970
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST	21.3	24.7	27.6	26.3	27.8	27.3	27.2	25.9	17.9	22.9	28.7	29.6	3	969
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST	21.3	24.7	26.9	21.1	22.2	25.0	25.9	23.8	13.7	18.4	28.3	29.6	3	969
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST	21.3	24.7	25.9	21.1	21.5	25.0	25.2	23.8	13.7	18.4	28.3	29.6	3	969
	19 LST													0	0

KOUNOJA, FEDERAL REPUBLIC OF CAMEROON

STA NO. 64893 (IN AREA NUMBER 02)

LATITUDE 0537N LONGITUDE 01049E ELEVATION(FT) 03970

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	91	92	92	88	84	82	80	82	83	83	85	86	92	4	-28
MEAN MAX TMP (F)	85	85	83	82	80	77	77	76	77	78	81	84	80	4	-28
MEAN MIN TMP (F)	59	61	62	62	62	61	60	60	60	60	60	59	61	4	-28
ABS MIN TMP (F)	54	55	58	59	57	57	56	56	55	57	56	54	54	4	-28
MEAN NO DYS TMP = OR GTR 90(F)	9.4	8.4	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS TMP = OR LES 01(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN DEW PT TMP (F)	53	56	60	63	64	63	64	63	64	63	59	52	60	4	-28
MEAN REL HUM (PCT)	55	60	69	75	80	83	85	84	85	82	70	55	74	4	-28
MEAN PRESS ALT (FT)													89.5	4	-28
MEAN PRECIP (IN)	0.40	1.60	4.80	5.90	8.30	8.30	13.20	14.40	19.00	11.10	2.40	0.10	0.0	4	-29
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.0	3.6	8.1	8.9	9.9	11.8	19.0	15.4	17.9	14.7	4.4	0.4	110.5	4	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	42.9	40.0	40.0	0.0	0.0	10.2	3	75
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	75
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KOUNDJA, FEDERAL REPUBLIC OF CAMEROON
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	26.6	24.0	21.7	30.0	31.0	345.3	3	75
	19 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	27.1	21.0	20.6	30.0	31.0	30.0	31.0	13.3	18.0	15.5	22.5	8.8	268.8	3	73
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	77
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	23.3	16.8	10.3	0.0	5.1	0.0	0.0	4.4	8.6	15.5	26.6	25.8	136.4	3	68
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	6.9	5.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.0	11.6	34.1	3	79
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	31.0	28.0	20.6	20.0	24.8	30.0	18.6	0.0	12.0	12.4	30.0	31.0	258.4	3	75
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	31.0	28.0	10.3	20.0	24.8	30.0	6.2	0.0	9.0	12.4	27.5	31.0	230.2	3	75
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	31.0	28.0	10.3	10.0	24.8	30.0	6.2	0.0	9.0	12.4	27.5	31.0	220.2	3	75
	19 LST														0	0

YOKO, FEDERAL REPUBLIC OF CAMEROON

STA NO. 64900 (IN AREA NUMBER 02)

LATITUDE 0533N

LONGITUDE 01222E

ELEVATION(FT) 03333

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO.
ABS MAX TMP (F)	91	93	94	94	90	86	83	84	86	87	89	92	94	10	-28
MEAN MAX TMP (F)	85	87	87	84	81	79	76	76	79	81	83	85	82	10	-28
MEAN MIN TMP (F)	65	65	66	66	65	64	64	63	63	63	64	65	64	10	-28
ABS MIN TMP (F)	57	58	58	61	56	60	55	55	56	60	60	60	55	10	-28
MEAN NO DYS TMP = OR GTR 90(F)	9.4	10.7	11.9	7.9	4.8	0.0	0.0	0.0	0.0	0.0	0.0	9.4	34.1	10	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEN PT TMP (F)	55	62	68	68	67	67	67	67	67	67	59	51	64	8	-29
MEAN REL HUM (PCT)	55	66	77	80	83	86	90	90	88	84	69	47	76	5	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.90	1.10	3.00	5.00	8.60	6.90	6.10	7.40	11.80	11.80	2.80	0.40	67.2	10	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.1	2.5	6.8	8.8	10.0	10.5	9.6	11.0	19.2	19.2	9.1	1.0	97.8	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	2.0	3.0	8.0	17.0	15.0	14.0	14.0	11.0	16.0	21.0	6.0	3.0	130.0	7	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	14.3	22.2	22.2	55.6	45.5	44.4	71.4	25.0	0.0	25.1	2	93
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	11.1	0.0	11.1	0.0	11.1	0.0	0.0	0.0	2.0	2	93
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

**YOKO, FEDERAL REPUBLIC OF CAMEROON
MEAN NUMBER OF DAYS**

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	27.1	24.5	31.0	25.7	27.5	26.6	24.1	28.2	26.6	17.7	30.0	31.0	320.0	2	93
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	19.4	17.5	31.0	30.0	19.4	23.3	10.3	8.4	6.7	5.1	15.0	20.6	206.7	2	90
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	3.5	0.0	0.0	0.0	0.0	0.0	0.0	2.7	5.1	0.0	0.0	11.3	2	98
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	13.3	7.0	31.0	15.0	6.9	8.2	7.8	14.1	10.9	0.0	18.0	19.4	151.6	2	93
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	11.6	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	13.8	48.9	2	101
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	27.1	24.5	31.0	21.4	10.3	10.0	6.9	2.8	6.7	0.0	15.0	27.5	183.2	2	93
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	27.1	24.5	31.0	12.8	0.0	0.0	3.4	0.0	3.3	0.0	15.0	27.5	144.6	2	93
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	27.1	24.5	31.0	12.8	0.0	0.0	3.4	0.0	3.3	0.0	15.0	27.5	144.6	2	93
	19 LST														0	0

BETARE-GYA, FEDERAL REPUBLIC OF CAMEROON

STA NO. 64901 (IN AREA NUMBER 02)

LATITUDE 0536N

LONGITUDE 01404E

ELEVATION(FT) 02946

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.51	1.09	2.48	4.08	6.52	5.78	5.79	8.48	9.81	8.80	1.82	0.47	36.4	19	-6
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.2	2.5	5.2	8.1	9.2	9.3	9.3	12.0	13.6	12.7	3.5	1.1	87.7	19	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	2.0	3.0	9.0	14.0	11.0	9.0	8.0	10.0	12.0	17.0	6.0	2.0	103.0	9	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	12.5	12.5	17.6	30.8	40.0	27.3	27.3	0.0	0.0	14.0	2	117
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	5.9	8.0	8.0	9.1	8.0	8.0	8.0	1.3	2	117
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

DETARE-OYA, FEDERAL REPUBLIC OF CAMEROON
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST	31.0	24.0	31.0	26.3	27.1	26.5	26.2	24.6	24.5	28.2	30.0	31.0	2	117
	19 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST	31.0	24.0	31.0	18.8	27.1	21.2	19.1	12.4	21.8	22.5	30.0	31.0	2	117
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	127
	19 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST	7.8	4.6	6.2	3.3	11.3	3.5	9.5	0.0	2.7	3.1	15.0	0.0	2	120
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST	0.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.3	8.8	24.1	2	121
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST	31.0	24.0	31.0	18.8	23.3	14.1	14.3	12.4	19.1	19.7	30.0	31.0	2	117
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST	31.0	24.0	31.0	11.3	15.5	10.6	11.9	9.3	13.6	19.7	25.7	31.0	2	117
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST	31.0	24.0	31.0	11.3	11.6	10.6	11.9	9.3	13.6	19.7	25.7	31.0	2	117
	19 LST													0	0

BOUALA, FEDERAL REPUBLIC OF CAMEROON

STA NO. 64910 (IN AREA NUMBER 02)

LATITUDE 0400N

LONGITUDE 00942E

ELEVATION(FT) 00006

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	93	91	91	92	95	90	89	86	87	88	91	90	95	17	-28
MEAN MAX TMP (F)	86	86	86	86	86	83	80	80	81	81	84	85	84	17	-28
MEAN MIN TMP (F)	73	74	73	73	73	72	71	71	72	71	73	73	72	18	-28
ABS MIN TMP (F)	68	68	66	66	66	66	66	67	67	65	66	67	65	18	-28
MEAN NO DYS TMP = DR GTR 90(F)	10.7	9.6	10.7	10.3	10.7	6.7	0.0	0.0	0.0	0.0	7.9	9.4	76.0	17	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN DEW PT TMP (F)	75	75	74	75	75	75	74	74	73	73	75	74	74	0	-50
MEAN REL HUM (PCT)	83	82	83	83	85	87	90	90	89	87	86	84	86	25	-32
MEAN PRESS ALT (FT)	-48	-45	-194	-207	-210	-173	-225	-202	-143	-122	-137	-80	-145	0	-50
MEAN PRECIP (IN)	2.40	3.47	8.90	9.45	13.90	18.98	27.95	28.98	24.72	15.71	5.71	2.36	161.7	25	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.3	7.3	10.0	10.1		16.3	17.9	18.1	20.8	17.6	9.2	5.2		25	-29
MEAN NO DYS SNFL = DR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	6.0	8.0	17.0	22.0	21.0	17.0	7.0	4.0	11.0	22.0	17.0	11.0	163.0	14	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	9.7	4.8	8.6	5.8	14.3	24.4	37.6	50.0	40.0	19.4	8.9	2.0	18.8	4	1012
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	1.6	3.2	2.2	0.0	0.0	1.2	2.2	4.3	9.2	1.1	0.0	0.0	2.1	4	1012
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BOUALA, FEDERAL REPUBLIC OF CAMEROON
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	29.0	29.7	29.0	30.0	30.3	27.2	29.0	22.9	21.7	29.0	28.7	30.3	324.8	4	1012
	19 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	22.0	20.7	22.7	24.1	21.5	16.7	9.3	7.1	10.1	19.3	23.0	29.1	225.6	4	1012
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	4	1013
	19 LST														0	0
SFC WND 4-10 KTS AND THP 33-22 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	16.0	9.0	13.3	11.7	13.6	13.0	11.3	12.0	9.7	12.6	16.0	19.4	100.6	4	1012
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	1.0	0.9	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.6	3.1	4	1013
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	10.0	17.6	22.0	23.4	18.7	10.0	8.3	5.7	7.4	13.3	17.3	21.6	104.1	4	1012
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	14.0	9.0	13.7	17.4	13.3	3.2	3.6	4.4	3.2	7.7	12.0	14.1	121.6	4	1012
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	13.3	8.6	13.7	17.4	13.3	3.2	3.6	4.4	2.0	7.7	12.0	14.1	120.3	4	1012
	19 LST														0	0

NRONGSAMBA, FEDERAL REPUBLIC OF CAMEROON

STA NO. 64911 (IN AREA NUMBER 02)

LATITUDE 0457N

LONGITUDE 00956E

ELEVATION(FT): 02091

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.96	2.33	5.39	6.97	8.95	9.33	19.05	10.39	10.89	13.13	4.27	0.94	105.2	23	-6
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.3	5.1	8.5	9.4	10.0	12.0	15.9	16.5	19.0	16.2	7.3	2.2	124.2	23	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCCUR VSOBY LES 1/2 MI														0	0
MEAN NO DYS TSMS	4.0	9.0	10.0	14.0	15.0	15.0	7.0	9.0	13.0	14.0	9.0	4.0	123.0	11	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 20 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	12.5	25.0	50.0		14.3	30.0	61.5	55.6	61.5	44.4	11.1	7.7	41.1	4	100
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	12.5	33.3	0.0	12.5	7.7	0.0	0.0	0.0	0.0	0.0	9.5	4	100
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

NKONGSABDA, FEDERAL REPUBLIC OF CAMEROON
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	31.0	24.9	23.3	10.0	31.0	20.3	21.9	27.9	23.1	24.1	30.0	31.0	303.3	4	108
	19 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	17.7	21.0	3.9	0.0	20.6	8.6	2.6	3.9	0.0	17.7	20.0	21.5	137.5	4	101
	19 LST														0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	2.0	9.3	4	109
	19 LST														0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	22.1	9.3	23.3	7.5	10.3	30.0	14.3	13.3	13.0	7.8	16.7	15.5	103.1	4	103
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.8	8.8	4	114
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	11.6	21.0	7.8	0.0	22.1	3.8	4.7	3.4	0.0	6.9	20.0	21.5	122.8	4	108
	19 LST														0	0
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	3.9	21.0	3.9	0.0	22.1	0.0	2.4	3.4	0.0	3.4	16.7	19.1	95.9	4	108
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	3.9	21.0	3.9	0.0	22.1	0.0	2.4	3.4	0.0	3.4	16.7	19.1	95.9	4	108
	19 LST														0	0

NANGA-EDOKO, FEDERAL REPUBLIC OF CAMEROON

STA NO. 64922 (IN AREA NUMBER 02)

LATITUDE 0439N LONGITUDE 01224E ELEVATION(FT) 01805

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = DR GTR 90(F)														0	0
MEAN NO DYS TMP = DR LES 32(F)														0	0
MEAN NO DYS TMP = DR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.20	1.60	3.93	6.07	8.54	9.49	4.01	5.31	10.12	11.42	3.04	1.05	63.5	21	-6
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.7	3.8	7.2	9.4	9.9	8.9	7.0	8.7	13.9	14.9	6.7	2.4	99.5	21	-29
MEAN NO DYS SNFL = DR GTR 1.9 IN														0	0
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 20 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	33.3	23.0	40.0	40.0	40.0	40.0	0.0	0.0	10.2	2	00
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	00
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

NANGA-EDOKO, FEDERAL REPUBLIC OF CAMEROON
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	31.0	22.4	31.0	30.0	25.8	30.0	31.0	27.9	24.0	31.0	30.0	31.0	345.1	2	88
	19 LST													0	0	
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0	
	07 LST													0	0	
	13 LST	31.0	22.4	31.0	30.0	18.6	18.8	0.0	15.5	15.0	18.6	30.0	31.0	261.9	2	84
	19 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0	
	07 LST													0	0	
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	96	
	19 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0	
	07 LST													0	0	
	13 LST	5.1	0.0	3.9	0.0	5.1	3.0	13.3	10.3	2.7	4.4	10.0	3.9	61.7	2	92
	19 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0	13.8	24.9	2	96	
	19 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	20.6	22.4	27.9	15.0	10.3	11.3	0.0	3.1	9.0	6.2	26.6	31.0	183.0	2	88
	19 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	15.5	22.4	20.6	10.0	10.3	3.8	0.0	0.0	3.0	0.0	26.6	31.0	143.2	2	88
	19 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	15.5	22.4	20.6	10.0	10.3	3.8	0.0	0.0	3.0	0.0	26.6	31.0	143.2	2	88
	19 LST													0	0	

BATGURI, FEDERAL REPUBLIC OF CAMEROON

STA NO. 64931 IN AREA NUMBER 02)

LATITUDE 0425N

LONGITUDE 01424E

ELEVATION(FT) 02123

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	93	95	99	96	94	91	89	89	89	90	92	93	99	10	-28
MEAN MAX TMP (F)	85	88	88	88	86	83	80	81	83	84	86	85	85	10	-28
MEAN MIN TMP (F)	63	63	66	67	66	65	65	65	65	65	64	62	65	10	-28
ABS MIN TMP (F)	52	54	54	59	57	60	57	60	59	55	59	53	52	10	-28
MEAN NO DYS TMP = OR GTR 90(F)	9.4	11.9	13.2	12.7	10.7	6.7	0.0	0.0	0.0	8.2	10.3	9.4	92.5	10	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	66	66	68	70	70	69	68	69	69	70	69	66	68	14	-29
MEAN REL HUM (PCT)	79	75	77	80	83	85	87	87	86	86	82	80	82	22	-32
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.34	2.17	4.49	5.91	7.95	6.69	4.02	6.18	8.70	11.06	5.00	1.38	64.9	22	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.0	4.8	7.8	8.9	9.8	10.3	7.0	9.7	12.6	14.7	8.3	3.1	100.0	22	-29
MEAN NO DYS SNFL = OR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	2.0	10.0	8.0	11.0	7.0	7.0	5.0	12.0	17.0	7.0	2.0	89.0	11	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	3.2	4.9	2.2	10.2	7.6	10.6	22.6	29.0	11.1	12.9	2.2	1.1	9.8	3	977
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	977
15-17 LST														3	0
18-20 LST														0	0
21-23 LST														0	0

BATOURI, FEDERAL REPUBLIC OF CAMEROON
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANY	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	28.0	26.2	30.3	28.5	30.3	29.3	31.0	30.3	29.0	30.0	29.3	29.6	351.8	3	977
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	26.5	23.4	29.3	26.4	27.3	24.3	17.6	13.6	23.8	23.0	27.3	28.6	291.1	3	976
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	3	977
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	27.0	19.7	18.7	15.0	18.5	18.7	27.7	23.3	22.8	20.0	23.3	25.3	260.0	3	976
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	8.5	3.1	1.0	1.5	0.3	0.0	0.0	0.0	0.0	0.0	2.6	8.0	25.0	3	978
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	24.5	22.9	27.0	22.4	19.2	18.0	11.0	8.3	14.3	15.7	25.3	27.7	236.3	3	977
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	23.0	17.4	19.7	15.2	12.1	11.6	6.3	4.3	6.7	10.0	19.7	26.0	172.0	3	977
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	23.0	17.4	19.7	15.2	12.1	11.6	6.3	4.3	6.7	10.0	19.7	26.0	172.0	3	977
	19 LST														0	0

YAOUNDE, FEDERAL REPUBLIC OF CAMEROON

STA NO. 64950 IN AREA NUMBER 02)

LATITUDE 0349N

LONGITUDE 01131E

ELEVATION(FT) 02470

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	91	92	91	96	94	90	87	93	88	91	89	90	96	11	-14
MEAN MAX TMP (F)	85	85	85	85	83	81	80	80	81	81	83	83	83	11	-28
MEAN MIN TMP (F)	67	67	67	66	67	66	66	65	65	65	66	66	66	11	-28
ABS MIN TMP (F)	54	59	58	59	60	59	59	60	59	59	61	60	54	11	-14
MEAN NO DYS TMP = OR GTR 90(F)	9.4	8.4	9.4	9.0	7.0	4.6	0.0	0.0	4.8	0.0	7.0	0.0	0.0	11	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	-90
MEAN DEW PT TMP (F)	68	68	68	67	68	67	66	66	67	66	66	67	67	22	-32
MEAN REL HUM (PCT)	79	77	80	87	85	86	86	86	86	86	84	80	83	0	-90
MEAN PRESS ALT (FT)	2356	2399	2284	2229	2229	2274	2205	2240	2301	2312	2293	2353	2293	0	-90
MEAN PRECIP (IN)	0.87	2.48	5.75	7.17	8.03	5.95	2.21	2.91	7.95	11.81	5.00	0.79	60.9	22	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.0	5.4	8.8	9.5	9.8	9.5	4.2	5.4	11.8	15.2	8.3	1.8	91.7	11	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/HOUR VSOBY LES 1/2 MI	3.0	3.0	13.0	17.0	16.0	13.0	4.0	4.0	14.0	23.0	22.0	7.0	139.0	13	-24
MEAN NO DYS 1STPM														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI	22.0	23.0	15.0	7.0	12.0	10.0	5.0	7.0	19.0	14.0	2.0	1.0	11.4	7	-33
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	1.6	2.9	6.5	9.2	20.2	20.9	29.0	33.3	30.4	25.8	11.2	2.6	16.1	4	988
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	1.1	1.1	1.1	1.2	0.0	0.0	2.2	2.2	1.1	1.3	0.9	4	988
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

YABUNDE, FEDERAL REPUBLIC OF CAMEROON
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	31.0	28.0	30.3	29.3	27.0	28.6	30.0	30.0	27.1	28.6	29.6	30.6	350.9	4	988
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	29.5	25.5	27.7	25.5	21.2	18.8	13.6	10.7	14.0	17.0	23.6	29.8	256.9	4	988
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	4	990
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	15.5	9.9	14.0	11.0	11.3	9.1	17.3	18.0	11.4	8.6	10.7	14.0	150.8	4	988
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	3.0	2.5	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	1.0	3.6	11.5	4	987
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	21.5	21.4	20.0	15.5	13.2	11.2	7.3	5.3	7.8	9.3	16.5	20.1	169.1	4	988
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	14.3	16.1	12.3	8.9	7.3	5.2	1.0	1.0	2.3	3.7	10.8	12.5	97.1	4	988
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	14.0	18.1	12.3	8.9	7.3	5.2	1.0	1.0	2.0	3.7	10.4	12.5	96.4	4	988
	19 LST														0	0

KPIDI, FEDERAL REPUBLIC OF CAMEROON

STA NO. 64971 (IN AREA NUMBER 02)

LATITUDE 0257N

LONGITUDE 00954E

ELEVATION(FT) 00039

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	90	91	92	92	90	89	86	84	86	87	89	92	92	10	-28
MEAN MAX TMP (F)	85	86	87	87	85	83	80	80	81	82	84	85	84	10	-28
MEAN MIN TMP (F)	74	74	74	74	74	73	70	72	73	72	73	74	73	10	-28
ABS MIN TMP (F)	68	68	67	67	68	68	67	68	68	67	67	68	67	10	-28
MEAN NO DYS TMP = DP GTR 90(F)	9.4	9.6	11.9	11.5	9.4	0.0	0.0	0.0	0.0	0.0	0.0	9.4	61.2	10	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	73	73	76	76	76	74	71	73	74	75	75	75	75	8	-29
MEAN REL HUM (PCT)	87	86	86	86	88	88	87	89	91	92	89	86	88	9	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.80	3.30	7.50	9.30	16.30	9.40	5.60	11.70	21.90	20.80	6.60	4.50	122.3	10	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.9	9.8	9.6	10.1		12.7	9.1	14.2	19.9	19.7	10.3	8.9		10	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	8.0	9.0	13.0	15.0	17.0	10.0	3.0	3.0	6.0	15.0	11.0	12.0	122.0	10	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	11.1	0.0	0.0	20.0	16.7	33.3	23.1	30.5	33.3	30.5	15.4	0.0	19.2	2	104
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	20.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	2	104
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KRIDI, FEDERAL REPUBLIC OF CAMEROON
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PJR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	31.0	22.4	31.0	24.0	31.0	23.3	20.6	20.6	26.6	26.2	30.0	31.0	333.7	2	104
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	24.1	22.4	31.0	24.0	25.8	20.0	21.5	11.9	15.0	14.3	22.5	31.0	263.5	2	100
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	0.0	0.0	0.0	2.4	2	104
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.0	0.0	17.1	0.0	13.3	23.8	10.3	3.3	5.1	12.0	7.8	92.7	2	99
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.0	0.0	4.3	0.0	0.0	4.7	0.0	0.0	0.0	4.6	6.2	19.8	2	110
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	20.6	22.4	31.0	18.0	20.6	16.7	19.1	11.9	10.0	11.9	20.8	24.8	227.8	2	104
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	17.2	22.4	31.0	18.0	20.6	13.3	16.7	9.5	6.7	11.9	20.8	12.4	200.5	2	104
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	17.2	22.4	31.0	18.0	20.6	13.3	16.7	9.5	6.7	9.5	20.8	12.4	198.1	2	104
	19 LST														0	0

CAMEROON, FEDERAL REP OF EQUATORIAL

AREA NO. 02


LATITUDE 0430N

LONGITUDE 01230E

BOUNDARIES 0900N 01255E 0740N 01325E

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	85	86	86	86	83	81	79	79	80	81	84	85	83
MEAN MIN TMP (F)	65	66	67	67	67	66	64	66	66	65	65	65	66
LARGEST MEAN PRECIP(IN)	3.80	5.30	8.90	9.45	16.30	18.50	27.95	28.50	24.72	20.80	6.60	4.90	175.5
SMALLEST MEAN PRECIP(IN)	0.00	0.12	1.69	4.88	6.52	5.49	2.21	2.91	7.95	5.24	0.63	0.00	37.8
	MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	29.7	28.0	29.6	26.2	29.3	27.7	27.9	27.6	25.5	26.6	29.7	30.6
	19 LST												334.6
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST												
	07 LST												
	13 LST	24.3	21.7	25.2	23.3	24.0	20.9	15.3	12.2	14.0	17.4	23.3	25.1
	19 LST												247.5
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST												
	07 LST												
	13 LST	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.4	0.2
	19 LST												2.2
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST												
	07 LST												
	13 LST	15.0	9.0	14.2	10.2	10.1	12.2	14.7	12.5	10.2	10.0	16.9	15.5
	19 LST												151.3
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	4.6	3.1	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.1	9.0
	19 LST												24.9
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	22.7	22.9	24.6	18.1	19.0	15.3	11.7	7.3	10.4	11.0	23.0	26.6
	19 LST												213.9
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	19.0	21.2	20.2	13.5	14.0	10.5	7.9	5.6	6.2	8.7	20.3	23.4
	19 LST												172.1
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	19.0	21.1	20.1	12.5	14.4	10.5	7.9	5.6	6.1	8.5	20.3	23.4
	19 LST												170.2

REP. CONGO (BRAZZAVILLE)
REP. CONGO (LEOPOLDVILLE)



STA NO. 64015 (IN AREA NUMBER 01)

LIGENGE, REP. OF CONGO (BRAZ.)

LATITUDE 0330N

LONGITUDE 01040E

ELEVATION(FT) 01230

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP - DR GTR 90(F)														0	0
MEAN NO DYS TMP - DR LES 32(F)														0	0
MEAN NO DYS TMP - DR LES 0(F)														0	0
MEAN DEN PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.14	2.01	4.30	3.43	6.30	6.10	6.14	8.03	6.93	7.48	4.80	1.73	60.7	30	-32
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP - DR GTR 0.1 IN	2.6	4.5	7.8	8.6	9.1	9.7	9.7	11.6	10.7	11.3	8.0	3.9	97.3	30	-29
MEAN NO DYS SNPL - DR GTR 1.5 IN														0	0
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	2.0	4.0	9.0	8.0	10.0	10.0	10.0	10.0	17.0	10.0	9.0	1.0	112.0	3	-24
P FREQ WND SPD - DR GTR 17 KTS														0	0
P FREQ WND SPD - DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	6.3	3.1	3.4	1.9	0.8	13.9	23.4	15.6	10.4	10.3	0.1	3.7	10.3	3	1472
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.9	1.0	0.0	0.0	0.9	0.0	0.7	0.0	0.0	2.1	0.8	0.0	0.3	3	1472
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

LIBENGE, REP. OF CONGO (BRAZ.)
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	29.9	27.4	30.7	30.0	29.6	27.5	26.2	27.8	26.8	27.1	28.3	30.3	341.6	5	1472
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	27.9	26.8	29.4	29.1	27.4	24.7	22.1	25.0	22.5	23.5	25.7	29.6	313.7	5	1470
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	5	1474
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	7.5	3.2	5.1	2.4	7.5	10.3	8.9	8.9	8.1	8.3	7.5	8.2	89.5	5	1469
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	11.3	8.9	5.1	1.4	0.5	1.1	0.9	0.4	0.4	0.9	3.0	14.4	50.3	5	1474
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	24.6	22.5	27.0	24.4	23.1	20.3	18.1	20.0	18.7	19.4	22.9	27.6	266.6	5	1472
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	21.6	18.8	24.0	19.1	18.2	16.4	16.4	19.8	19.7	19.9	19.4	25.0	217.9	5	1472
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	21.6	18.8	24.0	19.1	18.2	16.4	16.4	19.8	19.7	19.9	19.4	25.0	217.9	5	1472
	19 LST														0	0

STA NO. 64498 (IN AREA NUMBER 01)

QUESSO, REP. OF CONGO (BRAZ.)

LATITUDE 0137N

LONGITUDE 01004E

ELEVATION(FT) 01132

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PGR (YRS)	NO. OBS
ABS MAX TMP (F)	96	102	106	106	96	97	91	95	94	99	97	96	106	4	-28
MEAN MAX TMP (F)	88	89	90	91	88	86	85	85	86	87	87	86	87	4	-28
MEAN MIN TMP (F)	69	69	71	71	71	70	69	69	69	69	69	68	70	4	-28
ARC MIN TMP (F)	61	64	64	66	65	63	63	61	62	61	65	60	60	4	-28
MEAN NO DYS TMP - OR GTR 90(F)	13.2	13.0	15.9	16.6	13.2	10.3	9.4	9.4	10.3	11.9	11.5	10.7	145.4	4	-29
MEAN NO DYS TMP - OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS TMP - OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN DEN PT TMP (F)	72	71	73	74	73	72	71	70	72	72	72	71	72	6	-29
MEAN REL HUM (PCT)	81	79	79	80	81	83	82	81	83	83	83	82	81	10	-32
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.21	3.11	5.91	5.00	5.98	4.01	3.11	6.10	8.66	8.90	9.98	3.27	62.8	20	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS PRCP - OR GTR 0.1 IN	4.9	6.7	8.9	8.2	8.9	7.8	5.7	9.6	12.5	12.8	9.6	6.9	102.5	20	-29
MEAN NO DYS SNFL - OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSMS														0	0
P FREQ WND SPD - OR GTR 17 KTS														0	0
P FREQ WND SPD - OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 3 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	7.7	26.3	17.6	31.3	14.3	10.5	23.5	26.3	31.3	23.1	11.1	20.0	20.3	4	206
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0	0.7	4	206
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

QUESSO, REP. OF CONGO (BRAZ.)
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	31.0	25.0	31.0	30.0	31.0	28.4	31.0	31.0	26.3	31.0	28.3	24.8	348.8	4	206
	19 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0	
	07 LST													0	0	
	13 LST	26.2	14.7	23.3	14.0	26.6	26.8	18.6	18.2	16.9	20.6	24.7	19.4	290.0	4	197
	19 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0	
	07 LST													0	0	
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	1.7	4	205	
	19 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0	
	07 LST													0	0	
	13 LST	7.1	12.4	9.1	10.0	6.6	13.8	18.6	18.2	7.3	7.8	1.7	11.6	126.4	4	198
	19 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	2.6	1.3	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	3.8	4	213	
	19 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	21.3	13.2	14.6	7.3	17.7	20.3	10.9	11.4	11.3	9.3	21.7	11.6	173.4	4	206
	19 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	16.7	10.3	9.1	3.8	11.1	17.3	3.3	8.2	7.3	4.7	16.7	9.9	128.8	4	206
	19 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	16.7	10.3	9.1	3.8	11.1	13.8	3.3	8.2	7.3	4.7	16.7	9.9	119.3	4	206
	19 LST													0	0	

STA NO. 64459 (IN AREA NUMBER 01)

IMPFONDO, REP. OF CONGO (BRAZ.)

LATITUDE 0137N

LONGITUDE 01804E

ELEVATION(FT) 01073

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	89	91	91	91	90	87	85	86	85	87	87	88	85	6	-14
MEAN MIN TMP (F)	68	69	69	70	63	69	68	68	68	68	68	68	68	6	-14
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)	14.5	15.5	17.2	16.6	15.9	11.5	9.4	10.7	9.0	11.9	11.5	13.2	156.9	6	-29
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)	73	73	73	74	71	73	72	72	71	73	73	73	73	7	-29
MEAN REL HUM (PCT)	84	81	81	83	84	86	86	86	85	86	86	85	84	10	-32
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.07	3.07	6.26	6.73	7.40	5.95	5.20	6.65	6.65	6.66	6.93	4.21	70.6	20	-32
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.2	6.6	9.1	9.3	9.6	9.5	8.6	10.3	10.4	12.5	10.7	8.5	111.3	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WMD SPD = OR GTR 17 KTS														0	0
P FREQ WMD SPD = OR GTR 20 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	14.3	10.9	21.1	11.1	14.3	19.4	22.2	31.3	17.6	19.4	39.3	9.5	18.2	4	199
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	7.1	0.0	5.3	0.0	0.0	0.0	0.0	0.0	5.9	7.7	0.0	0.0	2.2	4	199
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

IMPFONOO, REP. OF CONGO (BRAZ.)
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	20.0	20.0	27.7	20.3	28.0	30.0	29.3	25.2	20.2	20.6	24.7	20.0	335.6	4	199
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	19.7	18.5	19.6	20.6	22.5	23.1	17.2	16.5	22.5	21.5	17.6	27.9	244.2	4	187
	19 LST														0	0
SFC WND = GTR 17 KIS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	5.6	1.5	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	8.7	4	200
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	11.3	9.3	11.4	7.5	11.3	20.8	27.5	17.9	14.1	20.6	17.6	19.7	189.0	4	196
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.0	0.0	0.0	0.0	2.3	1.7	0.0	0.0	0.0	0.0	1.4	9.4	4	204
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	22.1	19.2	21.2	20.0	22.1	20.0	17.2	17.4	17.6	21.5	19.9	20.6	241.6	4	199
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	19.9	17.7	21.2	15.0	19.9	18.5	12.0	15.5	14.1	16.7	15.9	20.6	213.0	4	199
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	19.9	17.7	21.2	15.0	19.9	18.5	12.0	15.5	14.1	16.7	15.9	20.6	213.0	4	199
	19 LST														0	0

STA NO. 64460 (IN AREA NUMBER 01)

SOUANKE, REP. OF CONGO (BRAZ.)

LATITUDE 0204N

LONGITUDE 01403E

ELEVATION(FT) 01003

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	92	91	94	92	91	90	89	89	89	91	90	90	94	3	-20
MEAN MAX TMP (F)	83	84	85	86	84	82	80	80	83	84	83	84	83	3	-20
MEAN MIN TMP (F)	63	63	64	64	64	65	64	64	64	65	64	63	64	3	-20
ABS MIN TMP (F)	53	54	53	55	54	55	56	55	55	55	54	56	53	3	-20
MEAN NO DYS TMP = OR GTR 90(F)	7.0	7.4	9.4	10.3	8.2	3.7	0.0	0.0	0.0	8.2	6.7	8.2	71.1	3	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN DEW PT TMP (F)	68	68	69	69	68	69	68	67	69	69	68	63	68	3	-29
MEAN REL HUM (PCT)	85	83	83	82	83	86	87	86	86	85	85	83	85	10	-32
MEAN PRECIP (IN)	2.28	3.50	6.54	5.87	8.31	4.49	2.52	2.91	8.23	9.13	6.81	2.28	62.9	10	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.0	7.4	9.2	8.9	9.9	7.7	4.7	3.4	12.1	13.0	10.6	5.0	98.9	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	14.3	22.2	60.0	0.0	50.0	10.0	23.1	20.0	28.6	22.2	45.5	24.7	3	123
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	25.0	0.0	0.0	0.0	7.1	0.0	18.2	4.2	3	123
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SOUANKE, REP. OF CONGO (BRAZ.)
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	31.0	26.0	27.9	18.0	31.0	22.5	31.0	28.6	27.0	26.6	23.3	19.7	312.2	3	123
	19 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	31.0	21.5	24.1	15.0	31.0	15.0	21.7	23.3	23.3	16.7	23.3	16.9	262.8	3	118
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	130
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	18.1	17.2	17.2	22.5	23.3	12.0	14.1	12.9	11.0	15.5	15.0	11.9	191.7	3	123
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	4.7	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	11.5	3	138
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	28.6	18.0	17.2	6.0	15.5	7.5	21.7	14.3	15.0	13.3	18.3	15.1	189.5	3	123
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	26.2	16.0	13.8	6.0	15.5	7.5	21.7	7.1	9.0	8.8	15.0	14.1	160.7	3	123
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	26.2	16.0	13.8	6.0	15.5	7.5	21.7	7.1	9.0	8.8	15.0	14.1	160.7	3	123
	19 LST														0	0

AREA NO. 1
 CONGO, REP OF (BRAZZAVILLE) EQUATORIAL LATITUDE 0030N LONGITUDE 01600E
 BOUNDARIES 01105 01435E 01155 01659E

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	87	88	89	89	87	85	83	84	85	86	86	86	86
MEAN MIN TMP (F)	67	67	68	68	66	68	67	67	67	67	67	66	67
LARGEST MEAN PRECIP(IN)	2.87	3.90	6.94	6.73	8.31	6.18	6.14	8.03	8.66	9.13	6.93	4.21	77.2
SMALLEST MEAN PRECIP(IN)	1.14	2.01	4.90	5.00	5.98	4.49	2.92	2.91	6.65	7.48	4.80	1.73	49.2
MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	30.2	26.6	29.2	26.6	30.1	27.1	29.4	28.2	27.1	28.3	26.2	25.7 334.7
	19 LST												
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST												
	07 LST												
	13 LST	26.2	19.6	24.1	19.7	26.9	22.4	19.9	20.8	21.3	20.6	22.8	23.5 267.8
	19 LST												
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST												
	07 LST												
	13 LST	1.4	0.4	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.5	0.0 2.7
	19 LST												
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST												
	07 LST												
	13 LST	11.0	10.5	10.7	10.6	12.2	14.7	17.2	14.5	10.4	13.1	10.5	12.9 148.3
	19 LST												
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	4.7	3.5	1.7	0.4	0.1	0.9	0.7	0.1	0.1	0.2	2.1	4.0 18.5
	19 LST												
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	24.2	18.2	20.0	14.5	19.6	17.3	16.5	15.8	15.7	15.9	19.7	20.5 217.9
	19 LST												
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	21.1	19.7	17.0	11.0	16.2	14.9	12.4	11.2	11.6	11.4	16.8	18.9 178.2
	19 LST												
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	21.1	19.7	17.0	11.0	16.2	14.6	12.4	11.2	11.6	11.4	16.8	18.9 177.9
	19 LST												

POINTE NOIRE, REP. OF CONGO (BRAZ.)

LATITUDE 0449S

LONGITUDE 01154E

ELEVATION(FT) 00056

STA NO. 64400 IN AREA NUMBER C2)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO.
ABS MAX TMP (F)	91	92	95	94	92	88	84	85	86	89	90	90	95	18	-14
MEAN MAX TMP (F)	86	87	88	87	84	80	78	78	80	83	84	85	83	18	-14
MEAN MIN TMP (F)	74	74	74	74	73	68	64	66	70	73	74	74	72	18	-14
ABS MIN TMP (F)	67	69	67	69	64	57	55	56	62	60	68	65	55	18	-14
MEAN NO DYS TMP = DR GTR 90(F)	10.7	10.7	13.2	11.5	8.2	0.0	0.0	0.0	0.0	0.0	7.9	9.4	71.6	18	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN DEW PT TMP (F)	74	74	73	73	73	68	65	66	69	72	74	74	72	13	-29
MEAN REL HUM (PCT)	84	83	83	84	85	83	82	82	83	83	85	85	84	10	-32
MEAN PRESS ALT (FT)	110	137	137	132	94	17	-16	1	28	83	118	126	81	0	-50
MEAN PRESS ALT (FT)	5.98	8.27	8.94	7.05	3.50	0.04	0.00	0.08	0.51	2.80	6.58	5.63	49.4	30	-32
MEAN PRECIP (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.2		10.0	9.5	6.7	0.2	0.0	0.3	1.2	5.1	10.3	10.0		18	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	11.0	15.0	19.0	18.0	7.0	0.0	0.0	0.3	0.3	5.0	13.0	12.0	100.6	12	-24
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 23 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST	9.7	17.9	6.5	0.0	3.3	3.3	3.2	6.5	20.3	22.6	22.0	3.3	9.9	2	483
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	19.4	7.1	6.5	0.0	6.5	6.7	6.7	6.5	20.0	25.0	16.7	9.7	11.0	2	486
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														2	483
FOR 00-02 LST	0.0	3.6	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.6	0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	6.5	0.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0	1.6	3.3	1.6	1.4	2	486
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

POINTE NOIRE, REP. OF CONGO (BRAZ.)
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	30.0	26.0	30.0	30.0	29.9	27.0	26.0	27.0	25.9	28.0	27.5	31.0	338.3	2	483
	07 LST														0	0
	13 LST	29.0	28.0	30.0	30.0	31.0	30.0	31.0	31.0	29.5	29.0	28.0	30.5	337.0	2	486
	19 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	24.0	21.0	28.0	30.0	28.9	26.0	26.0	27.0	21.3	19.0	19.8	29.5	300.5	2	483
	07 LST														0	0
	13 LST	20.0	24.0	24.8	29.0	28.0	26.0	25.8	22.0	14.0	11.0	18.5	21.0	264.1	2	485
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	486
	07 LST														0	0
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	484
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	3.0	16.0	6.0	13.0	6.2	5.0	4.0	2.0	6.5	12.5	6.0	5.5	85.7	2	486
	07 LST														0	0
	13 LST	30.0	25.9	23.5	26.0	30.0	30.0	31.0	30.0	28.0	25.5	23.5	25.5	328.9	2	483
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	3.0	0.0	4.0	1.0	3.1	11.4	9.0	10.0	5.5	3.0	1.0	2.0	53.0	2	484
	07 LST														0	0
	13 LST	0.0	0.0	0.0	1.0	2.0	4.0	9.3	6.0	1.5	0.0	0.0	0.0	23.8	2	483
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	19.0	17.0	24.0	27.0	25.8	19.0	19.0	21.0	16.3	14.5	13.7	20.8	237.1	2	483
	07 LST														0	0
	13 LST	21.0	21.0	27.0	29.0	26.0	24.0	24.8	22.0	14.5	15.5	19.5	21.0	265.3	2	486
	19 LST														0	0
CIG = GTR 8000 FT AND VSBY = GTR 3 MI	01 LST	10.0	13.0	20.0	25.0	19.6	14.0	12.0	10.0	7.1	5.0	3.5	10.1	149.3	2	483
	07 LST														0	0
	13 LST	19.0	16.0	27.0	28.0	18.0	15.0	14.4	10.0	5.0	5.5	11.5	13.5	182.9	2	486
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	10.0	13.0	20.0	25.0	19.6	14.0	12.0	10.0	7.1	5.0	3.5	10.1	149.3	2	483
	07 LST														0	0
	13 LST	19.0	16.0	27.0	28.0	18.0	15.0	14.4	10.0	5.0	5.5	11.5	13.5	182.9	2	486
	19 LST														0	0

DOLISIE, REP. OF CONGO (BRAZ.)

STA NO. 64401 (IN AREA NUMBER 02)

LATITUDE 0411S

LONGITUDE 01240E

ELEVATION(FT) 01125

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	87	88	89	89	87	83	79	80	82	86	86	86	85	6	-14
MEAN MIN TMP (F)	71	70	70	71	70	67	64	65	67	70	71	71	69	6	-14
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)	11.9	11.9	14.5	14.0	11.9	6.7			5.7	10.7	10.3	10.7		6	-29
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)	72	71	72	73	72	67	64	64	66	69	71	72	69	7	-29
MEAN REL HUM (PCT)	80	79	79	80	81	78	78	76	76	77	80	81	79	10	-32
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.88	6.58	8.07	7.99	3.66	0.00	0.00	0.00	0.28	2.80	8.43	6.61	49.3	20	-32
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.4	10.4	9.8	9.8	6.9	0.0	0.0	0.0	0.7	5.1	12.3	10.4	74.8	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0						0	-29
MEAN NO DYS W/OCUP VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR CTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	7.1	6.3	9.3	7.7	16.7	6.3	21.4	7.7	20.0	23.1	13.3	0.0	11.6	4	109
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	0.0	0.0	0.6	4	109
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BOLISIE, REP. OF CONGO (BRAZ.)
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	28.8	28.0	29.5	27.7	31.0	30.0	31.0	31.0	28.0	28.6	30.0	31.0	354.6	4	189
	19 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0	
	07 LST													0	0	
	13 LST	28.6	24.5	27.7	23.1	20.6	25.7	19.7	21.5	22.0	19.1	24.0	31.0	287.5	4	181
	19 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0	
	07 LST													0	0	
	13 LST	0.0	0.0	0.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	4	194	
	19 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEC 5 AND NO PRECIP.	01 LST													0	0	
	07 LST													0	0	
	13 LST	23.8	14.8	21.2	15.0	18.1	27.8	31.0	26.2	20.6	16.7	18.8	19.5	253.5	4	184
	19 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	0.0	0.0	0.0	0.0	0.0	1.7	2.0	2.2	1.7	0.0	0.0	7.6	4	204	
	19 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	17.7	15.7	17.7	20.8	15.5	22.5	11.1	14.3	12.0	9.5	12.6	22.9	191.7	4	189
	19 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	8.8	10.5	13.3	20.8	12.9	9.4	4.4	7.1	6.0	0.0	4.0	13.8	111.0	4	189
	19 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	8.8	10.5	13.3	20.8	12.9	9.4	4.4	7.1	6.0	0.0	4.0	13.8	111.0	4	189
	19 LST													0	0	

BOUYONDZI, REP. OF CONGO (BRAZ.)

STA NO. 64402 (IN AREA NUMBER 02)

LATITUDE 04005 LONGITUDE 01997E ELEVATION(FT) 01670

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	3
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP - OR GTR 90(F)														0	0
MEAN NO DYS TMP - OR LES 32(F)														0	0
MEAN NO DYS TMP - OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)	85	83	82	83	75	84	81	77	77	79	84	86	82	10	-32
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.35	3.35	6.22	6.89	5.24	0.04	0.00	0.04	0.07	4.02	10.12	7.04	49.6	10	-32
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP - OR GTR 0.1 IN	9.0	7.1	9.1	9.4	8.4	0.2	0.0	0.2	1.4	0.9	13.9	9.9	70.3	10	-29
MEAN NO DYS SNFL - OR GTR 1.5 IN						0.0	0.0	0.0						0	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD - OR GTR 17 KTS														0	0
P FREQ WND SPD - OR GTR 20 KTS														0	0
P FREQ LES 9000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	33.3	26.3	33.3	28.6	37.3	34.3	44.4	30.0	30.0	28.0	33.3	43.3	3	93	
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	3.3	0.0	0.0	0.0	0.0	0.0	0.0	12.5	0.0	0.0	1.5	3	93
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BOUTOUDI, REP. OF CONGO (BRAZ.)
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PER (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	31.0	28.0	27.7	30.0	26.6	30.0	28.2	31.0	30.0	27.1	30.0	31.0	300.0	3	93
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI M/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	16.6	17.2	17.3	17.7	19.0	3.1	6.9	0.0	0.0	12.0	20.6	130.2	3	90
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	96
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.0	3.6	15.0	4.4	3.3	18.6	10.3	0.0	4.4	0.0	0.0	99.6	3	92
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.0	1.6	0.0	4.4	3.0	0.0	3.1	0.0	0.0	0.0	0.0	12.1	3	99
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	16.6	17.9	17.5	17.7	19.0	2.0	3.4	0.0	3.9	12.0	20.6	130.2	3	93
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	16.6	17.9	17.5	17.7	19.0	2.0	3.4	0.0	3.9	12.0	20.6	130.2	3	93
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	16.6	17.9	17.5	17.7	19.0	2.0	3.4	0.0	3.9	12.0	20.6	130.2	3	93
	19 LST														0	0

STA NO. 64405 (IN AREA NUMBER 02)

SIBITI, REP. OF CONGO (BRAZ.)

LATITUDE 03415

LONGITUDE 01310E

ELEVATION(FT) 01749

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEN PT TMP (F)														0	0
MEAN REL HUM (PCT)	86	84	84	84	87	89	87	85	83	83	85	86	85	10	-32
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	5.32	5.51	9.06	9.65	9.43	0.04	0.04	0.08	0.91	5.20	11.65	9.09	61.6	10	-32
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.0	10.0	10.1	10.2	8.6	0.2	0.2	0.3	1.2	8.6	15.1			10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0						0	-29
MEAN NO DYS W/OCUR VSOBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WIND SPD = OR GTR 17 KTS														0	0
P FREQ WIND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	7.1	7.1	20.0	6.3	21.4	21.4	33.2	20.0	25.0	25.0	6.7	9.1	16.9	4	190
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	4	190
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SIBITI, REP. OF CONGO (BRAZ.)
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
C16 = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	31.0	26.0	29.9	30.0	31.0	30.0	29.3	31.0	30.0	29.0	30.0	29.6	356.4	4	190
	19 LST														0	0
C16 = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	26.6	21.5	23.3	27.8	22.1	17.1	19.5	16.5	20.0	20.6	25.4	28.0	264.4	4	189
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	2.0	0.0	0.0	0.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0	4.1	4	189
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	15.5	14.0	18.3	14.1	8.8	10.7	23.7	16.5	22.5	20.6	6.9	19.3	184.9	4	188
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	1.0	1.4	0.0	0.0	3.8	1.7	0.0	0.0	0.0	0.0	0.0	8.7	4	189
	19 LST														0	0
C76 = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	22.1	20.0	21.7	20.6	8.8	10.7	8.6	8.2	10.0	13.5	22.0	19.7	185.9	4	190
	19 LST														0	0
C16 = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	17.7	18.0	21.7	15.0	2.2	6.4	3.4	2.0	2.5	9.7	16.0	11.3	129.9	4	190
	19 LST														0	0
C16 = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	17.7	18.0	21.7	15.0	2.2	6.4	3.4	2.0	2.5	9.7	16.0	11.3	129.9	4	190
	19 LST														0	0

BAYA BAYA, REP. OF CONGO (BRAZ.)

LATITUDE 0419S

LONGITUDE 0191E

ELEVATION(FT) 01047

STA NO. 64450 (IN AREA NUMBER 02)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
														(YRS)	DBS
ABS MAX TMP (F)	99	102	101	96	97	95	93	97	99	99	99	97	102	18	-814
MEAN MAX TMP (F)	87	88	89	89	87	83	80	82	86	87	87	86	86	18	-14
MEAN MIN TMP (F)	70	70	70	70	70	65	61	64	67	70	70	70	68	18	-14
ABS MIN TMP (F)	64	64	64	62	60	55	53	55	59	63	63	64	53	18	-914
MEAN NO DYS TMP - DR GTR 90(F)	11.9	11.9	14.5	14.0	11.9	6.7		5.9	10.3	11.9	11.5	10.7		18	-29
MEAN NO DYS TMP - DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS TMP - DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	11348
MEAN DEW PT TMP (F)	72	71	71	72	71	66	63	63	67	70	71	71	69	10	-14
MEAN REL HUM (PCT)	76	75	75	75	76	78	76	72	73	74	76	77	75	0	-80
MEAN PRESS ALT (FT)	1088	1100	1102	1094	1071	1110	987	1015	1035	1069	1088	1097	1071	0	-80
MEAN PRECIP (IN)	9.00	9.70	7.00	8.50	4.00	0.30	0.10	0.20	1.30	5.00	8.10	6.90	54.1	22	-14
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS PRCP - DR GTR 0.1 IN	10.1	10.1	9.9	9.9	8.1	0.7	0.3	0.5	2.6	9.2	12.0	10.4	83.5	22	-29
MEAN NO DYS SNFL - DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.3	0.2	0.2	0.7	0.8	0.3	0.0	0.2	0.3	0.8	0.0	3.8	4	1399
MEAN NO DYS TSTMS	11.0	12.0	15.0	18.0	11.0	1.0	0.0	1.0	3.0	11.0	15.0	16.0	114.0	12	-14
P FREQ WND SPD - DR GTR 17 KTS	0.2	0.1	0.5	0.1	0.2	0.0	0.0	0.0	0.1	0.3	0.6	0.2	0.2	4	11095
P FREQ WND SPD - DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	4	11035
P FREQ LES 3000 FT A/D LES 3 MI	29.7	20.7	24.0	26.1	42.3	49.7	38.7	39.6	36.9	35.6	31.7	27.6	32.7	4	11094
P FREQ LES 1500 FT A/D LES 3 MI														6	1916
FOR 00-02 LST	6.6	4.5	3.9	9.3	6.5	4.7	6.3	5.9	5.0	8.2	10.1	6.0	6.5	4	1406
03-05 LST	17.0	19.2	12.9	10.9	19.4	21.7	18.9	14.6	11.2	9.7	16.0	8.9	14.6	4	1419
06-08 LST	21.0	23.0	22.6	20.0	36.9	30.3	37.1	27.6	24.4	23.4	28.0	20.2	26.9	4	1484
09-11 LST	24.4	17.7	14.8	15.8	30.6	30.3	32.8	24.4	20.0	21.8	17.5	19.4	23.1	9	3175
12-14 LST	5.3	5.3	5.5	4.1	9.0	14.9	11.4	7.2	7.0	5.4	6.8	5.0	7.2	4	1409
15-17 LST	2.5	3.6	2.3	3.3	4.1	5.1	1.7	4.1	5.9	1.1	5.0	4.0	3.6	4	1409
18-20 LST	4.1	1.0	1.0	6.7	4.0	5.0	8.9	3.3	4.2	1.1	4.2	5.7	3.5	4	1409
21-23 LST	3.2	3.8	4.1	5.0	4.9	6.7	1.8	4.1	3.4	3.2	6.0	4.1	4.2	4	1340
P FREQ LES 300 FT A/D LES 1 MI														6	1916
FOR 00-02 LST	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.2	4	1406
03-05 LST	0.0	0.9	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	1.7	0.0	0.6	4	1419
06-08 LST	0.0	2.7	1.6	0.0	3.3	4.2	0.0	0.0	0.0	1.4	1.7	0.0	1.3	4	1484
09-11 LST	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.8	0.8	0.8	0.4	4	1484
12-14 LST	0.0	0.4	0.7	0.4	0.0	0.0	0.0	0.0	0.0	0.7	0.4	0.4	0.3	9	3175
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4	1409
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1409
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	1340

BATA BATA, REP. OF CONGO (BRAZ.)
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PGR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	30.4	28.0	30.8	29.4	30.6	30.0	31.0	31.0	29.6	30.1	29.7	30.5	300.1	6	1916
	07 LST	29.7	29.0	27.0	28.5	27.7	28.3	27.8	30.2	29.0	30.0	26.5	28.5	336.2	4	1419
	13 LST	30.6	27.4	30.1	29.7	30.5	29.9	30.6	31.0	30.0	30.7	29.2	30.5	300.2	9	3175
	19 LST	30.2	27.7	31.0	29.5	30.7	30.0	31.0	31.0	29.7	30.7	29.7	30.0	301.2	4	1405
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST	28.3	25.9	28.6	25.6	27.2	27.4	27.3	27.3	27.0	26.6	25.5	27.3	324.2	6	1916
	07 LST	20.0	18.1	21.0	19.2	11.7	10.0	9.3	15.2	15.3	18.0	16.9	21.0	195.7	4	1418
	13 LST	28.0	25.1	27.6	27.4	26.1	21.2	22.5	20.7	21.2	24.7	25.3	27.7	297.5	9	3171
	19 LST	29.0	26.7	29.7	27.0	28.2	27.2	30.4	29.0	27.0	30.0	27.0	28.7	339.9	4	1405
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2	6	1917
	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1418
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.2	9	3177
	19 LST	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.6	4	1405
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	2.9	7.3	8.9	8.6	6.9	10.0	10.9	13.6	11.8	8.8	8.5	7.1	105.3	6	1908
	07 LST	4.7	4.7	7.0	5.7	10.0	11.5	12.6	14.3	9.3	10.2	6.3	7.2	103.5	4	1415
	13 LST	17.6	15.7	14.0	14.2	17.7	21.6	25.7	24.8	21.9	19.2	15.3	15.2	222.9	9	3169
	19 LST	11.6	10.4	13.0	11.3	11.1	13.6	14.3	18.4	16.7	15.2	13.6	14.4	163.8	4	1401
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	9.1	9.0	7.1	4.6	9.0	17.8	20.3	18.6	13.8	9.8	4.9	6.4	130.6	6	1917
	07 LST	1.2	0.5	1.2	0.5	0.7	2.5	5.3	4.8	3.0	1.5	0.2	0.2	21.6	4	1419
	13 LST	0.6	1.7	0.9	1.3	2.9	6.8	7.4	8.4	4.9	0.7	0.9	1.3	37.8	9	3177
	19 LST	5.0	3.2	4.2	4.5	12.2	20.4	23.0	17.1	14.3	10.3	5.3	5.8	125.3	4	1405
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	26.5	23.1	27.1	24.8	24.8	25.0	23.3	25.5	24.5	24.7	23.6	25.9	303.0	6	1916
	07 LST	19.0	17.8	19.3	18.2	10.1	8.7	7.8	12.8	14.0	14.5	15.9	19.5	177.8	4	1419
	13 LST	22.7	23.2	25.2	25.2	20.7	15.9	17.4	19.5	20.1	20.6	23.0	24.4	257.9	9	3175
	19 LST	28.0	26.9	29.2	26.0	27.3	26.2	29.9	27.2	26.3	29.0	25.7	28.0	329.9	4	1405
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	25.7	24.2	25.3	24.2	23.2	23.4	24.2	23.7	22.0	23.1	22.6	24.7	286.5	6	1916
	07 LST	19.5	17.8	18.7	18.0	9.1	8.0	7.2	11.1	12.7	12.2	15.4	18.5	167.2	4	1419
	13 LST	18.6	21.1	22.7	23.4	16.3	11.9	11.0	13.9	15.3	15.4	20.6	21.4	212.3	9	3175
	19 LST	27.3	26.4	28.7	25.5	26.2	25.7	28.8	25.7	25.0	28.6	24.2	27.3	319.2	4	1405
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	24.7	24.2	25.3	24.2	23.2	23.4	24.2	23.7	22.0	23.1	22.6	24.7	286.5	6	1916
	07 LST	18.5	17.8	18.7	18.0	9.1	8.0	7.2	11.1	12.7	12.0	15.4	18.5	167.0	4	1419
	13 LST	18.6	21.1	22.7	23.4	16.3	11.9	11.9	13.9	15.3	15.4	20.6	21.3	212.4	9	3175
	19 LST	27.5	26.4	28.7	25.9	26.2	25.7	28.8	25.7	25.0	28.6	24.2	27.3	319.2	4	1405

B'POUYA, REP. OF CONGO (BRAZ.)

LATITUDE 02375

LONGITUDE 01019E

ELEVATION(FT) 01017

STA NO. 64452 (IN AREA NUMBER 02)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														10	-32
MEAN REL HUM (PC)	82	80	80	80	81	78	73	70	77	82	82	83	79	0	0
MEAN PRESS ALT (FT)														10	-32
MEAN PRECIP (IN)	5.43	5.51	7.24	6.30	6.06	0.73	0.16	0.91	3.66	8.19	7.76	5.28	57.3	0	0
MEAN SNOW FALL (IN)														10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.9	10.0	9.9	9.1	9.0	1.6	0.4	1.9	6.4	12.1	11.6	9.8	91.3	0	0
MEAN NO DYS SNFL = OR GTR 1.9 IN														0	0
MEAN NO DYS W/OCUR VSOBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 9000 FT A/O LES 3 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
PDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	8.3	9.1	0.0	16.7	6.7	8.3	8.0	6.7	6.3	7.1	0.0	5.9	6.3	3	173
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
PDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	173
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

M'POUYA, REP. OF CONGO (BRAZ.)
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	31.0	28.0	31.0	30.0	31.0	30.0	29.0	31.0	28.1	28.8	28.5	31.0	357.4	3	173
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	19.7	20.4	31.0	20.0	26.2	22.5	18.6	12.4	16.0	23.8	18.0	21.9	250.5	3	166
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	2.0	3	179
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	25.4	16.8	18.1	19.1	20.6	28.0	27.1	18.6	17.1	24.8	18.0	23.3	256.9	3	175
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	3.7	2.2	0.0	0.0	8.6	12.7	12.4	0.0	0.0	0.0	0.0	39.6	3	184
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	25.8	25.5	28.6	20.0	22.7	27.5	27.1	26.8	22.5	24.3	27.0	27.3	305.1	3	173
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	20.6	22.9	26.2	20.0	20.6	27.5	27.1	26.6	18.8	24.3	27.0	23.7	289.5	3	173
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	20.6	22.9	26.2	20.0	20.6	27.5	27.1	26.8	18.8	24.3	27.0	23.7	289.5	3	173
	19 LST														0	0

DJABALA, REP. OF CONGO (BRAZ.)

STA NO. 64453 (IN AREA NUMBER 02)

LATITUDE 02315

LONGITUDE 01445E

ELEVATION(FT) 02995

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	87	90	88	90	87	85	85	88	88	86	86	86	90	4	-28
MEAN MAX TMP (F)	81	82	83	83	81	80	79	81	80	80	80	81	81	4	-28
MEAN MIN TMP (F)	66	66	66	67	67	64	62	62	65	66	66	67	65	4	-28
ABS MIN TMP (F)	62	60	58	62	62	60	55	55	62	62	62	62	55	4	-28
MEAN NO DYS TMP = DR GTR 90(F)	0.0	5.3	0.0	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.0	4	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS TMP = GR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN DEW PT TMP (F)	67	67	67	68	68	64	63	62	65	66	67	68	66	6	-29
MEAN REL HUM (PCT)	82	80	80	80	82	79	78	75	79	80	83	83	80	10	-32
MEAN PRESS ALT (FT)	2717	2722	2729	2722	2692	2637	2618	2643	2665	2698	2700	2709	2687	0	-80
MEAN PRECIP (IN)	6.85	7.52	9.53	7.61	7.21	0.95	0.39	1.50	5.47	5.91	9.69	9.76	74.4	20	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.3	10.0	10.1	10.2	9.5	2.0	0.9	3.0	8.9	9.5	13.5			20	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS W/OCCUR VSOBY LES 1/2 MI														0	0
MEAN NO DYS TS145														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	6.3	16.7	6.3	6.3	5.9	11.1	5.3	6.7	16.7	13.3	14.3	9.1	3	206
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	206
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

DJANDALA, REP. OF CONGO (BRAZ.)
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	31.0	28.0	28.4	30.0	31.0	30.0	31.0	31.0	30.0	29.3	30.0	31.0	360.7	3	206
	19 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	31.0	26.2	24.5	28.0	26.8	28.1	24.1	29.3	24.0	25.8	26.0	28.6	322.4	3	201
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	205
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	1.8	1.5	2.6	2.0	1.8	0.0	0.0	6.9	0.0	1.9	2.3	2.2	23.0	3	202
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	3.1	0.0	0.0	3.4	9.0	3.3	8.2	0.0	0.0	0.0	2.0	25.0	3	212
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	18.9	22.7	20.6	26.3	23.3	21.2	22.4	24.5	18.0	18.9	24.0	22.1	262.9	3	206
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	12.0	21.0	18.1	24.4	21.3	17.6	18.9	21.2	10.0	15.5	22.0	17.7	219.7	3	206
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	12.0	21.0	18.1	24.4	21.3	17.6	18.9	19.6	10.0	15.5	22.0	17.7	218.1	3	206
	19 LST														0	0

GABONNA, REP. OF CONGO (BRAZ.)

STA NO. 64454 (IN AREA NUMBER 02)

LATITUDE 0154S

LONGITUDE 01991E

ELEVATION(FT) 01276

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)	82	80	80	81	82	79	75	73	79	63	63	63	80	10	-32
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	5.55	6.61	6.73	5.98	5.98	1.61	0.83	2.24	6.30	10.24	8.07	6.89	67.0	20	-32
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.0	10.4	9.3	8.9	8.9	3.2	1.8	4.3	10.0	14.0	11.9	10.3	103.0	20	-29
MEAN NO DYS SNFI = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCLR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	25.0	12.5	13.0	9.1	17.6	11.1	10.0	12.5	22.2	33.3	13.3	14.3	16.2	4	209
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	209
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

GABONIA, REP. OF CONGO (BRAZ.)
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	31.0	28.0	29.6	30.0	31.0	30.0	29.5	31.0	28.3	28.9	28.0	31.0	356.3	4	209
	19 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	15.5	24.5	27.7	21.8	20.1	21.7	26.4	25.2	21.2	15.5	21.4	23.8	264.8	4	200
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.0	0.0	2.7	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	4.4	4	208
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	22.1	19.2	18.6	16.4	16.4	15.0	24.8	27.7	15.9	11.1	17.1	25.2	229.5	4	207
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.0	0.0	0.0	0.0	3.2	5.9	7.8	0.0	0.0	0.0	1.1	18.0	4	219
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	7.8	17.5	18.8	13.6	14.6	18.3	20.2	19.4	11.6	10.3	14.0	13.3	179.4	4	209
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	12.2	12.1	2.7	10.9	15.0	14.0	15.5	6.7	6.2	8.0	6.6	109.9	4	209
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	12.2	12.1	2.7	10.9	15.0	14.0	15.5	6.7	6.2	8.0	6.6	109.9	4	209
	19 LST														0	0

AREA NO. 02

CONGO, REP OF (BRA/ZAVILLE) COASTAL
BOUNDARIES 0110S 01435E 0119S 01639E

LATITUDE 0300S LONGITUDE 01430E

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		85	86	87	87	85	82	79	80	82	84	84	85	84
MEAN MIN TMP (F)		7	70	77	71	70	66	63	64	67	70	70	71	69
LARGST MEAN PRECIP(IN)		0.09	0.27	9.98	9.65	7.21	1.61	0.03	2.24	6.30	10.24	11.63	9.76	84.1
SMALLEST MEAN PRECIP(IN)		4.88	3.35	6.22	5.98	3.90	0.00	0.00	0.00	0.28	2.80	6.98	3.28	38.9
MEAN NUMBER OF DAYS														
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	30.2	27.0	30.4	29.7	30.3	28.5	28.5	29.0	27.8	29.1	28.1	30.8	349.4
	07 LST	29.7	29.0	27.0	28.5	27.7	26.3	27.8	30.2	29.0	30.0	26.9	28.5	336.2
	13 LST	30.4	27.7	29.8	29.7	30.4	30.0	30.0	31.0	29.2	28.9	29.2	30.7	396.7
	19 LST	30.2	27.7	31.0	29.5	30.7	30.0	31.0	31.0	29.7	30.7	29.7	30.0	361.2
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	26.2	23.5	28.3	27.8	28.1	26.7	26.8	27.2	24.2	22.8	22.7	28.4	312.7
	07 LST	20.0	18.1	21.0	19.2	11.7	18.0	9.3	15.2	15.3	18.0	16.9	21.0	193.7
	13 LST	21.2	23.1	25.5	24.3	23.5	22.2	19.5	19.3	17.3	18.7	21.4	25.3	261.7
	19 LST	29.0	26.7	29.7	27.0	28.2	27.2	30.4	29.0	27.0	30.0	27.8	28.7	339.9
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1
	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	13 LST	0.0	0.3	0.0	0.8	0.0	0.3	0.0	0.3	0.2	0.0	0.0	0.0	1.9
	19 LST	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.6
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	3.0	11.7	7.3	10.8	6.6	7.5	7.3	7.8	9.2	10.7	7.3	6.3	95.9
	07 LST	4.7	4.7	7.0	5.7	10.0	11.5	12.6	14.3	9.3	10.2	6.3	7.2	103.3
	13 LST	17.0	13.5	15.0	15.2	14.7	17.1	22.7	20.1	15.8	15.9	12.7	15.5	194.8
	19 LST	11.6	10.4	13.0	11.3	11.1	13.6	14.3	18.4	16.7	15.2	13.6	14.4	169.8
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	6.1	4.5	5.6	2.8	6.1	14.6	14.8	14.3	9.7	6.4	3.0	4.2	92.1
	07 LST	1.2	0.5	1.2	0.5	0.7	2.5	5.3	4.8	3.0	1.9	0.2	0.2	21.6
	13 LST	0.1	1.3	0.8	0.3	1.6	4.5	5.3	6.0	1.0	0.1	0.1	0.6	21.7
	19 LST	5.0	3.2	4.2	4.5	12.2	20.4	23.0	17.1	14.5	10.3	5.3	5.8	125.5
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	22.8	21.1	25.6	25.9	25.3	22.0	22.3	23.3	20.4	19.6	18.7	23.4	270.4
	07 LST	19.0	17.8	19.5	18.2	18.1	8.7	7.8	12.8	14.0	14.5	15.9	19.3	177.8
	13 LST	17.0	20.5	22.2	21.6	18.7	19.4	16.8	17.3	13.6	14.6	19.3	21.4	222.4
	19 LST	28.0	26.9	29.2	26.0	27.5	26.2	29.9	27.2	26.3	29.0	25.7	28.0	329.9
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	17.9	18.6	22.8	24.6	21.4	18.7	18.1	16.9	14.6	14.1	13.1	17.4	218.2
	07 LST	18.5	17.8	18.7	18.0	9.1	8.0	7.2	11.1	12.7	12.2	15.4	18.5	167.2
	13 LST	12.1	17.5	19.9	19.0	15.0	14.7	12.1	12.5	8.0	10.1	15.2	16.1	172.2
	19 LST	27.5	26.4	28.7	24.9	26.2	25.7	28.8	25.7	25.0	28.6	24.2	27.5	319.2
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	17.9	18.6	22.8	24.6	21.4	18.7	18.1	16.9	14.6	14.1	13.1	17.4	218.2
	07 LST	18.5	17.8	18.7	18.0	9.1	8.0	7.2	11.1	12.7	12.0	15.4	18.5	167.0
	13 LST	12.1	17.5	19.9	19.0	15.0	14.7	12.1	12.3	8.0	10.1	15.2	16.1	172.0
	19 LST	27.5	26.4	28.7	24.9	26.2	25.7	28.8	25.7	25.0	28.6	24.2	27.5	319.2

CORQUILNATVILLE/BOANDAKA, REP. OF CONGO (LEOP.)

STA NO. 64005 (IM AREA NUMBER 01)

LATITUDE 0001N

LONGITUDE 01017E

ELEVATION(FT) 01119

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	95	99	99	99	95	94	93	91	94	95	95	98	99	14	-28
MEAN MAX TMP (F)	88	90	90	89	89	87	86	85	87	87	87	87	88	14	-28
MEAN MIN TMP (F)	67	68	68	68	68	67	64	64	67	67	67	67	67	14	-28
ABS MIN TMP (F)	57	61	57	59	57	62	59	61	61	62	59	60	57	14	-28
MEAN NO DYS TMP - DR GTR 90(F)	13.2	14.3	13.9	14.0	14.3	11.3	10.7	9.4	11.3	11.9	11.3	11.9	150.3	14	-29
MEAN NO DYS TMP - DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS TMP - DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN DEN PT TMP (F)	72	72	72	73	73	72	71	71	71	72	72	72	72	5	7688
MEAN REL HUM (PCT)	85	83	84	85	85	86	85	85	85	85	86	86	85	10	-28
MEAN PRESS ALT (FT)	1132	1150	991	894	928	992	898	930	982	949	987	1077	992	0	-30
MEAN PRECIP (IN)	3.23	4.02	6.14	3.35	5.16	4.72	3.94	4.33	8.11	8.39	7.48	4.86	66.1	15	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS PRCP - DR GTR 0.1 IN	6.9	8.2	9.0	8.7	8.4	8.0	6.9	7.4	12.0	12.3	11.3	9.3	100.6	15	-29
MEAN NO DYS SNFL - DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.3	2.5	2.0	1.3	3.3	4.5	3.2	3.3	1.0	2.0	2.0	3.5	33.7	5	1195
MEAN NO DYS TSTMS	10.5	9.6	13.6	14.0	17.9	13.0	6.0	13.8	16.2	16.7	17.1	15.3	163.9	5	1195
P FREQ WND SPD - DR GTR 17 KTS	0.0	0.2	0.0	0.1	0.0	0.3	0.0	0.0	0.0	0.4	0.0	0.0	0.1	5	6310
P FREQ WND SPD - DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	5	6310
P FREQ LES 5000 FT A/D LES 5 MI	20.2	22.5	26.2	30.2	27.0	32.8	33.9	37.5	34.3	38.8	30.9	25.8	29.8	5	7173
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST														0	0
03-05 LST	27.7	19.9	21.8	22.0	25.5	26.2	29.6	27.3	33.3	33.3	31.0	24.3	26.8	5	1395
06-08 LST	18.1	17.7	17.1	24.0	17.3	22.0	26.0	23.3	29.9	27.1	25.3	19.6	22.5	5	1742
09-11 LST	9.3	11.6	14.2	19.6	17.4	16.0	18.7	21.9	24.8	26.3	20.1	13.3	17.2	5	1810
12-14 LST	11.2	12.9	14.4	14.3	12.0	11.3	17.4	20.3	22.4	22.3	21.2	10.9	13.9	10	3301
15-17 LST	3.3	4.8	6.3	6.3	7.1	7.4	4.7	8.4	12.0	11.7	12.0	3.8	7.3	5	1789
18-20 LST	7.3	7.2	12.9	11.9	10.5	10.0	9.1	10.1	7.8	13.1	11.9	9.8	10.6	5	1233
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST														0	0
03-05 LST	2.0	2.9	2.7	4.3	4.8	3.0	3.6	3.5	6.8	3.3	3.3	3.3	4.3	5	1395
06-08 LST	6.7	8.5	4.1	7.3	7.1	6.0	10.3	3.8	3.4	4.3	8.0	7.2	6.6	5	1742
09-11 LST	0.7	0.7	1.3	2.0	0.0	0.7	0.0	0.6	1.3	1.3	1.3	0.0	0.0	5	1810
12-14 LST	0.0	0.4	0.0	0.8	0.0	0.0	0.7	0.0	1.4	0.3	0.7	0.0	0.4	10	3301
15-17 LST	0.7	0.0	1.3	1.4	0.0	1.3	0.7	0.0	2.0	0.0	1.3	0.0	0.7	5	1789
18-20 LST	0.0	0.0	0.0	1.7	1.6	3.3	0.0	0.0	2.2	0.0	0.0	0.0	0.8	5	1233
21-23 LST														0	0

COQUILHATVILLE/BBANDAKA, REP. OF CONGO (LEOP.)
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST											23.4	27.0		1	97
	07 LST	21.4	20.8	26.2	22.6	25.0	19.8	20.4	22.1	20.8	23.0	22.0	23.7	267.8	9	1742
	13 LST	30.3	27.0	29.1	28.6	29.8	29.4	28.4	28.4	27.1	27.8	27.6	30.3	343.8	10	3301
	19 LST	25.9	25.2	24.2	23.6	26.0	20.0	22.9	25.3	21.3	18.8	23.1	25.2	201.5	9	1233
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST											23.1	27.0		1	97
	07 LST	21.5	18.7	24.9	21.0	24.1	19.2	19.1	19.9	20.0	21.4	21.2	22.9	233.9	9	1635
	13 LST	23.8	22.5	24.9	23.3	25.2	24.1	23.1	21.1	19.9	20.4	19.9	25.3	273.5	10	3183
	19 LST	26.3	23.9	25.6	22.9	24.5	19.8	22.8	23.8	21.2	18.3	21.7	23.9	273.3	9	1113
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST											0.0	0.0		1	97
	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	1635
	13 LST	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.1	0.0	0.1	0.4	10	3183
	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	1113
SFC WND 4-10 TS AND THP 33-89 DEC F AND NO PRECIP.	01 LST											2.3	1.0		1	97
	07 LST	3.2	2.8	5.7	5.8	3.0	3.3	9.0	7.9	6.4	4.1	2.6	2.4	36.4	9	1617
	13 LST	17.9	14.4	11.1	11.7	13.3	13.0	17.2	17.7	15.8	14.6	11.5	14.4	174.6	10	3183
	19 LST	0.0	2.5	3.8	2.8	3.8	1.3	1.1	3.7	5.3	1.3	2.3	3.8	33.7	9	1113
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST											6.9	9.0		1	97
	07 LST	1.6	3.2	3.3	1.4	4.4	3.2	3.2	3.4	2.6	1.4	2.8	2.4	33.1	9	1742
	13 LST	2.8	3.0	0.8	0.6	0.9	1.3	1.2	0.6	0.0	0.4	0.2	2.3	14.1	10	3301
	19 LST	11.3	12.7	10.0	10.1	9.7	10.0	14.4	11.3	9.3	11.7	7.9	12.6	131.0	9	1234
CIG = GTR 2300 FT AND VSBY = GTR 3 MI	01 LST											23.1	26.0		1	97
	07 LST	21.2	20.2	23.9	21.0	23.9	18.6	18.4	19.7	19.7	21.4	21.0	22.5	231.5	9	1742
	13 LST	22.6	19.9	20.0	18.4	20.8	18.7	16.0	16.1	15.1	13.9	16.7	22.0	222.2	10	3301
	19 LST	24.7	23.7	23.0	22.9	23.3	19.3	22.3	22.3	19.7	18.3	20.6	22.7	269.4	9	1233
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST											23.1	25.0		1	97
	07 LST	21.2	20.0	23.9	20.8	23.9	18.4	18.4	19.7	19.7	21.4	20.8	22.3	230.5	9	1742
	13 LST	21.1	17.9	17.1	14.8	17.5	14.9	11.3	12.7	11.6	12.8	14.3	19.4	183.6	10	3301
	19 LST	24.4	23.4	23.0	22.9	23.3	19.3	22.3	22.3	19.7	18.3	20.6	22.2	262.3	9	1233
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST											23.1	25.0		1	97
	07 LST	21.2	20.0	23.9	20.8	23.9	18.4	18.4	19.7	19.7	21.4	20.8	22.3	230.5	9	1742
	13 LST	21.1	17.9	17.1	14.8	17.5	14.9	11.3	12.7	11.6	12.8	14.3	19.4	183.6	10	3301
	19 LST	24.4	23.4	23.0	22.9	23.3	19.3	22.3	22.3	19.7	18.3	20.6	22.2	262.3	9	1233

OUTA, REP. OF CONGO (LEOP.)

STA NO. 64034 (IN AREA NUMBER 01)

LATITUDE 0247N

LONGITUDE 02447E

ELEVATION(FT) 01434

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP - DR GTR 90(F)														0	0
MEAN NO DYS TMP - DR LES 32(F)														0	0
MEAN NO DYS TMP - DR LES 0(F)														0	0
MEAN DEN PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.17	2.43	5.24	6.90	6.62	4.63	5.92	6.14	7.34	8.92	5.09	1.81	61.0	30	-6
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP - DR GTR 0.1 IN	2.7	5.3	8.4	9.4	9.3	7.8	9.4	9.7	11.2	12.4	8.4	4.0	98.0	30	-29
MEAN NO DYS SNFL - DR GTR 1.9 IN														0	0
MEAN NO DYS M/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	2.0	5.0	12.0	14.0	12.0	18.0	19.0	19.0	17.0	18.0	9.0	3.0	190.0	5	-24
P FREQ WND SPD - DR GTR 17 KTS														0	0
P FREQ WND SPD - DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	4.9	5.1	4.4	5.5	5.3	7.2	19.1	16.1	19.4	9.2	4.8	5.8	7.9	5	1480
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	1.0	1.0	0.9	0.9	1.8	1.5	2.2	2.0	1.4	0.8	0.0	1.3	5	1480
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

DATA, REP. OF CONGO (LEOP.)
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	30.4	26.6	30.2	29.2	30.7	28.9	29.2	29.4	27.2	29.7	29.0	30.3	331.1	3	1480
	20 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST														0	0
	14 LST	28.9	26.3	28.6	28.1	28.5	26.7	24.9	22.8	23.9	27.3	28.3	28.3	322.6	3	1478
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.0	0.0	7.0	0.6	3	1477
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	5.6	3.7	6.6	6.9	7.1	8.3	11.1	12.0	12.7	10.0	9.9	10.3	103.2	3	1478
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	6.6	6.2	1.6	2.7	1.4	2.7	0.9	1.1	1.7	2.6	4.8	0.3	40.6	3	1477
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	26.8	29.3	26.1	26.2	26.0	25.9	23.3	21.7	22.4	23.3	26.9	26.3	302.6	3	1480
	20 LST														0	0
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	22.4	22.9	23.1	23.4	24.1	24.6	21.7	20.6	20.3	24.0	23.7	23.4	276.4	3	1480
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	22.4	22.9	23.1	23.4	24.1	24.6	21.7	20.6	20.3	24.0	23.7	23.4	276.4	3	1480
	20 LST														0	0

STANLEYVILLE/KISANGANI, REP. OF CONGO (LEOP.)

STA NO. 64040 (IN AREA NUMBER 01)

LATITUDE 0031N

LONGITUDE 02509E

ELEVATION(FT) 01962

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO.
ABS MAX TMP (F)	97	97	96	95	94	93	92	92	93	93	95	95	97	9	-28
MEAN MAX TMP (F)	88	88	88	88	87	86	84	83	85	86	85	86	86	8	-28
MEAN MIN TMP (F)	69	69	69	70	69	69	67	68	68	68	68	68	69	8	-28
ABS MIN TMP (F)	63	65	62	64	65	64	63	63	62	64	64	61	61	9	-28
MEAN NO DYS TMP - DR GTR 90(F)	13.2	11.9	13.2	12.7	11.9	10.3	8.2	7.0	9.0	10.7	9.0	10.7	127.8	8	-29
MEAN NO DYS TMP - DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN NO DYS TMP - DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN DEW PT TMP (F)	73	73	73	73	72	73	74	72	74	73	73	71	73	7	-33
MEAN REL HUM (PCT)	85	81	83	81	84	86	85	84	85	86	84	83	84	7	-33
MEAN PRESS ALT (FT)	1277	1273	1220	1100	1195	1254	1233	1268	1239	1217	1216	1236	1237	8	-30
MEAN PRECIP (IN)	3.27	4.09	5.73	6.77	7.13	4.41	4.37	7.03	7.01	8.47	6.34	4.49	69.3	20	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN NO DYS PRCP - DR GTR 0.1 IN	6.9	8.3	8.8	9.3	9.5	7.6	7.8	10.7	10.8	12.3	10.8	8.9	110.9	20	-29
MEAN NO DYS SNFL - DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	5.3	2.3	2.1	1.0	7.3	9.2	11.3	8.1	4.0	2.8	2.0	4.3	39.9	3	1630
MEAN NO DYS TSTMS	12.4	10.6	16.3	17.8	16.7	16.7	13.6	17.9	17.4	18.6	21.2	13.8	196.3	3	1630
P FREQ WND SPD - DR GTR 17 KTS	0.2	0.3	0.2	0.3	3.8	0.1	0.1	0.0	0.2	0.1	0.1	0.1	0.3	3	11472
P FREQ WND SPD - DR GTR 28 KTS	0.0	0.0	0.1	0.0	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	3	11472
P FREQ LES 3000 FT A/D LES 3 MI	19.7	16.3	17.4	16.6	21.0	21.9	29.1	26.4	20.9	22.1	23.3	19.4	21.2	3	12189
P FREQ LLS 1500 FT A/D LES 3 MI															
PDR 00-02 LST	3.7	10.7	8.9	9.4	9.9	14.3	24.0	25.0	11.0	11.0	21.1	13.1	14.0	4	1323
03-05 LST	15.6	13.1	16.0	20.1	27.6	28.9	37.2	36.2	21.1	23.2	27.0	20.0	24.0	3	1626
06-08 LST	30.3	23.3	24.3	28.2	43.8	34.7	38.7	46.1	39.3	31.7	36.7	27.3	37.3	3	1737
09-11 LST	16.1	14.2	11.3	10.0	16.2	17.4	24.7	23.2	19.3	14.3	17.4	20.0	17.0	3	1760
12-14 LST	3.2	6.3	6.6	6.6	7.1	7.0	11.0	10.3	3.1	8.2	3.4	6.9	7.1	10	3267
15-17 LST	9.7	2.2	2.6	2.7	3.9	2.7	2.6	4.2	3.4	4.1	3.4	2.6	3.7	3	1776
18-20 LST	1.4	3.2	1.9	1.0	4.6	2.2	3.4	3.3	4.1	2.3	2.7	2.2	3.0	3	1768
21-23 LST	4.3	4.4	3.2	3.4	3.3	7.6	6.6	3.3	3.4	4.3	2.7	3.4	4.3	4	1235
P FREQ LES 300 FT A/D LES 1 MI															
PDR 00-02 LST	3.3	2.7	3.3	2.6	6.6	9.2	14.8	14.9	2.3	2.1	1.1	3.4	3.7	4	1323
03-05 LST	9.8	3.1	4.0	4.2	16.2	13.3	22.3	21.7	10.6	8.1	7.0	8.2	10.9	3	1626
06-08 LST	17.4	9.2	7.7	8.7	19.0	29.3	30.3	26.6	7.6	4.1	6.0	9.8	14.6	3	1737
09-11 LST	1.9	0.0	0.0	0.0	0.6	0.0	0.6	0.0	0.7	0.0	0.0	0.0	0.3	3	1760
12-14 LST	0.4	0.0	0.0	0.4	0.0	0.8	0.7	0.0	0.0	0.7	0.0	0.3	0.3	16	3267
15-17 LST	1.3	0.7	0.0	0.0	0.7	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3	1776
18-20 LST	0.0	0.0	0.0	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	3	1768
21-23 LST	1.1	0.9	0.0	2.2	1.7	1.7	0.8	0.8	1.1	0.0	0.0	0.0	0.9	4	1235

STANLEYVILLE/KISANGANI, REP. OF CONGO (LEOP.)
 MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	25.6	25.5	27.5	27.6	25.9	23.2	19.0	22.0	26.4	27.4	24.0	24.6	290.5	4	1929
	08 LST	17.4	18.6	23.6	21.9	16.0	13.6	12.2	15.7	18.6	22.2	19.4	21.7	221.7	5	1757
	14 LST	30.6	27.4	30.2	29.6	29.7	28.7	29.0	29.4	29.7	29.0	29.6	30.0	354.5	10	3267
	20 LST	31.0	27.8	31.0	29.8	30.2	29.6	30.3	30.0	29.6	30.2	29.6	30.1	339.2	5	1700
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	24.2	25.3	26.3	26.4	25.9	22.2	18.7	21.2	24.4	23.8	22.0	24.0	284.4	4	1234
	08 LST	16.7	17.3	22.7	20.9	15.6	13.0	11.0	15.3	17.4	20.2	18.4	20.1	208.6	5	1645
	14 LST	28.6	24.8	27.7	26.5	27.1	26.8	26.0	26.5	26.4	27.4	27.3	27.4	322.5	10	3175
	20 LST	30.5	26.9	30.2	29.2	28.8	28.9	29.3	28.6	28.4	30.2	28.5	29.9	349.4	5	1633
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	4	1235
	08 LST	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	5	1646
	14 LST	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.9	10	3176
	20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1633
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	2.5	2.3	4.4	3.6	3.6	4.3	2.8	1.8	1.5	1.3	2.0	0.0	30.1	4	1195
	08 LST	3.0	2.5	3.8	4.8	2.5	4.4	3.2	5.2	5.0	5.3	2.8	3.4	45.9	5	1626
	14 LST	7.3	5.6	7.8	8.4	7.5	7.7	10.4	10.7	11.5	9.6	7.1	7.3	101.1	10	3120
	20 LST	3.0	1.0	4.1	3.6	3.8	3.5	2.5	3.7	3.4	2.3	2.1	2.1	39.1	5	1976
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	3.5	7.7	3.8	1.8	3.7	3.5	4.1	4.3	3.8	2.3	3.8	3.7	44.9	4	1910
	08 LST	1.0	2.2	2.0	0.4	0.4	1.4	0.2	0.2	0.8	0.0	1.2	1.4	11.2	5	1733
	14 LST	3.8	4.7	1.0	0.8	1.1	2.5	1.9	1.8	0.5	0.6	1.2	3.6	25.5	10	3258
	20 LST	5.5	8.2	4.2	5.4	6.5	7.0	5.2	5.7	6.2	6.9	3.9	6.8	71.5	5	1707
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	23.6	24.0	25.7	25.6	25.9	22.2	18.3	20.7	23.9	23.8	21.3	24.3	279.3	4	1923
	08 LST	17.2	17.5	22.6	20.9	15.6	13.0	10.8	14.9	17.4	20.2	18.4	20.2	208.7	5	1737
	14 LST	25.9	23.9	25.6	25.8	26.1	25.8	24.1	24.3	24.3	25.3	25.5	25.7	302.3	10	3267
	20 LST	29.4	25.8	29.4	28.2	28.4	27.4	29.1	27.9	27.7	29.2	28.1	28.9	339.5	5	1700
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	22.8	23.5	24.9	25.1	25.9	22.2	18.0	20.5	23.4	23.5	21.3	24.3	275.4	4	1923
	08 LST	17.0	17.3	22.6	20.7	15.6	13.0	10.6	14.9	17.4	20.2	18.4	20.2	207.9	5	1737
	14 LST	24.3	22.5	23.3	24.5	24.3	25.0	22.3	22.6	22.4	23.7	23.9	24.3	285.1	10	3267
	20 LST	29.0	25.5	28.8	27.8	28.1	26.7	28.7	26.9	27.7	29.0	27.3	28.2	333.7	5	1700
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	22.8	23.5	24.9	25.1	25.9	22.2	18.0	20.5	23.4	23.5	21.3	24.3	275.4	4	1923
	08 LST	17.0	17.3	22.4	20.7	15.6	13.0	10.6	14.9	17.4	20.2	18.4	20.2	207.7	5	1737
	14 LST	24.3	22.5	23.3	24.5	24.3	25.0	22.3	22.6	22.4	23.7	23.9	24.3	285.1	10	3267
	20 LST	29.0	25.5	28.6	27.8	28.1	26.5	28.7	26.9	27.7	29.0	27.3	28.2	333.3	5	1700

AREA NO. 01

CONGO PCP D (LEOP)	CONGO BASIN				LATITUDE 0130N		LONGITUDE 02400E							
	BOUNDARIES	01155	01659E	01505	02730E	01505	02730E	0430N	02905E					
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		88	89	89	89	88	87	85	84	86	87	86	87	87
MEAN MIN TMP (F)		68	69	69	69	69	68	66	66	68	68	68	68	68
LARGEST MEAN PRECIP(IN)		3.27	4.09	6.14	6.98	7.13	4.72	5.92	7.05	8.11	6.52	7.68	4.80	74.4
SMALLEST MEAN PRECIP(IN)		1.17	2.43	3.24	3.35	3.16	4.41	3.94	4.33	7.01	8.39	3.05	1.01	54.5
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	25.6	25.5	27.5	27.4	25.9	23.2	19.0	22.0	26.4	27.4	24.7	26.8	301.4
	08 LST	19.4	19.7	24.9	22.3	20.9	16.7	16.3	18.9	19.7	22.6	20.7	22.7	244.8
	14 LST	30.4	27.0	29.8	29.1	30.1	29.0	29.1	29.1	28.1	29.1	28.7	30.2	349.7
	20 LST	28.5	26.5	27.6	26.7	28.1	24.8	26.6	27.7	25.5	24.5	26.4	27.7	320.6
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	24.2	25.3	26.3	26.4	25.9	22.2	18.7	21.2	24.4	23.8	22.6	25.5	286.5
	08 LST	19.1	18.0	23.8	21.0	19.9	16.1	15.1	17.6	18.7	20.8	19.8	21.5	231.4
	14 LST	27.0	24.5	27.1	26.0	26.9	25.9	24.7	23.3	23.4	25.1	25.2	27.1	306.4
	20 LST	28.4	26.4	27.9	26.1	26.7	24.2	23.9	25.8	24.8	24.3	25.1	26.9	312.5
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0
	08 LST	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
	14 LST	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.3
	20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	2.5	2.3	4.4	3.5	3.6	3.3	2.8	1.8	1.5	1.3	2.2	0.5	30.8
	08 LST	3.1	2.7	4.8	3.3	2.8	4.0	6.1	6.6	5.7	4.7	2.7	2.9	51.4
	14 LST	10.3	7.9	8.8	9.0	9.3	10.3	12.9	13.7	13.3	11.4	9.5	10.8	126.9
	20 LST	1.5	1.8	4.6	3.2	3.8	2.5	1.8	3.7	4.5	1.9	2.3	3.0	34.6
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	3.5	7.7	3.9	1.8	3.7	3.5	4.1	4.3	3.8	2.3	5.0	6.4	49.6
	08 LST	1.3	2.7	2.8	0.9	2.4	3.3	1.7	1.8	1.7	0.7	2.0	1.9	23.2
	14 LST	4.4	4.6	1.1	1.4	1.1	2.2	1.3	1.2	0.7	1.2	2.1	4.7	26.0
	20 LST	8.4	10.5	7.1	7.8	8.1	8.5	9.8	8.5	7.8	9.3	5.9	9.7	101.4
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	23.6	24.0	25.7	25.6	25.9	22.2	18.3	20.7	23.9	23.8	22.2	25.2	281.1
	08 LST	19.2	18.9	23.5	21.0	19.8	15.8	14.6	17.3	18.6	20.8	19.7	21.4	230.4
	14 LST	25.1	23.1	23.9	23.3	24.3	23.5	21.1	20.7	20.6	22.2	23.0	24.7	275.7
	20 LST	27.1	24.8	26.2	25.6	26.0	23.5	23.8	25.1	23.7	23.8	24.4	25.8	301.8
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	22.8	23.5	24.9	25.1	25.9	22.2	18.0	20.5	23.4	23.5	22.2	24.7	276.7
	08 LST	19.1	18.7	23.3	20.8	19.8	15.7	14.5	17.3	18.6	20.8	19.6	21.3	229.5
	14 LST	22.6	21.1	21.2	20.9	22.0	21.5	18.4	18.6	18.2	20.2	21.4	23.0	249.1
	20 LST	26.7	24.5	25.9	25.4	25.8	23.1	23.6	24.6	23.7	23.7	24.0	25.2	298.2
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	22.8	23.5	24.9	25.1	25.9	22.2	18.0	20.5	23.4	23.5	22.2	24.7	276.7
	08 LST	19.1	18.7	23.2	20.8	19.8	15.7	14.5	17.3	18.6	20.8	19.6	21.3	229.4
	14 LST	22.6	21.1	21.2	20.9	22.0	21.5	18.4	18.6	18.2	20.2	21.4	23.0	249.1
	20 LST	26.7	24.5	25.8	25.4	25.8	23.0	23.6	24.6	23.7	23.7	24.0	25.2	298.0

STA NO. 64076 (IN AREA NUMBER 02)

BUNIA, REP. OF CONGO (LEOP.)

LATITUDE 0134N

LONGITUDE 03013E

ELEVATION(FT) 04045

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	99	97	99	91	91	90	88	91	90	88	87	89	99	6	-33
MEAN MAX TMP (F)	85	84	84	83	81	79	78	79	81	81	81	83	82	6	-33
MEAN MIN TMP (F)	61	62	62	63	63	60	60	59	59	60	59	60	61	6	-33
ABS MIN TMP (F)	55	54	54	57	56	55	54	53	53	55	54	54	53	6	-33
MEAN NO DYS TMP - DR GTR 90(F)	20.0	12.0	14.0	11.0	5.0	0.0	0.0	2.0	4.0	0.0	0.0	0.0	68.0	6	-33
MEAN NO DYS TMP - DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS TMP - DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN DEW PT TMP (F)	68	68	67	67	67	67	67	66	66	65	67	67	67	6	-33
MEAN REL HUM (PCT)	78	78	74	74	78	66	91	86	82	73	86	80	81	10	-33
MEAN PRESS ALT (FT)	3964	3963	3931	3923	3932	3956	3971	3997	4002	3964	3949	3951	3959	0	-50
MEAN PRECIP (IN)	5.50	6.80	9.40	10.60	12.50	10.50	12.20	15.90	9.60	10.80	12.00	6.50	121.9	23	-33
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS PRCP - DR GTR 0.1 IN	9.9	10.4	10.1	10.3		13.5	14.5	15.8	13.4	14.5	15.4	10.4		23	-29
MEAN NO DYS SNFL - DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS W/OCLR VSBY LES 1/2 MI	0.7	0.0	0.3	0.0	1.4	2.5	2.0	1.0	2.5	0.5	0.6	0.0	11.5	4	831
MEAN NO DYS TSTMS	17.3	10.3	17.3	15.7	18.2	18.3	16.0	26.1	27.0	27.5	19.0	16.2	228.9	4	831
P FREQ WND SPD - DR GTR 17 KTS	1.1	2.1	4.2	4.5	4.1	2.3	0.5	1.6	0.6	1.2	3.1	3.4	2.4	4	4840
P FREQ WND SPD - DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	4840
P FREQ LES 3000 FT A/D LES 5 MI	22.1	19.4	16.1	20.9	18.3	21.8	32.3	37.0	34.5	23.1	23.2	18.3	23.9	4	4860
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	6.0	4.0	4.0	8.0	6.0	10.0	11.0	11.0	10.0	7.0	10.0	5.0	7.7	4	-33
03-05 LST	12.2	8.2	7.4	16.8	11.6	19.5	22.4	22.8	20.7	14.6	20.5	9.9	15.6	4	1313
06-08 LST	7.7	9.7	9.8	15.1	8.9	14.4	28.2	21.1	18.4	13.8	18.3	7.3	14.4	4	1317
09-11 LST	4.9	2.7	3.3	9.3	9.7	9.3	10.3	11.4	10.8	10.6	8.5	4.9	8.0	4	1410
12-14 LST	3.3	2.7	4.1	5.9	3.3	3.5	9.5	5.7	7.6	5.8	5.9	1.6	4.9	4	1398
15-17 LST	1.6	0.0	2.4	2.5	1.7	3.4	6.0	4.2	5.3	4.4	4.3	0.8	3.1	4	1361
18-20 LST	2.2	0.0	2.2	1.1	2.2	1.7	6.5	1.6	3.3	3.2	3.8	0.0	2.3	4	923
21-23 LST	3.0	2.0	1.0	4.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	4	-33
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.0	0.0	0.0	0.0	3.0	3.0	2.0	2.0	1.0	0.0	1.0	0.0	1.1	4	-33
03-05 LST	1.6	0.0	0.0	0.8	5.0	5.1	3.3	3.3	1.7	0.8	1.1	0.0	1.9	4	1313
06-08 LST	1.1	0.9	0.0	0.8	1.6	2.5	5.9	0.8	2.3	3.3	1.7	0.0	1.7	4	1317
09-11 LST	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.1	4	1410
12-14 LST	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.2	4	1398
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.1	4	1361
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.1	4	923
21-23 LST	0.0	0.0	0.0	0.0	1.0	1.0	1.0	1.0	0.0	1.0	0.0	0.0	0.4	4	-33

BUNIA, REP. OF CONGO (LEOP.)
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	29.6	26.3	29.0	27.7	29.0	26.2	21.5	27.2	26.9	28.7	26.3	30.2	328.6	4	1317
	14 LST	30.5	27.7	30.5	29.2	29.9	29.0	29.9	30.5	28.7	30.2	29.7	30.5	356.3	4	1398
	20 LST	29.6	28.0	31.0	30.0	30.0	29.5	29.0	31.0	29.5	30.5	30.0	30.6	398.7	4	923
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	27.2	23.5	26.3	18.5	24.4	21.8	17.5	21.9	20.7	23.2	22.2	27.2	274.4	4	1316
	14 LST	16.9	16.6	13.6	8.8	11.0	10.7	11.4	14.7	12.8	14.7	13.8	14.6	159.6	4	1395
	20 LST	29.6	26.7	28.3	25.7	26.9	28.5	26.9	28.0	26.5	26.9	27.7	30.3	332.0	4	921
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST	0.0	0.2	0.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.3	4	1316
	14 LST	2.3	1.3	4.8	3.0	3.3	2.6	1.1	0.7	1.3	2.1	1.8	2.8	27.1	4	1395
	20 LST	0.0	0.0	0.0	0.7	0.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	1.5	4	921
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST	22.1	20.8	17.5	18.2	21.1	20.6	23.0	18.9	19.0	17.6	16.0	19.0	233.8	4	1314
	14 LST	17.9	14.6	13.0	12.8	13.3	13.0	13.4	13.3	14.1	13.3	14.9	15.1	173.1	4	1389
	20 LST	20.0	19.4	21.0	20.6	18.8	19.8	19.3	21.0	21.0	19.3	19.0	21.6	240.8	4	918
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	4.4	3.9	1.0	0.0	2.0	2.5	0.7	0.7	0.3	0.5	2.0	3.8	21.8	4	1317
	14 LST	7.3	2.3	2.5	1.5	1.5	4.2	1.8	0.7	1.3	0.8	0.5	0.7	20.1	4	1398
	20 LST	3.7	7.9	2.5	1.7	2.7	6.1	8.0	4.0	3.5	2.5	1.9	2.5	46.8	4	923
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	26.9	24.0	26.9	22.2	26.9	21.1	16.8	21.4	21.7	24.7	22.2	28.0	282.8	4	1317
	14 LST	25.2	23.7	25.5	24.9	25.6	23.7	22.5	21.6	19.9	23.5	24.2	26.2	286.5	4	1398
	20 LST	28.6	27.7	29.0	28.3	29.0	28.0	27.5	28.5	28.0	29.5	27.3	29.5	340.9	4	923
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	25.5	23.5	26.3	22.2	26.7	21.1	13.3	20.4	21.4	24.4	21.0	28.0	275.8	4	1317
	14 LST	21.9	20.9	23.2	23.2	22.8	20.9	19.2	16.5	14.9	19.6	21.6	23.9	248.6	4	1398
	20 LST	27.7	27.3	27.7	26.3	28.3	27.5	27.0	27.0	27.5	27.5	26.6	28.5	328.9	4	923
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	25.5	23.5	26.3	22.2	26.7	21.1	13.3	20.4	21.4	24.4	21.0	28.0	275.8	4	1317
	14 LST	21.9	20.9	23.2	23.2	22.8	20.9	19.2	16.5	14.6	19.6	21.6	23.9	248.3	4	1398
	20 LST	27.7	27.3	27.7	26.3	28.3	27.5	27.0	27.0	27.5	27.5	26.6	28.5	328.9	4	923

STA NO. 64184 IN AREA NUMBER 02)

CONGO, REP. OF CONGO (LEOP.)

LATITUDE 0140S

LONGITUDE 02915E

ELEVATION(FT) 05020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	88	86	85	83	85	82	82	84	84	87	83	87	88	3	-33
MEAN MAX TMP (F)	79	78	78	77	77	77	78	79	78	79	77	78	78	3	-33
MEAN MIN TMP (F)	58	59	54	59	58	57	55	58	57	57	57	58	57	3	-33
ABS MIN TMP (F)	54	52	52	51	53	49	46	51	52	53	52	54	46	3	-33
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN DEW PT TMP (F)	58	59	57	60	59	56	53	54	57	57	58	58	57	3	-33
MEAN REL HUM (PCT)	70	71	72	76	74	68	63	61	68	67	73	71	70	3	-33
MEAN PRESS ALT (FT)	5383	5422	5422	5392	5267	5184	5130	5478	5118	5173	5297	5309	5298	0	-90
MEAN PRECIP (IN)	4.57	2.83	3.97	6.11	5.62	2.00	0.81	2.58	5.51	6.16	4.88	4.43	49.5	3	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.0	6.1	7.2	9.0	8.7	3.9	1.7	4.8	9.0	9.8	8.1	8.8	86.1	3	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

GOMA, REP. OF CONGO (LEOP.)
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0

DATA NOT AVAILABLE

AREA NO. 02

CONGO, REP OF (LEDP)	NORTHEAST HILNDS				LATITUDE 0000N				LONGITUDE 02900E					
	BOUNDARIES	0430N	02905E	0430S	02650E	0430S	02650E	0430S	02920E					
PARAMETER (DESCRIPTION)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	82	81	81	80	79	78	78	79	80	80	79	81	80	
MEAN MIN TMP (F)	60	61	58	61	61	59	58	59	58	59	58	59	59	
LARGEST MEAN PRECIP (IN)	5.90	6.00	9.40	10.60	12.90	10.90	12.20	15.90	9.60	10.00	12.00	6.90	121.9	
SMALLEST MEAN PRECIP (IN)	4.97	2.83	3.97	6.11	5.62	2.00	0.81	2.98	5.51	6.16	4.88	4.43	49.5	
	MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST													
	08 LST	29.6	26.3	29.0	27.7	29.0	28.2	21.3	27.2	26.9	28.7	26.3	30.2	328.6
	14 LST	30.5	27.7	30.5	29.2	29.9	29.0	29.9	30.5	28.7	30.2	29.7	30.5	396.3
	20 LST	29.6	28.0	31.0	30.0	30.0	29.5	29.0	31.0	29.5	30.5	30.0	30.6	398.7
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST													
	08 LST	27.2	23.5	26.3	18.5	24.4	21.8	17.5	21.9	20.7	23.2	22.2	27.2	274.4
	14 LST	16.9	16.6	13.6	8.8	11.0	10.7	11.4	14.7	12.8	14.7	13.8	14.6	159.6
	20 LST	29.6	26.7	28.3	25.7	26.9	28.5	26.9	28.0	26.5	26.9	27.7	30.3	332.0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST													
	08 LST	0.0	0.2	0.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.3
	14 LST	2.3	1.3	4.8	3.0	3.3	2.6	1.1	0.7	1.3	2.1	1.8	2.8	27.1
	20 LST	0.0	0.0	0.0	0.7	0.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	1.5
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													
	08 LST	22.1	20.8	17.9	18.2	21.1	20.6	23.0	18.9	19.0	17.6	16.0	19.0	233.8
	14 LST	17.9	14.6	13.0	12.8	13.3	13.0	13.6	15.5	14.1	13.3	14.9	15.1	173.1
	20 LST	20.0	19.4	21.0	20.6	18.8	19.8	19.3	21.0	21.0	19.3	19.0	21.6	240.8
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST													
	08 LST	4.4	3.9	1.0	0.0	2.0	2.5	0.7	0.7	0.3	0.5	2.0	3.8	21.8
	14 LST	2.3	2.3	2.5	1.5	1.5	4.2	1.8	0.7	1.3	0.8	0.5	0.7	20.1
	20 LST	3.7	7.9	2.3	1.7	2.7	6.1	6.0	4.0	3.5	2.5	1.9	2.5	46.8
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST													
	08 LST	26.9	24.0	26.9	22.2	26.9	21.1	16.8	21.4	21.7	24.7	22.2	28.0	282.8
	14 LST	25.2	23.7	25.5	24.9	25.6	23.7	22.5	21.6	19.9	23.5	24.2	26.2	286.5
	20 LST	28.6	27.7	29.0	28.3	29.0	28.0	27.5	28.5	28.0	29.5	27.3	29.5	340.9
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST													
	08 LST	25.5	23.5	26.3	22.2	26.7	21.1	15.3	20.4	21.4	24.4	21.0	28.0	275.8
	14 LST	21.9	20.9	23.2	23.2	22.8	20.9	19.2	16.5	14.9	19.6	21.6	23.9	248.6
	20 LST	27.7	27.3	27.7	26.3	28.3	27.5	27.0	27.0	27.5	27.5	26.6	28.5	328.9
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST													
	08 LST	25.5	23.5	26.3	22.2	26.7	21.1	15.3	20.4	21.4	24.4	21.0	28.0	275.8
	14 LST	21.9	20.9	23.2	23.2	22.8	20.9	19.2	16.5	14.6	19.6	21.6	23.9	248.3
	20 LST	27.7	27.3	27.7	26.3	28.3	27.5	27.0	27.0	27.5	27.5	26.6	28.5	328.9

KINDU, REP. OF CONGO (LEOP.)

STA NO. 64155 (IN AREA NUMBER 03)

LATITUDE 0259S

LONGITUDE 02594E

ELEVATION(FT): 01699

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	97	97	96	95	94	94	93	93	94	94	93	94	97	10	-33
MEAN MAX TMP (F)	86	87	87	87	88	87	84	86	87	87	87	86	87	10	-33
MEAN MIN TMP (F)	70	69	70	70	70	68	67	66	68	69	69	70	69	10	-33
ABS MIN TMP (F)	62	65	64	66	65	63	59	63	65	65	65	65	59	10	-33
MEAN NO DYS TMP = DR GTR 90(F)	10.7	10.7	11.9	11.5	13.2	11.5	8.2	10.7	11.5	11.9	11.5	10.7	134.0	10	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	72	72	71	72	73	72	72	70	71	74	72	72	72	10	-33
MEAN REL HUM (PCT)	82	81	80	80	82	79	81	80	78	81	82	82	81	10	-33
MEAN PRESS ALT (FT)	1782	1850	1713	1823	1754	1700	1713	1713	1741	1796	1754	1782	1760	0	-50
MEAN PRECIP (IN)	7.01	5.95	7.60	6.18	4.21	1.18	1.26	2.84	4.33	6.22	7.76	8.23	62.0	29	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.3	10.2	9.7	9.0	7.5	2.4	2.6	5.3	7.4	9.9	11.6			10	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	15.0	12.0	15.0	16.0	10.0	3.0	5.0	6.0	11.0	10.0	17.0	18.0	138.0	10	-33
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 23 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	5.5	1.0	3.4	2.7	7.0	3.6	6.5	6.6	4.3	4.9	4.7	4.5	4.6	5	1481
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1481
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KINDU, REP. OF CONGO (LEOP.)
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	30.4	28.0	30.4	30.0	29.6	29.7	30.8	30.1	29.1	30.8	30.0	30.5	359.4	5	1481
	20 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST														0	0
	14 LST	29.0	27.7	29.1	28.1	28.3	28.6	27.6	28.3	28.5	28.8	27.6	28.4	340.0	5	1481
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.4	9.6	5	1482
	20 LST														0	0
SFC WND 4-10 KTS AFD TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	4.7	10.2	10.6	7.2	6.9	7.6	9.6	9.6	8.3	9.1	10.5	9.2	103.5	5	1479
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	4.7	4.8	2.6	2.7	6.2	9.8	6.5	4.3	2.1	1.1	2.1	3.4	50.3	5	1482
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	28.7	27.1	28.3	27.5	27.2	26.7	25.4	24.4	25.9	26.7	24.5	28.2	320.6	5	1481
	20 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	28.7	26.6	28.1	26.5	26.4	25.4	24.0	20.1	22.3	24.7	22.2	27.7	302.7	5	1481
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	28.7	26.6	28.1	26.5	26.4	25.4	24.0	20.1	22.3	24.7	22.2	27.7	302.7	5	1481
	20 LST														0	0

STA NO. 64202/ (IN AREA NUMBER 03)

GAHANA, REP. OF CONGO (LEOP.)

LATITUDE 0600S

LONGITUDE 01229E

ELEVATION(FT) 00007

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	89	91	92	92	91	89	81	82	85	88	89	90	92	3	-28
MEAN MAX TMP (F)	87	87	88	88	86	81	78	78	80	83	85	86	84	3	-28
MEAN MIN TMP (F)	75	75	76	75	73	69	66	66	71	74	75	75	73	3	-28
ABS MIN TMP (F)	70	70	70	70	68	64	60	60	64	70	70	71	60	3	-28
MEAN NO DYS TMP = OR GTR 90(F)	0.0	10.7	13.2	12.7	10.7	0.0	0.0	0.0	0.0	0.0	0.0	10.7	58.0	3	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN DEW PT TMP (F)	75	75	76	76	73	69	65	65	69	72	73	74	72	3	-29
MEAN REL HUM (PCT)	83	83	84	84	81	80	81	81	82	82	81	83	82	3	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.10	6.60	6.00	5.50	4.20	0.05	0.05	0.05	0.10	0.40	3.70	2.70	30.4	3	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.5	10.4	8.9	8.6	7.5	0.2	0.2	0.2	0.4	0.9	6.5	5.9	32.2	3	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSMS	8.0	13.0	12.0	12.0	7.0	0.0	0.0	1.0	4.0	9.0	12.0	10.0	88.0	3	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BANANA, REP. OF CONGO (LEOP.)
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEC F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

STA NO. 64203 (IN AREA NUMBER 03)

KITOMA BASE, REP. OF CONGO (LEOP.)

LATITUDE 0954S

LONGITUDE 01220E

ELEVATION(FT) 00409

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	89	91	92	92	91	89	81	82	89	88	89	90	92	3	-64202
MEAN MAX TMP (F)	87	87	88	88	86	81	78	78	80	89	89	86	84	3	-64202
MEAN MIN TMP (F)	75	75	76	75	73	69	66	66	71	74	75	75	73	3	-64202
ABS MIN TMP (F)	70	70	70	70	68	64	60	60	64	70	70	71	60	3	-64202
MEAN NO DYS TMP - DR GTR 90(F)	0.0	10.7	13.2	12.7	10.7	0.0	0.0	0.0	0.0	0.0	0.0	10.7	58.0	3	-29
MEAN NO DYS TMP - DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS TMP - DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN DEW PT TMP (F)	75	75	76	76	73	68	65	65	69	72	73	74	72	3	-29
MEAN REL HUM (PCT)	83	83	84	84	81	80	81	81	82	82	81	83	82	3	-64202
MEAN PRESS ALT (FT)	457	484	484	479	441	364	331	348	375	430	465	473	428	0	-50
MEAN PRECIP (IN)	1.10	6.00	6.00	5.90	4.20	0.09	0.09	0.09	0.10	0.40	3.70	2.70	30.4	3	-64202
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS PRCP - DR GTR 0.1 IN	2.9	10.4	8.9	8.6	7.5	0.2	0.2	0.2	0.4	0.9	6.5	9.9	52.2	3	-29
MEAN NO DYS SNFL - DR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	13.0	12.0	12.0	7.0	0.0	0.0	1.0	4.0	9.0	12.0	10.0	88.0	3	-64202
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD - DR GTR 17 KTS														0	0
P FREQ WND SPD - DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KITOMA BASE, REP. OF CONGO (LEOP.)
 MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

BATABI, REP. OF CONGO (LEOP.)

STA NO. 64207 (IN AREA NUMBER 03)

LATITUDE 0547S

LONGITUDE 01326E

ELEVATION(FT) 01165

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	97	99	99	99	97	93	90	91	96	98	99	100	100	6	-33
MEAN MAX TMP (F)	91	92	94	93	91	86	83	84	86	90	91	90	89	6	-33
MEAN MIN TMP (F)	76	76	76	76	75	71	68	69	72	75	75	75	74	6	-33
ABS MIN TMP (F)	72	72	72	72	70	64	63	64	68	70	72	70	63	6	-33
MEAN NO DYS TMP - DR GTR 90(F)	17.2	16.7	21.1	19.1	17.2	10.3	7.0	8.2	10.3	19.9	16.6	15.9	175.5	6	-29
MEAN NO DYS TMP - DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS TMP - DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN DEW PT TMP (F)	75	75	71	77	75	70	67	67	69	74	76	75	73	6	-33
MEAN REL HUM (PCT)	74	73	74	77	77	75	73	71	71	73	78	76	74	6	-33
MEAN PRESS ALT (FT)	1206	1210	1220	1212	1189	1128	1105	1132	1193	1187	1206	1215	1181	0	-90
MEAN PRECIP (IN)	5.00	4.30	6.00	7.40	2.40	0.05	0.05	0.10	0.30	1.10	6.70	5.80	39.8	6	-33
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS PRCP - DR GTR 0.1 IN	9.5	8.6	9.3	9.6	5.1	0.2	0.2	0.3	0.8	2.2	10.4	10.1	66.3	6	-29
MEAN NO DYS SNFL - DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	9.0	13.0	12.0	14.0	8.0	0.0	0.0	0.0	2.0	7.0	17.0	13.0	94.0	5	-24
P FREQ WND SPD - DR GTR 17 KTS														0	0
P FREQ WND SPD - DR GTR 20 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BAYABI, REP. OF CONGO (LEOP.)
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	AMN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

N'DJILI/KINSASA, REP. OF CONGO (LEOP.)

STA NO. 64210 (IN AREA NUMBER 03)

LATITUDE 04235

LONGITUDE 01526E

ELEVATION(FT) 01014

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO.
ABS MAX TMP (F)	93	93	95	94	94	87	89	91	93	92	92	92	95	4	1302
MEAN MAX TMP (F)	86	87	88	88	84	80	80	82	84	85	85	85	85	4	1302
MEAN MIN TMP (F)	73	72	72	72	72	67	64	66	70	71	72	72	70	4	1302
ABS MIN TMP (F)	68	67	69	68	67	59	56	57	63	66	68	67	56	4	1302
MEAN NO DYS TMP - OR GTR 90(F)	4.9	6.0	11.8	10.0	1.9	0.0	0.0	0.0	4.1	4.3	3.3	2.3	49.4	4	1302
MEAN NO DYS TMP - OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1302
MEAN NO DYS TMP - OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1302
MEAN DEW PT TMP (F)	72	71	71	72	71	66	63	63	67	70	71	71	69	4	11100
MEAN REL HUM (PCT)	82	80	80	82	83	81	78	73	74	79	82	83	80	4	11100
MEAN PRESS ALT (FT)	1055	1067	1069	1061	1038	977	994	982	1002	1036	1055	1064	1050	0	-50
MEAN PRECIP (IN)	4.96	5.55	6.65	8.35	5.39	0.20	0.04	0.12	1.30	3.47	9.25	6.69	34.0	30	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS PRCP - OR GTR 0.1 IN	9.4	10.0	9.3	9.9	8.5	0.5	0.2	0.4	2.6	8.9	13.1	10.4	83.2	30	-29
MEAN NO DYS SNPL - OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.3	0.2	0.2	0.7	0.8	0.3	0.0	0.2	0.3	0.8	0.0	3.8	4	1379
MEAN NO DYS TSTMS	13.3	12.0	14.7	22.5	12.7	1.2	0.0	0.5	4.7	12.6	17.8	15.2	120.0	4	1300
P FREQ WND SPD - OR GTR 17 KTS	0.2	0.1	0.5	0.1	0.2	0.0	0.0	0.0	0.1	0.3	0.6	0.2	0.2	4	10075
P FREQ WND SPD - OR GTR 20 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	4	10075
P FREQ LES 3000 FT A/D LES 5 MI	25.7	22.1	24.0	26.1	42.3	43.7	38.7	39.6	36.9	35.6	31.7	27.6	32.0	4	10074
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	7.4	4.7	4.9	9.2	5.6	3.8	7.2	7.4	6.7	7.4	10.9	6.6	7.0	4	1409
03-05 LST	17.0	14.1	12.9	10.9	19.4	21.7	10.9	14.6	11.8	9.7	16.0	8.9	14.7	4	1305
06-08 LST	21.0	22.4	22.6	20.0	36.9	38.3	37.1	27.6	24.4	23.4	20.6	20.2	26.9	4	1391
09-11 LST	24.4	18.8	14.5	15.8	30.6	38.3	32.8	24.4	20.0	21.8	17.5	19.4	23.2	4	1426
12-14 LST	3.8	3.8	2.9	3.5	8.4	13.5	11.4	0.1	6.1	4.9	0.1	3.8	6.4	9	2910
15-17 LST	2.5	3.6	2.5	3.3	4.1	3.1	1.7	4.1	5.9	1.1	5.0	4.0	3.6	4	1301
18-20 LST	4.1	1.2	1.6	6.7	4.0	5.0	0.9	3.3	4.2	1.1	4.2	5.7	3.5	4	1305
21-23 LST	3.2	3.3	4.1	5.0	4.9	6.7	1.8	4.1	3.4	3.2	6.0	4.1	4.2	4	1320
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	1409
03-05 LST	0.0	1.2	0.0	0.8	0.0	1.7	0.0	0.0	0.8	0.8	1.7	0.0	0.6	4	1305
06-08 LST	0.0	1.2	1.6	0.0	3.3	4.2	0.0	0.0	0.0	1.6	1.7	0.0	1.1	4	1391
09-11 LST	0.0	1.2	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.8	0.8	0.8	0.4	4	1426
12-14 LST	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.1	9	2910
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.8	0.0	0.2	4	1301
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1305
21-23 LST	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	1320

N'DJILI/KINSHASA, REP. OF CONGO (LEOP.)
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	30.2	28.0	30.7	29.5	30.5	30.0	31.0	31.0	29.5	30.5	28.5	30.5	309.9	4	1409
	07 LST	29.7	29.7	27.0	28.5	27.7	28.3	27.8	30.2	29.0	30.0	28.5	28.5	336.9	4	1391
	13 LST	30.7	27.7	30.7	29.7	30.6	29.7	30.9	31.0	30.0	30.5	29.5	30.9	361.9	9	2910
	19 LST	30.2	27.7	31.0	29.5	30.7	30.0	31.0	31.0	29.7	30.7	29.7	30.0	361.2	4	1385
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	28.2	26.3	28.5	25.5	27.5	28.7	26.8	27.2	26.7	27.2	25.4	27.4	323.4	4	1409
	07 LST	20.0	18.1	21.0	19.2	11.7	10.0	9.3	15.2	15.3	18.0	16.9	21.0	195.7	4	1390
	13 LST	29.1	25.9	29.4	28.6	26.4	22.4	23.5	25.1	25.6	28.0	27.3	28.9	320.2	9	2904
	19 LST	29.0	26.7	29.7	27.0	28.2	27.2	30.4	29.0	27.0	30.0	27.0	28.7	339.9	4	1385
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1410
	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1390
	13 LST	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.3	9	2908
	19 LST	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.6	4	1385
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	2.8	8.9	10.1	9.2	8.2	11.3	11.7	14.1	12.8	9.5	9.8	8.6	117.0	4	1401
	07 LST	4.7	6.0	7.0	5.7	10.0	11.5	12.6	14.3	9.3	10.2	6.3	7.2	104.8	4	1387
	13 LST	14.8	14.6	13.3	14.3	14.4	17.4	23.2	24.6	20.6	19.7	13.9	13.8	204.6	9	2901
	19 LST	11.6	10.9	13.0	11.3	11.1	13.6	14.5	18.4	16.7	15.2	13.6	14.4	164.3	4	1381
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	9.1	9.5	7.0	5.0	9.5	17.7	20.4	18.5	12.8	10.1	4.5	6.3	130.4	4	1410
	07 LST	1.2	0.6	1.2	0.5	0.7	2.5	5.3	4.8	3.0	1.5	0.2	0.2	21.7	4	1391
	13 LST	1.8	3.5	2.2	2.9	4.6	8.6	10.0	10.4	7.5	2.8	3.2	4.1	61.6	9	2910
	19 LST	5.0	3.3	4.2	4.5	12.2	20.4	23.0	17.1	14.5	10.3	5.3	5.8	125.6	4	1385
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	27.2	25.3	27.2	24.8	25.0	24.2	25.4	25.1	24.0	25.1	23.9	26.2	303.4	4	1409
	07 LST	19.0	17.8	19.5	18.2	10.1	8.7	7.8	12.8	14.0	14.5	15.9	19.5	177.8	4	1391
	13 LST	24.8	24.1	28.8	28.0	21.1	16.7	17.7	20.4	20.8	22.5	24.6	25.6	271.1	9	2910
	19 LST	28.0	26.7	29.2	28.0	27.5	26.2	29.9	27.2	26.3	29.0	25.7	28.0	329.7	4	1385
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	26.9	24.7	26.2	24.2	23.5	22.7	24.3	23.6	21.8	23.6	23.4	25.1	290.0	4	1409
	07 LST	18.5	17.8	18.7	18.0	9.1	8.0	7.2	11.1	12.7	12.2	15.4	18.5	167.2	4	1391
	13 LST	21.6	22.8	24.8	24.5	17.2	13.0	13.2	16.1	16.9	18.3	22.7	23.0	234.1	9	2910
	19 LST	27.5	26.0	28.7	24.9	26.2	25.7	28.8	25.7	25.0	28.6	24.2	27.5	318.5	4	1385
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	26.9	24.7	26.2	24.2	23.5	22.7	24.3	23.6	21.8	23.6	23.4	25.1	290.0	4	1409
	07 LST	18.5	17.8	18.7	18.0	9.1	8.0	7.2	11.1	12.7	12.0	15.4	18.5	167.0	4	1391
	13 LST	21.6	22.8	24.8	24.5	17.2	13.0	13.2	16.1	16.9	18.3	22.7	23.0	234.1	9	2910
	19 LST	27.5	26.0	28.7	24.9	26.2	25.7	28.8	25.7	25.0	28.6	24.2	27.5	318.8	4	1385

MOULO/KINSHASA, REP. OF CONGO (LEOP.)

STA NO. 64211 (IN AREA NUMBER 03)

LATITUDE 0419S

LONGITUDE 01520E

ELEVATION(FT) 00951

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	96	97	97	97	95	92	90	94	98	97	94	97	98	14	-33
MEAN MAX TMP (F)	86	87	89	89	87	83	81	83	86	87	87	86	86	14	-33
MEAN MIN TMP (F)	70	71	71	71	70	66	64	65	67	69	70	70	69	14	-33
ABS MIN TMP (F)	65	64	63	65	64	58	55	55	60	62	64	63	55	14	-33
MEAN NO DYS TMP = OR GTR 90(F)	10.7	10.7	14.5	14.0	11.9	6.7	4.8	7.0	10.3	11.9	11.5	10.7	124.7	14	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN DEW PT TMP (F)	72	73	74	74	73	69	65	65	67	70	73	72	71	10	-29
MEAN REL HUM (PCT)	83	83	83	83	84	83	80	75	75	79	83	83	81	3	-28
MEAN PRESS ALT (FT)	992	1004	1006	998	975	914	891	919	939	973	992	1001	967	0	-50
MEAN PRECIP (IN)	6.20	5.80	8.10	7.20	6.30	0.30	0.10	0.20	1.10	4.30	9.30	6.30	55.2	14	-33
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.3	10.1	9.8	9.5	9.1	0.7	0.3	0.5	2.2	7.3	13.1	10.3	83.2	14	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	9.0	9.0	14.0	12.0	10.0	1.0	0.0	1.0	3.0	11.0	18.0	14.0	102.0	9	-24
P FREQ WND SPD = OR GTR 17 KTS	0.2	0.1	0.5	0.1	0.2	0.0	0.0	0.0	0.1	0.3	0.6	0.2	0.2	4	-04210
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	4	-04210
P FREQ LES 5000 FT A/D LES 3 MI	0.0	0.0	1.0	1.0	2.0	10.0	12.0	5.0	0.0	3.0	2.0	1.0	3.1	14	-33
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	7.4	4.7	4.9	9.2	5.6	3.8	7.2	7.4	6.7	7.4	10.9	6.6	7.0	4	-04210
03-05 LST	17.0	14.1	12.9	10.9	19.4	21.7	18.9	14.6	11.8	9.7	16.0	8.9	14.7	4	-04210
06-08 LST	21.0	22.4	22.6	20.0	36.9	38.3	37.1	27.6	24.4	23.4	28.6	20.2	26.9	4	-04210
09-11 LST	24.4	18.8	14.5	15.8	30.6	38.3	32.8	24.4	20.0	21.8	17.5	19.4	23.2	4	-04210
12-14 LST	3.8	3.8	2.9	3.5	8.4	13.5	11.4	8.1	6.1	4.9	6.1	3.8	6.4	9	-04210
15-17 LST	2.5	3.4	2.5	3.3	4.1	3.1	1.7	4.1	5.9	1.1	5.0	4.0	3.6	4	-04210
18-20 LST	4.1	1.2	1.6	6.7	4.0	3.0	0.9	3.3	4.2	1.1	4.2	5.7	3.5	4	-04210
21-23 LST	3.2	3.5	4.1	5.0	4.9	6.7	1.8	4.1	3.4	3.2	6.0	4.1	4.2	4	-04210
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	-04210
03-05 LST	0.0	1.2	0.0	0.8	0.0	1.7	0.0	0.0	0.8	0.8	1.7	0.0	0.6	4	-04210
06-08 LST	0.0	1.2	1.6	0.0	3.3	4.4	0.0	0.0	0.0	1.6	1.7	0.0	1.1	4	-04210
09-11 LST	0.0	1.2	0.0	0.8	0.0	0.0	0.0	0.8	0.0	0.8	0.8	0.0	0.4	4	-04210
12-14 LST	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.1	9	-04210
15-17 LST	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.8	0.0	0.8	0.0	0.2	4	-04210
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-04210
21-23 LST	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	-04210

MOULO/KINSHASA, REP. OF CONGO (LEOP.)
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	30.2	28.0	30.7	29.5	30.5	30.0	31.0	31.0	29.5	30.5	28.5	30.5	339.9	4	-64210
	07 LST	29.7	29.7	27.0	28.5	27.7	28.3	27.8	30.2	29.0	30.0	26.5	28.5	336.9	4	-64210
	13 LST	30.7	27.7	30.7	29.7	30.6	29.7	30.9	31.0	30.0	30.5	29.5	30.9	361.9	9	-64210
	19 LST	30.2	27.7	31.0	29.5	30.7	30.0	31.0	31.0	29.7	30.7	29.7	30.0	361.2	4	-64210
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	28.2	26.3	28.5	29.5	27.5	26.7	26.8	27.2	26.7	27.2	25.4	27.4	323.4	4	-64210
	07 LST	20.0	18.1	21.0	19.2	11.7	10.0	9.3	15.2	15.3	18.0	16.9	21.0	195.7	4	-64210
	13 LST	29.1	25.9	29.4	28.6	26.4	22.4	23.5	25.1	25.6	28.0	27.3	28.9	320.2	9	-64210
	19 LST	29.0	26.7	29.7	27.0	28.2	27.2	30.4	29.0	27.0	30.0	27.0	28.7	339.9	4	-64210
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-64210
	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-64210
	13 LST	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.3	9	-64210
	19 LST	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.6	4	-64210
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	2.8	8.9	10.1	9.2	8.2	11.3	11.7	14.1	12.8	9.5	9.8	8.6	117.0	4	-64210
	07 LST	4.7	6.0	7.0	5.7	10.0	11.5	12.6	14.3	9.3	10.2	6.3	7.2	164.8	4	-64210
	13 LST	14.8	14.6	13.3	14.3	14.4	17.4	23.2	24.6	20.6	19.7	13.9	13.8	204.6	9	-64210
	19 LST	11.6	10.9	13.0	11.3	11.1	13.6	14.5	18.4	16.7	15.2	13.6	14.4	164.3	4	-64210
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	9.1	9.5	7.0	5.0	9.5	17.7	20.4	18.5	12.8	10.1	4.9	6.3	130.4	4	-64210
	07 LST	1.2	0.6	1.2	0.5	0.7	2.5	5.3	4.8	3.0	1.5	0.2	0.2	21.7	4	-64210
	13 LST	1.8	3.5	2.2	2.9	4.6	8.6	10.0	10.4	7.5	2.8	3.2	4.1	61.6	9	-64210
	19 LST	5.0	3.3	4.2	4.5	12.2	20.4	23.0	17.1	14.5	10.3	5.3	5.8	125.6	4	-64210
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	27.2	25.3	27.2	24.8	25.0	24.2	25.4	25.1	24.0	25.1	23.9	26.2	303.4	4	-64210
	07 LST	19.0	17.8	19.5	18.2	10.1	8.7	7.8	12.8	14.0	14.5	15.9	19.5	177.8	4	-64210
	13 LST	24.8	24.1	26.8	26.0	21.1	18.7	17.7	20.4	20.8	22.5	24.6	25.6	271.1	9	-64210
	19 LST	28.0	26.7	29.2	26.0	27.5	26.2	28.9	27.2	26.3	29.0	25.7	28.0	329.7	4	-64210
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	26.9	24.7	26.2	24.2	23.5	22.7	24.3	23.6	21.8	23.6	23.4	25.1	290.0	4	-64210
	07 LST	18.5	17.8	18.7	18.0	9.1	8.0	7.2	11.1	12.7	12.2	15.4	18.5	167.2	4	-64210
	13 LST	21.6	22.8	24.8	24.5	17.2	13.0	13.2	16.1	16.9	18.3	22.7	23.0	234.1	9	-64210
	19 LST	27.5	26.0	28.7	24.9	26.2	25.7	28.8	25.7	25.0	28.6	24.2	27.5	318.8	4	-64210
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	26.9	24.7	26.2	24.2	23.5	22.7	24.3	23.6	21.8	23.6	23.4	25.1	290.0	4	-64210
	07 LST	18.5	17.8	18.7	18.0	9.1	8.0	7.2	11.1	12.7	12.0	15.4	18.5	167.0	4	-64210
	13 LST	21.6	22.8	24.8	24.5	17.2	13.0	13.2	16.1	16.9	18.3	22.7	23.0	234.1	9	-64210
	19 LST	27.5	26.0	28.7	24.9	26.2	25.7	28.8	25.7	25.0	28.6	24.2	27.5	318.8	4	-64210

LULUABOURG REP. OF CONGO (LE3P)

STA NO. 64235 (IN AREA NUMBER 03)

LATITUDE 0553S

LONGITUDE 02220E

ELEVATION(FT) 02140

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	94	92	93	92	94	92	92	94	93	91	91	90	94	3	-28
MEAN MAX TMP (F)	85	85	86	86	87	88	85	86	85	85	85	84	86	3	-28
MEAN MIN TMP (F)	68	68	68	68	68	64	63	66	67	64	68	68	67	3	-28
ABS MIN TMP (F)	63	63	63	64	61	58	57	60	63	63	63	64	57	3	-28
MEAN NO DYS TMP = DR GTR 90(F)	9.4	8.4	10.7	10.3	11.9	12.7	9.4	10.7	9.0	9.4	9.0	8.2	119.1	3	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN DEW PT TMP (F)	69	69	69	69	67	64	63	66	68	68	69	69	68	5	8433
MEAN REL HUM (PCT)	81	80	80	80	72	69	68	74	78	81	83	83	77	5	8433
MEAN PRESS ALT (FT)	2235	2303	2166	2276	2207	2153	2166	2166	2194	2249	2207	2235	2213	0	-50
MEAN PRECIP (IN)	4.72	4.53	7.32	6.10	3.23	0.51	0.67	2.01	4.57	5.75	9.17	8.11	56.7	29	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.2	8.9	9.8	9.0	6.3	1.1	1.5	3.9	7.7	9.3	13.0			29	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.4	1.7	4.1	4.5	5.3	7.3	8.2	6.4	2.0	6.6	3.0	3.4	56.9	4	1005
MEAN NO DYS TSTMS	14.0	13.0	16.0	17.0	7.0	2.0	4.0	6.0	10.0	16.0	17.0	17.0	139.0	5	-24
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	4	6215
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	6215
P FREQ LES 5000 FT A/D LES 5 MI	27.2	22.5	27.3	31.9	19.3	22.4	21.3	25.1	22.8	28.2	35.2	29.4	26.1	4	6217
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	7.0	6.0	11.0	12.0	7.0	10.0	16.0	14.0	3.0	20.0	10.0	3.0	9.9	4	-33
03-05 LST	14.7	11.8	21.7	23.5	14.2	20.8	27.5	23.9	14.4	14.3	21.4	17.9	18.8	4	1246
06-08 LST	20.2	15.0	13.8	21.8	12.9	25.8	35.5	28.8	19.3	22.0	24.4	23.4	21.9	4	1376
09-11 LST	11.3	9.7	10.7	11.9	6.5	14.2	16.1	18.8	10.2	10.5	15.0	13.7	12.4	4	1411
12-14 LST	6.8	8.9	10.0	8.2	4.2	1.7	3.9	5.1	2.0	6.0	8.9	6.9	6.1	9	2876
15-17 LST	3.2	5.4	5.5	5.1	1.6	0.0	0.0	3.6	3.3	4.5	4.2	5.7	3.5	4	1396
18-20 LST	1.1	2.4	2.2	2.4	2.2	1.1	1.1	4.3	3.4	3.2	5.6	6.5	3.0	4	1050
21-23 LST	3.0	3.0	3.0	3.0	4.0	2.0	2.0	2.0	0.0	0.0	3.0	3.0	2.3	4	-33
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.0	1.0	5.0	4.0	5.0	5.0	6.0	5.0	0.0	10.0	7.0	0.0	4.3	4	-33
03-05 LST	7.8	3.9	8.7	7.8	9.2	10.8	12.1	8.7	1.1	7.1	10.7	4.5	7.7	4	1246
06-08 LST	12.1	4.4	6.5	11.8	8.9	15.0	17.2	18.3	6.8	8.9	9.2	10.5	10.8	4	1374
09-11 LST	0.0	0.0	0.8	0.0	0.0	1.7	1.1	0.9	0.0	0.8	0.0	1.6	0.6	4	1411
12-14 LST	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.4	0.1	9	2876
15-17 LST	0.0	0.9	0.0	0.9	0.0	0.0	0.0	0.0	0.0	3.3	0.0	1.6	0.6	4	1396
18-20 LST	1.1	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.1	0.0	0.0	0.0	0.3	4	1050
21-23 LST	1.0	0.0	2.0	1.0	2.0	3.0	3.0	2.0	0.0	0.0	0.3	0.0	1.2	4	-33

LULUABOURG, REP. OF CONGO (LEOP.)
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST									29.0	24.8	28.0	31.0		1	119
	07 LST	23.7	22.8	24.7	22.2	24.7	16.5	10.0	14.0	19.8	21.9	22.4	24.0	246.7	4	1374
	13 LST	29.7	26.4	29.5	28.4	30.3	29.7	30.3	29.9	30.0	30.4	28.9	30.3	333.8	9	2876
	19 LST	30.7	27.7	30.7	29.3	31.0	28.3	26.3	27.3	29.0	30.0	29.0	29.6	348.9	4	1050
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST									29.0	23.7	26.0	29.9		1	119
	07 LST	23.0	21.8	24.4	21.4	24.5	16.2	9.0	14.0	19.1	21.3	22.4	22.7	239.8	4	1373
	13 LST	27.7	24.7	26.4	26.3	28.6	28.2	28.4	27.6	28.8	27.4	26.1	27.2	327.4	9	2873
	19 LST	30.3	27.0	30.0	28.9	30.0	28.0	26.3	27.3	28.7	29.5	28.0	28.0	342.0	4	1050
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST									0.0	0.0	0.0	0.0		1	119
	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1373
	13 LST	0.0	0.3	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.6	9	2876
	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1050
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST									4.0	1.0	0.0	4.2		1	119
	07 LST	3.2	5.2	4.0	4.3	1.7	2.0	2.0	3.3	5.8	4.6	3.5	2.8	42.4	4	1342
	13 LST	10.6	9.2	7.9	6.6	8.3	9.8	8.2	11.1	12.7	12.2	10.7	9.6	116.9	9	2841
	19 LST	7.0	5.3	4.4	6.9	4.0	2.0	2.4	2.7	5.0	6.0	7.0	3.7	56.4	4	1020
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST									5.0	4.1	2.0	1.1		1	119
	07 LST	0.7	0.2	0.0	1.3	4.7	3.3	4.7	3.4	0.7	2.3	0.2	0.2	26.1	4	1374
	13 LST	0.4	0.4	0.2	0.1	4.5	13.2	11.7	3.4	1.0	0.4	0.1	0.3	39.7	9	2878
	19 LST	1.6	2.7	3.0	1.1	3.3	16.3	16.5	14.1	6.1	3.5	2.0	4.7	76.9	4	1050
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST									28.0	22.7	24.0	26.7		1	119
	07 LST	22.7	21.3	23.7	21.2	24.5	15.8	9.0	13.4	18.8	21.4	21.7	22.7	236.2	4	1374
	13 LST	23.1	19.4	22.6	19.4	23.9	27.0	24.2	22.4	22.9	21.7	18.2	21.0	265.8	9	2876
	19 LST	29.3	25.0	28.6	27.1	29.0	28.0	26.3	26.3	25.3	26.0	26.0	26.9	323.8	4	1050
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST									28.0	22.7	23.0	24.6		1	119
	07 LST	21.7	20.8	23.2	20.9	24.2	15.2	9.0	13.4	18.8	21.4	21.7	22.5	232.8	4	1374
	13 LST	16.3	15.1	16.4	11.1	18.2	24.8	20.6	17.6	15.6	13.8	11.5	15.0	196.0	9	2876
	19 LST	26.3	23.0	26.6	24.9	28.0	28.0	23.9	25.6	22.6	23.0	24.3	24.9	303.1	4	1050
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST									28.0	22.7	23.0	24.6		1	119
	07 LST	21.7	20.8	23.2	20.9	24.2	15.2	9.0	13.4	18.8	21.4	21.7	22.5	232.8	4	1374
	13 LST	16.2	15.1	16.4	11.1	18.2	24.8	20.6	17.6	15.6	13.8	11.5	15.0	193.9	9	2876
	19 LST	26.3	23.0	26.6	24.9	28.0	28.0	23.9	25.6	22.6	23.0	24.3	24.9	303.1	4	1050

KABINA CITY, REP. OF CONGO (LEOP.)

STA NO. 64315 (IN AREA NUMBER 03)

LATITUDE 0830S

LONGITUDE 02515E

ELEVATION(FT) 03560

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	89	89	90	88	90	88	90	93	94	92	88	87	94	5	-33
MEAN MAX TMP (F)	82	82	83	83	84	83	84	86	86	84	82	84	84	5	-33
MEAN MIN TMP (F)	64	64	63	64	61	58	57	60	63	64	64	64	62	5	-33
ABS MIN TMP (F)	60	58	60	60	56	50	53	51	57	55	59	60	50	5	-33
MEAN NO DYS TMP - DR GTR 90(F)	0.0	0.0	7.0	0.0	8.2	0.0	8.2	10.7	10.3	8.2	0.0	0.0	52.6	5	-29
MEAN NO DYS TMP - DR LES 30(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS TMP - DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN DEW PT TMP (F)	66	65	66	65	59	53	49	53	60	63	65	66	61	5	10083
MEAN REL HUM (PCT)	86	86	85	77	63	53	48	52	64	75	83	85	71	5	10043
MEAN PRESS ALT (FT)	3650	3700	3600	3700	3550	3500	3500	3550	3600	3650	3600	3650	3604	0	-50
MEAN PRECIP (IN)	8.00	7.00	8.10	3.20	1.00	0.10	0.10	0.20	1.20	5.20	6.40	8.50	49.0	5	-33
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS PRCP - DR GTR 0.1 IN	9.5	10.3	9.8	6.3	2.5	0.3	0.3	0.5	2.4	8.6	10.1			5	-29
MEAN NO DYS SNFL - DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	3.3	3.3	3.3	1.4	0.3	0.3	0.3	0.5	0.4	0.5	0.4	1.9	16.1	4	1072
MEAN NO DYS TSYS	20.0	17.0	13.0	18.0	1.0	0.0	0.0	0.0	8.0	16.0	17.0	22.0	132.0	5	-33
P FREQ WND SPD - DR GTR 17 KTS	0.3	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.1	4	8100
P FREQ WND SPD - DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	8100
P FREQ LES 5000 FT A/D LES 5 MI	18.2	18.5	15.9	9.4	3.9	3.5	1.5	4.3	6.6	18.3	19.4	22.6	11.2	4	8107
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	6.6	3.5	3.2	0.0	0.0	0.0	0.0	0.0	0.0	1.6	5.0	6.7	2.4	3	898
03-05 LST	5.4	14.1	10.8	3.3	0.0	0.0	0.0	0.0	1.0	1.6	2.5	3.4	3.5	4	1100
06-08 LST	14.0	12.9	20.0	7.5	0.8	1.7	1.7	4.8	5.0	7.7	15.0	15.1	8.9	4	1331
09-11 LST	9.8	10.6	13.2	9.2	1.6	0.0	0.0	3.2	3.8	8.8	20.8	16.9	8.2	4	1332
12-14 LST	7.5	11.8	9.5	3.3	2.4	0.0	0.0	0.0	4.1	7.7	14.2	13.6	6.2	4	1270
15-17 LST	7.6	9.9	5.2	0.0	0.0	0.0	0.0	0.0	1.0	2.2	4.2	4.2	2.5	4	1327
18-20 LST	3.2	1.2	1.1	1.2	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.7	4	1068
21-23 LST	3.3	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	1.7	0.9	3	897
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.5	2.4	3.2	0.0	0.0	0.0	0.0	0.0	0.0	1.6	3.3	6.7	2.1	3	898
03-05 LST	4.3	12.9	8.6	2.2	0.0	0.0	0.0	0.0	0.0	1.6	1.3	3.4	2.9	4	1100
06-08 LST	10.8	10.6	14.8	5.8	0.8	0.0	1.7	2.4	2.0	4.4	7.5	8.4	5.8	4	1331
09-11 LST	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.8	1.7	0.5	4	1332
12-14 LST	1.1	2.4	1.2	0.8	0.8	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.8	4	1270
15-17 LST	2.2	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.5	0.0	0.6	4	1327
18-20 LST	0.0	1.2	1.1	1.2	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.4	4	1068
21-23 LST	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	3	897

KANINA CITY, REP. OF CONGO (LEOP.)
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	27.3	26.7	28.6	29.0	31.0	30.0	31.0	30.7	30.0	30.5	28.0	28.4	351.2	3	898
	08 LST	26.7	24.0	24.8	27.8	30.7	29.5	30.2	27.2	28.5	27.0	25.5	26.3	330.2	4	1331
	14 LST	30.0	25.3	29.9	29.7	30.7	30.0	30.7	30.7	30.0	30.0	28.0	29.4	354.4	4	1270
	20 LST	30.5	27.7	30.7	29.6	31.0	29.6	31.0	30.5	30.0	31.0	29.6	31.0	362.2	4	1068
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	26.9	26.7	28.6	29.0	31.0	30.0	31.0	30.7	29.3	30.5	27.0	28.4	349.1	3	896
	08 LST	26.7	24.0	24.5	27.5	30.5	29.0	29.9	25.0	26.4	27.8	25.0	25.0	321.3	4	1328
	14 LST	25.0	20.7	24.7	24.0	26.0	26.4	26.1	26.4	25.1	24.9	22.5	20.5	292.3	4	1270
	20 LST	28.5	26.3	30.3	29.6	31.0	30.0	31.0	30.2	29.4	30.0	27.7	31.0	359.0	4	1067
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	896
	08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1329
	14 LST	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.2	0.8	4	1270
	20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1067
SFC WND 4-10 KTS AND TMP 33-89 DEC F AND NO PRECIP.	02 LST	4.1	3.6	4.0	6.0	6.0	17.5	19.0	15.5	14.0	17.5	13.0	11.3	131.5	3	882
	08 LST	8.3	11.0	10.2	11.5	15.5	19.9	16.5	15.2	17.4	15.0	12.8	14.8	168.1	4	1305
	14 LST	7.3	8.5	9.2	18.2	20.2	25.9	23.6	20.7	17.8	16.7	9.2	11.3	188.6	4	1250
	20 LST	3.5	3.7	6.0	5.6	3.6	8.7	11.0	12.7	16.2	16.5	8.8	9.9	106.2	4	1041
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	1.6	0.6	2.0	7.5	20.5	27.0	28.3	20.6	14.6	9.0	2.0	1.6	135.3	3	898
	08 LST	0.0	0.3	1.6	3.8	12.1	22.2	22.3	19.5	11.0	3.4	1.5	0.8	98.5	4	1332
	14 LST	0.0	0.0	0.0	0.8	8.7	19.5	23.0	18.4	4.4	1.3	0.0	0.0	76.1	4	1270
	20 LST	0.5	0.3	1.7	6.3	17.5	22.8	27.1	22.4	15.3	6.0	2.0	1.5	123.4	4	1068
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	26.0	26.7	28.0	29.0	31.0	30.0	31.0	30.7	29.4	30.5	27.5	27.9	347.9	3	898
	08 LST	26.7	24.0	24.5	27.2	30.5	29.5	30.2	27.2	27.3	28.3	25.5	25.8	326.7	4	1331
	14 LST	20.3	18.1	19.2	23.5	26.2	28.7	30.7	29.7	24.3	22.1	17.3	17.6	277.7	4	1270
	20 LST	27.5	24.3	29.6	29.3	31.0	29.6	31.0	30.5	29.7	31.0	28.7	27.9	352.1	4	1068
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	25.3	26.3	27.3	29.0	31.0	30.0	31.0	30.7	29.6	29.5	27.0	26.8	343.5	3	898
	08 LST	26.7	24.0	24.5	27.2	30.5	29.5	29.9	27.2	26.7	28.3	25.0	25.8	325.3	4	1331
	14 LST	15.3	13.8	14.8	20.0	23.7	27.4	30.7	29.2	21.5	18.0	12.2	12.6	239.2	4	1270
	20 LST	26.0	25.3	29.0	29.3	31.0	29.6	31.0	30.5	29.7	31.0	28.0	26.4	346.8	4	1068
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	25.3	26.3	27.0	29.0	31.0	30.0	31.0	30.7	29.6	29.5	27.0	26.8	343.2	3	898
	08 LST	26.7	24.0	24.5	27.2	30.5	29.5	29.9	27.2	26.7	28.3	25.0	25.8	325.3	4	1331
	14 LST	15.3	13.8	14.8	20.0	23.7	27.4	30.7	29.2	21.5	18.0	12.2	12.6	239.2	4	1270
	20 LST	26.0	25.3	29.0	29.3	31.0	29.6	31.0	30.5	29.7	31.0	28.0	26.4	346.8	4	1068

AREA NO. 03

CONGO, REP OF (LEDP)	PLATEAU BOUNDARIES	LATITUDE 0900S												LONGITUDE 02100E	
		0115S	01659E	0150S	02730E	0150S	02730E	0430S	02650E	0430S	02650E	0759S	02850E		
		0759S	02850E	1100S	02400E										
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)		86	87	88	88	87	84	82	84	85	86	86	86	86	
MEAN MIN TMP (F)		71	71	71	71	70	66	64	66	68	70	70	71	69	
LARGEST MEAN PRECIP(IN)		8.00	7.00	8.10	8.35	6.30	1.10	1.20	2.04	4.57	6.22	9.30	2.90	71.6	
SMALLEST MEAN PRECIP(IN)		1.10	4.30	6.00	3.20	1.00	0.05	0.04	0.05	0.10	0.40	3.70	2.70	22.6	
		MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	28.8	27.4	29.7	29.3	30.8	30.0	31.0	30.9	29.5	28.6	28.2	30.0	354.2	
	07 LST	26.7	24.2	25.9	26.2	27.7	24.1	22.7	23.8	25.8	27.0	24.8	26.3	304.8	
	13 LST	30.2	26.9	30.1	29.3	30.3	29.8	30.7	30.4	29.8	30.4	29.1	30.3	337.5	
	19 LST	30.5	27.7	30.8	29.5	30.9	29.3	29.4	29.6	29.6	30.6	29.4	30.2	337.5	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	27.6	26.5	28.6	27.3	29.3	28.4	28.9	29.0	28.3	27.1	26.1	28.6	335.7	
	07 LST	23.2	21.3	23.3	22.7	22.2	18.4	16.1	18.1	20.3	22.4	21.4	22.9	252.3	
	13 LST	27.7	24.8	27.4	26.8	27.3	26.4	26.4	26.9	27.0	27.3	25.9	26.3	320.2	
	19 LST	29.3	26.7	30.0	28.5	29.7	28.4	29.2	28.8	28.4	29.8	27.6	29.2	345.6	
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	13 LST	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.2	0.6	
	19 LST	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.3	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	3.5	6.3	7.1	7.6	7.1	16.4	15.4	14.8	10.3	9.3	7.6	8.0	111.4	
	07 LST	5.4	7.4	7.1	7.2	9.1	11.1	10.4	10.9	10.8	9.9	7.5	8.3	105.1	
	13 LST	9.4	10.6	10.3	11.6	12.3	13.2	16.2	16.5	14.9	14.4	11.1	11.0	133.7	
	19 LST	7.4	6.6	7.8	7.9	6.2	8.1	9.3	11.3	12.6	12.6	9.8	9.3	108.9	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.4	3.1	4.5	6.3	15.0	22.4	24.4	19.6	10.8	7.7	2.8	3.0	127.0	
	07 LST	0.6	0.4	0.9	1.9	5.8	10.1	10.8	9.9	4.9	2.3	0.6	0.4	45.8	
	13 LST	1.7	2.2	1.3	1.6	6.0	13.3	12.8	9.6	3.8	1.4	1.4	2.0	57.1	
	19 LST	2.4	2.1	3.0	4.0	11.0	19.8	22.2	17.9	12.0	7.3	3.1	4.0	108.8	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	26.6	26.0	27.6	26.9	28.0	27.1	26.2	27.9	27.2	26.1	25.1	26.4	323.6	
	07 LST	22.8	21.0	22.6	22.2	21.7	18.0	19.7	17.8	20.0	21.4	21.0	22.7	246.9	
	13 LST	24.2	22.2	24.2	24.1	24.6	24.8	24.5	24.2	23.5	23.3	21.2	23.1	283.9	
	19 LST	28.3	26.0	29.1	27.5	29.2	27.9	29.1	28.0	27.1	28.7	26.8	27.6	333.3	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	26.1	25.5	26.8	26.6	27.3	26.4	27.7	27.2	26.5	25.3	24.5	25.5	315.4	
	07 LST	22.3	20.4	22.1	22.0	21.3	17.6	15.4	17.2	19.4	20.6	20.7	22.3	241.8	
	13 LST	20.5	19.6	21.0	20.5	21.4	22.7	22.1	20.8	19.1	18.7	17.2	19.6	243.2	
	19 LST	26.6	24.8	28.1	26.4	28.4	27.8	28.6	27.3	25.6	27.5	25.5	26.3	323.1	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	26.1	25.5	26.8	26.6	27.3	26.4	27.7	27.2	26.5	25.3	24.5	25.5	315.2	
	07 LST	22.3	20.4	22.1	22.0	21.3	17.6	15.4	17.2	19.4	20.6	20.7	22.3	241.8	
	13 LST	20.5	19.6	21.0	20.5	21.4	22.7	22.1	20.8	19.1	18.7	17.2	19.6	243.2	
	19 LST	26.6	24.8	28.1	26.4	28.4	27.8	28.6	27.3	25.6	27.5	25.5	26.3	323.1	

STA NO. 64285 (IN AREA NUMBER 04)

ALBERTVILLE, REP. OF CONGO (LEOP.)

LATITUDE 0552S

LONGITUDE 02914E

ELEVATION(FT) 02999

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	89	87	91	86	87	87	86	90	92	92	88	86	92	3	-28
MEAN MAX TMP (F)	85	84	84	83	83	82	82	83	86	87	82	82	84	3	-28
MEAN MIN TMP (F)	66	66	67	67	65	61	58	60	66	67	67	67	65	3	-28
ABS MIN TMP (F)	60	59	61	61	58	51	51	54	57	50	61	62	50	3	-28
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	8.2	0.0	0.0	0.0	0.0	7.0	10.3	11.9	0.0	0.0	37.4	3	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN DEW PT TMP (F)	68	68	69	69	67	63	60	62	64	66	67	68	66	4	6176
MEAN REL HUM (PCT)	79	78	79	79	74	70	66	63	64	68	74	80	73	4	6176
MEAN PRESS ALT (FT)	2690	2690	2700	2600	2600	2600	2600	2600	2690	2690	2700	2690	2690	0	-50
MEAN PRECIP (IN)	4.20	4.70	6.30	8.40	3.30	0.30	0.10	0.30	0.80	2.80	7.90	6.30	45.4	20	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.5	9.1	9.1	9.9	6.4	0.7	0.3	0.7	1.7	5.1	11.8	10.3	73.6	20	-29
MEAN NO DYS SNFL = OR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.7	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	3	717
MEAN NO DYS TSTMS	18.7	18.3	19.9	15.2	1.6	0.0	0.0	2.9	5.9	9.5	22.0	19.8	133.8	3	717
P FREQ WND SPD = OR GTR 17 KTS	0.8	0.9	0.6	0.4	2.1	5.5	2.7	4.7	0.0	0.8	1.1	1.9	1.8	3	4257
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.1	3	4257
P FREQ LES 5000 FT A/D LES 5 MI	16.9	11.0	12.6	15.7	7.9	4.9	2.7	8.8	6.8	7.9	17.2	14.8	10.6	3	4264
F FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST	2.6	0.9	3.3	5.0	1.2	0.0	0.8	7.2	3.3	1.6	4.7	6.5	3.3	4	1086
06-08 LST	3.2	2.7	4.8	10.0	0.8	1.7	0.0	7.7	1.1	2.2	7.8	4.3	3.9	4	1295
09-11 LST	4.0	1.8	2.4	6.7	0.0	0.0	0.0	1.1	1.1	1.1	2.2	1.1	1.8	4	1299
12-14 LST	2.6	2.9	1.7	0.4	0.4	0.0	0.4	1.8	0.5	2.1	2.3	3.1	1.5	9	2084
15-17 LST	0.8	1.9	0.8	0.0	0.0	0.0	0.0	2.4	1.2	0.0	1.1	3.2	1.0	4	1242
18-20 LST	1.8	0.0	1.2	0.0	0.0	0.0	0.0	3.7	0.0	0.0	0.0	1.6	0.7	3	786
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST	0.0	0.9	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.5	4	1086
06-08 LST	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	1.1	1.1	0.0	0.3	4	1295
09-11 LST	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	1299
12-14 LST	0.0	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.2	9	2084
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.1	4	1242
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	786
21-23 LST														0	0

ALBERTVILLE, REP. OF CONGO (LEOP.)
 MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	30.9	27.7	30.0	28.9	30.7	28.9	25.1	23.9	28.3	30.6	29.0	30.7	343.1	4	1295
	14 LST	30.7	27.4	30.7	30.0	31.0	29.9	30.8	29.5	30.0	31.0	29.7	30.4	360.9	9	2684
	20 LST	31.0	28.0	31.0	30.0	31.0	30.0	29.9	28.1	28.9	31.0	29.9	31.0	359.4	3	786
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	28.9	29.2	28.0	22.2	27.5	21.6	19.6	18.7	26.6	27.5	24.7	26.7	290.8	4	1294
	14 LST	27.0	29.9	28.9	28.1	24.2	21.7	19.8	23.8	26.3	27.8	29.0	25.2	297.3	9	2683
	20 LST	29.0	26.5	30.2	28.6	30.6	28.4	27.7	24.1	26.8	27.0	26.5	25.9	331.3	3	786
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST	0.0	0.3	0.2	0.5	0.5	2.3	4.1	2.7	0.0	0.0	0.0	0.0	10.6	4	1294
	14 LST	0.4	0.8	0.8	0.2	0.0	0.9	0.8	0.4	0.3	0.5	0.9	0.9	9.7	9	2687
	20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	786
SFC WND 4-10 KTS AND TYP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST	14.0	8.4	11.5	9.5	9.0	9.6	7.4	8.9	10.8	13.7	13.9	11.9	119.0	4	1291
	14 LST	19.3	18.4	20.9	19.1	23.4	22.3	22.1	24.3	22.0	21.7	17.9	18.9	249.5	9	2683
	20 LST	14.8	18.8	14.7	7.4	9.2	8.9	6.1	9.7	7.0	10.9	12.7	12.7	118.1	3	785
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	1.0	1.3	0.0	1.5	6.2	8.9	10.9	11.6	8.8	3.8	0.0	0.7	93.7	4	1295
	14 LST	1.7	1.8	2.0	2.4	10.9	20.9	29.1	20.9	14.3	7.0	2.5	0.4	109.1	9	2686
	20 LST	9.9	9.6	1.9	10.6	21.7	29.4	29.5	21.8	19.9	9.5	10.0	6.1	199.9	3	786
CIG = GTR 2900 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	27.0	26.0	29.7	28.9	28.0	26.2	29.8	22.9	26.9	28.6	29.0	26.0	304.2	4	1295
	14 LST	26.9	24.3	28.1	28.3	30.0	29.7	30.6	29.2	28.9	28.9	27.2	26.7	338.8	9	2684
	20 LST	30.0	27.2	30.6	29.6	30.2	30.0	29.9	28.1	28.9	30.5	29.9	29.9	354.0	3	796
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	24.7	24.4	29.3	17.9	25.7	24.7	22.9	21.8	24.2	27.9	28.6	23.7	280.6	4	1295
	14 LST	24.1	22.0	26.1	26.9	29.6	29.7	30.6	29.0	28.6	27.4	29.1	29.8	322.9	9	2684
	20 LST	30.0	26.1	30.2	29.3	30.2	30.0	29.9	28.1	28.9	30.9	29.0	28.9	390.7	3	786
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	24.7	24.4	29.3	17.9	25.7	24.7	22.9	21.8	24.2	27.9	28.6	23.7	280.6	4	1295
	14 LST	24.1	22.0	26.1	26.9	29.6	29.7	30.6	29.0	28.6	27.3	29.1	29.8	322.4	9	2684
	20 LST	30.0	26.1	30.2	29.3	30.2	30.0	29.9	28.1	28.9	30.9	29.0	28.9	390.7	3	786

STA NO. 64328 (IN AREA NUMBER 04)

KOLWEZI, REP. OF CONGO (LEOP.)

LATITUDE 1045S

LONGITUDE 02530E

ELEVATION(FT) 04918

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	87	87	86	85	86	84	84	89	91	92	90	87	92	3	-33
MEAN MAX TMP (F)	79	80	80	80	80	77	79	83	86	86	80	79	81	3	-33
MEAN MIN TMP (F)	60	60	60	59	56	51	51	55	58	60	60	60	58	3	-33
ABS MIN TMP (F)	57	55	57	54	49	44	45	44	50	55	56	56	44	3	-33
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.3	10.7	0.0	0.0	21.0	3	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN DEW PT TMP (F)	62	62	61	58	52	45	42	42	48	53	61	61	54	3	-33
MEAN REL HUM (PC)	78	77	74	66	56	50	44	37	42	50	74	77	60	3	-33
MEAN PRESS ALT (FT)	5248	5239	5256	5264	5148	5132	5104	5066	5066	5074	5190	5181	5162	0	-50
MEAN PRECIP (IN)	5.20	6.50	9.00	2.60	0.20	0.00	0.00	0.00	0.20	2.80	10.20	9.30	45.8	3	-33
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.7	10.4	10.0	5.4	0.6	0.0	0.0	0.0	0.6	4.8	14.0			3	-29
MEAN NO DYS SNFL = OR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	19.0	18.0	16.0	9.0	1.0	0.0	0.0	0.0	2.0	12.0	19.0	21.0	117.0	5	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KOLWEZI, REP. OF CONGO (LEOP.)
 MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG =GTR 2000 FT AND VSBY =GTR														0	0
3 MI W/SFC WND LES 10 KTS														0	0
														0	0
														0	0
SFC WND = GTR 17 KTS AND														0	0
NO PRECIP.														0	0
														0	0
														0	0
SFC WND 4-10 KTS AND TMC 33-89														0	0
DEG F AND NO PRECIP.														0	0
														0	0
														0	0
SKY COVER LES 3/10 AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 2500 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 4000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 10000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0

DATA NOT AVAILABLE

ELISABETHVILLE/LUOUMBASHI, REP. OF CONGO (LEOP.)

STA NO. 64360 (IN AREA NUMBER 04)

LATITUDE 11955 LONGITUDE 02731E ELEVATION(FT) 04222

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO.
ABS MAX TMP (F)	91	90	93	90	89	86	89	94	99	98	97	93	99	13	-28
MEAN MAX TMP (F)	82	82	82	82	81	79	79	83	89	91	87	82	83	18	-28
MEAN MIN TMP (F)	61	62	61	57	50	44	43	46	52	58	61	62	55	18	-28
ABS MIN TMP (F)	50	54	46	41	38	34	33	33	37	45	50	54	33	13	-28
MEAN NO DYS TMP = DR GTR 90(F)	5.9	5.3	5.9	5.7	0.0	0.0	0.0	7.0	14.0	17.2	11.5	9.9	78.4	18	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN DEW PT TMP (F)	65	65	65	61	56	48	47	46	45	55	63	64	57	18	-33
MEAN REL HUM (PCT)	80	82	79	73	68	63	60	50	45	51	71	79	67	18	-33
MEAN PRESS ALT (FT)	4300	4400	4250	4300	4200	4100	4150	4150	4250	4300	4250	4300	4246	0	-50
MEAN PRECIP (IN)	9.76	10.35	8.03	2.24	0.16	0.00	0.00	0.04	0.12	1.06	6.46	10.16	48.4	30	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN			9.8	4.8	0.5	0.0	0.0	0.2	0.4	2.2	10.1			30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS W/OCUR VSBY LIIS 1/2 MI	0.7	0.7	1.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.0	4.6	5	1292
MEAN NO DYS TSTMS	24.6	21.7	17.2	6.5	0.8	0.2	0.0	0.0	2.6	0.9	19.2	26.5	129.2	5	1292
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.1	0.1	0.0	0.0	0.1	0.2	0.4	0.8	0.1	0.1	0.0	0.2	5	10304
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	10304
P FREQ LES 5000 FT A/D LES 5 MI	23.7	23.7	23.0	16.4	4.4	2.9	2.4	1.9	3.9	6.2	17.0	21.6	12.3	5	10304
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	5.7	7.3	4.1	1.7	0.0	0.8	0.0	0.0	0.0	0.8	3.4	4.8	2.4	5	1319
03-05 LST	12.2	12.6	12.9	2.5	0.0	0.7	0.0	0.0	0.0	1.6	4.3	12.9	3.0	5	1414
06-08 LST	22.6	20.5	27.4	16.0	0.8	1.3	0.0	0.0	1.1	1.6	9.0	23.0	9.9	5	1426
09-11 LST	8.9	10.6	11.3	9.0	0.8	0.0	0.6	0.0	0.0	0.0	3.3	6.5	3.9	5	1428
12-14 LST	9.3	9.5	7.7	7.4	4.3	0.4	0.3	0.8	1.3	1.1	7.3	13.5	3.2	10	2096
15-17 LST	1.6	4.4	4.1	0.0	0.8	0.0	0.0	0.0	0.0	2.2	3.3	1.6	1.5	5	1394
18-20 LST	0.8	3.5	0.8	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.5	0.0	0.7	5	1296
21-23 LST	2.4	3.5	1.6	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.7	1.6	1.0	5	1290
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.6	2.7	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.6	0.6	5	1319
03-05 LST	2.4	6.3	5.6	0.8	0.0	0.0	0.0	0.0	0.0	0.0	1.7	4.8	1.8	5	1414
06-08 LST	4.8	8.0	9.7	5.0	0.8	0.0	0.0	0.0	1.1	0.0	0.0	0.0	2.5	5	1426
09-11 LST	0.8	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1428
12-14 LST	0.4	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	2096
15-17 LST	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1394
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1296
21-23 LST	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1290


ELISABETHVILLE/LUBUMBASHI, REP. OF CONGO (LEOP.)
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	30.0	26.7	29.7	29.5	31.0	29.7	31.0	31.0	30.0	31.0	29.5	30.0	339.1	5	1319
	08 LST	25.2	22.5	22.7	25.7	30.7	29.4	30.6	31.0	29.6	31.0	29.0	25.9	333.5	5	1426
	14 LST	30.1	27.5	30.6	29.7	31.0	30.0	31.0	30.9	30.0	31.0	29.7	29.9	361.4	10	2896
	20 LST	30.2	27.5	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	29.7	31.0	363.4	5	1296
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	28.7	23.5	29.0	29.0	30.7	29.5	31.0	30.3	29.3	29.2	28.2	29.5	349.9	5	1319
	08 LST	23.0	21.5	22.0	23.7	30.7	29.2	29.8	28.5	25.0	27.7	28.2	22.8	312.1	5	1426
	14 LST	23.4	21.5	25.9	23.8	26.1	25.7	23.8	25.3	21.8	25.3	24.5	23.4	290.6	10	2895
	20 LST	30.2	26.7	30.7	29.7	31.0	30.0	31.0	31.0	29.0	30.7	28.5	30.5	359.0	5	1295
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1320
	08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.4	5	1427
	14 LST	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.4	0.2	0.0	0.0	0.8	10	2896
	20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1295
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	5.3	4.1	8.8	3.8	6.9	7.2	6.7	9.5	7.1	8.4	7.6	4.5	79.9	5	1310
	08 LST	9.2	5.2	11.2	19.7	17.4	18.2	18.3	20.3	21.1	20.2	14.7	11.7	107.2	5	1415
	14 LST	13.1	13.2	18.4	19.8	24.0	23.5	22.4	20.8	17.5	15.7	15.5	12.9	216.3	10	2883
	20 LST	4.0	3.9	3.5	1.5	1.3	2.3	3.7	3.5	6.1	5.7	5.8	5.0	46.3	5	1286
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	4.0	1.0	6.9	16.9	27.2	27.8	29.7	28.3	24.3	16.7	9.4	2.0	194.2	5	1319
	08 LST	1.0	1.0	4.5	8.7	22.0	25.8	25.8	28.0	23.0	12.7	5.7	1.5	159.7	5	1427
	14 LST	0.0	0.3	0.5	1.0	11.9	18.4	23.7	25.0	15.8	8.6	2.0	0.0	107.2	10	2896
	20 LST	3.8	2.0	6.2	15.9	25.1	27.8	28.2	27.3	24.0	19.9	8.3	3.0	191.5	5	1295
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	27.2	24.9	28.5	29.2	31.0	29.7	31.0	31.0	29.6	30.0	27.5	28.5	348.1	5	1319
	08 LST	22.7	21.5	22.0	24.9	30.7	29.4	30.2	31.0	29.3	30.5	28.2	22.8	323.2	5	1426
	14 LST	18.8	16.8	18.3	18.5	24.8	27.5	29.7	29.7	27.9	27.4	21.2	18.8	279.4	10	2896
	20 LST	28.5	25.3	30.2	29.7	31.0	30.0	31.0	30.3	29.0	30.7	27.8	29.5	359.0	5	1296
CIG = GTR 8000 FT AND VSBY = GTR 3 MI	02 LST	25.9	24.7	26.9	29.0	31.0	29.7	31.0	30.3	29.0	28.7	24.7	27.0	337.9	5	1319
	08 LST	22.7	21.5	22.0	24.5	30.5	28.8	29.8	31.0	29.3	29.5	27.2	22.8	319.6	5	1426
	14 LST	12.4	11.4	11.2	12.0	21.2	25.2	28.9	29.1	25.3	24.1	15.6	14.6	231.0	10	2896
	20 LST	27.2	23.8	30.0	29.2	31.0	29.5	30.5	29.6	28.3	30.7	26.5	29.0	345.3	5	1296
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	25.9	24.7	26.9	29.0	31.0	29.7	31.0	30.3	29.0	28.7	24.7	27.0	337.9	5	1319
	08 LST	22.5	21.5	22.0	24.5	30.5	28.8	29.8	31.0	29.3	29.5	27.2	22.8	319.4	5	1426
	14 LST	12.4	11.4	11.2	12.0	21.2	25.2	28.9	29.1	25.3	24.1	15.6	14.6	231.0	10	2896
	20 LST	27.2	23.8	30.0	29.2	31.0	29.5	30.5	29.6	28.3	30.7	26.5	29.0	345.3	5	1296

AREA NO. 04

CONGO/REP D (LEOP)	SOUTHEAST MTNS		LATITUDE 0600S				LONGITUDE 02830E				ANN			
	BOUNDARIES	0430S 02920E	0430S 02650E	0430S 02650E	0759S 02850E	0759S 02850E	1100S 02400E							
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		82	82	82	82	81	79	80	83	87	88	83	81	83
MEAN MIN TMP (F)		62	63	63	61	57	52	51	54	59	62	63	63	59
LARGEST MEAN PRECIP(IN)		9.76	10.35	9.00	8.40	3.30	0.30	0.10	0.30	0.00	2.80	10.20	10.16	63.5
SMALLEST MEAN PRECIP(IN)		4.20	4.70	6.30	2.24	0.16	0.00	0.00	0.00	0.12	1.06	6.46	6.30	31.5
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	30.0	26.7	29.7	29.5	31.0	29.7	31.0	31.0	30.0	31.0	29.5	30.0	359.1
	08 LST	27.9	25.1	26.4	27.1	30.7	29.1	27.9	27.3	29.0	30.8	29.0	28.3	338.6
	14 LST	30.4	27.5	30.7	29.9	31.0	30.0	30.8	30.2	30.0	31.0	29.7	30.2	361.4
	20 LST	30.6	27.8	31.0	30.0	31.0	30.0	30.3	29.6	29.5	31.0	29.6	31.0	361.6
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	28.7	25.5	29.0	29.0	30.7	29.5	31.0	30.3	29.3	29.2	28.2	29.5	349.9
	08 LST	25.8	23.4	24.0	23.0	29.1	25.4	22.7	23.6	25.8	27.6	26.5	24.8	301.7
	14 LST	25.2	22.7	26.2	25.0	25.2	23.7	21.8	24.6	24.1	26.6	24.8	24.3	294.2
	20 LST	29.6	26.6	30.5	29.2	30.8	29.2	29.4	27.6	27.9	28.9	27.5	28.2	345.4
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	08 LST	0.0	0.2	0.1	0.3	0.3	1.2	2.1	1.9	0.0	0.1	0.0	0.0	5.8
	14 LST	0.2	0.4	0.0	0.1	0.1	0.5	0.5	0.2	0.4	0.4	0.3	0.5	3.6
	20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	5.3	4.1	8.8	3.8	6.9	7.2	6.7	9.5	7.1	8.4	7.6	4.5	79.9
	08 LST	11.6	6.8	11.4	12.6	13.2	11.9	12.9	14.4	16.0	17.0	14.0	11.5	193.3
	14 LST	16.2	15.8	19.7	19.5	23.7	22.9	22.3	22.6	19.8	18.7	16.5	15.7	233.4
	20 LST	9.4	7.4	9.1	4.5	5.3	4.4	4.9	4.6	6.6	8.1	9.3	8.9	82.5
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	4.0	1.0	6.9	16.9	27.2	27.8	29.7	28.3	24.3	16.7	9.4	2.0	194.2
	08 LST	1.0	1.2	2.3	5.1	14.1	17.1	18.2	19.8	15.9	8.3	2.9	1.1	107.0
	14 LST	0.9	1.1	1.3	1.7	11.4	19.5	24.4	22.8	15.1	7.8	2.3	0.2	108.5
	20 LST	4.9	3.8	4.1	13.3	23.4	25.6	26.9	24.6	19.0	14.7	9.2	4.6	174.1
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	27.2	24.9	28.5	29.2	31.0	29.7	31.0	31.0	29.6	30.0	27.5	28.5	348.1
	08 LST	24.9	23.8	23.9	22.7	29.4	27.8	27.0	26.8	28.1	29.6	25.6	24.4	314.0
	14 LST	22.9	20.6	23.2	23.4	27.4	28.6	30.2	29.5	28.4	28.2	24.2	22.8	309.4
	20 LST	29.3	26.3	30.4	29.7	30.6	30.0	30.5	29.2	29.0	30.6	28.7	29.5	353.8
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	25.9	24.7	26.9	29.0	31.0	29.7	31.0	30.3	29.0	28.7	24.7	27.0	337.9
	08 LST	23.7	23.0	22.7	21.0	28.1	26.8	26.2	26.4	26.8	28.5	23.9	23.3	300.4
	14 LST	18.3	16.7	18.7	19.3	25.4	27.5	29.8	29.1	27.0	25.8	20.4	19.2	277.2
	20 LST	28.6	25.0	30.1	29.3	30.6	29.8	30.2	28.9	28.6	30.6	27.8	28.8	348.3
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	25.9	24.7	26.9	29.0	31.0	29.7	31.0	30.3	29.0	28.7	24.7	27.0	337.9
	08 LST	23.6	23.0	22.7	21.0	28.1	26.8	26.2	26.4	26.8	28.5	23.9	23.3	300.3
	14 LST	18.3	16.7	18.7	19.3	25.4	27.5	29.8	29.1	27.0	25.7	20.4	19.2	277.1
	20 LST	28.6	25.0	30.1	29.3	30.6	29.8	30.2	28.9	28.6	30.6	27.8	28.8	348.3

DAHOMÉY - GABON
GHANA - IVORY COAST



STA NO. 65306 (IN AREA NUMBER 01)

KANDI, REPUBLIC OF BANORBY

LATITUDE 1108N

LONGITUDE 00256E

ELEVATION(FT) 30961

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	106	109	112	115	108	102	95	96	96	100	103	102	115	5	-8
MEAN MAX TMP (F)	96	100	103	109	98	92	88	87	89	94	98	97	96	5	-8
MEAN MIN TMP (F)	65	66	74	76	75	73	72	72	71	71	67	64	71	5	-8
ABS MIN TMP (F)	55	55	59	65	64	63	65	64	66	63	55	54	54	5	-8
MEAN NO DYS TMP = OR GTR 90(F)	23.7	28.0	31.0	30.0	26.1	17.9	13.2	11.9	14.0	21.1	29.2	24.9	267.0	5	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN DEW PT TMP (F)	46	45	58	67	72	73	73	74	75	73	62	52	64	7	-29
MEAN REL HUM (PCT)	34	31	40	51	65	75	81	85	85	76	55	42	60	10	-32
MEAN PRESS ALT (FT)													40.4	0	0
MEAN PRECIP (IN)	0.00	0.04	0.32	1.14	3.62	5.91	7.52	11.10	8.62	2.05	0.08	0.00	40.4	30	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.0	0.2	0.1	2.8	6.8	9.4	11.1	13.9	12.5	3.9	0.3	0.0	61.8	30	-29
MEAN NO DYS SNFL = OR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI													115.3	5	-24
MEAN NO DYS TSTMS	1.0	0.3	2.0	9.0	14.0	18.0	20.0	19.0	20.0	11.0	1.0	0.0	115.3	5	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	6.3	1.9	0.0	0.0	1.8	5.9	16.1	17.0	0.0	6.0	0.0	4.6	4	597
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	6.3	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0	0.0	1.2	4	597
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KANDI, REPUBLIC OF BANHMEY
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	26.9	22.7	28.0	29.4	1.0	29.5	31.0	30.4	28.7	31.0	28.2	28.5	345.3	4	597
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	12 LST	18.9	12.5	24.8	24.0	26.6	25.7	24.4	19.7	20.9	29.5	20.0	18.3	265.4	4	580
	18 LST														0	0
	00 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST														0	0
	12 LST	3.1	3.4	0.0	0.5	0.5	0.5	0.0	0.5	0.7	0.7	2.3	0.5	12.7	4	619
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	13.2	10.6	4.2	8.5	3.9	2.4	0.0	0.0	0.7	3.7	9.6	18.5	75.3	4	621
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	12 LST	26.5	22.7	27.4	29.4	29.9	26.8	20.1	15.5	15.3	28.7	27.6	28.5	298.8	4	597
	18 LST														0	0
	00 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST														0	0
	12 LST	26.9	22.7	27.4	26.0	28.4	24.7	10.0	8.8	10.8	25.6	27.6	28.5	267.4	4	597
	18 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	26.9	22.7	27.4	26.0	28.4	24.7	10.0	8.8	10.8	25.6	27.6	28.5	267.4	4	597
18 LST														0	0	

NAT:TINGOU, REPUBLIC OF CAMBODIA

STA NO. 65317 (IN AREA NUMBER 01)

LATITUDE 1019N

LONGITUDE 00123E

ELEVATION(FT) 01909

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	103	108	113	109	106	100	104	93	95	99	99	100	113	10	-20
MEAN MAX TMP (F)	93	98	99	96	92	87	83	82	85	88	91	92	91	8	-20
MEAN MIN TMP (F)	66	67	73	73	72	70	69	69	69	68	67	66	69	8	-20
ABS MIN TMP (F)	55	59	59	63	63	62	61	64	62	59	57	57	55	10	-20
MEAN NO DYS TMP = OR GTR 90(F)	19.8	23.5	31.0	22.9	18.5	11.5	7.0	5.9	9.0	13.2	16.6	18.5	197.4	8	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	40	48	62	69	71	71	70	70	72	70	61	47	63	9	-29
MEAN REL HUM (PCT)	29	34	49	63	73	86	83	85	85	78	59	37	63	10	-32
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.12	0.32	1.02	2.95	4.96	6.38	8.70	10.00	12.24	4.65	1.30	0.20	92.8	30	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.4	0.4	2.5	6.0	8.2	10.0	12.2	13.2	15.6	7.8	2.6	0.6	79.9	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	3.0	4.0	14.0	17.0	19.0	19.0	17.0	24.0	19.0	5.0	1.0	143.0	5	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	6.6	15.6	30.6	52.6	27.5	23.1	1.9	0.0	13.8	4	632
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	2.3	1.8	0.0	0.0	0.0	0.0	0.3	4	632
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MATITINGOU, REPUBLIC OF DANOMBY
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	14.8	22.3	29.5	29.4	30.5	26.1	23.3	20.6	25.5	29.4	24.3	18.4	296.1	4	632
	18 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST														0	0
	12 LST	14.4	22.1	27.7	28.3	27.3	22.4	14.8	9.0	16.7	20.4	24.7	17.8	245.6	4	609
	18 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.9	4	631
	18 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	12.2	4.4	0.0	4.4	15.7	15.7	19.3	17.8	15.0	12.6	1.9	9.3	124.5	4	602
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	10.8	13.5	3.7	7.7	1.9	0.9	0.7	0.0	0.0	0.8	7.5	15.7	63.2	4	643
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	14.8	22.3	20.9	27.8	25.4	20.1	12.7	7.1	13.5	18.3	23.8	18.4	233.1	4	632
	18 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	14.8	22.3	20.9	26.1	23.4	18.3	10.5	4.9	9.8	18.5	21.8	18.4	219.5	4	632
	18 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	14.8	22.3	20.9	25.5	23.4	18.3	10.5	4.9	9.0	18.3	23.8	18.4	218.1	4	632
	18 LST														0	0

STA NO. 65333 (IN AREA NUMBR 01)

TCNJURRU, REPUBLIC OF BAROMEY
LATITUDE 0052N

LONGITUDE 00230E

ELEVATION(FT) 01066

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	99	102	101	101	97	95	90	90	90	93	95	97	102	5	-28
MEAN MAX TMP (F)	94	96	96	94	91	88	83	81	85	87	91	93	90	5	-28
MEAN MIN TMP (F)	67	71	73	73	72	71	70	69	70	69	69	64	70	5	-28
ABS MIN TMP (F)	56	58	67	67	67	66	64	63	65	65	57	54	54	5	-28
MEAN NO DYS TMP = OR GTR 90(F)	21.1	21.4	23.7	20.4	17.2	12.7	7.0	4.8	9.0	11.9	16.6	19.8	185.6	5	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN DEW PT TMP (F)	98	62	69	72	73	73	71	70	73	72	70	61	69	7	-29
MEAN REL HUM (PCT)	50	93	64	72	77	81	85	86	86	83	75	59	73	10	-32
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.28	0.99	2.28	4.09	5.55	6.34	6.50	6.38	8.43	6.34	0.63	0.28	47.7	20	-37
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.7	1.4	4.9	7.4	8.7	9.9	10.1	10.0	12.3	10.0	1.4	0.7	77.5	20	-29
MEAN NO DYS SMFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	4.0	6.0	15.0	14.0	16.0	10.0	8.0	14.0	20.0	5.0	1.0	114.0	5	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	2.3	1.9	4.9	5.6	11.7	12.5	20.8	25.0	27.5	19.0	9.6	2.9	12.0	4	648
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	1.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.4	4	648
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

TCHOUROU, REPUBLIC OF CAMBODIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST													0	0	
	06 LST													0	0	
	12 LST	24.5	25.0	30.0	29.4	29.9	29.0	30.4	29.7	29.4	28.0	27.1	24.6	337.0	4	648
	18 LST													0	0	
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST													0	0	
	06 LST													0	0	
	12 LST	22.3	24.8	28.2	27.0	25.0	23.3	19.0	16.2	16.2	22.9	22.7	23.3	270.9	4	626
	18 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST													0	0	
	06 LST													0	0	
	12 LST	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.4	1.4	4	656	
	18 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST													0	0	
	06 LST													0	0	
	12 LST	8.3	6.2	2.9	8.1	12.6	18.1	23.4	17.4	16.2	12.7	11.3	6.6	143.0	4	609
	18 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST													0	0	
	06 LST													0	0	
	12 LST	13.8	11.8	8.6	3.1	0.9	0.0	0.0	0.0	0.0	0.7	6.3	17.3	62.5	4	675
	18 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST													0	0	
	06 LST													0	0	
	12 LST	22.3	23.3	25.9	25.0	21.7	20.1	10.5	9.7	10.6	16.2	21.9	23.7	232.9	4	648
	18 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST													0	0	
	06 LST													0	0	
	12 LST	21.6	23.1	24.9	22.2	16.5	15.0	4.7	5.1	7.1	12.5	19.6	23.3	195.6	4	648
	18 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST													0	0	
	06 LST													0	0	
	12 LST	21.6	23.1	24.9	22.2	16.5	14.5	4.7	5.1	7.1	11.8	19.6	23.3	194.4	4	648
	18 LST													0	0	

SAVE, REPUBLIC OF BANUEY

STA NO. 65335 (IN AREA NUMBER 01)

LATITUDE 0759N

LONGITUDE 00226E

ELEVATION(FT) 00659

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)	59	59	68	74	78	81	84	83	84	82	74	64	74	10	-32
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.28	0.75	3.11	4.25	5.71	5.55	5.47	4.37	6.85	5.24	1.30	0.32	43.2	20	-32
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.7	1.7	6.2	7.5	8.8	9.0	8.9	7.5	10.6	8.6	2.6	0.8	72.9	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSMS	2.0	4.0	12.0	17.0	14.0	14.0	9.0	9.0	9.0	17.0	5.0	2.0	114.0	5	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	7.9	5.6	4.3	9.1	14.9	9.4	16.7	27.9	30.0	15.2	2.5	3.7	12.3	4	521
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	2.8	0.0	0.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	4	521
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SAVE, REPUBLIC OF SAUDI ARABIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST													0	0	
	06 LST													0	0	
	12 LST	21.2	24.4	30.3	29.4	29.7	30.0	30.1	31.0	28.5	30.0	28.5	24.7	339.8	4	921
	18 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST													0	0	
	06 LST													0	0	
	12 LST	21.2	24.0	29.0	24.0	23.4	24.0	23.0	15.1	15.4	23.5	27.5	23.7	274.4	4	490
	18 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST													0	0	
	06 LST													0	0	
	12 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.7	4	395
	18 LST													0	0	
SFC WND 4-10 KTS AND IMP 33-89 DEG F AND NO PRECIP.	00 LST													0	0	
	06 LST													0	0	
	12 LST	9.2	7.6	7.6	8.4	10.1	10.5	19.0	21.6	12.6	14.1	10.0	8.5	146.0	4	910
	18 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST													0	0	
	06 LST													0	0	
	12 LST	9.0	5.2	5.0	0.5	0.7	0.0	0.0	0.0	0.0	0.9	3.6	11.3	36.2	4	542
	18 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST													0	0	
	06 LST													0	0	
	12 LST	19.6	24.1	24.9	21.8	19.8	18.1	12.9	10.1	10.5	16.9	24.0	20.6	223.3	4	921
	18 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST													0	0	
	06 LST													0	0	
	12 LST	17.9	21.8	21.5	19.1	16.5	13.0	6.0	9.0	6.8	11.3	21.8	17.8	178.5	4	921
	18 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST													0	0	
	06 LST													0	0	
	12 LST	17.9	21.8	21.5	19.1	16.5	13.0	9.1	9.0	6.8	11.3	21.8	17.8	177.6	4	921
	18 LST													0	0	

AREA NO. 01

DAHOMY, REPUBLIC OF INTERIOR PLAINS LATITUDE 1000N LONGITUDE 00215E
 BOUNDARIES 0740N 00145E 0740N 00250E

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	94	98	99	98	94	89	85	83	86	90	93	94	92
MEAN MIN TMP (F)	66	68	73	74	73	71	70	70	70	69	68	65	70
LARGEST MEAN PRECIP(IN)	0.28	0.75	3.11	4.25	5.71	6.38	8.70	11.10	12.24	6.34	1.30	0.32	60.5
SMALLEST MEAN PRECIP(IN)	0.00	0.04	0.32	1.14	3.62	5.55	5.47	4.37	6.85	2.05	0.08	0.00	29.5
	MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST												
	06 LST												
	12 LST	21.9	24.3	29.9	29.4	30.3	29.2	28.7	27.9	28.0	29.6	27.0	24.1
	18 LST												329.9
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST												
	06 LST												
	12 LST	19.2	20.9	27.4	25.8	25.6	24.0	20.3	15.0	17.3	24.1	23.7	20.8
	18 LST												264.1
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST												
	06 LST												
	12 LST	0.8	0.9	0.1	0.1	0.1	0.4	0.0	0.3	0.3	0.2	0.6	0.2
	18 LST												4.0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST												
	06 LST												
	12 LST	9.1	5.6	3.1	5.7	11.2	16.2	18.5	18.9	14.6	12.6	6.4	7.4
	18 LST												129.3
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST												
	06 LST												
	12 LST	11.7	10.3	5.4	5.0	1.9	0.8	0.2	0.0	0.2	1.9	6.8	15.7
	18 LST												59.3
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST												
	06 LST												
	12 LST	20.9	23.6	26.8	26.0	24.2	21.3	14.1	10.6	12.5	20.0	24.3	22.8
	18 LST												247.1
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST												
	06 LST												
	12 LST	20.3	22.5	25.7	23.4	21.2	17.8	7.8	6.0	8.6	16.9	23.2	22.0
	18 LST												215.4
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST												
	06 LST												
	12 LST	20.3	22.5	25.7	23.2	21.2	17.6	7.6	6.0	8.4	16.8	23.2	22.0
	18 LST												214.5

BOHICON, REPUBLIC OF DANOMVEY

STA NO. 63330 (IN AREA NUMBER 02)

LATITUDE 1710N

LONGITUDE 00204E

ELEVATION(FT) 00330

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.39	0.94	3.90	5.20	5.75	9.71	4.97	2.83	5.99	9.63	1.42	0.47	42.4	18	-6
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.0	2.2	7.2	8.4	8.8	9.2	7.8	5.2	9.0	9.1	2.8	1.1	71.8	18	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 M.														0	0
MEAN NO DYS TSTM	3.0	6.0	14.0	17.0	16.0	15.0	8.0	4.0	12.0	19.0	8.0	3.0	125.0	5	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	2.3	2.3	0.0	2.0	7.5	15.4	14.3	10.2	5.4	2.6	2.3	1.6	9.5	4	566
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	1.5	0.0	2.0	0.0	0.0	0.0	0.0	0.3	4	566
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

DOMICON, REPUBLIC OF DOMINICA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	29.5	26.7	31.0	30.0	30.4	27.2	29.2	29.7	29.2	30.2	30.0	31.0	354.1	4	566
	18 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST														4	566
	12 LST	28.6	25.2	30.3	28.7	27.9	24.7	25.5	26.6	28.4	30.2	29.3	30.5	335.9	0	0
	18 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST														4	582
	12 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
	18 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST														4	593
	12 LST	3.1	3.6	5.4	5.2	8.4	14.5	14.6	15.2	11.8	13.1	5.4	6.7	107.0	0	0
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														4	600
	12 LST	8.4	6.8	3.7	1.2	2.0	0.0	0.0	0.0	0.0	0.0	1.3	6.0	27.4	0	0
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														4	566
	12 LST	23.8	22.1	27.9	25.3	22.8	18.9	11.5	15.2	15.4	19.1	22.3	22.8	246.7	0	0
	18 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														4	566
	12 LST	20.2	19.5	24.6	21.8	18.7	14.8	2.6	6.9	6.5	11.9	17.4	16.9	181.8	0	0
	18 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														4	566
	12 LST	20.2	19.5	23.9	21.2	18.7	14.3	2.6	6.9	6.5	11.9	17.4	16.9	180.0	0	0
	18 LST														0	0

COTONOU, REPUBLIC OF BAHREY

STA NO. 63344 (IN AREA NUMBER 02)

LATITUDE 0621N

LONGITUDE 00223E

ELEVATION(FT) 00016

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	90	93	94	95	94	91	89	87	89	91	92	91	95	5	-28
MEAN MAX TMP (F)	80	82	83	83	81	78	78	77	78	80	82	81	80	5	-28
MEAN MIN TMP (F)	74	77	79	78	76	74	74	73	74	75	76	76	76	5	-28
ABS MIN TMP (F)	66	70	70	70	70	65	68	69	68	71	71	67	65	5	-28
MEAN NO DYS TMP = DR GTR 90(F)	0.0	5.3	7.0	6.7	4.8		0.0	0.0	0.0		5.7	4.8		5	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-33
MEAN DEW PT TMP (F)	70	73	73	73	72	72	70	69	70	72	73	73	72	5	-28
MEAN REL HUM (PCT)	79	79	77	77	80	84	83	82	82	81	81	81	81	5	-28
MEAN PRESS ALT (FT)	-95	-97	-139	-184	-182	-199	-171	-145	-115	-109	-110	-99	-133	0	-80
MEAN PRECIP (IN)	1.30	1.30	4.60	4.90	1.00	1.44	3.30	1.30	2.60	5.30	2.30	0.90	30.2	10	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.9	2.9	7.9	8.2	2.5	2.9	6.3	3.0	4.8	8.7	4.3	1.2	55.6	10	-25
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.0	3.0	8.0	12.0	13.0	13.0	4.0	1.0	4.0	11.0	10.0	2.0	83.0	5	-24
MEAN NO DYS TSMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI	14.0	7.0	3.0	4.0	5.0	13.0	23.0	21.0	17.0	7.0	3.0	11.0	10.7	9	-33
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	15.0	9.0	4.0	4.0	9.0	17.0	40.0	45.0	38.0	16.0	6.0	8.0	17.6	9	-25
03-05 LST	35.0	18.0	5.0	3.0	3.0	10.0	29.0	42.0	27.0	10.0	9.0	34.0	18.3	9	-25
06-08 LST	23.0	10.0	1.0	2.0	4.0	8.0	27.0	19.0	17.0	6.0	3.0	10.0	10.8	9	-25
09-11 LST	3.0	1.0	0.0	2.0	5.0	5.0	9.0	8.0	6.0	2.0	0.0	3.0	3.7	9	-25
12-14 LST	2.0	1.0	0.0	1.0	2.0	5.0	7.0	5.0	4.0	1.0	1.0	3.0	2.7	9	-25
15-17 LST	2.0	1.0	0.0	1.0	2.0	5.0	7.0	5.0	4.0	1.0	1.0	3.0	2.7	9	-25
18-20 LST	2.0	0.0	1.0	1.0	5.0	4.0	11.0	7.0	9.0	1.0	1.0	1.0	3.6	9	-25
21-23 LST	6.0	4.0	3.0	3.0	2.0	14.0	23.0	21.0	21.0	8.0	3.0	1.0	9.1	9	-25
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.3	9	-25
03-05 LST	21.0	1.0	1.0	1.0	1.0	0.0	2.0	1.0	1.0	1.0	5.0	25.0	5.0	9	-25
06-08 LST	5.0	2.0	0.0	0.0	0.0	1.0	0.0	1.0	1.0	1.0	0.0	1.0	1.0	9	-25
09-11 LST	1.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	1.0	0.0	0.0	1.0	0.3	9	-25
12-14 LST	10.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.9	9	-25
15-17 LST	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	9	-25
18-20 LST	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	9	-25
21-23 LST	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	1.0	0.3	9	-25

COTONOU, REPUBLIC OF DAHOMEY
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	30.0	28.2	31.0	29.9	31.0	29.9	30.8	30.6	30.0	30.8	30.0	30.9	303.1	9	-25
	06 LST	22.0	24.7	30.6	29.9	30.6	29.9	28.1	27.1	27.7	30.2	28.4	21.5	330.7	9	-25
	12 LST	30.3	27.8	31.0	30.0	30.2	29.3	30.2	30.5	29.3	30.9	30.0	30.1	359.6	9	-25
	18 LST	30.4	28.1	30.9	30.0	31.0	29.5	30.3	30.8	29.7	30.9	30.0	30.1	361.7	0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST														4	1190
	12 LST	27.7	23.0	25.6	25.9	26.9	21.6	17.0	16.5	15.9	15.7	21.9	25.6	263.3	0	0
	18 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST														4	1196
	12 LST	0.0	0.0	0.0	0.3	0.0	0.0	0.5	5.3	2.3	1.0	0.3	0.0	9.7	0	0
	18 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST														4	1195
	12 LST	14.3	6.6	1.7	1.9	7.9	12.0	17.7	19.8	17.1	17.0	10.4	11.7	138.1	0	0
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														4	1192
	12 LST	10.2	11.3	4.3	1.6	0.7	0.2	0.2	1.8	0.2	1.3	1.9	11.3	45.0	0	0
	18 LST														9	-25
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	29.0	26.7	29.7	29.0	29.9	25.5	23.4	24.6	23.4	23.2	28.9	30.4	328.7	9	-25
	06 LST	20.2	23.0	29.5	28.8	30.0	24.6	20.3	17.8	21.8	28.0	27.2	20.5	291.7	9	-25
	12 LST	29.8	27.7	30.8	28.6	29.5	28.0	27.8	27.8	28.3	29.9	29.8	30.0	348.0	9	-25
	18 LST	30.3	28.0	30.6	29.5	29.9	27.5	27.5	29.0	27.2	29.9	30.0	30.0	349.4	9	-25
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	29.0	26.6	29.6	29.0	29.8	25.5	23.2	24.6	23.4	28.1	28.8	30.2	327.8	9	-25
	06 LST	20.2	23.0	29.5	28.8	30.0	23.4	20.1	17.8	21.8	28.0	27.2	20.5	290.3	9	-25
	12 LST	29.6	27.7	30.7	28.3	29.5	27.7	27.6	27.6	28.3	29.7	29.8	30.0	346.5	9	-25
	18 LST	30.3	28.0	30.4	29.4	29.8	27.5	27.5	29.0	27.1	29.9	30.0	30.0	348.9	9	-25
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	29.0	26.6	29.6	29.0	29.8	25.5	23.2	24.6	23.4	28.1	28.8	30.2	327.8	9	-25
	06 LST	20.2	23.0	29.5	28.8	30.0	23.4	20.1	17.8	21.8	28.0	27.2	20.5	290.3	9	-25
	12 LST	29.5	27.7	30.7	28.3	29.5	27.7	27.6	27.6	28.3	29.7	29.8	30.0	346.4	9	-25
	18 LST	30.3	28.0	30.3	29.4	29.8	27.5	27.5	29.0	27.1	29.9	30.0	30.0	348.8	9	-25

AREA NO. 02

DAMMEY, REPUBLIC OF

COASTAL STRIP

LATITUDE 0700N

LONGITUDE 00215E

BOUNDARIES 0740N 00145E 0740N 00250E

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		80	82	83	83	81	78	78	77	78	80	82	81	80
MEAN MIN TMP (F)		74	77	79	78	76	74	74	73	74	75	76	76	76
LARGEST MEAN PRECIP(IN)		1.30	1.30	4.00	5.20	5.75	5.71	4.57	2.83	5.55	5.63	2.30	0.50	45.2
SMALLEST MEAN PRECIP(IN)		0.39	0.94	3.90	4.90	1.00	1.44	3.30	1.50	2.60	5.30	1.42	0.47	27.4
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	30.0	28.2	31.0	29.9	31.0	29.9	30.8	30.6	30.0	30.8	30.0	30.9	303.1
	06 LST	22.0	24.7	30.6	29.9	30.6	29.9	28.1	27.1	27.7	30.2	28.4	21.5	330.7
	12 LST	29.9	27.3	31.0	30.0	30.3	28.3	29.7	30.1	29.3	30.6	30.0	30.6	357.1
	18 LST	30.4	28.1	30.9	30.0	31.0	29.5	30.3	30.8	29.7	30.9	30.0	30.1	361.7
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST													
	06 LST													
	12 LST	28.2	24.1	28.0	27.3	27.4	23.2	21.3	21.6	22.2	23.0	25.6	28.1	300.0
	18 LST													
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST													
	06 LST													
	12 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.3	2.7	1.2	0.5	0.2	0.0	5.1
	18 LST													
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST													
	06 LST													
	12 LST	8.7	5.1	3.6	3.6	8.2	13.3	16.2	17.5	14.5	15.1	7.9	9.2	122.9
	18 LST													
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST													
	06 LST													
	12 LST	9.3	9.1	4.0	1.4	0.4	0.1	0.1	0.9	0.1	0.7	1.6	8.7	36.4
	18 LST													
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	29.0	26.7	29.7	29.0	29.9	25.5	23.4	24.6	23.4	28.2	28.9	30.4	328.7
	06 LST	20.2	23.0	29.5	28.8	30.0	24.6	20.3	17.8	21.8	28.0	27.2	20.5	291.7
	12 LST	26.8	24.9	29.2	27.0	26.2	23.5	19.7	21.5	21.9	24.5	26.1	26.4	297.7
	18 LST	30.3	28.0	30.6	29.5	29.9	27.5	27.5	29.0	27.2	29.9	30.0	30.0	349.4
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	29.0	26.6	29.6	29.0	29.8	25.5	23.2	24.6	23.4	28.1	28.8	30.2	327.8
	06 LST	20.2	23.0	29.5	28.8	30.0	23.4	20.1	17.8	21.8	28.0	27.2	20.5	290.3
	12 LST	24.9	23.6	27.7	25.1	24.1	21.3	15.1	17.3	17.4	20.8	23.6	23.5	264.4
	18 LST	30.3	28.0	30.4	29.4	29.8	27.5	27.5	29.0	27.1	29.9	30.0	30.0	348.9
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	29.0	26.6	29.6	29.0	29.8	25.5	23.2	24.6	23.4	28.1	28.8	30.2	327.8
	06 LST	20.2	23.0	29.5	28.8	30.0	23.4	20.1	17.8	21.8	28.0	27.2	20.5	290.3
	12 LST	24.9	23.6	27.3	24.8	24.1	21.0	15.1	17.3	17.4	20.8	23.6	23.5	263.4
	18 LST	30.3	28.0	30.3	29.4	29.8	27.5	27.5	29.0	27.1	29.9	30.0	30.0	348.8

LIBREVILLE, REPUBLIC OF GABON

STA NO. 64500 (IN AREA NUMBER 01)

LATITUDE 0020N

LONGITUDE 00926E

ELEVATION(FT) 00039

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	94	94	96	95	99	95	92	92	92	92	95	92	99	21	-28
MEAN MAX TMP (F)	87	88	89	89	88	85	83	84	85	86	86	87	86	11	-28
MEAN MIN TMP (F)	73	72	73	73	72	70	68	69	71	71	71	72	71	11	-28
ABS MIN TMP (F)	63	63	63	64	64	63	62	63	66	67	67	66	62	21	-21
MEAN NO DYS TMP - OR GTR 90(F)	11.9	11.9	14.5	14.0	13.2	9.0	7.0	8.2	9.0	10.7	10.3	11.9	131.6	11	-29
MEAN NO DYS TMP - OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS TMP - OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN DEW PT TMP (F)	76	76	78	78	76	74	71	73	74	76	76	76	75	0	-50
MEAN REL HUM (PCT)	86	85	85	86	84	81	79	80	83	87	88	86	84	10	-32
MEAN PRESS ALT (FT)	123	133	133	133	93	23	3	13	53	73	103	113	83	0	-50
MEAN PRECIP (IN)	9.80	9.30	13.20	13.40	9.60	0.50	0.10	0.70	4.10	13.60	14.70	9.80	98.8	21	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS PRCP - OR GTR 3.1 IN					10.2	1.1	0.3	1.5	7.1	16.5	17.1			21	-29
MEAN NO DYS SNFL - OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	14.0	16.0	19.0	20.0	12.0	2.0	0.0	0.0	3.0	12.0	18.0	18.0	134.0	12	-24
P FREQ WND SPD - OR GTR 17 KTS														0	0
P FREQ WND SPD - OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	7.5	9.5	6.5	6.9	8.3	8.7	6.5	11.0	19.3	29.0	16.9	10.6	11.7	4	1328
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.8	0.0	0.0	1.0	2.5	4.0	4.2	0.8	1.2	4	1328
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

LIBREVILLE, REPUBLIC OF GABON
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST	30.3	26.7	30.7	29.2	30.5	29.7	30.5	30.7	28.0	26.0	26.7	30.0	4	1928
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST	28.0	24.3	26.9	27.4	26.3	25.5	27.5	24.7	21.2	18.2	22.9	16.2	4	1924
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	4	1924
	19 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST	19.3	18.9	20.6	17.1	16.3	19.5	22.2	23.0	18.2	12.3	15.6	18.9	4	1923
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST	0.0	0.0	0.0	0.0	0.2	1.0	1.0	0.3	0.0	0.0	0.0	0.2	4	1926
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST	22.3	21.3	24.9	24.0	20.9	20.9	21.7	19.5	16.1	13.0	17.0	21.4	4	1928
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST	17.0	17.6	22.9	20.7	16.5	17.7	17.2	13.6	11.8	8.0	11.9	16.1	4	1928
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST	17.0	17.6	22.9	20.4	16.5	17.7	17.2	13.6	11.8	8.0	11.9	16.1	4	1928
	19 LST													0	0

STA NO. 64501 (IN AREA NUMBER 01)

PORT GENTIL, REPUBLIC OF GABON
LATITUDE 0042S

LONGITUDE 00045E

ELEVATION(FT) 00013

PARAMETER DESCRIPTION
 ABS MAX TMP (F)
 MEAN MAX TMP (F)
 MEAN MIN TMP (F)
 ABS MIN TMP (F)
 MEAN NO DYS TMP = OR GTR 90(F)
 MEAN NO DYS TMP = OR LES 32(F)
 MEAN NO DYS TMP = OR LES 0(F)
 MEAN DEW PT TMP (F)
 MEAN REL HUM (PCT)
 MEAN PRESS ALT (FT)
 MEAN PRECIP (IN)
 MEAN SNOW FALL (IN)
 MEAN NO DYS PRCP = OR GTR 0.1 IN
 MEAN NO DYS SNFL = OR GTR 1.5 IN
 MEAN NO DYS W/OCUR VSBY LES 1/2 MI
 MEAN NO DYS TSTMS
 P FREQ WND SPD = OR GTR 17 KTS
 P FREQ WND SPD = OR GTR 28 KTS
 P FREQ LES 3000 FT A/D LES 3 MI
 P FREQ LES 1500 FT A/D LES 3 MI
 FOR 00-02 LST
 03-05 LST
 06-08 LST
 09-11 LST
 12-14 LST
 15-17 LST
 18-20 LST
 21-23 LST
 P FREQ LES 300 FT A/D LES 1 MI
 FOR 00-02 LST
 03-05 LST
 06-08 LST
 09-11 LST
 12-14 LST
 15-17 LST
 18-20 LST
 21-23 LST

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PGR (YRS)	NO. OBS
ABS MAX TMP (F)	91	92	93	93	92	89	87	86	88	90	89	90	93	16	-14
MEAN MAX TMP (F)	86	87	87	87	86	82	80	82	83	84	84	85	84	16	-14
MEAN MIN TMP (F)	76	76	76	76	75	72	69	71	73	74	74	75	74	16	-14
ABS MIN TMP (F)	66	69	68	69	68	61	62	58	66	67	64	70	58	16	-14
MEAN NO DYS TMP = OR GTR 90(F)	10.7	10.7	11.9	11.5	10.7	0.0	0.0	0.0	0.0	0.2	0.0	9.4	73.1	16	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN DEW PT TMP (F)	78	73	73	76	75	71	67	69	71	73	74	75	73	14	-29
MEAN REL HUM (PCT)	91	82	83	84	85	82	80	79	80	82	85	85	83	10	-32
MEAN PRESS ALT (FT)	98	112	115	107	82	11	-27	-11	11	55	98	107	63	0	-30
MEAN PRECIP (IN)	8.40	8.80	10.10	9.70	5.90	0.80	0.05	0.20	1.40	0.60	12.90	6.90	74.9	16	-14
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	9.0	10.8	11.4	11.4	14.5	11.0	17.0	20.6	24.8	27.7	22.9	9.3	16.4	5	1687
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	3.3	2.7	2.1	0.0	0.0	0.0	0.0	0.0	1.3	2.6	2.9	1.3	1.4	5	1687
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

PORT GENTIL, REPUBLIC OF GABON
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST	30.0	26.7	29.9	29.5	30.8	29.8	31.0	30.8	29.2	28.6	27.8	30.2	5	1687
	19 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC MND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST	23.9	20.4	22.1	13.9	19.7	17.6	17.6	12.9	14.3	14.2	17.8	21.1	5	1684
	19 LST													0	0
SFC MND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST	0.0	0.5	0.4	0.0	0.2	0.4	0.8	0.0	0.0	0.0	0.0	0.0	5	1689
	19 LST													0	0
SFC MND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST	21.3	16.1	14.4	11.3	19.1	25.6	25.1	28.2	24.8	19.0	20.3	24.1	5	1685
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST	0.5	0.8	1.3	0.7	1.3	4.7	4.4	1.8	0.0	0.2	0.0	1.2	5	1690
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST	18.0	17.4	20.2	19.7	18.8	19.9	18.6	12.5	10.9	10.6	10.5	16.7	5	1687
	19 LST													0	0
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST	11.2	11.3	13.7	16.6	14.9	16.1	16.6	9.9	6.0	5.8	4.5	9.5	5	1687
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST	10.9	11.3	13.7	16.6	14.9	16.1	16.6	9.9	6.0	5.8	4.5	9.5	5	1687
	19 LST													0	0

STA NO. 64503 (IN AREA NUMBER 01)

MAYUMBA, REPUBLIC OF GABON
 LATITUDE 03255 LONGITUDE 01039E ELEVATION(FT) 00151

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	90	91	91	90	90	84	82	86	86	88	86	88	91	8	-28
MEAN MAX TMP (F)	84	85	86	86	83	79	78	79	79	82	82	83	82	8	-28
MEAN MIN TMP (F)	73	72	73	73	72	69	68	68	70	72	73	73	71	8	-28
ABS MIN TMP (F)	68	67	67	66	68	63	60	62	65	64	70	69	60	8	-28
MEAN NO DYS TMP = OR GTR 90(F)	0.2	0.4	10.7	10.3	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN DEW PT TMP (F)	74	74	75	75	73	69	68	68	70	73	74	74	72	9	-29
MEAN REL HUM (PCT)	87	86	86	86	87	85	84	84	86	87	89	88	86	10	-32
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	9.83	12.84	12.21	7.40	4.21	0.00	0.00	0.12	1.50	10.20	16.18	8.11	82.6	12	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN				9.6	7.5	0.0	0.0	0.4	2.9	14.0	17.9			12	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	20.0	35.3	22.2	29.4	46.7	31.3	41.7	31.1	50.0	61.5	28.6	39.0	36.1	4	204
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	5.6	0.0	0.0	0.0	0.0	0.0	0.0	7.7	4.8	0.0	1.5	4	204
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MAYUBBA, REPUBLIC OF GABON
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	31.0	23.0	29.3	28.2	26.8	28.1	31.0	31.0	26.6	21.5	27.1	27.9	331.5	4	204
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	19.9	14.8	20.1	16.9	6.2	16.0	7.8	14.8	3.5	2.4	16.5	14.0	152.9	4	197
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	1.6	2.4	1.5	0.0	9.3	4	211
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	26.8	23.3	25.8	20.6	25.2	24.4	31.0	26.8	26.8	21.5	24.0	24.8	301.0	4	210
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	9.7	4.9	6.9	2.0	3.6	10.6	3.8	4.0	0.0	0.0	2.9	2.9	93.3	4	217
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	20.6	14.8	17.2	15.9	8.2	13.0	7.8	15.5	3.3	2.4	12.8	12.4	145.9	4	204
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	20.6	13.2	15.5	15.9	8.2	13.0	7.8	15.5	3.3	2.4	10.0	9.3	136.7	4	204
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	20.6	13.2	15.5	15.9	8.2	13.0	7.8	15.5	3.3	2.4	10.0	9.3	136.7	4	204
	19 LST														0	0

STA NO. 64510 (IN AREA NUMBER 31)

DITAB, REPUBLIC OF GABON

LATITUDE 0203N

LONGITUDE 01120E

ELEVATION(FT) 01969

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS	
ABS MAX TMP (F)	90	91	92	94	92	93	88	88	89	90	90	90	94	10	-1	
MEAN MAX TMP (F)	84	85	86	86	86	82	79	80	83	84	84	84	84	10	-1	
MEAN MIN TMP (F)	68	68	68	68	68	67	66	66	67	67	67	68	67	10	-1	
ABS MIN TMP (F)	60	62	61	64	64	61	56	57	63	63	62	62	56	10	-1	
MEAN NO DYS TMP = OR GTR 90(F)	0.2	0.4	10.7	10.3	10.7	9.7	0.0	0.0	0.0	0.0	0.2	7.9	8.2	78.3	10	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29	
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29	
MEAN DEW PT TMP (F)	71	72	72	72	73	72	69	68	70	72	72	71	71	0	-50	
MEAN REL HUM (PCT)	86	84	84	85	87	88	87	85	86	88	87	86	86	9	-32	
MEAN PRESS ALT (FT)	1932	1941	1799	1736	1741	1778	1687	1718	1801	1820	1825	1894	1806	0	-50	
MEAN PRECIP (IN)	2.09	2.68	7.91	7.87	9.72	5.12	0.91	1.69	10.51	12.95	8.90	2.76	73.1	14	-32	
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29	
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.6	5.8	9.8	9.8	10.2	8.5	1.9	3.3	14.2	16.0	12.8	6.0	102.9	14	-24	
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29	
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0	
MEAN NO DYS TSTMS														0	0	
P FREQ WND SPD = OR GTR 17 KTS														0	0	
P FREQ WND SPD = OR GTR 28 KTS														0	0	
P FREQ LES 5000 FT A/D LES 5 MI														0	0	
P FREQ LES 1500 FT A/D LES 3 MI														0	0	
FOR 00-02 LST														0	0	
03-05 LST														0	0	
06-08 LST														0	0	
09-11 LST														0	0	
12-14 LST														0	0	
15-17 LST														0	0	
18-20 LST														0	0	
21-23 LST														0	0	
P FREQ LES 300 FT A/D LES 1 MI														0	0	
FOR 00-02 LST														0	0	
03-05 LST														0	0	
06-08 LST														0	0	
09-11 LST														0	0	
12-14 LST														0	0	
15-17 LST														0	0	
18-20 LST														0	0	
21-23 LST														0	0	

GABON, REPUBLIC OF
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND 4-10 KTS AND TMP 32-81 DEG F AND NO /PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

STA NO. 64550 (IN AREA NUMBER 01)

BOUILA REPUBLIC OF GABON

LATITUDE 01525

LONGITUDE 01101E

ELEVATION(FT) 00320

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	96	99	98	98	94	92	90	91	96	96	101	96	101	5	-28
MEAN MAX TMP (F)	89	90	91	91	89	84	83	83	86	89	89	88	88	5	-28
MEAN MIN TMP (F)	72	72	72	73	72	70	67	68	70	72	72	73	71	5	-28
ABS MIN TMP (F)	63	68	67	69	68	62	57	55	60	65	67	69	55	5	-28
MEAN NO DYS TMP - OR GTR 90(F)	14.5	14.3	17.2	16.6	14.5	7.9	7.0	7.0	10.3	14.9	14.0	13.2	151.0	5	-29
MEAN NO DYS TMP - OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS TMP - OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN DEW PT TMP (F)	74	75	75	76	75	71	68	68	70	74	75	75	73	7	-29
MEAN REL HUM (PCT)	83	82	82	83	84	83	81	79	79	81	84	84	82	10	-32
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.06	0.01	9.96	9.13	6.77	0.91	0.16	0.24	1.73	15.55	15.59	10.95	88.7	14	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS PRCP - OR GTR 0.1 IN			10.2	10.1	9.3	1.9	0.4	0.6	3.3	17.6	17.6			14	-29
MEAN NO DYS SNFL - OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD - OR GTR 17 KTS														0	0
P FREQ WND SPD - OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	12.5	14.3	5.3	16.7	13.3	21.4	52.9	21.1	17.6	7.1	11.1	8.7	16.8	4	204
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	5.6	0.0	0.0	0.0	0.0	5.9	0.0	0.0	0.0	1.0	4	204
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MONILA, REPUBLIC OF GABON
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	31.0	28.0	29.4	28.3	28.9	30.0	27.3	31.0	28.2	31.0	30.0	31.0	334.1	4	204
	19 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	27.1	24.0	26.1	21.7	26.8	19.3	7.3	14.6	19.4	25.8	26.6	25.4	264.1	4	199
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	1.6	0.0	0.0	0.0	3.5	4	210
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	5.1	14.8	16.3	8.3	10.3	9.2	3.1	7.8	9.5	10.3	10.0	15.5	120.2	4	207
	19 LST														0	0
SKY COVER LFS 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	210
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	15.5	18.0	22.8	16.7	18.6	8.6	9.5	8.2	12.3	13.3	16.7	17.5	173.7	4	204
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	7.8	14.0	22.8	15.0	14.4	2.1	9.5	1.6	5.3	6.6	10.0	10.8	115.9	4	204
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	7.8	14.0	21.2	15.0	14.4	2.1	9.5	1.6	5.3	6.6	10.0	10.8	114.3	4	204
	19 LST														0	0

STA NO. 64551 (IN AREA NUMBER 01)

LANDARENE, REPUBLIC OF GABON
LATITUDE 0043S

LONGITUDE 01014E

ELEVATION(FT) 00089

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	93	95	94	95	94	93	86	89	92	92	93	93	95	10	-1
MEAN MAX TMP (F)	87	89	89	89	87	82	80	81	84	86	86	85	86	10	-1
MEAN MIN TMP (F)	73	73	73	73	72	70	67	67	71	72	72	73	71	10	-1
ABS MIN TMP (F)	67	67	69	62	64	63	57	57	67	69	68	68	57	10	-1
MEAN NO DYS TMP = OR GTR 90(F)	11.9	13.0	14.5	14.0	11.9	5.7	0.0	0.0	7.9	10.7	10.3	10.7	110.6	10	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	76	76	76	76	76	72	68	69	72	75	73	73	74	8	-29
MEAN REL HUM (PC)	87	85	85	86	88	88	85	84	84	88	88	86	86	5	-14
MEAN PRESS ALT (FT)	174	188	191	183	158	87	49	65	87	171	174	183	139	0	-90
MEAN PRECIP (IN)	5.30	7.00	10.60	7.60	7.10	0.60	0.10	0.20	2.90	14.30	15.90	5.60	78.0	5	-14
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.8	9.8	10.3	9.7	9.5	1.3	0.3	0.5	5.2	16.9	17.7	10.0	101.0	5	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	30.0	11.1	4.3	5.9	22.2	17.6	23.8	29.4	37.5	45.5	34.8	20.0	23.5	4	226
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	5.6	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.8	4	226
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

LAMBARENE, REPUBLIC OF GABON
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	31.0	28.0	29.6	28.2	29.3	30.0	31.0	31.0	28.1	28.2	27.4	29.8	351.6	4	226
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	15.5	21.8	29.6	26.3	22.4	22.9	18.6	13.5	9.4	9.3	12.0	20.6	221.9	4	217
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	225
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	6.5	1.5	8.8	12.0	6.2	8.8	9.9	7.8	1.7	0.0	3.2	5.6	72.0	4	220
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	4	237
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	14.0	15.5	25.6	21.2	13.8	10.6	11.8	7.3	3.8	5.6	9.1	17.4	195.7	4	226
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	12.4	12.4	18.8	17.6	6.9	3.5	2.9	0.0	0.0	2.8	6.5	13.6	97.4	4	226
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	12.4	12.4	18.8	17.6	6.9	3.5	2.9	0.0	0.0	2.8	6.5	13.6	97.4	4	226
	19 LST														0	0

BITZIC REPUBLIC OF GABON

STA NO. 64552 (IN AREA NUMBER 01)

LATITUDE 0047N

LONGITUDE 01132E

ELEVATION(FT) 01969

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	92	92	93	92	91	88	88	88	89	91	90	90	93	5	-28
MEAN MAX TMP (F)	85	85	86	87	85	82	80	80	84	84	84	85	84	5	-28
MEAN MIN TMP (F)	68	67	67	68	67	66	63	64	67	67	67	66	67	5	-28
ABS MIN TMP (F)	59	61	61	62	63	58	57	57	62	64	62	63	57	5	-28
MEAN NO DYS TMP = OR GTR 90(F)	9.4	8.4	10.7	11.5	9.4	0.0	0.0	0.0	0.0	0.2	7.9	9.4	74.9	5	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN DEW PT TMP (F)	71	71	71	72	71	70	67	67	70	71	71	72	70	7	-29
MEAN REL HUM (PCT)	85	84	85	85	86	88	87	85	85	87	86	86	86	10	-32
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.65	4.33	8.90	8.11	8.74	1.81	0.39	0.55	9.91	13.62	9.72	5.75	72.5	15	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.1	8.7	10.0	9.8	10.0	3.5	0.9	1.2	9.5	10.5	13.5	10.1	102.8	15	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	10.5	13.0	10.5	26.3	10.5	5.0	4.8	6.3	11.1	11.8	4.8	9.6	4	227
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	4	227
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MITZIC, REPUBLIC OF GABON
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	31.0	28.0	28.3	30.0	24.5	28.4	31.0	31.0	30.0	31.0	28.2	31.0	352.4	4	227
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	31.0	21.8	24.8	24.4	23.3	26.5	26.8	27.7	26.3	26.8	26.0	27.7	313.1	4	203
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.6	4	207
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	31.0	23.3	24.8	26.5	21.9	30.0	26.8	29.4	30.0	14.3	26.0	18.6	302.6	4	204
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	1.5	4	234
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	14.6	13.2	13.5	12.6	11.4	12.6	12.0	11.8	13.1	12.0	10.6	16.2	193.6	4	227
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	1.8	2.9	2.7	4.7	3.3	3.2	1.7	1.5	0.0	1.7	0.0	4.4	27.9	4	227
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	1.8	2.9	2.7	4.7	3.3	3.2	0.0	1.5	0.0	1.7	0.0	4.4	26.2	4	227
	19 LST														0	0

STA NO. 64553 (IN AREA NUMBER 01)

FRANCEVILLE, REPUBLIC OF GABON
LATITUDE 01305

LONGITUDE 01334E

ELEVATION(FT) 01434

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	92	95	94	92	92	89	88	91	91	92	91	91	95	5	-28
MEAN MAX TMP (F)	85	86	87	87	85	83	81	83	85	85	85	85	85	5	-28
MEAN MIN TMP (F)	68	68	68	68	68	66	64	65	67	67	67	68	67	5	-28
ABS MIN TMP (F)	60	59	58	59	64	60	57	55	63	63	63	64	55	5	-28
MEAN NO DYS TMP = OR GTR 90(F)	9.4	9.6	11.9	11.5	9.4	0.0	0.0	7.0	9.0	9.4	9.0	9.4	95.6	5	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN DEW PT TMP (F)	71	70	71	71	71	69	69	65	67	70	70	71	69	7	-29
MEAN REL HUM (PCT)	83	81	81	81	84	83	80	78	77	82	83	84	81	10	-32
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	6.30	7.52	8.54	8.27	8.07	1.26	0.28	0.83	4.21	10.43	10.04	7.60	73.3	25	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.3	10.0	9.9	9.9	9.8	2.6	0.7	1.8	7.2	14.1	13.8	9.9	100.0	25	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	7.9	4.4	7.5	4.7	11.0	19.2	19.8	11.8	9.3	10.7	7.3	5.5	9.1	5	1675
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.7	0.0	0.7	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.2	5	1675
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

FRANCEVILLE, REPUBLIC OF GABON
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	31.0	27.7	30.3	29.8	30.8	29.8	31.0	31.0	29.8	29.9	29.1	31.0	361.2	3	1673
	19 LST													0	0	
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0	
	07 LST													0	0	
	13 LST	26.4	26.5	26.9	27.9	25.0	21.3	22.6	24.5	25.1	26.0	27.1	28.0	307.3	3	1667
	19 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0	
	07 LST													0	0	
	13 LST	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.4	3	1671
	19 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0	
	07 LST													0	0	
	13 LST	12.2	10.2	10.3	8.7	8.8	11.6	15.1	18.4	13.3	9.8	8.7	9.4	136.7	3	1665
	19 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	0.2	0.5	0.2	0.7	0.4	0.6	1.2	1.4	0.2	0.2	0.0	0.0	3.6	3	1677
	19 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	20.4	22.3	23.1	23.9	19.1	12.4	14.3	15.6	16.1	20.2	20.8	21.4	229.6	3	1675
	19 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	11.6	13.4	17.8	16.6	11.9	5.2	7.5	7.5	5.6	9.9	10.7	11.7	129.4	3	1675
	19 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	11.6	13.4	17.8	16.6	11.9	5.2	7.5	7.5	5.6	9.9	10.7	11.7	129.4	3	1675
	19 LST													0	0	

GARRON, REP OF	COAST TROP FORST BOUNDARIES	AREA NO. 01												
		LATITUDE 0000N						LONGITUDE 01200E						
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		86	87	88	88	86	82	81	82	84	85	85	85	85
MEAN MIN TMP (F)		71	71	71	72	71	69	67	67	70	70	70	71	70
LARGEST MEAN PRECIP(IN)		9.83	12.84	13.20	13.40	9.72	5.12	0.91	1.69	10.51	19.95	16.18	10.95	119.9
SMALLEST MEAN PRECIP(IN)		2.09	2.68	7.91	7.40	4.21	0.00	0.00	0.12	1.40	8.60	8.90	2.76	46.1
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													
	07 LST													
	13 LST	30.8	26.9	29.6	29.0	28.8	29.4	30.4	30.9	28.6	28.0	28.0	30.1	330.5
	19 LST													
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST													
	07 LST													
	13 LST	24.5	21.9	25.2	23.4	21.4	21.3	18.3	19.0	17.0	17.5	21.3	23.3	254.1
	19 LST													
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													
	07 LST													
	13 LST	0.0	0.1	0.1	0.0	0.0	0.6	0.1	0.3	0.5	0.3	0.2	0.2	2.4
	19 LST													
SFC WND 4-10 KTS AND TMP 33-39 DEG F AND NO PRECIP.	01 LST													
	07 LST													
	13 LST	17.5	15.4	17.3	14.9	15.4	18.4	19.0	20.2	17.8	12.5	15.4	16.7	200.5
	19 LST													
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													
	07 LST													
	13 LST	1.5	1.1	1.2	0.5	0.8	2.4	1.8	1.3	0.0	0.1	0.4	0.6	11.7
	19 LST													
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													
	07 LST													
	13 LST	17.9	17.5	21.0	19.1	15.8	14.3	13.1	12.9	10.8	11.0	13.9	17.6	184.9
	19 LST													
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													
	07 LST													
	13 LST	11.8	12.1	16.3	15.3	10.9	9.0	8.9	7.1	4.6	5.4	7.7	10.8	119.4
	19 LST													
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													
	07 LST													
	13 LST	11.7	12.1	16.1	15.3	10.9	9.0	8.2	7.1	4.6	5.3	7.7	10.8	118.8
	19 LST													

NAYRONGO, GHANA

LATITUDE 1053N

LONGITUDE 00105W

ELEVATION(FT) 00663

STA NO. 65401 (IN AREA NUMBER 01)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	105	107	108	109	108	101	95	91	94	100	101	101	109	8	-28
MEAN MAX TMP (F)	96	99	102	101	97	91	87	85	87	92	97	95	94	8	-28
MEAN MIN TMP (F)	67	72	76	78	77	74	72	72	71	71	68	65	72	8	-28
ABS MIN TMP (F)	55	61	65	68	66	67	67	67	64	67	61	56	55	8	-28
MEAN NO DYS TMP = OR GTR 90(F)	23.7	28.0	31.0	30.0	24.9	16.6	11.9	9.4	11.5	16.5	24.0	22.4	251.9	8	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN DEW PT TMP (F)	29	40	50	68	71	73	73	73	73	71	57	39	66	7	-29
MEAN REL HUM (PCT)	18	24	31	53	63	75	81	84	83	74	47	27	55	5	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.02	0.22	0.61	1.91	4.39	5.68	7.91	10.37	9.00	2.66	0.24	0.05	43.1	10	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.2	0.6	1.6	4.3	7.7	9.2	11.5	13.4	12.9	4.9	0.6	0.3	67.2	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	1.0	2.0	9.0	14.0	15.0	17.0	14.0	21.0	14.0	2.0	1.0	110.0	5	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	27.3	29.0	59.6	0.0	16.7	0.0	0.0	10.4	3	101
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	101
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

NAVROMCO, GHANA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	31.0	29.5	31.0	30.0	31.0	30.0	27.1	27.5	30.0	31.0	24.0	31.0	349.1	3	101
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	26.6	20.4	24.8	30.0	19.7	18.0	7.8	3.9	30.0	20.6	22.5	19.5	239.8	3	94
SFC WND = GTR 17 KTS AND NO PRECIP.	0.0	0.0	4.4	0.0	2.8	0.0	0.0	0.0	0.0	3.9	0.0	8.4	19.5	3	107
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	9.1	0.0	6.6	0.0	3.1	6.4	19.5	22.5	10.0	13.3	0.0	2.8	89.3	3	101
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	26.6	17.8	19.9	15.0	9.6	0.0	0.0	0.0	0.0	8.8	12.0	29.4	124.7	3	110
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	31.0	29.5	29.0	30.0	31.0	21.8	11.6	3.4	30.0	29.8	24.0	31.0	294.1	3	101
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	31.0	29.5	29.0	30.0	31.0	21.8	11.6	3.4	30.0	29.8	24.0	31.0	294.1	3	101
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	31.0	29.5	29.0	30.0	31.0	21.8	11.6	3.4	30.0	29.8	24.0	31.0	294.1	3	101

STA NO. 65418 (IN AREA NUMBER 01)

TABALE, GHANA

LATITUDE 0924N

LONGITUDE 00052W

ELEVATION(FT) 00600

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	JAN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	103	104	105	106	102	97	94	92	92	96	99	100	106	13	-28
MEAN MAX TMP (F)	96	99	99	97	92	88	89	84	86	90	94	99	92	13	-28
MEAN MIN TMP (F)	69	73	76	76	79	72	72	71	71	71	71	68	72	13	-28
ABS MIN TMP (F)	59	63	66	68	66	66	65	67	66	66	61	59	59	13	-28
MEAN NO DYS TMP = OR GTR 90(F)	23.7	28.0	31.0	24.0	18.5	12.7	9.4	8.2	10.3	15.9	20.4	22.4	224.9	13	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN DEW PT TMP (F)	47	51	63	69	71	70	71	70	72	72	69	92	64	12	-29
MEAN REL HUM (PCT)	33	35	49	60	69	74	79	79	81	78	60	41	62	10	-32
MEAN PRESS ALT (FT)	514	517	498	482	479	482	490	520	538	541	528	520	509	0	-50
MEAN PRECIP (IN)	0.09	0.29	2.03	3.23	4.67	5.66	5.69	7.70	8.78	3.76	0.96	0.15	42.6	49	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.3	0.6	4.5	6.4	7.9	9.1	9.2	11.3	12.6	6.6	1.2	0.5	70.4	49	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTRS	1.0	4.0	8.0	15.0	19.0	19.0	12.0	12.0	21.0	10.0	3.0	1.0	129.0	3	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 20 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	4.0	0.0	0.0	0.0	17.6	20.5	37.0	35.5	29.0	20.0	3.4	0.0	13.8	4	366
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	0.0	0.0	0.3	4	366
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

TABLE. GHANA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	27.3	25.8	30.2	30.0	31.0	28.6	26.4	27.0	27.6	28.5	24.8	25.8	333.0	4	346
	18 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST														0	0
	12 LST	25.8	22.1	29.9	30.0	20.6	19.3	12.9	14.9	17.5	20.6	23.8	25.8	259.4	4	346
	18 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	0.0	1.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	4	345
	18 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	4.0	4.1	2.6	4.0	12.0	14.0	10.2	20.0	11.7	7.4	3.2	1.5	100.7	4	346
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	17.4	12.8	7.8	3.3	0.0	0.6	0.0	0.0	0.0	1.2	5.8	17.7	66.6	4	372
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	26.0	25.8	30.2	26.6	20.1	16.4	11.5	10.0	12.0	10.6	21.7	25.8	244.7	4	346
	18 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	26.0	25.8	29.5	26.6	17.3	13.6	10.3	7.0	9.6	16.1	20.7	25.8	228.3	4	346
	18 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	26.0	25.8	29.5	26.6	17.3	13.6	9.2	7.0	9.6	16.1	20.7	25.8	227.2	4	346
	18 LST														0	0

KETE-KRACHI, GHANA

STA NO. 65437 (IN AREA NUMBER 01)

LATITUDE 0748N

LONGITUDE 00004W

ELEVATION(FT) 00275

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	100	101	102	101	100	98	89	89	90	92	98	95	102	3	-34
MEAN MAX TMP (F)	93	97	97	93	91	89	85	84	86	89	91	91	91	3	-34
MEAN MIN TMP (F)	69	73	74	76	74	73	72	71	71	71	71	68	72	4	-34
ABS MIN TMP (F)	60	62	66	69	67	69	68	68	66	61	61	59	59	4	-34
MEAN NO DYS TMP - DR GTR 90(F)	19.8	22.4	24.9	19.1	17.2	14.0	0.0	0.0	10.3	14.5	16.6	17.2	176.0	3	-29
MEAN NO DYS TMP - DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS TMP - DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN DEW PT TMP (F)	60	66	66	73	73	73	73	72	73	73	71	67	70	4	-29
MEAN REL HUM (PCT)	54	58	57	71	73	78	83	84	84	80	75	68	72	4	-34
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.50	1.00	2.20	4.10	6.50	6.70	2.70	0.80	1.80	3.90	1.70	0.70	32.6	39	-8
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS PRCP - DR GTR 0.1 IN	1.2	2.3	4.8	7.4	9.2	10.3	5.0	1.7	3.3	6.8	3.3	1.6	57.1	39	-29
MEAN NO DYS SNPL - DR GTR 1.8 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	2.5	4.5	6.0	4.5	4.5	3.0	2.0	4.5	5.0	5.0	1.0	43.5	2	-34
P FREQ WND SPD - DR GTR 17 KTS														0	0
P FREQ WND SPD - DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	4.0	8.3	16.1	16.7	26.7	39.3	36.5	63.6	55.6	43.3	19.0	16.0	30.5	4	274
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4	274
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KETE-KRACHI, GHANA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	27.3	28.0	29.0	26.6	28.9	26.8	25.6	23.9	26.6	29.6	30.0	29.8	332.1	4	274
	18 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST														0	0
	12 LST	23.3	24.3	21.7	24.7	23.3	8.3	4.4	1.5	3.3	5.6	19.5	18.6	178.5	4	260
	18 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.8	4	285
	18 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	9.9	9.8	6.0	18.0	19.1	20.3	22.1	27.1	17.5	22.3	23.5	16.1	211.7	4	262
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	16.1	7.8	4.8	1.5	1.8	0.0	0.0	0.0	0.0	1.3	5.0	11.9	50.2	4	293
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	26.0	25.6	25.0	23.3	22.7	7.9	4.0	1.4	3.3	5.4	20.0	19.8	184.4	4	274
	18 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	26.0	25.6	25.0	23.3	22.7	7.9	1.3	0.0	0.0	5.4	20.0	18.6	179.8	4	274
	18 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	26.0	25.6	25.0	23.3	22.7	7.9	1.3	0.0	0.0	5.4	20.0	17.4	174.6	4	274
	18 LST														0	0

AREA NO. 01

GHANA	INTERIOR PLAINS		LATITUDE 0930N		LONGITUDE 00100W									
	BOUNDARIES		0740N	00255W	0740N	00035E								
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	95	98	99	97	93	89	86	84	86	90	94	94	92	
MEAN MIN TMP (F)	68	73	75	77	75	73	72	71	71	71	70	67	72	
LARGEST MEAN PRECIP(IN)	0.50	1.00	2.20	4.10	6.50	6.70	7.91	10.37	9.00	3.90	1.70	0.70	54.6	
SMALLEST MEAN PRECIP(IN)	0.02	0.22	0.61	1.91	4.39	5.66	2.70	0.80	1.80	2.66	0.24	0.05	21.1	
	MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST													
	06 LST													
	12 LST	28.5	26.4	30.1	28.9	30.3	28.5	26.4	26.1	28.1	29.7	26.3	28.9	338.2
	18 LST													
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST													
	06 LST													
	12 LST	25.2	22.3	24.1	28.2	21.2	15.3	8.4	6.8	16.9	15.6	21.9	20.0	225.9
	18 LST													
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST													
	06 LST													
	12 LST	0.0	0.3	1.7	0.0	0.9	0.3	0.0	0.0	0.0	1.3	0.0	2.8	7.3
	18 LST													
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST													
	06 LST													
	12 LST	6.3	4.6	5.1	7.3	11.4	13.6	17.9	23.2	13.1	14.3	8.9	6.8	132.5
	18 LST													
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST													
	06 LST													
	12 LST	20.0	12.8	8.7	6.6	2.5	0.2	0.0	0.0	0.0	3.8	7.6	18.3	88.5
	18 LST													
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST													
	06 LST													
	12 LST	27.7	25.6	28.1	26.6	24.6	15.4	9.0	4.9	15.1	16.6	21.9	25.5	241.0
	18 LST													
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST													
	06 LST													
	12 LST	27.7	25.6	27.8	26.6	23.7	14.4	7.7	3.5	13.2	15.8	21.6	25.1	232.7
	18 LST													
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST													
	06 LST													
	12 LST	27.7	25.6	27.8	26.6	23.7	14.4	7.4	3.5	13.2	15.8	21.6	24.7	232.0
	18 LST													

STA NO. 69442 (IN AREA NUMBER 02)

KUMASI, GHANA

LATITUDE 0642N

LONGITUDE 00135W

ELEVATION(FT) 00942

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	98	99	100	97	95	91	88	86	89	90	91	92	100	10	-28
MEAN MAX TMP (F)	88	91	91	89	88	85	82	81	83	86	87	87	87	10	-28
MEAN MIN TMP (F)	66	69	71	71	71	71	70	69	70	70	70	63	70	10	-28
ABS MIN TMP (F)	53	56	64	67	66	66	63	61	65	60	57	51	51	10	-28
MEAN NO DYS TMP = OR GTR 90(F)	13.2	15.5	17.2	14.0	13.2	9.0	0.0	0.0	0.0	10.7	11.5	11.9	116.2	10	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	71	74	74	74	74	73	72	72	73	75	76	75	74	0	-50
MEAN REL HUM (PCT)	74	71	75	77	79	82	83	84	82	80	78	78	79	10	-32
MEAN PRESS ALT (FT)	828	829	810	780	779	785	800	822	837	842	840	827	815	0	-50
MEAN PRECIP (IN)	0.67	2.31	5.88	5.65	7.15	9.21	4.96	2.92	6.95	7.94	3.86	1.21	98.7	90	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.6	5.1	8.9	8.7	9.5	12.6	8.3	5.4	10.7	11.8	6.7	2.7	92.0	90	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	2.0	10.0	17.0	19.0	20.0	19.0	6.0	3.0	11.0	29.0	18.0	7.0	157.0	5	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	29.4	18.8	17.6	25.0	33.3	26.7	37.8	45.2	41.0	40.7	23.7	34.1	31.1	4	444
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	444
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KUBASI, GHANA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	20.1	22.7	29.7	30.0	29.4	28.7	27.6	25.8	26.9	27.5	29.2	26.8	324.4	4	444
	18 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST														0	0
	12 LST	12.2	14.4	20.6	18.9	14.7	14.4	11.2	7.3	8.5	9.9	15.4	15.1	164.6	4	428
	18 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	0.0	0.0	0.0	0.0	0.7	0.0	0.8	0.0	0.7	0.0	0.0	0.0	2.2	4	476
	18 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	18.4	19.9	23.3	21.4	22.1	20.4	21.2	27.9	22.3	21.8	16.3	14.1	249.1	4	447
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	3.4	4.1	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	5.4	16.4	4	478
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	10.9	14.9	18.4	15.0	11.1	12.0	6.7	5.1	6.9	5.7	13.4	12.7	132.8	4	444
	18 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	10.9	14.0	15.8	12.0	8.7	7.3	2.5	3.7	3.8	2.3	11.0	12.0	104.0	4	444
	18 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	10.9	14.0	15.8	12.0	8.7	7.3	2.5	2.9	3.8	2.3	11.0	11.3	102.5	4	444
	18 LST														0	0

STA NO. 69453 (IN AREA NUMBER 02)

NO. GNANA

LATITUDE 0604N

LONGITUDE 00030E

ELEVATION(FT) 00558

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	94	97	95	93	91	87	85	87	87	90	92	93	91	6	-34
MEAN MIN TMP (F)	72	74	74	73	72	71	70	69	70	71	72	73	72	6	-34
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)	21.1	22.4	22.4	19.1	17.2	11.5	9.4	11.9	11.5	15.9	17.9	19.8	200.1	6	-29
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)	76	79	79	79	77	76	74	75	75	77	78	78	77	6	-29
MEAN REL HUM (PCT)	80	83	85	88	87	90	89	84	90	89	87	85	87	6	-34
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.50	2.80	5.40	5.80	6.80	7.10	5.00	3.40	6.10	7.30	3.60	1.80	58.4	30	-8
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.4	6.1	8.9	8.7	9.4	10.7	8.3	6.1	9.7	11.1	6.3	4.0	92.3	30	-29
MEAN NO DYS SNFL = OR GTR 1.9 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	2.9	4.9	19.0	8.9	11.4	16.2	26.7	33.3	13.8	11.9	4.1	12.3	4	444
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	9.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.4	4	444
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

NO. GHANA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	28.2	28.0	31.0	27.0	30.1	30.0	30.1	29.6	28.9	29.9	29.3	31.0	358.1	4	444
	18 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST														0	0
	12 LST	26.3	25.4	28.3	23.7	25.0	23.9	20.9	15.1	14.4	24.6	24.1	27.7	279.4	4	437
	18 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.7	4	469
	18 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	15.5	10.8	13.8	15.9	15.0	18.9	19.5	19.9	17.1	19.2	15.0	17.5	198.1	4	430
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	10.0	9.8	6.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0	1.9	7.6	36.9	4	482
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	26.4	23.9	27.0	19.5	22.4	19.1	12.6	13.1	10.0	16.0	20.0	22.8	232.8	4	444
	18 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	25.5	23.9	25.0	16.5	18.1	13.6	7.5	8.9	7.8	11.7	15.7	19.6	193.8	4	444
	18 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	25.5	23.9	25.0	15.0	18.1	13.6	7.5	8.2	6.7	10.7	15.7	19.6	189.5	4	444
	18 LST														0	0

STA NO. 65467 IN AREA NUMBER 02)

TAKORADI, GHANA

LATITUDE 0453N

LONGITUDE 00146W

ELEVATION(FT) 00021

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	91	92	94	94	90	89	85	85	87	89	89	92	94	10	-28
MEAN MAX TMP (F)	87	88	89	88	86	83	81	80	81	84	86	87	85	10	-28
MEAN MIN TMP (F)	71	73	74	74	74	73	71	70	71	72	72	72	72	10	-28
ABS MIN TMP (F)	61	65	69	69	69	67	63	61	63	63	66	61	61	10	-28
MEAN NO DYS TMP = DR GTR 90(F)	11.9	11.9	14.5	12.7	10.7	0.0	0.0	0.0	0.0	0.0	0.0	11.9	73.6	10	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	73	75	77	73	76	74	72	71	72	73	73	75	74	0	-50
MEAN REL HUM (PCT)	85	85	88	83	87	87	87	87	87	86	86	85	86	10	-32
MEAN PRESS ALT (FT)	109	119	129	119	89	29	9	19	39	69	99	109	78	0	-50
MEAN PRECIP (IN)	1.22	1.50	3.15	4.02	9.84	11.34	3.43	1.38	1.89	5.16	3.03	1.50	47.5	30	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.8	3.4	6.2	7.3	10.2	14.0	6.2	2.8	3.6	8.5	5.5	3.4	73.9	30	-29
MEAN NO DYS SNFL = DR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	7.0	13.0	17.0	15.0	12.0	9.0	1.0	0.3	3.0	14.0	19.0	13.0	130.3	5	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 20 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	11.8	4.9	0.0	3.7	9.3	14.7	20.5	17.8	16.7	38.7	6.1	2.6	12.4	4	450
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.2	0.3	4	450
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

TAKORADI, GHANA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	30.1	29.9	31.0	30.0	30.3	27.3	30.2	29.6	29.0	29.0	28.4	31.0	349.8	4	450
	18 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST														0	0
	12 LST	19.9	18.9	19.1	18.8	22.7	19.4	14.2	13.4	13.9	8.2	18.0	26.9	213.4	4	421
	18 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	0.0	0.0	0.6	1.2	0.0	0.9	0.0	0.7	3.5	0.9	0.0	0.0	7.8	4	490
	18 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	19.0	20.3	17.6	16.4	18.0	21.5	18.4	19.9	18.0	16.0	19.2	22.8	227.1	4	421
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	3.5	0.7	6.5	3.1	1.3	0.8	0.7	2.7	1.0	0.9	2.1	11.3	42.6	4	479
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	25.5	23.2	30.4	25.5	26.7	22.1	21.5	21.3	16.0	14.0	25.9	30.2	282.3	4	490
	18 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	25.5	22.5	30.4	25.5	25.9	22.1	20.6	20.6	15.0	14.0	25.1	30.2	277.4	4	490
	18 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	25.5	22.5	30.4	25.5	25.9	21.2	19.9	20.6	15.0	14.0	25.1	29.5	275.0	4	490
	18 LST														0	0

STA NO. 65472 (IN AREA NUMBER 02)

ACCRA, GHANA

LATITUDE 0536N

LONGITUDE 00010W

ELEVATION(FT) 00205

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	94	100	100	93	95	92	90	89	89	90	91	94	100	17	-28
MEAN MAX TMP (F)	87	88	88	88	87	84	81	80	81	85	87	88	85	17	-28
MEAN MIN TMP (F)	73	75	76	76	75	74	73	71	73	74	75	75	74	17	-28
ABS MIN TMP (F)	59	62	68	67	69	68	66	64	68	67	69	63	59	17	-28
MEAN NO DYS TMP = DR GTR 90(F)	11.9	11.9	13.2	12.7	11.9	7.9	4.8	0.0	0.0	9.4	11.5	13.2	108.4	17	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	-50
MEAN DEW PT TMP (F)	70	71	71	73	71	71	69	68	69	69	71	71	70	10	-32
MEAN REL HUM (PCT)	79	77	77	80	82	85	85	83	82	83	80	79	81	0	-50
MEAN PRESS ALT (FT)	83	86	44	0	0	23	21	43	70	77	77	83	51	65	-28
MEAN PRECIP (IN)	0.60	1.30	2.20	3.20	5.60	7.00	1.80	0.60	1.40	2.90	1.40	0.90	28.5	17	-29
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.4	2.9	4.8	6.3	8.7	10.6	3.5	1.3	2.8	4.6	2.8	2.1	91.8	17	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.0	6.0	13.0	10.0	16.0	11.0	1.0	1.0	6.0	14.0	17.0	8.0	108.0	5	-24
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI	36.7	90.2	14.2	11.0	14.7	33.2	33.2	37.9	60.5	34.7	11.9	13.1	32.8	4	27686
P FREQ LES 1900 FT A/D LES 3 MI														4	3465
FOR 00-02 LST	9.7	23.9	6.9	1.1	6.1	10.4	20.9	43.8	52.6	18.7	3.0	3.2	17.2	4	3461
03-05 LST	19.1	23.9	4.7	1.1	4.0	11.2	31.9	40.2	42.2	12.9	2.2	3.2	16.1	4	3457
06-08 LST	11.5	16.5	3.3	0.7	3.9	11.1	29.1	34.4	36.2	20.8	3.3	2.9	14.5	4	3462
09-11 LST	7.9	16.9	2.9	1.5	6.8	13.8	30.0	29.4	34.8	16.8	2.2	3.6	14.4	7	3826
12-14 LST	4.8	13.4	0.3	0.7	6.0	10.8	23.8	18.9	16.5	10.5	2.2	3.5	9.3	4	3464
15-17 LST	5.0	12.6	2.2	1.9	5.0	6.7	17.5	12.5	16.7	16.1	1.5	1.1	8.2	4	3462
18-20 LST	7.9	22.0	5.0	2.2	9.4	9.7	18.3	21.4	45.0	31.9	3.0	1.8	14.8	4	3461
21-23 LST	11.5	22.4	4.3	2.6	6.1	11.9	21.5	40.7	48.3	25.3	2.6	1.1	16.5	4	3461
P FREQ LES 300 FT A/D LES 1 MI														4	3465
FOR 00-02 LST	0.7	3.5	0.0	0.0	1.1	0.4	0.5	2.7	5.2	0.0	0.0	0.0	1.2	4	3461
03-05 LST	3.2	4.3	0.7	0.0	1.1	0.7	0.3	1.6	2.2	0.4	0.4	1.4	1.4	4	3457
06-08 LST	1.1	1.6	0.0	0.0	0.4	0.4	0.3	0.5	0.7	0.0	0.4	0.7	3.5	4	3462
09-11 LST	0.0	0.0	0.0	0.0	0.4	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.1	4	3462
12-14 LST	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.2	7	3826
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.4	0.0	0.2	4	3464
18-20 LST	0.0	0.4	0.7	0.0	0.0	0.0	0.3	0.4	0.0	0.0	0.0	0.0	0.2	4	3462
21-23 LST	0.0	1.2	0.0	0.0	0.7	0.0	0.0	2.7	0.7	0.0	0.0	0.0	0.4	4	3461

ACCRA, GHANA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	20.6	21.7	29.6	29.3	29.3	29.0	29.2	21.9	19.0	27.3	30.0	30.3	329.2	4	1157
	06 LST	20.0	23.7	30.7	30.0	30.3	29.6	29.0	26.7	26.0	27.7	29.6	30.0	341.3	4	1156
	12 LST	29.8	29.5	31.0	30.0	29.6	27.7	27.7	29.3	29.2	28.4	29.8	30.8	348.8	7	1519
	18 LST	29.3	23.7	30.7	30.0	29.3	29.3	28.7	28.2	22.3	29.0	30.0	30.3	340.8	4	1157
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST	27.0	19.4	27.0	27.7	27.3	22.7	19.2	12.6	10.3	20.6	28.0	29.0	270.8	4	1157
	06 LST	22.3	20.1	24.2	25.3	25.0	23.3	17.2	16.6	17.0	19.7	27.0	24.3	262.0	4	1156
	12 LST	11.2	8.2	12.5	8.4	10.9	11.1	9.9	3.3	4.6	6.5	13.7	13.8	110.1	7	1512
	18 LST	19.0	8.5	17.0	13.3	13.3	13.7	10.7	10.3	7.7	10.7	21.3	23.7	169.2	4	1157
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1153
	06 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.3	4	1152
	12 LST	0.2	0.7	0.7	2.0	1.3	0.2	1.0	1.4	1.3	1.3	0.2	0.4	10.7	7	1535
	18 LST	0.3	0.0	0.0	0.0	0.0	0.3	0.2	2.0	0.7	0.3	0.0	0.0	3.8	4	1153
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	19.3	16.8	23.0	16.7	21.9	20.4	23.7	25.6	25.3	22.3	13.3	18.0	246.3	4	1085
	06 LST	21.6	21.7	24.2	24.6	22.1	23.3	25.6	26.3	24.9	25.3	22.7	26.3	288.6	4	1064
	12 LST	16.6	8.2	11.7	9.7	10.3	16.9	11.5	8.2	12.2	15.6	18.7	15.5	155.1	7	1443
	18 LST	25.3	18.1	21.9	21.3	20.6	21.7	18.0	19.2	20.0	23.7	24.0	27.7	261.5	4	1087
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	14.5	11.6	5.1	3.8	4.2	0.0	1.0	3.0	1.3	1.1	3.1	3.2	51.9	3	389
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	27.7	20.4	27.7	28.7	27.7	22.0	18.2	11.8	9.3	20.6	28.0	30.0	272.1	4	1157
	06 LST	26.0	23.0	29.0	27.3	29.3	24.3	17.5	10.1	16.0	23.3	28.7	29.3	289.8	4	1156
	12 LST	26.8	23.3	28.4	28.5	26.9	18.7	14.0	16.3	17.3	22.4	26.7	25.1	274.6	7	1519
	18 LST	28.6	22.1	28.6	27.7	27.0	23.3	22.0	22.7	18.3	17.0	28.0	29.6	294.9	4	1157
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	27.3	20.4	27.8	26.6	27.7	19.3	14.5	8.8	6.0	19.3	27.7	29.6	254.2	4	1157
	06 LST	25.0	22.4	29.0	27.0	29.0	20.3	13.7	11.6	11.6	22.0	28.0	29.0	268.6	4	1156
	12 LST	25.3	22.0	27.1	27.7	25.5	16.7	11.8	13.6	15.1	21.1	23.2	24.4	255.5	7	1519
	18 LST	28.6	22.1	28.3	27.0	27.0	22.7	19.7	18.6	17.0	16.0	27.0	29.6	283.6	4	1157
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	27.0	20.1	26.7	26.6	26.0	18.7	13.3	7.0	5.3	18.7	26.3	29.0	244.9	4	1157
	06 LST	23.3	21.1	28.3	26.0	28.3	18.7	12.5	9.5	9.7	20.3	26.6	28.3	252.6	4	1156
	12 LST	24.6	22.0	27.1	27.1	25.0	15.9	11.2	11.9	14.6	19.5	24.8	24.4	248.1	7	1519
	18 LST	26.7	21.4	26.0	26.3	26.7	21.3	18.0	16.9	15.7	15.7	25.3	26.3	288.3	4	1157

GHANA		COASTAL STRIP				AREA NO. 02		LATITUDE 0630N		LONGITUDE 00100W				
BOUNDARIES		0740N	00295W	0740N	00035E									
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		89	91	91	90	88	85	82	82	83	86	88	89	87
MEAN MIN TMP (F)		71	73	74	74	73	72	71	70	71	72	72	72	72
LARGEST MEAN PRECIP(IN)		1.90	2.00	3.00	3.65	3.84	11.34	5.00	3.40	6.95	7.94	3.86	1.80	66.0
SMALLEST MEAN PRECIP(IN)		0.60	1.30					1.80	0.60	1.40	2.90	1.40	0.90	28.5
MEAN NUMBER OF DAYS														
CIG = GTR 1000 FT AND	00 LST	28.6	21.7	29.6	29.3	29.3	29.0	29.2	21.9	19.0	27.3	30.0	30.3	325.2
VSBY = GTR 3 MI	06 LST	28.0	23.7	30.7	30.0	30.3	29.6	29.0	26.7	26.0	27.7	29.6	30.0	341.3
	12 LST	27.1	25.5	30.7	29.3	29.9	28.4	28.9	28.6	28.5	27.2	29.2	29.9	343.2
	18 LST	29.3	23.7	30.7	30.0	29.3	29.3	28.7	28.2	22.3	29.0	30.0	30.3	340.8
CIG = GTR 2000 FT AND VSBY = GTR	00 LST	27.0	19.4	27.0	27.7	27.3	22.7	19.2	12.6	10.3	20.6	20.0	29.0	270.8
3 MI W/SFC WND LES 10 KTS	06 LST	22.3	20.1	24.2	25.3	25.0	23.3	17.2	16.6	17.0	19.7	27.0	24.3	262.0
	12 LST	17.4	16.7	20.1	17.5	18.3	17.7	13.1	9.8	10.4	12.3	17.8	20.9	192.0
	18 LST	19.0	8.5	17.0	13.3	13.3	13.7	10.7	10.3	7.7	10.7	21.3	23.7	169.2
SFC WND = GTR 17 KTS AND	00 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
NO PRECIP.	06 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.3
	12 LST	0.1	0.2	0.3	0.8	0.5	0.3	0.3	0.7	1.4	0.6	0.1	0.1	5.6
	18 LST	0.3	0.0	0.0	0.0	0.0	0.3	0.2	2.0	0.7	0.3	0.0	0.0	3.8
SFC WND 4-10 KTS AND TMP 33-89	00 LST	19.3	16.8	23.0	14.7	21.9	20.4	23.7	25.6	25.3	22.3	13.3	18.0	246.3
DEG F AND NO PRECIP.	06 LST	21.6	21.7	24.2	24.6	22.1	23.3	25.6	26.3	24.9	25.3	22.7	26.3	281.6
	12 LST	17.4	14.8	16.6	15.9	16.4	19.4	17.7	19.0	17.4	18.2	17.3	17.5	207.6
	18 LST	25.3	18.1	21.9	21.3	20.6	21.7	18.0	19.2	20.0	23.7	24.0	27.7	261.5
SKY COVER LES 3/10 AND	00 LST													
VSBY = GTR 3 MI	06 LST													
	12 LST	7.9	6.6	5.0	2.1	1.4	0.2	0.4	1.4	0.6	0.5	2.2	6.9	37.2
	18 LST													
CIG = GTR 2500 FT AND	00 LST	27.7	20.4	27.7	28.7	27.7	22.0	18.2	11.8	9.3	20.6	28.0	30.0	272.1
VSBY = GTR 3 MI	06 LST	26.0	23.0	29.0	27.3	29.3	24.3	17.5	16.1	16.0	23.3	18.7	29.3	289.8
	12 LST	22.4	21.3	26.1	22.1	21.8	18.0	13.7	14.0	12.6	14.5	21.5	22.7	236.7
	18 LST	28.6	22.1	28.6	27.7	27.0	23.3	22.8	22.7	18.3	17.0	28.0	29.6	294.9
CIG = GTR 6000 FT AND	00 LST	27.3	20.4	27.0	26.6	27.7	19.3	14.5	8.8	6.0	19.3	27.7	29.6	254.2
VSBY = GTR 3 MI	06 LST	25.0	22.4	29.0	27.0	29.0	20.3	13.7	11.6	11.6	22.0	28.0	29.0	268.6
	12 LST	21.8	20.6	24.6	20.4	19.6	14.9	10.6	11.7	10.4	12.3	19.3	21.6	207.8
	18 LST	28.6	22.1	28.3	27.0	27.0	22.7	19.7	18.6	17.0	16.0	27.0	29.6	283.6
CIG = GTR 10000 FT AND	00 LST	27.0	20.1	26.7	26.6	26.0	18.7	13.5	7.0	5.3	18.7	26.3	29.0	244.9
VSBY = GTR 3 MI	06 LST	23.3	21.1	28.3	26.0	28.3	18.7	12.5	9.5	9.7	20.3	26.6	28.3	252.6
	12 LST	21.6	20.6	24.6	19.9	19.4	14.3	10.3	10.9	10.0	11.6	19.2	21.2	203.8
	18 LST	26.7	21.4	26.0	26.3	26.7	21.3	18.0	16.9	15.7	15.7	25.3	28.3	268.3

ABIDJAN, REPUBLIC OF IVORY COAST

STA NO. 69520 (IN AREA NUMBER 01)

LATITUDE 0930N

LONGITUDE 00734W

ELEVATION(FT) 01450

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	99	104	104	104	100	97	95	94	95	97	97	99	104	5	-8
MEAN MAX TMP (F)	91	95	97	94	90	90	86	85	87	89	91	91	91	5	-8
MEAN MIN TMP (F)	64	67	71	74	73	71	70	70	69	69	68	63	69	5	-8
ABS MIN TMP (F)	57	60	63	63	66	64	64	64	64	64	59	54	54	5	-8
MEAN NO DYS TMP = DR GTR 90(F)	17.2	20.2	24.9	20.4	15.9	15.3	10.7	9.4	11.5	14.5	16.6	17.2	193.8	5	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN DEW PT TMP (F)	82	85	84	70	70	72	71	71	72	71	69	57	66	7	-29
MEAN REL HUM (PCT)	45	45	55	64	72	77	81	82	82	78	72	55	68	10	-32
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.04	0.47	1.30	2.03	4.00	6.97	11.61	16.26	10.98	6.37	2.05	0.39	64.3	34	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.2	1.1	3.3	5.0	8.1	10.6	14.2	16.0	14.6	10.3	3.9	1.0	89.1	34	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSHS	2.0	2.0	9.0	16.0	17.0	17.0	18.0	15.0	20.0	20.0	9.0	1.0	146.0	5	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 20 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	2.3	3.0	9.1	4.0	5.1	11.6	10.6	2.2	4.1	4	499
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.2	4	499
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

COTE D'IVOIRE, REPUBLIC OF IVORY COAST
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST	29.8	26.4	26.6	26.5	31.0	30.0	31.0	31.0	30.0	31.0	27.4	25.5	346.2	4	499
	17 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	23 LST														0	0
	05 LST														0	0
	11 LST	26.6	23.2	27.0	26.1	26.4	26.5	26.0	26.4	26.7	24.3	23.0	23.3	306.1	4	488
	17 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST														0	0
	05 LST														0	0
	11 LST	0.0	0.7	0.0	0.7	0.6	0.0	0.0	0.0	0.0	0.0	0.0	1.1	3.1	4	343
	17 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST														0	0
	05 LST														0	0
	11 LST	4.9	1.4	0.7	0.8	4.8	8.6	3.3	3.4	2.3	4.3	3.2	9.0	31.1	4	323
	17 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST	11.1	8.7	7.8	9.0	3.2	1.1	1.3	0.0	0.0	0.7	9.8	13.1	63.8	4	334
	17 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST	24.8	23.6	27.8	24.8	24.5	22.1	18.9	18.9	18.5	17.3	21.7	24.8	267.7	4	499
	17 LST														0	0
CIG = GTR 3000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST	24.8	23.6	27.8	21.0	19.4	17.3	18.5	13.6	10.7	11.5	21.1	24.8	228.3	4	499
	17 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST	24.8	23.6	27.8	21.0	19.4	17.3	18.5	13.6	10.7	11.5	21.1	24.8	228.3	4	499
	17 LST														0	0

STA NO. 65539 (IN AREA NUMBER 01)

FERKESSEDOUGOU, REPUBLIC OF IVORY COAST
 LATITUDE 0939N LONGITUDE 00912W ELEVATION(FT) 01079

PARAMETER DESCRIPTION

- ABS MAX TMP (F)
- MEAN MAX TMP (F)
- MEAN MIN TMP (F)
- ABS MIN TMP (F)
- MEAN NO DYS TMP = DR GTR 90(F)
- MEAN NO DYS TMP = DR LES 32(F)
- MEAN NO DYS TMP = DR LES 0(F)
- MEAN DEN PT TMP (F)
- MEAN REL HUM (PCT)
- MEAN PRESS ALT (FT)
- MEAN PRECIP (IN)
- MEAN SNOW FALL (IN)
- MEAN NO DYS PRCP = DR GTR 0.1 IN
- MEAN NO DYS SNFL = DR GTR 1.5 IN
- MEAN NO DYS W/DCUR VSBY LES 1/2 MI
- MEAN NO DYS TSTMS
- P FREQ WND SPD = DR GTR 17 KTS
- P FREQ WND SPD = DR GTR 28 KTS
- P FREQ LES 5000 FT A/D LES 5 MI
- P FREQ LES 1500 FT A/D LES 3 MI
- FOR 00-02 LST
- 03-05 LST
- 06-08 LST
- 09-11 LST
- 12-14 LST
- 15-17 LST
- 18-20 LST
- 21-23 LST
- P FREQ LES 300 FT A/D LES 1 MI
- FOR 00-02 LST
- 03-05 LST
- 06-08 LST
- 09-11 LST
- 12-14 LST
- 15-17 LST
- 18-20 LST
- 21-23 LST

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	100	104	106	106	104	99	97	96	97	98	98	100	106	12	-28
MEAN MAX TMP (F)	92	94	94	93	92	88	85	83	83	88	91	91	90	8	-28
MEAN MIN TMP (F)	61	67	74	74	73	71	70	70	69	69	67	63	69	8	-28
ABS MIN TMP (F)	50	52	55	59	63	63	63	63	64	63	59	50	50	12	-28
MEAN NO DYS TMP = DR GTR 90(F)	18.5	19.0	21.1	19.1	18.5	12.7	9.4	7.0	9.0	13.2	10.6	17.2	101.3	8	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN DEN PT TMP (F)	51	56	66	68	72	70	70	71	72	71	68	58	66	5	-28
MEAN REL HUM (PCT)	46	47	59	63	73	76	80	84	85	80	72	56	68	0	0
MEAN PRESS ALT (FT)														31	-6
MEAN PRECIP (IN)	0.24	0.91	1.91	3.21	5.87	9.83	7.48	12.09	9.49	4.61	1.34	0.39	53.4	12	-29
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.7	2.1	4.3	6.3	8.9	9.3	11.1	14.4	13.3	7.8	2.7	1.0	81.9	31	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	2.0	3.0	9.0	16.0	15.0	12.0	12.0	11.0	17.0	18.0	6.0	1.0	122.0	5	-24
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														4	370
12-14 LST	0.0	0.0	2.1	0.0	1.7	0.0	2.1	6.5	4.8	0.0	0.0	0.0	1.4	0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														4	370
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

FERRESSEBOUGOU, REPUBLIC OF IVORY COAST
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST	31.0	26.2	30.3	30.0	31.0	30.0	30.3	30.0	31.0	30.0	31.0	301.1	4	970
	18 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST													0	0
	06 LST													0	0
	12 LST	10.9	20.7	26.9	27.3	27.0	20.1	26.9	26.2	27.6	29.6	20.0	23.1	4	999
	18 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST													0	0
	06 LST													0	0
	12 LST	0.0	1.6	0.0	0.6	0.5	0.4	0.0	0.0	0.0	0.0	0.0	0.5	4	991
	18 LST													0	0
SFC WND 4-10 KTS AND TWP 33-09 DEG F AND NO PRECIP.	00 LST													0	0
	06 LST													0	0
	12 LST	10.4	8.2	8.9	7.7	10.9	17.9	23.9	20.0	20.7	18.2	14.0	12.1	4	970
	18 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST	10.1	14.0	6.4	3.5	1.4	1.3	0.0	0.0	0.0	0.6	7.7	17.0	4	615
	18 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST	30.2	29.3	29.0	29.3	20.9	25.8	21.1	20.9	19.3	24.0	20.7	30.5	4	970
	18 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST	30.2	24.4	20.4	25.2	21.9	11.7	3.9	5.4	9.3	17.6	23.5	30.0	4	970
	18 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST	30.2	24.4	27.7	25.2	21.9	11.3	3.9	5.4	8.6	17.6	23.5	30.0	4	970
	18 LST													0	0

STA NO. 65555 (IN AREA NUMBER 01)

BOUAKE, REPUBLIC OF IVORY COAST

LATITUDE 0744N

LONGITUDE 00504W

ELEVATION(FT) 01234

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	99	102	104	101	100	99	99	97	99	99	99	101	104	15	-28
MEAN MAX TMP (F)	91	94	93	92	92	88	85	84	86	89	91	91	90	12	-28
MEAN MIN TMP (F)	68	69	70	70	71	70	68	68	68	68	69	68	69	12	-28
ABS MIN TMP (F)	59	59	59	57	61	59	61	61	61	61	64	57	57	15	-28
MEAN NO DYS TMP - OR GTR 90(F)	17.2	19.0	19.8	17.9	10.5	12.7	9.4	0.2	10.3	14.5	16.6	17.2	181.3	12	-29
MEAN NO DYS TMP - OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS TMP - OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN DEW PT TMP (F)	67	70	71	72	73	72	71	71	72	72	72	71	71	0	-50
MEAN REL HUM (PCT)	72	72	77	79	83	85	88	89	88	85	82	74	81	5	-28
MEAN PRESS ALT (FT)	1160	1159	1141	1130	1133	1137	1161	1178	1167	1160	1169	1161	1158	0	-50
MEAN PRECIP (IN)	0.51	1.73	3.54	3.43	6.10	3.35	3.90	4.33	8.90	3.31	1.42	0.87	47.6	33	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS PRCP - OR GTR 0.1 IN	1.2	3.9	6.7	8.6	9.0	8.2	6.8	7.4	12.8	9.0	2.8	2.0	79.0	33	-29
MEAN NO DYS SNFL - OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS TSTMS	3.0	7.0	13.0	17.0	17.0	13.0	5.0	5.0	15.0	17.0	10.0	4.0	126.0	9	-24
P FREQ WND SPD - OR GTR 17 KTS														0	0
P FREQ WND SPD - OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	17.9	21.7	13.6	16.1	12.5	27.0	36.4	43.4	36.1	31.1	28.6	11.1	24.6	4	615
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	2.2	0.0	0.0	0.0	0.0	0.0	1.9	2.8	0.0	1.8	1.9	0.9	4	615
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

**BOUAKE, REPUBLIC OF IVORY COAST
MEAN NUMBER OF DAYS**

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	31.0	28.0	31.0	27.5	28.4	24.0	31.0	31.0	29.7	26.6	30.0	31.0	349.2	3	157
	18 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST														0	0
	12 LST	18.6	21.8	27.1	22.5	24.5	15.0	28.8	15.5	12.8	15.5	23.1	29.5	254.7	3	157
	18 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	168
	18 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	18.6	11.2	3.4	9.0	8.1	5.0	22.7	19.9	10.0	8.2	6.4	11.3	133.8	3	164
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3	164
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	12.4	9.3	19.4	15.0	16.8	6.0	15.5	11.1	8.6	13.3	20.8	21.7	169.9	3	157
	18 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	6.2	3.1	15.5	12.5	9.0	0.0	4.4	2.2	0.0	4.4	11.5	14.0	82.8	3	157
	18 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	6.2	3.1	15.5	12.5	9.0	0.0	4.4	2.2	0.0	4.4	11.5	14.0	82.8	3	157
	18 LST														0	0

AREA NO. 01

IVORY COAST REPUBLIC OF INTERIOR PLAINS LATITUDE 0900N LONGITUDE 00930W
 BOUNDARIES 0740N 00820W 0740N 00255W

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	91	94	93	93	91	89	85	84	86	89	91	91	90
MEAN MIN TMP (F)	64	68	72	73	72	71	69	69	69	69	68	65	69
LARGEST MEAN PRECIP(IN)	0.91	1.73	3.54	3.43	6.10	6.97	11.61	16.76	10.98	6.57	2.05	0.87	72.6
SMALLEST MEAN PRECIP(IN)	0.04	0.47	1.38	2.83	4.80	5.35	3.90	4.35	8.90	4.61	1.34	0.39	38.3
	MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST												
	06 LST												
	12 LST	29.3	26.9	30.0	28.7	30.1	28.0	30.8	30.8	28.6	29.9	29.1	29.2
CIG =GTR 2000 FT AND VSBY =GTR 3 MI 1/SFC WND LES 10 KTS	00 LST												
	06 LST												
	12 LST	21.4	21.9	27.0	25.3	26.0	23.2	27.2	22.7	22.4	23.1	24.9	25.3
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST												
	06 LST												
	12 LST	0.3	0.8	0.0	0.4	0.4	0.1	0.0	0.0	0.0	0.0	0.3	2.5
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST												
	06 LST												
	12 LST	14.0	6.9	4.3	5.8	10.6	10.9	16.7	15.1	11.0	10.3	8.5	10.8
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST												
	06 LST												
	12 LST	7.1	7.6	4.7	4.2	1.9	0.8	0.4	0.0	0.4	3.8	10.0	42.9
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST												
	06 LST												
	12 LST	22.5	20.1	25.4	23.0	23.4	18.0	17.8	17.0	19.5	18.9	23.7	25.7
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST												
	06 LST												
	12 LST	20.4	17.7	23.9	19.6	16.8	9.7	6.3	7.1	6.7	11.2	18.7	22.9
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST												
	06 LST												
	12 LST	20.4	17.7	23.7	19.6	16.8	9.6	6.3	7.1	6.4	11.2	18.7	22.9
	18 LST												

STA NO. 65948 (IN AREA NUMBER 02)

WAN. REPUBLIC OF IVORY COAST

LATITUDE 0723N

LONGITUDE 00731W

ELEVATION(FT) 01706

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	95	95	95	94	92	89	86	88	87	88	90	91	95	5	-28
MEAN MAX TMP (F)	88	89	88	87	86	82	78	78	81	83	85	86	84	5	-28
MEAN MIN TMP (F)	67	68	69	70	70	69	67	67	68	68	68	67	68	6	-28
ABS MIN TMP (F)	61	58	60	64	63	62	62	63	63	63	63	61	58	6	-28
MEAN NO DYS TMP = OR GTR 90(F)	13.2	13.0	13.2	11.5	10.7	0.0	0.0	0.0	0.0	0.0	9.0	10.7	81.3	5	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN DEW PT TMP (F)	66	66	71	72	73	72	70	71	72	72	71	68	70	5	-29
MEAN REL HUM (PCT)	70	69	80	82	85	88	92	93	91	88	84	76	83	5	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.99	2.48	4.72	5.98	6.50	8.23	8.66	10.55	12.76	6.93	2.32	0.87	70.6	34	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.4	5.4	8.0	8.9	9.2	11.8	12.2	13.5	15.9	10.7	4.3	2.0	103.3	34	-29
MEAN NO DYS SNFL = OR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.0	10.0	20.0	18.0	17.0	16.0	9.0	9.0	18.0	19.0	16.0	8.0	164.0	5	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	2.1	2.0	3.7	0.0	8.3	19.0	47.6	54.3	30.0	22.2	8.7	4.7	16.9	4	605
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	1.6	4.8	10.9	10.0	2.2	0.0	1.6	2.6	4	605
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

WAN, REPUBLIC OF IVORY COAST
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST	29.0	26.9	29.8	30.0	30.5	26.6	18.4	17.5	23.3	27.5	28.7	29.0	4	605
	17 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	23 LST													0	0
	05 LST													0	0
	11 LST	26.2	19.2	26.1	28.1	25.6	21.8	11.6	9.1	18.9	21.3	23.7	24.9	4	582
	17 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST													0	0
	05 LST													0	0
	11 LST	1.2	1.1	1.8	0.5	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	4	627
	17 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND N/I PRECIP.	23 LST													0	0
	05 LST													0	0
	11 LST	20.2	16.7	23.7	23.6	23.0	18.8	18.3	17.9	12.3	13.5	17.0	20.8	4	604
	17 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST	11.3	11.4	2.8	0.5	0.5	0.0	0.0	0.0	0.0	0.0	2.4	11.8	4	642
	17 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST	27.7	26.3	28.1	28.1	21.2	19.7	11.8	9.4	11.3	19.8	22.2	26.6	4	605
	17 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST	26.4	22.8	24.7	22.0	14.0	9.5	7.4	7.4	6.0	13.1	17.0	24.2	4	605
	17 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST	26.4	22.8	24.7	22.0	14.0	9.5	6.6	7.4	6.0	13.1	17.0	24.2	4	605
	17 LST													0	0

SAGNOA, REPUBLIC OF IVORY COAST

STA NO. 69597 (IN AREA NUMBER 02)

LATITUDE 0608N

LONGITUDE 00997W

ELEVATION(FT) 00741

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	96	98	97	97	96	92	91	91	93	95	96	97	98	7	-28
MEAN MAX TMP (F)	89	91	92	91	89	86	83	82	86	87	89	88	88	7	-28
MEAN MIN TMP (F)	71	71	72	73	73	71	70	70	71	72	72	71	71	7	-28
ABS MIN TMP (F)	56	56	66	68	66	64	63	61	65	68	66	59	56	7	-28
MEAN NO DYS TMP = OR GTR 90(F)	14.5	15.5	18.5	16.6	14.5	10.3	7.0	5.9	10.3	11.9	14.0	13.2	152.2	7	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN DEW PT TMP (F)	75	75	76	76	76	74	72	72	74	76	76	75	75	7	-29
MEAN REL HUM (PCT)	85	82	84	84	86	87	87	87	87	88	86	86	86	6	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.18	2.44	5.75	6.06	7.40	8.46	3.90	2.36	6.85	5.91	3.86	1.61	55.8	35	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.7	5.3	8.8	9.0	9.6	12.0	6.8	4.5	10.6	9.5	6.7	3.6	89.1	35	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	5.0	9.0	16.0	19.0	19.0	16.0	2.0	1.0	8.0	15.0	19.0	8.0	137.0	5	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
PDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	3.4	3.1	5.6	4.7	0.0	6.1	6.7	3.0	6.9	13.3	3.3	7.3	5.3	3	408
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
PDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	3.1	0.0	2.3	0.0	0.0	0.0	0.0	0.0	6.7	0.0	2.4	1.2	3	408
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

GAGNOA, REPUBLIC OF IVORY COAST
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	31.0	27.1	31.0	28.6	31.0	30.0	31.0	31.0	30.0	26.8	29.0	30.2	356.7	3	408
	18 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST														0	0
	12 LST	28.7	24.2	24.1	22.1	28.0	24.5	25.6	25.4	25.7	22.7	27.8	25.7	304.5	3	398
	18 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	3	426
	18 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	14.4	16.2	13.9	8.4	12.2	9.7	11.7	6.9	11.4	9.4	10.0	12.4	136.6	3	413
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	3.0	1.7	0.8	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	7.7	3	433
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	27.8	25.4	26.7	27.2	26.6	20.9	15.5	19.7	21.7	19.6	23.0	23.4	277.5	3	408
	18 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	12.8	9.6	15.5	16.7	9.6	7.3	1.0	4.7	4.1	5.1	5.0	6.0	97.4	3	408
	18 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	10.7	8.7	13.8	11.9	6.6	6.4	0.0	0.9	3.1	1.0	3.0	4.5	70.6	3	408
	18 LST														0	0

PORT BOUET/ABIDJAN, REPUBLIC OF IVORY COAST

STA NO. 65578 (IN AREA NUMBER 02)

LATITUDE 0519N

LONGITUDE 0039W

ELEVATION(FT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	94	95	96	95	94	93	91	88	90	92	94	95	96	13	-28
MEAN MAX TMP (F)	88	90	90	90	88	85	83	82	83	85	87	88	87	13	-28
MEAN MIN TMP (F)	73	75	75	75	75	73	73	71	73	74	74	74	74	13	-28
ABS MIN TMP (F)	59	64	67	68	68	68	64	63	65	67	67	62	59	13	-28
MEAN NO DYS TMP = OR GTR 90(F)	13.2	14.3	15.9	15.3	13.2	9.0	7.0	0.0	6.7	9.4	11.5	13.2	128.7	13	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN DEW PT TMP (F)	75	76	76	76	75	74	71	70	72	73	74	75	74	0	-50
MEAN REL HUM (PCT)	84	85	83	82	85	87	86	89	89	86	83	83	85	10	-32
MEAN PRESS ALT (FT)	-109	-105	-126	-134	-151	-148	-128	-108	-95	-93	-95	-112	-118	0	-50
MEAN PRECIP (IN)	1.22	2.17	4.61	4.84	14.13	21.73	8.39	1.77	2.80	8.54	7.80	3.46	81.5	26	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.8	4.8	7.9	8.1		16.9	11.9	3.5	5.1	12.4	11.7	7.3		26	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	5.0	9.0	15.0	18.0	16.0	14.0	1.0	0.3	3.0	13.0	20.0	14.0	128.3	5	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	4.8	3.6	1.5	5.3	10.6	17.4	14.5	25.4	20.3	31.2	11.5	6.0	12.7	4	1191
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	1.0	1.7	2.4	4.1	3.4	3.2	1.1	1.0	1.5	4	1191
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

PORT BOUET/ABIDJAN, REPUBLIC OF IVORY COAST
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST													0	0	
	06 LST													0	0	
	12 LST	30.5	23.3	31.0	29.7	29.2	26.3	29.5	26.9	27.2	25.3	29.0	30.4	338.3	4	1191
	18 LST													0	0	
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST													0	0	
	06 LST													0	0	
	12 LST	27.5	22.3	28.2	23.9	23.9	17.0	19.2	16.7	16.0	10.7	22.2	27.9	255.3	4	1186
	18 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST													0	0	
	06 LST													0	0	
	12 LST	0.0	0.0	0.0	0.0	0.3	0.0	0.2	0.0	0.2	0.0	0.0	0.7	4	1189	
	18 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST													0	0	
	06 LST													0	0	
	12 LST	30.0	19.3	21.4	16.2	18.9	17.7	24.0	25.4	23.7	19.7	24.3	24.8	265.4	4	1183
	18 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST													0	0	
	06 LST													0	0	
	12 LST	9.0	7.3	5.4	3.4	1.1	0.0	0.7	1.0	0.2	1.0	1.4	8.2	38.7	4	1197
	18 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST													0	0	
	06 LST													0	0	
	12 LST	26.5	21.3	28.7	25.5	23.8	18.8	20.2	16.2	17.5	16.0	22.4	27.3	264.2	4	1191
	18 LST													0	0	
CIG = GTR 8000 FT AND VSBY = GTR 3 MI	00 LST													0	0	
	06 LST													0	0	
	12 LST	25.0	19.7	27.8	23.9	22.6	17.2	17.5	14.0	12.7	15.0	20.7	26.0	242.1	4	1191
	18 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST													0	0	
	06 LST													0	0	
	12 LST	25.0	19.7	27.8	23.9	22.6	17.2	17.2	14.0	12.7	14.7	20.7	26.0	241.5	4	1191
	18 LST													0	0	

STA NO. 69592 (IN AREA NUMBER 02)

TABOU, REPUBLIC OF IVORY COAST

LATITUDE 0429N

LONGITUDE 00722W

ELEVATION(FT) 00013

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	89	89	91	92	90	87	86	86	86	85	88	90	92	7	-28
MEAN MAX TMP (F)	85	85	86	87	84	81	81	79	80	82	84	85	85	7	-28
MEAN MIN TMP (F)	74	73	74	74	74	74	74	72	72	74	74	74	74	7	-28
ABS MIN TMP (F)	65	67	56	68	68	68	67	66	67	69	70	68	56	7	-28
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	10.7	11.5	8.2	0.0	0.0	0.0	0.0	0.0	0.0	9.4	39.8	7	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN DEW PT TMP (F)	75	74	75	75	75	71	72	71	73	65	75	75	73	8	-29
MEAN REL HUM (PCT)	87	86	85	85	87	82	83	87	91	68	87	86	85	10	-32
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.09	2.01	3.66	3.47	17.09	20.91	9.16	3.35	8.94	8.94	7.87	6.10	91.6	38	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.6	4.5	6.9	8.6		10.8	8.5	6.0	12.8	12.8	11.7	10.3	133.5	38	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSHS	8.0	7.0	10.0	9.0	10.0	9.0	0.3	0.3	1.0	2.0	6.0	7.0	67.3	3	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	7.7	4.5	3.8	9.7	9.4	19.6	3.6	14.5	27.3	18.8	5.2	6.5	10.6	4	625
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	625
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

YABOU, REPUBLIC OF IVORY COAST
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	31.0	28.0	29.8	29.4	29.5	27.0	31.0	29.9	23.9	29.7	30.0	30.5	349.7	4	625
	18 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST														0	0
	12 LST	23.8	24.2	20.6	19.8	21.8	16.2	12.9	10.9	16.7	13.1	23.3	24.3	227.6	4	605
	18 LST														0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	0.7	0.0	0.6	0.0	0.0	1.1	2.9	3.5	0.0	1.3	0.5	0.5	11.1	4	640
	18 LST														0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	17.1	18.8	15.8	19.2	18.7	12.7	12.0	15.8	10.5	13.7	18.2	18.4	198.9	4	612
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	1.4	5.0	1.7	1.6	0.9	0.0	0.0	0.6	0.0	0.0	1.0	4.6	16.8	4	154
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	23.0	23.5	26.8	26.6	22.8	18.8	21.4	17.5	11.6	15.5	24.3	26.0	257.8	4	625
	18 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	20.6	21.6	24.4	26.0	16.5	14.7	14.6	11.3	4.8	11.6	21.7	24.0	211.8	4	625
	18 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	20.6	21.6	24.4	26.0	16.5	14.7	13.9	11.3	4.8	11.0	21.7	24.0	210.1	4	625
	18 LST														0	0

SASSANDRA, REPUBLIC OF IVORY COAST

Sta NO. 65999 (IN AREA NUMBER 02)

LATITUDE 0457N

LONGITUDE 00609W

ELEVATION(FT) 00046

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	89	90	91	91	94	87	89	86	90	90	91	92	94	7	-28
MEAN MAX TMP (F)	84	85	86	86	85	82	81	79	81	83	85	85	84	7	-28
MEAN MIN TMP (F)	74	74	74	75	74	73	73	71	72	73	74	74	73	7	-28
ABS MIN TMP (F)	67	67	69	70	69	68	67	65	66	69	70	67	65	7	-28
MEAN NO DYS TMP = DR GTR 90(F)	0.0	8.4	10.7	10.3	9.4	0.0	0.0	0.0	4.6	7.0	9.0	9.4	88.8	7	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN DEW PT TMP (F)	76	76	77	77	77	76	74	72	75	76	76	76	76	7	-29
MEAN REL HUM (PCT)	91	89	90	90	92	93	89	91	93	92	90	90	91	6	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.83	1.06	3.19	4.06	11.10	18.78	5.20	0.91	1.89	4.17	5.91	3.15	59.8	33	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.9	2.4	6.3	7.3	10.4	16.9	8.6	1.9	3.9	7.2	9.8	6.7	81.7	33	-29
MEAN NO DYS SNFL = DR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	5.0	8.0	14.0	11.0	17.0	10.0	0.0	0.3	2.0	9.0	13.0	8.0	97.3	5	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 20 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	2.7	2.4	0.0	3.6	2.0	14.6	6.8	4.3	7.0	0.0	0.0	0.0	3.6	4	394
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	4.2	2.3	0.0	0.0	0.0	0.0	0.0	0.5	4	394
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0


SASSANDRA, REPUBLIC OF IVORY COAST
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	31.0	27.3	31.0	28.4	31.0	28.1	30.3	30.3	28.6	31.0	30.0	30.5	357.5	4	994
	18 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST														0	0
	12 LST	27.4	23.7	27.7	24.6	27.7	20.4	22.7	17.9	18.8	26.9	21.9	27.1	286.8	4	991
	18 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	0.0	0.0	0.0	2.2	0.0	0.0	0.0	1.3	0.7	0.0	1.2	0.0	5.4	4	979
	18 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	25.8	22.3	22.8	21.6	23.4	17.0	23.6	20.6	18.3	28.6	22.2	25.6	271.8	4	999
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	4.1	5.5	0.7	4.7	1.8	0.0	1.3	1.2	1.3	0.7	4.6	6.8	32.7	4	983
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	22.6	25.3	26.9	25.6	25.9	18.8	23.9	21.5	23.0	23.8	27.5	27.7	292.5	4	994
	18 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	17.6	23.9	24.5	23.4	21.5	14.4	21.1	15.5	18.1	19.1	25.1	25.7	249.9	4	994
	18 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	17.6	23.9	24.5	23.4	21.5	14.4	20.4	15.5	18.1	18.3	25.1	25.7	248.4	4	994
	18 LST														0	0

IVORY COAST REPUBLIC OF COASTAL STRIP AREA NO. 82
 BOUNDARIES 0740N 00020W 0740N 00253W LATITUDE 0600N LONGITUDE 00330W

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	87	88	88	88	86	83	81	80	82	84	86	86	85
MEAN MIN TMP (F)	72	72	73	73	73	72	71	70	71	72	72	72	72
LARGEST MEAN PRECIP(IN)	2.09	2.48	3.75	6.06	17.09	21.73	8.66	10.55	12.76	8.96	7.87	6.10	110.1
SMALLEST MEAN PRECIP(IN)	0.99	1.06	3.19	4.06	6.50	8.23	3.90	0.91	1.85	4.17	2.32	0.87	37.6
	MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST												
	06 LST												
	12 LST	30.5	26.5	30.5	29.2	30.2	27.6	28.0	27.1	26.6	28.1	29.3	30.1
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST												
	06 LST												
	12 LST	26.7	21.9	25.3	23.7	23.4	20.0	18.4	16.0	19.2	18.9	23.8	26.0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST												
	06 LST												
	12 LST	0.4	0.2	0.5	0.5	0.2	0.2	0.6	1.2	0.2	0.3	0.3	0.1
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST												
	06 LST												
	12 LST	21.5	18.7	19.5	17.8	19.2	19.2	17.9	17.3	15.2	17.0	18.3	20.4
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST												
	06 LST												
	12 LST	5.8	6.2	2.3	2.2	0.9	0.0	0.4	0.6	0.3	0.3	1.9	6.6
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST												
	06 LST												
	12 LST	25.5	24.4	27.4	26.6	24.1	18.6	18.6	16.9	17.0	18.1	23.9	26.2
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST												
	06 LST												
	12 LST	20.5	19.5	23.4	22.4	16.8	12.6	12.3	10.6	9.1	12.8	17.9	21.2
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST												
	06 LST												
	12 LST	20.1	19.3	23.0	21.4	16.2	12.4	11.5	9.8	8.9	11.6	17.5	20.9
	18 LST												

KENYA



LODWAR, KENYA

STA NO. 63612 (IN AREA NUMBER 01)

LATITUDE 0307N

LONGITUDE 03337E

ELEVATION(FT) 01660

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	101	103	103	104	100	99	95	100	99	101	99	99	104	8	-28
MEAN MAX TMP (F)	97	98	98	95	95	94	92	92	95	96	95	95	95	8	-28
MEAN MIN TMP (F)	71	73	76	75	76	75	74	71	74	75	74	73	74	8	-28
ABS MIN TMP (F)	63	63	66	63	69	70	68	67	68	67	61	61	61	8	-28
MEAN NO DYS TMP = OR GTR 90(F)	24.9	23.5	26.1	21.6	22.4	20.4	18.5	18.5	21.6	23.7	21.6	22.4	265.2	8	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN DEW PT TMP (F)	56	56	60	64	65	62	60	58	58	58	59	59	60	9	-29
MEAN REL HUM (PCT)	43	41	45	54	54	51	51	49	45	44	46	47	48	10	-32
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.08	0.20	0.64	1.62	0.99	0.34	0.30	0.32	0.14	0.27	0.26	0.34	5.7	30	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.3	0.6	1.6	3.7	2.4	0.8	1.1	0.8	0.5	0.7	0.7	0.9	14.1	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/OCUR VSOBY LES 1/2 MI														0	0
MEAN NO DYS TSMS														0	0
P FREQ WND SPD = OR GTR 17 KTS	1.8	0.7	0.8											1	1982
P FREQ WND SPD = OR GTR 20 KTS	0.6	0.0	0.0											1	1982
P FREQ LES 5000 FT A/D LES 5 MI		0.7	5.0											1	1411
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST		0.0	0.0	0.0										1	176
03-05 LST	0.0	0.5	0.5	2.7	3.9	2.7	6.5	4.6	0.7	0.0	3.4	0.6	2.2	5	1902
06-08 LST	2.4	0.0	1.9	4.0	1.9	1.3	3.2	2.6	1.3	1.3	3.4	1.9	2.1	5	1909
09-11 LST	2.4	1.5	1.4	4.0	1.3	0.7	2.6	1.9	0.0	0.6	2.0	1.9	1.7	5	1912
12-14 LST	0.8	0.5	0.5	2.0	1.3	0.0	1.9	1.3	0.0	0.6	1.3	0.0	0.9	5	1912
15-17 LST	0.0	0.0	0.5	1.3	1.3	0.0	1.3	1.3	0.0	0.0	0.0	0.6	0.5	5	1902
18-20 LST		0.0	0.0											1	177
21-23 LST		0.0	0.0											1	177
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST		0.0	0.0	0.0										1	176
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1902
06-08 LST	0.8	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.2	5	1909
09-11 LST	2.4	0.5	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	5	1912
12-14 LST	0.8	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1912
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1902
18-20 LST		0.0	0.0											1	177
21-23 LST		0.0	0.0											1	177

LODWAR, KENYA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	28.0	31.0	30.0										1	60	
	08 LST	29.7	27.8	30.4	29.2	30.8	30.0	30.8	30.0	30.6	29.2	30.4	359.7	5	1791	
	14 LST	29.2	27.4	28.6	29.6	30.6	30.0	31.0	30.8	30.0	29.6	30.2	357.8	5	1794	
	20 LST		28.0	31.0										1	59	
														1	60	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST		26.0	31.0	0.0									5	1791	
	08 LST	26.2	25.6	26.8	21.6	21.0	18.0	20.0	14.2	12.9	16.6	21.9	27.6	252.4	5	1794
	14 LST	10.0	10.7	14.4	16.0	17.2	20.6	19.2	16.6	11.1	9.6	11.0	11.8	168.2	5	1794
	20 LST		28.0	30.0										1	59	
														0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST													0	0	
	08 LST													0	0	
	14 LST													0	0	
	20 LST													0	0	
														0	0	
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	02 LST													0	0	
	08 LST													0	0	
	14 LST													0	0	
	20 LST													0	0	
														1	60	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST		1.0	0.0	0.0									5	1791	
	08 LST	14.5	9.3	7.2	4.8	7.8	9.4	9.0	12.4	10.1	9.6	10.7	12.1	120.9	5	1794
	14 LST	10.5	6.7	4.6	1.4	2.4	4.6	6.0	8.6	12.1	4.2	2.4	6.0	69.5	5	1794
	20 LST		0.0	0.0										1	59	
														1	60	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST		28.0	30.0	30.0									5	1791	
	08 LST	29.0	27.2	29.6	27.8	29.2	29.0	27.4	28.8	29.2	29.8	28.0	29.8	344.8	5	1794
	14 LST	29.0	27.0	28.2	28.4	29.2	28.4	28.6	25.4	29.6	30.2	28.4	29.6	346.0	5	1794
	20 LST		28.0	30.0										1	59	
														1	60	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST		28.0	30.0	30.0									5	1791	
	08 LST	27.7	25.4	27.4	26.0	27.4	28.8	25.0	27.8	28.0	28.4	27.4	28.4	327.7	5	1794
	14 LST	27.2	24.4	24.4	22.8	25.4	26.4	23.4	24.4	27.6	25.8	24.8	25.4	302.0	5	1794
	20 LST		28.0	30.0										1	59	
														1	60	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST		28.0	30.0	30.0									5	1791	
	08 LST	27.7	25.4	27.4	26.0	27.4	28.8	25.0	27.8	28.0	28.4	27.4	28.4	327.7	5	1794
	14 LST	27.2	24.4	24.4	22.8	25.4	26.4	23.4	24.4	27.6	25.8	24.8	25.4	302.0	5	1794
	20 LST		28.0	30.0										1	59	
														1	60	

STA NO. 63619 (IN AREA NUMBER 01)

BOYALE, KENYA

LATITUDE 0332N

LONGITUDE 03903E

ELEVATION(FT) 03650

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	94	95	95	91	86	82	82	84	87	89	89	90	95	12	-24
MEAN MAX TMP (F)	87	88	87	81	77	76	79	76	79	79	81	83	81	6	-28
MEAN MIN TMP (F)	65	66	66	65	64	61	60	60	61	65	63	64	63	6	-28
ABS MIN TMP (F)	57	59	58	58	56	55	54	55	57	58	57	57	54	12	-28
MEAN NO DYS TMP = OR GTR 90(F)	11.9	11.9	11.9	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	47.3	6	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN DEW PT TMP (F)	51	51	52	63	63	59	56	55	55	61	60	57	57	6	-29
MEAN REL HUM (PCT)	47	45	57	74	79	75	70	66	63	71	69	61	65	9	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.43	0.73	2.10	6.96	4.71	0.66	0.65	0.65	1.08	3.77	3.18	1.92	26.4	36	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.1	1.7	4.6	9.4	8.0	1.4	1.4	1.4	2.2	6.6	5.7	3.4	46.9	36	-29
MEAN NO DYS SNFL = OR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	4.9	6.3	16.1	58.3	79.0	56.7	57.5	49.7	40.7	61.9	42.3	16.8	40.9	9	1670
12-14 LST														0	0
15-17 LST	0.8	0.9	3.3	8.5	5.0	9.3	23.0	15.5	4.7	6.5	12.9	1.9	7.7	9	1690
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	1.6	18.3	32.3	10.0	6.5	3.9	8.7	15.5	16.1	1.3	9.5	9	1670
12-14 LST														0	0
15-17 LST	0.0	0.0	0.8	0.6	0.8	0.0	0.7	0.0	0.0	0.0	2.0	0.0	0.4	9	1690
18-20 LST														0	0
21-23 LST														0	0

MOYALE, KENYA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	30.7	27.5	28.0	16.2	10.5	18.8	17.4	20.6	21.2	17.8	21.1	28.2	298.0	5	1670
	15 LST	31.0	28.0	30.7	29.0	30.5	29.2	27.5	29.0	29.4	30.8	28.4	31.0	354.5	5	1650
	21 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST														0	0
	09 LST	23.9	24.2	23.5	9.2	3.2	4.8	5.5	6.8	9.4	5.6	13.3	21.2	150.6	5	1670
	15 LST	27.2	23.4	25.6	25.7	28.9	23.8	18.5	19.2	24.8	26.7	23.7	28.2	295.7	5	1650
	21 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
	21 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
	21 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	18.6	21.2	13.2	1.5	0.2	0.6	0.6	0.8	3.4	0.6	4.8	15.8	81.3	5	1670
	15 LST	8.7	8.9	4.6	1.0	1.6	0.8	1.4	2.2	5.0	1.6	1.6	7.6	45.0	5	1650
	21 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	28.2	25.5	23.5	8.5	3.0	6.4	8.7	9.6	12.8	5.4	12.7	23.2	167.5	5	1670
	15 LST	28.9	25.7	27.7	24.7	25.8	22.0	16.9	18.8	24.4	26.3	23.5	28.6	293.3	5	1650
	21 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	27.7	25.2	22.7	7.7	3.0	6.0	8.1	8.6	11.6	4.8	12.1	22.6	160.1	5	1670
	15 LST	26.9	24.2	25.1	23.4	24.2	19.4	14.5	15.6	21.3	24.5	22.0	26.8	267.9	5	1650
	21 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	27.7	25.2	22.7	7.7	3.0	6.0	8.1	8.4	11.6	4.8	12.1	22.6	159.9	5	1670
	15 LST	26.9	24.2	25.1	23.4	24.2	19.4	14.5	15.6	21.3	24.5	22.0	26.8	267.9	5	1650
	21 LST														0	0

STA NO. 63624 (IN AREA NUMBER 01)

BANDERA, KENYA

LATITUDE 0357N

LONGITUDE 04192E

ELEVATION(FT) 01085

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	99	102	104	103	100	99	99	100	100	98	99	99	104	14	-28
MEAN MAX TMP (F)	95	97	97	95	93	91	90	91	93	91	91	93	93	7	-28
MEAN MIN TMP (F)	74	77	78	78	77	75	74	74	75	75	75	74	76	7	-28
ABS MIN TMP (F)	59	64	66	67	69	65	68	68	69	69	65	61	59	14	-28
MEAN NO DYS TMP = DR GTR 90(F)	22.4	22.4	24.9	22.6	19.8	16.6	15.9	17.2	19.1	17.2	16.6	19.8	233.5	7	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN DEW PT TMP (F)	61	63	64	69	68	63	61	60	61	65	67	64	64	11	-29
MEAN REL HUM (PCT)	49	49	50	60	61	55	53	51	51	59	62	57	55	20	-32
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.04	0.16	0.95	3.27	0.95	0.00	0.00	0.04	0.08	1.69	1.02	0.35	8.5	20	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.2	0.5	2.3	6.4	2.3	0.0	0.0	0.2	0.3	3.3	2.1	0.9	18.5	20	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 20 KTS														0	0
P FREQ LFS 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.6	2.0	0.6	0.0	1.3	1.3	1.3	3.2	2.7	0.0	1.1	5	1781
09-11 LST	0.0	0.7	0.6	2.7	1.3	0.0	0.6	1.3	0.7	1.3	4.7	2.0	1.3	5	1787
12-14 LST	0.0	0.0	0.6	0.7	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.3	5	1792
15-17 LST	0.8	0.0	0.6	1.3	0.0	0.0	0.0	0.0	0.0	0.6	0.7	0.7	0.4	5	1780
18-20 LST	0.0	0.0	0.6	1.3	0.6	0.0	0.0	0.0	0.0	0.6	0.7	0.0	0.3	5	1786
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1781
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1787
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.1	5	1792
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.1	5	1780
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.1	5	1786
21-23 LST														0	0

BANDERA, KENYA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	31.0	27.8	31.0	30.0	31.0	30.0	31.0	30.8	30.0	31.0	29.6	31.0	304.2	5	1787
	15 LST	30.7	28.0	31.0	29.8	31.0	30.0	31.0	31.0	30.0	30.8	29.8	30.8	303.9	5	1780
	21 LST														0	0
	03 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST														0	0
	09 LST	22.0	17.5	20.1	21.9	18.8	4.6	3.8	4.4	9.6	22.1	25.4	22.3	192.5	5	1787
	15 LST	19.1	16.7	22.0	23.6	12.3	2.0	1.4	0.6	5.4	19.6	23.8	18.8	165.3	5	1780
	21 LST														0	0
	03 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
	21 LST														0	0
	03 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
	21 LST														0	0
	03 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	12.2	16.1	10.9	2.8	2.4	3.8	2.8	4.2	4.8	2.0	2.8	11.9	76.7	5	1787
	15 LST	10.6	12.7	7.8	0.0	0.2	0.8	0.2	2.4	3.2	0.4	2.4	7.5	48.2	5	1780
	21 LST														0	0
	03 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	29.7	26.4	28.6	20.7	19.6	21.6	24.2	23.9	22.4	19.5	18.6	26.7	241.9	5	1787
	15 LST	30.5	27.6	30.2	27.4	29.2	28.4	28.8	29.4	28.0	27.0	26.8	29.9	343.2	5	1780
	21 LST														0	0
	03 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	26.7	25.4	21.5	11.5	10.1	14.0	16.4	16.1	15.0	9.5	10.0	22.7	198.9	5	1787
	15 LST	24.2	23.2	19.8	13.7	10.9	7.4	8.8	10.9	13.4	13.2	14.6	23.1	183.2	5	1780
	21 LST														0	0
	03 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	26.7	25.4	21.5	11.5	9.9	14.0	16.2	16.1	15.0	9.5	10.0	22.7	198.5	5	1787
	15 LST	24.2	23.2	19.8	13.7	10.9	7.4	8.8	10.9	13.4	13.2	14.6	23.1	183.2	5	1780
	21 LST														0	0

AREA NO. 01

KENYA	ARID NORTH		LATITUDE 0300N				LONGITUDE 03730E							
	BOUNDARIES	0145N 03900E	0140N 03735E	0140N 03735E	0300N 04059E									
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		93	94	94	90	88	87	86	86	89	89	89	90	90
MEAN MIN TMP (F)		70	72	73	73	72	70	69	68	70	72	71	70	71
LARGEST MEAN PRECIP(IN)		0.43	0.73	2.10	6.96	4.71	0.66	0.65	0.65	1.00	3.77	3.18	1.52	26.4
SMALLEST MEAN PRECIP(IN)		0.04	0.16	0.64	1.62	0.95	0.00	0.00	0.04	0.08	0.27	0.26	0.34	4.4
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST		28.0	31.0	30.0									
	09 LST	30.5	27.7	29.8	29.1	24.1	26.3	26.4	27.4	27.1	26.5	26.6	29.9	327.4
	15 LST	30.3	27.8	30.1	29.5	30.7	29.7	29.8	30.3	29.8	30.8	29.3	30.7	398.0
	21 LST		28.0	31.0										
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST				0.0									
	09 LST	24.0	22.4	23.5	17.6	14.3	9.1	9.8	8.5	10.6	14.8	20.2	23.7	198.5
	15 LST	18.8	16.9	20.7	21.8	19.5	15.5	13.0	12.1	13.8	18.6	19.5	19.6	209.8
	21 LST		28.0	30.0										
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST													
	09 LST													
	15 LST													
	21 LST													
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST													
	09 LST													
	15 LST													
	21 LST													
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST		1.0	0.0	0.0									
	09 LST	15.1	18.5	10.4	3.0	3.5	4.6	2.8	3.8	8.8	4.1	6.1	13.3	93.0
	15 LST	9.9	9.4	5.7	0.8	1.4	2.1	2.5	4.4	6.8	2.1	2.1	7.0	54.2
	21 LST		0.0	0.0										
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST		28.0	30.0	30.0									
	09 LST	29.0	26.4	27.2	19.0	17.3	19.0	20.1	20.8	21.5	18.2	19.8	26.6	264.9
	15 LST	29.5	26.8	28.7	26.8	28.1	26.3	24.8	25.9	27.3	27.8	26.2	29.4	327.6
	21 LST		28.0	30.0										
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST		28.0	30.0	30.0									
	09 LST	27.4	25.3	23.9	15.1	13.5	16.3	16.5	17.5	18.2	14.2	16.5	24.6	229.0
	15 LST	26.1	23.9	23.1	20.0	20.2	17.7	15.6	17.0	20.8	21.2	20.5	25.1	291.2
	21 LST		28.0	30.0										
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST		28.0	30.0	30.0									
	09 LST	27.4	25.3	23.9	15.1	13.4	16.3	16.4	17.4	18.2	14.2	16.5	24.6	228.7
	15 LST	26.1	23.9	23.1	20.0	20.2	17.7	15.6	17.0	20.8	21.2	20.5	25.1	291.2
	21 LST		28.0	30.0										

STA NO. 63661 (IN AREA NUMBER 02)

KITALE, KENYA

LATITUDE 0100N

LONGITUDE 03500E

ELEVATION(FT) 06299

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	88	89	90	89	83	85	79	80	81	89	88	84	90	12	-131
MEAN MAX TMP (F)	81	82	81	80	76	75	73	74	76	77	77	78	78	12	-131
MEAN MIN TMP (F)	52	54	55	56	55	54	53	53	53	53	53	53	54	12	-131
ABS MIN TMP (F)	46	46	45	49	50	47	46	45	46	48	48	44	44	12	-131
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	12	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN DEW PT TMP (F)	44	47	48	52	55	54	54	54	53	50	48	47	51	12	-29
MEAN REL HUM (PCT)	49	51	54	60	72	71	75	74	70	62	58	56	63	12	-131
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.60	1.00	3.10	5.40	6.50	4.60	5.80	6.40	4.10	3.30	2.20	1.10	44.9	24	-131
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.4	4.0	6.2	8.5	9.2	7.8	9.3	10.0	7.1	5.9	4.1	2.5	76.0	24	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.0	5.0	10.0	19.0	23.0	23.0	23.0	24.0	24.0	15.0	7.0	5.0	105.0	4	-131
MEAN NO DYS TSMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	5.0	9.1	11.3	7.5	3.9	4.2	3.5	4.0	1.4	2.1	4.7	3.2	5.4	5	1706
06-08 LST	0.8	7.1	5.2	6.7	5.8	2.7	4.5	2.6	0.7	0.6	5.4	0.6	3.6	5	1764
09-11 LST	0.0	2.7	2.0	5.4	6.5	6.0	5.2	5.2	0.7	0.7	3.3	0.6	3.2	5	1755
12-14 LST	1.6	0.0	2.6	2.7	1.9	2.0	3.2	3.9	1.3	3.9	1.3	0.6	2.1	5	1763
15-17 LST	0.8	1.9	2.0	2.1	4.1	4.5	4.5	5.2	0.7	2.0	3.6	1.3	2.7	5	1692
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	1.7	7.1	7.7	5.4	1.3	1.4	0.6	0.7	0.0	0.0	2.0	1.3	2.4	5	1706
06-08 LST	0.0	4.4	1.3	2.7	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.8	5	1764
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1755
12-14 LST	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1763
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.7	0.7	0.0	0.2	5	1692
18-20 LST														0	0
21-23 LST														0	0

KITALA, KENYA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	31.0	29.0	29.6	28.0	29.6	29.4	30.4	30.6	30.0	30.0	29.2	30.0	335.2	9	1764
	14 LST	31.0	27.2	30.6	29.0	31.0	29.0	30.2	30.0	29.2	30.2	30.0	30.6	339.6	9	1763
	20 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	26.2	20.0	23.5	24.2	26.0	24.6	26.0	25.8	26.2	25.1	22.5	26.4	298.5	9	1763
	14 LST	14.5	10.4	12.7	16.4	15.6	17.4	19.4	16.9	14.8	12.0	16.6	14.2	188.9	9	1763
	20 LST														0	0
SFC WND GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	10.7	10.4	7.2	3.6	6.6	14.2	9.8	10.6	13.2	9.1	9.7	12.0	113.1	9	1764
	14 LST	0.7	1.7	1.2	0.2	0.0	1.0	0.4	0.0	0.0	0.0	0.0	1.6	6.8	9	1763
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	30.0	29.0	29.0	27.4	29.0	28.8	28.2	29.6	29.6	30.4	27.2	30.0	345.0	9	1764
	14 LST	29.0	26.0	27.6	26.8	28.0	26.6	26.6	27.7	28.0	28.2	27.2	28.0	329.7	9	1763
	20 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	29.5	29.0	29.0	27.4	28.8	28.4	27.0	29.0	29.4	30.4	27.2	30.6	341.7	9	1764
	14 LST	15.2	19.6	20.1	21.4	25.4	23.0	21.8	22.8	23.6	22.4	18.8	16.8	250.9	9	1763
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	29.5	29.0	29.0	27.4	28.8	28.4	27.0	29.0	29.4	30.4	27.2	30.6	341.7	9	1764
	14 LST	15.2	19.6	20.1	21.4	25.4	23.0	21.8	22.8	23.6	22.4	18.8	16.8	250.9	9	1763
	20 LST														0	0

STA NO. 63694 (IN AREA NUMBER 02)

NANYUKI, KENYA

LATITUDE 0001N

LONGITUDE 03704E

ELEVATION(FT) 06386

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	82	83	83	81	80	81	79	78	82	81	79	81	83	5	-28
MEAN MAX TMP (F)	77	79	77	74	73	74	72	73	76	75	73	74	75	5	-28
MEAN MIN TMP (F)	45	47	49	51	50	48	47	46	46	47	49	47	48	5	-28
ABS MIN TMP (F)	37	38	43	43	42	42	38	41	41	43	42	40	37	5	-28
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN DEW PT TMP (F)	37	40	41	51	50	46	45	46	42	45	48	45	45	5	-29
MEAN REL HUM (PCT)	45	48	50	69	70	61	63	63	55	60	65	60	59	5	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.50	0.90	1.02	4.66	3.23	1.99	2.65	2.58	1.87	2.51	3.36	1.48	27.5	15	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.2	2.1	4.1	7.9	6.3	3.9	4.9	4.8	3.6	4.6	6.0	3.3	52.7	15	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	2.0	5.0	10.0	10.0	6.0	5.0	5.0	6.0	4.0	3.0	3.0	60.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 20 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST	6.0	4.5	4.8	14.1	6.1	1.4	10.4	9.0	4.1	9.9	16.0	11.1	8.6	5	1699
06-08 LST	0.8	0.7	1.3	4.7	5.2	0.7	5.9	1.9	2.0	6.5	11.3	6.5	4.0	5	1787
09-11 LST	1.7	1.7	3.5	2.8	1.4	0.0	2.7	2.1	3.4	7.9	12.5	3.5	3.6	5	1693
12-14 LST	1.6	1.4	4.5	6.7	1.3	3.3	5.2	4.5	6.7	10.3	12.2	5.3	5.3	5	1788
15-17 LST	3.8	2.1	4.0	8.7	3.9	2.3	6.9	9.6	4.5	12.2	13.7	5.9	6.5	5	1507
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	2.1	0.7	0.3	5	1699
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.6	0.1	5	1787
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1693
12-14 LST	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.1	5	1788
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.1		5	1507
18-20 LST														0	0
21-23 LST														0	0

NANYUKI, KE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO.
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	31.0	28.0	30.8	29.6	30.6	30.0	30.4	31.0	30.0	30.6	28.8	30.2	301.0	5	1787
	14 LST	31.0	28.0	30.8	30.0	30.6	30.0	31.0	31.0	29.8	30.8	29.6	30.8	303.4	5	1788
	20 LST														0	0
															0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	28.5	25.6	27.6	25.6	23.5	19.6	21.7	25.9	24.8	25.0	23.8	25.4	303.0	5	1787
	14 LST	16.7	8.9	10.2	15.8	13.9	14.0	11.4	13.8	14.2	13.2	14.2	9.6	155.9	5	1788
	20 LST														0	0
															0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
															0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
															0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	10.7	12.5	6.6	6.6	7.5	11.6	9.1	9.5	14.8	9.2	4.6	7.0	105.7	5	1786
	14 LST	0.7	2.6	1.4	0.7	0.6	1.4	1.2	0.8	1.0	0.0	0.2	0.0	9.9	5	1788
	20 LST														0	0
															0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	29.7	27.2	30.0	26.4	27.3	29.0	26.7	28.8	28.6	27.2	21.6	26.2	328.7	5	1787
	14 LST	28.5	26.6	26.8	23.8	27.0	25.2	24.0	26.4	24.2	22.4	20.5	26.3	301.7	5	1788
	20 LST														0	0
															0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	28.7	26.4	28.8	24.8	26.5	27.8	23.7	27.6	28.6	26.4	18.4	25.0	312.7	5	1787
	14 LST	18.2	16.7	15.8	15.0	19.5	17.2	13.2	17.2	16.0	11.8	13.0	14.6	188.2	5	1788
	20 LST														0	0
															0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	28.7	26.4	28.8	24.8	26.5	27.8	23.7	27.6	28.6	26.4	18.4	24.8	312.5	5	1787
	14 LST	18.2	16.7	15.8	15.0	19.5	17.2	13.2	17.2	16.0	11.8	13.0	14.6	188.2	5	1788
	20 LST														0	0
															0	0

KISUMU, KENYA

STA NO. 63708 (IN AREA NUMBER 02)

LATITUDE 0055

LONGITUDE 03444E

ELEVATION(FT) 03795

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
ABS MAX TMP (F)	97	98	98	98	93	89	91	97	93	94	98	98	98	20	-528
MEAN MAX TMP (F)	85	84	83	82	81	80	80	81	83	83	85	84	83	20	-28
MEAN MIN TMP (F)	65	66	66	65	65	63	63	63	63	64	65	64	64	20	-28
ABS MIN TMP (F)	57	57	59	60	59	55	56	54	54	55	56	56	54	20	-528
MEAN NO DYS TMP - DR GTR 90(F)	9.4	7.4	7.0	5.7	4.8	0.0		4.8	6.7	9.4	9.0	8.2		20	-29
MEAN NO DYS TMP - DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS TMP - DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN DEW PT TMP (F)	60	61	62	64	63	61	60	60	60	61	61	61	61	5	40886
MEAN REL HUM (PCT)	51	52	57	63	67	65	64	62	57	51	53	51	58	10	-28
MEAN PRESS ALT (FT)	3900	3900	3900	3850	3800	3750	3750	3750	3800	3800	3800	3850	3821	0	-50
MEAN PRECIP (IN)	1.90	3.20	5.50	7.50	6.10	3.30	2.30	3.00	2.50	2.20	3.40	4.00	44.9	40	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS PRCP - DR GTR 0.1 IN	4.2	5.8	8.6	9.6	9.0	6.0	4.4	5.5	4.6	4.1	6.0	8.2	77.0	40	-29
MEAN NO DYS SNFL - DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	5	1026
MEAN NO DYS TSTMS	6.0	7.0	10.0	16.0	21.0	16.0	13.0	16.0	17.0	13.0	12.0	9.0	158.0	10	-24
P FREQ WND SPD - DR GTR 17 KTS	4.0	3.5	3.0	1.0	0.8	0.8	0.8	1.4	1.8	1.8	1.6	2.1	1.9	5	41909
P FREQ WND SPD - DR GTR 28 KTS	0.1	0.1	0.2	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.0	0.0	0.1	5	41909
P FREQ LES 5000 FT A/D LES 5 MI	5.9	6.6	8.6	9.0	8.2	8.3	10.0	10.1	13.5	13.7	11.6	9.1	9.6	5	41909
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	0.3	0.2	0.3	0.4	0.0	0.2	0.6	1.3	0.0	1.1	0.7	0.5	5	5195
03-05 LST	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.2	0.1	5	5203
06-08 LST	0.2	0.5	0.3	0.3	0.2	0.2	0.0	0.0	0.0	0.2	0.4	0.2	0.2	5	5208
09-11 LST	0.0	0.7	0.2	0.0	0.2	0.0	0.0	0.2	0.0	0.2	0.4	0.2	0.2	5	5277
12-14 LST	0.0	0.9	0.1	0.7	0.4	0.2	0.0	0.0	0.9	0.6	1.1	0.0	0.4	9	5430
15-17 LST	0.2	0.9	1.7	1.8	0.9	0.7	0.4	1.1	1.6	0.4	1.3	0.2	0.9	5	5287
18-20 LST	0.3	1.5	2.2	1.8	2.4	0.7	0.4	0.0	1.1	0.0	1.6	2.1	1.2	5	5210
21-23 LST	0.0	0.5	1.5	1.3	1.3	0.0	0.4	0.6	1.3	0.6	1.2	0.8	0.8	5	5086
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	5195
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	5203
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	5208
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	5277
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	5430
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.1	5	5287
18-20 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	5210
21-23 LST	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	5086

KISUMU, KENYA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	30.8	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	30.8	364.6	5	1826
	08 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	365.0	5	1826
	14 LST	31.0	28.0	30.8	30.0	30.8	30.0	31.0	31.0	29.8	31.0	29.8	30.8	364.0	9	1973
	20 LST	31.0	28.0	30.8	29.6	31.0	30.0	31.0	31.0	30.0	30.0	30.0	30.4	363.8	5	1826
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	29.2	27.8	30.2	29.6	31.0	29.8	30.8	30.4	29.4	30.4	29.6	30.2	356.4	5	1826
	08 LST	29.8	27.4	30.4	29.6	30.8	29.6	30.4	31.0	29.8	30.4	29.4	29.8	358.4	5	1826
	14 LST	11.9	6.6	10.7	18.1	21.9	19.6	20.1	19.0	15.5	15.3	16.8	12.5	188.0	9	1963
	20 LST	28.4	26.0	28.4	28.0	29.2	29.0	29.4	29.8	28.2	28.4	28.4	28.0	341.2	5	1826
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	6.2	7.0	4.7	2.3	0.0	0.0	3.9	0.0	0.0	0.0	0.0	0.0	24.1	4	148
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	12.4	3.7	4.7	13.8	22.1	10.9	15.5	14.3	14.0	12.4	17.6	9.1	150.5	4	144
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	15.8	11.9	10.4	8.0	7.0	11.4	7.2	8.2	12.0	9.0	10.8	10.6	122.3	5	1826
	08 LST	9.6	9.7	7.6	4.2	6.6	13.0	7.2	8.6	10.8	7.4	7.2	9.2	101.1	5	1826
	14 LST	2.6	4.6	2.2	1.4	2.8	4.3	2.3	2.0	0.9	0.4	0.9	1.8	26.2	9	1981
	20 LST	9.0	6.9	5.2	1.2	3.8	4.6	5.6	5.4	3.2	1.0	2.4	3.2	53.5	5	1826
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	30.4	27.4	30.0	29.0	30.4	29.2	29.8	29.8	28.4	30.4	29.0	30.4	354.2	5	1826
	08 LST	30.8	27.6	30.2	29.0	30.6	29.6	31.0	30.8	29.8	30.8	29.4	30.4	360.0	5	1826
	14 LST	30.8	27.3	29.1	28.7	30.2	29.3	31.0	30.6	28.5	29.0	28.9	30.4	353.8	9	1973
	20 LST	30.4	27.2	28.4	26.2	29.6	29.2	30.0	29.6	28.0	29.8	28.2	29.2	347.8	5	1826
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	29.2	26.6	28.4	26.6	27.0	26.4	25.8	25.8	24.2	28.6	27.2	28.4	324.2	5	1826
	08 LST	30.0	27.0	29.6	28.6	30.6	29.4	30.0	30.4	29.8	30.6	29.4	30.0	355.4	5	1826
	14 LST	30.1	26.4	28.8	28.2	29.9	29.1	30.0	30.2	27.4	26.6	28.1	29.0	343.8	9	1973
	20 LST	27.8	25.8	26.2	24.6	27.6	26.8	27.4	25.8	21.8	21.4	22.0	25.2	302.6	5	1826
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	29.2	26.6	28.4	26.6	27.0	26.4	25.8	25.8	24.2	28.6	27.2	28.4	324.2	5	1826
	08 LST	30.0	27.0	29.6	28.6	30.6	29.4	30.0	30.4	29.8	30.6	29.4	30.0	355.4	5	1826
	14 LST	30.1	26.4	28.8	28.2	29.9	29.1	30.0	30.2	27.4	26.6	28.1	29.0	343.8	9	1973
	20 LST	27.8	25.8	26.2	24.6	27.6	26.8	27.6	25.8	21.8	21.4	22.0	25.2	302.6	5	1826

STA NO. 63712/ (IN AREA NUMBER 02)

EQUATOR, KENYA

LATITUDE 00015

LONGITUDE 03533E

ELEVATION(FT) 09062

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	73	73	77	75	73	68	66	69	69	72	72	71	77	14	-28
MEAN MAX TMP (F)	68	69	69	67	65	63	60	61	64	66	65	65	65	7	-28
MEAN MIN TMP (F)	46	47	47	48	48	47	47	46	46	46	47	46	47	7	-28
ABS MIN TMP (F)	38	40	42	40	41	41	39	41	42	41	40	41	38	14	-28
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN DEN PT TMP (F)	38	39	41	43	45	44	47	45	40	41	43	42	43	7	-29
MEAN REL HUM (PCT)	54	53	57	66	69	70	79	76	62	61	69	64	65	7	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.87	1.10	2.62	7.09	5.73	4.98	6.25	7.99	4.29	2.05	2.21	1.90	46.7	16	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.0	2.5	5.3	9.5	8.8	8.3	9.8	11.2	7.3	3.9	4.1	4.2	77.1	16	-29
MEAN NO DYS SNFL = DR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.0	4.0	7.0	13.0	19.0	19.0	21.0	22.0	19.0	8.0	3.0	3.0	142.0	10	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR CTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 3 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	30.1	21.4	25.0	40.3	29.5	14.7	33.6	23.5	6.9	22.7	66.4	50.4	30.4	4	1366
06-08 LST	19.4	22.4	22.6	30.8	27.0	20.0	32.5	28.5	5.9	19.4	43.7	34.1	25.5	4	1395
09-11 LST	14.6	22.6	25.8	28.3	35.8	39.0	50.8	45.0	26.3	23.7	29.8	31.5	30.6	4	1360
12-14 LST	16.4	21.7	21.8	31.1	37.1	31.8	46.9	36.0	24.3	27.5	26.7	27.8	29.1	4	1288
15-17 LST	5.0	0.0	26.7	36.0	61.3	39.0	36.7	20.0	20.0	22.2	24.5	18.9	27.0	3	402
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	18.3	6.0	14.5	22.7	13.9	4.3	8.4	4.2	2.6	11.8	45.7	38.7	15.9	4	1366
06-08 LST	2.2	1.2	2.4	4.2	2.5	4.2	3.3	3.3	0.0	2.4	6.7	11.4	3.7	4	1395
09-11 LST	0.0	0.0	0.0	0.8	0.0	0.9	2.5	0.0	0.0	0.0	0.9	2.4	0.6	4	1360
12-14 LST	0.0	0.0	0.0	0.0	3.4	2.7	4.4	1.8	0.9	0.0	1.0	2.6	1.4	4	1288
15-17 LST	0.0	0.0	0.0	3.3	6.5	3.4	10.0	0.0	3.3	8.3	4.1	1.9	3.4	3	402
18-20 LST														0	0
21-23 LST														0	0

EQUATOR, KENYA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	27.3	23.4	27.0	24.5	25.9	25.7	24.4	26.4	29.5	27.5	20.7	23.2	305.5	4	1995
	14 LST	30.1	26.3	28.7	29.0	29.1	27.8	25.0	28.6	29.4	29.6	29.1	29.1	341.8	4	1288
	20 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	1.3	0.3	1.5	1.0	5.0	13.2	11.6	13.6	12.6	4.2	0.8	0.7	66.6	4	1995
	14 LST	1.3	0.3	0.7	0.2	1.1	1.9	2.2	7.1	2.4	2.3	0.6	0.2	20.3	4	1288
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	4.0	4.9	2.2	2.0	2.3	0.5	1.7	3.5	10.1	4.7	2.0	2.3	48.2	4	1997
	14 LST	0.4	1.7	1.2	0.0	0.2	1.4	0.0	0.0	0.3	0.6	0.0	0.0	5.0	4	1288
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	22.7	20.4	21.0	17.5	19.3	22.0	16.4	17.9	27.2	21.5	13.4	18.1	237.4	4	1995
	14 LST	16.6	14.8	15.5	10.8	9.6	12.0	5.5	10.9	13.9	11.1	12.5	13.5	146.3	4	1288
	20 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	22.7	20.4	21.0	17.3	18.5	21.0	15.3	17.4	26.5	20.0	12.8	18.1	231.0	4	1995
	14 LST	10.6	12.5	12.0	9.8	9.1	10.6	4.1	10.3	11.6	8.2	10.1	11.3	120.2	4	1288
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	22.7	20.4	21.0	17.3	18.5	21.0	15.3	17.4	26.5	20.0	12.8	18.1	231.0	4	1995
	14 LST	10.6	12.5	12.0	9.8	9.1	10.6	4.1	10.3	11.6	8.2	10.1	11.3	120.2	4	1288
	20 LST														0	0

EASTLEIGH, KENYA

STA NO. 63739 (IN AREA NUMBER 02)

LATITUDE 0116S

LONGITUDE 03651E

ELEVATION(FT) 05900

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	87	88	88	84	82	83	79	81	84	86	85	84	88	15	-528
MEAN MAX TMP (F)	77	79	77	75	72	70	69	70	75	76	74	74	74	15	-28
MEAN MIN TMP (F)	54	55	57	58	56	53	51	52	52	55	56	55	55	15	-28
ABS MIN TMP (F)	47	48	49	52	48	45	43	44	41	45	43	47	41	15	-528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN DEW PT TMP (F)	55	54	57	60	59	55	54	54	54	55	58	58	56	5	43700
MEAN REL HUM (PCT)	59	57	63	72	75	73	70	73	64	63	75	67	68	15	-28
MEAN PRESS ALT (FT)	5450	5450	5450	5450	5400	5350	5350	5350	5400	5400	5400	5450	5400	0	-50
MEAN PRECIP (IN)	1.39	1.57	4.48	8.30	5.13	1.76	0.94	0.82	0.98	2.11	4.51	2.67	34.3	29	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.1	3.5	7.8	9.9	8.3	3.5	1.2	1.7	2.0	4.0	7.6	5.8	58.4	29	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.4	3.4	4.8	8.2	5.4	1.0	1.0	0.8	1.8	3.4	3.4	13.4	31.0	5	1825
MEAN NO DYS TSMS	1.0	2.0	4.0	5.0	3.0	2.0	1.0	1.0	1.0	1.0	1.0	3.0	25.0	10	-24
P FREQ WND SPD = DR GTR 17 KTS	4.3	6.0	4.8	1.3	0.1	0.0	0.1	0.1	0.6	1.1	1.6	4.4	2.0	5	43718
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	5	43718
P FREQ LES 3000 FT A/D LES 5 MI	23.7	17.0	24.9	35.1	37.3	39.4	46.6	54.2	40.3	37.0	37.6	32.7	35.5	5	43453
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	11.6	4.5	8.6	30.5	27.5	12.2	14.7	9.0	16.7	20.3	29.2	32.5	18.1	5	5434
03-05 LST	14.7	10.6	24.3	40.2	25.5	16.7	19.7	14.6	22.3	30.5	43.7	38.3	24.8	5	5434
06-08 LST	9.9	12.6	18.0	25.1	20.9	13.3	17.9	11.4	14.3	20.7	29.2	21.8	17.9	5	5434
09-11 LST	2.5	1.9	2.6	2.0	4.3	3.8	8.6	3.7	3.1	2.6	5.1	2.6	3.7	5	5425
12-14 LST	0.4	0.2	0.8	1.0	1.1	1.3	1.3	1.3	1.0	0.6	1.5	0.6	0.9	10	7233
15-17 LST	0.2	0.2	1.3	0.4	1.1	2.0	2.6	0.4	0.4	0.6	0.7	0.9	0.9	5	5436
18-20 LST	2.8	0.5	0.9	2.7	4.1	2.0	2.8	0.6	0.7	1.3	6.7	6.7	2.7	5	5439
21-23 LST	6.0	1.4	0.9	13.8	17.5	4.9	7.5	2.6	3.8	5.2	17.6	23.3	8.7	5	5434
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.7	1.0	1.5	9.9	7.7	1.3	0.9	0.4	2.4	4.1	11.4	16.6	5.1	5	5434
03-05 LST	5.8	4.0	11.0	22.5	13.2	4.2	2.8	1.3	4.2	11.0	25.2	22.6	10.7	5	5434
06-08 LST	2.1	4.7	5.6	6.5	3.4	2.7	3.0	0.9	2.2	3.2	7.1	5.2	3.9	5	5434
09-11 LST	0.0	0.2	0.2	0.0	0.0	0.2	0.2	0.0	0.2	0.4	0.4	0.0	0.2	5	5425
12-14 LST	0.0	0.0	0.0	0.2	0.3	0.2	0.0	0.0	0.0	0.0	0.5	0.0	0.1	10	7233
15-17 LST	0.0	0.0	0.2	0.2	0.0	0.4	0.6	0.0	0.0	0.0	0.0	0.2	0.1	5	5436
18-20 LST	1.2	0.0	0.0	0.7	0.2	0.2	0.4	0.0	0.0	0.9	0.9	0.9	0.5	5	5439
21-23 LST	0.9	0.0	0.0	3.8	5.0	0.4	1.7	0.0	0.0	2.2	3.3	8.2	2.1	5	5434

EASTLEIGH, KENYA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	27.6	26.8	20.2	20.0	22.8	27.8	27.8	30.2	25.6	24.4	20.4	19.8	301.4	5	1826
	08 LST	30.6	27.4	29.4	28.4	29.2	28.6	27.0	29.8	29.2	29.6	27.4	29.8	346.4	5	1826
	14 LST	30.9	28.0	30.8	29.7	30.6	30.0	30.8	30.7	29.7	30.8	29.4	30.8	362.2	10	3625
	20 LST	30.2	27.8	30.6	28.6	30.2	29.4	30.4	31.0	30.0	30.2	27.2	29.2	355.2	5	1826
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	25.2	25.4	25.8	16.8	20.4	23.0	23.8	24.8	20.8	21.0	18.0	17.6	262.6	5	1826
	08 LST	12.0	15.3	15.6	16.6	20.8	23.4	20.8	23.2	21.8	21.8	15.6	14.2	221.1	5	1826
	14 LST	5.1	4.0	5.2	9.6	16.6	21.0	21.2	20.2	16.1	9.6	7.9	4.8	141.3	10	3625
	20 LST	25.2	22.8	25.6	27.0	28.4	27.6	28.0	28.6	27.8	24.2	20.8	23.4	309.4	5	1826
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	2.7	3.9	5.2	0.8	0.4	0.0	0.4	0.0	0.6	1.4	0.6	1.6	17.6	5	1804
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	11.2	9.7	5.2	7.4	13.4	21.4	23.4	20.2	20.6	13.9	10.7	6.0	163.1	5	1802
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	11.4	14.9	9.8	3.6	3.4	6.6	6.2	4.6	6.6	2.8	1.8	4.2	75.9	5	1826
	08 LST	5.0	6.3	3.0	0.4	0.6	2.6	2.4	1.2	2.8	1.4	1.0	2.4	31.1	5	1826
	14 LST	5.1	6.3	2.3	0.3	0.3	0.7	0.3	0.6	0.6	0.5	0.6	2.8	20.4	10	3628
	20 LST	10.0	12.1	9.6	9.6	6.8	6.8	3.6	4.2	12.8	11.0	7.6	7.0	101.1	5	1826
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	24.2	24.6	25.2	17.0	19.6	21.6	21.0	21.4	17.8	20.2	18.4	17.4	248.4	5	1826
	08 LST	25.0	22.8	19.4	15.2	17.8	21.6	21.0	21.6	20.2	19.8	16.6	21.2	242.2	5	1826
	14 LST	30.4	27.0	29.1	27.3	26.8	26.5	26.6	25.7	26.9	29.0	27.7	28.9	331.9	10	3625
	20 LST	26.8	26.8	29.2	26.4	27.0	27.0	26.8	28.2	28.6	28.8	23.2	24.6	323.4	5	1826
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	21.8	23.0	22.8	16.0	17.8	18.6	16.8	14.2	14.8	16.2	17.4	17.2	216.6	5	1826
	08 LST	22.6	21.0	16.8	11.8	14.4	18.8	18.6	17.6	16.4	13.6	13.0	10.6	202.4	5	1826
	14 LST	27.3	24.1	24.1	22.9	18.8	14.4	13.4	10.9	13.6	10.2	20.6	23.9	230.2	10	3625
	20 LST	21.4	22.2	23.8	22.2	21.2	17.4	12.8	11.0	19.8	22.8	19.8	21.2	235.6	5	1826
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	21.8	22.8	22.8	16.0	17.8	18.4	16.8	14.0	14.8	16.2	17.4	17.2	216.0	5	1826
	08 LST	22.6	21.0	16.8	11.8	14.4	18.8	18.6	17.6	16.4	13.6	13.0	10.6	202.4	5	1826
	14 LST	27.3	24.1	24.0	22.9	18.7	14.4	13.4	10.9	13.6	16.0	20.6	23.9	229.8	10	3625
	20 LST	21.4	22.2	23.8	22.2	21.2	17.2	12.4	11.0	19.8	22.8	19.8	21.2	235.0	5	1826

NAIROBI CITY, KENYA

STA NO. 63740 (IN AREA NUMBER 02)

LATITUDE 0119S

LONGITUDE 03655E

ELEVATION(FT) 05327

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	87	88	88	84	82	83	79	81	84	86	85	84	88	15	-63739
MEAN MAX TMP (F)	77	79	77	75	72	70	69	70	75	76	74	74	74	15	-63739
MEAN MIN TMP (F)	54	55	57	58	54	53	51	52	52	55	56	55	55	15	-63739
ABS MIN TMP (F)	47	48	49	51	48	45	43	44	41	45	43	47	41	15	-63739
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN DEW PT TMP (F)	55	54	57	60	59	55	54	54	54	55	58	58	56	5	-63739
MEAN REL HUM (PCT)	59	57	63	72	75	75	70	73	64	63	73	67	68	15	-63739
MEAN PRESS ALT (FT)	5086	5086	5079	5063	5037	5011	5011	5024	5034	5050	5079	5079	5053	0	-50
MEAN PRECIP (IN)	1.39	1.57	4.48	8.30	5.13	1.76	0.54	0.82	0.98	2.11	4.51	2.67	34.3	29	-63739
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.1	3.5	7.8	9.9	8.3	3.5	1.2	1.7	2.0	4.0	7.6	5.8	58.4	29	-29
MEAN NO DYS SNFL = DR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	4.4	3.4	4.8	8.2	5.4	1.0	1.0	0.8	1.8	3.4	3.4	13.4	51.0	9	-63739
MEAN NO DYS TSTMS	1.0	2.0	4.0	5.0	3.0	2.0	1.0	1.0	1.0	1.0	1.0	3.0	25.0	10	-63739
P FREQ WND SPD = DR GTR 17 KTS	4.3	6.0	4.8	1.3	0.1	0.0	0.1	0.1	0.6	1.1	1.6	4.4	2.0	5	-63739
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	5	-63739
P FREQ LES 5000 FT A/D LES 5 MI	23.7	17.0	24.9	35.1	37.3	39.4	46.6	54.2	40.3	37.0	37.6	32.7	35.5	5	-63739
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	11.6	4.5	8.6	30.5	27.5	12.2	14.7	9.0	16.7	20.3	29.2	32.5	18.1	5	-63739
03-05 LST	14.7	10.6	24.3	40.2	25.5	16.7	15.7	14.6	22.3	30.5	43.7	38.3	24.8	5	-63739
06-08 LST	9.9	12.6	18.0	25.1	20.9	10.3	17.9	11.4	14.3	20.7	29.2	21.8	17.9	5	-63739
09-11 LST	2.5	1.9	2.6	2.0	4.3	9.8	8.6	3.7	3.1	2.6	5.1	2.6	3.7	5	-63739
12-14 LST	0.4	0.2	0.8	1.0	1.1	1.3	1.3	1.3	1.0	0.6	1.5	0.6	0.9	10	-63739
15-17 LST	0.2	0.2	1.5	0.4	1.1	2.0	2.6	0.4	0.3	0.6	0.7	0.9	0.9	5	-63739
18-20 LST	2.8	0.5	0.9	2.7	4.1	2.0	2.8	0.6	0.7	1.3	6.7	6.7	2.7	5	-63739
21-23 LST	6.0	1.4	0.9	13.8	17.5	4.9	7.5	2.6	3.8	5.2	17.6	23.3	8.7	5	-63739
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.7	1.0	1.5	9.9	7.7	1.3	0.9	0.4	2.4	4.1	11.4	16.6	5.1	5	-63739
03-05 LST	5.8	4.0	11.0	22.5	13.2	4.2	2.8	1.3	4.2	11.0	25.2	22.6	10.7	5	-63739
06-08 LST	2.1	4.7	5.6	6.5	3.4	2.7	3.0	0.9	2.2	3.2	7.1	5.2	3.9	5	-63739
09-11 LST	0.0	0.2	0.2	0.0	0.0	0.2	0.2	0.0	0.2	0.4	0.4	0.0	0.2	5	-63739
12-14 LST	0.0	0.0	0.0	0.2	0.3	0.2	0.0	0.0	0.0	0.0	0.5	0.0	0.1	10	-63739
15-17 LST	0.0	0.0	0.2	0.2	0.0	0.4	0.6	0.0	0.0	0.0	0.0	0.2	0.1	5	-63739
18-20 LST	1.2	0.0	0.0	0.7	0.2	0.2	0.4	0.0	0.0	0.9	0.9	0.9	0.5	5	-63739
21-23 LST	0.9	0.0	0.0	3.8	5.0	0.4	1.7	0.0	0.0	2.2	3.3	8.2	2.1	5	-63739

NAIROBI CITY, KENYA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	27.6	26.8	28.2	20.0	22.8	27.8	27.8	30.2	29.6	24.4	20.4	19.8	301.4	5	-63739
	08 LST	30.6	27.4	29.4	28.4	29.2	28.6	27.0	29.8	29.2	29.6	27.4	29.8	346.4	5	-63739
	14 LST	30.9	28.0	30.8	29.7	30.6	30.0	30.8	30.7	29.7	30.8	29.4	30.8	362.2	10	-63739
	20 LST	30.2	27.8	30.6	28.6	30.2	29.8	30.4	31.0	30.0	30.2	27.2	29.2	399.2	5	-63739
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	25.2	25.4	25.8	16.8	20.4	23.0	23.8	24.8	20.8	21.0	18.0	17.6	262.6	5	-63739
	08 LST	12.0	15.3	15.6	16.6	20.8	23.4	20.8	23.2	21.8	21.8	15.6	14.2	221.1	5	-63739
	14 LST	5.1	4.0	5.2	9.6	16.6	21.0	21.2	20.2	16.1	9.6	7.9	4.8	141.3	10	-63739
	20 LST	25.2	22.8	25.6	27.0	28.4	27.6	28.0	28.6	27.8	24.2	20.8	23.4	309.4	5	-63739
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	2.7	3.9	5.2	0.8	0.4	0.0	0.4	0.0	0.6	1.4	0.6	1.6	17.6	5	-63739
	20 LST														0	0
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	11.2	9.7	5.2	7.4	13.4	21.4	23.4	20.2	20.6	13.9	10.7	6.0	163.1	5	-63739
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	11.4	14.9	9.8	3.6	3.4	6.6	6.2	4.6	6.6	2.8	1.8	4.2	75.9	5	-63739
	08 LST	5.0	8.3	3.0	0.4	0.6	2.6	2.4	1.2	2.8	1.4	1.0	2.4	31.1	5	-63739
	14 LST	5.1	6.3	2.3	0.3	0.3	0.7	0.3	0.6	0.6	0.5	0.6	2.8	20.4	10	-63739
	20 LST	10.0	12.1	9.6	9.6	6.8	6.8	3.6	4.2	12.8	11.0	7.6	7.0	101.1	5	-63739
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	24.2	24.6	25.2	17.0	19.6	21.6	21.0	21.4	17.8	20.2	18.4	17.4	248.4	5	-63739
	08 LST	25.0	22.8	19.4	15.2	17.8	21.6	21.0	21.6	20.2	19.8	16.6	21.2	242.2	5	-63739
	14 LST	30.4	27.0	29.1	27.3	26.8	26.5	26.6	25.7	26.9	29.0	27.7	28.7	331.9	10	-63739
	20 LST	26.8	26.8	29.2	26.4	27.0	27.0	26.6	28.2	28.6	25.8	23.2	24.6	323.4	5	-63739
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	21.8	23.0	22.8	16.0	17.8	18.6	16.8	14.2	14.8	16.2	17.4	17.2	216.6	5	-63739
	08 LST	22.6	21.0	16.0	11.8	14.4	18.8	18.6	17.6	16.4	13.6	13.0	18.6	202.4	5	-63739
	14 LST	27.3	24.1	24.1	22.9	18.8	14.4	13.4	10.9	13.6	16.2	20.6	23.9	230.2	10	-63739
	20 LST	21.4	22.2	23.8	22.2	21.2	17.4	12.8	11.0	19.8	22.8	19.8	21.2	235.6	5	-63739
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	21.8	22.8	22.8	16.0	17.8	18.4	16.8	14.0	14.8	16.2	17.4	17.2	216.0	5	-63739
	08 LST	22.6	21.0	16.0	11.8	14.4	18.8	18.6	17.6	16.4	13.6	13.0	18.6	202.4	5	-63739
	14 LST	27.3	24.1	24.0	22.9	18.7	14.4	13.4	10.9	13.6	16.0	20.6	23.9	229.8	10	-63739
	20 LST	21.4	22.2	23.8	22.2	21.2	17.2	12.4	11.0	19.8	22.8	19.8	21.2	235.0	5	-63739

WILSON/NAIROBI, KENYA

STA NO. 63742 (IN AREA NUMBER 02)

LATITUDE 0120S

LONGITUDE 03640E

ELEVATION(FT) 05925

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	085
ABS MAX TMP (F)	87	88	88	84	82	83	79	81	84	86	85	84	88	15	-63739
MEAN MAX TMP (F)	77	79	77	75	72	70	69	70	75	76	74	74	74	15	-63739
MEAN MIN TMP (F)	54	55	57	58	56	53	51	52	52	55	56	55	55	15	-63739
ABS MIN TMP (F)	47	48	49	52	48	45	43	44	41	45	43	47	41	15	-63739
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN DEW PT TMP (F)	55	54	57	60	59	55	54	54	54	55	58	58	56	5	-63739
MEAN REL HUM (PCT)	59	57	63	72	75	75	70	73	64	63	75	67	68	15	-63739
MEAN PRESS ALT (FT)	5600	5600	5600	5550	5550	5500	5500	5500	5550	5550	5550	5550	5550	0	-50
MEAN PRECIP (IN)	1.39	1.57	4.48	8.30	5.13	1.76	0.54	0.82	0.98	2.11	4.51	2.67	34.3	29	-63739
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.1	3.5	7.8	9.9	8.3	3.5	1.2	1.7	2.0	4.0	7.6	5.8	58.4	29	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.4	3.4	4.8	8.2	5.4	1.0	1.0	0.8	1.8	3.4	3.4	13.4	51.0	5	-63739
MEAN NO DYS TSTMS	1.0	2.0	4.0	5.0	3.0	2.0	1.0	1.0	1.0	1.0	1.0	3.0	25.0	10	-63739
P FREQ WND SPD = DR GTR 17 KTS	4.3	6.0	4.8	1.3	0.1	0.0	0.1	0.1	0.6	1.1	1.6	4.4	2.0	5	-63739
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	5	-63739
P FREQ LES 3000 FT A/D LES 5 MI	23.7	17.0	24.9	35.1	37.3	39.4	46.6	54.2	40.3	37.0	37.6	32.7	35.5	5	-63739
P FREQ LES 1500 FT A/D LES 3 MI														5	-63739
FOR 00-02 LST	11.6	4.5	8.6	30.5	27.5	12.2	14.7	9.0	16.7	20.3	29.2	32.5	18.1	5	-63739
03-05 LST	14.7	10.6	24.3	40.2	25.5	16.7	15.7	14.6	22.3	30.5	43.7	38.3	24.8	5	-63739
06-08 LST	9.9	12.6	18.0	25.1	20.9	13.3	17.9	11.4	14.3	20.7	29.2	21.8	17.9	5	-63739
09-11 LST	2.5	1.9	2.6	2.0	4.3	5.8	8.6	3.7	3.1	2.6	5.1	2.6	3.7	5	-63739
12-14 LST	0.4	0.2	0.8	1.0	1.1	1.3	1.3	1.3	1.0	0.6	1.9	0.6	0.9	10	-63739
15-17 LST	0.2	0.2	1.5	0.4	1.1	2.0	2.6	0.4	0.4	0.6	0.7	0.9	0.9	5	-63739
18-20 LST	2.8	0.5	0.9	2.7	4.1	2.0	2.8	0.6	0.7	1.3	6.7	6.7	2.7	5	-63739
21-23 LST	6.0	1.4	0.9	13.8	17.5	4.9	7.5	2.6	3.8	5.2	17.6	23.3	8.7	5	-63739
P FREQ LES 300 FT A/D LES 1 MI														5	-63739
FOR 00-02 LST	3.7	1.0	1.3	9.9	7.7	1.3	0.9	0.4	2.4	4.1	11.4	16.6	5.1	5	-63739
03-05 LST	5.8	4.0	11.0	22.5	13.2	4.2	2.8	1.3	4.2	11.0	25.2	22.6	10.7	5	-63739
06-08 LST	2.1	4.7	5.6	6.5	3.4	2.7	3.0	0.9	2.2	3.2	7.1	5.2	3.9	5	-63739
09-11 LST	0.0	0.2	0.2	0.0	0.0	0.2	0.2	0.0	0.2	0.4	0.4	0.0	0.2	5	-63739
12-14 LST	0.0	0.0	0.0	0.2	0.3	0.2	0.0	0.0	0.0	0.0	0.5	0.0	0.1	10	-63739
15-17 LST	0.0	0.0	0.2	0.2	0.0	0.4	0.6	0.0	0.0	0.0	0.0	0.2	0.1	5	-63739
18-20 LST	1.2	0.0	0.0	0.7	0.2	0.2	0.4	0.0	0.0	0.9	0.9	0.9	0.5	5	-63739
21-23 LST	0.9	0.0	0.0	3.8	5.0	0.4	1.7	0.0	0.0	2.2	3.3	8.2	2.1	5	-63739

WILSON/NAIROBI, KENYA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	27.6	26.8	28.2	20.0	22.8	27.8	27.8	30.2	25.6	24.4	20.4	19.8	301.4	5	-63739
	08 LST	30.6	27.4	29.4	28.4	29.2	28.6	27.0	29.8	29.2	29.6	27.4	29.8	346.4	5	-63739
	14 LST	30.9	28.0	30.8	29.7	30.6	30.0	30.8	30.7	29.7	30.8	29.4	30.8	362.2	10	-63739
	20 LST	30.2	27.8	30.6	28.6	30.2	29.8	30.4	31.0	30.0	30.2	27.2	29.2	355.2	5	-63739
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	25.2	25.4	25.8	16.8	20.4	23.0	23.8	24.8	20.8	21.0	18.0	17.6	262.6	5	-63739
	08 LST	12.0	15.3	15.6	16.6	20.8	23.4	20.8	23.2	21.8	21.8	15.6	14.2	221.1	5	-63739
	14 LST	5.1	4.0	5.2	9.6	16.6	21.0	21.2	20.2	16.1	9.6	7.9	4.8	141.3	10	-63739
	20 LST	25.2	22.8	25.6	27.0	28.4	27.6	28.0	28.6	27.8	24.2	20.8	23.4	309.4	5	-63739
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	2.7	3.9	5.2	0.8	0.4	0.0	0.4	0.0	0.6	1.4	0.6	1.6	17.6	5	-63739
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	11.2	9.7	5.2	7.4	13.4	21.4	23.4	20.2	20.6	13.9	10.7	6.0	163.1	5	-63739
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	11.4	14.9	9.8	3.6	3.4	6.6	6.2	4.6	6.6	2.8	1.8	4.2	75.9	5	-63739
	08 LST	5.0	8.3	3.0	0.4	0.6	2.6	2.4	1.2	2.8	1.4	1.0	2.4	31.1	5	-63739
	14 LST	5.1	6.3	2.3	0.3	0.3	0.7	0.3	0.6	0.6	0.5	0.6	2.8	20.4	10	-63739
	20 LST	10.0	12.1	9.6	9.6	6.8	6.8	3.6	4.2	12.8	11.0	7.6	7.0	101.1	5	-63739
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	24.2	24.6	25.2	17.0	19.6	21.6	21.0	21.4	17.8	20.2	18.4	17.4	248.4	5	-63739
	08 LST	25.0	22.8	19.4	15.2	17.8	21.6	21.0	21.6	20.2	19.8	16.6	21.2	242.2	5	-63739
	14 LST	30.4	27.0	29.1	27.3	26.8	26.5	26.6	25.7	26.9	29.0	27.7	28.9	331.9	10	-63739
	20 LST	26.8	26.8	29.2	26.4	27.0	27.0	26.8	28.2	28.6	28.8	23.2	24.6	323.4	5	-63739
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	21.8	23.0	22.8	16.0	17.8	18.6	16.8	14.2	14.8	16.2	17.4	17.2	216.6	5	-63739
	08 LST	22.6	21.0	16.0	11.8	14.4	18.8	18.6	17.6	16.4	13.6	13.0	18.6	202.4	5	-63739
	14 LST	27.3	24.1	24.1	22.9	18.8	14.4	13.4	10.9	13.6	16.2	20.6	23.9	230.2	10	-63739
	20 LST	21.4	22.2	23.8	22.2	21.2	17.4	12.8	11.0	19.8	22.8	19.8	21.2	235.6	5	-63739
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	21.8	22.8	22.8	16.0	17.8	18.4	16.8	14.0	14.8	16.2	17.4	17.2	216.0	5	-63739
	08 LST	22.6	21.0	16.0	11.8	14.4	18.8	18.6	17.6	16.4	13.6	13.0	18.6	202.4	5	-63739
	14 LST	27.3	24.1	24.0	22.9	18.7	14.4	13.4	10.9	13.6	16.0	20.6	23.9	229.8	10	-63739
	20 LST	21.4	22.2	23.8	22.2	21.2	17.2	12.4	11.0	19.8	22.8	19.8	21.2	235.0	5	-63739

STA NO. 63766 (IN AREA NUMBER 02)

NAKINDU, KENYA

LATITUDE 0217S

LONGITUDE 03750E

ELEVATION(FT) 03274

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	94	97	96	94	89	89	86	90	91	92	92	89	97	12	-28
MEAN MAX TMP (F)	85	89	88	85	83	81	80	81	85	86	84	82	84	8	-28
MEAN MIN TMP (F)	63	64	65	65	62	58	56	57	58	62	64	64	62	8	-28
ABS MIN TMP (F)	54	57	58	59	52	51	48	49	49	53	55	54	48	12	-28
MEAN NO DYS TMP = DR GTR 90(F)	9.4	13.0	13.2	9.0	0.0	0.0	0.0	4.8	9.0	10.7	7.9	0.0	77.0	8	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN DEN PT TMP (F)	59	59	60	61	59	54	51	52	51	53	59	61	57	8	-29
MEAN REL HUM (PCT)	63	58	61	65	66	61	59	58	53	53	64	70	61	8	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.70	1.20	3.40	4.80	1.10	0.10	0.05	0.05	0.05	1.10	6.80	4.70	25.0	42	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.8	2.7	6.6	8.1	2.7	0.3	0.2	0.2	0.3	2.2	10.5	9.1	46.7	42	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	1.0	3.0	4.0	1.0	0.0	0.0	0.0	0.0	0.0	1.0	3.0	14.0	10	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 20 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST															
03-05 LST	31.9	30.1	19.5	17.4	17.4	10.7	7.7	4.5	9.3	14.8	25.3	29.0	17.8	5	1765
06-08 LST	25.8	19.0	11.0	8.1	7.1	3.3	3.2	1.9	4.0	5.2	16.0	19.5	10.2	5	1764
09-11 LST	5.6	0.9	1.3	1.3	0.6	0.7	1.3	1.3	0.7	2.0	2.0	1.9	1.6	5	1760
12-14 LST	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.3	0.4	2.0	1.9	0.6	5	1766
15-17 LST	0.0	0.9	0.0	1.4	0.0	0.7	1.3	0.6	0.7	1.3	0.7	0.6	0.7	5	1753
18-20 LST			0.0											1	1
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST															
03-05 LST	2.4	2.7	0.0	2.0	1.9	2.0	0.6	1.3	0.0	0.0	0.0	5.8	1.6	5	1765
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.1	5	1764
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.7	1.3	0.0	0.0	0.0	0.0	0.0	0.2	5	1760
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1766
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1753
18-20 LST			0.0											1	1
21-23 LST														0	0

NAKINDU, KENYA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR	NO.
															(YRS)	085
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	27.7	26.7	30.2	30.0	30.6	29.8	30.4	30.8	29.6	30.8	28.0	28.8	333.4	5	1764
	15 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	29.8	31.0	30.0	30.8	364.6	5	1766
	21 LST			31.0											1	1
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST														0	0
	09 LST	14.5	19.1	22.0	23.9	24.6	26.4	27.2	24.6	26.0	25.2	21.6	19.1	278.2	5	1764
	15 LST	8.2	9.4	10.2	13.1	13.8	11.2	13.6	7.6	7.2	9.0	14.0	15.2	128.5	5	1766
	21 LST			31.0											1	1
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
	21 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
	21 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	0.7	2.7	0.8	1.0	1.2	6.2	3.0	3.6	3.6	1.4	0.6	2.0	26.8	5	1764
	15 LST	0.7	1.0	0.8	0.0	0.0	1.0	0.6	1.0	2.0	1.0	0.4	0.2	8.7	5	1766
	21 LST			0.0											1	1
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	11.7	14.8	16.0	15.9	19.8	22.6	22.2	22.9	21.0	18.4	13.0	13.9	212.2	5	1764
	15 LST	24.0	22.0	26.2	25.4	26.2	26.0	23.8	25.0	24.8	27.0	24.4	22.2	297.0	5	1766
	21 LST			31.0											1	1
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	6.0	9.7	8.8	8.4	13.2	17.6	16.4	17.1	14.8	11.2	6.4	8.2	137.8	5	1764
	15 LST	9.0	8.7	10.4	8.0	6.2	8.2	6.4	5.4	9.2	12.6	10.6	7.0	101.7	5	1766
	21 LST			31.0											1	1
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	6.0	9.7	8.8	8.4	13.2	17.6	16.0	17.1	14.8	11.2	6.4	8.2	137.4	5	1764
	15 LST	9.0	8.7	10.4	8.0	6.2	8.2	6.4	5.4	9.2	12.6	10.6	7.0	101.7	5	1766
	21 LST			31.0											1	1

AREA NO. 02

KENYA	HIGHLANDS BOUNDARIES	0145N 03500E		0140N 03735E		LATITUDE 0000N 0140N 03735E		LONGITUDE 03600E 0405S 03845E						ANN
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		79	80	79	77	75	74	72	73	77	78	76	76	76
MEAN MIN TMP (F)		54	56	57	57	56	54	53	53	52	55	56	55	55
LARGEST MEAN PRECIP(IN)		1.90	3.20	5.50	8.30	6.50	4.98	6.25	7.59	4.29	3.30	6.60	4.70	63.3
SMALLEST MEAN PRECIP(IN)		0.50	0.90	1.82	4.66	1.10	0.10	0.05	0.05	0.05	1.10	2.20	1.10	13.6
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	29.2	27.4	29.6	25.0	26.9	28.9	29.4	30.6	27.8	27.7	25.2	25.3	333.0
	08 LST	29.4	26.6	29.7	28.4	29.5	28.9	28.9	29.9	29.7	30.1	27.4	29.0	347.9
	14 LST	30.8	27.6	30.5	29.8	30.5	29.6	29.8	30.4	29.6	30.6	29.7	30.5	359.4
	20 LST	30.6	27.9	30.8	29.1	30.6	29.9	30.7	31.0	30.0	30.6	28.6	29.8	359.6
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST	27.2	26.6	28.0	23.2	25.7	26.4	27.3	27.6	25.1	25.7	23.8	23.9	310.5
	08 LST	18.7	18.0	20.4	20.2	21.9	23.8	23.0	24.7	23.5	22.0	19.0	19.3	254.5
	14 LST	9.6	9.9	8.3	12.2	13.8	14.2	14.7	14.1	11.7	10.2	11.7	9.4	135.8
	20 LST	26.8	24.4	28.3	27.5	28.8	28.3	28.7	29.2	28.0	26.3	24.6	25.7	326.6
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST													
	08 LST													
	14 LST	4.5	5.5	5.0	1.6	0.2	0.0	2.2	0.0	0.3	0.7	0.3	0.8	21.1
	20 LST													
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													
	08 LST													
	14 LST	11.8	6.7	5.0	10.6	17.8	16.2	19.5	17.3	17.3	13.2	14.2	7.6	157.2
	20 LST													
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	13.6	13.4	10.1	5.8	5.2	9.0	6.7	6.4	9.3	5.9	6.3	7.4	99.1
	08 LST	6.8	8.1	4.6	3.0	4.1	9.4	4.2	6.2	9.2	5.5	4.2	5.8	71.1
	14 LST	1.7	3.0	1.3	0.3	0.7	1.6	0.8	0.7	0.8	0.4	0.4	1.1	13.0
	20 LST	9.5	9.5	4.9	5.4	5.3	5.7	4.6	4.8	8.0	6.0	5.0	6.1	74.8
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	27.3	26.0	27.6	23.0	25.0	25.4	25.4	25.6	23.1	23.3	23.7	23.9	301.3
	08 LST	25.0	23.0	24.3	21.9	24.0	25.6	24.3	25.3	26.1	24.7	20.2	23.4	287.8
	14 LST	26.6	24.0	25.7	23.8	24.6	24.3	22.9	24.4	24.3	24.5	23.5	24.9	293.5
	20 LST	28.6	27.0	29.5	27.3	28.3	28.1	28.4	28.9	28.3	29.3	25.7	26.9	336.3
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	25.5	24.8	25.6	21.3	22.4	22.5	21.3	20.0	19.5	22.4	22.3	22.8	270.4
	08 LST	23.3	21.6	22.2	19.7	22.0	23.8	21.8	23.2	24.3	22.0	17.9	21.8	263.6
	14 LST	18.4	18.0	18.5	17.6	18.2	17.1	14.8	16.1	16.9	16.3	16.9	17.1	205.9
	20 LST	24.6	24.0	27.0	23.4	24.4	22.1	20.2	18.4	20.8	22.1	20.9	23.2	271.1
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	25.5	24.7	25.6	21.3	22.4	22.4	21.3	19.9	19.5	22.4	22.3	22.8	270.1
	08 LST	23.3	21.6	22.2	19.7	22.0	23.8	21.8	23.2	24.3	22.0	17.9	21.7	263.5
	14 LST	18.4	18.0	18.5	17.6	18.1	17.1	14.8	16.1	16.9	16.3	16.9	17.1	205.8
	20 LST	24.6	24.0	27.0	23.4	24.4	22.0	20.0	18.4	20.8	22.1	20.9	23.2	270.8

STA NO. 63671 (IN AREA NUMBER 03)

NAJIR, KENYA
 LATITUDE 0145N LONGITUDE 04004E ELEVATION(FT) 0000

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	100	102	103	99	97	99	99	93	98	97	98	99	103	10	-28
MEAN MAX TMP (F)	95	96	96	94	92	90	88	89	91	92	91	92	92	11	-28
MEAN MIN TMP (F)	70	72	74	75	73	70	69	69	70	71	71	73	71	11	-28
ABS MIN TMP (F)	61	63	65	64	66	63	61	61	64	62	63	64	61	11	-28
MEAN NO DYS TMP = OR GTR 90(F)	22.4	21.4	23.7	20.4	18.5	19.3	19.2	14.5	16.6	18.5	16.6	16.5	219.6	10	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN DEW PT TMP (F)	65	66	68	71	69	65	65	65	66	66	68	70	67	10	-29
MEAN REL HUM (PCT)	59	59	61	67	67	64	67	65	65	64	68	70	65	8	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.24	0.51	0.75	2.68	1.38	0.04	0.16	0.08	0.16	0.98	1.61	0.87	9.5	30	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.7	1.2	1.9	5.6	3.3	0.2	0.4	0.3	0.5	2.0	3.1	2.0	21.2	30	-29
MEAN NO DYS SNFL = OR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	10	-24
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	20.7	20.6	22.6	23.3	29.0	6.7	19.4	9.7	23.3	32.3	23.3	19.4	21.5	1	363
12-14 LST														0	0
15-17 LST	0.0	3.6	0.0	13.3	6.5	3.3	12.9	20.0	10.0	6.7	10.0	3.2	7.5	1	361
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1	363
12-14 LST														0	0
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	361
18-20 LST														0	0
21-23 LST														0	0

NAJIR, KENYA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	31.0	28.0	31.0	30.0	31.0	29.0	31.0	31.0	30.0	31.0	30.0	31.0	304.0	1	363
	15 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	305.0	1	361
	21 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI M/SFC WND LES 10 KTS	03 LST														0	0
	09 LST	14.9	10.0	10.0	15.0	7.0	11.0	3.0	8.0	6.0	7.0	13.0	20.0	124.9	1	363
	15 LST	31.0	27.0	30.0	23.0	26.0	21.0	17.0	17.5	23.0	24.8	22.0	30.0	292.3	1	361
	21 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
	21 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
	21 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	14.9	10.0	10.0	5.0	3.0	8.0	3.0	6.0	4.0	2.0	2.0	12.0	79.9	1	363
	15 LST	24.6	20.0	16.0	4.0	6.0	13.0	9.0	5.1	7.0	7.2	4.0	20.0	131.9	1	361
	21 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	18.2	13.0	16.0	15.0	13.0	26.0	19.0	26.0	17.0	11.0	17.0	20.0	211.2	1	363
	15 LST	31.0	27.0	30.0	22.0	27.0	28.0	23.0	19.6	25.0	26.8	23.0	30.0	312.4	1	361
	21 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	18.2	13.0	15.0	15.0	13.0	24.0	19.0	26.0	17.0	11.0	17.0	20.0	208.2	1	363
	15 LST	31.0	27.0	29.0	22.0	27.0	28.0	23.0	19.6	25.0	26.8	23.0	30.0	311.4	1	361
	21 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	18.2	13.0	15.0	15.0	13.0	24.0	19.0	26.0	17.0	11.0	17.0	20.0	208.2	1	363
	15 LST	31.0	27.0	29.0	22.0	27.0	28.0	23.0	19.6	25.0	26.8	23.0	30.0	311.4	1	361
	21 LST														0	0

STA NO. 63723 (IN AREA NUMBER 03)

GARISSA, KENYA

LATITUDE 0029S

LONGITUDE 03930E

ELEVATION(FT) 00120

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	101	103	105	103	100	98	99	99	99	100	100	99	105	14	-28
MEAN MAX TMP (F)	96	97	98	97	95	91	90	91	93	95	95	94	94	7	-28
MEAN MIN TMP (F)	72	73	76	76	74	71	70	70	71	73	75	74	73	7	-28
ABS MIN TMP (F)	61	64	69	70	67	63	64	63	62	68	68	65	61	14	-28
MEAN NO DYS TMP = DR (YR 90(F)	23.7	22.4	26.1	24.0	22.4	16.6	15.9	17.2	19.1	22.4	21.6	21.1	252.5	7	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN DEW PT TMP (F)	67	67	69	70	68	64	63	63	64	66	70	70	67	11	-29
MEAN REL HUM (PCT)	60	59	59	61	62	61	60	60	58	58	64	66	61	20	-32
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.39	0.20	1.02	2.17	0.67	0.20	0.08	0.24	0.20	0.79	2.52	2.96	11.0	30	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.0	0.6	2.5	4.7	1.7	0.3	0.3	0.6	0.6	1.7	4.6	5.6	26.4	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST			29.4	26.7	32.3	10.0	16.1	12.9	33.3	32.3	25.0	38.7		1	286
06-08 LST	24.2	29.4	12.6	11.7	8.1	14.2	10.3	10.3	9.3	8.6	21.5	30.2	15.9	5	1641
09-11 LST			0.0	0.0	0.0	0.0	0.0	0.0	6.7	0.0	4.2	0.0		1	287
12-14 LST	1.9	0.0	0.0	3.8	0.0	1.8	2.7	0.0	2.3	0.0	2.9	4.8	1.9	5	910
15-17 LST			0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	8.3	0.0		1	286
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2		1	286
06-08 LST	0.8	0.0	0.9	0.0	0.0	0.0	0.0	0.6	0.0	0.7	0.7	0.7	0.4	5	1641
09-11 LST			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		1	287
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	2.4	0.3	5	910
15-17 LST			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		1	286
18-20 LST														0	0
21-23 LST														0	0

BARISSA, KENYA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	29.2	24.9	29.6	29.3	30.5	28.8	30.6	30.4	28.8	30.4	27.9	26.6	347.2	5	1641
	15 LST	31.0	28.0	31.0	28.3	31.0	30.0	30.7	31.0	29.6	31.0	29.6	30.3	361.5	5	910
	21 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST														0	0
	09 LST	3.2	1.8	7.3	9.0	3.7	1.6	1.6	1.8	3.6	4.7	7.7	7.1	53.3	5	1641
	15 LST	5.7	0.0	9.9	12.2	5.7	3.0	1.1	0.7	3.8	7.1	15.6	13.6	78.4	5	910
	21 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
	21 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
	21 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	1.2	1.0	0.0	0.8	1.5	2.2	1.8	0.0	0.2	0.6	0.2	0.8	10.3	5	1647
	15 LST	2.9	1.0	1.7	0.0	0.9	1.4	0.3	0.4	1.4	2.1	0.8	0.3	12.4	5	910
	21 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	14.0	12.1	18.4	16.0	21.0	18.8	19.6	19.2	20.2	21.2	14.2	12.7	207.4	5	1641
	15 LST	28.1	26.9	31.0	26.5	30.5	28.6	29.3	31.0	28.2	31.0	28.3	26.9	366.3	5	910
	21 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	5.2	3.3	3.9	3.8	6.5	9.1	9.0	4.2	5.0	5.9	6.2	5.6	67.7	5	1641
	15 LST	16.6	10.0	18.1	10.4	14.8	9.8	10.3	10.2	18.1	23.4	20.0	14.0	173.7	5	910
	21 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	5.2	3.3	3.9	3.8	6.5	9.1	9.0	4.0	5.0	5.9	6.2	5.6	67.5	5	1641
	15 LST	15.5	7.9	9.3	9.1	12.9	7.4	10.3	7.2	12.9	19.7	15.6	12.9	140.7	5	910
	21 LST														0	0

STA NO. 63772 (IN AREA NUMBER 03)

LAMU, KENYA

LATITUDE 0216S

LONGITUDE 04054E

ELEVATION(FT) 00098

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	92	93	93	95	95	93	93	93	92	91	89	92	95	15	-28
MEAN MAX TMP (F)	86	87	87	87	86	86	85	84	85	85	86	86	86	15	-28
MEAN MIN TMP (F)	76	76	78	78	79	74	72	73	74	75	76	76	79	15	-28
ABS MIN TMP (F)	69	67	70	67	61	52	59	66	65	69	70	69	92	15	-28
MEAN NO DYS TMP = OR GTR 90(F)	10.7	10.7	11.9	11.5	10.7	10.3	9.4	8.2	9.0	9.4	0.0	10.7	112.5	15	-29
MEAN NO DYS TMI = OR LFS 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN DEW PT TMP (F)	74	74	75	75	74	72	70	70	71	72	73	73	73	6	-28
MEAN REL HUM (PCT)	80	79	79	80	83	79	78	78	77	79	79	79	79	0	0
MEAN PRESS ALT (FT)	0.20	0.10	0.80	4.90	14.20	6.70	2.70	1.60	1.20	1.60	1.30	1.10	36.4	40	-28
MEAN PRECIP (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN SNOW FALL (IN)	0.6	0.4	2.0	8.2		10.3	9.0	3.2	2.4	3.1	2.6	2.5		40	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-24
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	16.0	11.9	9.1	16.2	17.1	10.4	19.4	14.3	16.3	9.9	11.5	9.5	13.1	3	889
09-11 LST	11.5	5.0	4.3	14.4	14.0	10.0	12.9	9.7	12.6	14.1	14.4	9.7	11.1	3	1054
12-14 LST	2.0	2.9	2.6	5.4	5.3	5.1	12.7	3.9	5.1	2.5	6.4	2.7	4.7	3	889
15-17 LST	0.0	0.0	0.0	5.1	3.1	6.2	6.3	3.3	8.6	0.0	4.6	0.0	3.1	3	744
18-20 LST									19.0	0.0	22.2			1	60
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														3	889
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	1054
09-11 LST	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	3	889
12-14 LST	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	3	744
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.1	1	60
18-20 LST									5.0	0.0	0.0			0	0
21-23 LST														0	0

LAMB, KENYA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	31.0	28.0	31.0	29.0	30.0	29.6	29.6	31.0	29.3	30.7	29.6	31.0	339.8	3	1054
	15 LST	31.0	28.0	31.0	29.5	31.0	30.0	29.5	31.0	28.7	31.0	29.1	31.0	360.8	3	744
	21 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC MND LES 10 KTS	03 LST														0	0
	09 LST	17.3	20.3	23.3	16.7	11.3	9.6	9.6	3.7	11.7	15.8	17.6	20.3	169.2	3	1054
	15 LST	2.3	2.9	3.2	10.7	5.3	3.7	1.4	2.0	5.6	12.2	8.3	6.1	63.7	3	744
	21 LST														0	0
SFC MND = GTR 17 KTS AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
	21 LST														0	0
SFC MND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
	21 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	1.0	0.0	4.0	6.5	5.5	5.6	5.2	5.8	5.0	2.4	2.4	0.8	44.2	3	1688
	15 LST	14.0	12.8	10.2	1.5	1.0	1.8	1.4	1.0	1.3	1.7	4.6	5.6	58.9	3	744
	21 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	13.7	14.0	16.8	17.0	20.6	23.0	24.3	22.3	19.3	15.2	14.3	15.7	216.2	3	1034
	15 LST	31.0	28.0	31.0	24.9	26.1	24.0	25.7	25.9	23.6	25.7	24.9	29.5	320.3	3	744
	21 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	6.1	5.2	7.4	12.0	19.0	21.3	23.3	20.0	16.2	10.1	8.6	8.6	157.8	3	1054
	15 LST	31.0	28.0	31.0	22.9	23.3	22.1	21.3	22.4	18.8	21.8	21.7	27.9	292.2	3	744
	21 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	6.1	5.2	7.4	12.0	19.0	21.3	23.3	20.0	16.2	10.1	8.6	8.6	157.8	3	1054
	15 LST	31.0	28.0	31.0	22.9	23.3	22.1	21.3	22.4	18.8	21.8	21.7	27.9	292.2	3	744
	21 LST														0	0

STA NO. 63793 (IN AREA NUMBER 03)

V01, KENYA

LATITUDE 03245

LONGITUDE 03034E

ELEVATION(FT) 01037

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO.
ABS MAX TMP (F)	97	98	99	98	93	90	88	92	90	93	94	94	99	13	-28
MEAN MAX TMP (F)	90	92	91	88	85	83	82	82	84	88	88	88	87	8	-28
MEAN MIN TMP (F)	69	69	70	70	68	65	63	63	63	66	68	69	67	8	-28
ABS MIN TMP (F)	60	62	62	65	60	57	55	53	55	58	61	61	53	13	-28
MEAN NO DYS TMP = OR GTR 90(F)	15.9	16.7	17.2	12.7	9.4	6.7	0.0	5.9	7.9	13.2	12.7	13.2	131.5	8	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN DEW PT TMP (F)	62	61	62	63	61	56	54	55	55	57	61	63	59	8	-29
MEAN REL HUM (PCT)	60	56	58	62	63	57	57	59	57	55	60	63	59	8	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.30	1.20	3.00	3.80	1.30	0.30	0.10	0.30	0.50	0.90	3.80	9.10	21.6	41	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.9	2.7	6.0	7.1	3.1	0.7	0.3	0.7	1.1	1.9	6.6	9.6	42.7	41	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTM	1.0	1.0	5.0	5.0	1.0	0.0	0.0	0.0	0.0	0.0	3.0	4.0	20.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 20 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	23.4	15.0	7.7	4.0	7.1	5.3	3.2	4.5	6.7	9.7	13.3	25.2	10.4	5	1767
09-11 LST	25.0	18.8	11.0	8.1	10.3	8.0	7.1	9.7	15.3	13.5	14.7	25.2	13.9	5	1764
12-14 LST	3.3	3.6	2.6	4.0	4.5	2.7	3.9	3.2	4.7	2.6	4.7	4.5	3.7	5	1759
15-17 LST	1.6	1.8	3.2	5.3	2.6	0.0	1.9	2.6	2.0	5.2	3.3	2.6	2.7	5	1767
18-20 LST	1.6	3.5	5.2	10.0	4.5	2.0	5.2	4.5	1.3	3.2	9.3	2.6	4.4	5	1763
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.6	0.1	5	1767
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1764
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1759
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1767
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1763
21-23 LST														0	0

VOI, KENYA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	28.5	26.7	30.4	29.6	30.0	29.2	31.0	30.6	29.0	30.0	29.8	28.6	353.4	5	1764
	15 LST	31.0	28.0	30.8	29.6	31.0	30.0	31.0	31.0	30.0	30.4	29.6	31.0	363.4	5	1767
	21 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST														0	0
	09 LST	17.7	19.0	24.4	19.4	16.2	10.8	12.2	17.0	15.6	16.2	18.2	17.2	203.9	5	1764
	15 LST	14.2	8.7	17.6	15.4	13.2	8.6	7.2	8.0	8.6	10.2	13.8	16.8	142.3	5	1767
	21 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
	21 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
	21 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	3.2	5.7	3.0	4.4	4.6	6.6	4.4	6.0	5.0	3.6	4.0	2.8	53.3	5	1764
	15 LST	1.7	3.0	0.0	0.0	0.6	1.0	0.0	0.2	1.2	0.8	0.4	1.8	10.7	5	1767
	21 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	15.2	16.7	21.0	22.7	23.8	24.2	24.8	23.2	18.0	18.0	16.6	14.8	239.0	5	1764
	15 LST	22.7	20.6	19.6	17.2	18.8	19.8	19.0	18.4	19.0	20.6	20.0	21.6	237.3	5	1767
	21 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	12.2	14.7	17.6	19.4	21.4	21.6	21.2	19.6	15.4	13.8	12.6	11.4	200.9	5	1764
	15 LST	11.7	12.4	8.8	8.4	9.0	6.6	7.6	5.4	6.4	8.4	8.2	10.4	103.3	5	1767
	21 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	12.2	14.7	17.6	19.2	21.4	21.6	21.2	19.4	15.4	13.8	12.6	11.4	200.5	5	1764
	15 LST	11.7	12.4	8.8	8.4	9.0	6.6	7.6	5.4	6.4	8.4	8.2	10.4	103.3	5	1767
	21 LST														0	0

STA NO. 63820 IN AREA NUMBER 03)

HONBASA, KENYA

LATITUDE 0402S

LONGITUDE 03936E


ELEVATION(FT) 00186

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	95	96	95	96	92	89	92	88	90	91	93	96	96	45	-528
MEAN MAX TMP (F)	87	87	88	86	83	82	81	81	82	84	85	86	84	45	-28
MEAN MIN TMP (F)	75	76	77	76	74	73	71	71	72	74	75	75	74	45	-28
ABS MIN TMP (F)	69	70	71	69	67	61	64	62	64	64	68	69	61	45	-528
MEAN NO DYS TMP = OR GTR 90(F)	11.9	10.7	13.2	10.3	7.0	0.0	4.8	0.0	5.7	8.2	9.0	10.7	91.5	45	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45	-29
MEAN DEW PT TMP (F)	73	73	74	74	72	70	69	68	69	71	73	74	72	5	41288
MEAN REL HUM (PCT)	71	69	70	76	81	77	77	74	76	74	74	74	74	14	-28
MEAN PRESS ALT (FT)	300	300	300	250	200	150	150	150	200	200	200	250	221	0	-90
MEAN PRECIP (IN)	1.00	0.70	2.50	7.70	12.60	4.70	3.50	2.50	2.50	3.40	3.80	2.40	47.3	54	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.3	1.6	5.3	9.7		7.9	6.3	4.7	4.6	6.0	6.6	5.3		54	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.6	0.2	0.0	0.0	0.0	0.2	0.0	0.4	0.2	1.6	5	1822
MEAN NO DYS TSTMS	1.0	0.0	3.0	2.0	1.0	0.0	0.0	0.0	0.0	0.0	1.0	2.0	10.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS	3.6	3.6	2.3	2.2	3.9	7.1	5.5	5.1	4.3	2.4	1.4	1.9	3.6	5	43643
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	5	43643
P FREQ LES 5000 FT A/D LES 5 MI	27.3	24.1	24.1	24.6	31.6	29.6	33.8	35.3	37.6	42.7	32.4	33.1	31.4	5	43641
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	9.1	13.0	9.3	10.7	13.6	10.9	14.0	14.8	18.9	23.1	17.1	13.4	14.0	5	5453
03-05 LST	10.0	6.9	10.8	11.1	14.2	12.6	12.7	15.5	18.0	21.6	14.8	12.3	13.4	5	5461
06-08 LST	9.9	8.6	7.5	11.3	14.7	13.8	13.1	14.2	21.3	23.2	16.0	10.8	13.7	5	5472
09-11 LST	8.6	6.2	5.2	12.4	17.6	14.2	20.2	16.6	14.7	14.7	10.7	13.8	12.9	5	5474
12-14 LST	2.6	0.5	0.9	8.0	10.3	8.5	11.9	5.4	5.3	4.5	3.1	6.2	5.6	5	5460
15-17 LST	1.2	0.4	1.5	5.0	6.6	4.3	8.3	4.5	4.4	4.7	2.7	3.1	3.9	10	7260
18-20 LST	3.0	1.9	4.1	5.1	6.3	6.2	7.8	5.6	4.2	6.7	7.2	3.9	5.2	5	5466
21-23 LST	3.2	6.9	6.2	6.9	9.2	6.2	9.0	7.3	10.9	13.7	11.7	5.6	8.1	5	5456
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	5	5453
03-05 LST	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.1	5	5461
06-08 LST	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.4	0.7	0.0	0.7	0.0	0.2	5	5472
09-11 LST	0.0	0.0	0.0	0.7	0.4	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.1	5	5474
12-14 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.0	0.1	5	5460
15-17 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	10	7260
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	5	5466
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	5	5456

MOBASA, KENYA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	31.0	28.0	30.8	29.2	29.8	29.6	30.8	30.8	29.0	31.0	29.8	30.8	360.6	5	1826
	09 LST	31.0	28.0	31.0	28.8	28.8	29.6	29.8	31.0	30.0	30.8	29.4	30.1	359.0	5	1826
	15 LST	31.0	28.0	30.9	29.7	30.4	29.6	30.5	30.7	30.0	30.9	29.8	30.8	362.3	10	3617
	21 LST	31.0	28.0	30.8	29.8	30.8	29.6	30.6	31.0	29.6	30.8	30.0	31.0	363.0	5	1826
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	26.0	24.4	25.2	24.4	20.8	22.0	22.4	20.4	19.8	21.4	23.2	24.0	274.0	5	1826
	09 LST	15.6	17.5	20.8	14.2	5.8	5.2	6.0	6.0	4.8	6.4	14.8	15.2	134.3	5	1826
	15 LST	1.9	6.9	2.8	5.1	2.8	1.2	2.0	1.2	1.1	1.9	3.2	4.5	28.6	10	3614
	21 LST	25.2	24.2	22.8	21.4	19.2	18.0	21.0	22.4	18.6	18.4	23.8	25.6	260.6	5	1826
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST	5.5	3.9	2.8	3.8	4.4	9.5	9.8	1.4	2.8	1.4	0.8	1.8	43.9	5	1795
	21 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST	3.7	3.0	3.4	4.2	2.2	0.8	1.6	3.4	4.9	6.1	6.8	4.5	44.6	5	1789
	21 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	8.6	9.3	8.6	7.6	9.2	9.8	7.4	8.6	6.4	5.2	6.6	7.8	95.1	5	1826
	09 LST	0.6	0.4	0.2	0.2	0.4	0.4	0.2	0.0	0.2	0.2	0.0	0.8	3.6	5	1826
	15 LST	11.3	14.2	11.7	4.5	3.7	4.9	2.5	3.5	7.5	10.6	11.3	9.6	95.3	10	3619
	21 LST	14.6	12.1	11.0	11.2	12.4	14.0	13.0	15.4	14.0	9.0	9.6	17.0	153.3	5	1826
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	23.0	22.6	24.0	24.0	21.6	23.6	22.4	20.4	18.2	19.0	21.4	21.8	262.0	5	1826
	09 LST	15.8	16.7	18.8	18.2	16.2	17.8	14.4	10.8	10.8	10.6	13.0	13.2	176.3	5	1826
	15 LST	29.7	27.2	30.3	27.7	26.0	26.1	24.6	25.9	25.0	27.6	28.3	28.7	327.1	10	3617
	21 LST	28.8	24.8	26.0	25.6	25.4	25.8	26.8	27.2	25.0	22.4	24.0	28.0	309.8	5	1826
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	21.0	21.4	22.8	23.0	21.2	23.2	21.4	18.6	16.6	17.2	20.2	20.0	246.4	5	1826
	09 LST	9.8	11.3	13.4	15.2	12.8	15.2	12.2	7.0	6.4	6.0	8.8	8.0	126.1	5	1826
	15 LST	29.3	27.1	30.2	27.6	25.0	24.7	22.4	23.7	22.9	26.1	27.8	28.4	315.2	10	3617
	21 LST	28.6	24.0	24.8	24.8	24.6	25.2	25.0	26.2	24.4	20.4	23.4	27.2	299.6	5	1826
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	21.0	21.4	22.8	23.0	21.2	23.2	21.4	18.6	16.6	17.2	20.2	20.0	246.4	5	1826
	09 LST	9.8	11.3	13.4	15.2	12.8	15.2	12.2	7.0	6.4	6.0	8.8	8.0	126.1	5	1826
	15 LST	29.3	27.1	30.2	27.6	25.0	24.7	22.4	23.7	22.9	26.1	27.8	28.4	315.2	10	3617
	21 LST	28.6	24.0	24.8	24.8	24.6	25.2	25.0	26.2	24.4	20.4	23.4	27.2	299.6	5	1826

KENYA	COASTAL BOUNDARIES	AREA NO. 83													
		0300N	04059E	0140N	03735E	0140N	03735E	04055	03845E	LATITUDE 0000N	LONGITUDE 04000E				
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)		91	92	92	90	88	86	85	85	87	89	89	89	89	
MEAN MIN TMP (F)		72	73	75	75	73	71	69	69	70	72	73	73	72	
LARGEST MEAN PRECIP(IN)		1.30	1.20	3.00	7.70	14.20	6.70	3.50	2.50	2.50	3.40	3.80	5.10	54.9	
SMALLEST MEAN PRECIP(IN)		0.20	0.10	0.75	2.17	0.67	0.04	0.08	0.08	0.16	0.79	1.30	0.87	7.2	
		MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	31.0	28.0	30.8	29.2	29.8	29.6	30.8	30.8	29.0	31.0	29.8	30.8	360.6	
	09 LST	30.1	27.1	30.6	29.4	30.1	29.2	30.4	30.8	29.4	30.6	29.3	29.6	356.6	
	15 LST	31.0	28.0	30.9	29.4	30.9	29.9	30.3	30.9	29.7	30.9	29.6	30.8	362.5	
	21 LST	31.0	28.0	30.8	29.8	30.8	29.6	30.6	31.0	29.6	30.8	30.0	31.0	363.0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	26.0	24.4	25.2	24.4	20.8	22.0	22.4	20.4	19.8	21.4	23.2	24.0	274.0	
	09 LST	13.7	13.7	17.2	14.9	8.8	6.8	5.7	7.3	8.3	10.4	14.3	16.0	137.1	
	15 LST	11.0	7.9	12.7	13.3	10.6	7.5	5.7	5.9	8.4	11.2	12.6	14.2	121.0	
	21 LST	25.2	24.2	22.8	21.4	19.2	18.0	21.0	22.4	18.6	18.4	23.8	25.6	260.6	
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST														
	09 LST														
	15 LST	5.5	3.9	2.8	3.8	4.4	9.5	5.8	1.4	2.8	1.4	0.8	1.8	33.9	
	21 LST														
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST														
	09 LST														
	15 LST	3.7	3.0	3.4	4.2	2.2	0.8	1.6	3.4	4.9	6.1	6.8	4.5	44.6	
	21 LST														
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	8.6	9.3	8.6	7.6	9.2	9.8	7.4	8.6	6.4	5.2	6.6	7.8	95.1	
	09 LST	4.2	3.4	3.4	3.4	3.0	4.6	2.9	3.6	2.9	1.8	1.7	3.4	38.3	
	15 LST	10.9	10.2	7.9	2.0	2.4	4.4	1.8	2.0	3.7	4.5	4.1	7.5	61.4	
	21 LST	14.6	12.1	11.0	11.2	12.4	14.0	13.0	15.4	14.0	9.0	9.6	17.0	153.3	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	23.0	22.6	24.0	24.0	21.6	23.6	22.4	20.4	18.2	19.0	21.4	21.8	262.0	
	09 LST	15.4	14.5	18.2	17.8	18.9	22.0	20.4	20.3	17.1	15.2	15.0	15.3	210.1	
	15 LST	26.5	25.9	28.4	23.7	25.7	25.3	24.3	24.2	24.2	26.3	24.9	27.3	308.7	
	21 LST	28.8	24.8	26.0	25.6	25.4	25.8	26.8	27.2	25.0	22.4	24.0	28.0	309.8	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	21.0	21.4	22.6	23.0	21.2	23.2	21.4	18.6	16.6	17.2	20.2	20.0	246.4	
	09 LST	10.3	9.5	11.5	13.1	14.5	18.2	16.9	15.4	12.0	9.4	10.6	10.7	152.1	
	15 LST	23.9	20.9	23.4	18.3	19.8	18.2	16.9	16.3	18.2	21.3	20.1	22.1	234.4	
	21 LST	28.6	24.0	24.8	24.8	24.6	25.2	26.0	26.2	24.4	20.4	23.4	27.2	299.6	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	21.0	21.4	22.6	23.0	21.2	23.2	21.4	18.6	16.6	17.2	20.2	20.0	246.4	
	09 LST	10.3	9.5	11.5	13.0	14.5	18.2	16.9	15.3	12.0	9.4	10.6	10.7	151.9	
	15 LST	23.7	20.5	21.7	18.0	19.4	17.8	16.9	15.7	17.2	20.6	19.3	21.9	232.7	
	21 LST	28.6	24.0	24.8	24.8	24.6	25.2	26.0	26.2	24.4	20.4	23.4	27.2	299.6	



STA NO. 67005 (IN AREA NUMBER 01)

IZASUBZI/PAMANZI, MALAGASY REPUBLIC
 LATITUDE 1248S

LONGITUDE 04517E

ELEVATION(FT) 00039

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	95	94	92	93	92	89	86	90	90	92	96	100	100	20	-28
MEAN MAX TMP (F)	87	87	87	87	84	81	80	80	83	85	88	88	85	20	-28
MEAN MIN TMP (F)	76	76	76	76	75	73	71	70	71	73	75	76	74	20	-28
ABS MIN TMP (F)	69	70	69	68	64	62	61	62	64	57	65	71	57	20	-28
MEAN NO DYS TMP = OR GTR 90(F)	11.9	10.7	11.9	11.5	8.2	0.0	0.0	0.0	6.7	9.4	12.7	13.2	96.2	20	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN DEW Pt TMP (F)	75	75	76	75	72	69	67	67	70	71	74	74	72	15	-29
MEAN REL HUM (PCT)	82	83	84	82	79	79	77	79	80	78	79	78	80	4	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	9.84	8.27	7.24	3.35	1.42	0.35	0.28	0.35	0.75	1.85	2.32	5.63	41.6	29	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN			9.5	6.5	3.3	0.8	0.7	0.8	1.6	3.5	4.3	10.0		29	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	15.0	9.0	11.0	8.0	3.0	0.0	0.0	0.0	1.0	2.0	7.0	14.0	70.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	7.8	10.0	7.1	6.1	1.9	1.3	1.3	0.0	4.0	3.2	4.1	3.9	4.2	5	1803
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST	14.3	20.7	12.3	2.7	2.6	1.3	0.6	1.3	2.0	5.2	11.0	9.7	7.0	5	1806
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 01-02 LST														0	0
03-05 LST	4.5	5.7	2.6	2.7	0.6	0.0	0.0	0.0	0.7	0.0	1.4	2.0	1.7	5	1803
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST	3.9	5.0	3.9	1.4	0.6	0.0	0.6	0.0	0.0	0.6	4.1	2.6	1.9	5	1806
18-20 LST														0	0
21-23 LST														0	0

DZAOUBZI/PABANZI, MALAGASY REPUBLIC
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	23.5	21.4	24.0	24.9	26.4	25.6	29.0	28.9	28.0	29.2	28.1	28.4	310.4	5	1003
	09 LST														0	0
	15 LST	28.2	23.6	28.6	29.2	30.6	29.8	30.8	30.8	29.8	29.4	27.5	29.2	347.5	5	1004
	21 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	16.5	17.6	22.9	21.5	18.6	12.3	14.4	19.8	22.1	24.1	24.9	23.9	234.6	5	1002
	09 LST														0	0
	15 LST	15.7	12.6	20.5	18.8	13.5	7.4	7.8	12.2	16.2	20.6	19.4	21.3	186.0	5	1004
	21 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	4.2	1.0	0.6	1.6	3.6	6.2	8.2	4.4	1.2	1.6	2.3	1.0	35.9	5	1005
	09 LST														0	0
	15 LST	3.2	0.6	0.2	2.0	4.4	6.6	9.2	5.0	2.8	1.2	1.0	0.8	37.0	5	1011
	21 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	6.2	8.8	12.7	13.1	17.9	12.3	9.6	12.1	11.0	11.5	9.9	10.2	135.3	5	1003
	09 LST														0	0
	15 LST	8.8	5.0	10.0	10.9	10.9	9.0	7.8	11.6	15.4	16.4	14.2	11.8	131.8	4	1007
	21 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	9.4	8.8	14.8	17.5	21.3	18.3	18.4	20.4	20.4	20.1	16.2	14.8	200.4	5	1002
	09 LST														0	0
	15 LST	2.8	1.0	1.6	4.7	11.3	14.0	11.6	12.5	11.3	7.4	4.9	2.6	85.7	5	1009
	21 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	20.7	19.2	23.2	23.5	26.2	25.0	26.9	27.6	26.2	26.8	24.8	26.3	296.4	5	1003
	09 LST														0	0
	15 LST	21.7	17.0	19.6	25.9	27.4	27.8	28.8	28.9	26.3	25.4	20.3	22.5	291.6	5	1006
	21 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	19.7	18.4	22.8	23.1	26.2	25.0	26.1	26.4	25.1	26.2	23.4	24.9	287.3	5	1003
	09 LST														0	0
	15 LST	19.3	14.8	16.2	22.3	25.8	25.6	26.0	25.2	23.7	21.6	16.5	18.1	255.1	5	1006
	21 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	19.7	18.4	22.8	23.1	26.2	25.0	26.1	26.4	25.1	26.2	23.4	24.9	287.3	5	1003
	09 LST														0	0
	15 LST	19.3	14.8	16.2	22.3	25.8	25.6	26.0	25.2	23.5	21.6	16.5	17.9	254.7	5	1006
	21 LST														0	0

STA NO. 67027 (IN AREA NUMBER 01)

BAJUNGA, MALAGASY REPUBLIC

LATITUDE 1540S

LONGITUDE 04620E

ELEVATION(FT) 00082

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	MO.
ABS MAX TMP (F)	99	97	100	97	97	92	93	99	97	97	99	99	100	22	-28
MEAN MAX TMP (F)	87	88	89	90	89	87	86	88	89	90	90	89	89	22	-28
MEAN MIN TMP (F)	75	75	75	75	72	69	68	68	70	73	75	75	73	22	-28
ABS MIN TMP (F)	64	69	67	68	63	57	61	62	63	65	67	68	57	22	-28
MEAN NO DYS TMP = OR GTR 90(F)	11.9	11.9	14.3	19.3	14.3	11.9	10.7	13.2	14.0	15.9	15.3	14.3	163.2	22	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN DEW PT TMP (F)	75	76	76	72	68	64	62	62	65	69	73	75	70	21	-29
MEAN REL HUM (PCT)	84	84	83	74	69	66	63	62	64	68	75	80	73	20	-32
MEAN PRESS ALT (FT)	187	192	198	70	56	7	-18	-1	21	70	119	194	80	0	-50
MEAN PRECIP (IN)	18.65	14.11	10.71	2.37	0.37	0.11	0.04	0.08	0.10	1.00	4.28	9.5	61.4	42	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN			10.3	5.1	1.0	0.3	0.2	0.3	0.4	2.1	7.3			42	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS YSTMS	22.0	21.0	21.0	11.0	2.0	0.0	0.0	0.0	1.0	6.0	14.0	22.0	120.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	20.9	25.0	18.8	3.9	2.2	0.0	0.0	0.7	0.0	3.3	9.5	15.3	8.3	5	1729
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST	20.0	9.0	2.1	0.0	0.0	0.0	0.7	0.8	0.0	0.0	1.3	3.3	3.1	5	1698
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	3.4	6.8	4.7	0.0	0.7	0.0	0.0	0.0	0.0	0.7	2.0	6.0	2.0	5	1729
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST	5.3	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.8	5	1698
18-20 LST														0	0
21-23 LST														0	0

MAJUNGA, MALAGASY REPUBLIC
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YR)	NO. OFS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	27.4	24.0	28.3	30.0	30.8	30.0	31.0	30.8	30.0	30.8	29.8	28.1	390.0	5	1729
	09 LST														0	0
	15 LST	26.7	25.9	31.0	30.0	30.8	30.0	31.0	31.0	29.8	31.0	30.0	30.2	397.4	5	1698
	21 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	03 LST	19.7	19.8	20.0	23.4	23.8	22.2	23.7	22.4	23.0	26.3	21.9	19.4	297.6	5	1726
	09 LST														0	0
	15 LST	4.5	12.3	19.0	16.9	14.2	19.0	13.9	11.0	4.8	2.1	3.8	8.2	129.7	5	1698
	21 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	0.6	0.2	0.2	0.6	0.4	0.2	0.4	0.0	0.2	0.2	0.4	0.2	3.6	5	1815
	09 LST														0	0
	15 LST	1.8	0.8	1.0	0.6	1.0	0.4	0.8	1.0	3.8	7.8	10.8	3.0	92.8	5	1817
	21 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	13.5	12.4	15.2	20.1	24.2	23.4	23.0	23.7	22.7	22.8	19.8	18.3	239.3	5	1814
	09 LST														0	0
	15 LST	4.4	6.3	7.8	7.2	13.8	19.2	19.0	16.8	7.2	2.6	2.8	5.4	112.9	5	1817
	21 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	4.2	6.9	6.7	17.8	25.6	23.2	24.4	24.7	24.6	25.8	12.2	9.6	209.7	5	1813
	09 LST														0	0
	15 LST	2.8	4.4	4.6	14.9	24.0	23.8	24.8	20.9	22.9	23.5	13.1	7.5	187.7	5	1808
	21 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	19.3	17.2	20.6	26.7	30.1	29.4	30.8	30.6	29.8	29.1	23.9	21.9	309.6	5	1729
	09 LST														0	0
	15 LST	22.9	24.0	29.0	29.7	30.3	29.8	30.8	30.5	29.3	30.6	29.2	28.9	345.0	5	1698
	21 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	17.4	19.5	18.7	25.5	28.7	27.6	29.1	29.7	28.6	28.1	20.3	18.2	287.4	5	1729
	09 LST														0	0
	15 LST	21.5	22.1	27.4	29.2	29.8	29.5	29.7	28.3	28.5	29.7	28.8	27.9	332.4	5	1698
	21 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	17.4	19.5	18.7	25.5	28.7	27.4	28.5	29.5	28.0	28.1	20.0	18.2	289.5	5	1729
	09 LST														0	0
	15 LST	21.5	22.1	27.4	29.2	29.8	29.1	29.7	28.3	28.5	29.7	28.8	27.9	332.0	5	1698
	21 LST														0	0

STA NO. 67117 (IN AREA NUMBER 01)

MORONDAVA, MALAGASY REPUBLIC
 LATITUDE 2017S LONGITUDE 04419E ELEVATION(FT) 00023

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	102	100	101	99	97	92	93	94	97	97	100	101	102	19	-20
MEAN MAX TMP (F)	90	90	90	90	86	83	82	83	85	87	89	90	87	19	-20
MEAN MIN TMP (F)	74	74	73	70	64	60	58	60	64	69	72	74	68	20	-20
ABS MIN TMP (F)	66	69	61	56	52	49	48	49	50	52	62	64	48	20	-20
MEAN NO DYS TMP = DR GTR 90(F)	15.9	14.3	15.9	15.3	10.7	6.7	5.9	7.0	9.0	11.9	14.0	15.9	142.5	19	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	-30
MEAN DEW PT TMP (F)	74	74	72	71	63	60	59	60	64	69	70	71	67	0	-28
MEAN REL HUM (PCT)	80	84	81	80	78	73	72	74	78	77	73	77	77	3	-30
MEAN PRESS ALT (FT)	100	100	100	0	-50	-150	-150	-150	-100	-50	0	50	-24	0	-6
MEAN PRECIP (IN)	9.74	8.72	4.65	0.57	0.30	0.26	0.05	0.06	0.29	0.43	0.69	4.89	30.6	42	-29
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN			7.9	1.5	0.8	0.6	0.2	0.2	0.7	1.0	1.5	9.4		20	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	21.0	20.0	16.0	4.0	1.0	0.0	0.0	1.0	1.0	6.0	13.0	21.0	104.0	10	-24
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 20 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 F' A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BORONGAYA, MALAGASY REPUBLIC
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0

DATA NOT AVAILABLE

STA NO. 67190/ (IN AREA NUMBER 01)

EUROPA I, MALAGASY REPUBLIC

LATITUDE 2220S

LONGITUDE 04021E

ELEVATION(FT) 00026

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = DR GTR 90(F)														0	0
MEAN NO DYS TMP = DR LES 32(F)														0	0
MEAN NO DYS TMP = DR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.9 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	7.3	9.5	9.7	3.4	5.0	3.3	2.6	3.4	6.7	10.1	8.1	6.5	6.1	4	1295
09-11 LST							0.0	0.0	0.0	0.0	0.0			1	90
12-14 LST														0	0
15-17 LST	8.3	9.3	4.9	2.5	1.5	0.8	0.0	0.0	3.4	0.9	3.0	4.0	2.9	4	1392
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	1.8	2.4	0.0	0.8	0.0	0.0	1.1	1.1	2.2	0.0	0.0	0.8	4	1295
09-11 LST							0.0	0.0	0.0	0.0	0.0			1	90
12-14 LST														0	0
15-17 LST	0.0	2.7	0.8	0.0	0.0	0.0	0.0	0.0	0.8	0.9	0.0	0.8	0.5	4	1392
18-20 LST														0	0
21-23 LST														0	0

EUROPA I, MALAGASY REPUBLIC
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST							31.0	31.0	30.0	31.0	30.0			1	90
	15 LST	28.7	27.0	29.7	29.5	30.7	30.0	31.0	31.0	29.2	30.7	29.7	30.0	397.2	4	1392
	21 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST														0	0
	09 LST							15.5	14.0	21.7	20.6	30.0			1	90
	15 LST	12.2	13.5	13.2	11.7	11.7	13.0	13.6	12.3	13.1	14.8	12.9	19.5	161.5	4	1366
	21 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST														0	0
	09 LST							5.1	8.0	2.0	4.4	0.0			1	90
	15 LST	5.2	2.6	4.8	3.5	7.1	3.0	7.5	5.5	5.5	4.1	4.9	2.5	56.2	4	1369
	21 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST														0	0
	09 LST							10.3	8.0	15.5	20.6	20.0			1	90
	15 LST	10.5	12.0	9.0	12.7	11.7	12.0	13.2	12.6	11.6	15.3	14.5	12.5	147.6	4	1360
	21 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST							5.1	9.0	13.4	14.8	0.0			1	90
	15 LST	1.6	4.2	4.6	8.6	9.5	8.0	13.0	13.4	11.8	13.7	8.7	7.2	104.3	4	1394
	21 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST							25.8	23.0	25.9	29.5	30.0			1	90
	15 LST	24.2	23.3	23.6	25.4	28.2	27.0	28.2	26.5	24.9	28.2	24.9	26.0	310.4	4	1392
	21 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST							20.6	18.0	23.8	29.5	20.0			1	90
	15 LST	19.4	20.8	19.0	21.4	23.3	20.3	24.2	21.5	20.4	24.7	20.8	20.0	255.8	4	1392
	21 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST							20.6	18.0	23.8	29.5	20.0			1	90
	15 LST	19.4	20.8	19.0	21.4	23.3	20.3	24.2	21.5	20.4	24.7	20.8	20.0	255.8	4	1392
	21 LST														0	0

STA NO. 67101 (IN AREA NUMBER 01)

TULEAR, MALAGASY REPUBLIC
LATITUDE 23235

LONGITUDE 04344E

ELEVATION(FT) 00026

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	104	100	104	102	99	95	93	95	95	90	101	104	100	27	-29
MEAN MAX TMP (F)	92	89	89	89	84	81	81	80	83	86	87	91	86	27	-28
MEAN MIN TMP (F)	72	71	69	64	61	61	58	58	61	65	69	71	65	27	-28
ABS MIN TMP (F)	55	54	55	50	48	46	44	43	46	50	54	54	43	27	-29
MEAN NO DYS TMP = DR GTR 90(F)	18.5	13.0	14.5	14.0	8.2	4.6	4.8		6.7	10.7	11.5	17.2		27	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	-50
MEAN DEW PT TMP (F)	74	72	71	70	64	62	62	61	64	69	71	74	68	20	-32
MEAN REL HUM (PCT)	76	76	76	76	74	75	73	73	73	74	74	76	75	0	-50
MEAN PRESS ALT (FT)	190	190	100	90	-90	-190	-190	-190	-100	0	90	100	0	0	-6
MEAN PRECIP (IN)	2.07	2.07	1.02	0.29	0.74	0.45	0.15	0.15	0.40	0.61	1.54	1.80	13.5	27	-29
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.2	5.8	4.1	0.8	1.9	1.0	0.4	0.4	0.9	1.3	3.0	4.0	29.8	27	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														10	-24
MEAN NO DYS TSTMS	19.0	19.0	13.0	6.0	3.0	2.0	1.0	1.0	1.0	5.0	11.0	17.0	94.0	0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

TULEAR, MALAGASY REPUBLIC
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG =GTR 2000 FT AND VSBY =GTR														0	0
3 MI W/SFC WND LES 10 KTS														0	0
														0	0
														0	0
SFC WND = GTR 17 KTS AND														0	0
NO PRECIP.														0	0
														0	0
														0	0
SFC WND 4-10 KTS AND TMP 33-89														0	0
DEG F AND NO PRECIP.														0	0
														0	0
														0	0
SKY COVER LES 3/10 AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 2500 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 6000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 10000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0

DATA NOT AVAILABLE

AREA NO. 01

PARAMETER DESCRIPTION	BOUNDARIES	WEST COASTAL		LATITUDE 1800S				LONGITUDE 04900E				ANN		
		1300S 04845E	1700S 04745E	1700S 04745E	1800S 04610E	1800S 04610E	2350S 04645E	2350S 04645E	2320S 04620E	2350S 04645E				
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT		NOV	DEC
MEAN MAX TMP (F)		89	89	89	89	86	83	82	83	85	87	89	90	87
MEAN MIN TMP (F)		74	74	73	71	68	66	64	64	67	70	73	74	70
LARGEST MEAN PRECIP(IN)		18.65	14.11	10.71	3.35	1.42	0.45	0.28	0.35	0.75	1.85	4.28	9.56	65.8
SMALLEST MEAN PRECIP(IN)		2.87	2.67	1.82	0.29	0.30	0.11	0.04	0.06	0.10	0.43	0.69	1.80	11.2
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	25.5	22.7	26.6	27.5	28.6	27.8	30.0	29.9	29.0	30.0	28.5	28.4	334.5
	09 LST							31.0	31.0	30.0	31.0	30.0		
	15 LST	27.9	25.5	29.8	29.6	30.7	29.9	30.9	30.9	29.6	30.4	29.1	29.8	354.1
	21 LST													
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	16.1	16.7	21.5	22.5	21.2	17.3	19.1	21.1	22.6	25.2	21.4	21.7	246.4
	09 LST							15.5	14.0	21.7	20.6	30.0		
	15 LST	10.8	12.0	17.6	15.8	13.1	11.8	11.8	11.8	11.4	12.5	12.0	16.3	177.7
	21 LST													
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	2.4	0.6	0.4	1.1	2.0	3.2	4.3	2.2	0.7	0.9	1.4	0.5	19.8
	09 LST							5.1	8.0	2.8	4.4	0.8		
	15 LST	3.4	1.3	2.0	2.0	4.2	3.3	5.8	3.8	4.0	4.4	5.6	2.1	41.9
	21 LST													
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	9.9	10.6	14.0	16.6	21.1	17.9	16.3	17.9	16.9	17.2	14.9	14.4	187.7
	09 LST							10.3	8.0	15.5	20.6	20.0		
	15 LST	7.9	7.8	8.9	10.3	12.1	13.4	13.3	13.7	11.4	11.4	10.5	9.9	130.6
	21 LST													
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	6.8	7.9	10.8	17.7	23.5	20.8	21.4	22.6	22.5	23.0	14.2	12.2	203.4
	09 LST							5.1	9.0	13.4	14.8	0.0		
	15 LST	2.4	3.2	3.6	9.4	14.9	15.3	16.5	15.6	15.3	14.9	8.9	5.8	125.8
	21 LST													
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	20.0	18.2	21.9	25.1	28.2	27.3	28.9	29.1	28.0	28.0	24.4	24.1	303.2
	09 LST							25.8	23.0	25.9	29.5	30.0		
	15 LST	22.9	21.4	24.1	27.0	28.6	28.2	29.3	28.6	28.8	28.1	24.8	25.8	315.6
	21 LST													
CIG = GTR 8000 FT AND VSBY = GTR 3 MI	03 LST	18.6	17.0	20.8	24.3	27.5	26.3	27.6	28.1	26.9	27.2	21.9	21.6	287.8
	09 LST							20.8	18.0	23.8	29.5	20.0		
	15 LST	20.1	19.2	20.9	24.3	26.3	25.1	26.6	25.0	24.2	25.3	22.0	22.0	281.0
	21 LST													
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	18.6	17.0	20.8	24.3	27.5	26.2	27.3	28.0	26.6	27.2	21.7	21.6	286.8
	09 LST							20.6	18.0	23.8	29.5	20.0		
	15 LST	20.1	19.2	20.9	24.3	26.3	25.0	26.6	25.0	24.1	25.3	22.0	21.9	280.7
	21 LST													

STA NO. 67003 (IN AREA NUMBER 02)

IVATO/TANANARIVE, MALAGASY REPUBLIC
LATITUDE 18475

LONGITUDE 04720E

ELEVATION(FT) 04170

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	89	86	84	84	83	82	78	81	85	89	87	87	89	10	-132
MEAN MAX TMP (F)	81	79	78	77	73	70	69	70	74	79	80	80	76	10	-132
MEAN MIN TMP (F)	61	61	60	58	54	49	48	48	50	54	57	60	55	10	-132
ABS MIN TMP (F)	54	53	54	50	36	37	37	37	39	45	44	53	36	10	-132
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	62	63	62	59	56	52	49	49	51	55	59	61	57	0	-30
MEAN REL HUM (PCT)	84	84	85	82	80	80	80	77	74	71	76	82	80	20	-67005
MEAN PRESS ALT (FT)	3650	3650	3650	3600	3550	3450	3300	3500	3500	3550	3600	3600	3567	0	-50
MEAN PRECIP (IN)	11.00	11.00	7.00	2.10	0.70	0.30	0.30	0.40	0.70	2.40	5.30	11.30	53.3	62	-67005
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN			9.5	4.6	1.8	0.7	0.7	0.9	1.5	4.4	8.7			62	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSMS	22.0	7.0	19.0	12.0	3.0	1.0	1.0	2.0	2.0	14.0	18.0	21.0	132.0	10	-67005
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 20 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	41.9	35.7	35.5	16.7	19.4	40.0	35.5	38.6	33.3	29.0	33.3	38.7	33.1	2	-67005
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST	6.5	7.1	6.5	6.7	0.0	10.0	6.5	12.3	6.7	1.0	10.2	6.5	6.7	2	-67005
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	29.0	10.7	0.0	3.3	3.2	6.7	3.2	5.3	11.7	4.8	6.7	14.5	8.3	2	-67005
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.4	2	-67005
18-20 LST														0	0
21-23 LST														0	0

IVATO/TANANARIVE, MALAGASY REPUBLIC
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	21.0	29.0	28.0	29.0	30.0	29.0	30.0	26.6	26.0	28.0	25.5	23.5	315.6	2	-67089
	09 LST														0	0
	15 LST	30.0	27.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	28.0	29.5	359.5	2	-67085
	21 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	9.0	7.0	12.0	20.0	19.0	11.0	11.0	7.6	12.0	13.5	12.0	11.0	149.1	2	-67085
	09 LST														0	0
	15 LST	19.0	14.0	23.0	21.0	22.0	17.0	22.0	9.8	16.5	16.0	17.8	22.0	216.1	2	-67085
	21 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	2.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.0	0.0	9.0	2	-67085
	09 LST														0	0
	15 LST	2.0	1.0	0.0	1.0	0.0	0.0	1.0	3.8	0.5	1.0	0.0	1.0	11.3	2	-67085
	21 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEC F AND NO PRECIP.	03 LST	18.0	16.0	9.0	15.0	8.0	4.0	12.0	11.4	12.0	13.2	11.0	10.0	139.6	2	-67085
	09 LST														0	0
	15 LST	12.0	4.0	9.0	16.0	10.0	16.0	21.0	10.3	16.5	13.5	12.2	9.0	193.5	2	-67085
	21 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	4.0	3.0	1.0	8.0	11.0	3.0	3.0	9.8	3.0	10.0	4.3	3.0	67.3	2	-67085
	09 LST														0	0
	15 LST	0.0	1.0	0.0	3.0	6.0	4.0	2.0	6.0	3.0	6.5	2.0	0.5	34.0	2	-67085
	21 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	14.0	11.0	9.0	17.0	19.0	9.0	9.0	11.9	13.0	14.3	12.3	11.0	190.9	2	-67085
	09 LST														0	0
	15 LST	19.0	15.0	16.0	22.0	27.0	17.0	19.0	18.5	18.0	22.0	19.8	21.0	234.3	2	-67085
	21 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	14.0	10.0	6.0	14.0	19.0	8.0	8.0	11.9	12.0	14.0	12.3	10.0	139.4	2	-67085
	09 LST														0	0
	15 LST	13.0	9.0	6.0	19.0	24.0	12.0	14.0	15.2	12.0	16.0	10.1	11.5	161.8	2	-67085
	21 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	14.0	10.0	6.0	14.0	19.0	8.0	8.0	11.9	12.0	14.0	12.3	10.0	139.4	2	-67085
	09 LST														0	0
	15 LST	13.0	9.0	6.0	19.0	24.0	12.0	14.0	15.2	12.0	16.0	10.1	11.5	161.8	2	-67085
	21 LST														0	0

STA NO. 67005 (IN AREA NUMBER 02)

TANANARIVE/S.C.B., MALAGASY REPUBLIC
 LATITUDE 10945

LONGITUDE 04732E

ELEVATION(FT) 04702

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	91	90	87	87	85	80	80	85	92	95	94	91	95	51	-28
MEAN MAX TMP (F)	79	78	79	76	73	69	68	70	74	80	81	80	76	44	-28
MEAN MIN TMP (F)	61	61	60	58	54	50	48	48	51	54	58	60	55	44	-28
ABS MIN TMP (F)	53	52	51	45	40	34	37	35	38	42	42	34	34	51	-28
MEAN NO DYS TMP = DR GTR 90(F)		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	51	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	51	-29
MEAN DEW PT TMP (F)	63	63	63	60	56	52	50	50	52	54	58	62	57	36	-29
MEAN REL HUM (PCT)	81	82	81	80	79	78	77	75	71	67	70	77	77	20	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	11.00	11.00	7.00	2.10	0.70	0.30	0.30	0.40	0.70	2.40	3.30	11.30	33.3	62	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	51	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN			9.5	4.6	1.8	0.7	0.7	0.9	1.5	4.4	8.7			62	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	51	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	22.0	17.0	19.0	12.0	3.0	1.0	1.0	2.0	2.0	14.0	18.0	21.0	132.0	10	-24
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 20 KTS														0	0
P FREQ LES 3000 FT A/O LES 3 MI														0	0
P FREQ LES 1900 FT A/O LES 3 MI														0	0
FOR 00-02 LST	41.9	35.7	35.5	16.7	19.4	40.0	35.5	30.6	33.3	29.0	33.3	30.7	33.1	2	913
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	6.5	7.1	6.5	6.7	8.0	10.0	8.5	12.3	6.7	1.6	10.2	6.5	6.7	2	912
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST	29.0	10.7	0.0	3.3	3.2	6.7	3.2	5.3	11.7	4.8	6.7	14.5	8.3	2	913
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.4	2	912
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

TANANARIVE/S.C.B., MALAGASY REPUBLIC
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG - GTR 1000 FT AND VSBY - GTR 3 MI	03 LST	21.0	23.0	26.0	29.0	30.0	29.0	30.0	26.6	26.0	26.0	25.5	23.5	213.6	2	513
	09 LST														0	0
	15 LST	30.0	27.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	28.0	29.5	299.5	2	512
	21 LST														0	0
CIG -GTR 2000 FT AND VSBY -GTR 3 MI W/SFC WND LES 10 KTS	03 LST	9.0	7.0	12.0	20.0	19.0	11.0	11.0	7.6	12.0	13.5	12.0	11.0	149.1	2	513
	09 LST														0	0
	15 LST	19.0	14.0	23.0	21.0	22.0	17.0	22.0	9.0	16.5	16.0	17.0	22.0	216.1	2	512
	21 LST														0	0
SFC WND - GTR 17 KTS AND NO PRECIP.	03 LST	2.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.0	0.0	5.0	2	513
	09 LST														0	0
	15 LST	2.0	1.0	0.0	1.0	0.0	0.0	1.0	3.0	0.5	1.0	0.0	1.0	11.3	2	512
	21 LST														0	0
SFC WND 4-10 KTS AND TMP 33-09 DEG F AND NO PRECIP.	03 LST	18.0	16.0	9.0	15.0	8.0	4.0	12.0	11.4	12.0	13.2	11.0	10.0	138.6	2	512
	09 LST														0	0
	15 LST	12.0	4.0	9.0	16.0	18.0	16.0	21.0	10.3	16.5	13.5	12.2	9.0	133.5	2	512
	21 LST														0	0
SKY COVER LES 3/10 AND VSBY - GTR 3 MI	03 LST	4.0	3.0	1.0	8.0	11.0	3.0	3.0	9.8	5.0	10.0	4.5	3.0	67.3	2	513
	09 LST														0	0
	15 LST	0.0	1.0	0.0	3.0	6.0	4.0	2.0	6.0	3.0	6.5	2.0	0.5	34.0	2	512
	21 LST														0	0
CIG - GTR 2500 FT AND VSBY - GTR 3 MI	03 LST	14.0	11.0	9.0	17.0	19.0	9.0	9.0	11.9	13.0	14.5	12.5	11.0	150.9	2	513
	09 LST														0	0
	15 LST	19.0	18.0	16.0	22.0	27.0	17.0	19.0	10.5	18.0	22.0	19.0	21.0	234.3	2	512
	21 LST														0	0
CIG - GTR 4000 FT AND VSBY - GTR 3 MI	03 LST	14.0	10.0	6.0	14.0	19.0	8.0	8.0	11.9	12.0	14.0	12.5	10.0	139.4	2	513
	09 LST														0	0
	15 LST	13.0	9.0	6.0	19.0	24.0	12.0	14.0	15.2	12.0	16.0	10.1	11.5	161.8	2	512
	21 LST														0	0
CIG - GTR 10000 FT AND VSBY - GTR 3 MI	03 LST	14.0	10.0	6.0	14.0	19.0	8.0	8.0	11.9	12.0	14.0	12.5	10.0	139.4	2	513
	09 LST														0	0
	15 LST	13.0	9.0	6.0	19.0	24.0	12.0	14.0	15.2	12.0	16.0	10.1	11.5	161.8	2	512
	21 LST														0	0

STA NO. 67109 (IN AREA NUMBER 02)

ARIVONIHARO, MALAGASY REPUBLIC
LATITUDE 1901S

LONGITUDE 04709E

ELEVATION(FT) 04787

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	89	84	83	82	83	77	76	81	83	90	88	86	90	10	-132
MEAN MAX TMP (F)	79	78	77	77	73	70	68	71	74	78	79	79	73	10	-132
MEAN MIN TMP (F)	59	58	59	59	51	47	46	46	48	52	54	58	53	10	-132
ABS MIN TMP (F)	51	53	54	44	30	30	36	38	39	45	49	49	30	10	-132
MEAN NO DYS TMP = OR STR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	59	59	58	56	52	47	45	46	46	51	55	57	53	8	-50
MEAN REL HUM (PCT)	73	75	73	73	73	69	68	67	62	64	68	70	70	7	-29
MEAN PRESS ALT (FT)	4250	4250	4250	4200	4150	4050	4100	4100	4100	4150	4200	4200	4167	8	-50
MEAN PRECIP (IN)	12.00	8.15	8.50	1.30	0.67	0.35	0.16	0.47	0.24	2.52	3.12	0.31	48.8	10	-4
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR STR 0.1 IN			10.0	3.3	1.7	0.8	0.4	1.1	0.6	4.6	8.5			10	-29
MEAN NO DYS SNPL = OR STR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR STR 17 KTS														0	0
P FREQ WND SPD = OR STR 20 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	41.9	35.7	35.5	16.7	19.4	40.0	35.5	30.6	33.3	29.0	33.3	30.7	33.1	2	-07005
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST	6.5	7.1	6.5	6.7	0.0	10.0	6.5	12.3	6.7	1.6	10.2	6.5	6.7	2	-07005
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	29.0	10.7	0.0	3.3	3.2	6.7	3.2	5.5	11.7	4.8	6.7	14.5	8.3	2	-07005
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.4	2	-07005
18-20 LST														0	0
21-23 LST														0	0

ARIVONIHABO, MALAGASY REPUBLIC
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	21.0	23.0	28.0	29.0	30.0	29.0	30.0	26.6	26.0	28.0	29.9	29.9	319.6	2	-67085
	09 LST														0	0
	15 LST	30.0	27.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	28.0	29.5	359.5	2	-67085
	21 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	9.0	7.0	12.0	20.0	19.0	11.0	11.0	7.6	12.0	13.9	12.0	11.0	149.1	2	-67085
	09 LST														0	0
	15 LST	15.0	14.0	23.0	21.0	22.0	17.0	22.0	9.8	16.9	16.0	17.8	22.0	216.1	2	-67085
	21 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	2.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.0	0.0	8.0	2	-67085
	09 LST														0	0
	15 LST	2.0	1.0	0.0	1.0	0.0	0.0	1.0	3.8	0.5	1.0	0.0	1.0	11.9	2	-67085
	21 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	18.0	16.0	9.0	19.0	8.0	4.0	12.0	11.4	12.0	13.2	11.0	10.0	195.6	2	-67085
	09 LST														0	0
	15 LST	12.0	4.0	9.0	16.0	18.0	16.0	21.0	10.9	16.9	13.9	12.2	9.0	199.9	2	-67085
	21 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	4.0	3.0	1.0	8.0	11.0	9.0	9.0	9.0	5.0	10.0	4.9	3.0	67.3	2	-67085
	09 LST														0	0
	15 LST	0.0	1.0	0.0	3.0	6.0	4.0	8.0	6.0	3.0	6.9	2.0	0.9	34.0	2	-67085
	21 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	14.0	11.0	9.0	17.0	19.0	9.0	9.0	11.9	13.0	14.9	12.9	11.0	190.9	2	-67085
	09 LST														0	0
	15 LST	19.0	19.0	16.0	22.0	27.0	17.0	19.0	18.9	18.0	22.0	19.0	21.0	294.9	2	-67085
	21 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	14.0	10.0	6.0	14.0	19.0	8.0	8.0	11.9	12.0	14.0	12.9	10.0	199.4	2	-67085
	09 LST														0	0
	15 LST	13.0	9.0	6.0	19.0	24.0	12.0	14.0	15.2	12.0	16.0	10.1	11.9	161.6	2	-67085
	21 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	14.0	10.0	6.0	14.0	19.0	8.0	8.0	11.9	12.0	14.0	12.9	10.0	199.4	2	-67085
	09 LST														0	0
	15 LST	13.0	9.0	6.0	19.0	24.0	12.0	14.0	15.2	12.0	16.0	10.1	11.9	161.6	2	-67085
	21 LST														0	0

AREA NO. 82

PARAMETER DESCRIPTION	BOUNDARIES	LATITUDE 1990S												LONGITUDE 04750E													
		1900S 04845E				1700S 04745E				1500S 04745E				1300S 04610E				1000S 04610E				2350E 04645E					
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		80	78	76	77	73	70	68	70	74	79	80	76	80	78	76	77	73	70	68	70	74	79	80	76		
MEAN MIN TMP (F)		60	60	60	57	53	49	47	47	50	53	57	59	54	60	60	60	57	53	49	47	50	53	57	59	54	
LARGEST MEAN PRECIP(IN)		12.00	11.00	8.38	2.10	0.70	0.39	0.30	0.47	0.70	2.92	9.30	11.30	36.1	12.00	11.00	8.38	2.10	0.70	0.39	0.30	0.47	0.70	2.92	9.30	11.30	36.1
SMALLEST MEAN PRECIP(IN)		11.00	8.13	7.00	1.38	0.67	0.30	0.16	0.40	0.24	2.40	9.12	8.31	49.9	11.00	8.13	7.00	1.38	0.67	0.30	0.16	0.40	0.24	2.40	9.12	8.31	49.9
		MEAN NUMBER OF DAYS																									
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	21.0	23.0	28.0	29.0	30.0	29.0	30.0	26.6	26.0	28.0	29.3	29.3	319.6	21.0	23.0	28.0	29.0	30.0	29.0	30.0	26.6	26.0	28.0	29.3	29.3	319.6
	09 LST																										
	15 LST	30.0	27.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	28.0	29.3	339.5	30.0	27.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	28.0	29.3	339.5
	21 LST																										
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	03 LST	9.0	7.0	12.0	20.0	19.0	11.0	11.0	7.0	12.0	13.3	12.0	11.0	149.1	9.0	7.0	12.0	20.0	19.0	11.0	11.0	7.0	12.0	13.3	12.0	11.0	149.1
	09 LST																										
	15 LST	15.0	14.0	23.0	21.0	22.0	17.0	22.0	9.0	16.7	16.0	17.0	22.0	216.1	15.0	14.0	23.0	21.0	22.0	17.0	22.0	9.0	16.7	16.0	17.0	22.0	216.1
	21 LST																										
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	2.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	9.0	2.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	9.0
	09 LST																										
	15 LST	2.0	1.0	0.0	1.0	0.0	0.0	1.0	3.0	0.3	1.0	0.0	1.0	11.3	2.0	1.0	0.0	1.0	0.0	0.0	1.0	3.0	0.3	1.0	0.0	1.0	11.3
	21 LST																										
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	18.0	16.0	3.0	13.0	8.0	4.0	12.0	11.4	12.0	13.2	11.0	10.0	139.6	18.0	16.0	3.0	13.0	8.0	4.0	12.0	11.4	12.0	13.2	11.0	10.0	139.6
	09 LST																										
	15 LST	12.0	4.0	3.0	16.0	16.0	16.0	21.0	10.3	16.3	13.3	12.2	9.0	139.3	12.0	4.0	3.0	16.0	16.0	16.0	21.0	10.3	16.3	13.3	12.2	9.0	139.3
	21 LST																										
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	4.0	3.0	1.0	8.0	11.0	3.0	3.0	9.8	3.0	10.0	4.3	3.0	67.3	4.0	3.0	1.0	8.0	11.0	3.0	3.0	9.8	3.0	10.0	4.3	3.0	67.3
	09 LST																										
	15 LST	0.0	1.0	0.0	3.0	6.0	4.0	2.0	6.0	3.0	6.3	2.0	6.3	34.0	0.0	1.0	0.0	3.0	6.0	4.0	2.0	6.0	3.0	6.3	2.0	6.3	34.0
	21 LST																										
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	14.0	11.0	9.0	17.0	19.0	9.0	9.0	11.9	13.0	14.3	12.3	11.0	139.9	14.0	11.0	9.0	17.0	19.0	9.0	9.0	11.9	13.0	14.3	12.3	11.0	139.9
	09 LST																										
	15 LST	19.0	13.0	16.0	22.0	27.0	17.0	19.0	10.3	19.0	22.0	19.0	21.0	234.3	19.0	13.0	16.0	22.0	27.0	17.0	19.0	10.3	19.0	22.0	19.0	21.0	234.3
	21 LST																										
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	14.0	10.0	6.0	14.0	19.0	8.0	8.0	11.9	12.0	14.0	12.3	10.0	139.4	14.0	10.0	6.0	14.0	19.0	8.0	8.0	11.9	12.0	14.0	12.3	10.0	139.4
	09 LST																										
	15 LST	13.0	9.0	6.0	19.0	24.0	12.0	14.0	13.2	12.0	16.0	10.1	11.3	161.8	13.0	9.0	6.0	19.0	24.0	12.0	14.0	13.2	12.0	16.0	10.1	11.3	161.8
	21 LST																										
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	14.0	10.0	6.0	14.0	19.0	8.0	8.0	11.9	12.0	14.0	12.3	10.0	139.4	14.0	10.0	6.0	14.0	19.0	8.0	8.0	11.9	12.0	14.0	12.3	10.0	139.4
	09 LST																										
	15 LST	12.0	9.0	6.0	19.0	24.0	12.0	14.0	13.2	12.0	16.0	10.1	11.3	161.8	12.0	9.0	6.0	19.0	24.0	12.0	14.0	13.2	12.0	16.0	10.1	11.3	161.8
	21 LST																										

STA NO. 61986 (IN AREA NUMBER 03)

ST. BRANSON, MALAGASY REPUBLIC

LATITUDE 1627S

LONGITUDE 05933E

ELEVATION(FT) 0010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	94	97	95	94	91	86	87	87	85	89	96	95	97	3	-28
MEAN MAX TMP (F)	87	89	89	86	84	81	79	79	79	81	85	87	84	3	-28
MEAN MIN TMP (F)	77	78	77	76	75	73	71	70	70	72	74	76	74	3	-28
ABS MIN TMP (F)	71	72	72	70	70	67	67	66	65	68	70	71	65	3	-28
MEAN NO DYS TMP = OR GTR 90(F)	11.9	13.0	14.5	10.3	8.2	0.0	0.0	0.0	0.0	0.0	9.0	11.9	78.8	3	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN DEW PT TMP (F)	74	75	75	74	71	69	67	67	66	68	70	72	71	3	-29
MEAN REL HUM (PCT)	79	77	79	80	78	79	79	79	78	77	76	75	78	3	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	8.20	3.60	9.70	7.40	2.20	4.00	2.40	3.00	1.80	0.60	0.90	4.40	48.2	3	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN		7.5	10.2	9.6	4.8	7.0	4.5	5.5	3.5	1.3	1.9	8.8		3	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	4.0	2	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 20 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST	6.8	7.7	8.2	9.0	7.0	9.3	10.4	4.3	3.7	2.6	2.7	2.7	6.3	6	1855
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST	0.0	0.0	0.0	0.8	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.1	6	1855
18-20 LST														0	0
21-23 LST														0	0

ST. BRANDON, MALAGASY REPUBLIC
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	04 LST													0	0
	10 LST													0	0
	16 LST	29.9	27.5	30.3	29.5	30.6	29.6	29.8	30.8	29.8	31.0	29.8	30.8	6	1855
	22 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	04 LST													0	0
	10 LST													0	0
	16 LST	13.6	13.8	15.7	7.9	8.6	9.6	2.7	4.9	6.4	7.6	14.5	15.7	6	1855
	22 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	04 LST													0	0
	10 LST													0	0
	16 LST	1.0	1.3	0.0	3.9	3.0	5.4	10.0	6.9	5.3	5.4	0.4	2.5	6	1856
	22 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	04 LST													0	0
	10 LST													0	0
	16 LST	9.8	8.0	11.9	6.1	5.6	4.3	2.9	3.3	6.4	7.0	10.2	9.1	6	1855
	22 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	04 LST													0	0
	10 LST													0	0
	16 LST	5.4	2.3	3.6	3.9	5.2	5.7	9.4	8.0	6.2	6.2	7.9	6.2	6	1854
	22 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	04 LST													0	0
	10 LST													0	0
	16 LST	26.8	23.7	26.3	24.1	25.4	24.6	25.2	27.8	26.3	28.2	26.5	28.3	6	1855
	22 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	04 LST													0	0
	10 LST													0	0
	16 LST	25.9	22.7	25.0	21.9	23.3	23.4	23.5	26.5	22.5	26.0	24.9	26.7	6	1855
	22 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	04 LST													0	0
	10 LST													0	0
	16 LST	25.9	22.7	25.0	21.9	23.1	23.4	23.5	26.0	22.3	25.8	24.9	26.4	6	1855
	22 LST													0	0

RODRIGUEZ, MALAGASY REPUBLIC

STA NO. 61900 (IN AREA NUMBER 03)

LATITUDE 1941S

LONGITUDE 06325E

ELEVATION(FT) 00141

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	90	91	93	89	87	84	82	81	83	87	88	91	93	9	-28
MEAN MAX TMP (F)	86	86	86	84	81	79	77	77	78	80	82	85	82	9	-28
MEAN MIN TMP (F)	75	75	75	74	71	68	67	66	67	68	71	73	71	9	-28
ABS MIN TMP (F)	69	70	71	68	64	62	62	59	60	63	66	65	59	9	-28
MEAN NO DYS TMP = OR GTR 90(F)	10.7	9.6	10.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.4	40.4	9	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN DEW PT TMP (F)	70	71	71	69	65	62	60	60	60	61	64	67	65	9	-29
MEAN REL HUM (PCT)	73	76	75	75	72	70	70	70	69	68	69	69	71	10	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	5.50	8.00	8.30	6.10	5.10	3.00	3.40	4.00	1.90	3.10	1.20	2.90	92.1	9	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.9	9.5	9.9	9.0	8.3	5.5	6.1	7.0	3.6	5.6	2.4	5.5	82.3	9	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST	6.7	0.0	6.4	3.3	9.7	8.3	6.5	0.0	6.7	3.1	6.7	6.1	5.3	3	907
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	3	907
18-20 LST														0	0
21-23 LST														0	0

RODRIGUEZ, MALAGASY REPUBLIC
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	04 LST													0	0
	10 LST													0	0
	16 LST	31.0	28.0	30.3	29.0	29.5	28.5	30.0	31.0	30.0	31.0	29.0	30.0	3	307
	22 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	04 LST													0	0
	10 LST													0	0
	16 LST	11.3	14.0	17.1	14.5	10.0	13.5	9.5	7.5	7.0	12.6	16.0	21.6	3	307
	22 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	04 LST													0	0
	10 LST													0	0
	16 LST	7.5	6.3	7.8	6.8	8.3	7.2	9.9	12.7	12.5	9.9	6.2	8.1	6	1966
	22 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	04 LST													0	0
	10 LST													0	0
	16 LST	6.9	7.2	6.1	5.3	6.8	6.9	4.8	4.0	4.6	6.6	6.4	6.7	6	1966
	22 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	04 LST													0	0
	10 LST													0	0
	16 LST	2.9	4.0	3.9	3.0	3.0	2.0	4.0	2.6	6.5	7.8	2.0	3.8	5	314
	22 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	04 LST													0	0
	10 LST													0	0
	16 LST	26.8	27.0	27.0	27.5	25.0	24.0	27.0	30.0	25.0	29.0	24.0	27.2	3	307
	22 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	04 LST													0	0
	10 LST													0	0
	16 LST	25.8	26.0	26.4	26.0	23.0	21.0	22.5	28.2	23.0	25.2	20.0	24.4	3	307
	22 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	04 LST													0	0
	10 LST													0	0
	16 LST	25.8	26.0	26.4	26.0	23.0	21.0	22.5	28.2	23.0	25.2	20.0	24.4	3	307
	22 LST,													0	0

STA NO. 67009 (IN AREA NUMBER 03)

DIEGO SUAREZ, MALAGASY REPUBLIC

LATITUDE 12175

LONGITUDE 04910E

ELEVATION(FT) 00095

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	96	95	96	96	96	93	92	93	90	93	98	97	98	10	-132
MEAN MAX TMP (F)	88	89	88	88	88	85	84	84	84	86	88	90	87	11	-28
MEAN MIN TMP (F)	75	75	75	75	74	71	69	69	70	72	74	75	73	11	-28
ABS MIN TMP (F)	69	71	71	71	67	64	63	63	64	66	67	69	63	10	-132
MEAN NO DYS TMP = OR GTR 90(F)	13.2	13.0	13.2	12.7	13.2	9.0	8.2	8.2	7.9	10.7	12.7	15.9	137.9	11	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	75	76	75	72	69	65	62	62	63	67	70	73	69	14	-29
MEAN REL HUM (PCT)	82	83	81	76	69	67	65	65	66	69	72	76	73	20	-32
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	10.44	8.09	7.16	2.32	0.34	0.29	0.23	0.24	0.16	0.35	0.94	4.91	35.5	39	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN			9.9	9.0	0.9	0.7	0.6	0.6	0.5	0.9	1.9	9.4		39	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	16.0	15.0	14.0	6.0	1.0	0.0	0.0	0.0	0.0	1.0	4.0	13.0	70.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	3.9	4.3	4.5	2.0	0.0	1.3	0.6	1.3	2.0	0.6	1.3	4.5	2.2	5	1813
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST	3.3	6.5	3.2	1.3	0.6	0.0	0.0	0.7	0.7	0.0	0.7	2.6	1.6	5	1807
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.1	5	1813
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST	0.0	0.7	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1807
18-20 LST														0	0
21-23 LST														0	0

**DIEGO SUAREZ, MALAGASY REPUBLIC
MEAN NUMBER OF DAYS**

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	30.0	27.2	29.6	28.6	30.8	29.2	31.0	31.0	29.8	30.8	29.8	30.0	357.8	5	1813
	09 LST														0	0
	15 LST	30.0	26.8	30.2	29.8	30.6	30.0	30.6	30.6	29.8	31.0	30.0	30.4	399.8	5	1807
	21 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	24.5	23.6	25.4	20.1	20.0	17.3	14.8	9.8	7.0	6.4	14.0	18.6	201.5	5	1780
	09 LST														0	0
	15 LST	16.9	18.1	11.9	7.0	3.6	2.2	0.8	0.8	0.9	0.6	1.7	8.7	72.8	5	1771
	21 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	0.2	0.0	0.0	1.4	0.8	0.8	2.6	2.3	2.1	2.0	0.2	0.4	12.8	5	1782
	09 LST														0	0
	15 LST	1.7	0.0	2.2	7.0	10.0	13.3	16.8	19.8	23.0	20.5	12.2	3.6	190.1	5	1776
	21 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	11.7	8.7	17.1	15.1	17.6	15.6	15.0	11.3	7.7	7.4	13.3	14.0	154.5	5	1778
	09 LST														0	0
	15 LST	5.5	5.2	3.2	1.8	2.6	0.8	0.4	1.1	0.2	0.6	1.4	2.8	25.6	5	1774
	21 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	9.8	8.9	10.0	13.0	19.1	20.1	20.5	21.2	20.5	21.0	14.2	10.7	189.0	5	1811
	09 LST														0	0
	15 LST	2.2	1.0	1.4	6.6	13.1	11.9	10.4	13.6	15.6	18.9	12.0	3.6	110.3	5	1810
	21 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	26.1	25.0	27.8	27.2	29.6	28.0	29.2	28.7	28.2	29.4	27.4	27.0	333.6	5	1813
	09 LST														0	0
	15 LST	23.5	20.5	26.6	27.2	28.6	27.6	28.6	28.9	28.2	30.0	29.0	27.0	325.7	5	1807
	21 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	24.1	23.8	26.2	26.0	28.6	26.6	26.8	27.2	26.0	28.0	24.4	24.6	312.3	5	1813
	09 LST														0	0
	15 LST	19.8	17.1	24.3	25.8	27.0	25.0	25.9	27.4	26.6	28.2	28.4	24.6	300.1	5	1807
	21 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	23.9	23.6	26.2	26.0	28.0	26.4	26.0	27.2	25.8	27.8	24.2	24.3	309.4	5	1813
	09 LST														0	0
	15 LST	19.8	17.1	24.3	25.8	27.0	24.5	25.9	27.4	26.4	28.2	28.4	24.6	299.4	5	1807
	21 LST														0	0

STA NO. 67015/ (IN AREA NUMBER 03)

ADDI.00E, MALAGASY REPUBLIC
LATITUDE 1300S

LONGITUDE 04904E

ELEVATION(FT) 00095

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	97	96	97	95	94	93	93	94	97	98	100	97	100	10	-132
MEAN MAX TMP (F)	89	89	91	91	91	89	88	89	91	93	94	92	91	10	-132
MEAN MIN TMP (F)	74	74	74	73	70	66	64	65	67	71	73	73	70	10	-132
ABS MIN TMP (F)	70	69	70	66	63	56	57	59	59	62	66	68	56	10	-132
MEAN NO DYS TMP = OR GTR 90(F)	14.5	13.0	17.2	16.6	17.2	14.0	13.2	14.5	16.6	19.8	20.4	18.5	193.5	10	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEN PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	187	189	185	132	94	50	25	25	42	47	102	140	100	0	-30
MEAN PRECIP (IN)	19.62	18.68	11.69	4.20	0.66	0.64	0.39	0.46	0.43	1.27	4.05	11.16	73.3	20	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN			10.5	7.5	1.7	1.4	0.9	1.0	1.0	2.5	7.0			20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 20 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

ADDILOE, MALAGASY REPUBLIC
 MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SPC WND LES 10 KTS	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
SKY COVER LES 7/10 AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0

DATA NOT AVAILABLE

STA NO. 67023 (IN AREA NUMBER 03)

SABDAVA SOUTH, MALAGASY REPUBLIC

LATITUDE 1417S

LONGITUDE 05010E

ELEVATION(FT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	95	96	95	95	91	87	87	86	89	92	93	93	96	10	-132
MEAN MAX TMP (F)	89	90	89	88	86	83	81	81	83	85	86	88	86	10	-132
MEAN MIN TMP (F)	73	73	72	71	69	65	64	64	65	67	70	72	69	10	-132
ABS MIN TMP (F)	69	68	67	66	62	55	57	58	57	61	63	66	55	10	-132
MEAN NO DYS TMP - DR GTR 90(F)	14.3	14.3	14.3	12.7	10.7	0.0	0.0	0.0	0.0	9.4	10.3	13.2	99.6	10	-29
MEAN NO DYS TMP - DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP - DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	73	73	73	71	69	66	63	63	64	64	69	72	68	0	-50
MEAN REL HUM (PCT)	79	77	80	77	77	78	75	75	74	69	76	78	76	7	-29
MEAN PRESS ALT (FT)	100	100	100	90	0	-90	-100	-100	-100	-90	0	90	0	0	-90
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP - DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL - DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD - DR GTR 17 KTS														0	0
P FREQ WND SPD - DR GTR 20 KTS														0	0
P FREQ LES 3000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SARAWAK SOUTH, MALAYSIA REPUBLIC
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POB (YRS)	NO. OBS
CIG - GTR 1000 FT AND														0	0
VSBY - GTR 3 MI														0	0
														0	0
														0	0
CIG -GTR 2000 FT AND VSBY -GTR														0	0
3 MI W/SFC WND LES 10 KTS														0	0
														0	0
														0	0
SFC WND - GTR 17 KTS AND														0	0
NO PRECIP.														0	0
														0	0
														0	0
SFC WND 4-10 KTS AND TMP 33-89														0	0
DEG F AND NO PRECIP.														0	0
														0	0
														0	0
SKY COVER LES 3/10 AND														0	0
VSBY - GTR 3 MI														0	0
														0	0
														0	0
CIG - GTR 2500 FT AND														0	0
VSBY - GTR 3 MI														0	0
														0	0
														0	0
CIG - GTR 6000 FT AND														0	0
VSBY - GTR 3 MI														0	0
														0	0
														0	0
CIG - GTR 10000 FT AND														0	0
VSBY - GTR 3 MI														0	0
														0	0
														0	0

DATA NOT AVAILABLE

STA NO. 67090/ (IN AREA NUMBER 03)

ARRCHART, MALAGASY REPUBLIC
LATITUDE 12215

LONGITUDE 04910E

ELEVATION(FT) 00374

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	96	95	96	96	96	93	92	93	90	93	98	97	98	10	-67009
MEAN MAX TMP (F)	88	89	88	88	88	89	84	84	84	86	88	90	87	11	-67009
MEAN MIN TMP (F)	75	73	75	75	74	71	69	69	70	72	74	75	73	11	-67009
ABS MIN TMP (F)	69	71	71	71	67	64	63	63	64	66	67	69	63	10	-67009
MEAN NO DYS TMP - OR GTR 90(F)	13.2	13.0	13.2	12.7	13.2	9.0	0.2	0.2	7.9	10.7	12.7	13.9	137.9	11	-29
MEAN NO DYS TMP - OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP - OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEN PT TMP (F)	79	76	79	72	69	65	62	62	63	67	70	73	69	14	-29
MEAN REL HUM (PCT)	82	83	81	76	69	67	65	65	66	69	72	76	73	20	-67009
MEAN PRESS ALT (FT)	466	468	444	411	373	329	304	304	321	326	301	419	379	0	-30
MEAN PRECIP (IN)	10.44	8.09	7.16	2.32	0.34	0.29	0.23	0.24	0.16	0.35	0.94	4.91	35.5	39	-67009
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP - OR GTR 0.1 IN			9.5	5.0	0.9	0.7	0.6	0.6	0.3	0.9	1.9	9.4		39	-29
MEAN NO DYS SNFL - OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS T3THS	16.0	15.0	14.0	6.0	1.0	0.0	0.0	0.0	0.0	1.0	4.0	13.0	70.0	10	-67009
P FREQ WND SPD - OR GTR 17 KTS														0	0
P FREQ WND SPL - OR GTR 20 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

**ARRCHART, MALAGASY REPUBLIC
MEAN NUMBER OF DAYS**

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0

DATA NOT AVAILABLE

STA NO. 67095 (IN AREA NUMBER 03)

TABATAVE, MALAGASY REPUBLIC
LATITUDE 18075

LONGITUDE 04923E

ELEVATION(FT) 00016

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	98	95	96	91	86	83	83	81	84	86	89	92	98	20	-28
MEAN MAX TMP (F)	86	86	85	83	80	77	75	76	78	81	84	85	81	20	-28
MEAN MIN TMP (F)	74	74	73	72	69	66	65	64	65	67	70	73	69	20	-28
ABS MIN TMP (F)	69	70	68	67	63	57	59	56	59	60	62	66	56	20	-28
MEAN NO DYS TMP = OR GTR 90(F)	10.7	9.6	9.4	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.4	45.8	20	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN DEN PT TMP (F)	62	63	63	61	58	54	52	52	55	58	60	62	58	0	-30
MEAN REL HUM (PCT)	84	84	86	85	85	85	85	84	82	81	82	83	84	20	-32
MEAN PRESS ALT (FT)	100	100	50	0	-100	-150	-200	-200	-200	-100	-50	0	-62	0	-50
MEAN PRECIP (IN)	14.40	14.00	17.00	19.70	10.40	11.10	11.90	8.00	5.20	3.90	4.60	10.30	128.1	38	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN					10.3	13.9	14.3	11.6	8.6	6.8	7.8			38	-29
MEAN NO DYS SNFL = OR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	20.0	18.0	20.0	7.0	1.0	1.0	1.0	1.0	2.0	11.0	17.0	20.0	119.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-0. LST														0	0
03-05 LST	25.5	28.1	31.6	25.5	24.5	28.0	29.9	20.1	24.2	18.3	29.1	20.0	25.4	5	1806
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST	8.9	12.2	14.9	12.7	12.3	16.0	18.7	6.0	3.4	3.9	4.1	2.0	9.6	5	1804
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	9.2	13.7	15.1	5.4	12.3	9.3	9.7	5.4	8.7	3.9	9.5	6.5	9.1	5	1806
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST	2.0	4.3	4.5	2.7	5.2	5.3	4.5	2.0	1.4	0.6	1.4	0.7	2.9	5	1804
18-20 LST														0	0
21-23 LST														0	0

TABATAVE, MALAGASY REPUBLIC
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	24.7	20.1	22.6	24.2	23.4	24.2	23.0	27.0	23.4	27.7	24.1	27.4	297.8	5	1806
	09 LST														0	0
	15 LST	29.0	24.8	27.2	26.4	27.6	26.6	25.8	29.3	29.0	30.4	29.0	30.4	335.5	5	1804
	21 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	18.0	13.9	14.9	13.9	12.2	11.2	12.9	14.4	17.0	22.1	18.2	20.0	188.7	5	1804
	09 LST														0	0
	15 LST	14.4	9.5	16.1	12.6	10.0	6.4	10.4	13.1	17.1	21.8	15.3	15.6	162.5	5	1803
	21 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	0.2	0.2	0.4	0.2	1.2	0.8	0.4	0.4	0.2	0.0	0.0	0.2	4.2	5	1814
	09 LST														0	0
	15 LST	1.6	1.2	1.0	1.2	3.2	1.8	1.8	1.0	0.8	0.2	0.0	2.2	16.8	5	1807
	21 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	8.2	6.0	9.2	9.2	7.0	6.6	6.4	8.4	9.3	8.2	10.1	7.8	88.4	5	1811
	09 LST														0	0
	15 LST	10.7	4.6	8.8	7.2	7.6	5.0	6.2	8.3	12.3	19.6	13.4	13.0	117.1	5	1806
	21 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	8.2	9.5	5.7	8.8	13.0	9.8	9.6	9.6	8.9	10.2	7.8	9.3	110.6	5	1811
	09 LST														0	0
	15 LST	5.6	6.7	4.4	7.7	11.7	8.6	7.0	8.5	12.8	18.4	12.2	10.0	113.6	5	1803
	21 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	18.6	16.9	17.1	17.9	21.0	17.8	18.1	19.3	17.9	20.5	17.0	20.2	222.3	5	1806
	09 LST														0	0
	15 LST	23.9	21.1	24.3	23.6	25.0	21.4	21.4	26.2	26.9	29.0	27.1	27.7	297.6	5	1804
	21 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	16.8	15.7	15.9	16.9	20.2	16.8	17.1	17.3	15.9	18.4	16.0	18.8	206.0	5	1806
	09 LST														0	0
	15 LST	20.1	18.9	22.3	22.4	23.3	19.0	19.2	23.7	24.1	28.2	23.2	23.7	272.3	5	1804
	21 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	16.8	15.7	15.7	16.9	20.2	16.8	17.1	17.3	15.9	18.4	16.0	18.8	203.8	5	1806
	09 LST														0	0
	15 LST	20.1	18.9	22.3	22.4	23.3	19.0	19.2	23.3	24.1	28.2	23.2	23.7	272.3	5	1804
	21 LST														0	0

MANANJARY, MALAGASY REPUBLIC

STA NO. 67143 (IN AREA NUMBER 03)

LATITUDE 2112S

LONGITUDE 04821E

ELEVATION(FT) 0016

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	94	98	99	89	89	83	82	82	85	87	89	90	98	10	-132
MEAN MAX TMP (F)	86	86	85	83	80	78	76	76	78	80	84	85	81	10	-132
MEAN MIN TMP (F)	72	72	71	69	65	61	60	60	62	65	68	70	66	10	-132
ABS MIN TMP (F)	68	66	66	63	52	46	51	54	53	55	61	65	46	10	-132
MEAN NO DYS TMP = OR GTR 90(F)	10.7	9.6	9.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.4	39.1	10	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	73	73	73	71	65	64	62	62	63	66	71	71	68	0	-50
MEAN REL HUM (PCT)	84	84	85	85	82	86	86	84	83	82	82	84	84	5	-32
MEAN PRESS ALT (FT)	50	50	50	-50	-100	-200	-200	-200	-150	-100	-50	50	-70	0	-50
MEAN PRECIP (IN)	19.77	19.61	18.81	9.98	7.86	9.31	6.38	9.31	6.30	2.85	6.53	8.87	111.6	44	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN				10.2	9.8	12.7	10.0	8.7	7.3	5.2	10.2			44	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	9.0	9.0	9.0	6.0	2.0	1.0	1.0	0.0	0.0	3.0	6.0	11.0	57.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MAHARAJA, MALAGASY REPUBLIC
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0

DATA NOT AVAILABLE

STA NO. 67197 (IN AREA NUMBER 03)

FT. DAUPHIN, MALAGASY REPUBLIC

LATITUDE 2502S

LONGITUDE 04657E

ELEVATION(FT) 00144

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	94	93	91	91	87	84	84	82	86	90	91	91	94	20	-28
MEAN MAX TMP (F)	84	84	82	81	78	75	74	74	76	79	81	83	79	20	-28
MEAN MIN TMP (F)	72	72	71	69	65	62	61	61	63	65	68	70	67	20	-28
ABS MIN TMP (F)	64	64	63	59	52	53	53	49	52	55	60	60	49	20	-28
MEAN NO DYS TMP = OR GTR 90(F)	0.2	7.4	5.9	4.6	0.0	0.0	0.0	0.0	0.0	0.0	4.6	7.0	37.7	20	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN DEW PT TMP (F)	72	71	71	68	64	62	61	60	62	64	67	69	66	20	-29
MEAN REL HUM (PCT)	82	81	83	81	80	80	80	79	78	79	80	80	80	20	-32
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	7.66	7.92	9.03	4.33	4.90	6.05	3.90	3.43	1.85	2.81	3.25	5.10	66.2	39	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.9	9.6	10.0	7.6	8.2	9.6	6.8	6.2	3.3	5.1	5.8	9.6	91.9	39	-29
MEAN NO DYS SNFL = OR LES 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	11.0	10.0	9.0	5.0	4.0	3.0	2.0	2.0	1.0	5.0	8.0	10.0	70.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	13.6	13.2	19.9	10.7	8.4	10.7	9.0	9.5	4.7	7.2	12.8	7.1	10.5	9	1807
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST	8.4	11.9	15.6	8.2	12.3	11.3	9.2	4.7	4.7	5.8	12.7	5.3	9.0	9	1806
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	7.8	4.3	13.6	4.0	5.8	8.0	9.2	7.4	2.7	5.9	8.1	3.9	6.6	9	1807
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST	5.2	7.4	8.4	2.7	7.1	9.3	1.3	3.4	0.7	2.6	3.3	3.9	4.6	9	1806
18-20 LST														0	0
21-23 LST														0	0


FT. DAUPHIN, MALAGASY REPUBLIC
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	27.2	25.1	25.5	27.0	28.6	26.4	27.4	28.1	29.0	28.7	27.0	29.2	329.2	9	1007
	09 LST														0	0
	15 LST	27.6	24.7	25.9	28.4	27.4	26.2	29.6	29.1	28.8	29.4	27.2	29.4	333.7	9	1006
	21 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WIND LES 10 KTS	03 LST	19.3	16.8	18.3	19.9	23.4	19.8	21.2	17.8	14.8	14.5	17.4	20.8	224.0	9	1005
	09 LST														0	0
	15 LST	14.7	11.2	10.3	14.1	17.8	14.8	19.4	12.1	6.6	8.6	7.6	10.0	143.2	9	1005
	21 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	0.6	0.4	0.6	1.8	0.8	0.6	0.8	2.1	3.6	6.1	2.6	2.0	22.0	9	1011
	09 LST														0	0
	15 LST	2.4	2.2	2.4	3.0	2.8	1.4	1.8	5.8	5.2	10.7	6.4	4.5	51.6	9	1010
	21 LST														0	0
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	03 LST	8.0	7.4	8.0	8.6	9.4	8.4	10.3	8.5	8.0	7.5	8.3	11.7	104.1	9	1006
	09 LST														0	0
	15 LST	9.5	4.6	4.8	8.0	7.6	6.6	8.8	5.6	4.2	4.8	4.2	6.8	75.5	9	1009
	21 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	10.1	11.4	11.2	15.5	14.2	12.7	17.2	15.6	17.8	19.2	11.1	15.0	171.0	9	1010
	09 LST														0	0
	15 LST	7.0	7.4	6.7	11.7	10.8	9.4	15.2	13.1	15.4	16.3	7.2	8.2	128.6	9	1010
	21 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	22.1	20.2	21.9	23.1	24.4	22.0	24.0	24.1	25.2	25.5	21.9	25.6	280.0	9	1007
	09 LST														0	0
	15 LST	21.6	20.3	21.3	24.3	21.8	22.2	24.8	23.3	25.0	25.5	21.2	24.1	275.4	9	1006
	21 LST														0	0
CIG = GTR 8000 FT AND VSBY = GTR 3 MI	03 LST	19.5	17.9	20.5	21.1	21.8	19.0	21.4	21.1	23.0	23.4	18.9	24.2	251.8	9	1007
	09 LST														0	0
	15 LST	17.8	17.4	19.1	22.8	18.6	19.2	21.0	20.2	21.6	23.3	17.2	19.6	237.8	9	1006
	21 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	19.5	17.9	20.5	21.1	21.8	19.0	21.4	21.1	23.0	23.4	18.9	24.0	251.6	9	1007
	09 LST														0	0
	15 LST	17.8	17.4	19.1	22.7	18.4	19.2	21.0	20.2	21.6	23.3	17.2	19.6	237.5	9	1006
	21 LST														0	0

AREA NO. 03

MALGASY REPUBLIC		EAST COASTAL		LATITUDE 1305				LONGITUDE 04900E						
BOUNDARIES		1300S 04845E	1355S 04940E	1355S 04940E	2350S 04645E	2350S 04645E	2520S 04620E							
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		87	87	87	86	84	81	79	80	81	83	86	87	84
MEAN MIN TMP (F)		74	74	74	72	70	67	65	65	66	68	71	73	70
LARGEST MEAN PRECIP(IN)		19.62	18.68	18.81	19.70	10.40	11.10	11.90	8.00	9.20	3.90	6.93	11.16	141.0
SMALLEST MEAN PRECIP(IN)		5.90	5.60	7.16	2.32	0.34	0.29	0.23	0.24	0.16	0.35	0.90	2.50	23.6
MEAN NUMBER OF DAYS														
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	27.3	24.1	25.9	26.6	26.3	26.6	27.8	28.7	28.1	29.1	27.0	28.9	328.4
	09 LST													
	15 LST	29.5	26.4	28.8	28.6	29.1	28.2	29.2	30.2	29.5	30.6	29.0	30.2	349.3
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	03 LST	20.6	18.1	19.5	18.0	18.5	16.1	16.3	14.0	12.9	14.3	16.5	19.8	204.6
	09 LST													
	15 LST	14.2	13.3	14.1	11.2	10.0	8.5	7.0	7.7	7.6	10.2	11.1	14.3	129.2
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	0.3	0.2	0.3	1.1	0.9	0.7	1.3	1.6	2.6	2.7	0.9	0.9	12.9
	09 LST													
	15 LST	2.8	2.2	2.7	4.4	5.5	5.8	8.1	9.2	10.0	9.3	5.2	4.2	69.4
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	9.3	7.4	10.1	9.6	11.3	10.2	10.6	9.4	8.3	7.7	10.6	11.2	119.7
	09 LST													
	15 LST	8.5	5.9	7.0	5.7	6.0	4.7	4.6	4.5	5.6	7.7	7.1	7.7	79.0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	9.4	9.9	9.0	12.4	15.4	14.2	15.8	15.5	15.7	16.8	11.0	11.7	156.8
	09 LST													
	15 LST	4.6	4.3	4.0	6.0	8.8	7.5	9.2	9.2	11.3	13.5	8.3	6.4	93.7
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	22.3	20.7	22.3	22.7	25.0	22.6	23.8	24.0	23.8	25.1	22.1	24.3	278.7
	09 LST													
	15 LST	24.5	22.5	25.1	25.3	25.2	24.0	25.4	27.2	26.3	28.3	25.6	26.9	306.3
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	03 LST	20.1	19.1	20.9	21.3	23.5	20.8	21.8	21.9	21.6	23.3	19.8	22.5	256.6
	09 LST													
	15 LST	21.9	20.4	23.5	23.8	23.1	21.5	22.4	25.2	23.6	26.2	23.1	24.2	278.9
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	20.1	19.1	20.8	21.3	23.3	20.7	21.5	21.9	21.6	23.2	19.7	22.4	259.6
	09 LST													
	15 LST	21.9	20.4	23.5	23.8	23.0	21.4	22.4	25.1	23.5	26.1	23.1	24.1	278.3
	21 LST													

SELECTED ISLAND GROUPS



STA NO. 63980 (IN AREA NUMBER 01)

NAME SEYCHELLES ISLAND
LATITUDE 0437S

LONGITUDE 05327E

ELEVATION(FT) 00000

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	88	89	90	92	91	89	86	87	88	89	89	91	92	60	-28
MEAN MAX TMP (F)	83	84	85	86	85	83	81	81	82	83	84	83	83	60	-28
MEAN MIN TMP (F)	76	77	77	77	77	77	75	75	76	75	75	75	76	60	-28
ABS MIN TMP (F)	69	71	69	71	69	67	67	68	68	68	68	69	67	60	-28
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	9.4	10.3	9.4	0.0	0.0	0.0	0.0	0.0	0.0	7.0	36.1	60	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60	-29
MEAN DEW PT TMP (F)	72	72	71	71	71	71	69	69	70	70	70	71	71	59	-29
MEAN REL HUM (PCT)	79	77	75	74	75	76	77	76	76	76	75	78	76	44	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	19.20	10.90	9.20	7.20	6.70	4.00	3.90	2.70	5.10	6.10	9.10	13.40	92.5	64	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN			10.1	9.5	9.3	7.0	6.0	5.0	8.4	9.7	13.0			64	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	3.0	3.0	3.0	2.0	2.0	1.0	0.3	0.3	1.0	0.3	0.3	0.3	16.5	13	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/O LES 3 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST	4.7	6.7	2.0	4.4	0.7	0.7	0.7	3.1	4.3	3.9	1.5	3.5	3.2	9	1061
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.1	9	1061
18-20 LST														0	0
21-23 LST														0	0

MAHE, SEYCHELLES ISLAND
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	04 LST														0	0
	10 LST														0	0
	16 LST	29.0	26.5	30.6	29.3	30.8	30.0	30.8	29.6	28.7	29.9	29.5	29.9	354.6	5	1661
	22 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	04 LST														0	0
	10 LST														0	0
	16 LST	20.3	17.9	25.7	20.9	16.6	8.1	9.4	7.5	10.4	16.7	23.4	17.4	194.3	5	1659
	22 LST														0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	04 LST														0	0
	10 LST														0	0
	16 LST	0.7	0.6	0.0	0.8	1.3	2.6	3.2	3.9	1.9	0.6	0.2	0.9	16.7	5	1673
	22 LST														0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	04 LST														0	0
	10 LST														0	0
	16 LST	13.4	11.0	10.4	10.7	9.8	8.7	9.8	8.0	10.1	11.6	12.1	8.9	124.5	5	1666
	22 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	04 LST														0	0
	10 LST														0	0
	16 LST	1.4	2.7	0.6	2.6	4.1	3.9	1.9	1.6	5.0	3.2	3.1	1.5	31.6	5	1672
	22 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	04 LST														0	0
	10 LST														0	0
	16 LST	28.6	25.3	29.3	28.0	30.1	29.6	30.8	29.2	28.5	29.3	29.3	29.5	347.5	5	1661
	22 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	04 LST														0	0
	10 LST														0	0
	16 LST	28.3	25.3	29.1	27.8	29.9	29.6	30.8	28.9	28.5	28.8	29.1	29.0	349.1	5	1661
	22 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	04 LST														0	0
	10 LST														0	0
	16 LST	29.3	25.1	29.1	27.8	29.9	29.6	30.8	28.9	28.5	28.8	29.1	29.0	344.9	5	1661
	22 LST														0	0

AREA NO. 81

MASCARENE ISLAND GROUP

SEYCHELLES ISLAND
BOUNDARIES

LATITUDE 0497S

LONGITUDE 09927E

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	83	84	85	86	85	83	81	81	82	83	84	83	83
MEAN MIN TMP (F)	76	77	77	77	77	77	75	75	76	75	75	75	76
LARGEST MEAN PRECIP(IN)	15.20	10.90	9.20	7.20	6.70	4.00	3.30	2.70	5.10	6.10	9.10	13.40	92.5
SMALLEST MEAN PRECIP(IN)	15.20	10.90	9.20	7.20	6.70	4.00	3.30	2.70	5.10	6.10	9.10	13.40	92.5
	MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	04 LST												
	10 LST												
	16 LST	29.0	26.5	30.6	29.3	30.8	30.0	30.8	29.6	28.7	29.9	27.3	29.9
	22 LST												394.0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	04 LST												
	10 LST												
	16 LST	20.3	17.9	25.7	20.9	16.6	8.1	9.4	7.5	10.4	16.7	23.4	17.4
	22 LST												194.3
SPC WND = GTR 17 KTS AND NO PRECIP.	04 LST												
	10 LST												
	16 LST	0.7	0.6	0.0	0.8	1.3	2.6	3.2	3.9	1.9	0.6	0.2	0.9
	22 LST												16.7
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	04 LST												
	10 LST												
	16 LST	13.4	11.0	10.4	10.7	9.8	8.7	9.8	8.0	10.1	11.6	12.1	8.9
	22 LST												124.3
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	04 LST												
	10 LST												
	16 LST	1.4	2.7	0.6	2.6	4.1	3.9	1.9	1.6	5.0	3.2	3.1	1.5
	22 LST												31.6
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	04 LST												
	10 LST												
	16 LST	28.6	25.3	29.3	28.0	30.1	29.6	30.8	29.2	28.5	29.3	29.3	29.5
	22 LST												347.5
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	04 LST												
	10 LST												
	16 LST	28.3	25.3	29.1	27.8	29.9	29.6	30.8	28.9	28.5	28.8	29.1	29.0
	22 LST												348.1
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	04 LST												
	10 LST												
	16 LST	28.3	25.1	29.1	27.8	29.9	29.6	30.8	28.9	28.5	28.8	29.1	29.0
	22 LST												344.9

STA NO. 61967 (IN AREA NUMBER 02)

BIERRE GARCIA, CHAGOS ISLAND
LATITUDE 0714S

LONGITUDE 07226E

ELEVATION(FT) 00007

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	91	90	93	91	90	88	86	86	86	88	90	91	93	4	-35
MEAN MAX TMP (F)	86	86	88	87	85	83	82	82	82	83	85	87	85	4	-35
MEAN MIN TMP (F)	77	77	78	78	77	76	75	75	75	76	77	77	77	4	-35
ABS MIN TMP (F)	73	73	72	73	72	72	72	72	72	72	73	72	72	4	-35
MEAN NO DYS TMP OR GTR 90(F)	10.7	9.0	13.2	11.5	9.4	0.0	0.0	0.0	0.0	0.0	9.0	11.0	75.3	4	-29
MEAN NO DYS TMP - OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS TMP - OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN DEN PT TMP (F)	73	73	72	73	72	72	71	71	71	72	72	72	72	4	-29
MEAN REL HUM (PCT)	78	78	75	76	76	79	79	79	79	80	76	74	77	4	-35
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	12.84	8.90	6.50	6.50	5.95	5.24	5.10	9.13	8.82	12.87	5.87	6.69	94.5	4	-35
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS PRCP - OR GTR 0.1 IN			9.2	9.3	8.9	8.6	8.5	12.5	12.7	16.0	9.4	10.4		4	-29
MEAN NO DYS SNPL - OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS W/OCUR VSOY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD - OR GTR 17 KTS														0	0
P FREQ WND SPD - OR GTR 20 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST	21.1	24.4	20.6	21.4	12.2	5.2	8.0	3.4	4.9	7.8	7.7	7.0	12.0	6	1943
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.2	6	1943
21-23 LST														0	0

**DIEGO GARCIA, CANTON ISLAND
MEAN NUMBER OF DAYS**

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PER (YRS)	NO. OBS
CIG - GTR 1000 FT AND VSBY - GTR 3 MI	09 LST														0	0
	11 LST														0	0
	17 LST	29.5	21.9	25.9	25.1	29.3	29.7	29.4	30.3	29.3	29.6	28.8	29.5	334.3	6	1943
	23 LST														0	0
CIG -GTR 2000 FT AND VSBY -GTR 3 MI W/SFC WND LES 10 KTS	09 LST														0	0
	11 LST														0	0
	17 LST	20.3	16.4	23.8	20.9	23.0	20.9	19.0	19.9	19.6	20.2	24.5	20.4	296.9	6	1920
	23 LST														0	0
SFC WND - GTR 17 KTS AND NO PRECIP.	09 LST														0	0
	11 LST														0	0
	17 LST	0.4	0.2	0.4	0.2	0.0	0.0	1.1	2.1	0.4	0.3	0.7	0.0	9.8	6	1929
	23 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST														0	0
	11 LST														0	0
	17 LST	7.6	6.8	7.9	7.1	9.3	13.4	10.9	13.2	10.7	8.3	9.2	6.0	114.6	6	1921
	23 LST														0	0
SKY COVER LES 3/10 AND VSBY - GTR 3 MI	09 LST														0	0
	11 LST														0	0
	17 LST	4.8	3.3	6.7	4.7	5.7	4.9	1.6	4.6	1.8	3.1	3.3	3.3	92.2	6	1947
	23 LST														0	0
CIG - GTR 2500 FT AND VSBY - GTR 3 MI	09 LST														0	0
	11 LST														0	0
	17 LST	22.8	18.9	23.4	22.0	24.3	14.6	24.3	27.8	23.9	23.3	26.3	27.3	293.9	6	1943
	23 LST														0	0
CIG - GTR 6000 FT AND VSBY - GTR 3 MI	09 LST														0	0
	11 LST														0	0
	17 LST	22.6	18.3	23.0	22.0	23.0	23.6	21.3	23.3	24.4	24.4	26.3	27.1	282.1	6	1943
	23 LST														0	0
CIG - GTR 10000 FT AND VSBY - GTR 3 MI	09 LST														0	0
	11 LST														0	0
	17 LST	22.3	18.3	23.0	22.0	22.8	23.6	21.3	23.3	24.4	24.4	26.3	27.1	281.6	6	1943
	23 LST														0	0

MASCARENE ISLAND GROUP

CHAGOS ISLAND
BOUNDARIES

AREA NO. 02

LATITUDE 0714S LONGITUDE 07226E

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	86	86	88	87	85	83	82	82	82	83	85	87	85
MEAN MIN TMP (F)	77	77	78	78	77	76	75	75	75	76	77	77	77
LARGEST MEAN PRECIP(IN)	12.84	8.90	6.90	6.98	5.95	5.24	5.16	9.13	8.82	12.87	5.87	6.69	94.5
SMALLEST MEAN PRECIP(IN)	12.84	8.90	6.90	6.98	5.95	5.24	5.16	9.13	8.82	12.87	5.87	6.69	94.5
	MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	05 LST												
	11 LST												
	17 LST	25.5	21.9	25.9	25.1	29.3	29.7	29.4	30.3	29.3	29.6	28.8	29.5 334.3
	23 LST												
CIG =GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	05 LST												
	11 LST												
	17 LST	20.3	18.4	23.8	20.9	23.0	20.9	19.0	19.9	19.6	20.2	24.5	26.4 256.9
	23 LST												
SFC WND = GTR 17 KTS AND NO PRECIP.	05 LST												
	11 LST												
	17 LST	0.4	0.2	0.4	0.2	0.0	0.0	1.1	2.1	0.4	0.3	0.7	0.0 5.8
	23 LST												
SFC WND 4-10 KTS AND TMP 33-89 DEC F AND NO PRECIP.	05 LST												
	11 LST												
	17 LST	7.6	8.8	7.9	7.1	9.5	15.4	10.9	13.2	10.7	8.3	9.2	6.0 114.6
	23 LST												
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	05 LST												
	11 LST												
	17 LST	4.8	3.3	8.7	4.7	5.7	4.9	1.6	4.6	1.8	3.1	3.3	5.5 92.2
	23 LST												
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	05 LST												
	11 LST												
	17 LST	22.8	18.9	23.4	22.0	24.5	26.6	24.5	27.8	25.9	25.5	26.5	27.5 295.9
	23 LST												
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	05 LST												
	11 LST												
	17 LST	22.8	18.3	23.8	22.0	23.8	25.6	21.5	23.5	24.4	24.4	26.3	27.1 282.1
	23 LST												
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	05 LST												
	11 LST												
	17 LST	22.3	18.5	23.8	22.0	22.8	25.6	21.5	23.5	24.4	24.4	26.3	27.1 281.6
	23 LST												

STA 1-7, 61974 (IN AREA NUMBER 03)

AGALEGA, AGALEGA ISLAND

LATITUDE 1033S

LONGITUDE 05645E

ELEVATION(FT) 0010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	91	90	91	90	89	86	85	84	85	86	89	90	91	2	-28
MEAN MAX TMP (F)	86	87	87	87	85	84	83	83	83	84	86	87	85	3	-28
MEAN MIN TMP (F)	77	77	77	77	77	75	75	73	73	73	76	76	76	3	-28
ABS MIN TMP (F)	72	73	73	73	73	71	71	69	70	70	73	72	69	2	-28
MEAN NO DYS TMP - DR GTR 90(F)	10.7	10.7	11.9	11.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.9	50.7	3	-29
MEAN NO DYS TMP - DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS TMP - DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN DEW PT TMP (F)	75	76	75	76	74	71	72	70	68	71	73	74	73	3	-29
MEAN REL HUM (PCT)	83	84	81	82	80	78	81	78	74	77	79	79	80	2	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	5.90	10.10	4.90	6.90	13.20	8.90	8.70	3.20	1.80	4.20	7.00	10.00	84.8	2	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS PRCP - DR GTR 0.1 IN	10.2		8.2	9.4		14.3	12.2	5.8	3.5	7.2	10.8			2	-29
MEAN NO DYS SNFL - DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	1.0	1.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	2	-24
P FREQ WND SPD - DR GTR 17 KTS														0	0
P FREQ WND SPD - DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST	11.7	7.7	4.3	5.1	6.1	6.7	9.8	8.4	7.4	7.8	4.8	7.2	7.3	6	1968
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST	0.6	0.0	0.0	0.0	1.7	0.0	0.0	1.3	0.7	0.0	0.0	2.0	0.5	6	1968
18-20 LST														0	0
21-23 LST														0	0

AGALEGA, AGALEGA ISLAND
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	04 LST														0	0
	10 LST														0	0
	16 LST	29.0	27.0	30.0	29.0	30.1	29.6	30.1	30.0	29.2	30.2	30.0	29.0	396.4	6	1960
	22 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	04 LST														0	0
	10 LST														0	0
	16 LST	19.1	22.3	26.7	23.7	19.0	12.1	6.2	7.6	11.3	13.1	20.9	22.5	204.5	6	1967
	22 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	04 LST														0	0
	10 LST														0	0
	16 LST	2.0	0.1	0.2	0.4	1.4	4.3	5.9	7.6	3.4	2.0	0.6	0.6	28.7	6	1974
	22 LST														0	0
SFC WND 6-10 KTS AND THP 33-09 DEG F AND NO PRECIP.	04 LST														0	0
	10 LST														0	0
	16 LST	13.9	12.7	16.0	17.8	15.3	9.6	6.3	6.4	11.7	12.4	16.6	15.4	155.1	6	1955
	22 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	04 LST														0	0
	10 LST														0	0
	16 LST	1.2	2.3	3.2	2.6	5.1	4.7	3.3	3.4	6.4	5.8	0.2	4.4	52.6	6	1976
	22 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	04 LST														0	0
	10 LST														0	0
	16 LST	23.7	23.5	27.0	26.0	27.2	29.5	29.6	25.9	26.0	26.2	26.3	26.9	310.6	6	1968
	22 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	04 LST														0	0
	10 LST														0	0
	16 LST	22.5	22.0	27.0	24.9	26.0	22.0	22.7	23.3	23.3	23.5	24.7	25.9	290.6	6	1966
	22 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	04 LST														0	0
	10 LST														0	0
	16 LST	22.5	22.0	27.0	24.9	26.0	22.0	23.7	23.3	23.3	23.3	24.5	25.7	290.2	6	1968
	22 LST														0	0

MASCARENE ISLAND GROUP

AGALOGA ISLAND
BOUNDARIES

AREA NO. 03

LATITUDE 1033S

LONGITUDE 05645E

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	86	87	87	87	85	84	83	83	83	84	86	87	85
MEAN MIN TMP (F)	77	77	77	77	77	79	79	79	79	79	76	76	76
LARGEST MEAN PRECIP(IN)	9.90	10.10	4.90	6.90	13.20	8.90	8.70	3.20	1.80	4.20	7.00	10.00	84.8
SMALLEST MEAN PRECIP(IN)	9.90	10.10	4.90	6.90	13.20	8.90	8.70	3.20	1.80	4.20	7.00	10.00	84.8
	MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	04 LST												
	10 LST												
	16 LST	29.0	27.0	30.0	29.8	30.1	29.6	30.1	30.0	29.2	30.2	30.0	29.8
	22 LST												356.4
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	04 LST												
	10 LST												
	16 LST	19.1	22.3	26.7	23.7	19.0	12.1	6.2	7.6	11.3	13.1	20.9	22.5
	22 LST												204.5
SFC WND = GTR 17 KTS AND NO PRECIP.	04 LST												
	10 LST												
	16 LST	2.0	0.1	0.2	0.4	1.4	4.5	9.9	7.6	3.4	2.0	0.6	0.6
	22 LST												28.7
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	04 LST												
	10 LST												
	16 LST	13.9	12.7	16.8	17.8	15.3	9.6	6.9	6.4	11.7	12.4	16.6	13.4
	22 LST												199.1
S/V COVER LES 3/10 AND VSBY = GTR 3 MI	04 LST												
	10 LST												
	16 LST	1.2	2.3	3.2	2.6	5.1	4.7	3.3	5.4	6.4	5.8	8.2	4.4
	22 LST												52.6
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	04 LST												
	10 LST												
	16 LST	23.7	23.5	27.8	26.0	27.2	23.5	23.6	23.9	26.0	26.2	26.3	26.9
	22 LST												310.6
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	04 LST												
	10 LST												
	16 LST	22.5	22.8	27.0	24.9	26.0	22.8	23.7	23.5	23.3	23.5	24.7	25.9
	22 LST												290.6
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	04 LST												
	10 LST												
	16 LST	22.5	22.8	27.0	24.9	26.0	22.8	23.7	23.5	23.3	23.5	24.5	25.7
	22 LST												290.2

GILLOT-ST. DENIS, MASCARENE ISLAND

STA NO. 61980 (IN AREA NUMBER 04)

LATITUDE 2039S

LONGITUDE 09531E

ELEVATION(FT) 00066

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	88	88	87	86	82	79	78	79	81	83	87	86	84	4	-2
MEAN MIN TMP (F)	74	75	74	73	70	66	65	65	66	68	71	72	70	4	-2
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)	13.2	11.9	11.9	10.3	5.9				4.6	7.0	11.5	10.7		4	-29
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEN PT TMP (F)	71	72	72	72	66	60	60	59	60	57	67	69	65	0	-50
MEAN REL HUM (PCT)	76	76	77	73	70	69	69	68	69	70	72	75	72	20	-32
MEAN PRESS ALT (FT)	100	90	100	90	0	-100	-150	-150	-100	-100	0	90	-20	0	-50
MEAN PRECIP (IN)	11.06	7.36	13.98	5.87	2.21	1.97	1.94	1.30	1.42	1.18	2.76	5.24	55.9	20	-32
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN		10.1		8.9	4.8	3.8	3.1	2.6	2.8	2.4	5.0	9.7		20	-29
MEAN NO DYS SNFL = OR GTR 1.9 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	3.0	3.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	11.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 20 KTS														0	0
P FREQ LES 9000 FT A/D LES 9 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

GILLOT-ST. DENIS, GAMBARENE ISLAND
 MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS														0	0
														0	0
														0	0
														0	0
JFC WND = GTR 17 KTS AND NO PRECIP.														0	0
														0	0
														0	0
														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.														0	0
														0	0
														0	0
														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0

DATA NOT AVAILABLE

STA NO. 61990 (IN AREA NUMBER 04)

PLAISANCE/MAURITIUS, BASCARENE ISLAND

LATITUDE 2026S

LONGITUDE 09740E

ELEVATION(FT) 00164

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	91	90	91	88	86	86	81	79	84	84	88	91	91	4	-35
MEAN MAX TMP (F)	85	85	85	82	80	76	75	75	77	79	82	83	80	4	-35
MEAN MIN TMP (F)	72	72	72	70	69	65	64	63	64	64	67	70	68	4	-35
ABS MIN TMP (F)	63	63	61	61	63	57	52	54	55	57	59	63	52	4	-35
MEAN NO DYS TMP = OR GTR 90(F)	9.4	8.4	9.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	34.2	4	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN DEW PT TMP (F)	69	69	71	68	67	62	60	59	60	60	63	67	65	4	-29
MEAN REL HUM (PCT)	76	76	79	78	79	77	75	74	72	70	70	74	75	4	-35
MEAN PRESS ALT (FT)	209	231	206	138	86	17	-37	-35	-21	23	94	143	88	0	-50
MEAN PRECIP (IN)	7.67	10.43	13.82	8.86	9.65	6.73	5.00	3.23	3.50	1.18	2.56	4.13	76.4	4	-29
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.9			10.0	10.2	10.3	8.3	5.9	6.2	2.4	4.7	8.4		4	-29
MEAN NO DYS SNFL = OR LES 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST	6.6	7.1	9.1	7.7	5.5	12.2	8.1	6.5	6.8	5.2	8.1	7.8	7.6	6	1967
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1967
18-20 LST														0	0
21-23 LST														0	0

PLAISANCE/BAURITIUS, MASCAPENE ISLAND
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	04 LST														0	0
	10 LST														0	0
	16 LST	30.8	28.0	30.3	29.8	30.7	28.3	30.9	29.8	29.0	30.6	29.4	29.8	356.5	6	1967
	22 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	04 LST														0	0
	10 LST														0	0
	16 LST	19.4	16.0	20.8	20.6	21.2	19.8	17.2	17.1	18.6	21.1	21.1	21.9	230.8	6	1967
	22 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	04 LST														0	0
	10 LST														0	0
	16 LST	0.0	0.3	0.2	0.2	0.2	0.2	0.2	0.4	0.4	0.2	0.0	0.0	2.3	6	1971
	22 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	04 LST														0	0
	10 LST														0	0
	16 LST	16.3	10.5	12.2	13.5	11.0	12.2	12.6	13.1	15.3	17.5	17.1	18.8	170.1	6	1967
	22 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	04 LST														0	0
	10 LST														0	0
	16 LST	1.8	1.0	1.0	2.8	3.0	2.6	3.0	3.4	4.4	4.2	5.2	3.0	39.4	6	1972
	22 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	04 LST														0	0
	10 LST														0	0
	16 LST	24.9	23.0	33.3	24.0	25.9	20.8	23.8	23.5	23.7	24.6	23.1	24.1	286.7	6	1967
	22 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	04 LST														0	0
	10 LST														0	0
	16 LST	23.3	21.5	24.1	21.7	22.4	17.6	19.7	18.9	20.0	19.9	20.7	22.3	292.1	6	1967
	22 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	04 LST														0	0
	10 LST														0	0
	16 LST	23.3	21.5	24.1	21.7	22.2	17.3	19.6	18.9	20.0	19.9	20.7	22.3	291.5	6	1967
	22 LST														0	0

STA NO. 61993 (IN AREA NUMBER 04)

ROYAL ALFRED OBS., MASCARENE ISLAND

LATITUDE 2006S

LONGITUDE 05732E

ELEVATION(FT) 00101

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	95	91	90	88	85	83	80	80	83	88	91	95	95	40	-28
MEAN MAX TMP (F)	86	85	84	82	79	76	75	75	77	80	83	85	81	40	-28
MEAN MIN TMP (F)	73	73	72	70	66	63	62	62	63	64	67	71	67	40	-28
ABS M'N TMP (F)	63	64	63	58	55	51	51	50	51	55	57	62	50	40	-28
MEAN NO DYS TMP = DR GTR 90(F)	10.7	8.4	8.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	9.4	43.4	40	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	40	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	40	-29
MEAN DEW PT TMP (F)	71	72	71	69	65	61	59	59	59	60	62	67	65	42	-29
MEAN REL HUM (PCT)	77	80	81	80	78	76	75	74	71	69	67	71	75	45	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	8.90	7.80	8.70	9.00	3.80	2.60	2.90	2.90	1.40	1.60	1.80	4.60	50.6	43	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	40	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN		9.8	10.0	8.2	7.1	4.9	4.4	4.7	2.8	3.1	3.5	9.0		43	-29
MEAN NO DYS SNFL = DR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	40	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.3	1.0	1.0	1.0	0.3	0.0	0.0	0.0	0.3	0.3	0.3	0.3	4.8	73	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

ROYAL ALFRED OBS., MASCARENE ISLAND
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	04 LST													0	0
	10 LST													0	0
	16 LST													0	0
	22 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	04 LST													0	0
	10 LST													0	0
	16 LST													0	0
	22 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	04 LST													0	0
	10 LST													0	0
	16 LST													0	0
	22 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	04 LST													0	0
	10 LST													0	0
	16 LST													0	0
	22 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	04 LST													0	0
	10 LST													0	0
	16 LST													0	0
	22 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	04 LST													0	0
	10 LST													0	0
	16 LST													0	0
	22 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	04 LST													0	0
	10 LST													0	0
	16 LST													0	0
	22 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	04 LST													0	0
	10 LST													0	0
	16 LST													0	0
	22 LST													0	0

DATA NOT AVAILABLE

AREA NO. 84

MASCARENE ISLAND GROUP


MASCARENE ISLAND
BOUNDARIES

LATITUDE 2100S

LONGITUDE 05630E

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	86	86	85	83	80	77	76	76	78	81	84	85	81
MEAN MIN TMP (F)	73	73	73	71	68	65	64	63	64	65	68	71	68
LARGEST MEAN PRECIP(IN)	11.06	10.43	13.98	8.66	9.65	6.73	5.00	3.23	3.50	1.60	2.76	5.24	81.8
SMALLEST MEAN PRECIP(IN)	7.67	7.36	8.70	9.00	2.21	1.97	1.54	1.30	1.40	1.18	1.80	4.13	44.3
	MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	04 LST												
	10 LST												
	16 LST	30.8	28.0	30.3	29.8	30.7	28.3	30.0	29.8	29.0	30.6	29.4	29.8
	22 LST	356.5											
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	04 LST												
	10 LST												
	16 LST	19.4	16.0	20.8	20.6	21.2	19.8	17.2	17.1	18.6	21.1	21.1	21.9
	22 LST	230.8											
SFC WND = GTR 17 KTS AND NO PRECIP.	04 LST												
	10 LST												
	16 LST	0.0	0.3	0.2	0.2	0.2	0.2	0.2	0.4	0.4	0.2	0.0	0.0
	22 LST	2.3											
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	04 LST												
	10 LST												
	16 LST	16.3	10.5	12.2	13.5	11.0	12.2	12.6	13.1	15.3	17.5	17.1	18.8
	22 LST	170.1											
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	04 LST												
	10 LST												
	16 LST	1.8	1.0	1.0	2.8	3.0	2.6	3.0	3.4	4.4	4.2	5.2	3.0
	22 LST	35.4											
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	04 LST												
	10 LST												
	16 LST	24.9	23.0	25.3	24.0	25.9	20.8	23.8	23.5	23.7	24.6	23.1	24.1
	22 LST	286.7											
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	04 LST												
	10 LST												
	16 LST	23.3	21.5	24.1	21.7	22.4	17.6	19.7	18.9	20.0	19.9	20.7	22.3
	22 LST	252.1											
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	04 LST												
	10 LST												
	16 LST	23.3	21.5	24.1	21.7	22.2	17.3	19.6	18.9	20.0	19.9	20.7	22.3
	22 LST	251.5											

MOZAMBIQUE - NIGERIA
NYASALAND - RWANDA



TELENTE VALADIN, MOZAMBIQUE

STA NO. 67210/ (IN AREA NUMBER 01)

LATITUDE 12205

LONGITUDE 03610E

ELEVATION(FT) 03300

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP - DR GTR 90(F)														0	0
MEAN NO DYS TMP - DR LES 32(F)														0	0
MEAN NO DYS TMP - DR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	3294	3205	3256	3196	3135	3061	3049	3002	3142	3210	3242	3260	3185	0	-50
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PACP - DR GTR 0.1 IN														0	0
MEAN NO DYS SNPL - DR GTR 1.8 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD - DR GTR 17 KTS														0	0
P FREQ WND SPD - DR GTR 20 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

TEWENTE VALADID, MOZAMBIQUE
 MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0

DATA NOT AVAILABLE

VILA CAORAL, MOZAMBIQUE

LATITUDE 1316S

LONGITUDE 03514E

ELEVATION(FT) 04910

STA NO. 67217 (IN AREA NUMBER 01)

PARAMETER DESCRIPTION

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	90	86	86	93	93	88	88	100	95	97	99	90	100	13	-28
MEAN MAX TMP (F)	78	78	77	77	76	72	72	74	79	83	82	79	77	13	-28
MEAN MIN TMP (F)	60	61	60	58	54	50	50	51	54	59	60	60	56	13	-28
ABS MIN TMP (F)	50	53	50	49	48	42	42	40	41	50	52	50	40	13	-28
MEAN NO DYS TMP - DR GTR 90(F)	0.0	0.0	0.0			0.0	0.0			7.0	5.7	0.0	0.0	13	-29
MEAN NO DYS TMP - DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS TMP - DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN DEL PT TMP (F)	64	64	63	61	55	50	49	50	50	51	57	62	56	6	-28
MEAN REL HUM (PCT)	84	83	83	80	73	71	68	67	59	53	65	80	72	0	-50
MEAN PRESS ALT (FT)	4512	4503	4474	4414	4353	4279	4267	4302	4362	4428	4460	4486	4403	13	-28
MEAN PRECIP (IN)	10.60	9.10	11.30	2.80	1.20	0.20	0.05	0.10	0.10	0.50	3.20	0.10	47.3	13	-29
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS PRCP - DR GTR 0.1 IN			10.4	5.7	2.9	0.3	0.2	0.3	0.4	1.1	5.7			13	-29
MEAN NO DYS SNFL - DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD - DR GTR 17 KTS														0	0
P FREQ WND SPD - DR GTR 28 KTS														0	0
P FREQ LES 9000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1-MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

VILA CABRAL, MOZAMBIQUE
 MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG - GTR 1000 FT AND VSBY - GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG -GTR 2000 FT AND VSBY -GTR 3 MI W/SFC WND LES 10 KTS	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SFC WND - GTR 17 KTS AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SKY COVER LES 3/10 AND VSBY - GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG - GTR 2500 FT AND VSBY - GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG - GTR 6000 FT AND VSBY - GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG - GTR 10000 FT AND VSBY - GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0

DATA NOT AVAILABLE

NOVA FREIXO, MOZAMBIQUE

STA NO. 67231 (IN AREA NUMBER 01)

LATITUDE 1449S

LONGITUDE 03330E

ELEVATION(FT) 01929

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	102	104	99	97	102	91	110	99	99	107	100	111	111	30	-133
MEAN MAX TMP (F)	88	88	88	88	85	82	82	85	89	94	95	91	88	30	-133
MEAN MIN TMP (F)	64	69	68	65	58	54	54	57	63	68	70	69	63	30	-133
ABS MIN TMP (F)	49	50	47	47	45	37	38	42	48	49	49	50	37	30	-133
MEAN NO DYS TMP = OR GTR 90(F)	13.2	11.9	13.2	12.7	9.4	5.7	5.9	9.4	14.0	21.1	21.6	17.2	155.3	30	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN DEW PT TMP (F)	67	70	69	65	59	55	55	55	55	57	62	68	61	30	-29
MEAN REL HUM (PCT)	76	77	76	71	68	66	63	58	55	48	54	70	65	30	-133
MEAN PRESS ALT (FT)	1923	1614	1888	1825	1764	1690	1678	1713	1773	1839	1871	1897	1814	0	-50
MEAN PRECIP (IN)	9.69	8.06	5.75	1.00	0.27	0.09	0.03	0.06	0.19	0.58	1.95	7.32	35.0	30	-133
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN			0.0	2.5	0.7	0.3	0.2	0.2	0.5	1.3	3.7	10.2		30	-29
MEAN NO DYS SNPL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	9.0	7.0	6.0	1.0	0.0	0.0	0.0	0.0	0.0	1.0	6.0	10.0	40.0	30	-133
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

NOVA FREIXO, MOZAMBIQUE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0

DATA NOT AVAILABLE

STA NO. 67247 (IN AREA NUMBER 01)

CHICOA, MOZAMBIQUE

LATITUDE 1937S

LONGITUDE 03220E

ELEVATION(FT) 00893

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	112	109	109	108	113	102	100	108	108	117	116	113	117	8	-28
MEAN MAX TMP (F)	96	94	95	93	90	87	86	90	96	101	100	98	94	8	-28
MEAN MIN TMP (F)	65	66	65	63	58	54	55	56	61	68	68	65	62	8	-28
ABS MIN TMP (F)	41	50	50	46	33	32	33	37	45	50	49	41	32	8	-28
MEAN NO DYS TMP = OR GTR 90(F)	23.7	19.0	22.4	19.1	15.9	11.5	10.7	15.9	22.9	31.0	30.0	26.1	248.2	8	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN DEN PT TMP (F)	70	70	70	65	59	56	54	56	57	62	65	66	63	8	-29
MEAN REL HUM (PCT)	72	73	74	67	64	63	60	60	52	51	59	64	63	8	-28
MEAN PRESS ALT (FT)	793	785	771	680	625	530	484	593	642	708	760	834	684	0	-50
MEAN PRECIP (IN)	9.02	6.09	2.83	0.56	0.01	0.03	0.02	0.01	0.00	0.15	2.69	5.33	26.9	8	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN		10.3	5.8	1.4	0.1	0.2	0.2	0.1	0.0	0.3	4.9	10.0		8	-29
MEAN NO DYS SNFL = OR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CHICOA, MOZAMBIQUE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0

DATA NOT AVAILABLE

AREA NO. 01

MOZAMBIQUE	HIGHLANDS	LATITUDE 1300S LONGITUDE 03510E																					
		BOUNDARIES	1335S 03020E	1320S 03130E	1320S 03130E	1300S 03420E	1330S 03345E	1445S 03655E	1445S 03655E	1190S 03640E	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
PARAMETER DESCRIPTION																							
MEAN MAX TMP (F)			87	87	87	86	84	80	80	83	88	93	92	89	86								
MEAN MIN TMP (F)			63	65	64	62	57	53	53	55	59	65	66	65	61								
LARGEST MEAN PRECIP(IN)			10.60	9.10	11.30	2.80	1.20	0.20	0.09	0.10	0.19	0.98	3.20	8.10	47.4								
SMALLEST MEAN PRECIP(IN)			9.02	6.09	2.83	0.56	0.01	0.03	-0.02	0.01	0.00	0.15	1.95	5.53	26.2								
			MEAN NUMBER OF DAYS																				
CIG = GTR 1000 FT AND	02 LST																						
VSBY = GTR 3 MI	08 LST																						
	14 LST																						
	20 LST																						
CIG =GTR 2000 FT AND VSBY =GTR	02 LST																						
3 MI W/SFC WND LES 10 KTS	08 LST																						
	14 LST																						
	20 LST																						
SFC WND = GTR 17 KTS AND	02 LST																						
NO PRECIP.	08 LST																						
	14 LST																						
	20 LST																						
SFC WND 4-10 KTS AND TMP 33-89	02 LST																						
DEG F AND NO PRECIP.	08 LST																						
	14 LST																						
	20 LST																						
SKY COVER LES 3/10 AND	02 LST																						
VSBY = GTR 3 MI	08 LST																						
	14 LST																						
	20 LST																						
CIG = GTR 2500 FT AND	02 LST																						
VSBY = GTR 3 MI	08 LST																						
	14 LST																						
	20 LST																						
CIG = GTR 6000 FT AND	02 LST																						
VSBY = GTR 3 MI	08 LST																						
	14 LST																						
	20 LST																						
CIG = GTR 10000 FT AND	02 LST																						
VSBY = GTR 3 MI	08 LST																						
	14 LST																						
	20 LST																						

DATA NOT AVAILABLE

STA NO. 67206/ (IN AREA NUMBER 02)

MUEDA, MOZAMBIQUE

LATITUDE 1140S

LONGITUDE 03933E

ELEVATION(FT) 02786

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	82	82	81	79	78	76	76	77	80	83	85	84	80	15	-11
MEAN MIN TMP (F)	65	66	69	63	61	57	56	56	58	61	63	64	61	15	-11
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = DR GTR 90(F)	5.9	5.3	4.8							7.0	9.0	8.2		15	-29
MEAN NO DYS TMP = DR LES 32(F)														0	0
MEAN NO DYS TMP = DR LES 0(F)														0	0
MEAN DEW PT TMP (F)	66	67	67	66	62	57	55	52	56	57	59	62	61	15	-29
MEAN REL HUM (PCT)	78	80	82	85	79	75	70	65	66	64	64	69	73	14	-11
MEAN PRESS ALT (FT)	2809	2809	2807	2804	2738	2662	2643	2659	2708	2738	2796	2847	2770	0	-50
MEAN PRECIP (IN)	10.97	8.96	9.23	4.91	0.93	0.16	0.03	0.14	0.14	0.15	1.62	6.92	43.4	18	-6
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN			10.1	8.2	2.3	0.4	0.2	0.4	0.5	0.5	3.1	10.3		18	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN							0.0	0.0	0.0					0	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MUEDA, MOZAMBIQUE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
CIG = GTR 4500 FT AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0

DATA NOT AVAILABLE

TA NO. 67221 (IN AREA NUMBER 02)

MARRUPA, MOZAMBIQUE

LATITUDE 1314S

LONGITUDE 0373E

ELEVATION(FT) 02400

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABJ MAX TMP (F)	99	89	82	88	85	83	83	84	88	100	94	95	100	2	-28
MEAN MAX TMP (F)	82	83	81	82	79	76	76	78	83	88	88	84	82	3	-28
MEAN MIN TMP (F)	58	60	62	62	59	59	59	56	61	60	60	61	59	2	-28
ABS MIN TMP (F)	38	49	48	37	33	49	41	46	52	43	44	47	38	2	-28
MEAN NO DYS TMP = DR GTR 90(F)	9.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.2	12.7	8.2	40.0	3	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN DEW PT TMP (F)	64	67	67	64	58	54	54	59	54	56	59	64	60	3	-29
MEAN REL HUM (PCT)	82	85	87	77	71	70	71	69	57	57	63	76	72	3	-28
MEAN PRESS ALT	2980	2983	2963	2900	2240	2166	2168	2188	2236	2271	2317	2355	2261	0	-30
MEAN PRECIP (IN)	9.00	8.08	10.32	1.45	0.16	0.01	0.00	0.01	0.18	0.17	1.55	6.86	38.8	6	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN			10.3	3.4	0.5	0.1	0.0	0.1	0.5	0.5	3.0	10.3		6	-29
MEAN NO DYS SNFL = DR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
PDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
PDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MARRUPA, MOZAMBIQUE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
	21 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
	21 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
	21 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
	21 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
	21 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
	21 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
	21 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
	21 LST														0	0

DATA NOT AVAILABLE

MONTEPUEZ, MOZAMBIQUE

STA NO. 67223 (IN AREA NUMBER 02)

LATITUDE 13075

LONGITUDE 03900E

ELEVATION(FT) 01671

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	98	97	96	99	106	97	90	100	97	109	122	104	122	30	-133
MEAN MAX TMP (F)	86	87	87	86	85	82	81	84	87	91	93	90	87	30	-133
MEAN MIN TMP (F)	69	69	68	67	63	60	59	59	62	64	67	69	65	30	-133
ABS MIN TMP (F)	55	50	45	51	41	50	49	49	49	52	51	55	41	30	-133
MEAN NO DYS TMP - DR GTR 90(F)	10.7	10.7	11.9	10.3	9.4	5.7	4.8	6.2	11.5	17.2	19.1	19.9	135.4	30	-29
MEAN NO DYS TMP - DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS TMP - DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN DEN PT TMP (F)	69	70	70	68	62	58	55	53	54	56	61	66	62	30	-29
MEAN REL HUM (PCT)	78	77	79	76	70	67	62	56	54	52	56	67	66	30	-133
MEAN PRESS ALT (FT)	1651	1654	1634	1571	1511	1437	1439	1459	1505	1542	1588	1626	1551	0	-50
MEAN PRECIP (IN)	9.68	8.91	7.89	2.50	0.35	0.11	0.08	0.05	0.03	0.32	1.62	5.98	37.1	30	-133
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS PRCP - DR GTR 0.1 IN			9.8	5.3	0.9	0.3	0.3	0.2	0.2	0.8	3.1	10.2		30	-29
MEAN NO DYS SNPL - DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	5.0	6.0	5.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	6.0	26.0	30	-133
P FREQ WND SPD - DR GTR 17 KTS														0	0
P FREQ WND SPD - DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MONTEPEZ, MOZAMBIQUE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0

DATA NOT AVAILABLE

STA NO. 67237 (IN AREA NUMBER 02)

NAMPULA, MOZAMBIQUE

LATITUDE 15065

LONGITUDE 03917E

ELEVATION(FT) 01437

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	89	88	88	87	84	81	81	83	87	90	91	90	87	10	-11
MEAN MIN TMP (F)	64	64	64	62	59	57	56	57	59	61	62	63	61	8	-11
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP - DR GTR 90(F)	14.5	11.9	13.2	11.5	8.2	4.6	4.8	7.0	11.5	15.9	16.6	15.9	139.6	10	-29
MEAN NO DYS TMP - DR LES 32(F)														0	0
MEAN NO DYS TMP - DR LES 0(F)														0	0
MEAN DEN PT TMP (F)	69	70	69	65	63	59	56	56	58	60	65	71	63	0	-50
MEAN REL HUM (PCT)	76	78	77	77	75	78	76	72	65	63	64	70	73	7	-11
MEAN PRESS ALT (FT)	1990	1990	1900	1400	1390	1290	1290	1290	1300	1400	1490	1960	1396	0	-50
MEAN PRECIP (IN)	9.72	9.15	8.33	3.14	1.23	1.03	0.93	0.57	0.43	0.09	2.09	0.51	43.6	19	-6
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP - DR GTR 0.1 IN			9.9	6.2	2.9	2.1	1.2	1.3	1.0	1.9	3.9	10.4		19	-29
MEAN NO DYS SNFL - DR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD - DR STR 17 KTS														0	0
P FREQ WND SPD - DR GTR 28 KTS														0	0
P FREQ LES 9000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

NAMPULA, MOZAMBIQUE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST													0	0
	09 LST													0	0
	15 LST													0	0
	21 LST													0	0

DATA NOT AVAILABLE

STA NO. 67240/ (IN AREA NUMBER 02)

NACALA, MOZAMBIQUE

LATITUDE 1420S

LONGITUDE 04044E

ELEVATION(FT) 00090

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	89	89	89	89	88	86	85	86	87	89	89	89	88	10	-11
MEAN MIN TMP (F)	67	67	67	65	63	61	60	59	61	64	65	66	64	16	-11
AOS MIN TMP (F)														0	0
MEAN NO DYS TMP - OR GTR 90(F)	14.5	13.0	14.5	14.0	13.2	10.3	9.4	10.7	11.5	14.5	14.0	14.5	154.1	16	-29
MEAN NO DYS TMP - OR LES 32(F)														0	0
MEAN NO DYS TMP - OR LES 0(F)														0	0
MEAN DEW PT TMP (F)	69	69	69	68	66	64	63	61	62	64	64	66	65	16	-29
MEAN REL HUM (PCT)	75	77	77	76	75	74	74	70	69	69	68	71	73	16	-11
MEAN PRESS ALT (FT)	230	233	213	190	90	26	28	38	84	121	167	205	132	0	-50
MEAN PRECIP (IN)	7.62	7.64	6.69	2.23	0.45	0.35	0.12	0.26	0.22	0.22	1.28	4.77	31.8	18	-6
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP - OR GTR 0.1 IN	9.9	9.9	9.3	4.8	1.2	0.8	0.4	0.6	0.6	0.6	2.5	9.2	49.8	18	-29
MEAN NO DYS SNPL - OR GTR 1.5 IN							0.0							0	-29
MEAN NO DYS W/DCUR VSOBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD - OR GTR 17 KTS														0	0
P FREQ WND SPD - OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST	6.4	3.4	2.3	0.0	1.5	1.6	1.3	0.0	2.2	0.0	0.7	0.8	1.7	3	-67241
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST	0.8	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.2	3	-67241
18-20 LST														0	0
21-23 LST														0	0

MACALA, MOZAMBIQUE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST														0	0
	15 LST	29.5	27.3	31.0	30.0	31.0	30.0	30.5	30.0	29.0	31.0	29.6	30.5	361.0	5	-67241
	21 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST														0	0
	09 LST														0	0
	15 LST	23.6	19.8	26.1	18.3	14.9	15.3	13.0	12.9	14.2	12.7	9.8	19.0	201.6	5	-67241
	21 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST	0.2	0.0	0.2	0.3	0.4	0.7	1.2	0.7	0.6	1.4	0.6	0.0	6.3	5	-67241
	21 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST	8.9	10.5	10.7	15.0	16.9	16.9	16.6	16.8	15.8	15.4	8.9	9.0	161.4	5	-67241
	21 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST														0	0
	15 LST	2.0	0.2	2.3	3.7	9.5	7.8	8.0	14.4	16.7	17.4	12.1	4.2	100.3	5	-67241
	21 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST														0	0
	15 LST	24.6	22.2	24.7	25.9	27.5	27.2	28.4	29.4	28.5	30.0	28.5	28.3	325.2	5	-67241
	21 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST														0	0
	15 LST	20.1	18.2	21.0	23.0	25.4	25.3	26.5	29.0	28.1	29.5	27.8	27.1	301.0	5	-67241
	21 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST														0	0
	15 LST	20.1	18.2	21.0	23.0	25.4	25.3	26.5	29.0	28.1	29.5	27.8	27.1	301.0	5	-67241
	21 LST														0	0

STA NO. 67241 (IN AREA NUMBER 02)

LUNDO, MOZAMBIQUE

LATITUDE 1437S

LONGITUDE 04040E

ELEVATION(FT) 00049

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	100	98	96	94	93	89	88	91	93	97	100	101	101	27	-28
MEAN MAX TMP (F)	90	90	89	88	85	82	81	82	85	88	91	91	87	26	-28
MEAN MIN TMP (F)	74	74	74	72	68	65	63	63	65	69	73	75	70	26	-28
ABS MIN TMP (F)	67	66	66	63	56	53	55	55	58	60	62	68	59	27	-28
MEAN NO DYS TMP = DR GTR 90(F)	15.9	14.3	14.5	12.7	9.4	0.0	0.0	5.9	9.0	13.2	16.6	17.2	128.7	26	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	-29
MEAN DEW PT TMP (F)	70	71	71	69	64	61	59	59	60	62	65	69	65	26	-29
MEAN REL HUM (PCT)	71	72	74	72	69	69	68	67	64	61	61	66	68	26	-28
MEAN PRESS ALT (FT)														26	-28
MEAN PRECIP (IN)	0.60	0.62	5.90	3.54	1.10	1.28	0.96	0.61	0.41	0.32	1.11	5.37	37.4	0	0
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-6
MEAN NO DYS PRCP = DR GTR 0.1 IN			0.9	6.7	2.7	2.6	1.2	1.3	1.0	0.8	2.2	9.8		27	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														27	-29
MEAN NO DYS TSTMS	14.3	14.7	9.9	3.6	0.2	0.3	0.1	0.0	0.0	0.7	3.3	12.2	59.3	0	0
P FREQ WND SPD = DR GTR 17 KTS														19	-73
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/O LES 3 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FDR 00-02 LST															
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST	6.4	3.4	2.9	0.0	1.5	1.6	1.9	0.0	2.2	0.0	0.7	0.0	1.7	0	0
18-20 LST														5	1530
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FDR 00-02 LST															
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST	0.8	0.9	0.0	0.0	0.0	0.0	0.0	0.0	9.7	0.0	0.0	0.0	0.2	0	0
18-20 LST														5	1530
21-23 LST														0	0

LUSO, MOZAMBIQUE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG - GTR 1000 FT AND VSBY - GTR 3 MI	03 LST														0	0
	09 LST														0	0
	15 LST	29.5	27.3	31.0	30.0	31.0	30.0	30.5	30.8	29.8	31.0	29.6	30.5	301.0	5	1930
	21 LST														0	0
CIG -GTR 2000 FT AND VSBY -GTR 3 MI W/SFC WND LES 10 KTS	03 LST														0	0
	09 LST														0	0
	15 LST	23.6	19.8	26.1	18.3	16.9	19.3	19.8	12.9	14.2	12.7	9.8	19.0	201.6	5	1929
	21 LST														0	0
SFC WND - GTR 17 KTS AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST	0.2	0.0	0.2	0.3	0.4	0.7	1.2	0.7	0.6	1.4	0.6	0.0	6.3	5	1935
	21 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEC F AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST	8.9	10.5	10.7	15.0	16.9	16.9	16.6	16.8	15.8	15.4	8.9	9.0	161.4	5	1931
	21 LST														0	0
SKY COVER LES 3/10 AND VSBY - GTR 3 MI	03 LST														0	0
	09 LST														0	0
	15 LST	2.0	0.2	2.3	5.7	9.5	7.8	8.0	14.4	16.7	17.4	12.1	4.2	100.3	5	1929
	21 LST														0	0
CIG - GTR 2500 FT AND VSBY - GTR 3 MI	03 LST														0	0
	09 LST														0	0
	15 LST	24.6	22.2	24.7	25.9	27.5	27.2	28.4	29.4	28.5	30.0	28.5	28.3	325.2	5	1930
	21 LST														0	0
CIG - GTR 6000 FT AND VSBY - GTR 3 MI	03 LST														0	0
	09 LST														0	0
	15 LST	20.1	18.2	21.0	23.0	25.4	25.3	26.5	29.0	28.1	29.5	27.8	27.1	301.0	5	1930
	21 LST														0	0
CIG - GTR 10000 FT AND VSBY - GTR 3 MI	03 LST														0	0
	09 LST														0	0
	15 LST	20.1	18.2	21.0	23.0	25.4	25.3	26.5	29.0	28.1	29.5	27.8	27.1	301.0	5	1930
	21 LST														0	0

STA NO. 67242/ (IN AREA NUMBER 02)

SEBA, MOZAMBIQUE

LATITUDE 1422S

LONGITUDE 04032E

ELEVATION(FT) 00102

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	100	98	96	94	95	89	89	91	93	97	100	101	101	27	-67241
MEAN MAX TMP (F)	90	90	89	88	85	82	81	82	85	88	91	91	87	26	-67241
MEAN MIN TMP (F)	74	74	74	72	68	65	63	63	65	69	73	75	70	26	-67241
ABS MIN TMP (F)	67	66	68	63	56	53	55	55	58	60	62	68	53	27	-67241
MEAN NO DYS TMP = OR GTR 90(F)	15.9	14.3	14.3	12.7	9.4	0.0	0.0	5.9	9.0	13.2	16.6	17.2	128.7	26	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	-29
MEAN DEW PT TMP (F)	70	71	71	69	64	61	59	59	60	62	65	69	65	26	-29
MEAN REL HUM (PCT)	71	72	74	72	69	69	68	67	64	61	61	66	68	26	-67241
MEAN PRESS ALT (FT)	82	83	83	2	-58	-132	-130	-110	-64	-27	19	37	-17	0	-50
MEAN PRECIP (IN)	8.60	8.62	5.90	3.54	1.10	1.28	0.96	0.61	0.41	0.32	1.11	5.37	37.4	30	-67241
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN			8.9	6.7	2.7	2.6	1.2	1.3	1.0	0.8	2.2	9.8		30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	14.3	14.7	9.9	3.6	0.2	0.3	0.1	0.0	0.0	0.7	3.3	12.2	59.3	15	-67241
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 20 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST	6.4	3.4	2.3	0.0	1.5	1.6	1.5	0.0	2.2	0.0	0.7	0.8	1.7	5	-67241
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST	0.8	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.2	5	-67241
18-20 LST														0	0
21-23 LST														0	0

GEDA, MOZAMBIQUE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDA (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST														0	0
	15 LST	29.5	27.3	31.0	30.0	31.0	30.0	30.5	30.8	29.8	31.0	29.6	30.5	361.0	5	-67241
	21 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	03 LST														0	0
	09 LST														0	0
	15 LST	23.6	19.8	26.1	18.3	16.9	15.3	13.0	12.9	14.2	12.7	9.8	19.0	201.6	5	-67241
	21 LST														0	0
SFC WND - GTR 17 KTS AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST	0.2	0.0	0.2	0.3	0.4	0.7	1.2	0.7	0.6	1.4	0.6	0.0	6.3	5	-67241
	21 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST	8.9	10.5	10.7	15.0	16.9	16.9	16.6	16.8	15.8	15.4	8.9	9.0	161.4	5	-67241
	21 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST														0	0
	15 LST	2.0	0.2	2.3	5.7	9.5	7.8	8.0	14.4	16.7	17.4	12.1	4.2	100.3	5	-67241
	21 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST														0	0
	15 LST	24.6	22.2	24.7	25.9	27.5	27.2	28.4	29.4	28.5	30.0	28.5	29.3	329.2	5	-67241
	21 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST														0	0
	15 LST	20.1	18.2	21.0	23.0	25.4	25.3	26.5	29.0	28.1	29.5	27.8	27.1	301.0	5	-67241
	21 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST														0	0
	15 LST	20.1	18.2	21.0	23.0	25.4	25.3	26.5	29.0	28.1	29.5	27.8	27.1	301.0	5	-67241
	21 LST														0	0

STA NO. 67255/ (IN AREA NUMBER 02)

MILANGE, MOZAMBIQUE

LATITUDE 1606S

LONGITUDE 03549E

ELEVATION(FT) 02152

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	87	85	84	83	80	77	77	80	84	89	88	86	83	11	-11
MEAN MIN TMP (F)	68	67	66	65	62	59	59	59	63	66	66	67	64	11	-11
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)	11.9	8.4	8.2	6.7					7.9	14.5	12.7	10.7		11	-29
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)	67	67	67	64	60	58	57	56	58	61	62	65	62	11	-29
MEAN REL HUM (PCT)	73	76	77	73	72	73	71	65	63	60	64	70	70	10	-11
MEAN PRESS ALT (FT)	2092	2084	2070	1979	1924	1829	1783	1892	1941	2007	2059	2133	1983	0	-50
MEAN PRECIP (IN)	11.90	11.66	10.97	9.98	2.66	2.92	1.41	1.20	1.07	2.48	6.22	14.43	72.1	21	-6
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN			10.3	8.9	5.5	5.4	2.8	2.4	2.2	4.6	9.9			21	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 20 KTS														0	0
P FREQ LES 5000 FT A/C LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MILANGE, MOZAMBIQUE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0

DATA NOT AVAILABLE

STA NO. 67251 (TN AREA NUMBER 02)

TETE NEW MILITARY AIRFIELD, MOZAMBIQUE

LATITUDE 1607S

LONGITUDE 03345E

ELEVATION(FT) 00400

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	110	109	109	110	104	102	97	104	111	113	115	111	115	13	-28
MEAN MAX TMP (F)	95	94	91	93	91	86	84	88	95	101	99	98	93	12	-28
MEAN MIN TMP (F)	69	71	69	68	63	59	57	60	64	69	71	70	66	12	-28
ABS MIN TMP (F)	45	46	48	52	50	45	46	49	50	50	50	52	45	13	-28
MEAN NO DYS TMP = DR GTR 90(F)	22.4	19.0	17.2	19.1	17.2	10.3	8.2	13.2	21.6	31.0	30.0	26.1	239.3	12	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN DEW PT TMP (F)	67	68	67	65	64	60	58	60	61	64	66	67	64	10	-29
MEAN REL HUM (PCT)	64	66	67	63	68	69	67	65	57	53	57	61	63	5	-28
MEAN PRESS ALT (FT)	340	332	318	227	172	77	31	140	189	255	307	381	231	0	-50
MEAN PRECIP (IN)	5.82	4.97	3.01	0.42	0.14	0.07	0.41	0.12	0.27	0.28	1.31	3.60	20.4	19	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.2	9.5	6.0	1.1	0.4	0.3	0.9	0.4	0.7	0.7	2.6	7.5	40.3	19	-29
MEAN NO DYS SNFL = DR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 20 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	C
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

TETE NEW MILITARY AIRFIELD, MOZAMBIQUE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
CIG = GTR 2900 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0

DATA NOT AVAILABLE

STA NO. 67262/ (IN AREA NUMBER 02)

CHICCO, MOZAMBIQUE

LATITUDE 1624S

LONGITUDE 03250E

ELEVATION(FT) 0000

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	112	109	109	108	113	102	100	108	108	117	116	113	117	8	-67247
MEAN MAX TMP (F)	96	94	95	93	90	87	86	90	96	101	100	98	94	8	-67247
MEAN MIN TMP (F)	65	66	68	63	58	54	55	56	61	68	68	65	62	8	-67247
ABS MIN TMP (F)	41	50	50	46	33	32	33	37	49	50	49	41	32	8	-67247
MEAN NO DYS TMP = OR GTR 90(F)	23.7	19.0	22.4	19.1	15.9	11.5	10.7	15.9	22.9	31.0	30.0	26.1	248.2	8	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN DEW PT TMP (F)	70	70	70	65	59	56	54	56	57	62	66	66	63	8	-29
MEAN REL HUM (PCT)	72	73	74	67	64	63	60	60	52	51	59	64	63	8	-67247
MEAN PRESS ALT (FT)	763	782	718	627	572	477	452	543	589	655	707	781	633	0	-50
MEAN PRECIP (IN)	9.02	6.09	2.03	0.56	0.01	0.03	0.02	0.01	0.00	0.15	2.69	5.53	26.9	8	-67247
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN		10.3	9.8	1.4	0.1	0.2	0.2	0.1	0.0	0.5	4.9	10.0		8	-29
MEAN NO DYS SNFL = OR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CNIGCO, MOZAMBIQUE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0

DATA NOT AVAILABLE

MUTARARA, MOZAMBIQUE

STA NO. 67279 (IN AREA NUMBER 02)

LATITUDE 1723S

LONGITUDE 03503E

ELEVATION(FT) 00292

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	93	93	91	90	86	82	82	85	92	96	97	95	90	12	-11
MEAN MIN TMP (F)	73	72	71	69	64	60	60	58	63	68	72	73	67	7	-11
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)	19.0	17.0	17.2	15.3	10.7	5.7	5.9	9.4	17.9	23.7	24.0	22.4	189.0	12	-29
MEAN NO DYS TMP = OR LES 52(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEN PT TMP (F)	73	73	73	71	67	64	63	64	66	68	72	74	69	10	-29
MEAN REL HUM (PCT)	74	76	78	78	77	80	78	78	71	66	70	75	75	11	-11
MEAN PRESS ALT (FT)	226	218	204	113	58	-37	-83	26	75	141	193	267	117	0	-90
MEAN PRECIP (IN)	3.92	3.15	3.32	1.44	0.43	0.35	1.12	0.26	0.36	0.17	2.36	4.97	28.3	15	-6
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.2	9.6	8.6	3.4	1.1	0.8	2.3	0.6	0.9	0.5	4.7	9.5	32.2	15	-29
MEAN NO DYS SNPL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MUTARARA, MOZAMBIQUE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0

DATA NOT AVAILABLE

QUELIMANE, MOZAMBIQUE

STA NO. 67203 (IN AREA NUMBER 02)

LATITUDE 17515

LONGITUDE 03651E

ELEVATION(FT) 0000

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	105	101	101	99	98	93	93	99	102	109	105	107	109	30	-133
MEAN MAX TMP (F)	91	90	89	87	84	80	80	82	86	90	91	91	87	30	-133
MEAN MIN TMP (F)	74	73	74	71	66	62	61	62	65	70	73	74	69	30	-133
ABS MIN TMP (F)	66	64	63	61	53	50	51	51	52	55	57	61	50	30	-133
MEAN NO DYS TMP = DR GTR 90(F)	17.2	14.3	14.5	11.5	8.2			5.9	10.3	15.9	16.6	17.2		30	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN DEN PT TMP (F)	73	73	72	70	66	63	62	63	65	66	69	71	68	0	-50
MEAN REL HUM (PCT)	74	76	76	75	76	78	77	74	69	66	67	72	73	30	-133
MEAN PRESS ALT (FT)	190	190	190	0	-50	-150	-150	-150	-100	0	90	100	-3	0	-50
MEAN PRECIP (IN)	9.43	10.28	10.96	4.15	3.34	2.54	2.04	1.40	0.71	0.57	3.01	6.67	55.1	30	-133
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN			10.4	7.4	6.5	4.8	3.9	2.8	1.5	1.3	5.4	10.4		30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.0	0.0	5.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	9.0	37.0	30	-133
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	9.1	9.4	9.2	3.2	8.1	9.4	5.5	3.1	3.1	2.4	7.3	7.1	6.4	5	1447
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.9	0.8	0.0	0.8	1.7	0.8	0.0	0.0	0.0	0.0	0.0	0.4	5	1447
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

QUELIMANE, MOZAMBIQUE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	29.2	26.8	29.6	29.0	30.0	27.9	30.8	30.8	29.0	30.7	28.1	29.6	331.2	5	1447
	20 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST														0	0
	14 LST	16.6	17.7	16.3	21.5	18.1	20.8	20.0	18.6	14.3	16.9	16.9	19.9	217.6	5	1446
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	0.7	0.5	1.9	0.3	0.7	1.3	1.0	0.7	0.5	0.2	1.0	0.5	9.3	5	1447
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	6.9	5.8	7.3	13.6	12.7	11.5	15.8	18.6	15.7	17.1	11.0	8.6	144.6	5	1443
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	2.8	1.7	1.9	4.7	5.1	7.2	8.2	14.0	18.8	17.4	7.7	4.2	93.7	5	1445
	20 LST														0	0
CIG = GTR 2300 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	23.3	20.3	21.0	24.9	25.2	23.8	25.2	26.9	26.9	28.3	25.1	25.2	296.3	5	1447
	20 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	20.5	16.7	16.1	21.5	22.2	21.3	22.0	24.2	24.8	27.3	23.7	22.7	263.2	5	1447
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	20.5	16.7	16.1	21.5	22.2	21.3	22.0	24.2	24.8	27.3	23.7	22.7	263.2	5	1447
	20 LST														0	0

STA NO. 67297 (IN AREA NUMBER 02)

BEIRA/SACAURA CABRAL, MOZAMBIQUE

LATITUDE 1940S

LONGITUDE 03435E

ELEVATION(FT) 00033

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	NO.
ABS MAX TMP (F)	108	100	100	99	97	92	95	96	103	107	109	106	109	39	-28
MEAN MAX TMP (F)	89	89	87	86	82	79	77	78	82	87	87	88	84	37	-28
MEAN MIN TMP (F)	75	75	74	71	65	61	61	62	65	71	72	73	69	37	-28
ABS MIN TMP (F)	63	61	64	61	55	48	49	50	55	56	61	63	48	39	-28
MEAN NO DYS TMP - DR GTR 90(F)	14.5	13.0	11.9	10.3	5.9				5.7	11.9	11.5	13.2		37	-29
MEAN NO DYS TMP - DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39	-29
MEAN NO DYS TMP - DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39	-29
MEAN DEW PT TMP (F)	73	73	72	70	64	63	62	63	66	69	70	71	68	35	-29
MEAN REL HUM (PCT)	76	77	78	78	73	79	80	79	78	73	73	76	77	30	-32
MEAN PRESS ALT (FT)	89	81	26	-61	-137	-208	-230	-211	-132	-58	4	51	-65	0	-50
MEAN PRECIP (IN)	10.43	8.06	9.61	4.13	2.28	1.65	1.46	1.18	1.06	1.14	5.24	9.21	36.3	30	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39	-29
MEAN NO DYS PRCP - DR GTR 0.1 IN			10.2	7.4	4.9	3.3	2.9	2.4	2.2	2.3	8.6			30	-29
MEAN NO DYS SNFL - DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	6.2	4.0	4.5	1.6	0.4	0.2	0.2	0.2	0.3	1.2	3.9	7.1	29.8	20	-73
P FREQ WND SPD - DR GTR 17 KTS														0	0
P FREQ WND SPD - DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	3.0	4.1	4.3	2.8	0.7	0.8	2.2	2.1	5.0	4.9	4.2	3.7	3.2	5	1609
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1609
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BEIRA/SACABURA CABRAL, MOZAMBIQUE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	30.5	27.5	29.9	29.7	31.0	30.0	30.9	30.8	29.3	30.3	29.8	31.0	300.3	9	1609
	20 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST														0	0
	14 LST	14.3	13.4	16.9	20.2	23.1	23.4	23.4	13.1	6.4	1.7	5.9	12.8	174.6	9	1608
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	0.5	0.2	0.0	0.0	0.0	0.2	0.0	0.9	1.1	1.5	0.2	0.0	4.6	9	1614
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	9.9	12.2	17.6	19.6	22.2	23.0	24.5	18.1	9.6	4.1	7.6	12.6	181.0	9	1610
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	5.0	6.1	5.3	12.9	13.5	11.6	12.4	17.3	16.7	17.0	7.4	7.1	132.3	9	1614
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	27.7	25.2	28.1	28.3	29.6	29.1	29.6	29.5	27.0	27.7	26.8	28.2	336.8	9	1609
	20 LST														0	0
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	26.3	24.3	27.4	27.5	29.1	28.6	29.4	29.3	26.3	26.7	26.0	27.1	328.0	9	1609
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	26.3	24.3	27.4	27.5	29.1	28.6	29.4	29.3	26.3	26.7	26.0	27.1	328.0	9	1609
	20 LST														0	0

INHAMBANE, MOZAMBIQUE

STA NO. 67323 (IN AREA NUMBER 02)

LATITUDE 23925

LONGITUDE 03923E

ELEVATION(FT) 00046

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	97	97	95	94	92	91	89	88	91	93	99	98	99	21	-28
MEAN MAX TMP (F)	88	88	87	85	81	78	77	78	80	83	84	87	83	21	-28
MEAN MIN TMP (F)	74	74	73	70	66	62	61	62	63	68	71	72	68	21	-28
ABS MIN TMP (F)	66	63	63	60	54	51	52	54	56	53	61	63	51	21	-28
MEAN NO DYS TMP = OR GTR 90(F)	13.2	11.9	11.9	9.0	4.8	0.0	0.0	0.0	0.0	7.0	7.9	11.9		21	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN DEN PT TMP (F)	67	68	68	65	62	59	58	58	59	61	63	65	63	21	-29
MEAN REL HUM (PCT)	66	68	69	68	70	72	71	68	67	65	65	65	68	21	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	6.72	5.18	5.29	2.77	2.82	1.93	1.61	1.28	0.98	1.02	3.94	4.24	37.8	30	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.4	9.7	8.9	5.7	5.8	3.7	3.2	2.6	2.0	2.1	6.8	8.5	69.0	30	-29
MEAN NO DYS SNFL = OR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	6.5	4.2	4.2	3.3	1.9	0.3	0.6	0.8	1.2	2.6	4.8	6.8	37.2	13	-73
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1900 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	6.7	6.4	4.7	3.1	2.4	4.1	2.4	3.2	1.6	3.9	4.7	9.4	4.4	5	1449
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	1.7	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	5	1449
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

INNHAMBANE, MOZAMBIQUE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	29.7	27.2	31.0	29.7	30.7	30.0	31.0	29.8	29.7	30.5	29.8	30.2	339.3	5	1449
	20 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST														0	0
	14 LST	23.7	20.8	25.9	24.0	25.7	25.4	25.1	25.5	20.9	22.8	22.4	22.0	285.8	5	1448
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	0.2	0.8	0.0	0.6	0.5	0.2	0.2	0.2	0.0	0.5	0.7	0.2	4.1	5	1456
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	15.5	13.7	20.2	20.5	19.3	19.6	20.0	25.8	22.7	24.0	22.0	19.0	239.2	5	1456
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	2.9	2.5	3.3	4.3	7.2	6.1	6.0	9.8	11.9	12.1	6.3	6.6	79.0	5	1452
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	24.3	20.3	25.0	26.0	26.0	24.6	25.6	25.3	25.1	26.1	24.1	23.3	295.7	5	1449
	20 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	16.5	12.1	16.1	19.2	17.5	17.1	19.0	18.1	18.7	21.8	19.4	19.1	214.6	5	1449
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	16.5	12.1	16.1	19.2	17.2	17.1	19.0	18.1	18.7	21.5	19.4	19.1	214.0	5	1449
	20 LST														0	0

LOURENCO MARQUES, MOZAMBIQUE

STA NO. 67341 (IN AREA NUMBER 02)

LATITUDE 2599S

LONGITUDE 03234E

ELEVATION(FT) 00128

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	110	103	104	102	101	94	96	100	114	113	112	112	114	42	-28
MEAN MAX TMP (F)	86	87	85	83	80	77	76	78	80	82	83	85	82	42	-28
MEAN MIN TMP (F)	71	71	69	66	60	56	55	57	61	64	67	69	64	42	-28
ABS MIN TMP (F)	61	62	60	52	46	46	45	47	49	53	52	59	45	42	-28
MEAN NO DYS TMP = DR GTR 90(F)	10.7	10.7	9.4	6.7						5.9	6.7	9.4		42	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	42	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	42	-29
MEAN DEW PT TMP (F)	69	69	68	65	60	55	55	57	59	62	65	66	63	0	-50
MEAN REL HUM (PCT)	69	69	71	68	66	64	65	64	64	66	67	68	67	27	-28
MEAN PRESS ALT (FT)	190	190	100	0	0	-100	-190	-100	-90	0	100	100	17	0	-50
MEAN PRECIP (IN)	5.10	4.90	4.90	2.10	1.10	0.80	0.90	0.50	1.10	1.90	3.20	3.80	29.9	42	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	42	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.6	9.4	8.2	4.6	2.7	1.7	1.1	1.1	2.2	3.6	5.7	7.9	57.8	42	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.5	3.4	3.0	2.5	1.7	0.6	0.9	0.6	2.6	4.1	4.8	5.6	33.9	31	-73
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 20 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	10.0	8.7	6.0	0.9	3.9	1.4	2.6	2.6	2.0	6.5	5.3	7.9	4.8	5	1765
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.2	5	1765
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

LOURENCO MARQUES, MOZAMBIQUE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	29.8	27.4	30.8	30.0	31.0	30.0	30.8	30.4	29.8	30.6	29.6	30.0	300.2	9	1765
	20 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST														0	0
	14 LST	18.8	20.3	24.6	27.1	25.9	26.3	25.4	22.0	20.3	18.7	18.4	17.2	269.0	9	1764
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	0.6	0.2	0.4	0.2	0.4	0.0	0.2	0.2	0.6	0.8	0.6	0.2	4.4	9	1765
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	14.3	13.6	16.0	18.7	12.2	13.6	16.9	19.6	17.1	18.1	19.0	15.4	194.5	9	1764
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	7.6	6.7	8.5	10.3	13.2	15.6	15.1	16.2	13.1	9.2	5.4	5.2	126.1	9	1763
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	26.4	22.1	26.5	27.6	27.1	27.9	27.0	27.8	27.8	25.5	26.2	25.5	313.4	9	1765
	20 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	22.3	20.1	25.2	24.7	25.5	26.1	25.0	25.4	26.0	22.7	25.0	23.0	291.0	9	1765
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	22.3	20.1	25.2	24.7	25.5	26.1	25.0	25.4	26.0	22.5	25.0	23.0	290.8	9	1765
	20 LST														0	0

AREA NO. 02

MOZAMBIQUE	COASTAL BOUNDARIES	LATITUDE 1600S					LONGITUDE 03000E							
		1935S 03020E	1920S 03130E	1920S 03130E	1600S 03420E	1930S 03545E	1445S 03655E	1935S 03020E	1920S 03130E	1920S 03130E	1600S 03420E	1930S 03545E	1445S 03655E	
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		88	88	87	86	83	80	79	81	83	89	90	89	85
MEAN MIN TMP (F)		69	70	69	67	63	60	59	59	62	66	68	69	65
LARGEST MEAN PRECIP(IN)		11.90	11.66	10.96	9.98	3.34	2.92	2.04	1.40	1.10	2.48	6.22	14.43	74.0
SMALLEST MEAN PRECIP(IN)		9.10	4.90	3.01	0.42	0.14	0.01	0.00	0.01	0.03	0.15	1.11	3.60	18.5
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST													
	08 LST													
	14 LST	29.7	27.2	30.9	29.7	30.7	29.6	30.7	30.3	29.9	30.6	29.4	30.3	358.4
	20 LST													
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST													
	08 LST													
	14 LST	19.4	18.4	21.9	22.6	21.9	22.2	21.4	18.4	15.2	14.6	14.7	18.2	228.9
	20 LST													
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST													
	08 LST													
	14 LST	0.4	0.3	0.3	0.3	0.4	0.3	0.3	0.3	0.6	0.9	0.6	0.2	5.7
	20 LST													
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													
	08 LST													
	14 LST	11.1	11.2	14.4	17.5	16.7	16.1	18.9	19.8	16.2	15.7	13.7	13.0	184.3
	20 LST													
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST													
	08 LST													
	14 LST	4.1	3.4	4.3	7.6	9.7	9.7	9.9	14.3	15.4	14.6	7.8	5.5	106.3
	20 LST													
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST													
	08 LST													
	14 LST	24.9	22.0	25.1	26.5	27.1	26.5	27.2	27.8	27.1	27.6	26.1	26.1	314.0
	20 LST													
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST													
	08 LST													
	14 LST	21.1	18.3	21.2	23.2	23.9	23.7	24.4	25.2	24.8	25.6	24.4	23.8	279.6
	20 LST													
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST													
	08 LST													
	14 LST	21.1	18.3	21.2	23.2	23.9	23.7	24.4	25.2	24.8	25.5	24.4	23.8	279.5
	20 LST													

STA NO. 69001 (IN AREA NUMBER 01)

YELWA, FEDERAL REPUBLIC OF NIGERIA

LATITUDE 1093N

LONGITUDE 0° E

ELEVATION(FT) 0000

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	105	107	112	109	109	101	97	93	95	99	103	102	112	12	-28
MEAN MAX TMP (F)	96	99	102	101	96	91	87	85	87	91	97	96	94	8	-28
MEAN MIN TMP (F)	59	65	73	78	77	73	72	72	71	71	62	56	69	8	-28
ABS MIN TMP (F)	48	53	60	63	67	67	65	66	67	60	51	47	47	12	-28
MEAN NO DYS TMP = OR GTR 90(F)	23.7	28.0	31.0	30.0	23.7	16.6	11.9	9.4	11.5	17.2	24.0	23.7	290.7	8	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS TMP = OR LES 3(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN DEW PT TMP (F)	44	46	54	64	70	72	72	74	73	73	64	53	63	7	-29
MEAN REL HUM (PCT)	35	33	36	47	62	75	80	66	64	79	63	50	61	9	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.10	0.10	0.20	0.90	4.50	4.80	7.10	9.70	9.00	3.90	0.00	0.00	39.9	20	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.4	0.4	0.6	2.2	7.8	8.1	10.7	13.0	12.9	6.2	0.0	0.0	62.3	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS W/DLUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.3	0.0	1.0	8.0	13.0	19.0	20.0	20.0	25.0	15.0	1.0	0.0	122.3	5	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	3.8	0.0	0.0	0.0	0.0	0.0	25.0	31.8	25.0	20.7	0.0	0.0	8.9	4	280
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	0.6	4	280
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

YELWA, FEDERAL REPUBLIC OF NIGERIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	21.5	20.7	20.3	20.6	31.0	30.0	27.1	29.6	30.0	25.6	24.4	29.5	326.3	4	200
	18 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST														0	0
	12 LST	19.1	11.6	21.0	21.0	21.2	20.4	17.4	14.1	20.0	22.4	20.4	25.8	242.4	4	267
	18 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	1.7	4	279
	18 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	7.0	3.0	0.9	0.0	2.0	16.3	26.2	20.2	23.6	23.3	1.4	0.0	126.5	4	255
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	17.7	10.8	16.3	17.5	1.4	0.0	0.0	0.0	0.0	3.0	11.5	22.8	101.0	4	292
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	21.5	20.7	20.3	20.6	29.5	29.5	15.5	12.7	15.0	21.4	24.4	29.5	272.6	4	280
	18 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	21.5	20.7	20.3	27.3	26.4	24.0	9.8	11.3	13.1	20.3	24.4	29.5	252.6	4	280
	18 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	21.5	20.7	20.3	27.3	26.4	24.0	9.8	11.3	13.1	20.3	24.4	29.5	252.6	4	280
	18 LST														0	0

SOKOTO, FEDERAL REPUBLIC OF NIGERIA

STA NO. 69010 (IN AREA NUMBER 01)

LATITUDE 1301N

LONGITUDE 00915E

ELEVATION(FT) 01190

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	107	110	114	117	114	109	103	104	104	109	109	105	117	31	-20
MEAN MAX TMP (F)	91	96	103	106	103	97	91	88	91	98	97	92	96	41	-20
MEAN MIN TMP (F)	60	63	71	78	79	76	73	71	71	71	66	61	70	41	-20
ABS MIN TMP (F)	45	46	54	60	60	60	62	58	60	59	55	49	45	31	-20
MEAN NO DYS TMP = OR GTR 90(F)	17.2	21.4	31.0	30.0	31.0	24.0	17.2	13.2	16.6	26.1	24.0	18.5	270.2	41	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31	-29
MEAN DEW PT TMP (F)	29	32	32	51	64	67	69	70	70	63	43	33	52	31	-29
MEAN REL HUM (PCT)	22	21	17	29	46	56	68	76	72	33	30	24	43	10	-20
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.05	0.05	0.10	0.40	1.70	3.70	6.00	9.60	5.20	0.50	0.05	0.00	27.3	41	-20
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.3	0.3	0.3	1.1	3.9	6.6	9.5	12.9	8.6	1.1	0.3	0.0	44.9	41	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.3	0.3	1.0	2.0	8.0	14.0	16.0	11.0	14.0	6.0	0.3	0.0	72.9	5	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/O LES 3 MI														0	0
P FREQ LES 1900 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	3.0	3.7	12.9	10.7	0.0	0.0	0.0	2.5	4	409
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	409
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SOKOTO, FEDERAL REPUBLIC OF NIGERIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	18.7	21.9	26.9	27.8	29.9	30.0	29.8	31.0	28.9	30.0	21.9	26.3	323.1	4	409
	18 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST														0	0
	12 LST	8.7	6.0	7.8	4.4	9.2	13.5	8.7	16.5	22.2	20.6	10.0	3.3	130.9	4	390
	18 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	8.7	12.0	7.4	8.6	6.2	8.0	3.7	3.0	0.0	1.0	6.7	7.4	64.7	4	396
	18 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	3.5	3.4	1.6	0.0	2.4	4.7	8.4	16.1	23.5	7.8	1.9	3.3	76.6	4	361
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	15.5	9.6	13.5	13.3	5.0	6.1	0.0	0.0	1.1	7.0	14.2	20.2	107.5	4	412
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	18.7	21.9	26.9	27.8	28.8	29.1	26.4	23.0	22.5	29.0	21.9	26.3	302.3	4	409
	18 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	18.7	21.9	26.4	26.6	28.8	28.2	19.5	19.0	22.5	29.0	21.9	26.3	289.3	4	405
	18 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	18.7	21.9	26.9	26.6	28.8	28.2	19.5	17.0	22.5	29.0	21.9	26.3	287.3	4	409
	18 LST														0	0

KADUNA, FEDERAL REPUBLIC OF NIGERIA

STA NO. 69019 (IN AREA NUMBER 01)

LATITUDE 1036N

LONGITUDE 00727E

ELEVATION(FT) 02116

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	104	100	102	103	100	96	92	96	95	100	97	99	105	10	-28
MEAN MAX TMP (F)	89	92	93	95	90	86	83	81	85	89	91	90	89	10	-28
MEAN MIN TMP (F)	59	61	67	72	71	69	68	67	67	66	60	57	63	10	-28
ABS MIN TMP (F)	48	51	53	60	62	60	62	53	62	57	51	46	46	10	-28
MEAN NO DYS TMP = DR GTR 90(F)	14.5	16.7	22.4	21.6	19.9	10.3	7.0	4.8	9.0	14.5	16.6	15.9	169.2	10	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	36	37	43	65	72	72	71	69	70	70	55	43	59	0	-50
MEAN REL HUM (PCT)	23	25	29	51	72	78	82	83	81	71	45	32	56	5	-28
MEAN PRESS ALT (FT)	2037	2030	1999	1993	1995	2001	1999	2020	2037	2032	2023	2033	2020	0	-50
MEAN PRECIP (IN)	0.05	0.10	0.30	2.30	5.90	7.10	8.30	11.90	10.60	2.90	0.10	0.05	50.2	34	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.3	0.4	1.3	5.3	8.9	10.7	12.0	14.3	14.3	5.2	0.4	0.3	73.4	34	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.3	0.3	2.0	7.0	21.0	23.0	20.0	14.0	24.0	12.0	0.3	0.0	123.9	5	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	5.3	0.1	22.6	44.4	7.4	6.3	0.0	0.0	7.7	4	425
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	425
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KADUNA, FEDERAL REPUBLIC OF NIGERIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST													0	0	
	06 LST													0	0	
	12 LST	24.2	23.0	30.3	29.0	30.2	30.0	29.0	22.9	30.0	31.0	27.6	30.3	337.5	4	425
	18 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST													0	0	
	06 LST													0	0	
	12 LST	15.9	12.5	20.9	19.0	25.1	26.3	16.5	13.6	21.1	21.0	11.8	11.3	219.0	4	412
	18 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST													0	0	
	06 LST													0	0	
	12 LST	2.4	3.7	0.7	1.0	0.0	6.0	0.0	0.0	1.0	0.0	0.0	2.7	11.5	4	432
	18 LST													0	0	
SFC WND 4-10 KTS AND T'P 33-89 DEG F AND NO PRECIP.	00 LST													0	0	
	06 LST													0	0	
	12 LST	14.3	8.8	5.4	7.2	25.3	24.8	22.7	15.5	21.7	20.3	11.3	12.1	189.4	4	421
	18 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST													0	0	
	06 LST													0	0	
	12 LST	15.9	15.8	11.6	13.6	2.4	1.7	0.0	0.0	1.1	4.4	11.3	21.5	99.3	4	428
	18 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST													0	0	
	06 LST													0	0	
	12 LST	24.2	23.0	30.3	29.0	26.9	26.3	17.0	11.5	18.9	25.2	26.8	30.3	289.4	4	425
	18 LST													0	0	
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	00 LST													0	0	
	06 LST													0	0	
	12 LST	24.2	23.0	30.3	28.1	25.3	24.5	13.0	8.0	14.4	22.3	26.8	30.3	270.2	4	425
	18 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST													0	0	
	06 LST													0	0	
	12 LST	24.2	23.0	30.3	28.1	25.3	24.5	13.0	6.9	14.4	22.3	26.8	30.3	269.1	4	425
	18 LST													0	0	

KATSINA, FEDERAL REPUBLIC OF NIGERIA

STA NO. 65028 (IN AREA NUMBER 01)

LATITUDE 1301N

LONGITUDE 00741E

ELEVATION(FT) 01697

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = DR GTR 90(F)														0	0
MEAN NO DYS TMP = DR LES 32(F)														0	0
MEAN NO DYS TMP = DR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.00	0.00	0.00	0.20	2.30	3.30	7.20	10.50	9.10	0.40	0.00	0.00	29.0	34	-6
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.0	0.0	0.0	0.6	5.0	6.0	10.0	13.5	8.4	0.9	0.0	0.0	45.2	34	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0											0	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.3	0.3	12.0	13.0	16.0	15.0	15.0	6.0	0.0	0.0	77.6	3	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 20 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	4.5	0.0	0.0	0.0	0.9	4	358
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	358
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KATSINA, FEDERAL REPUBLIC OF NIGERIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	22.3	20.4	25.8	27.4	31.0	30.0	31.0	31.0	30.0	29.6	23.3	23.0	324.8	4	358
	19 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	9.8	8.9	10.5	17.0	17.1	24.2	20.6	16.5	27.3	21.1	10.0	10.9	193.9	4	352
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	9.5	7.3	8.2	4.3	3.0	2.7	1.2	3.8	1.2	1.3	4.3	5.6	52.4	4	360
	19 LST														0	0
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	10.3	8.0	0.0	0.0	1.1	6.0	14.3	15.0	20.9	9.9	5.6	12.2	103.3	4	335
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	13.3	12.7	14.5	11.3	5.8	9.7	1.2	0.0	3.8	6.2	11.8	13.1	103.4	4	366
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	22.3	20.4	25.8	27.4	31.0	30.0	28.4	22.7	25.9	24.3	23.3	23.0	308.5	4	358
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	22.3	20.4	25.8	27.4	31.0	30.0	21.9	13.4	23.2	28.3	23.3	23.0	290.0	4	358
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	22.3	20.4	25.8	26.1	31.0	30.0		13.4	23.2	28.3	23.3	23.0	288.7	4	358
	19 LST														0	0

STA NO. 65046 (IN AREA NUMBER 01)

KANO CITY, FEDERAL REPUBLIC OF NIGERIA

LATITUDE 1202N

LONGITUDE 0003E

ELEVATION(FT) 01963

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	106	110	112	114	111	105	98	97	100	106	108	110	114	34	-28
MEAN MAX TMP (F)	86	91	98	101	99	94	88	85	88	94	92	87	92	23	-28
MEAN MIN TMP (F)	55	59	67	73	75	73	71	70	70	67	61	56	67	23	-28
ABS MIN TMP (F)	43	48	50	57	62	62	62	61	62	56	51	45	43	34	-28
MEAN NO DYS TMP = OR GTR 90(F)	10.7	15.5	26.1	30.0	31.0	20.4	13.2	9.4	12.7	21.1	17.9	11.9	219.9	23	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34	-29
MEAN DFM PT TMP (F)	36	37	42	57	71	71	68	68	68	66	48	40	56	0	-50
MEAN REL HUM (PCT)	27	25	22	31	53	62	75	81	75	57	34	30	48	10	-28
MEAN PRESS ALT (FT)	1512	1498	1467	1463	1464	1469	1477	1487	1520	1517	1492	1496	1489	0	-50
MEAN PRECIP (IN)	0.00	0.00	0.10	0.30	2.70	4.50	8.20	12.30	5.80	0.50	0.00	0.00	34.1	33	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.0	0.0	0.3	0.8	5.6	7.7	11.8	14.5	9.0	1.1	0.0	0.0	50.8	33	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	3.0	2.9	4.5	0.0	0.7	0.8	0.0	0.0	0.0	0.0	0.0	0.0	11.9	3	775
MEAN NO DYS TSTMS	0.0	0.0	0.0	2.0	11.0	19.0	17.0	19.0	16.0	2.0	0.0	0.0	82.0	9	-24
P FREQ WND SPD = OR GTR 17 KTS	1.6	2.2	2.9	3.8	3.1	4.3	4.4	0.7	0.6	0.0	1.2	0.3	2.1	3	18564
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	18564
P FREQ LES 5000 FT A/D LES 5 MI	35.0	44.0	41.0	12.0	10.0	4.0	13.0	24.0	14.0	8.0	7.0	18.0	19.2	3	-33
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	23.8	23.4	23.1	8.3	2.2	0.0	0.0	1.1	1.1	2.2	1.7	3.8	7.6	3	2319
03-05 LST	19.4	18.7	23.6	2.8	2.9	0.4	1.1	1.6	0.0	0.0	0.0	1.6	6.0	3	2321
06-08 LST	28.5	31.5	25.2	1.7	3.6	0.4	0.0	3.2	0.0	1.6	1.1	8.6	8.8	3	2296
09-11 LST	32.3	40.4	22.0	9.6	5.8	0.0	1.1	1.6	0.0	2.2	5.0	17.7	11.5	3	2254
12-14 LST	24.8	29.0	13.5	9.7	5.1	0.4	0.5	4.1	2.4	3.6	1.7	9.4	8.7	7	2749
15-17 LST	28.1	18.7	27.4	9.4	4.3	1.3	0.5	0.5	0.0	3.8	1.7	8.1	8.7	3	2265
18-20 LST	27.6	17.6	31.0	8.1	4.3	3.1	1.1	1.6	0.0	4.3	1.7	6.5	8.9	3	2290
21-23 LST	26.3	22.4	24.9	8.0	3.3	0.4	0.5	3.8	0.0	3.8	1.7	6.5	8.5	3	2307
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.3	5.3	6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	3	2319
03-05 LST	5.4	2.9	6.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3	2321
06-08 LST	9.1	3.0	7.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.6	1.8	3	2296
09-11 LST	17.2	9.3	12.1	2.3	1.1	0.0	0.0	0.0	0.0	0.0	1.7	1.1	3.7	3	...
12-14 LST	10.9	3.3	7.3	2.4	1.0	0.0	0.0	0.5	0.5	0.0	1.3	0.0	2.3	7	2749
15-17 LST	11.4	2.7	9.6	1.8	0.0	0.9	0.0	0.0	0.0	0.0	0.6	0.0	2.3	3	2265
18-20 LST	7.6	2.5	7.6	0.0	0.4	0.9	0.0	0.0	0.0	0.0	0.0	1.6	1.7	3	2290
21-23 LST	4.8	2.4	7.9	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	1.3	3	2307

KANO CITY, FEDERAL REPUBLIC OF NIGERIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OAS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	23.5	21.6	23.5	27.5	30.3	30.0	31.0	31.0	30.0	30.5	29.5	30.0	330.4	3	770
	07 LST	21.5	18.6	21.9	30.0	29.6	30.0	31.0	31.0	30.0	30.5	30.0	29.0	333.1	3	773
	13 LST	22.7	19.9	25.1	27.7	29.8	30.0	30.7	30.3	29.0	30.0	27.0	26.0	320.2	7	1255
	19 LST	22.5	21.5	20.0	27.4	29.3	29.6	31.0	31.0	30.0	29.5	29.5	29.0	330.3	3	771
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	20.0	19.6	21.0	21.0	21.3	14.6	19.5	26.0	24.5	28.5	27.5	29.0	268.5	3	770
	07 LST	21.0	18.6	18.7	23.0	19.7	14.8	15.0	24.0	23.0	26.5	27.0	28.5	259.8	3	773
	13 LST	14.5	12.0	14.0	12.5	21.3	23.6	13.9	20.8	23.2	25.0	13.7	15.7	213.0	7	1240
	19 LST	21.5	20.5	16.8	25.3	26.0	22.0	23.0	25.5	27.5	29.0	29.5	28.5	295.1	3	771
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.0	0.0	0.0	0.0	0.0	1.6	1.5	0.0	0.0	0.0	0.0	0.0	3.1	3	772
	07 LST	0.0	0.0	0.0	1.0	1.0	1.6	1.5	0.0	0.0	0.0	0.0	0.0	3.1	3	774
	13 LST	1.1	2.1	1.7	1.5	0.5	0.2	2.4	0.3	0.0	0.3	1.5	0.0	11.6	7	1285
	19 LST	0.0	0.0	0.0	0.0	1.3	1.6	0.0	0.0	0.0	0.0	0.0	0.0	2.9	3	774
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	16.0	20.1	20.5	22.5	21.5	18.2	19.8	23.6	20.3	21.5	20.5	19.0	243.5	3	772
	07 LST	18.5	19.2	21.0	18.5	19.7	18.4	16.5	25.3	25.4	22.5	16.5	16.0	237.5	3	774
	13 LST	16.1	9.8	4.8	1.0	1.9	5.2	10.2	17.8	15.3	6.0	7.1	19.4	114.6	7	1260
	19 LST	25.0	20.6	14.0	6.6	5.6	11.2	25.0	20.2	13.0	11.5	14.5	18.0	189.2	3	774
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	12.1	13.2	13.9	9.4	5.9	9.0	0.0	0.0	1.9	5.9	12.4	15.7	99.4	4	512
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	23.5	21.6	23.5	27.5	30.0	29.6	31.0	29.5	29.5	30.5	29.5	30.0	335.7	3	776
	07 LST	21.5	18.6	21.9	30.0	29.6	30.0	30.5	29.5	29.5	30.5	30.0	29.0	330.6	3	773
	13 LST	22.7	19.9	25.1	27.7	29.3	29.7	29.3	25.5	25.3	30.0	27.0	26.0	317.5	7	1255
	19 LST	22.5	21.5	20.0	27.4	29.0	29.6	30.5	29.0	29.5	29.5	29.5	29.0	327.0	3	771
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	23.5	21.6	23.0	27.5	29.6	29.2	29.0	26.5	26.0	30.0	29.5	30.0	325.4	3	778
	07 LST	21.5	18.6	21.9	30.0	29.3	29.6	28.5	27.5	26.5	30.5	30.0	29.0	322.9	3	773
	13 LST	22.7	19.9	25.1	27.4	28.5	29.5	28.6	13.4	19.7	29.1	26.7	26.0	288.6	7	1255
	19 LST	22.5	21.5	19.4	26.9	28.3	26.8	28.5	24.5	27.5	29.0	29.5	29.0	313.4	3	771
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	23.5	21.6	23.0	27.0	29.0	26.8	27.0	24.0	25.0	30.0	29.5	30.0	316.4	3	778
	07 LST	21.5	18.6	21.4	30.0	28.3	28.4	27.0	23.5	25.5	29.5	30.0	29.0	312.7	3	773
	13 LST	22.7	19.9	25.1	27.0	27.8	29.5	19.9	12.8	19.3	28.8	26.7	26.0	285.5	7	1235
	19 LST	22.5	21.5	18.9	25.9	26.3	24.4	27.0	24.0	27.0	28.5	29.5	29.0	304.5	3	771

NGURU, FEDERAL REPUBLIC OF NIGERIA

STA NO. 65064 (IN AREA NUMBER 01)

LATITUDE 1253N

LONGITUDE 01020E

ELEVATION(FT) 01100

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.00	0.00	0.00	0.10	1.10	2.40	4.90	9.30	4.10	0.40	0.10	0.00	22.4	16	-6
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.0	0.0	0.0	0.3	2.7	4.5	8.2	12.7	7.1	0.9	0.4	0.0	36.8	16	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0							0.0	0.0		0	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.0	7.0	11.0	18.0	18.0	17.0	3.0	0.0	0.0	75.0	9	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 9000 FT A/D LES 5 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	4.8	0.0	0.0	0.0	1.2	4	271
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	271
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

NGURU, FEDERAL REPUBLIC OF NIGERIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	28.2	22.9	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	23.1	27.4	346.6	4	271
	19 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LFS 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	26.8	17.8	23.3	18.9	23.3	23.8	24.1	23.9	28.6	29.0	19.6	21.5	288.6	4	262
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	3.6	0.0	2.2	0.0	2.0	0.0	0.0	0.0	1.8	3.6	1.3	14.5	4	277
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	14.8	12.0	3.1	0.0	0.0	0.0	11.8	18.8	13.0	1.8	7.8	21.9	105.0	4	248
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	12.1	13.3	22.9	20.3	17.4	12.6	1.4	2.6	3.9	12.7	12.0	24.5	199.7	4	277
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	28.2	22.9	31.0	30.0	31.0	30.0	29.4	22.9	29.7	31.0	23.1	27.4	332.2	4	271
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	26.2	22.9	31.0	30.0	31.0	30.0	22.8	21.1	25.7	31.0	23.1	27.4	324.2	4	271
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	28.2	22.9	31.0	30.0	31.0	30.0	22.8	21.1	25.7	31.0	23.1	27.4	324.2	4	271
	19 LST														0	0

POTISKUN, FEDERAL REPUBLIC OF NIGERIA

STA NO. 69073 (IN AREA NUMBER 01)

LATITUDE 1142N

LONGITUDE 01102E

ELEVATION(FT) 01360

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = DR GTR 90(F)														0	0
MEAN NO DYS TMP = DR LES 32(F)														0	0
MEAN NO DYS TMP = DR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.00	0.00	0.00	0.40	2.00	3.60	8.90	10.20	9.40	0.90	0.00	0.00	31.0	21	-6
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.0	0.0	0.0	1.1	4.4	6.4	12.0	13.3	8.8	1.9	0.0	0.0	47.9	21	-29
MEAN NO DYS SNFL = DR GTR 1.8 IN	0.0	0.0	0.0											0	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	3.0	14.0	16.0	22.0	20.0	20.0	6.0	0.0	0.0	101.0	9	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														C	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	7.7	22.2	15.8	0.0	0.0	0.0	3.8	4	298
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	298
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

POTISKUM, FEDERAL REPUBLIC OF NIGERIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DAYS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	25.8	21.0	27.4	30.0	31.0	30.0	31.0	31.0	30.0	31.0	27.7	31.0	346.9	4	258
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	20.2	15.1	19.4	11.3	23.3	22.1	23.8	17.2	17.6	26.0	11.5	21.5	229.0	4	248
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	1.3	3.8	1.2	1.7	0.0	1.6	2.4	1.8	0.0	0.0	2.3	0.0	16.1	4	293
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	12.9	10.3	3.9	1.7	2.8	9.0	12.9	17.4	13.3	9.4	9.5	18.8	117.9	4	238
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	14.2	10.5	9.9	8.8	12.1	10.0	4.7	0.0	3.2	4.7	18.5	19.8	116.4	4	261
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	25.8	21.0	27.4	30.0	31.0	30.0	23.8	17.2	22.1	31.0	27.7	31.0	318.0	4	258
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	23.8	21.0	27.4	30.0	31.0	30.0	23.8	13.8	22.1	29.8	27.7	31.0	312.4	4	258
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	25.8	21.0	27.4	30.0	31.0	30.0	23.8	13.8	22.1	29.8	27.7	31.0	313.4	4	258
	19 LST														0	0

MAIDUGURI, FEDERAL REPUBLIC OF NIGERIA

STA NO. 65082 (IN AREA NUMBER 01)

LATITUDE 1191N

LONGITUDE 01304E

ELEVATION(FT) 01162

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	103	107	109	111	112	106	102	99	102	105	104	101	112	15	-20
MEAN MAX TMP (F)	90	94	100	104	101	97	90	86	91	96	95	90	95	15	-28
MEAN MIN TMP (F)	54	58	65	72	77	75	73	71	71	68	59	54	66	15	-28
ABS MIN TMP (F)	43	48	48	55	63	60	63	61	63	56	49	41	43	15	-28
MEAN NO DYS TMP = OR GTR 90(F)	15.9	19.0	31.0	30.0	31.0	24.0	15.9	10.7	16.6	23.7	21.6	15.9	259.3	15	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN DEW PT TMP (F)	42	45	45	53	69	73	75	74	74	71	56	49	61	0	-50
MEAN REL HUM (PCT)	34	29	24	25	46	57	73	81	76	61	41	40	49	10	-28
MEAN PRESS ALT (FT)	1108	1092	1060	1058	1059	1062	1085	1090	1109	1109	1089	1088	1084	0	-50
MEAN PRECIP (IN)	0.00	0.00	0.00	0.30	1.60	2.90	7.10	8.70	4.20	0.90	0.00	0.00	23.7	42	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.0	0.0	0.0	0.8	3.7	9.3	10.7	12.2	7.2	1.9	0.0	0.0	41.8	42	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.0	4.4	4.0	1.0	1.6	1.6	0.0	1.0	1.0	0.0	1.0	0.0	21.6	3	777
MEAN NO DYS TSTMS	0.3	0.0	0.0	2.0	10.0	14.0	18.0	17.0	13.0	4.0	0.3	0.3	78.9	3	-24
P FREQ WND SPD = OR GTR 17 KTS	2.9	1.9	2.0	4.2	2.7	1.9	1.3	0.5	0.4	0.2	0.1	0.4	1.5	3	10616
P FREQ WND SPD = OR GTR 20 KTS	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.2	0.1	0.0	0.0	0.0	0.1	3	10616
P FREQ LES 5000 FT A/D LES 5 MI	36.6	39.7	42.4	7.7	9.4	2.2	9.9	18.7	12.9	2.2	3.1	13.4	16.4	3	10613
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	17.2	26.3	26.3	3.4	4.3	0.0	0.0	0.0	2.2	1.1	0.6	11.2	7.1	3	2329
03-05 LST	31.7	39.2	33.9	10.6	4.7	0.0	0.5	1.1	3.9	0.0	1.7	6.5	11.2	3	2329
06-08 LST	47.3	50.3	39.8	13.5	4.3	0.0	0.5	6.5	3.0	1.1	2.8	13.1	13.5	3	2329
09-11 LST	46.7	40.4	36.0	8.3	3.6	0.9	0.0	3.9	3.9	0.0	3.3	13.6	13.7	3	2313
12-14 LST	24.5	17.6	19.4	0.5	3.9	0.8	1.9	4.2	2.0	0.0	1.9	6.5	7.1	7	2707
15-17 LST	14.1	0.2	22.6	1.1	6.5	3.1	0.5	1.6	2.2	0.5	1.7	4.3	3.5	3	2328
18-20 LST	8.1	9.9	23.2	0.6	6.8	3.6	3.8	2.2	3.3	0.5	0.0	3.2	3.4	3	2329
21-23 LST	9.7	14.8	24.7	0.0	3.2	0.0	0.5	1.6	3.6	0.0	0.0	2.2	3.2	3	2328
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.5	7.6	11.3	0.0	0.4	0.0	0.0	0.0	0.6	0.0	0.6	0.0	2.3	3	2329
03-05 LST	17.7	17.0	18.3	2.2	1.8	0.0	0.0	0.0	3.3	0.0	1.7	1.1	3.3	3	2329
06-08 LST	25.3	17.5	21.0	3.4	2.9	0.0	0.0	1.6	0.0	0.0	1.7	2.7	6.3	3	2329
09-11 LST	16.6	8.8	11.8	1.1	2.5	0.9	0.0	1.1	1.1	0.0	0.6	1.6	3.8	3	2313
12-14 LST	3.2	0.0	2.6	0.0	1.6	0.4	0.0	1.4	1.0	0.0	0.0	1.3	1.0	7	2707
15-17 LST	0.0	0.0	4.0	1.1	2.5	1.3	0.0	0.0	0.6	0.0	0.0	1.6	1.0	3	2328
18-20 LST	1.6	0.0	7.6	0.0	0.7	1.8	2.2	0.5	0.0	0.5	0.0	1.6	1.4	3	2329
21-23 LST	1.6	3.6	9.1	0.0	0.0	0.6	0.0	1.1	0.0	0.0	0.0	1.1	1.4	3	2328

HAIBUSUR: FEDERAL REPUBLIC OF NIGERIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	27.0	20.6	22.5	29.5	29.6	30.0	31.0	31.0	29.0	31.0	30.0	30.0	341.2	3	778
	07 LST	16.0	12.7	18.5	26.0	29.6	30.0	31.0	29.0	29.0	30.5	29.5	26.0	308.8	3	777
	13 LST	23.6	23.4	26.2	30.0	30.0	29.7	30.3	29.6	29.6	31.0	29.7	28.5	341.6	7	1155
	19 LST	29.0	25.0	23.5	29.5	29.0	28.8	29.5	30.0	29.5	31.0	30.0	30.0	344.8	3	777
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	26.5	19.6	21.0	23.5	25.3	25.7	25.5	30.5	29.0	30.0	28.5	29.0	314.1	3	778
	07 LST	16.0	13.2	16.5	19.0	23.6	20.4	18.5	21.5	26.0	29.5	28.0	25.0	256.6	3	777
	13 LST	12.9	11.1	12.4	13.3	22.9	23.0	19.4	22.3	26.1	25.5	16.7	15.9	221.5	7	1134
	19 LST	22.5	20.6	16.0	19.0	23.3	22.0	26.5	29.0	29.5	30.0	25.5	26.0	289.9	3	777
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.0	0.0	0.0	0.0	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	1.7	3	775
	07 LST	0.0	0.0	0.0	0.0	1.0	0.0	1.0	0.5	0.0	0.0	0.0	0.0	2.5	3	772
	13 LST	2.2	1.0	2.5	2.2	0.0	0.3	0.3	0.3	0.0	0.3	1.4	0.3	10.8	7	1148
	19 LST	0.0	0.0	0.0	0.0	1.3	0.8	0.0	0.0	0.5	0.0	0.0	0.0	2.6	3	775
SFC WND 4-10 KTS AND TMP 33-89 DCG F AND NO PRECIP.	01 LST	24.5	22.1	22.0	24.5	20.6	23.3	21.5	17.1	17.0	18.5	21.5	24.0	256.6	3	775
	07 LST	22.0	18.2	21.0	23.5	20.2	23.6	23.4	21.8	23.9	17.3	12.5	16.0	245.4	3	772
	13 LST	12.2	11.6	2.5	0.0	1.5	2.0	13.6	20.3	9.6	1.7	6.5	12.4	93.9	7	1129
	19 LST	26.5	24.1	14.5	9.5	6.3	10.9	23.0	15.7	11.0	13.5	22.5	27.0	206.5	3	775
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	12.2	13.0	10.9	9.6	6.0	7.9	2.0	0.0	1.4	8.2	20.0	17.4	108.6	4	381
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	27.0	20.6	22.5	29.5	29.3	30.0	30.5	31.0	29.0	30.5	30.0	30.0	339.9	3	778
	07 LST	16.0	13.7	18.5	26.0	29.6	30.0	29.5	27.0	28.5	30.5	29.5	26.0	304.8	3	777
	13 LST	23.6	23.4	26.2	30.0	30.0	29.7	28.6	27.2	28.5	30.7	29.7	28.5	336.1	7	1155
	19 LST	29.0	25.0	23.5	29.5	28.0	28.4	29.5	29.0	29.5	31.0	30.0	30.0	342.4	3	777
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	27.0	20.6	22.5	29.5	28.3	30.0	28.0	27.5	28.0	30.5	30.0	30.0	331.9	3	778
	07 LST	16.0	13.7	18.5	26.0	29.3	29.6	29.0	25.5	27.5	29.5	29.5	26.0	300.1	3	777
	13 LST	23.6	23.4	26.2	29.6	29.0	29.2	23.3	16.4	23.9	30.7	29.7	28.5	313.5	7	1155
	19 LST	29.0	25.0	23.5	29.5	27.7	26.8	24.5	28.0	27.0	31.0	30.0	30.0	332.0	3	777
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	27.0	20.6	22.5	28.5	26.3	27.6	26.0	22.0	27.5	30.5	30.0	30.0	318.5	3	778
	07 LST	16.0	13.7	18.5	26.0	27.0	29.2	28.0	23.5	25.5	29.5	29.5	26.0	292.4	3	777
	13 LST	23.6	23.4	26.2	29.3	27.5	28.6	21.5	16.0	23.5	30.7	29.7	28.5	308.5	7	1155
	19 LST	29.0	25.0	23.5	28.0	25.0	23.6	22.5	27.0	25.0	30.5	30.0	30.0	319.1	3	777

STA NO. 65112 (IN AREA NUMBER 01)

BIDA, FEDERAL REPUBLIC OF NIGERIA

LATITUDE 0906N

LONGITUDE 00601E

ELEVATION(FT) 00476

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)													48.7	30	-6
MEAN PRECIP (IN)	0.10	0.30	1.10	2.90	5.90	7.30	8.10	8.20	10.10	4.40	0.30	0.00		0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.4	0.8	2.7	5.9	8.9	10.9	11.7	11.8	13.9	7.5	0.8	0.0	75.3	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0											0.0	0	-29	
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.3	1.0	2.0	9.0	17.0	19.0	19.0	11.0	18.0	17.0	2.0	0.3	111.6	3	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	2.9	6.7	11.8	14.3	23.3	29.4	42.9	16.7	0.0	0.0	12.4	3	263
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	263
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BIDA, FEDERAL REPUBLIC OF NIGERIA
 MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST	18.8	20.2	31.0	30.0	31.0	28.6	31.0	29.2	29.7	29.7	26.8	327.7	3	163
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST													0	0
	06 LST													0	0
	12 LST	18.4	17.6	22.5	18.0	19.4	19.7	11.6	12.7	10.7	19.4	21.4	23.7	3	256
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST													0	0
	06 LST													0	0
	12 LST	0.0	0.0	0.9	3.5	0.0	0.0	1.7	0.0	0.0	0.0	0.0	6.1	3	263
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST													0	0
	06 LST													0	0
	12 LST	17.4	3.8	2.9	0.0	19.9	14.2	17.4	22.4	19.3	22.4	14.2	21.0	3	242
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST	4.4	12.7	10.3	8.8	3.6	2.7	0.0	0.0	0.0	7.1	16.0	65.6	3	263
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST	17.7	20.2	29.2	28.0	21.9	22.8	10.9	14.6	8.6	14.2	25.7	25.8	3	263
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST	17.7	20.2	28.2	28.0	21.9	21.4	9.1	12.7	4.3	9.0	25.7	25.8	3	263
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST	17.7	20.2	28.2	28.0	21.9	21.4	9.1	12.7	4.3	9.0	25.7	25.8	3	263
18 LST													0	0	

STA NO. 65134 (IN AREA NUMBER 01)

JOS, FEDERAL REPUBLIC OF NIGERIA

LATITUDE 0952N

LONGITUDE 00894E

ELEVATION(FT) 04290

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	92	91	97	99	94	90	94	92	96	90	95	92	99	18	-28
MEAN MAX TMP (F)	83	86	89	88	84	81	77	76	80	84	85	83	83	18	-28
MEAN MIN TMP (F)	57	60	65	67	65	64	63	63	63	63	61	58	62	18	-28
ABS MIN TMP (F)	48	44	54	60	57	58	58	58	57	54	51	49	44	18	-28
MEAN NO DYS TMP = DR GTR 90(F)	7.0	9.6	14.5	12.7	8.2	4.6				8.2	9.0	7.0		18	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN DEW PT TMP (F)	29	34	41	62	68	66	66	66	66	62	45	34	53	0	-50
MEAN REL HUM (PCT)	19	18	29	51	71	76	84	86	78	58	30	23	52	10	-32
MEAN PRESS ALT (FT)	4175	4170	4124	4110	4110	4126	4118	4138	4169	4165	4150	4165	4143	0	-50
MEAN PRECIP (IN)	0.10	0.30	1.10	3.30	8.00	8.90	12.80	11.00	8.30	1.70	0.10	0.10	55.9	36	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.4	0.8	2.7	6.4	9.8	12.3	14.8	13.8	12.4	3.3	0.4	0.4	77.5	36	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSYS	0.3	1.0	2.0	12.0	23.0	25.0	26.0	18.0	20.0	9.0	1.0	0.3	137.6	9	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	10.3	11.1	8.6	30.0	39.3	18.2	0.0	0.0	0.0	9.8	4	390
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	4	390
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

JOS, FEDERAL REPUBLIC OF NIGERIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	25.0	27.0	29.9	29.0	29.8	30.0	24.8	28.8	28.6	31.0	30.0	31.0	344.5	4	390
	19 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0	
	07 LST													0	0	
	13 LST	2.4	15.0	12.2	8.4	14.9	10.9	13.1	5.5	15.0	6.8	7.1	13.2	134.5	4	370
	19 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0	
	07 LST													0	0	
	13 LST	3.8	1.0	1.7	3.3	2.4	1.7	1.3	3.6	0.0	4.0	3.8	0.6	27.2	4	385
	19 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-87 DEG F AND NO PRECIP.	01 LST													0	0	
	07 LST													0	0	
	13 LST	20.6	22.0	14.2	12.0	18.1	19.9	17.7	10.0	17.5	9.0	11.5	20.9	189.4	4	362
	19 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	14.6	17.0	12.1	1.9	0.0	2.4	0.0	0.0	0.0	2.7	19.7	21.5	91.9	4	400
	19 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	25.0	27.0	28.8	22.7	21.8	24.0	19.5	8.8	15.0	29.2	30.0	31.0	278.8	4	390
	19 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	25.0	27.0	28.8	20.7	19.5	20.6	14.0	7.8	12.3	25.5	30.0	31.0	262.2	4	390
	19 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST	25.0	27.0	28.8	20.7	18.4	20.6	14.0	7.8	10.9	24.6	30.0	31.0	258.8	4	390
	19 LST													0	0	

YOLA, FEDERAL REPUBLIC OF NIGERIA

STA NO. 69167 (IN AREA NUMBER 01)

LATITUDE 0914N

LONGITUDE 01220E

ELEVATION(FT) 09979

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	105	107	110	110	107	100	97	94	94	100	103	102	110	12	-28
MEAN MAX TMP (F)	96	99	102	102	96	90	87	87	87	92	96	95	94	12	-28
MEAN MIN TMP (F)	64	69	75	78	76	73	72	72	72	72	67	63	71	12	-28
ABS MIN TMP (F)	54	54	61	66	66	66	67	67	62	61	53	52	52	12	-28
MEAN NO DYS TMP = DR GTR 90(F)	23.7	28.0	31.0	30.0	23.7	15.3	11.9	11.9	11.5	18.5	22.9	22.4	290.8	12	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN DEW PT TMP (F)	38	38	49	61	69	71	70	71	72	70	57	45	59	11	-29
MEAN REL HUM (PCT)	26	23	30	42	60	73	76	78	79	71	48	35	53	10	-32
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.00	0.00	0.40	1.70	5.00	6.20	6.60	7.30	8.30	3.10	0.20	0.00	38.8	42	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.0	0.0	1.1	3.9	8.2	9.8	10.2	10.9	12.2	3.6	0.6	0.0	62.5	42	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.3	1.0	9.0	20.0	19.0	22.0	17.0	23.0	16.0	1.0	0.0	128.3	9	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	40.0	20.0	50.0	0.0	0.0	0.0	0.0	9.2	3	77
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	77
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

YOLA, FEDERAL REPUBLIC OF NIGERIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	31.0	22.4	31.0	30.0	31.0	30.0	31.0	20.6	30.0	31.0	25.0	31.0	344.0	3	77
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/3FC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	17.2	11.2	18.6	18.0	12.4	18.0	19.5	5.1	22.5	11.6	15.0	17.2	182.3	3	76
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	0.0	6.2	0.0	0.0	0.0	0.0	5.1	0.0	0.0	5.0	5.6	21.9	3	84
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	3.1	5.6	0.0	0.0	0.0	29.0	12.4	10.3	22.5	3.9	10.0	3.1	99.9	3	77
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	12.4	22.4	12.4	5.0	5.1	0.0	0.0	0.0	0.0	0.0	15.0	24.1	96.4	3	82
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	31.0	22.4	31.0	30.0	31.0	12.0	12.4	5.1	22.5	31.0	25.0	31.0	284.4	3	77
	19 LST														0	0
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	31.0	22.4	31.0	30.0	31.0	12.0	12.4	0.0	15.0	31.0	25.0	31.0	271.5	3	77
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	31.0	22.4	31.0	30.0	31.0	12.0	12.4	0.0	15.0	31.0	25.0	31.0	271.8	3	77
	19 LST														0	0

		AREA NO. 01													
NIGERIA, FEDERAL REP OF		INTERIOR PLAINS				LATITUDE 1030N				LONGITUDE 00800E					
BOUNDARIES		0740N 00250E		0900N 01255E											
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)		90	94	98	100	96	91	86	84	87	88	82	90	92	
MEAN MIN TMP (F)		58	62	69	74	74	72	70	69	69	68	62	58	67	
LARGEST MEAN PRECIP(IN)		0.10	0.30	1.10	3.30	8.00	8.90	12.80	12.30	10.60	6.40	0.30	0.10	62.2	
SMALLEST MEAN PRECIP(IN)		0.00	0.00	0.00	0.10	1.10	2.40	4.90	7.30	4.10	0.40	0.00	0.00	70.3	
		MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND		01 LST	25.3	21.1	23.0	28.5	30.0	30.0	31.0	31.0	29.5	30.8	29.8	30.0	340.0
VSBY = GTR 3 MI		07 LST	18.8	16.2	20.2	21.0	29.6	30.0	31.0	30.0	29.5	30.5	29.8	27.5	321.1
		13 LST	23.8	22.1	28.4	24.0	30.5	29.8	29.7	28.6	29.3	30.1	29.9	28.3	339.5
		19 LST	25.8	23.3	21.8	28.5	29.2	29.2	30.3	30.5	29.8	30.3	29.8	29.5	330.0
CIG = GTR 2000 FT AND VSBY = GTR		01 LST	23.3	19.6	21.0	22.3	23.3	20.2	20.5	28.3	26.8	29.3	28.0	29.0	291.6
3 MI W/SFC WND LES 10 KTS		07 LST	18.5	15.9	17.6	21.0	21.4	17.6	16.8	22.8	24.5	28.0	27.5	26.8	250.4
		13 LST	16.0	12.6	16.7	14.7	19.1	20.9	18.8	19.3	21.5	20.8	14.3	16.4	205.1
		19 LST	22.0	20.6	16.4	22.2	24.7	22.0	24.8	27.3	28.5	29.5	27.5	27.3	292.8
SFC WND = GTR 17 KTS AND		01 LST	0.5	0.0	0.0	0.0	0.2	1.0	0.8	0.0	0.0	0.0	0.0	2.5	
NO PRECIP.		07 LST	0.0	0.0	0.0	0.5	1.0	0.8	1.3	0.3	0.0	0.0	0.0	3.9	
		13 LST	2.6	3.1	2.8	2.6	1.1	0.8	1.2	1.6	0.2	0.8	2.6	2.3	21.7
		19 LST	0.0	0.0	0.0	0.0	1.3	1.2	0.0	0.0	0.3	0.0	0.0	2.8	
SFC WND 4-10 KTS AND TMP 33-89		01 LST	20.3	21.1	21.3	23.5	21.1	20.8	20.7	20.4	18.7	20.0	21.0	21.5	290.4
D&F AND NO PRECIP.		07 LST	20.3	18.7	22.0	21.0	20.0	21.0	20.0	23.6	24.7	19.9	14.5	16.0	241.7
		13 LST	12.1	9.0	3.6	2.0	6.9	10.9	15.2	16.7	18.2	10.5	7.9	13.2	126.1
		19 LST	25.8	22.4	14.3	8.1	6.0	11.1	24.0	18.0	12.0	13.5	18.5	22.5	196.2
SKY COVER LES 3/10 AND		01 LST													
VSBY = GTR 3 MI		07 LST													
		13 LST	13.1	13.7	13.5	10.9	5.9	3.8	0.8	0.2	1.5	5.0	14.0	19.7	104.1
		19 LST													
CIG = GTR 2500 FT AND		01 LST	25.3	21.1	23.0	28.5	29.7	29.8	30.8	30.3	29.3	30.5	29.8	30.0	338.1
VSBY = GTR 3 MI		07 LST	18.8	16.2	20.2	28.0	29.6	30.0	30.0	28.3	29.0	30.5	29.8	27.5	317.9
		13 LST	23.7	22.1	28.2	28.3	28.4	26.3	21.6	17.3	20.9	27.4	25.9	28.2	298.3
		19 LST	25.9	23.3	21.8	28.5	28.5	29.0	30.0	29.0	29.5	30.3	29.8	29.5	335.0
CIG = GTR 6000 FT AND		01 LST	25.3	21.1	22.8	28.5	29.0	29.6	28.5	27.0	27.0	30.3	29.8	30.0	328.9
VSBY = GTR 3 MI		07 LST	18.8	16.2	20.2	28.0	29.3	29.6	28.8	26.9	27.0	30.0	29.8	27.5	311.7
		13 LST	23.7	22.1	28.1	27.7	27.6	25.4	16.9	12.4	17.8	26.0	25.8	28.2	281.7
		19 LST	25.8	23.3	21.9	28.2	28.0	26.8	26.5	26.3	27.3	30.0	29.8	29.5	323.0
CIG = GTR 10000 FT AND		01 LST	25.3	21.1	22.8	27.8	27.7	27.2	26.5	23.0	26.3	30.3	29.8	30.0	317.6
VSBY = GTR 3 MI		07 LST	18.8	16.2	20.0	28.0	27.7	28.0	27.5	23.5	23.5	29.5	29.8	27.5	302.8
		13 LST	23.7	22.1	29.1	27.6	27.3	25.3	16.7	12.1	17.6	25.9	25.8	28.2	280.4
		19 LST	25.8	23.3	21.2	27.0	25.7	24.0	24.8	23.5	26.0	29.5	29.8	29.5	312.1

101, FEDERAL REPUBLIC OF NIGERIA

LATITUDE 0811N

LONGITUDE 00945E

ELEVATION(FT) 00380

STA NO. 69149 (IN AREA NUMBER 02)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
AOS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = DR GTR 90(F)														0	0
MEAN NO DYS TMP = DR LES 32(F)														0	0
MEAN NO DYS TMP = DR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)													45.7	24	-6
MEAN PRECIP (IN)	0.10	0.20	1.30	3.50	6.60	7.50	5.80	5.90	6.80	5.60	0.40	0.00		0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.4	0.6	3.1	6.7	9.3	11.1	9.3	9.4	12.7	9.1	0.9	0.0	72.6	24	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0											0.0		0	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.3	1.0	4.0	12.0	21.0	21.0	19.0	10.0	21.0	20.0	4.0	0.0	129.3	9	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	14.3	0.0	0.0	0.0	0.0	37.5	33.3	0.0	20.0	10.0	0.0	0.0	9.6	3	84
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	14.3	0.0	0.0	0.0	0.0	12.5	0.0	0.0	0.0	0.0	0.0	0.0	2.2	3	84
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

181, FEDERAL REPUBLIC OF NIGERIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	4.4	16.8	31.0	30.0	31.0	22.5	29.8	31.0	24.0	31.0	23.3	22.1	292.9	3	84
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	4.4	9.6	3.4	4.3	20.6	11.3	12.4	0.0	7.5	20.6	13.3	8.8	112.2	3	79
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	6.2	3.4	0.0	0.0	3.8	6.2	0.0	0.0	0.0	6.7	13.3	39.6	3	82
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	3.1	0.0	0.0	20.6	12.8	12.4	0.0	6.0	20.6	6.7	4.4	86.6	3	80
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	0.0	2.8	9.6	0.0	0.0	0.0	3.0	0.0	0.0	0.0	3.3	8.8	20.3	3	87
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	4.4	16.8	31.0	26.3	31.0	19.0	10.3	31.0	24.0	21.7	23.3	22.1	296.9	3	84
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	4.4	16.8	31.0	26.3	31.0	11.3	9.1	31.0	18.0	18.6	16.7	22.1	232.3	3	84
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	4.4	16.8	31.0	22.5	31.0	11.3	9.1	31.0	18.0	18.6	16.7	22.1	228.5	3	84
	19 LST														0	0

LAGOS APT/IKEJA, FEDERAL REPUBLIC OF NIGERIA

STA NO. 65201 (IM AREA NUMBER 02)

LATITUDE 0635N

LONGITUDE 00320E

ELEVATION(FT) 00132

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	95	96	99	99	104	93	93	96	94	96	99	99	104	32	-28
MEAN MAX TMP (F)	88	89	89	89	87	85	83	82	83	85	88	88	86	32	-28
MEAN MIN TMP (F)	74	77	78	77	76	74	74	73	74	74	75	75	75	32	-28
ABS MIN TMP (F)	63	66	60	69	62	69	68	66	68	69	69	66	60	32	-328
MEAN NO DYS TMP = OR GTR 90(F)	13.2	13.0	14.5	14.0	11.9	9.0	7.0	5.9	6.7	9.4	12.7	13.2	130.5	32	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	32	-29
MEAN DEN PT TMP (F)	75	74	77	75	75	75	73	72	73	74	76	76	75	0	-50
MEAN REL HUM (PCT)	83	81	80	81	85	88	88	86	88	88	85	83	85	10	-32
MEAN PRESS ALT (FT)	17	18	-20	-63	-63	-41	-46	-21	4	11	9	16	-14	0	-50
MEAN PRECIP (IN)	1.10	1.80	3.90	5.70	10.90	17.70	10.50	2.60	5.60	8.20	2.70	1.00	71.7	65	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.5	4.0	7.2	8.8	10.4	16.3	13.5	4.9	9.1	12.1	4.9	2.3	96.0	65	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	2.0	9.0	13.0	16.0	18.0	16.0	6.0	2.0	9.0	19.0	15.0	4.0	129.0	5	-24
P FREQ WND SPD = OR GTR 17 KTS	0.1	0.1	0.0	0.3	1.1	0.5	0.8	0.7	0.3	0.3	0.0	0.0	0.4	2	12474
P FREQ WND SPD = OR GTR 26 KTS	0.1	0.0	0.0	0.0	0.5	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.1	2	12474
P FREQ LES 3000 FT A/D LES 5 MI	48.1	46.3	22.4	16.1	25.4	43.6	46.7	38.2	44.0	30.3	22.1	21.7	33.7	2	12495
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	12.9	24.1	8.6	3.4	3.3	16.0	11.9	7.0	8.4	10.9	5.6	2.2	9.5	2	1557
03-05 LST	26.9	35.6	6.5	0.0	2.2	21.8	11.8	15.2	13.9	16.7	11.9	8.6	14.3	2	1563
06-08 LST	60.2	65.5	11.5	2.3	3.6	26.1	21.1	30.6	38.0	28.6	23.8	35.5	29.3	2	1560
09-11 LST	53.8	48.3	8.6	8.0	3.2	23.7	26.9	27.6	30.0	45.7	31.7	43.0	29.2	2	1565
12-14 LST	40.7	26.7	6.5	0.0	2.2	19.2	21.0	12.9	18.9	17.2	11.1	20.9	19.9	2	1562
15-17 LST	26.9	19.8	4.3	2.3	3.3	19.5	19.7	7.0	18.0	11.4	4.0	1.1	10.1	2	1561
18-20 LST	23.7	14.9	3.2	1.1	1.1	12.2	12.9	4.3	11.1	8.6	10.3	0.0	8.6	2	1566
21-23 LST	9.7	23.0	6.5	6.9	4.3	3.8	6.5	3.8	7.8	7.0	7.1	2.2	7.4	2	1561
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.2	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2	1557
03-05 LST	3.2	10.3	1.1	0.0	1.1	0.0	0.5	2.7	1.1	0.0	0.0	1.1	1.8	2	1563
06-08 LST	4.3	27.4	2.2	0.0	2.2	0.7	1.6	3.2	1.1	0.5	0.8	14.0	4.9	2	1560
09-11 LST	0.0	9.2	1.1	0.0	0.0	3.2	1.1	0.0	0.0	1.6	0.0	0.0	1.4	2	1565
12-14 LST	1.1	4.6	0.0	0.0	0.0	1.3	0.0	0.5	0.0	0.5	0.0	3.3	0.9	2	1562
15-17 LST	0.0	5.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2	1561
18-20 LST	0.0	4.6	0.0	0.0	0.0	1.9	0.5	0.0	0.0	0.0	1.6	0.0	0.7	2	1566
21-23 LST	0.0	4.6	0.0	1.1	1.1	0.0	0.5	0.0	0.0	0.5	0.0	0.0	0.7	2	1561

LAGOS APT/IKEJA, FEDERAL REPUBLIC OF NIGERIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	28.0	22.2	31.0	29.0	30.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	354.2	2	924
	06 LST	16.0	13.5	30.0	30.0	29.0	26.0	28.5	29.0	28.5	28.0	28.6	24.0	311.1	2	922
	12 LST	23.0	23.2	30.0	30.0	31.0	26.5	30.0	30.0	29.0	30.5	30.0	30.0	343.2	2	922
	18 LST	22.0	24.1	31.0	29.0	31.0	27.7	29.5	31.0	29.5	31.0	29.3	31.0	346.1	2	922
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	26.0	18.3	26.0	26.0	29.0	17.3	18.0	24.5	20.0	26.5	25.1	30.0	286.7	2	924
	06 LST	10.0	5.8	23.0	24.9	28.0	15.6	14.0	14.0	8.5	19.0	21.4	17.0	203.2	2	922
	12 LST	8.0	15.4	20.0	20.7	24.0	15.0	9.0	9.5	7.5	17.5	17.9	15.0	179.5	2	922
	18 LST	18.0	22.2	22.0	24.8	24.0	17.9	16.0	17.0	14.0	21.5	22.8	31.0	251.2	2	922
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	922
	06 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	905
	12 LST	0.0	0.0	0.0	1.0	0.0	0.0	0.5	0.5	0.0	0.0	0.0	0.0	2.0	2	913
	18 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	920
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	15.0	12.5	17.5	18.6	18.0	17.9	22.5	21.0	22.0	10.0	11.9	15.0	199.9	2	922
	06 LST	5.0	5.8	10.0	7.2	9.3	12.4	19.0	15.2	13.0	3.2	3.6	2.0	105.7	2	905
	12 LST	20.0	20.3	29.0	25.9	19.0	20.8	23.0	21.3	22.0	21.8	20.7	10.0	253.8	2	913
	18 LST	17.0	21.2	21.0	24.8	17.0	29.2	25.0	26.5	24.0	19.5	20.0	17.5	258.7	2	919
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	27.0	21.2	28.0	26.0	26.0	19.6	23.0	26.5	21.0	25.5	27.9	30.0	301.7	2	924
	06 LST	10.0	5.8	22.0	25.9	26.0	14.4	13.0	13.5	8.0	20.0	22.1	17.0	197.7	2	922
	12 LST	11.0	16.4	24.0	23.8	23.0	15.6	11.0	15.0	13.0	19.5	20.7	15.0	208.0	2	922
	18 LST	22.0	24.1	26.0	27.9	26.0	20.2	20.5	24.0	20.0	25.0	27.1	31.0	293.8	2	922
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	27.0	21.2	26.0	26.0	26.0	18.5	21.5	25.5	20.5	25.0	27.9	30.0	295.1	2	924
	06 LST	10.0	5.8	21.0	25.9	24.0	13.3	13.0	11.5	7.0	18.0	20.7	17.0	187.2	2	922
	12 LST	11.0	16.4	24.0	23.8	23.0	14.4	10.5	14.5	12.5	19.0	20.7	15.0	204.8	2	922
	18 LST	22.0	24.1	25.0	27.9	25.0	20.2	20.0	23.0	19.5	24.0	27.1	31.0	288.8	2	922
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	27.0	21.2	26.0	25.0	26.0	17.9	19.5	21.0	19.0	24.5	27.2	30.0	284.3	2	924
	06 LST	10.0	5.8	20.0	24.0	24.0	11.0	11.5	7.0	6.5	17.0	20.7	17.0	175.3	2	922
	12 LST	11.0	16.4	24.0	23.8	23.0	13.3	9.0	11.0	11.0	18.0	20.7	15.0	196.2	2	922
	18 LST	22.0	23.2	25.0	27.9	25.0	19.0	18.0	16.5	19.0	23.0	27.1	31.0	276.7	2	922

IBADAN, FEDERAL REPUBLIC OF NIGERIA

STA NO. 65208 (IN AREA NUMBER 02)

LATITUDE 0726N

LONGITUDE 00354E

ELEVATION(FT) 00740

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	99	102	101	100	95	91	89	89	96	92	94	95	102	14	-28
MEAN MAX TMP (F)	91	93	93	91	89	85	82	81	84	86	89	91	88	14	-28
MEAN MIN TMP (F)	70	71	73	73	72	71	70	69	71	72	71	69	71	14	-28
ABS MIN TMP (F)	50	54	64	65	64	64	61	60	63	65	58	57	50	14	-28
MEAN NO DYS TMP = OR GTR 90(F)	17.2	17.8	19.8	16.6	14.5	9.0	0.0	0.0	7.9	10.7	14.0	17.2	144.7	14	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN DEW PT TMP (F)	70	70	73	74	74	73	72	71	73	73	73	71	72	11	-29
MEAN REL HUM (PCT)	73	71	75	78	82	86	88	88	86	84	80	76	81	5	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.40	0.90	3.60	9.30	5.90	7.40	6.10	3.30	7.00	6.20	1.80	0.40	48.3	53	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.0	2.1	6.8	8.5	8.9	11.0	9.6	6.0	10.8	9.8	3.5	1.0	79.0	53	-29
MEAN NO DYS SMFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	6.0	9.0	16.0	13.0	12.0	4.0	3.0	9.0	16.0	7.0	1.0	97.0	5	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	15.8	19.8	11.3	7.7	15.2	11.6	41.9	44.7	47.5	37.0	11.1	8.3	22.3	4	453
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	453
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

IBADAN, FEDERAL REPUBLIC OF NIGERIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	26.9	25.0	31.0	30.0	29.6	29.3	26.0	26.9	25.5	29.8	27.5	29.7	337.2	4	493
	18 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST														0	0
	12 LST	21.8	16.6	23.9	23.6	24.1	21.6	10.0	7.8	6.9	10.3	21.8	28.3	216.7	4	427
	18 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	1.7	4	490
	18 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	19.8	14.0	16.4	16.7	19.3	16.3	17.3	22.1	17.8	19.9	21.3	18.1	219.4	4	498
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	8.2	2.9	1.6	0.8	0.0	0.0	0.0	0.0	0.0	0.0	4.3	8.7	26.3	4	470
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	20.4	15.3	18.7	21.5	17.5	16.0	10.0	7.3	4.3	6.9	17.3	24.3	180.3	4	493
	18 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	19.6	13.2	13.4	16.9	13.3	11.2	8.0	3.7	3.0	3.7	14.2	20.6	149.0	4	493
	18 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	19.6	13.2	13.4	16.9	12.8	11.2	8.0	3.7	3.0	3.7	14.2	20.6	144.3	4	493
	18 LST														0	0

BENIN CITY, FEDERAL REPUBLIC OF NIGERIA

LATITUDE 0619N

LONGITUDE 00336E

ELEVATION(FT) 00258

STA NO. 69229 (IN AREA NUMBER 02)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	93	96	98	93	94	91	89	89	90	92	93	93	98	8	-28
MEAN MAX TMP (F)	89	91	91	90	89	85	82	82	83	86	89	89	87	12	-28
MEAN MIN TMP (F)	70	71	72	73	72	71	70	70	71	71	71	69	71	12	-28
ABS MIN TMP (F)	55	58	66	67	66	65	62	61	63	63	62	60	55	8	-28
MEAN NO DYS TMP = DR GTR 90(F)	14.5	19.5	17.2	15.3	14.5	9.0	0.0	0.0	6.7	10.7	14.0	14.5	131.9	12	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN DEW PT TMP (F)	72	72	73	75	75	73	72	72	73	74	74	72	73	10	-29
MEAN REL HUM (PCT)	80	76	78	81	84	85	88	88	88	86	82	81	83	9	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.80	1.40	3.90	6.40	8.30	12.10	12.70	8.30	12.30	9.60	2.90	0.60	79.3	52	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.9	3.2	7.2	9.2	9.9	14.4	14.7	11.8	15.6	13.4	5.2	1.4	107.9	52	-29
MEAN NO DYS SNFL = DR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	3.0	6.0	13.0	21.0	21.0	19.0	8.0	4.0	13.0	23.0	13.0	3.0	147.0	5	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	27.0	18.4	18.9	22.2	21.4	32.4	50.0	9.3	53.3	50.0	14.7	13.8	31.2	4	446
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	5.9	3.6	0.0	2.2	0.0	0.0	0.0	1.0	4	446
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BENIN CITY, FEDERAL REPUBLIC OF NIGERIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	29.3	26.5	30.4	29.2	31.0	26.5	21.0	24.6	22.7	26.1	30.0	31.0	328.3	4	446
	18 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST														0	0
	12 LST	12.9	15.2	18.8	19.4	16.6	14.0	11.1	6.7	4.9	6.0	22.7	23.3	171.6	4	429
	18 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	0.8	0.7	0.0	0.8	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.9	3.9	4	471
	18 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	25.7	19.2	19.9	18.8	26.7	20.8	16.9	15.9	15.4	25.0	24.7	27.2	256.2	4	446
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	2.5	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	5.5	19.6	4	482
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	12.9	14.0	16.4	15.0	15.5	14.1	8.8	5.5	4.7	2.9	13.2	14.9	137.9	4	446
	18 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	12.0	11.8	14.0	11.6	12.5	11.5	7.8	4.7	4.0	1.9	6.2	10.7	108.7	4	446
	18 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	11.2	11.8	14.0	11.6	11.8	11.5	5.5	4.7	4.0	1.9	6.2	10.7	104.9	4	446
	18 LST														0	0

LOKOJA, FEDERAL REPUBLIC OF NIGERIA

STA NO. 69243 (IN AREA NUMBER 02)

LATITUDE 0740N

LONGITUDE 00644E

ELEVATION(FT) 00144

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	102	102	104	101	101	102	99	98	99	99	99	100	104	37	-28
MEAN MAX TMP (F)	91	95	96	94	92	89	87	87	87	89	92	91	91	31	-28
MEAN MIN TMP (F)	67	72	76	75	74	72	72	72	72	72	71	67	72	31	-28
ABS MIN TMP (F)	43	55	58	61	59	55	63	63	58	60	59	51	43	37	-28
MEAN NO DYS TMP - OR GTR 90(F)	17.2	20.2	23.7	20.4	18.5	14.0	11.9	11.9	11.5	14.5	17.9	17.2	198.9	31	-29
MEAN NO DYS TMP - OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	37	-29
MEAN NO DYS TMP - OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	37	-29
MEAN DEW PT TMP (F)	68	69	73	72	74	74	73	73	74	75	73	69	72	22	-29
MEAN REL HUM (PCT)	71	66	68	69	76	81	82	82	85	84	78	74	76	5	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.20	0.20	1.90	3.70	6.10	6.30	6.80	6.50	8.30	5.40	0.90	0.10	46.0	42	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	37	-29
MEAN NO DYS PRCP - OR GTR 0.1 IN	0.6	0.6	4.3	8.9	9.0	9.9	10.4	10.1	12.2	8.8	1.1	0.4	74.3	42	-29
MEAN NO DYS SNFL - OR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	37	-29
MEAN NO DYS W/DCUR VSOBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	4.0	8.0	13.0	16.0	17.0	13.0	11.0	20.0	20.0	6.0	1.0	130.0	5	-24
P FREQ WND SPD - OR GTR 17 KTS														0	0
P FREQ WND SPD - OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/O LES 3 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	5.3	0.0	6.7	10.5	25.0	33.3	9.1	12.5	0.0	0.0	8.5	4	172
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.6	0.0	0.0	0.0	0.0	0.5	4	172
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

LOKOJA, FEDERAL REPUBLIC OF NIGERIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	31.0	24.7	31.0	30.0	31.0	30.0	31.0	27.5	30.0	31.0	30.0	31	358.2	4	172
	18 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST														0	0
	12 LST	31.0	24.7	27.5	27.5	28.8	26.8	18.6	18.2	26.6	26.8	30.0	31.0	317.5	4	165
	18 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	100
	18 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	15.5	9.9	3.1	6.0	20.6	20.5	19.9	25.2	21.0	23.3	25.0	23.3	213.3	4	170
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	19.4	8.2	1.6	0.0	1.8	0.0	0.0	0.0	0.0	0.0	10.0	21.7	62.7	4	181
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	31.0	21.4	29.4	30.0	22.7	25.3	17.4	15.5	21.8	25.2	30.0	31.0	300.7	4	172
	18 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	31.0	19.7	29.4	30.0	22.7	23.7	17.4	13.8	21.8	25.2	30.0	31.0	295.7	4	172
	18 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	31.0	19.7	29.4	30.0	22.7	23.7	17.4	13.8	21.8	25.2	30.0	31.0	295.7	4	172
	18 LST														0	0

PORT HARCOURT, FEDERAL REPUBLIC OF NIGERIA

STA NO. 65250 (IN AREA NUMBER 02)

LATITUDE 0491N

LONGITUDE 00701E

ELEVATION(FT) 00058

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	94	98	99	95	94	95	92	94	95	90	93	93	99	10	-28
MEAN MAX TMP (F)	88	90	88	89	88	86	84	83	85	85	87	87	87	11	-28
MEAN MIN TMP (F)	70	73	72	73	72	71	71	71	71	71	72	71	72	11	-28
ABS MIN TMP (F)	60	60	64	61	65	61	65	64	64	62	68	60	60	10	-28
MEAN NO DYS TMP - OR GTR 90(F)	13.2	14.3	13.2	14.0	13.2	10.3	8.2	7.0	9.0	9.4	11.5	11.9	135.2	11	-29
MEAN NO DYS TMP - OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP - OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	73	76	74	76	76	75	74	72	73	74	75	73	74	0	-50
MEAN REL HUM (PCT)	79	78	82	83	83	87	87	89	87	85	85	79	84	10	-32
MEAN PRESS ALT (FT)	-37	-39	-129	-174	-174	-143	-182	-158	-111	-94	-100	-56	-115	0	-50
MEAN PRECIP (IN)	1.20	2.60	5.10	7.50	9.60	12.60	12.90	12.30	16.10	10.90	5.90	1.80	98.1	44	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP - OR GTR 0.1 IN	2.7	5.7	8.3	9.6	10.2	14.7	14.8	14.5	17.8	14.5	9.0	4.0	125.8	44	-29
MEAN NO DYS SNFL - OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	9.0	11.0	18.0	21.0	25.0	20.0	11.0	9.0	17.0	22.0	19.0	8.0	190.0	3	-24
P FREQ WND SPD - OR GTR 17 KTS														0	0
P FREQ WND SPD - OR GTR 28 KTS														0	0
P FREQ WES 3000 FT A/D LES 3 MI	47.0	40.0	24.0	29.0	35.0	50.0	44.0	39.0	55.0	55.0	41.0	13.0	39.3	4	-33
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	18.8	21.4	13.0	12.5	23.1	41.2	44.0	34.1	46.9	30.0	23.1	6.7	26.2	4	422
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	2.6	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.5	4	422
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

PORT HARCOURT, FEDERAL REPUBLIC OF NIGERIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	23.3	24.0	30.3	30.0	27.8	22.1	27.3	26.4	24.4	27.9	25.4	31.0	319.9	4	422
	18 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST														0	0
	12 LST	15.0	16.0	20.6	15.0	16.3	14.5	7.4	14.3	9.4	15.5	15.4	25.8	109.2	4	410
	18 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	0.9	0.0	0.0	0.8	0.0	0.0	0.0	1.4	0.0	1.0	0.0	0.0	4.1	4	445
	18 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	23.3	16.8	9.6	13.5	14.2	13.0	12.9	18.4	15.4	13.4	15.0	17.0	102.5	4	420
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	3.8	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.6	11.8	4	492
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	16.5	16.0	20.9	19.7	16.7	11.5	6.2	11.3	6.5	12.4	13.8	21.7	179.2	4	422
	18 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	15.5	12.7	17.9	16.9	13.5	7.9	3.7	6.0	3.8	7.2	11.5	16.5	132.7	4	422
	18 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	15.5	12.7	17.9	16.9	13.5	7.9	3.7	6.0	2.8	7.2	11.5	16.5	131.7	4	422
	18 LST														0	0

CALABAR, FEDERAL REPUBLIC OF NIGERIA

STA NO. 65264 (IN AREA NUMBER 02)

LATITUDE 0457N

LONGITUDE 00821E

ELEVATION(FT) 00206

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	96	99	98	100	105	98	98	96	97	101	99	94	105	26	-28
MEAN MAX TMP (F)	86	89	89	88	87	86	85	83	84	85	87	86	86	25	-28
MEAN MIN TMP (F)	71	72	73	72	72	71	71	71	71	72	72	71	72	25	-28
ABS MIN TMP (F)	51	56	59	60	60	56	60	58	58	60	60	49	49	26	-28
MEAN NO DYS TMP = OR GTR 90(F)	10.7	13.0	14.5	12.7	11.9	10.3	9.4	7.0	7.9	9.4	11.5	10.7	120.0	25	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26	-29
MEAN DEW PT TMP (F)	73	73	75	74	75	75	74	73	74	74	75	73	74	0	-50
MEAN REL HUM (PCT)	78	77	79	81	82	86	88	88	87	84	82	78	83	11	-28
MEAN PRESS ALT (FT)	120	125	28	-18	-20	18	-33	-1	46	58	41	90	38	0	-90
MEAN PRECIP (IN)	1.90	3.00	6.20	6.60	12.30	16.20	17.90	16.50	16.60	12.90	7.50	1.90	121.1	57	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.4	6.4	9.1	10.0		16.0	16.4	16.1	18.1	16.0	11.3	4.2		57	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI															
MEAN NO DYS TSTMS	11.0	11.0	19.0	25.0	25.0	23.0	15.0	9.0	18.0	25.0	23.0	11.0	215.0	5	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 78 KTS														0	0
P FREQ LES 5000 FT A/Q LES 3 MI														0	0
P FREQ LES 1500 FT A/Q LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	15.4	0.0	17.9	16.0	24.1	32.4	48.0	56.8	50.0	33.3	25.9	10.7	27.5	4	357
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/Q LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	4.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.6	4	357
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CALABAR, FEDERAL REPUBLIC OF NIGERIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	27.4	26.1	29.4	27.6	28.9	29.1	24.8	16.4	23.8	28.4	28.9	31.0	323.8	4	357
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	17.4	20.7	21.8	20.9	18.8	11.8	6.7	7.1	6.9	13.5	16.1	24.8	186.1	4	337
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	1.1	0.9	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	2.8	4	363
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	21.1	17.4	16.3	19.2	23.3	19.4	17.4	14.6	14.5	22.8	19.2	26.2	231.4	4	341
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	8.8	0.9	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	8.8	20.3	4	379
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	20.2	24.1	16.7	19.2	14.9	8.8	8.7	8.4	6.2	9.0	13.3	24.3	173.8	4	357
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	20.2	19.3	9.5	13.2	13.9	9.3	7.4	7.5	5.3	5.1	12.2	22.1	141.0	4	357
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	19.1	18.3	9.5	13.2	13.9	9.3	7.4	7.5	5.3	3.9	11.1	22.1	136.6	4	357
	19 LST														0	0

AREA NO. 02

NIGERIA, FEDERAL REP OF

COASTAL STRIP

LATITUDE 0700N

LONGITUDE 00800E

BOUNDARIES 0740N 09250E 0900N 01255E

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		89	91	91	90	89	86	84	83	84	86	89	89	88
MEAN MIN TMP (F)		70	73	74	74	73	72	71	71	72	72	72	70	72
LARGEST MEAN PRECIP(IN)		1.50	3.00	6.20	8.60	12.30	17.70	17.90	16.50	16.60	12.90	7.50	1.90	122.6
SMALLEST MEAN PRECIP(IN)		0.10	0.20	1.30	3.50	5.90	6.30	5.80	2.60	5.60	5.40	0.40	0.00	37.1
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	28.0	22.2	31.0	29.0	30.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	354.2
	06 LST	16.0	13.5	30.0	30.0	29.0	26.0	28.5	29.0	28.5	28.0	28.6	24.0	311.1
	12 LST	23.6	23.8	30.4	29.5	30.0	26.6	26.6	26.4	25.6	29.2	27.9	29.4	329.0
	18 LST	22.0	24.1	31.0	29.0	31.0	27.7	29.5	31.0	29.5	31.0	29.3	31.0	346.1
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	26.0	18.3	26.0	26.0	29.0	17.3	18.0	24.5	20.0	26.5	25.1	30.0	286.7
	06 LST	10.0	5.8	23.0	26.9	28.0	15.6	14.0	14.0	8.5	19.0	21.4	17.0	203.2
	12 LST	15.8	16.3	19.4	18.8	21.3	16.4	10.7	9.1	9.9	15.7	19.6	22.4	195.4
	18 LST	18.0	22.2	22.0	24.8	24.0	17.9	16.0	17.0	14.0	21.5	22.8	31.0	251.2
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	06 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	12 LST	0.4	1.1	0.5	0.4	0.1	0.5	1.0	0.4	0.1	0.1	1.1	2.0	7.7
	18 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	15.0	12.5	17.5	18.6	18.0	17.9	22.5	21.0	22.0	10.0	11.9	13.0	199.9
	06 LST	5.0	5.8	10.0	7.2	9.3	12.4	19.0	15.2	13.0	3.2	3.6	2.0	105.7
	12 LST	17.9	14.4	13.5	14.3	20.5	17.7	17.1	16.8	16.0	21.0	18.9	18.0	206.1
	18 LST	17.0	21.2	21.0	24.8	17.0	25.2	25.0	26.5	24.0	19.5	20.0	17.5	258.7
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST													
	06 LST													
	12 LST	7.1	3.6	1.6	0.1	0.3	0.1	0.0	0.0	0.0	0.0	3.6	9.9	26.3
	18 LST													
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	27.0	21.2	28.0	26.0	26.0	19.6	23.0	26.5	21.0	25.5	27.9	30.0	301.7
	06 LST	10.0	5.8	22.0	25.9	26.0	14.4	13.0	13.5	8.0	20.0	22.1	17.0	197.7
	12 LST	16.6	17.7	22.4	22.2	20.2	15.2	10.3	13.4	11.5	13.9	18.8	21.9	204.1
	18 LST	22.0	24.1	26.0	27.9	26.0	20.2	20.5	24.0	20.0	25.0	27.1	31.0	293.8
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	27.0	21.2	26.0	26.0	26.0	18.5	21.5	25.5	20.5	25.0	27.9	30.0	295.1
	06 LST	10.0	5.8	21.0	25.9	24.0	13.3	13.0	11.5	7.0	18.0	20.7	17.0	187.2
	12 LST	16.2	15.7	19.8	19.8	18.6	12.2	8.6	11.9	9.8	11.8	15.9	19.7	180.0
	18 LST	22.0	24.1	25.0	27.9	25.0	20.2	20.0	23.0	19.5	24.0	27.1	31.0	288.8
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	27.0	21.2	26.0	25.0	26.0	17.9	19.5	21.0	19.0	24.5	27.2	30.0	284.3
	06 LST	10.0	5.8	20.0	24.8	24.0	11.0	11.5	7.0	6.5	17.0	20.7	17.0	175.3
	12 LST	16.0	15.6	19.8	19.3	18.4	12.0	8.0	11.4	9.4	11.5	15.8	19.7	176.9
	18 LST	22.0	23.2	25.0	27.9	25.0	19.0	18.0	16.5	15.0	23.0	27.1	31.0	276.7

STA NO. 67587 (IN AREA NUMBER 01)

LILONGWE NEB, NYASALAND

LATITUDE 13985

LONGITUDE 03342E

ELEVATION(FT) 09717

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	90	88	89	86	88	85	84	88	92	96	97	92	97	10	-133
MEAN MAX TMP (F)	80	80	80	80	78	75	75	78	92	86	86	82	80	10	-135
MEAN MIN TMP (F)	63	63	62	57	50	45	43	46	52	58	62	64	55	10	-135
ABS MIN TMP (F)	55	53	50	40	37	30	26	29	35	40	53	51	26	10	-135
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.7	10.7	10.3	5.9	32.6	10	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0		10	-25
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	65	67	64	60	53	48	44	45	48	50	57	65	56	10	-29
MEAN REL HUM (PCT)	82	85	80	77	70	68	61	59	55	51	60	77	69	10	-32
MEAN PRESS ALT (FT)	3603	3591	3550	3487	3442	3389	3368	3395	3451	3493	3538	3571	3490	0	-50
MEAN PRECIP (IN)	0.03	0.27	5.32	1.46	0.20	0.08	0.00	0.08	0.16	0.20	2.95	6.73	33.5	30	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN			8.5	3.4	0.6	0.3	0.0	0.3	0.5	0.6	5.3	10.4		30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/PCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 20 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

LILONGWE NEW, NYASALAND
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
	08 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	20 LST													0	0
	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
	08 LST													0	0
CIG = GTR 5000 FT AND VSBY = GTR 3 MI	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST													0	0
	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0

DATA NOT AVAILABLE

AREA NO. 01

NYASALAND

HIGHLANDS

LATITUDE 1230S

LONGITUDE 09330E

BOUNDARIES 0930S 0235E 1225S 0335E 1225S 0335E 1440S 03420E

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	80	80	80	80	78	75	75	78	82	86	86	82	80
MEAN MIN TMP (F)	63	63	62	57	50	45	43	46	52	58	62	64	59
LARGEST MEAN PRECIP(IN)	0.03	0.27	5.32	1.46	0.20	0.00	0.00	0.00	0.16	0.20	2.95	6.73	39.5
SMALLEST MEAN PRECIP(IN)	0.03	0.27	5.32	1.46	0.20	0.00	0.00	0.00	0.16	0.20	2.95	6.73	39.5

MEAN NUMBER OF DAYS

CIG = GTR 1000 FT AND	02 LST
VSBY = GTR 3 MI	00 LST
	14 LST
	20 LST
CIG =GTR 2000 FT AND VSBY =GTR	02 LST
3 MI W/SFC WND LES 10 KTS	00 LST
	14 LST
	20 LST
SFC WND = GTR 17 KTS AND	02 LST
NO PRECIP.	00 LST
	14 LST
	20 LST
SFC WND 4-10 KTS AND TMP 33-89	02 LST
DEG F AND NO PRECIP.	00 LST
	14 LST
	20 LST
SKY COVER LES 3/10 AND	02 LST
VSBY = GTR 3 MI	00 LST
	14 LST
	20 LST
CIG = GTR 2500 FT AND	02 LST
VSBY = GTR 3 MI	00 LST
	14 LST
	20 LST
CIG = GTR 6000 FT AND	02 LST
VSBY = GTR 3 MI	00 LST
	14 LST
	20 LST
CIG = GTR 10000 FT AND	02 LST
VSBY = GTR 3 MI	00 LST
	14 LST
	20 LST

DATA NOT AVAILABLE

BLANTYRE/CHILEKA, NYASALAND

STA NO. 67893 (IN AREA NUMBER 02)

LATITUDE 1940S

LONGITUDE 03430E

ELEVATION(FT) 02552

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	98	95	96	90	90	88	85	93	95	100	100	96	100	10	-135
MEAN MAX TMP (F)	83	82	82	82	78	75	75	79	84	89	88	84	82	10	-135
MEAN MIN TMP (F)	68	67	66	64	59	56	55	57	62	67	69	68	63	10	-135
ABS MIN TMP (F)	59	57	57	55	50	46	47	47	50	53	59	60	46	10	-135
MEAN NO DYS TMP = DR GTR 90(F)	7.0	5.3	5.9	5.7	0.0	0.0	0.0	0.0	7.9	14.5	12.7	8.2	0.0	10	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	70	67	69	64	60	53	55	58	57	62	67	70	63	0	-50
MEAN REL HUM (PCT)	80	79	78	75	70	68	61	56	56	48	59	76	67	10	-32
MEAN PRESS ALT (FT)	2400	2400	2390	2300	2250	2200	2200	2200	2250	2300	2390	2400	2300	0	-50
MEAN PRCP (IN)	8.17	8.11	6.66	1.63	0.27	0.10	0.14	0.07	0.13	0.83	3.43	5.24	34.8	11	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN			9.3	3.8	0.7	0.3	0.4	0.3	0.5	1.7	6.1	9.7	0.0	10	-29
MEAN NO DYS SNFL = DR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	19.0	18.0	16.0	6.0	1.0	0.0	0.3	0.3	1.0	7.0	18.0	20.0	106.6	9	-24
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BLANTYRE/CHILEKA, NYASALAND
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0

DATA NOT AVAILABLE

ZOMBA, NYASALAND

STA NO. 67697 (IN AREA NUMBER 02)

LATITUDE 15235

LONGITUDE 03519E

ELEVATION(FT) 03141

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	92	92	89	88	89	90	85	89	91	95	95	94	95	28	-28
MEAN MAX TMP (F)	80	80	79	78	76	72	72	75	81	85	89	81	79	28	-28
MEAN MIN TMP (F)	65	65	65	62	58	54	53	55	59	64	66	65	61	27	-28
ABS MIN TMP (F)	50	50	50	53	48	41	43	44	46	47	51	51	41	27	-28
MEAN NO DYS TMP = OR GTR 90(F)			0.0	0.0	0.0	0.0	0.0	0.0	4.6	9.4	9.0	4.8		28	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	-29
MEAN DEW PT TMP (F)	65	65	64	60	56	51	50	50	54	60	63	57		24	-29
MEAN REL HUM (PCT)	79	79	79	74	70	69	67	63	54	54	62	74	69	17	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	12.10	9.90	10.10	2.70	0.70	0.40	0.30	0.30	0.20	1.00	4.30	10.90	52.9	29	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN			10.2	5.6	1.8	0.9	0.7	0.7	0.6	2.1	7.3			29	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KYS														0	0
P FREQ LES 9000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

ZOMBA, NYASALAND
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PER (YRS)	NO. OBS
CIG - GTR 1000 FT AND VSBY - GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG -GTR 2000 FT AND VSBY -GTR 3 MI W/SFC WND LES 10 KTS	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SFC WND - GTR 17 KTS AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 ST													0	0
	20 LST													0	0
SKY COVER LES 3/10 AND VSBY - GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG - GTR 2500 FT AND VSBY - GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG - GTR 6000 FT AND VSBY - GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG - GTR 10000 FT AND VSBY - GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0

DATA NOT AVAILABLE

AREA NO. 02

NYASALAND

LAKE AREA

LATITUDE 1900S

LONGITUDE 03900E

BOUNDARIES 0950S 03955E 1225S 03955E 1225S 03955E 1440S 03420E

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	82	81	81	80	77	74	74	77	83	87	87	83	81
MEAN MIN TMP (F)	67	66	66	63	59	55	54	56	61	66	68	67	62
LARGEST MEAN PRECIP(IN)	12.10	9.90	10.10	2.70	0.70	0.40	0.30	0.30	0.20	1.00	4.30	10.90	52.9
SMALLEST MEAN PRECIP(IN)	0.17	0.11	6.66	1.65	0.27	0.10	0.14	0.07	0.15	0.83	3.43	5.24	34.8
	MEAN NUMBER OF DAYS												

- CIG = GTR 1000 FT AND VSBY = GTR 3 MI
 - 02 LST
 - 08 LST
 - 14 LST
 - 20 LST
- CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS
 - 02 LST
 - 08 LST
 - 14 LST
 - 20 LST
- SFC WND = GTR 17 KTS AND NO PRECIP.
 - 02 LST
 - 08 LST
 - 14 LST
 - 20 LST
- SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.
 - 02 LST
 - 08 LST
 - 14 LST
 - 20 LST
- SKY COVER LES 3/10 AND VSBY = GTR 3 MI
 - 02 LST
 - 08 LST
 - 14 LST
 - 20 LST
- CIG = GTR 2500 FT AND VSBY = GTR 3 MI
 - 02 LST
 - 08 LST
 - 14 LST
 - 20 LST
- CIG = GTR 6000 FT AND VSBY = GTR 3 MI
 - 02 LST
 - 08 LST
 - 14 LST
 - 20 LST
- CIG = GTR 10000 FT AND VSBY = GTR 3 MI
 - 02 LST
 - 08 LST
 - 14 LST
 - 20 LST

DATA NOT AVAILABLE

STA NO. 64175 (IN AREA NUMBER 01)

KABENBE, RWANDA

LATITUDE 02275

LONGITUDE 02054E

ELEVATION(FT) 09190



PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	88	85	85	85	84	85	87	90	93	91	85	86	93	3	-33
MEAN MAX TMP (F)	78	78	78	78	78	78	80	82	81	80	77	78	79	3	-33
MEAN MIN TMP (F)	59	59	60	60	60	58	57	58	59	60	59	59	59	3	-33
ABS MIN TMP (F)	56	56	54	56	56	53	52	50	53	56	56	54	50	3	-33
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	4.6		0.0	0.0		3	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN DEN PT TMP (F)	60	61	63	63	62	59	54	54	59	61	63	62	60	3	-29
MEAN REL HUM (PCT)	77	79	82	83	81	76	64	60	70	75	84	81	76	3	-33
MEAN PRESS ALT (FT)	4890	4970	5400	4890	4710	4340	4290	4430	4630	4770	4800	4830	4740	0	-30
MEAN PRECIP (IN)	5.43	6.14	6.38	5.55	5.39	0.67	0.53	1.42	3.94	3.73	6.61	5.91	51.7	20	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.9	10.3	9.2	8.7	6.6	1.5	1.2	2.8	6.8	9.3	10.3	10.2	86.8	20	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	23.0	22.0	23.0	26.0	20.0	7.0	5.0	5.0	16.0	24.0	25.0	25.0	221.0	5	-14
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	1.0	4.0	4.3	5.4	3.5	0.9	1.4	0.7	2.8	4.9	4.7	2.9	3.1	9	1486
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	1.7	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.4	9	1486
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KAMEBDE, RWANDA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	31.0	27.4	29.4	28.9	30.4	29.7	31.0	30.8	29.8	30.3	29.0	31.0	338.7	9	1486
	20 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST														0	0
	14 LST	30.2	24.6	29.1	27.8	29.1	28.6	27.4	29.0	28.6	28.4	27.9	28.9	333.6	9	1484
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.2	0.0	0.0	0.0	0.0	0.5	9	1485
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	13.1	10.9	8.5	6.8	12.5	17.4	21.5	18.4	12.8	9.8	10.5	9.1	151.3	9	1484
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	1.6	0.8	0.2	0.0	0.2	6.8	11.0	7.3	1.3	0.2	0.0	0.0	29.4	9	1485
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	28.0	24.1	26.4	25.9	26.9	27.0	28.1	28.5	29.1	24.9	24.6	26.7	316.2	9	1486
	20 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	25.3	20.7	24.0	24.0	24.5	24.0	29.6	23.9	21.1	20.2	21.5	23.3	278.1	9	1486
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	25.3	20.7	24.0	24.0	24.5	24.0	29.6	23.9	21.1	20.2	21.5	23.3	278.1	9	1486
	20 LST														0	0

RWANDA		HIGHLANDS BOUNDARIES		AREA NO. 01		LATITUDE 02195		LONGITUDE 02935E						
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		78	78	78	78	78	78	80	82	81	80	77	78	79
MEAN MIN TMP (F)		59	59	60	60	60	58	57	58	59	60	59	59	59
LARGEST MEAN PRECIP(IN)		5.43	6.14	6.38	5.55	3.39	0.67	0.55	1.42	3.94	5.75	6.61	5.91	51.7
SMALLEST MEAN PRECIP(IN)		5.43	6.14	6.38	5.55	3.39	0.67	0.55	1.42	3.94	5.75	6.61	5.91	51.7
MEAN NUMBER OF DAYS														
CIG = GTR 1000 FT AND VSBY = GTR 3 MI		02 LST												
		08 LST												
		14 LST	31.0	27.4	29.4	28.9	30.4	29.7	31.0	30.8	29.8	30.3	29.0	31.0
		20 LST												358.7
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS		02 LST												
		08 LST												
		14 LST	30.2	24.6	29.1	27.8	29.1	28.6	27.4	25.0	26.6	28.4	27.9	28.9
		20 LST												333.6
SFC WND = GTR 17 KTS AND NO PRECIP.		02 LST												
		08 LST												
		14 LST	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.2	0.0	0.0	0.0	0.5
		20 LST												
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.		02 LST												
		08 LST												
		14 LST	13.1	10.9	8.9	6.8	12.5	17.4	21.9	18.4	12.8	9.8	10.9	9.1
		20 LST												151.3
SKY COVER LES 3/10 AND VSBY = GTR 3 MI		02 LST												
		08 LST												
		14 LST	1.6	0.8	0.2	0.0	0.2	6.8	11.0	7.3	1.3	0.2	0.0	0.0
		20 LST												29.4
CIG = GTR 2500 FT AND VSBY = GTR 3 MI		02 LST												
		08 LST												
		14 LST	28.0	24.1	26.4	25.9	26.9	27.0	28.1	28.5	25.1	24.9	24.6	26.7
		20 LST												316.2
CIG = GTR 6000 FT AND VSBY = GTR 3 MI		02 LST												
		08 LST												
		14 LST	25.3	20.7	24.0	24.0	24.5	24.0	25.6	23.9	21.1	20.2	21.5	23.3
		20 LST												278.1
CIG = GTR 10000 FT AND VSBY = GTR 3 MI		02 LST												
		08 LST												
		14 LST	25.3	20.7	24.0	24.0	24.5	24.0	25.6	23.9	21.1	20.2	21.5	23.3
		20 LST												278.1

RIO MUNI - RHODESIA
SAO TOME IS.



SANTA ISABEL, RIO MUNI/FERNANDO PO

STA NO. 64810 (IN AREA NUMBER 01)

LATITUDE 0345N

LONGITUDE 00845E

ELEVATION(FT) 00164

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	89	91	90	90	89	87	85	86	87	87	88	88	91	2	-28
MEAN MAX TMP (F)	87	89	88	89	87	85	84	85	86	86	86	87	87	2	-28
MEAN MIN TMP (F)	67	69	69	70	71	69	69	69	69	70	71	70	69	2	-28
ABS MIN TMP (F)	64	66	66	67	66	65	64	63	64	65	66	63	63	2	-28
MEAN NO DYS TMP = OR GTR 90(F)	0.0	13.0	13.2	14.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	40.2	2	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN DEW PT TMP (F)	76	76	77	77	77	79	73	73	74	74	76	76	75	0	-50
MEAN REL HUM (PCT)	86	85	90	89	87	90	90	92	95	94	93	91	90	1	-28
MEAN PRESS ALT (F)	84	87	-26	-80	-83	-41	-103	-74	-13	4	-13	46	-17	0	-50
MEAN PRECIP (IN)	1.00	2.46	6.16	5.27	6.51	8.56	8.38	7.48	9.25	9.17	4.08	2.22	70.5	9	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.3	5.4	9.0	8.4	9.2	12.1	11.9	11.1	13.1	13.0	7.0	4.9	107.4	9	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS W/DUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SANTA ISABEL, RIO MUNI/FERNANDO PD
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND 4-10 KTS AND TMP 33-69 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

STA NO. 64820 (IN AREA NUMBER 01)

DATA, RIO MUNI/FERNANDO PO

LATITUDE 0154N

LONGITUDE 00950E

ELEVATION(FT) 00007

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	94	92	93	93	92	90	89	88	88	88	89	90	94	4	-33
MEAN MAX TMP (F)	90	88	88	88	87	86	84	84	84	85	84	85	86	4	-33
MEAN MIN TMP (F)	69	69	69	70	69	68	68	68	68	69	70	70	69	4	-33
ABS MIN TMP (F)	64	63	62	63	61	62	64	63	63	59	64	64	59	4	-33
MEAN NO DYS TMP = DR G/R 90(F)	15.9	11.9	13.2	12.7	11.9	10.3	0.0	0.0	0.0	0.0	0.0	9.4	83.3	4	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN DEW PT TMP (F)	76	74	74	75	73	72	71	71	72	74	74	74	73	4	-29
MEAN REL HUM (PCT)	88	86	87	87	86	86	84	85	88	91	89	88	87	4	-33
MEAN PRESS ALT (FT)	-42	-39	-178	-227	-229	-203	-288	-260	-179	-146	-134	-70	-165	0	-50
MEAN PREC/P (IN)	4.64	4.21	8.37	12.29	10.01	4.10	0.04	0.29	9.54	19.13	12.18	2.94	87.7	3	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.	8.5	9.9		10.2	7.1	0.2	0.7	13.4	19.1	15.5	6.3		3	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	7.0	7.0	17.0	18.0	11.0	1.0	0.0	0.0	6.0	13.0	13.0	11.0	104.0	4	-33
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

DATA, RIO MUNI/FERNANDO PO
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

RIO MUNI/FERNANDO PD

COASTAL
BOUNDARIES

AREA NO. 01

LATITUDE 0130N

LONGITUDE 01030E

PARAMETER DESCRIPTION
 MEAN MAX TMP (F)
 MEAN MIN TMP (F)
 LARGEST MEAN PRECIP(IN)
 SMALLEST MEAN PRECIP(IN)

JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
89	89	88	89	87	86	84	85	85	86	85	86	87
68	69	69	70	70	69	69	69	69	70	71	70	69
4.64	4.21	8.37	12.29	10.01	8.56	8.38	7.48	9.54	19.13	12.18	2.94	107.7
1.00	2.46	6.16	5.27	6.91	4.10	0.04	0.29	9.25	9.17	4.08	2.22	50.5
MEAN NUMBER OF DAYS												

CIG = GTR 1000 FT AND 01 LST
 VSBY = GTR 3 MI 07 LST

13 LST
 19 LST

CIG =GTR 2000 FT AND VSBY =GTR 01 LST
 3 MI W/SFC WND LES 10 KTS 07 LST

13 LST
 19 LST

SFC WND = GTR 17 KTS AND 01 LST
 NO PRECIP. 07 LST

13 LST
 19 LST

SFC WND 4-10 KTS AND TMP 33-89 01 LST
 DEG F AND NO PRECIP. 07 LST

13 LST
 19 LST

SKY COVER LES 3/10 AND 01 LST
 VSBY = GTR 3 MI 07 LST

13 LST
 19 LST

CIG = GTR 2500 FT AND 01 LST
 VSBY = GTR 3 MI 07 LST

13 LST
 19 LST

CIG = GTR 6000 FT AND 01 LST
 VSBY = GTR 3 MI 07 LST

13 LST
 19 LST

CIG = GTR 10000 FT AND 01 LST
 VSBY = GTR 3 MI 07 LST

13 LST
 19 LST

DATA NOT AVAILABLE

STA NO. 67475 (IN AREA NUMBER 01)

KASABA, NORTHERN RHODESIA
 LATITUDE 10135

LONGITUDE 03100E

ELEVATION(FT) 04544

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	86	86	84	84	85	82	83	87	93	95	95	87	95	10	-20
MEAN MAX TMP (F)	79	79	78	79	78	76	76	79	85	87	89	80	80	10	-28
MEAN MIN TMP (F)	61	62	62	60	56	51	50	52	58	62	62	62	58	10	-28
ABS MIN TMP (F)	57	56	58	51	44	39	40	42	47	53	55	58	39	10	-28
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.0	11.9	6.7	0.0	27.6	10	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	59	61	59	54	49	44	45	38	38	41	51	58	50	0	-50
MEAN REL HUM (PCT)	80	83	80	76	64	60	55	48	43	41	61	78	64	10	-32
MEAN PRESS ALT (FT)	4350	4350	4350	4350	4350	4250	4250	4250	4300	4300	4350	4350	4317	0	-50
MEAN PRECIP (IN)	11.47	9.84	10.16	2.80	0.32	0.00	0.00	0.04	0.04	0.67	5.39	9.29	50.0	10	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN			19.2	5.7	0.9	0.0	0.0	0.2	0.3	1.4	8.8			30	-29
MEAN NO DYS SNFL = OR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	24.0	21.0	22.0	8.0	2.0	0.0	0.0	0.3	1.0	5.0	17.0	25.0	125.3	9	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 20 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	5.9	6.6	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.3	1.6	5	1769
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1769
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KASABA, NORTHERN RHODESIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	29.5	28.5	30.8	30.0	31.0	30.0	31.0	31.0	30.0	30.8	29.6	30.8	361.0	5	1769
	20 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST														0	0
	14 LST	25.3	22.0	26.3	27.7	26.5	25.8	25.0	26.4	24.8	28.2	27.4	28.3	313.7	5	1766
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.4	0.2	0.0	0.0	0.2	0.2	1.2	5	1774
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DFG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	5.7	6.8	6.5	12.1	23.1	21.5	22.6	24.1	20.6	18.3	10.5	6.1	177.9	5	1769
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	0.2	0.0	0.2	0.2	6.0	14.3	22.3	21.2	14.5	6.4	0.6	0.0	85.9	5	1764
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	26.9	23.7	26.8	29.2	29.5	29.6	31.0	31.0	29.8	30.8	29.4	29.1	346.8	5	1769
	20 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	22.4	19.1	20.3	20.9	19.5	24.5	29.6	29.8	28.6	29.6	25.0	23.6	292.9	5	1769
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	22.4	19.1	20.3	20.9	19.5	24.4	29.6	29.1	28.6	27.4	22.5	23.6	285.4	5	1769
	20 LST														0	0

N. BOLA, NORTHERN RHODESIA
 LATITUDE 13°05' LONGITUDE 028°39'E ELEVATION(FT) 04160

STA NO. 67561 (IN AREA NUMBER 01)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	86	86	86	87	86	83	84	89	93	97	94	89	97	10	-28
MEAN MAX TMP (F)	79	79	79	81	79	76	77	80	86	89	84	80	81	9	-28
MEAN MIN TMP (F)	62	62	61	56	49	41	41	43	33	39	62	62	54	9	-28
ABS MIN TMP (F)	54	54	52	45	34	32	28	35	41	49	55	53	28	9	-28
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.3	14.5	7.9	0.0	32.7	10	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN DEN PT TMP (F)	67	68	66	61	54	43	44	41	44	49	39	64	55	9	-30
MEAN REL HUM (PCT)	75	75	69	61	52	47	43	36	30	33	54	71	54	9	-28
MEAN PRESS ALT (FT)	3950	3950	3950	3950	3900	3850	3850	3900	3900	3950	3950	3950	3921	0	-30
MEAN PRECIP (IN)	13.00	10.60	9.20	1.30	0.10	0.00	0.00	0.00	0.05	0.70	5.50	9.90	50.9	10	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN			10.1	3.1	0.3	0.0	0.0	0.0	0.3	1.5	9.0			10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														8	-24
MEAN NO DYS TSTMS	23.0	20.0	20.0	5.0	1.0	0.3	0.0	0.0	0.3	7.0	18.0	21.0	115.6	0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	5.2	6.5	3.3	0.0	0.7	0.7	0.0	0.0	0.0	0.7	0.0	1.9	1.6	9	1780
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	9	1780
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

N. DOLA, NORTHERN RHODESIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST	30.2	27.0	30.6	30.0	31.0	30.0	31.0	31.0	30.0	30.8	30.0	30.4	5	1780
	20 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST													0	0
	08 LST													0	0
	14 LST	25.7	23.5	26.4	26.3	25.7	24.6	24.2	22.9	22.6	23.1	25.6	28.2	5	1776
	20 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2	5	1781
	20 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST	8.9	5.2	10.3	12.6	20.6	19.1	20.2	22.9	21.0	18.4	12.2	7.8	5	1780
	20 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST	0.0	0.0	0.2	2.0	10.9	15.8	22.4	22.7	16.0	8.1	1.0	0.0	5	1779
	20 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST	25.5	23.2	27.1	29.3	29.8	29.8	31.0	31.0	30.0	30.6	29.4	28.2	5	1780
	20 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST	17.0	16.7	17.2	17.3	25.1	24.1	28.6	29.6	28.6	28.6	22.4	21.0	5	1780
	20 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST	17.0	16.7	17.0	17.3	24.7	24.1	27.8	28.6	27.2	25.9	20.8	21.0	5	1780
	20 LST													0	0

FORT JAMESON, NORTHERN RHODESIA
 LATITUDE 13335

LONGITUDE 03236E

ELEVAT ON(FT) 03359

STA NO. 67581 (IN AREA NUMBER 01)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANP	POR (YRS)	NO. OBS
ABS MAX TMP (F)	92	90	93	92	90	91	87	90	98	99	104	102	104	13	-73
MEAN MAX TMP (F)	81	81	81	80	80	76	77	79	86	91	91	84	82	14	-73
MEAN MIN TMP (F)	64	63	63	60	57	53	53	55	62	66	67	64	61	14	-73
ABS MIN TMP (F)	59	58	54	50	47	45	44	44	45	54	58	55	41	13	-73
MEAN NO DYS TMP = OR GTR 90(F)	4.8	4.3	4.8	0.0	0.0	0.0	0.0	0.0	10.3	17.2	16.6	8.2	0.0	14	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN JEW PT TMP (F)	62	64	62	57	52	48	46	43	47	47	36	61	52	0	-50
MEAN REL HUM (PCT)	75	79	74	67	60	59	54	47	47	38	50	68	63	4	-73
MEAN PRESS ALT (FT)	3150	3190	3150	3150	3100	3050	3050	3100	3200	3150	3150	3150	3129	0	-50
MEAN PRECIP (IN)	9.00	9.50	6.90	1.30	0.10	0.00	0.00	0.10	0.10	0.60	3.40	8.40	39.4	32	-73
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN			9.4	3.1	0.3	0.0	0.0	0.3	0.4	1.3	6.0			32	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSHS	1.3	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.3	4.1	3	-73
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	9.4	13.4	5.0	2.0	0.7	0.0	0.0	0.0	0.0	0.0	2.1	6.9	2.3	5	1677
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	1.6	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.4	0.4	5	1677
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

FORT JAMESON, NORTHERN RHODESIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	29.6	26.0	30.8	30.0	31.0	30.0	31.0	30.8	29.8	31.0	29.3	29.9	359.2	5	1677
	20 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST														0	0
	14 LST	25.6	20.9	27.0	25.2	28.9	28.5	28.2	27.1	25.5	23.7	26.4	24.5	311.5	5	1676
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.2	0.4	0.6	0.0	0.2	2.0	5	1679
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	8.0	4.4	8.6	9.2	14.5	17.4	16.2	18.0	14.5	12.3	7.4	9.0	39.5	5	1677
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	0.9	0.0	0.4	0.3	4.8	4.6	10.7	9.5	9.9	6.7	0.4	0.4	48.6	5	1676
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	24.9	20.7	24.6	28.5	29.9	29.6	30.8	30.4	29.8	30.6	28.5	25.6	333.9	5	1677
	20 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	14.8	11.0	13.4	14.3	16.4	18.6	23.6	25.4	26.1	26.1	20.4	14.6	224.7	5	1677
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	14.8	10.8	13.2	14.3	16.4	18.6	23.6	24.2	23.6	21.9	14.0	14.2	209.6	5	1677
	20 LST														0	0

STA NO. 67633 (IN AREA NUMBER 01)

WONGU, NORTHERN RHODESIA

LATITUDE 15195

LONGITUDE 02310E

ELEVATION(FT) 09459

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DOS
ABS MAX TMP (F)	100	102	100	98	96	93	94	101	104	109	109	102	109	11	-73
MEAN MAX TMP (F)	88	88	87	88	86	83	83	89	97	99	94	88	89	26	-73
MEAN MIN TMP (F)	65	66	65	61	56	51	50	53	62	65	65	65	60	26	-73
ABS MIN TMP (F)	58	61	60	53	33	37	32	39	39	52	54	60	32	11	-73
MEAN NO DYS TMP = OR GTR 90(F)	13.2	11.9	11.9	12.7	10.7	6.7	7.0	14.5	24.0	31.0	20.4	13.2	177.2	26	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN DEN PT TMP (F)	66	66	62	54	44	38	33	31	35	47	59	64	50	18	-29
MEAN REL HUM (PCT)	73	72	66	54	43	39	33	27	24	34	34	68	49	3	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	8.70	8.90	6.00	1.10	0.20	0.00	0.00	0.00	0.10	1.40	4.10	7.70	37.8	28	-73
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN			8.9	2.7	0.6	0.0	0.0	0.0	0.4	2.8	7.1	9.9		28	-29
MEAN NO DYS SNFL = OR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	19.0	16.0	14.0	6.0	1.0	0.3	0.0	0.3	1.0	8.0	17.0	18.0	96.6	8	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 20 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	7.1	1.7	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	2.0	1.4	5	1628
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1628
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

WONGU, NORTHERN RHODESIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	29.0	27.7	30.6	30.0	31.0	30.0	30.8	30.6	29.8	30.8	29.8	30.3	360.4	5	1628
	20 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST														0	0
	14 LST	21.5	21.6	22.1	21.4	20.5	17.1	17.3	19.6	16.1	21.9	20.5	23.7	243.3	5	1625
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	0.0	0.2	0.0	0.0	0.2	0.2	0.9	0.9	1.2	0.4	0.0	0.2	4.2	5	1630
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	7.7	6.8	9.5	15.4	19.6	17.5	17.1	12.9	5.3	6.5	6.3	6.9	131.5	5	1628
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	0.0	0.2	3.5	9.9	18.4	24.9	27.0	26.9	23.9	12.5	1.5	0.7	149.4	5	1627
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	25.2	25.6	28.6	29.7	31.0	30.0	30.8	30.6	29.8	30.8	28.9	28.7	349.7	5	1628
	20 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	20.2	22.1	25.8	26.3	30.5	28.4	30.8	30.3	29.8	30.1	25.3	22.8	322.4	5	1628
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	20.2	22.1	25.8	26.3	30.1	27.9	29.9	30.1	29.6	28.6	23.9	22.8	316.7	5	1628
	20 LST														0	0

LUSAKA, NORTHERN RHODESIA

STA NO. 67661 (IN AREA NUMBER 01)

LATITUDE 19255

LONGITUDE 02820E

ELEVATION(FT) 04200

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	88	87	86	87	85	83	83	87	95	100	98	93	100	10	-22
MEAN MAX TMP (F)	78	79	78	79	77	73	73	77	84	88	84	80	79	10	-28
MEAN MIN TMP (F)	63	63	62	59	54	50	49	53	59	64	64	63	59	10	-28
ABS MIN TMP (F)	58	56	55	50	47	39	40	43	46	54	55	57	39	10	-28
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.9	13.2	7.9			10	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEN PT TMP (F)	61	63	60	54	41	34	33	32	34	40	54	61	47	0	-50
MEAN REL HUM (PCT)	78	78	70	59	48	44	41	36	30	31	52	69	53	3	-28
MEAN PRESS ALT (FT)	4125	4100	4100	4000	3950	3900	3900	3950	4000	4050	4100	4100	4023	0	-50
MEAN PRECIP (IN)	9.06	7.45	5.61	0.68	0.06	0.04	0.01	0.00	0.03	0.42	3.61	5.91	32.9	10	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN		10.1	8.7	1.7	0.2	0.2	0.1	0.0	0.2	1.0	6.3	10.2		10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	18.0	15.0	12.0	3.0	1.0	0.3	0.0	0.0	1.0	4.0	13.0	16.0	83.3	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	9.2	8.8	4.7	0.8	0.0	0.0	1.3	0.0	0.0	0.0	4.1	4.5	2.8	9	1764
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.7	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.3	9	1764
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

LUSAKA, NORTHERN RHODESIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST													0	0	
	08 LST													0	0	
	14 LST	29.4	26.8	30.6	29.7	31.0	30.0	31.0	30.8	29.6	31.0	29.4	30.6	359.9	5	1764
	20 LST													0	0	
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST													0	0	
	08 LST													0	0	
	14 LST	21.2	19.8	21.6	18.2	16.1	14.9	16.7	16.4	18.0	17.9	21.3	25.4	227.1	5	1762
	20 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST													0	0	
	08 LST													0	0	
	14 LST	0.0	0.0	0.4	0.0	0.8	1.2	2.8	2.4	2.0	1.0	0.0	0.0	10.6	5	1774
	20 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													0	0	
	08 LST													0	0	
	14 LST	5.7	6.5	9.9	16.0	17.3	17.1	20.5	16.3	16.3	10.0	12.4	9.0	156.6	5	1774
	20 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST													0	0	
	08 LST													0	0	
	14 LST	0.0	0.0	1.6	4.0	9.0	19.2	20.4	23.7	20.7	11.8	3.5	0.6	110.5	5	1768
	20 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST													0	0	
	08 LST													0	0	
	14 LST	23.4	20.2	24.2	27.8	29.8	29.8	30.6	30.6	29.6	31.0	27.9	26.4	331.3	5	1764
	20 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST													0	0	
	08 LST													0	0	
	14 LST	16.9	10.6	14.0	18.8	21.2	22.0	26.9	26.9	28.2	29.2	23.4	18.9	257.0	5	1764
	20 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST													0	0	
	08 LST													0	0	
	14 LST	16.9	10.6	14.0	18.8	21.2	21.8	26.9	26.9	27.8	27.2	22.5	18.9	253.5	5	1764
	20 LST													0	0	

LIVINGSTONE, NORTHERN RHODESIA

STA NO. 67743 (IN AREA NUMBER 01)

LATITUDE 1749S

LONGITUDE 02549E

ELEVATION(FT) 03130

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	101	96	96	97	94	89	85	97	103	105	104	101	105	19	-28
MEAN MAX TMP (F)	85	85	85	86	82	77	77	82	90	94	91	87	85	19	-28
MEAN MIN TMP (F)	66	66	64	59	51	45	45	50	59	67	67	66	59	19	-28
ABS MIN TMP (F)	51	56	47	44	37	27	32	38	40	52	49	50	27	19	-28
MEAN NO DYS TMP = OR GTR 90(F)	9.4	8.4	9.4	10.3	5.9	0.0	0.0	5.9	15.3	21.1	16.6	11.9	114.2	19	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	-30
MEAN DEW PT TMP (F)	65	63	61	55	45	41	41	41	43	45	54	61	51	0	-32
MEAN REL HUM (PCT)	73	77	69	60	53	52	44	37	33	35	37	71	55	10	-32
MEAN PRESS ALT (FT)	3150	3150	3100	3050	2950	2900	2900	2950	3050	3100	3100	3100	3042	0	-30
MEAN PRECIP (IN)	7.32	6.89	3.98	1.10	0.16	0.04	0.00	0.00	0.08	1.02	3.62	6.44	30.7	30	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0		19	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.2	10.3	7.3	2.7	0.5	0.2	0.0	0.0	0.3	2.1	6.4	10.4	50.4	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														10	-24
MEAN NO DYS TSTMS	21.0	16.0	12.0	5.0	0.3	1.0	0.0	1.0	1.0	7.0	15.0	17.0	96.3	0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	5.3	4.4	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.2	1.5	5	1766
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	1.3	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.2	5	1766
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

LIVINGSTONE, NORTHERN RHODESIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	31.2	27.2	30.4	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	29.6	361.4	5	1766
	20 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST														0	0
	14 LST	23.6	21.6	21.4	22.6	21.0	19.5	16.1	17.5	16.2	18.2	22.7	23.5	243.9	5	1764
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.6	0.4	0.6	0.2	0.0	2.2	5	1770
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	7.1	10.0	13.3	16.3	23.7	22.6	22.4	19.5	11.2	5.7	7.7	8.9	168.8	5	1766
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	0.6	0.6	3.3	9.8	17.9	23.3	25.9	28.2	26.2	14.4	4.2	0.8	157.2	5	1767
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	27.5	24.7	28.3	30.0	31.0	30.0	31.0	31.0	30.0	30.8	29.8	27.8	351.9	5	1766
	20 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	19.4	18.0	22.8	24.3	29.3	29.0	30.2	30.6	30.0	29.6	23.9	17.9	307.0	5	1766
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	19.4	17.4	22.6	24.1	29.3	29.0	30.2	30.2	29.6	29.0	24.9	17.1	302.8	5	1766
	20 LST														0	0

AREA NO. 01

NORTHERN RHODESIA

PLAINS
BOUNDARIES

LATITUDE 14005 LONGITUDE 02700E

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	82	82	81	82	80	77	77	81	88	91	88	83	83
MEAN MIN TMP (F)	64	64	63	59	54	49	48	51	59	64	65	64	59
LARGEST MEAN PRECIP(IN)	13.80	10.40	10.16	2.80	0.32	0.04	0.01	0.10	0.10	1.40	5.50	9.90	34.5
SMALLEST MEAN PRECIP(IN)	7.32	6.89	3.98	0.68	0.06	0.00	0.00	0.00	0.03	0.42	3.40	5.91	28.7
MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST												
	08 LST												
	14 LST	29.7	26.9	30.6	30.0	31.0	30.6	31.0	30.9	29.9	30.9	29.7	30.3
	20 LST												360.9
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST												
	08 LST												
	14 LST	23.8	21.6	24.1	23.6	23.1	21.7	21.3	21.7	20.5	22.2	24.0	25.6
	20 LST												273.2
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST												
	08 LST												
	14 LST	0.0	0.0	0.1	0.1	0.2	0.2	0.7	0.8	0.7	0.4	0.1	0.1
	20 LST												1.4
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST												
	08 LST												
	14 LST	7.2	6.6	9.7	13.6	19.8	19.2	19.8	19.0	14.8	11.9	9.4	8.0
	20 LST												199.0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST												
	08 LST												
	14 LST	0.3	0.1	1.5	4.4	11.2	16.7	21.5	22.0	18.5	10.0	1.9	0.4
	20 LST												108.5
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST												
	08 LST												
	14 LST	25.6	23.0	26.6	29.1	30.2	29.8	30.9	30.8	29.8	30.8	29.0	27.6
	20 LST												343.2
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST												
	08 LST												
	14 LST	18.5	16.3	18.9	20.3	23.7	24.4	28.3	28.8	28.6	28.9	23.7	19.8
	20 LST												280.2
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST												
	08 LST												
	14 LST	18.5	16.1	18.8	20.3	23.5	24.3	28.0	28.2	27.4	26.7	21.3	19.6
	20 LST												272.7

STA NO. 67760/ (IN AREA NUMBER 01)

KARIBA, SOUTHERN RHODESIA

LATITUDE 1631S

LONGITUDE 02853E

ELEVATION(FT) 01735

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	106	101	101	100	98	92	97	102	106	100	110	105	110	12	-13
MEAN MAX TMP (F)	89	88	90	90	87	82	83	88	93	98	96	91	90	12	-13
MEAN MIN TMP (F)	71	71	70	66	59	53	53	57	66	73	74	72	65	12	-13
ABS MIN TMP (F)	63	63	59	55	44	42	39	43	54	57	61	64	39	12	-13
MEAN NO DYS TMP = DR GTR 90(F)	14.5	11.9	13.9	13.3	11.9	3.7	7.0	13.2	19.1	26.1	22.9	17.2	100.7	12	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN DEW PT TMP (F)	73	73	72	67	60	54	54	56	59	62	67	71	64	0	-50
MEAN REL HUM (PCT)	81	82	78	72	67	66	65	60	54	50	59	73	67	8	-29
MEAN PRESS ALT (FT)	1550	1550	1500	1456	1400	1350	1350	1350	1400	1450	1500	1500	1446	0	-50
MEAN PRECIP (IN)	7.88	6.68	2.44	1.02	0.13	0.08	0.05	0.11	0.11	0.74	1.90	6.66	27.8	12	-13
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.7	10.4	5.2	2.5	0.4	0.3	0.2	0.3	0.4	1.6	3.6	10.4	45.0	12	-29
MEAN NO DYS SNFL = DR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KARIBA, SOUTHERN RHODESIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 2300 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0

DATA NOT AVAILABLE

STA NO. 67775 (IN AREA NUMBER 01)

SALISBURY, SOUTHERN RHODESIA
LATITUDE 1755S

LONGITUDE 03106E

ELEVATION(FT) 04904

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	97	94	94	91	87	85	82	87	94	99	100	102	102	39	-73
MEAN MAX TMP (F)	80	79	80	78	74	71	71	75	82	86	85	82	79	22	-73
MEAN MIN TMP (F)	59	59	58	54	47	42	42	45	51	55	58	59	52	22	-73
ABS MIN TMP (F)	48	48	46	37	34	31	25	31	34	42	46	48	25	39	-73
MEAN NO DYS TMP = DR GTR 90(F)					0.0	0.0	0.0	0.0	5.7	10.7	9.0	5.9		22	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0		39	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39	-29
MEAN DEW PT TMP (F)	60	59	59	54	46	42	41	42	44	47	55	61	51	18	-29
MEAN REL HUM (PCT)	74	73	73	68	63	62	61	55	49	48	61	74	63	10	-73
MEAN PRESS ALT (FT)	4710	4700	4666	4606	4569	4528	4516	4538	4581	4628	4663	4688	4616	0	-50
MEAN PRECIP (IN)	7.70	7.00	4.60	1.10	0.90	0.10	0.05	0.10	0.20	1.10	3.80	6.40	32.6	50	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0		39	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.9	10.3	7.9	2.7	1.3	0.3	0.2	0.3	0.6	2.2	6.6	10.4	52.7	50	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	14.0	11.0	7.0	3.0	1.0	0.3	0.3	0.3	1.0	5.0	13.0	12.0	67.9	10	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	7.1	5.7	3.9	0.8	0.7	0.0	0.6	0.0	0.7	0.0	4.0	5.8	2.4	5	1784
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.6	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	11.2	5	1784
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SALISBURY, SOUTHERN RHODESIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST													0	0	
	08 LST													0	0	
	14 LST	29.8	26.6	30.4	30.0	31.0	30.0	31.0	31.0	30.0	31.0	29.4	30.2	360.4	5	1784
	20 LST													0	0	
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST													0	0	
	08 LST													0	0	
	14 LST	20.3	20.8	22.3	22.6	25.1	20.2	24.0	23.1	20.3	18.8	17.7	18.8	254.0	5	1784
	20 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST													0	0	
	08 LST													0	0	
	14 LST	0.0	0.0	0.0	0.0	0.2	0.4	0.2	0.0	0.8	0.8	0.0	0.0	2.4	5	1785
	20 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													0	0	
	08 LST													0	0	
	14 LST	8.4	9.0	11.7	17.0	19.2	16.2	18.5	17.9	17.1	17.0	11.4	5.2	168.6	5	1785
	20 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST													0	0	
	08 LST													0	0	
	14 LST	1.6	1.6	3.8	10.9	16.2	20.4	23.4	22.1	22.5	14.0	6.4	1.6	144.5	5	1783
	20 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST													0	0	
	08 LST													0	0	
	14 LST	26.2	24.4	28.4	28.7	30.0	29.8	30.4	30.8	29.8	30.8	27.8	27.6	344.7	5	1784
	20 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST													0	0	
	08 LST													0	0	
	14 LST	20.5	17.4	22.3	25.4	25.5	25.2	27.0	27.7	27.8	29.0	24.4	23.8	296.0	5	1784
	20 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST													0	0	
	08 LST													0	0	
	14 LST	20.5	17.4	22.3	25.1	25.5	25.2	26.4	27.5	27.4	28.0	24.2	23.8	293.3	5	1784
	20 LST													0	0	

STA NO. 67867 (IN AREA NUMBER 01)

THORNHILL, SOUTHERN RHODESIA
LATITUDE 1926S

LONGITUDE 02951E

ELEVATION(FT) 04680

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	91	89	87	85	83	80	79	87	92	94	96	93	96	12	-13
MEAN MAX TMP (F)	78	78	77	77	73	67	68	73	79	83	81	79	76	12	-13
MEAN MIN TMP (F)	59	59	56	53	46	41	40	43	50	56	59	60	52	12	-13
ABS MIN TMP (F)	47	44	42	40	30	26	27	24	31	36	42	46	24	12	-13
MEAN NO DYS TMP = OR GTR 90(F)		0.0	0.0	0.0	0.0	0.0	0.0	0.0		7.0	4.6			12	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		12	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	4516	4504	4466	4405	4361	4318	4306	4331	4386	4432	4476	4500	4417	0	-50
MEAN PRECIP (IN)	9.14	4.62	3.46	1.14	0.18	0.32	0.02	0.06	0.37	1.49	3.80	6.44	27.0	12	-13
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		12	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.6	9.0	6.6	2.8	1.5	0.8	0.2	0.2	0.9	2.9	6.6	10.4	58.5	12	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0		12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

THORNHILL, SOUTHERN RHODESIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0

DATA NOT AVAILABLE

STA NO. 67965 (IN AREA NUMBER 01)

BULAWAYO, SOUTHERN RHODESIA
 LATITUDE 2001S LONGITUDE 02037E ELEVATION(FT) 04366

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	96	96	94	92	90	82	84	90	97	98	99	98	99	36	-73
MEAN MAX TMP (F)	81	80	78	78	74	71	70	75	81	85	84	82	78	24	-73
MEAN MIN TMP (F)	61	61	59	54	49	44	44	47	53	58	61	61	54	24	-73
ABS MIN TMP (F)	48	46	46	38	31	30	29	32	33	43	47	48	29	36	-73
MEAN NO DYS TMP = DR GTR 90(F)	4.8				0.0	0.0	0.0	0.0	4.6	9.4	7.9	5.9		24	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36	-29
MEAN DEN PT TMP (F)	60	60	58	53	44	40	36	37	40	46	56	58	49	0	-50
MEAN REL HUM (PCT)	61	63	60	51	45	43	41	36	33	34	47	56	48	10	-28
MEAN PRESS ALT (FT)	4200	4200	4190	4100	4050	4000	3950	4000	4050	4100	4150	4200	4096	0	-50
MEAN PRECIP (IN)	9.60	4.90	3.90	0.70	0.40	0.10	0.05	0.05	0.20	0.80	3.20	4.40	23.5	90	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.0	6.6	6.4	1.8	1.1	0.3	0.2	0.2	0.6	1.7	5.7	9.3	49.9	36	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	10.0	6.0	6.0	3.0	0.3	1.0	0.3	1.0	2.0	9.0	11.0	10.0	59.6	10	-24
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	11.2	6.6	4.7	0.8	2.0	0.7	1.9	1.9	0.7	1.3	2.7	6.6	9.4	9	1777
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.7	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.2	9	1777
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

DULABAYS, SOUTHERN RHODESIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST													0	0	
	08 LST													0	0	
	14 LST	29.4	27.2	30.4	29.7	30.4	30.0	31.0	30.8	29.6	31.0	29.4	30.2	359.1	9	1777
	20 LST													0	0	
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST													0	0	
	08 LST													0	0	
	14 LST	16.3	16.5	18.8	21.2	20.9	18.2	18.6	18.7	16.4	17.1	19.2	18.9	216.8	9	1777
	20 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST													0	0	
	08 LST													0	0	
	14 LST	0.4	0.4	0.6	1.0	0.8	1.2	1.4	1.0	2.0	1.6	1.0	0.4	12.0	9	1781
	20 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													0	0	
	08 LST													0	0	
	14 LST	8.0	9.0	11.2	11.9	16.2	19.8	16.1	19.9	14.4	10.9	8.8	10.3	146.5	9	1781
	20 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST													0	0	
	08 LST													0	0	
	14 LST	3.3	3.7	7.7	14.1	16.4	22.6	29.0	26.2	24.6	16.2	5.8	3.6	169.2	9	1778
	20 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST													0	0	
	08 LST													0	0	
	14 LST	25.3	23.5	28.1	28.8	28.8	29.0	29.8	30.0	29.4	30.4	28.4	26.9	338.4	9	1777
	20 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST													0	0	
	08 LST													0	0	
	14 LST	20.0	17.5	21.1	26.1	26.3	27.2	29.0	29.2	28.8	28.7	24.6	23.4	301.9	9	1777
	20 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST													0	0	
	08 LST													0	0	
	14 LST	19.8	17.3	20.6	26.1	25.7	26.6	28.4	29.2	28.4	27.9	24.0	23.4	297.4	9	1777
	20 LST													0	0	

STA NO. 67983 (IN AREA NUMBER 01)

CHIPINGA, SOUTHERN RHODESIA

LATITUDE 20125

LONGITUDE 03237E

ELEVATION(FT) 03700

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	94	90	89	91	87	83	88	91	94	99	98	94	99	29	-136
MEAN MAX TMP (F)	78	78	76	73	73	68	68	71	75	80	79	78	75	29	-136
MEAN MIN TMP (F)	62	62	61	58	54	50	49	51	54	58	60	61	57	29	-136
ABS MIN TMP (F)	49	52	50	47	39	38	37	38	42	45	48	50	37	29	-136
MEAN NO DYS TMP = OR GTR 90(F)		0.0	0.0		0.0	0.0	0.0							29	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29	-29
MEAN DEN PT TMP (F)	64	65	62	58	51	48	45	45	49	55	59	63	55	23	-29
MEAN REL HUM (PCT)	82	84	82	76	67	71	65	60	62	65	73	81	72	11	-136
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	8.89	8.08	5.69	1.90	0.83	1.21	0.79	0.93	0.79	1.02	3.12	7.97	44.0	29	-136
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN			8.7	4.3	2.1	2.5	1.7	1.9	1.7	3.5	8.5	9.6		29	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	17.2	11.9	10.4	6.1	10.4	3.6	3.9	8.3	4.8	4.0	7.9	14.5	8.8	9	1399
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	5.2	3.0	1.9	1.0	0.9	1.9	0.8	4.3	2.4	1.6	1.6	4.3	2.4	9	1399
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CHIPINGA, SOUTHERN RHODESIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	27.2	29.8	29.9	28.5	28.8	28.9	30.8	29.6	28.1	30.0	29.0	28.1	344.3	9	1399
	20 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST														0	0
	14 LST	23.8	23.8	26.6	27.9	26.9	28.1	28.6	27.2	25.2	26.0	24.5	24.4	313.0	9	1399
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.5	9	1405
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	16.0	12.5	18.2	20.9	20.2	21.4	25.3	22.6	22.6	21.8	16.5	14.3	232.3	9	1405
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	2.1	2.2	4.8	11.5	12.1	15.3	17.2	20.2	21.6	18.6	9.9	5.3	140.8	9	1401
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	21.1	21.1	23.7	24.8	23.7	25.0	26.2	26.5	26.2	28.5	24.5	23.3	294.6	9	1399
	20 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	11.5	9.1	15.2	17.0	18.0	21.7	20.9	22.8	23.3	23.8	17.4	14.0	214.7	9	1399
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	11.5	9.1	15.2	17.0	18.0	21.7	20.9	22.5	23.3	23.8	16.9	13.8	213.7	9	1399
	20 LST														0	0

SOUTHERN RHODESIA

HIGHLANDS
BOUNDARIES

AREA NO. 01

LATITUDE 1900S

LONGITUDE 03000E

PARAMETER DESCRIPTION

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	81	81	80	80	76	72	72	76	82	86	85	82	79
MEAN MIN TMP (F)	62	62	61	57	51	46	46	43	55	60	62	63	56
LARGEST MEAN PRECIP(IN)	8.89	8.08	5.69	1.90	0.33	1.21	0.79	0.93	0.79	1.82	5.12	7.97	44.0
SMALLEST MEAN PRECIP(IN)	5.14	4.30	2.44	0.70	0.13	0.08	0.07	0.05	0.11	0.74	1.90	4.80	20.4
	MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST												
	08 LST												
	14 LST	25.8	26.5	30.1	29.4	30.1	29.6	30.9	30.5	29.2	30.7	29.3	29.5
	20 LST												354.6
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST												
	08 LST												
	14 LST	20.1	20.4	22.6	23.9	24.3	22.2	23.7	23.0	20.6	20.6	19.1	20.7
	20 LST												261.2
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST												
	08 LST												
	14 LST	0.1	0.1	0.2	0.3	0.3	0.5	0.6	0.3	1.1	0.8	0.3	0.1
	20 LST												4.7
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST												
	08 LST												
	14 LST	10.8	10.2	13.7	16.6	18.5	17.1	20.0	18.8	18.0	16.6	12.2	9.9
	20 LST												102.4
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST												
	08 LST												
	14 LST	2.3	2.5	5.4	12.2	14.9	19.4	21.9	22.8	22.9	16.3	7.4	3.5
	20 LST												151.5
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST												
	08 LST												
	14 LST	24.2	23.0	26.7	27.4	27.5	27.9	28.8	29.1	28.5	29.9	26.9	25.9
	20 LST												325.8
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST												
	08 LST												
	14 LST	17.3	14.7	19.5	22.8	23.3	24.7	25.6	26.6	26.6	27.2	22.1	20.4
	20 LST												270.8
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST												
	08 LST												
	14 LST	17.3	14.6	19.4	22.7	23.1	24.5	25.2	26.4	26.4	26.6	21.7	20.3
	20 LST												268.2

STA NO. 61931 (IN AREA NUMBER 01)

SALAZAR/TOME, SAO TOME ISLAND

LATITUDE 0023N

LONGITUDE 00643E

ELEVATION(FT) 00026

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	90	92	92	92	93	88	87	88	89	89	89	90	93	22	-133
MEAN MAX TMP (F)	85	86	86	86	85	82	81	82	83	84	84	84	84	22	-133
MEAN MIN TMP (F)	72	73	73	73	73	71	69	69	70	71	68	72	71	22	-133
ABS MIN TMP (F)	66	67	67	67	65	57	57	56	61	65	65	67	56	22	-133
MEAN NO DYS TMP = DR GTR 90(F)	9.4	9.6	10.7	10.3	9.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN DEW PT TMP (F)	74	73	72	73	71	68	66	66	68	70	71	71	70	0	-90
MEAN REL HUM (PCT)	87	83	82	83	83	78	76	77	79	82	84	84	82	22	-133
MEAN PRESS ALT (FT)	106	106	116	106	76	16	-4	6	36	56	86	106	68	0	-90
MEAN PRECIP (IN)	3.18	3.30	5.16	4.79	4.44	0.75	0.00	0.04	0.67	4.32	3.90	4.26	34.8	22	-133
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.8	7.0	8.4	8.1	7.7	1.6	0.0	0.2	1.4	7.4	6.8	8.6	64.0	22	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MEAN NO DYS TSTMS	10.0	9.0	13.0	21.0	6.0	0.0	0.0	0.0	0.0	3.0	8.0	11.0	81.0	22	-133
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SALAZAR/TOME, SAO TOME ISLAND
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0
SFC WND 4-10 KTS AND TMP 33-99 DEG F AND NO PRECIP.	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0

DATA NOT AVAILABLE

SAO TOME IS/PRINCIPE IS SAO TOME ISLAND
BOUNDARIES



AREA NO. 01
LATITUDE 0023N LONGITUDE 00643E

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	85	86	86	86	85	82	81	82	83	84	84	84	84
MEAN MIN TMP (F)	72	73	73	73	73	71	69	69	70	71	68	72	71
LARGEST MEAN PRECIP(IN)	3.18	3.30	3.18	4.79	4.44	0.75	0.00	0.04	0.67	4.32	3.90	4.26	34.8
SMALLEST MEAN PRECIP(IN)	3.18	3.30	3.18	4.79	4.44	0.75	0.00	0.04	0.67	4.32	3.90	4.26	34.8

MEAN NUMBER OF DAYS

CIG = GTR 1000 FT AND	00 LST
VSBY = GTR 3 MI	06 LST
	12 LST
	18 LST
CIG =GTR 2000 FT AND VSBY =GTR	00 LST
3 MI W/SFC WND LES 10 KTS	06 LST
	12 LST
	18 LST
SFC WND = GTR 17 KTS AND	00 LST
NO PRECIP.	06 LST
	12 LST
	18 LST
SFC WND 4-10 KTS AND TMP 33-89	00 LST
DEG F AND NO PRECIP.	06 LST
	12 LST
	18 LST
SKY COVER LES 3/10 AND	00 LST
VSBY = GTR 3 MI	06 LST
	12 LST
	18 LST
CIG = GTR 2500 FT AND	00 LST
VSBY = GTR 3 MI	06 LST
	12 LST
	18 LST
CIG = GTR 6000 FT AND	00 LST
VSBY = GTR 3 MI	06 LST
	12 LST
	18 LST
CIG = GTR 10000 FT AND	00 LST
VSBY = GTR 3 MI	06 LST
	12 LST
	18 LST

DATA NOT AVAILABLE



STA NO. 63729 (IN AREA NUMBER 01)

BUKOBWA, TANGANYIKA

LATITUDE 0120S

LONGITUDE 03149E

ELEVATION(FT) 03730

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	87	88	88	88	86	88	87	84	86	85	86	87	88	30	-131
MEAN MAX TMP (F)	80	80	79	78	78	78	78	78	79	77	79	76	78	30	-131
MEAN MIN TMP (F)	61	61	61	62	62	61	59	60	60	61	60	59	61	30	-131
ABS MIN TMP (F)	52	53	51	51	50	54	50	50	52	51	52	55	50	30	-131
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN DEW PT TMP (F)	63	63	63	63	63	61	59	61	62	61	62	60	62	23	-29
MEAN REL HUM (PCT)	79	79	79	80	80	77	75	78	78	77	79	78	78	10	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	8.72	6.25	9.65	14.08	12.64	3.38	1.89	3.40	4.15	5.16	6.52	7.62	80.5	34	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.1	10.3	10.2			6.1	3.7	6.1	7.1	8.5	10.2	9.9		34	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.8	7.8	12.8	12.0	8.7	3.7	3.4	3.3	7.7	11.0	11.5	7.8	96.5	6	-75
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	9.7	14.3	8.1	11.7	12.9	3.4	1.8	0.0	0.0	10.5	8.9	1.8	6.9	2	635
06-08 LST	0.8	8.0	5.6	5.9	4.8	1.4	0.7	0.7	3.5	2.0	2.7	1.3	3.1	5	1639
09-11 LST	0.0	3.5	2.4	5.0	2.4	1.4	2.0	1.3	1.4	1.3	2.1	1.3	2.0	5	1641
12-14 LST	0.0	0.0	0.8	0.0	0.8	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.2	5	1633
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	635
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.1	5	1639
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1641
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1633
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BUKUBA, TANGANYIKA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	31.0	27.2	30.5	29.0	30.2	29.6	31.0	31.0	29.8	30.8	29.4	31.0	300.5	5	1639
	14 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	365.0	5	1633
	20 LST														0	0
															0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	29.7	24.3	26.7	23.4	23.3	20.3	17.9	22.8	23.6	28.7	26.9	28.3	295.5	5	1639
	14 LST	26.4	22.3	27.7	25.7	24.0	20.9	19.2	24.1	23.9	28.1	26.9	27.9	296.1	5	1633
	20 LST														0	0
															0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
															0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
															0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	1.5	0.5	0.0	0.2	1.2	1.2	2.9	1.2	0.0	0.2	1.4	1.0	11.3	5	1639
	14 LST	3.0	2.0	2.5	1.0	2.5	3.2	4.5	2.9	1.7	1.2	1.7	0.6	26.8	5	1634
	20 LST														0	0
															0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	30.0	24.3	28.0	27.2	28.5	28.6	29.7	30.4	27.9	29.5	28.1	29.9	342.1	5	1639
	14 LST	30.7	27.2	30.2	29.7	30.5	29.8	30.4	30.6	30.0	31.0	29.8	30.8	360.7	5	1613
	20 LST														0	0
															0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	29.0	24.0	28.0	27.2	28.5	24.7	22.4	26.7	24.7	29.3	27.5	29.9	321.9	5	1639
	14 LST	29.5	26.7	30.0	29.7	30.5	28.0	27.5	28.9	28.3	30.8	29.4	29.8	349.1	5	1633
	20 LST														0	0
															0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	29.0	24.0	28.0	27.2	28.5	24.7	22.4	26.7	24.7	29.3	27.5	29.9	321.9	5	1639
	14 LST	29.5	26.7	30.0	29.7	30.5	28.0	27.5	28.9	28.3	30.8	29.4	29.8	349.1	5	1633
	20 LST														0	0
															0	0

STA NO. 63733 (IN AREA NUMBER 01)

MUSOMA, TANGANYIKA

LATITUDE 0130S

LONGITUDE 03340E

ELEVATION(FT) 03764

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	95	93	95	95	91	93	92	91	94	95	94	95	95	29	-131
MEAN MAX TMP (F)	82	83	83	82	82	81	82	82	83	84	83	82	82	29	-131
MEAN MIN TMP (F)	66	66	68	66	65	64	63	64	68	66	66	66	66	29	-131
ABS MIN TMP (F)	59	54	54	54	53	52	54	52	54	55	55	55	52	36	-131
MEAN NO DYS TMP = DR GTR 90(F)	5.9	6.3	7.0	5.7	5.9	4.6	5.9	5.9	6.7	8.2	6.7	5.9	74.7	29	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.0	36	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36	-29
MEAN DEW PT TMP (F)	61	62	64	63	62	59	57	58	60	59	61	61	61	23	-29
MEAN REL HUM (PCT)	68	69	70	72	70	67	63	64	63	61	67	67	67	10	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.18	2.32	4.45	6.78	4.19	0.98	0.83	0.77	0.96	1.39	2.69	2.60	30.1	33	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.8	5.1	7.7	9.4	7.5	2.0	1.8	1.6	2.0	2.7	4.9	5.7	55.2	33	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.0	3.0	4.0	5.0	4.0	3.0	1.0	5.0	4.0	4.0	1.0	4.0	42.0	5	-131
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														2	662
03-05 LST	9.1	11.3	10.3	3.6	17.2	5.4	3.5	5.2	7.1	7.0	12.5	5.6	8.2	5	1652
06-08 LST	8.0	14.2	12.1	15.0	8.8	6.7	3.2	3.9	4.8	8.7	4.1	9.7	8.3	2	662
09-11 LST	6.7	3.8	5.2	3.6	5.2	1.8	0.0	3.4	0.0	0.0	1.8	3.8	2.9	2	662
12-14 LST	2.2	3.8	3.4	7.3	3.4	1.8	0.0	3.4	3.6	5.3	3.6	5.7	3.6	1	154
15-17 LST	0.0	6.9	10.0	13.3	3.2	0.0								0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														2	662
03-05 LST	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1652
06-08 LST	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2	662
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	662
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	154
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0								0	0
18-20 LST														0	0
21-23 LST														0	0

MUSOBA, TANGANYIKA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DAYS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	30.4	27.0	30.0	28.2	30.3	29.8	30.8	30.6	30.0	30.6	29.8	30.8	300.3	9	1652
	14 LST	31.0	28.0	31.0	29.4	31.0	30.0	31.0	30.4	30.0	31.0	29.5	30.4	302.7	2	662
	20 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	20.5	18.6	19.7	17.7	15.1	16.2	17.6	19.8	15.7	16.5	22.7	14.0	214.1	9	1652
	14 LST	2.7	0.0	2.7	4.4	9.6	11.3	8.7	5.3	3.8	0.5	3.2	2.9	55.1	2	662
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	9.4	4.5	5.0	5.3	4.7	7.8	7.8	6.8	9.3	9.9	5.7	5.0	81.2	9	1656
	14 LST	3.4	4.2	3.2	0.5	2.1	6.4	3.8	5.3	6.4	2.7	1.1	2.3	41.4	2	662
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	25.7	20.6	23.3	22.7	26.0	25.2	27.4	27.6	26.3	25.0	26.1	24.2	300.7	5	1652
	14 LST	28.2	26.4	28.3	24.5	27.8	27.8	29.4	28.3	27.8	25.5	27.3	28.1	329.4	2	662
	20 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	24.1	19.6	21.7	22.2	25.0	24.0	26.0	26.0	25.0	25.4	24.9	22.6	286.5	5	1652
	14 LST	26.2	26.4	27.2	22.9	26.7	27.8	28.3	27.8	27.3	23.9	26.8	27.5	318.8	2	662
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	24.1	19.6	21.7	22.2	25.0	24.0	26.0	26.0	25.0	25.4	24.9	22.6	286.5	5	1652
	14 LST	26.2	26.4	27.2	22.9	26.7	27.8	28.3	27.8	27.3	23.9	26.8	27.5	318.8	2	662
	20 LST														0	0

STA NO. 63756 (IN AREA NUMBER 01)

HWANZA, TANGANYIKA
LATITUDE 02205

LONGITUDE 03255E

ELEVATION(FT) 03740

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
														(YRS)	DBS
ABS MAX TMP (F)	96	95	98	97	96	95	93	94	96	98	96	94	98	28	-131
MEAN MAX TMP (F)	84	83	84	83	84	84	84	84	85	85	84	83	84	28	-131
MEAN MIN TMP (F)	65	64	65	65	64	63	61	63	64	66	66	65	64	28	-131
ABS MIN TMP (F)	50	52	52	54	54	51	51	52	55	55	52	54	50	23	-131
MEAN NO DYS TMP = OR GTR 90(F)	8.2	6.3	8.2	6.7	8.2	7.9	8.2	8.2	9.0	9.4	7.9	7.0	95.2	28	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	-29
MEAN DEW PT TMP (F)	62	62	64	63	61	57	53	53	55	56	60	62	59	22	-29
MEAN REL HUM (PCT)	69	71	72	71	68	60	55	54	55	56	64	69	64	10	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.75	4.14	6.09	5.71	3.74	0.77	0.53	0.78	1.78	1.84	4.49	5.77	39.4	29	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.8	8.4	9.0	8.8	7.0	1.6	1.2	1.7	3.4	3.5	7.6	10.1	70.1	29	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.2	4.5	6.3	6.1	3.8	1.2	0.7	1.2	2.0	5.3	7.6	5.3	48.2	13	-75
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														5	1752
03-05 LST	0.0	0.0	2.6	1.4	0.0	0.0	0.6	0.0	0.7	1.3	1.3	1.3	0.8	5	1766
06-08 LST	0.8	0.9	2.6	2.0	0.0	0.7	0.0	0.0	0.0	0.6	3.4	1.3	1.0	5	1755
09-11 LST	0.0	1.8	2.0	1.3	0.6	0.0	0.6	0.0	0.0	0.6	3.4	1.3	1.0	5	1756
12-14 LST	0.0	0.9	3.2	1.3	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.7	0.7	5	1762
15-17 LST	0.0	0.9	1.3	6.7	1.3	0.0	0.0	0.0	0.0	0.0	2.0	0.7	0.6	0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														5	1752
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1766
06-08 LST	0.8	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1755
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1756
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1762
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
18-20 LST														0	0
21-23 LST														0	0

BWANZA, TANGANYIKA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST													0	0	
	08 LST	30.7	27.7	30.0	30.0	31.0	30.0	31.0	30.0	31.0	29.8	30.6	302.8	5	1766	
	14 LST	31.0	28.0	30.8	30.0	31.0	30.0	31.0	30.0	31.0	29.6	30.8	304.2	5	1756	
	20 LST													0	0	
	02 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST													0	0	
	08 LST	19.7	19.8	19.8	16.4	16.6	12.4	9.4	10.4	9.6	15.2	18.4	107.1	5	1766	
	14 LST	10.9	10.4	9.2	12.4	12.0	11.0	9.8	6.4	4.5	6.2	7.4	11.2	5	1756	
	20 LST													0	0	
	02 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST													0	0	
	08 LST													0	0	
	14 LST													0	0	
	20 LST													0	0	
	02 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													0	0	
	08 LST													0	0	
	14 LST													0	0	
	20 LST													0	0	
	02 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST													0	0	
	08 LST	3.2	1.2	1.2	1.8	2.4	7.4	6.6	10.4	9.8	2.2	1.8	1.4	49.4	5	1766
	14 LST	5.0	2.0	2.4	1.2	2.2	7.2	7.4	8.6	4.3	2.8	2.0	2.3	47.4	5	1756
	20 LST													0	0	
	02 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST													0	0	
	08 LST	30.5	26.5	28.6	28.8	30.0	29.8	30.6	30.8	29.6	30.2	29.0	28.8	353.2	5	1766
	14 LST	30.0	27.0	29.0	28.2	29.2	29.6	30.8	30.8	29.8	31.0	27.6	29.9	352.9	5	1756
	20 LST													0	0	
	02 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST													0	0	
	08 LST	29.5	25.5	28.2	28.2	28.8	29.4	30.4	30.8	29.0	30.0	28.4	27.6	346.0	5	1766
	14 LST	29.2	26.3	28.2	26.0	26.6	29.2	30.2	30.4	29.4	30.6	27.0	28.9	342.0	5	1756
	20 LST													0	0	
	02 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST													0	0	
	08 LST	29.5	25.5	28.0	28.2	28.8	29.4	30.6	30.8	28.8	30.0	28.4	27.6	345.6	5	1766
	14 LST	29.2	26.3	28.2	26.0	26.6	29.2	30.2	30.4	29.4	30.6	27.0	28.9	342.0	5	1756
	20 LST													0	0	

STA NO. 63789 (IN AREA NUMBER 01)

ARUSHA, TANGANYIKA

LATITUDE 0322S

LONGITUDE 03630E

ELEVATION(FT) 04550

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	97	99	96	92	86	82	81	84	91	94	102	95	102	16	-131
MEAN MAX TMP (F)	64	64	61	77	72	70	69	72	76	80	81	81	77	16	-131
MEAN MIN TMP (F)	50	51	53	57	52	48	49	48	47	51	51	50	51	16	-131
ABS MIN TMP (F)	50	48	48	52	51	46	45	46	47	49	51	50	45	16	-131
MEAN NO DYS TMP = OR GTR 90(F)	8.2	7.4	4.8		0.0	0.0	0.0	0.0			4.6	4.8		16	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN DEW PT TMP (F)	61	62	66	66	65	62	61	62	63	64	66	63	63	0	-50
MEAN REL HUM (PCT)	82	84	95	95						94	98	91		11	-29
MEAN PRESS ALT (FT)	4350	4350	4300	4300	4300	4250	4250	4250	4300	4300	4300	4300	4296	0	-50
MEAN PRECIP (IN)	2.29	3.25	6.99	14.52	8.33	1.30	0.56	0.77	0.79	1.41	4.39	4.01	48.6	32	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.0	6.9	9.4		9.9	2.6	1.2	1.6	1.7	2.8	7.5	8.2		32	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.0	2.0	5.0	2.0	0.0	0.0	0.0	0.0	0.0	1.0	2.0	4.0	20.0	4	-131
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI	26.7	31.6	36.3	40.9	35.9	39.2	41.2	39.6	32.0	18.4	35.0	19.7	33.0	2	-131
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST														0	0
03-05 LST	11.8	14.0	29.5	46.7	56.5	33.3	38.7	22.6	43.3	53.2	48.3	27.4	39.4	2	719
06-08 LST	7.7	7.0	14.5	51.7	45.2	50.0	38.7	27.4	43.3	34.4	38.3	16.4	31.2	2	719
09-11 LST	1.9	0.0	1.6	15.0	19.4	13.3	17.7	6.5	5.1	8.1	11.7	8.1	9.0	2	720
12-14 LST	0.0	0.0	0.0	3.3	0.0	0.0	0.0	0.0	3.3	0.0	3.3	0.0	0.0	2	446
15-17 LST	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0	3.2	3.3	3.2	1.1	2	446
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST														0	0
03-05 LST	0.0	0.0	1.6	16.7	11.3	6.7	0.0	0.0	3.3	8.1	5.0	3.2	4.7	2	719
06-08 LST	0.0	0.0	1.6	8.3	8.1	5.0	0.0	0.0	0.0	4.9	1.7	0.0	2.5	2	719
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.3	2	720
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	446
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	446
18-20 LST														0	0
21-23 LST														0	0

ARUSHA, TANGANYIKA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST													0	0	
	08 LST	31.0	27.0	29.0	17.5	21.0	20.0	22.5	26.0	20.0	23.4	21.0	27.9	206.3	2	719
	14 LST	31.0	27.5	31.0	30.0	31.0	30.0	31.0	31.0	29.0	30.0	29.0	31.0	361.5	2	446
	20 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST													0	0	
	08 LST	26.2	23.1	21.0	8.0	9.0	5.0	6.0	11.0	9.0	7.6	14.0	21.8	161.7	2	719
	14 LST	24.4	14.7	16.5	16.0	17.0	14.0	11.0	12.0	5.0	7.0	16.0	26.0	179.6	2	446
	20 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST													0	0	
	08 LST													0	0	
	14 LST													0	0	
	20 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													0	0	
	08 LST													0	0	
	14 LST													0	0	
	20 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST													0	0	
	08 LST	9.5	6.9	1.0	1.5	1.0	2.0	2.0	3.0	3.5	5.6	4.0	8.1	48.1	2	719
	14 LST	0.0	1.5	0.0	4.0	5.0	13.0	0.0	5.0	8.0	6.0	2.0	2.0	46.5	2	446
	20 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST													0	0	
	08 LST	23.0	23.6	23.0	11.5	13.0	10.5	14.5	18.0	13.0	16.2	15.0	23.4	206.7	2	719
	14 LST	30.4	27.0	31.0	27.0	30.0	28.0	28.0	30.0	28.0	29.0	27.0	29.0	344.4	2	446
	20 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST													0	0	
	08 LST	23.8	23.1	21.0	11.5	13.0	10.5	13.5	16.5	13.0	15.2	14.0	22.8	197.9	2	719
	14 LST	19.5	19.2	18.5	24.0	28.0	26.0	23.0	21.0	21.0	27.0	25.0	27.0	271.2	2	446
	20 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST													0	0	
	08 LST	23.8	23.1	21.0	11.5	13.0	10.5	13.5	16.5	13.0	15.2	14.0	22.8	197.9	2	719
	14 LST	19.5	19.2	18.5	24.0	28.0	26.0	23.0	21.0	21.0	27.0	25.0	27.0	271.2	2	446
	20 LST													0	0	

STA NO. 63790 (IN AREA NUMBER 01)

MOSHI, TANGANYIKA

LATITUDE 03215

LONGITUDE 03720E

ELEVATION(FT) 02667

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	100	103	102	96	90	92	85	91	96	98	97	99	103	32	-131
MEAN MAX TMP (F)	92	92	90	85	79	78	78	80	83	88	89	90	85	32	-131
MEAN MIN TMP (F)	64	64	66	67	65	62	60	60	60	62	64	64	63	32	-131
ABS MIN TMP (F)	53	53	52	52	53	50	47	49	49	52	55	55	47	32	-131
MEAN NO DYS TMP = DR GTR 90(F)	10.5	16.7	15.9	9.0	0.0		0.0		6.7	13.2	14.0	15.9		32	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32	-29
MEAN DEN PT TMP (F)	60	59	63	66	64	59	57	57	55	57	58	60	60	26	-29
MEAN REL HUM (PCT)	58	57	63	73	77	72	69	66	61	57	57	60	64	13	-20
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.40	2.00	4.70	13.80	9.30	1.50	1.00	0.70	0.60	1.00	2.50	2.10	40.6	36	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.2	4.4	8.0		10.1	3.0	2.1	1.5	1.3	2.1	4.6	4.6		36	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	7.0	9.0	11.0	6.0	0.0	0.0	0.0	0.0	0.0	1.0	7.0	8.0	49.0	10	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	11.3	14.4	24.2	45.6	42.6	37.2	40.5	34.2	43.7	32.2	30.8	16.4	31.1	5	1753
06-08 LST	3.4	7.1	14.8	38.7	32.0	21.6	26.0	16.3	18.7	20.5	17.4	9.2	18.8	5	1773
09-11 LST	0.8	2.9	1.3	9.4	13.0	6.1	3.9	1.3	2.8	3.2	4.0	0.7	4.1	5	1774
12-14 LST	0.9	0.7	0.7	2.0	3.3	1.3	0.6	1.3	0.7	0.7	0.7	0.7	1.1	5	1760
15-17 LST	0.0	0.7	0.0	0.7	2.8	0.0	1.9	0.6	1.4	2.1	2.0	0.0	1.0	5	1732
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1753
06-08 LST	0.0	0.0	0.0	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1773
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1774
12-14 LST	0.0	0.0	0.0	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1760
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.1	5	1732
18-20 LST														0	0
21-23 LST														0	0

MOSHI, TANGANYIKA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	31.0	28.0	29.8	26.4	26.7	29.4	29.2	30.8	29.4	29.9	28.6	30.6	349.8	5	1773
	14 LST	30.7	28.0	30.8	29.4	30.4	29.8	30.6	30.8	29.8	31.0	29.8	30.8	361.9	5	1760
	20 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	29.4	24.6	23.6	11.2	15.2	18.2	16.5	21.7	19.4	18.5	20.7	26.5	245.5	5	1773
	14 LST	20.6	21.3	23.7	26.0	29.5	29.4	29.2	29.3	26.2	22.0	18.7	21.8	297.7	5	1760
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	13.1	11.4	7.8	1.2	0.6	1.8	1.6	1.2	3.0	3.3	5.6	10.4	60.8	5	1773
	14 LST	7.1	8.7	4.8	4.4	4.3	5.6	4.2	4.3	10.7	9.8	7.2	3.4	74.5	5	1760
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	27.8	23.8	21.8	10.4	13.1	19.0	14.7	17.6	16.8	19.0	17.1	24.7	216.8	5	1773
	14 LST	30.7	26.8	29.9	27.8	26.1	28.2	28.0	28.9	29.0	29.1	28.4	30.4	343.3	5	1760
	20 LST														0	0
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	26.8	23.0	20.2	9.8	11.7	12.8	11.7	14.8	14.6	11.9	14.5	23.4	195.2	5	1773
	14 LST	26.2	23.5	25.8	25.8	21.3	22.7	17.4	18.4	23.0	25.1	25.4	27.3	281.9	5	1760
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	26.8	23.0	20.2	9.8	11.7	12.8	11.7	14.8	14.6	11.9	14.5	23.4	195.2	5	1773
	14 LST	26.2	23.5	25.6	25.8	21.3	22.7	17.4	18.4	23.0	25.1	25.4	27.3	281.7	5	1760
	20 LST														0	0

STA NO. 63001 (IN AREA NUMBER 01)

KIGOMA, TANGANYIKA

LATITUDE 0493S

LONGITUDE 02930E

ELEVATION(FT) 02903

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	95	92	90	92	89	88	89	91	100	100	95	93	100	26	-131
MEAN MAX TMP (F)	80	81	81	81	83	83	83	84	85	84	80	79	82	26	-131
MEAN MIN TMP (F)	67	67	67	67	67	64	63	64	68	69	68	67	67	26	-131
ABS MIN TMP (F)	61	61	60	62	61	58	53	58	59	55	60	59	53	26	-29
MEAN NO DYS TMP = DR GTR 90(F)		4.3	4.8	4.6	0.0	0.0	0.0	8.2	9.0	8.2				26	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN DEW PT TMP (F)	66	66	67	66	65	61	57	57	61	63	66	66	63	12	-28
MEAN REL HUM (PCT)	79	79	80	79	73	68	62	60	62	66	78	80	72	0	0
MEAN PRESS ALT (FT)													36.5	18	-28
MEAN PRECIP (IN)	4.80	5.00	5.96	5.10	1.70	0.20	0.16	0.20	0.70	1.90	5.60	5.30	65.2	26	-29
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.3	9.5	8.9	8.3	3.9	0.5	0.3	0.5	1.5	3.6	9.1	9.8	65.2	26	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	25.0	21.0	25.0	19.0	13.0	5.0	3.0	2.0	6.0	11.0	23.0	24.0	177.0	10	-24
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														5	1788
03-05 LST	1.7	5.7	4.5	8.0	4.5	4.7	1.3	0.6	2.0	3.2	5.3	5.8	3.9	5	1790
06-08 LST	3.2	1.4	3.2	2.7	1.3	0.7	0.6	0.0	0.0	2.6	5.3	4.5	2.1	5	1791
09-11 LST	0.8	1.4	3.2	4.0	1.9	0.0	0.0	0.0	0.0	0.6	5.3	5.2	1.9	5	1791
12-14 LST	0.8	0.7	3.9	3.3	0.6	0.0	0.0	0.0	0.0	1.3	5.3	3.2	1.6	5	1783
15-17 LST	0.8	0.7	1.5	1.3	0.6	0.0	0.0	0.0	0.0	0.6	0.7	1.3	0.6	0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														5	1788
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	3.0	0.6	0.1	0	0
06-08 LST														5	1791
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.2	5	1791
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1783
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
18-20 LST														0	0
21-23 LST														0	0

KIGOMA, TANGANYIKA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	30.5	27.8	30.4	30.0	31.0	30.0	28.4	27.8	28.0	29.4	28.8	29.8	331.9	5	1790
	14 LST	30.5	27.8	30.0	29.2	30.8	30.0	30.6	29.6	29.6	30.0	29.2	30.6	337.9	5	1791
	20 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	28.0	25.6	26.0	24.0	23.8	19.0	16.4	17.0	19.5	20.8	22.0	25.6	267.7	5	1790
	14 LST	18.5	16.6	18.2	15.6	15.6	12.4	7.4	5.8	7.4	9.8	13.6	20.9	161.8	5	1790
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	0.5	0.0	0.0	0.8	1.4	4.8	6.8	8.4	3.6	1.2	0.8	0.0	28.3	5	1790
	14 LST	0.2	0.4	0.2	0.4	2.4	8.4	13.1	14.4	8.4	3.4	0.8	0.2	52.3	5	1791
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	29.5	26.4	29.0	28.0	29.8	29.4	28.0	27.6	27.4	28.4	27.0	27.8	338.3	5	1790
	14 LST	29.7	27.2	28.2	27.0	29.6	30.0	30.6	29.6	29.6	29.2	26.6	28.8	346.1	5	1791
	20 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	29.2	26.2	29.0	27.4	29.1	29.4	27.8	27.0	27.2	28.0	26.6	27.6	334.5	5	1790
	14 LST	29.7	27.2	27.8	25.6	27.8	29.4	30.6	28.8	28.8	28.6	25.2	28.6	338.1	5	1791
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	29.2	26.2	29.0	27.2	29.1	29.2	27.6	26.6	27.0	27.8	26.6	27.6	333.1	5	1790
	14 LST	29.7	27.2	27.8	25.6	27.8	29.4	30.4	28.8	28.8	28.6	25.2	28.6	337.9	5	1791
	20 LST														0	0

SAME, TANGANYIKA

STA NO. 69016 (IN AREA NUMBER 01)

LATITUDE 04055

LONGITUDE 03743E

ELEVATION(FT) 02060

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.16	2.02	2.92	9.17	3.35	0.24	0.24	0.94	0.62	0.87	1.79	2.71	21.6	20	-6
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.6	4.5	9.9	8.4	6.5	0.6	0.6	1.2	1.4	1.8	3.4	5.9	42.8	20	-29
MEAN NO DYS SNFL = OR GTR 1.9 IN														0	0
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	23.6	20.4	37.4	60.4	53.5	62.6	56.8	48.1	45.3	40.0	35.6	23.4	42.3	5	1743
09-11 LST	3.2	2.7	13.5	30.7	34.4	31.3	28.6	22.1	13.3	15.5	12.0	7.7	17.9	5	1761
12-14 LST	0.0	0.0	0.6	4.7	9.7	3.4	1.9	1.3	1.3	1.3	0.7	0.0	2.1	5	1763
15-17 LST	0.0	0.9	0.0	2.7	3.2	0.8	0.0	1.3	0.0	1.9	2.0	0.6	1.1	5	1747
18-20 LST	0.0	1.8	0.0	4.7	4.5	1.5	2.0	0.6	0.0	2.6	1.3	0.6	1.6	5	1741
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.6	6.7	3.2	6.1	0.6	0.6	0.0	0.6	2.7	0.6	1.8	5	1743
09-11 LST	0.0	0.0	0.0	0.7	1.3	0.7	0.0	0.0	0.7	0.0	0.0	0.6	0.3	5	1761
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1763
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.1	5	1747
18-20 LST	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1741
21-23 LST														0	0

SABE, TANGANYIKA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	MO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	31.0	28.0	30.8	27.4	27.2	27.5	29.6	30.0	29.4	30.4	29.4	30.2	350.9	5	1761
	15 LST	31.0	27.7	30.8	29.8	30.6	29.8	31.0	30.6	30.0	30.8	29.4	31.0	362.5	5	1747
	21 LST														0	0
	03 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST														0	0
	09 LST	17.2	21.5	19.0	18.8	13.9	13.4	14.1	18.3	22.8	20.6	16.6	14.4	209.6	5	1761
	15 LST	9.0	10.9	19.0	14.4	26.2	21.5	19.0	18.8	20.8	18.8	14.0	10.4	212.8	5	1747
	21 LST														0	0
	03 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
	21 LST														0	0
	03 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
	21 LST														0	0
	03 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	7.0	8.4	3.4	0.2	0.8	0.8	0.8	1.8	2.2	2.6	3.6	6.8	38.4	5	1761
	15 LST	7.0	6.7	3.6	1.6	2.8	2.8	2.4	3.2	3.8	3.4	3.4	7.8	48.5	5	1747
	21 LST														0	0
	03 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	24.7	23.5	19.2	10.6	10.3	8.6	10.0	12.1	16.4	16.2	19.4	23.0	194.0	5	1761
	15 LST	30.0	26.5	29.4	26.2	26.0	28.4	27.8	29.6	28.8	28.0	27.8	29.8	338.3	5	1747
	21 LST														0	0
	03 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	22.0	20.8	16.4	8.0	7.8	4.5	6.8	7.6	11.6	11.6	16.2	19.6	152.9	5	1761
	15 LST	27.5	23.8	23.8	18.0	16.2	15.5	15.0	11.8	11.8	17.2	22.8	28.2	231.6	5	1747
	21 LST														0	0
	03 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	22.0	20.8	16.4	8.0	7.8	4.5	6.8	7.6	11.6	11.6	16.2	19.6	152.9	5	1761
	15 LST	27.5	23.8	23.8	18.0	16.2	15.2	14.8	11.4	11.6	17.2	22.8	28.2	230.5	5	1747
	21 LST														0	0

STA NO. 63818 (IN AREA NUMBER 01)

HOBBO, TANGANYIKA
 LATITUDE 0499S LONGITUDE 03814E ELEVATION(FT) 01350

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECI (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.9 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 9000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														4	1405
06-08 LST	13.0	15.0	13.0	10.0	18.5	21.4	22.6	16.1	16.7	16.9	12.5	12.1	15.7	4	1420
09-11 LST	8.6	8.4	8.1	15.0	14.5	19.0	16.1	16.9	15.8	12.1	7.5	5.6	12.3	4	1420
12-14 LST	4.3	5.6	14.5	16.7	17.7	17.1	18.0	16.9	11.7	11.3	9.2	4.8	12.3	4	1406
15-17 LST	1.1	2.8	4.0	8.3	9.7	6.9	4.9	4.8	4.2	4.8	3.3	2.4	4.8	4	1404
18-20 LST	0.0	0.9	3.2	0.7	4.8	5.9	4.1	2.4	1.7	3.2	2.3	0.8	3.0	0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														4	1405
06-08 LST	0.0	0.0	0.0	0.8	0.8	1.0	0.0	0.8	0.0	0.8	0.0	0.8	0.4	4	1420
09-11 LST	0.0	0.0	0.0	1.7	0.8	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.3	4	1420
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.1	4	1406
15-17 LST	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	1404
18-20 LST	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0	0
21-23 LST															

MOBBO, TANGANYIKA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PGR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	31.0	27.5	31.0	29.3	30.0	29.7	29.7	29.3	29.3	30.2	30.0	30.7	197.9	4	1420
	15 LST	31.0	27.7	30.7	29.7	31.0	30.0	31.0	30.7	30.0	31.0	29.7	31.0	363.5	4	1406
	21 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST														0	0
	09 LST	23.6	24.1	26.0	21.8	22.7	19.1	22.5	21.2	21.0	23.7	25.2	27.5	280.4	4	1420
	15 LST	23.3	22.3	22.9	16.5	15.2	19.0	13.3	7.0	3.8	7.2	18.0	25.2	191.3	4	1406
	21 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
	21 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
	21 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	7.0	7.6	4.7	2.3	2.2	2.8	2.5	3.7	4.0	6.5	7.5	6.5	57.5	4	1420
	15 LST	0.7	2.3	0.7	0.5	2.7	0.6	0.7	4.0	4.0	6.7	3.5	0.7	27.1	4	1406
	21 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	23.0	23.5	23.7	20.5	22.0	18.6	21.5	21.7	21.2	24.5	24.8	26.7	273.7	4	1420
	15 LST	23.6	24.6	25.7	22.2	23.3	21.5	24.4	24.2	23.5	25.5	25.7	26.0	292.2	4	1406
	21 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	24.6	23.3	25.3	19.7	21.7	18.1	21.0	21.5	20.5	24.2	24.5	26.0	270.6	4	1420
	15 LST	19.3	21.3	22.7	19.7	21.0	17.6	20.9	20.2	20.0	21.2	22.0	21.2	247.1	4	1406
	21 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	24.6	23.3	25.3	19.7	21.7	18.1	21.0	21.5	20.5	24.2	24.5	26.0	270.6	4	1420
	15 LST	19.3	21.3	22.7	19.7	21.0	17.6	20.9	20.2	20.0	21.2	22.0	21.2	247.1	4	1406
	21 LST														0	0

TABORA, TANGANYIKA

STA NO. 63032 (IN AREA NUMBER 01)

LATITUDE 05095

LONGITUDE 03250E

ELEVATION(FT) 03875

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	93	94	92	93	92	95	94	96	98	99	100	98	100	25	-131
MEAN MAX TMP (F)	82	83	83	82	83	83	83	85	89	90	88	83	85	25	-131
MEAN MIN TMP (F)	63	63	64	63	62	59	58	60	63	66	66	64	63	25	-131
ABS MIN TMP (F)	56	58	58	57	52	49	49	50	57	60	57	58	49	25	-131
MEAN NO DYS TMP = DR GTR 90(F)	5.9	6.3	7.0	5.7	7.0	6.7	7.0	9.4	14.0	15.9	12.7	7.0	104.6	25	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN DEN PT TMP (F)	64	64	64	63	58	55	50	51	53	56	58	62	58	0	-50
MEAN REL HUM (PCT)	70	71	72	69	61	54	49	46	43	42	51	67	58	15	-28
MEAN PRESS ALT (FT)	3750	3750	3750	3700	3700	3650	3650	3700	3700	3750	3750	3750	3717	0	-50
MEAN PRECIP (IN)	5.00	4.86	6.60	5.43	1.12	0.11	0.00	0.04	0.28	0.58	3.90	6.71	34.6	46	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.5	9.3	9.3	8.6	2.7	0.3	0.0	0.2	0.7	1.3	6.8	10.4	59.1	46	-29
MEAN NO DYS SNFL = DR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS TSTMS	16.0	15.0	14.0	11.0	3.0	0.0	0.0	0.0	1.0	3.0	11.0	17.0	91.0	10	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 20 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														5	1794
03-05 LST	3.2	4.3	3.2	3.3	0.6	0.0	0.0	0.0	0.0	0.6	3.3	5.8	2.0	5	1792
06-08 LST	3.2	8.7	8.4	6.0	1.3	0.0	0.0	0.0	0.0	0.6	4.7	7.1	3.1	5	1791
09-11 LST	3.2	2.1	3.9	4.0	2.6	0.0	0.0	0.0	0.0	0.0	3.4	7.1	2.2	5	1791
12-14 LST	2.3	1.8	2.0	3.3	2.3	0.0	0.0	0.0	0.3	0.3	2.0	4.8	1.6	10	3582
15-17 LST	0.8	2.1	1.9	2.0	0.6	0.0	0.0	0.0	0.0	1.3	2.0	3.2	1.2	5	1793
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														5	1794
03-05 LST	0.8	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.3	5	1792
06-08 LST	0.0	0.0	1.3	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1791
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1791
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3582
15-17 LST	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1793
18-20 LST														0	0
21-23 LST														0	0

Tabora, TANGANYIKA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	30.2	26.8	29.4	29.2	30.6	30.0	31.0	31.0	30.0	31.0	29.6	29.4	358.2	9	1792
	14 LST	30.9	28.0	30.8	29.8	30.8	30.0	31.0	11.0	30.0	31.0	29.8	30.8	363.9	10	3582
	20 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	26.7	24.8	27.0	20.8	21.6	19.4	14.4	12.7	12.0	15.4	23.1	26.4	240.3	9	1792
	14 LST	25.5	22.9	23.1	20.8	19.0	19.4	17.2	18.9	19.9	21.3	22.5	23.9	254.4	10	3580
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	0.2	0.4	0.4	0.8	2.2	1.8	3.2	2.2	1.8	1.4	1.4	0.6	16.4	9	1794
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	14.3	15.6	13.9	11.6	13.1	17.1	12.1	13.1	13.6	9.9	9.7	11.6	199.6	9	1788
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	3.5	2.2	2.2	2.2	8.4	14.4	16.2	20.9	15.4	7.6	3.4	2.8	99.2	9	1793
	14 LST	1.2	0.6	1.1	0.1	2.2	9.2	14.2	12.4	5.3	2.1	0.4	0.2	49.0	10	3583
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	28.7	25.0	27.2	27.8	30.6	30.0	31.0	30.8	30.0	30.6	27.8	28.2	347.7	9	1792
	14 LST	25.6	22.2	24.3	19.7	23.4	29.0	30.3	30.3	28.3	28.1	23.1	22.6	307.1	10	3582
	20 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	28.5	24.6	26.8	27.8	30.2	30.0	31.0	30.8	30.0	30.6	27.8	28.2	346.3	9	1792
	14 LST	18.5	16.3	17.3	11.0	13.3	24.2	27.0	25.3	20.3	18.1	11.2	14.1	216.8	10	3582
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	28.5	24.6	26.8	27.8	30.2	30.0	31.0	30.8	30.0	30.6	27.8	28.2	346.3	9	1792
	14 LST	18.5	16.3	17.3	11.0	13.3	24.2	27.0	25.3	20.3	18.0	11.2	14.1	216.7	10	3582
	20 LST														0	0

BOGOMA, TANGANYIKA

STA NO. 63862 (IN AREA NUMBER 01)

LATITUDE 0610S

LONGITUDE 03946E

ELEVATION(FT) 03675

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	96	97	92	91	91	89	88	93	93	97	97	98	98	29	-131
MEAN MAX TMP (F)	85	82	84	83	82	84	80	81	84	87	89	87	84	29	-131
MEAN MIN TMP (F)	65	65	64	63	61	57	55	57	60	63	65	66	62	29	-131
ABS MIN TMP (F)	60	55	59	59	51	48	46	49	52	55	55	58	46	29	-131
MEAN NO DYS TMP - OR GTR 90(F)	9.4	5.3	8.2	6.7	5.9	0.0	0.0	4.8	7.9	11.9	14.0	11.9	86.0	29	-29
MEAN NO DYS TMP - OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29	-29
MEAN NO DYS TMP - OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29	-29
MEAN DEN PT TMP (F)	61	61	62	60	56	54	51	52	53	54	57	61	57	24	-29
MEAN REL HUM (PCT)	66	68	70	68	63	60	59	58	55	53	55	63	62	14	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	5.91	4.02	5.12	1.97	0.22	0.04	0.00	0.00	0.06	0.18	0.87	3.78	22.2	27	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29	-29
MEAN NO DYS PRCP - OR GTR 0.1 IN	10.2	8.2	8.3	4.4	0.6	0.2	0.0	0.0	0.3	0.5	1.8	7.8	42.3	27	-29
MEAN NO DYS SNFL - OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	10.0	10.0	9.0	2.0	0.0	0.0	0.0	0.0	0.0	1.0	3.0	7.0	42.0	10	-24
P FREQ WND SPD - OR GTR 17 KTS														0	0
P FREQ WND SPD - OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	11.3	7.8	13.2	24.0	12.3	3.3	9.1	7.7	4.7	8.4	8.0	10.5	10.0	5	1788
06-08 LST	4.8	8.5	19.5	21.3	16.8	8.0	12.9	7.7	6.7	7.8	7.3	9.0	10.9	5	1793
09-11 LST	3.2	2.8	2.6	4.0	2.6	0.0	3.2	0.6	2.0	2.6	2.7	3.2	2.5	5	1795
12-14 LST	1.6	2.1	1.9	0.0	0.6	0.0	0.6	0.0	0.0	0.6	0.0	1.3	0.7	5	1792
15-17 LST	2.4	2.1	1.9	1.3	0.6	0.0	0.7	0.0	0.7	0.0	0.7	3.9	1.2	5	1785
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	1.6	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	5	1788
06-08 LST	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1793
09-11 LST	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1795
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1792
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1785
18-20 LST														0	0
21-23 LST														0	0

00000A, TANGANYIKA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PGR (YRS)	NO. OBS
														0	0
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST													5	1793
	08 LST	30.5	27.4	29.0	28.8	29.6	29.6	30.2	31.0	30.0	31.0	30.0	29.8	5	1792
	14 LST	31.0	27.8	31.0	29.6	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	0	0
	20 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST													5	1793
	08 LST	16.7	18.8	13.5	8.2	10.4	11.0	10.2	7.8	4.4	8.2	9.4	15.8	5	1792
	14 LST	25.0	23.6	23.9	18.0	20.8	19.8	17.4	16.1	13.2	14.2	14.8	22.7	0	0
	20 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST													5	1793
	08 LST	6.7	3.2	2.2	3.6	7.0	13.6	14.0	19.6	17.8	12.7	8.0	6.6	5	1792
	14 LST	2.5	1.2	0.6	1.2	4.4	9.4	9.2	13.7	17.2	10.2	5.6	1.6	0	0
	20 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST													5	1793
	08 LST	26.7	23.8	20.1	16.8	21.4	26.0	24.4	26.6	26.2	26.4	24.8	25.2	5	1792
	14 LST	29.5	25.4	28.2	25.6	28.8	29.4	29.2	29.2	28.2	29.4	27.6	26.8	0	0
	20 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST													5	1793
	08 LST	25.5	23.2	18.7	15.0	20.4	25.6	24.0	26.6	26.0	25.9	23.2	24.4	5	1792
	14 LST	24.2	19.9	19.5	13.6	17.0	20.8	19.8	22.9	25.4	25.4	21.0	19.1	0	0
	20 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST													5	1793
	08 LST	25.5	23.2	18.7	15.0	20.4	25.6	24.0	26.6	26.0	25.9	23.2	24.4	5	1792
	14 LST	24.2	19.9	19.5	13.6	17.0	20.8	19.8	22.9	25.4	25.4	21.0	19.1	0	0
	20 LST													0	0

STA NO. 69807 (IN AREA NUMBER 01)

IRINGA, TANGANYIKA

LATITUDE 0747S

LONGITUDE 03542E

ELEVATION(FT) 04683

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	88	90	87	85	85	84	83	85	90	90	91	90	91	34	-131
MEAN MAX TMP (F)	77	77	77	76	75	73	74	74	77	81	82	79	77	34	-131
MEAN MIN TMP (F)	59	58	58	59	57	53	53	53	54	56	58	59	56	31	-131
ABS MIN TMP (F)	48	50	50	50	45	43	44	44	47	49	49	48	43	34	-131
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	5.7	0.0	10.5	34	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34	-29
MEAN DEW PT TMP (F)	58	58	59	57	52	47	45	44	44	44	47	56	51	26	-29
MEAN REL HUM (PCT)	74	74	76	71	65	60	56	54	50	46	49	66	62	14	-131
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	6.89	4.96	6.81	3.47	0.93	0.06	0.00	0.02	0.10	0.20	1.45	4.69	29.2	26	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.3	9.4	9.4	6.7	1.4	0.2	0.0	0.2	0.4	0.6	2.8	9.1	50.5	26	-29
MEAN NO DYS SNFL = OR GTR 1.8 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34	-29
MEAN NO DYS W/DCUR VSBY LBS 1/2 MI														0	0
MEAN NO DYS TSTMS	10.8	10.3	8.8	3.4	0.4	0.0	0.0	0.1	0.0	0.2	2.8	8.0	44.8	7	-75
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LBS 5000 FT A/D LBS 3 MI														0	0
P FREQ LBS 1900 FT A/D LBS 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	6.5	6.2	7.1	11.4	4.5	2.0	3.9	1.9	0.7	3.3	2.7	12.9	9.3	5	1731
06-08 LST	5.6	6.2	7.1	10.7	5.8	0.7	3.9	2.6	0.7	2.6	2.0	18.7	9.6	5	1763
09-11 LST	3.6	8.0	11.7	12.0	5.8	2.0	2.6	1.9	1.4	1.3	2.7	14.3	9.8	5	1761
12-14 LST	3.2	6.2	6.9	9.4	1.9	0.7	0.0	0.0	0.7	0.6	3.3	7.8	8.4	5	1755
15-17 LST	2.5	0.9	3.9	2.0	2.6	0.0	0.0	0.0	0.7	0.0	1.4	2.7	1.4	5	1746
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	0.0	1.8	0.6	0.7	0.0	0.7	0.0	0.0	0.0	0.0	0.0	1.3	0.4	5	1731
06-08 LST	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.2	5	1763
09-11 LST	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.1	5	1761
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1755
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1746
18-20 LST														0	0
21-23 LST														0	0

IRINGA, TANGANYIKA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	30.0	26.7	29.4	28.8	31.0	30.0	31.0	31.0	30.0	31.0	30.0	26.8	339.7	8	1763
	14 LST	30.5	27.7	30.4	29.2	31.0	30.0	31.0	31.0	30.0	31.0	29.8	30.2	361.8	9	1755
	20 LST														0	0
	02 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	02 LST														0	0
	08 LST	29.0	25.8	28.4	23.1	22.6	19.6	17.8	21.3	23.7	25.5	27.2	24.0	288.5	8	1763
	14 LST	22.2	19.3	22.7	17.3	22.5	19.0	20.4	22.7	19.7	19.3	17.2	20.1	242.4	9	1755
	20 LST														0	0
	02 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
	02 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEC P AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
	02 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	5.2	2.2	3.2	6.6	15.8	20.4	18.8	22.4	20.9	14.5	11.4	9.8	149.0	9	1763
	14 LST	0.7	0.2	0.6	0.6	3.4	7.4	6.3	9.6	8.7	6.8	3.6	0.6	92.7	9	1755
	20 LST														0	0
	02 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	28.5	25.3	27.6	24.4	27.6	29.8	28.0	29.4	28.8	29.0	28.6	23.6	330.6	9	1763
	14 LST	27.0	21.8	22.9	17.3	24.1	28.6	28.6	27.8	28.6	27.8	24.4	20.3	299.2	9	1755
	20 LST														0	0
	02 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	28.5	24.5	27.2	23.7	27.2	29.8	27.2	29.4	23.6	28.8	28.6	22.8	326.3	9	1763
	14 LST	23.5	19.8	20.2	10.9	13.9	22.8	22.6	19.3	20.5	20.9	19.4	15.5	229.3	9	1755
	20 LST														0	0
	02 LST														0	0
CIG = GTR 10000 FT AND SBY = GTR 3 MI	02 LST														0	0
	08 LST	28.5	24.3	27.2	23.7	27.2	29.8	27.2	29.4	28.6	28.8	28.6	22.8	326.3	9	1763
	14 LST	23.5	19.8	20.2	10.9	13.9	22.8	22.6	19.3	20.5	20.9	19.4	15.5	229.3	9	1755
	20 LST														0	0
	02 LST														0	0

STA NO. 63932 (IN AREA NUMBER 01)

BOEYA TANGANYIKA
 LATITUDE 0855 LONGITUDE 03320E ELEVATION(FT) 05600

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	82	87	80	80	79	79	79	83	88	88	88	86	88	29	-131
MEAN MAX TMP (F)	73	73	73	73	72	70	70	72	77	80	80	77	74	29	-131
MEAN MIN TMP (F)	57	57	57	55	52	48	46	48	52	55	56	57	53	29	-131
ABS MIN TMP (F)	50	50	46	48	42	37	36	39	43	45	48	50	36	29	-131
MEAN NO DYS TMP - OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	0.0	29	-29
MEAN NO DYS TMP - OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	0.0	29	-29
MEAN NO DYS TMP - OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29	-29
MEAN DEW PT TMP (F)	58	58	58	57	53	47	46	45	48	49	54	57	53	21	-29
MEAN REL HUM (PCT)	78	77	78	77	71	66	62	59	55	56	60	72	68	14	-28
MEAN PRESS ALT (FT)	5400	5400	5400	5350	5350	5300	5300	5300	5350	5400	5400	5400	5363	0	-50
MEAN PRECIP (IN)	7.91	6.28	6.27	4.48	0.71	0.04	0.03	0.03	0.11	0.56	2.17	5.35	33.6	23	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29	-29
MEAN NO DYS PRCP - OR GTR 0.1 IN	10.0	10.3	9.1	7.8	1.8	0.2	0.2	0.2	0.4	1.2	4.1	9.8	35.1	23	-29
MEAN NO DYS SNFL - OR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	22.0	22.0	21.0	15.0	4.0	0.0	0.0	0.0	1.0	8.0	16.0	20.0	129.0	10	-24
P FREQ WND SPD - OR GTR 17 KTS														0	0
P FREQ WND SPD - OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST															
03-05 LST	8.1	13.5	9.7	4.0	1.3	2.0	3.9	1.9	1.3	0.0	6.0	10.3	3.2	9	1793
06-08 LST	8.1	12.8	8.4	3.3	1.3	2.0	2.6	1.9	0.7	0.0	3.3	14.8	5.1	9	1794
09-11 LST	11.3	16.5	12.9	13.3	4.5	2.0	1.9	1.9	0.7	1.3	4.0	14.8	7.1	9	1792
12-14 LST	12.1	16.2	14.7	18.1	6.0	1.2	1.2	0.6	0.6	1.9	5.5	19.9	8.2	9	1915
15-17 LST	8.9	15.6	11.7	8.7	3.8	0.7	1.9	1.3	0.0	1.9	2.0	11.6	5.8	9	1791
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST															
03-05 LST	1.6	3.7	3.2	0.7	0.0	0.0	0.0	0.0	0.0	0.0	2.0	1.9	1.3	9	1793
06-08 LST	0.8	2.8	3.9	2.0	0.6	0.0	0.0	0.0	0.0	0.0	0.7	0.6	1.0	9	1794
09-11 LST	0.0	2.2	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.4	9	1792
12-14 LST	0.0	1.3	0.0	0.0	0.6	0.0	0.0	0.0	0.6	0.0	0.0	3.1	0.5	9	1915
15-17 LST	0.8	0.7	0.6	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.3	9	1791
18-20 LST														0	0
21-23 LST														0	0

BBEYA, TANGANYIKA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	28.7	24.2	28.8	29.0	30.8	29.8	31.0	30.4	30.0	31.0	29.4	27.2	336.3	8	1794
	14 LST	30.3	26.7	30.6	29.4	30.8	29.8	31.0	31.0	29.8	30.8	29.4	28.3	337.9	9	1913
	20 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	21.7	19.7	26.6	21.8	26.0	23.4	23.2	20.3	12.0	6.8	12.4	16.0	229.3	8	1794
	14 LST	14.1	14.7	14.4	12.8	15.0	8.1	8.3	8.6	10.2	11.2	15.3	14.3	147.4	9	1910
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	0.0	0.0	6.9	0.0	0.0	2.1	3.1	4.7	12.5	10.3	5.6	0.0	48.2	4	130
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	11.6	12.4	4.4	6.0	18.6	17.5	17.2	19.1	7.5	10.3	9.4	0.0	134.0	4	125
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	3.5	1.2	1.4	8.6	17.0	20.0	20.0	25.0	23.6	14.2	8.0	2.6	145.1	8	1794
	14 LST	0.2	0.0	0.4	0.7	5.0	10.8	16.2	14.8	8.9	3.9	0.9	0.4	62.2	9	1923
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	27.7	23.6	28.2	28.2	30.6	29.2	30.0	30.4	29.8	31.0	29.8	25.2	342.7	8	1794
	14 LST	22.1	19.3	21.7	18.4	25.6	27.8	29.3	29.3	28.1	27.5	23.8	18.3	291.4	9	1913
	20 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	26.5	22.4	27.8	28.2	30.6	29.2	30.6	30.4	29.8	31.0	28.4	24.4	338.7	8	1794
	14 LST	20.9	18.9	20.9	16.7	23.3	26.9	28.1	26.9	23.3	22.4	17.7	16.0	264.2	9	1913
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	26.5	22.2	27.4	28.2	30.6	29.2	30.0	30.4	29.8	31.0	28.4	24.4	338.1	8	1794
	14 LST	20.9	18.9	20.9	16.7	23.3	26.9	28.1	26.8	23.3	22.4	17.7	16.0	264.1	9	1913
	20 LST														0	0

STA NO. 63935 (IN AREA NUMBER 01)

NJONBE, TANGANYIKA

LATITUDE 0922S

LONGITUDE 03449E

ELEVATION(FT) 06398

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	9.63	7.05	9.03	9.14	1.00	0.11	0.04	0.11	0.22	0.32	1.89	7.07	42.4	24	-6
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN		10.3	10.2	8.3	2.5	0.3	0.2	0.3	0.6	0.8	3.6	10.3		24	-29
MEAN NO DYS SNFL = OR GTR 1.8 IN						0.0	0.0	0.0						0	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	39.7	36.1	66.1	89.7	69.9	32.6	44.4	66.1	71.3	66.1	62.5	64.5	65.1	4	1198
09-11 LST														0	0
12-14 LST	35.4	39.3	65.6	84.0	75.4	16.3	21.1	13.0	14.7	11.5	23.9	38.8	32.8	4	1177
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	40.3	38.6	45.2	48.3	29.0	12.3	18.5	43.5	37.4	36.3	23.2	22.6	34.6	4	1198
09-11 LST														0	0
12-14 LST	1.8	1.9	1.6	3.4	0.0	0.9	0.0	0.0	0.0	0.0	0.0	1.7	0.9	4	1177
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

NJIBBE, TANGANYIKA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST	12.0	12.3	11.0	2.7	11.0	17.1	18.3	11.2	8.9	10.7	11.8	12.5	189.7	4 1198
	14 LST	21.0	16.6	16.7	17.6	28.6	27.9	28.5	30.7	29.7	30.5	26.5	27.7	302.0	4 1177
	20 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST													0	0
	08 LST	12.0	11.8	10.0	2.7	8.3	12.1	15.5	10.0	8.3	9.5	10.7	9.7	120.6	4 1198
	14 LST	6.6	6.7	5.6	10.0	22.0	22.4	19.7	21.9	18.7	20.6	16.2	10.8	181.2	4 1177
	20 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST	1.0	0.3	0.0	1.0	4.7	7.0	8.2	6.0	2.6	2.5	2.4	0.5	36.4	4 1199
	14 LST	0.0	0.0	0.0	1.4	8.0	8.3	9.1	11.1	8.5	9.4	3.2	0.5	59.5	4 1178
	20 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST	12.0	11.8	10.0	2.7	8.3	11.8	15.5	10.0	8.1	8.2	9.6	8.7	116.7	4 1198
	14 LST	6.6	6.7	5.6	10.0	21.0	21.1	19.4	22.9	22.0	24.9	19.6	10.5	190.3	4 1177
	20 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST	12.0	11.8	10.0	2.7	8.3	11.8	13.0	9.5	6.8	6.2	8.6	6.2	106.9	4 1198
	14 LST	6.6	6.7	5.6	10.0	20.3	19.8	16.9	21.4	20.3	24.6	19.1	8.4	179.7	4 1177
	20 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST	12.0	11.8	10.0	2.7	8.3	11.8	13.0	9.5	6.8	6.2	8.6	6.2	106.9	4 1198
	14 LST	6.6	6.7	5.6	10.0	20.3	19.8	16.9	21.4	20.3	24.6	19.1	8.4	179.7	4 1177
	20 LST													0	0

SONGEA, TANGANYIKA

STA NO. 63962 (IN AREA NUMBER 01)

LATITUDE 10415

LONGITUDE 03335E

ELEVATION(FT) 03783

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	87	86	85	84	84	81	81	80	86	89	90	90	90	8	-28
MEAN MAX TMP (F)	79	81	79	78	75	73	72	74	79	82	83	81	78	6	-28
MEAN MIN TMP (F)	64	65	65	63	59	55	55	56	59	62	64	65	61	6	-28
ABS MIN TMP (F)	61	60	60	53	51	45	46	47	49	58	60	59	45	8	-28
MEAN NO DYS TMP - DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	4.8	11.5	6	-29
MEAN NO DYS TMP - DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS TMP - DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN DEW PT TMP (F)	64	64	64	62	56	50	48	49	51	53	57	62	57	6	-29
MEAN REL HUM (PCT)	78	76	79	76	70	65	61	61	57	55	60	71	67	6	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	10.81	9.06	10.16	4.35	0.56	0.06	0.02	0.10	0.11	0.34	1.83	6.91	44.3	41	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP - DR GTR 0.1 IN			10.2	7.6	1.4	0.2	0.2	0.3	2.4	0.8	3.5	10.3		41	-29
MEAN NO DYS SNFL - DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	21.0	19.0	17.0	5.0	1.0	0.0	0.0	0.0	0.0	2.0	7.0	15.0	87.0	10	-24
P FREQ WND SPD - DR GTR 17 KTS														0	0
P FREQ WND SPD - DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1900 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	16.9	18.4	18.7	14.7	7.1	6.7	5.2	7.1	4.7	5.8	14.8	25.8	12.2	5	1791
06-08 LST	21.0	17.1	18.7	19.3	7.8	6.0	5.8	6.7	6.7	7.7	19.5	19.4	12.6	5	1784
09-11 LST	11.3	8.5	7.7	6.0	3.9	3.3	3.2	1.9	2.0	0.6	2.0	7.8	4.9	5	1789
12-14 LST	5.6	6.4	3.9	2.7	1.3	0.7	1.3	0.6	0.0	0.0	0.7	5.2	2.4	5	1793
15-17 LST	5.6	7.1	1.9	1.3	0.6	0.7	0.0	0.0	0.0	0.6	1.3	6.5	2.1	5	1794
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	0.0	2.8	3.2	1.3	0.6	0.0	0.0	0.0	0.0	0.0	0.0	3.2	1.0	5	1791
06-08 LST	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1784
09-11 LST	0.0	1.4	0.8	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.2	5	1789
12-14 LST	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1793
15-17 LST	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1794
18-20 LST														0	0
21-23 LST														0	0

SONGEE, TANGANYIKA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	28.2	25.8	27.4	28.0	30.2	29.6	30.4	30.3	29.2	31.0	29.6	29.6	349.3	9	1784
	14 LST	30.5	26.6	30.2	29.6	30.8	30.0	31.0	31.0	30.0	31.0	30.0	30.8	361.5	9	1793
	20 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	18.0	19.2	22.2	17.0	24.3	21.9	20.4	16.2	13.1	9.4	10.9	16.4	209.0	9	1783
	14 LST	21.2	17.9	19.0	18.6	20.6	18.0	16.8	16.5	10.8	9.4	16.3	16.8	201.9	9	1793
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	0.7	0.0	1.4	2.0	8.4	10.6	11.0	10.8	11.3	7.8	9.5	1.0	70.9	9	1784
	14 LST	0.0	0.0	0.0	0.0	1.6	1.2	1.4	0.8	1.0	3.0	1.2	0.4	11.4	9	1793
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	18.7	19.6	20.2	16.0	24.3	24.2	25.0	24.3	22.1	21.4	17.2	16.2	249.2	9	1784
	14 LST	21.5	19.9	21.6	20.4	22.6	23.2	23.8	24.7	24.2	26.2	23.1	20.4	271.6	9	1793
	20 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	17.5	18.6	18.4	13.2	22.1	21.6	21.8	21.4	18.9	17.8	14.4	13.4	219.1	9	1784
	14 LST	12.5	15.1	13.8	8.8	6.4	10.2	8.0	6.8	9.2	11.0	9.5	12.8	124.1	9	1793
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	17.5	18.6	18.4	13.2	22.1	21.6	21.8	21.4	18.9	17.8	14.4	13.4	219.1	9	1784
	14 LST	12.5	15.1	13.8	8.8	6.4	10.2	8.0	6.8	9.2	11.0	9.5	12.8	124.1	9	1793
	20 LST														0	0

STA NO. 63997 (IN AREA NUMBER 01)

LYABUNGU, TANGANYIKA

LATITUDE 0314S

LONGITUDE 0371E

ELEVATION(FT) 04100

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO.
ABS MAX TMP (F)	92	92	93	88	85	82	83	83	87	87	90	89	93	23	-131
MEAN MAX TMP (F)	84	84	82	74	72	70	69	71	72	76	81	82	76	23	-131
MEAN MIN TMP (F)	58	58	59	61	57	55	55	55	55	55	57	58	57	23	-131
ABS MIN TMP (F)	51	52	52	52	52	49	46	45	46	48	50	51	45	23	-131
MEAN NO DYS TMP = OR GTR 90(F)	8.2	7.4	5.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	0.0	26.1	23	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	-29
MEAN DEW PT TMP (F)	56	56	59	61	60	56	55	55	53	53	58	58	57	17	-29
MEAN REL HUM (PCT)	62	62	71	80	85	80	79	78	71	67	70	69	73	3	-29
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.40	2.39	4.67	21.72	20.33	4.86	2.07	1.56	1.46	1.52	2.62	2.66	67.5	20	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.2	5.6	7.9			8.1	4.0	3.1	2.9	3.0	4.8	5.8		20	-29
MEAN NO DYS SNFL = OR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	1.0	1.0	1.0	0.3	0.0	0.0	0.0	0.0	1.0	1.0	2.0	8.3	3	-131
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

LYABUNGU, TANGANYIKA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0

DATA NOT AVAILABLE

TANGANYIKA	PLATBAU BOUNDARIES	AREA NO. 81												ANN
		LATITUDE 0500S						LONGITUDE 03400E						
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
MEAN MAX TMP (F)		82	82	81	79	78	77	77	78	81	83	83	82	80
MEAN MIN TMP (F)		62	62	62	62	60	57	56	57	59	61	62	62	60
LARGEST MEAN PRECIP(IN)		10.81	9.04	10.16	21.72	20.33	4.86	2.07	3.40	4.15	5.16	6.52	7.62	105.9
SMALLEST MEAN PRECIP(IN)		1.16	2.00	2.92	1.97	0.22	0.04	0.00	0.00	0.06	0.18	0.87	2.10	11.5
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST													
	08 LST	29.0	26.0	28.3	26.0	27.9	28.0	28.9	28.7	27.4	28.7	27.7	28.4	335.0
	14 LST	30.1	26.9	29.7	28.8	30.7	29.8	30.8	30.8	29.9	30.8	29.4	30.4	358.1
	20 LST													
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST													
	08 LST	22.9	21.6	22.1	18.4	18.1	16.2	15.8	16.5	15.3	16.2	18.6	20.4	220.1
	14 LST	18.0	16.0	17.7	17.0	19.2	17.3	15.2	15.2	13.4	14.0	15.7	18.2	196.9
	20 LST													
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST													
	08 LST													
	14 LST	0.1	0.2	3.7	0.4	1.1	2.0	3.2	3.5	7.2	5.9	3.5	0.3	31.1
	20 LST													
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													
	08 LST													
	14 LST	13.0	14.0	9.2	8.8	15.9	17.3	14.7	16.1	10.6	10.1	9.6	5.8	145.1
	20 LST													
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST													
	08 LST	9.1	3.6	2.4	2.8	5.4	8.2	8.5	10.1	8.8	6.5	4.9	4.2	70.5
	14 LST	2.2	2.1	1.4	1.3	3.5	6.8	6.8	7.9	7.0	5.1	2.6	1.7	48.4
	20 LST													
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST													
	08 LST	25.8	23.0	23.7	19.7	22.5	22.6	23.5	24.1	23.1	23.7	23.1	24.0	278.4
	14 LST	26.3	23.4	23.4	23.1	26.3	27.3	27.9	28.3	27.6	28.0	25.8	25.1	314.5
	20 LST													
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST													
	08 LST	24.8	22.2	22.8	18.9	21.7	21.5	21.9	22.8	21.8	22.6	22.0	22.8	265.8
	14 LST	22.1	20.5	21.9	18.8	20.9	22.9	22.5	22.2	22.2	23.3	21.5	21.7	280.1
	20 LST													
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST													
	08 LST	24.8	22.2	22.7	18.9	21.7	21.5	21.9	22.8	21.8	22.6	22.0	22.8	265.7
	14 LST	22.1	20.5	21.9	18.8	20.9	22.9	22.5	22.1	22.2	23.3	21.5	21.7	280.0
	20 LST													

TANGA, TANGANYIKA

STA NO. 63844 (IN AREA NUMBER 02)

LATITUDE 0509S

LONGITUDE 03904E

ELEVATION(FT) 00129

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NG. OBS
ABS MAX TMP (F)	93	95	95	93	91	88	88	90	88	95	92	95	95	21	-28
MEAN MAX TMP (F)	88	88	89	86	84	82	82	82	82	85	87	88	85	21	-28
MEAN MIN TMP (F)	75	76	75	74	72	70	69	68	69	70	73	75	72	21	-28
ABS MIN TMP (F)	69	68	68	68	67	64	64	62	60	64	66	68	60	21	-28
MEAN NO DYS TMP OR GTR 90(F)	13.2	11.9	14.5	10.3	8.2	0.0	0.0	5.9	0.0	9.4	11.5	13.2	98.1	21	-29
MEAN NO DYS TMP OR LES 32(F)	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS TMP OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN DEW PT TMP (F)	75	74	75	75	72	69	69	68	69	70	74	76	72	0	-50
MEAN REL HUM (PCT)	80	79	80	85	84	80	82	82	81	80	83	82	82	10	-28
MEAN PRESS ALT (FT)	200	200	200	200	190	90	90	90	90	100	190	200	133	0	-50
MEAN PRECIP (IN)	1.23	1.92	4.02	8.77	12.68	2.97	2.18	3.01	3.44	4.49	4.22	3.16	52.9	26	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS PRCP OR GTR 0.1 IN	2.8	4.3	8.1	10.0		5.3	4.2	5.5	6.1	7.6	7.2	6.7		26	-29
MEAN NO DYS SNFL OR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	1.0	0.3	0.0	0.3	0.0	0.0	0.0	0.0	0.3	0.0	1.0	2.9	8	-131
P FREQ WND SPD OR GTR 17 KTS														0	0
P FREQ WND SPD OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	5.7	5.0	5.2	13.3	14.6	10.0	12.3	14.8	17.3	21.3	14.2	7.1	11.8	5	1792
09-11 LST	1.6	3.5	1.9	12.8	15.5	4.0	9.7	8.4	15.3	16.4	8.1	3.9	8.4	5	1789
12-14 LST	0.8	1.4	1.3	6.7	11.6	5.3	5.8	3.2	5.3	5.8	4.0	2.6	4.5	5	1790
15-17 LST	0.0	0.7	0.6	3.3	4.5	4.0	3.9	2.6	2.0	3.2	2.7	1.9	2.5	5	1794
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	2.0	1.3	0.0	1.9	0.0	0.0	0.6	1.4	0.0	0.6	3	1792
09-11 LST	0.0	0.0	0.0	1.7	0.6	0.0	0.6	0.0	0.0	0.7	0.0	0.0	0.3	5	1789
12-14 LST	0.0	0.7	0.0	0.7	1.9	0.7	0.0	0.0	0.7	0.0	0.0	0.0	0.4	5	1790
15-17 LST	0.0	0.0	0.0	0.0	0.6	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1794
18-20 LST	0.0	0.0	0.0	0.0	1.3	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.2	5	1786
21-23 LST														0	0

TANGA, TANGANYIKA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	31.0	28.0	30.8	27.8	28.8	29.4	29.2	30.2	29.0	30.4	29.6	31.0	355.2	5	1789
	15 LST	31.0	27.8	31.0	29.6	30.2	29.4	30.2	30.4	30.0	30.4	29.8	30.6	360.4	5	1794
	21 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST														0	0
	09 LST	16.4	14.5	20.2	13.7	7.8	6.6	5.6	10.2	14.0	16.3	20.1	12.6	158.0	5	1789
	15 LST	1.2	1.6	1.4	5.0	4.6	1.6	2.2	1.0	1.0	3.0	3.4	3.0	29.0	5	1794
	21 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
	21 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
	21 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	6.0	8.3	2.6	3.8	5.6	8.2	6.4	7.0	1.6	0.0	1.6	5.2	56.3	5	1789
	15 LST	13.0	13.7	8.2	6.4	6.2	8.0	6.4	10.0	12.2	12.7	14.0	12.0	122.6	5	1794
	21 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	28.0	25.4	27.2	23.6	23.8	27.8	26.4	26.0	16.4	14.0	19.3	27.2	285.1	5	1789
	15 LST	31.0	27.8	30.8	28.8	29.0	27.8	29.4	29.6	28.2	28.8	28.0	29.8	349.0	5	1794
	21 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	26.2	24.4	25.6	23.0	23.6	27.6	26.0	25.4	12.4	8.6	15.5	25.6	263.9	5	1789
	15 LST	31.0	27.8	30.8	28.8	29.0	27.8	29.4	29.4	27.8	28.2	27.8	29.8	347.6	5	1794
	21 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	26.2	24.4	25.6	23.0	23.6	27.6	26.0	25.4	12.4	8.6	15.5	25.6	263.9	5	1789
	15 LST	31.0	27.8	30.8	28.8	29.0	27.8	29.4	29.4	27.8	28.2	27.8	29.8	347.6	5	1794
	21 LST														0	0

MOROGORO, TANGANYIKA

STA NO. 63866/ (IN AREA NUMBER 02)

LATITUDE 0651S

LONGITUDE 03740E

ELEVATION(FT) 01900

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	99	99	97	95	90	88	90	92	92	95	97	97	99	36	-131
MEAN MAX TMP (F)	89	89	88	85	83	81	81	83	85	88	90	89	86	36	-131
MEAN MIN TMP (F)	69	70	69	69	66	61	59	60	62	64	67	69	65	36	-131
ABS MIN TMP (F)	63	63	63	59	54	48	48	49	51	54	58	61	48	36	-131
MEAN NO DYS TMP = DR GTR 90(F)	14.5	13.0	13.2	9.0	7.0	0.0	4.8	7.0	9.0	13.2	15.3	14.5	120.5	36	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36	-29
MEAN DEW PT TMP (F)	68	68	68	71	68	61	59	59	59	61	64	66	64	27	-29
MEAN REL HUM (PCT)	72	71	73	82	81	74	72	69	69	63	65	67	71	8	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRESS ALT (FT)	3.86	3.81	6.83	8.12	9.94	1.06	0.95	0.38	0.64	0.97	2.04	2.81	35.0	37	-6
MEAN PRECIP (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36	-29
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	37	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.0	7.9	9.4	9.8	7.2	2.2	1.2	0.9	1.4	2.0	3.9	6.1	60.0	36	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	15.0	13.0	18.0	10.0	1.0	0.0	0.0	0.0	0.0	1.0	6.0	12.0	76.0	9	-131
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	19.3	20.9	20.1	36.0	22.9	19.2	16.7	16.0	22.7	21.8	15.0	18.7	20.1	9	1691
09-11 LST	6.5	10.6	11.6	24.0	17.0	11.6	14.0	11.3	11.7	11.3	9.2	19.6	12.9	9	1694
12-14 LST	2.4	4.3	3.2	13.3	7.2	3.4	3.3	3.3	0.0	0.8	2.9	1.6	3.9	9	1696
15-17 LST	1.1	0.9	6.3	6.7	6.5	0.8	0.8	0.8	0.8	1.6	1.7	0.8	2.4	4	1424
18-20 LST	0.0	4.6	2.4	6.7	3.2	0.8	0.8	0.8	0.8	1.6	2.9	1.7	2.0	4	1421
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.7	0.0	0.7	0.0	0.0	0.0	0.0	1.7	0.0	0.3	9	1691
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.1	9	1694
12-14 LST	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	9	1696
15-17 LST	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	1424
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	4	1421
21-23 LST														0	0

DOROGORO, TANGANYIKA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	31.0	26.8	29.2	29.8	28.8	29.0	29.8	30.2	29.7	30.2	29.7	29.7	349.9	9	1634
	15 LST	31.0	28.0	30.0	29.3	30.5	30.0	31.0	30.7	30.0	31.0	29.0	30.5	361.0	4	1424
	21 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	03 LST														0	0
	09 LST	25.2	22.6	23.4	20.0	22.9	24.5	23.6	24.8	23.7	24.7	23.7	19.0	280.1	5	1634
	15 LST	26.7	24.7	25.7	25.2	27.2	27.5	26.7	23.3	22.7	23.5	24.8	22.8	300.8	4	1423
	21 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
	21 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
	21 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	1.7	1.6	1.6	0.6	3.8	6.6	7.0	7.4	3.2	1.2	2.0	2.0	38.7	9	1634
	15 LST	2.0	1.2	0.0	0.2	0.2	0.0	1.0	1.0	1.5	0.7	1.7	0.7	10.2	4	1424
	21 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	25.2	22.8	24.0	18.4	20.9	23.4	21.9	24.4	22.0	22.0	22.2	22.1	269.3	5	1634
	15 LST	28.0	23.5	21.7	17.5	18.5	20.4	23.9	22.7	23.0	25.0	23.5	26.1	273.8	4	1424
	21 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	23.7	22.4	23.0	17.6	19.4	22.2	20.2	23.7	20.5	19.7	19.9	21.8	254.1	9	1634
	15 LST	25.3	20.5	17.5	10.5	11.0	12.1	16.9	13.5	15.2	19.5	15.8	21.8	199.6	4	1424
	21 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	23.7	22.4	23.0	17.6	19.4	22.2	20.2	23.7	20.5	19.7	19.9	21.8	254.1	9	1634
	15 LST	25.3	20.5	17.5	10.5	11.0	12.1	16.9	13.5	15.2	19.5	15.8	21.8	199.6	4	1424
	21 LST														0	0

DAR ES SALAAM, TANGANYIKA

STA NO. 63894 (IN AREA NUMBER 02)

LATITUDE 0452S

LONGITUDE 03912E

ELEVATION(FT) 00101

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	95	95	96	95	91	90	90	89	91	92	94	95	96	44	-28
MEAN MAX TMP (F)	87	88	88	86	85	84	83	83	83	85	86	87	85	44	-28
MEAN MIN TMP (F)	77	77	79	73	71	68	66	66	67	69	72	75	71	44	-28
ABS MIN TMP (F)	69	68	69	66	64	60	60	59	61	62	66	69	59	44	-28
MEAN NO DYS TMP = DR GTR 90(F)	11.9	11.9	13.2	10.3	9.4	7.9	7.0	0.0	6.7	9.4	10.3	11.9	109.9	44	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN DEW PT TMP (F)	75	76	77	76	74	70	71	70	70	70	72	74	73	0	-30
MEAN REL HUM (PCT)	78	78	81	83	80	74	69	74	74	74	76	78	77	22	-28
MEAN PRESS ALT (FT)	290	290	290	290	200	100	100	100	190	190	200	290	188	0	-30
MEAN PRECIP (IN)	2.62	2.26	4.78	10.95	7.82	1.31	1.18	0.97	1.13	1.84	2.94	3.92	41.3	90	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.7	5.0	8.0	10.4	9.7	2.7	2.4	2.0	2.3	3.3	5.3	7.4	64.4	90	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.6	0.8	1.8	2.6	1.0	0.6	1.0	0.4	0.0	0.4	1.0	0.8	11.0	9	1026
MEAN NO DYS TSTMS	3.0	4.0	10.0	7.0	1.0	0.0	0.0	0.0	0.0	0.0	2.0	5.0	32.0	10	-24
P FREQ WND SPD = DR GTR 17 KTS	0.4	0.4	0.3	0.1	0.3	1.2	1.3	1.6	0.9	0.6	0.2	0.6	0.7	9	43608
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	43608
P FREQ LES 3000 FT A/D LES 3 MI	18.4	17.3	19.1	19.1	15.7	14.9	14.9	16.3	20.9	21.5	18.4	21.1	17.4	9	43441
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	4.2	3.4	1.8	2.9	2.7	1.6	0.4	1.1	2.0	3.4	3.3	7.6	3.0	9	9419
03-05 LST	7.2	4.0	3.4	5.1	3.7	2.0	1.9	3.2	3.6	3.0	4.2	7.4	4.0	9	9422
06-08 LST	7.6	3.2	3.9	6.0	4.1	2.4	3.3	4.3	4.9	6.3	7.3	12.0	5.6	9	9428
09-11 LST	8.1	8.3	7.7	9.8	8.8	9.1	8.6	7.1	12.0	15.8	14.3	13.1	10.2	9	9438
12-14 LST	3.3	4.5	6.2	15.1	10.1	8.2	8.2	4.3	6.7	6.5	8.9	6.0	7.3	9	9434
15-17 LST	1.8	4.2	6.3	7.6	4.2	3.9	2.7	1.7	1.5	3.6	5.7	2.1	3.8	8	9372
18-20 LST	2.1	1.2	0.9	1.6	0.9	1.6	1.1	1.7	0.4	1.5	2.7	0.9	1.4	9	9438
21-23 LST	2.8	3.8	1.7	0.7	1.1	1.3	0.2	1.5	0.9	1.7	2.9	2.6	1.8	9	9429
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.1	9	9419
03-05 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2	0.1	9	9422
06-08 LST	0.2	0.0	0.0	0.7	0.6	0.0	0.0	0.2	0.2	0.0	0.7	0.2	0.2	9	9428
09-11 LST	0.2	0.3	0.2	1.1	1.3	0.4	0.6	0.2	0.2	0.4	1.3	0.4	0.6	9	9438
12-14 LST	0.2	0.7	0.9	2.9	1.3	1.3	0.6	0.4	0.2	0.2	1.3	0.4	0.9	9	9434
15-17 LST	0.0	0.9	1.7	1.3	0.2	0.4	0.2	0.2	0.0	0.6	0.9	0.0	0.3	8	9372
18-20 LST	0.0	0.0	0.2	0.2	0.4	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.1	9	9438
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	9429

DAR ES SALAAM, TANGANYIKA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	30.8	27.8	31.0	29.2	30.2	29.8	30.8	30.8	29.6	30.6	30.0	30.4	361.0	5	1823
	09 LST	30.4	27.0	30.0	28.0	30.0	29.0	30.4	30.8	30.0	30.0	28.4	29.6	353.6	5	1826
	15 LST	31.0	27.4	28.8	27.4	30.3	28.3	30.4	30.4	30.0	30.2	27.6	30.2	352.0	8	1965
	21 LST	30.6	27.6	31.0	29.8	31.0	29.8	31.0	30.6	29.8	30.8	29.6	31.0	362.6	5	1826
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	25.9	25.4	29.4	27.6	28.6	29.2	30.0	29.2	28.6	28.8	27.8	25.9	336.4	5	1823
	09 LST	18.4	19.9	23.6	23.2	22.6	17.4	19.2	24.6	24.4	20.0	19.8	13.8	248.9	5	1826
	15 LST	6.5	8.3	12.1	13.9	10.0	9.5	4.8	6.4	4.0	3.4	5.6	8.3	88.8	8	1958
	21 LST	24.2	24.8	28.8	29.4	30.6	29.2	30.6	30.4	29.6	30.2	28.2	24.8	340.8	5	1826
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	3.4	7.2	5	132
	21 LST														0	0
SFC WND 4-10 KTS AND TMP 33-87 DEC F AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST	4.4	12.4	7.1	9.2	12.9	4.3	15.9	12.4	7.5	15.5	15.0	10.3	126.5	5	131
	21 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	11.1	12.5	12.2	14.0	19.7	21.0	19.0	22.0	23.2	20.8	17.4	10.9	209.8	5	1823
	09 LST	1.2	1.0	3.2	5.2	10.4	10.8	12.0	12.6	5.4	0.6	0.4	0.2	63.0	5	1826
	15 LST	4.6	5.3	3.1	1.3	0.7	1.7	3.1	4.6	5.0	6.2	7.4	5.5	48.5	8	1969
	21 LST	14.6	14.7	13.4	14.0	20.4	19.0	19.0	23.4	26.4	24.4	20.2	16.2	225.7	5	1826
CIG = GTR 2300 FT AND VSBY = GTR 3 MI	03 LST	25.4	24.8	28.8	27.4	28.4	29.0	29.6	29.8	28.4	28.4	27.2	25.9	333.3	5	1823
	09 LST	21.6	20.8	25.8	26.4	29.2	28.4	29.2	28.4	22.4	14.8	15.4	16.2	278.6	5	1826
	15 LST	28.3	25.0	26.0	22.9	25.0	24.5	26.6	28.1	26.0	27.0	24.2	27.8	311.4	8	1965
	21 LST	29.2	26.0	30.2	29.6	30.4	29.6	30.2	30.4	29.4	30.0	28.2	29.0	352.2	5	1826
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	24.3	24.4	28.4	27.4	28.6	29.0	29.4	29.8	28.4	28.4	27.0	25.5	330.6	5	1823
	09 LST	18.8	18.3	23.0	26.4	29.0	28.4	28.8	27.8	20.4	10.6	11.6	13.4	258.5	5	1826
	15 LST	27.4	23.2	24.4	22.1	22.8	21.5	24.9	25.3	21.9	25.4	22.5	26.3	287.9	8	1965
	21 LST	29.2	25.8	29.8	29.6	30.2	29.2	29.8	30.4	29.4	30.0	28.0	28.4	349.8	5	1826
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	24.3	24.4	28.4	27.4	28.6	29.0	29.4	29.8	28.4	28.4	27.0	25.5	330.6	5	1823
	09 LST	18.8	18.3	23.0	26.4	29.0	28.4	28.8	27.8	20.4	10.6	11.6	13.4	258.5	5	1826
	15 LST	27.4	23.2	24.4	22.1	22.8	21.5	24.9	25.3	21.9	25.4	22.5	26.3	287.9	8	1965
	21 LST	29.2	25.8	29.8	29.6	30.2	29.2	29.8	30.4	29.4	30.0	28.0	28.4	349.8	5	1826

STA NO. 63695 (IN AREA NUMBER 02)

MAFIA/KILINDONI, TANGANYIKA

LATITUDE 0759S

LONGITUDE 03940E

ELEVATION(FT) 00070

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.83	4.43	9.00	28.47	12.49	2.44	1.00	1.12	0.96	1.00	5.33	6.73	74.3	18	-6
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.3	8.8	10.2			4.6	3.2	2.3	1.2	3.2	8.7	10.4		18	-29
MEAN NO DYS SNFL = OR GTR 1.9 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	0.0	0.3	1.0	1.0	0.0	0.3	0.0	0.0	0.0	0.3	2.0	3.9	5	-131
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	7.3	6.2	3.2	5.0	3.3	2.7	3.9	0.6	0.0	1.9	2.7	6.5	3.6	3	1664
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	1664
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

DAFIA/KILINDONI, TANGANYIKA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	31.0	28.0	31.0	29.2	30.5	30.0	31.0	31.0	30.0	30.6	30.0	30.6	302.9	5	1004
	15 LST														0	0
	21 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	03 LST														0	0
	09 LST	27.2	25.0	29.5	28.0	29.7	27.0	28.8	29.6	30.0	30.4	28.8	27.6	341.0	5	1004
	15 LST														0	0
	21 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
	21 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
	21 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	5.5	3.9	2.5	2.5	7.6	5.8	5.4	5.2	3.1	3.2	4.4	5.4	34.5	5	1004
	15 LST														0	0
	21 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	27.2	25.0	28.0	25.7	28.7	28.4	28.8	30.6	29.4	30.0	28.6	27.6	337.8	5	1004
	15 LST														0	0
	21 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	22.0	18.3	16.7	16.1	20.8	18.8	19.6	23.8	20.0	22.7	19.3	20.5	238.6	5	1004
	15 LST														0	0
	21 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	22.0	18.3	16.7	16.1	20.8	18.8	19.6	23.8	20.0	22.7	19.3	20.5	238.6	5	1004
	15 LST														0	0
	21 LST														0	0

STA NO. 69969 (IN AREA NUMBER 02)

HACHINGUEA, TANGANYIKA

LATITUDE 10215

LONGITUDE 03045E

ELEVATION(FT) 01925

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	95	95	95	94	93	88	89	93	93	97	98	98	98	5	-28
MEAN MAX TMP (F)	88	89	88	86	84	83	83	86	88	91	92	91	87	5	-28
MEAN MIN TMP (F)	71	70	69	68	64	60	59	61	64	66	69	71	66	5	-28
ABS MIN TMP (F)	64	65	68	62	54	55	52	54	59	59	62	63	52	5	-28
MEAN NO DYS TMP = DR GTR 90(F)	13.2	13.0	13.2	10.3	8.2	0.0	0.0	10.7	12.7	17.2	17.9	17.2	133.6	5	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN DEW PT TMP (F)	69	69	71	69	63	58	54	56	57	58	62	66	63	5	-29
MEAN REL HUM (PCT)	74	74	79	79	71	65	60	58	56	54	57	64	66	5	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	6.40	8.20	6.40	5.30	0.90	0.05	0.05	0.05	0.20	0.10	2.90	3.70	34.3	5	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.4		9.2	8.5	2.2	0.2	0.2	0.2	0.6	0.4	5.2	7.7		5	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WMO SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	25.0	23.0	27.6	26.5	13.7	6.0	6.5	5.2	6.0	6.5	11.3	20.8	14.8	5	1668
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	2.4	0.0	0.8	0.9	0.0	0.0	0.0	0.0	0.0	0.6	0.7	3.2	0.7	5	1668
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MACHINGEA, TANGANYIKA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													346.1	5	1668
	07 LST	27.7	26.3	28.9	26.6	29.0	29.4	30.4	30.8	30.0	30.8	28.8	27.8		0	0
	13 LST														0	0
	19 LST														0	0
	21 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST													249.8	5	1668
	09 LST	17.0	17.1	18.6	17.4	23.7	23.2	21.7	23.8	24.4	24.4	21.8	18.7		0	0
	15 LST														0	0
	21 LST														0	0
	03 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST														0	0
	15 LST														0	0
	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST														0	0
	21 LST														0	0
	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST														0	0
	03 LST														0	0
	09 LST	2.7	2.0	3.7	6.9	17.9	19.2	18.4	14.8	11.6	7.2	3.8	1.4	109.2	5	1672
	15 LST														0	0
	21 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	13.7	14.1	13.3	15.9	24.2	26.2	26.7	25.6	21.4	20.6	17.6	16.7	236.0	5	1668
	15 LST														0	0
	21 LST														0	0
	03 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST	10.2	11.1	10.8	14.6	24.0	29.2	29.7	22.8	17.2	13.2	9.6	12.1	196.5	5	1668
	15 LST														0	0
	21 LST														0	0
	03 LST														0	0
	09 LST	10.2	11.1	10.8	14.6	24.0	29.2	29.7	22.8	17.2	13.2	9.6	12.1	196.5	5	1668
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST														0	0
	21 LST														0	0
	03 LST														0	0

STA NO. 63971 (IN AREA NUMBER 02)

BTBARA, TANGANYIKA

LATITUDE 1016S

LONGITUDE 04011E

ELEVATION(FT) 00370

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	8.57	5.87	6.00	7.70	2.93	0.21	0.28	0.39	5.62	1.09	1.30	7.45	47.1	4	-6
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN		10.2	9.0	9.7	5.3	0.8	0.7	0.9	9.1	2.2	2.6	10.1		4	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	0.3	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.6	4	-131
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR (TR 20 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT /D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	19.8	19.3	11.0	11.3	5.8	2.7	3.9	4.3	5.3	11.0	12.7	21.9	9.9	5	1761
09-11 LST	17.7	12.4	7.8	11.3	6.3	2.0	4.3	3.2	14.7	29.9	7.3	27.9	13.9	5	1764
12-14 LST	12.1	17.7	17.4	21.8	12.3	10.0	13.5	12.3	13.3	10.7	10.7	14.9	13.9	5	1758
15-17 LST	7.3	8.8	10.7	23.3	12.3	8.0	9.1	3.8	8.0	7.8	8.0	14.4	10.8	5	1762
18-20 LST	8.9	11.5	12.3	7.3	5.8	3.3	3.9	0.6	4.7	5.8	7.3	13.7	7.1	5	1762
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.8	0.0	0.0	0.7	1.3	0.0	1.3	0.6	0.0	0.0	0.0	0.0	0.4	5	1761
09-11 LST	0.0	0.0	0.0	1.3	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	5	1764
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1758
15-17 LST	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1762
18-20 LST	0.0	0.9	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1762
21-23 LST														0	0

BTBABA, TANGANYIKA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	30.5	27.5	31.0	29.0	30.2	29.8	30.2	30.8	29.6	31.0	30.0	30.4	300.0	5	1764
	15 LST	31.0	28.0	30.2	29.0	31.0	30.0	30.8	31.0	29.8	31.0	29.8	30.2	361.8	5	1762
	21 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST														0	0
	09 LST	19.7	18.1	16.9	11.2	7.8	9.4	4.6	12.2	16.2	10.3	11.4	10.9	140.2	5	1764
	15 LST	8.1	6.9	9.0	5.0	6.4	3.8	2.2	3.6	4.6	3.4	2.8	5.9	61.9	5	1762
	21 LST														0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
	21 LST														0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST														0	0
	21 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	0.0	0.7	3.0	7.8	13.4	13.0	13.8	12.0	3.2	0.2	0.6	0.0	70.5	5	1765
	15 LST	0.7	0.2	0.4	0.2	2.0	1.6	1.8	2.0	2.4	2.8	2.8	1.4	19.1	5	1762
	21 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	17.7	18.6	20.2	24.6	28.2	29.0	28.8	28.6	19.8	9.3	9.0	10.4	232.4	5	1764
	15 LST	22.4	19.6	17.4	14.0	19.4	20.8	22.9	23.6	21.2	21.9	23.0	19.8	246.0	5	1762
	21 LST														0	0
CIG = GTR 3000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	15.7	20.6	26.2	24.6	28.2	29.0	28.6	28.6	18.6	6.8	5.4	7.2	239.5	5	1764
	15 LST	19.1	16.8	15.6	11.6	15.8	17.0	20.1	20.4	18.2	17.5	20.0	17.2	209.3	5	1762
	21 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST														0	0
	09 LST	15.7	20.6	26.2	24.6	28.2	29.0	28.6	28.6	18.6	6.8	5.4	7.2	239.5	5	1764
	15 LST	19.1	16.8	15.6	11.6	15.8	17.0	20.1	20.4	18.2	17.5	20.0	17.2	209.3	5	1762
	21 LST														0	0

TANGANYIKA

COASTAL
BOUNDARIES

AREA NO. 02

LATITUDE 0305

LONGITUDE 03050E

0405S 03045E

0800S 03705E

0800S 03705E

1155S 03445E

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		88	89	88	86	84	83	82	84	85	87	89	89	86
MEAN MIN TMP (F)		73	73	72	71	68	69	63	64	66	67	70	73	69
LARGEST MEAN PRECIP(IN)		0.97	0.20	9.00	23.47	12.00	2.97	2.18	3.01	5.02	4.49	5.33	7.45	93.6
SMALLEST MEAN PRECIP(IN)		1.23	1.92	4.70	8.30	0.90	0.05	0.05	0.05	0.20	0.10	1.30	2.01	18.7
		MEAN NUMBER OF DAYS												
CIG - GTR 1000 FT AND VSBY - GTR 3 MI	03 LST	30.8	27.8	31.0	29.2	30.2	29.8	30.8	30.8	29.6	30.6	30.0	30.4	301.0
	09 LST	30.3	27.3	30.1	27.7	29.6	29.4	30.2	30.6	29.7	30.5	29.4	29.9	354.7
	15 LST	31.0	27.8	30.0	28.8	30.5	29.4	30.6	30.6	30.0	30.7	29.1	30.4	338.9
	21 LST	30.6	27.6	31.0	29.8	31.0	29.8	31.0	30.6	29.8	30.8	29.6	31.0	362.6
CIG -GTR 2000 FT AND VSBY -GTR 3 MI W/SFC WND LES 10 KTS	03 LST	25.9	23.4	29.4	27.6	28.6	29.2	30.0	29.2	28.6	28.8	27.8	25.9	336.4
	09 LST	19.9	19.3	22.0	18.9	19.1	17.4	17.3	20.9	22.1	21.0	20.9	17.4	236.4
	15 LST	10.6	10.4	12.1	12.3	12.1	9.6	9.0	8.6	8.1	8.4	9.2	10.0	120.4
	21 LST	24.2	24.8	28.8	29.4	30.6	29.2	30.6	30.4	29.6	30.2	28.2	24.8	340.8
SFC WND - GTR 17 KTS AND NO PRECIP.	03 LST													
	09 LST													
	15 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	3.4	7.2
	21 LST													
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST													
	09 LST													
	15 LST	4.4	12.4	7.1	9.2	12.9	4.3	13.9	12.4	7.5	13.3	13.0	10.3	126.3
	21 LST													
SKY COVER LES 3/10 AND VSBY - GTR 3 MI	03 LST	11.1	12.3	12.2	14.0	19.7	21.0	19.0	22.0	23.2	20.8	17.4	10.9	203.8
	09 LST	2.9	2.9	2.8	4.3	9.7	10.6	10.8	10.0	4.7	2.1	2.1	2.4	63.5
	15 LST	3.1	3.1	2.9	2.0	2.3	2.8	3.1	4.6	3.3	3.6	6.3	4.9	30.2
	21 LST	14.6	14.7	13.4	14.0	20.4	19.0	19.0	23.4	26.4	24.4	20.2	16.2	223.7
CIG - GTR 2500 FT AND VSBY - GTR 3 MI	03 LST	23.4	24.8	28.8	27.4	28.6	29.8	29.6	29.8	28.4	28.4	27.2	23.9	333.3
	09 LST	22.2	21.3	24.1	22.4	23.8	27.2	26.9	27.3	21.9	18.3	18.7	20.0	276.3
	15 LST	27.4	24.0	24.0	20.8	23.0	23.4	23.7	26.0	24.6	23.7	24.7	23.9	293.2
	21 LST	29.2	26.0	30.2	29.6	30.4	29.6	30.2	30.4	29.4	30.0	28.2	29.0	332.2
CIG - GTR 6000 FT AND VSBY - GTR 3 MI	03 LST	24.3	24.4	28.4	27.4	28.6	29.8	29.4	29.8	28.4	28.4	27.0	23.3	330.6
	09 LST	19.4	19.2	21.2	20.4	24.2	23.2	24.8	23.4	18.2	13.6	13.6	16.8	242.0
	15 LST	23.7	22.1	22.1	18.3	19.7	19.6	22.8	22.2	20.8	22.7	21.3	23.8	261.3
	21 LST	29.2	23.8	29.8	29.6	30.2	29.2	29.8	30.4	29.4	30.0	28.0	28.4	349.8
CIG - GTR 10000 FT AND VSBY - GTR 3 MI	03 LST	24.3	24.4	28.4	27.4	28.6	29.8	29.4	29.8	28.4	28.4	27.0	23.3	330.6
	09 LST	19.4	19.2	21.2	20.4	24.2	23.2	24.8	23.4	18.2	13.6	13.6	16.8	242.0
	15 LST	23.7	22.1	22.1	18.3	19.7	19.6	22.8	22.2	20.8	22.7	21.3	23.8	261.3
	21 LST	29.2	23.8	29.8	29.6	30.2	29.2	29.8	30.4	29.4	30.0	28.0	28.4	349.8

BANGU, TSGO

STA NO. 69352 (IN AREA NUMBER 01)

LATITUDE 1022N

LONGITUDE 00020E

ELEVATION(FT) 00929

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP - OR GTR 90(F)														0	0
MEAN NO DYS TMP - OR LES 32(F)														0	0
MEAN NO DYS TMP - OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN CBL HUR (PCT)	27	29	42	55	68	70	81	84	84	77	58	37	60	10	-92
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.09	0.16	0.70	2.14	4.21	5.73	6.70	9.60	9.31	3.34	0.36	0.10	42.8	38	-6
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP - OR GTR 0.1 IN	0.3	0.3	1.0	4.7	7.8	9.2	10.3	12.9	13.2	3.9	0.9	0.4	67.9	38	-29
MEAN NO DYS SNFL - OR GTR 1.5 IN	0.0													0	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI												0.0		0	-29
MEAN NO DYS TSTMS	0.3	1.0	2.0	4.0	8.0	8.0	8.0	8.0	11.0	8.0	1.0	0.3	59.6	16	-24
P FREQ WND SPD - OR GTR 17 KTS														0	0
P FREQ WND SPD - OR GTR 20 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 ST														0	0
09-11 LST														0	0
12-14 LST	2.3	0.0	0.0	0.0	5.7	10.0	16.7	24.3	18.0	6.3	0.0	2.0	7.2	4	454
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.0	0.0	0.2	4	454
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BANGO, TOGO
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG - GTR 1000 FT AND VSBY - GTR 3 MI	00 LST														0	0
	04 LST														0	0
	12 LST	13.4	22.5	29.7	29.3	31.0	29.3	29.9	29.3	27.2	31.0	20.1	22.9	323.6	4	454
	18 LST														0	0
CIG -GTR 2000 FT AND VSBY -GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	04 LST														0	0
	12 LST	11.1	10.4	22.9	23.1	27.4	23.7	19.9	17.6	20.3	23.0	22.5	12.5	234.4	4	437
	18 LST														0	0
SFC WND - GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	04 LST														0	0
	12 LST	3.7	2.8	0.6	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	2.6	11.7	4	469
	18 LST														0	0
SFC WND 4-10 KTS AND TMP 33-69 DEG F AND NO PRECIP.	00 LST														0	0
	04 LST														0	0
	12 LST	9.3	4.3	3.2	3.6	6.2	13.3	20.2	27.3	10.0	10.0	4.1	2.7	122.4	4	431
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY - GTR 3 MI	00 LST														0	0
	04 LST														0	0
	12 LST	10.8	14.4	12.0	5.6	3.4	1.4	0.0	0.0	0.0	3.8	7.7	10.7	79.8	4	468
	18 LST														0	0
CIG - GTR 2500 FT AND VSBY - GTR 3 MI	00 LST														0	0
	04 LST														0	0
	12 LST	13.4	22.5	29.0	27.0	25.7	22.5	14.4	12.6	16.9	27.0	27.1	22.3	261.2	4	454
	18 LST														0	0
CIG - GTR 6000 FT AND VSBY - GTR 3 MI	00 LST														0	0
	04 LST														0	0
	12 LST	13.4	22.5	29.0	27.0	23.9	21.0	9.3	8.4	12.2	26.0	27.1	22.3	242.1	4	454
	18 LST														0	0
CIG - GTR 10000 FT AND VSBY - GTR 3 MI	00 LST														0	0
	04 LST														0	0
	12 LST	13.4	22.5	29.0	27.0	23.9	21.0	9.3	8.4	12.2	26.0	27.1	22.3	242.1	4	454
	18 LST														0	0

STA NO. 69301 (IN AREA NUMBER 01)

SORCODE T060

LATITUDE 0859N

LONGITUDE 00100E

ELEVATION(FT) 01345

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	98	100	99	100	97	97	91	88	89	92	93	96	100	4	-34
MEAN MAX TMP (F)	92	95	94	92	89	87	83	81	83	87	91	91	89	4	-34
MEAN MIN TMP (F)	67	71	72	72	71	70	69	69	69	69	67	66	69	4	-34
ABS MIN TMP (F)	61	62	63	61	64	63	63	66	64	62	60	58	58	4	-34
MEAN NO DYS TMP = OR GTR 90(F)	10.5	20.2	21.1	17.9	14.5	11.5	7.0	0.0	0.0	11.9	16.6	17.2	196.4	4	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN DEW PT TMP (F)	53	59	68	70	71	72	71	70	71	71	67	58	67	6	-29
MEAN REL HUM (PCT)	45	49	64	71	76	82	84	85	86	80	69	54	70	10	-32
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.38	0.61	1.96	4.04	6.32	6.86	8.62	10.06	9.89	5.11	0.93	0.43	55.2	39	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.0	1.4	4.4	7.3	9.1	10.5	12.1	13.2	13.7	8.4	1.9	1.1	84.1	39	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	2.0	3.0	5.0	7.0	9.0	9.0	4.0	6.0	6.0	2.0	1.0	47.0	16	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	2.3	4.5	0.0	2.4	7.7	2.4	22.6	29.8	20.2	7.1	2.9	0.0	9.2	4	481
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	2.3	4.5	0.0	0.0	2.6	0.0	0.0	0.0	5.1	0.0	0.0	0.0	1.2	4	481
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SOKODE, TOGO
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	21.6	22.9	29.6	29.3	30.2	29.3	28.0	29.7	26.1	29.9	26.6	25.6	324.8	4	481
	18 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST														0	0
	12 LST	14.8	19.9	26.7	27.0	24.9	26.0	21.0	18.6	18.2	23.8	19.4	19.8	299.3	4	483
	18 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	0.0	2.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	1.1	0.0	0.6	9.9	4	490
	18 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	17.9	7.9	6.2	9.7	20.9	20.9	26.4	29.2	19.7	24.1	19.9	16.1	210.1	4	467
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	12.7	14.0	13.9	11.6	1.6	3.2	0.9	0.6	0.8	4.4	13.4	19.1	99.8	4	498
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	21.6	22.9	28.2	27.8	26.2	29.7	16.0	14.9	14.6	24.9	26.6	24.9	279.3	4	481
	18 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	20.2	22.9	28.2	24.3	29.8	22.1	18.0	10.9	10.7	24.9	26.6	24.9	248.5	4	481
	18 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	20.2	22.9	28.2	24.3	29.8	22.1	18.0	10.9	10.7	24.9	26.6	24.9	248.5	4	481
	18 LST														0	0

TOGO	INTERIOR PLAINS		AREA NO. 01											
	BOUNDARIES	C740N 00095E	0740N 00145E	LATITUDE 0900N						LONGITUDE 00100E				
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	92	95	94	92	89	87	83	81	83	87	91	91	89	
MEAN MIN TMP (F)	67	71	72	72	71	70	69	69	69	69	67	66	69	
LARGEST MEAN PRECIP(IN)	0.38	0.61	1.96	4.04	6.32	6.86	8.62	10.06	9.89	8.11	0.93	0.43	35.2	
SMALLEST MEAN PRECIP(IN)	0.09	0.16	0.70	2.14	4.91	5.73	6.70	9.68	9.31	3.34	0.36	0.10	42.8	
	MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST													
	06 LST													
	12 LST	17.5	22.7	29.7	29.3	30.6	29.3	29.0	27.5	26.7	30.5	27.4	24.3 324.9	
	18 LST													
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST													
	06 LST													
	12 LST	13.0	13.0	24.8	25.1	26.0	24.9	20.5	18.1	19.3	23.4	21.0	14.2 245.3	
	18 LST													
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST													
	06 LST													
	12 LST	1.9	2.4	0.8	0.0	0.4	0.7	0.0	0.0	0.0	1.1	0.5	1.6 8.9	
	18 LST													
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST													
	06 LST													
	12 LST	13.6	5.9	4.7	6.7	13.6	17.0	23.3	26.3	18.9	17.1	10.0	9.4 166.5	
	18 LST													
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST													
	06 LST													
	12 LST	11.8	14.2	12.8	8.6	2.5	2.3	0.5	0.3	0.4	5.1	10.6	18.9 88.0	
	18 LST													
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST													
	06 LST													
	12 LST	17.5	22.7	28.6	27.8	26.0	24.1	19.2	13.6	15.8	25.7	26.9	23.6 267.5	
	18 LST													
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST													
	06 LST													
	12 LST	16.8	22.7	28.6	25.7	23.9	21.6	9.7	9.5	11.5	23.2	26.9	23.6 245.7	
	18 LST													
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST													
	06 LST													
	12 LST	16.8	22.7	28.6	25.7	23.9	21.6	9.7	9.5	11.5	23.2	26.9	23.6 245.7	
	18 LST													

ATAKPAHE, T060

STA NO. 65376 (IN AREA NUMBER 02)

LATITUDE 0735N

LONGITUDE 00107E

ELEVATION(FT) 01247

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	95	96	99	96	94	92	90	89	87	90	93	95	99	4	-34
MEAN MAX TMP (F)	90	92	93	89	88	89	81	80	82	86	89	89	87	4	-34
MEAN MIN TMP (F)	70	70	71	70	70	69	68	68	68	69	69	68	69	4	-34
ABS MIN TMP (F)	63	66	66	64	65	63	65	64	62	64	66	61	61	4	-34
MEAN NO DYS TMP = DR GTR 90(F)	19.9	16.7	19.8	14.0	13.2	9.0	4.8	0.0	0.0	10.7	14.0	14.5	132.6	4	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN DEW PT TMP (F)	61	64	67	70	70	69	70	70	70	71	69	64	68	4	-29
MEAN REL HUM (PCT)	56	61	65	76	76	79	86	87	86	81	74	64	74	4	-34
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.72	1.82	4.13	9.17	6.07	7.26	7.82	6.98	7.93	9.70	1.60	1.15	99.5	43	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.7	4.1	7.4	8.4	9.0	10.9	11.4	10.2	11.4	9.2	3.1	2.6	89.4	43	-29
MEAN NO DYS SNFL = DR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	3.0	9.0	6.0	9.0	6.0	4.0	9.0	9.0	6.0	2.0	2.0	90.0	16	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	7.7	27.3	8.3	0.0	9.1	4.5	0.0	4.7	2	145
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	145
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

ATAKPANE, TOGO
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	15.5	16.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	29.3	339.8	2	149
	18 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST														0	0
	12 LST	0.0	14.0	31.0	30.0	31.0	24.3	17.2	23.3	30.0	25.4	27.3	19.2	282.9	2	134
	18 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	0.0	0.0	0.0	2.4	2	146
	18 LST														0	0
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST	10.3	9.3	3.9	4.3	10.3	15.0	28.2	10.3	14.0	15.5	6.0	6.9	134.0	2	139
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	20.6	3.5	3.1	3.8	0.0	0.0	2.4	0.0	0.0	0.0	3.8	15.5	34.7	2	137
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	15.5	16.0	28.4	27.0	25.4	23.1	8.4	12.9	15.0	14.1	23.2	22.4	231.4	2	145
	18 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	15.5	16.0	25.8	24.0	22.5	23.1	2.8	5.1	5.6	5.6	17.7	17.2	188.9	2	145
	18 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST	15.5	16.0	25.8	24.0	22.5	23.1	2.8	5.1	5.6	5.6	17.7	17.2	188.9	2	145
	18 LST														0	0

STA NO. 68307 (IN AREA NUMBER 02)

LOBE, T060

LATITUDE 0610N

LONGITUDE 00119E

ELEVATION(FT) 00072

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	91	94	90	91	89	86	89	83	86	87	88	92	94	9	-34
MEAN MAX TMP (F)	85	87	87	81	86	83	80	79	80	83	86	85	84	9	-34
MEAN MIN TMP (F)	71	74	74	74	74	73	71	71	72	72	73	72	73	9	-34
ABS MIN TMP (F)	58	65	68	68	69	68	67	66	65	68	68	66	58	9	-34
MEAN NO DYS TMP = DR GTR 90(F)	9.4	10.7	11.9	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.4	46.0	9	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN DEW PT TMP (F)	71	74	75	75	74	73	73	72	72	70	74	73	73	0	-50
MEAN REL HUM (PCT)	81	83	82	82	82	85	88	87	86	84	83	82	84	4	-34
MEAN PRESS ALT (FT)	-80	-80	-78	-117	-118	-104	-97	-75	-94	-47	-46	-92	-73	0	-50
MEAN PRECIP (IN)	0.64	0.93	1.89	6.43	9.37	8.72	2.97	0.37	0.99	2.22	1.02	0.48	29.3	14	-34
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.5	2.1	3.7	7.7	8.5	12.2	4.8	0.9	2.0	4.2	2.1	1.2	38.9	14	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	2.0	4.0	5.0	7.0	9.0	2.0	1.0	2.0	6.0	4.0	2.0	41.0	10	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	1.4	2.3	6.0	5.7	7.6	16.3	22.6	25.4	29.7	16.1	4.4	3.7	11.8	4	1173
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	2.0	6.8	0.8	0.8	0.0	0.0	0.0	0.4	4	1173
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

LOBE, T000
MEAN NUMBER OF DAYS


PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST													0	0	
	06 LST													0	0	
	12 LST	27.4	26.1	31.0	30.0	29.9	26.3	29.0	28.5	26.2	30.3	29.0	30.6	344.3	4	1173
	18 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST													0	0	
	06 LST													0	0	
	12 LST	11.9	7.0	4.1	9.6	14.2	10.9	7.5	4.1	4.1	4.7	12.0	20.2	109.9	4	1170
	18 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST													0	0	
	06 LST													0	0	
	12 LST	0.4	0.3	0.0	1.4	0.8	0.0	0.2	1.2	0.8	1.0	0.0	0.0	6.1	4	1173
	18 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST													0	0	
	06 LST													0	0	
	12 LST	17.0	10.4	7.8	11.7	14.7	12.4	19.0	9.1	6.8	12.3	20.3	22.8	140.3	4	1171
	18 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST													0	0	
	06 LST													0	0	
	12 LST	16.2	12.1	9.1	9.2	6.8	0.0	1.0	2.8	1.7	9.6	8.3	13.4	72.2	4	1176
	18 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST													0	0	
	06 LST													0	0	
	12 LST	26.6	24.5	27.7	27.6	27.3	21.4	18.0	16.0	14.7	21.0	26.0	28.7	279.5	4	1173
	18 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST													0	0	
	06 LST													0	0	
	12 LST	26.1	24.5	26.9	27.6	26.8	21.1	17.0	14.2	13.2	19.3	25.7	27.5	269.9	4	1173
	18 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST													0	0	
	06 LST													0	0	
	12 LST	26.1	24.5	26.9	27.2	26.8	21.1	17.0	14.2	13.2	19.3	25.7	27.5	269.5	4	1173
	18 LST													0	0	

AREA NO. 82

7080

COASTAL STRIP
 BOUNDARIES 0740N 00035E 0740N 00145E
 LATITUDE 0700N LONGITUDE 00115E

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	88	90	90	85	87	84	81	80	81	85	88	87	86
MEAN MIN TMP (F)	71	72	73	72	72	71	70	70	70	71	71	70	71
LARGEST MEAN PRECIP(IN)	0.72	1.02	4.13	3.17	6.07	6.72	7.02	6.58	7.53	9.70	1.60	1.15	97.0
SMALLEST MEAN PRECIP(IN)	0.64	0.93	1.59	4.43	3.37	7.26	2.57	0.37	0.99	2.22	1.02	0.48	27.9
	MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST												
	06 LST												
	12 LST	21.5	21.1	31.0	30.0	30.5	28.2	30.0	29.8	28.1	30.7	29.5	30.0 340.4
	18 LST												
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST												
	06 LST												
	12 LST	6.0	10.5	17.6	19.8	22.6	17.3	12.4	13.7	17.1	15.1	19.7	24.7 196.7
	18 LST												
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST												
	06 LST												
	12 LST	0.2	0.2	0.0	0.7	0.4	0.0	0.1	1.0	0.4	0.5	0.0	0.0 4.3
	18 LST												
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST												
	06 LST												
	12 LST	13.7	9.9	3.9	8.0	12.3	13.7	21.6	9.7	10.4	13.9	13.2	14.9 147.4
	18 LST												
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST												
	06 LST												
	12 LST	18.4	7.8	4.1	4.5	0.4	0.0	1.7	1.4	0.9	2.8	7.1	14.5 63.6
	18 LST												
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST												
	06 LST												
	12 LST	21.1	20.3	28.1	27.3	26.4	22.3	13.2	14.3	14.9	17.6	24.6	23.6 233.9
	18 LST												
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST												
	06 LST												
	12 LST	20.8	20.3	26.4	25.8	24.7	22.1	9.9	9.7	9.4	12.3	21.7	22.4 223.7
	18 LST												
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST												
	06 LST												
	12 LST	20.8	20.3	26.4	25.6	24.7	22.1	9.9	9.7	9.4	12.3	21.7	22.4 223.5
	18 LST												



SWAZILAND, REPUBLIC OF SOUTH AFRICA

STA NO. 60100/ (IN AREA NUMBER 01)

LATITUDE 22°15'

LONGITUDE 014°31'E

ELEVATION (FT) 00038

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	78	82	100	99	104	98	98	99	102	99	84	76	104	10	-73
MEAN MAX TMP (F)	69	69	69	66	69	69	69	60	62	63	64	67	66	10	-73
MEAN MIN TMP (F)	59	59	59	55	53	51	49	47	50	51	53	57	54	11	-73
ABS MIN TMP (F)	51	51	51	46	39	38	35	34	40	40	44	46	34	11	-73
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0									0.0	0.0		10	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN DEN PT TMP (F)	58	59	58	56	49	48	48	48	49	50	52	54	53	10	-29
MEAN REL HUM (PCT)	81	84	82	85	65	63	75	82	80	80	80	82	79	8	-73
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.10	0.10	0.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.5	11	-73
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.4	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.7	11	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.3	0.2	0.2	0.7	0.1	0.1	0.0	0.0	0.2	0.4	0.3	0.2	2.7	9	-73
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 20 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	23.6	22.9	26.5	22.6	30.6	21.1	16.0	32.0	29.4	31.7	17.5	24.6	24.9	3	1694
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.7	0.0	4.1	0.0	14.0	0.5	7.4	0.0	6.3	2.0	0.0	0.0	3.1	3	1694
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SUAKOPUND, REPUBLIC OF SOUTH AFRICA
MOAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST	26.3	24.2	20.6	25.4	23.4	24.9	27.2	24.0	24.0	24.6	27.7	28.6	309.7	9 1694
	19 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST	11.0	13.3	8.2	13.1	12.0	13.1	17.1	8.0	7.4	7.6	10.3	11.2	139.3	9 1691
	19 LST													0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST	1.1	0.9	1.3	1.1	1.1	1.0	1.8	2.7	3.1	3.4	3.5	1.1	29.1	9 1725
	19 LST													0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST	23.1	18.4	20.6	17.1	19.0	19.6	18.0	17.3	16.1	18.2	18.7	19.6	221.7	9 1718
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST	12.8	9.8	12.6	10.3	10.9	19.1	22.3	14.1	13.7	12.6	14.3	10.3	175.4	9 1700
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST	18.1	17.3	18.3	21.2	18.1	21.8	24.7	18.1	17.2	17.9	20.1	17.2	230.2	9 1694
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST	17.3	19.7	17.7	21.2	17.9	21.8	24.3	17.3	16.6	17.2	19.1	16.6	222.9	9 1694
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST	17.3	19.7	17.7	21.2	17.9	21.8	24.1	17.3	16.6	17.2	19.1	16.6	222.3	9 1694
	19 LST													0	0

VALV'S BAY NEU, REPUBLIC OF SOUTH AFRICA

STA NO. 60104 (IN AREA NUMBER 01)

LATITUDE 2290S

LONGITUDE 01430E

ELEVATION(FT) 00250

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	100	97	97	103	104	97	98	99	100	97	95	91	104	24	-28
MEAN MAX TMP (F)	73	74	74	75	74	74	70	68	66	67	71	72	72	20	-28
MEAN MIN TMP (F)	59	60	59	55	52	48	47	46	48	51	54	57	53	20	-28
ABS MIN TMP (F)	45	45	45	43	35	35	25	34	32	32	43	45	25	24	-28
MEAN NO DYS TMP = OR GTR 90(F)														20	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0		24	-29
MEAN NO DYS TYP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN DEW PT TMP (F)	59	60	60	57	50	49	40	39	52	53	54	57	53	0	-50
MEAN REL HUM (PCT)	82	83	85	78	78	71	74	81	80	82	81	81	80	6	-28
MEAN PRESS ALT (FT)	300	300	290	200	200	150	150	150	290	290	290	300	225	0	-50
MEAN PRECIP (IN)	0.05	0.20	0.30	0.10	0.10	0.05	0.05	0.10	0.05	0.05	0.05	0.05	1.1	20	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0		24	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.3	0.6	0.8	0.3	0.3	0.2	0.2	0.3	0.3	0.3	0.3	0.3	4.2	20	-29
MEAN NO DYS SNFL = OR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN NO DYS W/OCUP VSBY LES 1/2 MI														0	0
MEAN NO C'S TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

WALVIS BAY NEW REPUBLIC OF SOUTH AFRICA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEL	ANN	PDR (YRS)	NO. OBS
CIG - GTR 1000 FT AND VSBY - GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG -GTR 2000 FT AND VSBY -GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND - GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY - GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG - GTR 2500 FT AND VSBY - GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG - GTR 6000 FT AND VSBY - GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG - GTR 10000 FT AND VSBY - GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

STA NO. 68408 (IN AREA NUMBER 01)

PORT NOLLOTH, REPUBLIC OF SOUTH AFRICA

LATITUDE 2914S

LONGITUDE 01692E

ELEVATION(FT) 00022

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	102	107	103	104	99	92	92	100	105	104	105	103	107	30	-28
MEAN MAX TMP (F)	67	67	67	66	66	63	62	63	63	64	66	66	65	20	-28
MEAN MIN TMP (F)	33	34	33	30	28	26	25	25	27	29	31	33	30	20	-28
ABS MIN TMP (F)	43	42	40	36	35	33	32	31	34	36	41	40	31	30	-28
MEAN NO DYS TMP - DR GTR 90(F)														20	-29
MEAN NO DYS TMP - DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS TMP - DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN DEW PT TMP (F)	56	57	56	54	51	48	48	48	50	52	53	55	52	18	-29
MEAN REL HUM (PCT)	86	87	86	87	81	78	82	81	83	85	82	85	84	13	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.10	0.10	0.20	0.20	0.30	0.30	0.30	0.30	0.20	0.10	0.10	0.10	2.3	64	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS PRCP - DR GTR 0.1 IN	0.4	0.4	0.6	0.6	0.8	0.7	0.7	0.6	0.6	0.4	0.4	0.4	6.7	64	-29
MEAN NO DYS SNFL - DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.2	0.3	0.3	0.2	0.2	0.1	0.1	0.1	0.0	0.3	0.1	1.9	20	-10
F FREQ WND SPD - DR GTR 17 KTS														0	0
P FREQ WND SPD - DR GTR 20 KTS														0	0
P FREQ LES 3000 FT A/O LES 3 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	16.2	29.2	16.7	19.7	10.8	11.8	14.0	11.2	14.8	13.5	16.2	14.3	16.0	5	1486
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	10.3	19.0	11.9	17.2	12.5	6.7	9.8	2.4	3.9	7.3	8.5	8.7	9.6	5	1486
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

PORT NOLLOTH, REPUBLIC OF SOUTH AFRICA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	26.5	21.2	25.6	22.4	25.9	27.0	27.7	29.5	27.9	28.2	26.8	27.1	315.8	5	1486
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	11.7	12.6	15.0	13.5	14.0	18.2	15.3	13.6	11.3	13.6	10.4	10.3	159.5	5	1485
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	3.7	1.7	3.7	3.2	2.2	2.0	2.0	3.2	3.8	6.5	4.5	7.7	44.2	5	1495
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	13.7	11.8	17.6	15.4	14.9	14.3	14.3	13.2	15.6	12.9	12.3	11.7	167.7	5	1483
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	21.2	14.5	20.6	14.9	19.4	18.9	17.3	16.4	15.0	18.3	17.2	21.1	214.8	5	1484
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	24.6	18.4	23.1	20.9	23.7	24.2	23.6	24.6	23.7	24.9	22.8	25.3	279.8	5	1486
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	23.6	17.9	22.9	20.4	23.7	24.2	22.8	24.6	23.4	24.2	22.4	25.3	275.4	5	1486
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	23.6	17.6	22.9	20.4	23.5	24.2	22.8	24.6	23.2	24.0	22.1	25.1	274.0	5	1486
	19 LST														0	0

		AREA NO. 01												
SOUTH AFRICA, REPUBLIC OF COASTAL STRIP		LATITUDE 2000S				LONGITUDE 01600E								
BOUNDARIES		1705S 01300E	3140S 01940E	3140S 01920E	3200S 01829E									
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		70	70	70	69	70	69	66	64	64	65	67	68	68
MEAN MIN TMP (F)		57	58	57	53	51	48	47	46	48	50	53	56	52
LARGEST MEAN PRECIP(IN)		0.10	0.20	0.30	0.20	0.30	0.30	0.30	0.30	0.20	0.10	0.10	0.20	2.6
SMALLEST MEAN PRECIP(IN)		0.05	0.10	0.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.3
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													
	07 LST													
	13 LST	27.4	22.7	26.1	23.9	24.7	26.0	27.5	26.8	26.4	26.4	27.3	27.9	313.1
	19 LST													
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST													
	07 LST													
	13 LST	11.8	13.0	11.6	13.3	13.0	13.7	16.2	10.8	9.4	10.6	10.5	10.8	146.7
	19 LST													
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													
	07 LST													
	13 LST	2.4	1.3	2.6	2.2	1.7	1.9	1.9	3.0	3.5	5.0	4.0	4.4	33.9
	19 LST													
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													
	07 LST													
	13 LST	18.4	15.1	19.1	16.3	17.0	18.0	16.2	15.3	15.9	15.6	15.5	15.7	195.1
	19 LST													
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													
	07 LST													
	13 LST	17.0	12.2	16.6	15.7	18.2	19.0	19.8	15.3	14.4	15.5	15.9	15.8	195.4
	19 LST													
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													
	07 LST													
	13 LST	21.4	17.9	20.8	21.1	20.9	23.0	24.2	21.4	20.9	21.4	21.5	21.3	255.4
	19 LST													
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													
	07 LST													
	13 LST	20.5	16.8	20.3	20.8	20.8	23.0	23.6	21.1	20.0	20.7	20.8	21.0	249.4
	19 LST													
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													
	07 LST													
	13 LST	20.5	16.7	20.3	20.8	20.7	23.0	23.5	21.0	19.9	20.6	20.6	20.8	248.4
	19 LST													

WINDHOEK, REPUBLIC OF SOUTH AFRICA

STA NO. 68110 (IN AREA NUMBER 02)

LATITUDE 2237S

LONGITUDE 0170E

ELEVATION(FT) 09570

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	97	94	94	87	89	79	77	85	91	93	96	97	97	30	-10
MEAN MAX TMP (F)	85	83	80	77	72	68	68	73	77	84	84	86	78	30	-10
MEAN MIN TMP (F)	63	61	59	55	48	44	43	47	53	59	59	62	54	30	-10
ABS MIN TMP (F)	49	44	39	36	29	27	27	29	31	35	33	30	25	30	-10
MEAN NO DYS TMP = DR GTR 90(F)	9.4	6.3		0.0	0.0	0.0	0.0	0.0		0.2	7.9	10.7		30	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.1	0.2	0.7	0.2	0.1	0.0	0.0	0.0	1.3	30	-10
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN DEW PT TMP (F)	49	44	49	44	33	30	24	23	24	24	37	45	36	0	-90
MEAN REL HUM (PCT)	41	36	33	44	35	33	26	20	18	22	30	35	34	10	-32
MEAN PRESS ALT (FT)	9401	9398	9393	9318	9292	9231	9247	9270	9308	9350	9372	9401	9328	0	-30
MEAN PRECIP (IN)	3.03	2.87	3.11	1.81	0.28	0.04	0.04	0.04	0.08	0.39	0.91	1.85	14.3	60	-10
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.5	6.2	6.2	3.7	0.8	0.2	0.2	0.2	0.3	0.9	1.9	4.1	31.2	60	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	8.0	7.0	6.7	3.1	0.7	0.4	0.2	0.2	1.1	3.6	4.3	7.0	42.3	42	-10
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/O LES 3 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

WINDHOEK, REPUBLIC OF SOUTH AFRICA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI; W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SFC WND 4-10 KTS AND THP 33-69 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

KEETBANSHOOP, REPUBLIC OF SOUTH AFRICA

STA NO. 68312 (IN AREA NUMBER 02)

LATITUDE 2634S

LONGITUDE 01887E

ELEVATION(FT) 93497

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	107	107	103	99	103	89	87	93	97	102	105	108	108	17	-10
MEAN MAX TMP (F)	95	94	90	85	77	71	70	76	80	87	91	94	84	17	-10
MEAN MIN TMP (F)	65	66	62	57	49	44	42	45	49	55	59	63	55	17	-10
ABS MIN TMP (F)	46	47	43	39	29	28	26	28	31	37	40	37	26	17	-10
MEAN NO DYS TMP = DR GTR 90(F)	22.4	19.0	15.9	9.0		0.0	0.0			11.9	16.6	21.1		17	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.1	0.6	2.0	0.4	0.1	0.0	0.0	0.0	3.2	17	-10
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN DEW PT TMP (F)	40	48	47	44	37	33	31	31	31	30	36	39	37	13	-29
MEAN REL HUM (PCT)	28	37	41	42	43	45	44	38	33	26	28	28	36	6	-10
MEAN PRESS ALT (FT)														0	0
MEAN PREC.P (IN)	0.91	1.11	1.39	0.65	0.21	0.03	0.04	0.04	0.11	0.16	0.46	0.54	5.6	49	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		17	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.1	2.5	3.3	1.7	0.6	0.2	0.2	0.2	0.4	0.5	1.1	1.3	14.1	49	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.6	5.6	4.7	3.4	0.8	0.5	0.7	0.3	0.8	2.5	3.0	3.1	30.0	16	-10
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.8	0.8	0.0	2.2	0.0	0.7	0.0	0.7	0.7	0.0	0.0	0.0	0.5	5	1674
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1674
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KEETBANSHOOP, REPUBLIC OF SOUTH AFRICA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	30.7	28.0	30.6	29.6	31.0	30.0	31.0	31.0	29.8	31.0	30.0	31.0	303.7	5	1674
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	24.4	20.4	21.0	17.0	14.0	11.7	11.8	13.8	15.0	15.8	18.5	19.9	203.3	5	1673
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	1.0	1.3	2.1	2.3	4.3	6.3	7.0	8.8	9.8	4.4	3.7	1.1	48.1	5	1690
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	2.7	6.2	8.2	12.7	13.1	11.2	11.5	12.5	11.3	8.1	7.0	6.7	111.2	5	1687
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	21.7	10.1	19.3	20.7	24.2	21.6	25.3	22.4	22.4	21.0	17.6	20.7	242.8	5	1684
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	30.7	27.3	30.1	28.9	31.0	29.4	30.6	30.1	29.6	31.0	30.0	31.0	339.7	5	1674
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	27.4	21.7	25.5	27.8	30.3	29.2	30.4	29.7	29.2	28.9	27.8	27.4	335.3	5	1674
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	27.2	21.7	25.5	27.6	30.3	29.2	30.4	29.5	29.0	28.9	27.8	27.4	334.5	5	1674
	19 LST														0	0

UPINGTON, REPUBLIC OF SOUTH AFRICA
 LATITUDE 2829S

LONGITUDE 02110E

ELEVATION(FT) 02730

STA NO. 68424 (IN AREA NUMBER 02)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POK (YRS)	NO. OBS
ABS MAX TMP (F)	107	107	102	99	91	87	88	90	89	102	106	108	108	10	-10
MEAN MAX TMP (F)	95	94	90	83	74	71	70	74	79	85	89	94	83	10	-10
MEAN MIN TMP (F)	67	67	68	56	46	41	41	44	49	56	61	65	55	10	-10
ABS MIN TMP (F)	50	48	49	37	30	26	23	26	29	49	44	47	23	10	-10
MEAN NO DYS TMP = DR GTR 90(F)	22.4	19.0	15.9	6.7		0.0	0.0	0.0		9.4	14.0	21.1		10	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.5	2.1	2.7	1.0	0.1	0.0	0.0	0.0	6.4	10	-10
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEN PT TMP (F)	13	37	52	49	42	37	36	37	35	39	43	16	36	0	-50
MEAN REL HUM (PCT)	28	41	42	46	48	49	48	44	34	32	32	29	39	5	-28
MEAN PRESS ALT (FT)	2700	2700	2690	2600	2590	2490	2490	2500	2600	2600	2700	2700	2600	0	-90
MEAN PRECIP (IN)	0.60	1.00	1.70	0.70	0.90	0.10	0.10	0.10	0.10	0.30	0.40	0.90	0.1	56	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.4	2.3	3.9	1.8	1.3	0.3	0.3	0.3	0.4	0.8	0.9	1.2	14.9	53	-29
MEAN NO DYS SNFL = DR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.8	5.1	5.0	2.4	0.9	0.4	0.6	0.4	1.1	3.0	2.6	3.7	30.0	10	-10
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 20 KTS														0	0
P FREQ LES 9000 FT A/D LES 3 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

UPINGTON, REPUBLIC OF SOUTH AFRICA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

STA NO. 60714/ (IN AREA NUMBER 02)

LANGEBANNEG, REPUBLIC OF SOUTH AFRICA
 LATITUDE 3250S

LONGITUDE 01010E

ELEVATION(FT) 00100

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	90	94	98	93	84	82	78	80	88	86	98	90	98	14	-10
MEAN MAX TMP (F)	69	70	69	66	64	62	60	62	63	65	67	69	66	14	-10
MEAN MIN TMP (F)	56	56	56	54	53	51	50	50	50	53	54	55	53	14	-10
ABS MIN TMP (F)	43	47	41	45	40	39	41	40	40	38	39	41	38	14	-10
MEAN NO DYS TMP = OR GTR 90(F)	0.0				0.0	0.0	0.0	0.0	0.0	0.0		0.0		14	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN DEN PT TMP (F)	57	58	58	56	55	52	50	52	53	54	55	57	55	0	-50
MEAN REL HUM (PCT)	83	84	83	86	85	83	83	86	86	82	82	84	84	12	-10
MEAN PRESS ALT (FT)	100	100	90	0	0	-100	-100	-100	-50	0	90	90	0	0	-50
MEAN PRECIP (IN)	2.96	2.04	3.27	1.99	1.38	0.75	0.91	0.91	1.73	2.24	2.44	2.76	23.8	63	-10
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.6	6.1	6.4	4.3	3.3	1.6	1.9	1.9	3.3	4.3	4.5	6.0	49.2	63	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 20 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

LANGEBAANDE, REPUBLIC OF SOUTH AFRICA
 MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SPC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND 4-19 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

AREA NO. 82

SOUTH AFRICA, REPUBLIC OF HIGHLANDS

PARAMETER DESCRIPTION	BOUNDARIES		LATITUDE 2900S					LONGITUDE 01000E					ANN
	1705S 01300E	3140S 01920E	3140S 01920E	3140S 01920E	3200S 01020E	1720S 01499E	2900S 02000E	2650S 02120E	3015S 02200E	3015S 02200E	3200S 02010E	3200S 02010E	
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
MEAN MAX TMP (F)	86	85	82	78	72	68	67	71	73	80	83	86	78
MEAN MIN TMP (F)	63	63	60	56	49	48	44	47	50	56	58	61	54
LARGEST MEAN PRECIP(IN)	3.63	2.87	3.27	1.93	1.38	0.75	0.91	0.91	1.73	2.28	2.44	2.72	24.3
SMALLEST MEAN PRECIP(IN)	0.60	1.00	1.99	0.85	0.21	0.03	0.04	0.04	0.08	0.16	0.40	0.50	5.1
	MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	30.7	28.0	30.6	29.6	31.0	30.0	31.0	31.0	29.8	31.0	30.0	31.0 309.7
	19 LST												
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	01 LST												
SFC WND LES 10 KTS	07 LST												
	13 LST	24.4	20.4	21.0	17.0	14.0	11.7	11.8	13.8	13.0	18.3	19.9	209.3
	19 LST												
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST												
	07 LST												
	13 LST	1.0	1.3	2.1	2.3	4.3	6.3	7.0	8.8	3.8	4.4	3.7	1.1 48.1
	19 LST												
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	01 LST												
	07 LST												
	13 LST	2.7	6.2	8.2	12.7	13.1	11.2	11.8	12.3	11.3	8.1	7.0	6.7 111.2
	19 LST												
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	21.7	18.1	19.8	20.3	24.2	21.6	23.9	22.4	22.4	21.0	17.6	20.7 242.8
	19 LST												
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	30.7	27.3	30.1	28.9	31.0	29.4	30.6	30.1	29.6	31.0	30.0	31.0 359.7
	19 LST												
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	27.4	21.7	25.8	27.8	30.3	29.2	30.4	29.7	29.2	28.9	27.8	27.4 335.3
	19 LST												
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	27.2	21.7	25.8	27.6	30.3	29.2	30.4	29.3	29.0	28.9	27.8	27.4 334.3
	19 LST												

STA NO. 68012 (IN AREA NUMBER 03)

TSUMEB, REPUBLIC OF SOUTH AFRICA
 LATITUDE 1914S

LONGITUDE 01743E

ELEVATION(FT) 04901

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN (YRS)	NO. OBS	
ABS MAX TMP (F)	103	100	100	96	94	90	87	92	100	102	103	103	103	33	-28
MEAN MAX TMP (F)	88	86	85	83	80	76	76	81	89	92	90	89	85	37	-28
MEAN MIN TMP (F)	66	65	63	59	52	47	47	51	60	66	66	66	59	37	-28
ABS MIN TMP (F)	49	50	44	44	34	27	25	35	37	46	53	46	25	35	-28
MEAN NO DYS TMP = DR GTR 90(F)	13.2	9.6	9.4	6.7		0.0	0.0	4.8	14.0	18.5	15.3	14.5		37	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0	0.0		35	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35	-29
MEAN DEN PT TMP (F)	53	56	56	49	37	31	29	27	26	37	45	58	42	34	-29
MEAN REL HUM (PCT)	91	96	98	90	89	86	84	27	20	26	36	56	41	27	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.60	4.70	3.20	1.50	0.20	0.05	0.05	0.05	0.05	0.70	2.20	3.30	20.6	40	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0	0.0		35	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.0	9.1	6.3	3.5	0.6	0.2	0.2	0.2	0.3	1.3	4.1	7.0	42.0	40	-29
MEAN NO DYS SNFL = DR GTR 1.0 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	11.0	8.5	7.2	3.1	1.0	0.1	0.1	0.3	1.0	4.8	6.8	10.6	54.5	35	-10
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	13.3	20.3	5.6	4.9	1.3	0.0	0.0	0.0	0.0	0.7	4.4	9.6	5.0	9	1696
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	2.3	0.7	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	5	1696
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

**TSUBED, REPUBLIC OF SOUTH AFRICA
MEAN NUMBER OF DAYS**

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	29.3	24.3	30.1	29.3	30.2	30.0	31.0	31.0	30.0	31.0	29.0	28.6	354.6	5	1696
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	22.3	20.3	28.2	25.6	25.0	26.6	27.8	27.4	24.5	26.6	26.2	25.7	306.2	5	1696
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	0.2	0.0	0.0	0.4	1.4	1.3	1.0	0.8	1.4	1.2	0.4	0.4	8.5	5	1718
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	8.9	9.7	15.7	12.9	13.4	12.4	13.5	15.4	9.3	6.7	7.7	9.6	198.2	5	1708
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	3.1	4.1	4.9	11.3	22.5	27.6	29.0	29.3	25.7	15.9	9.8	7.8	191.0	5	1698
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	23.3	19.5	25.8	26.4	29.3	30.0	31.0	31.0	30.0	30.3	26.4	25.7	328.7	5	1696
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	19.4	14.0	20.0	22.6	27.7	29.6	30.8	31.0	28.7	28.5	23.8	21.4	297.5	5	1696
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	17.9	14.0	18.3	22.6	27.2	29.1	30.3	30.8	28.5	27.2	21.5	19.9	288.0	5	1696
	19 LST														0	0

AREA NO. 03
 SOUTH AFRICA, REPUBLIC OF ARID PLATEAU
 BOUNDARIES 1720S 01495E 2900S 02000E
 LATITUDE 2000S LONGITUDE 01900E

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	88	86	85	83	80	76	76	81	89	92	90	89	85
MEAN MIN TMP (F)	66	65	65	59	52	47	47	51	60	66	66	66	59
LARGEST MEAN PRECIP(IN)	4.60	4.70	3.20	1.50	0.20	0.05	0.05	0.05	0.05	0.70	2.20	3.30	20.6
SMALLEST MEAN PRECIP(IN)	4.60	4.70	3.20	1.50	0.20	0.05	0.05	0.05	0.05	0.70	2.20	3.30	20.6
MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	29.3	24.3	30.1	29.3	30.2	30.0	31.0	31.0	30.0	31.0	29.8	28.6 354.6
	19 LST												
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST												
	07 LST												
	13 LST	22.3	20.3	28.2	25.6	25.0	26.6	27.8	27.4	24.5	26.6	26.2	25.7 306.2
	19 LST												
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST												
	07 LST												
	13 LST	0.2	0.9	0.0	0.4	1.4	1.3	1.0	0.8	1.4	1.2	0.4	0.4 8.5
	19 LST												
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST												
	07 LST												
	13 LST	0.9	9.7	19.7	12.9	12.4	12.4	13.5	15.4	9.3	6.7	7.7	9.6 195.2
	19 LST												
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	3.1	4.1	4.9	11.3	22.5	27.6	29.0	29.3	25.7	15.9	9.8	7.8 191.0
	19 LST												
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	23.3	19.5	25.8	20.4	29.3	30.0	31.0	31.0	30.0	30.3	26.4	23.7 328.7
	19 LST												
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	19.4	14.0	20.0	22.6	27.7	29.6	30.8	31.0	28.7	28.5	23.8	21.4 297.5
	19 LST												
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST	17.9	14.0	18.5	22.6	27.2	29.1	30.8	30.8	28.5	27.2	21.5	19.9 288.0
	19 LST												

PIETERSBURG, REPUBLIC OF SOUTH AFRICA

STA NO. 68174 (IN AREA NUMBER 04)

LATITUDE 23915

LONGITUDE 02927E

ELEVATION(FT) 04074

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO.
ABS MAX TMP (F)	96	94	93	88	85	79	82	86	92	97	99	96	99	19	-928
MEAN MAX TMP (F)	81	80	78	76	71	67	67	71	76	79	80	81	76	19	-28
MEAN MIN TMP (F)	60	59	57	51	42	36	37	41	47	54	57	60	50	19	-28
ABS MIN TMP (F)	45	40	41	32	27	21	21	28	28	39	40	46	21	19	-28
MEAN NO DYS TMP = DR GTR 90(F)	1.4	0.6	0.8	0.0	0.0	0.0	0.0	0.0	1.6	2.8	1.4	4.3	12.9	9	1740
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	1.4	0.8	2.0	0.2	0.0	0.0	0.0	0.0	4.4	9	1740
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN DEW PT TMP (F)	62	62	61	57	50	44	44	47	54	53	58	61	54	8	-50
MEAN REL HUM (PCT)	62	64	64	60	57	58	55	52	50	50	56	60	57	19	-28
MEAN PRESS ALT (FT)	3900	3880	3880	3900	3790	3700	3700	3750	3800	3850	3900	3900	3800	8	-80
MEAN PRECIP (IN)	3.90	3.00	2.70	1.10	0.40	0.10	0.20	0.20	0.40	1.70	3.10	3.60	20.4	47	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		19	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.0	6.4	5.6	2.7	1.1	0.3	0.3	0.3	0.9	3.3	5.6	7.3	42.4	47	-29
MEAN NO DYS SNFL = DR GTR 1.9 IN	0.0	0.0	0.0	0.0		0.0				0.0	0.0	0.0		19	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														8	0
MEAN NO DYS TSMS	8.0	5.0	4.0	4.0	1.0	0.3	0.3	0.3	2.0	6.0	10.0	8.0	48.9	18	-24
P FREQ WND SPD = DR GTR 17 KTS														8	0
P FREQ WND SPD = DR GTR 28 KTS														8	0
P FREQ LES 3000 FT A/O LES 3 MI														8	0
P FREQ LES 1900 FT A/O LES 3 MI														8	0
FOR 00-02 LST														8	0
03-05 LST														8	0
06-08 LST	19.9	16.7	21.9	17.3	12.3	8.0	7.7	9.7	12.0	16.1	19.8	22.6	15.3	9	1733
09-11 LST	12.3	9.9	12.9	10.0	7.6	5.0	4.6	5.3	6.3	10.1	12.7	13.5	9.2	9	-30
12-14 LST	4.6	2.9	3.9	2.0	2.6	1.3	1.6	1.3	0.7	2.6	3.6	4.3	2.8	9	1700
15-17 LST														8	0
18-20 LST														8	0
21-23 LST														8	0
P FREQ LES 300 FT A/O LES 1 MI														8	0
FOR 00-02 LST														8	0
03-05 LST														8	0
06-08 LST	0.0	0.0	0.0	2.0	0.6	1.3	0.6	0.6	0.7	0.0	0.0	0.0	0.3	9	1733
09-11 LST	0.0	0.0	0.0	1.0	0.3	0.6	0.3	0.3	0.4	0.0	0.0	0.0	0.2	9	-30
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	1700
15-17 LST														8	0
18-20 LST														8	0
21-23 LST														8	0

PIETERSBURG, REPUBLIC OF SOUTH AFRICA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	28.9	26.4	27.0	26.6	28.6	28.4	29.4	29.2	27.6	28.0	27.8	27.7	336.4	9	1733
	14 LST	30.6	28.0	31.0	30.0	30.8	29.8	31.0	31.0	30.0	30.6	29.9	31.0	363.3	9	1700
	20 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	14.8	16.2	18.6	21.3	25.8	29.6	29.6	23.6	19.8	14.2	11.6	16.6	233.7	9	1732
	14 LST	16.2	18.2	24.2	22.2	22.6	20.2	18.7	16.0	14.6	12.9	11.8	17.3	214.9	9	1699
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST	2.2	0.6	0.0	0.0	0.4	0.6	0.2	2.4	2.2	3.4	2.9	1.0	19.9	9	1734
	14 LST	1.4	0.4	0.2	0.0	0.0	1.0	1.0	2.2	3.6	5.6	4.3	1.7	22.2	9	1693
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST	15.9	12.1	11.8	12.3	10.6	14.6	19.6	14.2	14.0	12.8	10.5	14.0	196.4	9	1734
	14 LST	19.2	19.9	14.2	16.0	16.8	16.6	16.0	16.0	14.4	13.9	12.9	11.8	174.9	9	1693
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	7.3	8.7	10.3	15.6	20.2	23.2	22.6	24.6	20.4	16.2	8.8	10.3	166.2	9	1733
	14 LST	6.0	3.1	5.4	9.8	19.2	21.0	21.0	22.0	21.4	16.8	6.2	5.3	193.2	9	1700
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	20.3	20.1	20.0	22.6	26.2	26.2	27.4	26.8	24.6	23.4	19.9	20.0	277.1	9	1733
	14 LST	25.9	23.9	25.8	27.4	28.4	28.6	29.0	29.0	28.6	28.8	29.2	24.6	325.2	9	1700
	20 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	19.3	19.3	19.6	22.2	25.2	29.8	29.6	28.4	24.2	23.2	18.8	19.3	268.9	9	1733
	14 LST	16.6	13.9	16.2	21.0	23.6	29.2	27.0	27.8	26.8	29.6	21.1	18.7	263.5	9	1700
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	19.3	19.3	19.6	22.2	25.2	29.4	28.4	26.4	24.2	23.2	18.8	19.3	268.3	9	1733
	14 LST	16.6	13.9	16.2	21.0	23.6	28.0	27.0	27.8	26.8	25.6	21.1	18.7	262.9	9	1700
	20 LST														0	0

SWARTKOP, REPUBLIC OF SOUTH AFRICA

STA NO. 60260 (IN AREA NUMBER 04)

LATITUDE 2940S

LONGITUDE 02010E

ELEVATION(FT) 04700

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	98	95	89	87	83	76	76	83	93	95	95	95	98	6	-10
MEAN MAX TMP (F)	82	81	78	76	70	65	64	69	75	81	80	81	75	6	-10
MEAN MIN TMP (F)	38	37	33	47	38	32	32	37	45	54	56	58	47	6	-10
ABS MIN TMP (F)	46	42	42	34	25	20	21	20	25	37	46	45	20	6	-10
MEAN NO DYS TMP = OR GTR 90(F)	5.9	4.3	0.0	0.0	0.0	0.0	0.0	0.0		4.8		4.8		6	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		6	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN DEN PT TMP (F)	60	61	59	52	45	42	41	43	46	52	54	57	51	0	-50
MEAN REL HUM (PCT)	73	78	79	74	74	80	79	72	64	62	65	68	72	4	-29
MEAN PRESS ALT (FT)	4600	4600	4500	4500	4500	4400	4400	4450	4450	4500	4550	4550	4500	0	-50
MEAN PRECIP (IN)	4.73	4.25	3.40	1.28	0.83	0.30	0.36	0.26	0.81	1.99	4.28	3.96	26.4	9	-10
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		6	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.2	8.5	6.6	3.1	2.1	0.7	0.8	0.6	1.7	3.8	7.3	8.1	52.5	9	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0						0.0	0.0	0.0		6	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	24.9	26.5	21.6	14.6	13.9	12.5	8.9	9.4	13.6	16.0	22.1	22.9	17.2	9	-00360
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	13.2	23.9	10.6	8.0	6.3	4.4	3.5	2.6	8.1	16.2	14.0	16.1	10.5	9	-00360
03-05 LST	30.6	31.9	24.2	15.9	11.1	8.8	5.5	6.8	14.2	17.2	26.5	28.2	18.4	9	-00360
06-08 LST	33.3	33.8	28.0	19.8	13.3	12.2	10.3	13.1	17.1	18.3	25.6	27.3	21.0	9	-00360
09-11 LST	13.3	13.5	12.3	9.6	6.7	5.1	5.2	4.1	10.2	7.7	9.3	9.7	8.9	9	-00360
12-14 LST	3.2	7.3	2.6	3.1	3.2	2.0	1.3	3.2	5.3	2.8	2.4	4.3	3.4	9	-00360
15-17 LST	3.4	5.2	0.9	1.1	1.7	2.4	2.0	0.6	4.0	1.9	4.2	3.9	2.6	9	-00360
18-20 LST	5.0	5.7	1.3	0.4	2.6	3.3	2.2	2.0	5.3	3.0	4.9	5.0	3.4	9	-00360
21-23 LST	8.3	8.4	5.0	3.5	5.7	4.1	2.9	1.0	6.8	8.9	9.3	8.1	6.0	9	-00360
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.3	0.8	1.4	2.9	2.4	1.5	1.8	0.6	3.0	2.9	5.1	2.7	2.4	9	-00360
03-05 LST	10.9	6.6	7.8	6.4	4.6	4.5	2.1	3.7	4.7	6.8	10.7	10.7	6.6	9	-00360
06-08 LST	6.7	7.3	8.0	6.4	6.7	5.3	3.9	5.3	5.1	3.2	3.3	3.9	5.4	9	-00360
09-11 LST	0.0	0.5	0.0	0.4	0.9	0.7	0.9	1.1	1.1	0.2	0.7	0.9	0.6	9	-00360
12-14 LST	0.0	0.7	0.4	0.0	0.0	0.4	0.0	0.0	0.7	0.0	0.2	0.6	0.3	9	-00360
15-17 LST	0.6	0.5	0.0	0.7	0.0	0.7	0.6	0.0	0.7	0.2	0.2	0.6	0.4	9	-00360
18-20 LST	1.1	0.7	0.0	0.0	1.1	0.7	0.2	0.2	1.1	1.1	1.6	1.1	0.7	9	-00360
21-23 LST	0.6	0.6	0.5	0.8	2.3	0.8	1.3	0.2	3.3	1.0	1.4	3.0	1.3	9	-00360

SWARTKOP, REPUBLIC OF SOUTH AFRICA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	26.0	26.3	28.6	28.2	29.4	28.4	29.2	30.0	27.0	27.2	26.7	26.3	333.3	5	-68368
	08 LST	21.2	19.3	22.6	23.8	26.6	25.8	27.6	26.9	25.4	26.0	23.4	24.6	299.2	5	-68368
	14 LST	30.8	26.6	30.2	29.8	30.6	29.4	30.6	30.2	29.0	30.2	29.4	30.0	356.8	5	-68368
	20 LST	29.2	27.2	30.8	30.0	30.0	28.8	30.4	30.6	28.8	30.2	28.8	30.0	354.8	5	-68368
															0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST													196.3	5	-68368
	08 LST	19.4	14.1	19.9	20.0	20.5	16.5	17.2	13.0	16.4	15.3	12.5	15.5	190.3	5	-68368
	14 LST	18.0	18.1	20.3	16.5	19.4	18.8	14.5	12.7	11.5	10.5	12.6	17.1	190.0	5	-68368
	20 LST														0	0
															0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST													19.6	5	-68368
	08 LST	1.2	1.6	1.4	0.0	0.8	0.8	1.0	1.8	3.0	2.5	3.0	2.5	43.6	5	-68368
	14 LST	1.2	1.6	0.8	1.4	1.8	2.2	5.4	8.0	8.3	6.7	3.2	3.0	43.6	5	-68368
	20 LST														0	0
															0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													138.6	5	-68368
	08 LST	19.2	13.2	10.2	9.8	8.0	8.8	12.2	11.8	10.5	12.2	12.0	14.7	138.6	5	-68368
	14 LST	19.0	15.1	13.4	13.1	14.6	13.8	12.8	12.3	11.5	12.7	14.5	13.6	162.4	5	-68368
	20 LST														0	0
															0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST													173.2	5	-68368
	08 LST	12.5	10.5	13.2	14.2	17.0	14.2	16.8	14.6	20.2	16.5	13.0	10.5	173.2	5	-68368
	14 LST	5.6	2.8	5.0	9.8	17.0	21.2	24.4	20.4	19.2	13.9	8.7	4.0	152.0	5	-68368
	20 LST														0	0
															0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	25.1	22.1	27.3	28.2	29.1	28.2	29.2	29.7	26.5	25.6	26.4	25.6	323.0	5	-68368
	08 LST	18.9	17.7	21.8	23.6	26.6	25.6	27.4	26.3	24.4	24.8	21.2	22.0	280.3	5	-68368
	14 LST	27.8	24.1	27.9	28.1	29.1	29.2	30.5	30.1	27.6	28.9	27.2	27.0	337.5	5	-68368
	20 LST	29.0	26.3	30.2	29.4	29.9	28.8	30.4	30.5	28.5	29.8	28.4	29.0	350.2	5	-68368
															0	0
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	02 LST	24.9	21.8	26.9	28.2	29.0	27.9	29.2	29.6	26.3	25.0	26.2	25.3	320.3	5	-68368
	08 LST	18.2	17.3	21.2	23.5	26.5	25.6	27.4	26.1	24.0	24.4	20.8	21.2	276.2	5	-68368
	14 LST	20.3	17.7	22.8	24.1	26.7	27.8	30.0	29.0	26.1	25.3	21.4	20.5	291.7	5	-68368
	20 LST	27.7	25.9	29.2	29.0	29.7	28.7	30.3	30.3	28.3	28.6	26.0	27.8	341.5	5	-68368
															0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	24.6	21.4	26.8	27.1	27.8	27.0	28.6	29.6	26.2	24.8	25.5	25.0	314.1	5	-68368
	08 LST	17.6	16.9	19.0	21.0	23.4	20.0	25.0	22.0	22.4	24.0	20.0	20.5	251.8	5	-68368
	14 LST	16.8	14.1	20.6	22.4	25.8	26.8	29.8	28.2	25.6	23.8	19.0	17.6	270.5	5	-68368
	20 LST	27.2	25.5	28.4	28.4	28.0	26.0	27.2	29.0	28.0	28.2	24.4	27.2	327.5	5	-68368
															0	0

PRTORIA, REPUBLIC OF SOUTH AFRICA

STA NO. 68262 (IN AREA NUMBER 04)

LATITUDE 2545S

LONGITUDE 02014E

ELEVATION(FT) 04491

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	75	91	91	83	79	77	75	83	89	92	96	95	96	13	-28
MEAN MAX TMP (F)	81	81	78	75	70	66	66	71	77	80	80	82	76	13	-28
MEAN MIN TMP (F)	60	60	57	50	42	37	37	42	49	55	57	59	50	13	-28
ABS MIN TMP (F)	49	49	49	33	26	24	24	28	30	37	41	43	24	13	-28
MEAN NO DYS TMP = OR GTR 90(F)	4.8	4.3		0.0	0.0	0.0	0.0	0.0	0.0			5.9		13	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0		13	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN DEW PT TMP (F)	53	55	52	45	38	33	32	34	37	44	45	52	43	13	-29
MEAN REL HUM (PCT)	59	61	62	58	55	53	52	47	43	47	48	57	54	13	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.92	6.25	3.54	1.61	0.98	0.39	0.39	0.20	0.83	2.21	4.94	3.08	29.4	30	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0		13	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.4	8.5	6.7	3.7	2.4	0.9	0.9	0.5	1.7	4.1	8.2	9.6	56.6	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0		13	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	14.0	11.0	8.0	4.0	2.0	1.0	1.0	1.0	3.0	8.0	12.0	11.0	76.0	11	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI	24.9	26.5	21.6	14.6	13.9	12.5	8.9	9.4	13.6	16.0	22.1	27.9	17.2	5	-88368
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	13.2	23.5	10.6	8.0	6.3	4.4	3.5	2.6	8.1	16.2	14.0	16.1	10.5	5	-88368
03-05 LST	30.6	31.9	24.2	19.9	11.1	8.8	5.5	6.8	14.2	17.2	26.5	28.2	16.4	5	-88368
06-08 LST	33.3	33.8	28.0	19.8	13.3	12.2	10.3	13.1	17.1	18.3	25.4	27.3	21.0	5	-88368
09-11 LST	13.3	13.9	12.3	9.6	6.7	5.1	5.2	4.1	10.2	7.7	9.3	9.7	8.9	5	-88368
12-14 LST	7.2	7.3	2.6	3.1	3.2	2.0	1.3	3.2	5.3	2.8	2.4	4.3	3.4	5	-88368
15-17 LST	3.4	3.2	0.9	1.1	1.7	2.4	2.0	0.6	4.0	1.9	4.2	3.9	2.6	5	-88368
18-20 LST	5.0	5.7	1.5	0.4	2.6	3.3	2.2	2.0	5.3	7.0	4.9	3.0	3.4	5	-88368
21-23 LST	8.3	8.4	9.0	3.5	5.7	4.1	2.9	1.0	6.8	8.9	9.3	8.1	6.0	5	-88368
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.3	0.8	1.4	2.9	2.4	1.3	1.8	0.6	3.0	2.9	5.1	2.7	2.4	5	-88368
03-05 LST	10.9	6.6	7.8	6.4	4.6	4.5	2.1	3.7	4.7	6.8	10.7	10.7	6.6	5	-88368
06-08 LST	6.7	7.3	8.0	6.4	6.7	3.3	3.9	3.3	5.1	3.2	3.3	3.9	3.4	5	-88368
09-11 LST	0.0	0.5	0.0	0.4	0.9	0.7	0.9	1.1	1.1	0.2	0.7	0.9	0.6	5	-88368
12-14 LST	0.0	0.7	0.4	0.0	0.0	0.4	0.0	0.0	0.7	0.0	0.2	0.6	0.3	5	-88368
15-17 LST	0.6	0.5	0.0	0.7	0.0	0.7	0.6	0.0	0.7	0.2	0.2	0.6	0.4	5	-88368
18-20 LST	1.1	0.7	0.0	0.0	1.1	0.7	0.2	0.2	1.1	1.1	1.6	1.1	0.7	5	-88368
21-23 LST	0.6	0.6	0.5	0.8	2.3	0.8	1.3	0.2	3.3	1.0	1.4	3.0	1.3	5	-88368

PRETORIA, REPUBLIC OF SOUTH AFRICA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	26.0	26.3	28.6	28.2	29.4	28.4	29.2	30.0	27.0	27.2	26.7	26.3	333.3	9	-60360
	08 LST	21.2	19.3	22.6	23.8	26.6	25.8	27.6	26.9	25.4	26.0	23.4	24.6	293.2	9	-60360
	14 LST	30.8	26.6	30.2	29.8	30.6	29.4	30.6	30.2	29.0	30.2	29.4	30.0	356.8	9	-60360
	20 LST	29.2	27.2	30.8	30.0	30.0	28.8	30.4	30.6	28.8	30.2	28.8	30.0	354.8	9	-60360
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	15.4	14.1	19.9	20.0	20.5	16.5	17.2	13.0	16.4	15.3	12.5	15.5	196.3	9	-60360
	14 LST	18.0	18.1	20.3	16.5	19.4	18.8	14.5	12.7	11.5	10.5	12.6	17.1	190.0	9	-60360
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST	1.2	1.6	1.4	0.0	0.8	0.8	1.0	1.8	3.0	2.5	3.0	2.5	19.6	9	-60360
	14 LST	1.2	1.6	0.8	1.4	1.8	2.2	3.4	8.0	8.3	6.7	3.2	3.0	43.6	9	-60360
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST	15.2	13.2	10.2	9.8	8.0	8.8	12.2	11.8	10.5	12.2	12.0	14.7	138.6	9	-60360
	14 LST	15.0	15.1	13.4	13.1	14.6	13.8	12.8	12.3	11.5	12.7	14.9	13.6	162.4	9	-60360
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	12.5	10.5	13.2	14.2	17.0	14.2	16.8	14.6	20.2	16.5	13.0	10.5	173.2	9	-60360
	14 LST	5.6	2.8	5.0	9.8	17.0	21.2	24.4	20.4	19.2	13.9	8.7	4.0	132.0	9	-60360
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	25.1	22.1	27.3	28.2	29.1	28.2	29.2	29.7	26.5	25.6	26.4	25.6	323.0	9	-60360
	08 LST	18.9	17.7	21.8	23.6	26.6	25.6	27.4	26.3	24.4	24.8	21.2	22.0	280.3	9	-60360
	14 LST	27.8	24.1	27.9	28.1	29.1	29.2	30.5	30.1	27.6	28.9	27.2	27.0	337.5	9	-60360
	20 LST	29.0	26.3	30.2	29.4	29.9	28.8	30.4	30.5	28.5	29.8	28.4	29.0	350.2	9	-60360
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	24.9	21.8	26.9	28.2	29.0	27.9	29.2	29.6	26.3	25.0	26.2	25.3	320.3	9	-60360
	08 LST	18.2	17.3	21.2	23.5	26.5	25.6	27.4	26.1	24.0	24.4	20.8	21.2	276.2	9	-60360
	14 LST	20.3	17.7	22.8	24.1	26.7	27.8	30.0	29.0	26.1	25.3	21.4	20.5	291.7	9	-60360
	20 LST	27.7	25.9	29.2	29.0	29.7	28.7	30.3	30.3	28.3	28.6	26.0	27.8	341.5	9	-60360
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	24.6	21.4	26.5	27.1	27.8	27.0	28.6	29.6	26.2	24.8	25.5	25.0	314.1	9	-60360
	08 LST	17.6	16.9	19.0	21.0	23.4	20.0	23.0	22.0	22.4	24.0	20.0	20.5	251.8	9	-60360
	14 LST	16.8	14.1	20.6	22.4	25.8	26.8	29.8	28.2	25.6	23.8	19.0	17.6	278.5	9	-60360
	20 LST	27.2	25.5	28.4	28.4	28.0	26.0	27.2	29.0	28.0	28.2	24.4	27.2	327.5	9	-60360

WATERLOOF, REPUBLIC OF SOUTH AFRICA

STA NO. 60264/ (IN AREA NUMBER 04)

LATITUDE 2949S

LONGITUDE 02013E

ELEVATION(FT) 04941

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	95	91	91	83	79	77	75	83	89	92	96	95	96	13	-00262
MEAN MAX TMP (F)	81	81	78	75	70	66	66	71	77	80	80	82	76	13	-00262
MEAN MIN TMP (F)	60	60	57	50	42	37	37	42	49	55	57	59	50	13	-00262
ABS MIN TMP (F)	49	49	43	33	26	24	24	28	30	37	41	43	24	13	-00262
MEAN NO DYS TMP = DR GTR 90(F)	4.8	4.3		0.0	0.0	0.0	0.0	0.0				5.9		13	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0		13	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN DEW PT TMP (F)	53	53	52	45	38	33	32	34	37	44	45	52	43	13	-29
MEAN REL HUM (PCT)	79	61	62	58	55	53	52	47	43	47	48	57	54	13	-00262
MEAN PRESS ALT (FT)	4750	4750	4650	4650	4650	4550	4550	4600	4600	4650	4700	4700	4650	0	-50
MEAN PRECIP (IN)	5.30	4.47	4.02	1.61	0.97	0.41	0.40	0.46	0.89	2.62	5.31	5.31	31.8	47	-10
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0		13	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.8	8.9	7.3	3.7	2.4	0.9	0.9	1.0	1.9	4.8	8.7	9.8	60.1	47	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0		13	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	14.0	11.0	8.0	4.0	2.0	1.0	1.0	1.0	3.0	8.0	12.0	11.0	76.0	11	-00262
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	24.9	26.5	21.6	14.6	13.9	12.5	8.9	9.4	13.6	16.6	22.1	22.9	17.2	5	-00360
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	13.2	23.5	10.6	8.0	6.3	4.4	3.5	2.6	8.1	16.2	14.0	16.1	10.5	5	-00360
03-05 LST	30.6	31.9	24.2	15.9	11.1	8.0	5.5	6.8	14.2	17.2	26.5	28.2	18.4	5	-00360
06-08 LST	23.3	23.8	28.0	19.8	13.3	12.2	10.3	13.1	17.1	18.3	25.6	27.3	21.0	5	-00360
09-11 LST	13.3	13.3	12.3	9.6	6.7	5.1	3.2	4.1	10.2	7.7	9.3	9.7	8.9	5	-00360
12-14 LST	3.2	7.3	2.6	3.1	3.2	2.0	1.3	3.2	5.3	2.8	2.4	4.3	3.4	5	-00360
15-17 LST	3.4	5.2	0.9	1.1	1.7	2.4	2.0	0.6	4.0	1.9	4.2	3.9	2.6	5	-00360
18-20 LST	3.0	3.7	1.3	0.4	2.6	3.3	2.2	2.0	5.3	3.0	4.9	3.0	3.4	5	-00360
21-23 LST	8.3	8.4	3.0	3.3	5.7	4.1	2.9	1.0	6.8	8.9	9.3	8.1	6.0	5	-00360
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.3	0.8	1.4	2.9	2.4	1.5	1.8	0.6	3.0	2.9	3.1	2.7	2.4	5	-00360
03-05 LST	10.9	6.6	7.8	6.4	4.6	4.3	2.1	3.7	4.7	6.8	10.7	10.7	6.6	5	-00360
06-08 LST	6.7	7.3	8.0	6.4	6.7	3.3	3.9	3.3	3.1	3.2	3.3	3.9	3.4	5	-00360
09-11 LST	0.0	0.3	0.0	0.4	0.9	0.7	0.9	1.1	1.1	0.2	0.7	0.9	0.6	5	-00360
12-14 LST	0.0	0.7	0.4	0.0	0.0	0.4	0.0	0.0	0.7	0.0	0.2	0.6	0.3	5	-00360
15-17 LST	0.6	0.3	0.8	0.7	0.0	0.7	0.6	0.0	0.7	0.2	0.2	0.6	0.4	5	-00360
18-20 LST	1.1	0.7	0.0	0.0	1.	0.7	0.2	0.2	1.1	1.1	1.6	1.1	0.7	5	-00360
21-23 LST	0.6	0.6	0.3	0.8	2.3	0.8	1.3	0.2	3.3	1.0	1.4	3.0	1.3	5	-00360

WATERLOOF, REPUBLIC OF SOUTH AFRICA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	26.0	26.3	26.6	26.2	29.4	28.4	29.2	30.0	27.0	27.2	26.7	26.3	339.3	5	-68368
	08 LST	21.2	19.3	22.6	23.8	26.6	25.8	27.6	26.9	25.4	26.0	23.4	24.6	293.2	5	-68368
	14 LST	30.8	26.6	30.2	29.8	30.6	29.4	30.6	30.2	29.0	30.2	29.4	30.0	396.8	5	-68368
	20 LST	29.2	27.2	30.8	30.0	30.0	28.8	30.4	30.6	28.8	30.2	28.8	30.0	354.8	5	-68368
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	15.4	14.1	19.9	20.0	20.9	16.9	17.2	13.0	16.4	19.3	12.5	19.5	196.3	5	-68368
	14 LST	18.0	18.1	20.3	16.5	19.4	18.8	14.5	12.7	11.5	10.5	12.6	17.1	190.0	5	-68368
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST	1.2	1.6	1.4	0.0	0.8	0.8	1.0	1.8	3.0	2.5	3.0	2.5	19.6	5	-68368
	14 LST	1.2	1.6	0.8	1.4	1.8	2.2	5.4	8.0	8.3	6.7	3.2	3.0	43.6	5	-68368
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST	15.2	13.2	10.2	9.8	8.0	8.8	12.2	11.8	10.9	12.2	12.0	14.7	138.6	5	-68368
	14 LST	15.0	15.1	13.4	13.1	4.6	13.8	12.8	12.3	11.5	12.7	14.5	13.6	162.4	5	-68368
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	12.5	10.5	13.2	14.2	17.0	14.2	16.8	14.6	20.2	16.5	13.0	10.5	173.2	5	-68368
	14 LST	5.6	2.8	5.0	9.8	17.0	21.2	24.4	20.4	19.2	13.9	8.7	4.0	152.0	5	-68368
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	23.1	22.1	27.3	28.2	29.1	28.2	29.2	29.7	26.5	25.6	26.4	25.6	323.0	5	-68368
	08 LST	18.9	17.7	21.8	23.6	26.6	25.6	27.4	26.3	24.4	24.8	21.2	22.0	288.3	5	-68368
	14 LST	27.8	24.1	27.9	28.1	29.1	29.2	30.3	30.1	27.6	28.9	27.2	27.0	337.5	5	-68368
	20 LST	29.0	26.3	30.2	29.4	29.9	28.8	30.4	30.5	28.9	29.8	28.4	29.0	398.2	5	-68368
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	24.9	21.8	26.9	28.2	29.0	27.9	29.2	29.6	26.3	25.0	26.2	25.3	328.3	5	-68368
	08 LST														0	0
	14 LST	28.3	17.7	22.6	24.1	26.7	27.8	30.8	29.0	26.1	25.3	21.4	20.5	291.7	5	-68368
	20 LST	27.7	28.9	29.2	29.0	29.7	28.7	30.3	30.3	28.3	28.6	26.0	27.8	341.5	5	-68368
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	24.6	21.4	26.9	27.1	27.8	27.0	28.6	29.6	26.2	24.8	25.5	25.0	314.1	5	-68368
	08 LST	17.6	16.9	19.0	21.0	23.4	28.0	25.0	22.0	22.4	24.0	20.0	20.9	251.8	5	-68368
	14 LST	16.8	14.1	20.6	22.4	25.8	26.8	29.8	28.2	25.6	23.8	19.0	17.6	278.5	5	-68368
	20 LST	27.2	23.5	28.4	28.4	28.0	26.0	27.2	29.0	28.0	28.2	24.4	27.2	327.5	5	-68368

VONDERBODD, REPUBLIC OF SOUTH AFRICA

STA NO. 68265/ (IN AREA NUMBER 04)

LATITUDE 2539S

LONGITUDE 02813E

ELEVATION(FT) 04100

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	95	91	91	83	79	77	75	81	89	92	96	95	96	13	-00202
MEAN MAX TMP (F)	81	81	78	75	70	66	66	71	77	80	80	82	76	13	-00202
MEAN MIN TMP (F)	60	60	57	50	42	37	37	42	49	55	57	59	50	13	-00202
ABS MIN TMP (F)	49	49	43	33	26	24	24	28	30	37	41	43	24	13	-00202
MEAN NO DYS TMP = OR GTR 90(F)	4.8	4.3		0.0	0.0	0.0	0.0	0.0	0.0			5.9		13	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0		13	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN DEW PT TMP (F)	53	55	52	45	38	33	32	34	37	44	45	52	43	13	-29
MEAN REL HUM (PCT)	59	61	62	58	55	53	52	47	43	47	48	57	54	13	-00202
MEAN PRESS ALT (FT)	3947	3944	3888	3884	3819	3736	3742	3788	3832	3888	3912	3940	3860	0	-50
MEAN PRECIP (IN)	4.92	4.25	3.54	1.61	0.98	0.39	0.39	0.20	0.83	2.21	4.96	5.08	29.4	30	-00202
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0		13	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.4	8.5	6.7	3.7	2.4	0.9	0.9	0.5	1.7	4.1	8.2	9.6	56.6	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0		13	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	14.0	11.0	8.0	4.0	2.0	1.0	1.0	1.0	3.0	8.0	12.0	11.0	76.0	11	-00202
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	24.9	26.5	21.6	14.6	13.9	12.5	8.9	9.4	13.6	16.0	22.1	22.9	17.2	5	-00300
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	13.2	23.5	10.6	8.0	6.3	4.4	3.5	2.6	8.1	16.2	14.0	16.1	10.5	5	-00300
03-05 LST	30.6	31.9	24.2	15.9	11.1	8.8	5.5	6.8	14.2	17.2	26.5	28.2	18.4	5	-00300
06-08 LST	33.3	33.8	28.0	19.8	13.3	12.2	10.3	13.1	17.1	18.3	25.6	27.3	21.0	5	-00300
09-11 LST	13.3	13.5	12.3	9.6	6.7	5.1	5.2	4.1	10.2	7.7	9.3	9.7	8.9	5	-00300
12-14 LST	3.2	7.3	2.6	3.1	3.2	2.0	1.3	3.2	5.3	2.8	2.4	4.3	3.4	5	-00300
15-17 LST	3.4	5.2	0.9	1.1	1.7	2.4	2.0	0.6	4.0	1.9	4.2	3.9	2.6	5	-00300
18-20 LST	5.0	5.7	1.5	0.4	2.6	3.3	2.2	2.0	5.3	3.0	4.9	5.0	3.4	5	-00300
21-23 LST	8.3	8.4	5.0	3.5	5.7	4.1	2.9	1.0	6.8	8.9	9.3	8.1	6.0	5	-00300
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.3	0.8	1.4	2.9	2.4	1.5	1.8	0.6	3.0	2.9	5.1	2.7	2.4	5	-00300
03-05 LST	10.9	6.6	7.8	6.4	4.6	4.5	2.1	3.7	4.7	6.8	10.7	10.7	6.6	5	-00300
06-08 LST	6.7	7.3	8.0	6.4	6.7	5.3	3.9	5.3	5.1	3.2	3.3	3.9	5.4	5	-00300
09-11 LST	0.0	0.5	0.0	0.4	0.9	0.7	0.9	1.1	1.1	0.2	0.7	0.9	0.6	5	-00300
12-14 LST	0.0	0.7	0.4	0.0	0.0	0.4	0.0	0.0	0.7	0.0	0.2	0.6	0.3	5	-00300
15-17 LST	0.6	0.5	0.0	0.7	0.0	0.7	0.6	0.0	0.7	0.2	0.2	0.6	0.4	5	-00300
18-20 LST	1.1	0.7	0.0	0.0	1.1	0.7	0.2	0.2	1.1	1.1	1.6	1.1	0.7	5	-00300
21-23 LST	0.6	0.6	0.5	0.8	2.3	0.8	1.3	0.2	3.3	1.0	1.4	3.0	1.3	5	-00300

BONHEBBOON, REPUBLIC OF SOUTH AFRICA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	26.0	26.3	28.0	28.2	29.4	28.4	29.2	30.0	27.0	27.2	26.7	26.3	133.3	5	-60360
	08 LST	21.2	19.3	22.0	23.0	26.0	28.0	27.0	26.9	25.4	26.0	23.4	24.6	293.2	5	-60360
	14 LST	30.0	26.0	30.2	29.0	30.0	29.4	30.0	30.2	29.0	30.2	29.4	30.0	356.0	5	-60360
	20 LST	29.2	27.2	30.0	30.0	30.0	28.0	30.4	30.0	28.0	30.2	28.0	30.0	354.0	5	-60360
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	15.4	14.1	19.9	20.0	20.5	16.5	17.2	13.0	16.4	15.3	12.5	15.5	196.3	5	-60360
	14 LST	18.0	18.1	20.3	16.5	19.4	18.0	14.3	12.7	11.3	10.5	12.0	17.1	190.0	5	-60360
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST	1.2	1.0	1.4	0.0	0.0	0.0	1.0	1.0	3.0	2.5	3.0	2.5	19.6	5	-60360
	14 LST	1.2	1.0	0.0	1.4	1.0	2.2	5.4	0.0	0.3	6.7	3.2	3.0	43.0	5	-60360
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 31-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST	15.2	13.2	10.1	9.0	0.0	0.0	12.2	11.0	10.5	12.2	12.0	14.7	130.6	5	-60360
	14 LST	15.0	15.1	13.4	13.1	14.6	13.0	15.0	12.3	11.3	12.7	14.3	13.6	162.4	5	-60360
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	12.5	10.5	13.2	14.2	17.0	14.2	16.0	14.6	20.2	16.5	13.0	10.5	173.2	5	-60360
	14 LST	9.6	2.0	9.0	9.0	17.0	21.2	24.4	20.4	19.2	13.9	0.7	4.0	192.0	5	-60360
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	25.1	22.1	27.3	28.2	29.1	28.2	29.2	29.7	26.5	25.0	26.4	25.0	323.0	5	-60360
	08 LST	13.9	17.7	21.0	23.6	26.6	25.0	27.4	26.3	24.4	24.0	21.2	22.0	200.3	5	-60360
	14 LST	27.0	24.1	27.9	28.1	29.1	29.2	30.5	30.1	27.0	28.9	27.2	27.0	337.5	5	-60360
	20 LST	29.0	26.3	30.2	29.4	29.9	28.0	30.4	30.5	28.5	29.0	28.4	29.0	350.2	5	-60360
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	24.9	21.0	26.9	28.2	29.0	27.9	29.2	29.6	26.3	25.0	26.2	25.3	320.3	5	-60360
	08 LST	10.2	17.3	21.2	23.8	26.5	25.0	27.4	26.1	24.0	24.4	20.0	21.2	270.2	5	-60360
	14 LST	20.3	17.7	22.0	24.1	26.7	27.0	30.0	29.0	26.1	23.3	21.4	20.5	291.7	5	-60360
	20 LST	27.7	23.9	29.2	29.0	29.7	28.7	30.3	30.3	28.3	28.0	26.0	27.0	341.5	5	-60360
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	24.6	21.4	26.8	27.1	27.0	27.0	28.6	29.6	26.2	24.0	23.5	25.0	314.1	5	-60360
	08 LST	17.6	16.9	19.0	21.0	23.4	23.0	23.0	22.0	22.4	24.0	20.0	20.5	291.0	5	-60360
	14 LST	16.0	14.1	20.0	22.4	23.0	24.0	29.0	20.2	23.0	23.0	19.0	17.0	270.5	5	-60360
	20 LST	27.2	23.3	28.4	28.4	28.0	26.0	27.2	29.0	28.0	28.2	24.4	27.2	327.3	5	-60360

WELKOM, REPUBLIC OF SOUTH AFRICA

STA NO. 68346 (IN AREA NUMBER 04)

LATITUDE 2795

LONGITUDE 02640E

ELEVATION(FT) 04997

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	101	98	94	90	90	78	78	84	93	97	98	101	101	30	-68352
MEAN MAX TMP (F)	86	84	81	76	70	65	65	72	77	82	83	85	77	20	-68352
MEAN MIN TMP (F)	59	58	55	46	37	29	29	34	42	51	54	57	46	20	-68352
ABS MIN TMP (F)	41	40	39	25	19	15	15	15	21	30	31	38	15	30	-68352
MEAN NO DYS TMP = DR GTR 90(F)	10.7	7.4	4.8	0.0	0.0	0.0	0.0	0.0		3.9	6.7	9.4		20	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0							0.0	0.0	0.0		30	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN DEW PT TMP (F)	53	54	53	48	40	32	31	33	36	42	45	49	43	17	-29
MEAN REL HUM (PCT)	55	59	66	65	64	61	59	51	47	45	46	51	56	10	-68352
MEAN PRESS ALT (FT)	4269	4244	4209	4144	4098	4048	4033	4129	4163	4194	4290	4269	4171	0	-50
MEAN PRECIP (IN)	3.66	3.19	3.38	1.69	0.87	0.32	0.35	0.51	0.79	2.17	3.23	3.74	23.9	30	-68352
MEAN SNOW FALL (IN)	0.0	0.0	0.0							0.0	0.0	0.0		30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.6	6.8	6.3	3.9	2.2	0.8	0.8	1.1	1.7	4.1	5.8	7.8	49.1	30	-29
MEAN NO DYS SNFL = DR GTR 1.9 IN	0.0	0.0	0.0							0.0	0.0	0.0		30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 20 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

WELKOP, REPUBLIC OF SOUTH AFRICA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0

DATA NOT AVAILABLE

POTCHEFSTROOM, REPUBLIC OF SOUTH AFRICA

STA NO. 60350 (IN AREA NUMBER 04)

LATITUDE 2641S

LONGITUDE 02705E

ELEVATION(FT) 04920

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (VR5)	NO. OBS
ABS MAX TMP (F)	103	96	92	89	85	81	80	87	92	97	98	99	103	30	-10
MEAN MAX TMP (F)	85	83	80	76	71	66	66	73	78	83	84	85	78	20	-10
MEAN MIN TMP (F)	60	59	56	48	39	32	32	38	45	53	56	58	48	20	-10
ABS MIN TMP (F)	42	39	38	27	19	16	14	16	22	31	37	40	14	30	-10
MEAN NO DYS TMP = OR GTR 90(F)	9.4	5.3		0.0	0.0	0.0	0.0	0.0		7.0	7.9	9.4		20	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.5	3.9	15.1	15.5	6.9	1.2	0.1	0.0	0.0	43.2	20	-10
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN DEW PT TMP (F)	57	59	54	45	40	32	32	34	39	48	47	52	45	0	-50
MEAN REL HUM (PCT)	53	61	63	56	55	53	49	43	38	41	48	49	51	0	-10
MEAN PRESS ALT (FT)	4350	4350	4250	4250	4250	4150	4150	4200	4200	4250	4300	4300	4250	0	-50
MEAN PRECIP (IN)	4.17	3.74	3.31	1.34	0.75	0.32	0.32	0.39	0.71	1.81	3.07	4.02	23.9	48	-10
MEAN SNOW FALL (IN)	0.0	0.0	0.0							0.0	0.0	0.0		30	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.4	7.8	6.4	3.2	1.9	0.8	0.8	0.9	1.5	3.5	5.5	8.2	48.9	48	-29
MEAN NO DYS SMPL = OR GTR 1.5 IN	0.0	0.0	0.0							0.0	0.0	0.0		30	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

POTCHEFSTROOM, REPUBLIC OF SOUTH AFRICA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0

DATA NOT AVAILABLE

POTCHEFSTROOM, REPUBLIC OF SOUTH AFRICA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PCR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0

DATA NOT AVAILABLE

KROONSTAD, REPUBLIC OF SOUTH AFRICA

STA NO. 69352 (IN AREA NUMBER 04)

LATITUDE 27405

LONGITUDE 02714E

ELEVATION(FT) 04423

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	101	98	94	90	90	78	78	84	93	97	98	101	101	30	-10
MEAN MAX TMP (F)	86	84	81	76	70	65	65	72	77	82	83	85	77	20	-10
MEAN MIN TMP (F)	59	58	55	46	37	29	29	34	42	51	54	57	46	20	-10
ABS MIN TMP (F)	41	40	39	25	19	15	15	15	21	30	31	38	15	30	-10
MEAN NO DYS TMP = OR GTR 90(F)	10.7	7.4	4.8	0.0	0.0	0.0	0.0	0.0		5.9	6.7	9.4		20	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.7	6.4	20.1	21.7	12.4	3.3	0.1	0.1	0.0	64.8	20	-10
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN DEW PT TMP (F)	53	54	55	48	40	32	31	33	36	42	45	49	43	17	-29
MEAN REL HUM (PCT)	55	59	66	65	64	61	59	51	47	45	48	51	56	10	-10
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.66	3.19	3.38	1.69	0.87	0.32	0.35	0.51	0.79	2.17	3.23	3.74	23.9	30	-10
MEAN SNOW FALL (IN)	0.0	0.0	0.0							0.0	0.0	0.0		30	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.6	6.6	6.8	3.9	2.2	0.8	0.8	1.1	1.7	4.1	5.8	7.8	49.1	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0							0.0	0.0	0.0		30	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/G LES 3 MI														0	0
P FREQ LES 1900 FT A/G LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/G LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KROONSTAD, REPUBLIC OF SOUTH AFRICA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PJR (YRS)	NO. OBS
CIG - GTR 1000 FT AND VSBY - GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG -GTR 2000 FT AND VSBY -GTR 3 MI W/SFC WND LES 10 KTS	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SFC WND - GTR 17 KTS AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SKY COVER LES 3/10 AND VSBY - GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG - GTR 2500 FT AND VSBY - GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG - GTR 4000 FT AND VSBY - GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG - GTR 10000 FT AND VSBY - GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0

DATA NOT AVAILABLE

BUNNATTAR, REPUBLIC OF SOUTH AFRICA

LATITUDE 26215

LONGITUDE 02027E

ELEVATION(FT) 05240

STA NO. 60353 (IN AREA NUMBER 04)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NC. OBS
ABS MAX TMP (F)	91	91	88	85	78	76	74	79	86	90	93	92	93	18	-60360
MEAN MAX TMP (F)	78	77	75	72	66	62	63	68	73	77	77	74	72	19	-60360
MEAN MIN TMP (F)	58	58	55	50	43	39	39	43	48	53	55	57	50	19	-60360
ABS MIN TMP (F)	42	45	41	30	22	19	19	20	27	32	35	42	19	18	-60360
MEAN NO DYS TMP = OR GTR 90(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				19	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		18	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		18	-29
MEAN DEW PT TMP (F)	60	61	59	52	45	42	41	43	46	52	54	57	51	0	-50
MEAN REL HUM (PCT)	63	66	65	59	53	52	51	47	45	55	56	59	56	17	-60360
MEAN PRESS ALT (FT)	5050	5050	4950	4950	4950	4850	4850	4900	4900	4950	5000	5000	4950	0	-50
MEAN PRECIP (IN)	5.39	4.41	3.90	1.57	0.91	0.24	0.43	0.39	0.91	2.52	4.61	5.00	30.3	45	-60360
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		18	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.9	8.8	7.2	3.6	2.3	0.6	1.0	0.9	1.9	4.6	7.8	9.5	58.1	45	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0						0.0	0.0	0.0		18	-29
MEAN NO DYS W/OCCUR VSOBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	24.9	26.5	21.6	14.6	13.9	12.5	8.9	9.4	13.6	16.0	22.1	22.9	17.2	5	-60360
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	13.2	23.5	10.6	8.0	5.3	4.4	3.5	2.6	8.1	16.2	14.0	16.1	10.5	5	-60360
03-05 LST	30.6	31.9	24.2	15.9	11.1	8.8	5.5	6.8	14.2	17.2	26.5	28.2	18.4	5	-60360
06-08 LST	33.3	33.8	28.0	19.8	13.3	12.2	10.3	13.1	17.1	18.3	25.6	27.3	21.0	5	-60360
09-11 LST	13.3	13.5	12.3	9.6	6.7	5.1	5.2	4.1	10.2	7.7	9.3	9.7	6.9	5	-60360
12-14 LST	3.2	7.3	2.6	3.1	3.2	2.0	1.3	3.2	5.3	2.8	2.4	4.3	3.4	5	-60360
15-17 LST	3.4	5.2	0.9	1.1	1.7	2.4	2.0	0.6	4.0	1.9	4.2	3.9	2.6	5	-60360
18-20 LST	5.0	5.7	1.5	0.4	2.6	3.3	2.2	2.0	5.3	3.0	4.9	5.0	3.4	5	-60360
21-23 LST	8.3	8.4	5.0	3.5	5.7	4.1	2.9	1.0	6.8	8.9	9.3	8.1	6.0	5	-60360
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.3	0.8	1.4	2.9	2.4	1.5	1.8	0.6	3.0	2.9	5.1	2.7	2.4	5	-60360
03-05 LST	10.9	6.6	7.8	6.4	4.6	4.5	2.1	3.7	4.7	6.8	10.7	10.7	6.6	5	-60360
06-08 LST	6.7	7.3	8.0	6.4	6.7	5.5	3.9	5.3	5.1	3.2	3.3	3.9	5.4	5	-60360
09-11 LST	0.0	0.5	0.0	0.4	0.9	0.7	0.9	1.1	1.1	0.2	0.7	0.9	0.6	5	-60360
12-14 LST	0.0	0.7	0.4	0.0	0.0	0.4	0.0	0.0	0.7	0.0	0.2	0.6	0.3	5	-60360
15-17 LST	0.6	0.5	0.0	0.7	0.0	0.7	0.6	0.0	0.7	0.2	0.2	0.6	0.4	5	-60360
18-20 LST	1.1	0.7	0.0	0.0	1.1	0.7	0.2	0.2	1.1	1.1	1.6	1.1	0.7	5	-60360
21-23 LST	0.6	0.6	0.3	0.8	2.3	0.8	1.3	0.2	3.3	1.0	1.4	3.0	1.3	5	-60360

DUNNOTAR, REPUBLIC OF SOUTH AFRICA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	26.0	26.3	26.6	26.2	27.4	28.1	29.2	30.0	27.0	27.2	26.7	26.3	333.3	5	-60360
	08 LST	21.2	19.3	22.6	23.8	26.6	29.8	27.6	26.9	25.4	26.0	23.4	24.6	293.2	5	-60360
	14 LST	30.8	26.6	30.2	29.4	30.6	29.4	30.6	30.2	29.0	30.2	29.4	30.0	356.8	5	-60360
	20 LST	29.2	27.2	30.8	30.0	30.0	28.8	30.4	30.6	28.8	30.2	28.8	30.0	354.8	5	-60360
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	15.4	14.1	19.9	20.0	20.5	16.5	17.2	13.0	16.4	15.3	12.5	15.5	196.3	5	-60360
	14 LST	18.0	18.1	20.3	16.5	19.4	18.8	14.5	12.7	11.5	10.5	12.6	17.1	190.0	5	-60360
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST	1.2	1.6	1.4	0.0	0.8	0.8	1.0	1.8	3.0	2.5	3.0	2.5	19.6	5	-60360
	14 LST	1.2	1.6	0.8	1.4	1.8	2.2	5.4	8.0	6.3	6.7	3.2	3.0	43.6	5	-60360
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST	13.2	13.2	10.2	9.8	8.0	8.8	12.2	11.8	10.5	12.2	12.0	14.7	138.6	5	-60360
	14 LST	15.0	15.1	13.4	13.1	14.6	13.8	12.8	12.3	11.5	12.7	14.5	13.6	162.4	5	-60360
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	12.3	10.5	13.2	14.2	17.0	14.2	14.8	14.6	20.2	16.5	13.0	10.5	173.2	5	-60360
	14 LST	5.6	2.8	5.0	9.8	17.1	21.2	24.4	20.4	19.2	13.9	8.7	4.0	152.0	5	-60360
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	25.1	22.1	27.3	28.2	29.1	28.2	29.2	29.7	26.5	25.6	26.4	25.6	323.0	5	-60360
	08 LST	18.9	17.7	21.8	23.6	26.6	29.6	27.4	26.3	24.4	24.8	21.2	22.0	288.3	5	-60360
	14 LST	27.8	24.1	27.9	28.1	29.1	29.2	30.5	30.1	27.6	28.9	27.2	27.0	337.5	5	-60360
	20 LST	29.0	26.3	30.2	29.4	29.9	28.8	30.4	30.5	28.5	29.8	28.4	29.0	330.2	5	-60360
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	24.9	21.8	26.9	28.2	29.0	27.9	29.2	29.6	26.3	25.0	26.2	25.3	320.3	5	-60360
	08 LST	18.2	17.3	21.2	23.3	26.5	25.6	27.4	26.1	24.0	24.4	20.8	21.2	276.2	5	-60360
	14 LST	20.3	17.7	22.8	24.1	26.7	27.8	30.0	29.0	26.1	25.3	21.4	20.5	291.7	5	-60360
	20 LST	27.7	25.9	29.2	29.0	29.7	28.7	30.3	30.3	28.3	28.6	26.0	27.8	341.5	5	-60360
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	24.6	21.4	26.5	27.1	27.8	27.0	28.6	29.6	26.2	24.8	25.5	25.0	314.1	5	-60360
	08 LST	17.6	15.9	19.0	21.0	23.4	26.0	25.0	22.0	22.4	24.0	20.0	20.5	251.8	5	-60360
	14 LST	16.8	14.1	20.6	22.4	25.8	26.8	29.8	28.2	25.6	23.8	19.0	17.6	270.5	5	-60360
	20 LST	27.2	25.5	28.4	28.4	28.0	28.0	27.2	29.0	28.8	28.2	24.4	27.2	327.5	5	-60360

STA NO. 68360/ (IN AREA NUMBER 04)

RAND. REPUBLIC OF SOUTH AFRICA

LATITUDE 2614S

LONGITUDE 02809E

ELEVATION(FT) 09470

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	91	91	88	85	78	76	74	79	86	90	93	92	93	18	-28
MEAN MAX TMP (F)	78	77	75	72	66	62	63	68	73	77	77	78	72	19	-28
MEAN MIN TMP (F)	58	58	55	50	43	39	39	43	48	53	55	57	50	19	-28
ABS MIN TMP (F)	42	45	41	30	22	19	19	20	27	32	35	42	19	18	-28
MEAN NO DYS TMP = DR GTR 90(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				19	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		18	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN DEW PT TMP (F)	68	61	59	52	45	42	41	44	46	52	55	58	52	0	-50
MEAN REL HUM (PCT)	63	66	65	59	53	52	51	47	45	55	56	59	56	17	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	5.39	4.41	3.90	1.57	0.91	0.24	0.43	0.39	0.91	2.92	4.61	5.00	30.3	45	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		18	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.9	8.8	7.2	3.6	2.3	0.6	1.0	0.9	1.9	4.6	7.8	9.5	58.1	45	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0						0.0	0.0	0.0		18	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI	24.9	26.5	21.6	14.6	13.9	12.5	8.9	9.4	13.6	16.0	22.1	22.9	17.2	5	-68368
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	13.2	23.5	10.6	8.0	6.3	4.4	3.5	2.6	9.1	16.2	14.0	16.1	10.5	5	-68368
03-05 LST	30.6	31.9	24.2	15.9	11.1	8.8	9.5	6.8	14.2	17.2	26.5	28.2	18.4	5	-68368
06-08 LST	33.3	33.8	28.0	19.8	13.3	12.2	10.3	13.1	17.1	16.3	25.6	27.3	21.0	5	-68368
09-11 LST	13.3	13.5	12.3	9.6	6.7	5.1	5.2	4.1	10.2	7.7	9.3	9.7	8.9	5	-68368
12-14 LST	3.2	7.3	2.6	3.1	3.2	2.0	1.3	3.2	5.3	2.8	2.4	4.3	3.4	5	-68368
15-17 LST	3.4	5.2	0.9	1.1	1.7	2.4	2.0	0.6	4.0	1.9	4.2	3.9	2.6	5	-68368
18-20 LST	5.0	5.7	1.5	0.4	2.6	3.3	2.2	2.0	5.3	3.0	4.9	5.0	3.4	5	-68368
21-23 LST	8.3	8.4	5.0	3.5	5.7	4.1	2.9	1.0	6.8	8.9	9.3	8.1	6.0	5	-68368
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.3	0.8	1.4	2.9	2.4	1.5	1.8	0.6	3.0	2.9	5.1	2.7	2.4	5	-68368
03-05 LST	10.9	6.6	7.8	6.4	4.4	4.5	2.1	3.7	4.7	6.8	10.7	10.7	6.6	5	-68368
06-08 LST	6.7	7.3	8.0	6.4	6.7	5.3	3.9	5.3	5.1	3.2	3.3	3.9	5.4	5	-68368
09-11 LST	0.0	0.5	0.0	0.4	0.9	0.7	0.9	1.1	1.1	0.2	0.7	0.9	0.6	5	-68368
12-14 LST	0.0	0.7	0.4	0.0	0.0	0.4	0.0	0.0	0.7	0.0	0.2	0.6	0.3	5	-68368
15-17 LST	0.6	0.5	0.0	0.7	0.0	0.7	0.6	0.0	0.7	0.2	0.2	0.6	0.4	5	-68368
18-20 LST	1.1	0.7	0.0	0.0	1.1	0.7	0.2	0.2	1.1	1.1	1.6	1.1	0.7	5	-68368
21-23 LST	0.6	0.6	0.5	0.8	2.3	0.8	1.3	0.2	3.3	1.0	1.4	3.0	1.3	5	-68368

PAND, REPUBLIC OF SOUTH AFRICA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANW	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	26.0	26.3	28.6	28.2	29.4	28.4	29.2	30.0	27.0	27.2	26.7	26.3	333.3	5	-60368
	08 LST	21.2	19.3	22.6	23.8	26.6	25.8	27.6	26.9	25.4	26.0	23.4	24.6	293.2	5	-60368
	14 LST	30.8	26.6	30.2	29.8	30.6	29.4	30.6	30.2	29.0	30.2	29.4	30.0	356.8	5	-60368
	20 LST	29.2	27.2	30.8	30.0	30.0	28.8	30.4	30.6	28.8	30.2	28.8	30.0	354.8	5	-60368
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	15.4	14.1	19.9	20.0	20.5	16.9	17.2	13.0	16.4	15.3	12.9	15.5	196.3	5	-60368
	14 LST	18.0	18.1	20.3	16.5	19.4	18.8	14.5	12.7	11.5	10.5	12.6	17.1	190.0	5	-60368
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST	1.2	1.6	1.4	0.0	0.8	0.8	1.0	1.8	3.0	2.9	3.0	2.5	19.6	5	-60368
	14 LST	1.2	1.6	0.8	1.4	1.8	2.2	5.4	8.0	8.3	6.7	3.2	3.0	49.6	5	-60368
	20 LST														0	0
SFC WND 4-10 KTS AND THP 33-89 DEC F AND NO PRECIP.	02 LST														0	0
	08 LST	15.2	13.2	10.2	9.8	8.0	8.8	12.2	11.8	10.5	12.2	12.0	14.7	138.6	5	-60368
	14 LST	15.0	15.1	13.4	13.1	14.6	13.8	12.8	12.3	11.5	12.7	14.5	13.6	162.4	5	-60368
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	12.5	10.9	13.2	14.2	17.0	14.2	16.8	14.6	20.2	16.5	13.0	10.5	173.2	5	-60368
	14 LST	5.6	2.8	5.0	9.8	17.0	21.2	24.4	20.4	19.2	13.9	8.7	4.0	192.0	5	-60368
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	25.1	22.1	27.3	28.2	29.1	28.2	29.2	29.7	26.5	25.6	26.4	25.6	323.0	5	-60368
	08 LST	18.9	17.7	21.8	23.6	26.6	25.6	27.4	26.3	24.4	24.8	21.2	22.0	280.3	5	-60368
	14 LST	27.8	24.1	27.9	28.1	29.1	29.2	30.3	30.1	27.6	28.9	27.2	27.0	337.5	5	-60368
	20 LST	29.0	26.3	30.2	29.4	29.9	28.8	30.4	30.5	28.5	29.8	28.4	29.0	350.2	5	-60368
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	24.9	21.8	26.9	28.2	29.0	27.9	29.2	29.6	26.3	25.0	26.2	25.3	320.3	5	-60368
	08 LST	18.2	17.3	21.2	23.5	26.5	25.6	27.4	26.1	24.0	24.4	20.8	21.2	276.2	5	-60368
	14 LST	20.3	17.7	22.8	24.1	26.7	27.8	30.0	29.0	26.1	25.3	21.4	20.5	291.7	5	-60368
	20 LST	27.7	25.9	29.2	29.0	29.7	28.7	30.3	30.3	28.3	28.6	26.0	27.8	341.5	5	-60368
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	24.6	21.4	26.5	27.1	27.8	27.0	28.6	29.6	26.2	24.8	25.5	25.0	314.1	5	-60368
	08 LST	17.6	16.9	19.8	21.0	23.4	20.0	25.0	22.0	22.4	24.0	20.0	20.5	251.8	5	-60368
	14 LST	16.8	14.1	20.6	22.4	25.8	26.8	29.8	28.2	25.6	23.8	19.0	17.6	278.5	5	-60368
	20 LST	27.2	25.5	28.4	28.4	28.0	28.0	27.2	29.0	28.0	28.2	24.4	27.2	327.5	5	-60368

PALMIETFONTEIN, REPUBLIC OF SOUTH AFRICA

STA NO. 60367/ (IN AREA NUMBER 04)

LATITUDE 2021S

LONGITUDE 02000E

ELEVATION(FT) 09123

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	94	89	89	81	80	75	73	83	87	91	98	94	98	5	1703
MEAN MAX TMP (F)	81	79	78	74	67	64	63	68	76	79	78	80	74	5	1703
MEAN MIN TMP (F)	59	57	54	48	39	34	33	38	46	52	54	57	48	5	1703
ABS MIN TMP (F)	47	47	36	33	27	19	18	24	32	32	42	45	18	5	1703
MEAN NO DYS TMP = OR GTR 90(F)	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.2	0.5	2.6	5	1703
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	3.8	12.6	17.0	7.0	0.8	0.2	0.0	0.0	41.4	5	1703
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.16	3.15	2.11	1.47	1.31	0.20	0.41	0.20	0.32	2.38	5.36	5.90	28.0	5	1700
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0		5	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.6	7.1	6.0	3.6	2.4	0.6	0.8	0.4	0.8	5.0	8.6	11.4	54.3	5	1700
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0		5	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTNS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	10.5	13.5	8.4	11.6	7.1	6.0	8.4	9.7	6.7	5.7	14.2	10.5	9.4	5	1695
09-11 LST														0	0
12-14 LST	3.2	3.5	2.6	2.7	1.9	1.3	1.3	0.6	1.7	0.8	4.2	3.2	2.3	5	1699
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.7	0.0	1.3	1.4	1.3	4.0	3.9	2.6	0.8	0.0	0.0	0.0	1.3	5	1695
09-11 LST														0	0
12-14 LST	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1699
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

PALDIETFOEIN, REPUBLIC OF SOUTH AFRICA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	29.4	25.8	25.8	23.5	24.0	18.3	21.6	20.8	26.0	29.5	26.5	29.5	300.7	5	1695
	14 LST	30.0	27.4	30.0	29.8	30.4	30.0	30.6	31.0	29.7	31.0	29.7	30.5	360.9	5	1699
	20 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	19.4	14.1	19.9	20.0	20.6	16.5	17.2	13.0	16.1	15.3	12.5	15.5	196.1	5	1695
	14 LST	18.0	18.1	20.3	16.5	19.4	18.8	14.5	12.7	11.5	10.5	12.6	17.1	190.0	5	1697
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST	1.2	1.6	1.4	0.0	0.8	0.0	1.0	1.8	3.0	2.5	3.0	2.5	19.6	5	1702
	14 LST	1.2	1.6	0.8	1.4	1.8	2.2	5.4	8.0	0.3	6.7	3.2	3.0	43.6	5	1701
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEC F AND NO PRECIP.	02 LST														0	0
	08 LST	19.2	13.7	10.2	9.8	8.0	8.0	12.2	11.8	10.9	12.2	12.0	14.7	139.1	5	1701
	14 LST	15.0	15.1	13.4	13.1	14.6	13.8	12.8	12.3	11.5	12.7	14.5	13.6	162.4	5	1701
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	12.5	10.5	13.2	14.2	17.0	14.2	16.8	14.6	20.2	16.5	13.0	10.5	173.2	5	1701
	14 LST	5.6	2.8	5.0	9.8	17.0	21.2	24.4	20.4	19.2	13.9	8.7	4.0	152.0	5	1703
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	25.3	21.2	24.1	22.4	22.6	18.1	20.4	19.0	24.5	27.2	23.7	24.7	273.2	5	1695
	14 LST	27.8	24.8	28.2	27.6	29.2	29.2	29.6	30.6	29.5	29.7	27.5	28.7	342.4	5	1699
	20 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	24.7	20.8	23.3	22.0	22.4	17.7	20.0	19.0	24.2	26.7	23.7	24.0	268.7	5	1695
	14 LST	22.2	17.1	19.9	24.4	26.4	27.2	28.2	29.8	27.2	27.0	22.4	24.2	296.0	5	1699
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	24.7	20.8	23.3	22.0	22.4	17.5	19.8	19.0	24.2	26.2	23.5	24.0	267.6	5	1695
	14 LST	22.2	16.9	19.9	24.4	26.4	27.2	28.2	29.6	27.2	26.7	22.4	23.3	294.4	5	1699
	20 LST														0	0

JAN SMUTS, REPUBLIC OF SOUTH AFRICA

STA NO. 60360 (IN AREA NUMBER 04)

LATITUDE 2600S

LONGITUDE 02014E

ELEVATION(FT) 09999

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	91	91	88	85	78	76	74	79	86	90	93	92	93	18	-00360
MEAN MAX TMP (F)	70	77	75	72	66	62	63	68	73	77	77	78	72	19	-00360
MEAN MIN TMP (F)	38	38	35	30	23	19	19	20	27	32	35	42	30	19	-00360
ABS MIN TMP (F)	42	45	41	30	22	19	19	20	27	32	35	42	30	19	-00360
MEAN NO DYS TMP - OR GTR 90(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				19	-29
MEAN NO DYS TMP - OR LES 32(F)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		18	-29
MEAN NO DYS TMP - OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN DEW PT TMP (F)	59	56	53	46	36	30	30	31	41	48	52	57	45	14	-29
MEAN REL HUM (PCT)	67	70	69	62	54	51	50	44	53	50	65	71	60	9	-32
MEAN PRESS ALT (FT)	9400	9400	9300	9300	9300	9200	9200	9250	9250	9300	9350	9350	9300	0	-30
MEAN: PRECIP (IN)	4.04	4.17	3.50	2.01	0.87	0.32	0.35	0.28	0.98	2.40	4.07	5.32	29.6	30	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		18	-29
MEAN NO DYS PRCP - OR GTR 0.1 IN	9.3	8.4	6.7	4.5	2.2	0.8	0.8	0.7	2.0	4.4	7.7	9.8	57.3	30	-29
MEAN NO DYS SNFL - OR GTR 1.5 IN	0.0	0.0	0.0	0.0						0.0	0.0	0.0		18	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD - OR GTR 17 KTS														0	0
P FREQ WND SPD - OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI	24.9	26.9	21.6	14.6	13.9	12.8	8.9	9.4	13.6	16.0	22.1	22.9	17.2	9	-25
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	13.2	23.5	10.6	8.0	4.3	4.4	3.3	2.6	8.1	16.2	14.0	16.1	10.5	9	-25
03-05 LST	30.6	31.9	24.2	19.9	11.1	8.8	9.9	6.8	14.2	17.2	26.9	28.2	18.4	9	-25
06-08 LST	33.3	33.8	28.0	19.8	13.3	12.2	10.3	13.1	17.1	18.3	25.6	27.3	21.0	9	-25
09-11 LST	13.3	13.3	12.3	9.6	6.7	9.1	9.2	4.1	10.2	7.7	9.3	9.7	8.9	9	-25
12-14 LST	3.2	7.3	2.6	3.1	3.2	2.0	1.3	3.2	3.3	2.8	2.4	4.3	3.4	9	-25
15-17 LST	3.4	5.2	0.9	1.1	1.7	2.4	2.0	0.6	4.0	1.9	4.2	3.9	2.6	9	-25
18-20 LST	5.0	5.7	1.3	0.4	2.6	3.3	2.2	2.0	3.3	3.0	4.9	3.0	3.4	9	-25
21-23 LST	8.3	8.4	3.0	3.5	5.7	4.1	2.9	1.0	6.8	8.9	9.3	8.1	6.0	9	-25
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.3	0.8	1.4	2.9	2.4	1.8	1.8	0.6	3.0	2.9	3.1	2.7	2.4	9	-25
03-05 LST	10.9	6.6	7.8	6.4	4.6	4.5	2.1	3.7	4.7	6.8	10.7	10.7	6.6	9	-25
06-08 LST	6.7	7.3	8.0	6.4	6.7	9.3	3.9	3.3	3.1	3.2	3.3	3.9	3.4	9	-25
09-11 LST	0.0	0.3	0.0	0.4	0.9	0.7	0.9	1.1	1.1	0.2	0.7	0.9	0.6	9	-25
12-14 LST	0.0	0.7	0.4	0.0	0.0	0.4	0.0	0.0	0.7	0.0	0.2	0.6	0.3	9	-25
15-17 LST	0.6	0.3	0.0	0.7	0.0	0.7	0.6	0.0	0.7	0.2	0.2	0.6	0.4	9	-25
18-20 LST	1.1	0.7	0.0	0.0	1.1	0.7	0.2	0.2	1.1	1.1	1.6	1.1	0.7	9	-25
21-23 LST	0.6	0.6	0.3	0.8	2.3	0.8	1.3	0.2	3.3	1.0	1.4	3.0	1.3	9	-25

JAN SBUTS, REPUBLIC OF SOUTH AFRICA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	26.0	26.3	28.6	28.2	29.4	28.4	29.2	30.0	27.0	27.2	26.7	26.3	333.3	5	-25
	08 LST	21.2	19.3	22.6	23.8	26.6	25.8	27.6	26.9	25.4	26.0	25.4	24.6	293.2	5	-25
	14 LST	30.8	26.6	30.2	29.8	30.6	29.4	30.6	30.2	29.0	30.2	29.4	30.0	356.8	5	-25
	20 LST	29.2	27.2	30.8	30.0	30.0	28.8	30.4	30.6	28.8	30.2	28.8	30.0	354.8	5	-25
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WMO LES 10 KTS	02 LST														0	0
	08 LST	15.4	14.1	19.9	20.0	20.5	16.5	17.2	13.0	16.4	15.3	12.5	15.5	196.3	5	1695
	14 LST	18.0	18.1	20.3	16.5	19.4	18.8	14.5	12.7	11.5	10.5	12.6	17.1	190.0	5	1697
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST	1.2	1.6	1.4	0.0	0.8	0.8	1.0	1.8	3.0	2.5	3.0	2.5	19.6	5	1702
	14 LST	1.2	1.6	0.8	1.4	1.8	2.2	5.4	8.0	8.3	6.7	3.2	3.0	45.6	5	1701
	20 LST														0	0
SFC WND 4-16 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST	15.2	13.2	10.2	9.8	8.0	8.8	12.2	11.8	10.5	12.2	12.0	14.7	138.6	5	1701
	14 LST	15.0	15.1	13.4	13.1	14.6	13.8	12.8	12.3	11.5	12.7	14.5	13.6	162.4	5	1701
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	12.5	10.5	13.2	14.2	17.0	14.2	18.8	14.6	20.2	16.5	13.0	10.5	173.2	5	1702
	14 LST	5.6	2.8	5.0	9.8	17.0	21.2	24.4	20.4	19.2	13.9	8.7	4.0	152.0	5	1703
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	25.1	22.1	27.3	28.2	29.1	28.2	29.2	29.7	26.5	25.6	26.4	25.6	323.0	5	-25
	08 LST	18.9	17.7	21.8	23.6	26.6	25.6	27.4	26.3	24.4	24.8	21.2	22.0	280.3	5	-25
	14 LST	27.8	24.1	27.9	28.1	29.1	29.2	30.5	30.1	27.6	28.9	27.2	27.0	337.5	5	-25
	20 LST	29.0	26.3	30.2	29.4	29.9	28.8	30.4	30.3	28.5	29.8	28.4	29.0	350.2	5	-25
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	24.9	21.8	26.9	28.2	29.0	27.9	29.2	29.6	26.3	25.0	26.2	25.3	320.3	5	-25
	08 LST	18.2	17.3	21.2	23.5	26.5	25.6	27.4	26.1	24.0	24.4	20.8	21.2	276.2	5	-25
	14 LST	28.3	17.7	22.8	24.1	26.7	27.8	30.0	29.0	26.1	25.3	21.4	20.5	291.7	5	-25
	20 LST	27.7	25.9	29.2	29.0	29.7	28.7	30.3	30.3	28.3	28.6	26.0	27.8	341.5	5	-25
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	24.6	21.4	26.5	27.1	27.8	27.0	28.6	29.6	26.2	24.8	25.5	25.0	314.1	5	-25
	08 LST	17.6	16.9	19.0	21.0	23.4	20.0	25.0	22.0	22.4	24.0	20.0	20.5	291.8	5	-25
	14 LST	16.8	14.1	20.6	22.4	25.8	26.8	29.8	28.2	25.6	23.8	19.0	17.6	270.5	5	-25
	20 LST	27.2	25.5	28.4	28.4	28.0	26.0	27.2	29.0	28.0	28.2	24.4	27.2	327.5	5	-25

BARAGWANATH, REPUBLIC OF SOUTH AFRICA

STA NO. 60369/ (IN AREA NUMBER 04)

LATITUDE 2619S

LONGITUDE 02790E

ELEVATION(FT) 05707

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	91	91	88	85	78	76	74	79	86	90	93	92	93	18	-00360
MEAN MAX TMP (F)	78	77	75	72	66	62	63	68	73	77	77	78	72	19	-00360
MEAN MIN TMP (F)	58	58	55	50	43	39	39	43	48	53	55	57	50	19	-00360
ABS MIN TMP (F)	42	45	41	30	22	19	19	20	27	32	35	42	19	18	-00360
MEAN NO DYS TMP = DR GTR 95(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				19	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		18	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN DEW PT TMP (F)	60	61	59	52	45	42	41	43	46	52	54	57	51	0	-50
MEAN REL HUM (PCT)	63	66	65	59	53	52	51	47	45	55	56	59	56	17	-00360
MEAN PRESS ALT (FT)	5590	5590	5490	5490	5490	5290	5390	5400	5400	5450	5500	5500	5450	0	-50
MEAN PRECIP (IN)	5.39	4.41	3.90	1.57	0.91	0.24	0.43	0.39	0.91	2.52	4.61	5.00	30.3	45	-00360
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		18	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.9	8.8	7.2	3.6	2.3	0.6	1.0	0.9	1.9	4.6	7.8	9.5	58.1	45	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0						0.0	0.0	0.0		18	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI	24.9	26.5	21.6	14.6	13.9	12.5	8.9	9.4	13.6	16.0	22.1	22.9	17.2	5	-00360
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	13.2	23.5	10.6	8.0	6.3	4.4	3.5	2.6	8.1	16.2	14.0	16.1	10.5	5	-00360
03-05 LST	30.6	31.9	24.2	15.9	11.1	8.8	5.5	6.8	14.2	17.2	26.5	28.2	18.4	5	-00360
06-08 LST	33.3	33.8	28.0	19.8	13.3	12.2	10.3	13.1	17.1	18.3	25.6	27.3	21.0	5	-00360
09-11 LST	13.3	13.5	12.3	9.6	6.7	5.1	3.2	4.1	10.2	7.7	9.3	9.7	8.9	5	-00360
12-14 LST	3.2	7.3	2.6	3.1	3.2	2.0	1.3	3.2	5.3	2.8	2.4	4.3	3.4	5	-00360
15-17 LST	3.4	5.2	0.9	1.1	1.7	2.4	2.0	0.6	4.0	1.9	4.2	3.9	2.6	5	-00360
18-20 LST	5.0	5.7	1.5	0.4	2.6	3.3	2.2	2.0	3.3	3.0	4.9	3.0	3.4	5	-00360
21-23 LST	8.3	8.4	5.0	3.5	5.7	4.1	2.9	1.0	6.8	8.9	9.3	8.1	6.0	5	-00360
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.3	0.8	1.4	2.9	2.4	1.5	1.8	0.6	3.0	2.9	5.1	2.7	2.4	5	-00360
03-05 LST	10.9	6.6	7.8	6.4	4.6	4.5	2.1	3.7	4.7	6.8	10.7	10.7	6.6	5	-00360
06-08 LST	6.7	7.3	8.0	6.4	6.7	5.3	3.9	5.3	5.1	3.2	3.3	3.9	5.4	5	-00360
09-11 LST	0.0	0.5	0.0	0.4	0.9	0.7	0.9	1.1	1.1	0.2	0.7	0.9	0.6	5	-00360
12-14 LST	0.0	0.7	0.4	0.0	0.0	0.4	0.0	0.0	0.7	0.0	0.2	0.6	0.3	5	-00360
15-17 LST	0.6	0.5	0.0	0.7	0.0	0.7	0.6	0.0	0.7	0.2	0.2	0.6	0.4	5	-00360
18-20 LST	1.1	0.7	0.0	0.0	1.1	0.7	0.2	0.2	1.1	1.1	1.6	1.1	0.7	5	-00360
21-23 LST	0.6	0.6	0.5	0.8	2.3	0.8	1.3	0.2	3.3	1.0	1.4	3.0	1.3	5	-00360

BARAGWANATH, REPUBLIC OF SOUTH AFRICA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	26.0	26.3	28.6	28.2	29.4	28.4	29.2	30.0	27.0	27.2	26.7	26.3	333.3	5	-68368
	08 LST	21.2	19.3	22.6	23.8	26.6	25.8	27.6	26.9	25.4	26.0	23.4	24.6	293.2	5	-68368
	14 LST	30.8	26.6	30.2	29.8	30.6	29.4	30.6	30.2	29.0	30.2	29.4	30.0	356.8	5	-68368
	20 LST	29.2	27.2	30.8	30.0	30.0	28.8	30.4	30.6	28.8	30.2	28.8	30.0	354.8	5	-68368
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	19.4	14.1	19.9	20.0	20.5	16.5	17.2	13.0	16.4	15.3	12.5	15.5	196.3	5	-68368
	14 LST	18.0	18.1	20.3	16.5	19.4	18.8	14.5	12.7	11.5	10.5	12.6	17.1	190.0	5	-68368
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST	1.2	1.6	1.4	0.0	0.8	0.8	1.0	1.8	3.0	2.5	3.0	2.5	19.6	5	-68368
	14 LST	1.2	1.6	0.8	1.4	1.8	2.2	3.4	8.0	8.3	6.7	3.2	3.0	43.6	5	-68368
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST	15.2	13.2	10.2	9.9	8.0	8.8	12.2	11.8	10.5	12.2	12.0	14.7	138.6	5	-68368
	14 LST	15.0	15.1	13.4	13.1	14.6	13.8	12.8	12.3	11.5	12.7	14.5	13.6	162.4	5	-68368
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	12.5	10.5	13.2	14.2	17.0	14.2	16.8	14.6	20.2	16.5	13.0	10.5	173.2	5	-68368
	14 LST	5.6	2.8	5.0	9.8	17.0	21.2	24.4	20.4	19.2	13.9	8.7	4.0	152.0	5	-68368
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	25.1	22.1	27.3	28.2	29.1	28.2	29.2	29.7	26.5	25.6	26.4	25.6	323.0	5	-68368
	08 LST	18.9	17.7	21.8	23.6	26.6	25.6	27.4	26.3	24.4	24.8	21.2	22.0	280.3	5	-68368
	14 LST	27.8	24.1	27.9	28.1	29.1	29.2	30.5	30.1	27.6	28.9	27.2	27.0	337.5	5	-68368
	20 LST	29.0	26.3	30.2	29.4	29.9	28.8	30.4	30.5	28.5	29.8	28.4	29.0	350.2	5	-68368
CIG = GTR 8000 FT AND VSBY = GTR 3 MI	02 LST	24.9	21.8	26.9	28.2	29.0	27.9	29.2	29.6	26.3	25.0	26.2	25.3	320.3	5	-68368
	08 LST	18.2	17.3	21.2	23.5	26.5	25.6	27.4	26.1	24.0	24.4	20.8	21.2	276.2	5	-68368
	14 LST	28.3	17.7	22.8	24.1	26.7	27.8	30.0	29.0	26.1	25.3	21.4	20.5	291.7	5	-68368
	20 LST	27.7	25.9	29.2	29.0	29.7	28.7	30.3	30.3	28.3	28.6	26.0	27.8	341.5	5	-68368
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	24.6	21.4	26.5	27.1	27.8	27.0	28.6	29.6	26.2	24.8	25.5	25.0	314.1	5	-68368
	08 LST	17.6	16.9	19.8	21.0	23.4	26.0	25.0	22.0	22.4	24.0	20.0	20.5	251.8	5	-68368
	14 LST	16.8	14.1	20.6	22.4	25.8	26.8	29.8	28.2	25.6	23.8	19.0	17.6	278.5	5	-68368
	20 LST	27.2	25.5	28.4	28.4	28.0	26.0	27.2	29.0	28.0	28.2	24.4	27.2	327.5	5	-68368

KIMBERLEY, REPUBLIC OF SOUTH AFRICA

STA NO. 68430 (IN AREA NUMBER 04)

LATITUDE 2847S

LONGITUDE 02449E

ELEVATION(FT) 09940

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	103	101	96	93	86	82	79	86	93	99	102	103	103	19	-928
MEAN MAX TMP (F)	91	88	83	77	70	65	69	71	76	83	86	89	79	19	-28
MEAN MIN TMP (F)	64	63	59	52	43	37	36	41	47	54	58	61	51	19	-28
ABS MIN TMP (F)	44	43	40	30	23	22	20	21	25	31	36	43	20	19	-928
MEAN NO DYS TMP = OR GTR 90(F)	22.9	14.9	5.4	0.0	0.0	0.0	0.0	0.0	2.2	8.4	10.5	17.7	82.0	5	1759
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	1.6	5.1	10.2	4.2	0.0	0.2	0.0	0.0	22.1	5	1756
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN DEW PT TMP (F)	53	55	52	47	40	34	32	33	40	41	45	48	43	0	-50
MEAN REL HUM (PCT)	42	47	53	52	52	52	48	41	36	36	37	38	45	19	-28
MEAN PRESS ALT (FT)	3950	3950	3900	3900	3800	3700	3750	3750	3800	3900	3950	3950	3858	0	-50
MEAN PRECIP (IN)	2.40	2.80	3.10	1.50	0.70	0.20	0.20	0.30	0.60	1.00	1.60	2.00	16.1	57	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		19	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.3	5.5	6.2	3.5	1.8	0.5	0.5	0.7	1.3	2.1	3.1	4.4	34.9	57	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0						0.0	0.0	0.0		19	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	6.0	6.0	7.0	5.0	2.0	1.0	0.3	1.0	1.0	5.0	5.0	8.0	51.3	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.7	0.7	2.6	3.4	0.6	0.0	1.9	2.6	0.7	1.3	0.8	2.4	1.5	5	1757
09-11 LST	0.3	0.7	2.2	2.7	1.0	0.7	1.3	1.6	1.0	1.0	0.7	1.8	1.3	5	-30
12-14 LST	0.0	0.7	1.9	2.0	1.3	1.3	0.6	0.6	1.3	0.6	0.7	1.3	1.0	5	1820
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.6	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1757
09-11 LST	0.0	0.0	0.3	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1	5	-30
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.1	5	1820
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KIMBERLEY, REPUBLIC OF SOUTH AFRICA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	30.8	27.4	30.0	28.8	30.2	28.4	29.6	30.4	29.6	30.8	30.0	30.7	356.7	5	1757
	14 LST	31.0	27.8	30.6	29.6	30.8	30.0	30.8	31.0	29.8	30.8	29.8	30.6	362.6	5	1820
	20 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	19.2	13.8	21.0	22.1	22.3	21.8	20.8	18.4	17.8	14.0	7.5	11.5	206.2	5	1754
	14 LST	16.6	16.3	19.1	14.7	14.8	16.2	14.6	10.8	10.8	10.4	10.9	12.1	167.3	5	1816
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST	2.4	0.8	0.0	1.0	0.2	0.2	1.8	2.8	2.4	3.2	3.8	2.2	20.8	5	1731
	14 LST	0.8	1.0	0.2	2.0	2.8	2.4	3.4	4.6	2.4	5.8	5.1	2.6	33.1	5	1822
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST	13.2	12.5	13.8	13.8	12.8	12.8	12.6	11.2	12.1	14.4	11.0	11.2	151.4	5	1731
	14 LST	5.8	9.9	13.8	16.4	17.0	17.4	15.2	13.2	14.0	10.6	10.1	8.8	152.2	5	1820
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	24.2	14.5	18.8	16.5	19.8	20.9	20.4	18.8	20.4	18.8	19.5	20.7	233.3	5	1760
	14 LST	13.6	6.4	11.2	15.2	16.6	21.6	22.6	18.8	18.4	14.4	13.8	13.0	185.8	5	1825
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	30.6	27.2	29.4	28.0	29.4	27.9	28.6	29.6	29.4	30.2	29.3	29.7	349.3	5	1757
	14 LST	30.8	27.6	29.4	28.8	30.0	29.2	30.6	30.6	29.2	30.4	29.6	30.0	356.2	5	1820
	20 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	30.2	26.8	28.8	27.0	29.0	27.1	27.2	28.6	29.2	30.0	28.7	29.7	342.3	5	1757
	14 LST	26.3	21.4	24.1	26.0	27.8	28.0	29.6	29.8	28.4	28.6	24.6	24.3	318.9	5	1820
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	30.2	26.8	28.8	27.0	29.0	27.1	27.2	28.6	29.2	30.0	28.7	29.7	342.3	5	1757
	14 LST	23.9	21.4	24.1	26.0	27.8	28.0	29.4	29.8	28.2	28.4	24.6	23.9	317.5	5	1820
	20 LST														0	0

J. B. H. HERTZOG/BLOEMFONTEIN, REPUBLIC OF SOUTH AFRICA

STA NO. 68442 (IN AREA NUMBER 04)

LATITUDE 29055

LONGITUDE 02610E

ELEVATION(FT) 04459

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	100	95	93	88	81	78	73	80	90	95	94	97	100	14	-28
MEAN MAX TMP (F)	86	83	79	73	66	62	61	67	73	78	81	85	74	14	-28
MEAN MIN TMP (F)	60	59	55	47	39	33	33	38	43	50	54	58	47	14	-28
ABS MIN TMP (F)	42	39	37	28	22	16	17	16	21	28	33	37	16	14	-28
MEAN NO DYS TMP = OR GTR 90(F)	10.7	6.3		0.0	0.0	0.0	0.0	0.0	0.0		4.6	9.4		14	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0								0.0	0.0		14	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN DEW PT TMP (F)	52	54	50	44	37	32	31	32	33	41	43	47	41	0	-50
MEAN REL HUM (PCT)	48	57	58	55	56	54	52	45	38	44	40	43	49	14	-28
MEAN PRESS ALT (FT)	4400	4400	4350	4300	4250	4200	4200	4300	4300	4350	4400	4400	4321	0	-50
MEAN PRECIP (IN)	3.27	3.19	2.99	2.01	0.87	0.28	0.39	0.16	0.75	1.89	2.68	2.68	21.2	30	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0								0.0	0.0		14	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.9	6.8	6.0	4.5	2.2	0.7	0.9	0.4	1.6	3.6	4.9	5.8	44.3	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0								0.0	0.0		14	-29
MEAN NO DYS W/JCLR VSBY LES 1/2 MI														0	0
MEAN NO DYS YSTMS	10.0	9.0	8.0	5.0	3.0	0.3	1.0	2.0	2.0	6.0	7.0	8.0	61.3	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

J. D. B. HERTZOG/BLOEMFONTEIN, REPUBLIC OF SOUTH AFRICA
 MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRSCIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0

DATA NOT AVAILABLE

STA NO. 68630 (IN AREA NUMBER 04)

VICTORIA W. REPUBLIC OF SOUTH AFRICA
 LATITUDE 3124S

LONGITUDE 02339E

ELEVATION(FT) 04122

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	102	102	94	88	83	79	72	83	89	95	95	100	102	8	-28
MEAN MAX TMP (F)	89	87	80	74	66	61	59	66	70	78	81	85	75	8	-28
MEAN MIN TMP (F)	55	55	52	45	37	29	26	31	37	43	49	53	43	8	-28
ABS MIN TMP (F)	35	39	35	29	20	17	12	18	24	27	34	40	12	8	-28
MEAN NO DYS TMP = OR GTR 90(F)	14.5	10.7		0.0	0.0	0.0	0.0	0.0	0.0		4.6	9.4		8	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0							0.0	0.0		8	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN DEW PT TMP (F)	44	49	49	45	36	32	30	32	33	35	41	44	39	8	-50
MEAN REL HUM (PCT)	36	42	55	58	62	62	59	51	45	38	41	40	49	8	-28
MEAN PRESS ALT (FT)	4050	4050	4000	3950	3950	3870	3850	3900	3900	4000	4000	4050	3963	8	-50
MEAN PRECIP (IN)	1.02	1.61	1.89	1.02	0.75	0.38	0.28	0.32	0.47	0.55	0.79	0.94	10.0	72	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0							0.0	0.0		8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.	3.6	4.2	2.5	1.9	0.8	0.7	0.8	1.1	1.2	1.7	2.2	23.0	72	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0							0.0	0.0		8	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI														8	0
MEAN NO DYS TSTMS														8	0
P FREQ WND SPD = OR GTR 17 KTS														8	0
P FREQ WND SPD = OR GTR 28 KTS														8	0
P FREQ LES 5000 FT A/D LES 5 MI														8	0
P FREQ LES 1500 FT A/D LES 3 MI														8	0
FOR 00-02 LST														8	0
03-05 LST														8	0
06-08 LST														8	0
09-11 LST														8	0
12-14 LST														8	0
15-17 LST														8	0
18-20 LST														8	0
21-23 LST														8	0
P FREQ LES 300 FT A/D LES 1 MI														8	0
FOR 00-02 LST														8	0
03-05 LST														8	0
06-08 LST														8	0
09-11 LST														8	0
12-14 LST														8	0
15-17 LST														8	0
18-20 LST														8	0
21-23 LST														8	0

VICTORIA W., REPUBLIC OF SOUTH AFRICA
 MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST													0	0
	08 LST													0	0
	14 LST													3	0
	20 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													3	0
	20 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0

DATA NOT AVAILABLE

AREA NO. 04

SOUTH AFRICA, REPUBLIC OF INTERIOR		MILNOS															
BOUNDARIES		2650S 02125E			3015S 02200E			3015S 02200E			3200S 02010E			3200S 02010E		3230S 02640E	
		3230S 02640E			3000S 03000E			3000S 03000E			2220S 03110E						
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN			
MEAN MAX TMP (F)		84	82	79	75	69	64	64	70	75	80	81	83	75			
MEAN MIN TMP (F)		59	59	56	48	40	34	33	38	45	52	55	58	48			
LARGEST MEAN PRECIP(IN)		5.39	4.47	4.02	2.01	1.31	0.41	0.43	0.51	0.98	2.62	5.36	5.90	33.4			
SMALLEST MEAN PRECIP(IN)		1.02	1.61	1.89	1.02	0.40	0.10	0.20	0.16	0.32	0.55	0.79	0.94	9.0			
		MEAN NUMBER OF DAYS															
CIG = GTR 1000 FT AND VSBY = GTR 3 MI		02 LST	26.0	26.3	28.6	28.2	29.4	28.4	29.2	30.0	27.0	27.2	26.7	26.3	333.3		
		08 LST	27.6	24.7	26.6	25.7	27.4	25.2	27.1	26.8	27.2	28.6	26.9	28.1	321.9		
		14 LST	30.6	27.5	30.7	29.8	30.7	29.8	30.8	30.8	29.6	30.7	29.6	30.5	361.1		
		20 LST	29.2	27.2	30.8	30.0	30.0	28.8	30.4	30.6	28.8	30.2	28.8	30.0	354.8		
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS		02 LST	15.2	14.6	19.9	20.9	22.3	20.1	20.2	17.0	17.5	14.7	11.0	14.8	208.2		
		08 LST	17.2	17.7	21.0	17.5	19.1	18.5	19.6	13.1	12.1	11.1	12.0	15.9	190.8		
		14 LST															
		20 LST															
SFC WND = GTR 17 KTS AND NO PRECIP.		02 LST															
		08 LST	1.8	1.2	0.7	0.3	0.6	0.6	1.0	2.2	2.7	2.9	3.2	2.1	19.3		
		14 LST	1.2	1.2	0.5	1.4	1.6	2.0	3.8	5.7	5.7	6.2	4.0	2.6	35.9		
		20 LST															
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.		02 LST															
		08 LST	14.9	12.9	11.5	11.4	9.9	11.3	12.7	12.3	11.8	12.9	11.4	13.7	146.7		
		14 LST	12.3	13.4	13.7	14.7	15.8	15.4	14.2	13.5	12.9	12.5	12.9	12.0	163.3		
		20 LST															
SKY COVER LES 3/10 AND VSBY = GTR 3 MI		02 LST															
		08 LST	14.1	11.1	13.9	14.6	18.5	18.1	19.2	18.2	20.3	17.0	13.6	13.0	191.6		
		14 LST	7.7	3.8	6.7	11.2	16.5	21.3	23.1	20.4	19.6	14.8	9.4	6.6	161.1		
		20 LST															
CIG = GTR 2500 FT AND VSBY = GTR 3 MI		02 LST	25.1	22.1	27.3	28.2	29.1	28.2	29.2	29.7	26.5	25.6	26.4	25.6	323.0		
		08 LST	23.8	21.6	23.8	24.2	26.2	24.5	26.0	25.4	25.7	26.4	23.4	24.1	295.1		
		14 LST	28.1	25.1	27.8	28.0	29.2	29.1	29.9	30.1	28.7	29.5	27.4	27.6	340.5		
		20 LST	29.0	26.3	30.2	29.4	29.9	28.8	30.4	30.5	28.5	29.8	28.4	29.0	350.2		
CIG = GTR 6000 FT AND VSBY = GTR 3 MI		02 LST	24.9	21.8	26.9	28.2	29.0	27.9	29.2	29.6	26.3	25.0	26.2	25.3	320.3		
		08 LST	23.1	21.1	23.3	23.7	25.8	24.1	25.1	25.0	25.4	26.1	23.0	23.6	289.3		
		14 LST	21.4	17.5	20.8	23.9	26.1	27.1	28.7	29.1	27.1	26.6	22.4	21.9	292.6		
		20 LST	27.7	25.9	29.2	29.0	29.7	28.7	30.3	30.3	28.3	28.6	26.0	27.8	341.5		
CIG = GTR 10000 FT AND VSBY = GTR 3 MI		02 LST	24.6	21.4	26.5	27.1	27.8	27.0	28.6	29.6	26.2	24.6	25.9	25.0	314.1		
		08 LST	23.0	21.0	22.7	23.1	25.0	22.5	24.4	24.0	25.0	25.9	22.8	23.4	282.8		
		14 LST	20.4	16.9	20.2	23.5	25.9	26.8	28.4	28.9	27.0	26.1	21.8	20.9	286.6		
		20 LST	27.2	25.5	28.4	28.4	30.0	26.0	27.2	29.0	28.0	28.2	24.4	27.2	327.5		

STA NO. 68496 (IN AREA NUMBER 09)

CAPE ST. LUCIA, REPUBLIC OF SOUTH AFRICA
 LATITUDE 2830S LONGITUDE 03224E

ELEVATION(FT) 00963

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	97	96	95	94	87	87	87	93	92	101	95	102	102	30	-28
MEAN MAX TMP (F)	83	83	82	80	76	73	73	73	74	76	79	81	78	8	-28
MEAN MIN TMP (F)	69	69	69	66	60	56	56	58	62	64	66	67	64	8	-28
ABS MIN TMP (F)	58	58	59	53	48	45	42	44	47	50	52	57	42	30	-28
MEAN NO DYS TMP = OR GTR 90(F)	7.0	6.3	5.9		0.0	0.0	0.0					4.8		8	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN DEN PT TMP (F)	67	68	69	66	60	55	55	57	60	62	64	66	62	7	-29
MEAN REL HUM (PCT)	75	79	81	80	77	75	73	77	78	78	77	78	77	4	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	5.00	5.70	8.00	4.80	4.10	3.90	3.00	2.30	2.50	3.20	4.20	4.40	51.1	32	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.5	10.1	9.8	8.1	7.4	6.8	5.5	4.4	4.6	5.7	7.2	8.8	87.9	32	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	3.1	0.0	0.0	0.0	2.6	9.1	0.0	9.5	5.9	6.3	5.0	0.0	3.5	2	301
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	0.0	0.0	0.0	0.4	2	301
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CAPE ST. LUCIA, REPUBLIC OF SOUTH AFRICA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST													0	0	
	08 LST													0	0	
	14 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	29.5	30.0	31.0	30.0	31.0	363.5	2	301
	20 LST													0	0	
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST													0	0	
	08 LST													0	0	
	14 LST	12.0	17.3	23.7	12.2	21.5	19.1	12.0	12.4	7.1	6.2	9.0	10.3	198.8	2	293
	20 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST													0	0	
	08 LST													0	0	
	14 LST	12.6	4.1	0.0	8.3	9.0	4.1	10.3	10.8	11.0	19.5	11.0	12.9	109.6	2	309
	20 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													0	0	
	08 LST													0	0	
	14 LST	10.6	13.2	19.9	10.0	19.0	7.9	4.7	10.8	9.0	7.8	7.1	7.8	119.0	2	296
	20 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST													0	0	
	08 LST													0	0	
	14 LST	8.7	12.3	11.7	17.0	10.3	14.3	22.8	14.8	11.6	2.0	7.1	12.9	149.5	2	308
	20 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST													0	0	
	08 LST													0	0	
	14 LST	29.0	26.3	29.4	27.3	26.9	21.2	29.3	26.6	26.5	29.2	29.9	31.0	326.2	2	301
	20 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST													0	0	
	08 LST													0	0	
	14 LST	23.3	23.9	22.8	21.8	23.7	21.8	29.3	29.1	24.7	19.5	19.0	19.5	262.4	2	301
	20 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST													0	0	
	08 LST													0	0	
	14 LST	23.3	23.9	22.8	21.8	23.7	21.8	29.3	29.1	22.9	19.5	19.0	19.5	260.6	2	301
	20 LST													0	0	

LOUIS BOTHA/DURBAN, REPUBLIC OF SOUTH AFRICA

STA NO. 60500 (IN AREA NUMBER 05)

LATITUDE 29505 LONGITUDE 03057E

ELEVATION(FT) 00025

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	92	89	90	99	95	90	92	89	107	87	102	90	107	19	-60590
MEAN MAX TMP (F)	81	81	80	78	75	73	72	72	73	75	77	79	76	15	-60590
MEAN MIN TMP (F)	69	69	68	64	57	53	52	55	39	62	65	67	62	15	-60590
ABS MIN TMP (F)	57	59	58	51	44	41	39	41	46	50	51	56	39	15	-60590
MEAN NO DYS TMP = OR GTR 90(F)	4.8	0.0	0.0			0.0		0.0		0.0		0.0		15	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS TMP = OR LES 0:(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
MEAN DEW PT TMP (F)	67	68	67	62	54	52	48	54	56	60	62	63	59	0	-30
MEAN REL HUM (PCT)	81	81	81	80	76	71	72	75	78	81	81	81	78	10	-32
MEAN PRESS ALT (FT)	50	50	0	-50	-50	-200	-200	-150	-100	-50	0	50	-53	0	-50
MEAN PRECIP (IN)	4.69	5.00	4.96	3.70	2.32	1.42	1.14	1.69	2.48	3.70	4.92	5.08	41.1	30	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.1	9.5	8.2	6.9	5.0	2.8	2.3	3.3	4.6	6.5	8.2	9.6	76.0	30	-29
MEAN NO DYS SNFI = OR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	7.3	6.3	4.8	1.7	1.6	0.8	0.8	4.0	6.7	5.6	6.7	7.5	4.5	4	-60590
09-11 LST	6.3	5.3	2.9	2.2	1.8	1.1	0.7	2.2	5.4	5.4	6.5	7.4	3.9	4	-60590
12-14 LST	5.3	4.3	1.3	2.7	1.9	1.3	0.6	0.6	4.0	5.2	6.1	7.2	3.4	5	-60590
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.8	1.1	0.3	4	-60590
09-11 LST	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.4	0.6	0.2	4	-60590
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-60590
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														3	0

LOUIS BOTHA/DURBAN, REPUBLIC OF SOUTH AFRICA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	29.5	26.7	29.7	29.7	30.0	28.7	29.5	28.0	28.2	28.7	28.7	29.6	347.0	4	-68590
	14 LST	30.4	27.2	31.0	29.6	30.8	29.8	30.8	30.8	29.2	29.6	29.0	30.2	338.4	5	-68590
	20 LST														0	0
	02 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														4	-68590
	08 LST	16.0	20.4	22.7	24.0	26.5	24.5	25.0	24.0	19.0	17.2	16.7	17.0	253.0	5	-68590
	14 LST	14.0	12.1	15.4	14.0	15.6	18.2	17.8	13.4	11.2	12.3	9.7	11.1	164.8	0	0
	20 LST														0	0
	02 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														4	-68590
	08 LST	3.5	1.5	1.2	1.0	1.0	0.2	0.7	1.0	1.7	3.0	3.5	1.6	19.9	5	-68590
	14 LST	7.6	3.2	5.0	5.2	5.8	3.4	4.8	7.6	7.8	7.6	7.6	6.0	71.6	0	0
	20 LST														0	0
	02 LST														0	0
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	02 LST														4	-68590
	08 LST	8.0	8.7	9.5	8.0	9.5	8.0	7.8	9.0	7.5	10.5	9.8	12.0	108.3	5	-68590
	14 LST	14.0	13.3	12.8	10.4	13.6	13.4	12.6	11.2	9.2	9.0	8.2	9.4	137.1	0	0
	20 LST														0	0
	02 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														4	-68590
	08 LST	8.0	11.1	12.5	16.0	18.0	22.7	20.0	15.0	12.2	8.7	8.0	7.0	159.2	5	-68590
	14 LST	10.8	10.7	14.0	15.4	18.2	23.8	21.8	16.6	13.2	8.8	8.4	7.4	169.1	0	0
	20 LST														0	0
	02 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														4	-68590
	08 LST	25.5	24.4	26.5	27.8	29.2	28.0	29.0	26.5	24.5	25.5	25.5	24.6	317.0	5	-68590
	14 LST	27.5	23.2	27.9	28.2	29.8	29.2	30.0	30.0	26.4	25.5	25.3	23.9	326.9	0	0
	20 LST														0	0
	02 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														4	-68590
	08 LST	19.5	21.7	20.2	24.5	28.7	27.5	27.5	23.5	20.5	19.7	20.7	18.3	272.3	5	-68590
	14 LST	23.8	19.9	22.5	26.0	28.8	28.8	28.8	27.4	23.8	20.9	20.7	19.6	291.0	0	0
	20 LST														0	0
	02 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														4	-68590
	08 LST	19.2	21.4	20.2	24.5	26.2	27.5	27.2	23.5	20.5	19.7	20.5	18.3	270.7	5	-68590
	14 LST	23.6	19.9	22.5	26.0	28.6	28.8	28.8	27.4	23.6	20.9	20.7	19.4	290.2	0	0
	20 LST														0	0
	02 LST														0	0

STA NO. 60990/ (IN AREA NUMBER 05)

DURBAN VIRGINIA, REPUBLIC OF SOUTH AFRICA

LATITUDE 2946S

LONGITUDE 03103E

ELEVATION(FT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	92	89	90	99	95	90	92	89	107	87	102	90	107	19	-20
MEAN MAX TMP (F)	81	81	80	78	75	73	72	72	73	75	77	79	76	19	-20
MEAN MIN TMP (F)	69	69	68	64	57	53	52	55	59	62	65	67	62	19	-20
ABS MIN TMP (F)	57	59	58	51	44	41	39	41	46	50	51	56	39	15	-20
MEAN NO DYS TMP = OR GTR 90(F)	4.0	0.0	0.0			0.0		0.0		0.0		0.0		19	-29
MEAN NO DYS TMP = OR LES 32(P)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN NO DYS TMP = OR LES 0(P)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN DEW PT TMP (F)	66	66	66	62	54	49	49	53	56	59	62	63	59	19	-29
MEAN REL HUM (PCT)	79	76	77	75	69	63	66	72	73	74	75	74	73	19	-20
MEAN PRESS ALT (FT)	-14	-36	-69	-109	-164	-232	-243	-226	-275	-112	-39	-9	-126	0	-50
MEAN PRECIP (IN)	4.30	4.00	5.10	3.00	2.00	1.30	1.10	1.90	2.80	4.30	4.80	4.70	39.7	78	-20
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.6	9.3	8.3	6.0	4.4	2.6	2.3	3.0	5.1	7.3	8.0	9.1	74.0	78	-29
MEAN NO DYS SNPL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.0	2.0	2.0	3.0	1.0	1.0	0.3	0.3	1.0	5.0	5.0	6.0	30.6	13	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	7.3	6.3	4.8	1.7	1.6	0.8	0.8	4.0	6.7	5.6	6.7	7.5	4.5	4	1428
09-11 LST	6.3	5.3	2.9	2.2	1.8	1.1	0.7	2.2	5.4	5.4	6.5	7.4	3.9	4	-30
12-14 LST	5.3	4.3	1.3	2.7	1.9	1.3	0.6	0.6	4.0	5.2	6.1	7.2	3.4	5	1814
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.8	1.1	0.3	4	1428
09-11 LST	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.4	0.6	0.2	4	-30
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1814
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

DURBAN VIRGINIA, REPUBLIC OF SOUTH AFRICA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	25.5	26.7	29.7	29.7	30.0	28.7	29.5	28.0	28.2	28.7	28.7	29.6	347.0	4	1428
	14 LST	30.4	27.2	31.0	29.6	30.8	29.8	30.5	30.8	29.2	29.6	29.0	30.2	398.4	5	1814
	20 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	16.0	20.4	22.7	24.0	26.5	24.5	23.0	24.0	19.0	17.2	16.7	17.0	253.0	4	1428
	14 LST	14.0	12.1	15.4	14.0	15.6	18.2	17.8	13.4	11.2	12.3	9.7	11.1	164.8	5	1814
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST	3.5	1.5	1.2	1.0	1.0	0.2	0.7	1.0	1.7	3.0	3.5	1.6	19.9	4	1430
	14 LST	7.6	3.2	5.0	5.2	5.8	3.4	4.8	7.6	7.8	7.6	7.6	6.0	71.6	5	1826
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST	8.0	8.7	9.5	8.0	9.5	8.0	7.8	9.0	7.5	10.5	9.8	12.0	108.3	4	1430
	14 LST	14.0	13.3	12.8	10.4	13.6	13.4	12.6	11.2	9.2	9.0	8.2	9.4	137.1	5	1826
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	8.0	11.1	12.5	16.0	18.0	22.7	20.0	15.0	12.2	8.7	8.0	7.0	159.2	4	1430
	14 LST	10.8	10.7	14.0	15.4	18.2	23.6	21.8	16.6	13.2	8.8	8.4	7.4	169.1	5	1826
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	25.5	24.4	26.5	27.8	29.2	28.0	29.0	26.5	24.5	25.5	25.5	24.6	317.0	4	1428
	14 LST	27.5	23.2	27.9	28.2	29.8	29.2	30.0	30.0	26.4	25.5	25.3	23.9	326.9	5	1814
	20 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	19.5	21.7	20.2	24.5	28.7	27.5	27.5	23.5	20.5	19.7	20.7	18.3	272.3	4	1428
	14 LST	23.8	19.9	22.5	26.0	28.8	28.8	28.8	27.4	23.8	20.9	20.7	19.6	291.0	5	1814
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	19.2	21.4	20.2	24.5	28.2	27.5	27.2	23.5	20.5	19.7	20.5	18.3	270.7	4	1428
	14 LST	23.6	19.9	22.5	26.0	28.6	28.8	28.8	27.4	23.6	20.9	20.7	19.4	290.2	5	1814
	20 LST														0	0

STA NO. 68674 (IN AREA NUMBER 05)

CAPE HERBES, REPUBLIC OF SOUTH AFRICA

LATITUDE 3138S

LONGITUDE 02933E

ELEVATION(FT) 00193

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	89	91	92	94	94	91	93	97	103	106	100	90	106	30	-28
MEAN MAX TMP (F)	77	78	77	75	74	72	71	70	71	72	73	76	74	20	-28
MEAN MIN TMP (F)	67	68	67	64	61	57	56	57	59	61	63	65	62	20	-28
ABS MIN TMP (F)	54	52	52	52	48	42	44	43	44	46	45	53	42	30	-28
MEAN NO DYS TMP = DR GTR 90(F)	0.0											0.0		20	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN DEW PT TMP (F)	66	67	66	62	56	52	49	55	57	60	62	64	60	19	-29
MEAN REL HUM (PCT)	83	82	83	78	70	67	64	76	78	80	82	82	77	18	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.76	5.51	6.06	3.39	2.64	1.50	1.46	1.97	3.62	5.16	4.76	5.24	46.1	62	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.2	10.0	9.0	6.6	5.5	3.0	2.9	3.8	6.4	8.5	8.0	9.7	82.6	62	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 20 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	16.2	14.7	5.7	5.6	4.9	0.0	4.2	0.0	9.1	0.0	9.5	7.1	6.4	2	332
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	332
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CAPE HERMES, REPUBLIC OF SOUTH AFRICA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	(ANN)	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	28.5	25.5	30.1	30.0	30.2	30.0	29.7	31.0	30.0	31.0	30.0	31.0	397.0	2	332
	20 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST														0	0
	14 LST	7.8	7.6	8.8	8.2	15.9	17.7	23.6	12.4	15.0	19.9	12.0	13.3	162.2	2	314
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	10.3	6.8	12.9	6.8	7.2	4.3	1.4	9.9	4.5	7.1	7.5	4.4	83.1	2	321
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEC F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST	6.2	7.6	8.0	9.7	10.9	8.6	18.6	9.9	11.0	9.5	4.5	15.5	120.0	2	309
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	13.2	9.9	9.7	15.8	17.0	20.8	20.6	19.8	9.5	5.8	5.7	6.6	154.4	2	337
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	22.6	18.9	25.7	25.8	28.0	27.8	28.4	29.8	19.1	24.8	17.1	19.9	287.9	2	332
	20 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	21.8	16.5	23.0	23.3	27.2	26.8	28.4	29.8	15.0	16.5	12.8	13.3	254.4	2	332
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST														0	0
	14 LST	21.8	16.5	23.0	23.3	27.2	26.8	28.4	29.8	15.0	16.5	12.8	13.3	254.4	2	332
	20 LST														0	0

BEAUFORT V. REPUBLIC OF SOUTH AFRICA

LATITUDE 3218S

LONGITUDE 02240E

ELEVATION(FT) 02929

STA NO. 60728 (IN AREA NUMBER 09)

PARAMETER DESCRIPTION	J/N	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	115	107	101	97	87	87	81	93	98	103	104	107	107	19	-310
MEAN MAX TMP (F)	71	69	64	77	70	66	65	68	73	78	83	87	78	19	-10
MEAN MIN TMP (F)	61	61	58	51	47	41	41	42	46	51	55	58	51	19	-10
ABS MIN TMP (F)	39	44	43	35	28	22	22	24	27	33	38	42	22	15	-510
MEAN NO DYS TMP = OR GTR 90(F)	17.2	12.5	9.6	1.8	0.0	0.0	0.0	0.0	1.2	4.2	6.8	11.7	65.0	9	1608
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	1.2	3.4	7.8	4.2	1.2	0.0	0.0	0.0	17.8	9	1608
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN DEW PT TMP (F)	39	42	41	34	31	24	25	24	27	31	34	36	32	0	-30
MEAN REL HUM (PCT)	42	47	52	52	51	50	51	48	45	44	42	40	47	15	-10
MEAN PRESS ALT (FT)	2900	2900	2850	2800	2800	2700	2700	2750	2750	2850	2850	2900	2813	0	-30
MEAN PRECIP (IN)	0.55	1.26	1.18	0.63	0.51	0.24	0.39	0.47	0.43	0.59	1.06	0.98	8.3	30	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		15	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.3	2.9	2.8	1.6	1.3	0.6	0.9	1.1	1.0	1.3	2.2	2.2	19.2	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0						0.0	0.0	0.0		19	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	3.0	4.0	3.0	2.0	1.0	0.3	1.0	0.3	1.0	2.0	2.0	2.0	21.6	13	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	9.1	10.9	7.1	6.1	8.5	4.0	2.4	8.2	10.8	10.5	8.3	4.3	7.5	5	1599
09-11 LST	4.5	4.0	4.3	3.6	4.5	3.0	1.8	4.5	5.9	6.0	5.0	3.0	4.2	5	-30
12-14 LST	0.6	0.0	1.3	0.7	1.3	2.0	1.3	1.3	2.1	2.6	2.0	0.6	1.3	5	1807
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.7	1.3	2.0	3.3	1.3	1.6	1.6	1.7	0.0	0.8	0.0	1.2	5	1599
09-11 LST	0.0	0.9	0.8	1.0	1.5	0.8	0.9	0.9	0.9	0.0	0.4	0.0	0.6	5	-30
12-14 LST	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1807
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BEAUFORT W., REPUBLIC OF SOUTH AFRICA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	30.2	27.4	30.4	29.0	29.6	29.2	30.5	29.7	27.5	29.5	29.7	31.0	333.7	5	1999
	14 LST	31.0	28.0	30.8	30.0	30.8	29.8	30.8	31.0	29.6	30.6	29.8	30.8	363.0	5	1807
	20 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	23.1	20.5	23.9	22.7	19.8	21.6	20.4	18.5	18.5	19.0	20.3	22.7	251.0	5	1999
	14 LST	17.2	15.2	19.7	13.3	14.6	15.2	12.9	11.6	13.7	12.9	15.7	14.5	176.5	5	1807
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST	1.0	0.8	0.8	2.6	3.8	3.4	6.0	5.5	3.0	2.7	2.3	1.0	32.9	5	1610
	14 LST	4.8	3.4	3.7	6.4	6.8	9.0	8.6	9.5	8.3	7.6	5.2	5.2	74.5	5	1814
	20 LST														0	0
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST	12.4	9.7	7.8	6.6	7.2	8.3	6.7	8.7	6.0	7.5	10.2	12.4	103.7	5	1807
	14 LST	9.5	9.2	9.4	8.3	10.0	9.2	6.0	8.2	6.8	10.3	10.4	9.7	107.0	5	1781
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	20.4	13.9	14.1	17.1	18.4	19.2	19.7	17.0	18.8	14.2	14.3	21.0	213.1	5	1609
	14 LST	23.8	13.5	15.3	18.3	16.2	18.6	17.8	16.5	17.4	13.6	14.8	20.6	210.8	5	1814
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	25.8	22.3	26.4	27.2	27.1	28.2	29.5	26.2	24.5	25.2	24.5	27.7	313.6	5	1999
	14 LST	30.4	27.2	30.6	29.2	29.2	28.4	29.6	29.1	28.4	29.6	28.2	30.6	350.5	5	1807
	20 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	24.3	21.3	25.5	26.6	25.9	27.4	28.0	26.2	24.0	24.5	23.7	27.0	304.4	5	1999
	14 LST	29.6	23.6	27.3	27.6	27.4	27.0	27.6	27.5	27.1	27.8	25.6	27.8	325.9	5	1807
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	24.3	21.3	25.5	26.6	25.9	27.4	28.0	26.2	24.0	24.5	23.7	27.0	304.4	5	1999
	14 LST	29.4	23.4	27.1	27.4	27.4	27.0	27.4	27.5	27.1	27.6	25.1	27.8	324.2	5	1807
	20 LST														0	0

STA NO. 60014/ (IN AREA NUMBER 05)

YSTERPLAAT, REPUBLIC OF SOUTH AFRICA
LATITUDE 3354S

LONGITUDE 01029E

ELEVATION(FT) 00036

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	99	100	109	102	95	85	84	89	93	90	93	100	103	19	-60016
MEAN MAX TMP (F)	78	79	77	72	67	63	63	64	65	70	73	76	71	19	-60016
MEAN MIN TMP (F)	60	60	58	53	49	46	46	46	49	52	55	58	53	19	-60016
ABS MIN TMP (F)	44	41	42	38	31	29	28	31	33	34	40	41	28	19	-60016
MEAN NO DYS TMP = OR GTR 90(F)						0.0	0.0	0.0		0.0				19	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	-50
MEAN DEW PT TMP (F)	56	58	58	56	51	50	49	49	49	50	52	53	53	15	-60016
MEAN REL HUM (PCT)	63	66	71	75	78	78	79	78	75	69	65	63	72	0	-50
MEAN PRESS ALT (FT)	50	50	0	-50	-50	-150	-150	-150	-100	-50	0	0	-49	0	-50
MEAN PRECIP (IN)	0.67	0.89	0.87	1.93	3.70	4.29	3.70	3.27	2.28	1.57	1.02	0.79	24.7	99	-60016
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0		19	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.6	1.4	2.2	4.3	5.9	7.4	6.6	5.9	4.3	3.1	2.1	1.8	47.6	99	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0		19	-29
MEAN NO DYS W/OCLR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.3	0.3	0.3	1.0	0.3	1.0	0.3	0.3	0.3	0.3	0.3	0.3	5.0	15	-60016
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 20 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	5.9	12.7	10.0	21.0	17.7	13.6	11.3	8.4	10.5	9.3	6.8	5.4	11.0	5	-60016
09-11 LST														0	0
12-14 LST	0.9	0.0	0.6	4.0	4.6	4.3	4.6	6.1	2.7	2.0	1.1	0.3	2.6	5	-60016
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.6	7.1	6.3	15.3	12.9	9.3	5.8	3.9	4.7	3.9	1.3	1.3	6.1	5	-60016
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.7	0.6	2.0	0.6	0.0	0.0	1.3	0.0	0.0	0.4	5	-60016
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

YSTERPLAAT, REPUBLIC OF SOUTH AFRICA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	29.8	24.8	28.8	24.6	26.2	26.6	28.4	29.2	27.0	29.0	28.8	30.0	333.2	5	-68816
	13 LST	30.8	28.0	30.8	29.4	30.2	29.2	30.2	30.4	29.8	30.6	29.8	31.0	360.2	5	-68816
	19 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST	13.1	14.1	20.9	18.8	18.4	20.0	20.6	20.4	16.4	15.4	12.1	16.0	206.2	5	-68816
	13 LST	5.4	7.5	12.5	12.6	15.2	16.4	17.0	12.8	10.7	9.8	6.8	7.2	133.9	5	-68816
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	5.6	2.0	2.2	1.0	1.6	1.4	1.4	1.8	3.4	3.4	5.4	4.0	33.2	5	-68816
	13 LST	13.2	9.3	9.4	5.2	4.0	4.8	4.8	6.4	7.6	8.6	9.4	10.2	88.9	5	-68816
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	9.4	10.1	13.2	12.8	13.4	11.0	11.6	14.8	9.6	10.4	8.2	12.2	137.2	5	-68816
	13 LST	4.8	6.2	11.1	10.2	10.8	12.0	12.8	10.4	9.0	9.2	5.6	6.2	108.5	5	-68816
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	20.3	18.5	19.4	12.0	12.6	11.6	12.0	12.4	11.8	16.4	13.6	19.6	180.2	5	-68816
	13 LST	23.6	21.2	21.6	14.6	14.8	13.1	13.2	13.8	11.8	15.6	15.4	21.5	200.2	5	-68816
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	28.2	23.4	27.2	22.0	24.0	24.5	25.8	26.5	25.3	27.0	26.9	27.0	307.8	5	-68816
	13 LST	30.2	27.9	30.7	27.8	30.2	27.5	27.8	27.1	27.7	29.6	28.9	30.4	345.8	5	-68816
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	23.9	21.6	23.0	18.7	21.9	22.0	22.4	21.9	20.9	24.0	23.3	24.6	272.2	5	-68816
	13 LST	30.0	27.1	29.6	24.9	26.4	24.8	24.1	24.1	24.9	27.7	26.7	28.0	318.3	5	-68816
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	25.6	21.9	24.6	18.0	21.6	21.8	21.6	21.4	20.6	23.6	22.7	24.4	267.4	5	-68816
	13 LST	28.8	27.0	29.4	24.6	26.4	24.6	23.8	23.8	24.4	27.4	26.6	27.8	314.6	5	-68816
	19 LST														0	0

STA NO. 60016 (IN AREA NUMBER 09)

D.F. MALAN/CAPE TOWN, REPUBLIC OF SOUTH AFRICA

LATITUDE 3350S

LONGITUDE 01036E

ELEVATION(FT) 00191

PARAMETER DESCRIPTION

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	99	100	103	102	95	85	84	89	93	90	93	100	103	19	-20
MEAN MAX TMP (F)	78	79	77	72	67	59	63	64	65	70	73	76	71	19	-20
MEAN MIN TMP (F)	60	60	58	53	49	46	46	46	49	52	55	58	53	19	-20
ABS MIN TMP (F)	44	41	42	38	31	29	28	31	33	34	40	41	28	19	-20
MEAN NO DYS TMP = OR GTR 90(F)						0.0	0.0	0.0		0.0	0.0	0.0		19	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	-50
MEAN DEW PT TMP (F)	96	98	98	95	91	90	47	50	49	50	52	53	52	19	-28
MEAN REL HUM (PCT)	63	66	71	75	78	78	79	78	75	69	65	63	72	19	-28
MEAN PRESS ALT (FT)	190	190	100	90	90	-90	-90	-90	0	90	100	100	90	0	-50
MEAN PRECIP (IN)	0.67	0.99	0.87	1.93	3.70	4.29	3.70	3.27	2.28	1.57	1.02	0.79	24.7	99	-10
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0		19	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.6	1.4	2.2	4.3	6.9	7.4	6.6	5.9	4.3	3.1	2.1	1.8	47.6	99	-29
MEAN NO DYS SNFL = OR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0		0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.3	0.3	0.3	1.0	0.3	1.0	0.3	0.3	0.3	0.3	0.3	0.3	9.0	19	-24
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 9000 FT A/D LES 9 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	5.3	12.7	10.0	21.0	17.7	13.6	11.3	8.4	10.5	9.3	6.8	5.4	11.0	9	1824
09-11 LST														0	0
12-14 LST	0.9	0.0	0.6	4.0	4.6	4.3	4.6	6.1	2.7	2.0	1.1	0.3	2.6	5	1824
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.6	7.1	6.5	15.3	12.9	9.3	8.8	3.9	4.7	3.9	1.3	1.3	6.1	5	1824
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.7	0.6	2.0	0.6	0.0	0.0	1.3	0.0	0.0	0.4	5	1824
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

**D.F. WALAN/CAPE TOWN, REPUBLIC OF SOUTH AFRICA
MEAN NUMBER OF DAYS**

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	29.8	24.8	28.8	24.6	26.2	26.6	28.4	29.2	27.0	29.0	28.8	30.0	339.2	9	1824
	13 LST	30.8	28.0	30.8	29.4	30.2	29.2	30.2	30.4	29.8	30.6	29.8	31.0	360.2	9	1824
	19 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST	13.1	14.1	20.9	18.8	18.4	20.0	20.6	20.4	16.4	15.4	12.1	16.0	206.2	9	1824
	13 LST	9.4	7.5	12.9	12.6	15.2	16.4	17.0	12.8	10.7	9.8	6.8	7.2	139.9	9	1824
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	9.6	2.0	2.2	1.0	1.6	1.4	1.4	1.8	3.4	3.4	5.4	4.0	33.2	9	1824
	13 LST	13.2	9.3	5.4	5.2	4.0	4.8	4.8	6.4	7.6	8.6	9.4	10.2	88.9	9	1824
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	9.9	10.1	13.2	12.8	13.4	11.0	11.6	14.8	9.6	10.4	8.2	12.2	137.2	9	1824
	13 LST	4.8	6.2	11.1	10.2	10.8	12.0	12.8	10.6	9.0	9.2	5.6	6.2	108.5	9	1824
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	20.3	18.5	19.4	12.0	12.6	11.6	12.0	12.4	11.8	16.4	13.6	19.6	180.2	9	1824
	13 LST	23.6	21.2	21.6	14.6	14.8	13.1	13.2	13.8	11.8	15.6	15.4	21.5	200.2	9	1824
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	28.2	23.4	27.2	22.0	24.0	24.5	23.8	26.5	23.3	27.0	26.9	27.0	307.8	9	1824
	13 LST	30.2	27.9	30.7	27.8	30.2	27.5	27.8	27.1	27.7	29.6	28.9	30.4	349.8	9	1824
	19 LST														0	0
CIG = GTR 8000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	25.9	21.6	25.0	18.7	21.9	22.0	22.4	21.9	20.9	24.0	23.3	24.6	272.2	9	1824
	13 LST	30.0	27.1	29.6	24.9	26.4	24.8	24.1	24.1	24.9	27.7	26.7	28.0	318.3	9	1824
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	25.6	21.5	24.6	18.0	21.6	21.8	21.6	21.4	20.6	23.6	22.7	24.4	267.4	9	1824
	13 LST	28.8	27.0	29.4	24.6	26.4	24.6	23.8	23.8	24.4	27.4	26.6	27.8	314.6	9	1824
	19 LST														0	0

STA NO. 60018 (IN AREA NUMBER 05)

WATROOSBERG, REPUBLIC OF SOUTH AFRICA

LATITUDE 3326S

LONGITUDE 01949E

ELEVATION(FT) 03162

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	99	100	96	90	83	73	73	84	89	96	96	97	100	19	-310
MEAN MAX TMP (F)	82	83	78	72	64	59	56	60	64	70	75	80	70	19	-10
MEAN MIN TMP (F)	53	54	51	46	42	38	37	30	40	44	48	50	45	19	-10
ABS MIN TMP (F)	36	37	38	30	26	25	24	25	25	28	32	36	24	19	-910
MEAN NO DYS TMP = DR GTR 90(F)	5.8	5.9	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	18.0	5	1790
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.1	1.0	3.2	6.8	4.9	2.2	0.6	0.1	0.0	18.9	19	-10
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1791
MEAN DEW PT TMP (F)	42	45	45	42	38	35	34	34	35	37	39	40	39	19	-29
MEAN REL HUM (PCT)	45	48	54	58	61	63	66	61	57	52	48	45	55	19	-10
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.28	0.32	0.31	0.75	1.14	1.22	1.10	0.98	0.87	0.79	0.75	0.39	9.1	20	-10
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0							0.0	0.0		19	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.7	0.8	1.3	1.9	2.8	2.5	2.3	2.0	1.8	1.7	1.6	1.0	20.4	20	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0							0.0	0.0		19	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	1.0	1.0	0.3	0.3	0.3	0.3	0.3	0.3	1.0	1.0	1.0	7.8	18	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	3.9	9.9	9.9	12.0	14.2	8.7	14.8	14.8	16.0	11.0	12.0	4.0	18.9	5	1792
09-11 LST	2.1	3.2	6.0	8.6	8.0	7.3	12.2	11.1	12.0	7.4	8.3	2.9	7.6	5	-30
12-14 LST	1.3	0.7	2.0	3.4	3.9	6.8	9.7	8.5	8.0	3.9	4.7	1.6	4.7	5	1779
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	1.3	3.3	4.5	0.7	2.6	1.9	1.3	0.6	0.7	0.0	1.4	5	1792
09-11 LST	0.0	0.0	0.6	1.6	2.2	0.4	1.6	1.2	0.6	0.3	0.4	0.0	0.7	5	-30
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.7	0.0	0.0	0.0	0.0	0.1	5	1779
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MATROOSBERG, REPUBLIC OF SOUTH AFRICA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	31.0	27.6	29.3	28.2	28.2	29.2	28.8	29.2	28.6	30.2	28.8	31.0	350.3	5	1792
	13 LST	30.8	28.0	31.0	29.2	30.8	29.2	30.4	30.4	29.2	31.0	29.6	31.0	360.6	5	1779
	19 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST	25.4	22.0	25.7	24.2	22.6	22.4	22.0	20.0	19.8	21.1	20.0	25.5	270.7	5	1791
	13 LST	21.4	15.4	19.8	17.1	16.4	19.8	17.1	13.0	12.8	16.8	16.2	16.5	198.3	5	1779
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.6	0.6	0.2	3.6	5	1794
	13 LST	1.4	0.4	1.2	2.0	2.0	2.0	2.0	4.2	3.6	1.8	1.6	2.0	26.6	5	1790
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	13.2	9.5	8.4	5.2	7.8	8.0	7.2	8.0	12.8	13.5	14.8	14.5	122.9	5	1793
	13 LST	16.1	14.1	15.6	13.4	12.6	11.2	13.5	13.4	11.8	18.6	14.4	15.0	169.7	5	1729
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	23.2	18.5	22.4	18.5	15.6	17.4	19.6	14.1	15.6	14.8	14.6	22.0	212.4	5	1794
	13 LST	25.2	17.7	23.6	17.8	18.0	18.1	16.6	16.8	15.4	17.8	15.1	21.7	223.0	5	1789
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	27.2	23.0	25.7	24.6	23.6	25.0	23.2	22.0	21.4	24.2	23.8	28.0	291.7	5	1792
	13 LST	30.4	27.0	29.8	26.2	28.0	26.1	25.1	24.9	24.6	27.9	26.3	29.5	325.8	5	1779
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	26.0	22.4	25.3	24.0	22.0	24.2	21.8	21.4	21.0	23.4	23.0	26.7	281.2	5	1792
	13 LST	29.2	24.8	27.9	25.4	26.0	24.7	23.5	23.1	22.4	26.5	23.9	27.7	309.1	5	1779
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	26.0	22.4	25.3	24.0	22.0	24.2	21.8	21.4	20.8	23.4	23.0	26.7	281.0	5	1792
	13 LST	29.2	24.8	27.9	25.4	26.0	24.7	23.5	23.1	22.4	26.5	23.9	27.7	309.1	5	1779
	19 LST														0	0

PORT ELIZABETH, REPUBLIC OF SOUTH AFRICA

LATITUDE 3359S

LONGITUDE 02536E

ELEVATION(FT) 00225

STA NO. 00042 (IN AREA NUMBER 05)

PARAMETER DESCRIPTION

ABS MAX TMP (F)
 MEAN MAX TMP (F)
 MEAN MIN TMP (F)
 ABS MIN TMP (F)
 MEAN NO DYS TMP = DR GTR 90(F)
 MEAN NO DYS TMP = DR LES 32(F)
 MEAN NO DYS TMP = DR LES 0(F)
 MEAN DEW PT TMP (F)
 MEAN REL HUM (PCT)
 MEAN PRESS ALT (FT)
 MEAN PRECIP (IN)
 MEAN SNOW FALL (IN)
 MEAN NO DYS PRCP = DR GTR 0.1 IN
 MEAN NO DYS SNPL = DR GTR 1.5 IN
 MEAN NO DYS W/OCUR VSBY LES 1/2 MI
 MEAN NO DYS TSTMS
 P FREQ WND SPD = DR GTR 17 KTS
 P FREQ WND SPD = DR GTR 20 KTS
 P FREQ LES 3000 FT A/D LES 3 MI
 P FREQ LES 1500 FT A/D LES 3 MI
 FOR 00-02 LST
 03-05 LST
 06-08 LST
 09-11 LST
 12-14 LST
 15-17 LST
 18-20 LST
 21-23 LST
 P FREQ LES 300 FT A/D LES 1 MI
 FOR 00-02 LST
 03-05 LST
 06-08 LST
 09-11 LST
 12-14 LST
 15-17 LST
 18-20 LST
 21-23 LST

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	94	104	104	101	95	90	90	98	103	104	104	96	104	14	-328
MEAN MAX TMP (F)	78	78	76	73	71	68	67	68	68	70	72	75	72	14	-28
MEAN MIN TMP (F)	61	62	60	55	50	45	49	47	50	54	57	59	54	14	-28
ABS MIN TMP (F)	45	46	45	42	31	33	31	32	35	39	42	44	31	14	-328
MEAN NO DYS TMP = DR GTR 90(F)	0.2	0.3	1.0	0.6	0.4	0.2	0.0	0.4	0.6	1.0	0.0	0.5	5.2	9	1764
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	9	1765
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN DEW PT TMP (F)	60	61	61	56	51	48	47	49	50	53	55	57	54	0	-30
MEAN REL HUM (PCT)	71	75	77	74	71	70	70	71	73	73	71	70	72	14	-28
MEAN PRESS ALT (FT)	200	250	200	190	190	50	50	100	100	190	200	200	190	0	-30
MEAN PRECIP (IN)	1.20	1.30	1.90	1.80	2.40	1.80	1.90	2.00	2.30	2.20	2.20	1.70	22.7	84	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.7	2.9	4.3	4.1	5.1	3.5	3.7	3.9	4.3	4.1	4.1	3.8	46.5	84	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.0	2.0	1.0	1.0	1.0	1.0	0.5	1.0	1.0	2.0	1.0	1.0	19.3	13	-24
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 20 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	11.0	13.6	11.8	9.3	2.6	6.0	3.2	6.3	8.8	15.7	7.6	10.5	8.9	9	1749
09-11 LST	10.0	11.0	7.0	5.7	4.0	5.0	3.0	3.8	7.4	12.0	7.2	8.0	7.2	9	-30
12-14 LST	9.0	7.9	2.6	2.7	5.2	3.4	2.6	3.2	6.0	7.8	6.7	5.3	5.4	9	1814
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	3.6	2.0	0.7	0.0	0.0	0.0	1.3	0.0	0.7	0.0	0.8	0.8	9	1749
09-11 LST	0.0	1.7	1.0	0.4	0.0	0.0	0.0	1.0	0.0	0.6	0.4	0.4	0.5	9	-30
12-14 LST	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.6	0.7	0.0	0.2	9	1814
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

PORT ELIZABETH, REPUBLIC OF SOUTH AFRICA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG - GTR 1000 FT AND VSBY - GTR 3 MI	02 LST														0	0
	08 LST	29.8	25.0	28.6	27.8	31.0	28.4	30.2	29.4	28.4	27.5	28.0	29.2	343.3	5	1749
	14 LST	29.8	26.4	30.8	29.6	30.6	29.8	30.6	30.0	28.8	29.2	28.4	30.2	354.2	5	1814
	20 LST														0	0
CIG -GTR 2000 FT AND VSBY -GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	14.1	13.2	18.0	18.0	22.6	21.3	22.0	19.3	16.5	13.4	11.1	13.0	202.5	5	1749
	14 LST	4.0	4.6	8.1	8.2	11.4	15.1	12.8	10.3	8.2	6.4	2.6	4.1	95.8	5	1814
	20 LST														0	0
SFC WND - GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST	2.8	2.6	1.4	2.8	2.4	1.6	2.0	1.0	3.2	4.2	5.5	3.5	33.0	5	1763
	14 LST	10.6	10.1	9.8	8.0	6.2	4.4	7.0	8.6	8.6	11.0	14.0	11.5	109.8	5	1824
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST	12.0	12.7	14.8	10.8	12.6	8.3	12.6	9.6	11.6	12.6	10.0	11.7	138.7	5	1763
	14 LST	6.6	7.3	9.4	11.6	11.4	11.2	14.0	10.0	7.8	7.6	4.4	6.7	108.0	5	1824
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY - GTR 3 MI	02 LST														0	0
	08 LST	13.8	10.7	11.7	12.4	15.6	17.4	16.6	14.6	13.9	9.4	11.0	11.0	158.1	5	1761
	14 LST	17.2	13.7	19.4	13.8	15.6	18.4	16.4	14.6	14.4	12.0	12.4	14.9	182.8	5	1823
	20 LST														0	0
CIG - GTR 2500 FT AND VSBY - GTR 3 MI	02 LST														0	0
	08 LST	24.6	22.2	24.1	25.6	28.5	26.6	28.4	27.4	24.7	23.3	24.9	24.5	304.8	5	1749
	14 LST	26.6	24.6	29.8	28.2	28.2	27.8	29.2	28.2	26.4	26.8	26.2	27.9	329.9	5	1814
	20 LST														0	0
CIG - GTR 6000 FT AND VSBY - GTR 3 MI	02 LST														0	0
	08 LST	21.7	19.2	20.2	23.4	27.5	26.4	27.0	24.7	19.8	20.5	21.9	20.2	272.5	5	1749
	14 LST	25.6	23.7	26.9	26.4	27.2	26.4	27.4	26.4	23.2	25.1	24.2	25.0	307.5	5	1814
	20 LST														0	0
CIG - GTR 10000 FT AND VSBY - GTR 3 MI	02 LST														0	0
	08 LST	21.7	19.2	20.2	23.2	27.5	26.2	27.0	24.6	19.8	20.2	21.9	20.2	271.7	5	1749
	14 LST	25.4	23.7	26.9	26.4	27.0	26.4	27.2	26.4	23.2	25.1	24.2	25.0	306.9	5	1814
	20 LST														0	0

STA NO. 68838 (IN AREA NUMBER 05)

COLLONDALE E. LONDON, REPUBLIC OF SOUTH AFRICA

LATITUDE 3302S

LONGITUDE 02749E

ELEVATION(FT) 00432

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	91	99	94	94	95	89	92	98	106	103	98	94	106	11	-28
MEAN MAX TMP (F)	77	78	77	74	73	70	70	70	71	71	73	75	73	11	-28
MEAN MIN TMP (F)	64	65	63	59	55	51	50	52	55	58	60	62	58	11	-28
ABS MIN TMP (F)	55	52	53	45	40	39	37	38	43	47	49	52	37	11	-28
MEAN NO DYS TMP = OR GTR 90(F)						0.0								11	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN DEW PT TMP (F)	60	62	61	56	50	44	42	47	51	55	56	58	54	11	-29
MEAN REL HUM (PCT)	73	74	73	71	64	59	56	64	69	73	72	71	68	11	-28
MEAN PRESS ALT (FT)	439	412	384	330	303	248	221	248	275	330	384	412	332	0	-50
MEAN PRECIP (IN)	2.90	3.00	3.00	2.70	2.20	1.40	1.40	1.70	2.70	3.60	3.40	3.00	31.8	68	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS PRCP = UR GTR 0.1 IN	6.3	6.4	7.1	5.6	4.8	2.8	2.8	3.3	4.9	6.3	6.0	6.4	62.7	68	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TCTMS	3.0	4.0	3.0	1.0	2.0	0.3	0.3	0.3	1.0	3.0	3.0	3.0	23.9	10	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

COLLONDALE E. LONDON, REPUBLIC OF SOUTH AFRICA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0

DATA NOT AVAILABLE

CAPE AGULHAS, REPUBLIC OF SOUTH AFRICA

STA NO. 68920 (IN AREA NUMBER 05)

LATITUDE 3450S

LONGITUDE 02001E

ELEVATION(FT) 00062

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	84	87	89	86	83	86	85	89	90	79	87	87	97	30	-28
MEAN MAX TMP (F)	74	74	72	69	66	63	61	63	63	66	69	72	68	20	-28
MEAN MIN TMP (F)	63	63	51	58	55	52	50	51	52	55	59	61	57	20	-28
ABS MIN TMP (F)	47	48	49	41	40	42	39	43	40	41	41	41	39	30	-28
MEAN NO DYS TMP = OR GTR 90(F)	0.0					0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN DEW PT TMP (F)	60	61	61	58	54	51	49	51	51	53	57	58	55	16	-29
MEAN REL HUM (PCT)	77	79	83	84	81	80	80	82	81	79	79	77	80	8	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.80	0.70	1.30	1.50	2.00	2.30	2.10	1.90	1.60	1.50	1.10	0.70	17.5	69	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.9	1.6	3.1	3.5	4.4	4.4	4.0	3.7	3.1	2.9	2.2	1.6	36.4	69	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.0	0.1	0.3	0.1	0.0	1.4	20	-10
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	14.0	30.3	26.2	23.1	15.6	7.4	39.1	31.8	38.1	12.5	22.2	7.1	22.3	2	343
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST	2.3	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	2	343
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CAPE AGULHAS, REPUBLIC OF SOUTH AFRICA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	28.8	22.0	23.6	25.4	28.2	28.9	20.2	23.9	24.3	31.0	26.3	31.0	315.6	2	343
	19 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST	8.8	10.5	9.3	10.3	11.8	15.0	7.0	1.6	1.4	5.8	8.3	11.1	100.9	2	329
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	2.9	6.8	5.4	3.2	4.3	3.8	2.8	4.7	3.9	13.8	3.0	6.6	61.2	2	337
	19 LST														0	0
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST	15.5	14.0	17.5	10.3	10.8	15.6	8.8	14.0	14.3	6.9	9.0	13.3	150.0	2	331
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	14.0	6.8	8.8	11.5	12.7	11.5	10.3	8.6	6.5	12.7	9.0	19.9	132.5	2	345
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	25.2	17.8	21.4	21.5	24.8	26.6	17.5	19.7	12.8	23.3	18.3	26.6	259.5	2	343
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	25.2	17.0	21.4	20.0	23.4	26.6	17.5	19.7	12.8	23.3	13.3	26.6	246.8	2	343
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST	25.2	17.0	21.4	20.0	23.4	26.6	17.5	19.7	12.8	23.3	13.3	26.6	246.8	2	343
	19 LST														0	0

AREA NO 05

SOUTH AFRICA, REPUBLIC OF SOUTH EAST COAST		LATITUDE 3200S					LONGITUDE 02900E							
BOUNDARIES		3345S 01830E	3200S 02010E	3200S 02010E	3230S 02640E	3230S 02640E	3000S 03000E	3000S 03000E	3000S 03000E	3000S 03000E	3000S 03000E	3000S 03000E	3000S 03000E	
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		80	80	78	74	71	68	66	68	69	72	75	78	73
MEAN MIN TMP (F)		63	63	62	57	53	49	48	50	52	56	59	61	56
LARGEST MEAN PRECIP(IN)		5.00	5.70	8.00	4.80	4.10	4.29	3.70	3.27	3.02	5.16	4.92	5.24	57.8
SMALLEST MEAN PRECIP(IN)		0.28	0.32	0.91	0.63	0.51	0.24	0.39	0.47	0.43	0.99	0.75	0.39	5.5
MEAN NUMBER OF DAYS														
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST													
	08 LST	30.1	26.3	29.4	27.9	29.0	28.4	29.5	29.1	27.9	29.0	28.0	30.2	349.6
	14 LST	30.1	26.6	29.9	29.2	30.3	29.6	29.2	29.6	28.9	30.5	29.4	30.8	354.1
	20 LST													
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST													
	08 LST	18.3	18.0	22.2	21.5	22.0	22.0	22.0	20.4	18.0	17.2	16.0	18.8	236.4
	14 LST	11.3	11.3	14.7	12.0	15.3	16.6	15.0	10.9	10.0	11.3	9.5	11.0	148.9
	20 LST													
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST													
	08 LST	2.6	1.4	1.1	1.5	1.9	1.4	2.1	1.9	2.3	2.8	3.5	2.1	24.6
	14 LST	7.9	5.5	5.4	5.6	5.3	4.1	5.3	7.7	6.9	9.1	7.4	7.4	77.6
	20 LST													
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													
	08 LST	11.1	10.1	10.6	8.7	10.1	8.7	9.2	10.0	9.5	10.9	10.6	12.6	122.1
	14 LST	10.4	10.6	12.4	10.5	11.9	11.1	11.4	11.0	9.4	9.9	8.0	10.5	127.1
	20 LST													
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST													
	08 LST	17.1	14.5	17.0	15.2	16.0	17.7	16.8	14.6	14.5	12.7	12.3	16.1	184.5
	14 LST	17.1	13.3	16.0	15.4	15.4	17.3	17.4	15.2	12.5	11.0	11.0	15.7	177.3
	20 LST													
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST													
	08 LST	26.3	23.1	26.0	23.4	26.5	26.5	27.2	24.7	24.1	25.2	25.1	26.4	307.5
	14 LST	27.7	24.1	28.2	26.8	28.1	27.1	27.1	26.9	24.0	26.6	24.9	27.5	318.6
	20 LST													
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST													
	08 LST	23.5	21.2	23.2	23.4	25.2	25.5	25.3	23.5	21.2	22.4	22.5	23.4	280.3
	14 LST	26.1	22.1	25.2	24.4	26.3	25.9	25.8	25.4	21.7	22.9	20.3	22.9	289.0
	20 LST													
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST													
	08 LST	23.4	21.2	23.2	23.3	25.0	25.4	25.1	23.4	21.1	22.3	22.4	23.3	279.1
	14 LST	25.8	22.0	25.1	24.4	26.2	25.8	25.7	25.4	21.4	22.9	20.2	22.9	287.8
	20 LST													

ARUA, UGANDA

LATITUDE 0301N

LONGITUDE 03059E

ELEVATION(FT) 04200

STA NO. 03602 (IN AREA NUMBER 01)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	95	98	100	99	92	89	89	91	90	90	92	93	100	20	-131
MEAN MAX TMP (F)	87	88	86	83	82	81	79	79	81	82	84	85	83	20	-131
MEAN MIN TMP (F)	63	64	63	64	64	63	62	61	61	62	63	63	63	20	-131
ABS MIN TMP (F)	55	52	57	57	57	53	50	52	50	57	57	55	50	20	-131
MEAN NO DYS TMP = OR GTR 90(F)	11.9	11.9	10.7	6.7	5.9	0.0	0.0		4.6	3.9	7.9	9.4		20	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN DEW PT TMP (F)	55	54	56	59	63	62	62	61	61	60	58	56	59	15	-29
MEAN REL HUM (PCT)	54	51	56	65	74	74	77	76	73	70	63	57	66	5	-28
MEAN PRESS ALT (FT)														0	0
MEAN PREC/P (IN)	0.69	1.07	3.27	3.32	3.67	4.75	6.05	7.51	6.64	7.15	3.98	1.69	54.6	31	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.6	4.2	6.4	8.5	8.7	8.0	9.6	11.1	10.4	10.9	6.9	3.8	90.1	31	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS	0.0	0.3	0.8	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.1	3	-35
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-35
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	4.7	3.2	2.3	2.8	8.0	11.6	8.3	8.0	6.0	5.9	1.3	5.2	5	1342
09-11 LST	0.0	4.7	4.3	1.2	1.9	7.3	7.3	9.8	3.4	0.9	2.6	2.0	3.5	5	1341
12-14 LST	0.0	1.2	3.2	3.5	6.3	8.0	7.9	8.4	2.3	2.6	4.2	2.7	4.2	5	1339
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	1.2	1.1	0.0	0.0	0.7	2.0	0.8	0.0	0.0	0.8	0.0	0.6	5	1342
09-11 LST	0.0	2.4	0.0	0.0	0.9	1.3	0.0	0.8	0.0	0.0	1.7	0.0	0.6	5	1341
12-14 LST	0.0	0.0	0.0	0.0	1.9	0.7	0.0	0.8	0.0	0.0	0.0	0.7	0.3	5	1339
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

ARUA, UGANDA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														5	1342
	08 LST	29.0	22.1	28.3	29.6	31.0	28.4	28.9	29.7	30.0	31.0	29.7	27.5	349.2	5	1339
	14 LST	31.0	29.7	30.7	30.0	30.1	28.8	30.4	30.5	30.0	31.0	29.7	28.3	356.2	0	0
	20 LST														0	0
															5	1342
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														5	1338
	08 LST	28.3	20.7	27.0	28.2	29.8	29.6	24.0	29.6	29.9	28.1	26.7	26.2	316.1	5	1338
	14 LST	30.2	24.4	29.3	28.2	28.4	26.6	26.1	29.8	28.6	29.6	27.7	27.4	332.3	0	0
	20 LST														0	0
															0	0
SFC WND = GTR 17 KTS AND ND PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
															0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND ND PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
															0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														5	1349
	08 LST	10.1	9.9	6.7	9.6	6.1	9.4	9.3	4.1	9.4	4.7	9.8	10.0	77.1	5	1342
	14 LST	9.4	9.9	6.7	3.9	4.0	9.2	1.8	1.8	9.5	2.7	6.1	8.2	99.2	0	0
	20 LST														0	0
															5	1342
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														5	1339
	08 LST	29.0	21.1	27.7	28.2	29.2	24.6	29.4	24.5	29.2	26.8	26.5	29.8	312.0	5	1339
	14 LST	30.2	24.4	28.0	27.2	27.2	29.2	24.0	24.5	29.9	28.3	27.2	26.8	318.9	0	0
	20 LST														0	0
															5	1342
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	02 LST														5	1339
	08 LST	27.9	19.4	26.3	24.4	26.1	22.4	20.0	21.7	23.9	23.3	25.2	24.8	285.4	5	1339
	14 LST	29.4	22.1	24.0	22.9	23.7	29.0	20.3	20.8	22.7	26.4	29.4	29.4	286.1	0	0
	20 LST														0	0
															5	1342
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														5	1339
	08 LST	27.9	19.4	26.3	24.4	26.1	22.4	20.0	21.7	23.9	23.3	25.2	24.8	285.4	5	1339
	14 LST	29.4	22.1	24.0	22.9	23.7	29.0	20.3	20.8	22.7	26.4	29.4	29.4	286.1	0	0
	20 LST														0	0
															5	1342

GULU, UGANDA

STA NO. 63630 (IN AREA NUMBER 01)

LATITUDE 0249N

LONGITUDE 03220E

ELEVATION(FT) 09639

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	97	100	99	98	94	93	89	90	92	94	94	95	100	39	-131
MEAN MAX TMP (F)	89	90	87	85	83	82	80	81	82	84	85	87	85	39	-131
MEAN MIN TMP (F)	63	64	64	64	64	63	62	62	62	63	62	62	63	39	-131
ABS MIN TMP (F)	52	55	53	51	52	51	49	48	51	55	54	49	48	39	-131
MEAN NO DYS TMP = OR GTR 90(F)	14.5	14.3	11.9	9.0	7.0	5.7	0.0	4.8	5.7	8.2	9.0	11.9	102.0	39	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39	-29
MEAN DEW PT TMP (F)	52	56	58	62	64	62	62	63	61	59	57	54	59	30	-29
MEAN REL HUM (PCT)	48	53	59	69	74	73	76	76	71	65	61	54	65	11	-131
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.41	1.74	3.33	6.75	7.91	5.80	6.68	8.86	6.79	6.40	3.76	1.73	60.2	43	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.0	3.9	6.5	9.3	9.8	9.3	10.3	12.3	10.5	10.1	6.6	3.9	93.5	43	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39	-29
MEAN NO DYS W/TCUR VSOBY LES 1/2 MI														0	0
MEAN NO DYS TS/TMS	3.0	6.0	12.0	21.0	22.0	20.0	21.0	22.0	20.0	16.0	11.0	7.0	181.0	10	-24
P FREQ WND SPD = OR GTR 17 KTS	5.6	3.1	3.5	0.8	0.6	0.1	0.2	0.2	0.3	0.3	1.5	4.2	1.7	8	-35
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	8	-35
P FREQ LES 3000 FT A/D LES 5 MI		5.1	7.1	9.7	12.9	9.5								1	3594
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST		1.2	1.1	2.2	1.1	0.0	0.0							1	449
03-05 LST	0.9	1.0	0.0	1.4	1.4	1.4	2.6	6.5	4.0	2.6	2.0	0.6	2.0	5	2077
06-08 LST	0.0	0.0	4.6	2.4	3.2	2.4	6.5	7.1	10.7	3.9	5.3	0.0	3.8	5	2090
09-11 LST	0.0	0.0	3.7	1.4	0.0	0.5	3.9	1.9	1.3	1.3	1.3	0.0	1.3	5	2093
12-14 LST	0.0	0.0	0.9	1.4	0.9	1.0	1.9	1.3	0.7	0.6	4.7	0.0	1.1	5	2095
15-17 LST	0.0	0.0	4.1	3.2	3.7	2.4	0.6	5.8	2.0	1.3	6.7	2.6	2.9	5	2080
18-20 LST		7.0	1.1	1.1	2.2	1.1								1	449
21-23 LST		0.0	0.0	2.2	1.1	2.2								1	450
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST		0.0	0.0	0.0	0.0	0.0	0.0							1	449
03-05 LST	0.0	0.0	0.0	1.0	0.5	0.0	1.3	1.9	2.0	1.3	0.0	0.6	0.7	5	2077
06-08 LST	0.0	0.0	0.0	0.5	0.0	0.0	0.0	1.3	0.0	0.6	0.0	0.0	0.2	5	2090
09-11 LST	0.0	0.0	0.3	0.9	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.1	5	2093
12-14 LST	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	2095
15-17 LST	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	2080
18-20 LST		0.0	0.0	1.1	0.0	0.0								1	449
21-23 LST		0.0	0.0	1.1	0.0	0.0								1	450

GULU, UGANDA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST		28.0	31.0	29.0	30.0	30.0	31.0							1	151
	08 LST	28.2	28.0	29.4	29.4	30.0	28.6	28.6	28.6	27.4	29.8	28.4	29.8	346.2	9	1793
	14 LST	30.7	28.0	31.0	29.4	31.0	30.0	31.0	31.0	29.4	31.0	29.6	30.6	362.7	9	1793
	20 LST		28.0	31.0	29.0	31.0	30.0								1	150
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST		26.0	28.0	29.0	29.0	30.0	31.0							1	151
	08 LST	20.0	21.0	20.2	21.2	21.2	23.8	29.0	23.6	20.2	21.2	21.8	21.0	200.2	9	1793
	14 LST	16.2	13.9	18.4	21.6	21.0	22.4	21.4	19.8	19.6	22.2	20.8	18.2	235.5	9	1793
	20 LST		23.0	23.0	26.0	27.0	28.0								1	150
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST		3.0	1.0	0.0	0.0	0.0	0.0							1	151
	08 LST	3.7	3.3	4.6	2.0	3.6	5.2	1.8	2.2	2.8	3.4	4.6	4.2	43.4	9	1794
	14 LST	2.2	3.2	0.8	0.4	0.6	0.8	1.0	0.2	0.2	1.0	0.8	1.6	12.8	9	1793
	20 LST		2.0	0.0	0.0	0.0	0.0								1	150
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST		27.0	31.0	29.0	30.0	28.0	31.0							1	151
	08 LST	28.0	27.8	28.8	28.6	29.4	28.2	28.0	27.4	26.8	29.6	27.8	29.4	339.8	9	1793
	14 LST	29.7	26.4	29.2	23.4	26.6	26.8	27.2	26.0	27.6	28.6	25.8	28.0	327.3	9	1793
	20 LST		28.0	31.0	28.0	31.0	30.0								1	150
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST		27.0	31.0	29.0	29.0	27.0	31.0							1	151
	08 LST	28.0	27.8	28.2	28.6	28.8	28.0	27.8	26.2	26.8	29.6	27.6	29.4	336.8	9	1793
	14 LST	24.2	21.2	23.4	17.6	17.4	16.0	18.8	17.6	19.2	23.8	21.6	21.8	242.6	9	1793
	20 LST		27.0	31.0	28.0	31.0	29.0								1	150
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST		27.0	31.0	29.0	29.0	27.0	31.0							1	151
	08 LST	28.0	27.8	28.2	28.6	28.8	28.0	27.8	26.2	26.8	29.6	27.6	29.4	336.8	9	1793
	14 LST	24.2	21.2	23.4	17.6	17.4	16.0	18.8	17.6	19.2	23.8	21.6	21.8	242.6	9	1793
	20 LST		27.0	31.0	28.0	31.0	29.0								1	150

STA NO. 63635 (IN AREA NUMBER 01)

BOROTO, UGANDA

LATITUDE 0233N

LONGITUDE 03430E

ELEVATION(FT) 04410

PARAMETER DESCRIPTION

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.27	1.21	2.00	4.00	5.92	3.50	5.00	4.24	2.07	1.07	1.70	0.91	34.0	31	-6
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.7	2.7	5.4	8.1	8.9	6.3	9.1	7.3	3.9	3.6	3.4	2.1	61.5	31	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.3	1.0	4.0	8.0	6.0	6.0	8.0	5.0	3.0	3.0	1.0	2.0	47.3	9	-131
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 20 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.9	2.5	3.4	0.8	0.7	3.2	2.1	1.4	0.6	6.7	2.0	2.0	9	1977
09-11 LST														0	0
12-14 LST	0.0	0.9	0.8	6.8	0.8	1.3	0.6	0.0	0.8	1.3	4.2	0.0	1.0	9	1949
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.8	0.0	0.0	0.7	1.3	0.7	0.7	0.0	3.3	0.7	0.7	9	1977
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	9.0	0.0	0.7	0.0	0.0	0.8	1.3	3.4	0.0	0.5	9	1949
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BOROTO, UGANDA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS	
CIG - GTR 1000 FT AND VSBY - GTR 3 MI	02 LST													0	0	
	08 LST	31.0	28.0	29.9	29.7	31.0	29.8	30.2	30.8	29.8	30.4	28.0	30.6	339.6	3	1977
	14 LST	30.7	27.7	30.2	29.2	29.7	29.4	30.2	31.0	29.8	30.2	29.0	31.0	338.1	3	1949
	20 LST													0	0	
	02 LST													0	0	
CIG -GTR 2000 FT AND VSBY -GTR 3 MI W/SFC WND LES 10 KTS	02 LST													0	0	
	08 LST	31.0	27.7	28.9	28.5	30.7	29.8	29.6	30.1	29.6	30.6	27.2	30.4	334.1	3	1977
	14 LST	28.3	23.7	26.3	27.2	28.7	28.8	30.2	31.0	29.8	28.8	27.2	29.5	339.5	3	1949
	20 LST													0	0	
	02 LST													0	0	
SFC WND - GTR 17 KTS AND NO PRECIP.	02 LST													0	0	
	08 LST													0	0	
	14 LST													0	0	
	20 LST													0	0	
	02 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													0	0	
	08 LST													0	0	
	14 LST													0	0	
	20 LST													0	0	
	02 LST													0	0	
SKY COVER LES 3/10 AND VSBY - GTR 3 MI	02 LST													0	0	
	08 LST	12.6	12.3	10.0	8.0	10.0	15.0	8.2	13.7	19.7	13.8	9.0	13.5	146.0	3	1998
	14 LST	8.3	9.2	9.0	3.5	2.0	3.0	0.2	0.8	4.4	7.4	5.3	9.4	58.5	3	1993
	20 LST													0	0	
	02 LST													0	0	
CIG - GTR 2500 FT AND VSBY - GTR 3 MI	02 LST													0	0	
	08 LST	31.0	27.5	29.7	28.2	30.5	29.6	29.4	29.9	29.3	30.8	27.0	30.2	333.1	3	1977
	14 LST	30.7	27.2	29.7	28.2	28.2	28.0	28.2	30.3	29.5	30.2	28.2	30.6	349.0	3	1949
	20 LST													0	0	
	02 LST													0	0	
CIG - GTR 6000 FT AND VSBY - GTR 3 MI	02 LST													0	0	
	08 LST	31.0	26.5	29.4	28.0	30.2	29.6	29.0	29.0	29.1	30.0	26.0	30.0	347.8	3	1977
	14 LST	30.7	24.5	29.1	27.2	25.6	26.0	25.8	26.7	27.8	28.2	26.0	28.9	326.5	3	1949
	20 LST													0	0	
	02 LST													0	0	
CIG - GTR 10000 FT AND VSBY - GTR 3 MI	02 LST													0	0	
	08 LST	31.0	26.2	29.4	28.0	30.2	29.6	29.0	29.0	29.1	30.0	26.0	30.0	347.5	3	1977
	14 LST	30.7	24.5	29.1	27.2	25.6	26.0	25.8	26.7	27.8	28.2	26.0	28.9	326.5	3	1949
	20 LST													0	0	
	02 LST													0	0	

JINJA, UGANDA

STA NO. 63682 (IN AREA NUMBER 01)

LATITUDE 0027N LONGITUDE 0331E ELEVATION(FT) 03045

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	96	96	98	92	92	94	90	91	90	90	92	98		44	-131
MEAN MAX TMP (F)	85	85	84	82	82	81	82	81	82	83	83	85	83	44	-131
MEAN MIN TMP (F)	64	64	64	64	63	62	62	62	63	63	63	63	63	44	-131
ABS MIN TMP (F)	55	54	56	56	59	58	56	54	56	55	58	55	54	44	-131
MEAN NO DYS TMP = OR GTR 90(F)	9.4	8.4	8.2	8.7	8.9	4.6	5.9	4.8	5.7	7.0	6.7	9.4	81.7	44	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN DEN PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.02	2.08	4.90	6.83	5.27	2.49	2.03	4.07	3.25	3.87	4.00	3.31	44.9	43	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.3	6.2	8.2	9.4	8.4	4.7	3.9	7.1	5.8	6.7	6.9	7.0	78.8	43	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSNS	4.0	3.0	5.0	6.0	7.0	4.0	3.0	3.0	5.0	2.0	2.0	2.0	46.0	7	-131
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 20 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	2.4	1.9	1.6	1.7	1.6	0.8	6.7	3.3	4.2	3.7	4.0	3.9	3.0	5	1519
06-08 LST	0.0	0.9	0.6	0.7	0.6	0.7	3.3	2.6	4.0	1.3	3.3	0.0	1.5	5	1760
09-11 LST	0.0	1.8	0.0	1.3	0.0	0.0	1.3	0.0	0.7	0.0	2.7	1.3	0.8	5	1762
12-14 LST	0.8	0.0	1.3	2.0	0.0	0.7	0.7	1.9	0.7	2.6	1.3	1.3	1.1	5	1761
15-17 LST	0.0	0.9	2.6	2.0	1.3	0.7	1.3	0.0	0.7	1.3	2.0	0.6	1.1	5	1765
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	0.8	0.9	0.0	0.0	0.0	0.8	0.8	0.8	0.0	0.7	0.7	1.9	0.6	5	1519
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.1	5	1760
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1762
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1761
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1765
18-20 LST														0	0
21-23 LST														0	0

JINJA, UGANDA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	30.7	27.7	31.0	30.0	30.8	29.6	29.5	30.4	29.6	31.0	29.2	30.8	300.3	5	1760
	14 LST	30.7	27.7	30.8	29.8	30.8	30.0	31.0	30.8	30.0	30.4	29.8	30.6	362.4	5	1761
	20 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	26.7	27.2	26.8	29.0	30.2	28.8	28.3	28.4	27.0	28.8	26.6	27.0	334.8	5	1760
	14 LST	11.7	8.2	10.2	14.9	17.4	14.6	19.4	16.8	19.5	18.9	18.4	17.4	187.4	5	1761
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SFC WND 4-10 KTS AND THP 33-89 DEC F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	2.5	3.9	2.4	0.2	0.2	1.8	0.8	1.6	2.0	1.0	2.0	2.2	20.6	5	1760
	14 LST	1.2	3.2	1.6	0.2	0.2	1.2	0.4	0.6	0.6	0.2	0.4	0.6	10.4	5	1761
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	30.5	27.7	30.2	29.2	30.4	28.8	27.7	28.8	27.6	30.2	27.6	30.0	348.7	5	1760
	14 LST	30.2	27.2	29.8	27.2	29.4	28.4	29.5	28.4	27.8	29.2	28.4	29.0	344.5	5	1761
	20 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	30.5	27.7	30.2	28.6	30.4	28.4	26.5	27.6	27.2	30.2	27.0	29.6	343.9	5	1760
	14 LST	29.5	25.0	27.6	24.4	27.2	25.4	25.5	23.8	23.7	27.4	27.0	27.2	313.7	5	1761
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	30.5	27.7	30.2	28.6	30.4	28.4	26.5	27.6	27.2	30.2	27.0	29.6	343.9	5	1760
	14 LST	29.5	25.0	27.6	24.4	27.2	25.4	25.5	23.8	23.7	27.4	27.0	27.2	313.7	5	1761
	20 LST														0	0

TORORO, UGANDA

STA NO. 63684 (IN AREA NUMBER 01)

LATITUDE 0041N

LONGITUDE 03410E

ELEVATION(FT) 03840

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	96	98	97	95	89	86	91	89	91	93	92	94	98	30	-131
MEAN MAX TMP (F)	87	88	86	84	82	81	80	81	83	84	84	85	84	30	-131
MEAN MIN TMP (F)	61	62	63	63	62	61	61	60	61	61	61	61	61	30	-131
ABS MIN TMP (F)	52	54	52	58	58	57	56	55	56	56	54	53	52	30	-131
MEAN NO DYS TMP = DR GTR 90(F)	11.9	11.9	10.7	7.9	0.0	0.0		0.0	6.7	8.2	7.9	9.4		30	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN DEW PT TMP (F)	54	57	58	60	61	59	59	59	58	56	56	56	58	29	-29
MEAN REL HUM (PCT)	54	57	60	67	72	68	69	68	65	61	60	59	63	14	-131
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.71	2.71	5.38	8.37	8.50	4.35	4.25	4.79	3.98	4.58	3.87	2.66	59.1	21	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.8	5.9	8.5	9.9	9.9	7.5	7.3	8.1	6.9	7.7	6.7	5.8	88.0	21	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	7.0	9.0	13.0	18.0	20.0	14.0	16.0	18.0	19.0	19.0	13.0	9.0	175.0	10	-24
P FREQ WND SPD = DR GTR 17 KTS	0.9	0.9	0.7	0.2	0.0	0.3	0.6	0.9	0.6	0.4	0.3	0.7	0.5	8	-35
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	8	-35
P FREQ LES 3000 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	0.8	0.0	0.6	2.0	2.6	1.3	1.9	2.7	2.7	2.1	3.4	0.6	1.7	5	1746
06-08 LST	0.0	0.9	1.9	5.3	1.3	2.0	1.9	3.9	1.3	3.2	5.3	2.6	2.5	5	1764
09-11 LST	0.0	3.9	0.0	0.0	0.0	0.7	1.9	1.3	0.0	1.3	2.0	1.3	0.8	5	1766
12-14 LST	0.0	0.0	0.6	2.7	1.3	2.0	1.9	2.0	2.7	1.3	1.3	3.2	1.6	5	1763
15-17 LST	1.6	0.0	1.3	2.7	1.3	1.3	2.6	3.4	4.0	3.4	2.7	1.3	2.1	5	1744
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	0.0	0.0	0.0	0.7	1.3	0.0	0.0	0.7	1.3	0.7	0.0	0.0	0.4	5	1746
06-08 LST	0.0	0.9	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1764
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1766
12-14 LST	0.0	0.0	0.0	0.7	0.6	0.0	0.0	0.0	0.7	0.0	0.0	1.9	0.3	5	1763
15-17 LST	0.0	0.0	0.0	0.0	0.6	0.0	0.6	0.7	0.7	0.0	1.4	0.0	0.3	5	1744
18-20 LST														0	0
21-23 LST														0	0

TORORO, UGANDA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	31.0	27.7	30.8	29.0	30.4	29.8	30.6	30.0	29.8	30.6	29.0	30.6	359.3	5	1764
	14 LST	31.0	28.0	31.0	29.8	30.4	29.8	31.0	30.8	29.4	30.4	29.8	30.0	361.4	5	1763
	20 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC 1IND LES 10 KTS	02 LST														0	0
	08 LST	28.5	25.5	27.2	27.4	29.8	28.0	28.8	27.9	27.4	29.0	26.6	27.8	333.9	5	1764
	14 LST	20.2	19.3	21.6	23.4	24.6	21.6	21.8	18.4	17.5	21.4	19.5	19.2	248.5	5	1763
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	9.7	13.1	7.8	4.0	6.2	12.0	5.6	7.5	8.4	6.8	8.6	7.8	97.5	5	1764
	14 LST	3.0	4.9	3.2	1.0	1.0	0.8	0.4	0.0	0.2	0.6	1.0	3.0	19.1	5	1763
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	31.0	27.5	30.0	27.4	29.8	29.0	29.6	29.6	29.2	29.4	28.0	29.8	350.3	5	1764
	14 LST	29.5	26.7	29.0	26.2	27.4	27.0	29.2	28.1	26.6	28.8	28.0	27.4	333.9	5	1763
	20 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	30.5	26.7	29.4	27.0	29.8	28.8	27.6	28.8	28.8	29.2	27.8	29.8	344.2	5	1764
	14 LST	25.5	22.8	23.0	21.0	22.0	20.6	24.0	22.5	23.3	25.8	23.7	23.0	277.2	5	1763
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	30.5	26.7	29.4	27.0	29.8	28.8	27.6	28.8	28.8	29.2	27.8	29.8	344.2	5	1764
	14 LST	25.5	22.8	23.0	21.0	22.0	20.6	24.0	22.5	23.3	25.8	23.7	23.0	277.2	5	1763
	20 LST														0	0

MBARARA, UGANDA

STA NO. 63702 (IN AREA NUMBER 01)

LATITUDE 0037S

LONGITUDE 03039E

ELEVATION(FT) 04734

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	89	92	90	90	85	85	87	89	86	87	89	89	92	28	-131
MEAN MAX TMP (F)	80	81	80	79	78	79	80	80	80	79	78	79	79	28	-131
MEAN MIN TMP (F)	58	59	60	59	59	57	57	58	59	59	58	58	58	28	-131
ABS MIN TMP (F)	51	52	51	52	52	50	51	50	50	51	52	50	50	28	-131
MEAN NO DYS TMP = OR GTR 90(F)	0.0	4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	28	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28	-29
MEAN DEW PT TMP (F)	57	58	59	59	59	56	53	58	57	58	59	58	58	23	-29
MEAN REL HUM (PCT)	68	69	71	74	75	69	62	70	68	72	75	73	71	14	-131
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.92	2.43	3.78	4.80	3.09	1.01	0.82	2.45	3.83	4.12	4.60	2.84	39.3	50	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.4	5.3	7.0	8.1	6.2	2.1	1.7	4.6	6.7	7.1	7.8	6.1	66.1	50	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.3	1.0	1.0	1.0	0.3	0.3	0.0	0.3	0.3	1.0	1.0	0.3	6.8	8	-131
P FREQ WND SPD = OR GTR 17 KTS	0.5	0.6	0.5	0.4	1.2	2.7	1.9	1.8	0.7	0.6	0.4	0.4	1.0	8	-35
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-35
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	6.5	0.0	6.5	6.7	0.0	1.7	1.4	7.9	0.0	3.2	3.3	1.1	3.2	3	890
06-08 LST	0.0	3.5	4.9	8.3	6.5	1.7	0.8	3.2	0.8	4.0	7.5	3.3	3.7	4	1453
09-11 LST	1.7	5.3	2.8	3.8	2.4	0.0	0.8	2.4	3.3	3.2	5.8	4.8	3.2	4	1453
12-14 LST	3.4	2.8	1.6	3.3	2.4	0.0	0.0	1.6	4.2	4.1	8.3	4.0	3.0	4	1446
15-17 LST	0.0	3.5	3.3	3.3	0.0	1.7	1.4	3.4	0.0	1.1	3.3	3.3	2.0	3	884
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	1.6	0.0	4.8	3.3	0.0	1.7	1.4	6.7	0.0	1.1	1.1	1.1	1.9	3	890
06-08 LST	0.0	0.0	0.8	0.0	0.0	0.8	0.0	0.8	0.0	0.0	0.0	0.0	0.2	4	1453
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.8	0.0	0.1	4	1453
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1446
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	884
18-20 LST														0	0
21-23 LST														0	0

MBARARA, UGANDA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	27.1	27.0	30.2	27.5	29.0	22.5	20.5	25.0	29.7	30.2	27.2	30.2	326.1	4	1453
	14 LST	30.5	27.7	30.7	29.7	31.0	30.0	30.7	30.5	28.7	30.2	28.2	30.7	358.6	4	1446
	20 LST														0	0
	02 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														4	1453
	08 LST	26.3	24.8	27.5	24.2	25.7	21.0	16.7	21.5	27.0	28.0	26.3	29.7	298.7	4	1445
	14 LST	10.8	11.8	15.2	13.0	12.2	7.5	11.5	14.2	14.7	18.4	17.3	15.2	161.8	0	0
	20 LST														0	0
	02 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
	02 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
	02 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														4	1453
	08 LST	1.6	2.0	0.5	1.0	2.2	2.5	2.7	1.7	0.5	2.0	1.0	3.3	21.0	4	1446
	14 LST	0.0	0.0	0.0	0.0	0.0	0.5	1.2	0.0	0.0	0.2	0.0	0.0	1.9	0	0
	20 LST														0	0
	02 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														4	1453
	08 LST	25.5	24.3	27.2	24.5	27.5	21.5	20.0	24.0	29.2	28.2	24.5	28.7	305.1	4	1446
	14 LST	26.5	22.1	27.4	24.5	25.2	27.5	26.7	24.2	24.0	25.5	23.3	24.7	301.6	0	0
	20 LST														0	0
	02 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														4	1453
	08 LST	24.0	22.8	24.9	23.3	26.7	20.0	18.2	22.7	27.7	26.2	21.0	27.2	284.7	4	1446
	14 LST	18.9	16.4	23.4	18.5	20.0	19.7	17.3	16.0	18.5	19.7	17.7	19.7	225.8	0	0
	20 LST														0	0
	02 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														4	1453
	08 LST	24.0	22.8	24.9	23.3	26.7	20.0	18.2	22.7	27.7	26.2	21.0	27.2	284.7	4	1446
	14 LST	18.9	16.4	23.4	18.5	20.0	19.5	17.3	16.0	18.5	19.7	17.7	19.7	225.8	0	0
	20 LST														0	0
	02 LST														0	0

ENTEBBE, UGANDA

STA NO. 63705 (IN AREA NUMBER 01)

LATITUDE 0002N

LONGITUDE 03227E

ELEVATION(FT) 03789

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	88	92	88	89	89	82	83	84	87	88	90	90	92	22	-131
MEAN MAX TMP (F)	80	80	80	78	78	77	77	77	77	78	79	79	78	22	-131
MEAN MIN TMP (F)	63	63	64	64	64	63	61	61	62	63	63	63	63	22	-131
ABS MIN TMP (F)	35	31	34	31	32	37	33	34	34	32	36	33	31	22	-131
MEAN NO DYS TMP = DR GTR 90(F)	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		22	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN DEW PT TMP (F)	64	64	64	65	64	62	62	62	62	62	64	62	63	0	-30
MEAN REL HUM (PCT)	78	78	80	83	83	82	81	81	80	79	79	79	80	30	-32
MEAN PRESS ALT (FT)	3699	3699	3668	3664	3675	3697	3717	3746	3747	3708	3690	3690	3700	0	-50
MEAN PRECIP (IN)	2.61	3.45	6.16	10.13	9.68	4.61	3.03	2.97	3.09	3.66	5.07	4.47	38.9	38	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.7	7.3	9.0	10.2	10.2	7.8	5.5	5.5	5.5	6.4	8.4	8.9	90.4	38	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.8	2.4	2.8	1.8	1.4	3.0	3.2	3.2	0.4	0.6	0.4	2.4	23.4	5	1025
MEAN NO DYS TSTMS	14.0	13.0	15.0	17.0	18.0	18.0	19.0	19.0	19.0	20.0	18.0	16.0	206.0	10	-24
P FREQ WND SPD = DR GTR 17 KTS	1.1	2.3	3.6	4.0	3.9	3.2	4.4	2.8	1.6	0.9	1.1	1.0	2.5	5	43623
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.1	5	43623
P FREQ LES 3000 FT A/D LES 3 MI	1.4	2.3	4.1	6.3	4.3	3.7	3.6	3.5	3.3	3.7	3.6	2.7	3.5	5	43380
P FREQ LES 1500 FT A/D LES 3 MI:															
FOR 00-02 LST	0.0	0.5	0.9	2.7	0.6	0.0	0.0	0.0	0.2	1.5	0.9	0.6	0.7	5	5422
03-05 LST	1.2	0.5	2.4	3.3	2.0	1.8	0.4	0.6	0.2	2.4	1.6	1.9	1.5	5	5410
06-08 LST	0.9	1.7	2.8	4.7	3.3	4.2	4.1	3.9	4.0	3.9	4.9	2.6	3.4	5	5422
09-11 LST	0.5	2.1	0.6	3.3	2.8	3.6	3.7	2.2	3.0	1.7	4.0	2.4	2.5	5	5425
12-14 LST	0.5	0.2	0.6	1.6	1.5	0.9	1.1	0.9	0.9	0.9	1.1	0.9	0.9	5	5410
15-17 LST	0.0	0.5	0.2	0.2	0.2	0.0	0.0	0.2	0.0	0.0	1.1	0.2	0.2	5	5441
18-20 LST	0.0	0.0	0.2	0.7	0.0	0.0	0.0	0.0	1.0	0.4	0.9	0.0	0.2	5	5431
21-23 LST	0.0	0.0	0.2	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.1	5	5436
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	5	5422
03-05 LST	0.2	0.0	0.2	0.0	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.4	0.1	5	5410
06-08 LST	0.0	0.0	0.2	0.4	0.2	0.9	0.2	0.4	0.4	0.0	0.2	0.4	0.3	5	5422
09-11 LST	0.0	0.0	0.0	0.0	0.2	0.4	0.2	0.0	0.0	0.0	0.7	0.2	0.1	5	5425
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.2	0.1	5	5410
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	5441
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	5431
21-23 LST	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	5436

ENTEBBE, UGANDA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	30.4	28.8	30.8	29.2	30.4	29.0	29.0	29.8	30.0	30.2	29.8	30.2	355.6	5	1825
	08 LST	28.2	27.0	30.8	28.8	30.0	28.4	28.6	29.4	29.2	30.6	28.0	29.8	348.8	5	1826
	14 LST	30.8	27.8	30.8	30.0	30.8	29.8	30.8	31.0	29.8	30.8	30.0	31.0	363.4	5	1826
	20 LST	30.8	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	364.8	5	1826
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	28.8	24.8	28.4	21.6	26.6	26.8	28.0	28.0	28.4	28.4	27.4	28.2	323.4	5	1825
	08 LST	25.6	22.4	21.8	22.4	21.8	23.0	22.6	25.4	24.2	27.6	25.6	27.4	289.8	5	1826
	14 LST	10.4	10.1	8.4	9.6	10.2	10.4	14.8	9.8	11.8	14.0	15.2	15.8	140.5	5	1826
	20 LST	29.0	26.0	29.0	27.6	28.4	27.2	28.6	30.4	29.6	30.4	29.8	30.6	346.6	5	1826
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	3.2	3.6	2.6	0.0	1.4	4.0	2.0	4.8	3.8	1.0	0.8	1.6	28.8	5	1825
	08 LST	1.2	1.4	0.6	0.6	0.8	3.0	1.4	1.8	1.8	1.4	0.6	1.6	16.2	5	1826
	14 LST	2.4	3.0	3.6	1.6	2.2	3.6	2.6	4.0	3.8	1.6	1.2	0.8	30.4	5	1826
	20 LST	2.8	3.6	3.6	2.0	3.6	6.0	6.0	3.6	3.0	3.4	1.8	3.2	42.6	5	1826
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	30.2	26.0	29.2	26.8	29.0	28.8	28.6	29.8	29.8	29.0	29.4	29.2	345.8	5	1825
	08 LST	27.8	25.8	29.0	27.2	28.4	28.8	26.4	28.0	27.8	29.4	27.0	29.4	333.0	5	1826
	14 LST	30.4	27.8	30.2	29.2	30.4	29.4	30.4	30.2	29.6	30.2	29.2	30.8	357.8	5	1826
	20 LST	30.8	27.8	30.8	29.6	30.6	30.0	31.0	30.8	29.8	30.6	30.0	31.0	362.8	5	1826
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	30.0	25.8	28.6	25.8	28.8	28.4	28.6	29.4	29.8	28.4	29.2	29.0	341.8	5	1825
	08 LST	27.2	25.6	28.8	27.2	28.0	26.4	26.0	27.2	27.6	29.2	27.0	29.2	329.4	5	1826
	14 LST	30.2	27.8	29.8	29.2	30.2	29.0	30.2	30.0	29.4	30.2	29.0	30.8	355.8	5	1826
	20 LST	30.8	27.8	30.8	29.6	30.4	30.0	31.0	30.8	29.8	30.6	30.0	30.8	362.4	5	1826
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	30.0	25.8	28.6	25.8	28.8	28.4	28.6	29.4	29.6	28.2	29.2	29.0	341.4	5	1825
	08 LST	27.2	25.6	28.8	27.2	28.0	26.4	26.0	27.2	27.6	29.2	27.0	29.2	329.4	5	1826
	14 LST	30.2	27.8	29.8	29.2	30.2	29.0	30.2	30.0	29.4	30.2	29.0	30.8	355.8	5	1826
	20 LST	30.8	27.8	30.8	29.6	30.4	30.0	31.0	30.8	29.8	30.6	30.0	30.8	362.4	5	1826

AREA NO. 01

UGANDA	PLATEAU	LATITUDE 0230N												LONGITUDE 03230E
BOUNDARIES	0140N 03045E	0100S 03030E												
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		85	85	84	82	81	80	80	80	81	82	82	83	82
MEAN MIN TMP (F)		62	63	63	63	63	62	61	61	61	62	62	62	62
LARGEST MEAN PRECIP(IN)		2.61	3.45	6.16	10.13	9.68	9.80	6.68	8.86	6.79	7.15	9.07	4.47	76.8
SMALLEST MEAN PRECIP(IN)		0.27	1.21	2.60	4.80	3.09	1.01	0.82	2.45	2.07	1.87	1.76	0.91	22.9
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	30.4	27.4	30.9	29.1	30.2	29.5	30.0	29.8	30.0	30.2	29.8	30.2	357.5
	08 LST	29.3	26.8	30.1	29.1	30.3	28.2	28.1	29.1	29.4	30.6	28.5	29.9	349.4
	14 LST	30.8	27.5	30.7	29.7	30.5	29.7	30.7	30.8	29.6	30.6	29.4	30.3	360.3
	20 LST	30.8	28.0	31.0	29.5	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	364.3
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	28.8	25.4	27.2	25.3	25.8	28.4	29.5	28.0	28.4	28.4	27.4	28.2	330.8
	08 LST	26.6	24.2	25.6	25.8	27.0	25.7	25.0	26.1	25.9	27.6	25.8	27.1	312.4
	14 LST	18.3	15.9	18.5	19.7	20.4	18.8	20.7	19.4	20.2	21.9	20.9	20.4	235.1
	20 LST	29.0	24.5	27.0	26.8	27.7	27.6	28.6	30.4	29.6	30.4	29.8	30.6	342.0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST													
	08 LST													
	14 LST													
	20 LST													
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													
	08 LST													
	14 LST													
	20 LST													
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	3.2	3.3	1.8	0.0	0.7	2.0	1.0	4.8	3.8	1.0	0.8	1.6	24.0
	08 LST	5.9	6.3	4.7	3.1	4.2	6.4	3.4	4.7	5.8	4.7	5.1	6.1	60.4
	14 LST	3.8	4.2	3.0	1.5	1.4	1.9	1.1	1.1	2.1	2.0	2.1	3.4	27.6
	20 LST	2.8	2.8	1.8	1.0	1.8	3.0	6.0	3.6	3.0	3.4	1.8	3.2	34.2
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	30.2	26.5	30.1	27.9	29.5	28.4	29.8	29.8	29.8	29.0	29.4	29.2	349.6
	08 LST	29.0	26.0	28.9	27.6	29.3	26.9	26.4	27.5	27.9	29.2	26.9	29.0	334.6
	14 LST	29.6	26.0	29.0	26.8	27.8	27.5	27.9	27.4	27.3	28.7	27.2	28.2	333.4
	20 LST	30.8	27.9	30.9	28.8	30.8	30.0	31.0	30.8	29.8	30.6	30.0	31.0	362.4
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	30.0	26.4	29.8	27.4	28.9	27.7	29.8	29.4	29.8	28.4	29.2	29.0	349.8
	08 LST	28.4	25.2	28.2	26.7	28.6	26.2	29.0	26.2	27.3	28.2	25.9	28.6	324.5
	14 LST	26.9	22.8	25.8	23.0	23.7	22.8	23.1	22.5	23.5	25.9	24.3	23.3	289.6
	20 LST	30.8	27.4	30.9	28.8	30.7	29.5	31.0	30.8	29.8	30.6	30.0	30.8	361.1
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	30.0	26.4	29.8	27.4	28.9	27.7	29.8	29.4	29.6	28.2	29.2	29.0	349.4
	08 LST	28.4	25.2	28.2	26.7	28.6	26.2	29.0	26.2	27.3	28.2	25.9	28.6	324.5
	14 LST	26.9	22.8	25.8	23.0	23.7	22.8	23.1	22.5	23.5	25.9	24.3	23.3	289.6
	20 LST	30.8	27.4	30.9	28.8	30.7	29.5	31.0	30.8	29.8	30.6	30.0	30.8	361.1

STA NO. 63676 (IN AREA NUMBER 02)

FORT PORTAL, UGANDA

LATITUDE 0046N

LONGITUDE 03017E

ELEVATION(FT) 05049

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	86	89	89	87	84	83	89	83	82	85	83	84	89	14	-20
MEAN MAX TMP (F)	80	80	79	78	77	76	76	77	77	77	77	79	78	13	-20
MEAN MIN TMP (F)	53	54	55	57	57	55	54	55	55	55	55	54	55	13	-20
ABS MIN TMP (F)	45	46	48	49	48	48	46	47	45	46	49	46	45	15	-28
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN DEW PT TMP (F)	56	57	58	59	60	57	56	58	59	59	59	58	58	13	-29
MEAN REL HUM (PCT)	71	73	75	77	79	77	76	78	80	79	79	76	77	14	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.25	2.92	5.34	7.33	9.70	3.30	2.30	4.65	7.60	8.37	6.47	2.83	58.1	51	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.8	6.3	8.5	9.6	8.8	6.0	4.4	7.9	11.4	12.2	10.2	6.1	94.2	51	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS	0.2	0.4	0.2	0.0	0.5	0.8	0.8	0.9	0.4	0.3	0.1	0.2	0.4	8	-35
P FREQ WND SPD = OR GTR 20 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-35
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	1.6	1.8	4.0	5.8	8.1	7.5	9.0	11.4	5.0	7.7	6.7	3.2	6.0	5	1550
06-08 LST	3.2	2.7	6.5	14.0	5.2	4.0	3.2	7.7	5.4	5.6	7.5	4.5	5.8	5	1705
09-11 LST	0.8	2.7	4.5	6.0	4.5	0.7	0.6	3.2	2.0	3.2	4.7	3.9	3.1	5	1765
12-14 LST	1.6	3.5	5.8	6.7	3.9	2.0	3.9	5.8	4.0	2.4	5.8	1.9	3.9	5	1705
15-17 LST	0.8	2.7	2.4	4.2	6.5	3.3	3.2	0.8	5.8	0.6	2.0	1.9	2.9	5	1553
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	1.6	1.8	2.4	2.5	7.3	5.8	4.1	7.3	4.2	5.2	5.3	2.6	4.2	5	1550
06-08 LST	1.6	1.8	0.6	2.7	0.0	1.3	1.3	2.6	2.0	0.8	0.0	1.3	1.3	5	1705
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1765
12-14 LST	0.0	0.0	1.3	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.2	5	1705
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1553
18-20 LST														0	0
21-23 LST														0	0

FORT PORTAL, UGANDA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	29.0	27.0	29.2	26.2	30.0	28.6	26.4	27.4	28.6	29.7	28.9	29.2	309.0	9	1703
	14 LST	30.7	27.2	30.2	29.4	31.0	29.8	28.8	30.4	30.0	30.7	29.9	31.0	358.7	9	1705
	20 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	28.2	25.9	27.2	22.8	23.6	29.0	23.6	24.6	26.6	29.7	29.9	28.6	306.9	9	1704
	14 LST	17.0	19.3	16.6	12.6	16.2	18.4	18.4	14.1	19.0	20.9	19.0	18.4	199.9	9	1705
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	2.0	2.7	2.0	0.0	1.2	2.0	1.2	2.2	1.6	0.7	1.7	1.4	11.7	9	1705
	14 LST	0.2	0.9	0.0	0.0	0.2	0.4	0.2	0.0	0.0	0.0	0.2	0.8	2.0	9	1705
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	28.6	28.9	26.6	24.2	27.8	27.0	28.6	26.2	27.6	27.9	26.7	28.2	320.9	9	1705
	14 LST	29.2	29.9	29.2	24.6	26.0	27.0	26.6	26.2	24.6	27.0	24.0	27.4	311.3	9	1705
	20 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	26.9	24.8	23.6	21.8	25.4	25.0	23.8	24.0	27.2	26.0	24.9	26.4	299.0	9	1705
	14 LST	21.9	18.4	19.4	16.0	16.6	16.6	19.0	17.9	16.8	19.7	16.7	21.4	214.0	9	1705
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	26.9	24.8	23.6	21.8	25.4	25.0	23.8	24.0	27.2	26.0	24.9	26.4	299.0	9	1705
	14 LST	21.9	18.4	19.4	16.0	16.6	16.6	19.0	17.9	16.8	19.7	16.7	21.4	214.0	9	1705
	20 LST														0	0

KABALE, UGANDA

STA NO. 63726 (IN AREA NUMBER 02)

LATITUDE 0119S

LONGITUDE 0299E

ELEVATION(FT) 06138

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	85	85	83	81	79	81	82	85	83	81	82	79	85	25	-131
MEAN MAX TMP (F)	75	75	75	73	72	73	74	74	75	74	73	74	74	25	-131
MEAN MIN TMP (F)	50	50	51	52	52	49	48	50	50	51	51	50	50	25	-131
ABS MIN TMP (F)	40	43	44	44	43	40	38	37	42	43	43	41	37	25	-131
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN DEW PT TMP (F)	54	54	55	56	56	53	51	51	53	54	55	54	54	21	-29
MEAN REL HUM (PCT)	75	77	78	81	82	78	72	70	74	77	79	78	77	14	-131
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.29	3.33	4.69	5.22	3.70	1.10	0.82	2.07	3.88	3.85	4.13	3.36	38.6	37	-6
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.0	7.4	8.0	8.4	6.9	2.3	1.7	4.0	6.7	6.7	7.1	7.1	71.3	37	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	13.0	12.0	14.0	13.0	8.0	3.0	3.0	8.0	15.0	16.0	15.0	11.0	133.0	10	-24
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.9	0.7	0.8	0.4	0.6	1.2	1.5	1.1	0.8	0.2	0.0	0.7	8	-33
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	8	-33
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	72.6	69.0	70.8	83.3	73.5	67.8	48.4	50.6	55.3	63.9	70.0	70.3	66.3	5	1765
06-08 LST	48.8	42.5	53.2	63.8	48.0	31.3	14.8	20.6	22.3	30.3	45.3	52.3	39.4	5	1759
09-11 LST	4.9	4.4	9.7	14.7	7.1	2.0	3.9	4.5	2.0	3.2	8.7	5.2	5.9	5	1759
12-14 LST	7.3	5.3	3.9	4.0	3.9	2.0	1.3	2.6	2.7	5.8	10.7	10.3	9.0	5	1763
15-17 LST	2.4	2.7	0.6	2.7	3.2	2.7	2.6	0.6	4.7	5.8	4.0	8.4	3.4	5	1767
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	60.5	58.4	58.7	72.7	65.2	60.4	34.8	39.6	42.0	51.0	58.0	64.5	55.5	5	1765
06-08 LST	43.9	31.0	40.9	47.0	38.8	26.7	11.6	14.8	18.2	23.9	37.3	46.5	31.7	5	1759
09-11 LST	0.0	1.8	3.9	2.0	0.0	0.7	0.0	1.3	0.0	0.6	0.7	0.0	0.9	5	1759
12-14 LST	0.8	0.0	0.6	0.7	0.0	0.0	0.0	0.6	0.0	0.0	0.7	0.6	0.3	5	1763
15-17 LST	0.0	0.0	0.0	0.7	0.6	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.2	5	1767
18-20 LST														0	0
21-23 LST														0	0

KADALE, UGANDA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	9.1	9.7	10.3	8.3	12.0	10.4	8.4	10.2	16.4	19.0	12.6	10.4	136.8	5	1759
	14 LST	28.2	26.7	30.2	29.6	30.0	29.4	30.0	30.0	29.2	29.8	28.6	29.4	351.1	5	1763
	20 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	8.8	9.2	9.5	7.4	11.4	10.4	7.8	9.2	16.2	18.8	11.8	10.4	130.9	5	1759
	14 LST	20.2	18.6	17.1	15.5	12.8	9.6	13.0	13.8	11.2	12.7	15.2	17.6	177.3	5	1763
	20 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST														0	0
	14 LST														0	0
	20 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	0.0	0.0	0.0	0.0	0.4	0.6	0.2	0.4	0.4	0.2	0.0	0.0	2.2	5	1762
	14 LST	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.4	0.0	0.0	0.0	0.0	0.8	5	1763
	20 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	8.3	8.4	8.4	6.6	9.8	9.6	6.8	9.0	14.8	17.2	10.6	9.6	119.1	5	1759
	14 LST	23.2	22.0	25.9	21.9	22.0	25.4	24.6	24.0	23.6	23.1	19.4	20.0	274.7	5	1763
	20 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	7.5	7.7	7.2	5.4	7.5	9.0	5.2	7.8	13.4	15.4	8.4	8.2	102.7	5	1759
	14 LST	12.3	14.1	12.7	9.8	9.0	12.6	12.2	8.0	11.8	13.1	7.6	8.0	131.2	5	1763
	20 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	7.5	7.7	7.2	5.4	7.5	9.0	5.2	7.8	13.4	15.4	8.4	8.2	102.7	5	1759
	14 LST	12.3	14.1	12.7	9.8	9.0	12.6	12.2	8.0	11.8	13.1	7.6	8.0	131.2	5	1763
	20 LST														0	0

UGANDA

HIGHLANDS
 BOUNDARIES 0140N 03045E 0100S 03030E

AREA NO. 02

LATITUDE 0030S

LONGITUDE 03010E

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	78	78	77	76	75	75	75	76	76	76	75	77	76
MEAN MIN TMP (F)	52	52	53	55	55	52	51	53	53	53	53	52	53
LARGEST MEAN PRECIP(IN)	2.25	3.53	5.34	7.33	5.70	3.30	2.30	4.65	7.60	8.37	6.47	3.36	60.2
SMALLEST MEAN PRECIP(IN)	1.25	2.92	4.69	5.22	3.70	1.10	0.82	2.07	3.88	3.85	4.13	2.83	36.5
	MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST												
	08 LST	17.1	18.4	19.8	17.3	21.0	19.3	17.4	18.8	22.5	24.4	20.6	19.8 238.6
	14 LST	21.5	27.0	30.2	29.5	30.5	29.6	29.4	30.2	29.6	30.3	29.1	31.2 355.1
	20 LST												
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST												
	08 LST	18.5	17.4	18.4	15.1	17.5	17.7	15.7	16.9	21.4	22.3	18.7	19.5 219.1
	14 LST	18.6	17.0	16.9	14.1	14.5	12.5	14.2	14.0	15.1	16.6	17.1	18.0 188.5
	20 LST												
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST												
	08 LST												
	14 LST												
	20 LST												
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST												
	08 LST												
	14 LST												
	20 LST												
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST												
	08 LST	1.0	1.4	1.0	0.0	0.8	1.3	0.7	1.3	1.0	0.5	0.9	0.7 10.6
	14 LST	0.1	0.3	0.0	0.0	0.1	0.3	0.2	0.2	0.0	0.0	0.1	0.4 1.7
	20 LST												
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST												
	08 LST	18.2	17.0	17.5	15.4	18.8	18.3	16.2	17.6	21.2	22.4	18.7	18.9 220.2
	14 LST	26.2	22.8	25.4	23.3	24.0	28.2	28.6	25.1	24.1	25.1	21.7	23.7 293.2
	20 LST												
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST												
	08 LST	17.0	16.3	15.4	13.6	16.5	17.0	14.5	15.9	20.3	20.7	16.5	17.3 201.0
	14 LST	16.9	15.3	14.1	12.9	12.8	14.6	15.6	13.0	14.3	16.4	12.2	14.7 172.8
	20 LST												
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST												
	08 LST	17.0	16.3	15.4	13.6	16.5	17.0	14.5	15.9	20.3	20.7	16.5	17.3 201.0
	14 LST	16.9	15.3	14.1	12.9	12.8	14.6	15.6	13.0	14.3	16.4	12.2	14.7 172.8
	20 LST												

ZANZIBAR/KISUMU, ZANZIBAR

STA NO. 60070 (IN AREA NUMBER 01)

LATITUDE 0413S

LONGITUDE 03913E

ELEVATION(FT) 00050

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	97	101	102	98	90	88	88	88	85	97	100	98	102	21	-28
MEAN MAX TMP (F)	90	91	91	86	84	83	82	83	84	86	89	89	87	21	-28
MEAN MIN TMP (F)	76	76	77	77	75	74	72	72	72	73	75	76	75	21	-28
ABS MIN TMP (F)	71	72	72	72	71	68	67	67	67	68	70	70	67	21	-28
MEAN NO SYS TMP - DR STR 90(F)	19.9	15.3	17.2	10.3	0.2	0.0	0.0	0.0	7.9	10.7	14.0	14.3	114.2	21	-29
MEAN NO SYS TMP - DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO SYS TMP - DR LES 01(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN DRW PT TMP (F)	76	77	79	78	76	73	72	72	73	72	75	76	75	0	-80
MEAN REL HUM (PCT)	74	74	79	84	84	79	78	77	76	76	78	78	78	20	-28
MEAN PRESS ALT (FT)	180	180	180	100	80	0	-80	0	0	90	100	190	71	0	-50
MEAN PRECIP (IN)	2.30	2.00	0.40	12.00	11.40	2.10	2.10	1.20	1.00	2.00	0.70	3.30	33.3	21	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO SYS PRCP - DR STR 0.1 IN	3.1	3.7	4.8		10.4	4.0	2.3	2.4	3.1	4.8	10.4	9.9		21	-29
MEAN NO SYS SNPL - DR STR 1.8 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO SYS W/DCUR VSBY LES 1/2 MI	0.4	0.0	1.0	2.6	1.0	0.6	1.0	0.4	0.0	0.4	1.0	0.8	11.0	3	-83004
MEAN NO SYS TSNS	3.0	4.0	10.0	7.0	1.0	0.0	0.0	0.0	0.0	0.0	2.0	3.0	32.0	10	-83004
P PRCP W/40 SPD - DR STR 17 KTS	0.4	0.4	0.3	0.1	0.3	1.2	1.3	1.6	0.9	0.6	0.2	0.6	0.7	3	-83004
P PRCP W/40 SPD - DR STR 20 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-83004
P PRCP LES 3000 FT A/D LES 3 MI	10.4	17.3	13.1	13.1	13.7	14.3	14.3	10.3	20.9	21.3	10.4	21.1	17.4	3	-83004
POR 00-02 LST	4.2	3.4	1.3	3.9	2.7	1.6	0.4	1.1	2.0	3.4	3.3	7.6	3.0	3	-83004
03-05 LST	7.2	4.0	3.4	3.1	3.7	2.0	1.3	3.2	3.6	3.0	4.2	7.4	4.0	3	-83004
06-08 LST	7.6	3.2	3.9	0.0	4.1	2.4	3.3	4.3	4.9	0.3	7.3	12.0	3.6	3	-83004
09-11 LST	0.1	0.3	7.7	9.0	0.0	9.1	0.6	7.1	12.0	13.8	14.3	13.1	10.2	3	-83004
12-14 LST	3.3	4.3	0.2	13.1	10.1	0.2	0.2	4.3	6.7	6.3	8.9	6.0	7.3	3	-83004
15-17 LST	1.8	4.2	0.3	7.6	4.2	3.9	2.7	1.7	1.3	3.6	3.7	2.1	3.0	0	-83004
18-20 LST	2.1	1.2	0.9	1.6	0.9	1.6	1.1	1.7	0.4	1.3	2.7	0.9	1.4	3	-83004
21-23 LST	2.0	3.0	1.7	0.7	1.1	1.3	0.2	1.3	0.9	1.7	2.9	2.6	1.8	3	-83004
P PRCP LES 300 FT A/D LES 1 MI															
POR 00-02 LST	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.2	0.2	0.2	0.1	3	-83004
03-05 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2	0.1	3	-83004
06-08 LST	0.2	0.0	0.0	0.7	0.6	0.0	0.0	0.2	0.2	0.0	0.7	0.2	0.2	3	-83004
09-11 LST	0.2	0.3	0.2	1.1	1.3	0.4	0.0	0.2	0.2	0.4	1.3	0.4	0.6	3	-83004
12-14 LST	0.2	0.7	0.9	2.9	1.3	1.3	0.0	0.4	0.2	0.2	1.3	0.4	0.9	3	-83004
15-17 LST	0.0	0.9	1.7	1.3	0.2	0.4	0.2	0.2	0.0	0.6	0.9	0.0	0.3	0	-83004
18-20 LST	0.0	0.0	0.2	0.2	0.4	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.1	3	-83004
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-83004

ZANZIBAR/KISAUNI, ZANZIBAR
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
CIG - GTR 1000 FT AND VSBY - GTR 3 MI	03 LST	30.8	27.8	31.0	29.2	30.2	29.8	30.8	30.8	29.6	30.6	30.0	30.4	361.0	5	-63894
	09 LST	30.4	27.0	30.0	28.0	30.0	29.0	30.4	30.8	30.0	30.0	28.4	29.6	333.6	5	-63894
	15 LST	31.0	27.4	28.8	27.4	30.3	28.3	30.4	30.4	30.0	30.2	27.6	30.2	332.0	5	-63894
	21 LST	30.6	27.4	31.0	29.8	31.0	29.8	31.0	30.6	29.8	30.8	29.6	31.0	362.6	5	-63894
CIG - GTR 2000 FT AND VSBY - GTR 3 MI W/SFC WND LES 10 KTS	03 LST	25.9	25.4	29.4	27.6	28.6	29.2	30.0	29.2	28.6	28.8	27.8	25.9	336.4	5	-63894
	09 LST	18.4	19.9	23.6	23.2	22.6	17.4	19.2	24.6	24.4	20.0	19.8	15.8	248.9	8	-63894
	15 LST	6.5	8.3	12.1	13.9	10.0	5.5	4.8	6.4	4.0	3.4	5.6	8.3	88.8	5	-63894
	21 LST	24.2	24.8	28.8	29.4	30.6	29.2	30.6	30.4	29.6	30.2	28.2	24.8	348.8	0	0
SFC WND - GTR 17 KTS AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	3.4	7.2	3	-63894
	21 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST														0	0
	09 LST														0	0
	15 LST	4.4	12.4	7.1	9.2	12.9	4.3	19.5	12.4	7.5	15.5	15.0	10.3	126.5	3	-63894
	21 LST														0	0
SKY COVER LES 3/10 AND VSBY - GTR 3 MI	03 LST	11.1	12.5	12.2	14.0	19.7	21.0	19.0	22.0	23.2	20.8	17.4	10.9	203.8	5	-63894
	09 LST	1.2	1.0	3.2	5.2	10.4	10.8	12.0	12.6	5.4	0.6	0.4	0.2	611.0	5	-63894
	15 LST	4.6	5.3	3.1	1.3	0.7	1.7	3.1	4.6	5.0	6.2	7.4	5.5	48.5	8	-63894
	21 LST	14.6	14.7	13.4	14.0	20.4	19.0	19.0	23.4	26.4	24.4	20.2	16.2	225.7	6	-63894
CIG - GTR 2500 FT AND VSBY - GTR 3 MI	03 LST	25.4	24.8	28.8	27.4	28.6	29.0	29.6	29.8	28.4	28.4	27.2	25.9	333.3	5	-63894
	09 LST	21.6	20.8	25.8	26.4	29.2	28.4	29.2	28.4	22.4	14.8	15.4	16.2	278.6	5	-63894
	15 LST	28.3	25.0	28.0	22.9	25.0	24.5	26.6	28.1	26.0	27.0	24.2	27.8	311.4	8	-63894
	21 LST	29.2	26.0	30.2	29.6	30.4	29.6	30.2	30.4	29.4	30.0	28.2	29.0	332.2	5	-63894
CIG - GTR 6000 FT AND VSBY - GTR 3 MI	03 LST	24.3	24.4	28.4	27.4	28.6	29.0	29.4	29.8	28.4	28.4	27.0	25.5	330.6	5	-63894
	09 LST	18.8	13.3	25.0	26.4	29.0	28.4	28.8	27.8	20.4	10.6	11.6	13.4	258.5	5	-63894
	15 LST	27.4	23.2	24.4	22.1	22.8	21.5	24.9	25.5	21.9	25.4	22.5	26.3	287.9	5	-63894
	21 LST	29.2	25.8	29.8	29.6	30.2	29.2	29.8	30.4	29.4	30.0	28.0	28.4	349.8	5	-63894
CIG - GTR 10000 FT AND VSBY - GTR 3 MI	03 LST	24.3	24.4	28.4	27.4	28.6	29.0	29.4	29.8	28.4	28.4	27.0	25.5	330.6	5	-63894
	09 LST	18.8	13.3	25.0	26.4	29.0	28.4	28.8	27.8	20.4	10.6	11.6	13.4	258.5	5	-63894
	15 LST	27.4	23.2	24.4	22.1	22.8	21.5	24.9	25.5	21.9	25.4	22.5	26.3	287.9	8	-63894
	21 LST	29.2	25.8	29.8	29.6	30.2	29.2	29.8	30.4	29.4	30.0	28.0	28.4	349.8	5	-63894

AREA NO. 01

LATITUDE 0613S LONGITUDE 03913E

ZANZIBAR

ZANZIBAR
BOUNDARIES

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	90	91	91	86	84	83	82	83	84	86	89	89	87
MEAN MIN TMP (F)	76	76	77	77	75	74	72	72	72	73	75	76	75
LARGEST MEAN PRECIP(IN)	2.30	2.00	5.00	12.60	11.40	2.10	1.10	1.20	1.60	2.60	6.70	5.50	59.5
SMALLEST MEAN PRECIP(IN)	2.30	2.00	5.00	12.60	11.40	2.10	1.10	1.20	1.60	2.60	6.70	5.50	59.5

MEAN NUMBER OF DAYS

CIG = GTR 1000 FT AND 03 LST
 VSBY = GTR 3 MI 09 LST
 15 LST
 21 LST

CIG =GTR 2000 FT AND VSBY =GTR 03 LST
 3 MI W/SFC WND LES 10 KTS 09 LST
 15 LST
 21 LST

SFC WND = GTR 17 KTS AND 03 LST
 NO PRECIP. 09 LST
 15 LST
 21 LST

SFC WND 4-10 KTS AND TMP 33-89 03 LST
 DEG F AND NO PRECIP. 09 LST
 15 LST
 21 LST

DATA NOT AVAILABLE

SKY COVER LES 3/10 AND 03 LST
 VSBY = GTR 3 MI 09 LST
 15 LST
 21 LST

CIG = GTR 2500 FT AND 03 LST
 VSBY = GTR 3 MI 09 LST
 15 LST
 21 LST

CIG = GTR 6000 FT AND 03 LST
 VSBY = GTR 3 MI 09 LST
 15 LST
 21 LST

CIG = GTR 10000 FT AND 03 LST
 VSBY = GTR 3 MI 09 LST
 15 LST
 21 LST