

AFRRI TN69-1
FEBRUARY 1969

AFRRI
TECHNICAL
NOTE

**SUCROSE AND WATER CONSUMPTION
BY RATS EXPOSED TO
GAMMA-NEUTRON RADIATION**

ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE
Defense Atomic Support Agency
Bethesda, Maryland


Distribution of this document is unlimited.


This report has been approved for open publication by the Department of Defense

All aspects of investigative programs involving the use of laboratory animals sponsored by DOD components are conducted according to the principles enunciated in the "Guide for Laboratory Animal Facilities and Care", prepared by the National Academy of Sciences - National Research Council.

SUCROSE AND WATER CONSUMPTION BY RATS
EXPOSED TO GAMMA-NEUTRON RADIATION

E. M. GRESKO
H. D. COOPER


W. F. DAVIS, JR.
Acting Chairman
Behavioral Sciences Department


HUGH B. MITCHELL
Colonel, USAF, MC
Director

ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE
Defense Atomic Support Agency
Bethesda, Maryland

TABLE OF CONTENTS

| | Page |
|---------------------------|------|
| Abstract | ii |
| I. Introduction | 1 |
| II. Methods | 2 |
| III. Results | 3 |
| IV. Discussion | 6 |
| References | 9 |

TABLE

| | |
|--|---|
| Table I. Experimental Groups | 3 |
|--|---|

LIST OF FIGURES

| | |
|---|---|
| Figure 1. Postirradiation liquid consumption for the groups offered both sucrose and water | 4 |
| Figure 2. Postirradiation liquid consumption for the groups offered only water | 6 |

ABSTRACT

This study examined the possible use of sucrose and water as reinforcers in behavioral studies of rats, after low dose gamma-neutron irradiation. Twenty-four rats were offered a choice of a 10 percent sucrose solution or distilled water ad libitum. Another 24 rats received only distilled water. Of the 24 rats in each of the above groups, three subgroups of six rats each received 120, 260 or 520 rads of mixed gamma-neutron radiation. The fourth subgroup of six rats was sham irradiated. Two days after irradiation, the subgroups that had been offered sucrose and water developed a significant aversion to the sucrose solution, and simultaneously increased their consumption of water. The subgroups receiving only distilled water decreased their consumption by the second day postirradiation. The most significant decrease in water consumption was observed in the rats receiving water only and 520 rads of radiation. The results suggest that the changes in consumption of sucrose and water caused by irradiation eliminate their use as reinforcers in behavioral experiments with radiation.

I. INTRODUCTION

Changes in the feeding behavior of animals subjected to ionizing radiation have been observed under various experimental conditions. These changes are important factors in behavioral studies which use nutrients as reinforcers. Langham and co-workers observed that primates exposed to lethal doses of radiation lacked motivation for food.⁴ A recent investigation on the nutrient intake of rats exposed to 375 rads of x irradiation suggested that changes in a free-choice situation demonstrated possible metabolic derangements or imbalance.³

Numerous investigations have attributed the changes in feeding and drinking behavior of irradiated rats to conditioned aversion. This effect, reviewed in a recent book by Kimeldorf and Hunt,² occurs with both saccharin and sucrose solutions. Although all the factors involved have not been identified, other studies have indicated that the changes cannot be explained by aversion to drinking or by alterations in thirst.⁶

The purpose of this study was to examine the possible use of sucrose and water as reinforcers in behavioral studies with rats exposed to low-dose gamma-neutron irradiation. An experiment was designed to study the effects of three levels of radiation upon the daily intake of water and sucrose. Male and female rats were used to evaluate possible variation in liquid intake due to size or weight differences. This experiment may provide a basis for future studies in rat maze learning and in task performance by the irradiated monkey.

II. METHODS

Forty-eight Sprague-Dawley rats were used as the subjects in this investigation. Twenty-four males and twenty-four females, selected from a group of weanling rats, were housed in individual cages on a standard, double-sided rack that was placed in a constant temperature (70°F) and humidity (50 percent) environment.

Subjects of each sex were randomly assigned to four treatment groups with each group composed of six males and six females. Half of the animals were maintained on Purina Laboratory Chow and distilled water. The other half received the same diet and, in addition, a 10 percent solution of sucrose. All nutrients were offered ad libitum, with the water and sucrose containers being rotated daily to prevent the development of position habits.

The 5-day preirradiation schedule consisted of daily measurements of weight, water consumption and, where applicable, sucrose consumption. After the daily measurements were made on the 5th day, each of the four groups of rats were taken from their home cages and placed in cylindrical plastic containers. These containers were stacked eight cages high in wooden racks.

The racks containing the groups to be irradiated were positioned in the exposure room such that the rats were perpendicular to the line between themselves and the reactor core. These positions were determined from previous flux mapping dosimetry experiments. The fourth group which served as a control was placed in an adjacent room to simulate the exposure facility.

The radiation source was the AFRRI-TRIGA reactor using the steady-state mode of delivery. The gamma to neutron ratio for the delivered doses was approximately

60 to 40.⁵ The doses were determined by measurements made both prior to and during irradiation with 50 cm³ tissue-equivalent ionization chambers filled with tissue-equivalent gas.¹ The calculated doses for the three groups of rats are shown in Table I. The estimated precision of the total dose is ± 10 percent.

Table I. Experimental Groups

| Group | | I | II | III | IV |
|-----------|----------------------|----------|----------|----------|----------|
| Radiation | Dose rate (rads/min) | 0 | 48 | 104 | 208 |
| | Total dose (rads) | 0 | 120 | 260 | 520 |
| Diet | Water | 3♂ 3♀ | 3♂ 3♀ | 3♂ 3♀ | 3♂ 3♀ |
| | Water + sucrose | 3♂ 3♀ | 3♂ 3♀ | 3♂ 3♀ | 3♂ 3♀ |

Within 1 hour following irradiation, the animals were returned to their home cages. All subjects were offered their assigned preirradiation diets between 1 and 2 hours postirradiation. The 4-day postirradiation schedule consisted of daily weighings and liquid consumption measurements.

III. RESULTS

The analysis of variance technique was used to test for significant factors affecting sucrose and water consumption. Radiation dose, subject sex, and days postirradiation were the factors included in the analysis. All interactions among the above factors were also hypothesized and tested for significance. Tests for differences in the quadratic trends were performed for the dose by day profiles. This model was

tested on the basis of a hypothesized increment or decrement in consumption followed by a return to normal level.

The significant ($P < .01$) dose by day interaction for the sucrose variable is plotted in Figure 1. The largest daily decrease in consumption for all groups occurred on the 2nd day postirradiation. A recovery to the control group level of sucrose consumption is indicated in each irradiated group, with the rate of recovery inversely related to the magnitude of the radiation dose. These profiles did not show significantly different quadratic trends, which may be due to the simultaneous decrease on the 2nd day and the lack of return to control levels by two groups on the 4th day postirradiation. Thus, any differences in these profiles may be explained by negative linear trends.




Figure 1. Postirradiation liquid consumption for the groups offered both sucrose and water

The daily changes in water consumption by the irradiated groups were in the opposite direction of the observed changes in sucrose consumption. In almost every case a decrease in sucrose solution intake during a single day was paralleled by an increase in water intake for the group. The only exceptions to this inverse relationship occurred on the 3rd and 4th days postirradiation for the 520-rad group and on the 4th day postirradiation for the 260-rad group. Figure 1 depicts the changes that occurred in water intake of the groups offered sucrose solution ad libitum. The test on the overall interaction of radiation dose with day postirradiation did not indicate significance, but differences in quadratic trends were significant at the .05 level.

Water consumption by the irradiated groups not offered sucrose solution showed an opposite trend to that evidenced by the irradiated animals offered sucrose. The daily consumption for the groups not offered sucrose is depicted in Figure 2. As with the groups offered sucrose, recovery is indicated by the 3rd or 4th day postirradiation. Daily differences in water consumption by the different dose groups were indicated by a significant ($P < .01$) dose by day interaction. Differences in quadratic trends for the groups, as shown in Figure 2, were significant at the .05 level. This difference is most evident in the consumption for the 520-rad group which showed a much larger decrease than that for the other two irradiated groups, with recovery evident by the 4th day postirradiation.




Figure 2. Postirradiation liquid consumption for the groups offered only water

IV. DISCUSSION

This experiment shows a decrease in sucrose consumption by rats after exposure to gamma-neutron radiation similar to that reported by Konishi³ following exposure to x rays. Both of these experiments were conducted under free-choice conditions.

The changes in water intake by the irradiated groups offered sucrose also showed similarities to those shown by Konishi.³ Konishi attributed the increase in water intake postirradiation to only a few individuals whereas the results of this study show the changes to be significant. In the present study, water intake changes are possible evidence of the aversion to sucrose since the sucrose was in a solution which represented a large portion of the animals' total liquid intake.

The strong aversion postirradiation to sucrose in solution and the alteration in water intake in the free-choice situation combined to show daily fluctuations in total liquid intake. A corresponding change in liquid consumption was also shown in the irradiated subjects not offered sucrose. This indicates a complex interaction of physiological factors affecting motivation. The latency, duration, and magnitude of these effects are dose-related.

It is concluded that the use of water or sucrose as positive reinforcers in behavioral experiments following gamma-neutron irradiation is not practical even at sublethal doses. It appears that changes in motivational levels related to unidentified physiological effects would greatly confound the results. Further study under controlled experimental deprivation and environmental conditions is needed to define the changes for a specific schedule.

REFERENCES

1. Dowling, J. H. Experimental determination of dose for the monkey in a reactor pulse environment. Bethesda, Maryland, Armed Forces Radiobiology Research Institute Scientific Report SR66-3, 1966.
2. Kimeldorf, D. J. and Hunt, E. L. Ionizing Radiation: Neural Function and Behavior. New York and London, Academic Press, 1965.
3. Konishi, F. The growth and dietary pattern of rats on self-selection diets following whole-body irradiation. San Francisco, California, U. S. Naval Radiological Defense Laboratory Report USNRDL-TR-511, 1961.
4. Langham, W. H., Kaplan, S. J., Pickering, J. E., Lushbaugh, C. C., Haymaker, W., Storer, J. B. and Harris, P. S. The effect of rapid massive doses of gamma radiation on the behavior of sub-human primates. Los Alamos, New Mexico, Los Alamos Scientific Laboratory Joint Report LA-1558, 1952.
5. Sayeg, J. A., compiler. Neutron and gamma dosimetry measurements at the AFRRI-DASA TRIGA reactor. Bethesda, Maryland, Armed Forces Radiobiology Research Institute Contract Report CR65-6, 1965 (originally issued as Edgerton, Germeshausen and Grier, Inc. Report S-260-R, Santa Barbara, California, 1964).
6. Schaeffer, R. W., Hunt, E. L. and Kimeldorf, D. J. Application of Premack's theory to a classically conditioned sucrose aversion induced by X-ray exposure. *The Psychological Record* 17:359-367, 1967.

DISTRIBUTION LIST

AIR FORCE

The Surgeon General, U. S. Department of the Air Force, Washington, D. C. 20333 (1)
Executive Officer, Director of Professional Services, Office of the Surgeon General, Hq. USAF (AFMSPA) T-8,
Washington, D. C. 20333 (1)
Headquarters, U. S. Air Force (AFMSPAB), Washington, D. C. 20333 (1)
Chief, Radiobiology Branch, USAF School of Aerospace Medicine, Aerospace Medical Division (AFSC), Brooks
AFB, Texas 78235 (2)
Air Force Weapons Laboratory, ATTN: WLIL (1), ATTN: WLRB-2 (1), Kirtland AFB, New Mexico 87117 (2)
Chief, Nuclear Medicine Department, P. O. Box 5088, USAF Hospital, Wright-Patterson AFB, Ohio 45433 (1)
Commander, 6571st Aeromedical Research Laboratory, Holloman AFB, New Mexico 88330 (2)
Office of the Command Surgeon (ADCSG), Hq. Aerospace Defense Command, USAF, Ent AFB, Colorado 80912 (1)

ARMY

The Surgeon General, U. S. Department of the Army, Washington, D. C. 20315 (1)
Surgeon General, ATTN: MEDDH-N, U. S. Department of the Army, Washington, D. C. 20315 (1)
Commandant, U. S. Army Chemical Center and School, ATTN: AJMCL-T, Fort McClellan, Alabama 36201 (1)
USACDC CSSG, Doctrine Division, Fort Lee, Virginia 23801 (1)
Commanding Officer, U. S. Army Combat Developments Command, Institute of Nuclear Studies, Fort Bliss, Texas
79916 (1)
CG, USCONARC, ATTN: ATUTR-TNG (NBC), Fort Monroe, Virginia 23351 (1)
Commanding General, U. S. Army Electronics Command, ATTN: AMSEL-RD-MAT, Fort Monmouth, N. J. 07703 (1)
Nuclear Branch AMCRD-DN-RE, U. S. Army Materiel Command, Washington, D. C. 20315 (1)
Commanding Officer, U. S. Army Medical Research Laboratory, Fort Knox, Kentucky 40121 (1)
U. S. Military Academy, ATTN: Document Library, West Point, New York 10996 (1)
Commanding Officer, USA Nuclear Medical Research Detachment, Europe, APO New York, New York 09180 (2)
Army Research Office, ATTN: Chief, Scientific Analysis Branch, Life Sciences Division, 3045 Columbia Pike,
Arlington, Virginia 22204 (1)
Division of Nuclear Medicine, Walter Reed Army Institute of Research, Walter Reed Army Medical Center,
Washington, D. C. 20012 (5)
Commanding Officer, U. S. Army Environmental Hygiene Agency, ATTN: USAEHA-RP, Edgewood Arsenal,
Maryland 21010 (1)
Commandant, U. S. Army Medical Field Service School, ATTN: MEDEW-ZNW, Fort Sam Houston, Texas 78234 (1)

NAVY

Chief, Bureau of Medicine and Surgery, U. S. Navy Department, Washington, D. C. 20390 (1)
Chief, Bureau of Medicine and Surgery, ATTN: Code 71, U. S. Navy Department, Washington, D. C. 20390 (1)
Commanding Officer and Director (22A), U. S. Naval Radiological Defense Laboratory, San Francisco, Calif. 94135 (2)
Head, Biological and Medical Sciences Division, U. S. Naval Radiological Defense Laboratory, San Francisco,
California 94135, ATTN: Dr. E. L. Alpen (1)
Commanding Officer, Naval Aerospace Medical Institute, U. S. Naval Aviation Medical Center, ATTN: Director of
Research, Pensacola, Florida 32512 (3)
Head, Animal Behavioral Sciences Branch, Naval Aerospace Medical Institute, Naval Aerospace Medical Center,
Pensacola, Florida 32512, ATTN: Dr. John S. Thach, Jr. (1)
Commanding Officer, Nuclear Weapons Training Center, Atlantic, Nuclear Warfare Department, Norfolk, Virginia
23511 (1)
Commanding Officer, Nuclear Weapons Training Center, Pacific, U. S. Naval Air Station, North Island, San Diego,
California 92135 (1)

D.O.D.

Director, Defense Atomic Support Agency, Washington, D. C. 20305 (1)
Director, Defense Atomic Support Agency, ATTN: DDST, Washington, D. C. 20305 (1)
Director, Defense Atomic Support Agency, ATTN: Chief, Medical Directorate, Washington, D. C. 20305 (4)
Director, Defense Atomic Support Agency, ATTN: Technical Library (APTL), Washington, D. C. 20305 (2)
Commander, Field Command, Defense Atomic Support Agency, ATTN: FC Technical Library, Sandia Base,
Albuquerque, New Mexico 87115 (1)
Commander, Headquarters Field Command, Defense Atomic Support Agency, ATTN: FCTG8, Sandia Base,
Albuquerque, New Mexico 87115 (2)
Director, Armed Forces Institute of Pathology, Washington, D. C. 20305 (1)
Administrator, Defense Documentation Center, Cameron Station, Bldg. 5, Alexandria, Virginia 22314 (20)

OTHER GOVERNMENT

- U. S. Atomic Energy Commission, Headquarters Library, Reports Section, Mail Station G-17, Washington, D. C. 20545 (1)
- U. S. Atomic Energy Commission, Division of Biology and Medicine, Washington, D. C. 20545 (1)
- U. S. Atomic Energy Commission, Bethesda Technical Library, 7920 Norfolk Avenue, Bethesda, Maryland 20014 (1)
- National Aeronautics and Space Administration, ATTN: Lt. Col. Charles M. Barnes, USAF, DB-3, MSC, Houston, Texas 77058 (1)
- National Library of Medicine, Bethesda, Maryland 20014 (1)
- U. S. Public Health Service, Deputy Chief, Division of Radiological Health, Washington, D. C. 20201 (1)
- U. S. Public Health Service, Radiological Health Laboratory, ATTN: Library, 1901 Chapman Avenue, Rockville, Maryland 20852 (1)
- U. S. Public Health Service, Northeastern Radiological Health Laboratory, 109 Holton Street, Winchester, Massachusetts 01890 (1)

OTHER

- Argonne National Laboratory, Library Services Department, Report Section Bldg. 203, RM-CE-125, 9700 South Cass Avenue, Argonne, Illinois 60440 (1)
- Boeing Company Aerospace Library, ATTN: 8K-38 Ruth E. Peerenboom, P. O. Box 3999, Seattle, Washington 98124 (2)
- Brookhaven National Laboratory, Information Division, ATTN: Research Library, Upton, Long Island, New York 11973 (2)
- Dr. J. S. Burkle, Director of Nuclear Medicine, York Hospital, York, Pennsylvania 17403 (1)
- University of California, Lawrence Radiation Laboratory, Library, Bldg. 50, Room 134, Berkeley, Calif. 94720 (1)
- Director, Radiobiology Laboratory, University of California, Davis, California 95616 (1)
- University of California, Lawrence Radiation Laboratory, Technical Information Division Library L-3, P. O. Box 808, Livermore, California 94551 (2)
- University of California, Laboratory of Nuclear Medicine and Radiation Biology, Library, 900 Veteran Avenue, Los Angeles, California 90024 (1)
- Director, Collaborative Radiological Health Laboratory, Colorado State University, Fort Collins, Colorado 80521 (1)
- Dr. L. W. Davis, Radiology Department, University of Pennsylvania, 3400 Spruce Street, Philadelphia, Pa. 19104 (1)
- Dr. T. C. Evans, Radiation Research Laboratory, College of Medicine, University of Iowa, Iowa City, Iowa 52240 (1)
- Mr. Orin Gelderloos, Department of Biological Sciences, Northwestern University, Evanston, Illinois 60201 (1)
- General Dynamics/Fort Worth, ATTN: Librarian, P. O. Box 748, Fort Worth, Texas 76101 (1)
- Gulf General Atomic Incorporated, ATTN: Library, P. O. Box 608, San Diego, California 92112 (1)
- Hazleton Nuclear Science Corporation, ATTN: Library, 4062 Fabian Way, Palo Alto, California 94303 (1)
- IIT Research Institute, ATTN: Document Library, 10 West 35th Street, Chicago, Illinois 60616 (1)
- Los Alamos Scientific Laboratory, ATTN: Report Librarian, P. O. Box 1663, Los Alamos, New Mexico 87544 (1)
- Director, Nuclear Science Center, Louisiana State University, Baton Rouge, Louisiana 70803 (2)
- Lovelace Foundation for Medical Education and Research, Document Library, 5200 Gibson Boulevard, S. E., Albuquerque, New Mexico 87108 (1)
- Dr. Ross A. McFarland, Guggenheim Professor of Aerospace Health and Safety, Harvard School of Public Health, 665 Huntington Avenue, Boston, Massachusetts 02115 (1)
- Dr. J. I. Marcum, Rand Corporation, 1700 Main Street, Santa Monica, California 90401 (1)
- Massachusetts Institute of Technology, M. I. T. Libraries, Technical Reports, Room 14 E-210, Cambridge, Massachusetts 02139 (1)
- Dr. B. D. Newsom, Colony Oaks, Apt. 32, 18100 Nassau Bay Drive, Nassau Bay, Texas 77058 (1)
- Dr. Harvey M. Patt, Laboratory of Radiobiology, University of California, San Francisco Medical Center, San Francisco, California 94122 (1)
- Purdue University, Nuclear Engineering Library, Lafayette, Indiana 47907 (1)
- Dr. S. M. Reichard, Director, Division of Radiobiology, Medical College of Georgia, Augusta, Georgia 30902 (1)
- University of Rochester, Atomic Energy Project Library, P. O. Box 287, Station 3, Rochester, N. Y. 14620 (1)
- Dr. H. H. Rossi, 630 West 168th Street, New York, N. Y. 10032 (1)
- Dr. E. L. Saenger, Director, Radioisotope Laboratory, Cincinnati General Hospital, Cincinnati, Ohio 45229 (1)
- Sandia Corporation Library, P. O. Box 5800, Albuquerque, New Mexico 87115 (1)
- Scope Publications, Franklin Station, P. O. Box 7407, Washington, D. C. 20004 (1)
- Texas A. and M. University, Radiation Biology Laboratory, Texas Engineering Experiment Station, College Station, Texas 77840 (2)
- Texas Nuclear Corporation, ATTN: Director of Research, Box 9267 Allandale Station, Austin, Texas 78756 (1)
- Western Reserve University, Department of Radiology, Division of Radiation Biology, Cleveland, Ohio 44106 (1)
- Mr. Lionel Zamore, 601 Brightwater Court, Brooklyn, New York 11235 (1)

FOREIGN

International Atomic Energy Agency, Kaerntnerring 11, Vienna I. 1010, Austria (1)
Dr. Helmut Mitschrich, Academie des Sanitaets-und Gesundheits, Weseus BW, Spezialstab ATV, 8 Muenchen,
Schwere-Reiterstr. 4, Germany (2)
Puerto Rico Nuclear Center, ATTN: Reading Room, College Station, Mayaguez, Puerto Rico 00708 (2)
Directorate of Medical and Health Services, FAF (Federal Armed Forces), Bonn, Ermekeilstr. 27, West Germany (1)
Prof. Dr. H. Langendorff, Direktor des Radiologischen Instituts der Universitat, 78 Freiburg im Breisgau,
Albertstrasse 23, Germany (1)
Prof. Dr. F. Wachsmann, Gesellschaft fur Strahlenforschung m.b.H., 8042 Neuherberg bei Muenchen, Institut
fur Strahlenschutz, Ingolstadter Landstrasse 1, Muenchen, Germany (1)
Joachim Emde, Oberst und Leiter Spezialstab ATV, ABC- und Selbstschutzschule, 8972 Sonthofen 2 (Allgäu),
Berghoferstrasse 17, West Germany (1)
Abteilung fur Strahlenbiologie im Institut fur Biophysik der Universitat Bonn, 53 Bonn-Venusberg, Annaberger Weg
15, Federal Republic of Germany (2)
National Lending Library for Science and Technology, Boston Spa, Yorkshire, England (1)

DOCUMENT CONTROL DATA - R&D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

| | | | |
|--|--|--|----------------------|
| 1. ORIGINATING ACTIVITY (Corporate author) Armed Forces Radiobiology Research Institute Defense Atomic Support Agency Bethesda, Maryland 20014 | | 2a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED | |
| | | 2b. GROUP N/A | |
| 3. REPORT TITLE SUCROSE AND WATER CONSUMPTION BY RATS EXPOSED TO GAMMA-NEUTRON RADIATION | | | |
| 4. DESCRIPTIVE NOTES (Type of report and inclusive dates) | | | |
| 5. AUTHOR(S) (Last name, first name, initial) Gresko, E. M. and Cooper, H. D. | | | |
| 6. REPORT DATE February 1969 | | 7a. TOTAL NO. OF PAGES 13 | 7b. NO. OF REFS 6 |
| 8a. CONTRACT OR GRANT NO. | | 9a. ORIGINATOR'S REPORT NUMBER(S) AFRRI TN69-1 | |
| b. PROJECT NO. | | 9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report) | |
| c. R MD 1 9052 | | | |
| d. | | | |
| 10. AVAILABILITY/LIMITATION NOTICES Distribution of this document is unlimited | | | |
| 11. SUPPLEMENTARY NOTES | | 12. SPONSORING MILITARY ACTIVITY Defense Atomic Support Agency Washington, D. C. 20305 | |
| 13. ABSTRACT This study examined the possible use of sucrose and water as reinforcers in behavioral studies of rats, after low dose gamma-neutron irradiation. Twenty-four rats were offered a choice of a 10 percent sucrose solution or distilled water <u>ad libitum</u> . Another 24 rats received only distilled water. Of the 24 rats in each of the above groups, three subgroups of six rats each received 120, 260 or 520 rads of mixed gamma-neutron radiation. The fourth subgroup of six rats was sham irradiated. Two days after irradiation, the subgroups that had been offered sucrose and water developed a significant aversion to the sucrose solution, and simultaneously increased their consumption of water. The subgroups receiving only distilled water decreased their consumption by the second day postirradiation. The most significant decrease in water consumption was observed in the rats receiving water only and 520 rads of radiation. The results suggest that the changes in consumption of sucrose and water caused by irradiation eliminate their use as reinforcers in behavioral experiments with radiation. | | | |

| | | | | | | |
|----------------------|--------|----|--------|----|--------|----|
| 14. KEY WORDS | LINK A | | LINK B | | LINK C | |
| | ROLE | WT | ROLE | WT | ROLE | WT |
| | | | | | | |

INSTRUCTIONS

1. **ORIGINATING ACTIVITY:** Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (*corporate author*) issuing the report.
- 2a. **REPORT SECURITY CLASSIFICATION:** Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.
- 2b. **GROUP:** Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.
3. **REPORT TITLE:** Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parenthesis immediately following the title.
4. **DESCRIPTIVE NOTES:** If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.
5. **AUTHOR(S):** Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.
6. **REPORT DATE:** Enter the date of the report as day, month, year; or month, year. If more than one date appears on the report, use date of publication.
- 7a. **TOTAL NUMBER OF PAGES:** The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.
- 7b. **NUMBER OF REFERENCES:** Enter the total number of references cited in the report.
- 8a. **CONTRACT OR GRANT NUMBER:** If appropriate, enter the applicable number of the contract or grant under which the report was written.
- 8b, 8c, & 8d. **PROJECT NUMBER:** Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.
- 9a. **ORIGINATOR'S REPORT NUMBER(S):** Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.
- 9b. **OTHER REPORT NUMBER(S):** If the report has been assigned any other report numbers (*either by the originator or by the sponsor*), also enter this number(s).

10. **AVAILABILITY/LIMITATION NOTICES:** Enter any limitations on further dissemination of the report, other than those imposed by security classification, using standard statements such as:

- (1) "Qualified requesters may obtain copies of this report from DDC."
- (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
- (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through _____."
- (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through _____."
- (5) "All distribution of this report is controlled. Qualified DDC users shall request through _____."

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

11. **SUPPLEMENTARY NOTES:** Use for additional explanatory notes.
12. **SPONSORING MILITARY ACTIVITY:** Enter the name of the departmental project office or laboratory sponsoring (*paying for*) the research and development. Include address.
13. **ABSTRACT:** Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS), (S), (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14. **KEY WORDS:** Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, rules, and weights is optional.