

































































































































































































































































had completely misunderstood what had been done. I pointed out some of his errors and suggested he reread the reports. Yet, I am sure that his erroneous impressions had already been conveyed to his superiors.

Our only hope in such situations is to attempt to teach the individual concerned. It would be wrong to ignore such individuals. In fact, that man represents a real ray of hope. Remember, my visitor had read the reports - and had, thereby, displayed a willingness to learn. Many of you know I have been trying to educate by arranging for various get-togethers between OSD and some of you. But, that is not enough. In all of your dialogues you should keep in mind that any time spent in education may provide a greater pay-off in the long run. I know that by so doing you will certainly help me; I believe that eventually it will help us all.

In conclusion, I would like to repeat that AMC has an effective and sound organization upon which to base its further progress in the application of operations research. I believe there are some new directions which you must take, especially in the later phases of the life cycle. You must also recognize that many of the problems you face today result from a lack of good professional assets, and that somehow you must centralize to make the most efficient use of those limited assets. Having done so, those organizations must then act as the training grounds, the 'universities', in which to train the next generations of analysts. Lastly, rethink your relationships with the higher echelons. Understand them better, continue your dialogues, but never forget that you are professionals and that as such you have a responsibility to question and to do the best professional job you know how to do. There will always be many pressures on you - from on high. Above all, maintain your objectivity.

## A TIME DEPENDENT ARTILLERY EVALUATION MODEL

*Alan S. Thomas*  
Weapon Systems Division  
Army Materiel Systems Analysis Agency  
U.S. Army Materiel Command

Before describing the Time Dependent Artillery Evaluation Model, I shall briefly describe the problem to be solved and a few of the weak points of previous models that led to the development of an evaluation model that considers the time dependency of events.

The basic problem is to choose among many candidate artillery systems those which either add to existing capabilities or significantly reduce the cost of maintaining an existing level of effectiveness.

To illustrate the problem, consider a present family of artillery consisting of two cannon types, A and B. Two missile systems are being examined as alternative candidates to be included as part of a future family of artillery. Missile X can be thought of as a small, accurate system and missile Y is a larger more inaccurate missile system.

The pertinent questions to be answered are:

- Will a missile system reduce the cost of attacking a threat vis-a-vis the present family? (Constant Effectiveness Problem)
- For a given cost, can an added missile system increase the number of threats that can be attacked? (Constant Cost Problem)
- If a missile system is desirable from one or the other of these standpoints, which missile should be built?

The basic approach that had been used to attack this problem is shown schematically in Chart 1.




Chart 1

The left branch reflects the firepower requirements imposed on the artillery resources of the right branch. The Artillery resources are represented by a mix or family of weapons selected from existing weapons and one or more candidate systems.

The requirements and resources are combined in the effectiveness computation. Number of rounds and associated ammunition weight and cost are determined for each of the weapons in the trial mix to attack each of the targets in the threat.

Each target is then allocated to the weapon in the trial mix which can attack it with minimum ammunition weight or cost, whichever criterion is chosen. A summary is given of total weight and cost of ammunition expended by the mix and the number of missions assigned each weapon of the mix.

A weapon designed to attack specific target types is given an inherent advantage in the model compared to weapons that do a fair job against a wide variety of targets.

The model is limited to making relative comparisons. What is needed can be determined, but not how much.

Allocation based on minimum cost is not exact because of the relationship between unit cost and number used and those produced. Since the analysis is basically one of comparative cost for equal effectiveness, the worth of additional capability cannot be measured.

The last problem area shown, however, is the greatest problem area. In our example, it was noted that missile Y, the large missile, was more attractive than the smaller one. In a real combat situation, however, many demands are placed on artillery systems in short periods of time. It may be that the best weapon cannot be matched with appropriate targets. Suboptimal allocations then result. The apparent difference in munitions required when comparing missile X and missile Y might be wiped out by these suboptimal assignments. It is even possible that the smaller missile could be more desirable under these conditions.

This phenomenon was labeled "surge" by the Department of Defense. It was a new concept to us and required the formulation of a workable definition so that the model could be extended to evaluate it in all its ramifications.

The definition that was adopted for this term which permitted quantitative treatment is an artillery force that is in a surge situation when the total number of fire missions presented to the force over a period of time exceeds the number of fire missions the force can perform. With this definition to work from, an extension of the model to include the dimension of time was undertaken.

Analysis of results consists of a comparison of weight and cost for different mixes to attack the targets in the threat. Comparisons of numbers of targets attacked by the weapon in the mixes can be made. Care must be taken that all mixes whose weights and costs are being compared are capable of attacking identical sets of targets else both cost and effectiveness vary simultaneously and the results become indeterminant.

Chart 2 shows the results of such an allocation procedure with our sample problem.

| PERFORMANCE OF ALTERNATIVE WEAPONS ON THE PORTION OF THE<br>THREAT THAT THE PRESENT FAMILY CAN ATTACK |                                 |                                 |                                 |                                 |
|-------------------------------------------------------------------------------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|
| FAMILY                                                                                                | MINIMUM WEIGHT<br>ALLOCATION    |                                 | MINIMUM COST<br>ALLOCATION      |                                 |
|                                                                                                       | TOTAL CRATED<br>WEIGHT<br>(KMT) | TOTAL AMMO<br>COST<br>(KILO \$) | TOTAL CRATED<br>WEIGHT<br>(KMT) | TOTAL AMMO<br>COST<br>(KILO \$) |
| PRESENT                                                                                               | 100                             | 300                             | 100                             | 300                             |
| PRESENT + MSL X                                                                                       | 60                              | 360                             | 95                              | 300                             |
| PRESENT + MSL Y                                                                                       | 40                              | 280                             | 45                              | 270                             |

Chart 2

When the allocation is based on minimum weight, the addition of missile X to the present family reduces the total weight needed to attack the targets. The dollar cost is increased. However, if instead of missile X, missile Y were included in the present family, a greater savings in weight compared to missile X would result and cost would be reduced relative to the present family. If minimum weight is the desired criterion, the missiles significantly reduce the weight required to maintain present capability; of the two missiles, missile Y is more desirable.

A similar conclusion is reached when minimum cost is the basis for the allocations.

Chart 3 was the basic tool used in the analyses of the studies shown on this viewgraph.

| STUDIES EMPLOYING OLDER MODEL |              |                                                                    |
|-------------------------------|--------------|--------------------------------------------------------------------|
| JAN 63                        | BRL          | A COST EFFECTIVENESS ANALYSIS OF TACTICAL NUCLEAR WEAPONS          |
| APR 63                        | SEAMAN BOARD | FIRE SUPPORT REQUIREMENTS STUDY                                    |
| APR 64                        | BRL          | COST EFFECTIVENESS ANALYSIS OF MULTIPLE ARTILLERY ROCKET SYSTEMS   |
| SEP 66                        | BRL          | REOPTIMIZATION OF A MULTIPLE ARTILLERY ROCKET SYSTEM - MARS II     |
| JUL 67                        | CDC          | PRELIMINARY ANALYSIS OF THE OPTIMUM MIX OF ARTILLERY UNITS 1971-75 |

Chart 3

Experience with this model led to increased appreciation of its weaknesses. Some of its problem areas are:

- . Leads to specialized systems
- . Limited to relative comparisons
- . Restriction to parametric analysis of cost-quantity relationship
- . Poor measurement of increased capability
- . Suborbital solutions not analyzed.

The resulting model is shown in its entirety in Chart 4. The component parts are isolated in Charts 5 and 6.




Chart 4

Chart 5 shows the treatment of the firepower requirements. The crosshatched portion of the schematic show the parameters that were considered in the older model. The dashed boxes show relationships to other portions of the model.




Chart 5

More information is extracted from the threat data Mr. Reid provides. The missions are separated into two categories: other missions such as smoke, illumination, H & I, or final protective fires and acquired targets. Both types are described in terms of similar parameters, the primary difference being that other missions are computed from frequency consideration while acquired targets result from unit deployments.

The additional information that must be provided for each mission consists of:

- . Arrival time at the fire direction center
- . Estimated duration time

The organizational level of the FDC responsible for the mission

The accumulated amount of damage done the target on prior missions. Since the same enemy unit might be acquired several times during a day, some provision must be made to accumulate damage. Units having accumulated damage above some specified amount are withdrawn and all subsequent missions corresponding to acquisitions of these units are deleted.

All artillery missions occurring at a particular time are selected. They are next sorted according to the priority with which they would be considered by artillery commanders. The higher priority targets will be processed first so that their demands on artillery resources can be met before those of lower priority missions. The resultant current mission list constitutes the total firepower demands placed on the artillery at that time.

Chart 6 is a schematic of the artillery resources, the effectiveness computation, and the allocation subroutines of the model. The dashed boxes and shaded boxes have the same connotation as before.




Chart 6

In addition to the characteristics of the weapons constituting a trial mix, the organization for combat of the weapons in the mix must be considered.

For each weapon in the mix, the number of fire units composed of that weapon is given. Each fire unit is assigned to an appropriate FDC. Geographic deployment of units together with a movement schedule is provided.

To process a mission from the current mission list, an assessment is made of weapon availability for each fire unit assigned to the FDC responsible for the mission. Determination is made of the number of rounds available to each fire unit for the mission based on current ammunition inventory, the unit to target range, whether the unit is conducting another mission, or whether it is redeploying.

Expenditures are computed for single fire units or combinations of fire units to attain the desired attack level on the estimated target. Number of casualties and armored vehicle damage is assessed on the actual target for the respective combinations of attacking weapons.

If one or more combinations of weapons can successfully attack the target, a predetermined criterion is used to select the best combination to be employed. The mission is performed by these units; ammunition inventories of these units are adjusted and the units are keyed to be busy for other missions occurring in the same time period. The casualties or vehicle damage inflicted on the actual target by the combination of weapons is recorded and accumulated as part of the effectiveness measures. Weight and cost of ammunition required are similarly accumulated as measures of effort.

If the mission cannot be performed by any combination of units available to an FDC, the mission is sent to the FDC at the next higher echelon for further consideration if the expected duration time allows. If the mission is at the highest echelon, it is deferred until the next time period. If the estimated duration time is such that it would have been assumed to have departed by the next time period, the mission is recorded as permanently lost. The total number of such missions is summarized as part of the effectiveness measures.

This completes the description of the simulation model. To evaluate mixes, it is necessary to define the measures to be used. A typical set of significant measures of artillery performance are shown as:

- . Ammunition cost
- . Ammunition weight
- . Casualties inflicted

- . Armored vehicles damaged
- . Missions left unperformed.

The first two are measures of effort, and the last three are measures of effectiveness.

Chart 7 lists studies that have employed the time dependent model. The significant point to be noted is our most recent emphasis on studies supporting the AMC System Analysis tasks, which the older studies supported joint AMC/CDC efforts.

| STUDIES USING TIME DEPENDENT ARTILLERY EVALUATION MODEL |       |                                                                                                |
|---------------------------------------------------------|-------|------------------------------------------------------------------------------------------------|
| JUL 1967                                                | CDC   | OPTIMUM MIX OF ARTILLERY UNITS 1971-75                                                         |
| MAY 1968                                                | CDC   | LANCE COST AND EFFECTIVENESS STUDY                                                             |
| MAY 1968                                                | CDC   | DIVISIONAL ARTILLERY STUDY                                                                     |
| JUN 1968                                                | CDC   | TACFIRE COST AND EFFECTIVENESS STUDY                                                           |
| OCT 1968                                                | AMSAA | AN EVALUATION OF EXISTING ARTILLERY<br>AMMUNITION ASSETS (FORTHCOMING)                         |
| NOV 1968                                                | AMSAA | SENSITIVITY OF ARTILLERY PERFORMANCE TO<br>VARIATIONS IN TACTICAL CONSTRAINTS<br>(FORTHCOMING) |

Chart 7

It has been found that such studies can be extremely useful in enhancing the ability of AMC to perform its mission. The studies themselves provide a virtual handbook of current data in a readily understandable form. Factor analysis using the model can provide guidance to the AMC budgeter on what areas have the most potential to improve artillery performance. By providing a peek at what others are doing, such studies have resulted in improvements in weapon characteristics. An example of this phenomenon is the competition between cannon and missile systems. Each system could borrow the best features of the other. The net result is an overall improvement in AMC performance.

## SEMIGAMING METHODOLOGY FOR DYNAMIC THREAT DESCRIPTION

Arend H. Reid  
Weapon Systems Division  
Army Materiel Systems Analysis Agency  
U.S. Army Materiel Command

There are a number of things that must be known by the fire support weapons systems analyst. Some of the important aspects are the AMSAA approach to and derivation of *target characteristics* for fire support weapons, analysis of our *target intelligence* capabilities, and analysis of the effects of certain characteristics of the operational *environment*. Because a great variety of *potentially* applicable fire support means exist, such as mortars and missiles, naval guns and tactical aircraft, the fire support systems analyst *must* have a means to address his studies in the perspective of the total combat environment. Semigaming was originally conceived as a method for comparing the capabilities of *dissimilar*, or at least different performances in weapons in performing *similar* tasks.

Semigaming is a method developed by the United States. This method uses a series of sequential map deployment estimates called target arrays. The sequential arrays are drawn showing the commitment and movement of enemy forces over some time interval. *Enemy* forces are drawn in some detail and once their dispositions and movements are determined by assuming typical tactics, they are then recorded and fixed. Then we work out a plan for the employment of our own sensors and weapons opposing this threat. Sensor information is interpreted together with order of battle and terrain intelligence to develop fire plans. Time factors are recorded, and the intelligence analyst's estimate of target location, type and size are compared with the previously fixed data. The resultant "errors" are then recorded so that weapon performance may be degraded accordingly.




Chart 1

In this talk I will be repeating some things that others have said. I ask your indulgence when I state or restate the obvious. In so doing I want to bring out some things the AMSAA has been trying to do to overcome limitations of past studies.

The AMSAA has a small tactical operations analysis capability. The objective is to ensure that our systems analysis studies relate to the battle environment, an environment where the potential best use of some system is influenced by the methods, capabilities and limitations of human users, supporting systems, and alternative systems. The role of the tactical operations analysis study effort in AMSAA is twofold: to interpret the user's needs or stated requirements for systems in a context that lends itself to scientific analysis, and to recognize advances in system state-of-the-art in such a way that the potential of such advances may be tested without restriction or biases that might, *unnecessarily*, be imposed by past tactical doctrine.

In 1969, the dynamic target array is widely used as the basic threat description in fire support weapon evaluation studies. It provides a means for the weapon systems analyst to consider factors of target size and hardness, weapon-to-target range, target frequency of occurrence, accuracy of target information from the weapon's point of view, echelon information reported and the availability and duration of targets as a function of time.

The enemy threat employed in many past cost-effectiveness studies has consisted of one, or at the most, several static target arrays (or tactical deployment estimates) of a potential enemy, frozen at some point in time.

The main difference between this static array and a dynamic array is that the dynamic array consists of several such instantaneous deployments in succession which depict the significant movement on the battlefield as potential targets maneuver.

Adequate derivation of dynamic factors is involved and time consuming. Thus, in many past studies it has been assumed that one weapon could be affected about as much as another by such dynamic factors. In comparisons of different systems these factors might not affect each weapon in the same manner. Time is important because the ability of a system to attack targets is a function of the duration of the target when deployed, the speed of the target when moving, and the hour at which attack is desired.

As an example, an artillery missile can usually respond to targets acquired at night. An aircraft's capability is severely reduced at night, and must often hope that the targets are still there in the morning, or later if the weather is unfavorable. *Conversely*, the aircraft can attack targets when they are most easily acquired, while moving. The missile must wait until they halt, and hope that they can be found.

No *meaningful* analysis of the advantages of one weapon system over another in a competitive role can be accomplished with only qualitative considerations of dynamic factors. Their value must be determined and examined thoroughly and quantitatively.

The most important attribute of the dynamic target array produced through semi-gaming is that, despite its time-dependent characteristic, it provides a *common base* for evaluation of alternative weapons or alternative mixes of weapons. Variations in weapon capability can be evaluated *without the need to generate new threat information* for each alternative weapon concept.




Chart 2

Semigaming is an open methodology which applies a mixture of gaming rules and professional experience to predict the interactions of opposing forces. Significant changes in the overall posture of the enemy (threat) force are recorded in detail on map overlays, and records are made of the events that occur during the periods of time between the mapped records, in tabular form. These include detailed records of potential target duration and movement from one position on the battlefield to another. Following the completion of this series of steps, certain aspects of the friendly force deployment are also recorded.

The record of information concerning friendly activities has varied in our studies during the past few years. It is a function of both the needs of a particular study and available time.

For the legal mix-formerly Redleg study, which will be discussed in the next presentation, records were made of United States combat unit positions down to brigade, and alternative artillery firing positions were selected and recorded. In addition the position and periods of operation of each friendly target acquisition sensor were recorded in detail.

The target acquisition analysis is facilitated by the time-dependent characteristics of the target array.

**FAMILY OF TARGET ACQUISITION SENSORS**

FORWARD OBSERVER OR OP  
NIGHT VISION  
FLASH AND SOUND RANGING  
COUNTERMORTAR RADAR  
COUNTERBATTERY RADAR  
GROUND SURVEILLANCE RADAR  
VISUAL AIRBORNE TARGET LOCATION SYSTEM  
LONG RANGE PATROLS  
ARMY SECURITY AGENCY (ASA) SYSTEM - SIGINT  
USAF AIRCRAFT, WITH IR, PHOTO

Chart 3

Data are accumulated on target acquisition means available to a United States field army for each sensor; the data gathered include the echelon at which it is employed, as well as the number available for employment, range, accuracy, and quality of target element identification together with limiting factors, such as the effects of fog, rain, darkness, and terrain obstacles, and the time required for information transmission, processing, and retransmission to a using fire support system.

The initial step in this phase of the semigaming method is the creation of surveillance plans for guiding the employment of the various sensors. These are prepared through the introduction of initial artificial intelligence and are based heavily on map analysis and a level of order-of-battle information that could be expected to be available during combat.

## SEMIGAMING TOOLS




Chart 4

In estimating target acquisition information that will be available to the future field commander, we try to assess intelligence in the same manner as intelligence data presented to the tactical commander would be assessed. We separate the analysis of data obtained through sensors from the over-all intelligence analysis. Target intelligence is developed by analysts who are exposed only to a description of the general tactical situation, the fragmentary information which sensors provide, order-of-battle information, and maps. These analysts are not permitted to compare their information with actual deployment information shown on threat overlays, but they are permitted to alter the surveillance plan whenever they wish.

Next, the sensors are "employed" against the target arrays to determine a list of targets vulnerable to detection by various means. Lists are compiled showing each target vulnerable to detection, together with the appropriate sensors.

Target duration from the original record is then compared with these data, and the list of vulnerable targets prepared in the previous step is accordingly modified to reflect only those target-sensor combinations which can result in target detection.

At this point *target models* for each type of target are introduced. A target model is a detailed presentation of the target and terrain on which it is located in such a manner that it can be analyzed to determine the parts subject to detection by specific sensors.

Environmental degradation factors are then introduced. Sensor-target combinations subject to line-of-sight restrictions are resolved in the absolute sense; i.e., a map analysis is performed to determine whether the target is visible each time a sensor "looks" in its direction. The effects of vegetation, darkness, and atmospheric moisture are determined.




Chart 5

Each sensor-target combination is evaluated in like manner. Width of sensor coverage on the ground is analyzed on large-scale overlays (1:6,250) of each target model. The preliminary acquisition lists are then revised, incorporating these degradations. These revised lists are then analyzed by a separate group of analysts whose task is to evaluate the data obtainable from sensors in the same manner that intelligence personnel in the field would process target information to obtain target intelligence.




Chart 6

This group prepares an "estimated" fire-plan which includes: target type, target center location, target size, and it lists the sensor(s) that provided the initial information. The appropriate information routing is reviewed as a final check on processing time in light of planned command and control procedures. A location error is determined for each target based on coordinates chosen by the intelligence team, compared with the actual center as originally recorded from the target arrays. This error may be related to sensor capabilities and map accuracy alone. In a majority of cases where the target identification may be expected to be of good quality, however, the intelligence analyst can improve on sensor accuracy through a careful study of the battlefield map.

| TARGET COMPLEX DATA               |  |
|-----------------------------------|--|
| TARGET NUMBER                     |  |
| NUMBER OF TIMES ACQUIRED          |  |
| TIME TARGET INFORMATION AVAILABLE |  |
| ESTIMATED TYPE                    |  |
| ESTIMATED DURATION                |  |
| ESTIMATED LOCATION                |  |
| ESTIMATED RADIUS                  |  |
| LOCATION ACCURACY                 |  |
| SENSORS THAT ACQUIRE              |  |
| ACTUAL TYPE                       |  |
| ACTUAL DURATION                   |  |
| ACTUAL LOCATION                   |  |
| ACTUAL SIZE                       |  |
| UNIT DESIGNATION                  |  |
| COMPOSITION                       |  |

Chart 7

The product, a list of potential fire missions ordered by time of target acquisition, may be compared with the "actual" threat as originally shown, and the effects of fires on targets estimated by the target intelligence team can be assessed against the actual targets.

I'd like to point out that the data that can be obtained through semigaming support AMC studies in many ways.

The applications shown on the chart relate *primarily* to data based on weapon and sensor employment.

|                       |   |                                   |
|-----------------------|---|-----------------------------------|
| MUNITIONS             | - | VARIATION IN TARGET POSTURE       |
|                       | - | VARIATION IN TARGET ENVIRONMENT   |
| FIRE SUPPORT WEAPONS  | - | VARIATION IN TARGET TYPE          |
|                       | - | TARGET INTELLIGENCE CAPABILITIES  |
| FIGHTING VEHICLES     | - | FREQUENCY OF ENCOUNTER            |
| COMMUNICATION SYSTEMS | - | FREQUENCY OF MESSAGE              |
|                       | - | REDUNDANCY REQUIREMENTS           |
| TARGET SENSORS        | - | VARIATION IN TARGET ENVIRONMENT   |
| SMALL ARMS            | - | CRITICAL ENGAGEMENTS              |
| LOGISTICS VEHICLES    | - | FREQUENCY OF TERRAINS ENCOUNTERED |

Chart 8

This audience is fully aware of the long list of drawbacks to war gaming. One of them has been the high cost of extensive game replications when many alternative tactics or weapons or opposing forces or logistical concepts and so on must be investigated. I believe that valid systems analysis studies, supporting the AMC mission, can be pursued with the semigaming method at considerable saving of cost and time.

## SYSTEMS ANALYSIS CAPABILITIES AT THE US ARMY ELECTRONICS COMMAND

*Daniel Salvano*

Chief, Systems Analysis Division, USAECOM  
USA Electronics Command  
Fort Monmouth, New Jersey

The ECOM Systems/Cost Analysis Office is more than pleased to participate in this first AMC Systems Analysis Symposium. We are also pleased to have had the opportunity to discuss programs of mutual interest in these past 2 days. For those participants who are not familiar with the Electronics Command, I would like to take a few minutes to describe briefly ECOM's organization and scope of activities.

ECOM is located at Fort Monmouth, New Jersey, and is under the command of Maj. General William B. Latta. As can be seen in Chart 1, ECOM's mission covers a wide spectrum of Communications-Electronics activities, such as electronic components and power sources, communications, avionics, atmospheric sciences, electronic warfare, combat surveillance, and night vision. It also includes other typical operating and support activities, such as Research and Development, Production and Procurement, Maintenance Engineering, Product Assessment and Value Engineering.




Chart 1

ECOM employs approximately 13,000 people with major activities located in Fort Monmouth, New Jersey; Philadelphia, Pennsylvania; Fort Belvoir, Virginia; and White Sands, New Mexico. Total ECOM business is estimated at about \$1.5 billion, with approximately \$275 million allocated for R&D activities. This is big business, and it is estimated that the Systems Analysis workload can easily support about 50 personnel required for conducting inhouse studies. As you can see from Chart 2, we estimate on an annual basis at least 5 to 10 major systems analysis studies, and approximately 10 to 15 smaller cost-effectiveness studies. It is apparent that a savings of \$1 or 2 million on any one system study would more than pay for the support of such an activity. This amount represents only a small fraction, about one-tenth percent of the total ECOM business and appears to be a modest investment in view of the anticipated returns.

| <u>MAJOR CAPABILITIES</u>                          |                          |
|----------------------------------------------------|--------------------------|
| 1. TOTAL ECOM PERSONNEL                            | 13,300 PERSONNEL         |
| NUMBER OF ENGINEERING PERSONNEL                    | 4,100 PERSONNEL          |
| 2. RDT&E FACILITIES - INVESTMENT                   | \$1.2 BILLION            |
| 3. TOTAL ECOM BUSINESS                             | \$1.4 BILLION            |
| RDT&E                                              | \$275 MILLION            |
| PEMA                                               | \$1 BILLION              |
| OGMA                                               | \$135 MILLION            |
| 4. CURRENT MILITARY REQUIREMENTS<br>(QMDO/QMR/SDR) | 125 APPROVED DOCUMENTS   |
| 5. CURRENT CM <sup>2</sup> P'S                     | 96 ITEMS @ \$740 MILLION |
| 6. ANNUAL SA/CE WORKLOAD                           | 10 MAJOR SYSTEM STUDIES  |
|                                                    | 15 SMALLER C/E STUDIES   |

Chart 2

Additionally, it is believed that a competent Systems Analysis capability, at ECOM, would have even greater impact on other major Army systems, because of the multimission aspects of ECOM commodities. This is apparent from my next chart and illustrates how the command-control, and Communications-Electronics issues, cut-across and permeate most combat missions such as moving, shooting and the gathering of intelligence and other data. Note on the left hand side of Chart 3, I have listed some of the major ECOM commodities. It can be seen, that these commodity areas, directly support major Army Weapon Systems or subsystems, such as AAFSS, a Division Communications System as in the case of RADA and for the targeting of ground missiles and long-range artillery, as in the case of MOHAWK. There is no question that the Communications-Electronic issues, constitute a vital link, and may possibly be the crucial systems analysis criteria for evaluating the combat-effectiveness capabilities, of the Army's major weapon systems. The Army's Force Development Plan (AFDP) for the period 1966-85 lends credibility to this hypothesis. Of 78 modernization items, 18 items, or about 23 percent of this total, are the development responsibility of ECOM. Forty-seven additional items, or about 60 percent more of the total, are supported by ECOM.


| ECOM COMMODITY AREAS AND TYPICAL SYSTEMS/SUBSYSTEMS |                                                        |                                                                                                                                                                                                                                                                                                                                                      |
|-----------------------------------------------------|--------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| COMMODITY AREA                                      | TYPICAL SYSTEM/SUBSYSTEM                               | TYPICAL FIGURES OF MERIT                                                                                                                                                                                                                                                                                                                             |
| AVIONICS                                            | AAFS                                                   | 1. EXPECTED NUMBER OF CORRECT WEAPON ASSIGNMENTS<br>2. EXPECTED NUMBER OF ACURAGE POSITIONINGS<br>3. EXPECTED NUMBER OF MISSIONS PER MINUTE                                                                                                                                                                                                          |
| COMMUNICATIONS/ADP                                  | MAJARD - RADA<br>-----<br>COMMAND & CONTROL OF SAM-O'S | 1. AVAILABILITY OF GRADES OF SERVICE<br>2. PERCENTAGE OF DELIVERABLE MESSAGES DELIVERED AFTER RANDOM DESTRUCTION OF U COMPONENTS<br>-----<br>1. PROBABILITY OF INFORMATION LOSS<br>2. PROBABILITY OF CONTROLLING FRIENDLY AIRCRAFT GIVEN NO ENEMY AIRCRAFT ARE ENGAGED<br>3. PROBABILITY OF SUCCESSFUL VECTORING INTERCEPTS AGAINST U ENEMY AIRCRAFT |
| COMBAT SURVEILLANCE/NIGHT VISION/TARGET ACQUISITION | MONARK/SURVEILLANCE RADAR                              | 1. EXPECTED NUMBER OF TARGET DETECTIONS<br>2. EXPECTED NUMBER OF TARGET TRACKS<br>3. EXPECTED NUMBER OF MISSIONS PER MONTH                                                                                                                                                                                                                           |
| ELECTRONICS WARFARE                                 | PORTABLE ELINT SYSTEM                                  | 1. PROBABILITY OF SIGNAL DETECTION<br>2. PROBABILITY OF SIGNAL COLLECTION                                                                                                                                                                                                                                                                            |
| ELECTRONIC COMPONENTS                               | POWER SOURCES                                          | 1. PROBABILITY OF SUCCESSFULLY PROVIDING POWER FOR TIME PERIOD INVOLVED                                                                                                                                                                                                                                                                              |

Chart 3

The cost-effectiveness of an infantry division, an AAFSS, or a lance-type weapon system is, therefore, critically dependent upon the performance of ECOM commodities or subsystems, which fortunately, have identifiable, independent functions. Consequently, total mission success of major Army systems can be readily identified and related to ECOM subsystems or equipments. An example of some of these relationships is shown under the column entitled, "Typical Figures of Merit".

The primary Systems Analysis activity at ECOM is a division of the Systems/Cost Analysis Office and is under the operational control of the Comptroller and Director of Programs, ECOM. It has an authorized TDA of 20 spaces, with 15 personnel on board and 5 vacancies under recruitment. It should be noted that all 20 spaces have been provided from existing ECOM resources; however, we have submitted a PCR to AMC for a total systems analysis staffing of 45 spaces.

C/DP



C/DP

Note that four of these five vacancies are for operations research analysts. We have found it extremely difficult to recruit *qualified* analysts for these positions, and we anticipate that this problem will continue to exist on an Army-wide basis for considerable time.

| <u>MANPOWER RESOURCES</u>         |                               |                         |
|-----------------------------------|-------------------------------|-------------------------|
| <u>(EXISTING &amp; PROJECTED)</u> |                               |                         |
|                                   |                               | <u>SYSTEMS ANALYSIS</u> |
| ON BOARD<br>AND<br>COMMITTED      | ELCT ENGR                     | 7 (1)                   |
|                                   | OP RSCH ANAL                  | 3 (4)                   |
|                                   | PROG ANAL                     | -                       |
|                                   | MATHEMATICIAN                 | -                       |
|                                   | STATISTICIAN                  | -                       |
|                                   | ECONOMISTS                    | -                       |
|                                   | COMM SPEC                     | 2                       |
|                                   | CLERICAL                      | <u>3</u>                |
|                                   | TOTAL                         | 15 (5)                  |
|                                   | INCREASE PENDING PCR APPROVAL | <u>25</u>               |
|                                   |                               | 45                      |

Chart 5

The present breakout of spaces for the Systems Analysis Division is listed on my next chart and shows the type of personnel and total strength of on-board and committed spaces. About 50 percent of our professional personnel have advanced degrees.

My next chart lists the major current and projected workload for the United States Army Electronics Command. It should be stated that this does not include all of the Systems Analysis effort at ECOM.

SYSTEMS ANALYSIS/COST-EFFECTIVENESS STUDIES

|                                                                  | Concept Formulation | Development & Production | Supporting Studies |
|------------------------------------------------------------------|---------------------|--------------------------|--------------------|
| 1. Researching for Systems Analysis of MALLARD System            | X                   |                          | Y                  |
| 2. Develop MALLARD System Study                                  |                     | Y                        |                    |
| 3. Develop J33 Continuity Study for JCS                          |                     | Y                        |                    |
| 4. Develop Technical Model for the AN/TPO-28                     |                     |                          | X                  |
| 5. Cost Effectiveness Analysis for JCS                           |                     |                          | X                  |
| 6. Systems Analysis Criteria and Methodology Study               |                     | X                        |                    |
| 7. Army Area Communications System Study                         |                     | X                        |                    |
| 8. Study of Computer Controlled Automatic Test Equipment (CATE)  |                     | X                        |                    |
| 9. DADA Cost-Effectiveness Study                                 | Y                   | X                        |                    |
| 10. Study of Tactical Transmittal Assn. (TTAS)                   |                     |                          | X                  |
| 11. Army Tactical Communications Study (ATCS)                    |                     | X                        |                    |
| 12. Develop Initial Maintenance Automatic Test Equipment (IMATE) |                     | X                        |                    |

A. Studies in Progress

1. Researching for Systems Analysis of MALLARD System
2. Develop MALLARD System Study
3. Develop J33 Continuity Study for JCS
4. Develop Technical Model for the AN/TPO-28
5. Cost Effectiveness Analysis for JCS
6. Systems Analysis Criteria and Methodology Study
7. Army Area Communications System Study
8. Study of Computer Controlled Automatic Test Equipment (CATE)
9. DADA Cost-Effectiveness Study
10. Study of Tactical Transmittal Assn. (TTAS)
11. Army Tactical Communications Study (ATCS)
12. Develop Initial Maintenance Automatic Test Equipment (IMATE)

9. Studies Completed

1. Tactical Satellite Communications (TACSATCOM) Preliminary Cost-Effectiveness Study
2. Army Tactical Airspace Base (ATAB) System (ATARS) Parametric and Systems Synthesis Study
3. Systems Analysis Study: Micro Electronics Impact on Communications-Electronics Systems

C. Studies to be Initiated, Planned or Recommended

1. Tactical Satellite Communications (TACSATCOM)
2. Tactical Radio Communications System
3. Ground Positioning and Navigation System
4. Marine Area Vehicle for Surveillance (MAVS)
5. Multi-Channel Transmission (PCM) Cost-Effectiveness Study
6. Joint Services Scenario for Amphibious Model
7. Space Automatic Switch
8. Forward Area Polygrapher (FAPG)
9. Command Vehicle for Airborne Avionics System (COVAWS)

Chart 6

Note that ECOM is working on 12 major studies, has completed three, and plans to initiate nine additional studies. We have listed these studies under three major headings: concept formulation, development and production, and supporting type studies.

An example of a study that supports the concept formulation phase is our recent inhouse cost-effectiveness study on TACSATCOM. The results of this pilot study were presented to the AMC Materiel Studies Review Committee in August, and the final preliminary study report was submitted to OCRD in September 1968. Other major studies supporting the concept formulation phase are the MALLARD System Studies at RCA and Sylvania and the Manned Aerial Vehicle for Surveillance (MAVS).

Another inhouse project (this one supporting major development and production decisions) is a Cost/Worth Study for a Lightweight Contingency Station for the Defense Communications Agency. The purpose of this study is to determine the cost and worth of reducing the size and weight of conventional DCS contingency stations by the maximum utilization of integrated circuit technology and the latest techniques in modular construction. Although this study has experienced some delays, it is expected to be satisfactorily completed by May 1969.

Other items, such as Methodology for MALLARD and the Cost-Effectiveness Lecture Series and Handbook, support the development of a competent systems analysis capability, and are required to provide the necessary analytical tools, techniques, and models, for evaluating alternative design concepts in order to allow the decision makers, to make a valued judgment on major materiel programs. A current inhouse study which also comes under this category, is the Army Tactical Communication Study (ATCOM), which is a Department of the Army, Chief of Staff directed study. The objective of this study is to provide a continuing capability within the Army to evaluate and present cost/capabilities of tactical communication equipments/systems in order to provide a sound basis, for making and justifying R&D and PEMA plans, and program decisions.

The ECOM Systems/Cost Analysis Office is now undergoing reorganization. It is planned to re-structure this office with four divisions as shown on this chart. This type organization is considered more compatible with other AMC-wide activities, and provides for more effective utilization of personnel. An MTDA is presently being prepared by ECOM, and will be forwarded to AMC for approval in the near future. In the proposed four division structure:




Chart 7

My next chart shows a realignment of manpower resources from both the Systems Analysis and the Cost Analysis Division required to satisfy the proposed four-division structure. The total of eighty spaces shown includes both the current authorization of 45 spaces, (i.e. 20 from the Systems Analysis Division and 25 from the Cost Analysis Division), plus the anticipated spaces from both the systems and cost analysis PCR's.

| MANPOWER RESOURCES<br>(EXISTING & PROJECTED) |               |                             |                          |
|----------------------------------------------|---------------|-----------------------------|--------------------------|
|                                              |               | <u>SYSTEMS<br/>ANALYSIS</u> | <u>COST<br/>ANALYSIS</u> |
| ON BOARD<br>AND<br>COMMITTED                 | ELEC ENGR     | 9 (1)                       | 5                        |
|                                              | OPER RES      | 3 (2)                       | 1 (1)                    |
|                                              | PROG ANALYSTS | -                           | 5                        |
|                                              | MATHEMATICIAN | -                           | 3 (2)                    |
|                                              | STATISTICIAN  | -                           | 2                        |
|                                              | ECONOMISTS    | -                           | 2 (1)                    |
|                                              | COMM SPEC     | 1                           | -                        |
|                                              | CLERICAL      | <u>4</u>                    | <u>3</u>                 |
| TOTAL                                        |               | 17 (3)                      | 21* (4)                  |
| Additionally authorized (being recruited)    |               | -                           | 5                        |
| Increase pending PCR approval                |               | <u>25</u>                   | <u>5</u>                 |
|                                              |               | 45                          | 35                       |
| *Includes two military                       |               |                             |                          |

Chart 8

Although our rate of progress has been slow over the past two years, we do have a large program effort underway and we have developed the cadre for a competent systems analysis capability primarily within ECOM resources. Consequently, in spite of what was said DA and AMC approval of ECOM's proposed Systems Analysis staffing PCR, would go a long way toward accomplishing the study programs directed by DA and AMC.

Additionally, timely approval by AMC of ECOM's proposed restructuring of the Systems and Cost Analysis Office to a four-division structure, will significantly improve the overall effectiveness of our inhouse study capabilities, as well as help our recruiting efforts to obtain qualified analysts.

Finally, there is a need for the establishment of an overall AMC-wide RDT&E project structure, and program authority, for continued and sustained support of systems analysis research efforts which *cannot* be supported by Operation, Maintenance and Allowances funds.

## EFFECTIVENESS ANALYSIS OF COMMON-USER COMMUNICATION SYSTEM

*Michael A. Benanti*

Chief, Systems Analysis Methodology Branch  
USA Electronics Command  
Fort Monmouth, New Jersey

The subject of my talk is the Army's common-user communication system. This is something like the commercial telephone party-line where there are many more people wanting to talk to each other than there are telephone channels. The system is therefore shared, sometimes at great inconvenience. In the Army's case we have, instead of inconvenience, an adverse effect on the ability to conduct successful military operations. An improvement in the Army's common-user system is constantly sought by commanders. No small R&D effort is directed toward this improvement. Related to this effort is the need to analyze and weigh effectiveness or determine worth. This discussion will address one approach to conducting such an analysis.

This composite deployment (Chart 1) of a typical brigade headquarters identifies the command staff sections and the communication support section. There are two multi-channel radio links interconnecting the brigade with its next higher command (division). These radio links provide communication channels which are shared by the brigade command and his operations, intelligence, personnel and logistical staff officers and other staff elements, such as artillery, air defense, and aviation. This communication system is used to coordinate and control the brigade, tactical missions, and provide for logistical support.

Coordination with higher headquarters is accomplished through the radio system shown on the hill, the bulk of the channels in these systems are common-user, or shared by command staff elements.

Although this deployment is typical of a brigade headquarters, similar communication requirements exist throughout combat and combat support echelons of the Army in the field.

These other requirements, taken together, call for a much larger communications complex than the one we see here. They are called signal centers.

Before we get on with our description of common-user systems, please look at Chart 2. We are looking ahead to give you some sense of what might go into the makeup of larger




Chart 1

signal centers, larger than the one we saw on the hill in the previous slide. The radio shots to the left and right are the links to other main signal centers like this one. The common-user circuits are contained in these vans.




Chart 2

Now, in Chart 3, we see these same large signal centers linked together into a network. A two-Corps Army network may look something like this system. The large circles are communication centers or nodes, the lines interconnecting these nodes represent multi-channel communication links. The smaller circles and the lines to the nodes represent subscriber access systems. Since many subscribers in one area may have to transact business with groups of subscribers in another area, there will be competition for communication channels within each of the links of the system; i.e. first over the access link, then through the nodal link and then through another access link to the described subscriber. If you can visualize this competition for channels going on throughout the network, then you can realize the Army's common-user communication problem. The number of channels available in the links are limited, and a subscriber wishing to be connected with someone else is really engaged in a game of chance. The probability of achieving success is dependent upon channel capacity, and system design. The reason we emphasize this inherent system deficiency, is that system performance can be improved as a result of analysis. We are going to

note one approach to this analysis. Before we move on, let us consider the line in the center of this network. Here is a case where A calls B . . . . . etc . . . . .etc.




Chart 3

What can happen when A calls B?

He can get through

He cannot get through

He has to wait a long time

His message is distorted

He gets interrupted

Etc.

What we will be aiming at, during the rest of my talk is an answer to the question:

So what?

If he gets through

If he doesn't

Etc.

We are going to proceed along the following lines:

1. Describe the users - who they are and where they are
2. Define the *requirement* to communicate
3. Translate user requirements to network requirements
4. Show how equipment alternatives enter in the analysis
5. Discuss a simulation for this network
6. Make a connection between communications performance and military performance

However, we are going to start by showing you how to avoid the problems in our story of "A calling B". The way to avoid it is to give A and B a private line.

Since the channel space in the Army's communication system is limited, (Chart 4) whatever channels exist are shared by the users, and the system is called a common-user system. However, certain users have more critical communications requirements than others - perhaps so important that the success of communications cannot be left to chance. In these cases, some of the channel space is set aside for their exclusive use. This eliminates competitors from these channels and the owners are referred to as "sole users". This certainly improves *their* communications, but to the detriment of all the common-users since some of their channel capacity is lost to them. Chart 4 shows some typical sole users associated with the main Army Headquarters.

Chart 5 is a sort of schematic showing the sole user circuits passing through the signal centers as if they were not there. The signal centers are square block instead of round as previously used. As you can see, the more sole user channels you permit, the fewer left for everyone else to use. This is an interesting trade-off problem in military effectiveness. Look at signal center No. 6, for example. Three quarters of the channels from there to signal




Chart 4

center No. 5 have been consumed by sole user patch-throughs. Is that good or bad? We shall see how to get an answer to this question shortly.

Let us get more specific about a common-user communications system that we want to analyze. Some of the first questions that must be answered are: who are the communicators and where are they with respect to each other? Consider this example of an Army of two Corps, each Corps with three divisions. From the command point of view, this Chart 6 identifies the main headquarters units and their relative locations.

Down within the divisions on the right are the multichannel command and control systems which include many common user channels. Brigade encampments like the one we saw earlier are included in these networks.

Command and control for Army Corps and division is shown. This type of multichannel system will be troposcatter. Note that we now have a communications capability from brigade all the way up to Army Headquarters through a common-user system.




Chart 5




Chart 6




Chart 7




Chart 8

Not all the units of a field army belong to the neat hierarchy of Army-Corps-Division-Brigade-etc. There are other combat units like Corps Artillery () and support units like FASCOM or the aviation group () or the flight operations center (). These military units join the overall network by means of the lines shown. Of course, they have access to the same channels in the troposcatter system as other people do. And vice versa. In other words, the systems are commonly used.




Chart 9

Finally, the mainstay and catchall for communications other than the command system is shown and referred to as the area system. As indicated, it can be used as an alternate for the command system. It is the only means of communications for some military units now shown. Taken together each represents a somewhat complex network of communications in which the channel resources are divided between sole-user circuits and common-user circuits.

## TYPE DEPLOYMENT TACTICAL FIELD ARMY RADIO RELAY SYSTEMS




Chart 10

We would like to consider, now, how to analyze this common-user network. We want to answer some very basic questions about it. First, is the common-user network adequate? Second, given two or more alternatives, decide which one is better?

Let's begin an analysis and do it in terms of the Army network we were just looking at. The very first step is to identify every user of the system. For realism, each unit is located on a map using a typical deployment. The "Field Unit Deck" shown on chart 11 is a list of all identified military units using the system with their location.




Chart 11

After the users are identified, their doctrinal requirements to communicate are stated. For example, which units in the troop list are *required* to communicate with Corps Artillery?, with each element of FASCOM?, with division headquarters?

Not only that, but how much traffic ordinarily transpires between these units during the conduct of battle? This information is correlated to the troop deck by the routing and loading deck.

All these requirements are referred to as "user requirements". Their importance cannot be over emphasized. If you leave anyone out, the impact on the use of the system will be excluded, and this may invalidate the analysis. For example, the other users will not have to compete against his traffic. This would be unrealistic. Another point is that the declared quantity of traffic for each user has an enormous impact upon how well a given system or channel resource will satisfy the requirement for prompt communications. The same considerations apply to the "need lines" contained in the Routing Deck.

The user requirements represent the load on the system being analyzed. If the load is not correct, the analysis suffers. The so called "correct" load includes the contribution to traffic caused by the nature of the military forces, their tactics, doctrine and items of material appropriate to the time frame being considered.

Once the user requirements data has been computerized, we can summarize the requirements as you see here (Chart 12). For each unit in the Army we can print out the traffic to all other units for which there is a doctrinal requirement to communicate. This covers telephone, teletype, and data. Also included are the location of these other units and their access information like node and loop group descriptions.

| FROM                      | TYPE | SER. | NAME                                | COORD. | GROSS CHAN. RQMTS. |       |       | NODE | LPGP |
|---------------------------|------|------|-------------------------------------|--------|--------------------|-------|-------|------|------|
|                           |      |      |                                     |        | TTY                | TP    | ADL   |      |      |
| From-To User Requirements | 101  | 3001 | HQ 30TH ARMY MAIN                   | MA7722 |                    |       |       | 97   | 776  |
|                           | 451  | 1000 | HND 43RD ADA BDL 30TH ARMY          | MA7226 | .044               | 1.190 | -.000 | 103  | 804  |
|                           | 331  | 1401 | HQ 4 SP THROOP 30TH FASCOM          | MA4035 | .040               | 2.360 | -.000 | 100  | 800  |
|                           | 452  | 922  | HMC 50TH ENG BDE 30TH ARMY          | MA5134 | .124               | 1.450 | .000  | 2    | 432  |
|                           | 453  | 910  | HMC 20TH SIG BRIGADE 30TH ARMY      | MA4750 | .044               | .200  | .000  | 3    | 450  |
|                           | 622  | 1052 | HMC 236TH SIG INTEL BN 30TH ARMY    | MA7674 | .024               | .600  | .000  | 17   | 714  |
|                           | 554  | 1145 | HMC 30TH CHEMICAL GRP 30TH ARMY     | MA7333 | .024               | .210  | .000  | 15   | 214  |
|                           | 555  | 1340 | 140TH AVIATION CO 30TH ARMY         | MA7042 | .044               | .210  | .000  | 90   | 710  |
|                           | 102  | 3002 | HQ 30TH ARMY ALT                    | MA6051 | 1.100              | 4.800 | -.000 | 90   | 792  |
|                           | 103  | 3003 | HQ 30TH ARMY REAR                   | MA4539 | .040               | .630  | -.000 | 99   | 790  |
|                           | 201  | 1900 | HQ 3RD CORPS MAIN                   | MA1063 | 5.300              | 6.730 | .000  | 85   | 704  |
|                           | 201  | 5000 | HQ 2ND CORPS MAIN                   | NA 430 | 5.300              | 6.730 | .000  | 91   | 743  |
|                           | 202  | 1099 | HQ 3RD CORPS ALTN                   | NA 573 | .160               | .310  | .000  | 86   | 713  |
|                           | 202  | 4999 | HQ 2ND CORPS ALTN                   | MA9336 | .160               | .310  | .000  | 92   | 752  |
|                           | 300  | 1476 | HQ ARMY ARTILLERY                   | MA7252 | .044               | 1.190 | .000  | 102  | 806  |
|                           | 540  | 920  | HMC 22ND MP GRP 30TH FASCOM         | MA5323 | .000               | .300  | -.000 | 2    | 437  |
|                           | 502  | 1475 | TECHNICAL INTELLIGENCE CTR          | MA1179 | .000               | .060  | .000  | 10   | 491  |
|                           | 602  | 1145 | 150TH AVIATION TRAFFIC CONTRL 30THA | MA7529 | .000               | 1.000 | .000  | 104  | 811  |
|                           | 450  | 2501 | HQ 1ST 203 ARMD CAV REGIMENT        | MA3088 | .044               | 1.130 | .000  | 105  | 813  |
|                           | 720  | 2502 | AIR CAV THROOP 203RD A/C REGT       | MA3590 | .044               | 1.130 | -.000 | 105  | 814  |
|                           | 720  | 2552 | 20TH AIR CAVALRY 20TH REGT          | MA9178 | .044               | 1.130 | -.000 | 109  | 723  |
|                           | 720  | 5332 | 202ND AIR CAV 202ND ARMD CAVALRY    | MA8940 | .044               | 1.130 | -.000 | 95   | 749  |
|                           | 421  | 2601 | HMC 314 SLP INF BDE (MECH)          | MA9056 | .044               | 1.130 | -.000 | 88   | 770  |
|                           | 421  | 5352 | HMC 315TH MECH BRIGADE              | NA 7 6 | .044               | 1.130 | -.000 | 94   | 750  |
|                           | 553  | 1241 | HMC 26TH ASA GROUP 30TH ARMY        | MA7624 | .044               | .480  | -.000 | 97   | 787  |
| FROM                      | TYPE | SER. | NAME                                | COORD. | GROSS CHAN. RQMTS. |       |       | NODE | LPGP |
|                           |      |      |                                     |        | TTY                | TP    | ADL   |      |      |
|                           | 102  | 3002 | HQ 30TH ARMY ALT                    | MA6051 |                    |       |       | 90   | 792  |
|                           | 101  | 3001 | HQ 30TH ARMY MAIN                   | MA7722 | 1.200              | 2.290 | -.000 | 97   | 776  |
|                           | 103  | 3003 | HQ 30TH ARMY REAR                   | MA4539 | .012               | .310  | -.000 | 99   | 790  |
|                           | 201  | 1900 | HQ 3RD CORPS MAIN                   | MA1063 | .040               | .190  | .000  | 85   | 704  |
|                           | 201  | 5000 | HQ 2ND CORPS MAIN                   | NA 430 | .040               | .190  | .000  | 91   | 743  |
|                           | 202  | 1099 | HQ 3RD CORPS ALTN                   | NA 573 | .000               | 1.020 | -.000 | 86   | 713  |
|                           | 202  | 4999 | HQ 2ND CORPS ALTN                   | MA9336 | .000               | 1.020 | -.000 | 92   | 752  |
|                           | 300  | 1476 | HQ ARMY ARTILLERY                   | MA7252 | .020               | .310  | -.000 | 102  | 806  |

Chart 12

It's time to state some of the conditions for our analysis (Chart 13). The nodes that service our Army must be interconnected in some manner. Suppose a rectangular pattern is assumed. The interconnections are multichannel radio links. The topology and number of channels can be the variables to be analyzed. We must declare also the rules pertaining to the establishment of sole user circuits. It may be said that traffic between two users in excess of a certain amount entitles those individuals to a sole user circuit. The routing doctrine is required, i.e., when A calls B. How is the path selected through the network. Likewise, certain equipment characteristics may be under consideration, like operation time for a circuit switch, or switchboard. These can also be included in the analysis which is starting to become complicated. It's time to say that all the things just mentioned are simulated in a computerized representation of the network. The simulation will be discussed in some detail, later. For now, we shall see what it does.




Chart 13

After the computerized simulation has digested all the facts, it starts to come up with some information on the system operation. It says for the users we have selected, where we have located them having the user requirements we declared, for the number of nodes we chose, with the link arrangement as indicated, for the number of channels we provided, using a certain routing doctrine, etc., the number of channels required for traffic looks like this. The numbers represent units of traffic. Note that because of patch through circuits belonging to certain sole users, the system behaves as if there are links which are not really there. Only the vertical and horizontal links are real, the diagonal links are functional, i.e., the system behaves that way because of the sole user patches. Emphasis is on which are functional and which are real, and point out that traffic in functional links is really passing through nodes. Grade of service equals .01 percent. There is *emphasis* if grade of service changes, channel requirements change, and any other inputs have impact upon channel requirements. Then, this is a summary of data, teletype, and telephone. Although not shown here, a companion analysis indicates whether or not this traffic will actually fit into the proposed system insofar as capacity is concerned.




Chart 14

By means of the foregoing computerized analysis we can have the following kind of information (Chart 15). It is really the result of a bookkeeping account of where messages went to and come from. This is a summary of inter- and intranode traffic in the categories of teletype, telephone, and data. Some useful information on system utilization comes out of this; for example, is this very heavy or very light traffic?

| FROM        | TO | TTY    | TP      | ADL   |
|-------------|----|--------|---------|-------|
| 1           | 1  | .000   | 4.590   | 1.000 |
| 1           | 2  | .040   | .120    | .000  |
| 1           | 3  | .040   | 4.094   | 1.000 |
| 1           | 4  | .000   | 2.500   | .000  |
| 1           | 5  | .000   | 2.540   | .000  |
| 1           | 6  | .000   | 3.000   | 1.000 |
| 1           | 12 | .020   | .130    | .000  |
| 1           | 13 | .040   | 7.723   | 1.000 |
| 1           | 15 | .220   | .073    | .000  |
| 1           | 17 | .000   | .340    | .000  |
| 1           | 20 | .001   | 3.213   | .000  |
| ...TOTAL... |    | .401   | 30.365  | 4.000 |
| 2           | 1  | .034   | .240    | .000  |
| 2           | 2  | 2.392  | 39.741  | .000  |
| 2           | 3  | 2.044  | 21.979  | .000  |
| 2           | 4  | .118   | 2.950   | .000  |
| 2           | 5  | .400   | 4.000   | .000  |
| 2           | 7  | .052   | 2.844   | .000  |
| 2           | 8  | 2.912  | 9.049   | .000  |
| 2           | 10 | .028   | .960    | .000  |
| 2           | 11 | .000   | .030    | .000  |
| 2           | 12 | .150   | 7.551   | .000  |
| 2           | 15 | 2.022  | 26.832  | .000  |
| 2           | 16 | .040   | 2.143   | .000  |
| 2           | 17 | .220   | 2.453   | .000  |
| 2           | 18 | .090   | 1.120   | .000  |
| 2           | 19 | 1.886  | 10.544  | .000  |
| 2           | 20 | .044   | 8.209   | .000  |
| ...TOTAL... |    | 11.744 | 139.811 | .000  |
| 3           | 1  | 1.000  | 5.403   | 1.000 |
| 3           | 2  | 4.000  | 23.274  | 2.000 |
| 3           | 3  | 2.390  | 59.521  | 5.820 |
| 3           | 4  | .874   | 8.843   | .000  |
| 3           | 5  | .000   | 1.013   | .000  |

Node Traffic Summary

Chart 15

This is similar to the node traffic summary. It is for the links; this example is for teletype only. It is a cross section of what is flowing through the pipes. Link two carries traffic originating at four different nodes and ending at five other nodes. If Link two is jammed, this identifies the traffic which will not get through. You can identify the users by organization.

|                                                 |               |        |      |      |  |
|-------------------------------------------------|---------------|--------|------|------|--|
| LINK 1 TRAFFIC DIRECTED FROM NODE 1 TO NODE 13  |               |        |      |      |  |
| NODE OF ORIGIN                                  | TERMINUS NODE | TTY    | TP   | ADL  |  |
| 1                                               | 13            | 2.000  | .000 | .000 |  |
| 4                                               | 9             | 3.000  | .000 | .000 |  |
| *** TOTAL ***                                   |               | 5.000  | .000 | .000 |  |
| LINK 1 TOTAL *****                              |               | 5.000  | .000 | .000 |  |
| LINK 2 TRAFFIC DIRECTED FROM NODE 3 TO NODE 9   |               |        |      |      |  |
| NODE OF ORIGIN                                  | TERMINUS NODE | TTY    | TP   | ADL  |  |
| 1                                               | 3             | 5.000  | .000 | .000 |  |
| 2                                               | 9             | 5.000  | .000 | .000 |  |
| 3                                               | 9             | 3.000  | .000 | .000 |  |
| 9                                               | 12            | 3.000  | .000 | .000 |  |
| 9                                               | 15            | 5.000  | .000 | .000 |  |
| 9                                               | 19            | 3.000  | .000 | .000 |  |
| *** TOTAL ***                                   |               | 24.000 | .000 | .000 |  |
| LINK 2 TOTAL *****                              |               | 24.000 | .000 | .000 |  |
| LINK 3 TRAFFIC DIRECTED FROM NODE 2 TO NODE 20  |               |        |      |      |  |
| NODE OF ORIGIN                                  | TERMINUS NODE | TTY    | TP   | ADL  |  |
| 2                                               | 20            | 2.000  | .000 | .000 |  |
| *** TOTAL ***                                   |               | 2.000  | .000 | .000 |  |
| LINK 3 TOTAL *****                              |               | 2.000  | .000 | .000 |  |
| LINK 4 TRAFFIC DIRECTED FROM NODE 6 TO NODE 11  |               |        |      |      |  |
| NODE OF ORIGIN                                  | TERMINUS NODE | TTY    | TP   | ADL  |  |
| 6                                               | 11            | .000   | .000 | .000 |  |
| *** TOTAL ***                                   |               | .000   | .000 | .000 |  |
| LINK 4 TOTAL *****                              |               | .000   | .000 | .000 |  |
| LINK 5 TRAFFIC DIRECTED FROM NODE 16 TO NODE 18 |               |        |      |      |  |
| NODE OF ORIGIN                                  | TERMINUS NODE | TTY    | TP   | ADL  |  |
| 16                                              | 18            | 2.000  | .000 | .000 |  |
| *** TOTAL ***                                   |               | 2.000  | .000 | .000 |  |
| LINK 5 TOTAL *****                              |               | 2.000  | .000 | .000 |  |
| LINK 6 TRAFFIC DIRECTED FROM NODE 5 TO NODE 14  |               |        |      |      |  |
| NODE OF ORIGIN                                  | TERMINUS NODE | TTY    | TP   | ADL  |  |
| 5                                               | 14            | .000   | .000 | .000 |  |
| *** TOTAL ***                                   |               | .000   | .000 | .000 |  |
| LINK 6 TOTAL *****                              |               | .000   | .000 | .000 |  |
| LINK 7 TRAFFIC DIRECTED FROM NODE 4 TO NODE 13  |               |        |      |      |  |
| NODE OF ORIGIN                                  | TERMINUS NODE | TTY    | TP   | ADL  |  |
| 2                                               | 8             | 7.000  | .000 | .000 |  |

Link Traffic Summary

Chart 16

So far (Chart 17), the analysis hasn't included much in the way of technical details of the equipment. Since the locations of the users are known, the routes are known, the main system features are known, then the actual equipments can be considered. Chart 22 shows two routes possible between the aviation battalion and corps main; note that specific equipment nomenclatures are accounted for. The technical features and performance of these equipments can also be included in the computerized simulation.

For example, errors were introduced and there were time delays of switchboards, automatic switch and teletypewriter speed.




Chart 17

Chart 18 is how the computerized simulation is organized. The preprocessor accepts the inputs that are to be evaluated. This includes the characteristics and performance of the individual communications equipments as well as the connectivity of the system.

The dynamic simulator goes through the "nitty gritty" of running messages to and fro in accordance with the user requirements. In this way, the background traffic, or competition for tagged messages, is generated. Also, the tagged messages themselves try their luck in the dynamic simulator.

The post processor tells the results.




Chart 18

Chart 19 is a little more detail on the input to the simulation. The "basic network descriptors" include the number of channels provided in links. Stress factors mean jamming and damage if we want to consider those things in the analysis. Coming out of the preprocessor is a list of special outputs like queue lengths at certain nodes, or link utilization data. The message list includes all the background traffic and is based on the user requirements. Note that messages of special interest can be identified so that later on, their history can be printed out. These are so called tagged messages.




Chart 19

Now that the inputs are established (Chart 20) and we have some basis for conducting an analysis, the dynamic simulator takes over. It knows what to look for by prearrangement caused by the input processor. For example, it will keep track of queues at preselected nodes. It will also send messages, via the message generator, from all of the users to all the other users in accordance with the "user requirements." These messages will be carried over the network described by the preprocessor with the technical characteristics also contained therein. Certain message histories, the tagged messages, will be memorized.




Chart 20

The post processor extracts desired information from the computer memory as shown in Chart 21. We can have single shot information from a Monte Carlo process, or we can get the mean and standard deviation. Some of the information is very special, like time delays, because this has an impact upon military operations. Another output of this type is total errors produced in a digital transmission. Finally, the post processor will do some simple arithmetic for you in compiling total effectiveness values by considering a number of individual but related effectiveness missions.




Chart 21

The whole purpose of our analysis is to show our customer some values of the communication system insofar as his work is concerned. (Chart 22). Our customer is the Army and their work is the conduct of war. From the Army commander's point of view, he may see what you are looking at. A confrontation of forces and some strategy involving high ground on the other side of the FEBA. There are offensive plans regarding this terrain (Chart 23). And plans for beyond that (Chart 24). The plans call for army units to accomplish objectives like seizing the indicated terrain. Some of the events that may occur are also indicated. There will be destruction of part of our communications system. There will be a river crossing, as indicated on the lower right corner. There will be close air support at objective f, etc. In each of these activities, like close air support, the communications system plays some part. We want to know more about this role of communication in order to make a judgment on the adequacy or worth of the communication system.




Chart 22




Chart 23




Chart 24




Chart 25

A military effectiveness analysis of a communications system can proceed along these lines (Chart 26). Tactical events or functions such as close air support, can be broken down into events which include the required communications. This is a highly simplified example. The important point is that *critical messages* are defined insofar as close air support is concerned. These messages transpire between specific users, namely some of the ones we have previously deployed on our maps. To determine military effectiveness, we simply ask our computerized simulation how will the system we are evaluating handle *these particular* messages between these specific parties. The answer will depend a great deal upon the "background" traffic, and upon how well these tagged messages go through the system in competition with everyone else's traffic.




Chart 26

When we get an answer from the simulator, and this answer is introduced into the function breakdown, some military conclusion may result (Chart 27). For example, suppose this communication system introduced certain delays which held up or delayed performing close air support. There will be some impact, say on the force ratios at one of the objectives. The force ratios, of course, effect the military outcome.




Chart 27

A variety of examples like this can introduce some military flavor into the evaluation of performance of a communications system. When analyses like the close air support function are broken down in detail and considered carefully (Chart 28), some very definite relationships are established between the success of the military event and unsatisfactory performance of the communication system. In a recent analysis at The Electronics Command, 28 examples like this one were derived for some of the military ingredients of Army warfare; an example is close air support. The usefulness of this graph lies principally in comparing two system alternatives. One may show up better than the other, or neither may be adequate, or there may not be a significant difference. Any of these answers are useful information.

## MILITARY EFFECTIVENESS OF COMMUNICATIONS SYSTEM





Chart 28

The alternatives are compared on the basis of one of the communication system features - in this case *time delay* - and that therefore no evaluation is included for other items of materiel - say a main battle tank.

Some exploration is underway at The Electronics Command to determine a suitable means of aggregating effectiveness information on tactical functions like close air support, movement of reserves, casualty evacuation, artillery support, logistic functions, river crossing, and bridging operations. These functions have great impact upon the effectiveness of maneuver brigades, and in turn upon their divisions, as you see on Chart 29. The importance of different military functions is being weighted along with the missions of different brigades in a given tactical situation. An overall army effectiveness determination is being attempted using this approach.



### Chart 29

**To summarize:**

- Do it realistically by considering a specific force deployed to go into action.
- Determine who the communicators are and how much they talk.

- . Do a paper installation of the equipment, or system being evaluated, for the force. This defines your network.
- . Simulate the communication performance of the network.
- . Assess the effectiveness in
  - Communication Terms
    - 1. Grade of service
    - 2. Delays
    - 3. Errors
    - 4. Queue lengths
  - Military Terms
    - 1. Impact upon tactical functions
      - a. Artillery support
      - b. Bridge erection
      - c. Logistics

## THE ORGANIZATIONAL STRUCTURE OF THE US ARMY AVIATION SYSTEMS COMMAND

*Harvard M. Bauer*

Directorate of Systems and Cost Analysis  
U.S. Army Aviation Systems Command  
U. S. Army Materiel Command

The AVSCOM has undergone a major reorganization which became effective 1 October of this year. The new organization now known as the U.S. Army Aviation Systems Command evolved from the Brown Board Study along with changes incorporated by a management study team conducted over the past year at AVSCOM. This organization, as you will see, has been accepted at the AMC and the DA levels.


The Headquarters Commanding General and Deputy Commander/Chief of Staff supervises three Deputies. These Deputies are the Deputy for Research, Engineering and Data; Deputy for Acquisition; and the Deputy for Logistics. The Headquarters is composed of the Command Headquarters element along with those staff directorates and offices that are required to maintain such an activity. For example, the Command Judge Advocate, the Comptroller, Director of Programs, Installations and Services, etc. The Deputies for RED, Acquisition and Log wear two hats under the Systems Command structure. These are the associated deputies along with that of being the Commanding Officer of the respective Class II Activities under the Systems Command Headquarters.

U. S. ARMY AVIATION SYSTEMS COMMAND

| COMMANDING GENERAL                                    |                                   |                                         |
|-------------------------------------------------------|-----------------------------------|-----------------------------------------|
| DEPUTY COMMANDING GENERAL, CHIEF OF STAFF             |                                   |                                         |
| USAAVSCOM RESEARCH,<br>ENGINEERING & DATA<br>ACTIVITY | USAAVSCOM ACQUISITION<br>ACTIVITY | USAAVSCOM LOGISTICS<br>SUPPORT ACTIVITY |
| COMMANDING OFFICER                                    | COMMANDING OFFICER                | COMMANDING OFFICER                      |
|                                                       |                                   |                                         |

Chart 1

The interest is focused upon the Deputy for Research, Engineering and Data. As can be seen, the Deputy has two remote facilities; that of the AVLABS on the East Coast and the Army Test Activity, Edwards Air Force Base on the West Coast. The directorates shown on the chart are located at AVSCOM in St. Louis. As can be seen, the Directorate of Systems and Cost Analysis is one of the prime directorates under the Deputy for RED. This establishes the location and position of the directorate within the overall structure of the Systems Command.



The following outline depicts the mission of the Directorate of Systems and Cost Analysis and the functions of the Systems Analysis Division.

## SYSTEMS AND COST ANALYSIS DIRECTORATE

### MISSION

Conduct systems analysis/cost-effectiveness studies, cost analysis, and cost and economic information system analysis; provide the command focal point for short and long-range hardware studies, both contractual and inhouse, under AR 1-110 and AMCR 700-10; and technical and economic evaluation and solution of materiel oriented problems throughout the materiel life cycle.

## **SYSTEMS ANALYSIS DIVISION**

### **FUNCTIONS**

- a. Perform systems analysis studies and investigations for the command or Headquarters, AMC.
- b. Establish the requirement for data banks on subjects which are basic to the command systems analysis activity and provide for and require the identification, collection, and maintenance of such data; develop and maintain data banks on subjects related to systems analysis operations.
- c. Provide systems analysis type inputs on data which may be required for larger systems analysis studies performed by the Army Materiel Systems Analysis Center or by other agencies outside of AMC.
- d. Initiate systems analysis/cost-effectiveness studies and evaluations of command programs and materiel items, systems or concepts, as may be determined necessary.
- e. Review and validate systems analysis type investigations, studies, evaluations, and reports prepared by the command's subordinate activities prior to their submission to higher headquarters, other elements of AMC, or other agencies as inputs.
- f. Provide systems analysis assistance and advise in the performance of the total systems analysis effort within the commodity command.
- g. Maintain cognizance of all systems analysis type studies and investigations which have been submitted by the command to higher authority.
- h. Resolve problems arising in the systems analysis activity within the command as a result of functional interfaces.
- i. Develop and establish methodologies and techniques for command use and application on commodity oriented systems analysis studies and activities.
- j. Establish an integrated, commodity oriented systems analysis study program and effort (for both short- and long-term objectives) within the commodity command to include those phases which cover the full range in the life cycle of materiel.
- k. Maintain liaison and coordinate with the Army Materiel Systems Analysis Center.
- l. Perform or provide for training needs in operations research/systems analysis type techniques and methods within the commodity command.

m. Represent the command at various professional meetings and seminars and serves as the command point of contact on matters dealing with Systems Analysis, cost effectiveness, operations research, scientific analysis, logistics research, applied mathematics and mathematical statistics.

n. Develop requests for and monitor and review progress of contract studies.

Chart 3 depicts the Systems and Cost Analysis Directorate organization and structure along with the required and authorized spaces for the Headquarters, the Systems Analysis, the Cost Analysis and the CEIS Divisions. As a matter of interest, the Cost Analysis Division is the only one having Branches within it. The Headquarters is staffed with five personnel—the Director, Deputy Director, Secretary, Clerk Steno and a Management Services Assistant. Of primary concern of course, is the Systems Analysis Division. It is authorized eight civilian personnel and three military. Of these eight civilians, two are Clerical and one is the Chief of the Division. The remaining five civilian spaces are, in essence, the working force of the Systems Analysis Group. Although there are three military spaces associated with this Division, it is very rare that these spaces are ever staffed. Our experience has been one military in the Division for a period of 96 days in the past year. Presently we have no military in this Division. As can be seen, the nucleus of Systems Analysis at the Headquarters is a very small organization limited in resources. Those of you associated with the SAGs throughout the Commodity Commands are in a similar position as we at AVSCOM, in that the workload far overshadows the resources available to meet the demands placed on us.




Chart 3

### Distribution List

#### Copies

- 1 A and B, plus
- 15 Army Materiel Systems Analysis Agency  
ATTN: AMXRD-AD, Aberdeen Proving Grounds,  
Maryland 21005
- 2 US Army Aviation Systems Command,  
P.O. Box 209, Main Office, ATTN: AMSAV-R-X  
St. Louis, Missouri 63166
- 5 US Army Electronics Command, ATTN: AMSEL-CE  
Fort Monmouth, New Jersey 07703
- 2 US Army Mobility Equipment Command  
4300 Goodfellow Boulevard, ATTN: AMSME-G,  
St. Louis, Missouri 63120
- 2 US Army Tank-Automotive Command, ATTN:  
Mr. John Gallombardo, Warren, Michigan 48090
- 12 US Army Missile Command, ATTN: Mr. Robert R. Orr  
Redstone Arsenal, Alabama 35809
- 10 US Army Munitions Command, ATTN: AMSMU-DS-OR  
Edgewood Arsenal, Maryland 21010
- 5 US Army Weapons Command, ATTN: Mr. Royce  
Beckett, Rock Island, Illinois 61202
- 2 Office of the Assistant Chief of Staff for  
Force Development, 1D667, Pentagon,  
Washington, D. C. 20310
- 10 Office of the Assistant Secretary of Defense  
(Systems Analysis), 2D311, Pentagon,  
Washington, D. C. 20310

- 5 US Army Logistics Management Center,  
ATTN: Dr. George R. Partin, Fort Lee, Virginia 23801
- 2 Office of the Comptroller of the Army,  
2B683, Pentagon, Washington, D.C. 20310
- 5 Office, Chief of Research and Development,  
300 Highland Bld. Washington, D. C. 20310
- 3 Office of the Deputy Under Secretary,  
Operations Research, 2E727, Pentagon,  
Washington, D. C. 20310
- 2 Deputy Chief of Staff for Logistics,  
3C572, Pentagon, Washington D. C. 20310
- 2 Army Finance School, ATTN: Maj Clarence S.  
Naatjes, Fort Benjamin Harrison, Indiana 46216
- 5 Institute for Defense Analysis, 400 Army-Navy  
Drive, ATTN: Howard N. Margolis,  
Arlington, Virginia 22202
- 2 US Army Mobility Equipment Research and  
Development Center, ATTN: Mr. Benjamin F.  
Whaley, Jr., Fort Belvoir, Virginia 22060
- 2 US Army Management School, ATTN: LTC P.C.  
Callan, Fort Belvoir, Virginia 22060
- 10 Office, Chief of Staff, 1E620, Pentagon,  
Washington, D. C. 20310
- 5 Booz-Allen Applied Research, Inc.,  
ATTN: Mr. John W. Pocock, 4733 Bethesda Ave.  
Bethesda, Maryland 20014
- 5 Research Analysis Corporation,  
ATTN: Mr. Frank A. Parker, McLean, Virginia 22101
- 2 Vitro Laboratories, ATTN: Mr. Francis A. Dibello  
14000 Georgia Ave. Silver Spring, Maryland 20910

- 2 American Power Jet Company, ATTN: Mr. George Cherowitz, 705 Grand Ave., Ridgefield, New Jersey 07657
- 2 HQ, Air Force Systems Command, ATTN: SCCCI, Andrews AFB, Washington, D.C. 20331
- 2 US Army Advanced Materiel Concepts Agency, ATTN: AMXAM-EB, Dwyer Bld, 3220 Duke St., Alexandria, Virginia
- 2 US Army Combat Developments Command, Institute of Systems Analysis, ATTN: Helen E. Agen, Fort Belvoir, Virginia
- 5 US Army Sentinel Systems Office Commonwealth Bld, ATTN: John L. Bedwell, 12th Floor 1320 Wilson Boulevard, Arlington, Virginia 22209
- 5 Defense Intelligence Agency, ATTN: DIAAP-7D1 Bld A, Arlington Hall Station, Arlington, Virginia 22212
- 2 Center for Naval Analyses, ATTN: James Holt, 1401 Wilson Boulevard, Arlington, Virginia 22209
- 20 Defense Documentation Center, Cameron Station, Alexandria, Virginia 22314
- 150 Commanding General, US Army Materiel Command, ATTN: AMCCP-S, Gravelly Point, Washington, D. C. 20315

**ATTENDEES AT THE FIRST ANNUAL US ARMY  
MATERIEL COMMAND SYSTEMS ANALYSIS SYMPOSIUM**

|                             |        |
|-----------------------------|--------|
| Adams, Lt. Allyn R.         | MUCOM  |
| Adams, Maj. Charles M.      | AMSAA  |
| Agen, Helen E.              | CDC    |
| Allott, Andrew J.           | AMC    |
| Ameen, David A.             | ALMC   |
| Bailey, Frank T.            | AMC    |
| Barnard, Garry W.           | AMC    |
| Barsky, Dr. Donald T.       | AMC    |
| Batson, Walter              | MICOM  |
| Bauer, Havard M.            | AVSCOM |
| Beckett, Dr. Royce          | WECOM  |
| Bedwell, John               | SSC    |
| Benacquista, Maj. J.        | AMC    |
| Benanti, Michael A.         | ECOM   |
| Benjamin, Col. G.     ge C. | AMC    |
| Berg, Isidore               | AMC    |
| Bernbaum, John              | AMC    |
| Besson, Gen. F. S. Jr.      | AMC    |
| Best, Irvin L.              | AMC    |

|                                   |                        |
|-----------------------------------|------------------------|
| Biberman, Lucien M.               | IDA                    |
| Birkenstein, Lt. Col. Albert      | AMC                    |
| Bishop, Lt. Willard R. Jr.        | AMC                    |
| Black, Robert M.                  | MUCOM                  |
| Blanchard, Lt. Col. Howard B. Jr. | AMC                    |
| Booth, Robert A.                  | AMC                    |
| Boothe, Maj. Robert S.            | AMC                    |
| Brachman, Raymond J.              | AMC                    |
| Brady, Robert F.                  | AMC                    |
| Brown, Maj. John M.               | COA                    |
| Bruno, Onofrio P.                 | AMSAA                  |
| Bucley, Daniel J.                 | AMC                    |
| Bunevich, Peter C.                | OCRD                   |
| Bunker, Lt. Gen. William B.       | AMC                    |
| Callan, Lt. Col. P. C.            | Army Management School |
| Callister, Herbert J.             | MUCOM                  |
| Cardiff, Charles W.               | AMC                    |
| Castro, Lt. Col. Joseph F.        | OCRD                   |
| Chakour, Frederick M.             | WECOM                  |
| Chaszar, Charles V.               | AMC                    |
| Chernowitz, George                | American Power Jet     |
| Chester, Col. Michael             | ALMC                   |

|                          |                        |
|--------------------------|------------------------|
| Christianson, Conway J.  | RAC                    |
| Clark, Merle             | SSC                    |
| Clements, Paul E.        | AMC                    |
| Cobey, Col. Earl J.      | AMC                    |
| Cook, Harry              | MiCOM                  |
| Cooper, Robert L.        | AMC                    |
| Cooper, Maj. Willis M.   | AMC                    |
| Cotton, Richard W.       | WECOM                  |
| Covert, Col. John R. M.  | AMC                    |
| Crittenden, Roger T.     | AMC                    |
| Crumb, Edgar A.          | MUCOM                  |
| Cummings, Melvin A.      | AMC                    |
| Cutchis, Pythagoras      | IDA                    |
| Downey, Lt. Col. Neil B. | Army Management School |
| Dyer, Lt. William H.     | AMC                    |
| Enthoven, Alain C.       | ASoD (SA)              |
| Farnham, Orland A.       | AMC                    |
| Feldman, Lt. Barry       | AMC                    |
| Felts, Robert            | MERLOC                 |
| Fiess, Edward R.         | AMC                    |
| Finch, Lt. Gordon A.     | AMC                    |
| Flanders, Maj. George I. | AMC                    |

|                                 |            |
|---------------------------------|------------|
| Fredericksen, Donald N.         | ASoD (SA)  |
| Fromer, E. Phillip              | AMC        |
| Gallombardo, John               | ATACOM     |
| Garrison, Robert                | AMC        |
| Gaydos, George                  | MUCOM      |
| Gilchrist, Lt. Willis A.        | AMC        |
| Gillette, Michael               | OSD-SA     |
| Gilman, Allan D.                | AMC        |
| Gojsza, Col. William P.         | AMC        |
| Golding, George                 | AMC        |
| Golub, Abraham                  | DUSoA (OR) |
| Gordon, Lt. Col. James H.       | AMC        |
| Greiner, Edwin                  | ASoD (SA)  |
| Gross, Patrick W.               | ASoD (SA)  |
| Grubbs, Dr. Frank E.            | AMSAA      |
| Gray, Duryea                    | AMC        |
| Grubenmann, Lt. Robert M.       | AMC        |
| Hamilton, Capt. Bernard J.      | AMC        |
| Harvey, Tom                     | AMC        |
| Hays, W. W.                     | AMC        |
| Heath                           | AMC        |
| Henderson, Lt. Col. Clarence B. | AMC        |

|                          |            |
|--------------------------|------------|
| Hendricks, Lt. Charles   | AMC        |
| Hodgdon, Lt. Raymond III | AMC        |
| Hood, Lt. Robert D.      | AMC        |
| Hoppes, Harrison N.      | RAC        |
| Houseworth, Col. J. E.   | AMC        |
| Huggard, Thomas E.       | AMC        |
| Hundley, Douglas V.      | MUCOM      |
| Hussey, Charles W.       | MICOM      |
| Hwang, Lt. John D.       | AMC        |
| Harkins, James A.        | CNA        |
| Holt, James              | CNA        |
| Intlekofer, John         | AMSAA      |
| Isenhour, Lt. Sanford E. | MECOM      |
| Jackson, Thomas T.       | Booz-Allen |
| Jager, Lt. Charles W.    | AMC        |
| Johnston, George         | AMC        |
| Juliano, Amore V.        | AMC        |
| Jurgens, Col. Francis M. | ALMC       |
| Johnson, Lt. Thomas D.   | AMC        |
| Jones, Lt. Richard W.    | AMC        |
| Lanigan, Stephen J.      | AMC        |
| Lawhead, Joseph          | DIA        |

|                                  |        |
|----------------------------------|--------|
| Lewis, Dr.                       | AVSCOM |
| Ligoske, Arthur M.               | AMC    |
| Linn, Marvin H.                  | AMC    |
| Lohr, Armen E.                   | AMC    |
| Loper, Lt. Col. Thomas C.        | OCSA   |
| Lowery, Robert C.                | MICOM  |
| Lund, Lt. Col. Sigurd            | AMC    |
| Lindemann, Richard J.            | AMC    |
| Lucky, Jack E.                   | AMC    |
| Margolis, Howard N.              | IDA    |
| Marks, Melvin P.                 | AMC    |
| Martin, John J.                  | IDA    |
| Martinek, Dr. J.                 | AMCA   |
| Massey, Maj. James               | AMC    |
| Matthews, Lt. Col. Church M. Jr. | AMC    |
| Melton, Edward I.                | AMC    |
| Merritt, Lt. Ira W.              | AMC    |
| Merritt, Lt. Steve               | AMC    |
| Mitchell, Cynthia                | DIA    |
| Mitchell, Col. Leonard D.        | AMC    |
| Morrison, Edmund D.              | IDA    |
| Mullin, Capt. Albert A.          | ATACOM |

|                           |                     |
|---------------------------|---------------------|
| Myers, Keith A.           | AMSAA               |
| Melton, Rodney            | SSC                 |
| McCabe, Francis P.        | AMC                 |
| McCauley, Edward R.       | COA                 |
| McDermott, Fred D.        | AMC                 |
| McGillicuddy, Daniel F.   | AMC                 |
| McHugh, Robert J.         | MICOM               |
| Naatjes, Maj. Clarence S. | Army Finance School |
| Nelson, Thomas C.         | AMC                 |
| Nixon, James F. Jr.       | MICON               |
| O'Neill, Daniel D.        | AMSAA               |
| Orr, Robert               | MICOM               |
| Parker, Frank A. Jr.      | RAC                 |
| Partin, Dr. George R.     | ALMC                |
| Paul, Lt. Horst           | AMC                 |
| Pollard, Lt. Robert A.    | AMC                 |
| Powell, Nixon W.          | MICOM               |
| Proctor, James H.         | AMC                 |
| Purtell, John P.          | AMC                 |
| Purvis, Russell E.        | AMSAA               |
| Quinn, Lt. Francis        | AMC                 |
| Raaen, Col. John C. Jr.   | AMSAA               |

|                               |                    |
|-------------------------------|--------------------|
| Rankin, James W.              | MECOM              |
| Redmon, D. E.                 | AMC                |
| Reese, Robert G.              | AMC                |
| Reid, Arend H.                | AMSAA              |
| Reiser, Eugene N.             | AMC                |
| Richards, Lois                | AMC                |
| Rochkind, J.                  | AMC                |
| Roellke, Donald A.            | Booz-Allen         |
| Roj, Joseph S.                | AMC                |
| Rosendorf, Lawrence L.        | MUCOM              |
| Ruck, Louis B.                | AMC                |
| Ruppenthal, Roland G.         | RAC                |
| Ryter, Stephen L.             | ASoD (SA)          |
| Sacks, Stanley                | MICOM              |
| Salvano, Daniel P.            | ECOM               |
| Schone, Carl G.               | American Power Jet |
| Schow, Maj. Horace II         | AMC                |
| Schneider, Lt. Col. Robert L. | OCSA               |
| Schriever, Fred M.            | Booz-Allen         |
| Schroeder, Lt. Frank C.       | AMC                |
| Seitz, Ellsworth E.           | DCSLOG             |
| Selman, Jerome H. N.          | MUCOM              |

|                              |            |
|------------------------------|------------|
| Sen, Digindra M.             | AMCA       |
| Sherman, Robert O.           | Booz-Allen |
| Shesser, Selma               | AMC        |
| Shields, Henry               | AMC        |
| Shirata, Tamio               | AMC        |
| Silkwood, Darold             | OSD-SA     |
| Slemrod, Saul                | AMC        |
| Slater, James                | ECOM       |
| Smigielski, Lt. Thomas       | AMC        |
| Smith, Arthur                | AMSAA      |
| Smith, Morgan G.             | AMSAA      |
| Snyder, Melvin C. Jr.        | OCRD       |
| Spencer, James E.            | MICOM      |
| Sperazza, Dr. Joseph         | AMSAA      |
| Stearman, Dr. Roebert L.     | MUCOM      |
| Stoneback, Lee S.            | RAC        |
| Stutton, Charlie M.          | AMC        |
| Sylvester, Lt. Col. Allan T. | OCSA       |
| Sternfeld, William A.        | AMC        |
| Taylor, Col. Frank L.        | OCRD       |
| Theusch, Roman J.            | MICOM      |
| Tillman, Carroll A.          | AMC        |

|                            |        |
|----------------------------|--------|
| Thomas, Alan S.            | AMSAA  |
| Treadway, John H.          | VITRO  |
| Tropf, William J.          | AMC    |
| Turnage, G. S.             | AMC    |
| Virostko, William M.       | AMC    |
| Wachs, Capt. Martin        | AMSAA  |
| Walker, William L.         | AMC    |
| Walsh, John L.             | AMC    |
| Whaley, Benjamin F. Jr.    | MEF DC |
| Whitaker, John             | MI COM |
| Williams, George G.        | AMC    |
| Woods, Arthur R.           | OCSA   |
| Woods, Col. David S.       | MC     |
| Woodside, Robert           | AMC    |
| Wormley, Lt. James T.      | AMC    |
| Whipple, Lt. Col. Winthrop | OCSA   |
| Yehle, William N.          | AMC    |
| Zarwyn, Dr. Berthold       | AMC    |
| Zimmerman, John M.         | AMC    |

UNCLASSIFIED

Security Classification

| DOCUMENT CONTROL DATA - R & D                                                                                                                                                                                                                                                                                                       |                                                                                |                                    |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|------------------------------------|
| (Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)                                                                                                                                                                                                  |                                                                                |                                    |
| 1. ORIGINATING ACTIVITY (Corporate author)                                                                                                                                                                                                                                                                                          |                                                                                | 2a. REPORT SECURITY CLASSIFICATION |
| Headquarters, US Army Materiel Command<br>Washington, D.C. 20315                                                                                                                                                                                                                                                                    |                                                                                | UNCLASSIFIED                       |
|                                                                                                                                                                                                                                                                                                                                     |                                                                                | 2b. GROUP                          |
| 3. REPORT TITLE                                                                                                                                                                                                                                                                                                                     |                                                                                |                                    |
| PROCEEDINGS OF THE FIRST ANNUAL US ARMY MATERIEL COMMAND<br>SYSTEMS ANALYSIS SYMPOSIUM                                                                                                                                                                                                                                              |                                                                                |                                    |
| 4. DESCRIPTIVE NOTES (Type of report and inclusive dates)                                                                                                                                                                                                                                                                           |                                                                                |                                    |
| 5. AUTHOR(S) (First name, middle initial, last name)                                                                                                                                                                                                                                                                                |                                                                                |                                    |
| ROBERT A. POLLARD                                                                                                                                                                                                                                                                                                                   |                                                                                |                                    |
| 6. REPORT DATE                                                                                                                                                                                                                                                                                                                      | 7a. TOTAL NO. OF PAGES                                                         | 7b. NO. OF REFS                    |
| January 1969                                                                                                                                                                                                                                                                                                                        |                                                                                |                                    |
| 8a. CONTRACT OR GRANT NO.                                                                                                                                                                                                                                                                                                           | 9a. ORIGINATOR'S REPORT NUMBER(S)                                              |                                    |
|                                                                                                                                                                                                                                                                                                                                     | Technical Report 69-1                                                          |                                    |
| b. PROJECT NO.                                                                                                                                                                                                                                                                                                                      |                                                                                |                                    |
| c.                                                                                                                                                                                                                                                                                                                                  | 9b. OTHER REPORT NO(S) (Any other numbers that may be assigned<br>this report) |                                    |
| d.                                                                                                                                                                                                                                                                                                                                  |                                                                                |                                    |
| 10. DISTRIBUTION STATEMENT                                                                                                                                                                                                                                                                                                          |                                                                                |                                    |
| Distribution of this document is unlimited                                                                                                                                                                                                                                                                                          |                                                                                |                                    |
| 11. SUPPLEMENTARY NOTES                                                                                                                                                                                                                                                                                                             |                                                                                | 12. SPONSORING MILITARY ACTIVITY   |
|                                                                                                                                                                                                                                                                                                                                     |                                                                                |                                    |
| 13. ABSTRACT                                                                                                                                                                                                                                                                                                                        |                                                                                |                                    |
| <p>This report (TR 69-1) contains the unclassified proceedings of the first annual United States Army Materiel Command Systems Analysis Symposium, FY 1969, held November 13-14 1968, at the Institute for Defense Analyses, Arlington, Va. Technical Report 69-2 contains the classified section of the symposium proceedings.</p> |                                                                                |                                    |

DD FORM 1473

REPLACES DD FORM 1473, 1 JAN 66, WHICH IS  
OBSOLETE FOR ARMY USE.

211

UNCLASSIFIED

Security Classification

