



AD 690185

AD

## TECHNICAL REPORT

WVT-6923

MAXIMUM LIKELIHOOD ESTIMATION OF DISTRIBUTION PARAMETERS  
FROM GENERALLY CENSORED SAMPLES

BY

ROYCE W. SOANES, JR

JUNE 1969

# BENET R&E LABORATORIES

## WATERVLIET ARSENAL

WATERVLIET—NEW YORK

REPRODUCED BY  
CLEARINGHOUSE  
FOR THE ARMY  
AND NAVY  
WASHINGTON, D.C. 20315

THIS REPORT IS THE PROPERTY OF THE ARMY  
IT IS LOANED TO YOUR ORGANIZATION AND  
IT IS TO BE RETURNED TO THE ARMY  
DISTRIBUTION IS UNLIMITED

/s

#### DISPOSITION

Destroy this report when it is no longer needed. Do not return it to the originator.

#### DISCLAIMER

The findings in this report are not to be construed as an official Department of the Army position.

MAXIMUM LIKELIHOOD ESTIMATION OF DISTRIBUTION PARAMETERS  
FROM GENERALLY CENSORED SAMPLES

ABSTRACT

Cross-Reference Data

A simple derivation of Maximum Likelihood  
the likelihood function for Likelihood Function  
generally censored samples Censored Data  
is given, where "generally Truncated Tests  
censored sample" connotes:  
a set of failure data con-  
taining both failures and  
survivors with various dif-  
ferent tentative survival  
times.

TABLE OF CONTENTS

| <u>SECTION</u> |                     | <u>PAGE</u> |
|----------------|---------------------|-------------|
|                | Abstract            | 1           |
| 1              | Introduction        | 3           |
| 2              | Multinomial Process | 4           |
| 3              | Likelihood Function | 6           |
|                | References          | 14          |
|                | DD Forms 1473       |             |

## 1. INTRODUCTION

In an ideal situation, one is presented with a set of failure data in which every piece of data indicates that a failure has taken place, i.e., one has information on failures and on failures only. In this simplest of situations, parameter estimation may be carried out in a variety of relatively simple ways.

More often than not, however, this situation is not the case; instead, one is presented with a number of indicated failures and some additional information on items which have been tested to varying degrees, but not to failure. The reason for lack of further testing on the unfailed specimens may be an economic one or it may be that the unfailed items have been discarded for virtually any reason. Irrespective of the reasons involved, the data has been "censored", i.e., someone has either purposely or inadvertently prevented us from seeing just exactly when some of the items tested will fail. This report deals with the general method of maximum likelihood as applied to this general censoring problem.

## 2. MULTINOMIAL PROCESS

The multinomial process is of central importance in the derivation of the censored likelihood function. A multinomial process is simply the repeated performance of an experiment  $E$   $n$  times where the experiment has  $r$  (mutually exclusive and exhaustive) outcomes with associated probabilities. A description of the process may be abbreviated symbolically:

Perform experiment  $E$   $n$  times where the outcomes of  $E$  are:

$$Q_1, Q_2, \dots, Q_r$$

and

$$P(Q_i) = p_i \quad i=1, 2, \dots, r$$

Repetition of experiment  $E$  may be viewed as a composite experiment  $E_c$ , a typical outcome of which is:

$$Q_c \equiv n_1 Q_1', n_2 Q_2', \dots, n_r Q_r'$$

are observed. The probability of this typical outcome of  $E_c$  is given by:

$$P(Q_c) = P(n_1, n_2, \dots, n_r)$$

$$= \frac{n!}{n_1! n_2! \dots n_r!} p_1^{n_1} p_2^{n_2} \dots p_r^{n_r}$$

(1)

This formula is given in any elementary statistics text under the heading "multinomial distribution." It should be noted that  $P(Q_c)$  is merely the probability of an outcome of  $E_c$ ; in general one wants the probability of an event (aggregation of outcomes). An event is given by a set of conditions on the  $n_i$ .

Therefore,


$$P(A) = \sum_{\substack{\text{(such that the } n_i \text{ satisfy} \\ \text{condition A)}}} P(n_1, n_2, \dots, n_r)$$

(2)

### 3. LIKELIHOOD FUNCTION

The principle of maximum likelihood dictates that we find the parameters which maximize the theoretical probability of obtaining the results we actually did obtain, i.e., other results "should" be less likely than the actual results.

The theoretical probability of obtaining the observed results must therefore be obtained first. The event describing the observed results is:  $K$   $x$ 's fail at specific times  $x_1, x_2, \dots, x_K$  and  $N$   $x$ 's survive for various lengths of time  $s_1 \leq s_2 \leq \dots \leq s_N$  without failing ( $N + K = n$ ). Pictorially, the actual test results will look like:



A theoretical one by one test of each item to failure may be viewed as a multinomial process with the following outcomes (for  $E$ ).

$$Q'_1 \equiv x \in (x_1, x_1 + dx)$$

$$Q'_2 \equiv x \in (x_2, x_2 + dx)$$

⋮

$$Q'_K \equiv x \in (x_K, x_K + dx)$$

$$Q_1 \equiv x \in (x_1, x_2)$$

$$Q_2 \equiv x \in (x_2, x_3)$$

⋮

$$Q_{N-1} \equiv x \in (x_{N-1}, x_N)$$

$$Q_N \equiv x \in (x_N, \infty)$$

$$Q_{N+1} \equiv x \text{ is elsewhere.}$$

Strictly speaking, these outcomes are not mutually exclusive in a set theoretic sense; they are in a measure theoretic sense, however, and this is sufficient. This abuse of notation should be tolerated here for the sake of brevity.

If  $f$  is the underlying density function and  $F$  is the distribution function, the probabilities corresponding to these outcomes are:

$$P'_1 = f(x_1) dx$$

$$P'_2 = f(x_2) dx$$

$$\vdots$$

$$P'_K = f(x_K) dx$$

$$P_1 = F(s_2) - F(s_1)$$

$$P_2 = F(s_3) - F(s_2)$$

$$\vdots$$

$$P_{N-1} = F(s_N) - F(s_{N-1})$$

$$P_N = F(\infty) - F(s_N) = 1 - F(s_N)$$

Now that  $E$  has been specified, the probability of obtaining the observed results in a theoretical test of  $N$  items to failure is desired. The event describing the observed results is:

$$n'_1 = 1$$

$$n'_2 = 1$$

$$\vdots$$

$$n'_K = 1$$

$$n_1 = k_1$$

$$n_2 = k_2$$

$$\vdots$$

$$n_N = k_N$$

$$n_{N+1} = 0$$

and

$$k_i \leq 1$$

$$k_1 + k_2 \leq 2$$

$$\vdots$$

$$\sum_{i=1}^j k_i \leq j$$

$$\vdots$$

$$\sum_{i=1}^N k_i = N$$

The probability of obtaining the observed results is therefore:

$$P = \sum \frac{n!}{1!1!\dots1!k_1! \dots k_N!} p_1' \dots p_k' p_1^{k_1} \dots p_N^{k_N} p_{N+1}^0$$

$$(l \leq N \Rightarrow \sum_{i=1}^l k_i \leq l,)$$

$$\sum_{i=1}^N k_i = N$$
(3)

$$= \sum \frac{n!}{k_1! \dots k_N!} \left[ \prod_{i=1}^K f(x_i) dx \right] \left[ \prod_{j=1}^N \{F(x_{j+1}) - F(x_j)\}^{k_j} \right]$$

$$(l \leq N \Rightarrow \sum_{i=1}^l k_i \leq l,)$$

$$\sum_{i=1}^N k_i = N$$
(4)

where  $x_{N+1} = \infty$

These sums are to be taken over all  $k$  such that

$$\sum_{i=1}^l k_i \leq l \quad \left( \text{for all } l \leq N \right)$$

That is, for each term of the sum, all  $k$ 's must be assigned and they must be assigned such that for all  $l \leq N$ ,

$$\sum_{i=1}^l k_i \leq l.$$

The symbol



denotes "implies."

The likelihood function is therefore defined:

$$L = \sum \frac{n!}{k_1! \dots k_N!} \left[ \prod_{i=1}^K f(x_i) \right] \left[ \prod_{j=1}^N \left\{ F(a_{j+1}) - F(a_j) \right\}^{k_j} \right]$$

$$(l \leq N \Rightarrow \sum_{i=1}^l k_i \leq l, \quad (a_{N+1} = \infty))$$

$$\sum_{i=1}^N k_i = N$$

(5)

This expression may be written logarithmically:

$$L = \sum \frac{n!}{k_1! \dots k_N!} \exp \left\{ \sum_{i=1}^K \ln f(x_i) + \sum_{j=1}^N k_j \ln [F(a_{j+1}) - F(a_j)] \right\}$$

$$(l \leq N \Rightarrow \sum_{i=1}^l k_i \leq l, \quad \sum_{i=1}^N k_i = N)$$

(6)

Equation (5) may be written more succinctly if one of the products is factored out:

$$L = \prod_{i=1}^K f(x_i) \sum_{\substack{k_1, \dots, k_N \\ \left( \begin{array}{l} l \leq N \Rightarrow \sum_{i=1}^l k_i \leq l, \\ \sum_{i=1}^N k_i = N \end{array} \right)}} \frac{n!}{k_1! \dots k_N!} \prod_{j=1}^N \left\{ F(x_{j+1}) - F(x_j) \right\}^{k_j}$$

(7)

$$= S \prod_{i=1}^K f(x_i)$$

Consider the case when say  $N = 3$ . There are five terms for  $S$  in this case; the  $k$ 's for each term are given by the table:

|       | $k_1$ | $k_2$ | $k_3$ |
|-------|-------|-------|-------|
| $S_1$ | 1     | 1     | 1     |
| $S_2$ | 0     | 2     | 1     |
| $S_3$ | 1     | 0     | 2     |
| $S_4$ | 0     | 1     | 2     |
| $S_5$ | 0     | 0     | 3     |

An important special case arises when  $a_1 = a_2 =$   
 $= a_3 = \dots = a_N$  . In this case, all terms of  
 $S$  vanish except one; the maximization of the likeli-  
hood function is therefore considerably easier. The like-  
lihood function will in general be amenable to maximization  
only through an approximate numerical method. Such a  
method may involve taking the first or second partial  
derivatives of  $L$  with respect to the parameters.

REFERENCES:

Shooman, M. L., Probabilistic Reliability,  
McGraw-Hill, pp. 475 - 480

DOCUMENT CONTROL DATA - R & D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

|                                                                                                                                                                                                                                                                       |  |                                                                             |                          |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------|--------------------------|
| 1. ORIGINATING ACTIVITY (Corporate author)<br><br>Watervliet Arsenal<br>Watervliet, N.Y. 12189                                                                                                                                                                        |  | 2a. REPORT SECURITY CLASSIFICATION<br><br>Unclassified                      |                          |
|                                                                                                                                                                                                                                                                       |  | 2b. GROUP                                                                   |                          |
| 3. REPORT TITLE<br><br>MAXIMUM LIKELIHOOD ESTIMATION OF DISTRIBUTION PARAMETERS FROM GENERALLY CENSORED SAMPLES                                                                                                                                                       |  |                                                                             |                          |
| 4. DESCRIPTIVE NOTES (Type of report and inclusive dates)<br><br>Technical Report                                                                                                                                                                                     |  |                                                                             |                          |
| 5. AUTHOR(S) (First name, middle initial, last name)<br><br>Royce W. Soanes, Jr.                                                                                                                                                                                      |  |                                                                             |                          |
| 6. REPORT DATE<br><br>June 1969                                                                                                                                                                                                                                       |  | 7a. TOTAL NO. OF PAGES<br><br>16                                            | 7b. NO. OF REFS<br><br>1 |
| 8a. CONTRACT OR GRANT NO.<br><br>-                                                                                                                                                                                                                                    |  | 9a. ORIGINATOR'S REPORT NUMBER(S)<br><br>WVT-6923                           |                          |
| b. PROJECT NO. -                                                                                                                                                                                                                                                      |  |                                                                             |                          |
| c.                                                                                                                                                                                                                                                                    |  | 9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report) |                          |
| d.                                                                                                                                                                                                                                                                    |  |                                                                             |                          |
| 10. DISTRIBUTION STATEMENT<br><br>This document has been approved for public release and sale; its distribution is unlimited.                                                                                                                                         |  |                                                                             |                          |
| 11. SUPPLEMENTARY NOTES                                                                                                                                                                                                                                               |  | 12. SPONSORING MILITARY ACTIVITY<br><br>U. S. Army Weapons Command          |                          |
| 13. ABSTRACT<br><br>A simple derivation of the likelihood function for generally censored samples is given, where "generally censored sample" connotes: a set of failure data containing both failures and survivors with various different tentative survival times. |  |                                                                             |                          |

| 14. KEY WORDS       | LINK A |    | LINK B |    | LINK C |    |
|---------------------|--------|----|--------|----|--------|----|
|                     | ROLE   | WT | ROLE   | WT | ROLE   | WT |
| Maximum Likelihood  |        |    |        |    |        |    |
| Likelihood Function |        |    |        |    |        |    |
| Censored Data       |        |    |        |    |        |    |
| Truncated Tests     |        |    |        |    |        |    |

|                                                                                                                                                                                                                                                               |                                                                               |                                                                                                                                                                                                                                                               |                                                                               |                                                                               |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|-------------------------------------------------------------------------------|
| AD <u>Benet Laboratories, Watervliet Arsenal, Watervliet, N.Y.</u><br>MAXIMUM LIKELIHOOD ESTIMATION OF DISTRIBUTION PARAMETERS<br>FROM GENERALLY CENSORED SAMPLES by Royce W. Soanes, Jr.<br>Report No. WWT-6923, June 1969, 16 pages. Unclassified<br>Report | Maximum Likelihood<br>Likelihood Function<br>Censored Data<br>Truncated Tests | AD <u>Benet Laboratories, Watervliet Arsenal, Watervliet, N.Y.</u><br>MAXIMUM LIKELIHOOD ESTIMATION OF DISTRIBUTION PARAMETERS<br>FROM GENERALLY CENSORED SAMPLES by Royce W. Soanes, Jr.<br>Report No. WWT-6923, June 1969, 16 pages. Unclassified<br>Report | Maximum Likelihood<br>Likelihood Function<br>Censored Data<br>Truncated Tests | Maximum Likelihood<br>Likelihood Function<br>Censored Data<br>Truncated Tests |
| A simple derivation of the likelihood function for generally censored samples is given, where "generally censored sample" connotes: a set of failure data containing both failures and survivors with various different tentative survival times.             | Distribution<br>Unlimited                                                     | A simple derivation of the likelihood function for generally censored samples is given, where "generally censored sample" connotes: a set of failure data containing both failures and survivors with various different tentative survival times.             | Distribution<br>Unlimited                                                     | Distribution<br>Unlimited                                                     |
| AD <u>Benet Laboratories, Watervliet Arsenal, Watervliet, N.Y.</u><br>MAXIMUM LIKELIHOOD ESTIMATION OF DISTRIBUTION PARAMETERS<br>FROM GENERALLY CENSORED SAMPLES by Royce W. Soanes, Jr.<br>Report No. WWT-6923, June 1969, 16 pages. Unclassified<br>Report | Maximum Likelihood<br>Likelihood Function<br>Censored Data<br>Truncated Tests | AD <u>Benet Laboratories, Watervliet Arsenal, Watervliet, N.Y.</u><br>MAXIMUM LIKELIHOOD ESTIMATION OF DISTRIBUTION PARAMETERS<br>FROM GENERALLY CENSORED SAMPLES by Royce W. Soanes, Jr.<br>Report No. WWT-6923, June 1969, 16 pages. Unclassified<br>Report | Maximum Likelihood<br>Likelihood Function<br>Censored Data<br>Truncated Tests | Maximum Likelihood<br>Likelihood Function<br>Censored Data<br>Truncated Tests |
| A simple derivation of the likelihood function for generally censored samples is given, where "generally censored sample" connotes: a set of failure data containing both failures and survivors with various different tentative survival times.             | Distribution<br>Unlimited                                                     | A simple derivation of the likelihood function for generally censored samples is given, where "generally censored sample" connotes: a set of failure data containing both failures and survivors with various different tentative survival times.             | Distribution<br>Unlimited                                                     | Distribution<br>Unlimited                                                     |

|                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                               |                                                                                                                |                                                                                                                |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| AD <u>Benet Laboratories, Watervliet Arsenal, Watervliet, N.Y.</u><br>MAXIMUM LIKELIHOOD ESTIMATION OF DISTRIBUTION PARAMETERS<br>FROM GENERALLY CENSORED SAMPLES by Royce W. Soanes, Jr.<br>Report No. WVT-6923, June 1969, 16 pages. Unclassified<br>Report | AD <u>Benet Laboratories, Watervliet Arsenal, Watervliet, N.Y.</u><br>MAXIMUM LIKELIHOOD ESTIMATION OF DISTRIBUTION PARAMETERS<br>FROM GENERALLY CENSORED SAMPLES by Royce W. Soanes, Jr.<br>Report No. WVT-6923, June 1969, 16 pages. Unclassified<br>Report | Maximum Likelihood<br>Likelihood Function<br>Censored Data<br>Truncated Tests<br><br>Distribution<br>Unlimited | Maximum Likelihood<br>Likelihood Function<br>Censored Data<br>Truncated Tests<br><br>Distribution<br>Unlimited |
| A simple derivation of the likelihood function for generally censored samples is given, where "generally censored sample" connotes: a set of failure data containing both failures and survivors with various different tentative survival times.             | A simple derivation of the likelihood function for generally censored samples is given, where "generally censored sample" connotes: a set of failure data containing both failures and survivors with various different tentative survival times.             |                                                                                                                |                                                                                                                |
| AD <u>Benet Laboratories, Watervliet Arsenal, Watervliet, N.Y.</u><br>MAXIMUM LIKELIHOOD ESTIMATION OF DISTRIBUTION PARAMETERS<br>FROM GENERALLY CENSORED SAMPLES by Royce W. Soanes, Jr.<br>Report No. WVT-6923, June 1969, 16 pages. Unclassified<br>Report | AD <u>Benet Laboratories, Watervliet Arsenal, Watervliet, N.Y.</u><br>MAXIMUM LIKELIHOOD ESTIMATION OF DISTRIBUTION PARAMETERS<br>FROM GENERALLY CENSORED SAMPLES by Royce W. Soanes, Jr.<br>Report No. WVT-6923, June 1969, 16 pages. Unclassified<br>Report | Maximum Likelihood<br>Likelihood Function<br>Censored Data<br>Truncated Tests<br><br>Distribution<br>Unlimited | Maximum Likelihood<br>Likelihood Function<br>Censored Data<br>Truncated Tests<br><br>Distribution<br>Unlimited |
| A simple derivation of the likelihood function for generally censored samples is given, where "generally censored sample" connotes: a set of failure data containing both failures and survivors with various different tentative survival times.             | A simple derivation of the likelihood function for generally censored samples is given, where "generally censored sample" connotes: a set of failure data containing both failures and survivors with various different tentative survival times.             |                                                                                                                |                                                                                                                |