

AD693252

ECOM-5258

July 1969

AD

VERTICAL WIND COMPONENT ESTIMATES UP TO 1.2 KM ABOVE GROUND

By

LAURENCE J. RIDER

And

MANUEL ARMENDARIZ

ATMOSPHERIC SCIENCES LABORATORY

WHITE SANDS MISSILE RANGE, NEW MEXICO

This document has been approved
for publication and sale by
the Department of Defense

Distribution of this
report is unlimited

ECOM

UNITED STATES ARMY ELECTRONICS COMMAND

SEP 24 1969
RECEIVED

38

AC	
CFSTI	W. J. H. 1
DDC	OFF SECTION ☐
UNANNOUNCED	☐
JURISDICTION	
BY	
DISTRIBUTION AVAILABILITY CODES	
DDC	AVAIL. REQ. OR SPECIAL

DDC AVAILABILITY NOTICE

Distribution of this report is unlimited.

DISPOSITION INSTRUCTIONS

Destroy this report when it is no longer needed. Do not return it to the originator.

VERTICAL WIND COMPONENT ESTIMATES
UP TO 1.2 KM ABOVE GROUND

By

Laurence J. Rider
and
Manuel Armendariz

ECOM-5258

July 1969

DA TASK 1T061102B53A-17

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, NEW MEXICO

Distribution of this
report is unlimited.

ABSTRACT

Vertical wind components were computed up to 1.2 km from 37 wintertime and 10 summertime balloon observations between 0900 and 1200 local time utilizing the accurate and high resolution Cinetheodolite/Jimsphere system. The mean ascent rate of the Jimsphere was computed from all observations taken on a particular day. The ascent rate was found to be 5.16 m sec^{-1} for the winter and 5.10 m sec^{-1} for the summer months. The individual variations of a given observation from the mean ascent rate were assumed to be the vertical component. Variations in balloon ascent caused by variation in drag, anomalous variation in atmospheric density, balloon response to the wind, and aerodynamically induced motions are discussed. Vertical wind components ranged from $10 - 25 \text{ cm sec}^{-1}$ in a stable atmosphere and $55 - 100 \text{ cm sec}^{-1}$ under unstable conditions depending on wind speed.

ACKNOWLEDGEMENT

The authors wish to express their appreciation to Dr. L. Duncan of White Sands Missile Range for his assistance in deriving the frequency response function for the smoothing technique used here, to Prof. James Scoggins of Texas A&M for his helpful suggestions, and to Juana Serna for computer programming assistance.

CONTENTS

	Page
ABSTRACT - - - - -	-iii
INTRODUCTION - - - - -	1
COLLECTION AND TREATMENT OF DATA - - - - -	2
DISCUSSION AND RESULTS - - - - -	3
CONCLUSIONS - - - - -	17
REFERENCES - - - - -	18
APPENDIX A. Frequency Response for the 11-Point Second-Degree Polynomial Smoothing - - - - -	19

INTRODUCTION

Considerable attention has been given to the vertical component of atmospheric turbulence in the very lowest few meters of the atmosphere, but far too little study has been made of the fluctuations of the vertical wind component above meteorological tower level. There are two reasons for this; first, the parameters are most accessible to measurements at tower heights; and second, a convenient organization of the data has developed gradually from the standpoint that the turbulent properties are characterized by the vertical fluxes of momentum and heat, both of which are assumed constant within the lowest few meters of the atmosphere. As a result, there are available useful, although empirical, generalizations (Lumley and Panofsky, 1964) from which certain statistical properties of turbulence are prescribable, given a knowledge of the terrain and general weather conditions. At greater heights, above about 100 m, conditions are very different, and the acquisition of acceptable quality data is much more difficult. Moreover, the simplifications of constant stress and flux are not applicable. The understanding of the mechanics of turbulent motion presents a much more difficult task above the surface boundary layer. Nevertheless, the deeper layer is of considerable importance in meteorological problems, especially in the sense that its properties determine the medium-range spread of atmospheric contaminants.

Until recently, there have been only two main sources of direct measurement of vertical wind components at heights above tower level. The two techniques have been primarily measurements from vanes on tethered balloons (Smith, 1961) and the use of a slow aircraft for a platform (Bunker, 1956). Recently, DeMandel and Krivo (1968) investigated the capability of the FPS-16 Radar/Jimsphere system for direct measurement of vertical air motions up to an altitude of 15 km. They concluded that a measure of the vertical wind component may be derived from Jimsphere (a 2 m diameter superpressure balloon of constant volume) ascent-rate data despite the high noise level in the original data and despite the difficulty in distinguishing between balloon response to buoyancy and to vertical air motions.

Most of the data in this study were obtained utilizing 2 m diameter Jimspheres, except on 10 July 1967 when one-meter diameter Jimspheres were used. Some important techniques used in this study that differ from those used by DeMandel and Krivo are: (1) the tracking of the Jimsphere balloon was accomplished by accurate and high-resolution cinetheodolite cameras (three or four) instead of the FPS-16 radar, which, according to Scoggins and Armendariz (1969) contains many sources of errors, and (2) the data extended to an altitude of only 1.2 km as compared to 15 km in the DeMandel and Krivo study. In addition, there were some differences in the treatment of the data, but the objectives were basically the same. For example, the data in this paper were

smoothed by a least-squares 11-point moving-arc filter, whereas DeMandel and Krivo fitted a first-degree polynomial by the least-squares method as done by Scoggins (1963). Smoothing techniques virtually eliminated high frequency ($>.22\text{cps}$) aerodynamically induced balloon motions from the data as well as systems error. It will be shown that variations in the ascent rate of a constant volume balloon such as the Jimsphere due to density anomalies encountered during a particular flight up to 2 km are insignificant.

One of the primary applications of the results of this kind of vertical wind measurements is in the area of particle diffusion, particularly on a mesoscale under conditions of a thermally stratified atmosphere. The existence or lack of vertical current through a surface temperature inversion to stronger horizontal winds above can determine the rate of diffusion of contaminants released near the surface.

COLLECTION AND TREATMENT OF DATA

The data in this study were obtained from a number of Jimsphere balloons which were tracked by three or four cinetheodolite cameras on two wintertime days, 29 November 1966, and 12 December 1966, and two summertime days, 10 July 1967 and 5 August 1968.

Cinetheodolite position measurements in spherical coordinates were recorded at one-second intervals and were smoothed by an 11-point moving-arc second-degree polynomial (see Appendix) converted to cartesian coordinates; then x,y,z component velocities of the balloon movement were computed.

The mean z-component of the balloon movement was calculated for each run (made at 6-minute intervals), and an average of the means for all runs during a period of operation was assumed to be the mean ascent rate of the balloon for that particular period. For example, on the 29th of November 1966, the mean ascent rate was $5.16 \text{ m second}^{-1}$ for all of the 2-meter Jimspheres released in a two-and-one-quarter-hour period. An identical ascent rate was obtained for all ascents during a two-hour period on the 12th of December 1966. The same procedure was followed with a series of 1-meter Jimspheres released on the 10th of July 1967, and the mean ascent rate was $4.23 \text{ m second}^{-1}$. On the 5th of August 1968, 2-meter Jimspheres were used, and the mean ascent rate was found to be $5.10 \text{ m second}^{-1}$.

The mean ascent rate for all Jimsphere runs conducted during an approximate two-hour period on a specific day (such as 29 November 1966, $5.16 \text{ m second}^{-1}$) was then subtracted from individual ascent rate profiles at each second data point and the differences assumed to be largely due to the effects of vertical air motions.

These differences, which will be called vertical wind (w), are considered to be downward if negative (less than the mean for the series on that particular day) and upward if positive (greater than the mean). These differences were algebraically averaged through 100 m layers from the surface to 1.2 km, yielding a net mean upward or downward wind component for each 100 m layer in the algebraic averaged results, or in the case where the sign (up or down) was disregarded, an absolute magnitude of the vertical components was obtained for each 100 m layer.

DISCUSSION AND RESULTS

Before one assumes that the variations in ascent rate in individual runs from the mean ascent rate for numerous runs taken during a two-hour period are due to vertical winds alone, one should consider known factors which may influence balloon motion. These include: (1) aerodynamically induced balloon motions, (2) balloon response to vertical shear of the horizontal wind, (3) icing and condensation, (4) variations in size and/or mass of the balloon, (5) anomalous variation in atmospheric density, and (6) variation in the drag coefficient.

The Jimsphere experiences aerodynamically induced oscillations having a wavelength of approximately 22 meters (Cf. Rogers and Camnitz, 1965; Armendariz and Rachele, 1967; and Rider and Armendariz, 1968). Most of these oscillations were removed by the smoothing technique used in this study (see Appendix). Extreme wind shears which are necessary to produce a significant change in the vertical motion of a Jimsphere must occur over a very thin layer and therefore their effect would be removed by the smoothing performed on the data (DeMandel and Krivo, 1968).

The data used in this study were obtained on days when the moisture content was far below saturation at the levels considered, and there was no precipitation in the vicinity at the time of balloon ascent.

The Jimsphere balloon is a constant-volume balloon, and it can be safely assumed within the limits of the data used, up to 1.2 km, that there was no significant change in the size or mass of the balloon and its helium content.

DeMandel and Krivo (1968) developed an expression for balloon ascent (V_z) by considering the forces on a balloon rising through a quiescent atmosphere. The resultant expression in CGS units can be written as:

$$C_D V_z^2 = 2.26 \times 10^5 - \frac{1}{\rho} \left(25.5 + \frac{63.1}{T_b} \right) + 3.61 \times 10^4 \frac{t}{T_b} \quad (1)$$

where

C_D = coefficient of drag

V_z = balloon ascent rate

ρ = density

T_b = internal temperature of the helium

T = ambient temperature

t = deviation of temperature so that $T_b = T + t$.

[Since in this study T_b varied from approximately 250 to near 300°K, ρ varied from approximately 1.07×10^{-3} to $.92 \times 10^{-3}$ g cm⁻³, and t was generally less than 10°K, the above expression was simplified to:

$$C_D V_z^2 = 2.26 \times 10^5 - \frac{1}{\rho} (25.5) \quad (2)$$

because the two terms dropped from equation (1) are approximately two orders of magnitude smaller than the others, as found by DeMandel et al.] Graphical presentation (Figure 10) of the change in C_D for a change in vertical wind speed for the limiting values of density in this study shows that for a given C_D , V_z can change approximately 5 cm second⁻¹ due to the extreme change in density shown. However, it is improbable that such an extreme change of density would be encountered in the general atmosphere over small distances (less than 50 m), and one must conclude that anomalous variations in atmospheric density, within the time limits of this study, will cause only minor changes in ascent rate which can be safely disregarded.

If one considers the effect of wind shears or change in drag, DeMandel et al. found that, for the Jimsphere, extreme wind shears would change the vertical velocity of the balloon by no more than 1.5 cm second⁻¹. Moreover, they stated that a wind shear that would produce such a change in V_z would extend over a small vertical distance and that filtering or smoothing would remove this effect. The coefficient of drag (C_D) was found to be almost constant, approximately 0.760 at WSMR through the first 1.2 km above the surface. This value of C_D compares favorably with that of DeMandel et al., who found the C_D to be 0.730 for observations at Cape Kennedy.

Two examples of the magnitude and variation of the vertical component of the balloon motion are shown in Figures 1A and 1B. Variation of the ascent rate of the balloon released at 0945 MST, 29 November 1966, is shown in Figure 1A where the vertical solid line represents the mean




FIG. 1A. VARIATION OF THE ASCENT RATE OF THE JIMSPHERE
BALLOON RELEASED AT 0945 MST. 29NOV1966.




FIG.1B. VARIATION OF THE ASCENT RATE OF THE JIMSPHERE
BALLOON RELEASED AT 1115 MST 5AUG1968.

ascent rate ($5.16 \text{ m second}^{-1}$) for all the 2 m balloons released in a two-and-one-quarter-hour period. Figure 1B shows the variation of the ascent rate of the balloon released at 1115 MST, 5 August 1968 where the mean ascent rate is represented by the vertical solid line ($5.10 \text{ m second}^{-1}$).

Figures 2 through 5 show the variation of $\bar{w}$ (by 100 m layers) with height during periods of different degrees of thermal stability. At the same time, reference should be made to Figure 6 in which temperature profiles are plotted from radiosonde observations taken in the same area.

Figure 2 shows $\bar{w}$ for the first two and the last two releases of a series of 20 Jimsphere runs spaced six minutes apart on 29 November 1966. As the instability increased in the lower layers, the magnitude of the mean vertical winds increased from approximately $10 - 25 \text{ cm sec}^{-1}$ to $55 - 85 \text{ cm sec}^{-1}$. Similarly, in Figure 3 there is also a marked increase in vertical winds with an increase in instability during another series of 20 cinetheodolite/Jimsphere runs on 12 December 1966. Continuing this analogy, Figure 4 presents the vertical variation of the vertical wind for two cinetheodolite/Jimsphere runs an hour apart on 10 July 1967 and Figure 5 two runs an hour apart on 5 August 1968. Vertical wind components are stronger, and updraft and downdrafts are sustained through deeper layers with decreasing stability. Further variation of vertical wind with height and stability can be seen in Figure 7 where the absolute means $|\bar{w}|$ by 100 m layers for all the soundings made on a particular day are plotted.

For study of the behavior of the standard deviation of the vertical wind (σ_w) above the surface boundary layer, there are primarily the measurements by Smith (1961) from vanes mounted on tethered balloons and by Bunker (1956) by means of a slow aircraft. Figure 8 reproduces Smith's observed relation between the standard deviation of vertical angle, wind speed, and stability. The variation of σ_w (with stability) was objectively confirmed by associating with each $\bar{w}$ point the stability deduced from observations of temperature gradient in the vertical, made as near as possible to the time of record. This study agrees in a general way with Figure 8, as can be seen in Figure 9, which was plotted from the cinetheodolite/Jimsphere data. The difference in the methods of arriving at a stability classification by Smith and in this paper must be pointed out. Smith obtained the overall lapse rate from the ground up to the vane, whereas in this study, the lapse rate was considered only for individual 100 m layers where $\bar{w}$, σ_w , and the horizontal wind (u) were computed. In addition, Smith's measurements of $\bar{w}$, σ_w , and u are Eulerian or Lagrangian, but perhaps more nearly Lagrangian than Eulerian. Much of the data were collected in the winter with stable lapse rate and relatively light winds. This gave several points with the ratio




FIG. 2. ALGEBRAIC MEANS OF THE COMPUTED VERTICAL WIND FOR THE FIRST AND LAST TWO OBSERVATIONS FOR 29 NOV. 1966.




FIG. 3 ALGEBRAIC MEANS OF THE COMPUTED VERTICAL WIND FOR THE FIRST AND LAST TWO OBSERVATIONS FOR 12 DEC. 1966.




FIG. 4 ALGEBRAIC MEANS OF THE COMPUTED VERTICAL WIND FOR THE FIRST AND LAST TWO OBSERVATIONS FOR 10 JULY 1967.




FIG. 5. ALGEBRAIC MEANS OF THE COMPUTED VERTICAL WIND FOR THE FIRST AND LAST OBSERVATION FOR 5 AUG. 1968




FIG. 6. TEMPERATURE PROFILES FOR 0800 AND 1200 MST ON 29 NOV. 1966 AND 12 DEC. 1966, AND FOR 0800 MST ON 10 JULY 1967 AND 5 AUG. 1968.




FIG. 7. ABSOLUTE MEANS OF THE COMPUTED VERTICAL WIND FOR PARTICULAR DAYS.




FIG. 8. THE RATIO OF σ_w TO $\bar{U}$ AS A FUNCTION $\bar{U}$ AND STABILITY BETWEEN 500 AND 5000 FEET AT CARDINGTON. (SMITH, 1961)




FIG. 9. THE RATIO OF σ_w TO $\bar{U}$ AS A FUNCTION OF $\bar{U}$ AND STABILITY BETWEEN THE SURFACE AND 1200 METERS AT WSMR.




FIG.10. BALLOON ASCENT RATE VERSUS THE CONSTANT C_D IN THE RELATIONSHIP
 $V = \left[\frac{1}{C_D} \left(2.26 \times 10^3 - \frac{25.5}{\rho} \right) \right]^{1/2}$ FOR A DENSITY OF 920 AND 1070 g/m³.

$\sigma_w/\bar{u}$ less than .10 and wind speed less than 8 mps. However, there were several situations with stable lapse rate and horizontal winds up to nearly 17 mps.

CONCLUSIONS

It appears that vertical wind components can be estimated within the first few hundred meters above the surface by utilizing the cinetheodolite/Jimsphere system with suitable smoothing techniques. The magnitude of these vertical wind components is apparently controlled to a large degree by the thermal stability of the atmosphere. In unstable air the vertical winds are much stronger (55 - 100 cm sec⁻¹) and the sign (up or down) persists through much deeper layers than when the air is stable. Under stable conditions, vertical wind components are of the order of 10 - 25 cm sec⁻¹. This agrees well with accepted theory since convective turbulence has a much longer wavelength than mechanical turbulence. The variability of the vertical wind is a function of stability to some degree, as well as of the horizontal wind speed.

REFERENCES

- Armendariz, Manuel, and Henry Rachele, 1967: "Determination of a Representative Wind Profile from Balloon Data." J. Geophys. Res., 72, 2997-3006.
- Bunker, A. F., 1956: "Stress, Turbulence, and Heat Flux Measurements Over the Gulf of Maine and Surrounding Land." Rep. No. 56-65. Woods Hole Oceanograph. Institution.
- DeMandel, R. E., and S. J. Krivo, 1968: "Capability of the FPS-16 Radar/Jimsphere System for Direct Measurement of Vertical Air Motions." Contract No. NAS8-20082 by Lockheed Missile and Space Co., Huntsville, Alabama for Aero-astronautics Laboratory.
- Lumley, John L., and Hans A. Panofsky, 1964: The Structure of Atmospheric Turbulence. John Wiley and Sons.
- Rider, Laurence J., and Manuel Armendariz, 1968: "A Comparison of Simultaneous Wind Profiles Derived from Smooth and Roughened Spheres." J. Appl. Meteor., 7, 293-296.
- Rogers, R. R., and H. G. Camitz, 1965: "Project Baldy - An Investigation of Aerodynamically Induced Balloon Motions." NASA Contract NAS8-11140, Marshall Space Flight Center, Huntsville, Alabama.
- Scoggins, James R., 1962: "An Evaluation of Detail Wind Data as Measured by the FPS-16 Radar/Spherical Balloon Technique." MTP-AERO-62-38, Marshall Space Flight Center, Huntsville, Alabama.
- Scoggins, James R., and Manuel Armendariz, 1969: "On the Measurement of Winds by the FPS-16 Radar/Spherical Balloon Method." J. Applied Meteor., 8.
- Smith, F. B., 1961: "An Analysis of Vertical Wind-Fluctuations at Heights Between 500 and 5000 ft." Meteor. Office and C.D.F.E., Porton Down, Wilts.

APPENDIX A

Frequency Response for the 11-Point Second-Degree Polynomial Smoothing

This smoothing is accomplished by fitting a second-degree polynomial to 11 consecutive points by least squares and evaluating the polynomial at the midpoint. This process is continued by "slipping" one point until all the data are smoothed (except the first and last five points).

The normal equations for the least squares fit are:

$$\begin{aligned}\Sigma x &= a\Sigma t^2 + b\Sigma t + nc \\ \Sigma tx &= a\Sigma t^3 + b\Sigma t^2 + c\Sigma t \\ \Sigma t^2x &= a\Sigma t^4 + b\Sigma t^3 + c\Sigma t^2\end{aligned}$$

The computations are considerably simplified by continually "slipping" the t-axis so that the midpoint of the 11 points is defined to be $t = 0$. Observe that $\Sigma t^n = 0$ for n odd. Also the parabola

$$X_s = at^2 + bt + c$$

degenerates to $X_s = c$ since the smoothed value is at the midpoint ($t = 0$).

The normal equations become

$$\begin{aligned}\Sigma x &= a\Sigma t^2 + nc \\ \Sigma tx &= b\Sigma t^2 \\ \Sigma t^2x &= a\Sigma t^4 + c\Sigma t^2\end{aligned}$$

Hence

$$c = \frac{\Sigma t^2 \Sigma t^2 x - \Sigma t^4 \Sigma x}{(\Sigma t^2)^2 - n\Sigma t^4}$$

which can be written as

$$c = \frac{\Sigma (t^2 \Sigma t^2 - \Sigma t^4) x}{(\Sigma t^2)^2 - n\Sigma t^4}$$

In terms of filter weights this becomes, since $\Delta t = 1$,

$$X_s = \frac{\sum (i^2 \Sigma i^2 - \Sigma i^4) X_i}{(\Sigma i^2)^2 - n \Sigma i^4} = \sum W_i X_i$$

where X_s is the smoothed value and each of the summations is $\sum_{i=-5}^5$.

Performing the arithmetic gives (observe $W_{-i} = W_i$)

$$W_0 = 1958/9438 \quad W_1 = 1848/9438 \quad W_2 = 1518/9438.$$

$$W_3 = 968/9438 \quad W_4 = 198/9438 \quad W_5 = 792/9438.$$

The filter response is, since $\Delta t = 1$,

$$\begin{aligned} R(f) &= W_0 + 2 \sum_{i=1}^5 W_i \cos 2\pi i f \\ &= \frac{1}{9438} [1958 + 2\{1848 \cos 2\pi f + 1518 \cos 4\pi f + 968 \cos (6\pi f) \\ &\quad + 198 \cos 8\pi f - 792 \cos 10\pi f\}]. \end{aligned}$$

ATMOSPHERIC SCIENCES RESEARCH PAPERS

1. Webb, W.L., "Development of Droplet Size Distributions in the Atmosphere," June 1954.
2. Hansen, F. V., and H. Rachele, "Wind Structure Analysis and Forecasting Methods for Rockets," June 1954.
3. Webb, W. L., "Net Electrification of Water Droplets at the Earth's Surface," *J. Meteorol.*, December 1954.
4. Mitchell, R., "The Determination of Non-Ballistic Projectile Trajectories," March 1955.
5. Webb, W. L., and A. McPike, "Sound Ranging Technique for Determining the Trajectory of Supersonic Missiles," #1, March 1955.
6. Mitchell, R., and W. L. Webb, "Electromagnetic Radiation through the Atmosphere," #1, April 1955.
7. Webb, W. L., A. McPike, and H. Thompson, "Sound Ranging Technique for Determining the Trajectory of Supersonic Missiles," #2, July 1955.
8. Barichivich, A., "Meteorological Effects on the Refractive Index and Curvature of Microwaves in the Atmosphere," August 1955.
9. Webb, W. L., A. McPike and H. Thompson, "Sound Ranging Technique for Determining the Trajectory of Supersonic Missiles," #3, September 1955.
10. Mitchell, R., "Notes on the Theory of Longitudinal Wave Motion in the Atmosphere," February 1956.
11. Webb, W. L., "Particulate Counts in Natural Clouds," *J. Meteorol.*, April 1956.
12. Webb, W. L., "Wind Effect on the Aerobee," #1, May 1956.
13. Rachele, H., and L. Anderson, "Wind Effect on the Aerobee," #2, August 1956.
14. Beyers, N., "Electromagnetic Radiation through the Atmosphere," #2, January 1957.
15. Hansen, F. V., "Wind Effect on the Aerobee," #3, January 1957.
16. Kershner, J., and H. Bear, "Wind Effect on the Aerobee," #4, January 1957.
17. Hoidale, G., "Electromagnetic Radiation through the Atmosphere," #3, February 1957.
18. Querfeld, C. W., "The Index of Refraction of the Atmosphere for 2.2 Micron Radiation," March 1957.
19. White, Lloyd, "Wind Effect on the Aerobee," #5, March 1957.
20. Kershner, J. G., "Development of a Method for Forecasting Component Ballistic Wind," August 1957.
21. Layton, Ivan, "Atmospheric Particle Size Distribution," December 1957.
22. Rachele, Henry and W. H. Hatch, "Wind Effect on the Aerobee," #6, February 1958.
23. Beyers, N. J., "Electromagnetic Radiation through the Atmosphere," #4, March 1958.
24. Prosser, Shirley J., "Electromagnetic Radiation through the Atmosphere," #5, April 1958.
25. Armendariz, M., and P. H. Taft, "Double Theodolite Ballistic Wind Computations," June 1958.
26. Jenkins, K. R. and W. L. Webb, "Rocket Wind Measurements," June 1958.
27. Jenkins, K. R., "Measurement of High Altitude Winds with Loki," July 1958.
28. Hoidale, G., "Electromagnetic Propagation through the Atmosphere," #6, February 1959.
29. McLardie, M., R. Helvey, and L. Traylor, "Low-Level Wind Profile Prediction Techniques," #1, June 1959.
30. Lamberth, Roy, "Gustiness at White Sands Missile Range," #1, May 1959.
31. Beyers, N. J., B. Hinds, and G. Hoidale, "Electromagnetic Propagation through the Atmosphere," #7, June 1959.
32. Beyers, N. J., "Radar Refraction at Low Elevation Angles (U)," Proceedings of the Army Science Conference, June 1959.
33. White, L., O. W. Thiele and P. H. Taft, "Summary of Ballistic and Meteorological Support During IGY Operations at Fort Churchill, Canada," August 1959.
34. Hainline, D. A., "Drag Cord-Aerovane Equation Analysis for Computer Application," August 1959.
35. Hoidale, G. B., "Slope-Valley Wind at WSMR," October 1959.
36. Webb, W. L., and K. R. Jenkins, "High Altitude Wind Measurements," *J. Meteorol.*, 16, 5, October 1959.

37. White, Lloyd, "Wind Effect on the Aerobee," #9, October 1959.
38. Webb, W. L., J. W. Coffman, and G. Q. Clark, "A High Altitude Acoustic Sensing System," December 1959.
39. Webb, W. L. and K. R. Jenkins, "Application of Meteorological Rocket Systems," *J. Geophys. Res.*, 64, 11, November 1959.
40. Duncan, Louis, "Wind Effect on the Aerobee," #10, February 1960.
41. Helvey, R. A., "Low-Level Wind Profile Prediction Techniques," #2, February 1960.
42. Webb, W. L., and K. R. Jenkins, "Rocket Sounding of High-Altitude Parameters," *Proc. GM Rel. Symp.*, Dept. of Defense, February 1960.
43. Armendariz, M., and H. H. Monahan, "A Comparison Between the Double Theodolite and Single-Theodolite Wind Measuring Systems," April 1960.
44. Jenkins, K. R., and P. H. Taft, "Weather Elements in the Tularosa Basin," July 1960.
45. Beyers, N. J., "Preliminary Radar Performance Data on Passive Rocket-Borne Wind Sensors," *IRE TRANS. MIL ELECT.*, MIL-4, 2-3, April-July 1960.
46. Webb, W. L., and K. R. Jenkins, "Speed of Sound in the Stratosphere," June 1960.
47. Webb, W. L., K. R. Jenkins, and G. Q. Clark, "Rocket Sounding of High Atmosphere Meteorological Parameters," *IRE Trans. Mil. Elect.*, MIL-4, 2-3, April-July 1960.
48. Helvey, R. A., "Low-Level Wind Profile Prediction Techniques," #3, September 1960.
49. Beyers, N. J., and O. W. Thiele, "Meteorological Wind Sensors," August 1960.
50. Armijo, Larry, "Determination of Trajectories Using Range Data from Three Non-colinear Radar Stations," September 1960.
51. Carnes, Patsy Sue, "Temperature Variations in the First 200 Feet of the Atmosphere in an Arid Region," July 1961.
52. Springer, H. S., and R. O. Olsen, "Launch Noise Distribution of Nike-Zeus Missiles," July 1961.
53. Thiele, O. W., "Density and Pressure Profiles Derived from Meteorological Rocket Measurements," September 1961.
54. Diamond, M. and A. B. Gray, "Accuracy of Missile Sound Ranging," November 1961.
55. Lamberth, R. L. and D. R. Veith, "Variability of Surface Wind in Short Distances," #1, October 1961.
56. Swanson, R. N., "Low-Level Wind Measurements for Ballistic Missile Application," January 1962.
57. Lamberth, R. L. and J. H. Grace, "Gustiness at White Sands Missile Range," #2, January 1962.
58. Swanson, R. N. and M. M. Hoidale, "Low-Level Wind Profile Prediction Techniques," #4, January 1962.
59. Rachele, Henry, "Surface Wind Model for Unguided Rockets Using Spectrum and Cross Spectrum Techniques," January 1962.
60. Rachele, Henry, "Sound Propagation through a Windy Atmosphere," #2, February 1962.
61. Webb, W. L., and K. R. Jenkins, "Sonic Structure of the Mesosphere," *J. Acous. Soc. Amer.*, 34, 2, February 1962.
62. Tourin, M. H. and M. M. Hoidale, "Low-Level Turbulence Characteristics at White Sands Missile Range," April 1962.
63. Miers, Bruce T., "Mesospheric Wind Reversal over White Sands Missile Range," March 1962.
64. Fisher, E., R. Lee and H. Rachele, "Meteorological Effects on an Acoustic Wave within a Sound Ranging Array," May 1962.
65. Walter, E. L., "Six Variable Ballistic Model for a Rocket," June 1962.
66. Webb, W. L., "Detailed Acoustic Structure Above the Tropopause," *J. Applied Meteorol.*, 1, 2, June 1962.
67. Jenkins, K. R., "Empirical Comparisons of Meteorological Rocket Wind Sensors," *J. Appl. Meteor.*, June 1962.
68. Lamberth, Roy, "Wind Variability Estimates as a Function of Sampling Interval," July 1962.
69. Rachele, Henry, "Surface Wind Sampling Periods for Unguided Rocket Impact Prediction," July 1962.
70. Traylor, Larry, "Coriolis Effects on the Aerobee-Hi Sounding Rocket," August 1962.
71. McCoy, J., and G. Q. Clark, "Meteorological Rocket Thermometry," August 1962.
72. Rachele, Henry, "Real-Time Prelaunch Impact Prediction System," August 1962.

73. Beyers, N. J., O. W. Thiele, and N. K. Wagner, "Performance Characteristics of Meteorological Rocket Wind and Temperature Sensors," October 1962.
74. Coffman, J., and R. Price, "Some Errors Associated with Acoustical Wind Measurements through a Layer," October 1962.
75. Armendariz, M., E. Fisher, and J. Serna, "Wind Shear in the Jet Stream at WS-MR," November 1962.
76. Armendariz, M., F. Hansen, and S. Carnes, "Wind Variability and its Effect on Rocket Impact Prediction," January 1963.
77. Querfeld, C., and Wayne Yunker, "Pure Rotational Spectrum of Water Vapor, I: Table of Line Parameters," February 1963.
78. Webb, W. L., "Acoustic Component of Turbulence," *J. Applied Meteorol.*, 2, 2, April 1963.
79. Beyers, N. and L. Engberg, "Seasonal Variability in the Upper Atmosphere," May 1963.
80. Williamson, L. E., "Atmospheric Acoustic Structure of the Sub-polar Fall," May 1963.
81. Lamberth, Roy and D. Veith, "Upper Wind Correlations in Southwestern United States," June 1963.
82. Sandlin, E., "An analysis of Wind Shear Differences as Measured by AN/FPS-16 Radar and AN/GMD-1B Rawinsonde," August 1963.
83. Diamond, M. and R. P. Lee, "Statistical Data on Atmospheric Design Properties Above 30 km," August 1963.
84. Thiele, O. W., "Mesospheric Density Variability Based on Recent Meteorological Rocket Measurements," *J. Applied Meteorol.*, 2, 5, October 1963.
85. Diamond, M., and O. Essenwanger, "Statistical Data on Atmospheric Design Properties to 30 km," *Astro. Aero. Engr.*, December 1963.
86. Hansen, F. V., "Turbulence Characteristics of the First 62 Meters of the Atmosphere," December 1963.
87. Morris, J. E., and B. T. Miers, "Circulation Disturbances Between 25 and 70 kilometers Associated with the Sudden Warming of 1963," *J. of Geophys. Res.*, January 1964.
88. Thiele, O. W., "Some Observed Short Term and Diurnal Variations of Stratospheric Density Above 30 km," January 1964.
89. Sandlin, R. E., Jr. and E. Armijo, "An Analysis of AN/FPS-16 Radar and AN/GMD-1B Rawinsonde Data Differences," January 1964.
90. Miers, B. T., and N. J. Beyers, "Rocketsonde Wind and Temperature Measurements Between 30 and 70 km for Selected Stations," *J. Applied Meteorol.*, February 1964.
91. Webb, W. L., "The Dynamic Stratosphere," *Astronautics and Aerospace Engineering*, March 1964.
92. Low, R. D. H., "Acoustic Measurements of Wind through a Layer," March 1964.
93. Diamond, M., "Cross Wind Effect on Sound Propagation," *J. Applied Meteorol.*, April 1964.
94. Lee, R. P., "Acoustic Ray Tracing," April 1964.
95. Reynolds, R. D., "Investigation of the Effect of Lapse Rate on Balloon Ascent Rate," May 1964.
96. Webb, W. L., "Scale of Stratospheric Detail Structure," *Space Research V*, May 1964.
97. Barber, T. L., "Proposed X-Ray-Infrared Method for Identification of Atmospheric Mineral Dust," June 1964.
98. Thiele, O. W., "Ballistic Procedures for Unguided Rocket Studies of Nuclear Environments (U)," Proceedings of the Army Science Conference, June 1964.
99. Horn, J. D., and E. J. Trawle, "Orographic Effects on Wind Variability," July 1964.
100. Hoidale, G., C. Querfeld, T. Hall, and R. Mireles, "Spectral Transmissivity of the Earth's Atmosphere in the 250 to 500 Wave Number Interval," #1, September 1964.
101. Duncan, L. D., R. Ensey, and B. Engebos, "Athena Launch Angle Determination," September 1964.
102. Thiele, O. W., "Feasibility Experiment for Measuring Atmospheric Density Through the Altitude Range of 60 to 100 KM Over White Sands Missile Range," October 1964.
103. Duncan, L. D., and R. Ensey, "Six-Degree-of-Freedom Digital Simulation Model for Unguided, Fin-Stabilized Rockets," November 1964.

104. Hoidale, G., C. Querfeld, T. Hall, and R. Mireles, "Spectral Transmissivity of the Earth's Atmosphere in the 250 to 500 Wave Number Interval," #2, November 1964.
105. Webb, W. L., "Stratospheric Solar Response," *J. Atmos. Sci.*, November 1964.
106. McCoy, J. and G. Clark, "Rocketsonde Measurement of Stratospheric Temperature," December 1964.
107. Farone, W. A., "Electromagnetic Scattering from Radially Inhomogeneous Spheres as Applied to the Problem of Clear Atmosphere Radar Echoes," December 1964.
108. Farone, W. A., "The Effect of the Solid Angle of Illumination or Observation on the Color Spectra of 'White Light' Scattered by Cylinders," January 1965.
109. Williamson, L. E., "Seasonal and Regional Characteristics of Acoustic Atmospheres," *J. Geophys. Res.*, January 1965.
110. Armendariz, M., "Ballistic Wind Variability at Green River, Utah," January 1965.
111. Low, R. D. H., "Sound Speed Variability Due to Atmospheric Composition," January 1965.
112. Querfeld, C. W., "Mie Atmospheric Optics," *J. Opt. Soc. Amer.*, January 1965.
113. Coffman, J., "A Measurement of the Effect of Atmospheric Turbulence on the Coherent Properties of a Sound Wave," January 1965.
114. Rachele, H., and D. Veith, "Surface Wind Sampling for Unguided Rocket Impact Prediction," January 1965.
115. Ballard, H., and M. Izquierdo, "Reduction of Microphone Wind Noise by the Generation of a Proper Turbulent Flow," February 1965.
116. Mireles, R., "An Algorithm for Computing Half Widths of Overlapping Lines on Experimental Spectra," February 1965.
117. Richart, H., "Inaccuracies of the Single-Theodolite Wind Measuring System in Ballistic Application," February 1965.
118. D'Arcy, M., "Theoretical and Practical Study of Aerobee-150 Ballistics," March 1965.
119. McCoy, J., "Improved Method for the Reduction of Rocketsonde Temperature Data," March 1965.
120. Mireles, R., "Uniqueness Theorem in Inverse Electromagnetic Cylindrical Scattering," April 1965.
121. Coffman, J., "The Focusing of Sound Propagating Vertically in a Horizontally Stratified Medium," April 1965.
122. Farone, W. A., and C. Querfeld, "Electromagnetic Scattering from an Infinite Circular Cylinder at Oblique Incidence," April 1965.
123. Rachele, H., "Sound Propagation through a Windy Atmosphere," April 1965.
124. Miers, B., "Upper Stratospheric Circulation over Ascension Island," April 1965.
125. Rider, L., and M. Armendariz, "A Comparison of Pibal and Tower Wind Measurements," April 1965.
126. Hoidale, G. B., "Meteorological Conditions Allowing a Rare Observation of 24 Micron Solar Radiation Near Sea Level," *Meteorol. Magazine*, May 1965.
127. Beyers, N. J., and B. T. Miers, "Diurnal Temperature Change in the Atmosphere Between 30 and 60 km over White Sands Missile Range," *J. Atmos. Sci.*, May 1965.
128. Querfeld, C., and W. A. Farone, "Tables of the Mie Forward Lobe," May 1965.
129. Farone, W. A., "Generalization of Rayleigh-Gans Scattering from Radially Inhomogeneous Spheres," *J. Opt. Soc. Amer.*, June 1965.
130. Diamond, M., "Note on Mesospheric Winds Above White Sands Missile Range," *J. Applied Meteorol.*, June 1965.
131. Clark, G. Q., and J. G. McCoy, "Measurement of Stratospheric Temperature," *J. Applied Meteorol.*, June 1965.
132. Hall, T., G. Hoidale, R. Mireles, and C. Querfeld, "Spectral Transmissivity of the Earth's Atmosphere in the 250 to 500 Wave Number Interval," #3, July 1965.
133. McCoy, J., and C. Tate, "The Delta-T Meteorological Rocket Payload," June 1964.
134. Horn, J. D., "Obstacle Influence in a Wind Tunnel," July 1965.
135. McCoy, J., "An AC Probe for the Measurement of Electron Density and Collision Frequency in the Lower Ionosphere," July 1965.
136. Miers, B. T., M. D. Kays, O. W. Thiele and E. M. Newby, "Investigation of Short Term Variations of Several Atmospheric Parameters Above 30 KM," July 1965.

137. Serna, J., "An Acoustic Ray Tracing Method for Digital Computation," September 1965.
138. Webb, W. L., "Morphology of Noctilucent Clouds," *J. Geophys. Res.*, 70, 18, 4463-4475, September 1965.
139. Kays, M., and R. A. Craig, "On the Order of Magnitude of Large-Scale Vertical Motions in the Upper Stratosphere," *J. Geophys. Res.*, 70, 18, 4453-4462, September 1965.
140. Rider, L., "Low-Level Jet at White Sands Missile Range," September 1965.
141. Lamberth, R. L., R. Reynolds, and Morton Wurtele, "The Mountain Lee Wave at White Sands Missile Range," *Bull. Amer. Meteorol. Soc.*, 46, 10, October 1965.
142. Reynolds, R. and R. L. Lamberth, "Ambient Temperature Measurements from Radiosondes Flown on Constant-Level Balloons," October 1965.
143. McCluney, E., "Theoretical Trajectory Performance of the Five-Inch Gun Probe System," October 1965.
144. Pena, R. and M. Diamond, "Atmospheric Sound Propagation near the Earth's Surface," October 1965.
145. Mason, J. B., "A Study of the Feasibility of Using Radar Chaff For Stratospheric Temperature Measurements," November 1965.
146. Diamond, M., and R. P. Lee, "Long-Range Atmospheric Sound Propagation," *J. Geophys. Res.*, 70, 22, November 1965.
147. Lamberth, R. L., "On the Measurement of Dust Devil Parameters," November 1965.
148. Hansen, F. V., and P. S. Hansen, "Formation of an Internal Boundary over Heterogeneous Terrain," November 1965.
149. Webb, W. L., "Mechanics of Stratospheric Seasonal Reversals," November 1965.
150. U. S. Army Electronics R & D Activity, "U. S. Army Participation in the Meteorological Rocket Network," January 1966.
151. Rider, L. J., and M. Armendariz, "Low-Level Jet Winds at Green River, Utah," February 1966.
152. Webb, W. L., "Diurnal Variations in the Stratospheric Circulation," February 1966.
153. Beyers, N. J., B. T. Miers, and R. J. Reed, "Diurnal Tidal Motions near the Stratosphere During 48 Hours at WSMR," February 1966.
154. Webb, W. L., "The Stratospheric Tidal Jet," February 1966.
155. Hall, J. T., "Focal Properties of a Plane Grating in a Convergent Beam," February 1966.
156. Duncan, L. D., and Henry Rachele, "Real-Time Meteorological System for Firing of Unguided Rockets," February 1966.
157. Kays, M. D., "A Note on the Comparison of Rocket and Estimated Geostrophic Winds at the 10-mb Level," *J. Appl. Meteor.*, February 1966.
158. Rider, L., and M. Armendariz, "A Comparison of Pibal and Tower Wind Measurements," *J. Appl. Meteor.*, 5, February 1966.
159. Duncan, L. D., "Coordinate Transformations in Trajectory Simulations," February 1966.
160. Williamson, L. E., "Gun-Launched Vertical Probes at White Sands Missile Range," February 1966.
161. Randhawa, J. S., "Ozone Measurements with Rocket-Borne Ozonesondes," March 1966.
162. Armendariz, Manuel, and Laurence J. Rider, "Wind Shear for Small Thickness Layers," March 1966.
163. Low, R. D. H., "Continuous Determination of the Average Sound Velocity over an Arbitrary Path," March 1966.
164. Hansen, Frank V., "Richardson Number Tables for the Surface Boundary Layer," March 1966.
165. Cochran, V. C., E. M. D'Arcy, and Florencio Ramirez, "Digital Computer Program for Five-Degree-of-Freedom Trajectory," March 1966.
166. Thiele, O. W., and N. J. Beyers, "Comparison of Rocketsonde and Radiosonde Temperatures and a Verification of Computed Rocketsonde Pressure and Density," April 1966.
167. Thiele, O. W., "Observed Diurnal Oscillations of Pressure and Density in the Upper Stratosphere and Lower Mesosphere," April 1966.
168. Kays, M. D., and R. A. Craig, "On the Order of Magnitude of Large-Scale Vertical Motions in the Upper Stratosphere," *J. Geophys. Res.*, April 1966.
169. Hansen, F. V., "The Richardson Number in the Planetary Boundary Layer," May 1966.

170. Ballard, H. N., "The Measurement of Temperature in the Stratosphere and Mesosphere," June 1966.
171. Hansen, Frank V., "The Ratio of the Exchange Coefficients for Heat and Momentum in a Homogeneous, Thermally Stratified Atmosphere," June 1966.
172. Hansen, Frank V., "Comparison of Nine Profile Models for the Diabatic Boundary Layer," June 1966.
173. Rachele, Henry, "A Sound-Ranging Technique for Locating Supersonic Missiles," May 1966.
174. Farone, W. A., and C. W. Querfeld, "Electromagnetic Scattering from Inhomogeneous Infinite Cylinders at Oblique Incidence," *J. Opt. Soc. Amer.* 56, 4, 476-480, April 1966.
175. Mireles, Ramon, "Determination of Parameters in Absorption Spectra by Numerical Minimization Techniques," *J. Opt. Soc. Amer.* 56, 5, 644-647, May 1966.
176. Reynolds, R., and R. L. Lamberth, "Ambient Temperature Measurements from Radiosondes Flown on Constant-Level Balloons," *J. Appl. Meteorol.*, 5, 3, 304-307, June 1966.
177. Hall, James T., "Focal Properties of a Plane Grating in a Convergent Beam," *Appl. Opt.*, 5, 1051, June 1966.
178. Rider, Laurence J., "Low-Level Jet at White Sands Missile Range," *J. Appl. Meteorol.*, 5, 3, 283-287, June 1966.
179. McCluney, Eugene, "Projectile Dispersion as Caused by Barrel Displacement in the 5-Inch Gun Probe System," July 1966.
180. Armendariz, Manuel, and Laurence J. Rider, "Wind Shear Calculations for Small Shear Layers," June 1966.
181. Lamberth, Roy L., and Manuel Armendariz, "Upper Wind Correlations in the Central Rocky Mountains," June 1966.
182. Hansen, Frank V., and Virgil D. Lang, "The Wind Regime in the First 62 Meters of the Atmosphere," June 1966.
183. Randhawa, Jagir S., "Rocket-Borne Ozonesonde," July 1966.
184. Rachele, Henry, and L. D. Duncan, "The Desirability of Using a Fast Sampling Rate for Computing Wind Velocity from Pilot-Balloon Data," July 1966.
185. Hinds, B. D., and R. G. Pappas, "A Comparison of Three Methods for the Correction of Radar Elevation Angle Refraction Errors," August 1966.
186. Riedmuller, G. F., and T. L. Barber, "A Mineral Transition in Atmospheric Dust Transport," August 1966.
187. Hall, J. T., C. W. Querfeld, and G. B. Hoidale, "Spectral Transmissivity of the Earth's Atmosphere in the 250 to 500 Wave Number Interval," Part IV (Final), July 1966.
188. Duncan, L. D. and B. F. Engebos, "Techniques for Computing Launcher Settings for Unguided Rockets," September 1966.
189. Duncan, L. D., "Basic Considerations in the Development of an Unguided Rocket Trajectory Simulation Model," September 1966.
190. Miller, Walter B., "Consideration of Some Problems in Curve Fitting," September 1966.
191. Cermak, J. E., and J. D. Horn, "The Tower Shadow Effect," August 1966.
192. Webb, W. L., "Stratospheric Circulation Response to a Solar Eclipse," October 1966.
193. Kennedy, Bruce, "Muzzle Velocity Measurement," October 1966.
194. Traylor, Larry E., "A Refinement Technique for Unguided Rocket Drag Coefficients," October 1966.
195. Nusbaum, Henry, "A Reagent for the Simultaneous Microscope Determination of Quartz and Halides," October 1966.
196. Kays, Marvin and R. O. Olsen, "Improved Rocketsonde Parachute-derived Wind Profiles," October 1966.
197. Engebos, Bernard F. and Duncan, Louis D., "A Nomogram for Field Determination of Launcher Angles for Unguided Rockets," October 1966.
198. Webb, W. L., "Midlatitude Clouds in the Upper Atmosphere," November 1966.
199. Hansen, Frank V., "The Lateral Intensity of Turbulence as a Function of Stability," November 1966.
200. Rider, L. J. and M. Armendariz, "Differences of Tower and Pibal Wind Profiles," November 1966.
201. Lee, Robert P., "A Comparison of Eight Mathematical Models for Atmospheric Acoustical Ray Tracing," November 1966.
202. Low, R. D. H., et al., "Acoustical and Meteorological Data Report SOTRAN I and II," November 1966.

203. Hunt, J. A. and J. D. Horn, "Drag Plate Balance," December 1966.
204. Armendariz, M., and H. Rachele, "Determination of a Representative Wind Profile from Balloon Data," December 1966.
205. Hansen, Frank V., "The Aerodynamic Roughness of the Complex Terrain of White Sands Missile Range," January 1967.
206. Morris, James E., "Wind Measurements in the Subpolar Mesopause Region," January 1967.
207. Hall, James T., "Attenuation of Millimeter Wavelength Radiation by Gaseous Water," January 1967.
208. Thiele, O. W., and N. J. Beyers, "Upper Atmosphere Pressure Measurements With Thermal Conductivity Gauges," January 1967.
209. Armendariz, M., and H. Rachele, "Determination of a Representative Wind Profile from Balloon Data," January 1967.
210. Hansen, F. V., "The Aerodynamic Roughness of the Complex Terrain of White Sands Missile Range, New Mexico," January 1967.
211. D'Arcy, Edward M., "Some Applications of Wind to Unguided Rocket Impact Prediction," March 1967.
212. Kennedy, Bruce, "Operation Manual for Stratosphere Temperature Sonde," March 1967.
213. Hoidale, G. B., S. M. Smith, A. J. Blanco, and T. L. Barber, "A Study of Atmospheric Dust," March 1967.
214. Longyear, J. Q., "An Algorithm for Obtaining Solutions to Laplace's Tidal Equations," March 1967.
215. Rider, L. J., "A Comparison of Pibal with Raob and Rawin Wind Measurements," April 1967.
216. Breeland, A. H., and R. S. Bonner, "Results of Tests Involving Hemispherical Wind Screens in the Reduction of Wind Noise," April 1967.
217. Webb, Willis L., and Max C. Bolen, "The D-region Fair-Weather Electric Field," April 1967.
218. Kubinski, Stanley F., "A Comparative Evaluation of the Automatic Tracking Pilot-Balloon Wind Measuring System," April 1967.
219. Miller, Walter B., and Henry Rachele, "On Nonparametric Testing of the Nature of Certain Time Series," April 1967.
220. Hansen, Frank V., "Spatial and Temporal Distribution of the Gradient Richardson Number in the Surface and Planetary Layers," May 1967.
221. Randhawa, Jagir S., "Diurnal Variation of Ozone at High Altitudes," May 1967.
222. Ballard, Harold N., "A Review of Seven Papers Concerning the Measurement of Temperature in the Stratosphere and Mesosphere," May 1967.
223. Williams, Ben H., "Synoptic Analyses of the Upper Stratospheric Circulation During the Late Winter Storm Period of 1966," May 1967.
224. Horn, J. D., and J. A. Hunt, "System Design for the Atmospheric Sciences Office Wind Research Facility," May 1967.
225. Miller, Walter B., and Henry Rachele, "Dynamic Evaluation of Radar and Photo Tracking Systems," May 1967.
226. Bonner, Robert S., and Ralph H. Rohwer, "Acoustical and Meteorological Data Report - SOTRAN III and IV," May 1967.
227. Rider, L. J., "On Time Variability of Wind at White Sands Missile Range, New Mexico," June 1967.
228. Randhawa, Jagir S., "Mesospheric Ozone Measurements During a Solar Eclipse," June 1967.
229. Beyers, N. J., and B. T. Miers, "A Tidal Experiment in the Equatorial Stratosphere over Ascension Island (8S)," June 1967.
230. Miller, W. B., and H. Rachele, "On the Behavior of Derivative Processes," June 1967.
231. Walters, Randall K., "Numerical Integration Methods for Ballistic Rocket Trajectory Simulation Programs," June 1967.
232. Hansen, Frank V., "A Diabatic Surface Boundary Layer Model," July 1967.
233. Butler, Ralph L., and James K. Hall, "Comparison of Two Wind Measuring Systems with the Contraves Photo-Theodolite," July 1967.
234. Webb, Willis L., "The Source of Atmospheric Electrification," June 1967.

235. Hinds, B. D., "Radar Tracking Anomalies over an Arid Interior Basin," August 1967.
236. Christian, Larry O., "Radar Cross Sections for Totally Reflecting Spheres," August 1967.
237. D'Arcy, Edward M., "Theoretical Dispersion Analysis of the Aerobee 350," August 1967.
238. Anon., "Technical Data Package for Rocket-Borne Temperature Sensor," August 1967.
239. Glass, Roy I., Roy L. Lamberth, and Ralph D. Reynolds, "A High Resolution Continuous Pressure Sensor Modification for Radiosondes," August 1967.
240. Low, Richard D. H., "Acoustic Measurement of Supersaturation in a Warm Cloud," August 1967.
241. Rubio, Roberto, and Harold N. Ballard, "Time Response and Aerodynamic Heating of Atmospheric Temperature Sensing Elements," August 1967.
242. Seagraves, Mary Ann B., "Theoretical Performance Characteristics and Wind Effects for the Aerobee 150," August 1967.
243. Duncan, Louis Dean, "Channel Capacity and Coding," August 1967.
244. Dunaway, G. L., and Mary Ann B. Seagraves, "Launcher Settings Versus Jack Settings for Aerobee 150 Launchers - Launch Complex 35, White Sands Missile Range, New Mexico," August 1967.
245. Duncan, Louis D., and Bernard F. Engebos, "A Six-Degree-of-Freedom Digital Computer Program for Trajectory Simulation," October 1967.
246. Rider, Laurence J., and Manuel Armendariz, "A Comparison of Simultaneous Wind Profiles Derived from Smooth and Roughened Spheres," September 1967.
247. Reynolds, Ralph D., Roy L. Lamberth, and Morton G. Wurtele, "Mountain Wave Theory vs Field Test Measurements," September 1967.
248. Lee, Robert P., "Probabilistic Model for Acoustic Sound Ranging," October 1967.
249. Williamson, L. Edwin, and Bruce Kennedy, "Meteorological Shell for Standard Artillery Pieces - A Feasibility Study," October 1967.
250. Rohwer, Ralph H., "Acoustical, Meteorological and Seismic Data Report - SOTRAN V and VI," October 1967.
251. Nordquist, Walter S., Jr., "A Study in Acoustic Direction Finding," November 1967.
252. Nordquist, Walter S., Jr., "A Study of Acoustic Monitoring of the Gun Probe System," November 1967.
253. Avara, E. P., and B. T. Miers, "A Data Reduction Technique for Meteorological Wind Data above 30 Kilometers," December 1967.
254. Hansen, Frank V., "Predicting Diffusion of Atmospheric Contaminants by Consideration of Turbulent Characteristics of WSMR," January 1968.
255. Randhawa, Jagir S., "Rocket Measurements of Atmospheric Ozone," January 1968.
256. D'Arcy, Edward M., "Meteorological Requirements for the Aerobee-350," January 1968.
257. D'Arcy, Edward M., "A Computer Study of the Wind Frequency Response of Unguided Rockets," February 1968.
258. Williamson, L. Edwin, "Gun Launched Probes - Parachute Expulsion Tests Under Simulated Environment," February 1968.
259. Beyers, Norman J., Bruce T. Miers, and Elton P. Avara, "The Diurnal Tide Near the Stratopause over White Sands Missile Range, New Mexico," February 1968.
260. Traylor, Larry E., "Preliminary Study of the Wind Frequency Response of the Honest John M50 Tactical Rocket," March 1968.
261. Engebos, B. F., and L. D. Duncan, "Real-Time Computations of Pilot Balloon Winds," March 1968.
262. Butler, Ralph and L. D. Duncan, "Empirical Estimates of Errors in Double-Theodolite Wind Measurements," February 1968.
263. Kennedy, Bruce, et al., "Thin Film Temperature Sensor," March 1968.
264. Bruce, Dr. Rufus, James Mason, Dr. Kenneth White and Richard B. Gomez, "An Estimate of the Atmospheric Propagation Characteristics of 1.54 Micron Laser Energy," March 1968.

265. Ballard, Harold N., Jagir S. Randhawa, and Willis L. Webb, "Stratospheric Circulation Response to a Solar Eclipse," March 1968.
266. Johnson, James L., and Orville C. Kuberski, "Timing Controlled Pulse Generator," April 1968.
267. Blanco, Abel J., and Glenn B. Hoidale, "Infrared Absorption Spectra of Atmospheric Dust," May 1968.
268. Jacobs, Willie N., "Automatic Pibal Tracking System," May 1968.
269. Morris, James E., and Marvin D. Kays, "Circulation in the Arctic Mesosphere in Summer," June 1968.
270. Mason, James B., "Detection of Atmospheric Oxygen Using a Tuned Ruby Laser," June 1968.
271. Armendariz, Manuel, and Virgil D. Lang, "Wind Correlation and Variability in Time and Space," July 1968.
272. Webb, Willis L., "Tropospheric Electrical Structure," July 1968.
273. Miers, Bruce T., and Elton P. Avara, "Analysis of High-Frequency Components of AN/FPS-16 Radar Data," August 1968.
274. Dunaway, Gordon L., "A Practical Field Wind Compensation Technique for Unguided Rockets," August 1968.
275. Seagraves, Mary Ann B., and Barry Butler, "Performance Characteristics and Wind Effects for the Aerobee 150 with VAM Booster," September 1968.
276. Low, Richard D. H., "A Generalized Equation for Droplet Growth Due to the Solution Effect," September 1968.
277. Jenkins, Kenneth R., "Meteorological Research, Development, Test, and Evaluation Rocket," September 1968.
278. Williams, Ben H., and Bruce T. Miers, "The Synoptic Events of the Stratospheric Warming of December 1967 - January 1968," September 1968.
279. Tate, C. L., and Bruce W. Kennedy, "Technical Data Package for Atmospheric Temperature Sensor Mini-Loki," September 1968.
280. Rider, Laurence J., Manuel Armendariz, and Frank V. Hansen, "A Study of Wind and Temperature Variability at White Sands Missile Range, New Mexico," September 1968.
281. Duncan, Louis D., and Walter B. Miller, "The Hull of a Channel," September 1968.
282. Hansen, Frank V., and Gary A. Ethridge, "Diffusion Nomograms and Tables for Rocket Propellants and Combustion By-Products," January 1968.
283. Walters, Randall K., and Bernard F. Engebos, "An Improved Method of Error Control for Runge-Kutta Numerical Integration," October 1968.
284. Miller, Walter B., "A Non-Entropy Approach to Some Topics in Channel Theory," November 1968.
285. Armendariz, Manuel, Laurence J. Rider, and Frank V. Hansen, "Turbulent Characteristics in the Surface Boundary Layer," November 1968.
286. Randhawa, Jagir S., "Rocket Measurements of the Diurnal Variation of Atmospheric Ozone," December 1968.
287. Randhawa, Jagir S., "A Guide to Rocketsonde Measurements of Atmospheric Ozone," January 1969.
288. Webb, Willis L., "Solar Control of the Stratospheric Circulation," February 1969.
289. Lee, Robert P., "A Dimensional Analysis of the Errors of Atmospheric Sound Ranging," March 1969.
290. Barber, T. L., "Degradation of Laser Optical Surfaces," March 1969.
291. D'Arcy, E. M., "Diffusion of Resonance Excitation Through a One-Dimensional Gas," March 1969.
292. Randhawa, J. S., "Ozone Measurements from a Stable Platform near the Stratosopause Level," March 1969.
293. Rubio, Roberto, "Faraday Rotation System for Measuring Electron Densities," March 1969.
294. Olsen, Robert, "A Design Plan for Investigating the Atmospheric Environment Associated with High Altitude Nuclear Testing," March 1969.
295. Monahan, H. H., M. Armendariz, and V. D. Lang, "Estimates of Wind Variability Between 100 and 900 Meters," April 1969.
296. Rinehart, G. S., "Fog Drop Size Distributions - Measurement Methods and Evaluation," April 1969.

297. D'Arcy, Edward M., and Henry Rachele, "Proposed Prelaunch Real-Time Impact Prediction System for the Aerobee-350 Rocket," May 1969.
298. Low, Richard D. H., "A Comprehensive Report on Nineteen Condensation Nuclei (Part I - Equilibrium Growth and Physical Properties)," May 1969.
299. Randhawa, J. S., "Vertical Distribution of Ozone in the Winter Subpolar Region," June 1969.
300. Rider, Laurence J., and Manuel Armendariz, "Vertical Wind Component Estimates up to 1.2km Above Ground, July 1969.

UNCLASSIFIED
Security Classification

DOCUMENT CONTROL DATA - R & D		
(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)		
1. ORIGINATING ACTIVITY (Corporate author) U. S. Army Electronics Command Fort Monmouth, New Jersey		2a. REPORT SECURITY CLASSIFICATION Unclassified
		2b. GROUP
3. REPORT TITLE VERTICAL WIND COMPONENT ESTIMATES UP TO 1.2 KM ABOVE GROUND		
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)		
5. AUTHOR(S) (First name, middle initial, last name) Laurence J. Rider Manuel Armendariz		
6. REPORT DATE July 1969	7a. TOTAL NO. OF PAGES 20	7b. NO. OF REFS 9
8a. CONTRACT OR AGENT NO.	8b. ORIGINATOR'S REPORT NUMBER(S) ECOM-5258	
8c. PROJECT NO. Task No. 1To61102B53A-17	8d. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
9. DISTRIBUTION STATEMENT Distribution of this report is unlimited.		
11. SUPPLEMENTARY NOTES	12. SPONSORING MILITARY ACTIVITY Atmospheric Sciences Laboratory U. S. Army Electronics Command White Sands Missile Range, New Mexico	
13. ABSTRACT Vertical wind components were computed up to 1.2 km from 37 wintertime and 10 summertime balloon observations between 0900 and 1200 local time utilizing the accurate and high resolution Cinetheodolite/Jimsphere system. The mean ascent rate of the Jimsphere was computed from all observations taken on a particular day. The ascent rate was found to be 5.16 m/sec ² for the winter and 5.10 m/sec ² for the summer months. The individual variations of a given observation from the mean ascent rate were assumed to be the vertical component. Variations in balloon ascent caused by variation in drag, anomalous variation in atmospheric density, balloon response to the wind, and aerodynamically induced motions are discussed. Vertical wind components ranged from 10-25 cm sec ⁻¹ in a stable atmosphere and 55-100 cm sec ⁻¹ under unstable conditions depending on wind speed.		

DD FORM 1473

REPLACES DD FORM 1473, 1 JAN 64, WHICH IS OBSOLETE FOR ARMY USE.

UNCLASSIFIED
Security Classification

Security Classification

UNCLASSIFIED

Security Classification