


AD 697 299

CLIMATOLOGICAL SUMMARIES: VISIBILITIES BELOW
1/2 MILE AND CEILINGS BELOW 200 FEET. VOLUME
31. PHILADELPHIA, PENNSYLVANIA. INTERNATIONAL
AIRPORT

National Weather Records Center
Asheville, North Carolina

June 1969



This document has been approved for public release and sale.

AD 697299

SRDS Report No. RD-69-22, VOL. (31)

FINAL REPORT

Contract No. FA-67-WAI-129

Project No. 197-641-01R


CLIMATOLOGICAL SUMMARIES

VISIBILITIES BELOW 1/2 MILE
AND CEILINGS BELOW 200 FEET

Volume 31

PHILADELPHIA, PENNSYLVANIA
INTERNATIONAL AIRPORT

June 1969



This report has been approved for unlimited availability.

Prepared for
DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION
Systems Research & Development Service

by

U.S. DEPARTMENT OF COMMERCE
Environmental Science Services Administration
ENVIRONMENTAL DATA SERVICE
NATIONAL WEATHER RECORDS CENTER

Asheville, N.C.

Reproduced by the
CLEARINGHOUSE
for Federal Scientific & Technical
Information Springfield Va 22151

32

ADMISSION FOR

UPON WHITE SECTION

DATE DUPLICATION SECTION

UNANNOUNCED

JUSTIFICATION

BY

DISTRIBUTION/AVAILABILITY CODES

DIST.	AVAIL. CODE	SPECIAL
/		

FINAL REPORT

Contract No. FA-67-WAI-129
Project No. 197-641-01R
SRDS Report No. RD-69-22

CLIMATOLOGICAL SUMMARIES

VISIBILITIES BELOW $1/2$ MILE
AND CEILINGS BELOW 200 FEET

JUNE 1969

This report has been prepared by U. S. Department of Commerce, Environmental Science Services Administration, Environmental Data Service, National Weather Records Center, Asheville, N.C. for the Systems Research and Development Service, Federal Aviation Administration, under Contract No. FA-67-WAI-129. The contents of this report reflect the views of the contractor, who is responsible for the facts and the accuracy of the data presented herein, and do not necessarily reflect the official views or policy of the FAA. This report does not constitute a standard, specification or regulation.

CONTENTS

LIST OF TABLES	1
INTRODUCTION	3
ENVIRONMENT AND INSTRUMENTATION OF STATION	4
NATURE OF DATA	5
EXPLANATION OF TABLES	6
REPORTED VISIBILITY AND CEILING VALUES VERSUS INTERVALS OF DURATION	7
WEATHER CATEGORIES OF AIRCRAFT LANDING SYSTEMS VERSUS INTERVALS OF DURATION BASED ON TABLE D	8
PERCENTAGE FREQUENCY OF WIND DIRECTION VERSUS SPEED GROUPS	8
WEATHER CATEGORIES OF LANDING SYSTEMS VERSUS INTERVALS OF DURATION BASED ON TABLE E	9
EXPLANATION OF TABLE E	10
ACKNOWLEDGEMENTS	10
TABLES	11-29

LIST OF TABLES

TABLE		PAGE
A	LIST OF STATIONS FOR WHICH SUMMARIES HAVE BEEN PREPARED	11
B	WEATHER LIMITS OF AIRCRAFT LANDING OPERATIONS	12
C	RELATIONSHIP OF CATEGORIES OF AIRCRAFT LANDING OPERATIONS AND METEOROLOGICAL CEILING AND VISIBILITIES - CURRENT PRACTICE	13
D	RVR - METEOROLOGICAL VISIBILITY RELATIONSHIP, CURRENT PRACTICE	14
E	RELATIONSHIP OF CATEGORIES OF AIRCRAFT LANDING OPERATIONS AND METEOROLOGICAL CEILING AND VISIBILITIES - CIRCULAR N	15
F	RVR - METEOROLOGICAL VISIBILITY, CIRCULAR N	16
TABLE		
I-IX	VISIBILITIES AND CEILINGS VERSUS INTERVALS OF DURATION	17
I	Visibility equal to or greater than 1/2 mile when ceiling is less than 200 ft.	
II	Visibility, irrespective of ceiling.	
III	Visibility, ceiling 100 ft.	
IV	Visibility, ceiling zero.	
V	Visibility, ceiling 100 ft. or zero.	
VI	Total time at or below each visibility classed as one incident, irrespective of ceiling.	
VII	Total time at or below each visibility classed as one incident, ceiling 100 ft.	
VIII	Total time at or below each visibility classed as one incident, ceiling zero.	
IX	Total time at or below each visibility classed as one incident, ceiling 100 ft. or zero.	
X	CATEGORIES OF AIRCRAFT LANDING OPERATIONS VERSUS INTERVALS OF DURATION (based on Table C) - YEARLY SUMMARY	18
XI	WIND DIRECTION VERSUS SPEED BY PERCENTAGE FREQUENCY (13 stations, listed on page 6)	19

TABLES

XII-XXI CATEGORIES OF AIRCRAFT LANDING OPERATIONS VERSUS INTERVALS OF DURATION (Based on Table E)

Each with four sections:

1. 0700-1359 Local Standard Time
2. 1400-2159 Local Standard Time
3. 2200-0659 Local Standard Time
4. All Hours

PAGE

XII	All conditions.	20
XIII	Temperature less than 33 ^o F.	21
XIV	Temperature less than 33 ^o F, with fog, no precipitation and winds of less than 9 knots.	22
XV	Temperature less than 33 ^o F, with fog, no precipitation and wind 9-12 knots.	23
XVI	Temperature less than 29 ^o F.	24
XVII	Temperature less than 29 ^o F, with fog, no precipitation and wind less than 9 knots.	25
XVIII	Temperature less than 29 ^o F, with fog, no precipitation and wind 9-12 knots.	26
XIX	Temperature greater than 32 ^o F.	27
XX	Temperature greater than 32 ^o F, with fog, no precipitation and wind less than 9 knots.	28
XXI	Temperature greater than 32 ^o with fog, no precipitation and wind 9-12 knots.	29

INTRODUCTION

The tables contained herein have been prepared and organized for use in evaluating the cost/benefits of all weather landing systems and fog dissipation techniques. Thus, the time intervals of duration of the categories of weather are significant in determining the times of the delay, diversion or cancellation of an aircraft flight resulting from a restricted weather category. This information together with the number and types of aircraft affected by the restricted weather and the costs of a delay, diversion or cancellation combine to provide the total costs resulting from the weather restrictions.

Climatological summaries have been prepared for 41 airports. Their location and associated volume numbers are listed in Table A.

ENVIRONMENT AND INSTRUMENTATION

PHILADELPHIA, PENNSYLVANIA

INTERNATIONAL AIRPORT

Philadelphia International Airport is located on rather flat bottom land about 1 mile northwest of the Delaware River. At this point the river is about 1 mile wide and flows in a southwesterly direction. The land begins to rise about 2 miles to the west and northwest of the airport and becomes a gently rolling surface with some elevations reaching to a height of 200 feet within a distance of about 5 miles from the station.

The tables in this publication are based on a 10-year period, January 1, 1956-December 31, 1965. Ceiling heights were measured by cellometer throughout the period. Transmissometer (750 ft. baseline) was commissioned on runway 09 May 3, 1957. Location of the airport weather station, its elevation, and the height of wind instrumentation during the period were as follows:

<u>From</u>	<u>To</u>	<u>Lat. N.</u>	<u>Long. W.</u>	<u>Height of Wind Instrument Feet above ground</u>	<u>Station Elevation Feet above MSL</u>
1- 1-56	12-31-58	39° 53'	75° 15'	120	13
1- 1-58	8-19-59	39° 53'	75° 15'	120	13
8-20-59	12-31-65	39° 53'	75° 15'	20	5

NATURE OF DATA

The data used in the preparation of the climatological tables were extracted from 10 years of WBAN 10-A forms from January 1956 through December 1965. There were two exceptions: The data for Dulles International covered the period January 1963 through December 1965 and for Kansas City-Mid-Continent the period July 1957 through December 1965. All data (Record, Special, Local, Check observations)* were recorded on punched cards to the hour and minute whenever a change occurred in the ceiling, surface visibility, present weather, runway visual range or runway visibility during the time the ceiling was less than 200 feet and/or the surface visibility was less than 1/2 mile. The observation which ended a category of the above conditions was punched and if this observation was not a Record observation, the next Record observation was punched. The elements transcribed were: the time in hours and minutes, ceiling, surface visibility, tower visibility, present weather, temperature, dew-point, surface wind, altimeter setting and remarks concerning runway visual range and runway visibility.

These data should prove to be a valuable source for additional studies where low visibilities are considered.

Runway visual range (RVR) is the operational weather criteria for airport landing systems. The limits of visibility conditions for categories of aircraft operations are presented in Table B. Only Cat. II criteria are currently operational. Because RVR as such, is not available on a uniform basis for the station and period of record under study, visibilities and ceilings were used for delineating categories of weather minimums for landing and take-off operations. The determination of RVR would require:

1. The light setting of the edge lights,
2. the background lighting,
3. the location with respect to runway,
4. a special analyzer to integrate the transmissiometer readings etc.

This information has not often been recorded with the transmissiometer data.

* Except Kansas City - Mid-Continent. Only Record (hourly) observations were taken during the period of record at this station; 16 hours per day (0700-2200) through November 1957 and 24 hours per day December 1957 through December 1965.

EXPLANATION OF TABLES

All the tables of climatological summaries except Table I are based on the reported visibilities of less than 1/2 mile and/or ceilings less than 200 feet.

The tables of climatological summaries in these publications include:

- (1) reported visibility and ceiling values versus time intervals of duration.
- (2) weather categories of aircraft landing systems based on their relationship to ceiling and visibility as presented in Table C, versus intervals of duration. This is Table X only.
- (3) percentage frequency of wind direction versus wind speed for each category of aircraft landing system using the relationship of Table C for Record observations only. These are presented for 13 stations only. This is Table XI only.*
- (4) weather categories of landing systems based on their relationship to ceilings and visibility as presented in Table E, versus intervals of duration. These tables are also summarized on the basis of wind speed and temperature values.

* These stations are:


Los Angeles International, Oakland International, Chicago O'Hare, San Francisco International, Greater Buffalo International, Washington National, Washington Dulles International, Atlanta, Newark, New York J. F. K., Philadelphia International, New York La Guardia, Cleveland Hopkins International

REPORTED VISIBILITY AND CEILING VALUES VERSUS INTERVALS OF DURATION

Nine summaries are presented. In Tables I - V the values represent the individual incidents of specified ceiling and visibility. Thus, in Table III 3/8 mile visibility with 100 ft. ceiling occurs with a specific frequency for each interval of duration.

In Tables VI to IX, the frequency of occurrence represents visibilities for specific conditions of ceilings at or below the listed visibility. They are cumulative incidents wherein the total time at or below a certain visibility value for the ceiling value specified is considered as one incident. Thus, if in Table VII there are 172 incidents of 3/8 mile in the interval of 1-15 minutes, it represents 172 times during the 10-year period that visibilities 3/8 mile or less with ceilings 100 feet.

Another example which combines the entries in the individual and the cumulative tables is as follows: If visibility is distributed as shown in the figure, for ceiling 100 feet, if for 20 minutes the visibility was 3/16 then went to 1/8 for 10 minutes, then went to 3/16 for 5 minutes and then to greater than 1/2 mile visibility in Table III there would be 2 counts for 3/16, one under 16-30 minutes and one under 1-15 minutes; and one count for 1/8 under 1-15 minutes; whereas, in the cumulative table for visibilities at or below a given visibility with 100-foot ceilings - Table VII in the 3/8, 5/16, 1/4 and 3/16 mile categories there would be one count under 31-45 minutes (actually 35 minutes) and one count in 1/8 mile category under 1-15 minutes (actually 10 minutes).



To estimate the total time of occurrence for a particular interval of time for the period of record one multiplies the average of time period by the frequency of occurrence of the specified conditions for this time period. Thus, if visibility of 3/8 mile with ceiling 100 feet (Table III) occurred 14 times between 16-30 minutes, the estimated total time would be 14 x 23 or 322 minutes.

WEATHER CATEGORIES OF AIRCRAFT LANDING SYSTEMS VERSUS INTERVALS OF DURATION BASED ON TABLE D

A single table (Table X) based on Table C for the period of record is presented. Table C is based on the current practices relating RVR to meteorological visibilities as shown in Table D.

Table X is in three sections:

Xa. Frequency of occurrence of the landing categories versus the indicated duration intervals:

In this summary Categories II, IIIa, IIIb, and IIIc are represented by the frequency of these conditions occurring during the specified intervals.

In Category II + III the frequency represents the visibilities and ceilings at or below Category II weather, i. e., below 200 feet and/or 1/2 mile for a continuous period of time.

In Category III, the number of occurrences represent the frequency the weather was in in Category IIIa and IIIb/c i.e., observation below 1/4 mile and equal to and above 1/4 mile when the ceiling is reported as zero for a continuous period of time.

Xb. Total time in each duration versus the duration intervals in hours and tenths of hours. The entries in this table are arrived by adding the times in minutes associated with the frequencies above. These totals are converted to hours and tenths. This table also contains the percentage of time for the 10-year period of observations of specified duration intervals, i. e., 1-90, 91-all, 1-all. This table is derived by dividing the total time under each category for the specified duration interval by the total number of hours. Thus the percentage value for Category II + III the 1-all group (last column, 4th value down) represents the frequency of occurrence for the ten-year period in percent of visibility and ceilings below 1/2 mile and/or 200 feet.

Xc. Average time in each duration versus the duration intervals.

This table is derived by dividing the total time in minutes of each item in Table Xb by the frequency of occurrence in Table Xa.

WIND DIRECTION VERSUS SPEED BY PERCENTAGE FREQUENCY (Table XI)

Table XI (for 13 stations) (unnumbered on summaries) show the percentage distribution of the different categories in accordance with Table D by wind direction to 16 points versus specified speed intervals. These categories, II, IIIa and IIIb/c, are divided into 2100-0500 and 0600-2000 hour groups making a total of six sub-tables.

Only the hourly (Record) observations when Category II or below conditions exist are used in these summaries. The percentages are determined by dividing the number of hourly observations which were recorded during the entire period of record for the indicated hour group. The percentage figures can be combined to obtain percentages for the quadrants of different speed intervals.

WEATHER CATEGORIES OF LANDING SYSTEMS VERSUS INTERVALS OF DURATION BASED ON TABLE E

Nine tables XII - XXI are presented for the ten-year period. These tables are presented in three sections:

a. Frequency of occurrences of landing categories versus duration intervals:

Categories II, IIIa, IIIb, and IIIc are represented by the total time for the specified hour group that these conditions occur during the indicated intervals.

In Categories II + III the frequency represents the visibilities and ceilings at or below Category II weather e. g., below 2400 RVR. In Category III the frequency represents the visibilities at or below Category III weather e. g., below 1200 RVR.

b. Total time in each duration versus the duration intervals hours and tenths,

The entries in this table are derived by adding the time in minutes associated with the frequency above and converting them to hours and tenths.

c. Average time in each duration versus the duration intervals.

This table is derived by dividing the total time in minutes of each value in b by the corresponding frequency of occurrence in a.

In these tables, since the period of duration is the important element, each incident of weather is attributed to the hour group during which it began. Thus, if Category IIIa weather began in the 22-06 hour group and continued into the 07-13 hour group the total time is placed in the 22-06 group. It is probable, then, that the incidence of the various categories may be over-estimated in the 22-06 group. The totals appearing in the all hour group, however, are correct.

The sum of Categories IIIa, IIIb, and IIIc in the all-hour groups and sometimes in the other hour groups are frequently greater than under Cat. III. This results from the addition of 5% of observations of 3/16 mile or greater with ceiling 100 feet added to Cat. IIIa, whereas, this 5% is not included in the Cat. III totals at the bottom of each table.

The difference between Cat. III totals and the sum of Cat. IIIa, IIIb, and IIIc are subtracted from the Cat. II totals for the all-hour group and appears at the end of the Cat. II line with an asterisk. This value is a better estimate of the occurrence of Cat. II weather for the 10-year period.

EXPLANATION OF TABLE E

The relationship of RVR with light setting 5 for a 500' baseline to the meteorological report of visibility, based on the information in Circular N^{1/}, is given in Table F. This was the basis for establishing the relationships in Table E. The use of the highest setting for the edge lights for approaches in low visibility is the current operational practice. Although the selection of some of the relationships in Table E have been somewhat arbitrary, it can be expected that the observers report of low visibilities and ceilings will be more inexact than the cut off point of these relationships.

^{1/} Manual of Surface Observations (WBAN). Circular N, Weather Bureau, Washington, D. C. NAVAIR 501D505, July 1968 (AD672-366)

ACKNOWLEDGEMENTS

This publication, one of a series, was prepared for the Federal Aviation Administration by the Environmental Science Services Administration's Environmental Data Service, Dr. W. C. Jacobs, Director. Technical supervision for the Environmental Data Service was by Mr. Julius F. Bosen and for the Federal Aviation Administration by Mr. Arthur Hilsenrod. The text was prepared and the tables compiled and prepared for printing at the National Weather Records Center, Asheville, North Carolina, Mr. William H. Haggard, Director. Principal participants in the project at NWRC included Messrs. Joseph M. Meserve, Oliver M. Davis, Ronald G. Baldwin, M. Larry Snelson, James D. Matthews, David H. Stancil, and Lloyd F. Stevens.

This is one of 41 volumes of Report RD-69-22. The volumes are as follows:

<u>VOL.</u>	<u>CITY</u>	<u>AIRPORT</u>
1.	Anchorage, Alaska	International
2.	Atlanta, Georgia	Atlanta
3.	Baltimore, Maryland	Friendship International
4.	Birmingham, Alabama	International
5.	Boston, Massachusetts	General E. L. Logan International
6.	Buffalo, New York	Greater Buffalo International
7.	Burbank, California	Hollywood-Burbank
8.	Chicago, Illinois	O'Hare International
9.	Cincinnati, Ohio	Greater Cincinnati
10.	Cleveland, Ohio	Cleveland-Hopkins International
11.	Columbus, Ohio	Port Columbus International
12.	Dallas, Texas	Love Field
13.	Dayton, Ohio	James M. Cox Municipal
14.	Denver, Colorado	Stapleton International
15.	Detroit, Michigan	Detroit Metropolitan-Wayne County
16.	Hartford, Connecticut	Bradley International (Windsor Locks)
17.	Houston, Texas	William P. Hobby
18.	Indianapolis, Indiana	Weir Cook
19.	Kansas City, Missouri	Mid-Continent International
20.	Los Angeles, California	International
21.	Louisville, Kentucky	Standiford Field
22.	Miami, Florida	International
23.	Milwaukee, Wisconsin	General Mitchell Field
24.	Minneapolis, Minnesota	Minneapolis-St. Paul International
25.	Nashville, Tennessee	Metropolitan
26.	Newark, New Jersey	Newark
27.	New Orleans, Louisiana	International
28.	New York, New York	John F. Kennedy International
29.	New York, New York	La Guardia
30.	Oakland, California	Metropolitan Oakland International
31.	Philadelphia, Pennsylvania	International
32.	Pittsburgh, Pennsylvania	Greater Pittsburgh International
33.	Portland, Oregon	International
34.	Rochester, New York	Rochester-Monroe County
35.	St. Louis, Missouri	Lambert-St. Louis Municipal
36.	Salt Lake City, Utah	Municipal No. 1
37.	San Francisco, California	International
38.	Seattle, Washington	Seattle-Tacoma International
39.	Syracuse, New York	Clarence E. Hancock
40.	Washington, D. C.	Dulles International
41.	Washington, D. C.	National

TABLE A

LIMITS OF LANDING CATEGORIES

- * CAT. II Operations down to minima below 200 feet decision height and 2400 RVR and to as low as 100 feet decision height and 1200 RVR.
- ** CAT. IIIA Below 100 feet decision height and 1200 RVR and to as low as 50 feet decision height and 700 RVR.
- ** CAT. IIIB Below 700 RVR to 150 RVR.
- ** CAT. IIIC No external visual reference.

TABLE B

- * Current operational criteria
- ** Criteria not firm, used for planning purposes

**CEILING AND VISIBILITY EQUIVALENTS FOR CATEGORIES
OF AIRCRAFT LANDING OPERATIONS CURRENT PRACTICE
CRITERIA for Table X and XI**

Category II:	<p>Visibility = 1/2 and ceiling = 100</p> <p>Visibility = 3/8 and ceiling \neq 0</p> <p>Visibility = 5/16 and ceiling \neq 0</p> <p>Visibility = 1/4 and ceiling \neq 0</p>
Category III-a:	<p>Visibility = 1/4 and ceiling = 0</p> <p>Visibility = 3/16 and all ceilings</p> <p>Visibility = 1/8 and all ceilings</p>
Category III-b/c:	<p>Visibility = 1/16 and all ceilings</p> <p>Visibility = 0 and all ceilings</p>
Category III:	<p>The sum of IIIa, IIIb, and IIIc</p>

TABLE C

RVR VERSUS VISIBILITY (Current Practice)

METEOROLOGICAL VISIBILITY	RVR EQUIVALENT
Statute Miles (feet)	Feet
3/16 (990 feet)	1200
* 1/4 (1320 feet)	1600
* 1/2 (2640 feet)	2400

TABLE D

* United States Standard for Terminal Instrument
Procedures (TERPs), Federal Aviation Agency, September 1966.

**CEILING AND VISIBILITY EQUIVALENTS FOR
CATEGORIES OF AIRCRAFT LANDING OPERATIONS
Criteria for Tables XII-XXI**

Category II
Below 2400 ft. RVR to
1200 ft. RVR

Equivalent Meteorological Observations

All observations with visibilities greater than 3/8 mile with ceiling 100 feet.

All observations of 3/8 mile with ceiling not equal to zero.

All observations of 5/16 mile with ceiling not equal to zero.

All observations of 1/4 mile with ceiling not equal to zero.

All observations of 3/16 mile with ceiling not equal to zero.

Category III
Category IIIa
Below 1200 ft. RVR to
700 ft. RVR

All observations of 1/8 mile.

All observations of 3/16 mile or greater with zero ceiling.

5% of observations of 3/16 mile or greater with ceiling 100.

Category IIIb
Below 700 ft. RVR to
150 ft. RVR

All observations of 1/16 mile.

50% of all observations of zero miles.

Category IIIc
Below 150 ft. RVR

50% of observations of zero miles.

TABLE E

RVR VERSUS METEOROLOGICAL VISIBILITY

Circular N

Reported Meteorological Visibilities Miles (feet)	RVR (500 ft. baseline) at Setting 5		Category
	Day	Night	
0 (less than 330 feet)	*	*	(IIIc and IIIb)
1/16 (330 feet-650 feet)	*	*	(IIIb)
1/8 (660 feet-980 feet)	1000-1400	*	(IIIb and IIIa)
3/16 (990 feet-1310 feet)	1400-1800	1200-1800	(Cat. II)
1/4 (1320 feet-1640 feet)	1800-2200	1800-2200	(Cat. II)

* No determination of RVR with respect to meteorological visibility.

TABLE F

PHILADELPHIA, INTERNATIONAL

FREQUENCY OF INTERVALS OF DURATION VERSUS CATEGORIES OF VISIBILITIES JANUARY 1956 - DECEMBER 1965

TABLE I. VISIBILITY ≥ 1/2 MILE WHEN CEILING < 200 FEET.

	DURATION IN MINUTES										
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+
3/8	49	26	17	14	6	4	1				

TABLE II. (IRRESPECTIVE OF CEILING).

VISIBILITY	DURATION IN MINUTES										
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+
3/8	119	77	39	18	17	8	3				1
5/16	5	3	2			1	1				
1/4	154	108	59	32	29	11	10	3	2		
3/16	42	24	5	4	7		1				
1/8	61	47	29	22	16	17	8	6	9	4	
1/16	19	22	14	16	17	8	8	5	5	1	
0	3	4	5	3	4	7	9	1	6		1

TABLE III. (CEILING 100 FEET).

VISIBILITY	DURATION IN MINUTES										
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+
3/8	25	19	5	4	4	1					
5/16	1	1									
1/4	41	30	18	12	10	4	3		1		
3/16	11	10	3	2	1						
1/8	24	13	9	13	8	5	4	1	3	2	
1/16	11	8	6	10	5	6	5	1	1		
0	2	2	2	1	1						

TABLE IV. (CEILING ZERO).

VISIBILITY	DURATION IN MINUTES										
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+
3/8	3										1
5/16											
1/4	17	10	3	1		1					
3/16	3	4	1								
1/8	15	9	7	6	8	5	2	1	3	2	
1/16	4	9	4	3	13	3	4	1	3		
0	1	4	7	1	3	9	5	1	5		1

TABLE V. (CEILING 100 FEET OR ZERO).

VISIBILITY	DURATION IN MINUTES										
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+
3/8	31	18	5	4	4	1	1				1
5/16	1	1									
1/4	44	37	21	14	11	6	3		1		
3/16	13	12	3	4	1						
1/8	35	20	14	16	8	10	5	6	7	4	
1/16	9	16	8	12	15	6	6	4	4	1	
0	1	2	6	3	4	7	6	1	6		1

TOTAL TIME AT OR BELOW EACH VISIBILITY CLASSIFIED AS ONE INCIDENT

TABLE VI. (IRRESPECTIVE OF CEILING).

VISIBILITY	DURATION IN MINUTES										
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+
3/8	64	76	40	34	44	30	38	20	35	17	19
5/16	47	47	25	25	34	25	35	20	32	15	15
1/4	44	47	27	23	38	23	32	19	32	15	15
3/16	23	27	23	12	14	25	10	12	22	13	10
1/8	22	29	16	12	13	17	19	12	23	10	10
1/16	9	15	6	9	11	12	12	11	7	7	2
0	3	3	3	4	2	7	7	2	5	1	1

TOTAL TIME AT OR BELOW EACH VISIBILITY CLASSIFIED AS ONE INCIDENT

TABLE VII. (CEILING 100 FEET).

VISIBILITY	DURATION IN MINUTES										
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+
3/8	35	45	32	25	37	16	12	6	10	1	1
5/16	49	39	28	31	29	14	13	4	10	1	1
1/4	48	34	28	30	23	14	13	4	10	1	1
3/16	34	21	18	18	13	11	9	4	6	1	1
1/8	28	14	15	18	13	10	10	4	5	1	1
1/16	12	9	7	8	4	8	5	2	1		
0	2	2	2	1	1						

TOTAL TIME AT OR BELOW EACH VISIBILITY CLASSIFIED AS ONE INCIDENT

TABLE VIII. (CEILING ZERO).

VISIBILITY	DURATION IN MINUTES										
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+
3/8	11	18	10	9	10	18	13	6	11	5	3
5/16	11	18	10	6	11	17	13	6	11	5	2
1/4	11	18	10	9	11	17	13	6	11	5	2
3/16	5	15	11	7	13	15	11	5	11	5	2
1/8	6	11	10	7	14	14	11	5	11	5	2
1/16	1	8	6	4	13	7	10	5	8	1	1
0	1	4	6	1	3	9	5	1	5		

TOTAL TIME AT OR BELOW EACH VISIBILITY CLASSIFIED AS ONE INCIDENT

TABLE IX. (CEILING 100 FEET OR ZERO).

VISIBILITY	DURATION IN MINUTES										
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+
3/8	26	27	29	21	27	25	20	14	21	11	8
5/16	20	22	24	28	18	22	22	11	22	12	9
1/4	20	22	26	28	17	22	22	11	22	12	9
3/16	14	20	20	12	11	19	17	12	17	10	9
1/8	13	15	17	10	12	14	18	12	17	9	9
1/16	8	11	7	8	13	12	12	11	8	9	2
0	1	1	5	4	5	7	5	2	6		1

TABLE X

PHILADELPHIA, INTERNATIONAL

ALL SEASONS

ALL HOURS

JANUARY 1956 - DECEMBER 1965

FREQUENCY OF OCCURRENCE

CATEGORY	TIME IN MINUTES													
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	186	147	87	62	50	25	19	7	9			532	60	592
IIIA	85	58	34	31	20	21	10	9	8	5	1	228	54	282
IIIB/C	13	20	12	14	19	13	11	8	10	5	1	78	48	126
II + III	79	79	48	36	30	30	45	22	34	18	21	292	170	462
III	40	45	24	17	19	28	23	18	22	11	7	145	109	254

TOTAL TIME IN EACH DURATION HOURS AND TENTHS

CATEGORY	TIME IN MINUTES												PERCENTAGE				
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL	1-90	91-ALL	1-ALL
II	33.2	26.6	16.1	11.0	8.4	4.2	3.3	1.3	1.6			260.9	158.6	419.5	.30	.18	.48
IIIA	15.2	10.2	6.0	5.2	3.6	3.8	1.8	1.6	1.3	0.8	0.3	113.5	171.6	285.1	.13	.20	.33
IIIB/C	2.5	4.0	2.4	2.6	3.2	2.2	1.9	1.3	1.6	0.8	0.1	55.8	176.0	231.8	.06	.20	.26
II + III	14.7	19.5	10.3	10.3	11.7	11.4	11.4	11.4	12.5	12.5	22.4	170.6	765.9	936.6	.19	.87	1.07
III	7.2	17.8	16.1	15.2	23.7	47.7	57.5	44.1	111.8	74.4	81.3	78.9	437.0	516.9	.09	.50	.59

AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS

CATEGORY	TIME IN MINUTES													
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	10.7	23.1	17.3	18.7	17.9	107.0	151.7	203.3	281.6			29.4	158.6	42.5
IIIA	10.7	22.9	18.8	16.4	18.3	103.5	149.7	214.6	276.9	397.0	495.0	29.9	190.7	60.7
IIIB/C	11.6	23.9	40.3	35.7	76.7	103.5	148.5	205.8	304.6	402.2	876.0	42.9	220.0	110.4
II + III	11.2	21.4	37.8	33.9	76.4	104.3	152.6	207.0	301.0	414.9	652.3	35.0	270.3	121.6
III	10.8	23.7	40.3	33.5	74.8	102.2	150.0	213.6	305.0	405.9	698.3	33.1	240.5	122.1

TOTAL OBSERVATION HOURS 87672

PHILADELPHIA, INTERNATIONAL
WIND DIRECTION VERSUS SPEED BY PERCENTAGE FREQUENCY
JANUARY 1966 - DECEMBER 1966

TABLE XI

PERCENTAGE FREQUENCY OF OCCURRENCE

CATEGORY	HOUR GROUP	WIND DIRECTION	CALM	SPEED (KNOTS)				21+	TOTAL
				1-5	6-10	11-15	16-20		
11	21-05	N	1.0	.5			.5	2.0	
		NNE	3.0				1.5	4.5	
		NE		2.0		.5	1.0	3.0	
		ENE	3.1	4.9	.5		10.1	18.5	
		E	3.3	4.0			7.0	14.3	
		ESE	4.6	3.0			9.0	17.6	
		SE	4.6	.5			7.1	12.2	
		SSE	4.0				4.0	8.0	
		S	3.0	1.3			4.3	7.3	
		SSW	2.5	1.5			4.0	7.0	
		SW	4.0	3.1	1.0		10.1	18.1	
		WSW	3.1	4.0	.5		7.6	14.6	
		W	1.0	2.0			3.0	6.0	
		WNW	1.0	1.3			2.3	4.3	
NW	1.0				1.0	2.0			
NWN	1.0				1.0	2.0			
TOTAL		14.1	48.3	31.8	2.3	3.0	100.0		
TOTAL RECORD OBSERVATIONS			198						

PERCENTAGE FREQUENCY OF OCCURRENCE

CATEGORY	HOUR GROUP	WIND DIRECTION	CALM	SPEED (KNOTS)				21+	TOTAL
				1-5	6-10	11-15	16-20		
11	06-20	N	2.7	.9			.9	4.0	
		NNE	3.6	1.6			1.6	6.0	
		NE	1.8	3.1	1.3		4.9	9.0	
		ENE	6.7	3.3	3.1		13.1	26.2	
		E	3.6	4.9	.9		9.3	18.5	
		ESE	1.8	4.4			6.2	12.2	
		SE	3.1	.4			3.5	7.0	
		SSE	3.1	.4			3.5	7.0	
		S	3.6	1.6			5.2	10.2	
		SSW	3.1	1.8	.4		5.3	10.2	
		SW	2.7	1.8	.4		4.9	9.8	
		WSW	3.1	6.7		.4	10.2	20.4	
		W	1.8	.4			2.2	4.4	
		WNW	.9	.4			1.3	2.7	
NW	.9	.4			1.3	2.7			
NWN	1.3				1.3	2.7			
TOTAL		4.9	43.6	32.4	6.2	6.2	100.0		
TOTAL RECORD OBSERVATIONS			225						

PERCENTAGE FREQUENCY OF OCCURRENCE

CATEGORY	HOUR GROUP	WIND DIRECTION	CALM	SPEED (KNOTS)				21+	TOTAL
				1-5	6-10	11-15	16-20		
111A	21-05	N	1.2				1.2	2.4	
		NNE	1.2	.6			1.8	3.6	
		NE	4.7			.6	5.2	10.4	
		ENE	4.4	3.2	1.2		12.8	25.6	
		E	4.1	4.7			8.7	17.4	
		ESE	4.1	4.7			8.7	17.4	
		SE	3.5	2.9			6.4	12.8	
		SSE	2.3				2.3	4.6	
		S	4.1				4.1	8.2	
		SSW	2.9	1.2			4.1	8.2	
		SW	6.4	4.7	.6		11.6	23.2	
		WSW	3.5	4.9	.6		14.0	28.0	
		W	2.9	1.7			4.7	9.4	
		WNW	1.2				1.2	2.4	
NW	.6				.6	1.2			
NWN	1.2				1.2	2.4			
TOTAL		14.0	32.3	30.8	2.3	.6	100.0		
TOTAL RECORD OBSERVATIONS			172						

PERCENTAGE FREQUENCY OF OCCURRENCE

CATEGORY	HOUR GROUP	WIND DIRECTION	CALM	SPEED (KNOTS)				21+	TOTAL
				1-5	6-10	11-15	16-20		
111A	06-20	N	2.8	.9			3.7	7.4	
		NNE	.9				.9	1.8	
		NE	.9			.9	1.8	3.6	
		ENE	4.7	7.5	.9		13.1	26.2	
		E	6.5	3.6			10.1	20.2	
		ESE	7.5	.9			8.4	16.8	
		SE	6.3	1.9			8.4	16.8	
		SSE	3.7	.9			4.7	9.4	
		S	1.9	1.9			3.8	7.6	
		SSW	.9	.9			1.8	3.6	
		SW	3.6	4.7			8.3	16.6	
		WSW	.9	6.4	.9		8.2	16.4	
		W	3.7	1.9			5.6	11.2	
		WNW	1.2	.9			2.1	4.2	
NW	3.7				3.7	7.4			
NWN	1.2				1.2	2.4			
TOTAL		9.3	48.6	36.4	1.9	.9	100.0		
TOTAL RECORD OBSERVATIONS			107						

PERCENTAGE FREQUENCY OF OCCURRENCE

CATEGORY	HOUR GROUP	WIND DIRECTION	CALM	SPEED (KNOTS)				21+	TOTAL
				1-5	6-10	11-15	16-20		
111B/C	21-05	N	1.9				1.9	3.8	
		NNE	1.9				1.9	3.8	
		NE	2.8	.9			3.8	7.6	
		ENE	6.6	6.6			13.2	26.4	
		E	1.9	1.9			3.8	7.6	
		ESE	2.8				2.8	5.6	
		SE	3.7				3.7	7.4	
		SSE							
		S	6.9				6.9	13.8	
		SSW	4.7	2.8			7.5	15.0	
		SW	3.7	1.9			5.6	11.2	
		WSW	4.7	2.8			7.5	15.0	
		W	6.6				6.6	13.2	
		WNW		.9			.9	1.8	
NW									
NWN									
TOTAL		28.3	59.8	17.9		28.3	100.0		
TOTAL RECORD OBSERVATIONS			104						

PERCENTAGE FREQUENCY OF OCCURRENCE

CATEGORY	HOUR GROUP	WIND DIRECTION	CALM	SPEED (KNOTS)				21+	TOTAL
				1-5	6-10	11-15	16-20		
111B/C	06-20	N	2.2	.7			2.9	5.8	
		NNE	2.2				2.2	4.4	
		NE	2.2				2.2	4.4	
		ENE	3.8	1.4			5.2	10.4	
		E	3.8	4.3			8.1	16.2	
		ESE	4.3	2.2			6.5	13.0	
		SE	3.8				3.8	7.6	
		SSE	2.2				2.2	4.4	
		S	3.6	.7			4.3	8.6	
		SSW	3.8	1.4			5.2	10.4	
		SW	3.8	4.3		.7	8.8	17.6	
		WSW	6.4	3.8			10.2	20.4	
		W	3.9	.7			4.6	9.2	
		WNW	3.6				3.6	7.2	
NW	2.9				2.9	5.8			
NWN	.7				.7	1.4			
TOTAL		18.7	59.7	20.9		18.7	100.0		
TOTAL RECORD OBSERVATIONS			139						

TABLE XII - ALL CONDITIONS.

PHILADELPHIA, INTERNATIONAL

FREQUENCY OF OCCURRENCE		0700 - 1300 (25971 OBSERVATION HOURS)										JANUARY 1956 - DECEMBER 1965			
		TIME IN MINUTES													
CATEGORY		1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II		67	42	36	21	18	2	11	1	2			184	16	200
IIIA		29	19	13	9	5	2	1	1	1			79	4	79
IIIB		10	5	5	12	2	4	6	2	1			34	13	47
IIIC				1	1	1	2	2					5	4	7
II + III		29	19	17	10	12	3	10	5	8	5	2	27	21	113
III		13	9	4	6	2	4	5	3	6	1		34	19	53
TOTAL TIME IN EACH DURATION HOURS AND TENTHS		TIME IN MINUTES													
CATEGORY		1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II		11.3	15.9	22.4	18.9	22.9	4.0	27.9	9.0	10.4			91.6	49.8	137.4
IIIA		4.9	7.4	8.2	7.9	6.2	3.5	2.1	6.1				39.3	9.7	43.0
IIIB		1.8	1.8	3.1	11.0	2.3	6.8	15.3	7.0	5.9			20.0	34.6	94.1
IIIC													2.2	18.5	10.9
II + III		9.3	6.7	11.1	9.2	15.2	5.4	26.7	17.2	40.0	21.3	17.6	47.3	128.2	175.5
III		2.2	3.6	2.8	5.3	2.7	7.0	11.9	11.0	30.2	6.2		16.6	64.3	82.9
AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS		TIME IN MINUTES													
CATEGORY		1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II		10.3	22.7	37.3	34.0	76.4	119.0	132.3	214.0	311.3			29.9	171.9	41.2
IIIA		10.0	23.2	37.8	32.7	76.2	104.0	124.0		248.0			26.6	148.0	32.6
IIIB		10.8	21.0	36.4	35.0	69.5	98.8	132.5	210.5	332.0			35.2	158.7	69.0
IIIC													42.5	126.8	93.1
II + III		10.9	21.1	39.0	35.0	76.0	108.0	160.2	205.8	300.0	426.3	520.0	32.6	248.1	89.2
III		10.2	23.9	42.0	32.5	82.0	104.3	143.2	219.7	302.0	374.0		29.3	209.4	93.8
FREQUENCY OF OCCURRENCE		1400 - 2100 (29224 OBSERVATION HOURS)													
		TIME IN MINUTES													
CATEGORY		1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II		36	27	7	14	10	7	7					96	13	109
IIIA		13	5	11	3	6	3	1					38	4	42
IIIB		2	5	2	1	2	2						12	3	15
IIIC		1	1	1	1	1							4	2	6
II + III		23	23	3	11	9	7	8	2	1	1	1	4	2	26
III		7	7	4		5	2	1	2	2			2	23	32
TOTAL TIME IN EACH DURATION HOURS AND TENTHS		TIME IN MINUTES													
CATEGORY		1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II		6.0	10.2	4.4	12.4	13.1	13.5	17.1		4.4			46.1	34.9	81.0
IIIA		2.0	1.7	6.8	2.8	7.7	5.5	2.4					21.0	8.0	28.2
IIIB		.5	2.0	1.5	1.0	2.7	3.5			4.4			7.5	7.9	18.4
IIIC													12.9	18.4	31.1
II + III		4.1	8.6	1.9	9.7	11.6	12.5	19.1	7.6	15.3	7.6	66.2	36.0	128.2	164.2
III		1.4	2.2	2.6		6.3	3.4	2.3	7.1	10.1			31.7	12.5	54.7
AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS		TIME IN MINUTES													
CATEGORY		1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II		10.0	22.7	37.3	33.3	78.7	115.4	146.1		261.0			29.4	139.3	44.6
IIIA		9.4	20.6	37.3	33.3	77.3	110.0	141.0					33.1	120.3	40.3
IIIB		14.0	23.4	43.5	37.0	81.0	105.0			264.0			37.6	158.0	61.7
IIIC		13.0	17.0	42.0		89.0				330.0			77.0	40.8	210.8
II + III		10.7	22.3	38.7	32.9	77.6	107.1	142.9	226.5	306.7	459.0	794.6	31.3	208.9	103.7
III		12.1	19.0	39.5		75.0	103.0	140.0	214.0	301.3			93.0	32.7	125.9
FREQUENCY OF OCCURRENCE		2200 - 0600 (32877 OBSERVATION HOURS)													
		TIME IN MINUTES													
CATEGORY		1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II		78	75	44	26	30	14	7	6	6	1		253	34	287
IIIA		34	31	10	15	6	16	10	8	8	5	1	96	48	144
IIIB		8	13	9	4	14	5	5	3	5	1		48	19	67
IIIC		1	1	1	2	1	2	3	1	3			6	9	15
II + III		27	37	28	15	29	20	27	15	23	14	14	126	113	249
III		14	26	13	11	9	17	18	12	14	10	4	73	75	148
TOTAL TIME IN EACH DURATION HOURS AND TENTHS		TIME IN MINUTES													
CATEGORY		1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II		14.6	29.7	27.3	23.1	37.4	24.6	17.4	20.2	30.3	8.0		132.1	100.7	232.7
IIIA		6.0	12.1	6.6	14.3	7.6	27.6	25.4	28.9	37.1	33.1	8.3	47.2	157.8	200.2
IIIB		1.4	5.9	6.1	3.6	18.0	9.1	12.3	9.6	24.4	7.0		39.1	62.8	98.7
IIIC		2.2	4.4	4.6	1.7	1.1	5.5	7.0	3.3	15.4			4.0	23.5	31.5
II + III		5.3	14.2	17.3	13.5	36.8	34.3	69.7	51.2	115.2	95.6	144.6	87.1	509.5	596.6
III		2.6	10.8	8.7	10.4	10.8	28.9	44.9	42.3	69.2	66.7	39.9	43.4	291.9	335.3
AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS		TIME IN MINUTES													
CATEGORY		1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II		11.2	23.7	37.2	33.4	74.7	105.4	149.3	201.5	303.3	478.0		31.3	177.6	48.7
IIIA		11.6	23.5	39.6	37.3	76.2	103.4	132.5	216.6	278.4	397.0	499.0	29.5	197.2	83.4
IIIB		10.5	27.0	40.9	34.3	77.1	108.6	157.9	191.3	292.2	417.0		43.9	198.4	88.4
IIIC		14.0	23.5	35.3	31.3	68.0	104.5	139.6	198.0	306.8			40.0	189.9	126.3
II + III		11.9	23.1	37.0	33.8	76.2	102.8	132.7	204.9	300.6	409.6	619.6	38.4	270.3	143.8
III		11.3	25.0	40.2	36.9	71.8	102.0	149.7	211.3	296.4	400.2		39.6	233.3	135.9
FREQUENCY OF OCCURRENCE		ALL (87672 OBSERVATION HOURS)													
		TIME IN MINUTES													
CATEGORY		1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II		181	144	87	51	39	23	25	7	9	1		331	43	396
IIIA		73	54	33	23	15	20	11	8	9	5	1	202	34	250
IIIB		20	24	16	17	19	11	12	5	8	1		96	37	133
IIIC		2	2	2	2	2	4	4	1	3			11	13	24
II + III		79	79	48	36	50	30	45	22	36	18	21	292	170	442
III		34	42	21	17	16	23	24	17	22	11	6	130	103	233
TOTAL TIME IN EACH DURATION HOURS AND TENTHS		TIME IN MINUTES													
CATEGORY		1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II		32.1	55.8	54.0	34.5	73.4	42.0	62.4	23.7	45.3	8.0		269.7	181.4	491.1
IIIA		19.3	20.8	21.0	23.2	19.0	34.7	27.4	28.9	41.9	33.1	8.3	97.6	170.9	264.0
IIIB		3.7	9.9	10.7	13.6	24.3	19.1	29.9	18.6	39.6	7.0		64.0	116.0	179.7
IIIC		5	8	2.0	1.7	2.4	7.0	9.3	3.3	15.4			12.9	7.8	44.4
II + III		14.7	29.5	30.3	32.3	63.7	32.2	116.5	79.9	170.9	124.5	228.4	170.4	783.9	956.4
III		6.3	16.6	14.1	13.7	19.8	39.3	59.2	60.4	109.4	72.9		71.6	412.9	489.3
AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS		TIME IN MINUTES													
CATEGORY		1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II		10.4	23.2	37.2	33.6	73.9	109.6	149.7	203.3	301.6	478.0		30.5	167.4	45.4
IIIA															

PHILADELPHIA, INTERNATIONAL
 TABLE XIII - TEMPERATURE < 33 DEGREES (F)
 0700 - 1900 (25971 OBSERVATION HOURS) JANUARY 1956 - DECEMBER 1963

FREQUENCY OF OCCURRENCE

CATEGORY	TIME IN MINUTES										481+	1-90	91-ALL	1-ALL			
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480							
II	10	4	4	5	5	2	2										
IIIA	5	4			2	2											
IIIB		1		1				2	1								
IIIC																	
II + III	6	2	3	3	3	1		1	1	3	1			17	6	23	
III	2	1	1	1				1	1	1	1			5	3	8	

TOTAL TIME IN EACH DURATION HOURS AND TENTHS

CATEGORY	TIME IN MINUTES										481+	1-90	91-ALL	1-ALL			
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480							
II	1.7	1.7	2.4	4.7	6.7			5.3						17.2	15.9	39.1	
IIIA	.9	1.6		1.8	2.2									6.2		6.2	
IIIB		.3		.8				5.3	3.9					1.1	9.2	10.3	
IIIC																	
II + III	1.1	.9	1.8	2.7	3.7	1.8		2.8	3.4	15.5	7.1			10.2	27.6	36.0	
III	.5	.3	.7	.8					2.7	5.0				2.2	11.4	13.6	

AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS

CATEGORY	TIME IN MINUTES										481+	1-90	91-ALL	1-ALL			
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480							
II	10.4	25.8	35.8	56.0	80.6			165.0						36.9	238.3	42.1	
IIIA	11.0	23.8		52.5	66.0									28.3		28.3	
IIIB		19.0		47.0				157.5	235.0					33.0	183.3	123.2	
IIIC																	
II + III	10.7	25.3	36.7	54.3	74.7	105.0		165.0	209.0	310.0	428.0			36.0	278.0	99.1	
III	14.0	19.0	40.0	47.0					220.0	297.0				26.8	227.3	102.0	

1400 - 2100 (29224 OBSERVATION HOURS)

FREQUENCY OF OCCURRENCE

CATEGORY	TIME IN MINUTES										481+	1-90	91-ALL	1-ALL			
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480							
II	8	7		2	2	2								19	2	21	
IIIA		1				1								2	1	3	
IIIB	1	1												2		2	
IIIC		1												1		1	
II + III	7	1		2	1	2								1	16	3	19
III	1	2						1						3	1	4	

TOTAL TIME IN EACH DURATION HOURS AND TENTHS

CATEGORY	TIME IN MINUTES										481+	1-90	91-ALL	1-ALL			
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480							
II	1.4	2.8		1.8	2.5	3.9								8.5	3.9	12.4	
IIIA		.3			1.4	1.9								1.9	1.9	3.8	
IIIB	.2	.3												.3		.3	
IIIC		.3												.3		.3	
II + III	1.3	2.3		1.8	1.3	3.9								10.5	6.8	14.4	21.0
III	.2	.6						4.0						.8	4.0	4.8	

AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS

CATEGORY	TIME IN MINUTES										481+	1-90	91-ALL	1-ALL			
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480							
II	10.6	23.7		53.5	75.0	118.0								26.7	118.0	35.4	
IIIA		30.0			86.0	111.0								38.0	111.0	75.3	
IIIB	13.0	17.0												15.0		15.0	
IIIC		17.0												17.0		17.0	
II + III	11.1	22.5		53.5	77.0	118.0								24.8	286.0	66.4	
III	13.0	17.0						238.0						13.7	238.0	71.3	

2200 - 0400 (32877 OBSERVATION HOURS)

FREQUENCY OF OCCURRENCE

CATEGORY	TIME IN MINUTES										481+	1-90	91-ALL	1-ALL			
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480							
II	5	6	4	1	4	3								18	8	26	
IIIA	6	2	1	3	5	1		1						14	3	19	
IIIB	3	2	1		3	1								11	1	12	
IIIC					1									1		3	
II + III	2	4	3	2	3	3		1	1	1	3			1	16	29	
III	4		1	2				3	1	2				7	8	13	

TOTAL TIME IN EACH DURATION HOURS AND TENTHS

CATEGORY	TIME IN MINUTES										481+	1-90	91-ALL	1-ALL			
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480							
II	.7	1.3	2.8	1.0	3.4	3.3								11.4	29.2	36.3	
IIIA	1.1	.8	.7	3.0	2.8	1.8		7.6	3.1	4.6	8.0			6.3	12.6	21.3	
IIIB	.5	1.0	.8		6.0			2.2						8.2	3.4	12.1	
IIIC					1.1			2.2						1.1	8.8	7.5	
II + III	.4	1.4	2.1	2.0	6.1	9.0		17.6	3.7	5.8	22.1			4.3	26.9	31.2	
III	.9		1.0	2.4				12.2	3.1	11.6							

AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS

CATEGORY	TIME IN MINUTES										481+	1-90	91-ALL	1-ALL			
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480							
II	8.4	21.8	42.0	60.0	81.3	105.7		148.7						37.9	189.3	84.3	
IIIA	11.0	25.0	41.0	60.0	76.5	110.0		132.3	189.0					36.4	131.0	67.3	
IIIB	10.3	29.3	45.0		71.8			133.0						44.9	204.0	60.3	
IIIC					68.0			129.0						68.0	203.7	149.4	
II + III	11.5	20.5	42.0	60.0	81.7	99.7		158.6	220.0	349.0	442.0			42.6	250.7	150.2	
III	12.8			60.0	72.5			144.2	188.0	347.3				36.6	201.8	124.7	

ALL (87672 OBSERVATION HOURS)

FREQUENCY OF OCCURRENCE

CATEGORY	TIME IN MINUTES										481+	1-90	91-ALL	1-ALL			
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480							
II	23	15	8	8	11	5								63	16	79	
IIIA	10	5	1	4	8	3			1					25	5	30	
IIIB	4	4	1	1	3	1								13	4	19	
IIIC		1			1									2		4	
II + III	15	12	6	7	7	6		1	2	3	4			2	47	71	
III	7	3	1	2	2			6	3	3				19	12	27	

TOTAL TIME IN EACH DURATION HOURS AND TENTHS

CATEGORY	TIME IN MINUTES										481+	1-90	91-ALL	1-ALL			
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480							
II	3.8	3.9	3.2	7.5	14.7	9.2		12.9						37.2	49.1	82.1	
IIIA	1.8	2.0	.7	3.8	6.2	1.8		7.6	3.1	14.9	8.0			14.1	12.3	26.0	
IIIB	.7	1.6	.8	.8	6.0			7.5	3.9					9.6	12.6	22.1	
IIIC		.3			1.1			2.2						1.7	6.8	8.9	
II + III	2.8	4.3	3.9	6.5	9.1	10.7		17.9	7.1	15.5	29.2			24.5	104.9	131.6	
III	1.5	.9	.7	1.8	2.4			14.9	10.8	16.5				7.3	42.3	49.3	

AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS

CATEGORY	TIME IN MINUTES										481+	1-90	91-ALL	1-ALL			
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480							
II	10.0	23.7	38.9	55.9	79.9	110.6		152.2						34.2	193.1	82.4	
IIIA	10.9	24.4	41.0	54.3	74.2	110.0		131.3	189.0					33.8	147.4	52.1	
IIIB	11.0	23.8	45.0	47.0	71.8			149.3	239.0								

PHILADELPHIA, INTERNATIONAL
 TABLE XIV - TEMPERATURE < 33 DEGREES (F), WITH POS. WD PRECIPITATION, AND WIND < 9 KNOTS.
 0700 - 1300 (23571 OBSERVATION HOURS) JANUARY 1956 - DECEMBER 1965

FREQUENCY OF OCCURRENCE

CATEGORY	TIME IN MINUTES										481+	1-90	91-ALL	1-ALL	
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480					
II	6	2	1	2	1							12			12
IIIA	3	4			1							8			8
IIIB	1	1		1			2					2	2		4
IIIC															
II + III	2	1	1	1	1				1			3	1		6
III	1	1	1	1			1		1			3	2		5

TOTAL TIME IN EACH DURATION HOURS AND TENTHS

CATEGORY	TIME IN MINUTES										481+	1-90	91-ALL	1-ALL	
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480					
II	1.1	.9	.8	1.8	1.3							5.8			5.8
IIIA	.5	1.0			1.2							3.2			3.2
IIIB		.3		.8			5.3					1.1	3.3		6.4
IIIC															
II + III	.5	.3	.8	.9	1.0				4.9			3.1	4.9		8.0
III	.2	.3	.7				2.8		3.7			1.2	6.4		7.6

AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS

CATEGORY	TIME IN MINUTES										481+	1-90	91-ALL	1-ALL	
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480					
II	11.2	26.0	45.0	55.0	75.0							29.1			29.1
IIIA	9.0	23.3			70.0							23.9			23.9
IIIB		19.0		47.0			157.5					33.0	157.5		93.3
IIIC															
II + III	13.5	19.0	45.0	53.0	61.0				295.0			37.2	295.0		80.2
III	13.0	19.0	40.0				165.0		220.0			24.0	192.3		91.4

1400 - 2100 (29224 OBSERVATION HOURS)

FREQUENCY OF OCCURRENCE

CATEGORY	TIME IN MINUTES										481+	1-90	91-ALL	1-ALL	
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480					
II	1	1			1							2			2
IIIA		1			1							2			2
IIIB	1				1							2			2
IIIC															
II + III	1	2			1						1	3	1		4
III	1				1				1			2	1		3

TOTAL TIME IN EACH DURATION HOURS AND TENTHS

CATEGORY	TIME IN MINUTES										481+	1-90	91-ALL	1-ALL	
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480					
II	.1	.4			1.4							.5			.5
IIIA		.4			1.4							1.8			1.8
IIIB	.2				1.5							1.7			1.7
IIIC															
II + III	.2	.7			1.5							10.5	2.2	10.5	12.7
III	.2				1.5				4.0			1.7	4.0		5.7

AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS

CATEGORY	TIME IN MINUTES										481+	1-90	91-ALL	1-ALL	
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480					
II	7.0	23.0			86.0							15.0			15.0
IIIA		23.0			90.0							34.5			34.5
IIIB	13.0				90.0							31.5			31.5
IIIC															
II + III	13.0	21.5			90.0				238.0			628.0	44.3	628.0	190.3
III	13.0				90.0				238.0			31.5	238.0		113.7

2200 - 0600 (32877 OBSERVATION HOURS)

FREQUENCY OF OCCURRENCE

CATEGORY	TIME IN MINUTES										481+	1-90	91-ALL	1-ALL	
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480					
II	5	4	2	1	1	2						13	3		16
IIIA	5	2	1	1	4	1		1				13	3		16
IIIB	2	2	1		4							9			10
IIIC															3
II + III	2	3	1	2	1	1			1			11	3		20
III	2	1	4		1				2			7	3		12

TOTAL TIME IN EACH DURATION HOURS AND TENTHS

CATEGORY	TIME IN MINUTES										481+	1-90	91-ALL	1-ALL	
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480					
II	.9	1.0	1.3	1.0	1.4	3.8						6.0	6.0		12.8
IIIA	1.0	.9	.6	1.0	3.2	2.9		2.2		3.1		8.2	7.8		15.1
IIIB	.3	1.0	.8		4.7							6.7	3.4		10.6
IIIC					1.1							1.1	4.0		7.3
II + III	.4	1.9	.6	2.0	1.3	1.7		12.0		3.4		6.1	32.0		38.0
III	.4			1.0	3.2			5.1		3.1		6.6	19.8		26.3

AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS

CATEGORY	TIME IN MINUTES										481+	1-90	91-ALL	1-ALL	
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480					
II	10.2	23.8	37.5	60.0	81.0	113.0						27.8	133.3		48.0
IIIA	11.4	23.5	34.0	60.0	77.8	115.0		103.0		188.0		37.8	156.0		56.7
IIIB	8.0	23.3	45.0		71.0			133.0				44.9	204.0		63.4
IIIC					68.0			133.0		345.0		68.0	203.7		149.4
II + III	10.5	22.6	34.0	60.0	79.0	100.0		133.2		203.0		39.0	213.2		114.1
III	11.9			60.0	77.5			151.5		188.0		36.1	237.2		131.6

ALL (87672 OBSERVATION HOURS)

FREQUENCY OF OCCURRENCE

CATEGORY	TIME IN MINUTES										481+	1-90	91-ALL	1-ALL	
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480					
II	12	7	3	3	2	2						27	3		30
IIIA	8	5	1	1	6	1		1				21	3		24
IIIB	3	3	1		5							13			16
IIIC															3
II + III	4	7	2	3	3	1		3		1		1	11		30
III	4	1	1	1	5			3		3		2	8		20

TOTAL TIME IN EACH DURATION HOURS AND TENTHS

CATEGORY	TIME IN MINUTES										481+	1-90	91-ALL	1-ALL	
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480					
II	2.1	2.8	2.0	2.8	2.6	3.8						12.4	6.8		19.1
IIIA	1.4	2.0	.8	1.0	7.8	1.9		2.8		3.1		12.2	7.8		18.4
IIIB	.5	1.3	.8	.8	6.2			7.8				6.8	8.7		18.6
IIIC					1.1			8.3				1.1	6.8		7.3
II + III	.8	2.6	1.3	2.9	3.8	1.7		12.8		3.4		10.3	11.4		38.7
III	.8	.3	.7	1.0	6.7			7.8		11.6		9.3	30.2		39.6

AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS

CATEGORY	TIME IN MINUTES										481+	1-90	91-ALL	1-ALL	
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480					
II	10.4	24.3	40.0	36.7	78.0	113.0						27.4	133.3		38.2
IIIA	10.3	24.0	34.0	60.0	77.8	113.0		103.0		188.0		37.8	156.0		56.0
IIIB	9.7	26.0	45.0		74.8			149.3				44.1	178.0		69.9
IIIC					68.0			133.0		345.0		68.0	203.7		149.4
II + III	12.0	22.3	34.5	37.7	79.3	100.0		133.2		203.0		39.0	213.2		117.3
III	12.3	19.0	40.0	60.0	68.0			154.0		213.3		47.3	226.1		118.9

14.20

PHILADELPHIA, INTERNATIONAL
 TABLE XV - TEMPERATURE < 33 DEGREES (F), WITH FOG, NO PRECIPITATION, AND WIND 9-12 KNOTS.
 0700 - 1300 (25871 OBSERVATION HOURS) JANUARY 1956 - DECEMBER 1965

FREQUENCY OF OCCURRENCE		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	2											2		2
IIIA	1											1		1
IIIB														
IIIC														
II + III	2											2		2
III														
TOTAL TIME IN EACH DURATION HOURS AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	.3											.3		.3
IIIA	.2											.2		.2
IIIB														
IIIC														
II + III	.3											.3		.3
III														
AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	10.0											10.0		10.0
IIIA	10.0											10.0		10.0
IIIB														
IIIC														
II + III	10.0											10.0		10.0
III														

1400 - 2100 (29224 OBSERVATION HOURS)

NO OCCURRENCE OF DATA

FREQUENCY OF OCCURRENCE		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	2	1										3	1	4
IIIA	2		1	1	1	1						5	1	6
IIIB														
IIIC														
II + III	3	1		2	1	1						7	1	8
III	1			1	1							3		3
TOTAL TIME IN EACH DURATION HOURS AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	.2	.4		.8	1.0	1.0						1.6	1.9	2.3
IIIA	.3		.6	.8	1.4	1.9						2.8	1.9	4.0
IIIB														
IIIC														
II + III	.4	.4		1.6	1.4	1.9						3.8	1.9	5.7
III	.2			.8	1.4							2.4		2.4
AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	4.7	21.0		35.0	47.0	113.0						17.0	113.0	39.0
IIIA	9.0			35.0	47.0	113.0						33.0	113.0	39.3
IIIB														
IIIC														
II + III	7.7	21.0		48.5	59.0	113.0						32.3	113.0	42.4
III	13.0			47.0	81.0							47.0		47.0

ALL (87672 OBSERVATION HOURS)

FREQUENCY OF OCCURRENCE		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	3	1										7	1	8
IIIA	2		1	1	1	1						5	1	6
IIIB														
IIIC														
II + III	3	1		2	1	1						9	1	10
III	1			1	1							3		3
TOTAL TIME IN EACH DURATION HOURS AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	.6	.4		.8	1.0	1.0						1.8	1.9	2.6
IIIA	.3		.6	.8	1.4	1.9						2.8	1.9	3.7
IIIB														
IIIC														
II + III	.7	.4		1.6	1.4	1.9						4.1	1.9	6.0
III	.2			.8	1.4							2.4		2.4
AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	6.0	21.0		35.0	47.0	113.0						15.0	113.0	27.3
IIIA	10.0			35.0	47.0	113.0						33.0	113.0	30.3
IIIB														
IIIC														
II + III	8.6	21.0		48.5	59.0	113.0						27.3	113.0	39.9
III	13.0			47.0	81.0							47.0		47.0

2.30

PHILADELPHIA, INTERNATIONAL
 TABLE XVI - TEMPERATURE < 29 DEGREES (F.),
 0700 - 1300 (25971 OBSERVATION HOURS) JANUARY 1956 - DECEMBER 1965

FREQUENCY OF OCCURRENCE		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	6	2	3	3	1	1			1			12	1	10
IIIA	1	2		1	1							5		5
IIIB	1			1								2		2
IIIC														
II + III	3	1	1	3			1				1	10	2	12
III				1								1	1	2

TOTAL TIME IN EACH DURATION HOURS AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	1.2	1.0	2.0	2.9	1.3	1.9						8.2	5.6	13.9
IIIA	.2	1.0		.8	1.2					5.6		3.1		3.1
IIIB	.3			.8								1.3		1.3
IIIC														
II + III	1.0	.5	.7	2.9			1.7			2.8	7.1	5.0	9.9	14.9
III				.8								.8	1.7	2.5

AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	12.0	29.0	39.3	37.7	75.0					338.0		22.1	238.0	52.1
IIIA	10.0	29.0		47.0	70.0							37.0		37.0
IIIB				30.0	47.0							36.5		36.5
IIIC														
II + III	11.8	28.0	39.0	57.7	75.0	168.0				428.0		29.9	296.5	74.3
III				47.0		100.0						47.0	100.0	73.5

FREQUENCY OF OCCURRENCE		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	4	3			2	2						9	2	11
IIIA	1	1				1						2	1	1
IIIB	1											2		2
IIIC														
II + III	3	4			1	2						8	2	10
III	1	1										2		2

TOTAL TIME IN EACH DURATION HOURS AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	.8	1.3			2.5	3.9						4.4	3.9	8.3
IIIA	.2	.3				2.0						.5		.5
IIIB	.2											.5		.5
IIIC														
II + III	.5	1.6			1.3	3.9						3.4	3.9	7.3
III	.2	.3										.5		.5

AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	9.3	25.3			75.0	118.0						29.2	118.0	45.4
IIIA	13.0	17.0				120.0						19.0	120.0	120.0
IIIB												19.0		15.0
IIIC														
II + III	10.0	24.0			77.0	118.0						25.4	118.0	43.9
III	13.0	17.0										15.0		15.0

FREQUENCY OF OCCURRENCE		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	2	3	2	1	3	1					1	12	3	16
IIIA	3	1		1	2							7		7
IIIB	1	2			3							4		4
IIIC					1	1				1		2	2	4
II + III	1	3	2	2	3	3				2	3	11	8	19
III	2		1	2						2		3	3	8

TOTAL TIME IN EACH DURATION HOURS AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	.3	1.8	1.4	1.0	4.1	1.6				8.0		8.6	11.7	20.3
IIIA	.6	.4		1.0	2.8							4.1		4.1
IIIB	.1	1.0			3.7							4.7		5.9
IIIC					1.1	1.1				2.3		2.2	8.0	9.0
II + III	.1	1.1	1.4	1.0	4.1	5.6				5.2	5.8	8.6	32.8	41.3
III	.4			1.0	2.4					2.8	11.6	3.8	14.4	18.2

AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	10.0	21.4	43.0	60.0	81.7	94.0				130.0		39.8	234.0	76.3
IIIA	11.3	24.0		60.0	83.0							35.0		35.0
IIIB	8.0	29.3			73.0							47.2		58.8
IIIC				60.0	68.0		135.0			343.0		65.3	240.0	135.2
II + III	8.0	21.3	40.5	60.0	81.7	111.3	158.0			347.5	442.0	47.1	246.3	130.9
III	10.3			60.0	72.5		168.0			347.5		43.2	287.7	136.1

FREQUENCY OF OCCURRENCE		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	12	10	3	4	6	3				1	1	37	6	43
IIIA	4	2		2	3	1						11	1	12
IIIB	2	4		1	3							10		10
IIIC					1	1				1		2	2	4
II + III	9	8	3	3	4	3				2	4	29	12	41
III	3	1		2	2	1				2		8	4	12

TOTAL TIME IN EACH DURATION HOURS AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	2.2	6.0	3.4	3.9	7.8	3.5				2.2		21.3	21.3	42.6
IIIA	.7	.9		1.8	3.9	2.0						6.3	2.0	8.0
IIIB	.4	1.8			3.7							6.3		7.7
IIIC					1.1	1.1				2.3		2.2	8.0	9.0
II + III	1.6	3.1	2.0	4.9	3.4	9.5				7.9	29.2	17.0	48.7	63.7
III	.8	.3		1.8	2.4	1.7				2.8		3.1	16.1	21.1

AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	10.8	24.1	40.8	58.3	78.3	110.0				130.0		34.3	212.7	59.4
IIIA	11.0	27.0		33.3	78.7	120.0						33.3	120.0	39.8
IIIB	10.3	26.9			73.0							39.0		46.0
IIIC				60.0	68.0		135.0			343.0		65.3	240.0	135.2
II + III	10.8	23.5	40.0	58.6	80.5	114.0	158.0			343.5	432.5	33.2	233.3	93.1
III	11.3	17.0		33.3	72.5	100.0	168.0			347.5		37.9	240.8	103.3

PHILADELPHIA, INTERNATIONAL
 TABLE XVII - TEMPERATURE < 29 DEGREES (F), WITH FOG, NO PRECIPITATION, AND WIND < 9 KNOTS.
 0700 - 1900 (25971 OBSERVATION HOURS) JANUARY 1956 - DECEMBER 1965

FREQUENCY OF OCCURRENCE													TIME IN MINUTES			
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL		
II	3	1	1	1	1							6	6	6		
IIIA	1	2										4	4	4		
IIIB				1								2	2	2		
IIIC																
II + III	2			1		1						3	1	4		
III						1							1	1		
TOTAL TIME IN EACH DURATION HOURS AND TENTHS													TIME IN MINUTES			
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL		
II	.7	.5		.9								2.7	2.7	2.7		
IIIA	.2	1.0		.9	1.2							2.3	2.3	2.3		
IIIB		.3		.8								1.3	1.3	1.3		
IIIC																
II + III	.9			.9		1.7						1.3	1.7	3.0		
III						1.7							1.7	1.7		
AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS													TIME IN MINUTES			
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL		
II	15.3	30.0	36.0	52.0								26.3	26.3	26.3		
IIIA	10.0	29.0			70.0							34.3	34.3	34.3		
IIIB		30.0		47.0								38.3	38.3	38.3		
IIIC																
II + III	13.5			53.0		100.0						26.7	100.0	45.0		
III						100.0							100.0	100.0		

1400 - 2100 (29224 OBSERVATION HOURS)

FREQUENCY OF OCCURRENCE													TIME IN MINUTES			
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL		
II	1											1	1	1		
IIIA																
IIIB	1											1	1	1		
IIIC																
II + III	1	1										1	1	1		
III												1	1	1		
TOTAL TIME IN EACH DURATION HOURS AND TENTHS													TIME IN MINUTES			
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL		
II	.1											.1	.1	.1		
IIIA																
IIIB	.2											.2	.2	.2		
IIIC																
II + III	.2	.3										.3	.3	.3		
III												.2	.2	.2		
AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS													TIME IN MINUTES			
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL		
II	7.0											7.0	7.0	7.0		
IIIA																
IIIB	13.0											13.0	13.0	13.0		
IIIC																
II + III	13.0	20.0										20.0	20.0	20.0		
III												13.0	13.0	13.0		

2200 - 0600 (32877 OBSERVATION HOURS)

FREQUENCY OF OCCURRENCE													TIME IN MINUTES			
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL		
II	3	3	1									7	7	7		
IIIA	3	1			1							5	5	5		
IIIB	1	2			3							6	6	6		
IIIC				1	1		1			1		2	2	4		
II + III	2	3		1	2	1	1			2	2	6	4	10		
III	1			1	2	1	1			2		4	3	7		
TOTAL TIME IN EACH DURATION HOURS AND TENTHS													TIME IN MINUTES			
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL		
II	.8	1.2	.7									2.5	2.5	2.5		
IIIA	.6	.6			1.3							2.3	2.3	2.3		
IIIB	.1	1.0			3.7							4.7	5.9	5.9		
IIIC				1.0	1.1		2.3		5.0			2.2	8.0	9.0		
II + III	.4	1.2		1.0	2.4	2.0	5.0		34.0		14.1	2.6	19.1	21.7		
III	.1			1.0	2.4	2.0	2.0		11.0			3.6	14.4	17.9		
AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS													TIME IN MINUTES			
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL		
II	11.7	23.3	41.0									20.9	20.9	20.9		
IIIA	12.0	23.0			76.0							27.0	27.0	27.0		
IIIB	6.0	29.3			73.0							47.2	58.8	58.8		
IIIC				60.0	68.0		139.0		349.0			69.3	246.0	133.2		
II + III	11.5	23.3		60.0	88.0	120.0	180.0		424.0		424.0	23.3	287.0	130.1		
III	8.0			60.0	72.5	100.0	168.0		347.3			33.3	287.7	133.7		

ALL (87672 OBSERVATION HOURS)

FREQUENCY OF OCCURRENCE													TIME IN MINUTES			
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL		
II	7	4	2	1								14	14	14		
IIIA	4	2			2							8	8	8		
IIIB	2	3		1	3							8	9	9		
IIIC				1	1		1		1			2	2	4		
II + III	4	4		2	2	2	1		2	2		10	9	13		
III	2			1	2	1	1		2			5	4	9		
TOTAL TIME IN EACH DURATION HOURS AND TENTHS													TIME IN MINUTES			
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL		
II	1.4	1.7	1.3	.9								5.2	5.2	5.2		
IIIA	.8	.9			2.4							4.2	4.2	4.2		
IIIB	.4	1.3		.8	3.7							6.2	7.4	7.4		
IIIC				1.0	1.1		2.3		5.0			2.2	8.0	9.0		
II + III	.8	1.3		1.9	3.7	3.7	5.0		34.0		14.1	4.2	26.0	23.0		
III	.4			1.0	2.4	1.7	2.0		11.0			3.6	16.1	19.0		
AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS													TIME IN MINUTES			
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL		
II	11.7	23.0	38.5	39.0								22.3	22.3	22.3		
IIIA	11.3	27.3			73.0							31.4	31.4	31.4		
IIIB	10.3	29.7			73.0							41.4	49.2	49.2		
IIIC				60.0	68.0		139.0		349.0			69.3	246.0	133.2		
II + III	12.9	22.9		66.5	86.5	110.0	180.0		424.0		424.0	23.3	246.0	130.1		
III	10.3			60.0	72.5	100.0	168.0		347.3			42.2	246.8	132.1		

PHILADELPHIA, INTERNATIONAL
 TABLE XVIII-- TEMPERATURE < 29 DEGREES (F), WITH FOG, NO PRECIPITATION, AND WIND 9-12 KNOTS.
 0700 - 1300 (23971 OBSERVATION HOURS) JANUARY 1956 - DECEMBER 1963

FREQUENCY OF OCCURRENCE		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	1											1		1
IIIA	1											1		1
IIIB														
IIIC														
II + III	1											1		1
III														
TOTAL TIME IN EACH DURATION HOURS AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	.1											.1		.1
IIIA	.1											.1		.1
IIIB														
IIIC														
II + III	.1											.1		.1
III														
AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	5.0											5.0		5.0
IIIA	5.0											5.0		5.0
IIIB														
IIIC														
II + III	5.0											5.0		5.0
III														

1400 - 2100 (29224 OBSERVATION HOURS)

NO OCCURRENCE OF DATA

FREQUENCY OF OCCURRENCE		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	1											1		1
IIIA	1	1										2		2
IIIB														
IIIC														
II + III	1	1										2		2
III	1											1		1
TOTAL TIME IN EACH DURATION HOURS AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	.2											.2		.2
IIIA	.2	.2										.4		.4
IIIB														
IIIC														
II + III	.2	.2										.4		.4
III	.2											.2		.2
AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	30.0											30.0		30.0
IIIA	15.0	30.0										21.5		21.5
IIIB														
IIIC														
II + III	15.0	30.0										21.5		21.5
III	15.0											15.0		15.0

FREQUENCY OF OCCURRENCE		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	1											1		1
IIIA	2	1										3		3
IIIB														
IIIC														
II + III	2	1										3		3
III	1											1		1
TOTAL TIME IN EACH DURATION HOURS AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	.1	.2										.1		.1
IIIA	.2	.2										.4		.4
IIIB														
IIIC														
II + III	.2	.2										.4		.4
III	.2											.2		.2
AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	5.0	30.0										17.5		17.5
IIIA	9.0	30.0										16.5		16.5
IIIB														
IIIC														
II + III	9.0	30.0										16.0		16.0
III	15.0											15.0		15.0

PHILADELPHIA, INTERNATIONAL
 TABLE XIX - TEMPERATURE > 32 DEGREES (F).
 0700 - 1300 (25871 OBSERVATION HOURS) JANUARY 1956 - DECEMBER 1965

FREQUENCY OF OCCURRENCE		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	58	38	32	16	13	2	1	1				177	12	189
IIIA	426	16	13	8	3	2	1		1			66	4	70
IIIB	11	4	5	11	2	4	4	1	1	1		33	10	43
IIIC												3	4	7
II + III	24	17	14	7	9	2	10	6	5	2	2	71	27	98
III	11	9	3	3	2	4	6	2	4	1		30	17	47

TOTAL TIME IN EACH DURATION HOURS AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	9.8	14.1	20.0	16.3	16.2	4.0	22.4	3.6				74.3	30.0	104.3
IIIA	4.3	6.1	8.2	7.1	4.0	3.5	2.1		4.1			28.3	9.7	38.1
IIIB	2.1	1.4	3.1	10.2	2.3	6.6	9.8	3.1	5.5			19.1	25.0	43.8
IIIC												2.2	4.9	10.9
II + III	4.3	5.7	9.2	6.5	11.2	7.7	26.7	20.2	24.5	14.2	17.6	37.7	102.0	143.9
III	1.8	3.6	2.1	4.5	2.7	7.0	14.9	7.0	19.5	6.2		14.7	54.6	69.3

AVERAGE TIME IN EACH DURATION HOURS AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	10.2	22.3	37.4	53.4	74.8	119.0	149.4	214.0				28.4	149.8	37.0
IIIA	9.9	22.8	37.8	53.1	79.7	104.0	124.0		248.0			25.9	145.0	32.7
IIIB	11.2	21.5	36.6	55.7	69.5	98.8	146.3	186.0	332.0			34.8	149.8	61.1
IIIC												42.5	126.8	95.1
II + III	10.7	20.2	39.3	55.3	76.4	109.9	160.2	201.7	294.0	425.5	528.0	31.4	237.3	88.1
III	9.5	23.9	42.7	53.6	82.0	104.3	149.3	210.0	292.5	374.0		29.3	192.8	88.4

FREQUENCY OF OCCURRENCE		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	28	20	7	12	8	5	7		1			75	13	88
IIIA	13	5	11	3	5	2	1					37	3	40
IIIB	1	4	2	1	2	2			1			10	8	18
IIIC	1				1							1	2	3
II + III	16	17	3	9	8	5	9	2	2	1	4	53	23	76
III	6	5	4		5		1	1	2		2	20	8	28

TOTAL TIME IN EACH DURATION HOURS AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	4.6	7.4	4.4	10.7	10.6	9.5	17.1		4.4			37.8	22.1	59.9
IIIA	2.0	1.7	0.8	2.8	0.3	3.7	2.4					19.6	6.0	25.6
IIIB	.3	1.7	1.5	1.0	2.7	3.5			4.4			7.0	7.9	14.9
IIIC	.3		.7		1.5				5.5			12.9	2.5	20.8
II + III	2.8	6.4	1.9	7.9	10.4	8.6	21.7	7.6	10.1	7.6	772.0	55.8	29.4	140.6
III	1.2	1.7	2.6		6.3	3.4	2.3	3.2	10.1		31.7	11.7	50.7	62.4

AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	9.8	22.3	37.3	53.3	79.6	114.4	146.1		261.0			30.1	142.8	46.7
IIIA	9.4	20.2	37.3	55.3	75.6	109.5	141.0					31.8	120.0	38.4
IIIB	15.0	25.0	43.5	57.0	81.0	109.0			264.0			42.1	158.0	68.8
IIIC	15.0		42.0		89.0				320.5			55.8	126.8	249.6
II + III	10.6	22.5	38.7	52.8	77.6	102.8	144.7	226.5	301.5	455.0	836.3	33.3	290.1	111.0
III	12.0	19.8	39.5		75.0	103.0	140.0	190.0	301.5		951.0	35.2	380.1	133.8

FREQUENCY OF OCCURRENCE		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	73	71	40	27	27	11	4	5	5			238	25	263
IIIA	29	30	10	14	5	17						188	45	233
IIIB	6	12	6	4	9	5	4	3	5	1		99	18	117
IIIC	1	1	1	2	2	2	2	1	2			5	7	12
II + III	26	33	25	16	27	19	23	12	22	10	13	127	98	226
III	11	26	13	11	8	18	13	11	11	10	4	69	67	136

TOTAL TIME IN EACH DURATION HOURS AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	13.9	28.2	24.5	25.1	33.3	19.3	10.0	16.8	24.0			184.6	72.1	256.7
IIIA	9.7	11.7	6.4	13.3	6.3	29.1	17.8	25.8	37.1	33.1	8.3	43.4	148.9	188.9
IIIB	1.1	5.2	5.4	3.6	12.0	9.1	9.4	9.6	24.0	7.0		27.5	58.7	86.6
IIIC	.2	.4	.6	1.7	3.5	3.5	4.8	3.3	9.9			2.8	21.7	24.2
II + III	5.2	12.9	15.2	14.5	33.9	32.5	38.5	40.2	109.8	67.2	130.6	61.5	438.7	520.2
III	2.0	10.8	8.7	10.4	9.8	30.4	32.6	39.2	53.5	66.7	39.9	41.8	262.3	304.1

AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	11.4	23.8	36.8	53.6	74.0	105.3	146.8	201.6	311.6			31.3	178.0	44.7
IIIA	11.8	23.3	39.5	57.1	76.0	102.8	132.9	220.7	278.4	397.0	495.0	29.6	198.3	84.3
IIIB	11.3	26.1	40.4	54.3	80.1	108.4	141.5	191.3	288.2	417.0		42.3	193.7	91.2
IIIC	14.0	25.3	35.5	51.3	104.9	144.0	198.0	287.3				33.8	186.4	121.0
II + III	12.0	23.4	36.4	54.2	75.3	102.9	132.3	201.1	299.4	403.3	602.5	38.5	265.9	138.1
III	11.1	25.0	40.2	56.9	73.3	101.4	150.4	213.6	292.0	400.2	598.8	36.3	234.9	134.2

FREQUENCY OF OCCURRENCE		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	139	129	79	35	48	18	20	6	6			470	50	520
IIIA	67	49	33	23	11	21	8	7	6	3	1	183	31	214
IIIB	18	20	15	16	14	11	9	4	7	1		63	32	95
IIIC	2	2	3	2	1	4	3	1	3			1	10	22
II + III	66	67	42	32	44	26	42	20	29	13	19	231	149	400
III	28	40	20	16	15	24	20	14	17	11	6	119	92	211

TOTAL TIME IN EACH DURATION HOURS AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	28.2	49.8	48.8	49.0	60.1	32.8	48.5	26.7	30.3			236.0	133.0	369.0
IIIA	11.9	18.6	21.0	21.4	14.1	36.2	19.9	29.6	41.3	33.1	8.3	87.2	182.1	249.9
IIIB	3.4	8.3	9.9	14.8	18.3	19.1	21.6	12.7	34.2	7.0		34.6	99.2	133.1
IIIC	.5	.8	2.0	1.7	1.3	7.0	7.3	3.9	15.2			12.9	6.5	41.0
II + III	12.3	25.0	26.3	28.8	55.7	44.7	106.9	67.9	144.3	89.0	203.9	148.1	658.7	804.7
III	5.0	16.1	13.5	14.9	18.8	40.8	49.9	49.3	83.1	72.9	71.6	68.2	367.6	433.8

AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	10.7	23.1	37.1	35.5	73.1	109.3	148.4	203.7	303.3			30.1	159.3	42.4
IIIA	10.6	22.0	38.2	55.9	76.8	103.5	149.							

PHILADELPHIA, INTERNATIONAL
 TABLE XX - TEMPERATURE > 32 DEGREES (F), WITH PFG, 40 PRECIPITATIONS, AND WIND < 9 KNOTS,
 0700 - 1300 (25871 OBSERVATION HOURS)
 JANUARY 1950 - DECEMBER 1965

FREQUENCY OF OCCURRENCE		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	36	35	12	10	7	1	1					100	1	101
IIIA	25	13	14	5	3	1	1					60	2	62
IIIB	10	5	3	8	2	9	5	1				20	9	37
IIIC	1											3	4	7
II + III	10	14	4	5	7	1	10	5	1	1		40	18	58
III	9	9	3	3	2	4	9	2	1			26	10	42

TOTAL TIME IN EACH DURATION HOURS AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	6.1	13.2	7.4	8.9	8.6		2.2					44.3	2.2	46.4
IIIA	4.2	5.0	8.8	4.4	3.9	1.7	2.2					23.5	3.9	29.3
IIIB	1.9	1.7	1.9	7.4	2.3	5.1	12.0	3.1				13.2	20.2	35.1
IIIC	16.0	4.0	7.0				5.0					2.2	8.3	10.9
II + III	2.0	5.1	2.0	4.5	8.9	1.7	26.0	17.2	4.8	4.1		23.0	35.7	75.7
III	1.4	3.6	2.1	2.6	2.4	6.7	23.3	7.0	5.0			12.1	42.2	54.4

AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	10.2	22.7	37.2	33.4	73.4		130.0					26.6	130.0	27.6
IIIA	10.0	23.2	37.9	52.8	77.3	104.0	132.0					23.5	118.0	28.3
IIIB	11.1	20.6	37.3	55.3	69.5	101.0	144.4	164.0				32.5	134.8	36.8
IIIC	24.0	40.0		66.0	105.0	148.7						42.5	138.8	93.1
II + III	11.9	21.7	39.3	33.8	75.9	99.0	135.9	206.8	285.0	344.0		34.5	185.7	81.4
III	9.6	24.0	42.3	52.3	71.0	100.5	136.9	210.0	300.0			28.0	158.4	77.7

FREQUENCY OF OCCURRENCE		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	17	10	4	4	4	3	1					9	4	43
IIIA	11	4	4	2	2							23	4	23
IIIB	5	3	1	1	1							10	10	10
IIIC	1		1	1	1							1	3	3
II + III	12	8	3	4	5	6	4					1	32	12
III	7	6	2	1	3							1	19	21

TOTAL TIME IN EACH DURATION HOURS AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	3.1	3.6	2.6	3.6	5.3	5.6	2.2					18.2	7.9	26.0
IIIA	2.0	1.3	2.3	1.8	2.3							9.6		9.6
IIIB	1.2	1.4	1.0	1.2								4.7	4.7	4.7
IIIC	3		7		1.5							11.6	2.3	17.1
II + III	2.4	2.9	2.1	3.8	6.4	10.6	9.3					6.3	12.8	19.6
III	1.7	2.2	1.3	1.8	3.8							6.2	12.8	28.7

AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	10.9	21.7	38.3	34.5	79.3	112.3	134.0					27.9	117.8	36.3
IIIA	11.0	18.8	34.0	33.3	70.0							23.1		23.1
IIIB	16.0	28.0		37.0	73.0							28.4	28.4	28.4
IIIC	13.0		42.0		89.0							48.7	513.5	234.8
II + III	11.8	21.8	42.7	37.0	76.2	106.3	139.8					32.9	195.4	77.2
III	14.3	21.3	38.0	47.0	76.0							30.5	369.3	81.9

FREQUENCY OF OCCURRENCE		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	61	51	17	7	10	7	2	1				190	12	192
IIIA	22	27	10	13	5	14	8	3	4	3		77	32	109
IIIB	6	8	6	4	9	5	4	1	5			35	15	50
IIIC	1	1	1	2	2	2	1	1	2			5	6	11
II + III	24	25	28	20	23	18	19	10	15	6		6	124	74
III	11	23	13	12	10	16	13	4	8	6		3	69	91

TOTAL TIME IN EACH DURATION HOURS AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	11.5	20.1	19.3	17.9	21.6	12.3	4.6	7.0	5.9			90.4	29.7	120.1
IIIA	4.3	10.4	6.0	12.0	6.2	23.9	20.6	11.4	17.4	19.3		38.7	90.2	122.0
IIIB	1.6	3.5	4.0	3.8	11.9	9.1	10.8	3.1	24.0			24.0	47.0	70.9
IIIC	2	4	6	1.7	3.3	2.2	3.3	6.9				2.8	18.8	22.6
II + III	3.0	11.0	17.7	18.3	29.1	31.3	49.3	34.3	74.2	40.9		59.6	81.7	231.4
III	2.2	9.2	6.7	10.8	12.1	27.5	39.7	14.4	38.0	48.1		28.7	43.0	231.4

AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	11.3	23.7	37.4	33.8	76.1	105.1	137.3	208.3	391.0			30.1	148.3	37.3
IIIA	11.8	23.1	39.7	53.2	74.2	102.4	134.8	228.0	261.3	386.0		30.1	169.0	67.2
IIIB	11.6	28.3	40.3	34.3	79.2	108.6	161.8	188.0	288.2			42.4	188.1	85.0
IIIC	14.0	24.0	37.0	31.3	104.5		138.3	198.0	297.3			33.4	188.4	123.1
II + III	12.6	22.7	37.9	33.0	73.9	104.4	139.8	209.4	297.0	408.5	393.8	39.3	233.3	112.6
III	11.7	24.0	40.2	34.2	72.3	103.1	139.3	216.3	285.0	393.3	374.0	37.4	221.6	113.7

FREQUENCY OF OCCURRENCE		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	57	43	26	18	9	15	9	5	4	3		133	34	187
IIIA	23	16	10	13	13	8	9	2	3			75	24	99
IIIB	2	2	2	2	1	4	3	1	3			1	9	12
IIIC	46	51	33	29	38	28	33	15	14	8		7	196	104
II + III	27	38	18	16	15	20	22	6	9	8		4	114	69

TOTAL TIME IN EACH DURATION HOURS AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	20.7	37.0	29.3	30.3	35.4	17.9	9.0	7.6	5.9			132.9	39.7	192.3
IIIA	10.3	16.3	16.4	16.4	11.2	25.6	22.8	11.4	17.4	19.3		70.0	94.1	137.0
IIIB	4.6	6.6	6.6	11.9	16.7	14.1	22.9	6.2	24.3			46.2	71.0	116.0
IIIC	3	6	1.3	1.7	1.3	7.0	7.2	3.3	13.2			5.9	46.6	45.8
II + III	9.4	19.0	22.6	26.4	46.3	43.8	64.6	31.1	79.2	33.3		72.4	121.7	269.9
III	5.3	15.0	12.1	14.2	18.2	34.2	37.2	21.4	43.0	52.3		41.3	64.0	214.4

AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS		TIME IN MINUTES												
CATEGORY	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480	481+	1-90	91-ALL	1-ALL
II	10.9	23.1	37.4	33.8	73.9	107.3	134.8	208.3	391.0			28.7	148.0	34.4
IIIA	10.8	22.7	37.9	34.6	74.3	102.3	132.2	228.0	261.3	386.0		27.4	169.0	50.4
IIIB	11.9	24.8	39.4	33.1	77.2	103.6	132.4	187.0	291.0			36.9	177.3	71.3
IIIC	14.3	24.0	37.0	31.3	77.3	104.7	142.8	198.0	297.3			42.5	203.3	130.7
II + III	12.2	22.3	38.3	33.0	73.9	104.6	139.9	208.3	297.1	399.4	697.0	42.7	232.3	101.4

PHILADELPHIA, INTERNATIONAL
 TABLE XXI - TEMPERATURE > 32 DEGREES (F), WITH FOG, NO PRECIPITATION, AND WIND 9-12 KNOTS.
 0700 - 1300 (29371 OBSERVATION HOURS) JANUARY 1956 - DECEMBER 1965
 FREQUENCY OF OCCURRENCE

CATEGORY	TIME IN MINUTES										481+	1-90	91-ALL	1-ALL
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480				
II	3	4	3	1								11		11
IIIA	2	2	1									3		3
IIIB			1									1		1
IIIC					1							1		1
II + III	4	5	3	1			1					13	1	14
III	1	2										3	1	4

CATEGORY	TOTAL TIME IN EACH DURATION HOURS AND TENTHS										481+	1-90	91-ALL	1-ALL
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480				
II	.5	1.6	2.1	1.0								5.2		5.2
IIIA	.3	.6	.5									1.2		1.2
IIIB			.5									.5		.5
IIIC					1.3							1.3		1.3
II + III	.5	1.8	2.1	1.0			1.8					5.4	2.3	7.6
III	.1	.6										.7	1.8	2.5

CATEGORY	AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS										481+	1-90	91-ALL	1-ALL
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480				
II	9.0	24.3	41.3	60.0								28.1		28.1
IIIA	8.0	18.0	31.0									14.6		14.6
IIIB			31.0									31.0		31.0
IIIC					75.0							75.0		75.0
II + III	8.0	21.0	41.3	60.0			139.0					24.7	135.0	32.6
III	5.0	18.0					106.0					13.7	106.0	36.8

1400 - 2100 (29224 OBSERVATION HOURS)

CATEGORY	FREQUENCY OF OCCURRENCE										481+	1-90	91-ALL	1-ALL
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480				
II	3	1										4		4
IIIA	4											4		4
IIIB			1	1								2		2
IIIC														
II + III	5	2	1									8		8
III	2	1										4		4

CATEGORY	TOTAL TIME IN EACH DURATION HOURS AND TENTHS										481+	1-90	91-ALL	1-ALL
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480				
II	.5	.5										1.1		1.1
IIIA	.8											.8		.8
IIIB		.3	.8									1.0		1.0
IIIC														
II + III	1.1	.8	.8									2.7		2.7
III	.5	.4	.8									1.6		1.6

CATEGORY	AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS										481+	1-90	91-ALL	1-ALL
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480				
II	12.3	27.0										16.0		16.0
IIIA	11.5											11.5		11.5
IIIB		16.0	45.0									30.5		30.5
IIIC														
II + III	12.8	25.0	45.0									19.9		19.9
III	13.5	23.0	45.0									23.8		23.8

2200 - 0600 (32877 OBSERVATION HOURS)

CATEGORY	FREQUENCY OF OCCURRENCE										481+	1-90	91-ALL	1-ALL
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480				
II	4	4	1	1	2							12		12
IIIA	2	4	2	1	1							10		10
IIIB	1											1		1
IIIC														
II + III	6	5	1	4	2							18		18
III	2	3	2	1								8		8

CATEGORY	TOTAL TIME IN EACH DURATION HOURS AND TENTHS										481+	1-90	91-ALL	1-ALL
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480				
II	.8	1.5	.6	.9	2.3							6.0		6.0
IIIA	.5	1.7	1.4	.8	1.2							5.1		5.1
IIIB	.3											.3		.3
IIIC														
II + III	1.3	2.2	.8	3.5	2.3							10.0		10.0
III	.5	1.4	1.4	.8								4.0		4.0

CATEGORY	AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS										481+	1-90	91-ALL	1-ALL
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480				
II	11.8	22.3	33.0	52.0	68.5							29.8		29.8
IIIA	13.5	25.0	41.0	47.0	69.0							30.3		30.3
IIIB	15.0											15.0		15.0
IIIC														
II + III	12.8	26.2	45.0	52.0	68.5							33.2		33.2
III	15.0	27.0	41.0	47.0								30.0		30.0

ALL (87672 OBSERVATION HOURS)

CATEGORY	FREQUENCY OF OCCURRENCE										481+	1-90	91-ALL	1-ALL
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480				
II	10	9	4	2	2							27		27
IIIA	6	6	3	1	1							17		17
IIIB	1	1										4		4
IIIC														
II + III	15	12	5	3	2			1				39	1	40
III	5	6	3	1								15	1	16

CATEGORY	TOTAL TIME IN EACH DURATION HOURS AND TENTHS										481+	1-90	91-ALL	1-ALL
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480				
II	1.9	3.8	2.6	1.9	2.3							12.2		12.2
IIIA	1.1	2.3	1.9	.8	1.2							8.5		8.5
IIIB	.3	.3	1.3									1.8		1.8
IIIC					1.3							1.3		1.3
II + III	2.9	4.8	3.6	4.5	2.3			1.8				18.0	2.3	20.2
III	1.0	2.3	2.1	.8								6.3	1.8	8.0

CATEGORY	AVERAGE TIME IN EACH DURATION MINUTES AND TENTHS										481+	1-90	91-ALL	1-ALL
	1-15	16-30	31-45	46-60	61-90	91-120	121-180	181-240	241-360	361-480				
II	11.1	23.8	39.3	56.0	68.5							27.1		27.1
IIIA	10.8	22.7	37.7	47.0	69.0							22.8		22.8
IIIB	15.0	16.0	38.0									26.8		26.8
IIIC					75.0							75.0		75.0
II + III	11.5	23.8	42.8	53.6	68.5			139.0				37.9	139.0	30.3
III	12.4	23.3	42.3	47.0				106.0				25.1	106.0	30.1

10.68

<p>Service, Federal Aviation Administration, Washington, D. C., CLIMATOLOGICAL SUMMARIES, VISIBILITIES BELOW 1/2 MILE AND CEILINGS BELOW 200 FEET, prepared by ENVIRONMENTAL SCIENCE SERVICES ADMINISTRATION, FINAL REPORT, June 1969, 41 volumes of 29 pages each. (Contract No. FA-67-WAI-120, Project 197-641-01R, Report No. RD-69-22)</p> <p style="text-align: center;">UNCLASSIFIED</p> <p>Descriptors</p> <p>Climatology All-Weather Aviation Landing Systems Fog Dissipation</p> <p style="text-align: center;">UNCLASSIFIED</p>	<p>Service, Federal Aviation Administration, Washington, D. C., CLIMATOLOGICAL SUMMARIES, VISIBILITIES BELOW 1/2 MILE AND CEILINGS BELOW 200 FEET, prepared by ENVIRONMENTAL SCIENCE SERVICES ADMINISTRATION, FINAL REPORT, June 1969, 41 volumes of 29 pages each. (Contract No. FA-67-WAI-120, Project 197-641-01R, Report No. RD-69-22)</p> <p style="text-align: center;">UNCLASSIFIED</p> <p>Descriptors</p> <p>Climatology All-Weather Aviation Landing Systems Fog Dissipation</p> <p style="text-align: center;">UNCLASSIFIED</p>	<p>Service, Federal Aviation Administration, Washington, D. C., CLIMATOLOGICAL SUMMARIES, VISIBILITIES BELOW 1/2 MILE AND CEILINGS BELOW 200 FEET, prepared by ENVIRONMENTAL SCIENCE SERVICES ADMINISTRATION, FINAL REPORT, June 1969, 41 volumes of 29 pages each. (Contract No. FA-67-WAI-120, Project 197-641-01R, Report No. RD-69-22)</p> <p style="text-align: center;">UNCLASSIFIED</p> <p>Descriptors</p> <p>Climatology All-Weather Aviation Landing Systems Fog Dissipation</p> <p style="text-align: center;">UNCLASSIFIED</p>	<p>Service, Federal Aviation Administration, Washington, D. C., CLIMATOLOGICAL SUMMARIES, VISIBILITIES BELOW 1/2 MILE AND CEILINGS BELOW 200 FEET, prepared by ENVIRONMENTAL SCIENCE SERVICES ADMINISTRATION, FINAL REPORT, June 1969, 41 volumes of 29 pages each. (Contract No. FA-67-WAI-120, Project 197-641-01R, Report No. RD-69-22)</p> <p style="text-align: center;">UNCLASSIFIED</p> <p>Descriptors</p> <p>Climatology All-Weather Aviation Landing Systems Fog Dissipation</p> <p style="text-align: center;">UNCLASSIFIED</p>
<p>Service, Federal Aviation Administration, Washington, D. C., CLIMATOLOGICAL SUMMARIES, VISIBILITIES BELOW 1/2 MILE AND CEILINGS BELOW 200 FEET, prepared by ENVIRONMENTAL SCIENCE SERVICES ADMINISTRATION, FINAL REPORT, June 1969, 41 volumes of 29 pages each. (Contract No. FA-67-WAI-120, Project 197-641-01R, Report No. RD-69-22)</p> <p style="text-align: center;">UNCLASSIFIED</p> <p>Descriptors</p> <p>Climatology All-Weather Aviation Landing Systems Fog Dissipation</p> <p style="text-align: center;">UNCLASSIFIED</p>	<p>Service, Federal Aviation Administration, Washington, D. C., CLIMATOLOGICAL SUMMARIES, VISIBILITIES BELOW 1/2 MILE AND CEILINGS BELOW 200 FEET, prepared by ENVIRONMENTAL SCIENCE SERVICES ADMINISTRATION, FINAL REPORT, June 1969, 41 volumes of 29 pages each. (Contract No. FA-67-WAI-120, Project 197-641-01R, Report No. RD-69-22)</p> <p style="text-align: center;">UNCLASSIFIED</p> <p>Descriptors</p> <p>Climatology All-Weather Aviation Landing Systems Fog Dissipation</p> <p style="text-align: center;">UNCLASSIFIED</p>	<p>Service, Federal Aviation Administration, Washington, D. C., CLIMATOLOGICAL SUMMARIES, VISIBILITIES BELOW 1/2 MILE AND CEILINGS BELOW 200 FEET, prepared by ENVIRONMENTAL SCIENCE SERVICES ADMINISTRATION, FINAL REPORT, June 1969, 41 volumes of 29 pages each. (Contract No. FA-67-WAI-120, Project 197-641-01R, Report No. RD-69-22)</p> <p style="text-align: center;">UNCLASSIFIED</p> <p>Descriptors</p> <p>Climatology All-Weather Aviation Landing Systems Fog Dissipation</p> <p style="text-align: center;">UNCLASSIFIED</p>	<p>Service, Federal Aviation Administration, Washington, D. C., CLIMATOLOGICAL SUMMARIES, VISIBILITIES BELOW 1/2 MILE AND CEILINGS BELOW 200 FEET, prepared by ENVIRONMENTAL SCIENCE SERVICES ADMINISTRATION, FINAL REPORT, June 1969, 41 volumes of 29 pages each. (Contract No. FA-67-WAI-120, Project 197-641-01R, Report No. RD-69-22)</p> <p style="text-align: center;">UNCLASSIFIED</p> <p>Descriptors</p> <p>Climatology All-Weather Aviation Landing Systems Fog Dissipation</p> <p style="text-align: center;">UNCLASSIFIED</p>