

USAF

*Technical Applications Center*  
ENVIRONMENTAL

ETAC

WORLDWIDE AIRFIELD CLIMATIC DATA

VOLUME VIII PART 5

United States of America  
(Mississippi Valley Area)

THIS DOCUMENT HAS BEEN APPROVED FOR  
PUBLIC RELEASE AND SALE: ITS DISTRIBUTION  
IS UNLIMITED.

December 1969

79 07 23 005

AD 699917

Published volumes of World-Wide Airfield Summaries are available for the following areas:

<u>Volume</u>	<u>Name</u>	<u>Clearinghouse Accession Number</u>
Volume I	Southeast Asia	AD-656-092
Volume II (Parts 1 & 2)	Middle East <b>AD-A002162-A003163</b>	<del>AD-662-425 &amp; AD-662-427</del>
Volume III	Far East	AD-662-426
Volume IV	Canada-Greenland-Iceland	AD-662-424
Volume V	Australia-Antarctica (including So.Pacific Is.)	AD-662-648
Volume VI (Parts 1 & 2)	South America	AD-664-828 & AD-664-829
Volume VII	Central America	AD-671-845
Volume VIII	United States of America	
Part 1	West Coast, Western Mtns. and Great Basin	AD-688-472
Part 2	Rocky Mtns. and Northwest Basin	AD-689-792
Part 3	Central Plains	AD-693-491
Part 4	Great Lakes	
Part 5	Mississippi Valley	
Part 6	Southeastern Region	
Part 7	East Coast and Appalachian Region	
Part 8	Alaska and Hawaii	
Volume IX	Africa	
Part 1	Northern Half	AD <del>682-915</del> <b>680 433</b>
Part 2	Southern Half	AD 682 915

An additional volume is planned for Europe (Volume X).

WORLDWIDE AIRFIELD CLIMATIC DATA

FOREWORD

This is a part of a series of compilations which is worldwide in scope. It consists of climatological data for selected airfields and for the climatic areas in which they are located. When complete, the series will include data for several thousand stations.

These data were compiled and prepared by the USAF Environmental Technical Applications Center (ETAC), Building 159, Navy Yard Annex, Washington, D. C. 20333. This series is also being published by the U. S. Naval Weather Service, Navy Yard, Washington, D. C. 20390, under the title "U. S. Naval Weather Service World-Wide Airfield Summaries." Copies of this document are obtainable from the Federal Clearinghouse for Scientific and Technical Information (CFSTI), Springfield, Virginia 22151, at a cost of \$3.00 per copy.

WORLD-WIDE AIRFIELD SUMMARIES - - VOLUME VIII  
UNITED STATES OF AMERICA PART 5 (MISSISSIPPI VALLEY)

INTRODUCTION

This volume provides climatological summaries for airfields and climatic areas in the United States. Summaries are arranged according to numbered climatic areas, and by increasing WMO Station Index Numbers within the climatic areas. An arbitrary station number (indicated by "/") is used where WMO Index Numbers are not assigned. Maps are included to delineate areas and station locations.

Climatic areas have been selected as being nearly homogeneous climatologically, but considerable variation may exist between locations in an area at a specific time because of topography and other factors. Climatological summaries for these areas follow those for the included airfields.

The latitudes and longitudes of the approximate centers of the climatic areas are indicated in the summary headings. The climatic areas are delineated by straight line segments and the positions of the end points are listed.

Blank values in the tables indicate that no data are available, and "0" indicates record is unknown. Local Standard Time is that of the standard time zone, and no adjustment has been made where local deviations exist. Data sources are listed in detail by means of a number system described on the following pages.

The first page of each station summary provides data for the station, and the second page contains information for the airfield area. The values are in mean number of days. Where observations were not available, the information consists of climatological estimates based on data for surrounding stations. In some instances tables may be based on relatively few observations or on somewhat doubtful data, and these should be used with caution.

## GLOSSARY OF GENERAL TERMS

### AIRFIELD DATA AND AIRFIELD AREA DATA

Climatological data applicable only to a specified airfield. The data consists of statistical parameters based on actual weather observations made at the airfield. If actual weather observations are not available the data consist of estimates of the statistical parameters, prepared by a climatologist, based on actual meteorological data from surrounding weather stations.

### CLIMATIC AREA DATA

Climatological data representative of a nearly homogeneous climatic area. The data are average (or representative) values based on a sample of climatological data available from weather stations within the area. The area data do not imply that the specific condition simultaneously exists at all locations within a country or large climatic area. In rolling and mountainous terrain there may be considerable variation in the data from one location to another within the climatic area.

### LOCAL STANDARD TIME

Standard time applicable to a 15 deg. meridional zone. (Zones proceed east and west from the zone centered on the prime meridian and extending from 00730E to 00730W.) No consideration is given to local deviations from the 15 deg. zone boundaries.

### AIRFIELD PARAMETERS

#### ABSOLUTE MAXIMUM (MINIMUM) TEMPERATURE-DEG. F.

The highest (lowest) temperature observed in the specified month during the whole period for which observations are available.

MEAN DAILY MAXIMUM (MINIMUM) TEMPERATURE-DEG. F.

The average of all the daily maximum (minimum) temperatures observed in the specified month.

MEAN NO. DAYS WITH MAXIMUM TEMPERATURE GREATER THAN 90 DEG. F.

The average of the number of days in the specified month on which the maximum temperature was observed to be equal to or greater than 90 deg. F.

MEAN NO. DAYS WITH MINIMUM TEMPERATURE LESS THAN 32 DEG. F (LESS THAN 0 DEG. F.).

The average of the number of days in the specified month on which the minimum temperature was observed to be equal to or less than 32 deg.F.(0 deg.F.).

MEAN DEW POINT TEMPERATURE-DEG. F.

The average of all hourly dew point temperatures observed in the specified month.

MEAN RELATIVE HUMIDITY-PERCENT

The average of all hourly relative humidity values observed in a specified month.

MEAN PRESSURE ALTITUDE-FEET

The average station pressure observed at the airfield in the specified month converted to an altitude by using the U. S. Standard Atmosphere.

MEAN MONTHLY PRECIPITATION-INCHES

The average of the monthly total amount of all forms of precipitation, reduced to its liquid equivalent, observed in the specified month.

MEAN MONTHLY SNOWFALL-INCHES

The average of the monthly total amount of snowfall observed in the specified month.

MEAN NO. DAYS WITH PRECIPITATION GREATER THAN 0.1 INCH (SNOWFALL GREATER THAN 1.5 INCHES)

The average of the number of days in the specified month on which the daily amount of precipitation (snowfall) was observed to be equal to or greater than 0.1 inch (1.5 inches).

MEAN NO. DAYS WITH AN OCCURRENCE OF VISIBILITY LESS THAN 0.5 MILE

The average of the number of days in the specified month on which there was at least one observation of visibility less than 0.5 mile.

MEAN NO. DAYS WITH THUNDERSTORMS

The average of the number of days in the specified month on which the weather observer heard thunder.

PERCENT FREQUENCY SURFACE WIND SPEED GREATER THAN 16 KNOTS (GREATER THAN 27 KNOTS)

The frequency, expressed as a percent of the total number of hourly weather observations considered, during the specified month, in which the surface wind speed was observed to be greater than 16 knots (27 knots).

PERCENT FREQUENCY CEILING LESS THAN 5,000 FEET OR VISIBILITY LESS THAN 5 MILES

The frequency, expressed as a percent of the total number of hourly weather observations considered, during the specified month, in which the ceiling was observed to be less than 5,000 feet and/or the visibility was observed to be less than 5 miles.

PERCENT FREQUENCY CEILING LESS THAN 1,500 FEET (LESS THAN 300 FEET) OR VISIBILITY LESS THAN 3 MILES (LESS THAN 1 MILE)

The frequency, expressed as a percent of all the hourly weather observations considered, in a specified three-hourly period during the day for a specified month in which the ceiling was observed to be less than 1,500 feet (300 feet) and/or the visibility was observed to be less than three miles (one mile).

PARAMETERS FOR AIRFIELD AREA AND CLIMATIC AREA

MEAN NO. DAYS WITH CEILING GREATER THAN 1,000 FEET (GREATER THAN 2,500 FEET, GREATER THAN 6,000 FEET, ETC.) AND VISIBILITY GREATER THAN 3 MILES

The average of the number of days when, at a specified hour during the day in the specified month, the ceiling was observed to be equal to or greater than 1,000 feet (2,500 feet, 6,000 feet, etc.) and the visibility was observed to be equal to or greater than three miles.

MEAN NO. DAYS WITH CEILING GREATER THAN 2,000 FEET AND VISIBILITY GREATER THAN 3 MILES AND SURFACE WIND LESS THAN 10 KNOTS

The average of the number of days when, at a specified hour during the day in the specified month, the ceiling was observed to be equal to or greater than 2,000 feet, the visibility was observed to be equal to or greater than three miles, and the surface wind speed less than ten knots.

MEAN NO. DAYS WITH SURFACE WIND GREATER THAN 16 KNOTS AND NO PRECIPITATION

The average of the number of days when, at a specified hour during the day in the specified month, the surface wind speed was observed to be greater than 16 knots, and there was no precipitation.

MEAN NO. DAYS WITH SURFACE WIND 4-10 KNOTS AND TEMPERATURE 33-89 DEG. F. AND NO PRECIPITATION

The average of the number of days when, at a specified hour during the day in the specified month, the surface wind speed was equal to or greater than four knots, but not greater than ten knots, the temperature was equal to or greater than 33 deg. F. but not greater than 89 deg. F. and there was no precipitation.

MEAN NO. DAYS WITH SKY COVER LESS THAN 0.3 AND VISIBILITY GREATER THAN 3 MILES

The average of the number of days when, at a specified hour during the day in the specified month, the portion of the sky covered with clouds was observed to be less than 0.3 and the visibility was observed to be equal to or greater than three miles.

AREA PARAMETERS (CLIMATIC AREA ONLY)

MEAN DAILY TEMPERATURE RANGE-DEG. F.

Two temperatures for the specified month: (1) a representative mean daily maximum temperature observed in the area; (2) a representative mean daily minimum temperature observed in the area.

RANGE OF MEAN MONTHLY PRECIPITATION-INCHES

Two mean monthly precipitation amounts for the specified month: (1) the largest mean amount observed in the area; (2) the smallest mean amount observed in the area.

## DATA SOURCES

The source from which values were taken can be determined from the column labeled "No. Obs."

(1) If the number in that column is positive, the data for that line were computer-summarized, and the number given is the number of observations used in the summarization.

(2) If the number is negative and of three digits or less, the data were hand-copied or estimated as indicated in the following source list.

(3) If the number is less than minus 500, part of the data are derived from computer-summarized data, and part from the source list number plus 500. For example, if the number is "-528," the source is the extreme of the computer-summarized data compared to source "-28."

(4) If the number is minus and a four or five digit number, the data were substituted from a representative station nearby and this number is the number of the source station.

(5) Statistical methods or meteorological relationships were used whenever possible to provide data not available at the National Weather Records Center or in yearbooks and summaries.

SOURCE LIST

- 1 French Equatorial Africa Service Meteorologique - 1950 - 1959
- 2 Climatic Statistics for Selected Stations on Islands of Reunion and Mayotte
- 3 Angola Servico Meteorologico Elmento Meteorologicos - 1942 - 1952
- 4 Algiers, Universite, Institute de Meteorologie, le Climat de L'Algerie
- 5 Algeria Service Meteorologique Bulletin Climatologique Mensual - 1952 - 1960
- 6 World Climatic Data Africa
- 7 Pt. 1 - Algiers Universite Annuaire du Nord - 1945 - 1950
- 8 Climatological Summaries, West Central Africa
- 9 Algeria, Service Meteorologique Resume Mensuel du Temps - 1951 - 1960
- 10 Klimaat Van Suid-Afrika Parts 1 and 9
- 11 Portuguese East Africa Meteorological Data-Mozambique
- 12 Climatologica Summaries-Northern Rhodesia - 1938 - 1948
- 13 Rhodesia Met. Service Climatologica Studies - 1948 - 1960
- 14 Climatological Summaries, Central Africa
- 15 Climatological Normals for Egypt. Cairo - 1950
- 16 Egypt Meteorological Dept. Metro Report
- 17 So. Africa Meteorological Services. (Wx on the coasts of So. Africa-Vol.II)
- 18 Weather on the west coast of Africa 7 to 20 years
- 19 Sudan-Meteorological Service Annual Met Report - 1950 - 1957
- 20 Climatological Summaries. Mali and Mauritania, Africa
- 21 Republique Francaise du Maroc Annales - 1945 - 1953
- 22 French West Africa Service Meteorologique Resume Mensuel des Observations - 1953 - 1954; 1955 - 1957
- 23 Climatological Summaries - Upper Volta Africa
- 24 World Distribution of Thunderstorm Days
- 25 WMO Model "A"
- 26 Climatological Summaries - French Somaliland and Somali Republic, Africa
- 27 Air France, Climatology of Africa

- |    |   |    |   |
|----|---|----|---|
| 28 | British Meteorological Tables   | 44 | India Meteorological Department -<br>India Weather Review   |
| 29 | Statistical Estimate  | 45 | Batavia - Rainfall in Indonesia<br>(Verhandelingen No. 37)  |
| 30 | Interpolation   | 46 | Turkey-Yillik Meteoroloji Bulteni   |
| 31 | Professional Subjective Estimate  | 47 | Rainfall Statistics of the British Borneo<br>Territories  |
| 32 | Climatic Norms (Clino) WMO  | 48 | Ceylon Meteorological Report - December<br>1938 - 1949  |
| 33 | CB Climatological Briefs  | 49 | Kuwait, Arabia - Climatological Data Annual   |
| 34 | CDC WB Climatic Data Card   | 50 | Ace Data, computed, derived or substituted<br>from data available 1964  |
| 35 | N Summary   | 51 | Promedios Climatologicos de Venes Uela<br>Periodo - 1951 - 1960   |
| 36 | Climatological Summaries, Niger, Africa   | 52 | Chile Servicio Meteorologico, Anu Ario<br>Meteorologico, Publication No. 73                                   |
| 37 | Cape Verdi Islands Servicios de Estadistica<br>Meteorologia E. Climatologia                           | 53 | Climate of Ecuador  |
| 38 | Malaya-Meteorological Service Summary of<br>Observations  | 54 | Peru Direction General de Meteorologia<br>Boletin Annual Meteorologico  |
| 39 | Revolutionary Government of the Union of<br>Burma Meteorological Department<br>Climatological Summary | 55 | Brazil Normais Climatologicas da Area da<br>Sudene  |
| 40 | Vietnam - Direction de La Meteorologie<br>Resume Mensuel du Temps                                     | 56 | Climatologia de Caile, Fasciculo Valores<br>Normales de 36 Estaciones Seleccionadas,<br>Periodo - 1916 - 1945 |
| 41 | Afghanistan Meteorological Institute<br>Monthly Weather Bulletins                                     | 57 | H. O. Pub No. 527 Weather Summary-Brazil  |
| 42 | Lebanon - Service de Climatologie Bulletin<br>Climatologique Mensuel                                  | 58 | H. O. Pub No. 529 Weather Summary-South<br>America - - Southern Part  |
| 43 | Climatological Tables of Observations in<br>India (red book)  |    |   |

- 59 Datos Detallados de Climatologia de Venezuela
- 60 Paraguay File
- 61 H.O. Publication No. 530 Weather Summary
- 62 Climatological Summary, Valley of Mexico (Mexico City)
- 63 Argentine Republic Servicio Meteorologico
- 64 Climatological Studies-Weather and Climate of Central America and Mexico-2WG
- 65 Climatological Studies Weather and Climate of West Indies-2WG
- 66 H. O. Pub. No. 528 Weather Summary-South America - - Northern Part
- 67 Climatological Studies-Weather and Climat South America-2WG
- 68 Professional Notes British Meteorological Office
- 69 Geografiska Annaler 37-38 - 1955 - 1956
- 70 H. O. Pub. No. 531 Weather Summary Central America-For Use w/Naval Air Pilot Supplement '8' Northwest Africa
- 71 Meteorological Yearbook Iranian Met. Dept.
- 72 H. O. Pub. No. 532 Weather Summary Mexico
- 73 H. O. Pub. No. 264 Weather Summary-South Africa
- 74 H. O. Pub No. 261 Weather Summary-Supplement 'C' West Central Africa
- 75 H. O. Pub. No. 263 Weather Summary-Supplement 'B' East Central Africa
- 76 H. O. Pub. No. 260 Weather Summary
- 77 Meteorological Data for certain Australian localities
- 78 New Zealand-Meteorological Service Climatological Table - 1951 - 1958
- 79 Ministerie Van Openbare Werken en Verkeer Meteorologische Dienst
- 80 Climate and Meteorology of Australia-1919 - 1951
- 81 Authentic Data, but source unknown
- 82 Summaries of Climatological Observations at New Zealand Stations to 1960
- 83 Relative Humidity at 0900 LST only - reference is the same as 82 above
- 84 Climatological Division Summary (CDC) for Canada, No. 1 thru 13-years 1962 thru 1966
- 85 Climate of British Columbia and the Yukon Territory by W. G. Kendrew and D. Kerr - 1955
- 86 The Climate of Central Canada by W. G. Kendrew and B. W. Currie - 1955

- 87 The Climate of Newfoundland Circular 4019  
Cli 30, April 1964
- 88 Servicio Meteorologico Nacional Estadisticas Climatologicas - 1901 - 1950  
Pub. B No. 1 and 1941 - 1950 Pub B No. 3
- 89 Anuario Meteorologico 1952, 53, 54  
Ministerio de Agricultura Oct. 1955
- 90 Las Precipitaciones en El Uruguay, 1965
- 91 Revista Meteorologica, Sumario. Anos 1944  
al 1956 Montevideo 1957
- 92 Climatological Data for Sonora, Northern  
Sinaloa, Baja, Calif., Univ. of Ariz.,  
Tech. Rpt. Nos. 14, 15, 1 Oct 1964
- 93 Avg. Climatic Water Balance Data of the  
Continents, Part IV, Australia, New Zealand  
and Oceania, 1963
- 94 Book of Normals - No. 1, Rainfall,  
Melbourne, 1951
- 95 Climatological Studies, Wea. and Clim.  
Pacific Islands, Hqs, 2nd Wea Gp F-8
- 96 Climate of the Horow Henua Lowlands New
- 97 Weather Summaries, Pacific and Alaska, Hydrographic Office H.O. Nos. W-270,  
W-271, 272, 273, 275, 276, 526, yrs.1943-4
- 98 Climatic Table for Japan Area Parts I-II
- 99 The Climate of Japan Vol. IV No. 2, 1931
- 100 Climatic Tables of Japan, Parts 1-5 1931-60
- 101 Climatological Data for Antarctic Stations No. 1-8, 1962-66. (Mean monthly precip ETAC computed from mean monthly snowfall with water equivalent basis of 10 ins of snow equal 1 in of precip).
- 102 Anare Data Reports, Series D, Meteorology,  
No. 81, XIII, XII, Melbourne, 1963-5.
- 103 Meteorological and Radiational Regimes of  
Antarctica, U.S. Dept. of Commerce 1964
- 104 Data from Polar Meteorology Section W.B.
- 105 Climatic Summaries for Canada 1947-1954
- 106 Climatic Summaries for Canada, Vol. II,  
1948
- 107 Climate of the Canadian Arctic Archipelago,  
1951
- 108 Temperature Normals, Averages and Extremes  
in the Northwest Territories during the  
period 1931 to 1960
- 109 Averages and Extremes of Climatic Data during  
1951-1960 for selected Canadian Arctic  
stations, 1963
- 110 Canada Met. Branch, Temperature Extremes,  
1966
- 111 Avg. Climatic Water Balance Data of the  
Continents, Part VI No. America, 1964

- 112 Canada Met. Branch, Monthly Record 1955-1965
- 113 Climatic Summary of the United States Supplement for 1951-through 1960
- 114 Climat. Studies, Hdqs. 19th AF, Alaska G-4, 1960
- 115 Climatological Summary, WB, Alaska, Means and Extremes for period of record thru 1952
- 116 Local Climatological Data, Annual Summary w/ Comparative Data, ESSA, 1966
- 117 Uniform Summary of Surface Wea. Obs.
- 118 Macro and Micro Climatology of the Arctic Slope of Alaska. US Army Tech Report EP-139, Natick Labs, 1960
- 119 Temperatures of Northern America, Hdqs. Quartermaster, US Army, Research Report RER-9, Natick Labs, 1956
- 120 Supplement to Bulletin W, Climatic Summary of the U.S. for 1931 thru 1952
- 121 Hydrographic Institute of the Yugoslav Navy, Met Division, 1946
- 122 Average Climatic Water Balance Data of the Continents, Part V, Europe N.J., 1964
- 123 Meteorology of the Arctic, OPNAV PO3-3. March 1956
- 124 Temperatures in Slovenia, Slovenska Akademija. Ljubljana 1965
- 125 Precipitations en Yougoslovie. 1925-40. Belgrad, 1957
- 126 Prilozi Rosnavanjü Klime Jugoslavije 1, Belgrad, 1957
- 127 Great Brit. Aviation Meteorological Report No. 19 (Yugoslavia). 1943
- 128 Ireland Met. Service. Monthly Wea. Report 1949-1952
- 129 Ireland Met. Service. Monthly Wea. Report 1958-1962
- 130 Climatological Summaries, Western Coastal Africa
- 131 Climatological Summaries, Tanganyika, Uganda and Kenya, Africa
- 132 Madagascar Meteorologique Service Publications Nos. 10,12,14,15,17,18,20-28.
- 133 O Clima de Portugal Fasciculo XIV. Lisboa 1965
- 134 Weather and Climate at Addis Ababa, Dire Dawa and Jimma, April 1965
- 135 Rhodesia and Nyasaland Climate Handbook Supplement 2
- 136 Rhodesia and Nyasaland Climate Information Sheets No. 1
- 137 Escuisse Climatographique de la Belgique, Brussels, 1947
- 138 Danmarks Kuima, 1933

- 139 General Climatic Data for Spain 2WW 1955
- 140 Memorial de la Meteorologie Nationale No. 50. Climatologie de la France Paris 1967
- 141 Klimakunde des Deutschen Reiches. Vol II Berlin, 1939
- 142 Statistiche Meteorologiche Relative Alle Principali Localita Italiane, Part 2 Roma, 1962
- 143 Climatological Summaries for Air Navigation in Norway, Vol. No. 6 Bardufoss Airport April 1960
- 144 Klimatabeller for Landbruket, Oslo 1955
- 145 Agricultural Climatology of Sweden and its Agro-Climatic Analogues in North America, No. 11 1950
- 146 Das Klima Der Schweiz, Mauer, Billwiller, Hess 1909
- 147 Averages of Humidity for the British Isles, Met Office, London, M.O. 421, 1938
- 148 Weather in the Home Waters and N.E. Atlantic, Met. Office, London M.O. 446, 1943
- 149 Monographies de la Meteorologie Nationale, No. 55. Valeurs Normales des Hauteurs de Precipitations en France. (1931-1960 and 1901-1950). Paris, 1966
- 150 Monographies de la Meteorologies Nationale. No. 59. Elements Climatologiques Concernant Les Cotes de la France Metropolitaine, Paris 1967
- 151 Averages of Rainfall for Great Britain and Northern Ireland. 1916-1950 M.O. 635, 1958
- 152 Averages of Temperature for Great Britain and Northern Ireland. 1931-60 M.O. 735, 1963
- 153 Etudes Sur le Climat de la France, Vol I Paris, 1904
- 154 Monographies de la Meteorologie Nationale No. 30. Valeurs Normales des Temperatures en France (1921-1950). Paris, 1962

INDEX

STATION INDEX

WORLD-WIDE AIRFIELD SUMMARIES - VOLUME VIII


UNITED STATES OF AMERICA - PART 5

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
MISSISSIPPI VALLEY (Climatic Area 13)		73890/	Hot Springs/Memorial Ark 63
72223	Mobile/Bates Fld Ala 1	73891/	Searcy Mun Ark 65
72228	Birmingham Mun Ala 3	75171/	Almyra Mun Ark 67
72323	Huntsville Ala 5	75172/	Pine Bluff/Grider Fld Ark 69
73286/	Selma/Craig AFB Ala 7	75176/	Eldorado/Goodwin Fld Ark 71
73311/	Muscle Shoals Ala 9	75177/	Camden/Harrell Fld Ark 73
73392/	Decatur/Pryor Fld Ala 11	75178/	Magnolia Mun Ark 75
73393/	Huntsville/Reastone AAF Ala 13	75246/	Hazen Mun Ark 77
73780/	Mobile/Brookley AFB Ala 15	75247/	Mena Mun Ark 79
73788/	Selma/Selfield Ala 17	72439	Springfield/Capital Ill 81
73798/	Clanton/Gragg Fld Ala 19	72531	Rantoul/Chanute AFB Ill 83
73807/	Cullman/Folsom Fld Ala 21	72532	Peoria/Greater Ill 85
73818/	Brewton Mun Ala 23	73026/	Bloomington Ill 87
75129/	Tuscaloosa/Van De Graff Ala 25	73382/	Marion/Williamson County Ill 89
75256/	Demopolis/Boykin Fld Ala 27	73416/	Urbana/Univ of Illinois Ill 91
75257/	Uniontown/Craig AFB Aux Ala 29	73450/	Belleville/Scott AFB Ill 93
75260/	Hamilton/Marion County Ala 31	73685/	Alton/Civic Memorial Ill 95
72340	Little Rock/Adams Ark 33	73686/	Mt Vernon Mun Ill 97
73315/	Walnut Ridge Ark 35	73687/	Salem/Leckrone Ill 99
73318/	Texarkana Mun Ark 37	73688/	Carbondale/Southern Illinois Ill 101
73341/	Blytheville Ark 39	73697/	Lawrenceville Ill 103
73355/	Jacksonville/Little Rock AFB Ark 41	73994/	Mattoon/Coles County Memorial Ill 105
73396/	Little Rock/Robinson AAF Ark 43	73995/	Danville/Vermilion County Apt Ill 107
73462/	Conway Mun Ark 45	75132/	Cairo Ill 109
73756/	Batesville Mun Ark 47	75145/	Decatur Mun Ill 111
73757/	Jonesboro Mun Ark 49	75146/	Jacksonville Mun Ill 113
73759/	Manila Mun Ark 51	75221/	Carbondale Ill 115
73824/	Helena/Thompson-Pobb Fld Ark 53	75347/	Centralia Mun Ill 117
73837/	Newport Mun Ark 55	75348/	Greenville Ill 119
73846/	Stuttgart Mun Ark 57	75349/	Harrisburg-Raleigh Ill 121
73865/	Crossett Mun Ark 59	72432	Evansville/Dress Memorial Ind 123
73878/	Hope Mun Ark 61		

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
MISSISSIPPI VALLEY (Climatic Area 13)			
72437	Terre Haute/Hulman Fld Ind	125	
75351/	Emison Fld Ind	127	
73342/	Hopkinsville/Campbell AAF Ky	129	
73381/	Gilbertsville/Kentucky Dam Sta Ky	131	
73411/	Paducah/Barkley Fld Ky	133	
73762/	Sturgis Mun Ky	135	
75138/	Owensboro/Daviess County Ky	137	
72231	New Orleans/Moisant Intl La	139	
72240	Lake Charles Mun La	141	
72248	Shreveport Mun La	143	
73221/	Lafayette Mun La	145	
73275/	Shreveport/Barksdale AFB La	147	
73276/	New Orleans NAS La	149	
73277/	New Iberia NAAS La	151	
73278/	Leesville/Polk AAF La	153	
73279/	Alexandria/England AFB La	155	
73464/	Abbeville Mun La	157	
73598/	Hammond Mun La	159	
73599/	Morgan City/Williams Memorial La	161	
73644/	Houma Mun La	163	
73648/	New Orleans/Westwego Apt La	165	
73850/	Mansura/Beridon La	167	
73851/	Marksville Mun La	169	
73852/	Alexandria/Esler Fld La	171	
73853/	Baton Rouge/Downtown La	173	
73859/	De Ridder/Beauregard Paris La	175	
73862/	Jennings La	177	
73863/	Welsh La	179	
73864/	Lake Providence/Byerly La	181	
73866/	Bastrop/Morehouse Memorial La	183	
73867/	Rayville Mun La	185	
73868/	Ruston Mun La	187	
73869/	Monroe/Selman Fld La	189	
73871/	Natchitoches Mun La	191	
73884/	Shreveport/Downtown La	193	
73904/	Baton Rouge/Ryan Mun La	195	
73913/	Crowley/Le Gros Memorial La	197	
73914/	Opelousas/St Landry Parish La	199	
75164/	New Orleans La	201	
75168/	Bogalusa Mun La	203	
75381/	Mansfield/De Soto Parish La	205	
75382/	Jeanerette La	207	
72234	Meridian/Key Miss	209	
72235	Jackson/Hawkins Miss	211	
72330	Tupelo Mun Miss	213	
73218/	McComb/Pike County Miss	215	
73273/	Columbus/Columbus AFB Miss	217	
73274/	Meridian/NAAS Miss	219	
73280/	Biloxi/Keesler Miss	221	
73320/	Greenwood Miss	223	
73764/	Pascagoula/Jackson County Miss	225	
73768/	Columbus/Lowndes Miss	227	
73769/	Aberdeen/Monroe County Miss	229	
73770/	Starkville Mun Miss	231	
73774/	Gulfport Mun Miss	233	
73775/	Picayune Mun Miss	235	
73776/	Grenada Mun Miss	237	
73777/	Hattiesburg Mun Miss	239	
73778/	Laurel Mun Miss	241	
73848/	Natchez/Adams County Miss	243	
73855/	Greenville/Greenville AFB Miss	245	
73856/	Greenville Miss	247	
73857/	Indianola/Legion Miss	249	
73880/	Jackson/A C Thompson Fld Miss	251	
73881/	Ridgeland/King Riddell Miss	253	
73882/	Raymond/Williams Miss	255	
73915/	Cleveland/Bolivar County Miss	257	


STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
MISSISSIPPI VALLEY (Climatic Area 13)		72242	Galveston/Scholes Fld Tex 325
73916/ Clarksdale/Fletcher Fld	Miss 259	72243	Houston Intl Tex 327
73917/ Greenwood Mun	Miss 261	72250	Brownsville/Rio Grande Valley Tex 329
75240/ Jackson	Miss 263	72251	Corpus Christi Tex 331
75419/ Yazoo City/Barrier Fld	Miss 265	72252	Laredo/Laredo AFB Tex 333
75420/ De Kalb/Bravo OLF	Miss 267	72253	San Antonio Intl Tex 335
75421/ Oxford/University	Miss 269	72254	Austin/Mueller Mun Tex 337
75422/ Vicksburg Mun	Miss 271	72255	Victoria/Foster AFB Tex 339
72434	Mo 273	72256	Waco Mun Tex 341
73370/ Dexter Mun	Mo 275	72258	Dallas/Love Fld Tex 343
73371/ Gideon/Memorial	Mo 277	72259	Fort Worth/Greater Tex 345
73373/ Steele Mun	Mo 279	72261	Del Rio Intl Tex 347
73380/ Cape Girardeau	Mo 281	73102/	Brackettville/Fort Clark Ranch Tex 349
73383/ Malden Mun	Mo 283	73103/	Uvalde/Garner Fld Tex 351
73758/ Kennett/Memorial	Mo 285	73104/	Del Rio/Laughlin AFB Tex 353
75175/ Poplar Bluff/Fields Memorial	Mo 287	73105/	Eagle Pass/Laughlin AF Aux Tex 355
75424/ Caruthersville	Mo 289	73214/	Lufkin Tex 357
75430/ Sikeston/Memorial	Mo 291	73230/	Fort Worth/Meacham Fld Tex 359
75431/ Chesterfield/Spirit of St Louis	Mo 293	73231/	Junction Tex 361
73843/ Durant/Eaker Fld	Okla 295	73234/	Alice/Jim Wells County Tex 363
72334	Tenn 297	73235/	Palacios Mun Tex 365
73309/ Jackson	Tenn 299	73249/	Denison/Perrin Tex 367
73316/ Dyersburg	Tenn 301	73250/	Fort Worth/Carswell AFB Tex 369
73354/ Memphis/NAS	Tenn 303	73251/	Waco/James Connally AFB Tex 371
73372/ Paris/Henry County	Tenn 305	73252/	Killeen/Gray AAF Tex 373
73374/ Lexington/Franklin Wilkins	Tenn 307	73253/	Dallas NAS Tex 375
73375/ Humboldt Mun	Tenn 309	73254/	Killeen/Hood AAF Tex 377
73376/ Waverly/Humphreys County	Tenn 311	73255/	San Antonio/Kelly AFB Tex 379
73377/ Jackson/McKellar	Tenn 313	73257/	Austin/Bergstrom AFB Tex 381
73391/ Pulaski/Abernathy	Tenn 315	73258/	Houston/Ellington AFB Tex 383
73565/ Union City/Stewart Fld	Tenn 317	73261/	Beeville/Chase NAAS Tex 385
73694/ Clarksville/Outlaw Fld	Tenn 319	73262/	Kingsville/NAAS Tex 387
75510/ Memphis/Downtown	Tenn 321	73395/	Longview/Gregg County Mun Tex 389
72241	Tex 323	73397/	College Station/Easterwood Fld Tex 391
Port Arthur/Jefferson County Mun		73398/	Hearne Mun Tex 393

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
MISSISSIPPI VALLEY (Climatic Area 13)		73886/	Dallas/Addison Tex 467
73461/ Denton Mun	Tex 395	73887/ Caddo Mills Mun	Tex 469
73587/ Hondo Mun	Tex 397	73888/ Dallas/Redbird	Tex 471
73588/ Harlingen Mun	Tex 399	73889/ Terrell Mun	Tex 473
73589/ McAllen/Miller Intl	Tex 401	73905/ Tyler/Pounds Fld	Tex 475
73590/ Houston/Clover Fld	Tex 403	73906/ Henderson/Rusk County	Tex 477
73591/ Castroville Mun	Tex 405	73907/ Medina/A Bar A Ranch	Tex 479
73592/ San Antonio/Martindale AAF	Tex 407	73908/ Brady/Curtis	Tex 481
73593/ San Antonio/Stinson Fld	Tex 409	73909/ Fredericksburg/Gillespie County	Tex 483
73594/ Beguin/Guadalupe County	Tex 411	73910/ Johnson City	Tex 485
73595/ San Antonio/Randolph AFB	Tex 413	73911/ Kerrville Mun	Tex 487
73596/ Seguin Fld	Tex 415	73912/ Junction/Kimble County	Tex 489
73597/ Rockport/Aransas County	Tex 417	75162/ Newark/Eagle Mountain	Tex 491
73632/ Houston/Andrau Airpark	Tex 419	75167/ Palestine Mun	Tex 493
73633/ Rosenberg/Hull Fld	Tex 421	75170/ Nacogdoches/Del Rentzel	Tex 495
73634/ La Porte Mun	Tex 423	75217/ Victoria	Tex 497
73635/ Rosenberg/Lane Airpark	Tex 425	75220/ Port O'Conner	Tex 499
73636/ Conroe/Montgomery County	Tex 427	75515/ Arlington Mun	Tex 501
73637/ Port Isabel/Cameron County	Tex 429	75517/ Brenham Mun	Tex 503
73638/ Laredo/AFB Aux 2	Tex 431	75518/ San Antonio/Brooks AFB	Tex 505
73639/ Lake Jackson	Tex 433	75519/ Port Lavaca/Calhoun County	Tex 507
73641/ Corpus Christi/Cuddihy Fld	Tex 435	75521/ Stephenville/Clark Fld	Tex 509
73642/ Sinton	Tex 437	75525/ Huntsville Mun	Tex 511
73643/ Corpus Christi/NAS	Tex 439	75527/ Jasper/Jasper County	Tex 513
73645/ Alice/Orange Grove	Tex 441	75528/ Killeen Mun	Tex 515
73646/ Crystal City Mun	Tex 443	75529/ Kingsville Mun	Tex 517
73647/ Matagorda Island	Tex 445	75530/ Liberty/Air Service	Tex 519
73831/ Athens/Jones Mun	Tex 447	75576/ Corsicana Mun	Tex 521
73844/ Gainesville	Tex 449	Climat	523
73845/ Sherman Mun	Tex 451		
73847/ Greenville/Majors	Tex 453		
73854/ Paris/Cox AAF	Tex 455		
73861/ Orange/Brown	Tex 457		
73876/ Brownwood Mun	Tex 459		
73877/ Temple/Draughton-Miller	Tex 461		
73883/ Marshall/Harrison County	Tex 463		
73885/ Georgetown Mun	Tex 465		



See inside front cover for additional information concerning titles, AD numbers and areal coverage.

ALABAMA



MOBILE/BATES FIELD, ALABAMA

STA NO. 72223 (IN AREA NUMBER 13)

LATITUDE 3041N

LONGITUDE 08814W

ELEVATION(FT) 00218

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	83	82	91	90	100	102	104	102	103	93	86	80	104	88	-613
MEAN MAX TMP (F)	61	63	67	75	83	88	90	90	87	79	68	62	76	88	-113
MEAN MIN TMP (F)	44	46	52	59	65	72	74	74	70	60	50	45	59	88	-113
ABS MIN TMP (F)	11	-1	24	32	43	50	62	57	48	32	22	14	-1	89	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.1	5.5	16.8	19.5	20.9	10.7	0.9	0.0	0.0	74.4	12	4383
MEAN NO DYS TMP = DR LES 32(F)	6.6	3.3	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.1	3.2	5.1	19.1	12	4383
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	44	46	48	55	64	70	72	72	68	57	46	43	57	12	105057
MEAN REL HUM (PCT)	76	75	71	72	74	76	80	78	78	72	71	74	75	12	105057
MEAN PRESS ALT (FT)	7	40	93	125	150	167	126	143	138	91	38	10	94	0	-50
MEAN PRECIP (IN)	4.67	4.89	6.58	5.07	4.46	5.61	7.31	6.30	5.37	3.35	3.66	4.96	62.2	90	-113
MEAN SNOW FALL (IN)	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	19	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.2	8.5	7.7	7.2	7.0	8.3	9.9	9.0	8.0	5.4	5.9	8.6	93.7	90	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	12	4378
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.5	5.3	4.2	5.3	2.6	0.8	1.4	0.7	1.9	1.7	4.1	5.0	39.5	12	4382
MEAN NO DYS TSTMS	1.0	2.0	3.0	4.0	6.0	10.0	14.0	13.0	6.0	2.0	1.0	2.0	64.0	71	-24
P FREQ WND SPD = DR GTR 17 KTS	12.1	13.8	13.0	10.7	5.7	2.6	1.5	1.0	4.2	5.1	9.7	10.1	7.6	12	105057
P FREQ WND SPD = DR GTR 28 KTS	0.3	0.4	0.3	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.2	0.1	12	105057
P FREQ LES 5000 FT A/D LES 5 MI	40.3	39.9	35.7	32.0	24.1	18.5	18.0	15.8	22.8	19.5	27.5	35.6	27.5	12	105027
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	32.7	29.2	27.6	25.9	11.7	4.0	3.1	3.0	9.1	10.0	19.4	20.1	16.3	12	13128
03-05 LST	34.3	32.8	28.5	31.6	17.6	7.8	6.9	6.4	14.3	15.1	19.8	23.0	19.8	12	13124
06-08 LST	33.3	33.6	28.8	29.2	17.6	9.1	7.1	8.5	19.5	17.8	21.0	24.3	20.8	12	13124
09-11 LST	24.3	23.2	18.5	9.7	3.5	2.8	2.5	4.0	11.7	9.3	13.6	20.1	11.9	12	13130
12-14 LST	13.5	12.5	11.2	6.6	2.2	2.5	2.0	3.2	6.2	4.3	8.6	16.4	7.4	12	13134
15-17 LST	11.9	13.7	14.4	7.8	2.9	1.9	2.2	1.9	5.5	4.9	8.0	13.7	7.4	12	13131
18-20 LST	17.4	16.5	19.0	14.0	4.7	2.1	1.7	1.6	5.0	6.7	11.0	18.6	9.9	12	13129
21-23 LST	27.1	23.1	23.0	19.3	7.2	2.0	0.9	1.9	5.6	7.9	15.4	20.6	12.8	12	13127
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	14.5	7.4	7.7	8.8	1.6	0.7	0.5	0.5	1.9	2.5	7.0	7.1	5.0	12	13128
03-05 LST	15.0	11.8	8.7	11.2	4.9	1.9	1.9	1.5	4.5	4.7	7.0	9.4	6.9	12	13124
06-08 LST	15.0	12.4	9.3	6.9	2.7	1.3	1.3	1.3	5.1	5.1	6.1	9.4	6.3	12	13124
09-11 LST	3.5	2.9	1.5	0.5	0.0	0.2	0.0	0.0	0.2	0.5	1.1	2.2	1.1	12	13130
12-14 LST	0.7	1.1	0.4	0.3	0.0	0.2	0.2	0.1	0.2	0.1	0.3	0.9	0.4	12	13134
15-17 LST	1.1	1.0	0.6	0.4	0.0	0.1	0.4	0.2	0.1	0.2	0.2	0.7	0.4	12	13131
18-20 LST	3.7	2.9	2.1	0.7	0.2	0.0	0.1	0.2	0.1	0.3	1.9	4.3	1.4	12	13129
21-23 LST	10.1	6.8	5.5	3.7	0.4	0.0	0.3	0.3	0.4	1.0	4.7	6.9	3.3	12	13127

0001

MOBILE/BATES FIELD, ALABAMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.3	24.8	26.6	28.0	30.4	29.6	30.5	30.6	28.8	29.3	27.9	27.1	340.9	12	4382
	00 LST	22.8	21.1	24.2	23.8	29.1	29.3	30.4	30.2	28.7	28.7	25.2	25.7	319.2	12	4382
	06 LST	21.1	19.0	22.9	20.9	25.9	27.2	28.6	28.2	25.0	25.2	24.2	24.8	293.0	12	4382
	12 LST	28.3	25.2	29.0	28.6	30.7	29.6	30.6	30.6	28.7	30.2	28.5	27.3	347.3	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	16.6	13.3	12.7	14.3	15.7	16.8	24.1	24.7	23.6	23.6	20.3	16.7	222.4	12	4382
	00 LST	12.2	11.8	14.7	16.4	23.5	26.8	28.2	28.4	22.7	21.1	15.7	15.3	236.8	12	4382
	06 LST	11.6	10.6	13.3	12.7	18.8	22.7	24.7	24.5	18.1	18.8	14.6	14.9	205.3	12	4382
	12 LST	7.6	6.4	7.4	7.6	12.4	15.4	18.2	20.3	13.7	14.7	9.3	8.6	141.8	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	2.2	2.5	3.1	2.0	0.8	0.8	0.4	0.1	0.7	0.8	1.2	2.2	16.8	12	4285
	00 LST	2.1	2.1	2.6	1.5	0.3	0.1	0.1	0.1	0.4	0.5	1.5	2.9	14.2	12	4306
	06 LST	2.6	1.8	1.7	1.7	0.5	0.2	0.0	0.1	0.6	0.7	2.2	1.8	13.9	12	4296
	12 LST	7.5	8.3	9.2	6.4	4.2	1.4	0.9	0.2	2.1	3.4	5.1	5.8	54.5	12	4311
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	21.9	18.4	19.5	20.3	22.1	20.1	23.7	26.4	24.2	23.9	22.5	21.6	264.6	12	4285
	00 LST	19.4	16.7	20.7	21.2	22.4	21.1	20.8	23.4	21.6	22.1	19.4	19.1	247.9	12	4306
	06 LST	16.3	16.4	19.4	20.3	22.3	23.1	24.1	25.1	22.4	23.7	19.2	18.7	251.0	12	4296
	12 LST	11.3	10.2	11.6	11.4	12.7	13.4	15.7	13.1	15.7	17.0	13.2	14.1	159.4	12	4311
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.4	8.2	10.3	11.7	9.8	7.6	3.2	6.7	8.3	16.8	13.7	10.9	116.6	12	4382
	00 LST	10.2	11.1	11.4	12.7	16.8	17.7	15.7	19.0	16.1	20.2	14.1	12.7	177.7	12	4382
	06 LST	8.5	8.0	9.7	8.2	9.1	10.7	7.3	10.9	11.1	16.0	11.4	9.8	120.7	12	4382
	12 LST	8.3	6.5	9.9	8.9	4.9	2.7	1.9	3.6	5.7	12.8	10.2	9.9	85.3	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.6	22.7	23.7	25.5	28.8	28.6	29.8	29.5	27.4	28.2	26.2	24.2	319.2	12	4382
	00 LST	20.2	19.0	21.6	22.3	26.7	28.7	29.9	29.9	27.7	27.8	23.6	23.5	300.9	12	4382
	06 LST	17.8	16.3	20.4	18.0	23.7	26.3	26.7	27.2	23.1	24.2	21.9	21.6	267.2	12	4382
	12 LST	23.2	19.9	23.7	25.2	28.4	27.5	29.0	28.5	25.2	27.4	24.8	23.1	305.9	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.0	19.7	21.6	24.1	27.1	26.0	27.0	28.1	25.1	26.2	23.9	21.2	291.0	12	4382
	00 LST	18.1	17.2	20.0	20.7	25.4	27.9	28.9	29.4	26.5	26.7	21.9	20.0	282.7	12	4382
	06 LST	15.2	14.4	18.1	16.8	22.2	25.6	25.9	26.3	22.3	22.7	20.2	17.7	247.4	12	4382
	12 LST	18.4	15.7	19.0	19.5	19.8	19.9	17.6	19.0	18.8	23.6	20.8	19.5	231.6	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.2	17.9	20.2	23.5	25.8	25.8	26.0	27.3	23.8	25.1	23.1	19.5	277.2	12	4382
	00 LST	16.8	15.8	18.5	20.1	24.6	27.5	28.4	29.0	26.1	25.6	20.9	17.9	271.2	12	4382
	06 LST	13.6	12.7	16.8	15.9	21.2	24.8	25.1	25.3	21.5	22.1	18.6	16.0	233.6	12	4382
	12 LST	17.1	14.1	17.9	18.5	19.2	19.1	16.9	18.2	17.8	23.1	19.7	18.4	220.0	12	4382

BIRMINGHAM MUNICIPAL, ALABAMA

STA NO. 72228 (IN AREA NUMBER 13)

LATITUDE 3334N

LONGITUDE 08645W

ELEVATION(FT) 00643

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	83	84	90	98	99	103	107	103	106	94	84	78	107	35	-528
MEAN MAX TMP (F)	55	57	66	73	81	88	90	90	86	76	64	55	73	35	-28
MEAN MIN TMP (F)	37	38	46	53	61	68	70	70	66	55	44	38	54	35	-28
ABS MIN TMP (F)	-2	-10	12	28	38	47	55	68	36	20	1	1	-10	35	-528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.1	2.0	10.6	18.5	22.1	15.9	3.0	0.1	0.0	0.0	72.3	14	4807
MEAN NO DYS TMP = DR LES 32(F)	11.9	8.0	2.9	0.4	0.0	0.0	0.0	0.0	0.0	4.0	12.0	15.9	55.1	14	4807
MEAN NO DYS TMP = DR LES 0(F)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	14	4807
MEAN DEW PT TMP (F)	36	38	40	48	58	65	69	68	62	51	40	36	51	12	105160
MEAN RFL HUM (PCT)	72	69	65	64	68	69	72	71	70	71	68	71	69	12	105159
MEAN PRESS ALT (FT)	422	461	519	550	566	583	555	560	532	488	452	425	509	0	-50
MEAN PRECIP (IN)	5.40	4.80	5.90	5.00	4.30	4.40	5.20	4.20	3.10	2.40	3.50	4.80	53.0	43	-28
MEAN SNOW FALL (IN)	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	1.2	17	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.0	8.4	7.4	7.2	6.9	7.2	8.0	7.0	5.1	4.2	5.6	8.4	84.4	43	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.3	11	3652
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.2	0.6	0.2	0.0	0.4	0.4	0.4	0.1	0.4	1.2	1.0	0.7	6.6	12	4383
MEAN NO DYS TSTMS	1.0	2.0	4.0	5.0	7.0	12.0	14.0	12.0	6.0	2.0	1.0	1.0	67.0	48	-24
P FREQ WND SPD = DR GTR 17 KTS	5.1	7.0	7.6	5.7	1.6	0.8	0.5	0.6	0.8	1.3	4.4	4.2	3.3	12	105161
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.2	0.2	0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.1	12	105161
P FREQ LES 5000 FT A/O LES 5 MI	43.5	38.0	32.1	22.4	20.3	21.2	21.2	15.9	20.9	26.1	32.1	39.2	27.7	12	105156
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	22.1	18.8	15.6	8.4	4.8	4.9	6.5	3.6	8.1	11.2	13.3	19.4	11.4	12	13149
03-05 LST	29.5	22.8	17.5	13.6	12.2	10.2	11.9	6.7	13.6	16.5	15.6	22.2	16.0	12	13148
06-08 LST	31.9	29.8	23.3	15.6	18.1	15.5	17.5	12.6	17.7	22.8	25.0	27.8	21.5	12	13145
09-11 LST	28.5	22.2	18.0	8.4	8.2	7.6	5.9	6.2	10.1	13.0	18.1	23.6	14.2	12	13143
12-14 LST	17.6	13.8	10.9	3.5	3.1	2.8	2.3	1.5	5.8	6.9	11.6	15.8	8.0	12	13142
15-17 LST	13.8	11.8	9.5	3.4	1.6	2.4	1.8	1.1	5.1	6.0	10.7	13.3	6.7	12	13143
18-20 LST	14.3	13.4	8.0	3.9	1.4	2.1	1.8	0.7	5.0	6.9	11.2	14.0	6.9	12	13141
21-23 LST	15.8	16.4	9.1	5.0	2.1	2.3	2.3	1.8	7.0	8.0	11.4	16.5	8.1	12	13145
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	1.6	0.9	0.5	0.5	0.4	0.2	0.4	0.0	0.6	1.4	1.5	1.5	0.8	12	13149
03-05 LST	3.8	1.0	0.9	0.4	0.8	1.2	1.0	0.6	1.4	2.5	3.0	1.8	1.5	12	13148
06-08 LST	3.9	1.3	0.3	0.1	0.6	0.7	0.4	0.3	0.9	3.1	3.9	1.6	1.4	12	13145
09-11 LST	1.7	0.9	0.0	0.0	0.1	0.2	0.2	0.0	0.0	0.7	1.5	0.6	0.5	12	13143
12-14 LST	0.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.8	0.7	0.3	12	13142
15-17 LST	0.5	0.4	0.1	0.1	0.0	0.0	0.2	0.1	0.1	0.1	1.0	0.6	0.3	12	13143
18-20 LST	0.5	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.2	12	13141
21-23 LST	1.3	0.7	0.4	0.0	0.0	0.1	0.0	0.1	0.3	0.4	0.6	1.4	0.4	12	13145

BIRMINGHAM MUNICIPAL, ALABAMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.6	24.8	28.6	29.6	30.7	29.5	30.7	30.9	29.1	29.3	27.8	28.2	346.8	12	4383
	00 LST	26.9	24.2	28.2	29.0	30.2	29.3	29.9	30.3	28.6	29.1	27.0	27.2	339.9	12	4383
	06 LST	24.0	22.4	26.2	27.4	27.5	27.2	26.7	28.0	26.5	26.0	24.4	25.3	311.6	12	4383
	12 LST	26.6	24.8	28.9	29.3	30.6	29.4	30.4	30.7	29.4	29.2	26.8	27.1	343.2	12	4383
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	19.2	16.7	16.2	18.6	23.6	23.4	25.0	27.0	24.6	25.6	20.4	19.6	259.9	12	4383
	00 LST	17.4	15.4	18.4	20.6	25.6	26.7	28.6	29.0	23.9	24.6	20.1	18.4	268.7	12	4383
	06 LST	14.8	14.7	17.2	19.9	22.5	23.7	24.4	26.1	21.8	20.6	18.5	17.6	241.8	12	4383
	12 LST	10.7	9.7	10.3	10.5	15.0	18.2	21.1	20.8	17.3	16.6	12.2	12.8	175.2	12	4383
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.9	1.5	1.4	1.1	0.1	0.2	0.2	0.3	0.1	0.0	0.9	0.6	7.3	12	4271
	00 LST	1.0	1.7	2.2	0.9	0.2	0.0	0.0	0.0	0.0	0.2	1.1	0.9	8.2	12	4269
	06 LST	1.0	1.0	1.4	0.6	0.2	0.2	0.0	0.1	0.2	0.1	1.4	1.0	7.2	12	4269
	12 LST	3.0	2.9	4.0	3.5	1.1	0.4	0.2	0.1	0.1	1.0	2.0	1.7	20.0	12	4295
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	15.4	15.1	18.9	17.7	21.5	18.0	17.8	19.5	17.2	14.8	14.4	16.1	206.4	12	4271
	00 LST	11.5	10.3	12.0	10.7	11.8	9.9	9.8	10.3	12.4	11.2	11.5	10.7	132.1	12	4269
	06 LST	12.4	10.3	13.1	12.1	12.7	12.5	12.6	9.5	12.5	12.0	10.6	11.1	141.4	12	4269
	12 LST	14.0	13.4	13.2	13.7	17.9	13.9	14.6	13.2	15.4	18.5	14.4	16.0	178.2	12	4295
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.2	9.7	8.2	9.5	9.0	8.0	5.4	7.4	11.2	16.1	12.8	10.9	116.4	12	4383
	00 LST	9.6	9.8	11.7	15.0	15.3	16.1	15.8	15.7	17.5	19.2	13.6	10.7	170.0	12	4383
	06 LST	6.9	7.4	8.4	10.4	8.6	10.2	7.7	10.4	10.9	13.8	11.2	9.3	115.2	12	4383
	12 LST	6.0	7.0	7.4	8.9	4.8	2.8	2.7	4.2	7.6	11.6	10.0	8.9	81.9	12	4383
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	25.0	23.2	26.9	28.1	30.3	29.2	30.2	30.7	28.1	28.1	25.6	25.6	331.0	12	4383
	00 LST	22.5	21.1	25.1	26.2	29.1	28.5	29.1	30.1	26.8	27.5	24.4	23.3	313.7	12	4383
	06 LST	18.7	18.6	21.4	23.6	24.7	25.1	25.1	26.9	23.9	23.4	22.1	21.0	274.5	12	4383
	12 LST	22.1	21.2	24.9	27.4	28.6	28.0	29.1	29.2	27.2	26.5	24.3	23.0	311.5	12	4383
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.2	19.9	24.2	25.7	27.7	26.6	27.9	28.8	25.9	25.4	23.0	21.6	296.9	12	4383
	00 LST	18.8	18.6	22.5	24.3	27.5	27.9	28.3	29.4	26.0	26.5	21.5	20.2	291.5	12	4383
	06 LST	15.8	15.6	18.4	21.4	23.4	24.3	24.6	26.2	22.7	22.0	20.3	17.3	252.0	12	4383
	12 LST	17.3	17.8	19.7	20.6	19.8	17.8	17.6	20.5	20.5	21.4	20.9	19.2	233.1	12	4383
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.7	19.0	21.4	23.5	25.6	24.5	26.3	28.0	24.7	24.6	22.2	19.3	275.8	12	4383
	00 LST	16.5	16.7	20.6	22.7	26.7	27.1	27.8	28.5	24.6	25.1	20.2	18.1	274.6	12	4383
	06 LST	14.2	14.1	16.8	20.2	21.9	23.2	23.9	25.1	21.8	20.8	18.5	16.2	236.7	12	4383
	12 LST	15.3	16.4	18.4	19.1	18.4	16.8	16.9	19.4	19.6	20.6	19.9	18.3	219.1	12	4383

HUNTSVILLE, ALABAMA

STA NO. 72323 (IN AREA NUMBER 13)

LATITUDE 3441N LONGITUDE 08635W ELEVATION(FT) 00619

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POP (YRS)	NO. URS
ABS MAX TMP (F)	74	82	88	91	96	98	101	99	100	91	84	75	101	8	2557
MEAN MAX TMP (F)	50	55	61	74	84	87	90	92	85	76	63	50	72	8	2557
MEAN MIN TMP (F)	29	33	39	51	59	66	69	69	63	50	40	31	50	8	2557
ABS MIN TMP (F)	-4	5	12	30	38	53	56	54	43	28	17	0	-4	8	2557
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	7.6	11.9	18.3	17.4	10.7	0.6	0.0	0.0	66.8	8	2557
MEAN NO DYS TMP = DR LES 32(F)	19.8	14.6	8.8	0.8	0.0	0.0	0.0	0.0	0.0	0.6	8.4	18.0	71.0	8	2557
MEAN NO DYS TMP = DR LES 0(F)	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.7	8	2557
MEAN DEW PT TMP (F)	29	33	37	47	57	65	68	68	62	50	41	31	49	8	56976
MEAN REL HUM (PCT)	71	69	65	62	65	70	71	72	70	69	71	71	69	8	56976
MEAN PRESS ALT (FT)	401	437	492	522	540	558	526	536	517	472	430	403	486	0	-50
MEAN PRECIP (IN)	4.77	5.04	7.96	5.44	3.35	4.67	4.13	3.17	3.10	2.52	3.86	5.05	53.1	8	2557
MEAN SNOW FALL (IN)	1.6	1.5	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	7.5	8	2556
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.3	8.2	8.4	6.7	4.4	7.3	6.4	5.4	5.1	3.6	6.3	6.5	73.6	8	2557
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.1	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.3	8	2556
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.6	0.4	0.3	0.0	0.3	0.6	0.3	1.5	0.8	2.0	1.7	1.6	10.1	8	2495
MEAN NO DYS TSTMS	1.6	2.4	3.1	5.4	6.7	8.0	10.4	7.3	3.1	1.4	1.0	0.8	53.2	8	2557
P FREQ WND SPD = DR GTR 17 KTS	3.0	5.6	6.3	3.0	0.8	0.4	0.4	0.3	1.6	1.3	3.2	3.6	2.5	8	56976
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	8	56976
P FREQ LES 5000 FT A/D LES 5 MI	40.7	37.6	33.5	22.3	14.6	18.2	17.0	15.6	19.3	20.4	31.7	38.8	25.8	8	56977
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	20.2	14.7	9.3	8.8	3.7	3.9	3.2	1.4	5.4	8.0	14.1	13.4	9.0	8	7123
03-05 LST	20.4	17.8	11.0	9.1	4.9	7.5	6.5	7.0	9.8	12.4	14.1	17.1	11.5	8	7123
06-08 LST	21.9	22.0	14.8	12.1	5.4	8.2	12.0	14.2	12.7	18.3	19.7	21.8	15.3	8	7121
09-11 LST	24.3	17.5	12.9	7.7	3.4	4.7	3.8	3.6	8.9	10.6	14.6	19.8	11.0	8	7122
12-14 LST	21.3	12.6	7.6	3.5	2.4	0.7	0.7	2.0	5.6	4.9	11.1	16.6	7.4	8	7121
15-17 LST	17.2	10.2	7.8	3.9	1.2	1.8	0.0	1.4	3.3	3.8	10.3	13.1	6.2	8	7122
18-20 LST	15.8	9.9	7.0	5.3	1.9	2.1	1.3	0.5	3.8	3.4	9.8	12.9	6.1	8	7123
21-23 LST	16.7	12.3	6.1	5.4	2.0	1.8	0.7	0.7	4.4	4.3	11.7	14.9	6.8	8	7122
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.0	0.9	0.7	0.0	0.5	0.9	0.0	0.0	0.8	1.3	1.4	0.9	0.7	8	7123
03-05 LST	1.2	1.3	0.5	0.0	0.2	1.6	0.5	2.0	1.6	2.6	2.2	1.4	1.3	8	7123
06-08 LST	1.4	1.9	0.9	0.2	0.2	1.1	0.4	3.0	1.9	4.6	4.8	3.1	2.0	8	7121
09-11 LST	1.4	0.9	0.3	0.2	0.0	0.0	0.0	0.0	0.2	0.2	0.6	0.9	0.4	8	7122
12-14 LST	1.5	0.9	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.3	8	7121
15-17 LST	0.3	0.6	0.2	0.0	0.2	0.0	0.0	0.4	0.0	0.0	0.3	0.6	0.2	8	7122
18-20 LST	1.0	0.0	0.3	0.0	0.0	0.2	0.4	0.0	0.0	0.0	0.0	0.9	0.2	8	7123
21-23 LST	0.7	0.4	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.2	0.5	2.2	0.4	8	7122

HUNTSVILLE, ALABAMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.1	26.7	29.9	29.6	30.8	29.6	30.8	30.7	29.4	30.3	28.6	28.6	353.1	8	2495
	00 LST	27.8	26.6	29.4	29.3	30.7	29.4	30.8	30.7	29.0	30.1	27.8	28.1	349.7	8	2495
	06 LST	27.1	25.0	28.7	28.4	30.3	28.1	28.3	28.3	27.8	26.4	25.6	27.8	331.8	8	2495
	12 LST	26.1	26.2	29.7	29.4	30.7	30.0	30.8	30.5	29.1	30.1	28.8	28.0	349.4	8	2495
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	18.6	17.0	18.6	19.7	25.4	23.6	26.0	25.0	24.0	26.4	21.1	19.7	265.1	8	2495
	00 LST	17.9	17.0	17.5	22.1	26.8	26.9	29.6	29.1	24.3	24.4	19.7	17.4	272.7	8	2495
	06 LST	18.1	15.5	17.7	18.8	26.4	24.8	25.8	25.6	21.8	21.7	18.8	17.7	252.7	8	2495
	12 LST	12.4	9.7	9.7	12.6	19.4	21.4	23.2	23.5	17.0	18.0	14.9	12.1	193.9	8	2495
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	0.9	1.9	0.6	0.3	0.2	0.0	0.2	0.3	0.0	0.6	0.7	6.4	8	2408
	00 LST	1.2	1.1	1.5	0.3	0.1	0.0	0.0	0.0	0.1	0.1	0.6	0.1	5.1	8	2405
	06 LST	0.5	1.1	1.2	0.2	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.4	3.9	8	2392
	12 LST	0.6	1.9	2.4	1.2	0.3	0.0	0.0	0.3	1.2	1.1	1.5	2.0	12.3	8	2414
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	16.2	17.9	19.4	22.0	25.5	22.1	20.9	20.9	22.8	20.7	18.0	17.7	244.1	8	2408
	00 LST	10.3	11.3	13.6	16.3	12.2	13.7	15.4	13.9	12.2	12.6	14.9	12.2	198.6	8	2405
	06 LST	9.5	9.3	13.3	15.6	13.9	15.2	14.4	12.7	15.5	12.9	10.5	10.8	153.6	8	2392
	12 LST	16.7	13.1	15.7	15.8	21.3	19.8	19.3	18.1	18.0	22.5	17.2	16.9	214.4	8	2414
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.1	8.6	9.4	10.0	10.4	9.0	6.7	8.5	11.6	15.4	12.3	11.0	123.0	8	2495
	00 LST	10.4	10.7	11.3	13.0	16.1	13.4	15.8	17.1	16.6	19.6	13.0	11.0	168.0	8	2495
	06 LST	10.7	8.3	9.7	8.4	9.4	8.1	6.7	10.1	11.7	12.6	10.6	9.4	115.7	8	2495
	12 LST	8.4	6.9	9.5	8.9	6.7	4.1	3.8	4.0	8.4	13.4	9.1	8.8	92.0	8	2495
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.6	23.0	25.5	27.8	30.3	29.0	30.3	30.5	27.8	28.8	25.0	25.1	323.7	8	2495
	00 LST	22.7	22.3	24.8	26.9	29.3	28.4	29.6	30.3	27.7	28.1	24.0	24.0	318.1	8	2495
	06 LST	22.3	19.5	22.7	23.6	27.8	25.7	26.3	26.7	25.0	24.1	22.6	22.0	288.3	8	2495
	12 LST	21.3	20.6	23.3	26.3	29.0	26.7	29.1	29.1	25.7	27.6	24.8	22.7	306.2	8	2495
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.4	18.6	22.1	26.1	28.1	25.8	28.3	28.3	25.6	26.7	22.3	20.6	292.9	8	2495
	00 LST	18.8	18.8	21.0	23.6	27.4	26.3	28.8	29.0	25.6	26.3	20.6	19.0	285.2	8	2495
	06 LST	18.7	15.8	17.7	20.4	25.3	22.7	23.3	24.0	22.7	22.3	19.4	17.9	250.2	8	2495
	12 LST	18.6	16.1	18.4	21.6	24.1	20.6	22.0	22.8	21.6	23.6	20.7	18.4	248.3	8	2495
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.6	16.5	19.1	23.9	26.0	24.6	26.7	26.7	24.1	25.4	20.7	18.4	270.7	8	2495
	00 LST	16.6	17.7	17.9	22.0	26.6	24.6	27.8	28.5	24.8	25.3	18.7	16.8	257.3	8	2495
	06 LST	16.4	14.6	15.3	18.0	24.1	20.4	21.3	22.5	21.7	20.3	18.3	15.3	228.2	8	2495
	12 LST	17.0	15.0	16.3	20.3	24.4	19.7	21.1	22.0	20.7	22.6	18.8	16.4	233.3	8	2495

SELMA/CRAIG AFB, ALABAMA

STA NO. 73286 (IN AREA NUMBER 13)	LATITUDE 3221N LONGITUDE 08659W ELEVATION(FT) 00166											PQR	NO.		
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	URS
ABS MAX TMP (F)	85	87	92	98	102	108	108	105	105	100	92	85	108	63	-613
MEAN MAX TMP (F)	61	63	70	78	85	91	92	92	89	80	69	60	78	63	-113
MEAN MIN TMP (F)	39	40	47	53	62	69	71	71	66	55	44	39	55	63	-113
ABS MIN TMP (F)	9	-5	19	29	38	49	59	54	39	25	13	11	-5	63	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.2	2.9	14.0	21.2	25.7	16.3	3.7	0.0	0.0	0.0	84.0	12	4097
MEAN NO DYS TMP = DR LES 32(F)	6.4	1.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	1.8	8.7	8.2	26.8	12	4097
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4097
MEAN DEW PT TMP (F)	40	42	44	53	62	69	72	70	66	55	43	39	55	12	101047
MEAN REL HUM (PCT)	72	70	66	67	69	71	74	71	72	71	68	71	70	12	101046
MEAN PRESS ALT (FT)	-40	-10	34	62	91	110	67	88	97	51	-7	-37	42	0	-50
MEAN PRECIP (IN)	4.71	5.36	6.16	4.81	3.61	3.90	5.02	4.37	2.80	2.19	3.20	4.93	51.1	73	-113
MEAN SNOW FALL (IN)	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	57	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.3	9.0	7.5	7.1	6.6	6.7	7.8	7.2	4.7	3.9	5.2	8.5	82.5	75	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4057
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.2	1.8	1.6	0.8	1.7	0.7	1.2	0.8	1.1	2.3	2.5	3.0	20.7	12	4301
MEAN NO DYS TSTMS	2.1	3.3	4.6	5.9	7.3	9.5	8.9	4.5	2.0	1.1	1.1	1.0	51.3	12	4077
P FREQ WND SPD = DR GTR 17 KTS	4.1	4.6	5.3	3.8	1.5	1.0	0.5	0.7	0.8	0.9	1.4	1.9	2.2	12	101261
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	101261
P FREQ LES 5000 FT A/D LES 5 MI	37.2	35.0	30.8	22.7	21.8	18.2	18.3	14.8	22.6	25.3	27.9	31.9	25.5	12	101260
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	20.5	17.4	12.9	7.7	3.6	4.2	3.3	3.1	7.3	10.1	12.9	15.9	9.9	12	12238
03-05 LST	23.2	21.0	17.3	13.4	13.5	9.3	10.0	8.4	14.2	16.3	18.8	18.1	15.3	12	12462
06-08 LST	28.7	26.3	19.7	16.1	18.0	16.2	13.6	11.5	20.2	24.6	23.6	22.1	20.1	12	12927
09-11 LST	21.9	19.3	15.7	7.8	7.9	7.8	8.3	4.1	12.6	13.8	14.9	19.8	12.8	12	12978
12-14 LST	12.6	10.3	9.1	3.0	4.6	2.9	2.6	1.4	6.4	6.7	8.0	14.4	6.8	12	13003
15-17 LST	11.5	9.2	7.7	2.5	2.8	2.2	1.4	1.2	6.1	6.2	7.3	12.2	5.9	12	12993
18-20 LST	11.3	9.7	7.8	2.8	2.7	1.9	1.1	1.4	4.3	5.6	7.9	10.8	5.6	12	12661
21-23 LST	14.3	9.2	9.0	2.9	2.5	1.6	1.4	1.6	4.7	5.9	9.6	13.4	6.3	12	12329
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.9	2.5	2.1	0.3	0.6	0.9	0.4	0.7	1.3	2.3	3.6	2.7	1.8	12	12238
03-05 LST	6.0	4.2	3.2	1.6	2.3	1.1	1.7	1.4	4.4	5.2	4.8	3.4		12	12462
06-08 LST	7.7	6.0	3.9	1.5	1.7	0.8	1.1	1.4	3.0	5.6	6.0	5.5	3.7	12	12927
09-11 LST	3.9	2.2	0.7	0.2	0.2	0.2	0.1	0.0	0.4	0.3	0.9	2.3	1.0	12	12978
12-14 LST	0.5	0.5	0.5	0.2	0.5	0.3	0.5	0.2	0.3	0.4	0.6	0.5	0.4	12	13003
15-17 LST	0.4	0.5	0.4	0.2	0.4	0.2	0.4	0.3	0.1	0.3	0.4	0.6	0.4	12	12993
18-20 LST	0.5	1.4	0.4	0.3	0.2	0.0	0.4	0.1	0.1	0.7	0.4	0.7	0.4	12	12661
21-23 LST	1.7	1.6	1.1	0.2	0.2	0.0	0.2	0.2	0.2	2.1	2.0	1.9	1.0	12	12329

SELMA/CRAIG AFB, ALABAMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSRV = GTR 3 MI	18 LST	28.5	25.9	29.6	29.4	30.4	29.6	30.7	30.9	29.0	29.9	28.2	28.4	330.5	12	4332
	00 LST	26.7	25.3	28.6	29.2	30.3	29.3	30.3	30.3	28.5	29.2	27.1	27.7	342.5	12	4104
	06 LST	24.9	22.3	26.3	26.0	26.1	26.4	27.3	27.5	24.5	23.3	23.6	25.5	303.7	12	4312
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	12 LST	28.2	26.0	29.1	29.5	30.3	29.5	30.5	30.8	28.7	29.6	28.3	27.3	347.8	12	4337
	18 LST	20.9	18.7	20.2	23.1	26.3	24.8	26.2	27.9	26.3	26.2	24.5	23.0	288.1	12	4332
	00 LST	19.6	17.5	19.2	23.3	27.2	27.7	29.2	29.4	25.9	26.9	22.8	21.9	290.6	12	4104
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	17.5	15.3	19.1	21.1	22.7	23.9	26.0	26.5	22.0	20.6	20.0	21.2	255.9	12	4312
	12 LST	14.3	11.5	11.3	14.7	20.6	20.6	23.8	25.2	19.4	20.2	17.3	15.9	214.8	12	4337
	18 LST	0.7	1.1	1.3	0.5	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.3	4.7	12	4231
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	0.4	1.1	0.7	0.4	0.2	0.2	0.0	0.0	0.2	0.1	0.4	0.4	4.1	12	4023
	06 LST	0.7	0.8	0.7	0.1	0.0	0.1	0.0	0.1	0.1	0.1	0.1	0.2	3.0	12	4234
	12 LST	3.2	2.6	3.5	2.5	1.4	0.7	0.4	0.2	0.2	0.4	1.0	0.9	17.0	12	4268
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	17.1	14.9	17.8	18.6	19.1	15.9	18.1	16.8	17.1	14.6	13.8	15.4	199.2	12	4230
	00 LST	13.6	13.7	16.1	14.8	12.7	13.1	12.5	11.6	11.4	10.9	10.4	12.5	153.3	12	4022
	06 LST	13.4	13.3	15.7	12.5	13.0	12.4	13.4	11.4	13.0	10.8	11.8	12.0	152.7	12	4233
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	12 LST	14.9	15.0	15.6	17.9	19.9	14.5	13.3	12.3	17.5	21.3	17.1	17.6	196.9	12	4268
	18 LST	8.8	8.2	9.4	10.1	7.9	7.5	3.5	6.2	9.5	16.7	13.9	11.4	113.1	12	4332
	00 LST	12.5	11.8	12.4	15.8	17.0	17.8	16.2	19.0	16.6	19.5	15.7	12.9	187.2	12	4104
CIG = GTR 6000 FT AND VSRV = GTR 3 MI	06 LST	8.2	7.0	8.6	10.3	7.5	9.5	8.1	11.0	9.7	12.6	10.8	9.8	113.1	12	4312
	12 LST	6.8	7.3	7.8	9.1	4.2	3.5	1.7	3.7	6.5	13.2	11.1	9.1	84.0	12	4337
	18 LST	26.2	24.0	26.9	28.6	29.3	29.1	30.4	30.6	27.5	28.3	27.0	26.4	334.3	12	4332
CIG = GTR 10000 FT AND VSRV = GTR 3 MI	00 LST	22.9	22.2	24.7	26.9	29.5	29.2	30.0	29.9	27.5	28.0	24.8	24.2	319.8	12	4104
	06 LST	20.1	18.8	23.0	23.4	23.9	24.6	26.4	26.6	22.7	21.3	21.8	22.7	275.3	12	4312
	12 LST	22.7	21.4	25.1	26.8	27.5	26.9	28.4	29.2	23.5	26.4	24.6	23.6	308.1	12	4337
CIG = GTR 10000 FT AND VSRV = GTR 3 MI	18 LST	21.9	19.7	22.6	25.0	25.1	26.8	26.5	27.5	24.5	25.8	23.4	22.5	291.3	12	4332
	00 LST	20.6	19.4	21.9	24.8	27.9	28.0	29.1	28.7	24.3	25.9	23.1	21.4	297.1	12	4104
	06 LST	16.2	15.9	19.2	20.7	21.7	23.5	25.3	25.3	21.8	20.0	19.7	18.7	248.0	12	4312
CIG = GTR 10000 FT AND VSRV = GTR 3 MI	12 LST	17.5	16.7	19.7	21.1	19.0	19.0	20.5	22.3	20.3	22.1	21.2	20.8	240.2	12	4337
	18 LST	19.9	17.6	20.6	23.4	23.6	24.8	23.8	25.3	22.7	24.5	22.3	20.7	269.2	12	4332
	00 LST	18.7	17.5	20.3	23.5	26.8	27.3	28.6	28.3	25.0	24.5	21.5	20.1	282.1	12	4104
CIG = GTR 10000 FT AND VSRV = GTR 3 MI	06 LST	14.1	14.3	17.4	19.2	20.0	22.9	24.0	24.6	20.1	18.4	18.2	17.1	230.3	12	4312
	12 LST	16.0	15.4	18.3	19.8	18.1	18.2	19.7	21.8	19.2	21.3	20.2	19.3	227.3	12	4337

MUSCLE SHOALS, ALABAMA

STA NO. 73311 (IN AREA NUMBER 13)

LATITUDE 3445N

LONGITUDE 08737W

ELEVATION(FT) 00548

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDP (YRS)	NO. OBS
ABS MAX TMP (F)	80	78	83	90	99	104	106	105	103	94	82	78	106	20	-613
MEAN MAX TMP (F)	52	54	61	73	81	88	91	90	84	74	61	53	72	20	-113
MEAN MIN TMP (F)	34	36	41	51	59	67	70	69	62	51	40	34	51	20	-113
ABS MIN TMP (F)	1	-2	10	29	36	46	54	53	39	27	2	9	-2	20	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	3.7	17.2	19.7	19.2	7.0	1.1	0.0	0.0	67.9	7	2222
MEAN NO DYS TMP = DR LES 32(F)	9.5	7.3	7.0	0.7	0.0	0.0	0.0	0.0	0.0	1.1	11.3	14.3	91.2	7	2222
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2222
MEAN DEW PT TMP (F)	40	38	40	48	58	67	69	68	60	51	36	35	51	7	53265
MEAN REL HUM (PCT)	78	73	67	67	70	70	72	71	69	71	67	73	71	7	53262
MEAN PRESS ALT (FT)	330	366	423	454	473	491	457	468	450	404	360	333	417	0	-50
MEAN PRECIP (IN)	5.86	5.59	5.33	4.04	2.93	2.81	4.09	2.90	2.73	2.12	3.67	4.75	46.8	20	-113
MEAN SNOW FALL (IN)	0.9	0.9	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	2.7	18	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.5	9.2	7.3	6.8	6.0	5.4	6.9	5.5	4.6	3.8	5.9	8.3	79.2	20	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.6	7	2217
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	2.0	1.3	1.3	0.2	1.5	0.8	0.3	0.7	1.0	3.2	1.1	2.1	15.5	7	2221
MEAN NO DYS TSTMS	2.5	2.3	4.7	3.8	6.8	8.0	9.5	6.7	2.6	1.0	1.7	1.7	51.3	7	2221
P FREQ WND SPD = DR GTR 17 KTS	6.3	6.1	7.1	4.2	2.3	0.6	0.2	0.4	0.3	1.3	3.7	4.9	3.1	7	53287
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.0	0.7	0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.3	0.1	7	53287
P FREQ LES 3000 FT A/D LES 3 MI	49.3	35.9	29.4	23.0	19.7	15.2	15.4	13.1	17.4	26.6	26.7	37.8	25.8	7	53250
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	24.8	14.4	10.0	5.8	7.0	2.8	4.0	3.4	8.1	9.0	10.9	20.0	10.0	7	6654
03-05 LST	28.1	20.7	13.5	7.4	13.8	6.5	7.9	9.7	10.4	15.1	12.6	23.5	14.1	7	6656
06-08 LST	36.3	25.6	14.0	11.5	16.0	8.1	10.2	12.4	14.9	21.9	19.4	25.0	17.9	7	6648
09-11 LST	35.4	23.9	12.0	10.4	8.8	5.2	4.7	3.2	10.6	15.8	17.4	21.6	14.1	7	6658
12-14 LST	25.6	16.2	8.6	7.8	3.9	1.5	1.6	1.1	4.1	9.5	10.7	13.9	8.7	7	6660
15-17 LST	21.1	12.0	5.9	5.9	2.2	0.4	1.3	0.4	3.2	6.8	10.0	10.8	6.7	7	6661
18-20 LST	20.0	11.8	3.0	3.0	2.3	0.7	0.2	1.1	2.6	7.3	7.0	10.5	6.1	7	6658
21-23 LST	21.2	12.2	6.5	5.2	2.3	1.7	1.6	1.1	5.2	7.4	7.2	15.8	7.3	7	6655
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.7	1.8	0.5	0.0	1.8	0.7	0.0	0.7	0.6	2.5	1.7	3.7	1.4	7	6654
03-05 LST	2.9	3.9	2.7	0.6	3.2	1.3	0.0	2.3	3.0	4.8	2.4	4.8	2.7	7	6656
06-08 LST	1.1	3.9	1.8	0.4	1.8	1.5	1.1	2.3	3.5	7.0	2.8	4.7	2.7	7	6648
09-11 LST	1.2	1.0	0.0	0.0	0.3	0.0	0.2	0.2	0.4	1.1	1.5	1.7	0.7	7	6658
12-14 LST	0.7	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.4	0.4	0.4	0.5	0.3	7	6660
15-17 LST	0.5	0.4	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.4	0.3	0.2	7	6661
18-20 LST	0.7	0.2	0.0	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.6	1.2	0.3	7	6658
21-23 LST	1.8	0.6	0.2	0.2	0.4	0.0	0.0	0.2	0.2	0.9	0.6	2.5	0.6	7	6655

MUSCLE SHOALS, ALABAMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GT 1000 FT AND VSBY = GTR 3 MI	18 LST	26.7	25.8	29.8	29.3	30.3	30.0	31.0	30.7	29.5	29.0	28.1	28.6	348.8	7	2221
	00 LST	25.6	25.3	29.8	28.8	30.0	29.6	30.5	30.5	28.8	29.0	27.5	27.2	342.6	7	2221
	06 LST	23.2	22.0	28.0	28.1	26.8	26.3	28.8	27.3	27.3	24.5	26.0	24.8	315.1	7	2221
	12 LST	25.3	25.2	30.0	29.2	30.5	29.8	31.0	30.8	29.3	29.1	27.8	28.1	346.1	7	2221
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	15.7	16.9	19.5	19.7	26.2	24.7	28.1	28.3	27.2	25.6	21.5	19.7	273.1	7	2221
	00 LST	13.6	17.2	20.0	22.7	26.5	28.0	29.3	29.6	26.5	26.3	21.0	17.6	278.3	7	2221
	06 LST	14.0	15.6	19.0	21.2	22.2	25.0	26.7	26.5	24.2	21.5	18.5	17.2	251.6	7	2221
	12 LST	10.1	10.2	14.3	11.0	17.1	21.3	22.5	23.0	22.3	17.1	14.5	12.5	195.9	7	2221
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.3	0.9	1.5	0.2	0.5	0.0	0.0	0.5	0.0	0.0	0.3	1.1	6.3	7	2161
	00 LST	2.0	1.8	2.7	0.8	0.2	0.0	0.0	0.0	0.0	0.3	0.3	1.4	2.7	7	2149
	06 LST	0.7	0.7	1.4	0.2	0.3	0.0	0.0	0.2	0.0	0.2	0.3	0.7	4.7	7	2155
	12 LST	3.4	2.5	3.3	2.9	1.7	0.5	0.0	0.2	0.2	0.7	2.4	2.1	19.9	7	2166
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	18 LST	18.3	19.1	19.7	21.2	21.7	15.3	17.7	18.0	20.7	19.4	20.1	19.7	230.9	7	2161
	00 LST	16.6	14.9	16.3	17.3	12.9	13.1	11.9	13.6	15.9	14.9	13.3	12.0	172.7	7	2148
	06 LST	15.0	13.0	15.1	18.5	13.0	15.7	14.6	13.0	13.5	15.5	11.4	11.2	169.5	7	2154
	12 LST	13.4	13.8	15.7	14.0	16.2	13.3	11.3	11.2	18.9	17.6	16.0	14.5	175.9	7	2166
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	6.3	9.9	6.7	8.3	10.7	9.7	9.5	9.3	14.0	17.0	13.1	10.4	124.9	7	2221
	00 LST	9.1	11.3	12.6	15.5	16.6	17.3	15.7	18.8	18.5	19.7	11.1	11.9	183.1	7	2221
	06 LST	5.6	7.6	8.2	10.1	10.3	10.7	9.5	11.3	12.5	12.6	12.5	9.6	120.5	7	2221
	12 LST	4.5	7.4	8.2	8.6	7.2	5.2	4.7	4.5	11.0	13.1	12.8	8.9	96.1	7	2221
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.0	23.4	26.8	26.6	29.6	29.8	30.8	29.6	28.8	28.0	26.5	26.5	329.4	7	2221
	00 LST	20.8	21.7	26.7	27.7	28.3	29.0	29.6	29.8	27.5	27.2	25.8	23.8	317.9	7	2221
	06 LST	16.8	18.9	23.0	24.7	24.3	26.2	27.0	26.7	24.7	22.2	23.0	20.6	278.1	7	2221
	12 LST	19.7	20.2	26.2	25.0	27.7	27.7	28.6	29.1	26.5	25.5	25.7	23.3	305.2	7	2221
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.0	20.4	22.8	23.6	27.7	27.7	29.1	28.5	27.2	25.8	24.0	20.6	295.4	7	2221
	00 LST	16.5	18.7	23.2	24.7	26.7	28.0	28.8	28.5	26.5	25.3	23.8	20.1	290.8	7	2221
	06 LST	12.6	16.4	19.2	21.8	22.7	24.3	26.2	25.8	22.8	19.7	20.2	17.2	248.9	7	2221
	12 LST	14.8	18.2	20.6	20.2	22.2	21.0	22.3	24.6	22.8	22.3	23.0	19.7	251.7	7	2221
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	15.8	18.2	19.8	21.0	25.8	25.7	27.0	28.0	25.0	24.1	22.3	19.1	271.8	7	2221
	00 LST	15.3	17.1	20.5	23.0	25.0	26.8	27.8	27.7	25.5	24.3	22.7	18.5	274.2	7	2221
	06 LST	11.0	14.7	17.0	18.2	20.6	22.7	24.1	23.3	20.2	18.2	18.5	14.9	223.4	7	2221
	12 LST	12.8	16.2	18.2	18.0	21.1	20.0	21.0	23.2	21.8	21.0	21.5	17.6	232.4	7	2221

DECATUR/PRYOR FIELD, ALABAMA

STA NO. 73392 (IN AREA NUMBER 13)

LATITUDE 3438N

LONGITUDE 08656W

ELEVATION(FT) 00591

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	79	84	93	92	100	108	107	107	104	100	86	78	108	66	-113
MEAN MAX TMP (F)	52	55	64	73	82	89	91	91	86	75	62	53	73	72	-113
MEAN MIN TMP (F)	33	34	42	50	59	67	70	69	64	51	40	34	51	66	-113
ABS MIN TMP (F)	-5	-12	4	26	34	44	52	52	36	27	3	0	-12	66	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	7.6	11.9	18.3	17.4	10.7	0.6	0.0	0.0	66.8	8	-72323
MEAN NO DYS TMP = DR LES 32(F)	19.8	14.6	8.8	0.8	0.0	0.0	0.0	0.0	0.0	0.6	8.4	18.0	71.0	8	-72323
MEAN NO DYS TMP = DR LES 0(F)	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.7	8	-72323
MEAN DEW PT TMP (F)	29	33	37	47	57	65	68	68	62	50	41	31	49	8	-72323
MEAN REL HUM (PCT)	71	69	65	62	65	70	71	72	70	69	71	71	69	8	-72323
MEAN PRESS ALT (FT)	372	409	465	495	513	531	499	509	490	444	402	375	459	0	-50
MEAN PRECIP (IN)	5.26	4.96	5.83	4.55	3.76	3.57	4.41	3.66	2.86	2.64	3.69	4.74	49.9	82	-113
MEAN SNOW FALL (IN)	0.9	0.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	2.5	65	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.9	8.6	7.4	7.0	6.7	6.3	7.2	6.4	4.8	4.5	5.9	8.3	82.0	82	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	65	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.6	0.4	0.3	0.0	0.3	0.6	0.3	1.5	0.8	2.0	1.7	1.6	10.1	8	-72323
MEAN NO DYS TSTMS	1.6	2.4	5.1	5.4	6.7	8.0	10.4	7.3	3.1	1.4	1.0	0.6	53.2	8	-72323
P FREQ WND SPD = DR GTR 17 KTS	3.0	5.6	6.3	3.0	0.8	0.4	0.4	0.3	1.6	1.3	3.2	3.6	2.5	8	-72323
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	8	-72323
P FREQ LES 3000 FT A/D LES 3 MI	40.7	37.6	33.5	22.3	14.6	18.2	17.0	15.6	19.3	20.4	31.7	38.8	25.8	8	-72323
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	20.2	14.7	9.3	8.8	3.7	3.9	3.2	1.4	5.4	8.0	14.1	15.4	9.0	8	-72323
03-05 LST	20.4	17.8	11.0	9.1	4.9	7.5	6.5	7.0	9.8	12.4	14.1	17.1	11.5	8	-72323
06-08 LST	21.9	22.0	14.8	12.1	5.4	8.2	12.0	14.2	12.7	18.3	19.7	21.8	15.3	8	-72323
09-11 LST	24.3	17.5	12.9	7.7	3.4	4.7	3.8	3.6	8.9	10.6	14.6	19.8	11.0	8	-72323
12-14 LST	21.3	12.6	7.6	3.5	2.4	0.7	0.7	2.0	5.6	4.9	11.1	16.6	7.4	8	-72323
15-17 LST	17.2	10.2	7.8	3.9	1.2	1.8	0.0	1.4	3.3	3.8	10.3	13.1	6.2	8	-72323
18-20 LST	15.8	9.9	7.0	5.3	1.9	2.1	1.3	0.5	3.8	3.4	9.8	12.9	6.1	8	-72323
21-23 LST	16.7	12.3	6.1	5.4	2.0	1.8	0.7	0.7	4.4	4.3	11.7	14.9	6.8	8	-72323
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	1.0	0.9	0.7	0.0	0.5	0.9	0.0	0.0	0.8	1.5	1.4	0.9	0.7	8	-72323
03-05 LST	1.2	1.3	0.5	0.0	0.2	1.6	0.5	2.0	1.6	2.8	2.2	1.4	1.3	8	-72323
06-08 LST	1.4	1.9	0.9	0.2	0.2	1.1	0.4	3.0	1.9	4.6	4.8	3.1	2.0	8	-72323
09-11 LST	1.4	0.9	0.3	0.2	0.0	0.0	0.0	0.0	0.2	0.2	0.6	0.9	0.4	8	-72323
12-14 LST	1.5	0.9	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.3	8	-72323
15-17 LST	0.3	0.6	0.2	0.0	0.2	0.0	0.0	0.4	0.0	0.0	0.3	0.6	0.2	8	-72323
18-20 LST	1.0	0.0	0.3	0.0	0.0	0.2	0.4	0.0	0.0	0.0	0.0	0.9	0.2	8	-72323
21-23 LST	0.7	0.4	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.2	0.5	2.2	0.4	8	-72323

DECATUR/PRYOR FIELD, ALABAMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	UCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.1	26.7	29.9	29.6	30.8	29.6	30.8	30.7	29.4	30.3	28.6	28.6	353.1	8	-72323
	00 LST	27.8	26.6	29.4	29.3	30.7	29.4	30.8	30.7	29.0	30.1	27.8	28.1	349.7	8	-72323
	06 LST	27.1	25.0	28.7	28.4	30.3	28.1	28.3	28.3	27.8	26.4	25.6	27.8	331.8	8	-72323
	12 LST	26.1	26.2	29.7	29.4	30.7	30.0	30.8	30.5	29.1	30.1	28.8	28.0	349.4	8	-72323
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	18.6	17.0	18.6	19.7	25.4	23.6	26.0	25.0	24.0	26.4	21.1	19.7	265.1	8	-72323
	00 LST	17.7	17.0	17.5	22.1	26.8	26.9	29.6	29.1	24.3	24.4	19.7	17.4	272.7	8	-72323
	06 LST	18.1	15.5	17.7	18.8	26.4	24.8	25.8	25.6	21.8	21.7	18.8	17.7	252.7	8	-72323
	12 LST	12.4	9.7	9.7	12.6	19.4	21.4	23.2	23.5	17.0	18.0	14.9	12.1	193.9	8	-72323
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	0.9	1.9	0.6	0.3	0.2	0.0	0.2	0.3	0.0	0.6	0.7	6.4	8	-72323
	00 LST	1.2	1.1	1.5	0.3	0.1	0.0	0.0	0.0	0.1	0.1	0.6	0.1	5.1	8	-72323
	06 LST	0.5	1.1	1.2	0.2	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.4	3.9	8	-72323
	12 LST	0.6	1.9	2.4	1.2	0.3	0.0	0.0	0.3	1.2	1.1	1.5	2.0	12.9	8	-72323
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	16.2	17.9	19.4	22.0	25.5	22.1	20.9	20.9	22.8	20.7	18.0	17.7	244.1	8	-72323
	00 LST	10.3	11.3	13.6	16.3	12.2	13.7	15.4	13.9	12.2	12.6	14.9	12.2	158.6	8	-72323
	06 LST	9.5	9.3	13.3	15.6	13.9	15.2	14.4	12.7	15.5	12.9	10.5	10.8	193.6	8	-72323
	12 LST	16.7	13.1	15.7	15.8	21.3	19.8	19.3	18.1	18.0	22.5	17.2	16.9	214.4	8	-72323
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.1	8.6	9.4	10.0	10.4	9.0	6.7	8.5	11.6	15.4	12.3	11.0	123.0	8	-72323
	00 LST	10.4	10.7	11.3	13.0	16.1	13.4	15.8	17.1	16.6	19.6	13.0	11.0	168.0	8	-72323
	06 LST	10.7	8.3	9.7	8.4	9.4	8.1	6.7	10.1	11.7	12.6	10.6	9.4	115.7	8	-72323
	12 LST	8.4	6.9	9.5	8.9	6.7	4.1	3.8	4.0	8.4	13.4	9.1	8.8	92.0	8	-72323
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.6	23.0	25.5	27.8	30.3	29.0	30.3	30.5	27.8	28.8	25.0	25.1	326.7	8	-72323
	00 LST	22.7	22.3	24.8	26.9	29.3	28.4	29.8	30.3	27.7	28.1	24.0	24.0	318.1	8	-72323
	06 LST	22.3	19.5	22.7	23.6	27.8	25.7	26.3	26.7	25.0	24.1	22.6	22.0	288.3	8	-72323
	12 LST	21.3	20.6	23.3	26.3	29.0	26.7	29.1	29.1	25.7	27.6	24.8	22.7	306.2	8	-72323
CIG = GTR 8000 FT AND VSBY = GTR 3 MI	18 LST	20.4	18.6	22.1	26.1	28.1	25.8	28.3	28.3	25.6	26.7	22.3	20.6	292.9	8	-72323
	00 LST	18.8	18.8	21.0	23.6	27.4	26.3	28.8	29.0	25.6	26.3	20.6	19.0	285.2	8	-72323
	06 LST	18.7	15.8	17.7	20.4	25.3	22.7	23.3	24.0	22.7	22.3	19.4	17.9	250.2	8	-72323
	12 LST	18.6	16.1	18.4	21.6	24.1	20.6	22.0	22.8	21.6	23.6	20.7	18.4	248.5	8	-72323
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.6	16.5	19.1	23.9	26.0	24.6	26.7	26.7	24.1	25.4	20.7	18.4	270.7	8	-72323
	00 LST	16.6	17.7	17.9	22.0	26.6	24.6	27.8	28.5	24.8	25.3	18.7	16.8	267.3	8	-72323
	06 LST	16.4	14.6	15.3	18.0	24.1	20.4	21.3	22.5	21.7	20.3	18.3	15.3	228.2	8	-72323
	12 LST	17.0	15.0	16.3	20.3	23.4	19.7	21.1	22.0	20.7	22.6	18.8	16.4	233.3	8	-72323

HUNTSVILLE/REDSTONE AAF, ALABAMA

STA NO. 73393 (IN AREA NUMBER 13)

LATITUDE 3440N

LONGITUDE 08641W

ELEVATION(FT) 00682

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	74	82	88	91	96	98	101	99	100	91	84	75	101	8	-72323
MEAN MAX TMP (F)	50	55	61	74	84	87	90	90	85	76	63	50	72	8	-72323
MEAN MIN TMP (F)	29	33	39	51	59	66	69	69	63	50	40	31	50	8	-72323
ABS MIN TMP (F)	-4	5	12	30	38	53	56	54	43	28	17	0	-4	8	-72323
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	7.6	11.9	18.3	17.4	10.7	0.6	0.0	0.0	66.8	8	-72323
MEAN NO DYS TMP = DR LES 32(F)	19.8	14.6	8.8	0.8	0.0	0.0	0.0	0.0	0.0	0.6	8.4	18.0	71.0	8	-72323
MEAN NO DYS TMP = DR LES 0(F)	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.7	8	-72323
MEAN DEW PT TMP (F)	29	33	37	47	57	65	68	68	62	50	41	31	49	8	-72323
MEAN REL HUM (PCT)	71	69	65	62	65	70	71	72	70	69	71	71	69	8	-72323
MEAN PRESS ALT (FT)	464	500	555	586	603	621	589	599	580	535	493	466	549	0	-50
MEAN PRECIP (IN)	4.20	5.16	4.00	4.83	3.79	2.47	3.89	3.17	3.08	2.84	4.32	3.72	45.5	6	-113
MEAN SNOW FALL (IN)	0.2	2.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2.9	6	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.0	9.0	7.0	7.0	6.0	6.0	7.0	6.0	5.0	5.0	6.0	6.0	77.0	6	-113
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	6	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.6	0.4	0.3	0.0	0.3	0.6	0.3	1.5	0.8	2.0	1.7	1.6	10.1	8	-72323
MEAN NO DYS TSTMS	1.6	2.4	5.1	5.4	6.7	8.0	10.4	7.3	3.1	1.4	1.0	0.8	53.2	8	-72323
P FREQ WND SPD = DR GTR 17 KTS	3.0	5.6	6.3	3.0	0.8	0.4	0.4	0.3	1.6	1.3	3.2	3.6	2.5	8	-72323
P FREQ WND SPD = DR GTR 20 KTS	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	8	-72323
P FREQ LES 5000 FT A/D LES 5 MI	40.7	37.6	33.5	22.3	14.6	18.2	17.0	15.6	19.3	20.4	31.7	38.8	25.8	8	-72323
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	20.2	14.7	9.3	8.8	3.7	3.9	3.2	1.4	3.4	8.0	14.1	15.4	9.0	8	-72323
03-05 LST	20.4	17.8	11.0	9.1	4.9	7.5	6.5	7.0	9.8	12.4	14.1	17.1	11.5	8	-72323
06-08 LST	21.9	22.0	14.8	12.1	5.4	8.2	12.0	14.2	12.7	18.3	19.7	21.8	15.3	8	-72323
09-11 LST	24.3	17.5	12.9	7.7	3.4	4.7	3.8	3.6	8.9	10.6	14.6	19.8	11.0	8	-72323
12-14 LST	21.3	12.6	7.6	3.5	2.4	0.7	0.7	2.0	5.6	4.9	11.1	16.6	7.4	8	-72323
15-17 LST	17.2	10.2	7.8	3.9	1.2	1.8	0.0	1.4	3.3	3.8	10.3	13.1	6.2	8	-72323
18-20 LST	15.8	9.9	7.0	5.3	1.9	2.1	1.3	0.5	3.8	3.4	9.8	12.9	6.1	8	-72323
21-23 LST	16.7	12.3	6.1	5.4	2.0	1.8	0.7	0.7	4.4	4.3	11.7	14.9	6.8	8	-72323
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.0	0.9	0.7	0.0	0.5	0.9	0.0	0.0	0.8	1.5	1.4	0.9	0.7	8	-72323
03-05 LST	1.2	1.3	0.5	0.0	0.2	1.6	0.5	2.0	1.6	2.6	2.2	1.4	1.3	8	-72323
06-08 LST	1.4	1.9	0.9	0.2	0.2	1.1	0.4	3.0	1.9	4.6	4.8	3.1	2.0	8	-72323
09-11 LST	1.4	0.9	0.3	0.2	0.0	0.0	0.0	0.0	0.2	0.2	0.6	0.9	0.4	8	-72323
12-14 LST	1.5	0.9	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.3	8	-72323
15-17 LST	0.3	0.6	0.2	0.0	0.2	0.0	0.0	0.4	0.0	0.0	0.3	0.6	0.2	8	-72323
18-20 LST	1.0	0.0	0.3	0.0	0.0	0.2	0.4	0.0	0.0	0.0	0.0	0.9	0.2	8	-72323
21-23 LST	0.7	0.4	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.2	0.5	2.2	0.4	8	-72323

HUNTSVILLE/REDSTONE AAF, ALABAMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDP (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.1	26.7	29.9	29.6	30.8	29.6	30.8	30.7	29.4	30.3	28.6	28.6	353.1	8	-72323
	00 LST	27.8	26.6	29.4	29.3	30.7	29.4	30.8	30.7	29.0	30.1	27.8	28.1	349.7	8	-72323
	06 LST	27.1	25.0	28.7	28.4	30.3	28.1	28.3	28.3	27.8	26.4	25.6	27.8	331.8	8	-72323
	12 LST	26.1	26.2	29.7	29.4	30.7	30.0	30.8	30.5	29.1	30.1	28.8	28.0	349.4	8	-72323
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	18.6	17.0	18.6	19.7	25.4	23.6	26.0	25.0	24.0	26.4	21.1	19.7	265.1	8	-72323
	00 LST	17.9	17.0	17.5	22.1	26.8	26.9	29.6	29.1	24.3	24.4	19.7	17.4	272.7	8	-72323
	06 LST	18.1	15.5	17.7	18.8	26.4	24.8	25.8	25.6	21.8	21.7	18.8	17.7	252.7	8	-72323
	12 LST	12.4	9.7	9.7	12.6	19.4	21.4	2	23.5	17.0	18.0	14.9	12.1	193.9	8	-72323
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	0.9	1.9	0.6	0.3	0.2	0.0	0.2	0.3	0.0	0.6	0.7	6.4	8	-72323
	00 LST	1.2	1.1	1.5	0.3	0.1	0.0	0.0	0.0	0.1	0.1	0.6	0.1	5.1	8	-72323
	06 LST	0.5	1.1	1.2	0.2	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.4	3.9	8	-72323
	12 LST	0.6	1.9	2.4	1.2	0.3	0.0	0.0	0.3	1.2	1.1	1.5	2.0	12.5	8	-72323
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	16.2	17.9	19.4	22.0	25.5	22.1	20.9	20.9	22.8	20.7	18.0	17.7	244.1	8	-72323
	00 LST	10.3	11.3	13.6	16.3	12.2	13.7	15.4	13.9	12.2	12.6	14.9	12.2	158.6	8	-72323
	06 LST	9.5	9.3	13.3	15.6	13.9	15.2	14.4	12.7	15.5	12.9	10.5	10.8	153.6	8	-72323
	12 LST	16.7	13.1	15.7	15.8	21.3	19.8	19.3	18.1	18.0	22.5	17.2	16.9	214.4	8	-72323
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.1	8.6	9.4	10.0	10.4	9.0	6.7	8.5	11.6	15.4	12.3	11.0	123.0	8	-72323
	00 LST	10.4	10.7	11.3	13.0	16.1	13.4	15.8	17.1	16.6	19.6	13.0	11.0	168.0	8	-72323
	06 LST	10.7	8.3	9.7	8.4	9.4	8.1	6.7	10.1	11.7	12.6	10.6	9.4	115.7	8	-72323
	12 LST	8.4	6.9	9.5	8.9	6.7	4.1	3.8	4.0	8.4	13.4	9.1	8.8	92.0	8	-72323
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.6	23.0	25.5	27.8	30.3	29.0	30.3	30.5	27.8	28.8	25.0	25.1	326.7	8	-72323
	00 LST	22.7	22.3	24.8	26.9	29.3	28.4	29.6	30.3	27.7	28.1	24.0	24.0	318.1	8	-72323
	06 LST	22.3	19.5	22.7	23.6	27.8	25.7	26.3	26.7	25.0	24.1	22.6	22.0	288.3	8	-72323
	12 LST	21.3	20.6	23.3	26.3	29.0	26.7	29.1	29.1	25.7	27.6	24.8	22.7	306.2	8	-72323
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.4	18.6	22.1	26.1	28.1	25.8	28.3	28.3	25.6	26.7	22.3	20.6	292.9	8	-72323
	00 LST	18.8	18.8	21.0	23.6	27.4	26.3	28.8	29.0	25.6	26.3	20.6	19.0	285.2	8	-72323
	06 LST	18.7	15.8	17.7	20.4	25.3	22.7	23.3	24.0	22.7	22.3	19.4	17.9	250.2	8	-72323
	12 LST	18.6	16.1	18.4	21.6	24.1	20.6	22.0	22.8	21.6	23.6	20.7	18.4	248.5	8	-72323
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.6	16.5	19.1	23.9	26.0	24.6	26.7	26.7	24.1	25.4	20.7	18.4	270.7	8	-72323
	00 LST	16.6	17.7	17.9	22.0	26.6	24.6	27.8	28.5	24.8	25.3	18.7	16.8	267.3	8	-72323
	06 LST	16.4	14.6	15.3	18.0	24.1	20.4	21.3	22.5	21.7	20.3	18.3	15.3	228.2	8	-72323
	12 LST	17.0	15.0	16.3	20.3	23.4	19.7	21.1	22.0	20.7	22.6	18.8	16.4	233.3	8	-72323

MOBILE/BROOKLEY AFB, ALABAMA

STA NO. 73780 (IN AREA NUMBER 13)

LATITUDE 3038N

LONGITUDE 08804W

ELEVATION(FT) 00026

PARAMETER DESCRIPTION	JAN	FEB	MAR	APP	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	80	82	84	90	99	102	102	101	98	92	85	79	102	12	4379
MEAN MAX TMP (F)	62	65	68	76	84	89	90	91	86	79	68	62	77	12	4379
MEAN MIN TMP (F)	44	47	51	58	67	73	74	74	71	59	49	44	59	12	4379
ABS MIN TMP (F)	22	13	27	39	43	57	67	62	55	34	24	19	13	12	4379
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.2	4.4	14.1	16.8	19.5	8.1	0.7	0.0	0.0	63.8	12	4379
MEAN NO DYS TMP = OR LES 32(F)	4.6	2.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3.8	12.8	12	4379
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4379
MEAN DEW PT TMP (F)	45	47	50	57	65	71	73	72	69	58	48	45	58	12	104680
MEAN REL HUM (PCT)	77	76	73	74	74	75	78	76	77	72	72	75	75	12	104680
MEAN PRESS ALT (FT)	-185	-152	-98	-67	-42	-25	-65	-49	-54	-101	-153	-182	-97	0	-50
MEAN PRECIP (IN)	3.58	4.49	6.87	5.70	3.70	6.37	6.61	4.94	7.08	3.00	2.81	5.52	60.7	12	4382
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.9	5.9	7.4	5.1	5.6	8.1	9.6	6.3	6.8	3.7	3.9	7.2	75.7	12	4382
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	7.0	5.9	5.1	3.8	1.0	0.4	0.7	0.3	0.8	1.3	3.5	5.2	35.9	12	4382
MEAN NO DYS TSTMS	1.7	1.8	3.2	4.8	6.6	10.1	17.4	12.8	7.3	1.8	1.3	2.2	73.0	12	4383
P FREQ WND SPD = OR GTR 17 KTS	6.5	6.9	8.3	8.5	7.0	3.3	1.7	1.3	2.8	1.6	4.2	5.5	4.8	12	105160
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.1	0.2	0.5	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.1	0.1	12	105160
P FREQ LES 5000 FT A/D LES 5 MI	40.6	39.9	34.3	27.8	19.7	14.3	14.0	12.8	21.1	19.4	28.1	35.7	25.6	12	105160
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	30.3	26.2	25.9	22.6	11.8	3.1	1.3	2.2	7.4	7.9	18.6	20.3	14.8	12	13144
03-05 LST	33.3	29.4	27.9	25.4	13.9	4.4	3.5	3.8	12.1	13.4	19.1	23.6	17.5	12	13145
06-08 LST	32.0	35.5	26.8	23.8	14.9	7.0	5.6	7.4	16.9	19.9	21.6	25.3	19.7	12	13145
09-11 LST	24.1	23.1	18.5	11.9	4.8	4.5	3.0	4.7	10.0	9.6	13.4	20.6	12.4	12	13145
12-14 LST	14.6	13.1	12.5	6.7	2.0	2.2	2.6	2.9	5.8	4.7	8.0	14.8	7.5	12	13145
15-17 LST	10.9	11.9	13.3	6.8	2.2	2.2	2.2	2.2	4.7	4.2	8.1	12.5	6.8	12	13144
18-20 LST	16.6	15.9	17.9	12.6	3.2	2.4	2.4	1.8	5.4	5.2	9.9	15.3	9.2	12	13146
21-23 LST	24.0	21.0	20.2	19.4	8.3	2.2	1.2	1.3	6.8	6.7	13.2	18.5	11.9	12	13146
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	14.1	9.7	9.8	6.2	0.3	0.2	0.2	0.4	0.6	1.3	6.9	8.1	4.8	12	13144
03-05 LST	15.8	12.0	10.4	7.9	2.0	0.6	0.6	0.2	1.2	2.4	7.0	9.8	5.8	12	13145
06-08 LST	14.1	13.8	9.4	5.6	2.0	0.8	0.7	0.6	1.9	2.8	6.2	8.9	5.6	12	13145
09-11 LST	4.4	4.7	3.7	0.4	0.4	0.5	0.1	0.2	0.3	0.4	1.3	3.3	1.6	12	13145
12-14 LST	2.0	1.4	1.3	0.2	0.0	0.0	0.3	0.3	0.2	0.1	0.4	1.1	0.6	12	13145
15-17 LST	2.0	1.9	1.3	0.7	0.0	0.4	0.4	0.2	0.3	0.2	0.6	1.6	0.8	12	13144
18-20 LST	4.8	3.5	3.5	1.2	0.0	0.4	0.1	0.2	0.2	0.4	1.7	4.1	1.7	12	13146
21-23 LST	9.3	7.2	6.9	2.7	0.0	0.0	0.2	0.3	0.2	0.7	4.1	6.2	3.2	12	13146

MOBILE/BROOKLEY AFB, ALABAMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.7	25.1	26.9	28.1	30.6	29.7	30.5	30.6	28.8	29.8	28.0	27.5	343.3	12	4382
	00 LST	23.3	22.2	24.6	24.6	29.1	29.5	30.8	30.7	28.4	29.4	25.3	26.2	324.1	12	4382
	06 LST	21.8	19.2	23.0	23.8	26.9	28.5	29.1	29.8	25.7	26.0	24.8	24.5	303.1	12	4382
	12 LST	28.0	25.0	28.8	28.8	30.8	29.7	30.5	30.4	28.7	30.2	28.4	27.9	347.2	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	17.8	15.8	14.9	18.4	18.5	23.3	25.6	25.9	23.4	25.2	21.8	19.8	250.4	12	4382
	00 LST	15.4	14.8	17.1	18.2	22.3	25.2	28.5	28.3	23.5	24.5	18.8	18.4	255.0	12	4382
	06 LST	13.8	11.4	15.9	16.3	19.4	24.0	26.2	27.1	20.6	21.0	17.4	16.4	229.5	12	4382
	12 LST	12.7	9.9	10.1	10.6	11.0	15.0	21.0	21.5	20.2	20.3	16.0	15.0	183.3	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.4	1.3	2.1	1.9	1.4	0.4	0.5	0.4	0.5	0.1	0.9	1.1	12.0	12	4300
	00 LST	1.5	1.0	1.4	1.1	0.7	0.2	0.2	0.1	0.3	0.2	0.8	1.3	9.6	12	4321
	06 LST	1.1	0.9	1.4	0.9	0.8	0.3	0.2	0.1	0.3	0.1	0.8	0.7	7.6	12	4314
	12 LST	4.0	3.6	5.1	4.7	5.5	1.9	0.7	0.7	0.8	1.0	2.5	2.4	32.9	12	4327
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	18.3	18.2	20.5	21.1	21.4	22.4	20.8	21.0	20.6	21.2	18.5	17.9	241.9	12	4298
	00 LST	16.5	15.4	19.0	18.0	19.1	15.8	16.1	15.4	16.8	18.9	17.3	15.8	204.1	12	4319
	06 LST	15.1	15.8	17.8	19.7	17.9	16.4	15.3	16.0	17.9	20.6	17.0	15.2	204.7	12	4312
	12 LST	16.6	14.3	15.2	14.1	13.0	12.5	13.0	11.0	17.7	23.0	18.2	17.5	186.1	12	4325
SKY COVER LES 3/4 AND VSBY = GTR 3 MI	18 LST	9.6	8.3	9.2	10.4	9.1	6.9	2.5	6.2	7.3	15.8	14.2	11.2	110.7	12	4382
	00 LST	11.7	11.8	12.4	13.1	17.5	16.0	15.2	18.4	16.5	21.4	14.9	13.7	182.6	12	4382
	06 LST	8.2	7.8	8.6	8.6	9.1	9.8	7.0	9.9	9.5	14.7	11.6	9.6	114.4	12	4382
	12 LST	7.5	6.7	10.0	8.5	6.9	5.3	2.4	4.6	6.9	14.7	11.3	9.9	94.7	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.2	22.7	23.7	26.2	29.0	28.8	30.0	29.7	27.2	28.4	26.2	25.3	321.4	12	4382
	00 LST	20.5	19.5	21.7	23.3	26.8	28.6	30.2	29.8	27.4	28.2	23.5	23.8	303.3	12	4382
	06 LST	18.9	16.2	20.9	20.7	24.1	27.2	28.3	28.6	23.8	24.6	23.2	21.0	277.5	12	4382
	12 LST	23.1	20.9	24.6	25.7	28.3	28.0	28.6	28.6	25.7	28.0	25.7	24.5	311.3	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.2	19.2	21.1	24.1	26.7	26.8	27.2	28.1	24.8	26.9	24.2	22.2	291.5	12	4382
	00 LST	18.5	17.7	20.0	21.7	25.8	27.8	29.6	29.6	25.7	27.0	22.5	20.6	286.5	12	4382
	06 LST	15.7	13.9	19.1	19.4	22.4	25.7	26.9	27.2	22.4	23.5	20.4	17.8	254.4	12	4382
	12 LST	19.2	16.4	20.9	22.6	24.2	23.7	24.1	24.7	23.3	26.7	23.1	21.2	270.1	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.8	17.0	19.4	23.1	25.0	25.0	24.6	25.7	22.7	25.6	22.1	19.6	268.6	12	4382
	00 LST	17.3	16.0	18.2	20.6	24.8	26.8	28.4	28.5	24.3	26.1	21.2	18.8	271.0	12	4382
	06 LST	14.3	12.8	17.6	18.2	20.5	24.2	25.6	26.0	20.4	22.3	18.5	16.3	236.7	12	4382
	12 LST	17.6	15.1	19.7	21.4	23.3	22.1	22.6	23.4	22.0	25.4	21.5	18.9	253.0	12	4382

SELMA/SELFIELD, ALABAMA

STA NO. 73788 (IN AREA NUMBER 13)

LATITUDE 3226N

LONGITUDE 08657W

ELEVATION(FT) 00136

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
														(YRS)	UBS
ABS MAX TMP (F)	85	87	92	98	102	108	108	105	105	100	92	85	108	63	-73286
MEAN MAX TMP (F)	61	63	70	78	85	91	92	92	89	80	69	60	78	69	-73286
MEAN MIN TMP (F)	39	40	47	53	62	69	71	71	66	55	44	39	55	69	-73286
ABS MIN TMP (F)	9	-5	19	29	38	49	59	54	39	25	13	11	-5	69	-73286
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.2	2.9	14.0	21.2	25.7	16.3	3.7	0.0	0.0	0.0	84.0	12	-73286
MEAN NO DYS TMP = DR LES 32(F)	6.4	1.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	1.8	8.7	8.2	26.8	12	-73286
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73286
MEAN DEW PT TMP (F)	40	42	44	53	62	69	72	70	66	55	43	39	55	12	-73286
MEAN REL HUM (PCT)	72	70	66	67	69	71	74	71	72	71	68	71	70	12	-73286
MEAN PRESS ALT (FT)	-70	-39	4	32	61	80	36	98	68	22	-37	-67	12	0	-50
MEAN PRECIP (IN)	4.71	5.36	6.16	4.81	3.61	3.90	5.02	4.37	2.80	2.19	3.20	4.93	51.1	73	-73286
MEAN SNOW FALL (IN)	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	57	-73286
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.3	9.0	7.5	7.1	6.6	6.7	7.8	7.2	4.7	3.9	5.2	8.5	82.5	75	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73286
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	3.2	1.8	1.6	0.8	1.7	0.7	1.2	0.8	1.1	2.3	2.5	3.0	20.7	12	-73286
MEAN NO DYS YSTMS	2.1	3.3	4.6	5.9	7.3	9.5	8.9	4.9	2.0	1.1	1.1	1.0	51.3	12	-73286
P FREQ WND SPD = DR GTR 17 KTS	4.1	4.6	5.3	3.8	1.5	1.0	0.5	0.7	0.8	0.9	1.4	1.9	2.2	12	-73286
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73286
P FREQ LES 5000 FT A/O LES 5 MI	37.2	35.0	30.8	22.7	21.8	18.2	18.3	14.8	22.6	25.3	27.9	31.9	25.5	12	-73286
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	20.5	17.4	12.9	7.7	3.6	4.2	3.3	3.1	7.3	10.1	12.9	15.9	9.9	12	-73286
03-05 LST	23.2	21.0	17.3	13.4	13.5	9.3	10.0	8.4	14.2	16.3	18.8	18.1	15.3	12	-73286
06-08 LST	28.7	26.3	19.7	16.1	18.0	16.2	13.6	11.5	20.2	24.6	23.6	22.1	20.1	12	-73286
09-11 LST	21.9	19.3	15.7	7.8	7.9	7.8	8.3	4.1	12.6	13.8	14.9	19.8	12.8	12	-73286
12-14 LST	12.6	10.3	9.1	3.0	4.6	2.9	2.6	1.4	6.4	6.7	8.0	14.4	6.8	12	-73286
15-17 LST	11.5	9.2	7.7	2.5	2.8	2.2	1.4	1.2	6.1	6.2	7.3	12.2	5.9	12	-73286
18-20 LST	11.3	9.7	7.8	2.8	2.7	1.9	1.1	1.4	4.3	5.6	7.9	10.8	5.6	12	-73286
21-23 LST	14.3	9.2	9.0	2.9	2.5	1.6	1.4	1.6	4.7	5.9	9.6	13.4	6.3	12	-73286
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	3.9	2.5	2.1	0.3	0.6	0.9	0.4	0.7	1.3	2.3	3.6	2.7	1.8	12	-73286
03-05 LST	6.0	4.2	3.2	1.6	2.3	1.1	1.7	1.4	4.4	5.2	5.2	4.8	3.4	12	-73286
06-08 LST	7.7	6.0	3.9	1.5	1.7	0.8	1.1	1.4	3.0	5.6	6.0	5.5	3.7	12	-73286
09-11 LST	3.9	2.2	0.7	0.2	0.2	0.2	0.1	0.0	0.4	0.5	0.9	2.3	1.0	12	-73286
12-14 LST	0.5	0.5	0.5	0.2	0.5	0.3	0.5	0.2	0.3	0.4	0.6	0.5	0.4	12	-73286
15-17 LST	0.4	0.5	0.4	0.2	0.4	0.2	0.4	0.3	0.1	0.3	0.4	0.6	0.4	12	-73286
18-20 LST	0.5	1.4	0.4	0.3	0.2	0.0	0.4	0.1	0.1	0.7	0.4	0.7	0.4	12	-73286
21-23 LST	1.7	1.6	1.1	0.2	0.2	0.0	0.2	0.2	0.2	2.1	2.0	1.9	1.0	12	-73286

SELMA/SELFIELD, ALABAMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.5	25.9	29.6	29.4	30.4	29.6	30.7	30.9	29.0	29.9	28.2	28.4	350.5	12	-73286
	00 LST	26.7	25.3	28.6	29.2	30.3	29.3	30.3	30.3	28.5	29.2	27.1	27.7	342.5	12	-73286
	06 LST	24.9	22.3	26.3	26.0	26.1	26.4	27.3	27.5	24.5	23.3	23.6	25.5	303.7	12	-73286
	12 LST	28.2	26.0	29.1	29.5	30.3	29.5	30.5	30.8	28.7	29.6	28.3	27.3	347.8	12	-73286
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.9	18.7	20.2	23.1	26.3	24.8	26.2	27.9	26.3	26.2	24.5	23.0	288.1	12	-73286
	00 LST	19.6	17.5	19.2	23.3	27.2	27.7	29.2	29.4	25.9	26.9	22.8	21.9	290.6	12	-73286
	06 LST	17.5	15.3	19.1	21.1	22.7	23.9	26.0	26.5	22.0	20.6	20.0	21.2	255.9	12	-73286
	12 LST	14.3	11.5	11.3	14.7	20.6	20.6	23.8	25.2	19.4	20.2	17.3	15.9	214.8	12	-73286
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	1.1	1.3	0.5	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.3	4.7	12	-73286
	00 LST	0.4	1.1	0.7	0.4	0.2	0.2	0.0	0.0	0.2	0.1	0.4	0.4	4.1	12	-73286
	06 LST	0.7	0.8	0.7	0.1	0.0	0.1	0.0	0.1	0.1	0.1	0.1	0.2	3.0	12	-73286
	12 LST	3.2	2.6	3.5	2.5	1.4	0.7	0.4	0.2	0.2	0.4	1.0	0.9	17.0	12	-73286
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	17.1	14.9	17.8	18.6	19.1	15.9	18.1	16.8	17.1	14.6	13.8	15.4	199.2	12	-73286
	00 LST	13.6	13.7	16.1	14.8	12.7	13.1	12.5	11.6	11.4	10.9	10.4	12.5	153.3	12	-73286
	06 LST	13.4	13.3	15.7	12.5	13.0	12.4	13.4	11.4	13.0	10.8	11.8	12.0	152.7	12	-73286
	12 LST	14.9	15.0	15.6	17.9	19.9	14.5	13.3	12.3	17.5	21.3	17.1	17.6	196.9	12	-73286
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.8	8.2	9.4	10.1	7.9	7.5	3.5	6.2	9.5	16.7	13.9	11.4	113.1	12	-73286
	00 LST	12.5	11.8	12.4	15.8	17.0	17.8	16.2	19.0	16.6	19.3	15.7	12.9	187.2	12	-73286
	06 LST	8.2	7.0	8.6	10.3	7.5	9.5	8.1	11.0	9.7	12.6	10.8	9.8	113.1	12	-73286
	12 LST	6.8	7.3	7.8	9.1	4.2	3.5	1.7	3.7	6.5	13.2	11.1	9.1	84.0	12	-73286
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	26.2	24.0	26.9	28.6	29.3	29.1	30.4	30.6	27.5	28.3	27.0	26.4	334.3	12	-73286
	00 LST	22.9	22.2	24.7	26.9	29.5	29.2	30.0	29.9	27.5	28.0	24.8	24.2	319.8	12	-73286
	06 LST	20.1	18.8	23.0	23.4	23.9	24.6	26.4	26.6	22.7	21.3	21.8	22.7	275.3	12	-73286
	12 LST	22.7	21.4	25.1	26.8	27.5	26.9	28.4	29.2	25.5	26.4	24.6	23.6	308.1	12	-73286
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.9	19.7	22.6	25.0	25.1	26.8	26.5	27.5	24.5	25.8	23.4	22.5	291.3	12	-73286
	00 LST	20.6	19.4	21.9	24.8	27.9	28.0	29.1	28.7	26.3	25.9	23.1	21.4	297.1	12	-73286
	06 LST	16.2	15.9	19.2	20.7	21.7	23.5	25.3	25.3	21.8	20.0	19.7	18.7	248.0	12	-73286
	12 LST	17.5	16.7	19.7	21.1	19.0	19.0	20.5	22.3	20.3	22.1	21.2	20.8	240.2	12	-73286
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.9	17.6	20.6	23.4	23.6	24.8	23.8	25.3	22.7	24.5	22.3	20.7	269.2	12	-73286
	00 LST	18.7	17.5	20.3	23.5	26.8	27.3	28.6	28.3	25.0	24.5	21.5	20.1	282.1	12	-73286
	06 LST	14.1	14.3	17.4	19.2	20.0	22.9	24.0	24.6	20.1	18.4	18.2	17.1	230.3	12	-73286
	12 LST	16.0	15.4	18.3	19.8	18.1	18.2	19.7	21.8	19.2	21.3	20.2	19.3	227.3	12	-73286

CLANTON/GRAGG FIELD, ALABAMA

STA NO. 73798 (IN AREA NUMBER 13)

LATITUDE 3291N

LONGITUDE 08637W

ELEVATION(FT) 00593

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	84	82	93	94	100	106	108	105	110	100	88	80	110	68	-113
MEAN MAX TMP (F)	57	59	67	75	83	90	91	91	87	77	66	57	75	67	-113
MEAN MIN TMP (F)	36	37	44	51	59	67	69	69	63	51	41	36	52	64	-113
ABS MIN TMP (F)	2	-9	14	26	33	42	53	51	38	24	8	8	-9	68	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	3.0	16.0	22.0	23.0	10.0	2.0	0.0	0.0	78.0	10	-113
MEAN NO DYS TMP = DR LES 32(F)	17.0	11.0	8.0	1.0	0.0	0.0	0.0	0.0	0.0	2.0	12.0	18.0	69.0	9	-113
MEAN NO DYS TMP = DR LES 0(F)	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		68	-29
MEAN DEW PT TMP (F)	42	43	45	53	61	68	71	70	65	55	44	41	55	12	-73287
MEAN REL HUM (PCT)	74	69	66	65	66	68	72	70	71	69	68	73	69	12	-73287
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	5.04	5.52	6.21	4.96	3.98	4.00	3.40	4.28	3.05	2.39	3.39	4.98	53.2	68	-113
MEAN SNOW FALL (IN)	0.6	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	1.5	65	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.6	9.1	7.5	7.2	6.8	6.8	8.2	7.1	5.1	4.2	5.5	8.6	84.7	68	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	65	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.6	2.0	1.3	1.0	1.0	0.8	0.9	0.7	1.5	1.6	4.0	4.0	22.4	12	-73287
MEAN NO DYS TSTMS	1.0	1.6	4.0	4.7	6.7	8.0	10.6	7.6	3.0	1.6	1.5	1.1	51.4	12	-73287
P FREQ WND SPD = DR GTR 17 KTS	3.7	3.6	5.3	3.3	1.3	0.8	0.4	0.5	0.7	1.0	2.8	3.0	2.2	12	-73287
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73287
P FREQ LES 3000 FT A/D LES 5 MI	42.8	36.8	31.8	23.9	21.2	18.2	21.5	15.5	22.5	23.6	32.5	36.8	27.3	12	-73287
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	23.1	16.1	11.8	7.1	3.3	3.9	5.8	3.0	8.4	8.0	15.6	18.8	10.6	12	-73287
03-05 LST	27.1	23.3	17.8	14.0	13.4	8.5	11.8	9.1	13.7	15.9	24.1	23.6	16.9	12	-73287
06-08 LST	32.8	28.1	21.5	15.6	16.7	12.8	16.6	11.5	16.6	18.7	27.8	28.6	20.6	12	-73287
09-11 LST	27.4	19.0	13.4	6.9	4.3	5.1	6.0	4.7	10.9	9.5	17.0	23.9	12.3	12	-73287
12-14 LST	14.9	9.4	9.3	3.0	1.8	2.1	1.9	1.2	5.7	4.1	9.0	12.4	6.2	12	-73287
15-17 LST	13.7	9.6	9.8	2.3	2.3	2.0	3.0	1.3	4.0	2.8	7.7	10.9	5.5	12	-73287
18-20 LST	12.6	9.6	6.2	2.9	1.3	1.0	1.6	1.0	3.9	2.7	7.8	10.1	5.1	12	-73287
21-23 LST	16.9	10.7	7.2	4.3	2.3	1.5	2.0	1.9	4.5	5.1	10.6	13.0	6.7	12	-73287
P FREQ LES 300 FT A/D LES 1 "															
FOR 00-02 LST	3.9	2.5	1.5	1.3	0.4	0.8	0.8	0.0	0.9	2.1	4.1	5.5	2.0	12	-73287
03-05 LST	6.7	4.0	2.7	2.8	2.5	1.5	1.7	1.3	2.2	3.9	6.9	7.7	3.7	12	-73287
06-08 LST	7.9	4.3	2.0	1.3	1.6	0.6	1.1	0.9	2.2	2.5	6.2	8.4	3.3	12	-73287
09-11 LST	2.6	1.6	0.8	0.2	0.0	0.1	0.2	0.1	0.1	0.4	1.5	3.1	0.9	12	-73287
12-14 LST	0.9	0.3	0.2	0.3	0.4	0.1	0.3	0.1	0.3	0.0	0.8	1.1	0.4	12	-73287
15-17 LST	2.0	1.1	0.2	0.1	0.5	0.3	0.6	0.4	0.4	0.1	0.7	0.8	0.6	12	-73287
18-20 LST	1.4	1.0	0.2	0.1	0.3	0.1	0.2	0.2	0.4	0.1	1.1	1.5	0.6	12	-73287
21-23 LST	3.0	1.5	0.2	0.4	0.3	0.1	0.1	0.0	0.3	0.9	2.4	3.7	1.1	12	-73287

CLANTCN/GRAGG FIELD, ALABAMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.0	26.0	29.3	29.3	30.7	29.6	30.6	30.6	29.3	30.7	28.3	29.1	351.5	12	-73287
	00 LST	26.7	24.9	28.6	29.1	30.3	29.5	30.3	30.6	29.1	29.7	27.1	26.9	342.8	12	-73287
	06 LST	23.5	21.6	25.1	26.5	27.8	26.8	27.2	28.3	26.7	25.6	22.5	24.2	305.8	12	-73287
	12 LST	27.4	26.1	29.5	29.7	30.7	29.5	30.7	30.9	29.3	30.3	28.1	28.2	350.4	12	-73287
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	21.8	20.9	21.5	24.7	28.4	26.9	27.7	29.1	26.3	27.7	23.3	22.6	300.9	12	-73287
	00 LST	19.8	20.1	22.3	25.1	29.7	28.6	29.3	29.2	26.4	27.3	22.5	21.1	301.4	12	-73287
	06 LST	16.6	15.8	18.6	22.1	23.6	24.4	24.9	26.8	23.1	22.6	17.7	18.7	294.9	12	-73287
	12 LST	14.8	13.3	14.4	17.4	22.3	22.6	25.0	25.6	20.5	22.8	17.3	16.2	232.2	12	-73287
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.4	0.5	1.5	0.7	0.1	0.2	0.2	0.1	0.2	0.4	0.6	0.6	5.5	12	-73287
	00 LST	0.2	0.4	0.8	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.3	0.9	2.8	12	-73287
	06 LST	0.8	0.7	0.8	0.1	0.1	0.1	0.0	0.0	0.0	0.2	0.5	0.5	3.8	12	-73287
	12 LST	2.3	1.6	3.4	2.5	0.8	0.6	0.2	0.1	0.3	0.5	1.7	1.6	15.6	12	-73287
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	17.4	15.7	16.8	16.6	16.7	13.2	16.6	15.4	14.8	14.9	16.0	16.7	190.8	12	-73287
	00 LST	14.5	13.8	16.3	13.7	12.8	12.8	11.8	11.3	14.3	14.4	14.0	15.2	164.9	12	-73287
	06 LST	13.9	13.6	15.6	14.8	14.3	11.6	14.3	12.2	15.4	14.3	14.9	15.0	169.9	12	-73287
	12 LST	16.7	15.1	14.5	17.6	17.4	9.1	9.4	7.7	16.0	19.4	18.3	17.5	178.7	12	-73287
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.2	8.2	8.4	10.0	8.4	7.0	4.1	6.5	9.3	16.4	14.2	12.3	114.0	12	-73287
	00 LST	11.4	11.6	12.1	16.8	17.5	16.1	16.9	18.3	17.4	19.7	15.7	13.9	187.4	12	-73287
	06 LST	6.0	6.4	7.4	10.7	9.3	9.2	7.9	10.4	10.7	12.3	8.9	8.9	108.1	12	-73287
	12 LST	6.1	7.1	7.8	8.6	5.2	3.7	2.0	4.7	6.3	11.0	10.7	9.1	82.5	12	-73287
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	25.6	24.3	27.2	27.9	29.9	29.3	30.2	30.0	27.7	29.3	26.1	26.1	333.6	12	-73287
	00 LST	22.0	22.6	25.2	26.8	29.7	29.0	29.5	29.6	27.3	27.7	24.3	23.8	317.5	12	-73287
	06 LST	18.2	17.2	20.9	23.5	24.4	24.8	24.9	26.8	24.2	23.1	19.1	20.9	288.0	12	-73287
	12 LST	22.0	22.7	26.2	26.6	28.6	28.0	28.3	28.9	25.7	28.1	24.9	24.1	314.1	12	-73287
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.1	21.1	23.2	24.7	26.9	26.3	26.7	27.9	25.1	25.7	23.2	23.0	294.9	12	-73287
	00 LST	18.7	19.1	22.2	24.4	28.5	28.1	27.9	28.6	26.3	26.1	22.7	21.2	293.8	12	-73287
	06 LST	14.0	15.3	17.6	20.4	22.4	23.6	23.5	25.6	22.3	20.7	16.7	16.8	238.9	12	-73287
	12 LST	16.6	16.9	20.5	20.6	20.2	19.5	17.8	20.6	19.2	21.9	20.5	20.0	234.3	12	-73287
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.2	18.7	21.0	23.5	25.0	24.6	24.3	26.1	23.6	24.3	21.8	21.0	273.1	12	-73287
	00 LST	17.6	17.5	20.7	23.1	27.1	27.0	27.2	27.7	25.1	24.8	21.4	19.4	278.6	12	-73287
	06 LST	12.4	13.4	15.9	19.3	21.1	22.3	22.5	24.4	21.0	19.6	15.4	15.1	222.4	12	-73287
	12 LST	14.7	15.5	19.1	19.6	19.1	19.0	17.2	20.2	18.6	21.6	19.7	18.4	222.7	12	-73287

CULLMAN/FOLSOM FIELD, ALABAMA

STA NO. 73007 (IN AREA NUMBER 13)

LATITUDE 3416N

LONGITUDE 08651W

ELEVATION(FT) 00960

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YR)	NO. OBS
ABS MAX TMP (F)	83	84	90	98	99	103	107	103	106	94	84	78	107	35	-72228
MEAN MAX TMP (F)	55	57	66	73	81	88	90	90	86	76	64	55	73	35	-72228
MEAN MIN TMP (F)	37	38	46	53	61	68	70	70	66	53	44	38	54	34	-72228
ABS MIN TMP (F)	-2	-10	12	28	38	47	55	48	36	20	1	1	-10	34	-72228
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.1	2.0	10.6	18.5	22.1	15.9	3.0	0.1	0.0	0.0	72.3	14	-72228
MEAN NO DYS TMP = DR LES 32(F)	11.9	8.0	2.9	0.4	0.0	0.0	0.0	0.0	0.0	4.0	12.0	15.9	55.1	14	-72228
MEAN NO DYS TMP = DR LES 0(F)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	14	-72228
MEAN DEW PT TMP (F)	36	38	40	48	58	65	69	68	62	51	40	36	51	12	-72228
MEAN REL HUM (PCT)	72	69	65	64	68	69	72	71	70	71	68	71	69	12	-72228
MEAN PRESS ALT (FT)	741	778	834	885	882	900	869	877	855	810	770	743	827	0	-50
MEAN PRECIP (IN)	5.40	4.80	5.90	5.00	4.30	4.40	5.20	4.20	3.10	2.40	3.50	4.80	53.0	43	-72228
MEAN SNOW FALL (IN)	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	1.2	17	-72228
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.0	8.4	7.4	7.2	6.9	7.2	8.0	7.0	5.1	4.2	5.6	8.4	84.4	43	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.3	11	-72228
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.2	0.6	0.2	0.0	0.4	0.4	0.4	0.1	0.4	1.2	1.0	0.7	6.6	12	-72228
MEAN NO DYS TSTMS	1.0	2.0	4.0	5.0	7.0	12.0	14.0	12.0	6.0	2.0	1.0	1.0	67.0	48	-72228
P FREQ WND SPD = DR GTR 17 KTS	5.1	7.0	7.6	5.7	1.6	0.8	0.5	0.6	0.8	1.3	4.4	4.2	3.3	12	-72228
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.2	0.2	0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.1	12	-72228
P FREQ LES 5000 FT A/D LES 5 MI	43.5	38.0	32.1	22.4	20.3	21.2	21.2	15.9	20.9	26.1	32.1	39.2	27.7	12	-72228
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.1	18.8	15.6	8.4	4.8	4.9	6.5	3.6	8.1	11.2	13.3	19.4	11.4	12	-72228
03-05 LST	29.5	22.8	17.5	13.6	12.2	10.2	11.9	6.7	13.6	16.5	15.6	22.2	16.0	12	-72228
06-08 LST	31.9	29.8	23.3	15.6	18.1	15.5	17.5	12.6	17.7	22.8	25.0	27.8	21.5	17	-72228
09-11 LST	28.5	22.2	18.0	8.4	8.2	7.6	5.9	6.2	10.1	13.0	18.1	23.6	14.2	12	-72228
12-14 LST	17.6	13.8	10.9	3.5	3.1	2.8	2.3	1.5	5.8	6.9	11.6	15.8	8.0	12	-72228
15-17 LST	13.8	11.8	9.5	3.4	1.6	2.4	1.8	1.1	5.1	6.0	10.7	13.3	6.7	12	-72228
18-20 LST	14.3	13.4	8.0	3.9	1.4	2.1	1.8	0.7	5.0	6.9	11.2	14.0	6.9	12	-72228
21-23 LST	15.8	16.4	9.1	5.0	2.1	3	2.3	1.8	7.0	8.0	11.4	16.5	8.1	12	-72228
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.6	0.9	0.5	0.5	0.4	0.2	0.4	0.0	0.6	1.4	1.5	1.5	0.8	12	-72228
03-05 LST	3.8	1.0	0.9	0.4	0.8	1.2	1.0	0.6	1.4	2.5	3.0	1.8	1.3	12	-72228
06-08 LST	3.9	1.3	0.3	0.1	0.6	0.7	0.4	0.3	0.9	3.1	3.9	1.6	1.4	17	-72228
09-11 LST	1.7	0.9	0.0	0.0	0.1	0.2	0.2	0.0	0.0	0.7	1.5	0.6	0.5	12	-72228
12-14 LST	0.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.8	0.7	0.3	12	-72228
15-17 LST	0.5	0.4	0.1	0.1	0.0	0.0	0.2	0.1	0.1	0.1	1.0	0.6	0.3	12	-72228
18-20 LST	0.5	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.2	12	-72228
21-23 LST	1.3	0.7	0.4	0.0	0.0	0.1	0.0	0.1	0.3	0.4	0.6	1.4	0.4	17	-72228

CULLMAN/FOLSOM FIELD, ALABAMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.6	24.8	28.6	29.6	30.7	29.5	30.7	30.9	29.1	29.3	27.8	28.2	346.8	12	-72228
	00 LST	26.9	24.2	28.2	29.0	30.2	29.3	29.9	30.3	28.6	29.1	27.0	27.2	339.9	12	-72228
	06 LST	24.0	22.4	26.2	27.4	27.5	27.2	26.7	28.0	26.5	26.0	24.4	25.3	311.6	12	-72228
	12 LST	26.6	24.8	28.9	29.3	30.6	29.4	30.4	30.7	29.4	29.2	26.8	27.1	343.2	12	-72228
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	19.2	16.7	16.2	18.6	23.6	23.4	25.0	27.0	24.6	25.6	20.4	19.6	259.9	12	-72228
	00 LST	17.4	15.4	18.4	20.6	25.6	26.7	28.6	29.0	23.9	24.6	20.1	18.4	268.7	12	-72228
	06 LST	14.8	14.7	17.2	19.9	22.5	23.7	24.4	26.1	21.8	20.6	18.5	17.6	241.8	12	-72228
	12 LST	10.7	9.7	10.3	10.5	15.0	18.2	21.1	20.8	17.3	16.6	12.2	12.8	175.2	12	-72228
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.9	1.5	1.4	1.1	0.1	0.2	0.2	0.3	0.1	0.0	0.9	0.6	7.3	12	-72228
	00 LST	1.0	1.7	2.2	0.9	0.2	0.0	0.0	0.0	0.0	0.2	1.1	0.9	8.2	12	-72228
	06 LST	1.0	1.0	1.4	0.6	0.2	0.2	0.0	0.1	0.2	0.1	1.4	1.0	7.2	12	-72228
	12 LST	3.0	2.9	4.0	3.5	1.1	0.4	0.2	0.1	0.1	1.0	2.0	1.7	20.0	12	-72228
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	15.4	15.1	18.9	17.7	21.5	18.0	17.8	19.5	17.2	14.8	14.4	16.1	206.4	12	-72228
	00 LST	11.5	10.3	12.0	10.7	11.8	9.9	9.8	10.3	12.4	11.2	11.5	10.7	132.1	12	-72228
	06 LST	12.4	10.3	13.1	12.1	12.7	12.5	12.6	9.5	12.5	12.0	10.6	11.1	141.4	12	-72228
	12 LST	14.0	13.4	13.2	13.7	17.9	13.9	14.6	13.2	15.4	18.5	14.4	16.0	178.2	12	-72228
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.2	9.7	8.2	9.5	9.0	8.0	5.4	7.4	11.2	16.1	12.8	10.9	116.4	12	-72228
	00 LST	9.6	9.8	11.7	15.0	15.3	16.1	15.8	15.7	17.5	19.2	13.6	10.7	170.0	12	-72228
	06 LST	6.9	7.4	8.4	10.4	8.6	10.2	7.7	10.4	10.9	13.8	11.2	9.3	115.2	12	-72228
	12 LST	6.0	7.0	7.4	8.9	4.8	2.8	2.7	4.2	7.6	11.6	10.0	8.9	81.9	12	-72228
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	25.0	23.2	26.9	28.1	30.3	29.2	30.2	30.7	28.1	28.1	25.6	25.6	331.0	12	-72228
	00 LST	22.5	21.1	25.1	26.2	29.1	28.5	29.1	30.1	26.8	27.5	24.4	23.3	313.7	12	-72228
	06 LST	18.7	18.6	21.4	23.6	24.7	25.1	25.1	26.9	23.9	23.4	22.1	21.0	274.5	12	-72228
	12 LST	22.1	21.2	24.9	27.4	28.6	28.0	29.1	29.2	27.2	26.5	24.3	23.0	311.5	12	-72228
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.2	19.9	24.2	25.7	27.7	26.6	27.9	28.8	25.9	25.4	23.0	21.6	296.9	12	-72228
	00 LST	18.8	18.6	22.5	24.3	27.5	27.9	28.3	29.4	26.0	26.5	21.5	20.2	291.5	12	-72228
	06 LST	15.8	15.6	18.4	21.4	23.4	24.3	24.6	26.2	22.7	22.0	20.3	17.3	252.0	12	-72228
	12 LST	17.3	17.8	19.7	20.6	19.8	17.8	17.6	20.5	20.5	21.4	20.9	19.2	233.1	12	-72228
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.7	18.0	21.4	23.5	25.6	24.5	26.3	28.0	24.7	24.6	22.2	19.3	275.8	12	-72228
	00 LST	16.5	16.7	20.6	22.7	26.7	27.1	27.8	28.5	24.6	25.1	20.2	18.1	274.6	12	-72228
	06 LST	14.2	14.1	16.8	20.2	21.9	23.2	23.9	25.1	21.8	20.8	18.5	16.2	236.7	12	-72228
	12 LST	15.3	16.4	18.4	19.1	18.4	16.8	16.9	19.4	19.6	20.6	19.9	18.3	219.1	12	-72228

BREWTON MUNICIPAL, ALABAMA

STA NO. 73818 (IN AREA NUMBER 13)

LATITUDE 3103N

LONGITUDE 08703W

ELEVATION(FT) 00092

PARAMETER DESCRIPTION

ABS MAX TMP (F)

MEAN MAX TMP (F)

MEAN MIN TMP (F)

ABS MIN TMP (F)

MEAN NO DYS TMP = OR GTR 90(F)

MEAN NO DYS TMP = OR LES 32(F)

MEAN NO DYS TMP = OR LES 0(F)

MEAN DEW PT TMP (F)

MEAN REL HUM (PCT)

MEAN PRESS ALT (FT)

MEAN PRECIP (IN)

MEAN SNOW FALL (IN)

MEAN NO DYS PRCP = OR GTR 0.1 IN

MEAN NO DYS SNFL = OR GTR 1.5 IN

MEAN NO DYS W/OCUR VSBY LES 1/2 MI

MEAN NO DYS TSTMS

P FREQ WND SPD = OR GTR 17 KTS

P FREQ WND SPD = OR GTR 28 KTS

P FREQ LES 5000 FT A/D LES 5 MI

P FREQ LES 1500 FT A/D LES 3 MI

FOR 00-02 LST

03-05 LST

06-08 LST

09-11 LST

12-14 LST

15-17 LST

18-20 LST

21-23 LST

P FREQ LES 300 FT A/D LES 1 MI

FOR 00-02 LST

03-05 LST

06-08 LST

09-11 LST

12-14 LST

15-17 LST

18-20 LST

21-23 LST

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	85	85	89	95	100	109	106	104	102	98	90	83	109	41	-113
MEAN MAX TMP (F)	63	66	71	79	86	92	92	93	89	81	71	64	79	41	-113
MEAN MIN TMP (F)	38	41	45	52	59	66	69	69	64	52	43	38	53	40	-113
ABS MIN TMP (F)	12	9	18	25	37	40	53	53	38	21	15	10	9	42	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	1.0	11.0	21.0	25.0	26.0	14.0	3.0	0.0	0.0	101.0	10	-113
MEAN NO DYS TMP = OR LES 32(F)	12.0	7.0	6.0	0.3	0.0	0.0	0.0	0.0	0.0	2.0	8.0	12.0	47.3	42	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-73224
MEAN DEW PT TMP (F)	47	48	49	55	63	70	72	71	67	57	46	45	58	7	-73224
MEAN REL HUM (PCT)	78	75	72	72	72	76	81	78	77	71	71	76	75	0	-50
MEAN PRESS ALT (FT)	-119	-86	-36	-6	18	36	-3	13	12	-34	-87	-116	-33	0	-50
MEAN PRECIP (IN)	4.70	5.74	6.27	5.08	4.29	5.63	7.44	6.16	5.13	2.73	3.76	4.51	61.4	43	-113
MEAN SNOW FALL (IN)	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	45	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.3	9.4	7.6	7.2	6.9	8.4	10.0	8.8	7.7	4.6	6.0	8.1	93.0	43	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	8.8	7.8	4.8	7.4	5.5	2.4	0.7	1.1	1.3	3.0	3.7	5.1	51.6	7	-73224
MEAN NO DYS TSTMS	1.6	2.2	5.1	7.0	5.4	13.7	19.4	14.0	6.4	1.0	2.3	2.4	80.5	7	-73224
P FREQ WND SPD = OR GTR 17 KTS	1.5	1.9	2.5	1.5	0.4	0.1	0.0	0.3	0.9	0.6	1.3	1.5	1.0	7	-73224
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	7	-73224
P FREQ LES 5000 FT A/D LES 5 MI	44.1	40.3	38.2	30.4	22.4	19.4	20.3	16.6	22.6	17.9	24.9	37.5	27.9	7	-73224
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	35.8	34.5	31.5	30.5	17.5	5.2	4.8	4.6	7.6	11.7	18.6	27.0	19.1	7	-73224
03-05 LST	39.8	39.9	31.4	27.9	25.5	12.6	8.3	6.6	13.2	13.8	16.3	28.7	22.0	7	-73224
06-08 LST	41.4	40.7	31.5	22.5	20.8	10.8	9.8	7.4	15.4	14.6	16.2	31.0	21.8	7	-73224
09-11 LST	26.9	25.6	21.0	10.3	5.1	4.5	5.8	4.6	11.0	6.3	11.1	24.6	13.1	7	-73224
12-14 LST	15.1	12.7	13.1	4.9	1.7	2.4	2.5	3.1	6.7	2.2	7.8	17.1	7.4	7	-73224
15-17 LST	11.5	11.0	11.8	4.4	1.7	2.2	2.6	2.5	5.4	3.2	7.9	15.8	6.7	7	-73224
18-20 LST	23.3	17.0	21.7	8.9	2.8	0.8	1.4	1.7	4.0	3.4	10.2	21.7	9.7	7	-73224
21-23 LST	33.2	29.3	27.4	20.2	6.6	1.3	0.8	2.3	4.3	5.5	14.3	26.3	14.0	7	-73224
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	17.1	16.2	10.2	13.3	9.4	2.1	0.9	1.2	2.1	3.8	8.4	10.0	8.1	7	-73224
03-05 LST	19.0	19.7	11.5	13.5	15.4	6.2	2.5	2.8	4.1	7.5	6.2	14.3	10.2	7	-73224
06-08 LST	15.7	16.0	6.1	5.2	4.2	2.1	0.8	0.5	1.9	4.3	3.2	8.9	5.7	7	-73224
09-11 LST	2.9	2.4	1.2	0.2	0.2	0.0	0.5	0.0	0.6	0.0	0.0	2.8	0.9	7	-73224
12-14 LST	0.6	0.5	0.5	0.2	0.2	0.0	0.2	0.3	0.5	0.0	0.6	0.8	0.4	7	-73224
15-17 LST	0.6	0.7	0.6	0.3	0.0	0.0	0.2	0.6	0.0	0.0	1.0	0.8	0.4	7	-73224
18-20 LST	3.5	3.2	2.5	0.3	0.2	0.2	0.0	0.0	0.0	0.8	1.3	4.3	1.4	7	-73224
21-23 LST	12.9	9.4	7.4	5.4	0.9	0.0	0.0	0.2	0.0	2.2	5.1	7.2	4.2	7	-73224

BREWTON MUNICIPAL, ALABAMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.7	25.1	27.1	29.0	30.8	29.7	30.8	30.7	28.8	30.4	28.3	27.0	344.4	7	-73224
	00 LST	21.0	19.5	22.7	22.3	26.7	29.4	30.4	30.0	28.4	28.4	25.3	24.3	308.4	7	-73224
	06 LST	20.1	16.4	22.8	23.6	24.7	27.1	28.3	28.8	26.0	27.3	25.7	22.4	293.2	7	-73224
	12 LST	28.0	25.0	28.4	29.1	30.7	29.7	30.6	30.4	28.6	30.7	28.0	26.7	345.9	7	-73224
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	22.0	20.2	20.8	25.6	28.1	28.1	29.5	29.9	27.3	28.7	24.6	21.9	306.7	7	-73224
	00 LST	17.3	16.5	17.7	19.6	25.7	28.3	30.0	29.4	26.9	26.4	21.6	19.1	278.5	7	-73224
	06 LST	15.3	12.7	18.3	19.7	23.0	25.0	27.0	27.7	23.3	24.7	21.7	18.0	256.4	7	-73224
	12 LST	15.0	11.6	14.4	17.6	23.0	23.7	25.0	26.6	20.4	21.4	17.7	14.0	230.4	7	-73224
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.1	0.4	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	1.5	7	-73224
	00 LST	0.0	0.1	0.0	0.4	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.3	1.1	7	-73224
	06 LST	0.3	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	1.2	7	-73224
	12 LST	0.7	0.8	2.0	0.4	0.1	0.0	0.0	0.1	0.0	0.1	1.3	1.0	6.5	7	-73224
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	18.2	17.5	19.9	18.9	19.6	17.3	15.6	13.1	13.1	12.2	15.2	19.7	200.3	7	-73224
	00 LST	16.7	16.4	17.6	12.3	11.4	10.9	8.2	8.0	13.6	15.6	14.8	17.8	163.3	7	-73224
	06 LST	16.6	17.1	17.2	17.1	16.3	13.7	12.1	11.7	15.8	17.9	15.4	19.7	190.6	7	-73224
	12 LST	19.8	17.4	17.3	21.3	21.1	10.7	11.3	9.7	15.7	21.7	18.2	22.0	206.2	7	-73224
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.3	9.9	7.8	11.3	9.7	6.7	2.3	4.3	8.6	18.1	14.7	10.6	114.3	7	-73224
	00 LST	12.3	10.9	11.8	14.3	18.3	18.6	16.3	18.3	16.4	19.6	16.8	12.0	185.6	7	-73224
	06 LST	8.7	6.9	9.1	10.8	11.8	9.7	8.3	13.0	10.0	15.0	12.1	8.1	123.9	7	-73224
	12 LST	8.8	7.1	8.7	9.7	6.0	2.6	0.8	2.9	4.7	10.9	12.1	6.9	81.2	7	-73224
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.4	22.2	22.8	26.7	29.4	29.1	29.9	29.9	28.0	29.1	25.8	23.7	320.0	7	-73224
	00 LST	19.4	17.9	20.3	20.1	25.9	29.0	30.0	29.5	27.4	27.8	22.8	21.5	291.6	7	-73224
	06 LST	16.8	15.1	20.0	21.1	23.3	25.6	26.6	27.6	24.6	26.4	23.6	20.0	270.7	7	-73224
	12 LST	22.0	20.8	23.7	26.1	28.4	28.3	28.4	28.4	25.1	28.8	25.8	20.8	306.6	7	-73224
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.5	20.8	20.6	24.1	27.3	26.1	26.3	27.1	24.1	27.0	23.9	21.3	290.1	7	-73224
	00 LST	18.1	16.2	19.0	19.3	25.4	28.1	29.0	29.1	26.1	27.0	21.7	19.3	278.3	7	-73224
	06 LST	13.7	13.1	18.0	20.0	22.0	24.3	25.5	27.0	22.4	25.3	21.4	17.5	250.2	7	-73224
	12 LST	16.1	15.7	18.0	19.0	19.0	15.7	15.8	17.1	17.1	21.7	21.1	17.0	213.3	7	-73224
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.8	19.2	19.3	23.3	26.0	24.6	24.1	26.1	22.6	25.9	22.8	19.6	273.3	7	-73224
	00 LST	17.3	14.8	17.9	18.7	24.7	27.6	28.7	28.7	25.7	26.1	20.9	17.5	268.6	7	-73224
	06 LST	12.7	12.3	15.8	18.7	20.8	23.0	24.3	26.6	20.4	24.3	19.8	16.3	235.0	7	-73224
	12 LST	14.7	14.4	17.1	18.4	18.3	15.3	15.1	16.7	16.0	20.8	20.0	15.7	202.5	7	-73224

TUSCALOOSA/VAN DE GRAFF, ALABAMA

STA NO. 75129 (IN AREA NUMBER 13)

LATITUDE 3313N

LONGITUDE 08736W

ELEVATION(FT) 00169

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	82	84	87	93	98	105	107	108	104	98	86	81	108	18	-613
MEAN MAX TMP (F)	58	61	67	77	84	91	93	93	87	78	66	58	76	1	-113
MEAN MIN TMP (F)	35	38	43	51	59	67	70	69	63	51	39	35	52	18	-113
ABS MIN TMP (F)	3	5	15	29	37	45	54	53	41	23	10	3	3	18	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.1	8.8	21.3	23.1	23.4	12.3	3.3	0.0	0.0	92.3	10	3317
MEAN NO DYS TMP = DR LES 32(F)	13.2	10.2	8.2	0.7	0.0	0.0	0.0	0.0	0.0	1.6	10.9	16.2	59.0	10	3317
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3317
MEAN DEW PT TMP (F)	44	41	43	50	60	69	71	69	62	53	39	37	53	6	52483
MEAN REL HUM (PCT)	77	71	67	67	71	71	72	71	70	71	68	74	71	6	52483
MEAN PRESS ALT (FT)	-51	-12	47	80	97	113	85	89	59	15	-20	-48	38	0	-50
MEAN PRECIP (IN)	4.99	5.46	6.06	4.27	4.43	3.43	3.98	3.04	3.29	2.70	3.91	4.74	50.3	19	-113
MEAN SNOW FALL (IN)	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.0	18	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.6	9.1	7.5	6.9	7.0	6.1	6.8	5.7	5.4	4.6	6.2	8.3	82.2	19	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	10	3294
MEAN NO DYS W/MCUR VSBY LES 1/2 MI	2.3	1.0	0.7	0.8	1.8	0.5	0.8	1.8	1.1	1.1	2.2	2.5	16.6	6	2190
MEAN NO DYS TSTMS	2.0	2.6	4.7	5.9	5.6	7.3	10.3	8.5	2.7	0.9	1.0	1.3	92.8	10	3316
P FREQ WND SPD = DR GTR 17 KTS	3.5	3.7	5.8	3.1	0.7	0.4	0.2	0.5	0.5	1.6	3.1	3.6	2.2	6	52552
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	6	52552
P FREQ LES 9000 FT A/D LES 5 MI	48.7	35.3	31.7	25.0	24.2	19.2	21.1	15.3	20.1	26.7	31.5	41.5	28.4	6	52552
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	25.0	12.6	8.4	9.6	7.5	7.1	7.0	3.2	8.5	11.3	12.0	19.9	11.0	6	6564
03-05 LST	35.7	20.3	14.9	17.8	15.1	13.1	14.0	11.7	12.8	16.3	19.6	24.4	18.0	6	6564
06-08 LST	40.3	28.8	23.2	21.3	14.9	15.0	18.0	9.9	20.2	24.9	30.9	30.9	23.2	6	6567
09-11 LST	35.5	20.3	13.8	10.6	7.5	5.6	8.8	4.8	8.7	11.5	19.6	26.5	14.4	6	6566
12-14 LST	18.1	9.7	7.0	3.3	3.2	2.0	2.2	1.3	4.3	4.3	6.7	17.1	6.6	6	6566
15-17 LST	14.3	9.1	5.6	3.5	2.5	0.7	2.0	0.9	2.8	4.3	6.1	11.2	5.3	6	6568
18-20 LST	15.4	9.5	4.7	4.4	1.4	1.5	2.2	0.4	1.7	4.1	4.8	12.4	5.2	6	6569
21-23 LST	15.6	9.9	5.4	4.5	2.0	2.2	3.4	0.9	4.4	5.9	7.4	16.2	6.5	6	6568
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.8	1.0	0.0	0.7	1.8	0.7	0.5	1.3	1.1	2.0	0.4	1.8	1.1	6	6564
03-05 LST	4.8	2.4	0.9	1.7	3.2	2.0	1.6	4.8	2.6	1.6	2.2	3.6	2.6	6	6564
06-08 LST	6.8	2.6	0.9	1.3	1.4	0.9	0.4	2.2	2.6	2.9	5.9	5.6	2.8	6	6567
09-11 LST	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	2.4	2.2	0.6	6	6566
12-14 LST	0.5	0.0	0.5	0.0	0.2	0.2	0.0	0.0	0.2	0.2	0.0	0.4	0.2	6	6566
15-17 LST	0.5	0.4	0.0	0.0	0.4	0.0	0.4	0.2	0.2	0.2	0.0	0.9	0.3	6	6568
18-20 LST	1.1	0.4	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.4	0.7	1.4	0.4	6	6569
21-23 LST	1.1	0.6	0.4	0.4	0.0	0.0	0.0	0.0	0.4	0.9	0.0	2.3	0.5	6	6568

TUSCALOOSA/VAN DE GRAFF, ALABAMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.0	26.5	30.5	29.3	30.7	29.8	30.7	31.0	29.6	29.8	29.2	29.1	354.2	6	2190
	00 LST	26.7	25.3	29.5	28.5	30.2	29.0	30.3	30.8	28.3	29.1	27.8	26.6	342.1	6	2190
	06 LST	22.3	23.0	27.3	25.8	26.8	26.3	26.8	27.3	26.2	25.6	23.3	24.1	304.8	6	2190
	12 LST	27.3	26.0	30.7	29.5	30.7	29.8	30.7	31.0	29.3	30.2	28.1	28.5	351.8	6	2190
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	21.5	18.9	22.0	24.3	28.5	26.6	29.1	29.8	28.1	27.0	23.8	22.3	301.9	6	2190
	00 LST	18.0	19.2	22.5	25.5	27.7	28.1	29.1	30.2	26.6	26.3	23.8	20.9	297.9	6	2190
	06 LST	15.2	17.4	19.5	20.2	25.1	24.3	25.0	26.7	22.8	22.7	19.1	18.8	256.8	6	2190
	12 LST	13.0	13.7	15.7	14.6	20.3	24.7	27.2	26.2	20.5	21.6	17.0	15.2	229.7	6	2190
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	0.9	1.9	0.8	0.0	0.2	0.0	0.0	0.2	0.5	0.5	0.7	6.4	6	2153
	00 LST	0.3	0.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.7	3.0	6	2150
	06 LST	0.9	0.2	0.8	0.3	0.2	0.0	0.0	0.0	0.0	0.2	0.7	0.8	4.1	6	2143
	12 LST	1.9	1.8	3.6	3.0	0.3	0.3	0.0	0.0	0.3	1.0	2.2	1.8	16.2	6	2161
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	18.8	15.8	16.9	17.4	14.4	10.2	11.8	11.2	13.5	10.0	13.1	13.0	166.1	6	2153
	00 LST	13.2	10.8	13.5	12.0	7.9	6.5	7.7	4.2	8.6	7.2	8.5	11.1	111.2	6	2150
	06 LST	12.9	9.2	10.2	10.8	7.9	7.4	6.5	3.0	7.1	7.3	7.2	10.2	99.7	6	2143
	12 LST	13.5	13.8	13.6	12.5	13.8	8.2	7.5	6.1	13.0	15.4	13.4	14.7	145.5	6	2161
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	7.7	10.1	8.0	11.0	12.0	10.1	5.8	7.8	13.5	18.5	16.8	12.1	133.4	6	2190
	00 LST	10.3	11.6	12.0	16.5	17.8	20.0	20.8	18.5	18.2	20.6	16.3	12.2	194.8	6	2190
	06 LST	6.7	7.6	8.8	11.6	10.7	11.8	12.0	12.6	13.5	14.3	12.7	10.0	132.3	6	2190
	12 LST	5.8	9.1	8.6	10.1	6.3	3.7	2.3	4.7	11.3	13.3	13.7	8.7	97.6	6	2190
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.1	24.7	28.1	28.1	29.5	29.5	30.2	30.3	29.0	29.5	27.7	25.1	335.8	6	2190
	00 LST	20.6	23.4	27.0	27.2	28.3	28.1	29.1	30.3	27.2	27.2	25.8	21.6	315.8	6	2190
	06 LST	17.6	19.0	22.2	22.0	24.5	24.2	25.1	27.0	23.8	23.5	20.5	19.3	268.7	6	2190
	12 LST	21.3	21.9	25.1	25.8	28.5	27.5	29.0	29.6	26.8	28.1	25.3	23.3	312.2	6	2190
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.5	21.2	23.2	23.8	27.3	27.5	27.5	28.1	27.2	26.8	25.5	22.3	299.9	6	2190
	00 LST	17.1	18.9	22.8	25.0	26.5	27.5	28.5	29.6	25.7	25.6	24.0	19.3	290.5	6	2190
	06 LST	13.5	16.2	19.0	20.0	22.0	23.6	24.6	25.3	22.3	21.3	19.3	16.4	243.5	6	2190
	12 LST	15.5	18.7	21.0	19.7	18.5	17.3	17.0	19.3	20.0	21.8	22.3	20.1	231.2	6	2190
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.6	19.9	20.6	21.5	25.1	26.3	25.8	26.5	24.8	25.1	24.2	19.7	277.1	6	2190
	00 LST	15.7	17.1	19.5	23.8	24.6	26.6	27.7	27.3	24.5	24.5	21.7	17.2	270.2	6	2190
	06 LST	12.0	13.9	17.1	18.2	20.8	21.7	23.5	23.3	21.0	19.7	18.2	14.9	224.3	6	2190
	12 LST	13.8	16.9	19.5	18.7	17.8	16.8	16.6	18.8	19.5	20.5	21.3	19.1	219.3	6	2190

DZMOPOLIS/BOYKIN FIELD, ALABAMA

STA NO. 75256 (IN AREA NUMBER 13)

LATITUDE 3227N

LONGITUDE 08757W

ELEVATION(FT) 00112

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	85	87	92	98	102	108	108	105	105	100	92	85	108	63	-73286
MEAN MAX TMP (F)	61	63	70	78	85	91	92	92	89	80	69	60	78	63	-73286
MEAN MIN TMP (F)	39	40	47	53	62	69	71	71	66	55	44	39	55	63	-73286
ABS MIN TMP (F)	9	-5	19	29	38	49	59	54	39	25	13	11	-5	63	-73286
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.2	2.9	14.0	21.2	25.7	16.3	3.7	0.0	0.0	0.0	84.0	12	-73286
MEAN NO DYS TMP = DR LES 32(F)	6.4	1.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	1.8	8.7	8.2	26.8	12	-73286
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73286
MEAN DEW PT TMP (F)	40	42	44	53	62	69	72	70	66	55	43	39	55	12	-73286
MEAN REL HUM (PCT)	72	70	66	67	69	71	74	71	72	71	68	71	70	12	-73286
MEAN PRESS ALT (FT)	-109	-70	-6	27	43	59	33	34	-2	-44	-78	-106	-17	0	-50
MEAN PRECIP (IN)	4.71	5.36	6.16	4.81	3.61	3.90	5.02	4.37	2.80	2.19	3.20	4.93	51.1	73	-73286
MEAN SNOW FALL (IN)	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	57	-73286
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.3	9.0	7.5	7.1	6.6	6.7	7.8	7.2	4.7	3.9	5.2	8.5	82.5	73	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73286
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.2	1.8	1.6	0.8	1.7	0.7	1.2	0.8	1.1	2.3	2.5	3.0	20.7	12	-73286
MEAN NO DYS TSTMS	2.1	3.3	4.6	5.9	7.3	9.5	8.9	4.5	2.0	1.1	1.1	1.0	51.3	12	-73286
P FREQ WND SPD = DR GTR 17 KTS	4.1	4.6	5.3	3.8	1.5	1.0	0.5	0.7	0.8	0.9	1.4	1.9	2.2	12	-73286
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73286
P FREQ LES 5000 FT A/D LES 5 MI	37.2	35.0	30.8	22.7	21.8	18.2	18.3	14.6	22.6	25.3	27.9	31.9	25.5	12	-73286
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	20.5	17.4	12.9	7.7	3.6	4.2	3.3	3.1	7.3	10.1	12.9	15.9	9.9	12	-73286
03-05 LST	23.2	21.0	17.3	13.4	13.5	9.3	10.0	8.4	14.2	16.3	18.8	18.1	15.3	12	-73286
06-08 LST	28.7	26.3	19.7	16.1	18.0	16.2	13.6	11.5	20.2	24.6	23.6	22.1	20.1	12	-73286
09-11 LST	21.9	19.3	15.7	7.8	7.9	7.8	8.3	4.1	12.6	13.8	14.9	19.8	12.8	12	-73286
12-14 LST	12.6	10.3	9.1	3.0	4.6	2.9	2.6	1.4	6.4	6.7	8.0	14.4	6.8	12	-73286
15-17 LST	11.5	9.2	7.7	2.5	2.8	2.2	1.4	1.2	6.1	6.2	7.3	12.2	5.9	12	-73286
18-20 LST	11.3	9.7	7.8	2.8	2.7	1.9	1.1	1.4	4.3	5.6	7.9	10.8	5.6	12	-73286
21-23 LST	14.3	9.2	9.0	2.9	2.5	1.6	1.4	1.6	4.7	5.9	9.6	13.4	6.3	12	-73286
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.9	2.5	2.1	0.3	0.6	0.9	0.4	0.7	1.3	2.3	3.6	2.7	1.8	12	-73286
03-05 LST	6.0	4.2	3.2	1.6	2.3	1.1	1.7	1.4	4.4	5.2	5.2	4.8	3.4	12	-73286
06-08 LST	7.7	6.0	3.9	1.5	1.7	0.8	1.1	1.4	3.0	5.6	6.0	5.5	3.7	12	-73286
09-11 LST	3.9	2.2	0.7	0.2	0.2	0.2	0.1	0.0	0.4	0.5	0.9	2.3	1.0	12	-73286
12-14 LST	0.5	0.3	0.3	0.2	0.3	0.3	0.3	0.2	0.3	0.4	0.6	0.5	0.4	12	-73286
15-17 LST	0.4	0.3	0.4	0.2	0.4	0.2	0.4	0.3	0.1	0.3	0.4	0.6	0.4	12	-73286
18-20 LST	0.5	1.4	0.4	0.3	0.2	0.0	0.4	0.1	0.1	0.7	0.4	0.7	0.4	12	-73286
21-23 LST	1.7	1.6	1.1	0.2	0.2	0.0	0.2	0.2	0.2	2.1	2.0	1.9	1.0	12	-73286

DEMOPOLIS/BOYKIN FIELD, ALABAMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.5	25.9	29.6	29.4	30.4	29.6	30.7	30.9	29.0	29.9	28.2	28.4	350.5	12	-73286
	00 LST	26.7	25.3	28.0	29.2	30.3	29.3	30.3	30.3	28.5	29.2	27.1	27.7	342.5	12	-73286
	06 LST	24.9	22.3	26.3	26.0	26.1	26.4	27.3	27.5	24.5	23.3	23.6	25.5	303.7	12	-73286
	12 LST	28.2	26.0	29.1	29.5	30.3	29.5	30.5	30.8	28.7	29.6	28.3	27.3	347.8	12	-73286
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.9	18.7	20.2	23.1	26.3	24.8	26.2	27.9	26.3	26.2	24.5	23.0	288.1	12	-73286
	00 LST	19.6	17.5	19.2	23.3	27.2	27.7	29.2	29.4	25.9	26.9	22.8	21.9	290.6	12	-73286
	06 LST	17.5	15.3	19.1	21.1	22.7	23.9	26.0	26.5	22.0	20.6	20.0	21.2	255.9	12	-73286
	12 LST	14.3	11.5	11.3	14.7	20.6	20.6	23.8	25.2	19.4	20.2	17.3	15.9	214.8	12	-73286
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	1.1	1.3	0.5	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.3	4.7	12	-73286
	00 LST	0.4	1.1	0.7	0.4	0.2	0.2	0.0	0.0	0.2	0.1	0.4	0.4	4.1	12	-73286
	06 LST	0.7	0.8	0.7	0.1	0.0	0.1	0.0	0.1	0.1	0.1	0.1	0.2	3.0	12	-73286
	12 LST	3.2	2.6	3.5	2.5	1.4	0.7	0.4	0.2	0.2	0.4	1.0	0.9	17.0	12	-73286
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	17.1	14.9	17.8	18.6	19.1	15.9	18.1	16.8	17.1	14.6	13.8	15.4	199.2	12	-73286
	00 LST	13.6	13.7	16.1	14.8	12.7	13.1	12.5	11.6	11.4	10.9	10.4	12.5	153.3	12	-73286
	06 LST	13.4	13.3	15.7	12.5	13.0	12.4	13.4	11.4	13.0	10.8	11.8	12.0	152.7	12	-73286
	12 LST	14.9	15.0	15.6	17.9	19.9	14.5	13.3	12.3	17.5	21.3	17.1	17.6	196.9	12	-73286
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.8	8.2	9.4	10.1	7.9	7.5	3.5	6.2	9.5	16.7	13.9	11.4	113.1	12	-73286
	00 LST	12.5	11.8	12.4	15.8	17.0	17.8	16.2	19.0	16.6	19.5	15.7	12.9	187.2	12	-73 96
	06 LST	8.2	7.0	8.6	10.3	7.5	9.5	8.1	11.0	9.7	12.6	10.8	9.8	113.1	12	-73286
	12 LST	6.8	7.3	7.8	9.1	4.2	3.5	1.7	3.7	6.5	13.2	11.1	9.1	84.0	12	-73286
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	26.2	24.0	26.9	28.6	29.3	29.1	30.4	30.6	27.5	28.3	27.0	26.4	334.3	12	-73286
	00 LST	22.9	22.2	24.7	26.9	29.5	29.2	30.0	29.9	27.5	28.0	24.8	24.2	319.8	12	-73286
	06 LST	20.1	18.8	23.0	23.4	23.9	24.6	26.4	26.6	22.7	21.3	21.8	22.7	275.3	12	-73286
	12 LST	22.7	21.4	25.1	26.8	27.5	26.9	28.4	29.2	25.5	26.4	24.6	23.6	308.1	12	-73286
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.9	19.7	22.6	25.0	25.1	26.8	26.5	27.5	24.5	25.8	23.4	22.5	291.3	12	-73286
	00 LST	20.6	19.4	21.9	24.8	27.9	28.0	29.1	28.7	26.3	25.9	23.1	21.4	297.1	12	-73286
	06 LST	16.2	15.9	19.2	20.7	21.7	23.5	25.3	25.3	21.8	20.0	19.7	18.7	248.0	12	-73286
	12 LST	17.5	16.7	19.7	21.1	19.0	19.0	20.5	22.3	20.3	22.1	21.2	20.8	240.2	12	-73286
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.9	17.6	20.6	23.4	23.6	24.8	23.8	25.3	22.7	24.5	22.3	20.7	269.2	12	-73286
	00 LST	18.7	17.5	20.3	23.5	26.8	27.3	28.6	28.3	25.0	24.5	21.5	20.1	282.1	12	-73286
	06 LST	14.1	14.3	17.4	19.2	20.0	22.9	24.0	24.6	20.1	18.4	18.2	17.1	230.3	12	-73286
	12 LST	16.0	15.4	18.3	19.8	18.1	18.2	19.7	21.8	19.2	21.3	20.2	19.3	227.3	12	-73286

UNIONTOWN/CRAIG AFB AUXILIARY, ALABAMA

STA NO. 75257 (IN AREA NUMBER 13)

LATITUDE 3230N

LONGITUDE 08724W

ELEVATION(FT) 00221

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	85	87	92	98	102	108	108	105	105	100	92	85	108	63	-73286
MEAN MAX TMP (F)	61	63	70	78	85	91	92	92	89	80	69	60	78	63	-73286
MEAN MIN TMP (F)	39	40	47	53	62	69	71	71	66	55	44	39	55	63	-73286
ABS MIN TMP (F)	9	-5	19	29	38	49	59	54	39	25	13	11	-5	63	-73286
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.2	2.9	14.0	21.2	25.7	16.3	3.7	0.0	0.0	0.0	84.0	12	-73286
MEAN NO DYS TMP = OR LES 32(F)	6.4	1.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	1.8	8.7	8.2	26.8	12	-73286
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73286
MEAN DEW PT TMP (F)	40	42	44	53	62	69	72	70	66	55	43	39	55	12	-73286
MEAN REL HUM (PCT)	72	70	66	67	69	71	74	71	72	71	68	71	70	12	-73286
MEAN PRESS ALT (FT)	1	36	92	123	143	161	125	139	124	78	32	4	88	0	-50
MEAN PRECIP (IN)	4.71	5.36	6.16	4.81	3.61	3.90	5.02	4.37	2.80	2.19	3.20	4.93	51.1	73	-73286
MEAN SNOW FALL (IN)	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	57	-73286
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.3	9.0	7.5	7.1	6.6	6.7	7.8	7.2	4.7	3.9	5.2	8.5	82.5	73	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73286
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	3.2	1.8	1.6	0.8	1.7	0.7	1.2	0.8	1.1	2.3	2.5	3.0	20.7	12	-73286
MEAN NO DYS TSTMS	2.1	3.3	4.6	5.9	7.3	9.5	8.9	4.5	2.0	1.1	1.1	1.0	51.3	12	-73286
P FREQ WND SPD = OR GTR 17 KTS	4.1	4.6	5.3	3.8	1.5	1.0	0.5	0.7	0.8	0.9	1.4	1.9	2.2	12	-73286
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73286
P FREQ LES 5000 FT A/D LES 5 MI	37.2	35.0	30.8	22.7	21.8	18.2	18.3	14.8	22.6	25.3	27.9	31.9	25.5	12	-73286
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	20.5	17.4	12.9	7.7	3.6	4.2	5.3	3.1	7.3	10.1	12.9	15.9	9.9	12	-73286
03-05 LST	23.2	21.0	17.3	13.4	13.5	9.3	10.0	8.4	14.2	16.3	18.8	18.1	15.3	12	-73286
06-08 LST	23.7	26.3	19.7	16.1	18.0	16.2	13.6	11.5	20.2	24.6	23.6	22.1	20.1	12	-73286
09-11 LST	21.9	19.3	15.7	7.8	7.9	7.8	8.3	4.1	12.6	13.8	14.9	19.8	12.8	12	-73286
12-14 LST	12.6	10.3	9.1	3.0	4.6	2.9	2.6	1.4	6.4	6.7	8.0	14.4	6.8	12	-73286
15-17 LST	11.5	9.2	7.7	2.5	2.8	2.2	1.4	1.2	6.1	6.2	7.3	12.2	5.9	12	-73286
18-20 LST	11.3	9.7	7.8	2.8	2.7	1.9	1.1	1.4	4.3	5.6	7.9	10.8	5.6	12	-73286
21-23 LST	14.3	9.2	9.0	2.9	2.5	1.6	1.4	1.6	4.7	5.9	9.6	13.4	6.3	12	-73286
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	3.9	2.5	2.1	0.3	0.6	0.9	0.4	0.7	1.3	2.3	3.6	2.7	1.8	12	-73286
03-05 LST	6.0	4.2	3.2	1.6	2.3	1.1	1.7	1.4	4.4	5.2	5.2	4.8	3.4	12	-73286
06-08 LST	7.7	6.0	3.9	1.5	1.7	0.8	1.1	1.4	3.0	5.6	6.0	5.5	3.7	12	-73286
09-11 LST	3.9	2.2	0.7	0.2	0.2	0.2	0.1	0.0	0.4	0.5	0.9	2.3	1.0	12	-73286
12-14 LST	0.5	0.5	0.5	0.2	0.5	0.3	0.5	0.2	0.3	0.4	0.6	0.5	0.4	12	-73286
15-17 LST	0.4	0.5	0.4	0.2	0.4	0.2	0.4	0.3	0.1	0.3	0.4	0.6	0.4	12	-73286
18-20 LST	0.5	1.4	0.4	0.3	0.2	0.0	0.4	0.1	0.1	0.7	0.4	0.7	0.4	12	-73286
21-23 LST	1.7	1.6	1.1	0.2	0.2	0.0	0.2	0.2	0.2	2.1	2.0	1.9	1.0	12	-73286

UNIONTOWN/CRAIG AFB AUXILIARY, ALABAMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.5	25.9	29.6	29.4	30.4	29.6	30.7	30.9	29.0	29.9	28.2	28.4	350.5	12	-73286
	00 LST	26.7	25.3	28.6	29.2	30.3	29.3	30.3	30.3	28.5	29.2	27.1	27.7	342.5	12	-73286
	06 LST	24.9	22.3	26.3	26.0	26.1	26.4	27.3	27.5	24.5	23.3	23.6	25.5	303.7	12	-73286
	12 LST	28.2	26.0	29.1	29.5	30.3	29.5	30.5	30.8	28.7	29.6	28.3	27.3	347.8	12	-73286
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.9	18.7	20.2	23.1	26.3	24.8	26.2	27.9	26.3	26.2	24.5	23.0	288.1	12	-73286
	00 LST	19.6	17.5	19.2	23.3	27.2	27.7	29.2	29.4	25.9	26.9	22.8	21.9	290.6	12	-73286
	06 LST	17.5	15.3	19.1	21.1	22.7	23.9	26.0	26.5	22.0	20.6	20.0	21.2	255.9	12	-73286
	12 LST	14.3	11.5	11.3	14.7	20.6	20.6	23.8	23.2	19.4	20.2	17.3	15.9	214.8	12	-73286
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	1.1	1.3	0.5	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.3	4.7	12	-73286
	00 LST	0.4	1.1	0.7	0.4	0.2	0.2	0.0	0.0	0.2	0.1	0.4	0.4	4.1	12	-73286
	06 LST	0.7	0.8	0.7	0.1	0.0	0.1	0.0	0.1	0.1	0.1	0.1	0.2	3.0	12	-73286
	12 LST	3.2	2.6	3.5	2.5	1.4	0.7	0.4	0.2	0.2	0.4	1.0	0.9	17.0	12	-73286
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	17.1	14.9	17.8	18.6	19.1	15.9	18.1	16.8	17.1	14.6	13.8	15.4	199.2	12	-73286
	00 LST	13.6	13.7	16.1	14.8	12.7	13.1	12.5	11.6	11.4	10.9	10.4	12.5	153.3	12	-73286
	06 LST	13.4	13.3	15.7	12.5	13.0	12.4	13.4	11.4	13.0	10.8	11.8	12.0	152.7	12	-73286
	12 LST	14.9	15.0	15.6	17.9	19.9	14.5	13.3	12.3	17.5	21.3	17.1	17.6	196.9	12	-73286
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.8	8.2	9.4	10.1	7.9	7.5	3.5	6.2	9.5	16.7	13.9	11.4	113.1	12	-73286
	00 LST	12.5	11.8	12.4	15.8	17.0	17.8	16.2	19.0	16.6	19.5	15.7	12.9	187.2	12	-73286
	06 LST	8.2	7.0	8.6	10.3	7.5	9.5	8.1	11.0	9.7	12.6	10.8	9.8	113.1	12	-73286
	12 LST	6.8	7.3	7.8	9.1	4.2	3.5	1.7	3.7	6.5	13.2	11.1	9.1	84.0	12	-73286
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	26.2	24.0	26.9	28.6	29.3	29.1	30.4	30.6	27.5	28.3	27.0	26.4	334.3	12	-73286
	00 LST	22.9	22.2	24.7	26.9	29.5	29.2	30.0	29.9	27.5	28.0	24.8	24.2	319.8	12	-73286
	06 LST	20.1	18.8	23.0	23.4	23.9	24.6	26.4	26.6	22.7	21.3	21.8	22.7	275.3	12	-73286
	12 LST	22.7	21.4	23.1	26.8	27.5	26.9	28.4	29.2	23.5	26.4	24.6	23.6	308.1	12	-73286
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.9	19.7	22.6	25.0	25.1	26.8	26.5	27.5	24.5	25.8	23.4	22.5	291.3	12	-73286
	00 LST	20.6	19.4	21.9	24.8	27.9	28.0	29.1	28.7	26.3	25.9	23.1	21.4	297.1	12	-73286
	06 LST	16.2	15.9	19.2	20.7	21.7	23.5	23.3	23.3	21.8	20.0	19.7	18.7	248.0	12	-73286
	12 LST	17.5	16.7	19.7	21.1	19.0	19.0	20.5	22.3	20.3	22.1	21.2	20.8	240.2	12	-73286
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.9	17.6	20.6	23.4	23.6	24.8	23.8	25.3	22.7	24.5	22.3	20.7	269.2	12	-73286
	00 LST	18.7	17.5	20.3	23.5	26.8	27.3	28.6	28.3	23.0	24.5	21.5	20.1	282.1	12	-73286
	06 LST	14.1	14.3	17.4	19.2	20.0	22.9	24.0	24.6	20.1	18.4	18.2	17.1	230.3	12	-73286
	12 LST	16.0	15.4	18.3	19.8	18.1	18.2	19.7	21.8	19.2	21.3	20.2	19.3	227.3	12	-73286

HAMILTON/MARION COUNTY, ALABAMA

STA NO. 75260 (IN AREA NUMBER 13)

LATITUDE 3407N

LONGITUDE 08759W

ELEVATION(FT) 00460


PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	81	84	87	90	96	104	104	106	98	91	84	79	106	13	-73273
MEAN MAX TMP (F)	53	58	64	75	83	89	91	91	85	77	65	52	74	13	-73273
MEAN MIN TMP (F)	33	37	44	53	60	68	71	70	64	51	42	34	52	13	-73273
ABS MIN TMP (F)	1	10	15	32	39	49	58	57	36	30	20	3	1	13	-73273
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.2	5.7	15.8	20.3	20.1	9.8	0.6	0.0	0.0	72.5	13	-73273
MEAN NO DYS TMP = DR LES 32(F)	16.2	9.5	4.4	0.2	0.0	0.0	0.0	0.0	0.0	0.6	6.1	15.2	52.2	13	-73273
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-73273
MEAN DEW PT TMP (F)	33	37	41	51	60	67	70	69	64	52	42	34	52	13	-73273
MEAN REL HUM (PCT)	72	70	66	66	69	70	73	73	73	70	70	74	71	13	-73273
MEAN PRESS ALT (FT)	241	278	337	370	388	405	373	381	398	313	272	244	330	0	-50
MEAN PRECIP (IN)	5.91	5.83	6.02	4.20	3.50	3.73	4.87	3.57	3.03	1.99	4.07	4.73	51.4	22	-113
MEAN SNOW FALL (IN)	1.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	4.0	8	-73273
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.5	9.5	7.5	6.9	6.5	6.5	7.7	6.3	5.0	3.6	6.4	8.3	83.7	22	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	8	-73273
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.2	1.1	1.3	0.6	0.6	0.8	1.0	1.4	0.7	1.8	2.3	3.2	16.0	13	-73273
MEAN NO DYS TSTMS	1.6	2.9	5.7	5.4	5.2	7.5	10.7	7.7	3.6	1.4	1.7	1.3	54.7	13	-73273
P FREQ WND SPD = DR GTR 17 KTS	1.9	2.4	2.8	1.4	0.3	0.2	0.3	0.2	0.4	0.4	0.8	1.4	1.0	13	-73273
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-73273
P FREQ LES 5000 FT A/D LES 5 MI	43.5	42.5	38.9	26.1	21.2	20.6	16.6	18.7	24.7	22.8	30.9	44.2	29.2	13	-73273
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	19.2	16.3	12.6	6.5	3.8	2.9	2.3	3.7	8.1	8.1	12.4	20.7	9.7	13	-73273
03-05 LST	22.6	20.7	17.6	12.7	10.7	8.7	10.9	12.5	12.6	13.8	17.0	26.3	15.5	13	-73273
06-08 LST	30.0	27.6	24.8	14.5	10.0	11.2	12.0	15.6	16.8	19.3	25.7	31.1	19.9	13	-73273
09-11 LST	26.0	24.0	19.6	10.3	6.5	6.3	5.0	7.3	12.4	11.3	17.4	26.7	14.4	13	-73273
12-14 LST	19.2	17.2	11.9	5.4	2.9	1.9	1.1	1.3	7.0	6.3	8.6	22.7	8.8	13	-73273
15-17 LST	17.1	14.9	8.1	4.2	1.6	1.1	1.7	1.5	5.0	4.4	8.0	19.6	7.3	13	-73273
18-20 LST	16.4	14.6	8.4	5.6	1.6	1.3	1.6	0.4	3.9	3.9	7.4	18.7	7.0	13	-73273
21-23 LST	17.4	13.9	9.8	5.1	1.9	1.1	0.9	1.0	5.4	5.7	7.9	20.5	7.6	13	-73273
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.8	2.7	1.9	0.8	0.1	0.0	0.6	0.9	1.0	2.1	2.3	3.6	1.5	13	-73273
03-05 LST	2.1	3.7	3.3	1.6	1.1	0.9	3.0	2.6	2.2	3.5	4.0	6.4	2.9	13	-73273
06-08 LST	4.1	4.3	3.3	1.5	0.7	0.5	1.0	2.4	1.8	3.1	6.6	7.8	3.1	13	-73273
09-11 LST	2.3	2.4	1.0	0.0	0.2	0.0	0.0	0.0	0.1	0.3	1.4	4.1	1.0	13	-73273
12-14 LST	1.1	0.7	0.1	0.0	0.0	0.3	0.3	0.1	0.1	0.1	0.5	1.3	0.4	13	-73273
15-17 LST	1.3	0.9	0.0	0.0	0.1	0.0	0.2	0.3	0.1	0.3	0.3	2.1	0.5	13	-73273
18-20 LST	1.4	1.0	0.5	0.1	0.4	0.1	0.5	0.0	0.2	0.1	0.4	2.2	0.6	13	-73273
21-23 LST	1.8	1.7	0.6	0.5	0.0	0.1	0.0	0.2	0.3	1.0	0.5	3.0	0.8	13	-73273

HAMILTON/MARION COUNTY, ALABAMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.0	24.9	29.9	28.9	30.7	29.7	30.3	31.0	29.3	30.0	28.4	25.8	345.9	13	-73273
	00 LST	26.8	25.3	28.3	28.5	30.5	29.5	30.7	30.5	28.5	29.2	27.1	26.8	341.7	13	-73273
	06 LST	23.5	22.0	25.5	26.6	28.4	28.0	27.6	26.1	25.4	24.2	22.7	22.9	302.9	13	-73273
	12 LST	26.4	24.0	28.2	28.8	30.4	29.6	30.8	30.9	29.2	29.7	27.8	25.2	341.0	13	-73273
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	21.6	20.2	21.9	24.6	28.5	27.5	29.0	29.7	28.0	27.6	26.1	21.0	305.7	13	-73273
	00 LST	20.2	19.3	22.0	24.9	28.7	28.4	30.4	30.2	27.0	27.7	23.9	21.2	303.9	13	-73273
	06 LST	18.5	16.8	19.4	23.6	26.3	25.7	26.7	25.0	23.4	22.7	19.8	18.4	266.3	13	-73273
	12 LST	16.3	14.0	14.4	16.1	23.4	24.9	27.4	27.4	22.6	22.7	19.8	15.8	244.8	13	-73273
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.1	0.5	0.5	0.2	0.0	0.1	0.1	0.0	0.0	0.2	0.2	0.5	2.4	13	-73273
	00 LST	0.6	0.5	0.4	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.3	2.0	13	-73273
	06 LST	0.4	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	1.3	13	-73273
	12 LST	1.1	1.0	2.0	1.1	0.1	0.1	0.1	0.0	0.4	0.1	0.5	0.7	7.2	13	-73273
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	15.2	14.6	19.2	18.6	17.8	15.5	12.7	13.3	14.5	11.4	13.3	12.6	178.7	13	-73273
	00 LST	11.0	11.4	13.6	12.8	8.4	8.0	6.4	6.4	10.0	7.1	10.3	11.2	116.6	13	-73273
	06 LST	10.5	10.6	13.7	13.7	10.6	10.9	8.2	6.9	8.7	7.8	9.2	9.6	120.4	13	-73273
	12 LST	16.7	17.9	19.3	18.4	20.2	14.2	11.3	12.2	17.6	19.9	19.4	17.5	204.6	13	-73273
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.9	8.4	10.1	9.8	8.1	6.9	3.6	4.9	9.2	13.9	11.0	9.3	104.1	9	-73273
	00 LST	11.1	11.5	10.6	13.6	15.2	11.6	9.7	14.3	17.3	18.4	13.7	12.3	159.3	9	-73273
	06 LST	11.3	8.9	10.0	8.5	7.6	6.1	5.5	8.2	12.0	12.7	9.8	11.0	111.6	9	-73273
	12 LST	8.0	6.8	8.1	8.4	4.6	4.0	2.3	3.6	7.5	12.2	9.0	8.8	83.3	9	-73273
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.7	21.9	26.7	27.7	29.6	29.0	29.8	30.3	27.6	28.7	26.6	22.5	324.1	13	-73273
	00 LST	22.9	21.9	25.2	27.0	29.4	28.9	30.5	30.0	27.3	28.3	25.5	22.9	320.0	13	-73273
	06 LST	19.9	18.4	20.7	23.8	26.5	25.6	26.5	24.4	23.3	22.4	20.3	19.2	271.0	13	-73273
	12 LST	21.9	20.0	22.9	26.0	27.9	26.3	28.3	28.5	24.6	27.0	24.7	20.4	298.5	13	-73273
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.9	17.6	21.5	24.2	25.6	25.2	27.2	27.6	24.8	27.1	23.1	19.1	281.9	13	-73273
	00 LST	19.2	17.9	20.5	23.8	27.7	27.6	29.3	28.9	25.9	26.9	22.7	19.0	289.4	13	-73273
	06 LST	16.7	14.6	17.5	19.3	22.9	23.8	25.6	22.4	21.5	20.3	17.3	15.4	237.3	13	-73273
	12 LST	17.9	15.9	18.2	21.8	21.6	19.0	23.1	22.2	18.8	23.6	20.9	17.4	240.4	13	-73273
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.7	15.7	18.3	22.4	24.1	22.7	24.7	25.9	23.4	25.9	21.5	16.9	259.2	13	-73273
	00 LST	17.2	16.6	18.9	22.7	26.3	26.5	28.3	27.9	25.4	25.5	21.2	17.3	273.8	13	-73273
	06 LST	14.7	13.9	15.2	17.3	21.4	22.7	23.2	20.9	20.1	19.3	16.2	14.1	219.0	13	-73273
	12 LST	16.3	13.9	16.9	20.1	20.8	18.2	21.5	25.8	17.6	22.5	18.8	15.4	222.8	13	-73273

ARKANSAS - OKLAHOMA



LITTLE ROCK/ADAMS, ARKANSAS

STA NO. 72340 (IN AREA NUMBER 13)

LATITUDE 3443N

LONGITUDE 09213W

ELEVATION(FT) 00257

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR	NO.
														(YRS)	DBS
ABS MAX TMP (F)	83	82	88	93	96	104	107	107	106	95	86	80	107	23	-613
MEAN MAX TMP (F)	51	55	62	73	81	89	92	92	85	76	62	53	73	21	-113
MEAN MIN TMP (F)	33	36	42	53	60	69	72	71	63	53	40	34	52	21	-113
ABS MIN TMP (F)	-1	-5	11	20	40	52	56	55	37	30	17	9	-5	23	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.1	4.3	15.6	22.7	21.6	10.8	1.1	0.0	0.0	76.2	12	4383
MEAN NO DYS TMP = DR LES 32(F)	16.1	8.6	4.4	0.2	0.0	0.0	0.0	0.0	0.0	0.7	7.6	14.1	51.7	12	4383
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	4383
MEAN DEW PT TMP (F)	33	35	38	48	59	67	70	69	61	51	38	33	50	12	105101
MEAN REL HUM (PCT)	72	69	64	63	69	69	71	70	68	68	66	70	68	12	105101
MEAN PRESS ALT (FT)	60	74	156	195	222	253	201	202	153	119	91	62	147	0	-50
MEAN PRECIP (IN)	5.00	4.86	4.85	5.20	5.47	3.76	3.06	2.92	3.34	2.94	4.25	3.84	49.5	23	-113
MEAN SNOW FALL (IN)	2.2	1.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.7	4.6	23	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.6	8.4	7.1	7.2	7.3	6.5	5.7	5.5	5.4	4.9	6.6	7.3	80.5	23	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.4	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.1	12	4383
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	2.5	2.0	1.1	0.7	1.2	0.2	0.6	0.3	1.1	2.1	1.3	1.8	14.9	12	4382
MEAN NO DYS TSTMS	2.0	2.0	3.0	7.0	7.0	9.0	9.0	8.0	4.0	2.0	1.0	2.0	58.0	19	-24
P FREQ WND SPD = DR GTR 17 KTS	3.1	3.3	5.2	4.1	1.9	0.8	0.4	0.3	0.6	1.0	2.6	2.6	2.2	12	105105
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	105105
P FREQ LES 5000 FT A/D LES 5 MI	41.4	34.9	32.0	24.4	21.3	15.2	14.7	11.6	17.1	19.7	23.6	33.2	24.3	12	105098
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	19.7	17.3	11.2	6.6	8.6	3.8	4.1	2.9	3.3	7.3	9.1	13.7	9.1	12	13135
03-05 LST	22.9	18.2	14.5	9.7	11.1	7.3	10.0	4.3	11.8	10.8	11.6	16.3	12.4	12	13137
06-08 LST	27.4	22.4	17.7	13.1	16.1	8.7	12.5	8.7	17.4	15.1	15.2	20.7	16.3	12	13137
09-11 LST	26.5	23.0	15.8	9.4	10.3	5.1	6.7	4.3	9.4	10.8	12.9	17.9	12.7	12	13140
12-14 LST	20.4	17.5	10.0	4.2	4.7	2.6	1.9	1.6	4.0	6.6	8.2	15.1	8.1	12	13143
15-17 LST	18.2	15.0	8.6	3.9	3.3	2.3	0.4	0.6	3.2	4.1	5.8	13.7	6.6	12	13138
18-20 LST	18.2	13.3	8.6	3.8	3.9	1.5	1.3	0.7	2.5	3.1	5.7	11.5	6.2	12	13134
21-23 LST	17.4	14.2	9.0	4.3	4.4	1.9	2.2	1.1	3.1	5.1	7.2	12.2	6.8	12	13134
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.3	3.4	1.3	1.0	1.7	0.0	0.1	0.3	0.8	1.7	1.4	3.9	1.7	12	13135
03-05 LST	4.3	5.0	2.9	1.7	2.6	0.6	1.5	0.6	3.0	3.7	1.9	5.6	2.8	12	13137
06-08 LST	5.8	5.1	2.9	1.3	1.4	0.3	0.7	0.4	2.8	4.4	3.1	5.3	2.8	12	13137
09-11 LST	3.8	1.7	1.4	0.1	0.0	0.1	0.0	0.0	0.0	1.2	2.8	2.5	1.1	12	13140
12-14 LST	2.5	1.2	0.4	0.0	0.0	0.0	0.2	0.0	0.0	0.6	1.5	0.5		12	13143
15-17 LST	2.5	1.5	0.4	0.0	0.0	0.1	0.1	0.0	0.2	0.3	0.3	1.2	0.6	12	13138
18-20 LST	2.2	1.8	0.4	0.1	0.4	0.1	0.1	0.0	0.2	0.4	0.5	1.9	0.7	12	13134
21-23 LST	3.0	2.5	0.7	0.3	0.9	0.0	0.0	0.1	0.5	0.8	0.7	3.0	1.0	12	13134

LITTLE ROCK/ADAMS, ARKANSAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.1	24.8	29.1	29.3	30.2	29.8	30.8	31.0	29.3	30.5	28.9	28.2	349.0	12	4382
	00 LST	26.5	24.3	28.3	28.7	29.3	29.3	30.3	30.4	29.2	29.4	28.1	27.8	341.6	12	4382
	06 LST	25.1	23.9	27.2	27.5	28.1	28.0	27.8	29.1	25.5	27.2	27.3	26.6	323.3	12	4382
	12 LST	26.1	24.0	28.6	29.1	30.2	29.6	30.8	30.7	29.5	29.6	28.0	27.6	343.8	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	18.5	17.1	15.6	17.4	22.9	21.7	23.5	25.3	26.1	26.7	23.0	21.5	259.3	12	4382
	00 LST	17.9	17.0	20.1	20.6	24.1	26.6	28.1	28.6	26.9	25.2	22.2	20.9	278.2	12	4382
	06 LST	16.1	16.2	18.2	19.4	22.7	24.4	25.1	27.1	21.8	24.0	21.6	19.6	256.2	12	4382
	12 LST	10.9	9.6	9.8	10.1	14.1	15.2	19.4	19.2	16.8	16.2	13.3	13.4	168.0	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	0.8	1.3	0.8	0.0	0.1	0.0	0.0	0.1	0.2	0.4	0.3	4.7	12	4277
	00 LST	1.0	0.4	0.8	0.4	0.1	0.0	0.0	0.0	0.0	0.3	0.5	0.4	3.9	12	4270
	06 LST	0.2	0.5	0.5	0.2	0.3	0.0	0.1	0.1	0.2	0.0	0.3	0.2	2.6	12	4245
	12 LST	1.9	2.5	3.0	2.6	1.3	0.4	0.2	0.3	0.6	0.6	1.7	2.1	17.2	12	4278
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	20.1	20.3	20.7	20.8	24.6	17.9	15.9	16.7	24.2	23.6	21.0	20.6	246.4	12	4277
	00 LST	13.9	15.7	20.2	19.5	18.9	18.2	20.6	17.7	17.4	18.0	16.8	15.1	212.0	12	4270
	06 LST	12.6	13.3	18.0	20.4	19.5	19.5	18.8	18.6	19.7	18.6	16.7	13.4	209.1	12	4245
	12 LST	15.6	14.0	15.2	15.0	19.6	13.5	13.3	13.4	17.6	18.9	17.4	17.2	190.7	12	4278
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.0	9.1	10.4	10.0	10.2	11.7	9.7	12.6	14.5	16.6	13.7	11.8	139.3	12	4382
	00 LST	12.0	11.6	13.7	12.7	13.6	17.4	16.3	19.4	19.3	18.7	15.4	13.7	183.8	12	4382
	06 LST	10.1	9.1	10.1	10.1	9.2	12.0	9.1	13.0	13.1	14.6	12.9	12.9	136.2	12	4382
	12 LST	7.2	8.0	8.7	9.1	7.7	6.3	5.2	7.8	12.2	14.0	12.0	9.6	107.8	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.4	22.9	27.1	28.1	29.7	29.3	30.4	30.8	28.6	29.6	27.9	26.0	333.8	12	4382
	00 LST	22.8	22.5	26.7	27.4	28.3	28.7	29.6	29.8	28.3	28.3	26.4	25.0	323.8	12	4382
	06 LST	18.9	19.8	22.7	24.2	25.1	26.4	26.6	27.7	23.8	25.6	24.5	22.5	287.8	12	4382
	12 LST	20.4	19.7	24.4	26.8	27.3	27.9	28.8	29.4	27.2	26.8	25.3	23.6	307.6	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.9	19.2	22.7	24.8	27.0	27.7	27.9	29.1	26.5	27.1	24.1	20.6	295.6	12	4382
	00 LST	18.7	19.2	22.5	23.3	25.9	27.4	28.6	28.1	27.1	26.5	23.0	21.0	291.3	12	4382
	06 LST	16.2	16.8	18.7	20.4	22.4	25.3	25.2	26.7	22.6	23.3	21.6	19.4	258.6	12	4382
	12 LST	17.4	16.4	18.6	19.9	20.1	21.3	22.2	24.0	22.9	23.7	20.8	19.6	246.9	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.9	17.5	20.6	21.8	25.7	26.8	27.1	28.2	25.2	26.0	22.5	19.4	278.7	12	4382
	00 LST	17.7	17.2	20.0	20.9	23.9	25.9	27.7	27.2	25.2	25.2	20.9	18.8	270.6	12	4382
	06 LST	14.9	14.8	16.9	18.3	20.3	24.4	24.1	23.3	21.0	21.8	19.0	17.7	238.5	12	4382
	12 LST	16.2	15.0	16.6	17.8	19.0	20.3	21.1	22.9	21.8	23.3	19.9	18.0	231.9	12	4382

WALNUT RIDGE, ARKANSAS

STA NO. 73315 (IN AREA NUMBER 13)

LATITUDE 3608N

LONGITUDE 09056W

ELEVATION(FT) 00275

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	77	76	81	90	95	105	108	106	103	95	83	78	108	11	-613
MEAN MAX TMP (F)	48	52	58	70	80	88	91	91	84	74	59	50	70	11	-113
MEAN MIN TMP (F)	30	33	38	49	59	67	70	68	59	49	36	31	49	11	-113
ABS MIN TMP (F)	5	-16	7	27	37	49	55	52	36	23	9	7	-16	11	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.1	2.5	18.6	21.6	19.0	6.8	1.0	0.0	0.0	69.6	9	2793
MEAN NO DYS TMP = OR LES 32(F)	18.3	11.5	8.7	1.1	0.0	0.0	0.0	0.0	0.0	1.4	11.4	19.6	72.0	9	2793
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	9	2793
MEAN DEW PT TMP (F)	33	35	36	45	57	67	68	67	58	48	36	31	48	9	66820
MEAN REL HUM (PCT)	75	71	67	65	69	69	68	68	69	68	67	74	69	9	66813
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	5.22	4.31	3.98	3.89	4.92	3.79	3.62	2.89	2.47	3.38	4.62	3.38	46.5	11	-113
MEAN SNOW FALL (IN)	2.3	2.3	1.9	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	7.3	10	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.8	7.8	6.8	6.7	7.2	6.6	6.4	5.5	4.3	5.5	7.1	6.7	79.4	11	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.8	6	2101
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.4	2.1	2.0	0.6	1.2	0.6	0.6	1.0	1.7	0.8	1.9	3.5	20.4	9	2790
MEAN NO DYS TSTMS	2.1	3.4	4.3	6.0	7.1	9.1	8.2	6.5	4.8	1.7	2.1	2.0	57.3	9	2791
P FREQ WND SPD = OR GTR 17 KTS	4.6	5.2	6.2	6.8	3.0	2.2	0.3	0.3	0.8	2.1	3.3	3.4	3.2	9	66938
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	9	66938
P FREQ LES 5000 FT A/D LES 5 MI	47.1	34.6	34.5	27.1	24.4	16.2	13.5	11.9	19.3	22.2	29.2	40.0	26.7	9	66849
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.0	14.9	12.7	6.0	6.6	2.9	2.4	2.6	8.1	6.9	11.4	18.0	9.5	9	8341
03-05 LST	24.4	15.9	14.0	9.5	12.1	7.0	6.5	7.8	16.7	9.2	13.2	20.0	13.0	9	8350
06-08 LST	30.6	24.1	18.3	10.4	15.7	7.9	7.3	5.5	17.3	14.7	19.9	25.5	16.4	9	8369
09-11 LST	30.0	19.6	15.2	9.2	10.9	4.3	5.9	2.8	11.3	9.4	11.7	22.0	12.7	9	8367
12-14 LST	23.2	14.8	14.3	5.7	6.9	3.3	1.5	1.1	5.4	8.3	7.6	16.9	9.3	9	8369
15-17 LST	22.6	11.4	10.9	2.6	4.4	3.2	0.7	0.7	5.1	6.9	7.1	15.4	7.6	9	8371
18-20 LST	20.5	10.1	9.5	4.3	4.3	2.1	0.1	1.1	4.0	7.4	7.6	15.1	7.2	9	8313
21-23 LST	21.4	12.1	9.4	3.2	3.9	1.7	0.3	0.9	4.8	5.7	8.8	16.8	7.7	9	8349
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.3	3.7	2.2	0.7	1.8	0.0	0.4	0.4	1.4	1.7	3.5	5.6	2.3	9	8341
03-05 LST	6.3	3.0	3.7	1.7	3.2	0.3	0.8	3.1	4.9	2.3	4.2	8.0	3.5	9	8350
06-08 LST	8.0	5.6	4.0	1.1	1.1	0.0	0.4	0.9	3.7	3.6	5.1	9.3	3.6	9	8369
09-11 LST	3.1	1.7	2.2	0.0	0.0	0.3	0.0	0.0	0.2	1.4	3.1	4.5	1.4	9	8367
12-14 LST	2.9	1.5	1.7	0.0	0.1	0.1	0.1	0.0	0.2	0.7	1.0	3.5	1.0	9	8369
15-17 LST	3.1	1.7	1.8	0.0	0.3	0.7	0.0	0.1	0.6	0.4	1.1	3.0	1.1	9	8371
18-20 LST	4.0	1.7	1.7	0.0	0.5	0.1	0.0	0.0	0.0	1.3	1.4	4.1	1.2	9	8353
21-23 LST	5.5	2.4	2.0	0.3	0.7	0.0	0.1	0.0	0.3	0.6	1.8	3.9	1.5	9	8349

WALNUT RIDGE, ARKANSAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.3	25.9	28.6	29.4	30.2	29.6	31.0	30.8	29.3	29.2	28.4	27.6	346.3	9	2791
	00 LST	25.7	24.7	28.3	29.0	29.7	29.1	30.7	30.8	28.8	29.3	27.2	26.2	339.5	9	2791
	06 LST	24.1	23.0	26.7	27.6	27.5	28.2	29.4	28.6	25.1	26.6	24.8	25.2	316.8	9	2791
	12 LST	25.9	26.0	28.1	29.4	29.6	29.6	30.5	30.7	29.3	28.8	27.9	27.3	343.1	9	2791
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	18.6	20.4	17.3	18.8	23.1	22.2	26.5	28.2	26.6	25.9	23.7	21.9	273.2	9	2791
	00 LST	17.3	18.9	19.6	22.9	26.6	27.5	30.1	29.7	26.4	26.7	22.1	20.8	288.6	9	2791
	06 LST	15.0	17.0	17.3	20.3	23.1	25.1	28.0	27.2	22.0	22.5	19.7	17.9	255.1	9	2791
	12 LST	11.3	10.9	12.4	13.2	16.9	19.7	21.9	23.1	19.8	17.2	14.3	13.9	194.6	9	2791
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.5	0.9	1.2	1.9	0.4	0.9	0.4	0.1	0.1	0.1	0.5	1.0	9.0	9	2726
	00 LST	1.1	0.6	1.0	0.9	0.0	0.0	0.0	0.0	0.0	0.1	0.9	0.5	5.1	9	2718
	06 LST	0.9	0.9	0.4	0.6	0.6	0.1	0.0	0.0	0.0	0.1	0.2	0.5	4.3	9	2727
	12 LST	2.7	3.3	2.6	3.6	2.2	1.1	0.2	0.2	0.6	2.1	2.6	2.0	23.2	9	2746
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	12.4	15.5	18.9	17.9	19.9	13.6	13.3	14.0	13.3	13.3	15.5	14.4	182.0	9	2726
	00 LST	10.9	12.2	12.4	14.6	11.7	9.5	8.9	8.9	8.2	11.3	12.2	11.1	131.9	9	2718
	06 LST	8.9	9.9	10.8	14.0	12.1	11.6	12.0	10.9	10.1	10.2	10.2	7.8	128.5	9	2727
	12 LST	13.5	14.4	14.2	13.5	17.8	10.9	9.2	9.7	14.3	15.2	14.9	15.0	162.6	9	2746
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.2	11.3	10.8	9.3	9.8	11.3	8.0	11.7	15.3	16.8	14.8	11.2	138.5	6	2100
	00 LST	11.6	13.1	12.8	14.5	17.0	20.5	19.5	20.0	21.0	19.7	16.0	13.9	199.6	6	2100
	06 LST	8.6	9.5	9.8	10.3	11.0	11.5	10.3	12.3	13.8	13.8	14.6	11.5	137.0	6	2100
	12 LST	6.	9.9	8.8	8.2	6.8	7.0	5.3	7.2	13.8	14.8	11.8	8.9	108.9	6	2100
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	22.4	23.5	26.1	27.5	28.4	28.7	30.8	30.5	28.4	27.9	27.1	24.6	325.9	9	2791
	00 LST	22.0	22.6	26.3	27.2	28.5	29.1	30.6	30.5	27.7	28.1	25.6	24.5	322.7	9	2791
	06 LST	19.0	20.5	23.4	25.1	25.1	27.5	28.0	28.1	23.3	24.1	22.7	21.5	288.3	9	2791
	12 LST	20.7	21.3	24.8	24.6	26.1	27.9	28.9	30.0	26.3	26.3	24.8	21.8	303.5	9	2791
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.3	20.6	21.7	21.9	25.2	25.5	27.1	29.0	26.1	25.4	24.2	20.1	285.1	9	2791
	00 LST	18.7	19.7	22.6	24.0	25.1	28.2	29.7	29.2	26.4	24.7	22.5	20.2	291.0	9	2791
	06 LST	15.8	17.4	18.8	20.5	21.7	26.1	26.0	26.0	21.3	21.5	19.1	17.8	252.0	9	2791
	12 LST	17.3	18.2	20.1	19.1	19.9	20.3	22.2	25.6	23.6	24.1	21.9	18.4	250.7	9	2791
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	16.8	18.8	20.4	19.5	22.7	23.7	25.4	27.6	24.7	24.2	22.0	18.7	264.5	9	2791
	00 LST	17.9	18.2	19.8	21.6	23.3	27.8	28.5	27.5	25.4	24.0	20.5	19.2	273.7	9	2791
	06 LST	14.7	15.0	17.1	18.2	19.6	24.1	24.1	23.5	19.4	20.1	18.1	15.7	229.6	9	2791
	12 LST	16.3	17.0	18.0	17.0	18.2	19.0	21.0	23.0	21.8	22.3	20.7	16.2	230.5	9	2791

TEXARKANA MUNICIPAL, ARKANSAS

STA NO. 73210 (IN AREA NUMBER 13)

LATITUDE 3327N

LONGITUDE 09359W

ELEVATION(FT) 00389

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	83	84	90	93	97	108	110	117	108	104	87	84	117	21	-613
MEAN MAX TMP (F)	57	60	67	76	83	91	94	95	90	80	66	58	76	21	-113
MEAN MIN TMP (F)	36	38	44	52	61	69	72	71	65	54	42	38	54	21	-113
ABS MIN TMP (F)	6	-3	11	24	38	50	59	47	37	29	18	12	-3	21	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.1	2.1	15.8	22.8	21.7	11.9	1.1	0.0	0.0	75.5	16	5629
MEAN NO DYS TMP = DR LES 32(F)	11.7	7.2	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4.4	9.2	36.0	16	5630
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	16	5630
MEAN DEW PT TMP (F)	57	59	62	50	62	58	70	69	64	54	42	37	53	12	90916
MEAN REL HUM (PCT)	73	71	66	67	71	72	73	71	72	70	69	71	71	12	90854
MEAN PRESS ALT (FT)	183	215	288	328	395	365	324	332	312	266	210	185	280	0	-50
MEAN PRECIP (IN)	4.96	3.68	4.14	5.66	4.12	3.97	4.12	3.02	2.60	2.90	4.34	4.73	48.2	21	-113
MEAN SNOW FALL (IN)	1.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	9	2947
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.6	7.1	6.9	7.4	6.9	6.7	6.9	5.6	4.5	4.9	6.7	8.3	80.5	21	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	9	2947
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.1	2.6	2.0	0.8	1.3	0.7	0.7	0.9	1.2	2.4	1.5	2.5	19.7	12	4017
MEAN NO DYS TSTMS	2.3	3.0	3.5	7.0	7.8	6.6	8.5	6.7	5.4	3.5	2.4	1.6	60.3	14	5109
P FREQ WND SPD = DR GTR 17 KTS	6.3	6.8	8.0	6.3	2.1	0.9	0.6	0.5	1.1	1.5	3.8	4.9	3.6	12	96317
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	12	96317
P FREQ LES 5000 FT A/D LES 5 MI	38.3	35.8	30.9	26.6	20.5	16.2	11.9	11.8	16.6	18.1	25.3	33.8	23.8	12	96287
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.4	19.5	10.4	7.0	7.9	6.1	3.4	2.7	6.5	8.6	11.1	18.2	10.3	12	12024
03-05 LST	27.1	25.3	16.1	12.6	12.3	12.2	9.3	8.9	13.6	16.1	14.7	22.2	15.9	12	12040
06-08 LST	31.4	26.5	20.6	17.3	16.0	14.3	10.9	12.6	13.8	18.7	19.1	21.9	18.6	12	13130
09-11 LST	28.9	23.7	15.1	13.1	10.9	7.0	6.2	6.1	9.6	14.4	17.1	20.6	14.4	12	13131
12-14 LST	22.2	16.4	9.9	6.2	4.5	2.9	2.1	2.7	4.8	6.8	9.9	15.7	8.7	12	13138
15-17 LST	17.1	12.5	8.4	5.5	4.6	2.0	1.7	2.7	2.1	4.8	7.8	12.7	6.8	12	13122
18-20 LST	18.0	12.9	8.3	5.4	3.6	1.9	1.3	1.3	2.2	3.3	7.2	13.2	6.6	12	13133
21-23 LST	18.3	14.2	8.9	6.4	4.3	2.7	1.0	2.4	3.0	5.0	9.5	14.6	7.5	12	12405
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.2	7.2	2.6	0.7	2.7	1.4	0.4	0.5	1.5	3.3	3.5	5.4	3.0	12	12024
03-05 LST	8.1	8.6	4.8	1.8	3.8	2.6	2.0	1.9	3.5	5.4	4.6	7.5	4.6	12	12040
06-08 LST	8.6	6.4	5.3	2.5	3.1	2.2	2.1	3.3	4.2	6.7	5.1	7.4	4.7	12	13130
09-11 LST	6.3	3.4	1.3	0.5	0.5	0.0	0.1	0.1	0.3	1.6	2.2	3.8	1.7	12	13131
12-14 LST	3.9	1.3	0.6	0.4	0.3	0.2	0.0	0.1	0.3	0.2	0.6	1.8	0.8	12	13138
15-17 LST	2.3	1.7	0.4	0.2	0.4	0.0	0.1	0.4	0.1	0.2	0.9	1.7	0.7	12	13122
18-20 LST	4.2	3.7	1.3	0.7	0.4	0.1	0.2	0.4	0.1	0.0	1.9	2.3	1.3	12	13133
21-23 LST	4.5	4.3	2.0	1.2	0.9	0.1	0.0	0.2	0.2	0.8	2.3	3.5	1.7	12	12405

TEXARKANA MUNICIPAL, ARKANSAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.5	25.1	28.9	28.9	30.1	29.6	30.6	30.7	29.5	30.2	28.1	28.1	346.6	12	4382
	00 LST	26.3	23.7	28.6	28.5	29.2	28.8	30.3	30.7	29.1	28.9	27.3	27.4	338.8	12	4018
	06 LST	23.6	21.8	26.0	26.7	27.6	26.6	28.3	27.6	26.3	26.2	26.2	25.6	312.5	12	4382
	12 LST	25.4	24.5	28.9	28.7	29.8	29.4	30.5	30.4	29.3	29.5	27.6	26.7	340.7	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.6	17.4	18.2	18.3	23.7	24.3	25.6	26.8	26.7	28.2	23.4	21.2	274.4	12	4382
	00 LST	16.4	15.8	17.5	20.0	23.1	25.2	27.2	28.1	25.4	25.5	20.6	19.9	264.7	12	4018
	06 LST	14.2	13.0	16.4	17.4	21.7	22.1	25.1	25.7	23.7	23.2	19.6	17.5	239.6	12	4382
	12 LST	11.6	10.0	11.6	11.7	15.0	16.8	22.2	21.5	18.7	18.9	12.9	12.4	182.3	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.9	1.1	2.0	0.7	0.2	0.2	0.2	0.2	0.1	0.1	0.3	1.1	7.1	12	4269
	00 LST	1.5	1.8	1.6	1.1	0.4	0.1	0.1	0.2	0.0	0.2	0.8	0.8	8.6	12	3915
	06 LST	1.5	1.5	1.0	0.3	0.2	0.0	0.1	0.0	0.1	0.2	0.4	0.6	5.9	12	4240
	12 LST	4.1	3.6	3.8	4.1	1.2	0.5	0.3	0.2	0.5	0.9	2.0	3.0	24.2	12	4278
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	17.9	15.1	17.2	18.0	20.4	17.0	14.4	12.6	17.5	17.3	16.6	16.0	200.0	12	4267
	00 LST	15.0	14.9	17.5	18.9	20.4	18.5	19.6	21.5	20.2	20.0	16.4	16.3	219.2	12	3914
	06 LST	11.6	13.9	16.6	18.3	19.8	18.4	17.5	18.6	15.4	15.7	12.6	13.5	191.9	12	4238
	12 LST	15.1	13.5	14.4	13.4	16.8	16.0	12.0	13.0	15.5	19.0	14.2	15.6	178.5	12	4276
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.2	10.9	10.8	13.6	14.0	19.2	10.2	15.0	16.5	20.5	14.7	10.5	164.1	5	1704
	00 LST	11.7	11.4	14.5	17.5	15.7	22.2	18.0	22.5	18.5	22.0	15.3	15.7	205.0	4	1340
	06 LST	10.0	12.3	8.8	9.8	11.2	13.8	10.8	15.8	14.0	17.2	12.8	13.5	150.0	5	1704
	12 LST	7.6	9.5	8.6	9.4	8.4	10.6	6.4	9.4	12.2	17.5	12.2	9.2	121.0	5	1704
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.4	23.0	27.1	28.1	29.3	29.0	30.4	30.3	28.7	29.5	27.3	25.5	331.6	12	4382
	00 LST	23.0	21.1	26.4	26.8	27.7	28.4	30.0	30.2	28.4	28.2	25.2	24.5	319.9	12	4018
	06 LST	18.9	18.2	21.5	22.4	24.2	25.0	27.4	26.6	25.1	24.8	23.3	21.7	279.1	12	4382
	12 LST	21.3	21.0	24.8	25.5	27.6	27.8	29.1	29.6	27.2	26.8	24.7	24.1	309.5	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.9	20.0	23.7	24.8	27.7	27.5	29.1	28.6	27.2	27.5	24.4	21.2	301.6	12	4382
	00 LST	19.6	18.2	22.9	23.9	25.9	27.3	29.4	29.5	27.0	26.9	22.1	20.7	293.4	12	4018
	06 LST	16.8	16.1	18.4	19.2	21.5	23.5	26.4	25.8	23.1	23.3	20.3	18.7	253.1	12	4382
	12 LST	17.6	17.5	20.0	19.4	22.2	22.9	25.0	26.1	22.3	24.3	21.8	20.5	259.6	12	4382
CIG = GTR 10000 F AND VSBY = GTR 3 MI	18 LST	18.3	18.1	21.8	22.7	26.8	26.6	28.5	27.7	26.6	26.7	22.6	19.4	285.8	12	4382
	00 LST	18.3	16.2	21.0	22.1	25.3	26.7	28.3	29.0	26.6	25.9	21.2	19.4	280.0	12	4018
	06 LST	15.7	15.1	17.1	17.5	20.1	23.1	25.3	24.8	22.1	22.1	18.7	17.8	239.4	12	4382
	12 LST	16.3	16.6	18.0	17.8	21.6	22.7	23.9	25.2	21.6	23.4	20.6	19.1	246.8	12	4382

BLYTHEVILLE, ARKANSAS

STA NO. 73341 (IN AREA NUMBER 13)

LATITUDE 3557N

LONGITUDE 08957W

ELEVATION(FT) 00254

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	79	80	88	93	99	109	109	107	106	99	85	79	109	32	-613
MEAN MAX TMP (F)	49	54	62	73	81	89	92	91	86	76	61	51	72	33	-113
MEAN MIN TMP (F)	31	33	40	50	59	67	70	69	62	50	39	33	50	34	-113
ABS MIN TMP (F)	-9	-3	5	25	34	46	51	49	35	25	7	-2	-9	30	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	4.8	12.5	18.0	15.0	4.2	0.2	0.0	0.0	54.7	14	3767
MEAN NO DYS TMP = DR LES 32(F)	21.5	13.8	7.9	0.4	0.0	0.0	0.0	0.0	0.0	1.0	6.5	18.0	69.1	14	3767
MEAN NO DYS TMP = DR LES 0(F)	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	14	3767
MEAN DEW PT TMP (F)	28	32	38	47	58	66	68	68	61	48	39	30	49	14	90393
MEAN REL HUM (PCT)	73	72	68	65	67	70	69	72	72	66	69	73	70	14	90382
MEAN PRESS ALT (FT)	48	71	145	179	202	211	186	186	140	105	80	51	134	0	-50
MEAN PRECIP (IN)	5.62	4.10	4.92	4.34	4.17	3.60	3.49	3.52	3.06	3.05	3.85	4.15	47.9	34	-113
MEAN SNOW FALL (IN)	1.5	2.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.8	5.6	28	-113	
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.2	7.6	7.2	7.0	6.9	6.3	6.2	6.2	5.1	5.1	6.1	7.6	80.5	34	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.8	0.4	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.0	10	2356
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.0	2.4	0.9	0.6	0.7	0.2	0.7	0.8	0.8	1.6	1.7	3.2	16.6	14	3823
MEAN NO DYS TSTMS	1.2	2.7	4.2	7.2	7.9	8.3	7.9	6.3	2.7	1.9	2.9	0.5	53.7	14	3692
P FREQ WND SPD = DR GTR 17 KTS	3.7	3.1	3.9	6.4	2.7	0.8	0.4	0.2	1.6	0.8	3.3	2.4	2.8	14	90419
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	90419
P FREQ LES 5000 FT A/D LES 5 MI	39.3	40.1	35.7	23.9	18.3	14.5	11.0	13.9	19.5	18.2	30.5	39.7	25.4	14	90391
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	17.1	18.4	9.8	4.1	2.5	1.1	1.3	2.9	5.7	3.8	8.1	17.9	7.7	14	11071
03-05 LST	21.7	20.0	11.1	6.8	6.3	3.6	4.6	7.0	10.2	8.5	11.4	18.9	10.8	14	11209
06-08 LST	28.0	25.1	19.3	10.5	8.0	6.5	8.2	11.1	18.5	16.8	19.3	24.3	16.3	14	11507
09-11 LST	26.2	24.6	17.6	9.6	7.2	4.9	3.5	5.9	10.7	7.8	13.4	24.4	13.0	14	11504
12-14 LST	19.7	18.6	11.9	5.5	3.8	2.1	1.2	3.6	6.1	4.6	10.6	22.2	9.2	14	11503
15-17 LST	17.1	16.2	10.7	3.6	2.7	1.6	0.7	1.9	5.0	3.0	10.2	19.9	7.7	14	11503
18-20 LST	15.2	13.7	9.6	3.4	2.8	1.5	0.5	1.5	3.4	2.3	6.9	19.5	6.7	14	11207
21-23 LST	15.2	15.2	8.9	2.3	1.4	0.9	0.8	1.8	2.9	2.7	6.9	17.6	6.4	14	11067
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.1	4.3	1.2	0.4	0.1	0.0	0.6	0.1	1.1	1.5	1.7	3.0	1.6	14	11071
03-05 LST	3.3	4.6	1.3	1.0	1.1	0.5	1.3	1.3	2.3	2.5	2.9	4.5	2.2	14	11209
06-08 LST	6.6	5.6	2.3	1.3	0.5	0.0	0.6	1.7	2.6	2.8	4.3	4.8	2.8	14	11507
09-11 LST	4.8	3.8	0.5	0.3	0.1	0.0	0.0	0.0	0.0	0.6	1.6	4.3	1.3	14	11504
12-14 LST	2.2	2.5	0.1	0.1	0.2	0.1	0.2	0.2	0.3	0.0	0.4	3.6	0.8	14	11503
15-17 LST	2.0	2.7	0.8	0.1	0.2	0.1	0.1	0.0	0.1	0.3	0.7	2.7	0.8	14	11503
18-20 LST	1.8	2.0	0.4	0.1	0.1	0.0	0.1	0.0	0.5	0.0	0.8	2.9	0.7	14	11207
21-23 LST	2.5	3.3	0.6	0.1	0.0	0.1	0.1	0.1	0.0	1.3	0.9	4.6	1.1	14	11067

BLYTHEVILLE, ARKANSAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	10 LST	27.1	24.8	28.3	29.1	30.4	29.6	31.0	30.7	29.0	30.4	28.4	26.6	345.4	14	3837
	00 LST	26.6	24.2	28.6	29.1	30.8	29.5	30.8	30.5	29.2	30.1	28.2	26.9	344.6	14	3693
	06 LST	25.0	23.1	25.8	27.2	29.5	28.7	29.0	26.8	25.1	26.1	25.0	25.8	317.1	14	3837
	12 LST	25.4	23.7	28.3	29.0	30.3	29.6	30.8	30.1	28.7	30.2	27.6	25.2	338.9	14	3837
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	10 LST	20.9	17.8	19.8	19.1	20.5	22.3	26.9	28.5	27.2	28.2	23.4	20.4	275.0	14	3837
	00 LST	19.2	17.2	19.8	20.9	26.2	27.8	29.8	29.0	27.5	28.0	21.6	19.7	286.7	14	3693
	06 LST	17.7	15.5	17.8	18.8	22.9	25.8	26.9	25.7	22.2	23.0	19.6	17.8	253.7	14	3837
	12 LST	15.1	10.6	11.7	11.3	16.2	19.7	22.9	22.4	20.5	19.3	14.7	13.9	198.3	14	3837
SFC WND = GTR 17 KTS AND NO PRECIP.	10 LST	0.7	0.9	1.2	0.7	0.7	0.1	0.1	0.0	0.2	0.0	0.5	0.5	5.6	14	3753
	00 LST	0.7	1.3	0.8	1.2	0.1	0.1	0.2	0.0	0.2	0.1	0.5	0.6	5.8	14	3598
	06 LST	1.0	1.1	1.0	0.8	0.2	0.1	0.1	0.2	0.0	0.0	0.3	0.7	5.5	14	3734
	12 LST	1.6	2.0	3.3	4.0	1.8	0.4	0.2	0.0	1.3	0.5	2.4	1.1	18.6	14	3750
SFC WND 4-10 KTS AND TMP 33-89 DEC F AND NO PRECIP.	10 LST	12.1	13.6	18.3	17.6	18.2	17.3	15.9	13.6	14.0	16.3	15.4	13.4	185.7	14	3753
	00 LST	8.8	12.0	16.2	17.0	14.1	13.9	12.4	11.1	9.9	12.6	14.6	11.5	154.1	14	3598
	06 LST	7.5	10.1	14.5	16.5	15.5	15.5	13.9	12.0	12.8	13.5	12.6	9.1	153.5	14	3734
	12 LST	13.8	12.5	15.2	14.1	16.2	13.6	13.7	11.7	17.9	20.1	17.2	15.7	181.7	14	3750
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	10 LST	9.1	7.8	8.1	8.1	8.1	7.3	7.3	11.8	11.7	14.0	11.6	10.0	114.9	10	2721
	00 LST	13.4	11.3	13.4	13.1	16.6	16.4	16.8	20.4	19.3	20.2	15.7	13.3	189.9	10	2721
	06 LST	13.4	10.0	8.7	8.7	9.1	9.3	7.1	10.1	10.3	12.3	12.0	13.1	124.1	10	2721
	12 LST	8.0	6.9	6.7	7.6	6.2	4.1	4.4	7.8	10.4	11.9	10.3	8.7	93.0	10	2721
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	10 LST	24.1	22.2	28.0	28.0	29.0	29.2	31.0	30.4	27.9	29.8	26.5	23.0	327.1	14	3837
	00 LST	24.4	22.3	26.6	28.3	29.7	29.4	30.4	29.9	28.6	29.3	26.5	24.0	329.4	14	3693
	06 LST	21.8	19.5	22.7	25.0	27.0	27.8	27.8	26.1	23.3	24.7	23.5	22.6	291.8	14	3837
	12 LST	22.6	19.0	23.8	25.1	27.9	28.3	28.6	27.8	25.6	27.3	23.9	21.1	301.0	14	3837
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	10 LST	20.5	18.6	20.2	23.0	25.4	26.6	28.7	28.7	26.3	27.6	21.4	18.8	285.8	14	3837
	00 LST	20.7	17.7	21.6	24.3	27.5	27.8	29.3	29.0	27.5	27.8	21.8	20.2	295.2	14	3693
	06 LST	18.9	15.6	18.0	20.9	23.7	25.7	26.4	24.8	21.5	22.2	18.5	18.2	254.4	14	3837
	12 LST	19.2	16.3	17.3	19.4	22.3	21.1	24.1	24.9	22.4	24.7	20.5	17.8	290.0	14	3837
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	10 LST	18.7	16.0	17.4	19.9	22.5	23.4	26.0	26.4	23.9	25.0	18.8	17.5	255.5	14	3837
	00 LST	19.1	16.4	18.8	21.2	25.0	25.8	28.3	27.1	25.2	26.0	20.2	18.6	271.7	14	3693
	06 LST	17.4	14.1	16.1	17.7	20.2	23.0	24.0	22.9	18.4	20.5	16.4	16.5	227.2	14	3837
	12 LST	17.4	14.9	15.5	17.6	19.7	19.1	22.8	23.3	20.6	21.9	18.5	15.8	227.1	14	3837

JACKSONVILLE/LITTLE ROCK AFB, ARKANSAS

STA NO. 73355 (IN AREA NUMBER 13)

LATITUDE 3455N

LONGITUDE 09209W

ELEVATION(FT) 00311

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	74	82	88	90	96	98	101	106	98	94	82	78	106	9	3175
MEAN MAX TMP (F)	48	53	60	72	82	87	91	90	84	75	61	50	71	9	3175
MEAN MIN TMP (F)	29	35	41	52	62	68	72	71	64	53	41	33	52	9	3175
ABS MIN TMP (F)	-3	12	16	31	40	52	57	58	44	29	18	3	-3	9	3175
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.1	3.8	11.4	20.0	19.3	7.2	0.8	0.0	0.0	62.6	9	3175
MEAN NO DYS TMP = DR LES 32(F)	20.0	12.4	5.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	5.5	13.9	57.2	9	3175
MEAN NO DYS TMP = OP LES 0(F)	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	9	3175
MEAN DEW PT TMP (F)	28	32	37	48	59	65	69	68	62	51	39	31	49	9	76949
MEAN REL HUM (PCT)	69	68	63	63	66	69	71	70	70	67	67	69	68	9	76949
MEAN PRESS ALT (FT)	112	128	209	248	275	285	254	255	207	173	144	115	200	0	-50
MEAN PRECIP (IN)	3.45	3.92	5.53	5.11	4.31	4.62	4.31	3.72	4.09	2.31	4.64	4.12	50.3	9	2809
MEAN SNOW FALL (IN)	2.6	1.9	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.7	7.2	9	2830
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.4	5.6	8.2	7.4	5.6	6.2	6.4	5.0	4.7	3.9	4.7	6.1	69.2	9	2809
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.4	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	1.4	9	2830
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.1	3.1	1.3	1.1	1.0	0.4	1.8	0.8	2.2	2.3	2.4	2.6	22.1	9	3215
MEAN NO DYS TSTMS	1.5	2.9	5.1	7.7	6.4	6.9	9.5	6.3	3.5	2.4	3.5	1.0	56.7	9	3175
P FREQ WND SPD = DR GTR 17 KTS	1.2	1.9	2.7	2.3	0.6	0.2	0.3	0.1	0.2	0.1	0.7	0.8	0.9	9	76936
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	76936
P FREQ LES 5000 FT A/D LES 5 MI	35.6	33.6	31.6	28.0	19.4	16.3	13.3	12.0	17.4	16.2	26.1	32.7	23.5	9	76956
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	19.0	15.2	11.1	8.0	5.1	4.0	3.2	3.9	4.6	7.2	8.9	14.1	8.7	9	9521
03-05 LST	20.7	18.4	14.7	9.9	10.3	6.4	9.6	5.7	10.1	9.4	13.8	15.6	12.1	9	9603
06-08 LST	21.1	23.9	18.4	14.3	14.1	11.1	11.6	8.5	16.5	12.0	17.2	20.7	15.8	9	9646
09-11 LST	22.9	24.7	18.0	12.6	9.4	8.9	7.4	5.5	9.0	10.7	17.1	22.6	14.1	9	9645
12-14 LST	20.3	18.8	12.8	7.5	3.0	3.8	2.0	2.2	5.8	5.6	10.8	19.5	9.3	9	9645
15-17 LST	16.9	15.9	10.2	4.8	2.4	2.3	0.8	1.7	3.3	3.6	6.9	15.1	7.0	9	9645
18-20 LST	15.8	15.8	9.7	5.6	2.4	2.2	0.4	1.2	2.6	3.0	5.8	13.8	6.5	9	9645
21-23 LST	16.5	15.5	8.7	5.9	2.6	2.3	1.3	1.7	2.8	4.3	5.7	13.6	6.7	9	9607
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.0	5.3	2.4	1.5	1.6	0.2	0.8	0.7	1.1	1.9	2.1	3.6	2.2	9	9521
03-05 LST	5.6	6.6	4.1	1.4	3.2	1.4	2.6	1.4	2.8	3.0	2.4	4.3	3.2	9	9603
06-08 LST	6.7	7.1	3.6	2.1	1.6	1.0	2.3	1.0	4.7	4.8	3.8	5.6	3.7	9	9646
09-11 LST	5.5	4.8	1.7	0.1	0.1	0.0	0.1	0.1	0.1	1.4	4.7	4.4	1.9	9	9645
12-14 LST	3.2	2.5	1.3	0.2	0.1	0.1	0.4	0.0	0.4	0.0	0.7	3.1	1.0	9	9645
15-17 LST	2.5	4.1	0.8	0.5	0.2	0.1	0.2	0.1	0.1	0.4	1.3	3.5	1.2	9	9645
18-20 LST	3.2	4.7	2.0	0.0	0.4	0.0	0.0	0.0	0.5	0.1	1.0	3.6	1.3	9	9645
21-23 LST	4.0	4.7	1.8	0.5	0.6	0.0	0.4	0.2	0.9	0.8	0.8	4.2	1.6	9	9607

JACKSONVILLE/LITTLE ROCK AFB, ARKANSAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.7	24.2	28.2	19.0	30.4	29.8	31.0	30.9	29.3	30.2	28.4	27.4	346.5	9	3215
	00 LST	26.7	24.0	27.9	28.7	30.1	29.2	30.2	30.1	29.2	29.4	28.2	27.0	340.7	9	3195
	06 LST	25.8	22.9	27.8	26.9	28.2	27.8	28.4	28.4	26.0	27.7	26.1	26.2	322.2	9	3216
	12 LST	26.3	23.6	28.6	28.9	30.7	29.1	30.7	30.4	29.1	30.0	27.4	26.2	341.0	9	3215
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	21.4	18.2	18.7	20.0	23.1	24.4	27.1	29.1	27.7	29.3	25.4	23.1	287.7	9	3215
	00 LST	21.0	18.7	22.2	24.4	26.5	28.1	29.9	29.3	28.3	28.4	24.6	23.7	305.1	9	3195
	06 LST	20.8	18.9	19.9	22.3	23.8	26.0	26.7	27.7	23.9	26.3	22.6	21.7	280.6	9	3216
	12 LST	15.5	12.6	13.4	13.1	17.4	20.6	24.6	26.0	21.7	24.1	18.5	16.2	223.7	9	3215
SFC WND = GTR 17 KTS AND ND PRECIP.	18 LST	0.2	0.4	0.5	0.7	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.0	2.1	9	3141
	00 LST	0.1	0.6	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	9	3115
	06 LST	0.1	0.2	0.2	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	9	3129
	12 LST	0.2	0.9	1.9	0.9	0.0	0.0	0.1	0.0	0.0	0.0	0.6	0.5	5.1	9	3148
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND ND PRECIP.	18 LST	14.7	17.2	21.1	21.5	23.5	18.2	14.4	13.7	16.2	11.3	13.1	12.6	197.5	9	3141
	00 LST	10.4	11.8	15.9	16.1	14.6	11.0	10.8	8.6	7.6	6.5	12.1	10.0	135.4	9	3115
	06 LST	7.2	8.5	13.8	13.8	13.1	12.0	10.1	6.0	8.3	6.8	11.7	9.3	120.6	9	3129
	12 LST	16.8	15.4	18.2	18.8	21.0	18.3	13.6	14.8	19.1	22.5	20.0	17.3	215.8	9	3148
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.8	7.3	9.5	8.0	9.5	9.4	7.8	10.9	12.1	12.9	13.0	11.3	120.5	9	3215
	00 LST	13.0	10.9	15.0	11.9	16.4	17.4	16.8	19.2	18.9	18.6	15.6	14.5	188.2	9	3195
	06 LST	12.1	8.5	11.3	8.6	7.8	9.5	8.4	11.0	11.6	13.9	13.0	12.7	128.4	9	3216
	12 LST	8.6	7.4	9.2	7.9	6.1	4.8	4.5	6.0	7.8	13.0	11.0	9.7	96.0	9	3215
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.9	21.6	26.4	27.4	29.9	28.8	30.7	30.7	28.2	29.4	26.9	25.0	328.9	9	3215
	00 LST	24.3	21.7	26.8	27.4	29.4	28.8	29.8	29.6	28.7	29.0	26.6	25.4	327.5	9	3195
	06 LST	22.4	20.2	23.3	24.2	26.1	26.3	27.4	27.3	24.0	26.8	23.6	23.0	294.6	9	3216
	12 LST	21.9	19.7	24.0	24.5	27.3	26.8	28.6	28.6	26.4	27.4	24.2	23.0	302.4	9	3215
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.0	19.2	22.0	22.0	26.7	26.6	28.0	28.8	25.2	27.4	22.7	20.6	289.2	9	3215
	00 LST	21.0	18.8	22.2	23.3	26.9	27.2	26.9	28.6	27.2	27.4	22.5	22.1	296.1	9	3195
	06 LST	19.0	17.0	19.2	19.9	23.7	24.5	25.5	25.8	22.1	24.0	20.4	19.1	260.2	9	3216
	12 LST	19.1	17.3	18.3	18.9	21.4	19.9	23.0	23.9	22.9	24.6	20.6	19.6	249.5	9	3215
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.5	17.2	20.2	19.7	25.2	25.4	26.4	27.7	23.1	25.1	20.9	18.5	267.9	9	3215
	00 LST	19.7	17.5	20.6	20.8	25.4	25.5	27.1	27.5	25.9	26.4	20.7	19.7	276.8	9	3195
	06 LST	17.4	14.9	17.0	16.9	21.6	22.9	23.3	24.4	20.3	22.2	17.9	17.6	236.4	9	3216
	12 LST	18.0	15.9	16.6	17.0	19.9	18.8	21.9	22.7	21.7	23.3	19.2	18.0	232.6	9	3215

LITTLE ROCK/ROBINSON AAF, ARKANSAS

STA NO. 73396 (IN AREA NUMBER 13)

LATITUDE 3450N

LONGITUDE 09218W

ELEVATION(FT) 00489

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	74	82	88	90	96	98	101	106	98	94	82	78	106	9	-73355
MEAN MAX TMP (F)	48	53	60	72	82	87	91	90	84	73	61	50	71	9	-73355
MEAN MIN TMP (F)	29	35	41	52	62	68	72	71	64	53	41	33	52	9	-73355
ABS MIN TMP (F)	-3	12	16	31	40	52	57	58	44	29	18	3	-3	9	-73355
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.1	3.8	11.4	20.0	19.3	7.2	0.8	0.0	0.0	62.6	9	-73355
MEAN NO DYS TMP = DR LES 32(F)	20.0	12.4	5.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	5.5	13.9	57.2	9	-73355
MEAN NO DYS TMP = DR LES 0(F)	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	9	-73355
MEAN DEW PT TMP (F)	28	32	37	48	59	65	69	68	62	51	39	31	49	9	-73355
MEAN REL HUM (PCT)	69	68	63	63	66	69	71	70	70	67	67	69	68	0	-50
MEAN PRESS ALT (FT)	291	306	388	427	454	465	433	434	386	351	322	293	379	0	-50
MEAN PRECIP (IN)	3.45	3.92	5.53	5.11	4.51	4.62	4.31	3.72	4.09	2.31	4.64	4.12	50.3	9	-73355
MEAN SNOW FALL (IN)	2.6	1.9	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.7	7.2	9	-73355
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.4	7.6	8.2	7.4	5.6	6.2	6.4	5.0	4.7	3.9	4.7	6.1	69.2	9	-73355
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.4	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.4	9	-73355
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.1	3.1	1.3	1.1	1.0	0.4	1.8	0.8	2.2	2.3	2.4	2.6	22.1	9	-73355
MEAN NO DYS TSTMS	1.5	2.9	5.1	7.7	6.4	6.9	9.5	6.3	3.5	2.4	3.5	1.0	56.7	9	-73355
P FREQ WND SPD = DR GTR 17 KTS	1.2	1.9	2.7	2.3	0.8	0.2	0.3	0.1	0.2	0.1	0.7	0.8	0.9	9	-73355
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-73355
P FREQ LES 5000 FT A/D LES 5 MI	35.6	33.6	31.6	28.0	19.4	16.3	13.3	12.0	17.4	16.2	26.1	32.7	23.5	9	-73355
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	19.0	19.2	11.1	8.0	5.1	4.0	3.1	3.9	4.6	7.2	8.9	14.1	8.7	9	-73355
03-05 LST	20.7	18.4	14.7	9.9	10.3	6.4	9.6	5.7	10.1	9.4	13.8	15.6	12.1	9	-73355
06-08 LST	21.1	23.9	18.4	14.3	14.1	11.1	11.6	8.5	16.5	12.0	17.2	20.7	15.8	9	-73355
09-11 LST	22.9	24.7	18.0	12.6	9.4	8.9	7.4	5.5	9.0	10.7	17.1	22.6	14.1	9	-73355
12-14 LST	20.3	18.8	12.8	7.5	3.0	3.8	2.0	2.2	5.8	5.6	10.8	19.5	9.3	9	-73355
15-17 LST	16.9	15.9	10.2	4.8	2.4	2.3	0.8	1.7	3.3	3.6	6.9	15.1	7.0	9	-73355
18-20 LST	15.8	15.8	9.7	5.6	2.4	2.2	0.4	1.2	2.6	3.0	5.8	13.8	6.5	9	-73355
21-23 LST	16.5	15.5	8.7	5.9	2.6	2.3	1.3	1.7	2.8	4.3	5.7	13.6	6.7	9	-73355
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.0	5.3	2.4	1.5	1.6	0.2	0.8	0.7	1.1	1.9	2.1	3.6	2.2	9	-73355
03-05 LST	5.6	6.6	4.1	1.4	3.2	1.4	2.6	1.4	2.8	3.0	2.4	4.3	3.2	9	-73355
06-08 LST	6.7	7.1	3.6	2.1	1.6	1.0	2.3	1.0	4.7	4.8	3.8	5.6	3.7	9	-73355
09-11 LST	5.5	4.8	1.7	0.1	0.1	0.0	0.1	0.1	0.1	1.4	4.7	4.4	1.9	9	-73355
12-14 LST	3.2	2.5	1.3	0.2	0.1	0.1	0.4	0.0	0.4	0.0	0.7	3.1	1.0	9	-73355
15-17 LST	2.5	4.1	0.8	0.5	0.2	0.1	0.2	0.1	0.1	0.4	1.3	3.5	1.2	9	-73355
18-20 LST	3.2	4.7	2.0	0.0	0.4	0.0	0.0	0.0	0.3	0.1	1.0	3.6	1.3	9	-73355
21-23 LST	4.0	4.7	1.8	0.5	0.6	0.0	0.4	0.2	0.9	0.8	4.2	1.6	1.6	9	-73355

LITTLE ROCK/ROBINSON AAF, ARKANSAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.7	24.2	28.2	29.0	30.4	29.8	31.0	30.9	29.3	30.2	28.4	27.4	346.5	9	-73355
	00 LST	26.7	24.0	27.9	28.7	30.1	29.2	30.2	30.1	29.2	29.4	28.2	27.0	340.7	9	-73355
	06 LST	25.8	22.9	27.8	26.9	28.2	27.8	28.4	28.4	26.0	27.7	26.1	26.2	322.2	9	-73355
	12 LST	26.3	23.6	28.6	28.9	30.7	29.1	30.7	30.4	29.1	30.0	27.4	26.2	341.0	9	-73355
CIG =GTR 2000 FT AND VSBY =GTR 3 M. W/SFC WND LES 10 KTS	18 LST	21.4	18.2	18.7	20.0	23.1	24.4	27.1	29.1	27.7	29.5	25.4	23.1	287.7	9	-73355
	00 LST	21.0	18.7	22.2	24.4	26.5	28.1	29.9	29.3	28.3	28.4	24.6	23.7	303.1	9	-73355
	06 LST	20.8	18.9	19.9	22.3	23.8	26.0	26.7	27.7	23.9	26.3	22.6	21.7	280.6	9	-73355
	12 LST	15.5	12.6	13.4	13.1	17.4	20.6	24.6	26.0	21.7	24.1	18.5	16.2	223.7	9	-73355
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.2	0.4	0.5	0.7	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.0	2.1	9	-73355
	00 LST	0.1	0.6	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	9	-73355
	06 LST	0.1	0.2	0.2	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	9	-73355
	12 LST	0.2	0.9	1.9	0.9	0.0	0.0	0.1	0.0	0.0	0.0	0.6	0.5	5.1	9	-73355
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	14.7	17.2	21.1	21.5	23.5	18.2	14.4	13.7	16.2	11.3	13.1	12.6	197.5	9	-73355
	00 LST	10.4	11.8	15.9	16.1	14.6	11.0	10.8	8.6	7.6	6.5	12.1	10.0	135.4	9	-73355
	06 LST	7.2	8.5	13.8	13.8	13.1	12.0	10.1	6.0	8.3	6.8	11.7	9.3	120.6	9	-73355
	12 LST	16.8	15.4	18.2	18.8	21.0	18.3	13.6	14.8	19.1	22.5	20.0	17.3	215.8	9	-73355
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.8	7.3	9.5	8.0	9.5	9.4	7.8	10.9	12.1	12.9	13.0	11.3	120.5	9	-73355
	00 LST	13.0	10.9	15.0	11.9	16.4	17.4	16.8	19.2	18.9	18.6	15.6	14.5	188.2	9	-73355
	06 LST	12.1	8.5	11.3	8.6	7.8	9.5	8.4	11.0	11.6	13.9	13.0	12.7	128.4	9	-73355
	12 LST	8.6	7.4	9.2	7.9	6.1	4.8	4.5	6.0	7.8	13.0	11.0	9.7	96.0	9	-73355
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.9	21.6	26.4	27.4	29.9	28.8	30.7	30.7	28.2	29.4	26.9	25.0	328.9	9	-73355
	00 LST	24.3	21.7	26.8	27.4	29.4	28.8	29.8	29.6	28.7	29.0	26.6	25.4	327.5	9	-73355
	06 LST	22.4	20.2	23.3	24.2	26.1	26.3	27.4	27.3	24.0	26.8	23.6	23.0	294.6	9	-73355
	12 LST	21.9	19.7	24.0	24.5	27.3	26.8	28.6	28.6	26.4	27.4	24.2	23.0	302.4	9	-73355
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.0	19.2	22.0	22.0	26.7	26.6	28.0	28.8	25.2	27.4	22.7	20.6	289.2	9	-73355
	00 LST	21.0	18.8	22.2	23.3	26.9	27.2	28.9	28.6	27.2	27.4	22.5	22.1	296.1	9	-73355
	06 LST	19.0	17.0	19.2	19.9	23.7	24.5	25.5	25.8	22.1	24.0	20.4	19.1	260.2	9	-73355
	12 LST	19.1	17.3	18.3	18.9	21.4	19.9	23.0	23.9	22.9	24.6	20.6	19.6	249.5	9	-73355
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.5	17.2	20.2	19.7	25.2	25.4	26.4	27.7	23.1	25.1	20.9	18.5	267.9	9	-73355
	00 LST	19.7	17.5	20.6	20.8	25.4	25.5	27.1	27.5	25.9	26.4	20.7	19.7	276.8	9	-73355
	06 LST	17.4	14.9	17.0	16.9	21.6	22.9	23.3	24.4	20.3	22.2	17.9	17.6	236.4	9	-73355
	12 LST	18.0	15.5	16.6	17.0	19.9	18.8	21.9	22.7	21.7	23.3	19.2	18.0	232.6	9	-73355

CONWAY MUNICIPAL, ARKANSAS

STA NO. 73462/ (IN AREA NUMBER 13)

LATITUDE 3504N

LONGITUDE 09225W

ELEVATION(FT) 00315

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	83	86	94	96	101	109	115	115	112	101	96	81	115	64	-113
MEAN MAX TMP (F)	53	56	65	75	82	90	94	95	88	77	64	54	74	64	-113
MEAN MIN TMP (F)	31	34	41	50	58	67	70	69	62	50	39	33	50	64	-113
ABS MIN TMP (F)	-13	-15	9	26	33	41	49	50	34	22	13	-6	-15	64	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	1.0	4.0	16.0	25.0	26.0	15.0	2.0	0.0	0.0	89.0	10	-113
MEAN NO DYS TMP = DR LES 32(F)	18.0	13.0	9.0	1.0	0.0	0.0	0.0	0.0	0.0	2.0	12.0	16.0	71.0	10	-113
MEAN NO DYS TMP = DR LES 0(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			64	-29
MEAN DEW PT TMP (F)	34	35	38	48	59	67	70	68	60	51	38	34	50	0	-50
MEAN REL HUM (PCT)	76	71	61	63	71	71	70	66	63	67	64	72	68	43	-29
MEAN PRESS ALT (FT)	116	132	213	293	280	290	258	260	212	177	147	118	205	0	-50
MEAN PRECIP (IN)	4.52	3.99	4.72	5.07	5.36	3.98	3.52	3.27	3.35	3.01	4.11	4.21	49.1	77	-113
MEAN SNOW FALL (IN)	2.3	1.9	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.4	6.3	65	-113	
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.1	7.5	7.1	7.2	7.3	6.8	6.2	5.9	5.4	5.0	6.4	7.7	80.6	77	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.5	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.3	65	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CONWAY MUNICIPAL, ARKANSAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	18													0	0
VSRY = GTR 3 MI	00													0	0
	06													0	0
	12													0	0
CIG =GTR 2000 FT AND VSBY =GTR	18													0	0
3 MI W/SFC WND LES 10 KTS	00													0	0
	06													0	0
	12													0	0
SFC WND = GTR 17 KTS AND	18													0	0
NO PRECIP.	00													0	0
	06													0	0
	12													0	0
SFC WND 4-10 KTS AND TMP 33-89	18													0	0
DEG F AND NO PRECIP.	00													0	0
	06													0	0
	12													0	0
SKY COVER LES 3/10 AND	18													0	0
VSBY = GTR 3 MI	00													0	0
	06													0	0
	12													0	0
CIG = GTR 2500 FT AND	18													0	0
VSBY = GTR 3 MI	00													0	0
	06													0	0
	12													0	0
CIG = GTR 6000 FT AND	18													0	0
VSBY = GTR 3 MI	00													0	0
	06													0	0
	12													0	0
CIG = GTR 10000 FT AND	18													0	0
VSBY = GTR 3 MI	00													0	0
	06													0	0
	12													0	0

DATA NOT AVAILABLE

BATESVILLE MUNICIPAL, ARKANSAS

STA NO. 73756 (IN AREA NUMBER 13)

LATITUDE 3543N

LONGITUDE 09139W

ELEVATION(FT) 00464

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	79	84	91	94	97	109	112	111	107	98	88	79	112	39	-113
MEAN MAX TMP (F)	50	53	63	72	80	88	92	92	86	75	62	52	72	39	-113
MEAN MIN TMP (F)	27	30	37	47	55	64	68	66	59	46	36	29	47	39	-113
ABS MIN TMP (F)	-18	-15	9	23	30	41	48	46	33	20	11	0	-18	38	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	3.0	17.0	23.0	25.0	12.0	1.0	0.0	0.0	81.3	8	-113
MEAN NO DYS TMP = DR LES 32(F)	22.0	16.0	13.0	4.0	0.3	0.0	0.0	0.0	0.0	4.0	13.0	19.0	93.3	8	-113
MEAN NO DYS TMP = DR LES 0(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		38	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	260	280	358	396	421	432	402	404	357	322	292	262	349	0	-50
MEAN PRECIP (IN)	4.47	3.72	4.43	4.68	4.97	4.09	3.53	3.94	3.47	3.27	3.87	3.76	48.2	61	-113
MEAN SNOW FALL (IN)	2.6	2.5	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.3	6.9	44	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.0	7.1	7.0	7.1	7.2	6.9	6.3	6.7	5.6	5.3	6.1	7.2	80.5	61	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.6	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.6	44	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BATESVILLE MUNICIPAL, ARKANSAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG =GTR 2000 FT AND VSBY =GTR														0	0
3 MI W/SFC WND LES 10 KTS														0	0
														0	0
														0	0
SFC WND = GTR 17 KTS AND														0	0
NO PRECIP.														0	0
														0	0
														0	0
SFC WND 4-10 KTS AND TMP 33-89														0	0
DEG F AND NO PRECIP.														0	0
														0	0
														0	0
SKY COVER LES 3/10 AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 2500 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 6000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 10000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0

DATA NOT AVAILABLE

JONESBORO MUNICIPAL, ARKANSAS

STA NO. 73757 (IN AREA NUMBER 13)

LATITUDE 3549N

LONGITUDE 09038W

ELEVATION(FT) 00264

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	82	82	95	96	101	109	116	111	110	98	88	79	116	64	-113
MEAN MAX TMP (F)	50	53	63	73	82	90	92	92	86	76	62	51	73	64	-113
MEAN MIN TMP (F)	30	32	40	49	58	66	69	68	62	50	39	32	50	64	-113
ABS MIN TMP (F)	-18	-14	1	26	32	41	50	47	33	21	9	-2	-18	63	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	4.0	17.0	23.0	24.0	11.0	1.0	0.0	0.0	80.3	9	-113
MEAN NO DYS TMP = DR LES 32(F)	18.0	12.0	8.0	1.0	0.0	0.0	0.0	0.0	0.0	1.0	9.0	19.0	64.0	9	-113
MEAN NO DYS TMP = DR LES 0(F)	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	14	-73341
MEAN DEW PT TMP (F)	28	32	38	47	58	66	68	68	61	48	39	30	49	14	-73341
MEAN REL HUM (PCT)	73	72	68	65	67	70	69	72	72	66	69	73	70	14	-73341
MEAN PRESS ALT (FT)	59	80	155	191	216	225	198	199	153	118	91	61	146	0	-50
MEAN PRECIP (IN)	4.98	3.98	4.87	4.50	4.24	3.83	3.38	3.26	3.26	3.39	3.75	4.33	47.8	65	-113
MEAN SNOW FALL (IN)	2.0	2.2	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.5	6.4	59	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.6	7.4	7.2	7.0	6.9	6.6	6.1	5.9	5.3	5.5	6.0	7.9	80.4	65	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.4	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.3	59	-29
MEAN NC DYS W/OCUR VS8Y LES 1/2 MI	3.0	2.4	0.9	0.6	0.7	0.2	0.7	0.8	0.8	1.6	1.7	3.2	16.6	14	-73341
MEAN NO DYS TSMS	1.2	2.7	4.2	7.2	7.9	8.3	7.9	6.3	2.7	1.9	2.9	0.5	53.7	14	-73341
P FREQ WND SPD = DR GTR 17 KTS	3.7	5.1	5.9	6.4	2.7	0.8	0.4	0.2	1.6	0.8	3.3	2.4	2.8	14	-73341
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-73341
P FREQ LES 5000 FT A/D LES 5 MI	39.3	40.1	35.7	23.9	18.3	14.5	11.0	13.9	19.5	18.2	30.5	39.7	25.4	14	-73341
P FREQ LES 1500 FT A/G LES 3 MI															
FOR 00-02 LST	17.1	18.4	9.8	4.1	2.5	1.1	1.3	2.9	5.7	3.8	8.1	17.9	7.7	14	-73341
03-05 LST	21.7	20.0	11.1	6.8	6.3	3.6	4.6	7.0	10.2	8.9	11.4	18.9	10.8	14	-73341
06-08 LST	28.0	25.1	19.3	10.5	8.0	6.5	8.2	11.1	18.5	16.8	19.3	24.3	16.3	14	-73341
09-11 LST	26.2	24.6	17.6	9.6	7.2	4.9	3.5	5.9	10.7	7.8	13.4	24.4	13.0	14	-73341
12-14 LST	19.7	18.6	11.9	5.5	3.8	2.1	1.2	3.6	6.1	4.6	10.6	22.2	9.2	14	-73341
15-17 LST	17.1	16.2	10.7	3.6	2.7	1.6	0.7	1.9	5.0	3.0	10.2	17.9	7.7	14	-73341
18-20 LST	15.2	13.7	9.6	3.4	2.8	1.5	0.5	1.5	3.4	2.3	6.9	19.5	6.7	14	-73341
21-23 LST	15.2	15.2	8.9	2.3	1.4	0.9	0.8	1.8	2.9	2.7	8.9	17.6	6.4	14	-73341
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.1	4.3	1.2	0.4	0.1	0.0	0.6	0.1	1.1	1.5	1.7	5.0	1.6	14	-73341
03-05 LST	3.3	4.6	1.3	1.0	1.1	0.5	1.3	1.3	2.3	2.5	2.9	4.5	2.2	14	-73341
06-08 LST	6.3	5.6	2.3	1.3	0.5	0.0	0.6	1.7	2.6	2.8	4.3	4.8	2.8	14	-73341
09-11 LST	4.8	3.8	0.5	0.3	0.1	0.0	0.0	0.0	0.0	0.6	1.6	4.3	1.3	14	-73341
12-14 LST	2.2	2.5	0.1	0.1	0.2	0.1	0.2	0.2	0.3	0.0	0.4	3.6	0.8	14	-73341
15-17 LST	2.0	2.7	0.8	0.1	0.2	0.1	0.1	0.0	0.1	0.3	0.7	2.7	0.8	14	-73341
18-20 LST	1.8	2.0	0.4	0.1	0.1	0.0	0.1	0.0	0.5	0.0	0.8	2.9	0.7	14	-73341
21-23 LST	2.5	3.3	0.6	0.1	0.0	0.1	0.1	0.1	0.0	1.3	0.9	4.6	1.1	14	-73341

JONESBORO MUNICIPAL, ARKANSAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.1	24.8	28.3	29.1	30.4	29.6	31.0	30.7	29.0	30.4	28.4	26.6	345.4	14	-73341
	00 LST	26.6	24.2	28.6	29.1	30.8	29.6	30.8	30.5	29.2	30.1	28.2	26.9	344.6	14	-73341
	06 LST	25.0	23.1	25.8	27.2	29.5	28.7	29.0	26.8	25.1	26.1	25.0	25.8	317.1	14	-73341
CIG =GTP 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	12 LST	25.4	23.7	28.3	29.0	30.3	29.6	30.8	30.1	28.7	30.2	27.6	25.2	338.9	14	-73341
	18 LST	20.9	17.8	19.8	19.1	20.5	22.3	26.9	28.5	27.2	28.2	23.4	20.4	275.0	14	-73341
	00 LST	19.2	17.2	19.8	20.9	26.2	27.8	29.8	29.0	27.5	26.0	21.6	19.7	286.7	14	-73341
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	17.7	15.5	17.8	18.8	22.9	25.8	26.9	25.7	22.2	23.0	19.6	17.8	253.7	14	-73341
	12 LST	15.1	10.6	11.7	11.3	16.2	19.7	22.9	22.4	20.5	19.3	14.7	13.9	198.3	14	-73341
	18 LST	0.7	0.9	1.2	0.7	0.7	0.1	0.1	0.0	0.2	0.0	0.5	0.5	5.6	14	-73341
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	0.7	1.3	0.8	1.2	0.1	0.1	0.2	0.0	0.2	0.1	0.5	0.6	5.8	14	-73341
	06 LST	1.0	1.1	1.0	0.8	0.2	0.1	0.1	0.2	0.0	0.0	0.3	0.7	5.5	14	-73341
	12 LST	1.6	2.0	3.3	4.0	1.8	0.4	0.2	0.0	1.3	0.5	2.4	1.1	18.6	14	-73341
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	12.1	13.6	18.3	17.6	18.2	17.3	15.9	13.6	14.0	16.3	15.4	13.4	185.7	14	-73341
	00 LST	8.8	12.0	16.2	17.0	14.1	13.9	12.4	11.1	9.9	12.6	14.6	11.5	154.1	14	-73341
	06 LST	7.5	10.1	14.5	17.5	15.5	15.5	13.9	12.0	12.8	13.5	12.6	9.1	153.5	14	-73341
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	12 LST	13.8	12.5	15.2	14.1	16.2	13.6	13.7	11.7	17.9	20.1	17.2	15.7	181.7	14	-73341
	18 LST	9.1	7.8	8.1	8.1	8.1	7.3	7.3	11.8	11.7	14.0	11.6	10.0	114.9	10	-73341
	00 LST	13.4	11.3	13.4	13.1	16.6	16.4	16.8	20.4	19.3	20.2	15.7	13.3	189.9	10	-73341
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	13.4	10.0	8.7	8.7	9.1	9.3	7.1	10.1	10.3	12.3	12.0	13.1	124.1	10	-73341
	12 LST	8.0	6.9	6.7	7.6	6.2	4.1	4.4	7.8	10.4	11.9	10.3	8.7	93.0	10	-73341
	18 LST	24.1	22.2	26.0	28.0	29.0	29.2	31.0	30.4	27.9	29.8	26.5	23.0	327.1	14	-73341
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	24.4	22.3	26.6	28.3	29.7	29.4	30.4	29.9	28.6	29.3	26.5	24.0	329.4	14	-73341
	06 LST	21.8	19.5	22.7	25.0	27.0	27.8	27.8	26.1	23.3	24.7	23.5	22.6	291.8	14	-73341
	12 LST	22.6	19.0	23.8	25.1	27.9	28.3	28.6	27.8	25.6	27.3	23.9	21.1	301.0	14	-73341
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	20.5	18.6	20.2	23.0	25.4	26.6	28.7	28.7	26.3	27.6	21.4	18.8	285.8	14	-73341
	00 LST	20.7	17.7	21.6	24.3	27.5	27.8	29.3	29.0	27.5	27.8	21.8	20.2	295.2	14	-73341
	06 LST	18.9	15.6	18.0	20.9	23.7	25.7	26.4	24.8	21.5	22.2	18.5	18.2	254.4	14	-73341
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	12 LST	19.2	16.3	17.3	19.4	22.3	21.1	24.1	24.9	22.4	24.7	20.5	17.8	250.0	14	-73341
	18 LST	18.7	16.0	17.4	19.9	22.5	23.4	26.0	26.4	23.9	25.0	18.8	17.5	255.5	14	-73341
	00 LST	19.1	16.4	18.8	21.2	25.0	25.8	28.3	27.1	25.2	26.0	20.2	18.6	271.7	14	-73341
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	17.4	14.1	16.1	17.7	20.2	23.0	24.0	22.9	18.4	20.5	16.4	16.5	227.2	14	-73341
	12 LST	17.4	14.9	15.5	17.6	19.7	19.1	22.8	23.3	20.6	21.9	18.5	15.8	227.1	14	-73341

MANILA MUNICIPAL, ARKANSAS

STA NO. 73759 (IN AREA NUMBER 13)

LATITUDE 3553N

LONGITUDE 09008W

ELEVATION(FT) 00242

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	79	80	88	93	99	109	109	107	106	99	85	79	109	37	-73341
MEAN MAX TMP (F)	49	54	62	73	81	89	92	91	86	76	61	51	72	33	-73341
MEAN MIN TMP (F)	31	33	40	50	59	67	70	69	62	50	39	33	50	34	-73341
ABS MIN TMP (F)	-9	-3	5	25	34	46	51	49	35	29	7	-2	-9	30	-73341
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	4.8	12.5	18.0	15.0	4.2	0.2	0.0	0.0	54.7	14	-73341
MEAN NO DYS TMP = OR LES 32(F)	21.5	13.8	7.9	0.4	0.0	0.0	0.0	0.0	0.0	1.0	6.5	18.0	69.1	14	-73341
MEAN NO DYS TMP = OR LES 0(F)	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	14	-73341
MEAN DEW PT TMP (F)	28	32	38	47	58	66	68	68	61	48	39	30	49	14	-73341
MEAN REL HUM (PCT)	73	72	68	65	67	70	69	72	72	66	69	73	70	14	-73341
MEAN PRESS ALT (FT)	37	59	133	168	191	201	175	175	129	94	69	39	123	0	-50
MEAN PRECIP (IN)	5.62	4.10	4.92	4.34	4.17	3.60	3.49	3.52	3.06	3.05	3.85	4.15	47.9	34	-73341
MEAN SNOW FALL (IN)	1.5	2.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.8	5.6	28	-73341
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.2	7.6	7.2	7.0	6.9	6.3	6.2	6.2	5.1	5.1	6.1	7.6	80.5	34	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.8	0.4	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.0	10	-73341
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	3.0	2.4	0.9	0.6	0.7	0.2	0.7	0.8	0.8	1.6	1.7	3.2	16.6	14	-73341
MEAN NO DYS TSTMS	1.2	2.7	4.2	7.2	7.9	8.3	7.9	6.3	2.7	1.9	2.9	0.5	53.7	14	-73341
P FREQ WND SPD = OR GTR 17 KTS	3.7	5.1	5.9	6.4	2.7	0.8	0.4	0.2	1.6	0.8	3.3	2.4	2.8	14	-73341
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-73341
P FREQ LES 5000 FT A/D LES 3 MI	39.3	40.1	35.7	23.9	18.3	14.5	11.0	13.9	19.5	18.2	30.5	39.7	25.4	14	-73341
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	17.1	18.4	9.8	4.1	2.5	1.1	1.3	2.9	5.7	3.8	8.1	17.9	7.7	14	-73341
03-05 LST	21.7	20.0	11.1	6.8	6.3	3.6	4.6	7.0	10.2	8.5	11.4	18.9	10.8	14	-73341
06-08 LST	28.0	25.1	19.3	10.5	8.0	6.5	8.2	11.1	18.5	16.8	19.3	24.3	16.3	14	-73341
09-11 LST	26.2	24.6	17.6	9.6	7.2	4.9	3.5	5.9	10.7	7.8	13.4	24.4	13.0	14	-73341
12-14 LST	19.7	18.6	11.9	5.5	3.8	2.1	1.2	3.6	6.1	4.6	10.6	22.2	9.2	14	-73341
15-17 LST	17.1	16.2	10.7	3.6	2.7	1.6	0.7	1.9	5.0	3.0	10.2	19.9	7.7	14	-73341
18-20 LST	15.2	13.7	9.6	3.4	2.8	1.5	0.5	1.5	3.4	2.3	6.9	19.5	6.7	14	-73341
21-23 LST	15.2	15.2	8.9	2.3	1.4	0.9	0.8	1.8	2.9	2.7	6.9	17.6	6.4	14	-73341
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.1	4.3	1.2	0.4	0.1	0.0	0.6	0.1	1.1	1.5	1.7	5.0	1.6	14	-73341
03-05 LST	3.3	4.6	1.3	1.0	1.1	0.5	1.3	1.3	2.3	2.9	2.9	4.5	2.2	14	-73341
06-08 LST	6.6	5.6	2.3	1.3	0.5	0.0	0.6	1.7	2.6	2.8	4.3	4.8	2.8	14	-73341
09-11 LST	4.8	3.8	0.5	0.3	0.1	0.0	0.0	0.0	0.0	0.6	1.6	4.3	1.3	14	-73341
12-14 LST	2.2	2.5	0.1	0.1	0.2	0.1	0.2	0.2	0.3	0.0	0.4	3.6	0.8	14	-73341
15-17 LST	2.0	2.7	0.8	0.1	0.2	0.1	0.1	0.0	0.1	0.3	0.7	2.7	0.8	14	-73341
18-20 LST	1.8	2.0	0.4	0.1	0.1	0.0	0.1	0.0	0.5	0.0	0.8	2.9	0.7	14	-73341
21-23 LST	2.5	3.3	0.6	0.1	0.0	0.1	0.1	0.1	0.0	1.3	0.9	4.6	1.1	14	-73341

MANILA MUNICIPAL, ARKANSAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.1	24.8	28.3	29.1	30.4	29.6	31.0	30.7	29.0	30.4	28.4	26.6	345.4	14	-73341
	00 LST	26.6	24.2	28.6	29.1	30.8	29.6	30.8	30.5	29.2	30.1	28.2	26.9	344.6	14	-73341
	06 LST	25.0	23.1	25.8	27.2	29.5	28.7	29.0	26.8	25.1	26.1	25.0	25.8	317.1	14	-73341
	12 LST	25.4	23.7	28.3	29.0	30.3	29.6	30.8	30.1	28.7	30.2	27.6	25.2	338.9	14	-73341
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.9	17.8	19.8	19.1	20.5	22.3	26.9	28.5	27.2	28.2	23.4	20.4	275.0	14	-73341
	00 LST	19.2	17.2	19.8	20.9	26.2	27.8	29.8	29.0	27.5	28.0	21.6	19.7	286.7	14	-73341
	06 LST	17.7	15.5	17.8	18.8	22.9	25.8	26.9	25.7	22.2	23.0	19.6	17.8	253.7	14	-73341
	12 LST	15.1	10.6	11.7	11.3	16.2	19.7	22.9	22.4	20.5	19.3	14.7	13.9	198.3	14	-73341
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	0.9	1.2	0.7	0.7	0.1	0.1	0.0	0.2	0.0	0.5	0.5	5.6	14	-73341
	00 LST	0.7	1.2	0.8	1.2	0.1	0.1	0.2	0.0	0.2	0.1	0.5	0.6	5.8	14	-73341
	06 LST	1.0	1.1	1.0	0.8	0.2	0.1	0.1	0.2	0.0	0.0	0.3	0.7	5.5	14	-73341
	12 LST	1.6	2.0	3.3	4.0	1.8	0.4	0.2	0.0	1.3	0.5	2.4	1.1	18.6	14	-73341
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	12.1	13.6	18.3	17.6	18.2	17.3	15.9	13.6	14.0	16.3	15.4	13.4	185.7	14	-73341
	00 LST	9.4	12.0	16.2	17.0	14.1	13.9	12.4	11.1	9.9	12.6	14.6	11.5	134.1	14	-73341
	06 LST	7.5	10.1	14.5	16.5	15.5	15.5	13.9	12.0	12.8	13.5	12.6	9.1	133.5	14	-73341
	12 LST	13.8	12.3	13.2	14.1	16.2	13.6	13.7	11.7	17.9	20.1	17.2	15.7	181.7	14	-73341
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.1	7.8	8.1	8.1	8.1	7.3	7.3	11.8	11.7	14.0	11.6	10.0	114.9	10	-73341
	00 LST	13.4	11.3	13.4	13.1	16.6	16.4	16.8	20.4	19.3	20.2	15.7	13.3	189.9	10	-73341
	06 LST	13.4	10.0	8.7	8.7	9.1	9.3	7.1	10.1	10.3	12.3	12.0	13.1	124.1	10	-73341
	12 LST	8.0	6.9	6.7	7.6	6.2	4.1	4.4	7.8	10.4	11.9	10.3	8.7	93.0	10	-73341
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.1	22.2	26.0	28.0	29.0	29.2	31.0	30.4	27.9	29.8	26.5	23.0	327.1	14	-73341
	00 LST	24.4	22.3	26.6	28.3	29.7	29.4	30.4	29.9	28.6	29.3	26.5	24.0	329.4	14	-73341
	06 LST	21.8	19.5	22.7	25.0	27.0	27.8	27.8	26.1	23.3	24.7	23.5	22.6	291.8	14	-73341
	12 LST	22.6	19.0	23.8	25.1	27.9	28.3	28.6	27.8	25.6	27.3	23.9	21.1	301.0	14	-73341
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.5	18.6	20.2	23.0	25.4	26.6	28.7	28.7	26.3	27.6	21.4	18.8	285.8	14	-73341
	00 LST	20.7	17.7	21.6	24.3	27.5	27.8	29.3	29.0	27.5	27.8	21.8	20.2	295.2	14	-73341
	06 LST	18.9	15.6	18.0	20.9	23.7	25.7	26.4	24.8	21.5	22.2	18.5	18.2	254.4	14	-73341
	12 LST	19.2	16.3	17.3	19.4	22.3	21.1	24.1	24.9	22.4	24.7	20.5	17.8	250.0	14	-73341
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.7	16.0	17.4	19.9	22.5	23.4	26.0	26.4	23.9	25.0	18.8	17.5	255.5	14	-73341
	00 LST	19.1	16.4	18.8	21.2	25.0	25.8	28.3	27.1	25.2	26.0	20.2	18.6	271.7	14	-73341
	06 LST	17.4	14.1	16.1	17.7	20.2	23.0	24.0	22.9	18.4	20.3	16.4	16.5	227.2	14	-73341
	12 LST	17.4	14.9	15.5	17.6	19.7	19.1	22.8	23.3	20.6	21.9	18.5	15.8	227.1	14	-73341

HELENA/THOMPSON-ROBB FIELD, ARKANSAS

STA NO. 73824 (IN AREA NUMBER 13)

LATITUDE 3435N

LONGITUDE 09040W

ELEVATION(FT) 00240

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDP (YRS)	NO. OBS
ABS MAX TMP (F)	78	82	92	98	103	108	111	109	113	99	90	81	113	60	-113
MEAN MAX TMP (F)	53	55	64	74	82	89	92	92	87	77	64	55	74	60	-113
MEAN MIN TMP (F)	33	36	43	52	60	68	71	70	64	52	41	35	52	60	-113
ABS MIN TMP (F)	-9	-7	11	27	38	46	52	48	37	25	12	8	-9	60	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	6.0	18.0	25.0	25.0	14.0	1.0	0.0	0.0	89.0	9	-113
MEAN NO DYS TMP = DR LES 32(F)	15.0	8.0	4.0	0.3	0.0	0.0	0.0	0.0	0.0	1.0	7.0	12.0	47.3	9	-113
MEAN NO DYS TMP = DR LES 0(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		60	-29
MEAN DEW PT TMP (F)	33	35	38	47	58	66	69	68	61	50	37	33	50	12	-72334
MEAN REL HUM (PCT)	72	70	65	63	68	68	70	70	68	66	65	70	68	12	-72334
MEAN PRESS ALT (FT)	25	60	122	198	182	195	158	170	151	106	58	28	116	0	-50
MEAN PRECIP (IN)	3.58	4.63	5.90	5.52	4.54	3.71	3.82	3.38	3.25	2.77	4.55	4.88	52.5	87	-113
MEAN SNOW FALL (IN)	1.9	1.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	5.4	76 -72334
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.2	8.2	7.4	7.3	7.0	6.5	6.6	6.1	5.3	4.7	7.0	8.5	83.8	87	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.3	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.0	11	-72334
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.5	1.1	0.7	0.6	0.1	0.2	0.2	0.3	0.4	1.1	0.9	1.8	8.9	12	-72334
MEAN NO DYS TSTMS	2.0	2.0	4.0	5.0	6.0	8.0	8.0	7.0	4.0	2.0	2.0	1.0	51.0	70	-72334
P FREQ WND SPD = DR GTR 17 KTS	10.5	9.2	11.5	8.8	4.0	1.3	0.7	0.7	1.4	2.4	7.1	6.5	5.3	12	-72334
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	12	-72334
P FREQ LES 5000 FT A/D LES 5 MI	42.1	36.2	29.7	20.6	17.7	12.7	13.2	10.9	15.8	19.1	24.6	33.3	23.0	12	-72334
P FREQ LES 1500 FT A/D LES 3 MI														12	-72334
FOR 00-02 LST	19.6	18.6	9.1	6.3	6.6	2.3	2.9	1.6	4.7	6.8	10.8	16.0	8.8	12	-72334
03-05 LST	23.7	21.0	13.9	9.2	7.0	5.8	6.5	4.7	8.1	9.9	13.6	17.3	11.7	12	-72334
06-08 LST	27.6	24.0	17.7	11.9	11.7	8.6	9.2	7.8	11.9	14.7	15.8	19.9	15.1	12	-72334
09-11 LST	26.9	22.3	15.2	9.6	6.8	4.3	4.4	3.9	8.9	9.9	12.2	18.1	11.9	12	-72334
12-14 LST	21.8	16.1	11.0	4.5	3.9	2.2	1.1	1.3	4.0	6.1	8.9	12.7	7.8	12	-72334
15-17 LST	19.2	15.1	7.5	3.9	2.8	1.0	1.1	0.8	2.8	4.1	6.5	12.8	6.5	12	-72334
18-20 LST	17.8	13.7	6.7	4.1	2.7	1.0	0.9	0.8	2.2	4.9	6.5	12.3	6.1	12	-72334
21-23 LST	19.1	15.5	7.1	5.0	3.4	1.6	1.5	1.6	2.9	6.4	7.8	13.2	7.1	12	-72334
P FREQ LES 300 FT A/D LES 1 MI														12	-72334
FOR 00-02 LST	2.1	2.0	0.8	0.9	0.3	0.1	0.1	0.0	0.2	1.3	0.6	2.7	0.9	12	-72334
03-05 LST	2.5	2.5	1.6	1.2	0.6	0.4	0.5	0.8	1.1	2.6	1.4	3.1	1.5	12	-72334
06-08 LST	2.9	3.8	1.9	0.7	0.4	0.5	0.4	0.8	0.8	2.8	2.3	2.8	1.7	12	-72334
09-11 LST	2.7	2.3	0.6	0.2	0.1	0.0	0.0	0.0	0.1	0.3	1.1	1.1	0.7	12	-72334
12-14 LST	1.4	1.2	0.2	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.6	1.0	0.4	12	-72334
15-17 LST	1.4	1.0	0.4	0.0	0.0	0.1	0.2	0.0	0.1	0.0	0.6	1.1	0.4	12	-72334
18-20 LST	1.4	0.5	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.3	1.2	0.3	12	-72334
21-23 LST	2.1	0.8	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.8	0.4	1.9	0.6	12	-72334

HELENA/THOMPSON-ROBB FIELD, ARKANSAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.9	25.3	29.2	29.4	30.6	29.7	30.8	30.8	29.5	30.1	29.0	28.5	349.8	12	-72334
	00 LST	26.3	24.7	29.2	28.9	29.8	29.6	30.7	30.7	29.1	29.5	28.1	27.7	344.3	12	-72334
	06 LST	25.1	22.9	26.9	28.0	28.7	28.4	29.1	28.6	27.3	27.7	26.3	27.0	326.0	12	-72334
	12 LST	26.4	24.8	28.8	29.3	30.2	29.7	30.9	30.8	29.3	30.0	27.7	28.0	345.9	12	-72334
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	16.1	15.8	16.2	15.9	21.2	21.6	22.6	25.9	24.3	25.6	19.9	18.5	243.6	12	-72334
	00 LST	14.1	14.3	15.8	17.6	22.6	26.4	27.8	27.6	25.4	24.3	18.5	16.6	251.0	12	-72334
	06 LST	13.3	13.0	14.8	16.5	21.0	23.6	25.6	26.4	23.3	21.8	16.7	16.5	232.5	12	-72334
	12 LST	8.6	8.2	7.2	8.2	11.8	16.1	19.1	21.0	15.0	14.3	11.0	10.0	190.5	12	-72334
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.4	1.0	2.3	1.4	0.7	0.1	0.3	0.4	0.3	0.3	1.6	1.1	10.9	12	-72334
	00 LST	3.5	2.0	2.3	1.4	0.2	0.0	0.1	0.1	0.0	0.2	1.8	1.6	13.2	12	-72334
	06 LST	3.0	2.0	2.4	1.0	0.5	0.0	0.1	0.0	0.0	0.3	1.8	1.9	13.0	12	-72334
	12 LST	5.0	4.2	6.3	5.2	2.4	0.9	0.2	0.2	0.8	1.8	3.5	3.6	34.1	12	-72334
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	16.2	16.4	17.9	18.3	23.0	18.1	15.6	18.5	20.7	21.5	18.4	17.5	222.1	12	-72334
	00 LST	11.5	12.1	16.1	18.2	20.2	19.3	20.3	16.0	17.3	16.1	13.0	13.1	193.2	12	-72334
	06 LST	8.8	10.2	14.8	17.5	17.6	18.8	19.9	16.8	16.7	16.7	12.4	11.4	181.6	12	-72334
	12 LST	12.8	11.3	12.6	12.2	15.5	13.7	12.1	13.8	15.7	17.0	14.0	13.1	163.8	12	-72334
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	7.7	8.4	8.5	9.8	9.3	10.0	9.3	10.9	14.5	15.8	12.4	10.5	127.1	12	-72334
	00 LST	10.7	10.6	12.0	13.3	15.1	17.7	15.8	19.2	19.6	18.9	14.9	13.2	181.2	12	-72334
	06 LST	9.3	7.8	9.2	10.2	9.7	11.7	9.3	11.7	13.7	14.7	12.5	12.3	132.1	12	-72334
	12 LST	6.7	7.5	7.1	7.9	6.8	5.9	4.7	8.2	11.5	13.2	11.3	8.8	99.6	12	-72334
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	22.5	23.0	26.8	27.8	29.5	29.4	30.6	30.6	28.9	29.3	26.6	25.5	330.5	12	-72334
	00 LST	23.0	22.2	27.7	27.5	28.8	29.3	30.2	30.2	28.5	28.3	26.3	25.1	327.1	12	-72334
	06 LST	19.9	19.7	22.9	25.4	27.1	27.0	28.3	28.1	25.7	25.6	23.3	22.7	295.7	12	-72334
	12 LST	19.9	19.3	24.6	26.7	28.1	27.8	28.6	29.2	26.6	27.5	25.5	23.6	307.4	12	-72334
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.7	19.5	21.9	24.8	27.3	28.2	27.9	29.8	27.2	26.9	23.6	20.6	296.4	12	-72334
	00 LST	18.7	18.7	23.4	25.1	26.9	28.1	28.6	29.3	27.1	26.2	23.5	21.9	297.5	12	-72334
	06 LST	16.2	16.5	19.4	21.8	24.3	25.8	27.0	27.2	24.3	23.6	20.5	19.6	266.2	12	-72334
	12 LST	16.4	16.1	18.6	20.8	21.1	21.5	22.2	23.6	21.8	23.3	21.9	19.1	246.4	12	-72334
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	16.8	17.5	19.4	22.4	26.1	27.1	27.2	28.4	26.0	26.1	21.4	19.1	277.5	12	-72334
	00 LST	17.1	16.6	20.9	22.6	25.3	27.1	28.0	28.1	26.3	25.5	21.4	19.9	278.8	12	-72334
	06 LST	14.1	14.4	17.1	20.0	22.2	25.1	25.6	25.8	22.7	22.5	18.9	17.0	245.4	12	-72334
	12 LST	14.4	14.7	16.2	18.9	20.6	21.2	21.7	23.0	21.1	22.9	20.3	17.5	232.5	12	-72334

NEWPORT MUNICIPAL, ARKANSAS

STA NO. 73837 (IN AREA NUMBER 13)

LATITUDE 3338N

LONGITUDE 09110W

ELEVATION(FT) 00237

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
ABS MAX TMP (F)	79	82	94	97	107	108	112	114	109	98	87	80	114	70	-613
MEAN MAX TMP (F)	50	53	64	74	82	90	93	93	87	76	63	53	73	70	-113
MEAN MIN TMP (F)	30	32	41	50	59	67	70	68	61	49	39	32	50	70	-113
ABS MIN TMP (F)	-12	-16	10	27	30	46	51	48	35	23	9	1	-16	70	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.2	3.2	18.8	22.1	18.8	7.1	1.1	0.0	0.0	71.3	8	2673
MEAN NO DYS TMP = OR LES 32(F)	17.4	11.1	8.0	1.0	0.0	0.0	0.0	0.0	0.0	1.4	12.4	20.0	71.3	8	2673
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	8	2673
MEAN DEW PT TMP (F)	33	35	37	46	58	67	68	67	58	48	35	31	49	8	64078
MEAN REL HUM (PCT)	75	71	66	65	70	69	67	68	69	68	66	74	69	8	64068
MEAN PRESS ALT (FT)	33	53	130	167	192	202	174	175	128	93	66	36	121	0	-50
MEAN PRECIP (IN)	4.93	3.87	4.80	4.90	4.62	3.97	3.32	3.43	3.32	3.10	4.21	4.08	48.5	77	-113
MEAN SNOW FALL (IN)	2.3	1.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.9	5.1	65	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.5	7.3	7.1	7.2	7.1	6.7	6.0	6.1	5.4	5.1	6.6	7.6	80.7	77	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.8	6	2101
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.3	1.5	1.7	0.6	1.0	0.8	0.5	1.0	1.6	0.7	2.0	3.9	19.6	8	2672
MEAN NO DYS TSTMS	2.1	3.2	4.4	5.6	6.7	8.3	7.7	6.5	4.7	1.8	2.3	2.3	55.6	8	2672
P FREQ WND SPD = OR GTR 17 KTS	6.6	7.6	9.1	9.3	5.0	3.0	0.7	0.6	1.0	2.7	3.7	3.9	4.4	8	64055
P FREQ WND SPD = OR GTR 28 KTS	0.2	0.3	0.2	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.1	8	64055
P FREQ LES 5000 FT A/D LES 5 MI	48.7	36.7	38.0	29.6	27.3	21.2	18.0	11.7	19.9	23.0	27.3	39.1	28.4	8	64022
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	25.3	16.0	14.0	8.4	8.5	3.3	2.9	2.8	9.4	7.3	10.8	17.5	10.5	8	7991
03-05 LST	26.6	16.6	15.0	12.0	15.6	10.0	7.5	7.7	15.9	8.9	11.6	18.9	13.9	8	8000
06-08 LST	31.6	25.3	18.8	12.4	17.3	8.8	7.4	5.5	17.3	13.4	18.3	23.6	16.6	8	8011
09-11 LST	31.8	21.4	15.9	8.9	10.8	3.9	5.9	2.6	11.4	10.0	11.6	23.2	13.1	8	8012
12-14 LST	26.7	16.0	14.4	6.7	6.2	2.4	1.4	1.4	5.2	8.4	5.9	16.7	9.3	8	8012
15-17 LST	24.0	13.3	11.4	3.9	5.0	2.5	0.7	0.5	5.1	6.5	5.4	15.9	7.9	8	8011
18-20 LST	21.5	12.3	12.3	5.4	4.7	1.9	0.4	0.6	4.3	7.2	5.7	14.7	7.6	8	7993
21-23 LST	22.8	13.1	12.2	7.3	5.1	1.9	0.1	0.8	4.9	5.8	7.9	15.4	8.1	8	7992
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.8	2.9	2.5	0.7	1.3	0.0	0.4	0.5	1.6	1.5	3.3	5.7	2.3	8	7991
03-05 LST	5.8	2.5	3.5	1.7	2.3	0.8	0.8	3.5	4.9	2.5	3.2	7.4	3.2	8	8000
06-08 LST	6.8	6.6	3.7	1.5	0.8	0.1	0.3	1.1	3.5	3.5	5.6	9.7	3.6	8	8011
09-11 LST	2.8	2.0	1.7	0.4	0.0	0.3	0.0	0.0	0.2	1.5	3.7	5.3	1.5	8	8012
12-14 LST	2.9	1.5	1.4	0.0	0.0	0.0	0.0	0.0	0.2	0.8	1.1	3.9	1.0	8	8012
15-17 LST	3.2	2.0	0.8	0.1	0.1	0.3	0.1	0.0	0.6	0.5	1.3	4.2	1.1	8	8011
18-20 LST	4.8	2.5	1.5	0.0	0.4	0.1	0.0	0.0	0.0	1.4	1.1	3.4	1.3	8	7993
21-23 LST	6.3	1.9	1.9	0.8	0.9	0.0	0.0	0.0	0.3	0.6	1.1	3.4	1.4	8	7992

NEWPORT MUNICIPAL, ARKANSAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	25.7	25.3	27.8	28.9	30.1	29.7	31.0	31.0	29.4	29.1	28.6	27.1	343.7	8	2672
	00 LST	25.0	24.6	27.8	28.4	29.2	29.1	30.7	30.8	28.7	29.0	27.1	26.3	336.7	8	2673
	06 LST	23.7	22.8	26.1	26.9	26.1	27.5	29.1	28.6	25.0	26.7	25.4	25.7	313.6	8	2672
	12 LST	25.0	25.1	28.0	29.3	30.0	29.7	30.5	30.7	29.4	28.8	28.4	27.0	341.9	8	2672
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	16.9	17.7	16.1	17.5	21.6	21.6	25.4	28.3	26.1	25.0	23.7	21.9	261.8	8	2670
	00 LST	15.5	17.7	18.6	20.7	25.1	27.2	29.2	28.8	26.6	25.9	22.8	20.5	278.6	8	2672
	06 LST	13.8	15.5	16.3	18.0	20.9	23.6	26.9	26.7	21.4	22.3	20.1	18.5	244.0	8	2671
	12 LST	11.1	9.7	12.1	10.4	15.6	19.0	20.7	22.3	19.3	16.6	14.3	14.0	185.1	8	2672
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.5	1.1	1.8	1.9	0.6	1.1	0.4	0.1	0.1	0.4	0.4	1.3	10.7	8	2608
	00 LST	1.1	1.2	1.8	1.1	0.1	0.1	0.0	0.0	0.0	0.0	0.9	0.6	6.9	8	2601
	06 LST	1.6	1.5	1.9	0.9	1.2	0.5	0.0	0.1	0.0	0.0	0.1	0.6	8.4	8	2609
	12 LST	3.6	3.8	4.3	5.0	2.9	1.7	0.4	0.4	0.7	3.1	2.6	2.4	30.9	8	2630
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	12.8	15.7	17.1	18.1	19.7	14.1	12.7	13.9	12.5	12.9	14.9	14.5	178.9	8	2608
	00 LST	11.8	12.7	13.3	16.8	12.0	12.0	9.7	7.7	8.8	11.1	12.5	11.5	139.9	8	2601
	06 LST	10.4	9.6	11.6	13.7	11.7	12.3	13.4	10.1	10.4	10.8	10.1	8.0	132.1	8	2609
	12 LST	13.4	14.0	13.8	11.8	16.2	9.9	8.3	9.4	13.7	14.5	13.5	15.1	153.6	8	2630
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.2	11.3	10.8	9.3	9.8	11.3	8.0	11.7	15.3	16.8	14.8	11.2	138.5	6	2100
	00 LST	11.6	13.1	12.8	14.5	17.0	20.5	19.5	20.0	21.0	19.7	16.0	13.9	199.6	6	2100
	06 LST	8.6	9.5	9.8	10.3	11.0	11.5	10.3	12.3	13.8	13.8	14.6	11.5	137.0	6	2100
	12 LST	6.4	9.9	8.8	8.2	6.8	7.0	5.3	7.2	13.8	14.8	11.8	8.9	108.9	6	2100
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	22.0	22.8	25.4	26.7	28.4	28.7	30.7	30.4	28.4	27.8	27.7	25.4	324.4	8	2672
	00 LST	21.3	22.0	25.7	26.7	28.1	29.0	30.6	30.4	27.4	27.8	26.1	25.0	320.1	8	2673
	06 LST	18.1	20.6	22.7	24.5	23.6	26.6	27.7	28.1	22.8	24.0	23.7	22.2	284.6	8	2672
	12 LST	19.8	20.2	24.8	24.5	26.4	28.4	28.6	29.9	26.3	26.0	25.7	22.5	303.1	8	2672
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	17.7	19.7	21.1	22.4	24.7	25.5	26.9	28.7	26.0	25.7	25.0	20.5	283.9	8	2672
	00 LST	18.0	18.8	22.0	23.5	25.0	28.1	29.7	29.1	26.1	25.0	23.4	20.5	289.2	8	2673
	06 LST	14.8	17.5	18.0	20.5	21.1	25.4	25.6	26.1	20.9	21.1	20.9	18.9	250.8	8	2672
	12 LST	16.4	17.7	19.8	18.8	19.4	19.6	21.4	25.5	22.7	23.8	22.4	19.7	247.2	8	2672
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	16.3	18.2	19.8	19.5	22.1	23.9	25.4	27.3	24.8	24.6	22.6	19.2	263.7	8	2672
	00 LST	17.1	17.9	19.4	21.2	22.7	27.2	28.3	28.0	25.3	24.6	21.3	19.5	272.5	8	2673
	06 LST	13.7	15.1	16.0	18.1	18.8	24.0	23.6	24.0	19.3	20.6	19.4	16.8	229.4	8	2672
	12 LST	15.0	16.1	17.9	16.9	17.7	18.8	20.5	23.3	21.3	22.4	21.3	17.1	228.3	8	2672

STUTTGART MUNICIPAL, ARKANSAS

STA NO. 73846 (IN AREA NUMBER 13)

LATITUDE 3436N

LONGITUDE 09134W

ELEVATION(FT) 00224

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	79	78	84	89	92	100	107	108	102	84	82	72	108	4	1105
MEAN MAX TMP (F)	52	56	63	73	81	91	94	94	85	73	63	49	73	4	1105
MEAN MIN TMP (F)	33	38	43	53	61	70	70	71	64	51	43	33	53	4	1105
ABS MIN TMP (F)	9	19	13	34	43	54	56	56	48	34	26	13	9	4	1105
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	6.3	20.3	24.0	23.7	9.0	0.0	0.0	0.0	83.3	4	1105
MEAN NO DYS TMP = OR LES 32(F)	16.0	7.6	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	13.5	44.8	4	1105
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1105
MEAN DEW PT TMP (F)	34	39	46	51	60	68	68	69	64	50	43	33	52	4	25786
MEAN REL HUM (PCT)	74	74	71	69	71	69	65	69	73	69	71	76	71	4	25775
MEAN PRESS ALT (FT)	11	46	109	146	171	184	145	197	160	93	43	14	105	0	-50
MEAN PRECIP (IN)	1.46	3.90	6.02	5.02	5.23	2.41	1.84	2.23	2.56	4.35	4.30	5.18	44.5	4	1103
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				4	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.3	8.2	8.6	8.6	7.3	5.0	3.3	3.0	6.0	4.0	6.3	8.4	73.0	4	1103
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				4	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	4.0	3.9	0.7	0.3	0.3	0.0	0.7	1.0	1.0	0.5	2.0	5.4	19.1	4	1104
MEAN NO DYS TSTMS	0.7	3.6	7.7	7.3	8.6	5.4	3.3	5.6	4.7	2.5	4.5	1.8	55.7	4	1104
P FREQ WND SPD = OR GTR 17 KTS	4.4	6.1	4.5	4.0	2.5	1.4	0.4	0.3	0.7	0.3	2.2	3.3	2.5	4	26444
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	26444
P FREQ LES 5000 FT A/D LES 5 MI	43.9	47.8	40.8	26.8	27.1	18.8	13.1	16.8	25.1	22.6	36.5	56.2	31.3	4	26459
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	15.8	22.7	16.1	7.0	2.5	2.6	1.4	4.7	10.0	5.4	14.2	30.1	11.0	4	3309
03-05 LST	18.3	23.1	19.8	7.8	4.3	3.8	6.1	7.6	12.6	10.9	14.2	35.0	13.6	4	3304
06-08 LST	28.0	27.1	25.8	12.6	7.2	8.6	5.0	7.9	17.4	16.8	23.6	38.8	18.2	4	3308
09-11 LST	17.3	26.3	17.6	14.4	7.5	6.0	2.9	7.2	13.5	8.6	15.6	33.7	14.2	4	3307
12-14 LST	12.9	19.6	12.2	5.9	2.5	3.0	1.8	4.0	5.9	4.8	11.9	28.2	9.4	4	3310
15-17 LST	14.0	17.6	15.8	3.7	4.7	0.0	1.8	1.8	3.7	2.7	10.3	28.2	8.7	4	3311
18-20 LST	12.9	18.4	13.3	2.6	2.5	1.1	1.4	1.4	5.2	2.2	11.1	26.9	8.3	4	3308
21-23 LST	13.3	19.2	14.7	3.0	2.2	0.0	0.7	1.8	6.7	4.3	10.6	26.2	8.6	4	3305
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	5.4	7.1	0.7	1.1	1.1	0.0	0.0	0.0	0.7	2.2	3.9	8.1	2.5	4	3309
03-05 LST	7.2	5.5	0.7	1.1	2.2	0.4	0.7	1.1	1.5	0.5	3.9	11.0	3.0	4	3304
06-08 LST	4.3	5.1	4.3	0.4	1.8	0.4	0.0	1.4	1.5	0.5	4.7	10.7	2.9	4	3308
09-11 LST	1.4	2.7	1.4	0.0	0.0	0.0	0.0	0.4	0.0	1.1	3.1	4.5	1.2	4	3307
12-14 LST	1.4	2.4	0.7	0.0	0.0	0.0	0.0	0.4	0.5	0.6	3.2	0.8		4	3310
15-17 LST	1.1	3.1	2.2	0.0	0.0	0.0	0.4	0.4	0.0	0.0	0.8	3.8	1.2	4	3311
18-20 LST	1.8	4.3	1.8	0.0	0.7	0.0	0.4	0.0	0.0	0.0	1.7	6.2	1.4	4	3308
21-23 LST	3.2	4.7	0.0	0.0	1.1	0.0	0.0	0.0	0.4	1.1	2.5	5.2	1.5	4	3305

STUTTGART MUNICIPAL, ARKANSAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.0	23.7	27.0	29.6	30.3	30.0	30.7	31.0	29.0	30.5	28.5	24.7	343.0	4	1105
	00 LST	26.7	22.1	27.3	28.7	30.7	30.0	30.7	30.3	27.7	29.5	26.7	23.8	334.2	4	1106
	06 LST	25.3	21.7	23.0	27.7	29.6	29.0	29.6	28.0	25.7	26.0	24.0	22.8	312.4	4	1104
	12 LST	28.0	24.0	28.3	28.7	31.0	30.0	30.7	30.7	28.7	30.0	27.2	24.7	342.0	4	1104
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	21.6	16.5	18.3	20.0	23.0	23.3	24.0	27.3	26.3	27.5	23.4	16.2	267.4	4	1104
	00 LST	21.3	17.4	19.3	21.3	24.3	28.0	29.6	29.0	25.7	26.5	20.5	17.6	280.5	4	1106
	06 LST	18.7	17.1	14.7	19.7	24.3	23.9	26.7	25.6	22.3	21.5	18.2	13.8	246.5	4	1103
	12 LST	14.3	10.2	12.6	8.6	13.3	15.8	23.3	22.3	18.0	19.0	12.1	11.7	181.2	4	1103
SFC WND = GTR 17 KTS AND ND PRECIP.	18 LST	0.7	1.0	1.0	0.7	0.0	0.3	0.3	0.3	0.0	0.0	0.2	0.6	5.1	4	1078
	00 LST	0.7	1.0	1.4	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.2	0.7	4.6	4	1063
	06 LST	0.7	0.3	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	2.2	4	1070
	12 LST	3.0	3.1	2.1	1.4	1.7	0.7	0.0	0.3	0.0	0.0	1.3	1.6	15.2	4	1081
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND ND PRECIP.	18 LST	18.4	20.2	22.4	21.6	25.3	20.2	14.3	18.8	21.4	21.5	20.3	16.1	240.5	4	1078
	00 LST	15.0	16.6	21.2	22.1	17.5	22.0	22.9	20.6	19.4	20.6	18.5	15.3	231.7	4	1063
	06 LST	13.4	16.6	18.9	23.3	22.6	20.8	23.7	21.0	19.2	20.3	18.4	13.4	231.6	4	1070
	12 LST	17.0	14.2	15.3	12.1	15.7	9.4	8.0	11.0	18.0	19.6	14.7	17.2	172.2	4	1081
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.3	21.1	26.0	28.0	28.6	29.3	29.6	30.0	28.0	30.0	26.3	19.6	320.8	4	1105
	00 LST	24.6	19.4	25.0	27.7	29.0	29.3	30.7	29.6	26.6	28.0	24.8	20.0	314.7	4	1106
	06 LST	23.0	17.4	18.7	24.7	28.3	25.6	29.3	27.7	23.6	24.0	22.0	17.7	292.0	4	1104
	12 LST	25.6	19.4	23.7	24.3	25.6	26.9	28.6	28.0	25.7	28.0	23.5	17.7	297.0	4	1104
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	22.0	17.4	22.0	22.0	23.3	28.0	27.7	27.3	24.7	25.0	22.0	15.9	277.3	4	1105
	00 LST	21.3	16.1	20.0	23.0	25.3	28.3	29.6	29.0	24.7	25.5	20.3	16.4	279.5	4	1106
	06 LST	21.0	15.5	15.7	19.7	23.7	24.2	28.3	26.3	22.0	20.5	17.7	14.4	249.0	4	1104
	12 LST	20.6	15.1	18.7	19.3	15.7	19.9	22.0	23.3	19.7	23.0	18.8	14.4	230.5	4	1104
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	20.0	15.1	19.7	20.0	20.6	26.3	26.0	23.7	22.0	23.5	20.7	15.3	252.9	4	1105
	00 LST	20.0	14.1	18.3	20.6	24.0	26.3	28.6	27.7	24.0	23.0	18.0	15.2	259.8	4	1106
	06 LST	19.3	12.8	13.3	17.0	20.6	21.2	27.0	23.7	19.3	18.0	15.5	13.5	221.2	4	1104
	12 LST	18.3	12.8	16.6	17.6	13.3	19.2	20.3	20.6	18.0	21.5	17.0	12.9	208.1	4	1104

CROSSETT MUNICIPAL, ARKANSAS

STA NO. 73865 (IN AREA NUMBER 13)

LATITUDE 3310N

LONGITUDE 09152W

ELEVATION(FT) 00181

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	87	88	92	93	98	108	113	108	105	98	88	82	113	36	-113
MEAN MAX TMP (F)	58	61	69	77	84	91	94	94	88	80	67	59	77	36	-113
MEAN MIN TMP (F)	34	37	42	51	59	67	70	70	63	51	40	36	52	36	-113
ABS MIN TMP (F)	-3	-9	12	24	37	43	49	50	33	23	12	7	-9	36	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.3	0.3	6.0	20.0	27.0	26.0	16.0	4.0	0.0	0.0	99.6	10	-113
MEAN NO DYS TMP = OR LES 32(F)	15.0	11.0	8.0	1.0	0.0	0.0	0.0	0.0	0.0	2.0	10.0	14.0	61.0	10	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	13	-73869
MEAN DEW PT TMP (F)	41	42	46	55	63	71	72	71	64	54	44	40	55	13	-73869
MEAN REL HUM (PCT)	77	73	69	71	74	73	74	71	71	71	71	75	73	13	-73869
MEAN PRESS ALT (FT)	-30	2	72	110	135	146	111	118	90	47	-0	-28	64	0	-50
MEAN PRECIP (IN)	5.79	4.18	5.34	5.13	4.43	3.93	4.81	3.47	2.76	3.28	4.28	5.12	52.5	47	-113
MEAN SNOW FALL (IN)	1.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	2.3	43	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.4	7.7	7.3	7.2	7.0	6.7	7.6	6.2	4.7	5.4	6.7	8.7	84.6	47	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	43	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.6	2.7	1.1	1.2	0.7	0.5	1.0	0.3	0.7	1.8	2.3	2.1	17.0	13	-73869
MEAN NO DYS TSYS	2.8	3.6	3.5	6.0	8.5	6.6	10.4	7.5	3.6	1.3	2.7	2.7	61.2	13	-73869
P FREQ WND SPD = OR GTR 17 KTS	2.9	3.0	3.0	3.5	1.1	0.5	0.6	0.3	1.3	0.9	1.6	2.2	1.9	13	-73869
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	13	-73869
P FREQ LES 5000 FT A/D LES 5 MI	45.5	36.5	31.0	27.3	22.3	15.9	15.7	9.9	17.0	20.7	30.2	39.0	25.9	13	-73869
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.1	18.0	10.1	10.2	5.5	3.9	5.2	2.5	7.0	7.7	15.2	19.4	10.6	13	-73869
03-05 LST	28.0	21.8	15.0	16.4	11.9	10.4	11.5	6.9	10.4	16.0	21.0	23.2	16.0	13	-73869
06-08 LST	33.6	27.4	20.5	21.4	17.3	15.0	15.5	9.7	15.2	23.8	24.4	27.8	21.1	13	-73869
09-11 LST	33.1	25.8	18.7	14.0	9.2	5.4	6.6	4.4	10.4	12.2	19.1	25.6	15.4	13	-73869
12-14 LST	23.1	19.7	11.0	6.8	3.6	0.8	1.7	1.2	4.4	4.8	10.3	17.2	8.7	13	-73869
15-17 LST	20.5	14.5	7.9	5.2	3.4	1.4	1.3	0.9	3.4	3.2	9.5	13.5	7.1	13	-73869
18-20 LST	17.9	12.9	6.5	4.6	3.3	1.0	1.3	0.6	2.8	3.3	9.7	12.6	6.4	13	-73869
21-23 LST	18.8	15.8	7.1	6.0	4.2	1.9	2.2	1.2	3.8	4.9	11.8	15.2	7.7	13	-73869
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.9	4.1	1.7	1.8	0.3	0.5	0.9	0.7	1.6	2.1	3.6	3.0	2.0	13	-73869
03-05 LST	5.6	6.9	2.5	2.2	1.8	1.7	1.8	1.2	2.5	4.6	4.5	4.9	3.4	13	-73869
06-08 LST	6.4	5.5	2.0	1.5	1.0	0.7	0.8	0.8	2.0	6.9	4.8	6.3	3.2	13	-73869
09-11 LST	2.5	1.8	0.5	0.2	0.3	0.2	0.3	0.1	0.1	0.6	0.9	1.5	0.8	13	-73869
12-14 LST	1.6	1.1	0.3	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.3	0.4	0.3	13	-73869
15-17 LST	1.7	0.8	0.2	0.3	0.1	0.1	0.2	0.0	0.2	0.0	0.5	1.2	0.4	13	-73869
18-20 LST	2.1	1.3	0.4	0.1	0.2	0.0	0.1	0.1	0.4	0.1	1.2	0.8	0.6	13	-73869
21-23 LST	3.5	2.5	0.8	0.6	0.1	0.2	0.2	0.2	0.3	0.7	2.5	1.6	1.1	13	-73869

CROSSETT MUNICIPAL, ARKANSAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.8	24.8	29.4	28.9	30.3	29.8	30.5	30.8	29.4	30.3	27.6	28.3	346.9	13	-73869
	00 LST	26.1	24.1	29.1	28.4	30.0	29.4	30.0	30.5	28.8	29.3	26.6	27.2	339.5	13	-73869
	06 LST	23.3	22.8	27.2	25.2	27.3	26.6	27.0	28.4	26.2	23.7	23.6	25.1	376.4	13	-73869
	12 LST	25.4	23.4	28.8	28.9	30.3	29.9	30.9	30.8	29.3	30.0	27.7	27.3	342.7	13	-73869
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.3	18.8	19.6	21.9	25.7	25.6	27.3	26.9	25.7	28.1	23.9	22.2	286.0	13	-73869
	00 LST	18.0	17.4	20.1	22.1	26.8	28.4	29.2	29.5	25.9	26.5	22.1	20.5	286.5	13	-73869
	06 LST	15.1	16.1	18.1	17.7	21.7	24.6	25.3	27.6	23.9	20.6	18.9	17.5	247.1	13	-73869
	12 LST	10.4	11.1	11.8	12.0	17.1	20.1	23.7	24.0	17.9	19.9	15.2	14.9	198.1	13	-73869
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	0.3	1.0	0.5	0.1	0.3	0.2	0.0	0.3	0.1	0.0	0.7	4.2	13	-73869
	00 LST	0.8	0.4	0.8	0.2	0.1	0.0	0.1	0.1	0.3	0.2	0.3	0.3	3.8	13	-73869
	06 LST	1.1	0.5	0.6	0.3	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.3	3.0	13	-73869
	12 LST	1.4	1.5	2.4	2.3	0.6	0.1	0.2	0.1	1.2	0.5	0.0	1.4	12.5	13	-73869
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	20.4	18.9	20.6	21.2	23.3	15.1	14.7	15.5	20.6	16.5	17.1	18.4	222.3	13	-73869
	00 LST	17.2	14.6	19.1	18.0	17.1	16.2	15.6	14.5	15.3	11.8	15.5	15.3	190.2	13	-73869
	06 LST	16.1	15.2	18.1	18.0	19.6	17.2	16.2	14.3	15.3	10.4	15.0	15.4	190.8	13	-73869
	12 LST	16.7	15.8	17.7	16.5	20.1	10.3	7.4	6.3	13.9	18.4	17.8	20.2	181.1	13	-73869
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.5	9.9	9.8	10.1	12.2	13.5	8.3	9.9	13.4	17.8	14.6	11.1	139.1	10	-73869
	00 LST	9.3	12.1	13.2	14.4	16.4	21.1	20.2	21.1	20.1	19.9	14.8	13.3	195.9	10	-73869
	06 LST	6.1	9.4	7.8	9.2	8.6	14.1	11.2	14.9	14.0	13.6	11.1	10.1	130.1	10	-73869
	12 LST	5.8	8.3	7.8	8.6	6.8	5.2	4.1	7.1	11.6	13.5	11.8	9.2	99.8	10	-73869
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.2	22.8	27.8	27.4	29.6	29.5	30.0	30.3	28.5	29.4	26.3	25.3	331.1	13	-73869
	00 LST	21.5	21.0	26.1	25.8	28.8	28.7	29.5	30.3	27.5	27.9	24.7	22.7	314.5	13	-73869
	06 LST	18.4	18.1	22.1	20.8	23.4	25.3	26.3	27.7	24.9	21.7	21.1	20.6	270.4	13	-73869
	12 LST	19.8	19.5	23.2	24.6	27.2	28.4	29.4	29.9	26.9	27.4	25.2	22.1	303.6	13	-73869
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.3	20.1	23.3	24.8	27.3	28.8	28.8	28.8	26.3	27.8	23.0	20.9	299.2	13	-73869
	00 LST	17.5	18.0	22.4	22.5	26.7	27.9	28.9	29.5	26.3	26.6	22.3	20.6	289.2	13	-73869
	06 LST	14.5	15.3	17.7	19.1	21.5	24.5	25.5	27.1	23.5	20.6	18.7	16.8	244.8	13	-73869
	12 LST	15.6	16.0	19.8	19.5	20.2	21.2	22.5	25.5	22.9	24.4	20.9	18.4	246.9	13	-73869
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.5	17.4	21.2	22.4	25.5	27.7	27.2	27.9	24.6	26.6	21.7	19.2	278.9	13	-73869
	00 LST	15.3	16.2	20.2	21.2	24.9	27.5	28.2	29.2	25.4	25.5	21.2	18.8	273.6	13	-73869
	06 LST	12.8	14.7	16.1	17.3	19.8	23.8	24.1	26.4	22.4	19.8	16.8	15.2	229.2	13	-73869
	12 LST	13.7	15.0	18.1	17.6	19.1	20.9	21.7	24.5	22.4	23.7	19.1	16.6	232.4	13	-73869

HOPE MUNICIPAL, ARKANSAS

STA NO. 73070 (IN AREA NUMBER 13)

LATITUDE 3343N

LONGITUDE 09339W

ELEVATION(FT) 00359

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	88	85	95	97	98	110	115	115	108	101	89	83	115	78	-613
MEAN MAX TMP (F)	55	58	67	75	82	90	93	94	89	79	55	57	75	53	-113
MEAN MIN TMP (F)	34	36	43	51	60	68	70	70	63	52	41	35	52	53	-113
ABS MIN TMP (F)	-8	-10	9	27	38	45	53	47	34	25	15	8	-10	77	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.1	2.9	19.6	24.6	23.3	13.7	1.6	0.0	0.0	85.8	12	3834
MEAN NO DYS TMP = DR LES 32(F)	10.9	7.2	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4.4	9.4	35.8	12	3835
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	3835
MEAN DEW PT TMP (F)	39	40	42	49	62	68	70	69	61	53	39	37	52	10	59497
MEAN REL HUM (PCT)	74	71	64	65	70	70	71	69	67	67	64	68	68	10	59443
MEAN PRESS ALT (FT)	152	184	255	295	322	332	291	300	281	234	179	154	248	0	-50
MEAN PRECIP (IN)	5.01	4.15	5.05	5.38	5.19	3.78	4.24	3.33	3.11	3.31	4.48	4.43	51.5	88	-113
MEAN SNOW FALL (IN)	1.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	9	2947
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.6	7.6	7.2	7.3	7.2	6.5	7.0	6.0	5.1	5.4	6.9	8.0	82.8	88	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	9	2947
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.9	2.8	2.3	0.8	0.7	0.3	0.8	0.3	0.7	1.4	0.8	2.4	17.2	11	2619
MEAN NO DYS TSTMS	2.5	3.8	5.4	6.8	8.2	6.4	9.4	7.4	5.0	3.5	2.8	1.8	63.0	10	3314
P FREQ WND SPD = DR GTR 17 KTS	7.4	7.8	9.6	6.1	2.3	1.1	0.9	0.7	1.0	1.5	4.0	5.5	4.0	11	62676
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.2	0.3	0.2	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	11	62676
P FREQ LES 5000 FT A/D LES 5 MI	44.7	35.5	28.4	25.6	19.2	12.9	12.2	9.0	14.4	17.5	20.5	33.3	22.8	11	62668
FOR 00-02 LST	28.2	18.4	10.3	8.3	8.1	3.5	4.3	1.9	8.0	8.6	8.9	15.9	10.2	10	7817
03-05 LST	32.7	24.7	17.3	15.6	12.3	8.3	10.8	6.3	13.0	15.9	12.6	21.8	15.9	11	7842
06-08 LST	38.2	28.1	21.2	17.5	15.8	13.2	12.4	9.0	12.5	17.9	14.8	21.7	18.5	11	9447
09-11 LST	36.4	29.7	13.7	12.4	11.4	4.0	6.2	4.7	8.5	14.3	12.0	19.5	14.1	11	9540
12-14 LST	28.2	15.8	9.1	5.9	6.3	1.3	2.7	1.4	4.2	6.2	5.5	12.7	8.3	11	9542
15-17 LST	21.7	10.5	6.8	4.4	5.5	0.7	2.4	2.1	2.5	4.8	5.4	11.8	6.6	11	9169
18-20 LST	23.7	11.7	7.1	3.7	4.2	0.7	1.3	0.9	1.7	3.9	3.8	12.2	6.4	11	8941
21-23 LST	21.9	10.5	7.3	5.9	5.6	1.5	1.2	1.8	2.7	6.5	7.3	13.6	7.2	10	8201
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	10.3	5.4	3.2	1.0	2.0	0.2	0.0	0.0	1.4	1.7	2.2	4.9	2.7	10	7817
03-05 LST	10.6	7.8	5.4	2.7	3.4	0.3	2.0	0.6	3.5	3.5	3.5	5.8	4.1	11	7842
06-08 LST	10.6	6.0	4.5	2.3	2.2	1.1	2.3	1.1	3.1	3.6	2.2	6.6	3.8	11	9447
09-11 LST	7.2	2.7	0.6	0.1	0.4	0.1	0.4	0.1	0.4	0.7	1.5	3.4	1.5	11	9540
12-14 LST	4.8	1.9	0.7	0.0	0.0	0.1	0.0	0.1	0.1	0.1	0.3	1.6	0.8	11	9542
15-17 LST	2.9	1.3	0.7	0.3	0.4	0.0	0.1	0.3	0.1	0.1	0.6	1.4	0.7	11	9169
18-20 LST	5.8	2.5	0.8	0.4	0.3	0.1	0.3	0.0	0.0	0.0	1.5	2.4	1.2	11	8941
21-23 LST	6.5	2.3	1.6	1.2	0.6	0.0	0.0	0.0	0.5	1.0	1.8	3.6	1.6	10	8201

HOPE MUNICIPAL, ARKANSAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	25.3	25.3	29.5	29.3	29.9	29.9	30.5	30.9	29.6	30.1	28.6	27.7	346.6	11	3039
	00 LST	24.8	24.6	28.8	28.6	29.1	29.4	30.1	30.8	28.6	29.0	28.0	28.2	340.0	10	2619
	06 LST	21.5	22.0	25.6	26.0	27.4	26.8	27.9	28.4	26.6	26.4	27.0	25.8	311.4	11	3191
	12 LST	23.5	24.5	29.3	29.1	29.4	29.8	30.4	30.6	29.3	29.5	28.5	27.4	341.3	11	3191
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	17.4	17.5	18.9	20.1	24.7	24.9	25.1	26.8	27.0	27.6	23.3	20.3	273.6	11	3039
	00 LST	12.9	16.2	16.4	20.1	22.1	25.3	25.9	27.3	24.6	24.8	19.4	17.4	252.4	10	2619
	06 LST	11.0	13.1	15.3	16.6	21.1	21.4	23.1	26.1	23.5	22.9	20.3	16.6	231.0	11	3190
	12 LST	8.2	8.9	10.1	11.2	14.8	16.7	21.1	20.2	18.7	17.8	13.0	11.5	172.2	11	3191
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.1	1.3	1.9	0.7	0.1	0.0	0.5	0.3	0.0	0.1	0.1	1.1	7.2	11	2960
	00 LST	1.8	2.7	2.0	1.3	0.3	0.0	0.1	0.3	0.1	0.4	1.0	1.3	11.3	10	2552
	06 LST	1.6	1.6	1.2	0.3	0.3	0.0	0.1	0.0	0.1	0.2	0.4	0.7	6.5	11	3077
	12 LST	4.5	3.6	4.9	3.3	1.5	0.9	0.3	0.3	0.5	0.7	1.9	3.4	25.8	11	3123
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	18.4	15.3	17.5	18.4	20.2	16.4	13.1	11.2	15.9	18.5	17.2	17.2	199.3	11	2947
	00 LST	14.2	13.7	17.5	18.8	21.4	20.3	21.5	21.6	22.4	22.4	16.2	17.1	227.1	10	2551
	06 LST	12.2	14.2	17.9	19.2	19.7	19.4	18.2	19.9	16.4	16.9	12.4	13.4	199.8	11	3044
	12 LST	13.8	11.8	13.2	13.7	15.8	14.3	9.5	11.6	14.2	17.5	13.6	15.7	164.7	11	3088
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	7.7	10.1	10.5	12.5	13.5	17.3	10.1	14.5	16.6	19.0	16.8	10.5	159.1	7	2100
	00 LST	10.6	11.1	14.2	16.6	15.2	21.4	17.6	22.0	18.1	20.0	18.0	14.2	199.0	6	1736
	06 LST	8.8	11.4	8.0	9.7	9.8	12.8	10.7	15.8	14.4	15.6	14.8	12.5	144.3	7	2100
	12 LST	6.5	9.4	8.5	8.6	7.7	9.5	5.3	8.8	11.8	15.4	14.0	9.1	114.6	7	2100
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	21.6	23.4	27.7	28.9	28.9	29.5	30.2	30.2	29.1	29.1	28.1	25.5	332.2	11	3039
	00 LST	21.5	22.2	26.8	26.7	27.8	29.3	29.7	30.4	28.0	28.3	26.3	24.7	321.7	10	2619
	06 LST	16.4	18.1	20.6	21.8	24.6	25.4	26.5	27.3	25.5	25.4	24.0	22.0	277.6	11	3191
	12 LST	18.5	20.8	25.6	26.0	27.5	28.6	29.0	29.7	27.6	27.3	26.5	24.2	311.3	11	3191
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.5	20.2	25.4	24.8	28.1	28.7	28.9	28.7	28.0	27.5	25.9	21.9	306.6	11	3039
	00 LST	17.8	19.5	24.0	23.9	26.1	28.3	28.6	29.4	26.7	27.0	23.7	20.9	295.9	10	2619
	06 LST	14.6	16.1	17.5	19.0	22.2	23.4	25.3	26.3	23.5	23.4	20.9	19.0	251.2	11	3191
	12 LST	14.9	16.8	20.4	19.7	21.9	23.0	24.6	26.3	23.6	25.1	23.3	20.6	260.2	11	3191
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.3	19.0	23.4	23.3	27.2	27.9	28.0	28.0	27.2	26.8	24.2	19.4	291.7	11	3039
	00 LST	16.3	17.0	22.7	22.1	25.3	27.4	27.4	29.0	26.2	25.7	22.7	19.9	281.7	10	2619
	06 LST	13.7	15.3	16.2	17.1	20.5	22.9	24.5	25.0	22.8	22.1	20.0	18.0	238.1	11	3191
	12 LST	14.5	15.6	18.3	18.3	21.4	22.4	23.2	25.4	22.8	24.3	22.3	19.4	247.9	11	3191

HOT SPRINGS/MEMORIAL, ARKANSAS

STA NO. 73890 (IN AREA NUMBER 13)

LATITUDE 3429N

LONGITUDE 09305W

ELEVATION(FT) 00525

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	81	85	93	94	103	112	111	115	109	99	89	81	115	64	-113
MEAN MAX TMP (F)	54	58	66	75	82	90	94	94	88	78	64	55	75	61	-113
MEAN MIN TMP (F)	33	36	42	51	59	67	71	70	64	52	41	35	52	61	-113
ABS MIN TMP (F)	-9	-12	7	26	31	45	51	43	35	24	14	0	-12	63	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	5.0	18.0	25.0	27.0	15.0	2.0	0.0	0.0	92.3	9	-113
MEAN NO DYS TMP = OR LES 32(F)	15.0	9.0	6.0	0.3	0.0	0.0	0.0	0.0	0.0	0.3	7.0	12.0	49.6	6	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	-72340
MEAN DEW PT TMP (F)	33	35	38	48	59	67	70	69	61	51	38	33	50	12	-72340
MEAN REL HUM (PCT)	72	69	64	63	69	69	71	70	68	68	66	70	68	12	-72340
MEAN PRESS ALT (FT)	326	360	427	465	491	503	461	472	458	410	355	329	421	0	-50
MEAN PRECIP (IN)	5.05	4.11	5.06	5.99	6.04	4.47	4.21	3.52	3.62	3.36	4.33	4.53	54.3	69	-113
MEAN SNOW FALL (IN)	1.6	0.9	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.9	3.9	44	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.7	7.6	7.2	7.5	7.5	7.3	7.0	6.2	5.8	5.5	6.7	8.1	85.1	69	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.4	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.9	44	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.5	2.0	1.1	0.7	1.2	0.2	0.6	0.3	1.1	2.1	1.3	1.8	14.9	12	-72340
MEAN NO DYS TSYMS	2.0	2.0	5.0	7.0	7.0	9.0	9.0	8.0	4.0	2.0	1.0	2.0	58.0	19	-72340
P FREQ WND SPD = OR GTR 17 KTS	3.1	3.3	5.2	4.1	1.9	0.8	0.4	0.5	0.6	1.0	2.6	2.6	2.2	12	-72340
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72340
P FREQ LES 5000 FT A/D LES 5 MI	41.4	34.9	32.0	24.4	21.3	15.2	14.7	11.6	17.1	19.7	23.6	33.2	24.3	12	-72340
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	19.7	17.3	11.2	6.6	8.6	3.8	4.1	2.9	5.3	7.3	9.1	13.7	9.1	12	-72340
03-05 LST	22.9	18.2	14.5	9.7	11.1	7.3	10.0	4.3	11.8	10.8	11.6	16.3	12.4	12	-72340
06-08 LST	27.4	22.4	17.7	13.1	16.1	8.7	12.5	8.7	17.4	15.1	15.2	20.7	16.3	12	-72340
09-11 LST	26.5	23.0	15.8	9.4	10.3	5.1	6.7	4.3	9.4	10.8	12.9	17.9	12.7	12	-72340
12-14 LST	20.4	17.5	10.0	4.2	4.7	2.6	1.9	1.6	4.0	6.6	8.2	15.1	8.1	12	-72340
15-17 LST	18.2	15.0	8.6	3.9	3.3	2.3	0.4	0.6	3.2	4.1	5.8	13.7	6.6	12	-72340
18-20 LST	18.2	13.3	8.6	3.8	3.9	1.5	1.3	0.7	2.5	3.1	5.7	11.5	6.2	12	-72340
21-23 LST	17.4	14.2	9.0	4.3	4.4	1.9	2.2	1.1	3.1	5.1	7.2	12.2	6.8	12	-72340
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.3	3.4	1.3	1.0	1.7	0.0	0.1	0.3	0.8	1.7	1.4	3.9	1.7	12	-72340
03-05 LST	4.3	5.0	2.9	1.7	2.6	0.6	1.5	0.6	3.0	3.7	1.9	5.6	2.8	12	-72340
06-08 LST	5.8	5.1	2.9	1.3	1.4	0.3	0.7	0.4	2.8	4.4	3.1	5.3	2.8	12	-72340
09-11 LST	3.8	1.7	1.4	0.1	0.0	0.1	0.0	0.0	0.0	1.2	2.8	2.5	1.1	12	-72340
12-14 LST	2.5	1.2	0.4	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.6	1.5	0.5	12	-72340
15-17 LST	2.5	1.5	0.4	0.0	0.0	0.1	0.1	0.0	0.2	0.3	0.3	1.2	0.6	12	-72340
18-20 LST	2.2	1.8	0.4	0.1	0.4	0.1	0.1	0.0	0.2	0.4	0.5	1.9	0.7	12	-72340
21-23 LST	3.0	2.5	0.7	0.3	0.9	0.0	0.0	0.1	0.5	0.8	0.7	3.0	1.0	12	-72340

HOT SPRINGS/MEMORIAL, ARKANSAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO, QBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.1	24.8	29.1	29.3	30.2	29.8	30.8	31.0	29.3	30.5	28.9	28.2	349.0	12	-72340
	00 LST	26.5	24.3	28.3	28.7	29.3	29.3	30.3	30.4	29.2	29.4	28.1	27.8	341.6	12	-72340
	06 LST	25.1	23.9	27.2	27.5	28.1	28.0	27.8	29.1	25.5	27.2	27.3	26.6	323.3	12	-72340
	12 LST	26.1	24.0	28.6	29.1	30.2	29.6	30.8	30.7	29.5	29.6	28.0	27.6	343.8	12	-72340
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	18.5	17.1	15.6	17.4	22.9	21.7	23.5	23.3	26.1	26.7	23.0	21.5	259.3	12	-72340
	00 LST	17.9	17.0	20.1	20.6	24.1	26.6	28.1	28.6	26.9	25.2	22.2	20.9	278.2	12	-72340
	06 LST	16.1	16.2	18.2	19.4	22.7	24.4	25.1	27.1	21.8	24.0	21.6	19.6	256.2	12	-72340
	12 LST	10.9	9.6	9.8	10.1	14.1	15.2	19.4	19.2	16.8	16.2	13.3	13.4	168.0	12	-72340
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	0.8	1.3	0.8	0.0	0.1	0.0	0.0	0.1	0.2	0.4	0.3	4.7	12	-72340
	00 LST	1.0	0.4	0.8	0.4	0.1	0.0	0.0	0.0	0.0	0.3	0.5	0.4	3.9	12	-72340
	06 LST	0.2	0.5	0.5	0.2	0.3	0.0	0.1	0.1	0.2	0.0	0.3	0.2	2.6	12	-72340
	12 LST	1.9	2.5	3.0	2.6	1.3	0.4	0.2	0.3	0.6	0.6	1.7	2.1	17.2	12	-72340
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	20.1	20.3	20.7	20.8	24.6	17.9	15.9	16.7	24.2	23.6	21.0	20.6	246.4	12	-72340
	00 LST	13.9	15.7	20.2	19.5	18.9	18.2	20.6	17.7	17.4	18.0	16.8	15.1	212.0	12	-72340
	06 LST	12.6	13.3	18.0	20.4	19.5	19.5	18.8	18.6	19.7	18.6	16.7	13.4	209.1	12	-72340
	12 LST	15.6	14.0	15.2	15.0	19.6	13.5	13.3	13.4	17.6	18.9	17.4	17.2	190.7	12	-72340
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.0	9.1	10.4	10.0	10.2	11.7	9.7	12.6	14.5	16.6	13.7	11.8	139.3	12	-72340
	00 LST	12.0	11.6	13.7	12.7	13.6	17.4	16.3	19.4	19.3	18.7	15.4	13.7	183.8	12	-72340
	06 LST	10.1	9.1	10.1	10.1	9.2	12.0	9.1	13.0	13.1	14.6	12.9	12.9	136.2	12	-72340
	12 LST	7.2	8.0	8.7	9.1	7.7	6.3	5.2	7.8	12.2	14.0	12.0	9.6	107.8	12	-72340
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.4	22.9	27.1	28.1	29.7	29.3	30.4	30.8	28.6	29.6	27.9	26.0	333.8	12	-72340
	00 LST	22.8	22.5	26.7	27.4	28.3	28.7	29.6	29.8	28.3	28.3	26.4	25.0	323.8	12	-72340
	06 LST	18.9	19.8	22.7	24.2	25.1	26.4	26.6	27.7	23.8	25.6	24.5	22.5	287.8	12	-72340
	12 LST	20.4	19.7	24.4	26.8	27.3	27.9	28.8	29.4	27.2	26.8	25.3	23.6	307.6	12	-72340
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.9	19.2	22.7	24.8	27.0	27.7	27.9	29.1	26.5	27.1	24.1	20.6	295.6	12	-72340
	00 LST	18.7	19.2	22.5	23.3	25.9	27.4	28.6	28.1	27.1	26.8	23.0	21.0	291.3	12	-72340
	06 LST	16.2	16.8	18.7	20.4	22.4	25.3	25.2	26.7	22.6	23.3	21.6	19.4	258.8	12	-72340
	12 LST	17.4	16.4	18.6	19.9	20.1	21.3	22.2	24.0	22.9	23.7	20.8	19.6	246.9	12	-72340
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.9	17.5	20.6	21.8	25.7	26.8	27.1	28.2	25.2	26.0	22.5	19.4	278.7	12	-72340
	00 LST	17.7	17.2	20.0	20.9	23.9	25.9	27.7	27.2	25.2	25.2	20.9	18.8	270.6	12	-72340
	06 LST	14.9	14.8	16.9	18.3	20.3	24.4	24.1	25.3	21.0	21.8	19.0	17.7	238.5	12	-72340
	12 LST	16.2	15.0	16.6	17.8	19.0	20.3	21.1	22.9	21.8	23.3	19.9	18.0	231.9	12	-72340

SEARCY MUNICIPAL, ARKANSAS

STA NO. 73891 (IN AREA NUMBER 13)

LATITUDE 3513N

LONGITUDE 09144W

ELEVATION(FT) 00262

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PUR (YRS)	NO. DBS
ABS MAX TMP (F)	87	86	91	95	99	109	112	115	111	96	87	81	115	45	-113
MEAN MAX TMP (F)	51	56	64	74	81	89	93	93	87	77	63	54	74	46	-113
MEAN MIN TMP (F)	31	34	40	50	58	66	69	69	62	50	39	33	50	46	-113
ABS MIN TMP (F)	-20	-10	9	25	29	47	51	50	34	22	13	-14	-20	43	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	4.0	18.0	25.0	26.0	14.0	2.0	0.0	0.0	89.3	10	-113
MEAN NO DYS TMP = DR LES 32(F)	19.0	13.0	9.0	1.0	0.0	0.0	0.0	0.0	0.0	2.0	12.0	16.0	72.0	10	-113
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	-72340
MEAN DEW PT TMP (F)	33	35	38	48	39	67	70	69	61	51	38	33	50	12	-72340
MEAN REL HUM (PCT)	72	69	64	63	69	69	71	70	68	68	66	70	68	12	-72340
MEAN PRESS ALT (FT)	61	78	158	196	222	232	202	203	196	121	93	64	149	0	-50
MEAN PRECIP (IN)	4.99	4.01	4.90	4.97	5.02	3.96	3.22	3.63	2.92	3.27	4.43	4.41	49.7	48	-113
MEAN SNOW FALL (IN)	2.0	1.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.7	4.7	41	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.6	7.5	7.2	7.2	7.2	6.7	5.9	6.4	4.9	5.3	6.9	7.9	81.7	48	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.4	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.9	41	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.5	2.0	1.1	0.7	1.2	0.2	0.6	0.3	1.1	2.1	1.3	1.8	14.9	12	-72340
MEAN NO DYS TSTMS	2.0	2.0	3.0	7.0	7.0	9.0	9.0	8.0	4.0	2.0	1.0	2.0	58.0	19	-72340
P FREQ WND SPD = DR GTR 17 KTS	3.1	3.3	3.2	4.1	1.9	0.8	0.4	0.5	0.6	1.0	2.6	2.6	2.2	12	-72340
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72340
P FREQ LES 5000 FT A/D LES 5 MI	41.4	34.9	32.0	24.4	21.3	15.2	14.7	11.6	17.1	19.7	25.6	33.2	24.3	12	-72340
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	19.7	17.3	11.2	6.6	8.6	3.8	4.1	2.9	3.3	7.3	9.1	13.7	9.1	12	-72340
03-05 LST	22.9	18.2	14.5	9.7	11.1	7.3	10.0	4.3	11.8	10.8	11.6	16.3	12.4	12	-72340
06-08 LST	27.4	22.4	17.7	13.1	16.1	8.7	12.5	8.7	17.4	15.1	13.2	20.7	16.3	12	-72340
09-11 LST	26.5	23.0	15.8	9.4	10.3	5.1	6.7	4.3	9.4	10.8	12.9	17.9	12.7	12	-72340
12-14 LST	20.4	17.5	10.0	4.2	4.7	2.6	1.9	1.6	4.0	6.6	8.2	15.1	8.1	12	-72340
15-17 LST	18.2	15.0	8.6	3.9	3.3	2.3	0.4	0.6	3.2	4.1	5.8	13.7	6.6	12	-72340
18-20 LST	18.2	13.3	8.6	3.8	3.9	1.5	1.3	0.7	2.5	3.1	5.7	11.5	6.2	12	-72340
21-23 LST	17.4	14.2	9.0	4.3	4.4	1.9	2.2	1.1	3.1	5.1	7.2	12.2	6.8	12	-72340
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.3	3.4	1.3	1.0	1.7	0.0	0.1	0.3	0.8	1.7	1.4	3.9	1.7	12	-72340
03-05 LST	4.3	5.0	2.9	1.7	2.6	0.6	1.5	0.6	3.0	3.7	1.9	5.6	2.8	12	-72340
06-08 LST	5.8	5.1	2.9	1.3	1.4	0.3	0.7	0.4	2.8	4.4	3.1	5.3	2.8	12	-72340
09-11 LST	3.8	1.7	1.4	0.1	0.0	0.1	0.0	0.0	0.0	1.7	2.8	2.5	1.1	12	-72340
12-14 LST	2.5	1.2	0.4	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.6	1.5	0.9	12	-72340
15-17 LST	2.5	1.3	0.4	0.0	0.0	0.1	0.1	0.0	0.2	0.3	0.3	1.2	0.6	12	-72340
18-20 LST	2.2	1.8	0.4	0.1	0.4	0.1	0.1	0.0	0.2	0.4	0.5	1.9	0.7	12	-72340
21-23 LST	3.0	2.5	0.7	0.3	0.9	0.0	0.0	0.1	0.5	0.8	0.7	3.0	1.0	12	-72340

SEARCY MUNICIPAL, ARKANSAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.1	24.8	29.1	29.3	30.2	29.8	30.8	31.0	29.3	30.5	28.9	28.2	349.0	12	-72340
	00 LST	26.5	24.3	28.3	28.7	29.3	29.3	30.3	30.4	29.2	29.4	28.1	27.4	341.6	12	-72340
	06 LST	25.1	23.9	27.2	27.5	28.1	28.0	27.8	29.1	25.5	27.2	27.3	26.6	323.3	12	-72340
	12 LST	26.1	24.0	28.6	29.1	30.2	29.6	30.8	30.7	29.5	29.6	28.0	27.6	343.8	12	-72340
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	18.5	17.1	15.6	17.4	22.9	21.7	23.5	25.3	26.1	26.7	23.0	21.5	259.3	12	-72340
	00 LST	17.9	17.0	20.1	20.6	24.1	26.6	28.1	28.6	26.9	25.2	22.2	20.9	278.2	12	-72340
	06 LST	16.1	16.2	18.2	19.4	22.7	24.4	25.1	27.1	21.8	24.0	21.6	19.6	256.2	12	-72340
	12 LST	10.9	9.6	9.8	10.1	14.1	15.2	19.4	19.2	16.8	16.2	13.3	13.4	168.0	12	-72340
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	0.8	1.3	0.8	0.0	0.1	0.0	0.0	0.1	0.2	0.4	0.3	4.7	12	-72340
	00 LST	1.0	0.4	0.8	0.4	0.1	0.0	0.0	0.0	0.0	0.3	0.5	0.4	3.9	12	-72340
	06 LST	0.2	0.5	0.5	0.2	0.3	0.0	0.1	0.1	0.2	0.0	0.3	0.2	2.6	12	-72340
	12 LST	1.9	2.5	3.0	2.6	1.3	0.4	0.2	0.3	0.6	0.6	1.7	2.1	17.2	12	-72340
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	20.1	20.3	20.7	20.8	24.6	17.9	15.9	16.7	24.2	23.6	21.0	20.6	246.4	12	-72340
	00 LST	13.9	13.7	20.2	19.5	18.9	18.2	20.6	17.7	17.4	18.0	16.8	15.1	212.0	12	-72340
	06 LST	12.6	13.3	18.0	20.4	19.5	19.5	18.8	18.6	19.7	18.6	16.7	13.4	209.1	12	-72340
	12 LST	15.6	14.0	15.2	15.0	19.6	13.5	13.3	13.4	17.6	18.9	17.4	17.2	190.7	12	-72340
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.0	9.1	10.4	10.0	10.2	11.7	9.7	12.6	14.5	16.6	13.7	11.8	139.3	12	-72340
	00 LST	12.0	11.6	13.7	12.7	13.6	17.4	16.3	19.4	19.3	18.7	15.4	13.7	183.8	12	-72340
	06 LST	10.1	9.1	10.1	10.1	9.2	12.0	9.1	13.0	13.1	14.6	12.9	12.9	136.2	12	-72340
	12 LST	7.2	8.0	8.7	9.1	7.7	6.3	5.2	7.8	12.2	14.0	12.0	9.6	107.8	12	-72340
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.4	22.9	27.1	28.1	29.7	29.3	30.4	30.8	28.6	29.6	27.9	26.0	333.8	12	-72340
	00 LST	22.8	22.5	26.7	27.4	28.3	28.7	29.6	29.8	28.3	28.3	26.4	25.0	323.8	12	-72340
	06 LST	18.9	19.8	22.7	24.2	25.1	26.4	26.6	27.7	23.8	25.6	24.5	22.5	287.8	12	-72340
	12 LST	20.4	19.7	24.4	26.8	27.3	27.9	28.8	29.4	27.2	26.8	25.3	23.6	307.6	12	-72340
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.9	19.2	22.7	24.8	27.0	27.7	27.9	29.1	26.5	27.1	24.1	20.6	295.6	12	-72340
	00 LST	18.7	19.2	22.5	23.3	25.9	27.4	25.6	28.1	27.1	26.5	23.0	21.0	291.3	12	-72340
	06 LST	16.2	16.8	18.7	20.4	22.4	25.3	25.2	26.7	22.6	23.3	21.6	19.4	256.6	12	-72340
	12 LST	17.4	16.4	18.6	19.9	20.1	21.3	22.2	24.0	22.9	23.7	20.8	19.6	246.9	12	-72340
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.9	17.5	20.6	21.8	25.7	26.8	27.1	28.2	25.2	26.0	22.5	19.4	278.7	12	-72340
	00 LST	17.7	17.2	20.0	20.9	23.9	25.9	27.7	27.2	25.2	25.2	20.9	18.8	270.6	12	-72340
	06 LST	14.9	14.8	16.9	18.3	20.3	24.4	24.1	25.3	21.0	21.8	19.0	17.7	238.5	12	-72340
	12 LST	16.2	15.0	16.6	17.8	19.0	20.3	21.1	22.9	21.8	23.3	19.9	18.0	231.9	12	-72340

ALMYRA MUNICIPAL, ARKANSAS

STA NO. 75171 (IN AREA NUMBER 13)

LATITUDE 3424N

LONGITUDE 09127W

ELEVATION(FT) 00210

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POP (YRS)	NO. OBS
ABS MAX TMP (F)	82	83	86	90	96	104	106	107	104	99	87	81	107	12	-75172
MEAN MAX TMP (F)	54	57	62	74	83	90	93	93	86	76	64	55	74	12	-75172
MEAN MIN TMP (F)	35	37	41	51	61	68	71	69	62	50	38	34	51	12	-75172
ABS MIN TMP (F)	8	-1	20	33	41	49	58	53	40	28	18	5	-1	12	-75172
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	6.0	22.1	24.3	22.8	10.7	2.4	0.0	0.0	88.3	7	-75172
MEAN NO DYS TMP = DR LES 32(F)	10.8	6.8	4.3	0.0	0.0	0.0	0.0	0.0	0.0	1.6	9.1	16.6	49.2	7	-75172
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	7	-75172
MEAN DEW PT TMP (F)	40	40	42	50	61	70	72	69	62	51	39	36	53	7	-75172
MEAN REL HUM (PCT)	78	73	68	69	73	74	75	72	72	71	69	73	72	7	-75172
MEAN PRESS ALT (FT)	-2	32	96	132	157	170	131	143	124	78	28	0	91	6	-50
MEAN PRECIP (IN)	6.35	4.63	4.97	5.14	5.48	2.86	3.33	2.79	3.94	3.19	3.97	4.28	50.9	12	-75172
MEAN SNOW FALL (IN)	1.5	0.9	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	3.7	11	-75172
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.0	8.2	7.2	7.2	7.3	5.4	6.0	5.3	6.2	5.2	6.3	7.8	82.1	12	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	7	-75172
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	2.1	1.8	1.8	0.3	1.3	0.5	0.7	1.1	0.3	1.6	1.3	1.8	14.6	7	-75172
MEAN NO DYS TSTMS	4.0	2.8	3.8	6.8	6.3	6.8	10.0	7.5	4.5	3.0	3.3	3.4	64.2	7	-75172
P FREQ WND SPD = DR GTR 17 KTS	6.9	5.0	6.2	4.5	1.6	0.8	0.6	0.6	0.7	1.7	3.9	4.3	3.1	7	-75172
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-75172
P FREQ LES 5000 FT A/D LES 5 MI	49.8	31.3	26.1	24.1	19.9	12.5	12.6	7.9	17.0	19.7	22.7	30.6	22.9	7	-75172
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	23.8	15.0	7.9	8.2	8.2	1.7	4.8	2.3	5.7	8.9	7.6	13.7	9.0	7	-75172
03-05 LST	29.2	15.2	10.0	10.4	11.1	5.8	9.7	8.2	11.1	14.1	10.5	15.7	12.6	7	-75172
06-08 LST	37.3	24.3	17.7	18.3	15.8	9.5	11.8	7.7	15.2	21.5	17.6	16.8	17.8	7	-75172
09-11 LST	37.8	24.7	14.7	13.9	11.8	5.2	6.5	2.5	9.4	13.8	13.7	17.2	14.3	7	-75172
12-14 LST	33.9	18.9	8.6	5.2	6.1	1.9	1.8	0.9	5.7	8.1	7.0	13.6	9.3	7	-75172
15-17 LST	28.3	16.2	5.2	2.4	5.2	1.3	1.3	0.4	3.9	6.2	6.4	12.0	7.4	7	-75172
18-20 LST	22.9	11.2	5.2	1.7	4.3	1.5	1.1	0.0	2.8	4.6	6.7	8.5	5.9	7	-75172
21-23 LST	24.8	11.6	6.8	4.6	4.5	0.9	2.7	1.1	2.4	5.7	7.5	10.6	6.9	7	-75172
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.5	3.0	1.6	0.2	2.2	0.0	0.5	0.9	0.0	2.5	2.1	4.1	1.8	7	-75172
03-05 LST	5.0	4.5	2.2	1.3	3.1	0.4	1.6	2.3	1.5	3.8	2.1	4.2	2.7	7	-75172
06-08 LST	6.6	3.9	3.8	0.9	2.7	0.0	0.4	1.1	1.7	4.3	2.4	3.2	2.6	7	-75172
09-11 LST	4.1	1.4	0.5	0.2	0.4	0.0	0.2	0.0	0.2	0.8	0.6	1.7	0.8	7	-75172
12-14 LST	2.7	0.6	1.1	0.0	0.0	0.2	0.0	0.0	0.2	0.2	0.8	0.5	0.5	7	-75172
15-17 LST	1.6	0.6	0.4	0.2	0.0	0.0	0.2	0.2	0.0	0.0	0.6	0.9	0.4	7	-75172
18-20 LST	3.2	1.2	0.5	0.0	0.0	0.2	0.0	0.0	0.0	0.2	0.3	0.8	0.5	7	-75172
21-23 LST	5.2	1.6	0.9	0.0	0.2	0.0	0.2	0.2	0.6	1.5	0.5	1.4	1.0	7	-75172

ALMYRA MUNICIPAL, ARKANSAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.3	25.8	29.6	29.8	30.0	29.8	30.8	31.0	29.0	29.7	28.6	28.8	349.2	7	-75172
	00 LST	25.8	25.0	29.5	28.5	29.6	30.0	30.2	30.7	28.8	28.8	28.1	27.0	342.0	7	-75172
	06 LST	23.5	24.2	27.7	27.8	27.5	28.0	28.1	27.0	25.5	24.6	26.3	27.4	317.6	7	-75172
	12 LST	23.3	24.3	29.3	29.0	29.8	29.5	30.3	30.8	29.0	28.8	28.0	27.7	339.8	7	-75172
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	18.7	19.0	21.5	22.3	24.8	25.8	27.8	28.8	26.5	26.8	24.7	24.1	290.8	7	-75172
	00 LST	15.0	17.7	22.5	22.3	27.0	28.8	29.5	30.0	27.3	26.0	21.7	21.0	288.8	7	-75172
	06 LST	13.1	18.4	19.3	20.8	23.2	24.2	27.2	25.8	22.8	21.7	21.6	20.0	298.1	7	-75172
	12 LST	8.5	11.1	12.6	13.1	17.1	18.7	22.8	22.2	20.6	18.3	15.7	12.8	193.9	7	-75172
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.1	0.9	1.7	0.5	0.4	0.2	0.3	0.3	0.3	0.4	0.4	0.6	6.9	7	-75172
	00 LST	2.0	1.0	1.5	0.5	0.0	0.0	0.2	0.0	0.2	0.4	0.7	1.0	7.5	7	-75172
	06 LST	0.9	0.5	0.7	0.3	0.3	0.0	0.0	0.0	0.0	0.1	0.6	0.3	3.7	7	-75172
	12 LST	5.1	3.2	3.2	3.0	1.0	0.7	0.7	0.2	0.5	0.6	1.8	2.7	22.7	7	-75172
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	18.9	19.1	21.0	21.8	19.5	14.2	16.5	13.0	18.5	15.6	16.7	16.8	211.6	7	-75172
	00 LST	12.9	14.7	19.2	17.8	13.1	13.8	12.5	10.4	11.8	11.1	13.0	11.5	161.8	7	-75172
	06 LST	11.5	14.7	15.8	15.3	14.3	15.9	14.0	9.9	11.8	10.9	13.7	10.6	158.4	7	-75172
	12 LST	14.3	14.2	15.8	15.6	15.1	8.5	8.2	10.1	16.7	18.8	15.5	16.2	169.0	7	-75172
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	7.2	10.6	9.5	11.2	11.5	14.2	9.8	12.5	15.3	17.9	15.8	11.8	147.3	7	-75172
	00 LST	10.1	13.1	14.1	16.1	16.8	20.5	19.2	22.3	20.5	21.5	18.3	14.3	206.8	7	-75172
	06 LST	7.3	11.6	8.5	10.7	10.8	12.7	10.3	13.8	14.0	13.9	13.0	12.1	198.3	7	-75172
	12 LST	5.6	9.9	7.7	9.0	8.3	8.0	7.3	10.3	14.2	13.4	13.3	8.7	115.7	7	-75172
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	21.6	23.0	28.5	28.5	28.6	29.5	30.2	30.8	27.7	28.7	27.4	26.8	331.3	7	-75172
	00 LST	20.8	22.7	27.0	26.8	28.5	29.3	29.6	30.7	28.7	28.1	27.4	25.5	325.1	7	-75172
	06 LST	17.3	21.7	23.5	23.3	25.0	26.2	26.8	27.0	24.0	22.7	23.7	24.4	285.6	7	-75172
	12 LST	15.8	19.4	25.8	25.3	26.8	28.1	27.8	30.0	26.3	27.0	26.1	24.7	303.1	7	-75172
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	17.1	19.5	24.5	24.2	26.0	27.8	28.5	29.5	25.1	27.8	24.4	22.0	296.4	7	-75172
	00 LST	16.8	18.9	23.7	24.7	27.2	28.3	28.5	30.3	26.6	27.3	24.8	21.5	296.6	7	-75172
	06 LST	14.8	18.9	19.5	20.0	22.2	25.3	26.0	25.8	22.1	21.0	20.9	19.8	256.3	7	-75172
	12 LST	12.8	17.2	21.6	19.3	21.8	22.3	24.0	26.5	23.3	24.1	22.8	20.6	256.3	7	-75172
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	15.3	18.0	21.1	21.5	24.1	27.2	26.3	27.3	24.7	26.8	22.8	20.0	275.1	7	-75172
	00 LST	15.0	18.0	21.8	22.0	25.1	28.0	28.1	29.6	25.3	25.7	22.8	19.6	281.0	7	-75172
	06 LST	12.8	17.4	16.6	17.8	20.6	24.3	24.6	24.1	20.6	19.3	18.6	18.7	235.4	7	-75172
	12 LST	12.3	16.5	19.2	17.8	20.8	21.7	22.5	24.6	21.8	23.4	21.0	19.0	240.6	7	-75172

PINE BLUFF/GRIDER FIELD, ARKANSAS

STA NO. 75172 (IN AREA NUMBER 13)	LATITUDE 3410N LONGITUDE 09156W ELEVATION(FT) 00205												POR	NO.	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	DBS
ABS MAX TMP (F)	82	83	86	90	96	104	106	107	104	95	87	81	107	12	-613
MEAN MAX TMP (F)	54	57	62	74	83	90	93	93	86	76	64	55	74	12	-113
MEAN MIN TMP (F)	35	37	41	51	61	68	71	69	62	50	38	34	51	12	-613
ABS MIN TMP (F)	8	-1	20	33	41	49	58	53	40	28	18	5	-1	12	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	6.0	22.1	24.3	22.8	10.7	2.4	0.0	0.0	88.3	7	2283
MEAN NO DYS TMP = OR LES 32(F)	10.4	6.8	4.3	0.0	0.0	0.0	0.0	0.0	0.0	1.6	9.1	16.6	49.2	7	2283
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	7	2283
MEAN DEW PT TMP (F)	40	40	42	50	61	70	72	69	62	51	39	36	53	7	54784
MEAN REL HUM (PCT)	78	73	68	69	73	74	75	72	72	71	69	73	72	7	54783
MEAN PRESS ALT (F)	-6	27	93	130	155	168	129	140	120	74	24	-3	88	0	-50
MEAN PRECIP (IN)	6.35	4.63	4.97	5.14	5.48	2.86	3.33	2.79	3.94	3.19	3.97	4.28	50.9	12	-113
MEAN SNOW FALL (IN)	1.5	0.9	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	3.7	11	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.0	8.2	7.2	7.2	7.3	5.4	6.0	5.3	6.2	5.2	6.3	7.8	82.1	12	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	7	2283
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.1	1.8	1.8	0.3	1.3	0.5	0.7	1.1	0.3	1.6	1.7	1.8	14.6	7	2283
MEAN NO DYS TSTMS	4.0	2.8	5.8	6.8	6.3	6.8	10.0	7.5	4.5	3.0	3.3	3.4	64.2	7	2283
P FREQ WND SPD = OR GTR 17 KTS	6.9	5.0	6.2	4.5	1.6	0.8	0.6	0.6	0.7	1.7	3.9	4.3	3.1	7	54785
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	54785
P FREQ LES 5000 FT A/O LES 3 MI	49.8	31.5	26.1	24.1	19.9	12.5	12.6	7.9	17.0	19.7	22.7	30.6	22.9	7	54763
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	23.8	15.0	7.9	8.2	8.2	1.7	4.8	2.3	5.7	8.9	7.6	13.7	9.0	7	6845
03-05 LST	29.2	15.2	10.0	10.4	11.1	5.8	9.7	8.2	11.1	14.1	10.5	15.7	12.6	7	6845
06-08 LST	37.3	24.3	17.7	18.3	15.8	9.5	11.8	7.7	15.2	21.5	17.6	16.6	17.8	7	6846
09-11 LST	37.8	24.7	14.7	13.9	11.8	5.2	6.5	2.5	9.4	13.8	13.7	17.2	14.3	7	6848
12-14 LST	33.9	18.9	8.6	5.2	6.1	1.9	1.8	0.9	5.7	8.1	7.0	13.6	9.3	7	6846
15-17 LST	26.3	16.2	8.2	2.4	5.2	1.3	1.3	0.4	3.9	6.2	6.4	12.0	7.4	7	6844
18-20 LST	22.9	11.2	5.2	1.7	4.3	1.5	1.1	0.0	2.8	4.6	6.7	8.5	5.9	7	6846
21-23 LST	24.8	11.6	6.8	4.6	4.5	0.9	2.7	1.1	2.4	5.7	7.5	10.6	6.9	7	6843
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	4.5	3.0	1.6	0.2	2.2	0.0	0.5	0.9	0.0	2.5	2.1	4.1	1.8	7	6845
03-05 LST	5.0	4.5	2.2	1.3	3.1	0.4	1.6	2.3	1.5	3.8	2.1	4.2	2.7	7	6845
06-08 LST	6.6	3.9	3.8	0.9	2.7	0.0	0.4	1.1	1.7	4.3	2.4	3.2	2.6	7	6846
09-11 LST	4.1	1.4	0.5	0.2	0.4	0.0	0.2	0.0	0.2	0.8	0.6	1.7	0.8	7	6848
12-14 LST	2.7	0.6	1.1	0.0	0.0	0.2	0.0	0.0	0.2	0.2	0.8	0.5	0.5	7	6846
15-17 LST	1.6	0.6	0.4	0.2	0.0	0.0	0.2	0.2	0.0	0.0	0.6	0.9	0.4	7	6844
18-20 LST	3.2	1.2	0.5	0.0	0.0	0.2	0.0	0.0	0.0	0.2	0.3	0.8	0.5	7	6846
21-23 LST	5.2	1.6	0.9	0.0	0.2	0.0	0.2	0.2	0.6	1.5	0.5	1.4	1.0	7	6843

PINE BLUFF/GRIDER FIELD, ARKANSAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.3	25.8	29.6	29.8	30.0	29.8	30.8	31.0	29.0	29.7	28.6	28.8	349.2	7	2283
	00 LST	25.8	25.0	29.5	28.5	29.6	30.0	30.2	30.7	28.8	28.8	28.1	27.0	342.0	7	2283
	06 LST	23.5	24.2	27.7	27.8	27.5	28.0	28.1	27.0	25.5	24.6	26.3	27.4	317.6	7	2283
	12 LST	23.3	24.3	29.3	29.0	29.8	29.5	30.3	30.8	29.0	28.8	28.0	27.7	339.8	7	2283
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	18.7	19.0	21.5	22.3	24.8	25.8	27.8	28.8	26.5	26.8	24.7	24.1	290.8	7	2283
	00 LST	15.0	17.7	22.5	22.3	27.0	28.8	29.5	30.0	27.3	26.0	21.7	21.0	288.8	7	2283
	06 LST	13.1	18.4	19.3	20.8	23.2	24.2	27.2	25.8	22.8	21.7	21.6	20.0	258.1	7	2283
	12 LST	8.5	11.1	12.6	13.1	17.1	18.7	22.8	22.2	20.6	18.3	15.7	12.8	193.5	7	2283
SFC WND = GTR 17 KTS AND ND PRECIP.	18 LST	1.1	0.9	1.7	0.5	0.2	0.2	0.3	0.3	0.3	0.4	0.4	0.6	6.9	7	2232
	00 LST	2.0	1.0	1.5	0.5	0.0	0.0	0.2	0.0	0.2	0.4	0.7	1.0	7.5	7	2226
	06 LST	0.9	0.5	0.7	0.3	0.3	0.0	0.0	0.0	0.0	0.1	0.6	0.3	3.7	7	2225
	12 LST	5.1	3.2	3.2	3.0	1.0	0.7	0.7	0.2	0.5	0.6	1.8	2.7	22.7	7	2222
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND ND PRECIP.	18 LST	18.9	19.1	21.0	21.8	19.5	14.2	16.5	13.0	18.5	15.6	16.7	18.8	211.6	7	2232
	00 LST	12.9	14.7	19.2	17.8	13.1	13.8	12.5	10.4	11.8	11.1	13.0	11.5	161.8	7	2226
	06 LST	11.5	14.7	15.8	15.3	14.3	15.9	14.0	9.9	11.8	10.9	13.7	10.6	158.4	7	2225
	12 LST	14.3	14.2	15.8	15.6	15.1	8.5	8.2	10.1	16.7	18.8	15.5	16.2	169.0	7	2222
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	7.2	10.6	9.5	11.2	11.5	14.2	9.8	12.5	15.3	17.9	15.8	11.8	147.3	7	2283
	00 LST	10.1	13.1	14.1	16.1	16.8	20.5	19.2	22.3	20.5	21.5	18.3	14.3	206.8	7	2283
	06 LST	7.3	11.6	8.5	10.7	10.8	12.7	10.3	13.8	14.0	13.5	13.0	12.1	138.3	7	2283
	12 LST	5.6	9.9	7.7	9.0	8.3	8.0	7.3	10.3	14.2	13.4	13.3	8.7	115.7	7	2283
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	21.6	23.0	28.5	28.5	28.6	29.5	30.2	30.8	27.7	28.7	27.4	26.8	331.3	7	2283
	00 LST	20.8	22.7	27.0	26.8	28.5	29.3	29.6	30.7	28.7	28.1	27.4	25.5	325.1	7	2283
	06 LST	17.3	21.7	23.5	23.3	25.0	26.2	26.8	27.0	24.0	22.7	23.7	24.4	285.6	7	2283
	12 LST	15.8	19.4	25.8	25.3	26.8	28.1	27.8	30.0	26.3	27.0	26.1	24.7	303.1	7	2283
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	17.1	19.5	24.5	24.2	26.0	27.8	28.5	29.5	25.1	27.8	24.4	22.0	296.4	7	2283
	00 LST	16.8	18.9	23.7	24.7	27.2	28.3	28.5	30.3	26.6	27.3	24.8	21.5	298.6	7	2283
	06 LST	14.8	18.9	19.5	20.0	22.2	25.3	26.0	25.8	22.1	21.0	20.9	19.8	256.3	7	2283
	12 LST	12.8	17.2	21.6	19.3	21.8	22.3	24.0	26.5	23.3	24.1	22.8	20.6	256.3	7	2283
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	15.3	18.0	21.1	21.5	24.1	27.2	26.3	27.3	24.7	26.8	22.8	20.0	275.1	7	2283
	00 LST	15.0	18.0	21.8	22.0	25.1	28.0	28.1	29.6	25.3	25.7	22.8	19.6	281.0	7	2283
	06 LST	12.8	17.4	16.6	17.8	20.6	24.3	24.6	24.1	20.6	19.3	18.6	18.7	235.4	7	2283
	12 LST	12.3	16.5	19.2	17.8	20.8	21.7	22.5	24.6	21.8	23.4	21.0	19.0	240.6	7	2283

ELDORADO/GOODWIN FIELD, ARKANSAS

STA NO. 75176 (IN AREA NUMBER 13)

LATITUDE 3313N

LONGITUDE 09240W

ELEVATION(FT) 00277

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	83	89	92	95	99	108	110	112	106	98	89	83	112	48	-613
MEAN MAX TMP (F)	57	60	68	76	83	91	94	94	89	79	67	58	76	54	-113
MEAN MIN TMP (F)	36	38	44	53	61	68	71	71	65	53	42	37	53	54	-113
ABS MIN TMP (F)	-4	-9	13	26	36	47	53	50	38	23	17	11	-9	48	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.2	4.6	23.0	25.3	25.3	12.8	3.0	0.0	0.0	94.2	6	2005
MEAN NO DYS TMP = DR LES 32(F)	11.2	7.3	5.0	0.4	0.0	0.0	0.0	0.0	0.0	1.5	9.5	14.8	49.7	6	2005
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	6	2005
MEAN DEW PT TMP (F)	42	40	42	50	61	71	72	70	63	53	40	37	53	6	48051
MEAN REL HUM (PCT)	77	69	64	68	73	75	75	71	71	71	68	71	71	6	48051
MEAN PRESS ALT (FT)	68	100	171	211	236	247	209	217	191	147	96	69	164	0	-50
MEAN PRECIP (IN)	4.78	4.37	5.18	5.34	4.73	3.51	4.04	3.18	2.76	3.10	4.52	5.58	51.3	58	-113
MEAN SNOW FALL (IN)	0.8	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.6	2.3	52	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.4	7.9	7.2	7.3	7.1	6.2	6.8	5.8	4.7	5.1	7.0	9.2	82.7	58	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	6	2005
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	3.4	2.6	1.4	1.2	1.0	0.4	1.5	0.2	1.7	2.0	2.0	2.2	19.6	6	2004
MEAN NO DYS TSTMS	5.0	3.9	4.8	6.2	7.6	5.6	8.7	7.7	4.5	1.8	2.2	3.3	61.3	6	2005
P FREQ WND SPD = DR GTR 17 KTS	4.6	4.9	7.1	3.7	1.9	0.4	0.3	0.4	0.5	1.6	2.7	4.0	2.7	6	48055
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.1	0.2	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	6	48055
P FREQ LES 5000 FT A/D LES 5 MI	47.9	30.9	25.6	25.3	21.8	12.5	14.0	6.3	14.2	20.6	21.3	29.8	22.9	6	48054
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	23.9	15.1	7.1	8.4	8.0	2.2	5.0	1.3	5.2	10.2	9.1	13.0	9.0	6	6009
03-05 LST	29.5	17.3	12.5	10.7	10.5	7.3	11.2	3.6	10.0	16.7	13.7	14.4	13.1	6	6009
06-08 LST	34.6	23.2	17.6	15.3	11.6	11.3	14.2	4.3	13.6	22.8	17.4	18.2	17.0	6	6008
09-11 LST	41.7	22.2	12.9	10.9	8.6	4.2	6.8	3.9	9.4	13.8	13.1	18.1	13.8	6	6011
12-14 LST	32.3	15.8	8.2	4.0	7.4	0.7	3.0	1.1	5.2	7.5	6.3	14.8	8.9	6	5996
15-17 LST	24.4	12.8	5.6	1.6	4.9	0.0	2.6	0.5	2.0	6.3	4.8	12.5	6.5	6	6004
18-20 LST	19.8	9.2	6.2	2.7	4.7	1.3	1.7	0.7	2.0	3.8	4.1	10.1	5.5	6	6011
21-23 LST	21.5	11.3	6.2	2.2	6.5	1.6	3.1	1.6	2.2	6.3	6.1	10.8	6.6	6	6006
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	2.6	3.3	1.5	1.6	1.3	0.0	0.4	0.2	0.6	2.0	3.7	4.5	1.8	6	6009
03-05 LST	3.2	5.2	3.4	2.4	1.7	1.6	2.8	0.9	2.6	4.8	4.8	5.1	3.2	6	6009
06-08 LST	6.0	4.7	3.4	0.7	0.9	0.4	2.0	0.4	3.0	4.5	4.8	4.9	3.0	6	6008
09-11 LST	4.7	2.1	0.6	0.0	0.4	0.0	0.0	0.0	0.0	1.3	1.9	2.7	1.1	6	6011
12-14 LST	3.5	1.2	0.2	0.0	0.2	0.2	0.0	0.0	0.2	0.2	0.6	1.3	0.6	6	5996
15-17 LST	2.2	0.2	0.6	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.3	6	6004
18-20 LST	3.7	1.7	0.9	0.0	0.2	0.0	0.0	0.0	0.4	0.4	1.1	1.4	0.8	6	6011
21-23 LST	4.5	1.7	0.6	0.2	0.4	0.2	0.4	0.0	0.2	1.1	2.0	2.3	1.1	6	6006

ELDORADO/GOODWIN FIELD, ARKANSAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.2	25.8	29.6	29.4	30.2	29.6	30.6	30.7	29.5	30.2	29.0	28.6	349.4	6	2004
	00 LST	26.0	24.8	29.4	28.2	29.6	29.4	30.1	30.8	28.8	29.0	27.8	27.3	341.2	6	2004
	06 LST	23.4	23.6	27.0	26.8	29.4	27.2	27.2	30.0	26.6	25.0	25.8	26.8	318.8	6	2004
	12 LST	23.2	24.4	28.6	29.2	29.8	30.0	30.8	31.0	28.7	29.0	28.8	27.3	340.8	6	2004
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	18.6	19.9	20.0	22.0	27.4	28.0	29.3	28.1	26.8	27.3	24.7	21.7	294.2	6	2004
	00 LST	18.6	18.1	21.4	21.2	25.8	28.0	28.6	30.0	27.8	26.7	22.8	20.9	287.9	6	2004
	06 LST	14.2	17.7	20.2	19.4	25.2	24.2	24.3	28.3	23.8	21.1	21.0	19.4	258.8	6	2004
	12 LST	6.6	9.1	11.0	11.4	16.0	20.0	23.8	23.0	18.2	17.0	13.7	12.4	182.2	6	2004
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.6	0.8	2.0	0.2	0.2	0.0	0.0	0.5	0.0	0.2	0.5	0.7	5.7	6	1961
	00 LST	0.4	1.6	2.3	0.2	0.2	0.0	0.0	0.0	0.0	0.2	0.3	1.0	6.2	6	1969
	06 LST	0.6	0.2	0.6	0.2	0.2	0.4	0.3	0.0	0.0	0.0	0.0	0.3	2.5	6	1962
	12 LST	4.4	2.9	4.2	1.8	1.4	0.0	0.0	0.0	0.3	0.8	2.0	2.9	20.7	6	1967
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	19.9	19.1	18.6	19.7	18.3	13.6	12.4	9.7	16.1	13.5	15.7	17.2	193.8	6	1961
	00 LST	17.1	13.0	16.7	18.0	12.1	13.5	12.8	11.2	11.5	12.2	13.7	13.7	165.5	6	1969
	06 LST	15.2	15.5	16.3	18.2	14.4	14.6	13.4	11.6	11.9	12.8	11.3	13.1	168.3	6	1962
	12 LST	14.2	13.6	14.7	14.8	17.7	10.7	10.6	8.2	14.4	17.4	14.4	16.4	167.1	6	1967
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.4	11.3	9.8	12.4	13.0	17.2	10.3	13.8	16.0	18.2	17.5	12.4	160.3	6	2004
	00 LST	11.4	12.7	13.6	17.6	17.0	21.4	19.2	22.8	21.3	21.1	18.8	13.7	210.6	6	2004
	06 LST	8.4	10.1	8.6	11.0	8.8	14.2	9.4	14.3	14.2	14.3	12.2	11.7	137.2	6	2004
	12 LST	6.4	8.3	7.4	8.8	7.8	6.0	3.1	7.5	12.0	12.3	12.8	9.9	102.3	6	2004
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	22.6	24.4	28.4	28.2	29.2	29.2	30.6	30.7	29.2	28.8	28.8	26.6	336.7	6	2004
	00 LST	21.6	22.0	27.4	26.4	28.8	29.0	29.3	30.8	28.5	27.7	27.2	25.1	323.8	6	2004
	06 LST	18.2	19.7	23.2	23.2	25.2	24.6	25.7	29.5	25.7	22.8	23.5	23.9	285.2	6	2004
	12 LST	17.6	20.8	25.6	26.0	26.4	28.8	28.8	29.6	27.0	27.3	25.5	25.6	309.0	6	2004
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.2	20.6	25.4	24.8	26.8	28.4	29.6	29.8	27.2	27.3	25.8	22.9	306.8	6	2004
	00 LST	18.6	19.5	23.6	24.6	27.4	28.4	28.8	30.7	27.7	26.5	24.5	21.8	302.1	6	2004
	06 LST	14.6	17.3	19.4	19.8	21.6	23.6	25.2	28.0	23.3	21.1	20.3	19.4	253.6	6	2004
	12 LST	13.2	18.1	21.0	17.6	20.8	24.0	22.4	26.0	23.3	23.5	21.8	20.9	252.6	6	2004
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.4	18.5	22.6	22.2	25.2	27.4	27.4	28.0	26.2	26.0	23.3	20.8	285.0	6	2004
	00 LST	17.8	18.3	22.2	22.6	26.0	28.4	28.6	30.2	26.5	25.6	23.5	20.3	290.0	6	2004
	06 LST	13.7	16.5	16.6	17.8	20.4	23.0	24.1	26.8	22.1	19.8	18.7	18.1	237.3	6	2004
	12 LST	12.1	17.1	19.0	16.2	20.0	23.2	21.6	25.1	22.7	22.7	20.3	18.8	239.5	6	2004

CAMDEN/HARRELL FIELD, ARKANSAS

STA NO. 75177 (IN AREA NUMBER 13)

LATITUDE 3337N

LONGITUDE 09245W

ELEVATION(FT) 00120

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	86	89	93	95	103	107	111	115	109	102	90	88	115	67	-113
MEAN MAX TMP (F)	56	59	68	76	83	91	93	93	89	79	65	57	76	65	-113
MEAN MIN TMP (F)	33	36	42	51	59	67	70	69	62	50	39	34	51	66	-113
ABS MIN TMP (F)	-10	-10	12	26	35	44	51	48	33	20	12	5	-10	68	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.3	1.0	8.0	21.0	27.0	26.0	17.0	3.0	0.0	0.0	103.3	9	-113
MEAN NO DYS TMP = OR LES 32(F)	20.0	12.0	6.0	0.3	0.0	0.0	0.0	0.0	0.0	2.0	11.0	18.0	69.3	9	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	6	-75176
MEAN DEW PT TMP (F)	42	40	42	50	61	71	72	70	63	53	40	37	53	6	-75176
MEAN REL HUM (PCT)	77	69	64	68	73	75	75	71	71	71	68	71	71	6	-75176
MEAN PRESS ALT (FT)	-81	-48	21	60	86	97	58	67	44	-0	-52	-78	15	0	-50
MEAN PRECIP (IN)	4.95	4.16	5.12	5.02	4.54	3.95	4.06	2.95	3.28	2.98	4.54	4.91	50.5	73	-113
MEAN SNOW FALL (IN)	0.7	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	1.9	60	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.5	7.7	7.2	7.2	7.0	6.7	6.8	5.5	5.4	5.0	7.0	8.5	82.5	73	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	60	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.4	2.6	1.4	1.2	1.0	0.4	1.5	0.2	1.7	2.0	2.0	2.2	19.6	6	-75176
MEAN NO DYS TSYMS	5.0	3.9	4.8	6.2	7.6	5.6	8.7	7.7	4.5	1.8	2.2	3.3	61.3	6	-75176
P FREQ WND SPD = OR GTR 17 KTS	4.6	4.9	7.1	3.7	1.9	0.4	0.3	0.4	0.5	1.6	2.7	4.0	2.7	6	-75176
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.1	0.2	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	6	-75176
P FREQ LES 5000 FT A/D LES 3 MI	47.9	30.9	25.6	25.3	21.8	12.5	14.0	6.3	14.2	20.8	21.3	29.8	22.5	6	-75176
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	23.9	15.1	7.1	8.4	8.0	2.2	5.0	1.3	5.2	10.2	9.1	13.0	9.0	6	-75176
03-05 LST	29.5	17.3	12.5	10.7	10.5	7.3	11.2	3.6	10.0	16.7	13.7	14.4	13.1	6	-75176
06-08 LST	34.6	23.2	17.6	15.3	11.6	11.3	14.2	4.3	13.6	22.8	17.4	18.2	17.0	6	-75176
09-11 LST	41.7	22.2	12.9	10.9	8.6	4.2	6.8	3.9	9.4	13.8	13.1	18.1	13.8	6	-75176
12-14 LST	32.3	15.8	8.2	4.0	7.4	0.7	3.0	1.1	5.2	7.5	6.3	14.8	8.9	6	-75176
15-17 LST	24.4	12.8	5.6	1.6	4.9	0.0	2.6	0.5	2.0	6.3	4.8	12.5	6.5	6	-75176
18-20 LST	19.8	9.2	6.2	2.2	4.7	1.3	1.7	0.7	2.0	3.8	4.1	10.1	5.5	6	-75176
21-23 LST	21.5	11.3	6.2	2.2	6.5	1.6	3.1	1.6	2.2	6.3	6.1	10.8	6.6	6	-75176
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.6	3.3	1.5	1.6	1.3	0.0	0.4	0.2	0.6	2.0	3.7	4.5	1.8	6	-75176
03-05 LST	3.2	5.2	3.4	2.4	1.7	1.6	2.8	0.9	2.6	4.8	4.8	5.1	3.2	6	-75176
06-08 LST	6.0	4.7	3.4	0.7	0.9	0.4	2.0	0.4	3.0	4.3	4.8	4.9	3.0	3	-75176
09-11 LST	4.7	2.1	0.6	0.0	0.4	0.0	0.0	0.0	0.0	1.3	1.9	2.7	1.1	6	-75176
12-14 LST	3.5	1.2	0.2	0.0	0.2	0.2	0.0	0.0	0.2	0.2	0.6	1.3	0.6	6	-75176
15-17 LST	2.2	0.2	0.6	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.3	6	-75176
18-20 LST	3.7	1.7	0.9	0.0	0.2	0.0	0.0	0.0	0.4	0.4	1.1	1.4	0.8	6	-75176
21-23 LST	4.5	1.7	0.6	0.2	0.4	0.2	0.4	0.0	0.2	1.1	2.0	2.3	1.1	6	-75176

CAMDEN/HARRELL FIELD, ARKANSAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.2	25.8	29.6	29.4	30.2	29.6	30.6	30.7	29.5	30.2	29.0	28.6	349.4	6	-75176
	00 LST	26.0	24.8	29.4	28.2	29.6	29.4	30.1	30.8	28.8	29.0	27.8	27.3	341.2	6	-75176
	06 LST	23.4	23.6	27.0	26.8	29.4	27.2	27.2	30.0	26.6	25.0	25.8	26.8	318.8	6	-75176
	12 LST	23.2	24.4	28.0	29.2	29.8	30.0	30.8	31.0	28.7	29.0	28.8	27.3	340.8	6	-75176
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	18.6	19.9	20.0	22.0	27.4	28.0	29.3	28.1	26.8	27.3	24.7	21.9	294.2	6	-75176
	00 LST	16.6	18.1	21.4	21.2	25.8	28.0	28.6	30.0	27.8	26.7	22.8	20.9	287.9	6	-75176
	06 LST	14.2	17.7	20.2	19.4	25.2	24.2	24.3	28.3	23.8	21.1	21.0	19.4	258.8	6	-75176
	12 LST	6.6	9.1	11.0	11.4	16.0	20.0	23.8	23.0	18.2	17.0	13.7	12.4	182.2	6	-75176
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.6	0.8	2.0	0.2	0.2	0.0	0.0	0.9	0.0	0.2	0.5	0.7	5.1	6	-75176
	00 LST	0.4	1.6	2.3	0.2	0.2	0.0	0.0	0.0	0.0	0.2	0.3	1.0	6.2	6	-75176
	06 LST	0.6	0.2	0.6	0.2	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.3	2.5	6	-75176
	12 LST	4.4	2.9	4.2	1.8	1.4	0.0	0.0	0.0	0.3	0.8	2.0	2.9	20.7	6	-75176
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	19.9	19.1	18.6	19.7	18.3	13.6	12.4	9.7	16.1	13.9	15.7	17.2	193.8	6	-75176
	00 LST	17.1	13.0	16.7	18.0	12.1	13.5	12.8	11.2	11.5	12.2	13.7	13.7	165.5	6	-75176
	06 LST	15.2	15.5	16.3	18.2	14.4	14.6	13.4	11.6	11.9	12.8	11.3	13.1	168.3	6	-75176
	12 LST	14.2	13.6	14.7	14.8	17.7	10.7	10.6	8.2	14.4	17.4	14.4	16.4	167.1	6	-75176
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.4	11.3	9.8	12.4	13.0	17.2	10.3	13.8	16.0	18.2	17.5	12.4	160.3	6	-75176
	00 LST	11.4	12.7	13.6	17.6	17.0	21.4	19.2	22.8	21.3	21.1	18.8	13.7	210.6	6	-75176
	06 LST	8.4	10.1	8.6	11.0	8.8	14.2	9.4	14.3	14.2	14.3	12.2	11.7	137.2	6	-75176
	12 LST	8.4	8.3	7.4	8.8	7.8	6.0	3.1	7.5	12.0	12.3	12.8	9.9	102.3	6	-75176
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	22.6	24.4	28.4	28.2	29.2	29.2	30.6	30.7	29.2	28.8	28.8	26.6	336.7	6	-75176
	00 LST	21.6	22.0	27.4	26.4	28.8	29.0	29.3	30.8	28.5	27.7	27.2	25.1	323.8	6	-75176
	06 LST	18.2	19.7	23.2	23.2	25.2	24.6	25.7	29.5	25.7	22.8	23.5	23.9	285.2	6	-75176
	12 LST	17.6	20.8	25.6	26.0	26.4	28.8	28.8	29.6	27.0	27.3	25.5	25.6	309.0	6	-75176
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.2	20.6	25.4	24.8	26.8	28.4	29.6	29.8	27.2	27.3	25.8	22.9	306.8	6	-75176
	00 LST	18.6	19.5	23.6	24.6	27.4	28.4	28.8	30.7	27.7	26.5	24.5	21.8	302.1	6	-75176
	06 LST	14.6	17.3	19.4	19.8	21.6	23.6	25.2	28.0	23.3	21.1	20.3	19.4	253.6	6	-75176
	12 LST	13.2	18.1	21.0	17.6	20.8	24.0	22.4	26.0	23.3	23.3	21.8	20.9	252.6	6	-75176
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.4	18.5	22.6	22.2	23.2	27.4	27.4	28.0	26.2	26.0	23.3	20.8	285.0	6	-75176
	00 LST	17.8	18.3	22.2	22.6	26.0	28.4	28.6	30.2	26.5	25.6	23.5	20.3	290.0	6	-75176
	06 LST	13.4	16.5	16.6	17.8	20.4	23.0	24.1	26.8	22.1	19.8	18.7	18.1	237.3	6	-75176
	12 LST	12.8	17.1	19.0	16.2	20.0	23.2	21.6	25.1	22.7	22.7	20.3	18.8	239.5	6	-75176

MAGNOLIA MUNICIPAL, ARKANSAS

STA NO. 75178 (IN AREA NUMBER 13)

LATITUDE 3314N

LONGITUDE 09313W

ELEVATION(FT) 00313

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	83	89	92	96	99	105	112	110	107	99	89	83	112	40	-113
MEAN MAX TMP (F)	58	62	69	77	84	91	94	95	90	80	67	59	77	39	-113
MEAN MIN TMP (F)	36	39	45	52	60	68	70	70	64	53	42	38	53	39	-113
ABS MIN TMP (F)	-5	-3	12	27	35	50	53	49	37	25	15	10	-5	40	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.3	0.3	6.0	21.0	27.0	26.0	17.0	3.0	0.0	0.0	100.6	9	-113
MEAN NO DYS TMP = OR LES 32(F)	14.0	9.0	6.0	0.3	0.0	0.0	0.0	0.0	0.0	1.0	10.0	12.0	52.3	7	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	6	-75176
MEAN DEW PT TMP (F)	42	40	42	50	61	71	72	70	63	53	40	37	53	6	-75176
MEAN REL HUM (PCT)	77	69	64	68	73	75	75	71	71	71	68	71	71	6	-75176
MEAN PRESS ALT (FT)	105	137	209	249	275	285	246	234	230	185	133	107	201	0	-50
MEAN PRECIP (IN)	4.87	4.20	4.44	5.28	4.91	3.36	3.88	2.58	2.38	3.03	4.61	5.07	46.6	43	-113
MEAN SNOW FALL (IN)	1.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	2.0	35	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.5	7.7	7.0	7.3	7.2	6.1	6.7	5.0	4.2	5.0	7.1	8.7	50.3	43	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	35	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	3.4	2.6	1.4	1.2	1.0	0.4	1.5	0.2	1.7	2.0	2.0	2.2	19.6	6	-75176
MEAN NO DYS TSTMS	5.0	3.9	4.8	6.2	7.6	5.6	8.7	7.7	4.5	1.8	2.2	3.3	61.3	6	-75176
P FREQ WND SPD = OR GTR 17 KTS	4.6	4.9	7.1	3.7	1.9	0.4	0.3	0.4	0.5	1.6	2.7	4.0	2.7	6	-75176
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.1	0.2	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	6	-75176
P FREQ LES 5000 FT A/D LES 3 MI	47.9	30.9	25.6	25.3	21.8	12.5	14.0	6.3	14.2	20.6	21.3	29.8	22.5	6	-75176
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	23.9	15.1	7.1	8.4	8.0	2.2	5.0	1.3	5.2	10.2	9.1	13.0	9.0	6	-75176
03-05 LST	29.5	17.3	12.5	10.7	10.5	7.3	11.2	3.6	10.0	16.7	13.7	14.4	13.1	6	-75176
06-08 LST	34.6	23.2	17.6	15.3	11.6	11.3	14.2	4.3	13.6	22.8	17.4	18.2	17.0	6	-75176
09-11 LST	41.7	22.2	12.9	10.9	8.6	4.2	6.8	3.9	9.4	13.8	13.1	18.1	13.8	6	-75176
12-14 LST	32.3	15.8	8.2	4.0	7.4	0.7	3.0	1.1	5.2	7.5	6.3	14.8	8.9	6	-75176
15-17 LST	24.4	12.8	5.6	1.6	5.9	0.0	2.6	0.5	2.0	6.3	4.8	12.5	6.5	6	-75176
18-20 LST	19.8	9.2	6.2	2.2	7.7	1.3	1.7	0.7	2.0	3.8	4.1	10.1	5.5	6	-75176
21-23 LST	21.5	11.3	6.2	2.2	6.3	1.6	3.1	1.6	2.2	6.3	6.1	10.8	6.6	6	-75176
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.6	3.3	1.5	1.6	1.3	0.0	0.4	0.2	0.6	2.0	3.7	4.5	1.8	6	-75176
03-05 LST	3.2	5.2	3.4	2.4	1.7	1.6	2.8	0.9	2.6	4.8	4.8	5.1	3.2	6	-75176
06-08 LST	6.0	4.7	3.4	0.7	0.9	0.4	2.0	0.4	3.0	4.5	4.8	4.9	3.0	6	-75176
09-11 LST	4.7	2.1	0.6	0.0	0.4	0.0	0.0	0.0	0.0	1.3	1.9	2.7	1.1	6	-75176
12-14 LST	3.5	1.2	0.2	0.0	0.2	0.2	0.0	0.0	0.2	0.2	0.6	1.3	0.6	6	-75176
15-17 LST	2.2	0.2	0.6	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.3	6	-75176
18-20 LST	3.7	1.7	0.9	0.0	0.2	0.0	0.0	0.0	0.4	0.4	1.1	1.4	0.8	6	-75176
21-23 LST	4.5	1.7	0.6	0.2	0.4	0.2	0.4	0.0	0.2	1.1	2.0	2.3	1.1	6	-75176

MAGNOLIA MUNICIPAL, ARKANSAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.2	25.8	29.6	29.4	30.2	29.6	30.6	30.7	29.5	30.2	29.0	28.6	349.4	6	-75176
	00 LST	26.0	24.8	29.4	28.2	29.6	29.4	30.1	30.8	28.8	29.0	27.8	27.3	341.2	6	-75176
	06 LST	23.4	23.6	27.0	26.8	29.4	27.2	27.2	30.0	26.6	25.0	25.8	26.8	318.8	6	-75176
	12 LST	23.2	24.4	28.6	29.2	29.8	30.0	30.8	31.0	28.7	29.0	28.8	27.3	340.8	6	-75176
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	18.6	19.9	20.0	22.0	27.4	28.0	29.3	28.1	26.8	27.5	24.7	21.9	294.2	6	-75176
	00 LST	16.6	18.1	21.4	21.2	25.8	28.0	28.6	30.0	27.8	26.7	22.8	20.9	287.9	6	-75176
	06 LST	14.2	17.7	20.2	19.4	25.2	24.2	24.3	28.3	23.8	21.1	21.0	19.4	258.8	6	-75176
	12 LST	6.6	9.1	11.0	11.4	16.0	20.0	23.8	23.0	18.2	17.0	13.7	12.4	182.2	6	-75176
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.6	0.8	2.0	0.2	0.2	0.0	0.0	0.5	0.0	0.2	0.5	0.7	5.7	6	-75176
	00 LST	0.4	1.6	2.3	0.2	0.2	0.0	0.0	0.0	0.0	0.2	0.3	1.0	6.2	6	-75176
	06 LST	0.6	0.2	0.6	0.2	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.3	2.5	6	-75176
	12 LST	4.4	2.9	4.2	1.8	1.4	0.0	0.0	0.0	0.3	0.8	2.0	2.9	20.7	6	-75176
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	19.9	19.1	18.6	19.7	18.3	13.6	12.4	9.7	16.1	13.5	15.7	17.2	193.8	6	-75176
	00 LST	17.1	13.0	16.7	18.0	12.1	13.5	12.8	11.2	11.5	12.2	13.7	13.1	168.3	6	-75176
	06 LST	15.2	15.5	16.3	18.2	14.4	14.6	13.4	11.6	11.9	12.8	11.3	13.1	168.3	6	-75176
	12 LST	14.2	13.6	14.7	14.8	17.7	10.7	10.6	8.2	14.4	17.4	14.4	16.4	167.1	6	-75176
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.4	11.3	9.8	12.4	13.0	17.2	10.3	13.8	16.0	18.2	17.5	12.4	160.3	6	-75176
	00 LST	11.4	12.7	13.6	17.6	17.0	21.4	19.2	22.8	21.3	21.1	18.8	13.7	210.6	6	-75176
	06 LST	8.4	10.1	8.6	11.0	8.8	14.2	9.4	14.3	14.2	14.3	12.2	11.7	137.2	6	-75176
	12 LST	6.4	8.3	7.4	8.8	7.8	6.0	3.1	7.5	12.0	12.3	12.8	9.9	102.3	6	-75176
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	22.6	24.4	28.4	28.2	29.2	29.2	30.6	30.7	29.2	28.8	28.8	26.6	336.7	6	-75176
	00 LST	21.6	22.0	27.4	26.4	28.8	29.0	29.3	30.8	28.5	27.7	27.2	25.1	323.8	6	-75176
	06 LST	18.2	19.7	23.2	23.2	25.2	24.6	25.7	29.5	25.7	22.8	23.5	23.9	285.2	6	-75176
	12 LST	17.6	20.8	25.6	26.0	26.4	28.8	28.8	29.6	27.0	27.3	25.5	25.6	304.0	6	-75176
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.2	20.6	25.4	24.8	26.8	28.4	29.6	29.8	27.2	27.3	25.8	22.9	306.8	6	-75176
	00 LST	18.6	19.5	23.6	24.6	27.4	28.4	28.8	30.7	27.7	26.5	24.5	21.8	302.1	6	-75176
	06 LST	14.6	17.3	19.4	19.8	21.6	23.6	25.2	28.0	23.3	21.1	20.3	19.4	253.6	6	-75176
	12 LST	13.2	18.1	21.0	17.6	20.8	24.0	22.4	26.0	23.3	23.5	21.8	20.9	252.6	6	-75176
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.4	18.5	22.6	22.2	25.2	27.4	27.4	28.0	26.2	26.0	23.3	20.8	285.0	6	-75176
	00 LST	17.8	18.3	22.2	22.6	26.0	28.4	28.6	30.2	26.5	25.6	23.5	20.3	290.0	6	-75176
	06 LST	13.4	16.5	16.6	17.8	20.4	23.0	24.1	26.8	22.1	19.8	18.7	18.1	237.3	6	-75176
	12 LST	12.8	17.1	19.0	16.2	20.0	23.2	21.6	25.1	22.7	22.7	20.3	18.8	239.5	6	-75176

HAZEN MUNICIPAL, ARKANSAS

STA NO. 75246 (IN AREA NUMBER 13)

LATITUDE 3445N

LONGITUDE 09138W

ELEVATION(FT) 00229

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	83	82	88	93	96	104	107	107	106	95	86	80	107	23	-72340
MEAN MAX TMP (F)	51	55	62	73	81	89	92	92	85	76	62	53	73	21	-72340
MEAN MIN TMP (F)	33	36	42	53	60	69	72	71	63	53	40	34	52	21	-72340
ABS MIN TMP (F)	-1	-5	11	20	40	52	56	55	37	30	17	9	-5	23	-72340
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.1	4.3	15.6	22.7	21.6	10.8	1.1	0.0	0.0	76.2	12	-72340
MEAN NO DYS TMP = DR LES 32(F)	16.1	8.6	4.4	0.2	0.0	0.0	0.0	0.0	0.0	0.7	7.6	14.1	51.7	12	-72340
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	-72340
MEAN DEW PT TMP (F)	33	35	38	48	59	67	70	69	61	51	38	33	50	12	-72340
MEAN REL HUM (PCT)	72	69	64	63	69	69	71	70	68	68	66	70	68	12	-72340
MEAN PRESS ALT (FT)	31	45	126	164	191	201	171	172	123	89	63	34	118	0	-50
MEAN PRECIP (IN)	5.00	4.86	4.85	5.20	5.47	3.76	3.06	2.92	3.34	2.94	4.25	3.84	49.5	23	-72340
MEAN SNOW FALL (IN)	2.2	1.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.7	4.6	23	-72340
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.6	8.4	7.1	7.2	7.3	6.5	5.7	5.5	5.4	4.9	6.6	7.3	80.5	23	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.4	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.1	12	-72340
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.5	2.0	1.1	0.7	1.2	0.2	0.6	0.3	1.1	2.1	1.3	1.8	14.9	12	-72340
MEAN NO DYS TSTMS	2.0	2.0	5.0	7.0	7.0	9.0	9.0	8.0	4.0	2.0	1.0	2.0	58.0	19	-72340
P FREQ WND SPD = DR GTR 17 KTS	3.1	3.3	5.2	4.1	1.9	0.8	0.4	0.5	0.6	1.0	2.6	2.6	2.2	12	-72340
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72340
P FREQ LES 5000 FT A/D LES 5 MI	41.4	34.9	22.0	24.4	21.3	15.2	14.7	11.6	17.1	19.7	25.6	33.2	24.3	12	-72340
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	19.7	17.3	11.2	6.6	8.6	3.8	4.1	2.9	5.3	7.3	9.1	13.7	9.1	12	-72340
03-05 LST	22.9	18.2	14.5	9.7	11.1	7.3	10.0	4.3	11.8	10.8	11.6	16.3	12.4	12	-72340
06-08 LST	27.4	22.4	17.7	13.1	16.1	8.7	12.5	8.7	17.4	15.1	15.2	20.7	16.3	12	-72340
09-11 LST	26.5	23.0	15.8	9.4	10.3	5.1	6.7	4.3	9.4	10.8	12.9	17.9	12.7	12	-72340
12-14 LST	20.4	17.5	10.0	4.2	4.7	2.6	1.9	1.6	4.0	6.6	8.2	15.1	8.1	12	-72340
15-17 LST	18.2	15.0	8.6	3.9	3.3	2.3	0.4	0.6	3.2	4.1	5.8	13.7	6.6	12	-72340
18-20 LST	18.2	13.3	8.6	3.8	3.9	1.5	1.3	0.7	2.5	3.1	5.7	11.5	6.2	12	-72340
21-23 LST	17.4	14.2	9.0	4.3	4.4	1.9	2.2	1.1	3.1	5.1	7.2	12.2	6.3	12	-72340
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.3	3.4	1.3	1.0	1.7	0.0	0.1	0.3	0.8	1.7	1.4	3.9	1.7	12	-72340
03-05 LST	4.3	5.0	2.9	1.7	2.6	0.6	1.5	0.6	3.0	3.7	1.9	5.6	2.8	12	-72340
06-08 LST	5.8	5.1	2.9	1.3	1.4	0.3	0.7	0.4	2.8	4.4	3.1	5.3	2.8	12	-72340
09-11 LST	3.8	1.7	1.4	0.1	0.0	0.1	0.0	0.0	0.0	1.2	2.8	2.5	1.1	12	-72340
12-14 LST	2.5	1.2	0.4	0.0	0.0	0.0	0.2	0.0	0.0	0.6	1.5	0.5		12	-72340
15-17 LST	2.5	1.5	0.4	0.0	0.0	0.1	0.1	0.0	0.2	0.3	1.2	0.6		12	-72340
18-20 LST	2.2	1.8	0.4	0.1	0.4	0.1	0.1	0.0	0.2	0.4	0.5	1.9	0.7	12	-72340
21-23 LST	3.0	2.5	0.7	0.3	0.9	0.0	0.0	0.1	0.5	0.8	0.7	3.0	1.0	12	-72340

HAZEN MUNICIPAL, ARKANSAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.1	24.8	29.1	29.3	30.2	29.8	30.8	31.0	29.3	30.3	28.9	28.2	349.0	12	-72340
	00 LST	26.5	24.3	28.3	28.7	29.3	29.3	30.3	30.4	29.2	29.4	28.1	27.8	341.6	12	-72340
	06 LST	25.1	23.9	27.2	27.5	28.1	28.0	27.8	29.1	25.5	27.2	27.3	26.6	323.3	12	-72340
	12 LST	26.1	24.0	28.6	29.1	30.2	29.6	30.8	30.7	29.5	29.6	28.0	27.6	343.8	12	-72340
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	18.5	17.1	15.6	17.4	22.9	21.7	23.5	25.3	26.1	26.7	23.0	21.5	259.3	12	-72340
	00 LST	17.9	17.0	20.1	20.6	24.1	26.6	28.1	28.6	26.9	25.2	22.2	20.9	278.2	12	-72340
	06 LST	16.1	16.2	18.2	19.4	22.7	24.4	25.1	27.1	21.8	24.0	21.6	19.6	256.2	12	-72340
	12 LST	10.9	9.6	9.8	10.1	14.1	15.2	19.4	19.2	16.8	16.2	13.3	13.4	168.0	12	-72340
SFC WND = GTR 17 KTS AND ND PRECIP.	18 LST	0.7	0.8	1.3	0.8	0.6	0.1	0.0	0.0	0.1	0.2	0.4	0.3	4.7	12	-72340
	00 LST	1.0	0.4	0.8	0.4	0.1	0.0	0.0	0.0	0.0	0.3	0.5	0.4	3.9	12	-72340
	06 LST	0.2	0.5	0.5	0.2	0.3	0.0	0.1	0.1	0.2	0.0	0.3	0.2	2.6	12	-72340
	12 LST	1.9	2.5	3.0	2.6	1.3	0.4	0.2	0.3	0.6	0.6	1.7	2.1	17.2	12	-72340
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NU PRECIP.	18 LST	20.1	20.3	20.7	20.8	24.6	17.9	15.9	16.7	24.2	23.6	21.0	20.6	246.4	12	-72340
	00 LST	13.9	15.7	20.2	19.5	18.9	18.2	20.6	17.7	17.4	18.0	16.8	15.1	212.0	12	-72340
	06 LST	12.6	13.3	18.0	20.4	19.5	19.5	18.8	18.6	19.7	18.6	16.7	13.4	209.1	12	-72340
	12 LST	15.6	14.0	15.2	15.0	19.6	13.5	13.3	13.4	17.5	18.9	17.4	17.2	190.7	12	-72340
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.0	9.1	10.4	10.0	10.2	11.7	9.7	12.6	14.5	16.6	13.7	11.8	139.3	12	-72340
	00 LST	12.0	11.6	13.7	12.7	13.6	17.4	16.3	19.4	19.3	18.7	15.4	13.7	183.8	12	-72340
	06 LST	10.1	9.1	10.1	10.1	5.2	12.0	9.1	13.0	13.1	14.6	12.9	12.9	136.2	12	-72340
	12 LST	7.2	8.0	8.7	9.1	7.7	6.3	5.2	7.8	12.2	14.0	12.0	9.6	107.8	12	-72340
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.4	22.9	27.1	28.1	29.7	29.3	30.4	30.8	28.6	29.6	27.9	26.0	333.8	12	-72340
	00 LST	22.8	22.5	26.7	27.4	28.3	28.7	29.6	29.8	28.3	28.3	26.4	25.0	323.8	12	-72340
	06 LST	18.9	19.8	22.7	24.2	25.1	26.4	26.6	27.7	23.8	25.6	24.5	22.5	287.8	12	-72340
	12 LST	20.4	19.7	24.4	26.8	27.2	27.9	28.8	29.4	27.2	26.4	25.3	23.6	307.6	12	-72340
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.9	19.2	22.7	24.8	27.0	27.7	27.9	29.1	26.5	27.1	24.1	20.6	295.6	12	-72340
	00 LST	18.7	15.2	22.5	23.3	25.9	27.4	28.6	28.1	27.1	26.5	23.0	21.0	291.3	12	-72340
	06 LST	16.2	16.8	18.7	20.4	22.4	25.3	25.2	26.7	22.6	23.3	21.6	19.4	258.6	12	-72340
	12 LST	17.4	16.4	18.6	19.9	20.1	21.3	22.2	24.0	22.9	23.7	20.8	19.6	246.9	12	-72340
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.9	17.5	20.6	21.8	25.7	26.8	27.1	28.2	25.2	26.0	22.5	19.4	278.7	12	-72340
	00 LST	17.7	17.2	20.0	20.9	23.9	25.9	27.7	27.2	25.2	25.2	20.9	18.8	270.6	12	-72340
	06 LST	14.9	14.8	16.9	18.3	20.3	24.4	24.1	25.3	21.0	21.8	19.0	17.7	238.5	12	-72340
	12 LST	16.2	15.0	16.6	17.8	19.0	20.3	21.1	22.9	21.8	23.3	19.9	18.0	231.9	12	-72340

MENA MUNICIPAL, ARKANSAS

STA NO. 75247 (IN AREA NUMBER 13)

LATITUDE 3433N

LONGITUDE 09412W

ELEVATION(FT) 01069

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	82	83	89	92	99	105	109	112	107	100	85	82	112	73	-113
MEAN MAX TMP (F)	51	55	63	73	80	88	92	92	86	75	62	53	73	68	-113
MEAN MIN TMP (F)	32	34	41	50	58	66	69	69	62	52	41	34	51	64	-113
ABS MIN TMP (F)	-10	-15	6	24	35	46	52	47	36	20	13	3	-15	74	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	2.0	12.0	21.0	21.0	12.0	1.0	0.0	0.0	69.0	8	-113
MEAN NO DYS TMP = DR LES 32(F)	17.0	11.0	8.0	1.0	0.0	0.0	0.0	0.0	0.0	1.0	9.0	15.0	62.0	9	-113
MEAN NO DYS TMP = DR LES 0(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		74	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	861	889	967	1010	1038	1046	1010	1013	974	936	888	861	958	0	-50
MEAN PRECIP (IN)	4.17	3.65	4.69	5.71	6.44	4.82	4.14	4.12	3.95	3.72	3.70	3.91	53.0	72	-113
MEAN SNOW FALL (IN)	1.8	1.1	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.1	4.9	62	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.7	7.0	7.1	7.4	7.6	7.6	6.9	6.9	6.2	5.9	5.9	7.4	83.6	72	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.4	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.9	62	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTM														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0


MENA MUNICIPAL, ARKANSAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	10 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	10 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	10 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	10 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	10 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	10 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	10 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	10 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0

DATA NOT AVAILABLE

ILLINOIS




C

C

•

•



ILLINOIS

SPRINGFIELD/CAPITAL, ILLINOIS

STA NO. 72439 (IN AREA NUMBER 13)

LATITUDE 3930N

LONGITUDE 08940W

ELEVATION(FT) 00593

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	71	71	83	88	93	103	112	98	100	93	83	68	112	12	4303
MEAN MAX TMP (F)	36	40	48	63	74	83	87	85	80	68	50	39	63	12	4383
MEAN MIN TMP (F)	20	24	29	42	52	62	66	64	56	45	31	23	43	12	4383
ABS MIN TMP (F)	-14	-15	-12	21	30	43	50	44	36	17	-2	-12	-15	12	4383
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.2	7.2	9.5	7.6	4.5	0.2	0.0	0.0	30.2	12	4383
MEAN NO DYS TMP = DR LES 32(F)	27.5	23.0	20.2	6.1	0.1	0.0	0.0	0.0	0.0	0.0	17.3	25.1	122.1	12	4383
MEAN NO DYS TMP = DR LES 0(F)	1.9	1.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.3	4.9	12	4383
MEAN DEW PT TMP (F)	21	25	29	40	50	60	65	64	54	43	31	24	42	12	105113
MEAN REL HUM (PCT)	76	75	71	66	66	68	70	72	65	65	70	75	70	12	105113
MEAN PRESS ALT (FT)	402	415	488	519	545	550	528	523	476	447	435	406	478	0	-50
MEAN PRECIP (IN)	1.66	2.01	2.55	3.97	3.19	4.62	4.46	2.83	2.37	2.46	1.98	1.50	33.6	12	4383
MEAN SNOW FALL (IN)	3.1	4.1	4.9	0.8	0.0	0.0	0.0	0.0	0.0	0.0	2.1	4.6	19.6	12	4383
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.2	4.3	6.1	7.7	7.2	6.6	6.5	4.7	4.5	4.0	4.7	4.6	64.1	12	4383
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.5	1.1	1.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.2	5.1	12	4383
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.5	3.4	2.3	0.6	0.6	0.5	1.0	1.1	0.7	1.1	1.3	3.2	18.3	12	4383
MEAN NO DYS TSTMS	0.6	0.9	2.7	5.3	8.0	9.8	8.7	7.0	5.6	2.1	1.4	0.2	52.3	12	4383
P FREQ WND SPD = DR GTR 17 KTS	20.9	22.7	27.2	25.8	15.9	7.3	3.6	2.2	6.6	11.9	23.3	22.9	16.0	12	105113
P FREQ WND SPD = DR GTR 28 KTS	0.6	1.2	3.2	1.9	0.5	0.1	0.1	0.0	0.1	0.2	2.1	0.8	0.9	12	105113
P FREQ LES 5000 FT A/D LES 5 MI	44.6	42.8	38.2	30.7	21.3	16.8	16.1	15.6	15.4	22.4	32.9	43.1	28.3	12	105102
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	24.9	22.1	17.3	9.2	6.4	3.3	4.7	4.5	5.8	9.2	14.3	21.2	11.9	12	13128
03-05 LST	26.9	23.3	20.3	13.4	11.1	8.2	8.4	10.6	9.3	11.9	15.8	23.0	15.2	12	13137
06-08 LST	32.9	31.9	22.1	16.5	14.0	10.2	10.0	11.8	13.2	16.8	18.0	27.2	18.7	12	13145
09-11 LST	30.1	30.6	21.0	16.0	9.8	7.3	6.7	6.3	6.9	11.5	14.8	28.4	15.8	12	13141
12-14 LST	25.5	25.0	18.8	11.0	5.6	3.4	2.5	2.3	2.0	7.9	12.7	23.6	11.7	12	13138
15-17 LST	25.4	22.4	19.1	8.5	4.8	1.9	1.5	1.6	2.2	7.4	12.1	21.2	10.3	12	13141
18-20 LST	22.0	19.5	13.3	8.1	4.0	1.6	1.8	0.7	3.0	6.6	9.4	20.8	9.2	12	13136
21-23 LST	22.7	20.9	15.9	8.2	5.5	2.3	1.9	2.4	3.1	7.7	11.5	21.5	10.3	12	13136
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.4	3.9	3.8	0.9	0.4	0.1	0.5	1.0	0.4	1.1	2.5	4.4	2.0	12	13128
03-05 LST	4.8	5.7	4.7	1.3	1.9	1.1	1.3	3.0	0.8	2.2	3.0	3.8	2.8	12	13137
06-08 LST	5.9	7.6	3.9	1.4	1.0	0.5	0.8	2.7	1.5	2.6	3.4	6.0	3.1	12	13145
09-11 LST	4.7	4.7	1.1	0.2	0.2	0.2	0.1	0.0	0.0	0.8	1.1	4.0	1.4	12	13141
12-14 LST	3.9	3.5	0.7	0.1	0.1	0.3	0.2	0.1	0.0	0.1	0.3	2.5	1.0	12	13138
15-17 LST	3.4	3.6	1.4	0.0	0.0	0.0	0.2	0.1	0.1	0.3	0.8	3.5	1.1	12	13141
18-20 LST	3.3	4.3	2.7	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.5	4.8	1.3	12	13136
21-23 LST	3.9	4.2	2.3	0.3	0.2	0.3	0.1	0.2	0.2	0.7	1.3	4.4	1.5	12	13136

SPRINGFIELD/CAPITAL, ILLINOIS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. 085
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	25.6	23.3	27.4	27.9	30.2	29.6	30.7	31.0	29.4	29.4	27.9	26.1	338.5	12	4382
	00 LST	25.1	23.4	27.1	27.8	30.0	29.3	29.9	30.2	28.9	28.9	26.8	25.7	333.1	12	4382
	06 LST	23.0	21.6	24.7	26.5	27.7	27.7	28.3	26.4	26.0	26.4	26.1	25.0	309.4	12	4382
	12 LST	25.1	22.3	26.7	27.9	29.8	29.5	30.3	30.2	29.6	29.1	27.2	25.0	332.7	12	4382
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	11.4	9.7	11.1	9.9	13.5	16.9	23.5	27.0	22.1	20.5	11.8	9.9	187.3	12	4382
	00 LST	8.9	9.2	11.9	11.8	17.2	20.2	22.4	24.4	20.6	16.8	10.1	8.7	182.2	12	4382
	06 LST	8.6	7.6	9.3	10.9	13.9	16.7	21.0	21.0	19.3	15.7	10.1	9.7	163.8	12	4382
	12 LST	6.2	5.7	5.9	4.8	9.3	12.2	16.9	15.6	12.2	9.3	5.2	5.4	108.7	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	4.5	5.0	7.0	6.3	4.2	1.7	0.8	0.2	1.0	1.6	5.3	5.6	43.2	12	4236
	00 LST	5.3	4.5	5.6	4.3	3.2	0.7	0.6	0.5	0.8	2.4	6.2	6.3	40.4	12	4221
	06 LST	5.3	4.7	6.3	5.3	2.7	0.6	0.5	0.2	0.6	1.9	5.1	5.4	38.6	12	4212
	12 LST	9.0	8.5	11.4	11.1	8.5	4.5	2.3	1.7	4.2	7.3	12.0	10.6	91.1	12	4246
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	5.3	8.3	11.5	13.2	15.3	17.0	20.3	23.7	21.8	20.2	11.9	6.1	174.6	12	4236
	00 LST	2.6	4.5	7.6	13.9	17.1	19.6	19.8	19.7	19.2	17.3	7.2	4.2	152.7	12	4221
	06 LST	2.5	2.9	5.2	11.6	16.3	19.2	18.8	19.7	18.6	16.1	6.8	3.5	161.2	12	4212
	12 LST	4.1	5.6	7.1	6.3	10.0	11.4	15.7	16.1	13.1	11.8	6.4	4.8	112.4	12	4246
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.8	8.4	8.2	6.9	8.6	10.2	14.1	14.7	15.7	15.4	11.4	8.7	131.1	12	4382
	00 LST	11.9	10.5	11.9	12.2	14.4	15.5	17.5	18.7	17.7	17.6	13.6	10.9	172.4	12	4382
	06 LST	9.6	7.4	9.3	8.9	9.6	10.9	10.7	12.2	13.7	13.3	11.7	10.8	128.3	12	4382
	12 LST	6.7	7.9	8.2	6.6	6.9	6.8	7.0	9.6	13.7	13.4	9.1	8.2	104.1	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	21.9	20.3	24.6	25.9	28.5	28.9	30.0	30.7	28.2	28.1	25.5	21.9	314.5	12	4382
	00 LST	21.1	20.6	24.3	25.4	28.4	28.0	29.4	29.6	28.1	27.7	24.4	22.5	309.5	12	4382
	06 LST	19.2	18.5	22.8	23.8	26.1	26.2	27.3	25.6	25.1	24.6	23.2	21.0	283.4	12	4382
	12 LST	20.1	18.6	22.8	23.6	26.8	27.3	28.0	28.6	27.7	27.0	23.8	20.9	295.2	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.7	16.9	18.7	20.8	25.3	26.5	28.3	28.4	25.4	25.1	20.2	18.6	272.9	12	4382
	00 LST	18.0	17.4	19.2	21.5	25.6	25.2	27.8	28.1	25.9	25.3	20.6	18.4	273.0	12	4382
	06 LST	17.0	15.5	18.7	19.6	23.8	23.7	25.1	24.0	23.6	22.4	19.4	17.9	250.7	12	4382
	12 LST	17.2	16.7	17.8	18.6	21.2	21.8	22.3	24.2	24.2	23.7	19.3	18.5	245.5	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.1	15.3	16.0	18.0	22.4	23.8	26.7	26.7	24.0	23.3	18.6	16.7	248.6	12	4382
	00 LST	16.6	15.3	17.1	18.1	22.0	22.6	25.6	25.2	24.3	23.8	18.8	16.6	246.0	12	4382
	06 LST	15.3	13.5	15.7	17.0	20.7	21.2	23.1	21.8	21.1	20.6	17.5	15.9	223.4	12	4382
	12 LST	15.4	15.6	16.4	15.8	19.1	20.6	21.0	23.0	22.6	22.2	17.6	17.0	226.3	12	4382

RANTOUL/CHANUTE AFB, ILLINOIS

STA NO. 72531 (IN AREA NUMBER 13)

LATITUDE 4018N

LONGITUDE 08809W

ELEVATION(FT) 00737

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	68	68	74	86	93	104	109	98	101	91	80	66	109	12	4383
MEAN MAX TMP (F)	34	38	46	61	72	82	85	84	78	67	48	36	61	12	4383
MEAN MIN TMP (F)	19	23	28	41	51	61	65	63	56	44	30	22	42	12	4383
ABS MIN TMP (F)	-14	-11	-5	20	32	43	50	42	36	24	-5	-12	-14	12	4383
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.8	6.3	7.9	6.4	3.8	0.1	0.0	0.0	25.3	12	4383
MEAN NO DYS TMP = OR LES 32(F)	28.6	24.1	21.5	5.8	0.2	0.0	0.0	0.0	0.0	2.9	18.2	24.7	128.0	12	4383
MEAN NO DYS TMP = OR LES 0(F)	2.5	1.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.6	6.0	12	4383
MEAN DEW PT TMP (F)	21	25	29	40	50	59	64	63	54	44	31	24	42	12	105080
MEAN REL HUM (PCT)	81	80	75	70	67	68	70	73	67	68	75	80	73	12	105078
MEAN PRESS ALT (FT)	545	563	630	658	682	685	666	658	613	585	575	548	617	0	-50
MEAN PRECIP (IN)	2.31	2.18	2.56	3.73	3.47	4.78	4.11	2.82	2.58	2.79	2.52	1.74	35.6	12	4383
MEAN SNOW FALL (IN)	4.1	5.1	4.2	0.9	0.0	0.0	0.0	0.0	0.0	0.0	3.4	6.0	23.7	12	4383
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.5	5.3	6.1	8.2	7.0	6.5	5.3	4.4	4.6	4.5	5.6	5.1	67.1	12	4383
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.1	1.3	1.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.3	5.7	12	4383
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.3	5.3	3.3	0.6	1.3	1.1	1.5	1.9	1.4	1.3	3.0	5.7	31.7	12	4382
MEAN NO DYS TSTMS	0.7	1.1	2.7	6.0	6.2	7.9	7.0	6.6	4.7	2.1	1.1	0.6	46.7	12	4383
P FREQ WND SPD = OR GTR 17 KTS	7.2	7.9	12.9	12.0	6.7	3.0	0.9	0.4	1.7	2.5	5.9	4.3	5.5	12	105142
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.2	0.3	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1	12	105142
P FREQ LES 5000 FT A/D LES 5 MI	49.0	45.8	40.7	35.0	25.1	21.2	19.4	20.9	18.6	25.4	37.9	46.2	32.1	12	105135
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	29.7	26.1	18.5	11.7	9.9	6.8	5.6	8.3	8.5	10.6	16.7	24.7	14.8	12	13142
03-05 LST	29.6	29.4	20.2	13.6	13.1	11.5	10.7	14.8	12.7	13.9	19.0	27.8	18.0	12	13144
06-08 LST	34.5	33.1	23.6	15.6	14.0	10.3	11.8	18.6	16.4	18.6	25.3	31.4	20.9	12	13142
09-11 LST	34.1	31.0	22.0	15.4	10.3	8.4	6.8	6.1	6.8	11.0	20.1	30.5	16.9	12	13138
12-14 LST	28.6	27.1	17.4	12.5	7.4	4.7	3.8	3.2	3.6	7.9	15.5	29.4	13.4	12	13142
15-17 LST	28.1	25.3	15.1	10.8	5.4	3.8	2.2	1.8	2.6	7.3	14.6	25.9	11.9	12	13144
18-20 LST	27.6	22.9	14.8	9.8	5.4	4.0	3.2	2.5	3.4	8.1	12.3	25.0	11.6	12	13139
21-23 LST	28.9	22.1	15.2	11.0	5.7	4.0	3.7	4.0	3.6	8.1	13.4	25.1	12.1	12	13144
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	8.9	9.1	4.5	1.4	1.9	0.5	1.1	1.4	1.3	1.9	3.1	8.2	3.6	12	13142
03-05 LST	9.4	8.9	5.6	2.1	2.6	1.9	3.2	4.4	3.6	2.7	5.8	8.2	4.9	12	13144
06-08 LST	9.0	11.1	6.6	2.0	1.2	1.0	1.5	3.3	1.6	2.8	7.7	9.0	4.7	12	13142
09-11 LST	9.1	7.8	2.9	0.7	0.1	0.0	0.1	0.3	0.0	0.9	4.0	8.2	2.8	12	13138
12-14 LST	7.1	6.9	1.5	0.5	0.2	0.2	0.2	0.1	0.1	0.6	2.3	5.4	2.1	12	13142
15-17 LST	8.5	6.8	2.7	0.3	0.3	0.2	0.1	0.2	0.2	1.4	2.6	6.1	2.5	12	13144
18-20 LST	7.7	7.0	4.0	0.7	0.1	0.3	0.4	0.3	0.2	0.6	2.0	8.2	2.6	12	13139
21-23 LST	9.0	8.6	3.5	1.4	0.8	0.1	0.5	0.2	0.4	1.0	2.2	9.0	3.1	12	13144

RANTOUL/CHANUTE AFB, ILLINOIS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	23.3	22.1	26.4	27.9	29.8	29.4	30.3	30.5	29.6	29.1	26.7	25.2	330.3	12	4382
	00 LST	23.7	22.0	26.7	27.2	29.1	28.7	29.6	28.9	28.3	29.1	26.3	24.6	324.2	12	4382
	06 LST	23.3	20.6	24.0	26.2	27.5	26.9	27.4	24.8	24.9	25.6	24.1	23.2	298.5	12	4382
	12 LST	23.3	21.6	27.2	27.3	29.4	29.3	30.2	30.4	29.4	29.4	27.0	23.7	328.2	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	14.1	13.0	14.4	13.1	14.5	18.5	22.3	25.3	24.6	24.5	19.9	16.1	220.3	12	4382
	00 LST	13.3	12.0	15.3	16.4	20.3	24.3	26.1	25.8	24.2	24.4	17.7	15.9	235.7	12	4382
	06 LST	13.1	10.6	14.7	13.8	17.1	20.0	22.1	21.5	20.8	21.1	16.3	15.1	206.2	12	4382
	12 LST	8.4	6.3	7.2	6.5	9.5	13.2	16.4	17.1	14.4	13.0	10.2	8.2	130.8	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	2.1	1.4	3.0	2.1	2.5	0.2	0.1	0.0	0.2	0.3	1.3	1.0	14.0	12	4234
	00 LST	1.8	1.5	1.9	1.3	0.4	0.2	0.2	0.0	0.0	0.2	1.6	0.4	9.5	12	4215
	06 LST	1.0	1.1	1.9	1.4	0.8	0.4	0.0	0.1	0.1	0.6	1.0	0.7	9.1	12	4205
	12 LST	3.3	3.4	6.1	6.7	3.8	1.9	0.7	0.3	1.7	1.8	3.3	2.1	35.1	12	4225
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	5.8	9.4	12.7	16.3	17.6	19.0	20.4	20.4	18.6	19.1	12.6	7.1	179.0	12	4234
	00 LST	4.0	5.3	9.2	14.9	18.4	17.6	17.0	14.4	15.2	16.7	10.6	5.5	146.8	12	4215
	06 LST	2.9	4.8	7.2	14.1	17.4	18.2	18.7	15.0	15.6	14.7	7.7	4.2	140.5	12	4205
	12 LST	6.0	9.1	10.3	10.4	13.8	12.5	17.9	18.1	16.8	16.5	13.1	7.3	151.8	12	4225
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	6.7	7.2	7.0	4.9	6.5	6.7	8.7	8.6	13.0	13.6	9.8	7.2	99.9	12	4382
	00 LST	10.2	9.7	11.3	11.6	13.7	14.2	17.3	17.6	18.2	18.1	12.1	11.1	165.1	12	4382
	06 LST	10.1	7.3	7.8	7.1	8.6	8.5	9.9	9.6	11.7	10.6	9.9	10.1	111.2	12	4382
	12 LST	5.3	5.5	5.7	5.2	5.0	4.2	4.7	6.3	10.8	11.5	7.8	6.5	78.5	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	20.2	18.8	24.6	25.2	27.8	28.2	29.6	30.2	28.7	27.9	24.6	21.4	307.2	12	4382
	00 LST	20.2	19.2	24.5	25.3	27.7	28.1	29.1	28.1	27.5	28.0	23.6	22.2	303.5	12	4382
	06 LST	19.7	17.2	21.6	23.5	26.0	25.9	26.4	24.0	24.1	23.7	21.0	20.0	273.1	12	4382
	12 LST	18.7	18.2	21.4	22.7	25.3	26.6	27.8	28.2	27.3	26.6	22.3	19.5	285.1	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	17.0	16.2	19.0	19.7	22.9	24.4	27.2	27.8	26.1	24.2	20.4	17.8	262.7	12	4382
	00 LST	17.3	16.4	19.5	20.7	24.6	25.7	28.0	27.2	25.7	25.1	19.3	18.2	267.7	12	4382
	06 LST	16.8	14.6	18.9	19.4	23.6	23.7	24.3	22.5	22.1	21.9	17.1	17.4	242.3	12	4382
	12 LST	16.5	15.6	17.0	15.8	19.2	20.2	22.0	22.4	23.0	23.3	18.5	16.7	230.2	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	15.2	14.3	16.3	17.1	19.8	22.3	25.6	25.9	23.6	22.6	19.1	16.3	238.1	12	4382
	00 LST	15.4	14.2	17.3	18.2	21.5	23.3	26.7	25.6	23.6	23.4	17.5	15.9	242.6	12	4382
	06 LST	15.8	12.5	16.2	16.7	20.2	21.1	22.3	20.4	19.7	19.4	15.5	15.7	215.5	12	4382
	12 LST	15.2	14.3	15.0	13.9	17.1	18.8	20.1	21.2	21.4	21.6	16.9	14.8	210.3	12	4382

PEORIA/GREATER, ILLINOIS

STA NO. 72592 (IN AREA NUMBER 13)

LATITUDE 4039N

LONGITUDE 08941W

ELEVATION(FT) 00659

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	68	70	81	89	92	100	103	101	100	90	81	46	103	21	-613
MEAN MAX TMP (F)	33	37	47	61	72	82	86	85	77	67	48	36	61	17	-113
MEAN MIN TMP (F)	17	21	28	41	51	61	65	64	55	45	31	21	42	17	-113
ABS MIN TMP (F)	-14	-16	-10	20	31	39	48	43	26	20	-1	-14	-16	21	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.8	5.8	7.5	7.0	3.2	0.1	0.0	0.0	24.4	12	4382
MEAN NO DYS TMP = DR LES 32(F)	29.0	24.1	22.2	6.6	0.3	0.0	0.0	0.0	0.0	2.3	18.8	27.2	130.5	12	4382
MEAN NO DYS TMP = DR LES 0(F)	3.0	1.7	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.3	7.5	12	4382
MEAN DEW PT TMP (F)	18	22	27	38	49	59	64	63	54	43	29	21	41	12	84085
MEAN REL HUM (PCT)	77	76	71	66	64	67	69	71	67	67	71	77	70	12	84084
MEAN PRESS ALT (FT)	463	480	553	583	608	613	591	586	539	509	494	466	540	0	-50
MEAN PRECIP (IN)	1.73	1.67	2.87	4.42	4.15	4.15	3.44	3.12	2.58	2.52	2.06	1.92	34.6	21	-113
MEAN SNOW FALL (IN)	5.0	4.8	5.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	2.1	5.1	22.7	17	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.2	4.1	6.0	7.0	6.9	9.9	6.1	5.8	4.4	4.3	3.7	4.5	62.9	21	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN	1.1	1.3	1.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.3	5.5	12	4320
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	4.2	3.7	2.0	0.9	0.9	0.2	0.7	1.4	0.6	1.3	2.0	3.9	21.8	12	3774
MEAN NO DYS TSTMS	0.0	1.0	3.0	4.0	7.0	9.0	8.0	7.0	3.0	2.0	1.0	0.0	47.0	47	-24
P FREQ WND SPD = DR GTR 17 KTS	8.6	10.1	14.1	14.4	7.2	2.3	1.6	0.9	3.3	4.5	12.7	6.4	7.2	12	84095
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.2	0.8	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.2	12	84095
P FREQ LES 5000 FT A/D LES 5 MI	44.7	45.3	40.8	32.7	23.4	17.3	17.9	18.7	17.4	23.6	35.4	44.6	30.2	12	84092
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	25.5	24.9	16.8	12.8	9.8	7.0	6.3	7.2	8.7	11.2	13.9	23.6	14.0	10	8852
03-05 LST	27.1	28.2	20.7	15.0	12.4	11.5	12.3	13.3	13.4	12.8	16.7	24.5	17.5	12	8885
06-08 LST	32.0	33.3	21.9	15.7	13.5	10.9	12.4	16.0	12.9	17.3	17.7	28.2	19.3	12	13141
09-11 LST	31.7	30.1	18.7	13.5	10.2	8.0	5.9	7.6	7.5	12.2	15.6	28.9	15.8	12	13139
12-14 LST	26.3	22.6	15.0	10.8	7.7	4.5	2.3	2.6	3.3	7.3	12.7	23.5	11.6	12	13136
15-17 LST	22.8	18.2	13.4	9.5	5.5	2.1	1.7	1.3	2.8	7.2	11.6	20.4	9.7	12	13131
18-20 LST	24.2	17.8	13.9	9.0	5.4	1.4	1.8	1.6	2.9	7.4	11.6	18.8	9.7	12	13140
21-23 LST	23.7	21.6	15.5	9.7	7.3	4.3	3.0	2.4	4.5	8.8	10.9	21.5	11.1	12	10402
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.5	6.3	3.7	1.7	0.3	0.4	0.4	2.8	0.8	2.5	2.9	5.8	2.7	10	8852
03-05 LST	7.5	7.8	4.8	1.2	1.9	2.1	2.6	4.7	2.0	3.0	4.2	5.8	4.0	12	8885
06-08 LST	7.4	7.8	4.3	1.4	1.1	0.8	1.5	3.0	1.2	3.3	4.9	7.2	3.7	12	13141
09-11 LST	5.8	7.1	1.2	0.3	0.2	0.1	0.0	0.2	0.0	1.2	2.8	6.6	2.1	12	13139
12-14 LST	4.5	3.9	1.1	0.1	0.1	0.0	0.0	0.0	0.0	0.2	1.7	3.2	1.2	12	13136
15-17 LST	5.1	4.0	1.3	0.4	0.0	0.0	0.0	0.0	0.0	0.3	1.5	3.9	1.4	12	13131
18-20 LST	5.3	3.8	1.3	0.3	0.3	0.1	0.1	0.0	0.1	0.4	0.9	4.5	1.4	12	13140
21-23 LST	5.2	4.3	2.3	0.9	0.3	0.1	0.4	0.0	0.2	1.3	1.7	4.8	1.8	12	10402

PEORIA/GREATER, ILLINOIS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	23.1	24.4	27.2	28.2	30.2	29.7	30.7	30.7	29.3	29.5	27.5	26.3	338.8	12	4383
	00 LST	24.8	22.6	26.9	27.4	29.2	28.8	30.2	30.0	28.3	28.8	27.2	25.3	329.5	10	3269
	06 LST	23.6	20.9	25.1	26.6	27.9	27.4	27.3	25.4	26.1	27.1	26.2	25.1	308.7	12	4383
	12 LST	23.7	22.8	27.6	27.9	29.5	29.0	30.6	30.4	29.7	29.3	27.6	25.6	333.7	12	4383
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	11.9	10.9	11.0	10.3	15.4	19.2	23.3	25.5	22.6	20.8	13.4	12.6	196.9	12	4383
	00 LST	11.4	9.7	12.8	13.9	18.1	22.0	25.0	25.3	21.8	19.1	15.0	13.0	207.1	10	3269
	06 LST	11.8	9.4	12.3	12.7	16.8	19.1	22.2	21.7	20.4	18.5	12.9	13.1	190.9	12	4383
	12 LST	7.0	5.9	6.5	5.5	8.8	11.1	15.9	15.7	12.5	9.8	6.1	5.9	110.7	12	4383
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.7	1.8	4.4	3.1	2.4	0.4	0.2	0.0	0.4	0.8	2.6	1.9	19.7	12	4210
	00 LST	2.0	2.1	3.3	2.1	1.4	0.1	0.3	0.1	0.2	0.2	2.7	1.6	16.1	10	3122
	06 LST	1.4	1.5	2.6	2.7	1.1	0.1	0.1	0.0	0.1	0.4	3.0	2.1	15.1	12	4162
	12 LST	3.1	4.9	7.7	8.1	3.5	1.5	1.0	0.3	2.6	3.3	7.1	4.1	47.4	12	4200
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	5.6	9.0	11.6	15.0	18.7	20.0	23.6	25.1	22.3	22.7	13.1	7.3	194.0	12	4210
	00 LST	3.6	5.6	9.8	16.4	21.4	23.3	22.5	23.5	22.0	20.7	10.7	5.0	164.5	10	3122
	06 LST	2.9	4.1	6.5	14.1	19.3	23.3	22.0	23.9	22.1	20.6	8.0	4.0	170.8	12	4162
	12 LST	5.3	6.8	9.1	8.9	12.6	14.9	19.1	19.0	15.3	13.1	7.8	4.6	136.5	12	4200
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.5	8.5	8.5	6.7	9.6	9.3	12.8	13.6	15.3	15.1	10.1	9.0	127.0	12	4383
	00 LST	10.3	9.9	9.9	12.0	14.3	16.1	17.2	19.3	16.5	17.2	12.4	10.3	163.4	10	3269
	06 LST	10.6	8.2	10.0	9.3	9.7	9.8	10.7	11.2	14.2	12.8	11.1	11.2	128.8	12	4383
	12 LST	7.2	7.7	7.9	7.0	7.6	6.2	6.3	7.8	13.0	13.2	8.6	8.1	100.6	12	4162
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	21.3	21.2	24.6	25.8	28.6	29.3	30.2	30.5	28.6	27.9	24.7	22.3	315.0	12	4383
	00 LST	20.3	19.6	24.3	25.4	28.0	28.0	29.3	29.8	27.7	27.2	24.0	21.6	305.2	10	3269
	06 LST	20.1	17.7	22.9	24.2	26.2	25.7	26.4	24.2	25.4	24.6	22.6	20.7	280.7	12	4383
	12 LST	19.7	18.5	22.5	24.2	26.6	26.7	28.2	27.7	27.4	26.7	23.2	20.8	292.2	12	4383
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.5	17.9	19.5	20.6	25.1	26.7	27.6	28.8	26.0	25.1	19.8	18.1	273.7	12	4383
	00 LST	17.3	16.2	19.1	21.0	25.1	25.8	26.5	27.7	24.5	25.2	19.4	18.3	266.1	10	3269
	06 LST	17.6	15.3	19.5	19.6	23.6	23.3	24.3	23.3	23.9	22.0	18.8	17.5	248.7	12	4383
	12 LST	17.6	15.6	18.2	17.7	21.0	22.2	23.3	23.2	23.9	23.7	19.2	17.6	243.2	12	4383
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	16.8	16.7	16.7	18.4	21.7	24.2	26.2	27.6	24.4	23.9	18.3	17.0	251.9	12	4383
	00 LST	16.2	14.6	16.1	17.3	22.7	23.8	25.4	26.2	22.4	23.8	17.6	16.8	242.9	10	3269
	06 LST	16.2	13.1	17.7	17.4	20.7	21.9	22.6	21.3	22.0	20.4	17.2	16.3	226.8	12	4383
	12 LST	16.3	14.3	16.8	16.0	19.3	20.3	22.2	21.6	22.5	22.7	17.5	16.3	225.8	12	4383

BLOOMINGTON, ILLINOIS

STA NO. 73026 (IN AREA NUMBER 13)

LATITUDE 4028N

LONGITUDE 08855W

ELEVATION(FT) 00875

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	69	71	88	95	103	106	114	105	103	93	82	68	114	68	-113
MEAN MAX TMP (F)	35	38	50	63	75	84	89	87	80	68	51	38	63	60	-113
MEAN MIN TMP (F)	18	21	30	40	51	60	64	62	55	44	32	22	42	60	-113
ABS MIN TMP (F)	-24	-24	-15	14	26	31	41	37	22	9	-7	-20	-24	66	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.0	8.0	12.0	10.0	6.0	0.3	0.0	0.0	37.3	10	-113
MEAN NO DYS TMP = DR LES 32(F)	28.0	24.0	22.0	7.0	0.3	0.0	0.0	0.0	0.0	0.3	17.0	24.0	122.6	9	-113
MEAN NO DYS TMP = DR LES 0(F)	3.0	1.7	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.3	7.5	12	-72532
MEAN DEW PT TMP (F)	18	22	27	38	49	59	64	63	54	43	29	21	41	12	-72532
MEAN REL HUM (PCT)	77	76	71	66	64	67	69	71	67	67	71	77	70	12	-72532
MEAN PRESS ALT (FT)	681	698	769	798	822	826	805	800	753	724	712	684	756	0	-50
MEAN PRECIP (IN)	2.09	1.80	3.01	3.89	4.11	4.23	3.25	3.30	3.61	2.51	2.57	2.06	36.4	70	-113
MEAN SNOW FALL (IN)	6.1	5.4	4.7	1.0	0.0	0.0	0.0	0.0	0.0	0.2	1.6	4.9	23.9	66	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.8	4.3	6.1	6.7	6.9	7.0	5.9	6.0	5.8	4.3	4.4	4.7	66.9	70	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	1.4	1.2	1.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.1	5.2	66	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.2	3.7	2.0	0.9	0.9	0.2	0.7	1.4	0.6	1.3	2.0	3.9	21.8	12	-72532
MEAN NO DYS TSTMS	0.0	1.0	3.0	4.0	7.0	9.0	8.0	7.0	5.0	2.0	1.0	0.0	47.0	47	-72532
P FREQ WND SPD = DR GTR 17 KTS	8.6	10.1	14.1	14.4	7.2	2.3	1.6	0.9	3.3	4.5	12.7	6.4	7.2	12	-72532
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.2	0.8	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.2	12	-72532
P FREQ LES 5000 FT A/D LES 5 MI	44.7	45.3	40.8	32.7	23.4	17.3	17.9	18.7	17.4	23.6	35.4	44.6	30.2	12	-72532
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	25.5	24.9	16.8	12.8	9.8	7.0	6.3	7.2	8.7	11.2	13.9	23.6	14.0	10	-72532
03-05 LST	27.1	28.2	20.7	15.0	12.4	11.5	12.5	15.3	13.4	12.8	16.7	24.5	17.5	12	-72532
06-08 LST	32.0	33.3	21.9	15.7	13.5	10.9	12.4	16.0	12.9	17.3	17.7	28.2	19.3	12	-72532
09-11 LST	31.7	30.1	18.7	13.5	10.2	8.0	5.9	7.6	7.5	12.2	15.6	28.9	15.8	12	-72532
12-14 LST	26.3	22.6	15.0	10.8	7.7	4.5	2.3	2.6	3.3	7.5	12.7	23.5	11.6	12	-72532
15-17 LST	22.8	18.2	13.4	9.5	5.5	2.1	1.7	1.3	2.8	7.2	11.6	20.4	9.7	12	-72532
18-20 LST	24.2	17.8	13.9	9.0	5.4	1.4	1.8	1.6	2.9	7.4	11.6	18.8	9.7	12	-72532
21-23 LST	23.7	21.6	15.5	9.7	7.3	4.3	3.0	2.4	4.5	8.8	10.9	21.5	11.1	12	-72532
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.5	6.5	3.7	1.7	0.3	0.4	0.4	2.8	0.8	2.5	2.9	5.8	2.7	10	-72532
03-05 LST	7.5	7.8	4.8	1.2	1.9	2.1	2.6	4.7	2.0	3.6	4.2	5.8	4.0	12	-72532
06-08 LST	7.4	7.8	4.3	1.4	1.1	0.8	1.5	3.0	1.2	3.3	4.9	7.2	3.7	12	-72532
09-11 LST	5.8	7.1	1.2	0.3	0.2	0.1	0.0	0.2	0.0	1.2	2.8	6.6	2.1	12	-72532
12-14 LST	4.5	3.9	1.1	0.1	0.1	0.0	0.0	0.0	0.0	0.2	1.7	3.2	1.2	12	-72532
15-17 LST	5.1	4.0	1.3	0.4	0.0	0.0	0.0	0.0	0.0	0.3	1.5	3.9	1.4	12	-72532
18-20 LST	5.3	3.8	1.3	0.3	0.3	0.1	0.1	0.0	0.1	0.4	0.9	4.5	1.4	12	-72532
21-23 LST	5.2	4.3	2.3	0.9	0.5	0.1	0.4	0.0	0.2	1.3	1.7	4.8	1.8	12	-72532

BLOOMINGTON, ILLINOIS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	25.1	24.4	27.2	28.2	30.2	29.7	30.7	30.7	29.3	29.3	27.3	26.3	338.8	12	-72532
	00 LST	24.8	22.6	26.9	27.4	29.2	28.8	30.2	30.0	28.3	28.8	27.2	25.3	329.9	10	-72532
	06 LST	23.6	20.9	25.1	26.6	27.9	27.4	27.3	25.4	26.1	27.1	26.2	25.1	308.7	12	-72532
	12 LST	23.7	22.8	27.6	27.9	29.5	29.0	30.6	30.4	29.7	29.3	27.6	25.6	333.7	12	-72532
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	11.9	10.9	11.0	10.3	15.4	19.2	23.3	25.5	22.6	20.8	13.4	12.6	196.9	12	-72532
	00 LST	11.4	9.7	12.8	13.9	18.1	22.0	25.0	25.3	21.8	19.1	15.0	13.0	207.1	10	-72532
	06 LST	11.8	9.4	12.3	12.7	16.8	19.1	22.2	21.7	20.4	18.9	12.9	13.1	190.9	12	-72532
	12 LST	7.0	5.9	6.2	5.5	8.8	11.1	15.9	15.7	12.5	9.8	6.1	5.9	110.7	12	-72532
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.7	1.8	4.4	3.1	2.4	0.4	0.2	0.0	0.4	0.8	2.6	1.9	19.7	12	-72532
	00 LST	2.0	2.1	3.3	2.1	1.4	0.1	0.3	0.1	0.2	0.2	2.7	1.6	16.1	10	-72532
	06 LST	1.4	1.5	2.6	2.7	1.1	0.1	0.1	0.0	0.1	0.4	3.0	2.1	15.1	12	-72532
	12 LST	3.1	4.9	7.7	8.1	3.5	1.5	1.0	0.5	2.6	3.3	7.1	4.1	47.4	12	-72532
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	5.6	9.0	11.6	15.0	18.7	20.0	23.6	25.1	22.3	22.7	13.1	7.3	194.0	12	-72532
	00 LST	3.6	5.6	9.8	16.4	21.4	23.3	22.5	23.5	22.0	20.7	10.7	5.0	184.3	10	-72532
	06 LST	2.9	4.1	6.5	14.1	19.3	23.3	22.0	23.9	22.1	20.6	8.0	4.0	170.8	12	-72532
	12 LST	5.3	6.8	9.1	8.9	12.6	14.9	19.1	19.0	15.3	13.1	7.8	4.6	136.5	12	-72532
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.5	8.5	8.5	6.7	9.6	9.3	12.8	13.6	15.3	15.1	10.1	9.0	127.0	12	-72532
	00 LST	10.3	9.9	9.9	12.0	14.3	16.1	17.2	19.3	16.5	17.2	12.4	10.3	169.4	10	-72532
	06 LST	10.6	8.2	10.0	9.3	9.7	9.8	10.7	11.2	14.2	12.8	11.1	11.2	128.8	12	-72532
	12 LST	7.2	7.7	7.9	7.0	7.6	6.2	6.3	7.8	13.0	13.2	8.6	8.1	100.6	12	-72532
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	21.3	21.2	24.6	25.8	28.6	29.3	30.2	30.5	28.6	27.9	24.7	22.3	315.0	12	-72532
	00 LST	20.3	19.6	24.3	25.4	28.0	28.0	29.3	29.8	27.7	27.2	24.0	21.6	305.2	10	-72532
	06 LST	20.1	17.7	22.9	24.2	26.2	25.7	26.4	24.2	25.4	24.8	22.6	20.7	280.7	12	-72532
	12 LST	19.7	18.5	22.5	24.2	26.6	26.7	28.2	27.7	27.4	26.7	23.2	20.6	292.2	12	-72532
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.5	17.9	19.5	20.6	25.1	26.7	27.6	28.8	26.0	25.1	19.8	18.1	273.7	12	-72532
	00 LST	17.3	16.2	19.1	21.0	25.1	25.8	26.5	27.7	24.5	25.2	19.4	18.3	266.1	10	-72532
	06 LST	17.6	15.3	19.3	19.5	23.6	23.3	24.3	23.3	23.9	22.0	18.8	17.5	248.7	12	-72532
	12 LST	17.6	15.6	18.2	17.7	21.0	22.2	23.3	23.2	23.9	23.7	19.2	17.6	243.2	12	-72532
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	16.8	16.7	16.7	18.4	21.7	24.2	26.2	27.6	24.4	23.9	18.3	17.0	251.9	12	-72532
	00 LST	16.2	14.6	16.1	17.3	22.7	23.8	25.4	26.2	22.4	23.8	17.6	16.8	242.9	10	-72532
	06 LST	16.2	13.1	17.7	17.4	20.7	21.9	22.6	21.3	21.0	20.4	17.2	16.3	226.8	12	-72532
	12 LST	16.3	14.3	16.8	16.0	19.3	20.3	22.2	21.6	22.5	22.7	17.9	16.3	225.8	12	-72532

MARION/WILLIAMSON COUNTY, ILLINOIS

STA NO. 73302 (IN AREA NUMBER 13)

LATITUDE 3745N

LONGITUDE 08900W

ELEVATION(FT) 00472

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. LBS
ABS MAX TMP (F)	76	78	93	92	101	106	112	113	108	96	88	74	113	50	-75221
MEAN MAX TMP (F)	44	48	58	69	79	88	92	90	84	73	58	47	69	50	-75221
MEAN MIN TMP (F)	26	28	35	46	54	63	67	65	58	48	35	28	46	50	-75221
ABS MIN TMP (F)	-24	-22	-9	20	32	39	43	41	30	16	-1	-10	-24	49	-75221
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	2.0	13.0	18.0	19.0	9.0	1.0	0.0	0.0	62.0	10	-75221
MEAN NO DYS TMP = DR LES 32(F)	25.0	18.0	15.0	4.0	0.0	0.0	0.0	0.0	0.0	5.0	16.0	21.0	104.0	9	-75221
MEAN NO DYS TMP = DR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			49	-29
MEAN DEW PT TMP (F)	27	31	35	45	56	64	67	66	57	42	33	29	46	0	-50
MEAN REL HUM (PCT)	75	78	68	67	72	70	69	71	65	57	63	74	69	33	-29
MEAN PRESS ALT (FT)	253	289	354	389	405	419	394	395	356	313	284	256	342	0	-50
MEAN PRECIP (IN)	3.67	3.45	4.45	4.21	4.46	3.64	3.34	3.98	3.24	2.60	3.52	2.70	43.3	18	-113
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					49	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.1	6.8	7.0	6.9	7.0	6.4	6.0	6.8	5.3	4.5	5.7	5.7	75.2	18	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					49	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MARION/WILLIAMSON COUNTY, ILLINOIS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG =GTR 2000 FT AND VSBY =GTR														0	0
3 MI W/SFC WND LES 10 KTS														0	0
														0	0
														0	0
SFC WND = GTR 17 KTS AND														0	0
NO PRECIP.														0	0
														0	0
														0	0
SFC WND 4-10 KTS AND TMP 33-89														0	0
DEG F AND NO PRECIP.														0	0
														0	0
														0	0
SKY COVER LES 3/10 AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 2500 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 6000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 10000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0

DATA NOT AVAILABLE

URBANA/UNIVERSITY OF ILLINOIS, ILLINOIS

STA NO. 73416 (IN AREA NUMBER 13)

LATITUDE 4002N

LONGITUDE 08816W

ELEVATION(FT) 00793

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PUR (YRS)	NO. OBS
ABS MAX TMP (F)	70	70	85	91	97	103	109	101	101	93	80	70	109	58	-113
MEAN MAX TMP (F)	35	38	49	62	72	82	86	84	78	66	50	38	62	58	-113
MEAN MIN TMP (F)	19	22	31	41	51	61	65	63	56	45	33	23	43	58	-113
ABS MIN TMP (F)	-22	-25	-5	19	26	37	41	39	29	13	-5	-20	-25	57	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	1.0	7.0	9.0	8.0	5.0	0.3	0.0	0.0	30.3	9	-113
MEAN NO DYS TMP = OR LES 32(F)	28.0	23.0	20.0	4.0	0.3	0.0	0.0	0.0	0.0	0.0	17.0	23.0	120.3	10	-113
MEAN NO DYS TMP = OR LES 0(F)	2.5	1.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.6	6.0	12	-72531
MEAN DEW PT TMP (F)	21	25	29	40	50	59	64	63	54	44	31	24	42	12	-72531
MEAN REL HUM (PCT)	81	80	75	70	67	68	70	73	67	68	73	80	73	12	-72531
MEAN PRESS ALT (FT)	563	579	647	675	699	702	684	676	630	603	594	566	635	0	-50
MEAN PRECIP (IN)	2.20	1.93	3.20	3.73	4.06	3.95	3.32	3.28	3.16	2.81	2.43	2.13	36.2	58	-113
MEAN SNOW FALL (IN)	4.1	5.1	4.2	0.9	0.0	0.0	0.0	0.0	0.0	0.0	3.4	6.0	23.7	12	-72531
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.0	4.5	6.3	6.7	6.8	6.7	6.0	6.0	5.2	4.7	4.2	4.9	67.0	58	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.1	1.3	1.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.3	5.7	12	-72531
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	5.3	5.3	3.3	0.6	1.3	1.1	1.5	1.9	1.4	1.3	3.0	5.7	31.7	12	-72531
MEAN NO DYS TSTMS	0.7	1.1	2.7	6.0	6.2	7.9	7.0	6.6	4.7	2.1	1.1	0.6	46.7	12	-72531
P FREQ WND SPD = OR GTR 17 KTS	7.2	7.9	12.9	12.0	6.7	3.0	0.9	0.4	1.7	2.5	5.9	4.3	5.5	12	-72531
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.2	0.3	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1	12	-72531
P FREQ LES 5000 FT A/D LES 5 MI	49.0	45.8	40.7	33.0	25.1	21.2	19.4	20.9	18.6	23.4	37.9	46.2	32.1	12	-72531
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	25.7	26.1	18.5	11.7	9.9	6.8	5.6	8.3	8.5	10.6	16.7	24.7	14.8	12	-72531
03-05 LST	29.6	29.4	20.2	13.6	13.1	11.5	10.7	14.8	12.7	13.9	19.0	27.8	18.0	12	-72531
06-08 LST	34.5	33.1	23.6	15.6	14.0	10.3	11.8	16.6	16.4	18.6	25.3	31.4	20.9	12	-72531
09-11 LST	34.1	31.0	22.0	15.4	10.3	8.4	6.8	6.1	6.8	11.0	20.1	30.5	16.9	12	-72531
12-14 LST	28.6	27.1	17.4	12.5	7.4	4.7	3.8	3.2	3.6	7.9	15.5	29.4	13.4	12	-72531
15-17 LST	28.1	25.3	15.1	10.8	5.4	3.8	2.2	1.8	2.6	7.3	14.6	25.9	11.9	12	-72531
18-20 LST	27.6	22.9	14.8	9.8	5.4	4.0	3.2	2.5	3.4	8.1	12.3	25.0	11.6	12	-72531
21-23 LST	28.9	22.1	15.2	11.0	5.7	4.0	3.7	4.0	3.6	8.1	13.4	25.1	12.1	12	-72531
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	8.9	9.1	4.5	1.4	1.9	0.5	1.1	1.4	1.3	1.9	3.1	8.2	3.6	12	-72531
03-05 LST	9.4	8.9	5.6	2.1	2.6	1.9	3.2	4.4	3.6	2.7	5.8	8.2	4.9	12	-72531
06-08 LST	9.0	11.1	6.6	2.0	1.2	1.0	1.5	3.3	1.6	2.8	7.7	9.0	4.7	12	-72531
09-11 LST	9.1	7.8	2.9	0.7	0.1	0.0	0.1	0.3	0.0	0.9	4.0	8.2	2.8	12	-72531
12-14 LST	7.1	6.9	1.5	0.5	0.2	0.2	0.2	0.1	0.1	0.6	2.3	5.4	2.1	12	-72531
15-17 LST	8.5	6.8	2.7	0.3	0.3	0.2	0.1	0.2	0.2	1.4	2.6	6.1	2.9	12	-72531
18-20 LST	7.7	7.0	4.0	0.7	0.1	0.3	0.4	0.3	0.2	0.6	2.0	8.2	2.6	12	-72531
21-23 LST	9.0	5.6	3.5	1.4	0.8	0.1	0.5	0.2	0.4	1.0	2.2	9.0	3.1	12	-72531

URBANA/UNIVERSITY OF ILLINOIS, ILLINOIS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	23.3	22.1	26.4	27.9	29.8	29.4	30.3	30.5	29.6	29.1	26.7	25.2	330.3	12	-72531
	00 LST	23.7	22.0	26.7	27.2	29.1	28.7	29.6	28.9	28.3	29.1	26.3	24.6	324.2	12	-72531
	06 LST	23.3	20.6	24.0	26.2	27.5	26.9	27.4	24.8	24.9	25.6	24.1	23.2	298.5	12	-72531
	12 LST	23.3	21.6	27.2	27.3	29.4	29.3	30.2	30.4	29.4	29.4	27.0	23.7	328.2	12	-72531
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	14.1	13.0	14.4	13.1	14.5	18.5	22.3	25.3	24.6	24.5	19.9	16.1	220.3	12	-72531
	00 LST	13.3	12.0	15.3	16.4	20.3	24.3	26.1	25.8	24.2	24.4	17.7	15.9	235.7	12	-72531
	06 LST	13.1	10.6	14.7	13.8	17.1	20.0	22.1	21.5	20.8	21.1	16.3	15.1	206.2	12	-72531
	12 LST	8.4	6.3	7.2	6.5	9.9	13.2	16.4	17.1	14.4	13.0	10.2	8.2	130.8	12	-72531
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	2.1	1.4	3.0	2.1	2.3	0.2	0.1	0.0	0.2	0.3	1.3	1.0	14.0	12	-72531
	00 LST	1.8	1.5	1.9	1.3	0.4	0.2	0.2	0.0	0.0	0.2	1.6	0.4	9.5	12	-72531
	06 LST	1.0	1.1	1.9	1.4	0.8	0.4	0.0	0.1	0.1	0.6	1.0	0.7	9.1	12	-72531
	12 LST	3.3	3.4	6.1	6.7	3.8	1.9	0.7	0.3	1.7	1.8	3.3	2.1	35.1	12	-72531
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	5.8	9.4	12.7	16.3	17.6	19.0	20.4	20.4	18.6	19.1	12.6	7.1	179.0	12	-72531
	00 LST	4.0	5.3	9.2	14.9	18.4	17.6	17.0	14.4	15.2	16.7	10.6	5.5	148.8	12	-72531
	06 LST	2.9	4.8	7.2	14.1	17.4	18.2	18.7	15.0	15.6	14.7	7.7	4.2	140.5	12	-72531
	12 LST	6.0	9.1	10.3	10.4	13.8	12.5	17.4	18.1	16.8	16.5	13.1	7.3	151.8	12	-72531
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	6.7	7.2	7.0	4.9	6.5	6.7	8.7	8.6	13.0	13.6	9.8	7.2	99.9	12	-72531
	00 LST	10.2	9.7	11.3	11.6	13.7	14.2	17.3	17.6	18.2	18.1	12.1	11.1	165.1	12	-72531
	06 LST	10.1	7.3	7.8	7.1	8.6	8.5	9.9	9.6	11.7	10.6	9.9	10.1	111.2	12	-72531
	12 LST	5.3	5.5	5.7	5.2	5.0	4.2	4.7	6.3	10.8	11.5	7.8	6.5	78.5	12	-72531
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	20.2	18.8	24.6	25.2	27.8	28.2	29.6	30.2	28.7	27.9	24.6	21.4	307.2	12	-72531
	00 LST	20.2	19.2	24.5	25.3	27.7	28.1	29.1	28.1	27.5	28.0	23.6	22.2	303.5	12	-72531
	06 LST	19.7	17.2	21.6	23.5	26.0	25.9	26.4	24.0	24.1	23.7	21.0	20.0	273.1	12	-72531
	12 LST	18.7	18.2	21.9	22.7	25.3	26.6	27.8	28.2	27.3	26.6	22.3	19.5	285.1	12	-72531
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	17.0	16.2	19.0	19.7	22.9	24.4	27.2	27.8	26.1	24.2	20.4	17.8	262.7	12	-72531
	00 LST	17.3	16.4	19.5	20.7	24.6	25.7	28.0	27.2	25.7	25.1	19.3	18.2	267.7	12	-72531
	06 LST	16.8	14.6	18.9	19.4	23.6	23.7	24.3	22.3	22.1	21.9	17.1	17.4	242.3	12	-72531
	12 LST	16.5	15.6	17.0	15.8	19.2	20.2	22.0	22.4	23.0	23.3	18.5	16.7	230.2	12	-72531
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	15.2	14.3	16.3	17.1	19.8	22.3	25.6	25.9	23.6	22.6	19.1	16.3	238.1	12	-72531
	00 LST	15.4	14.2	17.3	18.2	21.5	23.3	26.7	25.6	23.6	23.4	17.5	15.9	242.6	12	-72531
	06 LST	15.8	12.5	16.2	16.7	20.2	21.1	22.3	20.4	19.7	19.4	15.5	15.7	215.5	12	-72531
	12 LST	15.2	14.3	15.0	13.9	17.1	18.8	20.1	21.2	21.4	21.6	16.9	14.8	210.3	12	-72531

BELLEVILLE/SCOTT AFB, ILLINOIS

STA NO. 73490 (IN AREA NUMBER 13)

LATITUDE 3839N

LONGITUDE 08951W

ELEVATION(FT) 00444

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	75	73	84	89	97	104	110	101	103	93	84	72	110	12	4383
MEAN MAX TMP (F)	40	43	52	63	76	85	88	87	81	70	53	43	65	12	4383
MEAN MIN TMP (F)	24	28	32	45	55	65	68	67	58	47	34	27	46	12	4383
ABS MIN TMP (F)	-8	-11	-3	22	34	48	53	48	38	24	4	1	-11	12	4383
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.0	9.8	12.5	11.5	5.6	0.4	0.0	0.0	41.4	12	4383
MEAN NO DYS TMP = DR LES 32(F)	25.6	19.2	14.9	1.9	0.0	0.0	0.0	0.0	0.0	1.0	14.6	22.4	99.6	12	4383
MEAN NO DYS TMP = DR LES 0(F)	0.9	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	12	4383
MEAN DEW PT TMP (F)	24	28	32	43	54	63	66	66	57	43	32	27	45	12	105054
MEAN REL HUM (PCT)	74	73	69	66	68	68	69	71	67	66	68	73	69	12	105057
MEAN PRESS ALT (FT)	270	276	352	383	411	418	395	389	340	313	305	277	344	0	-50
MEAN PRECIP (IN)	2.85	2.83	3.49	3.79	4.01	4.54	3.31	4.00	3.27	2.86	2.73	2.90	39.7	16	-113
MEAN SNOW FALL (IN)	3.7	2.7	4.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	1.5	2.4	15.1	16	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.5	5.9	6.5	6.7	6.8	7.3	6.0	6.8	5.3	4.8	4.6	5.1	71.3	16	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.7	0.5	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.6	2.9	12	4383
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.7	3.1	1.6	0.8	1.1	0.3	1.1	0.9	1.1	1.1	2.0	3.3	20.1	12	4382
MEAN NO DYS TSTMS	0.7	1.2	3.0	5.8	6.7	7.6	7.5	7.1	4.4	2.8	1.3	0.6	48.7	12	4383
P FREQ WND SPD = DR GTR 17 KTS	6.5	6.8	10.3	8.8	3.2	1.6	0.8	0.4	1.6	2.1	6.1	3.0	4.4	12	105150
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.2	0.2	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	12	105150
P FREQ LES 5000 FT A/O LES 5 MI	46.8	43.5	37.8	30.0	23.8	17.3	17.4	16.0	16.9	22.6	32.6	44.4	29.1	12	105151
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	22.6	18.2	14.3	10.5	6.7	4.4	4.0	2.9	7.1	8.4	13.8	19.5	11.0	12	13143
03-05 LST	24.6	20.2	18.5	13.1	11.2	8.2	10.2	9.9	9.8	11.7	15.7	22.0	14.6	12	13145
06-08 LST	26.7	27.3	22.8	14.9	13.4	7.9	10.4	12.8	11.8	17.0	20.5	26.4	17.8	12	13142
09-11 LST	27.3	26.7	17.7	12.6	8.5	5.6	5.9	4.9	7.7	8.2	15.0	25.4	13.8	12	13144
12-14 LST	20.7	19.8	14.7	9.1	5.1	3.2	1.3	2.0	3.1	6.6	9.7	21.3	9.7	12	13144
15-17 LST	20.4	20.3	12.2	7.0	3.7	1.3	0.8	1.1	1.9	6.2	8.7	17.4	8.4	12	13144
18-20 LST	19.8	17.7	12.5	6.8	4.1	2.2	0.8	1.7	2.4	6.6	9.3	15.8	5.3	12	13145
21-23 LST	20.7	16.5	14.0	7.8	4.8	3.1	1.2	1.6	3.4	7.4	10.5	17.7	9.1	12	13144
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	4.3	4.3	2.8	0.6	1.2	0.0	0.4	0.2	1.3	0.8	3.1	4.3	1.9	12	13143
03-05 LST	4.7	5.8	3.0	1.3	2.6	0.8	1.8	2.6	2.0	2.8	3.4	4.8	3.0	12	13145
06-08 LST	6.1	6.1	4.4	1.9	1.6	0.3	1.5	2.4	1.8	3.8	3.5	6.0	3.3	12	13142
09-11 LST	5.0	4.3	1.7	0.5	0.1	0.1	0.2	0.0	0.4	1.0	1.9	3.0	1.7	12	13144
12-14 LST	4.0	1.6	1.6	0.3	0.0	0.1	0.0	0.1	0.1	0.0	1.0	3.3	1.0	12	13144
15-17 LST	4.5	3.5	1.8	0.2	0.3	0.0	0.3	0.1	0.5	0.4	1.9	4.2	1.5	12	13144
18-20 LST	3.6	3.6	1.6	0.1	0.2	0.2	0.0	0.0	0.0	0.1	0.7	3.7	1.2	12	13145
21-23 LST	3.9	3.7	1.9	0.0	0.1	0.2	0.1	0.1	0.4	0.0	1.4	3.4	1.3	12	13144

BELLEVILLE/SCOTT AFB, ILLINOIS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	25.8	23.4	27.7	28.4	30.2	29.6	30.8	30.8	29.4	29.2	27.7	27.2	340.2	12	4382
	00 LST	26.1	23.9	27.4	28.1	30.2	29.2	30.4	30.5	28.7	29.3	26.8	26.7	337.3	12	4382
	06 LST	24.2	22.8	25.2	26.6	27.2	28.1	27.9	25.8	26.4	25.9	24.8	23.6	310.9	12	4382
	12 LST	25.1	23.5	27.3	28.5	29.9	29.6	30.7	30.7	29.4	29.6	27.9	25.5	337.7	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	16.2	12.8	13.9	12.8	20.3	21.1	25.7	27.4	24.9	24.1	18.8	17.4	235.4	12	4382
	00 LST	15.5	14.4	17.9	19.0	23.1	26.6	28.0	28.6	25.7	25.1	20.3	17.6	261.8	12	4382
	06 LST	14.8	14.1	16.4	17.3	21.7	25.7	25.7	24.1	23.6	22.1	17.6	17.3	240.4	12	4382
	12 LST	11.0	9.8	9.7	9.4	14.7	17.3	21.6	22.2	17.9	16.2	12.2	10.8	172.8	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	3.1	2.0	2.8	2.8	0.6	0.2	0.2	0.0	0.3	0.2	1.1	1.7	15.0	12	4259
	00 LST	1.8	1.2	1.8	1.0	0.3	0.0	0.2	0.0	0.2	0.6	1.5	0.7	9.3	12	4241
	06 LST	0.7	0.7	1.6	1.1	0.1	0.2	0.2	0.0	0.1	0.3	1.1	1.3	7.4	12	4243
	12 LST	3.0	2.6	3.0	4.4	1.7	1.0	0.3	0.0	0.7	1.5	3.1	2.5	25.8	12	4269
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	9.6	11.9	16.1	16.2	22.2	19.8	19.3	20.4	19.4	19.3	19.2	11.6	201.0	12	4259
	00 LST	7.8	8.6	13.5	18.7	17.9	17.9	15.3	14.7	14.1	17.0	12.4	9.3	167.2	12	4241
	06 LST	5.8	6.9	10.7	17.7	18.3	18.6	15.7	15.4	15.6	16.1	11.3	7.1	159.2	12	4243
	12 LST	9.8	11.5	13.3	13.2	18.3	15.1	16.5	17.2	17.3	19.6	15.6	12.3	179.7	12	4269
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.2	7.6	6.7	6.8	7.2	6.8	8.6	10.9	13.7	13.8	11.9	8.7	110.9	12	4382
	00 LST	10.7	9.2	12.2	11.3	14.1	15.5	16.5	19.4	19.1	18.7	14.7	10.8	172.2	12	4382
	06 LST	10.5	8.0	8.6	7.1	8.1	9.0	9.1	10.1	12.8	13.0	10.6	9.5	116.4	12	4382
	12 LST	6.7	6.4	6.5	5.6	5.6	5.0	4.0	5.8	11.4	12.2	8.3	6.2	83.7	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	22.8	20.5	23.5	23.8	29.1	29.0	30.4	30.3	28.7	28.3	25.7	23.6	319.7	12	4382
	00 LST	21.8	20.1	25.0	25.5	28.1	28.7	29.6	30.1	28.0	27.9	24.9	23.0	312.7	12	4382
	06 LST	20.2	19.0	22.2	23.6	25.6	27.2	27.1	25.2	25.3	23.9	22.3	21.4	283.0	12	4382
	12 LST	20.5	19.7	23.3	24.4	26.6	27.7	28.4	29.3	27.1	27.4	24.6	20.6	299.6	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.7	17.0	19.6	21.3	25.3	25.7	27.7	28.8	25.9	25.6	21.4	18.9	278.9	12	4382
	00 LST	18.7	17.3	20.4	21.5	25.7	26.7	28.1	28.1	26.6	25.8	22.1	18.5	279.5	12	4382
	06 LST	17.2	16.1	18.5	19.3	22.5	24.7	25.1	23.5	23.7	21.7	18.2	17.4	247.9	12	4382
	12 LST	16.8	16.4	18.1	19.1	20.5	20.5	22.6	24.3	23.2	24.1	21.0	17.9	244.9	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.3	15.7	17.5	18.5	21.8	23.7	25.7	27.0	24.8	24.0	20.1	17.0	253.1	12	4382
	00 LST	16.6	15.6	18.2	18.2	22.9	25.1	26.2	26.9	24.8	24.2	20.9	17.2	256.8	12	4382
	06 LST	16.1	14.6	17.1	16.7	19.9	22.7	22.7	21.3	21.8	20.2	17.1	15.5	225.7	12	4382
	12 LST	15.9	15.4	17.0	17.3	18.1	19.3	21.2	22.7	22.1	22.4	19.2	15.9	226.5	12	4382

ALTON/CIVIC MEMORIAL, ILLINOIS

STA NO. 73605 (IN AREA NUMBER 13)

LATITUDE 3853N

LONGITUDE 09003W

ELEVATION(FT) 00541

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	Q85
ABS MAX TMP (F)	75	73	84	89	97	104	110	101	103	99	84	72	110	12	-73450
MEAN MAX TMP (F)	40	43	52	63	76	83	88	87	81	70	53	43	65	12	-73450
MEAN MIN TMP (F)	24	28	33	43	55	65	68	67	58	47	34	27	46	12	-73450
ABS MIN TMP (F)	-8	-11	-3	22	34	48	53	48	38	24	4	1	-11	12	-73450
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.6	9.8	12.5	11.5	5.6	0.4	0.0	0.0	41.4	12	-73450
MEAN NO DYS TMP = DR LES 32(F)	25.6	19.2	14.9	1.9	0.0	0.0	0.0	0.0	0.0	1.0	14.6	22.4	99.6	12	-73450
MEAN NO DYS TMP = DR LES 0(F)	0.9	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	12	-73450
MEAN DEW PT TMP (F)	24	28	32	43	54	63	66	66	57	45	32	27	45	12	-73450
MEAN REL HUM (PCT)	74	73	69	66	68	68	69	71	67	66	68	73	69	12	-73450
MEAN PRESS ALT (FT)	356	363	439	470	498	505	482	476	428	400	391	362	431	0	-50
MEAN PRECIP (IN)	2.55	2.83	3.49	3.79	4.01	4.54	3.31	4.00	3.27	2.86	2.73	2.30	39.7	16	-73450
MEAN SNOW FALL (IN)	3.7	2.7	4.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	1.5	2.4	15.1	16	-73450
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.3	3.9	6.5	6.7	6.8	7.3	6.0	6.8	3.3	4.8	4.6	3.1	71.3	16	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.7	0.5	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.6	2.9	12	-73450
MEAN NO DYS W/OCUR V5BY LES 1/2 MI	3.7	3.1	1.6	0.8	1.1	0.3	1.1	0.9	1.1	1.1	2.0	3.3	20.1	12	-73450
MEAN NO DYS TSTMS	0.7	1.2	3.0	3.8	6.7	7.6	7.3	7.1	4.4	2.8	1.3	0.6	48.7	12	-73450
P FREQ WND SPD = DR GTR 17 KTS	6.5	6.8	10.3	8.8	3.2	1.6	0.8	0.4	1.6	2.1	6.1	3.0	4.4	12	-73450
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.2	0.2	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	12	-73450
P FREQ LES 5000 FT A/D LES 3 MI	46.8	43.3	37.8	30.0	23.8	17.3	17.4	16.0	16.9	22.6	32.6	44.4	29.1	12	-73450
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.6	18.2	14.3	10.5	6.7	4.4	4.0	2.9	7.1	8.4	13.8	19.5	11.0	12	-73450
03-05 LST	24.6	20.2	18.5	13.1	11.2	8.2	10.2	9.9	9.8	11.7	15.7	22.0	14.6	12	-73450
06-08 LST	28.7	27.5	22.8	14.9	13.4	7.9	10.4	12.8	11.8	17.0	20.5	26.4	17.8	12	-73450
09-11 LST	27.3	26.7	17.7	12.6	8.3	5.6	3.9	4.9	7.7	8.2	15.0	25.4	13.8	12	-73450
12-14 LST	20.7	19.8	14.7	9.1	3.1	3.2	1.3	2.0	3.1	6.6	9.7	21.3	9.7	12	-73450
15-17 LST	20.4	20.3	12.2	7.0	3.7	1.3	0.8	1.1	1.9	6.2	8.7	17.4	8.4	12	-73450
18-20 LST	19.8	17.7	12.3	6.8	4.1	2.2	0.8	1.7	2.4	6.6	9.3	15.8	8.3	12	-73450
21-23 LST	20.7	16.3	14.0	7.8	4.8	3.1	1.2	1.6	3.4	7.4	10.5	17.7	9.1	12	-73450
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.3	4.3	2.8	0.6	1.2	0.0	0.4	0.2	1.3	0.8	3.1	4.3	1.9	12	-73450
03-05 LST	4.7	3.8	3.0	1.3	2.6	0.8	1.8	2.6	2.0	2.8	3.4	4.8	3.0	12	-73450
06-08 LST	6.1	6.1	4.4	1.9	1.6	0.3	1.5	2.4	1.8	3.8	3.5	6.0	3.3	12	-73450
09-11 LST	3.0	4.3	1.7	0.5	0.1	0.1	0.2	0.0	0.4	1.0	1.9	3.0	1.7	12	-73450
12-14 LST	4.0	1.6	1.6	0.2	0.0	0.1	0.0	0.1	0.1	0.0	1.0	3.3	1.0	12	-73450
15-17 LST	4.5	3.5	1.8	0.2	0.3	0.0	0.3	0.1	0.5	0.4	1.9	4.2	1.3	12	-73450
18-20 LST	3.6	3.6	1.6	0.1	0.2	0.2	0.0	0.0	0.0	0.1	0.7	3.7	1.2	12	-73450
21-23 LST	3.9	3.7	1.9	0.0	0.1	0.2	0.1	0.1	0.4	0.0	1.4	3.4	1.3	12	-73450

ALTON/CIVIC MEMORIAL, ILLINOIS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	25.0	23.4	27.7	28.4	30.2	29.6	30.8	30.8	29.4	29.2	27.7	27.2	240.2	12	-73450
	00 LST	26.1	23.9	27.4	28.1	30.2	29.2	30.4	30.5	28.7	29.3	26.8	26.7	337.3	12	-73450
	06 LST	24.2	22.8	23.2	26.6	27.2	28.1	27.9	25.8	26.4	25.9	24.8	25.6	310.2	12	-73450
	12 LST	25.1	23.5	27.3	28.5	29.9	29.6	30.7	30.7	29.4	29.6	27.9	25.5	337.7	12	-73450
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	16.2	12.8	13.9	12.8	20.3	21.1	25.7	27.4	24.9	24.1	18.8	17.4	235.4	12	-73450
	00 LST	15.5	14.4	17.9	19.0	23.1	26.6	28.0	28.6	25.7	25.1	20.3	17.6	261.8	12	-73450
	06 LST	14.8	14.1	16.4	17.3	21.7	25.7	25.7	24.1	23.6	22.1	17.6	17.3	240.4	12	-73450
	12 LST	11.0	9.8	9.7	9.4	14.7	17.3	21.6	22.2	17.9	16.2	12.2	10.8	172.8	12	-73450
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	3.1	2.0	2.8	2.8	0.6	0.2	0.2	0.0	0.3	0.2	1.1	1.7	19.0	12	-73450
	00 LST	1.8	1.2	1.8	1.0	0.3	0.0	0.2	0.0	0.2	0.6	1.5	0.7	9.3	12	-73450
	06 LST	0.7	0.7	1.6	1.1	0.1	0.2	0.2	0.0	0.1	0.3	1.1	1.3	7.4	12	-73450
	12 LST	3.0	2.6	3.0	4.4	1.7	1.0	0.3	0.0	0.7	1.5	3.1	2.3	25.8	12	-73450
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	9.6	11.9	16.1	16.2	22.2	19.8	19.3	20.4	19.4	19.3	15.2	11.6	201.0	12	-73450
	00 LST	7.8	8.6	13.5	18.7	17.9	17.9	15.3	14.7	14.1	17.0	12.4	9.3	167.2	12	-73450
	06 LST	5.8	6.9	10.7	17.7	18.3	18.6	15.7	15.4	15.6	16.1	11.3	7.1	199.2	12	-73450
	12 LST	9.8	11.5	13.3	13.2	18.3	15.1	16.5	17.2	17.3	19.6	15.6	12.3	179.7	12	-73450
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.2	7.6	6.7	6.8	7.2	6.8	8.6	10.9	13.7	13.8	11.9	8.7	119.9	12	-73450
	00 LST	10.7	9.2	12.2	11.3	14.1	15.5	16.5	19.4	19.1	18.7	14.7	10.8	172.2	12	-73450
	06 LST	10.5	8.0	8.6	7.1	8.1	9.0	9.1	10.1	12.8	13.0	10.6	9.5	116.4	12	-73450
	12 LST	6.7	6.4	6.5	5.6	5.6	5.0	4.0	5.8	11.4	12.2	8.3	6.2	83.7	12	-73450
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	22.8	20.5	25.5	25.8	29.1	29.0	30.4	30.3	28.7	28.3	25.7	23.6	319.7	12	-73450
	00 LST	21.8	20.1	25.0	25.5	28.1	28.7	29.6	30.1	28.0	27.9	24.9	23.0	312.7	12	-73450
	06 LST	20.2	19.0	22.2	23.6	25.6	27.2	27.1	25.2	25.3	23.9	22.3	21.4	283.0	12	-73450
	12 LST	20.5	19.7	23.3	24.4	26.6	27.7	28.4	29.3	27.1	27.4	24.6	20.6	299.6	12	-73450
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.7	17.0	19.6	21.3	25.3	25.7	27.7	28.8	25.9	25.6	21.4	18.9	275.9	12	-73450
	00 LST	18.7	17.3	20.4	21.5	25.7	26.7	28.1	28.1	26.6	25.8	22.1	18.5	279.3	12	-73450
	06 LST	17.2	16.1	18.5	19.3	22.5	24.7	25.1	23.5	23.7	21.7	18.2	17.4	247.9	12	-73450
	12 LST	16.8	16.4	18.1	19.1	20.5	20.5	22.6	24.3	23.2	24.1	21.0	17.9	244.3	12	-73450
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.3	15.7	17.5	18.5	21.8	23.7	25.7	27.0	24.8	24.0	20.1	17.0	253.1	12	-73450
	00 LST	16.6	15.6	18.2	18.2	22.9	25.1	26.2	26.9	24.8	24.2	20.9	17.2	256.8	12	-73450
	06 LST	16.1	14.6	17.1	16.7	19.9	22.7	22.7	21.3	21.8	20.2	17.1	15.5	225.7	12	-73450
	12 LST	15.9	15.4	17.0	17.3	18.1	19.3	21.2	22.7	22.1	22.4	19.2	15.9	226.3	12	-73450

MT VERNON MUNICIPAL, ILLINOIS

STA NO. 73686 (IN AREA NUMBER 13)

LATITUDE 3819N

LONGITUDE 08851W

ELEVATION(FT) 00473

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	75	78	92	91	99	105	114	111	105	96	86	74	114	65	-113
MEAN MAX TMP (F)	42	45	56	67	78	87	91	89	83	71	56	44	67	59	-113
MEAN MIN TMP (F)	23	25	34	44	54	62	66	65	58	46	34	26	45	60	-113
ABS MIN TMP (F)	-20	-22	-3	17	29	41	46	44	23	20	-5	0	-22	65	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	1.0	10.0	13.0	14.0	7.0	1.0	0.0	0.0	46.0	10	-113
MEAN NO DYS TMP = OR LES 32(F)	26.0	19.0	16.0	3.0	0.3	0.0	0.0	0.0	0.0	3.0	15.0	21.0	103.3	10	-113
MEAN NO DYS TMP = OR LES 0(F)	0.9	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	12	-73450
MEAN DEW PT TMP (F)	24	28	32	43	54	63	66	66	57	45	32	27	45	12	-73450
MEAN REL HUM (PCT)	74	73	69	66	68	68	69	71	67	66	68	73	69	12	-73450
MEAN PRESS ALT (FT)	294	300	371	400	428	433	414	404	358	333	329	301	364	0	-50
MEAN PRECIP (IN)	3.20	2.53	3.93	3.95	4.23	4.17	3.13	3.76	3.56	3.10	3.11	2.92	41.6	66	-113
MEAN SNOW FALL (IN)	3.2	4.0	2.4	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.7	3.2	13.8	61	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.5	5.5	6.8	6.8	6.9	7.0	5.8	6.5	5.7	5.1	5.1	6.1	73.8	66	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.7	0.9	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.7	3.0	61	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.7	3.1	1.6	0.8	1.1	0.3	1.1	0.9	1.1	1.1	2.0	3.3	20.1	12	-73450
MEAN NO DYS TSTMS	0.7	1.2	3.0	5.8	6.7	7.6	7.5	7.1	4.4	2.8	1.3	0.6	48.7	12	-73450
P FREQ WND SPD = OR GTR 17 KTS	6.5	6.8	10.3	8.8	3.2	1.6	0.8	0.4	1.6	2.1	6.1	5.0	4.4	12	-73450
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.2	0.2	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	12	-73450
P FREQ LES 3000 FT A/D LES 5 MI	46.8	43.5	37.8	30.0	23.8	17.3	17.4	16.0	16.9	22.6	32.6	44.4	29.1	12	-73450
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.6	18.2	14.3	10.5	6.7	4.4	4.0	2.9	7.1	8.4	13.8	19.5	11.0	12	-73450
03-05 LST	24.6	20.2	18.5	13.1	11.2	8.2	10.2	9.9	9.8	11.7	15.7	22.0	14.6	12	-73450
06-08 LST	28.7	27.9	22.8	14.9	13.4	7.9	10.4	12.8	11.8	17.0	20.5	26.4	17.8	12	-73450
09-11 LST	27.3	26.7	17.7	12.6	8.5	.6	5.9	4.9	7.7	8.2	15.0	23.4	13.8	12	-73450
12-14 LST	20.7	19.8	14.7	9.1	5.1	3.2	1.3	2.0	3.1	6.6	9.7	21.3	9.7	12	-73450
15-17 LST	20.4	20.3	12.2	7.0	3.7	1.3	0.8	1.1	1.9	6.2	8.7	17.4	8.4	12	-73450
18-20 LST	19.8	17.7	12.5	6.8	4.1	2.2	0.8	1.7	2.4	6.6	9.3	13.8	8.3	12	-73450
21-23 LST	20.7	16.5	14.0	7.8	4.8	3.1	1.2	1.6	3.4	7.4	10.5	17.7	9.1	12	-73450
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.3	4.3	2.8	0.6	1.2	0.0	0.4	0.2	1.3	0.8	3.1	4.3	1.9	12	-73450
03-05 LST	4.7	5.8	3.0	1.3	2.6	0.8	1.8	2.6	2.0	2.8	3.4	4.8	3.0	12	-73450
06-08 LST	6.1	6.1	4.4	1.9	1.6	0.3	1.5	2.4	1.8	3.8	3.5	6.0	3.3	12	-73450
09-11 LST	5.0	4.3	1.7	0.5	0.1	0.1	0.2	0.0	0.4	1.0	1.9	5.0	1.7	12	-73450
12-14 LST	4.0	1.6	1.6	0.2	0.0	0.1	0.0	0.1	0.1	0.0	1.0	3.3	1.0	12	-73450
15-17 LST	4.5	3.5	1.8	0.2	0.3	0.0	0.3	0.1	0.5	0.4	1.9	4.2	1.5	12	-73450
18-20 LST	3.6	3.6	1.6	0.1	0.2	0.2	0.0	0.0	0.0	0.1	0.7	3.7	1.2	12	-73450
21-23 LST	3.9	3.7	1.9	0.0	0.1	0.2	0.1	0.1	0.4	0.0	1.4	3.4	1.3	12	-73450

MT VERNON MUNICIPAL, ILLINOIS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	25.8	23.4	27.7	28.4	30.2	29.6	30.8	30.8	29.4	29.2	27.7	27.2	340.2	12	-73450
	00 LST	26.1	23.9	27.4	28.1	30.2	29.2	30.4	30.5	28.7	29.3	26.8	26.7	337.3	12	-73450
	06 LST	24.2	22.8	25.2	26.6	27.2	28.1	27.9	25.8	26.4	25.9	24.8	25.6	310.5	12	-73450
	12 LST	25.1	23.5	27.3	28.5	29.9	29.6	30.7	30.7	29.4	29.6	27.9	25.5	337.7	12	-73450
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	16.2	12.8	13.9	12.8	20.3	21.1	25.7	27.4	24.9	24.1	18.8	17.4	235.4	12	-73450
	00 LST	15.5	14.4	17.9	19.0	23.1	26.6	28.0	28.6	25.7	25.1	20.3	17.6	261.8	12	-73450
	06 LST	14.8	14.1	16.4	17.3	21.7	25.7	25.7	24.1	23.6	22.1	17.6	17.3	240.4	12	-73450
	12 LST	11.0	9.8	9.7	9.4	14.7	17.3	21.6	22.2	17.9	16.2	12.2	10.8	172.8	12	-73450
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	3.1	2.0	2.8	2.8	0.6	0.2	0.2	0.0	0.3	0.2	1.1	1.7	15.0	12	-73450
	00 LST	1.8	1.2	1.8	1.0	0.3	0.0	0.2	0.0	0.2	0.6	1.5	0.7	9.3	12	-73450
	06 LST	0.7	0.7	1.6	1.1	0.1	0.2	0.2	0.0	0.1	0.3	1.1	1.3	7.4	12	-73450
	12 LST	3.0	2.6	5.0	4.4	1.7	1.0	0.3	0.0	0.7	1.5	3.1	2.5	25.8	12	-73450
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	9.6	11.9	16.1	16.2	22.2	19.8	19.3	20.4	19.4	19.3	15.2	11.6	201.0	12	-73450
	00 LST	7.8	8.6	13.5	18.7	17.9	17.9	15.3	14.7	14.1	17.0	12.4	9.3	167.2	12	-73450
	06 LST	5.8	6.9	10.7	17.7	18.3	18.6	15.7	15.4	15.6	16.1	11.3	7.1	159.2	12	-73450
	12 LST	9.8	11.5	13.3	13.2	18.3	15.1	16.5	17.2	17.3	19.6	15.6	12.3	179.7	12	-73450
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.2	7.6	6.7	6.8	7.2	6.8	8.6	10.9	13.7	13.8	11.9	8.7	110.9	12	-73450
	00 LST	10.7	9.2	12.2	11.3	14.1	15.5	16.5	19.4	19.1	18.7	14.7	10.8	172.2	12	-73450
	06 LST	10.5	8.0	8.6	7.1	8.1	9.0	9.1	10.1	12.8	13.0	10.6	9.5	116.4	12	-73450
	12 LST	6.7	6.4	6.5	5.6	5.6	5.0	4.0	5.8	11.4	12.2	8.3	6.2	83.7	12	-73450
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	22.8	20.5	25.5	25.8	29.1	29.0	30.4	30.3	28.7	28.3	25.7	23.6	319.7	12	-73450
	00 LST	21.8	20.1	25.0	25.5	28.1	28.7	29.6	30.1	28.0	27.9	24.9	23.0	312.7	12	-73450
	06 LST	20.2	19.0	22.2	23.6	25.6	27.2	27.1	25.2	25.3	23.9	22.3	21.4	283.0	12	-73450
	12 LST	20.5	19.7	23.3	24.4	26.6	27.7	28.4	29.3	27.1	27.4	24.6	20.6	299.6	12	-73450
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.7	17.0	19.6	21.3	25.3	25.7	27.7	28.8	25.9	25.6	21.4	18.9	275.9	12	-73450
	00 LST	18.7	17.3	20.4	21.5	25.7	26.7	28.1	28.1	26.6	25.8	22.1	18.5	279.5	12	-73450
	06 LST	17.2	16.1	18.5	19.3	22.5	24.7	25.1	23.5	23.7	21.7	18.2	17.4	247.9	12	-73450
	12 LST	16.8	16.4	18.1	19.1	20.5	20.5	22.6	24.3	23.2	24.1	21.0	17.9	244.5	12	-73450
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.3	15.7	17.5	18.5	21.8	23.7	25.7	27.0	24.8	24.0	20.1	17.0	253.1	12	-73450
	00 LST	16.6	15.6	18.2	18.2	22.9	25.1	26.2	26.9	24.8	24.2	20.9	17.2	256.8	12	-73450
	06 LST	16.1	14.6	17.1	16.7	19.9	22.7	22.7	21.3	21.8	20.2	17.1	15.5	225.7	12	-73450
	12 LST	15.9	15.4	17.0	17.3	18.1	19.3	21.2	22.7	22.1	22.4	19.2	15.9	226.5	12	-73450

SALEM/LECKRONE, ILLINOIS

STA NO. 73687 (IN AREA NUMBER 13)

LATITUDE 3838N

LONGITUDE 08857W

ELEVATION(FT) 00570

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO, OBS
ABS MAX TMP (F)	75	73	84	89	97	104	110	101	103	95	84	72	110	12	-73450
MEAN MAX TMP (F)	40	45	52	65	76	85	88	87	81	70	53	43	65	12	-73450
MEAN MIN TMP (F)	24	28	33	45	55	65	68	67	58	47	34	27	46	12	-73450
ABS MIN TMP (F)	-8	-11	-3	22	34	48	53	48	38	24	4	1	-11	12	-73450
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.0	9.8	12.5	11.5	5.6	0.4	0.0	0.0	41.4	12	-73450
MEAN NO DYS TMP = DR LES 32(F)	25.6	19.2	14.9	1.9	0.0	0.0	0.0	0.0	0.0	1.0	14.6	22.4	99.6	12	-73450
MEAN NO DYS TMP = DR LES 0(F)	0.9	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	12	-73450
MEAN DEW PT TMP (F)	24	28	32	43	54	63	66	66	57	45	32	27	45	12	-73450
MEAN REL HUM (PCT)	74	73	69	66	68	68	69	71	67	66	68	73	69	12	-73450
MEAN PRESS ALT (FT)	388	396	468	497	524	529	509	500	494	428	423	395	459	0	-50
MEAN PRECIP (IN)	2.84	2.29	3.45	4.00	4.90	4.27	3.28	3.80	3.20	3.31	3.05	2.90	40.9	45	-113
MEAN SNOW FALL (IN)	3.7	2.7	4.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	1.5	2.4	15.1	16	-73450
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.0	5.1	6.5	6.8	7.0	7.1	6.0	6.6	5.2	5.4	5.1	6.0	72.8	45	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.7	0.5	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	2.9	12	-73450
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.7	3.1	1.6	0.8	1.1	0.3	1.1	0.9	1.1	1.1	2.0	3.3	20.1	12	-73450
MEAN NO DYS TSTMS	0.7	1.2	3.0	5.8	6.7	7.6	7.5	7.1	4.4	2.8	1.3	0.6	48.7	12	-73450
P FREQ WND SPD = DR GTR 17 KTS	6.5	6.8	10.3	8.8	3.2	1.6	0.8	0.4	1.6	2.1	6.1	5.0	4.4	12	-73450
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.2	0.2	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	12	-73450
P FREQ LES 5000 FT A/D LES 5 MI	46.8	43.5	37.8	30.0	23.8	17.3	17.4	16.0	16.9	22.6	32.6	44.4	29.1	12	-73450
P FREQ LES 1900 FT A/D LES 3 MI															
FDR 00-02 LST	22.6	18.2	14.3	10.5	6.7	4.4	4.0	2.9	7.1	8.4	13.8	19.5	11.0	12	-73450
03-05 LST	24.6	20.2	18.5	13.1	11.2	8.2	10.2	9.9	9.8	11.7	15.7	22.0	14.6	12	-73450
06-08 LST	28.7	27.5	22.8	14.9	13.4	7.9	10.4	12.8	11.8	17.0	20.5	26.4	17.9	12	-73450
09-11 LST	27.3	26.7	17.7	12.6	8.5	5.6	5.9	4.9	7.7	8.2	15.0	25.4	13.8	12	-73450
12-14 LST	20.7	19.8	14.7	9.1	5.1	3.2	1.3	2.0	3.1	6.6	9.7	21.3	9.7	12	-73450
15-17 LST	20.4	20.3	12.2	7.0	3.7	1.3	0.8	1.1	1.9	6.2	8.7	17.4	8.4	12	-73450
18-20 LST	19.8	17.7	12.5	6.8	4.1	2.2	0.8	1.7	2.4	6.6	9.3	15.8	8.3	12	-73450
21-23 LST	20.7	16.5	14.0	7.8	4.8	3.1	1.2	1.6	3.4	7.4	10.5	17.7	9.1	12	-73450
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	4.3	4.3	2.8	0.6	1.2	0.0	0.4	0.2	1.3	0.8	3.1	4.3	1.9	12	-73450
03-05 LST	4.7	5.8	3.0	1.3	2.6	0.8	1.8	2.6	2.0	2.8	3.4	4.8	3.0	12	-73450
06-08 LST	6.1	6.1	4.4	1.9	1.6	0.3	1.5	2.4	1.8	3.8	3.5	6.0	3.3	12	-73450
09-11 LST	5.0	4.3	1.7	0.5	0.1	0.1	0.2	0.0	0.4	1.0	1.9	3.0	1.7	12	-73450
12-14 LST	4.0	1.6	1.6	0.2	0.0	0.1	0.0	0.1	0.1	0.0	1.0	3.3	1.0	12	-73450
15-17 LST	4.5	3.5	1.8	0.2	0.3	0.0	0.3	0.1	0.5	0.4	1.9	4.2	1.5	12	-73450
18-20 LST	3.6	3.6	1.6	0.1	0.2	0.2	0.0	0.0	0.0	0.1	0.7	3.7	1.2	12	-73450
21-23 LST	3.9	3.7	1.9	0.0	0.1	0.2	0.1	0.1	0.4	0.0	1.4	3.4	1.3	12	-73450

SALEM/LECKRONE, ILLINOIS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	25.8	23.4	27.7	28.4	30.2	29.6	30.8	30.8	29.4	29.2	27.7	27.2	340.2	12	-73450
	00 LST	26.1	23.9	27.4	28.1	30.2	29.2	30.4	30.5	28.7	29.3	26.8	26.7	337.3	12	-73450
	06 LST	24.2	22.8	25.2	26.6	27.2	28.1	27.9	25.8	26.4	25.9	24.8	25.6	310.5	12	-73450
	12 LST	25.1	23.5	27.3	28.5	29.9	29.6	30.7	30.7	29.4	29.6	27.9	25.5	337.7	12	-73450
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	16.2	12.8	13.9	12.8	20.3	21.1	25.7	27.4	24.9	24.1	18.8	17.4	235.4	12	-73450
	00 LST	15.5	14.4	17.9	19.0	23.1	26.6	28.0	28.6	25.7	25.1	20.3	17.6	261.8	12	-73450
	06 LST	14.8	14.1	16.4	17.3	21.7	25.7	25.7	24.1	23.6	22.1	17.6	17.3	240.4	12	-73450
	12 LST	11.0	9.8	9.7	9.4	14.7	17.3	21.6	22.2	17.9	16.2	12.2	10.8	172.8	12	-73450
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	3.1	2.0	2.8	2.8	0.6	0.2	0.2	0.0	0.3	0.2	1.1	1.7	15.0	12	-73450
	00 LST	1.8	1.2	1.8	1.0	0.3	0.0	0.2	0.0	0.2	0.6	1.5	0.7	9.3	12	-73450
	06 LST	0.7	0.7	1.6	1.1	0.1	0.2	0.2	0.0	0.1	0.3	1.1	1.3	7.4	12	-73450
	12 LST	3.0	2.6	5.0	4.4	1.7	1.0	0.3	0.0	0.7	1.5	3.1	2.5	25.8	12	-73450
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	9.6	11.9	16.1	16.2	22.2	19.8	19.3	20.4	19.4	19.3	15.2	11.6	201.0	12	-73450
	00 LST	7.8	8.6	13.5	18.7	17.9	17.9	15.3	14.7	14.1	17.0	12.4	9.3	167.2	12	-73450
	06 LST	5.8	6.9	10.7	17.7	18.3	18.6	15.7	15.4	15.6	16.1	11.3	7.1	159.2	12	-73450
	12 LST	9.8	11.5	13.3	13.2	18.3	15.1	16.5	17.2	17.3	19.6	15.6	12.3	179.7	12	-73450
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.2	7.6	6.7	6.8	7.2	6.8	8.6	10.9	13.7	13.8	11.9	8.7	110.9	12	-73450
	00 LST	10.7	9.2	12.2	11.3	14.1	15.5	16.5	19.4	19.1	18.7	14.7	10.8	172.2	12	-73450
	06 LST	10.5	8.0	8.6	7.1	8.1	9.0	9.1	10.1	12.8	13.0	10.6	9.5	116.4	12	-73450
	12 LST	6.7	6.4	6.5	5.6	5.6	5.0	4.0	5.8	11.4	12.2	8.3	6.2	83.7	12	-73450
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	22.8	20.5	25.5	25.8	29.1	29.0	30.4	30.3	28.7	28.3	25.7	23.6	319.7	12	-73450
	00 LST	21.8	20.1	25.0	25.5	28.1	28.7	29.6	30.1	28.0	27.9	24.9	23.0	312.7	12	-73450
	06 LST	20.2	19.0	22.2	23.6	25.6	27.2	27.1	25.2	25.3	23.9	22.3	21.4	283.0	12	-73450
	12 LST	20.5	19.7	23.3	24.4	26.6	27.7	28.4	29.3	27.1	27.4	24.6	20.6	299.6	12	-73450
CIG = GTR 6000 FT AND VSBY GTR 3 MI	18 LST	18.7	17.0	19.6	21.3	25.3	25.7	27.7	28.8	25.9	25.6	21.4	18.9	275.9	12	-73450
	00 LST	18.7	17.3	20.4	21.5	25.7	26.7	28.1	28.1	26.6	25.8	22.1	18.5	279.5	12	-73450
	06 LST	17.2	16.1	18.5	19.3	22.5	24.7	25.1	23.5	23.7	21.7	18.2	17.4	247.9	12	-73450
	12 LST	16.8	16.4	18.1	19.1	20.5	20.5	22.6	24.3	23.2	24.1	21.0	17.9	244.5	12	-73450
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.3	15.7	17.5	18.5	21.8	23.7	25.7	27.0	24.8	24.0	20.1	17.0	253.1	12	-73450
	00 LST	16.6	15.6	18.2	18.2	22.9	25.1	26.2	26.9	24.8	24.2	20.9	17.2	256.8	12	-73450
	06 LST	16.1	14.6	17.1	16.7	19.9	22.7	22.7	21.3	21.8	20.2	17.1	15.5	225.7	12	-73450
	12 LST	15.9	15.4	17.0	17.3	18.1	19.3	21.2	22.7	22.1	22.4	19.2	15.9	226.5	12	-73450

CARBONDALE/SOUTHERN ILLINOIS, ILLINOIS

STA NO. 73688 (IN AREA NUMBER 13)

LATITUDE 3746N

LONGITUDE 08915W

ELEVATION(FT) 00411

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	76	78	93	92	101	106	112	113	108	96	88	74	113	50	-75221
MEAN MAX TMP (F)	44	48	58	69	79	88	92	90	84	73	58	47	69	50	-75221
MEAN MIN TMP (F)	26	28	35	46	54	63	67	65	58	46	35	28	46	50	-75221
ABS MIN TMP (F)	-24	-22	-9	20	32	39	43	41	30	16	-1	-10	-24	49	-75221
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	2.0	13.0	18.0	19.0	9.0	1.0	0.0	0.0	62.0	10	-75221
MEAN NO DYS TMP = DR LES 32(F)	25.0	18.0	15.0	4.0	0.0	0.0	0.0	0.0	0.0	5.0	16.0	21.0	104.0	9	-75221
MEAN NO DYS TMP = DR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			49	-29
MEAN DEW PT TMP (F)	27	31	35	45	56	64	67	66	57	46	33	29	46	0	-50
MEAN R-L HUM (PCT)	72	78	88	67	72	70	69	71	65	65	63	74	70	33	-29
MEAN PRESS ALT (FT)	192	228	294	328	343	359	334	333	296	253	223	194	282	0	-50
MEAN PRECIP (IN)	3.38	2.85	3.98	4.13	4.45	4.17	3.15	3.83	3.40	3.27	3.31	2.89	42.6	65	-75221
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					49	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.7	5.7	6.8	6.9	7.0	7.0	5.8	6.6	5.5	5.3	5.4	6.0	74.7	65	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					49	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI					0.0	0.0	0.0	0.0	0.0					49	-29
MEAN NO DYS TSMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CARBONDALE/SOUTHERN ILLINOIS, ILLINOIS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POD (YRS)	NO, DAYS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0

DATA NOT AVAILABLE

LAWRENCEVILLE, ILLINOIS

STA NO. 73697 (IN AREA NUMBER 19)

LATITUDE 3849N

LONGITUDE 08736W

ELEVATION(FT) 00428

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	73	73	80	83	94	102	100	105	100	87	77	60	105	4	1117
MEAN MAX TMP (F)	40	45	55	64	75	86	90	88	79	69	52	37	65	4	1117
MEAN MIN TMP (F)	23	27	34	44	56	66	66	66	37	44	35	21	45	4	1117
ABS MIN TMP (F)	-3	-1	-2	23	34	46	52	49	38	28	19	-5	-5	4	1117
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	2.3	11.6	18.0	15.0	3.0	0.0	0.0	0.0	49.9	4	1117
MEAN NO DYS TMP = DR LES 32(F)	27.4	21.7	14.7	3.7	0.0	0.0	0.0	0.0	0.0	0.3	12.7	26.7	107.2	4	1117
MEAN NO DYS TMP = DR LES 0(F)	0.2	0.3	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.5	4	1117
MEAN DEW PT TMP (F)	25	28	35	43	56	65	64	65	59	45	36	22	45	4	26379
MEAN REL HUM (PCT)	78	74	71	69	73	72	64	69	75	69	75	76	72	4	26372
MEAN PRESS ALT (FT)	248	259	324	351	377	380	363	351	307	284	282	235	315	0	-50
MEAN PRECIP (IN)	3.94	3.42	3.98	4.48	4.86	4.45	4.38	3.36	3.27	2.85	3.89	2.91	45.8	17	-113
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					4	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.4	6.7	6.8	7.0	7.4	7.7	7.2	6.1	5.3	4.8	6.2	6.1	78.0	17	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					4	-29
MEAN NO DYS W/O CUR VS BY LES 1/2 MI	4.4	2.0	1.3	1.3	1.3	1.3	0.3	0.0	0.8	1.0	1.7	4.7	20.1	4	1101
MEAN NO DYS TSTMS	0.2	1.3	4.0	6.3	5.0	9.0	4.0	4.0	4.0	0.7	2.0	0.0	40.3	4	1102
P FREQ WND SPD = DR GTR 17 KTS	3.0	6.3	6.0	6.0	3.3	2.2	1.0	0.8	0.1	0.9	2.9	2.2	2.9	4	26382
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	26382
P FREQ LES 5000 FT A/D LES 3 MI	72.4	68.0	52.7	44.0	41.9	33.0	20.3	21.6	41.7	43.0	60.6	76.0	48.0	4	26366
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	41.9	26.8	16.5	13.1	9.3	4.5	0.0	4.7	15.6	11.2	17.0	41.6	16.9	4	3291
03-05 LST	41.9	33.3	21.2	25.0	15.4	17.4	14.0	16.8	24.9	17.6	18.1	43.5	24.1	4	3298
06-08 LST	49.0	33.1	40.2	28.6	16.8	11.5	5.7	11.9	32.0	33.7	39.8	54.5	31.7	4	3294
09-11 LST	41.9	37.8	30.4	19.7	15.5	5.9	2.2	4.7	18.9	9.0	33.8	48.6	22.3	4	3295
12-14 LST	33.0	24.7	19.4	14.4	11.5	3.7	0.7	2.5	11.8	6.1	17.0	31.9	14.7	4	3305
15-17 LST	30.5	23.2	13.3	11.2	9.3	1.9	0.7	2.2	10.5	6.1	16.3	38.4	13.6	4	3302
18-20 LST	35.5	23.6	13.6	9.7	8.2	4.4	0.7	2.2	8.8	6.5	17.8	40.5	14.3	4	3301
21-23 LST	36.4	23.9	14.4	11.9	7.9	3.7	0.0	2.2	12.0	7.9	16.1	35.5	14.3	4	3293
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	10.0	10.2	1.1	1.1	3.9	0.4	0.0	0.0	0.4	1.1	2.2	11.5	3.3	4	3291
03-05 LST	10.9	10.2	2.2	2.2	5.7	2.6	0.4	1.8	4.0	1.8	1.5	9.4	4.4	4	3298
06-08 LST	19.5	8.3	6.5	3.7	2.9	0.7	0.4	1.1	1.8	3.2	3.3	19.0	5.9	4	3294
09-11 LST	10.6	10.2	4.3	2.2	0.7	0.0	0.4	0.4	0.0	0.0	4.3	16.3	4.2	4	3295
12-14 LST	5.6	5.1	3.0	1.9	0.7	0.0	0.4	0.0	0.0	1.4	3.7	9.3	2.6	4	3305
15-17 LST	7.7	5.5	4.3	0.4	0.0	0.4	0.0	0.0	1.3	1.1	3.7	11.1	3.0	4	3302
18-20 LST	9.2	6.7	2.2	0.0	0.0	0.7	0.0	0.0	1.3	1.1	2.6	10.0	2.8	4	3301
21-23 LST	10.4	8.2	1.1	0.0	0.7	0.0	0.0	0.0	0.4	0.0	2.2	11.1	2.8	4	3293

LAWRENCEVILLE, ILLINOIS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	20.0	21.1	27.0	28.0	29.3	29.0	31.0	30.3	27.2	29.3	24.7	19.0	315.9	4	1102
	00 LST	18.9	21.1	27.0	27.0	29.3	28.7	31.0	30.0	26.4	27.7	25.7	19.3	312.1	4	1102
	06 LST	17.5	15.5	18.7	21.7	26.7	25.3	26.7	24.3	19.2	19.7	20.3	18.0	253.6	4	1101
	12 LST	21.9	22.1	26.0	28.3	29.3	29.6	30.7	30.3	26.0	29.6	23.6	21.0	318.4	4	1102
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	15.9	14.5	18.7	18.3	23.0	21.0	27.3	26.7	24.1	27.7	18.3	15.0	250.5	4	1102
	00 LST	14.5	15.5	18.7	19.3	25.3	25.3	30.3	29.3	24.5	26.0	20.3	14.3	263.3	4	1102
	06 LST	11.2	10.2	11.3	12.7	20.3	21.3	23.3	22.7	17.6	17.6	14.0	12.0	194.2	4	1101
	12 LST	12.9	11.8	11.3	8.6	11.7	16.3	21.0	22.0	18.5	18.3	11.0	12.3	173.7	4	1102
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.3	2.0	1.0	0.7	0.7	0.3	0.3	0.0	0.0	0.0	0.3	0.3	9.9	4	1073
	00 LST	0.9	0.7	0.0	0.3	0.7	0.3	0.0	0.0	0.4	0.0	0.7	0.3	4.3	4	1055
	06 LST	1.1	1.1	1.1	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	3.1	4	1052
	12 LST	1.7	2.8	3.5	2.7	3.0	1.0	1.3	0.3	0.0	0.3	2.1	0.8	21.5	4	1060
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	7.8	11.3	19.5	21.4	18.8	16.7	16.5	17.7	16.0	14.3	15.7	7.8	183.5	4	1073
	00 LST	5.8	7.7	13.7	17.1	16.0	14.0	13.3	12.7	12.1	11.0	12.3	3.6	139.3	4	1055
	06 LST	6.1	6.4	13.1	16.9	19.2	17.6	16.2	19.3	10.7	13.6	12.3	1.9	133.3	4	1052
	12 LST	12.4	11.5	13.9	14.8	15.3	14.0	12.6	13.8	18.5	16.7	13.6	8.1	165.2	4	1060
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	17.5	19.7	23.0	25.3	25.3	26.6	30.7	30.3	24.5	27.7	20.6	17.0	290.2	4	1102
	00 LST	16.4	19.7	23.0	23.0	26.7	27.0	31.0	29.6	24.8	27.3	22.7	17.0	292.2	4	1102
	06 LST	14.8	13.8	17.0	19.7	22.0	24.0	26.3	24.3	17.2	18.0	15.7	14.3	227.1	4	1101
	12 LST	18.1	18.8	22.0	22.7	24.0	26.6	30.0	29.3	23.3	26.7	19.0	18.3	278.8	4	1102
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	15.3	17.4	21.3	19.7	20.0	21.3	28.3	28.6	20.5	24.0	16.7	15.7	248.8	4	1102
	00 LST	14.0	16.5	22.7	20.3	23.0	22.7	28.6	27.7	21.7	25.6	17.0	13.3	253.1	4	1102
	06 LST	12.3	11.5	13.3	15.0	18.0	21.3	24.3	22.3	19.2	16.3	11.6	12.0	193.1	4	1101
	12 LST	16.7	15.8	17.3	18.0	15.0	17.3	23.0	24.0	16.6	22.7	14.3	16.0	216.7	4	1102
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	13.7	15.1	19.3	17.3	16.3	19.7	27.0	25.6	18.5	22.0	15.0	15.3	224.8	4	1102
	00 LST	13.4	15.1	19.0	18.0	21.0	20.6	28.0	26.0	20.5	22.0	15.7	12.3	231.6	4	1102
	06 LST	11.2	8.9	11.3	13.0	16.6	18.0	22.7	20.6	12.4	14.3	10.0	11.0	170.0	4	1101
	12 LST	15.9	11.5	14.7	15.3	12.3	16.7	22.0	23.7	14.6	21.6	13.0	15.3	196.6	4	1102

MATTOON/COLES COUNTY MEMORIAL, ILLINOIS

STA NO. 73994 (IN AREA NUMBER 13)

LATITUDE 3923N

LONGITUDE 08817W

ELEVATION(FT) 00721

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	70	71	78	88	93	105	111	98	103	92	82	71	111	13	-113
MEAN MAX TMP (F)	37	41	48	63	75	84	87	86	79	68	51	40	63	13	-113
MEAN MIN TMP (F)	21	24	29	42	52	62	65	63	55	44	31	24	43	13	-113
ABS MIN TMP (F)	-14	-15	-8	21	30	43	48	44	28	20	2	-11	-15	25	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.0	9.0	11.0	10.0	5.0	0.2	0.0	0.0	36.3	10	-113
MEAN NO DYS TMP = DR LES 32(F)	28.0	23.0	21.0	5.0	0.3	0.0	0.0	0.0	0.0	3.0	18.0	25.0	123.3	9	-113
MEAN NO DYS TMP = DR LES 0(F)	2.5	1.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.6	6.0	12	-72531
MEAN DEW PT TMP (F)	21	25	29	40	50	59	64	63	54	44	31	24	42	12	-72531
MEAN REL HUM (PCT)	81	80	75	70	67	68	70	73	67	68	75	80	73	12	-72531
MEAN PRESS ALT (FT)	595	548	616	644	670	673	655	645	600	574	567	540	606	0	-50
MEAN PRECIP (IN)	2.79	2.74	2.85	3.46	3.37	4.96	4.08	3.04	2.48	2.87	2.78	2.37	37.8	13	-113
MEAN SNOW FALL (IN)	4.1	3.1	4.2	0.9	0.0	0.0	0.0	0.0	0.0	0.0	3.4	6.0	23.7	17	-72531
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.9	5.8	5.9	6.5	6.4	7.7	6.9	5.7	4.3	4.8	4.7	5.2	69.8	13	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	1.1	1.3	1.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.3	5.7	12	-72531
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.3	5.3	3.3	0.6	1.3	1.1	1.5	1.9	1.4	1.3	3.0	5.7	31.7	12	-72531
MEAN NO DYS TSTMS	0.7	1.1	2.7	6.0	6.2	7.9	7.0	6.6	4.7	2.1	1.1	0.5	46.7	12	-72531
P FREQ WND SPD = DR GTR 17 KTS	7.2	7.9	12.9	12.0	6.7	3.0	0.9	0.4	1.7	2.5	5.9	4.3	5.5	12	-72531
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.2	0.3	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1	12	-72531
P FREQ LES 5000 FT A/D LES 5 MI	49.0	45.8	40.7	35.0	25.1	21.2	19.4	20.9	18.6	25.4	37.9	46.2	32.1	12	-72531
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	29.7	26.1	18.5	11.7	9.9	6.8	5.6	8.3	8.5	10.6	16.7	24.7	14.8	12	-72531
03-05 LST	29.6	29.4	20.2	13.6	13.1	11.5	10.7	14.8	12.7	13.9	19.0	27.8	18.0	12	-72531
06-08 LST	34.5	33.1	23.6	15.6	14.0	10.3	11.8	16.6	16.4	18.6	25.3	31.4	20.9	12	-72531
09-11 LST	34.1	31.0	22.0	15.4	10.3	8.4	6.8	6.1	6.8	11.0	20.1	30.5	16.9	12	-72531
12-14 LST	28.6	27.1	17.4	12.5	7.4	4.7	3.8	3.2	3.6	7.9	15.5	29.4	13.4	12	-72531
15-17 LST	28.1	25.3	19.1	10.8	5.4	3.8	2.2	1.8	2.6	7.3	14.6	25.9	11.9	12	-72531
18-20 LST	27.6	22.9	14.8	9.8	5.4	4.0	3.2	2.5	3.4	8.1	12.3	25.0	11.6	12	-72531
21-23 LST	28.9	22.1	15.2	11.0	5.7	4.0	3.7	4.0	3.6	8.1	13.4	25.1	12.1	12	-72531
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	8.9	9.1	4.5	1.4	1.9	0.5	1.1	1.4	1.3	1.9	3.1	8.2	3.6	12	-72531
03-05 LST	9.4	8.9	5.6	2.1	2.6	1.9	3.2	4.4	3.6	2.7	5.8	8.2	4.9	12	-72531
06-08 LST	9.0	11.1	6.6	2.0	1.2	1.0	1.5	3.3	1.6	2.8	7.7	9.0	4.7	12	-72531
09-11 LST	9.1	7.8	2.9	0.7	0.1	0.0	0.1	0.3	0.0	0.9	4.0	8.2	2.8	12	-72531
12-14 LST	7.1	6.9	1.5	0.5	0.2	0.2	0.2	0.1	0.1	0.6	2.3	5.4	2.1	12	-72531
15-17 LST	8.5	6.8	2.7	0.3	0.3	0.2	0.1	0.2	0.2	1.4	2.6	6.1	2.5	12	-72531
18-20 LST	7.7	7.0	4.0	0.7	0.1	0.3	0.4	0.3	0.2	0.6	2.0	8.2	2.6	12	-72531
21-23 LST	9.0	8.6	3.5	1.4	0.8	0.1	0.5	0.2	0.4	1.0	2.2	9.0	3.1	12	-72531

MATTOON/COLES COUNTY MEMORIAL, ILLINOIS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	22.3	22.1	26.4	27.9	29.8	29.4	30.3	30.5	29.6	29.1	26.7	25.2	330.3	12	-72531
	00 LST	23.7	22.0	26.7	27.2	29.1	28.7	29.6	28.9	28.3	29.1	26.3	24.6	324.2	12	-72531
	06 LST	23.3	20.6	24.0	26.2	27.5	26.9	27.4	24.8	24.9	25.6	24.1	23.2	298.5	12	-72531
	12 LST	23.3	21.6	27.2	27.3	29.4	29.3	30.2	30.4	29.4	29.4	27.0	23.7	328.2	12	-72531
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	14.1	13.0	14.4	13.1	14.5	18.5	22.3	23.3	24.6	24.5	19.9	16.1	220.3	12	-72531
	00 LST	13.3	12.0	15.3	16.4	20.3	24.3	26.1	25.8	24.2	24.4	17.7	15.9	235.7	12	-72531
	06 LST	13.1	10.6	14.7	13.8	17.1	20.0	22.1	21.5	20.8	21.1	16.3	15.1	206.2	12	-72531
	12 LST	8.4	6.3	7.2	6.5	9.9	13.2	16.4	17.1	14.4	13.0	10.2	8.2	130.8	12	-72531
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	2.1	1.4	3.0	2.1	2.3	0.2	0.1	0.0	0.2	0.3	1.3	1.0	14.0	12	-72531
	00 LST	1.8	1.5	1.9	1.3	0.4	0.2	0.2	0.0	0.0	0.2	1.6	0.4	9.5	12	-72531
	06 LST	1.0	1.1	1.9	1.4	0.8	0.4	0.0	0.1	0.1	0.6	1.0	0.7	9.1	12	-72531
	12 LST	3.3	3.4	6.1	6.7	3.8	1.9	0.7	0.3	1.7	1.8	3.3	2.1	35.1	12	-72531
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	5.8	9.4	12.7	16.3	17.6	19.0	20.4	20.4	18.6	19.1	12.6	7.1	179.0	12	-72531
	00 LST	4.0	5.3	9.2	14.9	18.4	17.6	17.0	14.4	15.2	16.7	10.6	5.5	148.8	12	-72531
	06 LST	2.9	4.8	7.2	14.1	17.4	18.2	18.7	15.0	15.6	14.7	7.7	4.2	140.5	12	-72531
	12 LST	6.0	9.1	10.3	10.4	13.8	12.5	17.9	18.1	16.8	16.5	13.1	7.3	151.8	12	-72531
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	6.7	7.2	7.0	4.9	6.5	6.7	8.7	8.6	13.0	13.6	9.8	7.2	99.9	12	-72531
	00 LST	10.2	9.7	11.3	11.6	13.7	14.2	17.3	17.6	18.2	18.1	12.1	11.1	165.1	12	-72531
	06 LST	10.1	7.3	7.8	7.1	8.6	8.5	9.9	9.6	11.7	10.6	9.9	10.1	111.2	12	-72531
	12 LST	5.3	5.5	5.7	5.2	5.0	4.2	4.7	6.3	10.8	11.5	7.8	6.5	78.5	12	-72531
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	20.2	18.8	24.6	25.2	27.8	28.2	29.6	30.2	28.7	27.9	24.6	21.4	307.2	12	-72531
	00 LST	20.2	19.2	24.5	25.3	27.7	28.1	29.1	28.1	27.5	28.0	23.6	22.2	303.5	12	-72531
	06 LST	19.7	17.2	21.6	23.5	26.0	25.9	26.4	24.0	24.1	23.7	21.0	20.0	273.1	12	-72531
	12 LST	18.7	18.2	21.9	22.7	25.3	26.6	27.8	28.2	27.3	26.6	22.3	19.5	285.1	12	-72531
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	17.0	16.2	19.0	19.7	22.9	24.4	27.2	27.8	26.1	24.2	20.4	17.8	262.7	12	-72531
	00 LST	17.3	16.4	19.5	20.7	24.6	25.7	28.0	27.2	25.7	25.1	19.3	18.2	267.7	12	-72531
	06 LST	16.8	14.6	18.9	19.4	23.6	23.7	24.3	22.5	22.1	21.9	17.1	17.4	242.3	12	-72531
	12 LST	16.5	15.6	17.0	15.8	19.2	20.2	22.0	22.4	23.0	23.3	18.5	16.7	230.2	12	-72531
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	15.2	14.3	16.3	17.1	19.8	22.3	25.6	25.9	23.6	22.6	19.1	16.3	238.1	12	-72531
	00 LST	15.4	14.2	17.3	18.2	21.5	23.3	26.7	25.6	23.6	23.4	17.5	15.9	242.6	12	-72531
	06 LST	15.8	12.5	16.2	16.7	20.2	21.1	22.3	20.4	19.7	19.4	15.5	13.7	215.5	12	-72531
	12 LST	15.2	14.3	15.0	13.9	17.1	18.8	20.1	21.2	21.4	21.6	16.9	14.8	210.3	12	-72531

DANVILLE/VERMILION COUNTY AIRPORT, ILLINOIS

STA NO. 73995 (IN AREA NUMBER 19)													LATITUDE 4011N	LONGITUDE 08735W	ELEVATION(FT) 00686	PDR	NO.
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	OBS		
ABS MAX TMP (F)	70	72	84	92	103	105	112	107	102	93	82	69	112	58	-112		
MEAN MAX TMP (F)	37	40	51	64	75	84	89	87	80	69	52	40	64	56	-113		
MEAN MIN TMP (F)	19	22	30	40	50	60	63	61	54	43	32	23	41	55	-113		
ABS MIN TMP (F)	-23	-2	-13	17	27	36	41	37	22	13	-6	-23	-23	58	-113		
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.0	8.0	11.0	10.0	5.0	0.3	0.0	0.0	35.3	9	-113		
MEAN NO DYS TMP = DR LES 32(F)	27.0	23.0	22.0	6.0	1.0	0.0	0.0	0.0	0.3	5.0	17.0	24.0	125.3	9	-113		
MEAN NO DYS TMP = DR LES 0(F)	2.5	1.5	0.2	0.0	0.0	0.0	7.0	0.0	0.0	0.0	0.2	1.6	6.0	12	-72531		
MEAN DEW PT TMP (F)	21	25	29	40	50	59	64	63	54	44	31	24	42	12	-72531		
MEAN REL HUM (PCT)	81	80	75	70	67	68	70	73	67	68	75	80	73	12	-72531		
MEAN PRESS ALT (FT)	496	513	579	607	630	632	615	606	561	534	526	499	567	0	-90		
MEAN PRECIP (IN)	2.38	1.86	3.02	3.36	4.00	4.10	3.40	3.28	3.34	2.91	2.76	2.25	36.7	61	-113		
MEAN SNOW FALL (IN)	4.1	5.1	4.2	0.9	0.0	0.0	0.0	0.0	0.0	0.0	3.4	6.0	23.7	12	-72531		
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.3	4.4	6.1	6.4	6.8	6.9	6.1	6.0	5.4	4.9	4.7	5.0	68.0	61	-29		
MEAN NO DYS SNFL = DR GTR 1.5 IN	1.1	1.3	1.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.3	5.7	12	-72531		
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	5.3	5.3	3.3	0.6	1.3	1.1	1.5	1.9	1.4	1.3	3.0	5.7	31.7	12	-72531		
MEAN NO DYS TSTMS	0.7	1.1	2.7	6.0	6.2	7.9	7.0	6.6	4.7	2.1	1.1	0.6	46.7	12	-72531		
P FREQ WND SPD = DR GTR 17 KTS	7.2	7.9	12.9	12.0	6.7	3.0	0.9	0.4	1.7	2.5	5.9	4.3	5.5	12	-72531		
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.2	0.3	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1	12	-72531		
P FREQ LES 5000 FT A/D LES 3 MI	49.0	45.8	40.7	35.0	25.1	21.2	19.4	20.9	18.6	25.4	37.9	46.2	32.1	12	-72531		
P FREQ LES 1500 FT A/D LES 3 MI																	
FOR 00-02 LST	29.7	26.1	18.5	11.7	9.9	6.8	5.6	8.3	8.5	10.6	16.7	24.7	14.8	12	-72531		
03-05 LST	29.6	29.4	20.2	13.6	13.1	11.5	10.7	14.8	12.7	13.9	19.0	27.8	18.0	12	-72531		
06-08 LST	34.5	33.1	23.6	15.6	14.0	10.3	11.8	16.6	16.4	18.6	25.3	31.4	20.9	12	-72531		
09-11 LST	34.1	31.0	22.0	15.4	10.3	8.4	6.8	6.1	6.8	11.0	20.1	30.5	16.9	12	-72531		
12-14 LST	28.6	27.1	17.4	12.5	7.4	4.7	3.8	3.2	3.6	7.9	15.5	29.4	13.4	12	-72531		
15-17 LST	28.1	25.3	15.1	10.8	5.4	3.8	2.2	1.8	2.6	7.3	14.6	25.9	11.9	12	-72531		
18-20 LST	27.6	22.9	14.8	9.8	5.4	4.0	3.2	2.5	3.4	8.1	12.3	25.0	11.6	12	-72531		
21-23 LST	28.9	22.1	15.2	11.0	5.7	4.0	3.7	4.0	3.6	8.1	13.4	25.1	12.1	12	-72531		
P FREQ LES 300 FT A/D LES 1 MI																	
FOR 00-02 LST	8.9	9.1	4.5	1.4	1.9	0.5	1.1	1.4	1.3	1.9	3.1	8.2	3.6	12	-72531		
03-05 LST	9.4	8.9	5.6	2.1	2.6	1.9	3.2	4.4	3.6	2.7	5.8	8.2	4.9	12	-72531		
06-08 LST	9.0	11.1	6.6	2.0	1.2	1.0	1.5	3.3	1.8	2.8	7.7	9.0	4.7	12	-72531		
09-11 LST	9.1	7.8	2.9	0.7	0.1	0.0	0.1	0.3	0.0	0.9	4.0	8.2	2.8	12	-72531		
12-14 LST	7.1	6.9	1.5	0.5	0.2	0.2	0.2	0.1	0.1	0.6	2.3	5.4	2.1	12	-72531		
15-17 LST	8.5	6.8	2.7	0.3	0.3	0.2	0.1	0.2	0.2	1.4	2.6	6.1	2.5	12	-72531		
18-20 LST	7.7	7.0	4.0	0.7	0.1	0.3	0.4	0.3	0.2	0.6	2.0	8.2	2.6	12	-72531		
21-23 LST	9.0	8.6	3.5	1.4	0.8	0.1	0.5	0.2	0.4	1.0	2.2	9.0	3.1	12	-72531		

DANVILLE/VERMILION COUNTY AIRPORT, ILLINOIS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	23.3	22.1	26.4	27.9	29.8	29.4	30.3	30.5	29.6	29.1	26.7	25.2	330.3	12	-72531
	00 LST	23.7	22.0	26.7	27.2	29.1	28.7	29.6	28.9	28.3	29.1	26.3	24.6	324.2	12	-72531
	06 LST	23.3	20.6	24.0	26.2	27.5	26.9	27.4	24.8	24.9	25.6	24.1	23.2	298.5	12	-72531
	12 LST	23.3	21.6	27.2	27.3	29.4	29.3	30.2	30.4	29.4	29.4	27.0	23.7	328.2	12	-72531
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	14.1	13.0	14.4	13.1	14.5	18.5	22.3	25.3	24.6	24.5	19.9	16.1	220.3	12	-72531
	00 LST	13.3	12.0	15.3	16.4	20.3	24.3	26.1	25.8	24.2	24.4	17.7	15.9	235.7	12	-72531
	06 LST	13.1	10.6	14.7	13.8	17.1	20.0	22.1	21.5	20.8	21.1	16.3	15.1	206.2	12	-72531
	12 LST	8.4	6.3	7.2	6.5	9.9	13.2	16.4	17.1	14.4	13.0	10.2	8.2	130.8	12	-72531
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	2.1	1.4	3.0	2.1	2.3	0.2	0.1	0.0	0.2	0.3	1.3	1.0	14.0	12	-72531
	00 LST	1.8	1.5	1.9	1.3	0.4	0.2	0.2	0.0	0.0	0.2	1.6	0.4	9.5	12	-72531
	06 LST	1.0	1.1	1.9	1.4	0.8	0.4	0.0	0.1	0.1	0.6	1.0	0.7	9.1	12	-72531
	12 LST	3.3	3.4	6.1	6.7	3.8	1.9	0.7	0.3	1.7	1.8	3.3	2.1	35.1	12	-72531
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	5.8	9.4	12.7	16.3	17.6	19.0	20.4	20.4	18.6	19.1	12.6	7.1	179.0	12	-72531
	00 LST	4.0	5.3	9.2	14.9	18.4	17.6	17.0	14.4	15.2	16.7	10.6	5.5	148.8	12	-72531
	06 LST	2.9	4.8	7.2	14.1	17.4	18.2	18.7	15.0	15.6	14.7	7.7	4.2	140.5	12	-72531
	12 LST	6.0	9.1	10.3	10.4	13.8	12.5	17.9	18.1	16.8	16.3	13.1	7.3	151.8	12	-72531
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	6.7	7.2	7.0	4.9	6.5	6.7	8.7	8.6	13.0	13.6	9.8	7.2	99.9	12	-72531
	00 LST	10.2	9.7	11.3	11.6	13.7	14.2	17.3	17.6	18.2	18.1	12.1	11.1	165.1	12	-72531
	06 LST	10.1	7.3	7.8	7.1	8.6	8.5	9.9	9.6	11.7	10.6	9.9	10.1	111.2	12	-72531
	12 LST	5.3	5.5	5.7	5.2	5.0	4.2	4.7	6.3	10.8	11.3	7.8	6.5	78.5	12	-72531
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	20.2	18.8	24.6	25.2	27.8	28.2	29.6	30.2	28.7	27.9	24.6	21.4	307.2	12	-72531
	00 LST	20.2	19.2	24.5	25.3	27.7	28.1	29.1	28.1	27.5	28.0	23.6	22.2	303.5	12	-72531
	06 LST	19.7	17.2	21.6	23.5	26.0	25.9	26.4	24.0	24.1	23.7	21.0	20.0	273.1	12	-72531
	12 LST	18.7	18.2	21.9	22.7	25.3	26.6	27.8	28.2	27.3	26.6	22.3	19.5	285.1	12	-72531
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	17.0	16.2	19.0	19.7	22.9	24.4	27.2	27.8	26.1	24.2	20.4	17.8	262.7	12	-72531
	00 LST	17.3	16.4	19.5	20.7	24.6	25.7	28.0	27.2	25.7	25.1	19.3	18.2	267.7	12	-72531
	06 LST	16.8	14.6	18.9	19.4	23.6	23.7	24.3	22.5	22.1	21.9	17.1	17.4	242.3	12	-72531
	12 LST	16.5	15.6	17.0	15.8	19.2	20.2	22.0	22.4	23.0	23.3	18.5	16.7	230.2	12	-72531
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	15.2	14.3	16.3	17.1	19.8	22.3	25.6	25.9	23.6	22.6	19.1	16.3	238.1	12	-72531
	00 LST	15.4	14.2	17.3	18.2	21.5	23.3	26.7	25.6	23.6	23.4	17.5	15.9	242.6	12	-72531
	06 LST	15.8	12.5	16.2	16.7	20.2	21.1	22.3	20.4	19.7	19.4	15.5	15.7	215.5	12	-72531
	12 LST	15.2	14.3	15.0	13.9	17.1	18.8	20.1	21.2	21.4	21.6	16.9	14.8	210.3	12	-72531

CAIRO, ILLINOIS

STA NO. 75132 (IN AREA NUMBER 13)

LATITUDE 3703N

LONGITUDE 08913W

ELEVATION(FT) 00321

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	75	78	88	89	98	106	106	106	104	93	82	77	106	89	-613
MEAN MAX TMP (F)	44	47	56	68	77	85	88	87	81	70	56	46	67	89	-113
MEAN MIN TMP (F)	29	31	39	50	59	68	71	70	63	51	40	32	50	89	-113
ABS MIN TMP (F)	-16	-14	6	24	37	46	54	50	35	23	-2	-7	-16	89	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	2.0	13.6	18.0	15.5	5.9	0.3	0.0	0.0	55.3	15	5231
MEAN NO DYS TMP = DR LES 32(F)	18.6	14.6	8.7	0.7	0.0	0.0	0.0	0.0	0.0	0.6	8.7	18.1	70.0	15	5231
MEAN NO DYS TMP = DR LES 0(F)	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.8	15	5231
MEAN DEW PT TMP (F)	33	33	35	44	55	66	67	66	57	49	34	30	47	6	46645
MEAN REL HUM (PCT)	79	72	68	67	70	70	69	70	70	71	69	75	71	6	46642
MEAN PRESS ALT (FT)	108	139	207	241	260	271	246	246	205	167	138	110	195	0	-50
MEAN PRECIP (IN)	4.14	3.34	4.17	3.88	3.92	4.10	3.11	3.01	2.89	2.77	3.74	3.45	42.5	89	-113
MEAN SNOW FALL (IN)	3.4	2.7	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.9	9.9	76	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.6	6.6	6.9	6.7	6.8	6.9	5.7	5.6	4.8	4.7	6.0	6.8	75.1	89	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.5	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.4	11	4004
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	3.0	2.0	1.2	1.0	1.0	0.2	0.2	1.2	2.5	2.3	1.1	1.5	17.2	6	1947
MEAN NO DYS TSTMS	1.1	1.8	3.3	5.9	7.1	9.3	8.1	6.6	4.4	2.1	1.8	0.9	52.4	15	5231
P FREQ WND SPD = DR GTR 17 KTS	11.1	9.4	11.2	9.3	3.8	1.6	2.2	1.9	2.0	3.7	8.2	7.8	6.0	6	46678
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.1	0.4	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.2	0.3	0.1	6	46678
P FREQ LES 5000 FT A/D LES 5 MI	50.2	36.3	30.7	23.4	19.5	10.5	11.7	14.4	16.7	22.1	26.8	35.9	24.9	6	46658
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	24.7	13.9	12.6	7.1	8.8	2.7	1.3	5.8	8.5	8.6	7.1	12.9	9.3	6	5834
03-05 LST	30.0	14.7	15.5	10.9	13.1	6.9	8.4	10.5	13.3	14.0	7.6	15.9	13.4	6	5829
06-08 LST	32.2	21.3	17.9	13.1	13.1	5.6	7.5	9.9	15.0	15.4	13.2	19.7	15.3	6	5834
09-11 LST	31.4	20.8	15.9	13.3	10.3	3.6	4.9	6.0	9.4	9.3	10.9	19.8	13.0	6	5841
12-14 LST	30.1	16.8	12.3	9.1	7.7	1.8	1.5	3.2	3.3	7.2	8.3	15.9	9.8	6	5837
15-17 LST	32.1	12.8	9.9	5.4	6.5	2.2	0.6	1.9	1.7	5.6	7.6	12.2	8.2	6	5836
18-20 LST	28.4	11.1	8.1	3.1	5.4	0.7	0.2	1.3	1.3	3.6	5.7	11.8	6.7	6	5834
21-23 LST	29.5	11.2	10.4	5.1	5.8	1.6	0.2	3.4	3.7	4.5	5.0	11.4	7.7	6	5831
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.7	4.3	1.7	1.3	1.5	0.4	0.2	1.5	2.8	2.5	0.2	1.3	1.9	6	5834
03-05 LST	5.8	4.5	3.7	2.5	3.0	1.3	0.9	4.3	6.2	5.7	2.0	2.2	3.5	6	5829
06-08 LST	2.8	3.5	2.6	1.3	0.9	0.2	0.4	1.3	2.4	2.5	2.2	2.7	1.9	6	5834
09-11 LST	1.5	1.7	1.3	0.0	0.4	0.0	0.2	0.0	0.0	0.2	1.5	1.3	0.7	6	5841
12-14 LST	1.9	0.7	0.9	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.7	0.4	6	5837
15-17 LST	3.4	0.9	1.3	0.0	0.0	0.2	0.2	0.2	0.0	0.0	0.4	0.5	0.6	6	5836
18-20 LST	3.9	0.7	1.1	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.4	1.1	0.6	6	5834
21-23 LST	4.5	2.6	1.1	0.0	0.0	0.0	0.0	0.6	0.7	0.5	0.4	1.3	1.0	6	5831

CAIRO, ILLINOIS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	24.6	23.0	29.0	29.4	30.4	29.8	31.0	30.6	30.0	30.2	28.7	28.6	347.3	6	1948
	00 LST	24.4	24.8	28.0	28.8	29.2	29.8	31.0	30.0	28.1	29.3	28.8	28.0	340.4	6	1948
	06 LST	24.2	24.0	27.2	26.8	28.0	28.2	28.4	28.2	25.1	26.5	26.5	26.8	319.9	6	1948
	12 LST	24.6	25.0	28.2	28.8	29.6	29.6	30.6	30.6	29.6	29.5	27.8	27.8	341.7	6	1948
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	15.4	17.3	17.6	20.6	24.0	26.6	26.6	26.4	26.5	27.2	21.2	21.3	270.9	6	1948
	00 LST	14.2	13.7	17.6	21.4	25.6	27.4	27.8	28.2	24.8	25.1	21.5	18.3	267.6	6	1948
	06 LST	12.2	14.3	17.4	16.4	21.4	23.2	23.8	24.2	22.3	21.0	19.5	17.6	233.3	6	1948
	12 LST	9.0	11.1	9.6	9.4	14.2	17.4	17.4	16.6	16.5	14.0	8.3	10.7	154.2	6	1948
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	2.6	1.6	1.7	1.0	0.0	0.0	0.4	0.0	0.3	0.0	1.5	1.8	10.9	6	1890
	00 LST	2.9	1.9	1.7	1.7	0.2	0.0	0.0	0.0	0.7	0.7	1.0	0.7	11.5	6	1867
	06 LST	3.3	2.5	1.3	1.1	0.4	0.2	0.0	0.0	0.0	0.7	1.4	2.0	12.9	6	1876
	12 LST	5.6	4.3	6.6	6.5	3.3	1.0	1.0	1.4	1.5	2.9	4.4	5.0	43.5	6	1893
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NU PRECIP.	18 LST	10.6	13.1	16.7	18.7	17.3	13.8	15.4	12.4	14.0	14.7	15.3	12.7	174.7	6	1889
	00 LST	9.7	9.2	13.2	16.2	13.5	16.3	12.0	10.0	9.0	12.5	10.9	9.1	141.6	6	1867
	06 LST	8.0	7.7	12.1	17.0	13.1	18.4	13.5	12.7	10.8	11.7	10.4	6.8	144.2	6	1876
	12 LST	9.0	13.6	13.8	13.1	17.9	10.4	12.1	12.3	13.0	14.9	11.3	11.4	134.8	6	1893
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	7.8	8.9	9.6	7.8	9.2	12.6	9.8	12.4	16.5	17.1	13.3	9.0	134.0	6	1948
	00 LST	8.6	11.1	12.6	14.8	13.4	19.4	19.4	19.2	19.1	20.5	15.3	10.8	186.2	6	1948
	06 LST	7.2	7.3	9.6	11.4	10.4	12.2	11.0	11.8	13.8	14.0	12.3	10.5	131.5	6	1948
	12 LST	6.0	9.1	10.4	8.4	6.8	9.2	7.2	7.6	15.0	14.3	10.0	8.6	112.6	6	1948
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	19.6	22.6	23.4	26.8	28.6	29.6	30.8	30.4	29.2	29.3	27.2	26.5	326.0	6	1948
	00 LST	21.0	21.6	25.2	26.8	28.0	29.2	30.8	29.8	27.0	27.3	27.8	25.0	319.5	6	1948
	06 LST	17.2	20.8	23.8	25.6	25.8	27.6	27.8	27.8	24.2	24.1	25.0	23.3	293.0	6	1948
	12 LST	18.4	21.4	24.4	23.0	26.4	28.0	29.0	29.4	26.6	27.2	25.5	22.7	304.0	6	1948
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	17.2	18.3	21.0	23.0	26.2	28.4	28.8	27.6	27.3	26.8	24.2	21.6	290.4	6	1948
	00 LST	17.4	18.6	22.8	24.0	25.2	28.8	29.6	28.6	25.7	26.3	23.5	20.2	290.7	6	1948
	06 LST	14.0	16.1	19.8	21.6	23.2	26.6	26.2	25.8	22.8	21.6	20.2	19.3	257.2	6	1948
	12 LST	14.8	17.9	21.6	20.6	21.2	25.2	25.4	25.8	24.3	24.3	21.3	19.7	262.1	6	1948
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	15.4	16.9	18.2	20.6	24.4	25.6	26.8	26.4	25.8	25.8	22.8	18.8	267.5	6	1948
	00 LST	15.2	17.1	20.8	21.6	22.6	28.0	28.6	27.2	24.8	25.0	21.8	18.0	270.7	6	1948
	06 LST	13.4	13.7	18.6	18.4	19.8	24.8	25.6	23.4	21.5	19.8	19.0	17.3	233.3	6	1948
	12 LST	14.0	16.7	19.8	18.6	19.6	24.2	23.6	24.6	23.0	23.0	19.7	16.6	243.4	6	1948

DECATUR MUNICIPAL, ILLINOIS

STA NO. 75145 (IN AREA NUMBER 13)	LATITUDE 3950N												LONGITUDE 08852W												ELEVATION(FT) 00680	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PCR (YRS)	NO. OBS											
ABS MAX TMP (F)	73	75	89	94	101	105	113	106	104	96	83	70	113	67	-113											
MEAN MAX TMP (F)	37	40	52	64	75	84	89	87	81	69	53	40	64	60	-113											
MEAN MIN TMP (F)	20	22	31	41	52	61	65	63	56	45	33	23	43	60	-113											
ABS MIN TMP (F)	-22	-25	-8	15	25	32	45	40	20	12	-3	-19	-25	66	-113											
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	1.0	9.0	14.0	11.0	7.0	0.3	0.0	0.0	42.3	10	-113											
MEAN NO DYS TMP = OR LES 32(F)	28.0	22.0	20.0	6.0	0.3	0.0	0.0	0.0	0.0	4.0	16.0	24.0	120.3	10	-113											
MEAN NO DYS TMP = OR LES 0(F)	1.9	1.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.3	4.9	12	-72439											
MEAN DEW PT TMP (F)	21	25	29	40	50	60	65	64	54	43	31	24	42	12	-72439											
MEAN REL HUM (PCT)	76	75	71	66	66	68	70	72	65	63	70	75	70	12	-72439											
MEAN PRESS ALT (FT)	491	504	575	604	629	633	613	606	560	532	523	495	564	0	-50											
MEAN PRECIP (IN)	2.26	2.04	3.21	3.76	4.08	4.07	3.16	3.19	3.57	2.84	2.51	2.17	36.9	73	-113											
MEAN SNOW FALL (IN)	5.0	4.8	4.0	0.4	0.1	0.0	0.0	0.0	0.0	0.1	1.5	4.2	20.1	64	-113											
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.1	4.7	6.3	6.7	6.8	6.9	5.8	5.8	5.7	4.8	4.3	4.9	67.8	73	-29											
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.1	1.1	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.9	4.3	64	-29											
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.5	3.4	2.3	0.6	0.6	0.5	1.0	1.1	0.7	1.1	1.3	3.2	18.3	12	-72439											
MEAN NO DYS TSTMS	0.6	0.9	2.7	5.3	8.0	9.8	8.7	7.0	5.6	2.1	1.4	0.2	52.3	12	-72439											
P FREQ WND SPD = OR GTR 17 KTS	20.9	22.7	27.2	25.8	15.9	7.3	3.6	2.2	6.6	11.9	25.3	22.9	16.0	12	-72439											
P FREQ WND SPD = OR GTR 28 KTS	0.6	1.2	3.2	1.9	0.9	0.1	0.1	0.0	0.1	0.2	2.1	0.8	0.9	12	-72439											
P FREQ LES 5000 FT A/D LES 5 MI	44.6	42.8	38.2	30.7	21.3	16.8	16.1	15.6	15.4	22.4	32.9	43.1	28.3	12	-72439											
P FREQ LES 1500 FT A/D LES 3 MI																										
FOR 00-02 LST	24.9	22.1	17.3	9.2	6.4	3.3	4.7	4.3	5.8	9.2	14.3	21.2	11.9	12	-72439											
03-05 LST	26.0	23.3	20.3	13.4	11.1	8.2	8.4	10.6	9.3	11.9	15.8	23.0	15.2	12	-72439											
06-08 LST	32.9	31.9	22.1	16.5	14.0	10.2	10.0	11.8	13.2	16.8	18.0	27.2	18.7	12	-72439											
09-11 LST	30.1	30.6	21.0	16.0	9.8	7.3	6.7	6.3	6.9	11.5	14.8	28.4	15.8	12	-72439											
12-14 LST	25.5	25.0	18.8	11.0	5.6	3.4	2.5	2.3	2.0	7.9	12.7	23.6	11.7	12	-72439											
15-17 LST	25.4	22.4	15.1	8.5	4.8	1.9	1.5	1.6	2.2	7.4	12.1	21.2	10.3	12	-72439											
18-20 LST	22.0	19.5	13.3	8.1	4.0	1.6	1.8	0.7	3.0	6.6	9.4	20.8	9.2	12	-72439											
21-23 LST	22.7	20.9	15.9	8.2	5.5	2.3	1.9	2.4	3.1	7.7	11.5	21.5	10.3	12	-72439											
P FREQ LES 300 FT A/D LES 1 MI																										
FOR 00-02 LST	4.4	3.9	3.8	0.9	0.4	0.1	0.5	1.0	0.4	1.1	2.5	4.4	2.0	12	-72439											
03-05 LST	4.8	5.7	4.7	1.3	1.9	1.1	1.3	3.0	0.8	2.2	3.0	3.8	2.8	12	-72439											
06-08 LST	5.9	7.6	3.9	1.4	1.0	0.5	0.8	2.7	1.5	2.6	3.4	6.0	3.1	12	-72439											
09-11 LST	4.7	4.7	1.1	0.2	0.2	0.2	0.1	0.0	0.0	0.8	1.1	4.0	1.4	12	-72439											
12-14 LST	3.9	3.5	0.7	0.1	0.1	0.3	0.2	0.1	0.0	0.1	0.5	2.5	1.0	12	-72439											
15-17 LST	3.4	3.6	1.4	0.0	0.0	0.0	0.2	0.1	0.1	0.3	0.8	3.5	1.1	12	-72439											
18-20 LST	3.3	4.3	2.7	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.5	4.8	1.3	12	-72439											
21-23 LST	3.9	4.2	2.3	0.3	0.2	0.3	0.1	0.2	0.2	0.7	1.3	4.4	1.5	12	-72439											

DECATUR MUNICIPAL, ILLINOIS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	25.6	23.3	27.4	27.9	30.2	29.6	30.7	31.0	29.4	29.4	27.9	26.1	338.3	12	-72439
	00 LST	25.1	23.4	27.1	27.8	30.0	29.3	29.9	30.2	28.9	28.9	26.8	25.7	333.1	12	-72439
	06 LST	23.0	21.6	24.7	26.5	27.7	27.7	28.3	26.4	26.0	26.4	26.1	25.0	309.4	12	-72439
	12 LST	25.1	22.3	26.7	27.9	29.8	29.5	30.3	30.2	29.6	29.1	27.2	25.0	332.7	12	-72439
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	11.4	9.7	11.1	9.9	13.5	16.9	23.5	27.0	22.1	20.5	11.8	9.9	187.3	12	-72439
	00 LST	8.9	9.2	11.9	11.8	17.2	20.2	22.4	24.4	20.6	16.8	10.1	9.7	163.8	12	-72439
	06 LST	8.6	7.6	9.3	10.9	13.9	16.7	21.0	21.0	19.3	15.7	10.1	5.4	108.7	12	-72439
	12 LST	6.2	5.7	5.9	4.8	9.3	12.2	16.9	15.6	12.2	9.3	5.2	5.4	108.7	12	-72439
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	4.5	5.0	7.0	6.3	4.2	1.7	0.8	0.2	1.0	1.6	5.3	5.6	43.2	12	-72439
	00 LST	5.3	4.5	5.6	4.3	3.2	0.7	0.6	0.5	0.8	2.4	6.2	6.3	40.4	12	-72439
	06 LST	5.3	4.7	6.3	5.3	2.7	0.6	0.5	0.2	0.6	1.9	5.1	5.4	38.6	12	-72439
	12 LST	9.0	8.5	11.4	11.1	8.5	4.5	2.3	1.7	4.2	7.3	12.0	10.6	91.1	12	-72439
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	5.3	8.3	11.5	13.2	15.3	17.0	20.3	23.7	21.8	20.2	11.9	6.1	174.6	12	-72439
	00 LST	2.6	4.5	7.6	13.9	17.1	19.6	19.8	19.7	19.2	17.3	7.2	4.2	152.7	12	-72439
	06 LST	2.5	2.9	5.2	11.6	16.3	19.2	18.8	19.7	18.6	16.1	6.8	3.5	141.2	12	-72439
	12 LST	4.1	5.6	7.1	6.3	10.0	11.4	15.7	16.1	13.1	11.8	6.4	4.8	112.4	12	-72439
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.8	8.4	8.2	6.9	8.6	10.2	14.1	14.7	15.7	15.4	11.4	8.7	131.1	12	-72439
	00 LST	11.9	10.5	11.9	12.2	14.4	15.5	17.5	18.7	17.7	17.6	13.6	10.9	172.4	12	-72439
	06 LST	9.6	7.4	9.3	8.9	9.6	10.9	10.7	12.2	13.7	13.5	11.7	10.8	128.3	12	-72439
	12 LST	6.7	7.9	8.2	6.6	6.9	6.8	7.0	9.6	13.7	13.4	9.1	8.2	104.1	12	-72439
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	21.9	20.3	24.6	25.9	28.5	28.9	30.0	30.7	28.2	28.1	25.5	21.9	314.5	12	-72439
	00 LST	21.1	20.6	24.3	25.4	28.4	28.0	29.4	29.6	28.1	27.7	24.4	22.5	309.5	12	-72439
	06 LST	19.2	18.5	22.8	23.8	26.1	26.2	27.3	25.6	25.1	24.6	23.2	21.0	283.4	12	-72439
	12 LST	20.1	18.6	22.8	23.6	26.8	27.3	28.0	28.6	27.7	27.0	23.8	20.9	295.2	12	-72439
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.7	16.9	18.7	20.8	25.3	26.5	28.3	28.4	25.4	25.1	20.2	18.6	272.9	12	-72439
	00 LST	18.0	17.4	19.2	21.5	25.6	25.2	27.8	28.1	25.9	25.3	20.6	18.4	273.0	12	-72439
	06 LST	17.0	15.5	18.7	19.6	23.8	23.7	25.1	24.0	23.6	22.4	19.4	17.9	250.7	12	-72439
	12 LST	17.2	16.7	17.8	18.6	21.2	21.8	22.3	24.2	24.2	23.7	19.3	18.5	245.5	12	-72439
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.1	15.3	16.0	18.0	22.4	23.8	26.7	26.7	24.0	23.3	18.6	16.7	248.6	12	-72439
	00 LST	16.6	15.3	17.1	18.1	22.0	22.6	25.6	25.2	24.3	23.8	18.8	16.6	246.0	12	-72439
	06 LST	15.3	13.5	15.7	17.0	20.7	21.2	23.1	21.8	21.1	20.6	17.5	15.9	223.4	12	-72439
	12 LST	15.4	15.6	16.4	15.8	19.1	20.6	21.0	23.0	22.6	22.2	17.6	17.0	226.3	12	-72439

JACKSONVILLE MUNICIPAL, ILLINOIS

STA NO. 75146 (IN AREA NUMBER 19)

LATITUDE 3946N

LONGITUDE 09014W

ELEVATION(FT) 00623

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	75	80	91	94	103	107	114	112	106	98	84	73	114	67	-113
MEAN MAX TMP (F)	38	41	53	65	76	85	89	87	81	69	54	41	65	60	-113
MEAN MIN TMP (F)	19	22	31	41	51	61	65	63	56	44	32	23	42	60	-113
ABS MIN TMP (F)	-24	-28	-14	10	28	37	43	39	23	9	-5	-24	-28	65	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	2.0	9.0	14.0	13.0	7.0	0.3	0.0	0.0	45.6	9	-113
MEAN NO DYS TMP = DR LES 32(F)	28.0	22.0	20.0	5.0	0.3	0.0	0.0	0.0	0.0	3.0	16.0	23.0	119.3	9	-113
MEAN NO DYS TMP = DR LES ^ (F)	1.9	1.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.3	4.9	12	-72439
MEAN DEW PT TMP (F)	21	25	29	40	50	60	65	64	54	43	31	24	42	12	-72439
MEAN REL HUM (PCT)	76	75	71	66	66	68	70	72	65	65	70	75	70	12	-72439
MEAN PRESS ALT (FT)	432	444	519	550	577	583	560	556	508	478	465	486	509	0	-50
MEAN PRECIP (IN)	1.89	1.64	2.82	3.37	4.17	4.06	3.20	3.27	3.71	2.75	2.33	1.86	35.1	68	-113
MEAN SNOW FALL (IN)	3.1	4.1	4.9	0.8	0.0	0.0	0.0	0.0	0.0	0.0	2.1	4.6	19.6	12	-72439
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.4	4.0	5.9	6.4	6.9	6.8	5.9	5.9	5.9	4.7	4.1	4.4	65.3	68	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.5	1.1	1.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.2	5.1	12	-72439
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.5	3.4	2.3	0.6	0.6	0.5	1.0	1.1	0.7	1.1	1.3	3.2	18.3	12	-72439
MEAN NO DYS TSTMS	0.6	0.9	2.7	5.3	8.0	9.8	8.7	7.0	5.6	2.1	1.4	0.2	52.3	12	-72439
P FREQ WND SPD = DR GTR 17 KTS	20.9	22.7	27.2	25.8	15.9	7.3	3.6	2.2	6.6	11.9	25.3	22.9	16.0	12	-72439
P FREQ WND SPD = DR GTR 28 KTS	0.6	1.2	3.2	1.9	0.5	0.1	0.1	0.0	0.1	0.2	2.1	0.8	0.9	12	-72439
P FREQ LES 5000 FT A/D LES 5 MI	44.6	42.8	38.2	30.7	21.3	16.8	16.1	15.6	19.4	22.4	32.9	43.1	28.3	12	-72439
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	24.9	22.1	17.3	9.2	6.4	3.3	4.7	4.5	5.8	9.2	14.3	21.2	11.9	12	-72439
03-05 LST	26.9	23.3	20.3	13.4	11.1	8.2	8.4	10.6	9.3	11.9	15.8	23.0	19.2	12	-72439
06-08 LST	32.9	31.9	22.1	16.5	14.0	10.2	10.0	11.8	13.2	16.8	18.0	27.2	18.7	12	-72439
09-11 LST	30.1	30.6	21.0	16.0	9.8	7.3	6.7	6.3	6.9	11.3	14.8	28.4	15.8	12	-72439
12-14 LST	25.3	25.0	18.8	11.0	5.6	3.4	2.5	2.3	2.0	7.9	12.7	23.6	11.7	12	-72439
15-17 LST	25.4	22.4	19.1	8.5	4.8	1.9	1.5	1.6	2.2	7.4	12.1	21.2	10.3	12	-72439
18-20 LST	22.0	19.5	13.3	8.1	4.0	1.6	1.8	0.7	3.0	6.6	9.4	20.8	9.2	12	-72439
21-23 LST	22.7	20.9	13.9	8.2	5.5	2.3	1.9	2.4	3.1	7.7	11.5	21.5	10.3	12	-72439
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.4	3.9	3.8	0.9	0.4	0.1	0.5	1.0	0.4	1.1	2.5	4.4	2.0	12	-72439
03-05 LST	4.8	5.7	4.7	1.3	1.9	1.1	1.3	3.0	0.8	2.2	3.0	3.8	2.8	12	-72439
06-08 LST	5.9	7.6	3.9	1.4	1.0	0.5	0.8	2.7	1.5	2.6	3.4	6.0	3.1	12	-72439
09-11 LST	4.7	4.7	1.1	0.2	0.2	0.2	0.1	0.0	0.0	0.8	1.1	4.0	1.4	12	-72439
12-14 LST	3.9	3.5	0.7	0.1	0.1	0.3	0.2	0.1	0.0	0.1	0.5	2.5	1.0	12	-72439
15-17 LST	3.4	3.6	1.4	0.0	0.0	0.0	0.2	0.1	0.1	0.3	0.8	3.5	1.1	12	-72439
18-20 LST	3.3	4.3	2.7	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.5	4.8	1.3	12	-72439
21-23 LST	3.9	4.2	2.3	0.3	0.2	0.3	0.1	0.2	0.2	0.7	1.3	4.4	1.5	12	-72439

JACKSONVILLE MUNICIPAL, ILLINOIS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR	NO.
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	25.6	23.3	27.4	27.9	30.2	29.6	30.7	31.0	29.4	29.4	27.9	26.1	338.5	12	-72439
	00 LST	25.1	23.4	27.1	27.8	30.0	29.3	29.9	30.2	28.9	28.9	26.8	25.7	333.1	12	-72439
	06 LST	23.0	21.6	24.7	26.5	27.7	27.7	28.3	26.4	26.0	26.4	26.1	25.0	309.4	12	-72439
	12 LST	25.1	22.3	26.7	27.9	29.8	29.5	30.3	30.2	29.6	29.1	27.2	25.0	332.7	12	-72439
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	11.4	9.7	11.1	9.9	13.5	16.9	23.5	27.0	22.1	20.5	11.8	9.9	187.3	12	-72439
	00 LST	8.9	9.2	11.9	11.8	17.2	20.2	22.4	24.4	20.6	16.8	10.1	8.7	182.2	12	-72439
	06 LST	8.6	7.6	9.3	10.9	13.9	16.7	21.0	21.0	19.3	15.7	10.1	9.7	163.8	12	-72439
	12 LST	6.2	5.7	5.9	4.8	9.3	12.2	16.9	15.6	17.2	9.3	5.2	5.4	108.7	12	-72439
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	4.5	5.0	7.0	6.3	4.2	1.7	0.8	0.2	1.0	1.6	5.3	5.6	43.2	12	-72439
	00 LST	5.3	4.5	5.6	4.3	3.2	0.7	0.6	0.5	0.8	2.4	6.2	6.3	40.4	12	-72439
	06 LST	5.3	4.7	6.3	5.3	2.7	0.6	0.5	0.2	0.6	1.9	5.1	5.4	38.6	12	-72439
	12 LST	9.0	8.5	11.4	11.1	8.5	4.5	2.3	1.7	4.2	7.3	12.0	10.6	91.1	12	-72439
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	5.3	6.3	11.5	13.2	15.3	17.0	20.3	23.7	21.8	20.2	11.9	6.1	174.6	12	-72439
	00 LST	2.6	4.5	7.6	13.9	17.1	19.6	19.8	19.7	19.2	17.3	7.2	4.2	152.7	12	-72439
	06 LST	2.5	2.9	5.2	11.6	16.3	19.2	18.8	19.7	18.6	16.1	6.8	3.5	141.2	12	-72439
	12 LST	4.1	5.6	7.1	6.3	10.0	11.4	15.7	16.1	13.1	11.8	6.4	4.8	112.4	12	-72439
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.8	8.4	8.2	6.9	8.6	10.2	14.1	14.7	15.7	15.4	11.4	8.7	131.1	12	-72439
	00 LST	11.9	10.5	11.9	12.2	14.4	15.5	17.5	18.7	17.7	17.6	13.6	10.9	172.4	12	-72439
	06 LST	9.6	7.4	9.3	8.9	9.6	10.9	10.7	12.2	13.7	13.5	11.7	10.8	128.3	12	-72439
	12 LST	6.7	7.9	8.2	6.6	6.9	6.8	7.0	9.6	13.7	13.4	9.1	8.2	104.1	12	-72439
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	21.9	20.3	24.6	25.9	28.5	28.9	30.0	30.7	28.2	28.1	25.5	21.9	314.5	12	-72439
	00 LST	21.1	20.6	24.3	25.4	26.4	28.0	29.4	29.6	28.1	27.7	24.4	22.5	309.5	12	-72439
	06 LST	19.2	18.5	22.8	23.8	26.1	26.2	27.3	25.6	25.1	24.6	23.2	21.0	283.4	12	-72439
	12 LST	20.1	18.6	22.8	23.6	26.8	27.3	28.0	28.6	27.7	27.0	23.8	20.9	295.2	12	-72439
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.7	16.9	18.7	20.8	25.3	26.5	28.3	28.4	25.4	25.1	20.2	18.6	272.9	12	-72439
	00 LST	18.0	17.4	19.2	21.5	25.6	25.2	27.8	28.1	25.9	25.3	20.6	18.4	273.0	12	-72439
	06 LST	17.0	15.5	18.7	19.6	23.8	23.7	25.1	24.0	23.6	22.4	19.4	17.9	250.7	12	-72439
	12 LST	17.2	16.7	17.8	18.4	21.2	21.8	22.3	24.2	24.2	23.7	19.3	18.5	245.5	12	-72439
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.1	15.3	16.0	18.0	22.4	23.8	26.7	26.7	24.0	23.3	18.6	16.7	248.6	12	-72439
	00 LST	16.6	15.3	17.1	18.1	22.0	22.6	25.6	25.2	24.3	23.8	18.8	16.6	246.0	12	-72439
	06 LST	15.3	13.5	15.7	17.0	20.7	21.2	23.1	21.8	21.1	20.6	17.5	15.9	223.4	12	-72439
	12 LST	15.4	15.6	16.4	15.8	19.1	20.6	21.0	23.0	22.6	22.2	17.6	17.0	226.3	12	-72439

CARBONDALE, ILLINOIS

STA NO. 75221 (IN AREA NUMBER 13)

LATITUDE 3744N

LONGITUDE 08912W

ELEVATION(FT) 00380

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	76	78	93	92	101	106	112	113	108	96	88	74	113	50	-113
MEAN MAX TMP (F)	44	48	58	69	79	88	92	90	84	73	58	47	69	50	-113
MEAN MIN TMP (F)	26	28	35	46	54	63	67	65	58	46	35	28	46	50	-113
ABS MIN TMP (F)	-24	-22	-9	20	32	39	43	41	30	16	-1	-10	-24	49	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	2.0	13.0	18.0	19.0	9.0	1.0	0.0	0.0	62.0	10	-113
MEAN NO DYS TMP = DR LES 32(F)	25.0	18.0	15.0	4.0	0.0	0.0	0.0	0.0	0.0	5.0	16.0	21.0	104.0	9	-113
MEAN NO DYS TMP = DR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			49	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.38	2.65	3.98	4.13	4.45	4.17	3.15	3.83	3.40	3.27	3.31	2.89	42.6	65	-113
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					49	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.7	5.7	6.8	6.9	7.0	7.0	5.8	6.6	5.5	5.3	5.4	6.0	74.7	65	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					49	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CARBONDALE, ILLINOIS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. ESS
CIG = GTR 1000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG =GTR 2000 FT AND VSBY =GTR														0	0
3 MI W/SFC WND LES 10 KTS														0	0
														0	0
														0	0
SFC WND = GTR 17 KTS AND														0	0
NO PRECIP.														0	0
														0	0
														0	0
SFC WND 4-10 KTS AND TMP 33-89														0	0
DEG F AND NO PRECIP.														0	0
														0	0
														0	0
SKY COVER LES 3/10 AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 2500 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 6000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 10000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0

DATA NOT AVAILABLE

CENTRALIA MUNICIPAL, ILLINOIS

STA NO. 75347 (IN AREA NUMBER 13)

LATITUDE 3830N

LONGITUDE 08905W

ELEVATION(FT) 00534

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	75	73	84	89	97	104	110	101	103	95	84	72	110	12	-73450
MEAN MAX TMP (F)	40	45	52	65	76	85	88	87	81	70	53	43	65	12	-73450
MEAN MIN TMP (F)	24	28	33	45	55	65	68	67	58	47	34	27	46	12	-73450
ABS MIN TMP (F)	-8	-11	-3	22	34	48	53	48	38	24	4	1	-11	12	-73450
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	1.6	9.8	12.5	11.3	5.6	0.4	0.0	0.0	41.4	12	-73450
MEAN NO DYS TMP = OR LES 32(F)	25.6	19.2	14.9	1.9	0.0	0.0	0.0	0.0	0.0	1.0	14.6	22.4	99.6	12	-73450
MEAN NO DYS TMP = OR LES 0(F)	0.9	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	12	-73450
MEAN DEW PT TMP (F)	24	28	32	43	54	63	66	66	57	45	32	27	45	12	-73450
MEAN REL HUM (PCT)	74	73	69	66	68	68	69	71	67	66	68	73	69	12	-73450
MEAN PRESS ALT (FT)	353	360	432	462	489	495	474	463	419	393	388	360	424	0	-50
MEAN PRECIP (IN)	2.03	2.73	3.01	3.76	4.22	4.81	2.89	3.78	3.15	2.77	3.54	2.32	39.0	25	-113
MEAN SNOW FALL (IN)	3.7	2.7	4.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	1.5	2.4	15.1	16	-73450
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.7	5.8	6.1	6.7	6.9	7.6	5.5	6.5	5.2	4.7	5.7	5.2	70.6	25	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.7	0.5	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.6	2.9	12	-73450
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.7	3.1	1.6	0.8	1.1	0.3	1.1	0.9	1.1	1.1	2.0	3.3	20.1	12	-73450
MEAN NO DYS TSTMS	0.7	1.2	3.0	5.8	6.7	7.6	7.5	7.1	4.4	2.8	1.3	0.6	48.7	12	-73450
P FREQ WND SPD = OR GTR 17 KTS	6.5	6.8	10.3	8.8	3.2	1.6	0.8	0.4	1.6	2.1	6.1	5.0	4.4	12	-73450
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.2	0.2	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	12	-73450
P FREQ LES 5000 FT A/D LES 5 MI	46.8	43.5	37.8	30.0	23.8	17.3	17.4	16.0	16.9	22.6	32.6	44.4	29.1	12	-73450
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	22.6	18.2	14.3	10.5	6.7	4.4	4.0	2.9	7.1	8.4	13.8	19.5	11.0	12	-73450
03-05 LST	24.6	20.2	18.5	13.1	11.2	8.2	10.2	9.9	9.8	11.7	15.7	22.0	14.6	12	-73450
06-08 LST	28.7	27.5	22.8	14.9	13.4	7.9	10.4	12.8	11.8	17.0	20.5	26.4	17.8	12	-73450
09-11 LST	27.3	26.7	17.7	12.6	8.5	5.6	5.9	4.9	7.7	8.2	15.0	25.4	13.8	12	-73450
12-14 LST	20.7	19.8	14.7	9.1	5.1	3.2	1.3	2.0	3.1	6.6	9.7	21.3	9.7	12	-73450
15-17 LST	20.4	20.3	12.2	7.0	3.7	1.3	0.8	1.1	1.9	6.2	8.7	17.4	8.4	12	-73450
18-20 LST	19.8	17.7	12.5	6.8	4.1	2.2	0.8	1.7	2.4	6.6	9.3	15.8	8.3	12	-73450
21-23 LST	20.7	16.5	14.0	7.8	4.8	3.1	1.2	1.6	3.4	7.4	10.5	17.7	9.1	12	-73450
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.3	4.3	2.8	0.6	1.2	3.0	0.4	0.2	1.3	0.8	3.1	4.3	1.9	12	-73450
03-05 LST	4.7	5.8	3.0	1.3	2.6	0.8	1.8	2.6	2.0	2.8	3.4	4.8	3.0	12	-73450
06-08 LST	6.1	6.1	4.4	1.9	1.6	0.3	1.5	2.4	1.8	3.8	3.5	6.0	3.3	12	-73450
09-11 LST	5.0	4.3	1.7	0.5	0.1	0.1	0.2	0.0	0.4	1.0	1.9	5.0	1.7	12	-73450
12- 4 LST	4.0	1.6	1.6	0.2	0.0	0.1	0.0	0.1	0.1	0.0	1.0	3.3	1.0	12	-73450
15-17 LST	4.5	3.5	1.8	0.2	0.3	0.0	0.3	0.1	0.5	0.4	1.9	4.2	1.5	12	-73450
18-20 LST	3.6	3.6	1.6	0.1	0.2	0.2	0.0	0.0	0.0	0.1	0.7	3.7	1.2	12	-73450
21-23 LST	3.9	3.7	1.9	0.0	0.1	0.2	0.1	0.1	0.4	0.0	1.4	3.4	1.3	12	-73450

CENTRALIA MUNICIPAL, ILLINOIS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	25.8	23.4	27.7	28.4	30.2	29.6	30.8	30.8	29.4	29.2	27.7	27.2	340.2	12	-73450
	00 LST	26.1	23.9	27.4	28.1	30.0	29.2	30.4	30.5	28.7	29.3	26.8	26.7	337.3	12	-73450
	06 LST	24.2	22.8	25.2	26.6	27.2	28.1	27.9	25.8	26.4	25.9	24.8	25.6	310.5	12	-73450
	12 LST	25.1	23.5	27.3	28.5	29.9	29.6	30.7	30.7	29.4	29.6	27.9	25.5	337.7	12	-73450
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	16.2	12.8	13.9	12.8	20.3	21.1	25.7	27.4	24.9	24.1	18.8	17.4	235.4	12	-73450
	00 LST	15.5	14.4	17.9	19.0	23.1	26.6	28.0	28.6	25.7	25.1	20.3	17.6	261.8	12	-73450
	06 LST	14.8	14.1	16.4	17.3	21.7	25.7	25.7	24.1	23.6	22.1	17.6	17.3	240.4	12	-73450
	12 LST	11.0	9.8	9.7	9.4	14.7	17.3	21.6	22.2	17.9	16.2	12.2	10.8	172.8	12	-73450
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	3.1	2.0	2.8	2.8	0.6	0.2	0.2	0.0	0.3	0.2	1.1	1.7	15.0	12	-73450
	00 LST	1.8	1.2	1.8	1.0	0.3	0.0	0.2	0.0	0.2	0.6	1.5	0.7	9.3	12	-73450
	06 LST	0.7	0.7	1.6	1.1	0.1	0.2	0.2	0.0	0.1	0.3	1.1	1.3	7.4	12	-73450
	12 LST	3.0	2.6	5.0	4.4	1.7	1.0	0.3	0.0	0.7	1.5	3.1	2.5	25.8	12	-73450
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	9.6	11.9	16.1	16.2	22.2	19.8	19.3	20.4	19.4	19.3	15.2	11.6	201.0	12	-73450
	00 LST	7.8	8.6	13.5	18.7	17.9	17.9	15.3	14.7	14.1	17.0	12.4	9.3	167.2	12	-73450
	06 LST	5.8	6.9	10.7	17.7	18.3	18.6	15.7	15.4	15.6	16.1	11.3	7.1	159.2	12	-73450
	12 LST	9.8	11.5	13.3	13.2	18.3	15.1	16.5	17.2	17.3	19.6	15.6	12.3	179.7	12	-73450
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.2	7.6	6.7	6.8	7.2	6.8	8.6	10.9	13.7	13.8	11.9	8.7	110.9	12	-73450
	00 LST	10.7	9.2	12.2	11.3	14.1	15.5	16.5	19.4	19.1	18.7	14.7	10.8	172.2	12	-73450
	06 LST	10.5	8.0	8.6	7.1	8.1	9.0	9.1	10.1	12.8	13.0	10.6	9.5	116.4	12	-73450
	12 LST	6.7	6.4	6.5	5.6	5.6	5.0	4.0	5.8	11.4	12.2	8.3	6.2	83.7	12	-73450
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	22.8	20.5	25.5	25.8	29.1	29.0	30.4	30.3	28.7	28.3	23.7	23.6	319.7	12	-73450
	00 LST	21.8	20.1	25.0	25.5	28.1	28.7	29.6	30.1	28.0	27.9	24.9	23.0	312.7	12	-73450
	06 LST	20.2	19.0	22.2	23.6	25.6	27.2	27.1	25.2	25.3	23.9	22.3	21.4	283.0	12	-73450
	12 LST	20.5	19.7	23.3	24.4	26.6	27.7	28.4	29.3	27.1	27.4	24.6	20.6	299.6	12	-73450
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.7	17.0	19.6	21.3	25.3	25.7	27.7	28.8	25.9	25.6	21.4	18.9	275.9	12	-73450
	00 LST	18.7	17.3	20.4	21.5	25.7	26.7	28.1	28.1	26.6	25.8	22.1	18.5	279.5	12	-73450
	06 LST	17.2	16.1	18.5	19.3	22.5	24.7	25.1	23.5	23.7	21.7	18.2	17.4	247.9	12	-73450
	12 LST	16.8	16.4	18.1	19.1	20.5	20.5	22.6	24.3	23.2	24.1	21.0	17.9	244.5	12	-73450
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.3	15.7	17.5	18.5	21.8	23.7	25.7	27.0	24.8	24.0	20.1	17.0	253.1	12	-73450
	00 LST	16.6	15.6	18.2	18.2	22.9	25.1	26.2	26.9	24.8	24.2	20.9	17.2	256.8	12	-73450
	06 LST	16.1	14.6	17.1	16.7	19.9	22.7	22.7	21.3	21.8	20.2	17.1	15.5	225.7	12	-73450
	12 LST	15.9	15.4	17.0	17.3	18.1	19.3	21.2	22.7	22.1	22.4	19.2	15.9	226.5	12	-73450

GREENVILLE, ILLINOIS

STA NO. 75348 (IN AREA NUMBER 13)

LATITUDE 3850N

LONGITUDE 08922W

ELEVATION(FT) 60540

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	75	73	84	89	97	104	110	101	103	95	84	72	110	12	-73450
MEAN MAX TMP (F)	40	45	52	65	76	85	88	87	81	70	53	43	65	12	-73450
MEAN MIN TMP (F)	24	28	33	45	55	65	68	67	58	47	34	27	46	12	-73450
ABS MIN TMP (F)	-8	-11	-3	22	34	48	53	48	38	24	4	1	-1	12	-73450
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.6	9.8	12.5	11.5	5.6	0.4	0.0	0.0	41.4	12	-73450
MEAN NO DYS TMP = DR LES 32(F)	23.6	19.2	14.9	1.9	0.0	0.0	0.0	0.0	0.0	1.0	14.6	22.4	99.6	12	-73450
MEAN NO DYS TMP = DR LES 0(F)	0.9	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	12	-73450
MEAN DEW PT TMP (F)	24	28	32	43	54	63	66	66	57	45	32	27	45	12	-73450
MEAN REL HUM (PCT)	74	73	69	66	68	68	69	71	67	66	68	73	69	12	-73450
MEAN PRESS ALT (FT)	344	358	431	462	487	492	470	465	418	389	375	347	420	0	-50
MEAN PRECIP (IN)	2.57	2.45	3.44	4.03	4.39	4.51	3.22	3.36	3.29	3.00	3.00	2.43	39.7	75	-113
MEAN SNOW FALL (IN)	3.7	2.7	4.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	1.5	2.4	15.1	16	-73450
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.6	5.4	6.5	6.8	7.0	7.3	5.9	6.1	5.4	5.0	5.0	5.3	71.3	75	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.7	0.5	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.6	2.9		12	-73450
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.7	3.1	1.6	0.8	1.1	0.3	1.1	0.9	1.1	1.1	2.0	3.3	20.1	12	-73450
MEAN NO DYS TSTMS	0.7	1.2	3.0	5.8	6.7	7.6	7.5	7.1	4.4	2.8	1.3	0.6	48.7	12	-73450
P FREQ WND SPD = DR GTR 17 KTS	6.5	6.8	10.3	8.8	3.2	1.6	0.8	0.4	1.6	2.1	6.1	5.0	4.4	12	-73450
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.2	0.2	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	12	-73450
P FREQ LES 5000 FT A/D LES 5 MI	46.8	43.5	37.8	30.0	23.8	17.3	17.4	16.0	16.9	22.6	32.6	44.4	29.1	12	-73450
P FREQ LES 1000 FT A/D LES 3 MI															
FOR 00-02 LST	22.6	18.2	14.3	10.5	6.7	4.4	4.0	2.9	7.1	8.4	13.8	19.5	11.0	12	-73450
03-05 LST	24.6	20.2	18.5	13.1	11.2	8.2	10.2	9.9	9.8	11.7	15.7	22.0	14.6	12	-73450
06-08 LST	28.7	27.5	22.8	14.9	13.4	7.9	10.4	12.8	11.8	17.0	20.5	26.4	17.8	12	-73450
09-11 LST	27.3	26.7	17.7	12.6	8.5	5.6	5.9	4.9	7.7	8.2	15.0	25.4	13.8	12	-73450
12-14 LST	20.7	19.8	14.7	9.1	5.1	3.2	1.3	2.0	3.1	6.8	9.7	21.3	9.7	12	-73450
15-17 LST	20.4	20.3	12.2	7.0	3.7	1.3	0.8	1.1	1.9	6.2	8.7	17.4	8.4	12	-73450
18-20 LST	19.8	17.7	12.5	6.8	4.1	2.2	0.8	1.7	2.4	6.6	9.3	15.8	8.3	12	-73450
21-23 LST	20.7	16.5	14.0	7.8	4.8	3.1	1.2	1.6	3.4	7.4	10.5	17.7	9.1	12	-73450
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.3	4.3	2.8	0.6	1.2	0.0	0.4	0.2	1.3	0.8	3.1	4.3	1.9	12	-73450
03-05 LST	4.7	5.8	3.0	1.3	2.8	0.8	1.8	2.6	2.0	2.8	3.4	4.8	3.0	12	-73450
06-08 LST	6.1	6.1	4.4	1.9	1.6	0.3	1.5	2.4	1.8	3.8	3.5	6.0	3.3	12	-73450
09-11 LST	5.0	4.3	1.7	0.5	0.1	0.1	0.2	0.0	0.4	1.0	1.9	5.0	1.7	12	-73450
12-14 LST	4.0	1.6	1.6	0.2	0.0	0.1	0.0	0.1	0.1	0.0	1.0	3.3	1.0	12	-73450
15-17 LST	4.5	3.5	1.8	0.2	0.3	0.0	0.3	0.1	0.5	0.4	1.9	4.2	1.5	12	-73450
18-20 LST	3.6	3.6	1.6	0.1	0.2	0.2	0.0	0.0	0.0	0.1	0.7	3.7	1.2	12	-73450
21-23 LST	3.9	3.7	1.9	0.0	0.1	0.2	0.1	0.1	0.4	0.0	1.4	3.4	1.3	12	-73450

GREENVILLE, ILLINOIS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	25.8	23.4	27.7	28.4	30.2	29.6	30.8	30.8	29.4	29.2	27.7	27.2	340.2	12	-73450
	00 LST	26.1	23.9	27.4	28.1	30.2	29.2	30.4	30.5	28.7	29.3	26.8	26.7	337.3	12	-73450
	06 LST	24.2	22.8	25.2	26.6	27.2	28.1	27.9	25.8	26.4	25.9	24.8	25.6	310.5	12	-73450
	12 LST	25.1	23.5	27.3	28.5	29.9	29.6	30.7	30.7	29.4	29.6	27.9	25.5	337.7	12	-73450
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	16.2	12.8	13.9	12.8	20.3	21.1	25.7	27.4	24.9	24.1	18.8	17.4	235.4	12	-73450
	00 LST	15.5	14.4	17.9	19.0	23.1	26.6	28.0	28.6	25.7	25.1	20.3	17.6	261.8	12	-73450
	06 LST	14.8	14.1	16.4	17.3	21.7	25.7	25.7	24.1	23.6	22.1	17.6	17.3	240.4	12	-73450
	12 LST	11.0	9.8	9.7	9.4	14.7	17.3	21.6	22.2	17.9	16.2	12.2	10.8	172.8	12	-73450
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	3.1	2.0	2.8	2.8	0.6	0.2	0.2	0.0	0.3	0.2	1.1	1.7	15.0	12	-73450
	00 LST	1.8	1.2	1.8	1.0	0.3	0.0	0.2	0.0	0.2	0.6	1.5	0.7	9.3	12	-73450
	06 LST	0.7	0.7	1.6	1.1	0.1	0.2	0.2	0.0	0.1	0.3	1.1	1.3	7.4	12	-73450
	12 LST	3.0	2.6	3.0	4.4	1.7	1.0	0.3	0.0	0.7	1.5	3.1	2.5	25.8	12	-73450
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	9.6	11.9	16.1	16.2	22.2	19.8	19.3	20.4	19.4	19.3	15.2	11.6	201.0	12	-73450
	00 LST	7.8	8.6	13.5	18.7	17.9	17.9	15.3	14.7	14.1	17.0	12.4	9.3	167.2	12	-73450
	06 LST	5.8	6.9	10.7	17.7	18.3	18.6	15.7	15.4	15.6	16.1	11.3	7.1	159.2	12	-73450
	12 LST	9.8	11.5	13.3	13.2	18.3	15.1	16.5	17.2	17.3	19.6	15.6	12.3	179.7	12	-73450
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.2	7.6	6.7	6.8	7.2	6.8	8.6	10.9	13.7	13.8	11.9	8.7	110.9	12	-73450
	00 LST	10.7	9.2	12.2	11.3	14.1	15.5	16.5	19.4	19.1	18.7	14.7	10.8	172.2	12	-73450
	06 LST	10.5	8.0	8.6	7.1	8.1	9.0	9.1	10.1	12.8	13.0	10.6	9.5	116.4	12	-73450
	12 LST	6.7	6.4	6.5	5.6	5.6	5.0	4.0	5.8	11.4	12.2	8.3	6.2	83.7	12	-73450
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	22.8	20.5	25.5	25.8	29.1	29.0	30.4	30.3	28.7	28.3	25.7	23.6	319.7	12	-73450
	00 LST	21.8	20.1	25.0	25.5	28.1	28.7	29.6	30.1	28.0	27.9	24.9	23.0	312.7	12	-73450
	06 LST	20.2	19.0	22.2	23.6	25.6	27.2	27.1	25.2	25.3	23.9	22.3	21.4	283.0	12	-73450
	12 LST	20.5	19.7	23.3	24.4	26.6	27.7	28.4	29.3	27.1	27.4	24.6	20.6	299.6	12	-73450
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.7	17.0	19.6	21.3	25.3	25.7	27.7	28.8	25.9	25.6	21.4	18.9	275.9	12	-73450
	00 LST	18.7	17.3	20.4	21.5	25.7	26.7	28.1	28.1	26.6	25.8	22.1	18.5	279.5	12	-73450
	06 LST	17.2	16.1	18.5	19.3	22.5	24.7	25.1	23.5	23.7	21.7	18.2	17.4	247.9	12	-73450
	12 LST	16.8	16.4	18.1	19.1	20.5	20.5	22.6	24.3	23.2	24.1	21.0	17.9	244.5	12	-73450
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.3	15.7	17.5	18.5	21.8	23.7	23.7	27.0	24.8	24.0	20.1	17.0	253.1	12	-73450
	00 LST	16.6	15.6	18.2	18.2	22.9	25.1	26.2	26.9	24.8	24.2	20.9	17.2	256.8	12	-73450
	06 LST	16.1	14.6	17.1	16.7	19.9	22.7	22.7	21.3	21.8	20.2	17.1	15.5	225.7	12	-73450
	12 LST	15.9	15.4	17.0	17.3	18.1	19.3	21.2	22.7	22.1	22.4	19.2	15.9	226.5	12	-73450

HARRISBURG-RALEIGH, ILLINOIS

STA NO. 75349 (IN AREA NUMBER 13)

LATITUDE 3740N

LONGITUDE 08832W

ELEVATION(FT) 00399

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	78	80	92	94	100	106	113	110	109	98	84	76	113	59	-113
MEAN MAX TMP (F)	45	48	59	70	79	88	92	91	85	73	59	47	70	59	-113
MEAN MIN TMP (F)	26	28	37	46	55	64	67	66	52	47	36	29	47	59	-113
ABS MIN TMP (F)	-20	-23	-8	22	31	40	47	44	27	19	-3	-11	-23	59	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	3.0	15.0	21.0	20.0	9.0	2.0	0.0	0.0	70.0	9	-113
MEAN NO DYS TMP = OR LES 32(F)	23.0	17.0	15.0	3.0	0.3	0.0	0.0	0.0	0.0	4.0	15.0	20.0	97.3	9	-113
MEAN NO DYS TMP = OR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			59	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	180	217	281	314	330	344	320	320	282	240	210	182	268	0	-50
MEAN PRECIP (IN)	4.06	2.91	4.22	4.16	4.06	3.83	3.45	3.88	3.26	3.19	3.27	3.30	43.6	62	-113
MEAN SNOW FALL (IN)	4.2	4.3	2.4	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.7	2.8	14.8	59	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.5	6.1	6.9	6.9	6.8	6.6	6.2	6.7	5.3	5.2	5.3	6.6	76.1	62	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.9	1.0	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.6	3.3	59	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0


HARRISBURG-RALEIGH, ILLINOIS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	18 LST													0	0
VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR	18 LST													0	0
3 MI W/SFC WND LES 10 KTS	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND = GTR 17 KTS AND	18 LST													0	0
NO PRECIP.	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89	18 LST													0	0
DEG F AND NO PRECIP.	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SKY COVER LES 3/10 AND	18 LST													0	0
VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2500 FT AND	18 LST													0	0
VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 6000 FT AND	18 LST													0	0
VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 10000 FT AND	18 LST													0	0
VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0

DATA NOT AVAILABLE

INDIANA - KENTUCKY



EVANSVILLE/DRESS MEMORIAL, INDIANA

STA NO. 72432 (IN AREA NUMBER 13)

LATITUDE 3802N

LONGITUDE 08732W

ELEVATION(FT) 00389

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	76	73	83	89	94	104	105	102	103	94	83	75	105	20	-613
MEAN MAX TMP (F)	43	46	54	67	76	86	89	88	81	71	55	45	67	20	-113
MEAN MIN TMP (F)	26	28	34	45	54	64	67	66	57	46	34	28	46	20	-113
ABS MIN TMP (F)	-15	-23	-9	24	33	41	47	46	31	21	-3	-8	-23	20	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.5	10.6	13.9	12.5	6.7	0.7	0.0	0.0	45.9	12	4383
MEAN NO DYS TMP = DR LES 32(F)	23.9	17.8	15.5	2.6	0.0	0.0	0.0	0.0	0.0	2.1	16.1	22.7	100.7	12	4383
MEAN NO DYS TMP = DR LES 0(F)	0.5	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	1.4	12	4383
MEAN DEW PT TMP (F)	27	29	32	43	54	63	66	66	57	47	33	29	46	12	99244
MEAN REL HUM (PCY)	76	72	68	65	69	69	71	72	69	70	70	76	71	12	99244
MEAN PRESS ALT (FT)	168	207	268	300	314	330	306	305	269	226	198	171	253	0	-50
MEAN PRECIP (IN)	3.78	3.42	4.45	4.16	4.37	3.96	3.49	2.98	2.66	2.46	3.45	3.09	42.3	20	-113
MEAN SNOW FALL (IN)	3.3	2.3	2.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.1	11.1	20	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.2	6.7	7.0	6.9	7.0	6.7	6.2	5.6	4.5	4.3	5.6	6.3	74.0	20	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.7	0.5	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	2.5	12	4381
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	2.1	1.2	0.9	0.1	0.8	0.5	1.0	1.2	0.7	1.3	0.9	2.2	12.9	12	4137
MEAN NO DYS TSTMS	1.3	1.7	3.3	5.1	6.3	7.2	7.8	5.2	2.6	1.6	1.7	0.7	44.5	12	4383
P FREQ WND SPD = DR GTR 17 KTS	6.6	8.4	11.9	10.4	4.8	2.2	0.9	0.4	1.8	2.6	6.9	5.6	5.2	12	99244
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.2	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	12	99244
P FREQ LES 5000 FT A/D LES 5 MI	49.2	43.2	35.8	25.3	20.6	15.5	15.1	15.6	13.5	22.2	34.8	45.0	28.0	12	99239
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	20.9	18.4	12.1	6.6	7.6	4.2	2.1	3.2	3.8	7.1	10.3	16.1	9.4	12	12408
03-05 LST	24.6	21.8	13.6	10.5	10.5	7.1	7.2	8.0	8.3	12.1	12.5	19.1	12.9	12	12403
06-08 LST	27.4	25.7	19.0	12.0	10.6	7.7	9.3	11.0	12.9	17.2	18.2	24.6	16.3	12	12405
09-11 LST	25.5	24.2	15.8	8.0	7.8	4.1	5.0	3.5	6.4	10.0	13.4	22.3	12.2	12	12406
12-14 LST	22.3	18.1	9.7	5.5	4.4	1.7	1.2	2.1	2.4	4.7	9.9	17.9	8.3	12	12403
15-17 LST	21.1	15.1	8.1	3.5	3.5	1.0	0.7	0.7	0.2	2.8	7.7	16.4	6.7	12	12408
18-20 LST	19.1	13.9	8.2	4.3	2.8	1.2	0.7	0.2	0.4	2.7	7.6	14.8	6.3	12	12403
21-23 LST	21.1	15.3	9.1	5.3	4.1	2.2	0.6	1.1	0.8	4.2	8.3	15.1	7.3	12	12403
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.0	3.9	1.2	0.1	0.5	0.1	0.3	0.8	1.0	1.2	1.3	2.5	1.3	12	12408
03-05 LST	3.0	3.7	1.6	0.3	2.2	0.5	1.9	2.5	1.5	2.7	1.8	2.6	2.0	12	12403
06-08 LST	3.9	3.9	1.6	0.6	1.0	0.4	1.4	2.3	1.7	2.9	2.5	4.1	2.2	12	12405
09-11 LST	3.0	1.7	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	2.0	0.7	12	12406
12-14 LST	2.6	0.6	0.4	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.9	0.4	12	12403
15-17 LST	2.3	1.3	0.7	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.2	1.5	0.5	12	12408
18-20 LST	3.3	2.6	0.5	0.0	0.2	0.0	0.1	0.0	0.0	0.2	0.0	1.8	0.7	12	12403
21-23 LST	3.9	2.9	0.6	0.0	0.1	0.1	0.1	0.2	0.0	0.5	0.2	2.2	0.9	12	12403

EVANSVILLE/DRESS MEMORIAL, INDIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.7	24.9	29.2	29.3	30.2	30.0	30.5	31.0	29.9	30.8	28.4	27.8	348.7	12	4137
	00 LST	26.2	23.9	28.5	28.7	29.3	29.1	30.4	30.4	29.3	29.6	28.1	27.7	341.2	12	4137
	06 LST	25.6	23.7	27.6	27.8	28.4	28.3	28.4	27.6	27.4	27.0	26.5	26.9	325.2	12	4137
	12 LST	26.0	24.2	29.1	29.2	29.9	29.5	30.8	30.4	29.6	30.0	28.1	27.3	344.1	12	4137
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	15.0	14.5	16.2	15.4	20.3	21.9	23.0	28.0	23.6	23.5	19.8	16.3	241.5	12	4137
	00 LST	14.8	13.7	16.8	18.9	23.6	26.5	28.2	28.3	26.5	25.5	19.3	16.9	259.0	12	4137
	06 LST	13.8	13.0	15.8	16.9	20.1	22.4	24.9	25.5	23.6	22.3	17.3	16.4	232.0	12	4137
	12 LST	6.5	7.8	7.2	6.5	11.6	14.4	18.2	20.2	14.4	12.4	10.4	8.2	137.8	12	4137
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.6	1.6	3.3	1.6	0.9	0.5	0.0	0.0	0.3	0.3	1.0	1.8	12.9	12	3996
	00 LST	2.2	1.8	2.0	1.1	0.1	0.0	0.1	0.0	0.2	0.2	1.2	1.1	10.0	12	3973
	06 LST	1.1	1.7	1.0	1.1	0.5	0.0	0.1	0.1	0.0	0.3	1.5	1.0	8.4	12	3949
	12 LST	3.2	3.8	6.5	6.9	3.7	1.6	0.3	0.3	1.2	2.1	4.5	3.8	37.9	12	3999
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	10.0	14.2	16.7	16.7	22.1	19.1	19.2	18.7	19.2	17.5	14.8	13.5	201.7	12	3996
	00 LST	6.9	9.6	12.7	15.9	15.9	15.5	13.9	12.8	13.9	14.0	10.8	9.5	151.4	12	3973
	06 LST	6.4	7.8	11.7	15.2	17.5	17.3	14.8	14.8	13.2	14.3	8.5	8.0	149.5	12	3949
	12 LST	7.9	10.4	10.3	9.8	15.3	13.3	16.3	17.1	14.8	15.3	11.9	10.7	153.1	12	3999
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	7.8	8.4	8.3	7.5	8.2	9.5	11.2	12.9	15.3	15.6	12.1	8.8	125.6	12	4137
	00 LST	10.2	9.7	11.6	12.8	13.7	15.3	18.8	19.4	20.7	18.8	13.9	11.7	176.6	12	4137
	06 LST	8.6	7.6	8.5	8.7	9.5	10.8	11.3	12.5	13.4	13.2	11.1	9.5	124.7	12	4137
	12 LST	6.4	6.9	6.7	6.7	5.9	6.7	6.9	8.1	12.8	13.4	9.5	7.0	97.0	12	4137
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	21.1	22.2	26.5	27.2	29.7	29.4	30.5	30.6	29.8	29.6	26.8	23.2	326.6	12	4137
	00 LST	21.9	20.8	25.6	26.8	28.1	28.5	30.3	29.9	29.0	28.2	25.7	23.5	318.3	12	4137
	06 LST	20.2	19.2	23.3	25.0	26.2	26.9	27.2	26.6	26.3	24.6	23.0	21.8	290.3	12	4137
	12 LST	19.3	19.0	24.1	26.2	27.1	28.2	29.0	29.2	27.9	27.7	24.6	20.4	302.7	12	4137
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	16.6	17.0	20.2	23.3	26.5	26.4	28.4	29.4	28.3	25.7	20.9	17.4	280.1	12	4137
	00 LST	17.6	17.1	19.6	22.8	25.4	26.6	28.5	28.6	27.9	25.6	21.3	18.7	279.7	12	4137
	06 LST	15.7	15.0	18.4	21.2	23.0	25.2	25.5	23.2	23.9	22.0	19.1	17.5	251.7	12	4137
	12 LST	15.0	15.3	18.2	19.1	20.2	22.2	22.9	23.6	23.3	23.3	19.2	16.3	238.6	12	4137
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	15.2	15.8	17.4	20.9	23.9	25.1	27.3	28.6	27.0	23.9	18.8	15.2	259.1	12	4137
	00 LST	15.5	15.3	16.2	20.0	23.2	25.7	27.2	27.7	26.3	24.2	19.5	16.9	257.7	12	4137
	06 LST	14.1	13.5	16.2	18.1	21.0	23.5	24.1	23.7	23.2	20.7	16.8	15.5	230.4	12	4137
	12 LST	13.6	14.2	16.5	17.6	19.2	20.4	21.5	22.6	22.3	22.1	17.7	14.8	222.5	12	4137

TERRE HAUTE/HULMAN FIELD, INDIANA

STA NO. 72437 (IN AREA NUMBER 13)

LATITUDE 3927N

LONGITUDE 08710W

ELEVATION(FT) 00585

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	67	72	77	87	92	102	104	97	100	90	81	69	104	13	4381
MEAN MAX TMP (F)	36	41	48	62	73	82	85	84	79	67	50	39	62	13	4381
MEAN MIN TMP (F)	20	25	30	41	52	61	65	63	55	44	31	23	43	13	4381
ABS MIN TMP (F)	-13	-19	-6	20	31	39	51	46	35	22	-2	-15	-19	13	4381
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.9	5.5	6.5	5.4	3.5	0.2	0.0	0.0	22.0	13	4381
MEAN NO DYS TMP = DR LES 32(F)	27.8	23.0	20.0	6.2	0.3	0.0	0.0	0.0	0.0	2.5	17.9	25.1	122.8	13	4381
MEAN NO DYS TMP = DR LES 0(F)	1.9	0.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.2	4.3	13	4381
MEAN DEW PT TMP (F)	22	25	29	40	51	60	64	63	55	44	32	25	43	13	105011
MEAN REL HUM (PCT)	77	74	71	68	69	70	72	73	70	69	73	77	72	13	105011
MEAN PRESS ALT (FT)	401	415	480	507	531	534	517	506	461	437	432	406	469	0	-50
MEAN PRECIP (IN)	2.69	2.62	3.40	3.81	4.30	4.32	4.32	2.62	3.02	2.54	3.55	2.86	40.0	13	4374
MEAN SNOW FALL (IN)	5.4	4.1	4.5	0.9	0.0	0.0	0.0	0.0	0.0	0.0	2.7	4.3	21.9	13	4376
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.8	6.3	7.6	7.9	8.8	6.8	7.1	5.4	4.3	4.2	6.5	5.7	76.4	13	4374
MEAN NO DYS SNFL = DR GTR 1.5 IN	1.2	0.9	1.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.0	5.2	13	4376
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.6	2.5	2.1	0.5	0.6	0.7	1.6	2.1	1.1	1.1	2.0	3.4	21.3	13	4379
MEAN NO DYS TSTMS	0.7	1.0	2.8	4.7	7.4	8.2	8.5	6.6	3.2	2.3	1.1	0.3	46.8	13	4381
P FREQ WND SPD = DR GTR 17 KTS	10.4	12.0	16.1	13.9	7.6	3.8	2.1	1.4	2.6	4.9	11.9	9.3	8.0	13	105021
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.6	1.3	0.4	0.2	0.1	0.0	0.0	0.0	0.0	0.7	0.2	0.3	13	105021
P FREQ LES 5000 FT A/D LES 5 MI	53.3	49.5	44.8	33.7	25.4	21.7	22.9	22.8	20.2	27.5	40.7	48.7	34.3	13	105011
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	27.2	22.0	17.0	13.8	10.8	7.1	5.1	4.9	8.1	11.4	17.4	24.4	14.1	13	13128
03-05 LST	31.5	24.2	19.7	15.7	14.3	12.8	16.5	16.8	13.1	16.1	21.5	23.2	19.0	13	13127
06-08 LST	37.4	33.3	26.3	18.2	14.4	12.7	18.7	23.1	16.9	24.1	26.4	31.0	23.5	13	13128
09-11 LST	36.7	30.1	21.5	14.4	10.6	6.9	9.0	9.0	10.4	12.8	20.4	29.2	17.6	13	13123
12-14 LST	28.2	23.5	15.9	9.9	6.7	3.8	3.3	3.6	4.2	6.3	16.2	23.8	12.3	13	13128
15-17 LST	25.8	21.9	14.2	9.4	5.4	3.5	2.5	2.0	2.2	6.1	15.2	23.6	11.0	13	13133
18-20 LST	24.0	19.4	14.3	10.2	6.6	3.9	2.0	1.7	2.6	5.4	11.5	21.7	10.3	13	13126
21-23 LST	25.0	22.2	14.8	10.2	6.9	4.9	3.4	1.7	4.1	7.8	14.9	21.6	11.5	13	13128
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.7	4.2	3.0	0.5	1.0	0.3	0.9	1.5	0.8	1.4	1.9	5.0	2.2	13	13128
03-05 LST	6.1	4.0	2.6	0.8	2.3	1.2	3.0	4.5	2.3	2.5	4.1	5.1	3.2	13	13127
06-08 LST	8.0	6.3	4.0	0.9	0.6	0.8	1.6	4.0	2.7	3.0	6.8	6.2	3.7	13	13128
09-11 LST	6.6	5.1	2.1	0.4	0.1	0.1	0.2	0.1	0.3	0.1	1.9	4.8	1.8	13	13123
12-14 LST	3.8	3.3	1.7	0.4	0.0	0.1	0.0	0.0	0.2	0.0	0.7	2.8	1.1	13	13128
15-17 LST	4.5	3.6	1.7	0.1	0.0	0.2	0.2	0.0	0.0	0.0	0.6	3.6	1.2	13	13133
18-20 LST	4.6	1.9	1.3	0.5	0.1	0.0	0.0	0.0	0.0	0.2	0.6	3.1	1.0	13	13126
21-23 LST	5.4	3.3	2.5	0.4	0.1	0.4	0.4	0.1	0.4	0.8	1.8	3.9	1.6	13	13128

TERRE HAUTE/HULMAN FIELD, INDIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	25.6	23.5	26.9	27.8	30.0	29.5	30.7	10.5	29.6	30.2	27.8	26.4	338.5	13	4380
	00 LST	25.2	23.4	27.1	27.3	29.2	28.9	30.2	30.2	28.5	29.1	26.4	25.4	330.9	13	4381
	06 LST	23.5	21.5	24.6	26.3	27.2	26.4	25.0	23.4	25.2	24.4	24.2	23.9	295.6	13	4380
	12 LST	23.9	23.0	27.0	27.9	30.0	29.2	30.2	29.9	29.3	29.3	26.7	25.2	331.6	13	4379
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	13.6	10.8	13.1	12.6	15.3	20.6	24.3	26.7	23.9	21.2	15.6	14.0	211.7	13	4380
	00 LST	12.9	11.3	14.1	15.8	19.6	23.1	26.2	27.1	24.7	20.6	14.9	12.9	223.2	13	4381
	06 LST	11.2	10.2	12.6	14.3	17.2	20.2	20.6	20.2	20.7	17.7	12.4	12.5	189.8	13	4380
	12 LST	7.3	6.1	6.5	6.5	9.6	13.0	17.2	17.7	12.1	11.1	7.4	7.0	121.5	13	4379
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	2.5	2.6	4.0	3.4	1.6	0.8	0.4	0.1	0.2	0.8	3.2	1.9	21.5	13	4188
	00 LST	3.4	2.4	2.7	1.4	1.0	0.4	0.2	0.1	0.2	0.6	2.4	1.8	16.6	13	4180
	06 LST	2.2	1.9	2.7	1.8	0.9	0.4	0.2	0.1	0.3	0.7	2.2	2.2	15.6	13	4147
	12 LST	4.8	5.0	8.3	8.3	4.5	2.3	1.7	0.9	2.3	3.4	5.5	5.1	52.1	13	4193
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	6.9	10.2	14.4	16.1	17.9	20.3	20.8	22.7	20.8	21.7	15.0	8.9	195.7	13	4188
	00 LST	4.2	6.6	10.2	16.9	20.5	20.4	20.3	20.0	21.0	20.7	11.3	6.6	178.7	13	4180
	06 LST	3.1	4.6	9.0	14.5	18.7	19.1	18.7	17.9	19.9	20.2	9.7	5.1	160.5	13	4147
	12 LST	5.5	7.7	9.1	8.3	12.5	13.7	16.2	18.3	14.9	15.1	10.5	6.9	138.7	13	4193
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	7.7	7.3	7.1	6.2	8.2	8.8	10.6	12.2	13.7	15.4	9.2	8.5	114.9	13	4380
	00 LST	9.0	8.7	10.9	11.2	14.0	14.6	16.6	17.1	17.6	18.0	11.4	9.6	159.3	13	4381
	06 LST	8.0	6.2	6.9	7.3	8.1	9.1	11.1	10.7	13.1	10.7	8.4	8.4	108.0	13	4380
	12 LST	5.1	6.1	6.1	5.5	6.7	5.6	5.1	6.6	11.5	11.8	7.7	5.6	83.4	13	4379
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	20.2	20.0	24.2	25.3	28.2	28.2	29.8	30.2	28.7	28.5	24.2	21.0	308.5	13	4380
	00 LST	19.5	19.1	23.5	24.5	26.9	27.5	29.3	29.3	27.4	27.0	23.2	20.8	298.0	13	4381
	06 LST	18.1	17.3	20.6	22.4	25.2	25.1	23.8	22.8	23.9	22.4	20.9	20.3	262.8	13	4380
	12 LST	18.3	17.8	21.9	23.9	26.3	26.7	27.7	28.0	26.3	26.7	22.3	20.2	286.1	13	4379
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	16.1	16.5	18.7	20.9	24.6	24.6	27.7	28.6	26.3	25.3	18.8	16.8	264.9	13	4380
	00 LST	15.5	15.4	17.3	20.7	24.8	25.1	27.2	28.6	26.2	24.8	18.7	17.0	261.3	13	4381
	06 LST	14.7	13.8	15.6	18.7	22.6	23.5	22.5	21.6	22.5	20.3	17.1	15.5	228.4	13	4380
	12 LST	15.8	15.5	15.9	16.9	20.4	19.9	20.3	20.9	22.7	23.1	17.8	16.5	225.7	13	4379
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	14.1	14.5	16.7	18.2	21.7	23.3	26.5	27.6	25.1	23.4	17.1	15.7	243.9	13	4380
	00 LST	13.5	13.9	15.5	17.7	22.4	23.2	25.5	26.2	24.8	23.0	16.6	14.8	237.1	13	4381
	06 LST	13.3	11.7	13.9	16.1	20.1	21.4	21.5	20.2	20.6	18.7	15.3	13.1	205.9	13	4380
	12 LST	14.2	13.9	14.2	14.9	19.1	18.2	18.9	19.6	21.7	21.7	16.4	15.3	208.1	13	4379

EMISON FIELD, INDIANA

STA NO. 75351 (IN AREA NUMBER 13)

LATITUDE 3850N

LONGITUDE 08730W

ELEVATION(FT) 00426

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	73	73	80	83	94	102	100	103	100	87	77	60	103	4	-73697
MEAN MAX TMP (F)	40	45	55	64	75	86	90	88	79	69	52	37	65	4	-73697
MEAN MIN TMP (F)	23	27	34	44	56	66	66	66	57	44	35	21	45	4	-73697
ABS MIN TMP (F)	-3	-1	-2	23	34	46	52	49	38	28	19	-5	-5	4	-73697
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	2.3	11.6	18.0	15.0	3.0	0.0	0.0	0.0	49.9	4	-73697
MEAN NO DYS TMP = DR LES 32(F)	27.4	21.7	14.7	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	107.2	4	-73697
MEAN NO DYS TMP = DR LES 0(F)	0.2	0.3	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.5	4	-73697
MEAN DEW PT TMP (F)	25	28	35	43	56	65	64	65	59	45	36	22	45	4	-73697
MEAN REL HUM (PCT)	78	74	71	69	73	72	64	69	75	69	75	76	72	4	-73697
MEAN PRESS ALT (FT)	229	248	315	342	365	368	349	342	296	268	257	230	301	0	-50
MEAN PRECIP (IN)	3.94	3.42	3.98	4.48	4.86	4.45	4.38	3.36	3.27	2.85	3.89	2.91	45.8	17	-73697
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					4	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.4	6.7	6.8	7.0	7.1	7.3	7.2	6.1	5.3	4.8	6.2	6.1	78.0	17	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					4	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	4.4	2.0	1.3	1.3	1.3	1.3	0.3	0.0	0.8	1.0	1.7	4.7	20.1	4	-73697
MEAN NO DYS TSTMS	0.2	1.3	4.0	6.3	5.0	9.0	4.0	4.0	4.0	0.7	2.0	0.0	40.5	4	-73697
P FREQ WND SPD = DR GTR 17 KTS	3.0	6.3	6.0	6.0	3.3	2.2	1.0	0.8	0.1	0.9	2.9	2.2	2.9	4	-73697
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-73697
P FREQ LES 5000 FT A/D LES 5 MI	72.4	68.0	52.7	44.0	41.9	33.0	20.5	21.6	41.7	43.0	60.6	76.0	48.0	4	-73697
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	41.9	26.8	16.5	13.1	9.3	4.5	0.0	4.7	15.6	11.2	17.0	41.6	16.9	4	-73697
03-05 LST	41.9	33.3	21.2	25.0	15.4	17.4	14.0	16.8	24.9	17.6	18.1	43.5	24.1	4	-73697
06-08 LST	49.0	33.1	40.2	28.6	16.8	11.5	9.7	11.9	32.0	33.7	39.8	34.5	31.7	4	-73697
09-11 LST	41.9	37.8	30.4	18.7	15.5	5.9	2.2	4.7	18.9	9.0	33.8	48.6	22.3	4	-73697
12-14 LST	33.0	24.7	19.4	14.4	11.5	3.7	0.7	2.5	11.8	6.1	17.0	31.9	14.7	4	-73697
15-17 LST	30.5	23.2	13.3	11.2	9.3	1.9	0.7	2.2	10.5	6.1	16.3	38.4	13.6	4	-73697
18-20 LST	35.5	23.6	13.6	9.7	8.2	4.4	0.7	2.2	8.8	6.5	17.8	40.5	14.3	4	-73697
21-23 LST	36.4	23.9	14.4	11.9	7.9	3.7	0.0	2.2	12.0	7.9	16.1	35.5	14.3	4	-73697
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	10.0	10.2	1.1	1.1	3.9	0.4	0.0	0.0	0.4	1.1	2.2	11.5	3.5	4	-73697
03-05 LST	10.9	10.2	2.2	2.2	5.7	2.6	0.4	1.8	4.0	1.8	1.5	9.4	4.4	4	-73697
06-08 LST	19.5	8.3	6.3	3.7	2.9	0.7	0.4	1.1	1.8	3.2	3.3	19.0	5.9	4	-73697
09-11 LST	10.6	10.2	4.3	2.2	0.7	0.0	0.4	0.4	0.0	0.0	4.5	16.5	4.2	4	-73697
12-14 LST	5.6	5.1	3.6	1.9	0.7	0.0	0.4	0.0	0.0	1.4	3.7	9.3	2.6	4	-73697
15-17 LST	7.7	5.9	4.3	0.4	0.0	0.4	0.0	0.0	1.3	1.1	3.7	11.1	3.0	4	-73697
18-20 LST	9.2	6.7	2.2	0.0	0.0	0.7	0.0	0.0	1.3	1.1	2.6	10.0	2.8	4	-73697
21-23 LST	10.4	8.2	1.1	0.0	0.7	0.0	0.0	0.0	0.4	0.0	2.2	11.1	2.8	4	-73697

EMISON FIELD, INDIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	20.0	21.1	27.0	28.0	29.3	29.0	31.0	30.3	27.2	29.3	24.7	19.0	315.9	4	-73697
	00 LST	18.9	21.1	27.0	27.0	29.3	28.7	31.0	30.0	26.4	27.7	25.7	19.3	312.1	4	-73697
	06 LST	17.5	15.5	18.7	21.7	26.7	25.3	26.7	24.3	19.2	19.7	20.3	18.0	253.6	4	-73697
	12 LST	21.9	22.1	26.0	28.3	29.3	29.6	30.7	30.3	26.0	29.6	23.6	21.0	318.4	4	-73697
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	15.9	14.5	18.7	18.3	20.0	21.0	27.3	26.7	24.1	27.7	18.3	15.0	250.5	4	-73697
	00 LST	14.5	15.5	18.7	19.3	25.3	25.3	30.3	29.3	24.5	26.0	20.3	14.3	263.3	4	-73697
	06 LST	11.2	10.2	11.3	12.7	20.3	21.3	22.3	22.7	17.6	17.6	14.0	12.0	194.2	4	-73697
	12 LST	12.9	11.8	11.3	8.6	11.7	16.3	21.0	22.0	18.5	18.3	11.0	12.3	175.7	4	-73697
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.3	2.0	1.0	0.7	0.7	0.3	0.3	0.0	0.0	0.0	0.3	0.3	5.9	4	-73697
	00 LST	0.9	0.7	0.0	0.3	0.7	0.3	0.0	0.0	0.4	0.0	0.7	0.3	4.3	4	-73697
	06 LST	1.1	1.1	1.1	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	5.1	4	-73697
	12 LST	1.7	2.8	5.5	2.7	3.0	1.0	1.3	0.3	0.0	0.3	2.1	0.8	21.5	4	-73697
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NU PRECIP.	18 LST	7.8	11.3	19.5	21.4	18.8	16.7	16.5	17.7	16.0	14.3	15.7	7.8	183.5	4	-73697
	00 LST	5.8	7.7	13.7	17.1	16.0	14.0	13.3	12.7	12.1	11.0	12.3	3.6	139.3	4	-73697
	06 LST	6.1	6.4	13.1	16.9	19.2	17.6	16.2	19.3	10.7	13.6	12.3	1.9	153.3	4	-73697
	12 LST	12.4	11.5	13.9	14.8	15.3	14.0	12.6	13.8	18.5	16.7	13.6	8.1	165.2	4	-73697
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	17.5	19.7	25.0	25.3	25.3	26.6	30.7	30.3	24.5	27.7	20.6	17.0	290.2	4	-73697
	00 LST	16.4	19.7	25.0	25.0	26.7	27.0	31.0	29.6	24.8	27.3	22.7	17.0	292.2	4	-73697
	06 LST	14.8	13.8	17.0	19.7	22.0	24.0	26.3	24.3	17.2	18.0	15.7	14.3	227.1	4	-73697
	12 LST	18.1	18.8	22.0	22.7	24.0	26.6	30.0	29.3	23.3	26.7	19.0	18.3	278.8	4	-73697
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	15.3	17.4	21.3	19.7	20.0	21.3	28.3	28.6	20.5	24.0	16.7	15.7	248.8	4	-73697
	00 LST	14.0	16.5	22.7	20.3	23.0	22.7	28.6	27.7	21.7	25.6	17.0	13.3	253.1	4	-73697
	06 LST	12.3	11.5	13.3	15.0	18.0	21.3	24.3	22.3	15.2	16.3	11.6	12.0	193.1	4	-73697
	12 LST	16.7	15.8	17.3	18.0	15.0	17.3	23.0	24.0	16.6	22.7	14.3	16.0	216.7	4	-73697
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	13.7	15.1	19.3	17.3	16.3	19.7	27.0	25.6	18.5	22.0	15.0	15.3	224.8	4	-73697
	00 LST	13.4	15.1	19.0	18.0	21.0	20.6	28.0	26.0	20.5	22.0	15.7	12.3	231.6	4	-73697
	06 LST	11.2	8.9	11.3	13.0	16.6	18.0	22.7	20.6	12.4	14.3	10.0	11.0	170.0	4	-73697
	12 LST	15.9	11.5	14.7	15.3	12.3	16.7	22.0	23.7	14.6	21.6	13.0	15.3	196.6	4	-73697

HOPKINSVILLE/CAMPBELL AAF, KENTUCKY

STA NO. 73342 (IN AREA NUMBER 13)	LATITUDE 3640N LONGITUDE 08730W ELEVATION(FT) 00571												POR	NO.	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	ORS
ABS MAX TMP (F)	75	80	82	87	95	106	106	103	104	94	83	78	106	13	4378
MEAN MAX TMP (F)	45	50	55	69	78	86	89	89	83	71	57	46	68	13	4378
MEAN MIN TMP (F)	28	31	36	47	56	65	68	67	59	47	35	30	47	13	4378
ABS MIN TMP (F)	-7	-12	1	27	35	43	56	53	40	24	-4	-3	-12	13	4378
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	1.7	9.4	13.1	13.9	5.1	0.3	0.0	0.0	43.5	13	4376
MEAN NO DYS TMP = OR LES 32(F)	22.5	15.0	12.0	1.8	0.0	0.0	0.0	0.0	0.0	1.5	13.5	19.8	86.1	13	4378
MEAN NO DYS TMP = OR LES 0(F)	0.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	1.1	13	104640
MEAN DEW PT TMP (F)	29	33	35	45	56	64	68	66	59	47	34	31	47	13	104639
MEAN REL HUM (PCT)	76	75	69	65	71	72	73	72	70	68	67	75	71	0	-50
MEAN PRESS ALT (FT)	361	392	456	486	505	514	492	489	448	412	390	363	442	0	-50
MEAN PRECIP (IN)	4.92	5.33	5.21	3.91	4.20	3.50	3.43	3.30	2.72	2.07	4.21	4.29	47.1	13	4379
MEAN SNOW FALL (IN)	2.6	1.9	3.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.2	10.1	13	4379
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.2	7.8	8.4	7.7	7.3	6.3	6.9	5.2	4.8	3.4	5.8	6.7	77.5	13	4379
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.6	0.3	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	1.9	13	4379
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.8	2.8	1.3	0.8	1.1	0.8	1.3	2.0	1.8	2.2	2.0	2.0	20.9	13	4378
MEAN NO DYS TSTMS	1.3	2.5	3.6	5.4	6.9	8.1	9.1	7.0	3.5	1.9	2.3	1.3	52.9	13	4379
P FREQ WND SPD = OR GTR 17 KTS	4.5	5.6	6.7	5.2	2.0	0.9	0.6	0.5	1.0	1.7	3.8	3.6	3.0	13	105059
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.3	0.3	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	13	105059
P FREQ LES 5000 FT A/D LES 5 MI	48.5	43.7	40.9	29.2	24.7	21.8	23.5	21.5	20.3	26.5	36.3	44.1	31.8	13	103066
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.5	19.5	13.0	6.2	6.3	3.9	4.1	4.8	5.6	10.0	12.6	18.0	10.5	13	13131
03-05 LST	25.7	23.9	17.0	10.1	11.1	8.5	11.1	13.7	11.0	15.9	14.5	20.9	15.3	13	13133
06-08 LST	32.3	29.8	24.1	13.1	10.3	7.2	12.0	12.4	13.5	22.6	27.2	28.9	19.5	13	13134
09-11 LST	29.4	25.2	18.8	10.9	8.8	6.7	7.3	5.7	7.5	9.2	15.7	24.1	14.1	13	13133
12-14 LST	24.7	21.8	13.7	6.9	5.9	3.8	2.4	2.3	4.2	5.6	9.5	18.3	9.9	13	13134
15-17 LST	21.3	19.2	10.5	4.6	4.7	3.0	2.5	1.1	2.5	5.1	8.8	16.5	8.3	13	13134
18-20 LST	19.0	18.9	10.0	4.1	3.2	1.6	1.2	0.9	1.3	4.7	8.1	16.8	7.5	13	13134
21-23 LST	20.6	16.9	10.9	4.3	4.1	1.9	0.9	1.7	2.4	6.6	9.5	17.4	8.1	13	13133
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.9	3.6	2.1	0.6	2.4	1.0	0.8	1.8	2.4	2.5	2.0	3.3	2.2	13	13131
03-05 LST	4.8	6.1	3.0	1.3	3.1	2.5	2.9	4.0	4.0	4.2	2.4	4.1	3.5	13	13133
06-08 LST	5.7	7.5	3.5	1.7	1.2	0.5	1.3	2.4	2.7	4.7	5.3	6.0	3.5	13	13134
09-11 LST	3.7	4.4	2.4	0.6	0.0	0.3	0.4	0.1	0.3	0.2	1.7	2.8	1.4	13	13133
12-14 LST	1.8	3.1	1.2	0.6	0.2	0.2	0.2	0.4	0.3	0.3	0.8	0.9	0.8	13	13134
15-17 LST	2.5	1.4	1.1	0.1	0.1	0.1	0.4	0.1	0.2	0.4	1.4	1.7	0.8	13	13134
18-20 LST	3.3	1.8	1.1	0.1	0.4	0.0	0.1	0.0	0.2	0.6	0.9	2.5	0.9	13	13134
21-23 LST	3.4	3.3	1.6	0.6	1.2	0.3	0.2	0.4	0.6	1.6	0.9	3.7	1.4	13	13133

HOPKINSVILLE/CAMPBELL AAF, KENTUCKY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.2	23.7	28.3	29.0	29.9	29.6	30.7	30.8	29.6	29.7	28.1	26.5	342.1	13	4378
	00 LST	25.4	23.4	28.1	28.9	29.4	29.1	30.4	30.1	28.8	29.1	27.3	26.6	336.6	13	4378
	06 LST	24.0	21.5	25.1	26.7	28.4	27.8	27.1	26.0	24.8	23.7	23.4	25.1	303.6	13	4378
	12 LST	25.3	23.0	28.0	28.4	29.7	29.5	30.5	30.7	29.3	29.7	27.3	26.7	338.1	13	4378
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	18.5	15.8	19.1	20.5	25.1	26.6	27.1	29.1	27.8	27.2	22.4	20.2	279.4	13	4378
	00 LST	18.2	17.4	18.5	22.6	25.8	27.8	28.9	29.3	26.7	26.6	21.4	20.2	283.4	13	4378
	06 LST	15.7	15.2	16.1	19.4	24.0	25.4	24.6	24.9	23.3	20.8	18.2	18.2	245.8	13	4378
	12 LST	11.8	10.6	10.8	12.8	17.1	21.1	22.7	23.2	19.9	19.9	14.2	13.3	197.4	13	4378
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.1	1.0	1.3	1.2	0.3	0.0	0.1	0.0	0.1	0.2	0.5	0.7	6.5	13	4251
	00 LST	1.2	1.1	1.8	0.7	0.0	0.0	0.0	0.1	0.1	0.2	1.0	0.9	7.1	13	4226
	06 LST	1.5	1.0	1.4	0.3	0.1	0.2	0.0	0.0	0.1	0.2	0.7	0.7	6.2	13	4229
	12 LST	1.9	2.8	3.4	3.6	1.3	0.3	0.5	0.3	0.2	1.2	1.4	2.4	19.5	13	4261
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	13.3	14.9	18.1	18.5	18.8	17.5	16.2	15.3	15.2	15.4	14.8	13.2	191.2	13	4251
	00 LST	7.8	11.3	12.9	16.4	14.7	11.5	12.4	9.9	12.5	12.5	11.7	10.1	143.7	13	4226
	06 LST	7.6	9.0	13.2	16.3	15.1	14.0	13.3	10.5	11.7	12.3	10.9	10.2	144.1	13	4229
	12 LST	12.2	12.7	15.8	16.6	19.5	16.0	15.6	13.5	18.3	21.2	15.8	14.0	191.2	13	4261
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	7.5	7.3	7.3	5.9	6.2	7.1	6.3	7.8	12.1	14.1	10.9	9.1	101.6	13	4378
	00 LST	10.1	10.1	11.6	13.1	15.4	16.6	16.6	18.4	18.2	18.3	12.9	10.2	171.7	13	4378
	06 LST	9.0	7.1	6.7	7.6	9.0	9.5	8.0	9.3	11.4	10.2	9.0	9.4	106.2	13	4378
	12 LST	6.2	5.9	6.1	5.6	4.7	3.8	3.2	4.6	9.7	11.7	9.0	7.1	77.6	13	4378
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	21.9	20.6	25.7	27.7	29.3	28.9	30.2	30.5	29.2	28.6	26.1	23.2	322.1	13	4378
	00 LST	21.6	21.3	25.2	27.3	28.8	28.4	29.8	29.9	28.7	28.0	24.9	22.9	316.8	13	4378
	06 LST	19.6	18.5	21.0	24.7	27.2	26.9	26.0	25.3	23.9	21.9	20.4	20.9	276.3	13	4378
	12 LST	19.5	19.1	23.1	25.3	27.4	27.7	28.2	28.5	26.6	26.3	23.6	21.5	296.8	13	4378
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	17.4	16.8	19.7	21.2	25.3	24.2	26.5	28.0	26.1	25.0	21.4	19.4	271.0	13	4378
	00 LST	16.9	17.2	19.5	23.2	24.9	26.4	27.6	28.8	26.7	25.7	20.7	18.2	275.8	13	4378
	06 LST	15.2	15.1	16.0	20.2	23.6	24.2	24.0	24.0	21.6	19.8	16.1	16.6	236.1	13	4378
	12 LST	15.8	16.4	16.0	17.3	17.9	18.5	17.8	19.2	20.6	22.7	19.1	17.8	219.1	13	4378
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	15.7	15.8	17.6	18.2	22.9	21.7	24.3	25.9	23.8	22.9	20.1	17.1	246.0	13	4378
	00 LST	15.8	15.8	17.0	20.0	23.0	25.3	26.6	26.7	25.1	23.6	19.1	16.1	254.1	13	4378
	06 LST	13.6	13.4	13.9	17.3	21.0	22.1	21.6	21.6	19.2	17.8	14.5	15.3	211.3	13	4378
	12 LST	14.3	14.0	14.2	15.4	16.3	17.5	16.6	17.8	19.0	21.2	17.4	15.9	199.6	13	4378

GILBERTSVILLE/KENTUCKY DAM STATION, KENTUCKY

STA NO. 73381 (IN AREA NUMBER 13)

LATITUDE 3700N

LONGITUDE 08817W

ELEVATION(FT) 00349

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	75	73	78	88	96	106	106	104	104	93	82	77	106	10	-73411
MEAN MAX TMP (F)	46	50	56	68	78	88	90	89	81	73	57	46	69	10	-73411
MEAN MIN TMP (F)	28	29	35	47	57	66	68	66	57	48	35	28	47	10	-73411
ABS MIN TMP (F)	-11	-14	17	25	34	47	50	48	34	23	-3	-5	-14	10	-73411
MEAN NO DYS TMP = OR GTR 2 (F)	0.0	0.0	0.0	0.0	1.6	14.7	15.6	14.8	4.0	0.2	0.0	0.0	30.9	10	-73411
MEAN NO DYS TMP = OR LES 32(F)	21.0	18.3	13.5	1.7	0.0	0.0	0.0	0.0	0.0	2.1	12.8	21.9	91.3	10	-73411
MEAN NO DYS TMP = OR LES 0(F)	0.6	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	1.6	6	-73411
MEAN DEW PT TMP (F)	33	33	35	44	55	66	67	66	57	49	34	30	47	6	-73411
MEAN REL HUM (PCT)	79	72	68	67	70	70	69	70	70	71	69	75	71	6	-73411
MEAN PRESS ALT (FT)	136	168	234	266	284	295	272	270	230	192	166	138	221	0	-50
MEAN PRECIP (IN)	4.56	4.18	4.64	3.97	4.33	3.64	3.44	3.11	2.79	2.57	4.13	3.67	45.0	22	-113
MEAN SNOW FALL (IN)	2.5	1.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.4	6.6	10	-73411
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.1	7.7	7.1	6.8	7.0	6.4	6.1	5.7	4.7	4.4	6.5	7.1	77.6	22	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.6	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.5	10	-73411
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.0	2.0	1.2	1.0	1.0	0.2	0.2	1.2	2.5	2.3	1.1	1.5	17.2	6	-73411
MEAN NO DYS TSTMS	2.4	1.6	4.0	5.1	7.0	6.9	6.5	5.9	3.3	1.9	1.8	1.0	47.4	10	-73411
P FREQ WND SPD = OR GTR 17 KTS	11.1	9.4	11.2	9.3	3.8	1.6	2.2	1.9	2.0	3.7	8.2	7.9	6.0	6	-73411
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.1	0.4	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.2	0.3	0.1	6	-73411
P FREQ LES 5000 FT A/D LES 5 MI	30.2	36.3	30.7	23.4	19.5	10.5	11.7	14.4	16.7	22.1	26.8	36.0	24.9	6	-73411
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	24.7	13.9	12.6	7.1	8.8	2.7	1.3	3.8	8.5	6.6	7.1	13.0	9.5	6	-73411
03-05 LST	30.0	14.7	15.5	10.9	13.1	6.9	8.4	10.5	13.3	14.0	7.6	16.0	13.4	6	-73411
06-08 LST	32.2	21.3	17.9	13.1	13.1	5.6	7.5	9.9	15.0	15.4	13.2	19.8	15.3	6	-73411
09-11 LST	31.4	20.8	15.9	13.3	10.3	3.6	4.9	6.0	9.4	9.5	10.9	19.9	13.0	6	-73411
12-14 LST	30.1	16.8	12.3	9.1	7.7	1.8	1.5	3.2	3.3	7.2	8.3	16.0	9.8	6	-73411
15-17 LST	32.1	12.8	9.9	5.4	6.5	2.2	0.6	1.9	1.7	5.6	7.6	12.3	8.2	6	-73411
18-20 LST	28.4	11.1	8.1	3.1	5.4	0.7	0.2	1.3	1.3	3.6	5.7	11.9	6.7	6	-73411
21-23 LST	29.5	11.2	10.4	5.1	5.8	1.6	0.2	3.4	3.7	4.5	5.0	11.5	7.7	6	-73411
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.7	4.3	1.7	1.3	1.5	0.4	0.2	1.5	2.8	2.5	0.2	1.3	1.9	6	-73411
03-05 LST	5.8	4.5	3.7	2.5	3.0	1.3	0.9	4.3	6.2	5.7	2.0	2.2	3.5	6	-73411
06-08 LST	2.8	3.5	2.6	1.3	0.9	0.2	0.4	1.3	2.4	2.5	2.2	2.7	1.9	5	-73411
09-11 LST	1.5	1.7	1.3	0.0	0.4	0.0	0.2	0.0	0.0	0.2	1.5	1.3	0.7	6	-73411
12-14 LST	1.9	0.7	0.9	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.7	0.4	6	-73411
15-17 LST	3.4	0.9	1.3	0.0	0.0	0.2	0.2	0.2	0.0	0.0	0.4	0.5	0.6	6	-73411
18-20 LST	3.9	0.7	1.1	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.4	1.1	0.6	6	-73411
21-23 LST	4.5	2.6	1.1	0.0	0.0	0.0	0.0	0.6	0.7	0.5	0.4	1.3	1.0	6	-73411

GILBERTSVILLE/KENTUCKY DAM STATION, KENTUCKY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. GBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	24.6	25.0	29.0	29.4	30.4	29.8	31.0	30.6	30.0	30.2	28.7	28.6	347.3	6	-73411
	00 LST	24.4	24.8	28.0	28.8	29.2	29.8	31.0	30.0	28.1	29.5	28.8	28.0	340.4	6	-73411
	06 LST	24.2	24.0	27.2	26.8	28.0	28.2	28.4	28.2	25.1	26.5	26.5	26.8	319.9	6	-73411
	12 LST	24.6	25.0	28.2	28.8	29.6	29.6	30.6	30.6	29.6	29.5	27.8	27.8	341.7	6	-73411
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	15.4	17.5	17.6	20.6	24.0	26.6	26.6	26.4	26.5	27.2	21.2	21.3	270.9	6	-73411
	00 LST	14.2	15.7	17.6	21.4	25.6	27.4	27.8	28.2	24.8	25.1	21.5	18.3	267.6	6	-73411
	06 LST	12.2	14.3	17.4	16.4	21.4	23.2	23.8	24.2	22.3	21.0	19.5	17.6	233.3	6	-73411
	12 LST	9.0	11.1	9.6	9.4	14.2	17.4	17.4	16.6	16.5	14.0	8.3	10.7	154.2	6	-73411
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	2.6	1.6	1.7	1.0	0.0	0.0	0.4	0.0	0.3	0.0	1.5	1.8	10.9	6	-73411
	00 LST	2.9	1.9	1.7	1.7	0.2	0.0	0.0	0.0	0.7	0.7	1.0	0.7	11.5	6	-73411
	06 LST	3.3	2.5	1.3	1.1	0.4	0.2	0.0	0.0	0.0	0.7	1.4	2.0	12.9	6	-73411
	12 LST	5.6	4.3	6.6	6.5	3.3	1.0	1.0	1.4	1.5	2.9	4.4	5.0	43.5	6	-73411
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	10.6	13.1	16.7	18.7	17.3	13.8	15.4	12.4	14.0	14.7	15.3	12.6	174.6	6	-73411
	00 LST	9.7	9.2	13.2	16.2	13.3	16.3	12.0	10.0	9.0	12.5	10.9	9.0	141.5	6	-73411
	06 LST	8.0	7.7	12.1	17.0	15.1	18.4	13.5	12.7	10.8	11.7	10.4	6.9	144.3	6	-73411
	12 LST	9.0	13.6	13.8	13.1	17.9	10.4	12.1	12.3	15.0	14.9	11.3	11.4	154.8	6	-73411
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	7.8	8.9	9.6	7.8	9.2	12.6	9.8	12.4	16.5	17.1	13.3	9.0	134.0	6	-73411
	00 LST	8.6	11.1	12.6	14.8	15.4	19.4	19.4	19.2	19.1	20.5	15.3	10.9	186.3	6	-73411
	06 LST	7.2	7.3	9.6	11.4	10.4	12.2	11.0	11.8	13.8	14.0	12.3	10.5	131.5	6	-73411
	12 LST	6.0	9.1	10.4	8.4	6.8	9.2	7.2	7.6	15.0	14.3	10.0	8.7	112.7	6	-73411
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	19.6	22.6	25.4	26.8	28.0	29.6	30.8	30.4	29.2	29.3	27.2	26.5	326.0	6	-73411
	00 LST	21.0	21.6	23.2	26.8	28.0	29.2	30.8	29.8	27.0	27.3	27.8	25.0	319.5	6	-73411
	06 LST	17.2	20.8	23.8	25.6	25.8	27.6	27.8	27.8	24.2	24.1	25.0	23.3	293.0	6	-73411
	12 LST	18.4	21.4	24.4	25.0	26.4	28.0	27.0	29.4	26.6	27.2	25.3	22.6	303.9	6	-73411
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	17.2	18.3	21.0	23.0	26.2	28.4	28.8	27.6	27.3	26.8	24.2	21.8	290.6	6	-73411
	00 LST	17.4	18.6	22.8	24.0	25.2	28.8	29.6	28.6	25.7	26.3	23.5	20.1	290.6	6	-73411
	06 LST	14.0	16.1	19.8	21.6	23.2	26.6	26.2	25.8	22.8	21.6	20.2	19.3	257.2	6	-73411
	12 LST	14.8	17.9	21.6	20.6	21.2	25.2	25.4	25.8	24.3	24.3	21.3	19.6	262.0	6	-73411
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	15.4	16.9	18.2	20.6	24.4	25.6	26.8	26.4	25.8	25.8	22.8	18.9	267.6	6	-73411
	00 LST	15.2	17.1	20.8	21.6	22.6	28.0	28.6	27.2	24.8	25.0	21.8	17.9	270.6	6	-73411
	06 LST	13.4	13.7	18.6	18.4	19.8	24.8	25.6	23.4	21.5	19.0	19.0	17.2	235.2	6	-73411
	12 LST	14.0	16.7	19.8	18.6	19.6	24.2	23.6	24.6	23.0	23.0	19.7	16.6	243.6	6	-73411

PADUCAH/BARKLEY FIELD, KENTUCKY

STA NO. 73411 (IN AREA NUMBER 13)

LATITUDE 3703N

LONGITUDE 08846W

ELEVATION(FT) 00407

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	75	73	78	88	96	106	106	104	104	93	82	77	106	10	3067
MEAN MAX TMP (F)	46	50	56	68	78	88	90	89	81	73	57	46	69	10	3067
MEAN MIN TMP (F)	28	29	35	47	57	66	68	66	57	48	35	28	47	10	3067
ABS MIN TMP (F)	-11	-14	17	25	34	47	50	48	34	23	-3	-5	-14	10	3067
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.6	14.7	15.6	14.8	4.0	0.2	0.0	0.0	50.9	10	3067
MEAN NO DYS TMP = DR LES 32(F)	21.0	18.3	13.5	1.7	0.0	0.0	0.0	0.0	0.0	2.1	12.8	21.9	91.3	10	3067
MEAN NO DYS TMP = DR LES 0(F)	0.6	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	1.6	10	3067
MEAN DEW PT TMP (F)	33	32	35	44	55	66	67	66	57	49	34	30	47	6	46621
MEAN REL HUM (PCT)	79	72	68	67	70	70	69	70	70	71	69	75	71	6	46618
MEAN PRESS ALT (FT)	194	225	292	325	344	355	391	330	289	291	224	196	280	0	-50
MEAN PRECIP (IN)	5.28	3.70	6.40	3.51	3.27	3.84	3.66	3.47	4.11	2.57	2.80	4.12	46.7	10	3066
MEAN SNOW FALL (IN)	2.5	1.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.4	6.6	10	3066
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.9	4.9	6.9	6.9	6.7	5.9	5.5	4.0	5.3	3.9	4.8	6.7	69.4	10	3066
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.6	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.5	10	3066
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.0	2.0	1.2	1.0	1.0	0.2	0.2	1.2	2.5	2.3	1.1	1.5	17.2	6	1946
MEAN NO DYS TSYMS	2.4	1.6	4.0	5.1	7.0	6.9	6.5	5.9	3.3	1.9	1.8	1.0	47.4	10	3066
P FREQ WND SPD = DR GTR 17 KTS	11.1	9.4	11.2	9.3	3.8	1.6	2.2	1.9	2.0	3.7	8.2	7.9	6.0	6	46654
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.1	0.4	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.2	0.3	0.1	6	46654
P FREQ LES 5000 FT A/D LES 5 MI	90.2	96.9	90.7	23.4	19.5	10.5	11.7	14.4	16.7	22.1	26.8	36.0	24.9	6	46654
P FREQ LES 1500 FY A/D LES 3 MI															
FOR 00-02 LST	24.7	13.9	12.6	7.1	8.8	2.7	1.3	5.8	8.5	8.6	7.1	13.0	9.5	6	5831
03-05 LST	30.0	14.7	15.5	10.9	13.1	5.9	8.4	10.5	13.3	14.0	7.6	16.0	13.4	6	5826
06-08 LST	32.2	21.3	7.9	13.1	13.1	5.6	7.5	9.9	15.0	15.4	13.2	19.8	15.3	6	5831
09-11 LST	31.4	20.8	15.9	13.3	10.3	3.6	4.9	6.0	9.4	9.5	10.9	19.9	13.0	6	5838
12-14 LST	30.1	16.8	12.3	9.1	7.7	1.8	1.5	3.2	3.3	7.2	8.3	16.0	9.8	6	5834
15-17 LST	32.1	12.8	9.9	5.4	6.5	2.2	0.6	1.9	1.7	5.6	7.6	12.3	8.2	6	5833
18-20 LST	28.4	11.1	8.1	3.1	5.4	0.7	0.2	1.3	1.3	3.6	5.7	11.9	6.7	6	5831
21-23 LST	29.5	11.2	10.4	5.1	5.8	1.6	0.2	3.4	3.7	4.5	5.0	11.5	7.7	6	5828
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.7	4.3	1.7	1.3	1.5	0.4	0.2	1.5	2.8	2.5	0.2	1.3	1.9	6	5831
03-05 LST	5.8	4.5	3.7	2.3	3.0	1.3	0.9	4.3	6.2	5.7	2.0	2.2	3.5	6	5826
06-08 LST	2.8	3.5	2.6	1.3	0.9	0.2	0.4	1.3	2.4	2.5	2.2	2.7	1.9	6	5831
09-11 LST	1.5	1.7	1.3	0.0	0.4	0.0	0.2	0.0	0.0	0.2	1.5	1.3	0.7	6	5838
12-14 LST	1.9	0.7	0.9	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.7	0.4	6	5834
15-17 LST	3.4	0.9	1.3	0.0	0.0	0.2	0.2	0.2	0.0	0.0	0.4	0.5	0.6	6	5833
18-20 LST	3.9	0.7	1.1	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.4	1.1	0.6	6	5831
21-23 LST	4.5	2.6	1.1	0.0	0.0	0.0	0.0	0.6	0.7	0.5	0.4	1.3	1.0	6	5828

PADUCAH/BARKLEY FIELD, KENTUCKY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	24.6	25.0	29.0	29.4	30.4	29.8	31.0	30.6	30.0	30.2	28.7	28.6	347.3	6	1947
	00 LST	24.4	24.8	28.0	28.8	29.2	29.8	31.0	30.0	28.1	29.5	28.8	28.0	340.4	6	1947
	06 LST	24.2	24.0	27.2	26.8	28.0	28.2	28.4	28.2	25.1	26.5	26.5	26.8	319.9	6	1947
	12 LST	24.6	25.0	28.2	28.8	29.6	29.6	30.6	30.6	29.6	29.5	27.8	27.8	341.7	6	1947
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	15.4	17.5	17.6	20.6	24.0	26.6	26.6	26.4	26.5	27.2	21.2	21.3	270.9	6	1947
	00 LST	14.2	15.7	17.6	21.4	25.6	27.4	27.8	28.2	24.8	25.1	21.5	18.3	267.6	6	1947
	06 LST	12.2	14.3	17.4	16.4	21.4	23.2	23.8	24.2	22.3	21.0	19.5	17.6	233.3	6	1947
	12 LST	9.0	11.1	9.6	9.4	14.2	17.4	17.4	16.6	16.5	14.0	8.3	10.7	154.2	6	1947
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	2.6	1.6	1.7	1.0	0.0	0.0	0.4	0.0	0.3	0.0	1.5	1.8	10.9	6	1889
	00 LST	2.9	1.9	1.7	1.7	0.2	0.0	0.0	0.0	0.7	0.7	1.0	0.7	11.5	6	1866
	06 LST	3.3	2.5	1.3	1.1	0.4	0.2	0.0	0.0	0.0	0.7	1.4	2.0	12.9	6	1875
	12 LST	5.6	4.3	6.6	6.5	3.3	1.0	1.0	1.4	1.5	2.9	4.4	5.0	43.5	6	1892
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	10.6	13.1	16.7	18.7	17.3	13.8	15.4	12.4	14.0	14.7	15.3	12.6	174.6	6	1888
	00 LST	9.7	9.2	13.2	16.2	13.5	16.3	12.0	10.0	9.0	12.5	10.9	9.0	141.5	6	1866
	06 LST	8.0	7.7	12.1	17.0	15.1	18.4	13.5	12.7	10.8	11.7	10.4	6.9	144.3	6	1875
	12 LST	9.0	13.6	13.8	13.1	17.9	10.4	12.1	12.3	15.0	14.9	11.3	11.4	154.8	6	1892
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	7.8	8.9	9.6	7.8	9.2	12.6	9.8	12.4	16.5	17.1	13.3	9.0	134.0	6	1947
	00 LST	8.6	11.1	12.6	14.8	15.4	19.4	19.4	19.2	19.1	20.8	19.3	10.9	186.3	6	1947
	06 LST	7.2	7.3	9.6	11.4	10.4	12.2	11.0	11.8	13.8	14.0	12.3	10.5	131.5	6	1947
	12 LST	6.0	9.1	10.4	8.4	6.8	9.2	7.2	7.6	15.0	14.3	10.0	8.7	112.7	6	1947
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	19.6	22.6	25.4	26.8	28.6	29.6	30.8	30.4	29.2	29.3	27.2	26.5	326.0	6	1947
	00 LST	21.0	21.6	25.2	26.8	28.0	29.2	30.8	29.8	27.0	27.3	27.8	25.0	319.5	6	1947
	06 LST	17.2	20.8	23.8	25.6	25.8	27.6	27.8	27.8	24.2	24.1	25.0	23.3	293.0	6	1947
	12 LST	18.4	21.4	24.4	25.0	26.4	28.0	29.0	29.4	26.6	27.2	25.5	22.6	303.9	6	1947
CIG = GTR 8000 FT AND VSBY = GTR 3 MI	18 LST	17.2	18.3	21.0	23.0	26.2	28.4	28.8	27.6	27.3	26.8	24.2	21.8	290.6	6	1947
	00 LST	17.4	18.6	22.8	24.0	25.2	28.8	29.6	28.6	25.7	26.3	23.5	20.1	290.6	6	1947
	06 LST	14.0	16.1	19.8	21.6	23.2	26.6	26.2	25.8	22.8	21.6	20.2	19.3	257.2	6	1947
	12 LST	14.8	17.9	21.6	20.6	21.2	25.2	25.4	25.8	24.3	24.3	21.3	19.6	262.0	6	1947
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	15.4	16.9	18.2	20.6	24.4	25.6	26.8	26.4	25.8	25.8	22.8	18.9	267.6	6	1947
	00 LST	15.2	17.1	20.8	21.6	22.6	28.0	28.6	27.2	24.8	25.0	21.8	17.9	270.6	6	1947
	06 LST	13.4	13.7	18.6	18.4	19.8	24.8	25.6	23.4	21.5	19.8	19.0	17.2	235.2	6	1947
	12 LST	14.0	16.7	19.8	18.6	19.6	24.2	23.6	24.6	23.0	23.0	19.7	16.6	243.4	6	1947

STURGIS MUNICIPAL, KENTUCKY

STA NO. 73762 (IN AREA NUMBER 13)

LATITUDE 3732N

LONGITUDE 08757W

ELEVATION(FT) 00372

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	74	73	84	88	94	104	105	100	103	94	82	75	105	15	5306
MEAN MAX TMP (F)	42	47	54	67	77	86	89	88	82	71	55	45	67	15	5306
MEAN MIN TMP (F)	26	29	34	45	55	64	67	65	57	45	34	28	46	15	5306
ABS MIN TMP (F)	-6	-23	-9	24	32	41	49	47	33	21	-2	-8	-23	15	5306
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.5	10.7	14.4	12.7	5.5	0.6	0.0	0.0	45.4	15	5306
MEAN NO DYS TMP = DR LES 32(F)	23.1	18.2	15.1	2.6	0.1	0.0	0.0	0.0	0.0	2.9	14.7	22.4	98.7	15	5306
MEAN NO DYS TMP = DR LES 0(F)	0.5	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	1.1	15	5306
MEAN DEW PT TMP (F)	28	31	35	45	55	64	67	65	57	46	34	29	46	12	100534
MEAN REL HUM (PCT)	78	75	70	69	70	70	71	72	70	70	70	76	72	12	100527
MEAN PRESS ALT (FT)	155	191	254	286	302	315	292	291	252	212	185	197	241	0	-50
MEAN PRECIP (IN)	3.55	3.75	4.42	4.97	4.10	3.84	3.20	3.16	2.22	2.01	3.24	3.98	41.6	12	4208
MEAN SNOW FALL (IN)	4.1	1.8	3.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.9	12.3	10	3651
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.6	6.6	6.9	8.1	7.8	6.3	6.4	4.5	4.2	4.1	5.1	5.9	72.5	12	4208
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.8	0.4	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	2.5	10	3651
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	2.4	2.2	0.8	0.4	1.2	0.1	0.9	1.3	1.5	1.7	1.1	2.4	16.0	12	4192
MEAN NO DYS TSTMS	1.5	1.5	3.6	5.2	6.7	8.0	8.0	5.7	2.6	1.7	1.5	0.6	46.6	15	5287
P FREQ WND SPD = DR GTR 17 KTS	6.1	7.2	11.7	9.0	4.2	1.6	0.9	0.3	1.1	2.1	6.3	5.5	4.7	12	100557
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.2	0.2	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	12	100557
P FREQ LES 5000 FT A/D LES 5 MI	35.5	49.0	35.9	28.8	22.2	17.7	15.8	15.3	18.3	24.9	36.8	47.2	30.6	12	100548
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	28.0	23.6	12.9	7.8	9.8	3.6	2.6	5.1	7.9	10.5	10.9	18.9	11.8	12	12572
03-05 LST	30.1	26.1	14.1	12.7	13.1	7.2	8.7	9.2	14.7	16.1	12.8	22.2	15.6	12	12565
06-08 LST	35.0	32.3	21.5	14.2	10.3	6.2	7.8	10.0	16.2	20.8	21.3	27.4	18.6	12	12621
09-11 LST	30.9	30.4	13.9	9.2	6.9	3.0	3.7	4.1	8.2	9.2	14.2	25.3	13.5	12	12626
12-14 LST	25.9	22.1	8.9	6.3	3.9	2.4	1.3	2.3	3.2	3.9	10.0	19.0	9.1	12	12627
15-17 LST	25.5	19.7	7.3	2.8	3.2	1.1	0.4	1.4	1.3	2.9	7.8	16.3	7.5	12	12629
18-20 LST	25.2	18.5	7.8	4.3	3.7	1.3	0.4	1.4	1.8	3.4	7.2	15.6	7.6	12	12618
21-23 LST	26.4	20.3	9.4	5.8	5.6	1.9	0.4	2.2	3.2	6.5	8.0	16.9	8.9	12	12588
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.3	4.3	0.8	1.1	1.8	0.0	0.3	1.1	1.2	1.9	1.3	3.6	1.8	12	12572
03-05 LST	3.2	5.1	1.6	1.4	3.3	0.3	2.1	2.9	3.8	3.5	1.8	4.4	2.8	12	12565
06-08 LST	5.2	6.6	1.8	1.1	1.1	0.0	0.9	2.2	2.2	4.5	3.0	5.6	2.9	12	12621
09-11 LST	3.5	2.1	0.3	0.1	0.1	0.0	0.0	0.0	0.0	0.4	1.2	3.1	0.9	12	12626
12-14 LST	3.7	1.4	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.5	2.0	0.7	12	12627
15-17 LST	3.9	2.0	0.2	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.4	2.0	0.7	12	12629
18-20 LST	4.0	3.3	0.5	0.0	0.1	0.0	0.1	0.1	0.2	0.0	0.2	3.7	1.0	12	12618
21-23 LST	4.8	4.6	0.5	0.3	0.6	0.0	0.0	0.5	0.5	0.6	0.2	3.4	1.3	12	12588

STURGIS MUNICIPAL, KENTUCKY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	25.3	23.7	29.5	29.3	30.2	29.8	30.7	30.7	29.6	30.5	28.6	27.2	345.1	12	4211
	00 LST	24.2	22.7	28.0	28.4	28.8	29.3	30.5	30.1	28.6	28.6	28.1	26.4	333.7	12	4193
	06 LST	24.2	22.0	25.6	27.0	28.1	28.7	28.5	27.7	26.3	25.2	26.3	25.6	315.2	12	4211
	12 LST	24.8	23.0	29.0	28.7	30.1	29.5	30.8	30.6	29.5	30.3	27.8	26.6	340.7	12	4211
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	14.0	14.2	17.7	18.2	22.2	23.1	25.0	28.6	25.7	25.7	19.7	16.1	250.2	12	4211
	00 LST	13.5	13.3	16.9	19.6	24.1	26.6	28.3	27.6	25.7	25.0	19.8	16.7	257.1	12	4193
	06 LST	12.9	12.2	14.5	15.8	19.7	22.8	25.4	25.6	22.5	21.0	17.5	15.3	225.2	12	4211
	12 LST	6.4	8.3	8.1	7.4	12.6	15.4	19.2	21.1	15.0	13.6	9.9	8.6	143.6	12	4211
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.5	1.3	2.9	1.3	0.6	0.2	0.0	0.1	0.1	0.4	1.0	1.6	11.0	12	4063
	00 LST	2.1	1.6	2.1	1.2	0.2	0.0	0.2	0.0	0.1	0.2	1.3	0.9	9.9	12	4012
	06 LST	1.4	1.3	1.1	1.5	0.2	0.2	0.1	0.1	0.0	0.3	1.3	1.1	8.6	12	4037
	12 LST	3.1	3.0	6.8	5.8	3.5	1.7	0.4	0.3	0.5	1.6	3.9	3.4	34.0	12	4070
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	9.1	15.3	16.4	17.5	20.6	18.3	17.1	17.4	19.1	15.8	13.8	11.8	192.2	12	4063
	00 LST	7.1	10.3	13.1	15.7	13.4	13.7	12.7	10.8	12.7	12.8	11.2	9.5	143.0	12	4012
	06 LST	6.5	8.2	12.3	14.4	15.2	16.3	13.4	13.4	12.9	13.0	10.1	7.8	143.5	12	4037
	12 LST	8.8	12.1	10.3	10.9	14.8	12.7	14.8	15.7	15.3	14.9	11.6	10.6	152.5	12	4070
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	7.0	8.6	8.5	7.8	9.0	9.7	11.2	13.3	15.0	15.6	13.2	9.3	128.2	10	3651
	00 LST	8.5	9.7	12.1	13.2	14.3	15.4	18.9	19.6	19.2	17.8	14.4	11.2	174.5	10	3652
	06 LST	7.4	7.5	8.3	9.1	10.2	10.3	12.0	13.5	14.2	13.2	10.9	8.7	125.3	10	3652
	12 LST	4.9	6.8	6.4	6.8	6.6	6.4	6.5	8.2	13.4	13.8	10.2	7.3	97.3	10	3650
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	20.1	20.4	27.1	27.3	29.6	28.9	30.7	30.2	29.0	29.6	27.0	23.6	323.5	12	4211
	00 LST	19.7	19.3	25.4	26.6	27.9	28.5	30.4	29.6	28.0	27.5	25.6	23.0	311.5	12	4193
	06 LST	18.8	18.1	22.2	24.3	25.5	27.3	27.7	26.8	24.9	23.5	23.0	20.8	282.9	12	4211
	12 LST	18.3	17.9	25.1	25.1	27.6	27.5	29.5	29.1	27.1	28.2	24.3	20.6	300.3	12	4211
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	16.2	16.5	20.9	23.5	26.2	26.4	29.1	25.1	27.2	26.1	21.2	18.4	280.8	12	4211
	00 LST	15.5	16.0	20.3	22.4	25.6	26.6	28.5	28.2	26.8	25.2	20.7	16.4	274.2	12	4193
	06 LST	14.4	13.7	17.6	20.3	23.1	23.0	26.0	25.3	22.9	21.3	18.6	16.7	244.9	12	4211
	12 LST	14.1	14.8	18.8	18.8	20.6	20.6	23.3	23.7	23.0	23.9	19.1	17.3	238.0	12	4211
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	14.6	15.6	17.8	21.1	24.1	24.9	27.7	28.1	25.6	24.0	19.1	16.2	258.8	12	4211
	00 LST	13.4	14.4	17.3	19.9	23.5	25.7	27.4	26.8	25.0	23.6	19.2	16.6	252.8	12	4193
	06 LST	12.4	12.3	15.3	17.4	21.3	23.0	24.1	24.0	21.8	20.1	16.6	14.6	222.9	12	4211
	12 LST	12.5	13.5	17.2	17.3	19.2	18.9	22.0	22.4	22.2	22.9	17.6	15.6	221.3	12	4211

OWENSBORO/DAVISS COUNTY, KENTUCKY

STA NO. 75138 (2N AREA NUMBER 13)

LATITUDE 3744N

LONGITUDE 08709W


ELEVATION(FT) 00407

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	76	79	89	92	96	107	107	105	104	95	85	75	107	63	-113
MEAN MAX TMP (F)	44	46	57	67	77	86	89	88	82	71	57	46	68	63	-113
MEAN MIN TMP (F)	26	28	36	45	55	63	67	65	59	47	36	29	46	62	-113
ABS MIN TMP (F)	-18	-21	-7	22	31	42	44	42	27	21	-7	-14	-21	62	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	3.0	12.0	19.0	19.0	8.0	1.0	0.0	0.0	62.0	10	-113
MEAN NO DYS TMP = DR LES 32(F)	22.0	16.0	14.0	2.0	0.0	0.0	0.0	0.0	0.0	2.0	14.0	19.0	89.0	10	-113
MEAN NO DYS TMP = DR LES 0(F)	0.5	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	1.4	12	-72432
MEAN DEW PT TMP (F)	27	29	32	43	54	63	66	66	57	47	33	29	46	12	-72432
MEAN REL HUM (PCT)	76	72	68	65	69	69	71	72	69	70	70	76	71	12	-72432
MEAN PRESS ALT (FT)	189	226	287	319	333	347	324	322	285	245	218	191	274	0	-50
MEAN PRECIP (IN)	4.43	3.12	4.66	4.02	4.09	3.89	3.33	3.34	3.09	2.93	3.44	3.45	43.8	69	-113
MEAN SNOW FALL (IN)	3.4	2.6	1.5	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.4	2.1	10.2	50	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.0	6.3	7.1	6.8	6.9	6.7	6.0	6.0	5.1	4.9	5.6	6.8	76.2	63	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.8	0.6	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	2.3	50	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	2.1	1.2	0.9	0.1	0.8	0.5	1.0	1.2	0.7	1.3	0.9	2.2	12.9	12	-72432
MEAN NO DYS TSTMS	1.3	1.7	3.3	5.1	6.3	7.2	7.8	5.2	2.6	1.6	1.7	0.7	44.5	12	-72432
P FREQ WND SPD = DR GTR 17 KTS	6.6	8.4	11.9	10.4	4.8	2.2	0.9	0.4	1.8	2.6	6.9	5.6	5.2	12	-72432
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.2	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	12	-72432
P FREQ LES 5000 FT A/D LES 5 MI	49.2	43.2	35.8	25.3	20.6	15.5	15.1	15.6	13.5	22.2	34.8	45.0	28.0	12	-72432
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	20.9	18.4	12.1	6.6	7.6	4.2	2.1	3.2	3.8	7.1	10.3	16.1	9.4	12	-72432
03-05 LST	24.6	21.8	13.6	10.5	10.5	7.1	7.2	8.0	8.3	12.1	12.5	19.1	12.9	12	-72432
06-08 LST	27.4	25.7	19.0	12.0	10.6	7.7	9.3	11.0	12.9	17.2	18.2	24.6	16.3	12	-72432
09-11 LST	25.5	24.2	15.8	8.0	7.8	4.1	5.0	3.5	6.4	10.0	13.4	22.3	12.2	12	-72432
12-14 LST	22.3	18.1	9.7	5.5	4.4	1.7	1.2	2.1	2.4	4.7	9.9	17.9	8.3	12	-72432
15-17 LST	21.1	19.1	8.1	3.5	3.5	1.0	0.7	0.7	0.2	2.8	7.7	16.4	6.7	12	-72432
18-20 LST	19.1	13.9	8.2	4.3	2.8	1.2	0.7	0.2	0.4	2.7	7.6	14.8	6.3	12	-72432
21-23 LST	21.1	15.3	9.1	5.3	4.1	2.2	0.6	1.1	0.8	4.2	8.3	15.1	7.3	12	-72432
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.0	3.9	1.2	0.1	0.5	0.1	0.3	0.8	1.0	1.2	1.3	2.5	1.3	12	-72432
03-05 LST	3.0	3.7	1.6	0.3	2.2	0.5	1.9	2.5	1.5	2.7	1.8	2.6	2.0	12	-72432
06-08 LST	3.9	3.9	1.6	0.6	1.0	0.4	1.4	2.3	1.7	2.9	2.5	4.1	2.2	12	-72432
09-11 LST	3.0	1.7	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	2.0	0.7	12	-72432
12-14 LST	2.6	0.6	0.4	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.9	0.4	12	-72432
15-17 LST	2.3	1.3	0.7	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.2	1.5	0.5	12	-72432
18-20 LST	3.3	2.6	0.5	0.0	0.2	0.0	0.1	0.0	0.0	0.2	0.0	1.8	0.7	12	-72432
21-23 LST	3.9	2.9	0.6	0.0	0.1	0.1	0.1	0.2	0.0	0.5	0.2	2.2	0.9	12	-72432

OWENSBORO/DAVISS COUNTY, KENTUCKY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.7	24.9	29.2	29.3	30.2	30.0	30.5	31.0	29.9	30.8	28.4	27.8	348.7	12	-72432
	00 LST	26.2	23.9	28.5	28.7	29.3	29.1	30.4	30.4	29.3	29.6	28.1	27.7	341.2	12	-72432
	06 LST	25.6	23.7	27.6	27.8	28.4	28.3	28.4	27.6	27.4	27.0	26.5	26.9	325.2	12	-72432
	12 LST	26.0	24.2	29.1	29.2	29.9	29.5	30.8	30.4	29.6	30.0	28.1	27.3	344.1	12	-72432
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	15.0	14.5	16.2	15.4	20.3	21.9	23.0	28.0	25.6	25.5	19.8	16.3	241.5	12	-72432
	00 LST	14.8	13.7	16.8	18.9	23.6	26.5	28.2	28.3	26.5	25.5	19.3	16.9	259.0	12	-72432
	06 LST	13.8	13.0	15.8	16.9	20.1	22.4	24.9	25.5	23.6	22.3	17.3	16.4	232.0	12	-72432
	12 LST	6.5	7.8	7.2	6.5	11.6	14.4	18.2	20.2	14.4	12.4	10.4	8.2	137.8	12	-72432
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.6	1.6	3.3	1.6	0.9	0.5	0.0	0.0	0.3	0.3	1.0	1.8	12.9	12	-72432
	00 LST	2.2	1.8	2.0	1.1	0.1	0.7	0.1	0.0	0.2	0.2	1.2	1.1	10.0	12	-72432
	06 LST	1.1	1.7	1.0	1.1	0.5	0.0	0.1	0.1	0.0	0.3	1.5	1.0	8.4	12	-72432
	12 LST	3.2	3.8	6.5	6.9	3.7	1.6	0.3	0.3	1.2	2.1	4.5	3.8	37.9	12	-72432
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	10.0	14.2	16.7	16.7	22.1	19.1	19.2	18.7	19.2	17.5	14.8	13.5	201.7	12	-72432
	00 LST	6.9	9.6	12.7	15.9	15.9	15.5	13.9	12.8	13.9	14.0	10.8	9.5	151.4	12	-72432
	06 LST	6.4	7.8	11.7	15.2	17.5	17.3	14.8	14.8	13.2	14.3	8.5	8.0	149.5	12	-72432
	12 LST	7.9	10.4	10.3	9.8	15.3	13.3	16.3	17.1	14.8	15.3	11.9	10.7	153.1	12	-72432
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	7.8	8.4	8.3	7.5	8.2	9.5	11.2	12.9	15.3	15.6	12.1	8.8	125.6	12	-72432
	00 LST	10.2	9.7	11.6	12.8	13.7	15.3	18.8	19.4	20.7	18.8	13.9	11.7	176.6	12	-72432
	06 LST	8.6	7.6	8.5	8.7	9.5	10.8	11.3	12.5	13.4	13.2	11.1	9.5	124.7	12	-72432
	12 LST	6.4	6.9	6.7	6.7	5.9	6.7	6.9	8.1	12.8	13.4	9.5	7.0	97.0	12	-72432
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	21.1	22.2	26.5	27.2	29.7	29.4	30.5	30.6	29.8	29.6	26.8	23.2	326.6	12	-72432
	00 LST	21.9	20.8	25.6	26.8	28.1	28.5	30.3	29.9	29.0	28.2	25.7	23.5	318.3	12	-72432
	06 LST	20.2	19.2	23.3	25.0	26.2	26.9	27.2	26.6	26.3	24.6	23.0	21.8	290.3	12	-72432
	12 LST	19.3	19.0	24.1	26.2	27.1	28.2	29.0	29.2	27.9	27.7	24.6	20.4	302.7	12	-72432
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	16.6	17.0	20.2	23.3	26.5	26.4	28.4	29.4	28.3	25.7	20.9	17.4	280.1	12	-72432
	00 LST	17.6	17.1	19.6	22.8	25.4	26.6	28.5	28.6	27.9	25.6	21.3	18.7	279.7	12	-72432
	06 LST	15.7	15.0	18.4	21.2	23.0	25.2	25.5	25.2	23.9	22.0	19.1	17.5	251.7	12	-72432
	12 LST	15.0	15.3	18.2	19.1	20.2	22.2	22.9	23.6	23.3	23.3	19.2	16.3	238.6	12	-72432
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	15.2	15.8	17.4	20.9	23.9	25.1	27.3	28.6	27.0	23.9	18.8	15.2	259.1	12	-72432
	00 LST	15.5	15.3	16.2	20.0	23.2	25.7	27.2	27.7	26.3	24.2	19.5	16.9	257.7	12	-72432
	06 LST	14.1	13.5	16.2	18.1	21.0	23.5	24.1	23.7	23.2	20.7	16.8	15.5	230.4	12	-72432
	12 LST	13.6	14.2	16.5	17.6	19.2	20.4	21.5	22.6	22.3	22.1	17.7	14.8	222.5	12	-72432



NEW ORLEANS/MOISANT INT'L., LOUISIANA

STA NO. 72231 (IN AREA NUMBER 13) LATITUDE 2959N LONGITUDE 09015W ELEVATION(FT) 00003

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO, OBS
ABS MAX TMP (F)	63	84	90	90	96	102	102	100	99	94	89	84	102	76	-528
MEAN MAX TMP (F)	62	65	71	77	83	88	90	90	86	79	70	64	77	73	-28
MEAN MIN TMP (F)	47	30	55	61	68	74	76	76	73	64	55	48	62	73	-28
ABS MIN TMP (F)	15	7	28	38	41	58	66	62	54	36	29	19	7	76	-528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.1	4.0	17.2	19.4	19.7	9.3	1.2	0.0	0.0	70.9	12	4383
MEAN NO DYS TMP = DR LES 32(F)	2.9	1.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.7	7.9	12	4383
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	47	49	51	58	65	71	73	73	70	59	50	47	59	12	105136
MEAN REL HUM (PCT)	77	76	72	73	74	75	79	79	78	73	73	76	75	12	105136
MEAN PRESS ALT (FT)	-207	-173	-114	-78	-52	-39	-80	-65	-76	-123	-176	-204	-115	0	-50
MEAN PRECIP (IN)	4.60	4.20	4.70	4.80	4.50	5.50	6.60	5.80	4.80	3.90	2.80	4.60	57.4	84	-28
MEAN SNOW FALL (IN)	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	12	4383
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.2	7.7	7.1	7.1	7.0	8.2	9.2	8.5	7.3	5.6	6.0	8.2	90.1	84	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	4383
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.7	3.7	3.8	2.6	1.7	0.2	0.2	0.1	0.2	2.1	4.0	4.7	29.0	12	4382
MEAN NO DYS TSTMS	2.0	2.0	4.0	5.0	6.0	11.0	16.0	15.0	8.0	2.0	2.0	2.0	75.0	52	-24
P FREQ WND SPD = DR GTR 17 KTS	7.3	8.6	8.8	6.4	3.1	0.8	0.8	0.8	3.4	4.2	7.6	6.3	4.9	12	105137
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.1	12	105137
P FREQ LES 5000 FT A/D LES 5 MI	36.1	36.4	31.4	24.5	15.1	7.1	5.4	6.0	13.6	16.5	28.0	33.3	21.1	12	105119
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	26.9	24.9	24.3	17.7	8.2	1.6	0.3	0.7	4.6	6.7	17.0	20.4	12.8	12	13137
03-05 LST	30.4	31.2	29.1	23.6	15.0	2.7	2.1	2.1	6.6	13.2	22.7	23.6	16.9	12	13145
06-08 LST	32.1	34.0	27.1	22.3	10.4	4.4	2.2	3.9	10.4	16.6	24.5	27.2	17.9	12	13143
09-11 LST	22.7	23.5	14.6	6.1	4.1	2.4	2.3	3.0	7.7	8.7	15.2	18.1	10.7	12	13145
12-14 LST	12.6	14.9	7.3	3.5	2.5	1.4	1.2	2.1	4.6	3.7	9.0	12.2	6.3	12	13138
15-17 LST	10.5	12.6	7.7	4.2	2.6	1.7	1.3	1.3	4.2	2.8	9.1	12.3	5.9	12	13131
18-20 LST	14.2	14.7	10.0	6.1	2.1	1.0	1.4	1.1	3.5	3.7	8.4	14.6	6.7	12	13143
21-23 LST	20.3	18.5	18.5	11.1	4.5	1.3	0.4	0.4	3.5	4.4	12.7	18.8	9.5	12	13137
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	11.2	6.1	5.8	2.3	0.8	0.0	0.1	0.0	0.2	1.3	5.3	8.6	3.5	12	13137
03-05 LST	13.2	10.8	8.5	6.6	3.9	0.4	0.9	0.1	0.5	4.2	9.2	10.2	5.7	12	13145
06-08 LST	14.0	10.3	8.3	4.3	1.2	0.3	0.3	0.2	0.8	4.3	8.2	10.2	5.2	12	13143
09-11 LST	4.7	2.9	1.4	0.1	0.1	0.3	0.4	0.3	0.0	0.4	1.6	2.7	1.2	12	13145
12-14 LST	1.0	0.9	0.8	0.1	0.0	0.2	0.3	0.1	0.3	0.1	0.3	0.7	0.4	12	13138
15-17 LST	0.8	0.3	0.4	0.2	0.2	0.3	0.3	0.1	0.1	0.1	0.4	0.8	0.4	12	13131
18-20 LST	1.3	1.4	0.5	0.0	0.1	0.1	0.1	0.0	0.0	0.2	0.2	0.9	0.4	12	13143
21-23 LST	4.7	2.2	2.4	0.1	0.0	0.0	0.0	0.0	0.0	0.6	2.4	5.0	1.5	12	13137

NEW ORLEANS/MOISANT INT'L., LOUISIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.4	23.4	29.6	29.3	30.6	29.7	30.4	30.7	29.5	30.4	28.4	27.8	350.2	12	4382
	00 LST	24.3	23.4	26.2	26.8	30.2	29.9	30.9	31.0	29.2	29.6	25.4	26.1	334.0	12	4382
	06 LST	23.2	20.1	23.9	24.0	27.7	29.0	30.5	30.0	28.1	26.2	24.0	24.0	310.7	12	4382
	12 LST	28.2	24.8	29.6	29.4	30.6	29.7	30.7	30.5	29.3	30.2	27.9	27.5	348.4	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	18.4	13.7	17.6	18.2	20.7	21.9	27.1	27.6	24.3	25.7	20.3	19.4	254.9	12	4382
	00 LST	13.8	14.0	17.6	20.2	24.7	28.2	30.0	29.7	23.8	23.3	17.7	17.2	260.2	12	4382
	06 LST	15.0	13.1	14.2	16.2	22.3	27.1	29.1	28.7	22.4	20.4	15.7	14.8	239.0	12	4382
	12 LST	8.2	6.4	7.7	8.8	11.9	16.7	19.5	18.2	12.8	12.9	10.4	11.3	144.8	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.4	1.2	1.7	1.1	0.2	0.2	0.2	0.1	0.7	0.9	1.2	1.5	10.4	12	4304
	00 LST	1.9	1.3	1.9	1.0	0.4	0.1	0.0	0.1	0.8	1.1	1.7	1.6	11.9	12	4309
	06 LST	1.7	1.8	1.9	0.9	0.4	0.1	0.0	0.1	0.7	0.9	1.9	1.1	11.5	12	4318
	12 LST	4.3	4.7	4.1	3.3	2.0	0.6	0.5	0.5	1.3	1.8	3.8	3.5	30.4	12	4304
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	20.2	16.6	18.5	19.0	20.9	22.4	21.6	22.4	19.2	16.3	17.4	18.2	232.7	12	4304
	00 LST	17.7	16.8	17.4	18.0	19.6	20.0	17.5	17.9	13.3	13.7	14.5	17.7	204.3	12	4309
	06 LST	17.2	15.6	17.2	16.5	16.5	16.2	13.0	11.2	13.4	13.9	14.9	16.1	181.7	12	4318
	12 LST	13.7	11.8	12.4	13.7	16.5	16.0	17.0	15.3	14.8	17.0	15.2	15.6	179.0	12	4304
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.2	8.6	10.2	10.7	12.1	9.5	3.5	6.7	10.1	17.1	13.8	10.9	122.4	12	4382
	00 LST	11.1	10.8	12.0	14.0	17.1	19.0	17.0	18.2	17.1	20.4	15.5	12.0	184.2	12	4382
	06 LST	9.3	7.8	8.2	8.8	10.7	12.8	10.7	12.3	14.0	14.6	12.0	10.7	131.9	12	4382
	12 LST	7.7	6.9	9.1	8.9	7.8	7.1	5.1	8.2	9.0	14.9	11.1	10.5	106.3	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	25.9	22.4	26.2	27.6	29.4	29.5	29.9	29.8	28.1	29.3	26.1	23.3	329.5	12	4382
	00 LST	21.0	20.4	23.1	24.4	27.6	29.4	30.8	30.2	27.2	28.7	24.8	23.6	311.2	12	4382
	06 LST	19.6	17.2	20.5	21.2	25.4	28.0	30.2	29.6	26.1	25.0	21.8	21.2	285.8	12	4382
	12 LST	23.7	21.9	25.9	27.7	29.5	28.7	30.0	29.3	27.1	28.1	26.0	24.7	322.6	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	22.8	19.7	24.6	25.7	28.5	29.0	29.3	29.4	27.1	27.5	24.1	22.5	310.2	12	4382
	00 LST	18.5	18.3	20.7	22.1	26.2	28.8	30.7	30.2	26.2	27.4	22.5	19.8	291.4	12	4382
	06 LST	17.4	14.8	18.6	19.4	24.2	27.9	30.0	29.2	25.4	24.1	19.4	18.4	268.8	12	4382
	12 LST	20.6	18.8	22.8	23.9	27.2	27.2	28.5	27.8	25.5	27.0	23.3	21.9	294.5	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	21.2	18.1	23.3	24.9	27.5	28.5	28.1	29.0	26.4	26.2	22.2	20.2	295.6	12	4382
	00 LST	17.3	17.1	19.3	21.4	25.8	28.4	30.4	30.0	25.4	26.7	21.2	17.6	280.6	12	4382
	06 LST	15.7	13.2	16.3	18.8	23.6	27.2	29.5	28.3	24.7	23.3	17.9	16.4	254.9	12	4382
	12 LST	19.1	17.6	21.2	23.3	26.6	26.6	27.9	27.3	24.9	26.5	21.8	20.3	283.1	12	4382

LAKE CHARLES MUNICIPAL, LOUISIANA

STA NO. 72240 (IN AREA NUMBER 13)

LATITUDE 3007N

LONGITUDE 09312W

ELEVATION(FT) 00016

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
ABS MAX TMP (F)	81	84	94	92	97	98	101	104	99	96	88	82	104	22	-613
MEAN MAX TMP (F)	62	65	70	78	85	90	92	92	88	82	70	64	78	22	-113
MEAN MIN TMP (F)	43	46	51	59	66	72	74	74	69	59	49	45	59	22	-113
ABS MIN TMP (F)	12	13	25	34	46	58	63	61	45	35	27	18	12	22	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.2	2.0	13.7	22.7	24.0	11.3	1.0	0.0	0.0	74.9	5	1369
MEAN NO DYS TMP = OR LES 32(F)	7.2	3.9	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4.5	16.5	5	1369
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1369
MEAN DEW PT TMP (F)	40	44	50	61	65	71	73	74	70	60	51	44	59	5	29452
MEAN REL HUM (PCT)	77	76	73	79	75	79	80	78	79	73	76	78	77	5	29452
MEAN PRESS ALT (FT)	-183	-150	-84	-45	-16	-7	-34	-42	-42	-92	-155	-179	-86	0	-50
MEAN PRECIP (IN)	4.03	4.61	4.22	4.95	5.00	5.38	7.18	4.62	4.03	3.20	4.24	5.82	57.3	22	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1368
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.5	8.2	6.9	7.2	7.2	8.1	9.7	7.4	6.3	5.2	6.6	9.5	89.8	22	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1368
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	7.5	4.9	3.5	3.8	2.5	0.5	0.7	0.7	1.0	3.3	3.3	8.7	46.4	5	1368
MEAN NO DYS TSTMS	3.0	3.0	3.0	6.0	8.0	10.0	15.0	12.0	8.0	2.0	3.0	3.0	78.0	19	-24
P FREQ WND SPD = OR GTR 17 KTS	11.6	15.2	9.0	6.0	2.6	0.5	0.4	0.4	1.3	3.3	8.1	6.7	5.6	5	29452
P FREQ WND SPD = OR GTR 28 KTS	1.2	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	5	29452
P FREQ LES 5000 FT A/O LES 5 MI	41.4	38.6	36.6	43.4	21.3	15.6	13.6	13.4	19.4	19.3	30.1	42.4	27.9	5	29452
P FREQ LES 1500 FT A/O LES 3 MI															
FDR 00-02 LST	23.9	24.7	32.3	33.7	3.9	1.7	2.9	3.6	7.0	9.7	19.4	31.2	16.2	5	3681
03-05 LST	26.5	30.4	34.8	39.3	10.6	4.0	6.5	1.4	11.9	19.4	21.9	37.9	20.4	5	3681
06-08 LST	32.9	32.5	32.6	40.7	14.8	5.4	8.7	6.5	17.8	27.6	26.7	33.3	23.3	5	3681
09-11 LST	35.2	25.8	27.1	20.3	4.2	4.3	2.9	2.5	10.4	9.7	16.1	26.9	15.5	5	3682
12-14 LST	22.3	17.0	19.5	8.0	1.3	0.7	1.3	1.1	5.2	1.1	7.8	16.9	8.2	5	3682
15-17 LST	17.4	17.0	17.1	6.7	0.0	0.3	1.0	0.4	2.6	0.7	4.7	16.7	7.1	5	3682
18-20 LST	17.7	20.1	18.7	8.0	0.6	0.3	1.0	0.4	6.7	0.4	8.9	23.7	8.9	5	3681
21-23 LST	18.7	20.1	23.9	21.3	2.3	1.7	0.0	1.1	8.1	1.8	11.1	27.2	11.4	5	3682
P FREQ LES 300 FT A/O LES 1 MI															
FDR 00-02 LST	9.0	9.9	15.8	6.7	0.3	0.0	0.6	0.7	1.5	3.6	8.3	14.2	5.9	5	3681
03-05 LST	15.8	13.1	16.1	9.7	5.8	1.3	1.6	0.7	1.9	10.8	7.8	21.2	8.8	5	3681
06-08 LST	18.1	12.4	10.3	9.3	6.1	1.0	1.0	0.4	1.9	11.1	9.7	16.1	8.1	5	3681
09-11 LST	9.7	3.5	1.9	1.0	0.0	0.3	0.0	0.0	0.0	1.1	0.8	7.8	2.2	5	3682
12-14 LST	3.2	0.4	0.6	0.3	0.0	0.0	0.0	0.0	0.4	0.4	0.0	1.9	0.6	5	3682
15-17 LST	1.9	0.7	1.0	0.0	0.0	0.3	0.0	0.0	0.0	0.7	0.3	1.9	0.6	5	3682
18-20 LST	7.4	1.8	2.3	0.7	0.0	0.0	0.0	0.0	0.4	0.0	0.3	5.6	1.5	5	3681
21-23 LST	8.4	3.9	8.1	2.7	0.3	0.0	0.0	0.0	0.4	0.0	2.5	10.5	3.1	5	3682

LAKE CHARLES MUNICIPAL, LOUISIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.0	24.8	26.7	29.3	31.0	30.0	30.5	30.7	28.7	31.0	29.0	26.7	345.4	5	1368
	00 LST	26.0	22.0	21.7	25.2	30.7	29.7	30.5	30.0	28.3	29.0	26.3	23.5	322.9	5	1368
	06 LST	21.7	20.6	21.0	19.7	24.5	29.0	28.0	29.3	24.7	23.0	24.8	21.2	287.5	5	1368
	12 LST	25.0	26.3	28.5	29.3	31.0	30.0	30.5	31.0	29.0	31.0	28.5	27.5	347.6	5	1368
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	14.7	11.6	12.2	10.5	11.7	16.2	20.4	22.0	25.0	25.3	16.7	15.5	201.8	5	1368
	00 LST	15.2	12.6	13.7	15.5	26.0	28.2	30.5	29.6	27.0	23.0	16.0	13.2	250.5	5	1368
	06 LST	13.2	10.9	13.0	12.5	22.0	28.2	27.2	28.3	23.3	18.3	14.7	10.2	221.8	5	1368
	12 LST	8.2	6.2	7.0	7.2	10.7	18.5	21.7	22.3	19.0	18.7	11.0	8.5	199.0	5	1368
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	2.8	3.0	2.6	1.0	1.5	0.2	0.0	0.3	0.0	0.3	1.3	1.3	15.2	5	1339
	00 LST	3.4	2.0	1.8	0.5	0.0	0.0	0.0	0.0	0.0	0.3	1.6	0.8	10.4	5	1334
	06 LST	2.6	2.6	0.5	0.2	0.2	0.0	0.0	0.0	0.0	0.3	1.3	2.1	9.8	5	1335
	12 LST	4.9	7.5	4.2	3.0	2.0	0.8	0.0	0.0	0.7	1.0	5.3	4.4	33.8	5	1333
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	18.8	15.8	15.6	16.2	17.4	21.2	20.6	21.0	25.6	26.3	19.8	20.6	238.9	5	1339
	00 LST	18.5	17.7	19.6	21.7	25.5	23.9	23.2	24.9	22.5	19.0	17.5	20.2	254.2	5	1334
	06 LST	16.0	15.7	22.0	22.4	24.9	21.8	16.5	25.6	26.6	22.3	18.5	17.5	249.8	5	1335
	12 LST	13.3	10.4	12.6	12.3	15.3	19.1	11.7	11.7	17.2	20.6	13.7	13.8	171.7	5	1333
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.0	8.4	10.0	6.5	8.5	8.5	5.8	9.0	9.0	16.6	13.2	8.0	113.5	5	1368
	00 LST	12.2	10.9	11.2	9.0	11.5	18.5	17.4	19.0	17.6	19.7	12.0	11.0	170.0	5	1368
	06 LST	10.5	10.1	7.5	4.5	4.5	10.0	8.8	11.0	11.3	14.7	9.8	9.0	111.7	5	1368
	12 LST	9.7	7.7	9.0	3.5	5.7	1.5	1.2	5.0	5.3	13.3	9.5	8.0	79.4	5	1368
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.0	21.1	24.2	25.5	29.7	29.7	30.0	30.0	28.0	30.0	26.7	22.7	321.6	5	1368
	00 LST	23.0	19.6	19.7	18.8	28.5	29.0	30.2	29.6	27.7	27.7	23.7	20.7	298.2	5	1368
	06 LST	20.0	18.3	18.0	14.5	23.5	27.8	27.2	28.3	24.3	22.3	22.2	18.2	264.6	5	1368
	12 LST	21.5	20.0	23.3	21.0	28.0	29.0	29.2	27.0	24.7	29.3	23.5	22.2	298.7	5	1368
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	18 LST	20.2	17.3	22.2	23.3	27.7	28.2	29.2	28.6	26.6	29.0	23.7	19.2	295.2	5	1368
	00 LST	19.7	18.3	18.0	17.5	27.0	28.2	30.2	29.3	26.6	27.0	20.7	17.2	279.7	5	1368
	06 LST	16.2	16.4	15.5	13.7	22.2	27.5	27.2	28.3	23.6	21.3	19.0	14.2	245.1	5	1368
	12 LST	18.2	17.1	20.2	16.2	16.7	19.5	18.9	20.0	18.0	27.0	20.0	17.5	229.3	5	1368
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.5	16.1	21.7	21.2	26.0	28.0	28.2	28.3	26.0	28.6	21.8	16.7	280.1	5	1368
	00 LST	18.5	16.6	16.0	17.0	26.5	28.0	30.2	29.0	26.6	26.7	18.8	15.7	269.6	5	1368
	06 LST	15.0	15.3	14.5	12.0	22.0	27.2	27.2	27.7	23.0	20.6	16.7	13.0	234.2	5	1368
	12 LST	15.7	15.1	18.5	15.0	16.7	18.2	18.9	20.0	17.6	26.0	16.5	15.5	213.7	5	1368

SHREVEPORT MUNICIPAL, LOUISIANA

STA NO. 72248 (IN AREA NUMBER 13) LATITUDE 3226N LONGITUDE 09349W ELEVATION(FT) 00257

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	85	84	91	92	99	101	106	106	104	97	88	84	106	20	-613
MEAN MAX TMP (F)	57	61	67	77	84	91	94	94	88	79	67	59	77	20	-113
MEAN MIN TMP (F)	38	41	46	56	64	71	73	73	67	56	44	39	56	20	-113
ABS MIN TMP (F)	8	2	15	34	42	55	60	57	43	31	21	14	2	20	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.2	6.2	19.7	25.6	24.6	14.8	2.3	0.0	0.0	93.4	12	4383
MEAN NO DYS TMP = DR LES 32(F)	8.8	4.9	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4.6	8.4	29.3	12	4383
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	39	41	44	52	62	68	71	70	64	54	43	38	54	12	105155
MEAN REL HUM (PCT)	73	71	67	69	71	71	72	70	69	68	69	71	70	12	105155
MEAN PRESS ALT (FT)	52	83	158	200	227	236	197	202	174	131	79	52	149	0	-50
MEAN PRECIP (IN)	4.45	3.81	4.23	5.25	5.42	3.37	3.15	2.65	2.78	3.28	3.59	4.27	46.3	20	-113
MEAN SNOW FALL (IN)	1.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	20	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.0	7.2	6.9	7.3	7.3	6.1	5.8	5.1	4.7	5.4	5.8	7.8	77.4	20	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	12	4383
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.6	2.4	2.0	0.9	0.8	0.6	0.6	0.2	0.6	1.9	1.7	2.7	17.0	12	4383
MEAN NO DYS TSTMS	2.6	3.1	5.9	5.9	6.7	6.8	8.3	6.2	4.5	2.7	2.7	2.4	57.8	12	4383
P FREQ WND SPD = DR GTR 17 KTS	7.1	7.9	11.4	9.3	4.4	1.6	1.2	1.2	1.7	2.1	5.6	5.6	4.9	12	105157
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.1	0.2	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	105157
P FREQ LES 3000 FT A/D LES 3 MI	39.8	34.5	29.5	27.7	22.4	15.2	11.2	9.3	15.9	16.9	26.9	33.3	23.6	12	105151
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.1	17.7	11.8	7.9	7.8	4.4	5.0	4.1	6.2	6.0	13.6	20.2	10.6	12	13149
03-05 LST	29.0	24.7	16.9	16.9	16.0	12.2	9.3	7.5	12.8	12.4	17.6	22.8	16.5	12	13138
06-08 LST	33.4	29.3	21.9	22.2	20.7	16.5	11.5	11.4	16.5	18.5	22.3	23.6	20.7	12	13140
09-11 LST	32.2	27.2	15.9	12.5	8.9	5.9	4.2	5.5	7.8	11.1	18.0	19.9	14.1	12	13143
12-14 LST	22.2	16.2	9.5	6.7	3.6	3.4	0.6	1.3	3.6	3.9	10.4	15.1	8.0	12	13145
15-17 LST	15.9	13.2	7.4	5.0	4.1	2.6	0.5	0.9	3.0	3.0	7.4	13.1	6.3	12	13146
18-20 LST	16.7	11.3	7.5	4.0	3.9	2.9	1.1	1.1	3.1	3.3	8.6	13.8	6.4	12	13144
21-23 LST	18.9	14.1	9.9	6.4	3.6	2.4	1.9	1.0	4.4	3.9	9.4	15.6	7.6	12	13146
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.2	4.5	1.9	0.9	0.4	0.7	0.8	0.3	0.2	1.0	2.7	4.6	1.8	12	13149
03-05 LST	5.4	5.1	4.3	2.0	1.6	1.5	1.9	1.3	1.4	3.0	3.4	6.6	3.1	12	13138
06-08 LST	6.5	6.1	4.7	2.9	2.3	1.1	0.8	1.1	2.0	4.7	4.4	7.1	3.6	12	13140
09-11 LST	3.9	2.6	1.4	0.0	0.0	0.0	0.2	0.0	0.1	0.4	2.6	3.2	1.2	12	13143
12-14 LST	1.7	0.6	0.3	0.3	0.0	0.0	0.0	0.1	0.1	0.0	0.8	0.6	0.4	12	13145
15-17 LST	1.3	1.3	0.8	0.3	0.1	0.1	0.0	0.0	0.1	0.0	0.6	1.5	0.5	12	13146
18-20 LST	2.3	1.5	0.9	0.2	0.1	0.1	0.0	0.0	0.1	0.1	0.5	2.8	0.7	12	13144
21-23 LST	3.2	2.6	1.1	0.1	0.2	0.2	0.1	0.0	0.0	0.1	0.9	3.0	1.0	12	13146

SHREVEPORT MUNICIPAL, LOUISIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.0	29.4	29.1	29.3	30.2	29.4	31.0	30.8	29.3	30.2	27.8	27.4	346.9	12	4383
	00 LST	26.2	24.1	28.4	28.9	29.6	29.1	30.2	30.6	29.2	30.0	27.2	27.2	340.7	12	4383
	06 LST	23.3	22.5	26.3	25.1	26.6	26.0	28.4	28.5	26.3	26.0	24.8	25.1	308.9	12	4383
	12 LST	25.7	24.2	29.2	28.7	30.4	29.1	30.8	30.8	29.2	30.1	27.2	26.8	342.2	12	4383
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	16.8	14.5	19.3	16.2	18.7	19.3	22.5	23.1	23.1	25.6	19.5	17.8	232.4	12	4383
	00 LST	14.6	12.5	14.7	15.4	20.7	21.1	25.5	25.6	24.5	22.9	18.0	16.2	231.7	12	4383
	06 LST	11.9	12.5	14.3	14.4	19.7	22.1	25.2	26.7	22.0	21.1	16.3	14.7	220.9	12	4383
	12 LST	7.8	8.4	9.8	8.4	15.1	16.1	20.6	20.6	17.4	16.1	11.0	9.6	160.9	12	4383
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.3	1.1	3.1	2.0	1.1	0.5	0.2	0.5	0.6	0.2	0.8	1.0	12.4	12	4277
	00 LST	1.6	1.5	2.5	1.5	0.7	0.2	0.0	0.1	0.2	0.2	1.0	1.0	10.5	12	4289
	06 LST	1.6	1.1	1.4	0.7	0.4	0.0	0.1	0.0	0.1	0.2	0.5	0.9	7.0	12	4261
	12 LST	4.1	4.9	6.3	5.2	3.3	1.0	0.4	0.5	0.8	1.4	3.7	3.6	35.2	12	4301
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	19.7	18.3	16.5	16.7	18.7	13.0	11.3	11.5	19.7	23.4	20.4	20.5	209.7	12	4277
	00 LST	16.7	15.8	16.9	16.6	19.5	18.7	21.8	21.4	19.9	20.3	17.6	19.2	224.4	12	4289
	06 LST	15.3	15.2	16.2	19.3	19.0	20.1	19.7	21.4	18.2	19.4	17.9	19.7	217.4	12	4261
	12 LST	13.8	11.5	13.2	10.7	15.5	13.5	10.9	10.9	14.9	18.2	14.2	13.6	160.9	12	4301
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.5	9.4	10.8	10.8	14.2	15.7	11.2	13.3	15.8	18.2	14.6	12.5	156.0	12	4383
	00 LST	1.6	10.2	12.7	14.1	14.9	19.9	20.2	20.6	19.3	20.6	19.2	13.5	192.8	12	4383
	06 LST	9.7	8.9	9.3	9.2	8.1	11.8	12.1	14.9	15.1	15.6	12.4	12.5	139.6	12	4383
	12 LST	7.6	8.1	9.1	9.2	7.9	7.7	6.5	9.0	11.3	14.4	12.3	10.7	113.8	12	4383
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.1	23.2	27.8	28.3	29.1	28.7	30.7	30.6	28.5	29.3	26.6	25.6	332.7	12	4383
	00 LST	22.7	21.4	25.3	26.2	28.2	28.3	29.6	30.3	27.8	28.8	24.8	23.4	316.8	12	4383
	06 LST	19.0	18.6	21.4	20.4	22.8	24.5	26.8	27.2	24.2	24.1	21.7	21.8	272.5	12	4383
	12 LST	20.6	20.6	24.6	25.1	28.4	28.0	30.2	29.9	27.2	28.1	24.2	23.3	310.2	12	4383
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.2	20.3	23.7	25.0	28.0	27.7	29.6	30.2	27.3	28.3	23.9	22.2	306.6	12	4383
	00 LST	18.4	18.4	22.2	23.9	26.2	27.7	29.1	29.6	26.8	27.2	22.6	20.6	292.7	12	4383
	06 LST	16.5	15.5	18.3	17.6	20.4	23.3	26.2	26.7	23.4	22.4	19.3	19.0	248.6	12	4383
	12 LST	16.6	18.1	19.8	18.6	21.6	23.1	24.1	25.4	22.7	25.4	20.6	19.7	255.7	12	4383
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.2	18.1	21.6	22.7	26.7	26.3	28.4	28.7	26.3	27.3	21.6	20.7	286.6	12	4383
	00 LST	17.0	15.7	20.5	22.2	24.9	27.2	28.6	28.9	26.4	26.0	21.2	18.8	276.4	12	4383
	06 LST	14.8	14.0	16.4	16.7	19.4	22.5	25.3	25.5	22.7	21.6	17.8	17.9	234.6	12	4383
	12 LST	15.5	16.4	17.9	17.3	20.9	22.7	23.0	24.3	21.9	24.5	19.3	18.2	241.9	12	4383

LAFAYETTE MUNICIPAL, LOUISIANA

STA NO. 73221 (IN AREA NUMBER 13)

LATITUDE 3012N

LONGITUDE 09159W

ELEVATION(FT) 00042

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	89	87	93	93	98	106	107	103	101	96	92	89	107	70	-613
MEAN MAX TMP (F)	64	66	72	79	86	91	92	92	89	82	72	64	79	67	-113
MEAN MIN TMP (F)	43	43	51	57	64	70	72	72	67	57	48	43	57	67	-113
ABS MIN TMP (F)	10	6	24	32	42	53	57	53	41	27	21	14	6	70	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.1	7.0	23.4	24.9	26.2	13.3	2.3	0.0	0.0	97.2	10	3339
MEAN NO DYS TMP = DR LES 32(F)	4.8	2.5	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.9	5.0	15.8	10	3339
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3339
MEAN DEW PT TMP (F)	48	48	52	59	66	72	73	73	68	59	49	46	59	10	80001
MEAN REL HUM (PCT)	82	78	76	77	77	78	80	80	79	76	76	77	78	10	79993
MEAN PRESS ALT (FT)	-161	-128	-65	-28	-0	10	-34	-21	-23	-73	-132	-157	-67	0	-50
MEAN PRECIP (IN)	4.97	4.47	4.24	4.34	4.75	5.52	6.74	5.59	4.07	3.34	3.87	5.39	57.3	72	-113
MEAN SNOW FALL (IN)	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	65	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.6	8.0	6.9	7.0	7.1	8.3	9.4	8.3	6.4	5.4	6.1	9.0	90.5	72	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	10	3337
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	7.1	5.6	3.4	4.2	2.4	0.9	1.1	2.3	3.0	6.4	4.8	4.7	45.9	10	3335
MEAN NO DYS TSTMS	3.2	3.1	4.8	5.3	6.9	8.6	14.0	12.0	5.6	2.4	3.1	3.0	72.0	10	3335
P FREQ WND SPD = DR GTR 17 KTS	7.1	5.3	8.2	5.1	2.5	1.5	0.8	0.4	1.4	0.7	4.2	4.5	3.5	10	80002
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.2	0.3	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.1	0.1	10	80002
P FREQ LES 5000 FT A/D LES 3 MI	47.2	40.1	38.5	33.2	28.1	20.7	17.6	14.2	19.0	25.4	31.8	37.6	29.5	10	79997
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	37.1	31.8	28.0	22.1	12.6	2.6	3.9	4.3	9.9	18.7	21.1	26.6	18.2	10	10000
03-05 LST	41.1	34.3	32.7	33.6	21.2	12.2	10.5	10.0	19.9	30.5	27.0	27.7	25.1	10	9998
06-08 LST	43.7	36.2	33.5	29.5	16.7	7.2	8.2	8.9	21.4	29.8	27.9	27.9	24.2	10	10016
09-11 LST	34.2	26.2	24.7	16.9	8.8	2.2	5.8	3.9	9.8	12.5	18.6	24.8	15.7	10	10040
12-14 LST	23.3	19.4	17.1	8.8	3.7	2.6	4.0	3.1	4.4	5.7	14.3	19.8	10.5	10	10031
15-17 LST	19.5	16.8	14.0	5.6	2.5	1.9	2.6	1.3	4.4	3.4	12.8	17.8	8.6	10	10037
18-20 LST	19.4	17.5	17.0	6.4	4.1	1.4	1.5	1.2	3.8	3.5	11.2	18.7	8.8	10	10016
21-23 LST	30.3	21.3	22.1	10.6	5.9	1.1	1.6	1.2	3.7	5.6	14.3	23.5	11.8	10	10012
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	12.0	12.1	5.5	5.7	2.6	0.7	2.0	2.5	2.1	8.8	7.6	9.4	5.9	10	10000
03-05 LST	14.1	13.6	8.6	11.0	8.7	4.2	3.9	5.0	6.8	17.1	10.2	11.8	9.8	10	9998
06-08 LST	14.8	14.7	6.7	6.9	3.1	1.5	2.2	2.4	6.7	13.1	9.8	11.3	7.8	10	10016
09-11 LST	5.4	4.3	0.6	0.5	0.2	0.0	0.0	0.6	0.0	0.9	0.9	3.6	1.4	10	10040
12-14 LST	2.0	0.7	0.7	0.2	0.6	0.4	0.3	0.3	0.4	0.2	0.3	1.0	0.6	10	10031
15-17 LST	1.1	0.3	0.8	0.0	0.1	0.2	0.1	0.5	0.5	0.0	0.8	1.0	0.5	10	10037
18-20 LST	1.8	1.7	0.8	0.4	0.0	0.0	0.1	0.3	0.4	0.0	0.1	1.6	0.6	10	10016
21-23 LST	8.1	5.4	1.9	1.5	0.3	0.1	0.3	0.4	0.0	1.3	2.6	5.0	2.3	10	10012

LAFAYETTE MUNICIPAL, LOUISIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.4	24.2	27.7	28.5	30.3	29.6	30.5	30.7	29.0	30.2	27.6	26.8	342.5	10	3347
	00 LST	22.0	20.6	24.6	26.8	29.5	29.6	30.5	30.3	28.7	27.6	25.7	24.1	320.0	10	3338
	06 LST	19.5	18.6	20.8	21.7	26.4	27.4	27.6	27.7	22.4	18.8	21.5	23.5	275.9	10	3347
	12 LST	25.5	24.1	28.4	28.3	30.4	29.6	30.5	30.7	28.9	30.0	26.7	26.2	339.3	10	3347
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	18.8	17.9	18.1	19.8	21.1	21.4	26.1	27.9	26.8	28.0	21.8	19.2	266.9	10	3347
	00 LST	14.8	15.7	18.0	21.1	25.8	29.0	29.0	29.9	26.6	25.5	20.5	16.8	272.7	10	3338
	06 LST	12.3	13.8	15.0	16.9	22.4	26.1	26.8	26.9	20.8	17.9	17.3	17.1	233.3	10	3347
	12 LST	7.4	10.6	9.6	11.6	16.8	19.2	21.9	23.2	18.9	19.0	12.0	10.0	180.2	10	3347
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	0.7	1.6	0.8	0.2	0.5	0.0	0.2	0.1	0.1	0.2	0.8	5.9	10	3278
	00 LST	1.5	0.6	1.2	0.4	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.6	4.8	10	3286
	06 LST	1.6	0.4	1.0	0.4	0.0	0.0	0.0	0.0	0.1	0.2	0.6	0.5	4.8	10	3299
	12 LST	5.8	4.1	6.1	3.5	1.8	1.7	0.4	0.1	1.0	0.4	2.8	3.4	31.1	10	3289
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	20.0	18.1	20.0	20.0	21.0	19.7	17.8	18.9	18.8	18.8	20.7	20.3	234.1	10	3278
	00 LST	19.1	17.7	17.5	17.5	16.8	16.3	13.5	15.4	17.0	17.2	18.1	19.3	205.4	10	3286
	06 LST	18.8	16.5	18.4	17.7	17.3	11.7	13.0	13.2	18.2	18.6	18.8	17.4	199.6	10	3299
	12 LST	13.1	16.2	13.8	15.0	18.2	10.1	9.9	11.3	16.8	21.6	17.0	17.1	180.1	10	3289
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.8	7.0	8.9	9.4	9.3	9.0	3.3	7.7	10.8	16.7	14.3	10.9	117.1	10	3347
	00 LST	10.9	10.6	10.9	14.2	15.7	19.8	20.0	20.0	19.8	19.8	15.2	12.4	189.3	10	3338
	06 LST	7.5	6.7	7.0	7.4	8.9	13.4	10.2	13.0	11.8	11.4	10.3	8.4	116.0	10	3347
	12 LST	6.4	6.4	7.4	5.9	5.8	3.1	1.4	4.9	8.4	10.3	10.2	8.9	79.1	10	3347
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	22.4	20.9	23.9	26.3	28.0	28.9	29.0	29.4	27.4	28.4	25.4	24.0	314.0	10	3347
	00 LST	18.9	19.2	22.1	23.2	26.4	28.9	29.5	29.9	27.9	26.7	24.2	21.8	298.7	10	3338
	06 LST	15.4	16.1	17.9	18.5	23.3	25.7	26.7	26.9	21.1	18.1	19.7	21.0	250.4	10	3347
	12 LST	19.3	19.5	21.2	23.1	26.4	27.4	27.5	27.8	25.2	28.4	23.8	21.9	289.5	10	3347
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.7	18.3	21.6	24.5	25.5	26.4	26.7	28.4	25.7	27.6	23.3	20.7	288.4	10	3347
	00 LST	15.7	17.2	19.3	21.8	25.1	28.8	29.1	29.8	27.3	26.0	21.4	19.7	281.2	10	3338
	06 LST	12.6	13.2	15.7	16.5	21.5	24.3	25.0	26.1	20.3	17.6	17.8	17.1	227.7	10	3347
	12 LST	16.1	15.5	17.3	17.3	17.3	16.9	20.0	21.4	21.9	21.3	19.4	18.8	223.2	10	3347
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.0	16.6	19.7	22.8	24.6	25.4	25.9	28.2	25.2	26.6	21.9	18.8	273.7	10	3347
	00 LST	14.4	15.5	17.9	21.2	24.1	28.4	28.9	29.5	26.9	25.4	20.6	17.9	270.7	10	3338
	06 LST	11.1	11.7	14.1	15.0	20.0	23.4	24.6	25.4	19.7	17.1	16.5	15.3	213.9	10	3347
	12 LST	14.0	14.0	15.3	15.9	16.6	16.9	19.6	21.2	21.1	21.0	18.2	16.9	210.7	10	3347

SHREVEPORT/BARKSDALE AFB, LOUISIANA

STA NO. 73275 (IN AREA NUMBER 13)

LATITUDE 3230N

LONGITUDE 09340W

ELEVATION(FT) 00167

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	83	84	90	96	98	102	107	106	103	96	88	85	107	12	4383
MEAN MAX TMP (F)	58	61	67	75	84	90	93	93	88	79	66	59	76	12	4383
MEAN MIN TMP (F)	39	42	46	54	63	71	73	73	66	55	43	39	55	12	4383
ABS MIN TMP (F)	13	1	23	32	40	56	63	61	48	30	16	13	1	12	4383
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.1	0.2	6.1	19.1	24.7	24.1	15.2	2.6	0.0	0.0	92.1	12	4383
MEAN NO DYS TMP = DR LES 32(F)	8.9	4.5	2.6	0.1	0.0	0.0	0.0	0.0	0.0	0.1	4.6	9.2	30.0	12	4383
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	39	41	44	53	62	69	71	70	64	54	42	38	54	12	105009
MEAN REL HUM (PCT)	73	70	67	69	71	72	72	70	69	68	68	70	70	12	105008
MEAN PRESS ALT (FT)	-38	-7	67	109	136	145	106	112	83	41	-11	-37	59	0	-50
MEAN PRECIP (IN)	4.28	4.03	3.96	4.91	4.45	4.64	3.06	2.44	3.31	2.67	3.83	4.43	46.0	12	4383
MEAN SNOW FALL (IN)	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	12	4383
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.4	6.2	6.1	5.9	5.4	5.9	4.4	4.3	4.1	3.7	5.4	5.9	63.7	12	4383
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	12	4382
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	3.7	2.6	1.8	0.9	1.1	0.4	0.8	0.5	0.8	2.6	1.8	3.1	20.1	12	4379
MEAN NO DYS TSTMS	2.2	2.9	5.5	5.9	6.9	6.3	8.2	5.7	4.1	2.2	2.5	2.3	54.7	12	4383
P FREQ WND SPD = DR GTR 17 KTS	1.9	2.4	3.0	1.8	0.8	0.4	0.3	0.4	0.5	0.7	1.9	1.8	1.3	12	105076
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	105076
P FREQ LES 5000 FT A/D LES 5 MI	41.3	37.2	31.8	31.1	26.2	20.8	15.6	12.2	18.0	19.6	28.9	34.3	26.4	12	105074
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.8	18.6	12.6	10.0	8.6	4.0	3.6	3.0	5.7	8.4	13.6	19.0	10.8	12	13138
03-05 LST	28.9	23.1	18.5	18.1	17.3	12.4	8.4	7.1	12.5	15.1	18.1	21.3	16.9	12	13139
06-08 LST	34.7	29.8	22.6	23.9	19.9	18.0	13.3	10.4	16.3	21.2	23.1	24.3	21.5	12	13138
09-11 LST	32.2	27.8	16.2	14.4	10.3	7.6	5.6	5.9	9.7	12.7	19.7	21.1	15.3	12	13142
12-14 LST	22.9	17.9	10.4	7.3	4.1	4.3	1.4	1.3	3.6	4.3	10.6	16.0	8.7	12	13142
15-17 LST	17.1	13.7	8.3	5.6	4.9	2.8	1.8	1.9	2.9	3.1	7.6	13.9	7.0	12	13140
18-20 LST	17.3	12.9	8.5	5.1	4.1	2.5	1.2	1.3	2.9	3.7	8.6	14.0	6.8	12	13138
21-23 LST	19.5	13.4	10.2	6.8	3.1	2.9	2.3	1.0	3.2	5.2	9.2	15.4	7.7	12	13139
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.7	5.5	2.2	1.8	0.3	1.0	0.5	0.3	0.4	1.3	3.0	4.8	2.1	12	13138
03-05 LST	6.6	6.5	3.9	2.4	2.2	1.3	2.0	0.8	1.7	4.3	3.8	6.4	3.5	12	13139
06-08 LST	8.2	7.7	5.0	2.4	1.3	1.4	1.2	0.8	1.4	5.2	4.6	7.5	3.9	12	13138
09-11 LST	5.0	3.2	1.1	0.0	0.3	0.0	0.0	0.1	0.3	1.1	2.3	3.1	1.4	12	13142
12-14 LST	2.5	0.4	0.3	0.2	0.4	0.1	0.2	0.0	0.1	0.2	0.6	1.3	0.5	12	13142
15-17 LST	1.8	0.9	0.5	0.4	0.4	0.1	0.4	0.4	0.4	0.0	1.1	1.0	0.6	12	13140
18-20 LST	3.0	1.4	1.0	0.3	0.3	0.1	0.0	0.2	0.1	0.2	0.6	2.5	0.8	12	13138
21-23 LST	3.5	3.2	1.3	0.6	0.2	0.3	0.0	0.0	0.0	0.4	1.5	3.5	1.2	12	13139

SHREVEPORT/BARKSDALE AFB, LOUISIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.0	25.0	28.6	29.0	30.0	29.4	30.6	30.7	29.4	30.0	28.1	28.1	345.9	12	4382
	00 LST	26.4	24.0	28.5	28.3	29.5	29.3	30.6	30.5	29.1	29.5	27.2	27.1	340.0	12	4381
	06 LST	23.6	22.0	26.2	25.2	26.0	25.6	27.7	28.6	26.3	24.9	24.5	25.3	305.9	12	4381
	12 LST	25.4	23.9	28.6	28.5	30.3	29.0	30.8	30.8	29.6	29.9	27.7	26.6	341.1	12	4381
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.2	17.9	19.4	20.6	23.7	26.0	26.8	27.7	26.3	27.8	23.7	22.8	282.9	12	4382
	00 LST	19.2	17.0	21.3	22.2	26.0	26.8	29.3	29.1	27.0	27.0	22.3	21.2	288.4	12	4381
	06 LST	16.2	15.8	18.7	19.7	21.5	23.4	26.2	27.6	24.2	22.1	19.6	18.8	253.8	12	4381
	12 LST	12.1	11.1	12.9	14.2	19.5	22.1	25.5	25.3	21.9	21.3	15.7	15.1	216.7	12	4381
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.3	0.3	0.7	0.7	0.2	0.1	0.0	0.2	0.0	0.2	0.3	0.3	3.3	12	4288
	00 LST	0.1	0.4	0.7	0.2	0.2	0.0	0.0	0.0	0.0	0.2	0.4	0.3	2.9	12	4300
	06 LST	0.3	0.4	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.2	1.7	12	4287
	12 LST	0.9	1.4	1.8	0.9	0.4	0.0	0.0	0.3	0.2	0.5	1.2	1.1	8.7	12	4314
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	19.7	17.4	20.0	19.9	21.6	15.7	12.3	12.4	20.0	19.7	17.2	19.9	215.8	12	4288
	00 LST	18.1	15.8	17.9	17.8	18.1	16.2	17.2	15.1	14.3	14.9	13.8	16.6	195.8	12	4300
	06 LST	16.1	15.8	16.6	18.3	15.3	15.0	12.8	11.5	13.0	14.0	13.0	14.6	176.0	12	4287
	12 LST	20.1	16.4	17.1	18.5	19.5	14.6	10.0	8.8	15.3	20.9	17.8	18.1	197.1	12	4314
SKY COVER LES 3/10 AND VCSY = GTR 3 MI	18 LST	8.6	8.0	8.9	8.7	10.5	11.6	8.0	9.7	13.8	16.4	13.7	10.8	128.7	12	4382
	00 LST	11.5	10.5	12.3	14.6	14.8	18.5	18.7	19.3	19.5	18.7	15.4	13.1	186.9	12	4381
	06 LST	9.6	8.2	8.8	7.8	6.5	10.2	10.8	12.2	13.1	13.6	11.3	12.3	124.4	12	4381
	12 LST	6.7	7.3	7.8	7.3	6.1	5.2	3.8	5.7	8.5	12.2	10.9	9.7	91.2	12	4381
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.3	23.2	26.7	27.7	28.8	28.6	30.2	30.3	28.6	29.0	26.8	25.5	329.7	12	4382
	00 LST	22.4	20.9	25.2	26.1	27.4	28.7	30.1	30.2	27.9	28.2	25.1	24.1	316.3	12	4381
	06 LST	19.2	17.8	21.3	20.6	22.5	23.8	26.6	27.7	24.5	23.0	21.6	21.7	270.3	12	4381
	12 LST	20.4	20.7	24.1	24.6	26.9	27.9	29.6	29.2	27.7	27.6	24.8	23.3	306.8	12	4381
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.3	18.4	22.7	23.6	26.3	25.8	28.3	28.4	26.4	28.0	22.9	21.9	292.0	12	4382
	00 LST	18.3	17.8	22.2	23.1	25.1	27.6	29.1	29.5	26.8	26.8	22.3	20.0	288.6	12	4381
	06 LST	16.0	15.0	18.2	16.7	18.9	22.3	25.1	26.8	23.3	21.6	18.3	18.4	240.6	12	4381
	12 LST	16.2	17.2	19.1	16.7	18.7	20.0	20.8	22.8	21.5	24.1	19.4	18.9	235.4	12	4381
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.2	16.9	20.9	20.9	25.2	24.7	27.2	27.2	25.7	26.4	21.7	20.2	274.2	12	4382
	00 LST	17.0	16.5	20.6	20.8	23.6	26.3	28.6	28.2	26.0	26.2	20.8	18.8	273.4	12	4381
	06 LST	14.7	13.5	16.3	15.6	18.0	21.2	24.4	25.4	22.4	20.3	16.8	17.0	225.6	12	4381
	12 LST	15.2	15.8	17.6	15.4	17.9	19.2	20.4	22.1	20.5	23.3	18.3	17.8	223.5	12	4381

NEW ORLEANS NAS, LOUISIANA

STA NO. 73276 (IN AREA NUMBER 13)	LATITUDE 2950N												LONGITUDE 09001W												ELEVATION(FT) 00005	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS											
ABS MAX TMP (F)	80	81	83	87	92	95	98	97	96	93	84	82	90	8	2769											
MEAN MAX TMP (F)	59	63	69	77	83	87	89	90	87	79	70	62	76	8	2769											
MEAN MIN TMP (F)	41	45	51	59	66	71	74	74	71	61	51	44	59	8	2769											
ABS MIN TMP (F)	14	20	30	40	47	53	67	61	56	40	30	15	14	8	2769											
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.0	7.7	14.0	18.0	8.0	1.0	0.0	0.0	49.7	8	2769											
MEAN NO DYS TMP = DR LES 32(F)	6.7	2.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	4.7	14.8	8	2769											
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2769											
MEAN DEW PT TMP (F)	42	45	50	60	66	72	74	74	71	61	53	45	59	8	62260											
MEAN REL HUM (PCT)	77	76	74	77	77	80	83	81	80	78	78	77	78	8	62260											
MEAN PRESS ALT (FT)														0	0											
MEAN PRECIP (IN)	4.99	5.92	4.39	4.29	3.74	5.74	6.76	5.80	4.70	4.46	3.26	3.44	57.5	8	2769											
MEAN SNOW FALL (IN)	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.2	8	2769											
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.7	6.8	5.1	4.2	5.5	7.0	10.5	9.8	6.4	5.4	4.0	5.4	76.8	8	2769											
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	8	2769											
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.7	4.5	4.4	3.2	0.9	0.8	0.5	0.6	1.4	2.9	4.0	5.3	35.2	8	2736											
MEAN NO DYS TSTMS	2.5	2.1	3.9	3.9	7.2	11.3	19.7	14.8	8.7	2.5	1.4	1.4	79.4	8	2737											
P FREQ WND SPD = DR GTR 17 KTS	0.9	1.7	1.1	0.3	0.1	0.0	0.1	0.1	0.2	0.9	0.3	0.4	0.5	8	62282											
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	8	62282											
P FREQ LES 5000 FT A/D LES 5 MI	38.0	40.1	36.1	32.3	21.1	14.8	12.6	10.7	17.2	19.9	29.3	37.7	25.8	8	62285											
P FREQ LES 1500 FT A/D LES 3 MI																										
FOR 00-02 LST	29.2	27.3	26.4	16.7	4.8	1.7	0.4	0.3	4.0	8.0	19.4	26.9	13.8	8	7785											
03-05 LST	29.9	33.9	28.7	24.8	8.4	3.2	1.5	1.2	5.6	14.8	22.7	30.3	17.1	8	7785											
06-08 LST	31.6	36.6	28.7	28.0	13.6	3.5	2.9	3.4	11.0	22.3	24.4	31.2	19.8	9	7833											
09-11 LST	23.8	27.2	22.9	13.9	7.3	3.5	2.6	2.9	6.8	9.2	16.3	23.5	13.3	9	7926											
12-14 LST	18.3	16.2	13.6	6.7	6.2	2.4	3.7	2.5	5.2	8.0	9.2	15.7	9.0	9	7927											
15-17 LST	14.9	16.4	10.9	4.4	5.3	1.7	2.8	1.2	3.5	6.3	7.6	14.9	7.5	9	7879											
18-20 LST	19.2	19.3	16.1	8.3	4.8	1.2	0.4	0.5	2.2	6.1	8.9	19.5	8.9	8	7789											
21-23 LST	24.6	23.2	21.0	12.9	3.7	0.8	0.0	0.2	3.0	7.2	13.2	24.4	11.2	8	7789											
P FREQ LES 300 FT A/D LES 1 MI																										
FOR 00-02 LST	15.3	6.1	5.3	2.0	0.4	0.6	0.0	0.2	0.0	2.9	5.1	9.5	4.0	8	7785											
03-05 LST	14.9	12.0	8.2	6.8	1.2	0.6	0.4	0.2	0.5	4.8	8.9	12.1	5.9	8	7785											
06-08 LST	14.4	11.9	8.9	6.8	1.9	0.6	0.3	0.2	2.1	6.3	7.9	11.3	6.1	9	7833											
09-11 LST	5.1	4.5	1.9	0.5	0.3	0.3	0.3	0.2	0.2	0.6	2.1	4.5	1.7	9	7926											
12-14 LST	2.3	1.6	0.4	0.0	0.1	0.3	0.4	0.2	0.3	0.3	0.5	1.1	0.6	9	7927											
15-17 LST	1.4	1.6	0.7	0.2	0.1	0.0	0.1	0.2	0.2	0.3	0.6	1.6	0.6	9	7879											
18-20 LST	3.7	1.3	0.6	0.2	0.1	0.0	0.1	0.2	0.2	0.3	0.8	3.2	0.9	8	7789											
21-23 LST	8.3	2.1	2.8	0.3	0.0	0.0	0.0	0.0	0.2	2.0	2.2	6.0	2.0	8	7789											

NEW ORLEANS NAS, LOUISIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.0	24.5	27.7	28.7	30.1	29.6	31.0	30.8	29.6	29.7	28.4	27.0	344.1	9	2783
	00 LST	23.3	21.4	24.5	26.5	30.2	29.7	31.0	31.0	29.3	29.4	25.7	24.0	326.0	8	2736
	06 LST	22.8	19.1	22.0	22.2	26.2	29.0	30.0	29.9	26.4	23.8	23.7	23.1	298.2	9	2783
	12 LST	26.7	24.4	28.7	29.0	30.2	29.5	30.6	30.4	29.1	29.0	27.6	27.4	342.6	9	2783
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.6	19.6	21.5	24.6	28.6	28.4	29.7	29.9	27.7	28.4	25.0	21.9	305.9	9	2783
	00 LST	17.7	18.1	19.4	23.9	28.9	29.4	30.7	30.8	27.7	27.6	22.4	20.7	297.3	8	2736
	06 LST	17.9	14.8	17.6	19.0	24.1	28.5	29.7	29.7	24.3	21.0	21.0	19.6	266.6	9	2783
	12 LST	15.3	12.3	13.1	17.1	22.6	25.2	26.6	26.4	21.3	22.4	17.7	17.4	237.4	9	2783
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.4	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.0	0.9	9	2737
	00 LST	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.0	0.0	0.7	8	2697
	06 LST	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1	1.2	9	2736
	12 LST	0.2	1.4	0.9	0.0	0.0	0.0	0.1	0.1	0.3	0.3	0.1	0.1	3.5	9	2730
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	15.6	17.6	21.0	23.0	22.7	16.3	12.0	10.6	10.1	11.6	12.3	17.5	190.3	9	2737
	00 LST	12.8	10.9	14.8	11.8	7.9	3.2	1.6	2.3	6.0	6.0	11.4	14.3	103.0	8	2697
	06 LST	13.8	13.2	15.2	9.7	5.9	3.0	1.4	2.0	6.0	8.2	11.1	14.0	103.5	9	2736
	12 LST	20.7	15.6	20.4	21.6	23.8	19.4	15.6	11.9	19.4	23.5	21.2	22.1	235.2	9	2730
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.0	7.2	8.4	9.5	9.2	5.3	2.0	4.4	7.0	14.4	12.1	8.0	95.5	9	2783
	00 LST	11.0	10.8	11.0	14.3	19.7	19.4	18.0	19.8	19.4	20.7	15.3	11.7	191.1	8	2736
	06 LST	10.2	7.7	8.4	6.9	9.2	11.9	7.0	9.8	10.4	12.3	9.6	11.1	114.5	9	2783
	12 LST	6.9	7.4	8.2	5.7	5.9	2.5	1.1	2.0	5.1	11.1	8.6	8.8	73.3	9	2783
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.9	20.9	23.9	26.6	29.2	29.3	29.7	29.5	27.8	28.3	25.8	23.3	318.2	9	2783
	00 LST	20.7	18.8	21.1	23.9	28.9	29.4	30.7	30.8	28.0	28.4	23.9	21.5	306.1	8	2736
	06 LST	19.6	16.6	19.5	19.5	24.7	28.2	29.6	29.4	24.6	21.4	21.8	20.4	275.3	9	2783
	12 LST	22.4	19.8	22.0	22.4	26.4	25.5	26.1	25.0	24.7	25.4	23.3	21.8	284.8	9	2783
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.9	18.6	21.4	24.2	27.6	27.1	28.3	28.4	27.3	27.1	24.1	20.8	296.8	9	2783
	00 LST	19.1	17.2	19.2	22.7	28.0	28.9	30.7	30.6	27.4	27.8	22.0	19.0	292.6	8	2736
	06 LST	18.0	14.7	16.9	17.6	23.9	27.4	29.2	29.3	23.4	20.8	19.8	17.6	298.6	9	2783
	12 LST	19.0	17.6	19.0	17.9	20.6	19.4	21.3	21.3	20.7	23.3	20.1	20.4	240.6	9	2783
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.0	16.7	19.7	23.1	26.5	26.0	27.6	27.3	25.1	25.7	22.4	18.7	278.0	9	2783
	00 LST	17.4	15.5	17.9	21.9	27.5	28.5	30.1	30.6	27.1	26.0	20.4	17.3	280.2	8	2736
	06 LST	16.2	12.7	15.1	16.2	22.8	26.4	28.2	27.4	22.6	19.4	17.7	16.3	241.0	9	2783
	12 LST	16.9	16.2	17.5	17.4	20.2	18.9	20.3	20.6	19.6	22.6	19.6	18.0	226.8	9	2783

NEW IBERIA NAAS, LOUISIANA

STA NO. 73277 (IN AREA NUMBER 13)

LATITUDE 3002N

LONGITUDE 09153W

ELEVATION(FT) 00024

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	84	85	90	94	98	100	101	102	99	93	92	90	102	52	-613
MEAN MAX TMP (F)	64	65	72	78	84	89	90	90	87	80	71	64	78	48	-113
MEAN MIN TMP (F)	45	47	52	59	65	72	73	72	69	59	50	45	59	49	-113
ABS MIN TMP (F)	12	6	25	34	42	53	62	55	46	29	23	15	6	51	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0		7.2	14.5	16.8	16.8	11.3			0.0		48	-29
MEAN NO DYS TMP = OR LES 32(F)	8.3	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	18.5	4	1280
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1280
MEAN DEW PT TMP (F)	42	46	53	60	66	72	73	74	70	59	51	43	59	4	31528
MEAN REL HUM (PCT)	79	77	76	79	77	80	83	81	80	76	79	79	79	4	31525
MEAN PRESS ALT (FT)	-180	-147	-83	-46	-18	-7	-52	-39	-43	-92	-151	-176	-85	0	-50
MEAN PRECIP (IN)	4.39	4.41	3.90	4.57	4.26	6.7	7.40	6.03	4.22	3.16	3.42	3.06	57.2	57	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1278
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.9	7.9	6.8	7.1	6.9	9.7	10.0	8.7	6.6	5.2	5.5	8.7	90.3	57	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1278
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.0	6.4	3.0	4.2	2.4	0.5	1.1	0.9	1.5	4.6	3.0	6.0	40.2	4	1350
MEAN NO DYS TSTMS	2.8	2.7	3.5	3.2	7.0	15.0	15.3	16.7	9.5	2.6	2.3	3.0	83.6	4	1250
P FREQ WND SPD = OR GTR 17 KTS	1.1	1.6	2.2	1.5	0.0	0.1	0.1	0.0	0.3	1.3	0.6	0.4	0.8	4	31605
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	31605
P FREQ LES 5000 FT A/D LES 5 MI	41.6	44.4	38.0	42.3	25.9	21.2	18.3	14.4	22.5	23.6	32.1	38.4	30.2	4	31606
P FREQ LES 1900 FT A/D LES 3 MI															
FDR 00-02 LST	26.7	32.7	28.2	28.8	3.9	1.1	3.6	1.3	6.0	10.8	17.0	31.4	16.0	4	3656
03-05 LST	29.7	36.6	33.9	37.0	20.6	9.4	6.6	3.6	11.3	19.4	25.6	32.6	22.2	4	3738
06-08 LST	33.7	38.9	34.4	36.7	18.3	12.2	5.4	7.8	15.6	30.9	26.7	34.8	25.5	4	4151
09-11 LST	29.6	28.6	27.2	21.2	5.9	10.0	5.6	2.4	10.6	10.2	20.0	25.8	16.4	4	4151
12-14 LST	26.1	14.7	19.9	10.3	3.0	6.1	4.0	2.7	7.2	4.6	15.9	22.2	11.4	4	4152
15-17 LST	22.6	15.0	13.2	8.6	1.1	2.8	3.2	0.8	4.4	5.2	16.3	21.9	9.6	4	4152
18-20 LST	21.9	18.3	19.4	13.1	3.5	3.1	3.8	0.8	5.3	4.6	15.9	21.1	10.9	4	4147
21-23 LST	21.8	24.3	27.2	17.9	3.6	0.6	2.5	0.5	3.9	3.1	12.6	28.1	12.2	4	4010
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	10.2	13.0	5.1	5.0	1.1	0.0	0.8	0.7	1.0	4.7	3.3	10.1	4.6	4	3656
03-05 LST	14.2	16.8	10.5	13.6	7.2	2.8	2.9	2.0	2.7	6.5	5.9	12.5	8.1	4	3738
06-08 LST	16.7	15.9	13.4	10.6	4.8	2.2	1.6	1.9	6.1	10.5	6.3	15.1	8.8	4	4151
09-11 LST	7.0	1.5	0.8	0.3	0.5	0.0	0.5	0.0	0.3	0.3	3.3	4.3	1.6	4	4151
12-14 LST	0.8	0.6	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.6	0.7	0.4	0.3	4	4152
15-17 LST	1.6	0.6	0.0	0.0	0.0	0.0	0.3	0.3	0.3	1.2	1.1	1.1	0.5	4	4152
18-20 LST	4.1	1.8	0.5	0.0	0.3	0.0	0.3	0.3	0.0	0.9	0.4	2.2	0.9	4	4147
21-23 LST	9.1	7.7	2.2	0.0	0.6	0.0	0.6	0.0	0.6	1.5	1.1	6.8	2.5	4	4010

NEW IBERIA NAAS, LOUISIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	25.5	24.0	27.5	28.0	30.7	29.5	30.0	31.0	29.0	29.0	26.6	25.3	336.1	4	1384
	00 LST	23.9	20.6	24.2	25.7	30.4	30.0	30.1	30.7	29.0	29.0	26.3	21.6	321.5	4	1342
	06 LST	21.2	18.1	20.7	20.5	22.0	23.7	28.5	27.0	21.0	20.4	22.3	21.3	266.7	4	1384
	12 LST	23.7	25.8	27.7	29.0	30.7	29.7	30.2	30.5	28.7	29.8	27.7	26.3	339.8	4	1384
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC AND LES 10 KTS	18 LST	22.0	19.1	19.7	20.0	26.0	27.0	28.5	30.2	27.8	27.8	22.7	22.0	292.8	4	1384
	00 LST	20.2	16.8	18.7	21.8	29.1	29.4	29.8	30.7	28.0	27.9	24.0	19.3	295.7	4	1341
	06 LST	17.5	13.4	16.7	16.2	20.2	23.0	28.0	26.2	19.7	18.6	20.0	17.6	237.1	4	1384
	12 LST	14.0	13.1	14.5	12.5	21.5	23.3	26.5	28.7	23.5	25.0	17.0	17.0	236.6	4	1384
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.2	0.5	0.2	0.5	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	1.6	4	1366
	00 LST	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	4	1327
	06 LST	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	4	1359
	12 LST	0.5	1.5	1.2	1.0	0.0	0.2	0.0	0.0	0.2	0.3	0.7	0.0	5.6	4	1370
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	18.8	21.3	19.3	21.0	22.7	18.5	19.5	13.9	11.3	11.9	13.3	18.0	206.0	4	1366
	00 LST	14.1	13.5	13.3	15.0	7.2	4.0	2.4	2.8	6.8	7.2	13.5	13.8	114.2	4	1327
	06 LST	13.3	14.0	15.1	13.6	7.0	4.1	2.8	5.0	7.8	8.5	15.5	13.1	119.8	4	1359
	12 LST	19.4	16.6	18.1	17.5	20.2	15.2	12.5	11.2	18.6	20.8	22.2	20.4	212.7	4	1370
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	7.5	6.2	10.0	7.5	9.2	5.3	2.2	4.5	4.7	12.6	10.0	8.6	88.3	4	1384
	00 LST	9.5	8.4	11.2	11.3	17.1	16.4	14.0	17.5	18.0	23.3	14.6	13.3	174.6	4	1342
	06 LST	9.0	6.7	7.5	4.2	4.5	5.7	4.5	4.7	7.0	10.3	8.6	9.0	82.3	4	1384
	12 LST	6.2	6.4	7.5	4.2	5.5	1.5	0.5	2.0	6.5	12.0	9.7	8.3	70.3	4	1384
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.5	21.1	25.0	23.7	27.7	28.0	28.5	30.0	27.8	28.7	24.0	21.6	309.6	4	1354
	00 LST	21.1	17.6	20.5	22.5	28.9	29.4	29.5	30.5	28.2	28.1	24.3	20.3	300.9	4	1342
	06 LST	18.5	14.8	18.5	16.2	20.0	22.2	28.0	25.5	19.7	19.5	20.6	19.3	242.8	4	1384
	12 LST	20.0	20.3	20.0	19.7	26.2	22.7	25.0	26.2	24.0	27.0	22.3	22.3	275.7	4	1384
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.0	17.1	22.7	21.8	26.0	26.5	26.5	28.5	26.7	27.2	21.0	21.3	284.3	4	1384
	00 LST	17.6	15.3	19.2	19.7	27.8	29.1	28.6	30.2	27.2	27.9	22.0	18.7	283.3	4	1342
	06 LST	14.7	13.6	16.0	15.2	18.5	20.7	27.5	24.5	19.2	19.2	17.3	16.6	223.0	4	1384
	12 LST	17.5	16.6	17.5	15.0	20.2	13.5	19.7	20.2	19.5	23.3	19.3	19.0	221.3	4	1384
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	15.0	15.8	21.2	20.3	23.0	24.2	24.5	25.7	25.2	27.0	19.0	18.7	261.6	4	1384
	00 LST	16.1	14.4	17.5	19.0	26.7	28.3	28.0	28.7	27.0	27.6	20.0	18.0	271.3	4	1342
	06 LST	14.0	11.9	14.5	13.2	17.7	18.8	24.5	22.2	18.5	18.9	15.7	15.3	205.2	4	1364
	12 LST	15.2	14.8	16.0	13.5	19.2	12.5	18.7	19.0	19.2	22.4	16.0	17.3	203.8	4	1384

LEESVILLE/POLK AAF, LOUISIANA

STA NO. 73278 (IN AREA NUMBER 18)

LATITUDE 3102N

LONGITUDE 09311W

ELEVATION(FT) 00330

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	82	86	88	92	96	102	104	105	100	96	87	82	105	13	-73279
MEAN MAX TMP (F)	59	63	69	77	85	90	92	92	88	80	68	61	77	13	-73279
MEAN MIN TMP (F)	38	43	48	57	64	71	73	73	67	55	46	40	56	13	-73279
ABS MIN TMP (F)	10	19	25	32	44	55	67	57	46	30	23	12	10	13	-73279
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	6.5	18.5	23.5	23.6	15.5	2.6	0.0	0.0	90.5	13	-73279
MEAN NO DYS TMP = OR LES 32(F)	9.4	4.1	1.7	0.1	0.0	0.0	0.0	0.0	0.0	0.2	2.9	7.6	26.0	13	-73279
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-73279
MEAN DEW PT TMP (F)	39	42	47	56	63	69	72	71	66	59	46	40	56	13	-73279
MEAN REL HUM (PCT)	73	71	68	71	71	72	75	74	72	70	70	72	72	13	-73279
MEAN PRESS ALT (FT)	133	165	227	266	295	304	256	269	277	226	160	138	226	0	-50
MEAN PRECIP (IN)	4.46	4.64	4.92	5.93	5.18	3.90	4.50	4.23	2.98	2.97	4.11	4.87	52.3	13	-73279
MEAN SNOW FALL (IN)	0.2	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-73279
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.4	5.9	5.4	6.0	6.0	5.5	7.2	6.0	5.1	3.4	5.8	6.9	69.6	13	-73279
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	13	-73279
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	4.2	2.2	2.3	2.7	3.3	1.7	2.1	2.3	2.3	4.7	2.6	3.2	33.6	13	-73279
MEAN NO DYS TSTMS	2.1	2.8	4.5	5.7	6.2	7.7	11.7	9.1	4.4	2.8	2.5	2.1	61.6	13	-73279
P FREQ WND SPD = OR GTR 17 KTS	1.8	2.4	3.1	2.3	1.4	0.4	0.3	0.2	0.3	0.4	1.4	1.7	1.3	13	-73279
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-73279
P FREQ LES 3000 FT A/O LES 5 MI	39.9	38.5	35.5	34.2	27.5	18.3	14.8	13.4	19.9	20.1	31.9	33.4	27.5	13	-73279
P FREQ LES 1500 FT A/O LES 3 MI															
FDR 00-02 LST	23.7	22.0	19.6	15.4	9.9	4.8	3.5	3.3	8.0	7.6	15.1	22.7	13.1	13	-73279
03-05 LST	26.8	26.9	24.1	25.1	20.0	12.9	8.6	9.9	13.8	16.4	19.8	24.2	19.0	13	-73279
06-08 LST	30.7	32.9	29.3	34.6	29.7	17.2	14.5	15.1	24.4	28.9	26.5	30.3	26.2	13	-73279
09-11 LST	31.2	28.3	18.6	17.7	9.4	7.9	5.1	7.8	14.3	13.4	21.2	26.3	16.8	13	-73279
12-14 LST	20.2	16.6	12.1	6.7	2.9	3.1	1.9	1.5	5.6	5.1	13.0	20.3	9.1	13	-73279
15-17 LST	17.7	13.1	8.2	5.3	2.6	2.6	1.8	1.3	4.3	4.2	9.8	16.8	7.3	13	-73279
18-20 LST	15.9	12.8	8.7	4.6	2.8	3.0	1.5	0.6	4.4	3.2	10.4	16.5	7.0	13	-73279
21-23 LST	18.7	15.4	10.6	7.3	4.3	2.9	1.0	1.6	5.6	4.4	11.4	17.8	8.4	13	-73279
P FREQ LES 300 FT A/O LES 1 MI															
FDR 00-02 LST	5.2	2.8	2.1	1.4	1.3	0.6	0.9	1.3	1.3	1.7	2.1	5.3	2.2	13	-73279
03-05 LST	7.0	4.8	4.3	6.2	4.6	3.1	3.4	4.7	3.7	6.0	6.0	7.1	5.1	13	-73279
06-08 LST	8.6	7.7	5.8	7.3	6.1	2.6	3.9	4.6	5.9	11.7	7.7	8.5	6.7	13	-73279
09-11 LST	5.1	3.1	0.8	0.3	0.2	0.3	0.2	0.1	0.1	1.1	2.5	5.3	1.6	13	-73279
12-14 LST	2.2	0.5	0.4	0.1	0.4	0.6	0.3	0.0	0.4	0.4	0.5	1.2	0.6	13	-73279
15-17 LST	1.2	0.5	0.1	0.3	0.4	0.6	0.1	0.1	0.0	0.1	0.8	1.0	0.4	13	-73279
18-20 LST	1.4	0.5	0.5	0.2	0.0	0.2	0.0	0.0	0.0	0.1	1.1	1.1	0.4	13	-73279
21-23 LST	2.5	1.0	0.9	0.5	0.0	0.0	0.0	0.2	0.3	1.3	0.6	1.6	0.7	13	-73279

LEESVILLE/POLK AAF, LOUISIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.6	24.8	29.6	28.6	30.4	29.5	30.5	30.7	29.2	30.3	27.2	27.0	345.4	13	-73279
	00 LST	26.0	24.1	28.0	28.2	29.0	29.1	30.2	29.9	28.8	29.4	27.0	25.4	335.1	13	-73279
	06 LST	23.7	21.1	23.9	22.4	22.8	25.2	25.6	25.3	22.7	22.7	24.0	23.7	283.1	13	-73279
	12 LST	26.1	24.6	28.7	28.9	30.5	29.3	30.5	30.8	29.1	29.9	27.1	25.6	341.1	13	-73279
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	21.6	19.5	19.5	22.0	25.4	25.3	27.7	28.8	27.1	28.6	23.2	22.1	290.8	13	-73279
	00 LST	20.6	18.9	21.8	23.0	25.7	27.6	29.1	29.5	27.4	28.0	23.1	21.5	296.2	13	-73279
	06 LST	18.2	15.4	19.0	16.1	19.7	24.2	25.1	24.9	20.7	20.8	19.8	19.8	243.7	13	-73279
	12 LST	15.2	13.9	16.7	16.0	21.8	24.6	27.0	26.7	22.7	23.1	16.0	16.0	239.7	13	-73279
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.4	0.8	1.0	0.5	0.4	0.2	0.2	0.0	0.1	0.0	0.1	0.3	4.0	13	-73279
	00 LST	0.2	0.5	0.3	0.4	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.2	2.0	13	-73279
	06 LST	0.3	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	1.2	13	-73279
	12 LST	1.1	1.3	2.1	1.6	0.7	0.2	0.2	0.2	0.2	0.4	0.8	0.8	9.6	13	-73279
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	17.1	15.4	19.2	21.0	20.2	13.6	10.8	11.3	14.3	12.2	15.2	16.3	186.6	13	-73279
	00 LST	12.2	12.7	13.9	13.4	12.4	9.3	8.3	6.8	6.5	6.4	11.2	12.3	125.4	13	-73279
	06 LST	11.3	11.2	13.9	12.5	9.8	7.1	5.2	5.5	6.2	7.1	12.7	11.7	114.2	13	-73279
	12 LST	17.3	16.2	19.1	18.8	18.6	10.1	8.5	8.4	12.9	19.6	18.8	17.4	185.7	13	-73279
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.1	8.1	8.3	8.7	10.1	9.1	5.6	8.2	11.0	14.9	11.8	11.0	115.9	13	-73279
	00 LST	11.8	11.0	12.3	14.2	17.4	18.6	19.3	20.2	18.9	20.6	14.1	13.6	192.0	13	-73279
	06 LST	10.2	7.9	8.7	6.6	6.1	10.2	9.1	9.7	11.2	12.9	11.0	12.2	115.8	13	-73279
	12 LST	7.2	7.7	8.6	5.5	5.5	3.8	2.2	5.5	7.7	11.6	10.1	9.2	84.6	13	-73279
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.1	22.5	26.5	27.9	29.7	29.1	30.0	30.6	27.9	29.5	25.1	24.5	327.4	13	-73279
	00 LST	22.4	20.8	23.0	24.1	26.7	28.5	29.7	29.6	27.6	28.6	24.2	22.7	307.9	13	-73279
	06 LST	19.9	16.8	19.4	16.7	20.0	24.2	25.1	25.0	21.0	20.8	20.6	20.7	250.2	13	-73279
	12 LST	21.2	19.4	23.6	24.3	27.2	27.9	28.9	28.8	23.8	27.5	22.9	22.2	299.7	13	-73279
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.2	18.8	22.9	23.6	27.4	26.6	28.2	28.6	26.3	27.7	22.4	21.0	293.7	13	-73279
	00 LST	18.4	17.8	19.7	21.9	25.0	27.4	29.4	29.3	26.8	27.2	21.6	19.8	284.3	13	-73279
	06 LST	16.6	13.7	16.5	14.3	18.3	22.9	24.4	24.5	20.6	20.1	17.8	17.5	227.2	13	-73279
	12 LST	17.7	16.0	18.9	18.1	19.6	20.8	22.2	24.5	21.9	24.6	19.8	19.2	243.3	13	-73279
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.9	17.2	20.6	22.3	26.1	24.4	26.2	26.6	23.8	26.6	20.5	19.5	271.7	13	-73279
	00 LST	17.0	16.4	18.4	20.2	24.3	27.0	29.1	28.6	26.0	26.0	19.9	18.7	271.6	13	-73279
	06 LST	15.4	12.5	15.5	13.0	17.6	21.7	23.5	23.5	19.6	19.2	16.3	15.7	213.5	13	-73279
	12 LST	15.7	14.6	17.3	18.8	19.2	20.3	21.6	23.4	21.4	24.0	18.8	17.5	230.6	13	-73279

ALEXANDRIA/ENGLAND AFB, LOUISIANA

STA NO. 73279 (IN AREA NUMBER 13)

LATITUDE 3119N

LONGITUDE 09232W

ELEVATION(FT) 00089

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	82	86	88	92	96	102	104	103	100	96	87	82	105	13	4583
MEAN MAX TMP (F)	59	63	69	77	85	90	92	92	88	80	68	61	77	13	4583
MEAN MIN TMP (F)	38	43	48	57	64	71	73	73	67	53	46	40	56	13	4583
ABS MIN TMP (F)	10	19	25	32	44	55	67	57	46	30	23	12	10	13	4583
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	6.5	18.5	23.5	23.6	15.5	2.6	0.0	0.0	90.5	13	4583
MEAN NO DYS TMP = DR LES 32(F)	9.4	4.1	1.7	0.1	0.0	0.0	0.0	0.0	0.0	0.2	2.9	7.6	26.0	13	4583
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	4583
MEAN DEW PT TMP (F)	39	42	47	56	63	69	72	71	56	55	46	40	56	13	104753
MEAN REL HUM (PCT)	73	71	68	71	71	72	73	74	72	70	70	72	72	13	104750
MEAN PRESS ALT (FT)	-109	-76	-17	19	49	59	11	23	35	-13	-80	-104	-16	0	-50
MEAN PRECIP (IN)	4.46	4.64	4.92	5.53	5.18	3.90	4.50	4.23	2.98	2.97	4.11	4.87	52.3	13	4583
MEAN SNOW FALL (IN)	0.2	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	13	4583
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.4	5.9	5.4	6.0	6.0	5.5	7.2	6.0	5.1	3.4	5.8	6.9	69.6	13	4583
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	13	4583
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.2	2.2	2.3	2.7	3.3	1.7	2.1	2.3	2.3	4.7	2.6	3.2	33.6	13	4367
MEAN NO DYS TSTMS	2.1	2.8	4.5	5.7	6.2	7.7	11.7	9.1	4.4	2.3	2.5	2.1	61.6	13	4583
P FREQ WND SPD = DR GTR 17 KTS	1.8	2.4	3.1	2.3	1.4	0.4	0.3	0.2	0.3	0.4	1.4	1.7	1.3	13	104826
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	104826
P FREQ LES 3000 FT A/D LES 5 MI	39.7	38.5	35.5	34.2	27.5	18.3	14.8	13.4	19.9	20.1	31.9	35.4	27.5	13	104780
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	23.7	22.0	19.6	15.4	9.9	4.8	3.5	5.3	8.0	7.6	15.1	22.7	13.1	13	13099
03-05 LST	26.8	26.9	24.1	25.1	20.0	12.9	8.6	9.9	13.8	16.4	19.8	24.2	19.0	13	13102
06-08 LST	30.7	32.9	29.3	34.6	29.7	17.2	14.5	15.1	24.4	28.9	26.5	30.3	26.2	13	13102
09-11 LST	31.2	28.3	18.6	17.7	9.4	7.9	5.1	7.8	14.3	13.4	21.2	26.3	16.8	13	13101
12-14 LST	20.2	16.6	12.1	6.7	2.9	3.1	1.9	1.5	5.6	5.1	13.0	20.3	9.1	13	13097
15-17 LST	17.7	13.1	8.2	5.3	2.6	2.6	1.8	1.3	4.3	4.2	9.8	16.3	7.3	13	13098
18-20 LST	15.9	12.8	8.7	4.6	2.8	3.0	1.5	0.6	4.4	3.2	10.4	16.5	7.0	13	13101
21-23 LST	18.7	15.4	10.6	7.3	4.3	2.9	1.0	1.6	5.6	4.4	11.4	17.8	8.4	13	13098
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.2	2.8	2.1	1.4	1.3	0.6	0.9	1.3	1.3	1.7	2.1	5.3	2.2	13	13099
03-05 LST	7.0	4.8	4.3	6.2	4.6	3.1	3.4	4.7	3.7	6.0	6.0	7.1	5.1	13	13102
06-08 LST	8.6	7.7	5.8	7.3	6.1	2.6	3.9	4.6	5.9	11.7	7.7	8.5	6.7	13	13102
09-11 LST	5.1	3.1	0.8	0.3	0.2	0.3	0.2	0.1	0.1	1.1	2.5	5.3	1.6	13	13101
12-14 LST	2.2	0.5	0.4	0.1	0.4	0.6	0.3	0.0	0.4	0.4	0.5	1.2	0.6	13	13097
15-17 LST	1.2	0.3	0.1	0.3	0.4	0.6	0.1	0.1	0.0	0.1	0.8	1.0	0.4	13	13098
18-20 LST	1.4	0.5	0.5	0.2	0.0	0.2	0.0	0.0	0.0	0.1	1.1	1.1	0.4	13	13101
21-23 LST	2.5	1.0	0.9	0.5	0.0	0.0	0.0	0.2	0.3	1.3	0.6	1.6	0.7	13	13098

ALEXANDRIA/ENGLAND AFB, LOUISIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	10 LST	27.6	24.8	29.6	28.6	30.4	29.5	30.5	30.7	29.2	30.3	27.2	27.0	345.4	19	4368
	00 LST	26.0	24.1	28.0	28.2	29.0	29.1	30.2	29.9	28.8	29.4	27.0	25.4	335.1	19	4368
	06 LST	23.7	21.1	23.9	22.4	22.8	25.2	25.6	25.3	22.7	22.7	24.0	23.7	283.1	19	4368
	12 LST	26.1	24.6	28.7	28.9	30.5	29.3	30.5	30.8	29.1	29.9	27.1	25.6	341.1	19	4368
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	21.6	19.5	19.5	22.0	25.4	25.3	27.7	28.8	27.1	28.6	23.2	22.1	290.8	19	4368
	00 LST	20.6	18.9	21.8	23.0	25.7	27.6	29.1	29.5	27.4	28.0	23.1	21.5	296.2	19	4368
	06 LST	18.2	15.4	19.0	16.1	19.7	24.2	25.1	24.9	20.7	20.8	19.8	19.8	243.7	19	4368
	12 LST	15.2	13.9	16.7	16.0	21.6	24.6	27.0	26.7	22.7	23.1	16.0	16.0	239.7	19	4368
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.4	0.8	1.0	0.5	0.4	0.2	0.2	0.0	0.1	0.0	0.1	0.3	4.0	19	4285
	00 LST	0.2	0.5	0.3	0.4	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.2	2.0	19	4292
	06 LST	0.3	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	1.2	19	4289
	12 LST	1.1	1.3	2.1	1.6	0.7	0.2	0.2	0.2	0.2	0.4	0.8	0.8	9.6	19	4313
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	17.1	15.4	19.2	21.0	20.2	13.6	10.8	11.3	14.3	12.2	15.2	16.3	186.6	19	4285
	00 LST	12.2	12.7	13.9	13.4	12.4	9.3	8.3	6.8	6.5	6.4	11.2	12.3	125.4	19	4292
	06 LST	11.3	11.2	13.9	12.5	9.8	7.1	5.2	5.5	6.2	7.1	12.7	11.7	114.2	19	4289
	12 LST	17.3	16.2	19.1	18.8	18.6	10.1	8.5	8.4	12.9	19.6	18.8	17.4	185.7	19	4313
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.1	8.1	8.3	8.7	10.1	9.1	5.6	8.2	11.0	14.9	11.8	11.0	115.9	19	4368
	00 LST	11.8	11.0	12.3	14.2	17.4	18.6	19.3	20.2	18.9	20.6	14.1	13.6	192.0	19	4368
	06 LST	10.2	7.9	8.7	6.6	6.1	10.2	9.1	9.7	11.2	12.9	11.0	12.2	115.8	19	4368
	12 LST	7.2	7.7	8.6	5.5	5.5	3.8	2.2	5.5	7.7	11.6	10.1	9.2	84.6	19	4368
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.1	22.5	26.5	27.9	29.7	29.1	30.0	30.6	27.9	29.5	25.1	24.5	327.4	19	4368
	00 LST	22.4	20.8	23.0	24.1	26.7	28.5	29.7	29.6	27.6	28.6	24.2	22.7	307.9	19	4368
	06 LST	19.9	16.8	19.4	16.7	20.0	24.2	25.1	25.0	21.0	20.8	20.6	20.7	250.2	19	4368
	12 LST	21.2	19.4	23.6	24.3	27.2	27.9	28.9	28.8	25.8	27.5	22.9	22.2	299.7	19	4368
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.2	18.8	22.9	23.6	27.4	26.6	28.2	28.6	26.3	27.7	22.4	21.0	293.7	19	4368
	00 LST	18.4	17.8	19.7	21.9	25.0	27.4	29.4	29.3	26.8	27.2	21.6	19.8	284.3	19	4368
	06 LST	16.6	13.7	16.5	14.3	18.3	22.9	24.4	24.5	20.6	20.1	17.8	17.5	227.2	19	4368
	12 LST	17.7	16.0	18.9	18.1	19.6	20.8	22.2	24.5	21.3	24.6	19.8	19.2	243.3	19	4368
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.9	17.2	20.6	22.3	26.1	24.4	26.2	26.6	23.8	26.6	20.5	19.5	271.7	19	4368
	00 LST	17.0	16.4	18.4	20.2	24.3	27.0	29.1	28.6	26.0	26.0	19.9	18.7	271.6	19	4368
	06 LST	15.4	12.5	15.5	13.0	17.6	21.7	23.5	23.3	19.6	19.2	16.3	15.7	213.5	19	4368
	12 LST	15.7	14.6	17.3	16.8	19.2	20.3	21.6	23.4	21.4	24.0	18.8	17.5	230.6	19	4368

ABBEVILLE MUNICIPAL, LOUISIANA

STA NO. 73464 (IN AREA NUMBER 13)

LATITUDE 2958N

LONGITUDE 09205W

ELEVATION(FT) 00016

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	84	85	90	94	98	100	101	102	99	95	92	90	102	52	-73277
MEAN MAX TMP (F)	64	65	72	78	84	89	90	90	87	80	71	64	78	48	-73277
MEAN MIN TMP (F)	45	47	52	59	65	72	73	73	69	59	50	45	59	49	-73277
ABS MIN TMP (F)	12	6	25	34	42	53	62	55	46	29	23	15	6	51	-73277
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0		7.2	14.5	16.8	16.8	11.3			0.0		48	-29
MEAN NO DYS TMP = DR LES 32(F)	8.3	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	18.5	4	-73277
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-73277
MEAN DEW PT TMP (F)	42	46	53	60	66	72	75	74	70	59	51	43	59	4	-73277
MEAN REL HUM (PCT)	79	77	76	79	77	80	83	81	80	76	79	79	79	4	-73277
MEAN PRESS ALT (FT)	-187	-155	-90	-53	-25	-14	-59	-46	-50	-100	-159	-184	-93	0	-50
MEAN PRECIP (IN)	4.39	4.41	3.90	4.57	4.26	6.37	7.40	6.03	4.22	3.16	3.42	5.06	57.2	57	-73277
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-73277
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.9	7.9	6.8	7.1	6.9	9.0	10.0	8.7	6.6	5.2	5.5	8.7	90.3	57	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-73277
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.0	6.4	5.0	4.2	2.4	0.5	1.1	0.5	1.5	4.6	3.0	6.0	40.2	4	-73277
MEAN NO DYS TSTMS	2.8	2.7	3.5	3.2	7.0	15.0	15.3	16.7	9.5	2.6	2.3	3.0	83.6	4	-73277
P FREQ WND SPD = DR GTR 17 KTS	1.1	1.6	2.2	1.5	0.0	0.1	0.1	0.0	0.3	1.3	0.6	0.4	0.8	4	-73277
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.1	4	-73277
P FREQ LES 5000 FT A/D LES 5 MI	41.6	44.4	38.0	42.3	25.9	21.2	18.3	14.4	22.5	23.6	32.1	38.4	30.2	4	-73277
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	26.7	32.7	28.2	28.8	3.9	1.1	3.6	1.3	6.0	10.8	17.0	31.4	16.0	4	-73277
03-05 LST	29.7	36.6	33.9	37.0	20.6	9.4	6.6	3.6	11.3	19.4	25.5	32.6	22.2	4	-73277
06-08 LST	33.7	38.9	34.4	36.7	18.3	12.2	5.4	7.8	25.6	30.9	26.7	34.8	25.5	4	-73277
09-11 LST	29.6	28.6	27.2	21.2	5.9	10.0	5.6	2.4	10.6	10.2	20.0	25.9	16.4	4	-73277
12-14 LST	26.1	14.7	19.9	10.3	3.0	6.1	4.0	2.7	7.2	4.6	15.9	22.2	11.4	4	-73277
15-17 LST	22.6	15.0	13.2	8.6	1.1	2.8	3.2	0.8	4.4	5.2	16.3	11.9	9.6	4	-73277
18-20 LST	21.9	18.3	19.4	13.1	3.5	3.1	3.8	0.8	5.3	4.6	15.9	21.1	10.9	4	-73277
21-23 LST	21.8	24.5	27.2	17.9	3.6	0.6	2.5	0.5	3.9	3.1	12.6	28.1	12.2	4	-73277
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	10.2	13.0	5.1	5.0	1.1	0.0	0.8	0.7	1.0	4.7	3.3	10.1	4.6	4	-73277
03-05 LST	14.2	16.8	10.5	13.6	7.2	2.8	2.9	2.0	2.7	6.5	5.9	12.5	8.1	4	-73277
06-08 LST	16.7	15.9	13.4	10.6	4.8	2.2	1.6	1.9	6.1	10.5	6.3	15.1	8.8	4	-73277
09-11 LST	7.0	1.5	0.8	0.3	0.5	0.0	0.5	0.0	0.3	0.3	3.3	4.3	1.6	4	-73277
12-14 LST	0.8	0.6	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.6	0.7	0.4	0.3	4	-73277
15-17 LST	1.6	0.6	0.0	0.0	0.0	0.0	0.3	0.3	0.3	1.2	1.1	1.1	0.5	4	-73277
18-20 LST	4.1	1.8	0.5	0.0	0.3	0.0	0.3	0.3	0.0	0.9	0.4	2.2	0.9	4	-73277
21-23 LST	9.1	7.7	2.2	0.0	0.6	0.0	0.6	0.0	0.6	1.5	1.1	6.8	2.5	4	-73277

ABBEVILLE MUNICIPAL, LOUISIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	25.5	24.0	27.5	28.0	30.7	29.5	30.0	31.0	29.0	29.0	26.6	25.3	336.1	4	-73277
	00 LST	23.9	20.6	24.2	25.7	30.4	30.0	30.1	30.7	29.0	29.0	26.3	21.6	321.5	4	-73277
	06 LST	21.2	13.1	20.7	20.5	22.0	23.7	28.5	27.0	21.0	20.4	22.3	21.3	266.7	4	-73277
	12 LST	23.7	25.8	27.7	29.0	30.7	29.7	30.2	30.5	28.7	29.8	27.7	26.3	339.8	4	-73277
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	22.0	19.1	19.7	20.0	26.0	27.0	28.5	30.2	27.8	27.8	22.7	22.0	292.8	4	-73277
	00 LST	20.2	16.8	18.7	21.8	29.1	29.4	29.8	30.7	28.0	27.9	24.0	19.3	295.7	4	-73277
	06 LST	17.5	13.4	16.7	16.2	20.2	23.0	28.0	26.2	19.7	18.6	20.0	17.6	237.1	4	-73277
	12 LST	14.0	13.1	14.5	12.5	21.3	23.3	26.5	28.7	23.5	25.0	17.0	17.0	236.6	4	-73277
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.2	0.5	0.2	0.5	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	1.6	4	-73277
	00 LST	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	4	-73277
	06 LST	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	4	-73277
	12 LST	0.5	1.5	1.2	1.0	0.0	0.2	0.0	0.0	0.2	0.3	0.7	0.0	5.6	4	-73277
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	18.8	21.3	19.3	21.0	22.7	18.5	15.5	13.9	11.8	11.9	13.3	18.0	206.0	4	-73277
	00 LST	14.7	13.3	13.3	15.0	7.2	4.0	2.4	2.8	6.8	7.2	13.5	13.8	114.2	4	-73277
	06 LST	13.3	14.0	15.1	13.6	7.0	4.1	2.8	5.0	7.8	8.3	15.5	13.1	119.8	4	-73277
	12 LST	19.4	16.6	18.1	17.5	20.2	15.2	12.5	11.2	18.6	20.8	22.2	20.4	212.7	4	-73277
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	7.5	6.2	10.0	7.5	9.2	5.3	2.2	4.5	4.7	12.6	10.0	8.6	88.3	4	-73277
	00 LST	9.5	8.4	11.2	11.3	17.1	16.4	14.0	17.5	18.0	23.3	14.6	13.3	174.6	4	-73277
	06 LST	9.0	6.7	7.5	4.2	4.5	5.7	4.5	4.7	7.0	10.3	8.6	9.6	82.3	4	-73277
	12 LST	6.2	6.4	7.5	4.2	5.5	1.5	0.5	2.0	6.5	12.0	9.7	8.3	70.3	4	-73277
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.5	21.1	25.0	23.7	27.7	28.0	28.5	29.0	27.8	28.7	24.0	21.6	309.6	4	-73277
	00 LST	21.1	17.6	20.5	22.5	28.9	29.4	29.5	30.5	28.2	28.1	24.3	20.3	300.9	4	-73277
	06 LST	18.5	14.8	18.5	16.2	20.0	22.2	28.0	25.5	19.7	19.5	20.6	19.3	242.8	4	-73277
	12 LST	20.0	20.3	20.0	19.7	26.2	22.7	25.0	26.2	24.0	27.0	22.3	22.3	275.7	4	-73277
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.0	17.1	22.7	21.8	26.0	26.5	26.5	28.5	26.7	27.2	21.0	21.3	284.3	4	-73277
	00 LST	17.6	15.3	19.2	19.7	27.8	29.1	28.6	30.2	27.2	27.9	22.0	18.7	283.3	4	-73277
	06 LST	14.7	13.6	16.0	15.2	18.5	20.7	27.5	24.5	19.2	19.2	17.3	16.6	223.0	4	-73277
	12 LST	17.5	16.6	17.5	15.0	20.2	13.5	19.7	20.2	19.5	23.3	19.3	19.0	221.3	4	-73277
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	15.0	15.8	21.2	20.3	25.0	24.2	24.5	25.7	25.2	27.0	19.0	18.7	261.6	4	-73277
	00 LST	16.1	14.4	17.5	19.0	26.7	28.3	26.0	28.7	27.0	27.6	20.0	18.0	271.3	4	-73277
	06 LST	14.0	11.9	14.5	13.2	17.7	18.8	24.5	22.2	18.5	18.9	15.7	15.3	205.2	4	-73277
	12 LST	15.2	14.8	16.0	13.5	19.2	12.5	18.7	19.0	19.2	22.4	16.0	17.3	203.8	4	-73277

HAMMOND MUNICIPAL, LOUISIANA

STA NO. 73598 (IN AREA NUMBER 13)

LATITUDE 3031N

LONGITUDE 09024W

ELEVATION(FT) 00040

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO, UBS
ABS MAX TMP (F)	88	88	93	93	104	105	106	105	104	99	91	86	106	62	-113
MEAN MAX TMP (F)	65	67	73	79	86	91	92	92	89	82	72	65	79	60	-113
MEAN MIN TMP (F)	42	44	49	55	61	68	71	71	66	56	47	42	56	60	-113
ABS MIN TMP (F)	11	1	22	31	39	49	55	55	43	27	19	10	1	63	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	1.0	10.0	23.0	26.0	26.0	16.0	4.0	0.0	0.0	106.0	10	-113
MEAN NO DYS TMP = OR LES 32(F)	7.0	5.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	4.0	8.0	27.0	9	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	63	-29
MEAN DEW PT TMP (F)	47	49	51	58	65	71	73	73	70	59	50	47	59	12	-72231
MEAN REL HUM (PCT)	77	76	72	73	74	75	79	79	78	73	73	76	75	12	-72231
MEAN PRESS ALT (FT)	-167	-134	-76	-41	-14	-0	-44	-28	-32	-80	-135	-163	-75	0	-50
MEAN PRECIP (IN)	4.87	5.06	5.49	4.88	4.51	4.89	6.96	5.60	4.45	2.98	4.01	4.94	58.6	63	-113
MEAN SNOW FALL (IN)	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	57	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.5	8.7	7.3	7.2	7.0	7.7	9.6	8.3	6.9	5.0	6.3	8.5	91.0	63	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	57	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.7	3.7	3.8	2.6	1.7	0.2	0.2	0.1	0.2	2.1	4.0	4.7	29.0	12	-72231
MEAN NO DYS TSTMS	2.0	2.0	4.0	3.0	6.0	11.0	16.0	13.0	8.0	2.0	2.0	2.0	75.0	52	-72231
P FREQ WND SPD = OR GTR 17 KTS	7.8	8.6	8.8	6.4	3.1	0.8	0.8	0.8	3.4	4.2	7.6	6.3	4.9	12	-72231
P FREQ WND SPD = OR GTR 28 KTS	0.2	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.1	12	-72231
P FREQ LES 5000 FT A/D LES 3 MI	36.1	36.4	31.4	24.5	15.1	7.1	5.4	6.0	13.6	16.3	28.0	33.3	21.1	12	-72231
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	26.9	24.9	24.3	17.7	8.2	1.6	0.5	0.7	4.6	6.7	17.0	20.4	12.8	12	-72231
03-05 LST	30.4	31.2	29.1	23.6	15.0	2.7	2.1	2.1	6.6	13.2	22.7	23.6	16.9	12	-72231
06-08 LST	32.1	34.0	27.1	22.3	10.4	4.4	2.2	3.9	10.4	16.6	24.5	27.2	17.9	12	-72231
09-11 LST	22.7	23.5	14.6	6.1	4.1	2.4	2.3	3.0	7.7	8.7	15.2	18.1	10.7	12	-72231
12-14 LST	12.6	14.9	7.3	3.3	2.3	1.4	1.2	2.1	4.6	3.7	9.0	12.2	6.3	12	-72231
15-17 LST	10.5	12.6	7.7	4.2	2.6	1.7	1.3	1.5	4.2	2.8	9.1	12.3	5.9	12	-72231
18-20 LST	14.2	14.7	10.0	6.1	2.1	1.0	1.4	1.1	3.5	3.7	8.4	14.6	6.7	12	-72231
21-23 LST	20.3	18.5	18.5	11.1	4.3	1.3	0.4	0.4	3.5	4.4	12.7	18.8	9.5	12	-72231
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	11.2	6.1	5.8	2.3	0.8	0.0	0.1	0.0	0.2	1.3	3.3	8.6	3.5	12	-72231
03-05 LST	13.2	10.3	8.3	6.6	3.9	0.4	0.9	0.1	0.3	4.2	9.2	10.2	5.7	12	-72231
06-08 LST	14.0	10.3	8.3	4.3	1.2	0.5	0.3	0.2	0.8	4.3	8.2	10.2	5.2	12	-72231
09-11 LST	4.7	2.9	1.4	0.1	0.1	0.3	0.4	0.3	0.0	0.4	1.6	2.7	1.2	12	-72231
12-14 LST	1.0	0.9	0.8	0.1	0.0	0.2	0.3	0.1	0.3	0.1	0.3	0.7	0.4	12	-72231
15-17 LST	0.8	0.3	0.4	0.2	0.2	0.3	0.3	0.1	0.1	0.1	0.4	0.8	0.4	12	-72231
18-20 LST	1.3	1.4	0.5	0.0	0.1	0.1	0.1	0.0	0.0	0.2	0.2	0.9	0.4	12	-72231
21-23 LST	4.7	2.2	2.4	0.1	0.0	0.0	0.0	0.0	0.0	0.6	2.4	3.0	1.3	12	-72231

HAMMOND MUNICIPAL, LOUISIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.4	25.4	29.6	29.3	30.6	29.7	30.4	30.7	29.5	30.4	28.4	27.8	330.2	12	-72231
	00 LST	24.3	23.4	26.2	26.8	30.2	29.9	30.9	31.0	29.2	29.6	26.4	26.1	334.0	12	-72231
	06 LST	23.2	20.1	23.9	24.0	27.7	29.0	30.5	30.0	28.1	26.2	24.0	24.0	310.7	12	-72231
	12 LST	28.2	24.8	29.6	29.4	30.6	29.7	30.7	30.5	29.3	30.2	27.9	27.5	348.4	12	-72231
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	18.4	13.7	17.6	18.2	20.7	21.9	27.1	27.6	24.3	25.7	20.3	19.4	234.9	12	-72231
	00 LST	13.8	14.0	17.6	20.2	24.7	28.2	30.0	29.7	23.8	23.3	17.7	17.2	260.2	12	-72231
	06 LST	15.0	13.1	14.2	16.2	22.3	27.1	29.1	28.7	22.4	20.4	15.7	14.8	239.0	12	-72231
	12 LST	8.2	6.4	7.7	8.8	11.9	16.7	19.5	18.2	12.8	12.9	10.4	11.3	144.8	12	-72231
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.4	1.2	1.7	1.1	0.2	0.2	0.2	0.1	0.7	0.9	1.2	1.5	10.4	12	-72231
	00 LST	1.9	1.3	1.9	1.0	0.4	0.1	0.0	0.1	0.8	1.1	1.7	1.6	11.9	12	-72231
	06 LST	1.7	1.8	1.9	0.9	0.4	0.1	0.0	0.1	0.7	0.9	1.9	1.1	11.5	12	-72231
	12 LST	4.3	4.7	4.1	3.3	2.0	0.6	0.5	0.5	1.3	1.8	3.8	3.5	30.4	12	-72231
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	20.2	16.6	18.5	19.0	20.9	22.4	21.6	22.4	19.2	16.3	17.4	18.2	232.7	12	-72231
	00 LST	17.7	16.8	17.4	18.0	19.6	20.0	17.5	17.9	13.5	13.7	14.5	17.7	204.3	12	-72231
	06 LST	17.2	15.6	17.2	16.5	16.5	16.2	13.0	11.2	13.4	13.9	14.9	16.1	181.7	12	-72231
	12 LST	13.7	11.8	12.4	13.7	16.5	16.0	17.0	15.3	14.8	17.0	15.2	15.6	179.0	12	-72231
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.2	8.6	10.2	10.7	12.1	9.5	3.5	6.7	10.1	17.1	13.8	10.9	122.4	12	-72231
	00 LST	11.1	10.8	12.0	14.0	17.1	19.0	17.0	18.2	17.1	20.4	15.5	12.0	184.2	12	-72231
	06 LST	9.3	7.8	8.2	8.8	10.7	12.8	10.7	12.3	14.0	14.6	12.0	10.7	131.9	12	-72231
	12 LST	7.7	6.9	9.1	8.9	7.8	7.1	5.1	8.2	9.0	14.9	11.1	10.5	106.3	12	-72231
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	25.9	22.4	26.2	27.6	29.4	29.5	29.9	29.8	28.1	29.3	26.1	25.3	329.5	12	-72231
	00 LST	21.0	20.4	23.1	24.4	27.6	29.4	30.8	30.2	27.2	28.7	24.8	23.6	311.2	12	-72231
	06 LST	19.6	17.2	20.5	21.2	25.4	28.0	30.2	29.6	26.1	25.0	21.8	21.2	285.8	12	-72231
	12 LST	23.7	21.9	23.9	27.7	29.5	28.7	30.0	29.3	27.1	28.1	26.0	24.7	322.6	12	-72231
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	22.8	19.7	24.6	25.7	28.5	29.0	29.3	29.4	27.1	27.5	24.1	22.5	310.2	12	-72231
	00 LST	18.5	18.3	20.7	22.1	26.2	28.8	30.7	30.2	26.2	27.4	22.5	19.8	291.4	12	-72231
	06 LST	17.4	14.8	18.6	19.4	24.2	27.9	30.0	29.2	25.4	24.1	19.4	18.4	268.8	12	-72231
	12 LST	20.6	18.8	22.8	23.9	27.2	27.2	28.5	27.8	25.5	27.0	23.3	21.9	294.5	12	-72231
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	21.2	18.1	23.3	24.9	27.5	28.5	28.1	29.0	26.4	26.2	22.2	20.2	295.6	12	-72231
	00 LST	17.3	17.1	19.3	21.4	25.8	28.4	30.4	30.0	25.4	26.7	21.2	17.6	280.6	12	-72231
	06 LST	15.7	13.2	16.3	18.8	23.6	27.2	29.5	28.3	24.7	23.3	17.9	16.4	254.9	12	-72231
	12 LST	19.1	17.6	21.2	23.3	26.6	26.6	27.9	27.3	24.9	26.5	21.8	20.3	283.1	12	-72231

MORGAN CITY/WILLIAMS MEMORIAL, LOUISIANA

STA NO. 73599 (IN AREA NUMBER 13)													LATITUDE 2942N	LONGITUDE 09120W	ELEVATION(FT) 00009		
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS		
ABS MAX TMP (F)	84	85	90	94	98	100	101	102	99	95	92	90	102	52	-73277		
MEAN MAX TMP (F)	64	65	72	78	84	89	90	90	87	80	71	64	78	48	-73277		
MEAN MIN TMP (F)	45	47	52	59	65	72	73	73	69	59	50	45	59	49	-73277		
ABS MIN TMP (F)	12	6	25	34	42	53	62	55	46	29	23	15	6	51	-73277		
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0		7.2	16.5	16.8	16.8	11.3			0.0		48	-29		
MEAN NO DYS TMP = DR LES 32(F)	8.3	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	18.5	4	-73277		
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-73277		
MEAN DEW PT TMP (F)	42	46	53	60	66	72	75	74	70	59	51	43	59	4	-73277		
MEAN REL HUM (PCT)	79	77	76	79	77	80	83	81	80	76	79	79	79	4	-73277		
MEAN PRESS ALT (FT)	-198	-184	-100	-64	-37	-25	-68	-55	-64	-112	-168	-194	-103	0	-50		
MEAN PRECIP (IN)	4.39	4.41	3.90	4.57	4.26	6.37	7.40	6.03	4.22	3.16	3.42	5.06	57.2	57	-73277		
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-73277		
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.9	7.9	6.8	7.1	6.9	9.0	10.0	8.7	6.6	5.2	5.5	8.7	90.3	57	-29		
MEAN NO DYS SNPL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-73277		
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	5.0	6.4	5.0	4.2	2.4	0.5	1.1	0.3	1.5	4.6	3.0	6.0	40.2	4	-73277		
MEAN NO DYS TSTMS	2.3	2.7	3.5	3.2	7.0	15.0	15.3	16.7	9.5	2.6	2.3	3.0	83.6	4	-73277		
P FREQ WND SPD = DR GTR 17 KTS	1.1	1.6	2.2	1.5	0.0	0.1	0.1	0.0	0.3	1.3	0.6	0.4	0.8	4	-73277		
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.1	4	-73277		
P FREQ LES 3000 FT A/O LES 5 MI	41.6	44.4	38.0	42.3	25.9	21.2	18.3	14.4	22.5	23.6	32.1	38.4	30.2	4	-73277		
P FREQ LES 1500 FT A/O LFS 3 MI																	
FDR 00-02 LST	26.7	32.7	28.2	28.8	3.9	1.1	3.6	1.3	6.0	10.8	17.0	31.4	16.0	4	-73277		
03-05 LST	29.7	36.6	33.9	37.0	20.6	9.4	6.6	3.6	11.3	19.4	25.6	32.6	22.2	4	-73277		
06-08 LST	33.7	38.9	34.4	36.7	18.3	12.2	5.4	7.8	25.6	30.9	26.7	34.8	25.5	4	-73277		
09-11 LST	29.6	28.6	27.2	21.2	5.9	10.0	5.4	2.4	10.6	10.2	20.0	25.8	16.4	4	-73277		
12-14 LST	26.1	14.7	19.9	10.3	3.0	6.1	4.0	2.7	7.2	4.6	15.9	22.2	11.4	4	-73277		
15-17 LST	22.6	15.0	13.2	8.6	1.1	2.8	3.2	0.8	4.4	5.2	16.3	21.9	9.6	4	-73277		
18-20 LST	21.9	18.3	19.4	13.1	3.5	3.1	3.8	0.8	5.3	4.6	15.9	21.1	10.9	4	-73277		
21-23 LST	21.8	24.5	27.2	17.9	3.6	0.6	2.5	0.5	3.9	3.1	12.6	28.1	12.2	4	-73277		
P FREQ LES 300 FT A/O LES 1 MI																	
FDR 00-02 LST	10.2	13.0	5.1	5.0	1.1	0.0	0.8	0.7	1.0	4.7	3.3	10.1	4.6	4	-73277		
03-05 LST	14.2	16.8	10.5	13.6	7.2	2.8	2.9	2.0	2.7	6.5	5.9	12.5	8.1	4	-73277		
06-08 LST	16.7	15.9	13.4	10.6	4.8	2.2	1.6	1.9	6.1	10.5	6.3	15.1	8.8	4	-73277		
09-11 LST	7.0	1.5	0.8	0.3	0.5	0.0	0.5	0.0	0.3	0.3	3.3	4.3	1.6	4	-73277		
12-14 LST	0.8	0.6	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.6	0.7	0.4	0.3	4	-73277		
15-17 LST	1.6	0.6	0.0	0.0	0.0	0.0	0.3	0.3	0.3	1.2	1.1	1.1	0.5	4	-73277		
18-20 LST	4.1	1.8	0.5	0.0	0.3	0.0	0.3	0.3	0.0	0.9	0.4	2.2	0.9	4	-73277		
21-23 LST	9.1	7.7	2.2	0.0	0.6	0.0	0.6	0.0	0.6	1.5	1.1	6.8	2.5	4	-73277		

MORGAN CITY/WILLIAMS MEMORIAL, LOUISIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	25.5	24.0	27.5	28.0	30.7	29.5	30.0	31.0	29.0	29.0	26.6	25.3	336.1	4	-73277
	00 LST	23.9	20.6	24.2	25.7	30.4	30.0	30.1	30.7	29.0	29.0	26.3	21.6	321.5	4	-73277
	06 LST	21.2	18.1	20.7	20.5	22.0	23.7	28.5	27.0	21.0	20.4	22.3	21.3	266.7	4	-73277
	12 LST	23.7	25.8	27.7	29.0	30.7	29.7	30.2	30.5	28.7	29.8	27.7	26.3	339.8	4	-73277
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	22.0	19.1	19.7	20.0	26.0	27.0	28.5	30.2	27.8	27.8	22.7	22.0	292.8	4	-73277
	00 LST	20.2	16.8	18.7	21.8	29.1	29.4	29.8	30.7	28.0	27.9	24.0	19.3	295.7	4	-73277
	06 LST	17.5	13.4	16.7	16.2	20.2	23.0	28.0	26.2	19.7	18.6	20.0	17.6	237.1	4	-73277
	12 LST	14.0	13.1	14.5	12.5	21.5	23.3	26.5	28.7	23.5	25.0	17.0	17.0	236.6	4	-73277
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.2	0.5	0.2	0.5	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	1.6	4	-73277
	00 LST	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	4	-73277
	06 LST	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	4	-73277
	12 LST	0.5	1.5	1.2	1.0	0.0	0.2	0.0	0.0	0.2	0.3	0.7	0.0	5.6	4	-73277
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	18.8	21.3	19.3	21.0	22.7	18.5	15.5	13.9	11.8	11.9	13.3	18.0	206.0	4	-73277
	00 LST	14.7	13.5	13.3	15.0	7.2	4.0	2.4	2.8	6.8	7.2	13.5	13.8	114.2	4	-73277
	06 LST	13.3	14.0	15.1	13.6	7.0	4.1	2.8	5.0	7.8	8.5	15.5	13.1	119.8	4	-73277
	12 LST	19.4	16.6	18.1	17.5	20.2	15.2	12.5	11.2	18.6	20.8	22.2	20.4	212.7	4	-73277
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	7.5	6.2	10.0	7.5	9.2	5.3	2.2	4.5	4.7	12.6	10.0	8.6	88.3	4	-73277
	00 LST	9.5	8.4	11.2	11.3	17.1	16.4	14.0	17.5	18.0	23.3	14.6	13.3	174.6	4	-73277
	06 LST	9.0	6.7	7.5	4.2	4.5	5.7	4.5	4.7	7.0	10.3	8.6	9.6	82.3	4	-73277
	12 LST	6.2	6.4	7.5	4.2	5.5	1.5	0.5	2.0	6.5	12.0	9.7	8.3	70.3	4	-73277
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.5	21.1	25.0	23.7	27.7	28.0	28.5	30.0	27.8	28.7	24.0	21.6	309.6	4	-73277
	00 LST	21.1	17.6	20.5	22.5	28.9	29.4	29.5	30.5	28.2	28.1	24.3	20.3	300.9	4	-73277
	06 LST	18.5	14.8	18.5	16.2	20.0	22.2	28.0	25.3	19.7	19.8	20.6	19.3	242.8	4	-73277
	12 LST	20.0	20.3	20.0	19.7	26.2	22.7	25.0	26.2	24.0	27.0	22.3	22.3	275.7	4	-73277
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.0	17.1	22.7	21.8	26.0	26.5	26.5	28.5	26.7	27.2	21.0	21.3	284.3	4	-73277
	00 LST	17.6	15.3	19.2	19.7	27.8	29.1	28.6	30.2	27.2	27.9	22.0	18.7	283.3	4	-73277
	06 LST	14.7	13.6	16.0	15.2	18.5	20.7	27.5	24.5	19.2	19.2	17.3	16.6	223.0	4	-73277
	12 LST	17.5	16.6	17.5	15.0	20.2	13.5	19.7	20.2	19.5	23.3	19.3	19.0	221.3	4	-73277
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	15.0	15.8	21.2	20.3	25.0	24.2	24.5	25.7	25.2	27.0	19.0	18.7	261.6	4	-73277
	00 LST	16.1	14.4	17.5	19.0	26.7	28.3	28.0	28.7	27.0	27.6	20.0	18.0	271.3	4	-73277
	06 LST	14.0	11.9	14.5	13.2	17.7	18.8	24.5	22.2	18.5	18.9	15.7	15.3	205.2	4	-73277
	12 LST	15.2	14.8	16.0	13.5	19.2	12.5	18.7	19.0	19.2	22.4	16.0	17.3	203.8	4	-73277

HOUMA MUNICIPAL, LOUISIANA

STA NO. 73044 (IN AREA NUMBER 13)	LATITUDE 2935N LONGITUDE 09040W ELEVATION(FT) 00011												PDR	NO.	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	DBS
ABS MAX TMP (F)	88	87	90	92	99	104	102	101	100	96	91	89	104	70	-613
MEAN MAX TMP (F)	67	68	74	80	86	91	91	91	88	81	73	67	80	69	-113
MEAN MIN TMP (F)	45	47	53	59	64	70	72	72	69	58	50	46	59	66	-113
ABS MIN TMP (F)	14	5	25	28	42	51	58	56	43	30	21	15	5	70	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.1	4.5	18.2	19.1	21.5	9.5	0.9	0.0	0.0	73.8	13	4322
MEAN NO DYS TMP = DR LES 32(F)	2.0	1.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.4	5.2	13	4322
MEAN NO DYS TMP = CR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	103657
MEAN DEW PT TMP (F)	49	50	53	59	66	71	73	73	69	60	50	48	60	13	103655
MEAN REL HUM (PCT)	78	75	74	74	74	75	79	78	77	73	73	77	76	0	-50
MEAN PRESS ALT (FT)	-198	-164	-102	-66	-39	-27	-68	-55	-66	-114	-167	-195	-104	0	-50
MEAN PRECIP (IN)	4.06	4.25	4.36	4.15	4.24	6.20	8.50	7.24	6.27	3.94	3.82	4.81	61.8	70	-113
MEAN SNOW FALL (IN)	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	63	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.5	7.8	7.0	6.9	6.9	8.9	11.0	9.8	9.2	6.2	6.1	8.4	95.7	70	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	4301
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.2	4.7	3.5	3.1	2.0	0.5	0.6	0.0	0.5	3.1	3.5	5.7	33.4	13	4321
MEAN NO DYS TSTMS	2.0	2.6	4.8	5.4	6.2	10.1	17.0	14.9	6.3	2.1	3.5	3.0	77.9	13	4322
P FREQ WND SPD = DR GTR 17 KTS	8.3	7.2	8.9	5.9	2.4	0.9	0.9	0.9	4.1	4.1	7.2	7.6	4.9	13	103662
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.1	0.2	0.7	0.1	0.0	0.1	0.0	0.6	0.1	0.2	0.4	0.2	13	103662
P FREQ LES 5000 FT A/D LES 5 MI	39.7	36.1	34.7	23.2	19.0	9.3	6.8	5.7	11.4	14.7	26.7	35.0	21.7	13	103639
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	32.4	26.4	27.0	18.1	7.6	1.5	0.6	1.2	3.6	6.6	15.7	24.2	13.7	13	12954
03-05 LST	35.7	31.9	31.4	23.4	14.2	3.1	2.8	3.2	6.8	13.4	21.6	28.3	18.2	13	12958
06-08 LST	36.6	33.3	29.1	21.2	10.9	3.9	2.2	3.6	9.9	16.5	24.4	29.7	18.4	13	12958
09-11 LST	26.1	22.3	13.4	7.3	3.8	3.0	2.4	2.2	7.2	6.4	15.0	20.2	10.8	13	12962
12-14 LST	15.8	12.8	8.2	4.1	1.8	1.9	1.3	1.5	4.7	2.1	9.4	13.4	6.4	13	12954
15-17 LST	13.2	11.2	7.0	4.3	1.7	1.0	1.5	1.0	4.1	1.9	10.2	14.5	6.0	13	12951
18-20 LST	17.6	14.8	10.8	5.6	1.4	1.3	1.4	0.8	3.0	2.2	10.4	17.5	7.2	13	12951
21-23 LST	24.6	20.5	21.1	10.0	3.4	0.8	0.3	0.7	2.8	3.6	13.3	21.9	10.3	13	12951
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	12.5	8.8	5.6	4.0	1.4	0.1	0.1	0.3	0.2	2.9	4.4	9.9	4.2	13	12954
03-05 LST	15.1	13.1	7.7	8.2	5.2	0.8	1.3	0.3	1.3	5.2	7.9	11.7	6.5	13	12958
06-08 LST	15.0	12.2	6.6	3.5	1.4	0.3	0.4	0.2	0.8	4.9	7.7	11.3	5.4	13	12958
09-11 LST	5.7	3.0	0.7	0.1	0.4	0.2	0.3	0.1	0.1	0.3	1.0	2.7	1.2	13	12962
12-14 LST	1.4	0.6	0.6	0.0	0.0	0.4	0.3	0.1	0.2	0.0	0.2	0.9	0.4	13	12954
15-17 LST	1.4	0.8	0.4	0.2	0.0	0.1	0.2	0.2	0.2	0.1	0.7	1.5	0.5	13	12951
18-20 LST	2.2	2.1	0.5	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.3	2.9	0.7	13	12951
21-23 LST	6.2	4.0	2.2	0.6	0.0	0.0	0.0	0.0	0.0	0.6	2.2	7.2	1.9	13	12951

HOUMA MUNICIPAL, LOUISIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.2	25.3	29.6	29.6	30.9	29.7	30.6	30.7	29.5	30.4	27.9	27.4	349.8	13	4321
	00 LST	23.4	22.6	25.2	26.8	30.2	30.0	30.8	30.9	29.3	29.7	26.7	25.1	330.7	13	4321
	06 LST	22.3	20.0	22.9	24.4	28.0	29.3	30.1	30.5	28.4	25.8	23.5	23.3	308.5	13	4321
	12 LST	27.6	24.9	29.2	29.6	30.7	29.6	30.6	30.7	29.3	30.8	27.8	27.6	348.4	13	4321
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	17.7	15.1	18.0	20.2	22.7	23.4	16.7	27.5	25.3	26.7	19.7	17.9	260.9	13	4321
	00 LST	13.1	14.1	16.0	20.4	26.5	27.8	29.7	29.5	23.5	23.6	17.6	16.4	258.2	13	4321
	06 LST	13.5	13.2	13.9	16.3	23.3	27.2	28.3	28.7	23.0	20.6	15.1	13.6	236.7	13	4321
	12 LST	8.5	7.4	8.3	9.2	13.7	16.7	17.8	17.4	12.9	13.5	9.9	10.2	145.5	13	4321
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.3	0.8	1.2	0.8	0.2	0.1	0.2	0.1	0.5	1.2	1.4	1.6	9.4	13	4219
	00 LST	2.0	1.6	2.2	1.0	0.2	0.1	0.1	0.2	0.7	1.4	1.7	1.9	13.1	13	4230
	06 LST	2.0	1.5	2.0	0.8	0.2	0.0	0.0	0.1	0.6	1.0	2.0	1.6	11.8	13	4240
	12 LST	4.9	3.7	4.5	3.2	1.7	0.7	0.5	0.4	1.6	1.4	3.3	3.8	29.7	13	4231
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	19.8	16.5	18.8	19.8	21.8	22.2	22.1	21.1	18.9	17.1	17.3	17.2	232.6	13	4219
	00 LST	17.5	16.0	16.2	16.0	18.2	18.6	17.0	17.1	12.8	12.9	14.6	18.7	195.6	13	4230
	06 LST	15.9	15.6	17.1	15.2	15.2	14.4	14.2	12.8	13.6	15.2	15.4	16.1	180.7	13	4240
	12 LST	13.6	13.5	13.1	14.2	17.4	14.6	16.0	12.6	13.9	17.8	15.4	15.3	177.4	13	4231
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.5	8.0	9.6	10.3	11.7	9.7	3.6	6.6	10.8	18.1	14.4	10.1	122.4	13	4168
	00 LST	10.9	10.1	11.9	13.0	17.5	20.1	17.5	18.7	18.1	21.8	16.1	12.2	187.9	13	4168
	06 LST	8.6	7.1	7.5	9.1	10.5	13.5	10.3	12.7	13.7	15.2	11.6	9.0	128.8	13	4168
	12 LST	1.5	4.6	8.2	8.2	7.3	6.9	5.4	8.9	9.9	13.7	11.0	9.6	103.2	13	4168
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.6	22.8	26.2	27.0	29.9	29.2	30.0	30.0	28.8	29.8	25.5	24.6	328.4	13	4321
	00 LST	19.7	20.0	22.3	24.1	28.3	29.6	30.7	30.3	28.3	28.7	24.6	22.3	308.9	13	4321
	06 LST	18.5	17.6	19.3	20.8	25.6	28.7	29.9	29.7	27.0	24.6	21.6	20.4	283.7	13	4321
	12 LST	23.0	22.3	25.4	26.3	29.1	28.3	29.5	29.5	27.7	29.0	26.0	24.7	320.8	13	4321
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.6	20.0	23.4	25.1	28.4	28.4	29.1	29.5	27.5	28.6	24.1	21.7	307.5	13	4321
	00 LST	17.5	16.3	19.8	22.0	27.1	29.1	30.6	30.2	27.1	28.1	22.9	20.2	292.9	13	4321
	06 LST	16.4	14.7	17.1	18.8	24.6	28.3	29.5	29.5	26.3	24.1	19.7	17.5	266.5	13	4321
	12 LST	19.5	19.3	22.3	23.8	26.7	25.6	27.7	28.1	26.4	28.0	23.8	21.2	292.4	13	4321
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.8	18.5	22.2	24.3	27.4	27.8	28.5	29.5	27.0	28.1	22.6	20.1	295.8	13	4321
	00 LST	16.3	17.1	18.2	21.0	26.5	28.7	30.3	29.9	26.5	27.6	21.5	18.0	231.6	13	4321
	06 LST	14.8	13.6	15.2	18.2	24.1	27.6	29.1	29.1	25.5	23.4	18.1	16.3	255.0	13	4321
	12 LST	17.7	18.0	20.8	22.9	26.2	25.1	26.9	28.0	25.9	27.7	22.0	20.0	281.2	13	4321

NEW ORLEANS/WESTWEGO AIRPORT, LOUISIANA

STA NO. 73648 (IN AREA NUMBER 13)

LATITUDE 2953N

LONGITUDE 09008W

ELEVATION(FT) 00002

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	80	81	83	87	92	95	98	97	96	93	84	82	98	8	-73276
MEAN MAX TMP (F)	59	63	69	77	83	87	89	90	87	79	70	62	76	8	-73276
MEAN MIN TMP (F)	41	45	51	59	66	71	74	74	71	61	51	44	59	8	-73276
ABS MIN TMP (F)	14	20	30	40	47	53	67	61	56	40	30	15	14	8	-73276
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.0	7.7	14.0	18.0	8.0	1.0	0.0	0.0	49.7	8	-73276
MEAN NO DYS TMP = DR LES 32(F)	6.7	2.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	4.7	14.8	8	-73276
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-73276
MEAN DEW PT TMP (F)	42	45	50	60	66	72	74	74	71	61	53	45	59	8	-73276
MEAN REL HUM (PCT)	77	76	74	77	77	80	83	81	80	78	78	77	78	8	-73276
MEAN PRESS ALT (FT)	-208	-174	-114	-79	-53	-39	-80	-66	-76	-123	-176	-205	-115	0	-50
MEAN PRECIP (IN)	4.99	5.92	4.39	4.29	3.74	3.74	6.76	5.80	4.70	4.46	3.26	3.44	57.5	8	-73276
MEAN SNOW FALL (IN)	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.2	8	-73276
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.7	6.8	5.1	4.2	5.5	7.0	10.5	9.8	6.4	5.4	4.0	5.4	76.8	8	-73276
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.2	8	-73276
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.7	4.5	4.4	3.2	0.9	0.8	0.5	0.6	1.4	2.9	4.0	5.3	35.2	8	-73276
MEAN NO DYS TSTMS	2.5	2.1	3.9	3.9	7.2	11.3	19.7	14.8	8.7	2.5	1.4	1.4	79.4	8	-73276
P FREQ WND SPD = DR GTR 17 KTS	0.9	1.7	1.1	0.3	0.1	0.0	0.1	0.1	0.2	0.9	0.3	0.4	0.5	8	-73276
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	8	-73276
P FREQ LES 3000 FT A/D LES 5 MI	38.0	40.1	36.1	32.3	21.1	14.8	12.6	10.7	17.2	19.9	29.3	37.7	25.8	8	-73276
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	29.2	27.3	26.4	16.7	4.8	1.7	0.4	0.3	4.0	8.0	19.4	26.9	13.8	8	-73276
03-05 LST	29.9	33.9	28.7	24.8	8.4	3.2	1.5	1.2	5.6	14.8	32.7	30.3	17.1	8	-73276
06-08 LST	31.6	36.6	28.7	28.0	13.6	3.5	2.9	3.4	11.0	22.3	24.4	31.2	19.8	9	-73276
09-11 LST	23.8	27.2	22.9	13.9	7.3	3.5	2.6	2.9	6.8	9.2	16.3	23.5	13.3	9	-73276
12-14 LST	18.3	16.2	13.6	6.7	6.2	2.4	3.7	2.5	5.2	8.0	9.2	15.7	9.0	9	-73276
15-17 LST	14.9	16.4	10.9	4.4	5.3	1.7	2.8	1.2	3.5	6.9	7.6	14.9	7.9	9	-73276
18-20 LST	19.2	19.3	16.1	8.3	4.8	1.2	0.4	0.5	2.2	6.1	8.9	19.5	8.9	8	-73276
21-23 LST	24.6	23.2	21.0	12.9	3.7	0.8	0.0	0.2	3.0	7.2	13.2	24.4	11.2	8	-73276
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	15.3	6.1	5.3	2.0	0.4	0.6	0.0	0.2	0.0	2.9	5.1	9.5	4.0	8	-73276
03-05 LST	14.9	12.0	8.2	6.8	1.2	0.6	0.4	0.2	0.5	4.8	8.9	12.1	5.9	8	-73276
06-08 LST	14.4	11.9	8.9	6.8	1.9	0.6	0.3	0.2	2.1	6.3	7.4	11.3	6.1	9	-73276
09-11 LST	5.1	4.5	1.9	0.5	0.3	0.3	0.3	0.2	0.2	0.6	2.1	4.5	1.7	9	-73276
12-14 LST	2.3	1.6	0.4	0.0	0.1	0.3	0.4	0.2	0.3	0.3	0.5	1.1	0.6	9	-73276
15-17 LST	1.4	1.6	0.7	0.2	0.1	0.0	0.1	0.2	0.2	0.5	0.6	1.6	0.6	9	-73276
18-20 LST	3.7	1.3	0.6	0.2	0.1	0.0	0.1	0.2	0.2	0.3	0.8	3.2	0.9	8	-73276
21-23 LST	8.3	2.1	2.8	0.3	0.0	0.0	0.0	0.0	0.2	2.0	2.2	6.0	2.0	8	-73276

NEW ORLEANS/WESTWEGO AIRPORT, LOUISIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO, OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.0	24.5	27.7	28.7	30.1	29.6	31.0	30.8	29.6	29.7	28.4	27.0	344.1	9	-73276
	00 LST	23.3	21.4	24.5	26.5	30.2	29.7	31.0	31.0	29.3	29.4	25.7	24.0	326.0	8	-73276
	06 LST	22.8	19.1	22.0	22.2	26.2	29.0	30.0	29.9	26.4	23.8	23.7	23.1	298.2	9	-73276
	12 LST	26.7	24.4	28.7	29.0	30.2	29.5	30.6	30.4	29.1	29.0	27.6	27.4	342.6	9	-73276
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.6	19.6	21.5	24.6	28.6	28.4	29.7	29.9	27.7	28.4	25.0	21.9	305.9	9	-73276
	00 LST	17.7	18.1	19.4	23.9	28.9	29.4	30.7	30.8	27.7	27.6	22.4	20.7	297.3	8	-73276
	06 LST	17.9	14.8	17.6	19.0	24.1	28.5	29.7	29.7	24.3	21.0	21.0	19.0	266.6	9	-73276
	12 LST	15.3	12.3	13.1	17.1	22.6	25.2	26.6	26.4	21.3	22.4	17.7	17.4	237.4	9	-73276
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.4	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.0	0.9	9	-73276
	00 LST	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.0	0.0	0.7	8	-73276
	06 LST	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.1	1.2	9	-73276
	12 LST	0.2	1.4	0.9	0.0	0.0	0.0	0.1	0.1	0.3	0.3	0.1	0.1	3.5	9	-73276
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	15.6	17.6	21.0	23.0	22.7	16.3	12.0	10.6	10.1	11.6	12.3	17.5	190.3	9	-73276
	00 LST	12.8	10.9	14.8	11.8	7.9	3.2	1.6	2.3	6.0	6.0	11.4	14.3	103.0	8	-73276
	06 LST	13.8	13.2	15.2	9.7	5.9	3.0	1.4	2.0	6.0	8.2	11.1	14.0	103.3	9	-73276
	12 LST	20.7	15.6	20.4	21.6	23.8	19.4	15.6	11.9	19.4	23.5	21.2	22.1	235.2	9	-73276
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.0	7.2	8.4	9.5	9.2	5.3	2.0	4.4	7.0	14.4	12.1	8.0	95.5	8	-73276
	00 LST	11.0	10.8	11.0	14.3	19.7	19.4	18.0	19.8	19.4	20.7	15.3	11.7	191.1	8	-73276
	06 LST	10.2	7.7	8.4	6.9	9.2	11.9	7.0	9.8	10.4	12.3	9.6	11.1	114.5	9	-73276
	12 LST	6.9	7.4	8.2	5.7	5.9	2.5	1.1	2.0	5.1	11.1	8.6	8.8	73.3	9	-73276
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.9	20.9	23.9	26.6	29.2	29.3	29.7	29.5	27.8	28.3	25.8	23.3	318.2	9	-73276
	00 LST	20.7	18.8	21.1	23.9	28.9	29.4	30.7	30.8	28.0	28.4	23.9	21.5	306.1	8	-73276
	06 LST	19.6	16.6	19.5	19.5	24.7	28.2	29.6	29.4	24.6	21.4	21.8	20.4	275.3	9	-73276
	12 LST	22.4	19.8	22.0	22.4	26.4	25.5	26.1	25.0	24.7	25.4	23.3	21.8	284.8	9	-73276
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.9	18.6	21.4	24.2	27.6	27.1	28.3	28.4	27.3	27.1	24.1	20.8	296.8	9	-73276
	00 LST	19.1	17.2	19.2	22.7	28.0	28.9	30.7	30.6	27.4	27.8	22.0	19.0	292.6	8	-73276
	06 LST	18.0	14.7	14.9	17.6	23.9	27.4	29.2	29.3	23.4	20.8	19.8	17.6	258.6	9	-73276
	12 LST	19.0	17.6	19.0	17.9	20.6	19.4	21.3	21.3	20.7	23.3	20.1	20.4	240.6	9	-73276
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.0	16.7	19.7	23.1	26.5	26.0	27.8	27.3	25.1	25.7	22.4	18.7	278.0	9	-73276
	00 LST	17.4	15.5	17.9	21.9	27.5	28.5	30.1	30.6	27.1	26.0	20.4	17.3	280.2	8	-73276
	06 LST	16.2	12.7	15.1	16.2	22.8	26.4	28.2	27.4	22.6	19.4	17.7	16.3	241.0	9	-73276
	12 LST	16.9	16.2	17.5	17.4	20.2	18.9	20.3	20.6	19.6	22.6	18.6	18.0	226.8	9	-73276

MANSURA/BERIDON, LOUISIANA

STA NO. 73850 (IN AREA NUMBER 13)	LATITUDE 3101N LONGITUDE 09156W ELEVATION(FT) 00045												PDR	NO.	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	OBS
ABS MAX TMP (F)	82	86	88	92	96	102	104	105	100	96	87	82	105	13	-73279
MEAN MAX TMP (F)	59	63	69	77	85	90	92	92	88	80	68	61	77	13	-73279
MEAN MIN TMP (F)	38	43	48	57	64	71	73	73	67	55	46	40		13	-73279
ABS MIN TMP (F)	10	19	25	32	44	55	67	57	46	30	23	12	10	13	-73279
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	6.5	18.5	23.5	23.6	15.5	2.6	0.0	0.0	90.5	13	-73279
MEAN NO DYS TMP = DR LES 32(F)	9.4	4.1	1.7	0.1	0.0	0.0	0.0	0.0	0.0	0.2	2.9	7.6	26.0	13	-73279
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-73279
MEAN DEW PT TMP (F)	39	42	47	56	63	69	72	71	66	55	46	40	56	13	-73279
MEAN REL HUM (PCT)	73	71	68	71	71	72	75	74	72	70	70	72	72	13	-73279
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.46	4.64	4.92	5.53	5.18	3.90	4.50	4.23	2.98	2.97	4.11	4.87	52.3	13	-73279
MEAN SNOW FALL (IN)	0.2	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	13	-73279
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.4	5.9	5.4	6.0	6.0	5.5	7.2	6.0	5.1	3.4	5.8	6.9	69.6	13	-73279
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	13	-73279
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	4.2	2.2	2.3	2.7	3.3	1.7	2.1	2.3	2.3	4.7	2.6	3.2	33.6	13	-73279
MEAN NO DYS TSMS	2.1	2.8	4.5	5.7	6.2	7.7	11.7	9.1	4.4	2.8	2.5	2.1	61.6	13	-73279
P FREQ WND SPD = DR GTR 17 KTS	1.8	2.4	3.1	2.3	1.4	0.4	0.3	0.2	0.3	0.4	1.4	1.7	1.3	13	-73279
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-73279
P FREQ LES 5000 FT A/O LES 5 MI	39.9	38.5	35.5	34.2	27.5	18.3	14.8	13.4	19.9	20.1	31.9	35.4	27.5	13	-73279
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	23.7	22.0	19.6	15.4	9.9	4.8	3.5	5.3	8.0	7.6	15.1	22.7	13.1	13	-73279
03-05 LST	26.8	26.9	24.1	25.1	20.0	12.9	8.6	9.9	13.8	16.4	19.8	24.2	19.0	13	-73279
06-08 LST	30.7	32.9	29.3	34.6	29.7	17.2	14.5	13.1	24.4	28.9	26.5	30.3	26.2	13	-73279
09-11 LST	31.2	28.3	18.6	17.7	9.4	7.9	5.1	7.8	14.3	13.4	21.2	26.3	16.8	13	-73279
12-14 LST	20.2	16.6	12.1	6.7	2.9	3.1	1.9	1.5	5.6	5.1	13.0	20.3	9.1	13	-73279
15-17 LST	17.7	13.1	8.2	5.3	2.6	2.6	1.8	1.3	4.3	4.2	9.8	16.8	7.3	13	-73279
18-20 LST	15.9	12.8	8.7	4.6	2.8	3.0	1.5	0.6	4.4	3.2	10.4	16.5	7.0	13	-73279
21-23 LST	18.7	15.4	10.6	7.3	4.3	2.9	1.0	1.6	5.6	4.4	11.4	17.8	8.4	13	-73279
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	5.2	2.8	2.1	1.4	1.3	0.6	0.9	1.3	1.3	1.7	2.1	5.3	2.2	13	-73279
03-05 LST	7.0	4.8	4.3	6.2	4.6	3.1	3.4	4.7	3.7	6.0	6.0	7.1	5.1	13	-73279
06-08 LST	8.6	7.7	5.8	7.3	6.1	2.6	3.9	4.6	5.9	11.7	7.7	8.5	6.7	13	-73279
09-11 LST	5.1	3.1	0.8	0.3	0.2	0.3	0.2	0.1	0.1	1.1	2.5	5.3	1.6	13	-73279
12-14 LST	2.2	0.5	0.4	0.1	0.4	0.6	0.3	0.0	0.4	0.4	0.5	1.2	0.6	13	-73279
15-17 LST	1.2	0.5	0.1	0.3	0.4	0.6	0.1	0.1	0.0	0.1	0.8	1.0	0.4	13	-73279
18-20 LST	1.4	0.5	0.5	0.2	0.0	0.2	0.0	0.0	0.0	0.1	1.1	1.1	0.4	13	-73279
21-23 LST	2.5	1.0	0.9	0.5	0.0	0.0	0.0	0.2	0.3	1.3	0.6	1.6	0.7	13	-73279

MANSURA/BERIDON, LOUISIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.6	24.8	29.6	28.6	30.4	29.5	30.5	30.7	29.2	30.3	27.2	27.0	345.4	13	-73279
	00 LST	26.0	24.1	28.0	28.2	29.0	29.1	30.2	29.9	28.8	29.4	27.0	25.4	333.1	13	-73279
	06 LST	23.7	21.1	23.9	22.4	22.8	25.2	25.6	25.3	22.7	22.7	24.0	23.7	283.1	13	-73279
	12 LST	24.1	24.6	28.7	28.9	30.5	29.3	30.5	30.8	29.1	29.9	27.1	25.6	341.1	13	-73279
GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	21.6	19.5	19.5	22.0	23.4	25.3	27.7	28.8	27.1	28.6	23.2	22.1	290.8	13	-73279
	00 LST	20.6	18.9	21.8	23.0	25.7	27.6	29.1	29.5	27.4	28.0	23.1	21.5	296.2	13	-73279
	06 LST	18.2	15.4	19.0	16.1	19.7	24.2	25.1	24.9	20.7	20.8	19.8	19.8	243.7	13	-73279
	12 LST	15.2	13.9	16.7	16.0	21.8	24.6	27.0	26.7	22.7	23.1	16.0	16.0	239.7	13	-73279
WIND = GTR 17 KTS AND NO PRECIP.	18 LST	0.4	0.8	1.0	0.5	0.4	0.2	0.2	0.0	0.1	0.0	0.1	0.3	4.0	13	-73279
	00 LST	0.2	0.5	0.3	0.4	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.2	2.0	13	-73279
	06 LST	0.3	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	1.2	13	-73279
	12 LST	1.1	1.3	2.1	1.6	0.7	0.2	0.2	0.2	0.2	0.4	0.8	0.8	9.6	13	-73279
WIND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	17.1	15.4	19.2	21.0	20.2	13.6	10.8	11.3	14.3	12.2	15.2	16.3	186.6	13	-73279
	00 LST	12.2	12.7	13.9	13.4	12.4	9.3	8.3	6.8	6.5	6.4	11.2	12.3	125.4	13	-73279
	06 LST	11.3	11.2	13.9	12.5	9.8	7.1	5.2	5.5	6.2	7.1	12.7	11.7	114.2	13	-73279
	12 LST	17.3	16.2	19.1	18.8	18.6	10.1	8.5	8.4	12.9	19.6	18.8	17.4	185.7	13	-73279
CLOUD COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.1	8.1	8.3	8.7	10.1	9.1	5.6	8.2	11.0	14.9	11.8	11.0	115.9	13	-73279
	00 LST	11.8	11.0	12.3	14.2	17.4	18.6	19.3	20.2	18.9	20.6	14.1	13.6	192.0	13	-73279
	06 LST	10.2	7.9	8.7	6.6	6.1	10.2	9.1	9.7	11.2	12.9	11.0	12.2	115.8	13	-73279
	12 LST	7.2	7.7	8.6	5.5	5.5	3.8	2.2	3.3	7.7	11.6	10.1	9.2	84.6	13	-73279
GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.1	22.5	26.5	27.9	29.7	29.1	30.0	30.6	27.9	29.3	25.1	24.5	327.4	13	-73279
	00 LST	22.4	20.8	23.0	24.1	26.7	28.5	29.7	29.6	27.6	26.6	24.2	22.7	307.9	13	-73279
	06 LST	19.9	16.8	19.4	16.7	20.0	24.2	25.1	25.0	21.0	20.8	20.6	20.7	250.2	13	-73279
	12 LST	21.2	19.4	23.6	24.3	27.2	27.9	28.9	28.8	23.8	27.3	22.9	22.2	299.7	13	-73279
GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.2	18.8	22.9	23.6	27.4	26.6	28.2	28.6	26.3	27.7	22.4	21.0	293.7	13	-73279
	00 LST	18.4	17.8	19.7	21.9	25.0	27.4	29.4	29.3	26.8	27.2	21.6	19.8	284.3	13	-73279
	06 LST	16.6	13.7	16.5	14.3	18.3	22.9	24.4	24.5	20.6	20.1	17.8	17.5	227.2	13	-73279
	12 LST	17.7	16.0	18.9	18.1	19.6	20.8	22.2	24.5	21.9	24.6	19.8	19.2	243.3	13	-73279
GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.9	17.2	20.6	22.3	26.1	24.4	26.2	26.6	23.8	26.6	20.5	19.3	271.7	13	-73279
	00 LST	17.0	16.4	18.4	20.2	24.3	27.0	29.1	28.6	26.0	26.0	19.9	18.7	271.6	13	-73279
	06 LST	15.4	12.5	15.5	13.0	17.6	21.7	23.5	23.5	19.6	19.2	16.3	15.7	213.5	13	-73279
	12 LST	15.7	14.6	17.3	16.8	19.2	20.3	21.6	23.4	21.4	24.0	18.8	17.5	230.6	13	-73279

MARKSVILLE MUNICIPAL, LOUISIANA

STA NO. 73851 (IN AREA NUMBER 13)

LATITUDE 3105N

LONGITUDE 09204W

ELEVATION(FT) 00078

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	82	86	88	92	96	102	104	105	100	96	87	82	105	13	-73279
MEAN MAX TMP (F)	59	63	69	77	85	90	92	92	88	80	68	61	77	13	-73279
MEAN MIN TMP (F)	38	43	48	57	64	71	73	73	67	55	46	40	56	13	-73279
ABS MIN TMP (F)	10	19	25	32	44	55	67	57	46	30	23	12	10	13	-73279
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	6.5	18.5	23.5	23.6	19.5	2.6	0.0	0.0	90.5	13	-73279
MEAN NO DYS TMP = OR LES 32(F)	9.4	4.1	1.7	0.1	0.0	0.0	0.0	0.0	0.0	0.2	2.9	7.6	26.0	13	-73279
MEAN NO DYS TMP = OR LFS 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-73279
MEAN DEW PT TMP (F)	39	42	47	56	63	69	72	71	66	55	46	40	56	13	-73279
MEAN REL HUM (PCT)	73	71	68	71	71	72	75	74	72	70	70	72	72	13	-73279
MEAN PRESS ALT (FT)	-122	-90	-30	6	35	46	-1	13	19	-30	-93	-117	-29	0	-50
MEAN PRECIP (IN)	4.46	4.04	4.92	5.53	5.18	3.90	4.50	4.23	2.98	2.97	4.11	4.87	52.3	13	-73279
MEAN SNOW FALL (IN)	0.2	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	13	-73279
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.4	5.9	5.4	6.0	6.0	5.5	7.2	6.0	5.1	3.4	5.8	6.9	69.6	13	-73279
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	13	-73279
MEAN NO DYS W/OCUR V5BY LES 1/2 MI	4.2	2.2	2.3	2.7	3.3	1.7	2.1	2.3	2.3	4.7	2.6	3.2	33.6	13	-73279
MEAN NO DYS TSTMS	2.1	2.8	4.5	5.7	6.2	7.7	11.7	9.1	4.4	2.8	2.5	2.1	61.6	13	-73279
P FREQ WND SPD = OR GTR 17 KTS	1.8	2.4	3.1	2.3	1.4	0.4	0.3	0.2	0.3	0.4	1.4	1.7	1.3	13	-73279
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-73279
P FREQ LES 5000 FT A/D LES 5 MI	39.9	38.5	35.5	34.2	27.5	18.3	14.8	12.4	19.9	20.1	31.9	35.4	27.5	13	-73279
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	23.7	22.0	19.6	15.4	9.9	4.8	3.5	5.3	8.0	7.6	15.1	22.7	13.1	13	-73279
03-05 LST	26.8	26.9	24.1	25.1	20.0	12.9	8.6	9.9	13.8	16.4	19.8	24.2	19.0	13	-73279
06-08 LST	30.7	32.9	29.3	34.6	29.7	17.2	14.5	13.1	24.4	28.9	26.5	30.3	26.2	13	-73279
09-11 LST	31.2	28.3	18.6	17.7	9.4	7.9	5.1	7.8	14.3	13.4	21.2	26.3	16.8	13	-73279
12-14 LST	20.2	16.6	12.1	6.7	2.9	3.1	1.9	1.5	5.6	5.1	13.0	20.3	9.1	13	-73279
15-17 LST	17.7	13.1	8.2	5.3	2.6	2.6	1.8	1.3	4.3	4.2	9.8	16.8	7.3	13	-73279
18-20 LST	15.9	12.8	8.7	4.6	2.8	3.0	1.9	0.6	4.4	3.2	10.4	16.5	7.0	13	-73279
21-23 LST	18.7	15.4	10.6	7.3	4.3	2.9	1.0	1.6	5.6	4.4	11.4	17.8	8.4	13	-73279
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.2	2.8	2.1	1.4	1.3	0.6	0.9	1.3	1.3	1.7	2.1	5.3	2.2	13	-73279
03-05 LST	7.0	4.8	4.3	6.2	4.6	3.1	3.4	4.7	3.7	6.0	6.0	7.1	5.1	13	-73279
06-08 LST	8.6	7.7	5.8	7.3	6.1	2.6	3.9	4.6	5.9	11.7	7.7	8.5	6.7	13	-73279
09-11 LST	5.1	3.1	0.8	0.3	0.2	0.3	0.2	0.1	0.1	1.1	2.5	5.3	1.6	13	-73279
12-14 LST	2.2	0.5	0.4	0.1	0.4	0.6	0.3	0.0	0.4	0.4	0.5	1.2	0.6	13	-73279
15-17 LST	1.2	0.5	0.1	0.3	0.4	0.6	0.1	0.1	0.0	0.1	0.8	1.0	0.4	13	-73279
18-20 LST	1.4	0.5	0.3	0.2	0.0	0.2	0.0	0.0	0.0	0.1	1.1	1.1	0.4	13	-73279
21-23 LST	2.5	1.0	0.9	0.5	0.0	0.0	0.0	0.2	0.3	1.3	0.6	1.6	0.7	13	-73279

MARKSVILLE MUNICIPAL, LOUISIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.6	24.8	29.6	28.6	30.4	29.5	30.5	30.7	29.2	30.3	27.2	27.0	345.4	13	-73279
	00 LST	26.0	24.1	28.0	28.2	29.0	29.1	30.2	29.9	28.8	29.4	27.0	25.4	335.1	13	-73279
	06 LST	23.7	21.1	23.9	22.4	22.8	25.2	25.6	25.3	22.7	22.7	24.0	23.7	283.1	13	-73279
	12 LST	26.1	24.6	28.7	28.9	30.5	29.3	30.5	30.8	29.1	29.9	27.1	25.6	341.1	13	-73279
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	21.6	19.5	19.5	22.0	25.4	25.3	27.7	28.8	27.1	28.6	23.2	22.1	290.8	13	-73279
	00 LST	20.6	18.9	21.8	23.0	25.7	27.6	29.1	29.5	27.4	28.0	23.1	21.5	296.2	13	-73279
	06 LST	18.2	15.4	19.0	16.1	19.7	24.2	25.1	24.9	20.7	20.8	19.8	19.8	243.7	13	-73279
	12 LST	15.2	13.9	16.7	16.0	21.8	24.6	27.0	26.7	22.7	23.1	16.0	16.0	239.7	13	-73279
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.4	0.8	1.0	0.5	0.4	0.2	0.2	0.0	0.1	0.0	0.1	0.3	4.0	13	-73279
	00 LST	0.2	0.5	0.3	0.4	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.2	2.0	13	-73279
	06 LST	0.3	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	1.2	13	-73279
	12 LST	1.1	1.3	2.1	1.6	0.7	0.2	0.2	0.2	0.2	0.4	0.8	0.8	9.6	13	-73279
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	17.1	15.4	19.2	21.0	20.2	13.6	10.8	11.3	14.3	12.2	15.2	16.3	186.6	13	-73279
	00 LST	12.2	12.7	13.9	13.4	12.4	9.3	8.3	6.8	6.5	6.4	11.2	12.3	125.4	13	-73279
	06 LST	11.3	11.2	13.9	12.5	9.8	7.1	5.2	5.5	6.2	7.1	12.7	11.7	114.2	13	-73279
	12 LST	17.3	16.2	19.1	18.8	18.6	10.1	8.5	8.4	12.9	19.6	18.8	17.4	185.7	13	-73279
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.1	8.1	8.3	8.7	10.1	9.1	5.6	8.2	11.0	14.9	11.8	11.0	115.9	13	-73279
	00 LST	11.0	11.0	12.3	14.2	17.4	18.6	19.3	20.2	18.9	20.6	14.1	13.6	192.0	13	-73279
	06 LST	10.2	7.9	8.7	6.6	6.1	10.2	9.1	9.7	11.2	12.9	11.0	12.2	115.8	13	-73279
	12 LST	7.2	7.7	8.6	5.5	5.5	3.8	2.2	5.5	7.7	11.6	10.1	9.2	84.6	13	-73279
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.1	22.5	26.5	27.9	29.7	29.1	30.0	30.6	27.9	29.5	25.1	24.5	327.4	13	-73279
	00 LST	22.4	20.6	23.0	24.1	26.7	28.5	29.7	29.6	27.6	28.6	24.2	22.7	307.9	13	-73279
	06 LST	19.9	18.8	19.4	16.7	20.0	24.2	25.1	25.0	21.0	20.8	20.6	20.7	250.2	13	-73279
	12 LST	21.2	19.4	23.6	24.3	27.2	27.9	28.9	28.8	25.8	27.5	22.9	22.2	299.7	13	-73279
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.2	18.8	22.9	23.6	27.4	26.6	28.2	28.6	26.3	27.7	22.4	21.0	293.7	13	-73279
	00 LST	18.4	17.8	19.7	21.9	25.0	27.4	29.4	29.3	26.8	27.2	21.6	19.8	284.3	13	-73279
	06 LST	16.6	13.7	16.5	14.3	18.3	22.9	24.4	24.5	20.6	20.1	17.8	17.5	227.2	13	-73279
	12 LST	17.7	16.0	18.9	18.1	19.6	20.8	22.2	14.5	21.9	24.6	19.8	19.2	243.3	13	-73279
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.9	17.2	20.6	22.3	26.1	24.4	26.2	26.6	23.8	26.6	20.5	19.5	271.7	13	-73279
	00 LST	17.0	16.4	18.4	20.2	24.3	27.0	29.1	28.6	26.0	26.0	19.9	18.7	271.6	13	-73279
	06 LST	15.4	12.5	15.5	13.0	17.6	21.7	23.5	23.5	19.6	19.2	16.3	15.7	213.5	13	-73279
	12 LST	15.7	14.6	17.3	16.8	19.2	20.3	21.6	23.4	21.4	24.0	18.8	17.5	230.6	13	-73279

ALEXANDRIA/ESLER FIELD, LOUISIANA

STA NO. 73852 (IN AREA NUMBER 13)

LATITUDE 3123N

LONGITUDE 09217W

ELEVATION(FT) 00108

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	81	83	86	92	95	99	103	105	99	96	85	82	105	11	3514
MEAN MAX TMP (F)	58	63	69	78	85	90	92	92	87	80	69	59	77	11	3514
MEAN MIN TMP (F)	35	40	46	55	61	68	71	70	65	53	44	38	54	11	3513
ABS MIN TMP (F)	5	11	21	31	41	52	63	56	43	30	25	12	5	11	3513
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	6.7	19.0	24.1	22.9	12.8	2.7	0.0	0.0	88.5	11	3514
MEAN NO DYS TMP = DR LES 32(F)	13.9	8.5	3.7	0.1	0.0	0.0	0.0	0.0	0.0	0.1	5.1	10.3	41.7	11	3513
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3513
MEAN DEW PT TMP (F)	37	42	47	56	62	70	72	72	67	56	47	40	56	11	74558
MEAN REL HUM (PCT)	76	74	73	73	75	77	79	78	79	76	77	78	76	11	74531
MEAN PRESS ALT (FT)	-90	-98	0	36	66	77	28	43	53	2	-61	-85	1	0	-50
MEAN PRECIP (IN)	4.52	4.02	5.38	3.97	4.04	3.42	5.44	3.58	3.49	2.46	3.90	5.74	49.4	11	3539
MEAN SNOW FALL (IN)	0.3	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.9	6	2039
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.8	6.5	6.8	4.4	5.5	6.8	8.7	6.5	5.7	3.5	5.0	7.5	72.7	11	3539
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	6	2039
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.6	2.7	2.5	2.8	2.5	1.7	1.8	2.1	2.0	3.9	2.1	6.2	33.9	11	3323
MEAN NO DYS TSYMS	1.9	3.4	5.2	4.7	6.1	9.8	12.3	10.9	5.4	2.5	2.8	1.7	66.7	11	3200
P FREQ WND SPD = DR GTR 17 KTS	2.6	3.3	2.8	2.5	0.8	0.3	0.3	0.2	0.4	0.5	0.7	2.1	1.4	11	75478
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	75478
P FREQ LES 3000 FT A/D LES 3 MI	43.1	46.2	41.3	37.4	30.0	23.9	21.4	21.2	26.5	24.0	33.0	49.7	33.1	11	75462
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	23.6	26.9	23.8	18.6	7.4	5.5	4.7	4.5	11.8	9.2	13.3	32.5	15.2	11	9520
03-05 LST	24.5	34.1	28.9	29.4	20.9	14.5	11.3	13.5	17.6	18.0	18.2	38.5	22.5	11	9535
06-08 LST	35.0	40.2	34.0	37.7	29.4	17.3	14.3	16.9	27.5	35.8	30.5	47.9	30.5	11	9642
09-11 LST	25.0	30.8	25.7	18.2	11.0	5.9	7.1	6.5	16.5	14.7	18.6	35.7	18.0	11	9640
12-14 LST	18.4	16.8	13.0	6.5	2.9	3.1	2.8	2.7	7.7	4.8	10.9	25.9	9.6	11	9649
15-17 LST	17.1	12.7	10.5	4.9	2.3	3.5	2.5	1.4	6.2	2.5	9.5	21.7	7.9	11	9643
18-20 LST	18.9	16.3	11.6	6.3	1.8	4.3	2.2	1.4	6.2	3.1	9.5	23.4	8.8	11	9272
21-23 LST	22.2	20.9	15.8	10.6	2.8	4.5	1.6	2.7	7.3	3.8	10.6	28.7	11.0	11	9066
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.5	4.1	3.0	1.7	0.4	0.5	0.9	0.5	1.7	1.9	2.9	10.0	2.8	11	9520
03-05 LST	5.7	8.3	4.4	5.0	3.6	4.3	2.7	4.5	4.6	6.0	5.6	13.4	5.7	11	9535
06-08 LST	9.1	10.5	6.5	6.3	6.1	3.5	3.5	4.5	6.5	11.1	6.5	16.5	7.6	11	9642
09-11 LST	3.7	3.3	1.2	0.2	0.1	0.0	0.1	0.0	0.5	1.2	1.8	5.3	1.5	11	9640
12-14 LST	1.6	0.9	0.3	0.1	0.5	0.0	0.2	0.2	0.3	0.4	0.7	2.2	0.6	11	9649
15-17 LST	1.0	0.9	0.2	0.5	0.3	0.3	0.5	0.3	0.1	0.1	1.4	2.3	0.7	11	9643
18-20 LST	2.5	2.0	0.1	0.5	0.3	0.3	0.2	0.0	0.5	0.3	1.3	3.9	1.0	11	9272
21-23 LST	4.9	3.1	1.3	1.5	0.0	0.4	0.2	0.3	0.9	0.9	1.9	7.3	1.9	11	9066

ALEXANDRIA/ESLER FIELD, LOUISIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.9	24.7	28.6	28.7	30.8	29.0	30.6	30.7	28.4	30.2	28.0	25.1	341.7	11	3362
	00 LST	26.3	22.8	26.6	27.1	30.0	29.0	29.0	29.9	27.9	29.4	27.3	22.8	329.0	11	3323
	06 LST	23.6	19.3	22.8	21.3	22.8	24.3	26.4	24.6	22.2	19.7	22.7	18.4	268.1	11	3361
	12 LST	26.9	24.9	28.3	29.1	30.5	29.6	30.5	30.2	28.3	30.1	28.2	24.9	341.5	11	3361
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.9	17.7	18.8	20.6	26.1	25.3	27.6	29.2	26.1	28.1	23.1	19.9	285.4	11	3362
	00 LST	19.0	16.0	19.3	21.1	27.3	28.0	29.8	29.3	25.5	26.8	24.2	17.8	284.1	11	3323
	06 LST	16.0	13.3	15.6	15.5	18.9	23.1	25.4	23.8	20.4	17.0	19.0	14.5	222.5	11	3360
	12 LST	14.7	11.1	10.7	14.0	19.1	24.0	25.4	25.1	20.4	21.9	15.8	11.7	213.9	11	3360
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.2	0.4	0.1	0.3	0.1	0.1	0.2	0.1	0.0	0.0	0.1	0.6	2.2	11	3266
	00 LST	0.9	0.5	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	2.3	11	3232
	06 LST	0.5	0.4	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	2.0	11	3267
	12 LST	1.1	1.6	1.6	1.6	0.3	0.0	0.2	0.3	0.3	0.2	1.4	8.8		11	3284
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	16.0	16.9	21.8	20.5	21.8	18.8	14.6	16.4	15.2	11.6	12.7	15.9	202.2	11	3223
	00 LST	12.6	13.4	16.1	13.8	12.8	10.7	10.9	9.6	11.2	7.6	12.7	13.0	144.4	11	3225
	06 LST	11.1	12.4	14.8	12.4	9.7	7.4	8.8	7.5	10.5	7.3	11.3	11.9	125.1	11	3226
	12 LST	17.6	16.8	17.7	19.9	21.4	17.1	11.6	13.5	16.4	21.7	18.7	16.2	208.6	11	3243
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	11.6	9.2	10.0	12.3	12.8	9.5	8.5	8.6	11.4	17.0	11.6	10.4	132.9	6	2008
	00 LST	13.4	12.3	13.8	14.0	18.7	18.2	19.2	17.0	20.8	22.0	14.0	11.0	194.4	6	2008
	06 LST	12.4	8.5	10.7	6.9	7.0	10.3	9.6	11.6	13.2	13.6	10.8	10.2	124.8	6	2007
	12 LST	9.0	8.5	10.5	7.8	7.3	3.7	3.3	4.6	9.6	13.2	9.9	8.0	95.4	7	2009
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.0	21.7	23.0	27.0	29.6	28.4	29.6	30.2	27.0	29.4	26.0	22.1	320.0	11	3362
	00 LST	22.9	18.3	21.0	22.5	28.4	27.8	29.7	29.4	26.5	28.0	25.0	19.4	298.9	11	3323
	06 LST	18.6	14.6	17.8	16.4	19.1	23.2	25.3	23.9	20.8	17.9	20.1	15.9	233.6	11	3361
	12 LST	22.4	18.5	21.6	24.5	27.7	27.2	28.9	28.2	24.9	26.9	24.0	19.7	294.5	11	3361
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.7	18.8	20.9	23.0	25.9	25.4	25.9	28.5	24.2	28.3	23.5	18.7	283.8	11	3362
	00 LST	20.2	16.4	18.4	20.5	26.6	27.1	29.3	28.5	25.5	26.9	22.3	16.4	278.1	11	3323
	06 LST	14.9	11.7	14.7	14.0	17.1	22.3	24.1	23.3	20.3	17.1	17.7	13.2	210.4	11	3361
	12 LST	19.7	16.0	17.2	16.9	19.5	17.6	19.7	16.7	17.0	23.5	21.5	16.8	222.1	11	3361
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.6	17.1	19.4	20.8	24.2	24.1	24.1	26.7	22.6	27.8	21.2	17.9	264.5	11	3362
	00 LST	18.4	14.6	16.9	19.6	25.6	26.8	28.3	28.0	24.7	26.3	21.3	15.5	266.0	11	3323
	06 LST	14.6	10.4	13.6	12.7	16.2	21.2	22.4	22.2	19.5	16.2	16.0	12.0	197.0	11	3361
	12 LST	17.9	14.3	16.3	15.6	19.1	17.1	18.6	16.6	16.5	22.9	19.6	15.9	210.4	11	3361

BATON ROUGE/DOWNTOWN, LOUISIANA

STA NO. 73853 (IN AREA NUMBER 13)

LATITUDE 3026N

LONGITUDE 09106W

ELEVATION(FT) 00053

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	82	85	90	92	98	103	101	102	99	94	86	82	103	16	-73904
MEAN MAX TMP (F)	63	66	71	79	85	91	92	92	88	81	70	64	79	16	-73904
MEAN MIN TMP (F)	43	46	50	57	64	71	73	72	68	57	47	43	58	16	-73904
ABS MIN TMP (F)	15	13	23	36	44	55	62	60	47	32	25	19	13	16	-73904
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0		8.6	18.0	20.5	20.5	12.8	3.7	0.0	0.0		16	-29
MEAN NO DYS TMP = DR LES 32(F)	6.1	3.4	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	4.0	15.4	4	-73904
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-73904
MEAN DEW PT TMP (F)	40	47	48	57	65	71	73	73	67	55	48	45	57	4	-73904
MEAN REL HUM (PCT)	72	73	72	72	74	78	78	80	78	70	73	78	75	4	-73904
MEAN PRESS ALT (FT)	-152	-119	-59	-23	3	16	-27	-13	-15	-64	-122	-148	-59	0	-50
MEAN PRECIP (IN)	4.32	4.93	5.26	4.67	5.13	3.54	6.44	3.98	3.06	2.20	4.21	4.91	52.3	16	-73904
MEAN SNOW FALL (IN)	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-73904
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.8	8.1	7.3	7.1	7.2	6.3	9.1	6.8	5.1	3.9	6.6	8.5	83.8	16	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.3	3.5	3.3	2.3	2.3	0.7	1.7	3.7	2.0	3.3	3.3	5.3	34.7	4	-73904
MEAN NO DYS TSTMS	1.1	2.0	4.7	4.0	4.7	11.3	8.7	13.0	3.7	2.0	1.3	2.3	58.8	4	-73904
P FREQ WND SPD = DR GTR 17 KTS	2.7	3.6	5.7	2.9	2.0	0.9	0.4	0.3	1.0	0.4	1.5	2.9	2.0	4	-73904
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	4	-73904
P FREQ LES 5000 FT A/D LES 5 MI	43.3	50.3	47.8	37.4	37.4	34.9	29.9	32.5	33.5	20.3	35.4	37.5	38.4	4	-73904
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	28.1	30.3	28.3	22.7	8.6	4.1	4.0	5.8	10.1	8.7	14.4	36.2	16.8	4	-73904
03-05 LST	34.0	35.5	33.9	27.0	24.0	11.1	9.3	16.2	18.1	13.3	21.9	40.5	23.7	4	-73904
06-08 LST	37.9	45.2	40.8	27.4	24.9	17.4	12.0	18.3	23.0	20.1	33.2	53.4	29.4	4	-73904
09-11 LST	25.6	33.4	28.3	15.6	6.1	6.7	9.1	5.4	18.5	6.1	14.4	36.6	17.2	4	-73904
12-14 LST	17.6	20.6	15.8	9.6	3.6	5.6	4.0	3.9	12.2	2.9	10.0	21.9	10.6	4	-73904
15-17 LST	15.2	16.3	16.8	9.7	3.6	8.5	3.2	5.0	11.9	3.2	10.1	21.9	10.5	4	-73904
18-20 LST	14.2	14.2	16.2	10.8	6.1	2.2	2.9	2.5	8.9	3.2	8.1	20.1	9.1	4	-73904
21-23 LST	19.0	23.4	18.3	14.4	6.1	0.4	1.4	1.8	10.1	5.8	10.0	24.7	11.3	4	-73904
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	2.5	6.6	5.4	2.6	0.0	0.0	2.2	1.1	0.7	2.9	3.0	11.5	3.2	4	-73904
03-05 LST	6.3	10.7	10.1	6.7	5.0	3.7	4.3	7.2	6.7	7.2	10.0	14.3	7.7	4	-73904
06-08 LST	9.3	11.4	6.5	4.4	4.3	1.5	0.4	5.0	5.6	7.5	9.7	14.3	6.7	4	-73904
09-11 LST	3.6	5.5	1.4	0.0	0.0	0.7	0.0	1.4	0.7	0.4	0.4	8.1	1.7	4	-73904
12-14 LST	1.9	1.4	0.7	0.0	0.0	0.4	0.0	0.7	0.0	0.0	0.4	1.1	0.6	4	-73904
15-17 LST	1.1	0.7	1.1	0.4	0.4	0.7	0.0	1.1	0.0	0.0	0.4	1.8	0.6	4	-73904
18-20 LST	0.3	0.7	0.7	1.1	0.0	0.0	0.7	0.0	1.1	1.1	0.0	0.7	0.5	4	-73904
21-23 LST	1.7	1.4	1.1	1.5	0.7	0.0	0.4	0.0	0.0	2.2	1.9	5.0	1.3	4	-73904

BATON ROUGE/DOWNTOWN, LOUISIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.9	25.7	28.0	28.0	29.6	30.0	30.0	31.0	28.0	30.7	28.7	26.3	342.9	4	-73904
	00 LST	25.7	22.2	25.0	25.7	30.0	29.3	29.6	30.7	28.0	29.3	27.3	22.0	324.8	4	-73904
	06 LST	21.9	17.4	20.0	21.3	22.7	26.0	27.7	23.3	22.7	24.6	20.6	18.0	266.2	4	-73904
	12 LST	26.0	24.3	28.3	27.3	30.3	29.6	30.7	30.7	27.7	30.3	28.0	24.6	337.8	4	-73904
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.9	16.2	17.6	19.0	23.0	25.7	26.3	28.3	25.3	27.7	24.0	20.3	274.3	4	-73904
	00 LST	18.2	16.7	18.3	20.3	27.0	28.7	28.6	30.0	26.3	27.7	25.3	17.3	284.4	4	-73904
	06 LST	15.6	12.3	14.7	16.7	20.0	24.7	26.3	21.3	20.3	23.3	18.7	12.3	226.2	4	-73904
	12 LST	16.0	10.0	9.3	14.0	18.7	22.3	26.6	25.0	19.7	18.3	17.3	15.7	212.9	4	-73904
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.8	0.6	1.1	0.3	1.0	0.0	0.0	0.0	0.3	0.0	0.0	0.7	4.8	4	-73904
	00 LST	0.5	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.1	4	-73904
	06 LST	0.2	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.1	4	-73904
	12 LST	0.5	2.0	3.2	2.3	1.3	0.0	0.3	0.0	0.3	0.3	1.3	2.1	13.6	4	-73904
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	17.5	18.6	18.6	21.2	19.1	15.7	13.5	13.8	15.7	13.0	16.4	19.8	202.9	4	-73904
	00 LST	16.6	18.1	19.4	17.9	17.3	10.0	11.0	10.7	10.6	12.3	13.6	14.0	172.3	4	-73904
	06 LST	15.1	18.1	19.6	16.3	14.7	11.3	5.3	8.6	12.2	11.0	16.5	17.5	166.2	4	-73904
	12 LST	18.5	14.0	13.7	15.8	17.0	12.0	7.8	7.7	16.6	20.0	19.5	18.1	180.7	4	-73904
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.9	20.8	23.3	24.7	27.7	27.7	28.6	29.6	25.3	29.6	27.0	22.7	310.9	4	-73904
	00 LST	21.5	19.0	21.3	21.3	28.3	29.3	29.6	29.6	26.6	28.3	25.0	18.3	298.1	4	-73904
	06 LST	18.6	14.6	17.0	18.0	20.6	24.7	27.0	22.3	21.7	24.0	19.0	13.3	240.8	4	-73904
	12 LST	23.0	17.1	21.3	23.6	15.6	26.0	28.0	27.0	24.0	27.7	25.7	19.3	288.3	4	-73904
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.9	17.3	19.7	21.7	21.3	22.0	23.0	25.3	21.0	28.6	23.3	19.0	265.1	4	-73904
	00 LST	19.5	14.4	18.0	20.0	25.3	28.7	28.3	29.0	25.0	28.0	22.3	16.0	274.5	4	-73904
	06 LST	16.6	12.9	14.7	16.3	19.0	22.7	25.6	21.3	20.0	23.7	16.3	11.3	220.4	4	-73904
	12 LST	19.5	13.1	16.0	16.7	11.7	10.0	16.8	13.0	12.0	23.7	21.0	16.0	189.5	4	-73904
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	20.2	15.6	18.3	19.7	22.0	20.0	20.3	22.3	19.7	27.7	21.3	17.3	244.4	4	-73904
	00 LST	18.7	13.6	17.3	19.3	24.6	27.7	27.3	28.3	24.3	27.3	21.0	15.7	265.1	4	-73904
	06 LST	15.1	10.3	13.3	15.3	16.6	20.3	23.0	20.3	19.7	21.3	15.7	10.7	201.6	4	-73904
	12 LST	19.0	10.8	14.0	15.7	11.3	10.0	16.5	12.6	11.3	23.7	19.0	14.7	178.6	4	-73904

DE RIDDER/BEAUREGARD-PARIS, LOUISIANA

STA NO. 73859 (IN AREA NUMBER 19)

LATITUDE 3050N

LONGITUDE 09320W

ELEVATION(FT) 00203

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	AN <sup>1</sup>	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	86	88	88	92	95	106	104	105	104	97	90	85	106	31	-113
MEAN MAX TMP (F)	64	67	72	79	85	91	93	94	90	83	71	64	79	32	-113
MEAN MIN TMP (F)	42	45	49	56	63	70	72	71	67	57	47	43	57	32	-113
ABS MIN TMP (F)	9	6	20	32	38	51	57	54	43	28	21	9	6	32	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	5.0	22.0	28.0	26.0	17.0	4.0	0.0	0.0	102.3	6	-113
MEAN NO DYS TMP = DR LES 32(F)	7.0	4.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	5.0	7.0	26.0	7	-113
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32	-29
MEAN DEW PT TMP (F)	40	44	50	61	65	71	73	74	70	60	51	44	59	5	-72240
MEAN REL HUM (PCT)	77	76	75	79	75	79	80	78	79	75	76	78	77	5	-72240
MEAN PRESS ALT (FT)	6	39	102	141	170	178	130	143	150	99	33	11	100	0	-50
MEAN PRECIP (IN)	5.09	4.60	4.57	5.24	5.43	4.52	5.13	4.04	3.62	3.31	4.64	5.99	56.2	35	-113
MEAN SNOW FALL (IN)	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.9	29	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.7	8.2	7.1	7.3	7.3	7.3	7.9	6.8	5.8	5.4	7.1	9.6	88.5	35	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	29	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	7.5	4.9	5.5	3.8	2.5	0.5	0.7	0.7	1.0	5.3	5.3	8.7	46.4	5	-72240
MEAN NO DYS TSTMS	3.0	3.0	5.0	6.0	8.0	10.0	15.0	12.0	8.0	2.0	3.0	3.0	78.0	19	-72240
P FREQ WND SPD = DR GTR 17 KTS	11.6	15.2	9.0	6.0	2.6	0.5	0.4	0.4	1.3	3.3	8.1	8.7	5.6	5	-72240
P FREQ WND SPD = DR GTR 28 KTS	1.2	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	5	-72240
P FREQ LES 3000 FT A/D LES 5 MI	41.4	38.6	36.6	43.4	21.3	15.6	13.6	13.4	19.4	19.5	30.1	42.4	27.9	5	-72240
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	23.9	24.7	32.3	33.7	3.9	1.7	2.9	3.6	7.0	9.7	19.4	31.2	16.2	5	-72240
03-05 LST	26.5	30.4	34.8	39.3	10.6	4.0	6.5	1.4	11.9	19.4	21.9	37.9	20.4	5	-72240
06-08 LST	32.9	32.5	32.6	40.7	14.8	5.4	8.7	6.5	17.8	27.6	26.7	33.3	23.3	5	-72240
09-11 LST	35.2	25.8	27.1	20.3	4.2	4.3	2.9	2.5	10.4	9.7	16.1	26.9	15.5	5	-72240
12-14 LST	22.3	17.0	15.5	8.0	1.7	0.7	1.3	1.1	5.2	1.1	7.8	16.9	8.2	5	-72240
15-17 LST	17.4	17.0	17.1	6.7	0.0	0.3	1.0	0.4	2.6	0.7	4.7	16.7	7.1	5	-72240
18-20 LST	17.7	20.1	18.7	8.0	0.6	0.3	1.0	0.4	6.7	0.4	8.9	23.7	8.9	5	-72240
21-23 LST	18.7	20.1	23.9	21.3	2.3	1.7	0.0	1.1	8.1	1.8	11.1	27.2	11.4	5	-72240
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	9.0	9.9	15.8	6.7	0.3	0.0	0.6	0.7	1.5	3.6	8.3	14.2	5.9	5	-72240
03-05 LST	15.8	13.1	16.1	9.7	5.8	1.3	1.6	0.7	1.9	10.8	7.8	21.2	8.8	5	-72240
06-08 LST	18.1	12.4	10.3	9.3	6.1	1.0	1.0	0.4	1.9	11.1	9.7	16.1	8.1	5	-72240
09-11 LST	9.7	3.5	1.9	1.0	0.0	0.3	0.0	0.0	0.0	1.1	0.8	7.8	2.2	5	-72240
12-14 LST	3.2	0.4	0.6	0.3	0.0	0.0	0.0	0.0	0.4	0.4	0.0	1.9	0.6	5	-72240
15-17 LST	1.9	0.7	1.0	0.0	0.0	0.3	0.0	0.0	0.0	0.7	0.3	1.9	0.6	5	-72240
18-20 LST	7.4	1.8	2.3	0.7	0.0	0.0	0.0	0.0	0.4	0.0	0.3	5.6	1.5	5	-72240
21-23 LST	8.4	3.9	8.1	2.7	0.3	0.0	0.0	0.0	0.4	0.0	2.5	10.5	3.1	5	-72240

DE RIDDER/BEAUREGARD PARIS, LOUISIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.0	24.8	26.7	29.3	31.0	30.0	30.5	30.7	28.7	31.0	29.0	26.7	345.4	5	-72240
	00 LST	26.0	22.0	21.7	25.2	30.7	29.7	30.5	30.0	28.3	29.0	26.3	23.5	322.9	5	-72240
	06 LST	21.7	20.6	21.0	19.7	24.5	29.0	28.0	29.3	24.7	23.0	24.8	21.2	287.5	5	-72240
	12 LST	25.0	26.3	28.5	29.3	31.0	30.0	30.5	31.0	29.0	31.0	28.5	27.5	347.6	5	-72240
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	14.7	11.6	12.2	10.5	11.7	16.2	20.4	22.0	25.0	25.3	16.7	15.5	201.8	5	-72240
	00 LST	15.2	12.6	13.7	15.5	26.0	28.2	30.5	29.6	27.0	23.0	16.0	13.2	250.9	5	-72240
	06 LST	13.2	10.9	13.0	12.5	22.0	28.2	27.2	28.3	23.3	18.3	14.7	10.2	221.8	5	-72240
	12 LST	8.2	6.2	7.0	7.2	10.7	18.5	21.7	22.3	19.0	18.7	11.0	8.5	159.0	5	-72240
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	2.8	3.9	2.6	1.0	1.5	0.2	0.0	0.3	0.0	0.3	1.3	1.3	15.2	5	-72240
	00 LST	3.4	2.0	1.8	0.5	0.0	0.0	0.0	0.0	0.0	0.3	1.6	0.8	10.4	5	-72240
	06 LST	2.6	2.6	0.5	0.2	0.2	0.0	0.0	0.0	0.0	0.3	1.3	2.1	9.8	5	-72240
	12 LST	4.9	7.3	4.2	3.0	2.0	0.8	0.0	0.0	0.7	1.0	3.3	4.4	33.8	5	-72240
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	18.8	15.8	15.6	16.2	17.4	21.2	20.6	21.0	25.6	26.3	19.8	20.6	238.9	5	-72240
	00 LST	18.5	17.7	19.6	21.7	25.5	23.9	23.2	24.9	22.5	19.0	17.5	20.2	254.2	5	-72240
	06 LST	16.0	15.7	22.0	22.4	24.9	21.8	16.5	25.6	26.6	22.3	18.5	17.5	249.8	5	-72240
	12 LST	13.3	10.4	12.6	12.3	15.3	19.1	11.7	11.7	17.2	20.6	13.7	13.8	171.7	5	-72240
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.0	8.4	10.0	6.5	8.5	8.5	5.8	9.0	9.0	16.6	13.2	8.0	113.5	5	-72240
	00 LST	12.2	10.9	11.2	9.0	11.5	18.5	17.4	19.0	17.6	19.7	12.0	11.0	170.0	5	-72240
	06 LST	10.5	10.1	7.5	4.5	4.5	10.0	8.8	11.0	11.3	14.7	9.8	9.0	111.7	5	-72240
	12 LST	9.7	7.7	9.0	3.5	5.7	1.5	1.2	5.0	5.3	13.3	9.5	8.0	79.4	5	-72240
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.0	21.1	24.2	25.5	29.7	29.7	30.0	30.0	28.0	30.0	26.7	22.7	321.6	5	-72240
	00 LST	23.0	19.6	19.7	18.8	28.5	29.0	30.2	29.6	27.7	27.7	23.7	20.7	298.2	5	-72240
	06 LST	20.0	18.3	18.0	14.5	23.5	27.8	27.2	28.3	24.3	22.3	22.2	18.2	264.6	5	-72240
	12 LST	21.5	20.0	23.3	21.0	28.0	29.0	29.2	27.0	24.7	29.3	23.5	22.2	298.7	5	-72240
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.2	17.3	22.2	23.3	27.7	28.2	29.2	28.6	26.6	29.0	23.7	19.2	295.2	5	-72240
	00 LST	19.7	18.3	18.0	17.5	27.0	28.2	30.2	29.3	26.6	27.0	20.7	17.2	279.7	5	-72240
	06 LST	16.2	16.4	15.5	13.7	22.2	27.5	27.2	28.3	23.6	21.3	19.0	14.2	245.1	5	-72240
	12 LST	18.2	17.1	20.2	16.2	16.7	19.5	18.9	20.0	18.0	27.0	20.0	17.5	229.3	5	-72240
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.5	16.1	21.7	21.2	26.0	28.0	28.2	28.3	26.0	28.6	21.8	16.7	280.1	5	-72240
	00 LST	18.5	16.6	16.0	17.0	26.5	28.0	30.2	29.0	26.6	26.7	18.8	15.7	269.6	5	-72240
	06 LST	15.0	15.3	14.5	12.0	22.0	27.2	27.2	27.7	23.0	20.6	16.7	13.0	234.2	5	-72240
	12 LST	15.7	15.1	18.5	15.0	16.7	18.2	18.9	20.0	17.6	26.0	16.5	15.5	213.7	5	-72240

JENNINGS, LOUISIANA

STA NO. 73862 (IN AREA NUMBER 13)

LATITUDE 3014N

LONGITUDE 09240W

ELEVATION(FT) 00025

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	83	87	92	97	100	104	105	103	102	98	93	89	105	62	-113
MEAN MAX TMP (F)	64	66	72	79	85	91	92	93	90	83	72	65	79	63	-113
MEAN MIN TMP (F)	43	45	51	58	64	71	73	72	68	58	48	44	58	62	-113
ABS MIN TMP (F)	10	3	24	32	40	54	61	59	43	27	22	17	3	61	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	5.0	23.0	27.0	25.0	19.0	5.0	0.0	0.0	104.3	10	-113
MEAN NO DYS TMP = DR LES 32(F)	5.0	2.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3.0	5.0	16.3	9	-113
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	61	-29
MEAN DEW PT TMP (F)	40	44	50	61	65	71	73	74	70	60	51	44	59	5	-72240
MEAN REL HUM (PCT)	77	76	75	79	75	79	80	78	79	75	76	78	77	5	-72240
MEAN PRESS ALT (FT)	-176	-143	-78	-40	-12	-2	-48	-36	-36	-86	-148	-172	-80	0	-50
MEAN PRECIP (IN)	5.31	4.53	4.02	4.97	5.42	4.94	6.19	5.72	4.40	3.35	4.09	5.73	58.1	63	-113
MEAN SNOW FALL (IN)	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	64	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.9	8.1	6.8	7.0	7.3	7.7	8.9	8.4	6.8	5.4	6.4	9.4	91.1	63	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	64	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	7.5	4.9	5.3	3.8	2.3	0.5	0.7	0.7	1.0	5.3	5.3	8.7	46.4	5	-72240
MEAN NO DYS TSMS	3.0	3.0	5.0	6.0	8.0	10.0	15.0	12.0	8.0	2.0	3.0	3.0	78.0	19	-72240
P FREQ WND SPD = DR GTR 17 KTS	11.6	15.2	9.0	6.0	2.6	0.5	0.4	0.4	1.3	3.3	8.1	8.7	5.6	5	-72240
P FREQ WND SPD = DR GTR 28 KTS	1.2	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	5	-72240
P FREQ LES 5000 FT A/D LES 5 MI	41.4	38.6	36.6	43.4	21.3	15.6	13.6	13.4	19.4	19.5	30.1	42.4	27.9	5	-72240
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	23.9	24.7	32.3	33.7	3.9	1.7	2.9	3.6	7.0	9.7	19.4	31.2	16.2	5	-72240
03-05 LST	26.5	30.4	34.8	39.3	10.6	4.0	6.5	1.4	11.9	19.4	21.9	37.9	20.4	5	-72240
06-08 LST	32.9	32.5	32.6	40.7	14.8	5.4	8.7	6.5	17.8	27.6	26.7	33.3	23.3	5	-72240
09-11 LST	35.2	25.8	27.1	20.3	4.2	4.3	2.9	2.5	10.4	9.7	16.1	26.9	15.5	5	-72240
12-14 LST	22.3	17.0	15.5	8.0	1.3	0.7	1.3	1.1	5.2	1.1	7.8	16.9	8.2	5	-72240
15-17 LST	17.4	17.0	17.1	6.7	0.0	0.3	1.0	0.4	2.6	0.7	4.7	16.7	7.1	5	-72240
18-20 LST	17.7	20.1	18.7	8.0	0.6	0.3	1.0	0.4	6.7	0.4	8.9	23.7	8.9	5	-72240
21-23 LST	18.7	20.1	23.9	21.3	2.3	1.7	0.0	1.1	8.1	1.8	11.1	27.2	11.4	5	-72240
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	9.0	9.9	15.8	6.7	0.3	0.0	0.6	0.7	1.5	3.6	8.3	14.2	5.9	5	-72240
03-05 LST	15.8	13.1	16.1	9.7	5.8	1.3	1.6	0.7	1.9	10.8	7.8	21.2	8.8	5	-72240
06-08 LST	18.1	12.4	10.3	9.3	6.1	1.0	1.0	0.4	1.9	11.1	9.7	16.1	8.1	5	-72240
09-11 LST	9.7	3.5	1.9	1.0	0.0	0.3	0.0	0.0	0.0	1.1	0.8	7.8	2.2	5	-72240
12-14 LST	3.2	0.4	0.6	0.3	0.0	0.0	0.0	0.0	0.4	0.4	0.0	1.9	0.6	5	-72240
15-17 LST	1.9	0.7	1.0	0.0	0.0	0.3	0.0	0.0	0.0	0.7	0.3	1.9	0.6	5	-72240
18-20 LST	7.4	1.8	2.3	0.7	0.0	0.0	0.0	0.0	0.4	0.0	0.3	5.6	1.5	5	-72240
21-23 LST	8.4	3.9	8.1	2.7	0.3	0.0	0.0	0.0	0.4	0.0	2.5	10.3	3.1	5	-72240

JENNINGS, LOUISIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.0	24.8	26.7	29.3	31.0	30.0	30.5	30.7	28.7	31.0	29.0	26.7	345.4	5	-72240
	00 LST	26.0	22.0	21.7	25.2	30.7	29.7	30.5	30.0	28.3	29.0	26.3	23.5	322.9	5	-72240
	06 LST	21.7	20.6	21.0	19.7	24.5	29.0	28.0	29.3	24.7	23.0	24.8	21.2	287.5	5	-72240
	12 LST	25.0	26.3	28.5	29.3	31.0	30.0	30.5	31.0	29.0	31.0	28.5	27.5	347.6	5	-72240
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	14.7	11.6	12.2	10.5	11.7	16.2	20.4	22.0	25.0	25.3	16.7	15.5	201.8	5	-72240
	00 LST	15.2	12.6	13.7	15.5	26.0	28.2	30.5	29.6	27.0	23.0	16.0	13.2	250.5	5	-72240
	06 LST	13.2	10.9	13.0	12.5	22.0	28.2	27.2	28.3	23.3	18.3	14.7	10.2	221.8	5	-72240
	12 LST	8.2	6.2	7.0	7.2	10.7	18.5	21.7	22.3	19.0	18.7	11.0	8.5	159.0	5	-72240
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	2.8	3.9	2.6	1.7	1.5	0.2	0.0	0.3	0.0	0.3	1.3	1.3	15.2	5	-72240
	00 LST	3.4	2.0	1.8	0.5	0.0	0.0	0.0	0.0	0.0	0.3	1.6	0.8	10.4	5	-72240
	06 LST	2.6	2.6	0.5	0.2	0.2	0.0	0.0	0.0	0.0	0.3	1.3	2.1	9.8	5	-72240
	12 LST	4.9	7.5	4.2	3.0	2.0	0.8	0.0	0.0	0.7	1.0	5.3	4.4	33.8	5	-72240
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	18.8	15.8	15.6	15.2	17.4	21.2	20.6	21.0	25.6	26.3	19.8	20.6	238.9	5	-72240
	00 LST	18.5	17.7	19.6	21.7	25.5	23.9	23.2	24.9	22.5	19.0	17.5	20.2	254.2	5	-72240
	06 LST	16.0	15.7	22.0	22.4	24.9	21.8	16.5	25.6	26.6	22.3	18.5	17.5	249.8	5	-72240
	12 LST	13.3	10.4	12.6	12.3	15.3	19.1	11.7	11.7	17.2	20.6	13.7	13.8	171.7	5	-72240
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.0	8.4	10.0	6.5	8.5	8.5	5.8	9.0	9.0	16.6	13.2	8.0	113.5	5	-72240
	00 LST	12.2	10.9	11.2	9.0	11.5	18.5	17.4	19.0	17.6	19.7	12.0	11.0	170.0	5	-72240
	06 LST	10.5	10.1	7.5	4.5	4.5	10.0	8.8	11.0	11.3	14.7	9.8	9.0	111.7	5	-72240
	12 LST	9.7	7.7	9.0	3.5	5.7	1.5	1.2	5.0	5.3	13.3	9.5	8.0	79.4	5	-72240
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.0	21.1	24.2	25.5	29.7	29.7	30.0	30.0	28.0	30.0	26.7	22.7	321.6	5	-72240
	00 LST	23.0	19.6	19.7	18.8	28.5	29.0	30.2	29.6	27.7	27.7	23.7	20.7	298.2	5	-72240
	06 LST	20.0	18.3	18.0	14.5	23.5	27.8	27.2	28.3	24.3	22.3	22.2	18.2	264.6	5	-72240
	12 LST	21.5	20.0	23.3	21.0	28.0	29.0	29.2	27.0	24.7	29.3	23.5	22.2	298.7	5	-72240
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.2	17.3	22.2	23.3	27.7	28.2	29.2	28.6	26.6	29.0	23.7	19.2	295.2	5	-72240
	00 LST	19.7	18.3	18.0	17.5	27.0	28.2	30.2	29.3	26.6	27.0	20.7	17.2	279.7	5	-72240
	06 LST	16.2	16.4	15.5	13.7	22.2	27.5	27.2	28.3	23.6	21.3	19.0	14.2	245.1	5	-72240
	12 LST	18.2	17.1	20.2	16.2	16.7	19.5	18.9	20.0	18.0	27.0	20.0	17.5	229.3	5	-72240
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.5	16.1	21.7	21.2	26.0	28.0	28.2	28.3	26.0	28.6	21.8	16.7	280.1	5	-72240
	00 LST	18.5	16.6	16.0	17.0	26.5	28.0	30.2	29.0	26.6	26.7	18.8	15.7	269.6	5	-72240
	06 LST	15.0	15.3	14.5	12.0	22.0	27.2	27.2	27.7	23.0	20.6	16.7	13.0	234.2	5	-72240
	12 LST	15.7	15.1	18.5	15.0	16.7	18.2	18.9	20.0	17.6	26.0	16.5	15.5	213.7	5	-72240

WELSH, LOUISIANA

STA NO. 73063 (IN AREA NUMBER 13)

LATITUDE 3014N

LONGITUDE 09249W

ELEVATION(FT) 00019

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	81	84	94	92	97	98	101	104	99	96	88	82	104	22	-72240
MEAN MAX TMP (F)	62	65	70	78	85	90	92	92	88	82	70	64	78	22	-72240
MEAN MIN TMP (F)	43	46	51	59	66	72	74	74	69	59	49	45	59	22	-72240
ABS MIN TMP (F)	12	13	25	34	46	58	63	61	45	35	27	18	12	22	-72240
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.2	2.0	13.7	22.7	24.0	11.3	1.0	0.0	0.0	74.9	5	-72240
MEAN NO DYS TMP = DR LES 32(F)	7.2	3.9	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4.5	16.5	5	-72240
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-72240
MEAN DEW PT TMP (F)	40	44	50	61	65	71	73	74	70	60	51	44	59	5	-72240
MEAN REL HUM (PCT)	77	76	75	79	75	79	80	78	79	75	76	78	77	5	-72240
MEAN PRESS ALT (FT)	-181	-149	-84	-46	-17	-7	-54	-41	-41	-91	-194	-177	-86	0	-50
MEAN PRECIP (IN)	4.03	4.61	4.22	4.95	5.00	5.38	7.18	4.62	4.03	3.20	4.24	5.82	57.3	22	-72240
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-72240
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.5	8.2	6.9	7.2	7.2	8.1	9.7	7.4	6.3	5.2	6.6	9.5	89.8	22	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-72240
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	7.5	4.9	5.5	3.8	2.5	0.5	0.7	0.7	1.0	5.3	5.3	8.7	46.4	5	-72240
MEAN NO DYS TSTMS	3.0	3.0	5.0	6.0	8.0	10.0	15.0	12.0	8.0	2.0	3.0	3.0	78.0	19	-72240
P FREQ WND SPD = DR GTR 17 KTS	11.6	15.2	9.0	6.0	2.5	0.5	0.4	0.4	1.3	3.3	8.1	8.7	5.6	5	-72240
P FREQ WND SPD = DR GTR 28 KTS	1.2	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	5	-72240
P FREQ LES 5000 FT A/O LES 5 MI	41.4	38.6	36.6	43.4	21.3	15.6	13.6	13.4	19.4	19.5	30.1	42.4	27.9	5	-72240
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	23.9	24.7	32.3	33.7	3.9	1.7	2.9	3.6	7.0	9.7	19.4	31.2	16.2	5	-72240
03-05 LST	26.5	30.4	34.8	39.3	10.6	4.0	6.5	1.4	11.9	19.4	21.9	37.9	20.4	5	-72240
06-08 LST	32.9	32.5	32.6	40.7	14.8	5.4	5.7	6.5	17.8	27.6	26.7	33.3	23.3	5	-72240
09-11 LST	35.2	25.8	27.1	20.3	4.2	4.3	2.9	2.5	10.4	9.7	16.1	26.9	15.5	5	-72240
12-14 LST	22.3	17.0	15.5	8.0	1.3	0.7	1.3	1.1	5.2	1.1	7.8	16.9	8.2	5	-72240
15-17 LST	17.4	17.0	17.1	6.7	0.0	0.3	1.0	0.4	2.6	0.7	4.7	16.7	7.1	5	-72240
18-20 LST	17.7	20.1	18.7	8.0	0.6	0.3	1.0	0.4	6.7	0.4	8.9	23.7	8.9	5	-72240
21-23 LST	18.7	20.1	23.9	21.3	2.3	1.7	0.0	1.1	8.1	1.8	11.1	27.2	11.4	5	-72240
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	9.0	9.9	15.8	6.7	0.3	0.0	0.6	0.7	1.5	3.6	8.3	14.2	5.9	5	-72240
03-05 LST	15.8	13.1	16.1	9.7	5.8	1.3	1.6	0.7	1.9	10.8	7.8	21.2	8.8	5	-72240
06-08 LST	18.1	12.4	10.3	9.3	6.1	1.0	1.0	0.4	1.9	11.1	9.7	16.1	8.1	5	-72240
09-11 LST	9.7	3.5	1.9	1.0	0.0	0.3	0.0	0.0	0.0	1.1	0.8	7.8	2.2	5	-72240
12-14 LST	3.2	0.4	0.6	0.3	0.0	0.0	0.0	0.0	0.4	0.4	0.0	1.9	0.6	5	-72240
15-17 LST	1.9	0.7	1.0	0.0	0.0	0.3	0.0	0.0	0.0	0.7	0.3	1.9	0.6	5	-72240
18-20 LST	7.4	1.8	2.3	0.7	0.0	0.0	0.0	0.0	0.4	0.0	0.3	5.6	1.5	5	-72240
21-23 LST	8.4	3.9	8.1	2.7	0.3	0.0	0.0	0.0	0.4	0.0	2.5	10.5	3.1	5	-72240

WELSH, LOUISIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.0	24.8	26.7	29.3	31.0	30.0	30.5	30.7	28.7	31.0	29.0	26.7	345.4	5	-72240
	00 LST	26.0	22.0	21.7	25.2	30.7	29.7	30.5	30.0	28.3	29.0	26.3	23.5	322.9	5	-72240
	06 LST	21.7	20.6	21.0	19.7	24.5	29.0	28.0	29.3	24.7	23.0	24.8	21.2	287.5	5	-72240
	12 LST	25.0	26.3	28.5	29.3	31.0	30.0	30.5	31.0	29.0	31.0	28.5	27.5	347.6	5	-72240
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	14.7	11.6	12.2	10.5	11.7	16.2	20.4	22.0	25.0	25.3	16.7	15.5	201.8	5	-72240
	00 LST	15.2	12.6	13.7	15.5	26.0	28.2	30.5	29.6	27.0	23.0	16.0	13.2	250.5	5	-72240
	06 LST	13.2	10.9	13.0	12.5	22.0	28.2	27.2	28.3	23.3	18.3	14.7	10.2	221.8	5	-72240
	12 LST	8.2	6.2	7.0	7.2	10.7	18.5	21.7	22.3	19.0	18.7	11.0	8.5	159.0	5	-72240
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	2.8	3.9	2.6	1.0	1.5	0.2	0.0	0.3	0.0	0.3	1.3	1.3	15.2	5	-72240
	00 LST	3.4	2.0	1.8	0.5	0.0	0.0	0.0	0.0	0.0	0.3	1.6	0.8	10.4	5	-72240
	06 LST	2.6	2.6	0.5	0.2	0.2	0.0	0.0	0.0	0.0	0.3	1.3	2.1	9.8	5	-72240
	12 LST	4.9	7.5	4.2	3.0	2.0	0.8	0.0	0.0	0.7	1.0	5.3	4.4	33.8	5	-72240
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	18.8	15.8	15.6	16.2	17.4	21.2	20.6	21.0	25.6	26.3	19.8	20.6	238.9	5	-72240
	00 LST	18.5	17.7	19.6	21.7	25.5	23.9	23.2	24.9	22.5	19.0	17.5	20.2	234.2	5	-72240
	06 LST	16.0	15.7	22.0	22.4	24.9	21.8	16.5	25.6	26.6	22.3	18.5	17.5	249.8	5	-72240
	12 LST	13.3	10.4	12.6	12.3	15.3	19.1	11.7	11.7	17.2	20.6	13.7	13.8	171.7	5	-72240
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.0	8.4	10.0	6.5	8.5	8.5	5.8	9.0	9.0	16.6	13.2	8.0	113.5	5	-72240
	00 LST	12.2	10.9	11.2	9.0	11.5	18.5	17.4	19.0	17.6	19.7	12.0	11.0	170.0	5	-72240
	06 LST	10.5	10.1	7.5	4.5	4.5	10.0	8.8	11.0	11.3	14.7	9.8	9.0	111.7	5	-72240
	12 LST	9.7	7.7	9.0	3.5	5.7	1.5	1.2	5.0	5.3	13.3	9.5	8.0	70.4	5	-72240
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.0	21.1	24.2	25.5	29.7	29.7	30.0	30.0	28.0	30.0	26.7	22.7	321.6	5	-72240
	00 LST	23.0	19.6	19.7	18.8	28.5	29.0	30.2	29.6	27.7	27.7	23.7	20.7	298.2	5	-72240
	06 LST	20.0	18.3	18.0	14.5	23.5	27.8	27.2	28.3	24.3	22.3	22.2	18.2	264.6	5	-72240
	12 LST	21.5	20.0	23.3	21.0	28.0	29.0	29.2	27.0	24.7	29.3	23.5	22.2	298.7	5	-72240
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.2	17.3	22.2	23.3	27.7	28.2	29.2	28.6	26.6	29.0	23.7	19.2	295.2	5	-72240
	00 LST	19.7	18.3	18.0	17.5	27.0	28.2	30.2	29.3	26.6	27.0	20.7	17.2	279.7	5	-72240
	06 LST	16.2	16.4	15.5	13.7	22.2	27.5	27.2	28.3	23.6	21.3	19.0	14.2	245.1	5	-72240
	12 LST	18.2	17.1	20.2	16.2	16.7	19.5	18.9	20.0	18.0	27.0	20.0	17.5	229.3	5	-72240
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.5	16.1	21.7	21.2	26.0	28.0	28.2	28.3	26.0	28.6	21.8	16.7	280.1	5	-72240
	00 LST	18.5	16.6	16.0	17.0	26.5	28.0	30.2	29.0	26.6	26.7	18.8	15.7	269.6	5	-72240
	06 LST	15.0	15.3	14.5	12.0	22.0	27.2	27.2	27.7	23.0	20.6	16.7	13.0	234.2	5	-72240
	12 LST	15.7	15.1	18.5	15.0	16.7	18.2	18.9	20.0	17.6	26.0	16.5	13.5	213.7	5	-72240

LAKE PROVIDENCE/BYERLY, LOUISIANA

STA NO. 73864 (IN AREA NUMBER 13)

LATITUDE 3249N

LONGITUDE 0911W

ELEVATION(FT) 00106

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	85	89	93	95	99	108	109	109	110	98	90	85	110	39	-113
MEAN MAX TMP (F)	98	81	69	78	85	92	94	94	90	81	69	60	78	38	-113
MEAN MIN TMP (F)	36	39	45	54	62	69	72	71	65	54	43	37	54	41	-113
ABS MIN TMP (F)	5	-4	16	32	40	50	57	55	41	29	18	9	-4	38	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	1.0	11.0	22.0	28.0	28.0	18.0	6.0	0.0	0.0	114.0	9	-113
MEAN NO DYS TMP = DR LES 32(F)	9.0	6.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	6.0	10.0	35.0	9	-113
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	13	-73869
MEAN DEW PT TMP (F)	41	42	46	55	63	71	72	71	64	54	44	40	55	13	-73869
MEAN REL HUM (PCT)	77	73	69	71	74	73	74	71	71	71	71	75	73	13	-73869
MEAN PRESS ALT (FT)	-108	-74	-4	33	56	68	35	41	9	-32	-77	-106	-12	0	-50
MEAN PRECIP (IN)	5.46	5.41	5.93	4.92	4.35	3.64	4.00	3.51	2.77	2.37	4.64	5.10	51.9	41	-113
MEAN SNOW FALL (IN)	1.0	1.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.5	36	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.1	9.0	7.5	7.2	7.0	6.4	6.8	6.2	4.7	4.1	6.9	8.7	83.6	41	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	36	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.6	2.7	1.1	1.2	0.7	0.5	1.0	0.3	0.7	1.8	2.3	2.1	17.0	13	-73869
MEAN NO DYS TSMS	2.8	3.6	5.5	6.0	8.5	6.6	10.4	7.5	3.6	1.3	2.7	2.7	61.2	13	-73869
P FREQ WND SPD = DR GTR 17 KTS	2.9	3.0	3.0	3.5	1.1	0.3	0.6	0.3	1.7	0.9	1.6	2.2	1.9	13	-73869
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	13	-73869
P FREQ LES 5000 FT A/D LES 3 MI	45.5	36.5	31.0	27.3	22.3	15.9	13.7	9.9	17.0	20.7	30.2	39.0	25.9	13	-73869
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	22.1	18.0	10.1	10.2	5.5	3.9	5.2	2.5	7.0	7.7	15.2	19.4	10.6	13	-73869
03-05 LST	28.0	21.8	15.0	16.4	11.9	10.4	11.5	6.9	10.4	16.0	21.0	23.2	16.0	13	-73869
06-08 LST	35.6	27.4	20.5	21.4	17.3	15.0	15.5	9.7	15.2	23.8	24.4	27.8	21.1	13	-73869
09-11 LST	33.1	25.8	18.7	14.0	9.2	5.4	6.6	4.4	10.4	12.2	19.1	25.6	15.4	13	-73869
12-14 LST	23.1	19.7	11.0	6.8	3.6	0.8	1.7	1.2	4.4	4.8	10.3	17.2	8.7	13	-73869
15-17 LST	20.5	14.5	7.9	5.2	3.4	1.4	1.3	0.9	3.4	3.4	9.5	13.5	7.1	13	-73869
18-20 LST	17.9	12.9	6.5	4.6	3.3	1.0	1.3	0.6	2.8	3.3	9.7	12.6	6.4	13	-73869
21-23 LST	18.8	15.8	7.1	6.0	4.2	1.9	2.2	1.2	3.8	4.9	11.8	15.2	7.7	13	-73869
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	3.9	4.1	1.7	1.8	0.5	0.5	0.9	0.7	1.6	2.1	3.6	3.0	2.0	13	-73869
03-05 LST	5.6	6.9	2.5	2.2	1.8	1.7	1.8	1.2	2.5	4.6	4.5	4.9	3.4	13	-73869
06-08 LST	6.4	5.5	2.0	1.5	1.0	0.7	0.8	0.8	2.0	6.9	4.8	6.3	3.2	13	-73869
09-11 LST	2.5	1.8	0.5	0.2	0.3	0.2	0.3	0.1	0.1	0.6	0.9	1.5	0.8	13	-73869
12-14 LST	1.6	1.1	0.3	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.3	0.4	0.3	13	-73869
15-17 LST	1.7	0.8	0.2	0.3	0.1	0.1	0.2	0.0	0.2	0.0	0.5	1.2	0.4	13	-73869
18-20 LST	2.1	1.3	0.4	0.1	0.2	0.0	0.1	0.1	0.4	0.1	1.2	0.8	0.6	13	-73869
21-23 LST	3.5	2.5	0.8	0.6	0.1	0.2	0.2	0.2	0.3	0.7	2.5	1.6	1.1	13	-73869

LAKE PROVIDENCE/BYERLY, LOUISIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.8	24.8	29.4	28.9	30.3	29.8	30.5	30.8	29.4	30.3	27.6	28.3	346.9	13	-73869
	00 LST	26.1	24.1	29.1	28.4	30.0	29.4	30.0	30.5	28.8	29.3	26.6	27.2	339.5	13	-73869
	06 LST	23.3	22.6	27.2	25.2	27.3	26.6	27.0	28.4	26.2	23.7	23.6	25.1	306.4	13	-73869
	12 LST	25.4	23.4	28.8	28.9	30.3	29.9	30.9	30.8	29.3	30.0	27.7	27.3	342.7	13	-73869
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.3	18.8	19.6	21.9	25.7	25.6	27.3	26.9	25.7	28.1	23.9	22.2	286.0	13	-73869
	00 LST	18.0	17.4	20.1	22.1	26.8	28.4	29.2	29.5	25.9	26.5	22.1	20.5	286.5	13	-73869
	06 LST	15.1	16.1	18.1	17.7	21.7	24.6	25.3	27.6	23.9	20.6	18.9	17.5	247.1	13	-73869
	12 LST	10.4	11.1	11.8	12.0	17.1	20.1	23.7	24.0	17.9	19.9	15.2	14.9	198.1	13	-73869
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	0.3	1.0	0.5	0.1	0.3	0.2	0.0	0.3	0.1	0.0	0.7	4.2	13	-73869
	00 LST	0.8	0.4	0.8	0.2	0.1	0.0	0.1	0.1	0.3	0.2	0.3	0.5	3.8	13	-73869
	06 LST	1.1	0.5	0.6	0.3	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.3	3.0	13	-73869
	12 LST	1.4	1.5	2.4	2.3	0.6	0.1	0.2	0.1	1.2	0.3	0.8	1.4	12.5	13	-73869
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	18 LST	20.4	18.9	20.6	21.2	23.3	15.1	14.7	15.5	20.6	16.5	17.1	18.4	222.3	13	-73869
	00 LST	17.2	14.6	19.1	18.0	17.1	16.2	15.6	14.5	15.3	11.8	15.5	15.3	190.2	13	-73869
	06 LST	16.1	15.2	18.1	18.0	19.6	17.2	16.2	14.3	15.3	10.4	15.0	13.4	190.8	13	-73869
	12 LST	16.7	15.8	17.7	16.5	20.1	10.3	7.4	6.3	13.9	18.4	17.8	20.2	181.1	13	-73869
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.5	9.9	9.8	10.1	12.2	13.5	8.3	9.9	13.4	17.8	14.6	11.1	139.1	10	-73869
	00 LST	9.3	12.1	13.2	14.4	16.4	21.1	20.2	21.1	20.1	19.9	14.8	13.3	195.9	10	-73869
	06 LST	6.1	9.4	7.8	9.2	8.6	14.1	11.2	14.9	14.0	13.6	11.1	10.1	130.1	10	-73869
	12 LST	5.8	8.3	7.8	8.6	6.8	5.2	4.1	7.1	11.6	13.5	11.8	9.2	99.8	10	-73869
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.2	22.8	27.8	27.4	29.6	29.5	30.0	30.3	28.5	29.4	26.3	23.3	331.1	13	-73869
	00 LST	21.5	21.0	26.1	25.8	28.8	28.7	29.5	30.3	27.5	27.9	24.7	22.7	314.5	13	-73869
	06 LST	18.4	18.1	22.1	20.8	23.4	25.3	26.3	27.7	24.9	21.7	21.1	20.6	270.4	13	-73869
	12 LST	19.8	19.5	23.2	24.6	27.2	28.4	29.4	29.9	26.9	27.4	25.2	22.1	303.6	13	-73869
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.3	20.1	23.3	24.8	27.3	28.8	28.8	28.8	26.3	27.8	23.0	20.9	299.2	13	-73869
	00 LST	17.5	18.0	22.4	22.5	26.7	27.9	28.9	29.5	26.3	26.6	22.3	20.6	289.2	13	-73869
	06 LST	14.5	15.3	17.7	19.1	21.5	24.5	25.5	27.1	23.5	20.6	18.7	16.8	244.8	13	-73869
	12 LST	15.6	16.0	19.8	19.5	20.2	21.2	22.5	25.5	22.9	24.4	20.9	18.4	246.9	13	-73869
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.5	17.4	21.2	22.4	25.5	27.7	27.2	27.9	24.6	26.6	21.7	19.2	278.9	13	-73869
	00 LST	15.3	16.2	20.2	21.2	24.9	27.5	28.2	29.2	25.4	25.5	21.2	18.8	273.6	13	-73869
	06 LST	12.8	14.7	16.1	17.3	19.8	23.8	24.1	26.4	22.4	19.8	16.8	15.2	229.2	13	-73869
	12 LST	13.7	15.0	18.1	17.5	19.1	20.9	21.7	24.5	22.4	23.7	19.1	16.6	232.4	13	-73869

BASTROP/MOREHOUSE MEMORIAL, LOUISIANA

STA NO. 73866 (IN AREA NUMBER 13)	LATITUDE 3245N LONGITUDE 09132W ELEVATION(FT) 00169												PDR	NO.	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	DBS
ABS MAX TMP (F)	84	84	91	93	101	108	108	107	110	100	88	82	110	22	-113
MEAN MAX TMP (F)	57	60	68	76	84	91	94	94	89	80	67	59	77	23	-113
MEAN MIN TMP (F)	38	41	47	55	63	70	72	72	65	54	44	39	55	24	-113
ABS MIN TMP (F)	5	5	15	31	41	51	54	53	37	29	19	13	5	21	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.3	0.3	9.0	22.0	28.0	26.0	16.0	4.0	0.0	0.0	103.6	7	-113
MEAN NO DYS TMP = OR LES 32(F)	9.0	5.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	5.0	8.0	30.3	9	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN DEW PT TMP (F)	41	42	46	55	63	71	72	71	64	54	44	40	55	13	-73869
MEAN REL HUM (PCT)	77	73	69	71	74	73	74	71	71	71	71	75	73	13	-73869
MEAN PRESS ALT (FT)	-42	-9	61	100	124	135	101	107	75	33	-12	-41	53	0	-50
MEAN PRECIP (IN)	5.27	4.72	5.10	5.13	4.35	3.63	4.36	3.12	2.69	2.88	4.36	4.77	50.6	36	-113
MEAN SNOW FALL (IN)	1.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.7	22	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.9	8.3	7.2	7.2	7.0	6.4	7.2	5.8	4.6	4.8	6.8	8.3	82.5	36	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	22	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	2.6	2.7	1.1	1.2	0.7	0.5	1.0	0.3	0.7	1.8	2.3	2.1	17.0	13	-73869
MEAN NO DYS TSTMS	2.8	3.6	5.5	6.0	8.5	6.6	10.4	7.5	3.6	1.3	2.7	2.7	61.2	13	-73869
P FREQ WND SPD = OR GTR 17 KTS	2.9	3.0	3.0	3.5	1.1	0.5	0.6	0.3	1.3	0.9	1.6	2.2	1.9	13	-73869
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	13	-73869
P FREQ LES 5000 FT A/D LES 5 MI	45.5	36.5	31.0	27.3	22.3	15.9	15.7	9.9	17.0	20.7	30.2	39.0	25.9	13	-73869
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.1	18.0	10.1	10.2	5.5	3.9	5.2	2.5	7.0	7.7	15.2	19.4	10.6	13	-73869
03-05 LST	28.0	21.8	15.0	16.4	11.9	10.4	11.5	6.9	10.4	16.0	21.0	23.2	16.0	13	-73869
06-08 LST	35.6	27.4	20.5	21.4	17.3	15.0	15.5	9.7	15.2	23.8	24.4	27.8	21.1	13	-73869
09-11 LST	33.1	25.8	18.7	14.0	9.2	5.4	6.6	4.4	10.4	12.2	19.1	25.6	15.4	13	-73869
12-14 LST	23.1	19.7	11.0	6.8	3.6	0.8	1.7	1.2	4.4	4.8	10.3	17.2	3.7	13	-73869
15-17 LST	20.5	14.5	7.9	5.2	3.4	1.4	1.3	0.9	3.4	3.2	9.5	13.5	7.1	13	-73869
18-20 LST	17.9	12.9	6.5	4.6	3.3	1.0	1.3	0.6	2.8	3.3	9.7	12.6	6.4	13	-73869
21-23 LST	18.8	15.8	7.1	6.0	4.2	1.9	2.2	1.2	3.8	4.9	11.8	15.2	7.7	13	-73869
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.9	4.1	1.7	1.8	0.5	0.5	0.9	0.7	1.6	2.1	3.6	3.0	2.0	13	-73869
03-05 LST	5.6	6.9	2.5	2.2	1.8	1.7	1.8	1.2	2.5	4.6	4.5	4.9	3.4	13	-73869
06-08 LST	6.4	5.5	2.5	1.5	1.0	0.7	0.8	0.8	2.0	6.9	4.8	6.3	3.2	13	-73869
09-11 LST	2.5	1.4	0.5	0.2	0.3	0.2	0.3	0.1	0.1	0.6	0.9	1.5	0.8	13	-73869
12-14 LST	1.6	1.1	0.3	0.0	0.0	0.0	0.3	0.0	0.0	0.3	0.4	0.3		13	-73869
15-17 LST	1.7	0.8	0.2	0.3	0.1	0.1	0.2	0.0	0.2	0.0	0.5	1.2	0.4	13	-73869
18-20 LST	2.1	1.3	0.4	0.1	0.2	0.0	0.1	0.1	0.4	0.1	1.2	0.8	0.6	13	-73869
21-23 LST	3.5	2.5	0.8	0.6	0.1	0.2	0.2	0.2	0.3	0.7	2.5	1.6	1.1	13	-73869

BASTROP/MOREHOUSE MEMORIAL, LOUISIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.8	24.8	29.4	28.9	30.3	29.8	30.5	30.8	29.4	30.3	27.6	28.3	346.9	13	-73869
	00 LST	26.1	24.1	29.1	28.4	30.0	29.4	30.1	30.5	28.8	29.3	26.6	27.2	339.5	13	-73869
	06 LST	23.3	22.8	27.2	25.2	27.3	26.6	27.0	28.4	26.2	23.7	23.6	25.1	306.4	13	-73869
	12 LST	25.4	23.4	28.8	28.9	30.3	29.9	30.9	30.8	29.3	30.0	27.7	27.3	342.7	13	-73869
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.3	18.8	19.6	21.9	25.7	25.6	27.3	26.9	25.7	28.1	23.9	22.2	286.0	13	-73869
	00 LST	18.0	17.4	20.1	22.1	26.8	28.4	29.2	29.5	25.9	26.5	22.1	20.5	286.5	13	-73869
	06 LST	15.1	16.1	18.1	17.7	21.7	24.6	25.3	27.6	23.9	20.6	18.9	17.5	247.1	13	-73869
	12 LST	10.4	11.1	11.8	12.0	17.1	20.1	23.7	24.0	17.9	19.9	15.2	14.9	198.1	13	-73869
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	0.3	1.0	0.5	0.1	0.3	0.2	0.0	0.3	0.1	0.0	0.7	4.2	13	-73869
	00 LST	0.8	0.4	0.8	0.2	0.1	0.0	0.1	0.1	0.3	0.2	0.3	0.5	3.8	13	-73869
	06 LST	1.1	0.5	0.6	0.3	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.3	3.0	13	-73869
	12 LST	1.4	1.5	2.4	2.3	0.6	0.1	0.2	0.1	1.2	0.5	0.8	1.4	12.5	13	-73869
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	20.4	18.9	20.6	21.2	23.3	15.1	14.7	15.5	20.6	16.5	17.1	18.4	222.3	13	-73869
	00 LST	17.2	14.6	19.1	18.0	17.1	16.2	15.6	14.5	15.3	11.8	13.5	13.3	190.2	13	-73869
	06 LST	16.1	15.2	18.1	18.0	19.6	17.2	16.2	14.3	15.3	10.4	15.0	15.4	190.8	13	-73869
	12 LST	16.7	15.8	17.7	16.5	20.1	10.3	7.4	6.3	13.9	18.4	17.8	20.2	181.1	13	-73869
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.5	9.9	9.8	10.1	12.2	13.5	8.3	9.9	13.4	17.8	14.6	11.1	139.1	10	-73869
	00 LST	9.3	12.1	13.2	14.4	16.4	21.1	20.2	21.1	20.1	19.9	14.8	13.3	195.9	10	-73869
	06 LST	6.1	9.4	7.8	9.2	8.6	14.1	11.2	14.9	14.0	13.6	11.1	10.1	130.1	10	-73869
	12 LST	5.8	8.3	7.8	8.6	6.8	5.2	4.1	7.1	11.6	13.5	11.8	9.2	99.8	10	-73869
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.2	22.8	27.8	27.4	29.6	29.5	30.0	30.3	28.5	29.4	26.3	25.3	331.1	13	-73869
	00 LST	21.5	21.0	26.1	25.8	28.8	28.7	29.5	30.3	27.5	27.9	24.7	22.7	314.5	13	-73869
	06 LST	18.4	18.1	22.1	20.8	23.4	25.3	26.3	27.7	24.9	21.7	21.1	20.6	270.4	13	-73869
	12 LST	19.8	19.5	23.2	24.6	27.2	28.4	29.4	29.9	26.9	27.4	25.2	22.1	303.6	13	-73869
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.3	20.1	23.3	24.8	27.3	28.8	28.8	28.8	26.3	27.8	23.0	20.9	299.2	13	-73869
	00 LST	17.5	18.0	22.4	22.5	26.7	27.9	28.9	29.5	26.3	26.6	22.3	20.6	289.2	13	-73869
	06 LST	14.5	15.3	17.7	19.1	21.5	24.5	25.5	27.1	23.5	20.6	18.7	16.8	244.8	13	-73869
	12 LST	15.6	16.0	19.8	19.5	20.2	21.2	22.5	25.5	22.9	24.4	20.9	18.4	246.9	13	-73869
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.5	17.4	21.2	22.4	25.5	27.7	27.2	27.9	24.6	26.6	21.7	19.2	278.9	13	-73869
	00 LST	15.3	16.2	20.2	21.2	24.9	27.5	28.2	29.2	25.4	25.5	21.2	18.8	273.6	13	-73869
	06 LST	12.8	14.7	16.1	17.3	19.8	23.8	24.1	26.4	22.4	19.8	16.8	15.2	229.2	13	-73869
	12 LST	13.7	15.0	18.1	17.6	19.1	20.9	21.7	24.5	22.4	23.7	19.1	16.6	232.4	13	-73869

RAYVILLE MUNICIPAL, LOUISIANA

STA NO. 73867 (IN AREA NUMBER 13)

LATITUDE 3229N

LONGITUDE 09146W

ELEVATION(FT) 00083

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR NO.	
														(YRS)	UBS
ABS MAX TMP (F)	83	84	90	93	97	103	105	107	103	98	88	82	107	22	-73869
MEAN MAX TMP (F)	58	61	68	77	84	91	93	94	89	80	67	60	77	22	-73869
MEAN MIN TMP (F)	37	41	46	54	62	69	72	71	65	53	42	38	54	22	-73869
ABS MIN TMP (F)	5	-2	15	32	42	54	55	56	37	29	19	16	-2	22	-73869
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.1	0.4	6.5	23.9	26.4	26.4	13.5	3.2	0.0	0.0	100.4	13	-73869
MEAN NO DYS TMP = OR LES 32(F)	9.7	5.7	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.6	4.7	10.1	33.2	13	-73869
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	13	-73869
MEAN DEW PT TMP (F)	41	42	46	55	63	71	72	71	64	54	44	40	55	13	-73869
MEAN REL HUM (PCT)	77	73	69	71	74	73	74	71	71	71	71	75	73	13	-73869
MEAN PRESS ALT (FT)	-129	-96	-24	15	38	50	16	21	-12	-53	-99	-127	-32	0	-50
MEAN PRECIP (IN)	5.35	5.12	4.99	5.36	5.08	4.13	4.98	2.47	2.44	2.71	4.34	4.92	51.5	22	-73869
MEAN SNOW FALL (IN)	1.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.7	21	-73869
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.0	8.7	7.2	7.3	7.2	6.9	7.8	4.9	4.2	4.6	6.7	8.1	82.6	22	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	10	-73869
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.6	2.7	1.1	1.2	0.7	0.5	1.0	0.3	0.7	1.8	2.3	2.1	17.0	13	-73869
MEAN NO DYS TSTMS	2.8	3.6	5.5	6.0	8.5	6.6	10.4	7.5	3.6	1.3	2.7	2.7	61.2	13	-73869
P FREQ WND SPD = OR GTR 17 KTS	2.9	3.0	5.0	3.5	1.1	0.5	0.6	0.3	1.3	0.9	1.6	2.2	1.9	13	-73869
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	13	-73869
P FREQ LES 5000 FT A/O LES 3 MI	45.5	36.5	31.0	27.3	22.3	15.9	15.7	9.9	17.0	20.7	30.2	39.0	25.9	13	-73869
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	22.1	18.0	10.1	10.2	5.5	3.9	5.2	2.5	7.0	7.7	15.2	19.4	10.6	13	-73869
03-05 LST	28.0	21.8	19.0	16.4	11.9	10.4	11.5	6.9	10.4	16.0	21.0	23.2	16.0	13	-73869
06-08 LST	35.6	27.4	20.5	21.4	17.3	15.0	15.5	9.7	15.2	23.8	24.4	27.8	21.1	13	-73869
09-11 LST	33.1	25.8	18.7	14.0	9.2	5.4	6.6	4.4	10.4	12.2	19.1	25.6	15.4	13	-73869
12-14 LST	23.1	19.7	11.0	6.8	3.6	0.8	1.7	1.2	4.4	4.8	10.3	17.2	8.7	13	-73869
15-17 LST	20.5	14.5	7.9	5.2	3.4	1.4	1.3	0.9	3.4	3.2	9.5	13.5	7.1	13	-73869
18-20 LST	17.9	12.9	6.5	4.6	3.3	1.0	1.3	0.6	2.8	3.3	9.7	12.6	6.4	13	-73869
21-23 LST	18.8	15.8	7.1	6.0	4.2	1.9	2.2	1.2	3.8	4.9	11.8	15.2	7.7	13	-73869
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	3.9	4.1	1.7	1.8	0.5	0.5	0.9	0.7	1.6	2.1	3.6	3.0	2.0	13	-73869
03-05 LST	5.6	6.9	2.5	2.2	1.8	1.7	1.8	1.2	2.5	4.6	4.5	4.9	3.4	13	-73869
06-08 LST	6.4	5.5	2.0	1.5	1.0	0.7	0.8	0.8	2.0	6.9	4.8	6.3	3.2	13	-73869
09-11 LST	2.5	1.8	0.5	0.2	0.3	0.2	0.3	0.1	0.1	0.6	0.9	1.5	0.8	13	-73869
12-14 LST	1.6	1.1	0.3	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.3	0.4	0.3	13	-73869
15-17 LST	1.7	0.8	0.2	0.3	0.1	0.1	0.2	0.0	0.2	0.0	0.5	1.2	0.4	13	-73869
18-20 LST	2.1	1.3	0.4	0.1	0.2	0.0	0.1	0.1	0.4	0.1	1.2	0.8	0.6	13	-73869
21-23 LST	3.5	2.5	0.8	0.6	0.1	0.2	0.2	0.2	0.3	0.7	2.5	1.6	1.1	13	-73869

PAYVILLE MUNICIPAL, LOUISIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. GDS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.8	24.8	29.4	28.9	30.3	29.8	30.5	30.8	29.4	30.3	27.6	28.3	346.9	13	-73869
	00 LST	26.1	24.1	29.1	28.4	30.0	29.4	30.0	30.5	28.8	29.3	26.6	27.2	339.5	13	-73869
	06 LST	23.3	22.8	27.2	25.2	27.3	26.6	27.0	28.4	26.2	23.7	23.6	23.1	308.4	13	-73869
	12 LST	25.4	22.4	28.8	28.9	30.3	29.9	30.9	30.8	29.3	30.0	27.7	27.3	342.7	13	-73869
CIG =CTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.3	18.8	19.6	21.9	25.7	25.6	27.3	26.9	25.7	28.1	23.9	22.2	286.0	13	-73869
	00 LST	18.0	17.4	20.1	22.1	26.8	28.4	29.2	29.5	25.9	26.3	22.1	20.5	286.5	13	-73869
	06 LST	15.1	16.1	18.1	17.7	21.7	24.6	25.3	27.6	23.9	20.6	18.9	17.5	247.1	13	-73869
	12 LST	10.4	11.1	11.8	12.0	17.1	20.1	23.7	24.0	17.9	19.9	15.2	14.9	198.1	13	-73869
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	0.3	1.0	0.5	0.1	0.3	0.2	0.0	0.3	0.1	0.0	0.7	4.2	13	-73869
	00 LST	0.8	0.4	0.8	0.2	0.1	0.0	0.1	0.1	0.3	0.2	0.3	0.5	3.8	13	-73869
	06 LST	1.1	0.5	0.6	0.3	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.3	3.0	13	-73869
	12 LST	1.4	1.5	2.4	2.3	0.6	0.1	0.2	0.1	1.2	0.5	0.8	1.4	12.5	13	-73869
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	20.4	18.9	20.6	21.2	23.3	15.1	14.7	15.5	20.6	16.3	17.1	18.4	222.3	13	-73869
	00 LST	17.2	14.6	19.1	18.0	17.1	16.2	15.6	14.5	15.3	11.8	15.5	15.3	190.2	13	-73869
	06 LST	16.1	15.2	18.1	18.0	19.6	17.2	16.2	14.3	15.3	10.4	15.0	15.4	190.8	13	-73869
	12 LST	16.7	15.8	17.7	16.5	20.1	10.3	7.4	6.3	13.9	18.4	17.8	20.2	181.1	13	-73869
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.5	9.9	9.8	10.1	12.2	13.5	8.3	9.9	13.4	17.8	14.6	11.1	139.1	10	-73869
	00 LST	9.3	12.1	13.2	14.4	16.4	21.1	20.2	21.1	20.1	19.9	14.8	13.3	195.9	10	-73869
	06 LST	6.1	9.4	7.8	9.2	8.6	14.1	11.2	14.9	14.0	13.6	11.1	10.1	130.1	10	-73869
	12 LST	5.8	8.3	7.8	8.6	6.8	5.2	4.1	7.1	11.6	13.5	11.8	9.2	99.8	10	-73869
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.2	22.8	27.8	27.4	29.6	29.5	30.0	30.3	28.5	29.4	26.3	25.3	331.1	13	-73869
	00 LST	21.5	21.0	26.1	25.8	28.8	28.7	29.5	30.3	27.5	27.9	24.7	22.7	314.5	13	-73869
	06 LST	18.4	18.1	22.1	20.8	23.4	25.3	26.3	27.7	24.9	21.7	21.1	20.6	270.4	13	-73869
	12 LST	19.8	19.5	23.2	24.6	27.2	28.4	29.4	29.9	26.9	27.4	25.2	22.1	303.6	13	-73869
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.3	20.1	23.3	24.8	27.3	28.8	28.8	28.8	26.3	27.8	23.0	20.9	299.2	13	-73869
	00 LST	17.5	18.0	22.4	22.5	26.7	27.9	28.9	29.5	26.3	26.6	22.3	20.6	289.2	13	-73869
	06 LST	14.5	15.3	17.7	19.1	21.5	24.5	25.5	27.1	23.5	20.6	18.7	16.8	244.8	13	-73869
	12 LST	15.6	16.0	19.8	19.5	20.2	21.2	22.5	25.5	22.9	24.4	20.9	18.4	246.9	13	-73869
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.5	17.4	21.2	22.4	25.5	27.7	27.2	27.9	24.6	26.6	21.7	19.2	278.9	13	-73869
	00 LST	15.3	16.2	20.2	21.2	24.9	27.5	28.2	29.2	25.4	25.5	21.2	18.8	273.6	13	-73869
	06 LST	12.8	14.7	16.1	17.3	19.8	23.8	24.1	26.4	22.4	19.8	16.8	15.2	229.2	13	-73869
	12 LST	13.7	15.0	18.1	17.6	19.1	20.9	21.7	24.5	22.4	23.7	19.1	16.6	232.4	13	-73869

RUSTON MUNICIPAL, LOUISIANA

STA NO. 73868 (IN AREA NUMBER 13)

LATITUDE 3230N

LONGITUDE 09237W

ELEVATION(FT) 00317

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	85	88	95	96	102	107	108	108	108	100	98	88	108	60	-113
MEAN MAX TMP (F)	59	62	70	77	84	92	93	94	90	80	68	59	77	58	-113
MEAN MIN TMP (F)	38	40	44	53	61	68	71	70	65	54	44	37	54	61	-113
ABS MIN TMP (F)	0	-15	14	29	38	49	55	51	37	25	17	9	-15	60	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	4.0	20.0	27.0	26.0	15.0	3.0	0.0	0.0	95.3	9	-113
MEAN NO DYS TMP = OR LES 32(F)	13.0	8.0	5.9	0.3	0.0	0.0	0.0	0.0	0.0	1.0	7.0	12.0	46.3	10	-113
MEAN NO DYS TMP = OR LFS 0(F)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	13	-73869
MEAN DEW PT TMP (F)	41	42	46	55	63	71	72	71	64	54	44	40	55	13	-73869
MEAN REL HUM (PCT)	77	73	69	71	74	73	74	71	71	71	71	75	73	13	-73869
MEAN PRESS ALT (FT)	107	139	212	293	278	288	293	298	226	183	136	109	204	0	-50
MEAN PRECIP (IN)	5.07	4.45	5.15	5.03	4.97	3.89	4.54	3.19	2.85	3.00	4.16	5.05	51.3	63	-113
MEAN SNOW FALL (IN)	0.8	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.5	61	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.7	8.0	7.2	7.2	7.2	6.7	7.3	5.8	4.8	5.0	6.3	8.7	83.1	63	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	61	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	2.6	2.7	1.1	1.2	0.7	0.5	1.0	0.3	0.7	1.8	2.3	2.1	17.0	13	-73869
MEAN NO DYS TSTMS	2.8	3.6	5.5	6.0	8.5	6.6	10.4	7.5	3.6	1.3	2.7	2.7	61.2	13	-73869
P FREQ WND SPD = OR GTR 17 KTS	2.9	3.0	5.0	3.5	1.1	0.5	0.6	0.3	1.3	0.9	1.6	2.2	1.9	13	-73869
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	13	-73869
P FREQ LES 5000 FT A/D LES 5 MI	45.5	36.5	31.0	27.3	22.3	15.9	15.7	9.9	17.0	20.7	30.2	39.0	25.9	13	-73869
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	22.1	18.0	10.1	10.2	5.5	3.9	5.2	2.5	7.0	7.7	15.2	19.4	10.6	13	-73869
03-05 LST	28.0	21.8	15.0	16.4	11.9	10.4	11.5	6.9	10.4	16.0	21.0	23.2	16.0	13	-73869
06-08 LST	35.6	27.4	20.5	21.4	17.3	15.0	15.5	9.7	15.2	23.8	24.4	27.8	21.1	13	-73869
09-11 LST	33.1	25.8	18.7	14.0	9.2	5.4	6.6	4.4	10.4	12.2	19.1	25.6	15.4	13	-73869
12-14 LST	23.1	19.7	11.0	6.8	3.6	0.8	1.7	1.2	4.4	4.8	10.3	17.2	8.7	13	-73869
15-17 LST	20.5	14.5	7.9	5.2	3.4	1.4	1.3	0.9	3.4	3.2	9.5	13.5	7.1	13	-73869
18-20 LST	17.9	12.9	6.5	4.6	3.3	1.0	1.3	0.6	2.8	3.3	9.7	12.6	6.4	13	-73869
21-23 LST	18.8	15.8	7.1	6.0	4.2	1.9	2.2	1.2	3.8	4.9	11.8	15.2	7.7	13	-73869
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	3.9	4.1	1.7	1.8	0.5	0.5	0.9	0.7	1.6	2.1	3.6	3.0	2.0	13	-73869
03-05 LST	5.6	6.9	2.5	2.2	1.8	1.7	1.8	1.2	2.5	4.6	4.5	4.9	3.4	13	-73869
06-08 LST	6.4	5.5	2.0	1.5	1.0	0.7	0.8	0.8	2.0	6.9	4.8	6.3	3.2	13	-73869
09-11 LST	2.5	1.8	0.5	0.2	0.3	0.2	0.3	0.1	0.1	0.6	0.9	1.5	0.8	13	-73869
12-14 LST	1.6	1.1	0.3	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.3	0.4	0.3	13	-73869
15-17 LST	1.7	0.8	0.2	0.3	0.1	0.1	0.2	0.0	0.2	0.0	0.5	1.2	0.4	13	-73869
18-20 LST	2.1	1.3	0.4	0.1	0.2	0.0	0.1	0.1	0.4	0.1	1.2	0.8	0.6	13	-73869
21-23 LST	3.5	2.5	0.8	0.6	0.1	0.2	0.2	0.2	0.3	0.7	2.5	1.6	1.1	13	-73869

RUSTON MUNICIPAL, LOUISIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PCR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.8	24.8	29.4	28.9	30.3	29.8	30.5	30.8	29.4	30.3	27.6	28.3	346.9	13	-73869
	00 LST	26.1	24.1	29.1	28.4	30.0	29.4	30.0	30.5	28.8	29.3	26.6	27.2	339.5	13	-73869
	06 LST	23.3	22.8	27.2	25.2	27.3	26.6	27.0	28.4	26.2	23.7	23.6	25.1	306.4	13	-73869
	12 LST	25.4	23.4	28.8	28.9	30.3	29.9	30.9	30.8	29.3	30.0	27.7	27.3	342.7	13	-73869
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.3	18.8	19.6	21.9	25.7	25.6	27.3	26.9	25.7	28.1	23.9	22.2	286.0	13	-73869
	00 LST	18.0	17.4	20.1	22.1	26.8	28.4	29.2	29.3	25.5	26.5	22.1	20.5	286.5	13	-73869
	06 LST	15.1	16.1	18.1	17.7	21.7	24.6	25.3	27.6	23.9	20.6	18.9	17.5	247.1	13	-73869
	12 LST	10.4	11.1	11.8	12.0	17.1	20.1	23.7	24.0	17.9	19.9	15.2	14.9	198.1	13	-73869
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	0.3	1.0	0.5	0.1	0.3	0.2	0.0	0.3	0.1	0.0	0.7	4.2	13	-73869
	00 LST	0.8	0.4	0.8	0.2	0.1	0.0	0.1	0.1	0.3	0.2	0.3	0.5	3.8	13	-73869
	06 LST	1.1	0.5	0.6	0.3	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.3	3.0	13	-73869
	12 LST	1.4	1.5	2.4	2.3	0.6	0.1	0.2	0.1	1.2	0.3	0.8	1.4	12.5	13	-73869
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	20.4	18.9	20.6	21.2	23.3	19.1	14.7	15.5	20.6	16.5	17.1	18.4	222.3	13	-73869
	00 LST	17.2	14.6	19.1	18.0	17.1	16.2	15.6	14.5	15.3	11.8	15.5	15.3	190.2	13	-73869
	06 LST	16.1	15.2	18.1	18.0	19.6	17.2	16.2	14.3	15.3	10.4	15.0	15.4	190.8	13	-73869
	12 LST	16.7	15.8	17.7	16.5	20.1	10.3	7.4	8.3	13.9	18.4	17.8	20.2	181.1	13	-73869
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.5	9.9	9.8	10.1	12.2	12.5	8.3	9.9	13.4	17.8	14.6	11.1	135.1	10	-73869
	00 LST	9.3	12.1	13.2	14.4	16.4	21.1	20.2	21.1	20.1	19.9	14.8	13.3	195.9	10	-73869
	06 LST	6.1	9.4	7.8	9.2	8.6	14.1	11.2	14.9	14.0	13.6	11.1	10.1	130.1	10	-73869
	12 LST	5.8	8.3	7.8	8.6	6.8	5.2	4.1	7.1	11.6	13.5	11.8	9.2	99.8	10	-73869
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.2	22.8	27.8	27.4	29.6	29.5	30.0	30.3	28.5	29.4	26.3	25.3	331.1	13	-73869
	00 LST	21.5	21.0	26.1	25.8	28.3	28.7	29.5	30.3	27.5	27.9	24.7	22.7	314.5	13	-73869
	06 LST	18.4	18.1	22.1	20.8	23.4	25.3	26.3	27.7	24.9	21.7	21.1	20.6	270.4	13	-73869
	12 LST	19.8	19.5	23.2	24.6	27.2	28.4	29.4	29.9	26.9	27.4	25.2	22.1	303.6	13	-73869
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.3	20.1	23.3	24.8	27.3	28.8	28.8	28.8	26.3	27.8	23.0	20.9	299.2	13	-73869
	00 LST	17.5	18.0	22.4	22.5	26.7	27.9	28.9	29.3	26.3	26.6	22.3	20.6	289.2	13	-73869
	06 LST	14.5	15.3	17.7	19.1	21.5	24.5	25.5	27.1	23.5	20.6	18.7	16.8	244.8	13	-73869
	12 LST	15.4	16.5	19.8	19.5	20.2	21.2	22.5	25.3	22.9	24.4	20.9	18.4	246.9	13	-73869
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.5	17.4	21.2	22.4	25.5	27.7	27.2	27.9	24.6	26.6	21.7	19.2	278.9	13	-73869
	00 LST	15.3	16.2	20.2	21.2	24.9	27.5	28.2	29.2	25.4	25.5	21.2	18.8	273.6	13	-73869
	06 LST	12.8	14.7	16.1	17.3	19.8	23.8	24.1	26.4	22.4	19.8	16.8	13.2	229.2	13	-73869
	12 LST	13.7	15.0	18.1	17.6	19.1	20.9	21.7	24.5	22.4	23.7	19.1	16.6	232.4	13	-73869

MONROE/SELMAN FIELD, LOUISIANA

STA NO. 73869 (IN AREA NUMBER 13)

LATITUDE 3230N

LONGITUDE 09202W

ELEVATION(FT) 00079

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	83	84	90	93	97	103	105	107	103	98	88	82	107	22	-613
MEAN MAX TMP (F)	58	61	68	77	84	91	93	94	89	80	67	60	77	22	-113
MEAN MIN TMP (F)	37	41	46	54	62	69	72	71	65	53	42	38	54	22	-113
ABS MIN TMP (F)	5	-2	15	32	42	54	55	56	37	29	19	16	-2	22	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.1	0.4	6.5	23.9	26.4	26.4	13.5	3.2	0.0	0.0	100.4	13	4132
MEAN NO DYS TMP = DR LES 32(F)	9.7	5.7	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.6	4.7	10.1	33.2	13	4132
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	13	4132
MEAN DEW PT TMP (F)	41	42	46	55	63	71	72	71	64	54	44	40	55	13	98856
MEAN REL HUM (PCT)	77	73	69	71	74	73	74	71	71	71	71	75	73	13	98843
MEAN PRESS ALT (FT)	-132	-99	-27	12	36	47	13	18	-14	-56	-102	-130	-35	0	-50
MEAN PRECIP (IN)	5.35	5.12	4.99	5.36	5.08	4.13	4.98	2.47	2.44	2.71	4.34	4.52	51.5	22	-113
MEAN SNOW FALL (IN)	1.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.7	21	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.0	8.7	7.2	7.3	7.2	6.9	7.8	4.9	4.2	4.6	6.7	8.1	82.6	22	-29
MEAN NO DYS SNFL = DR GTR 1.9 IN	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	10	3360
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	2.6	2.7	1.1	1.2	0.7	0.5	1.0	0.3	0.7	1.8	2.3	2.1	17.0	13	4133
MEAN NO DYS TSTMS	2.8	3.6	5.5	6.0	8.5	6.6	10.4	7.5	3.6	1.3	2.7	2.7	61.2	13	4.32
P FREQ WND SPD = DR GTR 17 KTS	2.9	3.0	5.0	3.5	1.1	0.5	0.6	0.3	1.3	0.9	1.6	2.2	1.9	13	98862
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	13	98863
P FREQ LES 5000 FT A/D LES 5 MI	45.5	36.5	31.0	27.3	22.3	15.9	15.7	9.9	17.0	20.7	30.2	39.0	25.9	13	98848
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.1	18.0	10.1	10.2	5.5	3.9	5.2	2.5	7.0	7.7	15.2	19.4	10.6	13	12351
03-05 LST	28.0	21.8	15.0	16.4	11.9	10.4	11.5	6.9	10.4	16.0	21.0	23.2	16.0	13	12357
06-08 LST	35.6	27.4	20.5	21.4	17.3	15.0	15.5	9.7	15.2	23.8	24.4	27.8	21.1	13	12361
09-11 LST	33.1	23.8	18.7	14.0	9.2	5.4	6.6	4.4	10.4	12.2	19.1	25.6	15.4	13	12368
12-14 LST	23.1	19.7	11.0	6.8	3.6	0.8	1.7	1.2	4.4	4.8	10.3	17.2	8.7	13	12362
15-17 LST	20.5	14.5	7.9	5.2	3.4	1.4	1.3	0.9	3.4	3.2	9.5	13.5	7.1	13	12364
18-20 LST	17.9	12.9	6.5	4.6	3.3	1.0	1.3	0.6	2.8	3.3	9.7	12.6	6.4	13	12357
21-23 LST	18.8	15.8	7.1	6.0	4.2	1.9	2.2	1.2	3.8	4.9	11.8	15.2	7.7	13	12346
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.9	4.1	1.7	1.8	0.5	0.5	0.9	0.7	1.6	2.1	3.6	3.0	2.0	13	12351
03-05 LST	5.6	6.9	2.5	2.2	1.8	1.7	1.8	1.2	2.5	4.6	4.5	4.9	3.4	13	12357
06-08 LST	6.4	5.5	2.0	1.5	1.0	0.7	0.8	0.8	2.0	6.9	4.8	6.3	3.2	13	12361
09-11 LST	2.5	1.8	0.5	0.2	0.3	0.2	0.3	0.1	0.1	0.6	0.9	1.5	0.8	13	12368
12-14 LST	1.6	1.1	0.3	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.3	0.4	0.3	13	12362
15-17 LST	1.7	0.8	0.2	0.3	0.1	0.1	0.2	0.0	0.2	0.0	0.5	1.2	0.4	13	12364
18-20 LST	2.1	1.3	0.4	0.1	0.2	0.0	0.1	0.1	0.4	0.1	1.2	0.8	0.6	13	12357
21-23 LST	3.5	2.5	0.8	0.6	0.1	0.2	0.2	0.2	0.3	0.7	2.5	1.6	1.1	13	12346

MONROE/SELMAN FIELD, LOUISIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.8	24.8	29.4	28.9	30.3	29.8	30.5	30.8	29.4	30.3	27.6	28.3	346.9	13	4134
	00 LST	26.1	24.1	29.1	28.4	30.0	29.4	30.0	30.5	28.8	29.3	26.6	27.2	339.5	13	4135
	06 LST	23.3	22.8	27.2	25.2	27.3	26.6	27.0	28.4	26.2	23.7	23.6	25.1	306.4	13	4134
	12 LST	25.4	23.4	28.8	28.9	30.3	29.9	30.9	30.8	29.3	30.0	27.7	27.3	342.7	13	4134
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.3	18.8	19.6	21.9	25.7	25.6	27.3	26.9	25.7	28.1	23.9	22.2	286.0	13	4134
	00 LST	18.0	17.4	20.1	22.1	26.8	28.4	29.2	29.5	25.9	26.5	22.1	20.5	286.5	13	4135
	06 LST	15.1	16.1	18.1	17.7	21.7	24.6	25.3	27.6	23.9	20.6	18.9	17.5	247.1	13	4134
	12 LST	10.4	11.1	11.8	12.0	17.1	20.1	23.7	24.0	17.9	19.9	15.2	14.9	198.1	13	4134
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	0.3	1.0	0.5	0.1	0.3	0.2	0.0	0.3	0.1	0.0	0.7	4.2	13	4049
	00 LST	0.8	0.4	0.8	0.2	0.1	0.0	0.1	0.1	0.3	0.2	0.3	0.5	3.8	13	4040
	06 LST	1.1	0.5	0.6	0.3	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.3	3.0	13	4032
	12 LST	1.4	1.5	2.4	2.3	0.6	0.1	0.2	0.1	1.2	0.5	0.8	1.4	12.5	13	4046
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	20.4	18.9	20.6	21.2	23.3	15.1	14.7	15.5	20.6	16.5	17.1	18.4	222.3	13	4049
	00 LST	17.2	14.6	19.1	18.0	17.1	16.2	15.6	14.5	15.3	11.8	15.5	15.3	190.2	13	4040
	06 LST	16.1	15.2	18.1	18.0	19.6	17.2	16.2	14.3	15.3	10.4	15.0	15.4	190.8	13	4032
	12 LST	16.7	15.8	17.7	16.5	20.1	10.3	7.4	6.3	13.9	18.4	17.8	20.2	181.1	13	4046
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.5	9.9	9.8	10.1	12.2	13.5	8.3	9.9	13.4	17.8	14.6	11.1	139.1	10	3379
	00 LST	9.3	12.1	13.2	14.4	16.4	21.1	20.2	21.1	20.1	19.9	14.8	13.3	195.9	10	3379
	06 LST	6.1	9.4	7.8	9.2	8.6	14.1	11.2	14.9	14.0	13.6	11.1	10.1	130.1	10	3379
	12 LST	5.8	8.3	7.8	8.6	6.8	5.2	4.1	7.1	11.6	13.5	11.8	9.2	99.8	10	3379
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.2	22.8	27.8	27.4	29.6	29.5	30.0	30.3	28.5	29.4	26.3	25.3	331.1	13	4134
	00 LST	21.5	21.0	26.1	25.8	28.8	28.7	29.5	30.3	27.5	27.9	24.7	22.7	314.5	13	4135
	06 LST	18.4	18.1	22.1	20.8	23.4	25.3	26.3	27.7	24.9	21.7	21.1	20.6	270.4	13	4134
	12 LST	19.8	19.5	23.2	24.6	27.2	28.4	29.4	29.9	26.9	27.4	25.2	22.1	303.6	13	4134
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.3	20.1	23.3	24.8	27.3	28.8	28.8	28.8	26.3	27.8	23.0	20.9	299.2	13	4134
	00 LST	17.5	18.0	22.4	22.5	26.7	27.9	28.9	29.5	26.3	26.6	22.3	20.6	289.2	13	4135
	06 LST	14.5	15.3	17.7	19.1	21.5	24.5	25.5	27.1	23.5	20.6	18.7	16.8	244.8	13	4134
	12 LST	15.6	16.0	19.8	19.5	20.2	21.2	22.5	25.5	22.9	24.4	20.9	18.4	246.9	13	4134
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.5	17.4	21.2	22.4	25.5	27.7	27.2	27.9	24.6	26.6	21.7	19.2	278.9	13	4134
	00 LST	15.3	16.2	20.2	21.2	24.9	27.5	28.2	29.2	25.4	25.5	21.2	18.8	273.6	13	4135
	06 LST	12.8	14.7	16.1	17.3	19.8	23.8	24.1	26.4	22.4	19.8	16.8	15.2	229.2	13	4134
	12 LST	13.7	15.0	18.1	17.6	19.1	20.9	21.7	24.5	22.4	23.7	19.1	16.6	232.4	13	4134

NATCHITOCHE MUNICIPAL, LOUISIANA

STA NO. 73871 (IN AREA NUMBER 13)

LATITUDE 3144N

LONGITUDE 09305W

ELEVATION(FT) 00115

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	84	87	91	95	100	104	108	107	104	99	88	83	108	34	-113
MEAN MAX TMP (F)	61	64	71	79	83	92	94	95	88	82	69	63	79	37	-113
MEAN MIN TMP (F)	39	41	46	55	62	69	71	70	65	53	43	40	55	36	-113
ABS MIN TMP (F)	3	3	22	30	39	50	55	53	42	26	19	5	3	33	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.3	1.0	12.0	25.0	28.0	29.0	20.0	6.0	0.0	0.0	121.3	9	-113
MEAN NO DYS TMP = OR LES 32(F)	10.0	6.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	7.0	10.0	37.0	9	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73275
MEAN DEW PT TMP (F)	39	41	44	53	62	69	71	70	64	54	42	38	54	12	-73275
MEAN REL HUM (PCT)	73	70	67	69	71	72	72	70	69	68	68	70	70	12	-73275
MEAN PRESS ALT (FT)	-91	-61	14	97	83	92	97	60	23	-13	-64	-91	5	0	-50
MEAN PRECIP (IN)	5.49	4.87	4.88	4.46	5.27	3.85	3.67	2.68	3.06	3.00	4.45	4.75	50.4	38	-113
MEAN SNOW FALL (IN)	0.7	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.4	33	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.1	8.5	7.2	7.0	7.3	6.6	6.4	5.2	5.1	5.0	6.9	8.3	82.6	38	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	33	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	3.7	2.6	1.8	0.9	1.1	0.4	0.8	0.9	0.8	2.6	1.8	3.1	20.1	12	-73275
MEAN NO DYS TSTMS	2.2	2.9	3.5	3.9	6.9	6.3	8.2	3.7	4.1	2.2	2.5	2.3	34.7	12	-73275
P FREQ WND SPD = OR GTR 17 KTS	1.9	2.4	3.0	1.8	0.8	0.4	0.3	0.4	0.5	0.7	1.9	1.8	1.3	12	-73275
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73275
P FREQ LES 5000 FT A/D LES 5 MI	41.3	37.2	31.8	31.1	26.2	20.8	15.6	12.2	18.0	19.8	28.9	34.3	26.4	12	-73275
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.8	18.6	12.6	10.0	8.6	4.0	3.6	3.0	5.7	8.4	13.6	19.0	10.8	12	-73275
03-05 LST	28.9	25.1	18.5	18.1	17.3	12.4	8.4	7.1	12.5	15.1	18.1	21.3	16.9	12	-73275
06-08 LST	34.7	29.8	22.6	23.9	19.9	18.0	13.3	10.4	16.3	21.2	23.1	24.3	21.5	12	-73275
09-11 LST	32.2	27.8	16.2	14.4	10.3	7.6	5.6	5.9	9.7	12.7	19.7	21.1	15.3	12	-73275
12-14 LST	22.9	17.9	10.4	7.3	4.1	4.3	1.4	1.3	3.6	4.3	10.6	16.0	8.7	12	-73275
15-17 LST	17.1	13.7	8.3	5.6	4.9	2.8	1.8	1.9	2.9	3.1	7.6	13.9	7.0	12	-73275
18-20 LST	17.3	12.9	8.5	5.1	4.1	2.5	1.2	1.3	2.9	3.7	8.6	14.0	6.8	12	-73275
21-23 LST	19.5	13.4	10.2	6.8	3.1	2.9	2.3	1.0	3.2	5.2	9.2	13.4	7.7	12	-73275
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.7	3.5	2.2	1.8	0.3	1.0	0.5	0.3	0.4	1.5	3.0	4.8	2.1	12	-73275
03-05 LST	6.6	6.5	3.9	2.4	2.2	1.3	2.0	0.8	1.7	4.3	3.8	6.4	3.5	12	-73275
06-08 LST	8.2	7.7	3.0	2.4	1.3	1.4	1.2	0.8	1.4	5.2	4.6	7.5	3.9	12	-73275
09-11 LST	5.0	3.2	1.1	0.0	0.3	0.0	0.0	0.1	0.3	1.1	2.3	3.1	1.4	12	-73275
12-14 LST	2.5	0.4	0.3	0.2	0.4	0.1	0.2	0.0	0.1	0.2	0.6	1.3	0.5	12	-73275
15-17 LST	1.8	0.9	0.5	0.4	0.4	0.1	0.4	0.4	0.4	0.0	1.1	1.0	0.6	12	-73275
18-20 LST	3.0	1.4	1.0	0.3	0.3	0.1	0.0	0.2	0.1	0.2	0.6	2.5	0.8	12	-73275
21-23 LST	3.5	3.2	1.3	0.6	0.2	0.3	0.0	0.0	0.0	0.4	1.3	3.5	1.2	12	-73275

NATCHITOCHE MUNICIPAL, LOUISIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.0	25.0	28.6	29.0	30.0	29.4	30.6	30.7	29.4	30.0	28.1	28.1	345.9	12	-73275
	00 LST	26.4	24.0	28.5	28.3	29.5	29.3	30.6	30.5	29.1	29.5	27.2	27.1	340.0	12	-73275
	06 LST	23.6	22.0	26.2	25.2	26.0	25.6	27.7	28.6	26.3	24.9	24.5	25.3	305.9	12	-73275
	12 LST	25.4	23.9	28.6	28.5	30.3	29.0	30.8	30.8	29.6	29.9	27.7	26.6	341.1	12	-73275
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.2	17.9	19.4	20.6	23.7	26.0	26.8	27.7	26.3	27.8	23.7	22.8	282.9	12	-73275
	00 LST	19.2	17.0	21.3	22.2	26.0	26.8	29.3	29.1	27.0	27.0	22.3	21.2	288.4	12	-73275
	06 LST	16.2	15.8	18.7	19.7	21.5	23.4	26.2	27.6	24.2	22.1	19.6	18.8	253.8	12	-73275
	12 LST	12.1	11.1	12.9	14.2	19.5	22.1	25.5	25.3	21.9	21.3	15.7	15.1	216.7	12	-73275
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.3	0.3	0.7	0.7	0.2	0.1	0.0	0.2	0.0	0.2	0.3	0.3	3.3	12	-73275
	00 LST	0.1	0.4	0.7	0.2	0.2	0.0	0.0	0.0	0.0	0.2	0.4	0.3	2.5	12	-73275
	06 LST	0.3	0.4	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.2	1.7	12	-73275
	12 LST	0.9	1.4	1.8	0.9	0.4	0.0	0.0	0.3	0.2	0.5	1.2	1.1	8.7	12	-73275
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	18 LST	19.7	17.4	20.0	19.9	21.6	19.7	12.3	12.4	20.0	19.7	17.2	19.9	213.8	12	-73275
	00 LST	18.1	15.8	17.9	17.8	18.1	16.2	17.2	15.1	14.3	14.9	13.8	16.6	195.8	12	-73275
	06 LST	16.1	15.8	16.6	18.3	15.3	15.0	12.8	11.5	13.0	14.0	13.0	14.6	176.0	12	-73275
	12 LST	20.1	16.4	17.1	18.5	19.5	14.6	10.0	8.8	13.3	20.9	17.8	18.1	197.1	12	-73275
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.6	8.0	8.9	8.7	10.5	11.6	8.0	9.7	13.8	16.4	13.7	10.8	128.7	12	-73275
	00 LST	11.5	10.5	12.3	14.6	14.8	18.5	18.7	19.3	19.5	18.7	15.4	13.1	186.9	12	-73275
	06 LST	9.6	8.2	8.8	7.8	6.5	10.2	10.8	12.2	13.1	13.6	11.3	12.3	124.4	12	-73275
	12 LST	6.7	7.3	7.8	7.3	6.1	5.2	3.8	5.7	8.5	12.2	10.9	9.7	91.2	12	-73275
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.3	23.2	26.7	27.7	28.8	28.6	30.2	30.3	28.6	29.0	26.8	25.5	329.7	12	-73275
	00 LST	22.4	20.9	25.2	26.1	27.4	28.7	30.1	30.2	27.9	28.2	25.1	24.1	316.3	12	-73275
	06 LST	19.2	17.8	21.3	20.6	22.5	23.8	26.6	27.7	24.5	23.0	21.6	21.7	270.3	12	-73275
	12 LST	20.4	20.7	24.1	24.6	26.9	27.9	29.6	29.2	27.7	27.6	24.8	23.3	306.8	12	-73275
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.3	18.4	22.7	23.6	26.3	25.8	28.3	28.4	26.4	28.0	22.9	21.9	292.0	12	-73275
	00 LST	18.3	17.8	22.2	23.1	25.1	27.6	29.1	29.5	26.8	26.8	22.3	20.0	288.6	12	-73275
	06 LST	16.0	15.0	18.2	16.7	18.9	22.3	25.1	26.8	23.3	21.6	18.3	18.4	240.6	12	-73275
	12 LST	16.2	17.2	19.1	16.7	18.7	20.0	20.8	22.8	21.5	24.1	19.4	18.9	235.4	12	-73275
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.2	16.9	20.9	20.9	25.2	24.7	27.2	27.2	25.7	26.4	21.7	20.2	274.2	12	-73275
	00 LST	17.0	16.5	20.6	20.8	23.6	26.3	28.6	28.2	26.0	26.2	20.8	18.8	273.4	12	-73275
	06 LST	14.7	13.5	16.3	15.6	18.0	21.2	24.4	25.4	22.4	20.3	16.8	17.0	225.6	12	-73275
	12 LST	15.2	15.8	17.6	15.4	17.9	19.2	20.4	22.1	20.5	23.3	18.3	17.8	223.5	12	-73275

SHREVEPORT/DOWNTOWN, LOUISIANA

STA NO. 73004 (IN AREA NUMBER 13) LATITUDE 3232N LONGITUDE 09344W ELEVATION(FT) 00179

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	85	84	91	92	99	101	106	106	104	97	88	84	106	20	-72248
MEAN MAX TMP (F)	57	61	67	77	84	91	94	94	88	79	67	59	77	20	-72248
MEAN MIN TMP (F)	38	41	46	56	64	71	73	73	67	56	44	39	56	20	-72248
ABS MIN TMP (F)	8	2	15	34	42	55	60	57	43	31	21	14	2	20	-72248
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.2	6.2	19.7	25.6	24.6	14.8	2.3	0.0	0.0	93.4	12	-72248
MEAN NO DYS TMP = DR LES 32(F)	8.8	4.9	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4.6	8.4	29.3	12	-72248
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72248
MEAN DEW PT TMP (F)	39	41	44	52	62	68	71	70	64	54	43	38	54	12	-72248
MEAN REL HUM (PCT)	73	71	67	69	71	71	72	70	69	68	69	71	70	12	-72248
MEAN PRESS ALT (FT)	-26	4	79	121	148	157	118	124	96	53	0	-25	71	0	-50
MEAN PRECIP (IN)	4.45	3.81	4.23	5.25	5.42	3.37	3.15	2.65	2.78	3.28	3.59	4.27	46.3	20	-72248
MEAN SNOW FALL (IN)	1.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	20	-72248
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.0	7.2	6.9	7.3	7.3	6.1	5.8	5.1	4.7	5.4	5.8	7.8	77.4	20	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	12	-72248
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.6	2.4	2.0	0.9	0.8	0.6	0.6	0.2	0.6	1.9	1.7	2.7	17.0	12	-72248
MEAN NO DYS TSTMS	2.6	3.1	3.9	3.9	6.7	6.8	8.3	6.2	4.5	2.7	2.7	2.4	37.8	12	-72248
P FREQ WND SPD = DR GTR 17 KTS	7.1	7.9	11.4	9.3	4.4	1.6	1.2	1.2	1.7	2.1	5.6	5.6	4.9	12	-72248
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.1	0.2	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	-72248
P FREQ LES 5000 FT A/D LES 5 MI	39.8	34.5	29.5	27.7	22.4	15.2	11.2	9.3	13.9	16.9	26.9	33.3	23.6	12	-72248
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	22.1	17.7	11.8	7.9	7.8	4.4	5.0	4.1	6.2	6.0	13.6	20.2	10.6	12	-72248
03-05 LST	29.0	24.7	16.9	16.9	16.0	12.2	9.3	7.5	12.8	12.4	17.6	22.8	16.5	12	-72248
06-08 LST	33.4	29.3	21.9	22.2	20.7	16.5	11.5	11.4	16.5	18.8	22.3	23.6	20.7	12	-72248
09-11 LST	32.2	27.2	19.9	12.5	8.9	5.9	4.2	5.5	7.8	11.1	18.0	19.9	14.1	12	-72248
12-14 LST	22.2	16.2	9.5	6.7	3.6	3.4	0.6	1.3	3.6	3.9	10.4	13.1	8.0	12	-72248
15-17 LST	15.9	13.2	7.4	3.0	4.1	2.6	0.5	0.9	3.0	3.0	7.4	13.1	6.3	12	-72248
18-20 LST	16.7	11.3	7.5	4.0	3.9	2.9	1.1	1.1	3.1	3.3	8.6	13.8	6.4	12	-72248
21-23 LST	18.9	14.1	9.9	6.4	3.6	2.4	1.9	1.0	4.4	3.9	9.4	13.6	7.6	12	-72248
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.2	4.5	1.9	0.9	0.4	0.7	0.8	0.3	0.2	1.0	2.7	4.6	1.8	12	-72248
03-05 LST	5.4	5.1	4.3	2.0	1.6	1.5	1.9	1.3	1.4	3.0	3.4	6.6	3.1	12	-72248
06-08 LST	6.5	6.1	4.7	2.9	2.3	1.1	0.8	1.1	2.0	4.7	4.4	7.1	3.6	12	-72248
09-11 LST	3.9	2.6	1.4	0.0	0.0	0.0	0.2	0.0	0.1	0.4	2.6	3.2	1.2	12	-72248
12-14 LST	1.7	0.6	0.3	0.3	0.0	0.0	0.0	0.1	0.1	0.0	0.8	0.6	0.4	12	-72248
15-17 LST	1.3	1.3	0.8	0.3	0.1	0.1	0.0	0.0	0.1	0.0	0.6	1.5	0.5	12	-72248
18-20 LST	2.3	1.5	0.9	0.2	0.1	0.1	0.0	0.0	0.1	0.1	0.5	2.8	0.7	12	-72248
21-23 LST	3.2	2.6	1.1	0.1	0.2	0.2	0.1	0.0	0.0	0.1	0.9	3.0	1.0	12	-72248

SHREVEPORT/DOWNTOWN, LOUISIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO, OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.0	25.4	29.1	29.3	30.2	29.4	31.0	30.8	29.3	30.2	27.8	27.4	346.9	12	-72248
	00 LST	26.2	24.1	28.4	28.9	29.6	29.1	30.2	30.6	29.2	30.0	27.2	27.2	340.7	12	-72248
	06 LST	23.3	22.5	26.3	25.1	26.6	26.0	28.4	28.5	26.3	26.0	24.8	25.1	308.9	12	-72248
	12 LST	25.7	24.2	29.2	28.7	30.4	29.1	30.8	30.8	29.2	30.1	27.2	26.8	342.2	12	-72248
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	16.8	14.5	15.3	16.2	18.7	19.3	22.5	23.1	23.1	25.6	19.5	17.8	232.4	12	-72248
	00 LST	14.6	12.5	14.7	15.4	20.7	21.1	25.5	25.6	24.5	22.9	18.0	16.2	231.7	12	-72248
	06 LST	11.9	12.5	14.3	14.4	19.7	22.1	25.2	26.7	22.0	21.1	16.3	14.7	220.9	12	-72248
	12 LST	7.8	8.4	9.8	8.4	15.1	16.1	20.6	20.6	17.4	16.1	11.0	9.6	160.9	12	-72248
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.3	1.1	3.1	2.0	1.1	0.5	0.2	0.5	0.6	0.2	0.8	1.0	12.4	12	-72248
	00 LST	1.6	1.5	2.5	1.5	0.7	0.2	0.0	0.1	0.2	0.2	1.0	1.0	10.5	12	-72248
	06 LST	1.6	1.1	1.4	0.7	0.4	0.0	0.1	0.0	0.1	0.2	0.5	0.9	7.0	12	-72248
	12 LST	4.1	4.9	6.3	5.2	3.3	1.0	0.4	0.5	0.8	1.4	3.7	3.6	35.2	12	-72248
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	19.7	18.3	16.5	16.7	18.7	13.0	11.3	11.5	19.7	23.4	20.4	20.5	209.7	12	-72248
	00 LST	16.7	15.8	16.9	16.6	19.5	18.7	21.8	21.4	19.9	20.3	17.6	19.2	224.4	12	-72248
	06 LST	15.3	15.2	16.2	19.3	19.0	20.1	19.7	21.4	18.2	19.4	17.9	15.7	217.4	12	-72248
	12 LST	13.8	11.5	13.2	10.7	15.5	13.5	10.9	10.9	14.9	18.2	14.2	13.6	160.9	12	-72248
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.5	9.4	10.8	10.8	14.2	15.7	11.2	13.3	15.8	18.2	14.6	12.5	156.0	12	-72248
	00 LST	11.6	10.2	12.7	14.1	14.9	19.9	20.2	20.6	19.3	20.6	15.2	13.5	192.8	12	-72248
	06 LST	9.7	8.9	9.3	9.2	8.1	11.8	12.1	14.9	15.1	15.6	12.4	12.5	139.6	12	-72248
	12 LST	7.6	8.1	9.1	9.2	7.9	7.7	6.5	9.0	11.3	14.4	12.3	10.7	113.8	12	-72248
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.3	23.2	27.8	28.3	29.1	28.7	30.7	30.6	28.5	29.3	26.6	25.6	332.7	12	-72248
	00 LST	22.7	21.4	25.3	26.2	28.2	28.3	29.6	30.3	27.8	28.8	24.8	23.4	316.8	12	-72248
	06 LST	19.0	18.6	21.4	20.4	22.8	24.5	26.8	27.2	24.2	24.1	21.7	21.8	272.5	12	-72248
	12 LST	20.6	20.6	24.6	25.1	28.4	28.0	30.2	29.9	27.2	28.1	24.2	23.3	310.2	12	-72248
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.2	20.3	23.7	25.0	28.0	27.7	29.6	30.2	27.3	28.5	23.9	22.2	306.6	12	-72248
	00 LST	18.4	18.4	22.2	23.9	26.2	27.7	29.1	29.6	26.8	27.2	22.6	20.6	292.7	12	-72248
	06 LST	16.5	15.5	18.3	17.6	20.4	23.3	26.2	26.7	23.4	22.4	19.3	19.0	248.6	12	-72248
	12 LST	16.6	18.1	19.8	18.6	21.6	23.1	24.1	25.4	22.7	25.4	20.6	19.7	255.7	12	-72248
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.2	18.1	21.6	22.7	26.7	26.3	28.4	28.7	26.3	27.3	21.6	20.7	286.6	12	-72248
	00 LST	17.0	16.7	20.5	22.2	24.9	27.2	28.6	28.9	26.4	26.0	21.2	18.8	278.4	12	-72248
	06 LST	14.8	14.0	16.4	16.7	19.4	22.5	25.3	25.5	22.7	21.6	17.8	17.9	234.6	12	-72248
	12 LST	15.5	16.4	17.9	17.3	20.9	22.7	23.0	24.3	21.9	24.5	19.3	18.2	241.9	12	-72248

BATON ROUGE/RYAN MUNICIPAL, LOUISIANA

STA NO. 73904 (IN AREA NUMBER 13)

LATITUDE 3032N

LONGITUDE 09109W

ELEVATION(FT) 00070

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	82	85	90	92	98	103	101	102	99	94	86	82	103	16	-613
MEAN MAX TMP (F)	63	66	71	79	85	91	92	92	88	81	70	64	79	16	-113
MEAN MIN TMP (F)	43	46	50	57	64	71	73	72	68	57	47	43	58	16	-113
ABS MIN TMP (F)	15	13	23	36	44	55	62	60	47	32	25	19	13	16	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0		8.6	18.0	20.5	20.5	12.8	3.7	0.0	0.0		16	-29
MEAN NO DYS TMP = DR LES 32(F)	6.1	3.4	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	4.0	15.4	4	1140
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1140
MEAN DEW PT TMP (F)	40	47	48	57	65	71	73	73	67	55	48	45	57	4	26984
MEAN REL HUM (PCT)	72	73	72	72	74	78	78	80	78	70	73	78	75	4	26961
MEAN PRESS ALT (FT)	-135	-102	-42	-6	21	33	-10	3	2	-46	-104	-131	-42	0	-50
MEAN PRECIP (IN)	4.32	4.53	5.26	4.67	5.13	3.54	6.44	3.98	3.06	2.20	4.21	4.91	52.3	16	-113
MEAN SNOW FALL (IN)	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.8	8.1	7.3	7.1	7.2	6.3	9.1	6.8	5.1	3.9	6.6	8.5	83.8	16	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.3	3.5	3.3	2.3	2.3	0.7	1.7	3.7	2.0	3.3	3.3	5.3	34.7	4	1134
MEAN NO DYS TSTMS	1.1	2.0	4.7	4.0	4.7	11.3	8.7	13.0	3.7	2.0	1.3	2.3	38.8	4	1127
P FREQ WND SPD = DR GTR 17 KTS	2.7	3.6	5.7	2.9	2.0	0.9	0.4	0.3	1.0	0.4	1.5	2.9	2.0	4	27155
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	4	27155
P FREQ LES 3000 FT A/D LES 5 MI	43.3	50.3	47.8	37.4	37.4	34.9	29.9	32.5	33.5	20.3	35.4	57.5	38.4	4	27087
P FREQ LES 1500 FT A/D LES 3 MI														4	3387
FOR 00-02 LST	28.1	30.3	28.3	22.7	8.6	4.1	4.0	3.8	10.1	8.7	14.4	36.2	16.8	4	3403
03-05 LST	34.0	35.5	33.9	27.0	24.0	11.1	9.3	16.2	18.1	13.3	21.9	40.5	23.7	4	3403
06-08 LST	37.9	45.2	40.8	27.4	24.5	17.4	12.0	18.3	23.0	20.1	33.2	53.4	29.4	4	3400
09-11 LST	25.6	33.4	28.3	15.6	6.1	6.7	9.1	5.4	18.5	6.1	14.4	36.6	17.2	4	3402
12-14 LST	17.6	20.6	15.8	9.6	3.6	5.6	4.0	3.9	12.2	2.9	10.0	21.9	10.6	4	3404
15-17 LST	15.2	16.3	16.8	9.7	3.6	8.5	3.2	5.0	11.9	3.2	10.1	21.9	10.5	4	3406
18-20 LST	14.2	14.2	16.2	10.8	6.1	2.2	2.9	2.5	8.9	3.2	8.1	20.1	9.1	4	3399
21-23 LST	19.0	23.4	18.3	14.4	6.1	0.4	1.4	1.8	10.1	5.8	10.0	24.7	11.3	4	3401
P FREQ LES 300 FT A/D LES 1 MI														4	3387
FOR 00-02 LST	2.5	6.6	5.4	2.6	0.0	0.0	2.2	1.1	0.7	2.9	3.0	11.5	3.2	4	3403
03-05 LST	6.3	10.7	10.1	6.7	3.0	3.7	4.3	7.2	6.7	7.2	10.0	14.3	7.7	4	3403
06-08 LST	9.3	11.4	6.5	4.4	4.3	1.5	0.4	5.0	5.6	7.5	9.7	14.3	6.7	4	3400
09-11 LST	3.6	5.5	1.4	0.0	0.0	0.7	0.0	1.4	0.7	0.4	0.4	6.1	1.7	4	3402
12-14 LST	1.9	1.4	0.7	0.0	0.0	0.4	0.0	0.7	0.0	0.0	0.4	1.1	0.6	4	3404
15-17 LST	1.1	0.7	1.1	0.4	0.4	0.7	0.0	1.1	0.0	0.0	0.4	1.8	0.6	4	3406
18-20 LST	0.3	0.7	0.7	1.1	0.0	0.0	0.7	0.0	1.1	1.1	0.0	0.7	0.5	4	3399
21-23 LST	1.7	1.4	1.1	1.5	0.7	0.0	0.4	0.0	0.0	2.2	1.9	5.0	1.3	4	3401

BATON ROUGE/RYAN MUNICIPAL, LOUISIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.9	23.7	28.0	28.0	29.6	30.0	30.0	31.0	28.0	30.7	28.7	26.3	342.9	4	1138
	00 LST	25.7	22.2	25.0	25.7	30.0	29.3	29.6	30.7	28.0	29.3	27.3	22.0	324.8	4	1139
	06 LST	21.9	17.4	20.0	21.3	22.7	26.0	27.7	23.3	22.7	24.6	20.6	18.0	266.2	4	1139
	12 LST	26.0	24.3	28.3	27.3	30.3	29.6	30.7	30.7	27.7	30.3	28.0	24.6	337.8	4	1139
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.9	16.2	17.6	19.0	23.0	25.7	26.3	28.3	25.3	27.7	24.0	20.3	274.3	4	1138
	00 LST	18.2	16.7	18.3	20.3	27.0	28.7	28.6	30.0	26.3	27.7	23.3	17.3	284.4	4	1139
	06 LST	15.6	12.3	14.7	16.7	20.0	24.7	26.3	21.3	20.3	23.3	18.7	12.3	226.2	4	1139
	12 LST	16.0	10.0	9.3	14.0	18.7	22.3	26.6	25.0	19.7	18.3	17.3	15.7	212.9	4	1139
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.8	0.6	1.1	0.3	1.0	0.0	0.0	0.0	0.3	0.0	0.0	0.7	4.8	4	1108
	00 LST	0.3	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.1	4	1119
	06 LST	0.2	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.1	4	1117
	12 LST	0.5	2.0	3.2	2.3	1.3	0.0	0.3	0.0	0.3	0.3	1.3	2.1	13.6	4	1114
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	17.5	18.6	18.6	21.2	19.1	15.7	13.5	13.8	15.7	13.0	16.4	19.8	202.9	4	1101
	00 LST	16.6	18.1	19.4	17.9	17.3	10.0	11.0	10.7	10.6	12.3	13.6	14.8	172.3	4	1112
	06 LST	15.1	18.1	19.6	16.3	14.7	11.3	5.3	8.6	12.2	11.0	16.5	17.3	166.2	4	1110
	12 LST	18.3	14.0	13.7	13.8	17.0	12.0	7.8	7.7	16.6	20.0	19.5	18.1	180.7	4	1106
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.9	20.8	23.3	24.7	27.7	27.7	28.6	29.6	25.3	29.6	27.0	22.7	310.9	4	1138
	00 LST	21.5	19.0	21.3	21.3	28.3	29.3	29.6	29.6	26.6	28.3	25.0	18.3	298.1	4	1139
	06 LST	18.6	14.6	17.0	18.0	20.6	24.7	27.0	22.3	21.7	24.0	19.0	13.3	240.8	4	1139
	12 LST	23.0	17.1	21.3	23.6	25.6	26.0	28.0	27.0	24.0	27.7	25.7	19.3	288.3	4	1139
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.9	17.3	19.7	21.7	23.3	22.0	23.0	23.3	21.0	28.6	23.3	19.0	265.1	4	1138
	00 LST	19.5	14.4	18.0	20.0	23.3	28.7	28.3	29.0	25.0	28.0	22.3	16.0	274.5	4	1139
	06 LST	16.6	12.9	14.7	16.3	19.0	22.7	25.6	21.3	20.0	23.7	16.3	11.3	220.4	4	1139
	12 LST	19.5	13.1	16.0	16.7	11.7	10.0	16.8	13.0	12.0	23.7	21.0	16.0	189.3	4	1139
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	20.2	13.6	18.3	19.7	22.0	20.0	20.3	22.3	19.7	27.7	21.3	17.3	244.4	4	1138
	00 LST	18.7	13.6	17.3	19.3	24.6	27.7	27.3	28.3	24.3	27.3	21.0	15.7	265.1	4	1139
	06 LST	15.1	10.3	13.3	15.3	16.6	20.3	23.0	20.3	19.7	21.3	15.7	10.7	201.6	4	1139
	12 LST	19.0	10.8	14.0	15.7	11.3	10.0	16.5	12.6	11.3	23.7	19.0	14.7	178.6	4	1139

CROWLEY/LE GROS MEMORIAL, LOUISIANA

STA NO. 73913 (IN AREA NUMBER 13)	LATITUDE 3009N LONGITUDE 09228W ELEVATION(FT) 00016												PDR	NO.	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	UBS
ABS MAX TMP (F)	89	87	93	93	98	106	107	103	101	96	92	89	107	70	-73221
MEAN MAX TMP (F)	64	66	72	79	86	91	92	92	89	82	72	64	79	67	-73221
MEAN MIN TMP (F)	43	45	51	57	64	70	72	72	67	57	48	43	57	67	-73221
ABS MIN TMP (F)	10	6	24	32	42	53	57	53	41	27	21	14	6	70	-73221
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.1	7.0	23.4	24.9	26.2	13.3	2.3	0.0	0.0	97.2	10	-73221
MEAN NO DYS TMP = DR LES 32(F)	4.8	2.5	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.9	5.0	15.8	10	-73221
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-73221
MEAN DEW PT TMP (F)	48	48	52	59	66	72	73	73	68	59	49	46	59	10	-73221
MEAN REL HUM (PCT)	82	78	76	77	77	78	80	80	79	76	76	77	78	10	-73221
MEAN PRESS ALT (FT)	-106	-153	-88	-91	-22	-12	-58	-45	-47	-96	-158	-182	-91	0	-50
MEAN PRECIP (IN)	4.97	4.47	4.24	4.34	4.75	5.52	6.74	5.59	4.07	3.34	3.87	5.39	57.3	72	-73221
MEAN SNOW FALL (IN)	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	65	-73221
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.6	8.0	6.9	7.0	7.1	8.3	9.4	8.3	6.4	5.4	6.1	9.0	90.5	72	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	10	-73221
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	7.1	5.6	3.4	4.2	2.4	0.9	1.1	2.3	3.0	6.4	4.8	4.7	45.9	10	-73221
MEAN NO DYS TSTMS	3.2	3.1	4.8	5.3	6.9	8.6	14.0	12.0	5.6	2.4	3.1	3.0	72.0	10	-73221
P FREQ WND SPD = DR GTR 17 KTS	7.1	5.3	8.2	5.1	2.5	1.5	0.8	0.4	1.4	0.7	4.2	4.5	3.5	10	-73221
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.2	0.3	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.1	0.1	10	-73221
P FREQ LES 5000 FT A/D LES 5 MI	47.2	40.7	38.5	33.2	28.1	20.7	17.6	14.2	19.0	25.4	31.8	37.6	29.5	10	-73221
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	37.1	31.8	28.0	22.1	12.6	2.6	3.9	4.3	9.9	18.7	21.1	26.6	18.2	10	-73221
03-05 LST	41.1	34.3	32.7	33.6	21.2	12.2	10.5	10.0	19.9	30.5	27.0	27.7	25.1	10	-73221
06-08 LST	43.7	36.2	33.5	29.5	16.7	7.2	8.2	8.9	21.4	29.8	27.9	27.9	24.2	10	-73221
09-11 LST	34.2	26.2	24.7	16.9	8.8	2.2	5.8	3.9	9.8	12.5	18.6	24.8	15.7	10	-73221
12-14 LST	23.3	19.4	17.1	8.8	3.7	2.6	4.0	3.1	4.4	5.7	14.3	19.8	10.5	10	-73221
15-17 LST	19.5	16.8	14.0	5.6	2.5	1.9	2.6	1.3	4.4	3.4	12.8	17.8	8.6	10	-73221
18-20 LST	19.4	17.5	17.0	6.4	4.1	1.4	1.5	1.2	3.8	3.5	11.2	18.7	8.8	10	-73221
21-23 LST	30.3	21.3	22.1	10.6	5.9	1.1	1.6	1.2	3.7	5.6	14.3	23.5	11.8	10	-73221
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	12.0	12.1	5.5	5.7	2.6	0.7	2.0	2.5	2.1	8.8	7.6	9.4	5.9	10	-73221
03-05 LST	14.1	15.6	8.6	11.0	8.7	4.2	3.9	5.0	6.8	17.1	10.2	11.8	9.8	10	-73221
06-08 LST	14.8	14.7	6.7	6.9	3.1	1.5	2.2	2.4	6.7	13.1	9.8	11.3	7.8	10	-73221
09-11 LST	5.4	4.3	0.6	0.5	0.2	0.0	0.0	0.6	0.0	0.9	0.9	3.6	1.4	10	-73221
12-14 LST	2.0	0.7	0.7	0.2	0.6	0.4	0.3	0.5	0.4	0.2	0.3	1.0	0.6	10	-73221
15-17 LST	1.1	0.3	0.8	0.0	0.1	0.2	0.1	0.5	0.5	0.0	0.8	1.0	0.5	10	-73221
18-20 LST	1.8	1.7	0.8	0.4	0.0	0.0	0.1	0.5	0.4	0.0	0.1	1.6	0.6	10	-73221
21-23 LST	8.1	5.4	1.9	1.5	0.5	0.1	0.3	0.4	0.0	1.3	2.6	5.0	2.3	10	-73221

CROWLEY/LE GROS MEMORIAL, LOUISIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.4	24.2	27.7	28.5	30.3	29.6	30.5	30.7	29.0	30.2	27.6	26.8	342.5	10	-73221
	00 LST	22.0	20.6	24.6	26.8	29.5	29.6	30.5	30.3	28.7	27.6	25.7	24.1	320.0	10	-73221
	06 LST	19.5	18.6	20.8	21.7	26.4	27.4	27.6	27.7	22.4	18.8	21.5	23.5	275.9	10	-73221
	12 LST	25.5	24.1	28.4	28.3	30.4	29.6	30.5	30.7	28.9	30.0	26.7	26.2	339.3	10	-73221
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	18.8	17.9	18.1	19.8	21.1	21.4	26.1	27.9	26.8	28.0	21.8	19.2	266.9	10	-73221
	00 LST	14.8	15.7	18.0	21.1	25.8	29.0	29.0	29.9	26.6	25.5	20.5	16.8	272.7	10	-73221
	06 LST	12.3	13.0	15.0	16.9	22.4	26.1	26.8	26.9	20.8	17.9	17.3	17.1	233.3	10	-73221
	12 LST	7.4	10.6	9.6	11.6	16.8	19.2	21.9	23.2	18.9	19.0	12.0	10.0	180.2	10	-73221
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	0.7	1.6	0.8	0.2	0.5	0.0	0.2	0.1	0.1	0.2	0.8	5.9	10	-73221
	00 LST	1.5	0.6	1.2	0.4	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.6	4.8	10	-73221
	06 LST	1.6	0.4	1.0	0.4	0.0	0.0	0.0	0.0	0.1	0.2	0.6	0.5	4.8	10	-73221
	12 LST	5.8	4.1	6.1	3.5	1.8	1.7	0.4	0.1	1.0	0.4	2.8	3.4	31.1	10	-73221
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	20.0	18.1	20.0	20.0	21.0	19.7	17.8	18.9	18.8	18.8	20.7	20.3	234.1	10	-73221
	00 LST	19.1	17.7	17.5	17.5	16.8	16.3	13.5	15.4	17.0	17.2	18.1	19.3	205.4	10	-73221
	06 LST	18.8	16.5	18.4	17.7	17.3	11.7	13.0	13.2	18.2	18.6	18.8	17.4	199.6	10	-73221
	12 LST	13.1	16.2	13.8	15.0	18.2	10.1	9.9	11.3	16.8	21.6	17.0	17.1	180.1	10	-73221
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.8	7.0	8.9	9.4	9.3	9.0	3.3	7.7	10.8	16.7	14.3	10.9	117.1	10	-73221
	00 LST	10.9	10.6	10.9	14.2	15.7	19.8	20.0	20.0	19.8	19.8	15.2	12.4	189.3	10	-73221
	06 LST	7.5	6.7	7.0	7.4	8.9	13.4	10.2	13.0	11.8	11.4	10.3	8.4	116.0	10	-73221
	12 LST	6.4	6.4	7.4	5.9	5.8	3.1	1.4	4.9	8.4	10.3	10.2	8.9	79.1	10	-73221
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	22.4	20.9	23.9	26.3	28.0	28.9	29.0	29.4	27.4	28.4	25.4	24.0	314.0	10	-73221
	00 LST	18.9	19.2	22.1	23.2	26.4	28.9	29.5	29.9	27.9	26.7	24.2	21.8	298.7	10	-73221
	06 LST	15.4	16.1	17.9	18.5	23.3	25.7	26.7	26.9	21.1	18.1	19.7	21.0	250.4	10	-73221
	12 LST	19.3	19.5	21.2	23.1	26.4	27.4	27.5	27.8	25.2	26.4	23.8	21.9	289.5	10	-73221
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.7	18.3	21.6	24.5	25.5	26.4	26.7	28.4	25.7	27.6	23.3	20.7	288.4	10	-73221
	00 LST	15.7	17.2	19.3	21.8	25.1	28.8	29.1	29.8	27.3	26.0	21.4	19.7	281.2	10	-73221
	06 LST	12.6	13.2	15.7	16.5	21.5	24.3	25.0	26.1	20.3	17.6	17.8	17.1	227.7	10	-73221
	12 LST	16.1	15.5	17.3	17.3	17.3	16.9	20.0	21.4	21.9	21.3	19.4	18.8	223.2	10	-73221
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.0	16.6	19.7	22.8	24.6	25.4	25.9	28.2	25.2	26.6	21.9	18.8	273.7	10	-73221
	00 LST	14.4	15.5	17.9	21.2	24.1	28.4	28.9	29.5	26.9	25.4	20.6	17.9	270.7	10	-73221
	06 LST	11.1	11.7	14.1	15.0	20.0	23.4	24.6	25.4	19.7	17.1	16.5	15.3	213.9	10	-73221
	12 LST	14.0	14.0	15.3	15.9	16.6	16.9	19.6	21.2	21.1	21.0	18.2	16.9	210.7	10	-73221

OPELOUSAS/ST LANDRY PARISH, LOUISIANA

STA NO. 73914 (IN AREA NUMBER 13)

LATITUDE 3033N

LONGITUDE 09206W

ELEVATION(FT) 00075

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	89	87	93	93	98	106	107	103	101	96	92	89	107	70	-73221
MEAN MAX TMP (F)	64	66	72	79	86	91	92	92	89	82	72	64	79	67	-73221
MEAN MIN TMP (F)	43	45	51	57	64	70	72	72	67	57	48	43	57	67	-73221
ABS MIN TMP (F)	10	6	24	32	42	53	57	53	41	27	21	14	6	70	-73221
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.1	7.0	23.4	24.9	26.2	13.3	2.3	0.0	0.0	97.2	10	-73221
MEAN NO DYS TMP = OR LES 32(F)	4.8	2.5	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.9	5.0	15.8	10	-73221
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-73221
MEAN DEW PT TMP (F)	48	48	52	59	66	72	73	73	68	59	49	46	59	10	-73221
MEAN REL HUM (PCT)	82	78	76	77	77	78	80	80	79	76	76	77	78	10	-73221
MEAN PRESS ALT (FT)	-126	-94	-32	4	33	43	-2	11	12	-37	-98	-122	-33	0	-50
MEAN PRECIP (IN)	4.97	4.47	4.24	4.34	4.75	5.52	6.74	5.59	4.07	3.34	3.87	5.39	57.3	72	-73221
MEAN SNOW FALL (IN)	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	65	-73221
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.6	8.0	6.9	7.0	7.1	8.3	9.4	8.3	6.4	5.4	6.1	9.0	90.5	72	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	10	-73221
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	7.1	5.6	3.4	4.2	2.4	0.9	1.1	2.3	3.0	6.4	4.8	4.7	45.9	10	-73221
MEAN NO DYS TSTMS	3.2	3.1	4.8	5.3	6.9	8.6	14.0	12.0	5.6	2.4	3.1	3.0	72.0	10	-73221
P FREQ WND SPD = OR GTR 17 KTS	7.1	5.3	8.2	5.1	2.5	1.5	0.8	0.4	1.4	0.7	4.2	4.5	3.5	10	-73221
P FREQ WND SPD = OR GTR 28 KTS	0.2	0.2	0.3	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.1	0.1	10	-73221
P FREQ LES 5000 FT A/D LES 5 MI	47.2	40.1	38.5	33.2	28.1	20.7	17.6	14.2	19.0	25.4	31.8	37.6	29.5	10	-73221
P FREQ LES 1500 FT A/D LES 3 MI	37.1	31.8	28.0	22.1	12.6	2.6	3.9	4.3	9.9	18.7	21.1	26.6	18.2	10	-73221
FOR 00-02 LST	41.1	34.3	32.7	33.6	21.2	12.2	10.5	10.0	19.9	30.5	27.0	27.7	25.1	10	-73221
03-05 LST	43.7	36.2	33.5	29.5	16.7	7.2	8.2	8.9	21.4	29.8	27.9	27.9	24.2	10	-73221
06-08 LST	34.2	26.2	24.7	16.9	8.8	2.2	5.8	3.9	9.8	12.5	18.6	24.8	15.7	10	-73221
09-11 LST	23.3	19.4	17.1	8.8	3.7	2.6	4.0	3.1	4.4	5.7	14.3	19.8	10.5	10	-73221
12-14 LST	19.5	16.8	14.0	5.6	2.5	1.9	2.6	1.3	4.4	3.4	12.8	17.8	8.6	10	-73221
15-17 LST	19.4	17.5	17.0	6.4	4.1	1.4	1.5	1.2	3.8	3.5	11.2	18.7	8.8	10	-73221
18-20 LST	30.3	21.3	22.1	10.6	5.9	1.1	1.6	1.2	3.7	5.6	14.3	23.5	11.8	10	-73221
21-23 LST	12.0	12.1	5.5	5.7	2.6	0.7	2.0	2.5	2.1	8.8	7.6	9.4	5.9	10	-73221
P FREQ LES 300 FT A/D LES 1 MI	14.1	15.6	8.6	11.0	8.7	4.2	3.9	5.0	6.8	17.1	10.2	11.8	9.8	10	-73221
FOR 00-02 LST	14.8	14.7	6.7	6.9	3.1	1.5	2.2	2.4	6.7	13.1	9.8	11.3	7.8	10	-73221
03-05 LST	5.4	4.3	0.6	0.5	0.2	0.0	0.0	0.6	0.0	0.9	0.9	3.6	1.4	10	-73221
06-08 LST	2.0	0.7	0.7	0.2	0.6	0.4	0.3	0.5	0.4	0.2	0.3	1.0	0.6	10	-73221
09-11 LST	1.1	0.3	0.8	0.0	0.1	0.2	0.1	0.5	0.5	0.0	0.8	1.0	0.5	10	-73221
12-14 LST	1.8	1.7	0.8	0.4	0.0	0.0	0.1	0.5	0.4	0.0	0.1	1.6	0.6	10	-73221
15-17 LST	8.1	5.4	1.9	1.5	0.5	0.1	0.3	0.4	0.0	1.3	2.6	5.0	2.3	10	-73221
18-20 LST															
21-23 LST															

OPELOUSAS/ST LANDRY PARISH, LOUISIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.4	24.2	27.7	28.5	30.3	29.6	30.5	30.7	29.0	30.2	27.6	26.8	342.5	10	-73221
	00 LST	22.0	20.6	24.6	26.8	29.5	29.6	30.5	30.3	28.7	27.6	25.7	24.1	320.0	10	-73221
	06 LST	19.5	18.6	20.8	21.7	26.4	27.4	27.6	27.7	22.4	18.8	21.5	23.5	275.9	10	-73221
	12 LST	25.5	24.1	28.4	28.3	30.4	29.6	30.5	30.7	28.9	30.0	26.7	26.2	339.3	10	-73221
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	18.8	17.9	18.1	19.8	21.1	21.4	26.1	27.9	26.8	28.0	21.8	19.2	266.9	10	-73221
	00 LST	14.8	15.7	18.0	21.1	25.8	29.0	29.0	29.9	26.6	25.5	20.5	16.8	272.7	10	-73221
	06 LST	12.3	13.8	15.0	16.9	22.4	26.1	26.8	26.9	20.8	17.9	17.3	17.1	233.3	10	-73221
	12 LST	7.4	10.6	9.6	11.6	16.8	19.2	21.9	23.2	18.9	19.0	12.0	10.0	180.2	10	-73221
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	0.7	1.6	0.8	0.2	0.5	0.0	0.2	0.1	0.1	0.2	0.8	5.9	10	-73221
	00 LST	1.5	0.6	1.2	0.4	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.6	4.8	10	-73221
	06 LST	1.6	0.4	1.0	0.4	0.0	0.0	0.0	0.0	0.1	0.2	0.6	0.5	4.8	10	-73221
	12 LST	5.8	4.1	6.1	3.5	1.8	1.7	0.4	0.1	1.0	0.4	2.8	3.4	31.1	10	-73221
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	20.0	18.1	20.0	20.0	21.0	19.7	17.8	18.9	18.8	18.8	20.7	20.3	234.1	10	-73221
	00 LST	19.1	17.7	17.5	17.5	16.8	16.3	13.5	15.4	17.0	17.2	18.1	19.3	205.4	10	-73221
	06 LST	18.8	16.5	18.4	17.7	17.3	11.7	13.0	13.2	18.2	18.6	18.8	17.4	199.6	10	-73221
	12 LST	13.1	16.2	13.8	15.0	18.2	10.1	9.9	11.3	16.8	21.6	17.0	17.1	180.1	10	-73221
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.8	7.0	8.9	9.4	9.3	9.0	3.3	7.7	10.8	16.7	14.3	10.9	117.1	10	-73221
	00 LST	10.9	10.6	10.9	14.2	15.7	19.8	20.0	20.0	19.8	19.8	15.2	12.4	189.3	10	-73221
	06 LST	7.5	6.7	7.0	7.4	8.9	13.4	10.2	13.0	11.8	11.4	10.3	8.4	116.0	10	-73221
	12 LST	6.4	6.4	7.4	5.9	5.8	3.1	1.4	4.9	8.4	10.3	10.2	8.9	79.1	10	-73221
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	22.4	20.9	23.9	26.3	28.0	28.9	29.0	29.4	27.4	28.4	25.4	24.0	314.0	10	-73221
	00 LST	18.9	19.2	22.1	23.2	26.4	28.9	29.5	29.9	27.9	26.7	24.2	21.8	298.7	10	-73221
	06 LST	15.4	16.1	17.9	18.5	23.3	25.7	26.7	26.9	21.1	18.1	19.7	21.0	250.4	10	-73221
	12 LST	19.3	19.5	21.2	23.1	26.4	27.4	27.5	27.8	25.2	26.4	23.8	21.9	289.5	10	-73221
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.7	18.3	21.6	24.5	25.5	26.4	26.7	28.4	25.7	27.6	23.3	20.7	288.4	10	-73221
	00 LST	15.7	17.2	19.3	21.8	25.1	28.8	29.1	29.8	27.3	28.0	21.4	19.7	281.2	10	-73221
	06 LST	12.6	13.2	15.7	16.5	21.5	24.3	25.0	26.1	20.3	17.6	17.8	17.1	227.7	10	-73221
	12 LST	16.1	15.5	17.3	17.3	17.3	16.9	20.0	21.4	21.9	21.3	19.4	18.8	223.2	10	-73221
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.0	16.6	19.7	22.8	24.6	25.4	25.9	28.2	25.2	26.6	21.9	18.8	273.7	10	-73221
	00 LST	14.4	15.5	17.9	21.2	24.1	28.4	28.9	29.5	26.9	25.4	20.6	17.9	270.7	10	-73221
	06 LST	11.1	11.7	14.1	15.0	20.0	23.4	24.6	25.4	19.7	17.1	16.5	15.3	213.9	10	-73221
	12 LST	14.0	14.0	15.3	15.9	16.6	16.9	19.6	21.2	21.1	21.0	18.2	16.9	210.7	10	-73221

NEW ORLEANS, LOUISIANA

STA NO. 75164 (IN AREA NUMBER 13)

LATITUDE 3002N

LONGITUDE 09001W

ELEVATION(FT) 00008

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POB (YRS)	NO. DBS
ABS MAX TMP (F)	83	84	90	90	96	102	102	100	99	94	89	84	102	76	-72231
MEAN MAX TMP (F)	62	65	71	77	83	88	90	90	86	79	70	64	77	73	-72231
MEAN MIN TMP (F)	47	50	55	61	68	74	76	76	73	64	55	48	62	73	-72231
ABS MIN TMP (F)	15	7	28	38	41	58	66	62	54	36	29	19	7	76	-72231
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.1	4.0	17.2	19.4	19.7	9.3	1.2	0.0	0.0	70.9	12	-72231
MEAN NO DYS TMP = DR LES 32(F)	2.9	1.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.7	7.9	12	-72231
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72231
MEAN DEW PT TMP (F)	47	49	51	58	65	71	73	73	70	59	50	47	59	12	-72231
MEAN REL HUM (PCT)	77	76	72	73	74	75	79	79	78	73	73	76	75	12	-72231
MEAN PRESS ALT (FT)	-202	-168	-109	-74	-48	-34	-73	-61	-69	-117	-170	-198	-109	0	-50
MEAN PRECIP (IN)	4.60	4.20	4.70	4.80	4.90	5.50	6.60	5.80	4.80	3.90	3.80	4.60	57.4	84	-72231
MEAN SNOW FALL (IN)	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	12	-72231
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.2	7.7	7.1	7.1	7.0	8.2	9.2	8.9	7.3	5.6	6.0	8.2	90.1	84	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	-72231
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.7	3.7	3.8	2.6	1.7	0.2	0.2	0.1	0.2	2.1	4.0	4.7	29.0	12	-72231
MEAN NO DYS TSTMS	2.0	2.0	4.0	5.0	6.0	11.0	16.0	15.0	8.0	2.0	2.0	4.0	75.0	52	-72231
P FREQ WND SPD = DR GTR 17 KTS	7.8	8.6	8.8	6.4	3.1	0.8	0.8	0.8	3.4	4.2	7.6	6.3	4.9	12	-72231
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.1	12	-72231
P FREQ LES 5000 FT A/D LES 5 MI	36.1	36.4	31.4	24.5	15.1	7.1	5.4	6.0	13.6	16.9	28.0	33.3	21.1	12	-72231
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	20.9	24.9	24.3	17.7	8.2	1.6	0.5	0.7	4.6	6.7	17.0	20.4	12.8	12	-72231
03-05 LST	30.4	31.2	29.1	23.6	15.0	2.7	2.1	2.1	6.6	13.2	22.7	23.6	16.9	12	-72231
06-08 LST	32.1	34.0	27.1	22.3	10.4	4.4	2.2	3.9	10.4	16.6	24.5	27.2	17.9	12	-72231
09-11 LST	22.7	23.5	14.6	6.1	4.1	2.4	2.9	3.0	7.7	8.7	15.2	18.1	10.7	12	-72231
12-14 LST	12.6	14.9	7.3	3.5	2.9	1.4	1.2	2.1	4.6	3.7	9.0	12.2	6.3	12	-72231
15-17 LST	10.5	12.6	7.7	4.2	2.6	1.7	1.9	1.9	4.2	2.8	9.1	12.3	5.9	12	-72231
18-20 LST	14.2	14.7	10.0	6.1	2.1	1.0	1.4	1.1	3.5	3.7	8.4	14.6	6.7	12	-72231
21-23 LST	20.3	18.5	18.5	11.1	4.5	1.3	0.4	0.4	3.5	4.4	12.7	18.8	9.5	12	-72231
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	11.2	6.1	3.8	2.3	0.8	0.0	0.1	0.0	0.2	1.5	5.3	8.6	3.5	12	-72231
03-05 LST	13.2	10.8	8.5	6.6	3.9	0.4	0.9	0.1	0.5	4.2	9.2	10.2	5.7	12	-72231
06-08 LST	14.0	10.3	8.3	4.3	1.2	0.5	0.3	0.2	0.8	4.3	8.2	10.2	5.2	12	-72231
09-11 LST	4.7	2.9	1.4	0.1	0.1	0.3	0.4	0.3	0.0	0.4	1.6	2.7	1.2	12	-72231
12-14 LST	1.0	0.9	0.8	0.1	0.0	0.2	0.3	0.1	0.3	0.1	0.3	0.7	0.4	12	-72231
15-17 LST	0.8	0.3	0.4	0.2	0.2	0.3	0.3	0.1	0.1	0.1	0.4	0.8	0.4	12	-72231
18-20 LST	1.3	1.4	0.9	0.0	0.1	0.1	0.1	0.0	0.0	0.2	0.2	0.9	0.4	12	-72231
21-23 LST	4.7	2.2	2.4	0.1	0.0	0.0	0.0	0.0	0.0	0.6	2.4	5.0	1.5	12	-72231

NEW ORLEANS, LOUISIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO, OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.4	25.4	29.6	29.3	30.6	29.7	30.4	30.7	29.5	30.4	28.4	27.8	350.2	12	-72231
	00 LST	24.3	23.4	26.2	26.8	30.2	29.9	30.9	31.0	29.2	29.6	26.4	26.1	334.0	12	-72231
	06 LST	23.2	20.1	23.9	24.0	27.7	29.0	30.5	30.0	28.1	26.2	24.0	24.0	310.7	12	-72231
	12 LST	26.2	24.8	29.6	29.4	30.6	29.7	30.7	30.5	29.3	30.2	27.9	27.5	348.4	12	-72231
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	18.4	13.7	17.6	18.2	20.7	21.9	27.1	27.6	24.3	25.7	20.3	19.4	254.9	12	-72231
	00 LST	13.8	14.0	17.6	20.2	24.7	28.2	30.0	29.7	23.8	23.3	17.7	17.2	260.2	12	-72231
	06 LST	15.0	13.1	14.2	16.2	22.3	27.1	29.1	28.7	22.4	20.4	15.7	14.8	239.0	12	-72231
	12 LST	8.2	6.4	7.7	8.8	11.9	16.7	19.5	18.2	12.8	12.9	10.4	11.3	144.8	12	-72231
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.4	1.2	1.7	1.1	0.2	0.2	0.2	0.1	0.7	0.9	1.2	1.5	10.4	12	-72231
	00 LST	1.9	1.3	1.9	1.0	0.4	0.1	0.0	0.1	0.8	1.1	1.7	1.6	11.9	12	-72231
	06 LST	1.7	1.8	1.9	0.9	0.4	0.1	0.0	0.1	0.7	0.9	1.9	1.1	11.5	12	-72231
	12 LST	4.3	4.7	4.1	3.3	2.0	0.6	0.5	0.5	1.3	1.8	3.8	3.5	30.4	12	-72231
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	18 LST	20.2	16.6	18.5	19.0	20.9	22.4	21.6	22.4	19.2	16.3	17.4	18.2	232.7	12	-72231
	00 LST	17.7	16.8	17.4	18.0	19.6	20.0	17.5	17.9	13.5	13.7	14.5	17.7	204.3	12	-72231
	06 LST	17.2	15.6	17.2	16.5	16.5	16.2	13.0	11.2	13.4	13.9	14.9	16.1	181.7	12	-72231
	12 LST	13.7	11.8	12.4	13.7	16.5	16.0	17.0	15.3	14.8	17.0	15.2	15.6	174.0	12	-72231
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.2	8.6	10.2	10.7	12.1	9.5	3.5	6.7	10.1	17.1	13.8	10.9	122.4	12	-72231
	00 LST	11.1	10.8	12.0	14.0	17.1	19.0	17.0	18.2	17.1	20.4	15.5	12.0	184.2	12	-72231
	06 LST	9.3	7.8	8.2	8.8	10.7	12.8	10.7	12.3	14.0	14.6	12.0	10.7	131.9	12	-72231
	12 LST	7.7	6.9	9.1	8.9	7.8	7.1	5.1	8.2	9.0	14.9	11.1	10.5	106.3	12	-72231
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	25.9	22.4	26.2	27.6	29.4	29.5	29.9	29.8	28.1	29.3	26.1	25.3	329.5	12	-72231
	00 LST	21.0	20.4	23.1	24.4	27.6	29.4	30.8	30.2	27.2	28.7	24.8	23.6	311.2	12	-72231
	06 LST	19.6	17.2	20.5	21.2	25.4	28.0	30.2	29.6	26.1	25.0	21.8	21.2	285.8	12	-72231
	12 LST	23.7	21.9	25.9	27.7	29.5	28.7	30.0	29.3	27.1	28.1	26.0	24.7	322.6	12	-72231
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	22.8	19.7	24.6	25.7	28.5	29.0	29.3	29.4	27.1	27.5	24.1	22.5	310.2	12	-72231
	00 LST	18.5	18.3	20.7	22.1	26.2	28.8	30.7	30.2	26.2	27.4	22.5	19.8	291.4	12	-72231
	06 LST	17.4	14.8	18.6	19.4	24.2	27.9	30.0	29.2	25.4	24.1	19.4	18.4	268.8	12	-72231
	12 LST	20.6	18.8	22.8	23.9	27.2	27.2	28.5	27.8	25.5	27.0	23.3	21.9	294.5	12	-72231
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	21.2	18.1	23.3	24.9	27.5	28.5	28.1	29.0	26.4	26.2	22.2	20.2	295.6	12	-72231
	00 LST	17.3	17.1	19.3	21.4	25.8	28.4	30.4	30.0	25.4	26.7	21.2	17.6	280.6	12	-72231
	06 LST	15.7	13.2	16.3	18.8	23.6	27.2	29.5	28.3	24.7	23.3	17.9	16.4	254.9	12	-72231
	12 LST	19.1	17.6	21.2	23.3	26.6	26.6	27.9	27.3	24.9	26.5	21.8	20.3	283.1	12	-72231

BOGALUSA MUNICIPAL, LOUISIANA

STA NO. 75168 (IN AREA NUMBER 19)

LATITUDE 3048N

LONGITUDE 08951W

ELEVATION(FT) 00117

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	84	86	90	94	100	107	102	103	101	95	89	86	107	28	-113
MEAN MAX TMP (F)	64	67	72	79	86	92	93	93	89	82	71	65	79	28	-113
MEAN MIN TMP (F)	41	43	47	55	63	69	72	71	66	55	45	41	56	28	-113
ABS MIN TMP (F)	14	12	21	32	42	50	57	56	45	27	22	17	12	28	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	11.0	23.0	26.0	25.0	16.0	4.0	0.0	0.0	105.3	9	-113
MEAN NO DYS TMP = OR LES 32(F)	11.0	5.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	5.0	10.0	35.0	8	-1.3
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28	-25
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	-91	-58	-2	31	58	73	29	46	44	-3	-58	-86	-0	0	-50
MEAN PRECIP (IN)	4.33	5.00	6.22	5.40	5.33	5.01	6.61	5.56	4.32	2.85	3.80	5.86	60.3	29	-113
MEAN SNOW FALL (IN)	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	25	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.9	8.6	7.5	7.3	7.3	7.8	9.2	8.3	6.7	4.8	6.0	9.5	90.9	29	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BOGALUSA MUNICIPAL, LOUISIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0

DATA NOT AVAILABLE

MANSFIELD/DE SOTO PARISH, LOUISIANA

STA NO. 79301 (IN AREA NUMBER 13)

LATITUDE 3204N

LONGITUDE 09346W

ELEVATION(FT) 00322

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	85	84	91	92	99	101	106	106	104	97	88	84	106	20	-72248
MEAN MAX TMP (F)	57	61	67	77	84	91	94	94	88	79	67	59	77	20	-72248
MEAN MIN TMP (F)	38	41	46	56	64	71	73	73	67	56	44	39	56	20	-72248
ABS MIN TMP (F)	8	2	15	34	42	55	60	57	43	31	21	14	2	20	-72248
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.2	6.2	19.7	25.6	24.6	14.8	2.3	0.0	0.0	93.4	12	-72248
MEAN NO DYS TMP = DR LES 32(F)	8.8	4.9	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4.6	8.4	29.3	12	-72248
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72248
MEAN DEW PT TMP (F)	39	41	44	52	62	68	71	70	64	54	43	39	54	12	-72248
MEAN REL HUM (PCT)	73	71	67	69	71	71	72	70	69	68	69	71	70	12	-72248
MEAN PRESS ALT (FT)	114	146	219	259	286	296	293	262	244	197	141	116	211	0	-50
MEAN PRECIP (IN)	4.45	3.81	4.23	5.25	5.42	3.37	3.15	2.65	2.78	3.28	3.39	4.27	46.3	20	-72248
MEAN SNOW FALL (IN)	1.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	20	-72248
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.0	7.2	6.9	7.3	7.3	6.1	5.8	5.1	4.7	5.4	5.8	7.8	77.4	20	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	12	-72248
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.6	2.4	2.0	0.9	0.8	0.6	0.6	0.2	0.6	1.9	1.7	2.7	17.0	12	-72248
MEAN NO DYS TSTMS	2.6	3.1	5.9	5.9	6.7	6.8	8.3	6.2	4.5	2.7	2.7	2.4	57.8	12	-72248
P FREQ WND SPD = DR GTR 17 KTS	7.1	7.9	11.4	9.3	4.4	1.6	1.2	1.2	1.7	2.1	5.6	5.6	4.9	12	-72248
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.1	0.2	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	-72248
P FREQ LES 3000 FT A/D LES 5 MI	39.8	34.5	29.5	27.7	22.4	15.2	11.2	9.3	15.9	16.9	26.9	33.3	23.6	12	-72248
P FREQ LES 1900 FT A/D LES 3 MI															
FDR 00-02 LST	22.1	17.7	11.8	7.9	7.8	4.4	3.0	4.1	6.2	6.0	13.6	20.2	10.6	12	-72248
03-05 LST	29.0	24.7	16.9	16.9	16.0	12.2	9.3	7.5	12.8	12.4	17.6	22.8	16.5	12	-72248
06-08 LST	33.4	29.3	21.9	22.2	20.7	16.5	11.5	11.4	16.5	18.5	22.3	23.6	20.7	12	-72248
09-11 LST	32.2	27.2	15.9	12.5	8.9	5.9	4.2	5.5	7.8	11.1	18.0	19.9	14.1	12	-72248
12-14 LST	22.2	16.2	9.5	6.7	3.6	3.4	0.6	1.3	3.6	3.9	10.4	15.1	8.0	12	-72248
15-17 LST	15.9	13.2	7.4	5.0	4.1	2.6	0.5	0.9	3.0	3.0	7.4	13.1	6.3	12	-72248
18-20 LST	16.7	11.3	7.5	4.0	3.9	2.9	1.1	1.1	3.1	3.3	8.6	13.8	6.4	12	-72248
21-23 LST	18.9	14.1	9.9	6.4	3.6	2.4	1.9	1.0	4.4	3.9	9.4	15.6	7.6	12	-72248
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	3.2	4.5	1.9	0.9	0.4	0.7	0.8	0.3	0.2	1.0	2.7	4.6	1.8	12	-72248
03-05 LST	5.4	5.1	4.3	2.0	1.6	1.5	1.9	1.3	1.4	3.0	3.4	6.6	3.1	12	-72248
06-08 LST	6.5	6.1	4.7	2.9	2.3	1.1	0.8	1.1	2.0	4.7	4.4	7.1	3.6	12	-72248
09-11 LST	3.9	2.6	1.4	0.0	0.0	0.0	0.2	0.0	0.1	0.4	2.6	3.2	1.2	12	-72248
12-14 LST	1.7	0.6	0.3	0.3	0.0	0.0	0.0	0.1	0.1	0.0	0.8	0.6	0.4	12	-72248
15-17 LST	1.3	1.3	0.8	0.3	0.1	0.1	0.0	0.0	0.1	0.0	0.8	1.5	0.5	12	-72248
18-20 LST	2.3	1.5	0.9	0.2	0.1	0.1	0.0	0.0	0.1	0.1	0.5	2.8	0.7	12	-72248
21-23 LST	3.2	2.6	1.1	0.1	0.2	0.2	0.1	0.0	0.0	0.1	0.9	3.0	1.0	12	-72248

MANSFIELD/DE SOTO PARISH, LOUISIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.0	25.4	29.1	29.3	30.2	29.4	31.0	30.8	29.3	30.2	27.8	27.4	346.9	12	-72248
	00 LST	26.2	24.1	28.4	28.9	29.6	29.1	30.2	30.6	29.2	30.0	27.2	27.2	340.7	12	-72248
	06 LST	23.3	22.5	26.3	25.1	26.6	26.0	28.4	28.5	26.3	26.0	24.8	25.1	308.9	12	-72248
	12 LST	25.7	24.2	29.2	28.7	30.4	29.1	30.8	30.8	29.2	30.1	27.2	26.8	342.2	12	-72248
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	16.8	14.5	15.3	16.2	18.7	19.3	22.5	23.1	23.1	25.6	19.5	17.8	232.4	12	-72248
	00 LST	14.6	12.5	14.7	15.4	20.7	21.1	23.5	23.6	24.5	22.9	18.0	16.2	231.7	12	-72248
	06 LST	11.9	12.5	14.3	14.4	19.7	22.1	25.2	26.7	22.0	21.1	16.3	14.7	220.9	12	-72248
	12 LST	7.8	8.4	9.8	8.4	15.1	16.1	20.6	20.6	17.4	16.1	11.0	9.6	160.9	12	-72248
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.3	1.1	3.1	2.0	1.1	0.5	0.2	0.5	0.6	0.2	0.8	1.0	12.4	12	-72248
	00 LST	1.6	1.5	2.5	1.5	0.7	0.2	0.0	0.1	0.2	0.2	1.0	1.0	10.5	12	-72248
	06 LST	1.6	1.1	1.4	0.7	0.4	0.0	0.1	0.0	0.1	0.2	0.5	0.9	7.0	12	-72248
	12 LST	4.1	4.9	6.3	5.2	3.3	1.0	0.4	0.3	0.8	1.4	3.7	3.6	35.2	12	-72248
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	19.7	18.3	16.5	16.7	18.7	13.0	11.3	11.3	19.7	23.4	20.4	20.5	209.7	12	-72248
	00 LST	16.7	15.8	16.9	16.6	19.5	18.7	21.8	21.4	19.9	20.3	17.6	19.2	224.4	12	-72248
	06 LST	15.3	15.2	16.2	19.3	19.0	20.1	19.7	21.4	18.2	19.4	17.9	15.7	217.4	12	-72248
	12 LST	13.8	11.5	13.2	10.7	15.5	13.5	10.9	10.9	14.9	16.2	14.2	13.6	160.9	12	-72248
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.5	9.4	10.8	10.8	14.2	15.7	11.2	13.3	15.8	18.2	14.6	12.5	136.0	12	-72248
	00 LST	11.6	10.2	12.7	14.1	14.9	19.9	20.2	20.6	19.3	20.6	15.2	13.5	192.8	12	-72248
	06 LST	9.7	8.9	9.3	9.2	8.1	11.8	12.1	14.9	15.1	15.6	12.4	12.5	139.6	12	-72248
	12 LST	7.6	8.1	9.1	9.2	7.9	7.7	6.5	9.0	11.3	14.4	12.3	10.7	113.8	12	-72248
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.3	23.2	27.8	28.3	29.1	28.7	30.7	30.6	28.5	29.3	26.6	25.6	332.7	12	-72248
	00 LST	22.7	21.4	25.3	26.2	28.2	28.3	29.6	30.3	27.8	28.8	24.8	23.4	316.8	12	-72248
	06 LST	19.0	18.6	21.4	20.4	22.8	24.5	26.8	27.2	24.2	24.1	21.7	21.8	272.5	12	-72248
	12 LST	20.6	20.6	24.6	25.1	28.4	28.0	30.2	29.9	27.2	28.1	24.2	23.3	310.2	12	-72248
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.2	20.3	23.7	25.0	28.0	27.7	29.6	30.2	27.3	28.5	23.9	22.2	306.6	12	-72248
	00 LST	18.4	18.4	22.2	23.9	26.2	27.7	29.1	29.6	26.8	27.2	22.6	20.6	292.7	12	-72248
	06 LST	16.5	15.5	18.3	17.6	20.4	23.3	26.2	26.7	23.4	22.4	19.3	19.0	248.6	12	-72248
	12 LST	16.6	18.1	19.8	18.6	21.6	23.1	24.1	25.4	22.7	25.4	20.6	19.7	255.7	12	-72248
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.2	18.1	21.6	22.7	26.7	26.3	28.4	28.7	26.3	27.3	21.6	20.7	286.6	12	-72248
	00 LST	17.0	16.7	20.5	22.2	24.9	27.2	28.6	28.9	26.4	26.0	21.2	18.8	278.4	12	-72248
	06 LST	14.8	14.0	16.4	16.7	19.4	22.5	25.3	25.5	22.7	21.6	17.8	17.9	234.6	12	-72248
	12 LST	15.5	16.4	17.9	17.3	20.9	22.7	23.0	24.3	21.9	24.5	19.3	18.2	241.9	12	-72248

JEANERETTE, LOUISIANA

STA NO. 75302 (IN AREA NUMBER 13)

LATITUDE 2954N

LONGITUDE 09140W

ELEVATION(FT) 00014


PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	85	84	90	93	98	104	104	103	101	98	91	87	104	47	-113
MEAN MAX TMP (F)	64	66	72	79	86	91	92	92	89	82	72	64	79	46	-113
MEAN MIN TMP (F)	43	46	51	58	64	70	72	71	68	57	49	44	58	46	-113
ABS MIN TMP (F)	11	3	23	31	42	54	60	52	42	29	22	16	3	48	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	4.0	20.0	22.0	23.0	12.0	2.0	0.0	0.0	83.0	7	-113
MEAN NO DYS TMP = DR LES 32(F)	7.0	3.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3.0	7.0	21.3	9	-113
MEAN NO D'S TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	48	-29
MEAN DEW PT T'P (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	-191	-158	-94	-57	-30	-18	-62	-49	-55	-104	-162	-187	-96	0	-50
MEAN PRECIP (IN)	4.68	4.37	4.17	4.31	4.45	6.00	8.39	6.19	4.73	3.20	3.91	4.82	59.2	55	-113
MEAN SNOW FALL (IN)	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	55	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.3	7.9	6.9	6.9	7.0	8.7	10.9	8.9	7.2	5.2	6.2	8.4	92.5	55	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	55	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 3 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

JEANERETTE, LOUISIANA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0

DATA NOT AVAILABLE



MISSISSIPPI

MERIDIAN/KEY, MISSISSIPPI

STA NO. 72234 (IN AREA NUMBER 13)

LATITUDE 3220N

LONGITUDE 08844W

ELEVATION(FT) 00297

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	83	84	89	91	99	103	103	105	102	97	87	82	105	16	-613
MEAN MAX TMP (F)	59	63	69	77	85	91	93	93	87	79	67	60	77	16	-113
MEAN MIN TMP (F)	37	39	44	52	60	67	70	69	64	51	41	36	53	16	-113
ABS MIN TMP (F)	10	8	15	29	38	45	54	53	43	24	16	14	8	16	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.8	9.4	22.0	25.2	24.6	12.5	1.9	0.0	0.0	96.4	11	3892
MEAN NO DYS TMP = DR LES 32(F)	10.5	5.7	5.2	0.8	0.0	0.0	0.0	0.0	0.0	1.7	9.4	13.6	46.9	11	3890
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3890
MEAN DEW PT TMP (F)	41	43	45	51	60	69	70	70	65	54	41	39	54	6	38132
MEAN REL HUM (PCT)	77	75	70	67	68	73	75	74	76	73	71	77	73	6	38111
MEAN PRESS ALT (FT)	76	113	180	216	233	247	221	223	185	143	108	79	169	0	-50
MEAN PRECIP (IN)	4.78	3.01	6.53	5.35	4.49	3.97	5.57	3.50	3.77	1.93	3.95	4.65	53.5	16	-113
MEAN SNOW FALL (IN)	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	16	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.4	8.6	7.7	7.3	7.0	6.7	8.3	6.2	6.0	3.6	6.2	8.2	84.2	16	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2913
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.2	3.4	2.3	1.2	1.2	0.8	1.2	1.2	1.8	2.4	3.5	5.2	27.4	6	1592
MEAN NO DYS TSTMS	2.0	3.0	4.0	5.0	7.0	10.0	13.0	10.0	5.0	1.0	2.0	2.0	64.0	6	-24
P FREQ WND SPD = DR GTR 17 KTS	1.3	2.1	2.7	2.7	0.9	0.5	0.4	0.4	0.0	0.3	0.6	1.4	1.1	6	38124
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	38124
P FREQ LES 5000 FT A/O LES 5 MI	52.5	49.0	47.2	33.1	33.1	28.7	28.9	25.2	38.4	38.6	39.8	56.4	39.2	6	38112
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	34.3	24.3	18.5	14.8	10.5	6.4	7.8	8.6	15.1	17.0	17.6	31.7	17.2	6	4772
03-05 LST	40.1	30.7	23.6	26.5	29.8	21.1	19.1	17.9	32.2	32.1	28.5	40.7	29.3	6	4766
06-08 LST	39.0	33.9	29.5	24.9	22.9	12.1	14.3	14.7	26.5	26.9	24.5	32.6	25.6	12	12223
09-11 LST	26.5	23.0	18.2	11.2	8.0	4.2	6.8	3.9	12.5	11.6	15.3	24.3	13.8	12	12218
12-14 LST	16.2	12.1	10.4	4.8	3.3	2.2	2.4	2.1	7.2	5.1	8.0	17.3	7.6	12	12226
15-17 LST	15.2	13.1	8.9	3.7	2.7	1.2	1.5	0.7	5.5	3.3	7.2	16.3	6.6	12	12214
18-20 LST	16.3	12.9	9.4	3.4	2.0	0.8	2.1	1.4	6.4	3.1	8.9	15.6	7.0	12	12215
21-23 LST	21.2	15.3	10.9	9.4	3.2	0.7	2.9	1.9	7.2	7.2	11.3	18.2	9.1	12	10310
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	2.7	3.8	2.0	2.2	0.5	0.6	0.4	1.7	1.6	2.8	1.1	8.6	2.3	6	4772
03-05 LST	4.8	7.9	5.0	4.5	3.0	1.4	3.0	3.7	4.9	4.5	5.0	11.3	4.9	6	4766
06-08 LST	7.3	6.5	4.2	4.6	1.6	0.4	1.4	1.7	2.9	5.1	8.3	8.8	4.4	12	12223
09-11 LST	2.7	1.5	0.2	0.0	0.1	0.0	0.1	0.0	0.2	0.4	2.0	1.4	0.7	12	12218
12-14 LST	1.5	0.7	0.2	0.0	0.1	0.3	0.2	0.3	0.1	0.1	0.4	0.4	0.4	12	12226
15-17 LST	1.0	1.2	0.3	0.4	0.2	0.2	0.0	0.0	0.2	0.3	0.4	1.3	0.5	12	12214
18-20 LST	1.9	0.8	0.4	0.1	0.0	0.1	0.1	0.0	0.0	0.2	0.5	1.5	0.5	12	12215
21-23 LST	2.5	1.3	1.0	0.2	0.1	0.0	0.1	0.0	0.1	1.8	1.7	1.5	0.9	12	10310

MERIDIAN/KEY, MISSISSIPPI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.7	24.9	29.2	29.2	30.6	29.7	30.7	30.6	28.7	30.3	28.2	27.5	347.3	12	4079
	00 LST	26.1	24.3	28.8	28.1	30.1	29.7	30.3	30.4	28.7	28.9	26.8	27.2	339.4	12	4079
	06 LST	22.1	21.1	23.1	23.3	24.1	27.2	26.6	26.1	21.5	22.5	22.4	23.6	283.6	12	4081
	12 LST	26.9	25.9	28.7	29.3	30.8	29.3	30.6	30.8	28.9	30.2	28.5	27.4	347.3	12	4081
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	22.7	19.9	22.8	23.6	27.2	27.8	27.7	29.2	27.0	28.6	24.9	22.0	303.4	12	4079
	00 LST	19.1	18.9	21.9	23.6	27.6	28.9	29.6	29.6	26.8	27.0	22.9	20.9	296.8	12	4079
	06 LST	16.4	15.4	17.3	18.5	20.6	24.8	25.5	25.4	19.7	20.6	18.4	18.0	240.6	12	4081
	12 LST	13.7	12.0	14.3	15.3	19.4	22.6	25.0	25.1	20.3	20.2	17.2	15.1	220.2	12	4081
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.2	0.4	0.2	0.4	0.2	0.0	0.2	0.0	0.0	0.0	0.2	0.1	1.9	12	4005
	00 LST	0.1	0.3	0.3	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.5	1.6	12	3934
	06 LST	0.1	0.6	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	1.4	12	3978
	12 LST	1.5	1.7	1.8	1.6	0.2	0.4	0.1	0.2	0.2	0.3	0.2	1.1	9.3	12	4028
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	17.8	15.9	19.9	20.2	21.8	16.4	17.3	14.5	15.4	12.1	13.7	19.9	200.9	12	4005
	00 LST	13.9	12.4	14.8	13.7	12.6	11.0	12.2	10.5	10.6	10.0	11.2	12.9	146.4	12	3934
	06 LST	12.6	12.4	13.4	12.6	14.3	11.4	10.9	9.4	9.0	9.7	10.2	11.7	139.6	12	3978
	12 LST	20.2	16.0	18.3	19.1	19.7	10.8	10.1	10.3	17.3	22.3	20.4	19.0	203.5	12	4028
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	11.2	11.0	10.7	11.1	12.1	11.5	5.5	11.6	13.3	20.2	15.8	13.8	147.8	9	3105
	00 LST	12.4	11.6	14.0	17.3	18.6	18.4	17.1	19.6	18.7	20.6	16.5	12.7	197.5	9	3103
	06 LST	9.7	8.2	9.6	10.4	10.4	14.1	11.4	15.4	12.2	16.1	12.2	11.2	140.9	9	3106
	12 LST	7.9	8.2	8.2	10.2	8.6	3.9	2.9	6.4	8.9	14.7	11.9	10.0	99.8	9	3106
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	25.4	22.7	26.3	27.5	29.2	28.6	29.5	30.2	26.8	29.6	28.5	24.2	326.5	12	4079
	00 LST	21.2	21.6	25.3	25.0	28.6	29.2	29.9	29.7	27.7	27.7	24.7	22.3	312.9	12	4079
	06 LST	16.8	16.2	18.0	19.4	20.4	24.7	25.4	25.2	19.8	20.7	19.2	19.4	245.2	12	4081
	12 LST	22.6	20.0	23.7	26.1	28.1	28.1	28.4	29.5	25.3	27.4	25.5	23.2	307.9	12	4081
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.1	19.3	22.6	24.1	25.9	25.3	25.2	27.4	24.2	27.4	24.0	21.4	287.9	12	4079
	00 LST	18.9	18.7	21.3	23.2	26.8	28.0	28.9	28.6	26.8	25.8	23.0	19.9	289.9	12	4079
	06 LST	13.5	13.6	15.6	17.2	18.2	23.8	24.0	24.2	18.9	19.2	17.5	16.9	222.6	12	4081
	12 LST	18.0	16.5	18.5	19.3	18.6	16.8	17.0	20.7	19.1	23.4	22.3	19.3	229.5	12	4081
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.4	17.7	20.5	23.1	24.8	24.3	23.7	25.7	23.2	26.7	22.2	19.3	270.6	12	4079
	00 LST	17.4	17.0	19.2	22.4	25.4	27.2	27.6	27.4	25.7	24.5	21.0	18.1	272.9	12	4079
	06 LST	12.3	11.0	14.0	15.5	17.0	22.4	21.7	22.4	18.0	18.1	16.1	14.5	203.0	12	4081
	12 LST	16.4	14.8	17.4	18.5	17.5	16.4	16.6	20.2	18.8	22.7	21.1	17.8	218.2	12	4081

JACKSON/HAWKINS, MISSISSIPPI

STA NO. 72235 (IN AREA NUMBER 13)

LATITUDE 3219N

LONGITUDE 09013W

ELEVATION(FT) 00343

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	85	83	88	93	99	105	104	106	103	96	86	84	106	29	-613
MEAN MAX TMP (F)	59	62	68	76	84	91	93	93	88	80	67	60	77	29	-113
MEAN MIN TMP (F)	38	41	46	53	62	69	71	70	65	53	43	39	54	29	-113
ABS MIN TMP (F)	-5	1	17	30	42	48	57	54	40	28	16	14	-5	29	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0		7.2	18.0	22.4	22.4	12.8		0.0	0.0		29	-29
MEAN NO DYS TMP = DR LES 32(F)	10.0	9.3	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	5.5	31.3	4	819
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	819
MEAN DEW PT TMP (F)	40	39	46	53	63	69	70	70	64	51	43	41	54	4	19617
MEAN REL HUM (PCT)	76	88	71	69	71	69	70	70	73	65	68	78	71	4	19606
MEAN PRESS ALT (FT)	124	159	229	267	287	301	272	276	237	196	156	126	219	0	-50
MEAN PRECIP (IN)	4.99	4.94	5.64	4.62	4.13	3.93	4.64	3.34	2.48	1.94	3.70	5.32	49.7	29	-113
MEAN SNOW FALL (IN)	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.6	29	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.6	8.5	7.4	7.1	6.9	6.7	7.4	6.0	4.3	3.6	5.9	8.9	81.3	29	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	29	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	2.0	1.3	1.5	1.0	1.0	0.0	0.5	0.0	1.3	2.0	1.5	4.0	16.1	4	819
MEAN NO DYS TSTMS	1.0	2.3	5.5	5.5	6.5	6.5	6.5	8.5	1.7	1.0	1.0	2.0	48.0	4	819
P FREQ WND SPD = DR GTR 17 KTS	3.4	6.4	7.2	4.3	1.6	0.4	0.6	0.5	1.2	1.2	2.5	3.1	2.7	4	19640
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	4	19640
P FREQ LES 3000 FT A/O LES 5 MI	49.7	42.0	31.8	33.4	35.9	24.0	19.9	22.9	30.1	27.6	37.6	63.1	36.5	4	1636
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	24.7	16.3	23.1	14.4	2.7	0.6	0.5	3.2	11.9	9.3	19.0	41.4	13.9	4	2455
03-05 LST	28.5	19.0	34.4	23.9	10.2	4.5	4.3	6.5	19.3	14.7	33.9	44.6	20.3	4	2454
06-08 LST	48.9	32.1	43.7	23.0	19.7	3.9	8.6	16.8	27.4	31.2	45.0	37.8	30.2	4	2452
09-11 LST	26.3	20.7	28.0	10.6	4.9	2.8	3.8	7.0	13.3	6.1	21.1	39.8	15.4	4	2454
12-14 LST	18.3	14.7	14.5	3.3	1.6	2.2	1.1	2.2	9.6	3.6	8.3	26.9	8.9	4	2456
15-17 LST	17.2	7.5	10.8	3.9	3.8	1.1	2.2	2.2	5.6	1.1	9.4	17.7	6.9	4	2457
18-20 LST	17.2	9.6	11.8	7.2	2.7	0.0	2.2	1.1	3.7	1.4	8.3	22.6	7.3	4	2456
21-23 LST	20.7	12.7	11.9	6.7	2.7	0.0	0.0	1.6	4.8	6.5	10.0	30.1	9.0	4	2452
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	1.1	3.2	3.8	1.7	0.5	0.0	0.0	0.0	0.4	1.4	1.1	5.4	1.6	4	2455
03-05 LST	5.4	1.2	3.2	2.8	2.2	0.0	0.5	0.0	1.1	2.2	4.4	8.1	2.6	4	2454
06-08 LST	7.0	6.3	3.2	3.9	0.5	0.0	1.1	0.0	2.2	4.3	7.2	11.4	3.9	4	2452
09-11 LST	1.6	1.2	0.5	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.6	2.7	0.6	4	2454
12-14 LST	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.5	0.2	4	2456
15-17 LST	2.7	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.4	4	2457
18-20 LST	0.0	1.2	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.2	4	2456
21-23 LST	0.0	3.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	1.6	0.5	4	2452

JACKSON/HAWKINS, MISSISSIPPI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.0	26.3	28.0	28.5	30.5	30.0	30.5	31.0	29.0	31.0	28.0	27.5	347.3	4	819
	00 LST	26.0	24.3	26.5	27.5	31.0	30.0	31.0	30.5	28.3	28.0	25.5	23.0	331.6	4	819
	06 LST	20.5	21.0	17.5	21.0	25.5	29.5	27.5	26.5	23.3	21.3	16.0	15.5	265.1	4	819
	12 LST	27.5	25.3	28.0	29.0	30.5	30.0	30.5	30.5	29.3	30.7	27.0	24.5	342.8	4	819
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.0	18.3	20.0	17.5	26.5	28.5	27.0	28.0	26.6	27.3	22.5	18.5	280.7	4	819
	00 LST	18.0	18.6	18.5	17.5	25.5	29.5	30.5	29.5	25.3	26.0	22.0	16.0	276.9	4	819
	06 LST	14.5	14.6	11.0	12.5	22.0	26.5	26.0	25.0	19.3	19.3	12.5	7.0	210.2	4	819
	12 LST	13.0	10.0	13.5	13.5	18.5	24.0	26.5	26.5	17.6	19.3	17.0	10.0	209.4	4	819
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.0	0.7	3.1	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	5.3	4	803
	00 LST	1.6	2.0	1.1	0.5	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.5	6.0	4	804
	06 LST	0.5	0.3	1.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.5	0.6	3.5	4	798
	12 LST	1.6	3.1	4.2	2.5	2.0	0.5	0.0	0.0	0.7	0.7	1.5	1.6	18.4	4	802
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	22.3	18.1	20.5	20.0	24.0	13.5	13.5	16.2	20.9	20.3	15.2	20.0	224.5	4	803
	00 LST	20.6	14.8	21.4	18.4	20.0	17.0	19.0	16.5	16.7	16.5	14.7	17.9	213.5	4	804
	06 LST	16.3	14.5	18.1	18.1	18.0	13.5	20.0	14.0	14.1	14.0	15.0	14.9	190.5	4	798
	12 LST	16.6	14.0	15.2	17.3	16.5	7.5	7.0	8.0	17.9	22.0	17.6	14.9	174.5	4	802
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	25.5	25.3	24.5	27.0	28.5	29.5	29.5	30.0	27.3	30.3	26.5	22.0	325.9	4	819
	00 LST	21.5	22.0	22.5	24.0	29.5	30.0	31.0	30.0	26.0	27.0	24.5	17.0	305.0	4	819
	06 LST	17.0	17.3	14.0	18.0	23.0	28.5	26.5	23.0	19.7	20.0	14.5	8.5	232.0	4	819
	12 LST	23.5	20.3	21.0	24.0	27.5	29.0	28.5	29.0	25.3	29.3	26.0	19.5	302.9	4	819
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.5	19.7	20.0	24.5	25.0	23.0	25.0	24.5	23.3	28.3	26.0	18.5	279.3	4	819
	00 LST	19.5	17.3	17.0	22.0	26.5	30.0	30.0	29.5	23.0	25.3	23.5	13.0	276.6	4	819
	06 LST	14.0	14.0	11.5	13.5	19.5	28.5	25.0	24.5	18.7	19.0	12.0	6.5	208.7	4	819
	12 LST	19.0	17.0	17.5	21.0	15.0	14.0	23.5	19.0	17.3	24.0	25.0	16.0	228.3	4	819
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	20.0	17.0	19.0	22.0	22.0	21.0	21.0	19.5	21.3	27.0	24.0	15.0	248.8	4	819
	00 LST	19.0	16.0	14.0	21.0	25.5	29.5	27.5	29.0	24.3	24.3	22.5	10.5	263.1	4	819
	06 LST	13.5	13.3	10.5	14.0	17.5	27.5	22.5	22.0	16.0	16.6	11.5	5.5	190.4	4	819
	12 LST	17.0	16.0	16.5	18.0	14.0	13.5	21.0	17.5	15.7	23.3	23.5	13.0	209.0	4	819

TUPELO MUNICIPAL, MISSISSIPPI

STA NO. 72330 (IN AREA NUMBER 19)

LATITUDE 3415N

LONGITUDE 08845W

ELEVATION(FT) 00361

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	82	83	95	91	100	108	109	108	109	98	90	81	109	53	-113
MEAN MAX TMP (F)	54	56	64	74	82	90	92	92	88	77	64	55	74	53	-113
MEAN MIN TMP (F)	34	36	43	51	59	67	70	69	63	51	40	35	52	53	-113
ABS MIN TMP (F)	-14	-7	13	25	38	46	50	49	38	22	8	1	-14	53	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	7.0	18.0	26.0	26.0	11.0	2.0	0.0	0.0	93.3	10	-113
MEAN NO DYS TMP = DR LES 32(F)	13.0	8.0	6.0	0.3	0.0	0.0	0.0	0.0	0.0	1.0	8.0	13.0	49.3	9	-113
MEAN NO DYS TMP = DR LES 0(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		53	-29
MEAN DEW PT TMP (F)	33	37	41	51	60	67	70	69	64	52	42	34	52	13	-73273
MEAN REL HUM (PCT)	72	70	66	66	69	70	73	73	73	70	70	74	71	13	-73273
MEAN PRESS ALT (FT)	143	180	239	273	293	309	276	285	263	218	175	146	233	0	-50
MEAN PRECIP (IN)	5.09	4.86	6.33	4.46	4.34	3.88	4.07	3.25	3.17	2.71	4.11	5.31	51.6	59	-113
MEAN SNOW FALL (IN)	0.9	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	2.1	60	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.7	8.4	7.6	7.0	7.0	6.7	6.9	5.9	5.2	4.6	6.4	6.9	83.3	59	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	60	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	1.2	1.1	1.3	0.6	0.6	0.8	1.0	1.4	0.7	1.8	2.3	3.2	16.0	13	-73273
MEAN NO DYS TSTMS	1.6	2.9	5.7	5.4	5.2	7.5	10.7	7.7	3.6	1.4	1.7	1.3	54.7	13	-73273
P FREQ WND SPD = DR GTR 17 KTS	1.9	2.4	2.8	1.4	0.3	0.2	0.3	0.2	0.4	0.4	0.8	1.4	1.0	13	-73273
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-73273
P FREQ LES 3000 FT A/D LES 3 MI	43.5	42.5	38.9	26.1	21.2	20.6	16.6	18.7	24.7	22.8	30.9	44.2	29.2	13	-73273
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	19.2	16.3	12.6	6.5	3.8	2.9	2.3	3.7	8.1	8.1	12.4	20.7	9.7	13	-73273
03-05 LST	22.6	20.7	17.6	12.7	10.7	8.7	10.9	12.5	12.6	13.8	17.0	26.3	15.5	13	-73273
06-08 LST	30.0	27.6	24.8	14.5	10.0	11.2	12.0	15.6	16.8	19.3	25.7	31.1	19.9	13	-73273
09-11 LST	26.0	24.0	19.6	10.3	6.5	6.3	5.0	7.3	12.4	11.3	17.4	26.7	14.4	13	-73273
12-14 LST	19.2	17.2	11.9	5.4	2.9	1.9	1.1	1.3	7.0	6.3	8.6	22.7	8.8	13	-73273
15-17 LST	17.1	14.9	8.1	4.2	1.6	1.1	1.7	1.5	5.0	4.4	8.0	19.6	7.3	13	-73273
18-20 LST	16.4	14.6	8.4	5.6	1.6	1.3	1.6	0.4	3.9	3.9	7.4	18.7	7.0	13	-73273
21-23 LST	17.4	13.9	9.8	5.1	1.9	1.1	0.9	1.0	5.4	5.7	7.9	20.5	7.6	13	-73273
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.8	2.7	1.9	0.8	0.1	0.0	0.6	0.9	1.0	2.1	2.3	3.6	1.5	13	-73273
03-05 LST	2.1	3.7	3.3	1.6	1.1	0.9	3.0	2.6	2.2	3.5	4.0	6.4	2.9	13	-73273
06-08 LST	4.1	4.3	3.3	1.5	0.7	0.5	1.0	2.4	1.8	3.1	6.6	7.8	3.1	13	-73273
09-11 LST	2.3	2.4	1.0	0.0	0.2	0.0	0.0	0.0	0.1	0.3	1.4	4.1	1.0	13	-73273
12-14 LST	1.1	0.7	0.1	0.0	0.0	0.3	0.3	0.1	0.1	0.1	0.5	1.3	0.4	13	-73273
15-17 LST	1.3	0.9	0.0	0.0	0.1	0.0	0.2	0.3	0.1	0.3	0.3	2.1	0.5	13	-73273
18-20 LST	1.4	1.0	0.5	0.1	0.4	0.1	0.5	0.0	0.2	0.1	0.4	2.2	0.6	13	-73273
21-23 LST	1.8	1.7	0.5	0.5	0.0	0.1	0.0	0.2	0.3	1.0	0.5	3.0	0.8	13	-73273

TUPELO MUNICIPAL, MISSISSIPPI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.0	24.9	29.9	28.9	30.7	29.7	30.3	31.0	29.3	30.0	28.4	25.8	345.9	13	-73273
	00 LST	26.8	25.3	28.3	28.5	30.5	29.5	30.7	30.9	28.5	29.2	27.1	26.8	341.7	13	-73273
	06 LST	23.5	22.0	25.5	26.6	28.4	28.0	27.6	26.1	25.4	24.2	22.7	22.9	302.9	13	-73273
	12 LST	26.4	24.0	28.2	28.8	30.4	29.6	30.8	30.9	29.2	29.7	27.8	25.2	341.0	13	-73273
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	21.6	20.2	21.9	24.6	28.5	27.5	29.0	29.7	28.0	27.6	26.1	21.0	305.7	13	-73273
	00 LST	20.2	19.3	22.0	24.9	28.7	28.4	30.4	30.2	27.0	27.7	23.9	21.2	303.9	13	-73273
	06 LST	18.5	16.8	19.4	23.6	26.3	25.7	26.7	25.0	23.4	22.7	19.8	18.4	266.3	13	-73273
	12 LST	16.3	14.0	14.4	16.1	23.4	24.9	27.4	27.4	22.6	22.7	19.8	15.8	244.8	13	-73273
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.1	0.5	0.5	0.2	0.0	0.1	0.1	0.0	0.0	0.2	0.2	0.5	2.4	13	-73273
	00 LST	0.6	0.7	0.4	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.3	2.0	13	-73273
	06 LST	0.4	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	1.3	13	-73273
	12 LST	1.1	1.0	2.0	1.1	0.1	0.1	0.1	0.0	0.4	0.1	0.5	0.7	7.2	13	-73273
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	15.2	14.6	19.2	18.6	17.8	15.5	12.7	13.3	14.5	11.4	13.3	12.6	178.7	13	-73273
	00 LST	11.0	11.4	13.6	12.8	8.4	8.0	6.4	6.4	10.0	7.1	10.3	11.2	116.6	13	-73273
	06 LST	10.5	10.6	13.7	13.7	10.6	10.9	8.2	6.9	8.7	7.8	9.2	9.6	120.4	13	-73273
	12 LST	16.7	17.9	19.3	18.4	20.2	14.2	11.3	12.2	17.6	19.9	19.4	17.5	204.6	13	-73273
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.9	8.4	10.1	9.8	8.1	6.9	3.6	4.9	9.2	13.9	11.0	9.3	104.1	9	-73273
	00 LST	11.1	11.5	10.6	13.6	15.2	11.6	9.7	14.3	17.3	18.4	13.7	12.3	139.3	9	-73273
	06 LST	11.3	8.9	10.0	8.5	7.6	6.1	5.5	8.2	12.0	12.7	9.8	11.0	111.6	9	-73273
	12 LST	8.0	6.8	8.1	8.4	4.6	4.0	2.3	3.6	7.5	12.2	9.0	8.8	83.3	9	-73273
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.7	21.9	26.7	27.7	29.6	29.0	29.8	30.3	27.6	28.7	26.6	22.5	324.1	13	-73273
	00 LST	22.9	21.9	25.2	27.0	29.4	28.9	30.5	30.0	27.3	28.5	25.5	22.9	320.0	13	-73273
	06 LST	19.9	18.4	20.7	23.8	26.5	25.6	26.5	24.4	23.3	22.4	20.3	19.2	271.0	13	-73273
	12 LST	21.9	20.0	22.9	26.0	27.9	26.3	28.3	28.5	24.6	27.0	24.7	20.4	298.5	13	-73273
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.9	17.6	21.5	24.2	25.6	25.2	27.2	27.6	24.8	27.1	23.1	19.1	281.9	13	-73273
	00 LST	19.2	17.9	20.5	23.8	27.7	27.6	29.3	28.9	25.9	26.9	22.7	19.0	289.4	13	-73273
	06 LST	16.7	14.6	17.5	19.3	22.9	23.8	25.6	22.4	21.5	20.3	17.3	15.4	237.3	13	-73273
	12 LST	17.9	15.9	18.2	21.8	21.6	19.0	23.1	22.2	18.8	23.6	20.9	17.4	240.4	13	-73273
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.7	15.7	18.3	22.4	24.1	22.7	24.7	25.9	23.4	25.9	21.5	16.9	259.2	13	-73273
	00 LST	17.2	16.6	18.9	22.7	26.3	26.5	28.3	27.9	23.4	25.5	21.2	17.3	273.8	13	-73273
	06 LST	14.7	13.9	15.2	17.3	21.4	22.7	23.2	20.9	20.1	19.3	16.2	14.1	219.0	13	-73273
	12 LST	16.3	13.9	16.9	20.1	20.8	18.2	21.5	20.8	17.6	22.5	18.8	15.4	222.8	13	-73273

MC COMB/PIKE COUNTY, MISSISSIPPI

STA NO. 73218 (IN AREA NUMBER 13)

LATITUDE 3115N

LONGITUDE 09028W

ELEVATION(FT) 00460

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	81	81	86	89	100	102	101	102	98	93	85	82	102	11	3318
MEAN MAX TMP (F)	63	64	70	77	85	91	91	92	88	80	68	61	78	11	3318
MEAN MIN TMP (F)	42	42	47	55	62	69	70	70	65	55	44	39	55	11	3318
ABS MIN TMP (F)	7	8	23	36	41	36	62	60	45	33	20	8	7	11	3318
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	5.4	20.6	21.8	24.1	13.2	2.9	0.0	0.0	87.6	11	3318
MEAN NO DYS TMP = DR LES 32(F)	7.7	5.1	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	8.4	26.9	11	3318
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3318
MEAN DEW PT TMP (F)	48	46	47	54	62	70	72	71	65	55	42	42	56	7	53276
MEAN REL HUM (PCT)	78	73	69	72	72	75	80	76	73	70	67	74	73	7	53275
MEAN PRESS ALT (FT)	255	286	342	376	405	419	373	390	394	345	286	259	344	0	-50
MEAN PRECIP (IN)	5.16	5.13	5.81	4.74	4.92	4.42	5.66	4.94	2.96	3.46	3.03	5.52	55.8	11	3316
MEAN SNOW FALL (IN)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	11	3312
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.2	6.7	7.4	5.6	6.0	6.3	9.5	7.3	4.8	3.2	3.9	7.6	75.5	11	3316
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3312
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	7.3	4.3	2.0	4.0	3.5	2.8	2.1	1.3	3.7	5.1	3.2	4.6	43.9	7	2222
MEAN NO DYS TSTMS	2.8	3.0	6.2	6.1	6.9	9.4	15.7	12.6	6.1	1.6	1.7	3.1	75.2	11	3317
P FREQ WND SPD = DR GTR 17 KTS	2.3	2.3	2.9	1.4	0.4	0.2	0.2	0.0	0.3	0.3	0.8	1.8	1.1	7	53278
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	53278
P FREQ LES 3000 FT A/D LES 5 MI	50.7	39.8	36.2	32.0	25.1	21.9	25.0	16.4	20.1	23.5	24.4	39.2	29.5	7	53265
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	40.5	28.8	23.5	25.9	17.3	8.3	13.3	3.6	11.4	14.9	13.9	30.4	19.3	7	6657
03-05 LST	44.8	32.5	26.3	35.4	26.3	18.5	19.9	9.9	21.5	25.6	19.3	30.7	25.9	7	6660
06-08 LST	45.1	34.7	26.0	30.7	18.6	18.9	20.1	10.0	20.9	29.2	21.9	26.9	25.3	7	6662
09-11 LST	36.3	28.4	17.9	9.3	6.3	4.3	6.3	2.3	9.4	14.0	10.0	22.3	13.9	7	6659
12-14 LST	18.6	16.2	9.3	3.9	2.2	1.9	3.0	1.1	2.6	5.7	5.8	17.6	7.3	7	6654
15-17 LST	14.4	12.2	8.8	3.1	1.6	1.5	4.1	0.7	3.5	3.8	7.1	14.4	6.3	7	6658
18-20 LST	17.4	10.5	9.7	3.9	2.3	2.2	2.9	1.3	3.2	4.8	4.6	16.8	6.4	7	6659
21-23 LST	27.4	20.1	15.6	13.9	6.6	4.5	5.0	1.4	5.9	7.7	9.1	22.7	11.7	7	6656
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.9	8.5	3.4	4.6	3.1	1.1	1.1	0.0	2.4	4.7	2.8	7.2	3.9	7	6657
03-05 LST	14.2	12.4	3.9	7.8	7.2	4.4	3.8	3.2	9.8	12.7	7.2	8.9	8.0	7	6660
06-08 LST	14.7	9.5	2.9	3.9	3.4	2.4	2.2	1.3	5.2	10.2	8.3	9.2	6.1	7	6662
09-11 LST	5.2	2.4	0.9	0.0	0.2	0.0	0.2	0.0	0.0	0.3	0.7	2.3	1.0	7	6659
12-14 LST	1.8	1.0	0.2	0.0	0.0	0.0	0.4	0.2	0.0	0.0	0.0	0.9	0.4	7	6654
15-17 LST	1.6	0.4	0.5	0.0	0.2	0.4	0.2	0.0	0.2	0.0	0.0	0.5	0.3	7	6658
18-20 LST	2.3	0.4	1.3	0.2	0.4	0.4	0.0	0.2	0.2	0.0	0.0	1.8	0.6	7	6659
21-23 LST	1.6	1.0	1.4	1.1	0.5	0.0	0.0	0.4	0.9	1.1	0.6	3.7	1.2	7	6656

MC COMB/PIKE COUNTY, MISSISSIPPI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.7	26.0	28.6	29.8	30.7	29.6	30.7	30.5	29.5	30.0	29.2	27.8	330.1	7	2222
	00 LST	21.8	22.0	26.0	25.7	28.6	28.8	28.1	29.8	28.0	27.3	27.3	24.1	317.5	7	2222
	06 LST	20.6	20.4	24.3	22.5	25.1	24.5	24.1	27.7	22.8	21.3	22.7	23.8	279.8	7	2222
	12 LST	26.5	25.0	30.0	29.8	30.8	30.0	30.5	30.7	29.5	30.3	28.8	27.3	349.2	7	2222
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	21.1	20.0	21.8	25.1	25.3	27.7	27.8	29.8	26.8	26.2	23.3	17.9	279.5	7	2222
	00 LST	16.2	17.4	19.0	22.1	25.3	27.7	27.8	29.8	26.8	26.2	23.3	17.9	279.5	7	2222
	06 LST	13.0	14.7	19.2	17.6	21.0	22.8	23.5	26.3	21.7	19.2	19.3	18.1	236.4	7	2222
	12 LST	10.7	10.1	14.1	15.7	20.2	24.7	26.7	26.7	21.0	20.8	16.3	14.4	221.4	7	2222
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.2	0.0	0.9	0.3	0.0	0.2	0.2	0.0	0.0	0.0	0.2	0.1	2.1	7	2163
	00 LST	0.5	0.3	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.8	7	2174
	06 LST	0.5	0.0	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.6	7	2183
	12 LST	0.8	1.4	1.0	1.4	0.2	0.2	0.0	0.0	0.2	0.2	1.0	1.0	7.4	7	2163
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	22.0	16.7	19.1	20.5	19.7	16.5	18.6	15.3	12.5	10.9	13.2	19.9	206.9	7	2164
	00 LST	21.5	18.0	19.4	17.2	15.0	8.7	9.9	8.0	11.6	11.6	15.4	16.7	173.0	7	2174
	06 LST	18.6	18.5	18.7	18.2	16.1	14.6	12.9	11.9	14.3	12.7	14.0	14.9	185.4	7	2183
	12 LST	17.4	15.7	17.7	18.6	19.5	14.5	13.3	11.5	17.8	21.0	21.1	19.1	207.2	7	2222
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.8	10.1	9.8	10.1	13.3	10.7	3.3	8.3	11.5	19.0	18.0	11.1	134.0	7	2222
	00 LST	10.1	10.9	11.8	14.5	17.0	19.7	18.0	19.8	19.0	21.0	17.5	13.3	192.6	7	2222
	06 LST	6.8	8.3	9.8	10.7	8.3	14.2	9.3	14.7	13.3	15.0	13.0	9.7	133.1	7	2222
	12 LST	5.8	8.0	8.6	8.6	5.5	3.8	1.8	4.7	9.0	13.0	13.7	8.4	90.9	7	2222
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.5	24.0	27.0	28.1	29.5	29.2	29.0	30.2	28.5	28.6	28.1	23.6	330.3	7	2222
	00 LST	17.8	19.4	20.6	22.8	26.3	27.3	27.8	29.5	26.8	26.7	24.8	20.0	289.8	7	2222
	06 LST	14.1	16.4	21.1	18.7	20.3	22.7	23.7	26.3	22.1	19.5	20.6	20.7	246.2	7	2222
	12 LST	18.5	20.4	24.5	26.8	28.3	28.3	29.1	29.6	27.2	26.7	26.3	22.7	308.4	7	2222
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.2	20.0	23.3	24.7	27.5	26.6	24.5	27.3	25.3	26.7	26.0	19.3	291.4	7	2222
	00 LST	15.0	17.6	18.8	21.7	25.3	27.0	27.0	28.6	26.0	25.6	23.0	17.9	273.5	7	2222
	06 LST	10.7	13.4	19.0	17.2	19.3	22.3	22.8	25.0	21.5	18.8	18.8	16.4	223.2	7	2222
	12 LST	13.3	17.1	18.0	18.5	19.8	16.0	14.8	19.3	22.1	21.1	21.5	18.8	220.3	7	2222
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.5	18.5	21.1	22.5	25.8	25.3	22.3	26.2	24.7	25.8	24.5	18.4	273.6	7	2222
	00 LST	14.3	16.5	17.3	19.5	23.0	26.5	26.5	28.1	25.3	25.0	22.1	17.4	261.5	7	2222
	06 LST	10.1	11.8	17.5	15.7	18.7	21.5	21.3	24.1	20.2	18.5	17.8	14.7	211.9	7	2222
	12 LST	12.2	13.6	17.0	17.2	19.2	15.7	14.0	19.0	21.5	20.6	20.3	16.7	209.0	7	2222

COLUMBUS/COLUMBUS AFB, MISSISSIPPI

STA NO. 73273 (IN AREA NUMBER 13)

LATITUDE 3339N

LONGITUDE 08827W

ELEVATION(FT) 00214

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	81	84	87	90	96	104	104	106	98	91	84	79	106	13	4008
MEAN MAX TMP (F)	53	58	64	75	83	89	91	91	85	77	65	52	74	13	4008
MEAN MIN TMP (F)	33	37	44	53	60	68	71	70	64	51	42	34	52	13	4008
ABS MIN TMP (F)	1	10	15	32	39	49	58	57	36	30	20	3	1	13	4008
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.2	5.7	15.8	20.3	20.1	9.8	0.6	0.0	0.0	72.5	13	4008
MEAN NO DYS TMP = DR LES 32(F)	16.2	9.5	4.4	0.2	0.0	0.0	0.0	0.0	0.0	0.6	6.1	15.2	52.2	13	4008
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	4008
MEAN DEW PT TMP (F)	33	37	41	51	60	67	70	69	64	52	42	34	52	13	95493
MEAN REL HUM (PCT)	72	70	66	66	69	70	73	73	73	70	70	74	71	13	95481
MEAN PRESS ALT (FT)	-4	32	93	127	146	161	131	138	110	66	26	-1	85	0	-50
MEAN PRECIP (IN)	4.50	6.06	5.82	4.75	3.73	2.70	4.33	2.67	2.37	2.56	4.14	5.33	49.0	12	3637
MEAN SNOW FALL (IN)	1.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	4.0	8	2303
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.6	8.7	7.8	6.4	5.1	4.7	6.6	4.0	4.0	3.8	4.9	7.4	70.0	12	3637
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	8	2303
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.2	1.1	1.3	0.6	0.6	0.8	1.0	1.4	0.7	1.8	2.3	3.2	16.0	13	4008
MEAN NO DYS TSTMS	1.6	2.9	5.7	5.4	5.2	7.5	10.7	7.7	3.6	1.4	1.7	1.3	54.7	13	4008
P FREQ WND SPD = DR GTR 17 KTS	1.9	2.4	2.8	1.4	0.3	0.2	0.3	0.2	0.4	0.4	0.8	1.4	1.0	13	96113
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	96113
P FREQ LES 3000 FT A/O LES 5 MI	43.5	42.5	38.9	26.1	21.2	20.6	16.6	18.7	24.7	22.8	30.9	44.2	29.2	13	96159
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	19.2	16.3	12.6	6.5	3.6	2.9	2.3	3.7	8.1	8.1	12.4	20.7	9.7	13	12011
03-05 LST	22.6	20.7	17.6	12.7	10.7	8.7	10.9	12.5	12.6	13.8	17.0	26.3	15.5	13	12023
06-08 LST	30.0	27.6	24.8	14.5	10.0	11.2	12.0	15.6	16.8	19.3	25.7	31.1	19.9	13	12017
09-11 LST	26.0	24.0	19.6	10.3	6.5	6.3	5.0	7.3	12.4	11.3	17.4	26.7	14.4	13	12022
12-14 LST	19.2	17.2	11.9	5.4	2.9	1.9	1.1	1.3	7.0	6.3	8.6	22.7	8.8	13	12021
15-17 LST	17.1	14.9	8.1	4.2	1.6	1.1	1.7	1.5	5.0	4.4	8.0	19.6	7.3	13	12022
18-20 LST	16.4	14.6	8.4	5.6	1.6	1.3	1.6	0.4	3.9	3.9	7.4	18.7	7.0	13	12019
21-23 LST	17.4	13.9	9.8	5.1	1.9	1.1	0.9	1.0	5.4	5.7	7.9	20.5	7.6	13	12014
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	1.8	2.7	1.9	0.8	0.1	0.0	0.6	0.9	1.0	2.1	2.3	3.6	1.5	13	12021
03-05 LST	2.1	3.7	3.3	1.6	1.1	0.9	3.0	2.6	2.2	3.5	4.0	6.4	2.9	13	12023
06-08 LST	4.1	4.3	3.3	1.5	0.7	0.5	1.0	2.4	1.8	3.1	6.6	7.8	3.1	13	12017
09-11 LST	2.3	2.4	1.0	0.0	0.2	0.0	0.0	0.0	0.1	0.3	1.4	4.1	1.0	13	12022
12-14 LST	1.1	0.7	0.1	0.0	0.0	0.3	0.3	0.1	0.1	0.1	0.5	1.3	0.4	13	12021
15-17 LST	1.3	0.9	0.0	0.0	0.1	0.0	0.2	0.3	0.1	0.3	0.3	2.1	0.5	13	12022
18-20 LST	1.4	1.0	0.5	0.1	0.4	0.1	0.5	0.0	0.2	0.1	0.4	2.2	0.6	13	12019
21-23 LST	1.8	1.7	0.6	0.5	0.0	0.1	0.0	0.2	0.3	1.0	0.5	3.0	0.8	13	12014

COLUMBUS/COLUMBUS AFB, MISSISSIPPI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.0	24.9	29.9	28.9	30.7	29.7	30.3	31.0	29.3	30.0	28.4	25.8	345.9	13	4008
	00 LST	26.8	25.3	28.3	28.5	30.5	29.5	30.7	30.3	28.5	29.2	27.1	26.8	341.7	13	4011
	06 LST	23.5	22.0	25.5	26.6	28.4	28.0	27.6	26.1	25.4	24.2	22.7	22.9	302.9	13	4008
	12 LST	26.4	24.0	28.2	28.8	30.4	29.6	30.8	30.9	29.2	29.7	27.8	25.2	341.0	13	4008
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	21.6	20.2	21.9	24.6	28.5	27.5	29.0	29.7	28.0	27.6	26.1	21.0	305.7	13	4007
	00 LST	20.2	19.3	22.0	24.9	28.7	28.4	30.4	30.2	27.0	27.7	23.9	21.2	303.9	13	4010
	06 LST	18.5	16.8	19.4	23.6	26.3	25.7	26.7	25.0	23.4	22.7	19.8	18.4	266.3	13	4007
	12 LST	16.3	14.0	14.4	16.1	23.4	24.9	27.4	27.4	22.6	22.7	19.8	15.8	244.8	13	4007
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.1	0.5	0.5	0.2	0.0	0.1	0.1	0.0	0.0	0.2	0.2	0.5	2.4	13	3921
	00 LST	0.6	0.5	0.4	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.3	2.0	13	3916
	06 LST	0.4	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	1.3	13	3908
	12 LST	1.1	1.0	2.0	1.1	0.1	0.1	0.1	0.0	0.4	0.1	0.5	0.7	7.2	13	3934
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	15.2	14.6	19.2	18.6	17.8	15.5	12.7	13.3	14.5	11.4	13.3	12.6	178.7	13	3921
	00 LST	11.0	11.4	13.6	12.8	8.4	8.0	6.4	6.4	10.0	7.1	10.3	11.2	116.6	13	3916
	06 LST	10.5	10.6	13.7	13.7	10.6	10.9	8.2	6.9	8.7	7.8	9.2	9.6	120.4	13	3908
	12 LST	16.7	17.9	19.3	18.4	20.2	14.2	11.3	12.2	17.6	19.9	19.4	17.5	204.6	13	3934
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.9	8.4	10.1	9.8	8.1	6.9	3.6	4.9	9.2	13.9	11.0	9.3	104.1	9	2607
	00 LST	11.1	11.5	10.6	13.6	15.2	11.6	9.7	14.3	17.3	18.4	13.7	12.3	159.3	9	2609
	06 LST	11.3	8.9	10.0	8.5	7.6	6.1	5.5	8.2	12.0	12.7	9.8	11.0	111.6	9	2607
	12 LST	8.0	6.8	8.1	8.4	4.6	4.0	2.3	3.6	7.5	12.2	9.0	8.8	83.3	9	2607
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.7	21.9	26.7	27.7	29.6	29.0	29.8	30.3	27.6	28.7	26.6	22.5	324.1	13	4008
	00 LST	22.9	21.9	25.2	27.0	29.4	28.9	30.5	30.0	27.3	28.5	25.5	22.9	320.0	13	4011
	06 LST	19.9	18.4	20.7	23.8	26.5	25.6	26.5	24.4	23.3	22.4	20.3	19.2	271.0	13	4008
	12 LST	21.9	20.0	22.9	26.0	27.9	26.3	28.3	28.5	24.6	27.0	24.7	20.4	298.5	13	4008
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.9	17.6	21.5	24.2	25.6	25.2	27.2	27.6	24.8	27.1	23.1	19.1	281.9	13	4008
	00 LST	19.2	17.9	20.5	23.8	27.7	27.6	29.3	28.9	25.9	26.9	22.7	19.0	289.4	13	4011
	06 LST	16.7	14.6	17.5	19.3	22.9	23.8	25.6	22.4	21.5	20.3	17.3	15.4	237.3	13	4008
	12 LST	17.9	15.9	18.2	21.8	21.6	19.0	23.1	22.2	18.8	23.6	20.9	17.4	240.4	13	4008
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.7	15.7	18.3	22.4	24.1	22.7	24.7	23.9	23.4	23.9	21.5	16.9	239.2	13	4008
	00 LST	17.2	16.6	18.9	22.7	26.3	26.5	28.3	27.9	25.4	25.5	21.2	17.3	273.8	13	4011
	06 LST	14.7	13.9	15.2	17.3	21.4	22.7	23.2	20.9	20.1	19.3	16.2	14.1	219.0	13	4008
	12 LST	16.3	13.9	16.9	20.1	20.8	18.2	21.5	20.8	17.6	22.5	18.8	15.4	222.8	13	4008

MERIDIAN/NAAS, MISSISSIPPI

STA NO. 73274 (TN AREA NUMBER 13)

LATITUDE 3233N

LONGITUDE 08833W

ELEVATION(FT) 00287

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	80	85	87	89	96	100	99	97	98	94	86	80	100	5	1489
MEAN MAX TMP (F)	55	59	67	77	86	88	91	91	87	79	66	56	75	5	1489
MEAN MIN TMP (F)	32	34	41	52	59	65	69	69	63	49	43	34	51	5	1489
ABS MIN TMP (F)	1	13	21	28	40	52	58	58	42	28	22	2	1	5	1489
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	7.5	11.7	20.7	19.8	11.5	2.2	0.0	0.0	73.4	5	1489
MEAN NO DYS TMP = DR LES 32(F)	17.2	15.1	7.0	0.8	0.0	0.0	0.0	0.0	0.0	0.7	6.0	14.2	61.0	5	1489
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1489
MEAN DEW PT TMP (F)	35	37	42	53	60	67	70	70	64	53	45	37	53	5	30119
MEAN REL HUM (PCT)	78	73	67	70	71	78	79	78	76	73	75	77	75	5	30119
MEAN PRESS ALT (FT)	98	133	191	224	246	262	226	239	221	175	129	100	187	0	-50
MEAN PRECIP (IN)	5.93	4.03	5.10	5.73	1.77	5.88	4.75	2.31	1.17	2.22	3.86	6.22	49.0	5	1458
MEAN SNOW FALL (IN)	1.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	4.4	5	1461
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.2	5.9	7.5	6.2	3.5	7.2	9.2	4.8	3.3	2.7	5.7	8.0	72.2	5	1458
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.7	5	1461
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	4.0	3.0	2.3	3.0	0.7	2.5	0.7	1.3	2.0	3.3	4.8	5.0	32.6	5	1397
MEAN NO DYS TSTMS	1.7	3.0	4.2	6.5	3.7	9.2	12.5	6.9	3.2	0.7	1.6	2.0	55.2	5	1489
P FREQ WND SPD = DR GTR 17 KTS	1.2	1.8	1.3	0.4	0.1	0.0	0.2	0.1	0.0	0.3	0.4	0.5	0.5	5	30145
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	30145
P FREQ LES 5000 FT A/D LES 5 MI	40.0	35.1	36.8	33.3	19.2	29.4	23.3	21.5	21.4	16.4	32.7	43.3	29.4	5	30150
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	28.1	14.8	14.9	12.3	3.9	6.0	3.2	5.7	9.3	7.9	16.0	27.2	12.4	5	3769
03-05 LST	27.1	21.2	18.6	26.0	9.0	20.3	8.4	9.0	13.0	9.3	15.6	32.5	17.5	5	3769
06-08 LST	27.1	24.4	27.4	29.7	12.9	22.0	12.3	10.8	17.4	19.0	26.9	32.8	21.9	5	3769
09-11 LST	30.6	28.3	16.9	12.0	2.9	16.7	5.2	4.7	13.3	12.5	22.2	33.6	16.6	5	3769
12-14 LST	23.9	13.4	12.1	4.3	1.6	3.7	1.6	1.4	7.4	7.5	15.8	28.0	10.1	5	3769
15-17 LST	18.7	8.5	9.7	5.0	1.6	2.7	1.3	0.4	5.2	3.2	13.6	23.4	7.8	5	3770
18-20 LST	21.3	11.0	8.1	5.0	0.0	2.7	1.9	0.4	4.1	2.2	10.7	23.1	7.5	5	3772
21-23 LST	22.9	10.6	10.0	8.0	0.6	2.3	1.9	0.4	6.7	5.4	15.6	26.9	9.3	5	3771
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	8.1	5.3	1.3	1.3	0.0	1.7	0.0	1.1	3.0	2.2	6.4	10.2	3.4	5	3769
03-05 LST	8.4	5.3	3.6	3.7	2.3	8.0	1.0	1.1	5.9	3.6	8.2	15.9	5.6	5	3769
06-08 LST	9.7	7.1	5.9	6.0	2.3	3.0	2.3	1.4	3.3	6.6	10.4	16.1	6.3	5	3769
09-11 LST	8.1	1.4	1.3	0.0	0.3	0.0	0.0	0.0	0.0	1.1	5.1	7.8	2.1	5	3769
12-14 LST	2.9	0.0	1.0	0.3	0.0	0.3	0.0	0.4	0.0	0.7	4.0	4.3	1.2	5	3769
15-17 LST	3.5	0.0	1.3	0.0	0.0	0.7	0.3	0.0	0.0	1.1	3.1	4.0	1.2	5	3770
18-20 LST	4.8	0.7	1.3	0.3	0.0	0.7	0.3	0.0	0.4	0.0	2.4	6.7	1.5	5	3772
21-23 LST	6.8	2.5	1.3	0.7	0.0	0.3	0.0	0.4	3.0	1.1	4.0	8.9	2.4	5	3771

MERIDIAN/NAAS, MISSISSIPPI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.2	25.0	28.2	29.5	31.0	29.3	30.5	31.0	29.0	30.7	27.4	25.0	342.8	5	1398
	00 LST	25.7	25.0	27.5	28.2	30.7	28.5	30.7	29.6	28.3	29.3	25.4	24.2	333.1	5	1397
	06 LST	25.0	22.8	24.4	22.0	26.7	23.0	25.7	27.0	25.0	26.3	23.2	23.0	294.1	5	1397
	12 LST	25.0	25.8	28.2	29.3	31.0	30.0	30.7	31.0	28.3	30.0	25.2	23.7	338.2	5	1397
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	22.0	21.8	21.0	28.2	30.7	28.2	30.2	30.0	28.0	30.3	24.8	20.5	315.7	5	1398
	00 LST	20.0	19.8	22.5	25.5	30.5	28.2	30.0	29.0	27.0	28.0	23.2	21.0	304.7	5	1397
	06 LST	20.5	18.1	18.4	18.0	25.2	22.0	25.2	26.7	24.0	25.0	21.0	20.7	264.8	5	1397
	12 LST	15.5	12.1	16.6	23.0	28.0	26.3	28.2	29.6	24.7	25.3	19.8	14.5	263.6	5	1397
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.2	0.3	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.7	5	1364
	00 LST	0.0	0.3	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	5	1365
	06 LST	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	5	1367
	12 LST	1.1	1.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	5	1364
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	12.9	15.4	18.0	18.4	10.2	8.3	9.0	7.0	6.1	7.8	12.1	12.2	137.4	5	1364
	00 LST	7.7	9.6	14.0	10.4	5.2	2.8	3.3	2.0	6.7	5.4	10.3	9.7	87.1	5	1365
	06 LST	8.6	9.2	10.6	9.8	3.5	2.5	3.0	3.0	6.7	3.3	9.2	8.3	77.7	5	1367
	12 LST	17.5	18.6	20.8	21.7	18.4	12.3	9.3	10.7	16.7	20.9	22.2	19.8	208.9	5	1364
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.5	9.4	7.8	9.0	11.0	9.5	5.0	8.6	9.3	17.0	10.8	10.7	117.6	5	1398
	00 LST	13.5	13.4	12.2	16.2	20.5	16.9	14.1	20.6	17.6	22.0	14.0	13.5	194.5	5	1397
	06 LST	12.5	10.9	7.8	6.5	9.0	9.8	5.5	9.3	11.0	16.3	8.6	12.0	119.2	5	1397
	12 LST	9.7	8.9	8.3	9.2	7.2	3.5	1.2	3.0	9.3	14.3	8.6	8.5	91.7	5	1397
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.3	22.8	24.7	27.5	30.7	28.5	30.0	30.3	27.7	30.3	25.6	21.2	322.6	5	1398
	00 LST	21.2	21.5	23.3	26.3	30.0	28.0	30.2	29.0	27.0	28.3	23.4	21.2	309.4	5	1397
	06 LST	22.0	18.3	17.9	18.0	25.2	21.8	25.3	26.0	23.3	25.0	20.4	20.5	263.9	5	1397
	12 LST	20.5	19.8	23.7	24.8	29.2	22.5	27.5	28.3	24.0	26.7	22.8	18.5	288.3	5	1397
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.0	20.8	21.0	22.7	26.7	25.0	25.2	28.0	25.7	28.3	21.8	19.2	283.4	5	1398
	00 LST	19.2	19.8	19.2	24.0	29.2	25.4	28.7	28.0	25.3	27.3	20.6	19.2	285.9	5	1397
	06 LST	18.2	16.4	14.8	15.8	24.2	20.7	24.2	24.0	22.0	23.7	17.0	17.5	238.5	5	1397
	12 LST	18.7	17.1	18.1	19.5	21.7	13.2	14.8	16.3	18.7	24.0	20.2	15.7	218.0	5	1397
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	16.7	19.3	20.2	21.0	25.0	22.7	22.4	26.0	24.7	26.7	19.0	17.5	261.2	5	1398
	00 LST	17.7	19.3	17.7	23.5	28.5	25.2	28.0	27.7	25.3	26.0	19.0	18.2	276.1	5	1397
	06 LST	17.2	15.6	13.9	13.5	24.0	19.7	21.9	20.6	21.0	22.0	15.6	16.2	221.2	5	1397
	12 LST	15.5	16.1	17.4	17.0	20.5	12.5	13.3	16.0	17.6	23.3	17.4	14.7	201.3	5	1397

BILOXI/KESLER, MISSISSIPPI

STA NO. 73280 (IN AREA NUMBER 13)

LATITUDE 3024N

LONGITUDE 08855W

ELEVATION(FT) 00026

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	82	81	89	91	98	102	101	104	101	98	88	80	104	65	-613
MEAN MAX TMP (F)	61	63	70	71	83	89	90	90	87	79	69	62	76	65	-113
MEAN MIN TMP (F)	45	46	53	59	67	73	74	74	70	61	51	46	60	66	-113
ABS MIN TMP (F)	14	1	24	34	40	55	61	62	44	32	24	15	1	66	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.1	2.1	10.6	17.2	19.5	7.0	0.7	0.0	0.0	57.2	12	4383
MEAN NO DYS TMP = DR LES 32(F)	3.8	2.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.4	9.8	12	4382
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4382
MEAN DEW PT TMP (F)	46	48	51	58	66	71	73	73	70	59	49	46	59	12	104362
MEAN REL HUM (PCT)	77	77	73	73	72	73	76	75	76	72	73	76	74	12	104362
MEAN PRESS ALT (FT)	-185	-151	-95	-62	-37	-21	-62	-46	-53	-100	-152	-181	-94	0	-50
MEAN PRECIP (IN)	4.02	4.74	5.88	4.85	4.64	5.25	7.05	6.26	6.14	3.18	3.24	4.89	60.1	68	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	4383
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.5	8.3	7.4	7.1	7.1	8.0	9.6	8.9	9.0	5.2	5.3	8.5	91.9	69	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	7.8	4.2	4.9	2.8	0.2	0.1	0.2	0.5	1.3	1.6	3.8	6.2	33.6	12	4383
MEAN NO DYS TSTMS	1.7	2.5	4.9	4.1	5.4	9.0	13.8	12.4	6.8	1.7	1.5	2.4	68.2	12	4383
P FREQ WND SPD = DR GTR 17 KTS	3.0	4.0	3.8	3.3	2.0	1.5	0.8	0.7	1.9	1.7	2.7	2.6	2.3	12	105184
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	12	105184
P FREQ LES 5000 FT A/D LES 3 MI	38.6	37.6	33.9	28.0	22.3	14.0	12.6	10.9	17.8	16.1	25.2	35.7	24.4	12	105187
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	25.3	21.2	23.1	18.1	11.1	1.6	1.0	1.5	4.5	8.0	14.4	18.3	12.4	12	13149
03-05 LST	28.0	24.6	23.6	20.6	12.3	3.2	1.3	2.0	6.9	11.3	18.4	18.9	14.3	12	13148
06-08 LST	23.9	26.9	24.6	19.9	11.8	4.3	2.7	4.6	11.3	11.4	16.7	21.7	15.2	12	13149
09-11 LST	20.4	19.9	18.6	11.6	5.6	3.5	2.9	3.5	8.9	6.6	11.1	17.2	10.8	12	13149
12-14 LST	14.9	13.9	12.8	8.1	5.4	2.2	0.8	3.2	6.1	3.9	8.0	12.9	7.7	12	13149
15-17 LST	12.1	13.5	14.3	9.6	5.1	4.1	1.9	2.2	4.8	3.2	8.7	12.5	7.7	12	13147
18-20 LST	16.1	15.0	14.3	13.4	8.8	2.5	1.3	2.2	4.8	4.1	8.9	15.1	8.9	12	13147
21-23 LST	21.8	18.1	17.8	17.7	8.9	1.9	1.2	1.3	4.4	5.3	9.7	13.4	10.3	12	13149
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	13.5	8.2	8.6	4.3	0.0	0.0	0.2	0.2	0.1	2.0	6.8	9.5	4.5	12	13149
03-05 LST	15.0	10.0	9.2	3.5	0.6	0.4	0.4	0.2	1.6	3.9	9.1	10.3	5.5	12	13148
06-08 LST	13.4	9.3	8.5	4.8	0.8	0.1	0.2	0.5	3.0	3.0	7.1	9.1	5.0	12	13149
09-11 LST	6.6	4.8	4.2	0.8	0.0	0.2	0.1	0.0	0.5	0.3	1.8	3.6	1.9	12	13149
12-14 LST	3.0	2.6	1.9	0.3	0.3	0.2	0.1	0.3	0.3	0.0	1.7	2.2	1.1	12	13149
15-17 LST	3.2	2.3	2.2	0.9	0.1	0.3	0.2	0.4	0.3	0.1	1.8	2.6	1.2	12	13147
18-20 LST	5.0	4.3	4.5	1.8	0.2	0.1	0.1	0.4	0.0	0.2	1.9	4.7	1.9	12	13147
21-23 LST	10.6	5.3	7.6	2.0	0.0	0.0	0.0	0.0	0.0	0.7	3.8	7.0	3.1	12	13149

BILOXI/KEESLER, MISSISSIPPI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.8	24.5	27.1	27.2	30.2	29.6	30.8	30.6	29.1	30.3	27.9	27.5	341.6	12	4383
	00 LST	23.8	23.3	25.6	25.7	29.4	29.8	30.9	30.8	29.1	29.2	27.0	26.3	330.9	12	4383
	06 LST	23.4	21.4	23.8	25.1	28.1	29.5	30.5	30.1	27.2	27.7	25.2	25.2	317.2	12	4383
	12 LST	27.2	25.0	27.4	28.7	30.3	29.6	30.6	30.4	29.0	30.2	28.3	27.9	344.6	12	4383
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	17.5	15.0	16.4	17.6	19.2	20.3	24.1	24.8	21.6	24.9	21.2	20.6	243.2	12	4383
	00 LST	16.2	15.3	17.7	18.3	20.1	23.6	27.0	27.7	23.0	23.4	18.2	19.7	250.2	12	4383
	06 LST	16.6	15.1	18.5	18.4	20.6	25.0	26.7	26.8	20.9	20.4	18.2	17.7	245.1	12	4383
	12 LST	13.1	10.5	10.6	9.8	12.3	13.5	19.3	19.0	12.4	16.2	14.7	15.0	166.4	12	4383
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	0.8	0.8	0.6	0.6	0.7	0.3	0.3	0.2	0.2	0.5	0.7	6.4	12	4307
	00 LST	0.4	0.7	0.4	1.0	0.5	0.3	0.2	0.1	0.2	0.4	0.2	0.7	5.1	12	4317
	06 LST	0.7	0.8	0.8	0.7	0.4	0.2	0.2	0.1	0.2	0.2	0.9	0.7	5.7	12	4320
	12 LST	1.0	1.6	1.7	1.1	0.9	0.2	0.3	0.4	0.7	1.3	1.2	1.3	11.7	12	4327
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	17.9	17.7	20.2	21.8	21.5	21.3	19.7	20.6	20.5	17.9	16.4	17.6	233.1	12	4307
	00 LST	18.2	15.1	18.6	18.4	16.9	17.6	16.2	16.6	16.1	18.1	16.4	16.9	205.1	12	4317
	06 LST	15.7	16.2	19.9	18.2	16.9	18.6	14.3	17.6	17.6	20.3	15.8	16.8	207.9	12	4320
	12 LST	20.1	17.7	18.8	16.1	18.0	17.0	14.8	12.7	17.3	20.3	18.0	19.6	210.4	12	4327
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.3	6.9	8.3	7.7	8.4	6.7	2.0	6.0	8.3	16.2	12.5	10.1	101.4	12	4383
	00 LST	11.5	10.6	11.2	12.9	14.1	12.8	11.9	15.3	16.0	20.3	15.0	13.6	165.2	12	4383
	06 LST	8.8	8.1	8.3	8.6	8.0	7.1	4.9	7.2	10.1	15.2	11.1	10.1	107.5	12	4383
	12 LST	7.9	6.7	9.1	8.0	7.8	4.6	2.4	4.2	6.8	13.6	10.9	9.3	91.3	12	4383
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.2	22.2	25.1	25.4	27.2	28.0	29.5	29.6	27.4	29.2	26.0	24.6	318.4	12	4383
	00 LST	21.6	21.0	22.7	23.6	26.0	28.6	29.7	30.1	27.8	28.3	25.0	24.2	308.6	12	4383
	06 LST	20.6	18.6	22.5	22.1	25.0	27.7	28.4	28.6	25.5	25.6	23.6	22.2	290.4	12	4383
	12 LST	23.7	21.8	24.1	25.5	27.2	28.0	28.7	28.7	25.8	28.3	26.0	25.6	313.6	12	4383
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.3	18.3	21.5	23.1	24.7	25.9	26.2	27.4	24.7	27.6	23.2	20.4	283.3	12	4383
	00 LST	19.1	18.5	20.0	21.4	24.5	27.4	28.3	29.6	26.0	27.4	23.1	20.2	285.5	12	4383
	06 LST	17.5	15.6	19.5	20.1	22.5	25.7	26.4	27.3	23.7	24.3	20.6	17.5	260.7	12	4383
	12 LST	19.1	17.0	20.6	22.7	23.7	25.1	25.4	25.9	23.3	26.9	23.1	20.9	273.7	12	4383
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.0	16.5	19.6	22.1	23.7	24.8	23.3	25.4	22.4	26.3	21.8	18.7	263.6	12	4383
	00 LST	17.8	17.3	18.5	21.0	23.3	26.4	27.2	29.1	24.9	26.2	21.3	18.7	271.7	12	4383
	06 LST	15.4	13.7	17.5	18.4	21.3	24.2	24.9	25.7	22.1	23.3	18.8	15.9	241.2	12	4383
	12 LST	17.2	15.4	19.2	21.5	22.5	24.2	24.0	24.2	21.7	26.0	21.3	19.2	256.4	12	4383

GREENWOOD, MISSISSIPPI

STA NO. 73320 (IN AREA NUMBER 13)

LATITUDE 3329N

LONGITUDE 09005W

ELEVATION(FT) 00162

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POP (YRS)	NO. OBS
ABS MAX TMP (F)	81	81	85	92	100	104	104	105	102	97	83	81	103	9	3178
MEAN MAX TMP (F)	58	61	66	74	83	92	93	93	87	77	64	55	75	9	3178
MEAN MIN TMP (F)	40	41	46	53	62	71	72	71	64	51	40	36	54	9	3178
ABS MIN TMP (F)	17	-4	16	33	41	54	57	59	40	27	15	14	-4	9	3178
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.2	6.7	22.5	24.6	24.4	12.1	2.3	0.0	0.0	92.8	9	3178
MEAN NO DYS TMP = OR LES 32(F)	8.7	4.6	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.9	7.9	12.5	37.3	9	3178
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	9	3178
MEAN DEW PT TMP (F)	41	41	44	51	61	69	71	70	63	52	39	36	53	9	76237
MEAN REL HUM (PCT)	77	72	68	67	69	70	72	71	71	70	67	73	71	9	76221
MEAN PRESS ALT (FT)	-55	-19	45	81	103	117	84	92	63	20	-22	-52	38	0	-50
MEAN PRECIP (IN)	6.51	5.40	5.93	4.58	4.78	2.75	3.69	2.58	2.75	2.17	3.03	5.66	49.8	9	3159
MEAN SNOW FALL (IN)	0.5	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	1.6	6	2187
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.2	7.3	7.2	8.8	8.2	4.1	5.5	4.4	4.3	3.2	4.9	7.3	69.4	9	3159
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	6	2187
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.7	1.9	0.9	0.9	1.0	0.3	0.9	1.1	0.3	0.8	1.6	2.4	13.8	9	3178
MEAN NO DYS TSTMS	2.6	3.6	3.8	3.6	6.4	6.8	9.2	8.2	3.8	1.2	2.0	2.0	55.2	9	3178
FREQ WND SPD = OR GTR 17 KTS	14.4	11.4	13.4	10.0	6.0	1.9	1.4	1.0	1.5	3.3	7.2	10.0	6.8	9	76236
P FREQ WND SPD = OR GTR 28 KTS	0.4	0.4	0.5	0.2	0.2	0.1	0.1	0.0	0.0	0.1	0.2	0.5	0.2	9	76236
P FREQ LES 3000 FT A/D LES 5 MI	47.1	36.6	32.1	22.8	18.9	13.4	12.8	10.0	16.3	18.8	26.3	36.8	24.3	9	76193
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	24.4	16.8	10.2	7.2	4.3	2.1	2.8	2.6	5.1	7.3	10.4	19.5	9.4	9	9524
03-05 LST	28.0	17.1	12.5	9.6	8.3	4.3	6.0	5.3	10.2	7.6	11.8	21.8	11.9	9	9528
06-08 LST	30.6	23.4	18.0	11.6	7.6	8.8	9.6	7.2	16.2	15.3	17.9	24.3	15.9	9	9534
09-11 LST	28.0	20.4	16.4	8.3	3.9	2.8	5.2	3.8	11.9	10.8	11.7	20.6	12.0	9	9534
12-14 LST	21.5	16.2	10.2	5.7	3.7	0.9	1.3	0.7	4.6	5.9	9.2	16.0	8.0	9	9531
15-17 LST	20.2	12.9	7.6	4.1	3.8	0.6	1.4	0.4	3.0	4.5	8.8	15.1	6.9	9	9531
18-20 LST	19.9	13.1	7.2	4.0	2.4	0.5	1.6	0.8	2.4	3.4	8.1	15.2	6.6	9	9524
21-23 LST	21.1	12.9	7.0	4.2	2.3	1.6	1.1	1.8	1.6	4.3	9.6	18.5	7.2	9	9515
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	3.5	2.0	1.0	1.4	1.0	0.4	0.2	1.0	0.1	1.5	2.2	3.5	1.5	9	9524
03-05 LST	2.2	4.1	1.6	2.0	2.4	0.7	0.8	2.6	1.1	2.0	2.8	4.6	2.2	9	9528
06-08 LST	4.0	3.8	2.0	0.5	1.3	0.4	0.5	1.6	1.2	2.0	4.4	6.6	2.4	9	9534
09-11 LST	1.9	2.0	0.4	0.2	0.0	0.1	0.2	0.0	0.1	0.2	1.4	1.7	0.7	9	9534
12-14 LST	0.5	1.1	0.1	0.0	0.1	0.0	0.1	0.1	0.0	0.0	0.6	2.2	0.4	9	9531
15-17 LST	1.5	1.2	0.2	0.0	0.2	0.1	0.2	0.0	0.0	0.0	1.4	1.1	0.5	9	9531
18-20 LST	3.1	1.4	0.1	0.1	0.0	0.0	0.2	0.1	0.0	0.1	1.3	1.3	0.6	9	9524
21-23 LST	4.7	1.1	0.2	0.6	0.2	0.1	0.0	0.1	0.0	0.0	1.8	3.6	1.1	9	9515

GREENWOOD, MISSISSIPPI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	1R LST	25.9	25.0	29.3	29.4	30.4	29.9	30.7	30.8	29.3	30.2	27.6	27.9	346.4	9	3179
	00 LST	25.1	24.9	29.4	29.3	30.2	29.6	30.3	30.5	29.4	29.3	27.4	26.6	342.0	9	3181
	06 LST	24.2	23.8	27.5	28.0	29.1	28.8	28.6	29.2	26.1	27.0	25.9	24.7	322.9	9	3180
	12 LST	26.5	24.8	29.2	29.2	30.4	29.8	30.7	30.8	29.3	29.6	27.4	27.7	345.4	9	3179
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	1R LST	15.3	15.9	17.2	18.9	22.1	24.2	24.9	26.8	24.1	26.3	21.0	18.4	255.1	9	3179
	00 LST	12.7	13.5	16.2	17.6	24.1	26.1	28.4	28.6	26.8	25.5	19.2	16.5	255.2	9	3181
	06 LST	11.9	12.4	14.2	16.4	22.7	23.1	25.4	26.3	23.6	22.8	19.2	16.1	234.1	9	3180
	12 LST	8.4	9.4	9.9	7.9	13.9	16.5	20.3	20.6	16.3	15.3	12.6	10.5	161.6	9	3179
SFC WND = GTR 17 KTS AND NO PRECIP.	1R LST	2.6	1.9	2.2	1.2	0.7	0.4	0.3	0.2	0.4	0.9	0.5	1.6	12.9	9	3119
	00 LST	4.2	2.0	3.0	1.6	0.5	0.2	0.2	0.1	0.0	0.2	1.4	1.6	15.0	9	3115
	06 LST	3.7	1.0	2.7	1.1	0.9	0.1	0.0	0.1	0.0	0.3	0.9	2.0	12.8	9	3113
	12 LST	7.3	6.3	6.6	6.1	3.7	0.9	0.4	1.1	1.3	2.2	5.7	5.6	47.2	9	3121
SFC WND 4-10 KTS AND TMP 33-89 DEC F AND NU PRECIP.	1R LST	18.1	17.2	18.7	18.2	21.0	15.7	15.2	14.4	19.2	18.4	16.5	19.7	212.3	9	3119
	00 LST	12.9	14.5	16.1	15.7	18.7	16.9	18.1	16.3	18.7	16.5	14.6	13.1	192.1	9	3115
	06 LST	11.4	13.7	17.0	18.2	18.6	19.6	18.7	18.3	18.5	16.1	14.3	13.1	197.5	9	3113
	12 LST	11.5	12.7	10.8	11.6	14.1	7.1	7.8	8.4	13.2	17.1	13.6	15.9	145.8	9	3121
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	1R LST	7.7	9.3	8.6	10.7	11.8	11.8	7.8	12.0	15.8	17.6	15.2	10.7	139.0	6	2191
	00 LST	10.3	12.9	13.1	15.8	19.7	20.6	17.8	21.1	20.3	20.2	17.2	13.3	202.3	6	2191
	06 LST	6.5	10.8	9.0	11.6	11.5	13.8	10.3	13.8	14.5	16.0	14.5	11.3	143.6	6	2191
	12 LST	5.5	8.9	7.7	9.3	7.8	5.8	5.1	9.5	11.6	13.8	12.0	8.5	105.5	6	2191
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	1R LST	22.2	22.3	27.8	27.7	29.1	29.9	29.9	30.3	28.2	29.4	26.5	24.9	328.2	9	3179
	00 LST	21.9	22.3	26.4	27.9	29.0	29.3	30.2	30.5	28.8	28.3	26.3	23.4	324.3	9	3181
	06 LST	18.8	18.9	22.4	24.7	27.2	27.3	27.7	28.2	25.1	24.7	23.6	22.1	290.7	9	3180
	12 LST	20.2	20.4	24.8	25.2	28.1	28.7	28.6	29.6	26.2	27.3	25.4	22.8	307.3	9	3179
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	1R LST	18.7	18.8	22.8	24.1	25.9	27.7	27.3	28.0	26.6	27.1	24.2	20.4	291.6	9	3179
	00 LST	18.4	19.0	22.5	24.5	27.3	29.0	29.1	29.2	27.5	26.7	24.2	20.6	298.0	9	3181
	06 LST	13.9	15.9	18.5	20.8	23.9	25.3	27.0	27.1	23.3	23.7	21.0	19.2	259.6	9	3180
	12 LST	15.7	16.8	19.2	20.6	20.6	20.6	20.4	25.0	21.0	24.3	22.5	19.1	246.0	9	3179
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	1R LST	16.9	16.9	19.1	22.3	24.3	26.3	25.5	26.5	25.3	25.9	22.9	19.0	270.9	9	3179
	00 LST	16.1	17.1	20.1	22.3	25.8	28.7	28.2	28.3	26.9	25.6	22.4	18.1	279.6	9	3181
	06 LST	12.4	14.0	16.1	19.2	22.0	23.8	23.4	26.0	21.5	22.3	19.0	16.9	238.8	9	3180
	12 LST	14.5	14.8	16.6	19.3	19.3	20.0	20.1	24.2	20.6	23.3	21.1	17.6	231.6	9	3179

PASCAGOULA/JACKSON COUNTY, MISSISSIPPI

STA NO. 73764 (IN AREA NUMBER 13)

LATITUDE 3022N

LONGITUDE 08829W

ELEVATION(FT) 00016

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	ND. OBS
ABS MAX TMP (F)	80	80	85	93	98	100	100	102	100	93	89	78	102	21	-113
MEAN MAX TMP (F)	62	64	69	75	82	88	89	89	87	80	70	63	77	21	-113
MEAN MIN TMP (F)	45	46	52	59	66	72	74	73	70	60	50	45	59	21	-113
ABS MIN TMP (F)	16	12	25	33	44	55	63	61	48	31	23	17	12	21	-113
MEAN NO DYS TWP = DR GTR 90(F)	0.0	0.0	0.0	0.3	2.0	15.0	21.0	21.0	9.0	0.3	0.3	0.0	68.9	9	-113
MEAN NO DYS TWP = DR LES 32(F)	5.0	3.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.0	3.0	14.3	10	-113
MEAN NO DYS TWP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN DEW PT TMP (F)	46	48	51	58	66	71	73	73	70	59	49	46	59	12	-73280
MEAN REL HUM (PCT)	77	77	73	73	72	73	76	75	76	72	73	76	74	12	-73280
MEAN PRESS ALT (FT)	-195	-162	-107	-74	-49	-23	-73	-58	-65	-112	-163	-192	-106	0	-50
MEAN PRECIP (IN)	3.43	4.16	5.71	5.70	3.66	4.65	6.59	6.33	7.87	4.17	3.47	4.86	60.6	23	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	-73280
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.8	7.7	7.4	7.4	6.6	7.5	9.2	9.0	11.1	6.5	5.6	8.4	93.2	23	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73280
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	7.8	4.2	4.9	2.8	0.2	0.1	0.2	0.5	1.3	1.6	3.8	6.2	33.6	12	-73280
MEAN NO DYS TSTMS	1.7	2.5	4.9	4.1	5.4	9.0	15.8	12.4	6.8	1.7	1.5	2.4	68.2	12	-73280
P FREQ WND SPD = DR GTR 17 KTS	3.0	4.0	3.8	3.3	2.0	1.5	0.8	0.7	1.9	1.7	2.7	2.6	2.3	12	-73280
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	12	-73280
P FREQ LES 5000 FT A/D LES 3 MI	38.6	37.6	33.9	28.0	22.3	14.0	12.6	10.9	17.8	16.1	25.2	35.7	24.4	12	-73280
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	25.3	21.2	23.1	18.1	11.1	1.6	1.0	1.5	4.5	8.0	14.4	18.5	12.4	12	-73280
03-05 LST	28.0	24.6	23.6	20.6	12.5	3.2	1.3	2.0	6.9	11.5	18.4	18.9	14.3	12	-73280
06-08 LST	23.9	26.9	24.6	19.9	11.8	4.3	2.7	4.6	11.3	11.4	16.7	21.7	15.2	12	-73280
09-11 LST	20.4	19.9	18.6	11.6	5.6	3.5	2.9	3.5	8.9	6.6	11.1	17.2	10.8	12	-73280
12-14 LST	14.9	13.9	12.8	8.1	5.4	2.2	0.8	3.2	6.1	3.9	8.0	12.9	7.7	12	-73280
15-17 LST	12.1	13.5	14.3	9.6	3.1	4.1	1.9	2.2	4.8	3.2	8.7	12.5	7.7	12	-73280
18-20 LST	16.1	15.0	14.3	13.4	8.8	2.5	1.3	2.2	4.8	4.1	8.9	15.1	8.9	12	-73280
21-23 LST	21.8	18.1	17.8	17.7	8.9	1.9	1.2	1.3	4.4	5.5	9.7	15.4	10.3	12	-73280
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	13.5	8.2	8.6	4.3	0.0	0.0	0.2	0.2	0.1	2.0	6.8	9.5	4.5	12	-73280
03-05 LST	15.0	10.0	9.2	5.5	0.6	0.4	0.4	0.2	1.6	3.9	9.1	10.3	5.5	12	-73280
06-08 LST	13.4	9.3	8.5	4.8	0.8	0.1	0.2	0.5	3.0	3.0	7.1	9.1	5.0	12	-73280
09-11 LST	6.6	4.8	4.2	0.8	0.0	0.2	0.1	0.0	0.3	0.3	1.8	3.6	1.9	12	-73280
12-14 LST	3.0	2.6	1.9	0.3	0.3	0.2	0.1	0.3	0.3	0.0	1.7	2.2	1.1	12	-73280
15-17 LST	3.2	2.5	2.2	0.9	0.1	0.3	0.2	0.4	0.3	0.1	1.8	2.6	1.2	12	-73280
18-20 LST	5.0	4.3	4.5	1.8	0.2	0.1	0.1	0.4	0.0	0.2	1.9	4.7	1.9	12	-73280
21-23 LST	10.6	5.3	7.6	2.0	0.0	0.0	0.0	0.0	0.0	0.7	3.8	7.0	3.1	12	-73280

PASCAGOULA/JACKSON COUNTY, MISSISSIPPI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.8	24.5	27.1	27.2	30.2	29.6	30.8	30.6	29.1	30.3	27.9	27.5	341.6	12	-73280
	00 LST	23.8	23.3	25.6	25.7	29.4	29.8	30.9	30.8	29.1	29.2	27.0	26.3	330.9	12	-73280
	06 LST	23.4	21.4	23.8	25.1	28.1	29.5	30.5	30.1	27.2	27.7	25.2	25.2	317.2	12	-73280
	12 LST	27.2	25.0	27.4	28.7	30.3	29.6	30.6	30.4	29.0	30.2	28.3	27.9	344.6	12	-73280
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	17.5	15.0	16.4	17.6	19.2	20.3	24.1	24.8	21.6	24.9	21.2	20.6	243.2	12	-73280
	00 LST	16.2	15.3	17.7	18.3	20.1	23.6	27.0	27.7	23.0	23.4	18.2	19.7	250.2	12	-73280
	06 LST	16.8	15.1	18.5	18.4	20.6	25.0	26.7	26.8	20.9	20.4	18.2	17.7	245.1	12	-73280
	12 LST	13.1	10.5	10.6	9.8	12.3	13.5	19.3	19.0	12.4	16.2	14.7	15.0	166.4	12	-73280
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	0.8	0.8	0.6	0.6	0.7	0.3	0.3	0.2	0.2	0.5	0.7	6.4	12	-73280
	00 LST	0.4	0.7	0.4	1.0	0.5	0.3	0.2	0.1	0.2	0.4	0.2	0.7	5.1	12	-73280
	06 LST	0.7	0.8	0.8	0.7	0.2	0.2	0.2	0.1	0.2	0.2	0.9	0.7	5.7	12	-73280
	12 LST	1.0	1.6	1.7	1.1	0.9	0.2	0.3	0.4	0.7	1.3	1.2	1.3	11.7	12	-73280
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	17.9	17.7	20.2	21.8	21.5	21.3	19.7	20.6	20.5	17.9	16.4	17.6	233.1	12	-73280
	00 LST	18.2	15.1	18.6	18.4	16.9	17.6	16.2	16.6	16.1	18.1	16.4	16.9	205.1	12	-73280
	06 LST	15.7	16.2	19.9	18.2	16.9	18.6	14.3	17.6	17.6	20.3	15.8	16.8	207.9	12	-73280
	12 LST	20.1	17.7	18.8	16.1	18.0	17.0	14.8	12.7	17.3	20.3	18.0	19.6	210.4	12	-73280
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.3	6.9	8.3	7.7	8.4	6.7	2.0	6.0	8.3	16.2	12.5	10.1	101.4	12	-73280
	00 LST	11.5	10.6	11.2	12.9	14.1	12.8	11.9	15.3	16.0	20.3	15.0	13.6	165.2	12	-73280
	06 LST	8.8	8.1	8.3	8.6	8.0	7.1	4.9	7.2	10.1	15.2	11.1	10.1	107.5	12	-73280
	12 LST	7.9	6.7	9.1	8.0	7.8	4.6	2.4	4.2	6.8	13.6	10.9	9.3	91.3	12	-73280
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.2	22.2	25.1	25.4	27.2	28.0	29.5	29.6	27.4	29.2	26.0	24.6	318.4	12	-73280
	00 LST	21.6	21.0	22.7	23.6	26.0	28.6	29.7	30.1	27.8	28.3	25.0	24.2	308.6	12	-73280
	06 LST	20.6	18.6	22.5	22.1	25.0	27.7	28.4	28.6	25.5	25.6	23.6	22.2	290.4	12	-73280
	12 LST	23.7	21.8	24.1	25.5	27.2	28.0	28.7	28.7	25.8	28.5	26.0	25.6	313.6	12	-73280
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.3	18.3	21.5	23.1	24.7	25.9	26.2	27.4	24.7	27.6	23.2	20.4	283.3	12	-73280
	00 LST	19.1	18.5	20.0	21.4	24.5	27.4	28.3	29.6	26.0	27.4	23.1	20.2	285.5	12	-73280
	06 LST	17.5	15.6	19.5	20.1	22.5	25.7	26.4	27.3	23.7	24.3	20.6	17.5	260.7	12	-73280
	12 LST	19.1	17.0	20.6	22.7	23.7	25.1	25.4	25.9	23.3	26.9	23.1	20.9	273.7	12	-73280
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.0	16.5	19.6	22.1	23.7	24.8	23.3	25.4	22.4	26.3	21.8	18.7	253.6	12	-73280
	00 LST	17.8	17.3	18.5	21.0	23.3	26.4	27.2	29.1	24.9	26.2	21.3	18.7	271.7	12	-73280
	06 LST	15.4	13.7	17.5	18.4	21.3	24.2	24.9	25.7	22.1	23.3	18.8	15.9	241.2	12	-73280
	12 LST	17.2	15.4	19.2	21.5	22.5	24.2	24.0	24.2	21.7	26.0	21.3	19.2	256.4	12	-73280

COLUMBUS/LOWNDES, MISSISSIPPI

STA NO. 73768 (IN AREA NUMBER 13)

LATITUDE 3328N

LONGITUDE 08023W

ELEVATION(FT) 00187

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	84	87	93	95	106	108	113	109	110	100	90	82	113	66	-113
MEAN MAX TMP (F)	57	59	67	76	84	92	93	93	89	79	66	57	76	67	-113
MEAN MIN TMP (F)	35	37	44	51	60	68	70	70	64	52	41	35	52	68	-113
ABS MIN TMP (F)	-7	-5	14	27	37	42	54	90	37	24	9	8	-7	66	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	6.0	2.0	28.0	26.0	15.0	3.0	0.0	0.0	80.3	10	-113
MEAN NO DYS TMP = OR LES 32(F)	16.0	7.0	8.0	1.0	0.0	0.0	0.0	0.0	0.0	2.0	10.0	14.0	58.0	7	-113
MEAN NO DYS TMP = OR LES 0(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		66	-29
MEAN DEW PT TMP (F)	33	37	41	51	60	67	70	69	64	52	42	34	52	13	-73273
MEAN REL HUM (PCT)	72	70	66	66	69	70	73	73	73	70	70	74	71	13	-73273
MEAN PRESS ALT (FT)	-31	5	66	100	118	134	104	110	82	38	-0	-29	58	0	-50
MEAN PRECIP (IN)	5.27	5.36	6.13	4.97	3.90	3.83	4.74	3.84	3.11	2.63	4.15	5.01	52.9	99	-113
MEAN SNOW FALL (IN)	1.0	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	2.0	64	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.9	9.0	7.5	7.2	6.8	6.6	7.5	6.6	5.1	4.5	6.5	8.6	84.8	99	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	64	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.2	1.1	1.3	0.6	0.6	0.8	1.0	1.4	0.7	1.8	2.3	3.2	16.0	13	-73273
MEAN NO DYS TSTMS	1.6	2.9	3.7	3.4	3.2	7.3	10.7	7.7	3.6	1.4	1.7	1.3	34.7	13	-73273
P FREQ WND SPD = OR GTR 17 KTS	1.9	2.4	2.8	1.4	0.3	0.2	0.3	0.2	0.4	0.4	0.8	1.4	1.0	13	-73273
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-73273
P FREQ LES 5000 FT A/D LES 5 MI	43.5	42.5	38.9	26.1	21.2	20.6	16.6	18.7	24.7	22.8	30.9	44.2	29.2	13	-73273
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	19.2	16.3	12.6	6.5	3.8	2.9	2.3	3.7	8.1	8.1	12.4	20.7	9.7	13	-73273
03-05 LST	22.6	20.7	17.6	12.7	10.7	8.7	10.9	12.5	12.6	13.8	17.0	26.3	15.5	13	-73273
06-08 LST	30.0	27.6	24.8	14.5	10.0	11.2	12.0	15.6	16.8	19.3	25.7	31.1	19.9	13	-73273
09-11 LST	26.0	24.0	19.6	10.3	6.5	6.3	5.0	7.3	12.4	11.3	17.4	26.7	14.4	13	-73273
12-14 LST	19.2	17.2	11.9	5.4	2.9	1.9	1.1	1.3	7.0	6.3	8.6	22.7	8.8	13	-73273
15-17 LST	17.1	14.9	8.1	4.2	1.6	1.1	1.7	1.5	5.0	4.4	8.0	19.6	7.3	13	-73273
18-20 LST	16.4	14.6	8.4	5.6	1.6	1.3	1.6	0.4	3.9	3.9	7.4	18.7	7.0	13	-73273
21-23 LST	17.4	13.9	9.8	5.1	1.9	1.1	0.9	1.0	3.4	3.7	7.9	20.5	7.6	13	-73273
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	1.8	2.7	1.9	0.8	0.1	0.0	0.6	0.9	1.0	2.1	2.3	3.6	1.5	13	-73273
03-05 LST	2.1	3.7	3.3	1.6	1.1	0.9	3.0	2.6	2.2	3.5	4.0	6.4	2.9	13	-73273
06-08 LST	4.1	4.3	3.3	1.5	0.7	0.5	1.0	2.4	1.8	3.1	6.6	7.8	3.1	13	-73273
09-11 LST	2.3	2.4	1.0	0.0	0.2	0.0	0.0	0.0	0.1	0.3	1.4	4.1	1.0	13	-73273
12-14 LST	1.1	0.7	0.1	0.0	0.0	0.3	0.3	0.1	0.1	0.1	0.5	1.3	0.4	13	-73273
15-17 LST	1.3	0.9	0.0	0.0	0.1	0.0	0.2	0.3	0.1	0.3	0.3	2.1	0.5	13	-73273
18-20 LST	1.4	1.0	0.5	0.1	0.4	0.1	0.5	0.0	0.2	0.1	0.4	2.2	0.6	13	-73273
21-23 LST	1.8	1.7	0.6	0.5	0.0	0.1	0.0	0.2	0.3	1.0	0.5	3.0	0.8	13	-73273

COLUMBUS/LOWNDES, MISSISSIPPI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.0	24.9	29.9	28.9	30.7	29.7	30.3	31.0	29.3	30.0	28.4	25.8	345.9	13	-73273
	00 LST	26.8	25.3	28.3	28.5	30.5	29.5	30.7	30.5	28.5	29.2	27.1	26.8	341.7	13	-73273
	06 LST	23.5	22.0	25.5	26.6	28.4	28.0	27.6	26.1	25.4	24.2	22.7	22.9	302.9	13	-73273
	12 LST	26.4	24.0	28.2	28.8	30.4	29.6	30.8	30.9	29.2	29.7	27.8	25.2	341.0	13	-73273
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	21.6	20.2	21.9	24.6	28.5	27.5	29.0	29.7	28.0	27.6	26.1	21.0	305.7	13	-73273
	00 LST	20.2	19.3	22.0	24.9	28.7	28.4	30.4	30.2	27.0	27.7	23.9	21.2	303.9	13	-73273
	06 LST	18.5	16.8	19.4	23.6	26.3	25.7	26.7	25.0	23.4	22.7	19.8	18.4	266.3	13	-73273
	12 LST	16.3	14.0	14.4	16.1	23.4	24.9	27.4	27.4	22.6	22.7	19.8	15.8	244.8	13	-73273
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.1	0.3	0.5	0.2	0.0	0.1	0.1	0.0	0.0	0.2	0.2	0.5	2.4	13	-73273
	00 LST	0.6	0.3	0.4	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.3	2.0	13	-73273
	06 LST	0.4	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	1.3	13	-73273
	12 LST	1.1	1.0	2.0	1.1	0.1	0.1	0.1	0.0	0.4	0.1	0.5	0.7	7.2	13	-73273
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	15.2	14.6	19.2	18.6	17.8	15.5	12.7	13.3	14.5	11.4	13.3	12.6	178.7	13	-73273
	00 LST	11.0	11.4	13.6	12.8	8.4	8.0	6.4	6.4	10.0	7.1	10.3	11.2	116.6	13	-73273
	06 LST	10.5	10.6	13.7	13.7	10.6	10.9	8.2	6.9	8.7	7.8	9.2	9.6	120.4	13	-73273
	12 LST	16.7	17.9	19.3	18.4	20.2	14.2	11.3	12.2	17.6	19.9	19.4	17.5	204.6	13	-73273
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.9	8.4	10.1	9.8	8.1	6.9	3.6	4.9	9.2	13.9	11.0	9.3	104.1	9	-73273
	00 LST	11.1	11.5	10.6	13.6	15.2	11.6	9.7	14.3	17.3	18.4	13.7	12.3	159.3	9	-73273
	06 LST	11.3	8.9	10.0	8.5	7.6	6.1	5.5	8.2	12.0	12.7	9.8	11.0	111.6	9	-73273
	12 LST	8.0	6.8	8.1	8.4	4.6	4.0	2.3	3.6	7.5	12.2	9.0	8.8	83.3	9	-73273
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.7	21.9	26.7	27.7	29.6	29.0	29.8	30.3	27.6	28.7	26.6	22.5	324.1	13	-73273
	00 LST	22.9	21.9	25.2	27.0	29.4	28.9	30.5	30.0	27.3	28.5	25.5	22.9	320.0	13	-73273
	06 LST	19.9	18.4	20.7	23.8	26.5	25.6	26.5	24.4	23.3	22.4	20.3	19.2	271.0	13	-73273
	12 LST	21.9	20.0	22.9	26.0	27.9	26.3	28.3	28.5	24.6	27.0	24.7	20.4	298.5	13	-73273
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.9	17.6	21.5	24.2	25.6	25.2	27.2	27.6	24.8	27.1	23.1	19.1	281.9	13	-73273
	00 LST	19.2	17.9	20.5	23.8	27.7	27.6	29.3	28.9	25.9	26.9	22.7	19.0	289.4	13	-73273
	06 LST	16.7	14.6	17.5	19.3	22.9	23.8	25.6	22.4	21.5	20.3	17.3	15.4	237.3	13	-73273
	12 LST	17.9	15.9	18.2	21.8	21.6	19.0	23.1	22.2	18.8	23.6	20.9	17.4	240.4	13	-73273
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.7	15.7	18.3	22.4	24.1	22.7	24.7	25.9	23.4	25.9	21.5	16.9	259.2	13	-73273
	00 LST	17.2	16.6	18.9	22.7	26.3	26.5	28.3	27.9	25.4	25.3	21.2	17.3	273.8	13	-73273
	06 LST	14.7	13.9	15.2	17.3	21.4	22.7	23.2	20.9	20.1	19.3	16.2	14.1	219.0	13	-73273
	12 LST	16.3	13.9	16.9	20.1	20.8	18.2	21.5	20.8	17.6	22.5	18.8	15.4	222.8	13	-73273

ABERDEEN/MONROE COUNTY, MISSISSIPPI

STA NO. 73769 (IN AREA NUMBER 13)

LATITUDE 3352N

LONGITUDE 08829W

ELEVATION(FT) 00225

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	81	84	87	90	96	104	104	106	98	91	84	79	106	13	-73273
MEAN MAX TMP (F)	53	58	64	75	83	89	91	91	85	77	65	52	74	13	-73273
MEAN MIN TMP (F)	33	37	44	53	60	68	71	70	64	51	42	34	52	13	-73273
ABS MIN TMP (F)	1	10	15	32	39	49	58	57	36	30	20	3	1	13	-73273
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.2	5.7	15.8	20.3	20.1	9.8	0.6	0.0	0.0	72.5	13	-73273
MEAN NO DYS TMP = DR LES 32(F)	16.2	9.5	4.4	0.2	0.0	0.0	0.0	0.0	0.0	0.6	6.1	15.2	52.2	13	-73273
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-73273
MEAN DEW PT TMP (F)	33	37	41	51	60	67	70	69	64	52	42	34	52	13	-73273
MEAN REL HUM (PCT)	72	70	66	66	69	70	73	73	73	70	70	74	71	13	-73273
MEAN PRESS ALT (FT)	6	43	104	137	156	172	141	149	123	79	38	9	96	0	-50
MEAN PRECIP (IN)	4.50	6.06	5.82	4.75	3.73	2.70	4.33	2.67	2.37	2.56	4.14	5.33	49.0	12	-73273
MEAN SNOW FALL (IN)	1.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	4.0	8	-73273
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.6	8.7	7.8	6.4	5.1	4.7	6.6	4.0	4.0	3.8	4.9	7.4	70.0	12	-73273
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	8	-73273
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.2	1.1	1.3	0.6	0.6	0.8	1.0	1.4	0.7	1.8	2.3	3.2	16.0	13	-73273
MEAN NO DYS TSTMS	1.6	2.9	5.7	5.4	5.2	7.5	10.7	7.7	3.6	1.4	1.7	1.3	54.7	13	-73273
P FREQ WND SPD = DR GTR 17 KTS	1.9	2.4	2.8	1.4	0.3	0.2	0.3	0.2	0.4	0.4	0.8	1.4	1.0	13	-73273
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-73273
P FREQ LES 5000 FT A/D LES 5 MI	43.5	42.5	38.9	26.1	21.2	20.6	16.6	18.7	24.7	22.8	30.9	44.2	29.2	13	-73273
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	19.2	16.3	12.6	6.5	3.8	2.9	2.3	3.7	8.1	8.1	12.4	20.7	9.7	13	-73273
03-05 LST	22.6	20.7	17.6	12.7	10.7	8.7	10.9	12.5	12.6	13.8	17.0	26.3	15.5	13	-73273
06-08 LST	30.0	27.6	24.8	14.5	10.0	11.2	12.0	15.6	16.8	19.3	25.7	31.1	19.9	13	-73273
09-11 LST	26.0	24.0	19.6	10.3	6.5	6.3	5.0	7.3	12.4	11.3	17.4	26.7	14.4	13	-73273
12-14 LST	19.2	17.2	11.9	5.4	2.9	1.9	1.1	1.3	7.0	6.3	8.6	22.7	8.8	13	-73273
15-17 LST	17.1	14.9	8.1	4.2	1.6	1.1	1.7	1.3	5.0	4.4	8.0	19.6	7.3	13	-73273
18-20 LST	16.4	14.6	8.4	5.6	1.6	1.3	1.6	0.4	3.9	3.9	7.4	18.7	7.0	13	-73273
21-23 LST	17.4	13.9	9.8	5.1	1.9	1.1	0.9	1.0	5.4	5.7	7.9	20.5	7.6	13	-73273
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	1.8	2.7	1.9	0.8	0.1	0.0	0.6	0.9	1.0	2.1	2.3	3.6	1.5	13	-73273
03-05 LST	2.1	3.7	3.3	1.6	1.1	0.9	3.0	2.6	2.2	3.5	4.0	6.4	2.9	13	-73273
06-08 LST	4.1	4.3	3.3	1.5	0.7	0.5	1.0	2.4	1.8	3.1	6.6	7.8	3.1	13	-73273
09-11 LST	2.3	2.4	1.0	0.0	0.2	0.0	0.0	0.0	0.1	0.3	1.4	4.1	1.0	13	-73273
12-14 LST	1.1	0.7	0.1	0.0	0.0	0.3	0.3	0.1	0.1	0.1	0.5	1.3	0.4	13	-73273
15-17 LST	1.3	0.9	0.0	0.0	0.1	0.0	0.2	0.3	0.1	0.3	0.3	2.1	0.5	13	-73273
18-20 LST	1.4	1.0	0.5	0.1	0.4	0.1	0.5	0.0	0.2	0.1	0.4	2.2	0.6	13	-73273
21-23 LST	1.8	1.7	0.6	0.5	0.0	0.1	0.0	0.2	0.3	1.0	0.5	3.0	0.8	13	-73273

ABERDEEN/MONROE COUNTY, MISSISSIPPI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.0	24.9	29.9	28.9	30.7	29.7	30.3	31.0	29.3	30.0	28.4	25.8	345.9	13	-73273
	00 LST	26.8	25.3	28.3	28.5	30.5	29.5	30.7	30.5	28.5	29.2	27.1	26.8	341.7	13	-73273
	06 LST	23.5	22.0	25.5	26.6	28.4	28.0	27.6	26.1	25.4	24.2	22.7	22.9	302.9	13	-73273
	12 LST	26.4	24.0	28.2	28.8	30.4	29.6	30.8	30.9	29.2	29.7	27.8	25.2	341.0	13	-73273
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	21.6	20.2	21.9	24.6	28.5	27.5	29.0	29.7	28.0	27.6	26.1	21.0	305.7	13	-73273
	00 LST	20.2	19.3	22.0	24.9	28.7	28.4	30.4	30.2	27.0	27.7	23.9	21.2	303.9	13	-73273
	06 LST	18.5	16.8	19.4	23.6	26.3	25.7	26.7	25.0	23.4	22.7	19.8	18.4	266.3	13	-73273
	12 LST	16.3	14.0	14.4	16.1	23.4	24.9	27.4	27.4	22.6	22.7	19.8	15.8	244.8	13	-73273
SFC WND = GTR 17 KTS AND ND PRECIP.	18 LST	0.1	0.5	0.5	0.2	0.0	0.1	0.1	0.0	0.0	0.2	0.2	0.5	2.4	13	-73273
	00 LST	0.6	0.5	0.4	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.3	2.0	13	-73273
	06 LST	0.4	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	1.3	13	-73273
	12 LST	1.1	1.0	2.0	1.1	0.1	0.1	0.1	0.0	0.4	0.1	0.5	0.7	7.2	13	-73273
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND ND PRECIP.	18 LST	15.2	14.6	19.2	18.6	17.8	15.5	12.7	13.3	14.5	11.4	13.3	12.6	178.7	13	-73273
	00 LST	11.0	11.4	13.6	12.8	8.4	8.0	6.4	6.4	10.0	7.1	10.3	11.2	116.6	13	-73273
	06 LST	10.5	10.6	13.7	13.7	10.6	10.9	8.2	6.9	8.7	7.8	9.2	9.6	120.4	13	-73273
	12 LST	16.7	17.9	19.3	18.4	20.2	14.2	11.3	12.2	17.6	19.9	19.4	17.5	204.6	13	-73273
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.9	8.4	10.1	9.8	8.1	6.9	3.6	4.9	9.2	13.9	11.0	9.3	104.1	9	-73273
	00 LST	11.1	11.5	10.6	13.6	15.2	11.6	9.7	14.3	17.3	18.4	13.7	12.3	159.3	9	-73273
	06 LST	11.3	8.9	10.0	8.5	7.6	6.1	5.5	8.2	12.0	12.7	9.8	11.0	111.6	9	-73273
	12 LST	8.0	6.8	8.1	8.4	4.6	4.0	2.3	3.6	7.5	12.2	9.0	8.8	83.3	9	-73273
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.7	21.9	26.7	27.7	29.6	29.0	29.8	30.3	27.6	29.7	26.6	22.5	324.1	13	-73273
	00 LST	22.9	21.9	25.2	27.0	29.4	28.9	30.5	30.0	27.3	28.5	25.5	22.9	320.0	13	-73273
	06 LST	19.9	18.4	20.7	23.8	26.5	25.6	26.5	24.4	23.3	22.4	20.3	19.2	271.0	13	-73273
	12 LST	21.9	20.0	22.9	26.0	27.9	26.3	28.3	28.5	24.6	27.0	24.7	20.4	298.5	13	-73273
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.9	17.6	21.5	24.2	25.6	25.2	27.2	27.6	24.8	27.1	23.1	19.1	281.9	13	-73273
	00 LST	19.2	17.9	20.5	23.8	27.7	27.6	29.3	28.9	25.9	26.9	22.7	19.0	289.4	13	-73273
	06 LST	16.7	14.6	17.5	19.3	22.9	23.8	25.6	22.4	21.5	20.3	17.3	15.4	237.3	13	-73273
	12 LST	17.9	15.9	18.2	21.8	21.6	19.0	23.1	22.2	18.8	23.6	20.9	17.4	240.4	13	-73273
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.7	15.7	18.3	22.4	24.1	22.7	24.7	25.9	23.4	25.9	21.5	16.9	259.2	13	-73273
	00 LST	17.2	16.6	18.9	22.7	26.3	26.5	28.3	27.9	25.4	25.8	21.2	17.3	273.8	13	-73273
	06 LST	14.7	13.9	15.2	17.3	21.4	22.7	23.2	20.9	20.1	19.3	16.2	14.1	219.0	13	-73273
	12 LST	16.3	13.9	16.9	20.1	20.8	18.2	21.5	20.8	17.6	22.5	18.8	15.4	222.8	13	-73273

STARKVILLE MUNICIPAL, MISSISSIPPI

STA NO. 73770 (IN AREA NUMREP 13)

LATITUDE 3325N

LONGITUDE 08850W

ELEVATION(FT) 00325

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. DBS
ABS MAX TMP (F)	81	84	87	90	96	104	104	106	98	91	84	79	106	13	-73273
MEAN MAX TMP (F)	53	58	64	75	83	89	91	91	85	77	65	52	74	13	-73273
MEAN MIN TMP (F)	33	37	44	53	60	68	71	70	64	51	42	34	52	13	-73273
ABS MIN TMP (F)	1	10	15	32	39	49	58	57	36	30	20	3	1	13	-73273
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.2	5.7	15.8	20.3	20.1	9.8	0.6	0.0	0.0	72.5	13	-73273
MEAN NO DYS TMP = OR LES 32(F)	16.2	9.5	4.4	0.2	0.0	0.0	0.0	0.0	0.0	0.6	6.1	15.2	52.2	13	-73273
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-73273
MEAN DEW PT TMP (F)	33	37	41	51	60	67	70	69	64	52	42	34	52	13	-73273
MEAN REL HUM (PCT)	72	70	66	66	69	70	73	73	73	70	70	74	71	13	-73273
MEAN PRESS ALT (FT)	106	143	205	240	259	274	244	250	221	177	137	109	197	0	-50
MEAN PRECIP (IN)	4.50	6.06	5.82	4.75	3.73	2.70	4.33	2.67	2.37	2.56	4.14	5.33	49.0	12	-73273
MEAN SNOW FALL (IN)	1.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	4.0	8	-73273
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.6	8.7	7.8	6.4	5.1	4.7	6.6	4.0	4.0	3.8	4.9	7.4	70.0	12	-73273
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	8	-73273
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.2	1.1	1.3	0.6	0.6	0.8	1.0	1.4	0.7	1.8	2.3	3.2	16.0	13	-73273
MEAN NO DYS TSTMS	1.6	2.9	5.7	5.4	5.2	7.5	10.7	7.7	3.6	1.4	1.7	1.3	54.7	13	-73273
P FREQ WND SPD = OR GTR 17 KTS	1.9	2.4	2.8	1.4	0.3	0.2	0.3	0.2	0.4	0.4	0.8	1.4	1.0	13	-73273
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-73273
P FREQ LES 5000 FT A/D LES 5 MI	43.5	42.5	38.9	26.1	21.2	20.6	16.6	18.7	24.7	22.8	30.9	44.2	29.2	13	-73273
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	19.2	16.3	12.6	6.5	3.8	2.9	2.3	3.7	8.1	8.1	12.4	20.7	9.7	13	-73273
03-05 LST	22.6	20.7	17.6	12.7	10.7	8.7	10.9	12.5	12.6	13.8	17.0	26.3	15.5	13	-73273
06-08 LST	30.0	27.6	24.8	14.5	10.0	11.2	12.0	19.6	16.8	19.3	25.7	31.1	19.9	13	-73273
09-11 LST	26.0	24.0	19.6	10.3	6.5	6.3	5.0	7.3	12.4	11.3	17.4	26.7	14.4	13	-73273
12-14 LST	19.2	17.2	11.9	5.4	2.9	1.9	1.1	1.3	7.0	6.3	8.6	22.7	8.8	13	-73273
15-17 LST	17.1	14.9	8.1	4.2	1.6	1.1	1.7	1.5	5.0	4.4	8.0	19.6	7.3	13	-73273
18-20 LST	16.4	14.6	8.4	5.6	1.6	1.3	1.6	0.4	3.9	3.9	7.4	18.7	7.0	13	-73273
21-23 LST	17.4	13.9	9.8	5.1	1.9	1.1	0.9	1.0	5.4	5.7	7.9	20.5	7.6	13	-73273
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.8	2.7	1.9	0.8	0.1	0.0	0.6	0.9	1.0	2.1	2.3	3.6	1.5	13	-73273
03-05 LST	2.1	3.7	3.3	1.6	1.1	0.9	3.0	2.6	2.2	3.5	4.0	6.4	2.9	13	-73273
06-08 LST	4.1	4.3	3.3	1.5	0.7	0.5	1.0	2.4	1.8	3.1	6.6	7.8	3.1	13	-73273
09-11 LST	2.3	2.4	1.0	0.0	0.2	0.0	0.0	0.0	0.1	0.3	1.4	4.1	1.0	13	-73273
12-14 LST	1.1	0.7	0.1	0.0	0.0	0.3	0.3	0.1	0.1	0.1	0.5	1.3	0.4	13	-73273
15-17 LST	1.3	0.9	0.0	0.0	0.1	0.0	0.2	0.3	0.1	0.3	0.3	2.1	0.5	13	-73273
18-20 LST	1.4	1.0	0.5	0.1	0.4	0.1	0.3	0.0	0.2	0.1	0.4	2.2	0.6	13	-73273
21-23 LST	1.8	1.7	0.6	0.5	0.0	0.1	0.0	0.2	0.3	1.0	0.5	3.0	0.8	13	-73273

STARKVILLE MUNICIPAL, MISSISSIPPI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.0	24.9	29.9	28.9	30.7	29.7	30.3	31.0	29.3	30.0	28.4	29.8	349.9	13	-73273
	00 LST	26.8	25.3	28.3	28.5	30.5	29.5	30.7	30.5	28.5	29.2	27.1	26.8	341.7	13	-73273
	06 LST	23.5	22.0	25.5	26.6	28.4	28.0	27.6	26.1	25.4	24.2	22.7	22.9	302.9	13	-73273
	12 LST	26.4	24.0	28.2	28.8	30.4	29.6	30.8	30.9	29.2	29.7	27.8	29.2	341.0	13	-73273
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	21.6	20.2	21.9	24.6	28.5	27.5	29.0	29.7	28.0	27.6	26.1	21.0	305.7	13	-73273
	00 LST	20.2	19.3	22.0	24.9	28.7	28.4	30.4	30.2	27.0	27.7	23.9	21.2	303.9	13	-73273
	06 LST	18.5	16.8	19.4	23.6	26.3	25.7	26.7	25.0	23.4	22.7	19.8	18.4	266.3	13	-73273
	12 LST	16.3	14.0	14.4	16.1	23.4	24.9	27.4	27.4	22.6	22.7	19.8	15.8	244.8	13	-73273
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.1	0.5	0.5	0.2	0.0	0.1	0.1	0.0	0.0	0.2	0.2	0.5	2.4	13	-73273
	00 LST	0.6	0.5	0.4	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.3	2.0	13	-73273
	06 LST	0.4	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	1.3	13	-73273
	12 LST	1.1	1.0	2.0	1.1	0.1	0.1	0.1	0.0	0.4	0.1	0.5	0.7	7.2	13	-73273
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	15.2	14.6	19.2	18.6	17.8	15.5	12.7	13.3	14.5	11.4	13.3	12.6	178.7	13	-73273
	00 LST	11.0	11.4	13.6	12.8	8.4	8.0	6.4	6.4	10.0	7.1	10.3	11.2	116.8	13	-73273
	06 LST	10.5	10.6	13.7	13.7	10.6	10.9	8.2	6.9	8.7	7.8	9.2	9.6	120.4	13	-73273
	12 LST	16.7	17.9	19.3	18.4	20.2	14.2	11.3	12.2	17.6	19.9	19.4	17.5	204.6	13	-73273
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.9	8.4	10.1	9.8	8.1	6.9	3.6	4.9	9.2	13.9	11.0	9.3	104.1	9	-73273
	00 LST	11.1	11.5	10.6	13.6	15.2	11.6	9.7	14.3	17.3	18.4	13.7	12.3	159.3	9	-73273
	06 LST	11.3	8.9	10.0	8.5	7.6	6.1	5.5	8.2	12.0	12.7	9.8	11.0	111.6	9	-73273
	12 LST	8.0	6.8	8.1	8.4	4.6	4.0	2.3	3.6	7.5	12.2	9.0	8.8	83.3	9	-73273
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.7	21.9	26.7	27.7	29.6	29.0	29.8	30.3	27.6	28.7	26.6	22.5	324.1	13	-73273
	00 LST	22.9	21.9	25.2	27.0	29.4	28.9	30.5	30.0	27.3	28.5	25.5	22.9	320.0	13	-73273
	06 LST	19.9	18.4	20.7	23.8	26.5	25.6	26.5	24.4	23.3	22.4	20.3	19.2	271.0	13	-73273
	12 LST	21.9	20.0	22.9	26.0	27.9	26.3	28.3	28.5	24.6	27.0	24.7	20.4	298.5	13	-73273
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.9	17.6	21.3	24.2	25.6	25.2	27.2	27.6	24.8	27.1	23.1	19.1	281.9	13	-73273
	00 LST	19.2	17.9	20.5	23.9	27.7	27.6	29.3	28.9	25.9	26.9	22.7	19.0	289.4	13	-73273
	06 LST	16.7	14.6	17.5	14.3	22.9	23.8	25.6	22.4	21.5	20.3	17.3	15.4	237.3	13	-73273
	12 LST	17.9	15.9	18.2	21.8	21.6	19.0	23.1	22.2	18.8	23.6	20.9	17.4	240.4	13	-73273
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.7	15.7	18.3	22.4	24.1	22.7	24.7	23.9	23.4	23.9	21.5	16.9	239.2	13	-73273
	00 LST	17.2	16.6	18.9	22.7	26.3	26.5	28.3	27.9	25.4	25.5	21.2	17.3	273.8	13	-73273
	06 LST	14.7	13.9	15.2	17.3	21.4	22.7	23.2	20.9	20.1	19.3	16.2	14.1	219.0	13	-73273
	12 LST	16.3	13.9	16.9	20.1	20.8	18.2	21.5	20.8	17.6	22.5	18.8	15.4	222.8	13	-73273

GULFPORT MUNICIPAL, MISSISSIPPI

STA NO. 73774 (IN AREA NUMBER 13)

LATITUDE 3024N

LONGITUDE 08904W

ELEVATION(FT) 00028

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	79	85	85	90	98	101	100	103	99	91	86	81	103	11	-613
MEAN MAX TMP (F)	63	66	69	76	84	89	90	91	87	80	70	63	77	11	-113
MEAN MIN TMP (F)	44	47	50	58	66	72	73	73	69	59	48	44	59	11	-113
ABS MIN TMP (F)	11	11	26	34	44	56	62	61	50	33	20	20	11	11	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	2.3	11.4	16.7	18.1	7.6	0.4	0.0	0.0	56.8	9	2593
MEAN NO DYS TMP = DR LES 32(F)	4.4	2.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	3.6	11.7	9	2593
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2593
MEAN DEW PT TMP (F)	42	49	52	59	66	71	73	73	70	57	50	45	59	9	61881
MEAN REL HUM (PCT)	74	78	74	75	73	73	78	76	78	71	73	76	75	9	61878
MEAN PRESS ALT (FT)	-182	-149	-93	-60	-34	-18	-60	-44	-30	-98	-130	-179	-92	0	-50
MEAN PRECIP (IN)	4.16	4.52	5.33	5.97	4.23	5.15	8.20	5.82	8.80	2.17	3.35	5.34	63.0	12	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1766
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.7	8.1	7.3	7.5	6.9	7.9	10.7	8.5	12.1	3.9	5.4	9.0	95.0	12	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1766
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.5	6.2	4.8	4.0	0.1	0.1	0.5	0.3	1.6	1.9	4.1	6.4	36.5	9	2552
MEAN NO DYS TSTMS	1.0	1.5	4.4	4.5	5.8	9.6	13.5	11.4	6.6	1.1	1.6	1.6	62.6	9	2590
P FREQ WND SPD = DR GTR 17 KTS	2.1	3.7	4.6	4.1	2.9	2.7	1.5	1.4	1.8	1.8	1.8	2.4	2.6	9	62071
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.1	0.1	9	62071
P FREQ LES 5000 FT A/D LES 5 MI	40.3	48.4	39.8	36.4	21.7	17.5	15.8	14.7	22.3	16.4	30.3	41.0	28.7	9	62148
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.9	31.8	23.7	24.6	7.2	1.3	0.8	1.6	6.6	5.6	17.5	20.8	13.9	9	7775
03-05 LST	25.5	33.8	30.4	26.1	10.1	3.3	2.9	2.5	11.3	10.6	20.3	21.4	16.5	9	7778
06-08 LST	29.6	37.3	31.5	30.0	8.4	6.1	4.6	5.5	13.2	12.1	21.4	28.7	19.0	9	7775
09-11 LST	18.4	24.1	23.5	18.0	4.0	4.4	5.2	3.6	10.5	5.0	12.4	18.4	12.3	9	7772
12-14 LST	14.8	19.6	14.2	12.4	4.6	2.5	4.2	3.9	9.0	2.3	9.4	12.8	9.1	9	7776
15-17 LST	14.1	20.7	14.7	13.4	4.8	3.8	3.9	2.8	6.3	3.0	10.6	13.2	9.3	9	7777
18-20 LST	15.5	22.2	17.2	17.0	6.0	2.1	1.9	1.9	5.9	2.4	11.1	17.5	10.1	9	7774
21-23 LST	20.4	26.6	19.5	21.1	6.0	1.8	2.4	0.8	5.0	3.8	11.3	18.5	11.4	9	7771
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	9.1	14.1	7.4	6.0	0.2	0.2	0.0	0.2	0.2	2.0	6.7	8.9	4.6	9	7775
03-05 LST	9.7	15.8	10.9	6.8	0.6	0.2	0.0	0.2	3.6	3.0	10.3	11.6	6.1	9	7778
06-08 LST	12.9	14.0	10.4	5.9	0.5	0.3	1.2	0.6	3.8	3.5	8.9	12.1	6.2	9	7775
09-11 LST	3.8	7.1	2.9	1.1	0.0	0.2	0.3	0.2	1.1	0.1	2.4	3.5	1.9	9	7772
12-14 LST	1.7	4.2	1.1	1.3	0.2	0.2	0.5	0.5	0.7	0.0	2.4	1.5	1.2	9	7776
15-17 LST	2.9	4.0	1.7	2.2	0.0	0.5	0.2	0.5	0.4	0.1	2.8	2.8	1.5	9	7777
18-20 LST	3.4	6.1	3.2	3.2	0.0	0.0	0.0	0.2	0.0	0.1	2.1	4.6	1.9	9	7774
21-23 LST	6.9	9.6	4.1	3.3	0.0	0.0	0.3	0.2	0.0	0.4	3.3	6.6	2.9	9	7771

GULFPORT MUNICIPAL, MISSISSIPPI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.8	22.2	26.7	26.4	30.1	29.7	30.7	30.8	28.7	30.7	27.4	27.0	337.2	9	2593
	00 LST	24.4	20.8	25.0	24.6	30.0	29.9	31.0	30.8	29.0	29.7	26.3	25.4	326.9	9	2599
	06 LST	22.7	18.5	21.7	22.8	29.0	29.6	30.0	30.0	26.0	27.4	22.9	23.7	304.3	9	2594
	12 LST	27.4	24.2	27.6	27.7	30.7	29.6	30.0	30.4	28.1	30.7	27.8	28.1	342.3	9	2595
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.1	14.1	15.1	15.7	18.1	17.1	23.0	23.8	22.1	25.9	21.5	19.9	236.4	9	2593
	00 LST	17.5	13.4	16.1	16.3	20.3	23.8	27.1	27.7	23.4	24.7	19.6	19.4	249.3	9	2596
	06 LST	17.3	12.6	16.0	16.2	21.4	23.9	26.3	27.1	21.3	21.1	16.7	16.9	236.8	9	2594
	12 LST	14.4	9.6	9.0	7.7	10.1	12.4	16.0	14.0	14.7	16.7	14.1	14.8	153.4	9	2595
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.4	1.0	1.3	1.1	1.1	1.0	0.6	0.3	0.3	0.2	0.5	0.7	8.3	9	2549
	00 LST	0.0	0.9	0.8	1.3	1.0	0.3	0.2	0.1	0.2	0.5	0.0	0.9	6.2	9	2565
	06 LST	0.1	0.3	1.0	0.4	0.1	0.3	0.3	0.1	0.2	0.4	0.5	0.4	4.1	9	2551
	12 LST	0.7	1.4	1.7	1.7	1.6	1.1	0.8	0.7	0.7	1.7	1.0	0.9	14.0	9	2551
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	19.1	18.7	19.4	21.2	20.6	19.8	18.9	21.9	21.2	18.1	18.6	18.5	236.0	9	2549
	00 LST	17.7	16.0	17.4	17.4	16.8	15.4	16.9	15.7	16.3	18.7	18.0	15.6	201.9	9	2565
	06 LST	15.5	16.6	21.3	19.7	17.2	17.9	16.3	16.3	17.9	21.9	17.0	15.9	215.5	9	2551
	12 LST	21.7	17.0	17.0	14.6	14.3	15.5	12.8	13.6	17.8	19.7	19.0	20.0	203.0	9	2551
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.0	5.9	10.0	5.2	5.6	6.1	0.9	6.8	7.2	15.8	11.8	11.6	95.9	6	1764
	00 LST	11.6	9.9	10.6	11.2	12.6	11.6	10.5	15.6	14.3	21.0	14.0	14.8	157.7	6	1763
	06 LST	10.2	7.1	9.2	8.0	6.0	7.5	3.7	8.7	8.0	15.0	11.2	11.8	106.4	6	1766
	12 LST	9.4	6.3	10.4	5.2	7.0	4.6	2.5	4.5	4.7	13.4	10.8	11.4	90.2	6	1765
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.8	18.8	24.0	24.0	27.8	27.6	29.6	30.1	27.1	29.7	25.7	24.0	312.2	9	2593
	00 LST	22.1	17.9	22.1	21.8	26.8	27.9	29.7	29.8	26.8	28.6	24.5	23.4	301.4	9	2599
	06 LST	19.4	14.7	20.4	20.0	25.5	26.4	28.0	28.8	24.0	25.7	21.6	20.7	275.2	9	2594
	12 LST	24.1	20.4	23.3	22.4	27.0	26.7	26.6	26.8	22.7	29.2	25.7	24.9	299.8	9	2595
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.8	15.8	20.4	21.1	24.7	25.7	26.9	28.1	25.3	27.9	22.5	20.5	279.7	9	2593
	00 LST	19.7	16.0	19.4	19.8	25.3	26.3	28.8	29.1	25.8	28.1	22.4	19.4	280.1	9	2599
	06 LST	16.8	12.6	16.7	17.1	23.6	24.8	26.7	27.5	22.1	24.4	18.8	15.9	247.0	9	2594
	12 LST	20.8	15.7	20.4	19.7	23.8	23.8	22.8	22.3	19.5	26.8	21.9	20.1	257.6	9	2595
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.8	13.6	18.6	20.3	23.8	24.2	24.2	26.0	22.7	26.2	21.9	19.1	259.4	9	2593
	00 LST	18.7	14.8	17.9	19.6	24.3	25.2	27.5	28.4	24.7	26.5	20.5	18.1	266.2	9	2599
	06 LST	14.6	10.6	15.0	15.9	22.4	22.9	25.2	26.4	19.8	23.0	17.3	14.8	227.9	9	2594
	12 LST	18.7	13.7	18.7	18.4	23.0	22.7	21.9	20.8	18.1	26.0	20.6	18.5	241.1	9	2595

PICAYUNE MUNICIPAL, MISSISSIPPI

STA NO. 73775 (IN AREA NUMBER 13)

LATITUDE 3031N LONGITUDE 08942W ELEVATION(FT) 00092

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	83	85	86	90	99	101	102	100	98	93	86	82	102	12	-113
MEAN MAX TMP (F)	66	68	72	79	87	92	92	92	88	81	71	65	79	12	-113
MEAN MIN TMP (F)	41	45	48	55	62	68	70	69	65	54	44	41	55	12	-113
ABS MIN TMP (F)	16	12	24	33	38	47	62	55	47	28	22	15	12	12	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	9.0	23.0	26.0	26.0	16.0	2.0	0.0	0.0	102.3	9	-113
MEAN NO DYS TMP = DR LES 32(F)	10.0	6.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	5.0	10.0	35.0	9	-113
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN DEW PT TMP (F)	42	49	52	59	66	71	73	73	70	57	50	45	59	9	-73774
MEAN REL HUM (PCT)	74	78	74	75	73	73	78	76	78	71	73	76	75	9	-73774
MEAN PRESS ALT (FT)	-117	-84	-28	6	33	47	5	21	16	-31	-84	-113	-26	0	-50
MEAN PRECIP (IN)	4.19	4.36	6.31	6.19	4.86	5.36	7.93	5.21	5.52	2.42	3.95	5.40	61.7	12	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-73774
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.7	7.9	7.6	7.5	7.1	8.1	10.5	8.0	8.2	4.2	6.2	9.0	92.0	12	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-73774
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	6.5	6.2	4.8	4.0	0.1	0.1	0.3	0.3	1.6	1.9	4.1	6.4	36.5	9	-73774
MEAN NO DYS TSTMS	1.0	1.5	4.4	4.5	5.8	9.6	13.5	11.4	6.6	1.1	1.6	1.6	62.6	9	-73774
P FREQ WND SPD = DR GTR 17 KTS	2.1	3.7	4.6	4.1	2.9	2.7	1.5	1.4	1.8	1.8	1.8	2.4	2.6	9	-73774
P FREQ WND SPD = DR GTR 20 KTS	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.1	0.1	9	-73774
P FREQ LES 5000 FT A/D LES 5 MI	40.3	48.4	39.8	36.4	21.7	17.5	15.8	14.7	22.3	16.4	30.3	41.0	28.7	9	-73774
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.9	31.8	25.7	24.6	7.2	1.3	0.8	1.6	6.6	5.6	17.5	20.8	13.9	9	-73774
03-05 LST	25.5	33.8	30.4	26.1	10.1	3.3	2.9	2.5	11.3	10.6	20.3	21.4	16.5	9	-73774
06-08 LST	29.6	37.3	31.5	30.0	8.4	6.1	4.6	5.5	13.2	12.1	21.4	28.7	19.0	9	-73774
09-11 LST	18.4	24.1	23.5	18.0	4.0	4.4	5.2	3.6	10.5	5.0	12.4	18.4	12.3	9	-73774
12-14 LST	14.8	19.6	14.2	12.4	4.6	2.5	4.2	3.9	9.0	2.3	9.4	12.8	9.1	9	-73774
15-17 LST	14.1	20.7	14.7	13.4	4.8	3.8	3.9	2.8	6.3	3.0	10.6	13.2	9.3	9	-73774
18-20 LST	15.5	22.2	17.2	17.0	6.0	2.1	1.9	1.9	5.9	2.4	11.1	17.5	10.1	9	-73774
21-23 LST	20.4	26.6	19.5	21.1	6.0	1.8	2.4	0.8	5.0	3.8	11.3	18.5	11.4	9	-73774
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	9.1	14.1	7.4	6.0	0.2	0.2	0.0	0.2	0.2	2.0	6.7	8.9	4.6	9	-73774
03-05 LST	9.7	15.8	10.9	6.8	0.6	0.2	0.0	0.2	3.6	3.0	10.3	11.6	6.1	9	-73774
06-08 LST	12.9	14.0	10.4	5.9	0.5	0.3	1.2	0.6	3.8	3.5	8.9	12.1	6.2	9	-73774
09-11 LST	3.8	7.1	2.9	1.1	0.0	0.2	0.3	0.2	1.1	0.1	2.4	3.5	1.9	9	-73774
12-14 LST	1.7	4.2	1.1	1.3	0.2	0.2	0.5	0.5	0.7	0.0	2.4	1.5	1.2	9	-73774
15-17 LST	2.9	4.0	1.7	2.2	0.0	0.5	0.2	0.5	0.4	0.1	2.8	2.8	1.5	9	-73774
18-20 LST	3.4	6.1	3.2	3.2	0.0	0.0	0.0	0.2	0.0	0.1	2.1	4.6	1.9	9	-73774
21-23 LST	6.9	9.6	4.1	3.3	0.0	0.0	0.3	0.2	0.0	0.4	3.3	6.6	2.9	9	-73774

PICAYUNE MUNICIPAL, MISSISSIPPI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = CTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.8	22.2	26.7	26.4	30.1	29.7	30.7	30.8	28.7	30.7	27.4	27.0	337.2	9	-73774
	00 LST	24.4	20.8	25.0	24.6	30.0	29.9	31.0	30.8	29.0	29.7	26.3	25.4	326.9	9	-73774
	06 LST	22.7	18.5	21.7	22.8	29.0	29.6	30.0	30.0	26.0	27.4	22.9	23.7	304.3	9	-73774
	12 LST	27.4	24.2	27.6	27.7	30.7	29.6	30.0	30.4	28.1	30.7	27.8	28.1	342.3	9	-73774
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.1	14.1	15.1	15.7	18.1	17.1	23.0	23.8	22.1	25.9	21.5	19.9	236.4	9	-73774
	00 LST	17.5	13.4	16.1	16.3	20.3	23.8	27.1	27.7	23.4	24.7	19.6	19.4	249.3	9	-73774
	06 LST	17.3	12.6	16.0	16.2	21.4	23.9	26.3	27.1	21.3	21.1	16.7	16.9	236.8	9	-73774
	12 LST	14.4	9.6	9.0	7.7	10.1	12.4	15.0	14.0	14.7	16.7	14.1	14.8	153.5	9	-73774
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.4	1.0	1.3	1.1	1.1	1.0	0.6	0.3	0.3	0.2	0.5	0.7	8.5	9	-73774
	00 LST	0.0	0.9	0.8	1.3	1.0	0.3	0.2	0.1	0.2	0.5	0.0	0.9	6.2	9	-73774
	06 LST	0.1	0.3	1.0	0.4	0.1	0.3	0.3	0.1	0.2	0.4	0.5	0.4	4.1	9	-73774
	12 LST	0.7	1.4	1.7	1.7	1.8	1.1	0.8	0.7	0.7	1.7	1.0	0.9	14.0	9	-73774
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	19.1	18.7	19.4	21.2	20.6	19.8	18.9	21.9	21.2	18.1	18.6	18.5	236.0	9	-73774
	00 LST	17.7	16.0	17.4	17.4	16.8	15.4	16.9	15.7	16.3	18.7	18.0	15.6	201.9	9	-73774
	06 LST	15.5	16.6	21.3	19.7	17.2	17.9	16.3	18.3	17.9	21.9	17.0	15.9	215.5	9	-73774
	12 LST	21.7	17.0	17.0	14.6	14.3	15.5	12.8	13.6	17.8	19.7	19.0	20.0	203.0	9	-73774
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.0	5.9	10.0	5.2	5.6	6.1	0.9	6.8	7.2	15.8	11.8	11.6	95.9	6	-73774
	00 LST	11.6	9.9	10.6	11.2	12.6	11.6	10.5	15.6	14.3	21.0	14.0	14.8	157.7	6	-73774
	06 LST	10.2	7.1	9.2	8.0	6.0	7.5	3.7	8.7	8.0	15.0	11.2	11.8	106.4	6	-73774
	12 LST	9.4	6.3	10.4	5.2	7.0	4.6	2.5	4.5	4.7	13.4	10.8	11.4	90.2	6	-73774
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.8	18.8	24.0	24.0	27.8	27.6	29.6	30.1	27.1	29.7	25.7	24.0	312.2	9	-73774
	00 LST	22.1	17.9	22.1	21.8	26.8	27.9	29.7	29.8	26.8	28.6	24.5	23.4	301.4	9	-73774
	06 LST	19.4	14.7	20.4	20.0	25.5	26.4	28.0	28.0	24.0	25.7	21.6	20.7	275.2	9	-73774
	12 LST	24.1	20.4	23.3	22.4	27.0	26.7	26.6	26.8	22.7	29.2	25.7	24.9	299.8	9	-73774
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.8	15.8	20.4	21.1	24.7	25.7	26.9	28.1	25.3	27.9	22.5	20.5	279.7	9	-73774
	00 LST	19.7	16.0	19.4	19.8	25.3	26.3	28.8	29.1	25.8	28.1	22.4	19.4	280.1	9	-73774
	06 LST	16.8	12.6	16.7	17.1	23.6	24.8	26.7	27.3	22.1	24.4	18.8	15.9	247.0	9	-73774
	12 LST	20.8	15.7	20.4	19.7	23.8	23.8	22.8	22.3	19.5	26.8	21.9	20.1	257.6	9	-73774
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.8	13.6	18.6	20.3	23.8	24.2	24.2	26.0	22.7	26.2	21.9	19.1	259.4	9	-73774
	00 LST	18.7	14.8	17.9	19.6	24.3	25.2	27.5	28.4	24.7	26.9	20.5	18.1	266.2	9	-73774
	06 LST	14.6	10.6	15.0	15.9	22.4	22.9	25.2	26.4	19.8	23.0	17.3	14.8	227.9	9	-73774
	12 LST	18.7	13.7	18.7	18.4	23.0	22.7	21.9	20.8	18.1	26.0	20.6	18.5	241.1	9	-73774

GRENADA MUNICIPAL, MISSISSIPPI

STA NO. 73776 (IN AREA NUMBER 19)

LATITUDE 3330N

LONGITUDE 08947W

ELEVATION(FT) 00207

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	78	82	85	91	97	105	104	105	105	98	87	80	105	7	-113
MEAN MAX TMP (F)	55	60	66	78	84	90	94	94	89	78	66	57	76	7	-113
MEAN MIN TMP (F)	33	38	42	52	60	67	70	69	62	51	40	35	52	7	-113
ABS MIN TMP (F)	11	8	18	27	39	47	57	52	41	27	17	8	8	7	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	7.0	19.0	27.0	27.0	17.0	4.0	0.0	0.0	101.3	8	-113
MEAN NO DYS TMP = DR LES 32(F)	16.0	10.0	7.0	1.0	0.0	0.0	0.0	0.0	0.0	1.0	10.0	14.0	59.0	7	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN DEW PT TMP (F)	34	40	42	50	60	67	70	70	64	52	42	35	52	0	-50
MEAN REL HUM (PCT)	71	74	67	62	69	71	70	71	70	67	69	69	69	5	-29
MEAN PRESS ALT (FT)	-9	25	88	124	145	160	126	135	110	65	22	-7	82	0	-50
MEAN PRECIP (IN)	5.13	4.77	6.00	5.02	4.09	3.98	3.98	3.43	2.84	2.50	4.32	5.24	50.7	49	-113
MEAN SNOW FALL (IN)	1.2	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.6	2.7	47	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.7	8.3	7.5	7.2	6.9	6.1	6.8	5.1	4.8	4.3	6.7	8.9	82.3	49	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	47	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

GRENADA MUNICIPAL, MISSISSIPPI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	10 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	10 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	10 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	10 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	10 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	10 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	10 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	10 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0

DATA NOT AVAILABLE

HATTIESBURG MUNICIPAL, MISSISSIPPI

STA NO. 73777 (IN AREA NUMBER 13)

LATITUDE 3116N

LONGITUDE 08915W

ELEVATION(FT) 00131

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	87	86	91	95	104	106	105	106	102	99	89	85	106	64	-613
MEAN MAX TMP (F)	62	65	72	79	86	92	93	93	89	81	70	63	79	64	-113
MEAN MIN TMP (F)	39	41	48	54	61	69	71	71	66	53	45	40	55	64	-113
ABS MIN TMP (F)	8	-1	17	29	39	49	54	51	33	23	18	13	-1	63	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0			10.1	19.8	22.4	22.4	14.5	3.7	0.0	0.0		64	-29
MEAN NO DYS TMP = DR LES 32(F)	7.0	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	10.3	11.7	35.2	3	823
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	823
MEAN DEW PT TMP (F)	42	47	50	55	65	71	72	73	67	53	47	40	57	3	19128
MEAN REL HUM (PCT)	79	76	77	74	75	76	77	81	81	78	78	78	78	3	19121
MEAN PRESS ALT (FT)	-56	-24	28	61	88	104	60	78	79	32	-23	-92	31	0	-50
MEAN PRECIP (IN)	5.09	5.39	6.13	5.10	4.99	4.65	6.61	5.06	3.92	2.64	3.77	5.38	58.7	63	-113
MEAN SNOW FALL (IN)	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	64	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.7	9.0	7.5	7.2	7.2	7.5	9.2	7.8	6.2	4.5	6.0	9.0	89.8	63	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	64	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.5	2.9	6.0	4.5	4.5	3.0	1.5	3.9	3.8	3.4	3.3	4.1	45.4	3	811
MEAN NO DYS TSTMS	0.5	2.4	8.5	5.5	7.5	13.5	14.5	14.5	6.0	0.0	1.3	1.5	75.7	3	782
P FREQ WND SPD = DR GTR 17 KTS	1.5	3.7	4.8	2.4	1.8	0.4	0.3	0.6	0.2	0.6	0.4	1.6	1.5	3	19093
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	19093
P FREQ LES 5000 FT A/O LES 5 MI	50.9	49.0	57.5	36.6	33.8	31.6	23.7	28.5	38.6	25.0	39.8	59.4	39.2	3	19147
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	27.4	19.9	26.4	13.3	14.1	8.3	4.3	1.6	16.7	11.8	17.0	28.9	15.8	3	2338
03-05 LST	34.4	24.6	38.0	31.7	33.3	20.6	14.5	15.4	26.3	22.1	23.3	36.5	26.7	3	2433
06-08 LST	46.8	38.0	47.8	26.1	16.7	6.7	5.9	18.3	27.9	28.9	48.5	49.8	30.1	3	2554
09-11 LST	27.4	25.1	24.7	16.7	0.5	2.2	2.7	8.2	19.9	7.2	13.3	30.1	14.5	3	2562
12-14 LST	17.7	13.5	14.5	12.2	2.2	2.8	4.9	5.0	8.9	1.4	7.8	18.3	9.1	3	2558
15-17 LST	18.3	14.6	13.0	7.3	1.1	1.7	3.2	5.9	6.7	0.7	8.1	16.5	8.1	3	2561
18-20 LST	19.4	10.0	17.7	10.0	2.7	0.6	3.8	1.1	5.2	1.6	9.7	18.1	8.3	3	2380
21-23 LST	19.4	8.8	21.5	12.8	4.3	0.6	0.0	4.3	5.0	4.3	14.9	24.2	10.0	3	2340
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	1.1	2.9	6.0	1.1	3.8	3.3	0.5	1.1	3.9	3.8	3.7	3.7	2.9	3	2338
03-05 LST	5.9	3.8	8.7	6.1	12.4	6.7	4.8	6.4	9.6	9.0	6.3	12.0	7.8	3	2433
06-08 LST	15.1	9.4	7.5	6.1	3.8	1.7	2.2	7.8	9.3	7.7	15.2	13.3	8.3	3	2554
09-11 LST	2.2	2.3	0.0	0.0	0.0	0.0	0.0	0.5	0.4	0.4	1.5	2.8	0.8	3	2562
12-14 LST	0.5	2.3	0.5	0.6	0.5	0.0	0.0	0.0	0.7	0.0	0.7	0.4	0.5	3	2558
15-17 LST	0.0	2.3	1.6	1.1	0.5	0.0	0.0	2.7	0.0	0.0	1.9	0.4	0.9	3	2561
18-20 LST	0.0	1.8	2.2	0.0	0.5	0.0	0.0	0.0	0.5	0.0	2.6	0.8	0.7	3	2380
21-23 LST	0.0	3.5	0.5	0.0	0.0	0.0	0.0	1.1	0.0	0.0	2.2	0.4	0.6	3	2340

HATTIESBURG MUNICIPAL, MISSISSIPPI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.0	25.5	28.5	29.0	30.5	30.0	31.0	30.6	29.3	31.0	27.3	28.0	349.7	3	855
	00 LST	28.0	25.5	26.0	28.5	30.0	28.5	30.5	30.5	28.5	28.0	25.7	24.7	334.4	3	783
	06 LST	20.0	19.2	19.5	21.5	25.5	27.0	28.5	24.6	21.0	20.9	16.0	19.0	262.7	3	853
	12 LST	28.5	26.5	29.0	28.0	30.5	29.5	31.0	29.7	29.0	31.0	28.7	27.6	349.0	3	855
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	22.0	18.6	18.5	19.5	25.0	25.5	26.0	28.4	25.7	29.3	25.0	20.9	284.4	3	852
	00 LST	20.5	16.7	17.0	22.5	27.0	28.0	30.0	30.5	26.5	27.5	23.3	19.2	288.7	3	783
	06 LST	13.0	13.7	12.0	16.5	21.5	25.0	27.0	23.9	18.7	20.2	13.3	14.2	219.0	3	850
	12 LST	14.0	11.3	15.0	13.5	17.5	24.0	22.5	21.7	17.6	19.7	18.0	11.6	206.4	3	851
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.0	1.0	1.6	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	3	831
	00 LST	1.0	0.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	3	769
	06 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	3	829
	12 LST	0.5	1.0	2.5	3.0	1.0	1.0	0.0	0.0	0.0	0.7	0.3	1.9	11.9	3	836
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	16.6	16.0	18.7	20.3	19.3	16.0	16.5	15.0	15.9	11.3	11.8	14.7	192.1	3	831
	00 LST	11.5	9.3	11.0	10.0	10.9	4.5	8.5	5.0	6.1	8.0	9.1	11.2	105.1	3	769
	06 LST	8.5	8.7	12.4	12.9	9.5	8.0	9.0	8.0	5.9	7.0	7.3	8.7	105.9	3	829
	12 LST	14.9	13.2	17.3	15.2	17.5	8.0	7.5	9.7	21.0	18.3	19.0	20.4	182.0	3	836
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.0	22.1	24.5	25.5	29.0	27.0	29.5	28.1	26.3	30.7	26.0	23.1	315.8	3	855
	00 LST	21.5	20.6	18.0	23.5	27.0	28.5	30.0	30.5	26.0	27.5	24.0	18.8	295.9	3	783
	06 LST	13.0	14.2	12.0	18.5	21.5	26.0	26.5	22.9	18.3	20.2	13.3	15.7	222.1	3	853
	12 LST	23.0	19.2	21.5	22.5	28.0	28.0	28.0	25.1	21.3	29.6	26.0	22.8	295.0	3	855
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.5	17.7	20.0	21.5	26.0	22.0	24.5	22.6	21.7	26.7	23.6	20.5	268.3	3	855
	00 LST	18.0	16.7	15.5	23.5	26.5	28.0	29.5	29.5	25.5	27.5	22.3	17.0	279.5	3	783
	06 LST	11.0	9.8	8.0	17.5	19.5	26.0	25.0	21.6	17.3	19.2	11.6	11.2	197.7	3	853
	12 LST	17.5	15.2	15.5	18.0	13.5	10.0	14.5	12.1	13.0	24.3	22.7	17.5	195.8	3	855
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	20.5	15.2	17.5	21.0	24.0	21.0	21.0	20.5	21.0	26.7	22.7	19.4	250.5	3	855
	00 LST	17.0	16.7	14.5	23.0	26.5	27.5	29.0	29.5	25.0	26.0	20.6	16.2	271.5	3	783
	06 LST	9.5	8.8	6.5	16.0	18.5	24.5	22.0	19.9	15.0	17.9	11.3	10.4	180.3	3	853
	12 LST	15.5	12.8	14.0	18.0	12.0	10.0	14.0	11.7	14.6	23.0	21.3	16.4	183.3	3	855

LAUREL MUNICIPAL, MISSISSIPPI

STA NO. 73778 (IN AREA NUMBER 13)

LATITUDE 3141N

LONGITUDE 08911W

ELEVATION(FT) 00235

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	84	85	90	94	99	106	106	105	105	98	89	84	106	53	-613
MEAN MAX TMP (F)	60	62	71	78	84	91	92	93	89	80	69	62	78	54	-113
MEAN MIN TMP (F)	39	40	46	53	61	68	70	70	65	54	43	39	54	54	-113
ABS MIN TMP (F)	7	8	19	27	36	45	53	53	42	23	16	11	7	54	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.7	10.0	21.4	24.7	25.9	13.5	1.9	0.0	0.0	98.1	14	4038
MEAN NO DYS TMP = DR LES 32(F)	11.2	6.3	3.2	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	4036
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	37221
MEAN DEW PT TMP (F)	45	45	45	50	61	69	71	70	66	57	42	39	55	8	37216
MEAN REL HUM (PCT)	78	75	69	70	70	76	79	74	77	76	71	77	74	8	37216
MEAN PRESS ALT (FT)	29	40	111	143	172	188	142	161	167	119	61	33	116	0	-50
MEAN PRESS ALT (FT)	29	40	111	143	172	188	142	161	167	119	61	33	116	0	-50
MEAN PRECIP (IN)	5.22	5.36	6.47	5.45	4.57	4.28	6.46	4.24	3.66	2.53	3.80	5.61	57.6	53	-113
MEAN SNOW FALL (IN)	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	58	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.8	9.0	7.6	7.3	7.1	7.1	9.1	7.0	5.9	4.4	6.0	9.2	88.5	53	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3701
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.7	3.3	2.8	2.7	2.3	1.2	1.0	1.6	3.6	3.0	3.6	4.8	32.6	8	1697
MEAN NO DYS TSTMS	1.3	3.3	4.9	6.1	6.3	7.7	12.3	7.8	4.1	1.1	1.5	1.5	57.9	14	4036
P FREQ WND SPD = DR GTR 17 KTS	1.5	1.8	4.3	2.9	1.0	0.5	0.1	0.3	0.1	0.7	0.9	1.2	1.3	8	40618
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	40618
P FREQ LES 3000 FT A/D LES 5 MI	54.0	41.3	37.6	31.2	22.4	30.2	31.1	19.2	31.6	28.8	31.1	48.0	33.9	8	40496
P FREQ LES 1500 FT A/D LES 3 MI	37.7	26.3	14.6	16.4	8.7	6.4	10.8	3.0	14.0	11.8	16.4	33.1	16.6	8	5073
FOR 00-02 LST	42.7	29.6	20.7	22.4	17.4	18.8	20.2	9.6	23.8	23.9	21.6	39.1	24.2	8	5073
03-05 LST	39.3	31.6	24.6	25.7	21.1	14.5	15.2	10.2	23.6	21.9	25.5	30.2	23.6	14	12537
06-08 LST	28.7	23.1	16.3	12.1	7.9	6.3	7.7	2.6	12.2	12.4	14.3	25.2	14.1	14	12531
09-11 LST	17.8	12.2	10.6	4.8	3.8	2.9	3.6	1.5	7.1	6.2	7.1	16.9	7.9	14	12548
12-14 LST	17.2	11.7	8.2	4.5	2.7	1.2	2.6	1.2	6.6	5.1	6.4	13.9	6.9	14	12531
15-17 LST	17.4	12.6	8.4	5.5	2.1	1.0	3.1	0.9	6.3	4.2	7.4	14.4	6.9	14	12517
18-20 LST	22.6	15.1	10.6	9.5	2.2	1.3	3.7	1.3	7.2	7.4	10.2	16.7	9.0	14	10606
21-23 LST	2.7	3.1	3.0	3.1	1.9	0.8	0.8	2.0	2.0	2.2	3.1	6.2	2.6	8	5073
P FREQ LES 300 FT A/D LES 1 MI	3.8	4.7	3.9	3.1	4.9	2.0	1.9	3.5	6.2	6.0	5.8	7.3	4.4	8	5073
FOR 00-02 LST	6.4	3.2	3.2	4.3	2.3	0.6	1.7	1.8	4.0	3.6	6.4	6.8	4.0	14	12537
03-05 LST	1.8	1.3	0.6	0.1	0.1	0.1	0.1	0.0	0.1	0.2	1.1	1.7	0.6	14	12531
06-08 LST	1.5	0.6	0.1	0.0	0.1	0.4	0.2	0.2	0.0	0.0	0.3	0.4	0.3	14	12548
09-11 LST	1.1	0.7	0.2	0.1	0.2	0.3	0.1	0.2	0.3	0.4	0.3	1.0	0.4	14	12531
12-14 LST	2.2	0.5	0.2	0.2	0.1	0.1	0.1	0.1	0.0	0.1	0.6	1.0	0.4	14	12517
15-17 LST	2.2	1.3	0.7	0.8	0.1	0.1	0.1	0.2	0.0	1.3	1.4	1.8	0.8	14	10606

LAUREL MUNICIPAL, MISSISSIPPI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.4	25.1	29.6	29.0	30.6	29.8	30.5	30.7	29.0	30.3	28.1	28.1	348.2	14	4187
	00 LST	25.9	24.0	29.4	28.1	29.9	29.2	30.2	30.5	29.0	29.6	26.8	27.0	339.6	14	4184
	06 LST	22.2	21.7	25.6	22.9	25.4	26.3	26.6	27.2	23.4	24.7	23.3	23.8	293.1	14	4193
	12 LST	26.7	26.1	29.0	29.3	30.8	29.4	30.3	30.9	29.0	30.2	28.7	27.5	347.9	14	4195
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	21.2	19.9	22.5	23.6	27.9	27.8	27.2	29.7	26.9	27.9	25.3	22.3	302.2	14	4187
	00 LST	18.5	18.5	22.5	23.6	28.1	28.5	29.3	30.2	28.9	27.2	23.5	20.5	297.3	14	4184
	06 LST	15.9	15.9	19.3	18.1	21.9	24.2	25.2	26.8	21.0	22.7	19.2	18.7	248.9	14	4193
	12 LST	12.4	12.0	14.4	14.9	19.6	21.8	24.4	25.4	19.6	20.2	16.7	15.3	216.7	14	4195
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.2	0.3	0.2	0.3	0.2	0.0	0.2	0.0	0.0	0.1	0.2	0.2	2.3	14	4102
	00 LST	0.1	0.3	0.6	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.5	1.8	14	4041
	06 LST	0.3	0.7	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	1.8	14	4097
	12 LST	1.5	1.2	2.1	1.3	0.2	0.5	0.0	0.1	0.2	0.3	0.3	0.9	8.8	14	4137
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	18.2	16.7	20.3	21.3	23.1	16.4	18.2	14.7	16.3	13.3	14.4	13.8	208.9	14	3961
	00 LST	15.2	13.1	16.2	15.0	13.1	11.3	12.1	10.3	10.7	11.6	11.9	12.2	152.7	14	3902
	06 LST	13.0	12.6	15.3	12.8	13.3	12.1	10.7	7.9	9.4	10.9	10.5	11.7	140.4	14	3949
	12 LST	18.0	16.6	18.3	19.3	20.2	13.1	11.3	10.2	17.0	21.9	20.3	19.0	203.6	14	3989
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.2	10.5	10.5	10.5	11.4	10.8	5.4	10.9	13.2	19.0	16.6	13.3	142.3	11	3710
	00 LST	11.1	11.6	13.3	16.4	18.2	18.4	17.2	18.8	18.4	19.6	17.7	12.2	193.1	11	3708
	06 LST	8.4	8.4	9.7	10.2	10.3	13.5	11.2	14.4	11.9	13.3	13.0	11.0	137.3	11	3711
	12 LST	6.7	7.8	8.6	9.8	5.9	4.0	2.6	3.8	9.0	13.3	12.9	10.0	96.6	11	3711
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.1	23.1	26.8	27.7	29.2	28.8	29.0	29.8	26.7	29.1	26.6	24.6	325.5	14	4187
	00 LST	20.3	20.7	26.2	25.1	28.7	28.4	29.3	30.1	27.6	27.9	24.9	22.5	311.9	14	4184
	06 LST	16.3	17.3	20.1	19.1	21.3	24.2	25.1	26.7	21.2	22.9	20.3	20.3	235.0	14	4193
	12 LST	20.9	20.3	24.1	25.9	28.1	27.5	27.7	29.4	25.3	26.7	25.2	23.1	304.2	14	4195
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.1	19.4	23.2	24.5	26.3	24.5	24.7	27.3	24.1	27.0	23.9	21.9	286.9	14	4187
	00 LST	17.9	18.6	22.0	23.0	26.3	27.3	28.6	28.8	26.3	26.3	23.4	20.3	289.2	14	4184
	06 LST	13.0	14.4	17.6	16.9	19.4	22.9	23.4	25.6	20.3	21.2	18.6	17.6	230.9	14	4193
	12 LST	15.4	16.7	18.9	18.9	19.4	17.1	15.3	21.3	18.2	22.3	21.7	19.2	224.6	14	4195
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.4	17.7	21.2	23.4	25.4	23.4	23.7	23.9	22.7	23.9	22.1	19.9	269.7	14	4187
	00 LST	16.5	16.8	20.1	22.0	25.1	26.4	27.2	27.3	23.2	24.6	21.3	17.8	270.3	14	4184
	06 LST	11.7	12.0	15.9	15.6	18.4	21.7	21.3	23.3	19.1	19.8	17.1	15.1	211.2	14	4193
	12 LST	13.9	15.0	17.9	18.1	18.4	16.9	14.8	21.1	17.6	21.4	20.2	17.6	212.9	14	4195

NATCHEZ/ADAMS COUNTY, MISSISSIPPI

STA NO. 73848 (IN AREA NUMBER 13) LATITUDE 3137N LONGITUDE 09110W ELEVATION(FT) 00272

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO, OBS
ABS MAX TMP (F)	83	86	92	92	99	103	105	105	105	98	89	89	105	64	-113
MEAN MAX TMP (F)	61	64	71	78	84	90	92	93	89	80	69	62	78	64	-113
MEAN MIN TMP (F)	40	42	49	55	62	69	71	71	67	56	46	41	56	66	-113
ABS MIN TMP (F)	4	2	18	28	39	50	55	57	42	27	18	6	2	63	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	7.0	21.0	28.0	26.0	16.0	3.0	0.0	0.0	101.3	8	-113
MEAN NO DYS TMP = DR LES 32(F)	9.0	5.0	3.0	0.3	0.0	0.0	0.0	0.0	0.0	0.3	3.0	9.0	29.6	9	-113
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	63	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.31	3.06	3.68	3.25	4.79	3.95	4.84	4.06	3.16	2.37	4.24	6.06	55.0	89	-113
MEAN SNOW FALL (IN)	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.8	64	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.9	8.7	7.4	7.3	7.1	6.7	7.6	6.8	3.2	4.4	6.6	9.7	86.4	89	-29
MEAN NO DYS SNFL = DR LES 1.5 IN	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	64	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

NATCHEZ/ADAMS COUNTY, MISSISSIPPI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	18													0	0
VSBY = GTR 3 MI	00													0	0
	06													0	0
	12													0	0
CIG =GTR 2000 FT AND VSBY =GTR	18													0	0
3 MI W/SFC WND LES 10 KTS	00													0	0
	06													0	0
	12													0	0
SFC WND = GTR 17 KTS AND	18													0	0
NO PRECIP.	00													0	0
	06													0	0
	12													0	0
SFC WND 4-10 KTS AND TMP 33-89	18													0	0
DEG F AND NO PRECIP.	00													0	0
	06													0	0
	12													0	0
SKY COVER LES 3/10 AND	18													0	0
VSBY = GTR 3 MI	00													0	0
	06													0	0
	12													0	0
CIG = GTR 2500 FT AND	18													0	0
VSBY = GTR 3 MI	00													0	0
	06													0	0
	12													0	0
CIG = GTR 6000 FT AND	18													0	0
VSBY = GTR 3 MI	00													0	0
	06													0	0
	12													0	0
CIG = GTR 10000 FT AND	18													0	0
VSBY = GTR 3 MI	00													0	0
	06													0	0
	12													0	0

DATA NOT AVAILABLE

GREENVILLE/GREENVILLE AFB, MISSISSIPPI

STA NO. 73855 (IN AREA NUMBER 13)	LATITUDE 3329N LONGITUDE 09099W ELEVATION(FT) 00131												PDR	NO.	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	UBS
ABS MAX TMP (F)	80	85	96	93	98	103	104	104	97	88	79	79	104	13	4095
MEAN MAX TMP (F)	55	62	72	81	88	93	93	89	81	70	56	53	74	13	4095
MEAN MIN TMP (F)	37	42	51	60	68	73	73	67	58	47	36	36	54	13	4095
ABS MIN TMP (F)	18	15	22	40	49	60	60	49	32	17	12	11	11	13	4095
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.8	2.5	14.2	23.0	24.1	16.2	3.8	0.0	0.0	0.0	84.6	13	4095
MEAN NO DYS TMP = DR LES 32(F)	10.2	4.2	0.6	0.0	0.0	0.0	0.0	0.0	0.1	2.0	11.0	12.3	40.4	13	4095
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	4095
MEAN DEW PT TMP (F)	36	39	43	53	62	68	71	70	64	53	42	37	53	13	97178
MEAN REL HUM (PCT)	75	72	70	68	71	71	71	72	72	70	70	74	71	13	97165
MEAN PRESS ALT (FT)	-83	-49	17	54	77	90	56	64	37	-6	-52	-81	10	0	-50
MEAN PRECIP (IN)	5.50	4.04	5.23	5.32	4.56	2.57	3.41	3.75	2.04	4.48	3.13	4.91	48.9	13	3943
MEAN SNOW FALL (IN)	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	1.5	9	2685
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.2	6.3	6.5	6.4	6.1	4.3	4.6	3.9	2.5	5.0	5.4	6.9	67.1	13	3943
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.5	9	2685
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.5	2.4	1.0	0.8	1.2	0.5	0.6	0.7	1.1	1.2	2.3	3.0	17.3	13	4056
MEAN NO DYS TSTMS	1.7	3.2	5.8	7.5	7.1	7.8	6.4	5.8	2.7	2.6	2.3	1.5	56.4	13	4075
P FREQ WND SPD = DR GTR 17 KTS	2.8	4.2	4.1	3.0	1.5	0.8	0.5	0.3	1.1	1.4	1.8	2.6	2.0	13	96982
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	96982
P FREQ LES 5000 FT A/O LES 5 MI	42.7	41.2	35.9	26.1	23.4	17.0	14.6	15.7	20.3	19.5	29.6	40.5	27.2	13	97257
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	21.6	17.3	11.8	6.1	4.5	2.3	2.2	2.1	5.0	5.1	11.3	18.5	9.0	13	12160
03-05 LST	23.7	22.2	15.4	11.2	11.3	6.2	5.6	6.4	10.4	9.2	15.8	21.5	13.2	13	12144
06-08 LST	32.9	28.3	24.3	15.9	16.4	8.6	9.8	12.2	16.3	18.5	24.0	29.2	19.7	13	12547
09-11 LST	29.8	27.2	18.5	11.7	9.9	6.6	7.4	6.0	12.8	12.3	17.5	27.9	15.6	13	12550
12-14 LST	23.9	20.3	13.9	7.5	4.7	1.9	2.6	1.7	5.3	5.7	10.7	22.1	10.0	13	12555
15-17 LST	19.2	18.4	11.9	6.9	3.4	1.9	1.6	2.4	4.2	3.7	8.0	20.0	8.5	13	12548
18-20 LST	16.6	18.2	10.1	5.3	2.5	1.2	2.1	1.1	4.4	3.3	7.4	17.7	7.5	13	12211
21-23 LST	17.6	16.8	9.3	4.1	1.9	1.8	1.4	1.2	4.4	3.9	7.7	19.1	7.4	13	12161
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	6.1	4.9	2.1	0.6	0.6	0.2	0.3	0.3	0.4	1.2	2.8	6.1	2.1	13	12160
03-05 LST	6.3	8.2	2.0	1.9	2.8	1.6	0.6	2.0	2.5	2.1	4.4	6.4	3.4	13	12144
06-08 LST	7.6	7.6	2.3	1.4	2.2	0.6	0.6	1.8	3.3	4.2	7.6	6.5	3.8	13	12547
09-11 LST	3.5	4.7	0.9	0.6	1.3	0.1	0.1	0.1	0.6	0.7	1.8	4.1	1.5	13	12550
12-14 LST	1.9	2.3	0.6	0.6	0.7	0.1	0.3	0.3	0.1	0.4	0.6	3.6	1.0	13	12555
15-17 LST	1.8	2.1	1.1	0.6	0.4	0.2	0.2	0.4	0.1	0.2	0.5	2.7	0.9	13	12548
18-20 LST	3.3	2.6	0.5	0.3	0.4	0.0	0.3	0.0	0.7	0.3	1.6	3.5	1.1	13	12211
21-23 LST	4.7	3.6	1.0	0.6	0.1	0.0	0.1	0.0	0.7	0.2	1.8	5.1	1.5	13	12161

GREENVILLE/GREENVILLE AFB, MISSISSIPPI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.9	24.0	28.3	18.6	30.3	29.9	30.3	30.9	29.0	30.5	28.3	26.4	343.4	13	4187
	00 LST	25.6	24.1	28.3	29.0	30.3	29.7	30.6	30.6	28.9	29.8	27.5	26.4	340.8	13	4098
	06 LST	24.2	22.4	24.8	26.8	27.8	28.6	29.0	27.2	25.5	25.0	24.3	24.7	310.3	13	4187
	12 LST	25.0	23.1	27.9	28.7	29.7	29.7	30.5	30.7	28.8	29.5	27.4	25.8	336.8	13	4187
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	21.0	17.5	21.4	21.3	24.2	23.8	26.5	27.4	25.7	27.9	24.7	20.5	281.9	13	4187
	00 LST	19.1	18.1	19.7	23.9	26.3	27.6	29.6	29.4	27.4	27.4	23.3	20.4	292.2	13	4047
	06 LST	16.7	14.8	18.4	21.3	22.8	26.2	27.0	26.0	23.3	22.4	19.9	18.7	257.5	13	4187
	12 LST	13.0	11.1	13.3	14.1	18.7	21.4	24.1	24.1	19.7	19.6	16.1	13.8	209.0	13	4187
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.2	0.4	1.0	0.4	0.4	0.3	0.2	0.1	0.3	0.2	0.3	0.4	4.2	13	4081
	00 LST	0.8	0.7	1.2	0.2	0.1	0.1	0.0	0.0	0.0	0.2	0.3	0.7	4.3	13	3919
	06 LST	0.5	0.5	0.9	0.1	0.2	0.1	0.0	0.0	0.0	0.2	0.3	0.5	3.3	13	4052
	12 LST	1.3	2.1	2.5	2.2	0.7	0.3	0.1	0.1	0.4	1.0	1.0	0.9	12.2	13	4088
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	19.3	16.4	20.6	19.8	20.2	14.7	11.8	14.6	16.8	15.8	18.1	18.8	206.9	13	4081
	00 LST	14.4	14.4	18.0	16.5	14.6	12.1	12.0	12.6	13.4	13.8	14.3	15.3	171.5	13	3919
	06 LST	13.9	13.4	17.9	18.8	16.0	16.7	14.1	12.3	13.4	13.7	14.3	14.9	179.4	13	4082
	12 LST	17.5	14.0	17.3	16.4	19.8	12.2	8.7	10.0	14.6	19.4	17.3	17.9	185.1	13	4088
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	7.9	7.5	9.3	7.6	8.1	8.6	7.1	9.9	14.1	14.3	14.5	10.3	119.2	9	2836
	00 LST	10.7	10.6	12.3	13.7	14.7	17.1	16.9	19.4	19.9	18.6	15.4	14.1	183.4	9	2707
	06 LST	9.2	6.9	9.3	8.9	7.6	10.6	10.4	11.2	12.9	12.7	11.6	11.3	124.6	9	2836
	12 LST	6.7	7.1	6.4	6.7	5.2	4.2	4.0	6.3	10.4	10.8	11.9	10.8	90.7	9	2836
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.9	21.3	26.2	27.2	29.6	28.7	29.8	30.2	27.8	29.4	27.1	23.8	325.0	13	4187
	00 LST	22.7	21.8	26.2	27.9	29.4	29.0	30.3	30.3	28.2	29.2	26.5	23.6	325.1	13	4056
	06 LST	20.4	17.8	21.4	23.9	24.9	27.5	28.0	26.2	23.7	24.0	21.7	21.2	280.5	13	4187
	12 LST	20.6	18.8	23.2	25.6	26.3	27.5	28.1	28.0	25.5	26.9	25.3	21.9	297.7	13	4187
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.2	18.1	21.9	23.9	25.7	25.5	27.8	28.2	25.6	27.1	23.9	19.2	286.1	13	4187
	00 LST	19.6	18.5	21.6	24.5	27.0	27.9	29.6	29.3	27.1	27.2	23.3	20.1	295.7	13	4053
	06 LST	16.9	14.5	18.2	20.2	22.4	25.7	26.8	25.0	22.1	21.8	19.1	17.8	250.5	13	4187
	12 LST	17.7	15.0	18.2	20.6	19.4	20.8	22.3	23.3	20.9	23.8	21.2	18.3	241.5	13	4187
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.0	15.5	19.9	21.6	24.0	23.8	26.2	26.7	24.3	26.0	23.1	17.7	266.8	13	4187
	00 LST	17.6	16.3	20.2	22.3	25.5	26.9	29.1	28.4	26.0	25.8	22.5	18.6	279.4	13	4058
	06 LST	14.8	12.9	15.8	17.4	20.1	24.2	25.1	23.4	20.5	20.7	17.6	15.7	228.2	13	4187
	12 LST	16.5	13.6	16.5	19.1	18.3	19.6	21.5	22.2	20.6	23.0	20.1	16.8	227.8	13	4187

GREENVILLE, MISSISSIPPI

STA NO. 73856 (IN AREA NUMBER 13)

LATITUDE 3323N

LONGITUDE 09100W

ELEVATION(FT) 00119

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	90	91	91	95	99	105	110	107	107	96	87	85	110	66	-113
MEAN MAX TMP (F)	56	59	67	76	83	90	93	93	88	79	67	57	76	66	-113
MEAN MIN TMP (F)	36	37	45	53	61	69	72	71	65	53	42	37	53	67	-113
ABS MIN TMP (F)	-1	-5	15	29	38	47	53	54	37	25	16	6	-5	66	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	5.0	19.0	25.0	25.0	14.0	2.0	0.0	0.0	90.3	10	-113
MEAN NO DYS TMP = DR LES 32(F)	15.0	9.0	5.0	0.3	0.0	0.0	0.0	0.0	0.0	0.3	7.0	13.0	49.6	9	-113
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-73855
MEAN DEW PT TMP (F)	36	39	43	53	62	68	71	70	64	53	42	37	53	13	-73855
MEAN REL HUM (PCT)	75	72	70	68	71	71	71	72	72	70	70	74	71	13	-73855
MEAN PRESS ALT (FT)	-95	-61	5	43	66	79	45	92	24	-18	-64	-93	-0	0	-50
MEAN PRECIP (IN)	5.36	4.75	5.73	5.10	4.44	3.44	3.94	3.42	3.11	2.46	4.22	5.40	51.4	73	-113
MEAN SNOW FALL (IN)	1.0	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	2.1	64	-113
MEAN NO DYS PRC = DR GTR 0.1 IN	9.0	8.3	7.4	7.2	7.0	6.1	6.7	6.1	5.1	4.3	6.6	9.0	82.8	73	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	64	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.5	2.4	1.0	0.8	1.2	0.5	0.6	0.7	1.1	1.2	2.3	3.0	17.3	13	-73855
MEAN NO DYS TSTMS	1.7	3.2	5.8	7.5	7.1	7.8	6.4	5.8	2.7	2.6	2.3	1.5	34.4	13	-73855
P FREQ WND SPD = DR GTR 17 KTS	2.8	4.2	4.1	3.0	1.5	0.8	0.5	0.3	1.1	1.4	1.8	2.6	2.0	13	-73855
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-73855
P FREQ LES 5000 FT A/D LES 5 MI	42.7	41.2	35.9	26.1	23.4	17.0	14.6	15.7	20.3	19.5	29.6	40.5	27.2	13	-73855
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	21.6	17.3	11.3	6.1	4.5	2.3	2.2	2.1	5.0	5.1	11.3	18.5	9.0	13	-73855
03-05 LST	23.7	22.2	15.4	11.2	11.3	6.2	5.6	6.4	10.4	9.2	15.8	21.5	13.2	13	-73855
06-08 LST	32.9	28.3	24.3	15.9	16.4	8.6	9.8	12.2	16.3	18.5	24.0	29.2	19.7	13	-73855
09-11 LST	29.8	27.2	18.5	11.7	9.9	6.6	7.4	6.0	12.8	12.3	17.5	27.9	15.6	13	-73855
12-14 LST	23.9	20.3	13.9	7.5	4.7	1.9	2.6	1.7	5.3	5.7	10.7	22.1	10.0	13	-73855
15-17 LST	19.2	18.4	11.9	6.9	3.4	1.9	1.6	2.4	4.2	3.7	8.0	20.0	8.5	13	-73855
18-20 LST	16.6	18.2	10.1	5.3	2.5	1.2	2.1	1.1	4.4	3.3	7.4	17.7	7.5	13	-73855
21-23 LST	17.6	16.8	9.3	4.1	1.9	1.8	1.4	1.2	4.4	3.9	7.7	19.1	7.4	13	-1855
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.1	4.9	2.1	0.6	0.6	0.2	0.3	0.3	0.4	1.2	2.8	6.1	2.1	13	-73855
03-05 LST	6.3	8.2	2.0	1.9	2.8	1.6	0.6	2.0	2.5	2.1	4.4	6.4	3.4	13	-73855
06-08 LST	7.6	7.6	2.3	1.4	2.2	0.6	0.6	1.8	3.3	4.2	7.6	6.5	3.8	13	-73855
09-11 LST	3.5	4.7	0.9	0.6	1.3	0.1	0.1	0.1	0.6	0.7	1.8	4.1	1.5	13	-73855
12-14 LST	1.9	2.3	0.6	0.6	0.7	0.1	0.3	0.3	0.1	0.4	0.6	3.6	1.0	13	-73855
15-17 LST	1.8	2.1	1.1	0.6	0.4	0.2	0.2	0.4	0.1	0.2	0.5	2.7	0.9	13	-73855
18-20 LST	3.3	2.6	0.5	0.3	0.4	0.0	0.3	0.0	0.7	0.3	1.6	3.5	1.1	13	-73855
21-23 LST	4.7	3.6	1.0	0.6	0.1	0.0	0.1	0.0	0.7	0.2	1.8	5.1	1.5	13	-73855

GREENVILLE, MISSISSIPPI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.9	24.0	28.3	28.6	30.3	29.9	30.3	30.9	29.0	30.3	28.3	26.4	243.4	13	-73855
	00 LST	25.6	24.1	28.3	29.0	30.3	29.7	30.6	30.6	28.9	29.8	27.5	26.4	240.8	13	-73855
	06 LST	24.2	22.4	24.8	26.8	27.8	28.6	29.0	27.2	25.5	25.0	24.3	24.7	310.3	13	-73855
	12 LST	25.0	23.1	27.9	28.7	29.7	29.7	30.5	30.7	28.8	29.5	27.4	25.8	336.6	13	-73855
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	21.0	17.5	21.4	21.3	24.2	23.8	26.5	27.4	25.7	27.9	24.7	20.5	281.9	13	-73855
	00 LST	19.1	18.1	19.7	23.9	26.3	27.6	29.6	29.4	27.4	27.4	23.3	20.4	292.2	13	-73855
	06 LST	16.7	14.8	18.4	21.3	22.8	26.2	27.0	26.0	23.3	22.4	19.9	18.7	257.5	13	-73855
	12 LST	13.0	11.1	13.3	14.1	18.7	21.4	24.1	24.1	19.7	19.6	16.1	13.8	209.0	13	-73855
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.2	0.4	1.0	0.4	0.4	0.3	0.2	0.1	0.3	0.2	0.3	0.4	4.2	13	-73855
	00 LST	0.8	0.7	1.2	0.2	0.1	0.1	0.0	0.0	0.0	0.2	0.3	0.7	4.3	13	-73855
	06 LST	0.5	0.5	0.9	0.1	0.2	0.1	0.0	0.0	0.0	0.2	0.3	0.5	3.3	13	-73855
	12 LST	1.3	2.1	2.5	2.2	0.3	0.3	0.1	0.1	0.4	1.0	1.0	0.9	12.2	13	-73855
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	19.3	18.4	20.6	19.8	20.2	14.7	11.8	14.6	16.8	15.8	18.1	18.8	206.9	13	-73855
	00 LST	14.4	14.4	18.0	16.6	14.6	12.1	12.0	12.6	13.4	13.8	14.3	13.3	171.5	13	-73855
	06 LST	13.9	13.4	17.9	18.8	16.0	16.7	14.1	12.3	13.4	13.7	14.3	14.9	179.4	13	-73855
	12 LST	17.5	14.0	17.3	16.4	19.8	12.2	8.7	10.0	14.6	19.4	17.3	17.9	185.1	13	-73855
SKV COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	7.9	7.5	9.3	7.6	8.1	8.6	7.1	9.9	14.1	14.3	14.5	10.3	119.2	9	-73855
	00 LST	10.7	10.6	12.3	13.7	14.7	17.1	16.9	19.4	19.9	18.6	15.4	14.1	183.4	9	-73855
	06 LST	9.2	6.9	9.3	8.9	7.6	10.6	10.4	11.2	12.9	12.7	11.6	13.3	124.6	9	-73855
	12 LST	6.7	7.1	6.4	6.7	5.2	4.2	4.0	6.5	10.4	10.8	11.9	10.8	90.7	9	-73855
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.9	21.3	26.2	27.2	29.6	28.7	29.8	30.2	27.8	29.4	27.1	23.8	325.0	13	-73855
	00 LST	22.7	21.8	26.2	27.9	29.4	29.0	30.3	30.3	28.2	29.2	26.5	23.6	325.1	13	-73855
	06 LST	20.4	17.8	21.2	23.9	24.9	27.5	28.0	26.2	23.7	24.0	21.7	21.2	280.5	13	-73855
	12 LST	20.6	18.8	23.2	25.6	26.3	27.5	28.1	28.0	25.5	26.9	23.3	21.9	297.7	13	-73855
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.2	18.1	21.9	23.9	23.7	25.5	27.8	28.2	25.6	27.1	23.9	19.2	286.1	13	-73855
	00 LST	19.6	18.5	21.6	24.5	27.0	27.9	29.6	29.3	27.1	27.2	23.3	20.1	295.7	13	-73855
	06 LST	16.9	14.5	18.2	20.2	22.4	25.7	26.8	25.0	22.1	21.8	19.1	17.8	250.5	13	-73855
	12 LST	17.7	15.0	18.2	20.6	19.4	20.8	22.3	23.3	20.9	23.8	21.2	18.3	241.5	13	-73855
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.0	15.5	19.9	21.6	24.0	23.8	26.2	26.7	24.3	26.0	23.1	17.7	266.8	13	-73855
	00 LST	17.6	16.5	20.2	22.3	25.5	26.9	29.1	28.4	26.0	25.8	22.5	18.6	279.4	13	-73855
	06 LST	14.8	12.9	15.8	17.4	20.1	24.2	25.1	23.4	20.5	20.7	17.6	15.7	228.2	13	-73855
	12 LST	16.5	13.6	16.5	19.1	18.3	19.6	21.5	22.2	20.6	23.0	20.1	16.8	227.8	13	-73855

INDIANOLA/LEGION, MISSISSIPPI

STA NO. 73057 (IN AREA NUMBER 13)

LATITUDE 3329N

LONGITUDE 09040W

ELEVATION(FT) 00126

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. Q95
ABS MAX TMP (F)	80	85	96	93	98	103	104	104	97	88	79	79	104	13	-73055
MEAN MAX TMP (F)	55	62	72	81	88	93	93	89	81	70	56	53	74	13	-73055
MEAN MIN TMP (F)	37	42	51	60	68	73	73	67	58	47	36	36	54	13	-73055
ABS MIN TMP (F)	18	15	22	40	49	60	60	49	32	17	12	11	11	13	-73055
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	2.5	14.2	23.0	24.1	16.2	3.8	0.0	0.0	0.0	84.6	13	-73055
MEAN NO DYS TMP = OR LES 32(F)	10.2	4.2	0.6	0.0	0.0	0.0	0.0	0.0	0.1	2.0	11.0	12.3	40.4	13	-73055
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-73055
MEAN DEW PT TMP (F)	36	39	43	53	62	68	71	70	64	53	42	37	53	13	-73055
MEAN REL HUM (PCT)	75	72	70	68	71	71	71	72	72	70	70	74	71	13	-73055
MEAN PRESS ALT (FT)	-89	-94	11	48	70	84	50	58	30	-12	-57	-87	4	0	-50
MEAN PRECIP (IN)	5.50	4.04	5.23	5.32	4.56	2.57	3.41	3.75	2.04	4.46	3.13	4.91	48.9	13	-73055
MEAN SNOW FALL (IN)	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	1.5	9	-73055
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.2	6.3	6.5	6.4	6.1	4.3	4.6	5.9	2.5	5.0	5.4	6.9	67.1	13	-73055
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.5	9	-73055
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	2.5	2.4	1.0	0.8	1.2	0.5	0.6	0.7	1.1	1.2	2.3	3.0	17.3	13	-73055
MEAN NO DYS TSTMS	1.7	3.2	5.8	7.5	7.1	7.8	6.4	5.8	2.7	2.6	2.3	1.5	54.4	13	-73055
P FREQ WND SPD = OR GTR 17 KTS	2.8	4.2	4.1	3.0	1.5	0.8	0.5	0.3	1.1	1.4	1.8	2.6	2.0	13	-73055
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-73055
P FREQ LES 5000 FT A/D LES 5 MI	42.7	41.2	35.9	26.1	23.4	17.0	14.6	13.7	20.3	19.5	29.6	40.5	27.2	13	-73055
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	21.6	17.3	11.8	6.1	4.5	2.3	2.2	2.1	5.0	5.1	11.3	18.5	9.0	13	-73055
03-05 LST	23.7	22.2	15.4	11.2	11.3	6.2	5.6	6.4	10.4	9.2	15.8	21.5	13.2	13	-73055
06-08 LST	32.9	28.3	24.3	15.9	16.4	8.6	9.8	12.2	16.3	18.5	24.0	29.2	19.7	13	-73055
09-11 LST	29.8	27.2	18.5	11.7	9.9	6.6	7.4	6.0	12.8	12.3	17.5	27.9	15.6	13	-73055
12-14 LST	23.9	20.3	13.9	7.5	4.7	1.9	2.6	1.7	5.3	5.7	10.7	22.1	10.0	13	-73055
15-17 LST	19.2	18.4	11.9	6.9	3.4	1.9	1.6	2.4	4.2	3.7	8.0	20.0	8.5	13	-73055
18-20 LST	16.6	18.2	10.1	5.3	2.5	1.2	2.1	1.1	4.4	3.3	7.4	17.7	7.5	13	-73055
21-23 LST	17.6	16.8	9.3	4.1	1.9	1.8	1.4	1.2	4.4	3.9	7.7	19.1	7.4	13	-73055
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.1	4.9	2.1	0.6	0.6	0.2	0.3	0.3	0.4	1.2	2.8	6.1	2.1	13	-73055
03-05 LST	6.3	8.2	2.0	1.9	2.8	1.6	0.6	2.0	2.5	2.1	4.4	6.4	3.4	13	-73055
06-08 LST	7.6	7.6	2.3	1.4	2.2	0.6	0.6	1.8	3.3	4.2	7.6	6.3	3.8	13	-73055
09-11 LST	3.5	4.7	0.9	0.6	1.3	0.1	0.1	0.1	0.6	0.7	1.8	4.1	1.5	13	-73055
12-14 LST	1.9	2.3	0.6	0.6	0.7	0.1	0.3	0.3	0.1	0.4	0.6	3.6	1.0	13	-73055
15-17 LST	1.8	2.1	1.1	0.6	0.4	0.2	0.2	0.4	0.1	0.2	0.5	2.7	0.9	13	-73055
18-20 LST	3.3	2.6	0.5	0.3	0.4	0.0	0.3	0.0	0.7	0.3	1.6	3.5	1.1	13	-73055
21-23 LST	4.7	3.6	1.0	0.6	0.1	0.0	0.1	0.0	0.7	0.2	1.8	5.1	1.5	13	-73055

INDIANOLA/LEGION, MISSISSIPPI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.9	24.0	28.3	28.6	30.3	29.9	30.3	30.9	29.0	30.5	28.3	26.4	343.4	13	-73855
	00 LST	25.6	24.1	28.3	29.0	30.3	29.7	30.6	30.6	28.9	29.8	27.5	26.4	340.8	13	-73855
	06 LST	24.2	22.4	24.8	26.8	27.8	28.6	29.0	27.2	25.5	25.0	24.3	24.7	310.3	13	-73855
	12 LST	25.0	23.1	27.9	28.7	29.7	29.7	30.5	30.7	28.8	29.5	27.4	25.8	336.8	13	-73855
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	21.0	17.5	21.4	21.3	24.2	23.8	26.5	27.4	25.7	27.9	24.7	20.5	281.9	13	-73855
	00 LST	19.1	18.1	19.7	23.9	26.3	27.6	29.6	29.4	27.4	27.4	23.3	20.4	292.2	13	-73855
	06 LST	16.7	14.8	18.4	21.3	22.8	26.2	27.0	26.0	23.3	22.4	19.9	18.7	257.5	13	-73855
	12 LST	13.0	11.1	13.3	14.1	18.7	21.4	24.1	24.1	19.7	19.6	16.1	13.8	209.0	13	-73855
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.2	0.4	1.0	0.4	0.4	0.3	0.2	0.1	0.3	0.2	0.3	0.4	4.2	13	-73855
	00 LST	0.8	0.7	1.2	0.2	0.1	0.1	0.0	0.0	0.0	0.2	0.3	0.7	4.3	13	-73855
	06 LST	0.5	0.5	0.9	0.1	0.2	0.1	0.0	0.0	0.0	0.2	0.3	0.5	3.3	13	-73855
	12 LST	1.3	2.1	2.5	2.2	0.3	0.3	0.1	0.1	0.4	1.0	1.0	0.9	12.2	13	-73855
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	19.3	16.4	20.6	19.8	20.2	14.7	11.8	14.6	16.8	15.8	18.1	18.8	206.9	13	-73855
	00 LST	14.4	14.4	18.0	16.6	14.6	12.1	12.0	12.6	13.4	13.8	14.3	15.3	171.5	13	-73855
	06 LST	13.9	13.4	17.9	18.8	16.0	16.7	14.1	12.3	13.4	13.7	14.3	14.9	179.4	13	-73855
	12 LST	17.5	14.0	17.3	16.4	19.8	12.2	8.7	10.0	14.6	19.4	17.3	17.9	185.1	13	-73855
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	7.9	7.5	9.3	7.6	8.1	8.6	7.1	9.9	14.1	14.3	14.5	10.3	119.2	9	-73855
	00 LST	10.7	10.6	12.3	13.7	14.7	17.1	16.9	19.4	19.9	18.6	15.4	14.1	183.4	9	-73855
	06 LST	9.2	6.9	9.3	8.9	7.6	10.6	10.4	11.2	12.9	12.7	11.6	13.3	124.6	9	-73855
	12 LST	6.7	7.1	6.4	6.7	5.2	4.2	4.0	6.5	10.4	10.8	11.9	10.8	90.7	9	-73855
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.7	21.3	26.2	27.2	29.6	28.7	29.8	30.2	27.8	29.4	27.1	23.8	325.0	13	-73855
	00 LST	22.7	21.8	26.2	27.9	29.4	29.0	30.3	30.3	28.2	29.2	26.5	23.6	325.1	13	-73855
	06 LST	20.4	17.8	21.2	23.9	24.9	27.5	28.0	26.2	23.7	24.0	21.7	21.2	280.5	13	-73855
	12 LST	20.6	18.8	23.2	25.6	26.3	27.5	28.1	28.0	25.5	26.9	25.3	21.9	297.7	13	-73855
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.2	18.1	21.7	23.9	25.7	25.5	27.8	28.2	25.6	27.1	23.9	19.2	286.1	13	-73855
	00 LST	19.6	18.5	21.6	24.5	27.0	27.9	29.6	29.3	27.1	27.2	23.3	20.1	295.7	13	-73855
	06 LST	16.9	14.5	18.2	20.2	22.4	25.7	26.8	25.0	22.1	21.8	19.1	17.8	250.5	13	-73855
	12 LST	17.7	15.0	18.2	20.6	19.4	20.8	22.3	23.3	20.9	23.8	21.2	18.3	241.5	13	-73855
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.0	15.5	19.9	21.6	24.0	23.8	26.2	26.7	24.3	26.0	23.1	17.7	266.8	13	-73855
	00 LST	17.6	16.5	20.2	22.3	25.5	26.9	29.1	28.4	26.0	25.8	22.5	18.6	279.4	13	-73855
	06 LST	14.8	12.9	15.8	17.4	20.1	24.2	25.1	23.4	20.5	20.7	17.6	15.7	228.2	13	-73855
	12 LST	16.5	13.6	16.5	19.1	18.3	19.6	21.5	22.2	20.6	23.0	20.1	16.8	227.8	13	-73855

JACKSON/A C THOMPSON FIELD, MISSISSIPPI

STA NO. 73880 (IN AREA NUMBER 13)

LATITUDE 3218N

LONGITUDE 09004W

ELEVATION(FT) 00345

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	85	83	88	93	99	105	104	106	103	96	86	84	106	29	-75240
MEAN MAX TMP (F)	59	62	68	76	84	91	93	93	88	80	67	60	77	29	-75240
MEAN MIN TMP (F)	38	41	46	53	62	69	71	70	65	53	43	39	54	29	-75240
ABS MIN TMP (F)	-5	1	17	30	42	48	57	54	41	28	16	14	-5	29	-75240
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.2	6.9	19.9	25.4	24.7	13.2	2.7	0.0	0.0	93.0	12	-75240
MEAN NO DYS TMP = DR LES 32(F)	10.9	6.2	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.5	6.2	11.2	38.6	12	-75240
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-75240
MEAN DEW PT TMP (F)	39	41	43	52	61	68	71	69	64	53	41	38	53	12	-75240
MEAN REL HUM (PCT)	74	71	67	68	70	71	74	72	71	68	68	72	71	12	-75240
MEAN PRESS ALT (FT)	125	161	231	269	288	302	274	277	238	197	158	128	221	0	-50
MEAN PRECIP (IN)	4.99	4.94	5.64	5.62	4.13	3.93	4.64	3.34	2.48	1.94	3.70	5.32	50.7	29	-75240
MEAN SNOW FALL (IN)	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.6	29	-75240
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.6	8.5	7.4	7.4	6.9	6.7	7.4	6.0	4.3	3.6	5.9	8.9	81.6	29	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	12	-75240
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.9	0.6	0.6	0.6	0.4	0.4	0.4	0.2	1.1	1.9	1.5	1.6	11.2	12	-75240
MEAN NO DYS TSTMS	2.4	3.2	6.2	6.2	7.6	8.4	13.3	9.3	4.4	1.9	1.7	2.1	66.7	12	-75240
P FREQ WND SPD = DR GTR 17 KTS	3.4	3.8	3.9	2.3	0.6	0.4	0.2	0.3	0.2	0.7	1.9	2.7	1.7	12	-75240
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-75240
P FREQ LES 5000 FT A/D LES 3 MI	38.9	35.5	28.2	23.4	18.5	14.1	13.9	12.7	20.1	20.6	27.5	32.0	23.8	12	-75240
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	24.6	22.2	15.1	11.9	8.9	5.3	4.3	4.1	9.8	10.2	16.7	16.6	12.5	12	-75240
03-05 LST	28.0	24.9	18.1	16.6	13.4	9.0	8.2	8.2	17.3	17.1	19.0	21.6	16.8	12	-75240
06-08 LST	31.2	26.0	19.0	19.4	15.2	14.0	10.4	10.8	23.1	23.1	20.9	22.9	19.7	12	-75240
09-11 LST	26.5	21.2	15.2	8.6	6.5	5.2	4.3	4.6	12.1	12.0	14.2	20.3	12.6	12	-75240
12-14 LST	18.5	13.8	9.2	4.5	2.6	1.4	1.2	1.6	4.4	3.1	9.2	17.1	7.2	12	-75240
15-17 LST	16.9	13.2	7.1	3.8	1.6	1.8	1.7	1.3	4.4	2.9	8.8	14.4	6.5	12	-75240
18-20 LST	16.1	14.7	7.8	4.3	2.8	1.4	1.1	1.7	4.4	4.1	7.6	13.8	6.7	12	-75240
21-23 LST	18.5	16.8	9.8	6.9	3.0	2.4	2.1	1.8	5.6	5.6	9.6	14.2	8.0	12	-75240
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.0	2.8	0.8	0.7	0.5	0.5	0.4	0.4	0.8	0.8	1.8	3.5	1.3	12	-75240
03-05 LST	4.4	4.1	2.4	1.8	1.1	1.1	1.6	1.6	3.8	3.8	3.4	4.8	2.8	12	-75240
06-08 LST	6.8	4.8	2.7	2.9	0.7	1.0	1.0	1.4	4.8	6.2	5.0	5.7	3.6	12	-75240
09-11 LST	2.6	1.0	0.7	0.0	0.1	0.0	0.1	0.1	0.2	0.3	0.8	2.6	0.7	12	-75240
12-14 LST	0.6	0.3	0.4	0.2	0.1	0.0	0.2	0.1	0.0	0.1	0.2	0.7	0.2	12	-75240
15-17 LST	0.9	0.6	0.3	0.1	0.0	0.0	0.2	0.1	0.0	0.0	0.3	0.4	0.2	12	-75240
18-20 LST	1.5	1.1	0.4	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.2	1.3	0.4	12	-75240
21-23 LST	1.5	1.4	0.8	0.2	0.2	0.0	0.0	0.0	0.3	0.3	0.6	2.4	0.6	12	-75240

JACKSON/A C THOMPSON FIELD, MISSISSIPPI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.7	23.3	29.4	29.2	30.6	29.5	30.7	30.8	29.0	30.3	28.3	27.7	348.3	12	-75240
	00 LST	26.2	23.5	28.4	28.8	29.4	29.4	30.3	30.2	28.1	29.0	26.5	26.6	336.4	12	-75240
	06 LST	24.0	22.9	26.7	25.4	27.6	27.2	28.1	27.8	23.9	24.9	25.1	25.6	309.2	12	-75240
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	26.6	24.9	29.3	29.3	30.7	29.8	30.8	30.6	29.3	30.2	27.8	26.7	346.0	12	-75240
	00 LST	20.0	17.8	20.4	22.6	26.3	27.4	27.7	27.6	25.9	27.6	23.3	20.6	287.2	12	-75240
	06 LST	18.2	16.5	20.6	21.9	26.1	27.7	29.4	29.6	26.3	26.5	20.6	19.9	283.3	12	-75240
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	16.2	16.7	20.0	19.7	23.7	23.1	27.1	26.7	22.1	22.1	20.0	19.2	238.6	12	-75240
	12 LST	11.8	10.7	12.2	12.8	19.3	22.1	24.8	24.9	20.0	19.3	14.7	12.9	205.5	12	-75240
	18 LST	0.7	0.5	0.8	0.2	0.0	0.2	0.2	0.1	0.0	0.1	0.3	0.3	3.4	12	-75240
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	0.3	0.8	0.9	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.6	3.2	12	-75240
	06 LST	0.5	0.5	0.3	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.6	2.2	12	-75240
	12 LST	1.6	2.1	2.1	1.5	0.4	0.2	0.1	0.2	0.3	0.8	1.3	1.7	12.3	12	-75240
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	16.9	14.5	18.3	17.7	18.7	14.1	14.0	13.1	13.2	12.9	13.1	13.9	182.4	12	-75240
	00 LST	13.4	12.2	14.2	15.6	14.8	11.8	11.2	10.4	13.4	12.3	12.1	12.7	134.1	12	-75240
	06 LST	11.5	11.9	14.4	13.6	13.7	12.8	10.0	8.6	9.7	8.2	11.2	11.1	136.7	12	-75240
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	12 LST	13.7	12.1	14.2	14.5	17.6	13.3	11.0	11.0	16.2	17.9	14.8	15.0	171.3	12	-75240
	00 LST	9.3	8.6	9.6	11.3	11.2	11.5	6.1	10.5	12.5	17.0	13.5	10.4	131.5	12	-75240
	06 LST	10.6	10.3	11.7	14.4	16.1	17.1	16.2	19.1	16.2	19.2	14.6	12.2	177.7	12	-75240
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	8.6	7.9	9.4	10.3	9.3	11.7	10.2	12.9	12.0	15.0	11.1	10.2	128.6	12	-75240
	12 LST	6.8	7.3	8.6	9.2	7.5	4.9	2.6	6.7	10.1	13.3	11.4	9.6	98.0	12	-75240
	18 LST	24.5	22.8	27.5	28.1	29.7	29.3	30.6	30.3	28.1	29.6	26.7	25.4	332.6	12	-75240
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	22.2	20.6	25.3	25.9	28.6	28.4	29.7	29.8	26.9	27.7	24.5	23.8	313.4	12	-75240
	06 LST	19.7	19.4	23.3	22.1	25.3	25.7	27.6	27.1	22.7	23.0	22.0	22.7	280.6	12	-75240
	12 LST	22.2	21.1	25.2	27.5	28.9	28.5	29.3	28.8	26.3	27.8	25.1	23.9	314.6	12	-75240
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	21.0	20.4	24.1	25.0	27.4	27.1	27.7	28.5	26.1	27.8	24.4	22.3	301.8	12	-75240
	00 LST	19.1	18.3	22.7	23.8	27.3	27.8	29.2	29.6	26.2	26.2	21.9	20.2	292.3	12	-75240
	06 LST	16.2	16.4	19.9	20.1	23.3	24.8	26.4	26.5	21.7	21.4	19.3	18.9	254.9	12	-75240
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	12 LST	17.6	17.1	20.0	21.8	23.0	22.7	20.6	21.6	21.8	23.6	20.6	20.6	251.0	12	-75240
	18 LST	18.7	18.1	21.3	22.9	26.2	26.5	26.6	27.5	24.7	26.3	21.8	19.6	280.4	12	-75240
	00 LST	17.1	16.7	20.5	22.0	26.1	27.2	28.4	28.6	25.7	25.5	20.6	18.2	276.6	12	-75240
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	14.7	14.3	17.8	18.3	21.7	23.6	25.1	25.7	21.1	20.4	17.6	16.2	236.5	12	-75240
	12 LST	15.2	15.3	18.2	20.6	22.5	22.2	20.4	21.1	21.2	23.1	19.4	18.4	237.6	12	-75240

RIDGELAND/KING RIDDELL, MISSISSIPPI

STA NO. 73081 (IN AREA NUMBER 13)

LATITUDE 3235N

LONGITUDE 09006W

ELEVATION(FT) 00260

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	83	86	89	92	99	104	104	107	108	100	89	85	108	65	-113
MEAN MAX TMP (F)	59	61	69	76	84	91	93	93	89	80	68	60	77	65	-113
MEAN MIN TMP (F)	38	39	46	53	61	68	70	70	64	52	43	38	54	66	-113
ABS MIN TMP (F)	-11	-3	15	29	39	47	51	51	37	20	15	10	-11	67	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	8.0	21.0	28.0	28.0	17.0	9.0	0.0	0.0	107.3	10	-113
MEAN NO DYS TMP = DR LES 32(F)	13.0	8.0	6.0	0.3	0.0	0.0	0.0	0.0	0.0	2.0	9.0	13.0	51.3	10	-113
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-75240
MEAN DEW PT TMP (F)	39	41	43	52	61	68	71	69	64	53	41	38	53	12	-75240
MEAN REL HUM (PCT)	74	71	67	68	70	71	74	72	71	68	68	72	71	12	-75240
MEAN PRESS ALT (FT)	41	76	145	183	203	216	187	192	155	113	73	44	136	0	-50
MEAN PRECIP (IN)	5.18	4.93	5.82	4.88	4.13	3.70	4.30	3.46	2.41	2.26	3.50	5.18	49.8	75	-113
MEAN SNOW FALL (IN)	0.9	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	66	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.8	8.5	7.4	7.2	6.9	6.4	7.1	6.2	4.2	4.0	5.6	8.8	81.1	75	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	66	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.9	0.6	0.6	0.6	0.4	0.4	0.4	0.2	1.1	1.9	1.5	1.6	11.2	12	-75240
MEAN NO DYS TSTMS	2.4	3.2	6.2	6.2	7.6	8.4	13.3	9.3	4.4	1.9	1.7	2.1	66.7	12	-75240
P FREQ WND SPD = DR GTR 17 KTS	3.4	3.8	3.9	2.3	0.6	0.4	0.2	0.3	0.2	0.7	1.9	2.7	1.7	12	-75240
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-75240
P FREQ LES 5000 FT A/D LES 5 MI	38.9	35.5	28.2	23.4	18.5	14.1	13.9	12.7	20.1	20.6	27.5	32.0	23.8	12	-75240
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	24.6	22.2	15.1	11.9	8.9	5.3	4.3	4.1	9.8	10.2	16.7	16.6	12.5	12	-75240
03-05 LST	28.0	24.9	18.1	16.6	13.4	9.0	8.2	8.2	17.3	17.1	19.0	21.6	16.8	12	-75240
06-08 LST	31.2	28.0	19.0	19.4	15.2	14.0	10.4	10.8	23.1	23.1	20.9	22.9	19.7	12	-75240
09-11 LST	26.5	21.2	15.2	8.6	6.5	5.2	4.3	4.6	12.1	12.0	14.2	20.3	12.6	12	-75240
12-14 LST	18.5	13.8	9.2	4.5	2.6	1.4	1.2	1.6	4.4	3.1	9.2	17.1	7.2	12	-75240
15-17 LST	16.9	13.2	7.1	3.8	1.6	1.8	1.7	1.3	4.4	2.9	8.8	14.4	6.5	12	-75240
18-20 LST	16.1	14.7	7.8	4.3	2.8	1.4	1.1	1.7	4.4	4.1	7.6	13.8	6.7	12	-75240
21-23 LST	18.5	16.8	9.8	6.9	3.0	2.4	2.1	1.8	3.6	3.6	9.6	14.2	8.0	12	-75240
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.0	2.8	0.8	0.7	0.5	0.5	0.4	0.4	0.8	0.8	1.8	3.5	1.3	12	-75240
03-05 LST	4.4	4.1	2.4	1.8	1.1	1.1	1.6	1.6	3.8	3.8	3.4	4.8	2.8	12	-75240
06-08 LST	6.8	4.8	2.7	2.9	0.7	1.0	1.0	1.4	4.8	6.2	5.0	5.7	3.6	12	-75240
09-11 LST	2.6	1.0	0.7	0.0	0.1	0.0	0.1	0.1	0.2	0.3	0.8	2.6	0.7	12	-75240
12-14 LST	0.6	0.3	0.4	0.2	0.1	0.0	0.2	0.1	0.0	0.1	0.2	0.7	0.2	12	-75240
15-17 LST	0.9	0.6	0.3	0.1	0.0	0.0	0.2	0.1	0.0	0.0	0.3	0.4	0.2	12	-75240
18-20 LST	1.5	1.1	0.4	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.2	1.3	0.4	12	-75240
21-23 LST	1.5	1.4	0.8	0.2	0.2	0.0	0.0	0.0	0.3	0.3	0.6	2.4	0.6	12	-75240

RIDGELAND/KING RIDDELL, MISSISSIPPI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.7	25.3	29.4	29.2	30.6	29.5	30.7	30.8	29.0	30.3	28.3	27.7	348.5	12	-75240
	00 LST	26.2	23.5	28.4	28.8	29.4	29.4	30.3	30.2	28.1	29.0	26.5	26.6	336.4	12	-75240
	06 LST	24.0	22.9	26.7	25.4	27.6	27.2	28.1	27.8	23.9	24.9	25.1	25.6	309.2	12	-75240
	12 LST	26.6	24.9	29.3	29.3	30.7	29.8	30.8	30.6	29.3	30.2	27.8	26.7	346.0	12	-75240
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.0	17.8	20.4	22.6	26.3	27.4	27.7	27.6	25.9	27.6	13.3	20.6	267.2	12	-75240
	00 LST	18.2	16.5	20.6	21.9	26.1	27.7	29.4	29.6	26.3	26.5	20.6	19.9	280.3	12	-75240
	06 LST	16.2	16.7	20.0	19.7	23.7	25.1	27.1	26.7	22.1	22.1	20.0	19.2	256.6	12	-75240
	12 LST	11.8	10.7	12.2	12.8	19.3	22.1	24.8	24.9	20.0	19.3	14.7	12.9	205.5	12	-75240
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	0.5	0.8	0.2	0.0	0.2	0.2	0.1	0.0	0.1	0.3	0.3	3.4	12	-75240
	00 LST	0.3	0.8	0.9	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.6	3.2	12	-75240
	06 LST	0.5	0.5	0.3	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.6	2.2	12	-75240
	12 LST	1.6	2.1	2.1	1.5	0.4	0.2	0.1	0.2	0.3	0.8	1.3	1.7	12.3	12	-75240
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	16.9	14.5	18.3	17.7	18.7	14.1	14.0	13.1	15.2	12.9	13.1	13.9	182.4	12	-75240
	00 LST	13.4	12.2	14.2	15.6	14.8	11.8	11.2	10.4	13.4	12.3	12.1	12.7	154.1	12	-75240
	06 LST	11.5	11.9	14.4	13.6	13.7	12.8	10.0	8.6	9.7	8.2	11.2	11.1	136.7	12	-75240
	12 LST	13.7	12.1	14.2	14.9	17.6	13.3	11.0	11.0	16.2	17.9	14.8	15.0	171.3	12	-75240
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.3	8.6	9.6	11.3	11.2	11.5	6.1	10.5	12.5	17.0	13.5	10.4	131.5	12	-75240
	00 LST	10.6	10.3	11.7	14.4	16.1	17.1	16.2	19.1	16.2	19.2	14.6	12.2	177.7	12	-75240
	06 LST	8.6	7.9	9.4	10.3	9.3	11.7	10.2	12.9	12.0	15.0	11.1	10.2	128.6	12	-75240
	12 LST	6.8	7.3	8.6	9.2	7.5	4.9	2.6	6.7	10.1	13.3	11.4	9.6	98.0	12	-75240
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.5	22.8	27.5	28.1	29.7	29.3	30.6	30.3	28.1	29.6	26.7	25.4	332.6	12	-75240
	00 LST	22.2	20.6	25.3	25.9	28.6	28.4	29.7	29.8	26.9	27.7	24.5	23.8	313.4	12	-75240
	06 LST	19.7	19.4	23.3	22.1	25.3	25.7	27.6	27.1	22.7	23.0	22.0	22.7	280.6	12	-75240
	12 LST	22.2	21.1	25.2	27.5	28.9	28.5	29.3	28.8	26.3	27.8	25.1	23.9	314.6	12	-75240
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	18 LST	21.0	20.4	24.1	25.0	27.4	27.1	27.7	28.5	26.1	27.8	24.4	22.3	301.8	12	-75240
	00 LST	19.1	18.3	22.7	23.8	27.3	27.8	29.2	29.6	26.2	26.2	21.9	20.2	292.3	12	-75240
	06 LST	16.2	16.4	19.9	20.1	23.3	24.8	26.4	26.5	21.7	21.4	19.3	18.9	254.9	12	-75240
	12 LST	17.6	17.1	20.0	21.8	23.0	22.7	20.6	21.6	21.8	23.6	20.6	20.6	251.0	12	-75240
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.7	18.1	21.3	22.9	26.2	26.5	26.6	27.5	24.7	26.5	21.8	19.6	280.4	12	-75240
	00 LST	17.1	16.7	20.5	22.0	26.1	27.2	26.4	28.6	25.7	25.5	20.6	18.2	276.6	12	-75240
	06 LST	14.7	14.3	17.8	18.3	21.7	23.6	25.1	25.7	21.1	20.4	17.6	16.2	236.5	12	-75240
	12 LST	15.2	15.3	18.2	20.6	22.5	22.2	20.4	21.1	21.2	23.1	19.4	18.4	237.6	12	-75240

RAYMOND/WILLIAMS, MISSISSIPPI

STA NO. 73802 (IN AREA NUMBER 13)

LATITUDE 3210N

LONGITUDE 09024W

ELEVATION(FT) 00254

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	85	83	88	93	99	105	104	106	103	96	86	84	106	29	-75240
MEAN MAX TMP (F)	59	62	68	76	84	91	93	93	88	80	67	60	77	29	-75240
MEAN MIN TMP (F)	38	41	46	53	62	69	71	70	65	53	43	39	54	29	-75240
ABS MIN TMP (F)	-5	1	17	30	42	48	57	54	41	28	16	14	-5	29	-75240
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.2	6.9	19.9	25.4	24.7	13.2	2.7	0.0	0.0	93.0	12	-75240
MEAN NO DYS TMP = DR LES 32(F)	10.9	6.2	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.3	6.2	11.2	38.6	12	-75240
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-75240
MEAN DEW PT TMP (F)	39	41	43	52	61	68	71	69	64	53	41	38	53	12	-75240
MEAN REL HUM (PCT)	74	71	67	68	70	71	74	72	71	68	68	72	71	12	-75240
MEAN PRESS ALT (FT)	36	71	141	179	200	213	184	187	149	108	68	38	131	0	-50
MEAN PRECIP (IN)	4.99	4.94	5.64	5.62	4.13	3.93	4.64	3.34	2.48	1.94	3.70	5.32	50.7	29	-75240
MEAN SNOW FALL (IN)	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.6	29	-75240
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.6	8.5	7.4	7.4	6.9	6.7	7.4	6.0	4.3	3.6	5.9	8.9	81.6	29	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	12	-75240
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.9	0.6	0.6	0.6	0.4	0.4	0.4	0.2	1.1	1.9	1.5	1.6	11.2	12	-75240
MEAN NO DYS TSTMS	2.4	3.2	6.2	6.2	7.6	8.4	13.3	9.3	4.4	1.9	1.7	2.1	66.7	12	-75240
P FREQ WND SPD = DR GTR 17 KTS	3.4	3.8	3.9	2.3	0.6	0.4	0.2	0.3	0.2	0.7	1.9	2.7	1.7	12	-75240
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-75240
P FREQ LES 3000 FT A/D LES 5 MI	38.9	35.5	28.2	23.4	18.5	14.1	13.9	12.7	20.1	20.6	27.5	32.0	23.8	12	-75240
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	24.6	22.2	15.1	11.9	8.9	5.3	4.3	4.1	9.8	10.2	16.7	16.6	12.5	12	-75240
03-05 LST	28.0	24.9	18.1	16.6	13.4	9.0	8.2	8.2	17.3	17.1	19.0	21.6	16.8	12	-75240
06-08 LST	31.2	26.0	19.0	19.4	15.2	14.0	10.4	10.8	23.1	23.1	20.9	22.9	19.7	12	-75240
09-11 LST	26.5	21.2	15.2	8.6	6.5	5.2	4.3	4.6	12.1	12.0	14.2	20.3	12.6	12	-75240
12-14 LST	18.5	13.8	9.2	4.5	2.6	1.4	1.2	1.6	4.4	3.1	9.2	17.1	7.2	12	-75240
15-17 LST	16.9	13.2	7.1	3.8	1.6	1.8	1.7	1.3	4.4	2.9	8.8	14.4	6.5	12	-75240
18-20 LST	16.1	14.7	7.8	4.3	2.8	1.4	1.1	1.7	4.4	4.1	7.6	13.8	6.7	12	-75240
21-23 LST	18.5	16.8	9.8	6.9	3.0	2.4	2.1	1.8	5.6	5.6	9.6	14.2	8.0	12	-75240
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.0	2.8	0.8	0.7	0.5	0.5	0.4	0.4	0.8	0.8	1.8	3.5	1.3	12	-75240
03-05 LST	4.4	4.1	2.4	1.8	1.1	1.1	1.6	1.6	3.8	3.8	3.4	4.8	2.8	12	-75240
06-09 LST	6.8	4.8	2.7	2.9	0.7	1.0	1.0	1.4	4.8	6.2	5.0	5.7	3.6	12	-75240
09-11 LST	2.6	1.0	0.7	0.0	0.1	0.0	0.1	0.1	0.2	0.3	0.8	2.6	0.7	12	-75240
12-14 LST	0.6	0.3	0.4	0.2	0.1	0.0	0.2	0.1	0.0	0.1	0.2	0.7	0.2	12	-75240
15-17 LST	0.9	0.6	0.3	0.1	0.0	0.0	0.2	0.1	0.0	0.0	0.3	0.4	0.2	12	-75240
18-20 LST	1.5	1.1	0.4	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.2	1.3	0.4	12	-75240
21-23 LST	1.5	1.4	0.8	0.2	0.2	0.0	0.0	0.0	0.3	0.3	0.6	2.4	0.6	12	-75240

RAYMOND/WILLIAMS, MISSISSIPPI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.7	25.3	29.4	29.2	30.6	29.5	30.7	30.8	29.0	30.3	28.3	27.7	344.9	12	-75240
	00 LST	26.2	23.5	28.4	28.8	29.4	29.4	30.3	30.2	28.1	29.0	26.5	26.6	336.4	17	-75240
	06 LST	24.0	22.9	26.7	25.4	27.6	27.2	28.1	27.8	23.9	24.9	25.1	25.6	309.2	12	-75240
	12 LST	26.6	24.9	29.3	29.3	30.7	29.8	30.8	30.6	29.3	30.2	27.8	26.7	346.0	12	-75240
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.0	17.8	20.4	22.6	26.3	27.4	27.7	27.6	25.9	27.6	23.3	20.6	287.2	12	-75240
	00 LST	18.2	16.5	20.6	21.9	26.1	27.7	29.4	29.6	26.3	26.5	20.6	19.9	283.3	17	-75240
	06 LST	16.2	16.7	20.0	19.7	23.7	25.1	27.1	26.7	22.1	22.1	20.0	19.2	258.6	12	-75240
	12 LST	11.8	10.7	12.2	12.8	19.3	22.1	24.8	24.9	20.0	19.3	14.7	12.9	205.9	12	-75240
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	0.5	0.8	0.2	0.0	0.2	0.2	0.1	0.0	0.1	0.3	0.3	3.4	12	-75240
	00 LST	0.3	0.8	0.9	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.6	3.2	12	-75240
	06 LST	0.5	0.5	0.3	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.6	2.2	12	-75240
	12 LST	1.6	2.1	2.1	1.5	0.4	0.2	0.1	0.2	0.3	0.8	1.3	1.7	12.3	12	-75240
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	16.9	14.5	18.3	17.7	18.7	14.1	14.0	13.1	15.2	12.9	13.1	13.9	182.4	12	-75240
	00 LST	13.4	12.2	14.2	15.6	14.8	11.8	11.2	10.4	13.4	12.3	12.1	12.7	154.1	12	-75240
	06 LST	11.5	11.9	14.4	13.6	13.7	12.8	10.0	8.6	9.7	8.2	11.2	11.1	136.7	17	-75240
	12 LST	13.7	12.1	14.2	14.5	17.6	13.3	11.0	11.0	16.2	17.9	14.8	15.0	171.3	12	-75240
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.3	8.6	9.6	11.3	11.2	11.5	6.1	10.5	12.5	17.0	13.5	10.4	131.5	12	-75240
	00 LST	10.6	10.3	11.7	14.4	16.1	17.1	16.2	19.1	16.2	19.2	14.6	12.2	177.7	12	-75240
	06 LST	8.6	7.9	9.4	10.3	9.3	11.7	10.2	12.9	12.0	15.0	11.1	10.2	128.6	12	-75240
	12 LST	6.8	7.3	8.6	9.2	7.5	4.9	2.6	6.7	10.1	13.3	11.4	9.6	98.0	12	-75240
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.5	22.8	27.5	28.1	29.7	29.3	30.6	30.3	28.1	29.6	26.7	23.4	332.6	12	-75240
	00 LST	22.2	20.6	25.3	25.9	28.6	28.4	29.7	29.8	26.9	27.7	24.5	23.8	313.4	12	-75240
	06 LST	19.7	19.4	23.3	22.1	25.3	25.7	27.6	27.1	22.7	23.0	22.0	22.7	280.6	12	-75240
	12 LST	22.2	21.1	25.2	27.5	28.9	28.5	29.3	28.8	26.3	27.8	23.1	23.9	314.6	12	-75240
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.0	20.4	24.1	25.0	27.4	27.1	27.7	28.5	26.1	27.8	24.4	22.3	301.8	12	-75240
	00 LST	19.1	18.3	22.7	23.8	27.3	27.8	29.2	29.6	26.2	26.2	21.9	20.2	292.3	12	-75240
	06 LST	16.2	16.4	19.9	20.1	23.3	24.8	26.4	26.5	21.7	21.4	19.3	18.9	254.9	12	-75240
	12 LST	17.6	17.1	20.0	21.8	23.0	22.7	20.6	21.6	21.8	23.6	20.6	20.6	251.0	12	-75240
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.7	18.1	21.3	22.9	26.2	26.5	26.6	27.5	24.7	26.5	21.8	19.6	280.4	12	-75240
	00 LST	17.1	16.7	20.5	22.0	26.1	27.2	26.4	28.6	25.7	25.3	20.5	18.2	276.6	12	-75240
	06 LST	14.7	14.3	17.8	18.3	21.7	23.6	25.1	25.7	21.1	20.4	17.6	16.2	236.5	12	-75240
	12 LST	15.2	15.3	18.2	20.6	22.5	22.2	20.4	21.1	21.2	23.1	19.4	18.4	237.6	12	-75240

CLEVELAND/BOLIVAR COUNTY, MISSISSIPPI

STA NO. 73915 (IN AREA NUMBER 13)

LATITUDE 3345N

LONGITUDE 09045W

ELEVATION(FT) 00139

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OPS
ABS MAX TMP (F)	80	81	86	88	98	103	103	105	103	96	86	80	105	11	-113
MEAN MAX TMP (F)	56	58	64	74	84	91	93	93	87	78	64	56	75	12	-113
MEAN MIN TMP (F)	36	38	42	52	61	68	70	69	62	52	40	36	52	12	-113
ABS MIN TMP (F)	13	-6	18	33	39	48	61	51	40	25	13	8	-6	12	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	7.0	20.0	26.0	26.0	14.0	3.0	0.0	0.0	96.0	10	-113
MEAN NO DYS TMP = OR LES 32(F)	15.0	9.0	6.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	9.0	14.0	55.0	10	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	6	-73917
MEAN DEW PT TMP (F)	42	41	43	50	61	69	71	70	62	52	38	37	53	6	-73917
MEAN REL HUM (PCT)	76	72	67	67	69	69	73	71	69	70	66	72	70	6	-73917
MEAN PRESS ALT (FT)	-76	-41	23	60	83	96	62	71	45	1	-44	-73	17	0	-50
MEAN PRECIP (IN)	5.45	4.50	5.99	5.15	4.98	3.65	4.18	2.81	3.01	2.97	4.56	5.23	52.1	45	-113
MEAN SNOW FALL (IN)	1.5	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.6	3.1	45	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.1	8.1	7.5	7.2	7.1	6.4	7.0	5.4	5.0	4.9	7.0	8.8	83.5	45	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	45	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.5	2.3	1.1	0.8	1.3	0.0	1.0	0.8	0.5	0.8	1.3	1.8	13.2	6	-73917
MEAN NO DYS TSTMS	3.2	3.6	5.3	5.2	6.3	6.8	11.0	7.7	3.5	1.3	2.0	2.3	58.2	6	-73917
P FREQ WND SPD = OR GTR 17 KTS	18.9	14.3	16.9	12.7	7.8	2.5	1.8	1.5	2.0	5.0	9.4	13.0	8.8	6	-73917
P FREQ WND SPD = OR GTR 28 KTS	0.5	0.5	0.7	0.3	0.2	0.1	0.0	0.0	0.0	0.1	0.3	0.7	0.3	6	-73917
P FREQ LES 5000 FT A/D LES 5 MI	44.7	29.2	26.0	21.3	16.0	11.3	11.9	7.0	14.1	19.3	22.0	30.1	21.1	6	-73917
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	23.9	14.6	9.2	8.0	4.8	2.6	2.9	1.8	5.4	9.3	8.5	16.8	9.0	6	-73917
03-05 LST	29.6	16.2	10.8	9.1	10.6	4.3	6.3	4.3	11.3	9.1	11.1	19.1	11.8	6	-73917
06-08 LST	29.9	19.9	12.4	11.1	8.2	8.0	9.9	4.1	14.8	17.0	15.6	19.6	14.2	6	-73917
09-11 LST	28.5	16.6	11.6	7.6	4.8	3.1	4.8	1.8	10.4	12.7	10.4	15.3	10.6	6	-73917
12-14 LST	22.6	11.4	6.8	5.2	4.3	0.9	0.9	0.2	3.7	7.3	8.7	11.7	7.0	6	-73917
15-17 LST	19.9	9.3	5.4	3.1	3.6	0.4	0.9	0.2	1.3	5.2	9.1	11.9	5.9	6	-73917
18-20 LST	19.0	9.5	3.1	4.1	2.3	0.2	1.6	0.4	1.3	4.1	6.5	10.1	5.2	6	-73917
21-23 LST	19.0	10.5	5.0	5.2	2.3	2.2	1.1	0.9	1.7	5.7	7.4	13.5	6.2	6	-73917
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	2.5	3.0	1.3	1.3	1.4	0.0	0.2	0.5	0.2	1.6	3.0	3.6	1.6	6	-73917
03-05 LST	2.0	4.7	1.8	1.9	3.2	0.2	0.9	2.3	1.7	2.2	3.5	4.5	2.4	6	-73917
06-08 LST	3.6	2.8	2.2	0.4	1.6	0.4	0.7	1.4	1.9	2.2	4.4	4.7	2.2	6	-73917
09-11 LST	1.8	0.0	0.4	0.2	0.0	0.0	0.4	0.0	0.2	0.4	1.3	1.6	0.5	6	-73917
12-14 LST	0.5	0.4	0.0	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.6	1.3	0.3	6	-73917
15-17 LST	1.1	0.4	0.2	0.0	0.2	0.2	0.2	0.0	0.0	0.0	1.1	0.7	0.3	6	-73917
18-20 LST	2.9	1.4	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.7	0.7	0.5	6	-73917
21-23 LST	4.0	1.6	0.2	0.6	0.4	0.0	0.0	0.2	0.0	1.1	1.9	2.7	1.1	6	-73917

CLEVELAND/BOLIVAR COUNTY, MISSISSIPPI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. URS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.3	26.2	30.7	29.6	30.3	30.0	30.7	30.8	29.5	30.2	28.1	29.1	351.7	6	-73917
	00 LST	25.6	25.3	29.6	29.2	30.0	29.6	30.2	30.8	29.3	29.0	27.8	27.0	343.4	6	-73917
	06 LST	24.3	23.9	28.6	28.1	29.0	29.0	28.6	29.5	26.0	27.2	26.5	25.1	325.8	6	-73917
	12 LST	26.7	26.0	30.0	29.6	30.2	29.6	30.8	30.8	29.3	29.1	27.5	28.8	348.4	6	-73917
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LFS 10 KTS	18 LST	13.1	13.2	16.0	16.3	20.3	21.8	23.2	25.8	23.0	25.0	20.3	17.7	237.7	6	-73917
	00 LST	10.8	12.6	15.3	15.5	24.1	25.1	27.8	28.0	26.3	24.6	18.5	15.7	244.3	6	-73917
	06 LST	9.1	11.6	14.3	15.7	22.3	22.3	24.0	25.8	23.3	22.0	18.5	15.6	224.5	6	-73917
	12 LST	5.6	8.6	8.8	6.7	12.0	13.7	17.1	18.2	13.3	12.3	10.7	9.7	136.7	6	-73917
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	3.5	2.3	3.0	1.5	0.7	0.5	0.3	0.3	0.5	1.3	0.7	1.9	16.5	6	-73917
	00 LST	5.4	2.2	4.0	1.5	0.7	0.3	0.2	0.2	0.0	0.3	1.8	2.1	18.7	6	-73917
	06 LST	4.7	1.5	3.3	1.5	1.3	0.2	0.0	0.2	0.0	0.5	1.2	2.4	16.8	6	-73917
	12 LST	9.6	8.1	8.5	7.7	4.7	0.8	0.7	1.6	2.0	3.1	7.6	7.5	61.9	6	-73917
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	17.8	17.2	19.2	17.9	21.3	15.4	16.0	14.1	20.8	21.3	18.2	19.7	218.9	6	-73917
	00 LST	13.0	14.1	17.2	15.8	20.3	19.1	21.5	19.2	20.6	19.1	15.6	13.8	209.5	6	-73917
	06 LST	10.4	13.0	16.8	17.6	18.6	22.1	19.5	20.0	20.2	17.4	14.6	12.3	202.5	6	-73917
	12 LST	8.4	10.9	9.0	9.5	12.8	5.9	6.0	7.7	12.9	15.4	12.0	14.3	124.8	6	-73917
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	7.7	9.3	8.6	10.7	11.8	11.8	7.8	12.0	13.8	17.6	15.2	10.7	139.0	6	-73917
	00 LST	10.3	12.9	13.1	15.8	19.7	20.6	17.8	21.1	20.3	20.2	17.2	13.4	202.4	6	-73917
	06 LST	6.5	10.8	9.6	11.6	11.5	13.8	10.3	13.8	14.5	16.0	14.5	11.4	143.7	6	-73917
	12 LST	5.5	8.9	7.7	9.3	7.8	5.8	5.1	9.5	11.6	13.8	12.0	8.5	105.5	6	-73917
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	22.5	23.5	29.1	27.7	29.5	30.0	29.6	30.8	28.7	29.1	27.0	26.3	333.8	6	-73917
	00 LST	22.8	23.2	26.8	27.7	29.0	29.2	30.2	30.8	28.8	27.8	26.8	24.3	327.4	6	-73917
	06 LST	18.2	19.5	23.8	25.1	27.3	28.1	27.5	28.6	25.0	24.3	24.3	23.3	295.0	6	-73917
	12 LST	19.5	22.5	26.5	25.3	28.3	28.3	29.1	30.3	27.0	26.7	25.8	24.5	313.8	6	-73917
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.8	20.4	24.8	24.8	26.5	28.7	28.6	29.5	27.0	26.7	25.0	21.4	302.2	6	-73917
	00 LST	19.2	19.9	23.7	24.5	28.0	28.8	28.6	29.6	27.8	26.2	25.0	21.6	302.9	6	-73917
	06 LST	13.0	17.6	19.7	21.5	24.0	25.7	26.7	28.0	23.5	23.3	21.7	20.8	265.5	6	-73917
	12 LST	14.7	18.2	20.2	21.5	22.7	22.5	21.1	26.5	23.3	23.2	22.5	20.3	256.7	6	-73917
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.0	18.4	20.6	22.7	25.0	27.3	26.5	27.7	26.3	25.1	23.5	20.1	280.2	6	-73917
	00 LST	16.6	17.9	21.1	22.7	27.0	28.5	28.0	29.0	27.2	25.3	23.2	18.8	285.3	6	-73917
	06 LST	11.7	15.6	17.1	20.2	22.2	23.8	26.0	26.8	22.1	22.3	19.3	18.3	245.4	6	-73917
	12 LST	13.3	16.7	17.3	20.5	21.3	21.8	20.8	25.5	22.8	22.3	21.5	18.9	242.7	6	-73917

CLARKSDALE/FLETCHER FIELD, MISSISSIPPI

STA NO. 73916 (IN AREA NUMBER 13)

LATITUDE 3417N

LONGITUDE 09031W

ELEVATION(FT) 00173

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	80	84	89	94	101	107	108	109	107	97	87	80	109	54	-113
MEAN MAX TMP (F)	54	57	66	76	84	91	93	93	88	78	65	55	75	55	-113
MEAN MIN TMP (F)	35	37	44	53	61	67	71	71	64	52	42	36	53	55	-113
ABS MIN TMP (F)	-8	0	13	29	34	48	53	52	36	26	13	3	-8	55	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	1.0	9.0	20.0	26.0	26.0	16.0	3.0	0.0	0.0	101.0	10	-113
MEAN NO DYS TMP = DR LES 32(F)	13.0	7.0	4.0	0.3	0.0	0.0	0.0	0.0	0.0	0.3	6.0	11.0	41.6	10	-113
MEAN NO DYS TMP = DR LES 0(F)		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		55	-29
MEAN DEW PT TMP (F)	42	41	43	50	61	69	71	70	62	52	38	37	53	6	-73917
MEAN REL HUM (PCT)	76	72	67	67	69	69	73	71	69	70	66	72	70	6	-73917
MEAN PRESS ALT (FT)	-42	-6	55	91	114	128	92	103	82	37	-9	-39	51	0	-50
MEAN PRECIP (IN)	5.28	4.67	5.47	5.07	4.57	3.65	3.54	2.97	2.61	2.71	4.32	4.91	49.8	54	-113
MEAN SNOW FALL (IN)	1.4	0.6	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	2.9	56	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.9	8.2	7.3	7.2	7.1	6.4	6.3	5.6	4.5	4.6	6.7	8.5	81.3	54	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.3	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	56	-29
MEAN PD DYS W/OCUR VSBY LES 1/2 MI	1.5	2.3	1.1	0.8	1.3	0.0	1.0	0.8	0.5	0.8	1.3	1.8	13.2	6	-73917
MEAN NO DYS TSTMS	3.2	3.6	5.3	5.2	6.3	6.8	11.0	7.7	3.5	1.3	2.0	2.3	58.2	6	-73917
P FREQ WND SPD = DR GTR 17 KTS	18.9	14.3	16.9	12.7	7.8	2.5	1.8	1.5	2.0	5.0	9.4	13.0	8.8	6	-73917
P FREQ WND SPD = DR GTR 28 KTS	0.5	0.5	0.7	0.3	0.2	0.1	0.0	0.0	0.0	0.1	0.3	0.7	0.3	6	-73917
P FREQ LES 5000 FT A/D LES 5 MI	44.7	29.2	26.0	21.3	16.0	11.3	11.9	7.0	14.1	19.3	22.0	30.1	21.1	6	-73917
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	23.9	14.6	9.2	8.0	4.8	2.6	2.9	1.8	5.4	9.3	8.5	16.8	9.0	6	-73917
03-05 LST	29.6	16.2	10.8	9.1	10.6	4.3	6.3	4.3	11.3	9.1	11.1	19.1	11.8	6	-73917
06-08 LST	29.9	19.9	12.4	11.1	8.2	8.0	9.9	4.1	14.8	17.0	13.6	19.6	14.2	6	-73917
09-11 LST	28.5	16.6	11.6	7.6	4.8	3.1	4.8	1.8	10.4	12.7	10.4	15.3	10.6	6	-73917
12-14 LST	22.6	11.4	6.8	5.2	4.3	0.9	0.9	0.2	3.7	7.3	8.7	11.7	7.0	6	-73917
15-17 LST	19.9	9.3	5.4	3.1	3.6	0.4	0.9	0.2	1.3	5.2	9.1	11.9	5.9	6	-73917
18-20 LST	19.0	9.5	3.1	4.1	2.3	0.2	1.6	0.4	1.3	4.1	6.5	10.1	5.2	6	-73917
21-23 LST	19.0	10.5	5.0	5.2	2.3	2.2	1.1	0.9	1.7	5.7	7.4	13.5	6.2	6	-73917
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.5	3.0	1.3	1.3	1.4	0.0	0.2	0.5	0.2	1.6	3.0	3.6	1.6	6	-73917
03-05 LST	2.0	4.7	1.8	1.9	3.2	0.2	0.9	2.3	1.7	2.2	3.5	4.5	2.4	6	-73917
06-08 LST	3.6	2.8	2.2	0.4	1.6	0.4	0.7	1.4	1.9	2.2	4.4	4.7	2.2	6	-73917
09-11 LST	1.8	0.0	0.4	0.2	0.0	0.0	0.4	0.0	0.2	0.4	1.3	1.6	0.5	6	-73917
12-14 LST	0.5	0.4	0.0	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.6	1.3	0.3	6	-73917
15-17 LST	1.1	0.4	0.2	0.0	0.2	0.2	0.2	0.0	0.0	0.0	1.1	0.7	0.3	6	-73917
18-20 LST	2.9	1.4	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.7	0.7	0.5	6	-73917
21-23 LST	4.0	1.6	0.2	0.6	0.4	0.0	0.0	0.2	0.0	1.1	1.9	2.7	1.1	6	-73917

CLARKSDALE/FLETCHER FIELD, MISSISSIPPI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.3	26.2	30.7	29.6	30.5	30.0	30.7	30.8	29.5	30.2	28.1	29.1	351.7	6	-73917
	00 LST	25.6	25.3	29.6	29.2	30.0	29.6	30.2	30.8	29.3	29.0	27.8	27.0	343.4	6	-73917
	06 LST	24.3	23.9	28.6	28.1	29.0	29.0	28.6	29.3	26.0	27.2	26.5	25.1	325.8	6	-73917
	12 LST	26.7	26.0	30.0	29.6	30.2	29.6	30.8	30.8	29.3	29.1	27.5	28.8	348.4	6	-73917
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	13.1	15.2	16.0	16.3	20.3	21.8	23.2	25.8	23.0	25.0	20.3	17.7	237.7	6	-73917
	00 LST	10.8	12.6	15.3	15.5	24.1	25.1	27.8	28.0	26.3	24.6	18.5	15.7	244.3	6	-73917
	06 LST	9.1	11.6	14.3	15.7	22.3	22.3	24.0	25.8	23.3	22.0	18.5	15.6	224.5	6	-73917
	12 LST	5.6	8.6	8.8	6.7	12.0	13.7	17.1	18.2	13.3	12.3	10.7	9.7	136.7	6	-73917
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	3.5	2.3	3.0	1.5	0.7	0.5	0.3	0.3	0.5	1.3	0.7	1.9	16.5	6	-73917
	00 LST	5.4	2.2	4.0	1.5	0.7	0.3	0.2	0.2	0.0	0.3	1.8	2.1	18.7	6	-73917
	06 LST	4.7	1.5	3.3	1.5	1.3	0.2	0.0	0.2	0.0	0.5	1.2	2.4	16.8	6	-73917
	12 LST	9.6	8.1	8.5	7.7	4.7	0.8	0.7	1.6	2.0	3.1	7.6	7.5	61.9	6	-73917
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	18 LST	17.8	17.2	19.2	17.9	21.3	15.4	16.0	14.1	20.8	21.3	18.2	19.7	218.9	6	-73917
	00 LST	13.0	14.1	17.2	15.8	20.5	19.1	21.5	19.2	20.6	19.1	15.6	13.8	209.5	6	-73917
	06 LST	10.4	13.0	16.8	17.6	18.6	22.1	19.5	20.0	20.2	17.4	14.6	12.3	202.5	6	-73917
	12 LST	8.4	10.9	9.0	9.5	12.8	5.9	6.0	7.7	12.9	15.4	12.0	14.3	124.8	6	-73917
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	7.7	9.3	8.6	10.7	11.8	11.8	7.8	12.0	15.8	17.6	15.2	10.7	139.0	6	-73917
	00 LST	10.3	12.9	13.1	15.8	19.7	20.6	17.8	21.1	20.3	20.2	17.2	13.4	202.4	6	-73917
	06 LST	6.5	10.8	9.0	11.6	11.5	13.8	10.3	13.8	14.5	16.0	14.5	11.4	143.7	6	-73917
	12 LST	5.5	8.9	7.7	9.3	7.8	5.8	5.1	9.5	11.6	13.8	12.0	8.5	105.5	6	-73917
CIG = GTR 2300 FT AND VSBY = GTR 3 MI	18 LST	22.5	23.5	29.1	27.7	29.5	30.0	29.6	30.8	28.7	29.1	27.0	26.3	333.8	6	-73917
	00 LST	22.8	23.2	26.8	27.7	29.0	29.2	30.2	30.8	28.8	27.8	26.8	24.3	327.4	6	-73917
	06 LST	18.2	19.5	23.8	25.1	27.3	28.1	27.5	28.6	25.0	24.3	24.3	23.3	295.0	6	-73917
	12 LST	19.5	22.5	26.5	25.3	28.3	28.3	29.1	30.3	27.0	26.7	25.8	24.5	313.8	6	-73917
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.8	20.4	24.8	24.8	26.5	28.7	28.6	29.5	27.0	26.7	25.0	21.4	302.2	6	-73917
	00 LST	19.2	19.9	23.7	24.5	28.0	28.8	28.6	29.6	27.8	26.2	25.0	21.6	302.9	6	-73917
	06 LST	13.0	17.6	19.7	21.5	24.0	25.7	26.7	28.0	23.5	23.3	21.7	20.8	265.5	6	-73917
	12 LST	14.7	18.2	20.2	21.5	22.7	22.5	21.1	26.5	23.3	23.2	22.5	20.3	256.7	6	-73917
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.0	18.4	20.6	22.7	23.0	27.3	28.5	27.7	26.3	25.1	23.5	20.1	280.2	6	-73917
	00 LST	16.6	17.9	21.1	22.7	27.0	28.5	28.0	29.0	27.2	25.3	23.2	18.8	285.3	6	-73917
	06 LST	11.7	15.6	17.1	20.2	22.2	23.8	26.0	26.8	22.1	22.5	19.3	16.3	245.4	6	-73917
	12 LST	13.3	16.7	17.3	20.5	21.3	21.8	20.8	25.5	22.8	22.3	21.5	18.9	242.7	6	-73917

GREENWOOD MUNICIPAL, MISSISSIPPI

STA NO. 73917 (IN AREA NUMBER 13)

LATITUDE 3329N

LONGITUDE 09011W

ELEVATION(FT) 00129

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	83	87	92	97	103	111	111	108	108	98	87	83	111	62	-613
MEAN MAX TMP (F)	56	59	68	76	84	91	93	93	89	78	66	57	76	63	-113
MEAN MIN TMP (F)	36	38	45	53	61	68	71	70	64	52	42	37	53	63	-113
ABS MIN TMP (F)	-6	-6	15	28	37	49	51	51	3F	26	15	5	-6	62	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	7.3	22.7	25.3	24.5	12.5	3.2	0.0	0.0	95.5	6	2191
MEAN NO DYS TMP = DR LES 32(F)	7.2	4.3	2.7	0.0	0.0	0.0	0.0	0.0	0.0	1.3	8.5	12.3	36.3	6	2191
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	6	2191
MEAN DEW PT TMP (F)	42	41	43	50	61	69	71	70	62	52	38	37	53	6	52555
MEAN REL HUM (PCT)	76	72	67	67	69	69	73	71	69	70	66	72	70	6	52549
MEAN PRESS ALT (FT)	-88	-52	12	49	70	84	51	59	31	-12	-55	-85	5	0	-50
MEAN PRECIP (IN)	5.27	4.88	5.87	5.28	4.51	3.69	4.35	3.19	2.78	2.63	4.36	5.77	52.6	60	-113
MEAN SNOW FALL (IN)	1.0	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	2.2	62	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.9	8.5	7.4	7.3	7.0	6.4	7.1	5.8	4.7	4.5	6.8	9.4	83.8	60	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	6	2187
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.5	2.3	1.1	0.8	1.3	0.0	1.0	0.8	0.5	0.8	1.3	1.8	13.2	6	2190
MEAN NO DYS TSTMS	3.2	3.6	3.3	3.2	6.3	6.8	11.0	7.7	3.5	1.3	2.0	2.3	58.2	6	2190
P FREQ WND SPD = DR GTR 17 KTS	18.9	14.3	16.9	12.7	7.8	2.5	1.8	1.5	2.0	5.0	9.4	13.0	8.8	6	52553
P FREQ WND SPD = DR GTR 28 KTS	0.5	0.5	0.7	0.3	0.2	0.1	0.0	0.0	0.0	0.1	0.3	0.7	0.3	6	52553
P FREQ LES 5000 FT A/D LES 5 MI	44.7	29.2	26.0	21.3	16.0	11.3	11.9	7.0	14.1	19.3	22.0	30.1	21.1	6	52519
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	23.9	14.6	9.2	8.0	4.8	2.6	2.9	1.8	5.4	9.3	8.5	16.8	9.0	6	6560
03-05 LST	29.6	16.2	10.8	9.1	10.6	4.3	6.3	4.3	11.3	9.1	11.1	19.1	11.8	6	6565
06-08 LST	29.9	19.9	12.4	11.1	8.2	8.0	9.9	4.1	14.8	17.0	15.6	19.6	14.2	6	6569
09-11 LST	28.5	16.6	11.6	7.6	4.8	3.1	4.8	1.8	10.4	12.7	10.4	15.3	10.6	6	6569
12-14 LST	22.6	11.4	6.8	3.2	4.3	0.9	0.9	0.2	3.7	7.3	8.7	11.7	7.0	6	6568
15-17 LST	19.9	9.3	3.4	3.1	3.6	0.4	0.9	0.2	1.3	3.2	9.1	11.9	5.9	6	6568
18-20 LST	19.0	9.5	3.1	4.1	2.3	0.2	1.6	0.4	1.3	4.1	6.5	10.1	5.2	6	6566
21-23 LST	19.0	10.5	3.0	3.2	2.3	2.2	1.1	0.9	1.7	5.7	7.4	13.5	6.2	6	6554
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.5	3.0	1.3	1.3	1.4	0.0	0.2	0.5	0.2	1.6	3.0	3.6	1.6	6	6560
03-05 LST	2.0	4.7	1.8	1.9	3.2	0.2	0.9	2.3	1.7	2.2	3.5	4.5	2.4	6	6565
06-08 LST	3.6	2.8	2.2	0.4	1.6	0.4	0.7	1.4	1.9	2.2	4.4	4.7	2.2	6	6569
09-11 LST	1.8	0.0	0.4	0.2	0.0	0.0	0.4	0.0	0.2	0.4	1.3	1.6	0.5	6	6569
12-14 LST	0.5	0.4	0.0	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.6	1.3	0.3	6	6568
15-17 LST	1.1	0.4	0.2	0.0	0.2	0.2	0.2	0.0	0.0	0.0	1.1	0.7	0.3	6	6568
18-20 LST	2.9	1.4	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.7	0.7	0.5	6	6566
21-23 LST	4.0	1.6	0.2	0.6	0.4	0.0	0.0	0.2	0.0	1.1	1.9	2.7	1.1	6	6554

GREENWOOD MUNICIPAL, MISSISSIPPI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.3	26.2	30.7	29.6	30.5	30.0	30.7	30.8	29.5	30.2	28.1	29.1	351.7	6	2190
	00 LST	25.6	25.3	29.6	29.2	30.0	29.6	30.2	30.8	29.3	29.0	27.8	27.0	343.4	6	2190
	06 LST	24.3	23.9	28.6	28.1	29.0	29.0	28.6	29.5	26.0	27.2	26.5	25.1	325.8	6	2190
	12 LST	26.7	26.0	30.0	29.6	30.2	29.6	30.8	30.8	29.3	29.1	27.5	28.8	348.4	6	2190
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	13.1	15.2	16.0	16.3	20.3	21.8	23.2	25.8	23.0	25.0	20.3	17.7	237.7	6	2190
	00 LST	10.8	12.6	15.3	15.5	24.1	25.1	27.8	28.0	26.3	24.6	18.5	15.7	244.3	6	2190
	06 LST	9.1	11.6	14.3	15.7	22.3	22.3	24.0	25.8	23.3	22.0	18.5	15.6	224.5	6	2190
	12 LST	5.6	8.6	8.8	6.7	12.0	13.7	17.1	18.2	13.3	12.3	10.7	9.7	136.7	6	2190
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	3.5	2.3	3.0	1.5	0.7	0.5	0.3	0.3	0.5	1.3	0.7	1.9	16.5	6	2150
	00 LST	5.4	2.2	4.0	1.5	0.7	0.3	0.2	0.2	0.0	0.3	1.8	2.1	18.7	6	2150
	06 LST	4.7	1.5	3.3	1.5	1.3	0.2	0.0	0.2	0.0	0.3	1.2	2.4	16.8	6	2141
	12 LST	9.6	8.1	8.5	7.7	4.7	0.8	0.7	1.6	2.0	3.1	7.6	7.5	61.9	6	2153
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	17.8	17.2	19.2	17.9	21.3	15.4	16.0	14.1	20.8	21.3	18.2	19.7	218.9	6	2150
	00 LST	13.0	14.1	17.2	15.8	20.5	19.1	21.5	19.2	20.6	19.1	15.6	13.8	209.5	6	2150
	06 LST	10.4	13.0	16.8	17.6	18.6	22.1	19.5	20.0	20.2	17.4	14.6	12.3	202.5	6	2141
	12 LST	8.4	10.9	9.0	9.5	12.8	5.9	6.0	7.7	12.9	15.4	12.0	14.3	124.8	6	2153
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	7.7	9.3	8.6	10.7	11.8	11.8	7.8	12.0	15.8	17.6	15.2	10.7	139.0	6	2190
	00 LST	10.3	12.9	13.1	15.8	19.7	20.6	17.8	21.1	20.3	20.2	17.2	13.4	202.4	6	2190
	06 LST	6.5	10.8	9.0	11.6	11.5	13.8	10.3	13.8	14.5	16.0	14.5	11.4	143.7	6	2190
	12 LST	5.5	8.9	7.7	9.3	7.8	5.8	5.1	9.5	11.6	13.8	12.0	8.5	105.5	6	2190
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	22.5	23.5	29.1	27.7	29.5	30.0	29.6	30.8	28.7	29.1	27.0	26.3	333.8	6	2190
	00 LST	22.8	23.2	26.8	27.7	29.0	29.2	30.2	30.8	28.8	27.8	26.8	24.3	327.4	6	2190
	06 LST	18.2	19.5	23.8	25.1	27.3	28.1	27.5	28.6	25.0	24.3	24.3	23.3	295.0	6	2190
	12 LST	19.5	22.5	26.5	25.3	28.3	28.3	29.1	30.3	27.0	26.7	23.8	24.5	313.8	6	2190
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.8	20.4	24.8	24.8	26.5	28.7	28.6	29.5	27.0	26.7	25.0	21.4	302.2	6	2190
	00 LST	19.2	19.9	23.7	24.5	28.0	28.8	28.6	29.6	27.8	26.2	25.0	21.6	302.9	6	2190
	06 LST	13.0	17.6	19.7	21.5	24.0	25.7	26.7	28.0	23.5	23.3	21.7	20.8	265.5	6	2190
	12 LST	14.7	18.2	20.2	21.5	22.7	22.5	21.1	26.5	23.3	23.2	22.5	20.3	256.7	6	2190
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.0	18.4	20.6	22.7	25.0	27.3	26.5	27.7	26.3	25.1	23.5	20.1	280.2	6	2190
	00 LST	16.6	17.9	21.1	22.7	27.0	28.5	28.0	29.0	27.2	25.3	23.2	18.8	285.3	6	2190
	06 LST	11.7	15.6	17.1	20.2	22.2	23.8	26.0	26.8	22.1	22.3	19.3	18.3	245.4	6	2190
	12 LST	13.3	16.7	17.3	20.5	21.3	21.8	20.8	25.5	22.8	22.3	21.5	18.9	242.7	6	2190

JACKSON, MISSISSIPPI

STA NO. 75240 (IN AREA NUMBER 13)

LATITUDE 3220N

LONGITUDE 09013W

ELEVATION(FT) 00332

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
ABS MAX TMP (F)	85	83	88	93	99	105	104	106	103	96	86	84	106	29	-613
MEAN MAX TMP (F)	59	62	68	76	84	91	93	93	88	80	67	60	77	29	-113
MEAN MIN TMP (F)	38	41	46	53	62	69	71	70	65	53	43	39	54	29	-113
ABS MIN TMP (F)	-5	1	17	30	42	48	57	54	41	28	16	14	-5	29	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.2	6.9	19.9	25.4	24.7	13.2	2.7	0.0	0.0	93.0	12	4383
MEAN NO DYS TMP = OR LES 32(F)	10.9	6.2	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.5	6.2	11.2	38.6	12	4383
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	39	41	43	52	61	68	71	69	64	53	41	38	53	12	105088
MEAN REL HUM (PCT)	74	71	67	68	70	71	74	72	71	68	68	72	71	12	105088
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.99	4.94	5.64	5.62	4.13	3.93	4.64	3.34	2.48	1.94	3.70	5.32	50.7	29	-113
MEAN SNOW FALL (IN)	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.6	29	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.6	8.5	7.4	7.4	6.9	6.7	7.4	6.0	4.3	3.6	5.9	8.9	81.6	29	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	12	4270
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.9	0.6	0.6	0.6	0.4	0.4	0.4	0.2	1.1	1.9	1.5	1.6	11.2	12	4381
MEAN NO DYS TSTMS	2.4	3.2	6.2	6.2	7.6	8.4	13.3	9.3	4.4	1.9	1.7	2.1	66.7	12	4383
P FREQ WND SPD = OR GTR 17 KTS	3.4	3.8	3.9	2.3	0.6	0.4	0.2	0.3	0.2	0.7	1.9	2.7	1.7	12	105087
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	105087
P FREQ LES 5000 FT A/D LES 3 MI	38.9	35.5	28.2	23.4	18.5	14.1	13.9	12.7	20.1	20.6	27.5	32.0	23.8	12	105083
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	24.6	22.2	15.1	11.9	8.9	5.3	4.3	4.1	9.8	10.2	16.7	16.6	12.5	12	13141
03-05 LST	28.0	24.9	18.1	16.6	13.4	9.0	8.2	8.2	17.3	17.1	19.0	21.6	16.8	12	13133
06-08 LST	31.2	26.0	19.0	19.4	15.2	14.0	10.4	10.8	23.1	23.1	20.9	22.9	19.7	12	13131
09-11 LST	26.5	21.2	15.2	8.6	6.5	5.2	4.3	4.6	12.1	12.0	14.2	20.3	12.6	12	13134
12-14 LST	18.5	13.8	9.2	4.5	2.6	1.4	1.2	1.6	4.4	3.1	9.2	17.1	7.2	12	13141
15-17 LST	16.9	13.2	7.1	3.8	1.6	1.8	1.7	1.3	4.4	2.9	8.8	14.4	6.5	12	13137
18-20 LST	16.1	14.7	7.8	4.3	2.8	1.4	1.1	1.7	4.4	4.1	7.6	13.8	6.7	12	13133
21-23 LST	18.5	16.8	9.8	6.9	3.0	2.4	2.1	1.8	5.6	5.6	9.6	14.2	8.0	12	13133
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.0	2.8	0.8	0.7	0.5	0.5	0.4	0.4	0.8	0.8	1.8	3.5	1.3	12	13141
03-05 LST	4.4	4.1	2.4	1.8	1.1	1.1	1.6	1.6	3.8	3.8	3.4	4.8	2.8	12	13133
06-08 LST	6.8	4.8	2.7	2.9	0.7	1.0	1.0	1.4	4.8	6.2	5.0	5.7	3.6	12	13131
09-11 LST	2.6	1.0	0.7	0.0	0.1	0.0	0.1	0.1	0.2	0.5	0.8	2.6	0.7	12	13134
12-14 LST	0.6	0.3	0.4	0.2	0.1	0.0	0.2	0.1	0.0	0.1	0.2	0.7	0.2	12	13141
15-17 LST	0.9	0.6	0.3	0.1	0.0	0.0	0.2	0.1	0.0	0.0	0.3	0.4	0.2	12	13137
18-20 LST	1.5	1.1	0.4	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.2	1.3	0.4	12	13133
21-23 LST	1.5	1.4	0.8	0.2	0.2	0.0	0.0	0.0	0.3	0.3	0.6	2.4	0.6	12	13133

JACKSON, MISSISSIPPI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.7	25.3	29.4	29.2	30.6	29.5	30.7	30.8	29.0	30.3	28.3	27.7	348.5	12	4381
	00 LST	26.2	23.5	28.4	28.8	29.4	29.4	30.3	30.2	28.1	29.0	26.5	26.6	336.4	12	4381
	06 LST	24.0	22.9	26.7	25.4	27.6	27.2	28.1	27.8	23.9	24.9	25.1	25.6	309.2	12	4381
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	12 LST	26.6	24.9	29.3	29.3	30.7	29.8	30.8	30.6	29.3	30.2	27.8	26.7	346.0	12	4381
	18 LST	20.0	17.8	20.4	22.6	26.3	27.4	27.7	27.6	25.9	27.6	23.3	20.6	287.2	12	4381
	00 LST	18.2	16.5	20.6	21.9	26.1	27.7	29.4	29.6	26.3	26.5	20.6	19.9	283.3	12	4381
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	16.2	16.7	20.0	19.7	23.7	25.1	27.1	26.7	22.1	22.1	20.0	19.2	258.6	12	4381
	12 LST	11.8	10.7	12.2	12.8	19.3	22.1	24.8	24.9	20.0	19.3	14.7	12.9	205.5	12	4381
	18 LST	0.7	0.5	0.8	0.2	0.0	0.2	0.2	0.1	0.0	0.1	0.3	0.3	3.4	12	4279
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	00 LST	0.3	0.8	0.9	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.6	3.2	12	4304
	06 LST	0.5	0.5	0.3	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.6	2.2	12	4272
	12 LST	1.6	2.1	2.1	1.5	0.4	0.2	0.1	0.2	0.3	0.8	1.3	1.7	12.3	12	4299
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	18 LST	16.9	14.5	18.3	17.7	18.7	14.1	14.0	13.1	15.2	12.9	13.1	13.9	182.4	12	4279
	00 LST	13.4	12.2	14.2	15.6	14.8	11.8	11.2	10.4	13.4	12.3	12.1	12.7	154.1	12	4304
	06 LST	11.5	11.9	14.4	13.6	13.7	12.8	10.0	8.6	9.7	8.2	11.2	11.1	136.7	12	4272
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	12 LST	13.7	12.1	14.2	14.5	17.6	13.3	11.0	11.0	16.2	17.9	14.8	15.0	171.3	12	4299
	18 LST	9.3	8.6	9.6	11.3	11.2	11.5	6.1	10.5	12.5	17.0	13.5	10.4	131.5	12	4381
	00 LST	10.6	10.3	11.7	14.4	16.1	17.1	16.2	19.1	16.2	19.2	14.6	12.2	177.7	12	4381
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	8.6	7.9	9.4	10.3	9.3	11.7	10.2	12.9	12.0	15.0	11.1	10.2	128.6	12	4381
	12 LST	6.8	7.3	8.6	9.2	7.5	4.9	2.6	6.7	10.1	13.3	11.4	9.6	98.0	12	4381
	18 LST	24.5	22.8	27.5	28.1	29.7	29.3	30.6	30.3	28.1	29.6	26.7	25.4	332.6	12	4381
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	22.2	20.6	25.3	25.9	28.6	28.4	29.7	29.8	26.9	27.7	24.5	23.8	313.4	12	4381
	06 LST	19.7	19.4	23.3	22.1	25.3	25.7	27.6	27.1	22.7	23.0	22.0	22.7	280.6	12	4381
	12 LST	22.2	21.1	25.2	27.5	28.9	28.5	29.3	28.8	26.3	27.8	25.1	23.9	314.6	12	4381
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	21.0	20.4	24.1	25.0	27.4	27.1	27.7	28.5	26.1	27.8	24.4	22.3	301.8	12	4381
	00 LST	19.1	18.3	22.7	23.8	27.3	27.8	29.2	29.6	26.2	26.2	21.9	20.2	292.3	12	4381
	06 LST	16.2	16.4	19.9	20.1	23.3	24.8	26.4	26.5	21.7	21.4	19.3	18.9	254.9	12	4381
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	12 LST	17.6	17.1	20.0	21.8	23.0	22.7	20.6	21.6	21.8	23.6	20.6	20.6	251.0	12	4381
	18 LST	18.7	18.1	21.3	22.9	26.2	26.5	26.6	27.5	24.7	26.5	21.8	19.6	280.4	12	4381
	00 LST	17.1	16.7	20.5	22.0	26.1	27.2	28.4	28.6	25.7	25.5	20.6	18.2	276.6	12	4381
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	14.7	14.3	17.8	18.3	21.7	23.6	25.1	25.7	21.1	20.4	17.6	16.2	236.5	12	4381
	12 LST	15.2	15.3	18.2	20.6	22.5	22.2	20.4	21.1	21.2	23.1	19.4	18.4	237.6	12	4381

YAZOO CITY/BARRIER FIELD, MISSISSIPPI

STA NO. 75419 (IN AREA NUMBER 13)

LATITUDE 3252N

LONGITUDE 09024W

ELEVATION(FT) 00110

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	84	91	91	96	103	110	109	107	109	99	90	84	110	65	-113
MEAN MAX TMP (F)	58	60	69	77	85	92	94	94	90	80	68	59	77	65	-113
MEAN MIN TMP (F)	37	38	46	53	61	68	71	70	64	52	42	37	53	65	-113
ABS MIN TMP (F)	-1	-2	16	28	37	46	51	51	33	23	13	5	-2	64	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	8.0	21.0	28.0	26.0	17.0	4.0	0.0	0.0	104.3	9	-113
MEAN NO DYS TMP = DR LES 32(F)	14.0	8.0	5.0	0.3	0.0	0.0	0.0	0.0	0.0	2.0	10.0	13.0	52.3	9	-113
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	64	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	-107	-72	-4	33	54	67	37	42	9	-33	-75	-104	-12	0	-50
MEAN PRECIP (IN)	5.12	4.88	5.74	5.02	4.15	3.98	4.29	3.70	2.39	2.43	3.87	5.10	50.7	74	-113
MEAN SNOW FALL (IN)	0.9	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.7	64	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.7	8.5	7.4	7.2	6.9	6.8	7.1	6.4	4.2	4.2	6.1	8.7	82.2	74	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	64	-29
MEAN NO DYS W/O CUR VS BY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

YAZOO CITY/BARRIER FIELD, MISSISSIPPI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DYS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	00 LST	06 LST	12 LST	18 LST	00 LST	06 LST	12 LST	18 LST	00 LST	06 LST	12 LST	18 LST	0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	00 LST	06 LST	12 LST	18 LST	00 LST	06 LST	12 LST	18 LST	00 LST	06 LST	12 LST	18 LST	0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	00 LST	06 LST	12 LST	18 LST	00 LST	06 LST	12 LST	18 LST	00 LST	06 LST	12 LST	18 LST	0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	00 LST	06 LST	12 LST	18 LST	00 LST	06 LST	12 LST	18 LST	00 LST	06 LST	12 LST	18 LST	0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	00 LST	06 LST	12 LST	18 LST	00 LST	06 LST	12 LST	18 LST	00 LST	06 LST	12 LST	18 LST	0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	00 LST	06 LST	12 LST	18 LST	00 LST	06 LST	12 LST	18 LST	00 LST	06 LST	12 LST	18 LST	0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	00 LST	06 LST	12 LST	18 LST	00 LST	06 LST	12 LST	18 LST	00 LST	06 LST	12 LST	18 LST	0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	00 LST	06 LST	12 LST	18 LST	00 LST	06 LST	12 LST	18 LST	00 LST	06 LST	12 LST	18 LST	0	0

DATA NOT AVAILABLE

DE KALB/BRAVO OLF, MISSISSIPPI

STA NO. 75420 (IN AREA NUMBER 13)

LATITUDE 3247N

LONGITUDE 08849W

ELEVATION(FT) 00540

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PUR (YRS)	NO. OBS
ABS MAX TMP (F)	80	85	87	89	96	100	99	97	98	94	86	80	100	5	-73274
MEAN MAX TMP (F)	55	59	67	77	86	88	91	91	87	79	66	56	75	5	-73274
MEAN MIN TMP (F)	32	34	41	52	59	65	69	69	63	49	43	34	51	5	-73274
ABS MIN TMP (F)	1	13	21	28	40	52	58	58	42	28	22	2	1	5	-73274
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	7.5	11.7	20.7	19.8	11.5	2.2	0.0	0.0	73.4	5	-73274
MEAN NO DYS TMP = OR LES 32(F)	17.2	15.1	7.0	0.8	0.0	0.0	0.0	0.0	0.0	0.7	6.0	14.2	61.0	5	-73274
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-73274
MEAN DEW PT TMP (F)	35	37	42	53	60	67	70	70	64	53	45	37	53	5	-73274
MEAN REL HUM (PCT)	78	73	67	70	71	78	79	78	76	73	75	77	75	5	-73274
MEAN PRESS ALT (FT)	320	356	415	449	470	486	451	462	443	397	352	323	410	0	-50
MEAN PRECIP (IN)	5.93	4.03	5.10	5.73	1.77	5.88	4.75	2.31	1.17	2.22	3.86	6.22	49.0	5	-73274
MEAN SNOW FALL (IN)	1.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0	72.2	5	-73274
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.2	5.9	7.5	6.2	3.5	7.2	9.2	4.8	3.3	2.7	5.7	8.0	72.2	5	-73274
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.7	5	-73274
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.0	3.0	2.3	3.0	0.7	2.5	0.7	1.3	2.0	3.3	4.8	5.0	32.6	5	-73274
MEAN NO DYS TSYMS	1.7	3.0	4.2	6.5	3.7	9.2	12.5	6.9	3.2	0.7	1.6	2.0	55.2	5	-73274
P FREQ WND SPD = OR GTR 17 KTS	1.2	1.8	1.3	0.4	0.1	0.0	0.2	0.1	0.0	0.3	0.4	0.5	0.5	5	-73274
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-73274
P FREQ LES 3000 FT A/D LES 5 MI	40.0	35.1	36.8	33.3	19.2	29.4	23.3	21.5	21.4	16.4	32.7	43.3	29.4	5	-73274
P FREQ LES 1500 FT A/D LES 3 MI	28.1	14.8	14.9	12.3	3.9	6.0	3.2	9.7	9.3	7.9	16.0	27.2	12.4	5	-73274
FOR 00-02 LST	27.1	21.2	18.6	26.0	9.0	20.3	8.4	9.0	13.0	9.3	15.6	32.5	17.5	5	-73274
03-05 LST	27.1	24.4	27.4	29.7	12.9	22.0	12.3	10.8	17.4	19.0	26.9	32.8	21.9	5	-73274
06-08 LST	30.6	28.3	16.9	12.0	2.9	16.7	5.2	4.7	13.3	12.5	22.2	33.6	16.6	5	-73274
09-11 LST	23.9	13.4	12.1	4.3	1.6	3.7	1.6	1.4	7.4	7.5	15.8	28.0	10.1	5	-73274
12-14 LST	18.7	8.5	9.7	5.0	1.6	2.7	1.3	0.4	5.2	3.2	13.6	23.4	7.8	5	-73274
15-17 LST	21.3	11.0	8.1	5.0	0.0	2.7	1.9	0.4	4.1	2.2	10.7	23.1	7.5	5	-73274
18-20 LST	22.9	10.6	10.0	8.0	0.6	2.3	1.9	0.4	6.7	5.4	15.6	26.9	9.3	5	-73274
21-23 LST															
P FREQ LES 300 FT A/D LES 1 MI	8.1	5.3	1.3	1.3	0.0	1.7	0.0	1.1	3.0	2.2	6.4	10.2	3.4	5	-73274
FOR 00-02 LST	8.4	5.3	3.6	3.7	2.3	8.0	1.0	1.1	5.9	3.6	8.2	15.9	5.6	5	-73274
03-05 LST	9.7	7.1	5.9	6.0	2.3	3.0	2.3	1.4	3.3	8.6	10.4	16.1	6.3	5	-73274
06-08 LST	8.1	1.4	1.3	0.0	0.3	0.0	0.0	0.0	1.1	5.1	7.8	2.1		5	-73274
09-11 LST	2.9	0.0	1.0	0.3	0.0	0.3	0.0	0.4	0.0	0.7	4.0	4.3	1.2	5	-73274
12-14 LST	3.5	0.0	1.3	0.0	0.0	0.7	0.3	0.0	0.0	1.1	3.1	4.0	1.2	5	-73274
15-17 LST	4.8	0.7	1.3	0.3	0.0	0.7	0.3	0.0	0.4	0.0	2.4	6.7	1.5	5	-73274
18-20 LST	6.8	2.5	1.3	0.7	0.0	0.3	0.0	0.4	3.0	1.1	4.0	8.9	2.4	5	-73274
21-23 LST															

DE KALB/BRAVO OLF, MISSISSIPPI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.2	25.0	28.2	29.5	31.0	29.3	30.5	31.0	29.0	30.7	27.4	25.0	342.8	5	-73274
	00 LST	25.7	25.0	27.5	28.2	30.7	28.5	30.7	29.6	28.3	29.3	25.4	24.2	333.1	5	-73274
	06 LST	25.0	22.8	24.4	22.0	26.7	23.0	25.7	27.0	25.0	26.3	23.2	23.0	294.1	5	-73274
	12 LST	25.0	25.8	28.2	29.3	31.0	30.0	30.7	31.0	28.3	30.0	25.2	23.7	338.2	5	-73274
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	22.0	21.8	21.0	28.2	30.7	28.2	30.2	30.0	28.0	30.3	24.8	20.5	315.7	5	-73274
	00 LST	20.0	19.8	22.5	25.5	30.5	28.2	30.0	29.0	27.0	28.0	23.2	21.0	304.7	5	-73274
	06 LST	20.5	18.1	18.4	18.0	25.2	22.0	25.2	26.7	24.0	25.0	21.0	20.7	264.8	5	-73274
	12 LST	19.5	12.1	18.6	23.0	28.0	26.3	28.2	29.6	24.7	25.3	19.8	14.5	263.6	5	-73274
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.2	0.3	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.7	5	-73274
	00 LST	0.0	0.3	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	5	-73274
	06 LST	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	5	-73274
	12 LST	1.1	1.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	5	-73274
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	12.9	15.4	18.0	18.4	10.2	8.3	9.0	7.0	6.1	7.8	12.1	12.2	137.4	5	-73274
	00 LST	7.7	9.6	14.0	10.4	5.2	2.8	3.3	2.0	6.7	5.4	10.3	9.7	87.1	5	-73274
	06 LST	8.6	9.2	10.6	9.8	3.5	2.5	3.0	3.0	6.7	3.3	9.2	8.3	77.7	5	-73274
	12 LST	17.5	18.6	20.8	21.7	18.4	12.3	9.3	10.7	16.7	20.9	22.2	19.8	208.9	5	-73274
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.5	9.4	7.8	9.0	11.0	9.5	5.0	8.6	9.3	17.0	10.8	10.7	117.6	5	-73274
	00 LST	13.5	13.4	12.2	16.2	20.5	16.9	14.1	20.6	17.6	22.0	14.0	13.5	194.5	5	-73274
	06 LST	12.5	10.9	7.8	6.5	9.0	9.8	5.5	9.3	11.0	16.3	8.6	12.0	119.2	5	-73274
	12 LST	9.7	8.9	8.3	9.2	7.2	3.5	1.2	3.0	9.3	14.3	8.6	8.5	91.7	5	-73274
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.3	22.8	24.7	27.5	30.7	28.5	30.0	30.3	27.7	30.3	25.6	21.2	322.6	5	-73274
	00 LST	21.2	21.5	23.3	26.3	30.0	28.0	30.2	29.0	27.0	28.3	23.4	21.2	309.4	5	-73274
	06 LST	22.0	18.3	17.9	18.0	25.2	21.8	25.5	26.0	23.3	25.0	20.4	20.5	263.9	5	-73274
	12 LST	20.5	19.8	23.7	24.8	29.2	22.5	27.5	28.3	24.0	26.7	22.8	18.5	288.3	5	-73274
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.0	20.8	21.0	22.7	26.7	25.0	25.2	28.0	25.7	28.3	21.8	19.2	283.4	5	-73274
	00 LST	19.2	19.8	19.2	24.0	29.2	25.4	28.7	28.0	25.3	27.3	20.6	19.2	285.9	5	-73274
	06 LST	18.2	16.4	14.8	15.8	24.2	20.7	24.2	24.0	22.0	23.7	17.0	17.5	238.5	5	-73274
	12 LST	18.7	17.1	18.1	19.5	21.7	13.2	14.8	16.3	18.7	24.0	20.2	15.7	218.0	5	-73274
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	16.7	19.3	20.2	21.0	25.0	22.7	22.4	26.0	24.7	26.7	19.0	17.5	261.2	5	-73274
	00 LST	17.7	19.3	17.7	23.5	28.5	25.2	28.0	27.7	25.3	26.0	19.0	18.2	276.1	5	-73274
	06 LST	17.2	15.6	13.9	13.5	24.0	19.7	21.9	20.6	21.0	22.0	15.6	16.2	221.2	5	-73274
	12 LST	15.5	16.1	17.4	17.0	20.5	12.5	13.3	16.0	17.6	23.3	17.4	14.7	201.3	5	-73274

OXFORD/UNIVERSITY, MISSISSIPPI

STA NO. 75421 (IN AREA NUMBER 13) LATITUDE 3423N LONGITUDE 08932W ELEVATION(FT) 00445

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	80	83	91	93	98	104	108	107	110	98	86	81	110	58	-113
MEAN MAX TMP (F)	54	56	65	74	82	89	91	92	87	77	63	55	74	61	-113
MEAN MIN TMP (F)	34	36	43	52	59	67	70	69	64	53	41	35	52	62	-113
ABS MIN TMP (F)	-8	-10	11	27	32	44	53	50	37	24	6	2	-10	58	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	3.0	16.0	24.0	27.0	14.0	2.0	0.0	0.0	86.3	9	-113
MEAN NO DYS TMP = OR LES 32(F)	15.0	9.0	8.0	1.0	0.0	0.0	0.0	0.0	0.0	1.0	9.0	13.0	56.0	10	-113
MEAN NO DYS TMP = OR LES 0(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	-50
MEAN PRESS ALT (FT)	228	264	325	359	381	396	361	372	351	305	260	231	319	0	-113
MEAN PRECIP (IN)	9.39	4.68	5.80	5.09	4.20	4.30	4.17	3.29	3.05	2.47	4.39	5.20	52.0	62	-113
MEAN SNOW FALL (IN)	1.6	0.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.6	3.5	61	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.0	8.3	7.4	7.2	6.9	7.1	7.0	6.0	5.1	4.3	6.8	8.8	83.9	62	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.4	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.8	61	-29
MEAN NO DYS W/O CUR VS BY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

OXFORD/UNIVERSITY, MISSISSIPPI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG =GTR 2000 FT AND VSBY =GTR														0	0
3 MI W/SFC WND LES 10 KTS														0	0
														0	0
														0	0
SFC WND = GTR 17 KTS AND														0	0
NO PRECIP.														0	0
														0	0
														0	0
SFC WND 4-10 KTS AND TMP 33-89														0	0
DEG F AND NO PRECIP.														0	0
														0	0
														0	0
SKY COVER LES 3/10 AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 2500 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 6000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 10000 FT AND														0	0
VSRY = GTR 3 MI														0	0
														0	0
														0	0

DATA NOT AVAILABLE

VICKSBURG MUNICIPAL, MISSISSIPPI

STA NO. 75422 (IN AREA NUMBER 13)

LATITUDE 3214N

LONGITUDE 0905W

ELEVATION(FT) 0011

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	82	84	92	92	97	101	102	101	104	94	86	82	104	87	-113
MEAN MAX TMP (F)	57	60	68	75	82	88	90	90	86	77	66	59	75	87	-113
MEAN MIN TMP (F)	40	43	49	56	64	70	73	72	67	57	47	42	57	87	-113
ABS MIN TMP (F)	3	-1	17	31	43	52	59	54	41	31	20	10	-1	87	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	3.0	17.0	22.0	22.0	10.0	1.0	0.0	0.0	75.3	10	-113
MEAN NO DYS TMP = OR LES 32(F)	7.0	4.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3.0	6.0	22.3	10	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	87	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	-104	-70	0	39	61	73	43	46	9	-31	-73	-102	-8	0	-50
MEAN PRECIP (IN)	5.15	4.93	5.82	5.30	4.34	3.78	4.18	3.23	2.76	2.52	4.06	5.17	51.2	89	-113
MEAN SNOW FALL (IN)	0.9	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.7	76	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.8	8.5	7.4	7.3	7.0	6.5	7.0	5.9	4.7	4.3	6.4	8.8	82.6	89	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	76	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0


VICKSBURG MUNICIPAL, MISSISSIPPI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	10	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR	10	LST												0	0
3 MI W/SFC WND LES 10 KTS	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
SFC WND = GTR 17 KTS AND	10	LST												0	0
NO PRECIP.	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	10	LST												0	0
DEG F AND NO PRECIP.	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
SKY COVER LES 3/10 AND	10	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
CIG = GTR 2500 FT AND	10	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
CIG = GTR 6000 FT AND	10	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
	06	LST												0	0
	12	LST												0	0
CIG = GTR 10000 FT AND	10	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
	06	LST												0	0
	12	LST												0	0

DATA NOT AVAILABLE

MISSOURI



ST LOUIS/LAMBERT, MISSOURI

STA NO. 72434 (IN AREA NUMBER 13)

LATITUDE 3844N

LONGITUDE 09021W

ELEVATION(FT) 00571

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	77	78	86	91	98	105	115	104	104	94	86	76	115	23	-113
MEAN MAX TMP (F)	40	44	53	66	75	85	89	87	81	70	54	43	66	30	-116
MEAN MIN TMP (F)	24	25	32	44	53	63	67	66	58	47	35	27	45	30	-116
ABS MIN TMP (F)	-14	-7	-5	24	33	47	52	50	32	22	3	-4	-14	23	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	2.0	11.0	16.0	16.0	7.0	0.3	0.0	0.0	52.6	10	-113
MEAN NO DYS TMP = OR LES 32(F)	26.0	19.0	17.0	2.0	0.0	0.0	0.0	0.0	0.0	1.0	13.0	22.0	100.0	10	-113
MEAN NO DYS TMP = OR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			23	-29
MEAN DEW PT TMP (F)	21	23	30	39	49	60	65	64	58	44	34	26	43	22	-29
MEAN REL HUM (PCT)	68	66	64	60	63	66	68	68	71	63	69	72	67	6	-116
MEAN PRESS ALT (F)	386	392	470	501	529	537	513	508	459	431	421	392	462	0	-50
MEAN PRECIP (IN)	1.98	2.04	3.08	3.71	3.73	4.29	3.30	3.02	2.76	2.86	2.57	1.97	35.3	30	-116
MEAN SNOW FALL (IN)	4.4	4.1	4.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.9	17.5	30	-116
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.6	4.7	6.2	6.6	6.7	7.1	6.0	5.6	4.7	4.8	4.4	4.6	66.0	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.0	0.9	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	3.9	30	-29
MEAN NO DYS W/O CUR VS BY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	1.0	3.0	5.0	7.0	9.0	7.0	7.0	5.0	3.0	1.0	0.0	49.0	59	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

ST LOUIS/LAMBERT, MISSOURI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0

DATA NOT AVAILABLE

DEXTER MUNICIPAL, MISSOURI

STA NO. 73370 (IN AREA NUMBER 13)

LATITUDE 3646N

LONGITUDE 08936W

ELEVATION(FT) 00303

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. UBS
ABS MAX TMP (F)	78	76	84	88	96	105	104	104	103	93	83	78	105	11	-73316
MEAN MAX TMP (F)	49	53	61	69	80	90	92	90	83	75	59	49	71	11	-73316
MEAN MIN TMP (F)	32	34	41	49	59	68	70	69	60	50	37	31	50	11	-73316
ABS MIN TMP (F)	-9	-5	6	29	36	50	53	52	38	25	6	0	-9	11	-73316
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	3.3	16.4	20.4	19.2	5.9	1.0	0.0	0.0	66.2	11	-73316
MEAN NO DYS TMP = DR LES 32(F)	15.9	11.3	6.3	0.5	0.0	0.0	0.0	0.0	0.0	1.0	10.2	19.0	64.2	11	-73316
MEAN NO DYS TMP = DR LES 0(F)	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	11	-73316
MEAN DEW PT TMP (F)	35	36	40	47	58	68	69	68	60	50	36	32	50	9	-73316
MEAN REL HUM (PCT)	78	73	70	68	71	71	70	72	72	69	67	74	71	9	-73316
MEAN PRESS ALT (FT)	91	120	191	226	246	257	232	232	189	152	123	94	179	0	-50
MEAN PPRECIP (IN)	4.62	3.65	4.52	4.46	4.66	4.39	3.26	3.60	3.95	3.50	3.88	3.56	48.0	37	-113
MEAN SLOW FALL (IN)	2.0	0.7	0.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.4	4.9	8	-73316
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.2	7.0	7.0	7.0	7.1	7.2	5.9	6.3	6.2	5.6	6.1	6.9	80.5	37	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.6	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	1.1	8	-73316
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.9	2.6	1.2	0.5	0.8	0.4	0.3	1.1	1.1	1.5	1.1	2.6	16.1	9	-73316
MEAN NO DYS TSTMS	2.1	2.5	3.2	3.3	6.7	7.4	8.5	6.6	4.1	1.6	2.1	1.2	53.3	11	-73316
P FREQ WND SPD = DR GTR 17 KTS	5.2	4.1	6.5	5.0	2.8	0.8	0.3	0.3	0.5	1.0	3.0	3.3	2.7	9	-73316
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.1	9	-73316
P FREQ LES 5000 FT A/D LES 5 MI	51.6	41.4	33.3	26.0	23.9	15.4	11.8	14.1	22.5	24.2	29.9	41.2	27.9	9	-73316
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	25.7	20.2	9.3	5.2	7.7	2.0	1.2	3.0	8.0	5.6	8.2	19.3	9.6	9	-73316
03-05 LST	27.6	20.5	13.2	10.3	14.1	4.6	4.2	7.3	12.5	9.1	11.5	22.0	13.1	9	-73316
06-08 LST	33.2	26.4	22.0	13.4	14.0	7.4	7.2	8.0	13.6	16.0	18.8	24.9	17.2	9	-73316
09-11 LST	34.1	26.7	17.3	13.3	10.7	4.6	3.4	5.6	11.5	9.2	11.3	21.5	14.1	9	-73316
12-14 LST	30.2	18.7	12.2	9.7	7.3	2.2	1.7	2.3	6.2	7.4	8.6	18.2	10.4	7	-73316
15-17 LST	29.5	14.6	8.6	4.0	4.3	1.9	1.0	1.3	4.0	6.3	8.2	18.0	8.5	9	-73316
18-20 LST	25.6	14.6	9.5	2.8	4.5	1.6	0.1	1.4	4.0	5.6	8.5	20.1	8.2	9	-73316
21-23 LST	25.2	13.0	9.6	3.7	6.1	2.1	0.1	2.0	4.6	6.5	7.9	19.3	8.3	9	-73316
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.0	4.9	0.9	0.1	1.0	0.0	0.1	0.4	1.5	1.2	0.8	4.0	1.5	9	-73316
03-05 LST	3.6	5.6	1.6	0.5	2.9	0.6	0.4	2.3	3.7	2.1	1.0	4.3	2.4	9	-73316
06-08 LST	5.9	5.0	2.2	1.4	1.7	0.7	0.6	0.8	2.3	1.7	3.9	5.7	2.7	9	-73316
09-11 LST	3.9	2.9	1.2	0.6	0.4	0.1	0.0	0.0	1.1	0.5	1.9	3.6	1.4	9	-73316
12-14 LST	2.0	0.4	0.8	0.1	0.1	0.1	0.1	0.0	0.0	0.3	0.7	3.1	0.6	9	-73316
15-17 LST	0.9	1.5	0.8	0.1	0.1	0.1	0.1	0.0	0.0	0.3	1.0	3.0	0.7	9	-73316
18-20 LST	2.4	1.5	0.4	0.0	0.1	0.0	0.0	0.0	0.2	0.0	1.0	3.0	0.7	9	-73316
21-23 LST	3.4	1.5	0.3	0.0	0.4	0.0	0.0	0.0	0.5	0.8	0.8	4.3	1.0	9	-73316

DEXTER MUNICIPAL, MISSOURI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	24.1	24.6	29.1	29.4	30.2	29.4	31.0	30.5	29.3	29.3	27.9	25.9	340.7	9	-73316
	00 LST	25.1	23.7	29.1	29.4	29.0	29.6	31.0	30.2	28.4	29.8	28.4	26.8	340.5	9	-73316
	06 LST	24.7	22.4	26.1	26.7	27.5	28.4	28.9	28.9	26.1	26.6	25.2	24.7	316.2	9	-73316
	12 LST	23.5	24.0	28.3	28.8	29.5	29.6	30.8	30.5	29.1	29.5	28.1	26.0	337.7	9	-73316
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	16.9	18.8	19.1	20.5	24.4	26.4	29.8	29.6	27.5	27.1	22.1	18.2	280.4	9	-73316
	00 LST	14.2	16.8	18.4	22.2	25.0	27.4	29.8	29.1	26.8	26.8	22.5	19.3	278.3	9	-73316
	06 LST	14.1	14.6	16.1	18.5	22.2	25.0	26.4	26.9	23.6	23.6	19.9	16.9	247.8	9	-73316
	12 LST	11.6	11.8	11.2	9.8	16.2	20.9	23.2	25.2	21.2	18.6	13.9	13.7	197.3	9	-73316
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.9	0.8	0.9	0.7	0.2	0.2	0.1	0.0	0.0	0.0	0.6	1.1	5.5	9	-73316
	00 LST	1.8	0.5	1.4	0.3	0.1	0.0	0.0	0.1	0.0	0.1	0.5	0.4	5.2	9	-73316
	06 LST	1.0	0.8	1.3	0.5	0.1	0.0	0.0	0.0	0.0	0.1	0.5	0.7	5.0	9	-73316
	12 LST	3.3	2.5	3.6	3.0	1.9	0.9	0.1	0.0	0.4	0.5	1.7	1.9	19.8	9	-73316
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	14.4	15.8	17.6	17.9	17.1	15.2	12.6	13.3	13.4	17.7	14.8	14.5	184.3	9	-73316
	00 LST	12.7	13.7	15.5	19.8	15.1	13.9	14.5	11.3	12.8	13.4	12.8	12.3	167.8	9	-73316
	06 LST	11.3	10.0	14.5	19.4	15.8	18.4	16.1	11.6	14.1	14.8	12.7	9.0	167.7	9	-73316
	12 LST	14.4	15.5	15.0	13.7	15.2	12.3	10.1	12.4	19.0	18.9	13.0	14.3	173.8	9	-73316
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.0	10.1	9.4	10.1	10.7	10.8	11.5	14.8	17.2	18.0	13.7	12.1	146.5	6	-73316
	00 LST	10.3	12.7	14.2	15.2	16.5	20.0	20.2	21.1	20.3	21.6	17.2	13.9	203.2	6	-73316
	06 LST	7.7	9.8	9.2	10.3	12.3	11.6	10.5	12.8	15.2	15.7	14.6	10.9	140.6	6	-73316
	12 LST	5.8	9.3	8.7	7.3	8.8	9.5	5.8	9.6	13.8	13.8	13.1	8.5	114.0	6	-73316
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	20.7	21.3	25.7	27.0	29.0	29.1	30.4	30.4	27.9	28.0	26.3	22.9	318.7	9	-73316
	00 LST	21.2	21.7	25.7	27.5	27.4	29.2	30.8	29.9	27.7	28.5	27.0	24.2	320.8	9	-73316
	06 LST	18.8	19.4	21.6	23.4	24.6	26.6	28.0	27.7	24.2	24.6	23.6	21.2	283.7	9	-73316
	12 LST	17.2	19.1	23.5	24.1	25.8	27.8	28.9	29.2	25.5	26.9	24.9	22.2	295.1	9	-73316
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	17.7	17.7	21.2	22.7	25.2	27.2	28.8	28.4	26.0	26.2	22.7	19.2	283.0	9	-73316
	00 LST	18.1	18.3	22.9	24.9	25.8	27.9	29.8	28.8	26.3	26.6	23.5	20.1	293.0	9	-73316
	06 LST	15.1	15.7	18.4	20.0	22.5	24.9	26.9	25.9	22.0	22.5	20.7	18.0	252.6	9	-73316
	12 LST	15.0	16.1	18.9	18.8	20.0	21.0	22.1	24.1	21.0	23.3	21.5	19.3	241.1	9	-73316
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	15.6	16.4	18.6	20.6	22.4	24.5	26.7	26.1	24.7	25.3	20.5	17.7	259.1	9	-73316
	00 LST	16.7	16.4	20.3	22.0	23.4	26.8	28.1	27.3	24.8	25.7	21.4	18.8	271.7	9	-73316
	06 LST	12.9	13.9	16.2	17.1	19.1	22.8	23.9	23.5	20.2	20.9	18.8	15.8	225.1	9	-73316
	12 LST	13.7	14.4	16.8	16.7	18.8	19.8	20.6	23.0	19.5	22.0	20.1	17.1	222.5	9	-73316

GIDEON/MEMORIAL, MISSOURI

STA NO. 73371 (IN AREA NUMBER 13)

LATITUDE 3627N

LONGITUDE 08954W

ELEVATION(FT) 00268

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	78	76	84	88	96	105	104	104	103	93	83	78	105	11	-73316
MEAN MAX TMP (F)	49	53	61	69	80	90	92	90	83	75	59	49	71	11	-73316
MEAN MIN TMP (F)	32	34	41	49	59	68	70	69	60	50	37	31	50	11	-73316
ABS MIN TMP (F)	-9	-5	6	29	36	50	53	52	38	25	6	0	-9	11	-73316
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	3.3	16.4	20.4	19.0	5.9	1.0	0.0	0.0	66.2	11	-73316
MEAN NO DYS TMP = DR LES 32(F)	15.9	11.3	6.3	0.5	0.0	0.0	0.0	0.0	0.0	1.0	10.2	19.0	64.2	11	-73316
MEAN NO DYS TMP = DR LES 0(F)	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	11	-73316
MEAN DEW PT TMP (F)	35	36	40	47	58	68	69	68	60	50	36	32	50	9	-73316
MEAN REL HUM (PCT)	78	73	70	68	71	71	70	72	72	69	67	74	71	9	-73316
MEAN PRESS ALT (FT)	59	85	157	191	213	223	198	198	154	117	90	61	146	0	-50
MEAN PRECIP (IN)	6.04	4.97	6.22	3.17	4.40	3.92	3.12	2.59	3.69	2.18	2.97	4.86	48.1	11	-73316
MEAN SNOW FALL (IN)	2.0	0.7	0.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.4	4.9	8	-73316
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.1	6.9	7.3	6.0	6.6	5.3	5.2	4.2	5.0	3.3	5.3	7.3	70.5	11	-73316
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.6	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	1.1	8	-73316
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.9	2.6	1.2	0.5	0.8	0.4	0.3	1.1	1.1	1.5	1.1	2.6	16.1	9	-73316
MEAN NO DYS TSTMS	2.1	2.5	5.2	5.3	6.7	7.4	8.5	6.6	4.1	1.6	2.1	1.2	53.3	11	-73316
P FREQ WND SPD = DR GTR 17 KTS	5.2	4.1	6.5	5.0	2.8	0.8	0.3	0.3	0.5	1.0	3.0	3.3	2.7	9	-73316
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.1	9	-73316
P FREQ LES 5000 FT A/D LES 5 MI	51.6	41.4	33.3	26.0	23.5	15.4	11.8	14.1	22.5	24.2	29.9	41.2	27.9	9	-73316
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	25.7	20.2	9.3	5.2	7.7	2.0	1.2	3.0	8.0	5.6	8.2	19.3	9.6	9	-73316
03-05 LST	27.6	20.5	13.2	10.3	14.1	4.6	4.2	7.3	12.5	9.1	11.5	22.0	13.1	9	-73316
06-08 LST	33.2	26.4	22.0	19.4	14.0	7.4	7.2	8.0	13.6	16.0	18.8	24.9	17.2	9	-73316
09-11 LST	34.1	26.7	17.3	13.3	10.7	4.6	3.4	5.6	11.5	9.2	11.3	21.5	14.1	9	-73316
12-14 LST	30.2	18.7	12.2	9.7	7.3	2.2	1.7	2.3	6.2	7.4	8.6	18.2	10.4	9	-73316
15-17 LST	29.5	14.6	8.6	4.0	4.3	1.9	1.0	1.3	4.0	6.3	8.2	18.0	8.5	9	-73316
18-20 LST	25.6	14.6	9.5	2.8	4.5	1.6	0.1	1.4	4.0	5.6	8.5	20.1	8.2	9	-73316
21-23 LST	25.2	13.0	9.6	3.7	6.1	2.1	0.1	2.0	4.6	6.5	7.9	19.3	8.3	9	-73316
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.0	4.9	0.9	0.1	1.0	0.0	0.1	0.4	1.5	1.2	0.8	4.0	1.5	9	-73316
03-05 LST	3.6	5.6	1.6	0.5	2.9	0.6	0.4	2.3	3.7	2.1	1.0	4.3	2.4	9	-73316
06-08 LST	5.9	5.0	2.2	1.4	1.7	0.7	0.6	0.8	2.3	1.7	3.9	5.7	2.7	9	-73316
09-11 LST	3.9	2.9	1.2	0.6	0.4	0.1	0.0	0.0	1.1	0.5	1.9	3.6	1.4	9	-73316
12-14 LST	2.0	0.4	0.8	0.1	0.1	0.1	0.1	0.0	0.0	0.3	0.7	3.1	0.6	9	-73316
15-17 LST	0.9	1.5	0.8	0.1	0.1	0.1	0.1	0.0	0.0	0.3	1.0	3.0	0.7	9	-73316
18-20 LST	2.4	1.5	0.4	0.0	0.1	0.0	0.0	0.0	0.2	0.0	1.0	3.0	0.7	9	-73316
21-23 LST	3.4	1.5	0.3	0.0	0.4	0.0	0.0	0.0	0.5	0.8	0.8	4.3	1.0	9	-73316

GIDEON/MEMORIAL, MISSOURI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	24.1	24.6	29.1	29.4	30.2	29.4	31.0	30.5	29.3	29.3	27.9	25.9	340.7	9	-73316
	00 LST	23.1	23.7	29.1	29.4	29.0	29.6	31.0	30.2	28.4	29.8	28.4	26.8	340.5	9	-73316
	06 LST	24.7	22.4	26.1	26.7	27.5	28.4	28.9	28.9	26.1	26.6	25.2	24.7	316.2	9	-73316
	12 LST	23.5	24.0	28.3	28.8	29.5	29.6	30.8	30.5	29.1	29.5	28.1	26.0	337.7	9	-73316
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	16.9	18.8	19.1	20.5	24.4	26.4	29.8	29.6	27.5	27.1	22.1	18.2	280.4	9	-73316
	00 LST	14.2	16.8	18.4	22.2	25.0	27.4	29.8	29.1	26.8	26.8	22.5	19.3	278.3	9	-73316
	06 LST	14.1	14.6	16.1	18.5	22.2	25.0	26.4	26.9	23.6	23.6	19.9	16.9	247.8	9	-73316
	12 LST	11.6	11.8	11.2	9.8	16.2	20.9	23.2	25.2	21.2	18.6	13.9	13.7	197.3	9	-73316
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.9	0.8	0.9	0.7	0.2	0.2	0.1	0.0	0.0	0.0	0.6	1.1	5.5	9	-73316
	00 LST	1.8	0.5	1.4	0.3	0.1	0.0	0.0	0.1	0.0	0.1	0.5	0.4	5.2	9	-73316
	06 LST	1.0	0.8	1.3	0.5	0.1	0.0	0.0	0.0	0.0	0.1	0.5	0.7	5.0	9	-73316
	12 LST	3.3	2.5	3.6	3.0	1.9	0.9	0.1	0.0	0.4	0.5	1.7	1.9	19.8	9	-73316
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	14.4	15.8	17.6	17.9	17.1	15.2	12.6	13.3	13.4	17.7	14.8	14.5	184.3	9	-73316
	00 LST	12.7	13.7	15.5	19.8	15.1	13.9	14.5	11.3	12.8	13.4	12.8	12.3	167.8	9	-73316
	06 LST	11.3	10.0	14.5	19.4	15.8	18.4	16.1	11.6	14.1	14.8	12.7	9.0	167.7	9	-73316
	12 LST	14.4	15.5	15.0	13.7	15.2	12.3	10.1	12.4	19.0	18.9	13.0	14.3	173.8	9	-73316
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.0	10.1	9.4	10.1	10.7	10.8	11.5	14.8	17.2	18.0	13.7	12.2	146.5	6	-73316
	00 LST	10.3	12.7	14.2	15.2	16.5	20.0	20.2	21.1	20.3	21.6	17.2	13.9	203.2	6	-73316
	06 LST	7.7	9.8	9.2	10.3	12.3	11.6	10.5	12.8	15.2	15.7	14.6	10.9	140.6	6	-73316
	12 LST	5.8	9.3	8.7	7.3	8.8	9.5	5.8	9.6	13.8	13.8	13.1	8.5	114.0	6	-73316
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	20.7	21.3	23.7	27.0	29.0	29.1	30.4	30.4	27.9	28.0	26.3	22.9	318.7	9	-73316
	00 LST	21.2	21.7	23.7	27.5	27.4	29.2	30.8	29.9	27.7	28.5	27.0	24.2	320.8	9	-73316
	06 LST	18.8	19.4	21.6	23.4	24.6	26.6	28.0	27.7	24.2	24.6	23.6	21.2	283.7	9	-73316
	12 LST	17.2	19.1	23.5	24.1	25.8	27.8	28.9	29.2	23.5	26.9	24.9	22.2	295.1	9	-73316
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	17.7	17.7	21.2	22.7	23.2	27.2	28.8	28.4	26.0	26.2	22.7	19.2	283.0	9	-73316
	00 LST	18.1	18.3	22.9	24.9	25.8	27.9	29.8	28.8	26.3	26.6	23.5	20.1	293.0	9	-73316
	06 LST	15.1	15.7	18.4	20.0	22.5	24.9	26.9	25.9	22.0	22.5	20.7	18.0	252.6	9	-73316
	12 LST	15.0	16.1	18.9	18.8	20.0	21.0	22.1	24.1	21.0	23.3	21.5	19.3	241.1	9	-73316
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	15.6	16.4	18.6	20.6	22.4	24.5	26.7	26.1	24.7	25.3	20.5	17.7	259.1	9	-73316
	00 LST	16.7	16.4	20.3	22.0	23.4	26.8	28.1	27.3	24.8	25.7	21.4	18.8	271.7	9	-73316
	06 LST	12.9	13.9	16.2	17.1	19.1	22.8	23.9	23.5	20.2	20.9	18.8	15.8	225.1	9	-73316
	12 LST	13.7	14.4	16.8	16.7	18.8	19.8	20.6	23.0	19.5	22.0	20.1	17.1	222.5	9	-73316

STEELE MUNICIPAL, MISSOURI

STA NO. 73373 (IN AREA NUMBER 13)

LATITUDE 3606N

LONGITUDE 08952W

ELEVATION(FT) 00258

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	78	76	84	88	96	105	104	104	103	93	83	78	105	11	-73316
MEAN MAX TMP (F)	49	53	61	69	80	90	92	90	83	75	59	49	71	11	-73316
MEAN MIN TMP (F)	32	34	41	49	59	68	70	69	60	50	37	31	50	11	-73316
ABS MIN TMP (F)	-9	-5	6	29	36	50	53	52	38	25	6	0	-9	11	-73316
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	3.3	16.4	20.4	19.2	5.9	1.0	0.0	0.0	66.2	11	-73316
MEAN NO DYS TMP = DR LFS 32(F)	15.9	11.3	6.3	0.5	0.0	0.0	0.0	0.0	0.0	1.0	10.2	19.0	64.2	11	-73316
MEAN NO DYS TMP = DR L:5 0(F)	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	11	-73316
MEAN DEW PT TMP (F)	35	36	40	47	58	68	69	68	60	50	36	32	50	9	-73316
MEAN REL HUM (PCT)	78	73	70	68	71	71	70	72	72	69	67	74	71	9	-73316
MEAN PRESS ALT (FT)	52	75	148	182	205	214	189	189	144	108	83	94	137	0	-50
MEAN PRECIP (IN)	6.04	4.97	6.22	3.17	4.40	3.92	3.12	2.59	3.69	2.18	2.97	4.86	48.1	11	-73316
MEAN SNOW FALL (IN)	2.0	0.7	0.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.4	4.9	8	-73316
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.1	6.9	7.3	6.0	6.6	5.3	5.2	4.2	5.0	3.3	5.3	7.3	70.5	11	-73316
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.6	0.1	0.1	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	1.1	8	-73316
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.9	2.6	1.2	0.5	0.8	0.4	0.3	1.1	1.1	1.3	1.1	2.6	16.1	9	-73316
MEAN NO DYS TSTMS	2.1	2.5	5.2	5.3	6.7	7.4	8.5	6.6	4.1	1.6	2.1	1.2	53.3	11	-73316
P FREQ WND SPD = DR GTR 17 KTS	5.2	4.1	6.5	5.0	2.8	0.8	0.3	0.3	0.5	1.0	3.0	3.3	2.7	9	-73316
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.1	9	-73316
P FREQ LES 5000 FT A/D LES 5 MI	51.6	41.4	33.3	26.0	23.5	15.4	11.8	14.1	22.5	24.2	29.9	41.2	27.9	9	-73316
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	25.7	20.2	9.3	5.2	7.7	2.0	1.2	3.0	8.0	5.6	8.2	19.3	9.6	9	-73316
03-05 LST	27.6	20.5	13.2	10.3	14.1	4.6	4.2	7.3	12.5	9.1	11.5	22.0	13.1	9	-73316
06-08 LST	33.2	26.4	22.0	15.4	14.0	7.4	7.2	8.0	13.6	16.0	18.8	24.9	17.2	9	-73316
09-11 LST	34.1	26.7	17.3	13.3	10.7	4.6	3.4	5.6	11.5	9.2	11.3	21.5	14.1	9	-73316
12-14 LST	30.2	18.7	12.2	9.7	7.3	2.2	1.7	2.3	6.2	7.4	8.6	18.2	10.4	9	-73316
15-17 LST	29.5	14.6	8.6	4.0	4.3	1.9	1.0	1.3	4.0	6.3	8.2	18.0	8.5	9	-73316
18-20 LST	25.6	14.6	9.5	2.8	4.5	1.6	0.1	1.4	4.0	5.6	8.5	20.1	8.2	9	-73316
21-23 LST	25.2	13.0	9.6	3.7	6.1	2.1	0.1	2.0	4.6	6.5	7.9	19.3	8.3	9	-73316
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	3.0	4.9	0.9	0.1	1.0	0.0	0.1	0.4	1.5	1.2	0.8	4.0	1.5	9	-73316
03-05 LST	3.6	5.6	1.6	0.5	2.9	0.6	0.4	2.3	3.7	2.1	1.0	4.3	2.4	9	-73316
06-08 LST	5.9	5.0	2.2	1.4	1.7	0.7	0.6	0.8	2.3	1.7	3.9	5.7	2.7	9	-73316
09-11 LST	3.9	2.9	1.2	0.6	0.4	0.1	0.0	0.0	1.1	0.5	1.9	3.6	1.4	9	-73316
12-14 LST	2.0	0.4	0.8	0.1	0.1	0.1	0.1	0.0	0.0	0.3	0.7	3.1	0.6	9	-73316
15-17 LST	0.9	1.5	0.8	0.1	0.1	0.1	0.1	0.0	0.0	0.3	1.0	3.0	0.7	9	-73316
18-20 LST	2.4	1.5	0.4	0.0	0.1	0.0	0.0	0.0	0.2	0.0	1.0	3.0	0.7	9	-73316
21-23 LST	3.4	1.5	0.3	0.0	0.4	0.0	0.0	0.0	0.5	0.8	0.8	4.3	1.0	9	-73316

STEELE MUNICIPAL, MISSOURI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	24.1	24.6	29.1	29.4	30.2	29.4	31.0	30.5	29.3	29.3	27.9	25.9	340.7	9	-73316
	00 LST	25.1	23.7	29.1	29.4	29.0	29.6	31.0	30.2	28.4	29.8	28.4	26.8	340.5	9	-73316
	06 LST	24.7	22.4	26.1	26.7	27.5	28.4	28.9	28.9	26.1	26.6	25.2	24.7	316.2	9	-73316
	12 LST	23.5	24.0	28.3	28.8	29.5	29.6	30.8	30.5	29.1	29.5	28.1	26.0	337.7	9	-73316
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	16.9	18.8	19.1	20.5	24.4	26.4	29.8	29.6	27.5	27.1	22.1	18.2	280.4	9	-73316
	00 LST	14.2	16.8	18.4	22.2	25.0	27.4	29.8	29.1	26.8	26.8	22.5	19.3	278.3	9	-73316
	06 LST	14.1	14.6	16.1	18.5	22.2	25.0	26.4	26.9	23.6	23.6	19.9	16.9	247.8	9	-73316
	12 LST	11.6	11.8	11.2	9.8	16.2	20.9	23.2	25.2	21.2	10.6	13.9	13.7	197.3	9	-73316
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.9	0.8	0.9	0.7	0.2	0.2	0.1	0.0	0.0	0.0	0.6	1.1	5.5	9	-73316
	00 LST	1.8	0.5	1.4	0.3	0.1	0.0	0.0	0.1	0.0	0.1	0.5	0.4	5.2	9	-73316
	06 LST	1.0	0.8	1.3	0.5	0.1	0.0	0.0	0.0	0.0	0.1	0.5	0.7	5.0	9	-73316
	12 LST	3.3	2.5	3.6	3.0	1.9	0.9	0.1	0.0	0.4	0.5	1.7	1.9	19.8	9	-73316
SFC WND 4-10 KTS AND TMP 33-89 DEC F AND NO PRECIP.	18 LST	14.4	15.8	17.6	17.9	17.1	15.2	12.6	13.3	13.4	17.7	14.8	14.5	184.3	9	-73316
	00 LST	12.7	13.7	15.5	19.8	15.1	13.9	14.5	11.3	12.8	13.4	12.8	12.3	167.8	9	-73316
	06 LST	11.3	10.0	14.5	19.4	15.8	18.4	16.1	11.6	14.1	14.8	12.7	9.0	167.7	9	-73316
	12 LST	14.4	15.5	15.0	13.7	15.2	12.3	10.1	12.4	19.0	18.9	13.0	14.3	173.8	9	-73316
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.0	10.1	9.4	10.1	10.7	10.8	11.5	14.8	17.2	18.0	13.7	12.2	146.5	6	-73316
	00 LST	10.3	12.7	14.2	15.2	16.5	20.0	20.2	21.1	20.3	21.6	17.2	13.9	203.2	6	-73316
	06 LST	7.7	9.8	9.2	10.3	12.3	11.6	10.5	12.8	15.2	15.7	14.6	10.9	140.6	6	-73316
	12 LST	5.8	9.3	8.7	7.3	8.8	9.5	5.8	9.6	13.8	13.8	13.1	8.5	114.0	6	-73316
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	20.7	21.3	25.7	27.0	29.0	29.1	30.4	30.4	27.9	28.0	26.3	22.9	318.7	9	-73316
	00 LST	21.2	21.7	25.7	27.5	27.4	29.2	30.8	29.9	27.7	28.5	27.0	24.2	320.8	9	-73316
	06 LST	18.8	19.4	21.6	23.4	24.6	26.6	28.0	27.7	24.2	24.6	23.6	21.2	283.7	9	-73316
	12 LST	17.2	19.1	23.5	24.1	25.8	27.8	28.9	29.2	25.5	26.9	24.9	22.2	295.1	9	-73316
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	17.7	17.7	21.2	22.7	25.2	27.2	28.8	28.4	26.0	26.2	22.7	19.2	283.0	9	-73316
	00 LST	18.1	18.3	22.9	24.9	25.8	27.9	29.8	28.8	26.3	26.6	23.5	20.1	293.0	9	-73316
	06 LST	15.1	15.7	18.4	20.0	22.5	24.9	26.9	25.9	22.0	22.5	20.7	18.0	252.6	9	-73316
	12 LST	15.0	16.1	18.9	18.8	20.0	21.0	22.1	24.1	21.0	23.3	21.5	19.3	241.1	9	-73316
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	15.6	16.4	18.5	20.6	22.4	24.5	26.7	26.1	24.7	25.3	20.5	17.7	259.1	9	-73316
	00 LST	16.7	16.4	20.3	22.0	23.4	26.8	28.1	27.3	24.8	25.7	21.4	18.8	271.7	9	-73316
	06 LST	12.9	13.9	16.2	17.1	19.1	22.8	23.9	23.5	20.2	20.9	18.8	15.8	225.1	9	-73316
	12 LST	13.7	14.4	16.8	16.7	18.8	19.8	20.6	23.0	19.5	22.0	20.1	17.1	222.5	9	-73316

CAPE GIRARDEAU, MISSOURI

STA NO. 73380 (IN AREA NUMBER 13)

LATITUDE 3713N

LONGITUDE 08934W

ELEVATION(FT) 00342

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	73	79	83	87	94	103	107	104	102	94	82	72	107	12	-113
MEAN MAX TMP (F)	44	50	57	70	78	87	90	90	84	74	57	48	69	12	-113
MEAN MIN TMP (F)	27	30	36	48	56	65	69	67	60	49	36	30	48	12	-113
ABS MIN TMP (F)	0	-10	-2	25	30	46	54	49	36	25	-2	4	-10	11	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.0	13.0	18.0	17.0	8.0	1.0	0.0	0.0	58.0	8	-113
MEAN NO DYS TMP = DR LES 32(F)	23.0	17.0	13.0	1.0	0.3	0.0	0.0	0.0	0.0	1.0	13.0	18.0	86.3	6	-113
MEAN NO DYS TMP = DR LES 0(F)	0.6	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	1.6	10	-73411
MEAN DEW PT TMP (F)	33	33	35	44	55	66	67	66	57	49	34	30	47	6	-73411
MEAN REL HUM (PCT)	79	72	68	67	70	70	69	70	70	71	69	75	71	6	-73411
MEAN PRESS ALT (FT)	127	159	227	262	281	293	268	268	227	188	158	129	216	0	-50
MEAN PRECIP (IN)	4.35	3.44	4.23	4.83	5.06	4.20	3.76	3.98	3.02	3.37	4.20	3.30	47.3	12	-113
MEAN SNOW FALL (IN)	2.5	1.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.4	6.6	10	-73411
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.9	6.8	6.9	7.1	7.2	7.0	6.5	6.3	5.0	5.5	6.6	6.6	79.4	12	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.6	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.5	10	-73411
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.0	2.0	1.2	1.0	1.0	0.2	0.2	1.2	2.5	2.3	1.1	1.5	17.2	6	-73411
MEAN NO DYS TSTMS	2.4	1.6	4.0	5.1	7.0	6.9	6.5	5.9	3.3	1.9	1.8	1.0	47.4	10	-73411
P FREQ WND SPD = DR GTR 17 KTS	11.1	9.4	11.2	9.3	3.8	1.6	2.2	1.9	2.0	3.7	8.2	7.9	6.0	6	-73411
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.1	0.4	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.2	0.3	0.1	6	-73411
P FREQ LES 5000 FT A/O LES 5 MI	50.2	36.3	30.7	23.4	19.5	10.5	11.7	14.4	16.7	22.1	26.8	36.0	24.9	6	-73411
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	24.7	13.9	12.6	7.1	8.8	2.7	1.3	5.8	8.5	8.6	7.1	13.0	9.5	6	-73411
03-05 LST	30.0	14.7	15.5	10.9	13.1	6.9	8.4	10.3	13.3	14.0	7.6	16.0	13.4	6	-73411
06-08 LST	32.2	21.3	17.9	13.1	13.1	5.6	7.5	9.9	15.0	15.4	13.2	19.8	15.3	6	-73411
09-11 LST	31.4	20.8	15.9	13.3	10.3	3.6	4.9	6.0	9.4	9.5	10.9	19.9	13.0	6	-73411
12-14 LST	30.1	16.8	12.3	9.1	7.7	1.8	1.5	3.2	3.3	7.2	8.3	16.0	9.8	6	-73411
15-17 LST	32.1	12.8	9.9	5.4	6.5	2.2	0.6	1.9	1.7	5.6	7.6	12.3	8.2	6	-73411
18-20 LST	28.4	11.1	8.1	3.1	5.4	0.7	0.2	1.3	1.3	3.6	5.7	11.9	6.7	6	-73411
21-23 LST	29.5	11.2	10.4	5.1	5.8	1.6	0.2	3.4	3.7	4.5	5.0	11.5	7.7	6	-73411
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	4.7	4.3	1.7	1.3	1.3	0.4	0.2	1.5	2.8	2.5	0.2	1.3	1.9	6	-73411
03-05 LST	5.8	4.5	3.7	2.5	3.0	1.3	0.9	4.3	6.2	5.7	2.0	2.2	3.5	6	-73411
06-08 LST	2.8	3.5	2.6	1.3	0.9	0.2	0.4	1.3	2.4	2.5	2.2	2.7	1.9	6	-73411
09-11 LST	1.5	1.7	1.3	0.0	0.4	0.0	0.2	0.0	0.0	0.2	1.5	1.3	0.7	6	-73411
12-14 LST	1.9	0.7	0.9	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.7	0.4	6	-73411
15-17 LST	3.4	0.9	1.3	0.0	0.0	0.2	0.2	0.2	0.0	0.0	0.4	0.5	0.6	6	-73411
18-20 LST	3.9	0.7	1.1	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.4	1.1	0.6	6	-73411
21-23 LST	4.5	2.6	1.1	0.0	0.0	0.0	0.0	0.6	0.7	0.5	0.4	1.3	1.0	6	-73411

CAPE GIRARDEAU, MISSOURI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	24.6	25.0	29.0	29.4	30.4	29.8	31.0	30.6	30.0	30.2	28.7	28.6	347.3	6	-73411
	00 LST	24.4	24.8	28.0	28.8	29.2	29.8	31.0	30.0	28.1	29.5	28.8	28.0	340.4	6	-73411
	06 LST	24.2	24.0	27.2	26.8	28.0	28.2	28.4	28.2	25.1	26.5	26.5	26.8	319.9	6	-73411
	12 LST	24.6	25.0	28.2	28.8	29.6	29.6	30.6	30.6	29.6	29.5	27.8	27.8	341.7	6	-73411
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	15.4	17.5	17.6	20.6	24.0	26.6	26.6	26.4	26.5	27.2	21.2	21.3	270.9	6	-73411
	00 LST	14.2	15.7	17.6	21.4	25.6	27.4	27.8	28.2	24.8	25.1	21.5	18.3	267.6	6	-73411
	06 LST	12.2	14.3	17.4	16.4	21.4	23.2	23.8	24.2	22.3	21.0	19.5	17.6	233.3	6	-73411
	12 LST	9.0	11.1	9.6	9.4	14.2	17.4	17.4	16.6	16.5	14.0	8.3	10.7	154.2	6	-73411
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	2.6	1.6	1.7	1.0	0.0	0.0	0.4	0.0	0.3	0.0	1.5	1.8	10.9	6	-73411
	00 LST	2.9	1.9	1.7	1.7	0.2	0.0	0.0	0.0	0.7	0.7	1.0	0.7	11.5	6	-73411
	06 LST	3.3	2.5	1.3	1.1	0.4	0.2	0.0	0.0	0.0	0.7	1.4	2.0	12.9	6	-73411
	12 LST	5.6	4.3	6.6	6.5	3.3	1.0	1.0	1.4	1.5	2.9	4.4	5.0	43.5	6	-73411
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	10.6	13.1	16.7	18.7	17.3	13.8	15.4	12.4	14.0	14.7	15.3	12.6	174.6	6	-73411
	00 LST	9.7	9.2	13.2	16.2	13.5	16.3	12.0	10.0	9.0	12.5	10.9	9.0	141.5	6	-73411
	06 LST	8.0	7.7	12.1	17.0	15.1	18.4	13.5	12.7	10.8	11.7	10.4	6.9	144.3	6	-73411
	12 LST	9.0	13.6	13.8	13.1	17.9	10.4	12.1	12.3	15.0	14.9	11.3	11.4	154.8	6	-73411
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	7.8	8.9	9.6	7.8	9.2	12.6	9.8	12.4	16.5	17.1	13.3	9.0	134.0	6	-73411
	00 LST	8.6	11.1	12.6	14.8	15.4	19.4	19.4	19.2	19.1	20.5	15.3	10.9	186.3	6	-73411
	06 LST	7.2	7.3	9.6	11.4	10.4	12.2	11.0	11.8	13.8	14.0	12.3	10.5	131.5	6	-73411
	12 LST	6.0	9.1	10.4	8.4	6.8	9.2	7.2	7.6	15.0	14.3	10.0	8.7	112.7	6	-73411
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	19.6	22.6	25.4	26.8	28.6	29.6	30.8	30.4	29.2	29.3	27.2	26.5	326.0	6	-73411
	00 LST	21.0	21.6	23.2	26.8	28.0	29.2	30.8	29.8	27.0	27.3	27.8	25.0	319.5	6	-73411
	06 LST	17.2	20.8	23.8	25.6	25.8	27.6	27.8	27.8	24.2	24.1	25.0	20.5	293.0	6	-73411
	12 LST	18.4	21.4	24.4	25.0	26.4	28.0	29.0	29.4	26.6	27.2	25.5	22.6	303.9	6	-73411
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	17.2	18.3	21.0	23.0	26.2	28.4	28.8	27.6	27.3	26.8	24.2	21.8	290.6	6	-73411
	00 LST	17.4	18.6	22.8	24.0	25.2	28.8	29.6	28.6	25.7	26.3	23.5	20.1	290.6	6	-73411
	06 LST	14.0	16.1	19.8	21.6	23.2	26.6	26.2	25.8	22.8	21.6	20.2	19.3	257.2	6	-73411
	12 LST	14.8	17.9	21.6	20.6	21.2	25.2	25.4	25.8	24.3	24.3	21.3	19.6	262.0	6	-73411
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	15.4	16.9	18.2	20.6	24.4	25.6	26.8	26.4	25.8	25.8	22.8	18.9	267.6	6	-73411
	00 LST	15.2	17.1	20.8	21.6	22.6	28.0	28.6	27.2	24.8	25.0	21.8	17.9	270.6	6	-73411
	06 LST	13.4	13.7	18.6	18.4	19.8	24.8	25.6	23.4	21.5	19.8	19.0	17.2	235.2	6	-73411
	12 LST	14.0	16.7	19.8	18.6	19.6	24.2	23.6	24.6	23.0	23.0	19.7	16.6	243.4	6	-73411

MALDEN MUNICIPAL, MISSOURI

STA NO. 73383 (IN AREA NUMBER 13)

LATITUDE 3636N

LONGITUDE 08959W

ELEVATION(FT) 00295

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YPS)	NO. OBS
ABS MAX TMP (F)	76	78	84	90	97	108	112	106	103	94	86	77	112	12	-613
MEAN MAX TMP (F)	46	51	58	70	80	89	92	91	84	73	58	48	70	17	-113
MEAN MIN TMP (F)	28	32	37	48	58	66	70	68	60	48	35	29	48	12	-113
ABS MIN TMP (F)	2	-10	1	26	35	47	55	53	37	24	3	-3	-10	12	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.2	4.0	19.8	21.2	17.4	8.0	1.4	0.0	0.0	72.0	5	1826
MEAN NO DYS TMP = DR LES 32(F)	20.4	13.5	10.8	1.8	0.0	0.0	0.0	0.0	0.0	2.0	14.2	21.8	84.5	5	1826
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	5	1826
MEAN DEW PT TMP (F)	33	34	37	45	56	68	69	68	59	49	34	30	49	5	43777
MEAN REL HUM (PCT)	77	72	68	67	69	69	72	73	71	70	67	73	71	5	43777
MEAN PRESS ALT (FT)	85	112	103	218	240	250	225	225	182	144	116	87	172	0	-50
MEAN PRECIP (IN)	3.75	3.72	4.37	4.24	4.78	4.02	3.37	2.76	2.65	3.13	3.60	3.79	44.2	18	-113
MEAN SNOW FALL (IN)	1.2	0.9	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.9	3.9	5	1826
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.2	7.1	7.0	6.9	7.1	6.8	6.1	5.3	4.5	5.2	5.8	7.2	76.2	18	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	1.0	5	1826
MEAN NO DYS W/MCUR VSBY LES 1/2 MI	3.2	1.6	1.2	0.2	0.0	0.4	0.2	0.8	2.4	1.2	1.4	2.0	14.6	5	1825
MEAN NO DYS TSTMS	3.2	2.0	4.0	4.0	6.6	7.0	7.2	5.8	3.8	1.6	2.6	2.2	50.0	5	1826
P FREQ WND SPD = DR GTR 17 KTS	9.4	6.1	8.0	8.8	4.3	1.5	0.7	0.9	1.5	3.1	5.9	5.2	4.6	5	43777
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.1	0.1	0.2	0.2	0.0	0.1	0.1	0.0	0.1	0.3	0.3	0.1	5	43777
P FREQ LES 5000 FT A/D LES 5 MI	47.5	36.7	32.4	25.4	21.0	13.1	12.7	13.0	18.7	23.5	27.8	35.9	25.6	5	43776
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	26.0	15.1	9.2	6.0	6.7	2.9	0.6	1.9	6.2	8.0	11.1	12.6	8.9	5	5470
03-05 LST	27.3	15.6	14.0	9.3	8.0	5.6	5.6	5.2	15.6	12.0	13.1	13.6	12.1	5	5473
06-08 LST	29.2	23.9	18.9	14.7	11.2	5.1	6.7	7.3	18.7	19.8	21.6	20.8	16.3	5	5475
09-11 LST	35.9	24.2	15.1	13.8	12.3	3.8	3.0	5.4	8.7	11.4	15.6	19.7	14.1	5	5468
12-14 LST	34.7	20.1	13.4	10.3	9.7	2.2	1.3	2.6	4.4	7.3	11.4	14.7	11.0	5	5469
15-17 LST	29.0	15.6	13.1	6.2	6.9	2.2	1.1	2.2	2.9	6.9	7.3	11.3	8.7	5	5474
18-20 LST	26.2	10.4	9.9	2.9	5.8	1.1	0.2	1.3	2.4	5.6	7.6	8.7	6.9	5	5473
21-23 LST	25.6	13.0	9.2	3.8	5.2	1.6	0.4	1.1	4.9	7.5	7.3	10.8	7.5	5	5474
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.3	4.0	1.3	0.2	0.0	0.4	0.4	0.2	2.9	1.5	1.3	1.1	1.5	5	5470
03-05 LST	5.4	4.3	2.8	0.4	0.0	0.9	0.9	0.9	6.0	3.4	2.9	3.7	2.6	5	5473
06-08 LST	5.8	1.9	3.2	1.3	0.4	0.4	0.2	0.9	3.6	5.2	4.4	5.4	2.7	5	5475
09-11 LST	3.4	1.9	1.9	0.9	1.1	0.0	0.0	0.2	0.0	1.3	1.8	3.5	1.4	5	5468
12-14 LST	3.9	1.2	1.1	0.7	0.9	0.0	0.2	0.6	0.0	0.9	0.4	1.5	1.0	5	5469
15-17 LST	5.4	1.2	1.1	0.0	0.4	0.2	0.2	0.6	0.0	0.2	0.4	1.1	0.9	5	5474
18-20 LST	4.7	1.4	1.5	0.0	0.2	0.0	0.0	0.0	0.2	1.1	0.9	1.3	0.9	5	5473
21-23 LST	4.7	2.6	2.1	0.0	0.0	0.0	0.2	0.0	0.9	1.7	0.4	1.9	1.2	5	5474

MALDEN MUNICIPAL, MISSOURI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	23.8	25.4	28.2	29.2	30.2	29.6	31.0	30.8	29.6	29.6	28.2	29.2	344.8	5	1825
	00 LST	24.8	24.8	29.0	28.8	29.6	29.4	30.8	30.6	28.8	28.6	27.6	28.8	341.6	5	1825
	06 LST	24.8	23.2	27.0	27.0	28.4	28.2	28.8	29.0	24.6	25.4	24.2	27.2	317.8	5	1825
	12 LST	22.0	24.0	28.0	28.2	29.4	29.2	31.0	30.4	29.0	29.2	26.8	27.4	334.6	5	1825
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	13.6	16.5	14.8	16.2	19.8	20.2	22.8	26.4	26.8	26.6	20.6	21.3	245.6	5	1825
	00 LST	14.4	15.7	17.0	21.0	25.8	26.2	29.2	27.6	26.0	25.8	21.0	22.7	272.4	5	1825
	06 LST	13.4	15.3	17.0	19.0	20.8	25.2	26.4	26.8	21.0	22.6	18.8	18.5	244.8	5	1825
	12 LST	7.0	8.9	10.2	7.8	12.4	15.0	18.6	18.4	16.0	15.0	12.8	10.4	152.5	5	1825
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	2.7	0.8	1.1	1.4	1.2	0.2	0.2	0.2	0.0	0.0	0.6	0.7	9.1	5	1765
	00 LST	1.3	0.9	1.0	1.2	0.0	0.2	0.0	0.2	0.0	0.2	0.6	0.8	6.4	5	1756
	06 LST	2.0	1.2	1.7	0.8	0.2	0.0	0.0	0.0	0.2	0.4	1.2	1.5	9.2	5	1760
	12 LST	5.2	2.4	4.6	4.8	2.6	1.2	0.2	0.8	0.8	3.3	2.7	2.8	31.4	5	1770
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	13.7	14.9	19.2	17.4	19.4	12.3	17.0	18.8	19.6	17.1	15.6	14.3	199.3	5	1765
	00 LST	13.4	13.9	15.5	19.7	15.6	15.3	15.1	16.2	10.7	13.1	11.6	11.1	171.2	5	1756
	06 LST	7.6	11.2	11.5	18.3	17.5	18.8	18.2	16.6	10.9	11.3	8.7	7.4	158.0	5	1760
	12 LST	11.3	12.4	13.7	10.9	15.1	8.7	12.2	14.3	16.9	14.4	13.6	13.4	156.9	5	1770
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.6	8.7	10.2	8.2	9.6	9.6	8.0	12.4	16.0	17.0	11.6	11.7	131.6	5	1825
	00 LST	11.2	11.7	12.4	14.2	15.6	20.6	19.4	18.6	20.8	20.8	15.8	12.5	193.6	5	1825
	06 LST	8.8	9.1	9.2	9.4	10.4	10.6	10.8	12.0	13.2	13.8	12.2	9.5	129.0	5	1825
	12 LST	6.4	9.1	8.8	7.4	6.6	8.8	5.8	8.2	13.4	15.2	9.4	7.4	106.5	5	1825
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	21.0	22.8	26.2	28.4	29.0	29.6	31.0	30.2	28.8	29.0	27.4	26.8	330.2	5	1825
	00 LST	21.4	22.4	26.4	27.8	28.4	29.2	30.6	30.2	27.8	27.6	26.4	26.2	324.4	5	1825
	06 LST	19.6	20.0	24.4	25.2	26.4	28.0	28.4	28.2	23.4	24.6	23.8	23.1	295.1	5	1825
	12 LST	17.4	20.4	23.6	24.2	25.6	28.2	28.4	29.2	26.8	27.0	25.2	22.5	298.5	5	1825
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	17.6	18.8	21.4	21.8	25.4	27.4	27.4	28.2	27.0	26.6	23.2	20.9	285.7	5	1825
	00 LST	16.8	19.5	22.8	24.2	27.2	28.2	30.0	28.8	25.8	26.0	22.4	20.5	292.2	5	1825
	06 LST	15.6	16.3	19.0	21.8	23.2	26.6	26.8	26.4	21.8	22.4	21.4	19.1	260.6	5	1825
	12 LST	15.0	17.1	19.0	19.8	20.0	21.4	22.8	25.2	23.6	23.4	21.4	19.1	247.8	5	1825
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	16.0	17.5	19.4	19.8	22.2	26.0	25.0	27.0	24.8	26.0	21.4	18.9	264.0	5	1825
	00 LST	15.8	18.6	21.2	20.8	25.6	27.8	29.2	27.2	25.0	25.8	19.8	19.9	276.7	5	1825
	06 LST	14.0	14.3	17.0	18.8	20.8	25.0	24.4	24.0	20.0	21.0	19.4	17.5	236.4	5	1825
	12 LST	14.0	15.9	17.2	17.6	19.4	20.6	22.6	24.0	22.8	22.4	18.4	16.7	231.6	5	1825

KENNETT/MEMORIAL, MISSOURI

STA NO. 73758 (IN AREA NUMBER 13)

LATITUDE 3614N

LONGITUDE 09002W

ELEVATION(FT) 00262

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	UBS
ABS MAX TMP (F)	79	80	88	93	99	109	109	107	106	99	85	79	109	32	-73341
MEAN MAX TMP (F)	49	54	62	73	81	89	92	91	86	76	61	51	72	33	-73341
MEAN MIN TMP (F)	31	33	40	50	59	67	70	69	62	50	39	33	50	34	-73341
ABS MIN TMP (F)	-9	-3	5	25	34	46	51	49	35	25	7	-2	-9	30	-73341
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	4.8	12.5	18.0	15.0	4.2	0.2	0.0	0.0	54.7	14	-73341
MEAN NO DYS TMP = OR LES 32(F)	21.5	13.8	7.9	0.4	0.0	0.0	0.0	0.0	0.0	1.0	6.5	18.0	69.1	14	-73341
MEAN NO DYS TMP = OR LES 0(F)	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	14	-73341
MEAN DEW PT TMP (F)	28	32	38	47	58	66	68	68	61	48	39	30	49	14	-73341
MEAN REL HUM (PCT)	73	72	68	65	67	70	69	72	72	66	69	73	70	14	-73341
MEAN PRESS ALT (FT)	54	79	152	186	209	219	193	193	148	112	86	57	141	0	-50
MEAN PRECIP (IN)	4.29	4.66	3.83	3.89	5.60	3.27	3.29	3.29	2.53	2.96	4.31	3.58	45.0	7	-113
MEAN SNOW FALL (IN)	1.5	2.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	5.3	28	-73341
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.8	8.2	6.7	6.7	7.4	5.9	6.0	6.0	4.4	4.9	6.7	7.0	77.7	7	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.8	0.4	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.0	10	-73341
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.0	2.4	0.9	0.6	0.7	0.2	0.7	0.8	0.8	1.6	1.7	3.2	16.6	14	-73341
MEAN NO DYS TSTMS	1.2	2.7	4.2	7.2	7.9	8.3	7.9	6.3	2.7	1.9	2.9	0.5	53.7	14	-73341
P FREQ WND SPD = OR GTR 17 KTS	3.7	5.1	5.9	6.4	2.7	0.8	0.4	0.2	1.6	0.8	3.3	2.4	2.8	14	-73341
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-73341
P FREQ LES 5000 FT A/D LES 5 MI	39.3	40.1	35.7	23.9	18.3	14.5	11.0	13.9	19.5	18.2	30.5	39.7	25.4	14	-73341
P FREQ LES 1500 FT A/D LES 3 MI															
POR 00-02 LST	17.1	18.4	9.6	4.1	2.5	1.1	1.3	2.9	5.7	3.8	8.1	17.9	7.7	14	-73341
03-05 LST	21.7	20.0	11.1	6.8	6.3	3.6	4.6	7.0	10.2	8.3	11.4	18.9	10.8	14	-73341
06-08 LST	28.0	25.1	19.3	10.5	8.0	6.5	8.2	11.1	18.5	16.8	19.3	24.3	16.3	14	-73341
09-11 LST	26.2	24.6	17.6	9.6	7.2	4.9	3.5	5.9	10.7	7.8	13.4	24.4	13.0	14	-73341
12-14 LST	19.7	18.6	11.9	5.5	3.8	2.1	1.2	3.6	6.1	4.6	10.6	22.2	9.2	14	-73341
15-17 LST	17.1	16.2	10.7	3.6	2.7	1.6	0.7	1.9	5.0	3.0	10.2	19.9	7.7	14	-73341
18-20 LST	15.2	13.7	9.6	3.4	2.8	1.5	0.5	1.5	3.4	2.3	6.9	19.5	6.7	14	-73341
21-23 LST	15.2	15.2	8.9	2.3	1.4	0.9	0.8	1.8	2.9	2.7	6.9	17.6	6.4	14	-73341
P FREQ LES 300 FT A/D LES 1 MI															
POR 00-02 LST	3.1	4.3	1.2	0.4	0.1	0.0	0.6	0.1	1.1	1.5	1.7	5.0	1.6	14	-73341
03-05 LST	3.3	4.6	1.3	1.0	1.1	0.5	1.3	1.3	2.3	2.5	2.9	4.5	2.2	14	-73341
06-08 LST	6.6	5.6	2.3	1.3	0.5	0.0	0.6	1.7	2.6	2.8	4.3	4.8	2.8	14	-73341
09-11 LST	4.8	3.8	0.5	0.3	0.1	0.0	0.0	0.0	0.0	0.6	1.6	4.3	1.3	14	-73341
12-14 LST	2.2	2.5	0.1	0.1	0.2	0.1	0.2	0.2	0.3	0.0	0.4	3.6	0.8	14	-73341
15-17 LST	2.0	2.7	0.8	0.1	0.2	0.1	0.1	0.0	0.1	0.3	0.7	2.7	0.8	14	-73341
18-20 LST	1.8	2.0	0.4	0.1	0.1	0.0	0.1	0.0	0.5	0.0	0.8	2.9	0.7	14	-73341
21-23 LST	2.5	3.3	0.6	0.1	0.0	0.1	0.1	0.1	0.0	1.3	0.9	4.6	1.1	14	-73341

KENNETT/MEMORIAL, MISSOURI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.1	24.8	28.3	29.1	30.4	29.6	31.0	30.7	29.0	30.4	28.4	26.6	345.4	14	-73341
	00 LST	26.6	24.2	28.6	29.1	30.8	29.6	30.8	30.5	29.2	30.1	28.2	26.9	344.6	14	-73341
	06 LST	25.0	23.1	25.8	27.2	29.5	28.7	29.0	26.8	25.1	26.1	25.0	25.8	317.1	14	-73341
	12 LST	25.4	23.7	28.3	29.0	30.3	29.6	30.8	30.1	28.7	30.2	27.6	25.2	338.9	14	-73341
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.9	17.8	19.8	19.1	20.5	22.3	26.9	28.5	27.2	28.2	23.4	20.4	275.0	14	-73341
	00 LST	19.2	17.2	19.8	20.9	26.2	27.8	29.8	29.0	27.5	28.0	21.6	19.7	286.7	14	-73341
	06 LST	17.7	15.5	17.8	18.8	22.9	25.8	26.9	25.7	22.2	23.0	19.6	17.8	253.7	14	-73341
	12 LST	15.1	10.6	11.7	11.3	16.2	19.7	22.9	22.4	20.5	19.3	14.7	13.9	198.3	14	-73341
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	0.9	1.2	0.7	0.7	0.1	0.1	0.0	0.2	0.0	0.5	0.5	5.6	14	-73341
	00 LST	0.7	1.3	0.8	1.2	0.1	0.1	0.2	0.0	0.2	0.1	0.5	0.6	5.8	14	-73341
	06 LST	1.0	1.1	1.0	0.8	0.2	0.1	0.1	0.2	0.0	0.0	0.3	0.7	5.5	14	-73341
	12 LST	1.6	2.0	3.3	4.0	1.8	0.4	0.2	0.0	1.3	0.5	2.4	1.1	18.6	14	-73341
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	12.1	13.6	18.3	17.6	18.2	17.3	15.9	13.6	14.0	16.3	15.4	13.4	185.7	14	-73341
	00 LST	8.8	12.0	16.2	17.0	14.1	13.9	12.4	11.1	9.9	12.6	14.6	11.5	154.1	14	-73341
	06 LST	7.5	10.1	14.5	16.5	15.5	15.5	13.9	12.0	12.8	13.5	12.6	9.1	153.5	14	-73341
	12 LST	13.8	12.5	15.2	14.1	16.2	13.6	13.7	11.7	17.9	20.1	17.2	15.7	181.7	14	-73341
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.1	7.8	8.1	8.1	8.1	7.3	7.3	11.8	11.7	14.0	11.6	10.0	114.9	10	-73341
	00 LST	13.4	11.3	13.4	13.1	16.6	16.4	16.8	20.4	19.3	20.2	15.7	13.3	189.9	10	-73341
	06 LST	13.4	10.0	8.7	8.7	9.1	9.3	7.1	10.1	10.3	12.3	12.0	13.1	124.1	10	-73341
	12 LST	8.0	6.9	6.7	7.6	6.2	4.1	4.4	7.8	10.4	11.9	10.3	8.7	93.0	10	-73341
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.1	22.2	26.0	28.0	29.0	29.2	31.0	30.4	27.9	29.8	26.5	23.0	327.1	14	-73341
	00 LST	24.4	22.3	26.6	28.3	29.7	29.4	30.4	29.9	28.6	29.3	26.5	24.0	329.4	14	-73341
	06 LST	21.8	19.5	22.7	25.0	27.0	27.8	27.8	26.1	23.3	24.7	23.5	22.6	291.8	14	-73341
	12 LST	22.6	19.0	23.8	25.1	27.9	28.3	28.6	27.8	25.6	27.3	23.9	21.1	301.0	14	-73341
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.5	18.6	20.2	23.0	25.4	26.6	28.7	28.7	26.3	27.6	21.4	18.8	285.8	14	-73341
	00 LST	20.7	17.7	21.6	24.3	27.5	27.8	29.3	29.0	27.5	27.8	21.8	20.2	295.2	14	-73341
	06 LST	18.9	15.6	18.0	20.9	23.7	25.7	26.4	24.8	21.5	22.2	18.5	18.2	254.4	14	-73341
	12 LST	19.2	16.3	17.3	19.4	22.3	21.1	24.1	24.9	22.4	24.7	20.5	17.8	290.0	14	-73341
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.7	16.0	17.4	19.9	22.5	23.4	26.0	26.4	23.9	25.0	18.8	17.5	255.5	14	-73341
	00 LST	19.1	16.4	18.8	21.2	25.0	25.8	28.3	27.1	25.2	26.0	20.2	18.6	271.7	14	-73341
	06 LST	17.4	14.1	16.1	17.7	20.2	23.0	24.0	22.9	18.4	20.5	16.4	16.5	227.2	14	-73341
	12 LST	17.4	14.9	15.5	17.6	19.7	19.1	22.8	23.3	20.6	21.9	18.5	15.8	227.1	14	-73341

POPULAR BLUFF/FIELDS MEMORIAL, MISSOURI

STA NO. 75175 (IN AREA NUMBER 13)

LATITUDE 3646N

LONGITUDE 09019W

ELEVATION(FT) 00330

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	78	81	92	94	100	110	112	112	108	96	85	79	112	54	-113
MEAN MAX TMP (F)	47	50	60	72	80	88	92	91	85	75	61	50	71	52	-113
MEAN MIN TMP (F)	26	29	37	47	55	64	67	66	58	46	35	28	47	52	-113
ABS MIN TMP (F)	-23	-25	0	23	28	41	48	45	31	17	4	-17	-25	54	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	2.0	14.0	20.0	22.0	10.0	1.0	0.0	0.0	69.3	10	-113
MEAN NO DYS TMP = DR LES 32(F)	23.0	16.0	14.0	2.0	0.0	0.0	0.0	0.0	0.0	3.0	15.0	20.0	93.0	8	-113
MEAN NO DYS TMP = DR LES 0(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			54	-29
MEAN DEW PT TMP (F)	33	35	36	45	57	67	68	67	58	48	36	31	48	9	-73315
MEAN REL HUM (PCT)	75	71	67	65	69	69	68	68	69	68	67	74	69	9	-73315
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.02	3.19	4.53	4.59	4.94	4.39	4.41	3.73	3.63	3.21	3.71	3.65	48.0	55	-113
MEAN SNOW FALL (IN)	3.1	2.6	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.9	8.9	53	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.5	6.4	7.0	7.1	7.2	7.2	7.2	6.5	5.8	5.3	5.9	7.0	80.1	53	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.7	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.9	53	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.4	2.1	2.0	0.6	1.2	0.6	0.6	1.0	1.7	0.8	1.9	3.5	20.4	9	-73315
MEAN NO DYS TSTMS	2.1	3.4	4.3	6.0	7.1	9.1	8.2	6.5	4.8	1.7	2.1	2.0	57.3	9	-73315
P FREQ WND SPD = DR GTR 17 KTS	4.6	5.2	6.2	6.8	3.0	2.2	0.5	0.3	0.8	2.1	3.3	3.4	3.2	9	-73315
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	9	-73315
P FREQ LES 5000 FT A/D LES 5 MI	47.1	34.6	34.5	27.1	24.4	16.2	13.5	11.9	19.3	22.2	29.2	40.0	26.7	9	-73315
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.0	14.9	12.7	6.0	6.6	2.9	2.4	2.6	8.1	6.9	11.4	18.0	9.5	9	-73315
03-05 LST	24.4	15.9	14.0	9.5	12.1	7.0	6.5	7.8	16.7	9.2	13.2	20.0	13.0	9	-73315
06-08 LST	30.6	24.1	18.7	10.4	15.7	7.9	7.3	5.5	17.3	14.7	19.9	25.5	16.4	9	-73315
09-11 LST	30.0	19.6	15.2	9.2	10.9	4.3	5.9	2.8	11.3	9.4	11.7	22.0	12.7	9	-73315
12-14 LST	25.2	14.8	14.3	5.7	6.9	3.3	1.5	1.1	5.4	8.3	7.6	16.9	9.3	9	-73315
15-17 LST	22.6	11.4	10.9	2.6	4.4	3.2	0.7	0.7	5.1	6.9	7.1	15.4	7.6	9	-73315
18-20 LST	20.5	10.1	9.5	4.3	4.3	2.1	0.1	1.1	4.0	7.4	7.6	15.1	7.2	9	-73315
21-23 LST	21.4	12.1	9.4	5.2	3.9	1.7	0.3	0.9	4.8	6.7	8.8	16.8	7.7	9	-73315
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.3	3.7	2.2	0.7	1.8	0.0	0.4	0.4	1.4	1.7	3.5	5.6	2.3	9	-73315
03-05 LST	6.3	3.0	3.7	1.7	3.2	0.3	0.8	3.1	4.9	2.3	4.2	8.0	3.5	9	-73315
06-08 LST	8.0	5.6	4.0	1.1	1.1	0.0	0.4	0.9	3.7	3.6	5.1	9.3	3.6	9	-73315
09-11 LST	3.1	1.7	2.2	0.0	0.0	0.3	0.0	0.0	0.2	1.4	3.1	4.5	1.4	9	-73315
12-14 LST	2.9	1.5	1.7	0.0	0.1	0.1	0.1	0.0	0.2	0.7	1.0	3.5	1.0	9	-73315
15-17 LST	3.1	1.7	1.8	0.0	0.3	0.7	0.0	0.1	0.6	0.4	1.1	3.0	1.1	9	-73315
18-20 LST	4.0	1.7	1.7	0.0	0.5	0.1	0.0	0.0	0.0	1.3	1.4	4.1	1.2	9	-73315
21-23 LST	5.5	2.4	2.0	0.3	0.7	0.0	0.1	0.0	0.3	0.6	1.8	3.9	1.5	9	-73315

POPULAR BLUFF/FIELDS MEMORIAL, MISSOURI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.3	25.9	28.6	29.4	30.2	29.6	31.0	30.9	29.3	29.2	28.4	27.6	346.3	9	-73315
	00 LST	25.7	24.7	28.3	29.0	29.7	29.1	30.7	30.8	28.8	29.3	27.2	26.2	339.5	9	-73315
	06 LST	24.1	23.0	26.7	27.6	27.5	28.2	29.4	28.6	25.1	26.6	24.8	25.2	316.8	9	-73315
	12 LST	25.9	26.0	28.1	29.4	29.6	29.6	30.5	30.7	29.3	28.8	27.9	27.3	343.1	9	-73315
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	18.6	20.4	17.3	18.8	23.1	22.2	26.5	28.2	26.6	25.9	23.7	21.9	273.2	9	-73315
	00 LST	17.3	18.9	19.6	22.9	26.6	27.5	30.1	29.7	26.4	26.7	22.1	20.8	288.6	9	-73315
	06 LST	15.0	17.0	17.3	20.3	23.1	25.1	28.0	27.2	22.0	22.5	19.7	17.9	255.1	9	-73315
	12 LST	11.3	10.9	12.4	13.2	16.9	19.7	21.9	23.1	19.8	17.2	14.3	13.9	194.6	9	-73315
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.5	0.9	1.2	1.9	0.4	0.9	0.4	0.1	0.1	0.1	0.5	1.0	9.0	9	-73315
	00 LST	1.1	0.6	1.0	0.9	0.0	0.0	0.0	0.0	0.0	0.1	0.9	0.5	5.1	9	-73315
	06 LST	0.9	0.9	0.4	0.6	0.6	0.1	0.0	0.0	0.0	0.1	0.2	0.5	4.3	9	-73315
	12 LST	2.7	3.3	2.6	3.6	2.2	1.1	0.2	0.2	0.6	2.1	2.6	2.0	23.2	9	-73315
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	12.4	15.5	18.9	17.9	19.9	13.6	13.3	14.0	13.3	13.3	15.5	14.4	182.0	9	-73315
	00 LST	10.9	12.2	12.4	14.6	11.7	9.5	8.9	8.9	8.2	11.3	12.2	11.1	131.9	9	-73315
	06 LST	8.9	9.9	10.8	14.0	12.1	11.6	12.0	10.9	10.1	10.2	10.2	7.8	128.5	9	-73315
	12 LST	13.5	14.4	14.2	13.5	17.8	10.9	9.2	9.7	14.3	15.2	14.9	15.0	162.6	9	-73315
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.2	11.3	10.8	9.3	9.8	11.3	8.0	11.7	15.3	16.8	14.8	11.2	138.5	6	-73315
	00 LST	11.6	13.1	12.8	14.5	17.0	20.5	19.5	20.0	21.0	19.7	16.0	13.9	199.6	6	-73315
	06 LST	8.6	9.5	9.8	10.3	11.0	11.5	10.3	12.3	13.8	13.8	14.6	11.5	137.0	6	-73315
	12 LST	6.4	9.9	8.8	8.2	6.8	7.0	5.3	7.2	13.8	14.8	11.8	8.9	108.9	6	-73315
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	22.4	23.5	26.1	27.5	28.4	28.7	30.8	30.5	28.4	27.9	27.1	24.6	325.9	9	-73315
	00 LST	22.0	22.6	26.3	27.2	28.5	29.1	30.6	30.5	27.7	28.1	25.6	24.5	322.7	9	-73315
	06 LST	19.0	20.5	23.4	25.1	25.1	27.5	28.0	28.1	23.3	24.1	22.7	21.5	288.3	9	-73315
	12 LST	20.7	21.3	24.8	24.6	26.1	27.9	28.9	30.0	26.3	26.3	24.8	21.8	303.5	9	-73315
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.3	20.6	21.7	21.9	25.2	25.5	27.1	29.0	26.1	25.4	24.2	20.1	285.1	9	-73315
	00 LST	18.7	19.7	22.6	24.0	25.1	28.2	29.7	29.2	26.4	24.7	22.5	20.2	291.0	9	-73315
	06 LST	15.8	17.4	18.8	20.5	21.7	26.1	26.0	26.0	21.3	21.5	19.1	17.8	252.0	9	-73315
	12 LST	17.3	18.2	20.1	19.1	19.9	20.3	22.2	25.6	23.6	24.1	21.9	18.4	250.7	9	-73315
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	16.8	18.8	20.4	19.5	22.7	23.7	25.4	27.6	24.7	24.2	22.0	18.7	264.5	9	-73315
	00 LST	17.9	18.2	19.8	21.6	23.3	27.8	28.5	27.5	25.4	24.0	20.5	19.2	273.7	9	-73315
	06 LST	14.7	15.0	17.1	18.2	19.6	24.1	24.1	23.5	19.4	20.1	18.1	15.7	229.6	9	-73315
	12 LST	16.3	17.0	18.0	17.0	18.2	19.0	21.0	23.0	21.8	22.3	20.7	18.2	230.5	9	-73315

CARUTHERSVILLE, MISSOURI

STA NO. 75424 (IN AREA NUMBER 19)

LATITUDE 3610N

LONGITUDE 08940W

ELEVATION(FT) 00270

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	79	83	93	97	102	109	109	111	108	98	87	79	111	60	-113
MEAN MAX TMP (F)	49	52	62	72	81	89	92	91	86	78	62	51	72	60	-113
MEAN MIN TMP (F)	30	32	40	49	59	67	70	69	63	50	39	32	50	60	-113
ABS MIN TMP (F)	-15	-22	5	26	35	47	54	51	36	20	5	-9	-22	62	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	2.0	14.0	18.0	20.0	7.0	1.0	0.0	0.0	62.0	9	-113
MEAN NO DYS TMP = OR LES 32(F)	19.0	12.0	9.0	1.0	0.0	0.0	0.0	0.0	0.0	1.0	9.0	16.0	67.0	9	-113
MEAN NO DYS TMP = OR LES 0(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			62	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	35	84	154	189	209	221	195	195	153	115	86	97	143	0	-50
MEAN PRECIP (IN)	4.76	3.82	4.75	4.26	4.40	3.73	3.47	3.23	3.10	3.11	3.92	4.17	46.7	68	-113
MEAN SNOW FALL (IN)	2.5	2.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.5	6.9	60	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.3	7.3	7.1	6.9	7.0	6.5	6.2	5.9	5.1	5.1	6.2	7.7	79.3	68	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.6	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.5	60	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CARUTHERSVILLE, MISSOURI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG = GTR 2000 FT AND VSBY = GT														0	0
3 MI W/SFC WND LES 10 KTS														0	0
														0	0
														0	0
														0	0
SFC WND = GTR 17 KTS AND														0	0
NO PRECIP.														0	0
														0	0
														0	0
SFC WND 4-10 KTS AND TMP 33-89														0	0
DEG F AND NO PRECIP.														0	0
														0	0
														0	0
														0	0
SKY COVER LES 3/10 AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG = GTR 2500 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG = GTR 6000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG = GTR 10000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0

DATA NOT AVAILABLE

SIKESTON/MEMORIAL, MISSOURI

STA NO. 75480 (IN AREA NUMBER 13)

LATITUDE 3653N

LONGITUDE 08933W

ELEVATION(FT) 00314

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	80	78	86	90	98	106	111	109	104	99	87	76	111	26	-113
MEAN MAX TMP (F)	46	50	59	70	79	89	92	91	85	73	59	48	70	28	-113
MEAN MIN TMP (F)	27	29	36	47	56	66	69	67	59	47	36	29	47	27	-113
ABS MIN TMP (F)	-12	-10	1	25	33	46	47	47	34	23	0	3	-12	27	-113
MEAN NO DYS TMP = DR W/R 90(F)	0.0	0.0	0.0	0.0	2.0	14.0	20.0	20.0	9.0	2.0	0.0	0.0	67.0	8	-113
MEAN NO DYS TMP = DR LES 32(F)	24.0	19.0	11.0	1.0	0.0	0.0	0.0	0.0	0.0	2.0	19.0	21.0	93.0	8	-113
MEAN NO DYS TMP = DR LES 0(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		27	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	104	129	200	233	255	265	240	239	195	199	195	106	188	0	-50
MEAN PRECIP (IN)	4.76	3.96	5.08	4.42	4.48	4.26	3.12	2.85	3.81	2.98	4.17	3.63	47.5	27	-113
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					27	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.3	7.4	7.2	7.0	7.0	7.1	5.8	5.4	6.0	5.0	6.5	7.0	79.7	27	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					27	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														7	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SIKESTON/MEMORIAL, MISSOURI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	18	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
1	06	LST												0	0
12	12	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR	18	LST												0	0
3 MI W/SFC WND LES 10 KTS	00	LST												0	0
06	06	LST												0	0
12	12	LST												0	0
SFC WND = GTR 17 KTS AND	18	LST												0	0
NO PRECIP.	00	LST												0	0
06	06	LST												0	0
12	12	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	18	LST												0	0
DF: F AND NO PRECIP.	00	LST												0	0
06	06	LST												0	0
12	12	LST												0	0
SKY COVER LES 3/10 AND	18	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
06	06	LST												0	0
12	12	LST												0	0
CIG = GTR 2500 FT AND	18	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
06	06	LST												0	0
12	12	LST												0	0
CIG = GTR 6000 FT AND	18	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
06	06	LST												0	0
12	12	LST												0	0
CIG = GTR 10000 FT AND	18	LST												0	0
VSBY = GTR 3 MI	00	LST												0	0
06	06	LST												0	0
12	12	LST												0	0

DATA NOT AVAILABLE

CHESTERFIELD/SPIRIT OF ST LOUIS, MISSOURI

STA NO. 75431 (IN AREA NUMBER 13)

LATITUDE 3839N

LONGITUDE 09038W

ELEVATION(FT) 00462

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	77	78	86	91	98	105	115	104	104	94	86	76	115	23	-72434
MEAN MAX TMP (F)	40	44	53	66	75	85	89	87	81	76	54	43	66	30	-72434
MEAN MIN TMP (F)	24	25	32	44	53	63	67	66	58	47	35	27	45	30	-72434
ABS MIN TMP (F)	-14	-7	-5	24	33	47	52	50	32	22	3	-4	-14	23	-72434
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	2.0	11.0	16.0	16.0	7.0	0.3	0.0	0.0	52.6	10	-72434
MEAN NO DYS TMP = OR LES 32(F)	26.0	19.0	17.0	2.0	0.0	0.0	0.0	0.0	0.0	1.0	13.0	22.0	100.0	10	-72434
MEAN NO DYS TMP = OR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			23	-29
MEAN DEW PT TMP (F)	21	23	30	39	49	60	65	64	58	44	34	26	43	22	-29
MEAN REL HUM (PCT)	68	66	64	60	63	66	68	68	71	63	69	72	67	6	-72434
MEAN PRESS ALT (FT)	265	277	354	387	414	422	396	394	345	314	298	269	345	0	-50
MEAN PRECIP (IN)	1.98	2.04	3.08	3.71	3.73	4.29	3.30	3.02	2.76	2.86	2.57	1.97	35.3	30	-72434
MEAN SNOW FALL (IN)	4.4	4.1	4.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.9	17.5	30	-72434
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.6	4.7	6.2	6.6	6.7	7.1	6.0	5.6	4.7	4.8	4.4	4.6	66.0	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.0	0.9	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	3.9	30	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	1.0	3.0	5.0	7.0	9.0	7.0	7.0	5.0	3.0	1.0	0.0	49.0	59	-72434
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CHESTERFIELD/SPIRIT OF ST LOUIS, MISSOURI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG =GTR 2000 FT AND VSBY =GTR														0	0
3 MI W/SFC WND LES 10 KTS														0	0
														0	0
														0	0
														0	0
SFC WND = GTR 17 KTS AND														0	0
NO PRECIP.														0	0
														0	0
														0	0
SFC WND 4-10 KTS AND TMP 33-89														0	0
DEG F AND NO PRECIP.														0	0
														0	0
														0	0
														0	0
SKY COVER LES 3/10 AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG = GTR 2500 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG = GTR 6000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG = GTR 10000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0

DATA NOT AVAILABLE

DURANT/EAKER FIELD, OKLAHOMA

STA NO. 73843 (IN AREA NUMBER 13)

LATITUDE 3356N

LONGITUDE 09623W

ELEVATION(FT) 00703


PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	89	93	99	97	103	107	111	118	111	100	88	87	118	58	-113
MEAN MAX TMP (F)	53	57	66	75	82	91	95	96	89	78	65	55	75	58	-113
MEAN MIN TMP (F)	31	34	42	51	59	68	71	70	63	52	41	33	51	57	-113
ABS MIN TMP (F)	-6	-4	7	23	33	46	52	50	34	16	9	5	-6	56	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.3	1.0	7.0	21.0	27.0	27.0	21.0	3.0	0.0	0.0	107.3	8	-113
MEAN NO DYS TMP = DR LES 32(F)	16.0	10.0	6.0	1.0	0.0	0.0	0.0	0.0	0.0	0.3	8.0	14.0	53.3	7	-113
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73249
MEAN DEW PT TMP (F)	34	36	39	49	60	66	68	66	61	51	39	34	50	12	-73249
MEAN REL HUM (PCT)	70	68	62	63	68	66	63	59	61	62	62	67	64	12	-73249
MEAN PRESS ALT (FT)	513	532	621	670	697	711	665	666	621	584	537	510	611	0	-50
MEAN PRECIP (IN)	2.24	2.69	2.87	4.52	5.40	3.75	3.21	2.75	3.03	3.77	2.62	2.62	39.5	59	-113
MEAN SNOW FALL (IN)	1.2	0.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	2.7	54	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.0	5.7	6.0	7.0	7.3	6.5	5.9	5.3	5.0	6.0	4.5	5.6	69.8	59	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.7	54	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	4.4	3.6	2.2	1.1	1.4	0.7	0.4	0.3	0.8	0.8	1.6	3.4	20.7	12	-73249
MEAN NO DYS TSTMS	1.1	2.6	3.9	6.0	8.4	5.8	6.8	4.8	4.0	2.5	1.7	1.0	48.6	12	-73249
P FREQ WND SPD = DR GTR 17 KTS	18.4	15.5	19.4	20.4	10.8	8.7	4.2	3.1	4.3	8.3	13.8	12.5	11.6	12	-73249
P FREQ WND SPD = DR GTR 28 KTS	0.8	0.5	1.1	0.9	0.3	0.2	0.1	0.0	0.1	0.0	0.4	0.3	0.4	12	-73249
P FREQ LES 5000 FT A/D LES 5 MI	33.2	33.9	28.9	29.1	24.9	16.6	10.2	7.7	13.4	17.1	22.0	26.1	21.9	12	-73249
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.5	17.3	11.0	8.3	7.5	3.9	1.7	1.3	3.3	6.1	10.6	14.8	9.0	12	-73249
03-05 LST	24.6	22.6	14.4	12.8	13.6	6.5	3.5	3.9	7.4	8.5	12.8	17.8	12.4	12	-73249
06-08 LST	26.5	27.0	18.8	19.7	19.5	12.2	6.3	5.6	12.1	12.5	17.2	22.2	16.6	12	-73249
09-11 LST	28.8	27.9	20.3	18.9	14.7	8.5	5.8	5.0	10.2	12.2	15.6	22.5	15.9	12	-73249
12-14 LST	23.1	22.0	14.2	8.3	7.2	2.6	2.8	1.2	3.2	7.1	11.0	17.0	10.0	12	-73249
15-17 LST	16.6	17.5	9.9	5.8	3.9	2.6	1.4	0.9	2.1	5.4	8.9	12.9	7.3	12	-73249
18-20 LST	17.2	14.7	9.3	6.2	3.9	2.9	1.3	0.8	2.5	5.1	7.8	12.2	7.0	12	-73249
21-23 LST	18.0	13.5	9.5	7.2	5.3	2.5	0.7	0.4	2.9	4.7	8.0	14.3	7.3	12	-73249
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.6	6.7	2.7	1.4	1.5	0.4	0.1	0.0	1.6	2.0	3.6	5.6	2.8	12	-73249
03-05 LST	10.8	8.2	4.6	2.4	2.4	0.7	0.6	0.3	2.3	1.8	4.4	6.8	3.8	12	-73249
06-08 LST	10.5	8.1	4.0	1.3	2.5	0.8	0.4	0.4	1.9	1.9	4.4	8.1	3.7	12	-73249
09-11 LST	7.4	5.6	2.2	0.1	0.8	0.3	0.4	0.0	0.7	0.5	2.0	4.4	2.0	12	-73249
12-14 LST	4.0	1.4	0.8	0.2	0.5	0.0	0.4	0.0	0.3	0.3	0.3	2.2	0.9	12	-73249
15-17 LST	2.3	2.5	0.7	0.7	0.0	0.1	0.0	0.1	0.0	0.2	0.6	1.8	0.8	12	-73249
18-20 LST	4.9	3.5	1.9	0.2	0.3	0.3	0.3	0.2	0.4	0.2	2.1	2.5	1.4	12	-73249
21-23 LST	5.7	5.7	2.2	0.6	1.0	0.2	0.0	0.0	1.0	0.4	2.3	4.1	1.9	12	-73249

DURANT/EAKER FIELD, OKLAHOMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.1	24.9	28.7	28.8	30.2	29.5	30.6	30.8	29.5	29.8	28.2	27.8	345.9	12	-73249
	00 LST	25.9	24.3	28.8	28.7	29.7	29.5	30.7	30.8	29.3	29.8	27.6	27.2	342.3	12	-73249
	06 LST	25.2	22.9	27.7	26.9	27.7	27.9	30.2	30.3	27.5	28.4	26.6	25.9	327.2	12	-73249
	12 LST	25.0	23.0	27.8	28.1	29.4	29.4	30.3	30.8	29.3	29.4	27.8	26.8	337.1	12	-73249
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	14.1	12.6	12.6	11.4	14.3	13.8	17.4	18.4	19.7	21.4	17.6	18.5	191.8	12	-73249
	00 LST	11.1	11.6	13.0	12.5	15.0	14.1	18.4	18.3	18.0	17.4	13.7	13.0	176.1	12	-73249
	06 LST	11.4	10.1	10.7	10.1	14.5	14.7	19.5	19.8	18.1	16.7	13.7	12.0	171.3	12	-73249
	12 LST	7.8	6.7	6.7	6.2	9.8	11.9	16.6	18.8	15.1	11.8	8.1	8.3	127.8	12	-73249
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	3.6	2.5	4.7	3.8	2.6	2.1	0.8	1.0	0.8	1.2	1.8	2.4	27.3	12	-73249
	00 LST	5.8	4.3	4.8	5.9	2.4	1.6	0.6	0.6	0.8	2.1	3.9	3.5	36.3	12	-73249
	06 LST	5.6	3.7	4.3	3.9	2.7	2.1	0.8	0.5	0.5	1.4	2.9	2.8	31.2	12	-73249
	12 LST	8.4	6.2	8.1	9.1	5.5	3.8	1.6	1.1	2.3	4.0	6.7	5.8	62.6	12	-73249
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	13.4	14.6	14.8	14.0	15.7	10.1	7.9	8.6	16.6	20.0	17.7	17.0	170.4	12	-73249
	00 LST	9.0	11.2	13.3	13.4	15.9	17.4	20.2	21.5	19.1	16.4	11.7	11.9	181.0	12	-73249
	06 LST	7.9	8.6	11.4	12.8	16.1	17.2	20.8	18.6	18.2	17.1	11.9	11.0	171.6	12	-73249
	12 LST	9.2	10.2	10.0	9.8	13.1	10.5	7.7	7.7	12.4	14.0	10.5	12.2	127.3	12	-73249
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.9	8.7	9.6	10.9	10.9	13.9	11.6	14.7	16.0	16.2	14.1	14.0	150.5	12	-73249
	00 LST	14.1	12.0	14.9	14.3	15.2	19.1	20.1	22.4	20.8	19.8	18.2	17.9	208.8	12	-73249
	06 LST	11.4	11.5	11.1	8.8	8.9	12.0	12.1	13.1	15.7	16.6	15.0	15.3	151.5	12	-73249
	12 LST	8.0	7.8	10.1	9.2	7.8	8.2	7.7	10.1	11.4	14.4	13.5	11.4	119.6	12	-73249
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.3	22.7	26.6	27.1	29.1	28.7	30.3	30.6	28.9	28.3	26.4	25.5	328.5	12	-73249
	00 LST	23.0	22.4	26.2	26.3	28.4	28.6	30.5	30.5	28.7	28.9	26.2	25.5	325.2	12	-73249
	06 LST	21.2	19.5	23.5	21.5	22.7	25.6	29.0	29.1	25.1	26.7	23.9	22.9	290.7	12	-73249
	12 LST	21.6	19.7	23.1	23.6	25.9	27.5	28.8	29.5	27.8	26.7	25.1	23.4	302.7	12	-73249
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.7	19.8	23.1	23.0	25.8	26.5	28.7	28.5	27.3	27.0	24.4	24.1	299.9	12	-73249
	00 LST	21.5	19.2	23.1	23.3	25.1	27.4	29.5	29.8	27.6	26.7	24.5	23.7	301.4	12	-73249
	06 LST	19.0	17.2	20.6	18.7	20.3	24.0	27.2	28.0	23.7	24.7	21.3	21.4	266.1	12	-73249
	12 LST	20.0	17.9	20.8	19.5	20.3	21.6	23.2	25.6	23.0	23.9	21.7	21.9	259.4	12	-73249
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	20.7	18.9	21.9	20.9	24.2	25.7	27.8	27.8	26.3	25.6	23.3	22.8	285.9	12	-73249
	00 LST	20.7	18.5	22.2	21.5	23.7	26.6	29.1	29.1	26.7	25.2	23.3	22.8	289.4	12	-73249
	06 LST	17.8	16.3	19.7	17.0	19.1	22.9	25.9	26.2	23.0	23.1	20.5	20.4	251.9	12	-73249
	12 LST	19.2	17.1	19.8	17.8	19.2	20.6	22.0	24.5	21.6	22.7	20.7	21.2	246.4	12	-73249

TENNESSEE



MEMPHIS MUNICIPAL, TENNESSEE

STA NO. 72334 (IN AREA NUMBER 13)

LATITUDE 3503N

LONGITUDE 0895W

ELEVATION(FT) 00331

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	78	79	85	91	97	104	106	105	103	95	85	79	106	21	-113
MEAN MAX TMP (F)	50	54	61	73	81	89	92	91	85	76	62	52	72	21	-113
MEAN MIN TMP (F)	32	35	41	52	60	69	71	70	63	51	40	34	52	21	-113
ABS MIN TMP (F)	-2	-11	12	29	38	50	52	48	36	25	9	11	-11	21	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.1	3.3	14.4	22.0	19.9	9.5	1.1	0.0	0.0	70.3	12	4382
MEAN NO DYS TMP = DR LES 32(F)	16.9	9.9	5.8	0.2	0.0	0.0	0.0	0.0	0.0	0.7	9.5	14.8	57.8	17	4382
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	4382
MEAN DEW PT TMP (F)	33	35	38	47	58	66	69	68	61	50	37	33	50	12	105155
MEAN REL HUM (PCT)	72	70	65	63	68	68	70	70	68	66	65	70	63	12	105155
MEAN PRESS ALT (FT)	132	148	225	298	284	292	266	265	217	184	164	135	214	0	-50
MEAN PRECIP (IN)	5.71	5.10	5.10	5.22	4.55	3.92	3.47	3.57	2.79	2.80	4.34	4.63	51.2	21	-113
MEAN SNOW FALL (IN)	3.2	1.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	5.5	13	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.3	8.7	7.2	7.3	7.0	6.7	6.2	6.3	4.7	4.7	6.7	8.2	83.0	21	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.3	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.0	11	3987
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.5	1.1	0.7	0.6	0.1	0.2	0.2	0.3	0.4	1.1	0.9	1.8	8.9	12	4382
MEAN NO DYS TSTMS	2.0	2.0	4.0	5.0	6.0	8.0	8.0	7.0	4.0	2.0	2.0	1.0	51.0	70	-24
P FREQ WND SPD = DR GTR 17 KTS	10.5	9.2	11.5	8.8	4.0	1.3	0.7	0.7	1.4	2.4	7.1	6.5	5.3	12	105155
P FREQ WND SPD = DR GTR 28 KT	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	12	105155
P FREQ LES 5000 FT A/D LES 5 MI	42.1	36.2	29.7	20.6	17.7	12.7	13.2	10.9	15.8	19.1	24.6	33.3	23.0	12	105151
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	19.6	18.6	9.1	6.3	6.6	2.3	2.9	1.6	4.7	6.8	10.8	16.0	8.8	12	13144
03-05 LST	23.7	21.0	13.9	9.2	7.0	5.8	6.5	4.7	8.1	9.9	13.6	17.3	11.7	12	13145
06-08 LST	27.6	24.0	17.7	11.9	11.7	8.6	9.2	7.8	11.9	14.7	15.8	19.9	15.1	12	13145
09-11 LST	26.9	22.3	15.2	9.6	6.8	4.3	4.4	3.9	8.9	9.9	12.2	18.1	11.9	12	13142
12-14 LST	21.8	16.1	11.0	4.5	3.9	2.2	1.1	1.3	4.0	6.1	8.9	12.7	7.8	12	13145
15-17 LST	19.2	15.1	7.5	3.9	2.8	1.0	1.1	0.8	2.8	4.1	6.5	12.8	6.5	12	13144
18-20 LST	17.8	13.7	6.7	4.1	2.7	1.0	0.9	0.8	2.2	4.9	6.5	12.3	6.1	12	13142
21-23 LST	19.1	15.5	7.1	5.0	3.4	1.6	1.5	1.6	2.9	6.4	7.8	13.2	7.1	12	13144
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.1	2.0	0.8	0.9	0.3	0.1	0.1	0.0	0.2	1.3	0.6	2.7	0.9	12	13144
03-05 LST	2.5	2.5	1.6	1.2	0.6	0.4	0.5	0.8	1.1	2.6	1.4	3.1	1.5	12	13145
06-08 LST	2.9	3.8	1.9	0.7	0.4	0.5	0.4	0.8	0.8	2.8	2.3	2.8	1.7	12	13145
09-11 LST	2.7	2.3	0.6	0.2	0.1	0.0	0.0	0.0	0.1	0.3	1.1	1.1	0.7	12	13142
12-14 LST	1.4	1.2	0.2	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.6	1.0	0.4	12	13145
15-17 LST	1.4	1.0	0.4	0.0	0.0	0.1	0.2	0.0	0.1	0.0	0.6	1.1	0.4	12	13144
18-20 LST	1.4	0.5	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.3	1.2	0.3	12	13142
21-23 LST	1.1	0.8	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.8	0.4	1.9	0.6	12	13144

MEMPHIS MUNICIPAL, TENNESSEE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.9	25.3	29.2	29.4	30.6	29.7	30.8	30.8	29.5	30.1	29.0	28.5	349.8	12	4382
	00 LST	26.3	24.7	29.2	28.9	29.8	29.6	30.7	30.7	29.1	29.5	28.1	27.7	344.3	12	4382
	06 LST	25.1	22.9	26.9	28.0	28.7	28.4	29.1	28.6	27.3	27.7	26.3	27.0	326.0	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	26.4	24.8	28.8	29.3	30.2	29.7	30.9	30.8	29.3	30.0	27.7	28.0	345.9	12	4382
	00 LST	16.1	15.8	16.2	15.9	21.2	21.6	22.6	23.9	24.3	23.6	19.9	18.5	243.6	12	4382
	06 LST	14.1	14.3	15.8	17.6	22.6	26.4	27.8	27.6	25.4	24.3	18.5	16.6	251.0	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	13.3	13.0	14.8	16.5	21.0	23.6	25.6	26.4	23.3	21.8	16.7	16.5	232.5	12	4382
	00 LST	8.6	8.2	7.2	8.2	11.8	16.1	19.1	21.0	15.0	14.3	11.0	10.0	150.5	12	4382
	06 LST	1.4	1.0	2.3	1.4	0.7	0.1	0.3	0.4	0.3	0.3	1.6	1.1	10.9	12	4257
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	3.5	2.0	2.3	1.4	0.2	0.0	0.1	0.1	0.0	0.2	1.8	1.6	13.2	12	4249
	06 LST	3.0	2.0	2.4	1.0	0.3	0.0	0.1	0.0	0.0	0.3	1.8	1.9	13.0	12	4231
	12 LST	5.0	4.2	6.3	5.2	2.4	0.9	0.2	0.2	0.8	1.8	3.5	3.6	34.1	12	4261
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	16.2	16.4	17.9	18.3	23.0	18.1	15.6	18.5	20.7	21.5	18.4	17.5	222.1	12	4257
	00 LST	11.5	12.1	16.1	18.2	20.2	19.3	20.3	16.0	17.3	16.1	13.0	13.1	193.2	12	4249
	06 LST	8.8	10.2	14.8	17.5	17.6	18.8	19.9	16.8	16.7	16.7	12.4	11.4	181.6	12	4231
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	12 LST	12.8	11.3	12.6	12.2	15.5	13.7	12.1	13.8	15.7	17.0	14.0	13.1	163.8	12	4261
	18 LST	7.7	8.4	8.5	9.8	9.3	10.0	9.3	10.9	14.5	15.8	12.4	10.5	127.1	12	4382
	00 LST	10.7	10.6	12.0	13.5	15.1	17.7	15.8	19.2	19.6	18.9	14.9	13.2	181.2	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	9.3	7.8	9.2	10.2	9.7	11.7	9.3	11.7	13.7	14.7	12.5	12.3	132.1	12	4382
	12 LST	6.7	7.5	7.1	7.9	6.8	5.9	4.7	8.2	11.5	13.2	11.3	8.8	99.6	12	4382
	18 LST	22.5	23.0	26.8	27.8	29.5	29.4	30.6	30.6	28.9	29.3	26.6	25.5	330.5	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	23.0	22.2	27.7	27.5	28.8	29.3	30.2	30.2	28.5	28.3	26.3	25.1	327.1	12	4382
	06 LST	19.9	19.7	22.9	25.4	27.1	27.0	28.3	28.1	25.7	25.6	23.3	22.7	295.7	12	4382
	12 LST	19.9	19.3	24.6	26.7	28.1	27.8	28.6	29.2	26.6	27.3	25.5	23.6	307.4	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.7	19.5	21.9	24.8	27.3	28.2	27.9	29.8	27.2	26.9	23.6	20.6	296.4	12	4382
	00 LST	18.7	18.7	23.4	25.1	26.9	28.1	28.6	29.3	27.1	26.2	23.5	21.9	297.5	12	4382
	06 LST	16.2	16.5	19.4	21.8	24.3	25.8	27.0	27.2	24.3	23.6	20.5	19.6	266.2	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	12 LST	16.4	16.1	18.6	20.8	21.1	21.5	22.2	23.6	21.8	23.3	21.9	19.1	246.4	12	4382
	18 LST	16.8	17.5	19.4	22.4	26.1	27.1	27.2	28.4	26.0	26.1	21.4	19.1	277.5	12	4382
	00 LST	17.1	16.6	20.9	22.6	25.3	27.1	28.0	28.1	26.3	25.5	21.4	19.9	278.8	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	14.1	14.4	17.1	20.0	22.2	25.1	25.6	25.8	22.7	22.5	18.9	17.0	245.4	12	4382
	12 LST	14.4	14.7	16.2	18.9	20.6	21.2	21.7	23.0	21.1	22.9	20.3	17.5	232.5	12	4382

JACKSON, TENNESSEE

STA NO. 73309 (IN AREA NUMBER 13)

LATITUDE 3536N

LONGITUDE 08855W

ELEVATION(FT) 00418

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	79	79	86	90	98	105	107	105	105	99	84	80	107	29	-613
MEAN MAX TMP (F)	50	53	61	72	80	88	91	91	85	75	61	52	72	29	-113
MEAN MIN TMP (F)	31	33	39	49	57	65	68	67	60	48	38	33	49	28	-113
ABS MIN TMP (F)	-15	-21	9	25	33	43	45	44	30	19	0	-10	-21	28	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.1	5.4	17.6	21.6	21.1	8.8	1.9	0.0	0.0	76.5	10	3287
MEAN NO DYS TMP = DR LES 32(F)	16.0	13.1	9.3	1.3	0.0	0.0	0.0	0.0	0.0	2.0	11.6	19.2	72.5	10	3287
MEAN NO DYS TMP = DR LES 0(F)	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.9	10	3287
MEAN DEW PT TMP (F)	37	36	38	46	58	67	69	67	59	50	35	32	50	6	52555
MEAN REL HUM (PCT)	77	70	65	65	69	68	70	70	68	69	64	71	69	6	52551
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	6.42	4.81	5.26	4.53	4.03	4.18	4.56	3.36	3.40	2.56	4.28	4.39	51.8	29	-113
MEAN SNOW FALL (IN)	1.7	1.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.6	4.9	10	3286
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.1	8.4	7.3	7.0	6.8	7.0	7.4	6.1	5.5	4.4	6.7	7.9	84.6	29	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.8	10	3286
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	3.2	2.5	1.1	0.5	1.1	0.2	0.5	1.1	0.3	0.8	0.5	1.5	13.3	6	2190
MEAN NO DYS TSTMS	3.1	2.2	5.4	6.5	7.0	7.4	11.1	7.3	3.8	2.1	1.8	2.1	59.8	10	3286
P FREQ WND SPD = DR GTR 17 KTS	6.1	4.5	6.2	3.9	1.7	0.6	0.2	0.3	0.4	0.7	3.3	4.6	2.7	6	52548
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	6	52548
P FREQ LES 5000 FT A/D LES 5 MI	51.8	36.5	30.1	24.1	18.6	13.9	13.5	11.0	15.5	19.7	23.3	35.2	24.5	6	52532
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	28.6	15.0	10.6	5.9	8.6	3.7	2.3	1.3	5.4	8.6	8.1	17.3	9.6	6	6562
03-05 LST	30.5	18.1	14.9	10.2	12.0	5.9	7.3	4.8	9.8	10.8	10.6	19.3	12.9	6	6569
06-08 LST	33.3	23.3	21.5	15.6	12.9	8.1	10.1	6.6	10.0	11.5	14.6	20.6	15.7	6	6564
09-11 LST	37.3	24.3	19.2	13.7	10.0	4.3	5.7	4.5	9.3	10.8	12.4	16.5	14.0	6	6564
12-14 LST	33.8	14.2	11.3	8.9	7.0	2.0	1.8	1.1	5.4	7.7	9.1	15.3	9.8	6	6568
15-17 LST	29.2	12.8	7.7	5.9	3.8	1.3	1.3	1.1	3.7	7.2	6.9	11.2	7.7	6	6568
18-20 LST	28.5	11.4	7.7	3.7	2.9	1.7	0.5	0.5	2.2	7.7	6.3	10.8	7.0	6	6569
21-23 LST	29.4	12.6	7.9	5.2	3.9	2.2	0.4	0.5	2.4	4.8	7.8	14.8	7.7	6	6568
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.0	3.7	1.3	0.4	1.3	0.0	0.0	0.4	0.9	1.6	0.4	1.6	1.3	6	6562
03-05 LST	4.3	3.7	2.0	1.7	3.8	0.2	0.9	2.0	1.3	2.2	0.4	2.7	2.1	6	6569
06-08 LST	5.4	2.6	3.1	1.7	2.2	0.0	0.7	1.1	0.2	1.4	1.5	2.0	1.8	6	6564
09-11 LST	3.9	1.8	0.7	0.4	0.4	0.2	0.0	0.0	0.2	0.5	0.9	1.1	0.8	6	6564
12-14 LST	1.8	0.4	0.7	0.2	0.0	0.0	0.2	0.0	0.0	0.2	1.3	0.4	0.4	6	6568
15-17 LST	3.0	1.4	0.0	0.4	0.2	0.0	0.2	0.2	0.0	0.5	0.7	0.5	0.6	6	6568
18-20 LST	2.9	1.4	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.6	0.7	0.5	6	6569
21-23 LST	4.3	1.4	0.4	0.4	0.0	0.2	0.0	0.0	0.2	0.4	0.6	1.4	0.8	6	6568

JACKSON, TENNESSEE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	23.7	25.5	29.3	29.5	30.7	29.8	31.0	30.8	29.3	29.5	29.0	28.8	346.9	6	2190
	00 LST	23.7	25.3	29.6	28.8	29.8	29.3	30.7	31.0	28.8	29.6	27.8	27.1	341.5	6	2190
	06 LST	24.6	23.7	26.7	27.0	27.8	28.5	28.6	29.0	28.0	28.5	27.0	25.9	323.3	6	2190
	12 LST	23.0	25.2	28.5	27.8	29.6	30.0	30.8	30.7	29.0	30.0	28.7	27.6	340.9	6	2190
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	15.0	18.5	19.8	20.5	25.5	25.5	28.3	29.3	28.0	27.2	23.0	20.9	281.5	6	2190
	00 LST	12.0	15.7	19.2	21.5	26.2	27.2	29.3	30.2	27.2	25.3	21.0	18.3	273.1	5	2190
	06 LST	10.5	14.7	17.3	16.8	23.0	24.0	25.8	27.7	25.5	25.0	20.8	17.1	248.2	6	2190
	12 LST	8.3	10.2	10.5	10.7	15.7	18.7	22.5	22.5	16.7	17.0	13.1	11.7	177.6	6	2190
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.9	0.7	1.0	0.7	0.0	0.2	0.0	0.0	0.0	0.0	0.3	1.6	5.4	6	2129
	00 LST	2.6	1.2	2.0	0.7	0.0	0.0	0.0	0.0	0.0	0.2	1.4	1.4	9.5	6	2126
	06 LST	1.8	0.3	1.5	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.8	1.4	6.1	6	2127
	12 LST	3.6	2.8	4.3	2.6	2.2	0.3	0.2	0.0	0.3	0.3	2.4	2.0	21.0	6	2133
SFC WND 4-10 KTS AND TMP 33-69 DEG F AND NO PRECIP.	18 LST	18.0	17.6	20.4	20.3	21.5	17.1	16.8	15.6	18.0	18.0	15.7	16.6	215.6	6	2129
	00 LST	14.8	13.7	15.9	20.1	17.4	15.3	14.7	9.8	11.3	11.9	10.3	11.0	166.2	6	2126
	06 LST	11.4	12.2	16.6	21.2	19.1	21.3	19.8	13.7	15.2	11.2	9.8	11.4	182.9	6	2127
	12 LST	14.2	14.3	14.7	15.2	18.2	10.5	9.6	12.5	16.8	19.6	15.5	14.4	175.5	6	2133
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	6.0	9.6	8.5	9.3	10.3	10.0	9.3	12.0	16.0	17.1	14.0	10.4	132.5	6	2190
	00 LST	8.8	12.9	13.3	14.3	17.6	19.1	18.0	19.7	19.5	19.8	16.8	12.6	192.4	6	2186
	06 LST	6.5	8.3	8.0	11.0	11.8	12.0	10.5	13.3	14.5	15.2	14.5	10.5	136.1	6	2190
	12 LST	5.0	8.9	8.2	7.5	6.5	5.6	4.5	3.6	13.0	13.8	12.0	7.5	98.1	6	2190
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	18.8	22.8	26.8	27.2	29.8	29.5	30.7	30.8	28.5	28.1	27.7	26.5	327.2	6	2190
	00 LST	19.2	23.0	27.3	27.7	29.0	28.8	30.2	30.7	28.0	28.1	26.3	24.3	322.6	6	2190
	06 LST	17.1	19.7	22.7	24.3	26.8	26.6	27.5	28.0	26.2	26.2	25.0	22.6	292.7	6	2190
	12 LST	17.6	19.2	23.3	25.3	27.0	27.5	29.1	29.0	26.5	27.0	25.1	23.3	299.9	6	2190
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	15.3	18.0	22.0	21.7	26.3	27.0	28.3	28.6	26.8	26.5	23.8	22.1	286.4	6	2190
	00 LST	16.0	18.7	23.2	25.1	27.0	27.2	29.1	30.0	27.3	26.2	24.0	20.1	293.9	6	2190
	06 LST	13.3	15.7	19.0	21.0	24.0	25.5	26.2	26.3	24.0	24.0	22.0	18.8	259.8	6	2190
	12 LST	13.8	17.1	19.0	19.7	22.8	22.0	21.8	24.0	22.1	23.0	22.5	20.3	248.1	6	2190
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	13.8	16.9	18.8	20.0	24.5	25.0	27.0	27.2	25.3	25.3	20.6	20.3	264.7	6	2190
	00 LST	14.5	16.5	21.1	21.3	24.3	26.3	26.8	28.8	25.3	24.8	21.7	17.7	269.1	6	2190
	06 LST	11.3	14.4	17.0	18.3	21.1	24.0	24.1	24.3	22.1	22.5	20.6	17.2	236.9	6	2190
	12 LST	13.0	15.6	17.0	17.3	20.6	20.3	20.3	22.8	21.5	22.2	21.8	17.4	229.8	6	2190

DYERSBURG, TENNESSEE

STA NO. 73316 (IN AREA NUMBER 13)

LATITUDE 3559N LONGITUDE 08924W ELEVATION(FT) 0338

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. URS
ABS MAX TMP (F)	78	76	84	88	96	105	104	104	103	93	83	78	105	11	3516
MEAN MAX TMP (F)	49	53	61	69	80	90	92	90	83	75	59	49	71	11	3516
MEAN MIN TMP (F)	32	34	41	49	59	68	70	69	60	50	37	31	50	11	3516
ABS MIN TMP (F)	-9	-5	6	29	36	30	53	52	38	23	6	0	-9	11	3516
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	3.3	16.4	20.4	19.2	5.9	1.0	0.0	0.0	66.2	11	3516
MEAN NO DYS TMP = DR LES 32(F)	15.9	11.3	6.3	0.5	0.0	0.0	0.0	0.0	0.0	1.0	10.2	19.0	64.2	11	3516
MEAN NO DYS TMP = DR LES 0(F)	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	11	3516
MEAN DEW PT TMP (F)	35	36	40	47	58	68	69	68	60	50	36	32	50	9	73856
MEAN REL HUM (PCT)	78	73	70	68	71	71	70	72	72	69	67	74	71	9	73845
MEAN PRESS ALT (FT)	133	136	228	261	284	292	268	267	222	187	164	135	216	0	-50
MEAN PRECIP (IN)	6.04	4.97	6.22	3.17	4.40	3.92	3.12	2.39	3.69	2.18	2.97	4.86	48.1	11	3515
MEAN SNOW FALL (IN)	2.0	0.7	0.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.4	4.9	8	2616
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.1	6.9	7.3	6.0	6.6	5.3	5.2	4.2	5.0	3.3	3.3	7.3	70.5	11	3515
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.6	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	1.1	8	2616
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.9	2.6	1.2	0.5	0.8	0.4	0.3	1.1	1.1	1.5	1.1	2.6	16.1	9	3095
MEAN NO DYS TSTMS	2.1	2.5	5.2	5.3	6.7	7.4	8.5	6.6	4.1	1.6	2.1	1.2	53.3	11	3522
P FREQ WND SPD = DR GTR 17 KTS	5.2	4.1	6.5	5.0	2.8	0.8	0.3	0.3	0.5	1.0	3.0	3.3	2.7	9	74188
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.1	9	74188
P FREQ LES 5000 FT A/O LES 3 MI	51.6	41.4	33.3	26.0	23.5	15.4	11.8	14.1	22.5	24.2	29.9	41.2	27.9	9	74172
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	25.7	20.2	9.3	5.2	7.7	2.0	1.2	3.0	8.0	5.6	8.2	19.3	9.6	9	9274
03-05 LST	27.6	20.5	13.2	10.3	14.1	4.6	4.2	7.3	12.5	9.1	11.5	22.0	13.1	9	9284
06-08 LST	33.2	26.4	22.0	15.4	14.0	7.4	7.2	8.0	13.6	16.0	18.8	24.9	17.2	9	9273
09-11 LST	34.1	26.7	17.3	13.3	10.7	4.6	3.4	5.6	11.5	9.2	11.3	21.5	14.1	9	9270
12-14 LST	30.2	18.7	12.2	9.7	7.3	2.2	1.7	2.3	6.2	7.4	8.6	18.2	10.4	9	9274
15-17 LST	29.5	14.6	8.6	4.0	4.3	1.9	1.0	1.3	4.0	6.3	8.2	18.0	8.5	9	9277
18-20 LST	25.6	14.6	9.5	2.8	4.5	1.6	0.1	1.4	4.0	3.6	8.5	20.1	8.2	9	9271
21-23 LST	25.2	13.0	9.6	3.7	6.1	2.1	0.1	2.0	4.6	6.5	7.9	19.3	8.3	9	9269
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	3.0	4.9	0.9	0.1	1.0	0.0	0.1	0.4	1.5	1.2	0.8	4.0	1.5	9	9274
03-05 LST	3.6	5.6	1.6	0.5	2.9	0.6	0.4	2.3	3.7	2.1	1.0	4.3	2.4	9	9284
06-08 LST	5.9	5.0	2.2	1.4	1.7	0.7	0.6	0.8	2.3	1.7	3.9	5.7	2.7	9	9273
09-11 LST	3.9	2.9	1.2	0.6	0.4	0.1	0.0	0.0	1.1	0.5	1.9	3.6	1.4	9	9270
12-14 LST	2.0	0.4	0.8	0.1	0.1	0.1	0.1	0.0	0.0	0.3	0.7	3.1	0.6	9	9274
15-17 LST	0.9	1.5	0.8	0.1	0.1	0.1	0.1	0.0	0.0	0.3	1.0	3.0	0.7	9	9277
18-20 LST	2.4	1.5	0.4	0.0	0.1	0.0	0.0	0.0	0.2	0.0	1.0	3.0	0.7	9	9271
21-23 LST	3.4	1.5	0.3	0.0	0.4	0.0	0.0	0.0	0.3	0.8	0.8	4.3	1.0	9	9269

DYERSBURG, TENNESSEE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	24.1	24.6	29.1	29.4	30.2	29.4	31.0	30.5	29.3	29.3	27.9	25.9	340.7	9	3096
	00 LST	25.1	23.7	29.1	29.4	29.0	29.6	31.0	30.2	28.4	29.8	28.4	26.8	340.5	9	3096
	06 LST	24.7	22.4	26.1	26.7	27.5	28.4	28.9	28.9	26.1	26.6	25.2	24.7	316.2	9	3096
	12 LST	23.5	24.0	28.3	28.8	29.5	29.6	30.8	30.5	29.1	29.5	28.1	26.0	337.7	9	3096
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	16.9	18.8	19.1	20.5	24.4	26.4	29.8	29.6	27.5	27.1	22.1	18.2	280.4	9	3096
	00 LST	14.2	16.8	18.4	22.2	25.0	27.4	29.8	29.1	26.8	26.8	22.5	19.3	278.3	9	3096
	06 LST	14.1	14.6	16.1	18.5	22.2	25.0	26.4	26.9	23.6	23.6	19.9	16.9	247.8	9	3095
	12 LST	11.6	11.8	11.2	9.8	16.2	20.9	23.2	25.2	21.2	18.6	13.9	13.7	197.3	9	3095
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.9	0.8	0.9	0.7	0.2	0.2	0.1	0.0	0.0	0.0	0.6	1.1	5.5	9	3018
	00 LST	1.8	0.5	1.4	0.3	0.1	0.0	0.0	0.1	0.0	0.1	0.5	0.4	5.2	9	2998
	06 LST	1.0	0.8	1.3	0.5	0.1	0.0	0.0	0.0	0.0	0.1	0.5	0.7	5.0	9	2990
	12 LST	3.3	2.5	3.6	3.0	1.9	0.9	0.1	0.0	0.4	0.5	1.7	1.9	19.8	9	3002
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	14.4	15.8	17.6	17.9	17.1	15.2	12.6	13.3	13.4	17.7	14.8	14.5	184.3	9	3013
	00 LST	12.7	13.7	15.5	19.8	15.1	13.9	14.5	11.3	12.8	13.4	12.8	12.3	167.8	9	2993
	06 LST	11.3	10.0	14.5	19.4	15.8	18.4	16.1	11.6	14.1	14.8	12.7	9.0	167.7	9	2985
	12 LST	14.4	15.5	15.0	13.7	15.2	12.3	10.1	12.4	19.0	18.9	13.0	14.3	173.8	9	2997
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.0	10.1	9.4	10.1	10.7	10.8	11.5	14.8	17.2	18.0	13.7	12.2	146.5	6	2189
	00 LST	10.3	12.7	14.2	15.2	16.5	20.0	20.2	21.1	20.3	21.6	17.2	13.9	203.2	6	2189
	06 LST	7.7	9.8	9.2	10.3	12.3	11.6	10.5	12.8	15.2	15.7	14.6	10.9	140.6	6	2189
	12 LST	5.8	9.3	8.7	7.3	8.8	9.5	5.8	9.6	13.8	13.8	13.1	8.5	114.0	6	2189
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	20.7	21.3	25.7	27.0	29.0	29.1	30.4	30.4	27.9	28.0	26.3	22.9	318.7	9	3096
	00 LST	21.2	21.7	25.7	27.5	27.4	29.2	30.8	29.9	27.7	28.5	27.0	24.2	320.8	9	3096
	06 LST	18.8	19.4	21.6	23.4	24.6	26.6	28.0	27.7	24.2	24.6	23.6	21.2	283.7	9	3096
	12 LST	17.2	19.1	23.5	24.1	25.8	27.8	28.9	29.2	25.5	26.9	24.9	22.2	295.1	9	3096
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	17.7	17.7	21.2	22.7	25.2	27.2	28.8	28.4	26.0	26.2	22.7	19.2	283.0	9	3096
	00 LST	18.1	18.3	22.9	24.9	25.8	27.9	29.8	28.8	26.3	26.6	23.5	20.1	293.0	9	3096
	06 LST	15.1	15.7	18.4	20.0	22.5	24.9	26.9	25.9	22.0	22.5	20.7	18.0	252.6	9	3096
	12 LST	15.0	16.1	18.9	18.8	20.0	21.0	22.1	24.1	21.0	23.3	21.5	19.3	241.1	9	3096
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	15.6	16.4	18.6	20.6	22.4	24.5	26.7	26.1	24.7	25.3	20.5	17.7	259.1	9	3096
	00 LST	16.7	16.4	20.3	22.0	23.4	26.8	28.1	27.3	24.8	25.7	21.4	18.8	271.7	9	3096
	06 LST	12.9	13.9	16.2	17.1	19.1	22.8	23.9	23.5	20.2	20.9	18.8	15.8	225.1	9	3096
	12 LST	13.7	14.4	16.8	16.7	18.8	19.8	20.6	23.0	19.5	22.0	20.1	17.1	222.5	9	3096

MEMPHIS/NAS, TENNESSEE

STA NO. 73354 (IN AREA NUMBER 13)

LATITUDE 3520N

LONGITUDE 08953W

ELEVATION(FT) 00322

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	76	80	80	91	95	106	106	104	104	94	83	79	106	12	3971
MEAN MAX TMP (F)	48	54	59	71	81	89	91	91	85	74	60	52	71	12	3971
MEAN MIN TMP (F)	32	37	41	52	62	69	72	71	63	51	40	35	52	12	3971
ABS MIN TMP (F)	-2	5	12	32	40	52	58	56	47	28	19	10	-2	12	3971
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.1	4.0	13.9	20.7	20.5	8.7	0.7	0.0	0.0	68.6	12	3971
MEAN NO DYS TMP = DR LES 32(F)	17.6	8.9	6.0	0.1	0.0	0.0	0.0	0.0	0.0	0.4	7.9	13.1	54.0	12	3971
MEAN NO DYS TMP = DR LES 0(F)	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	12	3971
MEAN DEW PT TMP (F)	33	36	39	49	59	66	69	69	61	50	39	35	50	12	89916
MEAN REL HUM (PCT)	76	74	68	66	68	67	70	70	68	68	69	76	70	12	89916
MEAN PRESS ALT (FT)	121	139	215	248	273	281	256	255	207	174	153	123	204	0	-30
MEAN PRECIP (IN)	4.78	5.61	4.75	4.82	4.36	3.32	3.42	2.36	2.65	2.14	3.91	4.80	46.9	12	3971
MEAN SNOW FALL (IN)	1.7	0.6	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	3.3	12	4008
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.6	7.4	8.0	7.2	6.4	5.2	5.6	4.4	3.5	3.4	5.3	7.0	70.0	12	3971
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.4	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.9	12	4008
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	2.5	1.7	1.2	0.5	0.5	0.5	0.8	0.5	0.9	1.6	1.4	2.2	14.3	12	3751
MEAN NO DYS TSTMS	2.1	3.3	4.0	6.3	6.2	7.1	8.7	5.8	3.3	1.9	2.4	1.3	52.0	13	4180
P FREQ WND SPD = DR GTR 17 KTS	6.2	5.8	6.0	5.8	2.4	0.7	0.5	0.3	0.6	1.7	4.5	4.1	3.2	12	89836
P FREQ WND SPD = DR GTR 28 KTS	0.3	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	12	89836
P FREQ LES 5000 FT A/D LES 5 MI	42.7	38.0	32.5	24.5	22.9	16.5	18.2	15.9	16.0	19.8	26.6	35.0	25.7	12	89921
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	20.1	18.3	9.2	6.3	4.2	1.4	2.7	2.1	3.9	6.0	9.5	16.4	8.3	12	11216
03-05 LST	22.2	19.8	13.1	8.4	8.7	3.7	6.1	5.4	7.5	7.5	12.7	17.5	11.1	11	11238
06-08 LST	30.3	25.0	19.2	12.9	12.3	9.1	10.9	10.7	13.1	16.2	16.5	21.0	16.4	12	13144
09-11 LST	31.5	26.2	17.8	12.1	11.6	6.3	8.9	6.2	11.6	10.7	15.4	20.5	14.9	12	13146
12-14 LST	28.0	22.3	14.2	6.9	7.1	2.9	3.2	2.7	6.1	8.4	10.7	16.5	10.8	12	13145
15-17 LST	24.7	18.4	12.4	5.9	5.0	2.2	1.9	1.6	3.9	5.4	8.5	15.7	8.8	12	13145
18-20 LST	19.5	16.9	8.6	6.2	3.1	2.0	1.5	1.4	3.3	5.4	6.6	13.2	7.3	12	13085
21-23 LST	20.5	17.1	7.7	5.7	2.8	1.9	1.0	1.5	1.9	5.4	6.8	14.0	7.2	12	12430
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.7	3.8	0.9	0.9	0.2	0.2	0.2	0.7	0.3	1.5	1.4	3.2	1.3	12	11216
03-05 LST	2.9	5.1	2.2	0.6	1.1	1.0	0.8	1.5	0.8	1.8	2.2	2.6	1.9	11	11238
06-08 LST	4.8	4.6	3.2	1.0	0.7	0.6	0.5	1.8	1.9	3.7	3.3	3.8	2.5	12	13144
09-11 LST	3.6	2.9	1.1	0.1	0.0	0.3	0.1	0.0	0.3	1.1	1.9	2.7	1.2	12	13146
12-14 LST	2.8	2.0	0.6	0.3	0.2	0.0	0.3	0.1	0.2	0.0	0.8	1.7	0.8	12	13145
15-17 LST	3.6	1.0	0.4	0.1	0.1	0.2	0.2	0.5	0.0	0.4	0.8	2.2	0.8	12	13145
18-20 LST	2.2	0.9	0.3	0.1	0.0	0.2	0.3	0.1	0.1	0.4	0.5	2.1	0.6	12	13085
21-23 LST	2.7	1.2	0.7	0.1	0.0	0.1	0.0	0.4	0.4	0.7	0.8	2.7	0.8	12	12430

MEMPHIS/NAS, TENNESSEE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	25.8	23.8	28.8	28.7	30.2	29.5	30.7	30.5	29.3	29.6	28.4	27.6	342.9	12	4382
	00 LST	26.6	24.3	29.2	28.9	30.2	29.6	30.6	30.5	29.2	29.6	28.2	27.2	344.1	12	4346
	06 LST	24.8	23.0	26.2	27.3	28.1	28.0	28.1	27.2	26.7	26.3	26.6	26.4	318.7	12	4382
	12 LST	24.2	23.8	27.7	28.7	29.7	29.6	30.6	30.3	28.6	29.1	27.8	27.0	337.1	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	18.1	16.9	18.8	19.7	23.5	24.4	25.1	28.4	26.5	27.0	22.6	21.2	272.2	12	4379
	00 LST	16.3	16.8	19.5	21.5	25.4	27.7	29.3	28.9	25.9	26.0	21.1	20.6	279.0	12	4344
	06 LST	15.7	15.4	18.2	21.0	23.5	25.6	26.2	25.6	23.9	23.4	20.3	19.7	258.5	12	4381
	12 LST	11.4	10.3	10.7	11.6	16.1	19.2	21.7	22.2	19.3	17.8	14.4	13.6	188.3	12	4380
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.1	1.5	1.4	0.8	0.7	0.0	0.2	0.1	0.1	0.2	1.1	1.1	8.3	12	4276
	00 LST	1.9	1.2	1.5	0.9	0.2	0.0	0.1	0.1	0.0	0.2	1.3	0.9	8.3	12	4204
	06 LST	2.1	1.0	0.8	1.2	0.5	0.0	0.0	0.0	0.1	0.1	0.8	1.0	7.6	12	4282
	12 LST	3.2	2.6	3.6	3.9	1.8	0.1	0.1	0.1	0.6	1.0	2.5	2.1	21.6	12	4283
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	17.1	15.0	19.7	19.7	22.1	16.6	15.2	17.2	19.1	19.2	16.4	18.4	215.7	12	4276
	00 LST	10.9	13.7	17.0	17.4	18.5	17.8	16.1	14.4	16.2	15.0	13.0	15.0	185.0	12	4204
	06 LST	9.9	11.5	16.1	17.4	18.7	17.9	16.4	13.3	16.1	15.0	13.3	11.7	177.3	12	4282
	12 LST	14.3	13.0	14.5	13.7	18.5	12.7	12.2	12.3	16.7	17.2	16.5	16.3	178.2	12	4283
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	7.1	6.9	7.8	8.0	6.7	8.2	6.9	9.8	12.9	14.7	12.3	10.9	112.2	12	4382
	00 LST	11.6	10.7	12.5	13.2	14.7	16.6	16.6	18.1	19.6	19.6	15.3	12.9	181.4	12	4346
	06 LST	8.9	7.4	8.6	9.7	8.8	9.6	7.2	10.7	11.9	12.7	11.6	11.3	118.4	12	4382
	12 LST	6.0	6.4	6.5	6.8	5.4	4.3	3.6	6.1	10.2	11.7	9.8	7.8	84.6	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	22.4	21.1	25.7	26.5	28.6	29.2	30.1	30.0	28.1	28.5	26.4	24.4	321.0	12	4382
	00 LST	23.0	21.5	27.0	27.8	29.0	29.0	30.1	30.1	28.4	28.2	26.7	25.3	326.1	12	4346
	06 LST	20.2	19.5	22.9	24.9	25.8	26.3	27.1	26.6	25.1	25.0	23.3	22.7	289.4	12	4382
	12 LST	19.1	18.4	22.5	25.1	26.1	26.3	27.2	27.6	25.1	26.0	24.6	22.4	290.4	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.2	17.2	19.7	22.1	24.6	26.3	27.6	28.4	26.3	26.6	23.0	20.2	280.2	12	4382
	00 LST	18.6	18.1	22.4	25.0	26.6	27.2	28.6	29.1	26.8	26.3	23.6	22.1	294.6	12	4346
	06 LST	16.3	16.1	19.7	21.4	22.8	24.6	25.6	25.0	23.6	23.0	20.2	18.9	257.2	12	4382
	12 LST	15.9	15.3	17.5	18.3	18.2	18.1	18.4	20.5	20.8	21.9	21.5	18.4	224.8	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	16.5	15.9	17.8	20.5	22.4	24.5	26.2	27.1	25.1	25.3	21.5	18.5	261.3	12	4382
	00 LST	16.9	1.8	20.2	22.7	24.8	26.6	27.6	28.1	26.1	25.4	21.7	20.2	277.1	12	4346
	06 LST	14.5	14.1	17.6	19.3	21.1	23.3	24.0	23.5	22.1	22.0	18.7	16.6	236.8	12	4282
	12 LST	14.1	13.9	15.6	15.8	17.6	17.3	17.3	19.6	19.7	21.2	19.7	16.6	208.4	12	4382

PARIS/HENRY COUNTY, TENNESSEE

STA NO. 73372 (IN AREA NUMBER 13)

LATITUDE 3620N

LONGITUDE 08822W

ELEVATION(FT) 0571

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	80	77	88	92	99	105	106	105	106	98	85	80	106	23	-113
MEAN MAX TMP (F)	48	52	61	71	80	88	91	92	86	75	60	51	71	23	-113
MEAN MIN TMP (F)	29	31	37	47	55	64	67	66	58	46	36	31	47	23	-113
ABS MIN TMP (F)	-12	-22	0	24	30	42	48	44	35	20	-2	-1	-22	23	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	2.0	14.0	22.0	22.0	11.0	2.0	0.0	0.0	73.0	10	-113
MEAN NO DYS TMP = DR LES 32(F)	21.0	15.0	13.0	3.0	0.0	0.0	0.0	0.0	0.0	4.0	13.0	19.0	90.0	10	-113
MEAN NO DYS TMP = DR LES 0(F)	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	11	-73316
MEAN DEW PT TMP (F)	35	36	40	47	58	68	69	68	60	50	36	32	50	9	-73316
MEAN REL HUM (PCT)	78	73	70	68	71	71	70	72	72	69	67	74	71	9	-73316
MEAN PRESS ALT (FT)	364	391	459	490	510	519	496	494	481	413	393	365	446	0	-50
MEAN PRESS ALT (FT)	364	391	459	490	510	519	496	494	481	413	393	365	446	24	-113
MEAN PRECIP (IN)	5.96	4.68	5.21	4.08	4.05	4.02	3.94	3.11	2.91	2.77	4.33	4.26	49.3	8	-73316
MEAN SNOW FALL (IN)	2.0	0.7	0.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.4	4.9	8	-73316
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.6	8.3	7.3	6.8	6.8	6.8	6.7	5.7	4.9	4.7	6.7	7.6	82.1	24	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.6	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	1.1	8	-73316
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.9	2.6	1.2	0.5	0.8	0.4	0.3	1.1	1.1	1.5	1.1	2.6	16.1	9	-73316
MEAN NO DYS TSMS	2.1	2.5	3.2	5.3	6.7	7.4	8.5	6.6	4.1	1.6	2.1	1.2	53.3	11	-73316
P FREQ WND SPD = DR GTR 17 KTS	5.2	4.1	6.5	5.0	2.8	0.8	0.3	0.3	0.5	1.0	3.0	3.3	2.7	9	-73316
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.1	9	-73316
P FREQ LES 5000 FT A/D LES 5 MI	51.6	41.4	33.3	26.0	23.5	15.4	11.8	14.1	22.5	24.2	29.9	41.2	27.9	9	-73316
P FREQ LES 1500 FT A/D LES 3 MI	25.7	20.2	9.3	3.2	7.7	2.0	1.2	3.0	8.0	5.6	8.2	19.3	9.6	9	-73316
FOR 00-02 LST	27.6	20.5	13.2	10.3	14.1	4.6	4.2	7.3	12.5	9.1	11.5	22.0	13.1	9	-73316
03-05 LST	33.2	26.4	22.0	15.4	14.0	7.4	7.2	8.0	13.6	16.0	18.8	24.9	17.2	9	-73316
06-08 LST	34.1	26.7	17.3	13.3	10.7	4.6	3.4	5.6	11.5	9.2	11.3	21.5	14.1	9	-73316
09-11 LST	30.2	18.7	12.2	9.7	7.3	2.2	1.7	2.3	6.2	7.4	8.6	18.2	10.4	9	-73316
12-14 LST	29.5	14.6	8.6	4.0	4.3	1.9	1.0	1.3	4.0	6.3	8.2	18.0	8.5	9	-73316
15-17 LST	25.6	14.6	9.5	2.8	4.5	1.6	0.1	1.4	4.0	5.6	8.5	20.1	8.2	9	-73316
18-20 LST	25.2	13.0	9.6	3.7	6.1	2.1	0.1	2.0	4.6	6.5	7.9	19.3	8.3	9	-73316
21-23 LST															
P FREQ LES 300 FT A/D LES 1 MI	3.0	4.9	0.9	0.1	1.0	0.0	0.1	0.4	1.5	1.2	0.8	4.0	1.5	9	-73316
FOR 00-02 LST	3.6	3.6	1.6	0.3	2.9	0.6	0.4	2.3	3.7	2.1	1.0	4.3	2.4	9	-73316
03-05 LST	3.9	3.0	2.2	1.4	1.7	0.7	0.6	0.8	2.3	1.7	3.9	3.7	2.7	9	-73316
06-08 LST	3.9	2.9	1.2	0.6	0.4	0.1	0.0	0.0	1.1	0.3	1.9	3.6	1.4	9	-73316
09-11 LST	2.0	0.4	0.8	0.1	0.1	0.1	0.1	0.0	0.0	0.3	0.7	3.1	0.6	9	-73316
12-14 LST	0.9	1.5	0.8	0.1	0.1	0.1	0.1	0.0	0.0	0.3	1.0	3.0	0.7	9	-73316
15-17 LST	2.4	1.5	0.4	0.0	0.1	0.0	0.0	0.0	0.2	0.0	1.0	3.0	0.7	9	-73316
18-20 LST	3.4	1.5	0.3	0.0	0.4	0.0	0.0	0.0	0.5	0.8	0.8	4.3	1.0	9	-73316
21-23 LST															

PARIS/HENRY COUNTY, TENNESSEE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	24.1	24.6	29.1	29.4	30.2	29.4	31.0	30.5	29.3	29.3	27.9	25.9	340.7	9	-73316
	00 LST	25.1	23.7	29.1	29.4	29.0	29.6	31.0	30.2	28.4	29.8	28.4	26.8	340.5	9	-73316
	06 LST	24.7	22.4	26.1	26.7	27.5	28.4	28.9	28.9	26.1	26.6	25.2	24.7	316.2	9	-73316
	12 LST	23.5	24.0	28.3	28.8	29.5	29.6	30.8	30.5	29.1	29.5	28.1	26.0	337.7	9	-73316
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	16.9	18.8	19.1	20.5	24.4	26.4	29.8	29.6	27.5	27.1	22.1	18.2	280.4	9	-73316
	00 LST	14.2	16.8	18.4	22.2	25.0	27.4	29.8	29.1	26.8	26.8	22.5	19.3	278.3	9	-73316
	06 LST	14.1	14.6	16.1	18.5	22.2	25.0	26.4	26.9	23.6	23.6	19.9	16.9	247.8	9	-73316
	12 LST	11.6	11.8	11.2	9.8	16.2	20.9	23.2	25.2	21.2	18.6	13.9	13.7	197.3	9	-73316
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.9	0.8	0.9	0.7	0.2	0.2	0.1	0.0	0.0	0.0	0.6	1.1	5.5	9	-73316
	00 LST	1.8	0.5	1.4	0.3	0.1	0.0	0.0	0.1	0.0	0.1	0.5	0.4	5.2	9	-73316
	06 LST	1.0	0.8	1.3	0.5	0.1	0.0	0.0	0.0	0.0	0.1	0.5	0.7	5.0	9	-73316
	12 LST	3.3	2.5	3.6	3.0	1.9	0.9	0.1	0.0	0.4	0.5	1.7	1.9	19.8	9	-73316
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	14.4	15.8	17.6	17.9	17.1	15.2	12.6	13.3	13.4	17.7	14.8	14.5	184.3	9	-73316
	00 LST	12.7	13.7	15.5	19.8	15.1	13.9	14.5	11.3	12.8	13.4	12.8	12.3	167.8	9	-73316
	06 LST	11.3	10.0	14.5	19.4	15.8	18.4	16.1	11.6	14.1	14.8	12.7	9.0	167.7	9	-73316
	12 LST	14.4	15.5	15.0	13.7	15.2	12.3	10.1	12.4	19.0	18.9	13.0	14.3	173.8	9	-73316
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.0	10.1	9.4	10.1	10.7	10.8	11.5	14.8	17.2	18.0	13.7	12.2	146.5	6	-73316
	00 LST	10.3	12.7	14.2	15.2	16.5	20.0	20.2	21.1	20.3	21.6	17.2	13.9	203.2	6	-73316
	06 LST	7.7	9.8	9.2	10.3	12.3	11.6	10.5	12.8	15.2	15.7	14.6	10.9	140.6	6	-73316
	12 LST	5.8	9.8	8.7	7.3	8.8	9.5	5.8	9.6	13.8	13.8	13.1	8.5	114.0	6	-73316
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	20.7	21.3	25.7	27.0	29.0	29.1	30.4	30.4	27.9	28.0	26.3	22.9	318.7	9	-73316
	00 LST	21.2	21.7	25.7	27.5	27.4	29.2	30.8	29.9	27.7	28.5	27.0	24.2	320.8	9	-73316
	06 LST	18.8	19.4	21.6	23.4	24.6	26.6	28.0	27.7	24.2	24.6	23.6	21.2	283.7	9	-73316
	12 LST	17.2	19.1	23.5	24.1	25.8	27.8	28.9	29.2	25.5	26.9	24.9	22.2	295.1	9	-73316
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	17.7	17.7	21.2	22.7	25.2	27.2	28.8	28.4	26.0	26.2	22.7	19.2	283.0	9	-73316
	00 LST	18.1	18.3	22.9	24.9	25.8	27.9	29.8	28.8	26.3	26.6	23.5	20.1	293.0	9	-73316
	06 LST	15.1	15.7	18.4	20.0	22.5	24.9	26.9	25.9	22.0	22.5	20.7	18.0	252.6	9	-73316
	12 LST	15.0	16.1	18.9	18.8	20.0	21.0	22.1	24.1	21.0	23.3	21.5	19.3	241.1	9	-73316
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	15.6	16.4	18.6	20.6	22.4	24.5	26.7	26.1	24.7	25.3	20.5	17.7	259.1	9	-73316
	00 LST	16.7	16.4	20.3	22.0	23.4	26.8	28.1	27.3	24.8	25.7	21.4	18.8	271.7	9	-73316
	06 LST	12.9	13.9	16.2	17.1	19.1	22.8	23.9	23.5	20.2	20.9	18.8	15.8	225.1	9	-73316
	12 LST	13.7	14.4	16.8	16.7	18.8	19.8	20.6	23.0	19.5	22.0	20.1	17.1	222.5	9	-73316

LEXINGTON/FRANKLIN WILKINS, TENNESSEE

STA NO. 73374 (IN AREA NUMBER 13)

LATITUDE 3539N

LONGITUDE 08822W

ELEVATION(FT) 00517

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	79	79	86	90	98	105	107	105	105	99	84	80	107	29	-73309
MEAN MAX TMP (F)	50	53	61	72	80	88	91	91	85	75	61	52	72	29	-73309
MEAN MIN TMP (F)	31	33	39	49	57	65	68	67	60	48	38	33	49	28	-73309
ABS MIN TMP (F)	-15	-21	9	25	33	43	45	44	30	19	0	-10	-21	28	-73309
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.1	5.4	17.6	21.6	21.1	8.8	1.9	0.0	0.0	76.5	10	-73309
MEAN NO DYS TMP = OR LES 32(F)	16.0	13.1	9.3	1.3	0.0	0.0	0.0	0.0	0.0	2.0	11.6	19.2	72.5	10	-73309
MEAN NO DYS TMP = OR LES 0(F)	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.9	10	-73309
MEAN DEW PT TMP (F)	37	36	38	46	58	67	69	67	59	50	35	32	50	6	-73309
MEAN REL HUM (PCT)	77	70	65	65	69	68	70	70	68	69	64	71	69	6	-73309
MEAN PRESS ALT (FT)	315	337	408	438	461	467	444	442	396	363	344	316	394	0	-50
MEAN PRECIP (IN)	6.42	4.81	5.26	4.53	4.03	4.18	4.56	3.36	3.40	2.56	4.28	4.39	51.8	29	-73309
MEAN SNOW FALL (IN)	1.7	1.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.6	4.9	10	-73309
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.1	8.4	7.3	7.0	6.8	7.0	7.4	6.1	5.5	4.4	6.7	7.9	84.6	29	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.8	10	-73309
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	3.2	2.5	1.1	0.5	1.1	0.2	0.5	1.1	0.3	0.8	0.5	1.5	13.3	6	-73309
MEAN NO DYS TSTMS	3.1	2.2	5.4	6.5	7.0	7.4	11.1	7.3	3.8	2.1	1.8	2.1	59.8	10	-73309
P FREQ WND SPD = OR GTR 17 KTS	6.1	4.5	6.2	3.9	1.7	0.6	0.2	0.3	0.4	0.7	3.3	4.6	2.7	6	-73309
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	6	-73309
P FREQ LES 5000 FT A/D LES 5 MI	51.8	36.5	30.1	24.1	18.6	13.9	13.5	11.0	15.5	19.9	23.3	35.2	24.5	6	-73309
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	28.6	15.0	10.6	5.9	8.6	3.7	2.3	1.3	5.4	8.6	8.1	17.3	9.6	6	-73309
03-05 LST	30.5	18.1	14.9	10.2	12.0	5.9	7.3	4.8	9.8	10.8	10.6	19.3	12.9	6	-73309
06-08 LST	33.3	23.3	21.5	15.6	12.9	8.1	10.1	6.6	10.0	11.5	14.6	20.6	15.7	6	-73309
09-11 LST	37.3	24.3	19.2	13.7	10.0	4.3	5.7	4.5	9.3	10.8	12.4	16.5	14.0	6	-73309
12-14 LST	33.8	14.2	11.3	8.9	7.0	2.0	1.8	1.1	5.4	7.7	9.1	15.3	9.8	6	-73309
15-17 LST	29.2	12.8	7.7	5.9	3.8	1.3	1.3	1.1	3.7	7.2	6.9	11.2	7.7	6	-73309
18-20 LST	28.5	11.4	7.7	3.7	2.9	1.7	0.5	0.5	2.2	7.7	6.3	10.8	7.0	6	-73309
21-23 LST	29.4	12.6	7.9	5.2	3.9	2.2	0.4	0.5	2.4	4.8	7.8	14.8	7.7	6	-73309
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.0	3.7	1.3	0.4	1.3	0.0	0.0	0.4	0.9	1.6	0.4	1.6	1.3	6	-73309
03-05 LST	4.3	3.7	2.0	1.7	3.8	0.2	0.9	2.0	1.3	2.2	0.4	2.7	2.1	6	-73309
06-08 LST	5.4	2.6	3.1	1.7	2.2	0.0	0.7	1.1	0.2	1.4	1.5	2.0	1.8	6	-73309
09-11 LST	3.9	1.8	0.7	0.4	0.4	0.2	0.0	0.0	0.2	0.3	0.9	1.1	0.8	6	-73309
12-14 LST	1.8	0.4	0.7	0.2	0.0	0.0	0.2	0.0	0.0	0.2	1.3	0.4	0.4	6	-73309
15-17 LST	3.0	1.4	0.0	0.4	0.2	0.0	0.2	0.2	0.0	0.5	0.7	0.5	0.6	6	-73309
18-20 LST	2.9	1.4	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.6	0.7	0.5	6	-73309
21-23 LST	4.3	1.4	0.4	0.4	0.0	0.2	0.0	0.0	0.2	0.4	0.6	1.4	0.8	6	-73309

LEXINGTON/FRANKLIN WILKINS, TENNESSEE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	23.7	25.5	29.3	29.5	30.7	29.8	31.0	30.8	29.3	29.5	29.0	28.8	346.9	6	-73309
	00 LST	23.7	25.3	29.6	28.8	29.8	29.3	30.7	31.0	28.8	29.6	27.8	27.1	341.5	6	-73309
	06 LST	24.6	23.7	26.7	27.0	27.8	28.5	28.6	29.0	28.0	28.5	27.0	25.9	325.3	6	-73309
	12 LST	23.0	25.2	28.5	27.8	29.6	30.0	30.8	30.7	29.0	30.0	28.7	27.6	340.9	6	-73309
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	15.0	18.5	19.8	20.5	25.5	25.5	28.3	29.3	28.0	27.2	23.0	20.9	281.5	6	-73309
	00 LST	12.0	15.7	19.2	21.5	26.2	27.2	29.3	30.2	27.2	25.3	21.0	18.3	273.1	6	-73309
	06 LST	10.5	14.7	17.3	16.8	23.0	24.0	25.8	27.7	25.5	25.0	20.8	17.1	248.2	6	-73309
	12 LST	8.3	10.2	10.5	10.7	15.7	18.7	22.5	22.5	16.7	17.0	13.1	11.7	177.6	6	-73309
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.9	0.7	1.0	0.7	0.0	0.2	0.0	0.0	0.0	0.0	0.3	1.6	5.4	6	-73309
	00 LST	2.6	1.2	2.0	0.7	0.0	0.0	0.0	0.0	0.0	0.2	1.4	1.4	9.5	6	-73309
	06 LST	1.8	0.3	1.5	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.8	1.4	6.1	6	-73309
	12 LST	3.6	2.8	4.3	2.6	2.2	0.3	0.2	0.0	0.3	0.3	2.4	2.0	21.0	6	-73309
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	18.0	17.6	20.4	20.3	21.5	17.1	16.8	15.6	18.0	18.0	15.7	16.6	215.6	6	-73309
	00 LST	14.8	13.7	15.9	20.1	17.4	15.3	14.7	9.8	11.3	11.9	10.3	11.0	166.2	6	-73309
	06 LST	11.4	12.2	16.6	21.2	19.1	21.3	19.8	13.7	15.2	11.2	9.8	11.4	182.9	6	-73309
	12 LST	14.2	14.3	14.7	15.2	18.2	10.5	9.6	12.5	16.8	19.6	15.5	14.4	175.5	6	-73309
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	6.0	9.6	8.5	9.3	10.3	10.0	9.3	12.0	16.0	17.1	14.0	10.4	132.5	6	-73309
	00 LST	8.8	12.9	13.3	14.3	17.6	19.1	18.0	19.7	19.5	19.8	16.8	12.6	192.5	6	-73309
	06 LST	6.5	8.3	8.0	11.0	11.8	12.0	10.5	13.3	14.5	15.2	14.5	10.5	136.2	6	-73309
	12 LST	5.0	8.9	8.2	7.5	6.5	5.6	4.5	5.6	13.0	13.8	12.0	7.5	98.1	6	-73309
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	18.8	22.8	26.8	27.2	29.8	29.5	30.7	30.8	28.5	28.1	27.7	26.5	327.2	6	-73309
	00 LST	19.2	23.0	27.3	27.7	29.0	28.3	30.2	30.7	28.0	28.1	26.3	24.3	322.6	6	-73309
	06 LST	17.1	19.7	22.7	24.3	26.8	26.6	27.5	28.0	26.2	26.2	25.0	22.6	292.7	6	-73309
	12 LST	17.6	19.2	23.3	25.3	27.0	27.5	29.1	29.0	26.5	27.0	25.1	23.3	299.9	6	-73309
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	15.3	18.0	22.0	21.7	26.3	27.0	28.3	28.6	26.8	26.5	23.8	22.1	286.4	6	-73309
	00 LST	16.0	18.7	23.2	25.1	27.0	27.2	29.1	30.0	27.3	26.2	24.0	20.1	293.9	6	-73309
	06 LST	13.3	15.7	19.0	21.0	24.0	25.5	26.2	26.3	24.0	24.0	22.0	18.8	259.8	6	-73309
	12 LST	13.8	17.1	19.0	19.7	22.8	22.0	21.8	24.0	22.1	23.0	22.5	20.3	248.1	6	-73309
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	13.8	16.9	18.8	20.0	24.5	25.0	27.0	27.2	25.3	25.3	20.6	20.3	264.7	6	-73309
	00 LST	14.5	16.5	21.1	21.3	24.3	26.3	26.8	28.8	25.3	24.8	21.7	17.7	269.1	6	-73309
	06 LST	11.3	14.4	17.0	18.3	21.1	24.0	24.1	24.3	22.1	22.5	20.6	17.2	236.9	6	-73309
	12 LST	13.0	15.6	17.0	17.3	20.6	20.3	20.3	22.8	21.5	22.2	21.8	17.4	229.8	6	-73309

HUMBOLDT MUNICIPAL, TENNESSEE

STA NO. 73375 (IN AREA NUMBER 13)

LATITUDE 3548N

LONGITUDE 08852W

ELEVATION(FT) 00420

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	79	79	86	90	98	105	107	105	105	99	84	80	107	29	-73309
MEAN MAX TMP (F)	50	53	61	72	80	88	91	91	85	75	61	52	72	29	-73309
MEAN MIN TMP (F)	31	33	39	49	57	65	68	67	60	48	38	33	49	28	-73309
ABS MIN TMP (F)	-15	-21	9	25	33	43	45	44	30	19	0	-10	-21	28	-73309
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.1	5.4	17.6	21.6	21.1	8.8	1.9	0.0	0.0	76.5	10	-73309
MEAN NO DYS TMP = OR LES 32(F)	16.0	13.1	9.3	1.3	0.0	0.0	0.0	0.0	0.0	2.0	11.6	19.2	72.5	10	-73309
MEAN NO DYS TMP = OR LES 0(F)	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.9	10	-73309
MEAN DEW PT TMP (F)	37	36	38	46	58	67	69	67	59	50	35	32	50	6	-73309
MEAN REL HUM (PCT)	77	70	65	65	69	68	70	70	68	69	64	71	69	6	-73309
MEAN PRESS ALT (FT)	217	239	310	342	365	372	349	347	301	268	247	218	298	0	-50
MEAN PRECIP (IN)	6.42	4.81	5.26	4.53	4.03	4.18	4.56	3.36	3.40	2.56	4.28	4.39	51.8	29	-73309
MEAN SNOW FALL (IN)	1.7	1.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.6	4.9	10	-73309
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.1	8.4	7.3	7.0	6.8	7.0	7.4	6.1	5.5	4.4	6.7	7.9	84.6	29	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.8	10	-73309
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	3.2	2.5	1.1	0.5	1.1	0.2	0.5	1.1	0.3	0.8	0.5	1.5	13.3	6	-73309
MEAN NO DYS TSTMS	3.1	2.2	5.4	6.5	7.0	7.4	11.1	7.3	3.8	2.1	1.8	2.1	59.8	10	-73309
P FREQ WND SPD = OR GTR 17 KTS	6.1	4.5	6.2	3.9	1.7	0.6	0.2	0.3	0.4	0.7	3.3	4.6	2.7	6	-73309
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	6	-73309
P FREQ LES 5000 FT A/D LES 5 MI	51.8	36.5	30.1	24.1	18.6	13.9	13.5	11.0	15.5	19.9	23.3	35.2	24.5	6	-73309
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	28.6	15.0	10.6	5.9	8.6	3.7	2.3	1.3	5.4	8.6	8.1	17.3	9.6	6	-73309
03-05 LST	30.5	18.1	14.9	10.2	12.0	5.9	7.3	4.8	9.8	10.8	10.6	19.3	12.9	6	-73309
06-08 LST	33.3	23.3	21.5	15.6	12.9	8.1	10.1	6.6	10.0	11.5	14.6	20.6	15.7	6	-73309
09-11 LST	37.3	24.3	19.2	13.7	10.0	4.3	5.7	4.5	9.3	10.8	12.4	16.5	14.0	6	-73309
12-14 LST	33.8	14.2	11.3	8.9	7.0	2.0	1.8	1.1	5.4	7.7	9.1	15.3	9.8	6	-73309
15-17 LST	29.2	12.8	7.7	5.9	3.8	1.3	1.3	1.1	3.7	7.2	6.9	11.2	7.7	6	-73309
18-20 LST	28.5	11.4	7.7	3.7	2.9	1.7	0.5	0.5	2.2	7.7	6.3	10.8	7.0	6	-73309
21-23 LST	29.4	12.6	7.9	5.2	3.9	2.2	0.4	0.5	2.4	4.8	7.8	14.8	7.7	6	-73309
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.0	3.7	1.3	0.4	1.3	0.0	0.0	0.4	0.9	1.6	0.4	1.6	1.3	6	-73309
03-05 LST	4.3	3.7	2.0	1.7	3.8	0.2	0.9	2.0	1.3	2.2	0.4	2.7	2.1	6	-73309
06-08 LST	5.4	2.6	3.1	1.7	2.2	0.0	0.7	1.1	0.2	1.4	1.5	2.0	1.8	6	-73309
09-11 LST	3.9	1.8	0.7	0.4	0.4	0.2	0.0	0.0	0.2	0.3	0.9	1.1	0.8	6	-73309
12-14 LST	1.8	0.4	0.7	0.2	0.0	0.0	0.2	0.0	0.0	0.2	1.3	0.4	0.4	6	-73309
15-17 LST	3.0	1.4	0.0	0.4	0.2	0.0	0.2	0.2	0.0	0.5	0.7	0.5	0.6	6	-73309
18-20 LST	2.9	1.4	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.6	0.7	0.5	6	-73309
21-23 LST	4.3	1.4	0.4	0.4	0.0	0.2	0.0	0.0	0.2	0.4	0.6	1.4	0.8	6	-73309

HUMBOLDT MUNICIPAL, TENNESSEE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	23.7	25.5	29.3	29.5	30.7	29.8	31.0	30.8	29.3	29.5	29.0	28.8	346.9	6	-73309
	00 LST	23.7	25.3	29.6	28.8	29.8	29.3	30.7	31.0	28.8	29.6	27.8	27.1	341.5	6	-73309
	06 LST	24.6	23.7	26.7	27.0	27.8	28.5	28.6	29.0	28.0	28.5	27.0	25.9	325.3	6	-73309
	12 LST	23.0	25.2	28.5	27.8	29.6	30.0	30.8	30.7	29.0	30.0	28.7	27.6	340.9	6	-73309
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	15.0	18.5	19.8	20.5	23.5	23.5	28.3	29.3	28.0	27.2	23.0	20.9	281.5	6	-73309
	00 LST	12.0	15.7	19.2	21.5	26.2	27.2	29.3	30.2	27.2	25.3	21.0	18.3	273.1	6	-73309
	06 LST	10.5	14.7	17.3	16.8	23.0	24.0	25.8	27.7	25.5	25.0	20.8	17.1	248.2	6	-73309
	12 LST	8.3	10.2	10.5	10.7	15.7	18.7	22.5	22.5	16.7	17.0	13.1	11.7	177.6	6	-73309
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.9	0.7	1.0	0.7	0.0	0.2	0.0	0.0	0.0	0.0	0.3	1.6	5.4	6	-73309
	00 LST	2.6	1.2	2.0	0.7	0.0	0.0	0.0	0.0	0.0	0.2	1.4	1.4	9.5	6	-73309
	06 LST	1.8	0.3	1.5	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.8	1.4	6.1	6	-73309
	12 LST	3.6	2.8	4.3	2.6	2.2	0.3	0.2	0.0	0.3	0.3	2.4	2.0	21.0	6	-73309
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	18.0	17.6	20.4	20.3	21.5	17.1	16.8	15.6	18.0	18.0	15.7	16.6	215.6	6	-73309
	00 LST	14.8	13.7	15.9	20.1	17.4	15.3	14.7	9.8	11.3	11.9	10.3	11.0	166.2	6	-73309
	06 LST	11.4	12.2	16.6	21.2	19.1	21.3	19.8	13.7	15.2	11.2	9.8	11.4	182.9	6	-73309
	12 LST	14.2	14.3	14.7	15.2	18.2	10.5	9.6	12.5	16.8	19.6	15.5	14.4	175.5	6	-73309
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	6.0	9.6	8.5	9.3	10.3	10.0	9.3	12.0	16.0	17.1	14.0	10.4	132.5	6	-73309
	00 LST	8.8	12.9	13.3	14.3	17.6	19.1	18.0	19.7	19.5	19.8	16.8	12.6	192.4	6	-73309
	06 LST	6.5	8.3	8.0	11.0	11.8	12.0	10.5	13.3	14.5	15.2	14.5	10.5	136.1	6	-73309
	12 LST	5.0	8.9	8.2	7.5	6.5	5.6	4.5	5.6	13.0	13.8	12.0	7.5	98.1	6	-73309
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	18.8	22.8	26.8	27.2	29.8	29.5	30.7	30.8	28.5	28.1	27.7	26.5	327.2	6	-73309
	00 LST	19.2	23.0	27.3	27.7	29.0	28.8	30.2	30.7	28.0	28.1	26.3	24.3	322.6	6	-73309
	06 LST	17.1	19.7	22.7	24.3	26.8	26.6	27.5	28.0	26.2	26.2	25.0	22.6	292.7	6	-73309
	12 LST	17.6	19.2	23.3	25.3	27.0	27.5	29.1	29.0	26.5	27.0	25.1	23.3	299.9	6	-73309
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	15.3	18.0	22.0	21.7	26.3	27.0	28.3	28.6	26.8	26.3	23.8	22.1	286.4	6	-73309
	00 LST	16.0	18.7	23.2	25.1	27.0	27.2	29.1	30.0	27.3	26.2	24.0	20.1	293.9	6	-73309
	06 LST	13.3	15.7	19.0	21.0	24.0	25.5	26.2	26.3	24.0	24.0	22.0	18.8	259.8	6	-73309
	12 LST	13.8	17.1	19.0	19.7	22.8	22.0	21.8	24.0	22.1	23.0	22.5	20.3	248.1	6	-73309
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	13.8	16.9	18.8	20.0	24.5	25.0	27.0	27.2	25.3	25.3	20.6	20.3	264.7	6	-73309
	00 LST	14.5	16.5	21.1	21.3	24.3	26.3	26.8	28.8	25.3	24.8	21.7	17.7	269.1	6	-73309
	06 LST	11.3	14.4	17.0	18.3	21.1	24.0	24.1	24.3	22.1	22.5	20.6	17.2	236.9	6	-73309
	12 LST	13.0	15.6	17.0	17.3	20.6	20.3	20.3	22.8	21.5	22.2	21.8	17.4	229.8	6	-73309

WAVERLY/HUMPHREYS COUNTY, TENNESSEE

STA NO. 73376 (IN AREA NUMBER 13)

LATITUDE 3605N

LONGITUDE 08751W

ELEVATION(FT) 00454

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	79	79	86	90	98	105	107	105	105	99	94	80	107	29	-73309
MEAN MAX TMP (F)	50	53	61	72	80	88	91	91	85	75	61	52	72	29	-73309
MEAN MIN TMP (F)	31	33	39	49	57	65	68	67	60	48	38	33	49	28	-73309
ABS MIN TMP (F)	-15	-21	9	25	33	43	45	44	30	19	0	-10	-21	28	-73309
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.1	5.4	17.6	21.6	21.1	8.8	1.9	0.0	0.0	76.5	10	-73309
MEAN NO DYS TMP = DR LES 32(F)	16.0	13.1	9.3	1.3	0.0	0.0	0.0	0.0	0.0	2.0	11.6	19.2	72.5	10	-73309
MEAN NO DYS TMP = DR LES 0(F)	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.9	10	-73309
MEAN DEW PT TMP (F)	37	36	38	46	58	67	69	67	59	50	35	32	50	6	-73309
MEAN REL HUM (PCT)	77	70	65	65	69	68	70	70	68	69	64	71	69	6	-73309
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	6.42	4.81	5.26	4.33	4.03	4.18	4.56	3.36	3.40	2.56	4.28	4.39	51.8	29	-73309
MEAN SNOW FALL (IN)	1.7	1.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.6	4.9	10	-73309
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.1	8.4	7.3	7.0	6.8	7.0	7.4	6.1	5.5	4.4	6.7	7.9	84.6	29	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.8	10	-73309
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.2	2.5	1.1	0.5	1.1	0.2	0.5	1.1	0.3	0.8	0.5	1.5	13.3	6	-73309
MEAN NO DYS TSTMS	3.1	2.2	5.4	6.5	7.0	7.4	11.1	7.3	3.8	2.1	1.8	2.1	59.8	10	-73309
P FREQ WND SPD = DR GTR 17 KTS	6.1	4.5	6.2	3.9	1.7	0.5	0.2	0.3	0.4	0.7	3.3	4.6	2.7	6	-73309
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	6	-73309
P FREQ LES 5000 FT A/D LES 5 MI	91.8	36.5	30.1	24.1	18.6	13.9	13.5	11.0	15.5	19.9	23.3	35.2	24.5	6	-73309
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	28.6	15.0	10.6	5.9	8.6	3.7	2.3	1.3	5.4	8.6	8.1	17.3	9.6	6	-73309
03-05 LST	30.5	18.1	14.9	10.2	12.0	5.9	7.3	4.8	9.8	10.8	10.6	19.3	12.9	6	-73309
06-08 LST	33.3	23.3	21.5	15.6	12.9	8.1	10.1	6.6	10.0	11.5	14.6	20.6	15.7	6	-73309
09-11 LST	37.3	24.3	19.2	13.7	10.0	4.3	5.7	4.5	9.3	10.8	12.4	16.5	14.0	6	-73309
12-14 LST	33.8	14.2	11.3	8.9	7.0	2.0	1.8	1.1	5.4	7.7	9.1	15.3	9.8	6	-73309
15-17 LST	29.2	12.8	7.7	5.9	3.8	1.3	1.3	1.1	3.7	7.2	6.9	11.2	7.7	6	-73309
18-20 LST	28.5	11.4	7.7	3.7	2.9	1.7	0.5	0.5	2.2	7.7	6.3	10.8	7.0	6	-73309
21-23 LST	29.4	12.6	7.9	5.2	3.9	2.2	0.4	0.5	2.4	4.8	7.8	14.8	7.7	6	-73309
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.0	3.7	1.3	0.4	1.3	0.0	0.0	0.4	0.9	1.6	0.4	1.6	1.3	6	-73309
03-05 LST	4.3	3.7	2.0	1.7	3.8	0.2	0.9	2.0	1.3	2.2	0.4	2.7	2.1	6	-73309
06-08 LST	5.4	2.6	3.1	1.7	2.2	0.0	0.7	1.1	0.2	1.4	1.5	2.0	1.8	6	-73309
09-11 LST	3.9	1.8	0.7	0.4	0.4	0.2	0.0	0.0	0.2	0.5	0.9	1.1	0.8	6	-73309
12-14 LST	1.8	0.4	0.7	0.2	0.0	0.0	0.2	0.0	0.0	0.2	1.3	0.4	0.4	6	-73309
15-17 LST	3.0	1.4	0.0	0.4	0.2	0.0	0.2	0.2	0.0	0.5	0.7	0.5	0.6	6	-73309
18-20 LST	2.9	1.4	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.6	0.7	0.5	6	-73309
21-23 LST	4.3	1.4	0.4	0.4	0.0	0.2	0.0	0.0	0.2	0.4	0.6	1.4	0.8	6	-73309

WAVERLY/HUMPHREYS COUNTY, TENNESSEE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	23.7	25.5	29.3	29.5	30.7	29.8	31.0	30.8	29.3	29.5	29.0	28.8	346.9	6	-73309
	00 LST	23.7	25.3	29.6	28.8	29.8	29.3	30.7	31.0	28.8	29.6	27.8	27.1	341.5	6	-73309
	06 LST	24.6	23.7	26.7	27.0	27.8	28.5	28.6	29.0	28.0	28.3	27.0	25.9	323.3	6	-73309
	12 LST	23.0	25.2	28.5	27.8	29.6	30.0	30.8	30.7	29.0	30.0	28.7	27.6	340.9	6	-73309
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	15.0	18.5	19.8	20.5	25.5	25.5	28.3	29.3	28.0	27.2	23.0	20.9	281.5	6	-73309
	00 LST	12.0	15.7	19.2	21.5	26.2	27.2	29.3	30.2	27.2	25.3	21.0	18.3	273.1	6	-73309
	06 LST	10.5	14.7	17.3	16.8	23.0	24.0	25.8	27.7	25.5	25.0	20.8	17.1	248.2	6	-73309
	12 LST	8.3	10.2	10.5	10.7	15.7	18.7	22.5	22.5	16.7	17.0	13.1	11.7	177.6	6	-73309
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.9	0.7	1.0	0.7	0.0	0.2	0.0	0.0	0.0	0.0	0.3	1.6	5.4	6	-73309
	00 LST	2.6	1.2	2.0	0.7	0.0	0.0	0.0	0.0	0.0	0.2	1.4	1.4	9.5	6	-73309
	06 LST	1.8	0.3	1.5	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.8	1.4	6.1	6	-73309
	12 LST	3.6	2.8	4.3	2.6	2.2	0.3	0.2	0.0	0.3	0.3	2.4	2.0	21.0	6	-73309
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	18.0	17.6	20.4	20.3	21.5	17.1	16.8	15.6	18.0	18.0	15.7	18.6	215.6	6	-73309
	00 LST	14.8	13.7	15.9	20.1	17.4	15.3	14.7	9.8	11.3	11.9	10.3	11.0	166.2	6	-73309
	06 LST	11.4	12.2	16.6	21.2	19.1	21.3	19.8	13.7	15.2	11.2	9.8	11.4	182.9	6	-73309
	12 LST	14.2	14.3	14.7	15.2	18.2	10.5	9.6	12.5	16.8	19.6	15.5	14.4	175.5	6	-73309
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	6.0	9.6	8.5	9.3	10.3	10.0	9.3	12.0	16.0	17.1	14.0	10.4	132.5	6	-73309
	00 LST	8.8	12.9	13.3	14.3	17.6	19.1	18.0	19.7	19.5	19.8	16.8	12.6	192.4	6	-73309
	06 LST	6.5	8.3	8.0	11.0	11.8	12.0	10.5	13.3	14.5	15.2	14.5	10.5	136.1	6	-73309
	12 LST	5.0	8.9	8.2	7.5	6.5	5.6	4.5	5.6	13.0	13.8	12.0	7.5	98.1	6	-73309
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	18.8	22.8	26.8	27.2	29.8	29.5	30.7	30.8	28.5	28.1	27.7	26.5	327.2	6	-73309
	00 LST	19.2	23.0	27.3	27.7	29.0	28.8	30.2	30.7	28.0	28.1	26.3	24.3	322.6	6	-73309
	06 LST	17.1	19.7	22.7	24.3	26.8	26.6	27.5	28.0	26.2	26.2	25.0	22.6	292.7	6	-73309
	12 LST	17.6	19.2	23.3	25.3	27.0	27.5	29.1	29.0	26.5	27.0	25.1	23.3	299.9	6	-73309
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	15.3	18.0	22.0	21.7	26.3	27.0	28.3	28.6	26.8	26.5	23.8	22.1	286.4	6	-73309
	00 LST	16.0	18.7	23.2	25.1	27.0	27.2	29.1	30.0	27.3	26.2	24.0	20.1	293.9	6	-73309
	06 LST	13.3	15.7	19.0	21.0	24.0	25.5	26.2	26.3	24.0	24.0	22.0	18.8	259.8	6	-73309
	12 LST	13.8	17.1	19.0	19.7	22.8	22.0	21.8	24.0	22.1	23.0	22.5	20.3	248.1	6	-73309
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	13.8	16.9	18.8	20.0	24.5	25.0	27.0	27.2	25.3	25.3	20.6	20.3	264.7	6	-73309
	00 LST	14.5	16.5	21.1	21.3	24.3	26.3	26.8	28.8	25.3	24.8	21.7	17.7	269.1	6	-73309
	06 LST	11.3	14.4	17.0	18.3	21.1	24.0	24.1	24.3	22.1	22.5	20.6	17.2	236.9	6	-73309
	12 LST	13.0	15.6	17.0	17.3	20.6	20.3	20.3	22.8	21.5	22.2	21.8	17.4	229.8	6	-73309

JACKSON/MC KELLAR, TENNESSEE

STA NO. 73377 (IN AREA NUMBER 13)

LATITUDE 3536N

LONGITUDE 08854W

ELEVATION(FT) 00432

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	78	79	82	91	96	105	107	105	105	96	84	80	107	12	-113
MEAN MAX TMP (F)	50	54	59	72	82	89	92	92	85	75	61	52	72	12	-113
MEAN MIN TMP (F)	32	34	38	49	59	67	70	68	60	49	37	32	50	12	-113
ABS MIN TMP (F)	4	-12	10	17	37	46	56	51	35	25	1	7	-12	12	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	5.0	17.0	24.0	24.0	12.0	2.0	0.0	0.0	84.3	10	-113
MEAN NO DYS TMP = DR LES 32(F)	18.0	13.0	9.0	1.0	0.0	0.0	0.0	0.0	0.0	2.0	12.0	17.0	72.0	10	-113
MEAN NO DYS TMP = DR LES 0(F)	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.9	10	-73309
MEAN DEW PT TMP (F)	37	36	38	46	58	67	69	67	59	50	35	32	50	6	-73309
MEAN REL HUM (PCT)	77	70	65	65	69	68	70	68	69	64	71	69	69	6	-73309
MEAN PRESS ALT (FT)	230	251	323	355	378	385	362	359	313	280	260	232	311	0	-50
MEAN PRECIP (IN)	7.28	4.94	4.65	4.96	3.92	4.12	4.77	2.86	2.90	2.68	4.18	4.56	51.6	12	-113
MEAN SNOW FALL (IN)	2.0	0.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	3.2	12	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	11.0	8.5	7.1	7.2	6.8	6.9	7.6	5.1	4.9	4.6	6.5	8.1	84.3	12	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.4	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.2	2.5	1.1	0.5	1.1	0.2	0.5	1.1	0.3	0.8	0.5	1.5	13.3	6	-73309
MEAN NO DYS TSMS	3.1	2.2	5.4	6.5	7.0	7.4	11.1	7.3	3.8	2.1	1.8	2.1	59.8	10	-73309
P FREQ WND SPD = DR GTR 17 KTS	6.1	4.5	6.2	3.9	1.7	0.6	0.2	0.3	0.4	0.7	3.3	4.6	2.7	6	-73309
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	6	-73309
P FREQ LES 5000 FT A/O LES 5 MI	51.8	36.5	30.1	24.1	18.6	13.9	13.5	11.0	15.5	19.9	23.3	35.2	24.5	6	-73309
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	28.6	15.0	10.6	5.9	8.6	3.7	2.3	1.2	5.4	8.6	8.1	17.3	9.6	6	-73309
03-05 LST	30.5	18.1	14.9	10.2	12.0	5.9	7.3	4.8	9.8	10.8	10.6	19.3	12.9	6	-73309
06-08 LST	33.3	23.3	21.5	15.6	12.9	8.1	10.1	6.6	10.0	11.5	14.6	20.6	15.7	6	-73309
09-11 LST	37.3	24.3	19.2	13.7	10.0	4.3	5.7	4.5	9.3	10.8	12.4	16.5	14.0	6	-73309
12-14 LST	33.8	14.2	11.3	8.9	7.0	2.0	1.8	1.1	5.4	7.7	9.1	15.3	9.8	6	-73309
15-17 LST	29.2	12.8	7.7	5.9	3.8	1.3	1.3	1.1	3.7	7.2	6.9	11.2	7.7	6	-73309
18-20 LST	28.5	11.4	7.7	3.7	2.9	1.7	0.5	0.5	2.2	7.7	6.3	10.8	7.0	6	-73309
21-23 LST	29.4	12.6	7.9	5.2	3.9	2.2	0.4	0.5	2.4	4.8	7.8	14.8	7.7	6	-73309
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	4.0	3.7	1.3	0.4	1.3	0.0	0.0	0.4	0.9	1.6	0.4	1.6	1.3	6	-73309
03-05 LST	4.3	3.7	2.0	1.7	3.8	0.2	0.9	2.0	1.3	2.2	0.4	2.7	2.1	6	-73309
06-08 LST	5.4	2.6	3.1	1.7	2.2	0.0	0.7	1.1	0.2	1.4	1.5	2.0	1.8	6	-73309
09-11 LST	3.9	1.8	0.7	0.4	0.4	0.2	0.0	0.0	0.2	0.5	0.9	1.1	0.8	6	-73309
12-14 LST	1.8	0.4	0.7	0.2	0.0	0.0	0.2	0.0	0.0	0.2	1.3	0.4	0.4	6	-73309
15-17 LST	3.0	1.4	0.0	0.4	0.2	0.0	0.2	0.2	0.0	0.5	0.7	0.5	0.6	6	-73309
18-20 LST	2.9	1.4	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.6	0.7	0.5	6	-73309
21-23 LST	4.3	1.4	0.4	0.4	0.0	0.2	0.0	0.0	0.2	0.4	0.6	1.4	0.8	6	-73309

JACKSON/MC KELLAR, TENNESSEE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	23.7	23.5	29.3	29.5	30.7	29.8	31.0	30.8	29.3	29.3	29.0	28.8	346.9	6	-73309
	00 LST	23.7	25.3	29.6	28.8	29.8	29.3	30.7	31.0	28.8	29.6	27.8	27.1	341.5	6	-73309
	06 LST	24.6	23.7	26.7	27.0	27.8	28.5	28.6	29.0	28.0	28.3	27.0	25.9	325.3	6	-73309
	12 LST	23.0	25.2	28.5	27.8	29.6	30.0	30.8	30.7	29.0	30.0	28.7	27.6	340.9	6	-73309
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	15.0	18.5	19.8	20.5	25.5	25.5	28.3	29.3	28.0	27.2	23.0	20.9	281.5	6	-73309
	00 LST	12.0	15.7	19.2	21.5	26.2	27.2	29.3	30.2	27.2	25.3	21.0	18.3	273.1	6	-73309
	06 LST	10.5	14.7	17.3	16.8	23.0	24.0	25.8	27.7	25.5	25.0	20.8	17.1	248.2	6	-73309
	12 LST	8.3	10.2	10.5	10.7	15.7	18.7	22.5	22.5	16.7	17.0	13.1	11.7	177.6	6	-73309
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.9	0.7	1.0	0.7	0.0	0.2	0.0	0.0	0.0	0.0	0.3	1.6	5.4	6	-73309
	00 LST	2.6	1.2	2.0	0.7	0.0	0.0	0.0	0.0	0.0	0.2	1.4	1.4	9.5	6	-73309
	06 LST	1.8	0.0	1.5	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.8	1.4	6.1	6	-73309
	12 LST	3.6	2.8	4.3	2.6	2.2	0.3	0.2	0.0	0.3	0.3	2.4	2.0	21.0	6	-73309
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	18.0	17.6	20.4	20.3	21.5	17.1	16.8	15.6	18.0	18.0	15.7	16.6	215.6	6	-73309
	00 LST	14.8	13.7	15.9	20.1	17.4	15.3	14.7	9.8	11.3	11.9	10.3	11.0	166.2	6	-73309
	06 LST	11.4	12.2	16.6	21.2	19.1	21.3	19.8	13.7	15.2	11.2	9.8	11.4	182.9	6	-73309
	12 LST	14.2	14.3	14.7	15.2	18.2	10.5	9.6	12.5	16.8	19.6	15.5	14.4	175.5	6	-73309
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	6.0	9.6	8.5	9.3	10.3	10.0	9.3	12.0	16.0	17.1	14.0	10.4	132.5	6	-73309
	00 LST	8.8	12.9	13.3	14.3	17.6	19.1	18.0	19.7	19.5	19.8	16.8	12.6	192.4	6	-73309
	06 LST	6.5	8.3	8.0	11.0	11.8	12.0	10.5	13.3	14.5	15.2	14.5	10.5	136.1	6	-73309
	12 LST	5.0	8.9	8.2	7.5	6.5	5.6	4.5	5.6	13.0	13.8	12.0	7.5	98.1	6	-73309
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	18.8	22.8	26.8	27.2	29.8	29.5	30.7	30.8	28.5	28.1	27.7	26.5	327.2	6	-73309
	00 LST	19.2	23.0	27.3	27.7	29.0	28.8	30.2	30.7	28.0	28.1	26.3	24.3	322.6	6	-73309
	06 LST	17.1	19.7	22.7	24.3	26.8	26.6	27.5	28.0	26.2	26.2	25.0	22.6	292.7	6	-73309
	12 LST	17.6	19.2	23.3	25.3	27.0	27.5	29.1	29.0	26.5	27.0	25.1	23.3	299.9	6	-73309
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	15.3	18.0	22.0	21.7	26.3	27.0	28.3	28.6	26.8	26.3	23.8	22.1	286.4	6	-73309
	00 LST	16.0	18.7	23.2	25.1	27.0	27.2	29.1	30.0	27.3	26.2	24.0	20.1	293.9	6	-73309
	06 LST	13.3	15.7	19.0	21.0	24.0	25.5	26.2	26.3	24.0	24.0	22.0	16.8	259.8	6	-73309
	12 LST	13.8	17.1	19.0	19.7	22.8	22.0	21.8	24.0	22.1	23.0	22.5	20.3	248.1	6	-73309
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	13.8	16.9	18.8	20.0	24.5	25.0	27.0	27.2	25.3	25.3	20.6	20.3	264.7	6	-73309
	00 LST	14.5	16.5	21.1	21.3	24.3	26.3	26.8	28.8	25.3	24.8	21.7	17.7	269.1	6	-73309
	06 LST	11.3	14.4	17.0	18.3	21.1	24.0	24.1	24.3	22.1	22.3	20.6	17.2	236.9	6	-73309
	12 LST	13.0	15.6	17.0	17.3	20.6	20.3	20.3	22.8	21.5	22.2	21.8	17.4	229.8	6	-73309

PULASKI/ABERNATHY, TENNESSEE

STA NO. 73391 (IN AREA NUMBER 13)	LATITUDE 3508N LONGITUDE 08703W ELEVATION(FT) 00665												PDR NO.		
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	UBS
ABS MAX TMP (F)	74	82	88	91	96	98	101	99	100	91	84	75	101	8	-72323
MEAN MAX TMP (F)	50	55	61	74	84	87	90	90	85	76	63	50	72	8	-72323
MEAN MIN TMP (F)	29	33	39	51	59	66	69	69	63	50	40	31	50	8	-72323
ABS MIN TMP (F)	-4	5	12	30	38	53	56	54	43	28	17	0	-4	8	-72323
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	7.6	11.9	18.3	17.4	10.7	0.6	0.0	0.0	66.8	8	-72323
MEAN NO DYS TMP = DR LES 32(F)	19.8	14.6	8.8	0.8	0.0	0.0	0.0	0.0	0.0	0.6	8.4	18.0	71.0	8	-72323
MEAN NO DYS TMP = DR LES 0(F)	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.7	8	-72323
MEAN DEW PT TMP (F)	29	33	37	47	57	65	68	68	62	50	41	31	49	8	-72323
MEAN REL HUM (PCT)	71	69	65	62	65	70	71	72	70	69	71	71	69	8	-72323
MEAN PRESS ALT (FT)	447	483	538	588	586	605	571	583	548	522	477	450	533	0	-50
MEAN PRECIP (IN)	4.77	5.04	7.96	5.44	5.35	4.67	4.13	3.17	3.10	2.52	3.86	5.05	53.1	8	-72323
MEAN SNOW FALL (IN)	1.6	1.5	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	7.5	8	-72323
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.3	8.2	8.4	6.7	4.4	7.3	6.4	5.4	5.1	3.6	6.3	6.5	75.6	8	-72323
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.1	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.3	8	-72323
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.6	0.4	0.3	0.0	0.3	0.6	0.3	1.5	0.8	2.0	1.7	1.6	10.1	8	-72323
MEAN NO DYS TSTMS	1.6	2.4	5.1	5.4	6.7	8.0	10.4	7.3	3.1	1.4	1.0	0.8	53.2	8	-72323
P FREQ WND SPD = DR GTR 17 KTS	3.0	5.6	6.3	3.0	0.8	0.4	0.4	0.3	1.6	1.3	3.2	3.6	2.5	8	-72323
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	8	-72323
P FREQ LES 5000 FT A/D LES 5 MI	40.7	37.6	33.5	22.3	14.6	18.2	17.0	15.6	19.3	20.4	31.7	38.8	25.8	8	-72323
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	20.2	14.7	9.3	8.8	3.7	3.9	3.2	1.4	5.4	8.0	14.1	15.4	9.0	8	-72323
03-05 LST	20.4	17.8	11.0	9.1	4.9	7.5	6.5	7.0	9.8	12.4	14.1	17.1	11.5	8	-72323
06-08 LST	21.9	22.0	14.8	12.1	5.4	8.2	12.0	14.2	12.7	18.3	19.7	21.8	15.3	8	-72323
09-11 LST	24.3	17.5	12.9	7.7	3.4	4.7	3.8	3.6	8.9	10.6	14.6	19.8	11.0	8	-72323
12-14 LST	21.3	12.6	7.6	3.5	2.4	0.7	0.7	2.0	5.6	4.9	11.1	16.6	7.4	8	-72323
15-17 LST	17.2	10.2	7.8	3.9	1.2	1.8	0.0	1.4	3.3	3.8	10.3	13.1	6.2	8	-72323
18-20 LST	15.8	9.9	7.0	5.3	1.9	2.1	1.3	0.5	3.8	3.4	9.8	12.9	6.1	8	-72323
21-23 LST	16.7	12.3	6.1	5.4	2.0	1.8	0.7	0.7	4.4	4.3	11.7	14.9	6.8	8	-72323
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	1.0	0.9	0.7	0.0	0.5	0.9	0.0	0.0	0.8	1.5	1.4	0.9	0.7	8	-72323
03-05 LST	1.2	1.3	0.5	0.0	0.2	1.6	0.5	2.0	1.6	2.6	2.2	1.4	1.3	8	-72323
06-08 LST	1.4	1.9	0.9	0.2	0.2	1.1	0.4	3.0	1.9	4.6	4.8	3.1	2.0	8	-72323
09-11 LST	1.4	0.9	0.3	0.2	0.0	0.0	0.0	0.0	0.2	0.2	0.6	0.9	0.4	8	-72323
12-14 LST	1.5	0.9	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.3	8	-72323
15-17 LST	0.3	0.6	0.2	0.0	0.2	0.0	0.0	0.4	0.0	0.0	0.3	0.6	0.2	8	-72323
18-20 LST	1.0	0.0	0.3	0.0	0.0	0.2	0.4	0.0	0.0	0.0	0.0	0.9	0.2	8	-72323
21-23 LST	0.7	0.4	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.2	0.5	2.2	0.4	8	-72323

PULASKI/ABERNATHY, TENNESSEE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.1	26.7	29.9	29.6	30.8	29.6	30.8	30.7	29.4	30.3	28.6	28.6	353.1	8	-72323
	00 LST	27.8	26.6	29.4	29.3	30.7	29.4	30.8	30.7	29.0	30.1	27.8	28.1	349.7	8	-72323
	06 LST	27.1	25.0	28.7	28.4	30.3	28.1	28.3	28.3	27.8	26.4	25.6	27.8	331.8	8	-72323
	12 LST	26.1	26.2	29.7	29.4	30.7	30.0	30.8	30.5	29.1	30.1	28.8	28.0	349.4	8	-72323
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	18.6	17.0	18.6	19.7	25.4	23.6	26.0	25.0	24.0	26.4	21.1	19.7	265.1	8	-72323
	00 LST	17.9	17.0	17.5	22.1	26.8	26.9	29.6	29.1	24.3	24.4	19.7	17.4	272.7	8	-72323
	06 LST	18.1	15.5	17.7	18.8	26.4	24.8	25.8	25.6	21.8	21.7	18.8	17.7	252.7	8	-72323
	12 LST	12.4	9.7	9.7	12.6	19.4	21.4	23.2	23.5	17.0	18.0	14.9	12.1	193.9	8	-72323
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	0.9	1.9	0.6	0.3	0.2	0.0	0.2	0.3	0.0	0.6	0.7	6.4	8	-72323
	00 LST	1.2	1.1	1.5	0.3	0.1	0.0	0.0	0.0	0.1	0.1	0.6	0.1	5.1	8	-72323
	06 LST	0.5	1.1	1.2	0.2	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.4	3.9	8	-72323
	12 LST	0.6	1.9	2.4	1.2	0.3	0.0	0.0	0.3	1.2	1.1	1.5	2.0	12.5	8	-72323
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	16.2	17.9	19.4	22.0	25.5	22.1	20.9	20.9	22.8	20.7	18.0	17.7	244.1	8	-72323
	00 LST	10.3	11.3	13.6	16.3	12.2	13.7	15.4	13.9	12.2	12.6	14.9	12.2	158.6	8	-72323
	06 LST	9.5	9.3	13.3	15.6	13.9	15.2	14.4	12.7	15.5	12.9	10.3	10.8	153.6	8	-72323
	12 LST	16.7	13.1	13.7	13.8	21.3	19.8	19.3	18.1	18.0	22.5	17.2	16.9	214.4	8	-72323
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.1	8.6	9.4	10.0	10.4	9.0	6.7	8.5	11.6	15.4	12.3	11.0	123.0	8	-72323
	00 LST	10.4	10.7	11.3	13.0	16.1	13.4	15.8	17.1	16.6	19.6	13.0	11.0	168.0	8	-72323
	06 LST	10.7	8.3	9.7	8.4	9.4	8.1	6.7	10.1	11.7	12.6	10.6	9.4	115.7	8	-72323
	12 LST	8.4	6.9	9.5	8.9	6.7	4.1	3.8	4.0	8.4	13.4	9.1	8.8	92.0	8	-72323
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.6	23.0	25.5	27.8	30.3	29.0	30.3	30.5	27.8	28.8	25.0	25.1	326.7	8	-72323
	00 LST	22.7	22.3	24.8	26.9	29.3	28.4	29.6	30.3	27.7	28.1	24.0	24.0	318.1	8	-72323
	06 LST	22.3	19.5	22.7	23.6	27.8	25.7	26.3	26.7	25.0	24.1	22.6	22.0	288.3	8	-72323
	12 LST	21.3	20.6	23.3	26.3	29.0	26.7	29.1	29.1	25.7	27.6	24.8	22.7	306.2	8	-72323
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.4	18.6	22.1	26.1	28.1	25.8	28.3	28.3	25.6	26.7	22.3	20.6	292.9	8	-72323
	00 LST	18.8	18.8	21.0	23.6	27.4	26.3	28.8	29.0	25.6	26.3	20.6	19.0	285.2	8	-72323
	06 LST	18.7	15.8	17.7	20.4	25.3	22.7	23.3	24.0	22.7	22.3	19.4	17.9	250.2	8	-72323
	12 LST	18.6	16.1	18.4	21.6	24.1	20.6	22.0	22.8	21.6	23.6	20.7	18.4	248.5	8	-72323
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.6	16.5	19.1	23.9	26.0	24.6	26.7	26.7	24.1	25.4	20.7	18.4	270.7	8	-72323
	00 LST	16.6	17.7	17.9	22.0	26.6	24.6	27.8	28.5	24.8	25.3	18.7	16.8	267.3	8	-72323
	06 LST	16.4	14.6	15.3	18.0	24.1	20.4	21.3	22.5	21.7	20.3	18.3	15.3	228.2	8	-72323
	12 LST	17.0	15.0	16.3	20.3	23.4	19.7	21.1	22.0	20.7	22.6	18.8	16.4	233.3	8	-72323

UNION CITY/STEWART FIELD, TENNESSEE

STA NO. 73565 (IN AREA NUMBER 13)

LATITUDE 3623N

LONGITUDE 08859W

ELEVATION(FT) 00341

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	78	77	87	90	100	105	109	108	104	96	86	77	109	30	-113
MEAN MAX TMP (F)	47	50	58	70	80	89	91	91	85	75	59	49	70	30	-113
MEAN MIN TMP (F)	28	29	36	47	56	65	68	67	58	46	35	30	47	30	-113
ABS MIN TMP (F)	-23	-19	-7	22	32	43	45	44	33	15	1	-4	-23	30	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	2.0	12.0	16.0	19.0	8.0	1.0	0.0	0.0	58.3	10	-113
MEAN NO DYS TMP = OR LES 32(F)	24.0	18.0	15.0	3.0	0.3	0.0	0.0	0.0	0.0	5.0	16.0	22.0	103.3	10	-113
MEAN NO DYS TMP = OR LES 0(F)	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	11	-73316
MEAN DEW PT TMP (F)	35	36	40	47	58	68	69	68	60	50	36	32	50	9	-73316
MEAN REL HUM (PCT)	78	73	70	68	71	71	70	72	72	69	67	74	71	9	-73316
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	5.26	4.05	5.13	4.58	4.55	3.83	3.77	3.35	3.21	3.02	4.15	4.47	49.4	63	-113
MEAN SNOW FALL (IN)	2.0	2.1	1.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.8	6.8	27	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.9	7.5	7.2	7.1	7.0	6.6	6.5	6.0	5.3	5.0	6.5	8.0	81.6	63	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.4	0.5	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	1.5	27	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.9	2.6	1.2	0.5	0.8	0.4	0.3	1.1	1.1	1.5	1.1	2.6	16.1	9	-73316
MEAN NO DYS TSMS	2.1	2.5	3.2	3.3	6.7	7.4	8.5	6.6	4.1	1.6	2.1	1.2	53.3	11	-73316
P FREQ WND SPD = OR GTR 17 KTS	5.2	4.1	6.5	5.0	2.8	0.8	0.3	0.3	0.5	1.0	3.0	3.3	2.7	9	-73316
P FREQ WND SPD = OR GTR 28 KTS	0.2	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.1	9	-73316
P FREQ LES 5000 FT A/O LES 5 MI	51.6	41.4	33.3	26.0	23.5	15.4	11.8	14.1	22.5	24.2	29.9	41.2	27.9	9	-73316
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	25.7	20.2	9.3	5.2	7.7	2.0	1.2	3.0	8.0	5.6	8.2	19.3	9.6	9	-73316
03-05 LST	27.6	20.5	13.2	10.3	14.1	4.6	4.2	7.3	12.5	9.1	11.5	22.0	13.1	9	-73316
06-08 LST	33.2	26.4	22.0	15.4	14.0	7.4	7.2	8.0	13.6	16.0	18.8	24.9	17.2	9	-73316
09-11 LST	34.1	26.7	17.3	13.3	10.7	4.6	3.4	5.6	11.5	9.2	11.3	21.5	14.1	9	-73316
12-14 LST	30.2	18.7	12.2	9.7	7.3	2.2	1.7	2.3	6.2	7.4	8.6	18.2	10.4	9	-73316
15-17 LST	29.5	14.6	8.6	4.0	4.3	1.9	1.0	1.3	4.0	6.3	8.2	18.0	8.5	9	-73316
18-20 LST	25.6	14.6	9.5	2.8	4.3	1.6	0.1	1.4	4.0	5.6	8.5	20.1	8.2	9	-73316
21-23 LST	25.2	13.0	9.6	3.7	6.1	2.1	0.1	2.0	4.6	6.5	7.9	19.3	8.3	9	-73316
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	3.0	4.9	0.9	0.1	1.0	0.0	0.1	0.4	1.5	1.2	0.8	4.0	1.5	9	-73316
03-05 LST	3.6	3.6	1.6	0.5	2.9	0.6	0.4	2.3	3.7	2.1	1.0	4.3	2.4	9	-73316
06-08 LST	5.9	5.0	2.2	1.4	1.7	0.7	0.6	0.8	2.3	1.7	3.9	5.7	2.7	9	-73316
09-11 LST	3.9	2.9	1.2	0.6	0.4	0.1	0.0	0.0	1.1	0.3	1.9	3.6	1.4	9	-73316
12-14 LST	2.0	0.4	0.8	0.1	0.1	0.1	0.1	0.0	0.0	0.3	0.7	3.1	0.6	9	-73316
15-17 LST	0.9	1.5	0.8	0.1	0.1	0.1	0.1	0.0	0.0	0.3	1.0	3.0	0.7	9	-73316
18-20 LST	2.4	1.5	0.4	0.0	0.1	0.0	0.0	0.0	0.2	0.0	1.0	3.0	0.7	9	-73316
21-23 LST	3.4	1.5	0.3	0.0	0.4	0.0	0.0	0.0	0.5	0.8	0.8	4.3	1.0	9	-73316

UNION CITY/STEWART FIELD, TENNESSEE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	24.1	24.6	29.1	29.4	30.2	29.4	31.0	30.5	29.3	29.3	27.9	25.9	340.7	9	-73316
	00 LST	25.1	23.7	29.1	29.4	29.0	29.6	31.0	30.2	28.4	29.8	28.4	26.8	340.5	9	-73316
	06 LST	24.7	22.4	26.1	26.7	27.5	28.4	28.9	28.9	26.1	26.6	25.2	24.7	316.2	9	-73316
	12 LST	23.5	24.0	28.3	28.8	29.5	29.6	30.8	30.5	29.1	29.5	28.1	26.0	337.7	9	-73316
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	16.9	18.8	19.1	20.5	24.4	26.4	29.8	29.6	27.5	27.1	22.1	18.2	280.4	9	-73316
	00 LST	14.2	16.8	18.4	22.2	25.0	27.4	29.8	29.1	26.8	26.8	22.5	19.3	278.3	9	-73316
	06 LST	14.1	14.6	16.1	18.5	22.2	25.0	26.4	26.9	23.6	23.6	19.9	16.9	247.8	9	-73316
	12 LST	11.6	11.8	11.2	9.8	16.2	20.9	23.2	25.2	21.2	18.6	13.9	13.7	197.3	9	-73316
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.9	0.8	0.9	0.7	0.2	0.2	0.1	0.0	0.0	0.0	0.6	1.1	5.5	9	-73316
	00 LST	1.8	0.5	1.4	0.3	0.1	0.0	0.0	0.1	0.0	0.1	0.5	0.4	5.2	9	-73316
	06 LST	1.0	0.8	1.3	0.5	0.1	0.0	0.0	0.0	0.0	0.1	0.5	0.7	5.0	9	-73316
	12 LST	3.3	2.5	3.6	3.0	1.9	0.9	0.1	0.0	0.4	0.5	1.7	1.9	19.8	9	-73316
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	14.4	15.8	17.6	17.9	17.1	15.2	12.6	13.3	13.4	17.7	14.8	14.5	184.3	9	-73316
	00 LST	12.7	13.7	15.5	19.8	15.1	13.9	14.5	11.3	12.8	13.4	12.8	12.3	167.8	9	-73316
	06 LST	11.3	10.0	14.5	19.4	15.8	18.4	16.1	11.6	14.1	14.8	12.7	9.0	167.7	9	-73316
	12 LST	14.4	15.5	15.0	13.7	15.2	12.3	10.1	12.4	19.0	18.9	13.0	14.3	173.8	9	-73316
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.0	10.1	9.4	10.1	10.7	10.8	11.5	14.8	17.2	18.0	13.7	12.2	146.5	6	-73316
	00 LST	10.3	12.7	14.2	15.2	16.5	20.0	20.2	21.1	20.3	21.6	17.2	13.9	203.2	6	-73316
	06 LST	7.7	9.8	9.2	10.3	12.3	11.6	10.5	12.8	15.2	15.7	14.6	10.9	140.6	6	-73316
	12 LST	5.8	9.3	8.7	7.3	8.8	9.5	5.6	9.6	13.8	13.8	13.1	8.5	114.0	6	-73316
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	20.7	21.3	25.7	27.0	29.0	29.1	30.4	30.4	27.9	28.0	26.3	22.9	318.7	9	-73316
	00 LST	21.2	21.7	25.7	27.5	27.4	29.2	30.8	29.9	27.7	28.5	27.0	24.2	320.8	9	-73316
	06 LST	18.8	19.4	21.6	23.4	24.6	26.6	28.0	27.7	24.2	24.6	23.6	21.2	283.7	9	-73316
	12 LST	17.2	19.1	23.5	24.1	25.8	27.8	28.9	29.2	25.5	26.9	24.9	22.2	295.1	9	-73316
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	17.7	17.7	21.2	22.7	25.2	27.2	28.8	28.4	26.0	26.2	22.7	19.2	283.0	9	-73316
	00 LST	18.1	18.3	22.9	24.9	25.8	27.9	29.8	28.8	26.3	26.6	23.5	20.1	293.0	9	-73316
	06 LST	15.1	15.7	18.4	20.0	22.5	24.9	26.9	25.9	22.0	22.5	20.7	18.0	252.6	9	-73316
	12 LST	15.0	16.1	18.9	18.8	20.0	21.0	22.1	24.1	21.0	23.3	21.5	19.3	241.1	9	-73316
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	15.6	16.4	18.6	20.6	22.4	24.5	26.7	26.1	24.7	25.3	20.5	17.7	259.1	9	-73316
	00 LST	16.7	16.4	20.3	22.0	23.4	26.8	28.1	27.3	24.8	25.7	21.4	18.8	271.7	9	-73316
	06 LST	12.9	13.9	16.2	17.1	19.1	22.8	23.9	23.5	20.2	20.9	18.8	15.8	225.1	9	-73316
	12 LST	13.7	14.4	16.8	16.7	18.8	19.8	20.6	23.0	19.5	22.0	20.1	17.1	222.5	9	-73316

CLARKSVILLE/OUTLAW FIELD, TENNESSEE

STA NO. 73694 (IN AREA NUMBER 13)

LATITUDE 3637N

LONGITUDE 08724W

ELEVATION(FT) 00549

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	75	80	82	87	195	106	106	103	104	94	83	78	106	13	-73342
MEAN MAX TMP (F)	45	50	55	69	78	86	89	89	83	71	57	48	68	13	-73342
MEAN MIN TMP (F)	28	31	36	47	56	65	68	67	59	47	35	30	47	13	-73342
ABS MIN TMP (F)	-7	-12	1	27	35	43	56	53	40	24	-4	-3	-12	13	-73342
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.7	9.4	13.1	13.9	5.1	0.3	0.0	0.0	43.5	13	-73342
MEAN NO DYS TMP = DR LES 32(F)	22.5	15.0	12.0	1.8	0.0	0.0	0.0	0.0	0.0	1.5	13.5	19.8	86.1	13	-73342
MEAN NO DYS TMP = DR LES 0(F)	0.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	1.1	13	-73342
MEAN DEW PT TMP (F)	29	33	35	45	56	64	68	66	59	47	34	31	47	13	-73342
MEAN REL HUM (PCT)	76	75	69	65	71	72	73	72	70	68	67	75	71	13	-73342
MEAN PRESS ALT (FT)	340	370	435	464	483	491	470	467	425	389	368	341	420	0	-50
MEAN PRECIP (IN)	4.92	5.33	5.21	3.91	4.20	3.50	3.43	3.30	2.72	2.07	4.21	4.29	47.1	13	-73342
MEAN SNOW FALL (IN)	2.6	1.9	3.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.2	10.1	13	-73342
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.2	7.8	8.4	7.7	7.3	6.3	6.9	5.2	4.8	3.4	5.8	6.7	77.5	13	-73342
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.6	0.3	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	1.9	13	-73342
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.8	2.8	1.3	0.8	1.1	0.8	1.3	2.0	1.8	2.2	2.0	2.0	20.9	13	-73342
MEAN NO DYS TSTMS	1.3	2.5	3.6	5.4	6.9	8.1	9.1	7.0	3.5	1.9	2.3	1.3	52.9	13	-73342
P FREQ WND SPD = DR GTR 17 KTS	4.5	5.6	6.7	5.2	2.0	0.9	0.6	0.5	1.0	1.7	3.8	3.6	3.0	13	-73342
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.3	0.3	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	13	-73342
P FREQ LES 5000 FT A/D LES 5 MI	48.5	43.7	40.9	29.2	24.7	21.8	23.5	21.5	20.3	26.5	36.3	44.1	31.8	13	-73342
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.5	19.5	13.0	6.2	6.3	3.9	4.1	4.8	5.6	10.0	12.6	18.0	10.5	13	-73342
03-05 LST	25.7	23.9	17.0	10.1	11.1	8.5	11.1	13.7	11.0	15.9	14.5	20.9	15.3	13	-73342
06-08 LST	32.3	29.8	24.1	13.1	10.3	7.2	12.0	12.4	13.5	22.6	27.2	28.9	19.5	13	-73342
09-11 LST	29.4	25.2	18.8	10.9	8.8	6.7	7.3	5.7	7.5	9.2	15.7	24.1	14.1	13	-73342
12-14 LST	24.7	21.8	13.7	6.9	5.9	3.8	2.4	2.3	4.2	5.6	9.5	18.3	9.9	13	-73342
15-17 LST	21.3	19.2	10.5	4.6	4.7	3.0	2.5	1.1	2.5	5.1	8.8	16.5	8.3	13	-73342
18-20 LST	19.0	18.9	10.0	4.1	3.2	1.6	1.2	0.9	1.3	4.7	8.1	16.8	7.5	13	-73342
21-23 LST	20.6	16.9	10.9	4.3	4.1	1.9	0.9	1.7	2.4	4.6	9.5	17.4	8.1	13	-73342
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.9	3.6	2.1	0.6	2.4	1.0	0.8	1.8	2.4	2.5	2.0	3.3	2.2	13	-73342
03-05 LST	4.8	6.1	3.0	1.3	3.1	2.5	2.9	4.0	4.0	4.2	2.4	4.1	3.5	13	-73342
06-08 LST	5.7	7.5	3.5	1.7	1.2	0.5	1.3	2.4	2.7	4.7	5.3	6.0	3.5	13	-73342
09-11 LST	3.7	4.4	2.4	0.6	0.0	0.3	0.4	0.1	0.3	0.2	1.7	2.8	1.4	13	-73342
12-14 LST	1.8	3.1	1.2	0.6	0.2	0.2	0.2	0.4	0.3	0.3	0.8	0.9	0.8	13	-73342
15-17 LST	2.5	1.4	1.1	0.1	0.1	0.1	0.4	0.1	0.2	0.4	1.4	1.7	0.8	13	-73342
18-20 LST	3.3	1.8	1.1	0.1	0.4	0.0	0.1	0.0	0.2	0.6	0.9	2.5	0.9	13	-73342
21-23 LST	3.4	3.3	1.6	0.6	1.2	0.3	0.2	0.4	0.6	1.6	0.9	3.0	1.4	13	-73342

CLARKSVILLE/OUTLAW FIELD, TENNESSEE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.2	23.7	28.3	29.0	29.9	29.6	30.7	30.8	29.6	29.7	28.1	26.5	342.1	13	-73342
	00 LST	25.4	23.4	28.1	28.9	29.4	29.1	30.4	30.1	28.8	29.1	27.3	26.6	336.6	13	-73342
	06 LST	24.0	21.5	25.1	26.7	28.4	27.8	27.1	26.0	24.8	23.7	23.4	25.1	303.6	13	-73342
	12 LST	25.3	23.0	28.0	28.4	29.7	29.5	30.5	30.7	29.3	29.7	27.3	26.7	338.1	13	-73342
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	18.5	15.8	19.1	20.5	25.1	26.6	27.1	29.1	27.8	27.2	22.4	20.2	279.4	13	-73342
	00 LST	18.2	17.4	18.5	22.6	25.8	27.8	28.9	29.3	26.7	26.6	21.4	20.2	283.4	13	-73342
	06 LST	15.7	15.2	16.1	19.4	24.0	25.4	24.6	24.9	23.3	20.8	18.2	18.2	245.8	13	-73342
	12 LST	11.8	10.6	10.8	12.8	17.1	21.1	22.7	23.2	19.9	19.9	14.2	13.3	197.4	13	-73342
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.1	1.0	1.3	1.2	0.3	0.0	0.1	0.0	0.1	0.2	0.5	0.7	6.5	13	-73342
	00 LST	1.2	1.1	1.8	0.7	0.0	0.0	0.0	0.1	0.1	0.2	1.0	0.9	7.1	13	-73342
	06 LST	1.5	1.0	1.4	0.3	0.1	0.2	0.0	0.0	0.1	0.2	0.7	0.7	6.2	13	-73342
	12 LST	1.9	2.8	3.4	3.6	1.5	0.3	0.5	0.3	0.2	1.2	1.4	2.4	19.5	13	-73342
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	13.3	14.9	18.1	18.5	18.8	17.5	16.2	15.3	15.2	15.4	14.8	13.2	191.2	13	-73342
	00 LST	7.8	11.3	12.9	16.4	14.7	11.5	12.4	9.9	12.5	12.5	11.7	10.1	143.7	13	-73342
	06 LST	7.6	9.0	13.2	16.3	15.1	14.0	13.5	10.5	11.7	12.3	10.9	10.2	144.1	13	-73342
	12 LST	12.2	12.7	15.8	16.6	19.5	16.0	15.6	13.5	18.3	21.2	15.8	14.0	191.2	13	-73342
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	7.5	7.3	7.3	5.9	6.2	7.1	6.3	7.8	12.1	14.1	10.9	9.1	101.6	13	-73342
	00 LST	10.1	10.1	11.6	13.1	15.4	16.6	16.6	18.4	18.2	18.5	12.9	10.2	171.7	13	-73342
	06 LST	9.0	7.1	6.7	7.6	9.0	9.5	8.0	9.3	11.4	10.2	7.0	9.4	106.2	13	-73342
	12 LST	6.2	5.9	6.1	5.6	4.7	3.8	3.2	4.6	9.7	11.7	9.0	7.1	77.6	13	-73342
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	21.9	20.6	25.7	27.7	29.5	28.9	30.2	30.5	29.2	28.6	26.1	23.2	322.1	13	-73342
	00 LST	21.6	21.3	25.8	27.3	28.8	28.4	29.8	29.9	28.7	28.0	24.9	22.9	316.8	13	-73342
	06 LST	19.6	18.5	21.0	24.7	27.2	26.9	26.0	25.3	23.9	21.9	20.4	20.9	276.3	13	-73342
	12 LST	19.5	19.1	23.1	25.3	27.4	27.7	28.2	28.5	26.6	26.3	23.6	21.5	296.8	13	-73342
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	17.4	16.8	19.7	21.2	25.3	24.2	26.5	28.0	26.1	25.0	21.4	19.4	271.0	13	-73342
	00 LST	16.9	17.2	19.5	23.2	24.9	26.4	27.6	28.8	26.7	25.7	20.7	18.2	275.8	13	-73342
	06 LST	15.2	15.1	16.0	20.2	23.6	24.2	24.0	24.0	21.6	19.5	16.1	16.6	236.1	13	-73342
	12 LST	15.8	16.4	16.0	17.3	17.9	18.5	17.8	19.2	20.6	22.7	19.1	17.8	219.1	13	-73342
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	15.7	15.8	17.6	18.2	22.9	21.7	24.3	25.9	23.8	22.9	20.1	17.1	246.0	13	-73342
	00 LST	15.8	15.8	17.0	20.0	23.0	25.3	26.6	26.7	25.1	23.6	19.1	16.1	254.1	13	-73342
	06 LST	13.6	13.4	13.9	17.3	21.0	22.1	21.6	21.6	19.2	17.8	14.5	15.3	211.3	13	-73342
	12 LST	14.3	14.0	14.2	15.4	16.3	17.5	16.6	17.8	19.0	21.2	17.4	15.9	199.6	13	-73342

MEMPHIS/DOWNTOWN, TENNESSEE

STA NO. 75510 (IN AREA NUMBER 13)

LATITUDE 3509N

LONGITUDE 09003W

ELEVATION(FT) 00222


PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	ND. OBS
ABS MAX TMP (F)	79	80	87	90	98	103	106	105	103	93	84	78	106	86	-113
MEAN MAX TMP (F)	49	52	61	71	79	87	90	89	83	73	60	51	70	86	-113
MEAN MIN TMP (F)	34	36	44	53	62	70	73	72	65	54	43	36	54	86	-113
ABS MIN TMP (F)	-8	-9	12	27	38	50	52	48	36	24	9	2	-9	86	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	2.0	14.0	19.0	18.0	6.0	0.3	0.0	0.0	59.3	10	-113
MEAN NO DYS TMP = DR LES 32(F)	14.0	8.0	5.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	5.0	10.0	42.3	10	-113
MEAN NO DYS TMP = DR LES 0(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		86	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	23	39	115	149	175	183	157	156	108	75	54	25	105	0	-50
MEAN PRECIP (IN)	3.20	4.38	5.16	4.92	4.14	3.70	3.25	3.13	2.81	2.86	4.19	4.47	48.2	89	-113
MEAN SNOW FALL (IN)	1.9	1.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.2	5.4	76	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.8	7.9	7.2	7.2	6.9	6.4	5.9	5.8	4.7	4.8	6.5	8.0	80.1	89	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.4	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.2	76	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MEMPHIS/DOWNTOWN, TENNESSEE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PUR (YRS)	NO. URS
CIG = GTR 1000 FT AND	18													0	0
VSBY = GTR 3 MI	00													0	0
	06													0	0
	12													0	0
CIG = GTR 2000 FT AND VSBY = GTR	18													0	0
3 MI W/SFC WND LES 10 KTS	00													0	0
	06													0	0
	12													0	0
SFC WND = GTR 17 KTS AND	18													0	0
NO PRECIP.	00													0	0
	06													0	0
	12													0	0
SFC WND 4-10 KTS AND TMP 33-89	18													0	0
DEG F AND NO PRECIP.	00													0	0
	06													0	0
	12													0	0
SKY COVER LES 3/10 AND	18													0	0
VSBY = GTR 3 MI	00													0	0
	06													0	0
	12													0	0
CIG = GTR 2500 FT AND	18													0	0
VSBY = GTR 3 MI	00													0	0
	06													0	0
	12													0	0
CIG = GTR 6000 FT AND	18													0	0
VSBY = GTR 3 MI	00													0	0
	06													0	0
	12													0	0
CIG = GTR 10000 FT AND	18													0	0
VSRY = GTR 3 MI	00													0	0
	06													0	0
	12													0	0

DATA NOT AVAILABLE



TEXAS

PORT ARTHUR/JEFFERSON COUNTY MUNICIPAL, TEXAS

STA NO. 72241 (IN AREA NUMBER 13)

LATITUDE 2957N

LONGITUDE 09401W

ELEVATION(FT) 00016

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	81	84	86	93	95	102	101	102	98	95	85	81	102	43	-613
MEAN MAX TMP (F)	62	63	68	76	83	89	91	91	87	80	68	63	77	44	-113
MEAN MIN TMP (F)	46	49	54	62	69	75	76	76	72	64	53	48	62	44	-113
ABS MIN TMP (F)	11	13	24	36	46	58	64	62	47	32	25	17	11	44	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.2	3.1	19.1	24.1	23.3	13.6	1.4	0.0	0.0	84.8	12	4383
MEAN NO DYS TMP = DR LES 32(F)	4.1	1.7	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	3.2	11.2	12	4383
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	47	49	52	59	67	72	74	74	70	60	51	47	60	12	105120
MEAN REL HUM (PCT)	80	80	75	77	77	78	80	80	78	75	76	79	78	12	105120
MEAN PRESS ALT (FT)	-179	-145	-78	-36	-9	-1	-48	-38	-36	-87	-152	-176	-81	0	-50
MEAN PRECIP (IN)	4.31	4.02	3.45	3.00	4.39	4.56	6.44	4.89	5.07	3.57	3.85	4.90	53.3	44	-113
MEAN SNOW FALL (IN)	0.1	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	12	4383
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.8	7.5	6.5	6.7	7.0	7.4	9.1	7.7	7.7	5.7	6.1	8.5	87.7	44	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	4383
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	7.2	5.9	5.6	2.3	0.9	0.3	0.2	0.3	0.8	4.3	4.7	6.1	38.6	12	4381
MEAN NO DYS TSTMS	2.4	3.7	3.2	5.1	5.5	7.3	14.4	11.2	6.3	2.3	2.6	3.2	67.2	12	4383
P FREQ WND SPD = DR GTR 17 KTS	10.1	13.1	14.1	13.8	8.2	3.4	1.9	1.1	3.2	3.9	10.0	9.6	7.7	12	105128
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.2	0.2	0.2	0.0	0.2	0.0	0.0	0.3	0.1	0.1	0.1	0.1	12	105128
P FREQ LES 3000 FT A/O LES 5 MI	42.7	43.2	39.1	40.3	29.7	15.5	13.2	12.6	17.9	19.4	33.1	37.5	28.7	12	105124
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	28.9	31.3	28.9	28.7	12.5	2.3	0.5	1.8	4.5	8.4	21.0	23.1	16.0	12	13139
03-05 LST	32.7	32.2	31.5	30.4	15.5	4.7	2.7	3.7	8.7	15.9	23.6	26.6	19.0	12	13139
06-08 LST	32.7	31.0	30.6	28.4	15.1	5.8	4.3	4.9	12.8	20.7	26.1	29.4	20.2	12	13143
09-11 LST	27.1	28.8	22.9	19.3	9.5	3.3	3.1	4.6	9.1	8.4	19.2	22.9	14.9	12	13143
12-14 LST	21.3	19.6	14.3	10.2	3.5	1.9	2.2	2.2	4.4	2.9	13.7	18.6	9.6	12	13139
15-17 LST	18.0	19.3	12.9	13.4	4.1	1.0	1.7	1.1	3.1	2.2	13.0	17.5	8.9	12	13144
18-20 LST	21.1	20.4	16.9	19.1	9.1	1.2	0.9	0.6	3.1	2.6	11.1	17.1	10.3	12	13145
21-23 LST	26.0	24.8	23.0	23.9	11.2	2.0	0.7	0.6	3.4	4.7	15.4	20.0	13.0	12	13140
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	12.6	10.8	10.8	3.8	0.6	0.0	0.1	0.4	0.6	3.8	8.2	9.1	5.1	12	13139
03-05 LST	15.4	12.8	11.7	5.1	2.2	0.9	0.2	0.5	2.0	8.4	8.7	10.8	6.6	12	13139
06-08 LST	13.0	10.5	8.6	3.4	1.0	0.6	0.4	0.4	1.6	9.2	8.5	11.7	5.7	12	13143
09-11 LST	4.8	2.8	1.0	0.0	0.0	0.1	0.1	0.0	0.0	0.6	1.0	3.9	1.2	12	13143
12-14 LST	1.3	1.2	0.1	0.1	0.0	0.1	0.1	0.0	0.2	0.0	0.1	0.9	0.3	12	13139
15-17 LST	0.4	0.8	0.1	0.1	0.0	0.0	0.3	0.0	0.0	0.3	0.2	1.1	0.3	12	13144
18-20 LST	3.9	3.4	1.4	0.6	0.0	0.0	0.0	0.0	0.2	0.4	0.7	2.5	1.1	12	13145
21-23 LST	8.5	5.3	5.3	1.6	0.3	0.0	0.0	0.0	0.1	1.8	3.3	6.0	2.7	12	13140

PORT ARTHUR/JEFFERSON COUNTY MUNICIPAL, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	25.9	23.5	27.9	27.2	29.8	29.8	30.6	30.9	29.3	30.6	27.6	27.2	340.3	12	4382
	00 LST	23.1	21.2	23.5	24.1	29.5	29.6	31.0	30.7	29.4	29.6	25.1	24.6	321.4	12	4382
	06 LST	21.9	20.6	22.2	23.2	28.5	28.3	30.0	29.6	26.8	24.2	23.0	23.1	301.4	12	4381
	12 LST	23.6	23.4	28.6	28.7	30.7	29.6	30.5	30.4	29.4	30.3	27.4	26.6	341.4	12	4381
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	13.2	9.8	10.8	8.6	10.6	11.0	16.1	21.5	21.9	23.3	16.5	14.6	177.9	12	4382
	00 LST	13.5	11.2	12.6	13.5	19.7	24.7	28.8	29.3	24.2	22.9	14.7	13.9	229.0	12	4382
	06 LST	12.6	10.8	10.7	13.3	19.7	25.1	28.5	27.7	22.1	17.3	12.2	13.1	213.1	12	4381
	12 LST	5.5	5.9	5.7	5.9	11.0	14.3	16.8	21.0	13.7	12.7	8.5	8.2	129.2	12	4381
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.6	2.8	3.0	2.5	2.7	1.1	0.5	0.2	0.4	0.2	1.2	2.2	18.4	12	4324
	00 LST	1.4	2.9	2.2	2.2	2.2	0.1	0.0	0.1	0.2	0.4	1.7	2.1	15.9	12	4321
	06 LST	1.4	1.6	1.2	1.6	1.1	0.2	0.1	0.2	0.2	0.2	1.9	1.6	11.3	12	4296
	12 LST	8.1	8.0	8.8	7.8	4.1	2.3	1.3	0.7	2.7	2.9	6.2	5.3	59.2	12	4310
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	20.2	16.1	15.9	13.4	13.8	15.6	16.6	22.0	24.5	25.6	20.7	20.0	224.4	12	4324
	00 LST	19.3	16.3	17.4	18.6	20.8	24.4	24.5	23.1	23.9	25.1	19.4	19.7	252.5	12	4321
	06 LST	19.4	16.6	19.1	19.9	20.8	21.6	21.0	22.5	25.5	25.4	18.8	19.9	250.5	12	4296
	12 LST	9.9	8.5	8.9	8.9	12.9	12.1	12.2	12.8	14.0	17.7	12.6	11.9	142.4	12	4310
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.6	8.3	8.4	8.7	9.8	11.6	6.0	7.8	10.1	16.6	12.1	10.2	118.2	12	4382
	00 LST	10.8	10.3	12.0	12.2	14.7	19.8	19.7	20.6	19.0	19.8	13.3	12.3	184.5	12	4382
	06 LST	9.4	8.4	8.6	6.8	7.8	12.1	9.6	10.8	12.1	13.2	10.6	10.6	120.0	12	4381
	12 LST	6.7	6.1	7.6	6.2	4.8	3.2	2.0	2.9	6.8	11.3	9.0	9.0	75.6	12	4381
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	22.3	19.7	24.4	22.5	26.4	29.1	30.4	30.7	27.9	29.8	25.4	24.6	313.2	12	4382
	00 LST	20.4	18.3	21.1	20.3	25.2	29.1	30.3	30.2	28.0	28.2	22.8	22.6	296.5	12	4382
	06 LST	19.7	16.7	19.0	19.0	23.7	27.1	28.5	28.1	25.3	23.0	20.2	21.1	271.4	12	4381
	12 LST	21.1	19.7	21.9	21.5	25.5	27.6	28.6	27.7	25.6	27.7	22.6	22.1	291.6	12	4381
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.7	17.0	20.8	19.7	24.5	27.9	29.3	29.9	26.5	28.7	21.9	20.5	285.4	12	4382
	00 LST	18.0	15.0	18.9	18.0	23.3	28.1	30.1	29.7	27.1	27.2	20.6	19.8	275.8	12	4382
	06 LST	15.5	13.7	16.4	16.3	22.1	26.8	28.1	27.2	24.8	21.6	17.1	17.3	246.9	12	4381
	12 LST	17.1	15.8	17.7	16.3	18.7	20.4	20.2	22.0	20.7	23.4	19.4	18.7	230.4	12	4381
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	16.9	15.5	19.4	19.0	23.3	27.2	28.6	29.1	25.7	27.2	20.3	18.2	270.4	12	4382
	00 LST	16.7	13.9	17.7	17.2	23.1	27.8	29.6	29.4	26.2	25.9	18.7	17.8	264.0	12	4382
	06 LST	14.5	12.0	15.1	15.1	21.1	26.1	27.4	26.7	23.5	20.4	15.9	15.4	233.2	12	4381
	12 LST	15.4	14.2	16.0	14.9	17.6	19.8	19.2	21.4	19.4	22.1	18.1	16.9	215.0	12	4381

GALVESTON/SCHOLES FIELD, TEXAS

STA NO. 72242 (IN AREA NUMBER 13)

LATITUDE 2916N

LONGITUDE 09451W

ELEVATION(FT) 00007

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	78	83	85	92	93	99	101	100	96	94	85	80	101	90	-613
MEAN MAX TMP (F)	60	62	67	73	80	86	88	88	85	78	69	62	75	87	-113
MEAN MIN TMP (F)	49	51	57	64	71	77	79	79	75	68	58	51	65	87	-113
ABS MIN TMP (F)	11	8	27	38	52	57	66	67	52	41	26	18	8	90	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.1	0.4	3.8	13.6	14.5	3.0	0.1	0.0	0.0	35.5	12	4383
MEAN NO DYS TMP = OR LES 32(F)	1.1	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	2.6	12	4383
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	49	50	54	61	68	73	75	74	71	63	53	49	62	12	104985
MEAN REL HUM (PCT)	0	80	78	79	77	76	75	74	74	72	74	77	76	12	104982
MEAN PRESS ALT (FT)	-185	-151	-80	-35	-8	-2	-50	-42	-43	-94	-159	-183	-85	0	-50
MEAN PRECIP (IN)	3.43	2.85	2.75	3.02	3.33	3.73	4.04	4.38	5.50	4.01	3.66	3.90	44.6	90	-113
MEAN SNOW FALL (IN)	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	90	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.8	6.0	5.8	6.1	6.4	6.5	6.8	7.2	8.2	6.3	5.9	7.4	79.4	90	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	4383
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.5	5.4	6.1	3.1	0.2	0.1	0.0	0.1	0.4	0.6	2.5	4.8	29.8	12	4382
MEAN NO DYS TSTMS	2.0	2.0	3.0	4.0	5.0	5.0	8.0	8.0	6.0	2.0	2.0	2.0	49.0	60	-24
P FREQ WND SPD = OR GTR 17 KTS	15.6	18.8	13.7	12.0	10.0	7.6	5.9	2.9	5.6	8.6	18.3	13.3	11.0	12	105061
P FREQ WND SPD = OR GTR 28 KTS	0.9	0.7	1.0	0.3	0.0	0.3	0.2	0.1	0.7	0.3	1.5	1.0	0.6	12	105061
P FREQ LES 5000 FT A/D LES 5 MI	41.3	41.5	38.1	37.2	29.7	9.9	6.4	6.6	11.3	13.3	28.6	34.4	24.9	12	105040
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	24.6	26.1	24.5	27.5	22.3	3.0	0.8	0.2	3.4	3.7	14.7	18.0	14.1	12	13127
03-05 LST	25.7	28.1	26.8	28.4	22.5	3.8	2.0	1.3	5.0	5.9	17.3	21.0	15.7	12	13134
06-08 LST	28.0	30.4	25.9	23.6	18.1	4.5	1.8	1.9	7.7	8.8	18.6	22.6	16.0	12	13131
09-11 LST	22.9	26.2	17.6	18.4	15.9	3.0	1.9	2.2	7.9	6.6	15.5	18.1	13.0	12	13135
12-14 LST	19.7	22.5	13.6	14.8	12.8	1.8	1.3	0.7	3.6	3.1	10.4	18.0	10.2	12	13121
15-17 LST	19.4	20.7	14.0	13.8	14.5	1.4	0.5	0.2	2.2	2.8	9.7	15.7	9.6	12	13134
18-20 LST	22.8	20.4	15.4	19.4	16.7	2.2	0.4	0.4	2.7	3.0	10.4	15.4	10.8	12	13128
21-23 LST	23.9	23.7	19.0	23.0	18.3	1.9	0.6	0.2	3.0	3.7	12.1	16.2	12.1	12	13130
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	12.5	10.0	10.6	7.4	0.9	0.0	0.0	0.0	0.1	0.2	3.6	6.1	4.3	12	13127
03-05 LST	12.8	10.9	11.8	6.4	0.7	0.2	0.4	0.0	0.2	0.9	5.3	8.1	4.8	12	13134
06-08 LST	12.0	10.5	9.3	4.8	0.6	0.3	0.3	0.0	0.6	0.9	3.3	6.5	4.1	12	13131
09-11 LST	6.4	5.1	4.4	1.7	0.3	0.0	0.3	0.0	0.2	0.4	1.2	3.8	2.0	12	13135
12-14 LST	3.1	3.6	2.0	1.4	0.1	0.0	0.0	0.1	0.2	0.2	0.4	2.4	1.1	12	13121
15-17 LST	4.3	4.3	3.7	2.2	0.1	0.0	0.1	0.0	0.2	0.2	0.5	3.1	1.6	12	13134
18-20 LST	6.6	5.9	5.0	4.3	0.2	0.2	0.0	0.0	0.3	0.1	1.1	4.4	2.3	12	13128
21-23 LST	9.7	8.2	8.2	5.8	0.3	0.1	0.0	0.1	0.1	0.6	2.2	5.6	3.4	12	13130

GALVESTON/SCHOLES FIELD, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	25.6	23.4	27.1	25.7	29.1	29.9	30.9	31.0	29.6	30.7	28.2	26.8	338.0	12	4382
	00 LST	24.4	21.4	25.1	24.2	28.1	30.0	30.9	31.0	29.7	30.5	26.9	26.2	328.4	12	4382
	06 LST	23.7	21.2	23.8	24.5	28.1	29.3	30.7	30.7	28.9	29.5	24.8	25.2	320.4	12	4382
	12 LST	26.0	23.4	28.0	27.2	29.4	29.7	30.7	30.8	29.5	30.3	27.8	26.9	339.7	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	10.7	7.9	9.5	7.3	8.6	7.8	11.5	14.7	16.5	18.0	13.8	12.8	139.1	12	4382
	00 LST	10.6	7.7	10.0	9.0	10.3	10.5	14.8	17.1	16.7	18.2	13.7	11.8	150.8	12	4382
	06 LST	9.1	9.3	8.9	9.2	12.0	14.5	19.1	22.3	18.6	17.1	12.2	11.5	163.8	12	4382
	12 LST	6.7	4.5	5.1	4.2	7.2	7.7	10.2	11.7	10.5	10.2	7.4	7.8	93.2	12	4382
SFC WND = GTR 17 KTS AND ND PRECIP.	18 LST	3.2	4.0	3.4	2.8	2.3	1.6	2.5	0.5	1.0	1.4	4.4	3.2	30.3	12	4336
	00 LST	3.3	4.5	2.8	2.9	4.1	2.4	1.5	0.7	1.2	2.4	5.3	4.0	35.1	12	4321
	06 LST	5.4	3.8	4.2	2.7	2.4	1.7	0.8	0.7	1.1	2.3	6.2	3.9	35.2	12	4301
	12 LST	5.3	7.6	5.5	5.6	3.4	2.3	2.1	0.7	2.3	2.6	6.0	4.3	47.7	12	4311
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND ND PRECIP.	18 LST	17.1	13.9	17.5	13.2	15.3	14.0	15.3	20.7	19.9	19.1	17.0	17.5	200.5	12	4335
	00 LST	18.7	14.4	18.3	15.0	14.7	15.2	19.7	20.8	19.9	18.7	16.3	16.9	208.6	12	4320
	06 LST	16.4	14.3	17.1	16.3	16.0	17.3	20.6	23.3	20.4	19.0	15.6	16.2	212.5	12	4298
	12 LST	12.2	8.5	9.3	9.7	12.2	12.1	13.9	16.3	15.9	16.0	12.6	12.8	151.5	12	4310
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.4	8.4	8.0	8.8	8.7	10.7	7.8	9.2	9.8	14.8	10.2	9.5	114.3	12	4382
	00 LST	10.7	10.6	11.0	10.6	9.5	12.4	14.7	15.5	15.5	17.8	14.0	11.9	154.2	12	4194
	06 LST	9.5	8.6	7.8	6.3	5.9	6.4	5.3	6.4	11.4	13.6	10.1	11.5	102.8	12	4381
	12 LST	7.8	7.5	8.2	7.6	7.2	7.0	5.5	6.8	9.3	12.1	9.2	9.3	97.5	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	22.3	20.6	24.1	22.8	25.1	28.5	30.6	30.3	28.6	29.5	25.7	24.6	312.7	12	4382
	00 LST	21.9	19.0	22.2	20.7	22.7	27.6	29.6	30.1	28.3	28.8	25.2	23.6	299.7	12	4382
	06 LST	19.3	18.6	19.9	19.1	22.3	26.9	29.1	28.6	26.9	27.7	22.8	22.8	284.0	12	4382
	12 LST	23.3	19.3	24.9	22.6	24.6	27.6	29.4	29.2	26.9	27.9	25.1	23.2	304.0	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	17.9	17.2	19.6	20.1	24.0	28.2	30.2	30.0	27.4	27.9	21.8	20.1	284.4	12	4382
	00 LST	18.2	16.2	19.2	19.1	21.0	26.9	29.0	29.6	27.6	27.8	21.8	20.5	276.9	12	4382
	06 LST	15.1	14.7	16.7	16.7	20.1	26.6	28.0	27.5	23.7	25.6	19.7	18.6	255.0	12	4382
	12 LST	19.7	16.6	19.7	19.2	22.7	26.6	28.5	28.2	25.9	26.4	21.7	19.6	274.8	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	16.6	16.0	18.4	19.3	22.8	28.0	29.9	29.5	27.2	26.7	20.4	18.2	273.0	12	4382
	00 LST	16.6	14.7	18.1	18.1	20.0	26.5	28.9	29.1	26.9	26.9	20.2	18.5	264.5	12	4382
	06 LST	13.8	13.4	15.0	15.3	19.1	26.0	27.7	27.2	24.8	24.3	18.0	16.3	240.9	12	4382
	12 LST	17.4	14.8	18.2	18.1	21.6	25.7	28.0	27.6	25.2	25.5	19.8	17.8	259.7	12	4382

HOUSTON INT'L., TEXAS

STA NO. 72243 (IN AREA NUMBER 13)

LATITUDE 2938N

LONGITUDE 09516W

ELEVATION(FT) 0050

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	84	90	96	93	98	103	105	108	101	99	89	84	108	71	-613
MEAN MAX TMP (F)	62	65	72	78	84	90	92	92	88	81	71	64	78	70	-113
MEAN MIN TMP (F)	45	47	54	60	67	73	75	75	71	62	52	47	61	70	-113
ABS MIN TMP (F)	5	6	21	34	45	55	55	54	45	33	23	15	5	72	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.2	4.7	19.5	26.2	23.6	13.8	2.0	0.0	0.0	90.0	12	4382
MEAN NO DYS TMP = DR LES 32(F)	3.3	1.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	2.2	8.2	12	4382
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4382
MEAN DEW PT TMP (F)	46	48	51	58	66	71	73	73	69	60	50	46	59	12	104992
MEAN REL HUM (PCT)	76	76	71	74	75	75	75	76	75	72	73	75	74	12	104992
MEAN PRESS ALT (FT)	-139	-104	-34	10	37	42	-5	1	5	-46	-112	-137	-39	0	-50
MEAN PRECIP (IN)	3.60	3.08	2.93	3.55	4.57	4.30	4.36	3.75	3.96	3.68	3.74	4.19	45.7	71	-113
MEAN SNOW FALL (IN)	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	10	3645
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.0	6.3	6.0	6.5	7.1	7.1	7.2	6.5	6.2	5.9	6.0	7.7	79.5	71	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	3645
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	6.1	5.1	5.0	2.7	1.5	0.5	0.0	0.3	1.6	3.0	5.0	5.7	36.5	12	4381
MEAN NO DYS TSMS	2.0	2.0	3.0	4.0	6.0	7.0	10.0	10.0	6.0	3.0	2.0	2.0	57.0	42	-24
P FREQ WND SPD = DR GTR 17 KTS	12.5	15.7	17.2	19.3	14.0	8.3	4.3	2.3	4.3	5.4	13.7	11.2	10.7	12	104992
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.4	0.7	0.6	0.3	0.1	0.2	0.0	0.3	0.1	0.2	0.2	0.3	12	104992
P FREQ LES 5000 FT A/D LES 5 MI	46.5	46.0	42.0	46.0	35.7	23.0	16.0	17.7	24.0	23.4	36.7	39.6	33.1	12	104989
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	31.2	29.5	30.5	31.8	15.4	2.5	0.4	1.3	5.3	7.3	21.2	22.8	16.6	12	13118
03-05 LST	34.0	33.5	32.7	33.7	19.8	5.8	1.9	5.3	10.5	13.6	23.2	26.4	20.0	12	13123
06-08 LST	35.1	35.1	32.4	31.7	22.4	12.1	7.2	15.5	28.5	25.7	27.4	30.4	25.3	12	13130
09-11 LST	27.7	27.2	19.6	13.6	6.3	3.1	2.8	5.2	10.1	9.6	20.0	25.5	14.2	12	13131
12-14 LST	19.6	18.2	9.9	8.8	2.0	1.9	2.3	1.5	3.8	2.8	10.7	16.7	8.2	12	13127
15-17 LST	16.3	15.8	9.2	9.7	3.3	1.4	1.3	1.7	2.7	2.3	9.6	13.0	7.2	12	13131
18-20 LST	21.1	19.4	13.7	16.4	6.6	0.9	0.8	1.1	2.8	2.1	11.6	15.5	9.3	12	13119
21-23 LST	27.2	27.7	24.3	27.4	11.2	1.2	0.7	0.9	2.4	3.7	15.8	20.0	13.5	12	13128
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	10.4	9.6	7.5	4.1	0.9	0.0	0.0	0.0	0.8	2.4	8.1	7.8	4.3	12	13118
03-05 LST	12.6	11.8	11.0	6.9	3.3	0.6	0.0	0.5	2.5	5.2	9.5	10.9	6.3	12	13123
06-08 LST	12.8	11.8	9.8	5.2	2.6	1.5	0.2	0.9	5.5	6.9	10.1	12.5	6.7	12	13130
09-11 LST	5.1	3.4	1.1	0.4	0.2	0.1	0.0	0.0	0.1	0.5	2.6	5.0	1.5	12	13131
12-14 LST	1.5	1.3	0.3	0.2	0.0	0.1	0.0	0.0	0.4	0.1	0.6	1.5	0.5	12	13127
15-17 LST	1.2	1.3	0.0	0.2	0.1	0.2	0.0	0.2	0.3	0.2	0.3	0.7	0.4	12	13131
18-20 LST	3.1	0.8	0.3	0.4	0.1	0.0	0.0	0.0	0.1	0.0	0.9	1.2	0.6	12	13119
21-23 LST	8.0	4.5	3.3	1.8	0.1	0.0	0.0	0.0	0.0	1.0	3.0	4.6	2.2	12	13128

HOUSTON INT'L., TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.9	24.0	28.7	27.7	30.6	29.6	30.8	30.7	29.3	30.3	27.8	27.8	344.2	12	4381
	00 LST	22.9	20.8	23.9	24.0	28.3	29.6	30.9	30.8	29.1	29.6	25.3	25.3	320.5	12	4382
	06 LST	22.2	20.0	22.0	22.0	25.8	26.4	29.1	26.8	21.4	24.1	23.2	23.6	286.6	12	4382
	12 LST	26.1	23.9	29.3	28.6	30.6	29.4	30.4	30.6	28.8	30.4	27.6	26.4	342.1	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	10.1	7.6	6.2	5.5	7.1	6.9	9.6	12.0	15.8	15.9	11.3	12.6	120.6	12	4381
	00 LST	10.7	10.6	11.2	11.2	16.9	22.4	27.1	27.8	22.1	20.4	13.1	13.0	206.5	12	4382
	06 LST	10.1	8.8	8.7	10.2	16.1	22.7	27.2	25.1	15.6	15.0	11.2	12.3	183.0	12	4382
	12 LST	5.8	4.5	5.7	4.6	9.7	12.1	16.7	18.9	12.6	13.2	7.3	7.2	118.3	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	2.4	3.9	7.1	7.1	6.1	5.8	3.8	2.3	0.8	0.9	2.2	1.7	44.1	12	4315
	00 LST	1.9	3.1	2.4	2.7	1.8	0.3	0.1	0.1	0.6	0.7	2.5	1.6	17.8	12	4310
	06 LST	2.0	1.5	2.3	2.1	0.7	0.0	0.2	0.0	0.5	0.5	2.6	2.0	14.4	12	4298
	12 LST	7.6	8.1	9.5	10.1	8.1	3.8	1.8	1.1	1.8	3.6	7.2	7.7	70.4	12	4303
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	15.6	12.0	9.8	8.3	9.8	8.0	9.5	13.3	18.8	20.9	15.6	18.0	159.6	12	4315
	00 LST	17.9	14.8	18.2	15.2	19.4	23.6	24.9	23.9	20.7	21.1	18.5	18.9	237.1	12	4310
	06 LST	17.4	14.4	18.1	18.0	19.9	21.5	19.3	19.5	20.9	19.7	18.2	19.4	226.3	12	4298
	12 LST	11.6	8.3	8.5	7.8	11.0	9.9	7.3	9.4	12.0	14.4	9.8	11.3	121.3	12	4303
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.6	8.2	8.0	8.6	9.9	12.8	9.2	9.8	13.4	16.3	10.9	10.3	126.0	12	4381
	00 LST	10.1	9.1	10.6	10.5	11.9	18.8	19.9	18.9	17.7	18.9	12.2	12.0	170.6	12	4382
	06 LST	9.0	8.3	7.2	5.9	6.5	11.9	12.7	12.7	11.3	12.6	10.4	10.9	119.4	12	4382
	12 LST	6.5	6.6	7.1	6.4	5.0	2.0	1.9	2.2	5.8	11.0	7.8	9.3	71.6	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.2	21.4	25.2	23.8	27.5	29.3	30.7	30.5	28.4	29.4	25.1	25.0	319.5	12	4381
	00 LST	20.0	17.7	19.7	18.7	24.3	28.5	30.2	30.4	27.9	28.6	23.3	22.8	292.1	12	4382
	06 LST	19.1	16.5	17.1	17.0	21.2	25.1	28.3	26.3	20.3	22.6	20.5	20.9	254.9	12	4382
	12 LST	20.7	19.1	24.6	23.4	27.3	28.7	29.9	29.6	26.9	28.5	23.9	22.5	305.1	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.0	18.9	22.0	21.1	25.5	28.5	30.1	29.8	27.5	27.5	21.9	20.6	292.4	12	4381
	00 LST	16.3	14.7	17.1	17.3	22.7	27.5	29.9	29.8	27.1	26.7	19.5	19.4	268.0	12	4382
	06 LST	14.7	13.6	14.1	13.9	18.6	24.2	27.2	25.5	19.3	20.7	17.0	16.9	225.7	12	4382
	12 LST	15.0	13.8	16.3	14.3	15.3	15.2	18.8	19.2	18.1	21.6	17.4	17.7	202.7	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	16.6	17.1	20.2	19.7	24.1	28.2	29.6	29.0	26.9	25.9	19.1	18.2	274.6	12	4381
	00 LST	14.7	13.2	15.7	16.1	21.9	27.0	29.7	29.1	26.8	25.9	17.3	16.5	253.9	12	4382
	06 LST	13.4	11.4	12.6	12.3	16.9	23.4	26.8	24.4	18.7	19.4	15.2	15.0	209.5	12	4382
	12 LST	13.6	11.8	14.7	13.4	14.5	14.3	18.6	18.4	17.1	20.6	15.2	14.8	187.0	12	4382

BROWNSVILLE/RIO GRANDE VALLEY, TEXAS

STA NO. 72250 (IN AREA NUMBER 13)

LATITUDE 2934N

LONGITUDE 09725W

ELEVATION(FT) 00022

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	90	94	102	100	102	103	102	104	102	99	98	93	104	90	-528
MEAN MAX TMP (F)	69	72	78	83	87	91	92	93	90	85	77	71	82	90	-28
MEAN MIN TMP (F)	50	54	59	66	71	74	75	75	72	66	59	52	64	90	-28
ABS MIN TMP (F)	18	12	30	39	41	56	57	63	49	38	27	18	12	90	-528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.1	1.1	3.2	12.2	24.0	29.5	24.9	13.8	1.3	0.0	0.0	110.1	12	4382
MEAN NO DYS TMP = DR LES 32(F)	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	1.0	12	4382
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4382
MEAN DEW PT TMP (F)	55	56	59	65	70	73	73	74	72	65	58	54	65	12	94074
MEAN REL HUM (PCT)	78	77	77	76	76	77	74	75	77	75	77	75	76	12	94072
MEAN PRESS ALT (FT)	-127	-91	-28	23	48	93	-0	1	21	-25	-99	-125	-28	0	-50
MEAN PRECIP (IN)	1.40	1.30	1.20	1.30	2.40	2.60	1.90	2.40	5.70	3.30	2.10	1.60	27.2	60	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4379
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.6	3.4	3.3	3.5	5.4	5.1	4.0	4.8	8.5	5.4	3.8	3.9	54.7	60	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4379
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.5	3.7	3.3	2.6	0.8	0.5	0.0	0.1	0.2	0.7	2.5	5.1	24.0	12	3925
MEAN NO DYS TSTMS	0.0	1.0	1.0	2.0	4.0	3.0	4.0	4.0	5.0	2.0	1.0	1.0	28.0	29	-24
P FREQ WND SPD = DR GTR 17 KTS	17.6	18.5	23.4	27.8	25.2	18.2	15.8	12.3	6.2	6.8	13.5	12.2	16.5	12	94186
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.3	0.5	0.5	0.1	0.1	0.0	0.0	0.0	0.0	0.2	0.1	0.2	12	94186
P FREQ LES 5000 FT A/D LES 5 MI	36.4	39.4	40.5	44.1	32.5	19.5	7.3	7.1	13.7	16.2	32.6	32.4	26.8	12	94179
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	21.2	22.5	27.7	32.2	22.2	6.1	0.1	0.3	3.0	4.6	13.5	17.3	14.2	12	11771
03-05 LST	26.8	27.0	30.2	32.4	18.1	6.7	0.3	0.8	3.8	6.4	19.0	21.6	16.1	12	11774
06-08 LST	25.8	28.0	30.1	31.8	15.3	6.0	0.8	1.2	5.0	8.3	18.7	24.7	16.3	12	11771
09-11 LST	19.3	22.2	16.2	12.2	3.4	2.5	0.4	0.5	3.9	6.1	14.5	16.8	9.8	12	11773
12-14 LST	12.3	14.4	11.4	5.3	1.9	1.5	0.2	0.4	2.3	4.1	10.6	8.4	6.1	12	11775
15-17 LST	10.5	13.5	9.1	6.2	1.6	1.1	0.1	0.0	0.8	3.7	9.9	7.1	5.3	12	11771
18-20 LST	13.5	17.8	15.3	21.8	12.0	1.3	0.4	0.0	1.1	3.0	10.3	10.5	8.9	12	11773
21-23 LST	17.4	19.2	22.2	31.0	23.1	4.0	0.4	0.0	2.1	4.9	11.8	13.5	12.5	12	11771
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	6.3	7.3	6.5	4.3	0.7	0.0	0.0	0.0	0.4	1.1	4.9	7.3	3.2	12	11771
03-05 LST	10.1	9.3	8.1	5.9	2.2	0.3	0.0	0.3	0.4	1.7	5.6	9.7	4.5	12	11774
06-08 LST	11.8	9.0	7.7	4.8	1.6	0.5	0.0	0.3	0.9	2.2	5.2	10.4	4.5	12	11771
09-11 LST	3.0	2.4	0.9	0.2	0.0	0.1	0.0	0.0	0.0	0.4	1.0	2.1	0.8	12	11773
12-14 LST	1.2	1.0	0.2	0.2	0.0	0.4	0.0	0.0	0.1	0.1	0.7	0.3	0.4	12	11775
15-17 LST	0.9	0.6	0.4	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.2	12	11771
18-20 LST	2.0	1.1	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.9	0.5	12	11773
21-23 LST	3.6	2.7	2.9	1.7	0.0	0.0	0.0	0.0	0.1	0.3	2.6	4.3	1.5	12	11771

BROWNSVILLE/RIO GRANDE VALLEY, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.7	25.0	29.2	28.8	30.8	30.0	31.0	31.0	29.9	30.2	28.1	29.2	351.9	12	3925
	00 LST	25.7	23.3	25.1	23.9	28.7	29.3	31.0	31.0	29.4	29.9	27.0	27.2	331.5	12	3925
	06 LST	23.3	21.7	23.3	23.2	27.2	28.7	31.0	30.5	28.5	28.9	25.2	24.9	316.4	12	3925
	12 LST	28.3	25.2	28.1	28.9	30.7	29.7	31.0	30.9	29.7	29.9	27.8	28.6	348.8	12	3925
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	7.6	7.7	2.9	1.4	0.8	1.0	0.7	1.8	4.7	11.4	13.9	13.3	62.2	12	3925
	00 LST	15.1	11.7	12.2	10.2	13.5	17.3	22.0	24.6	25.9	24.7	16.9	18.0	212.1	12	3925
	06 LST	12.2	11.8	11.7	10.4	16.2	21.8	28.3	28.2	25.6	23.4	15.4	15.1	220.1	12	3925
	12 LST	4.7	4.3	3.3	3.0	4.4	4.4	5.7	7.0	8.3	9.6	6.9	6.2	67.8	12	3925
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	3.9	6.4	10.4	12.5	13.9	11.6	13.2	10.4	1.8	1.6	2.1	1.7	89.5	12	3882
	00 LST	2.0	2.4	2.3	2.8	2.5	0.7	0.2	0.2	0.1	0.3	1.7	1.6	16.8	12	3868
	06 LST	2.1	1.6	2.3	2.3	2.3	0.2	0.0	0.1	0.0	0.5	2.0	2.0	15.4	12	3870
	12 LST	12.2	9.5	14.4	15.6	12.4	9.4	8.0	5.3	3.8	4.1	8.9	8.5	112.1	12	3875
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	13.0	7.1	5.1	3.1	2.7	2.1	1.8	3.2	7.9	16.5	17.3	18.0	97.8	12	3882
	00 LST	18.4	15.4	15.7	13.1	15.3	17.0	20.4	19.3	18.8	19.0	17.7	18.2	208.3	12	3868
	06 LST	16.6	15.1	15.9	14.1	15.7	16.6	16.8	15.1	15.3	17.3	15.4	16.8	190.7	12	3870
	12 LST	6.8	7.0	5.5	4.5	5.9	2.7	2.1	1.9	5.6	10.6	9.4	8.4	70.4	12	3875
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.9	10.5	7.8	6.8	10.1	11.9	13.3	14.7	12.7	16.3	11.2	12.1	138.3	12	3925
	00 LST	13.1	11.7	10.8	7.3	10.1	18.1	23.9	23.5	18.2	19.7	12.8	12.6	181.8	12	3925
	06 LST	12.6	9.8	6.9	5.5	9.9	12.9	17.3	19.4	14.9	16.9	11.1	11.5	148.7	12	3925
	12 LST	7.3	7.2	5.6	5.7	5.9	3.0	4.1	4.6	3.5	7.4	6.7	8.8	69.8	12	3925
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.8	21.4	24.6	22.2	26.3	28.6	30.7	30.7	29.2	28.9	25.1	26.4	318.9	12	3925
	00 LST	23.4	20.1	20.8	18.2	20.7	26.9	30.8	30.7	28.6	28.8	24.5	24.3	297.8	12	3925
	06 LST	21.5	18.8	19.7	18.3	24.0	27.1	30.5	30.0	27.5	27.6	22.8	21.9	289.7	12	3925
	12 LST	22.3	19.9	22.5	22.5	28.2	27.4	30.5	30.2	28.1	28.1	23.2	24.9	307.8	12	3925
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	22.6	19.0	22.4	20.6	24.9	27.4	30.1	30.7	28.9	27.8	22.1	23.5	300.0	12	3925
	00 LST	19.6	17.4	18.1	16.2	20.0	26.6	30.8	30.5	28.3	26.8	20.4	20.8	275.5	12	3925
	06 LST	18.1	16.5	16.7	16.0	22.5	26.7	30.4	29.8	26.9	25.5	18.6	18.8	266.5	12	3925
	12 LST	17.2	14.4	15.5	16.0	17.5	17.2	23.9	23.2	18.9	20.2	16.6	19.6	220.2	12	3925
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	21.3	18.3	21.2	20.2	24.6	27.2	30.1	30.6	28.3	26.9	21.1	22.6	292.4	12	3925
	00 LST	19.2	16.7	16.7	15.3	19.5	26.3	30.7	30.3	28.2	25.8	18.7	20.1	267.5	12	3925
	06 LST	17.2	15.0	15.5	14.9	21.7	26.3	30.3	29.6	26.3	24.5	16.9	17.9	256.1	12	3925
	12 LST	16.2	13.7	14.8	15.3	17.2	16.8	23.9	23.0	18.2	19.6	14.7	17.7	211.1	12	3925

CORPUS CHRISTI, TEXAS

STA NO. 72251 (IN AREA NUMBER 13)

LATITUDE 2746N

LONGITUDE 09730W

ELEVATION(FT) 00044

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	86	98	94	102	98	100	104	102	102	98	95	88	104	22	-613
MEAN MAX TMP (F)	66	70	74	80	83	90	93	93	89	83	74	69	81	19	-113
MEAN MIN TMP (F)	48	52	57	64	70	75	76	76	73	65	56	50	64	19	-113
ABS MIN TMP (F)	18	18	28	39	50	61	68	65	50	40	29	24	18	22	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.3	0.6	1.5	5.4	21.2	29.4	28.2	16.6	3.6	0.3	0.0	107.1	12	4383
MEAN NO DYS TMP = DR LES 32(F)	1.7	1.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.0	4.3	12	4383
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	50	52	56	62	69	73	74	74	72	64	54	49	62	12	105143
MEAN REL HUM (PCT)	78	78	75	77	78	76	74	74	76	74	75	74	76	12	105141
MEAN PRESS ALT (FT)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-50
MEAN PRECIP (IN)	1.68	1.81	1.31	2.21	2.68	2.10	1.92	3.42	4.61	3.19	1.81	1.58	28.3	19	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.1	4.3	3.5	5.2	5.8	4.3	4.0	6.1	7.1	5.2	3.4	3.9	56.9	19	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.9	3.6	3.2	1.5	0.6	0.0	0.0	0.1	0.2	0.7	2.6	4.1	21.5	12	4383
MEAN NO DYS TSTMS	0.9	1.6	1.0	3.1	4.5	2.7	2.7	3.6	5.0	2.7	1.1	0.6	29.5	12	4383
P FREQ WND SPD = DR GTR 17 KTS	14.7	17.6	21.5	21.4	15.5	11.6	11.8	9.2	5.8	5.9	12.9	11.3	13.3	12	105143
P FREQ WND SPD = DR GTR 28 KTS	0.5	0.6	1.2	0.5	0.2	0.0	0.0	0.0	0.4	0.0	0.2	0.1	0.3	12	105143
P FREQ LES 5000 FT A/O LES 3 MI	39.6	41.8	41.4	45.8	39.2	22.8	9.5	9.1	14.7	17.5	34.0	33.0	29.0	12	105126
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	23.5	24.9	29.3	34.8	24.9	5.7	0.5	1.0	2.7	4.5	18.4	19.7	15.8	12	13140
03-05 LST	28.8	29.3	30.9	35.6	22.7	5.6	0.5	1.3	3.5	6.6	22.3	23.0	17.5	12	13140
06-08 LST	34.3	34.2	30.9	37.2	22.9	8.0	2.2	2.2	5.9	8.0	20.9	23.8	19.2	12	13140
09-11 LST	27.2	29.6	23.4	20.9	9.2	1.4	0.2	1.8	4.3	7.3	19.4	21.9	13.9	12	13142
12-14 LST	17.0	19.1	10.9	8.7	3.8	1.1	0.1	1.4	2.5	3.2	11.2	13.1	7.7	12	13145
15-17 LST	15.1	16.2	7.6	9.5	3.9	0.6	0.1	1.2	1.9	3.4	10.1	10.5	6.7	12	13140
18-20 LST	17.3	17.7	16.0	23.4	15.5	1.7	0.1	0.0	2.0	3.8	10.7	11.6	10.0	12	13140
21-23 LST	23.3	21.6	24.2	31.5	21.7	3.6	0.5	0.1	2.3	3.9	13.0	13.3	13.3	12	13139
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	7.3	6.2	6.5	1.9	0.7	0.0	0.0	0.0	0.2	0.4	1.5	5.7	2.5	12	13140
03-05 LST	10.9	8.8	7.4	3.0	1.3	0.0	0.1	0.3	0.4	0.8	5.4	7.9	3.9	12	13140
06-08 LST	13.4	9.4	5.3	1.6	1.1	0.0	0.2	0.2	0.5	1.3	5.4	7.5	3.8	12	13140
09-11 LST	3.0	2.5	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.2	1.6	2.4	0.9	12	13142
12-14 LST	0.7	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.6	0.2	12	13145
15-17 LST	1.3	0.0	0.4	0.0	0.1	0.0	0.0	0.0	0.1	0.1	0.4	0.2	0.2	12	13140
18-20 LST	2.0	0.9	0.5	0.5	0.0	0.0	0.0	0.0	0.1	0.0	0.3	1.3	0.5	12	13140
21-23 LST	4.9	3.6	2.7	0.9	0.1	0.1	0.1	0.0	0.0	0.0	0.4	3.0	1.3	12	13139

CORPUS CHRISTI, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	27.7	24.8	28.9	27.4	30.3	30.0	31.0	31.0	29.8	30.3	28.0	28.5	347.7	12	4383
	23 LST	24.3	22.6	23.8	22.2	28.1	29.6	31.0	30.9	29.3	30.4	26.3	26.2	324.7	12	4383
	05 LST	21.8	20.0	22.1	22.3	27.5	29.1	30.7	30.8	28.7	29.6	23.1	24.7	312.4	12	4383
	11 LST	27.2	24.4	28.7	28.6	30.7	29.8	30.9	30.8	29.7	30.3	27.8	27.9	346.8	12	4383
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	17 LST	11.6	6.7	5.6	3.0	3.7	3.2	1.9	2.2	6.1	13.3	14.6	15.9	87.8	12	4383
	23 LST	14.3	12.0	12.7	10.3	14.5	18.1	20.3	21.0	23.7	24.1	13.9	16.6	203.5	12	4383
	05 LST	12.6	12.5	11.7	10.8	15.7	22.7	27.7	28.0	24.4	23.4	13.5	16.0	221.0	12	4383
	11 LST	6.4	4.3	3.6	3.6	5.8	5.1	6.3	6.6	8.0	8.6	7.4	7.6	73.3	12	4383
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	4.1	5.6	7.7	8.0	5.6	6.4	9.1	6.6	2.2	1.7	2.9	2.5	62.4	12	4333
	23 LST	2.6	3.2	3.6	3.8	2.1	0.8	0.7	0.2	0.5	0.3	2.7	1.8	22.3	12	4324
	05 LST	2.0	1.6	2.7	2.5	1.1	0.4	0.2	0.2	0.2	0.5	2.6	2.1	16.1	12	4307
	11 LST	8.7	8.6	10.7	10.9	8.4	6.3	5.5	4.0	2.8	3.4	6.9	7.5	83.7	12	4318
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	14.7	10.1	8.8	5.7	5.0	4.6	3.8	3.5	10.6	13.9	13.6	18.3	116.6	12	4333
	23 LST	17.1	13.6	15.0	12.5	14.0	17.0	20.2	19.8	17.9	15.9	13.9	16.6	193.5	12	4324
	05 LST	15.7	14.0	17.0	13.4	14.8	14.5	13.6	14.1	15.1	15.2	16.1	16.4	179.9	12	4307
	11 LST	10.2	7.9	6.3	4.8	7.4	4.7	2.8	3.4	9.3	11.4	10.5	10.5	89.2	12	4318
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	10.9	10.6	7.9	6.8	9.5	12.0	14.1	14.5	13.8	16.4	11.0	12.2	139.7	12	4383
	23 LST	11.7	10.6	9.3	8.5	10.1	14.7	20.2	19.8	18.6	18.8	13.2	13.5	169.0	12	4383
	05 LST	10.2	9.6	6.7	5.3	6.4	10.5	14.2	15.0	14.4	14.1	10.3	11.4	128.1	12	4383
	11 LST	8.1	7.8	6.9	5.7	6.1	5.2	5.2	7.8	7.1	10.6	7.8	9.9	88.2	12	4383
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	24.6	22.5	25.5	22.4	24.6	26.8	30.5	30.7	29.0	29.2	23.6	26.8	318.2	12	4383
	23 LST	21.9	19.2	20.4	17.6	20.3	26.4	30.2	30.1	28.0	28.6	23.6	23.9	290.2	12	4383
	05 LST	18.7	16.9	18.0	15.9	21.5	26.1	29.8	29.7	27.2	27.8	21.8	22.0	275.4	12	4383
	11 LST	20.6	18.2	22.3	18.7	23.4	26.7	30.0	29.6	27.1	28.0	22.3	23.7	290.6	12	4383
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	21.4	19.3	22.4	20.5	23.5	25.9	30.5	30.6	28.3	27.9	21.9	23.2	295.4	12	4383
	23 LST	18.3	16.7	17.6	15.5	19.1	26.1	30.2	29.6	27.7	27.4	20.1	20.4	268.7	12	4383
	05 LST	15.7	14.1	14.8	13.1	18.6	24.7	29.6	29.1	25.7	25.1	18.2	18.2	246.8	12	4383
	11 LST	16.7	14.4	16.5	13.7	16.6	17.8	24.2	26.1	21.3	22.0	17.4	19.2	223.9	12	4383
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	20.0	18.7	21.0	19.7	22.6	25.6	30.4	30.2	27.8	27.1	20.3	21.8	285.2	12	4383
	23 LST	17.4	16.0	16.2	14.7	18.5	25.8	30.2	29.4	27.4	26.5	19.3	19.2	260.6	12	4383
	05 LST	15.0	13.1	12.8	12.0	17.9	24.4	29.5	28.7	25.1	24.5	16.7	17.0	236.7	12	4383
	11 LST	15.3	13.7	15.1	13.4	16.2	17.4	24.0	25.6	20.6	20.7	16.1	17.4	215.5	12	4383

LAREDO/LAREDO AFB, TEXAS

STA NO. 72252 (IN AREA NUMBER 13)

LATITUDE 2732N

LONGITUDE 09928W

ELEVATION(FT) 00512

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YKS)	NO. OBS
ABS MAX TMP (F)	94	100	105	112	110	115	110	109	107	103	99	95	115	24	-613
MEAN MAX TMP (F)	68	73	80	88	93	98	100	100	94	87	76	70	86	24	-113
MEAN MIN TMP (F)	46	50	56	64	70	75	76	76	72	65	53	48	63	24	-113
ABS MIN TMP (F)	22	18	28	36	53	59	61	62	46	40	27	26	18	24	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.5	2.0	6.9	13.5	23.7	28.3	30.9	29.8	26.0	12.1	1.6	0.2	175.5	12	4383
MEAN NO DYS TMP = DR LES 32(F)	1.5	1.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.7	3.8	12	4383
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	45	47	50	57	64	69	68	68	67	60	49	44	57	12	104973
MEAN REL HUM (PCT)	66	64	59	59	62	61	57	58	63	63	54	64	62	12	104973
MEAN PRESS ALT (FT)	351	397	471	525	550	561	502	505	504	457	381	349	463	0	-50
MEAN PRECIP (IN)	1.13	0.89	0.62	1.05	2.79	1.96	1.36	1.70	2.86	1.63	0.87	1.17	18.6	30	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4379
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.0	2.5	1.8	4.2	5.9	4.1	3.1	3.7	4.8	3.1	2.1	3.1	41.4	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4379
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.1	1.9	0.8	0.5	0.4	0.1	0.0	0.0	0.3	0.5	1.4	3.6	13.6	12	4376
MEAN NO DYS TSTMS	0.5	1.2	1.0	2.6	5.0	4.1	2.8	3.3	4.1	1.9	0.8	0.3	27.6	12	4383
P FREQ WND SPD = DR GTR 17 KTS	4.1	8.2	9.7	15.5	18.9	20.7	22.1	14.0	7.2	4.7	4.3	3.5	11.1	12	104973
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.1	0.2	0.1	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.1	12	104973
P FREQ LES 3000 FT A/D LES 3 MI	30.9	31.4	27.1	29.0	22.7	15.6	4.6	5.9	14.0	18.1	30.1	25.7	21.3	12	104967
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	18.8	17.5	10.5	8.9	4.9	1.3	0.0	0.4	3.4	6.2	10.7	14.7	8.1	12	13121
03-05 LST	25.7	24.0	18.1	16.3	8.0	4.4	1.3	2.1	7.1	12.2	19.2	19.6	13.2	12	13124
06-08 LST	32.7	30.3	24.5	22.6	11.3	8.1	2.7	5.2	11.5	14.6	24.4	27.3	17.9	12	13123
09-11 LST	27.5	29.9	16.7	10.6	5.3	1.9	0.4	1.8	5.6	8.1	21.0	24.3	12.4	12	13125
12-14 LST	16.1	16.1	6.0	5.6	2.1	0.6	0.0	0.4	2.6	4.9	10.5	12.9	6.5	12	13124
15-17 LST	10.4	9.5	3.9	3.9	0.9	0.4	0.3	0.1	2.4	2.5	8.2	8.1	4.2	12	13124
18-20 LST	11.1	8.4	3.2	3.2	1.0	0.6	0.2	0.0	2.2	2.5	7.8	6.8	3.9	12	13122
21-23 LST	14.8	11.6	4.7	4.5	1.3	0.7	0.1	0.1	2.0	3.0	8.2	10.0	5.1	12	13122
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.9	2.8	1.0	1.0	0.4	0.1	0.0	0.0	0.1	0.4	0.8	4.3	1.2	12	13121
03-05 LST	6.8	3.7	2.0	1.4	0.2	0.0	0.0	0.0	0.6	0.4	3.3	6.0	2.0	12	13124
06-08 LST	10.0	6.0	3.3	1.5	0.7	0.2	0.0	0.2	0.6	1.3	4.0	9.2	3.1	12	13123
09-11 LST	3.9	1.7	1.0	0.4	0.1	0.1	0.0	0.0	0.4	0.1	1.0	4.5	1.1	12	13125
12-14 LST	0.7	0.3	0.2	0.6	0.1	0.1	0.0	0.0	0.1	0.1	0.3	0.6	0.3	12	13124
15-17 LST	0.4	0.2	0.0	0.1	0.2	0.0	0.0	0.0	0.3	0.0	0.4	0.5	0.2	12	13124
18-20 LST	1.2	0.6	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.6	0.4	0.3	12	13122
21-23 LST	2.1	0.7	0.5	0.4	0.1	0.2	0.0	0.1	0.0	0.0	0.5	1.7	0.5	12	13122

LAREDO/LAREDO AFB, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	29.0	26.3	30.1	29.3	30.7	30.0	30.9	31.0	29.6	30.7	28.4	29.8	355.8	12	4377
	23 LST	27.4	25.1	29.8	29.1	30.7	29.7	31.0	31.0	29.8	30.6	28.2	28.5	350.9	12	4378
	05 LST	23.9	22.8	27.2	27.7	29.7	29.5	30.7	30.4	28.7	28.3	24.7	26.0	329.6	12	4377
	11 LST	26.1	23.7	29.1	28.6	30.5	29.9	31.0	30.8	29.6	29.6	27.2	26.6	342.7	12	4377
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LFS 10 KTS	17 LST	14.4	8.7	9.8	7.8	6.7	4.5	3.3	6.0	8.0	11.7	13.8	18.1	112.8	12	4377
	23 LST	13.6	9.5	9.0	6.0	4.8	3.7	2.7	4.7	12.4	12.2	14.6	17.3	110.5	12	4378
	05 LST	15.0	12.1	11.7	10.1	11.2	10.8	11.5	14.6	18.5	17.7	15.5	16.9	165.6	12	4377
	11 LST	11.9	7.2	9.7	8.0	8.7	8.0	9.1	13.4	12.9	12.4	11.1	13.1	125.5	12	4377
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	1.2	3.2	4.4	6.7	7.6	8.3	11.2	8.2	2.9	2.0	1.0	0.4	55.1	12	4334
	23 LST	1.5	2.6	3.3	6.5	7.4	8.8	11.2	8.2	2.8	1.8	1.4	1.3	56.8	12	4309
	05 LST	0.4	0.8	1.4	1.5	1.3	0.8	0.6	0.5	0.1	0.3	0.9	0.6	9.2	12	4288
	11 LST	1.3	2.9	3.7	4.5	4.7	3.9	3.9	1.1	1.3	1.0	2.3	1.1	31.7	12	4317
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	16.9	11.4	9.8	6.3	4.0	0.8	0.6	1.2	4.7	11.8	17.2	18.5	103.2	12	4334
	23 LST	17.5	13.9	13.1	8.0	0.3	5.2	5.2	6.9	14.5	14.5	17.3	20.6	143.0	12	4309
	05 LST	18.7	18.6	18.4	16.2	16.5	16.0	17.1	19.8	21.9	20.4	18.7	19.9	222.2	12	4288
	11 LST	16.1	11.9	13.8	11.0	9.7	5.6	2.7	3.8	13.2	15.1	15.2	17.5	135.6	12	4317
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	11.4	10.6	9.7	8.8	11.1	8.9	7.6	8.1	10.3	14.5	11.4	14.0	126.4	12	4377
	23 LST	14.7	14.6	15.6	14.5	17.1	21.2	23.8	22.5	20.2	21.0	16.4	17.2	216.8	12	4378
	05 LST	12.4	12.5	11.7	10.0	10.7	16.0	21.6	21.3	18.8	17.4	12.3	14.0	178.7	12	4377
	11 LST	9.6	9.4	8.9	9.2	10.4	11.4	14.1	14.6	11.9	12.4	9.5	11.8	133.2	12	4377
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	26.7	24.4	29.3	28.6	30.4	29.8	30.8	30.7	29.2	29.6	26.2	28.3	344.0	12	4377
	23 LST	25.2	22.9	27.7	26.6	29.6	29.2	30.7	30.9	28.9	29.2	25.6	26.6	333.1	12	4378
	05 LST	20.6	18.8	22.4	21.2	24.1	25.4	29.8	29.6	25.6	25.2	21.7	22.7	287.1	12	4377
	11 LST	21.8	19.2	24.2	25.1	26.9	29.0	30.7	30.0	28.0	27.6	23.1	23.1	308.7	12	4377
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	24.4	21.3	25.6	24.7	27.4	27.4	29.7	29.3	25.8	27.7	23.2	23.7	312.2	12	4377
	23 LST	22.7	21.4	24.9	23.6	27.6	28.6	30.2	30.1	27.2	27.2	22.3	24.4	310.2	12	4378
	05 LST	18.2	16.8	19.2	18.3	20.2	24.1	29.5	29.5	24.8	23.0	18.3	20.2	262.1	12	4377
	11 LST	19.2	17.1	20.2	19.5	19.7	21.4	27.2	27.0	22.3	22.5	18.7	21.0	255.4	12	4377
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	24.0	20.8	24.6	23.6	26.7	25.1	27.5	27.0	24.6	26.7	22.5	24.8	297.9	12	4377
	23 LST	22.2	20.8	24.3	22.5	27.1	28.2	30.0	29.6	26.8	26.5	21.6	23.7	303.3	12	4378
	05 LST	17.6	16.4	18.7	17.5	19.7	23.8	29.2	28.7	24.8	22.0	17.3	19.3	255.0	12	4377
	11 LST	18.3	16.7	19.3	18.9	19.2	21.0	27.1	26.7	22.0	21.5	17.6	19.7	248.0	12	4377

SAN ANTONIO INT'L., TEXAS

STA NO. 72253 (IN AREA NUMBER 13)

LATITUDE 2931N

LONGITUDE 09828W

ELEVATION(FT) 00808

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	87	92	97	99	101	103	106	106	102	95	91	90	106	18	-613
MEAN MAX TMP (F)	62	66	73	80	86	93	96	96	90	82	71	65	80	19	-113
MEAN MIN TMP (F)	41	45	49	58	65	72	73	73	68	59	48	42	58	18	-113
ABS MIN TMP (F)	0	6	21	34	44	58	65	62	41	34	23	14	0	18	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.1	0.8	2.5	10.8	24.6	29.4	28.6	18.8	3.7	0.1	0.1	119.5	12	4383
MEAN NO DYS TMP = DR LES 32(F)	6.0	3.1	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	4.8	16.5	12	4383
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	40	42	45	53	62	67	68	67	64	56	45	39	54	12	105084
MEAN REL HUM (PCT)	67	67	61	64	69	66	63	61	65	65	65	64	65	12	105084
MEAN PRESS ALT (FT)	644	683	752	804	829	835	781	784	793	744	671	644	747	0	-50
MEAN PRECIP (IN)	1.52	1.84	1.60	2.74	2.91	2.90	1.99	2.59	3.74	3.07	1.52	1.49	27.9	18	-113
MEAN SNOW FALL (IN)	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	18	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.8	4.4	4.1	5.8	6.0	5.5	4.2	5.1	6.0	5.1	3.0	3.7	56.7	18	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4380
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	5.3	3.1	2.8	1.2	0.3	0.2	0.2	0.0	0.2	1.9	3.0	3.7	21.9	12	4382
MEAN NO DYS TSTMS	1.0	1.0	2.0	3.0	6.0	4.0	5.0	4.0	4.0	2.0	2.0	1.0	37.0	67	-24
P FREQ WND SPD = DR GTR 17 KTS	5.9	6.8	7.4	6.9	4.5	3.2	2.6	1.2	2.0	2.5	6.1	4.5	4.5	12	105084
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	12	105084
P FREQ LES 5000 FT A/D LES 5 MI	40.2	41.6	36.7	42.3	36.3	27.8	15.6	14.1	21.4	26.0	36.7	31.9	30.9	12	105072
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	31.4	34.0	32.2	34.2	32.9	24.2	11.4	10.7	21.9	19.7	24.5	24.2	25.1	12	13137
03-05 LST	36.3	37.8	36.8	42.4	40.1	38.6	33.0	25.1	28.5	26.5	28.8	26.5	33.4	12	13134
06-08 LST	35.2	38.2	36.0	42.2	38.0	36.2	26.8	25.8	28.6	30.7	31.2	28.7	33.1	12	13140
09-11 LST	31.8	30.7	24.6	22.8	10.0	4.2	1.8	3.0	9.0	14.9	23.0	24.5	16.7	12	13130
12-14 LST	19.7	17.2	10.8	8.3	3.4	2.0	0.5	0.7	2.9	5.0	11.1	13.3	7.9	12	13134
15-17 LST	12.7	12.2	5.7	5.7	2.1	2.8	0.4	0.4	2.1	3.9	7.4	9.3	5.4	12	13137
18-20 LST	12.1	13.6	5.5	7.3	2.1	1.5	0.5	0.5	1.9	4.1	9.7	10.9	5.8	12	13132
21-23 LST	22.2	23.2	14.9	19.5	10.4	3.6	0.9	2.2	6.6	9.1	17.6	18.6	12.4	12	13143
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.8	5.8	3.9	2.0	0.0	0.0	0.0	0.0	0.2	0.4	3.6	5.0	2.4	12	13137
03-05 LST	12.1	6.4	6.3	3.0	1.7	0.3	0.2	0.2	0.5	1.9	6.4	6.9	3.8	12	13134
06-08 LST	11.7	10.2	8.6	4.2	2.5	0.5	0.0	0.5	1.0	4.9	7.7	8.4	5.0	12	13140
09-11 LST	6.6	5.6	3.1	1.3	0.4	0.1	0.0	0.0	0.1	0.8	1.9	4.7	2.1	12	13130
12-14 LST	2.5	1.8	0.8	0.5	0.0	0.0	0.1	0.2	0.0	0.4	0.5	1.2	0.7	12	13134
15-17 LST	1.7	1.6	0.4	0.6	0.0	0.7	0.0	0.0	0.1	0.3	0.2	0.7	0.5	12	13137
18-20 LST	2.9	1.6	0.7	0.6	0.0	0.0	0.1	0.0	0.1	0.3	0.9	1.6	0.7	12	13132
21-23 LST	4.2	2.3	0.9	0.5	0.1	0.0	0.1	0.0	0.0	0.4	1.3	3.0	1.1	12	13143

SAN ANTONIO INT'L., TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	28.1	25.5	29.8	28.3	30.7	29.3	30.9	30.9	29.9	30.2	28.1	28.8	351.0	12	4383
	23 LST	24.9	22.4	27.0	26.4	29.5	29.6	30.9	30.4	28.7	29.2	26.3	25.7	331.0	12	4383
	05 LST	22.1	19.7	22.7	21.0	24.0	24.4	25.8	27.2	23.9	24.3	23.3	24.2	282.6	12	4382
	11 LST	25.6	23.2	27.8	27.5	29.9	29.5	30.7	30.7	29.2	29.8	26.5	26.9	337.3	12	4383
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	14.1	8.6	10.6	7.3	10.1	7.7	11.7	14.5	13.8	17.9	19.0	19.2	154.5	12	4383
	23 LST	16.7	15.1	17.4	14.4	16.4	16.1	18.7	21.6	22.0	23.4	19.1	19.6	220.5	12	4383
	05 LST	14.8	12.0	13.8	11.3	13.1	12.7	17.1	20.7	18.6	18.8	15.7	17.1	185.7	12	4382
	11 LST	8.6	6.1	7.8	8.0	10.7	12.7	17.9	21.3	16.7	14.8	11.0	11.7	147.3	12	4383
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	1.7	2.9	3.4	3.3	3.2	2.0	1.6	0.7	1.0	0.7	1.6	1.1	23.2	12	4307
	23 LST	1.6	0.9	1.4	1.1	0.6	0.5	0.2	0.0	0.5	0.7	1.7	0.9	10.1	12	4280
	05 LST	1.0	1.1	1.5	0.8	0.3	0.0	0.0	0.0	0.1	0.5	1.2	1.4	7.9	12	4240
	11 LST	2.6	2.5	3.4	2.7	2.4	0.5	0.6	0.2	0.6	1.3	2.7	2.1	21.6	12	4289
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	16.4	12.9	13.2	11.4	11.0	4.1	2.3	3.3	9.9	19.2	19.0	19.6	142.3	12	4307
	23 LST	15.0	14.5	17.5	17.6	19.6	18.9	21.1	23.2	18.0	18.8	14.9	16.0	215.1	12	4280
	05 LST	13.8	12.9	16.2	17.6	18.2	18.2	16.5	14.6	15.5	17.1	14.2	14.9	189.7	12	4240
	11 LST	15.0	12.6	12.4	13.1	15.0	14.5	17.3	15.7	17.6	18.2	15.4	16.3	182.6	12	4289
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	10.5	9.7	9.9	9.1	10.4	12.3	10.7	12.1	15.4	16.3	12.1	13.6	142.1	12	4383
	23 LST	12.4	13.0	13.6	11.6	12.6	17.8	24.3	22.3	19.1	19.3	14.2	16.4	196.6	12	4383
	05 LST	11.9	9.4	10.3	7.7	6.7	5.3	9.7	12.9	13.7	15.1	11.7	13.8	128.2	12	4382
	11 LST	8.6	9.1	9.1	8.0	8.2	8.0	9.8	12.6	11.1	13.3	10.6	11.7	120.1	12	4383
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	24.8	22.6	28.1	26.9	30.2	29.1	30.7	30.7	29.0	29.1	26.7	27.2	335.1	12	4383
	23 LST	20.7	18.4	22.7	19.1	21.8	25.9	29.7	29.5	25.9	25.4	22.1	23.0	284.2	12	4383
	05 LST	18.1	15.5	17.5	13.5	13.8	12.7	17.5	20.9	19.7	20.7	19.1	20.9	209.9	12	4382
	11 LST	19.5	17.7	21.8	21.8	25.7	27.3	30.0	30.2	26.5	26.2	21.1	22.7	290.5	12	4383
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	21.6	19.3	25.2	22.7	27.5	27.3	29.6	29.8	27.8	26.8	23.0	24.2	304.8	12	4383
	23 LST	18.6	17.2	20.7	17.9	19.9	24.9	29.4	28.7	25.1	23.8	19.1	21.0	266.3	12	4383
	05 LST	16.4	13.4	15.5	11.9	12.2	11.3	17.1	20.5	18.5	19.1	15.6	18.4	189.9	12	4382
	11 LST	17.0	15.5	18.5	16.9	18.7	23.6	28.7	28.5	23.0	23.3	17.7	19.9	251.3	12	4383
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	20.5	18.0	24.2	21.8	26.4	26.6	29.1	29.1	26.7	26.1	21.9	23.3	293.7	12	4383
	23 LST	17.2	16.7	19.7	17.0	19.2	24.2	26.9	28.5	24.5	23.3	18.0	20.2	257.4	12	4383
	05 LST	15.4	12.5	14.6	11.1	11.4	11.2	16.6	19.5	17.9	18.3	14.6	17.6	180.7	12	4382
	11 LST	16.2	15.2	17.8	16.1	18.0	23.4	28.2	27.9	22.7	22.3	16.9	19.2	243.9	12	4383

AUSTIN/MUELLER MUNICIPAL, TEXAS

STA NO. 72294 (IN AREA NUMBER 13)

LATITUDE 3010N

LONGITUDE 09742W

ELEVATION(FT) 00631

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	88	93	96	99	104	106	109	109	103	100	91	90	109	50	-528
MEAN MAX TMP (F)	60	64	72	78	85	91	94	95	89	79	69	61	78	50	-28
MEAN MIN TMP (F)	39	43	50	57	65	71	74	73	68	57	48	41	57	50	-28
ABS MIN TMP (F)	4	-1	18	30	40	51	57	58	41	30	20	14	-1	50	-528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.2	0.6	1.5	10.0	23.9	29.2	28.4	19.7	5.1	0.2	0.1	118.9	12	4383
MEAN NO DYS TMP = DR LES 32(F)	5.6	3.6	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.9	4.2	16.9	12	4383
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	40	43	45	54	63	69	69	68	65	56	44	40	55	12	105135
MEAN REL HUM (PCT)	70	69	64	68	70	69	65	63	66	67	66	67	67	12	105135
MEAN PRESS ALT (FT)	463	499	565	615	641	645	594	598	611	562	490	464	562	0	-50
MEAN PRECIP (IN)	2.00	2.40	2.40	3.70	4.40	2.50	2.30	2.20	3.70	3.20	2.50	2.60	33.9	75	-28
MEAN SNOW FALL (IN)	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	1.0	16	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.6	5.3	5.4	6.6	7.0	4.9	4.6	4.5	5.9	5.2	4.3	5.6	63.9	75	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	16	-79
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	4.1	2.4	3.2	1.0	0.6	0.2	0.2	0.4	1.2	1.4	2.6	2.9	20.2	12	4382
MEAN NO DYS TSTMS	1.0	2.0	4.0	5.0	7.0	5.0	5.0	4.0	4.0	2.0	2.0	1.0	42.0	25	-24
P FREQ WND SPD = DR GTR 17 KTS	6.9	7.4	9.7	9.2	6.1	3.3	2.2	1.6	2.2	3.8	7.8	6.5	5.6	12	105139
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.2	0.1	0.1	0.1	0.1	12	105139
P FREQ LES 5000 FT A/D LES 5 MI	40.4	41.3	36.9	39.6	32.7	25.4	13.6	12.0	20.6	23.6	33.6	31.9	29.3	12	105124
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	28.5	30.5	26.9	29.0	23.7	18.1	7.5	7.1	14.8	13.7	21.4	22.6	20.3	12	13139
03-05 LST	32.1	31.7	31.3	33.6	30.1	25.9	18.5	13.8	21.6	18.7	22.5	23.9	25.3	12	13140
06-08 LST	34.5	34.7	33.7	35.0	32.9	27.9	18.8	18.1	26.8	25.9	26.7	26.9	28.5	12	13138
09-11 LST	29.3	29.7	22.8	19.6	9.1	5.6	1.8	5.0	11.1	13.8	19.9	23.9	16.0	12	13142
12-14 LST	18.5	18.2	10.1	7.9	3.2	2.4	0.3	1.4	3.5	5.5	9.8	12.5	7.8	12	13141
15-17 LST	14.0	14.2	5.9	6.9	2.3	2.9	0.4	0.5	2.3	3.9	7.7	9.3	5.9	12	13141
18-20 LST	15.2	12.7	6.2	6.4	2.2	2.1	0.6	0.5	1.6	3.5	10.1	10.6	6.0	12	13143
21-23 LST	24.5	19.3	14.5	15.8	8.6	4.5	0.6	1.2	5.1	5.7	15.8	18.9	11.0	12	13140
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.3	5.5	3.0	1.7	0.2	0.2	0.2	0.1	0.5	0.9	3.5	4.4	2.1	12	13139
03-05 LST	10.3	6.0	6.1	3.0	3.0	0.6	0.6	0.4	1.8	2.6	4.8	5.4	3.7	12	13140
06-08 LST	10.8	8.1	9.0	3.7	2.2	1.2	0.5	2.1	4.9	5.6	6.6	6.6	5.1	12	13138
09-11 LST	6.1	3.8	2.3	1.9	0.2	0.5	0.0	0.1	0.5	0.7	2.4	3.7	1.9	12	13142
12-14 LST	1.5	1.1	1.2	0.4	0.0	0.3	0.0	0.1	0.0	0.1	0.7	1.3	0.6	12	13141
15-17 LST	1.5	0.5	0.6	0.4	0.1	0.3	0.0	0.0	0.1	0.1	0.3	0.8	0.4	12	13141
18-20 LST	2.7	1.4	0.6	0.8	0.1	0.0	0.1	0.0	0.0	0.3	1.0	1.3	0.7	12	13143
21-23 LST	3.9	1.9	1.3	0.4	0.1	0.0	0.0	0.0	0.0	0.3	1.7	2.5	1.0	12	13140

AUSTIN/MUELLER MUNICIPAL, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. ORS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	27.7	23.6	29.5	28.6	30.8	29.3	31.0	30.9	29.7	30.2	28.4	29.1	350.6	12	4382
	23 LST	25.8	23.9	27.6	27.3	29.8	29.0	30.9	30.9	28.7	29.6	26.7	27.0	337.2	12	4382
	05 LST	23.4	21.1	23.8	23.2	25.5	25.8	28.1	28.1	24.2	26.6	25.5	25.2	300.5	12	4382
	11 LST	25.5	23.3	27.7	28.0	29.9	29.3	31.0	30.8	29.0	29.9	27.1	27.1	338.6	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	12.0	8.2	9.5	7.1	11.6	10.1	14.1	15.6	16.7	17.1	15.8	15.7	153.5	12	4382
	23 LST	15.6	13.6	15.2	13.1	16.6	17.3	20.5	20.9	23.1	24.0	18.2	18.1	216.2	12	4382
	05 LST	14.0	13.0	14.3	12.3	16.0	16.7	23.3	24.6	19.2	20.2	15.9	17.5	207.0	12	4382
	11 LST	7.8	6.0	7.8	6.5	10.9	11.1	15.8	18.7	17.5	14.7	10.1	11.7	138.6	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	1.9	3.1	4.4	4.9	2.8	2.1	1.7	1.5	0.9	1.3	1.8	1.5	27.9	12	4311
	23 LST	1.3	1.7	1.8	1.2	1.1	0.8	0.2	0.2	0.2	0.5	2.2	1.1	12.3	12	4294
	05 LST	1.5	0.8	1.8	0.8	0.2	0.0	0.1	0.0	0.2	0.4	1.4	1.0	8.2	12	4266
	11 LST	4.0	4.1	4.7	5.6	2.9	1.4	0.7	0.7	0.8	2.4	4.6	3.3	35.2	12	4294
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	16.2	12.9	12.8	11.2	11.8	5.8	3.1	4.2	10.2	18.9	17.6	18.6	143.3	12	4311
	23 LST	16.7	15.4	17.3	17.4	17.3	19.5	22.7	22.1	19.2	20.2	17.3	16.2	221.3	12	4294
	05 LST	14.6	14.6	17.0	17.9	19.3	18.6	18.1	18.0	16.1	17.2	14.6	16.6	202.6	12	4266
	11 LST	13.2	11.0	11.7	10.4	12.5	14.0	13.0	11.2	16.9	18.1	14.5	16.9	163.4	12	4294
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	9.4	9.3	9.7	9.5	10.4	12.1	10.0	10.5	13.8	15.5	11.8	12.0	134.0	12	4382
	23 LST	12.2	11.4	13.6	11.9	12.9	17.7	22.3	22.5	19.9	20.1	14.0	15.5	194.0	12	4382
	05 LST	11.4	10.4	10.1	8.6	6.7	8.1	11.7	16.4	14.9	16.1	13.2	15.3	142.9	12	4382
	11 LST	7.8	8.4	8.2	8.3	8.1	7.7	9.3	11.1	11.3	13.6	10.9	10.4	115.1	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	24.9	22.5	27.8	26.9	29.7	29.2	30.9	30.7	29.2	29.5	26.4	26.7	334.4	12	4382
	23 LST	20.1	18.6	22.0	19.6	22.7	26.0	30.0	30.3	27.2	27.7	22.1	23.2	289.5	12	4382
	05 LST	18.6	16.7	18.3	15.5	18.2	17.9	23.7	25.1	21.6	22.4	21.1	21.7	240.8	12	4382
	11 LST	19.7	17.7	21.9	21.4	26.7	27.2	30.0	29.5	26.2	25.9	22.1	22.2	290.5	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	21.0	18.9	23.7	22.8	25.6	27.3	29.8	29.2	27.8	26.7	22.5	23.6	298.9	12	4382
	23 LST	18.0	16.1	19.9	17.6	21.1	24.5	29.2	29.3	25.7	25.5	19.1	21.0	267.0	12	4382
	05 LST	16.2	14.6	15.7	13.1	15.5	16.1	22.7	24.1	20.3	20.5	17.5	19.3	215.6	12	4382
	11 LST	17.1	14.9	18.8	16.5	20.4	22.2	27.1	26.4	22.3	22.6	18.2	20.0	246.5	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	20.2	17.8	22.0	21.7	24.3	26.6	28.6	28.5	26.7	25.5	21.4	22.5	285.8	12	4382
	23 LST	17.6	15.5	19.2	16.7	20.5	23.9	29.0	28.8	24.8	24.8	18.1	20.0	258.9	12	4382
	05 LST	15.6	13.7	14.4	12.2	14.7	15.8	22.1	23.8	19.4	20.0	16.3	18.4	206.4	12	4382
	11 LST	15.7	14.3	17.7	15.8	19.2	22.0	26.7	25.8	21.9	21.8	17.2	18.9	237.0	12	4382

VICTORIA/FOSTER AFB, TEXAS

STA NO. 72255 (IN AREA NUMBER 13) LATITUDE 2851N LONGITUDE 09655W ELEVATION(FT) 00115

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. CBS
ABS MAX TMP (F)	84	90	92	95	94	100	107	105	101	96	89	85	107	11	3444
MEAN MAX TMP (F)	65	69	73	80	85	91	93	94	90	83	73	67	80	11	3444
MEAN MIN TMP (F)	45	50	55	62	68	74	75	75	70	61	52	47	61	11	3444
ABS MIN TMP (F)	18	26	31	40	46	60	69	66	44	38	31	25	18	11	3444
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.1	0.2	1.2	4.4	21.7	27.3	27.3	18.5	3.2	0.0	0.0	103.9	11	3444
MEAN NO DYS TMP = DR LES 32(F)	3.7	0.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.6	6.3	11	3444
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3444
MEAN DEW PT TMP (F)	46	50	54	61	67	72	73	73	69	61	52	47	60	11	82363
MEAN REL HUM (PCT)	76	75	74	75	77	75	74	75	75	72	73	75	75	11	82342
MEAN PRESS ALT (FT)	-64	-26	46	96	121	126	75	79	82	31	-38	-64	39	0	-50
MEAN PRECIP (IN)	1.91	2.08	2.43	2.38	3.83	1.73	4.71	3.49	3.01	2.37	1.84	1.99	31.8	11	3443
MEAN SNOW FALL (IN)	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	6	1994
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.8	3.6	3.2	2.6	4.5	3.6	4.3	5.2	4.7	3.7	3.3	3.7	46.2	11	3443
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	6	1994
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	7.1	4.9	4.5	4.0	2.3	0.4	0.4	0.3	1.3	2.4	3.7	6.8	38.1	11	3442
MEAN NO DYS TSTMS	1.0	1.2	2.6	3.0	4.9	4.2	6.0	5.0	4.2	2.2	0.9	1.4	36.6	11	3441
P FREQ WND SPD = DR GTR 17 KTS	10.8	12.0	11.5	8.7	5.0	3.1	1.3	2.1	1.7	2.3	7.5	7.5	6.1	11	82603
P FREQ WND SPD = DR GTR 28 KTS	0.3	0.4	1.1	0.1	0.1	0.0	0.0	0.4	0.0	0.0	0.2	0.4	0.3	11	82603
P FREQ LES 5000 FT A/D LES 5 MI	42.7	49.8	49.7	50.9	41.3	26.6	16.8	15.9	19.7	19.2	22.5	39.9	33.8	11	82521
P FREQ LES 1500 FT A/D LES 3 MI															
FDP 00-02 LST	29.9	35.0	34.1	38.2	19.1	3.3	1.5	1.4	3.3	5.5	16.8	24.9	17.6	11	10319
03-05 LST	32.9	38.8	37.9	38.5	22.8	4.0	2.4	2.5	5.9	8.7	22.8	30.3	20.6	11	10324
06-08 LST	34.8	41.0	40.3	42.0	24.9	5.8	2.7	4.6	12.5	11.5	22.2	31.9	22.9	11	10388
09-11 LST	29.4	32.1	30.3	21.0	9.6	2.7	2.2	3.1	7.7	6.2	15.5	28.6	15.5	11	10381
12-14 LST	19.4	19.0	14.1	8.7	4.9	1.0	1.8	1.2	4.3	2.6	10.6	16.5	8.7	11	10393
15-17 LST	15.9	16.4	10.7	9.9	2.8	0.6	1.5	2.3	3.6	2.9	8.7	11.7	7.2	11	10342
18-20 LST	19.2	20.0	18.1	19.9	7.3	1.0	0.8	1.3	3.2	1.8	10.3	13.3	9.7	11	10317
21-23 LST	22.1	27.0	28.9	29.8	14.2	2.0	0.2	1.0	3.1	3.0	15.1	18.2	13.7	11	10316
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	13.4	9.8	6.9	5.6	1.2	0.0	0.0	0.4	0.5	1.4	2.5	10.9	4.4	11	10319
03-05 LST	15.0	13.0	9.5	8.3	3.2	0.2	0.6	0.8	1.4	3.8	6.2	12.8	6.2	11	10324
06-08 LST	14.1	12.8	9.5	6.6	3.2	0.3	0.2	0.8	1.9	3.9	9.0	12.7	6.3	11	10388
09-11 LST	6.5	3.6	1.8	0.7	0.2	0.2	0.2	0.4	0.4	0.0	1.4	6.1	1.8	11	10381
12-14 LST	2.4	0.7	0.8	0.6	0.4	0.0	0.4	0.4	0.1	0.4	0.2	1.4	0.7	11	10393
15-17 LST	1.6	0.7	0.4	0.6	0.1	0.1	0.0	0.2	0.0	0.5	0.1	1.2	0.5	11	10342
18-20 LST	3.7	1.6	0.9	0.4	0.0	0.0	0.0	0.0	0.2	0.0	0.2	2.6	0.8	11	10317
21-23 LST	8.0	3.7	3.5	1.6	0.1	0.1	0.0	0.0	0.5	0.6	2.0	5.6	2.1	11	10316

VICTORIA/FOSTER AFB, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.3	24.9	29.1	28.1	30.8	30.0	30.8	30.8	29.3	30.5	28.5	28.3	348.4	11	3445
	00 LST	23.8	20.0	22.9	22.1	28.5	29.9	30.9	30.7	29.3	30.1	26.4	25.4	320.0	11	3445
	06 LST	21.9	18.7	20.0	20.4	26.0	29.7	30.4	30.3	27.0	27.4	24.1	22.5	298.4	11	3466
	12 LST	26.5	24.6	28.7	28.8	30.0	29.9	30.6	30.8	29.0	30.5	28.2	26.5	344.1	11	3466
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	17.2	11.8	11.2	11.5	12.6	8.7	10.8	12.6	23.0	27.1	21.3	19.7	187.5	11	3445
	00 LST	16.6	13.2	13.6	14.4	20.3	26.1	28.3	28.6	27.5	27.3	20.6	17.6	254.1	11	3445
	06 LST	13.9	11.0	11.0	12.1	18.1	26.2	29.3	28.8	24.7	23.9	17.1	16.1	232.2	11	3466
	12 LST	9.2	7.7	7.8	7.8	11.0	13.2	18.8	20.6	19.1	17.6	12.1	10.7	155.6	11	3466
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	2.5	2.3	3.1	2.7	1.8	0.8	1.0	1.2	0.3	0.3	0.9	1.8	18.7	11	3400
	00 LST	1.5	1.8	2.2	1.1	0.6	0.4	0.0	0.0	0.3	0.3	1.5	1.5	11.2	11	3386
	06 LST	2.6	1.7	2.2	0.7	0.7	0.0	0.0	0.1	0.1	0.2	1.4	1.8	11.5	11	3400
	12 LST	5.2	6.1	5.7	5.1	2.7	2.0	0.5	0.2	1.0	1.8	4.1	4.2	38.6	11	3414
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	18.8	16.9	16.6	15.4	17.1	12.8	11.8	15.4	22.5	22.8	18.6	18.3	207.0	11	3399
	00 LST	16.2	17.2	18.1	17.2	18.4	19.1	17.0	13.7	11.8	15.8	16.2	15.5	196.2	11	3385
	06 LST	15.4	16.3	18.9	17.2	18.8	17.0	10.4	11.0	13.7	18.2	15.6	16.2	188.7	11	3398
	12 LST	14.2	11.4	12.2	11.9	13.7	8.3	4.4	5.9	12.3	18.0	13.8	14.2	140.3	11	3412
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.8	8.1	6.1	5.3	9.1	11.8	10.2	9.0	12.2	15.8	12.8	12.6	121.8	6	1972
	00 LST	11.7	11.1	10.8	9.7	14.0	20.2	25.1	20.8	20.8	22.2	14.6	15.4	196.3	6	1971
	06 LST	11.2	7.5	5.0	4.1	6.1	10.7	10.5	12.0	14.2	14.0	11.0	12.4	118.7	6	1993
	12 LST	7.2	6.8	4.8	4.3	3.7	2.8	3.7	2.8	7.6	8.8	9.2	10.0	71.7	6	1993
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.5	20.9	22.8	22.0	26.7	28.7	30.4	30.5	28.3	29.4	25.5	25.2	313.9	11	3445
	00 LST	20.6	17.9	18.5	16.5	22.2	27.2	30.0	30.0	27.9	28.9	24.4	22.4	286.5	11	3445
	06 LST	18.3	14.9	15.4	13.9	18.7	26.5	29.1	29.0	25.5	25.6	20.5	19.4	256.8	11	3466
	12 LST	19.9	17.9	18.4	20.8	22.9	26.5	28.2	28.9	26.1	27.4	23.2	21.6	281.8	11	3466
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.7	17.2	18.3	19.0	23.4	26.0	28.5	29.0	27.1	27.4	22.7	21.9	280.2	11	3445
	00 LST	16.9	15.2	15.5	14.4	20.5	26.3	29.3	28.9	27.1	27.9	21.4	19.5	262.9	11	3445
	06 LST	15.4	11.1	12.0	11.9	15.8	25.5	28.5	27.8	24.9	23.4	17.6	16.4	230.3	11	3466
	12 LST	16.2	13.5	13.3	13.4	13.6	13.8	18.4	19.0	18.5	20.1	17.8	16.4	194.0	11	3466
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.0	16.4	17.0	17.4	22.1	25.1	28.1	28.3	25.8	26.4	21.3	20.0	265.9	11	3445
	00 LST	15.3	14.1	14.5	13.9	20.1	26.0	28.8	28.8	26.6	27.4	20.7	18.5	254.7	11	3445
	06 LST	14.0	9.9	10.5	10.5	14.4	24.5	27.4	27.0	23.4	22.1	16.1	15.7	215.5	11	3466
	12 LST	14.7	12.4	12.2	12.6	12.8	13.2	18.2	18.3	17.9	18.9	16.3	15.2	182.7	11	3466

WACO MUNICIPAL, TEXAS

STA NO. 72256 (IN AREA NUMBER 13)

LATITUDE 3136N

LONGITUDE 09713W

ELEVATION(FT) 00515

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	84	90	96	95	99	104	108	108	105	98	92	91	108	17	-613
MEAN MAX TMP (F)	58	62	69	78	85	92	96	97	90	81	68	61	78	17	-113
MEAN MIN TMP (F)	38	41	46	56	64	72	75	75	68	58	45	39	56	17	-113
ABS MIN TMP (F)	-5	5	15	33	43	57	62	63	49	32	19	15	-5	17	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.1	0.3	1.0	8.6	23.5	28.2	28.1	18.7	4.0	0.1	0.1	112.7	12	4383
MEAN NO DYS TMP = DR LES 32(F)	10.1	4.9	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.1	3.4	7.5	28.7	12	4383
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	38	41	43	52	62	68	69	68	63	59	43	38	53	12	105104
MEAN REL HUM (PCT)	71	70	62	66	69	66	62	60	63	65	66	68	66	12	105102
MEAN PRESS ALT (FT)	325	361	440	492	518	524	475	479	458	413	348	323	430	0	-50
MEAN PRECIP (IN)	1.98	2.42	2.38	3.81	4.67	2.25	1.57	1.74	2.35	2.61	2.02	2.36	30.2	17	-113
MEAN SNOW FALL (IN)	0.9	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.2	17	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.6	5.3	5.4	6.7	7.1	4.6	3.5	3.8	4.1	4.3	3.7	5.2	58.5	17	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	12	4380
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.3	1.7	1.2	1.0	0.7	0.3	0.1	0.1	0.4	0.9	1.1	2.0	12.8	12	4382
MEAN NO DYS TSTMS	1.0	2.0	3.0	4.0	6.0	4.0	4.0	4.0	3.0	2.0	1.0	1.0	35.0	21	-24
P FREQ WND SPD = DR GTR 17 KTS	14.6	16.6	20.1	19.6	14.7	10.7	6.2	3.7	5.9	7.0	12.5	12.9	12.0	12	105106
P FREQ WND SPD = DR GTR 28 KTS	0.6	0.7	1.2	0.8	0.2	0.1	0.1	0.0	0.2	0.2	0.4	0.6	0.4	12	105106
P FREQ LES 5000 FT A/D LES 5 MI	37.7	37.0	32.0	32.6	27.0	17.4	8.5	7.5	15.9	18.7	28.1	29.4	24.3	12	105093
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	24.6	22.2	14.8	14.4	9.3	4.5	1.3	1.3	6.1	6.8	13.4	17.1	11.3	12	13136
03-05 LST	29.3	26.5	21.1	20.5	16.3	12.3	5.0	5.4	11.8	13.1	16.9	21.2	16.6	12	13139
06-08 LST	29.0	28.4	24.2	25.4	19.8	17.4	8.4	8.3	15.2	18.6	18.7	23.2	19.7	12	13132
09-11 LST	24.9	27.6	19.0	16.3	9.7	5.7	2.7	3.3	8.2	12.8	15.9	21.8	14.0	12	13137
12-14 LST	18.1	18.6	10.1	7.0	5.2	2.5	0.6	0.6	2.1	4.9	9.5	15.5	7.9	12	13139
15-17 LST	14.1	14.3	8.1	5.6	3.6	2.4	0.2	0.4	1.4	3.7	9.1	12.5	6.3	12	13138
18-20 LST	14.2	14.0	7.4	5.7	3.1	1.9	0.6	0.3	0.9	3.7	8.4	11.4	6.0	12	13129
21-23 LST	18.5	15.5	8.1	6.8	3.9	1.9	0.8	0.4	1.8	4.7	9.8	12.3	7.0	12	13143
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.1	3.2	2.1	0.6	0.7	0.2	0.0	0.0	0.2	0.4	2.2	4.0	1.6	12	13136
03-05 LST	6.9	5.4	3.9	1.9	1.5	0.3	0.1	0.1	0.6	2.3	2.9	5.5	2.6	12	13139
06-08 LST	8.1	5.7	3.7	2.9	1.7	0.9	0.3	0.2	1.6	1.9	3.5	5.6	3.0	12	13132
09-11 LST	5.7	3.1	1.8	1.0	0.1	0.0	0.1	0.0	0.3	0.6	1.2	3.0	1.4	12	13137
12-14 LST	2.0	0.9	0.7	0.8	0.4	0.0	0.0	0.0	0.0	0.0	0.1	0.5	0.5	12	13139
15-17 LST	1.1	0.3	0.7	0.6	0.2	0.2	0.0	0.0	0.0	0.2	0.2	0.7	0.4	12	13138
18-20 LST	3.0	0.9	0.4	0.6	0.4	0.1	0.0	0.0	0.0	0.1	0.6	0.8	0.6	12	13129
21-23 LST	4.6	2.1	1.1	0.1	0.3	0.1	0.0	0.0	0.0	0.0	1.3	2.4	1.0	12	13143

WACO MUNICIPAL, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.3	25.3	29.1	28.7	30.5	29.4	30.8	30.8	29.8	29.9	28.1	28.7	345.4	12	4382
	00 LST	26.2	24.4	28.3	28.1	30.0	29.6	30.9	31.0	29.2	29.7	27.2	27.1	341.7	12	4382
	06 LST	24.3	22.1	26.2	25.7	27.4	27.2	29.7	29.6	27.3	27.2	26.2	26.1	319.0	12	4382
	12 LST	26.5	24.1	28.9	28.7	29.9	29.6	30.9	30.9	29.7	29.8	27.8	27.1	343.9	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	12.1	9.7	9.2	6.5	8.9	5.9	8.6	13.0	14.6	17.9	15.2	14.0	135.6	12	4382
	00 LST	10.7	10.8	11.3	10.0	12.0	11.8	13.8	16.2	18.2	17.2	14.9	12.3	159.2	12	4382
	06 LST	12.0	10.4	11.0	11.5	13.6	15.0	19.7	20.8	19.4	19.7	14.6	13.6	181.3	12	4382
	12 LST	7.1	5.9	6.0	6.4	8.4	8.4	13.7	14.5	14.6	13.0	8.6	8.2	114.8	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	3.5	3.3	6.5	6.7	5.1	4.4	3.0	2.2	2.0	1.2	2.3	2.1	42.3	12	4313
	00 LST	3.2	3.3	4.5	4.4	3.3	2.3	1.6	1.1	1.0	1.6	3.0	2.3	31.6	12	4305
	06 LST	3.6	2.9	3.9	2.4	1.8	1.1	0.6	0.2	0.8	0.7	2.0	2.5	22.5	12	4246
	12 LST	6.7	7.7	9.8	9.8	6.9	5.1	2.6	1.6	2.7	4.2	7.1	6.8	71.0	12	4291
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	16.4	12.9	12.3	10.3	10.9	5.8	3.5	4.7	10.5	20.5	18.4	16.8	143.0	12	4313
	00 LST	14.4	12.9	14.7	13.8	14.0	14.8	16.4	18.2	19.4	18.1	16.9	15.0	188.6	12	4305
	06 LST	12.7	13.4	15.1	16.5	18.7	17.9	22.6	22.6	19.1	20.2	16.4	17.3	212.5	12	4246
	12 LST	11.3	9.3	9.9	8.8	10.4	7.3	6.1	5.3	11.0	15.4	11.5	13.0	119.3	12	4291
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.1	9.0	10.3	11.4	12.4	15.8	12.9	14.0	17.3	17.4	14.3	12.8	157.7	12	4382
	00 LST	12.5	12.0	13.1	13.1	14.5	18.2	21.5	22.2	20.1	19.9	15.3	15.6	198.0	12	4382
	06 LST	10.8	10.2	10.4	8.9	7.2	10.6	11.9	14.7	15.2	17.0	14.1	15.2	146.2	12	4382
	12 LST	8.2	8.9	10.3	8.4	9.1	8.8	9.5	11.5	11.7	14.7	12.6	11.4	125.1	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.9	23.3	27.2	27.7	29.7	29.1	30.7	30.8	29.1	29.1	26.4	26.4	334.4	12	4382
	00 LST	21.8	19.9	24.4	24.4	27.4	28.5	30.6	30.5	28.7	28.3	24.2	25.0	313.7	12	4382
	06 LST	19.5	18.3	20.8	19.3	21.7	23.1	27.5	27.9	24.2	24.6	21.9	21.6	270.4	12	4382
	12 LST	21.8	19.2	24.0	24.1	27.2	28.0	30.2	30.7	27.2	26.8	24.2	23.0	306.4	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.6	19.6	23.3	24.8	25.9	28.0	29.7	30.2	27.5	27.1	22.9	23.6	304.2	12	4382
	00 LST	19.1	17.4	21.5	21.7	24.9	27.8	29.8	29.9	27.3	26.0	21.6	22.3	289.3	12	4382
	06 LST	17.1	16.0	17.9	16.2	18.6	21.8	26.8	27.3	22.7	23.3	19.7	20.0	247.4	12	4382
	12 LST	18.4	16.7	20.3	18.2	20.6	21.0	25.9	25.6	22.1	23.5	20.3	20.8	253.4	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	20.6	18.7	22.3	23.4	25.3	27.7	29.0	29.3	26.7	25.6	22.1	22.6	293.3	12	4382
	00 LST	18.6	16.4	20.7	20.4	24.1	27.2	29.6	29.1	26.6	24.8	20.4	21.5	279.4	12	4382
	06 LST	16.5	14.5	16.7	15.2	17.9	20.8	26.1	26.6	22.1	22.2	18.4	19.0	236.0	12	4382
	12 LST	17.5	15.8	18.8	17.3	19.7	20.6	25.3	25.3	21.8	22.8	19.7	20.2	244.8	12	4382

DALLAS/LOVE FIELD, TEXAS

STA NO. 72258 (IN AREA NUMBER 13)

LATITUDE 3251N

LONGITUDE 09651W

ELEVATION(FT) 00485

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	88	88	96	96	99	105	111	109	103	99	89	89	111	20	-613
MEAN MAX TMP (F)	56	60	67	76	84	92	96	96	89	79	67	58	77	20	-113
MEAN MIN TMP (F)	36	40	45	55	63	72	75	75	67	57	44	38	56	20	-113
ABS MIN TMP (F)	2	7	11	31	39	53	61	61	36	30	17	12	2	20	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.6	0.9	8.1	22.1	27.2	27.6	18.2	3.0	0.0	0.0	107.7	12	4383
MEAN NO DYS TMP = OR LES 32(F)	11.6	6.3	3.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	4.1	8.3	33.6	12	4383
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	35	38	40	50	61	67	68	67	62	53	40	35	51	12	105072
MEAN REL HUM (PCT)	69	67	60	63	67	63	60	58	60	62	63	65	63	12	105072
MEAN PRESS ALT (FT)	291	325	403	452	477	483	435	440	427	379	315	291	393	0	-50
MEAN PRECIP (IN)	2.02	2.55	2.97	4.54	5.26	3.44	1.81	2.33	2.31	3.08	2.83	2.76	35.9	20	-113
MEAN SNOW FALL (IN)	1.0	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.7	20	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.7	5.5	6.1	7.0	7.3	6.1	3.9	4.7	4.1	5.1	4.8	5.8	65.1	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	12	4383
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.5	0.7	0.9	0.1	0.4	0.2	0.0	0.0	0.2	0.4	0.5	1.6	6.5	12	4382
MEAN NO DYS TSTMS	2.0	3.0	4.0	6.0	8.0	7.0	5.0	5.0	4.0	3.0	2.0	2.0	51.0	38	-24
P FREQ WND SPD = OR GTR 17 KTS	8.9	12.0	17.3	21.8	14.7	12.6	5.5	3.0	3.6	4.6	9.5	8.6	10.2	12	105071
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.3	0.4	0.2	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	12	105071
P FREQ LES 5000 FT A/O LES 5 MI	33.6	31.6	28.9	28.0	20.6	12.4	6.5	5.8	11.6	15.8	23.2	26.4	20.4	12	105062
POR 00-02 LST	19.0	15.2	11.2	8.4	6.1	3.4	1.7	0.6	3.2	6.4	10.0	15.5	8.4	12	13138
03-05 LST	23.8	20.4	14.0	12.9	11.6	8.0	2.5	2.4	6.0	9.9	12.3	19.0	11.9	12	13136
06-08 LST	26.8	25.2	17.6	16.9	13.9	8.8	4.5	5.2	10.7	13.5	16.8	20.5	15.0	12	13117
09-11 LST	23.2	22.6	13.5	12.5	7.6	4.3	2.4	2.1	6.0	10.7	13.1	18.7	11.4	12	13139
12-14 LST	17.0	15.7	6.8	6.3	3.7	1.5	0.6	0.2	2.0	4.3	7.6	13.9	6.6	12	13135
15-17 LST	12.7	13.1	6.3	4.3	2.9	0.9	0.7	0.1	1.4	3.8	6.7	11.1	5.3	12	13140
18-20 LST	13.2	12.4	7.5	4.0	4.1	1.0	0.5	0.0	1.8	3.7	6.3	11.5	5.5	12	13142
21-23 LST	14.8	12.1	8.6	5.3	4.0	2.0	0.7	0.5	2.0	4.3	7.6	12.9	6.2	12	13132
P FREQ LES 300 FT A/O LES 1 MI															
POR 00-02 LST	3.1	0.9	1.3	0.1	0.2	0.0	0.0	0.0	0.0	0.6	1.1	2.2	0.8	12	13138
03-05 LST	3.9	1.4	2.1	0.6	0.6	0.0	0.0	0.0	0.5	1.3	1.6	2.7	1.2	12	13136
06-08 LST	3.9	2.1	1.9	0.7	0.4	0.2	0.0	0.0	0.5	1.4	1.5	3.2	1.3	12	13117
09-11 LST	2.7	1.4	0.9	0.0	0.1	0.0	0.0	0.0	0.0	0.2	0.8	2.1	0.7	12	13139
12-14 LST	0.7	0.4	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	12	13135
15-17 LST	0.2	0.5	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.8	0.2	12	13140
18-20 LST	0.6	0.6	0.4	0.3	0.2	0.2	0.0	0.0	0.2	0.1	0.2	0.4	0.3	12	13142
21-23 LST	0.8	0.5	0.4	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.5	1.3	0.3	12	13132

DALLAS/LOVE FIELD, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.6	25.6	29.3	29.1	30.0	29.8	31.0	31.0	29.5	30.2	28.6	28.6	351.3	12	4383
	00 LST	27.2	25.3	28.9	28.6	29.8	29.6	30.7	31.0	29.5	29.7	28.0	27.6	345.9	12	4383
	06 LST	25.3	23.5	27.9	26.9	28.8	28.3	30.4	30.7	28.4	28.4	27.0	26.2	332.2	12	4383
	12 LST	27.2	24.9	29.4	29.0	30.4	29.6	30.8	30.9	29.6	30.2	28.1	27.6	347.7	12	383
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	15.7	13.0	11.0	7.2	10.4	7.9	12.0	13.7	16.8	20.3	19.5	17.7	165.2	12	4383
	00 LST	15.1	14.7	13.6	11.8	13.6	11.6	16.3	18.5	18.9	19.2	17.1	16.6	167.0	12	4383
	06 LST	15.1	13.9	13.5	12.7	15.6	14.6	21.9	23.4	21.6	22.2	18.0	15.8	208.3	12	4383
	12 LST	9.0	7.3	5.9	6.4	8.3	9.8	15.7	18.0	14.1	13.3	9.2	8.8	125.8	12	4383
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	2.4	2.2	5.5	7.4	5.0	5.2	2.7	1.7	1.2	0.9	1.6	1.4	37.2	12	4312
	00 LST	2.0	2.2	3.8	5.0	3.5	3.4	1.0	0.7	0.6	0.7	1.7	2.1	26.7	12	4291
	06 LST	1.7	2.2	3.3	2.6	1.1	1.0	0.4	0.2	0.3	0.2	1.3	1.5	15.8	12	4270
	12 LST	5.0	5.9	7.6	10.8	7.1	5.1	1.9	1.2	1.9	2.8	5.3	5.5	60.1	12	4310
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	15.8	13.3	13.3	9.9	11.4	6.5	5.2	5.1	13.9	21.1	18.3	18.4	152.2	12	4312
	00 LST	12.2	12.8	14.6	13.2	14.4	16.2	18.1	19.3	19.4	17.3	13.1	16.2	187.0	12	4291
	06 LST	13.3	12.1	13.7	15.3	16.2	18.7	22.4	22.3	20.0	18.3	14.7	13.8	201.8	12	4270
	12 LST	11.4	10.7	9.4	7.5	10.9	7.5	5.6	6.6	10.9	15.9	12.2	10.8	119.4	12	4310
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	11.5	10.6	11.4	11.8	13.6	17.7	14.7	16.6	18.9	17.7	15.8	14.7	175.0	12	4383
	00 LST	13.8	12.7	15.7	14.0	14.8	19.5	21.4	23.7	20.8	19.9	17.5	17.2	211.0	12	4383
	06 LST	12.3	11.1	10.8	9.5	9.6	12.8	13.9	15.7	16.2	17.3	14.9	16.6	160.7	12	4383
	12 LST	9.7	9.7	10.7	9.6	8.9	11.4	10.8	12.6	13.9	15.7	13.8	11.9	138.7	12	4383
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.7	23.4	27.8	27.7	29.3	29.4	30.7	31.0	29.2	29.1	27.5	26.6	336.6	12	4383
	00 LST	23.1	23.0	26.2	25.7	27.7	28.8	30.4	30.7	29.0	28.9	26.2	25.8	325.5	12	4383
	06 LST	21.0	19.2	22.2	21.5	24.4	25.5	28.7	29.3	26.5	26.2	24.4	23.3	292.2	12	4383
	12 LST	22.7	20.9	25.5	25.6	27.9	28.7	30.2	30.2	28.4	27.6	25.9	23.7	317.3	12	4383
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	22.2	20.3	24.1	24.0	27.2	28.1	29.7	30.2	28.2	27.7	24.8	23.7	310.2	12	4383
	00 LST	20.6	19.4	22.9	23.3	25.7	27.7	29.7	30.2	27.6	27.2	23.6	23.9	301.8	12	4383
	06 LST	18.7	17.2	19.1	17.5	21.6	23.8	27.8	28.0	24.8	24.4	21.3	21.2	265.4	12	4383
	12 LST	19.9	18.6	20.6	19.5	22.0	24.6	27.3	27.3	24.7	24.6	22.1	21.4	272.6	12	4383
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	21.1	19.1	22.9	22.6	26.4	27.1	28.9	29.2	26.7	26.6	23.1	22.7	296.4	12	4383
	00 LST	19.9	18.3	21.8	22.1	24.6	26.9	29.0	29.8	26.6	25.4	22.3	23.0	289.7	12	4383
	06 LST	18.0	15.8	17.7	16.2	20.0	22.7	26.6	27.0	23.8	23.2	19.9	20.6	251.5	12	4383
	12 LST	18.7	17.4	19.3	18.4	21.1	23.9	26.7	26.9	23.7	23.9	21.1	20.5	261.6	12	4383

FORT WORTH/GREATER, TEXAS

STA NO. 72259 (IM AREA NUMBER 13)

LATITUDE 3249N

LONGITUDE 09702W

ELEVATION(FT) 00568

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR	NO.
														(YRS)	UBS
ABS MAX TMP (F)	82	88	96	98	98	105	109	108	105	96	89	88	109	13	4383
MEAN MAX TMP (F)	54	60	66	77	84	92	97	96	90	79	66	57	77	13	4383
MEAN MIN TMP (F)	33	38	43	55	64	71	75	74	68	57	44	36	55	13	4383
ABS MIN TMP (F)	4	15	17	30	41	51	64	60	49	29	20	10	4	13	4383
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.3	1.2	7.9	21.6	28.2	27.2	17.3	3.7	0.0	0.0	107.4	13	4383
MEAN NO DYS TMP = DR LES 32(F)	15.9	9.4	4.7	0.2	0.0	0.0	0.0	0.0	0.0	0.2	3.4	10.9	44.7	13	4383
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	102483
MEAN DEW PT TMP (F)	32	36	39	52	61	66	67	66	62	53	41	34	51	13	102483
MEAN REL HUM (PCT)	69	66	61	65	68	63	58	57	61	64	64	66	64	0	-50
MEAN PRESS ALT (FT)	375	409	487	537	562	567	519	524	512	463	399	374	477	13	4377
MEAN PRECIP (IN)	1.85	1.95	2.14	4.25	3.80	2.76	2.08	1.58	2.10	2.62	2.49	1.68	30.3	13	4381
MEAN SNOW FALL (IN)	2.0	0.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	3.2	13	4377
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.5	3.8	4.1	5.6	3.3	4.2	2.8	2.6	3.8	3.2	3.5	3.3	45.7	13	4381
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.4	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.8	13	4294
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.0	1.8	0.8	0.5	0.5	0.0	0.0	0.0	0.1	0.9	0.6	1.9	9.1	13	4383
MEAN NO DYS TSTMS	0.7	2.0	4.0	6.1	6.0	5.6	5.7	4.1	3.5	2.7	1.7	1.2	43.5	13	102495
P FREQ WND SPD = DR GTR 17 KTS	13.8	17.3	22.4	24.2	15.7	10.8	5.3	3.3	7.0	8.0	11.4	12.2	12.6	13	102495
P FREQ WND SPD = DR GTR 28 KTS	0.3	0.9	0.8	0.4	0.3	0.1	0.1	0.0	0.2	0.1	0.3	0.3	0.3	13	102495
P FREQ LES 5000 FT A/D LES 5 MI	31.1	28.1	26.9	28.6	18.6	10.7	4.2	4.5	11.7	14.7	22.5	25.8	19.0	13	12813
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	18.3	14.5	10.1	9.5	4.6	3.3	1.1	0.6	3.3	6.4	9.8	14.3	8.0	13	12813
03-05 LST	20.5	17.5	13.6	14.8	9.5	6.9	1.8	2.8	7.0	8.6	12.2	18.4	11.1	13	12805
06-08 LST	21.0	22.6	17.1	18.6	15.4	9.3	3.5	4.2	11.5	13.4	15.4	20.5	14.4	13	12810
09-11 LST	20.4	21.4	13.8	14.0	8.8	5.0	1.1	2.3	7.9	10.0	13.0	18.9	11.4	13	12806
12-14 LST	15.0	14.7	7.4	7.4	3.6	1.8	0.5	0.3	2.7	5.0	7.9	12.9	6.6	13	12816
15-17 LST	11.1	10.4	6.6	5.3	2.1	1.4	0.7	0.1	1.7	3.1	6.1	10.6	4.9	13	12815
18-20 LST	12.6	8.9	6.3	4.9	2.2	0.9	0.7	0.1	2.0	2.9	6.4	10.5	4.9	13	12815
21-23 LST	15.4	10.0	7.6	5.6	3.2	1.3	0.8	0.3	3.2	4.2	7.7	12.2	6.0	13	12815
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.7	2.9	1.7	0.2	0.7	0.1	0.0	0.0	0.0	1.3	1.7	3.0	1.4	13	12813
03-05 LST	4.8	3.4	1.7	0.7	1.3	0.1	0.1	0.0	0.2	1.3	1.9	4.4	1.7	13	12805
06-08 LST	4.8	3.5	2.0	0.9	0.5	0.3	0.0	0.0	0.2	2.2	2.6	4.7	1.8	13	12810
09-11 LST	3.6	1.8	1.1	0.2	0.1	0.0	0.0	0.0	0.1	0.5	0.6	2.5	0.9	13	12806
12-14 LST	1.0	0.5	0.8	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.1	0.5	0.3	13	12816
15-17 LST	0.7	0.3	0.8	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.3	0.4	0.2	13	12815
18-20 LST	2.0	0.6	0.5	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.7	0.3	0.4	13	12815
21-23 LST	3.6	1.5	1.2	0.0	0.2	0.2	0.0	0.0	0.0	0.3	0.9	1.3	0.8	13	12815

FORT WORTH/GREATER, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.1	26.0	29.3	28.9	30.7	29.9	30.8	30.9	29.6	30.2	28.6	28.8	351.0	13	4294
	00 LST	27.3	25.2	29.5	28.6	30.6	29.6	30.7	30.9	29.4	29.6	27.8	27.7	346.9	13	4294
	06 LST	26.2	23.4	28.6	26.0	28.6	28.1	30.4	30.6	28.4	28.6	27.2	26.3	332.4	13	4294
	12 LST	27.3	25.0	29.3	28.8	30.1	29.7	30.8	31.0	29.7	30.2	28.4	28.1	348.4	13	4294
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	11.8	10.1	7.7	6.5	8.9	7.3	9.1	10.4	12.5	17.2	15.3	13.8	130.6	13	4294
	00 LST	12.4	10.4	11.2	10.0	13.2	14.6	18.7	20.6	18.3	17.9	14.9	13.3	175.5	13	4294
	06 LST	12.3	9.9	11.4	10.3	14.1	17.3	22.8	23.7	20.1	18.7	15.1	13.2	188.9	13	4294
	12 LST	6.4	5.2	4.8	3.9	7.5	9.8	14.1	14.0	12.2	11.1	8.2	9.0	106.2	13	4294
SFC WND = GTR 17 KTS AND ND PRECIP.	18 LST	3.6	4.3	8.6	7.5	6.2	5.0	3.2	2.2	2.5	1.8	1.5	1.8	48.2	13	4216
	00 LST	2.4	3.4	4.6	5.6	3.5	2.7	1.1	0.4	1.4	1.9	2.5	2.4	31.9	13	4210
	06 LST	2.7	3.2	3.7	3.6	1.8	1.1	0.4	0.0	0.9	1.0	1.8	2.4	22.6	13	4183
	12 LST	7.2	7.6	10.4	11.0	8.0	4.0	2.1	1.5	3.0	4.5	6.9	7.1	73.3	13	4212
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND ND PRECIP.	18 LST	15.1	12.9	10.5	9.7	10.9	6.3	3.7	4.3	12.0	19.9	18.5	16.6	140.4	13	4216
	00 LST	12.0	13.0	13.6	13.3	17.5	18.2	20.9	23.5	20.6	19.3	17.1	14.8	203.8	13	4210
	06 LST	10.3	11.2	13.6	15.3	17.5	20.4	24.7	24.6	21.8	19.9	16.8	13.3	209.4	13	4183
	12 LST	9.4	8.4	8.2	5.7	9.0	8.6	4.4	6.7	9.6	12.8	10.4	10.6	103.8	13	4212
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	11.7	10.0	11.7	10.5	13.2	17.8	16.4	18.2	17.8	17.1	15.0	13.9	173.3	13	4294
	00 LST	13.9	13.2	15.1	11.7	14.1	17.5	21.7	22.5	19.6	18.7	17.7	17.1	202.8	13	4294
	06 LST	13.6	12.0	11.1	8.9	9.1	13.1	15.3	16.4	17.0	17.1	15.8	15.8	163.2	13	4294
	12 LST	10.7	10.7	11.1	9.3	8.5	11.4	12.9	12.7	12.7	14.9	13.5	12.8	141.2	13	4294
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	25.0	24.2	27.9	27.6	30.0	29.6	30.7	30.9	28.9	29.5	26.9	26.4	337.6	13	4294
	00 LST	23.9	23.1	26.6	25.7	28.6	28.7	30.5	30.7	28.7	28.6	25.7	25.9	326.7	13	4294
	06 LST	22.6	20.2	23.3	20.5	24.9	25.8	29.2	29.5	25.7	25.9	24.5	23.2	295.3	13	4294
	12 LST	23.3	21.3	25.0	24.8	28.3	28.6	30.5	30.4	27.8	28.0	25.4	24.5	317.9	13	4294
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	23.1	21.2	24.3	23.9	27.9	28.4	30.1	30.4	27.6	27.8	24.2	23.8	312.7	13	4294
	00 LST	21.5	20.4	24.2	22.5	26.7	27.6	30.4	30.0	27.8	27.2	24.2	24.0	306.5	13	4294
	06 LST	19.5	18.5	20.2	17.2	22.7	24.3	28.5	28.1	24.4	24.1	21.6	21.1	270.2	13	4294
	12 LST	20.5	18.8	21.3	19.4	23.2	24.9	28.6	28.0	24.8	25.8	22.2	21.9	279.4	13	4294
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	21.6	20.3	23.0	22.5	26.4	28.0	29.4	29.7	26.4	26.7	22.6	23.0	299.6	13	4294
	00 LST	20.2	19.3	22.8	21.0	25.7	27.1	29.8	29.1	26.5	25.6	22.4	22.9	292.4	13	4294
	06 LST	18.8	17.4	18.6	16.1	21.7	23.6	27.6	27.2	24.1	22.8	20.3	20.1	258.3	13	4294
	12 LST	19.9	17.4	20.3	18.3	22.5	24.3	27.5	27.7	24.2	24.5	20.8	21.1	268.5	13	4294

DEL RIO INT'L., TEXAS

STA NO. 72261 (IN AREA NUMBER 13)

LATITUDE 2922N

LONGITUDE 10055W

ELEVATION(FT) 00999

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	87	88	95	102	104	104	101	102	102	95	95	89	104	6	1726
MEAN MAX TMP (F)	60	67	74	82	89	93	94	94	90	83	72	66	80	6	1726
MEAN MIN TMP (F)	40	45	51	59	69	73	75	74	70	63	48	44	59	6	1726
ABS MIN TMP (F)	17	11	24	39	57	62	65	65	53	43	25	25	11	6	1726
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	1.2	6.6	13.2	23.7	28.0	27.0	17.0	4.2	0.8	0.0	121.7	6	1726
MEAN NO DYS TMP = OR LES 32(F)	6.4	3.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2.4	13.6	6	1726
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1726
MEAN DEW PT TMP (F)	37	42	43	52	64	67	69	66	65	59	42	41	54	6	31127
MEAN REL HUM (PCT)	67	67	55	58	65	64	63	60	64	66	57	65	63	6	31127
MEAN PRESS ALT (FT)	861	900	964	1020	1065	1054	998	1000	1009	965	893	851	964	5	-50
MEAN PRECIP (IN)	1.05	2.24	0.58	1.48	1.69	2.22	2.14	1.65	2.82	1.06	0.47	0.77	18.2	6	1687
MEAN SNOW FALL (IN)	0.5	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.2	6	1697
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.8	1.7	1.2	2.6	3.7	3.2	2.2	2.5	3.2	1.6	1.0	2.2	26.9	6	1687
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	6	1697
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	5.0	1.4	0.2	0.2	0.0	0.2	0.0	0.0	0.0	0.2	1.6	2.0	10.8	6	1725
MEAN NO DYS TSTMS	0.2	1.2	1.2	4.4	6.2	6.5	5.0	3.3	3.6	2.2	0.6	1.4	35.8	6	1726
P FREQ WND SPD = OR GTR 17 KTS	1.8	2.9	3.8	3.4	2.0	0.8	0.2	0.1	0.1	0.6	2.2	1.6	1.6	6	31127
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	31127
P FREQ LES 5000 FT A/D LES 5 MI	36.8	35.8	26.8	29.2	32.2	24.0	14.2	12.9	21.9	27.5	18.3	27.3	25.6	6	31125
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.6	17.1	8.8	7.8	3.2	1.1	2.7	1.6	3.3	6.0	7.1	9.7	7.6	6	5172
03-05 LST	29.9	28.4	18.7	15.0	15.1	8.3	5.1	6.8	10.0	16.2	9.8	13.5	14.8	6	5172
06-08 LST	35.3	35.0	25.4	26.4	23.4	19.2	5.4	6.6	13.1	23.2	16.4	18.7	20.7	6	5175
09-11 LST	36.8	39.0	31.0	26.3	23.4	27.5	5.6	6.1	15.3	26.6	16.0	24.5	23.2	6	1750
12-14 LST	23.9	21.0	9.9	7.4	3.8	3.1	0.8	1.6	2.9	5.6	6.2	14.6	8.4	6	5173
15-17 LST	17.4	12.6	3.9	5.4	0.3	0.3	0.3	0.5	1.8	1.7	5.3	7.5	4.8	6	5172
18-20 LST	14.8	9.2	2.6	4.0	0.0	0.8	0.0	0.7	1.3	1.9	6.0	5.2	3.9	6	1753
21-23 LST	15.5	11.3	3.2	3.4	0.0	0.8	0.0	1.4	3.2	3.2	6.0	5.2	4.4	6	1758
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.4	1.9	0.4	0.4	0.0	0.3	0.0	0.0	0.0	0.6	1.8	2.2	1.1	6	5172
03-05 LST	11.6	9.0	1.1	1.6	0.3	0.6	0.0	0.0	0.0	0.4	2.7	3.9	2.6	6	5172
06-08 LST	16.1	9.0	1.7	1.1	0.0	0.3	0.3	0.2	0.4	0.6	4.2	8.4	3.5	6	5175
09-11 LST	12.3	7.1	1.9	1.1	0.0	0.0	0.0	0.0	0.0	0.0	3.3	8.4	2.8	6	1750
12-14 LST	3.0	0.0	0.4	0.2	0.3	0.0	0.0	0.0	0.0	0.0	1.3	1.7	0.6	6	5173
15-17 LST	0.6	0.0	0.0	0.4	0.3	0.0	0.0	0.0	3.0	0.2	0.9	0.4	0.2	6	5172
18-20 LST	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.1	6	1753
21-23 LST	1.9	2.1	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.3	0.6	6	1758

DEL RIO INT'L., TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	27.8	26.8	30.6	29.4	30.7	30.0	30.7	30.8	30.0	30.6	28.8	29.8	356.0	6	1725
	09 LST	27.4	25.8	30.0	28.6	31.0	30.0	30.7	30.8	29.6	30.2	28.6	29.0	351.7	6	1726
	05 LST	23.8	21.6	27.0	27.0	29.7	29.5	30.2	30.3	28.6	28.0	28.0	27.2	330.9	6	1725
	11 LST	24.2	23.0	29.2	28.4	30.2	29.7	30.7	30.6	29.6	30.2	28.8	27.4	342.0	6	1725
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	15.8	13.7	11.8	13.5	13.0	11.7	15.0	15.4	19.6	20.0	20.2	20.2	189.9	6	1725
	23 LST	21.6	19.2	19.6	17.1	17.5	14.7	14.0	22.0	21.2	23.8	24.4	24.6	239.7	6	1726
	05 LST	16.6	15.5	15.2	14.1	16.5	16.5	24.2	26.8	23.4	21.6	22.0	21.6	234.0	6	1725
	11 LST	12.6	9.9	10.2	10.3	13.5	10.0	16.5	19.8	19.2	16.0	16.8	14.4	169.2	6	1725
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	0.8	2.0	1.4	1.4	0.7	0.0	0.2	0.0	0.0	0.0	0.2	1.0	7.7	6	1705
	23 LST	0.2	0.6	1.8	1.4	1.2	1.7	0.0	0.0	0.0	0.4	0.2	0.0	7.5	6	1693
	05 LST	0.4	0.8	0.8	0.8	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.2	3.4	6	1685
	11 LST	0.6	0.8	1.8	0.4	0.2	0.0	0.0	0.0	0.0	0.2	1.0	1.4	6.4	6	1688
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NU PRECIP.	17 LST	19.0	14.7	14.3	12.5	10.0	4.7	3.2	3.3	12.3	19.8	19.2	21.5	154.3	6	1705
	23 LST	19.9	18.1	19.8	15.9	19.1	15.5	18.4	18.9	17.5	19.6	20.2	21.4	224.3	6	1693
	05 LST	17.4	16.8	21.9	19.4	21.1	24.1	27.2	27.1	22.7	22.8	18.8	20.5	259.8	6	1685
	11 LST	16.5	14.9	15.6	12.0	18.2	15.1	19.5	16.3	21.2	21.7	16.7	17.4	205.1	6	1688
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	12.2	9.7	11.6	12.3	9.2	11.7	14.5	13.7	11.8	17.2	17.8	12.0	153.7	6	1725
	23 LST	15.4	13.5	17.8	19.1	16.2	19.0	23.5	23.7	20.8	22.0	21.6	19.4	232.0	6	1726
	05 LST	11.6	12.7	12.4	13.1	8.0	11.5	19.0	21.9	17.2	15.8	20.6	16.4	180.2	6	1725
	11 LST	10.4	7.5	11.0	10.4	9.5	10.2	12.7	14.5	11.2	13.2	17.8	11.6	140.0	6	1725
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	23.8	23.2	29.2	26.8	30.2	29.5	30.5	30.6	28.6	30.0	28.0	27.8	338.2	6	1725
	23 LST	23.6	21.4	27.0	27.0	28.2	29.5	30.3	30.3	28.0	29.0	27.0	26.0	327.5	6	1726
	05 LST	18.4	16.9	20.7	19.5	19.2	22.2	27.7	27.4	24.0	22.2	25.0	23.2	265.9	6	1725
	11 LST	19.8	16.7	23.8	22.7	24.0	24.0	28.2	25.5	25.8	23.4	26.0	22.4	286.3	6	1725
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	22.8	21.8	27.0	25.6	27.5	27.8	28.2	28.2	26.4	28.2	26.0	25.4	314.9	6	1725
	23 LST	21.8	19.7	25.2	24.5	25.0	26.7	30.0	29.1	26.0	26.6	24.6	24.2	303.4	6	1726
	05 LST	17.8	16.3	19.0	17.1	16.5	19.7	27.0	26.1	21.6	19.6	22.8	21.0	244.5	6	1725
	11 LST	17.8	15.1	21.0	19.1	19.0	18.8	24.0	24.9	21.4	19.2	24.2	21.0	245.5	6	1725
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	22.2	21.4	26.2	25.4	27.2	27.8	28.2	27.6	26.0	28.0	25.8	24.6	310.4	6	1725
	23 LST	21.8	19.5	25.0	23.9	24.5	26.3	29.5	28.7	25.4	25.6	24.6	24.0	298.8	6	1726
	05 LST	16.8	16.3	18.6	16.9	16.5	19.2	26.2	25.7	21.6	19.4	22.8	21.0	241.0	6	1725
	11 LST	17.2	14.7	20.6	19.1	19.0	18.8	24.0	24.9	21.4	18.8	24.0	21.0	243.5	6	1725

BRACKETTVILLE/FORT CLARK RANCH, TEXAS

STA NO. 73102 (IN AREA NUMBER 13)

LATITUDE 2917N

LONGITUDE 10025W

ELEVATION(FT) 01105

PARAMETER -- DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	82	93	102	98	102	108	110	107	103	102	90	89	110	13	-73104
MEAN MAX TMP (F)	61	68	75	82	89	94	97	96	91	81	69	63	81	13	-73104
MEAN MIN TMP (F)	40	47	51	60	67	73	76	76	70	61	49	42	59	13	-73104
ABS MIN TMP (F)	8	19	26	32	46	57	66	61	52	40	26	22	8	13	-73104
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.3	1.1	6.0	15.0	25.8	29.1	28.5	20.5	3.7	0.1	0.0	130.1	13	-73104
MEAN NO DYS TMP = OR LES 32(F)	4.9	2.2	1.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.8	3.8	12.9	13	-73104
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-73104
MEAN DEW PT TMP (F)	38	42	42	52	61	66	66	66	63	57	45	39	53	13	-73104
MEAN REL HUM (PCT)	68	63	53	57	61	60	56	56	60	65	65	66	61	13	-73104
MEAN PRESS ALT (FT)	961	1001	1066	1122	1146	1155	1099	1101	1109	1065	992	961	1065	0	-50
MEAN PRECIP (IN)	0.03	0.93	1.26	1.83	3.32	2.65	1.98	1.79	2.89	2.17	1.17	1.08	21.9	72	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-73104
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.4	2.6	3.4	4.5	6.4	5.1	4.1	3.8	4.8	3.9	2.5	2.9	46.4	72	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-73104
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	6.4	2.9	1.2	0.9	0.5	0.2	0.1	0.1	0.0	0.7	2.8	3.9	19.7	13	-73104
MEAN NO DYS TSTMS	0.2	0.8	1.1	3.3	5.7	4.5	2.8	2.6	2.3	2.6	0.3	0.4	26.6	13	-73104
P FREQ WND SPD = OR GTR 17 KTS	3.5	6.3	6.4	8.8	8.1	5.7	3.7	1.7	1.6	1.9	2.0	3.8	4.5	13	-73104
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.5	0.4	0.1	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.1	13	-73104
P FREQ LES 5000 FT A/D LES 5 MI	31.1	32.6	26.0	28.6	26.1	23.9	13.3	11.1	20.1	24.9	27.5	27.1	24.4	13	-73104
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	17.2	16.1	10.1	7.6	5.5	3.3	0.7	1.2	2.4	5.7	8.6	13.6	7.7	13	-73104
03-05 LST	23.6	23.8	19.0	17.2	13.4	9.9	2.7	2.2	5.5	11.7	16.3	19.2	13.7	13	-73104
06-08 LST	31.6	33.2	25.6	29.8	25.5	25.0	7.3	6.0	13.8	24.0	24.2	25.7	22.6	13	-73104
09-11 LST	31.1	31.6	22.2	22.0	14.3	12.8	4.2	3.6	8.8	19.3	24.7	25.1	18.3	13	-73104
12-14 LST	23.2	19.5	9.3	5.9	3.9	2.2	0.4	1.4	2.3	4.7	12.1	16.1	8.4	13	-73104
15-17 LST	12.3	9.9	3.5	2.1	0.4	0.8	0.7	0.3	1.4	2.5	4.5	10.0	4.0	13	-73104
18-20 LST	9.7	9.0	3.8	2.0	0.7	0.7	0.2	0.2	1.1	2.8	4.5	9.3	3.6	13	-73104
21-23 LST	12.7	10.5	5.2	2.9	1.2	1.1	0.1	0.0	1.6	2.5	6.5	9.6	4.5	13	-73104
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.8	4.0	0.8	0.9	0.3	0.0	0.0	0.0	0.0	0.6	2.0	4.8	1.0	13	-73104
03-05 LST	12.3	7.0	3.4	1.4	0.5	0.2	0.2	0.1	0.1	1.9	3.2	7.7	3.2	13	-73104
06-08 LST	15.6	11.7	4.3	1.9	1.0	0.0	0.1	0.0	0.1	2.7	8.9	9.1	4.6	13	-73104
09-11 LST	9.5	6.9	1.6	1.6	0.5	0.1	0.0	0.0	0.0	0.6	3.3	6.8	2.6	13	-73104
12-14 LST	1.4	1.5	0.7	0.3	0.1	0.1	0.0	0.0	0.1	0.3	0.6	0.4	0.5	13	-73104
15-17 LST	0.9	0.8	0.2	0.1	0.0	0.1	0.2	0.2	0.1	0.4	0.3	0.2	0.3	13	-73104
18-20 LST	2.0	1.0	0.2	0.4	0.2	0.3	0.1	0.0	0.0	0.5	0.6	1.1	0.5	13	-73104
21-23 LST	4.9	2.1	0.9	0.4	0.2	0.1	0.0	0.0	0.0	0.4	1.3	2.1	1.0	13	-73104

BRACKETTVILLE/FORT CLARK RANCH, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	28.7	26.2	30.3	29.7	30.9	29.7	30.8	30.8	29.8	30.5	29.1	29.2	355.7	13	-73104
	23 LST	27.2	25.4	29.6	29.4	30.7	29.4	31.0	31.0	29.8	30.4	28.4	28.7	351.0	13	-73104
	05 LST	24.1	22.1	26.4	26.6	29.0	28.6	30.8	30.3	29.4	28.1	25.7	25.7	326.8	13	-73104
	11 LST	23.5	22.0	27.8	28.1	30.1	29.3	30.9	30.7	29.3	28.9	26.3	25.1	332.0	13	-73104
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	17.7	12.9	13.9	10.7	10.3	9.8	12.4	14.6	16.7	17.9	20.8	19.8	177.5	13	-73104
	23 LST	21.3	17.9	19.5	15.8	13.9	12.8	17.7	20.4	22.3	24.6	24.2	23.8	234.2	13	-73104
	05 LST	18.2	15.5	18.0	15.4	16.1	15.2	22.1	22.6	22.9	20.8	20.6	20.4	227.8	13	-73104
	11 LST	13.4	9.2	11.6	10.1	10.9	11.5	18.2	17.4	17.6	15.5	14.8	15.6	167.8	13	-73104
SFC WND = GTR 17 KTS AND ND PRECIP.	17 LST	1.2	3.3	4.0	5.3	3.9	2.8	1.7	1.1	1.1	0.6	0.7	1.4	27.1	13	-73104
	23 LST	0.7	1.2	1.5	3.8	4.2	3.3	1.9	1.3	0.5	0.2	0.2	0.6	19.4	13	-73104
	05 LST	0.6	0.7	0.8	0.8	0.6	0.2	0.3	0.2	0.2	0.2	0.2	0.8	5.6	13	-73104
	11 LST	0.9	3.1	2.9	2.8	1.7	1.4	0.7	0.1	0.3	0.6	1.4	2.0	17.9	13	-73104
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NU PRECIP.	17 LST	17.9	13.9	13.5	9.8	7.6	2.8	2.4	2.2	8.0	16.1	19.2	17.2	130.6	13	-73104
	23 LST	16.1	15.7	17.9	15.1	14.0	13.5	17.4	16.2	18.1	18.5	17.0	14.7	194.2	13	-73104
	05 LST	15.0	15.5	18.3	17.7	19.3	19.3	22.5	22.3	19.5	19.8	15.5	13.0	217.7	13	-73104
	11 LST	16.4	13.9	15.1	13.7	14.6	14.0	14.4	13.9	16.3	17.9	17.1	15.2	182.5	13	-73104
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	8.8	11.8	11.3	10.8	10.9	10.7	10.7	9.6	13.1	13.9	13.7	13.5	138.8	10	-73104
	23 LST	13.5	14.0	16.6	15.2	17.0	19.6	22.7	22.0	20.7	18.6	17.2	18.6	215.7	10	-73104
	05 LST	13.4	11.3	14.1	11.1	10.7	12.3	18.7	20.5	18.4	14.7	15.4	16.2	176.8	10	-73104
	11 LST	10.0	9.1	10.3	8.9	9.0	9.0	11.5	13.0	11.4	10.5	11.6	11.6	125.9	10	-73104
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	26.4	24.5	29.3	28.3	30.5	29.3	30.7	30.8	29.4	29.6	27.4	26.6	342.8	13	-73104
	23 LST	24.8	24.0	28.5	28.0	30.1	29.0	30.8	30.8	29.1	28.6	26.3	26.6	336.6	13	-73104
	05 LST	22.1	18.3	21.6	20.8	21.3	21.1	28.4	29.1	25.8	23.4	22.7	23.0	277.6	13	-73104
	11 LST	20.6	17.9	22.9	21.0	23.3	22.6	28.3	28.1	25.3	23.1	20.8	22.0	275.9	13	-73104
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	24.2	22.5	26.3	24.8	27.0	27.2	27.5	27.7	26.5	26.6	24.6	24.8	309.7	13	-73104
	23 LST	22.5	21.3	26.2	26.1	28.1	28.4	29.9	30.2	27.0	26.7	23.0	24.1	313.5	13	-73104
	05 LST	19.8	16.2	19.7	17.9	18.5	19.1	26.9	27.7	22.8	20.6	20.2	20.8	250.2	13	-73104
	11 LST	18.7	15.4	20.0	17.5	17.8	16.2	23.1	24.3	18.8	18.8	18.3	20.5	229.4	13	-73104
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	23.3	21.8	26.0	23.7	25.3	26.1	27.1	26.5	24.4	25.5	23.4	23.7	296.8	13	-73104
	23 LST	21.6	20.6	25.9	24.8	26.6	27.4	29.1	29.4	25.7	25.6	22.1	23.0	301.8	13	-73104
	05 LST	18.7	15.7	18.9	17.2	16.9	18.6	26.3	27.1	22.3	19.7	19.3	19.9	240.6	13	-73104
	11 LST	17.8	14.9	19.6	16.6	16.8	15.9	22.7	23.7	18.2	18.2	17.4	19.1	220.9	13	-73104

UVALDE/GARNER FIELD, TEXAS

STA NO. 73103 (IN AREA NUMBER 13)

LATITUDE 2912N

LONGITUDE 09944W

ELEVATION(FT) 00941

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	92	100	104	104	107	114	112	110	106	102	98	93	114	51	-113
MEAN MAX TMP (F)	66	71	78	84	89	95	98	99	93	86	74	67	83	51	-113
MEAN MIN TMP (F)	39	43	49	57	65	71	72	72	68	58	47	40	57	51	-113
ABS MIN TMP (F)	10	6	20	27	40	53	60	59	41	23	17	15	6	51	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	1.0	3.0	7.0	15.0	27.0	30.0	29.0	23.0	8.0	0.3	0.3	143.6	9	-113
MEAN NO DYS TMP = DR LES 32(F)	11.0	6.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3.0	8.0	30.3	10	-113
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31	-29
MEAN DEW PT TMP (F)	40	46	49	55	62	69	69	68	65	57	49	41	56	5	-73587
MEAN REL HUM (PCT)	68	70	65	63	68	71	64	61	66	69	68	70	67	5	-73587
MEAN PRESS ALT (FT)	789	829	897	932	976	984	928	931	938	892	818	789	894	0	-50
MEAN PRECIP (IN)	1.08	1.28	1.47	2.14	3.18	2.88	2.30	2.22	2.67	2.35	1.20	1.25	24.0	64	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-73587
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.9	3.3	3.9	5.0	6.3	5.4	4.6	4.5	4.5	4.1	2.6	3.3	50.4	64	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-73587
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	5.3	5.6	0.7	1.0	1.3	1.3	0.0	0.0	0.5	1.2	3.8	5.5	26.2	5	-73587
MEAN NO DYS TSMS	0.7	2.0	3.7	4.0	6.7	3.7	3.3	2.0	2.9	1.7	0.8	1.2	32.7	4	-73587
P FREQ WND SPD = DR GTR 17 KTS	1.6	3.4	3.8	4.0	5.3	4.2	0.9	0.8	1.2	0.5	1.6	2.0	2.4	5	-73587
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	5	-73587
P FREQ LES 5000 FT A/D LES 5 MI	34.9	44.1	46.8	40.0	42.0	50.4	25.6	19.3	30.6	26.5	37.8	36.3	36.2	5	-73587
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	24.4	32.5	36.9	29.3	32.3	32.3	8.2	6.1	12.6	12.9	21.4	21.3	22.5	4	-73587
03-05 LST	29.4	39.0	39.1	33.3	39.8	54.4	18.3	18.2	24.1	20.2	35.1	24.9	31.3	6	-73587
06-08 LST	31.5	47.2	39.0	45.5	44.1	50.4	27.8	22.4	28.2	25.7	34.3	32.1	35.7	9	-73587
09-11 LST	29.5	40.7	28.9	30.4	21.8	11.9	4.1	2.9	8.6	16.9	20.5	27.9	21.0	9	-73587
12-14 LST	16.4	21.1	12.5	9.3	3.3	1.3	0.6	1.4	2.8	5.9	11.2	17.7	8.6	9	-73587
15-17 LST	12.1	16.0	7.5	5.1	2.1	0.2	0.5	0.5	3.3	2.7	6.0	14.2	6.0	9	-73587
18-20 LST	8.5	13.4	5.7	0.6	1.6	1.5	0.7	0.3	2.0	2.9	6.7	14.4	4.9	9	-73587
21-23 LST	14.3	20.0	18.5	14.7	8.3	5.7	1.0	1.3	6.5	4.7	10.1	18.5	10.3	9	-73587
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.5	12.5	2.2	1.5	0.4	1.1	0.0	0.7	0.3	0.5	1.1	7.0	2.8	4	-73587
03-05 LST	10.0	19.3	3.2	3.3	2.2	1.1	0.0	0.0	1.6	1.9	4.1	13.6	5.0	6	-73587
06-08 LST	11.1	15.4	4.8	6.7	1.9	0.0	0.0	0.2	0.4	3.2	5.6	12.7	5.2	9	-73587
09-11 LST	5.9	9.1	0.9	1.1	0.4	0.0	0.0	0.0	0.4	0.9	2.4	5.2	2.2	9	-73587
12-14 LST	2.3	5.5	0.7	0.7	0.6	0.0	0.0	0.0	0.0	0.7	0.2	1.5	1.0	9	-73587
15-17 LST	2.1	2.9	0.6	0.0	0.2	0.0	0.3	0.0	0.9	0.8	0.2	2.3	0.9	9	-73587
18-20 LST	2.8	5.2	0.0	0.0	0.5	0.6	0.0	0.0	0.0	0.7	1.0	3.6	1.2	9	-73587
21-23 LST	5.5	6.5	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.8	1.6	4.9	1.6	9	-73587

UVALDE/GARNER FIELD, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	28.0	24.6	29.9	28.8	30.5	30.0	31.0	31.0	29.3	30.3	28.6	27.8	349.8	9	-73587
	23 LST	27.6	23.2	27.7	27.2	30.2	29.5	31.0	30.7	29.2	29.1	28.9	26.6	340.9	9	-73587
	09 LST	23.2	16.7	22.5	21.0	22.1	21.5	27.4	28.3	25.5	26.3	23.3	23.7	281.5	9	-73587
	11 LST	25.5	22.0	27.7	27.3	29.5	29.5	31.0	30.8	29.3	29.7	27.2	25.8	335.4	9	-73587
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	17.7	13.1	13.9	12.7	13.5	12.6	17.8	20.2	21.7	24.5	21.4	21.7	210.8	9	-73587
	23 LST	22.3	18.1	15.6	17.8	14.7	13.5	19.7	17.4	22.1	26.6	22.5	20.9	231.2	9	-73587
	09 LST	16.4	11.8	15.0	11.8	13.7	10.3	22.2	23.5	20.2	21.2	17.2	18.3	201.6	9	-73587
	11 LST	14.5	8.0	10.5	10.8	14.0	15.2	24.2	25.4	23.5	20.6	13.3	16.6	196.6	9	-73587
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	1.1	1.6	2.2	3.1	1.4	1.4	0.8	0.2	0.2	0.2	0.5	0.6	13.3	9	-73587
	23 LST	0.6	0.9	0.3	1.1	0.5	1.8	0.0	0.0	0.0	0.2	0.5	1.1	7.0	9	-73587
	09 LST	0.4	0.2	0.9	0.7	0.0	0.0	0.0	0.0	0.2	0.0	0.5	0.2	3.1	9	-73587
	11 LST	0.9	1.8	1.9	1.7	0.7	0.3	0.0	0.0	0.2	0.2	1.1	0.6	9.4	9	-73587
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	18.9	16.7	17.6	15.1	14.4	6.9	2.0	2.9	8.7	18.4	19.0	17.2	157.8	9	-73587
	23 LST	17.5	14.8	18.7	19.8	17.4	16.7	18.8	21.1	13.5	18.5	13.5	12.0	202.3	9	-73587
	09 LST	12.7	13.0	15.9	16.9	16.4	15.0	9.9	9.4	9.4	15.7	14.0	10.7	159.0	9	-73587
	11 LST	17.4	14.3	18.5	14.6	16.4	18.5	14.3	9.8	17.6	20.0	18.3	18.3	198.0	9	-73587
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	8.8	5.7	7.8	5.4	9.0	10.4	5.0	7.8	10.0	17.1	13.7	14.3	115.0	5	-73587
	23 LST	8.6	12.0	12.4	13.1	8.8	20.9	27.5	23.3	27.0	21.7	16.1	24.1	215.5	5	-73587
	09 LST	12.0	6.6	6.6	5.0	8.1	5.7	11.8	12.3	11.0	13.9	12.2	13.3	118.5	5	-73587
	11 LST	9.6	7.0	10.1	7.7	8.1	6.4	10.3	13.2	9.5	14.3	10.0	14.4	120.6	5	-73587
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	25.4	21.8	27.9	27.3	30.1	29.6	30.2	30.6	28.2	29.2	27.3	24.7	332.3	9	-73587
	23 LST	24.3	21.5	21.7	22.1	24.2	24.4	30.4	29.8	26.6	28.0	25.3	22.8	301.1	9	-73587
	09 LST	19.3	13.3	17.4	14.2	14.7	10.7	22.4	23.5	19.9	21.9	19.4	20.4	217.1	9	-73587
	11 LST	21.4	15.4	19.7	19.8	22.6	23.8	29.4	29.8	25.7	23.7	20.0	21.9	273.2	9	-73587
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	22.8	17.9	22.8	22.4	24.2	25.0	26.6	27.5	24.2	26.6	23.8	22.3	286.1	9	-73587
	23 LST	21.5	18.6	19.7	20.6	22.3	23.9	27.9	29.5	25.6	25.9	20.7	20.4	276.6	9	-73587
	09 LST	17.8	11.3	14.1	11.5	12.8	9.8	21.6	22.9	18.6	20.4	17.0	18.7	196.5	9	-73587
	11 LST	19.1	12.7	16.5	16.8	17.1	12.4	21.6	22.7	18.8	19.8	16.3	20.0	213.8	9	-73587
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	20.8	17.1	22.1	21.1	22.2	23.8	23.8	25.4	22.8	25.9	21.8	21.5	268.3	9	-73587
	23 LST	19.8	17.5	19.5	19.0	20.9	23.6	27.7	29.5	24.1	24.3	20.7	19.6	266.2	9	-73587
	09 LST	16.9	10.9	13.6	11.0	11.8	9.6	20.9	22.1	18.1	19.9	16.1	17.5	188.4	9	-73587
	11 LST	17.3	11.9	16.2	15.3	15.9	12.2	20.6	22.1	17.7	19.3	15.2	18.3	202.0	9	-73587

DEL RIO/LAUGHLIN AFB, TEXAS

STA NO. 73104 (IN AREA NUMBER 13)

LATITUDE 2922N

LONGITUDE 10047W

ELEVATION(FT) 01081

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	82	93	102	98	102	108	110	107	103	102	90	89	110	13	4427
MEAN MAX TMP (F)	61	68	75	82	89	94	97	96	91	81	69	63	81	13	4426
MEAN MIN TMP (F)	40	47	51	60	67	73	76	76	77	61	49	42	59	13	4426
ABS MIN TMP (F)	8	19	26	32	46	57	66	61	52	40	26	22	8	13	4426
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.3	1.1	6.0	15.0	25.8	29.1	28.5	20.5	3.7	0.1	0.0	130.1	13	4427
MEAN NO DYS TMP = OR LES 32(F)	4.9	2.2	1.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.8	3.8	12.9	13	4426
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	4426
MEAN DEW PT TMP (F)	38	42	42	52	61	66	66	66	63	57	45	39	53	13	106106
MEAN REL HUM (PCT)	68	63	53	57	61	60	56	56	60	65	65	66	61	13	106101
MEAN PRESS ALT (FT)	942	980	1045	1101	1125	1135	1079	1080	1089	1045	973	942	1045	0	-50
MEAN PRECIP (IN)	1.00	1.40	0.79	1.89	2.66	2.85	1.48	1.37	2.07	2.82	0.75	0.69	19.8	13	4407
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3477
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.0	2.0	1.3	2.3	3.7	3.0	2.1	1.9	2.8	3.3	2.3	1.7	28.4	13	4407
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3477
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	6.4	2.9	1.2	0.9	0.5	0.2	0.1	0.1	0.0	0.7	2.8	3.9	19.7	13	4424
MEAN NO DYS YSTMS	0.2	0.8	1.1	3.3	5.7	4.5	2.8	2.8	2.3	2.6	0.3	0.4	26.6	13	4426
P FREQ WND SPD = OR GTR 17 KTS	3.5	6.3	6.4	8.8	8.1	5.7	3.7	1.7	1.6	1.9	2.0	3.8	4.5	13	106137
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.5	0.4	0.1	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.1	13	106137
P FREQ LES 5000 FT A/D LES 5 MI	31.1	32.6	26.0	28.6	26.1	23.9	13.3	11.1	20.1	24.9	27.5	27.1	24.4	13	106130
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	17.2	16.1	10.1	7.1	5.5	3.3	0.7	1.2	2.4	5.7	8.6	13.6	7.7	13	13263
03-05 LST	23.6	23.8	19.0	17.2	13.4	9.9	2.7	2.2	5.5	11.7	16.3	19.2	13.7	13	13273
06-08 LST	31.6	33.2	25.6	29.8	25.5	25.0	7.3	6.0	13.8	24.0	24.2	25.7	22.6	13	13275
09-11 LST	31.1	31.6	22.2	22.0	14.3	12.8	4.2	3.6	8.8	19.3	24.7	25.1	18.3	13	13270
12-14 LST	23.2	19.5	9.3	5.9	3.9	2.2	0.4	1.4	2.3	4.7	12.1	16.1	8.4	13	13271
15-17 LST	12.3	9.9	3.5	2.1	0.4	0.8	0.7	0.3	1.4	2.5	4.5	10.0	4.0	13	13273
18-20 LST	9.7	9.0	3.8	2.0	0.7	0.7	0.2	0.2	1.1	2.3	4.5	9.3	3.6	13	13279
21-23 LST	12.7	10.5	5.2	2.9	1.2	1.1	0.1	0.0	1.6	2.5	6.5	9.6	4.5	13	13273
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.8	4.0	0.8	0.9	0.3	0.0	0.0	0.0	0.0	0.6	2.0	4.8	1.6	13	13263
03-05 LST	12.3	7.0	3.4	1.4	0.5	0.2	0.2	0.1	0.1	1.9	3.2	7.7	3.2	13	13273
06-08 LST	19.6	11.7	4.3	1.9	1.0	0.0	0.1	0.0	0.1	2.7	8.9	9.1	4.6	13	13275
09-11 LST	9.5	6.9	1.6	1.6	0.5	0.1	0.0	0.0	0.0	0.6	3.3	6.8	2.6	13	13270
12-14 LST	1.4	1.5	0.7	0.3	0.1	0.1	0.0	0.0	0.1	0.3	0.6	0.4	0.5	13	13271
15-17 LST	0.9	0.8	0.2	0.1	0.0	0.1	0.2	0.2	0.1	0.4	0.3	0.2	0.3	13	13273
18-20 LST	2.0	1.0	0.2	0.4	0.2	0.3	0.1	0.0	0.0	0.5	0.6	1.1	0.5	13	13279
21-23 LST	4.9	2.1	0.9	0.4	0.2	0.1	0.0	0.0	0.0	0.4	1.3	2.1	1.0	13	13273

DEL RIO/LAUGHLIN AFB, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	28.7	26.2	30.3	29.7	30.9	29.7	30.8	30.8	29.8	30.5	29.1	29.2	355.7	13	4427
	23 LST	27.2	25.4	29.6	29.4	30.7	29.4	31.0	31.0	29.8	30.4	28.4	28.7	351.0	13	4427
	05 LST	24.1	22.1	26.4	26.6	29.0	28.6	30.8	30.3	29.4	28.1	25.7	25.7	326.8	13	4427
	11 LST	23.5	22.0	27.8	28.1	30.1	29.3	30.9	30.7	29.3	28.9	26.3	25.1	332.0	13	4427
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	17.7	12.9	13.9	10.7	10.3	9.8	12.4	14.6	16.7	17.9	20.8	19.8	177.5	13	4427
	23 LST	21.3	17.9	19.5	15.8	13.9	12.8	17.7	20.4	22.3	24.6	24.2	23.8	234.2	13	4427
	05 LST	18.2	15.5	18.0	15.4	16.1	15.2	22.1	22.6	22.9	20.8	20.6	20.4	227.8	13	4427
	11 LST	13.4	9.2	11.6	10.1	10.9	11.5	18.2	19.4	17.6	15.5	14.8	15.7	167.8	13	4427
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	1.2	3.3	4.0	5.3	3.9	2.8	1.7	1.1	1.1	0.6	0.7	1.4	27.1	13	4390
	23 LST	0.7	1.2	1.5	3.8	4.2	3.3	1.9	1.3	0.5	0.2	0.2	0.6	19.4	13	4356
	05 LST	0.6	0.7	0.8	0.8	0.6	0.2	0.3	0.2	0.2	0.2	0.2	0.8	5.6	13	4338
	11 LST	0.9	3.1	2.9	2.8	1.7	1.4	0.7	0.1	0.3	0.6	1.4	2.0	17.9	13	4370
SFC WND 4-10 KTS AND TMP 33.89 DEG F AND NO PRECIP.	17 LST	17.9	13.9	13.5	9.8	7.6	2.8	2.4	2.2	8.0	16.1	19.2	17.2	130.6	13	4390
	23 LST	16.1	15.7	17.9	15.1	14.0	13.5	17.4	16.2	18.1	18.5	17.0	14.7	194.2	13	4356
	05 LST	15.0	15.5	18.3	17.7	19.3	19.3	22.5	22.3	19.5	19.8	15.5	13.0	217.7	13	4338
	11 LST	16.4	13.9	15.1	13.7	14.6	14.0	14.4	13.9	16.3	17.9	17.1	15.2	182.5	13	4370
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	8.8	11.8	11.3	10.8	10.9	10.7	10.7	9.6	13.1	13.9	13.7	13.5	138.8	10	3476
	23 LST	13.5	14.0	16.6	15.2	17.0	19.6	22.7	22.0	20.7	18.6	17.2	18.6	215.7	10	3476
	05 LST	13.4	11.3	14.1	11.1	10.7	12.3	18.7	20.5	18.4	14.7	15.4	16.2	176.8	10	3476
	11 LST	10.0	9.1	10.3	8.9	9.0	9.0	11.5	13.0	11.4	10.5	11.6	11.6	125.9	10	3476
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	26.4	24.5	29.3	28.3	30.5	29.3	30.7	30.8	29.4	29.6	27.4	26.6	342.8	13	4427
	23 LST	24.8	24.0	28.5	28.0	30.1	29.0	30.8	30.8	29.1	28.6	26.3	26.6	336.6	13	4427
	05 LST	22.1	18.3	21.6	20.8	21.3	21.1	28.4	29.1	25.8	23.4	22.7	23.0	277.6	13	4427
	11 LST	20.6	17.9	22.9	21.0	23.3	22.6	28.3	28.1	25.3	23.1	20.8	22.0	275.9	13	4427
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	24.2	22.5	26.3	24.8	27.0	27.2	27.5	27.7	26.5	26.6	24.6	24.8	309.7	13	4427
	23 LST	22.5	21.3	26.2	26.1	28.1	28.4	29.9	30.2	27.0	26.7	23.0	24.1	313.5	13	4427
	05 LST	19.8	16.2	19.7	17.9	18.5	19.1	26.9	27.7	22.8	20.6	20.2	20.8	250.2	13	4427
	11 LST	18.7	15.4	20.0	17.5	17.8	16.2	23.1	24.3	18.8	18.8	18.3	20.5	229.4	13	4427
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	23.3	21.8	26.0	23.7	25.3	26.1	27.1	26.5	24.4	25.5	23.4	23.7	296.8	13	4427
	23 LST	21.6	20.6	25.9	24.8	26.6	27.4	29.1	29.4	25.7	25.8	22.1	23.0	301.8	13	4427
	05 LST	18.7	15.7	18.9	17.2	16.9	18.6	26.3	27.1	22.3	19.7	19.3	19.9	240.6	13	4427
	11 LST	17.8	14.9	19.6	16.6	16.8	15.9	22.7	23.7	18.2	18.2	17.4	19.1	220.9	13	4427

EAGLE PASS/LAUGHLIN AF AUXILIARY, TEXAS

STA NO. 73105 (IN AREA NUMBER 13)	LATITUDE 2851N LONGITUDE 10031W ELEVATION(FT) 00887												PDR	NO.	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	UBS
ABS MAX TMP (F)	82	93	102	98	102	108	110	107	103	102	90	89	110	13	-73104
MEAN MAX TMP (F)	61	68	75	82	89	94	97	96	91	81	69	63	81	13	-73104
MEAN MIN TMP (F)	40	47	51	60	67	73	76	76	70	61	49	42	59	13	-73104
ABS MIN TMP (F)	8	19	26	32	46	57	66	61	52	40	26	22	8	13	-73104
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.3	1.1	6.0	15.0	25.8	29.1	28.5	20.5	3.7	0.1	0.0	130.1	13	-73104
MEAN NO DYS TMP = DR LES 32(F)	4.9	2.2	1.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.8	3.8	12.9	13	-73104
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-73104
MEAN DEW PT TMP (F)	38	42	42	52	61	66	66	66	63	57	45	39	53	13	-73104
MEAN REL HUM (PCT)	68	63	53	57	61	60	56	56	60	65	65	66	61	13	-73104
MEAN PRESS ALT (FT)	743	784	851	906	931	941	884	886	892	848	774	742	849	0	-50
MEAN PRECIP (IN)	1.00	1.40	0.79	1.89	2.66	2.85	1.48	1.37	2.07	2.82	0.75	0.69	19.8	13	-73104
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-73104
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.0	2.0	1.3	2.3	3.7	3.0	2.1	1.9	2.8	3.3	2.3	1.7	28.4	13	-73104
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-73104
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.4	2.9	1.2	0.9	0.5	0.2	0.1	0.1	0.0	0.7	2.8	3.9	19.7	13	-73104
MEAN NO DYS TSTMS	0.2	0.8	1.1	3.3	5.7	4.5	2.8	2.6	2.3	2.6	0.3	0.4	26.6	13	-73104
P FREQ WND SPD = DR GTR 17 KTS	3.5	6.3	6.4	8.8	8.1	5.7	3.7	1.7	1.6	1.9	2.0	3.8	4.5	13	-73104
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.5	0.4	0.1	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.1	13	-73104
P FREQ LES 5000 FT A/D LES 5 MI	31.1	32.6	26.0	28.6	26.1	23.9	13.3	11.1	20.1	24.9	27.5	27.1	24.4	13	-73104
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	17.2	16.1	10.1	7.6	5.5	3.3	0.7	1.2	2.4	5.7	8.6	13.6	7.7	13	-73104
03-05 LST	23.6	23.8	19.0	17.2	13.4	9.9	2.7	2.2	5.5	11.7	16.3	19.2	13.7	13	-73104
06-08 LST	31.6	33.2	25.6	29.8	25.5	25.0	7.3	6.0	13.8	24.0	24.2	25.7	22.6	13	-73104
09-11 LST	31.1	31.6	22.2	22.0	14.3	12.8	4.2	3.6	8.8	19.3	24.7	25.1	18.3	13	-73104
12-14 LST	23.2	19.5	9.3	5.9	3.9	2.2	0.4	1.4	2.3	4.7	12.1	16.1	8.4	13	-73104
15-17 LST	12.3	9.9	3.5	2.1	0.4	0.8	0.7	0.3	1.4	2.5	4.5	10.0	4.0	13	-73104
18-20 LST	9.7	9.0	3.8	2.0	0.7	0.7	0.2	0.2	1.1	2.3	4.5	9.3	3.6	13	-73104
21-23 LST	12.7	10.5	5.2	2.9	1.2	1.1	0.1	0.0	1.6	2.5	6.5	9.6	4.5	13	-73104
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.8	4.0	0.8	0.9	0.3	0.0	0.0	0.0	0.0	0.6	2.0	4.8	1.6	13	-73104
03-05 LST	12.3	7.0	3.4	1.4	0.5	0.2	0.2	0.1	0.1	1.9	3.2	7.7	3.2	13	-73104
06-08 LST	15.6	11.7	4.3	1.9	1.0	0.0	0.1	0.0	0.1	7.7	8.9	9.1	4.6	13	-73104
09-11 LST	9.5	6.9	1.6	1.6	0.5	0.1	0.0	0.0	0.0	0.6	3.3	6.8	2.6	13	-73104
12-14 LST	1.4	1.5	0.7	0.3	0.1	0.1	0.0	0.0	0.1	0.3	0.6	0.4	0.5	13	-73104
15-17 LST	0.9	0.8	0.2	0.1	0.0	0.1	0.2	0.2	0.1	0.4	0.3	0.2	0.3	13	-73104
18-20 LST	2.0	1.0	0.2	0.4	0.2	0.3	0.1	0.0	0.0	0.5	0.6	1.1	0.5	13	-73104
21-23 LST	4.9	2.1	0.9	0.4	0.2	0.1	0.0	0.0	0.0	0.4	1.3	2.1	1.0	13	-73104

EAGLE PASS/LAUGHLIN AF AUXILIARY, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	28.7	26.2	30.3	29.7	30.9	29.7	30.8	30.8	29.8	30.9	29.1	29.2	355.7	13	-73104
	23 LST	27.2	25.4	29.6	29.4	30.7	29.4	31.0	31.0	29.8	30.4	28.4	28.7	351.0	13	-73104
	05 LST	24.1	22.1	26.4	26.6	29.0	28.6	30.8	30.3	29.4	28.1	25.7	25.7	326.8	13	-73104
	11 LST	23.5	22.0	27.8	26.1	30.1	29.3	30.9	30.7	29.3	28.9	26.3	25.1	332.0	13	-73104
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	17.7	12.9	13.9	10.7	10.3	9.8	12.4	14.6	16.7	17.9	20.8	19.8	177.5	13	-73104
	23 LST	21.3	17.9	19.5	15.8	13.9	12.8	17.7	20.4	22.3	24.6	24.2	23.8	234.2	13	-73104
	05 LST	18.2	15.5	18.0	15.4	16.1	15.2	22.1	22.6	22.9	20.8	20.6	20.4	227.8	13	-73104
	11 LST	13.4	9.2	11.6	10.1	10.9	11.5	18.2	19.4	17.6	15.5	14.8	15.6	167.8	13	-73104
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	1.2	3.3	4.0	5.3	3.9	2.8	1.7	1.1	1.1	0.6	0.7	1.4	27.1	13	-73104
	23 LST	0.7	1.2	1.5	3.8	4.2	3.3	1.9	1.3	0.5	0.2	0.2	0.6	19.4	13	-73104
	05 LST	0.6	0.7	0.8	0.8	0.6	0.2	0.3	0.2	0.2	0.2	0.2	0.8	5.6	13	-73104
	11 LST	0.9	3.1	2.9	2.8	1.7	1.4	0.7	0.1	0.3	0.6	1.4	2.0	17.9	13	-73104
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	17 LST	17.9	13.9	13.5	9.8	7.6	2.8	2.4	2.2	8.0	16.1	19.2	17.2	130.6	13	-73104
	23 LST	16.1	15.7	17.9	15.1	14.0	13.5	17.4	16.2	18.1	18.5	17.0	14.7	194.2	13	-73104
	05 LST	15.0	15.5	18.3	17.7	19.3	19.3	22.5	22.3	19.5	19.8	15.5	13.0	217.7	13	-73104
	11 LST	16.4	13.9	15.1	13.7	14.6	14.0	14.4	13.9	16.3	17.9	17.1	15.2	182.5	13	-73104
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	8.8	11.8	11.3	10.8	10.9	10.7	10.7	9.6	13.1	13.9	13.7	13.5	138.8	10	-73104
	23 LST	13.5	14.0	16.6	15.2	17.0	19.6	22.7	22.0	20.7	18.6	17.2	18.6	215.7	10	-73104
	05 LST	13.4	11.3	14.1	11.1	10.7	12.3	18.7	20.5	18.4	14.7	15.4	16.2	176.8	10	-73104
	11 LST	10.0	9.1	10.3	8.9	9.0	9.0	11.5	13.0	11.4	10.5	11.6	11.6	125.9	10	-73104
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	26.4	24.5	29.3	28.3	30.5	29.3	30.7	30.8	29.4	29.6	27.4	26.6	342.8	13	-73104
	23 LST	24.8	24.0	28.5	28.0	30.1	29.0	30.8	30.8	29.1	28.6	26.3	26.6	336.6	13	-73104
	05 LST	22.1	18.3	21.6	20.8	21.3	21.1	28.4	29.1	25.8	23.4	22.7	23.0	277.6	13	-73104
	11 LST	20.6	17.9	22.9	21.0	23.3	22.6	28.3	28.1	25.3	23.1	20.8	22.0	275.9	13	-73104
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	24.2	22.5	26.3	24.8	27.0	27.2	27.5	27.7	26.5	26.6	24.6	24.8	309.7	13	-73104
	23 LST	22.5	21.3	26.2	26.1	28.1	28.4	29.9	30.2	27.0	26.7	23.0	24.1	313.5	13	-73104
	05 LST	19.8	16.2	19.7	17.9	18.5	19.1	26.9	27.7	22.8	20.6	20.2	20.8	250.2	13	-73104
	11 LST	18.7	15.4	20.0	17.5	17.8	16.2	23.1	24.3	18.8	18.8	18.3	20.5	229.4	13	-73104
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	23.3	21.8	26.0	23.7	25.3	26.1	27.1	26.5	24.4	25.5	23.4	23.7	296.8	13	-73104
	23 LST	21.6	20.6	25.9	24.8	26.6	27.4	29.1	29.4	25.7	25.6	22.1	23.0	301.8	13	-73104
	05 LST	18.7	15.7	18.9	17.2	16.9	18.6	26.3	27.1	22.3	19.7	19.3	19.9	240.6	13	-73104
	11 LST	17.8	14.9	19.6	16.6	16.8	15.9	22.7	23.7	18.2	18.2	17.4	19.1	220.9	13	-73104

LUFKIN, TEXAS

STA NO. 73214 (IN AREA NUMBER 13)

LATITUDE 3114N

LONGITUDE 09445W

ELEVATION(FT) 00288

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	85	89	95	98	98	106	108	108	104	100	89	87	108	28	-113
MEAN MAX TMP (F)	61	64	71	78	86	92	93	96	91	82	70	63	79	28	-113
MEAN MIN TMP (F)	39	42	46	55	63	70	72	72	66	55	44	40	55	28	-113
ABS MIN TMP (F)	5	-2	16	31	40	52	61	55	40	27	19	12	-2	28	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.2	7.6	22.4	27.5	26.7	18.3	4.0	0.0	0.0	106.7	12	4383
MEAN NO DYS TMP = OR LES 32(F)	10.2	5.9	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.7	6.2	10.6	37.1	12	4383
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	4383
MEAN DEW PT TMP (F)	41	43	46	55	64	70	72	71	66	56	45	41	56	12	105160
MEAN REL HUM (PCT)	75	73	69	73	76	75	76	74	74	72	72	75	74	12	105160
MEAN PRESS ALT (FT)	90	121	200	247	275	281	241	247	209	170	115	89	190	0	-50
MEAN PRECIP (IN)	4.51	3.93	3.79	4.26	4.96	2.99	3.30	3.14	2.91	2.96	4.99	4.66	46.4	28	-113
MEAN SNOW FALL (IN)	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.8	28	-113
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.1	7.4	6.7	6.9	7.2	5.6	6.0	5.8	4.9	4.9	7.6	8.2	79.3	28	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	12	4365
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.7	3.1	2.6	2.9	3.2	2.6	1.3	2.6	3.9	4.5	3.8	4.6	38.8	12	4382
MEAN NO DYS TSHS	2.7	3.8	5.4	6.2	8.2	8.2	10.9	8.6	6.0	3.4	2.8	2.5	68.7	12	4383
P FREQ WND SPD = OR GTR 17 KTS	0.9	1.3	1.6	1.4	0.5	0.2	0.3	0.1	0.2	0.3	0.9	1.3	0.8	12	105161
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	105161
P FREQ LES 5000 FT A/D LES 3 MI	45.2	40.4	33.6	36.6	28.8	19.8	13.8	13.6	19.5	20.5	33.1	38.4	28.8	12	105147
P FREQ LES 1900 FT A/D LES 3 MI															
FDR 00-02 LST	29.7	26.9	22.0	23.1	16.5	8.2	5.0	3.8	9.2	12.5	21.6	26.3	17.1	12	13143
03-05 LST	37.5	34.7	27.3	29.0	23.9	22.5	13.3	12.6	20.7	24.1	26.6	31.2	25.3	12	13147
06-08 LST	39.4	34.9	29.6	30.3	29.3	28.2	15.4	19.6	28.3	29.0	28.2	33.6	28.8	12	13148
09-11 LST	36.4	26.7	20.2	17.4	10.3	6.0	3.6	6.8	13.2	12.5	20.1	26.5	16.6	12	13148
12-14 LST	23.5	19.1	10.5	9.1	4.2	2.4	1.9	1.5	4.7	5.4	11.4	19.0	9.4	12	13142
15-17 LST	18.5	15.0	7.9	4.9	3.3	2.5	1.5	0.4	2.8	3.0	10.3	15.5	7.1	12	13146
18-20 LST	18.4	15.1	8.0	7.4	3.6	1.8	1.7	0.7	3.1	2.5	10.4	17.3	7.5	12	13146
21-23 LST	24.6	19.7	13.0	11.3	6.0	2.9	2.2	1.3	4.3	4.4	15.0	21.8	10.5	12	13145
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	6.3	5.8	2.6	2.4	2.0	1.0	1.0	1.2	1.6	4.0	5.5	7.7	3.4	12	13143
03-05 LST	9.3	9.2	5.5	6.5	6.4	5.7	3.6	4.2	7.9	11.8	8.5	11.1	7.5	12	13147
06-08 LST	10.6	9.2	5.8	5.6	4.3	4.6	2.3	5.8	9.5	12.3	9.5	10.5	7.5	12	13147
09-11 LST	5.0	3.1	1.4	0.7	0.1	0.1	0.0	0.1	0.0	2.0	3.0	4.8	1.7	12	13148
12-14 LST	2.1	0.7	0.6	0.3	0.2	0.0	0.1	0.1	0.1	0.0	0.6	2.1	0.6	12	13142
15-17 LST	1.1	0.7	0.1	0.2	0.2	0.2	0.0	0.0	0.0	0.1	0.6	2.1	0.4	12	13146
18-20 LST	3.2	1.7	0.4	0.2	0.2	0.2	0.3	0.1	0.4	0.4	0.8	4.0	1.0	12	13146
21-23 LST	4.3	3.2	0.4	0.7	0.4	0.1	0.3	0.1	0.4	1.0	1.7	6.1	1.6	12	13145

LUFKIN, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.7	25.1	29.6	28.7	30.4	29.5	30.5	30.7	29.5	30.5	28.1	26.8	346.1	12	4383
	00 LST	24.9	23.3	27.9	26.9	29.2	29.2	30.4	30.3	28.7	28.9	26.0	25.3	331.0	12	4383
	06 LST	20.9	19.7	24.2	23.5	23.7	21.4	25.1	24.2	21.5	22.4	23.5	22.5	272.6	12	4383
	12 LST	25.0	23.7	28.6	28.6	30.0	29.3	30.7	30.6	29.0	29.5	27.2	26.2	338.4	12	4383
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.3	17.9	20.6	20.8	23.4	26.0	26.7	28.7	27.6	28.4	22.2	21.6	286.2	12	4383
	00 LST	17.3	17.5	21.4	19.9	23.7	27.4	29.8	29.9	26.9	27.0	20.6	20.4	282.2	12	4383
	06 LST	14.8	14.7	16.6	16.2	18.6	19.3	24.5	23.3	19.2	20.2	17.3	17.7	222.4	12	4383
	12 LST	12.4	10.6	13.9	13.9	19.9	23.7	26.2	26.5	20.7	21.3	14.6	13.6	217.3	12	4383
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.3	0.1	0.6	0.1	0.1	0.0	0.1	0.0	0.2	0.0	0.1	0.5	2.1	12	4282
	00 LST	0.1	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.4	1.2	12	4284
	06 LST	0.2	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.8	12	4264
	12 LST	0.8	0.8	0.7	1.2	0.2	0.1	0.1	0.1	0.1	0.2	0.5	0.7	5.5	12	4290
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	17.9	17.2	21.1	20.9	20.1	15.2	10.4	11.2	17.7	14.1	15.3	15.3	196.4	12	4282
	00 LST	15.7	13.1	18.4	17.5	14.5	10.3	10.6	8.8	10.7	11.4	14.4	15.6	163.0	12	4284
	06 LST	14.4	14.3	14.8	16.6	13.2	9.2	5.6	6.3	8.6	10.0	13.1	14.7	140.8	12	4264
	12 LST	20.9	17.1	19.6	19.3	23.0	14.1	7.8	9.1	14.1	21.3	20.1	20.1	206.5	12	4290
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.1	9.0	9.6	10.1	12.2	13.3	10.0	11.2	14.5	17.6	13.4	11.7	141.7	12	4383
	00 LST	10.8	11.1	12.7	11.6	12.6	19.7	19.7	19.4	20.1	19.8	13.9	12.3	183.7	12	4383
	06 LST	8.6	8.2	8.4	7.5	6.1	9.3	11.7	11.6	12.8	13.1	12.0	11.4	120.7	12	4383
	12 LST	7.7	7.8	8.6	7.4	6.1	4.6	4.5	5.3	7.2	13.6	11.1	9.6	93.5	12	4383
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.7	22.4	27.2	27.1	29.3	29.2	30.2	30.7	29.0	29.4	25.3	23.8	327.3	12	4383
	00 LST	19.1	19.4	22.7	21.5	24.2	28.4	30.3	30.1	27.3	28.0	23.3	22.1	296.4	12	4383
	06 LST	16.7	16.4	18.2	17.3	18.9	19.1	24.5	23.3	19.5	20.8	19.2	19.5	233.0	12	4383
	12 LST	19.7	19.4	23.5	24.0	27.7	28.3	29.9	29.3	27.1	27.8	23.6	22.3	302.6	12	4383
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.0	19.4	23.1	23.7	26.7	27.4	28.7	29.4	27.3	27.7	24.8	21.0	297.2	12	4383
	00 LST	16.3	17.1	20.0	19.4	22.2	27.3	29.8	29.3	26.8	26.7	20.1	19.6	274.6	12	4383
	06 LST	14.2	13.7	15.2	14.2	17.1	18.4	24.1	22.7	19.1	19.1	16.4	16.6	210.8	12	4383
	12 LST	16.4	15.8	19.1	17.6	20.4	22.6	23.8	24.0	22.4	24.0	19.3	18.6	244.0	12	4383
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.7	17.8	21.1	21.8	25.1	26.3	27.3	28.1	25.8	26.2	21.0	19.5	278.7	12	4383
	00 LST	15.5	16.0	18.5	18.1	21.5	26.7	29.6	28.8	26.2	25.5	18.6	18.1	263.1	12	4383
	06 LST	13.3	12.3	13.9	12.8	15.6	17.5	22.8	21.1	18.2	18.3	15.1	15.9	196.8	12	4383
	12 LST	15.1	14.5	17.1	16.2	19.5	21.6	22.9	23.2	21.3	22.3	17.8	17.1	228.6	12	4383

FORT WORTH/MENCHAM FIELD, TEXAS

STA NO. 73230 (IN AREA NUMBER 13)

LATITUDE 3249N

LONGITUDE 09721W

ELEVATION(FT) 00692

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	84	83	92	96	100	102	104	108	107	106	88	90	108	8	2465
MEAN MAX TMP (F)	57	60	67	76	84	92	95	98	88	80	66	60	77	8	2465
MEAN MIN TMP (F)	35	39	44	53	63	71	75	75	67	57	44	39	55	8	2465
ABS MIN TMP (F)	-2	6	11	36	46	54	62	62	51	37	19	10	-2	8	2465
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.1	1.3	6.3	23.5	26.5	27.8	14.1	2.7	0.0	0.1	102.4	8	2465
MEAN NO DYS TMP = DR LES 32(F)	12.0	7.1	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	7.8	33.8	8	2465
MEAN NO DYS TMP = DR LES 0(F)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	2465
MEAN DEW PT TMP (F)	33	36	38	48	60	66	67	65	61	51	39	35	50	8	59025
MEAN REL HUM (PCT)	66	66	58	60	66	62	60	54	61	58	60	63	61	8	59024
MEAN PRESS ALT (FT)	501	536	614	664	689	694	645	650	639	590	524	500	604	0	-50
MEAN PRECIP (IN)	2.22	2.41	2.19	3.76	5.39	2.94	1.58	2.77	2.16	2.06	2.36	1.91	31.8	8	2389
MEAN SNOW FALL (IN)	2.2	0.7	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	4.0	8	2454
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.5	4.8	4.1	5.6	6.8	4.0	2.9	2.8	3.4	3.3	2.9	3.1	48.2	8	2389
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.6	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.9	8	2454
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.3	2.2	0.8	0.7	0.3	0.2	0.0	0.0	0.3	0.3	0.6	2.7	10.4	8	2464
MEAN NO DYS TSTMS	2.4	3.4	4.3	5.2	9.1	6.2	3.8	4.3	5.0	4.2	4.8	3.9	58.6	8	2458
P FREQ WND SPD = DR GTR 17 KTS	22.3	19.3	27.4	26.8	16.0	23.4	6.8	4.4	7.3	11.8	19.9	15.9	16.8	8	59030
P FREQ WND SPD = DR GTR 28 KTS	0.7	0.4	1.5	0.7	0.3	0.3	0.0	0.1	0.1	0.1	1.3	0.5	0.5	8	59030
P FREQ LES 5000 FT A/D LES 5 MI	30.9	33.0	23.3	23.9	20.8	9.1	5.0	4.3	10.9	14.1	20.5	23.5	18.3	8	59026
P FREQ LES 1500 FT A/U LES 3 MI															
FOR 00-02 LST	16.3	18.3	11.1	9.4	6.7	2.4	1.8	2.6	1.7	6.0	12.1	12.4	8.4	8	7378
03-05 LST	20.5	22.2	10.9	13.1	11.0	5.0	2.3	3.7	5.4	7.7	13.5	14.9	10.9	8	7379
06-08 LST	26.7	24.5	15.6	15.5	12.4	5.6	4.5	3.8	10.7	10.3	15.0	16.9	13.4	8	7381
09-11 LST	20.3	22.9	12.4	10.6	5.2	1.1	2.7	2.2	7.8	10.9	13.0	16.5	10.5	8	7380
12-14 LST	15.1	15.4	6.5	4.6	3.8	0.9	0.4	0.8	4.0	4.2	7.3	10.0	6.1	8	7381
15-17 LST	11.4	12.8	6.5	2.9	3.6	1.1	0.0	0.5	1.4	3.4	7.0	8.3	4.9	8	7377
18-20 LST	10.1	13.3	6.1	2.9	3.0	0.0	0.5	0.8	0.3	3.2	7.1	8.0	4.8	8	7378
21-23 LST	13.4	13.3	6.9	4.6	4.1	1.1	0.7	1.5	1.1	4.6	7.9	9.3	5.7	8	7372
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.5	3.9	0.8	1.0	0.0	0.0	0.2	0.0	0.2	0.6	1.6	4.0	1.2	8	7378
03-05 LST	5.1	5.9	2.0	1.3	0.5	0.6	0.0	0.0	0.5	0.6	1.9	4.9	1.9	8	7379
06-08 LST	5.1	7.8	2.8	1.6	0.4	0.4	0.0	0.0	0.8	0.3	1.9	6.0	2.3	8	7381
09-11 LST	2.6	3.4	1.1	0.2	0.0	0.0	0.0	0.0	0.0	0.3	1.3	2.8	1.0	8	7380
12-14 LST	1.2	1.5	0.3	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.5	0.3	8	7381
15-17 LST	0.9	1.2	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.2	0.2	0.3	0.3	8	7377
18-20 LST	0.9	1.0	0.3	0.2	0.4	0.0	0.0	0.0	0.0	0.0	1.1	0.3	0.4	8	7378
21-23 LST	1.4	2.0	0.6	0.2	0.4	0.0	0.0	0.0	0.0	0.3	0.8	2.0	0.6	8	7372

FORT WORTH/MEACHAM FIELD, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.6	25.3	29.3	29.4	30.5	30.0	31.0	30.8	29.9	30.6	28.6	29.0	333.0	8	2464
	00 LST	27.8	24.4	29.1	28.7	30.3	29.8	30.7	30.6	29.9	30.3	27.6	28.6	347.8	8	2463
	06 LST	25.1	22.8	28.6	27.8	29.1	29.5	30.7	30.4	28.0	29.3	27.3	27.4	336.0	8	2464
	12 LST	27.3	24.9	29.5	29.6	30.8	30.0	30.8	30.7	29.3	30.1	28.7	28.3	350.0	8	2464
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	8.4	6.8	6.9	6.9	9.0	4.1	6.3	6.5	9.8	11.3	10.3	9.1	95.4	8	2464
	00 LST	7.7	8.7	7.3	7.6	10.0	7.5	11.7	11.7	13.7	12.8	9.4	9.8	117.9	8	2463
	06 LST	8.3	8.8	8.0	7.9	14.3	10.7	15.2	18.1	15.3	13.7	10.3	10.1	140.7	8	2464
	12 LST	4.7	3.5	4.7	4.0	7.2	4.7	10.5	8.6	8.7	6.3	5.6	6.3	74.8	8	2464
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	5.1	3.8	8.5	8.6	4.7	7.7	2.8	2.7	1.7	2.3	3.8	3.8	55.5	8	2416
	00 LST	6.4	5.6	6.8	6.4	3.4	6.2	1.3	1.4	1.0	2.0	6.0	3.9	50.4	8	2413
	06 LST	4.7	3.2	5.4	4.6	2.5	3.7	0.2	0.3	0.8	1.4	3.4	2.7	32.9	8	2395
	12 LST	11.2	8.6	12.4	11.3	7.1	9.3	2.7	1.9	4.0	5.5	9.2	8.9	92.1	8	2411
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	10.5	11.3	9.5	9.1	10.9	5.2	5.1	4.7	12.0	16.6	14.9	12.9	122.7	8	2416
	00 LST	9.2	11.5	10.8	10.8	12.4	10.4	13.2	15.7	17.7	13.0	11.8	11.7	148.2	8	2413
	06 LST	10.0	10.7	10.4	11.8	14.6	11.7	17.4	20.0	16.6	15.5	11.1	12.6	162.4	8	2395
	12 LST	6.6	7.0	6.8	5.8	10.8	5.2	4.5	3.9	9.1	8.1	8.5	8.4	84.7	8	2411
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	12.3	9.9	10.3	14.0	11.7	17.8	13.8	17.7	17.4	18.3	16.1	13.4	172.7	8	2464
	00 LST	14.6	12.9	13.9	14.6	15.2	17.3	20.8	23.0	20.3	21.3	17.4	15.4	206.7	8	2463
	06 LST	12.1	11.0	12.1	10.7	9.5	13.3	13.0	16.0	15.1	17.3	15.7	15.7	161.5	8	2464
	12 LST	9.4	9.2	11.3	11.3	10.3	13.5	9.6	14.4	13.7	15.6	15.1	12.1	145.5	8	2464
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	26.0	23.0	27.7	28.6	29.3	29.3	30.8	30.8	29.6	29.7	27.3	27.7	339.8	8	2464
	00 LST	24.0	21.7	25.7	27.0	28.1	29.3	30.3	30.3	29.4	28.6	25.6	25.7	325.7	8	2463
	06 LST	22.4	19.3	24.1	22.1	25.5	27.3	28.8	29.5	26.7	26.8	24.3	24.4	301.2	8	2464
	12 LST	23.4	21.1	26.4	25.5	28.1	29.5	30.2	30.4	27.4	28.4	26.0	25.0	321.4	8	2464
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	23.4	20.6	25.3	26.1	26.3	28.8	30.7	30.7	28.0	28.1	25.8	25.5	319.3	8	2464
	00 LST	21.3	19.0	23.4	24.5	25.3	28.0	29.6	30.1	28.0	27.4	25.4	23.7	303.7	8	2463
	06 LST	19.4	16.4	21.7	19.2	22.3	25.7	28.3	29.1	25.0	25.3	22.6	22.4	277.4	8	2464
	12 LST	20.8	18.2	24.1	20.5	23.0	25.1	29.0	28.7	25.3	25.9	23.1	22.7	286.4	8	2464
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	22.8	19.5	24.1	24.5	25.3	27.8	30.2	30.3	27.4	26.8	24.0	23.6	306.3	8	2464
	00 LST	20.3	18.0	22.3	22.8	23.3	27.8	28.8	29.9	26.9	26.4	22.6	22.1	291.2	8	2463
	06 LST	18.6	15.0	20.3	18.1	21.5	24.8	27.2	28.6	23.1	23.8	21.0	21.3	263.3	8	2464
	12 LST	19.3	17.0	23.1	19.4	22.2	25.1	28.5	28.3	24.8	25.1	22.8	21.7	277.3	8	2464

JUNCTION, TEXAS

STA NO. 73231 IN AREA NUMBER 13)

LATITUDE 3029N

LONGITUDE 09946W

ELEVATION(FT) 01713

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
														(YRS)	URS
ABS MAX TMP (F)	87	91	98	96	104	107	108	106	106	104	90	91	108	12	4383
MEAN MAX TMP (F)	62	66	73	80	87	94	96	97	90	81	68	63	80	12	4383
MEAN MIN TMP (F)	33	37	42	52	43	68	70	69	63	52	38	32	51	12	4383
ABS MIN TMP (F)	10	-7	14	25	37	51	61	50	39	26	11	7	-7	12	4383
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.1	1.4	4.4	13.1	25.1	28.3	28.2	18.7	4.4	0.2	0.2	124.1	12	4383
MEAN NO DYS TMP = OR LES 32(F)	16.1	10.6	6.2	0.8	0.0	0.0	0.0	0.0	0.0	1.1	9.7	17.4	61.9	12	4383
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	4383
MEAN DEW PT TMP (F)	35	38	40	50	59	65	65	65	61	52	40	33	50	12	105048
MEAN REL HUM (PCT)	67	65	58	61	65	62	59	59	64	66	65	63	63	12	105045
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.12	1.14	1.41	2.36	3.55	2.79	2.37	1.96	3.02	2.40	1.46	1.16	24.9	55	-113
MEAN SNOW FALL (IN)	0.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	1.6	12	4380
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.0	3.0	3.7	5.6	6.5	5.3	4.7	4.1	5.0	4.2	2.9	3.1	51.1	55	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	12	4380
MEAN NO DYS W/O CUR VS BY LES 1/2 MI	1.6	1.6	0.9	0.8	0.6	0.1	0.0	0.2	0.2	0.5	1.3	1.3	9.1	12	4379
MEAN NO DYS TSTMS	0.7	1.7	2.7	5.0	7.5	4.4	5.1	5.5	3.7	2.8	1.2	0.7	41.0	12	4383
P FREQ WND SPD = OR GTR 17 KTS	1.5	2.3	3.4	3.3	1.9	1.1	0.5	0.2	0.4	0.6	1.3	1.5	1.5	12	105045
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	105045
P FREQ LES 5000 FT A/D LES 5 MI	30.4	33.3	23.7	28.9	26.3	17.3	8.4	7.8	16.4	22.2	26.2	22.8	22.1	12	105037
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	17.7	18.2	10.9	11.1	6.7	3.3	0.5	1.1	5.4	7.7	13.9	12.5	9.1	12	13137
03-05 LST	23.4	24.2	17.6	18.1	12.7	5.0	1.2	3.2	5.7	11.9	17.8	16.3	13.1	12	13132
06-08 LST	26.0	28.8	21.2	22.6	17.2	7.4	2.6	3.3	7.9	14.2	22.0	20.3	16.1	12	13129
09-11 LST	22.0	23.2	15.5	12.3	8.4	4.6	1.9	0.6	3.8	10.5	15.6	17.0	11.5	12	13125
12-14 LST	11.6	14.4	8.9	6.1	3.5	2.2	0.4	0.8	2.1	4.7	7.3	9.8	6.0	12	13130
15-17 LST	9.1	11.9	4.9	5.0	1.9	1.5	0.3	1.1	1.7	3.4	6.9	7.2	4.6	12	13131
18-20 LST	10.5	11.2	5.6	5.9	1.4	1.7	0.4	0.4	1.1	3.5	7.3	7.1	4.7	12	13131
21-23 LST	12.1	11.7	7.4	6.9	3.1	1.4	0.3	0.7	1.9	4.8	9.6	8.5	5.7	12	13128
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.6	2.5	1.3	0.8	0.4	0.0	0.0	0.1	0.0	0.3	2.0	1.7	1.0	12	13137
03-05 LST	2.1	4.2	1.7	1.5	1.3	0.0	0.0	0.4	0.3	0.9	3.2	2.6	1.5	12	13132
06-08 LST	3.7	4.8	2.4	1.9	1.8	0.1	0.3	0.1	0.6	1.5	3.3	4.5	2.1	12	13129
09-11 LST	2.9	2.1	1.2	0.6	0.6	0.1	0.0	0.0	0.0	0.1	0.7	2.2	0.9	12	13125
12-14 LST	1.2	1.0	0.4	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.3	12	13130
15-17 LST	0.6	1.0	0.1	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.6	1.1	0.3	12	13131
18-20 LST	0.7	1.0	0.9	0.8	0.3	0.0	0.0	0.0	0.0	0.0	0.5	0.8	0.4	12	13131
21-23 LST	1.9	1.3	1.0	0.6	0.4	0.0	0.0	0.0	0.0	0.2	0.6	1.3	0.6	12	13128

JUNCTION, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	29.0	26.4	30.0	29.0	30.7	29.9	30.9	30.9	29.8	30.2	28.7	29.5	355.0	12	4380
	23 LST	28.7	25.8	29.4	28.8	30.6	29.6	31.0	30.9	29.4	29.7	28.1	29.0	351.2	12	4380
	05 LST	27.2	23.7	28.3	28.4	29.0	29.4	31.0	30.7	29.3	29.3	26.6	27.7	340.6	12	4381
	11 LST	27.8	25.3	29.1	28.9	30.3	29.4	30.9	30.9	29.7	29.7	28.3	28.6	348.9	12	4380
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	18.0	13.0	13.6	11.3	13.4	11.5	16.5	19.8	19.1	21.2	20.5	21.5	199.4	12	4380
	23 LST	23.3	20.6	23.8	21.2	23.3	22.3	24.8	26.7	25.4	26.3	23.7	25.2	286.6	12	4380
	05 LST	20.4	16.1	20.6	18.2	20.6	23.9	28.6	29.3	26.1	23.3	20.8	22.3	270.4	12	4381
	11 LST	15.6	11.2	10.7	10.3	13.6	16.1	20.3	24.1	18.8	17.6	15.5	16.6	190.4	12	4380
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	0.4	1.4	1.6	1.5	1.1	1.3	0.3	0.2	0.1	0.2	0.3	0.7	9.1	12	4147
	23 LST	0.2	0.2	0.7	0.7	0.3	0.3	0.2	0.0	0.1	0.2	0.2	0.1	3.2	12	4150
	05 LST	0.1	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	1.1	12	4097
	11 LST	1.0	1.2	1.9	1.8	1.0	0.3	0.0	0.0	0.1	0.2	0.8	1.1	9.4	12	4139
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	20.6	18.2	18.0	14.0	13.9	6.4	4.7	6.9	14.0	23.3	21.7	22.1	183.8	12	4147
	23 LST	10.9	12.4	13.5	13.9	15.0	19.1	15.6	14.7	12.4	9.7	8.7	10.0	155.9	12	4150
	05 LST	9.4	8.9	10.8	12.3	12.7	14.7	11.5	7.7	9.1	9.5	8.5	8.3	123.4	12	4097
	11 LST	17.9	14.4	16.5	16.3	17.3	15.2	14.5	12.6	19.5	19.3	18.3	17.1	198.9	12	4139
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	10.3	9.3	9.2	9.2	8.6	10.1	6.3	5.8	10.7	15.1	13.1	13.9	122.6	12	4380
	23 LST	14.3	13.4	16.6	13.7	16.1	20.3	22.7	23.3	21.0	21.1	17.5	18.4	218.4	12	4380
	05 LST	12.6	11.5	14.1	10.8	10.4	13.1	17.3	18.7	18.4	16.3	14.3	16.3	174.0	12	4381
	11 LST	9.7	8.6	9.1	9.9	10.5	11.5	10.2	13.6	12.2	13.3	12.0	12.5	133.1	12	4380
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	26.0	22.8	28.1	27.0	29.6	29.5	30.8	30.6	29.1	28.9	27.0	27.9	337.3	12	4380
	23 LST	24.5	22.3	27.0	25.3	27.8	28.7	30.8	30.7	28.1	27.8	25.1	26.7	324.8	12	4380
	05 LST	20.6	18.1	21.8	19.6	20.7	23.4	28.1	29.0	26.5	23.2	21.8	22.7	275.5	12	4381
	11 LST	22.1	19.9	24.6	23.4	25.6	27.2	29.8	30.2	26.2	25.9	23.2	24.4	302.5	12	4380
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	23.3	20.3	25.3	23.9	25.4	26.4	28.6	23.6	27.1	26.3	24.5	26.0	305.7	12	4380
	23 LST	22.7	20.4	25.3	24.0	26.2	28.1	30.3	30.2	26.6	25.9	23.2	25.3	308.2	12	4380
	05 LST	18.9	16.6	20.1	17.5	17.8	21.9	27.4	28.0	23.8	21.2	18.9	21.3	253.4	12	4381
	11 LST	20.5	17.8	22.2	20.3	21.0	21.2	26.0	27.1	21.2	21.6	20.5	22.4	261.8	12	4380
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	22.7	19.6	24.7	23.1	23.8	24.7	24.6	23.6	23.4	23.3	23.3	23.0	287.8	12	4380
	23 LST	22.3	19.8	24.7	22.9	25.1	27.5	29.9	29.6	26.2	25.6	22.7	24.8	301.1	12	4380
	05 LST	18.6	15.8	19.4	17.0	17.0	21.4	26.8	27.4	23.3	20.4	18.7	20.7	246.3	12	4381
	11 LST	19.9	16.9	21.6	19.6	19.9	20.9	24.9	26.8	20.5	20.8	19.6	21.4	252.8	12	4380

ALICE/JIM WELLS COUNTY, TEXAS

STA NO. 73234 (IN AREA NUMBER 13)

LATITUDE 2744N

LONGITUDE 09801W

ELEVATION(FT) 00177

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	92	98	103	107	107	110	111	110	106	102	96	92	111	45	-613
MEAN MAX TMP (F)	68	72	77	84	89	94	97	98	93	86	76	69	84	46	-113
MEAN MIN TMP (F)	46	49	54	61	68	73	74	74	70	62	53	47	61	46	-113
ABS MIN TMP (F)	17	15	21	31	43	52	62	61	45	32	22	20	15	46	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.3	1.0	4.7	6.3	18.8	27.0	30.4	29.5	23.7	10.9	1.4	0.1	154.1	9	2733
MEAN NO DYS TMP = DR LES 32(F)	3.1	1.8	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.5	7.7	9	2733
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2733
MEAN DEW PT TMP (F)	49	52	56	61	69	73	73	73	70	63	53	50	62	9	65426
MEAN REL HUM (PCT)	75	75	72	73	76	75	72	72	75	75	73	74	74	9	65422
MEAN PRESS ALT (FT)	1	45	121	174	198	206	190	154	151	102	28	-0	111	0	-50
MEAN PRECIP (IN)	1.32	1.32	1.33	1.81	3.01	2.92	1.80	2.15	4.08	2.84	1.46	1.60	25.6	50	-113
MEAN SNOW FALL (IN)	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	1986
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.4	3.4	3.6	4.5	6.1	5.5	3.8	4.4	6.4	4.8	2.9	3.9	52.7	50	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	1986
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	4.7	4.9	3.3	2.4	1.8	0.7	0.1	0.0	0.6	3.5	3.5	5.7	31.2	9	2733
MEAN NO DYS TSTMS	0.6	0.8	1.7	4.3	5.4	3.6	4.1	4.9	5.4	2.1	0.7	0.6	34.2	9	2733
P FREQ WND SPD = DR GTR 17 KTS	8.5	10.6	14.6	14.6	16.8	18.5	15.8	13.6	4.3	4.0	8.1	5.4	11.2	9	65418
P FREQ WND SPD = DR GTR 28 KTS	0.6	0.1	0.2	0.3	0.3	0.3	0.2	0.2	0.0	0.1	0.2	0.2	0.2	9	65418
P FREQ LES 5000 FT A/D LES 5 MI	43.0	45.0	43.9	40.6	39.5	26.9	14.2	12.2	19.3	22.6	30.1	34.8	31.0	9	65424
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	32.5	33.0	30.8	29.9	24.3	11.1	3.5	2.3	3.1	8.7	15.6	21.6	18.0	9	8187
03-05 LST	39.5	39.2	34.0	34.8	31.4	13.2	5.1	2.4	5.3	17.3	22.0	30.5	22.9	9	8174
06-08 LST	46.1	46.7	33.5	34.0	33.4	15.7	7.4	7.0	13.1	20.1	25.6	36.5	26.6	9	8179
09-11 LST	36.6	35.4	19.0	13.2	8.1	2.2	0.9	3.0	7.6	9.2	14.8	23.9	14.7	9	8170
12-14 LST	16.1	19.8	8.1	4.9	1.9	0.5	0.2	1.1	3.5	4.4	7.3	12.6	6.7	9	8185
15-17 LST	10.9	15.7	6.8	3.8	2.2	1.4	1.2	1.9	2.1	3.1	7.3	8.8	5.4	9	8173
18-20 LST	13.8	15.9	12.3	7.1	4.8	1.7	0.2	1.7	1.1	3.8	6.0	9.8	6.5	9	8174
21-23 LST	22.5	25.5	24.8	18.6	12.9	4.6	1.5	1.1	2.1	4.2	9.3	13.6	11.7	9	8182
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.5	10.2	4.0	2.1	1.4	0.3	0.0	0.0	0.3	1.6	3.7	7.4	3.1	9	8187
03-05 LST	12.7	13.5	6.6	5.4	4.6	1.3	0.3	0.0	0.7	7.5	7.3	12.2	6.2	9	8174
06-08 LST	13.1	16.7	5.1	3.7	2.9	1.6	0.2	0.0	1.7	8.3	7.8	12.8	6.2	9	8179
09-11 LST	3.8	4.1	0.6	0.2	0.0	0.0	0.2	0.0	0.1	0.3	0.9	3.6	1.2	9	8170
12-14 LST	0.3	0.8	0.5	0.0	0.2	0.2	0.0	0.0	0.3	0.1	0.0	0.6	0.3	9	8185
15-17 LST	0.0	0.7	0.0	0.0	0.2	0.2	0.3	0.1	0.1	0.0	0.3	0.6	0.2	9	8173
18-20 LST	1.4	1.7	0.5	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.9	0.4	9	8174
21-23 LST	4.3	4.0	1.9	1.0	0.2	0.0	0.0	0.0	0.0	0.0	0.9	3.0	1.3	9	8182

ALICE/JIM WELLS COUNTY, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	28.3	25.7	29.3	29.6	30.7	30.0	30.6	30.7	29.7	30.5	28.4	29.1	352.6	9	2733
	23 LST	24.4	21.5	25.7	26.9	29.9	29.6	31.0	30.8	29.7	30.1	27.1	27.2	333.9	9	2734
	05 LST	20.6	18.2	23.8	23.0	25.4	28.0	30.6	30.7	28.5	25.6	25.5	23.2	303.1	9	2733
	11 LST	25.7	22.8	29.0	28.8	30.6	30.0	31.0	30.7	29.4	29.9	28.0	26.9	342.8	9	2733
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	11.3	8.3	7.3	3.7	2.0	1.6	1.6	3.9	7.6	11.5	15.2	17.9	91.9	9	2733
	23 LST	14.1	13.4	14.8	14.3	15.6	15.0	17.9	20.2	26.9	27.2	20.6	21.0	221.0	9	2734
	05 LST	12.7	10.7	12.3	14.1	14.1	19.7	27.4	28.9	25.7	22.0	18.6	15.0	221.2	9	2733
	11 LST	7.7	5.7	5.8	8.0	8.0	10.1	14.3	14.0	16.6	18.6	10.8	10.4	128.0	9	2733
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	4.7	6.9	10.6	11.6	13.3	16.1	17.4	15.9	5.3	3.4	2.8	1.8	109.8	9	2707
	23 LST	1.5	2.0	1.0	0.6	2.6	1.7	0.7	0.9	0.1	0.1	1.2	0.7	13.1	9	2692
	05 LST	1.1	0.9	2.0	0.8	1.6	0.0	0.0	0.1	0.0	0.2	1.4	0.7	8.8	9	2688
	11 LST	5.7	5.0	6.8	5.6	4.8	5.6	2.5	2.6	0.8	2.1	4.5	4.3	50.5	9	2695
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	13.4	10.6	9.1	6.1	5.3	2.0	1.3	3.1	8.1	13.0	17.4	18.2	107.6	9	2707
	23 LST	17.2	17.2	16.7	17.3	17.9	17.3	20.1	17.4	17.8	17.9	19.4	18.8	215.0	9	2692
	05 LST	15.9	15.3	19.4	18.3	17.0	18.2	19.8	16.7	16.3	17.2	16.7	17.2	208.0	9	2688
	11 LST	13.9	13.3	11.2	11.3	12.7	5.0	2.9	4.8	11.5	19.0	15.5	15.5	134.6	9	2695
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	9.8	8.3	7.6	8.6	10.4	12.3	10.1	13.2	10.6	16.0	12.9	10.4	130.2	9	2732
	23 LST	12.6	10.4	8.1	9.0	11.6	15.7	19.6	21.7	21.4	20.4	14.6	14.1	179.2	9	2734
	05 LST	9.1	8.0	5.4	7.3	5.4	10.1	14.7	17.9	17.1	16.0	12.9	9.9	133.8	9	2733
	11 LST	7.6	6.5	5.8	5.7	7.3	5.0	4.1	8.7	6.0	10.0	11.2	9.0	86.9	9	2733
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	26.0	22.5	27.0	27.8	28.6	29.4	30.6	30.3	28.7	29.2	27.2	26.8	334.1	9	2733
	23 LST	20.1	18.2	19.8	19.4	22.1	25.0	29.5	29.9	29.1	28.9	24.5	24.8	291.3	9	2734
	05 LST	15.6	13.3	16.4	16.8	16.8	22.6	28.0	29.4	26.4	23.5	21.5	19.2	249.5	9	2733
	11 LST	17.9	16.0	23.4	23.1	24.7	27.8	30.1	29.2	26.4	26.0	23.2	22.3	290.1	9	2733
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	21.7	19.7	23.1	24.4	24.4	27.8	29.7	29.9	26.6	26.7	22.9	24.0	300.9	9	2733
	23 LST	18.4	16.7	17.9	17.6	21.1	24.6	29.5	29.6	28.4	27.7	22.0	21.9	275.4	9	2734
	05 LST	13.9	11.7	13.5	14.3	14.1	21.4	27.8	29.1	24.6	21.9	18.2	16.0	226.5	9	2733
	11 LST	16.0	14.3	16.7	16.1	15.7	17.7	23.1	21.4	18.0	20.7	18.4	19.5	217.6	9	2733
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	20.8	18.9	21.5	23.9	24.0	27.6	29.7	28.6	25.5	25.9	21.8	22.8	291.0	9	2733
	23 LST	17.7	16.1	16.6	16.7	20.8	24.1	29.5	29.4	27.9	26.4	20.5	20.5	266.2	9	2734
	05 LST	13.3	10.9	11.7	13.1	13.7	21.1	27.6	29.0	24.2	21.1	17.2	14.4	217.3	9	2733
	11 LST	15.1	13.1	15.1	15.4	15.0	17.4	22.8	21.2	17.4	19.2	17.3	18.1	207.1	9	2733

PALACIO MUNICIPAL, TEXAS

STA NO. 73235 (IN AREA NUMBER 13)

LATITUDE 2843N

LONGITUDE 09615W

ELEVATION(FT) 00013

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PGR (YRS)	NO. OBS
ABS MAX TMP (F)	82	84	88	96	96	98	100	101	100	95	87	81	101	16	-613
MEAN MAX TMP (F)	65	66	72	78	84	90	92	92	89	83	73	67	79	17	-113
MEAN MIN TMP (F)	46	49	53	61	69	75	77	76	71	61	52	47	61	17	-113
ABS MIN TMP (F)	13	13	24	40	44	56	66	64	52	36	25	18	13	16	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.5	1.3	18.8	27.0	26.1	18.3	2.7	0.0	0.0	94.7	7	2233
MEAN NO DYS TMP = OR LES 32(F)	2.8	1.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.6	7.9	7	2233
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2233
MEAN DEW PT TMP (F)	54	53	56	62	70	75	76	75	72	65	54	51	64	7	53401
MEAN REL HUM (PCT)	84	83	79	81	82	80	79	79	81	80	79	82	81	7	53398
MEAN PRESS ALT (FT)	-172	-135	-61	-12	12	17	-32	-27	-27	-78	-146	-172	-68	0	-50
MEAN PRECIP (IN)	2.68	3.15	2.53	2.57	4.23	3.18	2.16	5.06	4.90	4.30	2.44	3.77	41.0	16	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2232
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.7	6.4	5.6	5.6	6.9	5.8	4.4	7.8	7.5	6.7	4.2	7.2	73.8	16	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2232
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.2	3.4	4.8	2.4	1.5	0.0	0.0	0.0	1.3	1.6	3.0	5.3	27.5	7	2232
MEAN NO DYS TSTMS	1.8	2.0	2.4	4.8	3.1	3.8	7.2	6.9	8.7	4.0	1.7	1.5	49.9	7	2233
P FREQ WND SPD = OR GTR 17 KTS	6.8	6.8	10.0	11.3	9.5	3.2	1.9	0.7	1.0	2.6	6.3	5.2	5.4	7	53398
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.1	0.5	0.1	0.2	0.0	0.0	0.0	0.0	0.1	0.2	0.2	0.1	7	53398
P FREQ LES 5000 FT A/D LES 5 MI	39.8	36.0	40.6	38.2	35.8	19.5	12.4	11.3	15.8	17.8	26.3	33.7	27.3	7	53392
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.7	17.7	29.4	28.2	15.4	4.1	0.5	1.2	3.2	5.6	14.7	18.4	13.4	7	6674
03-05 LST	28.1	19.6	30.8	26.7	16.0	3.0	0.5	1.2	5.9	9.7	17.0	17.3	14.7	7	6683
06-08 LST	29.2	23.5	29.1	27.6	17.5	2.4	1.1	1.5	9.1	8.8	14.9	16.8	15.1	7	6673
09-11 LST	19.8	18.4	22.7	19.5	10.3	2.4	0.7	2.3	7.3	6.6	11.3	16.6	11.5	7	6667
12-14 LST	18.8	17.0	16.0	11.0	6.7	0.7	0.7	2.3	3.5	4.3	7.2	12.7	8.4	7	6680
15-17 LST	14.0	13.0	10.4	12.7	7.0	0.4	0.9	0.8	1.6	3.4	5.9	10.7	6.7	7	6671
18-20 LST	13.1	15.1	15.9	17.2	11.1	1.5	0.7	0.6	1.3	1.8	3.7	10.8	7.7	7	6678
21-23 LST	17.5	15.6	21.8	22.9	14.0	2.6	0.4	0.5	1.3	1.8	8.6	16.5	10.3	7	6680
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.4	5.0	8.7	3.8	1.4	0.0	0.0	0.0	0.8	1.9	2.9	7.2	3.1	7	6674
03-05 LST	10.8	7.1	8.4	4.6	0.7	0.0	0.0	0.2	2.4	3.1	6.2	8.0	4.3	7	6683
06-08 LST	12.0	4.5	6.3	2.1	1.4	0.0	0.0	0.0	2.9	2.0	4.6	5.2	3.4	7	6673
09-11 LST	2.6	0.9	0.4	0.4	0.2	0.4	0.0	0.0	0.0	0.2	0.8	1.2	0.6	7	6667
12-14 LST	0.6	0.2	0.2	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.1	7	6680
15-17 LST	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.1	7	6671
18-20 LST	1.1	1.2	1.5	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.2	3.2	0.7	7	6678
21-23 LST	2.8	2.4	4.5	2.9	0.0	0.0	0.0	0.2	0.0	0.3	1.1	6.7	1.7	7	6680

PALACIOS MUNICIPAL, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.4	25.0	28.0	28.4	30.3	30.0	30.8	31.0	29.7	30.7	29.0	28.7	30.0	7	2233
	00 LST	25.6	24.0	25.0	24.2	29.0	29.8	30.8	30.7	29.6	30.4	26.9	26.5	332.5	7	2233
	06 LST	22.8	23.0	23.6	23.8	27.5	29.8	30.8	30.8	27.7	28.4	26.3	26.7	321.2	7	2232
	12 LST	27.8	24.4	28.2	27.8	30.3	30.0	31.0	30.7	29.7	30.0	28.3	27.6	345.8	7	2233
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	16.8	14.3	11.2	7.8	8.3	6.3	9.5	12.0	21.4	24.1	21.3	20.0	173.0	7	2233
	00 LST	17.8	15.3	16.0	13.9	15.7	14.8	19.2	23.1	24.8	26.1	21.3	19.1	227.1	7	2233
	06 LST	16.2	15.7	19.6	14.0	15.3	16.7	22.7	25.0	24.4	24.1	20.0	19.4	229.1	7	2232
	12 LST	6.4	6.9	5.2	4.9	8.8	10.5	13.1	13.0	15.1	13.7	9.8	10.5	117.9	7	2233
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.8	1.4	2.4	2.7	3.0	0.8	1.1	0.3	0.1	0.6	0.4	0.6	15.4	7	2217
	00 LST	1.8	1.4	0.8	1.6	2.3	0.5	0.2	0.1	0.1	0.6	1.0	1.6	12.0	7	2212
	06 LST	0.6	1.0	1.4	1.9	1.5	0.3	0.3	0.0	0.0	0.4	0.7	1.4	9.5	7	2207
	12 LST	3.8	4.7	5.8	6.8	4.0	1.5	0.7	0.0	0.7	1.4	4.2	2.9	36.5	7	2206
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	20.5	16.9	17.3	14.1	12.8	12.5	15.0	17.8	23.3	23.7	18.7	16.9	209.5	7	2217
	00 LST	19.6	14.4	17.9	16.5	15.7	16.3	21.7	19.8	16.5	17.3	18.4	15.3	209.4	7	2212
	06 LST	18.2	15.9	19.5	18.7	15.0	17.5	15.9	14.8	18.5	19.4	18.4	15.8	207.6	7	2207
	12 LST	12.3	11.9	10.8	9.4	12.8	9.2	9.8	8.5	12.5	18.2	16.0	16.6	148.0	7	2206
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	11.4	10.7	6.6	6.6	6.5	9.8	6.7	11.1	12.6	17.1	13.8	10.1	123.0	7	2233
	00 LST	12.8	13.3	10.8	13.0	12.3	16.3	19.5	19.7	19.4	21.0	15.4	12.0	185.5	7	2233
	06 LST	10.6	9.9	7.0	6.0	6.3	7.7	5.8	9.4	11.3	13.9	11.7	10.4	110.0	7	2232
	12 LST	8.2	7.7	6.6	5.1	5.1	5.6	3.7	5.1	7.3	10.0	10.8	7.9	83.1	7	2233
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.8	21.0	24.2	23.7	23.3	28.8	30.3	30.4	28.7	28.6	27.1	26.0	315.9	7	2233
	00 LST	23.4	21.2	20.2	20.0	23.7	26.8	29.8	30.4	28.4	28.6	24.7	24.2	301.4	7	2233
	06 LST	19.0	19.2	19.0	18.8	20.0	25.3	27.2	28.6	26.1	26.4	23.3	24.2	277.1	7	2232
	12 LST	22.0	20.4	22.0	22.1	23.5	27.2	30.5	29.7	25.7	26.1	26.0	23.9	299.1	7	2233
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.8	18.8	21.6	21.1	20.8	27.0	28.8	29.5	27.4	26.7	23.6	20.9	286.0	7	2233
	00 LST	19.2	18.6	17.8	18.7	21.6	26.2	29.1	30.1	28.0	27.1	22.6	20.3	279.3	7	2233
	06 LST	14.8	15.1	14.4	15.2	16.8	24.5	25.6	27.4	24.6	24.3	19.1	19.5	241.3	7	2232
	12 LST	18.4	16.5	18.4	17.7	18.0	22.0	25.5	25.5	19.8	23.1	21.8	19.1	245.8	7	2233
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.8	17.9	18.6	18.9	19.8	26.6	28.3	29.1	26.4	25.7	21.7	18.8	270.6	7	2233
	00 LST	18.4	17.9	16.8	17.3	21.1	26.2	28.6	30.0	27.6	26.1	20.9	18.0	268.9	7	2233
	06 LST	13.8	14.1	13.2	13.2	15.7	24.2	25.1	26.6	23.4	23.0	17.7	17.1	227.1	7	2232
	12 LST	17.4	14.3	15.6	15.8	16.5	21.5	25.0	24.7	19.1	21.7	19.4	17.5	228.5	7	2233

DENISON/PERRIN, TEXAS

STA NO. 73249 (IN AREA NUMBER 13)

LATITUDE 3342N

LONGITUDE 09639W

ELEVATION(FT) 00753

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	82	85	93	92	97	104	108	108	104	98	87	86	108	12	4383
MEAN MAX TMP (F)	53	58	64	73	81	89	93	94	88	77	63	55	74	12	4383
MEAN MIN TMP (F)	35	39	43	53	63	70	75	74	67	57	43	37	55	12	4383
ABS MIN TMP (F)	7	7	17	30	40	54	61	61	52	31	18	9	7	12	4383
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.2	0.6	4.1	17.3	23.3	24.4	14.6	2.2	0.0	0.0	86.7	12	4383
MEAN NO DYS TAP = DR LES 32(F)	13.8	8.2	3.7	0.2	0.0	0.0	0.0	0.0	0.0	0.2	4.2	9.8	40.1	12	4383
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	34	36	39	49	60	66	68	66	61	51	39	34	50	12	104959
MEAN REL HUM (PCT)	70	68	62	63	68	66	63	59	61	62	62	67	64	12	104958
MEAN PRESS ALT (FT)	564	584	673	723	750	764	717	718	673	635	587	560	662	0	-50
MEAN PRECIP (IN)	1.77	2.16	2.44	4.10	4.82	3.05	3.65	2.12	3.75	3.08	2.66	2.07	35.7	12	4381
MEAN SNOW FALL (IN)	2.5	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	4.7	12	4383
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.2	4.2	5.0	5.6	6.6	5.0	4.7	3.2	4.0	3.6	3.2	3.4	51.7	12	4381
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.6	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.3	12	4383
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.4	3.6	2.2	1.1	1.4	0.7	0.4	0.3	0.6	0.8	1.6	3.4	20.7	12	4382
MEAN NO DYS TSTMS	1.1	2.6	3.9	6.0	8.4	5.8	6.8	4.8	4.0	2.5	1.7	1.0	48.6	12	4383
P FREQ WND SPD = DR GTR 17 KTS	18.4	15.5	19.4	20.4	10.8	8.7	4.2	3.1	4.3	8.3	13.8	12.5	11.6	12	105050
P FREQ WND SPD = DR GTR 28 KTS	0.8	0.5	1.1	0.9	0.3	0.2	0.1	0.0	0.1	0.0	0.4	0.3	0.4	12	105050
P FREQ LES 5000 FT A/D LES 5 MI	33.2	33.9	28.9	29.1	24.9	16.6	10.2	7.7	13.4	17.1	22.0	26.1	21.9	12	105046
P FREQ LES 1500 FT A/U LES 3 MI															
FOR 00-02 LST	22.5	17.3	11.0	8.3	7.5	3.9	1.7	1.3	3.3	6.1	10.6	14.8	9.0	12	13123
03-05 LST	24.6	22.6	14.4	12.8	13.6	6.5	3.5	3.9	7.4	8.5	12.8	17.8	12.4	12	13133
06-08 LST	26.5	27.0	18.8	19.8	19.5	12.2	6.3	5.6	12.1	12.5	17.2	22.2	16.6	12	13123
09-11 LST	28.8	27.9	20.3	18.9	14.7	8.5	5.8	5.0	10.2	12.2	15.6	22.5	15.9	12	13140
12-14 LST	23.1	22.0	14.2	8.3	7.2	2.6	2.8	1.2	3.2	7.1	11.0	17.0	10.0	12	13133
15-17 LST	16.6	17.5	9.9	5.8	3.9	2.6	1.4	0.9	2.1	5.4	8.9	12.9	7.3	12	13126
18-20 LST	17.2	14.7	9.3	6.2	3.9	2.9	1.3	0.8	2.5	5.1	7.8	12.2	7.0	12	13132
21-23 LST	18.0	13.5	9.5	7.2	5.3	2.5	0.7	0.4	2.9	4.7	8.0	14.3	7.3	12	13136
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.6	6.7	2.7	1.4	1.5	0.4	0.1	0.0	1.6	2.0	3.6	5.6	2.8	12	13123
03-05 LST	10.8	8.2	4.6	2.4	2.4	0.7	0.6	0.3	2.3	1.8	4.4	6.8	3.8	12	13133
06-08 LST	10.5	8.1	4.0	1.3	2.5	0.8	0.4	0.4	1.9	1.9	4.4	8.1	3.7	12	13123
09-11 LST	7.4	5.6	2.2	0.1	0.8	0.3	0.4	0.0	0.7	0.5	2.0	4.4	2.0	12	13140
12-14 LST	4.0	1.4	0.8	0.2	0.5	0.0	0.4	0.0	0.3	0.3	0.3	2.2	0.9	12	13133
15-17 LST	2.3	2.5	0.7	0.7	0.0	0.1	0.0	0.1	0.0	0.2	0.6	1.8	0.8	12	13126
18-20 LST	4.9	3.5	1.9	0.2	0.3	0.3	0.3	0.2	0.4	0.2	2.1	2.5	1.4	12	13132
21-23 LST	5.7	5.7	2.2	0.6	1.0	0.2	0.0	0.0	1.0	0.4	2.3	4.1	1.9	12	13136

DENISON/PERRIN, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.1	24.9	28.7	28.8	30.2	29.5	30.6	30.8	29.5	29.8	28.2	27.8	345.9	12	4382
	00 LST	25.9	24.3	28.8	28.7	29.7	29.5	30.7	30.8	29.3	29.8	27.6	27.2	342.3	12	4382
	06 LST	25.2	22.9	27.7	26.9	27.7	27.9	30.2	30.3	27.5	28.4	26.6	25.9	327.2	12	4382
	12 LST	25.0	23.0	27.8	28.1	29.4	29.4	30.3	30.8	29.3	29.4	27.8	26.8	337.1	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	14.1	12.6	12.6	11.4	14.3	13.8	17.4	18.4	19.7	21.4	17.6	18.5	191.8	12	4382
	00 LST	11.1	11.6	13.0	12.5	15.0	14.1	18.4	18.3	18.0	17.4	13.7	13.0	176.1	12	4382
	06 LST	11.4	10.1	10.7	10.1	14.5	14.7	19.5	19.8	18.1	16.7	13.7	12.0	171.3	12	4382
	12 LST	7.8	6.7	6.7	6.2	9.8	11.9	16.6	18.8	15.1	11.8	8.1	8.3	127.8	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	3.6	2.5	4.7	3.8	2.6	2.1	0.8	1.0	0.8	1.2	1.8	2.4	27.3	12	4293
	00 LST	5.8	4.3	4.8	5.9	2.4	1.6	0.6	0.6	0.8	2.1	3.9	3.5	36.3	12	4279
	06 LST	5.6	3.7	4.3	3.9	2.7	2.1	0.8	0.5	0.5	1.4	2.9	2.8	31.2	12	4282
	12 LST	8.4	6.2	8.1	9.1	5.5	3.8	1.6	1.1	2.3	4.0	6.7	5.8	62.6	12	4292
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	13.4	14.6	14.8	14.0	15.7	10.1	7.9	8.6	16.6	20.0	17.7	17.0	170.4	12	4293
	00 LST	9.0	11.2	13.3	13.4	15.9	17.4	20.2	21.5	19.1	16.4	11.7	11.9	181.0	12	4279
	06 LST	7.9	8.6	11.4	12.8	16.1	17.2	20.8	18.6	18.2	17.1	11.9	11.0	171.6	12	4282
	12 LST	9.2	10.2	10.0	9.8	13.1	10.5	7.7	7.7	12.4	14.0	10.5	12.2	127.3	12	4292
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.9	8.7	9.6	10.9	10.9	13.9	11.6	14.7	16.0	16.2	14.1	14.0	150.5	12	4382
	00 LST	14.1	12.0	14.9	14.3	15.2	19.1	20.1	22.4	20.8	19.8	18.2	17.9	208.8	12	4382
	06 LST	11.4	11.5	11.1	8.8	8.9	12.0	12.1	13.1	15.7	16.6	15.0	15.3	151.5	12	4382
	12 LST	8.0	7.8	10.1	9.2	7.8	8.2	7.7	10.1	11.4	14.4	13.5	11.4	119.6	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.3	22.7	26.6	27.1	29.1	28.7	30.3	30.6	28.9	28.3	26.4	25.5	328.5	12	4382
	00 LST	23.0	22.4	26.2	26.3	28.4	28.6	30.5	30.5	28.7	28.9	26.2	25.5	323.2	12	4382
	06 LST	21.2	19.5	23.5	21.5	22.7	25.6	29.0	29.1	25.1	26.7	23.9	22.9	290.7	12	4382
	12 LST	21.6	19.7	23.1	23.6	25.9	27.5	28.8	29.5	27.8	26.7	25.1	23.4	302.7	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.7	19.8	23.1	23.0	25.8	26.5	28.7	28.5	27.3	27.0	24.4	24.1	299.9	12	4382
	00 LST	21.5	19.2	23.1	23.3	25.1	27.4	29.5	29.8	27.6	26.7	24.5	23.7	301.4	12	4382
	06 LST	19.0	17.2	20.6	18.7	20.3	24.0	27.2	28.0	23.7	24.7	21.3	21.4	266.1	12	4382
	12 LST	20.0	17.9	20.8	19.5	20.3	21.6	23.2	25.6	23.0	23.9	21.7	21.9	259.4	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	20.7	18.9	21.9	20.9	24.2	25.7	27.8	27.8	26.3	25.6	23.3	22.8	289.9	12	4382
	00 LST	20.7	18.5	22.2	21.5	23.7	26.6	29.1	29.1	26.7	25.2	23.3	22.8	289.4	12	4382
	06 LST	17.8	16.3	19.7	17.0	19.1	22.9	25.9	26.2	23.0	23.1	20.5	20.4	251.9	12	4382
	12 LST	19.2	17.1	19.8	17.8	19.2	20.6	22.0	24.5	21.6	22.7	20.7	21.2	246.4	12	4382

FORT WORTH/CARSWELL AFB, TEXAS

STA NO. 73250 (IN AREA NUMBER 13)

LATITUDE 3247N

LONGITUDE 09726W

ELEVATION(FT) 00650

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	85	88	95	96	100	106	109	110	107	105	89	91	110	12	4383
MEAN MAX TMP (F)	57	61	67	76	84	92	96	97	90	79	65	59	77	12	4383
MEAN MIN TMP (F)	37	41	46	55	64	72	76	75	69	58	44	39	56	12	4383
ABS MIN TMP (F)	9	5	20	31	42	57	63	61	54	34	16	11	5	12	4383
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.4	1.2	8.4	22.2	26.7	27.5	17.9	3.6	0.0	0.2	108.1	12	4383
MEAN NO DYS TMP = DR LES 32(F)	10.7	5.3	2.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	3.3	7.2	29.3	12	4383
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	35	37	39	49	60	66	68	66	61	53	40	35	51	12	105103
MEAN REL HUM (PCT)	67	65	58	61	65	61	59	56	59	63	62	64	62	12	105101
MEAN PRESS ALT (FT)	459	495	572	622	647	653	604	609	598	548	483	458	562	0	-50
MEAN PRECIP (IN)	1.80	1.84	1.71	4.34	4.60	3.17	2.09	1.62	2.54	2.98	1.79	1.97	30.4	12	4383
MEAN SNOW FALL (IN)	1.2	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	2.8	12	4383
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.3	4.2	3.3	5.6	6.3	3.8	3.2	2.6	3.4	3.7	3.0	2.9	45.3	12	4383
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.8	12	4383
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	2.0	2.1	1.1	0.5	0.8	0.2	0.2	0.1	0.4	0.5	0.9	2.0	10.8	12	4382
MEAN NO DYS TSTMS	0.7	1.9	3.4	6.0	7.1	5.4	4.9	3.9	3.3	2.7	1.1	0.7	41.1	12	4383
P FREQ WND SPD = DR GTR 17 KTS	12.2	14.1	18.8	17.1	10.9	9.1	3.4	1.8	2.8	5.3	10.5	9.1	9.6	12	105155
P FREQ WND SPD = DR GTR 28 KTS	0.4	0.8	1.4	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.6	0.4	0.4	12	105153
P FREQ LES 5000 FT A/D LES 5 MI	29.9	32.2	27.3	28.6	23.5	14.4	7.6	6.6	12.2	16.9	22.7	24.6	20.5	12	105164
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	17.5	15.9	11.1	9.8	6.5	3.4	1.5	0.6	3.3	7.3	9.2	13.8	8.3	12	13146
03-05 LST	19.4	20.9	12.3	12.6	11.7	6.6	2.3	3.1	5.8	9.7	11.9	16.8	11.1	12	13146
06-08 LST	22.4	23.5	15.4	16.9	16.4	9.0	4.5	4.5	10.0	13.0	15.1	18.7	14.1	12	13146
09-11 LST	21.1	23.2	14.2	13.3	10.8	4.6	3.0	2.4	6.4	10.9	11.9	17.4	11.6	12	13146
12-14 LST	15.1	14.7	6.8	7.1	4.9	2.3	1.0	0.3	1.9	5.7	8.6	11.9	6.7	12	13146
15-17 LST	10.5	11.8	8.1	5.1	3.0	1.8	0.7	0.3	1.3	4.0	7.2	10.2	5.3	12	13145
18-20 LST	10.7	12.1	8.3	4.9	4.4	1.8	0.7	0.0	2.0	3.9	6.9	10.4	5.5	12	13144
21-23 LST	15.3	12.9	9.6	7.2	4.9	1.9	0.6	0.6	2.3	5.1	7.8	10.6	6.6	12	13145
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.3	3.0	1.9	0.4	0.3	0.0	0.0	0.0	0.1	0.9	1.9	3.6	1.3	12	13146
03-05 LST	3.6	4.9	2.7	0.6	1.3	0.2	0.0	0.3	0.3	1.2	2.2	4.5	1.8	12	13146
06-08 LST	3.7	5.4	3.0	0.8	1.5	0.3	0.1	0.0	0.4	0.7	2.5	3.6	1.8	12	13146
09-11 LST	3.0	3.2	1.1	0.0	0.6	0.1	0.1	0.0	0.2	0.4	0.8	1.7	0.9	12	13146
12-14 LST	1.5	0.5	0.6	0.2	0.3	0.0	0.0	0.0	0.1	0.2	0.3	0.5	0.4	12	13146
15-17 LST	0.7	1.3	0.5	0.4	0.4	0.2	0.1	0.0	0.3	0.0	0.6	0.5	0.4	12	13145
18-20 LST	1.1	0.7	1.1	0.2	0.4	0.0	0.0	0.0	0.2	0.3	1.2	1.2	0.5	12	13144
21-23 LST	2.2	1.7	1.4	0.3	0.5	0.1	0.0	0.0	0.2	0.5	1.2	1.6	0.8	12	13145

FORT WORTH/CARSWELL AFB, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. URS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.6	24.8	29.0	26.7	30.3	29.8	30.8	31.0	29.6	30.2	28.6	28.9	350.3	12	4382
	00 LST	27.5	24.8	28.7	28.5	30.2	29.6	30.7	31.0	29.7	29.9	27.9	27.7	346.2	12	4382
	06 LST	26.1	23.5	28.4	26.9	28.1	28.1	30.5	30.6	28.7	28.8	26.7	27.0	333.4	12	4382
	12 LST	26.9	24.4	29.4	29.1	30.2	29.6	30.8	31.0	29.6	29.6	28.2	28.1	346.9	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	16.9	13.0	12.6	10.2	13.9	11.1	15.6	17.4	19.4	21.4	19.1	19.3	189.9	12	4381
	00 LST	15.7	14.8	16.8	14.1	18.2	17.7	21.7	24.6	22.5	22.1	17.4	18.0	223.6	12	4382
	06 LST	15.2	13.6	15.2	14.4	18.1	18.5	25.2	26.6	23.2	22.6	17.0	17.5	227.1	12	4382
	12 LST	9.7	7.6	8.0	5.7	10.5	12.8	17.6	20.9	15.4	13.0	9.1	9.8	140.1	12	4382
SFC WND = GTR 17 KTS AND ND PRECIP.	18 LST	2.3	3.2	4.7	5.2	3.1	3.0	1.3	0.7	0.5	0.8	1.7	2.0	28.5	12	4329
	00 LST	2.5	3.5	4.6	4.1	1.8	1.7	1.1	0.3	0.2	0.7	2.7	2.1	25.3	12	4314
	06 LST	2.6	2.7	3.4	2.3	1.2	0.6	0.1	0.1	0.0	0.7	1.9	1.9	17.5	12	4297
	12 LST	6.7	6.6	8.8	8.5	5.9	4.3	1.4	0.6	1.5	2.8	6.2	5.0	58.3	12	4322
SFC WND 4-10 KTS AND TMP 33-89 REG F AND ND PRECIP.	18 LST	15.9	14.1	14.7	13.1	15.3	7.7	5.8	6.3	13.4	19.3	17.8	20.1	163.5	12	4329
	00 LST	12.1	11.0	13.5	12.1	16.3	17.6	17.8	19.1	17.3	15.9	12.4	14.0	179.1	12	4314
	06 LST	12.1	11.9	13.7	14.1	15.9	15.7	16.7	14.3	13.4	16.1	12.3	14.8	171.0	12	4297
	12 LST	11.3	10.4	10.5	9.3	10.7	7.7	6.0	7.2	10.2	14.0	12.3	13.4	123.0	12	4322
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.2	8.9	9.5	10.7	10.2	13.8	11.7	12.5	15.7	16.2	14.5	13.1	147.0	12	4382
	00 LST	13.8	12.4	15.0	14.1	14.6	18.6	20.7	23.6	21.0	20.2	17.1	17.1	208.2	12	4382
	06 LST	12.4	11.1	10.8	8.8	7.8	11.8	11.0	14.1	16.0	16.8	14.8	16.4	151.8	12	4382
	12 LST	8.7	9.2	10.6	8.9	7.6	9.3	7.4	9.9	11.2	15.1	12.9	12.0	122.8	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	25.9	23.0	27.3	27.2	29.1	29.2	30.8	30.9	29.2	29.0	27.2	26.4	335.2	12	4382
	00 LST	24.4	22.3	25.9	26.5	28.0	28.7	30.6	30.6	29.1	28.6	26.3	26.1	327.1	12	4382
	06 LST	22.7	19.9	23.5	21.9	23.5	25.6	29.6	29.3	26.0	26.3	24.2	24.3	296.8	17	4382
	12 LST	22.8	20.4	25.4	24.4	27.2	28.5	29.6	30.2	27.9	27.2	25.5	24.5	313.6	17	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	23.2	20.3	23.7	23.6	25.9	26.5	29.6	29.6	27.3	27.0	24.8	23.9	305.4	12	4382
	00 LST	22.2	19.6	23.5	23.7	25.3	26.9	30.0	29.9	27.5	26.8	24.1	23.9	303.4	12	4382
	06 LST	20.2	17.3	20.8	18.0	21.0	24.3	28.3	28.5	25.1	24.4	21.8	22.1	271.8	12	4382
	12 LST	20.9	18.4	22.2	18.9	21.1	23.3	25.6	26.5	24.2	23.9	21.8	22.4	269.2	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	21.7	19.3	22.7	22.1	24.8	26.0	27.5	28.5	26.3	26.0	23.6	23.3	291.8	12	4382
	00 LST	21.1	18.6	22.6	22.6	24.3	26.3	29.5	29.6	26.6	25.6	23.3	23.1	293.2	12	4382
	06 LST	19.7	16.7	19.9	16.7	19.6	23.3	26.3	27.1	24.7	23.4	20.5	21.8	259.7	12	4382
	12 LST	19.9	17.4	20.8	18.1	20.4	22.5	23.4	25.9	23.5	22.8	20.9	21.7	257.3	12	4382

WACO/JAMES CONNALLY.AFB, TEXAS

STA NO. 73291 (IN AREA NUMBER 19)

LATITUDE 3138N

LONGITUDE 09704W

ELEVATION(FT) 00470

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR	NO.
														(YRS)	URS
ABS MAX TMP (F)	84	90	93	93	99	102	109	107	105	96	89	85	109	12	4383
MEAN MAX TMP (F)	59	62	69	77	85	92	96	96	90	80	67	60	78	12	4383
MEAN MIN TMP (F)	39	43	47	56	65	72	75	75	69	58	46	40	57	12	4383
ABS MIN TMP (F)	12	7	24	35	44	58	66	59	53	35	20	13	7	12	4383
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.1	0.2	0.9	7.6	22.1	27.8	27.2	17.5	3.9	0.0	0.0	107.3	12	4383
MEAN NO DYS TMP = DR LES 32(F)	8.7	4.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	5.6	22.8	12	4383
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	39	41	43	53	62	68	69	68	63	55	43	38	54	12	105174
MEAN REL HUM (PCT)	72	71	63	66	68	66	63	60	63	65	65	68	66	12	105174
MEAN PRESS ALT (FT)	279	314	394	445	471	477	429	432	411	367	302	277	383	0	-50
MEAN PRECIP (IN)	1.85	2.82	1.91	3.77	4.57	2.82	1.94	2.15	2.87	2.80	2.29	2.41	32.2	12	4383
MEAN SNOW FALL (IN)	0.5	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	12	4383
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.9	5.3	3.6	4.7	5.8	4.1	3.2	2.6	3.2	3.4	3.8	3.6	47.2	12	4383
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	12	4383
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.1	2.0	2.1	1.5	1.0	0.4	0.1	0.2	0.6	1.6	2.4	3.4	19.4	12	4383
MEAN NO DYS TSMS	1.6	3.0	2.9	5.1	6.2	4.7	3.7	3.6	2.8	2.8	1.8	1.3	39.3	12	4383
P FREQ WND SPD = DR GTR 17 KTS	8.8	7.4	9.8	8.3	4.5	3.2	2.3	1.2	2.1	3.0	8.2	7.0	5.5	12	105180
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.1	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	12	105180
P FREQ LES 5000 FT A/D LES 5 MI	37.7	38.1	32.7	34.8	29.1	20.3	10.8	8.4	16.0	19.4	28.8	29.6	25.3	12	105182
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	23.1	20.9	13.9	12.4	9.1	3.7	1.2	1.3	5.0	6.4	13.0	16.8	10.6	12	13146
03-05 LST	27.9	26.0	21.7	19.9	16.2	11.5	4.1	4.4	11.3	14.1	16.6	21.3	16.3	12	13148
06-08 LST	29.3	28.6	24.9	28.1	22.6	19.5	11.3	9.3	17.0	20.7	21.5	25.2	21.5	12	13148
09-11 LST	27.2	27.4	20.4	19.7	11.4	6.8	4.3	3.9	10.1	13.8	17.1	20.8	15.2	12	13148
12-14 LST	19.4	19.9	11.0	8.7	4.4	2.3	1.4	1.0	2.2	5.2	9.1	16.3	8.4	12	13146
15-17 LST	15.5	14.6	7.9	6.4	4.0	2.4	0.4	0.5	1.9	3.2	8.1	12.6	6.4	12	13149
18-20 LST	14.6	13.0	7.2	6.2	3.3	2.0	0.3	0.1	1.2	3.5	7.5	11.4	5.9	12	13149
21-23 LST	17.4	14.2	8.5	7.0	3.9	1.8	0.5	0.4	1.5	4.3	9.1	13.4	6.8	12	13148
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.6	2.9	2.3	1.3	1.1	0.6	0.0	0.0	0.1	0.4	2.6	3.6	1.7	12	13146
03-05 LST	8.6	5.8	4.2	2.2	2.2	0.6	0.2	0.2	0.9	2.2	4.8	5.6	3.1	12	13148
06-08 LST	10.1	5.9	4.7	1.9	2.2	0.3	0.4	0.0	1.4	3.9	5.6	8.0	3.7	12	13148
09-11 LST	5.6	3.6	2.1	0.9	0.8	0.1	0.2	0.0	0.2	0.4	2.6	2.8	1.6	12	13148
12-14 LST	2.6	1.0	0.5	0.6	0.2	0.0	0.1	0.1	0.0	0.2	0.5	1.3	0.6	12	13146
15-17 LST	2.4	0.7	0.9	0.7	0.2	0.2	0.1	0.0	0.0	0.3	0.4	1.0	0.6	12	13149
18-20 LST	3.2	1.3	0.8	1.0	0.4	0.1	0.0	0.0	0.1	0.1	0.6	1.8	0.8	12	13149
21-23 LST	3.9	2.3	1.2	0.2	0.4	0.1	0.0	0.1	0.2	0.3	1.3	2.6	1.1	12	13148

WACO/JAMES CONNALLY AFB, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.6	25.3	29.1	28.4	30.2	29.6	31.0	30.9	29.7	30.1	28.1	28.4	348.4	12	4383
	00 LST	26.6	24.4	28.6	28.5	29.8	29.4	30.9	31.0	29.4	30.2	27.5	27.3	343.6	12	4383
	06 LST	24.0	22.3	25.3	25.5	27.5	27.2	29.6	29.1	27.2	26.6	25.2	25.6	315.1	12	4383
	12 LST	26.5	24.0	28.5	28.5	29.7	29.4	30.7	30.8	29.6	30.1	27.9	27.2	342.9	12	4383
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	17.6	15.4	14.5	12.6	16.1	12.8	15.8	18.9	21.2	24.1	20.9	20.8	210.7	12	4383
	00 LST	16.8	16.4	17.6	16.4	19.9	19.5	22.4	23.6	24.8	24.1	19.1	19.5	240.1	12	4383
	06 LST	15.1	14.8	16.1	16.0	19.4	20.5	26.1	25.3	22.6	21.8	17.1	17.7	232.5	12	4383
	12 LST	9.1	8.1	9.0	8.4	12.6	12.7	16.9	20.0	17.8	15.4	11.5	11.0	152.5	12	4383
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	2.2	1.7	2.3	2.5	1.6	1.1	1.3	0.8	0.4	0.8	1.4	1.3	17.4	12	4322
	00 LST	1.7	0.8	2.2	1.3	0.8	0.5	0.5	0.6	0.2	0.2	1.9	1.7	12.4	12	4323
	06 LST	1.9	1.5	2.0	0.8	0.4	0.2	0.2	0.0	0.3	0.4	1.3	1.4	10.4	12	4281
	12 LST	5.2	4.0	5.3	4.5	2.7	2.6	4.3	0.2	1.2	1.6	4.4	3.2	36.4	12	4307
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	15.7	15.7	16.6	14.9	16.0	8.6	5.1	6.4	13.9	19.6	16.9	18.3	167.7	12	4322
	00 LST	12.4	14.5	14.4	14.2	15.3	15.6	16.5	17.8	16.7	15.7	14.5	15.8	183.4	12	4323
	06 LST	12.5	12.2	15.5	14.9	16.2	16.3	16.6	15.9	14.1	15.2	13.9	14.4	177.7	12	4281
	12 LST	13.0	12.2	13.0	12.3	14.3	9.0	5.0	6.5	11.9	16.2	14.0	14.3	141.7	12	4307
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.3	8.2	7.8	10.0	9.9	12.5	10.0	11.7	15.1	17.0	13.6	12.5	137.6	12	4383
	00 LST	12.6	12.1	12.8	13.0	14.4	19.3	21.6	22.2	20.6	20.1	15.8	16.2	200.7	12	4383
	06 LST	10.7	10.0	9.1	7.8	6.9	9.6	10.1	12.4	14.4	15.5	13.2	14.5	134.2	12	4383
	12 LST	7.7	7.8	8.9	7.7	7.3	6.3	6.8	9.6	10.8	14.3	11.3	10.1	108.6	12	4383
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.8	22.8	26.8	27.7	29.0	29.2	30.9	30.9	29.0	29.1	26.5	26.1	332.8	12	4383
	00 LST	21.8	19.9	24.5	24.2	27.2	29.1	30.6	30.7	28.8	28.6	24.7	25.0	315.1	12	4383
	06 LST	19.8	18.6	20.2	18.7	20.8	22.9	27.2	27.5	24.0	23.8	21.8	22.1	267.4	12	4383
	12 LST	21.1	19.0	23.3	22.7	27.2	27.9	29.9	30.2	27.2	26.9	24.0	23.6	303.0	12	4383
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.5	19.2	22.9	23.7	25.7	27.6	29.0	29.5	27.7	26.9	23.3	23.4	300.4	12	4383
	00 LST	19.3	17.6	21.1	21.2	24.4	27.8	29.9	30.0	27.5	26.2	21.7	22.4	289.1	12	4383
	06 LST	17.0	16.2	17.3	15.8	18.1	21.7	26.4	26.6	22.7	22.3	19.1	20.0	243.2	12	4383
	12 LST	18.2	16.4	20.0	18.8	19.4	20.3	24.1	24.8	22.3	22.4	20.6	21.0	246.3	12	4383
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	21.0	18.1	22.2	22.8	24.5	27.1	28.0	28.7	26.8	25.9	21.8	22.3	289.2	12	4383
	00 LST	18.6	16.5	20.4	20.4	23.2	27.3	29.4	29.5	26.7	25.2	20.6	22.0	279.8	12	4383
	06 LST	16.3	14.7	16.1	14.6	17.1	20.7	25.7	26.1	21.8	21.3	17.6	19.5	231.5	12	4383
	12 LST	17.0	15.2	18.5	16.2	18.8	20.0	23.7	24.1	21.7	21.7	20.0	20.5	237.4	12	4383

KILLEEN/GRAY AAF, TEXAS

STA NO. 73252 (IN AREA NUMBER 13)

LATITUDE 3104N

LONGITUDE 09750W

ELEVATION(FT) 01015

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	88	93	93	97	100	109	109	104	105	97	86	89	109	12	3660
MEAN MAX TMP (F)	60	64	71	79	86	94	96	93	87	74	65	61	78	12	3660
MEAN MIN TMP (F)	41	45	50	59	67	73	75	73	67	55	45	46	58	12	3660
ABS MIN TMP (F)	9	19	25	33	45	58	63	57	42	28	14	11	9	12	3660
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.1	0.8	1.8	12.9	26.1	28.7	24.1	11.9	0.4	0.0	0.0	106.8	12	3660
MEAN NO DYS TMP = DR LES 32(F)	6.4	3.6	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.7	3.4	4.7	20.0	12	3660
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3660
MEAN DEW PT TMP (F)	38	39	42	51	61	67	67	66	62	53	42	37	52	11	87240
MEAN REL HUM (PCT)	67	56	60	63	67	65	60	59	61	62	63	62	63	11	87240
MEAN PRESS ALI (FT)	830	867	948	1000	1027	1034	983	985	963	919	852	826	936	0	-50
MEAN PRECIP (IN)	1.49	2.27	1.69	4.18	4.13	1.67	1.47	2.20	1.60	3.01	1.36	1.63	26.7	12	3649
MEAN SNOW FALL (IN)	0.4	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	1.7	12	3650
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.5	4.5	3.6	5.0	5.5	2.5	2.5	3.5	2.8	3.9	2.5	2.6	42.4	12	3649
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.4	12	3650
MEAN NO DYS W/DCUR V5BY LES 1/2 MI	3.2	3.0	2.3	1.5	0.9	0.3	0.1	0.3	0.9	0.8	2.2	2.5	18.0	11	3641
MEAN NO DYS TSTMS	1.4	2.2	3.2	5.7	6.3	2.5	3.8	3.5	2.0	2.1	0.5	1.0	34.2	12	3660
P FREQ WND SPD = DR GTR 17 KTS	10.4	12.1	15.2	15.8	11.8	9.9	5.4	3.3	1.7	4.9	9.1	10.1	9.1	11	87375
P FREQ WND SPD = DR GTR 28 KTS	0.3	0.4	0.6	0.2	0.1	0.1	0.0	0.0	0.0	0.1	0.2	0.3	0.2	11	87375
P FREQ LES 5000 FT A/D LES 5 MI	33.8	38.0	31.5	37.1	31.3	21.1	11.1	13.2	19.0	19.6	28.2	25.8	25.8	11	87373
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	23.3	27.9	16.9	20.4	15.1	5.0	1.8	3.2	7.1	9.7	14.7	15.7	13.4	11	10922
03-05 LST	27.6	30.4	22.8	28.4	21.9	9.9	4.7	7.0	12.6	12.9	16.9	19.2	17.9	11	10923
06-08 LST	27.4	31.3	24.8	28.1	21.6	14.6	6.9	9.0	16.5	16.6	20.3	22.1	19.9	12	11275
09-11 LST	23.1	28.1	20.1	22.3	10.9	5.9	2.2	5.1	10.4	12.8	17.1	20.2	14.9	12	11450
12-14 LST	16.9	17.3	11.1	11.7	4.4	2.3	0.9	1.2	2.5	6.5	10.7	14.1	8.3	12	11448
15-17 LST	14.0	14.8	7.9	7.4	4.4	2.2	0.2	0.9	1.7	5.4	8.9	10.7	6.5	12	11446
18-20 LST	14.0	14.3	8.2	8.0	5.4	2.6	0.6	0.4	1.8	5.1	9.4	10.4	6.7	12	11272
21-23 LST	18.9	18.4	10.6	11.7	7.4	2.9	0.2	0.8	2.3	5.4	12.4	11.4	8.6	11	10920
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.5	6.6	4.0	3.1	1.4	0.0	0.0	0.3	0.8	1.5	4.0	4.6	2.7	11	10922
03-05 LST	8.7	6.8	5.3	5.1	1.9	0.7	0.0	0.6	1.7	1.9	4.7	5.6	3.6	11	10923
06-08 LST	9.5	8.6	5.9	6.1	2.4	1.1	0.2	0.5	2.8	3.2	5.2	6.9	4.4	12	11275
09-11 LST	6.5	5.6	2.9	3.1	1.0	0.1	0.0	0.1	0.1	1.1	2.2	5.2	2.3	12	11450
12-14 LST	4.3	2.0	2.1	1.1	0.2	0.0	0.1	0.0	0.2	0.7	1.4	1.2	1.1	12	11448
15-17 LST	3.3	1.9	1.4	0.2	0.1	0.1	0.0	0.1	0.0	0.7	1.3	1.5	0.9	12	11446
18-20 LST	4.8	3.8	1.2	1.3	0.6	0.1	0.2	0.0	0.1	0.7	2.6	2.2	1.5	12	11272
21-23 LST	5.8	5.2	2.8	1.6	1.1	0.0	0.0	0.0	0.3	1.1	3.7	3.4	2.1	11	10920

KILLEEN/GRAY AAF, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POP (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	27.9	25.4	29.4	28.3	30.1	29.6	31.0	30.9	29.8	29.7	27.9	28.8	346.8	12	3816
	23 LST	26.6	23.6	28.0	26.8	29.6	29.4	31.0	30.8	28.8	29.4	27.2	28.6	339.8	11	3641
	05 LST	24.5	21.2	26.1	24.1	27.3	27.8	30.0	29.4	26.6	27.2	26.3	26.0	316.5	12	3817
	11 LST	26.3	23.3	27.4	27.2	30.0	29.5	30.9	30.5	29.0	29.4	27.1	27.4	338.0	12	3817
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	13.5	9.4	9.5	6.3	10.8	10.4	13.4	16.3	17.5	18.6	14.8	15.8	156.3	12	3816
	23 LST	14.0	12.5	14.4	12.2	15.7	14.8	16.1	20.9	22.4	20.8	16.8	16.5	197.1	11	3641
	05 LST	12.8	10.8	13.1	11.2	16.0	17.7	23.9	23.9	21.1	21.1	15.7	15.1	202.4	12	3817
	11 LST	9.7	7.1	8.8	7.1	12.4	14.1	17.3	19.8	17.8	15.3	10.7	10.2	150.3	12	3817
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	3.2	3.4	3.8	7.4	5.9	5.0	3.9	1.6	0.7	1.4	2.1	1.6	42.0	12	3753
	23 LST	2.4	3.0	4.0	4.6	3.4	2.9	1.4	1.4	0.2	1.2	2.6	2.5	29.6	11	3583
	05 LST	2.9	2.2	3.9	2.0	1.8	0.8	0.1	0.5	0.3	0.7	2.3	1.8	19.3	19	3702
	11 LST	3.7	4.5	5.8	6.4	5.1	2.8	1.3	1.1	0.7	2.0	4.0	4.8	42.2	12	3754
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	16.2	13.8	12.6	8.7	10.7	5.7	2.2	4.9	11.9	19.8	16.5	17.2	140.2	12	3753
	23 LST	12.6	12.8	14.2	12.8	13.1	13.5	16.8	21.3	19.5	17.3	15.9	16.3	186.1	11	3582
	05 LST	12.2	11.6	12.9	14.9	17.1	16.6	21.9	18.6	16.5	17.3	15.0	14.8	189.4	12	3701
	11 LST	14.2	12.3	13.1	10.9	13.2	11.9	9.8	9.9	17.2	19.4	13.1	12.5	157.5	12	3754
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	9.8	8.5	8.7	8.9	9.7	9.9	8.4	8.7	13.6	16.2	12.5	12.2	127.1	12	3816
	23 LST	14.3	12.7	15.1	14.2	16.5	19.4	23.6	22.7	21.7	21.2	16.3	18.1	215.8	11	3641
	05 LST	12.5	11.7	11.0	9.7	9.2	11.2	17.2	19.5	18.5	17.8	15.4	16.3	170.0	12	3817
	11 LST	8.3	8.9	8.5	8.6	8.4	9.4	10.1	11.7	11.9	14.4	12.0	11.1	123.3	12	3817
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	24.9	22.3	27.1	25.6	28.6	28.6	30.9	30.8	28.6	28.5	26.1	26.4	328.4	12	3816
	23 LST	22.7	19.9	24.5	23.5	27.0	28.5	31.0	30.7	28.0	28.0	24.2	25.5	313.5	11	3641
	05 LST	19.8	17.4	20.5	17.7	19.8	22.8	28.7	27.6	24.4	24.4	22.0	22.5	267.6	12	3817
	11 LST	21.5	18.6	22.8	20.9	24.5	27.4	29.3	28.6	25.1	26.3	22.9	23.2	291.1	12	3817
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	22.8	19.4	23.1	21.4	22.4	24.5	27.2	26.3	25.1	26.4	23.2	24.2	286.0	12	3816
	23 LST	20.7	18.2	22.8	20.7	25.1	27.3	30.5	29.5	26.8	27.4	21.5	23.9	294.4	11	3641
	05 LST	18.3	15.7	18.4	15.8	17.7	21.5	27.5	26.0	23.3	23.2	19.7	21.2	248.3	12	3817
	11 LST	19.5	16.6	20.6	17.4	18.9	21.2	24.5	24.7	22.3	23.2	21.1	21.5	251.5	12	3817
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	21.6	18.5	22.2	20.8	21.7	23.8	26.6	25.2	24.4	25.2	22.4	23.3	275.7	12	3816
	23 LST	20.3	17.9	22.5	20.6	24.2	27.2	30.2	29.0	26.4	26.5	20.7	23.2	288.7	11	3641
	05 LST	17.7	14.8	17.5	15.2	17.5	21.3	27.0	25.7	22.7	22.5	18.9	20.2	241.0	12	3817
	11 LST	18.8	15.7	19.7	16.5	18.3	20.9	24.0	24.0	21.4	22.3	19.9	20.3	241.8	12	3817

DALLAS NAS, TEXAS

STA NO. 73253 (IN AREA NUMBER 13)

LATITUDE 3244N

LONGITUDE 0965W

ELEVATION(FT) 00495

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	87	85	90	98	99	104	108	110	106	98	90	87	110	10	2607
MEAN MAX TMP (F)	56	61	67	76	84	91	95	97	88	79	68	60	77	10	2607
MEAN MIN TMP (F)	35	41	45	55	64	72	75	75	67	58	44	39	56	10	2607
ABS MIN TMP (F)	-1	7	11	37	46	58	66	64	38	32	19	9	-1	10	2607
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.1	1.3	6.5	21.3	28.1	27.9	13.4	2.4	0.1	0.0	101.1	10	2607
MEAN NO DYS TMP = DR LES 32(F)	14.1	5.3	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2.7	7.6	32.3	10	2607
MEAN NO DYS TMP = DR LES 0(F)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	2607
MEAN DEW PT TMP (F)	35	40	40	51	62	68	70	68	63	55	41	38	53	10	61101
MEAN REL HUM (PCT)	69	68	59	64	70	66	64	60	66	68	61	70	65	10	61055
MEAN PRESS ALT (FT)	302	336	414	463	489	494	446	451	438	390	326	301	404	0	-50
MEAN PRECIP (IN)	1.92	1.81	1.81	4.06	6.02	4.86	1.30	1.37	2.72	2.07	0.90	2.05	30.9	10	2458
MEAN SNOW FALL (IN)	2.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	7	1783
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.3	3.3	2.5	5.6	6.0	5.3	2.8	2.0	3.5	3.3	2.0	3.0	2.6	10	2458
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	7	1783
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.4	2.1	0.4	0.7	0.0	0.2	0.0	0.0	0.3	0.6	0.1	1.9	7.7	11	2774
MEAN NO DYS TSTMS	1.4	2.5	2.2	5.0	7.8	6.5	4.7	4.2	3.0	2.9	1.3	0.9	42.4	11	2773
P FREQ WND SPD = DR GTR 17 KTS	14.5	14.8	21.0	17.7	11.9	9.4	4.5	2.8	5.2	7.7	11.0	11.2	11.0	11	66478
P FREQ WND SPD = DR GTR 28 KTS	0.5	0.5	1.2	0.5	0.4	0.1	0.0	0.1	0.0	0.0	0.4	0.4	0.3	11	66478
P FREQ LES 5000 FT A/D LES 5 MI	32.2	34.9	28.0	27.4	29.0	19.6	9.4	8.4	16.3	22.5	20.3	30.1	23.2	11	66398
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	18.2	16.6	10.1	6.1	5.2	3.7	1.1	0.8	3.5	8.9	8.0	14.6	8.1	11	8313
03-05 LST	21.4	21.6	11.3	10.2	9.9	5.8	2.2	2.0	7.6	10.8	10.9	15.6	10.8	11	8316
06-08 LST	25.7	25.0	18.4	19.1	17.2	9.4	4.8	4.5	12.1	17.5	15.1	21.1	15.8	11	8322
09-11 LST	23.5	21.8	15.4	15.0	9.7	4.8	2.7	1.3	9.7	11.8	11.8	20.3	12.3	11	8311
12-14 LST	18.1	16.2	10.6	6.3	4.5	2.0	0.4	0.3	4.6	5.8	7.1	13.9	7.5	11	8305
15-17 LST	14.1	14.4	7.3	4.7	3.9	1.1	0.5	0.2	2.2	4.3	5.6	10.3	5.7	11	8310
18-20 LST	12.6	13.9	7.7	3.6	4.1	0.6	0.7	0.3	1.4	4.0	5.7	10.1	5.4	11	8309
21-23 LST	13.4	14.9	6.0	3.9	4.3	0.2	0.4	1.4	2.1	5.2	5.2	12.9	5.8	11	8305
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.0	3.4	1.1	0.8	0.4	0.4	0.0	0.0	0.2	0.4	1.0	2.2	1.1	11	8313
03-05 LST	4.7	5.1	2.3	2.7	0.9	0.4	0.0	0.0	0.8	1.4	1.5	3.5	1.9	11	8316
06-08 LST	4.4	6.4	2.6	2.5	0.9	0.2	0.2	0.0	0.8	1.1	0.7	4.8	2.1	11	8322
09-11 LST	3.2	2.9	1.0	0.6	0.0	0.7	0.0	0.0	0.3	0.0	0.1	2.8	1.0	11	8311
12-14 LST	1.0	1.0	0.3	0.0	0.0	0.2	0.0	0.0	0.2	0.1	0.4	0.3	0.3	11	8305
15-17 LST	1.0	1.0	0.4	0.0	0.2	0.0	0.0	0.0	0.3	0.1	0.4	0.7	0.3	11	8310
18-20 LST	1.2	2.4	0.8	0.3	0.3	0.4	0.0	0.0	0.2	0.1	0.4	0.8	0.6	11	8309
21-23 LST	1.6	2.4	0.3	0.3	0.4	0.0	0.0	0.0	0.0	0.0	1.2	1.8	0.7	11	8305

DALLAS NAS, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.2	25.0	29.5	29.7	30.7	29.8	30.8	31.0	29.4	30.1	28.9	29.2	352.3	11	2775
	00 LST	27.5	24.7	29.8	29.3	30.5	29.8	31.0	30.8	29.7	29.9	28.9	28.2	350.1	11	2776
	06 LST	26.0	23.2	28.7	27.9	29.6	29.0	30.8	30.5	27.8	29.3	28.1	26.8	337.7	11	2776
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	12 LST	26.5	23.9	28.4	28.7	29.8	29.6	30.8	31.0	29.1	29.6	28.4	27.0	342.8	11	2776
	18 LST	13.4	9.5	10.6	10.7	14.7	14.5	17.8	20.6	18.7	19.0	18.9	17.0	185.4	11	2775
	00 LST	14.5	13.0	14.0	13.8	18.2	16.1	18.2	19.2	22.0	18.8	19.5	17.3	204.6	11	2775
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	14.2	12.7	13.2	14.2	16.0	18.7	23.8	23.8	22.0	20.1	16.8	15.9	211.4	11	2775
	12 LST	11.3	9.0	8.2	8.8	13.8	14.8	20.5	21.5	17.7	13.6	11.4	10.1	160.7	11	2776
	18 LST	4.3	2.8	7.6	7.4	4.7	2.2	2.7	1.1	1.7	2.0	1.8	2.5	40.8	11	2729
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	4.2	3.7	6.7	3.9	2.5	2.7	0.7	0.7	1.1	2.4	3.3	3.4	35.3	11	2732
	06 LST	3.8	3.0	4.6	2.6	2.3	1.2	0.5	0.3	0.6	1.3	2.0	1.9	24.1	11	2718
	12 LST	6.0	6.8	9.3	7.6	5.8	3.2	1.1	0.9	2.4	3.2	5.3	5.2	56.8	11	2728
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	13.9	12.7	12.7	12.5	13.5	7.3	4.3	4.7	15.6	17.1	17.3	18.2	149.8	10	2571
	00 LST	12.1	11.6	14.1	14.6	15.3	16.0	16.2	17.3	18.5	16.2	15.5	17.1	184.5	10	2570
	06 LST	11.7	13.3	14.5	14.6	15.2	15.7	18.5	18.8	18.8	17.1	14.5	16.7	189.4	10	2554
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	12 LST	10.5	12.2	11.0	10.7	14.7	11.3	6.4	7.7	16.6	15.1	13.1	13.1	142.4	10	2569
	18 LST	9.5	8.7	9.1	10.5	8.7	12.5	7.8	14.0	16.0	15.1	15.5	10.5	137.9	7	1795
	00 LST	12.3	12.3	15.3	16.1	13.7	17.7	19.5	22.2	20.5	21.1	18.8	16.0	205.5	7	1796
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	11.5	11.5	13.5	11.9	8.7	10.2	13.0	18.2	15.8	17.0	17.0	15.5	164.4	7	1794
	12 LST	6.5	7.7	10.3	9.4	7.2	9.0	8.5	12.7	10.5	12.8	14.3	10.3	119.2	7	1796
	18 LST	25.3	22.6	28.1	28.0	29.1	28.8	30.7	30.5	28.7	28.6	27.9	25.5	333.8	11	2775
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	24.5	22.0	27.6	27.0	29.0	29.5	30.8	30.4	29.0	28.3	27.4	24.6	330.1	11	2776
	06 LST	22.4	20.1	24.1	23.0	23.8	26.3	30.0	27.7	25.8	25.1	24.7	22.9	297.9	11	2776
	12 LST	22.5	20.1	23.9	22.5	25.0	25.8	29.3	30.0	25.8	24.9	25.5	23.2	298.5	11	2776
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	22.7	19.4	22.9	23.7	22.8	26.0	28.6	27.7	26.1	26.5	25.2	22.7	294.3	11	2775
	00 LST	21.5	18.8	23.8	24.0	25.3	28.0	30.0	29.8	27.8	25.9	24.9	22.4	302.2	11	2776
	06 LST	19.8	17.3	21.4	19.4	20.0	23.2	28.1	28.8	24.1	22.7	22.9	20.6	268.3	11	2776
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	12 LST	19.7	17.0	20.8	17.4	18.0	20.3	24.3	25.9	21.0	21.7	23.1	20.7	249.9	11	2776
	18 LST	20.5	18.2	22.1	21.9	21.8	25.5	27.3	26.6	25.1	25.1	23.6	21.6	279.3	11	2775
	00 LST	20.3	17.7	23.2	22.7	24.5	26.6	29.8	29.2	26.9	24.8	24.2	21.6	291.5	11	2776
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	19.2	16.4	20.0	17.7	17.1	22.1	27.0	27.2	22.6	21.9	21.8	19.9	252.5	11	2776
	12 LST	18.3	16.1	19.7	16.7	17.0	19.3	23.7	24.7	19.8	20.6	22.1	19.4	237.4	11	2776

KILLEEN/HOOD AAF, TEXAS

STA NO. 73254 (IN AREA NUMBER 13)

LATITUDE 3108N

LONGITUDE 09743W

ELEVATION(FT) 00923

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	DR (YRS)	NO. OBS
ABS MAX TMP (F)	80	88	86	98	97	97	102	106	100	92	88	82	106	5	1630
MEAN MAX TMP (F)	57	60	67	78	83	89	94	95	87	80	67	57	76	5	1630
MEAN MIN TMP (F)	35	39	46	58	65	70	73	73	68	59	48	38	56	5	1630
ABS MIN TMP (F)	10	18	21	37	51	51	65	62	49	41	28	18	10	5	1630
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	1.8	3.4	17.8	28.2	28.2	12.8	4.0	0.0	0.0	96.2	5	1630
MEAN NO DYS TMP = DR LES 32(F)	12.2	6.2	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	9.2	31.9	5	1630
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1630
MEAN DEW PT TMP (F)	32	36	42	54	62	67	67	66	64	55	46	36	52	5	39119
MEAN REL HUM (PCT)	65	64	62	66	71	69	61	58	67	64	69	68	65	5	39119
MEAN PRESS ALT (FT)	738	774	854	907	933	940	890	892	870	826	759	733	843	0	-50
MEAN PRECIP (IN)	1.16	2.24	1.95	2.21	2.00	3.71	1.09	1.11	4.44	2.98	2.93	1.69	27.5	4	1355
MEAN SNOW FALL (IN)	1.6	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	4.1	4	1341
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.7	3.7	2.5	4.0	3.0	6.0	2.0	2.7	4.7	2.5	5.0	3.7	42.5	4	1355
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.9	4	1341
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.7	4.2	2.4	0.8	1.0	0.8	0.2	0.0	0.2	1.7	1.7	4.2	21.9	5	1630
MEAN NO DYS TSMS	1.0	1.7	3.1	5.6	4.8	5.8	2.6	4.6	4.2	2.2	2.0	1.5	39.1	5	1630
P FREQ WND SPD = DR GTR 17 KTS	5.6	5.0	6.4	6.6	7.3	2.5	0.9	0.4	3.2	3.3	2.4	1.8	3.8	5	39120
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	5	39120
P FREQ LES 5000 FT A/D LES 5 MI	31.4	29.7	31.0	34.8	36.6	26.0	8.1	6.7	19.8	19.1	33.7	31.9	25.7	5	39120
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	20.4	18.9	17.3	18.9	15.1	7.6	1.7	0.4	11.1	5.9	19.2	17.5	12.8	5	4890
03-05 LST	24.7	22.7	25.8	30.7	23.0	16.2	3.7	2.4	16.4	10.2	24.4	19.6	18.3	5	4890
06-08 LST	29.7	25.3	27.5	32.7	38.3	22.7	7.3	6.7	19.4	16.7	27.3	23.1	23.1	6	5288
09-11 LST	27.7	23.2	24.9	27.8	19.4	11.6	3.2	2.4	15.8	15.9	25.1	23.2	18.4	6	5289
12-14 LST	20.2	15.6	14.8	13.1	6.9	3.3	0.9	0.0	5.8	3.2	13.7	17.8	9.6	6	5286
15-17 LST	16.3	13.5	10.8	6.7	4.9	3.3	0.2	0.2	3.6	1.6	10.5	16.6	7.4	6	5282
18-20 LST	17.0	11.3	9.9	3.6	4.5	3.8	0.6	0.0	3.6	1.6	9.7	15.5	6.8	6	5274
21-23 LST	17.7	12.9	9.7	5.6	5.8	3.8	1.1	0.2	3.3	4.0	11.1	17.5	7.7	6	5146
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.7	4.4	0.9	1.1	0.9	0.9	0.0	0.0	0.3	1.1	1.1	6.7	2.0	5	4890
03-05 LST	7.0	6.2	3.1	1.8	2.2	0.4	0.2	0.0	0.6	1.9	3.6	7.6	2.9	5	4890
06-08 LST	8.8	5.7	4.7	1.8	3.9	2.7	0.4	0.0	1.4	3.5	5.4	7.1	3.8	6	5288
09-11 LST	7.3	4.7	2.4	0.7	0.2	0.0	0.0	0.0	0.6	0.5	1.8	4.3	1.9	6	5289
12-14 LST	3.7	2.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.2	0.9	6	5286
15-17 LST	2.6	0.7	0.4	0.0	0.2	0.4	0.0	0.2	0.0	0.0	0.0	1.9	0.5	6	5282
18-20 LST	1.9	1.9	1.1	0.0	0.0	0.9	0.0	0.0	0.0	0.5	0.2	3.4	0.8	6	5274
21-23 LST	4.6	3.0	1.1	0.2	0.0	0.2	0.0	0.0	0.6	0.5	0.7	4.8	1.3	6	5146

KILLEEN/HOOD AAF, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	27.6	25.8	29.5	27.4	30.0	28.8	30.8	31.0	28.7	31.0	28.4	26.8	348.1	6	1762
	23 LST	26.4	25.0	29.0	28.4	30.0	28.8	30.6	31.0	29.0	29.5	27.7	26.6	342.0	6	1758
	05 LST	25.2	22.4	26.4	26.2	26.2	27.6	30.2	30.4	26.3	29.2	24.4	25.4	319.5	6	1763
	11 LST	25.8	23.6	27.0	28.2	29.4	29.4	30.8	31.0	28.0	30.0	26.6	25.8	335.6	6	1763
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	14.2	9.7	12.0	13.6	11.6	11.2	19.0	19.1	16.2	17.0	19.4	18.2	181.2	6	1762
	23 LST	19.8	18.3	18.8	15.8	14.4	18.2	22.4	24.3	22.5	21.2	20.2	20.6	236.5	6	1758
	05 LST	17.6	16.3	17.8	14.2	16.0	20.2	27.0	29.6	21.8	21.0	17.7	18.2	237.4	6	1763
	11 LST	11.6	10.7	10.4	9.4	10.0	17.2	22.8	23.9	17.5	14.5	12.9	13.4	174.3	6	1735
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	2.0	1.6	2.9	4.0	5.4	2.0	1.2	1.0	1.3	2.7	0.4	0.6	25.1	6	1722
	23 LST	1.0	0.6	2.2	2.8	2.4	0.6	0.4	0.0	1.0	1.0	0.8	0.2	13.0	6	1722
	05 LST	1.5	0.4	0.6	0.8	0.2	0.2	0.0	0.0	0.2	0.0	0.4	0.0	4.3	6	1715
	11 LST	2.1	2.3	3.8	1.8	2.0	0.8	0.0	0.0	0.8	2.0	1.6	1.5	18.7	6	1723
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	17.9	14.3	14.0	14.7	13.2	6.4	4.0	3.2	13.1	17.5	17.2	18.3	155.8	6	1735
	23 LST	16.7	16.0	14.0	13.7	12.9	14.5	19.2	21.5	16.1	13.7	12.8	13.5	184.6	6	1722
	05 LST	11.8	12.7	14.7	14.8	16.3	17.4	15.4	13.9	15.0	13.5	15.6	12.8	173.9	6	1715
	11 LST	13.5	13.8	14.0	15.3	16.1	18.6	16.6	12.9	18.5	17.5	16.4	15.5	188.7	6	1723
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	11.6	9.3	11.8	8.6	5.6	4.4	9.6	6.0	8.5	14.5	10.3	10.2	110.6	6	1762
	23 LST	14.2	12.9	14.8	11.8	10.2	16.4	19.0	21.3	17.5	21.0	13.5	13.4	186.0	6	1758
	05 LST	13.2	13.1	12.6	10.0	5.8	6.6	15.0	19.5	15.8	16.0	12.1	13.4	153.1	6	1763
	11 LST	10.0	10.9	10.4	8.6	6.0	4.0	11.4	10.4	7.7	14.0	9.7	10.0	113.1	6	1763
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	25.2	23.4	26.6	27.0	28.0	28.6	30.8	31.0	28.2	30.5	25.9	24.6	329.8	6	1762
	23 LST	24.4	22.2	25.2	25.4	27.4	28.0	30.4	31.0	27.8	28.0	22.7	23.8	316.3	6	1758
	05 LST	21.4	19.0	20.8	16.8	18.2	21.6	29.0	29.6	23.7	25.0	20.3	22.4	267.8	6	1763
	11 LST	21.0	20.2	22.4	19.4	21.4	24.8	29.2	30.2	24.5	24.7	20.5	22.2	280.5	6	1763
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	22.8	20.2	22.8	22.2	22.6	23.8	28.4	28.2	25.5	26.7	22.7	21.4	287.3	6	1762
	23 LST	23.0	20.8	22.2	22.8	25.0	27.4	30.2	30.2	24.5	26.5	19.8	20.4	294.8	6	1758
	05 LST	20.0	17.9	19.0	14.4	14.4	19.6	28.6	29.2	23.0	22.5	17.5	18.6	245.7	6	1763
	11 LST	19.6	18.6	21.2	16.6	16.4	18.4	26.8	28.2	21.2	21.7	17.7	20.0	246.4	6	1763
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	21.6	18.3	21.6	19.8	20.6	23.2	27.0	27.4	24.8	24.7	21.5	19.2	269.7	6	1762
	23 LST	22.4	19.9	21.4	22.0	24.2	26.0	29.8	29.6	25.7	26.2	18.9	18.8	284.9	6	1758
	05 LST	18.6	17.1	18.2	14.4	14.0	19.0	27.8	27.6	22.5	22.3	16.1	18.0	235.8	6	1762
	11 LST	18.8	17.1	19.0	15.0	15.4	16.8	26.0	26.8	20.0	20.7	15.5	14.0	229.1	6	1763

SAN ANTONIO/KELLY AFB, TEXAS

STA NO. 73255 (IN AREA NUMBER 13)

LATITUDE 2923N

LONGITUDE 09834W

ELEVATION(FT) 00682

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	85	93	100	101	102	104	108	106	104	95	93	89	108	12	4383
MEAN MAX TMP (F)	64	67	74	80	87	93	96	96	91	82	70	65	80	12	4383
MEAN MIN TMP (F)	44	46	52	59	67	74	75	75	70	61	49	44	60	12	4383
ABS MIN TMP (F)	18	9	28	33	46	58	66	60	55	38	23	17	9	12	4383
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.1	1.2	3.0	12.6	24.7	28.5	28.3	19.9	5.1	0.2	0.0	123.6	12	4383
MEAN NO DYS TMP = DR LES 32(F)	4.0	2.5	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3.7	12.0	12	4383
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	42	44	47	55	63	68	69	68	65	57	46	41	55	12	104960
MEAN REL HUM (PCT)	68	67	62	65	67	65	63	61	65	65	65	65	65	12	104960
MEAN PRESS ALT (FT)	526	566	635	688	712	718	664	667	675	627	554	526	630	0	-50
MEAN PRECIP (IN)	0.94	1.76	1.11	2.15	2.85	1.86	1.68	1.94	3.39	3.18	1.35	1.08	23.3	12	4381
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.8	3.7	1.9	3.2	4.1	2.9	2.1	2.1	3.8	4.4	3.2	2.1	35.3	12	4381
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	5.0	2.5	2.8	1.2	0.7	0.2	0.2	0.1	0.3	1.1	2.5	3.1	19.7	12	4379
MEAN NO DYS TSTMS	0.7	1.3	1.7	3.8	5.1	2.6	3.2	2.7	2.6	1.1	0.7	28.1	12	4383	
P FREQ WND SPD = DR GTR 17 KTS	4.3	3.9	6.9	6.4	3.9	1.6	2.0	0.9	1.2	1.3	4.1	2.2	3.2	12	105072
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.2	0.2	0.1	0.0	0.0	0.0	0.1	0.0	0.2	0.1	0.1	12	105072
P FREQ LES 5000 FT A/D LES 5 MI	40.2	42.2	38.2	43.8	40.6	34.1	21.9	17.4	24.9	27.0	37.3	32.9	33.4	12	105068
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	27.6	31.3	28.6	29.3	25.7	18.5	6.0	8.2	15.1	15.4	20.9	21.2	20.7	12	13135
03-05 LST	31.5	37.0	34.1	35.7	34.7	33.7	23.3	18.9	23.7	23.0	26.1	23.9	28.8	12	13132
06-08 LST	33.5	38.0	35.9	38.7	34.9	32.5	28.2	23.4	27.4	27.0	29.2	26.9	31.3	12	13135
09-11 LST	30.8	30.6	25.9	23.5	10.6	4.4	1.8	4.1	10.5	15.2	21.8	25.6	17.1	12	13140
12-14 LST	20.3	16.7	10.5	8.4	3.3	1.6	0.7	0.8	2.8	4.9	10.4	13.7	7.8	12	13138
15-17 LST	13.5	12.4	6.5	5.9	2.0	1.9	0.2	0.4	1.9	3.9	7.7	8.6	5.4	12	13137
18-20 LST	11.5	11.5	5.7	6.2	1.6	0.7	0.3	0.2	1.9	2.8	8.3	9.6	5.0	12	13139
21-23 LST	18.5	19.8	13.5	16.7	7.9	3.4	0.3	0.9	4.4	5.4	15.4	15.9	10.2	12	13137
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.8	4.8	3.2	1.7	0.2	0.2	0.0	0.0	0.3	0.2	2.4	4.1	2.0	12	13135
03-05 LST	11.0	7.2	5.1	2.5	0.6	0.4	0.2	0.0	0.6	1.9	5.1	6.7	3.4	12	13132
06-08 LST	11.2	9.8	6.9	3.1	2.4	0.2	0.0	0.0	0.9	3.8	8.0	8.0	4.5	12	13135
09-11 LST	6.9	5.1	2.6	0.6	0.5	0.1	0.2	0.0	0.1	0.5	1.9	4.2	1.9	12	13140
12-14 LST	2.2	1.6	1.2	0.3	0.3	0.1	0.2	0.0	0.0	0.4	0.2	0.9	0.6	12	13138
15-17 LST	2.0	1.9	0.5	0.6	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.9	0.5	12	13137
18-20 LST	2.5	2.3	0.5	0.4	0.0	0.0	0.0	0.1	0.0	0.2	0.6	1.4	0.7	12	13139
21-23 LST	3.8	3.1	0.7	0.5	0.2	0.0	0.0	0.0	0.1	0.4	0.9	2.2	1.0	12	13137

SAN ANTONIO/KELLY AFB, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	28.2	25.5	29.6	28.8	30.7	29.6	31.0	30.7	29.8	30.3	28.0	29.1	351.3	12	4381
	23 LST	26.1	23.6	27.9	27.1	29.8	29.3	30.8	30.9	29.1	29.9	27.0	27.3	338.8	12	4380
	05 LST	23.5	20.1	23.8	23.0	25.3	25.7	28.1	28.8	25.9	25.1	24.6	24.7	298.6	12	4380
	11 LST	25.3	23.4	27.3	27.9	30.1	29.8	30.8	30.7	29.3	29.6	27.2	26.1	337.5	12	4380
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	16.7	13.9	13.2	11.3	14.3	15.5	17.1	19.8	19.3	21.2	18.9	21.0	202.2	12	4381
	23 LST	18.7	15.6	17.5	14.6	16.1	17.2	18.7	20.2	22.8	23.6	20.0	22.4	227.4	12	4380
	05 LST	16.4	13.6	14.3	12.9	13.8	14.7	19.9	22.4	20.3	19.5	17.3	18.6	203.7	12	4380
	11 LST	12.3	10.0	11.5	10.6	14.1	18.2	22.6	24.8	19.3	18.4	13.7	15.1	190.6	12	4380
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	2.0	1.7	2.7	2.9	1.7	0.7	0.8	1.1	0.4	0.5	0.7	1.0	16.2	12	4321
	23 LST	0.9	0.9	1.7	1.4	0.6	0.2	0.4	0.0	0.2	0.3	0.8	0.5	7.9	12	4293
	05 LST	0.6	0.4	1.0	0.9	0.5	0.2	0.0	0.1	0.1	0.2	0.8	0.2	5.0	12	4271
	11 LST	1.6	2.1	3.8	2.7	2.2	0.3	0.7	0.2	0.4	0.7	1.9	0.8	17.4	12	4303
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	18.7	17.4	17.1	15.5	12.2	6.4	2.6	4.0	11.7	22.1	18.5	20.4	166.6	12	4321
	23 LST	15.0	15.9	18.8	19.5	18.2	21.3	21.0	22.7	20.1	20.0	14.3	15.8	222.6	12	4293
	05 LST	13.1	12.8	16.1	17.8	18.7	17.9	13.4	12.8	12.8	15.0	13.0	14.4	177.8	12	4271
	11 LST	17.2	16.5	17.1	16.9	17.5	15.7	13.3	11.4	17.9	20.3	17.2	18.0	199.0	12	4303
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	9.1	8.2	8.8	7.7	8.7	7.3	5.6	7.2	10.0	13.9	10.9	12.6	110.0	12	4381
	23 LST	12.0	12.4	13.1	10.7	12.9	16.7	21.8	21.6	19.7	18.9	13.7	16.3	189.8	12	4380
	05 LST	11.2	9.0	10.3	7.6	6.3	5.6	9.7	13.2	14.3	14.3	12.1	14.1	127.7	12	4380
	11 LST	8.0	8.4	7.3	6.4	6.3	5.5	6.7	8.6	8.8	11.7	10.1	10.9	98.7	12	4380
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	25.0	23.0	27.7	26.8	29.7	29.3	30.9	30.6	29.0	28.9	26.3	27.4	334.6	12	4381
	23 LST	22.2	19.4	23.1	19.5	22.9	26.1	30.2	30.1	26.6	26.2	23.3	24.3	293.9	12	4380
	05 LST	19.0	15.3	17.7	14.5	13.8	14.2	19.7	22.2	21.1	21.1	19.7	20.9	219.2	12	4380
	11 LST	19.3	17.7	21.4	20.4	24.1	26.0	29.3	29.6	25.4	25.0	21.2	21.7	281.1	12	4380
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	21.5	18.9	23.1	20.9	25.6	24.8	27.7	28.3	25.7	26.2	22.1	24.0	288.8	12	4381
	23 LST	20.0	18.0	20.8	18.1	20.6	25.1	29.6	29.5	26.1	24.6	19.8	22.1	274.3	12	4380
	05 LST	16.8	13.1	15.2	12.3	12.0	13.0	19.2	21.6	19.7	19.2	15.9	18.1	196.1	12	4380
	11 LST	16.7	15.3	17.6	15.0	15.7	16.6	22.0	23.7	18.0	20.9	17.1	19.1	217.3	12	4380
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	20.4	18.1	22.8	20.2	24.9	24.4	26.8	26.8	24.9	23.1	21.4	23.3	279.1	12	4381
	23 LST	18.7	17.4	19.7	17.3	19.9	24.5	29.2	29.0	25.5	23.8	19.1	21.4	265.5	12	4380
	05 LST	15.9	12.6	14.4	11.6	11.2	12.2	18.3	21.1	19.1	18.4	15.0	16.9	186.7	12	4380
	11 LST	16.0	14.5	16.8	14.6	15.2	16.1	21.7	23.1	17.4	19.7	16.3	18.4	209.8	12	4380

AUSTIN/BERGSTROM AFB, TEXAS

STA NO. 73257 (IN AREA NUMBER 13)

LATITUDE 3012N

LONGITUDE 09740W

ELEVATION(FT) 00541

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	84	92	92	99	99	104	106	107	107	97	90	91	107	12	4383
MEAN MAX TMP (F)	62	66	72	79	86	93	96	96	91	82	69	64	80	12	4383
MEAN MIN TMP (F)	42	45	50	58	66	73	75	75	70	60	43	42	59	12	4383
ABS MIN TMP (F)	16	8	28	37	46	57	67	60	54	34	25	17	8	12	4383
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.1	0.7	2.1	10.9	24.6	29.1	28.0	19.9	5.6	0.1	0.1	121.2	12	4383
MEAN NO DYS TMP = DR LES 32(F)	5.1	3.1	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	3.8	14.7	12	4383
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	41	43	46	55	64	69	70	69	65	57	45	41	55	12	105040
MEAN REL HUM (PCT)	70	69	64	66	69	67	63	61	66	66	66	67	66	12	105040
MEAN PRESS ALT (FT)	372	409	475	525	551	555	504	508	520	471	399	373	472	0	-50
MEAN PRECIP (IN)	1.30	3.02	1.75	3.21	3.31	3.46	1.45	1.48	3.97	3.71	1.87	1.85	30.4	12	4382
MEAN SNOW FALL (IN)	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.4	12	4383
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.5	4.1	3.0	4.4	4.2	3.4	2.7	2.9	4.3	4.1	3.2	3.2	42.0	12	4382
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	12	4383
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	4.4	2.6	2.9	1.1	1.1	0.6	0.1	0.7	1.6	1.8	2.2	2.9	22.0	12	4380
MEAN NO DYS TSTMS	0.7	1.6	2.1	5.0	4.7	3.6	3.7	3.8	3.8	2.7	1.1	1.3	34.1	12	4383
P FREQ WND SPD = DR GTR 17 KTS	13.3	13.6	14.2	12.6	9.8	9.6	6.8	4.4	3.0	4.7	10.8	8.9	9.3	12	105052
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.3	0.6	0.2	0.1	0.1	0.0	0.0	0.1	0.1	0.2	0.2	0.2	12	105052
P FREQ LES 9000 FT A/D LES 5 MI	40.5	41.4	37.4	41.0	33.1	27.2	13.2	10.8	20.2	23.8	34.3	31.7	29.7	12	105051
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	25.4	29.3	24.3	25.3	15.7	11.5	2.6	2.4	10.4	12.9	19.9	21.0	16.7	12	13125
03-05 LST	30.1	30.9	31.2	32.3	24.9	21.1	8.5	8.3	18.6	19.9	21.8	22.6	22.5	12	13136
06-08 LST	32.6	34.3	31.5	33.8	28.0	22.4	13.4	13.8	25.4	24.1	23.4	25.3	25.7	12	13141
09-11 LST	28.5	29.3	22.2	18.2	9.9	6.7	2.3	5.9	12.5	11.5	18.1	23.5	15.7	12	13137
12-14 LST	19.2	18.4	10.7	8.5	3.5	2.4	0.2	1.1	3.9	4.5	10.0	12.2	7.9	12	13137
15-17 LST	13.9	12.2	5.6	6.7	2.3	2.8	0.1	0.4	1.8	3.4	7.7	8.5	5.5	12	13140
18-20 LST	13.3	12.4	6.1	5.9	1.8	2.4	0.4	0.4	1.2	3.4	8.6	10.0	5.5	12	13133
21-23 LST	20.5	18.3	11.7	11.5	4.5	3.3	0.4	0.4	3.4	4.8	13.7	14.6	8.9	12	13124
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.3	4.3	2.8	0.7	0.8	0.2	0.0	0.1	0.8	1.1	2.7	4.1	2.0	12	13125
03-05 LST	10.1	6.2	6.3	1.9	2.1	0.7	0.1	0.4	1.0	2.6	3.8	5.3	3.4	12	13136
06-08 LST	9.3	7.3	8.1	3.0	1.8	1.3	0.2	1.4	3.9	4.9	5.8	6.0	4.4	12	13141
09-11 LST	6.2	3.3	2.9	1.2	0.4	0.2	0.0	0.0	0.3	0.6	2.5	3.1	1.7	12	13137
12-14 LST	1.4	1.2	1.2	0.8	0.0	0.1	0.0	0.1	0.0	0.1	1.0	1.9	0.7	12	13137
15-17 LST	2.1	0.3	0.5	0.3	0.0	0.4	0.0	0.0	0.3	0.4	0.8	0.6	0.5	12	13140
18-20 LST	2.6	1.4	0.9	0.6	0.5	0.2	0.0	0.0	0.0	0.4	0.9	1.3	0.7	12	13133
21-23 LST	3.1	2.3	1.7	0.4	0.2	0.1	0.1	0.0	0.4	0.4	1.6	2.0	1.0	12	13124

AUSTIN/BERGSTROM AFB, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	27.8	25.3	29.9	28.7	30.7	29.3	31.0	31.0	29.9	30.2	28.6	29.0	351.4	12	4381
	23 LST	26.7	24.8	28.2	27.9	30.2	29.2	30.9	31.0	29.2	30.2	27.2	27.5	343.0	12	4381
	05 LST	24.0	22.2	23.9	23.6	26.7	26.9	29.6	29.1	25.7	27.1	25.1	25.3	309.2	12	4381
	11 LST	25.7	23.2	27.7	28.0	30.1	29.6	30.9	30.9	29.0	29.8	27.2	26.8	338.9	12	4381
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LFS 10 KTS	17 LST	11.0	8.0	9.2	7.6	12.1	11.2	13.4	13.4	16.2	17.7	14.6	15.0	151.4	12	4381
	23 LST	15.1	12.6	14.5	15.1	16.3	15.6	16.6	18.1	22.6	22.3	17.6	18.2	204.6	12	4381
	05 LST	14.2	13.1	13.6	13.5	16.4	17.4	23.6	23.0	21.2	20.6	15.9	17.0	211.5	12	4381
	11 LST	8.3	6.9	8.1	7.2	11.1	12.3	15.0	16.8	17.5	14.6	11.0	11.3	140.1	12	4381
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	5.0	5.3	5.6	5.7	4.6	4.8	4.2	1.6	1.4	1.9	2.8	2.1	45.0	12	4321
	23 LST	2.9	2.9	2.3	2.3	1.6	1.9	1.7	1.1	0.3	0.7	2.3	1.8	21.8	12	4303
	05 LST	2.7	1.8	2.4	1.3	0.8	0.5	0.4	0.1	0.2	0.7	1.6	1.6	14.1	12	4272
	11 LST	7.3	6.8	7.6	6.6	4.3	3.7	3.2	1.1	1.2	3.0	6.5	5.4	56.7	12	4305
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	13.4	11.0	11.4	11.3	10.7	4.5	2.2	3.2	9.5	17.3	14.6	14.9	124.0	12	4321
	23 LST	12.2	12.5	13.9	14.9	13.7	13.4	15.7	14.7	16.3	14.4	13.1	12.0	166.8	12	4303
	05 LST	10.8	11.7	13.2	13.9	14.6	13.2	14.3	14.5	11.5	11.2	12.0	11.2	152.1	12	4272
	11 LST	10.5	10.4	10.9	11.1	13.1	10.1	8.7	8.4	14.2	15.8	12.3	11.8	137.3	12	4305
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	8.6	8.2	9.1	9.1	8.5	8.3	7.6	7.8	12.8	14.5	11.3	11.4	117.2	12	4381
	23 LST	12.1	10.6	12.6	11.9	13.2	17.6	21.4	22.3	20.3	19.7	13.2	15.1	190.0	12	4381
	05 LST	11.0	9.8	9.4	8.3	6.5	6.9	10.7	16.0	15.6	16.0	12.8	14.7	137.7	12	4381
	11 LST	7.3	7.7	7.3	7.6	6.4	5.8	7.3	9.7	9.8	12.8	10.4	10.4	102.5	12	4381
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	24.8	22.3	27.7	26.7	29.7	29.1	30.7	30.7	28.8	29.4	26.4	26.8	333.1	12	4381
	23 LST	21.1	19.3	22.6	21.3	24.4	27.7	30.7	30.5	27.8	28.1	22.9	23.8	300.2	12	4381
	05 LST	18.9	16.7	18.2	15.7	17.6	18.5	26.2	26.5	22.7	23.2	21.1	21.7	247.0	12	4381
	11 LST	19.3	17.0	21.8	21.2	26.4	26.6	30.4	29.1	26.1	26.6	22.7	22.8	290.0	12	4381
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	20.9	18.8	22.6	21.8	24.9	26.9	28.6	29.6	26.7	26.2	22.7	23.3	293.0	12	4381
	23 LST	18.9	16.8	20.3	19.1	22.3	26.6	30.1	30.2	26.4	26.2	19.7	21.1	277.7	12	4381
	05 LST	16.0	14.4	15.7	12.9	14.9	16.4	25.4	25.6	21.5	21.0	17.3	19.4	220.5	12	4381
	11 LST	16.4	14.3	18.2	15.8	18.1	18.5	24.9	25.7	20.7	22.0	18.7	19.9	233.2	12	4381
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	20.0	17.4	21.7	20.4	23.7	25.7	28.0	28.6	26.0	24.9	21.3	21.8	279.5	12	4381
	23 LST	17.6	15.6	19.9	18.2	21.3	26.1	29.8	29.7	25.7	25.2	18.9	20.4	268.4	12	4381
	05 LST	15.2	13.7	14.3	12.2	14.2	15.8	24.5	25.0	20.3	20.4	16.2	18.4	210.2	12	4381
	11 LST	15.5	13.7	17.0	14.5	17.0	18.3	24.2	25.1	20.5	21.0	17.4	18.4	222.6	12	4381

HOUSTON/ELLINGTON AFB, TEXAS

STA NO. 73258 (IN AREA NUMBER 13)

LATITUDE 2936N

LONGITUDE 09510W

ELEVATION(FT) 00040

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. URS
ABS MAX TMP (F)	82	87	88	93	95	99	104	101	100	96	89	84	104	12	4373
MEAN MAX TMP (F)	65	66	71	77	85	90	92	92	88	81	70	65	79	12	4373
MEAN MIN TMP (F)	46	48	53	60	68	73	75	75	71	61	50	46	61	12	4373
ABS MIN TMP (F)	20	15	31	40	46	59	69	65	56	37	24	17	15	12	4373
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.2	4.1	19.9	25.2	23.9	13.8	1.6	0.0	0.0	88.7	12	4373
MEAN NO DYS TMP = DR LES 32(F)	3.3	1.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.7	8.7	12	4373
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	4373
MEAN DEW PT TMP (F)	47	49	52	60	67	72	74	74	70	61	51	47	60	12	104760
MEAN REL HUM (PCT)	78	78	74	76	77	76	77	78	77	74	75	76	76	12	104760
MEAN PRESS ALT (FT)	-149	-114	-45	0	26	32	-16	-9	-5	-57	-123	-147	-50	0	-50
MEAN PRECIP (IN)	2.68	4.67	2.00	3.76	3.31	4.09	4.84	4.06	4.80	3.30	3.52	3.64	44.9	12	4375
MEAN SNOW FALL (IN)	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	12	4375
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.9	5.9	2.6	5.2	4.6	3.8	5.0	6.1	5.3	4.1	4.9	5.6	58.0	12	4375
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	4375
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.8	5.4	5.0	3.1	1.6	0.3	0.1	0.3	1.9	3.3	5.3	6.5	39.6	12	4372
MEAN NO DYS TSTMS	1.9	2.7	1.8	4.8	5.1	5.9	10.0	9.1	5.5	2.8	2.2	2.1	53.9	12	4373
P FREQ WND SPD = DR GTR 17 KTS	7.2	6.7	8.0	6.9	5.4	2.2	1.7	0.8	3.1	2.9	7.7	5.1	4.8	12	104909
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.2	0.1	0.0	0.0	0.1	0.0	0.2	0.0	0.0	0.0	0.1	12	104909
P FREQ LES 5000 FT A/O LES 5 MI	45.4	46.1	43.1	44.9	35.2	21.3	15.0	16.4	21.0	21.9	36.1	39.7	32.2	12	104899
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	29.6	32.5	32.4	29.7	13.2	1.8	0.5	2.1	4.8	9.5	22.2	23.1	16.8	12	13112
03-05 LST	32.6	35.4	34.9	30.1	19.0	7.5	2.2	5.3	12.6	15.9	26.6	26.8	20.7	12	13108
06-08 LST	34.0	36.0	32.9	29.4	20.1	10.9	3.9	9.9	22.7	24.6	28.1	32.1	23.7	12	13105
09-11 LST	26.2	26.1	21.0	15.7	6.3	3.9	1.8	3.7	6.5	6.6	17.1	25.3	13.4	12	13116
12-14 LST	19.4	18.9	10.8	10.9	2.8	2.0	2.2	1.2	3.1	3.0	10.9	17.8	8.6	12	13118
15-17 LST	17.2	17.7	9.8	10.6	4.1	2.0	1.6	1.0	2.9	2.0	9.1	13.7	7.6	12	13118
18-20 LST	21.6	21.1	15.6	15.8	7.9	1.9	0.7	1.4	2.0	2.5	11.9	15.1	9.8	12	13118
21-23 LST	26.5	27.4	24.5	24.3	9.5	1.9	0.9	1.0	2.7	4.6	15.9	19.5	13.2	12	13118
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	10.9	10.1	8.6	3.7	0.7	0.1	0.0	0.1	0.9	3.2	8.4	8.9	4.6	12	13112
03-05 LST	12.2	13.6	12.5	6.9	3.2	1.0	0.3	0.4	2.6	6.6	10.5	11.2	6.8	12	13108
06-08 LST	13.3	12.8	9.7	4.8	2.2	0.9	0.3	0.7	4.2	7.2	10.6	12.8	6.6	12	13105
09-11 LST	5.4	3.4	1.4	0.6	0.2	0.0	0.4	0.2	0.2	0.2	1.7	4.9	1.6	12	13116
12-14 LST	1.4	1.6	0.8	0.2	0.2	0.1	0.0	0.1	0.3	0.1	0.6	2.0	0.6	12	13118
15-17 LST	1.5	1.3	0.5	0.4	0.1	0.2	0.1	0.1	0.4	0.1	0.3	1.7	0.6	12	13118
18-20 LST	3.8	2.1	0.5	1.0	0.2	0.3	0.0	0.1	0.6	0.3	1.1	2.2	1.0	12	13118
21-23 LST	7.7	4.5	4.6	2.3	0.1	0.1	0.0	0.1	0.5	1.4	4.3	6.6	2.7	12	13118

HOUSTON/ELLINGTON AFB, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.6	24.7	28.7	27.3	30.4	29.5	30.7	30.6	29.4	30.3	27.5	27.7	343.4	12	4373
	00 LST	23.0	21.7	22.7	24.0	29.2	29.5	31.0	30.7	29.3	29.4	24.8	24.4	319.3	12	4373
	06 LST	21.8	19.5	22.2	22.3	25.9	25.8	29.9	27.4	22.7	23.4	22.2	22.9	286.0	12	4372
	12 LST	26.6	24.4	29.1	28.4	30.5	29.7	30.8	30.7	29.3	30.4	27.8	26.6	344.3	12	4373
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	17.2	14.7	12.2	11.7	11.2	11.4	17.0	19.7	23.0	24.4	18.8	20.1	201.4	12	4373
	00 LST	16.4	13.5	15.5	17.2	22.1	27.5	29.9	29.9	26.9	25.3	16.9	17.9	258.7	12	4373
	06 LST	14.5	12.3	13.2	15.2	18.4	23.7	28.9	26.4	18.8	18.9	15.2	16.5	222.0	12	4372
	12 LST	7.7	6.9	7.6	7.8	10.9	13.7	20.6	20.2	13.7	13.2	9.0	9.5	140.8	12	4373
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.3	1.5	2.1	1.3	1.5	0.9	1.0	0.1	0.3	0.1	1.0	0.8	11.9	12	4323
	00 LST	0.9	0.8	1.2	0.5	0.4	0.1	0.0	0.0	0.2	0.2	1.2	0.8	6.3	12	4308
	06 LST	1.0	0.4	0.9	0.7	0.2	0.1	0.0	0.0	0.2	0.0	1.4	0.9	5.8	12	4297
	12 LST	4.3	3.9	4.4	4.6	2.9	1.0	0.8	0.5	2.0	2.6	5.0	3.7	35.7	12	4319
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	21.1	17.5	17.7	16.0	16.1	13.7	16.0	18.8	21.7	22.0	18.3	20.7	219.6	12	4322
	00 LST	17.5	14.8	17.1	17.3	16.1	16.6	14.6	14.0	12.5	17.8	15.9	16.2	192.4	12	4308
	06 LST	16.8	15.5	18.1	17.7	15.0	13.8	8.3	11.4	15.3	17.6	16.5	17.9	183.9	12	4297
	12 LST	13.3	10.3	12.2	10.7	13.5	9.7	7.7	7.7	13.0	15.7	13.6	14.7	142.1	12	4318
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	7.8	8.1	7.3	8.1	8.4	10.0	7.1	9.0	11.4	14.6	11.0	9.9	112.7	12	4373
	00 LST	11.1	9.6	10.2	10.9	13.2	19.2	19.9	19.3	19.4	17.8	11.5	12.2	174.3	12	4373
	06 LST	8.7	8.2	7.0	5.6	5.1	9.7	9.9	9.7	8.8	10.9	10.2	11.3	105.1	12	4372
	12 LST	6.3	6.1	7.1	6.3	5.2	2.3	1.6	2.3	6.2	10.2	7.9	9.2	70.7	12	4373
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	22.8	20.2	24.9	23.0	26.6	29.2	30.5	30.3	28.9	29.7	24.7	25.1	315.9	12	4373
	00 LST	20.6	17.2	15.6	19.8	25.4	29.1	30.7	30.3	28.4	28.6	22.2	22.6	294.5	12	4373
	06 LST	19.2	15.7	17.6	17.0	21.9	25.1	29.1	26.7	20.8	22.1	20.2	20.6	256.0	12	4372
	12 LST	20.6	18.7	23.3	22.5	25.8	27.0	29.1	29.1	26.6	28.1	23.9	21.8	296.5	12	4373
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.1	17.1	21.0	20.2	23.4	28.1	29.3	29.7	27.5	27.7	21.7	20.6	284.4	12	4373
	00 LST	17.6	14.4	17.1	17.5	23.5	28.3	30.2	29.6	28.2	27.1	19.1	18.9	271.5	12	4373
	06 LST	14.8	12.9	14.4	13.8	18.2	24.3	28.1	25.6	19.5	20.3	16.7	16.7	225.3	12	4372
	12 LST	15.5	13.7	16.7	14.8	15.1	15.6	18.9	20.4	18.8	22.3	17.8	17.0	206.6	12	4373
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	16.5	16.1	19.6	19.3	22.7	27.6	28.6	29.1	26.6	26.2	19.5	18.7	270.5	12	4373
	00 LST	16.1	13.4	16.2	16.6	22.8	27.3	30.0	28.8	27.1	25.9	16.5	17.3	258.0	12	4373
	06 LST	13.5	12.0	12.7	12.2	17.2	23.7	27.7	24.6	19.1	19.1	14.5	15.5	211.8	12	4372
	12 LST	14.1	12.5	15.2	14.1	14.3	15.2	18.4	19.6	17.8	21.1	16.0	15.5	193.8	12	4373

BEEVILLE/CHASE NAAS, TEXAS

STA NO. 73261 (IN AREA NUMBER 13)

LATITUDE 2822N

LONGITUDE 09739W

ELEVATION(FT) 00186

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	90	97	102	104	105	107	111	108	105	103	95	90	111	64	-113
MEAN MAX TMP (F)	66	70	76	82	87	93	95	97	92	85	75	67	82	58	-113
MEAN MIN TMP (F)	44	47	53	60	66	71	73	73	69	61	52	47	60	58	-113
ABS MIN TMP (F)	12	5	17	29	42	51	60	61	44	27	19	14	5	64	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	1.0	2.0	4.0	12.0	25.0	30.0	29.0	20.0	7.0	0.3	0.0	130.3	9	-113
MEAN NO DYS TMP = OR LES 32(F)	5.0	3.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	4.0	14.0	10	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	64	-29
MEAN DEW PT TMP (F)	47	52	52	59	69	72	73	71	70	63	50	49	61	3	-75217
MEAN REL HUM (PCT)	76	80	69	74	77	76	74	70	75	75	68	73	74	3	-75217
MEAN PRESS ALT (FT)	10	51	125	177	202	208	154	158	159	109	37	9	117	0	-50
MEAN PRECIP (IN)	1.68	1.79	1.98	2.30	3.57	2.99	2.77	2.23	3.60	2.60	2.08	2.16	29.8	65	-113
MEAN SNOW FALL (IN)	0.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	14	-75217
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.1	4.3	4.8	5.3	6.6	5.6	5.3	4.5	5.8	4.5	3.8	4.9	59.5	65	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	-75217
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.3	6.0	2.0	3.3	0.7	0.3	0.0	0.0	1.3	5.0	5.3	7.0	36.2	3	-75217
MEAN NO DYS TSTMS	1.0	3.0	3.5	7.0	6.0	6.3	8.6	6.3	9.0	3.3	1.0	2.7	57.7	4	-75217
P FREQ WND SPD = OR GTR 17 KTS	18.3	10.8	16.2	10.5	4.7	3.5	3.0	1.7	1.4	3.8	10.0	10.9	7.9	3	-75217
P FREQ WND SPD = OR GTR 28 KTS	0.6	0.2	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1	3	-75217
P FREQ LES 3000 FT A/D LES 5 MI	59.9	55.8	44.3	48.1	38.7	27.3	14.7	9.5	18.1	25.4	22.4	41.0	33.8	3	-75217
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	43.4	39.7	29.0	34.9	14.0	8.5	0.7	0.4	1.9	10.8	12.2	27.2	18.6	3	-75217
03-05 LST	45.2	46.0	30.1	38.9	23.3	9.3	2.9	2.5	7.0	24.7	15.2	28.0	22.8	3	-75217
06-08 LST	42.7	41.7	36.0	38.9	23.0	6.7	2.5	2.7	10.4	18.6	23.7	28.9	23.0	12	-75217
09-11 LST	31.8	32.7	20.9	17.7	6.4	1.5	0.4	1.0	6.2	7.7	16.7	23.3	13.9	12	-75217
12-14 LST	16.9	21.7	8.8	7.9	3.0	0.6	0.3	1.5	3.5	4.7	9.0	15.0	7.7	12	-75217
15-17 LST	14.8	16.9	9.0	7.4	1.8	0.7	0.2	1.2	3.0	3.5	7.7	9.7	6.0	12	-75217
18-20 LST	20.4	20.6	13.7	14.0	5.6	1.0	0.0	0.4	2.4	3.3	10.7	12.8	8.7	12	-75217
21-23 LST	31.4	28.0	23.8	26.5	10.9	3.7	0.0	0.2	2.0	3.2	11.9	20.1	13.5	12	-75217
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.9	13.1	1.8	5.6	0.4	0.0	0.0	0.0	0.0	3.6	5.9	11.8	4.2	3	-75217
03-05 LST	12.5	22.2	3.2	7.8	3.6	0.7	1.1	0.0	2.6	15.1	10.0	11.8	7.6	3	-75217
06-08 LST	15.9	13.1	8.2	4.9	3.4	1.3	0.4	0.3	2.7	6.1	9.3	12.0	6.5	12	-75217
09-11 LST	5.6	4.4	1.3	0.6	0.2	0.0	0.1	0.0	0.1	0.7	1.4	5.0	1.6	12	-75217
12-14 LST	1.7	1.2	0.5	0.8	0.2	0.1	0.1	0.0	0.6	0.4	0.5	0.8	0.6	12	-75217
15-17 LST	2.2	0.3	0.0	0.2	0.0	0.1	0.1	0.1	0.4	0.1	0.3	0.9	0.4	12	-75217
18-20 LST	2.8	0.5	0.1	0.3	0.0	0.1	0.0	0.0	0.0	0.1	0.3	1.8	0.5	12	-75217
21-23 LST	6.1	3.4	0.7	1.7	0.0	0.0	0.0	0.0	0.2	0.0	1.9	6.8	1.7	12	-75217

BEEVILLE/CHASE NAAS, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	27.9	25.0	30.0	28.2	30.7	29.9	30.9	30.9	29.4	30.1	28.3	29.3	350.6	12	-75217
	23 LST	24.4	22.4	26.1	25.9	30.2	29.7	31.0	31.0	29.4	30.4	27.1	26.6	334.2	12	-75217
	05 LST	21.1	18.5	23.2	21.3	25.4	27.5	30.3	30.2	26.9	25.2	24.0	23.6	297.2	12	-75217
	11 LST	26.2	23.1	28.4	28.2	30.4	29.7	31.0	30.8	29.4	29.9	27.2	26.3	340.6	12	-75217
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	10.8	8.8	7.4	8.2	6.4	5.3	5.7	6.2	13.0	17.1	15.8	16.8	117.5	12	-75217
	23 LST	15.3	14.7	16.2	14.6	21.3	23.6	25.6	26.8	27.2	25.9	20.9	19.2	251.3	12	-75217
	05 LST	11.9	11.3	11.7	11.6	16.8	25.1	29.5	28.9	24.2	20.4	16.7	15.9	224.0	12	-75217
	11 LST	6.7	5.2	6.5	6.3	11.4	11.6	17.4	17.9	16.8	15.2	9.8	9.2	136.2	12	-75217
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	5.2	5.7	6.6	7.6	5.1	4.5	5.8	3.9	1.2	1.4	2.4	2.6	52.0	12	-75217
	23 LST	2.6	2.0	2.4	2.0	0.7	0.2	0.0	0.2	0.1	0.3	1.6	1.5	13.6	12	-75217
	05 LST	2.4	1.7	2.8	1.1	0.2	0.0	0.0	0.0	0.0	0.5	1.6	1.5	11.8	12	-75217
	11 LST	6.5	6.1	7.9	7.8	4.8	2.1	1.7	0.9	0.8	2.9	5.4	5.3	52.2	12	-75217
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	13.8	10.2	10.9	9.5	9.6	5.3	3.8	4.8	13.8	18.8	16.7	17.2	134.4	12	-75217
	23 LST	16.2	16.9	18.4	17.1	20.1	24.4	23.3	23.1	19.6	19.0	18.3	18.0	234.4	12	-75217
	05 LST	16.4	15.5	17.9	17.3	18.5	17.5	11.3	12.1	17.2	17.9	16.1	17.2	194.9	12	-75217
	11 LST	12.3	10.3	12.0	9.5	13.5	11.0	7.9	7.7	15.9	20.0	13.9	15.1	149.1	12	-75217
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	9.0	8.6	8.7	8.1	10.9	14.0	13.2	13.9	13.3	15.7	12.6	11.1	139.1	12	-75217
	23 LST	11.7	11.0	10.3	9.7	14.2	19.3	23.2	22.1	21.2	20.2	15.1	13.6	191.6	12	-75217
	05 LST	9.3	8.2	7.4	5.0	6.8	13.3	15.4	16.2	15.2	13.0	11.8	11.0	132.6	12	-75217
	11 LST	7.9	7.7	6.1	6.2	5.6	4.3	4.6	6.9	6.8	10.5	9.9	9.9	86.4	12	-75217
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	23.3	21.4	27.0	24.8	28.6	29.4	30.9	30.6	28.8	29.1	25.8	26.1	325.8	12	-75217
	23 LST	21.1	19.0	22.0	19.7	25.5	28.2	30.8	30.8	28.7	28.8	24.8	23.6	303.0	12	-75217
	05 LST	16.2	14.5	16.2	13.7	18.2	24.9	29.1	28.6	25.3	22.6	20.5	20.3	250.1	12	-75217
	11 LST	19.3	16.8	21.4	20.7	26.4	27.8	30.7	29.7	26.3	26.2	23.6	22.3	291.2	12	-75217
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	19.0	17.8	21.8	21.2	24.6	27.9	30.3	29.9	27.7	26.9	22.5	21.9	291.5	12	-75217
	23 LST	17.3	16.3	19.6	18.2	23.9	27.7	30.6	30.7	28.1	27.2	21.8	19.6	281.0	12	-75217
	05 LST	12.9	11.4	13.2	11.6	16.5	24.5	28.3	28.0	24.3	20.9	16.1	15.7	223.4	12	-75217
	11 LST	15.9	13.6	16.5	14.7	17.0	16.4	20.6	22.2	18.4	20.5	19.3	18.6	213.7	12	-75217
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	18.0	16.4	20.4	19.7	23.4	27.2	29.4	29.4	26.9	25.8	21.1	20.0	277.7	12	-75217
	23 LST	16.7	15.8	18.7	17.5	22.7	27.5	30.4	30.6	28.0	26.6	20.7	18.3	273.5	12	-75217
	05 LST	11.7	11.0	12.2	10.3	15.9	24.0	27.7	27.2	23.5	19.5	15.0	14.7	212.7	12	-75217
	11 LST	14.8	12.4	14.8	14.0	16.6	15.8	20.2	21.9	17.9	19.2	17.7	16.9	202.2	12	-75217

KINGSVILLE/NAAS, TEXAS

STA NO. 73262 (IN AREA NUMBER 13)

LATITUDE 2730N

LONGITUDE 09749W

ELEVATION(FT) 00050

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. URS
ABS MAX TMP (F)	89	95	101	103	105	101	105	105	101	96	92	91	100	13	4365
MEAN MAX TMP (F)	67	72	76	82	88	92	94	95	90	84	74	69	82	13	4365
MEAN MIN TMP (F)	47	51	57	64	70	75	76	76	73	69	54	47	63	13	4365
ABS MIN TMP (F)	17	28	34	43	48	60	69	68	59	40	32	28	17	13	4365
MEAN NO DYS TMP = DR GTR 90(F)	0.0	1.1	1.6	3.9	9.9	24.6	29.3	28.3	19.1	6.4	0.4	0.1	124.7	13	4365
MEAN NO DYS TMP = DR LES 32(F)	2.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	3.3	13	4365
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	4365
MEAN DEW PT TMP (F)	48	51	55	63	69	73	73	73	71	64	54	50	62	13	104515
MEAN REL HUM (PCT)	77	75	73	74	75	75	72	72	76	74	75	75	74	13	104509
MEAN PRESS ALT (FT)	-88	-55	0	52	77	81	28	28	62	15	-58	-85	5	0	-50
MEAN PRECIP (IN)	1.37	1.49	1.51	1.61	2.77	2.92	1.85	1.99	3.64	2.52	1.77	1.56	25.0	41	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3618
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.5	3.7	3.9	4.1	5.9	5.5	3.9	4.2	5.8	4.3	3.3	3.9	52.0	41	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3618
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	6.1	3.6	3.4	2.1	1.4	0.2	0.1	0.4	0.6	1.6	3.2	6.1	28.8	13	4363
MEAN NO DYS TSTMS	0.6	1.1	1.1	2.5	3.7	4.0	3.2	4.3	4.8	2.1	0.6	0.6	28.6	13	4369
P FREQ WND SPD = DR GTR 17 KTS	7.5	10.9	13.0	16.9	15.9	14.3	13.5	11.7	5.5	5.3	7.8	6.4	10.7	13	104592
P FREQ WND SPD = DR GTR 28 KTS	0.3	0.3	0.5	0.6	0.4	0.3	0.4	0.3	0.4	0.1	0.2	0.1	0.3	13	104592
P FREQ LES 5000 FT A/D LES 5 MI	40.1	42.3	41.4	45.1	38.3	27.8	16.5	15.2	23.5	22.2	36.4	36.4	32.1	13	104665
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	24.9	24.5	24.5	32.3	17.5	4.4	0.5	1.2	2.8	7.4	17.7	22.4	15.0	13	13085
03-05 LST	30.6	32.0	28.9	34.9	21.0	5.5	1.0	1.0	5.4	8.7	24.0	29.9	18.6	13	13082
06-08 LST	35.3	37.0	31.9	37.6	25.6	10.5	4.1	3.9	7.2	13.1	28.6	31.8	22.2	13	13135
09-11 LST	29.7	31.0	20.7	19.7	10.2	7.5	1.2	3.3	7.7	9.9	21.8	25.8	15.7	13	13138
12-14 LST	20.4	18.3	9.1	8.2	4.0	2.7	1.3	2.8	6.0	7.7	12.9	15.5	9.1	13	13143
15-17 LST	16.3	14.5	6.9	7.7	4.2	2.3	1.3	2.0	4.5	5.2	11.5	11.9	7.4	13	13141
18-20 LST	18.6	14.3	10.6	16.9	8.5	2.3	0.6	1.0	2.9	4.7	10.6	13.0	8.7	13	13143
21-23 LST	20.6	18.6	18.5	29.7	16.4	3.2	0.7	0.8	3.0	5.4	14.7	14.4	12.2	13	13106
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	9.9	6.2	5.6	2.9	1.0	0.0	0.0	0.0	0.2	0.8	4.5	7.9	3.3	13	13085
03-05 LST	13.6	10.0	7.5	4.9	2.1	0.1	0.1	0.1	0.4	2.2	7.7	11.4	5.0	13	13082
06-08 LST	14.2	11.6	7.6	3.9	2.1	0.3	0.3	0.9	1.4	3.8	7.7	12.0	5.5	13	13135
09-11 LST	6.5	4.2	1.7	1.2	0.1	0.3	0.0	0.1	0.2	0.3	1.8	5.2	1.8	13	13138
12-14 LST	2.9	1.8	0.6	0.4	0.4	0.1	0.1	0.3	0.4	0.1	0.2	0.6	0.7	13	13143
15-17 LST	1.6	1.3	0.9	0.5	0.4	0.2	0.0	0.7	0.2	0.3	0.6	0.3	0.6	13	13141
18-20 LST	3.3	2.4	1.1	0.4	0.1	0.1	0.0	0.0	0.4	0.1	0.8	2.1	0.9	13	13143
21-23 LST	6.6	3.6	2.2	1.4	0.0	0.0	0.0	0.0	0.0	0.4	1.3	3.8	1.6	13	13106

KINGSVILLE/NAAS, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO, OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	27.3	25.3	29.9	28.4	30.2	29.7	30.7	30.7	29.5	30.0	27.9	28.4	348.0	13	4382
	23 LST	25.5	23.7	26.2	24.8	29.5	29.8	30.9	31.0	29.5	29.9	26.5	27.2	334.5	13	4382
	05 LST	22.7	20.3	24.4	23.6	27.1	29.3	30.7	30.7	28.5	29.0	23.9	22.6	312.8	13	4381
	11 LST	24.9	23.1	28.3	28.4	30.5	30.0	30.9	30.5	29.3	29.6	26.6	26.2	338.3	13	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	10.3	6.4	4.5	2.5	3.3	3.0	1.5	1.7	5.3	8.2	11.6	12.3	70.6	13	4382
	23 LST	18.9	14.8	17.1	13.3	16.0	16.7	19.3	22.2	25.5	25.5	19.6	19.0	227.9	13	4382
	05 LST	15.9	12.8	13.8	12.2	19.0	23.4	28.4	29.2	25.8	23.8	16.8	14.5	235.6	13	4379
	11 LST	9.6	7.9	6.7	6.7	9.3	11.0	14.8	17.6	15.9	12.6	10.8	10.8	133.7	13	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	4.8	8.1	11.0	12.2	13.5	13.8	14.8	14.6	6.5	3.4	2.6	3.8	109.1	13	4321
	23 LST	1.3	1.5	1.0	2.2	1.6	0.6	0.2	0.2	0.5	1.3	0.7	11.3	13	4313	
	05 LST	0.9	0.6	1.0	0.8	1.1	0.1	0.1	0.0	0.2	0.4	1.2	1.0	7.4	13	4303
	11 LST	3.3	4.6	5.5	6.8	5.1	3.8	1.9	1.3	1.2	1.7	3.3	3.2	41.7	13	4320
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	14.0	7.9	7.4	5.3	4.6	3.3	2.2	2.3	7.4	12.4	15.0	16.6	98.4	13	4321
	23 LST	19.6	16.5	18.3	17.4	17.8	18.2	22.9	21.9	17.4	18.7	18.7	19.3	226.7	13	4313
	05 LST	17.3	16.4	20.2	19.1	17.1	18.3	16.4	15.7	14.5	14.3	16.4	16.1	201.8	13	4303
	11 LST	14.3	12.5	12.2	9.2	14.0	8.5	4.7	4.6	14.8	17.2	14.0	15.3	141.3	13	4320
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	8.9	10.2	7.8	6.9	10.6	8.9	11.0	11.1	8.6	13.8	8.6	10.3	116.7	13	4382
	23 LST	12.3	12.0	11.2	9.2	12.5	15.8	20.6	21.3	18.8	19.2	14.0	14.3	181.2	13	4382
	05 LST	10.2	9.7	7.9	6.5	8.2	10.8	18.4	21.2	16.1	17.2	13.0	10.6	149.8	13	4381
	11 LST	7.5	7.9	9.8	5.6	5.5	3.1	3.9	4.3	4.8	8.4	7.0	8.2	72.0	13	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	24.1	22.4	26.8	25.7	27.8	28.1	30.0	29.8	27.7	28.4	24.9	25.5	321.2	13	4382
	23 LST	22.1	20.6	21.7	18.5	22.9	27.8	30.3	30.6	28.0	28.2	23.3	24.1	298.1	13	4382
	05 LST	19.2	16.4	17.6	16.4	21.0	25.4	29.5	29.4	26.3	26.7	20.5	19.2	267.6	13	4381
	11 LST	20.6	17.0	20.5	18.7	20.1	20.3	24.6	26.0	21.4	23.2	20.1	21.1	293.6	13	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	21.4	19.7	23.3	22.2	24.7	25.2	28.9	28.6	25.5	26.7	21.2	22.0	289.4	13	4382
	23 LST	19.9	18.4	19.4	16.9	21.9	26.9	30.0	30.2	27.4	26.9	21.0	21.2	280.1	13	4382
	05 LST	16.9	14.4	14.9	13.9	19.0	24.8	29.1	29.1	25.6	25.4	18.0	16.8	247.9	13	4381
	11 LST	17.6	14.3	15.4	13.7	13.1	11.1	15.9	17.8	13.8	16.9	16.4	17.6	183.6	13	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	19.2	18.7	21.9	21.3	23.9	25.0	28.7	28.0	24.1	26.0	19.9	20.3	277.0	13	4382
	23 LST	18.8	17.9	18.8	16.4	21.2	26.6	29.8	29.9	26.9	26.2	20.2	19.7	272.4	13	4382
	05 LST	16.1	13.8	13.7	12.9	18.3	24.4	29.1	28.9	25.3	24.2	17.1	15.6	239.4	13	4381
	11 LST	16.2	13.8	14.1	12.9	12.5	10.8	15.5	17.2	12.9	15.7	14.9	16.2	172.7	13	4382

LONGVIEW/GREGG COUNTY MUNICIPAL, TEXAS

STA NO. 73395 (IN AREA NUMBER 13)

LATITUDE 3223N

LONGITUDE 09442W

ELEVATION(FT) 00365

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
ABS MAX TMP (F)	86	90	93	98	103	110	108	113	109	101	93	93	113	66	-613
MEAN MAX TMP (F)	59	61	69	77	84	92	97	95	90	80	68	58	78	55	-113
MEAN MIN TMP (F)	38	39	46	4	62	70	73	72	66	55	44	38	55	56	-113
ABS MIN TMP (F)	-4	-7	15	0	37	50	56	53	38	29	22	2	-7	67	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.4	3.7	21.2	26.0	26.1	13.4	2.2	0.0	0.0	93.0	9	3034
MEAN NO DYS TMP = DR LES 32(F)	9.9	4.7	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	6.6	26.6	9	3034
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	3034
MEAN DEW PT TMP (F)	38	40	42	54	63	70	70	69	63	57	44	42	54	5	35811
MEAN REL HUM (PCT)	78	73	66	69	73	73	70	68	68	69	69	71	71	5	35808
MEAN PRESS ALT (FT)	163	195	271	316	343	351	309	314	289	245	189	163	262	0	-50
MEAN PRECIP (IN)	4.01	3.61	4.06	4.52	4.72	3.58	3.27	2.49	2.56	3.11	3.90	4.32	44.1	71	-113
MEAN SNOW FALL (IN)	0.7	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	1.7	60	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.5	7.0	6.8	7.0	7.1	6.3	5.9	4.9	4.4	5.1	6.2	7.8	76.0	71	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	7	2328
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.6	2.6	2.1	0.9	1.0	0.0	0.2	0.1	0.8	0.8	2.1	3.1	18.3	9	3080
MEAN NO DYS TSTMS	2.0	3.2	5.0	5.7	7.2	4.2	5.7	4.9	4.2	2.9	3.1	2.0	50.1	9	3034
P FREQ WND SPD = DR GTR 17 KTS	6.5	8.2	11.1	9.9	5.8	4.7	2.1	0.6	1.2	1.4	4.7	5.3	5.1	9	73856
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.4	0.3	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	9	73856
P FREQ LES 5000 FT A/D LES 3 MI	48.6	36.9	31.8	32.9	26.7	17.9	13.2	8.0	15.1	18.9	26.3	32.9	25.8	9	73853
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	30.6	20.1	13.2	10.1	12.4	4.0	3.5	0.7	6.7	9.9	14.2	18.7	12.0	9	9226
03-05 LST	37.1	26.5	19.9	20.4	20.0	13.5	9.4	3.0	10.6	15.5	18.1	21.2	17.9	9	9235
06-08 LST	42.1	31.7	24.0	24.5	24.7	21.1	16.1	8.4	16.5	23.7	24.2	23.9	23.4	9	9236
09-11 LST	41.4	28.1	19.4	15.6	14.4	4.4	6.2	4.1	11.1	14.6	18.0	22.4	16.6	9	9234
12-14 LST	31.2	19.8	10.8	6.9	7.7	1.1	2.6	1.1	4.2	5.0	9.1	15.8	9.6	9	9237
15-17 LST	24.5	14.5	8.5	5.0	5.6	1.0	2.0	0.5	2.5	3.8	9.3	11.2	7.4	9	9234
18-20 LST	22.6	15.5	8.0	5.0	5.8	0.6	1.4	0.6	2.6	4.9	8.7	12.2	7.3	9	9230
21-23 LST	25.3	17.4	8.4	7.4	6.3	1.3	2.1	0.7	3.0	5.9	9.4	13.3	8.5	9	9221
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	8.5	6.2	3.6	0.8	0.5	0.4	0.3	0.0	0.4	1.1	4.2	3.7	2.5	9	9226
03-05 LST	11.5	6.9	4.4	2.8	1.6	0.3	0.8	0.5	1.0	2.0	4.6	5.5	3.5	9	9235
06-08 LST	12.9	8.0	4.4	1.9	2.3	0.1	0.4	0.4	2.2	3.2	4.2	5.6	3.8	9	9236
09-11 LST	8.7	2.1	1.1	0.4	0.0	0.0	0.0	0.0	0.0	0.1	1.2	2.8	1.3	9	9234
12-14 LST	3.4	2.1	0.8	0.0	0.3	0.0	0.0	0.0	0.1	0.0	0.5	0.8	0.7	9	9237
15-17 LST	2.7	1.3	0.4	0.1	0.4	0.0	0.0	0.0	0.1	0.1	0.6	0.7	0.5	9	9234
18-20 LST	4.7	2.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2.5	1.4	1.0	9	9230
21-23 LST	6.3	2.7	0.9	0.6	0.5	0.0	0.0	0.0	0.0	0.0	3.0	3.0	1.4	9	9221

LONGVIEW/GREGG COUNTY MUNICIPAL, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDP (YRS)	NO. G35
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	25.4	24.8	29.1	29.0	30.0	29.9	30.9	30.9	29.3	29.6	28.0	28.2	345.1	9	3080
	00 LST	22.7	23.8	28.9	28.5	29.2	29.6	30.4	31.0	29.1	28.9	26.9	27.1	337.1	9	3080
	06 LST	19.6	21.7	25.7	25.2	25.9	25.7	27.9	29.3	26.1	25.4	25.0	25.9	303.4	9	3080
	12 LST	23.6	23.8	28.4	29.1	29.1	29.7	30.6	30.7	29.2	30.0	27.9	27.4	339.5	9	3080
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	13.5	14.2	15.3	14.1	16.2	14.1	18.7	20.6	24.1	25.6	20.0	18.2	214.6	9	3080
	00 LST	10.4	13.2	13.5	13.4	15.5	16.1	19.7	21.5	22.2	22.7	19.2	15.5	202.9	9	3080
	06 LST	8.9	11.9	12.6	12.5	15.7	15.8	22.2	25.6	22.5	20.3	16.3	15.2	199.5	9	3080
	12 LST	4.5	7.4	7.8	6.5	9.5	11.5	18.5	18.1	15.4	16.6	10.5	9.7	136.0	9	3080
SFC WND = GTR 17 KTS AND ND PRECIP.	18 LST	1.1	1.0	2.0	1.7	1.0	0.6	0.2	0.4	0.4	0.0	0.6	0.7	9.7	9	3014
	00 LST	1.2	2.4	3.2	1.7	1.0	1.1	0.6	0.1	0.0	0.1	0.8	1.9	14.1	9	3004
	06 LST	1.1	1.2	1.8	0.4	0.6	0.2	0.2	0.1	0.0	0.0	0.6	0.8	7.0	9	2978
	12 LST	4.5	5.0	5.8	5.2	3.9	2.6	1.3	0.1	1.1	0.6	3.0	3.5	36.6	9	3019
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND ND PRECIP.	18 LST	15.9	19.6	18.6	19.0	19.0	16.6	12.9	11.3	22.9	21.4	20.8	23.0	221.0	5	1466
	00 LST	14.6	17.2	17.1	19.5	21.0	18.8	23.3	24.7	25.1	22.3	21.2	21.2	246.0	5	1452
	06 LST	13.8	16.8	18.5	20.1	20.9	19.2	23.6	20.2	23.0	21.3	20.6	21.0	239.2	5	1425
	12 LST	14.1	16.5	15.0	13.2	14.7	10.9	8.2	9.9	15.8	20.2	16.0	14.0	168.5	5	1456
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	7.4	9.7	8.8	9.0	11.0	13.7	8.7	13.0	17.0	15.7	16.5	12.2	142.7	8	2052
	00 LST	9.2	12.8	13.1	14.0	15.4	19.4	19.8	24.6	21.5	20.5	18.7	14.2	203.2	8	2052
	06 LST	6.6	10.0	7.6	6.6	6.0	8.5	10.2	14.1	16.0	12.5	13.7	11.2	123.0	8	2058
	12 LST	5.0	8.7	8.8	7.4	6.0	6.0	3.7	7.4	12.2	9.8	13.1	10.5	98.6	8	2056
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	21.7	22.7	27.6	27.6	28.5	29.6	30.5	30.7	28.7	28.9	27.3	25.6	329.4	9	3080
	00 LST	19.2	20.9	25.1	25.0	27.2	28.7	29.6	31.0	27.5	27.5	25.3	22.7	309.7	9	3080
	06 LST	15.9	18.1	20.6	19.5	20.1	22.4	26.6	28.6	24.4	22.4	22.4	22.1	263.1	9	3080
	12 LST	16.5	19.8	24.0	23.7	26.1	28.7	28.9	29.5	26.2	26.7	24.8	23.5	298.4	9	3080
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	17.5	17.3	23.7	23.1	25.9	28.5	29.3	29.8	27.3	27.4	24.3	22.1	298.2	9	3080
	00 LST	16.2	18.7	22.6	22.0	24.6	27.6	29.0	30.2	26.6	26.3	23.6	21.0	288.4	9	3080
	06 LST	13.2	15.6	17.0	15.9	18.4	21.1	25.9	27.9	23.3	21.2	19.4	18.9	237.8	9	3080
	12 LST	14.0	16.1	18.8	15.9	20.9	21.6	21.7	24.1	22.7	24.0	21.0	20.4	241.2	9	3080
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	15.9	18.1	21.4	21.5	24.7	27.4	28.4	28.9	26.0	26.1	22.9	20.1	281.4	9	3080
	00 LST	15.1	18.3	21.0	21.0	23.7	27.2	28.7	29.0	26.1	25.3	22.3	19.9	277.6	9	3080
	06 LST	13.0	14.4	15.9	15.2	16.6	20.5	25.2	26.9	22.4	19.9	18.4	17.7	226.1	9	3080
	12 LST	13.2	15.0	17.4	14.9	19.7	20.9	20.9	22.9	22.4	22.7	19.5	18.7	228.2	9	3080

COLLEGE STATION/EASTERWOOD FIELD, TEXAS

STA NO. 73397 (IN AREA NUMBER 13)

LATITUDE 3035N

LONGITUDE 09621W

ELEVATION(FT) 00319

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO, UBS
ABS MAX TMP (F)	81	88	89	91	98	102	109	108	105	98	89	85	109	9	-013
MEAN MAX TMP (F)	62	65	71	79	86	94	97	97	92	82	69	63	80	9	-113
MEAN MIN TMP (F)	42	44	48	57	65	71	73	73	68	58	47	42	57	9	-113
ABS MIN TMP (F)	15	22	25	37	42	58	68	64	53	32	24	19	15	9	-013
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0		10.1	23.6	31.0	31.0	19.8	4.8	0.0	0.0		9	-29
MEAN NO DYS TMP = OR LES 32(F)	3.0	1.3	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	3.2	12.6	4	1249
MEAN NO DYS TMP = OR LES 7(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1249
MEAN DEW PT TMP (F)	47	45	50	58	64	72	73	72	66	56	47	42	58	4	29939
MEAN REL HUM (PCT)	75	69	70	75	75	73	73	69	68	67	72	72	72	4	29936
MEAN PRESS ALT (FT)	139	174	241	287	314	317	268	273	288	236	166	141	237	0	-50
MEAN PRECIP (IN)	3.24	2.91	2.86	3.67	4.82	3.12	2.50	2.93	2.70	2.85	3.36	3.75	38.1	66	-113
MEAN SNOW FALL (IN)	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4	1249
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.5	6.1	6.0	6.6	7.1	5.8	4.9	4.7	4.6	4.8	5.5	7.2	69.8	66	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1249
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.3	2.6	2.3	1.3	1.6	0.0	0.0	0.0	1.2	3.0	2.7	2.8	21.8	4	1248
MEAN NO DYS TSTMS	2.0	3.6	3.0	5.6	6.3	3.0	7.3	5.0	6.5	2.5	1.7	2.7	49.2	4	1249
P FREQ WND SPD = OR GTR 17 KTS	11.1	11.0	7.4	6.0	4.9	3.0	2.2	1.8	1.7	2.5	6.8	10.2	5.7	4	29937
P FREQ WND SPD = OR GTR 28 KTS	0.4	0.4	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.6	0.2	4	29937
P FREQ LES 3000 FT A/D LES 3 MI	38.0	30.4	34.9	33.4	32.6	17.5	10.6	9.3	12.2	19.6	31.7	29.0	24.9	4	29935
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	26.5	21.6	28.3	20.4	23.0	5.6	1.8	1.3	4.7	6.5	17.2	18.7	14.6	4	3742
03-05 LST	33.0	24.3	27.6	23.7	26.9	17.4	5.4	7.8	10.0	13.2	18.6	19.2	18.9	4	3744
06-08 LST	37.6	24.7	33.0	30.0	28.0	27.4	9.3	16.1	13.0	24.2	23.6	20.9	24.3	4	3742
09-11 LST	28.0	21.2	25.1	16.7	15.2	4.1	4.7	4.8	4.7	15.9	16.9	19.6	14.7	4	3741
12-14 LST	13.6	12.9	11.8	4.4	5.4	1.5	2.9	0.8	2.8	5.1	7.5	13.6	6.9	4	3742
15-17 LST	10.0	9.4	6.5	3.7	5.8	0.4	1.1	0.5	0.6	2.4	7.5	10.6	4.9	4	3741
18-20 LST	6.8	10.6	5.7	5.6	7.5	0.0	0.7	0.5	0.6	1.3	7.2	9.5	4.7	4	3742
21-23 LST	16.5	12.9	11.8	7.4	7.9	0.0	0.0	0.8	2.5	3.2	11.7	10.3	7.1	4	3741
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	5.7	2.4	1.4	0.4	1.8	0.4	0.0	0.0	0.0	0.5	2.8	3.0	1.5	4	3742
03-05 LST	8.2	5.1	4.3	2.2	3.6	0.4	0.0	0.0	2.5	3.5	4.4	5.7	3.3	4	3744
06-08 LST	11.8	5.1	5.1	3.3	2.9	0.0	0.0	1.1	1.9	6.7	6.1	4.1	4.0	4	3742
09-11 LST	4.3	1.6	0.7	0.0	0.4	0.0	0.0	0.0	0.0	0.3	0.6	2.4	0.9	4	3741
12-14 LST	0.4	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	1.1	0.2	4	3742
15-17 LST	1.1	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.3	2.7	0.4	4	3741
18-20 LST	1.8	0.3	0.0	0.4	0.7	0.0	0.0	0.0	0.0	0.0	0.3	2.4	0.5	4	3742
21-23 LST	2.2	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	0.3	4	3741

COLLEGE STATION/EASTERWOOD FIELD, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.3	26.7	30.0	28.7	29.6	30.0	31.0	31.0	30.0	30.5	27.8	29.5	354.1	4	1248
	00 LST	26.3	24.4	26.7	28.3	29.0	31.0	31.0	30.7	29.0	30.0	27.8	27.2	340.4	4	1248
	06 LST	23.0	23.0	23.0	23.6	26.3	26.0	29.6	28.2	26.0	24.2	24.5	26.4	303.8	4	1248
	12 LST	28.0	24.7	28.0	30.0	30.3	30.0	30.3	30.7	29.7	30.0	28.7	27.2	347.6	4	1248
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	19.3	17.4	19.3	17.3	17.0	17.3	19.7	17.7	25.2	27.0	21.2	20.6	239.0	4	1248
	00 LST	13.6	17.1	17.6	19.3	21.0	25.7	27.0	25.0	27.5	27.0	21.5	20.2	262.5	4	1248
	06 LST	13.3	16.5	15.0	15.3	16.6	22.0	26.3	25.2	23.5	21.5	16.7	17.9	229.8	4	1248
	12 LST	8.0	9.9	10.7	11.3	14.3	16.3	20.6	20.2	20.5	15.7	11.3	8.8	167.6	4	1248
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.7	1.4	1.3	1.4	1.0	1.3	1.3	1.7	0.2	0.7	0.8	1.6	14.4	4	1221
	00 LST	2.0	2.0	0.7	1.0	0.3	0.0	0.0	0.0	0.0	0.2	1.0	3.1	10.3	4	1232
	06 LST	1.4	1.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.4	6.1	4	1217
	12 LST	8.3	5.5	6.4	3.3	2.7	3.3	0.0	0.5	1.0	2.3	4.6	7.2	45.1	4	1228
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	14.6	15.5	16.5	16.4	16.7	7.3	7.0	4.3	14.6	19.4	18.0	17.5	167.8	4	1221
	00 LST	15.1	14.7	18.6	18.1	16.8	19.7	21.0	19.2	15.6	18.7	16.6	17.7	211.8	4	1232
	06 LST	16.7	14.3	16.7	14.0	14.0	13.5	15.3	13.9	12.8	17.3	16.3	14.1	178.9	4	1217
	12 LST	11.5	11.1	13.5	14.0	16.7	6.0	3.7	2.3	12.5	17.9	14.6	12.0	135.8	4	1228
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.0	10.2	7.0	11.0	15.0	15.0	8.6	13.0	17.0	18.5	13.7	10.6	149.6	4	1248
	00 LST	13.6	12.8	9.6	14.6	14.7	21.7	18.7	23.5	22.5	22.0	15.2	14.6	203.7	4	1248
	06 LST	10.7	10.5	8.0	9.0	10.0	13.3	11.7	13.2	15.8	16.5	13.2	13.3	145.2	4	1248
	12 LST	10.0	9.9	6.7	8.6	10.3	8.0	5.3	10.0	13.5	15.2	11.5	9.5	118.5	4	1248
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	26.3	24.4	28.0	27.7	27.3	30.0	30.3	30.7	29.7	29.2	26.5	26.2	336.3	4	1248
	00 LST	21.0	21.1	22.0	23.3	22.7	28.0	30.0	30.7	28.5	29.2	24.2	24.4	305.1	4	1248
	06 LST	16.6	19.7	19.7	19.3	19.7	23.0	27.3	26.0	24.5	22.2	21.2	23.7	262.9	4	1248
	12 LST	23.0	22.1	21.6	23.6	26.0	28.7	29.6	30.0	28.0	26.2	24.2	24.2	307.2	4	1248
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	22.3	22.1	26.0	24.3	25.0	29.6	30.0	29.7	28.2	27.0	23.5	22.2	309.9	4	1248
	00 LST	19.7	19.7	18.7	21.3	21.6	27.7	29.3	30.2	28.0	28.0	19.7	21.4	285.3	4	1248
	06 LST	15.7	17.1	16.6	16.7	17.3	22.7	26.3	25.5	23.0	21.0	17.5	21.1	240.5	4	1248
	12 LST	18.3	19.1	20.0	17.0	19.3	21.0	23.7	25.0	23.7	22.5	18.8	20.6	249.0	4	1248
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	22.3	20.7	24.0	23.6	24.6	29.6	28.0	27.5	25.7	26.2	22.0	19.9	294.1	4	1248
	00 LST	19.3	18.8	17.6	21.0	20.6	27.3	29.3	30.0	27.8	27.2	19.2	20.2	278.3	4	1248
	06 LST	15.3	15.8	15.0	15.0	16.6	22.3	26.0	24.2	22.5	20.5	16.7	19.1	229.0	4	1248
	12 LST	17.0	16.8	17.3	16.0	18.3	21.0	23.0	25.0	22.7	21.7	18.2	18.6	235.6	4	1248

COLLEGE STATION/EASTERWOOD FIELD, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.3	26.7	30.0	28.7	29.6	30.0	31.0	31.0	30.0	30.5	27.8	29.5	354.1	4	1248
	00 LST	26.3	24.4	26.7	28.3	29.0	30.0	31.0	30.7	29.0	30.0	27.8	27.2	340.4	4	1248
	06 LST	23.0	23.0	23.0	23.6	26.3	26.0	29.6	28.2	26.0	24.2	24.5	26.4	303.8	4	1248
	12 LST	28.0	24.7	28.0	30.0	30.3	30.0	30.3	30.7	29.7	30.0	28.7	27.2	347.6	4	1248
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	19.3	17.4	19.3	17.3	17.0	17.3	19.7	17.7	25.2	27.0	21.2	20.6	239.0	4	1248
	00 LST	13.6	17.1	17.6	19.3	21.0	25.7	27.0	25.0	27.5	27.0	21.5	20.2	262.5	4	1248
	06 LST	13.3	16.5	15.0	15.3	16.6	22.0	26.3	25.2	23.5	21.5	16.7	17.9	229.8	4	1248
	12 LST	8.0	9.9	10.7	11.3	14.3	16.3	20.6	20.2	20.5	15.7	11.3	8.8	167.6	4	1248
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.7	1.4	1.3	1.4	1.0	1.3	1.3	1.7	0.2	0.7	0.8	1.6	14.4	4	1221
	00 LST	2.0	2.0	0.7	1.0	0.3	0.0	0.0	0.0	0.0	0.2	1.0	3.1	10.3	4	1232
	06 LST	1.4	1.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.4	6.1	4	1217
	12 LST	8.3	5.5	6.4	3.3	2.7	3.3	0.0	0.5	1.0	2.3	4.6	7.2	45.1	4	1228
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	14.6	15.5	16.5	16.4	16.7	7.3	7.0	4.3	14.6	19.4	18.0	17.5	167.8	4	1221
	00 LST	15.1	14.7	18.6	18.1	16.8	19.7	21.0	19.2	15.6	18.7	16.6	17.7	211.8	4	1232
	06 LST	16.7	14.3	16.7	14.0	14.0	13.5	15.3	13.9	12.8	17.3	16.3	14.1	178.9	4	1217
	12 LST	11.5	11.1	13.5	14.0	16.7	6.0	3.7	2.3	12.5	17.9	14.6	12.0	135.8	4	1228
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.0	10.2	7.0	11.0	15.0	15.0	8.6	13.0	17.0	18.5	13.7	10.6	149.6	4	1248
	00 LST	13.6	12.8	9.6	14.6	14.7	21.7	18.7	23.5	22.5	22.0	15.2	14.8	203.7	4	1248
	06 LST	10.7	10.5	8.0	9.0	10.0	13.3	11.7	13.2	15.8	16.5	13.2	13.3	145.2	4	1248
	12 LST	10.0	9.9	6.7	8.6	10.3	8.0	5.3	10.0	13.5	15.2	11.5	9.5	118.5	4	1248
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	26.3	24.4	28.0	27.7	27.3	30.0	30.3	30.7	29.7	29.2	26.5	26.2	336.3	4	1248
	00 LST	21.0	21.1	22.0	23.3	22.7	28.0	30.0	30.7	28.5	29.2	24.2	24.4	305.1	4	1248
	06 LST	16.6	19.7	19.7	19.3	19.7	23.0	27.3	26.0	24.5	22.2	21.2	23.7	262.9	4	1248
	12 LST	23.0	22.1	21.6	23.6	26.0	28.7	29.6	30.0	28.0	26.2	24.2	24.2	307.2	4	1248
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	22.3	22.1	26.0	24.3	25.0	29.6	30.0	29.7	28.2	27.0	23.5	22.2	309.9	4	1248
	00 LST	19.7	19.7	18.7	21.3	21.6	27.7	29.3	30.2	28.0	28.0	19.7	21.4	285.3	4	1248
	06 LST	19.7	17.1	16.6	16.7	17.3	22.7	26.3	25.5	23.0	21.0	17.5	21.1	240.5	4	1248
	12 LST	18.3	19.1	20.0	17.0	19.3	21.0	23.7	25.0	23.7	22.5	18.8	20.6	249.0	4	1248
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	22.3	20.7	24.0	23.6	24.6	29.6	28.0	27.5	25.7	26.2	22.0	19.9	294.1	4	1248
	00 LST	19.3	18.8	17.6	21.0	20.6	27.3	29.3	30.0	27.8	27.2	19.2	20.2	278.3	4	1248
	06 LST	15.3	15.8	15.0	15.0	16.6	22.3	26.0	24.2	22.5	20.5	16.7	19.1	229.0	4	1248
	12 LST	17.0	16.8	17.3	16.0	18.3	21.0	23.0	25.0	22.7	21.7	18.2	18.6	235.6	4	1248

HEARNE MUNICIPAL, TEXAS

STA NO. 73398 (IN AREA NUMBER 13)

LATITUDE 3052N

LONGITUDE 09637W

ELEVATION(FT) 00247

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
ABS MAX TMP (F)	81	88	89	91	98	102	109	108	105	98	89	85	109	9	-73397
MEAN MAX TMP (F)	62	65	71	79	86	94	97	97	92	82	69	63	80	9	-73397
MEAN MIN TMP (F)	42	44	48	57	65	71	73	73	68	58	47	42	57	9	-73397
ABS MIN TMP (F)	15	22	25	37	42	56	68	64	53	32	24	19	15	9	-73397
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0		10.1	23.6	31.0	31.0	19.8	4.8	0.0	0.0		9	-29
MEAN NO DYS TMP = DR LES 32(F)	3.0	1.3	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	5.2	12.6	4	-73397
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-73397
MEAN DEW PT TMP (F)	47	45	50	58	64	72	73	72	66	56	47	42	58	4	-73397
MEAN REL HUM (PCT)	75	69	70	75	75	73	73	69	68	67	72	72	72	4	-73397
MEAN PRESS ALT (FT)	95	129	210	262	289	295	248	251	222	180	117	92	199	0	-50
MEAN PRECIP (IN)	2.42	2.83	2.49	3.96	4.39	2.78	2.11	2.07	2.53	3.21	3.27	3.32	35.4	60	-113
MEAN SNOW FALL (IN)	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4	-73397
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.3	5.9	5.5	6.8	7.0	5.3	4.3	4.3	4.4	5.3	5.3	6.6	66.0	60	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-73397
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.3	2.6	2.3	1.3	1.6	0.0	0.0	0.0	1.2	3.0	2.7	2.8	21.8	4	-73397
MEAN NO DYS TSTMS	2.0	3.6	3.0	5.6	6.3	3.0	7.3	3.0	6.5	2.5	1.7	2.7	49.2	4	-73397
P FREQ WND SPD = DR GTR 17 KTS	11.1	11.0	7.4	6.0	4.9	3.0	2.2	1.8	1.7	2.5	6.8	10.2	5.7	4	-73397
P FREQ WNG SPD = DR GTR 28 KTS	0.4	0.4	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.6	0.2	4	-73397
P FREQ LES 5000 FT A/D LES 3 MI	38.0	30.4	34.9	33.4	32.6	17.5	10.6	9.3	12.2	19.6	31.7	29.0	24.9	4	-73397
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	26.5	21.6	28.3	20.4	23.0	3.6	1.8	1.3	4.7	6.5	17.2	18.7	14.6	4	-73397
03-05 LST	33.0	24.3	27.6	23.7	26.9	17.4	5.4	7.8	10.0	13.2	18.6	19.2	18.9	4	-73397
06-08 LST	37.6	24.7	35.0	30.0	28.0	27.4	9.3	16.1	15.0	24.2	23.6	20.9	24.3	4	-73397
09-11 LST	28.0	21.2	23.1	16.7	15.2	4.1	4.7	4.8	4.7	15.9	16.9	19.6	14.7	4	-73397
12-14 LST	13.6	12.9	11.8	4.4	3.4	1.5	2.9	0.8	2.8	5.1	7.5	13.6	6.9	4	-73397
15-17 LST	10.0	9.4	6.5	3.7	5.8	0.4	1.1	0.5	0.6	2.4	7.5	10.6	4.9	4	-73397
18-20 LST	6.8	10.6	5.7	5.6	7.5	0.0	0.7	0.5	0.6	1.3	7.2	9.5	4.7	4	-73397
21-23 LST	16.5	12.9	11.8	7.4	7.9	0.0	0.0	0.8	2.5	3.2	11.7	10.3	7.1	4	-73397
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.7	2.4	1.4	0.4	1.8	0.4	0.0	0.0	0.0	0.5	2.8	3.0	1.5	4	-73397
03-05 LST	8.2	5.1	4.3	2.2	3.6	0.4	0.0	0.0	2.5	3.5	4.4	5.7	3.3	4	-73397
06-08 LST	11.8	5.1	5.1	3.3	2.9	0.0	0.0	1.1	1.9	6.7	6.1	4.1	4.0	4	-73397
09-11 LST	4.3	1.6	0.7	0.0	0.4	0.0	0.0	0.0	0.0	0.3	0.6	2.4	0.9	4	-73397
12-14 LST	0.4	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	1.1	0.2	4	-73397
15-17 LST	1.1	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.3	2.7	0.4	4	-73397
18-20 LST	1.8	0.8	0.0	0.4	0.7	0.0	0.0	0.0	0.0	0.0	0.3	2.4	0.5	4	-73397
21-23 LST	2.2	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	0.3	4	-73397

HEARNE MUNICIPAL, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	29.3	26.7	30.0	28.7	29.6	30.0	31.0	31.0	30.0	30.5	27.8	29.5	354.1	4	-73397
	00 LST	26.3	24.4	26.7	28.3	29.0	30.0	31.0	30.7	29.0	30.0	27.8	27.2	340.4	4	-73397
	06 LST	23.0	23.0	23.0	23.6	26.3	26.0	29.6	28.2	26.0	24.2	24.5	26.4	303.8	4	-73397
	12 LST	28.0	24.7	28.0	30.0	30.3	30.0	30.3	30.7	29.7	30.0	28.7	27.2	347.6	4	-73397
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	19.3	17.4	19.3	17.3	17.0	17.3	19.7	17.7	25.2	27.0	21.2	20.6	239.0	4	-73397
	00 LST	13.6	17.1	17.6	19.3	21.0	25.7	27.0	25.0	27.5	27.0	21.5	20.2	262.5	4	-73397
	06 LST	13.3	16.5	15.0	15.3	16.6	22.0	26.3	25.2	23.5	21.5	16.7	17.9	229.8	4	-73397
	12 LST	8.0	9.9	10.7	11.3	14.3	16.3	20.6	20.2	20.5	15.7	11.3	8.8	167.6	4	-73397
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.7	1.4	1.3	1.4	1.0	1.3	1.3	1.7	0.2	0.7	0.8	1.6	14.4	4	-73397
	00 LST	2.0	2.0	0.7	1.0	0.3	0.0	0.0	0.0	0.0	0.2	1.0	3.1	10.3	4	-73397
	06 LST	1.4	1.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.4	6.1	4	-73397
	12 LST	8.3	5.5	6.4	3.3	2.7	3.3	0.0	0.5	1.0	2.3	4.6	7.2	45.1	4	-73397
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	14.6	13.5	16.5	16.4	16.7	7.3	7.0	4.3	14.6	19.4	18.0	17.5	167.8	4	-73397
	00 LST	15.1	14.7	18.6	18.1	16.8	19.7	21.0	19.2	15.6	18.7	16.6	17.7	211.8	4	-73397
	06 LST	16.7	14.3	16.7	14.0	14.0	13.5	15.3	13.9	12.8	17.3	16.3	14.1	178.9	4	-73397
	12 LST	11.5	11.1	13.5	14.0	16.7	6.0	3.7	2.3	12.5	17.9	14.6	12.0	135.8	4	-73397
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.0	10.2	7.0	11.0	15.0	15.0	8.6	13.0	17.0	18.5	13.7	10.6	149.6	4	-73397
	00 LST	13.6	12.8	9.6	14.6	14.7	21.7	18.7	23.5	22.5	22.0	15.2	14.8	203.7	4	-73397
	06 LST	10.7	10.5	8.0	9.0	10.0	13.3	11.7	13.2	15.8	16.5	13.2	13.3	145.2	4	-73397
	12 LST	10.0	9.9	6.7	8.6	10.3	8.0	5.3	10.0	13.5	15.2	11.5	9.5	118.5	4	-73397
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	26.3	24.4	28.0	27.7	27.3	30.0	30.3	30.7	29.7	29.2	24.2	24.4	305.1	4	-73397
	00 LST	21.0	21.1	22.0	23.3	22.7	28.0	30.0	30.7	28.5	29.2	24.2	24.4	305.1	4	-73397
	06 LST	16.6	19.7	19.7	19.3	19.7	23.0	27.3	26.0	24.5	22.2	21.2	23.7	262.9	4	-73397
	12 LST	23.0	22.1	21.6	23.6	26.0	28.7	29.6	30.0	28.0	26.2	24.2	24.2	307.2	4	-73397
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	22.3	22.1	26.0	24.3	25.0	29.6	30.0	29.7	28.2	27.0	23.5	22.2	309.9	4	-73397
	00 LST	19.7	19.7	18.7	21.3	21.6	27.7	29.3	30.2	28.0	28.0	19.7	21.4	285.3	4	-73397
	06 LST	15.7	17.1	16.6	16.7	17.3	22.7	26.3	25.5	23.0	21.0	17.5	21.1	240.5	4	-73397
	12 LST	18.3	19.1	20.0	17.0	19.3	21.0	23.7	25.0	23.7	22.5	18.8	20.6	249.0	4	-73397
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	22.3	20.7	24.0	23.6	24.6	29.6	28.0	27.5	25.7	26.2	27.0	19.9	294.1	4	-73397
	00 LST	19.3	18.8	17.6	21.0	20.6	27.3	29.3	30.0	27.8	27.2	19.2	20.2	278.3	4	-73397
	06 LST	15.3	15.8	15.0	15.0	16.6	22.3	26.0	24.2	22.5	20.5	16.7	19.1	229.0	4	-73397
	12 LST	17.0	16.8	17.3	16.0	18.3	21.0	23.0	25.0	22.7	21.7	18.2	18.6	235.6	4	-73397

DENTON MUNICIPAL, TEXAS

STA NO. 73461 (IN AREA NUMBER 13)

LATITUDE 3312N

LONGITUDE 09711W

ELEVATION(FT) 00652

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDP (YRS)	NO. OBS
ABS MAX TMP (F)	89	96	96	102	107	106	113	113	111	103	90	89	113	43	-113
MEAN MAX TMP (F)	57	61	68	76	83	92	96	97	90	80	67	58	77	44	-113
MEAN MIN TMP (F)	33	37	43	52	61	69	72	72	65	54	42	35	53	44	-113
ABS MIN TMP (F)	-3	-2	5	23	35	51	51	52	36	16	14	5	-3	45	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	1.0	1.0	8.0	23.0	28.0	30.0	22.0	4.0	0.0	0.0	117.0	10	-113
MEAN NO DYS TMP = OR LES 32(F)	15.0	9.0	6.0	1.0	0.0	0.0	0.0	0.0	0.0	1.0	7.0	13.0	52.0	9	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45	-29
MEAN DEW PT TMP (F)	32	36	39	52	61	66	67	66	62	53	41	34	51	13	-72259
MEAN REL HUM (PCT)	69	66	61	65	68	63	58	57	61	64	64	66	64	13	-72259
MEAN PRESS ALT (FT)	459	494	571	620	645	650	602	607	598	548	483	499	561	0	-50
MEAN PRECIP (IN)	1.97	2.15	2.27	3.93	4.80	2.97	2.01	2.27	2.34	2.97	2.12	2.32	32.1	46	-113
MEAN SNOW FALL (IN)	2.0	0.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	3.2	13	-72259
MEAN NO DYS FRCP = OR GTR 0.1 IN	4.6	4.9	5.2	6.8	7.1	5.6	4.2	4.6	4.1	4.9	3.8	5.2	61.0	46	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.4	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.8	13	-72259
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	2.0	1.8	0.8	0.5	0.5	0.0	0.0	0.0	0.1	0.9	0.6	1.9	9.1	13	-72259
MEAN NO DYS TSTMS	0.7	2.0	4.0	6.1	6.0	5.8	5.7	4.1	3.5	2.7	1.7	1.2	43.5	13	-72259
P FREQ WND SPD = OR GTR 17 KTS	13.8	17.3	22.4	24.2	15.7	10.8	5.3	3.3	7.0	8.0	11.4	12.2	12.6	13	-72259
P FREQ WND SPD = OR GTR 28 KTS	0.3	0.9	0.8	0.4	0.3	0.1	0.1	0.0	0.2	0.1	0.3	0.3	0.3	13	-72259
P FREQ LES 5000 FT A/D LES 5 MI	31.1	28.1	26.9	28.6	18.6	10.7	4.2	4.5	11.7	14.7	22.5	25.8	19.0	13	-72259
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	18.3	14.5	10.1	9.5	4.8	3.3	1.1	0.6	3.3	6.4	9.8	14.3	8.0	13	-72259
03-05 LST	20.5	17.5	13.6	14.8	9.5	6.9	1.8	2.8	7.0	8.6	12.2	18.4	11.1	13	-72259
06-08 LST	21.0	22.6	17.1	18.6	15.4	9.3	3.5	4.2	11.5	13.4	15.4	20.5	14.4	13	-72259
09-11 LST	20.4	21.4	13.8	14.0	8.8	5.0	1.1	2.3	7.9	10.0	13.0	18.9	11.4	13	-72259
12-14 LST	15.0	14.7	7.4	7.4	6.6	1.8	0.5	0.3	2.7	5.0	7.9	12.9	6.6	13	-72259
15-17 LST	11.1	10.4	6.6	5.3	2.1	1.4	0.7	0.1	1.7	3.1	6.1	10.6	4.9	13	-72259
18-20 LST	12.6	8.9	6.3	4.9	2.2	0.9	0.7	0.1	2.0	2.9	6.4	10.5	4.9	13	-72259
21-23 LST	15.4	10.0	7.6	5.6	3.2	1.3	0.8	0.3	3.2	4.2	7.7	12.2	6.0	13	-72259
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.7	2.9	1.7	0.2	0.7	0.1	0.0	0.0	0.0	1.3	1.7	3.0	1.4	13	-72259
03-05 LST	4.8	3.4	1.7	0.7	1.3	0.1	0.1	0.0	0.2	1.3	1.9	4.4	1.7	13	-72259
06-08 LST	4.8	3.5	2.0	0.9	0.5	0.3	0.0	0.0	0.2	2.2	2.6	4.7	1.8	13	-72259
09-11 LST	3.6	1.8	1.1	0.2	0.1	0.0	0.0	0.0	0.1	0.5	0.6	2.5	0.9	13	-72259
12-14 LST	1.0	0.5	0.8	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.1	0.5	0.3	13	-72259
15-17 LST	0.7	0.3	0.8	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.3	0.4	0.2	13	-72259
18-20 LST	2.0	0.6	0.5	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.7	0.3	0.4	13	-72259
21-23 LST	3.6	1.5	1.2	0.0	0.2	0.2	0.0	0.0	0.0	0.3	0.9	1.3	0.8	13	-72259

DENTON MUNICIPAL, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.1	26.0	29.3	28.9	30.7	29.9	30.8	30.9	29.6	30.2	28.6	28.8	351.8	13	-72259
	00 LST	27.3	25.2	29.5	28.6	30.6	29.6	30.7	30.9	29.4	29.6	27.8	27.7	346.9	13	-72259
	06 LST	26.2	23.4	28.6	26.0	28.6	28.1	30.4	30.6	28.4	28.6	27.2	26.3	332.4	13	-72259
	12 LST	27.3	25.0	29.3	28.8	30.1	29.7	30.8	31.0	29.7	30.2	28.4	28.1	348.4	13	-72259
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	11.8	10.1	7.7	6.5	8.9	7.3	9.1	10.4	12.5	17.2	15.3	13.8	130.6	13	-72259
	00 LST	12.4	10.4	11.2	10.0	13.2	14.6	18.7	20.6	18.3	17.9	14.9	13.3	175.5	13	-72259
	06 LST	12.3	9.9	11.4	10.3	14.1	17.3	22.8	23.7	20.1	18.7	15.1	13.2	188.9	13	-72259
	12 LST	6.4	5.2	4.8	3.9	7.5	9.8	14.1	14.0	12.2	11.1	8.2	9.0	106.2	13	-72259
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	3.6	4.3	8.6	7.5	6.2	5.0	3.2	2.2	2.5	1.8	1.5	1.8	48.2	13	-72259
	00 LST	2.4	3.4	4.6	5.6	3.5	2.7	1.1	0.4	1.4	1.9	2.5	2.4	31.9	13	-72259
	06 LST	2.7	3.2	3.7	3.6	1.8	1.1	0.4	0.0	0.9	1.0	1.8	2.4	22.6	13	-72259
	12 LST	7.2	7.6	10.4	11.0	8.0	4.0	2.1	1.5	3.0	4.5	6.9	7.1	73.3	13	-72259
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	15.1	12.9	10.5	9.7	10.9	6.3	3.7	4.3	12.0	19.9	18.5	16.6	140.4	13	-72259
	00 LST	12.0	13.0	13.6	13.3	17.5	18.2	20.9	23.5	20.6	19.3	17.1	14.8	203.8	13	-72259
	06 LST	10.3	11.2	13.6	15.3	17.5	20.4	24.7	24.6	21.8	19.9	16.8	13.3	209.4	13	-72259
	12 LST	9.4	8.4	8.2	5.7	9.0	8.6	4.4	6.7	9.6	12.8	10.4	10.6	103.8	13	-72259
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	11.7	10.0	11.7	10.5	13.2	17.8	16.4	18.2	17.8	17.1	13.0	13.9	173.3	13	-72259
	00 LST	13.9	13.2	15.1	11.7	14.1	17.5	21.7	22.5	19.6	18.7	17.7	17.1	202.8	13	-72259
	06 LST	13.6	12.0	11.1	8.9	9.1	13.1	15.3	16.4	17.0	17.1	15.8	15.8	165.2	13	-72259
	12 LST	10.7	10.7	11.1	9.3	8.5	11.4	12.9	12.7	12.7	14.9	13.5	12.8	141.2	13	-72259
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	25.0	24.2	27.9	27.6	30.0	29.6	30.7	30.9	28.9	29.5	26.9	26.4	337.6	13	-72259
	00 LST	23.9	23.1	26.6	25.7	28.6	28.7	30.5	30.7	28.7	28.6	25.7	25.9	326.7	13	-72259
	06 LST	22.6	20.2	23.3	20.5	24.9	25.8	29.2	29.5	25.7	25.9	24.5	23.2	295.3	13	-72259
	12 LST	23.3	21.3	25.0	24.8	28.3	28.6	30.5	30.4	27.8	28.0	25.4	24.5	317.9	13	-72259
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	23.1	21.2	24.3	23.9	27.9	28.4	30.1	30.4	27.6	27.8	24.2	23.8	312.7	13	-72259
	00 LST	21.5	20.4	24.2	22.5	26.7	27.6	30.4	30.0	27.8	27.2	24.2	24.0	306.5	13	-72259
	06 LST	19.5	18.5	20.2	17.2	22.7	24.3	28.5	28.1	24.4	24.1	21.6	21.1	270.2	13	-72259
	12 LST	20.5	18.8	21.3	19.4	23.2	24.9	28.6	28.0	24.8	25.8	22.2	21.9	279.4	13	-72259
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	21.6	20.3	23.0	22.5	26.4	28.0	29.4	29.7	26.4	26.7	22.6	23.0	299.6	13	-72259
	00 LST	20.2	19.3	22.8	21.0	25.7	27.1	29.8	29.1	26.5	25.6	22.4	22.9	292.4	13	-72259
	06 LST	18.8	17.4	18.6	16.1	21.7	23.6	27.6	27.2	24.1	22.8	20.3	20.1	258.3	13	-72259
	12 LST	19.9	17.4	20.3	18.3	22.5	24.3	27.5	27.7	24.2	24.8	20.8	21.1	268.5	13	-72259

HONDO MUNICIPAL, TEXAS

STA NO. 73587 (IN AREA NUMBER 13)

LATITUDE 2921N

LONGITUDE 09910W

ELEVATION(FT) 00927

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	90	95	101	103	106	109	112	110	107	102	99	93	112	56	-613
MEAN MAX TMP (F)	64	68	76	82	87	94	97	98	92	83	72	65	82	55	-113
MEAN MIN TMP (F)	41	44	50	57	64	71	73	72	68	57	48	42	57	55	-113
ABS MIN TMP (F)	4	4	19	30	40	47	59	55	44	26	20	8	4	55	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.2	0.0	1.0	2.5	11.3	23.4	29.8	29.0	20.5	2.9	0.0	0.0	120.6	0	2044
MEAN NO DYS TMP = DR LES 32(F)	6.5	1.8	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	7.8	19.7	9	2047
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2047
MEAN DEW PT TMP (F)	40	46	49	55	62	69	69	68	65	57	49	41	56	5	27874
MEAN REL HUM (PCT)	68	70	65	63	68	71	64	61	66	69	68	70	67	5	27861
MEAN PRESS ALT (FT)	769	809	877	932	956	962	907	910	918	871	796	769	873	0	-50
MEAN PRECIP (IN)	1.52	1.63	1.75	2.98	4.16	2.73	2.36	1.98	3.20	2.61	1.62	1.69	28.2	65	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	594
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.8	4.0	4.4	6.1	6.9	5.2	4.7	4.1	5.2	4.5	3.1	4.1	56.1	65	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	594
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	5.3	5.6	0.7	1.0	1.3	1.3	0.0	0.0	0.5	1.2	3.8	5.5	26.2	5	1188
MEAN NO DYS TSTMS	0.7	2.0	3.7	4.0	6.7	3.7	3.3	2.0	2.9	1.7	0.8	1.2	32.7	4	1182
P FREQ WND SPD = DR GTR 17 KTS	1.6	3.4	3.8	4.0	5.3	4.2	0.9	0.8	1.2	0.5	1.6	2.0	2.4	5	28459
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	5	28459
P FREQ LES 3000 FT A/D LES 5 MI	34.9	44.1	46.8	40.0	42.0	50.4	25.6	19.3	30.6	26.5	37.8	36.3	36.2	5	28460
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	24.4	32.5	36.9	29.3	32.3	32.3	8.2	6.1	12.6	12.9	21.4	21.3	22.5	4	3554
03-05 LST	29.4	39.0	39.1	33.3	39.8	54.4	18.3	18.2	24.1	20.2	35.1	24.9	31.3	6	3560
06-08 LST	31.5	47.2	39.0	45.5	44.1	50.4	27.8	22.4	28.2	25.7	34.3	32.1	35.7	9	6211
09-11 LST	29.5	40.7	28.9	30.4	21.8	11.9	4.1	2.9	8.6	16.9	28.5	27.9	21.0	9	6220
12-14 LST	16.4	21.1	12.5	9.3	3.3	1.3	0.6	1.4	2.8	5.9	11.2	17.7	8.6	9	6195
15-17 LST	12.1	18.0	7.5	5.1	2.1	0.2	0.5	0.5	3.3	2.7	6.0	14.2	6.0	9	5671
18-20 LST	8.5	13.4	5.7	0.6	1.6	1.5	0.7	0.3	2.0	2.9	6.7	14.4	4.9	9	4244
21-23 LST	14.3	20.0	18.5	14.7	8.3	5.7	1.0	1.3	6.5	4.7	10.1	18.5	10.3	9	3878
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.5	12.5	2.2	1.5	0.4	1.1	0.0	0.7	0.3	0.5	1.1	7.0	2.8	4	3554
03-05 LST	10.0	19.3	3.2	3.3	2.2	1.1	0.0	0.0	1.6	1.9	4.1	13.6	5.0	6	3560
06-08 LST	11.1	15.4	4.8	6.7	1.9	0.0	0.0	0.2	0.4	3.2	5.6	12.7	5.2	9	6211
09-11 LST	5.9	9.1	0.9	1.1	0.4	0.0	0.0	0.0	0.4	0.9	2.4	5.2	2.2	9	6220
12-14 LST	2.3	5.5	0.7	0.7	0.6	0.0	0.0	0.0	0.0	0.7	0.2	1.5	1.0	9	6195
15-17 LST	2.1	2.9	0.6	0.0	0.2	0.0	0.3	0.0	0.9	0.8	0.2	2.3	0.9	9	5671
18-20 LST	2.8	5.2	0.0	0.0	0.5	0.6	0.0	0.0	0.0	0.7	1.0	3.6	1.2	9	4244
21-23 LST	5.5	6.5	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.8	1.6	4.9	1.6	9	3878

HONDO MUNICIPAL, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PGR (YRS)	NO. ORS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	28.0	24.6	29.9	28.8	30.5	30.0	31.0	31.0	29.3	29.3	28.6	27.8	349.8	9	2083
	23 LST	27.6	23.2	27.7	27.2	30.2	29.5	31.0	30.7	29.2	29.1	28.9	26.6	340.9	9	1361
	05 LST	23.2	16.7	22.5	21.0	22.1	21.5	27.4	28.3	29.5	26.3	23.3	23.7	261.5	9	2097
	11 LST	25.5	22.0	27.7	27.3	29.6	29.5	31.0	30.8	29.3	29.7	27.2	25.8	335.4	9	2095
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	17.7	13.1	13.9	12.7	13.5	12.6	17.8	20.2	21.7	24.5	21.4	21.7	210.8	9	2083
	23 LST	22.3	18.1	15.6	17.8	14.7	13.5	19.7	17.4	22.1	26.6	22.5	20.9	231.2	9	1361
	05 LST	16.4	11.8	15.0	11.8	13.7	10.3	22.2	23.5	20.2	21.2	17.2	18.3	201.6	9	2097
	11 LST	14.5	8.0	10.5	10.8	14.0	15.2	24.2	25.4	23.5	20.6	13.3	16.6	196.6	9	2095
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	1.1	1.6	2.2	3.1	1.4	1.4	0.8	0.2	0.2	0.2	0.5	0.6	13.3	9	2038
	23 LST	0.6	0.9	0.3	1.1	0.9	1.8	0.0	0.0	0.0	0.2	0.5	1.1	7.0	9	1329
	05 LST	0.4	0.2	0.9	0.7	0.0	0.0	0.0	0.0	0.2	0.0	0.5	0.2	3.1	9	1993
	11 LST	0.9	1.8	1.9	1.7	0.7	0.3	0.0	0.0	0.2	0.2	1.1	0.6	9.4	9	2043
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	18.9	16.7	17.6	15.1	14.4	6.9	2.0	2.9	8.7	18.4	19.0	17.2	157.8	9	2038
	23 LST	17.5	14.8	18.7	19.8	17.4	16.7	18.8	21.1	13.5	18.5	13.5	12.0	202.3	9	1328
	05 LST	12.7	13.0	15.9	16.9	16.4	15.0	9.9	9.4	9.4	15.7	14.0	10.7	159.0	9	1992
	11 LST	17.4	14.3	18.5	14.6	16.4	18.5	14.3	9.8	17.6	20.0	18.3	18.3	198.0	9	2043
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	8.8	5.7	7.8	5.4	9.0	10.4	5.0	7.8	10.0	17.1	13.7	14.3	115.0	5	898
	23 LST	8.6	12.0	12.4	13.1	8.8	20.9	27.5	23.3	27.0	21.7	16.1	24.1	215.5	5	175
	05 LST	12.0	6.6	6.6	5.0	8.1	5.7	11.8	12.3	11.0	13.9	12.2	13.3	118.5	5	912
	11 LST	9.6	7.0	10.1	7.7	8.1	6.4	10.3	13.2	9.5	14.3	10.0	14.4	120.6	5	910
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	25.4	21.8	27.9	27.3	30.1	29.6	30.2	30.6	28.2	29.2	27.3	24.7	332.3	9	2083
	23 LST	24.3	21.5	21.7	22.1	24.2	24.4	30.4	29.8	26.6	28.0	25.3	22.8	301.1	9	1361
	05 LST	19.3	13.3	17.4	14.2	14.7	10.7	22.4	23.5	19.9	21.9	19.4	20.4	217.1	9	2097
	11 LST	21.4	15.4	19.7	19.8	22.6	23.8	29.4	29.8	25.7	23.7	20.0	21.9	273.2	9	2095
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	22.8	17.9	22.8	22.4	24.2	25.0	26.6	27.5	24.2	26.6	23.8	22.3	286.1	9	2083
	23 LST	21.5	18.6	19.7	20.6	22.3	23.9	27.9	29.5	25.6	25.9	20.7	20.4	276.6	9	1361
	05 LST	17.8	11.3	14.1	11.5	12.8	9.8	21.6	22.9	18.6	20.4	17.0	18.7	196.5	9	2097
	11 LST	19.1	12.7	16.5	16.8	17.1	12.4	21.6	22.7	18.8	19.8	16.3	20.0	213.8	9	2095
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	20.8	17.1	22.1	21.1	22.2	23.8	23.8	25.4	22.8	25.9	21.8	21.5	268.3	9	2083
	23 LST	19.8	17.5	19.5	19.0	20.9	23.6	27.7	29.5	24.1	24.3	20.7	14.6	266.2	9	1361
	05 LST	16.9	10.9	13.6	11.0	11.8	9.6	20.9	22.1	18.1	19.9	16.1	17.5	188.4	9	2097
	11 LST	17.3	11.9	16.2	15.3	15.9	12.2	20.6	22.1	17.7	19.3	15.2	18.3	202.0	9	2095

HARLINGEN MUNICIPAL, TEXAS

STA NO. 73588 (IN AREA NUMBER 13)

LATITUDE 2612N

LONGITUDE 09745W

ELEVATION(FT) 70043

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO, UBS
ABS MAX TMP (F)	91	99	103	107	103	106	107	108	106	100	97	93	106	43	-613
MEAN MAX TMP (F)	72	73	79	86	90	93	96	97	93	87	78	72	85	44	-113
MEAN MIN TMP (F)	50	53	58	64	69	73	74	74	71	64	56	51	63	44	-113
ABS MIN TMP (F)	17	21	29	37	46	61	62	61	52	40	31	26	17	44	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.5	2.0	4.7	13.0	24.4	28.6	27.8	16.4	4.6	0.3	0.1	122.4	16	4912
MEAN NO DYS TMP = OR LES 32(F)	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.1	16	4912
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	4912
MEAN DEW PT TMP (F)	51	55	57	63	69	73	73	73	71	65	57	52	63	14	103936
MEAN REL HUM (PCT)	75	75	73	73	74	74	72	72	76	74	75	74	74	14	103928
MEAN PRESS ALT (FT)	-101	-65	-4	47	72	77	23	25	47	0	-72	-99	-3	0	-50
MEAN PRECIP (IN)	1.42	1.28	1.16	1.40	3.11	2.73	1.94	2.51	4.85	2.73	1.53	1.44	26.1	45	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3633
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.6	3.3	3.2	3.7	6.2	5.2	4.1	4.9	7.4	4.6	3.0	3.6	52.8	45	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3633
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.6	4.5	2.9	2.5	1.4	0.5	0.3	0.4	0.7	0.9	3.2	5.7	28.6	14	4333
MEAN NO DYS TSTMS	0.4	0.8	1.1	2.3	3.1	2.5	4.0	3.9	4.1	2.4	0.6	0.2	25.4	15	4364
P FREQ WND SPD = OR GTR 17 KTS	6.9	9.5	13.0	12.8	8.0	5.9	5.8	5.1	2.9	2.7	4.6	5.3	6.9	14	103974
P FREQ WND SPD = OR GTR 28 KTS	0.3	0.4	0.4	0.2	0.1	0.1	0.0	0.0	0.3	0.0	0.1	0.3	0.2	14	103974
P FREQ LES 5000 FT A/D LES 5 MI	40.0	43.4	42.4	43.5	35.6	26.2	14.8	13.6	21.0	21.6	35.1	37.3	31.2	14	104973
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	23.7	26.6	26.1	25.1	11.8	3.1	0.2	0.6	3.1	3.9	14.4	19.4	13.2	14	12999
03-05 LST	29.0	29.7	27.5	29.4	13.1	3.9	1.0	1.8	3.8	5.7	18.3	26.1	15.8	14	13005
06-08 LST	31.2	33.8	32.1	32.4	18.5	9.5	1.9	2.6	5.8	8.4	21.9	29.8	19.0	14	13023
09-11 LST	22.9	27.8	19.8	14.8	5.7	3.6	0.7	1.9	5.3	6.7	17.0	24.3	12.5	14	13021
12-14 LST	15.7	16.8	9.3	5.2	1.9	1.5	0.8	1.8	2.2	4.0	13.6	14.4	7.3	14	13024
15-17 LST	14.7	13.1	7.2	4.2	1.6	1.1	0.1	0.8	2.1	2.7	10.5	10.8	5.7	14	13012
18-20 LST	16.3	15.6	12.1	9.9	2.9	0.5	0.0	0.3	2.0	2.2	10.1	10.7	6.9	14	12995
21-23 LST	19.4	23.0	22.1	21.9	11.2	2.0	0.2	0.4	1.9	3.1	12.9	14.9	11.1	14	12998
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	8.8	6.8	4.6	2.8	0.5	0.1	0.0	0.1	0.5	0.8	3.8	6.8	3.0	14	12999
03-05 LST	11.3	10.9	7.6	6.8	1.2	1.3	0.2	0.6	0.7	1.1	6.5	11.0	4.9	14	13005
06-08 LST	11.5	10.5	6.2	4.6	2.2	0.6	0.4	0.3	1.7	1.4	6.5	11.6	4.8	14	13023
09-11 LST	4.2	2.7	1.0	0.3	0.2	0.1	0.1	0.0	0.3	0.5	1.1	3.1	1.1	14	13021
12-14 LST	1.1	1.1	0.0	0.4	0.1	0.1	0.5	0.3	0.1	0.0	0.6	0.0	0.4	14	13024
15-17 LST	1.6	1.1	0.2	0.2	0.5	0.2	0.0	0.3	0.0	0.3	0.6	0.4	0.5	14	13012
18-20 LST	2.7	2.4	0.7	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.9	0.8	0.7	14	12995
21-23 LST	5.4	3.8	1.7	1.1	0.0	0.0	0.0	0.2	0.0	0.0	2.2	2.7	1.4	14	12998

HARLINGEN MUNICIPAL, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	26.0	25.3	29.5	29.2	30.7	29.8	30.9	30.8	29.7	30.2	28.1	29.1	351.3	14	4341
	23 LST	26.5	23.4	26.6	27.8	30.1	29.8	31.0	31.0	29.6	30.2	26.9	27.4	340.3	14	4335
	05 LST	22.5	21.2	24.5	24.8	29.0	29.1	30.6	30.7	29.2	29.0	24.8	24.1	319.5	14	4341
	11 LST	26.4	24.3	28.3	28.6	30.6	29.9	30.7	30.5	29.1	29.7	27.5	26.2	341.8	14	4342
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	8.4	5.3	3.7	3.2	3.1	3.7	2.5	2.6	7.7	9.8	12.9	11.8	74.7	14	4341
	23 LST	18.3	14.4	15.8	13.5	18.0	22.4	24.7	25.1	26.6	27.1	21.2	20.2	247.3	14	4335
	05 LST	14.7	13.4	15.3	12.8	18.9	25.7	28.8	29.2	27.0	25.8	19.2	16.8	247.4	14	4341
	11 LST	10.2	7.8	7.6	7.2	10.7	13.5	12.3	16.2	16.6	16.1	11.7	10.3	140.2	14	4342
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	3.5	4.9	7.6	7.7	5.9	4.2	5.5	5.2	2.7	1.8	1.8	2.4	53.2	14	4299
	23 LST	0.8	1.5	2.2	1.9	0.8	0.4	0.1	0.2	0.3	0.2	0.7	0.5	9.6	14	4277
	05 LST	0.8	1.1	1.8	0.9	0.7	0.1	0.0	0.0	0.2	0.2	0.5	0.8	7.1	14	4273
	11 LST	3.9	4.4	6.7	6.5	4.2	2.7	2.4	1.6	0.8	1.5	2.5	3.7	40.9	14	4280
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	14.7	8.7	7.3	5.2	7.6	5.2	3.4	3.8	12.0	15.6	16.8	15.7	116.0	14	4299
	23 LST	17.6	15.2	14.5	14.9	17.9	18.1	21.7	20.2	14.9	14.6	16.7	16.2	202.5	14	4277
	05 LST	16.6	15.0	15.8	16.4	16.2	14.1	14.7	14.1	13.5	13.5	16.3	15.8	182.0	14	4272
	11 LST	15.5	12.3	11.9	9.3	13.0	9.1	6.1	6.2	14.6	17.4	15.2	14.5	145.2	14	4280
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	9.3	8.5	6.9	7.4	9.0	8.1	6.9	8.1	7.4	11.7	7.7	8.5	99.5	11	3610
	23 LST	12.8	11.9	8.8	7.9	12.0	18.9	24.8	22.4	18.9	19.9	13.3	13.8	185.4	11	3604
	05 LST	10.7	8.4	8.5	7.6	10.8	14.5	19.9	21.8	19.2	18.7	12.5	11.8	164.4	11	3610
	11 LST	8.0	6.3	5.0	5.3	4.3	2.7	2.5	4.6	4.0	6.8	6.3	7.5	63.3	11	3611
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	24.6	22.5	26.7	26.6	29.5	29.4	30.6	30.3	28.7	29.1	26.1	25.9	330.0	14	4341
	23 LST	22.3	18.9	20.7	18.0	22.8	27.9	30.7	30.6	29.2	29.0	24.3	24.1	298.5	14	4335
	05 LST	19.5	16.7	20.1	17.3	23.3	28.0	30.0	29.8	28.0	27.5	22.1	20.8	283.1	14	4341
	11 LST	22.0	17.7	21.2	21.5	26.2	25.3	29.0	29.4	25.0	26.3	21.8	21.2	286.7	14	4342
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	20.9	18.6	22.6	21.7	25.6	25.4	28.7	29.1	25.9	26.5	20.5	22.2	287.7	14	4341
	23 LST	18.9	16.5	18.4	16.7	21.8	27.4	30.6	30.4	27.9	27.6	20.9	20.6	277.7	14	4335
	05 LST	15.8	14.4	16.3	15.2	21.6	27.0	29.8	29.5	27.2	25.8	18.9	16.9	258.4	14	4341
	11 LST	17.6	13.2	14.9	14.4	12.9	10.7	18.8	19.4	13.7	17.1	16.5	17.0	186.2	14	4342
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	19.1	18.0	21.3	20.7	24.8	24.9	28.4	28.4	25.1	25.2	18.8	20.6	275.3	14	4341
	23 LST	17.9	15.5	17.1	15.8	21.4	26.9	30.2	30.2	27.2	26.4	19.6	19.7	267.9	14	4335
	05 LST	15.2	13.0	15.3	14.2	20.7	26.3	29.4	29.4	26.5	24.6	17.1	15.5	247.2	14	4341
	11 LST	15.9	12.1	13.6	13.7	12.4	10.4	18.4	19.0	13.1	16.1	14.6	15.4	174.7	14	4342

MC ALLEN/MILLER INT'L., TEXAS

STA NO. 73589 (IN AREA NUMBER 13)	LATITUDE 2610N LONGITUDE 09814W ELEVATION(FT) 6010												POR	NO.	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	DBS
ABS MAX TMP (F)	92	96	102	105	106	104	105	104	102	100	97	95	106	19	-113
MEAN MAX TMP (F)	72	76	81	86	91	94	96	96	93	87	78	73	85	19	-113
MEAN MIN TMP (F)	50	53	57	64	70	73	74	74	71	65	56	51	63	19	-113
ABS MIN TMP (F)	22	19	31	40	50	61	65	64	50	42	30	26	19	19	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.3	2.0	4.0	9.0	20.0	26.0	30.0	30.0	24.0	11.0	2.0	1.0	199.3	10	-113
MEAN NO DYS TMP = DR LES 32(F)	1.0	1.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.0	3.6	10	-113
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN DEW PT TMP (F)	51	55	57	63	69	73	73	73	71	65	57	52	63	14	-73588
MEAN REL HUM (PCT)	75	75	73	73	74	74	72	72	76	74	75	74	74	14	-73588
MEAN PRESS ALT (FT)	-32	2	63	116	140	146	92	93	115	69	-3	-31	64	0	-50
MEAN PRECIP (IN)	1.28	1.16	0.63	1.81	1.71	2.07	0.86	1.86	3.06	2.68	0.91	0.73	18.8	18	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73588
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.3	3.1	1.8	4.5	4.3	4.3	2.1	3.9	5.1	4.6	2.2	2.2	41.4	18	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73588
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	5.6	4.5	2.9	2.3	1.4	0.5	0.3	0.4	0.7	0.9	3.2	5.7	28.6	14	-73588
MEAN NO DYS TSTMS	0.4	0.8	1.1	2.3	3.1	2.5	4.0	3.9	4.1	2.4	0.6	0.2	25.4	15	-73588
P FREQ WND SPD = DR GTR 17 KTS	6.9	9.5	13.0	12.8	8.0	5.9	5.8	5.1	2.9	2.7	4.6	5.3	6.9	14	-73588
P FREQ WND SPD = DR GTR 28 KTS	0.3	0.4	0.4	0.2	0.1	0.1	0.0	0.0	0.3	0.0	0.1	0.3	0.2	14	-73588
P FREQ LES 5000 FT A/D LES 5 MI	40.0	43.4	42.4	43.5	35.6	26.2	14.8	13.6	21.0	21.6	35.1	37.3	31.2	14	-73588
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	23.7	26.6	26.1	25.1	11.8	3.1	0.2	0.6	3.1	3.9	14.4	19.4	13.2	14	-73588
03-05 LST	29.0	29.7	27.5	29.4	13.1	3.9	1.0	1.8	3.8	5.7	18.3	26.1	15.8	14	-73588
06-08 LST	31.2	33.8	32.1	32.4	18.9	9.5	1.9	2.6	5.8	8.4	21.9	29.8	19.0	14	-73588
09-11 LST	22.9	27.8	19.8	14.8	5.7	3.6	0.7	1.9	5.3	6.7	17.0	24.3	12.5	14	-73588
12-14 LST	15.7	16.8	9.3	5.2	1.9	1.5	0.8	1.8	2.2	4.0	13.6	14.4	7.3	14	-73588
15-17 LST	14.7	13.1	7.2	4.2	1.6	1.1	0.1	0.8	2.1	2.7	10.5	10.8	5.7	14	-73588
18-20 LST	16.3	15.6	12.1	9.9	2.9	0.5	0.0	0.3	2.0	2.2	10.1	10.7	6.9	14	-73588
21-23 LST	19.4	23.0	22.1	21.9	11.2	2.0	0.2	0.4	1.9	3.1	12.9	14.9	11.1	14	-73588
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	8.8	6.8	4.6	2.8	0.3	0.1	0.0	0.1	0.3	0.8	3.8	6.8	3.0	14	-73588
03-05 LST	11.3	10.9	7.6	6.8	1.2	1.3	0.2	0.6	0.7	1.1	6.5	11.0	4.9	14	-73588
06-08 LST	11.5	10.5	6.2	4.6	2.2	0.6	0.4	0.3	1.7	1.4	6.5	11.6	4.8	14	-73588
09-11 LST	4.2	2.7	1.0	0.3	0.2	0.1	0.1	0.0	0.3	0.3	1.1	3.1	1.1	14	-73588
12-14 LST	1.1	1.1	0.0	0.4	0.1	0.1	0.5	0.3	0.1	0.0	0.6	0.0	0.4	14	-73588
15-17 LST	1.6	1.1	0.2	0.2	0.5	0.2	0.0	0.3	0.0	0.3	0.6	0.4	0.5	14	-73588
18-20 LST	2.7	2.4	0.7	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.9	0.8	0.7	14	-73588
21-23 LST	5.4	3.8	1.7	1.1	0.0	0.0	0.0	0.2	0.0	0.0	2.2	2.7	1.4	14	-73588

MC ALLEN/MILLER INT'L., TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDP (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	28.0	25.3	29.5	29.2	30.7	29.8	30.9	30.8	29.7	30.2	28.1	29.1	351.3	14	-73588
	23 LST	26.5	23.4	26.6	27.8	30.1	29.8	31.0	31.0	29.6	30.2	26.9	27.4	340.3	14	-73588
	09 LST	22.5	21.2	24.5	24.8	29.0	29.1	30.6	30.7	29.2	29.0	24.8	24.1	319.5	14	-73588
	11 LST	26.4	24.3	28.3	28.6	30.6	29.9	30.7	30.5	29.1	29.7	27.5	26.2	341.6	14	-73588
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	8.4	5.3	3.7	3.2	3.1	3.7	2.5	2.6	7.7	9.8	12.9	11.8	74.7	14	-73588
	23 LST	18.3	14.4	15.8	13.5	18.0	22.4	24.7	25.1	26.6	27.1	21.2	20.2	247.3	14	-73588
	09 LST	14.7	13.4	15.3	12.8	18.9	25.7	28.8	29.2	27.0	25.6	19.2	16.8	247.4	14	-73588
	11 LST	10.2	7.8	7.6	7.2	10.7	13.5	12.3	16.2	16.6	16.1	11.7	10.3	140.2	14	-73588
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	3.5	4.9	7.6	7.7	5.9	4.2	5.5	5.2	2.7	1.8	1.8	2.4	53.2	14	-73588
	23 LST	0.8	1.5	2.2	1.9	0.8	0.4	0.1	0.2	0.3	0.2	0.7	0.5	9.6	14	-73588
	09 LST	0.8	1.1	1.8	0.9	0.7	0.1	0.0	0.0	0.2	0.2	0.5	0.8	7.1	14	-73588
	11 LST	3.9	4.4	6.7	6.5	4.2	2.7	2.4	1.6	0.8	1.5	2.5	3.7	40.9	14	-73588
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	14.7	8.7	7.3	5.2	7.6	5.2	3.4	3.8	12.0	15.6	16.8	15.7	116.0	14	-73588
	23 LST	17.6	15.2	14.5	14.9	17.9	18.1	21.7	20.2	14.9	14.6	16.7	16.2	202.5	14	-73588
	09 LST	16.6	15.0	15.8	16.4	16.2	14.1	14.7	14.1	13.5	13.5	16.3	15.8	182.0	14	-73588
	11 LST	15.6	12.3	11.9	9.3	13.0	9.1	6.1	6.2	14.6	17.4	15.2	14.5	145.2	14	-73588
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	9.3	8.5	6.9	7.4	9.0	8.1	6.9	8.1	7.4	11.7	7.7	8.5	99.5	11	-73588
	23 LST	12.8	11.9	8.8	7.9	12.0	18.9	24.8	22.4	18.9	19.9	13.3	13.8	185.4	11	-73588
	09 LST	10.7	8.4	8.5	7.6	10.8	14.5	19.9	21.8	19.2	18.7	12.5	11.8	164.4	11	-73588
	11 LST	8.0	6.3	5.0	5.3	4.3	2.7	2.5	4.6	4.0	6.8	6.3	7.5	63.3	11	-73588
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	24.6	22.5	26.7	26.6	29.5	29.4	30.6	30.3	28.7	29.1	26.1	25.9	330.0	14	-73588
	23 LST	22.3	18.9	20.7	18.0	22.4	27.9	30.7	30.6	29.2	29.0	24.3	24.1	298.5	14	-73588
	09 LST	19.5	16.7	20.1	17.3	23.3	28.0	30.0	29.8	28.0	27.5	22.1	20.8	283.1	14	-73588
	11 LST	22.0	17.7	21.2	21.5	26.2	25.3	29.0	29.4	25.0	26.3	21.8	21.3	286.7	14	-73588
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	20.9	18.6	22.6	21.7	25.6	25.4	28.7	29.1	25.9	26.5	20.5	22.2	287.7	14	-73588
	23 LST	18.9	16.5	18.4	16.7	21.8	27.4	30.6	30.4	27.9	27.6	20.9	20.6	277.7	14	-73588
	09 LST	15.8	14.4	16.3	15.2	21.6	27.0	29.8	29.5	27.2	25.8	18.9	16.9	258.4	14	-73588
	11 LST	17.6	13.2	14.9	14.4	12.9	10.7	18.8	19.4	13.7	17.1	16.5	17.0	186.2	14	-73588
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	19.1	18.0	21.3	20.7	24.8	24.9	28.4	28.4	25.1	25.2	18.8	20.6	275.3	14	-73588
	23 LST	17.9	15.5	17.1	15.8	21.4	26.9	30.2	30.2	27.2	26.4	19.6	19.7	267.9	14	-73588
	09 LST	15.2	13.0	15.3	14.2	20.7	26.3	29.4	29.4	26.5	24.6	17.1	15.5	247.2	14	-73588
	11 LST	15.9	12.1	13.6	13.7	12.4	10.4	18.4	19.0	13.1	16.1	14.6	15.4	174.7	14	-73588

HOUSTON/CLOVER FIELD, TEXAS

STA NO. 73590 (IN AREA NUMBER 13)

LATITUDE 2930N

LONGITUDE 09513W

ELEVATION(FT) 00043

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
														(YRS)	UBS
ABS MAX TMP (F)	82	87	88	93	95	99	104	101	100	96	89	84	104	12	-73258
MEAN MAX TMP (F)	55	66	71	77	85	90	92	92	88	81	70	65	79	12	-73258
MEAN MIN TMP (F)	46	48	53	60	68	73	75	75	71	61	50	46	61	12	-73258
ABS MIN TMP (F)	20	15	31	40	46	59	69	65	56	37	24	17	15	12	-73258
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.2	4.1	19.9	25.2	23.9	13.8	1.6	0.0	0.0	88.7	12	-73258
MEAN NO DYS TMP = DR LES 32(F)	3.3	1.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.7	8.7	12	-73258
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73258
MEAN DEW PT TMP (F)	47	49	52	60	67	72	74	74	70	61	51	47	60	12	-73258
MEAN REL HUM (PCT)	78	78	74	76	77	76	77	78	77	74	75	76	76	12	-73258
MEAN PRESS ALT (FT)	-146	-112	-41	3	30	35	-12	-3	-2	-34	-120	-144	-46	0	-50
MEAN PRECIP (IN)	2.88	4.67	2.00	3.76	3.51	4.09	4.84	4.06	4.80	3.30	3.52	3.64	44.9	12	-73258
MEAN SNOW FALL (IN)	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	12	-73258
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.9	5.9	2.6	5.2	4.6	3.8	5.0	6.1	5.3	4.1	4.9	5.6	58.0	12	-73258
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	-73258
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	6.8	5.4	5.0	3.1	1.6	0.3	0.1	0.3	1.9	3.3	5.3	6.5	39.6	12	-73258
MEAN NO DYS TSTMS	1.9	2.7	1.8	4.8	5.1	5.9	10.0	9.1	5.5	2.8	2.2	2.1	53.9	12	-73258
P FREQ WND SPD = DR GTR 17 KTS	7.2	6.7	8.0	6.9	5.4	2.2	1.7	0.8	3.1	2.9	7.7	5.1	4.8	12	-73258
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.2	0.1	0.0	0.0	0.1	0.0	0.2	0.0	0.0	0.0	0.1	12	-73258
P FREQ LES 3000 FT A/D LES 5 MI	45.4	46.1	43.1	44.9	35.2	21.3	15.0	16.4	21.0	21.9	36.1	39.7	32.2	12	-73258
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	29.6	32.5	32.4	29.7	13.2	1.8	0.6	2.1	4.8	9.5	22.2	23.1	16.8	12	-73258
03-05 LST	32.6	35.4	34.9	30.1	19.0	7.5	2.2	5.3	12.6	15.9	26.6	26.8	20.7	12	-73258
06-08 LST	34.0	36.0	32.9	29.4	20.1	10.9	3.9	9.9	22.7	24.6	28.1	32.1	23.7	12	-73258
09-11 LST	26.2	26.1	21.0	15.7	6.3	3.9	1.8	3.7	6.5	6.6	17.1	25.3	13.4	12	-73258
12-14 LST	19.4	18.9	10.8	10.9	2.8	2.0	2.2	1.2	3.1	3.0	10.9	17.8	8.6	12	-73258
15-17 LST	17.2	17.3	9.8	10.6	4.1	2.0	1.6	1.0	2.9	2.0	9.1	13.7	7.6	12	-73258
18-20 LST	21.6	21.1	15.6	15.8	7.9	1.9	0.7	1.4	2.0	2.8	11.9	15.1	9.8	12	-73258
21-23 LST	26.5	27.4	24.5	24.3	9.5	1.9	0.9	1.0	2.7	4.6	15.9	19.5	13.2	12	-73258
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	10.9	10.1	8.6	3.7	0.7	0.1	0.0	0.1	0.9	3.2	8.4	8.9	4.6	12	-73258
03-05 LST	12.2	13.6	12.5	6.9	3.2	1.0	0.3	0.4	2.6	6.6	10.5	11.2	6.8	12	-73258
06-08 LST	13.3	12.8	9.7	4.8	2.2	0.9	0.3	0.7	4.2	7.2	10.6	12.8	6.6	12	-73258
09-11 LST	5.4	3.4	1.4	0.6	0.2	0.0	0.4	0.2	0.2	0.2	1.7	4.9	1.6	12	-73258
12-14 LST	1.4	1.6	0.8	0.2	0.2	0.1	0.0	0.1	0.3	0.1	0.6	2.0	0.6	12	-73258
15-17 LST	1.5	1.3	0.5	0.4	0.1	0.2	0.1	0.1	0.4	0.1	0.3	1.7	0.6	12	-73258
18-20 LST	3.8	2.1	0.5	1.0	0.2	0.3	0.0	0.1	0.6	0.3	1.1	2.2	1.0	12	-73258
21-23 LST	7.7	4.5	4.6	2.3	0.1	0.1	0.0	0.1	0.5	1.4	4.3	6.6	2.7	12	-73258

HOUSTON/CLOVER FIELD, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.6	24.7	28.7	27.3	30.4	29.5	30.7	30.6	29.4	30.3	27.5	27.7	343.4	12	-73258
	00 LST	23.6	20.7	22.7	24.0	29.2	29.5	31.0	30.7	29.3	29.4	24.8	24.4	319.3	12	-73258
	06 LST	21.8	19.5	22.2	22.3	25.9	25.8	29.9	27.4	22.7	23.4	22.2	22.9	286.0	12	-73258
	12 LST	26.6	24.4	29.1	28.4	30.5	29.7	30.8	30.7	29.3	30.4	27.8	26.6	344.3	12	-73258
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	17.2	14.7	12.2	11.7	11.2	11.4	17.0	19.7	23.0	24.4	18.8	20.1	201.4	12	-73258
	00 LST	16.1	13.5	15.5	17.2	22.1	27.5	29.9	29.9	26.9	25.3	16.9	17.9	258.7	12	-73258
	06 LST	14.5	12.3	13.2	15.2	18.4	23.7	28.9	26.4	18.8	18.9	15.2	16.5	222.0	12	-73258
	12 LST	7.7	6.9	7.6	7.8	10.9	13.7	20.6	20.2	13.7	13.2	9.0	9.5	140.8	12	-73258
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.3	1.5	2.1	1.3	1.9	0.9	1.0	0.1	0.3	0.1	1.0	0.8	11.9	12	-73258
	00 LST	0.9	0.8	1.2	0.5	0.4	0.1	0.0	0.0	0.2	0.2	1.2	0.8	6.3	12	-73258
	06 LST	1.0	0.4	0.9	0.7	0.2	0.1	0.0	0.0	0.2	0.0	1.4	0.9	5.8	12	-73258
	12 LST	4.3	3.9	4.4	4.6	2.9	1.0	0.8	0.5	2.0	2.6	5.0	3.7	35.7	12	-73258
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	21.1	17.5	17.7	16.0	16.1	13.7	16.0	18.8	21.7	22.0	18.3	20.7	219.6	12	-73258
	00 LST	17.5	14.8	17.1	17.3	16.1	16.6	14.6	14.0	12.5	17.8	15.9	18.2	192.4	12	-73258
	06 LST	16.8	15.5	18.1	17.7	15.0	13.8	8.3	11.4	15.3	17.6	16.5	17.9	183.9	12	-73258
	12 LST	13.3	10.3	12.2	10.7	13.5	9.7	7.7	7.7	13.0	15.7	13.6	14.7	142.1	12	-73258
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	7.8	8.1	7.3	8.1	8.4	10.0	7.1	9.0	11.4	14.6	11.0	9.9	112.7	12	-73258
	00 LST	11.1	9.6	10.2	10.9	13.2	19.2	19.9	19.3	19.4	17.8	11.5	12.2	174.3	12	-73258
	06 LST	8.7	8.2	7.0	5.6	5.1	9.7	9.9	9.7	8.8	10.9	10.2	11.3	105.1	12	-73258
	12 LST	6.3	6.1	7.1	6.3	5.2	2.3	1.6	2.3	6.2	10.2	7.9	9.2	70.7	12	-73258
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	22.8	20.2	24.9	23.0	26.6	29.2	30.5	30.3	28.9	29.7	24.7	25.1	315.9	12	-73258
	00 LST	20.6	17.2	19.6	19.8	25.4	29.1	30.7	30.3	28.4	28.6	22.2	22.6	294.5	12	-73258
	06 LST	19.2	15.7	17.6	17.0	21.9	25.1	29.1	26.7	20.8	22.1	20.2	20.6	256.0	12	-73258
	12 LST	20.6	18.7	23.3	22.5	25.8	27.0	29.1	29.1	26.6	28.1	23.9	21.8	296.5	12	-73258
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	18.1	17.1	21.0	20.2	23.4	28.1	29.3	29.7	27.5	27.7	21.7	20.6	284.4	12	-73258
	00 LST	17.6	14.4	17.1	17.5	23.5	28.3	30.2	29.6	28.2	27.1	19.1	18.9	271.5	12	-73258
	06 LST	14.8	12.9	14.4	13.8	18.2	24.3	28.1	25.6	19.5	20.3	16.7	16.7	225.3	12	-73258
	12 LST	15.5	13.7	16.7	14.8	15.1	15.6	18.9	20.4	18.8	22.3	17.8	17.0	206.6	12	-73258
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	16.5	16.1	19.6	19.3	22.7	27.6	28.6	29.1	26.6	26.2	19.5	18.7	270.5	12	-73258
	00 LST	16.1	13.4	16.2	16.6	22.8	27.3	30.0	28.8	27.1	25.9	16.5	17.3	258.0	12	-73258
	06 LST	13.5	12.0	12.7	12.2	17.2	22.7	27.7	24.6	19.1	19.1	14.5	15.5	211.8	12	-73258
	12 LST	14.1	12.5	15.2	14.1	14.3	15.2	18.4	19.6	17.8	21.1	16.0	15.5	193.8	12	-73258

CASTROVILLE MUNICIPAL, TEXAS

STA NO. 73591 (TN AREA NUMBER 13)

LATITUDE 2920N

LONGITUDE 09851W

ELEVATION(FT) 00772

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	85	93	100	101	102	104	108	106	104	95	93	89	108	12	-73255
MEAN MAX TMP (F)	64	67	74	80	87	93	96	96	91	82	70	65	80	12	-73255
MEAN MIN TMP (F)	44	46	52	59	67	74	75	75	70	61	49	44	60	12	-73255
ABS MIN TMP (F)	18	9	28	33	46	58	66	60	55	38	23	17	9	12	-73255
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.1	1.2	3.0	12.6	24.7	28.5	28.3	19.9	5.1	0.2	0.0	123.6	12	-73255
MEAN NO DYS TMP = OR LES 32(F)	4.0	2.5	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3.7	12.0	12	-73255
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73255
MEAN DEW PT TMP (F)	42	44	47	55	63	68	69	68	63	57	46	41	55	12	-73255
MEAN REL HUM (PCT)	68	67	62	65	67	65	63	61	65	65	65	65	65	0	-50
MEAN PRESS ALT (FT)	611	691	719	773	798	804	749	752	760	712	638	611	715	12	-73255
MEAN PRECIP (IN)	0.94	1.76	1.11	2.15	2.85	1.86	1.68	1.94	3.39	3.18	1.35	1.08	23.3	12	-73255
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73255
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.8	3.7	1.9	3.2	4.1	2.9	2.1	2.1	3.8	4.4	3.2	2.1	35.3	12	-73255
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73255
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	5.0	2.5	2.8	1.2	0.7	0.2	0.2	0.1	0.3	1.1	2.5	3.1	19.7	12	-73255
MEAN NO DYS TSTMS	0.7	1.3	1.7	3.8	3.1	2.6	3.2	2.7	2.6	2.6	1.1	0.7	28.1	12	-73255
P FREQ WND SPD = OR GTR 17 KTS	4.3	3.9	6.9	6.4	3.9	1.6	2.0	0.9	1.2	1.3	4.1	2.2	3.2	12	-73255
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.2	0.2	0.1	0.0	0.0	0.0	0.1	0.0	0.2	0.1	0.1	12	-73255
P FREQ LES 5000 FT A/D LES 5 MI	40.2	42.2	38.2	43.8	40.6	34.1	21.9	17.4	24.9	27.0	37.3	32.9	33.4	12	-73255
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	27.6	31.3	28.6	29.3	25.7	18.5	6.0	8.2	15.1	15.4	20.9	21.2	20.7	12	-73255
03-05 LST	31.5	37.0	34.1	35.7	34.7	33.7	23.3	18.9	23.7	23.0	26.1	23.9	28.8	12	-73255
06-08 LST	33.5	38.0	35.9	38.7	34.9	32.5	28.2	23.4	27.4	27.0	29.2	26.9	31.3	12	-73255
09-11 LST	30.8	30.6	29.9	29.5	10.6	4.4	1.8	4.1	10.5	15.2	21.8	29.6	17.1	12	-73255
12-14 LST	20.3	16.7	10.5	8.4	3.3	1.6	0.7	0.8	2.8	4.9	10.4	13.7	7.8	12	-73255
15-17 LST	13.5	12.4	6.5	5.9	2.0	1.9	0.2	0.4	1.9	3.9	7.7	8.6	5.4	12	-73255
18-20 LST	11.5	11.5	5.7	6.2	1.6	0.7	0.3	0.2	1.9	2.8	8.3	9.6	5.0	12	-73255
21-23 LST	18.5	19.8	13.5	16.7	7.9	3.4	0.3	0.9	4.4	5.4	15.4	15.9	10.2	12	-73255
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	6.8	4.8	3.2	1.7	0.2	0.2	0.0	0.0	0.3	0.2	2.4	4.1	2.0	12	-73255
03-05 LST	11.0	7.2	5.1	2.5	0.6	0.4	0.2	0.0	0.6	1.9	5.1	6.7	3.4	12	-73255
06-08 LST	11.2	9.8	6.9	3.1	2.4	0.2	0.0	0.0	0.9	3.8	8.0	8.0	4.5	12	-73255
09-11 LST	6.9	5.1	2.6	0.6	0.5	0.1	0.2	0.0	0.1	0.3	1.9	4.2	1.9	12	-73255
12-14 LST	2.2	1.6	1.2	0.3	0.3	0.1	0.2	0.0	0.0	0.4	0.2	0.9	0.6	12	-73255
15-17 LST	2.0	1.9	0.5	0.6	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.9	0.3	12	-73255
18-20 LST	2.5	2.3	0.5	0.4	0.0	0.0	0.0	0.1	0.0	0.2	0.6	1.4	0.7	12	-73255
21-23 LST	3.8	3.1	0.7	0.5	0.2	0.0	0.0	0.0	0.1	0.4	0.9	2.2	1.0	12	-73255

CASTROVILLE MUNICIPAL, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	28.2	25.5	29.6	28.8	30.7	29.6	31.0	30.7	29.8	30.3	28.0	29.1	351.3	12	-73255
	23 LST	26.1	23.6	27.9	27.1	29.8	29.3	30.8	30.9	29.1	29.9	27.0	27.3	338.8	12	-73255
	05 LST	23.5	20.1	23.8	23.0	25.3	25.7	28.1	28.8	25.9	25.1	24.6	24.7	298.6	12	-73255
	11 LST	25.3	23.4	27.3	27.9	30.1	29.8	30.8	30.7	29.3	29.6	27.2	26.1	337.5	12	-73255
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	16.7	13.9	13.2	11.3	14.3	15.5	17.1	19.8	19.3	21.2	18.9	21.0	202.2	12	-73255
	23 LST	18.7	15.6	17.5	14.6	16.1	17.2	18.7	20.2	22.8	23.6	20.0	22.4	227.4	12	-73255
	05 LST	16.4	13.6	14.3	12.9	13.8	14.7	19.9	22.4	20.3	19.5	17.3	18.6	203.7	12	-73255
	11 LST	12.3	10.0	11.5	10.6	14.1	18.2	22.6	24.8	19.3	18.4	13.7	15.1	190.6	12	-73255
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	2.0	1.7	2.7	2.9	1.7	0.7	0.8	1.1	0.4	0.5	0.7	1.0	16.2	12	-73255
	23 LST	0.9	0.9	1.7	1.4	0.6	0.2	0.4	0.0	0.2	0.3	0.8	0.5	7.9	12	-73255
	05 LST	0.6	0.4	1.0	0.9	0.5	0.2	0.0	0.1	0.1	0.2	0.8	0.2	5.0	12	-73255
	11 LST	1.6	2.1	3.8	2.7	2.2	0.3	0.7	0.2	0.4	0.7	1.9	0.8	17.4	12	-73255
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	18.7	17.4	17.1	15.5	12.2	6.4	2.6	4.0	11.7	22.1	18.5	20.4	166.6	12	-73255
	23 LST	15.0	15.9	18.8	19.5	18.2	21.3	21.0	22.7	20.1	20.0	14.3	15.8	222.6	12	-73255
	05 LST	13.1	12.8	16.1	17.8	18.7	17.9	13.4	12.8	12.8	15.0	13.0	14.4	177.8	12	-73255
	11 LST	17.2	16.5	17.1	16.9	17.5	15.7	13.3	11.4	17.9	20.3	17.2	18.0	199.0	12	-73255
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	9.1	8.2	8.8	7.7	8.7	7.3	5.6	7.2	10.0	13.9	10.9	12.6	110.0	12	-73255
	23 LST	12.0	12.4	13.1	10.7	12.9	16.7	21.8	21.6	19.7	18.9	13.7	16.3	189.8	12	-73255
	05 LST	11.2	9.0	10.3	7.6	6.3	5.6	9.7	13.2	14.3	14.3	12.1	14.1	127.7	12	-73255
	11 LST	8.0	8.4	7.3	6.4	6.3	5.5	6.7	8.6	8.8	11.7	10.1	10.9	98.7	12	-73255
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	25.0	23.0	27.7	26.8	29.7	29.3	30.9	30.6	29.0	28.9	26.3	27.4	334.6	12	-73255
	23 LST	22.2	19.4	23.1	19.5	22.9	26.1	30.2	30.1	26.6	26.2	23.3	24.3	293.9	12	-73255
	05 LST	19.0	15.3	17.7	14.5	13.8	14.2	19.7	22.2	21.1	21.1	19.7	20.9	219.2	12	-73255
	11 LST	19.3	17.7	21.4	20.4	24.1	26.0	29.3	29.6	25.4	25.0	21.2	21.7	281.1	12	-73255
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	21.5	18.9	23.1	20.9	25.6	24.8	27.7	28.3	25.7	26.2	22.1	24.0	288.8	12	-73255
	23 LST	20.0	18.0	20.8	18.1	20.6	25.1	29.6	29.5	26.1	24.6	19.8	22.1	274.3	12	-73255
	05 LST	16.8	13.1	15.2	12.3	12.0	13.0	19.2	21.6	19.7	19.2	15.9	18.1	196.1	12	-73255
	11 LST	16.7	15.3	17.6	15.0	15.7	16.6	22.0	23.7	18.0	20.3	17.1	19.1	217.3	12	-73255
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	20.4	18.1	22.8	20.2	24.9	24.4	26.8	26.8	24.9	25.1	21.4	23.3	279.1	12	-73255
	23 LST	18.7	17.4	19.7	17.3	19.9	24.5	29.2	29.0	25.5	23.8	19.1	21.4	265.5	12	-73255
	05 LST	15.9	12.6	14.4	11.6	11.2	12.2	18.3	21.1	19.1	18.4	15.0	16.9	186.7	12	-73255
	11 LST	16.0	14.5	16.8	14.6	15.2	16.1	21.7	23.1	17.4	19.7	16.3	18.4	209.8	12	-73255

SAN ANTONIO/MARTINDALE AAF, TEXAS

STA NO. 73592 (IN AREA NUMBER 13)

LATITUDE 2926N

LONGITUDE 09823W

ELEVATION(FT) 00674

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	84	90	97	98	101	102	107	104	102	95	89	90	107	12	-73595
MEAN MAX TMP (F)	63	66	73	79	86	92	94	95	90	81	69	64	79	12	-73595
MEAN MIN TMP (F)	44	47	51	59	66	73	74	74	70	61	49	44	59	12	-73595
ABS MIN TMP (F)	16	12	30	33	46	57	67	58	52	37	24	20	12	12	-73595
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.1	0.7	1.6	8.6	22.7	27.2	26.6	17.3	3.7	0.0	0.1	108.6	12	-73595
MEAN NO DYS TMP = DR LES 32(F)	3.8	2.0	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.3	3.2	10.8	12	-73595
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73595
MEAN DEW PT TMP (F)	41	43	47	55	63	68	69	68	65	57	46	41	55	12	-73595
MEAN REL HUM (PCT)	68	67	63	67	69	68	64	63	66	66	66	66	62	0	-50
MEAN PRESS ALT (FT)	509	548	617	669	694	700	646	650	657	609	536	509	612	0	-50
MEAN PRECIP (IN)	1.04	2.32	1.21	2.65	3.03	3.31	1.61	1.88	3.28	3.12	1.67	1.46	26.6	12	-73595
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73595
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.4	3.7	2.0	3.7	3.9	3.7	2.6	3.0	3.7	4.3	3.6	2.7	39.3	12	-73595
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73595
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.7	3.9	3.8	1.9	1.1	0.7	0.2	0.6	1.1	2.7	3.7	4.3	28.7	12	-73595
MEAN NO DYS TSTMS	0.8	1.3	1.9	3.8	5.5	3.3	3.7	3.4	3.6	2.4	1.1	1.0	31.8	12	-73595
P FREQ WND SPD = DR GTR 17 KTS	6.0	6.1	6.8	6.1	4.8	3.0	2.2	1.9	2.1	2.5	7.3	5.5	4.5	12	-73595
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.2	0.1	12	-73595
P FREQ LES 5000 FT A/D LES 5 MI	40.5	42.6	38.8	44.6	40.3	32.1	18.6	15.9	23.2	26.2	36.5	32.8	32.7	12	-73595
P FREQ LES 1500 FT A/D LES 3 MI	30.6	33.8	31.3	35.7	32.9	22.5	8.2	9.6	17.9	15.7	23.1	23.0	23.7	12	-73595
FOR 00-02 LST	34.1	37.9	39.0	41.0	38.4	38.5	26.3	20.3	27.0	23.9	27.7	25.6	31.6	12	-73595
03-05 LST	36.1	41.2	38.6	44.0	38.8	38.9	28.9	25.4	30.6	28.1	30.0	28.6	34.1	12	-73595
06-08 LST	33.3	33.5	27.5	25.1	12.1	6.7	2.7	5.3	12.7	15.2	23.1	26.7	18.7	12	-73595
09-11 LST	21.1	20.7	12.9	9.3	4.8	1.7	0.5	0.4	4.4	4.8	12.1	15.1	9.0	12	-73595
12-14 LST	14.2	15.6	7.6	6.1	2.8	1.7	0.4	0.7	3.0	3.9	8.7	9.7	6.2	12	-73595
15-17 LST	14.0	15.3	7.3	8.0	2.2	1.7	0.4	0.3	2.9	4.3	9.5	11.1	6.4	12	-73595
18-20 LST	21.9	22.3	16.6	14.7	12.4	4.4	0.7	1.8	5.3	7.5	16.8	16.8	12.2	12	-73595
21-23 LST	8.9	8.8	5.5	2.5	0.2	0.1	0.1	0.0	0.8	1.2	4.2	5.8	3.2	12	-73595
P FREQ LES 300 FT A/D LES 1 MI	13.5	10.7	9.9	5.7	2.8	0.8	0.1	1.0	1.8	3.7	6.5	7.9	5.4	12	-73595
FOR 00-02 LST	15.3	12.8	10.9	6.6	3.9	1.5	0.6	1.1	3.1	6.6	10.0	10.2	6.9	12	-73595
03-05 LST	8.6	6.6	3.3	0.7	0.6	0.1	0.0	0.2	0.3	0.6	3.1	6.1	2.5	12	-73595
06-08 LST	3.8	2.1	1.3	0.7	0.2	0.2	0.1	0.0	0.1	0.2	0.5	2.2	1.0	12	-73595
09-11 LST	2.6	1.7	0.8	0.9	0.1	0.1	0.1	0.1	0.2	0.4	0.8	1.4	0.8	12	-73595
12-14 LST	3.9	2.9	1.1	1.1	0.4	0.3	0.1	0.1	0.5	0.5	1.4	2.8	1.3	12	-73595
15-17 LST	5.8	4.6	2.2	0.5	0.2	0.1	0.0	0.0	0.3	0.6	1.9	3.6	1.7	12	-73595
18-20 LST															
21-23 LST															

SAN ANTONIO/MARTINDALE AAF, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	27.7	25.0	29.6	28.9	30.6	29.6	31.0	30.9	29.5	30.2	28.6	28.6	250.2	12	-73595
	23 LST	24.8	22.1	26.2	25.8	28.9	29.4	30.8	30.5	28.6	29.3	26.5	26.4	329.3	12	-73595
	05 LST	22.2	19.3	21.9	20.6	22.9	24.1	27.2	27.6	24.2	24.7	23.2	24.6	282.5	12	-73595
	11 LST	25.0	22.6	26.7	27.3	30.1	29.6	31.0	30.8	28.9	29.6	26.5	25.7	333.8	12	-73595
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	17 LST	16.9	12.4	13.6	12.8	14.7	12.9	16.9	18.1	16.6	20.7	17.7	19.9	193.2	12	-73595
	23 LST	17.5	15.4	18.0	15.8	17.8	19.7	23.3	24.2	24.0	24.4	18.8	19.7	238.6	12	-73595
	05 LST	15.9	12.8	14.1	12.4	14.8	14.3	19.4	21.7	19.1	19.6	15.9	17.1	197.1	12	-73595
	11 LST	9.7	8.1	10.5	11.2	16.2	17.2	22.5	23.0	18.3	16.9	11.6	12.5	177.7	12	-73595
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	1.6	2.7	3.6	3.3	2.9	2.3	1.6	1.4	1.1	0.9	1.6	1.1	24.1	12	-73595
	23 LST	1.7	1.3	1.3	1.3	0.8	0.1	0.1	0.2	0.2	0.4	1.6	1.4	10.4	12	-73595
	05 LST	1.2	0.7	1.6	1.0	0.3	0.0	0.0	0.0	0.1	0.3	1.4	1.6	8.2	12	-73595
	11 LST	2.3	2.6	3.5	2.1	1.7	0.3	0.1	0.1	0.7	1.1	3.5	2.5	20.5	12	-73595
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	16.7	15.8	17.3	14.4	13.7	6.4	4.4	4.3	10.7	19.6	15.6	18.3	197.2	12	-73595
	23 LST	13.3	14.7	17.8	17.0	18.5	19.8	20.9	19.2	13.7	14.8	13.9	13.7	199.3	12	-73595
	05 LST	13.7	12.8	14.6	13.7	14.2	13.7	9.5	7.3	10.5	12.6	13.9	12.9	149.4	12	-73595
	11 LST	16.3	15.4	16.0	15.4	18.8	17.0	15.4	12.7	17.1	17.8	16.2	16.2	194.3	12	-73595
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	9.0	8.5	8.3	7.3	7.9	8.8	6.6	7.3	12.2	14.1	11.7	12.3	114.0	12	-73595
	23 LST	11.9	12.4	12.1	10.7	11.7	17.1	22.7	22.1	19.4	19.1	13.9	15.3	188.4	12	-73595
	05 LST	11.5	9.2	9.9	7.6	5.7	4.9	7.0	12.6	13.6	14.8	11.8	14.4	123.0	12	-73595
	11 LST	7.9	8.0	7.7	6.9	6.0	5.5	7.2	10.0	9.5	11.7	9.8	10.9	101.1	12	-73595
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	24.9	22.0	27.3	26.9	29.8	29.3	30.9	30.7	28.8	28.7	26.4	27.2	332.9	12	-73595
	23 LST	21.1	18.9	21.8	18.8	22.2	26.2	30.2	29.9	26.9	26.5	22.7	23.6	288.8	12	-73595
	05 LST	18.2	15.3	17.1	14.4	14.2	14.3	18.7	21.5	20.5	21.3	19.1	21.0	215.6	12	-73595
	11 LST	19.4	17.2	21.1	20.4	25.6	26.6	30.2	29.6	26.1	25.7	21.8	22.3	286.0	12	-73595
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	21.1	18.3	23.7	21.7	25.1	27.3	28.6	28.7	26.6	26.7	21.7	23.9	293.4	12	-73595
	23 LST	19.2	17.2	19.4	17.5	20.3	24.9	29.7	29.3	26.3	24.5	19.8	21.2	269.3	12	-73595
	05 LST	16.1	13.4	14.7	11.8	12.2	11.6	18.1	20.8	19.1	19.7	16.1	18.4	192.0	12	-73595
	11 LST	16.5	15.2	17.6	15.7	15.7	18.4	24.9	25.6	20.7	21.1	17.7	19.6	228.7	12	-73595
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	19.9	17.5	22.9	20.3	24.3	26.3	27.3	27.9	26.2	25.6	21.1	22.5	281.8	12	-73595
	23 LST	18.2	16.7	18.8	16.5	20.0	24.7	29.4	29.1	25.7	23.8	18.8	20.2	261.9	12	-73595
	05 LST	15.6	12.6	13.8	10.9	11.5	11.3	17.1	20.2	18.8	19.1	15.0	17.8	183.7	12	-73595
	11 LST	15.4	14.7	16.5	15.1	14.7	18.1	24.2	25.2	20.0	20.0	16.9	18.3	219.1	12	-73595

SAN ANTONIO/STINSON FIELD, TEXAS

STA NO. 73593 (IN AREA NUMBER 13)

LATITUDE 2920N

LONGITUDE 09828W

ELEVATION(FT) 00567

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR	NO.
														(YRS)	UBS
ABS MAX TMP (F)	85	93	100	101	102	104	108	106	104	95	93	89	108	12	-73255
MEAN MAX TMP (F)	64	67	74	80	87	93	96	96	91	82	70	65	80	12	-73255
MEAN MIN TMP (F)	44	46	52	59	67	74	75	75	70	61	49	44	60	12	-73255
ABS MIN TMP (F)	18	9	22	33	46	58	66	60	55	38	23	17	9	12	-73255
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.1	1.2	3.0	12.6	24.7	28.5	28.3	19.9	5.1	0.2	0.0	123.6	12	-73255
MEAN NO DYS TMP = OR LES 32(F)	4.0	2.5	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3.7	12.0	12	-73255
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73255
MEAN DEW PT TMP (F)	42	44	47	55	63	68	69	68	65	57	46	41	55	12	-73255
MEAN REL HUM (PCT)	68	67	62	65	67	65	63	61	65	65	65	65	65	0	-50
MEAN PRESS ALT (FT)	403	442	511	564	589	594	541	544	551	503	430	402	506	12	-73255
MEAN PRECIP (IN)	0.94	1.76	1.11	2.15	2.85	1.86	1.68	1.94	3.39	3.18	1.35	1.08	23.3	12	-73255
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73255
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.8	3.7	1.9	3.2	4.1	2.9	2.1	2.1	3.8	4.4	3.2	2.1	35.3	12	-73255
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73255
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.0	2.5	2.8	1.2	0.7	0.2	0.2	0.1	0.3	1.1	2.5	3.1	19.7	12	-73255
MEAN NO DYS TSTMS	0.7	1.3	1.7	3.8	5.1	2.6	3.2	2.7	2.6	2.6	1.1	0.7	28.1	12	-73255
P FREQ WND SPD = OR GTR 17 KTS	4.3	3.9	6.9	6.4	3.9	1.6	2.0	0.9	1.2	1.3	4.1	2.2	3.2	12	-73255
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.2	0.2	0.1	0.0	0.0	0.0	0.1	0.0	0.2	0.1	0.1	12	-73255
P FREQ LES 5000 FT A/D LES 5 MI	40.2	42.2	38.2	43.8	40.6	34.1	21.9	17.4	24.9	27.0	37.3	32.9	33.4	12	-73255
P FREQ LES 1900 FT A/D LES 3 MI	27.6	31.3	28.6	29.3	25.7	18.5	6.0	8.2	15.1	15.4	20.9	21.2	20.7	12	-73255
FOR 00-02 LST	31.5	37.0	34.1	33.7	34.7	33.7	23.3	18.9	23.7	23.0	26.1	23.9	28.8	12	-73255
03-05 LST	33.5	38.0	35.9	38.7	34.9	32.5	28.2	23.4	27.4	27.0	29.2	26.9	31.3	12	-73255
06-08 LST	30.8	30.6	25.9	23.5	10.6	4.4	1.8	4.1	10.5	15.2	21.8	25.6	17.1	12	-73255
09-11 LST	20.3	16.7	10.5	8.4	3.3	1.6	0.7	0.8	2.8	4.9	10.4	13.7	7.8	12	-73255
12-14 LST	13.5	12.4	6.5	5.9	2.0	1.9	0.2	0.4	1.9	3.9	7.7	8.6	5.4	12	-73255
15-17 LST	11.5	11.5	5.7	6.2	1.6	0.7	0.3	0.2	1.9	2.8	8.3	9.6	5.0	12	-73255
18-20 LST	18.5	19.8	13.5	16.7	7.9	3.4	0.3	0.9	4.4	5.4	15.4	15.9	10.2	12	-73255
21-23 LST	6.8	4.8	3.2	1.7	0.2	0.2	0.0	0.0	0.3	0.2	2.4	4.1	2.0	12	-73255
P FREQ LES 300 FT A/D LES 1 MI	11.0	7.2	5.1	2.5	0.6	0.4	0.2	0.0	0.6	1.9	5.1	6.7	3.4	12	-73255
FOR 00-02 LST	11.2	9.8	6.9	3.1	2.4	0.2	0.0	0.0	0.9	3.8	8.0	8.0	4.5	12	-73255
03-05 LST	6.9	5.1	2.6	0.6	0.5	0.1	0.2	0.0	0.1	0.9	1.9	4.2	1.9	12	-73255
06-08 LST	2.2	1.6	1.2	0.3	0.3	0.1	0.2	0.0	0.0	0.4	0.2	0.9	0.6	12	-73255
09-11 LST	2.0	1.9	0.5	0.6	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.9	0.5	12	-73255
12-14 LST	2.5	2.3	0.5	0.4	0.0	0.0	0.0	0.1	0.0	0.2	0.6	1.4	0.7	12	-73255
15-17 LST	3.8	3.1	0.7	0.5	0.2	0.0	0.0	0.0	0.1	0.4	0.9	2.2	1.0	12	-73255
18-20 LST															
21-23 LST															

SAN ANTONIO/STINSON FIELD, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	28.2	25.5	29.6	28.8	30.7	29.6	31.0	30.7	29.8	30.3	28.0	29.1	351.3	12	-73255
	23 LST	26.1	23.6	27.9	27.1	29.8	29.3	30.8	30.9	29.1	29.9	27.0	27.3	338.8	12	-73255
	05 LST	23.5	20.1	23.8	23.0	25.3	25.7	28.1	28.8	25.9	25.1	24.6	24.7	298.6	12	-73255
	11 LST	25.3	23.4	27.3	27.9	30.1	29.8	30.8	30.7	29.3	29.6	27.2	26.1	337.5	12	-73255
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	16.7	13.9	13.2	11.3	14.3	15.5	17.1	19.8	19.3	21.2	18.9	21.0	202.2	12	-73255
	23 LST	18.7	15.6	17.5	14.6	16.1	17.2	18.7	20.2	22.8	23.6	20.0	22.4	227.4	12	-73255
	05 LST	16.4	13.6	14.3	12.9	13.8	14.7	19.9	22.4	20.3	19.3	17.3	18.6	203.7	12	-73255
	11 LST	12.3	10.0	11.5	10.6	14.1	18.2	22.6	24.8	19.3	18.4	13.7	15.1	190.6	12	-73255
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	2.0	1.7	2.7	2.9	1.7	0.7	0.8	1.1	0.4	0.5	0.7	1.0	16.2	12	-73255
	23 LST	0.9	0.9	1.7	1.4	0.6	0.2	0.4	0.0	0.2	0.3	0.8	0.5	7.9	12	-73255
	05 LST	0.6	0.4	1.0	0.9	0.5	0.2	0.0	0.1	0.1	0.2	0.8	0.2	5.0	12	-73255
	11 LST	1.6	2.1	3.8	2.7	2.2	0.3	0.7	0.2	0.4	0.7	1.9	0.8	17.4	12	-73255
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	18.7	17.4	17.1	15.5	12.2	6.4	2.6	4.0	11.7	22.1	18.5	20.4	166.6	12	-73255
	23 LST	15.0	15.9	18.8	19.5	18.2	21.3	21.0	22.7	20.1	20.0	14.3	15.8	222.6	12	-73255
	05 LST	13.1	12.8	16.1	17.8	18.7	17.9	13.4	12.8	12.8	15.0	13.0	14.4	177.8	12	-73255
	11 LST	17.2	16.5	17.1	16.9	17.5	15.7	13.3	11.4	17.9	20.3	17.2	18.0	199.0	12	-73255
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	9.1	8.2	8.8	7.7	8.7	7.3	5.6	7.2	10.0	13.9	10.9	12.6	110.0	12	-73255
	23 LST	12.0	12.4	13.1	10.7	12.9	16.7	21.8	21.6	19.7	18.9	13.7	16.3	189.8	12	-73255
	05 LST	11.2	9.0	10.3	7.6	6.3	5.6	9.7	10.2	14.3	14.3	12.1	14.1	127.7	12	-73255
	11 LST	8.0	8.4	7.3	6.4	6.3	5.5	6.7	8.6	8.8	11.7	10.1	10.9	98.7	12	-73255
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	25.0	23.0	27.7	26.8	29.7	29.3	30.9	30.6	29.0	28.9	26.3	27.4	334.6	12	-73255
	23 LST	22.2	19.4	23.1	19.5	22.9	26.1	30.2	30.1	26.6	26.2	23.3	24.3	293.9	12	-73255
	05 LST	19.0	15.3	17.7	14.5	13.8	14.2	19.7	22.2	21.1	21.1	19.7	20.9	219.2	12	-73255
	11 LST	19.3	17.7	21.4	20.4	24.1	26.0	29.3	29.6	25.4	25.0	21.2	21.7	281.1	12	-73255
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	21.5	18.9	23.1	20.9	25.6	24.8	27.7	28.3	25.7	26.2	22.1	24.0	288.8	12	-73255
	23 LST	20.0	18.0	20.8	18.1	20.6	25.1	29.6	29.5	26.1	24.6	19.8	22.1	274.3	12	-73255
	05 LST	16.8	13.1	15.2	12.3	12.0	13.0	19.2	21.6	19.7	19.2	15.9	18.1	196.1	12	-73255
	11 LST	16.7	15.3	17.6	15.0	15.7	16.6	22.0	23.7	18.0	20.5	17.1	19.1	217.3	12	-73255
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	20.4	18.1	22.8	20.2	24.9	24.4	26.8	26.8	24.9	25.1	21.4	23.3	279.1	12	-73255
	23 LST	18.7	17.4	19.7	17.3	19.9	24.5	29.2	29.0	25.5	23.8	19.1	21.4	265.5	12	-73255
	05 LST	15.9	12.6	14.4	11.6	11.2	12.2	18.3	21.1	19.1	18.4	15.0	16.9	186.7	12	-73255
	11 LST	16.0	14.5	16.8	14.6	15.2	16.1	21.7	23.1	17.4	19.7	16.3	18.4	209.8	12	-73255

BEGIN/GUADALUPE COUNTY, TEXAS

STA NO. 73594 (IN AREA NUMBER 13)

LATITUDE 2935N

LONGITUDE 09759W

ELEVATION(FT) 00500

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	84	90	97	98	101	102	107	104	102	95	89	90	107	12	-73595
MEAN MAX TMP (F)	63	66	73	79	86	92	94	95	90	81	69	64	79	12	-73595
MEAN MIN TMP (F)	44	47	51	59	66	73	74	74	70	61	49	44	59	12	-73595
ABS MIN TMP (F)	16	12	30	33	46	57	67	58	52	37	24	20	12	12	-73595
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.1	0.7	1.6	8.6	22.7	27.2	26.6	17.3	3.7	0.0	0.1	108.6	12	-73595
MEAN NO DYS TMP = OR LES 32(F)	3.8	2.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	3.2	10.8	12	-73595
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73595
MEAN DEW PT TMP (F)	41	43	47	55	63	68	69	68	65	57	46	41	55	12	-73595
MEAN REL HUM (PCT)	68	67	63	67	69	68	64	63	66	66	66	66	66	12	-73595
MEAN PRESS ALT (FT)	332	370	439	490	515	521	468	472	480	431	359	332	434	0	-50
MEAN PRECIP (IN)	1.04	2.32	1.21	2.65	3.03	3.31	1.61	1.88	3.28	3.12	1.67	1.46	26.6	12	-73595
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73595
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.4	3.7	2.0	3.7	3.9	3.7	2.6	3.0	3.7	4.3	3.6	2.7	39.3	12	-73595
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73595
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.7	3.9	3.8	1.9	1.1	0.7	0.2	0.6	1.1	2.7	3.7	4.3	28.7	12	-73595
MEAN NO DYS TSTMS	0.8	1.3	1.9	3.8	5.5	3.3	3.7	3.4	3.6	2.4	1.1	1.0	31.8	12	-73595
P FREQ WND SPD = OR GTR 17 KTS	6.0	6.1	6.8	6.1	4.8	3.0	2.2	1.9	2.1	2.5	7.3	5.5	4.5	12	-73595
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.2	0.1	12	-73595
P FREQ LES 5000 FT A/D LES 5 MI	40.5	42.6	38.8	44.6	40.3	32.1	18.6	15.9	23.2	26.2	36.5	32.8	32.7	12	-73595
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	30.6	33.8	31.3	35.7	32.9	22.5	8.2	9.6	17.9	15.7	23.1	23.0	23.7	12	-73595
03-05 LST	34.1	37.9	39.0	41.0	38.4	38.5	26.3	20.3	27.0	23.9	27.7	25.6	31.6	12	-73595
06-08 LST	36.1	41.2	38.6	44.0	38.8	38.9	28.9	25.4	30.6	28.1	30.0	28.6	34.1	12	-73595
09-11 LST	33.3	33.5	27.5	25.1	12.1	6.7	2.7	5.3	12.7	15.2	23.1	26.7	18.7	12	-73595
12-14 LST	21.1	20.7	12.9	9.3	4.8	1.7	0.5	0.4	4.4	4.8	12.1	15.1	9.0	12	-73595
15-17 LST	14.2	13.6	7.6	6.1	2.8	1.7	0.4	0.7	3.0	3.9	8.7	9.7	6.2	12	-73595
18-20 LST	14.0	15.3	7.3	8.0	2.2	1.7	0.4	0.3	2.9	4.3	9.5	11.1	6.4	12	-73595
21-23 LST	21.9	22.3	16.6	19.7	12.4	4.4	0.7	1.8	5.3	7.5	16.8	16.8	12.2	12	-73595
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	8.9	8.8	5.5	2.5	0.2	0.1	0.1	0.0	0.8	1.2	4.2	3.8	3.2	12	-73595
03-05 LST	13.5	10.7	9.9	3.7	2.8	0.8	0.1	1.0	1.8	3.7	6.5	7.9	5.4	12	-73595
06-08 LST	13.3	12.8	10.9	6.6	3.9	1.5	0.6	1.1	3.1	6.6	10.0	10.2	6.9	12	-73595
09-11 LST	8.6	6.6	3.3	0.7	0.6	0.1	0.0	0.2	0.3	0.6	3.1	6.1	2.5	12	-73595
12-14 LST	3.8	2.1	1.3	0.7	0.2	0.2	0.1	0.0	0.1	0.2	0.5	2.2	1.0	12	-73595
15-17 LST	2.6	1.7	0.8	0.9	0.1	0.1	0.1	0.1	0.2	0.4	0.8	1.4	0.8	12	-73595
18-20 LST	3.9	2.9	1.1	1.1	0.4	0.3	0.1	0.1	0.5	0.5	1.4	2.8	1.3	12	-73595
21-23 LST	5.8	4.6	2.2	0.5	0.2	0.1	0.0	0.0	0.3	0.6	1.9	3.6	1.1	12	-73595

BEGUIN/GUADALUPE COUNTY, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	27.7	25.0	29.6	28.9	30.6	29.6	31.0	30.9	29.5	30.2	28.6	28.6	350.2	12	-73595
	23 LST	24.8	22.1	26.2	25.8	28.9	29.4	30.8	30.5	28.6	29.3	26.5	26.4	329.3	12	-73595
	05 LST	22.2	19.3	21.9	20.6	22.9	24.1	27.2	27.6	24.2	24.7	23.2	24.6	282.5	12	-73595
	11 LST	25.0	22.6	26.7	27.3	30.1	29.6	31.0	30.8	28.9	29.6	26.5	25.7	333.8	12	-73595
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	16.9	12.4	13.6	12.8	14.7	12.9	16.9	18.1	16.6	20.7	17.7	19.9	193.2	12	-73595
	23 LST	17.5	15.4	18.0	15.8	17.8	19.7	23.3	24.2	24.0	24.4	18.8	19.7	238.6	12	-73595
	05 LST	15.9	12.8	14.1	12.4	14.8	14.3	19.4	21.7	19.1	19.6	15.9	17.1	197.1	12	-73595
	11 LST	9.7	8.1	10.5	11.2	16.2	17.2	22.5	23.0	18.3	16.9	11.6	12.5	177.7	12	-73595
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	1.6	2.7	3.6	3.3	2.9	2.3	1.6	1.4	1.1	0.9	1.6	1.1	24.1	12	-73595
	23 LST	1.7	1.3	1.3	1.3	0.8	0.1	0.1	0.2	0.2	0.4	1.6	1.4	10.4	12	-73595
	05 LST	1.2	0.7	1.6	1.0	0.3	0.0	0.0	0.0	0.1	0.3	1.4	1.6	8.2	12	-73595
	11 LST	2.3	2.6	3.5	2.1	1.7	0.3	0.1	0.1	0.7	1.1	3.5	2.5	20.5	12	-73595
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	16.7	15.8	17.3	14.4	13.7	6.4	4.4	4.3	10.7	19.6	15.6	18.3	157.2	12	-73595
	23 LST	13.3	14.7	17.8	17.0	18.5	19.8	20.9	19.2	13.7	14.8	13.9	15.7	199.3	12	-73595
	05 LST	13.7	12.8	14.6	13.7	14.2	13.7	9.5	7.3	10.5	12.6	13.9	12.9	149.4	12	-73595
	11 LST	16.3	15.4	18.0	15.4	18.8	17.0	15.4	12.7	17.1	17.8	16.2	16.2	194.3	12	-73595
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	9.0	8.5	8.3	7.3	7.9	8.8	6.6	7.3	12.2	14.1	11.7	12.3	114.0	12	-73595
	23 LST	11.9	12.4	12.1	10.7	11.7	17.1	22.7	22.1	19.4	19.1	13.9	15.3	188.4	12	-73595
	05 LST	11.5	9.2	9.9	7.6	5.7	4.9	7.0	12.6	13.6	14.8	11.8	14.4	123.0	12	-73595
	11 LST	7.9	8.0	7.7	6.9	6.0	5.5	7.2	10.0	9.5	11.7	9.8	10.9	101.1	12	-73595
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	24.9	22.0	27.3	26.9	29.8	29.3	30.9	30.7	28.8	28.7	26.4	27.2	332.9	12	-73595
	23 LST	21.1	18.9	21.8	18.8	22.2	26.2	30.2	29.9	26.9	26.5	22.7	23.6	288.8	12	-73595
	05 LST	18.2	15.3	17.1	14.4	14.2	14.3	18.7	21.5	20.5	21.3	19.1	21.0	215.6	12	-73595
	11 LST	19.4	17.2	21.1	20.4	23.6	26.6	30.2	29.6	26.1	25.7	21.8	22.3	286.0	12	-73595
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	21.1	18.3	23.7	21.7	25.1	27.3	28.6	28.7	26.6	26.7	21.7	23.9	293.4	12	-73595
	23 LST	19.2	17.2	19.4	17.5	20.3	24.9	29.7	29.3	26.3	24.5	19.8	21.2	269.3	12	-73595
	05 LST	16.1	13.4	14.7	11.8	12.2	11.6	18.1	20.8	19.1	19.7	16.1	18.4	192.0	12	-73595
	11 LST	16.5	15.2	17.6	15.7	15.7	18.4	24.9	25.6	20.7	21.1	17.7	19.6	228.7	12	-73595
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	19.9	17.5	22.9	20.3	24.3	26.3	27.3	27.9	26.2	25.6	21.1	22.5	281.8	12	-73595
	23 LST	18.2	16.7	18.8	16.5	20.0	24.7	29.4	29.1	25.7	23.8	18.8	20.2	261.9	12	-73595
	05 LST	15.6	12.6	13.8	10.9	11.5	11.3	17.1	20.2	18.8	19.1	15.0	17.8	183.7	12	-73595
	11 LST	15.4	14.7	16.5	15.1	14.7	18.1	24.2	25.2	20.0	20.0	16.9	18.3	219.1	12	-73595

SAN ANTONIO/RANDOLPH AFB, TEXAS

STA NO. 73595 (IN AREA NUMBER 13)

LATITUDE 2932N

LONGITUDE 09816W

ELEVATION(FT) 00761

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. UPS
ABS MAX TMP (F)	84	90	97	98	101	102	107	104	102	95	89	90	107	12	4383
MEAN MAX TMP (F)	63	66	73	79	86	92	94	95	90	81	69	64	79	12	4383
MEAN MIN TMP (F)	44	47	51	59	66	73	74	74	70	61	49	44	59	12	4383
ABS MIN TMP (F)	16	12	30	33	46	57	67	58	52	37	24	20	12	12	4383
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.1	0.7	1.6	8.6	22.7	27.2	26.6	17.3	3.7	0.0	0.1	108.6	12	4383
MEAN NO DYS TMP = OR LES 32(F)	3.8	2.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	3.2	10.8	12	4383
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	41	43	47	55	63	68	69	68	65	57	46	41	55	12	105002
MEAN REL HUM (PCT)	68	67	63	67	69	68	64	63	66	66	66	66	66	12	105002
MEAN PRESS ALT (FT)	596	634	703	755	780	785	732	736	744	695	623	596	698	0	-50
MEAN PRECIP (IN)	1.04	2.32	1.21	2.65	3.03	3.31	1.61	1.88	3.28	3.12	1.67	1.46	26.6	12	4382
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4382
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.4	3.7	2.0	3.7	3.9	3.7	2.6	3.0	3.7	4.3	3.6	2.7	39.3	12	4382
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4382
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.7	3.9	3.8	1.9	1.1	0.7	0.2	0.6	1.1	2.7	3.7	4.3	28.7	12	4382
MEAN NO DYS TSTMS	0.8	1.3	1.9	3.8	5.5	3.3	3.7	3.4	3.6	2.4	1.1	1.0	31.8	12	4383
P FREQ WND SPD = OR GTR 17 KTS	6.0	6.1	6.8	6.1	4.8	3.0	2.2	1.9	2.1	2.5	7.3	5.5	4.5	12	105155
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.2	0.1	12	105155
P FREQ LES 3000 FT A/D LES 5 MI	40.5	42.6	38.8	44.6	40.3	32.1	18.6	15.9	23.2	26.2	36.5	32.8	32.7	12	105162
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	30.6	33.8	31.3	35.7	32.9	22.5	8.2	9.6	17.9	15.7	23.1	23.0	23.7	12	13142
03-05 LST	34.1	37.9	39.0	41.0	38.4	38.5	26.3	20.3	27.0	23.9	27.7	25.6	31.6	12	13146
06-08 LST	36.1	41.2	38.6	44.0	38.8	38.9	28.9	25.4	30.6	28.1	30.0	28.6	34.1	12	13146
09-11 LST	33.3	33.5	27.5	25.1	12.1	6.7	2.7	5.3	12.7	15.2	23.1	26.7	18.7	12	13145
12-14 LST	21.1	20.7	12.9	9.3	4.8	1.7	0.5	0.4	4.4	4.8	12.1	15.1	9.0	12	13146
15-17 LST	14.2	15.6	7.6	6.1	2.8	1.7	0.4	0.7	3.0	3.9	8.7	9.7	6.2	12	13145
18-20 LST	14.0	15.3	7.3	8.0	2.2	1.7	0.4	0.3	2.9	4.3	9.5	11.1	6.4	12	13146
21-23 LST	21.9	22.3	16.6	19.7	12.4	4.4	0.7	1.8	5.3	7.5	16.8	16.8	12.2	12	13146
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	8.9	8.8	5.5	2.5	0.2	0.1	0.1	0.0	0.8	1.2	4.2	5.8	3.2	12	13142
03-05 LST	13.5	10.7	9.9	5.7	2.8	0.8	0.1	1.0	1.8	3.7	6.5	7.9	5.4	12	13146
06-08 LST	15.3	12.8	10.9	6.6	3.9	1.5	0.6	1.1	3.1	6.6	10.0	10.2	6.9	12	13146
09-11 LST	8.6	6.6	3.3	0.7	0.6	0.1	0.0	0.2	0.3	0.6	3.1	6.1	2.5	12	13145
12-14 LST	3.8	2.1	1.3	0.7	0.2	0.2	0.1	0.0	0.1	0.2	0.5	2.2	1.0	12	13146
15-17 LST	2.6	1.7	0.8	0.9	0.1	0.1	0.1	0.1	0.2	0.4	0.8	1.4	0.8	12	13145
18-20 LST	3.9	2.9	1.1	1.1	0.4	0.3	0.1	0.1	0.3	0.3	1.4	2.8	1.3	12	13146
21-23 LST	5.8	4.6	2.2	0.5	0.2	0.1	0.0	0.0	0.3	0.6	1.9	3.6	1.7	12	13146

SAN ANTONIO/RANDOLPH AFB, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	27.7	25.0	29.6	28.9	30.6	29.6	31.0	30.9	29.5	30.2	28.6	28.6	350.2	12	4382
	23 LST	24.6	22.1	26.2	25.6	28.9	29.4	30.8	30.5	28.6	29.3	26.5	26.4	329.3	12	4382
	05 LST	22.2	19.3	21.9	20.6	22.9	24.1	27.2	27.6	24.2	24.7	23.2	24.6	282.5	12	4382
	11 LST	25.0	22.6	26.7	27.3	30.1	29.6	31.0	30.8	28.9	29.0	26.5	25.7	333.6	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	16.9	12.4	13.6	12.8	14.7	12.9	16.9	18.1	16.6	20.7	17.7	19.9	193.2	12	4382
	23 LST	17.5	15.4	18.0	15.8	17.8	19.7	23.3	24.2	24.0	24.4	18.8	19.7	238.6	12	4382
	05 LST	15.9	12.8	14.1	12.4	14.8	14.3	19.4	21.7	19.1	19.6	15.9	17.1	197.1	12	4382
	11 LST	9.7	8.1	10.5	11.2	16.2	17.2	22.5	23.0	18.3	16.9	11.6	12.5	177.7	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	1.6	2.7	3.6	3.3	2.9	2.3	1.6	1.4	1.1	0.9	1.6	1.1	24.1	12	4308
	23 LST	1.7	1.3	1.3	1.3	0.8	0.1	0.1	0.2	0.2	0.4	1.6	1.4	10.4	12	4296
	05 LST	1.2	0.7	1.6	1.0	0.3	0.0	0.0	0.0	0.1	0.3	1.4	1.6	8.2	12	4257
	11 LST	2.3	2.6	3.5	2.1	1.7	0.3	0.1	0.1	0.7	1.1	3.5	2.5	20.5	12	4292
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	16.7	15.8	17.3	14.4	13.7	6.4	4.4	4.3	10.7	19.6	15.6	18.3	157.2	12	4278
	23 LST	13.3	14.7	17.8	17.0	18.5	19.8	20.9	19.2	13.7	14.8	13.9	15.7	199.3	12	4296
	05 LST	13.7	12.8	14.6	13.7	14.2	13.7	9.5	7.3	10.5	12.6	13.9	12.9	149.4	12	4257
	11 LST	16.3	15.4	16.0	15.4	18.8	17.0	15.4	12.7	17.1	17.8	16.2	16.2	194.3	12	4292
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	9.0	8.5	8.3	7.3	7.9	8.8	6.6	7.3	12.2	14.1	11.7	12.3	114.0	12	4382
	23 LST	11.9	12.4	12.1	10.7	11.7	17.1	22.7	22.1	19.4	19.1	13.9	15.3	188.4	12	4382
	05 LST	11.5	9.2	9.9	7.6	5.7	4.9	7.0	12.6	13.6	14.8	11.8	14.4	123.0	12	4382
	11 LST	7.9	8.0	7.7	6.9	6.0	5.5	7.2	10.0	9.5	11.7	9.8	10.9	101.1	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	24.9	22.0	27.3	26.9	29.8	29.3	30.9	30.7	28.8	28.7	26.4	27.2	332.9	12	4382
	23 LST	21.1	18.9	21.8	18.8	22.2	26.2	30.2	29.9	26.9	26.3	22.7	23.6	288.8	12	4382
	05 LST	18.2	15.3	17.1	14.4	14.2	14.3	18.7	21.5	20.5	21.3	19.1	21.0	215.6	12	4382
	11 LST	19.4	17.2	21.1	20.4	25.6	26.6	30.2	29.6	26.1	25.7	21.8	22.3	286.0	12	4382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	21.1	18.3	23.7	21.7	25.1	27.3	28.6	28.7	26.6	26.7	21.7	23.9	253.4	12	4382
	23 LST	19.2	17.2	19.4	17.5	20.3	24.9	29.7	29.3	26.3	24.5	19.8	21.2	259.3	12	4382
	05 LST	16.1	13.4	14.7	11.8	12.2	11.6	18.1	20.8	19.1	19.7	16.1	18.4	192.0	12	4382
	11 LST	16.5	15.2	17.6	15.7	15.7	18.4	24.9	25.6	20.7	21.1	17.7	19.6	228.7	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	19.9	17.5	22.9	20.3	24.3	26.3	27.3	27.9	26.2	25.6	21.1	22.5	281.8	12	4382
	23 LST	18.2	16.7	18.8	16.5	20.0	24.7	29.4	29.1	25.7	23.8	18.8	20.2	261.9	12	4382
	05 LST	15.6	12.6	13.8	10.9	11.5	11.3	17.1	20.2	18.8	19.1	15.0	17.8	183.7	12	4382
	11 LST	15.4	14.7	16.5	15.1	14.7	18.1	24.2	25.2	20.0	20.0	16.9	18.3	219.1	12	4382

SEGUIN FIELD, TEXAS

STA NO. 73596 (IN AREA NUMBER 13)	LATITUDE 2934N LONGITUDE 09754W ELEVATION(FT) 00532												PDR	NO.	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	UBS
ABS MAX TMP (F)	86	97	98	102	104	104	110	106	109	103	95	91	110	35	-113
MEAN MAX TMP (F)	63	67	74	81	87	93	96	97	91	83	72	65	81	37	-113
MEAN MIN TMP (F)	41	45	50	58	66	71	73	73	68	60	49	43	58	36	-113
ABS MIN TMP (F)	0	7	20	30	40	53	57	58	41	33	23	14	0	36	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.3	1.0	3.0	12.0	25.0	30.0	29.0	20.0	5.0	0.0	0.0	125.3	9	-113
MEAN NO DYS TMP = OR LES 32(F)	7.0	4.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	5.0	21.0	10	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36	-29
MEAN DEW PT TMP (F)	41	43	47	55	63	68	69	68	65	57	46	41	55	12	-73595
MEAN REL HUM (PCT)	68	67	63	67	69	68	64	63	66	66	66	66	66	0	-50
MEAN PRESS ALT (FT)	363	401	470	521	547	552	499	503	511	462	390	363	465	37	-113
MEAN PRECIP (IN)	1.87	2.20	2.04	3.09	3.84	3.09	1.97	1.83	3.49	3.03	1.74	2.16	30.4	12	-73595
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	37	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.4	5.0	4.9	6.2	6.7	5.7	4.1	3.9	5.6	5.1	3.3	4.9	59.8	12	-73595
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73595
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	4.7	3.9	3.8	1.9	1.1	0.7	0.2	0.6	1.1	2.7	3.7	4.3	28.7	12	-73595
MEAN NO DYS TSTMS	0.8	1.3	1.9	3.8	5.5	3.3	3.7	3.4	3.6	2.4	1.1	1.0	31.8	12	-73595
P FREQ WND SPD = OR GTR 17 KTS	6.0	6.1	6.8	6.1	4.8	3.0	2.2	1.9	2.1	2.5	7.3	5.5	4.5	12	-73595
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.2	0.1	12	-73595
P FREQ LES 3000 FT A/D LES 5 MI	40.5	42.6	38.8	44.6	40.3	32.1	18.6	15.9	23.2	26.2	36.5	32.8	32.7	12	-73595
P FREQ LES 1500 FT A/D LES 3 MI	30.6	33.8	31.3	35.7	32.9	22.5	8.2	9.6	17.9	15.7	23.1	23.0	23.7	12	-73595
FOR 00-02 LST	34.1	37.9	39.0	41.0	38.4	38.5	26.3	20.3	27.0	23.9	27.7	25.6	31.6	12	-73595
03-05 LST	36.1	41.2	38.6	44.0	38.8	38.9	28.9	23.4	30.6	28.1	30.0	28.6	34.1	12	-73595
06-08 LST	33.3	33.5	27.5	25.1	12.1	6.7	2.7	5.3	12.7	13.2	23.1	26.7	18.7	12	-73595
09-11 LST	21.1	20.7	12.9	9.3	4.8	1.7	0.5	0.4	4.4	4.8	12.1	15.1	9.0	12	-73595
12-14 LST	14.2	15.6	7.6	6.1	2.8	1.7	0.4	0.7	3.0	3.9	8.7	9.7	6.2	12	-73595
15-17 LST	14.0	15.3	7.3	8.0	2.2	1.7	0.4	0.3	2.9	4.3	9.5	11.1	6.4	12	-73595
18-20 LST	21.9	22.3	16.6	19.7	12.4	4.4	0.7	1.8	5.3	7.5	16.8	16.8	12.2	12	-73595
21-23 LST	8.9	8.8	5.5	2.5	0.2	0.1	0.1	0.0	0.8	1.2	4.2	5.8	3.2	12	-73595
P FREQ LES 300 FT A/D LES 1 MI	13.5	10.7	9.9	5.7	2.8	0.8	0.1	1.0	1.8	3.7	6.5	7.9	5.4	12	-73595
FOR 00-02 LST	15.3	12.8	10.9	6.6	3.9	1.9	0.6	1.1	3.1	6.6	10.0	10.2	6.9	12	-73595
03-05 LST	8.6	6.6	3.3	0.7	0.6	0.1	0.0	0.2	0.3	0.6	3.1	6.1	2.5	12	-73595
06-08 LST	3.8	2.1	1.1	0.7	0.2	0.2	0.1	0.0	0.1	0.2	0.5	2.2	1.0	12	-73595
09-11 LST	2.6	1.7	0.8	0.9	0.1	0.1	0.1	0.1	0.2	0.4	0.8	1.4	0.8	12	-73595
12-14 LST	3.9	2.9	1.1	1.1	0.4	0.3	0.1	0.1	0.5	0.5	1.4	2.8	1.3	12	-73595
15-17 LST	5.8	4.6	2.2	0.5	0.2	0.1	0.0	0.0	0.3	0.6	1.9	3.6	1.7	12	-73595
18-20 LST															
21-23 LST															

SEGUIN FIELD, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	27.7	23.0	29.6	28.9	30.6	29.6	31.0	30.9	29.5	30.2	19.6	28.6	350.2	12	-73595
	23 LST	24.8	22.1	26.2	25.8	28.9	29.4	30.8	30.5	28.6	29.3	26.5	26.4	329.3	12	-73595
	09 LST	22.2	19.3	21.9	20.6	22.9	24.1	27.2	27.6	24.2	24.7	23.2	24.6	282.5	12	-73595
	11 LST	25.0	22.6	26.7	27.3	30.1	29.6	31.0	30.8	28.9	29.6	26.5	25.7	333.8	12	-73595
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	16.9	12.4	13.6	12.8	14.7	12.9	16.9	18.1	16.6	20.7	17.7	19.9	193.2	12	-73595
	23 LST	17.5	15.4	18.0	15.8	17.8	19.7	23.3	24.2	24.0	24.4	18.8	19.7	238.6	12	-73595
	09 LST	15.9	12.8	14.1	12.4	14.8	14.3	19.4	21.7	19.1	19.6	15.9	17.1	197.1	12	-73595
	11 LST	9.7	8.1	10.5	11.2	16.2	17.2	22.5	23.0	18.3	16.9	11.6	12.5	177.7	12	-73595
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	1.6	2.7	3.6	3.3	2.9	2.3	1.6	1.4	1.1	0.9	1.6	1.1	24.1	12	-73595
	23 LST	1.7	1.3	1.3	1.3	0.8	0.1	0.1	0.2	0.2	0.4	1.6	1.4	10.4	12	-73595
	09 LST	1.2	0.7	1.6	1.0	0.3	0.0	0.0	0.0	0.1	0.3	1.4	1.6	8.2	12	-73595
	11 LST	2.3	2.6	3.5	2.1	1.7	0.3	0.1	0.1	0.7	1.1	3.5	2.5	20.5	12	-73595
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	16.7	15.8	17.3	14.4	13.7	6.4	4.4	4.3	10.7	19.6	15.6	18.3	157.2	12	-73595
	23 LST	13.3	14.7	17.8	17.0	18.5	19.8	20.9	19.2	13.7	14.8	13.9	15.7	199.3	12	-73595
	09 LST	13.7	12.8	14.6	13.7	14.2	13.7	9.5	7.3	10.5	12.6	13.9	12.9	149.4	12	-73595
	11 LST	16.3	15.4	16.0	15.4	18.8	17.0	15.4	12.7	17.1	17.8	16.2	16.2	194.3	12	-73595
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	9.0	8.5	8.3	7.3	7.9	8.8	6.6	7.3	12.2	14.1	11.7	12.3	114.0	12	-73595
	23 LST	11.9	12.4	12.1	10.7	11.7	17.1	22.7	22.1	19.4	19.1	13.9	15.3	188.4	12	-73595
	09 LST	11.5	9.2	9.9	7.6	5.7	4.9	7.0	12.6	13.6	14.8	11.8	14.4	123.0	12	-73595
	11 LST	7.9	8.0	7.7	6.9	6.0	5.5	7.2	10.0	9.5	11.7	9.8	10.9	101.1	12	-73595
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	24.9	22.0	27.3	26.9	29.8	29.3	30.9	30.7	28.8	28.7	26.4	27.2	332.9	12	-73595
	23 LST	21.1	18.9	21.8	18.8	22.2	26.2	30.2	29.9	26.9	26.5	22.7	23.6	288.8	12	-73595
	09 LST	18.2	15.3	17.1	14.4	14.2	14.3	18.7	21.5	20.5	21.3	19.1	21.0	215.6	12	-73595
	11 LST	19.4	17.2	21.1	20.4	25.6	26.6	30.2	29.6	26.1	25.7	21.8	22.3	286.0	12	-73595
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	21.1	18.3	23.7	21.7	25.1	27.3	28.6	28.7	26.6	26.7	21.7	23.9	293.4	12	-73595
	23 LST	19.2	17.2	19.4	17.5	20.3	24.9	29.7	29.3	26.3	24.5	19.8	21.2	269.3	12	-73595
	09 LST	16.1	13.4	14.7	11.8	12.2	11.6	18.1	20.8	19.1	19.7	16.1	18.4	192.0	12	-73595
	11 LST	16.5	15.2	17.6	15.7	15.7	18.4	24.9	25.6	20.7	21.1	17.7	19.6	228.7	12	-73595
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	19.9	17.5	22.9	20.3	24.3	26.3	27.3	27.9	26.2	25.6	21.1	22.5	281.8	12	-73595
	23 LST	18.2	16.7	18.8	16.5	20.0	24.7	29.4	29.1	25.7	23.8	18.8	20.2	261.9	12	-73595
	09 LST	15.6	12.6	13.8	10.9	11.9	11.3	17.1	20.2	18.8	19.1	15.0	17.8	183.7	12	-73595
	11 LST	15.4	14.7	16.5	15.1	14.7	18.1	24.2	25.2	20.0	20.0	16.9	18.3	219.1	12	-73595

ROCKPORT/ARANSAS COUNTY, TEXAS

STA NO. 73597 (IN AREA NUMBER 13)

LATITUDE 2805N

LONGITUDE 09702W

ELEVATION(FT) 00025

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
ABS MAX TMP (F)	84	94	90	98	97	97	97	101	100	96	89	84	101	12	-73643
MEAN MAX TMP (F)	64	68	72	78	84	88	90	90	88	82	72	66	79	17	-73643
MEAN MIN TMP (F)	50	54	59	66	73	78	79	79	77	70	59	52	66	12	-73643
ABS MIN TMP (F)	20	30	35	46	53	64	71	71	65	48	34	30	20	12	-73643
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.1	0.1	0.6	0.9	8.6	17.4	19.6	12.2	1.9	0.0	0.0	61.4	12	-73643
MEAN NO DYS TMP = DR LES 32(F)	1.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.8	17	-73643
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73643
MEAN DEW PT TMP (F)	50	53	57	64	70	74	75	75	72	65	56	51	64	12	-73643
MEAN REL HUM (PCT)	78	78	77	78	77	75	75	75	73	71	74	76	76	12	-73643
MEAN PRESS ALT (FT)	-196	-116	-41	10	35	41	-11	-7	-9	-59	-130	-157	-49	0	-50
MEAN PRECIP (IN)	2.10	2.16	0.62	2.07	1.57	2.00	1.12	3.54	5.10	3.96	2.52	1.59	28.3	10	-73643
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-73643
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.6	2.9	1.5	2.8	2.6	2.5	2.3	4.3	5.6	5.3	3.8	2.8	39.0	10	-73643
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-73643
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.2	4.3	5.4	1.2	0.4	0.2	0.0	0.1	0.3	0.2	1.5	4.6	24.4	12	-73643
MEAN NO DYS TSTMS	0.7	1.2	0.9	2.5	3.3	3.1	1.5	3.2	4.4	3.0	1.0	0.7	25.5	12	-73643
P FREQ WND SPD = DR GTR 17 KTS	15.8	22.9	25.1	30.1	29.2	22.2	16.0	12.4	8.1	9.7	17.4	12.3	18.4	12	-73643
P FREQ WND SPD = DR GTR 28 KTS	0.7	1.0	1.1	0.7	0.3	0.2	0.0	0.0	0.7	0.2	0.6	0.5	0.5	12	-73643
P FREQ LES 5000 FT A/D LES 5 MI	37.1	39.9	39.8	43.2	38.8	22.4	7.6	8.8	12.2	11.9	29.4	33.1	27.0	12	-73643
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.0	24.3	29.3	34.8	25.0	6.6	0.8	0.9	3.6	2.2	14.8	20.5	15.4	12	-73643
03-05 LST	26.2	28.8	30.2	36.1	22.4	6.8	1.0	1.2	3.9	2.8	19.2	23.0	16.8	12	-73643
06-08 LST	28.6	33.4	32.8	32.3	21.2	5.9	1.6	2.1	6.4	4.2	20.2	23.3	17.7	12	-73643
09-11 LST	27.6	29.7	24.9	26.4	22.0	5.5	1.4	2.9	4.9	6.1	18.2	21.6	15.9	12	-73643
12-14 LST	22.0	20.5	16.6	18.0	15.3	2.2	0.1	1.8	3.0	3.5	14.0	17.4	11.2	12	-73643
15-17 LST	18.7	18.1	10.8	16.5	15.0	3.4	0.3	1.1	2.4	2.7	9.9	14.6	9.5	12	-73643
18-20 LST	18.5	17.3	15.1	23.3	20.0	5.8	0.3	0.9	1.8	3.0	9.6	14.3	10.8	12	-73643
21-23 LST	21.8	19.4	21.9	32.0	21.6	4.9	0.3	0.5	2.7	2.2	11.8	15.3	12.9	12	-73643
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	10.7	7.0	12.7	3.9	0.8	0.0	0.0	0.1	0.3	0.1	1.0	7.5	3.7	12	-73643
03-05 LST	12.5	9.7	12.8	4.4	1.1	0.0	0.0	0.0	0.7	0.2	3.1	8.2	4.4	12	-73643
06-08 LST	13.1	10.9	10.7	3.4	0.5	0.0	0.0	0.3	0.5	0.2	3.7	7.5	4.2	12	-73643
09-11 LST	7.8	5.4	4.3	1.1	0.0	0.1	0.1	0.7	0.6	0.1	2.5	4.9	2.3	12	-73643
12-14 LST	3.8	2.1	1.7	0.4	0.2	0.0	0.0	0.0	0.3	0.4	0.6	2.3	1.0	12	-73643
15-17 LST	2.1	2.3	0.4	0.2	0.1	0.1	0.0	0.2	0.3	0.4	1.0	2.0	0.8	12	-73643
18-20 LST	5.6	3.6	4.0	0.7	0.0	0.2	0.0	0.0	0.2	0.1	0.3	2.9	1.5	12	-73643
21-23 LST	9.3	5.4	8.3	2.8	0.1	0.3	0.1	0.0	0.1	0.0	0.4	5.8	2.7	12	-73643

ROCKPORT/ARANSAS COUNTY, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSRV = GTR 3 MI	18 LST	26.0	24.5	27.8	25.4	28.3	29.9	31.0	31.0	29.7	30.6	27.9	27.4	339.5	12	-73643
	00 LST	24.8	23.0	23.5	22.5	27.1	29.7	31.0	30.8	29.6	30.8	27.2	26.2	326.2	12	-73643
	06 LST	23.8	20.1	23.3	21.6	27.1	29.6	31.0	31.0	29.2	30.5	25.5	24.3	317.0	12	-73643
	12 LST	25.2	23.5	26.9	26.4	29.5	29.9	30.9	30.6	29.5	30.5	27.2	26.7	336.8	12	-73643
CIG = GTR 2000 FT AND VSRV = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	9.9	6.0	4.6	2.2	2.1	2.2	1.3	2.8	8.1	10.8	11.3	12.6	73.9	12	-73643
	00 LST	9.8	6.7	7.8	5.2	5.4	6.8	8.4	12.5	14.5	15.3	12.1	12.0	116.5	12	-73643
	06 LST	8.4	7.8	7.7	5.4	10.3	14.3	21.1	23.3	18.4	19.4	11.5	10.9	158.5	12	-73643
	12 LST	7.2	5.5	4.2	2.9	3.6	4.0	4.8	8.7	9.8	10.0	7.2	9.3	77.2	12	-73643
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	4.7	7.8	9.3	12.2	13.3	10.5	10.6	9.6	3.0	2.7	3.5	3.0	90.2	12	-73643
	00 LST	4.5	5.3	5.1	7.9	7.8	5.6	3.1	1.6	1.8	2.4	5.3	3.3	53.7	12	-73643
	06 LST	4.6	3.9	5.3	5.2	4.7	2.6	0.2	0.3	1.4	2.4	4.0	4.0	38.6	12	-73643
	12 LST	6.2	7.5	11.2	11.1	10.3	7.5	5.5	4.2	2.3	3.3	6.9	5.0	81.0	12	-73643
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	14.6	9.2	8.0	4.4	3.9	3.1	2.4	5.0	11.9	14.7	15.5	16.3	109.0	12	-73643
	00 LST	13.6	10.7	11.9	9.1	9.0	10.4	11.8	14.9	16.5	16.0	13.3	15.1	152.3	12	-73643
	06 LST	13.7	12.1	14.1	12.7	12.5	15.4	20.0	20.1	17.5	17.3	13.8	14.5	183.7	12	-73643
	12 LST	11.3	8.8	7.9	5.3	6.1	5.5	3.8	4.5	11.4	12.2	11.9	14.7	105.4	12	-73643
SKY COVER LES 3/10 AND VSRV = GTR 3 MI	18 LST	8.6	10.7	7.2	7.3	7.5	7.4	10.1	10.5	10.6	13.8	10.0	10.8	114.5	12	-73643
	00 LST	11.4	10.8	8.8	5.3	9.1	12.4	17.5	17.0	16.6	18.6	13.6	11.7	153.8	12	-73643
	06 LST	10.7	9.0	6.1	5.1	4.7	4.8	8.7	8.7	10.0	12.5	10.9	10.3	101.5	12	-73643
	12 LST	7.2	8.6	8.3	6.1	4.5	4.9	6.2	6.3	7.3	9.8	8.3	8.2	83.7	12	-73643
CIG = GTR 2500 FT AND VSRV = GTR 3 MI	18 LST	24.0	21.7	25.2	23.0	22.1	23.7	29.6	30.1	29.0	29.2	25.4	25.0	308.0	12	-73643
	00 LST	22.9	19.9	20.6	17.8	21.2	25.9	30.0	30.1	28.9	29.9	24.7	23.9	295.8	12	-73643
	06 LST	20.2	16.8	18.4	16.7	22.0	25.4	28.8	28.3	26.5	28.8	22.0	22.2	276.1	12	-73643
	12 LST	21.7	18.9	22.3	20.7	19.4	22.4	27.3	28.3	25.4	26.7	23.3	23.9	280.3	12	-73643
CIG = GTR 6000 FT AND VSRV = GTR 3 MI	18 LST	20.6	19.0	22.3	21.2	21.1	22.2	29.5	30.1	28.4	28.3	22.0	21.4	286.1	12	-73643
	00 LST	19.2	17.0	18.2	16.2	20.2	25.5	29.8	29.4	28.1	29.3	21.5	21.0	275.4	12	-73643
	06 LST	17.3	14.2	15.1	14.3	19.2	24.2	28.6	27.2	25.8	26.4	18.7	18.8	249.8	12	-73643
	12 LST	18.5	16.1	18.5	17.6	16.6	20.9	26.6	26.7	23.9	24.1	20.4	20.1	250.0	12	-73643
CIG = GTR 10000 FT AND VSRV = GTR 3 MI	18 LST	19.3	18.0	21.0	20.0	20.6	21.5	29.2	29.5	27.7	27.2	20.1	20.2	274.3	12	-73643
	00 LST	17.7	16.3	16.7	15.5	19.7	25.0	29.7	29.2	27.6	28.1	20.3	19.9	265.7	12	-73643
	06 LST	15.9	12.9	13.6	13.0	18.2	23.5	28.1	26.6	24.6	25.6	17.2	17.1	236.3	12	-73643
	12 LST	17.4	15.0	16.5	16.7	16.1	20.3	26.3	26.2	22.7	23.3	18.2	17.7	236.4	12	-73643

HOUSTON/ANDRAU AIRPARK, TEXAS

STA NO. 73632 (IN AREA NUMBER 13)

LATITUDE 2943N

LONGITUDE 09535W

ELEVATION(FT) 00080

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO, OBS
ABS MAX TMP (F)	84	90	96	93	98	103	105	108	101	99	89	84	108	71	-72243
MEAN MAX TMP (F)	62	65	72	78	84	90	92	92	88	81	71	64	78	70	-72243
MEAN MIN TMP (F)	45	47	54	60	67	73	75	75	71	62	52	47	61	70	-72243
ABS MIN TMP (F)	5	6	21	34	45	55	55	54	45	33	23	15	5	72	-72243
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.2	4.7	19.5	26.2	23.6	13.8	2.0	0.0	0.0	90.0	12	-72243
MEAN NO DYS TMP = DR LES 32(F)	3.3	1.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	2.2	8.2	12	-72243
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72243
MEAN DEW PT TMP (F)	46	48	51	58	66	71	73	73	69	60	50	46	59	12	-72243
MEAN RFL HUM (PCT)	76	76	71	74	75	75	75	76	75	72	73	75	74	12	-72243
MEAN PRESS ALT (FT)	-107	-72	-2	43	70	74	36	32	38	-13	-80	-105	-7	0	-50
MEAN PRECIP (IN)	3.60	3.08	2.93	3.55	4.57	4.30	4.36	3.75	3.96	3.68	3.74	4.19	45.7	71	-72243
MEAN SNOW FALL (IN)	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	10	-72243
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.0	6.3	6.0	6.5	7.1	7.1	7.2	6.5	6.2	5.9	6.0	7.7	79.5	71	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	-72243
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.1	5.1	5.0	2.7	1.5	0.5	0.0	0.3	1.6	3.0	5.0	5.7	36.5	12	-72243
MEAN NO DYS TSTMS	2.0	2.0	3.0	4.0	6.0	7.0	10.0	10.0	6.0	3.0	2.0	2.0	57.0	42	-72243
P FREQ WND SPD = DR GTR 17 KTS	12.5	15.7	17.2	19.3	14.0	8.3	4.3	2.3	4.3	5.4	13.7	11.2	10.7	12	-72243
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.4	0.7	0.6	0.3	0.1	0.2	0.0	0.3	0.1	0.2	0.2	0.3	12	-72243
P FREQ LES 5000 FT A/D LES 5 MI	46.5	46.0	42.0	46.0	35.7	23.0	16.0	17.7	24.0	23.4	36.7	39.6	33.1	12	-72243
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	31.2	29.5	30.5	31.8	15.4	2.5	0.4	1.3	5.3	7.3	21.2	22.8	16.6	12	-72243
03-05 LST	34.0	33.5	32.7	33.7	19.8	5.8	1.9	5.3	10.5	13.6	23.2	26.4	20.0	12	-72243
06-08 LST	35.1	35.1	32.4	31.7	22.4	12.1	7.2	15.5	28.5	25.7	27.4	30.4	25.3	12	-72243
09-11 LST	27.7	27.2	19.6	13.6	6.3	3.1	2.8	5.2	10.1	9.6	20.0	25.5	14.2	12	-72243
12-14 LST	19.6	18.2	9.9	8.8	2.0	1.9	2.3	1.5	3.8	2.8	10.7	16.7	8.2	12	-72243
15-17 LST	16.3	15.8	9.2	9.7	3.3	1.4	1.3	1.7	2.7	2.3	9.6	13.0	7.2	12	-72243
18-20 LST	21.1	19.4	13.7	16.4	6.6	0.9	0.8	1.1	2.8	2.1	11.6	15.5	9.3	12	-72243
21-23 LST	27.2	27.7	24.3	27.4	11.2	1.2	0.7	0.9	2.4	3.7	15.8	20.0	13.5	12	-72243
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	10.4	9.6	7.5	4.1	0.9	0.0	0.0	0.0	0.8	2.4	8.1	7.8	4.3	12	-72243
03-05 LST	12.6	11.8	11.0	6.9	3.5	0.6	0.0	0.5	2.5	5.2	9.5	10.9	6.3	12	-72243
06-08 LST	12.8	11.8	9.8	5.2	2.6	1.5	0.2	0.9	5.5	6.9	10.1	12.5	6.7	12	-72243
09-11 LST	5.1	3.4	1.1	0.4	0.2	0.1	0.0	0.0	0.1	0.5	2.6	3.0	1.5	12	-72243
12-14 LST	1.5	1.3	0.3	0.2	0.0	0.0	0.0	0.0	0.4	0.1	0.6	1.5	0.5	12	-72243
15-17 LST	1.2	1.3	0.0	0.2	0.1	0.2	0.0	0.2	0.3	0.2	0.3	0.7	0.4	12	-72243
18-20 LST	3.1	0.8	0.3	0.4	0.1	0.0	0.0	0.0	0.1	0.0	0.9	1.2	0.6	12	-72243
21-23 LST	8.0	4.5	3.3	1.8	0.1	0.0	0.0	0.0	0.0	1.0	3.0	4.6	2.2	12	-72243

HOUSTON/ANDRAU AIRPARK, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.9	24.0	28.7	27.7	30.6	29.6	30.8	30.7	29.3	30.3	27.8	27.8	344.2	12	-72243
	00 LST	22.9	20.8	23.9	24.0	28.3	29.6	30.9	30.8	29.1	29.6	25.3	25.3	320.5	12	-72243
	06 LST	22.2	20.0	22.0	22.0	25.8	26.4	29.1	26.8	21.4	24.1	23.2	23.6	286.6	12	-72243
	12 LST	26.1	23.9	29.3	28.6	30.6	29.4	30.4	30.6	28.8	30.4	27.6	26.4	342.1	12	-72243
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	10.1	7.6	6.2	5.5	7.1	6.9	9.6	12.0	15.8	15.9	11.3	12.6	120.6	12	-72243
	00 LST	10.7	10.6	11.2	11.2	16.9	22.4	27.1	27.8	22.1	20.4	13.1	13.0	206.5	12	-72243
	06 LST	10.1	8.8	8.7	10.2	16.1	22.7	27.2	25.1	15.6	15.0	11.2	12.3	183.0	12	-72243
	12 LST	5.8	4.5	5.7	4.6	9.7	12.1	16.7	15.9	12.6	13.2	7.3	7.2	118.3	12	-72243
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	2.4	3.9	7.1	7.1	6.1	5.8	3.8	2.3	0.8	0.9	2.2	1.7	44.1	12	-72243
	00 LST	1.9	3.1	2.4	2.7	1.8	0.3	0.1	0.1	0.6	0.7	2.5	1.6	17.8	12	-72243
	06 LST	2.0	1.5	2.3	2.1	0.7	0.0	0.2	0.0	0.5	0.5	2.6	2.0	14.4	12	-72243
	12 LST	7.6	8.1	9.5	10.1	8.1	3.8	1.8	1.1	1.8	3.6	7.2	7.7	70.4	12	-72243
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	15.6	12.0	9.8	8.3	9.8	8.0	9.5	13.3	18.8	20.9	15.6	18.0	159.6	12	-72243
	00 LST	17.9	14.8	18.2	15.2	19.4	23.6	24.9	23.9	20.7	21.1	18.5	18.9	237.1	12	-72243
	06 LST	17.4	14.4	18.1	18.0	19.9	21.5	19.3	19.5	20.9	19.7	18.2	19.4	226.3	12	-72243
	12 LST	11.6	8.3	8.5	7.8	11.0	9.9	7.3	9.4	12.0	14.4	9.8	11.3	121.3	12	-72243
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.6	8.2	8.0	8.6	9.9	12.8	9.2	9.8	13.4	16.3	10.9	10.3	126.0	12	-72243
	00 LST	10.1	9.1	10.6	10.5	11.9	18.8	19.9	18.9	17.7	18.9	12.2	12.0	170.6	12	-72243
	06 LST	9.0	7.3	7.2	5.9	6.5	11.9	12.7	12.7	11.3	12.6	10.4	10.9	119.4	12	-72243
	12 LST	6.5	6.6	7.1	6.4	5.0	2.0	1.9	2.2	5.8	11.0	7.8	9.3	71.6	12	-72243
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.2	21.4	25.2	23.8	27.5	29.3	30.7	30.5	28.4	29.4	25.1	25.0	319.5	12	-72243
	00 LST	20.0	17.7	19.7	18.7	24.3	28.5	30.2	30.4	27.9	28.6	23.3	22.8	292.1	12	-72243
	06 LST	19.1	16.5	17.1	17.0	21.2	25.1	28.3	26.3	20.3	22.6	20.5	20.9	254.9	12	-72243
	12 LST	20.7	19.1	24.6	23.4	27.3	28.7	29.9	29.6	26.9	28.5	23.9	22.5	305.1	12	-72243
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.0	18.9	22.0	21.1	25.5	28.5	30.1	29.8	27.5	27.5	21.9	20.6	292.4	12	-72243
	00 LST	16.3	14.7	17.1	17.3	22.7	27.5	29.9	29.8	27.1	26.7	19.5	19.4	288.0	12	-72243
	06 LST	14.7	13.6	14.1	13.9	18.6	24.2	27.2	25.5	19.3	20.7	17.0	16.9	225.7	12	-72243
	12 LST	15.0	13.8	16.3	14.3	15.3	15.2	18.8	19.2	18.1	21.6	17.4	17.7	202.7	12	-72243
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	16.6	17.1	20.2	19.7	24.1	28.2	29.6	29.0	26.9	25.9	19.1	18.2	274.6	12	-72243
	00 LST	14.7	13.2	15.7	16.1	21.9	27.0	29.7	29.1	26.8	25.9	17.3	16.5	253.9	12	-72243
	06 LST	13.4	11.4	12.6	12.3	16.9	23.4	26.8	24.4	18.7	19.4	15.2	15.0	209.5	12	-72243
	12 LST	13.6	11.8	14.7	13.4	14.5	14.3	18.6	18.4	17.1	20.6	15.2	14.8	187.0	12	-72243

ROSENBERG/HULL FIELD, TEXAS

STA NO. 73633 (IN AREA NUMBER 13)

LATITUDE 2937N

LONGITUDE 09539W

ELEVATION(FT) 00098

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	84	90	96	93	98	103	105	108	101	99	89	84	108	71	-72243
MEAN MAX TMP (F)	62	65	72	78	84	90	92	92	88	81	71	64	78	70	-72243
MEAN MIN TMP (F)	45	47	54	60	67	73	75	75	71	62	52	47	61	70	-72243
ABS MIN TMP (F)	5	6	21	34	45	55	55	54	45	33	23	15	5	72	-72243
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.2	4.7	19.5	26.2	23.6	13.8	2.0	0.0	0.0	90.0	17	-72243
MEAN NO DYS TMP = DR LES 32(F)	3.3	1.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	2.2	8.2	12	-72243
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72243
MEAN DEW PT TMP (F)	46	48	51	58	66	71	73	73	69	60	50	46	59	17	-72243
MEAN REL HUM (PCT)	76	76	71	74	75	75	75	76	75	72	73	75	74	12	-72243
MEAN PRESS ALT (FT)	-89	-53	16	62	88	93	44	50	56	4	-63	-87	10	0	-50
MEAN PRECIP (IN)	3.60	3.08	2.93	3.55	4.57	4.30	4.36	3.75	3.96	3.68	3.74	4.19	45.7	71	-72243
MEAN SNOW FALL (IN)	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	10	-72243
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.0	6.3	6.0	6.5	7.1	7.1	7.2	6.5	6.2	5.9	6.0	7.7	79.5	71	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	-72243
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	6.1	5.1	5.0	2.7	1.5	0.5	0.0	0.3	1.6	3.0	5.0	5.7	36.5	12	-72243
MEAN NO DYS TSTMS	2.0	2.0	3.0	4.0	6.0	7.0	10.0	10.0	6.0	3.0	2.0	2.0	57.0	42	-72243
P FREQ WND SPD = DR GTR 17 KTS	12.5	15.7	17.2	19.3	14.0	8.3	4.3	2.3	4.3	5.4	13.7	11.2	10.7	12	-72243
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.4	0.7	0.6	0.3	0.1	0.2	0.0	0.3	0.1	0.2	0.2	0.3	12	-72243
P FREQ LES 5000 FT A/D LES 5 MI	46.5	46.0	42.0	46.0	35.7	23.0	16.0	17.7	24.0	23.4	36.7	39.6	33.1	12	-72243
P FREQ LFS 1500 FT A/D LES 3 MI															
FOR 00-02 LST	31.2	29.5	30.5	31.8	15.4	2.5	0.4	1.3	5.3	7.3	21.2	22.8	16.6	12	-72243
03-05 LST	34.0	33.5	32.7	33.7	19.8	5.8	1.9	5.3	10.5	13.6	23.2	26.4	20.0	12	-72243
06-08 LST	35.1	35.1	32.4	31.7	22.4	12.1	7.2	15.5	28.5	25.7	27.4	30.4	25.3	12	-72243
09-11 LST	27.7	27.2	19.0	13.6	6.3	3.1	2.8	5.2	10.1	9.6	20.0	25.5	14.2	12	-72243
12-14 LST	19.6	18.2	9.9	8.8	2.0	1.9	2.3	1.5	3.8	2.8	10.7	16.7	8.2	12	-72243
15-17 LST	16.3	15.8	9.2	9.7	3.3	1.4	1.3	1.7	2.7	2.3	9.6	13.0	7.2	12	-72243
18-20 LST	21.1	19.4	13.7	16.4	6.6	0.9	0.8	1.1	2.8	2.1	11.6	15.5	9.3	12	-72243
21-23 LST	27.2	27.7	24.3	27.4	11.2	1.2	0.7	0.9	2.4	3.7	15.8	20.0	13.5	12	-72243
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	10.4	9.6	7.5	4.1	0.9	0.0	0.0	0.0	0.8	2.4	8.1	7.8	4.3	12	-72243
03-05 LST	12.6	11.8	11.0	6.9	3.5	0.6	0.0	0.5	2.5	5.2	9.5	10.9	6.3	12	-72243
06-08 LST	12.8	11.8	9.8	5.2	2.6	1.5	0.2	0.9	5.5	6.9	10.1	12.5	6.7	12	-72243
09-11 LST	5.1	3.4	1.1	0.4	0.2	0.1	0.0	0.0	0.1	0.5	2.6	5.0	1.5	12	-72243
12-14 LST	1.5	1.3	0.3	0.2	0.0	0.1	0.0	0.0	0.4	0.1	0.6	1.5	0.5	12	-72243
15-17 LST	1.2	1.3	0.0	0.2	0.1	0.2	0.0	0.2	0.3	0.2	0.3	0.7	0.4	12	-72243
18-20 LST	3.1	0.8	0.3	0.4	0.1	0.0	0.0	0.0	0.1	0.0	0.9	1.2	0.6	12	-72243
21-23 LST	8.0	4.5	3.3	1.8	0.1	0.0	0.0	0.0	0.0	1.0	3.0	4.6	2.2	12	-72243

ROSENBERG/HULL FIELD, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.9	24.0	28.7	27.7	30.6	29.6	30.8	30.7	29.3	30.3	27.8	27.8	344.2	12	-72243
	00 LST	22.9	20.8	23.9	24.0	28.3	29.6	30.9	30.8	29.1	29.6	23.3	23.3	320.5	12	-72243
	06 LST	22.2	20.0	22.0	22.0	25.8	26.4	29.1	26.8	21.4	24.1	23.2	23.6	286.6	12	-72243
	12 LST	26.1	23.9	29.3	28.6	30.6	29.4	30.4	30.6	28.8	30.4	27.6	26.4	342.1	12	-72243
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	10.1	7.6	6.2	5.5	7.1	6.9	9.6	12.0	15.8	15.9	11.3	12.6	120.6	12	-72243
	00 LST	10.7	10.6	11.2	11.2	16.9	22.4	27.1	27.8	22.1	20.4	13.1	13.0	206.5	12	-72243
	06 LST	10.1	8.8	8.7	10.2	16.1	22.7	27.2	25.1	15.6	15.0	11.2	12.3	183.0	12	-72243
	12 LST	5.8	4.5	5.7	4.6	9.7	12.1	16.7	18.9	12.6	13.2	7.3	7.2	118.3	12	-72243
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	2.4	3.9	7.1	7.1	6.1	5.8	3.8	2.3	0.8	0.9	2.2	1.7	44.1	12	-72243
	00 LST	1.9	3.1	2.4	2.7	1.8	0.3	0.1	0.1	0.6	0.7	2.5	1.6	17.8	12	-72243
	06 LST	2.0	1.5	2.3	2.1	0.7	0.0	0.2	0.0	0.5	0.5	2.6	2.0	14.4	12	-72243
	12 LST	7.6	8.1	9.5	10.1	8.1	3.8	1.8	1.1	1.8	3.6	7.2	7.7	70.4	12	-72243
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	15.6	12.0	9.8	8.3	9.8	8.0	9.5	13.3	18.8	20.9	15.6	18.0	159.6	12	-72243
	00 LST	17.9	14.8	18.2	15.2	19.4	23.6	24.9	23.9	20.7	21.1	18.5	18.9	237.1	12	-72243
	06 LST	17.4	14.4	18.1	18.0	19.9	21.5	19.3	19.5	20.9	19.7	18.2	19.4	226.3	12	-72243
	12 LST	11.6	8.3	8.5	7.8	11.0	9.9	7.3	9.4	12.0	14.4	9.8	11.3	121.3	12	-72243
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.6	8.2	8.0	8.6	9.9	12.8	9.2	9.8	13.4	16.3	10.9	10.3	126.0	12	-72243
	00 LST	10.1	9.1	10.6	10.5	11.9	18.8	19.9	18.9	17.7	18.9	12.2	12.0	170.6	12	-72243
	06 LST	9.0	8.3	7.2	5.9	6.5	11.9	12.7	12.7	11.3	12.6	10.4	10.9	119.4	12	-72243
	12 LST	6.5	6.6	7.1	6.4	5.0	2.0	1.9	2.2	5.8	11.0	7.8	9.3	71.6	12	-72243
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.2	21.4	25.2	23.8	27.5	29.3	30.7	30.5	28.4	29.4	25.1	25.0	319.5	12	-72243
	00 LST	20.0	17.7	19.7	18.7	24.3	28.5	30.2	30.4	27.9	28.6	23.3	22.8	292.1	12	-72243
	06 LST	19.1	16.5	17.1	17.0	21.2	25.1	28.3	26.3	20.3	22.6	20.5	20.9	254.9	12	-72243
	12 LST	20.7	19.1	24.6	23.4	27.3	28.7	29.9	29.6	26.9	28.3	23.9	22.5	305.1	12	-72243
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.0	18.9	22.0	21.1	25.5	28.5	30.1	29.8	27.5	27.3	21.9	20.6	292.4	12	-72243
	00 LST	16.3	14.7	17.1	17.3	22.7	27.5	29.9	29.8	27.1	26.7	19.5	19.4	268.0	12	-72243
	06 LST	14.7	13.6	14.1	13.9	18.6	24.2	27.2	25.5	19.3	20.7	17.0	16.9	225.7	12	-72243
	12 LST	15.0	13.8	16.3	14.3	15.3	15.2	18.8	19.2	18.1	21.8	17.4	17.7	202.7	12	-72243
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	16.6	17.1	20.2	19.7	24.1	28.2	29.6	29.0	26.9	25.9	19.1	18.2	274.6	12	-72243
	00 LST	14.7	13.2	15.7	16.1	21.9	27.0	29.7	29.1	26.8	25.9	17.3	16.5	253.9	12	-72243
	06 LST	13.4	11.4	12.6	12.3	16.9	23.4	26.8	24.4	18.7	19.4	15.2	15.0	209.5	12	-72243
	12 LST	13.6	11.8	14.7	13.4	14.5	14.3	18.6	18.4	17.1	20.6	15.2	14.8	187.0	12	-72243

LA PORTE MUNICIPAL, TEXAS

STA NO. 73634 (IN AREA NUMBER 13)

LATITUDE 2940N

LONGITUDE 09503W

ELEVATION(FT) 00030

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	84	90	96	93	98	103	105	108	101	99	89	84	108	71	-72243
MEAN MAX TMP (F)	62	65	72	78	84	90	92	92	88	81	71	64	78	70	-72243
MEAN MIN TMP (F)	45	47	54	60	67	73	75	75	71	62	52	47	61	70	-72243
ABS MIN TMP (F)	5	6	21	34	45	55	55	54	45	33	23	15	5	72	-72243
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.2	4.7	19.5	26.2	23.6	13.8	2.0	0.0	0.0	90.0	12	-72243
MEAN NO DYS TMP = DR LES 32(F)	3.3	1.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	2.2	8.2	12	-72243
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72243
MEAN DEW PT TMP (F)	46	48	51	58	66	71	73	73	69	60	50	46	59	12	-72243
MEAN REL HUM (PCT)	76	76	71	74	75	75	75	76	75	72	73	75	74	12	-72243
MEAN PRESS ALT (FT)	-160	-125	-56	-11	15	20	-27	-19	-16	-67	-134	-156	-61	0	-50
MEAN PRECIP (IN)	3.60	3.08	2.93	3.55	4.57	4.30	4.36	3.75	3.96	3.68	3.74	4.19	45.7	71	-72243
MEAN SNOW FALL (IN)	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	10	-72243
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.0	6.3	6.0	6.5	7.1	7.1	7.2	6.5	6.2	5.9	6.0	7.7	79.5	71	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	-72243
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.1	5.1	5.0	2.7	1.5	0.5	0.0	0.3	1.6	3.0	5.0	5.7	36.5	12	-72243
MEAN NO DYS TSTMS	2.0	2.0	3.0	4.0	6.0	7.0	10.0	10.0	6.0	3.0	2.0	2.0	57.0	42	-72243
P FREQ WND SPD = DR GTR 17 KTS	12.5	15.7	17.2	19.3	14.0	8.3	4.3	2.3	4.3	5.4	13.7	11.2	10.7	12	-72243
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.4	0.7	0.6	0.3	0.1	0.2	0.0	0.3	0.1	0.2	0.2	0.3	12	-72243
P FREQ LES 5000 FT A/D LES 3 MI	46.5	46.0	42.0	46.0	35.7	23.0	16.0	17.7	24.0	23.4	36.7	39.6	33.1	12	-72243
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	31.2	29.5	30.5	31.8	15.4	2.5	0.4	1.3	5.3	7.3	21.2	22.8	16.6	12	-72243
03-05 LST	34.0	33.5	32.7	33.7	19.8	5.8	1.9	5.3	10.5	13.6	23.2	26.4	20.0	12	-72243
06-08 LST	35.1	35.1	32.4	31.7	22.4	12.1	7.2	15.5	28.5	25.7	27.4	30.4	25.3	12	-72243
09-11 LST	27.7	27.2	19.6	13.6	6.3	3.1	2.8	5.2	10.1	9.6	20.0	25.5	14.2	12	-72243
12-14 LST	19.6	18.2	9.9	8.8	2.0	1.9	2.3	1.5	3.8	2.8	10.7	16.7	8.2	12	-72243
15-17 LST	16.3	15.8	9.2	9.7	3.3	1.4	1.3	1.7	2.7	2.3	9.6	13.0	7.2	12	-72243
18-20 LST	21.1	19.4	13.7	16.4	6.6	0.9	0.8	1.1	2.8	2.1	11.6	15.5	9.3	12	-72243
21-23 LST	27.2	27.7	24.3	27.4	11.2	1.2	0.7	0.9	2.4	3.7	15.8	20.0	13.5	12	-72243
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	10.4	9.6	7.5	4.1	0.9	0.0	0.0	0.0	0.8	2.4	8.1	7.8	4.3	12	-72243
03-05 LST	12.6	11.8	11.0	6.9	3.5	0.6	0.0	0.5	2.5	5.2	9.5	10.9	6.3	12	-72243
06-08 LST	12.8	11.8	9.8	5.2	2.6	1.5	0.2	0.9	5.5	6.9	10.1	12.5	6.7	12	-72243
09-11 LST	5.1	3.4	1.1	0.4	0.2	0.1	0.0	0.0	0.1	0.5	2.6	5.0	1.3	12	-72243
12-14 LST	1.5	1.3	0.3	0.2	0.0	0.1	0.0	0.0	0.4	0.1	0.6	1.5	0.5	12	-72243
15-17 LST	1.2	1.3	0.0	0.2	0.1	0.2	0.0	0.2	0.3	0.2	0.3	0.7	0.4	12	-72243
18-20 LST	3.1	0.8	0.3	0.4	0.1	0.0	0.0	0.0	0.1	0.0	0.9	1.2	0.6	12	-72243
21-23 LST	8.0	4.5	3.3	1.8	0.1	0.0	0.0	0.0	0.0	1.0	3.0	4.6	2.2	12	-72243

LA PORTE MUNICIPAL, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.9	24.0	28.7	27.7	30.6	29.6	30.8	30.7	29.3	30.3	27.8	27.8	344.2	12	-72243
	00 LST	22.9	20.8	23.9	24.0	28.3	29.6	30.9	30.8	29.1	29.6	25.3	25.3	320.5	12	-72243
	06 LST	22.2	20.0	22.0	22.0	25.8	26.4	29.1	26.8	21.4	24.1	23.2	23.6	286.6	12	-72243
	12 LST	26.1	23.9	29.3	28.6	30.6	29.4	30.4	30.6	28.8	30.4	27.6	26.4	342.1	12	-72243
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	18 LST	10.1	7.6	6.2	5.5	7.1	6.9	9.6	12.0	15.8	15.9	11.3	12.6	120.6	12	-72243
	00 LST	10.7	10.6	11.2	11.2	16.9	22.4	27.1	27.8	22.1	20.4	13.1	13.0	206.5	12	-72243
	06 LST	10.1	8.8	8.7	10.2	16.1	22.7	27.2	25.1	15.6	15.0	11.2	12.3	183.0	12	-72243
	12 LST	5.8	4.5	5.7	4.6	9.7	12.1	16.7	18.9	12.6	13.2	7.3	7.2	118.3	12	-72243
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	2.4	3.9	7.1	7.1	6.1	5.8	3.8	2.3	0.8	0.9	2.2	1.7	44.1	12	-72243
	00 LST	1.9	3.1	2.4	2.7	1.8	0.3	0.1	0.1	0.6	0.7	2.5	1.6	17.8	12	-72243
	06 LST	2.0	1.5	2.3	2.1	0.7	0.0	0.2	0.0	0.5	0.5	2.6	2.0	14.4	12	-72243
	12 LST	7.6	8.1	9.5	10.1	8.1	3.8	1.8	1.1	1.8	3.6	7.2	7.7	70.4	12	-72243
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	15.6	12.0	9.8	8.3	9.8	8.0	9.5	13.3	18.8	20.9	15.6	18.0	159.6	12	-72243
	00 LST	17.9	14.8	18.2	15.2	19.4	23.6	24.9	23.9	20.7	21.1	18.5	18.9	237.1	12	-72243
	06 LST	17.4	14.4	18.1	18.0	19.9	21.5	19.3	19.5	20.9	19.7	18.2	19.4	226.3	12	-72243
	12 LST	11.6	8.3	8.5	7.8	11.0	9.9	7.3	9.4	12.0	14.4	9.8	11.3	121.3	12	-72243
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.6	8.2	8.0	8.6	9.9	12.8	9.2	9.8	13.4	16.3	10.9	10.3	126.0	12	-72243
	00 LST	10.1	9.1	10.6	10.5	11.9	18.8	19.9	18.9	17.7	18.9	12.2	12.0	170.6	12	-72243
	06 LST	9.0	8.3	7.2	5.9	6.5	11.9	12.7	12.7	11.3	12.6	10.4	10.9	119.4	12	-72243
	12 LST	6.5	6.6	7.1	6.4	5.0	2.0	1.9	2.2	5.8	11.0	7.8	9.3	71.6	12	-72243
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.2	21.4	25.2	23.8	27.5	29.3	30.7	30.5	28.4	29.4	25.1	25.0	319.5	12	-72243
	00 LST	20.0	17.7	19.7	18.7	24.3	28.5	30.2	30.4	27.9	28.6	23.3	22.8	292.1	12	-72243
	06 LST	19.1	16.5	17.1	17.0	21.2	25.1	28.3	26.3	20.3	22.6	20.5	20.9	254.9	12	-72243
	12 LST	20.7	19.1	24.6	23.4	27.3	28.7	29.9	29.6	26.9	28.5	23.9	22.5	305.1	12	-72243
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.0	18.9	22.0	21.1	25.5	28.5	30.1	29.8	27.5	27.5	21.9	20.6	292.4	12	-72243
	00 LST	16.3	14.7	17.1	17.3	22.7	27.5	29.9	29.8	27.1	26.7	19.5	19.4	268.0	12	-72243
	06 LST	14.7	13.6	14.1	13.9	18.6	24.2	27.2	25.5	19.3	20.7	17.0	16.9	225.7	12	-72243
	12 LST	15.0	13.8	16.3	14.3	15.3	15.2	18.8	19.2	18.1	21.6	17.4	17.7	202.7	12	-72243
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	16.6	17.1	20.2	19.7	24.1	28.2	29.6	29.0	26.9	25.9	19.1	18.2	274.6	12	-72243
	00 LST	14.7	13.2	15.7	16.1	21.9	27.0	29.7	29.1	26.8	25.9	17.3	16.5	233.9	12	-72243
	06 LST	13.4	11.4	12.6	12.3	16.9	23.4	26.8	24.4	18.7	19.4	15.2	15.0	209.5	12	-72243
	12 LST	13.6	11.8	14.7	13.4	14.5	14.3	18.6	18.4	17.1	20.6	15.2	14.8	187.0	12	-72243

ROSENBERG/LANE AIRPARK, TEXAS

STA NO. 73635 (IN AREA NUMBER 13)

LATITUDE 2931N

LONGITUDE 09546W

ELEVATION(FT) 00094

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR	NO.
													(YRS)	UBS	
ABS MAX TMP (F)	84	90	96	93	98	103	105	108	101	99	89	84	108	71	-72243
MEAN MAX TMP (F)	62	65	72	78	84	90	92	92	88	81	71	64	78	70	-72243
MEAN MIN TMP (F)	45	47	54	60	67	73	75	75	71	62	52	47	61	70	-72243
ABS MIN TMP (F)	5	6	21	34	45	55	55	54	45	33	23	15	5	72	-72243
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.2	4.7	19.5	26.2	23.6	13.8	2.0	0.0	0.0	90.0	12	-72243
MEAN NO DYS TMP = OR LES 32(F)	3.3	1.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	2.2	8.2	12	-72243
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72243
MEAN DEW PT TMP (F)	46	48	51	58	66	71	73	73	69	60	50	46	59	12	-72243
MEAN REL HUM (PCT)	76	76	71	74	75	75	75	76	75	72	73	75	74	12	-72243
MEAN PRESS ALT (FT)	-92	-37	13	60	86	90	41	47	52	1	-66	-91	7	0	-50
MEAN PRECIP (IN)	3.60	3.08	2.93	3.55	4.57	4.30	4.36	3.75	3.96	3.68	3.74	4.19	45.7	71	-72243
MEAN SNOW FALL (IN)	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	10	-72243
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.0	6.3	6.0	6.5	7.1	7.1	7.2	6.5	6.2	5.9	6.0	7.7	79.5	71	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	-72243
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.1	5.1	5.0	2.7	1.5	0.5	0.0	0.3	1.6	3.0	5.0	5.7	36.5	12	-72243
MEAN NO DYS TSTMS	2.0	2.0	3.0	4.0	6.0	7.0	10.0	10.0	6.0	3.0	2.0	2.0	57.0	42	-72243
P FREQ WND SPD = OR GTR 17 KTS	12.5	15.7	17.2	19.3	14.0	8.3	4.3	2.3	4.3	5.4	13.7	11.2	10.7	12	-72243
P FREQ WND SPD = OR GTR 28 KTS	0.2	0.4	0.7	0.6	0.3	0.1	0.2	0.0	0.3	0.1	0.2	0.2	0.3	12	-72243
P FREQ LES 3000 FT A/D LES 5 MI	46.5	46.0	42.0	46.0	35.7	23.0	16.0	17.7	24.0	23.4	36.7	39.6	33.1	12	-72243
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	31.2	29.5	30.5	31.8	15.4	2.5	0.4	1.3	5.3	7.3	21.2	22.8	16.6	12	-72243
03-05 LST	34.0	33.5	32.7	33.7	19.8	5.8	1.9	5.3	10.5	13.6	23.2	26.4	20.0	12	-72243
06-08 LST	35.1	35.1	32.4	31.7	22.4	12.1	7.2	15.5	28.5	25.7	27.4	30.4	25.3	12	-72243
09-11 LST	27.7	27.2	19.6	13.6	6.3	3.1	2.8	5.2	10.1	9.6	20.0	25.5	14.2	12	-72243
12-14 LST	19.6	18.2	9.9	8.8	2.0	1.9	2.3	1.5	3.8	2.8	10.7	16.7	8.2	12	-72243
15-17 LST	16.3	15.8	9.2	9.7	3.3	1.4	1.3	1.7	2.7	2.3	9.6	13.0	7.2	12	-72243
18-20 LST	21.1	19.4	13.7	16.4	6.6	0.9	0.8	1.1	2.8	2.1	11.6	15.5	9.3	12	-72243
21-23 LST	27.2	27.7	24.3	27.4	11.2	1.2	0.7	0.9	2.4	3.7	15.8	20.0	13.5	12	-72243
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	10.4	9.6	7.5	4.1	0.9	0.0	0.0	0.0	0.8	2.4	8.1	7.8	4.3	12	-72243
03-05 LST	12.6	11.8	11.0	6.9	3.3	0.6	0.0	0.3	2.5	5.2	9.5	10.9	6.3	12	-72243
06-08 LST	12.8	11.8	9.8	5.2	2.6	1.5	0.2	0.9	5.5	6.9	10.1	12.5	6.7	12	-72243
09-11 LST	5.1	3.4	1.1	0.4	0.2	0.1	0.0	0.0	0.1	0.5	2.6	5.0	1.5	12	-72243
12-14 LST	1.5	1.3	0.3	0.2	0.0	0.1	0.0	0.0	0.4	0.1	0.6	1.5	0.5	12	-72243
15-17 LST	1.2	1.3	0.0	0.2	0.1	0.2	0.0	0.2	0.3	0.2	0.3	0.7	0.4	12	-72243
18-20 LST	3.1	0.8	0.3	0.4	0.1	0.0	0.0	0.0	0.1	0.0	0.9	1.2	0.6	12	-72243
21-23 LST	8.0	4.5	3.3	1.8	0.1	0.0	0.0	0.0	0.0	1.0	3.0	4.6	2.2	12	-72243

ROSENBERG/LANE AIRPARK, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSRV = GTR 3 MI	18 LST	26.9	24.0	28.7	27.7	30.6	29.6	30.8	30.7	29.3	30.3	27.8	27.8	344.2	12	-72243
	00 LST	22.9	20.8	23.9	24.0	28.3	29.6	30.9	30.8	29.1	29.6	25.3	25.3	320.5	12	-72243
	06 LST	22.2	20.0	22.0	22.0	25.8	26.4	29.1	26.8	21.4	24.1	23.2	23.6	286.6	12	-72243
	12 LST	26.1	23.9	29.3	28.6	30.6	29.4	30.4	30.6	28.8	30.4	27.6	26.4	342.1	12	-72243
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	10.1	7.6	6.2	5.5	7.1	6.9	9.6	12.0	15.8	15.9	11.3	12.6	120.6	12	-72243
	00 LST	10.7	10.6	11.2	11.2	16.9	22.4	27.1	27.8	22.1	20.4	13.1	13.0	206.5	12	-72243
	06 LST	10.1	8.8	9.7	10.2	16.1	22.7	27.2	25.1	15.6	15.0	11.2	12.3	183.0	12	-72243
	12 LST	5.8	4.5	5.7	4.6	9.7	12.1	16.7	18.9	12.6	13.2	7.3	7.2	118.3	12	-72243
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	2.4	3.9	7.1	7.1	6.1	5.8	3.8	2.3	0.8	0.9	2.2	1.7	44.1	12	-72243
	00 LST	1.9	3.1	2.4	2.7	1.8	0.3	0.1	0.1	0.6	0.7	2.5	1.6	17.8	12	-72243
	06 LST	2.0	1.5	2.3	2.1	0.7	0.0	0.2	0.0	0.5	0.5	2.6	2.0	14.4	12	-72243
	12 LST	7.6	6.1	9.5	10.1	8.1	3.8	1.8	1.1	1.8	3.6	7.2	7.7	70.4	12	-72243
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	15.6	12.0	9.8	8.3	9.8	8.0	9.5	13.3	18.8	20.9	15.6	18.0	159.6	12	-72243
	00 LST	17.9	14.8	18.2	15.2	19.4	23.6	24.9	23.9	20.7	21.1	18.5	18.9	237.1	12	-72243
	06 LST	17.4	14.4	18.1	18.0	19.9	21.5	19.3	19.5	20.9	19.7	18.2	19.4	226.3	12	-72243
	12 LST	11.6	8.3	8.5	7.8	11.0	9.9	7.3	9.4	12.0	14.4	9.8	11.3	121.3	12	-72243
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.6	8.2	8.0	8.6	9.9	12.8	9.2	9.8	13.4	16.3	10.9	10.3	126.0	12	-72243
	00 LST	10.1	9.1	10.6	10.5	11.9	18.8	19.9	18.9	17.7	18.9	12.2	12.0	170.6	12	-72243
	06 LST	9.0	8.3	7.2	5.9	6.5	11.9	12.7	12.7	11.3	12.6	10.4	10.9	119.4	12	-72243
	12 LST	6.5	6.6	7.1	6.4	5.0	2.0	1.9	2.2	5.8	11.0	7.8	9.3	71.6	12	-72243
CIG = GTR 2500 FT AND VSRV = GTR 3 MI	18 LST	23.2	21.4	25.2	23.8	27.5	29.3	30.7	30.5	28.4	29.4	25.1	25.0	319.5	12	-72243
	00 LST	20.0	17.7	19.7	18.7	24.3	28.5	30.2	30.4	27.9	28.6	23.3	22.8	292.1	12	-72243
	06 LST	19.1	16.5	17.1	17.0	21.2	25.1	28.3	26.3	20.3	22.6	20.5	20.9	254.9	12	-72243
	12 LST	20.7	19.1	24.6	23.4	27.3	28.7	29.9	29.6	26.9	28.5	23.9	22.5	305.1	12	-72243
CIG = GTR 6000 FT AND VSRV = GTR 3 MI	18 LST	19.0	18.9	22.0	21.1	25.5	28.5	30.1	29.8	27.5	27.5	21.9	20.6	292.4	12	-72243
	00 LST	16.3	14.7	17.1	17.3	22.7	27.5	29.9	29.8	27.1	26.7	19.5	19.4	268.0	12	-72243
	06 LST	14.7	13.6	14.1	13.9	18.6	24.2	27.2	25.5	19.3	20.7	17.0	16.9	225.7	12	-72243
	12 LST	15.0	13.8	16.3	14.3	15.3	15.2	18.8	19.2	18.1	21.6	17.4	17.7	202.7	12	-72243
CIG = GTR 10000 FT AND VSRV = GTR 3 MI	18 LST	16.6	17.1	20.2	19.7	24.1	28.2	29.6	29.0	26.9	25.9	19.1	18.2	274.6	12	-72243
	00 LST	14.7	13.2	15.7	16.1	21.9	27.0	29.7	29.1	26.8	25.9	17.3	16.5	253.9	12	-72243
	06 LST	13.4	11.4	12.6	12.3	16.9	23.4	26.8	24.4	18.7	19.4	15.2	15.0	209.5	12	-72243
	12 LST	13.6	11.8	14.7	13.4	14.5	14.3	18.6	18.4	17.1	20.6	15.2	14.8	187.0	12	-72243

CONROE/MONTGOMERY COUNTY, TEXAS

STA NO. 73636 (IN AREA NUMBER 13)

LATITUDE 3021N

LONGITUDE 09525W

ELEVATION(FT) 00245

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	84	91	96	98	99	105	108	109	104	99	94	89	109	38	-113
MEAN MAX TMP (F)	62	66	72	79	85	92	95	96	90	83	71	64	80	35	-113
MEAN MIN TMP (F)	39	43	48	56	64	70	72	71	67	57	46	41	56	34	-113
ABS MIN TMP (F)	5	2	18	29	40	54	60	56	43	30	21	9	2	35	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	9.0	25.0	30.0	27.0	19.0	5.0	0.0	0.0	115.3	9	-113
MEAN NO DYS TMP = DR LES 32(F)	7.0	5.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.0	7.0	22.3	9	-113
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35	-29
MEAN DEW PT TMP (F)	46	48	51	58	66	71	73	73	69	60	50	46	59	12	-72243
MEAN REL HUM (PCT)	76	76	71	74	75	75	75	76	75	72	73	75	74	17	-72243
MEAN PRESS ALT (FT)	58	93	160	205	232	237	188	195	205	154	85	61	156	0	-50
MEAN PRECIP (IN)	4.51	3.54	3.24	4.35	5.12	4.06	3.70	3.42	3.02	3.39	4.54	4.76	47.6	40	-113
MEAN SNOW FALL (IN)	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	10	-72243
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.1	6.9	6.3	7.0	7.2	6.8	6.4	6.1	5.0	5.5	7.0	8.3	80.6	40	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	-72243
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	6.1	5.1	5.0	2.7	1.5	0.5	0.0	0.3	1.6	3.0	5.0	5.7	36.5	12	-72243
MEAN NO DYS TSTMS	2.0	2.0	3.0	4.0	6.0	7.0	10.0	10.0	6.0	3.0	2.0	2.0	57.0	42	-72243
P FREQ WND SPD = DR GTR 17 KTS	12.5	15.7	17.2	19.3	14.0	8.3	4.3	2.3	4.3	5.4	13.7	11.2	10.7	12	-72243
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.4	0.7	0.6	0.3	0.1	0.2	0.0	0.3	0.1	0.2	0.2	0.3	12	-72243
P FREQ LES 5000 FT A/D LES 5 MI	46.5	46.0	42.0	46.0	35.7	23.0	16.0	17.7	24.0	23.4	36.7	39.6	33.1	12	-72243
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	31.2	29.5	30.5	31.8	15.4	2.5	0.4	1.3	5.3	7.3	21.2	22.8	16.6	12	-72243
03-05 LST	34.0	33.5	32.7	33.7	19.8	5.8	1.9	5.3	10.5	13.6	23.2	26.4	20.0	12	-72243
06-08 LST	35.1	35.1	32.4	31.7	22.4	12.1	7.2	15.5	28.5	25.7	27.4	30.4	25.3	12	-72243
09-11 LST	27.7	27.2	19.6	13.6	6.3	3.1	2.8	3.2	10.1	9.6	20.0	25.5	14.2	17	-72243
12-14 LST	19.6	18.2	9.9	8.8	2.0	1.9	2.3	1.5	3.8	2.8	10.7	16.7	8.2	12	-72243
15-17 LST	16.3	15.8	9.2	9.7	3.3	1.4	1.3	1.7	2.7	2.3	9.6	13.0	7.2	12	-72243
18-20 LST	21.1	19.4	13.7	16.4	6.6	0.9	0.8	1.1	2.8	2.1	11.6	15.5	9.3	12	-72243
21-23 LST	27.2	27.7	24.3	27.4	11.2	1.2	0.7	0.9	2.4	3.7	15.8	20.0	13.5	12	-72243
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	10.4	9.6	7.5	4.1	0.9	0.0	0.0	0.0	0.8	2.4	8.1	7.8	4.3	12	-72243
03-05 LST	12.6	11.8	11.0	6.9	3.5	0.6	0.0	0.5	2.5	5.2	9.5	10.9	6.3	12	-72243
06-08 LST	12.8	11.8	9.8	5.2	2.6	1.5	0.2	0.9	5.5	6.9	10.1	12.5	6.7	12	-72243
09-11 LST	5.1	3.4	1.1	0.4	0.2	0.1	0.0	0.0	0.1	0.5	2.6	5.0	1.5	12	-72243
12-14 LST	1.5	1.3	0.3	0.2	0.0	0.1	0.0	0.0	0.4	0.1	0.6	1.5	0.5	12	-72243
15-17 LST	1.2	1.3	0.0	0.2	0.1	0.2	0.0	0.2	0.3	0.2	0.3	0.7	0.4	12	-72243
18-20 LST	3.1	0.8	0.3	0.4	0.1	0.0	0.0	0.0	0.1	0.0	0.9	1.2	0.6	12	-72243
21-23 LST	8.0	4.5	3.3	1.8	0.1	0.0	0.0	0.0	0.0	1.0	3.0	4.6	2.2	12	-72243

CONROE/MONTGOMERY COUNTY, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.9	24.0	28.7	27.7	30.6	29.6	30.8	30.7	29.3	30.3	27.8	27.8	344.2	12	-72243
	00 LST	22.9	20.8	23.9	24.0	28.3	29.6	30.9	30.8	29.1	29.6	25.3	25.3	320.5	12	-72243
	06 LST	22.2	20.0	22.0	22.0	25.8	26.4	29.1	26.8	21.4	24.1	23.2	23.6	286.6	12	-72243
	12 LST	26.1	23.9	29.3	28.6	30.6	29.4	30.4	30.6	28.8	30.4	27.6	26.4	342.1	12	-72243
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	10.1	7.6	6.2	5.5	7.1	6.9	9.6	12.0	15.8	15.9	11.3	12.6	120.6	12	-72243
	00 LST	10.7	10.6	11.2	11.2	16.9	22.4	27.1	27.8	22.1	20.4	13.1	13.0	206.3	12	-72243
	06 LST	10.1	8.8	8.7	10.2	16.1	22.7	27.2	25.1	15.6	15.0	11.2	12.3	183.0	12	-72243
	12 LST	5.8	4.5	5.7	4.6	9.7	12.1	16.7	18.9	12.6	13.2	7.3	7.2	118.3	12	-72243
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	2.4	3.9	7.1	7.1	6.1	5.8	3.8	2.3	0.8	0.9	2.2	1.7	44.1	12	-72243
	00 LST	1.9	3.1	2.4	2.7	1.8	0.3	0.1	0.1	0.6	0.7	2.5	1.6	17.8	12	-72243
	06 LST	2.0	1.5	2.3	2.1	0.7	0.0	0.2	0.0	0.5	0.5	2.6	2.0	14.4	12	-72243
	12 LST	7.6	8.1	9.5	10.1	8.1	3.8	1.8	1.1	1.8	3.6	7.2	7.7	70.4	12	-72243
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	15.6	12.0	9.8	8.3	9.8	8.0	9.5	13.3	18.8	20.9	15.6	18.0	159.6	12	-72243
	00 LST	17.9	14.8	18.2	15.2	19.4	23.6	24.9	23.9	20.7	21.1	18.5	18.9	237.1	12	-72243
	06 LST	17.4	14.4	18.1	18.0	19.9	21.5	19.3	19.5	20.9	19.7	18.2	19.4	226.3	12	-72243
	12 LST	11.6	8.3	8.5	7.8	11.0	9.9	7.3	9.4	12.0	14.4	9.8	11.3	121.3	12	-72243
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.6	8.2	8.0	8.6	9.9	12.8	9.2	9.8	13.4	16.3	10.9	10.3	126.0	12	-72243
	00 LST	10.1	9.1	10.6	10.5	11.9	18.8	19.9	18.9	17.7	18.9	12.2	12.0	170.6	12	-72243
	06 LST	9.0	8.3	7.2	5.9	6.5	11.9	12.7	12.7	11.3	12.6	10.4	10.9	119.4	12	-72243
	12 LST	6.5	6.6	7.1	6.4	5.0	2.0	1.9	2.2	5.8	11.0	7.8	9.3	71.6	12	-72243
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.2	21.4	25.2	23.8	27.5	29.3	30.7	30.5	28.4	29.4	25.1	25.0	319.5	12	-72243
	00 LST	20.0	17.7	19.7	18.7	24.3	28.5	30.2	30.4	27.9	28.6	23.3	22.8	292.1	12	-72243
	06 LST	19.1	16.9	17.1	17.0	21.2	25.1	28.3	26.3	20.3	22.6	20.5	20.9	254.9	12	-72243
	12 LST	20.7	19.1	24.6	23.4	27.3	28.7	29.9	29.6	26.9	28.3	23.9	22.5	305.1	12	-72243
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	19.0	18.9	22.0	21.1	25.5	28.5	30.1	29.8	27.5	27.5	21.9	20.6	292.4	12	-72243
	00 LST	16.3	14.7	17.1	17.3	22.7	27.5	29.9	29.8	27.1	26.7	19.5	19.4	268.0	12	-72243
	06 LST	14.7	13.6	14.1	13.9	18.6	24.2	27.2	25.3	19.3	20.7	17.0	16.9	225.7	12	-72243
	12 LST	15.0	13.8	16.3	14.3	15.3	15.2	18.8	19.2	18.1	21.6	17.4	17.7	202.7	12	-72243
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	16.6	17.1	20.2	19.7	24.1	28.2	29.6	29.0	26.9	25.9	19.1	18.2	274.6	12	-72243
	00 LST	14.7	13.2	15.7	16.1	21.9	27.0	29.7	29.1	26.8	25.9	17.3	16.5	253.9	12	-72243
	06 LST	13.4	11.4	12.6	12.3	16.9	23.4	26.8	24.4	18.7	19.4	15.2	15.0	209.5	12	-72243
	12 LST	13.6	11.8	14.7	13.4	14.5	14.3	18.6	18.4	17.1	20.6	15.2	14.8	187.0	12	-72243

PORT ISABEL/CAMERON COUNTY, TEXAS

STA NO. 73637 (IN AREA NUMBER 13)

LATITUDE 2610N

LONGITUDE 09720W

ELEVATION(FT) 00017

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO, OBS
ABS MAX TMP (F)	90	94	102	100	102	103	102	104	102	99	98	93	104	50	-72250
MEAN MAX TMP (F)	69	72	78	83	87	91	92	93	90	85	77	71	82	50	-72250
MEAN MIN TMP (F)	50	54	59	66	71	74	75	75	72	66	59	52	64	50	-72250
ABS MIN TMP (F)	18	12	30	39	41	36	57	63	49	38	27	18	12	50	-72250
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.1	1.1	3.2	12.2	24.0	29.5	24.9	13.8	1.3	0.0	0.0	110.1	12	-72250
MEAN NO DYS TMP = DR LES 32(F)	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	1.0	12	-72250
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72250
MEAN DEW PT TMP (F)	55	56	59	65	70	73	73	74	72	65	58	54	65	12	-72250
MEAN REL HUM (PCT)	78	77	77	76	76	77	74	75	77	73	77	75	76	12	-72250
MEAN PRESS ALT (FT)	-131	-96	-34	17	42	46	-6	-4	17	-29	-103	-130	-33	0	-50
MEAN PRECIP (IN)	1.40	1.30	1.20	1.30	2.40	2.60	1.90	2.40	3.70	3.30	2.10	1.60	27.2	60	-72250
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72250
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.6	3.4	3.3	3.5	5.4	5.1	4.0	4.8	8.5	5.4	3.8	3.9	54.7	60	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72250
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	4.5	3.7	3.3	2.6	0.8	0.5	0.0	0.1	0.2	0.7	2.5	5.1	24.0	12	-72250
MEAN NO DYS TSTMS	0.0	1.0	1.0	2.0	4.0	3.0	4.0	4.0	5.0	2.0	1.0	1.0	28.0	29	-72250
P FREQ WND SPD = DR GTR 17 KTS	17.6	18.5	23.4	27.8	29.2	18.2	15.8	12.3	6.2	6.8	13.5	12.2	16.5	12	-72250
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.3	0.5	0.5	0.1	0.1	0.0	0.0	0.0	0.0	0.2	0.1	0.2	12	-72250
P FREQ LES 5000 FT A/D LES 3 MI	36.4	39.4	40.5	44.1	32.5	19.5	7.3	7.1	13.7	16.2	32.6	32.4	26.8	12	-72250
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	21.2	22.5	27.7	32.2	22.2	6.1	0.1	0.3	3.0	4.6	13.5	17.3	14.2	12	-72250
03-05 LST	26.8	27.0	30.2	32.4	18.1	6.7	0.3	0.8	3.8	6.4	19.0	21.6	16.1	12	-72250
06-08 LST	25.8	28.0	30.1	31.8	15.3	6.0	0.8	1.2	5.0	8.3	18.7	24.7	16.3	12	-72250
09-11 LST	19.3	22.2	16.2	12.2	3.4	2.5	0.4	0.5	3.9	6.1	14.5	16.8	9.8	12	-72250
12-14 LST	12.3	14.4	11.4	5.3	1.9	1.5	0.2	0.4	2.3	4.1	10.6	8.4	6.1	12	-72250
15-17 LST	10.5	13.5	9.1	6.2	1.6	1.1	0.1	0.0	0.8	3.7	9.9	7.1	5.3	12	-72250
18-20 LST	13.5	17.8	15.3	21.8	12.0	1.3	0.4	0.0	1.1	3.0	10.3	10.5	8.9	12	-72250
21-23 LST	17.4	19.2	22.2	31.0	23.1	4.0	0.4	0.0	2.1	4.9	11.8	13.5	12.5	12	-72250
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.3	7.3	6.5	4.3	0.7	0.0	0.0	0.0	0.4	1.1	4.9	7.3	3.2	12	-72250
03-05 LST	10.1	9.3	8.1	5.9	2.2	0.3	0.0	0.3	0.4	1.7	5.6	9.7	4.5	12	-72250
06-08 LST	11.8	9.0	7.7	4.8	1.6	0.5	0.0	0.3	0.9	2.2	5.2	10.4	4.5	12	-72250
09-11 LST	3.0	2.4	0.9	0.2	0.0	0.1	0.0	0.0	0.0	0.4	1.0	2.1	0.8	12	-72250
12-14 LST	1.2	1.0	0.2	0.2	0.0	0.4	0.0	0.0	0.1	0.1	0.7	0.3	0.4	12	-72250
15-17 LST	0.9	0.6	0.4	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.2	12	-72250
18-20 LST	2.0	1.1	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.9	0.3	12	-72250
21-23 LST	3.6	2.7	2.9	1.7	0.0	0.0	0.0	0.0	0.1	0.3	2.6	4.3	1.5	12	-72250

PORT ISABEL/CAMERON COUNTY, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.7	25.0	29.2	28.8	30.8	30.0	31.0	31.0	29.9	30.2	28.1	29.2	351.9	12	-72250
	00 LST	25.7	23.3	25.1	23.9	28.7	29.3	31.0	31.0	29.4	29.9	27.0	27.2	331.5	12	-72250
	06 LST	23.3	21.7	23.3	23.2	27.2	28.7	31.0	30.5	28.5	28.9	25.2	24.9	316.4	12	-72250
	12 LST	28.3	25.2	28.1	28.9	30.7	29.7	31.0	30.9	29.7	29.9	27.8	28.6	348.8	12	-72250
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	7.6	2.7	2.9	1.4	0.8	1.0	0.7	1.8	4.7	11.4	13.9	13.3	62.2	12	-72250
	00 LST	15.1	11.7	12.2	10.2	13.5	17.3	22.0	24.6	25.9	24.7	16.9	18.0	212.1	12	-72250
	06 LST	12.2	11.8	11.7	10.4	16.2	21.8	28.3	28.2	25.6	23.4	15.4	15.1	220.1	12	-72250
	12 LST	4.7	4.3	3.3	3.0	4.4	4.4	5.7	7.0	8.3	9.6	6.9	6.2	67.8	12	-72250
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	3.9	6.4	10.4	12.5	13.9	11.6	13.2	10.4	1.8	1.6	2.1	1.7	89.5	12	-72250
	00 LST	2.0	2.4	2.3	2.8	2.5	0.7	0.2	0.2	0.1	0.3	1.7	1.6	16.8	12	-72250
	06 LST	2.1	1.6	2.3	2.3	2.3	0.2	0.0	0.1	0.0	0.5	2.0	2.0	15.4	12	-72250
	12 LST	12.2	9.5	14.4	15.6	12.4	9.4	8.0	5.3	3.8	4.1	8.9	8.5	112.1	12	-72250
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	13.0	7.1	5.1	3.1	2.7	2.1	1.8	3.2	7.9	16.5	17.3	18.0	97.8	12	-72250
	00 LST	18.4	15.4	15.7	13.1	15.3	17.0	20.4	19.3	18.8	19.0	17.7	18.2	208.3	12	-72250
	06 LST	16.6	13.1	15.9	14.1	15.7	16.6	16.8	15.1	15.3	17.3	15.4	16.6	190.7	12	-72250
	12 LST	6.8	7.0	5.5	4.5	5.9	2.7	2.1	1.9	5.6	10.6	9.4	8.4	70.4	12	-72250
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.9	10.5	7.8	6.8	10.1	11.9	13.3	14.7	12.7	16.3	11.2	12.1	138.3	12	-72250
	00 LST	13.1	11.7	10.8	7.3	10.1	18.1	23.9	23.5	18.2	19.7	12.8	12.6	181.8	12	-72250
	06 LST	12.6	9.8	6.9	5.5	9.9	12.9	17.3	19.4	14.9	16.9	11.1	11.5	148.7	12	-72250
	12 LST	7.3	7.2	5.6	5.7	5.9	3.0	4.1	4.6	3.5	7.4	6.7	8.8	69.8	12	-72250
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.8	21.4	24.6	22.2	26.3	28.6	30.7	30.7	29.2	28.9	25.1	26.4	318.9	12	-72250
	00 LST	23.4	20.1	20.8	18.2	20.7	26.9	30.8	30.7	28.6	28.8	24.5	24.3	297.8	12	-72250
	06 LST	21.5	18.8	19.7	18.3	24.0	27.1	30.5	30.0	27.5	27.6	22.8	21.9	289.7	12	-72250
	12 LST	22.3	19.9	22.5	22.5	28.2	27.4	30.5	30.2	28.1	28.1	23.2	24.9	307.8	12	-72250
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	22.6	19.0	22.4	20.6	24.9	27.4	30.1	30.7	28.9	27.8	22.1	23.5	300.0	12	-72250
	00 LST	19.6	17.4	18.1	16.2	20.0	26.6	30.8	30.5	28.3	26.4	20.4	20.8	275.5	12	-72250
	06 LST	18.1	16.5	16.7	16.0	22.5	26.7	30.4	29.8	26.9	25.5	18.6	18.8	266.5	12	-72250
	12 LST	17.2	14.4	15.5	16.0	17.5	17.2	23.9	23.2	18.9	20.2	16.6	19.6	220.2	12	-72250
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	21.3	18.3	21.2	20.2	24.6	27.2	30.1	30.6	28.3	26.9	21.1	22.6	292.4	12	-72250
	00 LST	19.2	16.7	16.7	15.3	19.3	26.3	30.7	30.3	28.2	25.8	18.7	20.1	267.5	12	-72250
	06 LST	17.2	15.0	15.5	14.9	21.7	26.3	30.3	29.6	26.3	24.5	16.9	17.9	256.1	12	-72250
	12 LST	16.2	13.7	14.8	15.3	17.2	16.8	23.9	23.0	18.2	19.6	14.7	17.7	211.1	12	-72250

LAREDO/AFB AUXILIARY 2, TEXAS

STA NO. 73638 (IN AREA NUMBER 13)

LATITUDE 2729N

LONGITUDE 09914W

ELEVATION(FT) 00526

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	94	100	105	112	110	115	110	109	107	103	99	95	115	24	-72252
MEAN MAX TMP (F)	68	73	80	88	93	98	100	100	94	87	76	70	86	24	-72252
MEAN MIN TMP (F)	46	50	56	64	70	75	76	76	72	65	53	48	63	24	-72252
ABS MIN TMP (F)	22	18	28	36	53	59	61	62	46	40	27	26	18	24	-72252
MEAN NO DYS TMP = DR GTR 90(F)	0.5	2.0	6.9	13.5	23.7	28.3	30.9	29.8	26.0	12.1	1.6	0.2	175.5	12	-72252
MEAN NO DYS TMP = DR LES 32(F)	1.5	1.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.7	3.8	17	-72252
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72252
MEAN DEW PT TMP (F)	45	47	50	57	64	69	68	68	67	60	49	44	57	12	-72252
MEAN REL HUM (PCT)	66	64	59	59	62	61	57	58	63	63	64	64	62	12	-72252
MEAN PRESS ALT (FT)	362	408	482	537	562	572	514	516	515	467	391	360	474	0	-50
MEAN PRECIP (IN)	1.13	0.89	0.62	1.65	2.79	1.96	1.36	1.70	2.86	1.63	0.87	1.17	18.6	30	-72252
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72252
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.0	2.5	1.8	4.2	5.9	4.1	3.1	3.7	4.8	3.1	2.1	3.1	41.4	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72252
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	4.1	1.9	0.8	0.5	0.4	0.1	0.0	0.0	0.3	0.5	1.4	3.6	13.6	12	-72252
MEAN NO DYS TSTMS	0.5	1.2	1.0	2.6	5.0	4.1	2.8	3.3	4.1	1.9	0.8	0.3	27.6	12	-72252
P FREQ WND SPD = DR GTR 17 KTS	4.1	8.2	9.7	15.5	18.9	20.7	22.1	14.0	7.2	4.7	4.3	3.5	11.1	12	-72252
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.1	0.2	0.1	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.1	12	-72252
P FREQ LES 3000 FT A/D LES 5 MI	30.9	31.4	27.1	29.0	22.7	15.6	4.6	5.9	14.0	18.1	30.1	25.9	21.3	12	-72252
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	18.8	17.5	10.5	8.9	4.9	1.3	0.0	0.4	3.4	6.2	10.7	14.7	8.1	12	-72252
03-05 LST	25.7	24.0	18.1	16.3	8.0	4.4	1.3	2.1	7.1	12.2	19.2	19.6	13.2	12	-72252
06-08 LST	32.7	30.3	24.5	22.6	11.3	8.1	2.7	5.2	11.5	14.6	24.4	27.3	17.9	12	-72252
09-11 LST	27.5	25.9	16.7	10.6	5.3	1.9	0.4	1.8	5.6	8.1	21.0	24.3	12.4	12	-72252
12-14 LST	16.1	16.1	6.0	5.6	2.1	0.6	0.0	0.4	2.6	4.9	10.5	12.9	6.5	12	-72252
15-17 LST	10.4	9.5	3.9	3.9	0.9	0.4	0.3	0.1	2.4	2.9	8.2	8.1	4.2	12	-72252
18-20 LST	11.1	8.4	3.2	3.2	1.0	0.6	0.2	0.0	2.2	2.5	7.8	6.8	3.9	12	-72252
21-23 LST	14.8	11.6	4.7	4.5	1.3	0.7	0.1	0.1	2.0	3.0	8.2	10.0	5.1	12	-72252
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.9	2.8	1.0	1.0	0.4	0.1	0.0	0.0	0.1	0.4	0.8	4.3	1.2	12	-72252
03-05 LST	6.8	3.7	2.0	1.4	0.2	0.0	0.0	0.0	0.6	0.4	3.3	6.0	2.0	12	-72252
06-08 LST	10.0	6.0	3.3	1.5	0.7	0.2	0.0	0.2	0.6	1.3	4.0	9.2	3.1	12	-72252
09-11 LST	3.9	1.7	1.0	0.4	0.1	0.1	0.0	0.0	0.4	0.1	1.0	4.5	1.1	12	-72252
12-14 LST	0.7	0.3	0.2	0.6	0.1	0.1	0.0	0.0	0.1	0.1	0.3	0.6	0.3	12	-72252
15-17 LST	0.4	0.2	0.0	0.1	0.2	0.0	0.0	0.0	0.3	0.0	0.4	0.5	0.2	12	-72252
18-20 LST	1.2	0.6	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.6	0.4	0.3	12	-72252
21-23 LST	2.1	0.7	0.5	0.4	0.1	0.2	0.0	0.1	0.0	0.0	0.5	1.7	0.5	12	-72252

LAREDO/AFB AUXILIARY 2, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. URS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	29.0	26.3	30.1	29.3	30.7	30.0	30.9	31.0	29.6	30.7	28.4	29.8	355.8	12	-72252
	23 LST	27.4	25.1	29.8	29.1	30.7	29.7	31.0	31.0	29.8	30.8	28.2	28.5	350.9	12	-72252
	05 LST	23.9	22.8	27.2	27.7	29.7	29.5	30.7	30.4	28.7	28.3	24.7	26.0	329.6	12	-72252
	11 LST	26.1	23.7	29.1	28.6	30.5	29.9	31.0	30.8	29.6	29.6	27.2	26.6	342.7	12	-72252
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	14.4	8.7	9.8	7.8	6.7	4.5	3.3	6.0	8.0	11.7	13.8	18.1	112.8	12	-72252
	23 LST	13.6	9.5	9.0	6.0	4.8	3.7	2.7	4.7	12.4	12.2	14.6	17.3	110.5	12	-72252
	05 LST	15.0	12.1	11.7	10.1	11.2	10.8	11.5	14.6	18.5	17.7	15.5	16.9	165.6	12	-72252
	11 LST	11.9	7.2	9.7	8.0	8.7	8.0	9.1	13.4	12.9	12.4	11.1	13.1	125.5	12	-72252
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	1.2	3.2	4.4	6.7	7.6	8.3	11.2	6.2	2.9	2.0	1.0	0.4	55.1	12	-72252
	23 LST	1.5	2.6	3.3	6.5	7.4	8.8	11.2	8.2	2.8	1.8	1.4	1.3	56.8	12	-72252
	05 LST	0.4	0.8	1.4	1.5	1.3	0.8	0.6	0.5	0.1	0.3	0.9	0.6	9.2	12	-72252
	11 LST	1.3	2.9	3.7	4.5	4.7	3.9	3.9	1.1	1.3	1.0	2.3	1.1	31.7	12	-72252
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	16.9	11.4	9.8	6.3	4.0	0.8	0.6	1.2	4.7	11.8	17.2	18.5	103.2	12	-72252
	23 LST	17.5	13.9	13.1	8.0	8.3	5.2	3.2	6.9	14.5	14.5	17.3	20.6	143.0	12	-72252
	05 LST	18.7	18.6	18.4	16.2	16.5	16.0	17.1	19.8	21.9	20.4	18.7	19.9	222.2	12	-72252
	11 LST	16.1	11.9	13.8	11.0	9.7	5.6	2.7	3.8	13.2	15.1	15.2	17.5	135.6	12	-72252
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	11.4	10.6	9.7	8.8	11.1	8.9	7.6	8.1	10.3	14.5	11.4	14.0	126.4	12	-72252
	23 LST	14.7	14.6	15.6	14.5	17.1	21.2	23.8	22.5	20.2	21.0	16.4	17.2	218.8	12	-72252
	05 LST	12.4	12.5	11.7	10.0	10.7	16.0	21.6	21.3	18.8	17.4	12.3	14.0	178.7	12	-72252
	11 LST	9.6	9.4	8.9	9.2	10.4	11.4	14.1	14.6	11.9	12.4	9.5	11.8	133.2	12	-72252
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	26.7	24.4	29.3	28.6	30.4	29.8	30.8	30.7	29.2	29.6	26.2	28.3	344.0	12	-72252
	23 LST	25.2	22.9	27.7	26.6	29.6	29.2	30.7	30.9	28.9	29.2	25.6	26.6	333.1	12	-72252
	05 LST	20.6	18.8	22.4	21.2	24.1	25.4	29.8	29.6	25.6	25.2	21.7	22.7	287.1	12	-72252
	11 LST	21.8	19.2	24.2	25.1	26.9	29.0	30.7	30.0	28.0	27.6	23.1	23.1	308.7	12	-72252
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	24.4	21.3	25.6	24.7	27.4	27.4	29.7	29.3	25.8	27.7	23.2	25.7	312.2	12	-72252
	23 LST	22.7	21.4	24.9	23.6	27.6	28.6	30.2	30.1	27.2	27.2	22.3	24.4	310.2	12	-72252
	05 LST	18.2	16.8	19.2	18.3	20.2	24.1	29.5	29.5	24.8	23.0	18.3	20.2	262.1	12	-72252
	11 LST	19.2	17.1	20.2	19.5	19.7	21.4	27.2	27.0	22.3	22.5	18.7	21.0	255.8	12	-72252
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	24.0	20.8	24.6	23.6	26.7	25.1	27.5	27.0	24.6	26.7	22.5	24.8	297.9	12	-72252
	23 LST	22.2	20.8	24.3	22.5	27.1	28.2	30.0	29.6	26.8	26.5	21.6	23.7	303.3	12	-72252
	05 LST	17.6	16.4	18.7	17.5	19.7	23.8	29.2	28.7	24.8	22.0	17.3	19.3	255.0	12	-72252
	11 LST	18.3	16.7	19.3	18.9	19.2	21.0	27.1	26.7	22.0	21.5	17.6	19.7	248.0	12	-72252

LAKE JACKSON, TEXAS

STA NO. 73639 (IN AREA NUMBER 13)

LATITUDE 2902N

LONGITUDE 0952W

ELEVATION(FT) 00012

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. UBS
ABS MAX TMP (F)	78	83	85	92	93	99	101	100	96	94	85	80	101	90	-72242
MEAN MAX TMP (F)	60	62	67	73	80	86	88	88	85	78	69	62	75	87	-72242
MEAN MIN TMP (F)	49	51	57	64	71	77	79	79	75	68	58	51	65	87	-72242
ABS MIN TMP (F)	11	8	27	38	52	57	66	67	52	41	26	18	8	90	-72242
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.1	0.4	3.8	13.6	14.5	3.0	0.1	0.0	0.0	35.3	12	-72242
MEAN NO DYS TMP = DR LES 32(F)	1.1	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	2.6	12	-72242
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72242
MEAN DEW PT TMP (F)	49	50	54	61	68	73	75	74	71	63	53	49	62	12	-72242
MEAN REL HUM (PCT)	80	80	78	79	77	76	75	74	74	72	74	77	76	12	-72242
MEAN PRESS ALT (FT)	-178	-142	-70	-23	2	7	-41	-34	-34	-86	-192	-176	-76	0	-50
MEAN PRECIP (IN)	3.43	2.85	2.75	3.02	3.33	3.73	4.04	4.38	5.50	4.01	3.66	3.90	44.6	90	-72242
MEAN SNOW FALL (IN)	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	90	-72242
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.8	6.0	5.8	6.1	6.4	6.5	6.8	7.2	8.2	6.3	5.9	7.4	79.4	90	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	-72242
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	6.5	5.4	6.1	3.1	0.2	0.1	0.0	0.1	0.4	0.6	2.5	4.8	29.8	12	-72242
MEAN NO DYS TSTMS	2.0	2.0	3.0	4.0	5.0	5.0	8.0	8.0	6.0	2.0	2.0	2.0	49.0	60	-72242
P FREQ WND SPD = DR GTR 17 KTS	15.6	18.8	13.7	12.0	10.0	7.6	5.9	2.9	5.6	8.6	18.5	13.3	11.0	12	-72242
P FREQ WND SPD = DR GTR 28 KTS	0.9	0.7	1.0	0.3	0.0	0.3	0.2	0.1	0.7	0.3	1.5	1.0	0.6	12	-72242
P FREQ LES 5000 FT A/D LES 5 MI	41.3	41.5	38.1	37.2	29.7	9.9	6.4	6.6	11.3	13.3	28.6	34.4	24.9	12	-72242
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	24.6	26.1	24.5	27.5	22.3	3.0	0.8	0.2	3.4	3.7	14.7	18.0	14.1	12	-72242
03-05 LST	25.7	28.1	26.8	28.4	22.5	3.8	2.0	1.3	5.0	5.9	17.3	21.0	15.7	12	-72242
06-08 LST	28.0	30.4	25.9	23.6	18.1	4.5	1.8	1.9	7.7	8.8	18.6	22.6	16.0	12	-72242
09-11 LST	22.9	26.2	17.6	18.4	15.9	3.0	1.9	2.2	7.9	6.6	15.5	18.1	13.0	12	-72242
12-14 LST	19.7	22.5	13.6	14.8	12.8	1.8	1.3	0.7	3.6	3.1	10.4	18.0	10.2	12	-72242
15-17 LST	19.4	20.7	14.0	13.8	14.5	1.4	0.5	0.2	2.2	2.8	9.7	15.7	9.6	12	-72242
18-20 LST	22.8	20.4	15.4	19.4	16.7	2.2	0.4	0.4	2.7	3.0	10.4	15.4	10.8	12	-72242
21-23 LST	23.9	23.7	19.0	23.0	18.3	1.9	0.6	0.2	3.0	3.7	12.1	16.2	12.1	12	-72242
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	12.5	10.0	10.6	7.4	0.9	0.0	0.0	0.0	0.1	0.2	3.6	6.1	4.3	12	-72242
03-05 LST	12.8	10.9	11.8	6.4	0.7	0.2	0.4	0.0	0.2	0.9	5.3	8.1	4.8	12	-72242
06-08 LST	12.0	10.5	9.3	4.8	0.6	0.3	0.3	0.0	0.6	0.9	3.3	6.5	4.1	12	-72242
09-11 LST	6.4	5.1	4.4	1.7	0.3	0.0	0.3	0.0	0.2	0.4	1.2	3.8	2.0	12	-72242
12-14 LST	3.1	3.6	2.0	1.4	0.1	0.0	0.0	0.1	0.2	0.2	0.4	2.4	1.1	12	-72242
15-17 LST	4.3	4.3	3.7	2.2	0.1	0.0	0.1	0.0	0.2	0.2	0.5	3.1	1.6	12	-72242
18-20 LST	6.6	5.9	5.0	4.3	0.2	0.2	0.0	0.0	0.3	0.1	1.1	4.4	2.3	12	-72242
21-23 LST	9.7	8.2	8.2	5.8	0.3	0.1	0.0	0.1	0.1	0.6	2.2	5.6	3.4	12	-72242

LAKE JACKSON, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	25.6	23.4	27.1	25.7	29.1	29.9	30.9	31.0	29.6	30.7	28.2	26.8	338.0	12	-72242
	00 LST	24.4	21.4	25.1	24.2	28.1	30.0	30.9	31.0	29.7	30.5	26.9	26.2	328.4	12	-72242
	06 LST	23.7	21.2	23.8	24.5	28.1	29.3	30.7	30.7	28.9	29.5	24.8	25.2	320.4	12	-72242
	12 LST	26.0	23.4	28.0	27.2	29.4	29.7	30.7	30.8	29.5	30.3	27.8	26.9	339.7	12	-72242
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	10.7	7.9	9.5	7.3	8.6	7.8	11.5	14.7	16.5	18.0	13.8	12.8	139.1	12	-72242
	00 LST	10.6	7.7	10.0	9.0	10.3	10.9	14.8	17.1	16.7	18.2	13.7	11.8	150.8	12	-72242
	06 LST	9.1	9.3	8.9	9.2	12.0	14.5	19.1	22.3	18.6	17.1	12.2	11.5	163.8	12	-72242
	12 LST	6.7	4.5	5.1	4.2	7.2	7.7	10.2	11.7	10.5	10.2	7.4	7.8	93.2	12	-72242
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	3.2	4.0	3.4	2.8	2.3	1.6	2.5	0.5	1.0	1.4	4.4	3.2	30.3	12	-72242
	00 LST	3.3	4.5	2.8	2.9	4.1	2.4	1.5	0.7	1.2	2.4	5.3	4.0	35.1	12	-72242
	06 LST	3.4	3.8	4.2	2.7	2.4	1.7	0.8	0.7	1.1	2.3	6.2	3.9	35.2	12	-72242
	12 LST	5.3	7.6	5.5	5.6	3.4	2.3	2.1	0.7	2.3	2.6	6.0	4.3	47.7	12	-72242
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	17.1	13.9	17.5	13.2	15.3	14.0	15.3	20.7	19.9	19.1	17.0	17.5	200.5	12	-72242
	00 LST	18.7	14.4	18.3	15.0	14.7	15.2	19.7	20.8	19.9	18.7	16.3	16.9	208.6	12	-72242
	06 LST	16.4	14.3	17.1	16.3	16.0	17.3	20.6	23.3	20.4	19.0	15.6	16.2	212.5	12	-72242
	12 LST	12.2	9.5	9.3	9.7	12.2	12.1	13.9	16.3	15.9	16.0	12.6	12.8	151.5	12	-72242
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.4	8.4	8.0	8.8	8.7	10.7	7.8	9.2	9.8	14.8	10.2	9.5	114.3	12	-72242
	00 LST	10.7	10.6	11.0	10.6	9.5	12.4	14.7	15.5	15.5	17.8	14.0	11.9	134.2	12	-72242
	06 LST	9.5	8.6	7.8	6.3	5.9	6.4	5.3	6.4	11.4	13.6	10.1	11.5	102.8	12	-72242
	12 LST	7.8	7.5	8.2	7.6	7.2	7.0	5.5	6.8	9.3	12.1	9.2	9.3	97.5	12	-72242
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	22.3	20.6	24.1	22.8	25.1	28.5	30.6	30.3	28.6	29.5	25.7	24.6	312.7	12	-72242
	00 LST	21.9	19.0	22.2	20.7	22.7	27.6	29.6	30.1	28.3	28.8	23.2	23.6	299.7	12	-72242
	06 LST	19.3	18.6	19.9	19.1	22.3	26.9	29.1	28.6	26.9	27.7	22.8	22.8	284.0	12	-72242
	12 LST	23.3	19.3	24.9	22.6	24.6	27.6	29.4	29.2	26.9	27.9	25.1	23.2	304.0	12	-72242
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	17.9	17.2	19.6	20.1	24.0	28.2	30.2	30.0	27.4	27.9	21.8	20.1	284.4	12	-72242
	00 LST	18.2	16.2	19.2	19.1	21.0	26.9	29.0	29.6	27.6	27.8	21.8	20.5	276.9	12	-72242
	06 LST	15.1	14.7	16.7	16.7	20.1	26.6	28.0	27.5	25.7	25.6	19.7	18.6	255.0	12	-72242
	12 LST	19.7	16.6	19.7	19.2	22.7	26.6	28.5	28.2	25.9	26.4	21.7	19.6	274.8	12	-72242
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	16.6	16.0	18.4	19.3	22.8	28.0	29.9	29.5	27.2	26.7	20.4	18.2	273.0	12	-72242
	00 LST	16.6	14.7	18.1	18.1	20.0	26.5	28.9	29.1	26.9	26.9	20.2	18.5	264.5	12	-72242
	06 LST	13.8	13.4	15.0	15.3	19.1	26.0	27.7	27.2	24.8	24.3	18.0	16.3	240.9	12	-72242
	12 LST	17.4	14.8	18.2	18.1	21.6	25.7	28.0	27.6	25.2	25.5	19.8	17.8	259.7	12	-72242

CORPUS CHRISTI/CUDDIHY FIELD, TEXAS

STA NO. 73641 (IN SEA NUMBER 13)

LATITUDE 2743N

LONGITUDE 09731W

ELEVATION(FT) 00039

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	86	98	94	102	98	100	104	102	102	98	95	88	104	22	-72251
MEAN MAX TMP (F)	66	70	74	80	85	90	93	93	89	83	74	69	81	19	-72251
MEAN MIN TMP (F)	48	52	57	64	70	75	76	76	73	65	56	50	64	19	-72251
ABS MIN TMP (F)	18	18	28	39	50	61	68	65	50	40	29	24	18	22	-72251
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.3	0.6	1.5	5.4	21.2	29.4	28.2	16.6	3.6	0.3	0.0	107.1	12	-72251
MEAN NO DYS TMP = OR LES 32(F)	1.7	1.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.0	4.3	12	-72251
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72251
MEAN DEW PT TMP (F)	50	52	56	62	69	73	74	74	72	64	54	49	62	12	-72251
MEAN REL HUM (PCT)	78	78	75	77	78	76	74	74	75	74	75	74	76	12	-72251
MEAN PRESS ALT (FT)	-125	-88	-23	29	55	59	6	10	22	-26	-98	-125	-24	0	-50
MEAN PRECIP (IN)	1.68	1.81	1.31	2.21	2.68	2.10	1.92	3.42	4.61	3.19	1.81	1.58	28.3	19	-72251
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72251
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.1	4.3	3.5	5.2	5.8	4.3	4.0	6.1	7.1	5.2	3.4	3.9	56.9	19	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72251
MEAN NO DYS W/OGUR VSBY LES 1/2 MI	4.4	3.6	3.2	1.5	0.6	0.0	0.0	0.1	0.2	0.7	2.6	4.1	21.5	12	-72251
MEAN NO DYS TSTMS	0.9	1.6	1.0	3.1	4.5	2.7	2.7	3.6	5.0	2.7	1.1	0.6	29.5	12	-72251
P FREQ WND SPD = OR GTR 17 KTS	14.7	17.6	21.5	21.4	15.5	11.6	11.8	9.2	5.8	5.9	12.9	11.3	13.3	12	-72251
P FREQ WND SPD = OR GTR 28 KTS	0.5	0.6	1.2	0.5	0.2	0.0	0.0	0.0	0.4	0.0	0.2	0.1	0.3	12	-72251
P FREQ LES 5000 FT A/D LES 5 MI	39.6	41.8	41.4	45.8	39.2	22.8	9.5	9.1	14.7	17.5	34.0	33.0	29.0	12	-72251
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	23.5	24.9	29.3	34.8	24.9	5.7	0.5	1.0	2.7	4.5	18.4	19.7	15.8	12	-72251
03-05 LST	28.8	29.3	30.9	35.6	22.7	5.6	0.5	1.3	3.5	6.6	22.3	23.0	17.5	12	-72251
06-08 LST	34.3	34.2	30.9	37.2	22.9	8.0	2.2	2.2	5.9	8.0	20.9	23.8	19.2	12	-72251
09-11 LST	27.2	29.6	23.4	20.9	9.2	1.4	0.2	1.8	4.3	7.3	19.4	21.9	13.9	12	-72251
12-14 LST	17.0	19.1	10.9	8.7	3.8	1.1	0.1	1.4	2.5	3.2	11.2	13.1	7.7	12	-72251
15-17 LST	15.1	16.2	7.6	9.5	3.9	0.6	0.1	1.2	1.9	3.4	10.1	10.5	6.7	12	-72251
18-20 LST	17.3	17.7	16.0	23.4	15.5	1.7	0.1	0.0	2.0	3.8	10.7	11.6	10.0	12	-72251
21-23 LST	23.3	21.6	24.2	31.5	21.7	3.6	0.5	0.1	2.3	3.9	13.0	13.3	13.3	12	-72251
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	7.3	6.2	6.5	1.9	0.7	0.0	0.0	0.0	0.2	0.4	1.5	5.7	2.5	12	-72251
03-05 LST	10.9	8.8	7.4	3.0	1.3	0.0	0.1	0.3	0.4	0.8	5.4	7.9	3.9	12	-72251
06-08 LST	13.4	9.4	5.3	1.6	1.1	0.0	0.2	0.2	0.5	1.3	5.4	7.5	3.8	12	-72251
09-11 LST	3.0	2.5	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.2	1.6	2.4	0.9	12	-72251
12-14 LST	0.7	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.6	0.2	12	-72251
15-17 LST	1.3	0.0	0.4	0.0	0.1	0.0	0.0	0.0	0.1	0.1	0.4	0.2	0.2	12	-72251
18-20 LST	2.0	0.9	0.5	0.5	0.0	0.0	0.0	0.0	0.1	0.0	0.3	1.3	0.5	12	-72251
21-23 LST	4.9	3.6	2.7	0.9	0.1	0.1	0.1	0.0	0.0	0.0	0.4	3.0	1.3	12	-72251

## CORPUS CHRISTI/CUDDIHY FIELD, TEXAS

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO, OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	27.7	24.8	28.9	27.4	30.3	30.0	31.0	31.0	29.8	30.3	28.0	28.5	347.7	12	-72251
	23 LST	24.3	22.6	23.8	22.2	28.1	29.6	31.0	30.9	29.3	30.4	26.3	26.2	324.7	12	-72251
	05 LST	21.8	20.0	22.1	22.3	27.5	29.1	30.7	30.8	28.7	29.6	25.1	24.7	312.4	12	-72251
	11 LST	27.2	24.4	28.7	28.6	30.7	29.8	30.9	30.8	29.7	30.3	27.8	27.9	346.8	12	-72251
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LFS 10 KTS	17 LST	11.6	6.7	5.6	3.0	3.7	3.2	1.9	2.2	6.1	13.3	14.6	15.9	87.8	12	-72251
	23 LST	14.3	12.0	12.7	10.3	14.5	18.1	20.3	21.0	23.7	24.1	15.9	16.6	203.5	12	-72251
	05 LST	12.6	12.5	11.7	10.8	15.7	22.7	27.7	28.0	24.4	23.4	15.5	16.0	221.0	12	-72251
	11 LST	6.4	4.3	3.6	3.6	5.8	5.1	6.3	6.6	8.0	8.6	7.4	7.6	73.3	12	-72251
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	4.1	5.6	7.7	8.0	5.6	6.4	9.1	6.6	2.2	1.7	2.9	2.5	62.4	12	-72251
	23 LST	2.6	3.2	3.6	3.8	2.1	0.8	0.7	0.2	0.5	0.3	2.7	1.8	22.3	12	-72251
	05 LST	2.0	1.6	2.7	2.5	1.1	0.4	0.2	0.2	0.2	0.5	2.6	2.1	16.1	12	-72251
	11 LST	8.7	8.6	10.7	10.9	8.4	6.3	5.5	4.0	2.8	3.4	6.9	7.5	83.7	12	-72251
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	14.7	10.1	8.8	5.7	5.0	4.6	3.8	3.5	10.6	15.9	15.6	18.3	116.6	12	-72251
	23 LST	17.1	13.6	15.0	12.5	14.0	17.0	20.2	19.2	17.9	15.9	13.9	16.6	193.5	12	-72251
	05 LST	15.7	14.0	17.0	13.4	14.8	14.2	13.6	14.1	15.1	15.2	16.1	16.4	179.9	12	-72251
	11 LST	10.2	7.9	6.3	4.8	7.4	4.7	2.8	3.4	9.3	11.4	10.5	10.5	89.2	12	-72251
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	10.9	10.6	7.9	6.8	9.5	12.0	14.1	14.5	13.8	16.4	11.0	12.2	139.7	12	-72251
	23 LST	11.7	10.6	9.3	8.5	10.1	14.7	20.2	19.8	18.6	18.8	13.2	13.5	169.0	12	-72251
	05 LST	10.2	9.6	6.7	5.3	6.4	10.5	14.2	15.0	14.4	14.1	10.3	11.4	128.1	12	-72251
	11 LST	8.1	7.8	6.9	5.7	6.1	5.2	5.2	7.8	7.1	10.6	7.8	9.9	88.2	12	-72251
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	24.6	22.5	25.5	22.4	24.6	28.8	30.5	30.7	29.0	29.2	25.6	26.8	318.2	12	-72251
	23 LST	21.9	19.2	20.4	17.6	20.3	26.4	30.2	30.1	28.0	28.6	23.6	23.9	290.2	12	-72251
	05 LST	18.7	16.9	18.0	15.9	21.5	26.1	29.8	29.7	27.2	27.8	21.8	22.0	275.4	12	-72251
	11 LST	20.6	18.2	22.3	18.7	23.4	26.7	30.0	29.6	27.1	28.0	22.3	23.7	290.6	12	-72251
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	21.4	19.3	22.4	20.5	23.5	25.9	30.5	30.6	28.3	27.9	21.9	23.2	295.4	12	-72251
	23 LST	18.3	16.7	17.6	15.5	19.1	26.1	30.2	29.6	27.7	27.4	20.1	20.4	268.7	12	-72251
	05 LST	15.7	14.1	14.8	13.1	18.6	24.7	29.6	29.1	25.7	25.1	18.2	18.1	246.8	12	-72251
	11 LST	16.7	14.4	16.5	13.7	16.6	17.8	24.2	26.1	21.3	22.0	17.4	19.2	225.9	12	-72251
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	20.0	18.7	21.0	19.7	22.6	25.6	30.4	30.2	27.8	27.1	20.3	21.8	285.2	12	-72251
	23 LST	17.4	16.0	16.2	14.7	18.5	25.8	30.2	29.4	27.4	26.5	19.3	19.2	260.6	12	-72251
	05 LST	15.0	13.1	12.8	12.0	17.9	24.4	29.5	28.7	25.1	24.5	16.7	17.0	236.7	12	-72251
	11 LST	15.3	13.7	15.1	13.4	16.2	17.4	24.0	25.6	20.6	20.7	16.1	17.4	215.5	12	-72251

SINTON, TEXAS

STA NO. 73642 (IN AREA NUMBER 13)

LATITUDE 2802N

LONGITUDE 09732W

ELEVATION(FT) 00049

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	86	98	94	102	98	100	104	102	102	98	95	88	104	22	-72251
MEAN MAX TMP (F)	66	70	74	80	85	90	93	93	89	83	74	69	81	19	-72251
MEAN MIN TMP (F)	48	52	57	64	70	75	76	76	73	65	56	50	64	19	-72251
ABS MIN TMP (F)	18	18	28	39	50	61	68	65	50	40	29	24	18	22	-72251
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.3	0.6	1.5	5.4	21.2	29.4	28.2	16.6	3.6	0.3	0.0	107.1	12	-72251
MEAN NO DYS TMP = DR LES 32(F)	1.7	1.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.0	4.3	12	-72251
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72251
MEAN DEW PT TMP (F)	50	52	56	62	69	73	74	74	72	64	54	49	62	12	-72251
MEAN REL HUM (PCT)	78	78	75	77	78	76	74	74	76	74	75	74	76	12	-72251
MEAN PRESS ALT (FT)	-128	-87	-12	40	64	71	17	21	19	-30	-102	-190	-20	0	-50
MEAN PRECIP (IN)	1.68	1.81	1.31	2.21	2.68	2.10	1.92	3.42	4.61	3.19	1.81	1.98	28.3	19	-72251
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72251
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.1	4.3	3.5	5.2	5.8	4.3	4.0	6.1	7.1	5.2	3.4	3.9	36.9	19	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72251
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.9	3.6	3.2	1.5	0.6	0.0	0.0	0.1	0.2	0.7	2.6	4.1	21.5	12	-72251
MEAN NO DYS TSTMS	0.9	1.6	1.0	3.1	4.5	2.7	2.7	3.6	5.0	2.7	1.1	0.6	29.5	12	-72251
P FREQ WND SPD = DR GTR 17 KTS	14.7	17.6	21.5	21.4	15.5	11.6	11.8	9.2	5.8	5.9	12.9	11.3	13.3	12	-72251
P FREQ WND SPD = DR GTR 28 KTS	0.5	0.6	1.2	0.5	0.2	0.0	0.0	0.0	0.4	0.0	0.2	0.1	0.3	12	-72251
P FREQ LES 5000 FT A/O LES 5 MI	39.6	41.8	41.4	45.8	39.2	22.8	9.5	9.1	14.7	17.5	34.0	33.0	29.0	12	-72251
P FREQ LES 1900 FT A/O LES 3 MI															
FOR 00-02 LST	23.5	24.9	29.3	34.8	24.9	5.7	0.5	1.0	2.7	4.5	18.4	19.7	15.8	12	-72251
03-05 LST	28.8	29.3	30.9	35.6	22.7	5.6	0.5	1.3	3.5	6.6	22.3	23.0	17.5	12	-72251
06-08 LST	34.3	34.2	30.9	37.2	22.9	8.0	2.2	2.2	5.9	8.0	20.9	23.8	19.2	12	-72251
09-11 LST	27.2	29.6	23.4	20.9	9.2	1.4	0.2	1.8	4.3	7.3	19.4	21.9	13.9	12	-72251
12-14 LST	17.0	19.1	10.9	8.7	3.8	1.1	0.1	1.4	2.5	3.2	11.2	13.1	7.7	12	-72251
15-17 LST	15.1	16.2	7.6	9.5	3.9	0.6	0.1	1.2	1.9	3.4	10.1	10.5	6.7	12	-72251
18-20 LST	17.3	17.7	16.0	23.4	15.5	1.7	0.1	0.0	2.0	3.8	10.7	11.6	10.0	12	-72251
21-23 LST	23.3	21.6	24.2	31.5	21.7	3.6	0.5	0.1	2.3	3.9	13.0	13.3	13.3	12	-72251
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	7.3	6.2	6.5	1.9	0.7	0.0	0.0	0.0	0.2	0.4	1.5	5.7	2.5	12	-72251
03-05 LST	10.9	8.8	7.4	3.0	1.3	0.0	0.1	0.3	0.4	0.8	5.4	7.9	3.9	12	-72251
06-08 LST	13.4	9.4	5.3	1.6	1.1	0.0	0.2	0.2	0.5	1.3	5.4	7.5	3.8	12	-72251
09-11 LST	3.0	2.5	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.2	1.6	2.4	0.9	12	-72251
12-14 LST	0.7	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.6	0.2	12	-72251
15-17 LST	1.3	0.0	0.4	0.0	0.1	0.0	0.0	0.0	0.1	0.1	0.4	0.2	0.2	12	-72251
18-20 LST	2.0	0.9	0.5	0.5	0.0	0.0	0.0	0.0	0.1	0.0	0.3	1.3	0.5	12	-72251
21-23 LST	4.9	3.6	2.7	0.9	0.1	0.1	0.1	0.0	0.0	0.0	0.0	3.0	1.3	12	-72251

SINTON, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	27.7	24.8	28.9	27.4	30.3	30.0	31.0	31.0	29.8	30.3	28.0	28.5	347.7	12	-72251
	23 LST	24.3	22.6	23.8	22.2	28.1	29.6	31.0	30.9	29.3	30.4	26.3	26.2	324.7	12	-72251
	05 LST	21.8	20.0	22.1	22.3	27.5	29.1	30.7	30.8	28.7	29.6	25.1	24.7	312.4	12	-72251
	11 LST	27.2	24.4	28.7	28.6	30.7	29.8	30.9	30.8	29.7	30.3	27.8	27.4	346.8	12	-72251
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LFS 10 KTS	17 LST	11.6	6.7	5.6	3.0	3.7	3.2	1.9	2.2	6.1	13.3	14.6	15.9	87.8	12	-72251
	23 LST	14.3	12.0	12.7	10.3	14.5	18.1	20.3	21.0	23.7	24.1	15.9	16.6	203.5	12	-72251
	05 LST	12.6	12.5	11.7	10.8	15.7	22.7	27.7	28.0	24.4	23.4	15.5	16.0	221.0	12	-72251
	11 LST	6.4	4.3	3.6	3.6	5.8	5.1	6.3	6.6	8.0	8.6	7.4	7.6	73.3	12	-72251
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	4.1	5.6	7.7	8.0	5.6	6.4	9.1	6.6	2.2	1.7	2.9	2.5	62.4	12	-72251
	23 LST	2.6	3.2	3.6	3.8	2.1	0.8	0.7	0.2	0.5	0.3	2.7	1.8	22.3	12	-72251
	05 LST	2.0	1.6	2.7	2.5	1.1	0.4	0.2	0.2	0.2	0.5	2.6	2.1	16.1	12	-72251
	11 LST	8.7	8.6	10.7	10.9	8.4	6.3	5.5	4.0	2.8	3.4	6.9	7.5	83.7	12	-72251
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	17 LST	14.7	10.1	8.8	5.7	5.0	4.6	3.8	3.5	10.6	15.9	15.6	18.3	116.6	12	-72251
	23 LST	17.1	13.6	15.0	12.5	14.0	17.0	20.2	19.8	17.9	15.9	13.9	16.6	193.5	12	-72251
	05 LST	15.7	14.0	17.0	13.4	14.8	14.5	13.6	14.1	15.1	15.2	16.1	16.4	179.8	12	-72251
	11 LST	10.2	7.9	6.3	4.8	7.4	4.7	2.8	3.4	9.3	11.4	10.5	10.5	89.2	12	-72251
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	10.9	10.6	7.9	6.8	9.5	12.0	14.1	14.5	13.8	16.4	11.0	12.2	139.7	12	-72251
	23 LST	11.7	10.6	9.3	8.5	10.1	14.7	20.2	19.8	18.6	18.8	13.2	13.5	169.0	12	-72251
	05 LST	10.2	9.5	6.7	5.3	6.4	10.5	14.2	15.0	14.4	14.1	10.3	11.4	128.1	12	-72251
	11 LST	8.1	7.8	6.9	5.7	6.1	5.2	5.2	7.8	7.1	10.6	7.8	9.9	88.2	12	-72251
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	24.6	22.5	25.5	22.4	24.6	26.8	30.5	30.7	29.0	29.2	25.6	26.8	318.2	12	-72251
	23 LST	21.9	19.2	20.4	17.6	20.3	26.4	30.2	30.1	28.0	28.6	23.6	23.9	290.2	12	-72251
	05 LST	18.7	16.9	18.0	15.9	21.5	26.1	29.8	29.7	27.2	27.8	21.8	22.0	275.4	12	-72251
	11 LST	20.6	18.2	22.3	18.7	23.4	26.7	30.0	29.6	27.1	28.0	22.3	23.7	290.6	12	-72251
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	21.4	19.3	22.4	20.5	23.5	25.4	30.5	30.6	28.3	27.9	21.9	23.2	295.4	12	-72251
	23 LST	18.3	16.7	17.6	15.5	19.1	26.1	30.2	29.6	27.7	27.4	20.1	20.4	268.7	12	-72251
	05 LST	15.7	14.1	14.8	13.1	18.6	24.7	29.6	29.1	25.7	25.1	18.2	18.1	246.8	12	-72251
	11 LST	16.7	14.4	16.5	13.7	16.6	17.8	24.2	26.1	21.3	22.0	17.4	19.2	225.9	12	-72251
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	20.0	18.7	21.0	19.7	22.6	25.6	30.4	30.2	27.8	27.1	20.3	21.8	285.2	12	-72251
	23 LST	17.4	16.0	16.2	14.7	18.5	25.8	30.2	29.4	27.4	26.5	19.5	19.2	260.6	12	-72251
	05 LST	15.0	13.1	12.8	12.0	17.9	24.4	29.5	28.7	25.1	24.5	16.7	17.0	236.7	12	-72251
	11 LST	15.3	13.7	15.1	13.4	16.2	17.4	24.0	25.6	20.6	20.7	16.1	17.4	215.5	12	-72251

CORPUS CHRISTI/NAS, TEXAS

STA NO. 73643 (IN AREA NUMBER 13)	LATITUDE 2742N LONGITUDE 09716W ELEVATION(FT) 00019												POR	NO.	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	DBS
ABS MAX TMP (F)	84	94	90	98	97	97	97	101	100	96	89	84	101	12	4380
MEAN MAX TMP (F)	64	68	72	78	84	88	90	90	88	82	72	66	79	12	4380
MEAN MIN TMP (F)	50	54	59	66	73	78	79	79	77	70	59	52	66	12	4390
ABS MIN TMP (F)	20	30	35	46	53	64	71	71	65	48	34	30	20	12	4380
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.1	0.1	0.6	0.9	8.6	17.4	19.6	12.2	1.9	0.0	0.0	61.4	12	4380
MEAN NO DYS TMP = OR LES 32(F)	1.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.8	12	4380
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4380
MEAN DEW PT TMP (F)	50	53	57	64	70	74	75	75	72	65	56	51	64	12	98468
MEAN REL HUM (PCT)	78	78	77	78	77	75	75	75	73	71	74	76	76	12	98465
MEAN PRESS ALT (FT)	-123	-91	-35	14	41	43	-8	-7	27	-20	-94	-120	-30	0	-50
MEAN PRECIP (IN)	2.10	2.16	0.62	2.07	1.97	2.00	1.12	3.54	5.10	3.98	2.52	1.99	28.3	10	3650
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3651
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.6	2.9	1.5	2.8	2.6	2.5	2.3	4.3	5.6	5.3	3.8	2.8	39.0	10	3650
MEAN NO DYS SNFL = OR STR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	.0	10	3651
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	6.2	4.3	5.4	1.2	0.4	0.2	0.0	0.1	0.3	0.2	1.5	4.6	24.4	12	4104
MEAN NO DYS TSTMS	0.7	1.2	0.9	2.5	3.3	3.1	1.5	3.2	4.4	3.0	1.0	0.7	25.5	12	4380
P FREQ WND SPD = OR GTR 17 KTS	15.8	22.9	25.1	30.1	29.2	22.2	16.0	12.4	8.1	9.7	17.4	12.3	18.4	12	98472
P FREQ WND SPD = OR GTR 28 KTS	0.7	1.0	1.1	0.7	0.3	0.2	0.0	0.0	0.7	0.2	0.6	0.5	0.5	12	98472
P FRFQ LES 5000 FT A/D LES 5 MI	37.1	39.9	39.8	43.2	38.8	22.4	7.6	8.8	12.2	11.9	29.4	33.1	27.0	12	98478
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.0	24.3	29.3	34.8	25.0	6.6	0.8	0.9	3.6	2.2	14.8	20.5	15.4	12	12309
03-05 LST	26.2	28.8	30.2	36.1	22.4	6.8	1.0	1.2	3.9	2.8	19.2	23.0	16.8	12	12311
06-08 LST	28.6	33.4	32.8	32.3	21.2	5.9	1.6	2.1	6.4	4.2	20.2	23.3	17.7	12	12312
09-11 LST	27.6	29.7	24.9	26.4	22.0	5.5	1.4	2.9	4.9	6.1	18.2	21.6	15.9	12	12310
12-14 LST	22.0	20.5	16.6	18.0	15.3	2.2	0.1	1.8	3.0	3.5	14.0	17.4	11.2	12	12307
15-17 LST	18.7	18.1	10.8	16.5	15.0	3.4	0.3	1.1	2.4	2.7	9.9	14.6	9.5	12	12309
18-20 LST	18.5	17.3	15.1	23.3	20.0	5.8	0.3	0.9	1.8	3.0	9.6	14.3	10.8	12	12311
21-23 LST	21.8	19.4	21.9	32.0	21.6	4.9	0.3	0.5	2.7	2.2	11.8	15.3	12.9	12	12310
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	10.7	7.0	12.7	3.9	0.8	0.0	0.0	0.1	0.3	0.1	1.0	7.5	3.7	12	12309
03-05 LST	12.5	9.7	12.8	4.4	1.1	0.0	0.0	0.0	0.7	0.2	3.1	8.2	4.4	12	12311
06-08 LST	13.1	10.9	10.7	3.4	0.5	0.0	0.0	0.3	0.5	0.2	3.7	7.5	4.2	12	12312
09-11 LST	7.8	3.4	4.3	1.1	0.0	0.1	0.1	0.7	0.6	0.1	2.5	4.9	2.3	12	12310
12-14 LST	3.8	2.1	1.7	0.4	0.2	0.0	0.0	0.0	0.3	0.4	0.6	2.3	1.0	12	12307
15-17 LST	2.1	2.3	0.4	0.2	0.1	0.1	0.0	0.2	0.3	0.4	1.0	2.0	0.8	12	12309
18-20 LST	5.6	3.6	4.0	0.7	0.0	0.2	0.0	0.0	0.2	0.1	0.3	2.9	1.5	12	12311
21-23 LST	9.3	5.4	8.3	2.8	0.1	0.3	0.1	0.0	0.1	0.0	0.4	5.8	2.7	12	12310

CORPUS CHRISTI/NAS, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN-	PDR	NO.
														(YRS)	055	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.0	24.5	27.8	25.4	28.3	29.9	31.0	31.0	29.7	30.6	27.9	27.4	339.5	12	4104
	00 LST	24.8	23.0	23.5	22.5	27.1	29.7	31.0	30.8	29.6	30.8	27.2	26.2	326.2	12	4107
	06 LST	23.8	20.1	23.3	21.6	27.1	29.6	31.0	31.0	29.2	30.5	25.5	24.3	317.0	12	4104
	12 LST	25.2	23.5	26.9	26.4	29.5	29.9	30.9	30.6	29.5	30.5	27.2	26.7	336.8	12	4104
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	9.9	6.0	4.6	2.2	2.1	2.2	1.3	2.8	8.1	10.8	11.3	12.6	73.9	12	4104
	00 LST	9.8	6.7	7.8	5.2	5.4	6.8	8.4	12.5	14.5	15.3	12.1	12.0	116.5	12	4107
	06 LST	8.4	7.8	7.7	5.4	10.3	14.3	21.1	23.3	18.4	19.4	11.5	10.9	158.5	12	4104
	12 LST	7.2	5.5	4.2	2.9	3.6	4.0	4.8	8.7	9.8	10.0	7.2	9.3	77.2	12	4104
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	4.7	7.8	9.3	12.2	13.3	10.5	10.6	9.6	3.0	2.7	3.5	3.0	90.2	12	4062
	00 LST	4.5	5.3	5.1	7.9	7.8	5.6	3.1	1.6	1.8	2.4	5.3	3.3	53.7	12	4054
	06 LST	4.6	3.9	5.3	5.2	4.7	2.6	0.2	0.3	1.4	2.4	4.0	4.0	38.6	12	4039
	12 LST	6.2	7.5	11.2	11.1	10.3	7.5	5.5	4.2	2.3	3.3	6.9	5.0	81.0	12	4049
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	14.6	9.2	8.0	4.4	3.9	3.1	2.4	5.0	11.9	14.7	15.5	16.3	109.0	12	4062
	00 LST	13.6	10.7	11.9	9.1	9.0	10.4	11.8	14.9	16.5	16.0	13.3	13.1	152.3	12	4054
	06 LST	13.7	12.1	14.1	12.7	12.5	15.4	20.0	20.1	17.5	17.3	13.8	14.5	183.7	12	4039
	12 LST	11.3	8.8	7.9	5.3	6.1	5.5	3.8	6.5	11.4	12.2	11.9	14.7	105.4	12	4049
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.6	10.7	7.2	7.3	7.5	7.4	10.1	10.5	10.6	13.8	10.0	10.8	114.5	12	4104
	00 LST	11.4	10.8	8.8	8.3	9.1	12.4	17.5	17.0	16.6	18.6	13.6	11.7	155.8	12	4107
	06 LST	10.7	9.0	6.1	5.1	4.7	4.8	8.7	8.7	10.0	12.5	10.9	10.3	101.5	12	4104
	12 LST	7.2	8.6	6.3	6.1	4.5	4.9	3.2	6.3	7.3	9.8	8.3	8.2	83.7	12	4104
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.0	21.7	25.2	23.0	22.1	23.7	29.6	30.1	29.0	29.2	25.4	25.0	308.0	12	4104
	00 LST	22.9	19.9	20.6	17.8	21.2	25.9	30.0	30.1	28.9	29.9	24.7	23.9	295.8	12	4107
	06 LST	20.2	16.8	18.4	16.7	22.0	25.4	28.4	28.3	26.5	28.8	22.0	22.2	276.1	12	4104
	12 LST	21.7	18.9	22.3	20.7	19.4	22.4	27.3	28.3	25.4	26.7	23.3	23.9	280.3	12	4104
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.6	19.0	22.3	21.2	21.1	22.2	29.5	30.1	28.4	28.3	22.0	21.4	286.1	12	4104
	00 LST	19.2	17.0	18.2	16.2	20.2	25.5	29.8	29.4	28.1	29.3	21.5	21.0	275.4	12	4107
	06 LST	17.3	14.2	15.1	14.3	19.2	24.2	28.6	27.2	25.8	26.4	18.7	18.8	249.8	12	4104
	12 LST	18.5	16.1	18.5	17.6	16.6	20.9	26.6	26.7	23.9	24.1	20.4	20.1	250.0	12	4104
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.3	18.0	21.0	20.0	20.6	21.5	29.2	29.5	27.7	27.2	20.1	20.2	274.3	12	4104
	00 LST	17.7	16.3	16.7	15.5	19.7	25.0	29.7	29.2	27.6	28.1	20.3	19.9	265.7	12	4107
	06 LST	15.9	12.9	13.6	13.0	18.2	23.5	28.1	26.6	24.6	25.6	17.2	17.1	236.3	12	4104
	12 LST	17.4	15.0	16.5	16.7	16.1	20.3	26.3	26.2	22.7	23.3	18.2	17.7	236.4	12	4104

ALICE/ORANGE GROVE, TEXAS

STA NO. 73645 (IN AREA NUMBER 13)

LATITUDE 2754N

LONGITUDE 09803W

ELEVATION(FT) 00243

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POP	NO.
													(YRS)	UBS	
ABS MAX TMP (F)	92	98	103	107	107	110	111	110	106	102	96	92	111	45	-73234
MEAN MAX TMP (F)	68	72	77	84	89	94	97	98	93	86	76	69	84	46	-73234
MEAN MIN TMP (F)	46	49	54	61	68	73	74	74	70	62	53	47	61	46	-73234
ABS MIN TMP (F)	17	15	21	31	43	52	62	61	45	32	22	20	15	46	-73234
MEAN NO DYS TMP = DR GTR 90(F)	0.3	1.0	4.7	6.3	18.8	27.0	30.4	29.5	23.7	10.9	1.4	0.1	154.1	9	-73234
MEAN NO DYS TMP = DR LES 32(F)	3.1	1.8	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.5	7.7	9	-73234
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-73234
MEAN DEW PT TMP (F)	49	52	56	61	69	73	73	73	70	63	53	50	62	9	-73234
MEAN REL HUM (PCT)	75	75	72	73	76	75	72	72	75	75	73	74	74	9	-73234
MEAN PRESS ALT (FT)	68	112	187	240	265	272	217	220	219	169	95	67	176	0	-50
MEAN PRECIP (IN)	1.32	1.32	1.33	1.61	3.01	2.92	1.80	2.13	4.08	2.84	1.46	1.60	25.6	50	-73234
MEAN SNOW FALL (IN)	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	-73234
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.4	3.4	3.6	4.5	6.1	5.5	3.8	4.4	6.4	4.8	2.9	3.9	52.7	50	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-73234
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	4.7	4.9	3.3	2.4	1.8	0.7	0.1	0.0	0.6	3.5	3.5	5.7	31.2	9	-73234
MEAN NO DYS TSMS	0.6	0.8	1.7	4.3	5.4	3.6	4.1	4.9	5.4	2.1	0.7	0.6	34.2	9	-73234
P FREQ WND SPD = DR GTR 17 KTS	8.5	10.6	14.6	14.6	16.8	18.5	15.8	13.6	4.3	4.0	8.1	3.4	11.2	9	-73234
P FREQ WND SPD = DR GTR 28 KTS	0.6	0.1	0.2	0.3	0.3	0.3	0.2	0.2	0.0	0.1	0.2	0.2	0.2	9	-73234
P FREQ LES 3000 FT A/D LES 5 MI	43.0	45.0	43.9	40.6	39.5	26.9	14.2	12.2	19.3	22.6	30.1	34.8	31.0	9	-73234
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	32.5	33.0	30.8	29.9	24.3	11.1	3.5	2.3	3.1	8.7	15.6	21.6	18.0	9	-73234
03-05 LST	39.5	39.2	34.0	34.8	31.4	13.2	5.1	2.4	5.3	17.3	22.0	30.5	22.9	9	-73234
06-08 LST	46.1	46.7	33.5	34.0	33.4	15.7	7.4	7.0	13.1	20.1	25.6	36.5	26.6	9	-73234
09-11 LST	36.6	35.4	19.0	13.2	8.1	2.2	0.9	3.0	7.6	9.2	14.8	23.9	14.7	9	-73234
12-14 LST	16.1	19.8	8.1	4.9	1.9	0.5	0.2	1.1	3.5	4.4	7.3	12.6	6.7	9	-73234
15-17 LST	10.9	15.7	6.8	3.8	2.2	1.4	1.2	1.9	2.1	3.1	7.3	8.8	5.4	9	-73234
18-20 LST	13.8	15.9	12.3	7.1	4.8	1.7	0.2	1.7	1.1	3.8	6.0	9.8	6.5	9	-73234
21-23 LST	22.5	25.5	24.8	18.6	12.9	4.6	1.5	1.1	2.1	4.2	9.3	13.6	11.7	9	-73234
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.5	10.2	4.0	2.1	1.4	0.3	0.0	0.0	0.3	1.6	3.7	7.4	3.1	9	-73234
03-05 LST	12.7	15.5	6.6	5.4	4.6	1.3	0.3	0.0	0.7	7.3	7.3	12.2	6.2	9	-73234
06-08 LST	13.1	16.7	5.1	3.7	2.9	1.6	0.2	0.0	1.7	8.3	7.8	12.8	6.2	9	-73234
09-11 LST	3.8	4.1	0.6	0.2	0.0	0.0	0.2	0.0	0.1	0.3	0.9	3.6	1.2	9	-73234
12-14 LST	0.3	0.8	0.5	0.0	0.2	0.2	0.0	0.0	0.3	0.1	0.0	0.6	0.3	9	-73234
15-17 LST	0.0	0.7	0.0	0.0	0.2	0.2	0.3	0.1	0.1	0.0	0.3	0.6	0.2	9	-73234
18-20 LST	1.4	1.7	0.5	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.9	0.4	9	-73234
21-23 LST	4.3	4.0	1.9	1.0	0.2	0.0	0.0	0.0	0.0	0.0	0.9	3.0	1.3	9	-73234

ALICE/ORANGE GROVE, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	28.3	25.7	29.3	29.6	30.7	30.0	30.6	30.7	29.7	30.5	28.4	29.1	352.6	9	-73234
	23 LST	24.4	21.5	25.7	26.9	29.9	29.6	31.0	30.8	29.7	30.1	27.1	27.2	333.9	9	-73234
	05 LST	20.6	18.2	23.8	23.0	25.4	26.0	30.6	30.7	28.5	25.6	25.5	23.2	303.1	9	-73234
	11 LST	25.7	22.8	29.0	28.8	30.6	30.0	31.0	30.7	29.4	29.9	28.0	26.9	342.8	9	-73234
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	11.3	8.3	7.3	3.7	2.0	1.6	1.6	3.9	7.6	11.5	15.2	17.9	91.9	9	-73234
	23 LST	14.1	13.4	14.8	14.3	15.6	15.0	17.9	20.2	26.9	27.2	20.6	21.0	221.0	9	-73234
	05 LST	12.7	10.7	12.3	14.1	14.1	19.7	27.4	28.9	25.7	22.0	18.6	15.0	221.2	9	-73234
	11 LST	7.7	5.7	5.8	8.0	8.0	10.1	14.3	14.0	16.6	16.6	10.8	10.4	128.0	9	-73234
SFC WND = GTR 17 KTS AND ND PRECIP.	17 LST	4.7	6.9	10.6	11.6	13.3	16.1	17.4	15.9	5.3	3.4	2.8	1.8	109.8	9	-73234
	23 LST	1.5	2.0	1.0	0.6	2.6	1.7	0.7	0.9	0.1	0.1	1.2	0.7	13.1	9	-73234
	05 LST	1.1	0.9	2.0	0.8	1.6	0.0	0.0	0.1	0.0	0.2	1.4	0.7	8.8	9	-73234
	11 LST	5.7	5.0	6.8	5.6	4.8	5.6	2.5	2.6	0.8	2.1	4.5	4.3	50.3	9	-73234
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND ND PRECIP.	17 LST	13.4	10.6	9.1	6.1	5.3	2.0	1.3	3.1	8.1	13.0	17.4	18.2	107.6	9	-73234
	23 LST	17.2	17.2	16.7	17.3	17.9	17.3	20.1	17.4	17.8	17.9	19.4	18.8	215.0	9	-73234
	05 LST	15.9	15.3	19.4	18.3	17.0	18.2	19.8	16.7	16.3	17.2	16.7	17.2	208.0	9	-73234
	11 LST	13.9	13.3	11.2	11.3	12.7	5.0	2.9	2.8	11.5	19.0	15.5	15.5	134.6	9	-73234
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	9.8	8.3	7.6	8.6	10.4	12.3	10.1	13.2	10.6	16.0	12.9	10.4	130.2	9	-73234
	23 LST	12.6	10.4	8.1	9.0	11.8	15.7	19.6	21.7	21.4	20.4	14.6	14.1	179.2	9	-73234
	05 LST	9.1	8.0	5.4	7.3	5.4	10.1	14.7	17.9	17.1	16.0	12.9	9.9	133.8	9	-73234
	11 LST	7.6	6.5	5.8	5.7	7.3	5.0	4.1	8.7	6.0	10.0	11.2	9.0	86.9	9	-73234
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	26.0	22.5	27.0	27.8	28.6	29.4	30.6	30.3	28.7	29.2	27.2	26.8	334.1	9	-73234
	23 LST	20.1	18.2	19.8	19.4	22.1	25.0	29.5	29.9	29.1	28.9	24.5	24.8	291.3	9	-73234
	05 LST	15.6	13.3	16.4	16.8	16.8	22.6	28.0	29.4	26.4	23.5	21.5	19.2	249.5	9	-73234
	11 LST	17.9	16.0	23.4	23.1	24.7	27.8	30.1	29.2	26.4	26.0	23.2	22.3	290.1	9	-73234
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	21.7	19.7	23.1	24.4	24.4	27.8	29.7	29.9	26.6	26.7	22.9	24.0	300.9	9	-73234
	23 LST	18.4	16.7	17.9	17.6	21.1	24.6	29.5	29.6	28.4	27.7	22.0	21.9	275.4	9	-73234
	05 LST	13.9	11.7	13.5	14.3	14.1	21.4	27.8	29.1	24.6	21.9	18.2	16.0	226.5	9	-73234
	11 LST	16.0	14.3	16.7	16.1	15.7	17.7	23.1	21.4	18.0	20.7	18.4	19.5	217.6	9	-73234
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	20.8	18.9	21.5	23.9	24.0	27.6	29.7	28.6	25.5	25.9	21.8	22.8	291.0	9	-73234
	23 LST	17.7	16.1	16.6	16.7	20.8	24.1	29.5	29.4	27.9	26.4	20.5	20.5	266.2	9	-73234
	05 LST	13.3	10.9	11.7	13.1	13.7	21.1	27.6	29.0	24.2	21.1	17.2	14.4	217.3	9	-73234
	11 LST	15.1	13.1	15.1	15.4	15.0	17.4	22.8	21.2	17.4	19.2	17.3	18.1	207.1	9	-73234

CRYSTAL CITY MUNICIPAL, TEXAS

STA NO. 73646 (IN AREA NUMBER 13)

LATITUDE 2842N

LONGITUDE 09949W

ELEVATION(FT) 00610

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO, URS
ABS MAX TMP (F)	90	95	106	104	103	106	109	109	106	101	93	98	109	12	-613
MEAN MAX TMP (F)	67	72	78	85	92	97	100	99	94	84	73	68	84	12	-113
MEAN MIN TMP (F)	43	47	53	60	67	73	74	74	70	61	48	43	59	12	-113
ABS MIN TMP (F)	18	13	28	38	46	56	67	66	50	36	23	18	13	12	-613
MEAN NO DYS THY = DR GTR 90(F)	0.2	1.2	6.8	10.8	20.6	26.8	30.8	29.2	26.2	11.5	1.2	0.8	166.1	6	1853
MEAN NO DYS THY = DR LES 32(F)	2.0	2.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	3.9	9.3	6	1853
MEAN NO DYS THY = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1853
MEAN DEW PT TMP (F)	45	45	48	56	64	71	70	69	66	59	47	41	57	6	44386
MEAN REL HUM (PCT)	65	62	57	61	65	66	61	61	63	64	64	62	63	6	44384
MEAN PRESS ALT (FT)	457	499	568	623	648	656	600	602	607	561	487	456	564	0	-50
MEAN PRECIP (IN)	1.01	1.16	1.05	1.76	3.60	2.25	1.32	2.57	2.98	2.70	0.83	0.66	21.9	17	-113
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1852
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.8	3.1	2.9	4.4	6.6	4.6	3.0	5.0	5.0	4.6	2.1	2.0	46.1	17	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1852
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.2	3.0	0.2	0.4	0.4	0.2	0.0	0.0	0.2	0.9	2.0	3.3	13.8	6	1850
MEAN NO DYS TSTMS	0.2	1.8	3.2	3.6	7.4	3.2	2.4	2.4	4.4	2.4	0.6	0.6	32.2	6	1853
P FREQ WND SPD = DR GTR 17 KTS	3.5	5.1	7.7	9.1	10.1	7.6	8.6	4.6	1.9	1.6	3.0	3.0	5.5	6	44386
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.0	0.2	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.1	6	44386
P FREQ LES 3000 FT A/D LES 5 MI	29.7	27.7	30.1	28.4	26.8	22.6	7.0	7.2	12.7	16.1	25.3	21.9	21.3	6	44382
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	18.5	13.2	15.1	11.6	4.1	2.9	1.1	0.4	4.0	6.3	10.2	11.5	8.2	6	5551
03-05 LST	23.9	18.7	20.9	16.2	11.4	8.3	1.5	3.0	4.9	8.1	15.3	15.9	12.3	6	5551
06-08 LST	29.7	20.1	26.3	24.7	19.4	14.7	4.7	5.0	10.9	17.8	17.0	23.1	17.8	6	5744
09-11 LST	26.7	20.1	21.3	12.0	8.0	4.9	0.6	1.7	6.2	9.3	14.1	18.9	12.0	6	5751
12-14 LST	12.5	11.3	9.9	4.0	2.8	0.7	0.0	0.2	2.0	4.3	5.7	9.7	5.3	6	5751
15-17 LST	6.5	9.9	4.1	2.7	1.7	0.2	0.2	0.0	1.6	1.8	3.5	6.8	3.3	6	5745
18-20 LST	6.0	9.9	4.1	2.7	1.5	0.9	0.0	0.0	0.7	0.7	4.1	6.5	3.1	6	5747
21-23 LST	9.7	8.5	5.6	4.9	2.6	0.9	0.2	0.2	1.1	2.8	7.1	7.6	4.3	6	5613
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.9	3.5	0.9	0.0	0.2	0.0	0.0	0.0	0.0	0.6	0.9	2.7	0.9	6	5551
03-05 LST	6.0	7.3	1.1	0.2	0.4	0.0	0.0	0.0	0.0	0.9	3.1	5.7	2.1	6	5551
06-08 LST	7.5	8.7	1.3	0.7	1.1	0.0	0.0	0.0	0.4	2.5	4.8	9.4	3.0	6	5744
09-11 LST	2.6	3.3	0.6	0.0	0.2	0.0	0.0	0.0	0.2	0.2	0.6	4.0	1.0	6	5751
12-14 LST	0.6	1.9	0.9	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.4	6	5751
15-17 LST	0.6	1.4	0.6	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.3	6	5745
18-20 LST	1.1	1.7	0.2	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	1.4	0.4	6	5747
21-23 LST	0.6	0.7	0.4	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.4	2.6	0.4	6	5613

CRYSTAL CITY MUNICIPAL, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	30.0	25.6	30.0	29.6	30.2	30.0	31.0	31.0	29.8	31.0	29.2	29.3	356.7	6	1916
	23 LST	28.6	25.8	29.6	29.2	30.6	29.8	31.0	31.0	30.0	30.1	28.8	28.5	353.0	6	1916
	09 LST	25.4	23.6	28.0	27.8	29.4	28.0	30.8	30.6	29.4	28.6	26.5	26.8	334.9	6	1916
	11 LST	27.6	25.0	28.8	29.6	30.0	30.0	31.0	30.8	29.6	29.5	28.3	28.1	348.3	6	1917
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	17.2	14.3	14.4	10.6	10.8	7.8	9.6	11.8	13.6	18.6	21.0	21.9	171.6	6	1916
	23 LST	18.6	17.3	14.6	10.4	12.4	9.0	10.4	11.8	19.0	22.8	22.3	21.8	190.4	6	1916
	09 LST	19.0	17.3	16.6	16.8	19.0	19.2	25.8	26.8	26.2	25.3	21.2	20.8	254.0	6	1916
	11 LST	14.0	10.7	10.2	12.2	13.0	12.4	19.0	20.8	18.6	17.1	16.7	16.4	181.1	6	1917
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	1.8	3.0	3.0	5.0	3.4	2.6	4.6	2.0	1.4	1.0	0.3	0.7	28.8	6	1903
	23 LST	1.0	1.0	1.8	2.2	2.2	1.8	2.6	1.6	0.0	0.7	0.2	1.0	16.1	6	1890
	09 LST	0.4	0.2	2.0	0.2	0.2	0.0	0.0	0.0	0.0	0.2	0.5	0.2	3.9	6	1889
	11 LST	1.6	2.0	3.9	2.2	2.8	1.2	1.8	0.6	0.4	0.2	1.8	1.2	19.7	6	1898
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	15.0	14.5	12.7	8.4	6.2	3.6	1.2	2.0	5.8	17.2	14.5	12.9	114.0	6	1903
	23 LST	17.6	15.1	14.7	13.9	14.9	12.2	10.6	15.4	17.0	20.2	16.7	16.9	185.2	6	1890
	09 LST	16.8	13.7	17.9	18.6	20.2	21.4	20.5	16.6	14.9	17.4	11.9	16.3	206.2	6	1889
	11 LST	18.2	12.9	13.1	13.7	14.2	8.8	2.0	3.6	10.9	19.2	15.6	17.7	149.9	6	1898
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	12.4	10.7	8.8	3.4	11.6	8.6	5.6	9.4	14.2	15.7	15.5	13.5	134.4	6	1916
	23 LST	16.4	15.9	12.6	11.2	17.2	20.6	22.4	25.0	23.2	21.8	18.4	17.6	222.3	6	1915
	09 LST	13.2	11.9	10.4	9.6	10.8	12.8	19.6	20.8	21.8	18.6	15.3	14.9	179.7	6	1916
	11 LST	10.2	9.7	8.0	8.8	10.2	9.0	11.0	14.6	13.0	12.6	13.8	11.7	132.6	6	1917
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	27.8	24.6	29.4	28.6	29.8	29.8	31.0	31.0	29.6	30.3	28.5	27.8	348.2	6	1916
	23 LST	25.6	24.4	26.8	25.2	28.0	28.8	31.0	31.0	28.8	28.8	27.3	27.1	332.8	6	1916
	09 LST	20.4	20.2	21.4	20.0	21.8	22.2	29.4	28.6	26.8	27.1	23.5	23.4	284.8	6	1916
	11 LST	21.4	20.4	23.0	24.2	26.0	27.0	30.0	29.6	26.8	26.5	24.5	23.1	307.3	6	1917
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	25.2	21.4	24.4	25.0	27.0	25.8	29.8	30.0	26.8	28.8	25.5	25.8	315.5	6	1916
	23 LST	24.2	23.4	24.8	24.0	25.8	28.0	30.8	30.8	28.0	27.3	25.0	23.6	315.7	6	1916
	09 LST	18.6	18.1	19.2	17.4	18.4	21.2	29.2	28.2	26.4	25.0	20.2	21.4	263.3	6	1916
	11 LST	19.6	18.8	18.2	17.8	19.4	18.2	25.2	24.4	21.2	21.3	21.8	20.1	246.0	6	1917
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	24.4	21.0	23.4	23.8	26.2	24.6	28.2	28.2	26.2	26.5	24.3	23.8	302.6	6	1916
	23 LST	23.6	22.8	22.6	23.4	25.2	27.8	30.8	30.4	27.8	26.8	24.0	22.4	307.6	6	1916
	09 LST	18.4	17.3	18.0	16.8	17.6	20.8	29.0	28.0	26.2	23.9	19.3	19.9	255.2	6	1916
	11 LST	19.2	17.9	17.0	17.2	18.2	18.2	24.8	24.4	21.2	20.5	20.6	18.9	238.1	6	1917

MATAGORDA ISLAND, TEXAS

ST. NO. 73647 (IN AREA NUMBER 13)

LATITUDE 2319N

LONGITUDE 09627W

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	80	83	86	90	91	94	97	100	97	91	85	79	100	12	-75220
MEAN MAX TMP (F)	64	66	69	76	83	88	91	91	88	81	71	66	78	12	-75220
MEAN MIN TMP (F)	48	51	55	63	71	77	78	77	74	66	55	49	64	12	-75220
ABS MIN TMP (F)	16	16	32	45	51	59	69	66	57	44	30	20	16	11	-75220
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	0.3	10.0	27.0	27.0	10.0	1.0	0.0	0.0	75.6	9	-75220
MEAN NO DYS TMP = OR LES 32(F)	2.0	2.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.0	5.6	10	-75220
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	-175	-137	-62	-12	12	18	-32	-27	-30	-80	-149	-175	-70	0	-50
MEAN PRECIP (IN)	1.85	3.32	1.44	2.99	3.23	2.07	1.72	4.85	5.95	4.89	1.90	2.85	37.1	12	-75220
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			11	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.4	6.6	3.8	6.1	6.3	4.3	3.7	7.6	8.8	7.4	3.5	6.0	68.5	12	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			11	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	30.6	44.4	23.2	30.0	17.4	6.4	0.0	2.6	8.1	6.2	14.6	16.4	16.7	5	1263
09-11 LST	18.4	35.0	18.2	20.2	7.0	0.3	0.0	1.4	5.1	5.7	14.0	17.1	11.9	5	2810
12-14 LST	18.6	22.3	12.8	15.4	7.1	0.0	0.0	0.3	3.5	5.3	10.8	10.2	8.9	5	2758
15-17 LST	14.9	24.5	14.0	14.1	6.2	0.0	0.0	0.0	6.8	5.6	5.9	8.8	8.4	5	1773
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	8.2	7.4	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	6.0	2.3	5	1263
09-11 LST	4.6	5.3	2.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	1.5	7.9	1.8	5	2810
12-14 LST	2.6	2.1	1.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.4	1.5	0.7	5	2758
15-17 LST	2.6	1.3	1.6	0.7	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.6	5	1773
18-20 LST														0	0
21-23 LST														0	0

MATAGORDA ISLAND, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.3	22.7	29.5	26.9	31.0	30.0	31.0	31.0	28.9	30.2	29.1	28.5	346.1	5	860
	00 LST														0	0
	06 LST	25.1	17.1	26.9	24.4	30.5	29.5	31.0	30.4	27.8	29.6	26.4	26.8	325.5	5	923
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	27.2	22.5	29.2	27.9	31.0	30.0	31.0	31.0	29.1	30.3	27.4	29.0	345.6	5	761
	00 LST	9.6	6.8	6.6	6.7	5.2	4.6	4.9	6.0	7.8	9.4	8.8	14.5	90.9	5	855
	06 LST	8.1	4.8	10.8	9.5	7.3	10.6	14.0	16.2	11.7	13.5	11.1	12.9	130.5	5	919
SFC WND = GTR 17 KTS AND NO PRECIP.	12 LST	8.8	7.2	5.4	6.8	8.2	9.1	10.2	12.2	11.5	10.0	7.4	11.3	108.1	5	761
	18 LST	8.3	5.5	5.1	7.6	5.4	4.1	6.4	2.4	2.0	6.1	7.3	1.6	61.8	5	814
	00 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	7.1	2.3	4.6	4.9	3.6	5.5	3.4	2.6	1.4	3.4	7.7	2.8	49.3	5	871
	12 LST	7.2	7.2	4.6	5.1	4.6	5.4	2.4	1.2	3.1	4.4	8.0	4.0	57.2	5	945
	18 LST	13.5	11.0	11.3	12.5	11.8	8.3	7.8	11.7	14.3	11.3	13.6	13.1	140.2	5	764
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	12.9	10.5	14.8	12.4	14.6	12.0	17.2	19.0	16.3	17.2	12.7	16.9	176.5	5	811
	12 LST	12.6	9.0	11.1	10.0	12.3	14.1	13.5	16.7	15.9	14.3	9.8	13.7	152.5	5	884
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	7.0	7.1	6.6	6.2	5.2	7.4	8.3	9.6	8.9	10.6	9.2	9.5	95.6	5	855
	00 LST														0	0
	06 LST	7.1	5.1	5.4	3.8	5.5	5.1	6.8	5.0	6.6	8.9	8.2	7.2	74.7	5	923
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	12 LST	8.4	5.5	6.3	6.3	4.6	5.9	4.8	6.9	6.1	8.2	6.8	10.0	79.8	5	961
	18 LST	22.7	18.8	25.4	23.3	24.8	28.1	31.0	30.7	27.1	28.6	25.1	25.5	311.1	5	860
	00 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	20.1	13.0	20.2	18.0	19.1	25.8	27.1	26.0	24.3	26.4	24.6	20.2	264.8	5	923
	12 LST	22.2	16.0	22.0	23.6	26.4	25.0	29.5	30.1	25.1	27.8	24.8	25.0	297.5	5	961
	18 LST	16.5	14.9	19.8	19.7	20.0	25.4	29.5	29.0	25.7	24.5	22.1	21.0	268.1	5	860
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	17.2	9.2	16.6	14.1	17.3	23.5	24.2	24.5	21.5	23.5	19.3	17.5	228.4	5	923
	12 LST	16.4	14.0	17.5	18.6	20.1	20.9	28.1	26.8	23.0	25.6	19.7	18.9	249.6	5	961
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	14.7	13.5	18.3	19.2	18.8	24.5	28.5	28.7	25.4	22.4	20.7	19.5	254.2	5	860
	00 LST														0	0
	06 LST	15.9	9.2	15.7	12.8	16.4	23.5	24.2	23.9	20.8	20.3	17.1	16.0	215.8	5	923
12 LST	15.7	13.3	15.7	16.1	19.6	20.4	27.6	26.8	22.1	21.7	17.1	16.5	232.6	5	961	

ATHENS/JONES MUNICIPAL, TEXAS

STA NO. 73831 (IN AREA NUMRER 13)

LATITUDE 3210N

LONGITUDE 09549W

ELEVATION(FT) 00455

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDP (YRS)	NO. OBS
ABS MAX TMP (F)	87	85	90	98	99	104	108	110	106	98	90	87	110	10	-73253
MEAN MAX TMP (F)	56	61	67	76	84	91	95	97	88	79	68	60	77	10	-73253
MEAN MIN TMP (F)	35	41	45	55	64	72	75	75	67	58	44	39	56	10	-73253
ABS MIN TMP (F)	-1	7	11	37	46	58	66	64	38	32	19	9	-1	10	-73253
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.1	1.3	6.5	21.3	26.1	27.9	13.4	2.4	0.1	0.0	101.1	10	-73253
MEAN NO DYS TMP = DR LES 32(F)	14.1	5.3	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2.7	7.6	32.5	10	-73253
MEAN NO DYS TMP = DR LES 0(F)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	-73253
MEAN DEW PT TMP (F)	35	40	40	51	62	68	70	68	63	59	41	38	53	10	-73253
MEAN REL HUM (PCT)	69	68	59	64	70	66	64	60	66	68	61	70	65	10	-73253
MEAN PRESS ALT (FT)	258	291	369	416	443	449	405	409	387	342	282	257	359	0	-50
MEAN PRECIP (IN)	1.92	1.81	1.81	4.06	6.02	4.86	1.30	1.37	2.72	2.07	0.90	2.05	30.9	10	-73253
MEAN SNOW FALL (IN)	2.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	7	-73253
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.3	3.3	2.5	5.6	6.0	5.3	2.8	2.0	3.5	3.3	2.0	3.0	42.6	10	-73253
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	7	-73253
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	1.4	2.1	0.4	0.7	0.0	0.2	0.0	0.0	0.3	0.6	0.1	1.9	7.7	11	-73253
MEAN NO DYS TSTMS	1.4	2.5	2.2	5.0	7.8	6.5	4.7	4.2	3.0	2.9	1.3	0.9	42.4	11	-73253
P FREQ WND SPD = DR GTR 17 KTS	14.5	14.8	21.0	17.7	11.9	9.4	4.5	2.8	5.2	7.7	11.0	11.2	11.0	11	-73253
P FREQ WND SPD = DR GTR 28 KTS	0.5	0.5	1.2	0.5	0.4	0.1	0.0	0.1	0.0	0.0	0.4	0.4	0.3	11	-73253
P FREQ LES 5000 FT A/O LES 5 MI	32.2	34.9	28.0	27.4	29.0	19.6	9.4	8.4	16.3	22.5	20.3	30.1	23.2	11	-73253
P FREQ LES 1500 FT A/O LES 3 MI															
FDR 00-02 LST	18.2	16.6	10.1	6.1	5.2	3.7	1.1	0.8	3.5	8.9	8.0	14.6	8.1	11	-73253
03-05 LST	21.4	21.6	11.3	10.2	9.9	5.8	2.2	2.0	7.6	10.8	10.9	15.8	10.8	11	-73253
06-08 LST	25.7	25.0	18.4	19.1	17.2	9.4	4.8	4.5	12.1	17.5	15.1	21.1	15.8	11	-73253
09-11 LST	23.5	21.8	15.4	15.0	9.7	4.8	2.7	1.3	9.7	11.8	11.8	20.3	12.3	11	-73253
12-14 LST	18.1	16.2	10.6	6.3	4.5	2.0	0.4	0.3	4.6	5.8	7.1	13.9	7.5	11	-73253
15-17 LST	14.1	14.4	7.3	4.7	3.9	1.1	0.5	0.2	2.2	4.3	7.6	10.3	5.7	11	-73253
18-20 LST	12.6	13.9	7.7	3.6	4.1	0.6	0.7	0.5	1.4	4.0	5.7	10.1	5.4	11	-73253
21-23 LST	13.4	14.9	6.0	3.9	4.3	0.2	0.4	1.4	2.1	5.2	5.2	12.9	5.8	11	-73253
P FREQ LES 300 FT A/O LES 1 MI															
FDR 00-02 LST	3.0	3.4	1.1	0.8	0.4	0.4	0.0	0.0	0.2	0.4	1.0	2.2	1.1	11	-73253
03-05 LST	4.7	5.1	2.3	2.7	0.5	0.4	0.0	0.0	0.8	1.4	1.5	3.5	1.9	11	-73253
06-08 LST	4.4	6.4	2.6	2.5	0.9	0.2	0.2	0.0	0.8	1.1	0.7	4.8	2.1	11	-73253
09-11 LST	3.2	2.9	1.0	0.6	0.0	0.7	0.0	0.0	0.3	0.0	0.1	2.8	1.0	11	-73253
12-14 LST	1.0	1.0	0.5	0.0	0.0	0.2	0.0	0.0	0.2	0.1	0.4	0.5	0.3	11	-73253
15-17 LST	1.0	1.0	0.4	0.0	0.2	0.0	0.0	0.0	0.3	0.1	0.4	0.7	0.3	11	-73253
18-20 LST	1.2	2.4	0.8	0.5	0.5	0.4	0.0	0.0	0.2	0.1	0.4	0.8	0.6	11	-73253
21-23 LST	1.6	2.4	0.5	0.5	0.4	0.0	0.0	0.0	0.0	0.0	1.2	1.8	0.7	11	-73253

ATHENS/JONES MUNICIPAL, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.2	25.0	29.9	29.7	30.7	29.8	30.8	31.0	29.4	30.1	28.9	29.2	352.3	11	-73253
	00 LST	27.5	24.7	29.8	29.3	30.5	29.8	31.0	30.8	29.7	29.9	28.9	28.2	350.1	11	-73253
	06 LST	26.0	23.2	28.7	27.9	29.6	29.0	30.8	30.5	27.8	29.3	28.1	26.8	337.7	11	-73253
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	26.5	23.9	28.4	28.7	29.8	29.6	30.8	31.0	29.1	29.6	28.4	27.0	342.8	11	-73253
	00 LST	13.4	9.5	10.6	10.7	14.7	14.5	17.8	20.6	18.7	19.0	18.9	17.0	185.4	11	-73253
	06 LST	14.5	13.0	14.0	13.8	18.2	16.1	18.2	19.2	22.0	18.8	19.5	17.3	204.6	11	-73253
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	14.2	12.7	13.2	14.2	16.0	18.7	23.8	23.8	22.0	20.1	16.8	15.9	211.4	11	-73253
	00 LST	11.3	9.0	8.2	8.8	13.8	14.8	20.5	21.5	17.7	13.6	11.4	10.1	160.7	11	-73253
	06 LST	4.3	2.8	7.6	7.4	4.7	2.2	2.7	1.1	1.7	2.0	1.8	2.5	40.8	11	-73253
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	4.2	3.7	6.7	3.9	2.5	2.7	0.7	0.7	1.1	2.4	3.3	3.4	35.3	11	-73253
	06 LST	3.8	3.0	4.6	2.6	2.3	1.2	0.5	0.3	0.6	1.3	2.0	1.9	24.1	11	-73253
	12 LST	6.0	4.8	9.3	7.6	5.8	3.2	1.1	0.9	2.4	3.2	5.3	5.2	56.8	11	-73253
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	13.9	12.7	12.7	12.5	13.5	7.3	4.3	4.7	15.6	17.1	17.3	18.2	149.8	10	-73253
	00 LST	12.1	11.6	14.1	14.6	15.3	16.0	16.2	17.3	18.5	16.2	15.5	17.1	184.5	10	-73253
	06 LST	11.7	13.3	14.5	14.6	15.2	15.7	18.5	18.8	18.8	17.1	14.5	16.7	189.4	10	-73253
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	12 LST	10.5	12.2	11.0	10.7	14.7	11.3	6.4	7.7	16.6	15.1	13.1	13.1	142.4	10	-73253
	18 LST	9.5	8.7	9.1	10.5	8.7	12.5	7.8	14.0	16.0	15.1	15.5	10.5	137.9	7	-73253
	00 LST	12.3	12.3	15.3	16.1	13.7	17.7	19.5	22.2	20.5	21.1	18.8	16.0	205.5	7	-73253
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	11.5	11.5	13.5	11.9	8.7	10.2	13.0	18.2	15.8	17.6	17.0	15.5	164.4	7	-73253
	12 LST	6.5	7.7	10.3	9.4	7.2	9.0	8.5	12.7	10.5	12.8	14.3	10.3	119.2	7	-73253
	18 LST	25.3	22.6	28.1	28.0	29.1	28.8	30.7	30.5	28.7	28.6	27.9	25.5	333.8	11	-73253
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	24.5	22.0	27.6	27.0	29.0	29.5	30.8	30.4	29.0	28.3	27.4	24.6	330.1	11	-73253
	06 LST	22.4	20.1	24.1	23.0	23.8	26.3	30.0	29.7	25.8	25.1	24.7	22.9	297.9	11	-73253
	12 LST	22.5	20.1	23.9	22.5	25.0	25.8	29.3	30.0	25.8	24.9	25.5	23.2	278.5	11	-73253
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	22.7	19.4	22.9	23.7	22.8	26.0	28.6	27.7	26.1	26.5	25.2	22.7	294.3	11	-73253
	00 LST	21.5	18.8	23.8	24.0	25.3	28.0	30.0	29.8	27.8	25.9	24.9	22.4	302.2	11	-73253
	06 LST	19.8	17.3	21.4	19.4	20.0	23.2	28.1	28.8	24.1	22.7	22.9	20.6	268.3	11	-73253
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	12 LST	19.7	17.0	20.8	17.4	18.0	20.3	24.3	25.9	21.0	21.7	23.1	20.7	249.9	11	-73253
	18 LST	20.5	18.2	22.1	21.9	21.8	25.5	27.3	26.6	25.1	25.1	23.6	21.6	279.3	11	-73253
	00 LST	20.3	17.7	23.2	22.7	24.5	26.6	29.8	29.2	26.9	24.8	24.2	21.6	291.5	11	-73253
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	19.2	16.4	20.0	17.7	17.1	22.1	27.0	27.2	22.6	21.5	21.8	19.9	252.5	11	-73253
	12 LST	18.3	16.1	19.7	16.7	17.0	19.3	23.7	24.7	19.8	20.6	22.1	19.4	237.4	11	-73253

GAINESVILLE, TEXAS

STA NO. 73844 (IN AREA NUMBER 13)

LATITUDE 3338N

LONGITUDE 09711W

ELEVATION(FT) 00839

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	91	95	107	103	106	110	111	114	110	104	99	89	114	66	-113
MEAN MAX TMP (F)	55	60	69	77	84	92	96	97	91	80	67	57	77	62	-113
MEAN MIN TMP (F)	32	35	42	51	60	68	72	71	64	53	41	34	52	62	-113
ABS MIN TMP (F)	-5	-12	7	26	32	40	51	50	34	22	14	4	-12	66	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	1.0	1.0	9.0	23.0	28.0	29.0	22.0	5.0	0.3	0.0	118.3	10	-113
MEAN NO DYS TMP = OR LES 32(F)	17.0	11.0	8.0	1.0	0.0	0.0	0.0	0.0	0.0	1.0	9.0	17.0	64.0	9	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73249
MEAN DEW PT TMP (F)	34	36	39	49	60	66	65	66	61	51	39	34	50	12	-73249
MEAN REL HUM (PCT)	70	68	62	63	68	66	63	59	61	62	62	67	64	12	-73249
MEAN PRESS ALT (FT)	645	666	756	807	834	848	799	800	756	718	667	640	745	0	-50
MEAN PRECI (IN)	1.91	2.07	2.06	3.88	4.97	3.54	3.06	2.48	2.92	3.19	2.19	2.25	35.1	67	-113
MEAN SNOW FALL (IN)	2.5	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	4.7	17	-73249
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.5	4.8	5.7	6.7	7.2	6.3	5.7	4.9	4.9	5.2	3.9	5.0	64.8	67	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.6	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.3	12	-73249
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.4	3.6	2.2	1.1	1.4	0.7	0.4	0.3	0.8	0.8	1.6	3.4	20.7	12	-73249
MEAN NO DYS TSTMS	1.1	2.6	3.9	6.0	8.4	5.8	6.8	4.8	4.0	2.5	1.7	1.0	48.6	17	-73249
P FREQ WND SPD = OR GTR 17 KTS	18.4	15.5	19.4	20.4	10.8	8.7	4.2	3.1	4.3	8.3	13.8	12.5	11.6	12	-73249
P FREQ WND SPD = OR GTR 20 KTS	0.8	0.5	1.1	0.9	0.3	0.2	0.1	0.0	0.1	0.0	0.4	0.3	0.4	12	-73249
P FREQ LES 5000 FT A/D LES 5 MI	33.2	33.9	28.9	29.1	24.9	16.6	10.2	7.7	13.4	17.1	22.0	26.1	21.9	12	-73249
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.5	17.3	11.0	8.3	7.5	3.9	1.7	1.3	3.3	6.1	10.6	14.8	9.0	12	-73249
03-05 LST	24.6	22.6	14.4	12.8	13.6	6.5	3.5	3.9	7.4	8.5	12.8	17.8	12.4	12	-73249
06-08 LST	26.5	27.0	18.8	19.8	19.5	12.2	6.3	5.6	12.1	12.5	17.2	22.2	16.6	12	-73249
09-11 LST	28.8	27.9	20.3	18.9	14.7	8.5	5.8	5.0	10.2	12.2	15.6	22.5	15.9	12	-73249
12-14 LST	23.1	22.0	14.2	8.3	7.2	2.6	2.8	1.2	3.2	7.1	11.0	17.0	10.0	12	-73249
15-17 LST	16.6	17.5	9.9	5.8	3.9	2.6	1.4	0.9	2.1	5.4	8.9	12.9	7.3	12	-73249
18-20 LST	17.2	14.7	9.3	6.2	3.9	2.9	1.3	0.8	2.5	5.1	7.8	12.2	7.0	12	-73249
21-23 LST	18.0	13.5	9.5	7.2	5.3	2.5	0.7	0.4	2.9	4.7	8.0	14.3	7.3	12	-73249
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.6	6.7	2.7	1.4	1.5	0.4	0.1	0.0	1.6	2.0	3.6	5.6	2.8	12	-73249
03-05 LST	10.8	8.2	4.6	2.4	2.4	0.7	0.6	0.3	2.3	1.8	4.4	6.8	3.8	12	-73249
06-08 LST	10.5	8.1	4.0	1.3	2.5	0.8	0.4	0.4	1.9	1.9	4.4	8.1	3.7	12	-73249
09-11 LST	7.4	5.6	2.2	0.1	0.8	0.3	0.4	0.0	0.7	0.5	2.0	4.4	2.0	12	-73249
12-14 LST	4.0	1.4	0.8	0.2	0.5	0.0	0.4	0.0	0.3	0.3	0.3	2.2	0.9	12	-73249
15-17 LST	2.3	2.5	0.7	0.7	0.0	0.1	0.0	0.1	0.0	0.2	0.6	1.8	0.8	12	-73249
18-20 LST	4.9	3.5	1.9	0.2	0.3	0.3	0.3	0.2	0.4	0.2	2.1	2.5	1.4	12	-73249
21-23 LST	5.7	5.7	2.2	0.6	1.0	0.2	0.0	0.0	1.0	0.4	2.3	4.1	1.9	12	-73249

GAINESVILLE, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.1	24.9	28.7	28.8	30.2	29.5	30.6	30.8	29.5	29.8	28.2	27.8	345.9	12	-73249
	00 LST	25.9	24.3	28.8	28.7	29.7	29.5	30.7	30.8	29.3	29.8	27.6	27.2	342.3	12	-73249
	06 LST	25.2	22.9	27.7	26.9	27.7	27.9	30.2	30.3	27.5	28.4	26.6	25.9	327.2	12	-73249
	12 LST	25.0	23.0	27.8	28.1	29.4	29.4	30.3	30.8	29.3	29.4	27.8	26.8	337.1	12	-73249
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	14.1	12.6	12.6	11.4	14.3	13.8	17.4	18.4	19.7	21.4	17.6	18.5	191.8	12	-73249
	00 LST	11.1	11.6	13.0	12.5	15.0	14.1	18.4	18.3	18.0	17.4	13.7	13.0	176.1	12	-73249
	06 LST	11.4	10.1	10.7	10.1	14.5	14.7	19.5	19.8	18.1	16.7	13.7	12.0	171.3	12	-73249
	12 LST	7.8	6.7	6.7	6.2	9.8	11.9	16.6	18.8	15.1	11.8	8.1	8.3	127.8	12	-73249
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	3.6	2.5	4.7	3.8	2.6	2.1	0.8	1.0	0.8	1.2	1.8	2.4	27.3	12	-73249
	00 LST	5.8	3.3	4.8	5.9	2.4	1.6	0.6	0.6	0.8	2.1	3.9	3.5	36.3	12	-73249
	06 LST	5.6	3.7	4.3	3.9	2.7	2.1	0.8	0.5	0.5	1.4	2.9	2.8	31.2	12	-73249
	12 LST	8.4	6.2	8.1	9.1	5.5	3.8	1.6	1.1	2.3	4.0	6.7	5.8	62.6	12	-73249
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	13.4	14.6	14.8	14.0	15.7	10.1	7.9	8.6	16.6	23.0	17.7	17.0	170.4	12	-73249
	00 LST	9.0	11.2	13.3	13.4	15.9	17.4	20.2	21.5	19.1	16.4	11.7	11.9	181.0	12	-73249
	06 LST	7.9	8.6	11.4	12.8	16.1	17.2	20.8	18.6	18.2	17.1	11.9	11.0	171.6	12	-73249
	12 LST	9.2	10.2	10.0	9.8	13.1	10.5	7.7	7.7	12.4	14.0	10.5	12.2	127.3	12	-73249
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.9	8.7	9.6	10.9	10.9	13.9	11.6	14.7	16.0	16.2	14.1	14.0	190.5	12	-73249
	00 LST	14.1	12.0	14.9	14.3	15.2	19.1	20.1	22.4	20.8	19.8	18.2	17.9	208.8	12	-73249
	06 LST	11.4	11.5	11.1	8.8	8.9	12.0	12.1	13.1	15.7	16.6	15.0	15.3	151.5	12	-73249
	12 LST	8.0	7.8	10.1	9.2	7.8	8.2	7.7	10.1	11.4	14.4	13.5	11.4	119.6	12	-73249
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.3	22.7	26.6	27.1	29.1	28.7	30.3	30.6	28.9	28.3	26.4	25.5	328.5	12	-73249
	00 LST	23.0	22.4	26.2	26.3	28.4	28.6	30.5	30.5	28.7	28.9	26.2	25.5	325.2	12	-73249
	06 LST	21.2	19.5	23.5	21.5	22.7	25.6	29.0	29.1	25.1	26.7	23.9	22.9	290.7	12	-73249
	12 LST	21.6	19.7	23.1	23.6	25.9	27.5	28.8	29.5	27.8	26.7	25.1	23.4	302.7	12	-73249
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.7	19.8	23.1	23.0	25.8	26.5	28.7	28.5	27.3	27.0	24.4	24.1	299.9	12	-73249
	00 LST	21.5	19.2	23.1	23.3	25.1	27.4	29.5	29.8	27.6	26.7	24.5	23.7	301.4	12	-73249
	06 LST	19.0	17.2	20.6	18.7	20.3	24.0	27.2	28.0	23.7	24.7	21.3	21.4	266.1	12	-73249
	12 LST	20.0	17.9	20.8	19.5	20.3	21.6	23.2	25.6	23.0	23.9	21.7	21.9	259.4	12	-73249
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	20.7	18.9	21.9	20.9	24.2	25.7	27.8	27.8	26.3	25.6	23.7	22.8	285.9	12	-73249
	00 LST	20.7	18.5	22.2	21.5	23.7	26.6	29.1	29.1	26.7	25.2	23.3	22.8	289.4	12	-73249
	06 LST	17.8	16.3	19.7	17.0	19.1	22.9	25.9	26.2	23.0	23.1	20.5	20.4	251.9	12	-73249
	12 LST	19.2	17.1	19.8	17.8	19.2	20.6	22.0	24.5	21.6	22.7	20.7	21.2	246.4	12	-73249

SHERMAN MUNICIPAL, TEXAS

STA NO. 73845 (IN AREA NUMBER 13)

LATITUDE 3337N LONGITUDE 09635W ELEVATION(FT) 00745

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	86	88	95	94	107	106	109	113	107	100	87	88	113	62	-113
MEAN MAX TMP (F)	93	97	85	74	82	91	95	95	88	78	65	96	75	58	-113
MEAN MIN TMP (F)	33	36	43	53	62	70	74	73	66	55	44	36	54	58	-113
ABS MIN TMP (F)	-2	0	7	28	37	50	57	56	36	22	17	7	-2	61	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	1.0	1.0	7.0	21.0	27.0	28.0	19.0	4.0	0.0	0.0	108.0	10	-113
MEAN NO DYS TMP = DR LES 32(F)	16.0	10.0	5.0	0.3	0.0	0.0	0.0	0.0	0.0	0.3	6.0	12.0	49.6	10	-113
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	61	-29
MEAN DEW PT TMP (F)	34	36	39	49	60	66	68	66	61	51	39	34	50	12	-73249
MEAN REL HUM (PCT)	70	68	62	63	68	66	63	59	61	62	62	67	64	12	-73249
MEAN PRESS ALT (FT)	549	584	659	705	731	737	670	696	688	637	574	550	650	0	-50
MEAN PRECIP (IN)	2.22	2.63	2.93	4.34	5.06	3.54	3.29	2.77	2.98	3.38	2.42	2.51	38.1	63	-113
MEAN SNOW FALL (IN)	2.5	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	4.7	4.7	12	-73249
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.0	5.6	6.0	7.0	7.2	6.3	6.0	5.3	5.0	5.5	4.2	5.5	68.6	63	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.6	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.3	12	-73249
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.4	3.6	2.2	1.1	1.4	0.7	0.4	0.3	0.8	0.8	1.6	3.4	20.7	12	-73249
MEAN NO DYS TSTMS	1.1	2.6	3.9	6.0	8.4	5.8	6.8	4.8	4.0	2.5	1.7	1.0	48.6	12	-73249
P FREQ WND SPD = DR GTR 17 KTS	18.4	15.5	19.4	20.4	10.8	8.7	4.2	3.1	4.3	8.3	13.8	12.5	11.6	12	-73249
P FREQ WND SPD = DR GTR 28 KTS	0.8	0.5	1.1	0.9	0.3	0.2	0.1	0.0	0.1	0.0	0.4	0.3	0.4	12	-73249
P FREQ LES 5000 FT A/D LES 5 MI	33.2	33.9	28.9	29.1	24.9	16.6	10.2	7.7	13.4	17.1	22.0	26.1	21.9	12	-73249
P FREQ LES 1500 FT A/D LES 3 MI	22.5	17.3	11.0	8.3	7.5	3.9	1.7	1.3	3.3	6.1	10.6	14.8	9.0	12	-73249
FOR 00-02 LST	24.6	22.6	14.4	12.8	13.6	6.5	3.5	3.9	7.4	8.5	12.8	17.8	12.4	12	-73249
03-05 LST	26.5	27.0	18.8	19.8	19.5	12.2	6.3	5.6	12.1	12.5	17.2	22.2	16.6	12	-73249
06-08 LST	28.8	27.9	20.3	18.9	14.7	8.5	5.8	5.0	10.2	12.2	15.6	22.5	15.9	12	-73249
09-11 LST	23.1	22.0	14.2	8.3	7.2	2.6	2.8	1.2	3.2	7.1	11.0	17.0	10.0	12	-73249
12-14 LST	16.6	17.5	9.9	5.8	3.9	2.6	1.4	0.9	2.1	5.4	8.9	12.9	7.3	12	-73249
15-17 LST	17.2	14.7	9.3	6.2	3.9	2.9	1.3	0.8	2.5	5.1	7.8	12.2	7.0	12	-73249
18-20 LST	18.0	13.5	9.5	7.2	5.3	2.5	0.7	0.4	2.9	4.7	8.0	14.3	7.3	12	-73249
21-23 LST															
P FREQ LES 300 FT A/D LES 1 MI	7.6	6.7	2.7	1.4	1.5	0.4	0.1	0.0	1.6	2.0	3.6	5.6	2.8	12	-73249
FOR 00-02 LST	10.8	8.2	4.4	2.4	2.4	0.7	0.6	0.3	2.3	1.8	4.4	6.8	3.8	12	-73249
03-05 LST	10.5	8.1	4.0	1.3	2.5	0.8	0.4	0.4	1.9	1.9	4.4	8.1	3.7	12	-73249
06-08 LST	7.4	5.6	2.2	0.1	0.8	0.3	0.4	0.0	0.7	0.5	2.0	4.4	2.0	12	-73249
09-11 LST	4.0	1.4	0.8	0.2	0.5	0.0	0.4	0.0	0.3	0.3	0.3	2.2	0.9	12	-73249
12-14 LST	2.3	2.5	0.7	0.7	0.0	0.1	0.0	0.1	0.0	0.2	0.6	1.8	0.8	12	-73249
15-17 LST	4.9	3.5	1.9	0.2	0.3	0.3	0.3	0.2	0.4	0.2	2.1	2.5	1.4	12	-73249
18-20 LST	5.7	5.7	2.2	0.6	1.0	0.2	0.0	0.0	1.0	0.4	2.3	4.1	1.9	12	-73249
21-23 LST															

SHERMAN MUNICIPAL, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSPY = GTR 3 MI	18 LST	27.1	24.9	28.7	28.8	30.2	29.5	30.6	30.8	29.5	29.8	28.2	27.8	345.9	12	-73249
	00 LST	25.9	24.3	28.8	28.7	29.7	29.5	30.7	30.8	29.3	29.8	27.6	27.2	342.3	12	-73249
	06 LST	25.2	22.9	27.7	26.9	27.7	27.9	30.2	30.3	27.5	28.4	26.6	25.9	327.2	12	-73249
	12 LST	25.0	23.0	27.8	28.1	29.4	29.4	30.3	30.8	29.3	29.4	27.8	26.8	337.1	12	-73249
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	14.1	12.6	12.6	11.4	14.3	13.8	17.4	18.4	19.7	21.4	17.6	18.5	191.8	12	-73249
	00 LST	11.1	11.6	13.0	12.5	15.0	14.1	18.4	18.3	18.0	17.4	13.7	13.0	176.1	12	-73249
	06 LST	11.4	10.1	10.7	10.1	14.5	14.7	19.5	19.8	18.1	15.7	13.7	12.0	171.3	12	-73249
	12 LST	7.8	6.7	6.7	6.2	9.8	11.9	16.6	18.8	15.1	11.8	8.1	8.3	127.8	12	-73249
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	3.6	2.5	4.7	3.8	2.6	2.1	0.8	1.0	0.8	1.2	1.8	2.4	27.3	12	-73249
	00 LST	5.8	4.3	4.8	5.9	2.4	1.6	0.6	0.6	0.8	2.1	3.9	3.5	36.3	12	-73249
	06 LST	5.6	3.7	4.3	3.9	2.7	2.1	0.8	0.5	0.5	1.4	2.9	2.8	31.2	12	-73249
	12 LST	8.4	6.2	8.1	9.1	5.5	3.8	1.6	1.1	2.3	4.0	6.7	5.8	62.6	12	-73249
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	13.4	14.6	14.8	14.0	15.7	10.1	7.9	8.6	16.6	20.0	17.7	17.0	170.4	12	-73249
	00 LST	9.0	11.2	13.3	13.4	15.9	17.4	20.2	21.5	19.1	16.4	11.7	11.9	181.0	12	-73249
	06 LST	7.9	8.6	11.4	12.8	16.1	17.2	20.8	18.6	18.2	17.1	11.9	11.0	171.6	12	-73249
	12 LST	9.2	10.2	10.0	9.8	13.1	10.5	7.7	7.7	12.4	14.0	10.5	12.2	127.3	12	-73249
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.9	8.7	9.6	10.9	10.9	13.9	11.6	14.7	16.0	16.2	14.1	14.0	150.5	12	-73249
	00 LST	14.1	12.0	14.9	14.3	15.2	19.1	20.1	22.4	20.8	19.8	18.2	17.9	208.8	12	-73249
	06 LST	11.4	11.5	11.1	8.8	8.9	12.0	12.1	13.1	15.7	16.6	15.0	15.3	191.5	12	-73249
	12 LST	8.0	7.8	10.1	9.2	7.8	8.2	7.7	10.1	11.4	14.4	13.5	11.4	119.6	12	-73249
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.3	22.7	26.6	27.1	29.1	28.7	30.3	30.6	28.9	28.3	26.4	25.5	328.5	12	-73249
	00 LST	23.0	22.4	26.2	26.3	28.4	28.6	30.5	30.5	28.7	28.9	26.2	25.5	325.2	12	-73249
	06 LST	21.2	19.5	23.5	21.5	22.7	25.6	29.0	29.1	25.1	26.7	23.9	22.9	290.7	12	-73249
	12 LST	21.6	19.7	23.1	23.6	25.9	27.5	28.8	29.5	27.8	26.7	25.1	23.4	302.7	12	-73249
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.7	19.8	23.1	23.0	25.8	26.5	28.7	28.5	27.3	27.0	24.4	24.1	299.9	12	-73249
	00 LST	21.5	19.2	23.1	23.3	25.1	27.4	29.5	29.8	27.6	26.7	24.5	23.7	301.4	12	-73249
	06 LST	19.0	17.2	20.6	18.7	20.3	24.0	27.2	28.0	23.7	24.7	21.3	21.4	266.1	12	-73249
	12 LST	20.0	17.9	20.8	19.5	20.3	21.6	23.2	25.6	23.0	23.9	21.7	21.9	259.4	12	-73249
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	20.7	18.9	21.9	20.9	24.2	25.7	27.8	27.8	26.3	25.6	23.3	22.8	289.9	12	-73249
	00 LST	20.7	18.5	22.2	21.5	23.7	26.6	29.1	29.1	26.7	25.2	23.3	22.8	289.4	12	-73249
	06 LST	17.8	16.3	19.7	17.0	19.1	22.9	25.9	26.2	23.0	23.1	20.5	20.4	251.9	12	-73249
	12 LST	19.2	17.1	19.8	17.8	19.2	20.6	22.0	24.5	21.6	22.7	20.7	21.2	246.4	12	-73249

GREENVILLE/MAJORS, TEXAS

STA NO. 73847 (IN AREA NUMBER 13)

LATITUDE 33°4N

LONGITUDE 096°04W

ELEVATION(FT) 00540

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	83	95	95	101	104	107	111	115	107	100	90	87	115	59	-613
MEAN MAX TMP (F)	55	58	67	73	82	91	95	96	90	79	66	56	76	59	-113
MEAN MIN TMP (F)	33	36	44	53	61	69	73	72	66	54	43	35	53	60	-113
ABS MIN TMP (F)	-4	0	7	28	34	49	55	50	36	21	17	7	-4	59	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0				4.8	18.0	26.3	28.3	16.2		0.0	0.0		59	-29
MEAN NO DYS TMP = OR LES 32(F)	10.3	4.6	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	8.0	26.9	4	1038
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1038
MEAN DEW PT TMP (F)	36	41	45	53	62	71	70	68	61	53	45	38	54	4	23317
MEAN REL HUM (PCT)	75	74	72	70	74	73	69	60	67	66	69	79	71	4	23298
MEAN PRESS ALT (FT)	343	377	452	499	525	532	486	492	477	429	368	343	444	0	-50
MEAN PRECIP (IN)	2.61	2.76	3.19	4.69	5.20	3.65	3.24	2.47	2.89	3.28	3.12	3.09	40.2	61	-113
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					59	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.6	5.8	6.3	7.1	7.2	6.4	5.9	4.9	4.8	5.4	5.1	6.3	70.8	61	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					59	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	3.0	3.9	3.0	0.3	1.0	0.7	0.0	0.5	0.0	1.3	1.0	4.3	19.0	4	1038
MEAN NO DYS TSTMS	0.0	4.6	8.0	5.0	9.3	8.0	6.5	2.5	1.9	2.7	2.3	1.6	52.4	4	1038
P FREQ WND SPD = OR GTR 17 KTS	4.4	6.8	9.4	8.8	6.7	4.3	1.2	1.5	1.0	2.1	5.1	3.4	4.6	4	24842
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.2	0.0	0.3	0.0	0.2	0.0	0.0	0.1	0.0	0.0	0.1	4	24842
P FREQ LES 5000 FT A/D LES 5 MI	32.7	39.2	42.4	32.3	33.5	26.4	15.2	4.5	17.1	17.8	29.3	45.5	28.0	4	24880
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	16.8	18.8	16.8	7.4	9.7	4.1	2.6	0.0	5.4	5.4	8.5	27.2	10.2	4	3112
03-05 LST	20.5	20.9	24.9	16.7	25.8	12.6	5.7	1.1	8.3	7.5	12.2	30.1	16.0	4	3106
06-08 LST	28.1	36.6	34.3	27.0	34.4	21.9	12.3	4.9	14.6	10.1	19.6	39.4	23.6	4	3110
09-11 LST	23.7	32.5	25.8	18.1	18.6	5.2	5.3	3.2	13.0	5.4	14.8	34.8	15.7	4	3111
12-14 LST	16.2	25.5	22.7	8.9	7.9	1.9	2.6	2.7	8.3	1.8	10.7	27.6	11.4	4	3110
15-17 LST	15.1	20.0	17.6	6.7	3.9	2.2	3.5	0.5	5.0	2.2	8.9	25.1	9.2	4	3111
18-20 LST	15.8	16.9	13.6	6.3	4.7	0.7	3.1	0.0	3.8	2.2	5.2	22.6	7.9	4	3112
21-23 LST	14.1	20.0	13.6	6.7	6.5	2.6	2.6	0.5	4.2	1.1	4.4	24.0	8.4	4	3108
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	3.9	5.9	6.1	0.7	0.0	0.4	0.0	0.0	0.0	0.7	2.2	5.4	2.1	4	3112
03-05 LST	7.9	4.0	4.0	2.2	1.4	0.7	0.0	0.0	0.0	1.1	3.0	7.5	2.7	4	3106
06-08 LST	8.6	9.1	6.8	1.1	2.5	0.4	0.0	0.0	0.0	2.2	2.6	11.1	3.7	4	3110
09-11 LST	5.4	5.1	2.2	1.1	0.0	0.4	0.0	0.5	0.0	0.0	0.7	6.1	1.8	4	3111
12-14 LST	0.7	1.6	1.1	0.7	0.4	0.0	0.0	0.0	0.4	0.4	3.9	0.8		4	3110
15-17 LST	0.0	3.1	2.2	0.0	0.4	0.4	0.0	0.0	0.0	1.4	1.1	2.5	0.9	4	3111
18-20 LST	0.0	3.9	2.5	0.0	1.1	0.0	0.4	0.0	0.0	0.0	0.7	2.9	1.0	4	3112
21-23 LST	1.1	4.7	3.9	0.0	1.1	0.7	0.0	0.0	0.0	0.0	1.5	3.9	1.4	4	3108

GREENVILLE/MAJORS, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PUR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.3	24.7	27.0	29.3	30.3	29.6	30.2	31.0	29.3	30.3	29.0	27.0	345.0	4	1038
	00 LST	26.3	23.7	26.3	29.0	30.0	29.0	30.2	31.0	29.3	30.3	28.7	24.6	338.4	4	1039
	06 LST	25.6	21.4	22.0	25.0	23.0	27.3	29.0	29.5	26.6	28.0	27.3	21.3	308.0	4	1038
	12 LST	28.0	22.7	26.0	29.0	30.7	30.0	30.6	30.5	28.9	30.7	28.0	23.3	338.4	4	1038
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	18.3	16.8	14.3	14.3	13.0	14.6	18.4	16.5	25.8	27.0	22.0	18.0	219.0	4	1037
	00 LST	19.0	14.5	14.7	17.0	16.6	20.6	25.4	24.5	25.4	26.3	19.0	17.0	240.0	4	1037
	06 LST	16.3	12.2	12.6	12.3	13.0	16.3	22.8	25.0	23.2	23.3	18.7	13.0	208.7	4	1037
	12 LST	10.3	5.6	7.3	7.3	6.7	9.0	19.2	19.0	16.7	16.6	10.0	10.0	137.7	4	1037
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	1.4	1.4	1.3	1.7	0.3	0.4	1.0	0.0	0.3	1.0	0.7	10.2	4	1010
	00 LST	2.1	0.7	1.7	2.0	1.3	0.7	0.4	0.0	0.4	0.7	0.7	0.0	10.7	4	1011
	06 LST	1.1	0.0	2.4	0.7	0.7	0.7	0.4	0.0	0.0	0.0	0.0	0.3	6.3	4	1010
	12 LST	1.7	5.0	5.5	6.4	3.7	2.3	0.4	0.5	0.8	1.3	3.8	2.5	33.9	4	1005
SFC WND 4-10 KTS AND TMP 33-89 DE' F AND NO PRECIP.	18 LST	16.7	18.6	18.1	16.8	17.0	12.3	10.6	4.1	22.4	20.9	17.2	16.4	191.1	4	1010
	00 LST	11.8	15.5	17.9	17.6	17.0	16.9	17.3	20.8	16.0	13.5	15.7	17.7	197.7	4	1011
	06 LST	13.0	15.0	16.7	17.3	19.5	19.0	19.8	21.3	20.4	19.7	16.2	15.8	213.7	4	1010
	12 LST	14.3	12.0	12.2	8.8	12.8	8.1	5.9	2.6	19.6	13.8	15.7	16.2	142.0	4	1005
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.3	21.4	23.3	26.6	28.6	29.3	29.8	31.0	28.9	29.6	27.7	21.6	322.1	4	1038
	00 LST	25.3	20.4	23.0	26.6	26.0	27.7	30.2	31.0	27.4	28.3	27.0	20.3	313.2	4	1039
	06 LST	21.3	15.8	18.3	19.3	18.3	20.0	26.1	29.0	24.8	25.0	22.3	17.3	257.5	4	1038
	12 LST	23.3	19.4	20.0	22.7	24.0	26.0	29.0	30.5	25.1	27.3	22.3	17.6	287.2	4	1038
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.3	16.8	18.7	24.0	25.3	25.3	27.3	29.5	24.8	27.0	23.3	18.0	281.3	4	1038
	00 LST	22.7	17.4	19.3	23.3	24.0	26.6	29.8	30.5	26.3	25.6	23.3	17.6	286.4	4	1039
	06 LST	19.3	14.5	16.0	16.0	16.0	17.6	24.5	27.5	22.1	22.0	18.7	15.7	229.9	4	1038
	12 LST	20.0	18.1	16.3	18.0	19.3	16.7	22.4	27.5	20.3	23.7	19.7	17.0	239.0	4	1038
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.3	14.8	16.6	21.7	23.3	24.0	25.3	27.0	22.9	24.3	22.3	17.3	258.8	4	1038
	00 LST	21.6	17.1	18.3	22.0	23.0	24.7	28.2	29.5	25.1	24.3	22.0	17.6	273.4	4	1039
	06 LST	18.0	12.8	14.3	15.3	14.7	16.3	20.4	23.5	21.0	21.0	17.6	14.7	209.6	4	1038
	12 LST	17.3	16.5	13.6	16.7	17.6	15.7	19.6	23.5	19.1	21.6	18.3	15.3	216.8	4	1038

PARIS/COX AAF, TEXAS

STA NO. 73854 (IN AREA NUMBER 13)

LATITUDE 3338N

LONGITUDE 09527W

ELEVATION(FT) 00547

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDP (YRS)	NO. OBS
ABS MAX TMP (F)	82	85	93	92	97	104	106	108	104	98	87	86	108	14	4735
MEAN MAX TMP (F)	53	58	64	73	82	90	94	94	88	77	64	55	74	14	4735
MEAN MIN TMP (F)	34	39	43	53	63	71	75	74	67	56	43	37	55	14	4735
ABS MIN TMP (F)	4	7	17	30	40	54	61	60	48	31	18	9	4	14	4735
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.2	0.3	3.9	18.6	24.3	24.3	14.2	2.2	0.0	0.0	88.4	14	4735
MEAN NO DYS TMP = DR LES 32(F)	4.3	8.3	3.5	0.2	0.0	0.0	0.0	0.0	0.0	0.1	4.3	9.9	40.6	14	4735
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	4735
MEAN DEW PT TMP (F)	34	37	39	49	60	67	68	66	61	52	39	34	51	13	107631
MEAN REL HUM (PCT)	71	69	63	63	69	65	63	59	61	63	61	67	65	13	107630
MEAN PRESS ALT (FT)	347	380	454	498	524	532	487	494	482	433	372	348	446	0	-50
MEAN PRECIP (IN)	2.07	2.26	2.48	4.25	5.50	2.73	3.48	2.25	3.51	3.13	2.80	2.34	36.8	14	4732
MEAN SNOW FALL (IN)	2.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	4.5	13	4501
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.8	4.3	5.0	5.7	6.8	4.7	4.7	3.4	4.1	3.7	3.2	3.9	53.3	14	4732
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.5	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.1	13	4501
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.7	3.7	2.4	1.3	1.4	0.8	0.4	0.2	1.0	0.9	1.5	3.2	21.5	13	4500
MEAN NO DYS TSTMS	1.2	2.6	3.9	5.9	8.7	5.8	6.9	5.1	4.2	2.7	1.4	1.0	49.4	13	4501
P FREQ WND SPD = DR GTR 17 KTS	17.2	14.4	18.0	18.9	10.3	8.8	4.2	3.2	4.3	6.4	15.2	14.9	11.5	13	107844
P FREQ WND SPD = DR GTR 28 KTS	0.7	0.5	1.0	0.8	0.3	0.2	0.1	0.0	0.1	0.0	0.4	0.5	0.4	13	107844
P FREQ LES 5000 FT A/O LES 5 MI	34.8	34.5	28.9	29.7	25.1	16.5	10.9	7.9	13.5	18.4	19.4	26.3	22.2	13	107870
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	24.3	17.7	11.3	8.9	7.2	3.5	1.8	1.0	3.7	7.2	9.0	14.3	9.2	13	13472
03-05 LST	26.1	22.7	15.1	13.5	13.1	6.3	3.3	3.6	8.6	9.9	11.1	17.3	12.6	13	13487
06-08 LST	28.2	27.3	18.8	19.7	21.6	12.1	6.4	5.5	12.4	13.6	16.5	23.7	17.2	14	14178
09-11 LST	30.7	28.2	20.0	19.0	16.5	7.4	5.7	5.1	10.7	12.6	14.7	24.0	16.2	14	14192
12-14 LST	25.2	22.7	14.1	8.4	7.4	2.1	2.6	1.5	3.5	6.9	10.2	17.9	10.2	14	14188
15-17 LST	18.6	17.7	9.9	5.9	4.4	1.6	1.6	1.1	2.4	5.5	8.2	14.1	7.6	14	14102
18-20 LST	19.4	14.9	9.2	6.1	3.9	2.2	1.3	0.7	2.5	5.7	7.3	12.8	7.2	14	13680
21-23 LST	20.2	13.8	9.6	7.4	5.4	2.1	0.7	0.4	3.0	6.0	7.0	13.9	7.5	13	13490
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	8.9	6.9	2.9	1.6	1.3	0.4	0.1	0.0	1.5	2.1	3.1	3.1	2.8	13	13472
03-05 LST	11.9	8.7	4.8	2.7	2.5	0.7	0.6	0.1	2.4	1.7	4.1	6.8	3.9	13	13487
06-08 LST	10.9	8.7	3.9	2.1	2.5	0.7	0.4	0.2	2.5	2.1	4.1	8.0	3.8	14	14178
09-11 LST	8.1	5.5	2.0	0.1	0.9	0.3	0.3	0.2	0.9	0.9	2.1	4.2	2.1	14	14192
12-14 LST	4.9	1.7	0.7	0.2	0.5	0.0	0.3	0.0	0.3	0.2	0.3	2.4	1.0	14	14188
15-17 LST	3.1	2.7	0.7	0.7	0.0	0.1	0.0	0.2	0.0	0.2	0.4	2.0	0.8	14	14102
18-20 LST	5.8	3.8	1.8	0.2	0.3	0.3	0.3	0.3	0.4	0.2	2.1	2.5	1.5	14	13680
21-23 LST	6.5	5.9	2.3	0.7	1.0	0.2	0.0	0.0	0.7	0.3	2.2	3.7	2.0	13	13490

PARIS/COX AAF, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.5	24.9	28.8	28.8	30.1	29.7	30.5	30.8	29.5	29.7	28.3	27.9	345.5	14	4695
	00 LST	25.4	24.2	28.7	28.7	29.7	29.6	30.7	30.9	29.3	29.5	27.9	27.4	342.0	13	4502
	06 LST	24.7	22.8	27.6	26.8	27.2	28.1	30.1	30.4	27.2	28.5	26.8	25.6	326.0	14	4734
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	12 LST	24.4	22.8	27.8	28.3	29.5	29.5	30.4	30.7	29.2	29.4	27.8	26.6	336.4	14	4734
	18 LST	14.1	13.2	13.2	12.4	15.4	14.2	17.8	17.8	20.4	21.8	17.4	17.3	195.0	14	4695
	00 LST	11.2	12.0	13.5	13.2	15.7	14.4	18.2	17.9	17.7	16.9	13.4	12.4	176.3	13	4502
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	11.4	10.6	11.5	10.6	14.8	15.2	20.2	19.7	18.5	17.1	13.4	11.4	174.4	14	4734
	12 LST	7.9	7.2	7.1	6.8	10.9	12.5	17.5	18.2	15.7	13.1	8.1	8.1	133.1	14	4734
	18 LST	3.4	2.3	4.4	3.5	2.5	2.0	0.7	0.9	0.7	1.1	2.0	3.0	26.5	14	4602
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	5.4	3.9	4.4	5.4	2.1	1.6	0.7	0.6	0.8	2.1	4.3	4.3	35.6	13	4400
	06 LST	5.2	3.4	4.0	3.6	2.6	1.9	0.8	0.4	0.5	1.3	3.1	3.2	30.0	14	4618
	12 LST	7.8	5.8	7.6	8.4	5.1	3.7	1.5	1.1	2.0	3.9	7.1	6.7	60.7	14	4626
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	13.3	14.3	14.9	14.1	15.9	9.9	7.5	8.4	16.9	19.4	18.1	16.2	168.9	14	4602
	00 LST	9.0	11.5	13.5	13.4	16.0	17.0	19.6	20.9	18.9	15.9	11.6	11.2	178.5	13	4400
	06 LST	7.9	9.0	12.2	12.8	16.1	17.4	19.9	18.4	18.0	17.0	12.1	10.5	171.3	14	4618
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	12 LST	9.2	10.6	10.3	10.5	13.9	10.0	7.2	6.9	12.5	14.9	11.0	12.1	129.1	14	4626
	18 LST	9.8	8.9	9.7	10.6	10.4	13.7	11.6	15.3	16.3	16.0	14.9	13.6	150.8	13	4500
	00 LST	13.7	12.2	14.9	14.1	15.1	18.9	20.3	22.6	20.8	19.4	19.1	17.5	208.6	13	4502
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	11.1	11.6	10.8	8.7	8.9	12.2	12.1	13.2	15.7	15.9	16.1	14.9	151.2	13	4500
	12 LST	7.5	8.0	9.9	8.9	7.2	8.5	7.3	10.2	11.6	13.7	14.6	11.2	118.6	13	4500
	18 LST	23.8	22.6	26.6	27.1	29.0	28.8	30.3	30.5	28.8	28.1	26.5	25.4	327.5	14	4695
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	22.4	22.3	26.1	26.1	28.6	28.8	30.5	30.6	28.7	28.6	26.8	25.7	325.2	13	4502
	06 LST	20.7	19.3	23.6	21.4	22.7	25.3	29.0	29.2	25.3	26.2	23.9	22.5	289.1	14	4734
	12 LST	21.0	19.6	23.3	23.4	25.3	27.5	28.8	29.3	27.5	26.4	25.6	23.1	300.8	14	4734
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	21.2	19.7	23.1	22.7	25.7	26.5	28.8	28.5	27.3	26.8	24.6	23.9	298.8	14	4695
	00 LST	20.9	19.1	23.0	22.9	25.6	27.6	29.6	30.0	27.4	26.5	25.1	23.5	301.2	13	4502
	06 LST	18.5	17.1	20.5	18.5	20.3	23.6	27.1	27.7	24.1	24.2	21.9	20.5	264.0	14	4734
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	12 LST	19.5	17.6	21.0	19.3	19.3	20.7	22.5	25.1	22.9	23.3	22.4	21.3	255.0	14	4734
	18 LST	20.2	18.9	21.9	20.4	24.1	25.8	27.4	27.4	26.2	25.5	23.6	22.7	284.1	14	4695
	00 LST	20.2	18.5	22.1	21.2	24.1	26.7	29.2	29.1	26.6	24.8	24.1	22.7	289.3	13	4502
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	17.4	16.0	19.7	17.0	18.9	22.5	25.3	25.7	23.2	22.5	20.9	19.5	248.6	14	4734
	12 LST	18.8	16.8	19.8	17.5	18.2	19.7	21.2	23.9	21.6	22.1	21.4	20.5	241.5	14	4734

ORANGE/BROWN, TEXAS

STA NO. 73001 (IN AREA NUMBER 13)

LATITUDE 3004N

LONGITUDE 09340W

ELEVATION(FT) 00014

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	81	84	94	92	97	98	101	104	99	96	88	82	104	22	-72240
MEAN MAX TMP (F)	62	65	70	78	85	90	92	92	88	82	70	64	78	22	-72240
MEAN MIN TMP (F)	43	46	51	59	66	72	74	74	69	59	49	45	59	22	-72240
ABS MIN TMP (F)	12	13	25	34	46	58	63	61	45	35	27	18	12	22	-72240
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.2	2.0	13.7	22.7	24.0	11.3	1.0	0.0	0.0	74.9	5	-72240
MEAN NO DYS TMP = OR LES 32(F)	7.2	3.9	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4.5	16.5	5	-72240
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-72240
MEAN DEW PT TMP (F)	40	44	50	61	65	71	73	74	70	60	51	44	59	5	-72240
MEAN REL HUM (PCT)	77	76	75	79	75	79	80	78	79	75	76	78	77	5	-72240
MEAN PRESS ALT (FT)	-181	-148	-81	-40	-13	-5	-52	-42	-39	-90	-155	-178	-84	0	-50
MEAN PRECIP (IN)	4.03	4.61	4.22	4.95	5.00	5.38	7.18	4.82	4.03	3.20	4.24	5.82	57.3	22	-72240
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-72240
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.5	8.2	6.9	7.2	7.2	8.1	9.7	7.4	6.3	5.2	6.6	9.5	89.8	22	-29
MEAN NO DYS SNPL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-72240
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	7.5	4.9	5.5	3.8	2.5	0.1	0.7	0.7	1.0	5.3	5.3	8.7	46.4	5	-72240
MEAN NO DYS TSTMS	3.0	3.0	5.0	6.0	8.0	10.0	15.0	12.0	8.0	2.0	3.0	3.0	78.0	19	-72240
P FREQ WND SPD = OR GTR 17 KTS	11.6	15.2	9.0	6.0	2.6	0.5	0.4	0.4	1.3	3.3	8.1	8.7	5.6	5	-72240
P FREQ WND SPD = OR GTR 23 KTS	1.2	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	5	-72240
P FREQ LES 3000 FT A/O LES 5 MI	41.4	38.6	36.6	43.4	21.3	15.6	13.6	13.4	19.4	19.5	30.1	42.4	27.9	5	-72240
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	23.9	24.7	32.3	33.7	3.9	1.7	2.9	3.6	7.0	9.7	19.4	31.2	16.2	5	-72240
03-05 LST	26.5	30.4	34.8	39.3	10.6	4.0	6.5	1.4	11.9	19.4	21.9	37.9	20.4	5	-72240
06-08 LST	32.9	32.5	32.6	40.7	14.8	5.4	8.7	6.5	17.8	27.6	26.7	33.3	23.3	5	-72240
09-11 LST	35.2	25.8	27.1	20.3	4.2	4.3	2.9	2.5	10.4	9.7	16.1	26.9	15.5	5	-72240
12-14 LST	22.3	17.0	15.5	8.0	1.3	0.7	1.3	1.1	5.2	1.1	7.8	16.9	8.2	5	-72240
15-17 LST	17.4	17.0	17.1	6.7	0.0	0.3	1.0	0.4	2.6	0.7	4.7	16.7	7.1	5	-72240
18-20 LST	17.7	20.1	18.7	8.0	0.6	0.3	1.0	0.4	6.7	0.4	8.9	23.7	8.9	5	-72240
21-23 LST	18.7	20.1	23.9	21.3	2.3	1.7	0.0	1.1	8.1	1.8	11.1	27.2	11.4	5	-72240
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	9.0	9.9	15.8	6.7	0.3	0.0	0.6	0.7	1.5	3.6	8.3	14.2	5.9	5	-72240
03-05 LST	15.8	13.1	16.1	9.7	5.8	1.3	1.6	0.7	1.9	10.8	7.8	21.2	8.8	5	-72240
06-08 LST	18.1	12.4	10.3	9.3	6.1	1.0	1.0	0.4	1.9	11.1	9.7	16.1	8.1	5	-72240
09-11 LST	9.7	3.5	1.9	1.0	0.0	0.3	0.0	0.0	0.0	1.1	0.8	7.8	2.2	5	-72240
12-14 LST	3.2	0.4	0.6	0.3	0.0	0.0	0.0	0.0	0.4	0.4	0.0	1.9	0.6	5	-72240
15-17 LST	1.9	0.7	1.0	0.0	0.0	0.3	0.0	0.0	0.0	0.7	0.3	1.9	0.6	5	-72240
18-20 LST	7.4	1.8	2.3	0.7	0.0	0.0	0.0	0.0	0.4	0.0	0.3	5.6	1.5	5	-72240
21-23 LST	8.4	3.9	5.1	2.7	0.3	0.0	0.0	0.0	0.4	0.0	2.5	10.5	3.1	5	-72240

ORANGE/BROWN, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	ND. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.0	24.8	26.7	29.3	31.0	30.0	30.5	30.7	28.7	31.0	29.0	26.7	345.4	5	-72240
	00 LST	26.0	22.0	21.7	25.2	30.7	29.7	30.5	30.0	28.3	29.0	26.3	23.5	322.9	5	-72240
	06 LST	21.7	20.6	21.0	19.7	24.5	29.0	28.0	29.3	24.7	23.0	24.8	21.2	287.5	5	-72240
	12 LST	25.0	26.3	28.5	29.3	31.0	30.0	30.5	31.0	29.0	31.0	28.5	27.5	347.6	5	-72240
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	14.7	11.6	12.2	10.5	11.7	16.2	20.4	22.0	25.0	25.3	16.7	15.5	201.8	5	-72240
	00 LST	15.2	12.6	13.7	15.5	26.0	28.2	30.5	29.6	27.0	23.0	16.0	13.2	250.5	5	-72240
	06 LST	13.2	10.9	13.0	12.5	22.0	28.2	27.2	28.3	23.3	18.3	14.7	10.2	221.8	5	-72240
	12 LST	8.2	6.2	7.0	7.2	10.7	18.5	21.7	22.3	19.0	18.7	11.0	8.5	159.0	5	-72240
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	2.8	3.9	2.6	1.0	1.5	0.2	0.0	0.3	0.0	0.3	1.3	1.3	15.2	5	-72240
	00 LST	3.4	2.0	1.8	0.5	0.0	0.0	0.0	0.0	0.0	0.3	1.6	0.8	10.4	5	-72240
	06 LST	2.6	2.6	0.5	0.2	0.2	0.0	0.0	0.0	0.0	0.3	1.3	2.1	9.8	5	-72240
	12 LST	4.9	7.5	4.2	3.0	2.0	0.8	0.0	0.0	0.7	1.0	5.3	4.4	33.8	5	-72240
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	18.8	15.8	15.6	16.2	17.4	21.2	20.6	21.0	25.6	26.3	19.8	20.6	238.9	5	-72240
	00 LST	18.5	17.7	19.6	21.7	25.5	23.9	23.2	24.9	22.5	19.0	17.5	20.2	254.2	5	-72240
	06 LST	16.0	15.7	22.0	22.4	24.9	21.8	16.5	25.6	26.6	22.3	18.5	17.5	249.8	5	-72240
	12 LST	13.3	10.4	12.6	12.3	15.3	19.1	11.7	11.7	17.2	20.6	13.7	13.8	171.7	5	-72240
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.0	8.4	10.0	6.5	8.5	8.5	5.8	9.0	9.0	16.6	13.2	8.0	113.5	5	-72240
	00 LST	12.2	10.9	11.2	9.0	11.5	18.5	17.4	19.0	17.6	19.7	12.0	11.0	170.0	5	-72240
	06 LST	10.5	10.1	7.5	4.5	4.5	10.0	8.8	11.0	11.3	14.7	9.8	9.0	111.7	5	-72240
	12 LST	9.7	7.7	9.0	3.5	5.7	1.5	1.2	5.0	5.3	13.3	9.5	8.0	79.4	5	-72240
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.0	21.1	24.2	25.5	29.7	29.7	30.0	30.0	28.0	30.0	26.7	22.7	321.6	5	-72240
	00 LST	23.0	19.6	19.7	18.8	28.5	29.0	30.2	29.6	27.7	27.7	23.7	20.7	298.2	5	-72240
	06 LST	20.0	18.3	18.0	14.5	23.5	27.8	27.2	28.3	24.3	22.3	22.2	18.2	264.6	5	-72240
	12 LST	21.5	20.0	23.3	21.0	28.0	29.0	29.2	27.0	24.7	29.3	23.5	22.2	298.7	5	-72240
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.2	17.3	22.2	23.3	27.7	28.2	29.2	28.6	26.6	29.0	23.7	19.2	295.2	5	-72240
	00 LST	19.7	18.3	18.0	17.5	27.0	28.2	30.2	29.3	26.6	27.0	20.7	17.2	279.7	5	-72240
	06 LST	16.2	16.4	15.5	13.7	22.2	27.5	27.2	28.3	23.6	21.3	19.0	14.2	245.1	5	-72240
	12 LST	18.2	17.1	20.2	16.2	16.7	19.5	18.9	20.0	18.0	27.0	20.0	17.5	229.3	5	-72240
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	17.5	16.1	21.7	21.2	26.0	28.0	28.2	28.3	26.0	28.6	21.8	16.7	280.1	5	-72240
	00 LST	18.5	16.6	16.0	17.0	26.5	28.0	30.2	29.0	26.6	26.7	18.8	15.7	269.6	5	-72240
	06 LST	15.0	15.3	14.5	12.0	22.0	27.2	27.2	27.7	23.0	20.6	16.7	13.0	234.2	5	-72240
	12 LST	15.7	15.1	18.5	15.0	16.7	18.2	18.9	20.0	17.6	26.0	16.5	15.5	213.7	5	-72240

BROWNWOOD MUNICIPAL, TEXAS

STA NO. 73876 (IN AREA NUMBER 13)

LATITUDE 3147N

LONGITUDE 09837W

ELEVATION(FT) 01391

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	91	96	99	102	108	110	113	110	106	102	93	89	113	66	-113
MEAN MAX TMP (F)	60	63	71	79	85	94	97	98	91	81	69	61	79	59	-113
MEAN MIN TMP (F)	33	35	42	51	60	68	71	71	64	53	41	34	52	59	-113
ABS MIN TMP (F)	-2	0	7	27	34	44	54	48	39	19	14	-3	-3	66	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	1.0	3.0	10.0	25.0	30.0	29.0	20.0	3.0	0.0	0.0	121.0	9	-113
MEAN NO DYS TMP = DR LES 32(F)	13.0	7.0	5.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	6.0	12.0	43.3	10	-113
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	66	-29
MEAN DEW PT TMP (F)	34	36	37	47	59	65	65	64	60	51	39	33	49	0	-50
MEAN REL HUM (PCT)	65	65	53	57	66	62	57	55	59	61	59	61	60	39	-29
MEAN PRESS ALT (FT)	1211	1251	1330	1383	1409	1417	1363	1363	1352	1305	1235	1207	1319	0	-50
MEAN PRECIP (IN)	1.51	1.42	1.62	3.10	4.12	2.77	1.79	1.85	2.79	2.47	1.76	1.63	26.8	68	-113
MEAN SNOW FALL (IN)	1.0	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	2.3	59	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.8	3.6	4.2	6.2	6.9	5.3	3.8	3.9	4.7	4.3	3.3	4.0	54.0	68	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	59	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P F-EQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BROWNWOOD MUNICIPAL, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	17													0	0
VSBY = GTR 3 MI	23													0	0
	09													0	0
	11													0	0
CIG =GTR 2000 FT AND VSBY =GTR	17													0	0
3 MI W/SFC WND LES 10 KTS	23													7	0
	09													6	0
	11													0	0
SFC WND = GTR 17 KTS AND	17													0	0
NO PRECIP.	23													0	0
	09													0	0
	11													0	0
SFC WND 4-10 KTS AND TMP 33-89	17													0	0
DEG F AND NO PRECIP.	23													0	0
	09													0	0
	11													0	0
SKY COVER LES 3/10 AND	17													0	0
VSBY = GTR 3 MI	23													0	0
	09													0	0
	11													0	0
CIG = GTR 2500 FT AND	17													0	0
VSBY = GTR 3 MI	23													0	0
	09													0	0
	11													0	0
CIG = GTR 6000 FT AND	17													0	0
VSBY = GTR 3 MI	23													0	0
	09													0	0
	11													0	0
CIG = GTR 10000 FT AND	17													0	0
VSBY = GTR 3 MI	23													0	0
	09													0	0
	11													0	0

DATA NOT AVAILABLE

TEMPLE/DRAUGHTON-MILLER, TEXAS

STA NO. 73977 (IN AREA NUMBER 13)

LATITUDE 3109N

LONGITUDE 09724W

ELEVATION(FT) 00698

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. URS
ABS MAX TMP (F)	89	94	100	100	104	111	111	112	108	101	94	90	112	68	-613
MEAN MAX TMP (F)	59	62	71	78	85	93	96	97	91	81	69	60	79	61	-113
MEAN MIN TMP (F)	37	40	47	55	63	70	73	73	67	57	46	39	56	61	-113
ABS MIN TMP (F)	-2	-4	15	29	38	49	56	50	38	26	19	9	-4	68	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	1.4	4.7	17.8	27.6	27.0	14.6	3.2	0.0	0.0	96.3	8	2026
MEAN NO DYS TMP = DR LES 32(F)	10.9	5.7	2.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	1.4	9.6	30.3	8	2026
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2026
MEAN DEW PT TMP (F)	34	37	44	54	62	67	67	66	64	55	46	36	53	8	48502
MEAN REL HUM (PCT)	69	67	65	68	70	70	62	59	67	66	68	69	67	8	48498
MEAN PRESS ALT (FT)	511	546	627	679	705	712	663	665	642	598	533	507	616	0	-50
MEAN PRECIP (IN)	2.16	2.33	2.40	4.11	4.50	3.04	1.99	2.03	2.82	2.87	2.84	2.90	34.0	68	-113
MEAN SNOW FALL (IN)	1.2	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3.7	6	1401
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.9	3.2	3.4	6.9	7.0	5.7	4.2	4.2	4.7	4.8	4.8	6.0	63.8	68	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.8	6	1401
MEAN NO DYS W/OCUR V5BY LES 1/2 MI	4.2	4.6	2.5	0.8	0.8	2.7	0.2	0.4	0.2	2.0	1.4	4.2	22.0	8	2026
MEAN NO DYS TSTMS	1.1	2.0	4.6	3.7	4.5	6.2	3.3	4.6	4.2	1.8	1.6	1.4	41.0	8	2026
P FREQ WND SPD = DR GTR 17 KTS	6.6	7.1	7.9	8.3	10.0	4.9	0.9	1.3	4.4	3.8	4.8	4.0	5.3	8	48620
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.2	0.2	0.1	0.0	0.1	0.0	0.0	0.3	0.1	0.1	0.1	0.1	8	48620
P FREQ LES 5000 FT A/O LES 5 MI	33.7	34.8	33.4	35.0	35.5	28.8	11.4	9.4	21.5	21.0	32.3	32.4	27.4	8	48623
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	21.4	22.5	17.8	18.3	16.3	8.5	2.3	1.3	12.2	6.5	18.4	19.1	13.7	8	6078
03-05 LST	26.5	27.2	23.6	28.6	23.1	16.3	4.7	3.9	16.4	12.0	24.2	22.2	19.2	8	6078
06-08 LST	31.2	29.4	26.3	31.7	37.6	22.8	6.8	9.9	18.4	17.6	27.9	23.9	23.6	9	6477
09-11 LST	27.3	27.8	24.5	26.6	18.3	10.9	2.7	2.8	14.2	16.6	23.6	22.9	18.2	9	6482
12-14 LST	20.5	18.7	14.2	12.9	7.5	2.8	0.7	0.4	6.0	5.2	12.5	17.0	9.9	9	6450
15-17 LST	17.6	15.4	10.6	6.2	4.8	2.8	0.4	0.6	3.8	3.2	10.0	15.9	7.6	9	6474
18-20 LST	16.8	12.4	10.0	3.4	4.1	3.3	0.5	0.6	4.2	3.2	9.8	14.9	6.9	9	6465
21-23 LST	16.9	14.4	11.0	5.8	5.7	4.1	0.9	0.9	4.0	4.9	10.9	17.6	8.1	9	6336
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	6.5	5.0	0.9	1.4	0.7	0.7	0.0	0.2	0.2	1.1	1.1	7.3	2.1	8	6078
03-05 LST	7.4	7.8	2.7	2.8	2.0	0.4	0.2	0.6	0.4	2.4	3.8	8.8	3.3	8	6078
06-08 LST	8.2	7.5	4.9	2.3	3.4	2.2	0.4	0.4	1.1	4.5	5.6	6.8	3.9	9	6477
09-11 LST	6.8	5.5	2.7	0.5	0.2	0.0	0.0	0.0	0.4	0.4	1.5	3.9	1.8	9	6482
12-14 LST	3.1	3.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.1	1.8	0.9	9	6480
15-17 LST	2.3	0.8	0.5	0.2	0.2	0.4	0.0	0.0	0.0	0.0	0.0	1.6	0.5	9	6474
18-20 LST	1.9	2.6	0.8	0.0	0.0	0.7	0.0	0.0	0.0	0.4	0.2	3.4	0.8	9	6465
21-23 LST	4.1	3.3	1.3	0.4	0.0	0.2	0.0	0.0	0.4	0.4	0.8	5.5	1.4	9	6336

TEMPLE/DRAUGHTON-MILLER, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.4	25.3	29.5	29.3	30.2	29.0	30.8	30.8	28.6	30.6	28.1	27.2	346.8	9	2159
	00 LST	26.8	24.3	28.9	28.3	30.0	29.0	30.7	30.8	28.8	29.4	27.6	26.8	341.4	9	2156
	06 LST	24.4	21.4	26.4	25.9	26.3	27.7	30.3	29.4	26.4	28.4	23.9	25.3	315.8	9	2160
	12 LST	25.5	23.0	27.2	27.9	29.6	29.5	30.8	31.0	28.0	29.8	27.0	26.0	335.3	9	2161
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	15.2	10.4	12.8	13.0	10.7	11.2	17.9	19.0	16.0	18.2	19.5	18.5	182.4	9	2159
	00 LST	19.1	16.4	17.4	15.8	13.6	17.2	22.6	24.2	21.2	21.6	19.5	20.6	229.2	9	2156
	06 LST	16.9	14.9	17.3	14.4	13.3	19.3	26.8	28.0	21.6	20.6	17.1	17.0	229.2	9	2160
	12 LST	11.2	9.3	9.7	8.7	9.5	15.8	21.6	22.0	16.4	14.6	12.1	12.2	163.1	9	2161
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	2.3	2.1	2.4	4.0	5.3	2.3	1.0	1.0	1.0	2.4	0.3	0.5	24.6	9	2118
	00 LST	1.2	0.9	2.0	2.9	2.7	1.5	0.3	0.0	0.8	1.2	1.1	0.5	15.1	9	2105
	06 LST	2.0	0.7	0.9	1.3	0.2	0.3	0.0	0.0	0.2	0.2	0.7	0.5	7.0	9	2099
	12 LST	2.7	3.1	4.2	3.2	3.0	2.2	0.0	0.6	1.2	2.2	3.0	2.5	27.9	9	2109
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	17.5	14.2	15.3	14.6	12.2	8.7	5.3	3.2	13.6	19.5	17.9	18.0	160.0	9	2118
	00 LST	16.5	15.2	14.5	13.8	12.2	13.3	18.8	21.7	14.8	14.3	13.1	13.3	181.5	9	2105
	06 LST	12.2	12.0	14.9	15.3	16.1	16.5	16.6	16.1	15.3	13.8	15.6	12.5	176.9	9	2099
	12 LST	13.7	12.8	12.8	14.0	15.1	16.6	15.4	10.4	16.1	17.1	13.0	14.7	173.7	9	2109
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	10.8	9.3	11.3	9.0	5.6	4.4	9.6	6.7	8.5	14.5	10.3	10.2	110.2	8	1795
	00 LST	13.6	12.9	14.7	12.4	10.2	16.4	18.9	20.7	17.5	21.0	13.5	13.4	185.2	8	1792
	06 LST	13.0	13.1	12.3	10.4	5.8	6.6	14.9	19.5	15.8	16.0	12.1	13.4	152.9	8	1796
	12 LST	9.6	10.9	10.5	9.0	6.0	4.0	11.5	10.3	7.7	14.0	9.7	10.0	113.4	8	1797
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.5	22.7	26.6	27.1	28.3	28.8	30.8	30.8	28.2	29.6	26.1	24.8	328.3	9	2159
	00 LST	23.8	21.0	24.5	24.9	26.8	26.8	30.3	30.8	27.4	27.8	23.3	23.5	310.9	9	2156
	06 LST	20.5	17.9	20.8	17.0	18.0	20.8	28.8	28.4	23.2	24.4	19.9	21.8	261.5	9	2160
	12 LST	20.8	19.0	22.2	19.4	22.0	25.0	29.3	30.2	24.6	24.8	21.1	22.5	280.9	9	2161
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.5	19.2	22.3	22.4	23.5	24.3	28.0	29.0	25.6	26.6	23.3	21.5	287.2	9	2159
	00 LST	22.1	19.4	21.8	22.4	24.5	26.2	29.6	30.0	26.4	26.2	20.9	20.5	290.0	9	2156
	06 LST	19.1	16.5	17.4	14.6	14.8	18.5	28.1	27.8	22.6	22.2	17.4	18.2	237.2	9	2160
	12 LST	18.9	17.4	20.6	16.5	17.5	17.0	24.5	25.2	20.0	21.6	18.6	20.2	238.0	9	2161
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.9	17.4	20.8	20.1	21.8	23.6	26.8	28.0	25.0	24.8	22.2	19.7	270.1	9	2159
	00 LST	21.5	18.4	20.6	21.6	23.7	25.0	29.3	29.6	25.8	26.0	20.0	19.0	280.5	9	2156
	06 LST	17.8	15.6	16.2	14.4	14.5	18.0	27.1	26.6	22.0	21.2	16.2	17.6	227.2	9	2160
	12 LST	18.2	16.0	18.2	15.1	16.5	15.5	23.6	24.0	19.0	20.6	16.7	18.3	221.7	9	2161

MARSHALL/HARRISON COUNTY, TEXAS

STA NO. 73883 (IN AREA NUMBER 13)

LATITUDE 3231N

LONGITUDE 09410W

ELEVATION(FT) 00357

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	87	89	95	97	100	106	108	112	108	101	88	85	112	50	-113
MEAN MAX TMP (F)	58	62	69	77	84	92	95	95	90	81	68	59	78	51	-113
MEAN MIN TMP (F)	37	41	46	54	62	69	72	72	66	55	45	39	55	51	-113
ABS MIN TMP (F)	-5	-9	12	26	40	47	56	54	38	23	15	10	-9	41	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.3	0.3	11.0	23.0	28.0	28.0	21.0	5.0	0.0	0.0	116.6	9	-113
MEAN NO DYS TMP = DR LES 32(F)	13.0	7.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	6.0	8.0	36.3	2	-113
MEAN NO DYS TMP = DR LES 0(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		41	-29
MEAN DEW PT TMP (F)	39	41	44	52	62	68	71	70	64	54	43	38	54	12	-72248
MEAN REL HUM (PCT)	73	71	67	69	71	71	72	70	69	68	69	71	70	12	-72248
MEAN PRESS ALT (FT)	154	185	260	304	331	339	299	304	278	233	180	154	252	0	-30
MEAN PRECIP (IN)	4.48	3.82	4.37	4.72	4.70	3.41	3.30	2.83	2.59	3.01	4.00	4.79	46.0	59	-113
MEAN SNOW FALL (IN)	1.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-72248
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.0	7.3	7.0	7.1	7.1	6.1	6.0	5.4	4.4	5.0	6.3	8.4	78.1	59	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	12	-72248
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	2.6	2.4	2.0	0.9	0.8	0.6	0.6	0.2	0.6	1.9	1.7	2.7	17.0	12	-72248
MEAN NO DYS TSTMS	2.6	3.1	5.9	5.9	6.7	6.8	8.3	6.2	4.5	2.7	2.7	2.4	57.8	12	-72248
P FREQ WND SPD = DR GTR 17 KTS	7.1	7.9	11.4	9.3	4.4	1.6	1.2	1.2	1.7	2.1	5.6	5.6	4.9	12	-72248
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.1	0.2	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	-72248
P FREQ LES 5000 FT A/D LES 5 MI	39.8	34.5	29.5	27.7	22.4	15.2	11.2	9.3	15.9	16.9	26.9	33.3	23.6	12	-72248
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	22.1	17.7	11.8	7.9	7.8	4.4	5.0	4.1	6.2	6.0	13.6	20.2	10.6	12	-72248
03-05 LST	29.0	24.7	16.9	16.9	16.0	12.2	9.3	7.5	12.8	12.4	17.6	22.8	16.5	12	-72248
06-08 LST	33.4	29.3	21.9	22.2	20.7	16.5	11.5	11.4	16.5	18.5	22.3	23.6	20.7	12	-72248
09-11 LST	32.2	27.2	15.9	12.5	8.9	5.9	4.2	5.5	7.8	11.1	18.0	19.9	14.1	12	-72248
12-14 LST	22.2	16.2	9.5	6.7	3.6	3.4	0.6	1.3	3.6	3.9	10.4	15.1	8.0	12	-72248
15-17 LST	15.9	13.2	7.4	5.0	4.1	2.6	0.5	0.9	3.0	3.0	7.4	13.1	6.3	12	-72248
18-20 LST	16.7	11.3	7.5	4.0	3.9	2.9	1.1	1.1	3.1	3.3	8.6	13.8	6.4	12	-72248
21-23 LST	18.9	14.1	9.9	6.4	3.6	2.4	1.9	1.0	4.4	3.9	9.4	15.6	7.6	12	-72248
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	3.2	4.5	1.9	0.9	0.4	0.7	0.8	0.3	0.2	1.0	2.7	4.6	1.8	12	-72248
03-05 LST	5.4	5.1	4.3	2.0	1.6	1.5	1.9	1.3	1.4	3.0	3.4	6.6	3.1	12	-72248
06-08 LST	6.5	6.1	4.7	2.9	2.3	1.1	0.8	1.1	2.0	4.7	4.4	7.1	3.6	12	-72248
09-11 LST	3.9	2.6	1.4	0.0	0.0	0.0	0.2	0.0	0.1	0.4	2.6	3.2	1.2	12	-72248
12-14 LST	1.7	0.6	0.3	0.3	0.0	0.0	0.0	0.1	0.1	0.0	0.8	0.6	0.4	12	-72248
15-17 LST	1.3	1.3	0.8	0.3	0.1	0.1	0.0	0.0	0.1	0.0	0.6	1.5	0.5	12	-72248
18-20 LST	2.3	1.5	0.9	0.2	0.1	0.1	0.0	0.0	0.1	0.1	0.5	2.8	0.7	12	-72248
21-23 LST	3.2	2.6	1.1	0.1	0.2	0.2	0.1	0.0	0.0	0.1	0.9	3.0	1.0	12	-72248

MARSHALL/HARRISON COUNTY, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.0	25.4	29.1	29.3	30.2	29.4	31.0	30.8	29.3	30.2	27.8	27.4	346.9	12	-72248
	00 LST	26.2	24.1	28.4	28.9	29.6	29.1	30.2	30.6	29.2	30.0	27.2	27.2	340.7	12	-72248
	06 LST	23.3	22.5	26.3	25.1	26.6	26.0	28.4	28.5	26.3	26.0	24.8	25.1	308.9	12	-72248
	12 LST	25.7	24.2	29.2	28.7	30.4	29.1	30.8	30.8	29.2	30.1	27.2	26.8	342.2	12	-72248
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	16.8	14.5	15.3	16.2	18.7	19.3	22.5	23.1	23.1	25.6	19.5	17.8	232.4	12	-72248
	00 LST	14.6	12.5	14.7	15.4	20.7	21.1	25.5	25.6	24.5	22.9	18.0	16.2	231.7	12	-72248
	06 LST	11.9	12.5	14.3	14.4	19.7	22.1	25.2	26.7	22.0	21.1	16.3	14.7	220.9	12	-72248
	12 LST	7.8	8.4	9.8	8.4	15.1	16.1	20.6	20.6	17.4	16.1	11.0	9.6	160.9	12	-72248
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.3	1.1	3.1	2.0	1.1	0.5	0.2	0.5	0.6	0.2	0.8	1.0	12.4	12	-72248
	00 LST	1.6	1.5	2.5	1.5	0.7	0.2	0.0	0.1	0.2	0.2	1.0	1.0	10.5	12	-72248
	06 LST	1.6	1.1	1.4	0.7	0.4	0.0	0.1	0.0	0.1	0.2	0.5	0.9	7.0	12	-72248
	12 LST	4.1	4.9	6.3	5.2	3.3	1.0	0.4	0.5	0.8	1.4	3.7	3.6	35.2	12	-72248
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	19.7	18.3	16.5	16.7	18.7	13.0	11.3	11.5	19.7	23.4	20.4	20.5	209.7	12	-72248
	00 LST	16.7	15.8	16.9	16.6	19.5	18.7	21.8	21.4	19.9	20.3	17.6	19.2	224.4	12	-72248
	06 LST	15.3	15.2	16.2	19.3	19.0	20.1	19.7	21.4	18.2	19.4	17.9	15.7	217.4	12	-72248
	12 LST	13.8	11.5	13.2	10.7	15.5	13.5	10.9	10.9	14.9	18.2	14.2	13.6	160.9	12	-72248
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.5	9.4	10.8	10.8	14.2	15.7	11.2	13.3	15.8	18.2	14.6	12.5	156.0	12	-72248
	00 LST	11.6	10.2	12.7	14.1	14.9	19.9	20.2	20.6	19.3	20.6	15.2	13.5	192.8	12	-72248
	06 LST	9.7	8.9	9.3	9.2	8.1	11.8	12.1	14.9	15.1	15.6	12.4	12.5	139.6	12	-72248
	12 LST	7.6	8.1	9.1	9.2	7.9	7.7	6.5	9.0	11.3	14.4	12.3	10.7	113.8	12	-72248
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.3	23.2	27.8	28.3	29.1	28.7	30.7	30.6	28.5	29.3	26.6	25.6	332.7	12	-72248
	00 LST	22.7	21.4	25.3	26.2	28.2	28.3	29.6	30.3	27.8	28.8	24.8	23.4	316.8	12	-72248
	06 LST	19.0	18.6	21.4	20.4	22.8	24.5	26.8	27.2	24.2	24.1	21.7	21.8	272.5	12	-72248
	12 LST	20.6	20.6	24.6	25.1	28.4	28.0	30.2	29.9	27.2	28.1	24.2	23.3	310.2	12	-72248
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	18 LST	20.2	20.3	23.7	25.0	28.0	27.7	29.6	30.2	27.3	28.5	23.9	22.2	306.6	12	-72248
	00 LST	18.4	18.4	22.2	23.9	26.2	27.7	29.1	29.6	26.8	27.2	22.6	20.6	292.7	12	-72248
	06 LST	16.5	15.5	18.3	17.6	20.4	23.3	26.2	26.7	23.4	22.4	19.3	19.0	248.6	12	-72248
	12 LST	16.6	18.1	19.8	18.6	21.6	23.1	24.1	25.4	22.7	25.4	20.6	19.7	255.7	12	-72248
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.2	18.1	21.6	22.7	26.7	26.3	28.4	28.7	26.3	27.3	21.6	20.7	286.6	12	-72248
	00 LST	17.0	16.7	20.5	22.2	24.9	27.2	28.6	28.9	26.4	26.0	21.2	18.8	278.4	12	-72248
	06 LST	14.8	14.0	16.4	16.7	19.4	22.5	25.3	25.5	22.7	21.6	17.8	17.9	234.6	12	-72248
	12 LST	15.5	16.4	17.9	17.3	20.9	22.7	23.0	24.3	21.9	24.5	19.3	18.2	241.9	12	-72248

GEORGETOWN MUNICIPAL, TEXAS

STA NO. 73885 (IN AREA NUMBER 13)

LATITUDE 3040N

LONGITUDE 09740W

ELEVATION(FT) 00784

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	88	93	96	99	104	106	109	109	103	100	91	90	109	50	-72254
MEAN MAX TMP (F)	60	64	72	78	85	91	94	95	89	79	69	61	78	50	-72254
MEAN MIN TMP (F)	39	43	50	57	65	71	74	73	68	57	48	41	57	50	-72254
ABS MIN TMP (F)	4	-1	18	30	40	51	57	58	41	30	20	14	-1	50	-72254
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.2	0.6	1.5	10.0	23.9	29.2	28.4	19.7	5.1	0.2	0.1	118.9	12	-72254
MEAN NO DYS TMP = DR LES 32(F)	5.6	3.6	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.9	4.2	16.9	12	-72254
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72254
MEAN DEW PT TMP (F)	40	43	45	54	63	69	69	68	65	56	44	40	55	12	-72254
MEAN REL HUM (PCT)	70	69	64	68	70	69	65	63	66	67	66	67	67	12	-72254
MEAN PRESS ALT (FT)	600	636	717	770	797	804	754	755	730	687	621	594	705	0	-50
MEAN PRECIP (IN)	2.00	2.40	2.40	3.70	4.40	2.90	2.30	2.20	3.70	3.20	2.50	2.60	33.9	75	-72254
MEAN SNOW FALL (IN)	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	1.0	16	-72254
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.6	5.3	5.4	6.6	7.0	4.9	4.6	4.5	5.9	5.2	4.3	5.6	63.9	75	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	16	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.1	2.4	3.2	1.0	0.6	0.2	0.2	0.4	1.2	1.4	2.6	2.9	20.2	12	-72254
MEAN NO DYS TSTMS	1.0	2.0	4.0	5.0	7.0	5.0	5.0	4.0	4.0	2.0	2.0	1.0	42.0	25	-72254
P FREQ WND SPD = DR GTR 17 KTS	6.9	7.4	9.7	9.2	6.1	3.3	2.2	1.6	2.2	3.8	7.8	6.5	5.6	12	-72254
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.2	0.1	0.1	0.1	0.1	12	-72254
P FREQ LES 5000 FT A/D LES 5 MI	40.4	41.3	36.9	39.6	32.7	25.4	13.5	12.0	20.6	23.6	33.6	31.9	29.3	12	-72254
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	28.5	30.5	26.9	29.0	23.7	18.1	7.5	7.1	14.8	13.7	21.4	22.6	20.3	12	-72254
03-05 LST	32.1	31.7	31.3	33.6	30.1	25.9	18.5	13.8	21.6	18.7	22.5	23.9	25.3	12	-72254
06-08 LST	34.5	34.7	33.7	35.0	32.9	27.9	18.8	18.1	26.8	25.9	26.7	26.9	28.5	12	-72254
09-11 LST	29.3	29.7	22.8	19.6	9.1	5.6	1.8	5.0	11.1	13.8	19.9	23.9	16.0	12	-72254
12-14 LST	18.5	18.2	10.1	7.9	3.2	2.4	0.3	1.4	3.5	5.5	9.8	12.5	7.8	12	-72254
15-17 LST	14.0	14.2	5.9	6.9	2.3	2.9	0.4	0.5	2.3	3.9	7.7	9.3	5.9	12	-72254
18-20 LST	15.2	12.7	6.2	6.4	2.2	2.1	0.6	0.5	1.6	3.5	10.1	10.6	6.0	12	-72254
21-23 LST	24.5	19.3	14.5	15.8	8.6	4.5	0.6	1.2	5.1	5.7	15.8	16.9	11.0	12	-72254
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.3	5.5	3.0	1.7	0.2	0.2	0.2	0.1	0.5	0.9	3.5	4.4	2.1	12	-72254
03-05 LST	10.3	6.0	6.1	3.0	3.0	0.6	0.6	0.4	1.8	2.6	4.8	5.4	3.7	12	-72254
06-08 LST	10.8	8.1	9.0	3.7	2.2	1.2	0.5	2.1	4.9	5.6	6.6	6.6	5.1	12	-72254
09-11 LST	6.1	3.8	2.3	1.9	0.2	0.5	0.0	0.1	0.5	0.7	2.4	3.7	1.9	12	-72254
12-14 LST	1.5	1.1	1.2	0.4	0.0	0.3	0.0	0.1	0.0	0.1	0.7	1.3	0.6	12	-72254
15-17 LST	1.5	0.5	0.6	0.4	0.1	0.3	0.0	0.0	0.1	0.1	0.3	0.8	0.4	12	-72254
18-20 LST	2.7	1.4	0.6	0.8	0.1	0.0	0.1	0.0	0.0	0.3	1.0	1.3	0.7	12	-72254
21-23 LST	3.9	1.9	1.3	0.4	0.1	0.0	0.0	0.0	0.0	0.3	1.7	2.5	1.0	12	-72254

GEORGETOWN MUNICIPAL, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	27.7	23.6	29.5	28.6	30.6	29.3	31.0	30.9	29.7	30.2	28.4	29.1	350.6	12	-72254
	23 LST	25.8	23.9	27.6	27.3	29.8	29.0	30.9	30.9	28.7	29.6	26.7	27.0	337.2	12	-72254
	05 LST	23.4	21.1	23.8	23.2	25.5	25.8	28.1	28.1	24.2	26.6	25.5	25.2	300.5	12	-72254
	11 LST	25.5	23.3	27.7	28.0	29.9	29.3	31.0	30.8	29.0	29.9	27.1	27.1	338.6	12	-72254
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	17 LST	12.0	8.2	9.5	7.1	11.6	10.1	14.1	15.6	16.7	17.1	15.8	15.7	153.5	12	-72254
	23 LST	15.6	13.6	15.2	13.1	16.6	17.3	20.5	20.9	23.1	24.0	18.2	18.1	216.2	12	-72254
	05 LST	14.0	13.0	14.3	12.3	16.0	16.7	23.3	24.6	19.2	20.2	15.9	17.5	207.0	12	-72254
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	7.8	6.0	7.8	6.5	10.9	11.1	15.8	18.7	17.5	14.7	10.1	11.7	138.6	12	-72254
	23 LST	1.9	3.1	4.4	4.9	2.8	2.1	1.7	1.5	0.9	1.3	1.8	1.5	27.9	12	-72254
	05 LST	1.3	1.7	1.8	1.2	1.1	0.8	0.2	0.2	0.2	0.5	2.2	1.1	12.3	12	-72254
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	1.5	0.8	1.8	0.8	0.2	0.0	0.1	0.0	0.2	0.4	1.4	1.0	8.2	12	-72254
	11 LST	4.0	4.1	4.7	5.6	2.9	1.4	0.7	0.7	0.8	2.4	4.6	3.3	35.2	12	-72254
	23 LST	16.2	12.9	12.8	11.2	11.8	5.8	3.1	4.2	10.2	18.9	17.6	18.6	143.3	12	-72254
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	16.7	15.4	17.3	17.4	17.3	19.5	22.7	22.1	19.2	20.2	17.3	16.2	221.3	12	-72254
	05 LST	14.6	14.6	17.0	17.9	19.3	18.6	18.1	18.0	16.1	17.2	14.6	16.6	202.6	12	-72254
	11 LST	13.2	11.0	11.7	10.4	12.5	14.0	13.0	11.2	16.9	18.1	14.5	16.9	163.4	12	-72254
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	9.4	9.3	9.7	9.5	10.4	12.1	10.0	10.5	13.8	15.5	11.8	12.0	134.0	12	-72254
	23 LST	12.2	11.4	13.6	11.9	12.9	17.7	22.3	22.5	19.9	20.1	14.0	15.5	194.0	12	-72254
	05 LST	11.4	10.4	10.1	8.6	6.7	8.1	11.7	16.4	14.9	16.1	13.2	15.3	142.9	12	-72254
CIG = GTR 3000 FT AND VSBY = GTR 3 MI	17 LST	7.8	8.4	8.2	8.3	8.1	7.7	9.3	11.1	11.3	13.6	10.9	10.4	115.1	12	-72254
	23 LST	24.9	22.5	27.8	26.9	29.7	29.2	30.9	30.7	29.2	29.5	26.4	26.7	334.4	12	-72254
	05 LST	20.1	18.6	22.0	19.6	22.7	26.0	30.0	30.3	27.2	27.7	22.1	23.2	289.5	12	-72254
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	18.6	16.7	18.3	15.5	18.2	17.9	23.7	25.1	21.6	22.4	21.1	21.7	240.8	12	-72254
	23 LST	19.7	17.7	21.9	21.4	26.7	27.2	30.0	29.5	26.2	25.9	22.1	22.2	290.5	12	-72254
	05 LST	17.0	18.9	23.7	22.8	25.6	27.3	29.8	29.7	27.8	26.7	22.5	23.6	298.9	12	-72254
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST	18.0	16.1	19.9	17.6	21.1	24.5	29.2	29.3	25.7	25.8	19.1	21.0	267.0	12	-72254
	05 LST	16.2	14.6	15.7	13.1	15.5	16.1	22.7	24.1	20.3	20.5	17.5	19.3	215.6	12	-72254
	11 LST	17.1	14.9	18.8	16.5	20.4	22.2	27.1	26.4	22.3	22.6	18.2	20.0	246.5	12	-72254
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	20.2	17.8	22.0	21.7	24.3	26.6	28.6	28.5	26.7	25.5	21.4	22.5	285.8	12	-72254
	23 LST	17.6	15.5	19.2	16.7	20.5	23.9	29.0	28.8	24.3	24.8	18.1	20.0	258.9	12	-72254
	05 LST	15.6	13.7	14.4	12.2	14.7	15.8	22.1	23.8	19.4	20.0	16.3	18.4	206.4	12	-72254
11 LST	15.7	14.3	17.7	15.8	19.2	22.0	26.7	25.8	21.9	21.8	17.2	18.9	237.0	12	-72254	

DALLAS/ADDISON, TEXAS

STA NO. 73886 (IN AREA NUMBER 13)

LATITUDE 3258N

LONGITUDE 09650W

ELEVATION(FT) 00637

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	88	88	96	96	99	105	111	109	105	99	89	89	111	20	-72258
MEAN MAX TMP (F)	56	60	67	76	84	92	96	96	89	79	67	58	77	20	-72258
MEAN MIN TMP (F)	36	40	45	55	63	72	75	75	67	57	44	38	56	20	-72258
ABS MIN TMP (F)	2	7	11	31	39	53	61	61	36	30	17	12	2	20	-72258
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.6	0.9	8.1	22.1	27.2	27.6	18.2	3.0	0.0	0.0	107.7	12	-72258
MEAN NO DYS TMP = DR LES 32(F)	11.6	6.3	3.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	4.1	8.3	33.6	12	-72258
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72258
MEAN DEW PT TMP (F)	35	38	40	50	61	67	68	67	62	53	40	35	51	12	-72258
MEAN REL HUM (PCT)	69	67	60	63	67	63	60	58	60	62	63	65	63	0	-50
MEAN PRESS ALT (FT)	443	477	554	603	628	634	586	592	580	531	467	442	545	20	-72258
MEAN PRECIP (IN)	2.02	2.55	2.97	4.54	5.26	3.44	1.81	2.33	2.31	3.08	2.83	2.76	35.9	20	-72258
MEAN SNOW FALL (IN)	1.0	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.7	20	-72258
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.7	5.5	6.1	7.0	7.3	6.1	3.9	4.7	4.1	5.1	4.8	5.8	65.1	20	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	12	-72258
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	1.5	0.7	0.9	0.1	0.4	0.2	0.0	0.0	0.2	0.4	0.5	1.6	6.5	12	-72258
MEAN NO DYS TSTMS	2.0	3.0	4.0	6.0	8.0	7.0	5.0	5.0	4.0	3.0	2.0	2.0	51.0	38	-72258
P FREQ WND SPD = DR GTR 17 KTS	8.9	12.0	17.3	21.8	14.7	12.6	5.5	3.0	3.6	4.6	9.5	8.6	10.2	12	-72258
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.3	0.4	0.2	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	12	-72258
P FREQ LES 5000 FT A/D LES 5 MI	33.6	31.6	28.9	28.0	20.6	12.4	6.5	5.8	11.6	15.8	23.2	26.4	20.4	12	-72258
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	19.0	15.2	11.2	8.4	6.1	3.4	1.7	0.6	3.2	6.4	10.0	15.5	8.4	12	-72258
03-05 LST	23.8	20.4	14.0	12.9	11.6	8.0	2.5	2.4	6.0	9.9	12.3	19.0	11.9	12	-72258
06-08 LST	26.8	25.2	17.6	16.9	13.9	8.8	4.5	5.2	10.7	13.5	16.8	20.5	15.0	12	-72258
09-11 LST	23.2	22.6	13.5	12.5	7.6	4.3	2.4	2.1	6.0	10.7	13.1	18.7	11.4	12	-72258
12-14 LST	17.0	15.7	6.8	6.3	3.7	1.5	0.6	0.2	2.0	4.3	7.6	13.9	6.6	12	-72258
15-17 LST	12.7	13.1	6.3	4.3	2.9	0.9	0.7	0.1	1.4	3.8	6.7	11.1	5.3	12	-72258
18-20 LST	13.2	12.4	7.5	4.0	4.1	1.0	0.5	0.0	1.8	3.7	6.3	11.5	5.5	12	-72258
21-23 LST	14.8	12.1	8.6	5.3	4.0	2.0	0.7	0.5	2.0	4.3	7.6	12.9	6.2	12	-72258
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	3.1	0.9	1.3	0.1	0.2	0.0	0.0	0.0	0.0	0.6	1.1	2.2	0.8	12	-72258
03-05 LST	3.9	1.4	2.1	0.6	0.6	0.0	0.0	0.0	0.5	1.3	1.6	2.7	1.2	12	-72258
06-08 LST	3.9	2.1	1.9	0.7	0.4	0.2	0.0	0.0	0.5	1.4	1.5	3.2	1.3	12	-72258
09-11 LST	2.7	1.4	0.9	0.0	0.1	0.0	0.0	0.0	0.0	0.2	0.8	2.1	0.7	12	-72258
12-14 LST	0.7	0.4	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	12	-72258
15-17 LST	0.2	0.5	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.8	0.2	12	-72258
18-20 LST	0.6	0.6	0.4	0.3	0.2	0.2	0.0	0.0	0.2	0.1	0.2	0.4	0.3	12	-72258
21-23 LST	0.8	0.5	0.4	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.5	1.3	0.3	12	-72258

DALLAS/ADDISON, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.6	25.6	29.3	29.1	30.0	29.8	31.0	31.0	29.5	30.2	28.6	28.6	351.3	12	-72258
	00 LST	27.2	25.3	28.9	28.6	29.8	29.6	30.7	31.0	29.5	29.7	28.0	27.6	345.9	12	-72258
	06 LST	25.3	23.5	27.9	26.9	28.8	28.3	30.4	30.7	28.4	28.8	27.0	26.2	332.2	12	-72258
	12 LST	27.2	24.9	29.4	29.0	30.4	29.6	30.8	30.9	29.6	30.2	28.1	27.6	347.7	12	-72258
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	15.7	13.0	11.0	7.2	10.4	7.9	12.0	13.7	16.8	20.3	19.5	17.7	165.2	12	-72258
	00 LST	15.1	14.7	13.6	11.8	13.6	11.6	16.3	18.5	18.9	19.2	17.1	16.6	187.0	12	-72258
	06 LST	15.1	13.9	13.5	12.7	15.6	14.6	21.9	23.4	21.6	22.2	18.0	15.8	208.3	12	-72258
	12 LST	9.0	7.3	5.9	6.4	8.3	9.8	15.7	18.0	14.1	13.3	9.2	8.8	125.8	12	-72258
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	2.4	2.2	5.5	7.4	5.0	5.2	2.7	1.7	1.2	0.9	1.6	1.4	37.2	12	-72258
	00 LST	2.0	2.2	3.8	5.0	3.5	3.4	1.0	0.7	0.6	0.7	1.7	2.1	26.7	12	-72258
	06 LST	1.7	2.2	3.3	2.6	1.1	1.0	0.4	0.2	0.3	0.2	1.3	1.5	15.4	12	-72258
	12 LST	5.0	5.9	7.6	10.8	7.1	5.1	1.9	1.2	1.9	2.8	5.3	5.5	60.1	12	-72258
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	15.8	13.3	13.3	9.9	11.4	6.5	5.2	5.1	13.9	21.1	18.3	18.4	192.2	12	-72258
	00 LST	12.2	12.8	14.6	13.2	14.4	16.2	18.1	19.3	19.4	17.5	13.1	16.2	187.0	12	-72258
	06 LST	13.3	13.1	13.7	15.3	16.2	18.7	22.4	22.3	20.0	18.3	14.7	13.8	201.8	12	-72258
	12 LST	11.4	10.7	9.4	7.5	10.9	7.5	5.6	6.6	10.9	15.9	12.2	10.8	119.4	12	-72258
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	11.5	10.6	11.4	11.8	13.6	17.7	14.7	16.6	18.9	17.7	15.8	14.7	175.0	12	-72258
	00 LST	13.8	12.7	15.7	14.0	14.8	19.5	21.4	23.7	20.8	19.9	17.5	17.2	211.0	12	-72258
	06 LST	12.3	11.1	10.8	9.5	9.6	12.8	13.9	15.7	16.2	17.3	14.9	16.6	160.7	12	-72258
	12 LST	9.7	9.7	10.7	9.6	8.9	11.4	10.8	12.6	13.9	15.7	13.8	11.9	138.7	12	-72258
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.7	23.4	27.8	27.7	29.5	29.4	30.7	31.0	29.2	29.1	27.5	26.6	336.6	12	-72258
	00 LST	23.1	23.0	26.2	25.7	27.7	28.8	30.4	30.7	29.0	28.9	26.2	25.8	325.5	12	-72258
	06 LST	21.0	19.2	22.2	21.5	24.4	25.5	28.7	29.3	26.5	26.2	24.4	23.3	292.2	12	-72258
	12 LST	22.7	20.9	25.5	25.6	27.9	28.7	30.2	30.2	28.4	27.6	25.9	23.7	317.3	12	-72258
CIG = GTR 5000 FT AND VSBY = GTR 3 MI	18 LST	22.2	20.3	24.1	24.0	27.2	28.1	29.7	30.2	28.2	27.7	24.8	23.7	310.2	12	-72258
	00 LST	20.6	19.4	22.9	23.3	25.7	27.7	29.7	30.2	27.6	27.2	23.6	23.9	301.8	12	-72258
	06 LST	18.7	17.2	19.1	17.5	21.6	23.8	27.8	28.0	24.8	24.4	21.3	21.2	265.4	12	-72258
	12 LST	19.9	18.6	20.6	19.5	22.0	24.6	27.3	27.3	24.7	24.6	22.1	21.4	272.6	12	-72258
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	21.1	19.1	22.9	22.6	26.4	27.1	28.9	29.2	26.7	26.6	23.1	22.7	296.4	12	-72258
	00 LST	19.9	18.3	21.8	22.1	24.6	26.9	29.0	29.8	26.6	25.4	22.3	23.0	289.7	12	-72258
	06 LST	18.0	15.8	17.7	16.2	20.0	22.7	26.6	27.0	23.8	23.2	19.9	20.6	251.5	12	-72258
	12 LST	18.7	17.4	19.3	18.4	21.1	23.9	26.7	26.9	23.7	23.9	21.1	20.5	261.6	12	-72258

CADDO MILLS MUNICIPAL, TEXAS

STA NO. 73887 (IN AREA NUMBER 13)

LATITUDE 3302N

LONGITUDE 09614W

ELEVATION(FT) 00540

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. UBS
ABS MAX TMP (F)	83	95	95	101	104	107	111	115	107	100	90	87	115	59	-73847
MEAN MAX TMP (F)	55	58	67	75	82	91	95	96	90	79	65	56	76	59	-73847
MEAN MIN TMP (F)	33	36	44	53	61	69	73	72	66	54	43	35	53	60	-73847
ABS MIN TMP (F)	-4	0	7	28	34	49	55	50	36	21	17	7	-4	59	-73847
MEAN NO DYS TMP = OR GTR 90(F)	0.0				4.8	18.0	26.3	28.3	16.2		0.0	0.0		59	-29
MEAN NO DYS TMP = OR LES 32(F)	10.3	4.6	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	8.0	26.9	4	-73847
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-73847
MEAN DEW PT TMP (F)	36	41	45	53	62	71	70	68	61	53	45	38	54	4	-73847
MEAN REL HUM (PCT)	75	74	72	70	74	73	69	60	67	66	69	79	71	4	-73847
MEAN PRESS ALT (FT)	343	377	434	501	526	593	487	492	478	430	368	343	444	0	-50
MEAN PRECIP (IN)	2.61	2.76	3.19	4.69	5.20	3.65	3.24	2.47	2.89	3.24	3.12	3.09	40.2	61	-73847
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					59	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.6	5.8	6.3	7.1	7.2	6.4	5.9	4.9	4.8	5.4	5.1	6.3	70.8	61	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.0	3.9	3.0	0.3	1.0	0.7	0.0	0.5	0.0	1.3	1.0	4.3	19.0	4	-73847
MEAN NO DYS TSTMS	0.0	4.6	8.0	5.0	9.3	8.0	6.5	2.5	1.9	2.7	2.3	1.6	52.4	4	-73847
P FREQ WND SPD = OR GTR 17 KTS	4.4	6.8	9.4	8.8	6.7	4.3	1.2	1.5	1.0	2.1	5.1	3.4	4.6	4	-73847
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.2	0.0	0.3	0.0	0.2	0.0	0.0	0.1	0.0	0.0	0.1	4	-73847
P FREQ LES 5000 FT A/D LES 3 MI	32.7	39.2	42.4	32.3	33.3	26.4	15.2	4.5	17.1	17.8	29.3	45.5	28.0	4	-73847
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	16.8	18.8	16.8	7.4	9.7	4.1	2.6	0.0	5.4	5.4	8.5	27.2	10.2	4	-73847
03-05 LST	20.5	26.9	24.9	16.7	25.8	12.6	5.7	1.1	8.3	7.5	12.2	30.1	16.0	4	-73847
06-08 LST	28.1	36.6	34.8	27.0	34.4	21.9	12.3	4.9	14.6	10.1	19.6	39.4	23.6	4	-73847
07-11 LST	23.7	32.5	25.8	18.1	18.6	5.2	5.3	3.2	13.0	5.4	14.8	34.8	16.7	4	-73847
12-14 LST	16.2	25.5	22.7	8.9	7.9	1.9	2.6	2.7	8.3	1.8	10.7	27.6	11.4	4	-73847
15-17 LST	15.1	20.0	17.6	6.7	3.9	2.2	3.5	0.5	5.0	2.2	8.9	25.1	9.2	4	-73847
18-20 LST	15.8	16.9	13.6	6.3	4.7	0.7	3.1	0.0	3.8	2.2	5.2	22.6	7.9	4	-73847
21-23 LST	14.1	20.0	13.6	6.7	6.3	2.6	2.6	0.5	4.2	1.1	4.4	24.0	8.4	4	-73847
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.9	5.9	6.1	0.7	0.0	0.4	0.0	0.0	0.0	0.7	2.2	5.4	2.1	4	-73847
03-05 LST	7.9	4.0	4.0	2.2	1.4	0.7	0.0	0.0	0.0	1.1	3.0	7.5	2.7	4	-73847
06-08 LST	8.6	9.1	6.8	1.1	2.5	0.4	0.0	0.0	0.0	2.2	2.6	11.1	3.7	4	-73847
09-11 LST	5.4	5.1	2.2	1.1	0.0	0.4	0.0	0.5	0.0	0.0	0.7	6.1	1.8	4	-73847
12-14 LST	0.7	1.6	1.1	0.7	0.4	0.0	0.0	0.0	0.0	0.4	0.4	3.9	0.8	4	-73847
15-17 LST	0.0	3.1	2.2	0.0	0.4	0.4	0.0	0.0	0.0	1.4	1.1	2.5	0.9	4	-73847
18-20 LST	0.0	3.9	2.2	0.0	1.1	0.0	0.4	0.0	0.0	0.0	0.7	2.9	1.0	4	-73847
21-23 LST	1.1	4.7	3.9	0.0	1.1	0.7	0.0	0.0	0.0	0.0	1.5	3.9	1.4	4	-73847

CADDO MILLS MUNICIPAL, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.3	24.7	27.0	29.3	30.3	29.6	30.2	31.0	29.3	30.3	29.0	27.0	345.0	4	-73847
	00 LST	26.3	23.7	26.3	29.0	30.0	29.0	30.2	31.0	29.3	30.3	28.7	24.6	338.4	4	-73847
	06 LST	25.6	21.4	22.0	25.0	23.0	27.3	29.0	29.5	26.6	28.0	27.3	21.3	306.0	4	-73847
	12 LST	28.0	22.7	26.0	29.0	30.7	30.0	30.6	30.5	28.9	30.7	28.0	23.3	338.4	4	-73847
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	18.3	16.8	14.3	14.3	13.0	14.6	18.4	18.5	25.8	27.0	22.0	18.0	219.0	4	-73847
	00 LST	19.0	14.5	14.7	17.0	16.5	20.6	23.4	24.5	25.4	26.3	19.0	17.0	240.0	4	-73847
	06 LST	16.3	12.2	12.6	12.3	13.0	16.3	22.8	25.0	23.2	23.3	18.7	13.0	208.7	4	-73847
	12 LST	10.3	5.6	7.3	7.3	6.7	9.0	19.2	19.0	16.7	16.6	10.0	10.0	137.7	4	-73847
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	0.7	1.4	1.4	1.3	1.7	0.3	0.4	1.0	0.0	0.3	1.0	0.7	10.2	4	-73847
	00 LST	2.1	0.7	1.7	2.0	1.3	0.7	0.4	0.0	0.4	0.7	0.7	0.0	10.7	4	-73847
	06 LST	1.1	0.0	2.4	0.7	0.7	0.7	0.4	0.0	0.0	0.0	0.0	0.3	6.3	4	-73847
	12 LST	1.7	5.0	5.5	6.4	3.7	2.3	0.4	0.5	0.8	1.3	3.8	2.5	33.9	4	-73847
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	16.7	18.6	18.1	16.8	17.0	12.3	10.6	4.1	22.4	20.9	17.2	16.4	191.1	4	-73847
	00 LST	11.8	15.5	17.9	17.6	17.0	16.9	17.3	20.8	16.0	13.3	15.7	17.7	197.7	4	-73847
	06 LST	13.0	15.0	16.7	17.3	19.5	19.0	19.8	21.3	20.4	19.7	14.2	15.8	213.7	4	-73847
	12 LST	14.3	12.0	12.2	9.8	12.8	8.1	5.9	2.6	19.6	13.8	15.7	16.2	142.0	4	-73847
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST														0	0
	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.3	21.4	23.3	26.6	28.6	29.3	29.8	31.0	28.9	29.6	27.7	21.6	322.1	4	-73847
	00 LST	25.3	20.4	23.0	26.6	26.0	27.7	30.2	31.0	27.4	28.3	27.0	20.3	313.2	4	-73847
	06 LST	21.3	15.8	18.3	19.3	18.3	20.0	26.1	29.0	24.8	25.0	22.3	17.3	257.5	4	-73847
	12 LST	23.3	19.4	20.0	22.7	24.0	26.0	29.0	30.5	25.1	27.3	22.3	17.6	287.2	4	-73847
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	21.3	16.8	18.7	24.0	25.3	25.3	27.3	29.5	24.8	27.0	23.3	18.0	281.3	4	-73847
	00 LST	22.7	17.4	19.3	23.3	24.0	26.6	29.8	30.5	26.3	25.6	23.3	17.6	286.4	4	-73847
	06 LST	19.3	14.5	16.0	16.0	16.0	17.6	24.5	27.5	22.1	22.0	18.7	15.7	229.9	4	-73847
	12 LST	20.0	18.1	16.3	18.0	19.3	16.7	22.4	27.5	20.3	23.7	19.7	17.0	239.0	4	-73847
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.3	14.8	16.6	21.7	23.3	24.0	25.3	27.0	22.9	24.3	22.3	17.3	258.8	4	-73847
	00 LST	21.6	17.1	18.3	22.0	23.0	24.7	28.2	29.5	25.1	24.3	22.0	17.6	273.4	4	-73847
	06 LST	18.0	12.8	14.3	15.3	14.7	16.3	20.4	23.5	21.0	21.0	17.6	14.7	209.6	4	-73847
	12 LST	17.3	16.5	13.6	16.7	17.6	15.7	19.6	25.5	19.1	21.6	18.3	15.3	216.8	4	-73847

DALLAS/REDBIRD, TEXAS

STA NO. 73888 (IN AREA NUMBER 13)

LATITUDE 3240N

LONGITUDE 09651W

ELEVATION(FT) 60642

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. UBS
ABS MAX TMP (F)	88	88	96	96	99	105	111	109	105	99	89	89	111	20	-72258
MEAN MAX TMP (F)	56	60	67	76	84	92	96	96	89	79	67	58	77	20	-72258
MEAN MIN TMP (F)	36	40	45	55	63	72	75	75	67	57	44	38	56	20	-72258
ABS MIN TMP (F)	2	7	11	31	39	53	61	61	36	30	17	12	2	20	-72258
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.6	0.9	8.1	22.1	27.2	27.6	18.2	3.0	0.0	0.0	107.7	12	-72258
MEAN NO DYS TMP = OR LES 32(F)	11.6	6.3	3.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	4.1	8.3	33.6	12	-72258
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72258
MEAN DEW PT TMP (F)	35	38	40	50	61	67	68	67	62	53	40	35	51	12	-72258
MEAN REL HUM (PCT)	59	67	60	63	67	63	60	58	60	62	63	65	63	12	-72258
MEAN PRESS ALT (FT)	448	483	360	610	635	641	593	598	584	536	472	448	551	0	-50
MEAN PRECIP (IN)	2.02	2.55	2.97	4.54	5.26	3.44	1.81	2.33	2.31	3.08	2.83	2.76	35.9	20	-72258
MEAN SNOW FALL (IN)	1.0	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.7	20	-72258
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.7	5.5	6.1	7.0	7.3	6.1	3.9	4.7	4.1	5.1	4.8	5.8	65.1	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	12	-72258
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	1.5	0.7	0.9	0.1	0.4	0.2	0.0	0.0	0.2	0.4	0.5	1.6	6.5	12	-72258
MEAN NO DYS TSTMS	2.0	3.0	4.0	6.0	8.0	7.0	5.0	5.0	4.0	3.0	2.0	2.0	51.0	38	-72258
P FREQ WND SPD = OR GTR 17 KTS	8.9	12.0	17.3	21.8	14.7	12.6	5.5	3.0	3.6	4.6	9.5	8.6	10.2	12	-72258
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.3	0.4	0.2	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	12	-72258
P FREQ LES 5000 FT A/D LES 5 MI	33.6	31.6	28.9	28.0	20.6	12.4	6.5	5.8	11.6	15.8	23.2	26.4	20.4	12	-72258
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	19.0	15.2	11.2	8.4	6.1	3.4	1.7	0.6	3.2	6.4	10.0	15.5	8.4	12	-72258
03-05 LST	23.8	20.4	14.0	12.9	11.6	8.0	2.5	2.4	6.0	9.9	12.3	19.0	11.9	12	-72258
06-08 LST	26.8	25.2	17.6	16.9	13.9	8.8	4.5	5.2	10.7	13.5	16.8	20.5	15.0	12	-72258
09-11 LST	23.2	22.6	13.5	12.5	7.6	4.3	2.4	2.1	6.0	10.7	13.1	16.7	11.4	12	-72258
12-14 LST	17.0	15.7	6.8	6.3	3.7	1.5	0.6	0.2	2.0	4.3	7.6	13.9	6.6	12	-72258
15-17 LST	12.7	13.1	6.3	4.3	2.9	0.9	0.7	0.1	1.4	3.8	6.7	11.1	5.3	12	-72258
18-20 LST	13.2	12.4	7.5	4.0	4.1	1.0	0.5	0.0	1.8	3.7	6.3	11.5	5.5	12	-72258
21-23 LST	14.8	12.1	8.6	5.3	4.0	2.0	0.7	0.5	2.0	4.3	7.6	12.9	6.2	12	-72258
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	3.1	0.9	1.3	0.1	0.2	0.0	0.0	0.0	0.0	0.6	1.1	2.2	0.8	12	-72258
03-05 LST	3.9	1.4	2.1	0.6	0.6	0.0	0.0	0.0	0.5	1.3	1.6	2.7	1.2	12	-72258
06-08 LST	3.9	2.1	1.9	0.7	0.4	0.2	0.0	0.0	0.5	1.4	1.5	3.2	1.3	12	-72258
09-11 LST	2.7	1.4	0.9	0.0	0.1	0.0	0.0	0.0	0.0	0.2	0.8	2.1	0.7	12	-72258
12-14 LST	0.7	0.4	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	12	-72258
15-17 LST	0.2	0.5	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.8	0.2	12	-72258
18-20 LST	0.6	0.6	0.4	0.3	0.2	0.2	0.0	0.0	0.2	0.1	0.2	0.4	0.3	12	-72258
21-23 LST	0.8	0.5	0.4	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.5	1.3	0.3	12	-72258

DALLAS/REDBIRD, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.6	25.6	29.3	29.1	30.0	29.8	31.0	31.0	29.5	30.2	28.6	28.6	331.3	12	-72258
	00 LST	27.2	25.3	28.9	28.6	29.8	29.6	30.7	31.0	29.5	29.7	28.0	27.6	345.9	12	-72258
	06 LST	25.3	23.5	27.9	26.9	28.8	28.3	30.4	30.7	28.4	28.8	27.0	26.2	332.2	12	-72258
	12 LST	27.2	24.9	29.4	29.0	30.4	29.6	30.8	30.9	29.6	30.2	28.1	27.6	347.7	12	-72258
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	15.7	13.0	11.0	7.2	10.4	7.9	12.0	13.7	16.8	20.3	19.5	17.7	165.2	12	-72258
	00 LST	15.1	14.7	13.6	11.8	13.6	11.6	16.3	18.5	18.9	19.2	17.1	16.6	187.0	12	-72258
	06 LST	15.1	13.9	13.5	12.7	15.6	14.6	21.9	23.4	21.6	22.2	18.0	15.8	208.3	12	-72258
	12 LST	9.0	7.3	5.9	6.4	8.3	9.8	15.7	18.0	14.1	13.3	9.2	8.8	125.8	12	-72258
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	2.4	2.2	5.5	7.4	5.0	5.2	2.7	1.7	1.2	0.9	1.6	1.4	37.6	12	-72258
	00 LST	2.0	2.2	3.8	5.0	3.5	3.4	1.0	0.7	0.6	0.7	1.7	2.1	26.7	12	-72258
	06 LST	1.7	2.2	3.3	2.6	1.1	1.0	0.4	0.2	0.3	0.2	1.3	1.5	15.8	12	-72258
	12 LST	5.0	5.9	7.6	10.8	7.1	5.1	1.9	1.2	1.9	2.8	5.3	5.5	60.1	12	-72258
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	15.8	13.3	13.3	9.9	11.4	6.5	5.2	5.1	13.9	21.1	18.3	18.4	152.2	12	-72258
	00 LST	12.2	12.8	14.6	13.2	14.4	18.2	18.1	19.3	19.4	17.3	13.1	16.2	187.0	12	-72258
	06 LST	13.3	13.1	13.7	15.3	16.2	18.7	22.4	22.3	20.0	18.3	14.7	13.8	201.8	12	-72258
	12 LST	11.4	10.7	9.4	7.5	10.9	7.5	5.6	6.6	10.9	15.9	12.2	10.8	119.4	12	-72258
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	11.5	10.6	11.4	11.8	13.6	17.7	14.7	16.6	18.9	17.7	15.8	14.7	175.0	12	-72258
	00 LST	13.8	12.7	15.7	14.0	14.8	19.5	21.4	23.7	20.8	19.9	17.5	17.2	211.0	12	-72258
	06 LST	12.3	11.1	10.8	9.5	9.6	12.8	13.9	15.7	16.2	17.3	14.9	16.6	160.7	12	-72258
	12 LST	9.7	9.7	10.7	9.6	8.9	11.4	10.8	12.6	13.9	15.7	13.8	11.9	138.7	12	-72258
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.7	23.4	27.8	27.7	29.5	29.4	30.7	31.0	29.2	29.1	27.5	26.6	336.6	12	-72258
	00 LST	23.1	23.0	26.2	25.7	27.7	28.8	30.4	30.7	29.0	28.9	26.2	25.8	325.5	12	-72258
	06 LST	21.0	19.2	22.2	21.5	24.4	25.5	28.7	29.3	26.5	26.2	24.4	23.3	292.2	12	-72258
	12 LST	22.7	20.9	25.5	25.6	27.9	28.7	30.2	30.2	28.4	27.6	25.9	23.7	317.3	12	-72258
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	22.2	20.3	24.1	24.0	27.2	28.1	29.7	30.2	28.2	27.7	24.8	23.7	310.2	12	-72258
	00 LST	20.6	19.4	22.9	23.3	25.7	27.7	29.7	30.2	27.6	27.2	23.6	23.9	301.8	12	-72258
	06 LST	18.7	17.2	19.1	17.5	21.6	23.8	27.8	28.0	24.8	24.4	21.3	21.2	265.4	12	-72258
	12 LST	19.9	18.6	20.6	19.5	22.0	24.6	27.3	27.3	24.7	24.6	22.1	21.4	272.6	12	-72258
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	21.1	19.1	22.9	22.6	26.4	27.1	28.9	29.2	26.7	26.6	23.1	22.7	296.4	12	-72258
	00 LST	19.9	18.3	21.8	22.1	24.6	26.9	29.0	29.8	26.6	25.4	22.3	23.0	289.7	12	-72258
	06 LST	18.0	15.8	17.7	16.2	20.0	22.7	26.6	27.0	23.8	23.2	19.9	20.6	251.5	12	-72258
	12 LST	18.7	17.4	19.3	18.4	21.1	23.9	26.7	26.9	23.7	23.9	21.1	20.5	261.6	12	-72258

TERRELL MUNICIPAL, TEXAS

STA NO. 73009 (IN AREA NUMBER 13)

LATITUDE 3242N

LONGITUDE 09616W

ELEVATION(FT) 00479

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDP (YRS)	NO. OBS
ABS MAX TMP (F)	88	88	96	96	99	105	111	109	105	99	89	89	111	20	-72258
MEAN MAX TMP (F)	56	60	67	76	84	92	96	96	89	79	67	58	77	20	-72258
MEAN MIN TMP (F)	36	40	45	55	63	72	75	75	67	57	44	38	56	20	-72258
ABS MIN TMP (F)	2	7	11	31	39	53	61	61	36	30	17	12	2	20	-72258
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.6	0.9	8.1	22.1	27.2	27.6	18.2	3.0	0.0	0.0	107.7	12	-72258
MEAN NO DYS TMP = DR LES 32(F)	11.6	6.3	3.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	4.1	8.3	33.6	12	-72258
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-72258
MEAN DEW PT TMP (F)	35	38	40	50	61	67	68	67	62	53	40	35	51	12	-72258
MEAN REL HUM (PCT)	69	67	60	63	67	63	60	58	60	62	63	65	63	12	-72258
MEAN PRESS ALT (FT)	283	317	394	441	467	474	428	433	416	369	307	283	384	0	-50
MEAN PRECIP (IN)	2.39	3.15	3.31	5.62	6.94	4.07	2.08	2.63	2.43	3.33	3.03	2.89	39.5	17	-113
MEAN SNOW FALL (IN)	1.0	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.7	20	-72258
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.3	6.4	6.4	7.4	7.0	6.9	4.3	5.1	4.2	5.4	5.0	6.0	69.4	17	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	12	-72258
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.5	0.7	0.9	0.1	0.4	0.2	0.0	0.0	0.2	0.4	0.5	1.6	6.5	12	-72258
MEAN NO DYS TSTMS	2.0	3.0	4.0	6.0	8.0	7.0	5.0	5.0	4.0	3.0	2.0	2.0	51.0	38	-72258
P FREQ WND SPD = DR GTR 17 KTS	8.9	12.0	17.3	21.8	14.7	12.6	5.5	3.0	3.6	4.6	9.5	8.6	10.2	12	-72258
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.3	0.4	0.2	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	12	-72258
P FREQ LES 5000 FT A/D LES 5 MI	33.6	31.6	28.9	28.0	20.6	12.4	6.5	5.8	11.6	15.8	23.2	26.4	20.4	12	-72258
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	19.0	19.2	11.2	8.4	6.1	3.4	1.7	0.6	3.2	6.4	10.0	15.5	8.4	12	-72258
03-05 LST	23.8	20.4	14.0	12.9	11.6	8.0	2.5	2.4	6.0	9.9	12.3	19.0	11.9	12	-72258
06-08 LST	26.8	25.2	17.6	16.9	13.9	8.8	4.5	5.2	10.7	13.5	16.8	21.5	15.0	12	-72258
09-11 LST	23.2	22.6	13.3	12.5	7.6	4.3	2.4	2.1	6.0	10.7	13.1	18.7	11.4	12	-72258
12-14 LST	17.0	15.7	6.8	6.3	3.7	1.3	0.6	0.2	2.0	4.3	7.6	13.9	6.6	12	-72258
15-17 LST	12.7	13.1	6.3	4.3	2.9	0.9	0.7	0.1	1.4	3.8	6.7	11.1	5.3	12	-72258
18-20 LST	13.2	12.4	7.3	4.0	4.1	1.0	0.5	0.0	1.8	3.7	6.3	11.5	5.5	12	-72258
21-23 LST	14.8	12.1	8.6	5.3	4.0	2.0	0.7	0.5	2.0	4.3	7.6	12.9	6.2	12	-72258
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.1	0.9	1.3	0.1	0.2	0.0	0.0	0.0	0.0	0.6	1.1	2.2	0.8	12	-72258
03-05 LST	3.9	1.4	2.1	0.6	0.6	0.0	0.0	0.0	0.5	1.3	1.6	2.7	1.2	12	-72258
06-08 LST	3.9	2.1	1.9	0.7	0.4	0.2	0.0	0.0	0.5	1.4	1.5	3.2	1.3	12	-72258
09-11 LST	2.7	1.4	0.9	0.0	0.1	0.0	0.0	0.0	0.0	0.2	0.8	2.1	0.7	12	-72258
12-14 LST	0.7	0.4	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	12	-72258
15-17 LST	0.2	0.5	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.8	0.2	12	-72258
18-20 LST	0.6	0.6	0.4	0.3	0.2	0.2	0.0	0.0	0.2	0.1	0.2	0.4	0.3	12	-72258
21-23 LST	0.8	0.5	0.4	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.5	1.3	0.3	12	-72258

TERRELL MUNICIPAL, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO, UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.6	25.6	29.3	29.1	30.0	29.8	31.0	31.0	29.5	30.2	28.6	28.6	351.3	12	-72258
	00 LST	27.2	25.3	28.9	28.6	29.8	29.6	30.7	31.0	29.5	29.7	28.0	27.6	345.9	12	-72258
	06 LST	25.3	23.5	27.9	26.9	28.0	28.3	30.4	30.7	28.4	28.6	27.0	26.2	332.2	12	-72258
	12 LST	27.2	24.9	29.4	29.0	30.4	29.6	30.8	30.9	29.6	30.2	28.1	27.6	347.7	12	-72258
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST	15.7	13.0	11.0	7.2	10.4	7.9	12.0	13.7	16.8	20.3	19.5	17.7	165.2	12	-72258
	00 LST	15.1	14.7	13.6	11.8	13.6	11.6	16.3	18.5	18.9	19.2	17.1	16.6	187.0	12	-72258
	06 LST	15.1	13.9	13.5	12.7	15.6	14.6	21.9	23.4	21.6	22.2	18.0	15.8	208.3	12	-72258
	12 LST	9.0	7.3	5.9	6.4	8.3	9.8	15.7	18.0	14.1	13.3	9.2	8.8	125.6	12	-72258
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	2.4	2.2	5.5	7.4	5.0	5.2	2.7	1.7	1.2	0.9	1.6	1.4	37.2	12	-72258
	00 LST	2.0	2.2	3.8	5.0	3.5	3.4	1.0	0.7	0.6	0.7	1.7	2.1	26.7	12	-72258
	06 LST	1.7	2.2	3.3	2.6	1.1	1.0	0.4	0.2	0.3	0.2	1.3	1.5	15.6	12	-72258
	12 LST	5.0	5.9	7.6	10.8	7.1	5.1	1.9	1.2	1.9	2.4	5.3	5.5	60.1	12	-72258
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	15.8	13.3	13.3	9.9	11.4	6.5	5.2	5.1	13.9	21.1	18.3	18.4	152.2	12	-72258
	00 LST	12.2	12.8	14.6	13.2	14.4	16.2	18.1	19.3	19.4	17.5	13.1	16.2	147.0	12	-72258
	06 LST	13.3	13.1	13.7	15.3	16.2	18.7	22.4	22.3	20.0	18.3	14.7	13.8	201.8	12	-72258
	12 LST	11.4	10.7	9.4	7.5	10.9	7.5	5.6	6.6	10.9	13.9	12.2	10.8	119.4	12	-72258
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	11.5	10.6	11.4	11.8	13.6	17.7	14.7	16.6	18.9	17.7	15.8	14.7	175.0	12	-72258
	00 LST	13.8	12.7	15.7	14.0	14.8	19.5	21.4	23.7	20.8	19.9	17.5	17.2	211.0	12	-72258
	06 LST	12.3	11.1	10.8	9.5	9.6	12.8	13.9	15.7	16.2	17.3	14.9	16.6	160.7	12	-72258
	12 LST	9.7	9.7	10.7	9.6	8.9	11.4	10.8	12.6	13.9	15.7	13.8	11.9	138.7	12	-72258
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	24.7	23.4	27.8	27.7	29.5	29.4	30.7	31.0	29.2	29.1	27.5	26.6	336.6	12	-72258
	00 LST	23.1	23.0	26.2	25.7	27.7	28.8	30.4	30.7	29.0	28.9	26.2	25.8	325.5	12	-72258
	06 LST	21.0	19.2	22.2	21.5	24.4	25.5	28.7	29.3	26.5	26.2	24.4	23.3	292.2	12	-72258
	12 LST	22.7	20.9	25.5	25.6	27.9	28.7	30.2	30.2	28.4	27.6	25.9	23.7	317.3	12	-72258
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	22.2	20.3	24.1	24.0	27.2	28.1	29.7	30.2	28.2	27.7	24.8	23.7	310.2	12	-72258
	00 LST	20.6	19.4	22.9	23.3	25.7	27.7	29.7	30.2	27.6	27.2	23.6	23.9	301.8	12	-72258
	06 LST	18.7	17.2	19.1	17.5	21.6	23.6	27.8	28.0	24.8	24.4	21.3	21.2	265.4	12	-72258
	12 LST	19.9	18.6	20.6	19.5	22.0	24.6	27.3	27.3	24.7	24.6	22.1	21.4	272.6	12	-72258
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	21.1	19.1	22.9	22.6	26.4	27.1	28.9	29.2	26.7	26.6	23.1	22.7	296.4	12	-72258
	00 LST	19.9	18.3	21.8	22.1	24.6	26.9	29.0	29.8	26.6	25.4	22.3	23.0	289.7	12	-72258
	06 LST	18.0	15.8	17.7	16.2	20.0	22.7	26.6	27.0	23.8	23.2	19.9	20.6	251.5	12	-72258
	12 LST	18.7	17.4	19.3	18.4	21.1	23.9	26.7	26.9	23.7	23.9	21.1	20.5	261.6	12	-72258

TYLER/POUNDS FIELD, TEXAS

STA NO. 73905 (IN AREA NUMBER 13)

LATITUDE 3221N

LONGITUDE 09523W

ELEVATION(FT) 00544

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	83	84	88	92	95	100	108	107	105	93	86	83	108	9	3035
MEAN MAX TMP (F)	58	62	67	76	83	91	94	95	88	80	66	60	77	9	3035
MEAN MIN TMP (F)	39	41	46	54	62	71	73	72	66	57	45	40	56	9	3035
ABS MIN TMP (F)	11	2	15	36	40	54	61	59	45	35	22	13	2	9	3035
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.4	3.9	21.6	26.1	26.3	13.4	2.3	0.0	0.0	94.0	9	3035
MEAN NO DYS TMP = DR LES 32(F)	9.9	4.7	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	6.6	26.7	9	3035
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	3035
MEAN DEW PT TMP (F)	38	38	42	53	60	69	70	70	63	55	42	38	53	8	54302
MEAN REL HUM (PCT)	71	86	82	86	71	70	67	65	66	65	66	68	67	8	53171
MEAN PRESS ALT (FT)	345	378	454	501	527	535	491	496	473	429	370	345	445	0	-50
MEAN PRECIP (IN)	3.94	3.29	3.47	4.75	5.65	1.88	2.11	1.96	2.64	3.64	4.56	3.85	41.7	9	2932
MEAN SNOW FALL (IN)	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.2	9	3030
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.6	5.6	5.1	6.3	6.2	3.5	3.8	2.8	3.5	4.3	5.7	5.4	38.8	9	2932
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	9	3030
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	4.2	2.5	1.8	0.8	1.5	0.0	0.2	0.2	0.8	1.6	1.8	2.1	17.3	5	2265
MEAN NO DYS TSYS	2.0	3.2	5.0	5.9	7.2	4.4	5.7	4.9	4.2	2.9	3.0	2.0	50.4	9	3035
P FREQ WND SPD = DR GTR 17 KTS	16.4	16.0	17.4	16.1	7.8	5.9	1.6	1.6	2.2	2.6	8.5	11.4	9.0	8	54325
P FREQ WND SPD = DR GTR 28 KTS	0.3	0.4	0.6	0.3	0.1	0.0	0.1	0.0	0.1	0.0	0.3	0.5	0.2	8	54325
P FREQ LES 5000 FT A/D LES 5 MI	39.9	35.0	31.3	31.9	26.6	17.7	11.7	7.1	15.0	17.5	30.7	30.9	24.6	8	54323
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	26.3	22.2	15.9	13.2	14.3	3.9	5.4	1.6	7.3	7.8	16.2	20.5	12.9	8	6789
03-05 LST	30.7	27.5	22.2	23.0	19.7	16.3	8.7	2.9	12.2	13.3	19.5	21.2	18.1	8	6793
06-08 LST	34.8	32.0	23.8	28.3	22.2	21.1	14.1	8.6	18.4	22.9	28.3	24.2	23.1	8	6795
09-11 LST	34.2	28.3	18.7	16.0	13.6	3.9	6.0	3.9	11.6	15.2	19.7	20.5	16.0	8	6789
12-14 LST	24.7	20.2	10.8	5.2	9.4	1.1	3.5	0.9	4.8	6.3	12.3	14.8	9.5	8	6787
15-17 LST	18.6	16.5	8.6	6.1	6.5	0.9	2.3	0.0	3.0	2.3	10.5	12.8	7.2	8	6789
18-20 LST	17.2	16.7	8.3	6.7	7.9	0.7	2.3	0.2	3.3	2.3	11.1	12.2	7.4	8	6791
21-23 LST	20.1	20.2	9.1	8.0	7.0	1.1	2.3	0.4	3.3	3.5	12.3	16.3	8.6	8	6790
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.3	5.1	3.4	1.1	2.0	0.0	0.0	0.0	0.8	1.2	3.9	4.0	2.3	8	6789
03-05 LST	8.4	5.9	2.3	1.1	3.2	0.2	0.6	0.0	1.1	2.6	5.1	4.3	2.9	8	6793
06-08 LST	9.7	7.6	3.9	2.0	2.5	0.0	0.4	0.7	2.4	3.8	3.9	3.4	3.4	8	6795
09-11 LST	6.8	4.1	1.1	0.4	0.7	0.0	0.0	0.0	0.0	0.0	2.1	1.6	1.4	8	6789
12-14 LST	2.0	2.6	0.5	0.0	0.5	0.0	0.0	0.0	0.3	0.0	1.5	1.6	0.8	8	6787
15-17 LST	2.2	1.0	0.7	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.3	1.4	0.5	8	6789
18-20 LST	3.2	2.9	0.7	0.0	0.4	0.0	0.0	0.0	0.0	0.3	2.2	2.6	1.0	8	6791
21-23 LST	3.2	4.3	0.9	0.9	1.6	0.0	0.0	0.0	0.0	0.8	2.6	3.5	1.3	8	6790

TYLER/POUNDS FIELD, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.3	24.5	28.6	28.3	29.5	29.8	30.2	31.0	29.3	30.4	27.5	28.1	343.5	8	2265
	00 LST	25.6	23.4	28.5	28.3	28.8	29.5	30.2	31.0	28.8	29.5	26.2	27.1	336.9	8	2266
	06 LST	21.6	21.1	26.3	25.0	25.6	26.0	28.9	29.5	26.1	25.7	24.0	26.8	306.6	8	2265
	12 LST	25.6	23.9	28.1	28.7	28.8	29.6	30.2	30.7	29.4	29.4	27.1	27.6	339.1	8	2265
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	14.1	13.0	14.7	13.0	16.8	14.6	20.6	20.5	24.4	26.0	20.3	18.3	216.3	8	2265
	00 LST	8.8	11.3	12.3	11.2	16.3	16.5	20.2	22.2	22.3	21.3	15.3	14.9	192.6	8	2266
	06 LST	8.8	8.4	9.8	10.1	14.3	14.0	23.3	25.3	21.0	19.7	13.8	13.5	182.0	8	2265
	12 LST	5.5	7.6	9.1	7.0	10.8	11.5	18.5	18.8	17.6	16.1	9.1	10.0	141.6	8	2265
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	2.3	2.2	3.6	3.8	1.2	0.8	0.6	0.5	0.4	0.9	1.9	1.8	19.4	8	2213
	00 LST	4.5	3.5	4.2	3.4	1.5	1.2	0.0	0.7	0.6	1.0	1.6	4.0	28.2	8	2206
	06 LST	4.2	2.7	4.1	2.2	1.7	0.5	0.0	0.4	0.1	1.1	2.5	20.5	8	2198	
	12 LST	8.5	8.0	7.9	7.2	3.9	3.5	0.8	0.3	1.1	1.3	4.9	3.8	33.2	8	2216
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	12.1	15.8	15.5	16.1	19.7	12.5	10.4	7.2	18.4	21.4	18.7	16.7	184.5	8	2192
	00 LST	10.4	12.3	15.2	15.1	18.3	19.1	21.7	23.9	22.2	21.2	18.9	13.7	214.0	8	2184
	06 LST	12.0	11.2	13.8	16.0	18.7	19.3	21.4	23.5	21.0	21.0	17.9	14.5	210.3	8	2176
	12 LST	9.6	10.7	10.4	10.8	14.0	7.7	8.1	6.2	13.4	18.4	11.6	11.8	132.7	8	2195
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.8	8.7	8.0	12.5	13.1	15.7	11.0	14.7	15.6	20.1	13.7	12.4	155.3	8	2265
	00 LST	13.2	13.2	13.7	16.8	15.7	20.6	21.5	23.2	20.7	22.1	14.5	15.5	210.7	8	2262
	06 LST	10.1	9.6	6.8	10.0	9.3	10.3	12.3	14.7	13.8	13.9	11.4	12.5	134.7	8	2264
	12 LST	8.5	8.1	7.7	9.2	8.3	7.5	5.2	9.1	11.6	14.3	10.1	11.7	111.3	8	2265
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.3	22.1	27.5	27.2	28.3	29.5	30.2	31.0	28.3	29.5	26.6	25.5	329.0	8	2265
	00 LST	20.8	20.6	24.8	23.7	26.2	28.8	29.6	30.7	27.7	28.7	23.6	23.8	311.0	8	2266
	06 LST	18.2	18.4	20.0	19.0	20.2	20.8	27.5	28.6	24.4	23.4	21.1	22.6	264.2	8	2265
	12 LST	19.0	20.6	24.5	24.3	26.5	28.8	29.3	29.3	26.1	26.8	23.4	24.0	302.6	8	2265
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.8	19.4	23.5	23.6	25.6	29.0	29.0	30.7	26.9	28.1	23.1	22.5	302.2	8	2265
	00 LST	18.7	19.1	21.6	23.2	23.5	27.7	29.0	29.8	26.4	27.4	20.8	21.6	288.8	8	2266
	06 LST	16.6	16.3	18.0	16.3	19.2	19.8	27.1	28.0	23.7	22.3	18.3	20.0	245.6	8	2265
	12 LST	17.0	17.6	20.0	17.8	21.5	22.0	22.5	23.3	22.6	24.0	19.5	21.0	250.8	8	2265
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.7	18.6	21.6	23.0	23.7	28.7	28.3	30.0	25.8	27.1	21.2	21.5	289.2	8	2265
	00 LST	18.0	18.8	20.3	22.3	22.7	27.5	28.5	29.3	26.0	27.0	19.6	20.6	280.6	8	2266
	06 LST	16.5	15.0	16.5	16.1	18.0	19.5	26.6	27.5	22.4	20.6	17.1	19.2	235.0	8	2265
	12 LST	15.8	15.8	18.0	16.8	20.3	21.2	21.7	24.8	22.6	23.1	18.3	19.2	237.6	8	2265

HENDERSON/RUSK COUNTY, TEXAS

STA NO. 73906 (IN AREA NUMBER 13) LATITUDE 3209N LONGITUDE 09451W ELEVATION(FT) 00440

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	ND, DRS
ABS MAX TMP (F)	86	83	92	91	93	100	104	105	101	92	87	84	105	18	-113
MEAN MAX TMP (F)	59	63	69	77	82	89	92	93	87	78	68	61	77	19	-113
MEAN MIN TMP (F)	39	42	47	56	64	70	73	72	67	57	46	41	56	19	-113
ABS MIN TMP (F)	12	2	13	35	38	53	61	60	40	32	21	13	2	18	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	2.0	17.0	26.0	23.0	12.0	2.0	0.0	0.0	82.3	10	-113
MEAN NO DYS TMP = DR LES 32(F)	9.0	6.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	4.0	6.0	28.3	10	-113
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN DEW PT TMP (F)	38	36	42	53	60	69	70	70	63	55	42	38	53	8	-73905
MEAN REL HUM (PCT)	71	66	62	66	71	70	67	65	66	63	66	68	67	8	-73905
MEAN PRESS ALT (FT)	239	271	348	393	420	428	386	391	364	321	264	239	339	0	-50
MEAN PRECIP (IN)	3.86	3.67	4.13	4.80	4.90	3.16	3.06	2.78	2.93	3.33	3.84	4.70	45.0	52	-113
MEAN SNOW FALL (IN)	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.2	9	-73905
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.3	7.1	6.9	7.1	7.2	5.8	5.7	5.3	4.9	5.4	6.1	8.3	77.1	52	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	9	-73905
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	4.2	2.5	1.8	0.8	1.5	0.0	0.2	0.2	0.8	1.8	1.8	2.1	17.5	8	-73905
MEAN NO DYS TSMS	2.0	3.2	3.0	5.9	7.2	4.4	5.7	4.9	4.2	2.9	3.0	2.0	50.4	9	-73905
P FREQ WND SPD = DR GTR 17 KTS	16.4	16.0	17.4	16.1	7.8	5.9	1.6	1.6	2.2	2.6	8.5	11.4	9.0	8	-73905
P FREQ WND SPD = DR GTR 28 KTS	0.3	0.4	0.6	0.3	0.1	0.0	0.1	0.0	0.1	0.0	0.3	0.5	0.2	8	-73905
P FREQ LES 5000 FT A/D LES 5 MI	39.9	35.0	31.3	31.9	26.0	17.7	11.7	7.1	15.0	17.3	30.7	30.9	24.6	8	-73905
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	26.3	22.2	15.9	13.2	14.3	3.9	5.4	1.6	7.3	7.8	16.2	20.5	12.9	8	-73905
03-05 LST	30.7	27.5	22.2	23.0	19.7	16.3	8.7	2.9	12.2	13.3	19.5	21.2	18.1	8	-73905
06-08 LST	34.8	32.0	23.8	28.3	22.2	21.1	14.1	8.6	18.4	22.9	26.3	24.2	23.1	8	-73905
09-11 LST	34.2	28.3	18.7	16.0	13.6	3.9	6.0	3.9	11.6	15.2	19.7	20.5	16.0	8	-73905
12-14 LST	24.7	20.2	10.8	5.2	9.4	1.1	3.5	0.9	4.8	6.3	12.3	14.8	9.5	8	-73905
15-17 LST	18.6	16.5	8.6	6.1	6.3	0.9	2.3	0.0	3.0	2.3	10.5	12.8	7.3	8	-73905
18-20 LST	17.2	16.7	8.3	6.7	7.9	0.7	2.3	0.2	3.3	2.3	11.1	12.2	7.4	8	-73905
21-23 LST	20.1	20.2	9.1	8.0	7.0	1.1	2.3	0.4	3.3	3.5	12.3	16.3	8.6	8	-73905
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.3	5.1	3.4	1.1	2.0	0.0	0.0	0.0	0.8	1.2	3.9	4.0	2.3	8	-73905
03-05 LST	8.4	5.9	2.3	1.1	3.2	0.2	0.6	0.0	1.1	2.6	5.1	4.3	2.9	8	-73905
06-08 LST	9.7	7.6	3.9	2.0	2.5	0.0	0.4	0.7	2.4	3.8	3.9	3.4	3.4	8	-73905
09-11 LST	6.8	4.1	1.1	0.4	0.7	0.0	0.0	0.0	0.0	0.0	2.1	1.6	1.4	8	-73905
12-14 LST	2.0	2.6	0.5	0.0	0.5	0.0	0.0	0.0	0.3	0.0	1.5	1.6	0.8	8	-73905
15-17 LST	2.2	1.0	0.7	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.3	1.4	0.5	8	-73905
18-20 LST	3.2	2.9	0.7	0.0	0.4	0.0	0.0	0.0	0.0	0.3	2.2	2.6	1.0	8	-73905
21-23 LST	3.2	4.3	0.9	0.9	1.6	0.0	0.0	0.0	0.0	0.8	2.6	3.5	1.5	8	-73905

HENDERSON/RUSK COUNTY, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.3	24.5	28.6	28.3	29.5	29.8	30.2	31.0	29.3	30.4	27.5	28.1	343.5	8	-73905
	00 LST	25.6	23.4	28.5	28.3	28.8	29.5	30.2	31.0	28.8	29.5	26.2	27.1	336.9	8	-73905
	06 LST	21.6	21.1	26.3	25.0	25.6	26.0	28.9	29.5	26.1	25.7	24.0	26.8	306.6	8	-73905
	12 LST	25.6	23.9	28.1	28.7	28.8	29.6	30.2	30.7	29.4	29.4	27.1	27.0	339.1	8	-73905
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	14.1	13.0	14.7	13.0	16.8	14.6	20.6	20.5	24.4	26.0	20.3	18.3	216.3	8	-73905
	00 LST	8.8	11.3	12.3	11.2	16.3	16.5	20.2	22.2	22.3	21.3	15.3	14.9	192.6	8	-73905
	06 LST	8.8	8.4	9.8	10.1	14.3	14.0	23.3	25.3	21.0	19.7	13.8	13.5	182.0	8	-73905
	12 LST	5.5	7.6	9.1	7.0	10.8	11.5	18.5	18.8	17.6	16.1	9.1	10.0	141.6	8	-73905
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	2.3	2.2	3.6	3.8	1.2	0.8	0.6	0.5	0.4	0.3	1.9	1.8	19.4	8	-73905
	00 LST	4.5	3.5	4.2	5.4	1.5	1.2	0.0	0.7	0.6	1.0	1.6	4.0	28.2	8	-73905
	06 LST	4.2	3.7	4.1	2.2	1.7	0.5	0.0	0.0	0.4	0.1	1.1	2.5	20.5	8	-73905
	12 LST	8.5	8.0	7.9	7.2	3.9	3.5	0.8	0.3	1.1	1.3	4.9	5.8	53.2	8	-73905
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	12.1	15.8	15.5	16.1	19.7	12.5	10.4	7.2	18.4	21.4	18.7	16.7	184.5	8	-73905
	00 LST	10.4	12.3	15.2	15.1	18.3	19.1	21.7	23.9	22.2	21.2	18.9	19.7	214.0	8	-73905
	06 LST	12.0	11.2	13.8	16.0	18.7	19.3	21.4	23.5	21.0	21.0	17.9	14.5	210.3	8	-73905
	12 LST	9.6	10.7	10.4	10.8	14.0	7.7	8.1	6.2	13.4	18.4	11.6	11.8	132.7	8	-73905
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.8	8.7	8.0	12.5	13.1	15.7	11.0	14.7	15.6	20.1	13.7	12.4	155.3	8	-73905
	00 LST	13.2	13.2	13.7	16.8	15.7	20.6	21.5	23.2	20.7	22.1	14.5	15.5	210.7	8	-73905
	06 LST	10.1	9.6	6.8	10.0	9.3	10.3	12.3	14.7	13.8	13.9	11.4	12.5	134.7	8	-73905
	12 LST	8.5	8.1	7.7	9.2	8.3	7.5	5.2	9.1	11.6	14.3	10.1	11.7	111.3	8	-73905
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.3	22.1	27.5	27.2	28.3	29.5	30.2	31.0	28.3	29.5	26.6	25.5	329.0	8	-73905
	00 LST	20.8	20.6	24.8	25.7	26.2	28.8	29.6	30.7	27.7	28.7	23.6	23.8	311.0	8	-73905
	06 LST	18.2	18.4	20.0	19.0	20.2	20.8	27.5	28.6	24.4	23.4	21.1	22.6	264.2	8	-73905
	12 LST	19.0	20.6	24.5	24.3	26.5	28.8	29.3	29.3	26.1	26.8	23.4	24.0	302.6	8	-73905
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	18 LST	20.8	19.4	23.5	23.6	25.6	29.0	29.0	30.7	26.9	28.1	23.1	22.5	302.2	8	-73905
	00 LST	18.7	19.1	21.6	23.2	23.5	27.7	29.0	29.8	26.4	27.4	20.8	21.6	288.8	8	-73905
	06 LST	16.6	16.3	18.0	16.3	19.2	19.8	27.1	28.1	23.7	22.3	18.3	20.0	245.6	8	-73905
	12 LST	17.0	17.6	20.0	17.8	21.5	22.0	22.5	25.3	22.6	24.0	19.5	21.0	250.8	8	-73905
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.7	18.6	21.6	23.0	23.7	28.7	28.3	30.0	25.8	27.1	21.2	21.5	289.2	8	-73905
	00 LST	18.0	18.8	20.3	22.3	22.7	27.5	28.5	29.3	26.0	27.0	19.6	20.6	280.6	8	-73905
	06 LST	16.5	15.0	16.5	16.1	18.0	19.5	26.6	27.5	22.4	20.6	17.1	19.2	235.0	8	-73905
	12 LST	15.8	15.8	18.0	16.8	20.3	21.2	21.7	24.8	22.6	23.1	18.3	19.2	237.6	8	-73905

MEDINA/A BAR A RANCH, TEXAS

STA NO. 73907 (IN AREA NUMBER 13)

LATITUDE 2947N

LONGITUDE 09916W

ELEVATION(FT) 01450

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ADS MAX TMP (F)	87	91	98	96	104	107	108	106	106	104	90	91	108	12	-73231
MEAN MAX TMP (F)	62	66	73	80	87	94	96	97	90	81	68	63	80	12	-73231
MEAN MIN TMP (F)	33	37	42	52	60	68	70	69	63	52	38	32	51	12	-73231
ABS MIN TMP (F)	10	-7	14	25	37	51	61	50	39	26	11	7	-7	12	-73231
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.1	1.4	4.4	13.1	25.1	28.3	28.2	18.7	4.4	0.2	0.2	124.1	12	-73231
MEAN NO DYS TMP = DR LES 32(F)	16.1	10.6	6.2	0.8	0.0	0.0	0.0	0.0	0.0	1.1	9.7	17.4	61.9	12	-73231
MEAN NO DYS TMP = DR LES 3(F)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	-73231
MEAN DEW PT TMP (F)	35	38	40	50	59	65	65	65	61	52	40	33	50	12	-73231
MEAN REL HUM (PCT)	67	65	58	61	65	62	59	59	64	66	65	63	63	12	-73231
MEAN PRESS ALT (FT)	1295	1334	1400	1454	1479	1485	1430	1433	1443	1396	1322	1295	1397	0	-50
MEAN PRECIP (IN)	1.12	1.14	1.41	2.56	3.55	2.79	2.37	1.96	3.02	2.40	1.46	1.16	24.9	55	-73231
MEAN SNOW FALL (IN)	0.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	1.6	12	-73231
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.0	3.0	3.7	5.6	6.5	5.3	4.7	4.1	5.0	4.2	2.9	3.1	51.1	55	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	12	-73231
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.6	1.6	0.9	0.8	0.6	0.1	0.0	0.2	0.2	0.5	1.3	1.3	9.1	12	-73231
MEAN NO DYS TSTMS	0.7	1.7	2.7	5.0	7.5	4.4	5.1	5.5	3.7	2.8	1.2	0.7	41.0	12	-73231
P FREQ WND SPD = DR GTR 17 KTS	1.5	2.3	3.4	3.3	1.9	1.1	0.5	0.2	0.4	0.6	1.3	1.5	1.5	12	-73231
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73231
P FREQ LES 5000 FT A/D LES 5 MI	30.4	33.3	25.7	28.9	26.3	17.3	8.4	7.8	16.4	22.2	26.2	22.8	22.1	12	-73231
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	17.7	18.2	10.9	11.1	6.7	3.3	0.5	1.1	5.4	7.7	13.9	12.5	9.1	12	-73231
03-05 LST	23.4	24.2	17.6	18.1	12.7	5.0	1.2	3.2	5.7	11.9	17.8	16.3	13.1	12	-73231
06-08 LST	26.0	28.8	21.2	22.6	17.2	7.4	2.6	3.3	7.9	14.2	22.0	20.3	16.1	12	-73231
09-11 LST	22.0	23.2	15.5	12.3	8.4	4.6	1.9	0.6	5.8	10.9	15.6	17.0	11.5	12	-73231
12-14 LST	11.6	14.4	8.9	6.1	3.5	2.2	0.4	0.8	2.1	4.7	7.3	9.8	6.0	12	-73231
15-17 LST	9.1	11.9	4.9	5.0	1.9	1.5	0.3	1.1	1.7	3.4	6.9	7.2	4.6	12	-73231
18-20 LST	10.5	11.2	5.6	5.9	1.4	1.7	0.4	0.4	1.1	3.5	7.3	7.1	4.7	12	-73231
21-23 LST	12.1	11.7	7.4	6.9	3.1	1.4	0.3	0.7	1.9	4.8	9.6	8.5	5.7	12	-73231
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.6	2.5	1.3	0.8	0.4	0.0	0.0	0.1	0.0	0.3	2.0	1.7	1.0	12	-73231
03-05 LST	2.1	4.2	1.7	1.5	1.3	0.0	0.0	0.4	0.3	0.8	3.2	2.6	1.5	12	-73231
06-08 LST	3.7	4.8	2.4	1.9	1.8	0.1	0.3	0.1	0.6	1.3	3.3	4.5	2.1	12	-73231
09-11 LST	2.9	2.1	1.2	0.6	0.6	0.1	0.0	0.0	0.0	0.1	0.7	2.2	0.9	12	-73231
12-14 LST	1.2	1.0	0.4	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.3	12	-73231
15-17 LST	0.6	1.0	0.1	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.6	1.1	0.3	12	-73231
18-20 LST	0.7	1.0	0.9	0.8	0.3	0.0	0.0	0.0	0.0	0.0	0.5	0.8	0.4	12	-73231
21-23 LST	1.9	1.3	1.0	0.6	0.4	0.0	0.0	0.0	0.0	0.2	0.6	1.3	0.6	12	-73231

MEDINA/A BAR A RANCH, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	29.0	26.4	30.0	29.0	30.7	29.9	30.9	30.9	29.8	30.2	28.7	29.5	355.0	12	-73231
	23 LST	28.7	25.8	29.4	28.8	30.6	29.8	31.0	30.9	29.4	29.7	28.1	29.0	351.2	12	-73231
	09 LST	27.2	23.7	28.3	28.4	29.0	29.4	31.0	30.7	29.3	29.3	26.6	27.7	340.6	12	-73231
	11 LST	27.8	25.3	29.1	28.9	30.3	29.4	30.9	30.9	29.7	29.7	28.3	28.6	348.9	12	-73231
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	18.0	13.0	13.6	11.3	13.4	11.5	16.5	19.8	19.1	21.2	20.5	21.5	199.4	12	-73231
	23 LST	23.3	20.6	23.8	21.2	23.3	22.3	24.8	26.7	25.4	26.3	23.7	25.2	286.6	12	-73231
	09 LST	20.4	16.1	20.6	18.2	20.6	23.9	28.6	29.3	26.1	23.5	20.8	22.3	270.4	12	-73231
	11 LST	15.6	11.2	10.7	10.3	13.6	16.1	20.3	24.1	18.8	17.6	15.5	16.6	190.4	12	-73231
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	0.4	1.4	1.6	1.5	1.1	1.3	0.3	0.2	0.1	0.2	0.3	0.7	9.1	12	-73231
	23 LST	0.2	0.2	0.7	0.7	0.3	0.3	0.2	0.0	0.1	0.2	0.2	0.1	3.2	12	-73231
	09 LST	0.1	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	1.1	12	-73231
	11 LST	1.0	1.2	1.9	1.8	1.0	0.3	0.0	0.0	0.1	0.2	0.8	1.1	9.4	12	-73231
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	20.6	18.2	18.0	14.0	13.9	6.4	4.7	6.9	14.0	23.3	21.7	22.1	183.8	12	-73231
	23 LST	10.9	12.4	13.5	13.9	15.0	19.1	15.6	14.7	12.4	9.7	8.7	10.0	155.9	12	-73231
	09 LST	9.4	8.9	10.8	12.3	12.7	14.7	11.5	7.7	9.1	9.3	8.5	8.3	123.4	12	-73231
	11 LST	17.9	14.4	16.5	16.3	17.3	15.2	14.5	12.6	19.5	19.3	18.3	17.1	198.9	12	-73231
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	10.3	9.3	9.2	9.2	8.6	10.1	6.3	6.8	10.7	15.1	13.1	13.9	122.6	12	-73231
	23 LST	14.3	13.4	16.6	13.7	16.1	20.3	22.7	23.3	21.0	21.1	17.5	18.4	218.4	12	-73231
	09 LST	12.6	11.5	14.1	10.8	10.4	13.1	17.3	18.7	18.4	16.5	14.3	16.3	174.0	12	-73231
	11 LST	9.7	8.6	9.1	9.9	10.5	11.5	10.2	13.6	12.2	13.3	12.0	12.5	133.1	12	-73231
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	26.0	22.8	28.1	27.0	29.6	29.5	30.8	30.6	29.1	28.9	27.0	27.9	337.3	12	-73231
	23 LST	24.5	22.3	27.0	25.3	27.8	28.7	30.8	30.7	28.1	27.8	25.1	26.7	324.8	12	-73231
	09 LST	20.6	18.1	21.8	19.6	20.7	23.4	28.1	29.0	26.5	23.2	21.8	22.7	275.5	12	-73231
	11 LST	22.1	19.9	24.6	23.4	25.6	27.2	29.8	30.2	26.2	25.9	23.2	24.4	302.5	12	-73231
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	23.3	20.3	25.3	23.9	25.4	26.4	28.6	28.6	27.1	26.3	24.5	26.0	305.7	12	-73231
	23 LST	22.7	20.4	25.3	24.0	26.2	28.1	30.3	30.2	26.6	25.9	23.2	25.3	308.2	12	-73231
	09 LST	18.9	16.6	20.1	17.5	17.8	21.9	27.4	28.0	23.8	21.2	18.9	21.3	253.4	12	-73231
	11 LST	20.5	17.8	22.2	20.3	21.0	21.2	26.0	27.1	21.2	21.6	20.5	22.4	261.8	12	-73231
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	22.7	19.6	24.7	23.1	23.8	24.7	24.6	25.6	25.4	25.3	23.3	25.0	287.8	12	-73231
	23 LST	22.3	19.8	24.7	22.9	25.1	27.5	29.9	29.6	26.2	25.6	22.7	24.8	301.1	12	-73231
	09 LST	18.6	15.8	19.4	17.0	17.0	21.4	26.8	27.4	23.3	20.4	18.7	20.7	246.5	12	-73231
	11 LST	19.9	16.9	21.6	19.6	19.9	20.9	24.9	26.8	20.5	20.8	19.6	21.4	252.8	12	-73231

BRADY/CURTIS, TEXAS

STA NO. 73908 (IN AREA NUMBER 13)

LATITUDE 3111N

LONGITUDE 09920W

ELEVATION(FT) 01830

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	91	90	96	99	101	106	108	106	106	103	92	91	108	20	-113
MEAN MAX TMP (F)	59	63	70	78	84	92	95	96	89	81	68	62	78	21	-113
MEAN MIN TMP (F)	33	37	42	51	60	68	70	70	63	53	40	34	52	21	-113
ABS MIN TMP (F)	0	0	11	26	38	53	56	57	33	28	10	11	0	21	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.3	1.0	3.0	10.0	23.0	29.0	29.0	19.0	5.0	0.3	0.3	119.9	9	-113
MEAN NO DYS TMP = DR LES 32(F)	17.0	10.0	7.0	1.0	0.0	0.0	0.0	0.0	0.0	0.3	7.0	15.0	57.3	9	-113
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN DEW PT TMP (F)	35	38	40	50	59	65	65	65	61	52	40	33	50	12	-73231
MEAN REL HUM (PCT)	67	65	58	61	65	62	59	59	64	66	65	63	63	12	-73231
MEAN PRESS ALT (FT)	1654	1695	1775	1829	1855	1864	1808	1810	1795	1748	1677	1668	1763	0	-50
MEAN PRECIP (IN)	1.53	1.19	1.17	2.55	3.33	2.44	1.81	2.02	2.65	2.54	1.23	1.56	24.0	32	-113
MEAN SNOW FALL (IN)	0.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	1.6	12	-73231
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.8	3.1	3.2	5.6	6.4	4.8	3.9	4.2	4.5	4.4	2.6	3.9	50.4	32	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	12	-73231
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.6	1.6	0.9	0.8	0.6	0.1	0.0	0.2	0.2	0.5	1.3	1.3	9.1	12	-73231
MEAN NO DYS *STMS	0.7	1.7	2.7	3.0	7.5	4.4	5.1	5.5	3.7	2.8	1.2	0.7	41.0	12	-73231
P FREQ WND SPD = DR GTR 17 KTS	1.5	2.3	3.4	3.3	1.9	1.1	0.3	0.2	0.4	0.6	1.3	1.5	1.5	12	-73231
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73231
P FREQ LES 5000 FT A/D LES 5 MI	30.4	23.3	25.7	28.9	26.3	17.3	8.4	7.8	16.4	22.2	26.2	22.8	22.1	12	-73231
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	17.7	18.2	10.9	11.1	6.7	3.3	0.5	1.1	5.4	7.7	13.9	12.5	9.1	12	-73231
03-05 LST	23.4	24.2	17.6	18.1	12.7	5.0	1.2	3.2	5.7	11.9	17.8	16.3	13.1	12	-73231
06-08 LST	26.0	28.8	21.2	22.6	17.2	7.4	2.6	3.3	7.9	14.2	22.0	20.3	16.1	12	-73231
09-11 LST	22.0	23.2	15.5	12.3	8.4	4.6	1.9	0.6	5.8	10.3	15.6	17.0	11.9	12	-73231
12-14 LST	11.6	14.4	8.9	6.1	3.5	2.2	0.4	0.8	2.1	4.7	7.3	9.8	6.0	12	-73231
15-17 LST	9.1	11.9	4.9	5.0	1.9	1.5	0.3	1.1	1.7	3.4	6.9	7.2	4.6	12	-73231
18-20 LST	10.5	11.2	5.6	5.9	1.4	1.7	0.4	0.4	1.1	3.3	7.3	7.1	4.7	12	-73231
21-23 LST	12.1	11.7	7.4	6.9	3.1	1.4	0.3	0.7	1.9	4.8	9.6	8.5	5.7	12	-73231
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	2.6	2.5	1.3	0.8	0.4	0.0	0.0	0.1	0.0	0.3	2.0	1.7	1.0	12	-73231
03-05 LST	2.1	4.2	1.7	1.5	1.3	0.0	0.0	0.4	0.3	0.9	3.2	2.6	1.5	12	-73231
06-08 LST	3.7	4.8	2.4	1.9	1.8	0.1	0.3	0.1	0.6	1.5	3.3	4.5	2.1	12	-73231
09-11 LST	2.9	2.1	1.2	0.6	0.6	0.1	0.0	0.0	0.0	0.1	0.7	2.2	0.9	12	-73231
12-14 LST	1.2	1.0	0.4	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.3	12	-73231
15-17 LST	0.6	1.0	0.1	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.6	1.1	0.3	12	-73231
18-20 LST	0.7	1.0	0.9	0.8	0.3	0.0	0.0	0.0	0.0	0.0	0.5	0.8	0.4	12	-73231
21-23 LST	1.9	1.3	1.0	0.6	0.4	0.0	0.0	0.0	0.0	0.2	0.6	1.3	0.6	12	-73231

BRADY/CURTIS, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PUR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	29.0	26.4	30.0	29.0	31.7	29.9	30.9	30.9	29.8	30.2	28.7	29.5	355.0	12	-73231
	23 LST	28.7	25.8	29.4	28.8	30.6	29.8	31.0	30.9	29.4	29.7	28.1	29.0	351.2	12	-73231
	05 LST	27.2	23.7	28.3	28.4	29.0	29.4	31.0	30.7	29.3	29.3	26.6	27.7	340.6	12	-73231
	11 LST	27.8	25.3	29.1	28.9	30.3	29.4	30.9	30.9	29.7	29.7	28.3	28.6	348.9	12	-73231
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	18.0	13.0	13.6	11.3	13.4	11.5	16.5	19.8	19.1	21.2	20.5	21.5	199.4	12	-73231
	23 LST	23.3	20.6	23.8	21.2	23.3	22.3	24.8	26.7	25.4	26.3	23.7	25.2	286.6	12	-73231
	05 LST	20.4	16.1	20.6	18.2	20.6	23.9	28.6	29.3	26.1	23.9	20.8	22.3	270.4	12	-73231
	11 LST	15.6	11.2	10.7	10.3	13.6	16.1	20.3	24.1	18.8	17.6	15.5	16.6	190.4	12	-73231
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	0.4	1.4	1.6	1.5	1.1	1.3	0.3	0.2	0.1	0.2	0.3	0.7	9.1	12	-73231
	23 LST	0.2	0.2	0.7	0.7	0.3	0.3	0.2	0.0	0.1	0.2	0.2	0.1	3.2	12	-73231
	05 LST	0.1	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	1.1	12	-73231
	11 LST	1.0	1.2	1.9	1.8	1.0	0.3	0.0	0.0	0.1	0.2	0.8	1.1	9.4	12	-73231
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	20.6	18.2	18.0	14.0	13.9	8.4	4.7	6.9	14.0	23.3	21.7	22.1	183.8	12	-73231
	23 LST	10.9	12.4	13.5	13.9	15.0	19.1	15.6	14.7	12.4	9.7	8.7	10.0	159.9	12	-73231
	05 LST	9.4	8.9	10.8	12.3	12.7	14.7	11.5	7.7	9.1	9.5	8.5	8.3	123.4	12	-73231
	11 LST	17.9	14.4	16.5	16.3	17.3	15.2	14.5	12.6	19.5	19.3	16.3	17.1	198.9	12	-73231
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	10.3	9.3	9.2	9.2	8.6	10.1	6.3	6.8	10.7	15.1	13.1	13.9	122.6	12	-73231
	23 LST	14.3	13.4	16.6	13.7	16.1	20.3	22.7	23.3	21.0	21.1	17.5	18.4	218.4	12	-73231
	05 LST	12.6	11.5	14.1	10.8	10.4	13.1	17.3	16.7	18.4	16.5	14.3	16.3	174.0	12	-73231
	11 LST	9.7	8.6	9.1	9.9	10.5	11.5	10.2	13.6	12.2	11.3	12.0	12.5	133.1	12	-73231
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	26.0	22.8	28.1	27.0	29.6	29.5	30.8	30.6	29.1	28.9	27.0	27.9	337.3	12	-73231
	23 LST	24.5	22.3	27.0	25.3	27.8	28.7	30.8	30.7	28.1	27.8	25.1	26.7	324.8	12	-73231
	05 LST	20.6	18.1	21.8	19.6	20.7	23.4	28.1	29.0	26.5	23.2	21.8	22.7	275.5	12	-73231
	11 LST	22.1	19.9	24.6	23.4	25.6	27.2	29.8	30.2	26.2	25.9	23.2	24.4	302.5	12	-73231
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	23.3	20.3	25.3	23.9	25.4	26.4	28.6	28.6	27.1	26.3	24.5	26.0	305.7	12	-73231
	23 LST	22.7	20.4	25.3	24.0	26.2	28.1	30.3	30.2	26.6	25.9	23.2	25.3	308.2	12	-73231
	05 LST	18.9	16.6	20.1	17.5	17.8	21.9	27.4	28.0	23.8	21.2	18.9	21.3	253.4	12	-73231
	11 LST	20.5	17.8	22.2	20.3	21.0	21.2	26.0	27.1	21.2	21.6	20.5	22.4	261.8	12	-73231
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	22.7	19.6	24.7	23.1	23.8	24.7	24.6	25.6	25.4	25.3	23.3	25.0	287.8	12	-73231
	23 LST	22.3	19.8	24.7	22.9	25.1	27.5	29.9	29.6	26.2	25.6	22.7	24.8	301.1	12	-73231
	05 LST	18.6	15.8	19.4	17.0	17.0	21.4	26.8	27.4	23.3	20.4	18.7	20.7	246.5	12	-73231
	11 LST	19.9	16.9	21.6	19.6	19.9	20.9	24.9	26.8	20.5	20.8	19.6	21.4	252.8	12	-73231

FREDERICKSBURG/GILLESPIE COUNTY, TEXAS

STA NO. 73909 (IN AREA NUMBER 13)

LATITUDE 3013N LONGITUDE 09855W ELEVATION(FT) 01694

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	91	91	100	100	101	105	107	109	108	102	92	88	109	47	-113
MEAN MAX TMP (F)	61	64	72	78	84	91	94	95	88	79	69	62	78	35	-113
MEAN MIN TMP (F)	37	39	46	54	62	68	70	69	64	55	45	38	54	35	-113
ABS MIN TMP (F)	-5	-3	14	29	38	48	55	53	35	27	12	11	-5	47	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.3	1.0	2.0	9.0	24.0	29.0	27.0	18.0	3.0	0.0	0.0	113.3	10	-113
MEAN NO DYS TMP = OR LES 32(F)	12.0	7.0	5.0	0.3	0.0	0.0	0.0	0.0	0.0	1.0	0.0	10.0	41.3	10	-113
MEAN NO DYS TMP = OR LES 0(F)		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		47	-29
MEAN DEW PT TMP (F)	35	38	40	50	59	65	65	65	61	52	40	33	50	12	-73231
MEAN REL HUM (PCT)	67	65	58	61	65	62	59	59	64	66	65	63	63	12	-73231
MEAN PRESS ALT (FT)	1519	1558	1640	1694	1721	1730	1675	1676	1653	1608	1539	1510	1627	0	-50
MEAN PRECIP (IN)	1.27	1.64	1.78	3.50	3.28	2.56	1.98	2.57	3.01	2.80	2.02	1.73	27.9	52	-113
MEAN SNOW FALL (IN)	0.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	1.6	12	-73231
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.3	4.0	4.5	6.4	6.3	5.0	4.1	5.0	5.0	4.7	3.7	4.2	56.2	52	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	17	-73231
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.6	1.6	0.9	0.8	0.6	0.1	0.0	0.2	0.2	0.3	1.3	1.3	9.1	12	-73231
MEAN NO DYS TSTMS	0.7	1.7	2.7	5.0	7.5	4.4	5.1	3.5	3.7	2.8	1.2	0.7	41.0	12	-73231
P FREQ WND SPD = OR GTR 17 KTS	1.5	2.3	3.4	3.3	1.9	1.1	0.5	0.2	0.4	0.6	1.3	1.5	1.5	12	-73231
P FREQ WND SPD = OR GTR 38 KTS	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73231
P FREQ LES 5000 FT A/D LES 5 MI	30.4	33.3	25.7	28.9	26.3	17.3	8.4	7.8	16.4	22.2	26.2	22.8	22.1	12	-73231
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	17.7	18.2	10.9	11.1	6.7	3.3	0.5	1.1	5.4	7.7	13.9	12.5	9.1	12	-73231
03-05 LST	23.4	24.2	17.6	18.1	12.7	5.0	1.2	3.2	5.7	11.9	17.8	16.3	13.1	12	-73231
06-08 LST	26.0	28.8	21.2	22.6	17.2	7.4	2.6	3.3	7.9	14.2	22.0	20.3	16.1	12	-73231
09-11 LST	22.0	23.2	15.5	12.3	8.4	4.6	1.9	0.6	5.8	10.3	15.6	17.0	11.3	12	-73231
12-14 LST	11.6	14.4	8.9	6.1	3.5	2.2	0.4	0.8	2.1	4.7	7.3	9.8	6.0	12	-73231
15-17 LST	9.1	11.9	4.9	3.0	1.9	1.5	0.3	1.1	1.7	3.4	6.9	7.2	4.6	12	-73231
18-20 LST	10.5	11.2	5.6	3.9	1.4	1.7	0.4	0.4	1.1	3.5	7.3	7.1	4.7	12	-73231
21-23 LST	12.1	11.7	7.4	6.9	3.1	1.4	0.3	0.7	1.9	4.8	9.6	8.5	5.7	12	-73231
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	2.6	2.5	1.3	0.8	0.4	0.0	0.0	0.1	0.0	0.3	2.0	1.7	1.0	12	-73231
03-05 LST	2.1	4.2	1.7	1.5	1.3	0.0	0.0	0.4	0.3	0.9	3.2	2.6	1.5	12	-73231
06-08 LST	3.7	4.8	2.4	1.9	1.8	0.1	0.3	0.1	0.6	1.5	3.3	4.5	2.1	12	-73231
09-11 LST	2.9	2.1	1.2	0.6	0.6	0.1	0.0	0.0	0.0	0.1	0.7	2.2	0.9	12	-73231
12-14 LST	1.2	1.0	0.4	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.3	12	-73231
15-17 LST	0.6	1.0	0.1	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.6	1.1	0.3	12	-73231
18-20 LST	0.7	1.0	0.9	0.8	0.3	0.0	0.0	0.0	0.0	0.0	0.5	0.8	0.4	12	-73231
21-23 LST	1.9	1.3	1.0	0.6	0.4	0.0	0.0	0.0	0.0	0.2	0.6	1.3	0.6	12	-73231

FREDERICKSBURG/GILLESPIE COUNTY, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	29.0	26.4	30.0	29.0	30.7	29.9	30.9	30.9	29.8	30.2	28.7	29.5	355.0	12	-73231
	23 LST	28.7	25.8	29.4	28.8	30.6	29.8	31.0	30.9	29.4	29.7	28.1	29.0	351.2	12	-73231
	05 LST	27.2	23.7	28.3	28.4	31.0	29.4	31.0	30.7	29.3	29.3	26.6	27.7	340.6	12	-73231
	11 LST	27.8	25.3	29.1	28.9	30.3	29.4	30.9	30.9	29.7	29.7	28.3	28.6	348.9	12	-73231
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	18.0	13.0	13.6	11.3	13.4	11.5	16.5	19.8	19.1	21.2	20.5	21.5	199.4	12	-73231
	23 LST	23.3	20.6	23.8	21.2	23.3	22.3	24.8	26.7	25.4	26.3	23.7	25.2	286.6	12	-73231
	05 LST	20.4	16.1	20.6	18.2	20.6	23.9	28.6	29.7	26.1	23.5	20.8	22.3	270.4	12	-73231
	11 LST	15.6	11.2	10.7	10.3	13.6	16.1	20.3	24.1	18.8	17.6	15.5	16.6	190.4	12	-73231
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	0.4	1.4	1.6	1.5	1.1	1.3	0.3	0.2	0.1	0.2	0.3	0.7	9.1	12	-73231
	23 LST	0.2	0.2	0.7	0.7	0.3	0.3	0.2	0.0	0.1	0.2	0.2	0.1	3.2	12	-73231
	05 LST	0.1	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	1.1	12	-73231
	11 LST	1.0	1.2	1.9	1.8	1.0	0.3	0.0	0.0	0.1	0.2	0.8	1.1	9.4	12	-73231
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	20.6	18.2	18.0	14.0	13.9	6.4	4.7	6.9	14.0	23.3	21.7	22.1	183.8	12	-73231
	23 LST	10.9	12.4	13.5	13.9	15.0	19.1	15.6	14.7	12.4	9.7	8.7	10.0	155.9	12	-73231
	05 LST	9.4	8.9	10.8	12.3	12.7	14.7	11.5	7.7	9.1	9.5	8.5	8.3	123.4	12	-73231
	11 LST	17.9	14.4	16.5	16.3	17.3	15.2	14.5	12.6	19.5	19.3	18.3	17.1	198.9	12	-73231
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	10.3	9.3	9.2	9.2	8.6	10.1	6.3	6.8	10.7	15.1	13.1	13.9	122.6	12	-73231
	23 LST	14.3	13.4	16.6	13.7	16.1	20.3	22.7	23.3	21.0	21.1	17.5	18.4	218.4	12	-73231
	05 LST	12.6	11.5	14.1	10.8	10.4	13.1	17.3	18.7	18.4	16.5	14.3	16.3	174.0	12	-73231
	11 LST	9.7	8.6	9.1	9.9	10.5	11.5	10.2	13.6	12.2	13.3	12.0	12.5	133.1	12	-73231
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	26.0	22.8	28.1	27.0	29.6	29.5	30.8	30.6	29.1	28.9	27.0	27.9	337.3	12	-73231
	23 LST	24.5	22.3	27.0	25.3	27.8	28.7	30.8	30.7	28.1	27.8	25.1	26.7	324.8	12	-73231
	05 LST	20.6	18.1	21.8	19.6	20.7	23.4	28.1	29.0	26.5	23.2	21.8	22.7	275.5	12	-73231
	11 LST	22.1	19.9	24.6	23.4	25.6	27.2	29.8	30.2	26.2	25.9	23.2	24.4	302.5	12	-73231
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	23.3	20.3	25.3	23.9	25.4	26.4	28.6	28.6	27.1	26.3	24.5	26.0	305.7	12	-73231
	23 LST	22.7	20.4	25.3	24.0	26.2	28.1	30.3	30.2	26.6	25.9	23.2	25.3	308.2	12	-73231
	05 LST	18.9	16.6	20.1	17.5	17.8	21.9	27.4	28.0	23.8	21.2	18.9	21.3	253.4	12	-73231
	11 LST	20.5	17.8	22.2	20.3	21.0	21.2	26.0	27.1	21.2	21.6	20.5	22.4	261.8	12	-73231
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	22.7	19.6	24.7	23.1	23.8	24.7	24.6	25.6	25.4	25.3	23.3	25.0	287.8	12	-73231
	23 LST	22.3	19.8	24.7	22.9	25.1	27.5	29.9	29.6	26.2	25.6	22.7	24.8	301.1	12	-73231
	05 LST	18.6	15.8	19.4	17.0	17.0	21.4	26.8	27.4	23.3	20.4	18.7	20.7	246.5	12	-73231
	11 LST	19.9	16.9	21.6	19.6	19.9	20.9	24.9	26.8	20.5	20.8	19.6	21.4	252.8	12	-73231

JOHNSON CITY, TEXAS

STA NO. 73910 (IN AREA NUMBER 13)

LATITUDE 3019N

LONGITUDE 09837W

ELEVATION(FT) 01515

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO, OBS
ABS MAX TMP (F)	87	91	98	96	104	107	108	106	106	104	90	91	108	12	-73231
MEAN MAX TMP (F)	62	66	73	80	87	94	96	97	90	81	68	63	80	12	-73231
MEAN MIN TMP (F)	33	37	42	52	60	68	70	69	63	52	38	32	51	12	-73231
ABS MIN TMP (F)	10	-7	14	25	37	51	61	50	39	26	11	7	-7	12	-73231
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.1	1.4	4.4	17.1	25.1	28.3	28.2	18.7	4.4	0.2	0.2	124.1	12	-73231
MEAN NO DYS TMP = DR LES 32(F)	16.1	10.6	6.2	0.8	0.0	0.0	0.0	0.0	0.0	1.1	9.7	17.4	61.9	12	-73231
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	-73231
MEAN DEW PT TMP (F)	35	38	40	50	59	65	65	65	61	52	40	33	50	12	-73231
MEAN REL HUM (PCT)	67	65	58	61	65	62	59	59	64	66	65	63	63	12	-73231
MEAN PRESS ALT (FT)	1338	1376	1438	1512	1539	1548	1494	1493	1471	1426	1358	1329	1445	0	-50
MEAN PRECIP (IN)	1.12	1.14	1.41	2.56	3.55	2.79	2.37	1.96	3.02	2.40	1.46	1.16	24.9	55	-73231
MEAN SNOW FALL (IN)	0.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	1.6	12	-73231
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.0	3.0	3.7	5.6	6.5	5.3	4.7	4.1	5.0	4.2	2.9	3.1	51.1	55	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	12	-73231
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.6	1.6	0.9	0.8	0.6	0.1	0.0	0.2	0.2	0.5	1.3	1.3	9.1	12	-73231
MEAN NO DYS TSMS	0.7	1.7	2.7	5.0	7.5	4.4	5.1	3.5	3.7	2.8	1.2	0.7	41.0	12	-73231
P FREQ WND SPD = DR GTR 17 KTS	1.5	2.3	3.4	3.3	1.9	1.1	0.5	0.2	0.4	0.6	1.3	1.5	1.5	12	-73231
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73231
P FREQ LES 5000 FT A/D LES 3 MI	30.4	33.3	23.7	28.9	26.3	17.3	8.4	7.8	16.4	22.2	26.2	22.8	22.1	12	-73231
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	17.7	18.2	10.9	11.1	6.7	3.3	0.5	1.1	5.4	7.7	13.9	12.5	0.1	12	-73231
03-05 LST	23.4	24.2	17.6	18.1	12.7	5.0	1.2	3.2	5.7	11.9	17.8	16.3	13.1	12	-73231
06-08 LST	26.0	28.8	21.2	22.6	17.2	7.4	2.6	3.3	7.9	14.2	22.0	20.3	16.1	12	-73231
09-11 LST	22.0	23.2	15.5	12.3	8.4	4.6	1.9	0.6	5.8	10.5	15.6	17.0	11.5	12	-73231
12-14 LST	11.6	14.4	8.9	6.1	3.5	2.2	0.4	0.8	2.1	4.7	7.3	9.8	6.0	12	-73231
15-17 LST	9.1	11.9	4.9	5.0	1.9	1.5	0.3	1.1	1.7	3.4	6.9	7.2	4.6	12	-73231
18-20 LST	10.5	11.2	5.6	5.9	1.4	1.7	0.4	0.4	1.1	3.5	7.3	7.1	4.7	12	-73231
21-23 LST	12.1	11.7	7.4	6.9	3.1	1.4	0.3	0.7	1.9	4.8	9.6	8.5	5.7	12	-73231
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.6	2.5	1.3	0.8	0.4	0.0	0.0	0.1	0.0	0.3	2.0	1.7	1.0	12	-73231
03-05 LST	2.1	4.2	1.7	1.5	1.3	0.0	0.0	0.4	0.3	0.9	3.2	2.6	1.5	12	-73231
06-08 LST	3.7	4.8	2.4	1.9	1.8	0.1	0.3	0.1	0.6	1.3	3.3	4.5	2.1	12	-73231
09-11 LST	2.9	2.1	1.2	0.6	0.6	0.1	0.0	0.0	0.0	0.1	0.7	2.2	0.9	12	-73231
12-14 LST	1.2	1.0	0.4	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.3	12	-73231
15-17 LST	0.6	1.0	0.1	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.6	1.1	0.3	12	-73231
18-20 LST	0.7	1.0	0.9	0.8	0.3	0.0	0.0	0.0	0.0	0.0	0.5	0.8	0.4	12	-73231
21-23 LST	1.9	1.3	1.0	0.6	0.4	0.0	0.0	0.0	0.0	0.2	0.6	1.3	0.6	12	-73231

JOHNSON CITY, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	29.0	26.4	30.0	29.0	30.7	29.9	30.9	30.9	29.8	30.2	28.7	29.5	355.0	12	-73231
	23 LST	28.7	25.8	29.4	28.8	30.6	29.8	31.0	30.9	29.4	29.7	28.1	29.0	351.2	12	-73231
	05 LST	27.2	23.7	28.3	28.4	29.0	29.4	31.0	30.7	29.3	29.3	26.6	27.7	340.6	12	-73231
	11 LST	27.8	25.3	29.1	28.9	30.3	29.4	30.9	30.9	29.7	29.7	28.3	28.6	348.9	12	-73231
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	18.0	13.0	13.6	11.3	13.4	11.5	16.5	19.8	19.1	21.2	20.5	21.5	199.4	12	-73231
	23 LST	23.3	20.6	23.8	21.2	23.3	22.3	24.8	26.7	25.4	26.3	23.7	25.2	286.6	12	-73231
	05 LST	20.4	16.1	20.6	18.2	20.6	23.9	28.6	29.3	26.1	23.5	20.8	22.3	270.4	12	-73231
	11 LST	15.6	11.2	10.7	10.3	13.6	16.1	20.3	24.1	18.8	17.6	15.5	16.6	190.4	12	-73231
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	0.4	1.4	1.6	1.5	1.1	1.3	0.3	0.2	0.1	0.2	0.3	0.7	9.1	12	-73231
	23 LST	0.2	0.2	0.7	0.7	0.3	0.3	0.2	0.0	0.1	0.2	0.2	0.1	3.2	12	-73231
	05 LST	0.1	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	1.1	12	-73231
	11 LST	1.0	1.2	1.9	1.8	1.0	0.3	0.0	0.0	0.1	0.2	0.8	1.0	9.4	12	-73231
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	20.6	18.2	18.0	14.0	13.9	6.4	4.7	6.9	14.0	23.3	21.7	22.1	183.8	12	-73231
	23 LST	10.9	12.4	13.5	13.9	15.0	19.1	15.6	14.7	12.4	9.7	8.7	10.0	155.9	12	-73231
	05 LST	9.4	8.9	10.8	12.3	12.7	14.7	11.5	7.7	9.1	9.3	8.5	8.3	123.4	12	-73231
	11 LST	17.9	14.4	16.5	16.3	17.3	15.2	14.5	12.6	19.5	19.3	18.3	17.1	198.9	12	-73231
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	10.3	9.3	9.2	9.2	8.6	10.1	6.3	6.8	10.7	15.1	13.1	13.9	122.6	12	-73231
	23 LST	14.3	13.4	16.6	13.7	16.1	20.3	22.7	23.3	21.0	21.1	17.5	18.4	218.4	12	-73231
	05 LST	12.6	11.5	14.1	10.8	10.4	13.1	17.3	18.7	18.4	16.5	14.3	16.3	174.0	12	-73231
	11 LST	9.7	8.6	9.1	9.9	10.5	11.5	10.2	13.6	12.2	13.3	12.0	12.5	133.1	12	-73231
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	26.0	22.8	28.1	27.0	29.6	29.5	30.8	30.6	29.1	28.9	27.0	27.9	337.3	12	-73231
	23 LST	24.5	22.3	27.0	25.3	27.8	28.7	30.8	30.7	28.1	27.8	25.1	26.7	324.8	12	-73231
	05 LST	20.6	18.1	21.8	19.6	20.7	23.4	28.1	29.0	26.5	23.2	21.8	22.7	275.5	12	-73231
	11 LST	22.1	19.9	24.6	23.4	25.6	27.2	29.8	30.2	26.2	25.9	23.2	24.4	302.5	12	-73231
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	23.3	20.3	25.3	23.9	25.4	26.4	28.6	28.6	27.1	26.3	24.5	26.0	305.7	12	-73231
	23 LST	22.7	20.4	25.3	24.0	26.2	28.1	30.3	30.2	26.6	25.9	23.2	25.3	308.2	12	-73231
	05 LST	18.9	16.6	20.1	17.5	17.8	21.9	27.4	28.0	23.8	21.2	18.9	21.3	253.4	12	-73231
	11 LST	20.5	17.8	22.2	20.3	21.0	21.2	26.0	27.1	21.2	21.6	20.5	22.4	261.8	12	-73231
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	22.7	19.6	24.7	23.1	23.8	24.7	24.6	25.6	25.4	25.3	23.3	25.0	287.8	12	-73231
	23 LST	22.3	19.8	24.7	22.9	25.1	27.5	29.9	29.6	26.2	25.6	22.7	24.8	301.1	12	-73231
	05 LST	18.6	15.8	19.4	17.0	17.0	21.4	26.8	27.4	23.3	20.4	18.7	20.7	246.5	12	-73231
	11 LST	19.9	16.9	21.6	19.6	19.9	20.9	24.9	26.8	20.5	20.8	19.6	21.4	252.8	12	-73231

KERRVILLE MUNICIPAL, TEXAS

STA NO. 73911 (IN AREA NUMBER 13)

LATITUDE 2958N

LONGITUDE 09905W

ELEVATION(FT) 01608

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	91	95	102	103	104	103	110	108	109	99	93	89	110	63	-113
MEAN MAX TMP (F)	61	64	71	78	83	90	93	94	89	80	69	62	78	63	-113
MEAN MIN TMP (F)	33	37	44	51	60	66	68	67	62	52	42	35	52	62	-113
ABS MIN TMP (F)	-7	-5	9	25	31	40	51	46	35	22	11	-4	-7	64	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.3	1.0	2.0	6.0	21.0	28.0	27.0	17.0	2.0	0.0	0.0	104.3	9	-113
MEAN NO DYS TMP = DR LES 32(F)	17.0	11.0	7.0	1.0	0.0	0.0	0.0	0.0	0.0	1.0	9.0	16.0	62.0	9	-113
MEAN NO DYS TMP = DR LES 0(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			64	-29
MEAN DEW PT TMP (F)	35	38	42	50	59	65	65	65	61	52	40	33	50	12	-73231
MEAN REL HUM (PCT)	67	65	58	61	65	62	59	59	64	66	65	63	63	12	-73231
MEAN PRESS ALT (FT)	1492	1490	1556	1610	1634	1640	1586	1559	1600	1553	1479	1492	1553	0	-50
MEAN PRECIP (IN)	1.48	1.68	1.84	3.15	3.81	2.96	2.46	2.04	3.58	3.03	2.05	2.00	59.1	64	-113
MEAN SNOW FALL (IN)	0.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	1.6	12	-73231
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.9	4.2	4.4	6.2	6.7	5.5	4.8	4.2	5.8	5.0	3.8	4.6	30.1	64	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	12	-73231
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.6	1.6	0.9	0.8	0.6	0.1	0.0	0.2	0.2	0.5	1.3	1.3	9.1	12	-73231
MEAN NO DYS TSTMS	0.7	1.7	2.7	5.0	7.5	4.4	5.1	5.5	3.7	2.8	1.2	0.7	41.0	12	-73231
P FREQ WND SPD = DR GTR 17 KTS	1.5	2.3	3.4	3.3	1.9	1.1	0.5	0.2	0.4	0.6	1.3	1.5	1.5	12	-73231
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73231
P FREQ LES 5000 FT A/D LES 5 MI	30.4	33.3	29.7	28.9	26.3	17.3	8.4	7.8	16.4	22.2	26.2	22.8	22.1	12	-73231
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	17.7	18.2	10.9	11.1	6.7	3.3	0.5	1.1	5.4	7.7	13.9	12.5	9.1	12	-73231
03-05 LST	23.4	24.2	17.6	18.1	12.7	5.0	1.2	3.2	5.7	11.9	17.8	16.3	13.1	12	-73231
06-08 LST	26.0	28.8	21.2	22.6	17.2	7.4	2.6	3.3	7.9	14.2	22.0	20.3	16.1	12	-73231
09-11 LST	22.0	23.2	15.5	12.3	8.4	4.6	1.9	0.6	5.8	10.3	15.6	17.0	11.5	12	-73231
12-14 LST	11.6	14.4	8.9	6.1	3.5	2.2	0.4	0.8	2.1	4.7	7.3	9.8	6.0	12	-73231
15-17 LST	9.1	11.9	4.9	5.0	1.9	1.5	0.3	1.1	1.7	3.4	6.9	7.2	4.6	12	-73231
18-20 LST	10.5	11.2	5.6	5.9	1.4	1.7	0.4	0.4	1.1	3.5	7.3	7.1	4.7	12	-73231
21-23 LST	12.1	11.7	7.4	6.9	3.1	1.4	0.3	0.7	1.9	4.8	9.6	8.5	5.7	12	-73231
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.6	2.5	1.3	0.8	0.4	0.0	0.0	0.1	0.0	0.3	2.0	1.7	1.0	12	-73231
03-05 LST	2.1	4.2	1.7	1.5	1.3	0.0	0.0	0.4	0.3	0.9	3.2	2.6	1.5	12	-73231
06-08 LST	3.7	4.8	2.4	1.9	1.8	0.1	0.3	0.1	0.6	1.5	3.3	4.5	2.1	12	-73231
09-11 LST	2.9	2.1	1.2	0.6	0.6	0.1	0.0	0.0	0.0	0.1	0.7	2.2	0.9	12	-73231
12-14 LST	1.2	1.0	0.4	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.3	12	-73231
15-17 LST	0.6	1.0	0.1	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.6	1.1	0.3	12	-73231
18-20 LST	0.7	1.0	0.9	0.8	0.3	0.0	0.0	0.0	0.0	0.0	0.5	0.8	0.4	12	-73231
21-23 LST	1.9	1.3	1.0	0.6	0.4	0.0	0.0	0.0	0.0	0.2	0.6	1.3	0.6	12	-73231

KERRVILLE MUNICIPAL, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	29.0	26.4	30.0	29.0	30.7	29.9	30.9	30.9	29.8	30.2	28.7	29.5	355.0	12	-73231
	23 LST	28.7	25.8	29.4	28.8	30.6	29.8	31.0	30.9	29.4	29.7	28.1	29.0	331.2	12	-73231
	09 LST	27.2	23.7	28.3	28.4	29.0	29.4	31.0	30.7	29.3	29.3	26.6	27.7	340.6	12	-73231
	11 LST	27.8	25.3	29.1	28.9	30.3	29.4	30.9	30.9	29.7	29.7	28.3	28.6	348.9	12	-73231
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	17 LST	18.0	15.0	13.6	11.3	13.4	11.5	16.5	19.8	19.1	21.2	20.5	21.5	199.4	12	-73231
	23 LST	23.3	20.6	23.8	21.2	23.3	22.3	24.8	26.7	25.4	26.3	23.7	25.2	286.6	12	-73231
	09 LST	20.4	18.1	20.6	18.2	20.6	23.9	28.6	29.3	26.1	23.5	20.8	22.3	270.4	12	-73231
	11 LST	15.6	11.2	10.7	10.3	13.6	16.1	20.3	24.1	18.8	17.6	15.5	16.6	190.4	12	-73231
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	0.4	1.4	1.6	1.5	1.1	1.3	0.3	0.2	0.1	0.2	0.3	0.7	9.1	12	-73231
	23 LST	0.2	0.2	0.7	0.7	0.3	0.3	0.2	0.0	0.1	0.2	0.2	0.1	3.2	12	-73231
	09 LST	0.1	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	1.1	12	-73231
	11 LST	1.0	1.2	1.9	1.8	1.0	0.3	0.0	0.0	0.1	0.2	0.8	1.1	9.4	12	-73231
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	20.6	18.2	18.0	14.0	13.9	6.4	4.7	6.9	14.0	23.3	21.7	22.1	183.8	12	-73231
	23 LST	10.9	12.4	13.5	13.9	15.0	19.1	15.6	4.7	12.4	9.7	8.7	10.0	155.9	12	-73231
	09 LST	9.4	8.9	10.8	12.3	12.7	14.7	11.5	7.7	9.1	9.5	8.5	8.3	123.4	12	-73231
	11 LST	17.9	14.4	16.9	16.3	17.3	15.2	14.5	12.6	19.5	19.3	16.3	17.1	198.9	12	-73231
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	10.3	9.3	9.2	9.2	8.6	10.1	6.3	6.8	10.7	15.1	13.1	13.9	122.6	12	-73231
	23 LST	14.3	13.4	16.6	13.7	16.1	20.3	22.7	23.3	21.0	21.1	17.5	18.4	218.4	12	-73231
	09 LST	12.6	11.3	14.1	10.8	10.4	13.1	17.3	18.7	18.4	16.5	14.3	16.3	174.0	12	-73231
	11 LST	9.7	8.6	9.1	9.9	10.5	11.5	10.2	13.6	12.2	13.3	12.0	12.5	133.1	12	-73231
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	26.0	22.8	28.1	27.0	29.6	29.5	30.8	30.6	29.1	28.9	27.0	27.9	337.3	12	-73231
	23 LST	24.5	22.3	27.0	25.3	27.8	28.7	30.8	30.7	28.1	27.8	25.1	26.7	324.8	12	-73231
	09 LST	20.6	18.1	21.8	19.6	20.7	23.4	28.1	29.0	26.5	23.2	21.8	22.7	275.5	12	-73231
	11 LST	22.1	19.9	24.6	23.4	25.6	27.2	29.8	30.2	26.2	25.9	23.2	24.4	302.5	12	-73231
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	23.3	20.3	25.3	23.9	25.4	26.4	28.6	28.6	27.1	26.3	24.5	26.0	305.7	12	-73231
	23 LST	22.7	20.4	25.3	24.0	26.2	28.1	30.3	30.2	26.6	25.9	23.2	25.3	308.2	12	-73231
	09 LST	18.9	16.6	20.1	17.5	17.8	21.9	27.4	28.0	23.8	21.2	18.9	21.3	253.4	12	-73231
	11 LST	20.5	17.8	22.2	20.3	21.0	21.2	26.0	27.1	21.2	21.6	20.5	22.4	261.8	12	-73231
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	22.7	19.6	24.7	23.1	23.8	24.7	24.6	25.6	25.4	25.3	23.3	25.0	287.8	12	-73231
	23 LST	22.3	19.8	24.7	22.9	25.1	27.5	29.9	29.6	26.2	25.6	22.7	24.8	301.1	12	-73231
	09 LST	18.6	15.8	19.4	17.0	17.0	21.4	26.8	27.4	23.3	20.4	18.7	20.7	246.5	12	-73231
	11 LST	19.9	16.9	21.6	19.6	19.9	20.9	24.9	26.8	20.5	20.8	19.6	21.4	252.8	12	-73231

JUNCTION/KIMBLE COUNTY, TEXAS

STA NO. 73912 (IN AREA NUMBER 13)

LATITUDE 3031N

LONGITUDE 09946W

ELEVATION(FT) 61729

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	87	91	98	96	104	107	108	106	106	104	90	91	108	12	-73231
MEAN MAX TMP (F)	62	66	73	80	87	94	96	97	90	81	68	63	80	12	-73231
MEAN MIN TMP (F)	33	37	42	52	60	68	70	69	63	52	38	32	51	12	-73231
ABS MIN TMP (F)	10	-7	14	25	37	51	61	50	39	26	11	7	-7	12	-73231
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.1	1.4	4.4	13.1	25.1	28.3	28.2	18.7	4.4	0.2	0.2	124.1	12	-73231
MEAN NO DYS TMP = DR LES 32(F)	16.1	10.6	6.2	0.8	0.0	0.0	0.0	0.0	0.0	1.1	9.7	17.4	81.9	12	-73231
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	-73231
MEAN DEW PT TMP (F)	35	38	40	50	59	65	65	65	61	52	40	33	50	12	-73231
MEAN REL HUM (PCT)	67	65	58	61	65	62	59	59	64	66	65	63	63	12	-73231
MEAN PRESS ALT (FT)	1558	1600	1680	1735	1762	1772	1715	1715	1698	1651	1579	1549	1668	0	-50
MEAN PRECIP (IN)	1.12	1.14	1.41	2.56	3.55	2.79	2.37	1.96	3.02	2.40	1.46	1.16	24.9	55	-73231
MEAN SNOW FALL (IN)	0.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	1.6	12	-73231
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.0	3.0	3.7	5.6	6.5	5.3	4.7	4.1	5.0	4.2	2.9	3.1	51.1	55	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	12	-73231
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.6	1.6	0.9	0.8	0.6	0.1	0.0	0.2	0.2	0.9	1.3	1.3	9.1	12	-73231
MEAN NO DYS TSTMS	0.7	1.7	2.7	5.0	7.5	4.4	5.1	5.5	3.7	2.8	1.2	0.7	41.0	12	-73231
P FREQ WND SPD = DR GTR 17 KTS	1.5	2.3	3.4	3.3	1.9	1.1	0.5	0.2	0.4	0.6	1.3	1.5	1.5	12	-73231
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73231
P FREQ LES 5000 FT A/D LES 5 MI	30.4	33.3	29.7	28.9	26.3	17.3	8.4	7.8	16.4	22.2	26.2	22.8	22.1	12	-73231
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	17.7	18.2	10.9	11.1	6.7	3.3	0.5	1.1	5.4	7.7	13.9	12.5	9.1	12	-73231
03-05 LST	23.4	24.2	17.6	18.1	12.7	5.0	1.2	3.2	5.7	11.9	17.8	16.3	13.1	12	-73231
06-08 LST	26.0	28.8	21.2	22.6	17.2	7.4	2.6	3.3	7.9	14.2	22.0	20.3	16.1	12	-73231
09-11 LST	22.0	23.2	15.5	12.3	8.4	4.6	1.9	0.6	5.8	10.5	15.6	17.0	11.9	12	-73231
12-14 LST	11.6	14.4	8.9	6.1	3.5	2.2	0.4	0.8	2.1	4.7	7.3	9.8	6.0	12	-73231
15-17 LST	9.1	11.9	4.9	5.0	1.9	1.5	0.3	1.1	1.7	3.4	6.9	7.2	4.6	12	-73231
18-20 LST	10.5	11.2	5.6	5.9	1.4	1.7	0.4	0.4	1.1	3.5	7.3	7.1	4.7	12	-73231
21-23 LST	12.1	11.7	7.4	6.9	3.1	1.4	0.3	0.7	1.9	4.8	9.6	8.5	5.7	12	-73231
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.6	2.5	1.3	0.8	0.4	0.0	0.0	0.1	0.0	0.3	2.0	1.7	1.0	12	-73231
03-05 LST	2.1	4.2	1.7	1.5	1.3	0.0	0.0	0.4	0.3	0.9	3.2	2.6	1.5	12	-73231
06-08 LST	3.7	4.8	2.4	1.9	1.8	0.1	0.3	0.1	0.6	1.8	3.3	4.5	2.1	12	-73231
09-11 LST	2.9	2.1	1.2	0.6	0.6	0.1	0.0	0.0	0.0	0.1	0.7	2.2	0.9	12	-73231
12-14 LST	1.2	1.0	0.4	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.3	12	-73231
15-17 LST	0.6	1.0	0.1	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.6	1.1	0.3	12	-73231
18-20 LST	0.7	1.0	0.9	0.8	0.3	0.0	0.0	0.0	0.0	0.0	0.3	0.8	0.4	12	-73231
21-23 LST	1.9	1.3	1.0	0.6	0.4	0.0	0.0	0.0	0.0	0.2	0.6	1.3	0.6	12	-73231

JUNCTION/KIMBLE COUNTY, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDP (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	29.0	26.4	30.0	29.0	30.7	29.9	30.9	30.9	29.3	30.2	28.7	29.5	355.0	12	-73231
	23 LST	28.7	25.8	29.4	28.8	30.6	29.8	31.0	30.9	29.4	29.7	28.1	29.0	351.2	12	-73231
	05 LST	27.2	23.7	28.3	28.4	29.0	29.4	31.0	30.7	29.3	29.3	26.6	27.7	340.6	12	-73231
	11 LST	27.8	25.3	29.1	28.9	30.3	29.4	30.9	30.9	29.7	29.7	28.3	28.6	348.9	12	-73231
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WVD LES 10 KTS	17 LST	18.0	13.0	13.6	11.3	13.4	11.5	16.5	19.8	19.1	21.2	20.5	21.5	199.4	12	-73231
	23 LST	23.3	20.6	23.8	21.2	23.3	22.3	24.6	26.7	25.4	26.3	23.7	25.2	286.6	12	-73231
	05 LST	20.4	16.1	20.6	18.2	20.6	23.9	28.6	29.3	26.1	23.5	20.8	22.3	270.4	12	-73231
	11 LST	15.6	11.2	10.7	10.3	13.6	16.1	20.3	24.1	18.8	17.6	15.5	16.6	190.4	12	-73231
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	0.4	1.4	1.6	1.5	1.1	1.3	0.3	0.2	0.1	0.2	0.3	0.7	9.1	12	-73231
	23 LST	0.2	0.2	0.7	0.7	0.3	0.3	0.2	0.0	0.1	0.2	0.2	0.1	3.2	12	-73231
	05 LST	0.1	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	1.1	12	-73231
	11 LST	1.0	1.2	1.9	1.8	1.0	0.3	0.0	0.0	0.1	0.2	0.8	1.1	9.4	12	-73231
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	20.6	18.2	18.0	14.0	13.9	6.4	4.7	6.9	14.0	23.3	21.7	22.1	183.8	12	-73231
	23 LST	10.9	12.4	13.5	13.9	15.0	19.1	15.6	14.7	12.4	9.7	8.7	10.0	155.9	12	-73231
	05 LST	9.4	8.9	10.8	12.3	12.7	14.7	11.5	7.7	9.1	9.5	8.5	8.3	123.4	12	-73231
	11 LST	17.9	14.4	16.5	16.3	17.3	15.2	14.5	12.6	19.5	19.3	18.3	17.1	198.9	12	-73231
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	10.3	9.3	9.2	9.2	8.6	10.1	6.3	6.8	10.7	15.1	13.1	13.9	122.6	12	-73231
	23 LST	14.3	13.4	16.6	13.7	16.1	20.3	22.7	23.3	21.0	21.1	17.5	18.4	218.4	12	-73231
	05 LST	12.6	11.5	14.1	10.8	10.4	13.1	17.3	18.7	18.4	16.5	14.3	16.3	174.0	12	-73231
	11 LST	9.7	8.6	9.1	9.9	10.5	11.5	10.2	13.6	12.2	13.3	12.0	12.5	133.1	12	-73231
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	26.0	22.8	28.1	27.0	29.6	29.5	30.8	30.6	29.1	28.9	27.0	27.9	337.3	12	-73231
	23 LST	24.5	22.3	27.0	25.3	27.8	28.7	30.8	30.7	28.1	27.8	25.1	26.7	324.8	12	-73231
	05 LST	20.6	18.1	21.8	19.6	20.7	23.4	28.1	29.0	26.5	23.2	21.8	22.7	275.5	12	-73231
	11 LST	22.1	19.9	24.6	23.4	23.6	27.2	29.8	30.2	26.2	25.9	23.2	24.4	302.5	12	-73231
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	23.3	20.3	25.3	23.9	25.4	26.4	28.6	28.6	27.1	26.3	24.5	26.0	305.7	12	-73231
	23 LST	22.7	20.4	25.3	24.0	26.2	28.1	30.3	30.2	26.6	25.9	23.2	25.3	308.2	12	-73231
	05 LST	18.9	16.6	20.1	17.5	17.8	21.9	27.4	28.0	23.8	21.2	18.9	21.3	253.4	12	-73231
	11 LST	20.5	17.8	22.2	20.3	21.0	21.2	26.0	27.1	21.2	21.6	20.5	22.4	261.8	12	-73231
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	22.7	19.6	24.7	23.1	23.8	24.7	24.6	25.6	25.4	25.3	23.3	23.0	287.8	12	-73231
	23 LST	22.3	19.8	24.7	22.9	23.1	27.5	29.9	29.6	26.2	25.6	22.7	24.8	301.1	12	-73231
	05 LST	18.6	15.8	19.4	17.0	17.0	21.4	26.8	27.4	23.3	20.4	18.7	20.7	246.5	12	-73231
	11 LST	19.9	16.9	21.6	19.6	19.9	20.9	24.9	26.8	20.5	20.8	19.6	21.4	252.8	12	-73231

NEWARK/EAGLE MOUNTAIN, TEXAS

STA NO. 75162 (IN AREA NUMBER 13)

LATITUDE 3259N

LONGITUDE 09730W

ELEVATION(FT) 00706

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	84	83	93	96	100	102	104	108	107	106	90	90	108	9	2829
MEAN MAX TMP (F)	56	61	67	76	84	92	95	97	88	80	67	59	77	9	2829
MEAN MIN TMP (F)	35	39	45	53	62	71	74	75	67	57	44	38	55	9	2829
ABS MIN TMP (F)	-2	6	11	36	45	54	62	62	50	37	19	10	-2	9	2829
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.4	1.1	6.3	22.4	25.9	27.5	15.1	2.4	0.1	0.1	101.3	9	2829
MEAN NO DYS TMP = DR LES 32(F)	12.0	6.8	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	9.1	34.1	9	2829
MEAN NO DYS TMP = DR LES 0(F)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	9	2829
MEAN DEW PT TMP (F)	34	37	39	49	59	66	68	65	61	51	40	35	50	9	67710
MEAN REL HUM (PCT)	67	66	58	62	66	63	61	55	61	60	60	64	62	9	67709
MEAN PRESS ALT (FT)	515	551	628	678	703	709	659	664	655	605	539	514	618	0	-50
MEAN PRECIP (IN)	2.37	2.57	2.12	3.74	4.93	2.97	2.73	2.53	2.31	2.13	2.39	1.73	32.5	9	2751
MEAN SNOW FALL (IN)	2.0	0.7	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	3.6	9	2818
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.9	4.9	4.1	5.3	6.5	4.0	3.6	2.5	3.6	3.3	2.8	2.9	48.4	9	2751
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.5	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.8	9	2818
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.1	2.1	0.7	0.6	0.4	0.1	0.3	0.1	0.2	0.3	0.8	3.1	11.0	9	2827
MEAN NO DYS TSTMS	2.2	4.8	3.9	5.1	8.3	6.0	4.1	4.1	4.6	3.8	4.4	3.5	55.0	9	2822
P FREQ WND SPD = DR GTR 17 KTS	21.0	19.3	27.0	25.5	16.5	24.1	6.0	4.1	8.0	11.1	19.4	14.8	16.4	9	67764
P FREQ WND SPD = DR GTR 28 KTS	0.7	0.4	1.5	0.8	0.3	0.4	0.0	0.1	0.1	0.2	1.2	0.4	0.5	9	67764
P FREQ LES 3000 FT A/D LES 3 MI	31.2	31.9	23.3	24.8	19.9	10.7	7.1	4.9	11.4	15.3	19.5	23.3	18.6	9	67711
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	16.9	17.2	10.1	9.0	6.5	2.4	2.3	2.3	2.1	6.1	11.7	13.0	8.3	9	8464
03-05 LST	20.6	22.1	10.9	13.0	10.9	5.1	3.1	3.4	5.3	8.0	13.0	14.8	10.9	9	8464
06-08 LST	23.9	24.1	15.7	16.3	12.6	6.7	5.2	4.0	10.1	10.4	14.7	16.9	13.6	9	8466
09-11 LST	20.7	22.3	12.6	11.8	6.0	2.2	3.9	2.7	7.7	11.2	12.6	17.1	10.9	9	8466
12-14 LST	16.3	15.0	6.9	6.4	4.0	1.4	1.4	1.1	3.9	4.9	7.1	10.6	6.6	9	8467
15-17 LST	12.4	12.8	6.1	4.3	4.0	1.6	0.9	0.5	2.1	3.8	7.4	8.3	5.4	9	8463
18-20 LST	11.2	13.6	5.0	3.6	5.2	0.0	1.4	0.7	1.1	3.9	7.5	8.1	5.2	9	8464
21-23 LST	13.7	12.9	6.6	4.9	4.0	1.1	1.5	1.3	1.8	4.9	8.2	9.4	5.9	9	8460
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.3	3.4	0.7	0.8	0.0	0.0	0.6	0.0	0.1	0.5	1.4	4.3	1.2	9	8464
03-05 LST	4.9	5.2	2.0	1.3	0.3	0.6	0.5	0.0	0.4	0.9	2.1	5.1	2.0	9	8464
06-08 LST	4.8	7.1	2.4	2.0	0.6	0.3	0.3	0.3	0.8	0.7	2.2	6.5	2.3	9	8466
09-11 LST	2.6	3.1	0.9	0.1	0.0	0.0	0.3	0.0	0.3	0.3	1.1	3.2	1.0	9	8466
12-14 LST	1.1	1.3	0.3	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.7	0.3	9	8467
15-17 LST	0.8	1.0	0.0	0.1	0.2	0.2	0.0	0.0	0.1	0.1	0.1	0.3	0.2	9	8463
18-20 LST	0.8	2.2	0.4	0.1	0.3	0.0	0.0	0.0	0.0	0.0	1.0	0.8	0.5	9	8464
21-23 LST	1.2	1.8	0.5	0.1	0.3	0.0	0.0	0.0	0.0	0.3	0.7	2.6	0.6	9	8460

NEWARK/EAGLE MOUNTAIN, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST	28.4	25.1	29.4	29.1	30.4	30.0	30.8	30.8	29.6	30.3	28.5	29.0	331.4	9	2826
	23 LST	27.9	24.8	29.4	28.7	30.4	29.9	30.4	30.6	29.6	30.1	27.5	28.4	347.7	9	2828
	05 LST	25.4	22.9	28.4	27.6	29.1	29.6	30.6	30.3	28.1	29.2	27.4	27.5	336.1	9	2826
	11 LST	27.0	24.9	29.5	29.2	30.7	29.9	30.6	30.7	29.2	30.0	28.6	28.1	348.4	9	2826
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	17 LST	9.1	6.9	7.6	7.7	8.4	4.8	8.3	8.1	9.5	11.8	10.7	9.6	102.5	9	2826
	23 LST	8.9	9.2	8.1	8.0	10.0	8.0	13.4	13.0	13.4	14.2	10.4	10.6	127.2	9	2828
	05 LST	9.0	9.5	8.9	8.5	13.9	11.0	16.7	19.1	15.3	14.8	11.4	10.9	149.0	9	2826
	11 LST	5.7	3.7	5.0	4.1	7.1	5.4	12.1	10.0	9.3	6.8	6.2	6.2	81.6	9	2826
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST	5.0	3.8	8.4	8.5	5.2	8.0	2.4	2.5	2.3	2.1	3.6	3.4	55.2	9	2770
	23 LST	6.0	5.6	6.7	6.2	3.6	6.5	1.1	1.2	1.1	1.9	5.8	3.4	49.1	9	2772
	05 LST	4.6	3.2	5.4	4.4	2.1	3.6	0.1	0.2	0.9	1.2	3.5	2.7	31.9	9	2755
	11 LST	10.5	8.4	12.2	10.7	7.8	9.7	2.3	1.9	4.1	5.5	8.9	8.4	90.4	9	2770
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	11.5	11.2	10.4	9.9	10.2	5.0	6.1	5.0	11.0	17.4	15.1	13.9	126.7	9	2770
	23 LST	9.5	11.8	11.2	10.7	12.4	10.3	14.9	17.0	17.4	14.5	12.4	12.1	154.2	9	2772
	05 LST	10.6	11.0	11.3	12.1	15.2	11.8	17.9	20.1	16.1	16.1	11.4	13.1	166.7	9	2755
	11 LST	7.9	7.9	7.3	6.3	10.2	5.7	6.0	4.6	9.5	8.6	9.0	9.1	92.1	9	2770
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	12.3	9.9	10.3	14.0	11.7	17.8	13.8	17.7	17.4	18.3	16.1	13.4	172.7	8	2464
	23 LST	14.6	12.9	13.9	14.6	15.2	17.3	20.8	23.0	20.3	21.3	17.4	15.4	206.7	8	2463
	05 LST	12.1	11.0	12.1	10.7	9.5	13.3	13.0	16.0	15.1	17.3	15.7	15.7	161.3	8	2464
	11 LST	9.4	9.2	11.3	11.3	10.3	13.5	9.6	14.4	13.7	15.6	15.1	12.1	143.5	8	2464
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	25.6	23.2	27.6	28.2	29.3	29.4	30.6	30.8	29.2	29.6	27.2	27.5	338.2	9	2826
	23 LST	23.9	22.4	26.1	27.1	28.4	29.3	30.1	30.3	29.3	28.6	25.7	25.7	326.9	9	2828
	05 LST	22.0	19.4	24.1	22.0	25.4	26.7	28.7	29.6	27.0	26.8	24.6	24.6	300.9	9	2826
	11 LST	23.3	21.2	26.1	24.8	27.8	28.4	29.9	30.2	27.2	28.1	26.1	24.9	318.0	9	2826
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST	23.0	21.1	25.1	25.5	26.6	28.4	30.0	30.5	27.7	27.6	26.0	25.4	316.9	9	2826
	23 LST	21.4	19.5	24.0	24.8	25.7	28.0	29.5	30.2	27.9	27.4	23.9	23.9	306.2	9	2828
	05 LST	19.2	16.6	21.6	19.2	22.0	24.8	28.0	29.1	25.4	24.6	23.1	22.8	276.4	9	2826
	11 LST	20.9	18.6	23.6	20.2	23.4	24.1	27.3	28.4	25.1	25.3	23.6	22.4	283.1	9	2826
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	22.2	19.8	24.0	23.7	25.7	27.6	29.4	30.1	27.2	26.5	24.3	23.6	304.1	9	2826
	23 LST	20.4	18.5	23.0	23.0	23.8	27.8	28.8	30.0	26.9	26.1	23.1	22.5	293.9	9	2828
	05 LST	18.5	15.3	20.2	18.1	20.8	24.1	27.0	28.5	23.7	23.2	21.6	21.4	262.4	9	2826
	11 LST	19.1	17.4	22.6	19.2	22.6	23.9	26.8	28.0	24.7	24.7	23.3	21.4	273.7	9	2826

PALESTINE MUNICIPAL, TEXAS

STA NO. 75167 (IN AREA NUMBER 13)

LATITUDE 3146N

LONGITUDE 09542W

ELEVATION(FT) 60422

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	84	88	95	93	97	103	114	110	108	101	87	83	114	79	-613
MEAN MAX TMP (F)	57	61	68	76	82	89	92	93	88	79	67	59	76	79	-113
MEAN MIN TMP (F)	39	42	49	56	63	70	73	72	67	58	47	41	56	79	-113
ABS MIN TMP (F)	-4	-6	14	32	39	48	60	54	42	27	12	8	-6	79	-613
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.1	0.0	4.5	22.2	24.8	23.8	9.9	2.1	0.0	0.0	87.4	9	3033
MEAN NO DYS TMP = OR LES 32(F)	8.5	3.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.7	5.9	22.1	9	3033
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	3033
MEAN DEW PT TMP (F)	41	38	42	52	61	70	70	70	63	59	43	38	54	8	63010
MEAN REL HUM (PCT)	73	65	63	68	71	73	69	67	67	67	66	69	68	8	62455
MEAN PRESS ALT (FT)	225	258	336	385	411	418	374	378	351	309	249	224	327	0	-50
MEAN PRECIP (IN)	3.37	3.11	3.48	4.02	4.64	3.31	2.56	2.30	2.91	3.22	3.72	3.90	40.5	79	-113
MEAN SNOW FALL (IN)	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.2	7	2344
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.7	6.3	6.5	6.8	7.1	6.0	5.0	4.6	4.9	5.3	5.9	7.4	72.5	79	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	7	2344
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	4.3	1.5	2.1	0.8	1.3	0.0	0.1	0.1	0.8	1.4	1.7	3.1	17.2	8	2633
MEAN NO DYS TSTMS	1.0	2.0	4.0	3.0	6.0	6.0	6.0	6.0	4.0	2.0	2.0	2.0	46.0	70	-24
P FREQ WND SPD = OR GTR 17 KTS	16.8	15.5	15.8	13.2	7.2	5.1	2.1	1.3	2.0	2.6	7.6	10.2	8.3	8	63130
P FREQ WND SPD = OR GTR 28 KTS	0.4	0.3	0.5	0.2	0.1	0.0	0.1	0.0	0.1	0.0	0.3	0.4	0.2	8	63130
P FREQ LES 5000 FT A/D LES 3 MI	45.4	32.6	30.8	35.0	26.0	18.8	13.5	8.3	15.7	20.2	28.0	32.8	25.6	8	63128
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	32.8	17.2	16.6	14.2	14.0	4.9	5.4	1.2	8.1	11.2	15.0	20.1	13.4	8	7888
03-05 LST	36.9	23.3	22.6	23.7	22.6	17.5	11.4	3.6	13.4	16.3	19.3	21.4	19.3	8	7897
06-08 LST	39.2	30.7	25.0	30.0	24.6	20.8	17.9	8.9	19.7	24.5	25.7	24.8	24.3	9	8322
09-11 LST	40.2	27.7	20.1	18.2	14.1	5.3	7.7	4.4	12.1	16.5	18.4	22.0	17.2	9	8312
12-14 LST	29.1	16.8	11.5	7.3	7.1	1.6	2.8	0.9	4.2	7.9	10.7	15.4	9.6	9	7891
15-17 LST	21.8	14.5	8.1	5.5	5.1	0.8	1.9	0.5	2.5	3.6	9.0	13.0	7.2	9	8308
18-20 LST	21.3	15.2	8.1	6.4	6.3	0.5	1.7	0.5	3.1	4.3	9.8	13.6	7.6	9	8316
21-23 LST	24.2	16.2	9.4	8.4	6.5	1.1	2.1	0.7	3.6	5.9	10.7	17.5	8.9	8	7886
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.8	2.6	4.5	1.4	1.5	0.5	0.0	0.0	0.7	1.1	3.6	4.7	2.3	8	7888
03-05 LST	10.2	2.6	4.5	2.5	2.6	0.5	0.6	0.3	1.4	2.3	5.0	5.7	3.2	8	7897
06-08 LST	11.9	6.0	4.6	2.6	1.8	0.2	0.3	0.6	2.1	3.5	4.1	4.9	3.6	9	8322
09-11 LST	8.9	4.3	1.8	0.5	0.6	0.0	0.0	0.0	0.0	0.1	1.8	3.3	1.8	9	8312
12-14 LST	3.0	1.6	0.5	0.0	0.2	0.0	0.0	0.0	0.3	0.0	1.3	1.8	0.7	9	7891
15-17 LST	3.1	1.1	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.3	0.5	9	8308
18-20 LST	4.5	2.7	0.6	0.0	0.3	0.0	0.0	0.0	0.0	0.3	2.1	2.9	1.1	9	8316
21-23 LST	4.1	3.4	0.3	0.8	1.3	0.0	0.0	0.0	0.0	0.7	2.2	4.9	1.5	8	7886

PALESTINE MUNICIPAL, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	24.5	24.9	29.0	28.4	29.7	29.9	30.4	30.9	29.3	30.0	27.8	27.8	342.6	9	3056
	00 LST	23.5	24.8	28.6	27.8	29.3	29.4	30.3	31.0	28.7	28.7	26.7	26.8	335.6	9	2635
	06 LST	20.2	20.8	26.2	24.5	25.2	25.9	27.8	29.4	25.9	26.1	24.0	26.4	302.4	9	3056
	12 LST	24.4	24.2	28.0	28.8	29.4	29.7	30.4	30.7	29.5	29.2	27.5	27.4	339.2	9	2635
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	14.2	14.7	14.5	14.7	18.4	17.5	22.2	22.9	24.8	26.0	21.0	19.1	230.0	9	3056
	00 LST	6.8	12.4	12.1	11.6	15.7	19.0	21.1	23.0	22.6	20.9	15.9	15.1	196.2	9	2635
	06 LST	8.5	9.2	10.5	11.1	14.6	17.4	23.3	26.1	21.5	19.9	15.4	14.0	191.5	9	3056
	12 LST	4.9	8.4	7.6	7.0	11.7	13.7	19.2	19.9	17.6	15.5	9.5	10.3	145.3	9	2635
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	1.8	1.7	2.9	2.9	1.0	0.6	0.3	0.4	0.3	0.2	1.6	1.4	15.1	9	2962
	00 LST	4.6	3.4	3.8	4.5	1.6	1.1	0.1	0.5	0.5	0.9	1.4	3.5	25.9	9	2572
	06 LST	3.5	3.1	3.0	1.4	1.3	0.4	0.1	0.1	0.3	0.1	0.8	2.2	16.3	9	2927
	12 LST	9.1	7.1	7.0	5.8	3.7	3.0	1.1	0.2	1.0	1.1	4.5	5.4	49.0	9	2584
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	14.8	17.7	16.1	17.3	19.4	13.4	11.5	8.9	18.8	21.0	19.0	18.2	196.1	9	2940
	00 LST	10.9	13.0	15.6	15.7	18.5	20.2	21.5	23.9	22.5	20.8	19.2	16.5	218.3	9	2549
	06 LST	12.4	14.0	15.2	16.6	18.6	20.5	21.1	21.5	20.8	21.0	18.5	16.2	216.4	9	2904
	12 LST	9.5	11.6	11.0	12.2	14.7	9.4	8.6	8.5	14.4	18.2	12.8	12.4	143.3	9	2562
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	8.1	8.3	8.5	11.8	12.2	15.2	10.4	14.4	15.9	18.3	15.4	11.7	150.2	9	3056
	00 LST	11.3	14.2	13.4	15.7	14.8	20.7	20.6	23.5	20.7	21.1	16.0	14.8	206.8	9	2634
	06 LST	8.5	8.5	7.2	9.1	7.6	10.7	11.3	14.8	14.1	13.2	12.3	12.0	129.3	9	3056
	12 LST	6.9	8.4	8.3	7.7	7.6	6.8	4.2	8.6	11.5	13.5	11.6	11.0	106.1	9	2635
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	21.5	21.7	27.0	27.2	28.4	29.6	30.3	30.8	28.4	29.0	26.9	23.4	326.2	9	3056
	00 LST	18.7	21.9	25.0	24.8	26.8	28.7	29.7	30.7	27.5	27.6	24.3	23.6	309.3	9	2635
	06 LST	16.7	17.2	20.0	18.2	19.6	21.6	26.0	28.8	24.2	23.1	21.4	21.9	258.2	9	3056
	12 LST	17.3	21.7	24.1	23.4	26.7	28.4	28.9	29.4	26.3	25.9	24.1	23.7	299.9	9	2635
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	17.9	18.5	23.9	22.9	26.2	28.9	29.0	30.2	26.9	27.8	24.0	21.6	297.8	9	3056
	00 LST	16.7	20.2	22.3	22.0	23.8	27.8	29.2	29.9	26.3	25.9	21.8	21.0	286.9	9	2635
	06 LST	14.5	15.1	17.1	15.5	18.6	20.5	25.4	28.0	23.2	21.9	18.7	19.1	237.6	9	3056
	12 LST	15.0	18.5	20.4	16.1	21.7	21.1	21.7	24.1	22.5	23.1	20.6	20.4	245.2	9	2635
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	16.4	16.8	22.1	21.7	24.0	27.4	23.1	29.2	25.7	26.1	22.2	20.5	280.2	9	3056
	00 LST	16.2	19.9	20.7	20.4	23.1	27.3	28.5	28.9	25.7	25.5	20.7	19.5	276.4	9	2635
	06 LST	13.7	13.7	15.7	14.9	17.0	19.4	23.9	27.1	21.8	20.2	17.6	17.9	222.9	9	3056
	12 LST	14.2	16.9	18.1	14.7	20.4	20.1	20.7	23.5	22.4	22.1	19.6	18.6	231.3	9	2635

NACOGDOCHES/DEL RENTZEL, TEXAS

STA NO. 75170 (IN AREA NUMBER 13)

LATITUDE 3134N

LONGITUDE 09442W

ELEVATION(FT) 003/2

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	AMN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	89	98	93	96	100	110	107	110	105	99	91	85	110	60	-113
MEAN MAX TMP (F)	58	62	69	76	83	90	93	94	89	80	68	60	77	59	-113
MEAN MIN TMP (F)	38	41	47	54	62	69	71	71	65	55	45	39	55	60	-113
ABS MIN TMP (F)	-4	0	15	28	38	48	53	55	37	25	16	1	-4	61	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.3	1.0	9.0	23.0	28.0	28.0	21.0	7.0	0.0	0.0	117.3	9	-113
MEAN NO DYS TMP = DR LES 32(F)	13.0	9.0	5.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	7.0	12.0	47.0	9	-113
MEAN NO DYS TMP = DR LES 0(F)		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		61	-29
MEAN DEW PT TMP (F)	41	43	46	55	64	70	72	71	66	56	45	41	56	12	-73214
MEAN REL HUM (PCT)	75	73	69	73	76	76	76	74	74	72	72	75	74	12	-73214
MEAN PRESS ALT (FT)	171	203	281	327	354	361	321	324	292	292	196	170	271	0	-50
MEAN PRECIP (IN)	3.91	3.90	3.92	4.84	5.30	3.59	3.77	2.57	2.94	3.10	4.44	4.92	47.2	62	-113
MEAN SNOW FALL (IN)	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.8	24	-73214
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.4	7.4	6.8	7.1	7.3	6.3	6.5	5.0	4.9	5.1	6.9	8.5	79.2	62	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	12	-73214
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	3.7	3.1	2.6	2.9	3.2	2.6	1.3	2.6	3.9	4.5	3.8	4.6	38.8	12	-73214
MEAN NO DYS TSTMS	2.7	3.8	5.4	6.2	8.2	8.2	10.9	8.6	6.0	3.4	2.8	2.5	68.7	12	-73214
P FREQ WND SPD = DR GTR 17 KTS	0.9	1.3	1.6	1.4	0.5	0.2	0.3	0.1	0.2	0.3	0.9	1.3	0.8	12	-73214
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-73214
P FREQ LES 5000 FT A/D LES 5 MI	45.2	40.4	35.6	36.6	28.8	19.8	13.8	13.6	19.5	20.5	33.1	38.4	28.8	12	-73214
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	29.7	26.9	22.0	23.1	16.5	8.2	5.0	3.8	9.2	12.5	21.6	26.3	17.1	12	-73214
03-05 LST	37.5	34.7	27.3	29.0	23.9	22.5	13.3	12.6	20.7	24.1	26.6	31.2	25.3	17	-73214
06-08 LST	39.4	34.9	29.6	30.3	29.3	28.2	15.4	19.6	28.3	29.0	28.2	33.6	28.8	17	-73214
09-11 LST	36.4	26.7	20.2	17.4	10.3	6.0	3.6	6.8	13.2	12.3	20.1	26.5	16.6	12	-73214
12-14 LST	23.5	19.1	10.5	9.1	4.2	2.4	1.9	1.3	4.7	5.4	11.4	19.0	9.4	12	-73214
15-17 LST	18.5	15.0	7.9	4.9	3.3	2.5	1.5	0.4	2.8	3.0	10.3	15.5	7.1	12	-73214
18-20 LST	18.4	15.1	8.0	7.4	3.6	1.8	1.7	0.7	3.1	2.3	10.4	17.3	7.5	12	-73214
21-23 LST	24.6	19.7	13.0	11.3	6.0	2.9	2.2	1.3	4.3	4.4	15.0	21.8	10.5	12	-73214
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	6.3	5.8	2.6	2.4	2.0	1.0	1.0	1.2	1.6	4.0	5.5	7.7	3.4	12	-73214
03-05 LST	9.3	9.2	5.5	6.5	6.4	5.7	3.6	4.2	7.9	11.8	8.5	11.1	7.5	12	-73214
06-08 LST	10.6	9.2	5.8	5.6	4.3	4.6	2.3	5.8	9.5	12.3	9.5	10.5	7.5	12	-73214
09-11 LST	5.0	3.1	1.4	0.7	0.1	0.1	0.0	0.1	0.0	2.0	3.0	4.8	1.7	12	-73214
12-14 LST	2.1	0.7	0.6	0.3	0.2	0.0	0.1	0.1	0.1	0.0	0.6	2.1	0.6	12	-73214
15-17 LST	1.1	0.7	0.1	0.2	0.2	0.2	0.0	0.0	0.0	0.1	0.6	2.1	0.4	12	-73214
18-20 LST	3.2	1.7	0.4	0.2	0.2	0.2	0.3	0.1	0.4	0.4	0.8	4.0	1.0	12	-73214
21-23 LST	4.3	3.2	0.4	0.7	0.4	0.1	0.3	0.1	0.4	1.0	1.7	6.1	1.6	12	-73214

NACOGDOCHES/DEL. RENTZEL, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	26.7	25.1	29.6	28.7	30.4	29.5	30.5	30.7	29.5	30.5	28.1	26.8	346.1	12	-73214
	00 LST	24.9	23.3	27.9	26.9	29.2	29.2	30.4	30.3	28.7	28.9	26.0	25.3	331.0	12	-73214
	06 LST	20.9	19.7	24.2	23.5	23.7	21.4	25.1	24.2	21.5	22.4	23.5	22.5	272.6	12	-73214
	12 LST	25.0	23.7	28.6	28.6	30.0	29.3	30.7	30.6	29.0	29.5	27.2	26.2	338.4	12	-73214
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	20.3	17.9	20.6	20.8	25.4	26.0	26.7	28.7	27.6	28.4	22.2	21.6	286.2	12	-73214
	00 LST	17.3	17.5	21.4	19.9	23.7	27.8	29.8	29.9	26.9	27.0	20.6	20.4	282.2	12	-73214
	06 LST	14.8	14.7	16.6	16.2	18.6	19.3	24.5	23.3	19.2	20.2	17.3	17.7	222.4	12	-73214
	12 LST	12.4	10.6	13.9	13.9	19.9	23.7	26.2	26.5	20.7	21.3	14.6	13.6	217.3	12	-73214
SFC WND = GTR 17 KTS AND ND PRECIP.	18 LST	0.3	0.1	0.6	0.1	0.1	0.0	0.1	0.0	0.2	0.0	0.1	0.5	2.1	12	-73214
	00 LST	0.1	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.4	1.2	12	-73214
	06 LST	0.2	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.8	12	-73214
	12 LST	0.8	0.8	0.7	1.2	0.2	0.1	0.1	0.1	0.1	0.2	0.5	0.7	5.5	12	-73214
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NU PRECIP.	18 LST	17.9	17.2	21.1	20.9	20.1	15.2	10.4	11.2	17.7	14.1	15.3	15.3	196.4	12	-73214
	00 LST	15.7	15.1	18.4	17.5	14.5	10.3	10.6	8.8	10.7	11.4	14.4	15.6	163.0	12	-73214
	06 LST	14.4	14.3	14.8	16.6	13.2	9.2	5.6	6.3	8.6	10.0	13.1	14.7	140.8	12	-73214
	12 LST	20.9	17.1	19.6	19.3	23.0	14.1	7.8	9.1	14.1	21.3	20.1	20.1	206.5	12	-73214
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.1	9.0	9.6	10.1	12.2	13.3	10.0	11.2	14.5	17.6	13.4	11.7	141.7	12	-73214
	00 LST	10.8	11.1	12.7	11.6	12.6	19.7	19.7	19.4	20.1	19.8	13.9	12.3	183.7	12	-73214
	06 LST	8.6	8.2	8.4	7.5	6.1	9.3	11.7	11.6	12.8	13.1	12.0	11.4	120.7	12	-73214
	12 LST	7.7	7.8	8.6	7.4	6.1	4.6	4.5	5.3	7.2	13.6	11.1	9.6	93.5	12	-73214
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.7	22.4	27.2	27.1	29.3	29.2	30.2	30.7	29.0	29.4	25.3	23.8	327.3	12	-73214
	00 LST	19.1	19.4	22.7	21.5	24.2	28.4	30.3	30.1	27.3	28.0	23.3	22.1	296.4	12	-73214
	06 LST	16.7	16.4	18.2	17.3	18.5	19.1	24.5	23.3	19.5	20.8	19.2	19.5	233.0	12	-73214
	12 LST	19.7	19.4	23.5	24.0	27.7	28.3	29.9	29.3	27.1	27.8	23.6	22.3	302.6	12	-73214
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	20.0	19.4	23.1	23.7	26.7	27.4	28.7	29.4	27.3	27.7	22.8	21.0	297.2	12	-73214
	00 LST	16.3	17.1	20.0	19.4	22.2	27.3	29.8	29.3	26.8	26.7	20.1	19.6	274.6	12	-73214
	06 LST	14.2	13.7	15.2	14.2	17.1	18.4	24.1	22.7	19.1	19.1	16.4	16.6	210.8	12	-73214
	12 LST	16.4	15.8	19.1	17.6	20.4	22.6	23.8	24.0	22.4	24.0	19.3	18.6	244.0	12	-73214
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.7	17.8	21.1	21.8	25.1	26.3	27.3	28.1	25.8	26.2	21.0	19.5	278.7	12	-73214
	00 LST	15.5	16.0	18.5	18.1	21.5	26.7	29.6	28.8	26.2	25.5	18.6	18.1	263.1	12	-73214
	06 LST	13.3	12.3	13.9	12.8	15.6	17.5	22.8	21.1	18.2	18.3	15.1	15.9	196.8	12	-73214
	12 LST	15.1	14.5	17.1	16.2	19.5	21.6	22.9	23.2	21.7	22.3	17.8	17.1	228.6	12	-73214

VICTORIA, TEXAS

STA NO. 75217 (IN AREA NUMBER 13)

LATITUDE 2847N

LONGITUDE 09705W

ELEVATION(FT) 00117

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	83	91	92	95	95	101	107	106	102	96	90	85	107	14	-613
MEAN MAX TMP (F)	66	68	73	80	86	92	95	95	90	84	73	68	81	14	-113
MEAN MIN TMP (F)	45	48	53	61	68	73	75	75	71	62	51	47	61	14	-113
ABS MIN TMP (F)	12	15	25	41	45	59	64	64	51	36	26	20	12	14	-613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.1	0.4	1.3	8.5	24.9	30.0	29.3	19.1	5.0	0.0	0.0	118.6	10	3651
MEAN NO DYS TMP = DR LES 32(F)	2.7	1.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	2.2	6.9	10	3651
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3651
MEAN DEW PT TMP (F)	47	52	52	59	69	72	73	71	70	63	50	49	61	3	26276
MEAN REL HUM (PCT)	76	80	69	74	77	76	74	70	75	75	68	73	74	3	26276
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.40	2.38	1.80	2.60	3.49	2.52	1.98	2.89	3.98	4.43	2.13	2.04	31.6	14	-113
MEAN SNOW FALL (IN)	0.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	14	-113
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.6	5.3	4.5	5.7	6.5	5.0	4.1	5.5	6.3	6.9	3.8	4.7	61.9	14	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	3651
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.3	6.0	2.0	3.3	0.7	0.3	0.0	0.0	1.3	5.0	5.3	7.0	36.2	3	1095
MEAN NO DYS TSTMS	1.0	3.0	3.5	7.0	6.0	6.3	8.6	6.3	9.0	3.3	1.0	2.7	57.7	4	1169
P FREQ WND SPD = DR GTR 17 KTS	18.3	10.8	16.2	10.5	4.7	3.5	3.0	1.7	1.4	3.8	10.0	10.9	7.9	3	26278
P FREQ WND SPD = DR GTR 28 KTS	0.6	0.2	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1	3	26278
P FREQ LES 5000 FT A/D LES 5 MI	59.9	55.8	44.3	48.1	38.7	27.3	14.7	9.5	18.1	25.4	22.4	41.0	33.8	3	26275
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	43.4	39.7	29.0	34.9	14.0	8.5	0.7	0.4	1.9	10.8	12.2	27.2	18.6	3	3284
03-05 LST	45.2	46.0	30.1	38.9	23.3	9.3	2.9	2.5	7.0	24.7	15.2	28.0	22.8	3	3285
06-08 LST	42.7	41.7	36.0	38.9	23.0	6.7	2.5	2.7	10.4	18.6	23.7	28.9	23.0	12	13139
09-11 LST	31.8	32.7	20.9	17.7	6.4	1.5	0.4	1.0	6.2	7.7	16.7	23.3	13.9	12	13144
12-14 LST	16.9	21.7	8.8	7.9	3.0	0.6	0.3	1.5	3.5	4.7	9.0	15.0	7.7	12	13141
15-17 LST	14.8	16.9	5.0	7.4	1.8	0.7	0.2	1.2	3.0	3.5	7.7	9.7	6.0	12	13145
18-20 LST	20.4	20.6	13.7	14.0	5.6	1.0	0.0	0.4	2.4	3.3	10.7	12.8	8.7	12	13143
21-23 LST	31.4	28.0	23.8	26.5	10.9	3.7	0.0	0.2	2.0	3.2	11.9	20.1	13.5	12	6572
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.9	13.1	1.8	5.4	0.4	0.0	0.0	0.0	0.0	3.6	5.9	11.8	4.2	3	3284
03-05 LST	12.5	22.2	3.2	7.8	3.6	0.7	1.1	0.0	2.6	15.1	10.0	11.8	7.6	3	3285
06-08 LST	15.9	13.1	8.2	4.9	3.4	1.3	0.4	0.3	2.7	6.1	9.3	12.0	6.5	12	13139
09-11 LST	5.6	4.4	1.3	0.6	0.2	0.0	0.1	0.0	0.1	0.7	1.4	5.0	1.6	12	13144
12-14 LST	1.7	1.2	0.5	0.8	0.2	0.1	0.1	0.0	0.6	0.4	0.5	0.8	0.6	12	13141
15-17 LST	2.2	0.2	0.0	0.2	0.0	0.1	0.1	0.1	0.4	0.1	0.3	0.9	0.4	12	13145
18-20 LST	2.8	0.5	0.1	0.3	0.0	0.1	0.0	0.0	0.0	0.1	0.3	1.8	0.5	12	13143
21-23 LST	6.1	3.4	0.7	1.7	0.6	0.0	0.0	0.0	0.2	0.0	1.9	6.6	1.7	12	6572

VICTORIA, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	27.9	25.0	30.0	28.2	30.7	29.9	30.9	30.9	29.4	30.1	28.3	29.3	350.6	12	4382
	00 LST	24.4	22.4	26.1	25.9	30.2	29.7	31.0	31.0	29.4	30.4	27.1	26.6	334.2	12	4382
	06 LST	21.1	18.5	23.2	21.3	25.4	27.5	30.3	30.2	26.9	25.2	24.0	23.6	297.2	12	4381
	12 LST	26.2	23.1	28.4	28.2	30.4	29.7	31.0	30.8	29.4	29.9	27.2	26.3	340.6	12	4382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	10.8	6.8	7.4	6.2	6.4	5.3	5.7	6.2	13.0	17.1	15.8	16.8	117.5	12	4382
	00 LST	15.3	14.7	16.2	14.6	21.3	23.6	25.6	26.8	27.2	25.9	20.9	19.2	251.3	12	4382
	06 LST	11.9	11.3	11.7	11.6	16.8	25.1	29.5	28.9	24.2	20.4	16.7	15.9	224.0	12	4381
	12 LST	6.7	5.2	6.5	6.3	11.4	11.6	17.6	19.9	16.8	15.2	9.8	9.2	136.2	12	4382
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	5.2	5.7	6.6	7.6	5.1	4.5	5.8	3.9	1.2	1.4	2.4	2.6	52.0	12	4329
	00 LST	2.6	2.0	2.4	2.0	0.7	0.2	0.0	0.2	0.1	0.3	1.6	1.5	13.6	12	4236
	06 LST	2.4	1.7	2.8	1.1	0.2	0.0	0.0	0.0	0.0	0.5	1.6	1.5	11.8	12	4220
	12 LST	6.5	6.1	7.9	7.8	4.8	2.1	1.7	0.9	0.8	2.9	5.4	5.3	52.2	12	4308
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	13.8	10.2	10.9	9.5	9.6	5.3	3.8	4.8	13.8	18.8	16.7	17.2	134.4	12	4236
	00 LST	16.2	16.9	18.4	17.1	20.1	24.4	23.3	23.1	19.6	19.0	18.3	18.0	234.4	12	4220
	06 LST	16.4	15.5	17.9	17.3	18.5	17.5	11.3	12.1	17.2	17.9	16.1	17.2	194.9	12	4308
	12 LST	12.3	10.3	12.0	9.5	13.5	11.0	7.9	7.7	15.9	20.0	13.9	15.1	149.1	12	4382
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	9.0	8.6	8.7	8.1	10.9	14.0	13.2	13.9	13.3	15.7	12.6	11.1	139.1	12	4382
	00 LST	11.7	11.0	10.3	9.7	14.2	19.3	23.2	22.1	21.2	20.2	15.1	13.6	191.6	12	4381
	06 LST	9.3	8.2	7.4	5.0	6.8	13.3	15.4	16.2	15.2	13.0	11.8	11.0	132.6	12	4382
	12 LST	7.9	7.7	6.1	6.2	5.6	4.3	4.6	6.9	6.8	10.5	9.9	9.9	86.4	12	4382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	23.3	21.4	27.0	24.8	28.6	29.4	30.9	30.6	28.8	29.1	25.8	26.1	325.8	12	4382
	00 LST	21.1	19.0	22.0	19.7	25.5	28.2	30.8	30.8	28.7	28.8	24.8	23.6	303.0	12	4382
	06 LST	16.2	14.5	16.2	13.7	18.2	24.9	29.1	28.6	25.3	22.6	20.5	20.3	250.1	12	4381
	12 LST	19.3	16.8	21.4	20.7	26.4	27.8	30.7	29.7	26.3	26.2	23.6	22.3	291.2	12	4382
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	18 LST	19.0	17.8	21.8	21.2	24.6	27.9	30.3	29.9	27.7	26.9	22.5	21.9	291.5	12	4382
	00 LST	17.3	16.3	19.6	18.2	23.9	27.7	30.6	30.7	28.1	27.2	21.8	19.6	281.0	12	4382
	06 LST	12.9	11.4	13.2	11.6	16.5	24.5	28.3	28.0	24.3	20.9	16.1	15.7	223.4	12	4381
	12 LST	15.9	13.6	16.5	14.7	17.0	16.4	20.6	22.2	18.4	20.5	19.3	18.6	213.7	12	4382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	18.0	16.4	20.4	19.7	23.4	27.2	29.4	29.4	26.9	25.8	21.1	20.0	277.7	12	4382
	00 LST	16.7	15.8	18.7	17.5	22.7	27.5	30.4	30.6	28.0	26.6	20.7	18.3	273.5	12	4382
	06 LST	11.7	11.0	12.2	10.3	15.9	24.0	27.7	27.2	23.5	19.5	15.0	14.7	212.7	12	4381
	12 LST	14.8	12.4	14.8	14.0	16.6	15.8	20.2	21.9	17.9	19.2	17.7	16.9	202.2	12	4382

PORT O'CONNOR, TEXAS

STA NO. 75220 (IN AREA NUMBER 13)

LATITUDE 2826N

LONGITUDE 09624W

ELEVATION(FT) 00015

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	80	83	86	90	91	94	97	100	97	91	85	79	100	12	-113
MEAN MAX TMP (F)	64	66	69	76	83	88	91	91	88	81	71	66	78	12	-113
MEAN MIN TMP (F)	48	51	55	63	71	77	78	77	74	66	55	49	64	12	-113
ABS MIN TMP (F)	16	16	32	45	51	59	69	66	57	44	30	20	16	11	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	0.3	10.0	27.0	27.0	10.0	1.0	0.0	0.0	75.6	9	-113
MEAN NO DYS TMP = OR LES 32(F)	2.0	2.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.0	5.6	10	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.05	3.32	1.44	2.99	3.23	2.07	1.72	4.85	5.95	4.89	1.90	2.85	37.1	12	-113
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			11	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.4	6.6	3.8	6.1	6.3	4.3	3.7	7.6	8.8	7.4	3.5	6.0	68.5	12	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			11	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

PORT O'CONNOR, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0

DATA NOT AVAILABLE

ARLINGTON MUNICIPAL, TEXAS

STA NO. 75515 (IN AREA NUMBER 13) LATITUDE 3239N LONGITUDE 09705W ELEVATION(FT) 00630

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	82	88	96	98	98	105	109	108	105	96	89	88	109	13	-72259
MEAN MAX TMP (F)	54	60	66	77	84	92	97	96	90	79	66	57	77	13	-72259
MEAN MIN TMP (F)	33	38	43	55	64	71	75	74	68	57	44	36	55	13	-72259
ABS MIN TMP (F)	4	15	17	30	41	51	64	60	49	29	20	10	4	13	-72259
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.3	1.2	7.9	21.6	28.2	27.2	17.3	3.7	0.0	0.0	107.4	13	-72259
MEAN NO DYS TMP = DR LES 32(F)	15.9	9.4	4.7	0.2	0.0	0.0	0.0	0.0	0.0	0.2	3.4	10.9	44.7	13	-72259
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-72259
MEAN DEW PT TMP (F)	32	36	39	52	61	66	67	66	62	53	41	34	51	13	-72259
MEAN REL HUM (PCT)	69	66	61	65	68	63	58	57	61	64	64	66	64	13	-72259
MEAN PRESS ALT (FT)	437	472	550	600	675	631	582	587	574	526	461	436	540	0	-50
MEAN PRECIP (IN)	2.13	2.15	2.07	4.47	5.95	3.49	1.85	1.90	2.66	3.14	2.99	2.09	34.9	13	-113
MEAN SNOW FALL (IN)	2.0	0.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	3.2	13	-72259
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.9	4.9	4.9	7.0	7.5	6.2	3.9	4.0	4.5	5.2	5.0	4.8	62.8	13	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.4	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	13	-72259
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.0	1.8	0.8	0.5	0.5	0.0	0.0	0.0	0.1	0.9	0.6	1.9	9.1	13	-72259
MEAN NO DYS TSTMS	0.7	2.0	4.0	6.1	6.0	5.8	5.7	4.1	3.5	2.7	1.7	1.2	43.3	13	-72259
P FREQ WND SPD = DR GTR 17 KTS	13.8	17.3	22.4	24.2	15.7	10.4	5.3	3.3	7.0	8.0	11.4	12.2	12.6	13	-72259
P FREQ WND SPJ = DR GTR 28 KTS	0.3	0.9	0.8	0.4	0.3	0.1	0.1	0.0	0.2	0.1	0.3	0.3	0.3	13	-72259
P FREQ LES 5000 FT A/D LES 5 MI	31.1	28.1	26.9	28.6	18.6	10.7	4.2	4.5	11.7	14.7	22.5	25.8	19.0	13	-72259
P FREQ LES 1500 FT A/U LES 3 MI															
FOR 00-02 LST	18.3	14.5	10.1	9.5	4.8	3.3	1.1	0.6	3.3	6.4	9.8	14.3	8.0	13	-72259
03-05 LST	20.5	17.5	13.6	14.8	9.5	6.9	1.8	2.8	7.0	8.6	12.2	18.4	11.1	13	-72259
06-08 LST	21.0	22.6	17.1	18.6	15.4	9.3	3.5	4.2	11.5	13.4	15.4	20.5	14.4	13	-72259
09-11 LST	20.4	21.4	13.8	14.0	8.8	5.0	1.1	2.3	7.9	10.0	13.0	18.9	11.4	13	-72259
12-14 LST	15.0	14.7	7.4	7.4	3.6	1.2	0.5	0.3	2.7	5.0	7.9	12.9	6.6	13	-72259
15-17 LST	11.1	10.4	6.6	5.3	2.1	1.4	0.7	0.1	1.7	3.1	6.1	10.6	4.9	13	-72259
18-20 LST	12.6	8.9	6.3	4.9	2.2	0.9	0.7	0.1	2.0	2.9	6.4	10.5	4.9	13	-72259
21-23 LST	15.4	10.0	7.6	5.6	3.2	1.3	0.8	0.3	3.2	4.2	7.7	12.2	6.0	13	-72259
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.7	2.9	1.7	0.2	0.7	0.1	0.0	0.0	0.0	1.3	1.7	3.0	1.4	13	-72259
03-05 LST	4.8	3.4	1.7	0.7	1.3	0.1	0.1	0.0	0.2	1.3	1.9	4.4	1.7	13	-72259
06-08 LST	4.8	3.5	2.0	0.9	0.5	0.3	0.0	0.0	0.2	2.2	2.6	4.7	1.8	13	-72259
09-11 LST	3.6	1.8	1.1	0.2	0.1	0.0	0.0	0.0	0.1	0.5	0.6	2.5	0.9	13	-72259
12-14 LST	1.0	0.5	0.8	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.1	0.5	0.3	13	-72259
15-17 LST	0.7	0.3	0.8	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.3	0.4	0.2	13	-72259
18-20 LST	2.0	0.6	0.5	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.7	0.3	0.4	13	-72259
21-23 LST	3.6	1.5	1.2	0.0	0.2	0.2	0.0	0.0	0.0	0.3	0.9	1.3	0.8	13	-72259

ARLINGTON MUNICIPAL, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	28.1	26.0	29.3	28.9	30.7	29.9	30.8	30.9	29.6	30.2	28.6	28.8	351.8	13	-72259
	00 LST	27.3	25.2	29.5	28.6	30.6	29.6	30.7	30.9	29.4	29.6	27.8	27.7	346.9	13	-72259
	06 LST	26.2	23.4	28.6	26.0	28.6	28.1	30.4	30.6	28.4	28.6	27.2	26.3	332.4	13	-72259
	12 LST	27.3	25.0	29.3	28.8	30.1	29.7	30.8	31.0	29.7	30.2	28.4	28.1	348.4	13	-72259
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	11.8	10.1	7.7	6.5	8.9	7.3	9.1	10.4	12.5	17.2	15.3	13.8	130.6	13	-72259
	00 LST	12.4	10.4	11.2	10.0	13.2	14.6	18.7	20.6	18.3	17.9	14.9	13.3	175.5	13	-72259
	06 LST	12.3	7.9	11.4	10.3	14.1	17.3	22.8	23.7	20.1	18.7	15.1	13.2	188.9	13	-72259
	12 LST	6.4	5.2	4.8	3.9	7.5	9.8	14.1	14.0	12.2	11.1	8.2	9.0	106.2	13	-72259
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	3.6	4.3	8.6	7.5	6.2	5.0	3.2	2.2	2.5	1.8	1.5	1.8	48.2	13	-72259
	00 LST	2.4	3.4	4.6	5.6	3.5	2.7	1.1	0.4	1.4	1.9	2.5	2.4	31.9	13	-72259
	06 LST	2.7	3.2	3.7	3.6	1.8	1.1	0.4	0.0	0.9	1.0	1.8	2.4	22.6	13	-72259
	12 LST	7.2	7.6	10.4	11.0	8.0	4.0	2.1	1.5	3.0	4.5	6.9	7.1	73.3	13	-72259
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	15.1	12.9	10.5	9.7	10.9	6.3	3.7	4.3	12.0	19.9	18.5	16.6	140.4	13	-72259
	00 LST	12.0	13.0	13.6	13.3	17.5	18.2	20.9	23.5	20.6	19.3	17.1	14.8	203.4	13	-72259
	06 LST	10.3	11.2	13.6	15.3	17.5	20.4	24.7	24.6	21.8	19.9	16.8	13.3	209.4	13	-72259
	12 LST	9.4	8.4	8.2	5.7	9.0	8.6	4.4	6.7	9.6	12.8	10.4	10.6	103.8	13	-72259
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	11.7	10.0	11.7	10.5	13.2	17.8	16.4	18.2	17.8	17.1	15.0	13.9	173.3	13	-72259
	00 LST	13.9	13.2	15.1	11.7	14.1	17.5	21.7	22.5	19.6	18.7	17.7	17.1	202.8	13	-72259
	06 LST	13.6	12.0	11.1	8.9	9.1	13.1	15.3	16.4	17.0	17.1	15.8	15.8	165.2	13	-72259
	12 LST	10.7	10.7	11.1	9.3	8.3	11.4	12.9	12.7	12.7	14.9	13.5	12.8	141.2	13	-72259
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	25.0	24.2	27.9	27.6	30.0	29.6	30.7	30.9	28.9	29.5	26.9	26.4	337.6	13	-72259
	00 LST	23.9	23.1	26.6	25.7	28.6	28.7	30.5	30.7	28.7	28.6	25.7	25.9	326.7	13	-72259
	06 LST	22.6	20.2	23.3	20.5	24.9	25.8	29.2	29.5	25.7	25.9	24.5	23.2	295.3	13	-72259
	12 LST	23.3	21.3	25.0	24.8	28.3	28.6	30.5	30.4	27.8	28.0	25.4	24.5	317.9	13	-72259
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	23.1	21.2	24.3	23.9	27.9	28.4	30.1	30.4	27.6	27.8	24.2	23.8	312.7	13	-72259
	00 LST	21.5	20.4	24.2	22.5	26.7	27.6	30.4	30.0	27.8	27.2	24.2	24.0	306.5	13	-72259
	06 LST	19.5	18.5	20.2	17.2	22.7	24.3	28.5	28.1	24.4	24.1	21.6	21.1	270.2	13	-72259
	12 LST	20.5	18.8	21.3	19.4	23.2	24.9	28.6	28.0	24.8	25.8	22.2	21.9	279.4	13	-72259
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	21.6	20.3	23.0	22.5	26.4	28.0	29.4	29.7	26.4	26.7	22.6	23.0	299.6	13	-72259
	00 LST	20.2	19.3	22.8	21.0	25.7	27.1	29.8	29.1	26.5	25.6	22.4	22.9	292.4	13	-72259
	06 LST	18.8	17.4	18.6	16.1	21.7	23.6	27.6	27.2	24.1	22.8	20.3	20.1	258.3	13	-72259
	12 LST	19.9	17.4	20.3	18.3	22.5	24.3	27.5	27.7	24.2	24.5	20.8	21.1	268.5	13	-72259

BRENHAM MUNICIPAL, TEXAS

STA NO. 75517 (IN AREA NUMBER 13)

LATITUDE 3012N

LONGITUDE 09622W

ELEVATION(FT) 00270

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
ABS MAX TMP (F)	86	89	97	98	101	104	109	111	105	99	96	87	111	72	-113
MEAN MAX TMP (F)	61	65	72	79	85	91	94	95	90	82	71	63	79	58	-113
MEAN MIN TMP (F)	41	43	50	57	65	71	72	73	69	59	49	42	58	60	-113
ABS MIN TMP (F)	-2	0	17	34	42	53	62	61	43	29	21	12	-2	72	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.3	1.0	11.0	26.0	30.0	29.0	22.0	7.0	0.3	0.0	126.6	10	-113
MEAN NO DYS TMP = DR LES 32(F)	7.0	4.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3.0	5.0	21.3	10	-113
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	72	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	78	114	188	237	262	267	217	222	222	170	103	79	180	0	-50
MEAN PRECIP (IN)	3.18	2.90	2.91	3.78	4.17	3.59	2.82	2.75	2.89	3.19	3.80	3.86	39.8	74	-113
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				72	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.4	6.0	6.0	6.7	6.9	6.3	5.4	5.3	4.8	5.2	6.0	7.3	72.3	74	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				72	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BRENHAM MUNICIPAL, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NU PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0

DATA NOT AVAILABLE

SAN ANTONIO/BROOKS AFB, TEXAS

STA NO. 75518 (IN AREA NUMBER 13)

LATITUDE 2920N

LONGITUDE 09826W

ELEVATION(FT) 00594

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
ABS MAX TMP (F)	87	93	99	101	103	103	109	105	103	97	93	91	109	10	-35
MEAN MAX TMP (F)	65	69	75	81	87	94	96	97	91	83	72	67	81	10	-35
MEAN MIN TMP (F)	45	49	53	60	68	73	75	75	70	61	50	46	60	10	-35
ABS MIN TMP (F)	4	12	22	40	46	54	68	68	54	36	26	20	4	10	-35
MEAN NO DYS TMP = OR GTR 90(F)	0.0			3.5	11.7	23.6	28.3	31.0	18.0	5.9				10	-
MEAN NO DYS TMP = OR LES 32(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	419	461	534	587	611	618	563	567	568	519	446	418	526	0	-30
MEAN PRECIP (IN)	1.40	1.93	1.25	3.22	3.01	3.81	1.68	2.35	2.98	2.43	1.32	1.13	26.5	8	-35
MEAN SNOW FALL (IN)	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	9	-35
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.6	4.5	3.4	6.3	6.1	6.6	3.6	4.7	5.0	4.2	2.7	3.0	53.7	8	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	9	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SAN ANTONIO/BROOKS AFB, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. JRS
CIG = GTR 1000 FT AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR	17	LST												0	0
3 MI W/SFC WND LES 10 KTS	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
SFC WND = GTR 17 KTS AND	17	LST												0	0
NO PRECIP.	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
SFC WND 4-10 KTS AND TMP 33-89	17	LST												0	0
DEG F AND NU PRECIP.	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
SKY COVER LES 3/10 AND	17	LST												0	0
VSRY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
CIG = GTR 2500 FT AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
CIG = GTR 6000 FT AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0
CIG = GTR 10000 FT AND	17	LST												0	0
VSBY = GTR 3 MI	23	LST												0	0
	05	LST												0	0
	11	LST												0	0

DATA NOT AVAILABLE

PORT LAVACA/CALHOUN COUNTY, TEXAS

STA NO. 75519 (IN AREA NUMBER 13)

LATITUDE 2839N

LONGITUDE 09640W

ELEVATION(FT) 00034

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	85	92	94	96	101	103	105	104	101	98	90	89	105	29	-113
MEAN MAX TMP (F)	65	67	73	78	85	91	93	94	90	83	73	67	80	29	-113
MEAN MIN TMP (F)	46	47	54	62	69	74	75	75	72	63	53	47	61	29	-113
ABS MIN TMP (F)	11	15	25	39	48	57	57	57	46	36	19	22	11	28	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.3	1.0	5.0	24.0	30.0	28.0	19.0	5.0	0.0	0.0	112.3	8	-113
MEAN NO DYS TMP = OR LES 32(F)	4.0	2.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	3.0	10.3	8	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	-144	-107	-39	10	36	40	-11	-6	3	-47	-118	-143	-43	0	-50
MEAN PRECIP (IN)	1.40	2.79	2.01	2.91	3.66	3.22	2.89	3.69	4.63	5.02	2.60	2.93	37.8	31	-113
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				28	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.6	5.9	4.8	6.0	6.6	5.9	5.5	6.4	7.1	7.6	4.5	6.1	70.0	31	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				28	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSFMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

FORT LAVACA/CALHOUN COUNTY, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0

DATA NOT AVAILABLE

STEPHENVILLE/CLARK FIELD, TEXAS

STA NO. 75521 (IN AREA NUMBER 13)

LATITUDE 3213N

LONGITUDE 09810W

ELEVATION(FT) 01318

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	ND, UBS
ABS MAX TMP (F)	84	88	95	96	100	106	109	107	110	103	87	88	110	19	-113
MEAN MAX TMP (F)	56	61	66	75	82	91	95	95	88	78	66	58	76	19	-113
MEAN MIN TMP (F)	33	38	42	53	61	69	71	71	64	55	42	35	53	19	-113
ABS MIN TMP (F)	-2	2	9	71	38	54	57	53	33	29	11	10	-2	18	-113
MEAN NO DYS TMP = DR GTR 50(F)	0.0	0.0	1.0	1.0	7.0	22.0	27.0	27.0	19.0	3.0	0.0	0.0	107.0	9	-113
MEAN NO DYS TMP = DR LES 32(F)	16.0	9.0	6.0	1.0	0.0	0.0	0.0	0.0	0.0	0.3	7.0	13.0	52.3	9	-113
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	1132	1170	1249	1300	1326	1332	1281	1285	1272	1224	1156	1130	1238	0	-50
MEAN PRECIP (IN)	1.99	1.66	1.66	3.30	5.09	2.21	2.35	1.80	2.48	3.19	2.13	1.66	79.5	28	-113
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				18	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.6	4.0	4.2	6.4	7.2	4.5	4.7	3.8	4.3	5.2	3.8	4.0	56.7	28	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				18	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

STEPHENVILLE/CLARK FIELD, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	17													0	0
VSRY = GTR 3 MI	23													0	0
	09													0	0
	11													0	0
CIG = GTR 2000 FT AND VSBY = GTR	17													0	0
3 MI W/SFC WND LES 10 KTS	23													0	0
	09													0	0
	11													0	0
SFC WND = GTR 17 KTS AND	17													0	0
NO PRECIP.	23													0	0
	09													0	0
	11													0	0
SFC WND 4-10 KTS AND TMP 33-89	17													0	0
DEG F AND NO PRECIP.	23													0	0
	09													0	0
	11													0	0
SKY COVER LES 3/10 AND	17													0	0
VSBY = GTR 3 MI	23													0	0
	09													0	0
	11													0	0
CIG = GTR 2500 FT AND	17													0	0
VSRY = GTR 3 MI	23													0	0
	09													0	0
	11													0	0
CIG = GTR 6000 FT AND	17													0	0
VSRY = GTR 3 MI	23													0	0
	09													0	0
	11													0	0
CIG = GTR 10000 FT AND	17													0	0
VSRY = GTR 3 MI	23													0	0
	09													0	0
	11													0	0

DATA NOT AVAILABLE

HUNTSVILLE MUNICIPAL, TEXAS

STA NO. 75525 (IN AREA NUMBER 13)

LATITUDE 3044'

LONGITUDE 09935W

ELEVATION(FT) 00361

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
ABS MAX TMP (F)	86	89	99	93	97	103	106	107	104	101	92	85	107	70	-113
MEAN MAX TMP (F)	60	63	70	77	84	91	94	94	89	80	69	61	78	57	-113
MEAN MIN TMP (F)	40	43	49	57	64	71	73	73	67	58	48	42	57	58	-113
ABS MIN TMP (F)	1	-2	17	30	41	52	58	56	40	25	19	8	-2	71	-113
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.3	1.0	7.0	23.0	29.0	26.0	20.0	5.0	0.3	0.0	111.6	10	-113
MEAN NO DYS TMP = OR LES 32(F)	7.0	5.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.0	6.0	22.3	10	-113
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	71	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	177	211	276	321	349	353	304	311	325	273	204	180	274	0	-50
MEAN PRECIP (IN)	3.68	3.59	3.51	4.34	4.79	4.08	3.22	2.61	2.85	3.32	4.08	4.14	44.4	73	-113
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0					71	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.1	7.0	6.5	7.0	7.1	6.9	5.9	5.1	4.8	5.4	6.4	7.6	76.8	73	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0					71	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

HUNTSVILLE MUNICIPAL, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 2000 FT AND VSBY = GTR														0	0
3 MI W/SFC WND LES 10 KTS														0	0
														0	0
														0	0
SFC WND = GTR 17 KTS AND														0	0
NO PRECIP.														0	0
														0	0
														0	0
SFC WND 4-10 KTS AND TMP 33-89														0	0
DEG F AND NO PRECIP.														0	0
														0	0
														0	0
SLY COVER LES 3/10 AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 2500 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 6000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 10000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0

DATA NOT AVAILABLE

JASPER/JASPER COUNTY, TEXAS

STA NO. 75527 (IN AREA NUMBER 13)

LATITUDE 3053N

LONGITUDE 09401W

ELEVATION(FT) 00222

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. ORS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = DR GTR 90(F)														0	0
MEAN NO DYS TMP = DR LES 32(F)														0	0
MEAN NO DYS TMP = DR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	-50
MEAN PRESS ALT (FT)	18	52	122	163	190	199	153	163	156	106	45	21	110	24	-113
MEAN PRECIP (IN)	5.18	4.50	3.94	4.48	4.36	4.23	4.73	4.05	2.81	3.04	4.63	4.64	50.6	0	0
MEAN SNOW FALL (IN)														24	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.8	8.1	6.8	7.0	7.0	7.0	7.5	6.8	4.7	5.0	7.1	8.2	84.0	0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

JASPER/JASPER COUNTY, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDP (YRS)	NO. OBS
CIG = GTR 1000 FT AND	18 LST													0	0
VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR	18 LST													0	0
3 MI W/SFC WND LES 10 KTS	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND = GTR 17 KTS AND	18 LST													0	0
NO PRECIP.	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89	18 LST													0	0
DEG F AND NO PRECIP.	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SKY COVER LES 3/10 AND	18 LST													0	0
VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2500 FT AND	18 LST													0	0
VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 6000 FT AND	18 LST													0	0
VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 10000 FT AND	18 LST													0	0
VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0

DATA NOT AVAILABLE

KILLEEN MUNICIPAL, TEXAS

STA NO. 75528 (IN AREA NUMBER 13)

LATITUDE 3103N

LONGITUDE 09741W

ELEVATION(FT) 00846

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO, OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	657	695	773	824	849	856	804	808	799	750	681	635	763	0	-50
MEAN PRECIP (IN)	1.80	2.78	2.21	3.76	3.47	3.26	1.58	2.36	2.92	3.45	2.14	2.47	32.2	13	-113
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.3	5.9	5.2	6.7	6.5	5.9	3.5	4.7	4.9	5.6	3.8	5.4	62.4	13	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KILLEEN MUNICIPAL, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	09 LST													0	0
	11 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	17 LST													0	0
	23 LST													0	0
	09 LST													0	0
	11 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST													0	0
	23 LST													0	0
	09 LST													0	0
	11 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST													0	0
	23 LST													0	0
	09 LST													0	0
	11 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	09 LST													0	0
	11 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	09 LST													0	0
	11 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	09 LST													0	0
	11 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	09 LST													0	0
	11 LST													0	0

DATA NOT AVAILABLE

KINGSVILLE MUNICIPAL, TEXAS

STA NO. 75529 (IN AREA NUMBER 13)

LATITUDE 2733N

LONGITUDE 09801W

ELEVATION(FT) 00130

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	92	96	98	104	105	104	106	105	103	99	92	90	106	12	-113
MEAN MAX TMP (F)	73	74	79	84	89	95	96	97	93	87	78	72	85	12	-113
MEAN MIN TMP (F)	48	50	54	62	67	72	73	74	70	62	53	48	61	12	-113
ABS MIN TMP (F)	21	14	24	37	40	55	58	60	53	34	29	21	14	12	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	1.0	5.0	8.0	16.0	27.0	30.0	29.0	24.0	9.0	1.0	0.3	150.3	9	-113
MEAN NO DYS TMP = DR LES 32(F)	3.0	2.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2.0	8.3	8	-113
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (PCT)	-45	-1	74	128	152	160	104	107	104	55	-19	-48	64	0	-50
MEAN PRECIP (IN)	1.37	1.49	1.51	1.61	2.77	2.92	1.85	1.99	3.64	2.52	1.77	1.56	25.0	41	-113
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.5	3.7	3.9	4.1	5.9	5.5	3.9	4.2	5.8	4.3	3.3	3.9	52.0	41	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KINGSVILLE MUNICIPAL, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POP (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	09 LST													0	0
	11 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	17 LST													0	0
	23 LST													0	0
	09 LST													0	0
	11 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST													0	0
	23 LST													0	0
	09 LST													0	0
	11 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST													0	0
	23 LST													0	0
	09 LST													0	0
	11 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	09 LST													0	0
	11 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	09 LST													0	0
	11 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	09 LST													0	0
	11 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	09 LST													0	0
	11 LST													0	0

DATA NOT AVAILABLE

LIBERTY/AIR SERVICE, TEXAS

STA NO. 75530 (IN AREA NUMBER 13)

LATITUDE 3004N

LONGITUDE 09441W

ELEVATION(FT) 00070

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	87	91	95	97	100	105	108	107	104	98	92	89	109	55	-113
MEAN MAX TMP (F)	65	68	73	79	83	92	94	95	91	83	73	66	80	55	-113
MEAN MIN TMP (F)	43	46	51	58	64	70	72	72	67	57	48	44	58	54	-113
ABS MIN TMP (F)	8	10	18	30	40	51	59	55	40	27	16	15	8	54	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	1.0	11.0	25.0	28.0	27.0	20.0	7.0	0.0	0.0	119.0	10	-113
MEAN NO DYS TMP = DR LES 32(F)	7.0	3.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	6.0	22.3	10	-113
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	54	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	-121	-86	-19	23	51	57	9	17	23	-28	-94	-118	-23	0	-50
MEAN PRECIP (IN)	4.07	3.67	3.31	4.26	5.09	4.56	4.47	4.07	3.73	4.25	3.99	5.28	50.8	56	-113
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0					54	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.6	7.1	6.4	6.9	7.2	7.4	7.3	6.9	5.9	6.6	6.3	8.9	84.5	56	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0					54	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

LIBERTY/AIR SERVICE, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND = GTR 17 KTS AND ND PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND ND PRECIP.	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST													0	0
	00 LST													0	0
	06 LST													0	0
	12 LST													0	0

DATA NOT AVAILABLE

CORSICANA MUNICIPAL, TEXAS

STA NO. 75576 (IN AREA NUMBER 13)

LATITUDE 3201N

LONGITUDE 09624W

ELEVATION(FT) 01697

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
ABS MAX TMP (F)	89	90	95	97	104	108	113	112	108	101	90	90	113	71	-113
MEAN MAX TMP (F)	58	62	69	77	84	93	97	97	90	81	69	60	78	59	-113
MEAN MIN TMP (F)	36	39	45	54	62	70	73	73	67	56	45	38	55	58	-113
ABS MIN TMP (F)	-5	-7	12	30	31	41	58	50	41	27	18	8	-7	70	-113
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.3	1.0	9.0	24.0	36.0	29.0	22.0	7.0	0.3	0.0	122.6	10	-113
MEAN NO DYS TMP = DR LES 32(F)	13.0	8.0	4.0	0.3	0.0	0.0	0.0	0.0	0.0	0.3	5.0	10.0	40.6	9	-113
MEAN NO DYS TMP = DR LES 0(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		70	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	245	279	358	407	433	439	393	397	376	331	269	244	348	0	-50
MEAN PRECIP (IN)	2.59	2.65	2.92	4.16	4.91	3.16	2.22	2.19	2.69	2.90	3.05	3.21	36.6	82	-113
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0					70	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.6	5.7	6.0	6.9	7.2	5.8	4.5	4.3	4.6	4.9	5.1	6.5	67.3	82	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0					70	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CORSICANA MUNICIPAL, TEXAS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. URS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	18 LST	00 LST	06 LST	12 LST	18 LST	00 LST	06 LST	12 LST	18 LST	00 LST	06 LST	12 LST	18 LST	0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	18 LST	00 LST	06 LST	12 LST	18 LST	00 LST	06 LST	12 LST	18 LST	00 LST	06 LST	12 LST	18 LST	0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	00 LST	06 LST	12 LST	18 LST	00 LST	06 LST	12 LST	18 LST	00 LST	06 LST	12 LST	18 LST	0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	00 LST	06 LST	12 LST	18 LST	00 LST	06 LST	12 LST	18 LST	00 LST	06 LST	12 LST	18 LST	0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	18 LST	00 LST	06 LST	12 LST	18 LST	00 LST	06 LST	12 LST	18 LST	00 LST	06 LST	12 LST	18 LST	0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	00 LST	06 LST	12 LST	18 LST	00 LST	06 LST	12 LST	18 LST	00 LST	06 LST	12 LST	18 LST	0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	00 LST	06 LST	12 LST	18 LST	00 LST	06 LST	12 LST	18 LST	00 LST	06 LST	12 LST	18 LST	0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	00 LST	06 LST	12 LST	18 LST	00 LST	06 LST	12 LST	18 LST	00 LST	06 LST	12 LST	18 LST	0	0

DATA NOT AVAILABLE

AREA NO. 13

UNITED STATES OF AMERICA		MISS VALLEY					LATITUDE 3430N		LONGITUDE 09000W						
BOUNDARIES		2925N 10100W	3430N 09620W	3430N 09620W	3500N 09230W	3500N 09230W	4140N 089-0W	4140N 08940W	3930N 08645W	3930N 08645W	3530N 08700W	3530N 08700W	3500N 08600W		
		3500N 08600W	3300N 08645W	3300N 08645W	3200N 08650W	3200N 08650W	3010N 08600W	PARAMETER DESCRIPTION							
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)		56	60	67	75	83	90	93	93	87	78	66	58	76	
MEAN MIN TMP (F)		36	39	45	54	62	69	72	71	65	54	44	38	54	
LARGEST MEAN PRECIP(IN)		7.28	6.06	8.86	6.51	12.36	6.65	8.50	7.62	10.72	5.09	4.99	6.22	90.9	
SMALLEST MEAN PRECIP(IN)		0.83	0.89	0.58	1.30	1.57	1.67	0.86	1.11	1.17	1.06	0.47	0.66	12.2	
MEAN NUMBER OF DAYS															
CIG = GTR 1000 FT AND VSBY = GTR 3 MI		18 LST	27.0	24.9	28.8	28.7	30.3	29.7	30.7	30.8	29.3	30.2	28.2	27.7	346.3
		00 LST	25.5	23.7	27.4	27.4	29.7	29.5	30.6	30.6	28.9	29.5	27.1	26.5	336.4
		06 LST	23.4	21.5	24.9	24.9	27.0	27.5	28.8	28.5	26.0	26.1	24.8	24.7	308.1
		12 LST	25.9	24.2	28.4	28.6	30.2	29.6	30.7	30.6	29.1	29.9	27.7	26.6	341.7
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS		18 LST	16.5	14.4	15.1	15.1	17.8	17.8	20.4	21.9	21.9	23.4	20.1	18.7	223.1
		00 LST	15.9	15.1	16.9	17.6	21.3	22.8	25.1	25.8	24.2	24.1	19.6	18.2	246.6
		06 LST	14.2	13.3	15.0	15.3	19.1	21.4	24.7	25.3	21.7	20.9	17.4	16.3	224.6
		12 LST	10.1	8.8	9.6	9.5	13.5	15.8	19.6	20.3	17.0	16.2	12.3	11.7	164.4
SFC WND = GTR 17 KTS AND NO PRECIP.		18 LST	1.8	2.0	3.0	2.8	2.1	1.7	1.5	1.1	0.7	0.7	1.1	1.3	19.8
		00 LST	1.8	1.7	2.0	1.7	1.0	0.7	0.4	0.3	0.3	0.5	1.3	1.3	13.0
		06 LST	1.6	1.3	1.7	1.1	0.7	0.4	0.1	0.1	0.2	0.4	1.1	1.2	9.9
		12 LST	4.0	4.0	5.1	4.6	2.9	1.8	0.9	0.6	1.1	1.7	3.4	3.2	33.3
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.		18 LST	16.1	15.2	16.6	16.3	17.0	13.3	12.3	12.6	16.2	17.7	16.6	16.7	186.6
		00 LST	14.0	13.6	15.8	16.0	15.8	15.4	15.9	15.7	15.4	15.4	14.5	14.3	181.8
		06 LST	12.7	12.7	15.4	16.1	16.2	16.0	15.6	15.0	15.2	15.4	13.9	13.3	177.5
		12 LST	13.7	12.7	13.5	13.0	15.5	11.9	10.7	10.5	15.4	17.8	14.9	14.8	164.4
SKY COVER LES 3/10 AND VSBY = GTR 3 MI		18 LST	9.1	8.9	9.0	9.3	9.9	10.6	8.1	10.4	12.7	16.2	13.2	11.1	128.5
		00 LST	11.7	11.7	12.6	13.4	15.1	17.9	18.8	20.2	19.2	20.1	15.4	13.8	189.9
		06 LST	9.8	9.1	9.0	8.6	8.6	10.5	10.7	13.1	13.4	14.6	12.3	11.8	131.5
		12 LST	7.5	7.9	8.3	7.8	6.9	6.0	5.3	7.5	9.8	12.9	10.9	9.5	100.3
CIG = GTR 2500 FT AND VSBY = GTR 3 MI		18 LST	23.6	22.3	26.2	26.6	28.7	28.9	30.2	30.4	28.3	29.1	26.4	24.9	325.6
		00 LST	21.9	20.8	24.1	24.3	27.1	28.4	30.1	30.2	27.9	28.2	25.0	23.5	311.5
		06 LST	19.1	17.8	20.6	20.4	22.8	24.7	27.2	27.2	24.0	23.9	21.9	21.2	270.8
		12 LST	20.8	19.6	23.4	23.8	26.3	27.1	24.8	29.0	26.0	26.9	24.2	22.6	298.3
CIG = GTR 6000 FT AND VSBY = GTR 3 MI		18 LST	20.1	19.0	22.4	23.0	25.6	26.6	28.2	28.7	26.2	27.0	23.3	21.4	291.5
		00 LST	18.9	18.1	21.0	21.9	25.1	27.3	29.3	29.4	26.7	26.6	22.2	20.5	287.0
		06 LST	16.2	15.1	17.4	17.5	20.4	23.3	26.1	26.2	22.6	22.1	19.0	18.0	243.9
		12 LST	17.5	16.5	19.0	18.5	19.6	19.9	22.4	23.5	21.2	23.3	20.5	19.3	241.2
CIG = GTR 10000 FT AND VSBY = GTR 3 MI		18 LST	18.5	17.5	20.5	21.4	24.1	25.4	26.7	27.4	24.9	25.8	21.7	19.8	273.8
		00 LST	17.7	16.9	19.4	20.4	23.9	26.6	28.6	28.7	25.8	25.5	20.8	19.0	273.3
		06 LST	15.0	13.7	15.9	16.0	18.9	22.2	24.9	24.9	21.4	20.9	17.5	16.6	227.9
		12 LST	16.1	15.1	17.5	17.2	18.6	19.2	21.5	22.6	20.4	22.2	19.1	17.7	227.2